METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	APR26	APR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27
COO OPT	04/30			05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31
ECG10 OP		04/09	04/10											
ECG11 OP		04/09	04/10											
ECG13 OP		04/09	04/10											
ECG15 OP		04/09	04/10											
ECG16 OP		04/09	04/10											
ECGC OOF		04/09	04/10											
ECHG OOF		04/09	04/10											
ECSI OOF		04/09	04/10											
EHO OPT	04/30			05/29	06/30	07/31	08/28	09/30						
FMG OPT	04/17													
FSO OPT	04/30			05/29	06/30									
GMW MON	04/20			05/11										
GWR THU	04/30													
GWT TUE	04/28			05/05										
GWW WED	04/29			05/06										
HMW MON	04/20			05/11										
HRO OPT	04/28			05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29			
HWR THU	04/30													
HWT TUE	04/28													
HWW WED	04/29			05/06	06/03	07/01								
HX CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28		02/23
HX PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
HXE CALL	04/24			05/01										
HXE PUT	04/24			05/01										
LHO OPT	04/30			05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31
MMG MON	04/13													
OG CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG1 CALL				05/01										
OG1 PUT				05/01										
OG2 CALL	04/10													
OG2 PUT	04/10													
OG3 CALL	04/17													
OG3 PUT	04/17													
OG4 CALL	04/24													
OG4 PUT	04/24													
OMG OPT				04/27	05/26	06/25								
PAO CALL				04/15	05/20	06/17		08/19			11/18			
PAO PUT				04/15	05/20	06/17		08/19						
PAW OOF	04/17													
PLW OOF	04/24			05/01										
PO CALL				04/15	05/20	06/17			09/16			12/16		
PO PUT				04/15	05/20	06/17			09/16			12/16		
RWS THU	04/23													
SMW MON	04/20			05/11										
SO CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28		02/23
SO1 CALL				05/01										
SO1 PUT				05/01										
SO2 CALL	04/10													
SO2 PUT	04/10													
SO3 CALL	04/17													
SO3 PUT	04/17													
SO4 CALL	04/24													
SO4 PUT	04/24													
SWW WED	04/29													
TWS TUE	04/28													
WMG WED	04/15													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK3										
APR26												
4500	----	----	----	----	----	4.50 - 2.10	.0406	----	----	----	----	1 UNCH
TOTAL												1 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
MAY26												
3600	----	----	----	----	----	0.80 - 0.30	----	----	----	----	----	2 UNCH
3700	----	----	----	----	----	1.00 - 0.40	----	----	----	----	----	1 UNCH
3850	----	----	----	----	----	1.70 - 0.40	----	----	----	----	----	2 UNCH
3900	----	----	----	----	----	1.90 - 0.50	----	----	----	----	----	3 UNCH
4000	----	----	----	----	----	2.60 - 0.50	----	----	----	----	----	7 UNCH
4200	----	----	----	----	----	5.40 - 0.80	----	----	----	----	----	2 UNCH
4250	----	----	----	----	----	543.40 - 31.50	----	----	----	----	----	1 UNCH
4400	416.00	416.00	#416.00/416.00	#416.00/416.00	----	400.40 - 32.60	----	----	----	1	----	0 - 1
4450	----	----	----	----	----	354.50 - 32.90	----	----	----	----	----	1 UNCH
4450	----	----	----	----	----	17.60 - 2.30	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	310.10 - 33.00	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	23.10 - 2.40	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	39.60 - 2.40	----	----	----	----	----	2 UNCH
4725	----	----	----	----	----	75.80 - 0.30	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	95.70 - 28.40	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	108.30 + 2.20	----	----	----	----	----	1 UNCH
4900	55.00	55.00	55.00/*55.00	55.00/*55.00	----	54.20 - 23.50	----	----	----	1	----	2 UNCH
4900	----	----	----	----	----	166.70 + 7.20	----	----	----	----	----	1 UNCH
4920	----	----	----	----	----	180.30 + 8.30	----	----	----	----	----	2 UNCH
4950	----	----	----	----	----	39.60 - 20.20	----	----	----	----	----	2 UNCH
5000	----	----	----	28.00B/----	----	28.50 - 16.80	----	----	----	----	----	2 UNCH
5050	----	----	----	----	----	282.60 + 17.10	----	----	----	----	----	3 UNCH
5200	----	----	----	----	----	7.50 - 6.50	----	----	----	----	----	1 UNCH
5875	----	----	----	----	----	0.90 - 0.40	----	----	----	----	----	1 UNCH
TOTAL										2		41 - 1
JUN26												
2500	----	----	----	----	----	0.50 - 0.20	----	----	----	----	----	2 UNCH
4260	----	----	----	----	----	32.90 - 0.80	----	----	----	----	----	1 UNCH
4500	----	----	----	----/100.00A	----	72.60 - 0.30	----	----	----	----	----	3 UNCH
4645	----	----	----	----	----	114.60 + 1.10	----	----	----	----	----	3 UNCH
4700	----	----	----	----	----	222.50 - 28.30	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	123.70 - 23.00	----	----	----	----	----	2 UNCH
5200	----	----	----	----	----	45.10 - 12.50	----	----	----	----	----	1 UNCH
5400	----	----	----	----	----	23.50 - 6.90	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	7.90 - 1.60	----	----	----	----	----	1 UNCH
TOTAL												16 0
JUL26												
3400	----	----	----	----	----	1426.40 - 30.90	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1367.10 - 31.00	----	----	----	----	----	1 UNCH
4300	63.00	63.00	#63.00/*63.00	#63.00/*63.00	----	60.20 NEW	----	----	----	1	----	1 + 1
TOTAL										1		3 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG4 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3800	----	----	----	0.40B/2.00A	----	0.80 - 0.30	.0042	----	----	----	----	1 UNCH
4025	----	----	----/*2.60A	1.90B/*2.60A	----	2.30 - 0.60	.0132	----	----	1	----	1 UNCH
4050	----	----	----/*2.80A	2.10B/*2.80A	----	2.60 - 0.60	.0150	----	----	----	----	4 UNCH
4100	----	----	----/*3.10A	2.60B/*3.10A	----	3.00 - 0.80	.0179	----	----	----	----	1 UNCH
4150	----	----	----/*3.70A	3.20B/*3.70A	----	3.70 - 0.80	.0225	----	----	1	----	9 UNCH
4175	----	----	----/*4.10A	3.90B/*4.10A	----	4.00 - 1.00	.0248	----	----	----	----	2 UNCH
4200	4.70	4.70	4.70/*4.50A	4.70/*4.50A	----	4.50 - 1.00	.0281	----	----	1	----	5 + 1
4210	----	----	----/*4.60A	4.60B/*4.60A	----	4.70 - 1.00	.0294	----	----	----	----	2 UNCH
4225	----	----	----/*4.90A	5.20B/*4.90A	----	5.00 - 1.10	.0315	----	----	----	----	5 UNCH
4255	----	----	7.00B/*5.20A	7.00B/*5.20A	----	5.80 - 1.10	.0368	----	----	----	----	1 UNCH
4300	9.00	9.00	9.00/*6.00	9.00/*6.00	----	7.20 - 1.20	.0462	----	----	4	----	9 + 2
4315	----	----	----/*6.90A	9.00B/*6.90A	----	7.70 - 1.30	.0496	----	----	----	----	1 UNCH
4375	----	----	13.00B/*8.90A	13.00B/*8.90A	----	10.40 - 1.50	.0676	----	----	----	----	1 UNCH
4400	11.10	11.10	14.70B/*10.10	14.70B/*10.10	----	11.80 - 1.70	.0769	----	----	11	----	39 + 11
4450	----	----	20.10B/*13.10A	20.10B/*13.10A	----	15.30 - 2.20	.0998	----	----	----	----	10 UNCH
4480	----	----	23.40B/*15.50A	23.40B/*15.50A	----	17.70 - 2.80	.1158	----	----	----	----	1 UNCH
4500	----	----	27.10B/*17.40A	27.10B/*17.40A	----	20.00 - 2.70	.1297	----	----	----	----	20 UNCH
4505	21.70	21.70	27.00B/*17.90A	27.00B/*17.90A	----	20.50 NEW	.1329	----	----	21	----	21 + 21
4520	20.50	20.50	29.50B/*19.50A	29.50B/*19.50A	----	22.30 - 2.90	.1439	----	----	5	----	4 + 3
4525	----	----	30.40B/*20.00A	30.40B/*20.00A	----	22.90 - 3.00	.1477	----	----	----	----	125 UNCH
4550	25.00	25.00	35.00B/*23.10A	35.00B/*23.10A	----	26.30 - 3.20	.1681	----	----	10	----	11 + 10
4565	----	----	38.80B/*25.20A	38.80B/*25.20A	----	28.60 - 3.30	.1816	----	----	----	----	1 UNCH
4575	----	----	40.80B/*26.70A	40.80B/*26.70A	----	30.30 - 3.40	.1913	----	----	----	----	6 UNCH
4590	----	----	43.30B/*29.10A	43.30B/*29.10A	----	32.90 - 3.50	.2062	----	----	----	----	1 UNCH
4600	42.00	42.00	46.80B/*30.80A	46.80B/*30.80A	----	34.80 - 3.50	.2169	----	----	61	----	74 + 38
4620	33.20	33.20	52.00B/*33.20	52.00B/*33.20	----	38.90 NEW	.2393	----	----	3	----	3 + 3
4625	41.00	41.00	53.40B/*35.50A	53.40B/*35.50A	----	40.00 - 3.60	.2453	----	----	2	----	3 UNCH
4635	44.20	44.20	55.90B/*37.60A	55.90B/*37.60A	----	42.30 NEW	.2574	----	----	2	----	1 + 1
4650	----	----	60.50B/*41.00A	60.50B/*41.00A	----	46.00 - 3.50	.2765	----	----	----	----	2 UNCH
4670	----	----	67.10B/*45.80A	67.10B/*45.80A	----	51.30 - 3.50	.3034	----	----	----	----	2 UNCH
4675	----	----	68.80B/*47.00A	68.80B/*47.00A	----	52.80 - 3.40	.3105	----	----	----	----	1 UNCH
4695	----	----	75.90B/*52.60A	75.90B/*52.60A	----	58.80 - 3.20	.3394	----	----	----	----	1 UNCH
4700	----	----	78.30B/*54.00A	78.30B/*54.00A	----	60.50 - 3.10	.3470	----	----	----	----	50 UNCH
4735	70.30	70.30	92.00B/*65.40A	92.00B/*65.40A	----	72.80 NEW	.4018	----	----	5	----	5 + 5
4750	76.00	76.00	98.50B/*70.50A	98.50B/*70.50A	----	78.80 NEW	.4265	----	----	5	----	5 + 5
4765	----	----	100.40B/*76.30A	100.40B/*76.30A	----	85.10 - 1.70	.4517	----	----	----	----	10 UNCH
4770	----	----	101.70B/*78.10A	101.70B/*78.10A	----	87.30 - 1.50	.4602	----	----	----	----	4 UNCH
4775	----	----	104.90B/*80.40A	104.90B/*80.40A	----	89.60 - 1.30	.4688	----	----	----	----	3 UNCH
4780	----	----	107.10B/*82.50A	107.10B/*82.50A	----	91.90 - 1.10	.4774	----	----	1	----	3 + 1
4850	----	----	145.60B/*115.70	145.60B/*115.70A	----	128.90 + 2.40	.5985	----	----	----	----	5 UNCH
4870	----	----	157.40B/*127.00	157.40B/*127.00A	----	141.10 + 3.60	.6322	----	----	----	----	2 UNCH
4900	----	----	177.00B/145.50A	177.00B/145.50A	----	160.90 + 5.80	.6806	----	----	----	----	3 UNCH
5075	----	----	316.50B/----	316.50B/283.40A	----	301.80 + 19.10	.8824	----	----	----	----	1 UNCH
TOTAL										133		459 + 101

OG4 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4540	----	----	----/263.10A	290.90B/263.10A	----	272.00 - 33.70	.8399	----	----	----	----	2 UNCH
4550	----	----	----/255.00A	282.20B/255.00A	----	263.50 - 33.70	.8315	----	----	----	----	1 UNCH
4600	----	----	----/215.00A	239.80B/215.00A	----	222.00 - 34.10	.7827	----	----	----	----	2 UNCH
4675	----	----	----/160.00A	181.10B/160.00A	----	165.00 - 34.00	.6891	----	----	----	----	1 UNCH
4730	----	----	----/124.40A	146.70B/124.40A	----	128.30 - 33.20	.6059	----	----	----	----	1 UNCH
4765	----	----	----/104.50A	125.70B/104.50A	----	107.50 - 32.20	.5478	----	----	----	----	10 UNCH
4770	----	----	----/102.30A	123.10B/102.30A	----	104.70 - 32.10	.5393	----	----	----	----	4 UNCH
4775	----	----	----/98.90A	119.30B/98.90A	----	102.00 - 31.80	.5308	----	----	----	----	3 UNCH
4780	----	----	----/96.70A	117.30B/96.70A	----	99.30 NEW	.5222	----	----	1	----	1 + 1
4800	92.00	92.00	105.70B/86.70A	105.70B/86.70A	----	89.00 - 30.80	.4876	----	----	10	----	28 + 10
4820	----	----	----/78.50A	95.30B/78.50A	----	79.40 - 29.80	.4528	----	----	----	----	4 UNCH
4825	----	----	----/75.50A	92.90B/75.50A	----	77.10 - 29.60	.4441	----	----	----	----	3 UNCH
4850	----	----	----/65.40A	80.70B/65.40A	----	66.40 - 28.20	.4011	----	----	----	----	4 UNCH
4865	----	----	----/*59.70A	74.00B/*59.70A	----	60.60 - 27.20	.3759	----	----	----	----	1 UNCH
4875	----	----	----/*56.50A	70.00B/56.50A	----	56.80 - 26.60	.3591	----	----	----	----	13 UNCH
4890	----	----	----/*51.60A	63.90B/*51.60A	----	51.60 - 25.60	.3347	----	----	----	----	9 UNCH
4895	----	----	----/*50.00A	61.30B/*50.00A	----	50.00 - 25.20	.3269	----	----	----	----	15 UNCH
4900	53.60	53.60	59.70B/*48.40A	59.70B/*48.40A	----	48.40 - 24.80	.3190	----	----	1	----	24 UNCH
4930	----	----	----/*40.00A	49.60B/*40.00A	----	39.70 - 22.50	.2739	----	----	----	----	14 UNCH
4945	41.20	41.20	44.90B/*36.10A	44.90B/*36.10A	----	35.80 NEW	.2526	----	----	5	----	5 + 5
4950	----	----	----/*35.10A	43.40B/*35.10A	----	34.60 - 21.00	.2458	----	----	----	----	12 UNCH
4980	27.60	27.60	35.50B/*27.60	35.50B/*27.60	----	28.20 NEW	.2079	----	----	4	----	4 + 4
4995	----	----	----/*25.60A	32.00B/*25.60A	----	25.40 - 17.40	.1905	----	----	----	----	15 UNCH
5000	26.20	26.20	26.20/*24.80A	30.90B/*24.80A	----	24.50 - 17.00	.1849	----	----	4	----	30 + 4
5005	25.50	25.50	29.80B/*23.90A	29.80B/*23.90A	----	23.70 NEW	.1796	----	----	22	----	22 + 22
5010	25.00	25.00	28.80B/*23.10A	28.80B/*23.10A	----	22.90 NEW	.1744	----	----	1	----	1 + 1
5015	25.70	25.70	27.80B/*22.30A	27.80B/*22.30A	----	22.10 NEW	.1692	----	----	22	----	22 + 22
5025	22.90	22.90	25.90B/*20.80A	25.90B/*20.80A	----	20.60 - 15.10	.1593	----	----	15	----	17 + 15
5050	20.10	20.10	20.10/*17.50A	21.70B/*17.50A	----	17.30 - 13.20	.1366	----	----	10	----	56 UNCH
5075	16.80	16.80	18.20B/*14.90A	18.20B/*14.90A	----	14.60 NEW	.1173	----	----	8	----	8 + 8
5100	----	----	----/*12.50A	15.10B/*12.50A	----	12.20 - 10.00	.0997	----	----	----	----	75 UNCH
5200	----	----	----/*6.60A	7.30B/*6.60A	----	6.30 - 5.30	.0533	----	----	----	----	301 UNCH
5300	3.20	3.20	3.20/*3.20	3.80B/*3.20	----	3.20 - 3.20	.0276	----	----	1	----	12 + 1
5400	2.20	2.20	2.20/*1.90	3.00B/*1.90	----	1.80 - 2.10	.0153	----	----	2	----	3 + 2
5450	----	----	----/*2.40A	1.50B/*2.40A	----	1.40 - 1.70	.0117	----	----	----	----	20 UNCH
TOTAL										106		743 + 95

OG3 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3200	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3350	----	----	----	----/*0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
3500	----	----	----	----/*0.30A	----	0.10 - 0.10	.0003	----	----	----	----	5 UNCH
3550	----	----	----/*0.10A	----/*0.10A	----	0.20 - 0.10	.0007	----	----	----	----	2 UNCH
3600	----	----	----	----/0.40A	----	0.20 - 0.10	.0007	----	----	----	----	11 UNCH
3650	----	----	----	0.10B/*0.50A	----	0.20 - 0.20	.0007	----	----	----	----	3 UNCH
3700	----	----	----	0.10B/*0.60A	----	0.30 - 0.10	.0012	----	----	----	----	3 UNCH
3750	----	----	----	0.10B/*0.60A	----	0.30 - 0.20	.0012	----	----	----	----	3 UNCH
3800	----	----	----	0.30B/*0.60A	----	0.40 - 0.20	.0017	----	----	----	----	44 UNCH
3850	----	----	----	0.60B/*0.80A	----	0.50 - 0.20	.0023	----	----	----	----	6 UNCH
3900	----	----	----	0.50B/*0.90A	----	0.60 - 0.20	.0028	----	----	----	----	32 UNCH
3950	----	----	----	0.70B/*1.00A	----	0.70 - 0.30	.0035	----	----	----	----	52 UNCH
4000	----	----	----/*1.00A	0.80B/*1.00A	----	0.90 - 0.30	.0046	----	----	6	----	165 + 6
4025	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.30	.0053	----	----	----	----	2 UNCH
4050	0.90	0.90	1.00/*0.90	1.00/*0.90	----	1.10 - 0.40	.0059	----	----	4	----	59 + 1
4075	1.10	1.10	1.10/*1.00	1.20B/*1.00	----	1.20 NEW	.0066	----	----	30	----	30 + 30
4100	----	----	----/*1.40A	1.30B/*1.40A	----	1.30 - 0.40	.0074	----	----	1	----	39 + 1
4125	----	----	----/*1.40A	1.50B/*1.40A	----	1.40 - 0.50	.0082	----	----	----	----	2 UNCH
4150	----	----	----/*1.50A	1.60B/*1.50A	----	1.50 - 0.50	.0090	----	----	----	----	4 UNCH
4175	1.80	1.80	1.80/*1.60A	1.90B/*1.60A	----	1.60 - 0.60	.0099	----	----	6	----	6 + 1
4200	2.10	2.10	2.10/*1.60	2.10/*1.60	----	1.80 - 0.70	.0114	----	----	18	----	30 + 1
4220	----	----	----/*1.80A	2.20B/*1.80A	----	1.90 - 0.80	.0123	----	----	----	----	150 UNCH
4225	----	----	----/*1.80A	2.30B/*1.80A	----	2.00 - 0.70	.0130	----	----	----	----	2 UNCH
4250	2.30	2.30	2.30/*2.00A	2.60B/*2.00A	----	2.20 - 0.80	.0147	----	----	1	----	145 + 1
4255	----	----	----/*2.00A	2.70B/*2.00A	----	2.20 - 0.90	.0148	----	----	----	----	5 UNCH
4260	----	----	----/*2.00A	2.80B/*2.00A	----	2.30 - 0.80	.0155	----	----	----	----	6 UNCH
4275	2.20	2.20	2.20/*2.10A	3.00B/*2.10A	----	2.40 - 0.90	.0165	----	----	4	----	5 + 4
4280	----	----	----/*2.20A	3.10B/*2.20A	----	2.50 - 0.90	.0172	----	----	20	----	27 + 20
4290	----	----	----/*2.30A	3.20B/*2.30A	----	2.60 NEW	.0181	----	----	3	----	3 + 3
4295	2.20	2.20	2.20/*2.20	3.40B/*2.20	----	2.70 - 0.90	.0188	----	----	1	----	3 + 1
4300	3.00	3.00	3.00/*2.20A	3.50B/*2.20A	----	2.70 - 1.00	.0190	----	----	7	----	51 - 1
4310	2.90	2.90	2.90/*2.50	3.70B/*2.50	----	2.90 NEW	.0205	----	----	2	----	1 + 1
4315	----	----	----/*2.50A	3.80B/*2.50A	----	2.90 - 1.10	.0207	----	----	----	----	1 UNCH
4320	----	----	----/*2.60A	4.00B/*2.60A	----	3.00 - 1.10	.0215	----	----	1	----	0 - 1
4345	----	----	----/*2.70A	4.40B/*2.70A	----	3.40 - 1.20	.0249	----	----	----	----	1 UNCH
4350	3.50	3.50	3.50/*2.70A	4.70B/*2.70A	----	3.50 - 1.20	.0258	----	----	2	----	156 UNCH
4375	5.70	5.70	5.70/*3.30A	5.70/*3.30A	----	3.90 - 1.40	.0295	----	----	3	----	28 + 2
4380	----	----	5.70B/*3.20A	5.70B/*3.20A	----	4.00 - 1.40	.0305	----	----	20	----	21 + 20
4385	----	----	5.90B/*3.40A	5.90B/*3.40A	----	4.10 - 1.50	.0314	----	----	----	----	2 UNCH
4390	----	----	6.10B/*3.50A	6.10B/*3.50A	----	4.30 - 1.40	.0329	----	----	----	----	10 UNCH
4395	----	----	6.20B/*3.50A	6.20B/*3.50A	----	4.40 - 1.50	.0339	----	----	1	----	2 UNCH
4400	7.10	7.10	7.10/*3.60A	7.10/*3.60A	----	4.50 - 1.50	.0348	----	----	174	----	218 + 121

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT		GOLD OPTIONS										
APR26												
4410	----	----	6.90B/*3.80A	6.90B/*3.80A	----	4.80 - 1.50	.0374	----	----	1	----	1 UNCH
4425	----	----	7.80B/*4.10A	7.80B/*4.10A	----	5.20 - 1.70	.0411	----	----	----	----	2 UNCH
4430	----	----	7.90B/*4.30A	7.90B/*4.30A	----	5.30 - 1.80	.0421	----	----	----	----	3 UNCH
4440	----	----	8.50B/*4.50A	8.50B/*4.50A	----	5.70 - 1.80	.0455	----	----	----	----	11 UNCH
4450	----	----	9.30B/*4.80A	9.30B/*4.80A	----	6.00 - 1.90	.0484	----	----	2	----	166 UNCH
4455	----	----	9.50B/*5.00A	9.50B/*5.00A	----	6.20 - 1.90	.0502	----	----	----	----	100 UNCH
4460	----	----	9.70B/*5.10A	9.70B/*5.10A	----	6.40 - 2.00	.0520	----	----	1	----	4 + 1
4470	7.80	7.80	10.50B/*5.40A	10.50B/*5.40A	----	6.80 - 2.00	.0557	----	----	1	----	4 + 1
4475	----	----	10.90B/*5.60A	10.90B/*5.60A	----	7.00 NEW	.0575	----	----	1	----	1 + 1
4480	----	----	11.00B/*5.80A	11.00B/*5.80A	----	7.20 - 2.20	.0594	----	----	----	----	10 UNCH
4490	----	----	11.80B/*6.10A	11.80B/*6.10A	----	7.70 - 2.30	.0639	----	----	----	----	4 UNCH
4500	12.80	12.80	12.90B/*6.50A	12.90B/*6.50A	----	8.20 - 2.40	.0685	----	----	165	----	437 + 63
4510	----	----	13.70B/*7.00A	13.70B/*7.00A	----	8.80 - 2.40	.0739	----	----	----	----	2 UNCH
4515	10.60	10.60	14.20B/*7.20A	14.20B/*7.20A	----	9.10 NEW	.0766	----	----	4	----	4 + 4
4520	----	----	14.80B/*7.40A	14.80B/*7.40A	----	9.40 - 2.50	.0794	----	----	----	----	20 UNCH
4525	13.50	13.50	15.30B/*7.80A	15.30B/*7.80A	----	9.70 - 2.60	.0822	----	----	1	----	7 + 1
4530	10.20	10.20	15.90B/*8.00A	15.90B/*8.00A	----	10.10 NEW	.0856	----	----	9	----	9 + 9
4535	15.00	15.00	16.50B/*8.30A	16.50B/*8.30A	----	10.40 NEW	.0885	----	----	2	----	2 + 2
4540	----	----	17.20B/*8.60A	17.20B/*8.60A	----	10.80 - 2.70	.0920	----	----	4	----	6 + 4
4545	----	----	17.80B/*8.90A	17.80B/*8.90A	----	11.20 - 2.80	.0955	----	----	----	----	18 UNCH
4550	14.00	14.00	18.60B/*9.20A	18.60B/*9.20A	----	11.60 - 2.80	.0991	----	----	9	----	275 + 7
4560	----	----	20.00B/*9.90A	20.00B/*9.90A	----	12.40 NEW	.1064	----	----	1	----	1 + 1
4565	----	----	20.80B/*10.30A	20.80B/*10.30A	----	12.90 - 3.00	.1107	----	----	----	----	5 UNCH
4575	----	----	22.40B/*11.10A	22.40B/*11.10A	----	13.90 - 3.00	.1194	----	----	1	----	56 + 1
4580	----	----	23.20B/*11.50A	23.20B/*11.50A	----	14.40 - 3.10	.1238	----	----	----	----	1 UNCH
4585	----	----	24.10B/*12.00A	24.10B/*12.00A	----	14.90 - 3.20	.1283	----	----	----	----	15 UNCH
4590	16.70	16.70	25.00B/*12.50A	25.00B/*12.50A	----	15.50 - 3.20	.1334	----	----	13	----	14 + 13
4595	15.50	15.50	25.80B/*12.90A	25.80B/*12.90A	----	16.00 NEW	.1380	----	----	104	----	102 + 102
4600	24.10	24.10	26.80B/*13.40A	26.80B/*13.40A	----	16.70 - 3.20	.1437	----	----	240	----	195 + 56
4605	16.20	16.20	27.80B/*13.90A	27.80B/*13.90A	----	17.30 NEW	.1490	----	----	114	----	110 + 110
4610	----	----	28.90B/*14.50A	28.90B/*14.50A	----	17.90 - 3.40	.1544	----	----	----	----	2 UNCH
4625	----	----	32.10B/*16.20A	32.10B/*16.20A	----	20.10 - 3.50	.1727	----	----	11	----	27 - 5
4630	18.50	18.50	33.20B/*16.90A	33.20B/*16.90A	----	20.80 - 3.60	.1788	----	----	17	----	20 + 3
4635	----	----	34.40B/*17.60A	34.40B/*17.60A	----	21.60 - 3.60	.1855	----	----	2	----	13 + 2
4640	----	----	35.70B/*18.30A	35.70B/*18.30A	----	22.50 - 3.50	.1926	----	----	2	----	1 UNCH
4645	----	----	37.00B/*19.00A	37.00B/*19.00A	----	23.40 - 3.50	.1998	----	----	----	----	5 UNCH
4650	26.30	26.30	38.30B/*19.70A	38.30B/*19.70A	----	24.30 - 3.50	.2071	----	----	4	----	109 + 2
4660	----	----	41.00B/*21.40A	41.00B/*21.40A	----	26.20 - 3.60	.2224	----	----	----	----	4 UNCH
4675	27.40	27.40	45.50B/*24.00A	45.50B/*24.00A	----	29.40 - 3.50	.2473	----	----	3	----	92 + 3
4680	----	----	47.10B/*25.00A	47.10B/*25.00A	----	30.50 - 3.50	.2559	----	----	----	----	72 UNCH
4685	40.40	40.40	48.70B/*26.00A	48.70B/*26.00A	----	31.70 - 3.50	.2649	----	----	3	----	20 UNCH
4690	----	----	50.40B/*27.00A	50.40B/*27.00A	----	32.90 - 3.50	.2740	----	----	1	----	39 + 1
4695	----	----	52.10B/*28.10A	52.10B/*28.10A	----	34.20 - 3.40	.2835	----	----	----	----	21 UNCH
4700	36.90	36.90	53.90B/*29.10A	53.90B/*29.10A	----	35.50 - 3.40	.2931	----	----	137	----	176 + 101
4710	----	----	57.50B/*31.60A	57.50B/*31.60A	----	38.30 - 3.20	.3131	----	----	----	----	1 UNCH
4720	----	----	61.40B/*34.00A	61.40B/*34.00A	----	41.30 - 3.10	.3340	----	----	----	----	5 UNCH
4725	40.00	40.00	63.40B/*35.40A	63.40B/*35.40A	----	42.90 - 2.90	.3448	----	----	10	----	12 + 10
4730	----	----	65.50B/*36.80A	65.50B/*36.80A	----	44.50 - 2.90	.3558	----	----	----	----	2 UNCH
4735	----	----	67.60B/*38.20A	67.60B/*38.20A	----	46.20 - 2.70	.3669	----	----	----	----	36 UNCH
4740	----	----	69.80B/*39.60A	69.80B/*39.60A	----	48.00 - 2.50	.3784	----	----	----	----	34 UNCH
4745	----	----	72.00B/*41.10A	72.00B/*41.10A	----	49.80 - 2.40	.3899	----	----	----	----	24 UNCH
4750	65.50	65.50	74.30B/*42.70A	74.30B/*42.70A	----	51.60 - 2.30	.4015	----	----	9	----	21 + 6
4755	----	----	76.60B/*44.30A	76.60B/*44.30A	----	53.60 - 2.00	.4135	----	----	----	----	15 UNCH
4760	56.50	56.50	79.00B/*46.00A	79.00B/*46.00A	----	55.50 - 1.90	.4254	----	----	1	----	10 UNCH
4770	62.50	62.50	84.00B/*49.60A	84.00B/*49.60A	----	59.70 NEW	.4498	----	----	2	----	2 + 2
4775	----	----	86.50B/51.40A	86.50B/51.40A	----	61.90 - 1.20	.4622	----	----	1	----	52 + 1
4780	76.50	76.50	89.10B/*53.20A	89.10B/*53.20A	----	64.10 - 1.00	.4747	----	----	11	----	49 + 5
4785	71.30	71.30	91.80B/*55.10A	91.80B/*55.10A	----	66.40 - 0.70	.4872	----	----	8	----	15 UNCH
4790	72.00	72.00	94.60B/*57.40A	94.60B/*57.40A	----	68.80 NEW	.4998	----	----	2	----	2 + 2
4795	----	----	97.40B/*59.40A	97.40B/*59.40A	----	71.20 - 0.10	.5125	----	----	----	----	1 UNCH
4800	87.00	87.00	100.20B/61.40A	100.20B/61.40A	----	73.70 + 0.25	.5252	----	----	4	----	8 + 4
4805	----	----	102.60B/*63.60A	102.60B/*63.60A	----	76.30 + 0.50	.5379	----	----	----	----	10 UNCH
4810	----	----	105.60B/*65.90A	105.60B/*65.90A	----	78.90 + 0.80	.5506	----	----	----	----	1 UNCH
4820	----	----	111.70B/*70.60A	111.70B/*70.60A	----	84.40 + 1.60	.5759	----	----	----	----	1 UNCH
4825	----	----	114.70B/72.60A	114.70B/72.60A	----	87.20 + 1.90	.5883	----	----	----	----	2 UNCH
4850	----	----	131.30B/85.70A	131.30B/85.70A	----	102.40 + 4.10	.6499	----	----	----	----	1 UNCH
4875	----	----	149.20B/101.40A	149.20B/101.40A	----	119.00 + 6.30	.7078	----	----	----	----	1 UNCH
4885	----	----	156.70B/107.60A	156.70B/107.60A	----	126.10 + 7.30	.7295	----	----	----	----	1 UNCH
4900	----	----	168.20B/117.40A	168.20B/117.40A	----	137.20 + 8.90	.7607	----	----	----	----	4 UNCH
4915	----	----	180.20B/128.20A	180.20B/128.20A	----	148.70 + 10.40	.7895	----	----	----	----	5 UNCH
4950	----	----	209.40B/154.80A	209.40B/154.80A	----	177.10 + 13.70	.8472	----	----	----	----	2 UNCH
4975	----	----	231.20B/174.80A	231.20B/174.80A	----	198.60 + 16.00	.8807	----	----	----	----	1 UNCH
4995	----	----	249.10B/191.80A	249.10B/191.80A	----	216.40 + 17.80	.9028	----	----	----	----	1 UNCH
5000	----	----	253.60B/196.10A	253.60B/196.10A	----	220.90 + 18.20	.9079	----	----	----	----	1 UNCH
5050	----	----	300.00B/240.90A	300.00B/240.90A	----	267.30 + 21.80	.9454	----	----	----	----	1 UNCH
5150	----	----	396.30B/335.40A	396.30B/335.40A	----	364.20 + 26.50	.9806	----	----	----	----	1 UNCH
5180	----	----	425.70B/364.70A	425.70B/364.70A	----	393.80 + 27.40	.9852	----	----	----	----	1 UNCH
TOTAL										1205		3847 + 724

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL		GOLD OPTIONS										
APR26												
4300	----	----	----/460.00A	519.30B/460.00A	----	489.90 - 31.50	.9808	----	----	----	----	1 UNCH
4375	----	----	----/387.20A	445.50B/387.20A	----	416.10 - 31.90	.9703	----	----	----	----	74 UNCH
4400	----	----	----/363.20A	421.00B/363.20A	----	391.70 NEW	.9650	----	----	3	----	3 + 3
4415	----	----	----/349.00A	406.30B/349.00A	----	377.10 - 32.20	.9614	----	----	----	----	6 UNCH
4435	----	----	----/330.10A	386.80B/330.10A	----	357.70 - 32.30	.9560	----	----	----	----	10 UNCH
4450	----	----	----/316.00A	372.20B/316.00A	----	343.20 - 32.50	.9514	----	----	----	----	1 UNCH
4475	319.00	319.00	347.90B/292.90A	347.90B/292.90A	----	319.20 - 32.70	.9422	----	----	2	----	3 + 2
4500	----	----	----/270.10A	323.60B/270.10A	----	295.50 - 32.90	.9312	----	----	1	----	2 + 1
4550	----	----	----/226.20A	276.30B/226.20A	----	248.90 - 33.30	.9007	----	----	----	----	1 UNCH
4575	----	----	----/204.90A	253.40B/204.90A	----	226.10 - 33.70	.8804	----	----	----	----	4 UNCH
4585	----	----	----/196.70A	244.30B/196.70A	----	217.20 - 33.70	.8714	----	----	----	----	1 UNCH
4600	225.00	225.00	230.70B/184.50A	230.70B/184.50A	----	203.90 - 33.90	.8560	----	----	4	----	32 + 2
4610	----	----	----/176.60A	221.80B/176.60A	----	195.20 - 34.00	.8454	----	----	----	----	1 UNCH
4625	----	----	----/165.00A	208.70B/165.00A	----	182.40 - 34.00	.8270	----	----	----	----	3 UNCH
4650	----	----	----/145.90A	187.00B/145.90A	----	161.60 - 34.10	.7926	----	----	----	----	9 UNCH
4655	----	----	----/142.10A	182.80B/142.10A	----	157.50 - 34.20	.7852	----	----	----	----	1 UNCH
4670	----	----	----/130.80A	170.20B/130.80A	----	145.60 - 34.10	.7610	----	----	----	----	4 UNCH
4675	----	----	----/127.10A	166.40B/127.10A	----	141.70 - 34.10	.7525	----	----	----	----	7 UNCH
4680	----	----	----/123.40A	162.30B/123.40A	----	137.80 - 34.10	.7439	----	----	----	----	32 UNCH
4685	----	----	----/119.80A	158.40B/119.80A	----	134.00 - 34.10	.7349	----	----	----	----	39 UNCH
4690	----	----	----/116.30A	154.30B/116.30A	----	130.20 - 34.10	.7258	----	----	----	----	20 UNCH
4695	----	----	----/112.80A	150.30B/112.80A	----	126.50 - 34.00	.7162	----	----	----	----	32 UNCH
4700	----	----	----/109.70A	146.40B/109.70A	----	122.90 - 33.90	.7066	----	----	4	----	45 + 2
4710	----	----	----/102.70A	138.80B/102.70A	----	115.70 - 33.80	.6866	----	----	----	----	1 UNCH
4715	----	----	----/99.40A	135.00B/99.40A	----	112.10 - 33.80	.6762	----	----	----	----	2 UNCH
4725	----	----	----/93.00A	127.60B/93.00A	----	105.20 - 33.60	.6549	----	----	----	----	1 UNCH
4730	----	----	----/89.90A	124.00B/89.90A	----	101.90 - 33.40	.6440	----	----	----	----	1 UNCH
4740	----	----	----/83.80A	116.80B/83.80A	----	95.30 - 33.20	.6213	----	----	----	----	78 UNCH
4745	----	----	----/80.90A	113.40B/80.90A	----	92.10 - 33.00	.6098	----	----	1	----	67 + 1
4750	----	----	----/78.00A	110.00B/78.00A	----	89.00 - 32.80	.5982	----	----	1	----	89 - 1
4755	----	----	----/75.20A	106.60B/75.20A	----	85.90 - 32.70	.5863	----	----	1	----	14 - 1
4765	69.50	69.50	69.50/69.50	100.00B/69.50	----	80.00 - 32.20	.5621	----	----	4	----	81 + 4
4770	77.00	77.00	96.70B/67.10A	96.70B/67.10A	----	77.10 - 32.00	.5499	----	----	2	----	12 + 1
4775	----	----	----/64.50A	93.60B/64.50A	----	74.30 - 31.80	.5375	----	----	----	----	106 UNCH
4780	----	----	----/62.00A	90.70B/62.00A	----	71.50 - 31.60	.5251	----	----	2	----	13 + 2
4785	69.00	69.00	69.20/59.60A	87.70B/59.60A	----	68.80 - 31.30	.5125	----	----	9	----	16 + 6
4790	70.00	70.00	84.80B/57.30A	84.80B/57.30A	----	66.20 - 31.00	.4999	----	----	74	----	71 + 65
4795	----	----	----/55.00A	81.80B/55.00A	----	63.60 - 30.70	.4872	----	----	----	----	11 UNCH
4800	66.00	66.00	79.00B/52.70A	79.00B/52.70A	----	61.10 - 30.40	.4746	----	----	10	----	62 + 1
4805	65.20	65.20	65.20/50.50A	76.40B/50.50A	----	58.70 - 30.10	.4619	----	----	9	----	10 + 9
4810	----	----	----/48.40A	73.90B/48.40A	----	56.30 - 29.80	.4491	----	----	1	----	11 - 1
4815	54.80	54.80	54.80/46.40A	71.40B/46.40A	----	54.00 - 29.40	.4365	----	----	1	----	7 + 1
4825	----	----	----/42.50A	66.50B/42.50A	----	49.70 - 28.60	.4114	----	----	----	----	64 UNCH
4830	53.40	53.40	53.40/*40.60A	64.20B/*40.60A	----	47.50 - 28.30	.3987	----	----	10	----	8 + 7
4840	50.00	50.00	51.90/*37.10A	59.70B/*37.10A	----	43.50 - 27.40	.3740	----	----	3	----	24 + 2
4845	----	----	----/*35.40A	57.50B/*35.40A	----	41.60 - 27.00	.3618	----	----	----	----	10 UNCH
4850	47.00	47.00	47.00/*33.80A	55.40B/*33.80A	----	39.80 - 26.50	.3498	----	----	30	----	156 + 6
4855	44.90	44.90	44.90/*32.30A	53.30B/*32.30A	----	38.00 NEW	.3379	----	----	4	----	2 + 2
4860	40.50	40.50	45.00/*30.80A	51.30B/*30.80A	----	36.30 - 25.60	.3261	----	----	5	----	5 + 1
4865	----	----	----/*29.30A	49.40B/*29.30A	----	34.60 - 25.20	.3144	----	----	----	----	18 UNCH
4870	31.90	31.90	31.90/*28.00A	47.50B/*28.00A	----	33.00 - 24.70	.3030	----	----	10	----	105 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4875	31.50	31.50	31.50/*26.60A	45.60B/*26.60A	----	31.50 - 24.20	.2919	----	----	12	----	27 + 11
4880	38.00	38.00	38.00/*25.40A	43.90B/*25.40A	----	30.00 - 23.70	.2809	----	----	2	----	2 UNCH
4885	27.70	27.70	27.70/*24.20A	42.10B/*24.20A	----	28.60 NEW	.2702	----	----	2	----	2 + 2
4890	29.90	29.90	29.90/*23.00A	40.40B/*23.00A	----	27.20 - 22.80	.2595	----	----	21	----	45 + 20
4895	----	----	----/*21.90A	38.80B/*21.90A	----	25.90 - 22.20	.2493	----	----	----	----	5 UNCH
4900	30.70	30.70	34.00/*20.80A	37.30B/*20.80A	----	24.60 - 21.80	.2390	----	----	21	----	277 + 12
4905	26.70	26.70	26.70/*19.80A	35.70B/*19.80A	----	23.40 - 21.30	.2293	----	----	1	----	2 + 1
4910	----	----	----/*18.90A	34.30B/*18.90A	----	22.30 - 20.70	.2200	----	----	2	----	6 + 2
4915	23.40	23.40	23.40/*17.90A	32.90B/*17.90A	----	21.10 - 20.30	.2102	----	----	5	----	6 + 5
4920	25.60	25.60	25.60/*17.10A	31.60B/*17.10A	----	20.10 - 19.70	.2015	----	----	1	----	17 + 1
4925	23.00	23.00	23.00/*16.20A	30.30B/*16.20A	----	19.10 - 19.20	.1928	----	----	3	----	21 + 2
4930	20.10	20.10	20.10/*15.40A	29.00B/*15.40A	----	18.10 - 18.80	.1841	----	----	31	----	34 + 31
4935	15.00	15.00	15.00/*14.60A	27.80B/*14.60A	----	17.20 - 18.20	.1760	----	----	1	----	5 + 1
4940	18.10	18.10	18.10/*13.90A	26.60B/*13.90A	----	16.30 - 17.80	.1680	----	----	13	----	113 + 13
4945	----	----	----/*13.20A	25.50B/*13.20A	----	15.40 - 17.30	.1599	----	----	----	----	14 UNCH
4950	16.30	16.30	18.00/*12.60A	24.40B/*12.60A	----	14.60 - 16.90	.1525	----	----	165	----	202 + 147
4955	----	----	----/*12.00A	23.30B/*12.00A	----	13.80 - 16.40	.1451	----	----	17	----	50 + 17
4960	----	----	----/*11.40A	22.30B/*11.40A	----	13.10 - 15.90	.1384	----	----	----	20	45 + 20
4965	14.00	14.00	14.00/*10.80A	21.40B/*10.80A	----	12.40 - 15.50	.1317	----	----	25	----	33 + 23
4970	12.10	12.10	12.10/*10.30A	20.40B/*10.30A	----	11.80 - 15.00	.1257	----	----	4	----	6 + 3
4975	17.00	17.00	17.00/*9.80A	19.50B/*9.80A	----	11.10 - 14.60	.1191	----	----	11	----	67 + 9
4980	----	----	----/*9.30A	18.70B/*9.30A	----	10.50 - 14.10	.1131	----	----	----	----	10 UNCH
4985	----	----	----/*8.90A	17.90B/*8.90A	----	10.00 - 13.60	.1079	----	----	----	----	2 UNCH
4990	----	----	----/*8.50A	17.10B/*8.50A	----	9.40 - 13.30	.1021	----	----	----	----	4 UNCH
4995	----	----	----/*8.10A	16.30B/*8.10A	----	8.90 - 12.90	.0970	----	----	1	----	1000 UNCH
5000	12.90	12.90	14.20/*7.40	14.20/*7.40	----	8.40 - 12.50	.0919	----	----	33	----	404 + 5
5005	11.00	11.00	11.00/*7.30A	14.80B/*7.30A	----	8.00 - 12.00	.0876	----	----	4	----	1004 + 3
5010	7.90	7.90	7.90/*7.00A	14.10B/*7.00A	----	7.50 - 11.70	.0825	----	----	3	----	10 + 3
5015	11.70	11.70	12.40/*6.70A	13.50B/*6.70A	----	7.10 - 11.30	.0783	----	----	12	----	23 + 6
5020	----	----	----/*6.30A	12.90B/*6.30A	----	6.80 - 10.80	.0749	----	----	----	----	51 UNCH
5025	6.90	6.90	6.90/*6.10A	12.30B/*6.10A	----	6.40 - 10.50	.0707	----	----	10	----	12 + 8
5030	----	----	----/*5.80A	11.70B/*5.80A	----	6.00 - 10.20	.0666	----	----	----	----	2 UNCH
5035	----	----	----/*5.50A	11.20B/*5.50A	----	5.70 - 9.80	.0633	----	----	----	----	3 UNCH
5040	----	----	----/*5.30A	10.70B/*5.30A	----	5.40 NEW	.0600	----	----	1	----	1 + 1
5050	----	----	----/*4.80A	9.70B/*4.80A	----	4.90 - 8.80	.0543	----	----	3	----	20 + 1
5055	----	----	----/*4.50A	9.20B/*4.50A	----	4.60 - 8.50	.0511	----	----	1	----	2 + 1
5065	4.30	4.30	4.30/*4.00	8.30B/*4.00	----	4.10 NEW	.0457	----	----	12	----	12 + 12
5070	3.80	3.80	3.80/*3.80	8.00B/*3.80	----	3.90 - 7.60	.0434	----	----	3	----	4 + 3
5075	----	----	----/*3.70A	7.60B/*3.70A	----	3.70 - 7.40	.0411	----	----	----	----	10 UNCH
5080	3.70	3.70	3.70/*3.50A	7.20B/*3.50A	----	3.50 - 7.10	.0389	----	----	3	----	21 UNCH
5085	----	----	----/*3.30A	6.90B/*3.30A	----	3.40 - 6.80	.0376	----	----	----	----	1 UNCH
5090	----	----	----/*3.20A	6.60B/*3.20A	----	3.20 - 6.50	.0354	----	----	----	----	9 UNCH
5095	----	----	----/*3.00A	6.30B/*3.00A	----	3.00 - 6.30	.0332	----	----	----	----	2 UNCH
5100	4.50	4.50	4.50/*2.80A	6.00B/*2.80A	----	2.90 - 6.10	.0319	----	----	12	----	462 - 5
5105	----	----	----/*2.70A	5.70B/*2.70A	----	2.70 - 5.90	.0298	----	----	----	----	2 UNCH
5120	----	----	----/*2.40A	4.90B/*2.40A	----	2.40 - 5.20	.0262	----	----	----	----	2 UNCH
5130	2.60	2.60	2.60/*2.20A	4.50B/*2.20A	----	2.20 - 4.80	.0238	----	----	8	----	11 + 8
5135	----	----	----/*2.10A	4.30B/*2.10A	----	2.10 - 4.60	.0227	----	----	----	----	1 UNCH
5150	1.80	1.80	1.80/*1.80	3.70B/*1.80	----	1.80 - 4.10	.0193	----	----	9	----	20 + 9
5155	1.80	1.80	1.80/*1.80	3.60B/*1.80	----	1.70 NEW	.0182	----	----	3	----	3 + 3
5160	----	----	----/*1.70A	3.40B/*1.70A	----	1.70 - 3.80	.0180	----	----	----	----	3 UNCH
5170	----	----	----/*1.60A	3.10B/*1.60A	----	1.50 - 3.50	.0159	----	----	----	----	10 UNCH
5175	----	----	----/*1.50A	3.00B/*1.50A	----	1.50 - 3.40	.0157	----	----	----	----	3 UNCH
5190	----	----	----/*1.40A	2.60B/*1.40A	----	1.30 - 3.00	.0135	----	----	----	----	3 UNCH
5195	----	----	----/*1.30A	2.50B/*1.30A	----	1.20 - 3.00	.0124	----	----	----	----	29 UNCH
5200	2.20	2.20	2.20/*1.20	2.30B/*1.20	----	1.20 - 2.80	.0123	----	----	24	----	208 + 19
5215	----	----	----/*1.20A	2.00B/*1.20A	----	1.10 - 2.50	.0111	----	----	----	----	1 UNCH
5220	1.10	1.10	1.10/*1.10	2.00B/*1.10	----	1.00 NEW	.0101	----	----	3	----	3 + 3
5230	----	----	----/*1.10A	1.80B/*1.10A	----	0.90 - 2.30	.0090	----	----	----	----	3 UNCH
5245	0.90	0.90	0.90/*0.90	1.60B/*0.90	----	0.80 - 2.10	.0079	----	----	3	----	10 + 3
5250	1.50	1.50	1.50/*1.00A	1.50/*1.00A	----	0.80 - 2.00	.0079	----	----	6	----	202 + 2
5255	----	----	----/*0.90A	1.50B/*0.90A	----	0.80 - 1.90	.0078	----	----	----	----	5 UNCH
5265	----	----	----/*0.90A	1.40B/*0.90A	----	0.70 - 1.80	.0068	----	----	2	----	5 UNCH
5270	----	----	----/*0.90A	1.40B/*0.90A	----	0.70 - 1.70	.0067	----	----	----	----	8 UNCH
5275	----	----	----/*0.90A	1.30B/*0.90A	----	0.60 - 1.70	.0058	----	----	----	----	5 UNCH
5280	----	----	----/*0.80A	1.30B/*0.80A	----	0.60 - 1.70	.0058	----	----	----	----	2 UNCH
5290	----	----	----/*0.90A	1.20B/*0.90A	----	0.60 - 1.50	.0057	----	----	----	----	38 UNCH
5295	----	----	----/*0.80A	1.20B/*0.80A	----	0.50 - 1.50	.0048	----	----	----	----	2 UNCH
5300	1.00	1.00	1.00/*0.80A	1.10B/*0.80A	----	0.50 - 1.50	.0047	----	----	22	----	83 + 2
5325	----	----	----/*0.70A	1.00B/*0.70A	----	0.40 - 1.30	.0037	----	----	----	----	6 UNCH
5350	----	----	----/*0.70A	0.70B/*0.70A	----	0.40 - 1.10	.0035	----	----	----	----	28 UNCH
5375	----	----	----/*0.70A	0.60B/*0.70A	----	0.30 - 1.00	.0026	----	----	----	----	2 UNCH
5400	----	----	----/*0.70A	0.50B/*0.70A	----	0.30 - 0.80	.0025	----	----	----	----	7 UNCH
5425	0.60	0.60	0.60/*0.60	0.60/*0.60	----	0.20 - 0.80	.0016	----	----	1	----	3 UNCH
5450	----	----	----/*0.60A	0.40B/*0.60A	----	0.20 - 0.70	.0016	----	----	----	----	1 UNCH
5500	----	----	----/*0.50A	0.30B/*0.50A	----	0.10 - 0.50	.0007	----	----	----	----	28 UNCH
5550	----	----	----	----/0.90A	----	0.10 - 0.30	.0003	----	----	----	----	20 UNCH
5700	----	----	----	----/*0.70A	----	0.10 NEW	.0000	----	----	6	----	6 + 6
TOTAL										713	20	6187 + 532

OG2 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
2800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
3200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3250	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
3300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
3350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 17
3400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
3500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
3550	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
3600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
3650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 36
3700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
3750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 54
3800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
3850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 44
3900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 128
3950	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 57
4000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 236
4025	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
4050	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 35
4075	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 29
4100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 253
4125	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 46
4150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 48
4175	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4100
4200	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5064
4210	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 914
4215	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4220	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1204
4225	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 173
4230	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 49
4235	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 90
4240	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 926
4245	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 19
4250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 289
4255	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 22
4260	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 71
4265	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 63
4270	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4275	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 50
4280	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1224
4285	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 24
4290	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4295	----	----	----	0.10B/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
4300	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 448
4305	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4310	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
4315	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4320	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4325	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4330	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 PUT		GOLD OPTIONS										
APR26												
4335	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4340	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
4345	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4350	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.10	----	----	----	5	----	0 - 361
4355	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 51
4360	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4365	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 32
4370	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4375	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 7
4380	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
4385	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 16
4390	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
4395	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
4400	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.20	----	----	----	2	----	0 - 414
4405	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 21
4410	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 10
4415	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 19
4420	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
4425	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 88
4430	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 8
4435	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 5
4440	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
4445	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 5
4450	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.30	----	----	----	1	----	0 - 147
4455	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 3
4460	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 9
4465	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 6
4470	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 34
4475	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 65
4480	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.40	----	----	----	1	----	0 - 202
4485	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.40	----	----	----	1	----	0 - 15
4490	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 65
4495	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 3
4500	0.70	0.70	0.70/*0.10	0.70/*0.10	----	0.00 - 0.50	----	----	----	24	----	0 - 267
4505	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 7
4510	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 97
4515	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 11
4520	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 6
4525	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 6
4530	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 12
4535	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 2
4540	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 23
4545	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 45
4550	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 0.80	----	----	----	1	----	0 - 216
4555	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 29
4560	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 35
4565	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 1.00	----	----	----	----	----	0 - 8
4570	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 21
4575	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 11
4580	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 32
4585	----	----	----/*0.10A	0.60B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 77
4590	----	----	----/*0.10A	0.60B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 10
4595	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 5
4600	1.20	1.20	1.30/*0.10	1.30/*0.10	----	0.00 - 1.40	----	----	----	35	----	0 - 221
4605	1.60	1.60	1.60/*0.20	1.60/*0.20	----	0.00 - 1.40	----	----	----	2	----	0 - 9
4610	----	----	----/*0.20A	1.00B/*0.20A	----	0.00 - 1.50	----	----	----	2	----	0 - 80
4615	0.70	0.70	0.70/*0.10A	1.30B/*0.10A	----	0.00 - 1.60	----	----	----	1	----	0 - 9
4620	----	----	----/*0.20A	1.50B/*0.20A	----	0.00 - 1.70	----	----	----	----	----	0 - 70
4625	1.10	1.10	1.80B/*0.10	1.80B/*0.10	----	0.00 - 1.80	----	----	----	2	----	0 - 122
4630	0.80	0.80	2.10B/*0.10A	2.10B/*0.10A	----	0.00 - 1.90	----	----	----	17	----	0 - 179
4635	1.00	1.00	2.20B/*0.20A	2.20B/*0.20A	----	0.00 - 2.00	----	----	----	1	----	0 - 2
4640	----	----	2.30B/*0.20A	2.30B/*0.20A	----	0.00 - 2.20	----	----	----	1	----	0 - 60
4645	----	----	2.70B/*0.20A	2.70B/*0.20A	----	0.00 - 2.30	----	----	----	2	----	0 - 6
4650	1.50	1.50	2.90B/*0.10	2.90B/*0.10	----	0.00 - 2.40	----	----	----	20	----	0 - 169
4655	2.00	2.00	4.00/*0.10	4.00/*0.10	----	0.00 - 2.60	----	----	----	18	----	0 - 12
4660	3.30	3.30	3.80B/*0.20	3.80B/*0.20	----	0.00 - 2.80	----	----	----	5	----	0 - 16
4665	3.50	3.50	4.20B/*0.20A	4.20B/*0.20A	----	0.00 - 3.00	----	----	----	2	----	0 - 7
4670	2.00	2.00	4.80B/*0.20A	4.80B/*0.20A	----	0.00 - 3.20	----	----	----	10	----	0 - 155
4675	4.00	4.00	5.30B/*0.20	5.30B/*0.20	----	0.00 - 3.40	----	----	----	14	----	0 - 41
4680	4.00	4.00	6.00B/*0.30A	6.00B/*0.30A	----	0.00 - 3.60	----	----	----	7	----	0 - 8
4685	----	----	6.50B/*0.20A	6.50B/*0.20A	----	0.00 - 3.90	----	----	----	1	----	0 - 49
4690	0.80	0.80	7.20B/*0.20A	7.20B/*0.20A	----	0.00 - 4.20	----	----	----	8	----	0 - 58
4695	5.00	5.00	8.00B/*0.20A	8.00B/*0.20A	----	0.00 - 4.50	----	----	----	2	----	0 - 13
4700	6.30	6.30	10.00/*0.10	10.00/*0.10	----	0.00 - 4.90	----	----	----	118	----	0 - 370
4705	----	----	9.80B/*0.20A	9.80B/*0.20A	----	0.00 - 5.20	----	----	----	1	----	0 - 7
4710	8.30	8.30	10.60B/*0.10	10.60B/*0.10	----	0.00 - 5.60	----	----	----	54	----	0 - 24
4715	9.00	9.00	11.90B/*0.20	11.90B/*0.20	----	0.00 - 6.10	----	----	----	124	----	0 - 194
4720	9.90	9.90	13.10B/*0.10	13.10B/*0.10	----	0.00 - 6.60	----	----	----	75	----	0 - 36
4725	9.50	9.50	14.30B/*0.30	14.30B/*0.30	----	0.00 - 7.10	----	----	----	84	----	0 - 114
4730	11.00	11.00	15.60B/*0.30A	15.60B/*0.30A	----	0.00 - 7.70	----	----	----	43	----	0 - 21
4735	10.50	10.50	17.20B/*0.30	17.20B/*0.30	----	0.00 - 8.30	----	----	----	82	----	0 - 50
4740	15.00	15.00	18.80B/*0.30A	18.80B/*0.30A	----	0.00 - 9.00	----	----	----	77	----	0 - 17
4745	14.20	14.20	20.80B/*0.30A	20.80B/*0.30A	----	0.00 - 9.70	----	----	----	31	----	0 - 47
4750	15.50	15.50	23.00/*0.10	23.00/*0.10	----	0.00 - 10.50	----	----	----	197	----	0 - 138
4755	16.00	16.00	24.90B/*0.30A	24.90B/*0.30A	----	0.00 - 11.30	----	----	----	25	----	0 - 13
4760	23.00	23.00	27.10B/*0.30A	27.10B/*0.30A	----	0.00 - 12.30	----	----	----	151	----	0 - 53
4765	21.00	21.00	29.40B/*0.30A	29.40B/*0.30A	----	0.00 - 13.30	----	----	----	55	----	0 - 7
4770	22.00	22.00	32.10B/*0.40A	32.10B/*0.40A	----	0.00 - 14.40	----	----	----	81	----	0 - 56
4775	8.40	8.40	35.00B/*0.30	35.00B/*0.30	----	0.00 - 15.60	----	----	----	69	----	0 - 13
4780	27.50	27.50	37.80B/*0.10	37.80B/*0.10	----	0.00 - 16.90	----	----	----	90	----	0 - 38
4785	15.10	15.10	41.20B/*0.10	41.20B/*0.10	----	0.00 - 18.30	----	----	----	47	----	0 - 50
4790	30.00	30.00	44.80B/*0.70A	44.80B/*0.70A	----	2.60 - 17.20	----	----	----	146	----	0 - 59
4795	17.90	17.90	48.50B/*2.40A	48.50B/*2.40A	----	7.60 - 13.90	----	----	----	199	----	0 - 115
4800	36.00	36.00	52.30B/*3.00	52.30B/*3.00	----	12.60 - 10.70	----	----	----	251	----	0 - 52
4805	10.00	10.00	56.30B/*5.10A	56.30B/*5.10A	----	17.60 - 7.60	----	----	----	68	----	0 - 17
4810	12.40	12.40	60.40B/*6.90A	60.40B/*6.90A	----	22.60 - 4.70	----	----	----	22	----	0 - 8
4815	14.00	14.00	64.60B/*10.00A	64.60B/*10.00A	----	27.60 - 2.00	----	----	----	14	----	0 - 2
4820	12.00	12.00	68.90B/*12.00	68.90B/*12.00	----	32.60 + 0.60	----	----	----	8	----	0 - 14
4825	----	----	73.30B/*15.50A	73.30B/*15.50A	----	37.60 + 3.10	----	----	----	2	----	0 - 8
4830	----	----	77.90B/*19.00A	77.90B/*19.00A	----	42.60 + 5.40	----	----	----	1	----	0 - 2
4835	----	----	82.40B/*22.60A	82.40B/*22.60A	----	47.60 NEW	----	----	----	1	----	0 UNCH
4840	----	----	87.00B/*26.60A	87.00B/*26.60A	----	52.60 + 9.50	----	----	----	----	----	0 - 1
4845	----	----	91.60B/*30.40A	91.60B/*30.40A	----	57.60 + 11.40	----	----	----	----	----	0 - 1
4850	----	----	96.30B/*34.80A	96.30B/*34.80A	----	62.60 + 13.10	----	----	----	5	----	0 - 25
4860	----	----	105.80B/*43.70A	105.80B/*43.70A	----	72.60 NEW	----	----	----	2	----	0 UNCH
4875	----	----	120.30B/57.90A	120.30B/57.90A	----	87.60 + 19.80	----	----	----	----	----	0 - 12
4880	92.70	92.70	125.20B/62.80A	125.20B/62.80A	----	92.60 + 20.80	----	----	----	1	----	0 - 1
4900	----	----	144.80B/82.40A	144.80B/82.40A	----	112.60 + 23.90	----	----	----	3	----	0 - 22
4910	----	----	154.70B/92.60A	154.70B/92.60A	----	122.60 + 25.10	----	----	----	----	----	0 - 1
4925	139.80	139.80	169.50B/107.30A	169.50B/107.30A	----	137.60 + 26.50	----	----	----	1	----	0 - 2
4935	----	----	179.50B/117.40A	179.50B/117.40A	----	147.60 + 27.10	----	----	----	----	----	0 - 1
4940	154.80	154.80	184.40B/122.40A	184.40B/122.40A	----	152.60 NEW	----	----	----	1	----	0 UNCH
4945	160.00	160.00	189.40B/127.20A	189.40B/127.20A	----	157.60 + 27.70	----	----	----	1	----	0 - 3
4950	----	----	194.40B/132.20A	194.40B/132.20A	----	162.60 + 27.90	----	----	----	----	----	0 - 3
4955	----	----	199.40B/137.30A	199.40B/137.30A	----	167.60 + 28.20	----	----	----	----	----	0 - 2
4975	----	----	219.30B/157.30A	219.30B/157.30A	----	187.60 + 28.80	----	----	----	1	----	0 - 2
4995	----	----	239.20B/177.30A	239.20B/177.30A	----	207.60 + 29.30	----	----	----	----	----	0 - 2
5000	----	----	244.20B/182.00A	244.20B/182.00A	----	212.60 + 29.40	----	----	----	----	----	0 - 104
5015	----	----	259.20B/197.20A	259.20B/197.20A	----	227.60 + 29.60	----	----	----	1	----	0 - 2
5020	----	----	264.20B/202.30A	264.20B/202.30A	----	232.60 + 29.60	----	----	----	----	----	0 - 8
5025	----	----	269.20B/207.30A	269.20B/207.30A	----	237.60 + 29.70	----	----	----	----	----	0 - 2
5050	----	----	294.10B/232.20A	294.10B/232.20A	----	262.60 + 29.90	----	----	----	----	----	0 - 4
5065	----	----	309.10B/246.90A	309.10B/246.90A	----	277.60 + 30.00	----	----	----	----	----	0 - 20
5070	----	----	314.10B/252.20A	314.10B/252.20A	----	282.60 + 30.00	----	----	----	----	----	0 - 4
5075	----	----	319.10B/257.30A	319.10B/257.30A	----	287.60 + 30.10	----	----	----	----	----	0 - 1
5100	----	----	344.00B/282.20A	344.00B/282.20A	----	312.60 + 30.20	----	----	----	1	----	0 - 10
5120	----	----	364.00B/302.30A	364.00B/302.30A	----	332.60 + 30.20	----	----	----	----	----	0 UNCH
5125	----	----	369.00B/307.20A	369.00B/307.20A	----	337.60 + 30.30	----	----	----	----	----	0 - 3
5130	----	----	374.00B/312.20A	374.00B/312.20A	----	342.60 + 30.30	----	----	----	----	----	0 - 4
5200	----	----	444.00B/----	444.00B/382.30A	----	412.60 + 30.50	----	----	----	----	----	0 - 20
5230	----	----	474.00B/----	474.00B/412.30A	----	442.60 + 30.50	----	----	----	----	----	0 - 2
5235	----	----	479.00B/----	479.00B/417.30A	----	447.60 + 30.50	----	----	----	----	----	0 - 2
5260	----	----	504.00B/----	504.00B/442.30A	----	472.60 + 30.50	----	----	----	----	----	0 - 31
5360	----	----	604.00B/----	604.00B/542.40A	----	572.60 + 30.50	----	----	----	----	----	0 - 1
5400	----	----	644.00B/----	644.00B/582.40A	----	612.60 + 30.50	----	----	----	3	----	0 - 1
TOTAL										2324		0 - 21591

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 CALL		GOLD OPTIONS										
APR26												
4150	----	----	----/606.00A	667.50B/606.00A	----	637.40 - 30.70	----	----	----	----	----	0 UNCH
4200	----	----	----/556.10A	617.70B/556.10A	----	587.40 - 30.70	----	----	----	----	----	0 - 1
4350	----	----	----/406.20A	467.60B/406.20A	----	437.40 - 30.70	----	----	----	----	----	0 - 1
4375	----	----	----/381.20A	442.80B/381.20A	----	412.40 - 30.70	----	----	----	----	----	0 - 2
4400	----	----	----/356.20A	417.80B/356.20A	----	387.40 - 30.80	----	----	----	----	----	0 - 66
4415	----	----	----/341.20A	402.80B/341.20A	----	372.40 - 30.80	----	----	----	----	----	0 - 5
4450	----	----	----/306.20A	367.60B/306.20A	----	337.40 - 30.90	----	----	----	----	----	0 - 2
4475	----	----	----/281.30A	342.80B/281.30A	----	312.40 - 31.00	----	----	----	----	----	0 - 20
4480	----	----	----/276.30A	337.80B/276.30A	----	307.40 - 31.00	----	----	----	----	----	0 - 16
4500	----	----	----/256.30A	318.30B/256.30A	----	287.40 - 31.10	----	----	----	50	----	0 - 141
4505	----	----	----/251.30A	312.70B/251.30A	----	282.40 - 31.20	----	----	----	----	----	0 - 1
4510	----	----	----/246.30A	307.70B/246.30A	----	277.40 - 31.20	----	----	----	----	----	0 UNCH
4525	----	----	----/231.40A	292.70B/231.40A	----	262.40 - 31.30	----	----	----	----	----	0 - 1
4530	----	----	----/226.40A	288.40B/226.40A	----	257.40 - 31.30	----	----	----	----	----	0 - 101
4535	----	----	----/221.40A	282.70B/221.40A	----	252.40 - 31.30	----	----	----	----	----	0 - 1
4540	----	----	----/216.40A	277.80B/216.40A	----	247.40 - 31.40	----	----	----	----	----	0 - 2
4545	----	----	----/211.50A	272.80B/211.50A	----	242.40 - 31.40	----	----	----	----	----	0 - 6
4550	----	----	----/206.50A	268.40B/206.50A	----	237.40 - 31.40	----	----	----	----	----	0 - 106
4555	----	----	----/201.60A	262.80B/201.60A	----	232.40 - 31.50	----	----	----	----	----	0 - 10
4560	----	----	----/196.60A	257.80B/196.60A	----	227.40 - 31.50	----	----	----	----	----	0 - 9
4570	----	----	----/186.70A	247.80B/186.70A	----	217.40 - 31.60	----	----	----	----	----	0 - 4
4575	----	----	----/181.80A	242.70B/181.80A	----	212.40 - 31.70	----	----	----	----	----	0 - 1
4580	----	----	----/176.80A	238.10B/176.80A	----	207.40 - 31.70	----	----	----	----	----	0 - 103
4585	----	----	----/171.90A	232.70B/171.90A	----	202.40 - 31.80	----	----	----	----	----	0 - 1
4595	----	----	----/162.00A	222.70B/162.00A	----	192.40 - 31.90	----	----	----	----	----	0 - 1
4600	----	----	----/157.10A	218.10B/157.10A	----	187.40 - 32.00	----	----	----	----	----	0 - 292
4610	----	----	----/147.40A	207.70B/147.40A	----	177.40 - 32.10	----	----	----	----	----	0 - 3
4625	----	----	----/132.80A	192.70B/132.80A	----	162.40 - 32.40	----	----	----	1	----	0 - 5
4630	----	----	----/128.00A	188.40B/128.00A	----	157.40 - 32.50	----	----	----	----	----	0 - 174
4635	----	----	----/123.30A	183.10B/123.30A	----	152.40 - 32.60	----	----	----	----	----	0 - 22
4640	----	----	----/118.50A	178.30B/118.50A	----	147.40 - 32.80	----	----	----	----	----	0 - 30
4645	145.00	145.00	172.80B/113.80A	172.80B/113.80A	----	142.40 - 32.90	----	----	----	2	----	0 - 4
4650	----	----	----/109.10A	168.20B/109.10A	----	137.40 - 33.00	----	----	----	----	----	0 - 67
4655	----	----	----/104.50A	162.80B/104.50A	----	132.40 - 33.20	----	----	----	----	----	0 - 3
4660	----	----	----/99.90A	157.80B/99.90A	----	127.40 - 33.40	----	----	----	----	----	0 - 9
4665	----	----	----/95.30A	152.80B/95.30A	----	122.40 - 33.60	----	----	----	----	----	0 - 14
4670	----	----	----/90.80A	147.60B/90.80A	----	117.40 - 33.80	----	----	----	----	----	0 - 1
4675	----	----	----/86.30A	142.80B/86.30A	----	112.40 - 34.00	----	----	----	3	----	0 - 6
4680	----	----	----/81.90A	137.80B/81.90A	----	107.40 - 34.20	----	----	----	----	----	0 - 13
4685	----	----	----/77.50A	132.60B/77.50A	----	102.40 - 34.50	----	----	----	----	----	0 - 1
4695	90.50	90.50	90.50/69.00A	122.60B/69.00A	----	92.40 - 35.10	----	----	----	1	----	0 - 4
4700	75.20	75.20	118.40B/64.80A	118.40B/64.80A	----	87.40 - 35.50	----	----	----	23	----	0 - 327
4705	74.10	74.10	112.80B/60.80A	112.80B/60.80A	----	82.40 - 35.80	----	----	----	11	----	0 - 2
4710	----	----	----/56.90A	107.90B/56.90A	----	77.40 - 36.20	----	----	----	----	----	0 - 12
4715	----	----	----/52.90A	102.90B/52.90A	----	72.40 - 36.70	----	----	----	1	----	0 - 14
4720	68.60	68.60	68.60/49.20A	97.90B/49.20A	----	67.40 - 37.20	----	----	----	1	----	0 - 10
4725	----	----	----/45.50A	92.90B/45.50A	----	62.40 - 37.70	----	----	----	3	----	0 - 13
4730	60.30	60.30	60.30/42.00A	88.50B/42.00A	----	57.40 - 38.30	----	----	----	5	----	0 - 38
4735	51.00	51.00	51.00/38.60A	83.40B/38.60A	----	52.40 - 38.90	----	----	----	3	----	0 - 17
4740	52.00	52.00	52.00/35.00A	78.00B/35.00A	----	47.40 - 39.60	----	----	----	58	----	0 - 13
4745	----	----	----/31.00A	73.50B/31.00A	----	42.40 - 40.30	----	----	----	39	----	0 - 19
4750	36.00	36.00	68.60B/*26.80A	68.60B/*26.80A	----	37.40 - 41.10	----	----	----	22	----	0 - 106
4755	----	----	----/*22.50A	63.20B/*22.50A	----	32.40 - 41.90	----	----	----	----	----	0 - 6
4760	43.20	43.20	58.80B/*18.80A	58.80B/*18.80A	----	27.40 - 42.90	----	----	----	3	----	0 - 21
4765	----	----	----/*14.70A	53.40B/*14.70A	----	22.40 - 43.90	----	----	----	3	----	0 - 13
4770	33.50	33.50	49.10B/*10.90A	49.10B/*10.90A	----	17.40 - 45.00	----	----	----	14	----	0 - 47
4775	37.00	37.00	37.00/*8.00A	45.50B/*8.00A	----	12.40 - 46.20	----	----	----	51	----	0 - 75
4780	31.00	31.00	31.00/*6.10A	42.10B/*6.10A	----	7.40 - 47.50	----	----	----	37	----	0 - 37
4785	30.50	30.50	30.50/*3.50A	38.90B/*3.50A	----	2.40 - 48.90	----	----	----	40	----	0 - 19
4790	26.00	26.00	31.00/*0.20A	35.90B/*0.20A	----	0.00 - 47.80	----	----	----	71	----	0 - 172
4795	18.70	18.70	22.10/*0.10A	33.10B/*0.10A	----	0.00 - 44.50	----	----	----	45	25	0 - 37
4800	22.50	22.50	24.00/*0.10	25.90B/*0.10	----	0.00 - 41.30	----	----	----	246	----	0 - 155
4805	12.10	12.10	14.20/*0.10A	23.40B/*0.10A	----	0.00 - 38.20	----	----	----	73	----	0 - 23
4810	18.00	18.00	18.00/*0.10A	21.30B/*0.10A	----	0.00 - 35.30	----	----	----	102	----	0 - 42
4815	16.50	16.50	16.50/*0.20	23.00B/*0.20	----	0.00 - 32.60	----	----	----	48	----	0 - 22
4820	10.10	10.10	10.90/*0.20	17.40B/*0.20	----	0.00 - 30.00	----	----	----	317	----	0 - 64
4825	4.90	4.90	7.40/*0.10A	19.00B/*0.10A	----	0.00 - 27.50	----	----	----	67	----	0 - 82
4830	10.20	10.20	10.20/*0.10	17.20B/*0.10	----	0.00 - 25.20	----	----	----	60	----	0 - 163
4835	10.00	10.00	10.00/*0.20A	15.50B/*0.20A	----	0.00 - 23.10	----	----	----	18	----	0 - 58
4840	8.80	8.80	10.00/*0.10A	14.00B/*0.10A	----	0.00 - 21.10	----	----	----	183	----	0 - 233
4845	11.00	11.00	11.00/*0.20A	12.60B/*0.20A	----	0.00 - 19.20	----	----	----	4	----	0 - 14
4850	6.50	6.50	9.00/*0.20A	11.30B/*0.20A	----	0.00 - 17.50	----	----	----	217	----	0 - 301
4855	3.20	3.20	3.20/*0.10A	10.20B/*0.10A	----	0.00 - 15.90	----	----	----	5	----	0 - 39
4860	7.60	7.60	7.60/*0.10	9.20B/*0.10	----	0.00 - 14.50	----	----	----	13	----	0 - 16
4865	----	----	----/*0.10A	8.20B/*0.10A	----	0.00 - 13.20	----	----	----	2	----	0 - 10
4870	2.20	2.20	2.20/*0.10A	7.40B/*0.10A	----	0.00 - 11.90	----	----	----	7	----	0 - 27
4875	7.20	7.20	7.20/*0.20A	7.20/*0.20A	----	0.00 - 10.80	----	----	----	11	----	0 - 81
4880	5.50	5.50	5.50/*0.20A	6.00B/*0.20A	----	0.00 - 9.80	----	----	----	18	----	0 - 54
4885	4.00	4.00	4.00/*0.20A	5.40B/*0.20A	----	0.00 - 8.90	----	----	----	6	----	0 - 41
4890	4.00	4.00	4.00/*0.10A	4.90B/*0.10A	----	0.00 - 8.10	----	----	----	40	----	0 - 30
4895	2.00	2.00	2.50/*0.10A	4.40B/*0.10A	----	0.00 - 7.30	----	----	----	5	----	0 - 16
4900	3.40	3.40	3.40/*0.10	4.00B/*0.10	----	0.00 - 6.70	----	----	----	31	----	0 - 292
4905	2.50	2.50	2.50/*0.10A	3.60B/*0.10A	----	0.00 - 6.00	----	----	----	5	----	0 - 35
4910	----	----	----/*0.10A	3.30B/*0.10A	----	0.00 - 5.50	----	----	----	----	----	0 - 10
4915	0.30	0.30	0.30/*0.10A	3.00B/*0.10A	----	0.00 - 5.00	----	----	----	1	----	0 - 20
4920	1.00	1.00	1.00/*0.10	2.70B/*0.10	----	0.00 - 4.60	----	----	----	3	----	0 - 152
4925	0.40	0.40	0.40/*0.10A	2.50B/*0.10A	----	0.00 - 4.10	----	----	----	2	----	0 - 51
4930	0.50	0.50	0.50/*0.10A	2.30B/*0.10A	----	0.00 - 3.80	----	----	----	1	----	0 - 19
4935	2.00	2.00	2.00/*0.10A	2.10B/*0.10A	----	0.00 - 3.50	----	----	----	4	----	0 - 9
4940	----	----	----/*0.20A	1.90B/*0.20A	----	0.00 - 3.20	----	----	----	----	----	0 - 12
4945	0.10	0.10	0.10/*0.10	1.80B/*0.10	----	0.00 - 2.90	----	----	----	1	----	0 - 24
4950	2.00	2.00	2.00/*0.10	2.00/*0.10	----	0.00 - 2.70	----	----	----	17	----	0 - 101
4955	1.10	1.10	1.10/*0.10A	1.50B/*0.10A	----	0.00 - 2.40	----	----	----	7	----	0 - 14
4960	----	----	----/*0.20A	0.90B/*0.20A	----	0.00 - 2.20	----	----	----	----	----	0 - 4
4965	0.40	0.40	0.40/*0.10A	1.30B/*0.10A	----	0.00 - 2.10	----	----	----	2	----	0 - 11
4970	----	----	----/*0.10A	1.20B/*0.10A	----	0.00 - 1.90	----	----	----	----	----	0 - 9
4975	----	----	----/*0.20A	1.10B/*0.20A	----	0.00 - 1.80	----	----	----	1	----	0 - 212
4980	0.20	0.20	0.20/*0.10	1.00B/*0.10	----	0.00 - 1.60	----	----	----	2	----	0 - 17
4985	1.00	1.00	1.00/*0.10A	1.00/*0.10A	----	0.00 - 1.50	----	----	----	1	----	0 - 7
4990	----	----	----/*0.10A	0.90B/*0.10A	----	0.00 - 1.40	----	----	----	----	----	0 - 75
4995	0.30	0.30	0.30/*0.10A	0.80B/*0.10A	----	0.00 - 1.30	----	----	----	12	----	0 - 20
5000	0.60	0.60	0.60/*0.10	0.60/*0.10	----	0.00 - 1.20	----	----	----	11	----	0 - 243
5005	0.20	0.20	0.20/*0.10	0.70B/*0.10	----	0.00 - 1.20	----	----	----	3	----	0 - 15
5010	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 5
5015	----	----	----/*0.10A	0.60B/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 29
5020	0.20	0.20	0.20/*0.10A	0.60B/*0.10A	----	0.00 - 1.00	----	----	----	1	----	0 - 20
5025	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 0.90	----	----	----	4	----	0 - 13
5030	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 28
5035	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 6
5040	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 34
5045	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 44
5050	0.10	0.10	0.10/*0.10	0.40B/*0.10	----	0.00 - 0.70	----	----	----	1	----	0 - 81
5055	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 16
5060	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 6
5065	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.60	----	----	----	1	----	0 - 22
5070	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 11
5075	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 5
5080	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 8
5085	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 4
5090	----	----	----/0.10A	0.10B/0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 10
5095	----	----	----/0.10A	0.10B/0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 2
5100	----	----	----/0.10A	0.10B/0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 51
5105	----	----	----/0.10A	0.10B/0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 1
5115	----	----	----/0.10A	----/0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 39
5120	----	----	----/0.10A	----/0.10A	----	0.00 - 0.40	----	----	----	1	----	0 - 24
5125	----	----	----/0.10A	----/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 15
5130	----	----	----/0.10A	----/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
5135	----	----	----/0.10A	----/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 9
5145	----	----	----/0.10A	----/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 19
5150	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 61
5160	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
5170	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 10
5175	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 29
5185	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5190	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
5200	0.20	0.20	0.20/0.20	0.20/0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 118
5205	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 11

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG2 CALL — GOLD OPTIONS
APR26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5210 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5215 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5220 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
5225 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5230 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 11
5235 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5245 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5250 0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 50
5255 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
5260 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5265 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5270 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5280 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5285 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5290 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5300 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
5305 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5315 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5330 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5340 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5350 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 19
5375 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5395 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
5400 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 160
5410 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5415 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5420 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5450 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5460 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5475 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5500 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 49
5525 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
5575 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5600 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 305
5625 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5675 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5700 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 42
5750 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 256
5800 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 384
6300 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
6500 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
TOTAL									2044	25	0 - 7245

OG1 PUT — GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4125 ----	----	6.70B/----	6.70B/*6.40A	----	6.60 + 0.20	.0353	----	----	----	----	2 UNCH
4150 ----	----	7.80B/*7.00A	7.80B/*7.00A	----	7.30 + 0.10	.0392	----	----	----	----	1 UNCH
4175 ----	----	9.30B/*7.60A	9.30B/*7.60A	----	8.10 UNCH	.0435	----	----	----	----	1 UNCH
4200 ----	----	10.50B/*8.60A	10.50B/*8.60A	----	8.90 - 0.10	.0481	----	----	----	----	1 UNCH
4250 ----	----	13.20B/*10.30A	13.20B/*10.30A	----	11.00 - 0.40	.0596	----	----	----	----	5 UNCH
4300 ----	----	16.00B/*11.90A	16.00B/*11.90A	----	13.50 - 0.90	.0733	----	----	----	----	2 UNCH
4325 ----	----	17.90B/*13.20A	17.90B/*13.20A	----	15.10 - 1.10	.0818	----	----	----	----	2 UNCH
4350 ----	----	21.10B/*14.70A	21.10B/*14.70A	----	16.80 - 1.30	.0909	----	----	----	----	5 UNCH
4400 ----	----	25.90B/*18.70A	25.90B/*18.70A	----	21.00 - 1.70	.1128	----	----	----	----	1 UNCH
4485 ----	----	38.60B/*27.60A	38.60B/*27.60A	----	31.10 - 2.20	.1625	----	----	----	----	1 UNCH
4500 ----	----	41.70B/*29.70A	41.70B/*29.70A	----	33.30 - 2.30	.1730	----	----	----	----	2 UNCH
4535 ----	----	48.90B/*35.20A	48.90B/*35.20A	----	39.20 - 2.30	.2000	----	----	----	----	1 UNCH
4610 ----	----	68.50B/*50.50A	68.50B/*50.50A	----	55.50 - 1.80	.2695	----	----	----	----	10 UNCH
4700 ----	----	100.60B/*75.20A	100.60B/*75.20A	----	83.10 NEW	.3726	----	----	1	----	1 + 1
4750 ----	----	119.80B/*93.10A	119.80B/*93.10A	----	102.80 NEW	.4371	----	----	1	----	1 + 1
4835 ----	----	163.30B/*131.40	163.30B/*131.40A	----	144.40 NEW	.5525	----	----	1	----	1 + 1
4950 ----	----	237.20B/200.00A	237.20B/200.00A	----	217.30 + 9.90	.7007	----	----	----	----	1 UNCH
5000 ----	----	275.70B/----	275.70B/242.40A	----	254.50 + 12.70	.7563	----	----	----	----	1 UNCH
TOTAL									3		39 + 3

OG1 CALL — GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4625 ----	----	----/216.10A	239.70B/216.10A	----	221.60 - 32.10	.7140	----	----	----	----	1 UNCH
4665 ----	----	----/188.90A	211.90B/188.90A	----	193.40 - 31.50	.6692	----	----	----	----	1 UNCH
4800 116.00	116.00	116.00/110.70A	128.70B/110.70A	----	113.40 - 27.70	.4947	----	----	1	----	1 + 1
4825 ----	----	----/99.00A	115.10B/99.00A	----	101.40 - 26.80	.4605	----	----	----	----	1 UNCH
4840 ----	----	----/92.50A	107.70B/92.50A	----	94.60 - 26.20	.4401	----	----	----	----	10 UNCH
4860 ----	----	----/84.10A	98.90B/84.10A	----	86.10 - 25.30	.4130	----	----	----	----	1 UNCH
4875 ----	----	----/78.60A	91.50B/78.60A	----	80.10 - 24.60	.3930	----	----	----	----	1 UNCH
4900 ----	----	----/*69.10A	81.90B/*69.10A	----	70.90 - 23.30	.3604	----	----	----	----	11 UNCH
4925 ----	----	----/*61.80A	72.50B/*61.80A	----	62.50 - 22.00	.3288	----	----	----	----	20 UNCH
4950 ----	----	----/*54.30A	64.00B/*54.30A	----	55.00 - 20.60	.2987	----	----	----	----	21 UNCH
5000 ----	----	----/*42.10A	49.20B/*42.10A	----	42.20 - 17.90	.2432	----	----	1	----	3 + 1
5050 ----	----	----/*32.20A	37.70B/*32.20A	----	32.30 - 15.10	.1955	----	----	1	----	3 + 1
5125 ----	----	----/*21.40A	25.00B/*21.40A	----	21.30 - 11.20	.1375	----	----	----	----	1 UNCH
5200 ----	----	----/*14.30A	16.50B/*14.30A	----	13.50 - 8.30	.0927	----	----	----	----	6 UNCH
TOTAL									3		81 + 3

OG PUT — COMEX GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
1000 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2046 UNCH
1500 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	761 UNCH
1600 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
1700 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1800 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1900 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2000 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	149 UNCH
2175 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
2200 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	129 UNCH
2225 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	271 UNCH
2250 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2275 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2300 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	156 UNCH
2325 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2350 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	122 UNCH
2400 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
2420 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
2450 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
2485 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2495 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	75 UNCH
2500 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	74 UNCH
2505 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2520 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2525 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	102 UNCH
2540 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2550 ----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2560 ----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2580 ----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
2590 ----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2600 0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	7	----	114 UNCH
2615 ----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2620 ----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2650 ----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
2660 ----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2685 ----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2700 ----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	34 UNCH
2705 ----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2715 ----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT COMEX GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
2725	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2730	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
2750	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
2755	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
2770	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
2785	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	21 UNCH
2790	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2800	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	88 UNCH
2815	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	35 UNCH
2820	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	74 UNCH
2845	----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	5 UNCH
2850	----	----	----	----/*0.30A	----	0.10 - 0.10	.0001	----	----	----	----	2 UNCH
2870	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	23 UNCH
2895	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	39 UNCH
2900	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	348 UNCH
2905	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	4 UNCH
2910	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	20 UNCH
2930	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	28 UNCH
2940	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	8 UNCH
2950	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	302 UNCH
2980	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0003	----	----	----	----	2 UNCH
2995	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0003	----	----	----	----	4 UNCH
3000	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0003	----	----	----	----	140 UNCH
3005	----	----	----	0.10B/*0.20A	----	0.20 UNCH	.0007	----	----	----	----	1 UNCH
3010	----	----	----	0.10B/*0.20A	----	0.20 UNCH	.0007	----	----	----	----	1 UNCH
3020	----	----	----	0.10B/*0.20A	----	0.20 UNCH	.0007	----	----	----	----	1 UNCH
3040	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	52 UNCH
3045	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	2 UNCH
3050	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	19 UNCH
3055	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	5 UNCH
3065	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	5 UNCH
3070	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	1 UNCH
3075	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	66 UNCH
3080	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	1 UNCH
3090	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	5 UNCH
3095	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	3 UNCH
3100	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0007	----	----	1	----	306 UNCH
3105	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	5 UNCH
3115	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	5 UNCH
3120	----	----	----	0.20B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	41 UNCH
3125	----	----	----	0.20B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	1 UNCH
3130	----	----	----	0.20B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	8 UNCH
3135	----	----	----	0.20B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	2 UNCH
3140	----	----	----	0.20B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	3 UNCH
3150	----	----	----	0.20B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	10 UNCH
3155	----	----	----	0.20B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	74 UNCH
3160	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.20	.0007	----	----	----	----	15 UNCH
3170	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.20	.0007	----	----	----	----	5 UNCH
3175	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.20	.0007	----	----	----	----	10 UNCH
3185	----	----	----	0.20B/*0.40A	----	0.20 - 0.20	.0008	----	----	----	----	18 UNCH
3200	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0011	----	----	----	----	258 UNCH
3205	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0011	----	----	----	----	10 UNCH
3210	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0011	----	----	----	----	10 UNCH
3220	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0011	----	----	----	----	8 UNCH
3225	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0011	----	----	----	----	12 UNCH
3235	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0011	----	----	----	----	5 UNCH
3245	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0012	----	----	----	----	5 UNCH
3250	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0012	----	----	----	----	84 UNCH
3255	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0012	----	----	----	----	8 UNCH
3260	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0012	----	----	----	----	21 UNCH
3265	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0012	----	----	----	----	16 UNCH
3270	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0012	----	----	----	----	2 UNCH
3275	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0012	----	----	----	----	22 UNCH
3280	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0012	----	----	----	----	1 UNCH
3290	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0012	----	----	----	----	40 UNCH
3295	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0012	----	----	----	----	1 UNCH
3300	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0012	----	----	4	----	597 - 3
3305	----	----	----/0.40A	0.30B/0.40A	----	0.30 - 0.20	.0012	----	----	----	----	60 UNCH
3310	----	----	----	0.30B/*0.50A	----	0.30 - 0.20	.0012	----	----	----	----	1 UNCH
3315	----	----	----	0.20B/*0.50A	----	0.30 - 0.20	.0012	----	----	----	----	3 UNCH
3320	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0016	----	----	----	----	1 UNCH
3325	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0016	----	----	----	----	10 UNCH
3330	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0016	----	----	----	----	2 UNCH
3335	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0016	----	----	----	----	20 UNCH
3340	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0016	----	----	----	----	1 UNCH
3345	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0016	----	----	----	----	1 UNCH
3350	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0016	----	----	----	----	53 UNCH
3360	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0016	----	----	----	----	4 UNCH
3370	0.50	0.50	0.50/*0.50	0.50/*0.50	----	0.40 - 0.20	.0016	----	----	1	----	75 - 1
3375	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0017	----	----	----	----	54 UNCH
3380	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0017	----	----	----	----	5 UNCH
3385	----	----	----	0.40B/*0.60A	----	0.40 - 0.20	.0017	----	----	----	----	12 UNCH
3390	----	----	----	0.40B/*0.60A	----	0.40 - 0.20	.0017	----	----	----	----	5 UNCH
3395	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0017	----	----	----	----	35 UNCH
3400	----	----	----/*0.60A	0.50B/*0.60A	----	0.40 - 0.30	.0017	----	----	----	----	190 UNCH
3405	----	----	----/*0.60A	0.40B/*0.60A	----	0.40 - 0.30	.0017	----	----	----	----	5 UNCH
3415	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.20	.0021	----	----	----	----	118 UNCH
3420	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.20	.0021	----	----	----	----	1 UNCH
3425	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.20	.0021	----	----	----	----	11 UNCH
3430	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.20	.0021	----	----	----	----	21 UNCH
3435	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.20	.0021	----	----	----	----	101 UNCH
3440	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.20	.0021	----	----	----	----	1 UNCH
3445	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.20	.0021	----	----	----	----	33 UNCH
3450	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.20	.0021	----	----	----	----	49 UNCH
3455	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.30	.0022	----	----	----	----	44 UNCH
3460	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.30	.0022	----	----	----	----	142 UNCH
3465	----	----	----/*0.70A	0.50B/*0.70A	----	0.50 - 0.30	.0022	----	----	----	----	17 UNCH
3470	----	----	----/*0.70A	0.50B/*0.70A	----	0.50 - 0.30	.0022	----	----	----	----	76 UNCH
3475	----	----	----/*0.70A	0.50B/*0.70A	----	0.50 - 0.30	.0022	----	----	----	----	94 UNCH
3480	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.30	.0022	----	----	----	----	84 UNCH
3485	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0026	----	----	----	----	60 UNCH
3490	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0026	----	----	----	----	52 UNCH
3495	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0026	----	----	----	----	54 UNCH
3500	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0026	----	----	2	----	1430 - 2
3505	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.30	.0026	----	----	----	----	14 UNCH
3510	0.70	0.70	0.70/*0.70	0.70/*0.70	----	0.60 - 0.30	.0026	----	----	7	----	35 - 1
3515	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.30	.0027	----	----	----	----	82 UNCH
3520	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.30	.0027	----	----	----	----	8 UNCH
3525	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.30	.0027	----	----	----	----	119 UNCH
3530	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.30	.0027	----	----	----	----	102 UNCH
3535	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.30	.0027	----	----	----	----	158 UNCH
3540	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.30	.0027	----	----	----	----	10 UNCH
3545	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.20	.0031	----	----	----	----	66 UNCH
3550	----	----	----/*0.70A	0.70B/*0.70A	----	0.70 - 0.30	.0031	----	----	1	----	339 - 1
3555	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0031	----	----	----	----	45 UNCH
3560	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.30	.0032	----	----	----	----	9 UNCH
3565	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.30	.0032	----	----	----	----	7 UNCH
3570	0.90	0.90	0.90/*0.80A	0.90/*0.80A	----	0.70 - 0.30	.0032	----	----	1	----	11 UNCH
3575	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.30	.0032	----	----	----	----	96 UNCH
3580	----	----	----/*0.90A	0.70B/*0.90A	----	0.70 - 0.30	.0032	----	----	----	----	9 UNCH
3585	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.30	.0032	----	----	----	----	9 UNCH
3590	1.10	1.10	1.10/*0.90A	1.10/*0.90A	----	0.70 - 0.40	.0032	----	----	7	----	33 UNCH
3595	----	----	----/*0.90A	0.70B/*0.90A	----	0.70 - 0.40	.0033	----	----	----	----	39 UNCH
3600	----	----	----/*0.80A	0.90B/*0.80A	----	0.80 - 0.30	.0037	----	----	----	----	982 UNCH
3605	----	----	----/*0.80A	0.70B/*0.80A	----	0.80 - 0.30	.0037	----	----	----	----	56 UNCH
3610	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0037	----	----	----	----	23 UNCH
3615	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0037	----	----	----	----	120 UNCH
3620	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0037	----	----	----	----	128 UNCH
3625	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.40	.0038	----	----	----	----	45 UNCH
3630	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.40	.0038	----	----	----	----	13 UNCH
3635	----	----	----/1.00A	0.80B/1.00A	----	0.80 - 0.40	.0038	----	----	----	----	26 UNCH
3640	----	----	----/1.00A	0.80B/1.00A	----	0.80 - 0.40	.0038	----	----	----	----	42 UNCH
3645	----	----	----/1.00A	0.80B/1.00A	----	0.90 - 0.30	.0042	----	----	----	----	15 UNCH
3650	0.80	0.80	0.80/*0.80	0.80/*0.80	----	0.90 - 0.30	.0043	----	----	11	----	414 UNCH
3655	----	----	----/*0.90A	1.00B/*0.90A	----	0.90 - 0.30	.0043	----	----	----	----	24 UNCH
3660	----	----	----/1.00A	0.80B/1.00A	----	0.90 - 0.40	.0043	----	----	----	----	47 UNCH
3665	----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 0.40	.0043	----	----	----	----	35 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT — COMEX GOLD OPTIONS

MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3670	----	----	----/*1.00A	0.90B/*1.00A	----	0.90 - 0.40	.0043	----	----	----	----	35 UNCH
3675	----	----	----/*1.00A	0.90B/*1.00A	----	0.90 - 0.40	.0043	----	----	----	----	66 UNCH
3680	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.40	.0044	----	----	----	----	119 UNCH
3685	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.30	.0048	----	----	----	----	26 UNCH
3690	----	----	----/1.10A	0.90B/1.10A	----	1.00 - 0.40	.0048	----	----	----	----	23 UNCH
3695	----	----	----/1.00A	1.10B/1.00A	----	1.00 - 0.40	.0048	----	----	----	----	73 UNCH
3700	1.10	1.10	1.30/1.10	1.30/1.10	----	1.00 - 0.40	.0049	----	----	403	----	1585 + 266
3705	----	----	----/*1.00A	1.00B/*1.00A	----	1.00 - 0.40	.0049	----	----	----	----	40 UNCH
3710	----	----	----/*1.10A	1.10B/*1.10A	----	1.00 - 0.40	.0049	----	----	----	----	25 UNCH
3715	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.30	.0054	----	----	----	----	28 UNCH
3720	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.40	.0054	----	----	----	----	35 UNCH
3725	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.40	.0054	----	----	----	----	37 UNCH
3730	1.10	1.10	1.10/*1.10	1.20B/*1.10	----	1.10 - 0.40	.0054	----	----	3	----	54 UNCH
3735	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.40	.0055	----	----	----	----	38 UNCH
3740	----	----	----/*1.10A	1.10B/*1.10A	----	1.20 - 0.30	.0059	----	----	----	----	13 UNCH
3745	----	----	----/*1.10A	1.20B/*1.10A	----	1.20 - 0.40	.0059	----	----	----	----	39 UNCH
3750	1.00	1.00	1.20B/*1.00	1.20B/*1.00	----	1.20 - 0.40	.0060	----	----	6	----	392 - 1
3755	----	----	----/*1.20A	1.20B/*1.20A	----	1.20 - 0.40	.0060	----	----	----	----	10 UNCH
3760	----	----	----/*1.20A	1.30B/*1.20A	----	1.20 - 0.40	.0060	----	----	----	----	49 UNCH
3765	----	----	----/1.30A	1.20B/1.30A	----	1.30 - 0.30	.0065	----	----	----	----	104 UNCH
3770	----	----	----/*1.20A	1.30B/*1.20A	----	1.30 - 0.40	.0065	----	----	----	----	25 UNCH
3775	----	----	----/*1.20A	1.30B/*1.20A	----	1.30 - 0.40	.0065	----	----	----	----	279 UNCH
3780	----	----	----/*1.30A	1.30B/*1.30A	----	1.30 - 0.40	.0066	----	----	----	----	33 UNCH
3785	----	----	----/*1.20A	1.30B/*1.20A	----	1.30 - 0.40	.0066	----	----	----	----	27 UNCH
3790	----	----	----/*1.30A	1.30B/*1.30A	----	1.40 - 0.40	.0070	----	----	----	----	28 UNCH
3795	----	----	----/*1.30A	1.40B/*1.30A	----	1.40 - 0.40	.0071	----	----	----	----	25 UNCH
3800	1.70	1.70	1.70/*1.30A	1.70/*1.30A	----	1.40 - 0.40	.0071	----	----	55	----	1486 - 2
3805	----	----	----/*1.30A	1.50B/*1.30A	----	1.40 - 0.40	.0071	----	----	1	----	74 - 1
3810	----	----	----/*1.30A	1.50B/*1.30A	----	1.50 - 0.40	.0076	----	----	----	----	20 UNCH
3815	----	----	----/*1.30A	1.50B/*1.30A	----	1.50 - 0.40	.0076	----	----	----	----	53 UNCH
3820	----	----	----/*1.40A	1.50B/*1.40A	----	1.50 - 0.40	.0077	----	----	----	----	788 UNCH
3825	----	----	----/*1.40A	1.60B/*1.40A	----	1.50 - 0.40	.0077	----	----	----	----	113 UNCH
3830	----	----	----/*1.40A	1.60B/*1.40A	----	1.60 - 0.40	.0082	----	----	----	----	18 UNCH
3835	----	----	----/*1.40A	1.60B/*1.40A	----	1.60 - 0.40	.0082	----	----	----	----	31 UNCH
3840	----	----	----/*1.40A	1.60B/*1.40A	----	1.60 - 0.40	.0083	----	----	----	----	51 UNCH
3845	----	----	----/*1.50A	1.70B/*1.50A	----	1.60 - 0.40	.0083	----	----	----	----	36 UNCH
3850	----	----	----/*1.50A	1.80B/*1.50A	----	1.70 - 0.40	.0088	----	----	7	----	2990 - 6
3855	----	----	----/*1.50A	1.70B/*1.50A	----	1.70 - 0.40	.0088	----	----	----	----	41 UNCH
3860	----	----	----/*1.50A	1.80B/*1.50A	----	1.70 - 0.40	.0089	----	----	----	----	53 UNCH
3865	----	----	----/*1.50A	1.80B/*1.50A	----	1.70 - 0.40	.0089	----	----	----	----	21 UNCH
3870	----	----	----/*1.50A	1.80B/*1.50A	----	1.80 - 0.40	.0094	----	----	----	----	48 UNCH
3875	----	----	----/*1.60A	1.80B/*1.60A	----	1.80 - 0.40	.0094	----	----	----	----	42 UNCH
3880	----	----	----/*1.60A	1.80B/*1.60A	----	1.80 - 0.40	.0095	----	----	----	----	39 UNCH
3885	----	----	----/*1.60A	1.90B/*1.60A	----	1.90 - 0.40	.0100	----	----	----	----	82 UNCH
3890	----	----	----/*1.60A	1.90B/*1.60A	----	1.90 - 0.40	.0100	----	----	----	----	12 UNCH
3895	----	----	----/*1.60A	2.00B/*1.60A	----	1.90 - 0.40	.0101	----	----	----	----	75 UNCH
3900	1.90	1.90	2.00/*1.70A	2.00/*1.70A	----	1.90 - 0.50	.0101	----	----	31	----	1818 - 12
3905	----	----	----/*1.70A	2.00B/*1.70A	----	2.00 - 0.40	.0106	----	----	----	----	27 UNCH
3910	----	----	----/*1.70A	2.10B/*1.70A	----	2.00 - 0.40	.0107	----	----	----	----	135 UNCH
3915	----	----	----/*1.70A	2.10B/*1.70A	----	2.00 - 0.50	.0107	----	----	----	----	38 UNCH
3920	----	----	----/*1.80A	2.10B/*1.80A	----	2.10 - 0.40	.0112	----	----	----	----	210 UNCH
3925	----	----	----/*1.80A	2.20B/*1.80A	----	2.10 - 0.40	.0113	----	----	----	----	84 UNCH
3930	----	----	----/*1.80A	2.20B/*1.80A	----	2.10 - 0.50	.0114	----	----	----	----	61 UNCH
3935	----	----	----/*1.80A	2.20B/*1.80A	----	2.10 - 0.50	.0114	----	----	----	----	16 UNCH
3940	----	----	----/*1.90A	2.30B/*1.90A	----	2.20 - 0.40	.0119	----	----	----	----	37 UNCH
3945	----	----	----/*1.90A	2.30B/*1.90A	----	2.20 - 0.50	.0120	----	----	----	----	24 UNCH
3950	----	----	----/*1.90A	2.30B/*1.90A	----	2.20 - 0.50	.0120	----	----	4	----	138 + 2
3955	----	----	----/*1.90A	2.40B/*1.90A	----	2.30 - 0.50	.0126	----	----	----	----	59 UNCH
3960	----	----	----/*2.00A	2.40B/*2.00A	----	2.30 - 0.50	.0126	----	----	----	----	14 UNCH
3965	----	----	----/*2.00A	2.50B/*2.00A	----	2.30 - 0.50	.0127	----	----	----	----	85 UNCH
3970	----	----	----/*2.00A	2.50B/*2.00A	----	2.40 - 0.50	.0132	----	----	----	----	32 UNCH
3975	----	----	----/*2.10A	2.60B/*2.10A	----	2.40 - 0.50	.0133	----	----	----	----	42 UNCH
3980	----	----	----/*2.10A	2.60B/*2.10A	----	2.40 - 0.60	.0134	----	----	----	----	141 UNCH
3985	----	----	----/*2.10A	2.70B/*2.10A	----	2.50 - 0.50	.0139	----	----	----	----	51 UNCH
3990	----	----	----/*2.20A	2.70B/*2.20A	----	2.50 - 0.50	.0140	----	----	----	----	20 UNCH
3995	----	----	----/*2.20A	2.80B/*2.20A	----	2.60 - 0.50	.0145	----	----	----	----	26 UNCH
4000	3.30	3.30	3.30/*2.20A	3.30/*2.20A	----	2.60 - 0.50	.0146	----	----	335	----	4005 + 180
4005	----	----	----/*2.30A	2.90B/*2.30A	----	2.60 - 0.60	.0147	----	----	----	----	236 UNCH
4010	----	----	----/*2.30A	2.90B/*2.30A	----	2.70 - 0.50	.0152	----	----	----	----	61 UNCH
4015	----	----	----/*2.30A	3.00B/*2.30A	----	2.70 - 0.60	.0153	----	----	----	----	53 UNCH
4020	----	----	----/*2.40A	3.00B/*2.40A	----	2.80 - 0.50	.0158	----	----	----	----	92 UNCH
4025	----	----	----/*2.40A	3.10B/*2.40A	----	2.80 - 0.60	.0159	----	----	----	----	104 UNCH
4030	----	----	----/*2.50A	3.20B/*2.50A	----	2.90 - 0.50	.0165	----	----	----	----	40 UNCH
4035	----	----	----/*2.50A	3.20B/*2.50A	----	2.90 - 0.60	.0166	----	----	----	----	32 UNCH
4040	----	----	----/*2.50A	3.30B/*2.50A	----	3.00 - 0.50	.0171	----	----	1	----	61 - 1
4045	----	----	----/*2.60A	3.40B/*2.60A	----	3.00 - 0.60	.0172	----	----	----	----	211 UNCH
4050	3.30	3.30	3.40/*2.60A	3.40/*2.60A	----	3.10 - 0.50	.0178	----	----	2	----	1317 UNCH
4055	----	----	----/*2.70A	3.50B/*2.70A	----	3.10 - 0.60	.0179	----	----	----	----	153 UNCH
4060	----	----	----/*2.70A	3.60B/*2.70A	----	3.20 - 0.60	.0184	----	----	----	----	26 UNCH
4065	----	----	----/*2.80A	3.60B/*2.80A	----	3.20 - 0.60	.0185	----	----	----	----	28 UNCH
4070	----	----	----/*2.80A	3.70B/*2.80A	----	3.30 - 0.60	.0191	----	----	----	----	121 UNCH
4075	----	----	----/*2.90A	3.80B/*2.90A	----	3.30 - 0.60	.0192	----	----	----	----	125 UNCH
4080	----	----	----/*2.90A	3.90B/*2.90A	----	3.40 - 0.60	.0198	----	----	----	----	92 UNCH
4085	3.50	3.50	3.50/*3.00A	4.00B/*3.00A	----	3.50 - 0.60	.0204	----	----	15	----	747 + 15
4090	----	----	----/*3.00A	4.00B/*3.00A	----	3.50 - 0.60	.0205	----	----	----	----	218 UNCH
4095	----	----	----/*3.10A	4.10B/*3.10A	----	3.60 - 0.60	.0211	----	----	1	----	156 - 1
4100	3.50	3.50	3.50/*3.10	4.20B/*3.10	----	3.70 - 0.60	.0217	----	----	130	----	1497 - 29
4105	----	----	----/*3.20A	4.30B/*3.20A	----	3.70 - 0.60	.0218	----	----	----	----	207 UNCH
4110	----	----	----/*3.20A	4.40B/*3.20A	----	3.80 - 0.60	.0224	----	----	----	----	67 UNCH
4115	----	----	----/*3.30A	4.50B/*3.30A	----	3.90 - 0.60	.0230	----	----	----	----	44 UNCH
4120	----	----	----/*3.30A	4.60B/*3.30A	----	3.90 - 0.70	.0232	----	----	----	----	130 UNCH
4125	----	----	4.70B/*3.40A	4.70B/*3.40A	----	4.00 - 0.60	.0238	----	----	1	----	207 UNCH
4130	----	----	4.80B/*3.50A	4.80B/*3.50A	----	4.10 - 0.60	.0244	----	----	----	----	840 UNCH
4135	----	----	5.00B/*3.50A	5.00B/*3.50A	----	4.20 - 0.60	.0250	----	----	----	----	79 UNCH
4140	----	----	5.10B/*3.60A	5.10B/*3.60A	----	4.20 - 0.70	.0251	----	----	----	----	26 UNCH
4145	4.60	4.60	5.20B/*3.70A	5.20B/*3.70A	----	4.30 - 0.70	.0258	----	----	3	----	108 UNCH
4150	----	----	5.30B/*3.70A	5.30B/*3.70A	----	4.40 - 0.70	.0264	----	----	9	----	507 - 8
4155	----	----	5.40B/*3.80A	5.40B/*3.80A	----	4.50 - 0.70	.0270	----	----	----	----	44 UNCH
4160	----	----	5.60B/*3.90A	5.60B/*3.90A	----	4.60 - 0.70	.0277	----	----	----	----	30 UNCH
4165	3.90	3.90	5.70B/*3.90	5.70B/*3.90	----	4.70 - 0.70	.0283	----	----	14	----	66 UNCH
4170	----	----	5.90B/*4.00A	5.90B/*4.00A	----	4.80 - 0.70	.0290	----	----	----	----	75 UNCH
4175	----	----	6.00B/*4.10A	6.00B/*4.10A	----	4.90 - 0.70	.0296	----	----	----	----	196 UNCH
4180	----	----	6.20B/*4.20A	6.20B/*4.20A	----	5.00 - 0.70	.0303	----	----	----	----	289 UNCH
4185	----	----	6.40B/*4.30A	6.40B/*4.30A	----	5.10 - 0.70	.0309	----	----	----	----	357 UNCH
4190	----	----	6.50B/*4.30A	6.50B/*4.30A	----	5.20 - 0.70	.0316	----	----	----	----	86 UNCH
4195	----	----	6.70B/*4.40A	6.70B/*4.40A	----	5.30 - 0.80	.0323	----	----	----	----	112 UNCH
4200	5.00	5.00	6.80B/*4.50A	6.80B/*4.50A	----	5.40 - 0.80	.0329	----	----	69	----	2189 - 10
4205	----	----	7.00B/*4.60A	7.00B/*4.60A	----	5.50 - 0.80	.0336	----	----	----	----	200 UNCH
4210	----	----	7.20B/*4.70A	7.20B/*4.70A	----	5.60 - 0.80	.0343	----	----	----	----	87 UNCH
4215	----	----	7.30B/*4.80A	7.30B/*4.80A	----	5.70 - 0.90	.0350	----	----	----	----	178 UNCH
4220	6.00	6.00	7.50B/*4.90A	7.50B/*4.90A	----	5.80 - 0.90	.0357	----	----	1	----	23 + 1
4225	5.00	5.00	7.80B/*4.90	7.80B/*4.90	----	6.00 - 0.90	.0369	----	----	27	----	207 - 11
4230	----	----	7.90B/*5.10A	7.90B/*5.10A	----	6.10 - 0.90	.0376	----	----	----	----	148 UNCH
4235	6.90	6.90	8.10B/*5.20A	8.10B/*5.20A	----	6.20 - 1.00	.0383	----	----	3	----	59 UNCH
4240	----	----	8.40B/*5.30A	8.40B/*5.30A	----	6.30 - 1.00	.0391	----	----	----	----	155 UNCH
4245	----	----	8.50B/*5.40A	8.50B/*5.40A	----	6.50 - 1.00	.0402	----	----	1	----	53 - 1
4250	7.60	7.60	8.90B/*5.50A	8.90B/*5.50A	----	6.60 - 1.10	.0410	----	----	47	----	983 + 9
4255	7.00	7.00	9.00B/*5.60A	9.00B/*5.60A	----	6.80 - 1.00	.0422	----	----	1	----	47 UNCH
4260	----	----	9.20B/*5.80A	9.20B/*5.80A	----	6.90 - 1.10	.0429	----	----	----	----	106 UNCH
4265	----	----	9.50B/*5.90A	9.50B/*5.90A	----	7.10 - 1.10	.0442	----	----	----	----	84 UNCH
4270	7.20	7.20	9.70B/*5.90A	9.70B/*5.90A	----	7.20 - 1.20	.0449	----	----	9	----	116 + 7
4275	----	----	10.00B/*6.20A	10.00B/*6.20A	----	7.40 - 1.20	.0462	----	----	1	----	141 - 1
4280	----	----	10.20B/*6.20A	10.20B/*6.20A	----	7.50 - 1.30	.0470	----	----	----	----	121 UNCH
4285	8.20	8.20	10.50B/*6.40A	10.50B/*6.40A	----	7.70 - 1.30	.0482	----	----	10	----	455 + 5
4290	7.40	7.40	10.80B/*6.60A	10.80B/*6.60A	----	7.90 - 1.30	.0495	----	----	4	----	107 - 1
4295	6.80	6.80	11.10B/*6.70A	11.10B/*6.70A	----	8.10 - 1.30	.0508	----	----	4	----	36 - 1
4300	10.80	10.80	11.40B/*6.90	11.40B/*6.90	----	8.30 - 1.30	.0520	----	----	64	----	1967 - 14
4305	----	----	11.70B/*7.00A	11.70B/*7.00A	----	8.50 - 1.30	.0533	----	----	----	----	48 UNCH
4310	----	----	12.00B/*7.10A	12.00B/*7.10A	----	8.70 - 1.40	.0546	----	----	----	----	55 UNCH
4315	8.60	8.60	12.30B/*7.30A	12.30B/*7.30A	----	8.90 - 1.40	.0559	----	----	1	----	20 + 1
4320	8.70	8.70	12.60B/*7.50A	12.60B/*7.50A	----	9.10 - 1.50	.0573	----	----	5	----	68 - 3
4325	10.10	10.10	12.90B/*7.70A	12.90B/*7.70A	----	9.30 - 1.50	.0586	----	----	2	----	166 + 1
4330	----	----	13.30B/*7.80A	13.30B/*7.80A	----	9.50 - 1.60	.0599	----	----	----	----	276 UNCH
4335	9.90	9.90	13.70B/*8.00A	13.70B/*8.00A	----	9.70 - 1.70	.0613	----	----	3	----	40 UNCH
4340	10.10	10.10	14.00B/*8.20A	14.00B/*8.20A	----	10.00 - 1.60	.0631	----	----	1	----	148 + 1
4345	9.30	9.30	14.50B/*8.50A	14.50B/*8.50A	----	10.20 - 1.70	.0645	----	----	1	----	338 + 1
4350	13.80	13.80	14.80B/*8.70	14.80B/*8.70	----	10.50 - 1.70	.0663	----	----	23	----	991 - 19

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4355	9.80	9.80	15.20B/*8.90A	15.20B/*8.90A	----	10.70 - 1.80	.0677	----	----	1	----	72 UNCH
4360	----	----	15.60B/*9.10A	15.60B/*9.10A	----	11.00 - 1.80	.0695	----	----	----	----	371 UNCH
4365	----	----	16.00B/*9.30A	16.00B/*9.30A	----	11.30 - 1.80	.0714	----	----	----	----	39 UNCH
4370	11.70	11.70	16.40B/*9.50A	16.40B/*9.50A	----	11.60 - 1.80	.0732	----	----	7	----	207 + 4
4375	10.70	10.70	16.90B/*9.80A	16.90B/*9.80A	----	11.80 - 2.00	.0747	----	----	7	----	111 + 4
4380	12.20	12.20	17.30B/*10.00A	17.30B/*10.00A	----	12.20 - 1.90	.0770	----	----	4	----	82 UNCH
4385	----	----	17.70B/*10.30A	17.70B/*10.30A	----	12.50 - 2.00	.0789	----	----	1	----	398 - 1
4390	11.60	11.60	18.30B/*10.50A	18.30B/*10.50A	----	12.80 - 2.00	.0808	----	----	5	----	97 + 1
4395	12.80	12.80	18.70B/*10.80A	18.70B/*10.80A	----	13.10 - 2.10	.0828	----	----	4	----	55 + 4
4400	16.80	16.80	19.30B/*11.10	19.30B/*11.10	----	13.50 - 2.10	.0851	----	----	117	150	3146 + 63
4405	13.90	13.90	19.60B/*11.30A	19.60B/*11.30A	----	13.80 - 2.20	.0871	----	----	3	----	29 + 3
4410	14.30	14.30	20.10B/*11.60A	20.10B/*11.60A	----	14.20 - 2.20	.0895	----	----	1	----	117 + 1
4415	----	----	20.70B/*11.90A	20.70B/*11.90A	----	14.60 - 2.20	.0919	----	----	2	----	121 UNCH
4420	13.60	13.60	21.40B/*12.20	21.40B/*12.20	----	15.00 - 2.20	.0943	----	----	8	----	150 UNCH
4425	14.80	14.80	21.90B/*12.60A	21.90B/*12.60A	----	15.40 - 2.20	.0968	----	----	31	----	583 + 6
4430	14.30	14.30	22.60B/*12.90A	22.60B/*12.90A	----	15.80 - 2.30	.0992	----	----	2	----	81 - 2
4435	14.70	14.70	23.20B/*13.30A	23.20B/*13.30A	----	16.20 - 2.30	.1017	----	----	6	----	288 + 5
4440	22.50	22.50	23.70B/*13.60A	23.70B/*13.60A	----	16.60 - 2.40	.1042	----	----	14	----	299 + 3
4445	----	----	24.30B/*14.00A	24.30B/*14.00A	----	17.10 - 2.30	.1071	----	----	----	----	120 UNCH
4450	23.70	23.70	25.10B/*14.40	25.10B/*14.40	----	17.60 - 2.30	.1100	----	----	65	----	635 - 21
4455	----	----	25.70B/*14.80A	25.70B/*14.80A	----	18.10 - 2.30	.1129	----	----	2	----	237 UNCH
4460	18.80	18.80	26.30B/*15.20A	26.30B/*15.20A	----	18.60 - 2.30	.1159	----	----	2	----	58 UNCH
4465	21.30	21.30	26.90B/*15.60A	26.90B/*15.60A	----	19.10 - 2.40	.1188	----	----	1	----	47 UNCH
4470	24.00	24.00	27.70B/*16.00A	27.70B/*16.00A	----	19.60 - 2.40	.1218	----	----	1	----	109 - 1
4475	16.40	16.40	28.50B/16.40	28.50B/16.40	----	20.10 - 2.40	.1248	----	----	10	----	949 + 1
4480	23.10	23.10	29.20B/17.00A	29.20B/17.00A	----	20.70 - 2.40	.1282	----	----	10	----	181 + 7
4485	----	----	30.10B/17.50A	30.10B/17.50A	----	21.30 - 2.40	.1316	----	----	----	----	43 UNCH
4490	22.30	22.30	30.80B/18.10A	30.80B/18.10A	----	21.90 - 2.40	.1350	----	----	2	----	260 - 2
4495	----	----	31.60B/18.50A	31.60B/18.50A	----	22.50 - 2.40	.1385	----	----	----	----	25 UNCH
4500	30.00	30.00	32.40B/19.00	32.40B/19.00	----	23.10 - 2.40	.1419	----	----	451	----	2676 + 132
4505	----	----	33.30B/19.50A	33.30B/19.50A	----	23.70 - 2.50	.1454	----	----	----	----	32 UNCH
4510	25.10	25.10	34.20B/20.10A	34.20B/20.10A	----	24.40 - 2.40	.1492	----	----	1	----	101 + 1
4515	----	----	35.10B/20.60A	35.10B/20.60A	----	25.00 - 2.50	.1528	----	----	----	----	57 UNCH
4520	29.90	29.90	36.00B/21.20A	36.00B/21.20A	----	25.70 - 2.50	.1567	----	----	16	----	174 + 12
4525	22.00	22.00	37.00B/21.70A	37.00B/21.70A	----	26.40 - 2.50	.1606	----	----	8	----	784 + 4
4530	----	----	37.90B/22.40A	37.90B/22.40A	----	27.20 - 2.50	.1648	----	----	----	----	45 UNCH
4535	27.40	27.40	38.90B/23.00A	38.90B/23.00A	----	27.90 - 2.50	.1688	----	----	1	----	218 UNCH
4540	----	----	40.00B/23.70A	40.00B/23.70A	----	28.70 - 2.50	.1731	----	----	----	----	43 UNCH
4545	----	----	41.00B/24.40A	41.00B/24.40A	----	29.50 - 2.50	.1774	----	----	15	----	74 - 15
4550	40.20	40.20	42.10B/25.10A	42.10B/25.10A	----	30.30 - 2.50	.1818	----	----	170	----	707 + 97
4555	30.60	30.60	43.10B/25.80A	43.10B/25.80A	----	31.10 - 2.50	.1862	----	----	7	----	19 + 4
4560	31.40	31.40	44.20B/26.50A	44.20B/26.50A	----	32.00 - 2.50	.1908	----	----	1	----	89 - 1
4565	32.40	32.40	45.40B/27.30A	45.40B/27.30A	----	32.80 - 2.50	.1953	----	----	1	----	131 UNCH
4570	41.00	41.00	46.50B/28.10A	46.50B/28.10A	----	33.70 - 2.50	.2000	----	----	9	----	184 UNCH
4575	33.50	33.50	47.70B/28.90A	47.70B/28.90A	----	34.60 - 2.50	.2048	----	----	29	----	98 + 24
4580	30.20	30.20	48.90B/29.80A	48.90B/29.80A	----	35.60 - 2.50	.2099	----	----	103	----	136 + 9
4585	36.10	36.10	50.10B/30.50A	50.10B/30.50A	----	36.60 - 2.40	.2150	----	----	1	----	19 UNCH
4590	37.10	37.10	51.40B/31.40A	51.40B/31.40A	----	37.50 - 2.50	.2198	----	----	4	----	100 - 1
4595	38.00	38.00	52.70B/32.40A	52.70B/32.40A	----	38.60 - 2.40	.2252	----	----	1	----	62 UNCH
4600	34.00	34.00	54.10B/33.20A	54.10B/33.20A	----	39.60 - 2.40	.2304	----	----	310	277	2226 + 160
4605	40.00	40.00	55.40B/34.20A	55.40B/34.20A	----	40.70 - 2.40	.2359	----	----	1	----	80 + 1
4610	35.20	35.20	56.70B/35.20	56.70B/35.20	----	41.80 - 2.30	.2414	----	----	2	----	216 + 1
4615	42.10	42.10	58.10B/36.10A	58.10B/36.10A	----	42.90 - 2.30	.2469	----	----	1	----	104 UNCH
4620	43.40	43.40	59.50B/37.20A	59.50B/37.20A	----	44.00 - 2.30	.2524	----	----	1	----	196 UNCH
4625	45.70	45.70	61.00B/38.20A	61.00B/38.20A	----	45.20 - 2.30	.2583	----	----	5	----	291 - 1
4630	52.90	52.90	62.50B/39.30A	62.50B/39.30A	----	46.40 - 2.30	.2641	----	----	47	----	812 + 26
4635	49.20	49.20	64.00B/40.40A	64.00B/40.40A	----	47.70 - 2.10	.2702	----	----	44	----	527 + 22
4640	59.50	59.50	65.60B/41.50A	65.60B/41.50A	----	48.90 - 2.20	.2761	----	----	9	----	145 - 2
4645	49.30	49.30	67.10B/42.70A	67.10B/42.70A	----	50.20 - 2.10	.2822	----	----	31	----	48 - 8
4650	62.50	62.50	68.70B/43.50	68.70B/43.50	----	51.60 - 2.00	.2886	----	----	175	----	983 - 2
4655	----	----	70.40B/44.90A	70.40B/44.90A	----	52.90 - 2.00	.2948	----	----	----	----	33 UNCH
4660	47.20	47.20	72.10B/46.20A	72.10B/46.20A	----	54.30 - 1.90	.3012	----	----	10	----	201 - 3
4665	48.80	48.80	73.80B/47.40A	73.80B/47.40A	----	55.80 - 1.70	.3078	----	----	5	----	85 - 1
4670	56.00	56.00	75.60B/48.70A	75.60B/48.70A	----	57.20 - 1.70	.3143	----	----	2	----	170 UNCH
4675	61.80	61.80	77.30B/50.00A	77.30B/50.00A	----	58.70 - 1.60	.3210	----	----	4	----	420 + 2
4680	----	----	79.10B/51.40A	79.10B/51.40A	----	60.30 - 1.50	.3279	----	----	----	----	276 UNCH
4685	----	----	81.00B/52.70A	81.00B/52.70A	----	61.90 - 1.30	.3347	----	----	----	----	177 UNCH
4690	66.60	66.60	82.80B/54.30A	82.80B/54.30A	----	63.50 - 1.20	.3417	----	----	1	----	227 + 1
4695	67.20	67.20	84.80B/55.70A	84.80B/55.70A	----	65.10 - 1.20	.3486	----	----	41	----	120 + 37
4700	80.70	80.70	86.70B/57.10A	86.70B/57.10A	----	66.80 - 1.00	.3557	----	----	101	100	1918 - 23
4705	67.50	67.50	88.70B/58.70A	88.70B/58.70A	----	68.50 - 0.90	.3629	----	----	1	----	48 + 1
4710	82.00	82.00	90.80B/60.20A	90.80B/60.20A	----	70.30 - 0.80	.3702	----	----	4	----	201 UNCH
4715	----	----	92.80B/61.80A	92.80B/61.80A	----	72.10 - 0.60	.3775	----	----	----	----	73 UNCH
4720	81.50	81.50	95.00B/63.40A	95.00B/63.40A	----	73.90 - 0.50	.3848	----	----	14	----	556 - 4
4725	77.80	77.80	97.10B/65.10A	97.10B/65.10A	----	75.80 - 0.30	.3923	----	----	8	----	73 + 2
4730	83.70	83.70	99.30B/66.80A	99.30B/66.80A	----	77.70 - 0.20	.3998	----	----	1	----	122 UNCH
4735	85.70	85.70	101.40B/68.50A	101.40B/68.50A	----	79.60 - 0.10	.4073	----	----	1	----	24 UNCH
4740	90.40	90.40	103.70B/70.30A	103.70B/70.30A	----	81.60 UNCH	.4149	----	----	2	----	113 - 2
4745	89.90	89.90	106.00B/72.10A	106.00B/72.10A	----	83.60 + 0.20	.4226	----	----	1	----	39 + 1
4750	98.50	98.50	108.30B/73.80A	108.30B/73.80A	----	85.60 + 0.30	.4303	----	----	536	----	613 - 51
4755	99.50	99.50	110.70B/75.70A	110.70B/75.70A	----	87.70 + 0.50	.4381	----	----	70	----	160 + 11
4760	85.50	85.50	113.10B/77.70A	113.10B/77.70A	----	89.80 + 0.60	.4459	----	----	6	----	135 - 2
4765	106.90	106.90	115.60B/79.60A	115.60B/79.60A	----	92.00 + 0.80	.4537	----	----	2	----	62 - 1
4770	94.90	94.90	118.10B/81.60A	118.10B/81.60A	----	94.20 + 1.00	.4616	----	----	3	----	76 + 2
4775	90.00	90.00	120.60B/83.60A	120.60B/83.60A	----	96.50 + 1.20	.4696	----	----	36	----	427 - 4
4780	103.80	103.80	123.20B/85.70A	123.20B/85.70A	----	98.70 + 1.40	.4775	----	----	2	----	113 UNCH
4785	116.00	116.00	125.80B/87.40	125.80B/87.40	----	101.10 + 1.60	.4855	----	----	68	----	94 - 6
4790	116.10	116.10	128.40B/89.80A	128.40B/89.80A	----	103.40 + 1.80	.4936	----	----	15	----	374 UNCH
4795	100.00	100.00	131.10B/92.20A	131.10B/92.20A	----	105.90 + 2.00	.5016	----	----	2	----	36 + 1
4800	111.10	111.10	133.90B/94.20A	133.90B/94.20A	----	108.30 + 2.20	.5097	----	----	227	110	1455 - 89
4805	----	----	136.60B/96.70A	136.60B/96.70A	----	110.80 + 2.40	.5177	----	----	----	----	55 UNCH
4810	107.50	107.50	139.40B/98.70A	139.40B/98.70A	----	113.40 + 2.60	.5258	----	----	14	----	263 - 4
4815	----	----	142.30B/101.40A	142.30B/101.40A	----	116.00 + 2.80	.5339	----	----	----	----	24 UNCH
4820	119.10	119.10	145.10B/103.50A	145.10B/103.50A	----	118.60 + 3.00	.5419	----	----	3	----	261 + 1
4825	----	----	147.70B/106.00A	147.70B/106.00A	----	121.30 + 3.20	.5500	----	----	----	----	188 UNCH
4830	----	----	150.60B/108.50A	150.60B/108.50A	----	124.00 + 3.40	.5581	----	----	----	----	67 UNCH
4835	----	----	153.60B/111.00A	153.60B/111.00A	----	126.80 + 3.60	.5661	----	----	----	----	135 UNCH
4840	----	----	156.60B/113.50A	156.60B/113.50A	----	129.60 + 3.80	.5741	----	----	----	----	56 UNCH
4845	----	----	159.70B/116.20A	159.70B/116.20A	----	132.50 + 4.10	.5821	----	----	----	----	40 UNCH
4850	----	----	162.80B/118.70A	162.80B/118.70A	----	135.40 + 4.40	.5901	----	----	8	----	1081 - 7
4855	----	----	165.90B/121.50A	165.90B/121.50A	----	138.30 + 4.60	.5981	----	----	----	----	76 UNCH
4860	----	----	169.10B/124.20A	169.10B/124.20A	----	141.30 + 4.90	.6060	----	----	----	----	38 UNCH
4865	----	----	172.30B/127.10A	172.30B/127.10A	----	144.30 + 5.10	.6139	----	----	----	----	27 UNCH
4870	----	----	175.50B/129.90A	175.50B/129.90A	----	147.40 + 5.40	.6217	----	----	----	----	234 UNCH
4875	----	----	178.80B/132.80A	178.80B/132.80A	----	150.50 + 5.70	.6295	----	----	----	----	281 UNCH
4880	----	----	182.10B/136.10A	182.10B/136.10A	----	153.60 + 5.90	.6371	----	----	----	----	90 UNCH
4885	----	----	185.40B/139.10A	185.40B/139.10A	----	156.80 + 6.20	.6448	----	----	----	----	21 UNCH
4890	----	----	188.80B/142.30A	188.80B/142.30A	----	160.10 + 6.50	.6525	----	----	----	----	66 UNCH
4895	----	----	192.20B/145.10A	192.20B/145.10A	----	163.30 + 6.80	.6600	----	----	----	----	96 UNCH
4900	187.00	187.00	195.70B/148.20A	195.70B/148.20A	----	166.70 + 7.20	.6675	----	----	7	----	1064 - 1
4905	----	----	199.20B/151.30A	199.20B/151.30A	----	170.00 + 7.40	.6749	----	----	----	----	53 UNCH
4910	----	----	202.70B/154.50A	202.70B/154.50A	----	173.40 + 7.70	.6822	----	----	----	----	89 UNCH
4915	----	----	206.30B/157.70A	206.30B/157.70A	----	176.80 + 8.00	.6895	----	----	----	----	31 UNCH
4920	----	----	209.90B/160.90A	209.90B/160.90A	----	180.30 + 8.30	.6967	----	----	----	----	149 UNCH
4925	----	----	213.50B/164.20A	213.50B/164.20A	----	183.80 + 8.70	.7038	----	----	----	----	47 UNCH
4930	----	----	217.20B/167.70A	217.20B/167.70A	----	187.40 + 9.00	.7107	----	----	----	----	53 UNCH
4935	----	----	220.90B/171.00A	220.90B/171.00A	----	191.00 + 9.40	.7176	----	----	----	----	54 UNCH
4940	----	----	224.60B/174.50A	224.60B/174.50A	----	194.60 + 9.70	.7245	----	----	1	----	14 - 1
4945	----	----	228.30B/177.70A	228.30B/177.70A	----	198.30 + 10.00	.7311	----	----	1	----	48 UNCH
4950	----	----	232.10B/181.20A	232.10B/181.20A	----	202.00 + 10.40	.7378	----	----	1	----	753 UNCH
4955	----	----	236.00B/184.70A	236.00B/184.70A	----	205.70 + 10.70	.7441	----	----	----	----	83 UNCH
4960	----	----	239.80B/188.40A	239.80B/188.40A	----	209.50 + 11.10	.7508	----	----	----	----	132 UNCH
4965	----	----	243.70B/191.90A	243.70B/191.90A	----	213.30 + 11.40	.7571	----	----	----	----	25 UNCH
4970	----	----	247.60B/195.60A	247.60B/195.60A	----	217.10 + 11.70	.7632	----	----	----	----	4 UNCH
4975	----	----	251.60B/199.20A	251.60B/199.20A	----	221.00 + 12.10	.7692	----	----	----	----	89 UNCH
4980	----	----	255.60B/202.90A	255.60B/202.90A	----	224.90 + 12.40	.7753	----	----	----	----	56 UNCH
4985	----	----	259.60B/206.60A	259.60B/206.60A	----	228.80 + 12.70	.7813	----	----	----	----	124 UNCH
4990	----	----	263.60B/210.40A	263.60B/210.40A	----	232.80 + 13.10	.7870	----	----	----	----	35 UNCH
4995	----	----	267.60B/214.20A	267.60B/214.20A	----	236.80 + 13.50	.7927	----	----	----	----	222 UNCH
5000	257.00	257.00	271.70B/218.10A	271.70B/218.10A	----	240.80 + 13.80	.7984	----	----	53	----	1121 - 3
5005	----	----	275.80B/221.90A	275.80B/221.90A	----	244.90 + 14.20	.8037	----	----	----	----	41 UNCH
5010	----	----	280.00B/225.90A	280.00B/225.90A	----	249.00 + 14.50	.8090	----	----	----	----	14 UNCH
5015	----	----	284.20B/229.70A	284.20B/229.70A	----	253.10 + 14.80	.8143	----	----	----	----	23 UNCH
5020	----	----	288.30B/233.80A	288.30B/233.80A	----	257.20 + 15.10	.8193	----	----	----	----	23 UNCH
5025	----	----	292.50B/237.70A	292.50B/237.70A	----	261.40 + 15.50	.8246	----	----	----	----	154 UNCH
5030	----	----	296.70B/241.70A	296.70B/241.70A	----	265.60 + 15.80	.8295	----	----	----	----	24 UNCH
5035	----	----	301.00B/245.70A	301.00B/245.70A	----	269.80 + 16.10	.8344	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
5040	----	----	305.30B/249.70A	305.30B/249.70A	----	274.00 + 16.40	.8388	----	----	----	----	135 UNCH
5045	----	----	309.60B/253.90A	309.60B/253.90A	----	278.30 + 16.70	.8437	----	----	----	----	28 UNCH
5050	----	----	313.90B/258.00A	313.90B/258.00A	----	282.60 + 17.10	.8482	----	----	----	----	435 UNCH
5055	----	----	318.20B/262.20A	318.20B/262.20A	----	286.90 + 17.40	.8526	----	----	----	----	107 UNCH
5060	----	----	322.60B/266.50A	322.60B/266.50A	----	291.20 + 17.60	.8566	----	----	----	----	84 UNCH
5065	----	----	327.00B/270.70A	327.00B/270.70A	----	295.50 + 17.90	.8611	----	----	----	----	54 UNCH
5070	----	----	331.40B/274.70A	331.40B/274.70A	----	299.90 + 18.20	.8651	----	----	----	----	175 UNCH
5075	----	----	335.80B/279.10A	335.80B/279.10A	----	304.30 + 18.50	.8690	----	----	----	----	47 UNCH
5080	----	----	340.20B/283.40A	340.20B/283.40A	----	308.70 + 18.70	.8730	----	----	----	----	85 UNCH
5085	----	----	344.70B/287.70A	344.70B/287.70A	----	313.20 + 19.10	.8765	----	----	----	----	116 UNCH
5090	----	----	349.20B/292.00A	349.20B/292.00A	----	317.60 + 19.30	.8804	----	----	----	----	23 UNCH
5095	----	----	353.70B/296.40A	353.70B/296.40A	----	322.10 + 19.60	.8839	----	----	----	----	17 UNCH
5100	----	----	358.20B/300.60A	358.20B/300.60A	----	326.60 + 19.80	.8874	----	----	----	----	391 UNCH
5105	----	----	362.80B/305.00A	362.80B/305.00A	----	331.10 + 20.10	.8908	----	----	----	----	57 UNCH
5110	----	----	367.30B/309.50A	367.30B/309.50A	----	335.60 + 20.30	.8942	----	----	1	----	285 - 1
5115	----	----	371.80B/314.00A	371.80B/314.00A	----	340.20 + 20.60	.8972	----	----	----	----	24 UNCH
5120	----	----	376.40B/318.40A	376.40B/318.40A	----	344.70 + 20.80	.9001	----	----	----	----	18 UNCH
5125	----	----	381.00B/322.90A	381.00B/322.90A	----	349.30 + 21.10	.9035	----	----	----	----	89 UNCH
5130	----	----	385.60B/327.20A	385.60B/327.20A	----	353.90 + 21.30	.9064	----	----	----	----	120 UNCH
5135	----	----	390.20B/331.80A	390.20B/331.80A	----	358.50 + 21.50	.9093	----	----	----	----	95 UNCH
5140	----	----	394.80B/336.30A	394.80B/336.30A	----	363.10 + 21.70	.9116	----	----	----	----	23 UNCH
5145	----	----	399.40B/340.90A	399.40B/340.90A	----	367.70 + 21.90	.9145	----	----	----	----	44 UNCH
5150	----	----	404.10B/345.40A	404.10B/345.40A	----	372.40 + 22.20	.9168	----	----	----	----	372 UNCH
5155	----	----	408.70B/349.90A	408.70B/349.90A	----	377.10 + 22.40	.9196	----	----	----	----	9 UNCH
5160	----	----	413.40B/354.80A	413.40B/354.80A	----	381.70 + 22.60	.9219	----	----	----	----	31 UNCH
5165	----	----	418.10B/359.20A	418.10B/359.20A	----	386.40 + 22.80	.9242	----	----	----	----	47 UNCH
5170	----	----	422.80B/363.90A	422.80B/363.90A	----	391.10 + 23.00	.9265	----	----	----	----	155 UNCH
5175	----	----	427.50B/368.50A	427.50B/368.50A	----	395.80 + 23.20	.9287	----	----	----	----	30 UNCH
5180	----	----	432.20B/373.10A	432.20B/373.10A	----	400.50 + 23.30	.9310	----	----	----	----	76 UNCH
5185	----	----	436.90B/377.90A	436.90B/377.90A	----	405.30 + 23.60	.9327	----	----	----	----	2 UNCH
5190	----	----	441.70B/382.40A	441.70B/382.40A	----	410.00 + 23.70	.9349	----	----	----	----	10 UNCH
5195	----	----	446.40B/387.10A	446.40B/387.10A	----	414.80 + 24.00	.9366	----	----	----	----	25 UNCH
5200	----	----	451.20B/391.80A	451.20B/391.80A	----	419.50 + 24.10	.9382	----	----	----	----	424 UNCH
5205	----	----	456.00B/396.20A	456.00B/396.20A	----	424.30 + 24.30	.9404	----	----	----	----	19 UNCH
5210	----	----	460.70B/401.10A	460.70B/401.10A	----	429.10 + 24.50	.9420	----	----	----	----	9 UNCH
5215	----	----	465.50B/405.90A	465.50B/405.90A	----	433.90 + 24.60	.9436	----	----	----	----	5 UNCH
5220	----	----	470.30B/410.50A	470.30B/410.50A	----	438.70 + 24.80	.9452	----	----	----	----	9 UNCH
5225	----	----	475.10B/415.20A	475.10B/415.20A	----	443.50 + 25.00	.9468	----	----	----	----	59 UNCH
5230	----	----	479.90B/420.10A	479.90B/420.10A	----	448.30 + 25.10	.9484	----	----	----	----	10 UNCH
5235	----	----	484.80B/424.60A	484.80B/424.60A	----	453.10 + 25.20	.9494	----	----	----	----	71 UNCH
5240	----	----	489.60B/429.60A	489.60B/429.60A	----	457.90 + 25.40	.9509	----	----	----	----	43 UNCH
5245	----	----	494.40B/434.40A	494.40B/434.40A	----	462.80 + 25.60	.9525	----	----	----	----	15 UNCH
5250	466.00	466.00	499.30B/439.20A	499.30B/439.20A	----	467.60 + 25.70	.9534	----	----	6	----	424 - 6
5255	----	----	504.10B/444.00A	504.10B/444.00A	----	472.50 + 25.90	.9550	----	----	----	----	4 UNCH
5260	----	----	508.90B/448.80A	508.90B/448.80A	----	477.30 + 25.90	.9559	----	----	----	----	11 UNCH
5265	----	----	513.80B/453.50A	513.80B/453.50A	----	482.20 + 26.10	.9574	----	----	----	----	7 UNCH
5270	----	----	518.70B/458.20A	518.70B/458.20A	----	487.00 + 26.20	.9584	----	----	----	----	30 UNCH
5275	----	----	523.50B/463.00A	523.50B/463.00A	----	491.90 + 26.30	.9593	----	----	----	----	206 UNCH
5280	----	----	528.40B/467.80A	528.40B/467.80A	----	496.80 + 26.50	.9608	----	----	----	----	33 UNCH
5290	----	----	538.10B/477.70A	538.10B/477.70A	----	506.50 + 26.60	.9625	----	----	----	----	2 UNCH
5295	----	----	543.00B/482.50A	543.00B/482.50A	----	511.40 + 26.80	.9634	----	----	----	----	5 UNCH
5300	----	----	547.90B/487.20A	547.90B/487.20A	----	516.30 + 26.90	.9643	----	----	----	----	108 UNCH
5305	----	----	552.80B/492.30A	552.80B/492.30A	----	521.20 + 27.00	.9651	----	----	----	----	40 UNCH
5310	----	----	557.70B/497.10A	557.70B/497.10A	----	526.10 + 27.10	.9660	----	----	----	----	32 UNCH
5315	----	----	562.60B/502.00A	562.60B/502.00A	----	531.00 + 27.20	.9668	----	----	----	----	1 UNCH
5320	----	----	567.50B/506.70A	567.50B/506.70A	----	535.90 + 27.30	.9677	----	----	----	----	26 UNCH
5325	----	----	572.40B/511.80A	572.40B/511.80A	----	540.80 + 27.40	.9685	----	----	----	----	51 UNCH
5330	----	----	577.30B/516.60A	577.30B/516.60A	----	545.70 + 27.40	.9687	----	----	----	----	27 UNCH
5335	----	----	582.20B/521.40A	582.20B/521.40A	----	550.70 + 27.60	.9696	----	----	----	----	1 UNCH
5340	----	----	587.10B/526.50A	587.10B/526.50A	----	555.60 + 27.70	.9704	----	----	----	----	12 UNCH
5350	----	----	591.30B/----	591.30B/540.20A	----	565.40 + 27.80	.9720	----	----	----	----	43 UNCH
5360	----	----	600.90B/----	600.90B/550.70A	----	575.30 + 28.00	.9730	----	----	----	----	11 UNCH
5365	----	----	605.80B/----	605.80B/555.60A	----	580.20 + 28.00	.9738	----	----	----	----	11 UNCH
5370	----	----	610.70B/----	610.70B/560.50A	----	585.10 + 28.10	.9739	----	----	----	----	32 UNCH
5375	----	----	615.70B/----	615.70B/565.50A	----	590.10 + 28.20	.9747	----	----	----	----	32 UNCH
5380	----	----	620.60B/----	620.60B/570.40A	----	595.00 + 28.20	.9755	----	----	----	----	4 UNCH
5385	----	----	627.10B/----	627.10B/575.30A	----	599.90 + 28.20	.9757	----	----	----	----	15 UNCH
5390	----	----	630.50B/----	630.50B/580.30A	----	604.90 + 28.40	.9764	----	----	----	----	1 UNCH
5395	----	----	635.70B/----	635.70B/585.30A	----	609.80 NEW	.9766	----	----	1	----	1 + 1
5400	----	----	640.30B/----	640.30B/588.90A	----	614.80 + 28.50	.9774	----	----	1	----	96 UNCH
5410	----	----	650.20B/----	650.20B/599.90A	----	624.70 + 28.60	.9783	----	----	----	----	55 UNCH
5420	----	----	660.00B/----	660.00B/609.80A	----	634.50 + 28.60	.9791	----	----	----	----	7 UNCH
5425	----	----	665.00B/----	665.00B/614.70A	----	639.50 + 28.70	.9799	----	----	----	----	32 UNCH
5435	----	----	676.50B/----	676.50B/624.80A	----	649.40 + 28.80	.9801	----	----	----	----	2 UNCH
5445	----	----	684.80B/----	684.80B/634.70A	----	659.30 + 28.80	.9810	----	----	----	----	1 UNCH
5450	----	----	690.30B/----	690.30B/638.90A	----	664.30 + 28.90	.9817	----	----	----	----	20 UNCH
5475	----	----	----	----	----	689.00 + 29.00	.9835	----	----	----	----	1 UNCH
5490	----	----	719.80B/----	719.80B/678.20A	----	703.90 + 29.10	.9844	----	----	----	----	3 UNCH
5500	----	----	729.80B/----	729.80B/688.10A	----	713.90 + 29.20	.9852	----	----	----	----	34 UNCH
5515	----	----	744.70B/----	744.70B/703.00A	----	728.80 + 29.30	.9860	----	----	----	----	10 UNCH
5520	----	----	----	----	----	733.70 + 29.20	.9861	----	----	----	----	1 UNCH
5530	----	----	759.60B/----	759.60B/720.20A	----	743.70 + 29.30	.9869	----	----	----	----	10 UNCH
5535	----	----	764.50B/----	764.50B/722.90A	----	748.60 + 29.30	.9870	----	----	----	----	10 UNCH
5540	----	----	769.50B/----	769.50B/727.80A	----	753.60 + 29.30	.9870	----	----	----	----	5 UNCH
5550	----	----	779.50B/----	779.50B/737.80A	----	763.60 + 29.40	.9878	----	----	----	----	5 UNCH
5565	----	----	793.10B/----	793.10B/755.10A	----	778.50 + 29.50	.9880	----	----	----	----	10 UNCH
5575	----	----	804.30B/----	804.30B/762.70A	----	788.40 + 29.50	.9887	----	----	----	----	12 UNCH
5590	----	----	819.30B/----	819.30B/780.00A	----	803.40 + 29.60	.9889	----	----	----	----	25 UNCH
5600	----	----	829.20B/----	829.20B/787.50A	----	813.30 + 29.60	.9896	----	----	----	----	12 UNCH
5625	----	----	----	----	----	838.20 + 29.70	.9905	----	----	----	----	2 UNCH
5640	----	----	----	----	----	853.20 + 29.80	.9906	----	----	----	----	1 UNCH
5890	----	----	1,117.30B/----	1117.30B/1079.40A	----	1102.80 + 30.40	.9952	----	----	----	----	4 UNCH
5910	----	----	----	----	----	1122.70 + 30.30	.9952	----	----	----	----	0 UNCH
5960	----	----	----	----	----	1172.70 + 30.30	.9960	----	----	----	----	1 UNCH
5980	----	----	----	----	----	1192.70 + 30.40	.9961	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1212.70 + 30.40	.9961	----	----	----	----	0 UNCH
6025	----	----	1,253.50B/----	1253.50B/1214.30A	----	1237.60 + 30.30	.9962	----	----	----	----	3 UNCH
6100	----	----	1,327.20B/----	1327.20B/1289.30A	----	1312.60 + 30.40	.9970	----	----	3	----	10 + 3
TOTAL										4353	637	89821+ 751
JUN26												
1325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1375	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1400	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1425	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1475	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1500	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
1525	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
1575	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1580	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1590	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	175 UNCH
1600	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	18 UNCH
1610	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1615	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1620	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	31 UNCH
1625	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1650	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1670	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1675	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1685	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
1690	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1695	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1700	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1725	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1735	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1740	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1745	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1750	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
1755	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1775	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1780	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1785	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1795	----	----	----	----/0.30A	----	0.10 - 0.10	.0000	----	----	----	----	11 UNCH
1800	----	----	----	----/0.30A	----	0.10 - 0.10	.0000	----	----	----	----	6 UNCH
1815	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
1820	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	2 UNCH
1855	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
1875	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	3 UNCH
1900	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	3 UNCH
1905	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	7 UNCH
1915	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	10 UNCH
1920	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	2 UNCH
1950	----	----	----	----/0.30A	----	0.20 UNCH	.0004	----	----	----	----	1 UNCH
1955	----	----	----	----/0.30A	----	0.20 UNCH	.0004	----	----	----	----	2 UNCH
1965	----	----	----	----/0.40A	----	0.20 UNCH	.0004	----	----	----	----	10 UNCH
1975	----	----	----	----/0.40A	----	0.20 UNCH	.0004	----	----	----	----	85 UNCH
2000	----	----	----	----/0.40A	----	0.20 UNCH	.0004	----	----	----	----	603 UNCH
2005	----	----	----	----/0.40A	----	0.20 UNCH	.0004	----	----	----	----	1 UNCH
2010	----	----	----	----/0.40A	----	0.20 UNCH	.0004	----	----	----	----	1 UNCH
2015	----	----	----	----/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	7 UNCH
2020	----	----	----	----/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	1 UNCH
2025	----	----	----	----/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	40 UNCH
2030	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	13 UNCH
2050	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	20 UNCH
2085	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	15 UNCH
2100	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	90 UNCH
2105	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	1 UNCH
2130	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	1 UNCH
2170	----	----	----	0.10B/0.40A	----	0.20 - 0.20	.0005	----	----	----	----	5 UNCH
2180	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0005	----	----	----	----	6 UNCH
2195	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0007	----	----	----	----	5 UNCH
2200	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0007	----	----	----	----	9 UNCH
2205	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0007	----	----	----	----	7 UNCH
2220	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0007	----	----	----	----	1 UNCH
2230	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0007	----	----	----	----	25 UNCH
2235	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0007	----	----	----	----	21 UNCH
2240	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0007	----	----	----	----	6 UNCH
2250	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0007	----	----	----	----	5 UNCH
2300	----	----	----/*0.40A	0.30B/0.40A	----	0.30 - 0.20	.0007	----	----	----	----	13 UNCH
2315	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0008	----	----	----	----	40 UNCH
2330	----	----	----	0.20B/0.50A	----	0.40 - 0.10	.0010	----	----	----	----	9 UNCH
2350	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0010	----	----	----	----	1 UNCH
2380	----	----	----/0.50A	0.30B/0.50A	----	0.40 - 0.20	.0010	----	----	----	----	9 UNCH
2385	----	----	----/0.50A	0.30B/0.50A	----	0.40 - 0.20	.0010	----	----	----	----	1 UNCH
2390	----	----	----/0.50A	0.30B/0.50A	----	0.40 - 0.20	.0010	----	----	----	----	1 UNCH
2395	----	----	----/0.50A	0.40B/0.50A	----	0.40 - 0.20	.0010	----	----	----	----	1 UNCH
2400	----	----	----/0.50A	0.40B/0.50A	----	0.40 - 0.20	.0010	----	----	----	----	72 UNCH
2405	----	----	----/*0.50A	0.40B/0.50A	----	0.40 - 0.20	.0010	----	----	----	----	1 UNCH
2410	----	----	----/*0.50A	0.40B/0.50A	----	0.40 - 0.20	.0010	----	----	----	----	6 UNCH
2415	----	----	----/*0.50A	0.40B/0.50A	----	0.40 - 0.20	.0010	----	----	----	----	1 UNCH
2420	----	----	----/*0.50A	0.40B/0.50A	----	0.40 - 0.20	.0010	----	----	----	----	5 UNCH
2425	----	----	----	0.30B/0.60A	----	0.40 - 0.20	.0010	----	----	----	----	2 UNCH
2430	----	----	----	0.30B/0.60A	----	0.40 - 0.20	.0010	----	----	----	----	1 UNCH
2445	----	----	----/0.60A	0.30B/0.60A	----	0.50 - 0.20	.0013	----	----	----	----	5 UNCH
2450	----	----	----/0.60A	0.40B/0.60A	----	0.50 - 0.20	.0013	----	----	----	----	2 UNCH
2460	----	----	----/0.60A	0.40B/0.60A	----	0.50 - 0.20	.0013	----	----	----	----	1 UNCH
2465	----	----	----/0.60A	0.40B/0.60A	----	0.50 - 0.20	.0013	----	----	----	----	7 UNCH
2475	----	----	----/0.60A	0.40B/0.60A	----	0.50 - 0.20	.0013	----	----	----	----	1 UNCH
2495	----	----	----/0.60A	0.60B/0.60A	----	0.50 - 0.20	.0013	----	----	----	----	1 UNCH
2500	0.80	0.80	0.80/0.60A	0.80/0.60A	----	0.50 - 0.20	.0013	----	----	101	----	1920 + 99
2510	----	----	----/*0.60A	0.50B/0.60A	----	0.50 - 0.20	.0013	----	----	----	----	2 UNCH
2525	----	----	----/0.70A	0.40B/0.70A	----	0.50 - 0.30	.0013	----	----	----	----	25 UNCH
2535	----	----	----/0.70A	0.40B/0.70A	----	0.50 - 0.30	.0014	----	----	----	----	5 UNCH
2540	----	----	----/0.70A	0.50B/0.70A	----	0.50 - 0.30	.0014	----	----	----	----	5 UNCH
2550	----	----	----/0.70A	0.50B/0.70A	----	0.60 - 0.20	.0016	----	----	----	----	50 UNCH
2565	----	----	----/0.70A	0.60B/0.70A	----	0.60 - 0.20	.0016	----	----	----	----	5 UNCH
2580	----	----	----/0.70A	0.60B/0.70A	----	0.60 - 0.30	.0016	----	----	----	----	5 UNCH
2590	----	----	----/0.80A	0.50B/0.80A	----	0.60 - 0.30	.0016	----	----	----	----	8 UNCH
2600	----	----	----/0.80A	0.60B/0.80A	----	0.60 - 0.30	.0016	----	----	----	----	159 UNCH
2650	----	----	----/0.80A	0.60B/0.80A	----	0.70 - 0.30	.0019	----	----	----	----	1 UNCH
2695	----	----	----/0.90A	0.70B/0.90A	----	0.70 - 0.30	.0020	----	----	2	----	2 + 2
2700	----	----	----/0.90A	0.70B/0.90A	----	0.70 - 0.40	.0020	----	----	----	----	427 UNCH
2730	----	----	----/1.00A	0.70B/1.00A	----	0.80 - 0.30	.0023	----	----	----	----	5 UNCH
2750	----	----	----/1.00A	0.80B/1.00A	----	0.80 - 0.30	.0023	----	----	----	----	1 UNCH
2800	----	----	----/1.10A	0.90B/1.10A	----	0.90 - 0.30	.0026	----	----	----	----	749 UNCH
2805	----	----	----/1.10A	0.90B/1.10A	----	0.90 - 0.40	.0026	----	----	----	----	223 UNCH
2810	----	----	----/1.20A	0.90B/1.20A	----	0.90 - 0.40	.0026	----	----	----	----	39 UNCH
2825	----	----	----/1.20A	0.90B/1.20A	----	1.00 - 0.30	.0029	----	----	----	----	51 UNCH
2830	----	----	----/1.20A	0.90B/1.20A	----	1.00 - 0.30	.0029	----	----	----	----	25 UNCH
2850	----	----	----/1.20A	1.00B/1.20A	----	1.00 - 0.40	.0030	----	----	----	----	22 UNCH
2875	----	----	----/1.30A	1.00B/1.30A	----	1.10 - 0.30	.0033	----	----	----	----	7 UNCH
2900	----	----	----/1.40A	1.10B/1.40A	----	1.20 - 0.30	.0036	----	----	----	----	154 UNCH
2905	----	----	----/1.40A	1.10B/1.40A	----	1.20 - 0.30	.0036	----	----	----	----	5 UNCH
2915	----	----	----/1.40A	1.20B/1.40A	----	1.20 - 0.30	.0036	----	----	----	----	1 UNCH
2930	----	----	----/1.40A	1.20B/1.40A	----	1.30 - 0.20	.0039	----	----	----	----	1 UNCH
2935	----	----	----/1.40A	1.20B/1.40A	----	1.30 - 0.20	.0039	----	----	----	----	3 UNCH
2950	----	----	----/1.50A	1.20B/1.50A	----	1.30 - 0.30	.0039	----	----	----	----	24 UNCH
2970	----	----	----/1.50A	1.30B/1.50A	----	1.40 - 0.20	.0042	----	----	----	----	1 UNCH
2975	----	----	----/1.50A	1.30B/1.50A	----	1.40 - 0.20	.0042	----	----	----	----	9 UNCH
2990	----	----	----/1.60A	1.40B/1.60A	----	1.40 - 0.30	.0043	----	----	----	----	5 UNCH
2995	----	----	----/1.60A	1.40B/1.60A	----	1.50 - 0.20	.0046	----	----	----	----	6 UNCH
3000	----	----	----/*1.30A	1.40B/*1.30A	----	1.50 - 0.20	.0046	----	----	----	----	1666 UNCH
3005	----	----	----/1.60A	1.40B/1.60A	----	1.50 - 0.20	.0046	----	----	----	----	30 UNCH
3010	----	----	----/1.60A	1.40B/1.60A	----	1.50 - 0.20	.0046	----	----	----	----	8 UNCH
3015	----	----	----/1.70A	1.40B/1.70A	----	1.50 - 0.30	.0046	----	----	----	----	215 UNCH
3020	----	----	----/1.70A	1.50B/1.70A	----	1.50 - 0.30	.0046	----	----	----	----	35 UNCH
3035	----	----	----/1.70A	1.50B/1.70A	----	1.60 - 0.20	.0049	----	----	----	----	1 UNCH
3050	----	----	----/1.70A	1.50B/1.70A	----	1.60 - 0.30	.0050	----	----	----	----	389 UNCH
3065	----	----	----/1.80A	1.60B/1.80A	----	1.70 - 0.20	.0053	----	----	----	----	7 UNCH
3070	----	----	----/1.80A	1.60B/1.80A	----	1.70 - 0.20	.0053	----	----	----	----	6 UNCH
3075	----	----	----/1.80A	1.60B/1.80A	----	1.70 - 0.20	.0053	----	----	----	----	10 UNCH
3080	----	----	----/1.80A	1.60B/1.80A	----	1.70 - 0.30	.0053	----	----	----	----	8 UNCH
3095	----	----	----/1.90A	1.70B/1.90A	----	1.80 - 0.20	.0056	----	----	----	----	41 UNCH
3100	1.90	1.90	1.90/*1.60	1.90/*1.60	----	1.80 - 0.20	.0057	----	----	2	----	366 + 1
3105	----	----	----/1.90A	1.70B/1.90A	----	1.80 - 0.30	.0057	----	----	----	----	13 UNCH
3110	----	----	----/1.90A	1.70B/1.90A	----	1.80 - 0.30	.0057	----	----	----	----	10 UNCH
3120	----	----	----/1.90A	1.80B/1.90A	----	1.90 - 0.20	.0060	----	----	----	----	13 UNCH
3125	----	----	----/2.00A	1.80B/2.00A	----	1.90 - 0.20	.0060	----	----	----	----	10 UNCH
3130	----	----	----/2.00A	1.80B/2.00A	----	1.90 - 0.20	.0060	----	----	----	----	26 UNCH
3140	----	----	----/2.00A	1.90B/2.00A	----	1.90 - 0.30	.0061	----	----	----	----	5 UNCH
3150	1.90	1.90	1.90/1.90	1.90/1.90	----	2.00 - 0.20	.0064	----	----	1	----	149 UNCH
3155	----	----	----/2.10A	1.90B/2.10A	----	2.00 - 0.20	.0064	----	----	----	----	16 UNCH
3160	----	----	----/2.10A	1.90B/2.10A	----	2.00 - 0.30	.0064	----	----	----	----	5 UNCH
3170	----	----	----/2.10A	2.00B/2.10A	----	2.00 - 0.30	.0065	----	----	----	----	6 UNCH
3175	----	----	----/2.10A	2.00B/2.10A	----	2.00 - 0.30	.0065	----	----	----	----	12 UNCH
3180	----	----	----/2.20A	2.00B/2.20A	----	2.10 - 0.20	.0068	----	----	----	----	5 UNCH
3185	----	----	----/2.20A	2.00B/2.20A	----	2.10 - 0.30	.0068	----	----	----	----	6 UNCH
3190	----	----	----/2.20A	2.00B/2.20A	----	2.10 - 0.30	.0068	----	----	----	----	18 UNCH
3195	----	----	----/2.20A	2.10B/2.20A	----	2.10 - 0.30	.0068	----	----	----	----	12 UNCH
3200	----	----	----/2.20A	2.10B/2.20A	----	2.10 - 0.30	.0069	----	----	----	----	298 UNCH
3205	----	----	----/2.30A	2.10B/2.30A	----	2.20 - 0.30	.0071	----	----	----	----	42 UNCH
3210	----	----	----/2.30A	2.10B/2.30A	----	2.20 - 0.30	.0072	----	----	----	----	15 UNCH
3215	----	----	----/2.30A	2.20B/2.30A	----	2.20 - 0.30	.0072	----	----	----	----	22 UNCH
3220	----	----	----/2.30A	2.20B/2.30A	----	2.20 - 0.30	.0072	----	----	----	----	7 UNCH
3225	----	----	----/2.30A	2.20B/2.30A	----	2.20 - 0.30	.0072	----	----	----	----	65 UNCH
3235	----	----	----/2.40A	2.20B/2.40A	----	2.30 - 0.30	.0076	----	----	----	----	24 UNCH
3250	----	----	----/2.40A	2.30B/2.40A	----	2.30 - 0.40	.0076	----	----	----	----	147 UNCH
3255	----	----	----/2.40A	2.30B/2.40A	----	2.30 - 0.40	.0077	----	----	----	----	110 UNCH
3260	----	----	----/2.50A	2.40B/2.50A	----	2.40 - 0.30	.0080	----	----	----	----	1 UNCH
3265	----	----	----/2.50A	2.40B/2.50A	----	2.40 - 0.30	.0080	----	----	----	----	20 UNCH
3270	----	----	----/2.50A	2.40B/2.50A	----	2.40 - 0.40	.0080	----	----	----	----	7 UNCH
3280	2.50	2.50	2.50/2.50	2.50/2.50	----	2.50 - 0.30	.0083	----	----	1	----	13 UNCH
3290	----	----	----/2.60A	2.50B/2.60A	----	2.50 - 0.40	.0084	----	----	----	----	37 UNCH
3300	2.30	2.30	2.30/*2.30	2.60B/*2.30	----	2.50 - 0.40	.0084	----	----	5	----	374 + 4
3305	----	----	----/2.70A	2.60B/2.70A	----	2.60 - 0.40	.0087	----	----	----	----	1 UNCH
3310	----	----	----/2.70A	2.60B/2.70A	----	2.60 - 0.40	.0088	----	----	----	----	7 UNCH
3320	----	----	----/2.70A	2.70B/2.70A	----	2.60 - 0.40	.0088	----	----	----	----	4 UNCH
3325	----	----	----/2.80A	2.70B/2.80A	----	2.70 - 0.40	.0091	----	----	----	----	47 UNCH
3335	----	----	----/2.80A	2.80B/2.80A	----	2.70 - 0.40	.0092	----	----	----	----	46 UNCH
3340	----	----	----/2.80A	2.80B/2.80A	----	2.70 - 0.50	.0092	----	----	----	----	22 UNCH
3345	----	----	----/2.80A	2.90B/2.80A	----	2.80 - 0.40	.0095	----	----	----	----	12 UNCH
3350	----	----	----/2.90A	2.90B/2.90A	----	2.80 - 0.40	.0096	----	----	----	----	407 UNCH
3355	----	----	----/2.90A	2.90B/2.90A	----	2.80 - 0.50	.0096	----	----	----	----	17 UNCH
3360	----	----	----/2.90A	2.90B/2.90A	----	2.80 - 0.50	.0096	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3365	----	----	----/2.90A	3.00B/2.90A	----	2.90 - 0.40	.0100	----	----	----	----	31 UNCH
3370	----	----	----/3.00A	3.00B/3.00A	----	2.90 - 0.50	.0100	----	----	----	----	26 UNCH
3375	----	----	----/3.00A	3.00B/3.00A	----	2.90 - 0.50	.0100	----	----	----	----	98 UNCH
3380	----	----	----/3.00A	3.10B/3.00A	----	3.00 - 0.40	.0103	----	----	----	----	46 UNCH
3385	----	----	----/3.10A	3.10B/3.10A	----	3.00 - 0.50	.0104	----	----	----	----	6 UNCH
3390	----	----	----/3.10A	3.10B/3.10A	----	3.00 - 0.50	.0104	----	----	----	----	59 UNCH
3395	----	----	----/3.10A	3.20B/3.10A	----	3.10 - 0.40	.0107	----	----	----	----	1 UNCH
3400	----	----	----/3.10A	3.20B/3.10A	----	3.10 - 0.50	.0108	----	----	5	----	732 - 3
3405	----	----	----/3.20A	3.30B/3.20A	----	3.10 - 0.50	.0108	----	----	----	----	66 UNCH
3410	----	----	----/3.20A	3.30B/3.20A	----	3.20 - 0.40	.0111	----	----	----	----	7 UNCH
3415	----	----	----/3.20A	3.30B/3.20A	----	3.20 - 0.50	.0112	----	----	----	----	2 UNCH
3420	----	----	----/3.30A	3.40B/3.30A	----	3.20 - 0.50	.0112	----	----	----	----	18 UNCH
3425	----	----	----/3.30A	3.40B/3.30A	----	3.30 - 0.40	.0115	----	----	----	----	25 UNCH
3430	----	----	----/3.30A	3.40B/3.30A	----	3.30 - 0.50	.0115	----	----	4	----	10 + 3
3435	----	----	----/3.30A	3.50B/3.30A	----	3.30 - 0.50	.0116	----	----	----	----	20 UNCH
3450	3.40	3.40	3.40/3.40	3.50B/3.40	----	3.40 - 0.50	.0120	----	----	16	----	411 - 16
3455	----	----	----/3.50A	3.60B/3.50A	----	3.50 - 0.50	.0123	----	----	----	----	51 UNCH
3460	----	----	----/3.50A	3.70B/3.50A	----	3.50 - 0.50	.0124	----	----	----	----	50 UNCH
3465	----	----	----/3.50A	3.70B/3.50A	----	3.60 - 0.40	.0127	----	----	----	----	89 UNCH
3470	----	----	----/3.60A	3.80B/3.60A	----	3.60 - 0.50	.0127	----	----	----	----	28 UNCH
3475	----	----	----/3.60A	3.80B/3.60A	----	3.60 - 0.50	.0128	----	----	----	----	241 UNCH
3480	----	----	----/3.60A	3.80B/3.60A	----	3.70 - 0.50	.0131	----	----	----	----	171 UNCH
3485	----	----	----/3.70A	3.90B/3.70A	----	3.70 - 0.50	.0132	----	----	----	----	2 UNCH
3490	----	----	----/3.70A	3.90B/3.70A	----	3.80 - 0.40	.0135	----	----	----	----	21 UNCH
3500	3.80	3.80	4.00/3.70	4.00/3.70	----	3.80 - 0.50	.0136	----	----	49	----	1784 - 21
3505	----	----	----/3.80A	4.10B/3.80A	----	3.90 - 0.50	.0139	----	----	----	----	65 UNCH
3510	----	----	----/3.90A	4.10B/3.90A	----	3.90 - 0.50	.0140	----	----	----	----	61 UNCH
3515	----	----	----/3.90A	4.10B/3.90A	----	4.00 - 0.50	.0143	----	----	----	----	16 UNCH
3520	----	----	----/4.00A	4.20B/4.00A	----	4.00 - 0.50	.0143	----	----	----	140	136 - 112
3525	----	----	----/4.00A	4.20B/4.00A	----	4.10 - 0.50	.0147	----	----	----	----	301 UNCH
3530	----	----	----/4.00A	4.30B/4.00A	----	4.10 - 0.50	.0147	----	----	----	----	7 UNCH
3535	----	----	----/4.10A	4.30B/4.10A	----	4.20 - 0.50	.0151	----	----	----	----	100 UNCH
3540	----	----	----/4.10A	4.40B/4.10A	----	4.20 - 0.50	.0151	----	----	----	----	5 UNCH
3545	----	----	----/4.20A	4.40B/4.20A	----	4.30 - 0.50	.0155	----	----	----	----	20 UNCH
3550	----	----	----/4.20A	4.50B/4.20A	----	4.30 - 0.50	.0155	----	----	2	----	420 + 2
3555	----	----	----/4.20A	4.50B/4.20A	----	4.40 - 0.50	.0159	----	----	----	----	2 UNCH
3560	4.40	4.40	4.60/4.30A	4.60/4.30A	----	4.40 - 0.50	.0159	----	----	4	----	89 + 2
3565	----	----	----/4.30A	4.70B/4.30A	----	4.50 - 0.50	.0163	----	----	----	----	41 UNCH
3570	----	----	----/4.40A	4.70B/4.40A	----	4.50 - 0.50	.0163	----	----	----	----	60 UNCH
3575	----	----	----/4.40A	4.80B/4.40A	----	4.60 - 0.50	.0167	----	----	----	----	40 UNCH
3580	----	----	----/4.50A	4.80B/4.50A	----	4.70 - 0.40	.0170	----	----	----	----	76 UNCH
3585	----	----	----/4.50A	4.90B/4.50A	----	4.70 - 0.50	.0171	----	----	----	----	2 UNCH
3590	----	----	----/4.60A	4.90B/4.60A	----	4.80 - 0.40	.0174	----	----	----	----	3 UNCH
3595	----	----	----/4.60A	5.00B/4.60A	----	4.80 - 0.50	.0175	----	----	----	----	23 UNCH
3600	4.60	4.60	5.00/4.60	5.00/4.60	----	4.90 - 0.40	.0178	----	----	57	----	1662 - 2
3610	----	----	----/4.80A	5.20B/4.80A	----	5.00 - 0.50	.0183	----	----	----	----	3 UNCH
3615	----	----	----/4.80A	5.20B/4.80A	----	5.10 - 0.40	.0186	----	----	----	----	37 UNCH
3620	4.80	4.80	4.80/4.80	5.30B/4.80	----	5.10 - 0.50	.0187	----	----	1	----	11 UNCH
3625	----	----	----/5.00A	5.40B/5.00A	----	5.20 - 0.40	.0190	----	----	----	----	68 UNCH
3630	----	----	----/5.00A	5.40B/5.00A	----	5.30 - 0.40	.0194	----	----	----	----	86 UNCH
3635	----	----	----/5.10A	5.50B/5.10A	----	5.30 - 0.50	.0195	----	----	----	----	107 UNCH
3640	----	----	----/5.10A	5.60B/5.10A	----	5.40 - 0.40	.0198	----	----	----	----	25 UNCH
3645	----	----	----/5.20A	5.60B/5.20A	----	5.50 - 0.40	.0202	----	----	----	----	13 UNCH
3650	----	----	6.20B/5.20A	6.20B/5.20A	----	5.50 - 0.50	.0203	----	----	22	----	540 + 17
3655	----	----	----/5.30A	5.80B/5.30A	----	5.60 - 0.40	.0206	----	----	----	----	2 UNCH
3660	----	----	----/5.30A	5.80B/5.30A	----	5.70 - 0.40	.0210	----	----	----	----	1 UNCH
3665	----	----	----/5.40A	5.90B/5.40A	----	5.70 - 0.50	.0211	----	----	----	----	15 UNCH
3670	----	----	----/5.50A	6.00B/5.50A	----	5.80 - 0.40	.0214	----	----	----	----	31 UNCH
3675	----	----	----/5.50A	6.10B/5.50A	----	5.90 - 0.40	.0218	----	----	----	----	45 UNCH
3680	----	----	----/5.60A	6.20B/5.60A	----	6.00 - 0.40	.0222	----	----	----	----	18 UNCH
3685	----	----	----/5.70A	6.20B/5.70A	----	6.00 - 0.50	.0223	----	----	----	----	51 UNCH
3690	----	----	----/5.70A	6.30B/5.70A	----	6.10 - 0.40	.0226	----	----	----	----	7 UNCH
3695	----	----	----/5.80A	6.50B/5.80A	----	6.20 - 0.40	.0230	----	----	----	----	19 UNCH
3700	6.70	6.70	6.70/5.90A	6.70/5.90A	----	6.30 - 0.40	.0234	----	----	18	----	867 - 1
3705	----	----	----/5.90A	6.60B/5.90A	----	6.30 - 0.50	.0235	----	----	----	----	123 UNCH
3710	----	----	----/6.00A	6.70B/6.00A	----	6.40 - 0.40	.0238	----	----	----	----	79 UNCH
3715	----	----	----/6.10A	6.80B/6.10A	----	6.50 - 0.40	.0242	----	----	----	----	46 UNCH
3720	----	----	----/6.10A	6.90B/6.10A	----	6.60 - 0.40	.0246	----	----	----	----	2 UNCH
3725	6.20	6.20	6.20/6.20	6.90B/6.20	----	6.70 - 0.40	.0250	----	----	1	----	91 + 1
3730	----	----	----/6.30A	7.00B/6.30A	----	6.80 - 0.40	.0253	----	----	----	----	18 UNCH
3740	----	----	----/6.40A	7.30B/6.40A	----	6.90 - 0.40	.0258	----	----	----	----	67 UNCH
3745	----	----	----/6.50A	7.40B/6.50A	----	7.00 - 0.40	.0262	----	----	----	----	19 UNCH
3750	----	----	----/6.60A	7.40B/6.60A	----	7.10 - 0.40	.0266	----	----	1	----	1285 UNCH
3755	----	----	----/6.70A	7.60B/6.70A	----	7.20 - 0.40	.0270	----	----	----	----	2 UNCH
3760	----	----	----/6.80A	7.70B/6.80A	----	7.30 - 0.40	.0274	----	----	----	----	23 UNCH
3765	----	----	----/6.90A	7.80B/6.90A	----	7.40 - 0.40	.0278	----	----	----	----	48 UNCH
3770	----	----	----/7.00A	7.90B/7.00A	----	7.50 - 0.40	.0282	----	----	1	----	9 UNCH
3775	----	----	----/7.00A	8.00B/7.00A	----	7.60 - 0.40	.0286	----	----	----	----	40 UNCH
3780	----	----	----/7.10A	8.10B/7.10A	----	7.70 - 0.40	.0290	----	----	----	----	14 UNCH
3785	----	----	----/7.20A	8.20B/7.20A	----	7.80 - 0.40	.0294	----	----	----	----	6 UNCH
3790	----	----	----/7.30A	8.30B/7.30A	----	7.90 - 0.40	.0298	----	----	----	60	257 UNCH
3795	----	----	8.50B/7.40A	8.50B/7.40A	----	8.00 - 0.40	.0302	----	----	----	----	55 UNCH
3800	7.60	7.60	8.60B/7.30	8.60B/7.30	----	8.10 - 0.40	.0306	----	----	58	----	1089 - 39
3805	----	----	8.80B/7.60A	8.80B/7.60A	----	8.20 - 0.40	.0310	----	----	----	----	67 UNCH
3810	----	----	8.90B/7.70A	8.90B/7.70A	----	8.40 - 0.30	.0317	----	----	----	----	13 UNCH
3815	----	----	9.10B/7.80A	9.10B/7.80A	----	8.50 - 0.30	.0321	----	----	----	----	38 UNCH
3820	----	----	9.20B/7.90A	9.20B/7.90A	----	8.60 - 0.40	.0325	----	----	1	----	11 UNCH
3825	----	----	9.30B/8.00A	9.30B/8.00A	----	8.70 - 0.40	.0329	----	----	----	----	42 UNCH
3830	----	----	9.50B/8.10A	9.50B/8.10A	----	8.80 - 0.40	.0333	----	----	----	----	184 UNCH
3835	----	----	9.60B/8.20A	9.60B/8.20A	----	8.90 - 0.40	.0338	----	----	----	----	56 UNCH
3840	----	----	9.80B/8.30A	9.80B/8.30A	----	9.10 - 0.30	.0345	----	----	----	----	3 UNCH
3850	----	----	10.10B/8.50A	10.10B/8.50A	----	9.30 - 0.40	.0353	----	----	----	----	678 UNCH
3855	----	----	10.20B/8.60A	10.20B/8.60A	----	9.40 - 0.40	.0358	----	----	----	----	72 UNCH
3860	----	----	10.40B/8.70A	10.40B/8.70A	----	9.60 - 0.40	.0365	----	----	----	----	28 UNCH
3865	----	----	10.60B/8.80A	10.60B/8.80A	----	9.70 - 0.40	.0369	----	----	----	----	16 UNCH
3870	----	----	10.80B/9.00A	10.80B/9.00A	----	9.80 - 0.40	.0373	----	----	----	----	15 UNCH
3875	10.30	10.30	10.90B/9.10A	10.90B/9.10A	----	10.00 - 0.40	.0380	----	----	2	----	162 UNCH
3880	----	----	11.10B/9.20A	11.10B/9.20A	----	10.10 - 0.40	.0385	----	----	----	----	14 UNCH
3885	----	----	11.20B/9.30A	11.20B/9.30A	----	10.30 - 0.40	.0392	----	----	----	----	12 UNCH
3890	----	----	11.50B/9.50A	11.50B/9.50A	----	10.40 - 0.40	.0397	----	----	----	----	43 UNCH
3895	----	----	11.70B/9.60A	11.70B/9.60A	----	10.60 - 0.40	.0404	----	----	----	----	16 UNCH
3900	10.20	10.20	11.80B/9.70A	11.80B/9.70A	----	10.70 - 0.40	.0408	----	----	11	----	712 + 7
3905	----	----	12.00B/9.80A	12.00B/9.80A	----	10.90 - 0.40	.0416	----	----	2	----	43 - 2
3910	----	----	12.20B/10.00A	12.20B/10.00A	----	11.00 - 0.40	.0420	----	----	----	----	8 UNCH
3915	----	----	12.40B/10.10A	12.40B/10.10A	----	11.20 - 0.40	.0427	----	----	----	----	29 UNCH
3920	----	----	12.60B/10.30A	12.60B/10.30A	----	11.30 - 0.40	.0432	----	----	----	----	38 UNCH
3925	----	----	12.90B/10.40A	12.90B/10.40A	----	11.50 - 0.40	.0439	----	----	----	----	49 UNCH
3930	----	----	13.00B/10.50A	13.00B/10.50A	----	11.70 - 0.40	.0447	----	----	----	----	24 UNCH
3935	----	----	13.20B/10.70A	13.20B/10.70A	----	11.90 - 0.40	.0454	----	----	----	----	21 UNCH
3940	11.10	11.10	13.40B/10.80A	13.40B/10.80A	----	12.00 - 0.40	.0459	----	----	1	----	104 - 1
3945	----	----	13.70B/11.00A	13.70B/11.00A	----	12.20 - 0.40	.0467	----	----	----	----	25 UNCH
3950	----	----	13.90B/11.20A	13.90B/11.20A	----	12.40 - 0.40	.0474	----	----	----	----	342 UNCH
3955	----	----	14.20B/11.30A	14.20B/11.30A	----	12.60 - 0.40	.0482	----	----	----	----	6 UNCH
3960	----	----	14.30B/11.50A	14.30B/11.50A	----	12.80 - 0.40	.0489	----	----	----	----	32 UNCH
3965	----	----	14.50B/11.60A	14.50B/11.60A	----	12.90 - 0.50	.0494	----	----	----	----	23 UNCH
3970	----	----	14.80B/11.80A	14.80B/11.80A	----	13.10 - 0.50	.0502	----	----	----	----	56 UNCH
3975	----	----	15.10B/12.00A	15.10B/12.00A	----	13.30 - 0.50	.0509	----	----	----	----	336 UNCH
3980	----	----	15.30B/12.20A	15.30B/12.20A	----	13.50 - 0.50	.0517	----	----	----	----	32 UNCH
3985	----	----	15.50B/12.30A	15.50B/12.30A	----	13.70 - 0.50	.0525	----	----	----	----	27 UNCH
3990	----	----	15.80B/12.50A	15.80B/12.50A	----	13.90 - 0.50	.0533	----	----	----	----	22 UNCH
3995	----	----	16.10B/12.70A	16.10B/12.70A	----	14.20 - 0.40	.0543	----	----	----	----	151 UNCH
4000	18.00	18.00	18.00/12.90A	18.00/12.90A	----	14.40 - 0.40	.0551	----	----	112	----	3725 + 25
4005	----	----	16.50B/13.10A	16.50B/13.10A	----	14.60 - 0.40	.0559	----	----	----	----	29 UNCH
4010	----	----	16.90B/13.30A	16.90B/13.30A	----	14.80 - 0.50	.0567	----	----	2	----	42 - 2
4015	----	----	17.20B/13.50A	17.20B/13.50A	----	15.00 - 0.50	.0575	----	----	----	----	16 UNCH
4020	----	----	17.40B/13.70A	17.40B/13.70A	----	15.30 - 0.40	.0585	----	----	----	----	143 UNCH
4025	----	----	17.70B/13.90A	17.70B/13.90A	----	15.50 - 0.50	.0593	----	----	----	----	215 UNCH
4030	----	----	18.10B/14.10A	18.10B/14.10A	----	15.70 - 0.50	.0601	----	----	----	----	16 UNCH
4035	----	----	18.40B/14.30A	18.40B/14.30A	----	16.00 - 0.50	.0612	----	----	----	----	48 UNCH
4040	16.30	16.30	18.70B/14.50A	18.70B/14.50A	----	16.20 - 0.50	.0620	----	----	3	----	79 + 3
4045	16.20	16.20	19.00B/14.80A	19.00B/14.80A	----	16.50 - 0.50	.0631	----	----	2	----	2 + 1
4050	----	----	19.30B/15.00A	19.30B/15.00A	----	16.70 - 0.50	.0639	----	----	12	----	1221 - 5
4055	----	----	19.50B/15.20A	19.50B/15.20A	----	17.00 - 0.50	.0650	----	----	3	----	17 + 3
4060	----	----	19.90B/15.50A	19.90B/15.50A	----	17.30 - 0.50	.0661	----	----	----	----	85 UNCH
4065	----	----	20.20B/15.70A	20.20B/15.70A	----	17.50 - 0.60	.0669	----	----	----	----	119 UNCH
4070	----	----	20.60B/15.90A	20.60B/15.90A	----	17.80 - 0.50	.0680	----	----	----	----	61 UNCH
4075	----	----	20.90B/16.20A	20.90B/16.20A	----	18.10 - 0.50	.0691	----	----	----	----	266 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4080	----	----	21.20B/16.40A	21.20B/16.40A	----	18.40 - 0.50	.0702	----	----	1	----	102 UNCH
4085	17.00	17.00	21.60B/16.70A	21.60B/16.70A	----	18.70 - 0.50	.0713	----	----	25	----	66 + 2
4090	----	----	21.90B/16.90A	21.90B/16.90A	----	19.00 - 0.50	.0724	----	----	4	----	116 UNCH
4095	----	----	22.30B/17.20A	22.30B/17.20A	----	19.30 - 0.50	.0736	----	----	1	----	61 + 1
4100	22.30	22.30	22.80B/17.30	22.80B/17.30	----	19.60 - 0.50	.0747	----	----	34	----	1286 + 5
4105	----	----	23.30B/17.80A	23.30B/17.80A	----	19.90 - 0.60	.0758	----	----	1	----	89 UNCH
4110	----	----	23.70B/18.00A	23.70B/18.00A	----	20.20 - 0.60	.0769	----	----	2	----	144 - 2
4115	----	----	24.00B/18.30A	24.00B/18.30A	----	20.50 - 0.60	.0781	----	----	3	----	458 + 2
4120	----	----	24.40B/18.60A	24.40B/18.60A	----	20.90 - 0.60	.0795	----	----	----	----	53 UNCH
4125	----	----	24.90B/18.90A	24.90B/18.90A	----	21.20 - 0.60	.0806	----	----	----	----	382 UNCH
4130	----	----	25.30B/19.20A	25.30B/19.20A	----	21.60 - 0.50	.0820	----	----	2	----	21 UNCH
4135	----	----	25.60B/19.50A	25.60B/19.50A	----	21.90 - 0.60	.0831	----	----	----	----	23 UNCH
4140	----	----	26.00B/19.90A	26.00B/19.90A	----	22.30 - 0.60	.0845	----	----	2	----	18 - 1
4145	----	----	26.60B/20.20A	26.60B/20.20A	----	22.60 - 0.60	.0857	----	----	----	----	253 UNCH
4150	25.50	25.50	26.90B/20.50	26.90B/20.50	----	23.00 - 0.60	.0871	----	----	36	----	534 - 6
4155	----	----	27.50B/20.90A	27.50B/20.90A	----	23.40 - 0.60	.0885	----	----	----	----	21 UNCH
4160	----	----	27.80B/21.20A	27.80B/21.20A	----	23.70 - 0.70	.0897	----	----	----	----	81 UNCH
4165	22.30	22.30	28.40B/21.50A	28.40B/21.50A	----	24.10 - 0.70	.0912	----	----	2	----	28 + 1
4170	----	----	28.90B/21.90A	28.90B/21.90A	----	24.50 - 0.70	.0926	----	----	1	----	47 - 1
4175	26.00	26.00	29.40B/22.20A	29.40B/22.20A	----	24.90 - 0.70	.0940	----	----	4	----	926 + 3
4180	----	----	29.80B/22.60A	29.80B/22.60A	----	25.30 - 0.70	.0955	----	----	1	----	126 + 1
4185	----	----	30.30B/23.00A	30.30B/23.00A	----	25.70 - 0.70	.0969	----	----	----	----	15 UNCH
4190	----	----	30.90B/23.40A	30.90B/23.40A	----	26.20 - 0.60	.0986	----	----	----	----	44 UNCH
4195	----	----	31.40B/23.80A	31.40B/23.80A	----	26.60 - 0.70	.1001	----	----	----	----	33 UNCH
4200	31.50	31.50	31.80B/24.20A	31.80B/24.20A	----	27.00 - 0.70	.1015	----	----	32	----	2869 + 7
4205	----	----	32.40B/24.50A	32.40B/24.50A	----	27.50 - 0.70	.1032	----	----	----	----	58 UNCH
4210	----	----	33.00B/24.90A	33.00B/24.90A	----	27.90 - 0.70	.1047	----	----	1	----	392 UNCH
4215	----	----	33.50B/25.30A	33.50B/25.30A	----	28.40 - 0.70	.1064	----	----	1	----	9 UNCH
4220	----	----	34.00B/25.80A	34.00B/25.80A	----	28.90 - 0.70	.1081	----	----	----	----	190 UNCH
4225	----	----	34.60B/26.30A	34.60B/26.30A	----	29.30 - 0.80	.1096	----	----	5	----	270 UNCH
4230	----	----	35.20B/26.70A	35.20B/26.70A	----	29.80 - 0.80	.1113	----	----	----	----	68 UNCH
4235	----	----	35.80B/27.10A	35.80B/27.10A	----	30.30 - 0.80	.1131	----	----	----	----	47 UNCH
4240	29.30	29.30	36.30B/27.50A	36.30B/27.50A	----	30.80 - 0.80	.1148	----	----	2	----	57 UNCH
4245	----	----	37.00B/28.00A	37.00B/28.00A	----	31.30 - 0.80	.1166	----	----	----	----	48 UNCH
4250	30.10	30.10	37.60B/28.50A	37.60B/28.50A	----	31.90 - 0.70	.1185	----	----	15	----	700 + 2
4255	----	----	38.20B/28.90A	38.20B/28.90A	----	32.40 - 0.70	.1203	----	----	----	----	10 UNCH
4260	----	----	38.90B/29.40A	38.90B/29.40A	----	32.90 - 0.80	.1221	----	----	----	----	107 UNCH
4265	----	----	39.40B/29.90A	39.40B/29.90A	----	33.50 - 0.70	.1240	----	----	----	----	36 UNCH
4270	----	----	40.10B/30.40A	40.10B/30.40A	----	34.00 - 0.80	.1258	----	----	1	----	50 + 1
4275	----	----	40.90B/30.90A	40.90B/30.90A	----	34.60 - 0.80	.1278	----	----	----	----	88 UNCH
4280	----	----	41.40B/31.50A	41.40B/31.50A	----	35.20 - 0.80	.1298	----	----	----	----	77 UNCH
4285	37.60	37.60	42.20B/32.00A	42.20B/32.00A	----	35.80 - 0.80	.1318	----	----	8	----	14 + 1
4290	34.50	34.50	42.90B/32.60A	42.90B/32.60A	----	36.40 - 0.80	.1338	----	----	5	----	86 + 2
4295	----	----	43.50B/33.10A	43.50B/33.10A	----	37.00 - 0.80	.1359	----	----	----	----	20 UNCH
4300	43.00	43.00	45.00/33.70A	45.00/33.70A	----	37.60 - 0.80	.1379	----	----	80	----	2544 + 2
4305	39.20	39.20	45.00B/34.30A	45.00B/34.30A	----	38.20 - 0.80	.1399	----	----	1	----	75 UNCH
4310	----	----	45.80B/34.90A	45.80B/34.90A	----	38.90 - 0.80	.1422	----	----	----	----	53 UNCH
4315	----	----	46.60B/35.50A	46.60B/35.50A	----	39.50 - 0.80	.1442	----	----	1	----	49 + 1
4320	----	----	47.30B/36.00A	47.30B/36.00A	----	40.20 - 0.80	.1465	----	----	----	----	85 UNCH
4325	----	----	48.10B/36.70A	48.10B/36.70A	----	40.80 - 0.80	.1486	----	----	----	----	58 UNCH
4330	----	----	48.90B/37.30A	48.90B/37.30A	----	41.50 - 0.80	.1508	----	----	4	----	493 UNCH
4335	----	----	49.70B/37.90A	49.70B/37.90A	----	42.20 - 0.80	.1531	----	----	----	----	38 UNCH
4340	----	----	50.50B/38.60A	50.50B/38.60A	----	42.90 - 0.80	.1554	----	----	4	----	119 UNCH
4345	----	----	51.50B/39.20A	51.50B/39.20A	----	43.60 - 0.80	.1577	----	----	----	----	48 UNCH
4350	51.60	51.60	52.20B/39.80A	52.20B/39.80A	----	44.40 - 0.80	.1602	----	----	16	----	528 + 3
4355	42.70	42.70	53.00B/40.60A	53.00B/40.60A	----	45.10 - 0.80	.1625	----	----	2	----	81 + 1
4360	----	----	54.00B/41.20A	54.00B/41.20A	----	45.80 - 0.80	.1648	----	----	2	----	90 - 1
4365	----	----	54.90B/41.90A	54.90B/41.90A	----	46.60 - 0.80	.1673	----	----	2	----	66 UNCH
4370	47.50	47.50	55.80B/42.60A	55.80B/42.60A	----	47.40 - 0.80	.1698	----	----	1	----	24 - 1
4375	46.60	46.60	56.70B/43.20A	56.70B/43.20A	----	48.20 - 0.80	.1724	----	----	1	----	506 UNCH
4380	48.70	48.70	57.70B/44.10A	57.70B/44.10A	----	49.00 - 0.80	.1749	----	----	10	----	410 + 1
4385	----	----	58.60B/44.80A	58.60B/44.80A	----	49.80 - 0.80	.1775	----	----	----	----	135 UNCH
4390	46.20	46.20	59.60B/45.60A	59.60B/45.60A	----	50.60 - 0.80	.1800	----	----	2	----	64 UNCH
4395	----	----	60.50B/46.40A	60.50B/46.40A	----	51.50 - 0.70	.1827	----	----	4	----	83 + 4
4400	50.50	50.50	61.50B/47.00A	61.50B/47.00A	----	52.30 - 0.80	.1853	----	----	148	----	4135 - 42
4405	----	----	62.50B/48.00A	62.50B/48.00A	----	53.20 - 0.70	.1881	----	----	----	----	133 UNCH
4410	----	----	63.60B/48.80A	63.60B/48.80A	----	54.10 - 0.70	.1908	----	----	7	----	99 + 1
4415	----	----	64.60B/49.60A	64.60B/49.60A	----	55.00 - 0.70	.1936	----	----	----	----	86 UNCH
4420	54.80	54.80	65.60B/50.40A	65.60B/50.40A	----	55.90 - 0.70	.1963	----	----	125	----	140 + 111
4425	----	----	66.70B/51.30A	66.70B/51.30A	----	56.80 - 0.70	.1991	----	----	2	----	132 UNCH
4430	----	----	67.60B/52.10A	67.60B/52.10A	----	57.70 - 0.70	.2019	----	----	6	----	94 - 3
4435	----	----	68.80B/53.00A	68.80B/53.00A	----	58.70 - 0.70	.2049	----	----	1	----	72 UNCH
4440	59.70	59.70	69.90B/53.90A	69.90B/53.90A	----	59.70 - 0.60	.2078	----	----	9	----	35 UNCH
4445	----	----	71.10B/54.80A	71.10B/54.80A	----	60.70 - 0.60	.2108	----	----	1	----	51 UNCH
4450	66.60	66.60	72.10B/55.70A	72.10B/55.70A	----	61.70 - 0.60	.2138	----	----	16	----	846 - 5
4455	----	----	73.30B/56.60A	73.30B/56.60A	----	62.70 - 0.60	.2168	----	----	1	----	68 UNCH
4460	----	----	74.40B/57.60A	74.40B/57.60A	----	63.70 - 0.60	.2198	----	----	----	----	34 UNCH
4465	----	----	75.70B/58.60A	75.70B/58.60A	----	64.80 - 0.50	.2230	----	----	1	----	30 UNCH
4470	----	----	76.80B/59.50A	76.80B/59.50A	----	65.80 - 0.50	.2260	----	----	----	----	45 UNCH
4475	----	----	78.10B/60.50A	78.10B/60.50A	----	66.90 - 0.50	.2292	----	----	----	----	155 UNCH
4480	----	----	79.30B/61.50A	79.30B/61.50A	----	68.00 - 0.50	.2324	----	----	3	----	105 UNCH
4485	----	----	80.60B/62.60A	80.60B/62.60A	----	69.10 - 0.50	.2356	----	----	----	----	29 UNCH
4490	----	----	81.90B/63.60A	81.90B/63.60A	----	70.20 - 0.50	.2388	----	----	----	----	88 UNCH
4495	----	----	83.20B/64.70A	83.20B/64.70A	----	71.40 - 0.40	.2421	----	----	1	----	82 + 1
4500	79.00	79.00	84.60B/65.80A	84.60B/65.80A	----	72.60 - 0.30	.2455	----	----	307	----	2717 + 31
4505	----	----	85.80B/66.80A	85.80B/66.80A	----	73.70 - 0.40	.2487	----	----	----	----	27 UNCH
4510	----	----	87.20B/68.00A	87.20B/68.00A	----	74.90 - 0.30	.2521	----	----	1	----	44 + 1
4515	----	----	88.60B/69.10A	88.60B/69.10A	----	76.20 - 0.20	.2556	----	----	----	----	241 UNCH
4520	----	----	89.90B/70.20A	89.90B/70.20A	----	77.40 - 0.20	.2590	----	----	----	----	158 UNCH
4525	----	----	91.30B/71.40A	91.30B/71.40A	----	78.60 - 0.20	.2624	----	----	----	----	152 UNCH
4530	----	----	92.80B/72.60A	92.80B/72.60A	----	79.90 - 0.10	.2659	----	----	----	----	18 UNCH
4535	----	----	94.20B/73.80A	94.20B/73.80A	----	81.20 - 0.10	.2695	----	----	----	----	25 UNCH
4540	78.00	78.00	95.60B/75.00A	95.60B/75.00A	----	82.50 - 0.10	.2730	----	----	4	----	192 + 4
4545	----	----	97.10B/76.20A	97.10B/76.20A	----	83.90 + 0.10	.2767	----	----	1	----	79 + 1
4550	92.00	92.00	98.70B/77.50A	98.70B/77.50A	----	85.20 + 0.10	.2803	----	----	6	----	575 UNCH
4555	----	----	100.20B/78.70A	100.20B/78.70A	----	86.60 + 0.10	.2840	----	----	1	----	44 - 1
4560	----	----	101.70B/80.00A	101.70B/80.00A	----	88.00 + 0.20	.2877	----	----	----	----	30 UNCH
4565	----	----	103.30B/81.30A	103.30B/81.30A	----	89.40 + 0.20	.2914	----	----	----	----	199 UNCH
4570	----	----	104.90B/82.60A	104.90B/82.60A	----	90.80 + 0.30	.2951	----	----	1	----	60 - 1
4575	----	----	106.60B/84.00A	106.60B/84.00A	----	92.20 + 0.30	.2989	----	----	----	----	168 UNCH
4580	----	----	108.10B/85.40A	108.10B/85.40A	----	93.70 + 0.40	.3027	----	----	1	----	218 UNCH
4585	----	----	109.80B/86.70A	109.80B/86.70A	----	95.20 + 0.40	.3066	----	----	2	----	29 + 2
4590	----	----	111.60B/88.10A	111.60B/88.10A	----	96.70 + 0.50	.3104	----	----	----	----	112 UNCH
4595	----	----	113.10B/89.60A	113.10B/89.60A	----	98.20 + 0.50	.3143	----	----	----	----	29 UNCH
4600	100.00	100.00	114.90B/91.00A	114.90B/91.00A	----	99.70 + 0.50	.3182	----	----	58	----	1697 + 12
4605	111.90	111.90	116.60B/92.50A	116.60B/92.50A	----	101.30 + 0.60	.3222	----	----	11	----	20 + 8
4610	103.00	103.00	118.40B/94.00A	118.40B/94.00A	----	102.90 + 0.70	.3262	----	----	1	----	12 - 1
4615	----	----	120.10B/95.50A	120.10B/95.50A	----	104.50 + 0.70	.3302	----	----	----	----	51 UNCH
4620	101.00	101.00	121.90B/97.00A	121.90B/97.00A	----	106.10 + 0.80	.3342	----	----	10	----	186 UNCH
4625	107.70	107.70	123.90B/98.60A	123.90B/98.60A	----	107.80 + 0.90	.3383	----	----	61	----	253 + 50
4630	----	----	125.70B/100.10A	125.70B/100.10A	----	109.50 + 1.00	.3424	----	----	----	----	132 UNCH
4635	----	----	127.50B/101.70A	127.50B/101.70A	----	111.10 + 0.90	.3464	----	----	1	----	24 - 1
4640	108.00	108.00	129.40B/103.30A	129.40B/103.30A	----	112.90 + 1.10	.3506	----	----	1	----	47 - 1
4645	----	----	131.40B/105.00A	131.40B/105.00A	----	114.60 + 1.10	.3548	----	----	----	----	46 UNCH
4650	116.40	116.40	133.30B/106.60A	133.30B/106.60A	----	116.40 + 1.20	.3590	----	----	14	----	1172 + 12
4655	----	----	135.30B/108.30A	135.30B/108.30A	----	118.20 + 1.30	.3632	----	----	----	----	45 UNCH
4660	----	----	137.10B/110.00A	137.10B/110.00A	----	120.00 + 1.40	.3674	----	----	----	----	105 UNCH
4665	----	----	139.10B/111.70A	139.10B/111.70A	----	121.80 + 1.40	.3717	----	----	----	----	16 UNCH
4670	----	----	141.20B/113.40A	141.20B/113.40A	----	123.70 + 1.50	.3760	----	----	----	----	255 UNCH
4675	----	----	143.20B/115.20A	143.20B/115.20A	----	125.60 + 1.60	.3803	----	----	1	----	277 UNCH
4680	----	----	145.40B/117.00A	145.40B/117.00A	----	127.50 + 1.70	.3846	----	----	----	----	61 UNCH
4685	----	----	147.50B/118.80A	147.50B/118.80A	----	129.40 + 1.80	.3890	----	----	1	----	36 - 1
4690	131.00	131.00	149.50B/120.70A	149.50B/120.70A	----	131.40 + 1.90	.3933	----	----	3	----	53 UNCH
4695	----	----	151.80B/122.50A	151.80B/122.50A	----	133.40 + 2.10	.3977	----	----	----	----	31 UNCH
4700	145.00	145.00	153.80B/124.40A	153.80B/124.40A	----	135.40 + 2.20	.4021	----	----	24	----	1527 - 16
4705	----	----	156.00B/126.30A	156.00B/126.30A	----	137.50 + 2.40	.4066	----	----	1	----	92 + 1
4710	----	----	158.30B/128.10A	158.30B/128.10A	----	139.60 + 2.50	.4110	----	----	----	----	21 UNCH
4715	----	----	160.70B/130.10A	160.70B/130.10A	----	141.60 + 2.60	.4155	----	----	----	----	41 UNCH
4720	----	----	162.80B/132.10A	162.80B/132.10A	----	143.80 + 2.80	.4200	----	----	----	----	105 UNCH
4725	----	----	165.10B/134.10A	165.10B/134.10A	----	145.90 + 2.90	.4245	----	----	----	----	54 UNCH
4730	142.90	142.90	167.50B/136.10A	167.50B/136.10A	----	148.10 + 3.00	.4290	----	----	3	----	66 + 3
4735	----	----	169.90B/138.20A	169.90B/138.20A	----	150.20 + 3.10	.4335	----	----	----	----	57 UNCH
4740	----	----	172.20B/140.20A	172.20B/140.20A	----	152.40 + 3.20	.4380	----	----	----	----	86 UNCH
4745	----	----	174.60B/142.30A	174.60B/142.30A	----	154.60 + 3.30	.4425	----	----	----	----	3 UNCH
4750	150.00	150.00	177.00B/144.40A	177.00B/144.40A	----	156.90 + 3.50	.4471	----	----	337	----	911 + 249
4755	----	----	179.40B/146.60A	179.40B/146.60A	----	159.10 + 3.50	.4516	----	----	1	----	18 + 1
4760	----	----	181.80B/148.70A	181.80B/148.70A	----	161.40 + 3.70	.4562	----	----	2	----	67 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4765	----	----	184.30B/150.90A	184.30B/150.90A	----	163.70 + 3.80	.4608	----	----	----	----	68 UNCH
4770	----	----	186.80B/153.20A	186.80B/153.20A	----	166.00 + 3.80	.4654	----	----	----	----	52 UNCH
4775	159.60	159.60	189.40B/155.40A	189.40B/155.40A	----	168.30 + 3.90	.4700	----	----	74	----	160 + 60
4780	180.00	180.00	191.90B/157.60A	191.90B/157.60A	----	170.70 + 4.00	.4746	----	----	2	----	57 + 1
4785	164.20	164.20	194.50B/159.90A	194.50B/159.90A	----	173.10 + 4.10	.4792	----	----	21	----	91 + 5
4790	----	----	197.20B/162.30A	197.20B/162.30A	----	175.50 + 4.20	.4838	----	----	3	----	45 + 1
4795	----	----	199.80B/164.60A	199.80B/164.60A	----	177.90 + 4.30	.4884	----	----	3	----	32 + 3
4800	191.00	191.00	202.50B/167.00A	202.50B/167.00A	----	180.40 + 4.40	.4931	----	----	44	----	2357 + 15
4805	----	----	205.10B/169.40A	205.10B/169.40A	----	182.90 + 4.50	.4977	----	----	----	----	84 UNCH
4810	173.90	173.90	207.90B/171.80A	207.90B/171.80A	----	185.50 + 4.70	.5024	----	----	4	----	23 + 1
4815	----	----	210.60B/174.20A	210.60B/174.20A	----	188.00 + 4.80	.5070	----	----	----	----	92 UNCH
4820	----	----	213.40B/176.70A	213.40B/176.70A	----	190.70 + 5.00	.5116	----	----	----	----	24 UNCH
4825	----	----	216.10B/179.20A	216.10B/179.20A	----	193.30 + 5.10	.5162	----	----	----	----	166 UNCH
4830	----	----	218.90B/181.70A	218.90B/181.70A	----	196.00 + 5.30	.5208	----	----	----	----	137 UNCH
4835	----	----	221.80B/184.30A	221.80B/184.30A	----	198.70 + 5.50	.5255	----	----	----	----	30 UNCH
4840	189.70	189.70	224.60B/186.90A	224.60B/186.90A	----	201.40 + 5.60	.5301	----	----	1	----	19 + 1
4845	----	----	227.50B/189.50A	227.50B/189.50A	----	204.10 + 5.70	.5347	----	----	----	----	11 UNCH
4850	----	----	230.40B/192.10A	230.40B/192.10A	----	206.90 + 5.90	.5393	----	----	1	----	542 UNCH
4855	----	----	233.40B/194.70A	233.40B/194.70A	----	209.70 + 6.10	.5439	----	----	----	----	359 UNCH
4860	----	----	235.80B/197.40A	235.80B/197.40A	----	212.50 + 6.20	.5484	----	----	----	----	44 UNCH
4865	----	----	238.80B/200.10A	238.80B/200.10A	----	215.30 + 6.30	.5530	----	----	----	----	17 UNCH
4870	----	----	241.80B/202.80A	241.80B/202.80A	----	218.20 + 6.50	.5576	----	----	----	----	42 UNCH
4875	215.20	215.20	244.80B/205.60A	244.80B/205.60A	----	221.10 + 6.70	.5622	----	----	5	----	78 + 4
4880	----	----	247.90B/208.30A	247.90B/208.30A	----	224.00 + 6.80	.5667	----	----	----	----	3 UNCH
4885	----	----	250.90B/211.20A	250.90B/211.20A	----	226.90 + 7.00	.5712	----	----	----	----	7 UNCH
4890	----	----	254.00B/214.00A	254.00B/214.00A	----	229.90 + 7.20	.5758	----	----	----	----	47 UNCH
4895	----	----	257.10B/216.80A	257.10B/216.80A	----	232.90 + 7.40	.5803	----	----	----	----	211 UNCH
4900	234.20	234.20	260.30B/219.70A	260.30B/219.70A	----	235.90 + 7.50	.5848	----	----	4	----	1803 - 2
4905	----	----	263.40B/222.60A	263.40B/222.60A	----	238.90 + 7.70	.5892	----	----	----	----	10 UNCH
4910	----	----	266.50B/225.60A	266.50B/225.60A	----	242.00 + 7.90	.5938	----	----	----	----	57 UNCH
4915	----	----	269.80B/228.60A	269.80B/228.60A	----	245.00 + 8.00	.5982	----	----	----	----	37 UNCH
4920	----	----	273.00B/231.70A	273.00B/231.70A	----	248.10 + 8.10	.6027	----	----	----	----	92 UNCH
4925	----	----	276.30B/234.80A	276.30B/234.80A	----	251.30 + 8.40	.6070	----	----	----	----	73 UNCH
4930	----	----	279.40B/237.70A	279.40B/237.70A	----	254.40 + 8.50	.6114	----	----	----	----	199 UNCH
4940	----	----	286.00B/243.90A	286.00B/243.90A	----	260.80 + 8.90	.6202	----	----	----	----	64 UNCH
4945	----	----	289.30B/247.00A	289.30B/247.00A	----	264.00 + 9.00	.6246	----	----	----	----	2 UNCH
4950	----	----	292.70B/250.10A	292.70B/250.10A	----	267.20 + 9.20	.6289	----	----	----	----	289 UNCH
4955	----	----	296.00B/253.20A	296.00B/253.20A	----	270.50 + 9.40	.6332	----	----	----	----	31 UNCH
4960	----	----	299.40B/256.40A	299.40B/256.40A	----	273.80 + 9.60	.6375	----	----	----	----	23 UNCH
4965	----	----	302.90B/259.60A	302.90B/259.60A	----	277.10 + 9.70	.6417	----	----	----	----	24 UNCH
4970	----	----	306.30B/262.90A	306.30B/262.90A	----	280.40 + 9.90	.6460	----	----	----	----	44 UNCH
4975	----	----	309.80B/266.10A	309.80B/266.10A	----	283.80 + 10.10	.6502	----	----	----	----	153 UNCH
4980	----	----	313.30B/269.40A	313.30B/269.40A	----	287.20 + 10.30	.6544	----	----	----	----	28 UNCH
4985	----	----	316.80B/272.70A	316.80B/272.70A	----	290.60 + 10.50	.6586	----	----	----	----	9 UNCH
4990	----	----	320.30B/275.90A	320.30B/275.90A	----	294.00 + 10.60	.6627	----	----	----	----	292 UNCH
4995	----	----	323.90B/279.40A	323.90B/279.40A	----	297.50 + 10.80	.6669	----	----	----	----	11 UNCH
5000	284.90	284.90	327.40B/282.70A	327.40B/282.70A	----	300.90 + 11.00	.6709	----	----	13	----	1875 - 9
5005	----	----	331.00B/286.10A	331.00B/286.10A	----	304.40 + 11.10	.6750	----	----	----	----	302 UNCH
5010	----	----	334.60B/289.50A	334.60B/289.50A	----	307.90 + 11.30	.6790	----	----	----	----	13 UNCH
5015	----	----	338.20B/292.80A	338.20B/292.80A	----	311.50 + 11.60	.6830	----	----	----	----	49 UNCH
5020	----	----	341.90B/296.30A	341.90B/296.30A	----	315.00 + 11.70	.6870	----	----	----	----	31 UNCH
5025	----	----	345.60B/299.80A	345.60B/299.80A	----	318.60 + 11.90	.6909	----	----	----	----	53 UNCH
5030	----	----	349.20B/303.20A	349.20B/303.20A	----	322.20 + 12.10	.6949	----	----	----	----	68 UNCH
5035	----	----	352.90B/306.70A	352.90B/306.70A	----	325.90 + 12.30	.6987	----	----	----	----	13 UNCH
5040	----	----	356.70B/310.20A	356.70B/310.20A	----	329.50 + 12.50	.7026	----	----	----	----	18 UNCH
5045	----	----	360.40B/313.80A	360.40B/313.80A	----	333.20 + 12.70	.7064	----	----	----	----	5 UNCH
5050	----	----	364.20B/317.30A	364.20B/317.30A	----	336.90 + 12.90	.7102	----	----	1	----	806 + 1
5055	----	----	368.00B/320.90A	368.00B/320.90A	----	340.60 + 13.10	.7138	----	----	----	----	63 UNCH
5060	----	----	371.80B/324.50A	371.80B/324.50A	----	344.30 + 13.20	.7176	----	----	----	----	64 UNCH
5065	----	----	375.60B/328.30A	375.60B/328.30A	----	348.00 + 13.30	.7213	----	----	----	----	17 UNCH
5070	----	----	379.40B/331.80A	379.40B/331.80A	----	351.80 + 13.60	.7249	----	----	----	----	52 UNCH
5075	----	----	383.30B/335.60A	383.30B/335.60A	----	355.60 + 13.70	.7285	----	----	----	----	28 UNCH
5080	----	----	387.10B/339.30A	387.10B/339.30A	----	359.40 + 13.90	.7321	----	----	----	----	30 UNCH
5085	----	----	391.00B/343.00A	391.00B/343.00A	----	363.30 + 14.20	.7358	----	----	----	----	123 UNCH
5090	----	----	394.90B/346.60A	394.90B/346.60A	----	367.10 + 14.30	.7392	----	----	----	----	109 UNCH
5095	----	----	398.90B/350.30A	398.90B/350.30A	----	371.00 + 14.50	.7427	----	----	----	----	127 UNCH
5100	----	----	402.80B/354.10A	402.80B/354.10A	----	374.90 + 14.70	.7461	----	----	----	----	457 UNCH
5105	----	----	406.80B/357.90A	406.80B/357.90A	----	378.80 + 14.90	.7496	----	----	----	----	38 UNCH
5110	----	----	410.70B/361.70A	410.70B/361.70A	----	382.70 + 15.00	.7528	----	----	----	----	74 UNCH
5115	----	----	414.70B/365.50A	414.70B/365.50A	----	386.60 + 15.10	.7563	----	----	----	----	14 UNCH
5120	----	----	418.70B/369.50A	418.70B/369.50A	----	390.60 + 15.30	.7596	----	----	----	----	25 UNCH
5125	----	----	422.80B/373.20A	422.80B/373.20A	----	394.60 + 15.50	.7628	----	----	----	----	192 UNCH
5130	----	----	426.90B/377.10A	426.90B/377.10A	----	398.60 + 15.70	.7661	----	----	----	----	26 UNCH
5135	----	----	430.90B/381.00A	430.90B/381.00A	----	402.60 + 15.90	.7691	----	----	----	----	37 UNCH
5140	----	----	434.90B/384.90A	434.90B/384.90A	----	406.60 + 16.00	.7724	----	----	----	----	14 UNCH
5145	----	----	439.00B/388.90A	439.00B/388.90A	----	410.70 + 16.20	.7754	----	----	----	----	39 UNCH
5150	----	----	443.10B/392.80A	443.10B/392.80A	----	414.70 + 16.30	.7787	----	----	----	----	389 UNCH
5155	----	----	447.20B/396.80A	447.20B/396.80A	----	418.80 + 16.50	.7817	----	----	----	----	38 UNCH
5160	----	----	451.30B/400.80A	451.30B/400.80A	----	422.90 + 16.70	.7845	----	----	----	----	70 UNCH
5165	----	----	455.50B/404.80A	455.50B/404.80A	----	427.00 + 16.80	.7876	----	----	----	----	47 UNCH
5170	----	----	459.70B/408.70A	459.70B/408.70A	----	431.20 + 17.10	.7906	----	----	----	----	504 UNCH
5175	----	----	463.90B/412.80A	463.90B/412.80A	----	435.30 + 17.20	.7934	----	----	----	----	15 UNCH
5180	----	----	468.00B/416.90A	468.00B/416.90A	----	439.40 + 17.30	.7962	----	----	----	----	19 UNCH
5185	----	----	472.20B/420.90A	472.20B/420.90A	----	443.60 + 17.50	.7993	----	----	----	----	22 UNCH
5190	----	----	476.40B/425.00A	476.40B/425.00A	----	447.80 + 17.70	.8021	----	----	----	----	5 UNCH
5195	----	----	480.70B/429.10A	480.70B/429.10A	----	452.00 + 17.90	.8047	----	----	----	----	8 UNCH
5200	----	----	484.90B/433.20A	484.90B/433.20A	----	456.20 + 18.00	.8074	----	----	----	----	612 UNCH
5205	----	----	489.30B/437.40A	489.30B/437.40A	----	460.40 + 18.20	.8102	----	----	----	----	36 UNCH
5210	----	----	493.50B/441.40A	493.50B/441.40A	----	464.70 + 18.40	.8128	----	----	----	----	68 UNCH
5215	----	----	497.70B/445.70A	497.70B/445.70A	----	468.90 + 18.50	.8156	----	----	----	----	42 UNCH
5220	----	----	502.00B/449.90A	502.00B/449.90A	----	473.20 + 18.70	.8182	----	----	----	----	188 UNCH
5225	----	----	506.30B/454.00A	506.30B/454.00A	----	477.50 + 18.90	.8207	----	----	----	----	200 UNCH
5230	----	----	510.70B/458.20A	510.70B/458.20A	----	481.70 + 19.00	.8233	----	----	----	----	7 UNCH
5235	----	----	515.00B/462.50A	515.00B/462.50A	----	486.00 + 19.20	.8258	----	----	----	----	160 UNCH
5245	----	----	523.70B/470.80A	523.70B/470.80A	----	494.70 + 19.60	.8307	----	----	----	----	9 UNCH
5250	----	----	528.10B/475.10A	528.10B/475.10A	----	499.00 + 19.70	.8332	----	----	----	----	332 UNCH
5255	----	----	532.40B/479.40A	532.40B/479.40A	----	503.40 + 19.90	.8355	----	----	----	----	9 UNCH
5260	----	----	536.90B/483.60A	536.90B/483.60A	----	507.70 + 20.00	.8378	----	----	----	----	11 UNCH
5265	----	----	541.30B/487.90A	541.30B/487.90A	----	512.10 + 20.20	.8400	----	----	----	----	5 UNCH
5270	----	----	545.60B/492.20A	545.60B/492.20A	----	516.50 + 20.40	.8423	----	----	----	----	24 UNCH
5275	----	----	550.00B/496.60A	550.00B/496.60A	----	520.90 + 20.50	.8446	----	----	----	----	170 UNCH
5280	----	----	554.50B/500.90A	554.50B/500.90A	----	525.30 + 20.70	.8469	----	----	----	----	67 UNCH
5285	----	----	558.90B/505.20A	558.90B/505.20A	----	529.70 + 20.80	.8491	----	----	----	----	27 UNCH
5290	----	----	563.40B/509.70A	563.40B/509.70A	----	534.10 + 20.90	.8511	----	----	----	----	2 UNCH
5300	----	----	572.30B/518.30A	572.30B/518.30A	----	543.00 + 21.20	.8554	----	----	----	----	161 UNCH
5305	----	----	576.80B/522.70A	576.80B/522.70A	----	547.50 + 21.40	.8574	----	----	----	----	104 UNCH
5320	----	----	590.30B/536.10A	590.30B/536.10A	----	560.90 + 21.80	.8633	----	----	----	----	108 UNCH
5325	----	----	594.80B/540.50A	594.80B/540.50A	----	565.50 + 22.00	.8653	----	----	----	----	1 UNCH
5335	----	----	603.90B/549.30A	603.90B/549.30A	----	574.50 + 22.20	.8692	----	----	----	----	5 UNCH
5340	----	----	608.40B/553.80A	608.40B/553.80A	----	579.00 + 22.30	.8709	----	----	----	----	52 UNCH
5345	----	----	612.90B/558.50A	612.90B/558.50A	----	583.60 + 22.50	.8729	----	----	----	----	1 UNCH
5350	----	----	617.50B/562.70A	617.50B/562.70A	----	588.10 + 22.60	.8746	----	----	----	----	108 UNCH
5365	----	----	631.20B/576.20A	631.20B/576.20A	----	601.80 + 22.90	.8799	----	----	----	----	4 UNCH
5370	----	----	635.80B/580.70A	635.80B/580.70A	----	606.40 + 23.10	.8815	----	----	----	----	37 UNCH
5375	----	----	640.40B/585.40A	640.40B/585.40A	----	611.00 + 23.20	.8832	----	----	----	----	1 UNCH
5380	----	----	645.00B/590.10A	645.00B/590.10A	----	615.60 + 23.30	.8846	----	----	----	----	2 UNCH
5385	----	----	649.60B/594.40A	649.60B/594.40A	----	620.20 + 23.40	.8862	----	----	----	----	10 UNCH
5390	----	----	654.30B/599.00A	654.30B/599.00A	----	624.80 + 23.50	.8879	----	----	----	----	2 UNCH
5395	----	----	658.90B/603.50A	658.90B/603.50A	----	629.40 + 23.60	.8895	----	----	----	----	156 UNCH
5400	----	----	663.50B/608.30A	663.50B/608.30A	----	634.10 + 23.70	.8908	----	----	1	----	442 - 1
5420	----	----	682.10B/626.50A	682.10B/626.50A	----	652.70 + 24.20	.8968	----	----	----	----	10 UNCH
5425	----	----	686.80B/631.10A	686.80B/631.10A	----	657.30 + 24.20	.8981	----	----	----	----	1 UNCH
5430	----	----	691.50B/635.70A	691.50B/635.70A	----	662.00 + 24.30	.8994	----	----	1	----	30 - 1
5435	----	----	696.10B/640.30A	696.10B/640.30A	----	666.70 + 24.40	.9007	----	----	----	----	10 UNCH
5440	----	----	700.80B/644.90A	700.80B/644.90A	----	671.40 + 24.50	.9021	----	----	----	----	20 UNCH
5470	----	----	729.00B/673.00A	729.00B/673.00A	----	699.60 + 25.00	.9095	----	----	----	----	1 UNCH
5490	----	----	747.90B/691.80A	747.90B/691.80A	----	718.50 + 25.30	.9144	----	----	----	----	166 UNCH
5500	----	----	757.40B/701.00A	757.40B/701.00A	----	728.00 + 25.50	.9166	----	----	----	----	52 UNCH
5525	----	----	781.20B/724.70A	781.20B/724.70A	----	751.80 + 25.90	.9217	----	----	----	----	2 UNCH
5575	----	----	829.10B/772.30A	829.10B/772.30A	----	799.70 + 26.60	.9309	----	----	----	----	2 UNCH
5590	----	----	843.50B/786.60A	843.50B/786.60A	----	814.10 + 26.70	.9336	----	----	----	----	77 UNCH
5595	----	----	848.40B/791.60A	848.40B/791.60A	----	818.90 + 26.80	.9342	----	----	----	----	1 UNCH
5600	----	----	853.20B/796.20A	853.20B/796.20A	----	823.80 + 26.90	.9351	----	----	----	----	8 UNCH
5640	----	----	891.90B/834.80A	891.90B/834.80A	----	862.50 + 27.30	.9408	----	----	----	----	9 UNCH
5800	----	----	1,039.50B/----	1039.50B/994.70A	----	1018.90 + 28.70	.9577	----	----	----	----	6 UNCH
6000	----	----	1,235.80B/----	1235.80B/1191.70A	----	1216.30 + 29.60	.9701	----	----	----	----	4 UNCH
6100	----	----	1,329.80B/----	1329.80B/1292.00A	----	1315.40 + 29.80	.9744	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
6675	----	----	----	----	----	1887.90 + 30.50	.9881	----	----	----	----	2 UNCH
10000	----	----	----	----	----	5212.60 + 30.60	1.0000	----	----	20	----	0 UNCH
TOTAL										2194	200	84578 + 490
JUL26												
2275	----	----	----	0.70B/1.00A	----	0.60 - 0.20	.0014	----	----	----	----	20 UNCH
2300	----	----	----	0.70B/1.10A	----	0.70 - 0.30	.0016	----	----	----	----	96 UNCH
2400	----	----	----	0.90B/1.20A	----	0.90 - 0.30	.0021	----	----	----	----	2 UNCH
2500	----	----	----/1.40A	1.10B/1.40A	----	1.10 - 0.40	.0026	----	----	----	----	192 UNCH
2575	----	----	----/1.60A	1.30B/1.60A	----	1.30 - 0.40	.0032	----	----	----	----	1 UNCH
2600	----	----	----/1.70A	1.40B/1.70A	----	1.40 - 0.40	.0034	----	----	----	----	12 UNCH
2620	----	----	----	1.50B/1.80A	----	1.40 - 0.40	.0035	----	----	----	----	1 UNCH
2650	----	----	----/1.80A	1.50B/1.80A	----	1.50 - 0.40	.0037	----	----	----	----	52 UNCH
2670	----	----	----/1.90A	1.60B/1.90A	----	1.60 - 0.40	.0040	----	----	----	----	10 UNCH
2675	----	----	----/1.90A	1.60B/1.90A	----	1.60 - 0.40	.0040	----	----	----	----	10 UNCH
2680	----	----	----/1.90A	1.60B/1.90A	----	1.60 - 0.40	.0040	----	----	----	----	10 UNCH
2700	----	----	----/2.00A	1.70B/2.00A	----	1.70 - 0.40	.0043	----	----	----	----	3 UNCH
2705	----	----	----/2.00A	1.70B/2.00A	----	1.70 - 0.40	.0043	----	----	----	----	1 UNCH
2710	1.60	1.60	1.60/*1.60	1.70B/1.60	----	1.70 NEW	.0043	----	----	7	----	7 + 7
2730	----	----	----/2.10A	1.80B/2.10A	----	1.80 - 0.40	.0045	----	----	----	----	1 UNCH
2750	----	----	----/2.10A	1.90B/2.10A	----	1.80 - 0.40	.0046	----	----	----	----	19 UNCH
2785	----	----	----	2.00B/2.30A	----	1.90 - 0.40	.0049	----	----	----	----	2 UNCH
2800	----	----	----/2.30A	2.00B/2.30A	----	2.00 - 0.40	.0052	----	----	----	----	7 UNCH
2850	----	----	----	2.20B/2.50A	----	2.20 - 0.30	.0057	----	----	----	----	3 UNCH
2860	----	----	----	2.30B/2.60A	----	2.20 - 0.40	.0058	----	----	----	----	5 UNCH
2890	----	----	----/2.60A	2.40B/2.60A	----	2.30 - 0.40	.0061	----	----	----	----	60 UNCH
2895	----	----	----/2.60A	2.40B/2.60A	----	2.40 - 0.30	.0063	----	----	----	----	18 UNCH
2900	----	----	----	2.40B/2.70A	----	2.40 - 0.30	.0063	----	----	----	----	18 UNCH
2905	----	----	----	2.40B/2.70A	----	2.40 - 0.30	.0064	----	----	----	----	19 UNCH
2920	----	----	----	2.50B/2.80A	----	2.50 - 0.30	.0066	----	----	----	----	3 UNCH
2950	----	----	----	2.60B/2.90A	----	2.60 - 0.30	.0070	----	----	----	----	32 UNCH
2995	----	----	----	2.90B/3.10A	----	2.80 - 0.30	.0076	----	----	----	----	16 UNCH
3000	----	----	----	2.90B/3.10A	----	2.90 - 0.20	.0078	----	----	----	----	58 UNCH
3015	----	----	----	3.00B/3.20A	----	2.90 - 0.30	.0079	----	----	----	----	5 UNCH
3025	----	----	----	3.00B/3.20A	----	3.00 - 0.20	.0082	----	----	----	----	1 UNCH
3035	----	----	----	3.10B/3.30A	----	3.10 - 0.20	.0084	----	----	----	----	5 UNCH
3050	3.50	3.50	3.50/3.30A	3.50/3.30A	----	3.10 NEW	.0085	----	----	1	----	1 + 1
3100	----	----	----	3.50B/3.60A	----	3.40 - 0.20	.0094	----	----	----	----	43 UNCH
3105	----	----	----	3.50B/3.70A	----	3.50 - 0.10	.0097	----	----	----	----	1 UNCH
3125	----	----	----	3.60B/3.80A	----	3.60 - 0.20	.0100	----	----	----	----	42 UNCH
3140	----	----	----	3.70B/3.90A	----	3.70 - 0.20	.0103	----	----	----	----	1 UNCH
3150	----	----	----	3.80B/3.90A	----	3.80 - 0.10	.0106	----	----	----	----	12 UNCH
3155	----	----	----	3.80B/4.00A	----	3.80 - 0.20	.0107	----	----	----	----	1 UNCH
3180	----	----	----	4.00B/4.20A	----	4.00 - 0.10	.0113	----	----	----	----	0 UNCH
3200	4.10	4.10	4.10/4.10	4.10/4.10	----	4.20 - 0.10	.0119	----	----	2	----	113 + 2
3210	----	----	----	4.20B/4.40A	----	4.20 - 0.20	.0119	----	----	----	----	1 UNCH
3220	----	----	----	4.30B/4.50A	----	4.30 - 0.10	.0122	----	----	----	----	1 UNCH
3225	----	----	----	4.30B/4.50A	----	4.40 - 0.10	.0125	----	----	----	----	70 UNCH
3230	----	----	----	4.40B/4.50A	----	4.40 - 0.10	.0125	----	----	----	----	2 UNCH
3250	----	----	----	4.50B/4.70A	----	4.60 - 0.10	.0131	----	----	----	----	61 UNCH
3275	----	----	----	4.80B/4.90A	----	4.80 - 0.10	.0138	----	----	----	----	10 UNCH
3290	----	----	----/5.00A	4.90B/5.00A	----	4.90 - 0.20	.0142	----	----	----	----	11 UNCH
3300	----	----	----/5.10A	5.00B/5.10A	----	5.00 - 0.20	.0145	----	----	----	----	55 UNCH
3320	----	----	----/5.30A	5.20B/5.30A	----	5.30 - 0.10	.0153	----	----	----	----	1 UNCH
3325	----	----	----	5.30B/5.40A	----	5.30 - 0.10	.0154	----	----	----	----	147 UNCH
3335	----	----	----	5.40B/5.50A	----	5.40 - 0.10	.0157	----	----	----	----	86 UNCH
3340	----	----	----/5.50A	5.50B/5.50A	----	5.50 - 0.10	.0160	----	----	----	----	1 UNCH
3350	----	----	----/5.60A	5.60B/5.60A	----	5.60 - 0.10	.0163	----	----	4	----	24 - 2
3355	----	----	----/5.70A	5.60B/5.70A	----	5.60 - 0.20	.0164	----	----	----	----	69 UNCH
3360	----	----	----/5.70A	5.70B/5.70A	----	5.70 - 0.10	.0167	----	----	----	----	3 UNCH
3370	----	----	----/5.90A	5.80B/5.90A	----	5.80 - 0.20	.0170	----	----	----	----	9 UNCH
3380	----	----	----/6.00A	5.90B/6.00A	----	5.90 - 0.20	.0173	----	----	----	----	2 UNCH
3385	----	----	----/5.90A	6.00B/5.90A	----	6.00 - 0.20	.0176	----	----	----	----	4 UNCH
3390	----	----	----/6.10A	6.10B/6.10A	----	6.10 - 0.10	.0179	----	----	----	----	1 UNCH
3395	----	----	----/6.10A	6.10B/6.10A	----	6.10 - 0.20	.0179	----	----	----	----	31 UNCH
3400	----	----	----/6.20A	6.20B/6.20A	----	6.20 - 0.20	.0182	----	----	1	----	46 UNCH
3410	----	----	6.60B/6.30A	6.60B/6.30A	----	6.30 - 0.20	.0186	----	----	----	----	5 UNCH
3425	----	----	----/6.50A	6.70B/6.50A	----	6.60 - 0.10	.0194	----	----	----	----	56 UNCH
3435	----	----	----/6.60A	6.70B/6.60A	----	6.70 - 0.20	.0198	----	----	----	----	5 UNCH
3445	----	----	----/6.80A	7.00B/6.80A	----	6.90 - 0.10	.0204	----	----	----	----	1 UNCH
3450	----	----	----/6.90A	7.00B/6.90A	----	6.90 - 0.20	.0204	----	----	1	----	138 UNCH
3455	----	----	7.30B/6.90A	7.30B/6.90A	----	7.00 - 0.20	.0207	----	----	----	----	10 UNCH
3460	----	----	----/7.00A	7.20B/7.00A	----	7.10 - 0.20	.0210	----	----	----	----	10 UNCH
3465	----	----	----/7.10A	7.10B/7.10A	----	7.20 - 0.10	.0213	----	----	----	----	142 UNCH
3475	----	----	7.60B/7.20A	7.60B/7.20A	----	7.30 - 0.20	.0217	----	----	----	----	138 UNCH
3480	----	----	----/7.20A	7.50B/7.20A	----	7.40 - 0.20	.0220	----	----	----	----	36 UNCH
3495	----	----	----/7.50A	7.80B/7.50A	----	7.70 - 0.20	.0229	----	----	----	----	5 UNCH
3500	7.10	7.10	8.10/7.10	8.10/7.10	----	7.80 - 0.20	.0232	----	----	11	----	582 + 3
3505	----	----	----/7.60A	7.80B/7.60A	----	7.90 - 0.20	.0235	----	----	----	----	9 UNCH
3510	----	----	8.40B/7.70A	8.40B/7.70A	----	7.90 - 0.20	.0236	----	----	----	----	5 UNCH
3515	----	----	----/7.80A	8.00B/7.80A	----	8.00 - 0.20	.0239	----	----	----	----	6 UNCH
3525	----	----	----/8.00A	8.30B/8.00A	----	8.20 - 0.20	.0245	----	----	----	----	3 UNCH
3530	----	----	----/8.10A	8.40B/8.10A	----	8.30 - 0.20	.0248	----	----	----	----	168 UNCH
3535	----	----	----/8.20A	8.40B/8.20A	----	8.40 - 0.20	.0251	----	----	----	----	31 UNCH
3545	----	----	----/8.30A	8.70B/8.30A	----	8.60 - 0.20	.0257	----	----	----	----	256 UNCH
3550	----	----	----/8.40A	8.80B/8.40A	----	8.70 - 0.30	.0260	----	----	----	----	147 UNCH
3575	----	----	----/8.90A	9.40B/8.90A	----	9.30 - 0.20	.0278	----	----	----	----	1 UNCH
3580	----	----	----/9.00A	9.40B/9.00A	----	9.40 - 0.20	.0281	----	----	----	----	5 UNCH
3590	----	----	----/9.20A	9.70B/9.20A	----	9.60 - 0.30	.0288	----	----	----	----	16 UNCH
3600	----	----	----/9.40A	9.90B/9.40A	----	9.80 - 0.30	.0294	----	----	2	----	112 UNCH
3605	----	----	----/9.50A	10.00B/9.50A	----	9.90 - 0.30	.0297	----	----	----	----	5 UNCH
3620	----	----	----/9.80A	10.60B/9.80A	----	10.30 - 0.30	.0309	----	----	----	----	12 UNCH
3625	----	----	----/9.90A	10.50B/9.90A	----	10.40 - 0.30	.0313	----	----	----	----	11 UNCH
3630	----	----	11.10B/10.00A	11.10B/10.00A	----	10.60 - 0.30	.0318	----	----	----	----	3 UNCH
3635	----	----	----/10.20A	10.80B/10.20A	----	10.70 - 0.30	.0322	----	----	----	----	3 UNCH
3640	----	----	----/10.30A	10.90B/10.30A	----	10.80 - 0.30	.0325	----	----	----	----	6 UNCH
3645	----	----	----/10.40A	11.10B/10.40A	----	11.00 - 0.30	.0330	----	----	----	----	1 UNCH
3650	12.10	12.10	12.10/10.50A	12.10/10.50A	----	11.10 - 0.30	.0334	----	----	1	----	101 UNCH
3655	----	----	----/10.60A	11.50B/10.60A	----	11.20 - 0.30	.0337	----	----	----	----	6 UNCH
3660	----	----	11.80B/10.80A	11.80B/10.80A	----	11.40 - 0.30	.0343	----	----	----	----	22 UNCH
3665	----	----	----/10.90A	11.70B/10.90A	----	11.50 - 0.30	.0346	----	----	----	----	2 UNCH
3670	----	----	----/11.00A	11.90B/11.00A	----	11.60 - 0.40	.0350	----	----	----	----	110 UNCH
3675	----	----	----/11.10A	12.00B/11.10A	----	11.80 - 0.30	.0355	----	----	1	----	3 - 1
3680	----	----	----/11.30A	12.20B/11.30A	----	11.90 - 0.40	.0359	----	----	----	----	5 UNCH
3685	----	----	----/11.40A	12.30B/11.40A	----	12.10 - 0.30	.0364	----	----	----	----	10 UNCH
3690	----	----	----/11.50A	12.50B/11.50A	----	12.20 - 0.40	.0368	----	----	----	----	50 UNCH
3695	----	----	----/11.70A	12.70B/11.70A	----	12.40 - 0.30	.0373	----	----	1	----	141 - 1
3700	----	----	13.10B/11.80A	13.10B/11.80A	----	12.50 - 0.40	.0377	----	----	----	----	422 UNCH
3705	----	----	----/12.00A	13.00B/12.00A	----	12.70 - 0.30	.0383	----	----	----	----	20 UNCH
3715	----	----	----/12.20A	13.30B/12.20A	----	13.00 - 0.40	.0392	----	----	----	----	30 UNCH
3720	----	----	----/12.40A	13.40B/12.40A	----	13.10 - 0.40	.0396	----	----	----	----	18 UNCH
3725	----	----	----/12.60A	13.60B/12.60A	----	13.30 - 0.40	.0401	----	----	----	----	5 UNCH
3730	----	----	----/12.70A	13.80B/12.70A	----	13.50 - 0.40	.0407	----	----	----	----	3 UNCH
3735	----	----	----/12.80A	14.00B/12.80A	----	13.60 - 0.40	.0411	----	----	----	----	30 UNCH
3740	----	----	----/13.00A	14.20B/13.00A	----	13.80 - 0.40	.0417	----	----	----	----	20 UNCH
3750	15.10	15.10	15.10/13.30A	15.10/13.30A	----	14.10 - 0.40	.0426	----	----	27	----	547 - 3
3760	----	----	----/13.60A	14.90B/13.60A	----	14.50 - 0.40	.0438	----	----	----	----	2 UNCH
3765	----	----	----/13.70A	15.00B/13.70A	----	14.60 - 0.50	.0442	----	----	----	----	32 UNCH
3770	----	----	----/14.00A	15.10B/14.00A	----	14.80 - 0.50	.0448	----	----	----	----	120 UNCH
3775	----	----	----/14.10A	15.40B/14.10A	----	15.00 - 0.50	.0453	----	----	----	----	61 UNCH
3780	----	----	----/14.40A	15.60B/14.40A	----	15.20 - 0.50	.0459	----	----	----	----	1 UNCH
3785	----	----	----/14.40A	15.80B/14.40A	----	15.40 - 0.50	.0465	----	----	----	----	5 UNCH
3790	----	----	16.40B/14.60A	16.40B/14.60A	----	15.60 - 0.50	.0471	----	----	----	----	40 UNCH
3795	----	----	16.60B/14.80A	16.60B/14.80A	----	15.80 - 0.50	.0477	----	----	----	----	36 UNCH
3800	----	----	----/15.00A	16.50B/15.00A	----	16.00 - 0.50	.0483	----	----	1	----	685 + 1
3810	----	----	17.50B/15.30A	17.50B/15.30A	----	16.30 - 0.60	.0493	----	----	----	----	16 UNCH
3815	----	----	17.70B/15.50A	17.70B/15.50A	----	16.50 - 0.60	.0500	----	----	----	----	14 UNCH
3820	----	----	18.30B/15.70A	18.30B/15.70A	----	16.80 - 0.50	.0508	----	----	----	----	10 UNCH
3825	----	----	18.70B/15.90A	18.70B/15.90A	----	17.00 - 0.50	.0514	----	----	----	----	9 UNCH
3830	----	----	18.90B/16.10A	18.90B/16.10A	----	17.20 - 0.50	.0520	----	----	----	----	24 UNCH
3835	----	----	18.90B/16.30A	18.90B/16.30A	----	17.40 - 0.50	.0526	----	----	----	----	1 UNCH
3840	----	----	19.30B/16.50A	19.30B/16.50A	----	17.60 - 0.60	.0532	----	----	----	----	32 UNCH
3845	----	----	19.70B/16.70A	19.70B/16.70A	----	17.80 - 0.60	.0539	----	----	----	----	13 UNCH
3850	----	----	19.80B/16.90A	19.80B/16.90A	----	18.10 - 0.50	.0547	----	----	1	----	206 UNCH
3860	----	----	20.40B/17.40A	20.40B/17.40A	----	18.50 - 0.60	.0559	----	----	----	----	29 UNCH
3875	----	----	21.30B/18.10A	21.30B/18.10A	----	19.20 - 0.60	.0581	----	----	----	----	108 UNCH
3880	----	----	21.60B/18.30A	21.60B/18.30A	----	19.50 - 0.60	.0589	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3885	----	----	22.00B/18.50A	22.00B/18.50A	----	19.70 - 0.70	.0595	----	----	----	----	5 UNCH
3890	----	----	22.20B/18.80A	22.20B/18.80A	----	20.00 - 0.60	.0604	----	----	----	----	4 UNCH
3895	----	----	22.60B/19.00A	22.60B/19.00A	----	20.20 - 0.70	.0610	----	----	----	----	1 UNCH
3900	----	----	22.90B/19.30A	22.90B/19.30A	----	20.50 - 0.60	.0619	----	----	1	----	300 + 1
3905	----	----	23.20B/19.50A	23.20B/19.50A	----	20.80 - 0.60	.0627	----	----	----	----	12 UNCH
3910	----	----	23.50B/19.80A	23.50B/19.80A	----	21.00 - 0.70	.0634	----	----	----	----	54 UNCH
3920	----	----	24.20B/20.30A	24.20B/20.30A	----	21.60 - 0.70	.0651	----	----	----	----	1 UNCH
3925	----	----	24.50B/20.50A	24.50B/20.50A	----	21.90 - 0.70	.0660	----	----	----	----	48 UNCH
3930	----	----	24.90B/20.80A	24.90B/20.80A	----	22.20 - 0.60	.0668	----	----	----	----	35 UNCH
3935	----	----	25.20B/21.10A	25.20B/21.10A	----	22.50 - 0.60	.0677	----	----	----	----	7 UNCH
3940	----	----	25.60B/21.40A	25.60B/21.40A	----	22.80 - 0.60	.0686	----	----	----	----	20 UNCH
3945	----	----	25.90B/21.70A	25.90B/21.70A	----	23.10 - 0.70	.0695	----	----	----	----	20 UNCH
3950	----	----	26.30B/21.90A	26.30B/21.90A	----	23.40 - 0.70	.0703	----	----	1	----	600 + 1
3955	----	----	26.70B/22.20A	26.70B/22.20A	----	23.70 - 0.70	.0712	----	----	----	----	25 UNCH
3960	----	----	27.00B/22.50A	27.00B/22.50A	----	24.00 - 0.70	.0721	----	----	----	----	19 UNCH
3965	----	----	27.30B/22.80A	27.30B/22.80A	----	24.40 - 0.60	.0732	----	----	----	----	94 UNCH
3970	----	----	27.70B/23.10A	27.70B/23.10A	----	24.70 - 0.70	.0741	----	----	----	----	2 UNCH
3975	----	----	28.20B/23.40A	28.20B/23.40A	----	25.00 - 0.70	.0750	----	----	----	----	21 UNCH
3980	27.70	27.70	28.60B/23.70A	28.60B/23.70A	----	25.40 - 0.60	.0760	----	----	2	----	5 + 2
3985	----	----	29.00B/24.00A	29.00B/24.00A	----	25.70 - 0.70	.0769	----	----	----	----	136 UNCH
3990	----	----	29.40B/24.30A	29.40B/24.30A	----	26.10 - 0.60	.0780	----	----	----	----	41 UNCH
3995	----	----	29.80B/24.70A	29.80B/24.70A	----	26.40 - 0.70	.0789	----	----	----	----	14 UNCH
4000	25.20	25.20	30.20B/25.00A	30.20B/25.00A	----	26.80 - 0.70	.0800	----	----	54	----	1092 UNCH
4005	----	----	30.60B/25.30A	30.60B/25.30A	----	27.20 - 0.60	.0811	----	----	----	----	120 UNCH
4010	----	----	31.00B/25.70A	31.00B/25.70A	----	27.50 - 0.70	.0820	----	----	----	----	3 UNCH
4015	----	----	31.40B/25.90A	31.40B/25.90A	----	27.90 - 0.70	.0831	----	----	----	----	59 UNCH
4020	----	----	31.90B/26.30A	31.90B/26.30A	----	28.30 - 0.70	.0842	----	----	----	----	90 UNCH
4025	----	----	32.30B/26.60A	32.30B/26.60A	----	28.70 - 0.70	.0854	----	----	----	----	18 UNCH
4030	----	----	32.80B/27.00A	32.80B/27.00A	----	29.10 - 0.70	.0865	----	----	----	----	35 UNCH
4035	----	----	33.20B/27.50A	33.20B/27.50A	----	29.50 - 0.70	.0876	----	----	----	----	2 UNCH
4040	----	----	33.70B/27.70A	33.70B/27.70A	----	29.90 - 0.70	.0887	----	----	----	----	1 UNCH
4045	----	----	34.10B/28.10A	34.10B/28.10A	----	30.30 - 0.70	.0898	----	----	----	----	20 UNCH
4050	----	----	34.60B/28.50A	34.60B/28.50A	----	30.70 - 0.70	.0909	----	----	----	----	47 UNCH
4055	----	----	35.10B/28.90A	35.10B/28.90A	----	31.20 - 0.60	.0923	----	----	----	----	31 UNCH
4065	----	----	36.00B/29.60A	36.00B/29.60A	----	32.00 - 0.70	.0945	----	----	----	----	7 UNCH
4070	----	----	36.50B/30.10A	36.50B/30.10A	----	32.50 - 0.60	.0958	----	----	----	----	12 UNCH
4075	30.50	30.50	37.00B/30.40A	37.00B/30.40A	----	32.90 - 0.70	.0970	----	----	6	----	13 + 6
4080	30.90	30.90	37.50B/30.80A	37.50B/30.80A	----	33.40 - 0.60	.0983	----	----	1	----	8 UNCH
4085	----	----	38.00B/31.30A	38.00B/31.30A	----	33.80 - 0.70	.0995	----	----	----	----	10 UNCH
4090	----	----	38.60B/31.70A	38.60B/31.70A	----	34.30 NEW	.1008	----	----	2	----	2 + 2
4095	----	----	39.20B/32.20A	39.20B/32.20A	----	34.80 - 0.60	.1021	----	----	----	----	1 UNCH
4100	38.30	38.30	39.70B/32.60A	39.70B/32.60A	----	35.30 - 0.60	.1035	----	----	2	50	599 + 51
4105	----	----	40.20B/33.00A	40.20B/33.00A	----	35.70 - 0.70	.1046	----	----	----	----	9 UNCH
4110	----	----	40.70B/33.50A	40.70B/33.50A	----	36.20 - 0.70	.1060	----	----	----	----	15 UNCH
4115	----	----	41.50B/33.90A	41.50B/33.90A	----	36.70 - 0.70	.1073	----	----	----	----	5 UNCH
4120	----	----	41.90B/34.40A	41.90B/34.40A	----	37.20 - 0.70	.1087	----	----	----	----	6 UNCH
4125	----	----	42.50B/34.80A	42.50B/34.80A	----	37.70 - 0.70	.1100	----	----	----	----	72 UNCH
4130	35.80	35.80	42.80B/35.30A	42.80B/35.30A	----	38.20 - 0.70	.1114	----	----	2	----	65 UNCH
4135	----	----	43.40B/35.80A	43.40B/35.80A	----	38.80 - 0.60	.1129	----	----	----	----	7 UNCH
4140	----	----	44.00B/36.30A	44.00B/36.30A	----	39.30 - 0.60	.1143	----	----	2	----	19 + 1
4145	----	----	44.40B/36.80A	44.40B/36.80A	----	39.80 - 0.70	.1157	----	----	----	----	235 UNCH
4150	43.40	43.40	45.30B/37.30A	45.30B/37.30A	----	40.30 - 0.70	.1170	----	----	3	----	132 UNCH
4155	----	----	45.90B/37.80A	45.90B/37.80A	----	40.90 - 0.70	.1186	----	----	----	----	5 UNCH
4160	----	----	46.50B/38.30A	46.50B/38.30A	----	41.40 - 0.70	.1200	----	----	----	----	3 UNCH
4165	39.40	39.40	47.00B/38.80A	47.00B/38.80A	----	42.00 - 0.70	.1215	----	----	5	----	68 + 5
4170	----	----	47.80B/39.40A	47.80B/39.40A	----	42.50 - 0.80	.1229	----	----	----	----	1 UNCH
4175	42.70	42.70	48.40B/39.90A	48.40B/39.90A	----	43.10 - 0.70	.1245	----	----	1	----	43 + 1
4185	42.60	42.60	49.80B/41.10A	49.80B/41.10A	----	44.30 NEW	.1276	----	----	13	----	13 + 13
4190	----	----	50.50B/41.60A	50.50B/41.60A	----	44.80 - 0.80	.1290	----	----	----	----	126 UNCH
4195	----	----	51.20B/42.20A	51.20B/42.20A	----	45.40 - 0.80	.1306	----	----	----	----	65 UNCH
4200	42.30	42.30	51.90B/42.30	51.90B/42.30	----	46.00 - 0.80	.1322	----	----	5	----	553 + 2
4205	----	----	52.60B/43.50A	52.60B/43.50A	----	46.70 - 0.80	.1339	----	----	----	----	6 UNCH
4210	----	----	53.20B/44.10A	53.20B/44.10A	----	47.30 - 0.80	.1355	----	----	----	----	67 UNCH
4215	----	----	53.60B/44.60A	53.60B/44.60A	----	47.90 - 0.80	.1371	----	----	----	----	39 UNCH
4220	----	----	54.70B/45.30A	54.70B/45.30A	----	48.50 - 0.90	.1387	----	----	----	----	195 UNCH
4225	----	----	55.70B/46.00A	55.70B/46.00A	----	49.20 - 0.90	.1405	----	----	----	----	34 UNCH
4230	----	----	56.20B/46.60A	56.20B/46.60A	----	49.90 - 0.80	.1423	----	----	----	----	8 UNCH
4235	----	----	56.30B/47.20A	56.30B/47.20A	----	50.50 - 0.90	.1439	----	----	----	----	42 UNCH
4240	----	----	57.80B/47.90A	57.80B/47.90A	----	51.20 - 0.90	.1457	----	----	----	----	33 UNCH
4245	----	----	57.90B/48.60A	57.90B/48.60A	----	51.90 - 0.90	.1474	----	----	----	----	1 UNCH
4250	53.50	53.50	59.40B/49.20A	59.40B/49.20A	----	52.60 - 0.90	.1492	----	----	2	----	831 UNCH
4255	----	----	59.30B/49.90A	59.30B/49.90A	----	53.30 - 0.90	.1510	----	----	----	----	2 UNCH
4260	----	----	60.00B/50.60A	60.00B/50.60A	----	54.00 - 0.90	.1528	----	----	----	----	4 UNCH
4265	----	----	61.80B/51.30A	61.80B/51.30A	----	54.80 - 0.90	.1547	----	----	----	----	12 UNCH
4270	----	----	62.70B/52.00A	62.70B/52.00A	----	55.50 - 0.90	.1565	----	----	----	----	1 UNCH
4275	----	----	63.60B/52.70A	63.60B/52.70A	----	56.30 - 0.90	.1585	----	----	----	----	73 UNCH
4280	----	----	64.60B/53.40A	64.60B/53.40A	----	57.00 - 0.90	.1603	----	----	----	----	39 UNCH
4285	----	----	65.30B/53.90A	65.30B/53.90A	----	57.80 - 0.90	.1623	----	----	----	----	101 UNCH
4290	----	----	66.40B/54.60A	66.40B/54.60A	----	58.60 - 0.90	.1642	----	----	----	----	33 UNCH
4295	----	----	67.30B/55.40A	67.30B/55.40A	----	59.40 - 0.90	.1662	----	----	----	----	20 UNCH
4300	----	----	68.20B/56.00A	68.20B/56.00A	----	60.20 - 0.90	.1682	----	----	83	----	1269 + 30
4305	----	----	69.00B/56.90A	69.00B/56.90A	----	61.00 - 0.90	.1702	----	----	----	----	9 UNCH
4310	----	----	70.00B/57.70A	70.00B/57.70A	----	61.90 - 0.80	.1723	----	----	1	----	5 UNCH
4315	----	----	70.70B/58.50A	70.70B/58.50A	----	62.70 - 0.90	.1743	----	----	----	----	24 UNCH
4320	----	----	71.50B/59.30A	71.50B/59.30A	----	63.60 - 0.80	.1764	----	----	----	----	3 UNCH
4325	63.20	63.20	72.90B/60.10A	72.90B/60.10A	----	64.40 - 0.90	.1784	----	----	4	----	99 + 4
4330	----	----	73.80B/60.90A	73.80B/60.90A	----	65.30 - 0.80	.1805	----	----	----	----	23 UNCH
4335	----	----	74.70B/61.80A	74.70B/61.80A	----	66.20 - 0.80	.1827	----	----	----	----	111 UNCH
4340	----	----	75.40B/62.60A	75.40B/62.60A	----	67.10 - 0.80	.1848	----	----	----	----	114 UNCH
4345	----	----	76.60B/63.40A	76.60B/63.40A	----	68.00 - 0.80	.1870	----	----	----	----	12 UNCH
4350	70.20	70.20	77.40B/64.20A	77.40B/64.20A	----	68.90 - 0.80	.1891	----	----	20	----	300 - 20
4355	----	----	78.40B/65.20A	78.40B/65.20A	----	69.90 - 0.70	.1914	----	----	----	----	123 UNCH
4360	----	----	79.40B/66.00A	79.40B/66.00A	----	70.80 - 0.70	.1936	----	----	----	----	104 UNCH
4365	----	----	80.40B/66.90A	80.40B/66.90A	----	71.80 - 0.70	.1959	----	----	----	----	28 UNCH
4370	73.20	73.20	82.00B/67.80A	82.00B/67.80A	----	72.70 - 0.70	.1981	----	----	3	----	140 UNCH
4375	----	----	83.10B/68.70A	83.10B/68.70A	----	73.70 - 0.70	.2004	----	----	----	----	26 UNCH
4380	----	----	84.10B/69.60A	84.10B/69.60A	----	74.70 - 0.60	.2027	----	----	1	----	3 UNCH
4385	----	----	84.90B/70.60A	84.90B/70.60A	----	75.70 - 0.60	.2050	----	----	----	----	52 UNCH
4390	----	----	86.00B/71.80A	86.00B/71.80A	----	76.70 - 0.60	.2073	----	----	----	----	2 UNCH
4395	----	----	87.20B/72.40A	87.20B/72.40A	----	77.70 - 0.60	.2097	----	----	----	----	13 UNCH
4400	83.30	83.30	88.70B/73.40A	88.70B/73.40A	----	78.80 - 0.50	.2121	----	----	51	----	1633 UNCH
4405	----	----	89.90B/74.50A	89.90B/74.50A	----	79.80 - 0.60	.2144	----	----	----	----	11 UNCH
4410	----	----	91.00B/75.50A	91.00B/75.50A	----	80.90 - 0.50	.2169	----	----	----	----	14 UNCH
4415	----	----	92.20B/76.50A	92.20B/76.50A	----	81.90 - 0.50	.2193	----	----	----	----	4 UNCH
4420	----	----	93.40B/77.60A	93.40B/77.60A	----	83.00 - 0.50	.2217	----	----	----	----	15 UNCH
4425	----	----	94.70B/78.60A	94.70B/78.60A	----	84.10 - 0.50	.2242	----	----	----	----	36 UNCH
4430	----	----	95.90B/79.70A	95.90B/79.70A	----	85.20 - 0.40	.2267	----	----	1	----	157 UNCH
4435	----	----	97.10B/81.30A	97.10B/81.30A	----	86.30 - 0.40	.2292	----	----	----	----	1 UNCH
4440	----	----	98.50B/81.80A	98.50B/81.80A	----	87.50 - 0.30	.2318	----	----	----	----	36 UNCH
4445	----	----	99.60B/82.90A	99.60B/82.90A	----	88.60 - 0.40	.2343	----	----	----	----	152 UNCH
4450	90.60	90.60	101.00B/83.70A	101.00B/83.70A	----	89.80 - 0.30	.2369	----	----	12	----	580 - 4
4455	----	----	101.90B/85.10A	101.90B/85.10A	----	90.90 - 0.30	.2394	----	----	----	----	18 UNCH
4460	----	----	103.30B/86.20A	103.30B/86.20A	----	92.10 - 0.30	.2420	----	----	----	----	93 UNCH
4465	----	----	105.00B/87.40A	105.00B/87.40A	----	93.30 - 0.30	.2446	----	----	----	----	27 UNCH
4470	----	----	106.40B/88.50A	106.40B/88.50A	----	94.50 - 0.30	.2473	----	----	----	----	10 UNCH
4475	97.10	97.10	106.40B/89.70A	106.40B/89.70A	----	95.80 - 0.20	.2500	----	----	12	----	35 + 7
4480	----	----	109.00B/90.90A	109.00B/90.90A	----	97.00 - 0.20	.2526	----	----	----	----	136 UNCH
4485	----	----	110.00B/92.10A	110.00B/92.10A	----	98.30 - 0.10	.2554	----	----	----	----	50 UNCH
4490	93.80	93.80	111.60B/92.60	111.60B/92.60	----	99.50 - 0.20	.2580	----	----	12	----	38 + 12
4495	----	----	113.20B/94.50A	113.20B/94.50A	----	100.80 - 0.10	.2608	----	----	----	----	3 UNCH
4500	111.00	111.00	115.10B/95.50A	115.10B/95.50A	----	102.20 UNCH	.2637	----	----	51	----	634 + 45
4505	----	----	115.90B/97.10A	115.90B/97.10A	----	103.50 UNCH	.2664	----	----	----	----	5 UNCH
4510	----	----	117.80B/98.30A	117.80B/98.30A	----	104.80 UNCH	.2692	----	----	----	----	7 UNCH
4515	----	----	119.30B/99.60A	119.30B/99.60A	----	106.20 + 0.10	.2721	----	----	----	----	3 UNCH
4520	----	----	120.90B/100.90A	120.90B/100.90A	----	107.60 + 0.10	.2749	----	----	----	----	9 UNCH
4525	----	----	121.80B/102.10A	121.80B/102.10A	----	109.00 + 0.20	.2778	----	----	----	----	74 UNCH
4530	----	----	122.70B/103.60A	122.70B/103.60A	----	110.40 + 0.20	.2807	----	----	----	----	8 UNCH
4535	----	----	125.60B/105.60A	125.60B/105.60A	----	111.80 + 0.20	.2836	----	----	----	----	2 UNCH
4540	----	----	126.20B/106.20A	126.20B/106.20A	----	113.30 + 0.30	.2865	----	----	----	----	89 UNCH
4545	----	----	128.80B/107.50A	128.80B/107.50A	----	114.80 + 0.40	.2895	----	----	----	----	20 UNCH
4550	----	----	129.70B/108.90A	129.70B/108.90A	----	116.20 + 0.40	.2924	----	----	----	----	63 UNCH
4555	----	----	132.10B/110.30A	132.10B/110.30A	----	117.70 + 0.40	.2954	----	----	----	----	15 UNCH
4560	----	----	133.10B/111.70A	133.10B/111.70A	----	119.30 + 0.50	.2985	----	----	----	----	19 UNCH
4565	----	----	135.40B/113.30A	135.40B/113.30A	----	120.80 + 0.60	.3015	----	----	----	----	105 UNCH
4570	----	----	136.20B/114.60A	136.20B/114.60A	----	122.30 + 0.60	.3045	----	----	----	----	8 UNCH
4575	----	----	137.80B/116.10A	137.80B/116.10A	----	123.90 + 0.70	.3075	----	----	----	----	11 UNCH
4580	----	----	139.60B/117.60A	139.60B/117.60A	----	125.50 + 0.70	.3106	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4585	----	----	140.20B/119.10A	140.20B/119.10A	----	127.10 + 0.80	.3137	----	----	----	----	5 UNCH
4590	----	----	143.00B/120.60A	143.00B/120.60A	----	128.70 + 0.90	.3168	----	----	----	----	5 UNCH
4595	----	----	144.30B/122.20A	144.30B/122.20A	----	130.30 + 0.90	.3199	----	----	----	----	48 UNCH
4600	124.20	124.20	147.30B/123.50A	147.30B/123.50A	----	132.00 + 1.00	.3231	----	----	32	----	1175 - 15
4605	----	----	148.30B/126.10A	148.30B/126.10A	----	133.60 + 1.00	.3262	----	----	----	----	1 UNCH
4610	----	----	150.10B/126.90A	150.10B/126.90A	----	135.30 + 1.10	.3294	----	----	----	----	143 UNCH
4615	----	----	152.70B/128.40A	152.70B/128.40A	----	137.00 + 1.20	.3325	----	----	----	----	12 UNCH
4620	138.50	138.50	154.80B/130.10A	154.80B/130.10A	----	138.70 + 1.30	.3357	----	----	2	----	45 UNCH
4625	141.50	141.50	156.50B/131.70A	156.50B/131.70A	----	140.40 + 1.30	.3389	----	----	10	----	35 + 8
4630	----	----	158.20B/133.30A	158.20B/133.30A	----	142.20 + 1.40	.3422	----	----	----	----	3 UNCH
4635	----	----	160.40B/135.10A	160.40B/135.10A	----	143.90 + 1.50	.3454	----	----	----	----	127 UNCH
4640	----	----	162.80B/136.80A	162.80B/136.80A	----	145.70 + 1.50	.3486	----	----	----	----	51 UNCH
4645	----	----	164.30B/138.50A	164.30B/138.50A	----	147.50 + 1.60	.3519	----	----	----	----	10 UNCH
4650	149.00	149.00	166.60B/140.10A	166.60B/140.10A	----	149.30 + 1.70	.3552	----	----	19	----	116 - 4
4655	----	----	167.90B/142.50A	167.90B/142.50A	----	151.10 + 1.70	.3584	----	----	----	----	2 UNCH
4660	----	----	170.20B/143.70A	170.20B/143.70A	----	153.00 + 1.90	.3618	----	----	----	----	58 UNCH
4665	----	----	172.20B/145.40A	172.20B/145.40A	----	154.80 + 1.90	.3651	----	----	----	----	20 UNCH
4670	----	----	173.40B/147.30A	173.40B/147.30A	----	156.70 + 2.00	.3684	----	----	----	----	100 UNCH
4675	----	----	176.00B/149.00A	176.00B/149.00A	----	158.60 + 2.10	.3717	----	----	----	----	69 UNCH
4680	----	----	177.70B/150.90A	177.70B/150.90A	----	160.50 + 2.10	.3751	----	----	----	----	8 UNCH
4685	166.00	166.00	180.10B/152.70A	180.10B/152.70A	----	162.50 + 2.30	.3785	----	----	1	----	7 + 1
4695	----	----	183.70B/156.50A	183.70B/156.50A	----	166.40 + 2.40	.3852	----	----	----	----	179 UNCH
4700	179.10	179.10	187.00B/158.10A	187.00B/158.10A	----	168.40 + 2.40	.3886	----	----	1	----	579 - 1
4705	----	----	188.80B/160.30A	188.80B/160.30A	----	170.40 + 2.50	.3920	----	----	----	----	6 UNCH
4710	----	----	190.60B/162.20A	190.60B/162.20A	----	172.40 + 2.50	.3954	----	----	1	----	124 UNCH
4715	----	----	192.70B/164.80A	192.70B/164.80A	----	174.50 + 2.70	.3989	----	----	----	----	1 UNCH
4720	----	----	195.40B/166.20A	195.40B/166.20A	----	176.60 + 2.80	.4023	----	----	----	----	9 UNCH
4725	----	----	197.50B/168.20A	197.50B/168.20A	----	178.70 + 2.80	.4058	----	----	----	----	205 UNCH
4730	----	----	199.10B/170.20A	199.10B/170.20A	----	180.80 + 2.90	.4092	----	----	----	----	58 UNCH
4735	----	----	201.10B/172.20A	201.10B/172.20A	----	182.90 + 2.90	.4127	----	----	----	----	11 UNCH
4740	184.80	184.80	204.50B/174.30A	204.50B/174.30A	----	185.10 + 3.10	.4162	----	----	6	----	114 UNCH
4745	187.20	187.20	207.10B/176.40A	207.10B/176.40A	----	187.20 + 3.10	.4197	----	----	2	----	117 + 2
4750	----	----	209.00B/178.30A	209.00B/178.30A	----	189.40 + 3.20	.4232	----	----	1	----	408 + 1
4755	----	----	211.40B/180.60A	211.40B/180.60A	----	191.60 + 3.20	.4267	----	----	----	----	9 UNCH
4760	----	----	212.20B/182.80A	212.20B/182.80A	----	193.90 + 3.40	.4302	----	----	----	----	28 UNCH
4765	----	----	216.20B/184.80A	216.20B/184.80A	----	196.10 + 3.40	.4337	----	----	----	----	302 UNCH
4770	199.00	199.00	217.70B/187.80A	217.70B/187.80A	----	198.40 + 3.50	.4372	----	----	8	----	3 + 2
4775	----	----	221.30B/189.30A	221.30B/189.30A	----	200.70 + 3.60	.4408	----	----	----	----	43 UNCH
4780	----	----	222.40B/191.60A	222.40B/191.60A	----	203.00 + 3.70	.4443	----	----	----	----	30 UNCH
4785	----	----	225.80B/193.60A	225.80B/193.60A	----	205.30 + 3.80	.4478	----	----	----	----	17 UNCH
4790	----	----	227.20B/196.70A	227.20B/196.70A	----	207.70 + 3.90	.4514	----	----	----	----	1 UNCH
4795	----	----	230.60B/198.20A	230.60B/198.20A	----	210.10 + 4.10	.4549	----	----	----	----	7 UNCH
4800	219.00	219.00	231.40B/200.10A	231.40B/200.10A	----	212.50 + 4.20	.4585	----	----	16	----	1125 + 7
4805	----	----	235.30B/202.80A	235.30B/202.80A	----	214.90 + 4.30	.4620	----	----	----	----	3 UNCH
4810	----	----	238.20B/205.10A	238.20B/205.10A	----	217.30 + 4.30	.4656	----	----	----	----	7 UNCH
4815	225.10	225.10	240.30B/207.50A	240.30B/207.50A	----	219.80 + 4.50	.4691	----	----	25	----	26 + 25
4820	----	----	242.80B/209.80A	242.80B/209.80A	----	222.30 + 4.60	.4727	----	----	----	----	101 UNCH
4825	226.70	226.70	246.00B/212.20A	246.00B/212.20A	----	224.80 + 4.70	.4763	----	----	16	----	15 + 12
4830	----	----	247.00B/215.20A	247.00B/215.20A	----	227.30 + 4.80	.4798	----	----	----	----	1 UNCH
4840	----	----	252.80B/219.50A	252.80B/219.50A	----	232.40 + 5.00	.4869	----	----	1	----	9 + 1
4845	----	----	254.80B/222.00A	254.80B/222.00A	----	235.00 + 5.10	.4905	----	----	----	----	69 UNCH
4850	----	----	257.70B/224.20A	257.70B/224.20A	----	237.60 + 5.20	.4941	----	----	2	----	287 + 1
4860	----	----	264.90B/230.10A	264.90B/230.10A	----	242.90 + 5.50	.5012	----	----	----	----	1 UNCH
4865	----	----	265.80B/232.80A	265.80B/232.80A	----	245.50 + 5.50	.5047	----	----	----	----	2 UNCH
4870	----	----	268.70B/234.40A	268.70B/234.40A	----	248.20 + 5.60	.5083	----	----	----	----	318 UNCH
4875	----	----	273.30B/237.10A	273.30B/237.10A	----	250.90 + 5.80	.5118	----	----	----	----	70 UNCH
4880	263.70	263.70	274.50B/239.70A	274.50B/239.70A	----	253.60 + 5.80	.5154	----	----	1	----	12 + 1
4890	----	----	280.50B/245.20A	280.50B/245.20A	----	259.10 + 6.10	.5224	----	----	----	----	9 UNCH
4895	----	----	279.70B/247.90A	279.70B/247.90A	----	261.90 + 6.20	.5260	----	----	----	----	61 UNCH
4900	----	----	283.00B/250.60A	283.00B/250.60A	----	264.60 + 6.20	.5295	----	----	1	----	263 + 1
4905	----	----	285.20B/253.40A	285.20B/253.40A	----	267.40 + 6.30	.5330	----	----	----	----	54 UNCH
4910	272.20	272.20	288.30B/256.50A	288.30B/256.50A	----	270.30 + 6.50	.5365	----	----	1	----	2 UNCH
4915	----	----	291.50B/258.70A	291.50B/258.70A	----	273.10 + 6.60	.5401	----	----	----	----	118 UNCH
4920	----	----	294.40B/261.60A	294.40B/261.60A	----	275.90 + 6.60	.5436	----	----	----	----	22 UNCH
4925	----	----	297.30B/264.20A	297.30B/264.20A	----	278.80 + 6.70	.5471	----	----	----	----	11 UNCH
4930	----	----	300.10B/267.20A	300.10B/267.20A	----	281.70 + 6.80	.5506	----	----	----	----	52 UNCH
4935	----	----	303.40B/270.10A	303.40B/270.10A	----	284.60 + 6.90	.5541	----	----	----	----	4 UNCH
4940	----	----	306.30B/272.90A	306.30B/272.90A	----	287.50 + 7.00	.5576	----	----	----	----	11 UNCH
4950	----	----	312.70B/278.70A	312.70B/278.70A	----	293.40 + 7.20	.5645	----	----	----	----	106 UNCH
4975	----	----	326.90B/293.80A	326.90B/293.80A	----	308.50 + 7.70	.5818	----	----	----	----	2 UNCH
4980	----	----	330.60B/296.40A	330.60B/296.40A	----	311.60 + 7.90	.5852	----	----	----	----	6 UNCH
4985	----	----	334.10B/299.40A	334.10B/299.40A	----	314.70 + 8.00	.5886	----	----	----	----	104 UNCH
4990	----	----	337.00B/302.60A	337.00B/302.60A	----	317.80 + 8.10	.5920	----	----	----	----	2 UNCH
4995	----	----	340.00B/305.60A	340.00B/305.60A	----	320.90 + 8.20	.5954	----	----	----	----	12 UNCH
5000	----	----	345.40B/308.60A	345.40B/308.60A	----	324.10 + 8.30	.5988	----	----	1	----	551 UNCH
5005	----	----	346.60B/311.60A	346.60B/311.60A	----	327.30 + 8.50	.6021	----	----	----	----	12 UNCH
5010	----	----	345.10B/314.80A	345.10B/314.80A	----	330.50 + 8.60	.6055	----	----	----	----	9 UNCH
5015	----	----	347.30B/318.00A	347.30B/318.00A	----	333.70 + 8.70	.6088	----	----	----	----	20 UNCH
5020	----	----	348.60B/321.20A	348.60B/321.20A	----	336.90 + 8.80	.6121	----	----	----	----	5 UNCH
5025	----	----	348.90B/324.30A	348.90B/324.30A	----	340.20 + 8.90	.6154	----	----	----	----	150 UNCH
5030	----	----	352.00B/327.90A	352.00B/327.90A	----	343.50 + 9.10	.6187	----	----	----	----	8 UNCH
5035	----	----	355.30B/330.90A	355.30B/330.90A	----	346.70 + 9.10	.6220	----	----	----	----	37 UNCH
5045	----	----	362.10B/337.60A	362.10B/337.60A	----	353.40 + 9.40	.6285	----	----	----	----	5 UNCH
5050	----	----	365.50B/340.60A	365.50B/340.60A	----	356.70 + 9.50	.6317	----	----	----	----	79 UNCH
5055	----	----	368.90B/343.80A	368.90B/343.80A	----	360.10 + 9.70	.6350	----	----	----	----	3 UNCH
5065	----	----	375.70B/351.20A	375.70B/351.20A	----	366.90 + 10.00	.6414	----	----	----	----	11 UNCH
5075	----	----	382.70B/357.90A	382.70B/357.90A	----	373.80 + 10.30	.6476	----	----	----	----	6 UNCH
5080	----	----	386.20B/361.30A	386.20B/361.30A	----	377.20 + 10.40	.6509	----	----	----	----	2 UNCH
5085	----	----	389.70B/364.60A	389.70B/364.60A	----	380.70 + 10.50	.6539	----	----	----	----	21 UNCH
5090	----	----	393.40B/368.00A	393.40B/368.00A	----	384.20 + 10.70	.6570	----	----	----	----	6 UNCH
5095	----	----	397.00B/371.40A	397.00B/371.40A	----	387.70 + 10.80	.6601	----	----	----	----	42 UNCH
5100	----	----	400.60B/374.80A	400.60B/374.80A	----	391.20 + 10.90	.6632	----	----	----	----	106 UNCH
5105	----	----	404.20B/378.30A	404.20B/378.30A	----	394.80 + 11.10	.6663	----	----	----	----	22 UNCH
5110	----	----	407.90B/381.80A	407.90B/381.80A	----	398.30 + 11.20	.6693	----	----	----	----	16 UNCH
5115	----	----	411.50B/385.30A	411.50B/385.30A	----	401.90 + 11.40	.6723	----	----	----	----	37 UNCH
5120	----	----	415.20B/388.70A	415.20B/388.70A	----	405.50 + 11.50	.6752	----	----	----	----	14 UNCH
5125	----	----	418.80B/392.20A	418.80B/392.20A	----	409.10 + 11.60	.6783	----	----	----	----	37 UNCH
5130	----	----	422.60B/395.80A	422.60B/395.80A	----	412.80 + 11.80	.6812	----	----	----	----	23 UNCH
5135	----	----	426.20B/399.30A	426.20B/399.30A	----	416.40 + 11.90	.6842	----	----	----	----	9 UNCH
5140	----	----	430.00B/402.90A	430.00B/402.90A	----	420.10 + 12.10	.6871	----	----	----	----	19 UNCH
5145	----	----	433.70B/406.50A	433.70B/406.50A	----	423.70 + 12.20	.6900	----	----	----	----	2 UNCH
5150	----	----	437.50B/410.10A	437.50B/410.10A	----	427.40 + 12.40	.6929	----	----	----	----	233 UNCH
5155	----	----	440.60B/413.60A	440.60B/413.60A	----	431.10 + 12.50	.6957	----	----	----	----	42 UNCH
5160	----	----	444.30B/417.30A	444.30B/417.30A	----	434.90 + 12.70	.6986	----	----	----	----	42 UNCH
5170	----	----	450.90B/424.70A	450.90B/424.70A	----	442.30 + 12.90	.7042	----	----	----	----	51 UNCH
5175	----	----	454.70B/428.20A	454.70B/428.20A	----	446.10 + 13.10	.7069	----	----	----	----	61 UNCH
5180	----	----	458.50B/431.90A	458.50B/431.90A	----	449.90 + 13.30	.7097	----	----	----	----	10 UNCH
5185	----	----	462.30B/435.60A	462.30B/435.60A	----	453.70 + 13.40	.7125	----	----	----	----	103 UNCH
5190	----	----	466.20B/439.30A	466.20B/439.30A	----	457.50 + 13.50	.7153	----	----	----	----	19 UNCH
5200	----	----	473.90B/446.80A	473.90B/446.80A	----	465.20 + 13.90	.7206	----	----	----	----	58 UNCH
5225	----	----	493.50B/468.70A	493.50B/468.70A	----	484.60 + 14.60	.7338	----	----	----	----	42 UNCH
5230	----	----	----	307.40B/658.20A	----	488.50 + 14.70	.7364	----	----	----	----	2 UNCH
5235	----	----	501.40B/476.40A	501.40B/476.40A	----	492.40 + 14.80	.7389	----	----	----	----	23 UNCH
5245	----	----	----	319.40B/669.00A	----	500.30 + 15.10	.7439	----	----	----	----	2 UNCH
5250	----	----	513.40B/488.00A	513.40B/488.00A	----	504.30 + 15.20	.7464	----	----	----	----	14 UNCH
5255	----	----	517.40B/491.90A	517.40B/491.90A	----	508.30 + 15.40	.7488	----	----	----	----	14 UNCH
5285	----	----	----	352.70B/712.10A	----	532.40 + 16.10	.7633	----	----	----	----	2 UNCH
5290	----	----	545.90B/519.60A	545.90B/519.60A	----	536.50 + 16.30	.7656	----	----	----	----	4 UNCH
5295	----	----	----	361.10B/715.50A	----	540.60 + 16.40	.7679	----	----	----	----	2 UNCH
5300	----	----	554.10B/527.70A	554.10B/527.70A	----	544.70 + 16.60	.7702	----	----	----	----	67 UNCH
5315	----	----	566.60B/539.80A	566.60B/539.80A	----	557.00 + 16.90	.7770	----	----	----	----	10 UNCH
5325	----	----	----	386.60B/745.40A	----	565.30 + 17.20	.7813	----	----	----	----	1 UNCH
5350	----	----	596.10B/----	596.10B/568.50A	----	586.20 + 17.80	.7920	----	----	----	----	8 UNCH
5375	----	----	617.40B/----	617.40B/589.30A	----	607.40 + 18.50	.8023	----	----	----	----	7 UNCH
5390	----	----	630.30B/----	630.30B/602.00A	----	620.20 + 18.80	.8082	----	----	----	----	5 UNCH
5400	----	----	641.50B/607.80A	641.50B/607.80A	----	628.70 + 19.00	.8119	----	----	----	----	602 UNCH
5410	----	----	----	461.40B/814.90A	----	637.40 + 19.30	.8157	----	----	----	----	1 UNCH
5440	----	----	----	488.50B/840.20A	----	663.50 + 20.00	.8264	----	----	----	----	1 UNCH
5475	----	----	705.00B/----	705.00B/675.10A	----	694.30 + 20.80	.8383	----	----	----	----	6 UNCH
5500	----	----	726.90B/----	726.90B/696.90A	----	716.50 + 21.30	.8461	----	----	----	----	3 UNCH
5505	----	----	----	550.40B/895.00A	----	721.00 + 21.50	.8476	----	----	----	----	1 UNCH
5510	----	----	----	552.70B/899.30A	----	725.50 + 21.60	.8492	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1284.30 + 28.40	.9480	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1308.80 + 28.50	.9500	----	----	----	----	2 UNCH
TOTAL										561	50	29539 + 208
AUG26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
2300	1.10	1.10	1.10/*1.10	1.10/1.10	----	1.10 - 0.30	.0024	----	----	1	----	33 + 1
2325	----	----	----	1.10B/2.00A	----	1.20 - 0.30	.0026	----	----	----	----	1 UNCH
2350	----	----	----	1.10B/2.10A	----	1.40 - 0.20	.0030	----	----	----	----	2 UNCH
2375	----	----	----	1.20B/2.10A	----	1.50 - 0.20	.0032	----	----	----	----	7 UNCH
2400	----	----	----	1.30B/2.20A	----	1.60 - 0.20	.0035	----	----	----	----	5 UNCH
2425	----	----	----	1.40B/2.30A	----	1.80 - 0.10	.0039	----	----	----	----	1 UNCH
2475	----	----	----	1.50B/2.50A	----	1.90 - 0.10	.0042	----	----	----	----	5 UNCH
2500	----	----	----	1.60B/2.50A	----	2.00 - 0.10	.0044	----	----	----	----	2 UNCH
2570	----	----	----	1.80B/2.70A	----	2.10 - 0.30	.0048	----	----	----	----	9 UNCH
2580	----	----	----	1.80B/2.80A	----	2.20 - 0.20	.0050	----	----	----	----	1 UNCH
2590	----	----	----	1.90B/2.80A	----	2.20 - 0.30	.0050	----	----	----	----	2 UNCH
2600	----	----	----	1.90B/2.80A	----	2.20 - 0.30	.0050	----	----	----	----	2 UNCH
2615	----	----	----	2.00B/2.80A	----	2.30 - 0.30	.0052	----	----	----	----	1 UNCH
2625	----	----	----	2.00B/2.90A	----	2.30 - 0.30	.0053	----	----	----	----	2 UNCH
2640	----	----	----	2.10B/2.90A	----	2.40 - 0.30	.0055	----	----	----	----	1 UNCH
2685	----	----	----	2.20B/3.10A	----	2.60 - 0.30	.0060	----	----	----	----	1 UNCH
2690	----	----	----	2.30B/3.10A	----	2.60 - 0.30	.0060	----	----	----	----	1 UNCH
2730	----	----	----	2.40B/3.30A	----	2.80 - 0.30	.0066	----	----	----	----	1 UNCH
2745	----	----	----	2.50B/3.30A	----	2.90 - 0.30	.0068	----	----	----	----	1 UNCH
2750	----	----	----	2.60B/3.40A	----	2.90 - 0.30	.0068	----	----	----	----	4 UNCH
2800	----	----	----	2.80B/3.70A	----	3.20 - 0.30	.0076	----	----	----	----	31 UNCH
2860	----	----	----	3.10B/4.00A	----	3.50 - 0.30	.0084	----	----	----	----	1 UNCH
2950	----	----	----	3.80B/4.50A	----	4.10 - 0.20	.0101	----	----	----	----	8 UNCH
3000	----	----	----	4.20B/4.90A	----	4.50 - 0.20	.0111	----	----	1	----	262 UNCH
3005	----	----	----	4.20B/5.00A	----	4.60 - 0.20	.0114	----	----	----	----	5 UNCH
3010	----	----	----	4.20B/5.00A	----	4.60 - 0.20	.0114	----	----	----	----	1 UNCH
3015	----	----	----	4.30B/5.00A	----	4.70 - 0.20	.0116	----	----	----	----	1 UNCH
3025	----	----	----	4.40B/5.10A	----	4.70 - 0.20	.0117	----	----	----	----	5 UNCH
3040	----	----	----	4.50B/5.30A	----	4.90 - 0.20	.0122	----	----	----	----	1 UNCH
3065	----	----	----	4.80B/5.40A	----	5.10 - 0.20	.0128	----	----	----	----	1 UNCH
3090	----	----	----	5.00B/5.70A	----	5.40 - 0.20	.0135	----	----	----	----	1 UNCH
3095	----	----	----	5.10B/5.80A	----	5.40 - 0.30	.0136	----	----	----	----	1 UNCH
3100	----	----	----	5.20B/5.80A	----	5.50 - 0.20	.0138	----	----	----	----	137 UNCH
3110	----	----	----	5.30B/5.80A	----	5.60 - 0.20	.0141	----	----	----	----	15 UNCH
3120	----	----	----	5.40B/6.00A	----	5.70 - 0.20	.0144	----	----	----	----	29 UNCH
3130	----	----	----	5.50B/6.10A	----	5.80 - 0.30	.0146	----	----	----	----	5 UNCH
3150	----	----	----	5.80B/6.40A	----	6.00 - 0.30	.0152	----	----	----	----	10 UNCH
3155	----	----	----	5.80B/6.40A	----	6.10 - 0.30	.0155	----	----	----	----	3 UNCH
3160	----	----	----	5.90B/6.50A	----	6.20 - 0.30	.0157	----	----	----	----	1 UNCH
3170	----	----	----/6.50A	6.00B/6.50A	----	6.30 - 0.30	.0160	----	----	----	----	1 UNCH
3180	----	----	----	6.10B/6.70A	----	6.40 - 0.30	.0163	----	----	----	----	25 UNCH
3185	----	----	----/6.70A	6.20B/6.70A	----	6.50 - 0.30	.0165	----	----	----	----	1 UNCH
3190	----	----	----/6.80A	6.30B/6.80A	----	6.50 - 0.40	.0166	----	----	----	----	881 UNCH
3195	----	----	----	6.30B/6.90A	----	6.60 - 0.30	.0168	----	----	----	----	1 UNCH
3200	----	----	----	6.50B/7.00A	----	6.70 - 0.30	.0171	----	----	----	----	406 UNCH
3250	----	----	----/7.60A	7.20B/7.60A	----	7.40 - 0.40	.0190	----	----	----	----	405 UNCH
3260	----	----	----/7.70A	7.50B/7.70A	----	7.60 - 0.30	.0195	----	----	----	----	30 UNCH
3300	7.80	7.80	8.10B/7.80	8.10B/7.80	----	8.30 - 0.30	.0213	----	----	1	----	161 + 1
3350	----	----	----/9.10A	9.10B/9.10A	----	9.20 - 0.40	.0237	----	----	----	----	371 UNCH
3370	----	----	----/9.50A	9.40B/9.50A	----	9.60 - 0.40	.0248	----	----	----	----	1 UNCH
3375	----	----	----/9.60A	9.50B/9.60A	----	9.70 - 0.50	.0251	----	----	----	----	15 UNCH
3380	----	----	----/9.70A	9.60B/9.70A	----	9.90 - 0.40	.0255	----	----	----	----	1 UNCH
3390	----	----	----/9.90A	9.80B/9.90A	----	10.10 - 0.40	.0261	----	----	----	----	1 UNCH
3400	----	----	----/10.20A	10.10B/10.20A	----	10.30 - 0.40	.0266	----	----	----	----	23 UNCH
3405	----	----	----/10.30A	10.20B/10.30A	----	10.40 - 0.40	.0269	----	----	----	----	4 UNCH
3450	----	----	----/11.30A	11.40B/11.30A	----	11.60 - 0.40	.0300	----	----	----	----	1 UNCH
3465	----	----	----/11.70A	11.80B/11.70A	----	12.00 - 0.40	.0310	----	----	----	----	6 UNCH
3470	----	----	----/11.80A	11.90B/11.80A	----	12.10 - 0.40	.0313	----	----	----	----	1 UNCH
3495	----	----	----/12.50A	12.60B/12.50A	----	12.80 - 0.40	.0332	----	----	----	----	1 UNCH
3500	----	----	----/12.60A	12.80B/12.60A	----	13.00 - 0.40	.0336	----	----	1	----	1021 UNCH
3505	----	----	----/12.80A	12.90B/12.80A	----	13.10 - 0.40	.0339	----	----	----	----	1 UNCH
3510	----	----	----/12.90A	13.10B/12.90A	----	13.30 - 0.40	.0344	----	----	----	----	50 UNCH
3520	----	----	----/13.20A	13.40B/13.20A	----	13.60 - 0.40	.0352	----	----	----	----	210 UNCH
3525	----	----	----/13.60A	13.60B/13.60A	----	13.70 - 0.50	.0355	----	----	----	----	60 UNCH
3545	----	----	----/14.10A	14.40B/14.10A	----	14.40 - 0.40	.0373	----	----	----	----	9 UNCH
3550	13.90	13.90	14.50B/13.40	14.50B/13.40	----	14.60 - 0.40	.0378	----	----	2	----	117 + 2
3570	----	----	----/14.90A	15.10B/14.90A	----	15.30 - 0.40	.0396	----	----	----	----	32 UNCH
3575	----	----	----/15.20A	15.30B/15.20A	----	15.40 - 0.50	.0399	----	----	----	----	20 UNCH
3585	----	----	----/15.50A	15.70B/15.50A	----	15.80 - 0.40	.0409	----	----	----	----	50 UNCH
3600	16.30	16.30	16.40B/16.00A	16.40B/16.00A	----	16.40 - 0.40	.0424	----	----	20	----	551 UNCH
3610	----	----	----/16.50A	16.70B/16.50A	----	16.80 - 0.40	.0434	----	----	----	----	1 UNCH
3630	----	----	----/17.00A	17.50B/17.00A	----	17.60 - 0.40	.0454	----	----	----	----	8 UNCH
3645	----	----	----/17.70A	18.30B/17.70A	----	18.20 - 0.40	.0470	----	----	----	----	22 UNCH
3650	----	----	----/17.80A	18.60B/17.80A	----	18.40 - 0.50	.0475	----	----	----	----	40 UNCH
3655	----	----	----/17.90A	18.80B/17.90A	----	18.70 - 0.40	.0482	----	----	----	----	55 UNCH
3660	----	----	----/18.30A	19.00B/18.30A	----	18.90 - 0.40	.0487	----	----	----	----	9 UNCH
3665	----	----	----/18.50A	19.20B/18.50A	----	19.10 - 0.40	.0492	----	----	----	----	1 UNCH
3675	----	----	----/18.80A	19.70B/18.80A	----	19.60 - 0.40	.0504	----	----	----	----	24 UNCH
3690	----	----	----/19.60A	20.30B/19.60A	----	20.30 - 0.40	.0522	----	----	----	----	12 UNCH
3700	----	----	21.30B/20.00A	21.30B/20.00A	----	20.80 - 0.40	.0534	----	----	----	----	221 UNCH
3705	----	----	21.80B/20.30A	21.80B/20.30A	----	21.00 - 0.50	.0540	----	----	----	----	20 UNCH
3715	----	----	----/20.80A	21.80B/20.80A	----	21.50 - 0.50	.0552	----	----	----	----	30 UNCH
3725	----	----	----/21.20A	22.40B/21.20A	----	22.00 - 0.50	.0565	----	----	----	----	4 UNCH
3730	----	----	----/21.50A	22.50B/21.50A	----	22.30 - 0.50	.0572	----	----	----	----	10 UNCH
3750	----	----	----/22.50A	23.80B/22.50A	----	23.40 - 0.50	.0599	----	----	----	----	77 UNCH
3765	----	----	----/23.40A	24.60B/23.40A	----	24.20 - 0.50	.0619	----	----	----	----	100 UNCH
3770	----	----	25.10B/23.40A	25.10B/23.40A	----	24.50 - 0.50	.0627	----	----	----	----	4 UNCH
3775	----	----	----/23.70A	25.20B/23.70A	----	24.80 - 0.50	.0634	----	----	----	----	12 UNCH
3790	----	----	----/24.40A	26.10B/24.40A	----	25.70 - 0.50	.0656	----	----	----	----	2 UNCH
3795	----	----	----/24.70A	26.40B/24.70A	----	26.00 - 0.50	.0663	----	----	----	----	80 UNCH
3800	----	----	----/25.00A	26.90B/25.00A	----	26.30 - 0.60	.0671	----	----	----	----	317 UNCH
3805	----	----	28.80B/25.30A	28.80B/25.30A	----	26.60 - 0.60	.0678	----	----	----	----	4 UNCH
3810	----	----	29.10B/25.60A	29.10B/25.60A	----	27.00 - 0.50	.0687	----	----	----	----	50 UNCH
3815	----	----	29.50B/25.90A	29.50B/25.90A	----	27.30 - 0.50	.0695	----	----	----	----	150 UNCH
3820	----	----	29.90B/26.20A	29.90B/26.20A	----	27.60 - 0.60	.0702	----	----	----	----	52 UNCH
3825	----	----	30.20B/26.50A	30.20B/26.50A	----	28.00 - 0.50	.0711	----	----	----	----	51 UNCH
3835	----	----	31.10B/27.00A	31.10B/27.00A	----	28.60 - 0.60	.0727	----	----	----	----	10 UNCH
3850	----	----	32.20B/28.00A	32.20B/28.00A	----	29.70 - 0.60	.0753	----	----	----	----	86 UNCH
3855	----	----	32.60B/28.30A	32.60B/28.30A	----	30.00 - 0.60	.0760	----	----	----	----	3 UNCH
3875	----	----	34.30B/29.70A	34.30B/29.70A	----	31.50 - 0.60	.0796	----	----	----	----	10 UNCH
3880	----	----	34.60B/30.10A	34.60B/30.10A	----	31.90 - 0.60	.0805	----	----	2	----	299 + 2
3890	----	----	35.50B/30.80A	35.50B/30.80A	----	32.60 - 0.70	.0823	----	----	----	----	73 UNCH
3900	35.30	35.30	36.40B/31.60A	36.40B/31.60A	----	33.40 - 0.70	.0842	----	----	2	----	306 UNCH
3910	----	----	37.30B/32.30A	37.30B/32.30A	----	34.20 - 0.70	.0861	----	----	----	----	1 UNCH
3925	----	----	38.70B/33.50A	38.70B/33.50A	----	35.50 - 0.70	.0891	----	----	----	----	10 UNCH
3930	----	----	39.20B/33.90A	39.20B/33.90A	----	35.90 - 0.70	.0900	----	----	----	----	38 UNCH
3950	----	----	41.30B/35.60A	41.30B/35.60A	----	37.70 - 0.70	.0942	----	----	2	----	246 UNCH
3965	----	----	42.70B/36.90A	42.70B/36.90A	----	39.10 - 0.70	.0974	----	----	----	----	14 UNCH
3975	----	----	43.90B/37.80A	43.90B/37.80A	----	40.00 - 0.80	.0996	----	----	----	----	267 UNCH
3980	----	----	44.40B/38.30A	44.40B/38.30A	----	40.50 - 0.80	.1007	----	----	----	----	46 UNCH
3985	----	----	45.00B/38.70A	45.00B/38.70A	----	41.00 - 0.80	.1018	----	----	----	----	2 UNCH
3990	----	----	45.50B/39.20A	45.50B/39.20A	----	41.50 - 0.80	.1030	----	----	----	----	44 UNCH
3995	----	----	46.00B/39.80A	46.00B/39.80A	----	42.00 - 0.80	.1041	----	----	----	----	4 UNCH
4000	----	----	46.60B/40.20A	46.60B/40.20A	----	42.50 - 0.80	.1053	----	----	----	----	1587 UNCH
4005	----	----	47.20B/40.70A	47.20B/40.70A	----	43.00 - 0.80	.1064	----	----	----	----	3 UNCH
4010	----	----	47.70B/41.10A	47.70B/41.10A	----	43.50 - 0.80	.1076	----	----	----	----	78 UNCH
4025	----	----	49.50B/42.70A	49.50B/42.70A	----	45.10 - 0.90	.1112	----	----	----	----	90 UNCH
4030	----	----	50.10B/43.20A	50.10B/43.20A	----	45.60 - 0.90	.1124	----	----	----	----	50 UNCH
4040	----	----	50.80B/44.20A	50.80B/44.20A	----	46.70 - 0.90	.1148	----	----	----	----	15 UNCH
4045	----	----	51.80B/44.80A	51.80B/44.80A	----	47.30 - 0.90	.1161	----	----	----	----	30 UNCH
4050	----	----	52.50B/45.40A	52.50B/45.40A	----	47.80 - 1.00	.1173	----	----	----	----	299 UNCH
4075	----	----	55.70B/48.10A	55.70B/48.10A	----	50.80 - 1.00	.1240	----	----	----	----	5 UNCH
4085	----	----	57.00B/49.30A	57.00B/49.30A	----	52.00 - 1.00	.1266	----	----	----	----	28 UNCH
4095	----	----	58.20B/50.50A	58.20B/50.50A	----	53.30 - 1.00	.1294	----	----	----	----	4 UNCH
4100	----	----	58.60B/51.00A	58.60B/51.00A	----	53.90 - 1.00	.1308	----	----	1	----	89 - 1
4110	----	----	60.60B/52.10A	60.60B/52.10A	----	55.20 - 1.00	.1336	----	----	----	----	1 UNCH
4115	----	----	61.50B/53.00A	61.50B/53.00A	----	55.90 - 1.00	.1351	----	----	----	----	6 UNCH
4120	----	----	62.30B/53.50A	62.30B/53.50A	----	56.50 - 1.10	.1365	----	----	----	----	1 UNCH
4130	----	----	63.90B/54.90A	63.90B/54.90A	----	57.90 - 1.00	.1395	----	----	----	----	5 UNCH
4135	----	----	63.90B/55.50A	63.90B/55.50A	----	58.60 - 1.00	.1410	----	----	----	----	26 UNCH
4140	----	----	65.20B/56.20A	65.20B/56.20A	----	59.30 - 1.00	.1425	----	----	----	----	1 UNCH
4145	----	----	65.90B/56.90A	65.90B/56.90A	----	60.00 - 1.00	.1440	----	----	----	----	20 UNCH
4150	----	----	66.60B/57.40A	66.60B/57.40A	----	60.70 - 1.10	.1455	----	----	----	----	309 UNCH
4160	60.40	60.40	68.00B/58.90A	68.00B/58.90A	----	62.10 - 1.10	.1485	----	----	2	----	62 + 2
4165	----	----	68.80B/59.60A	68.80B/59.60A	----	62.90 - 1.10	.1502	----	----	----	----	100 UNCH
4170	----	----	69.90B/60.30A	69.90B/60.30A	----	63.60 - 1.10	.1517	----	----	----	----	77 UNCH
4175	----	----	70.70B/61.00A	70.70B/61.00A	----	64.40 - 1.10	.1533	----	----	----	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4180	65.30	65.30	71.30B/61.70A	71.30B/61.70A	----	65.20 - 1.10	.1550	----	----	7	----	91 UNCH
4185	----	----	72.50B/62.40A	72.50B/62.40A	----	65.90 - 1.10	.1565	----	----	1	----	41 + 1
4190	65.10	65.10	73.00B/63.20A	73.00B/63.20A	----	66.70 - 1.10	.1582	----	----	1	----	140 UNCH
4195	----	----	73.90B/63.90A	73.90B/63.90A	----	67.50 - 1.10	.1599	----	----	----	----	143 UNCH
4200	66.10	66.10	75.10B/64.70A	75.10B/64.70A	----	68.30 - 1.10	.1615	----	----	62	----	194 + 8
4205	----	----	75.50B/65.40A	75.50B/65.40A	----	69.10 - 1.10	.1632	----	----	----	----	19 UNCH
4215	70.90	70.90	78.20B/67.10A	78.20B/67.10A	----	70.80 - 1.10	.1667	----	----	3	----	3 + 2
4220	----	----	78.70B/67.80A	78.70B/67.80A	----	71.60 - 1.10	.1683	----	----	----	----	9 UNCH
4225	----	----	79.60B/68.60A	79.60B/68.60A	----	72.40 - 1.10	.1700	----	----	----	----	1 UNCH
4230	----	----	80.70B/69.50A	80.70B/69.50A	----	73.30 - 1.10	.1718	----	----	----	----	10 UNCH
4235	----	----	81.80B/70.20A	81.80B/70.20A	----	74.20 NEW	.1736	----	----	2	----	1 + 1
4245	----	----	83.40B/72.00A	83.40B/72.00A	----	75.90 - 1.10	.1771	----	----	----	----	32 UNCH
4250	----	----	84.80B/72.80A	84.80B/72.80A	----	76.80 - 1.10	.1789	----	----	113	----	173 - 2
4255	----	----	85.70B/73.80A	85.70B/73.80A	----	77.70 - 1.10	.1808	----	----	----	----	883 UNCH
4260	----	----	86.70B/74.50A	86.70B/74.50A	----	78.60 - 1.10	.1826	----	----	----	----	8 UNCH
4270	----	----	88.40B/76.30A	88.40B/76.30A	----	80.50 - 1.10	.1864	----	----	----	----	3 UNCH
4275	----	----	89.70B/77.20A	89.70B/77.20A	----	81.40 - 1.10	.1882	----	----	----	----	6 UNCH
4285	----	----	91.90B/79.10A	91.90B/79.10A	----	83.30 - 1.10	.1920	----	----	----	----	170 UNCH
4290	----	----	92.90B/80.00A	92.90B/80.00A	----	84.30 - 1.10	.1939	----	----	----	----	2 UNCH
4295	----	----	93.70B/80.90A	93.70B/80.90A	----	85.30 - 1.10	.1959	----	----	----	----	2 UNCH
4300	93.80	93.80	95.10B/81.90A	95.10B/81.90A	----	86.30 - 1.00	.1978	----	----	33	----	455 + 18
4305	----	----	96.30B/82.90A	96.30B/82.90A	----	87.30 - 1.00	.1998	----	----	----	----	100 UNCH
4310	----	----	97.40B/83.90A	97.40B/83.90A	----	88.30 - 1.00	.2018	----	----	----	----	1 UNCH
4315	----	----	98.10B/84.80A	98.10B/84.80A	----	89.30 - 1.10	.2037	----	----	----	----	8 UNCH
4320	----	----	99.20B/85.80A	99.20B/85.80A	----	90.40 - 1.00	.2058	----	----	----	----	5 UNCH
4325	----	----	100.30B/86.90A	100.30B/86.90A	----	91.40 - 1.00	.2078	----	----	----	----	275 UNCH
4330	87.80	87.80	101.50B/87.70A	101.50B/87.70A	----	92.50 - 1.00	.2099	----	----	1	----	102 + 1
4340	----	----	104.30B/89.90A	104.30B/89.90A	----	94.60 - 1.00	.2139	----	----	----	----	1 UNCH
4350	----	----	106.80B/92.00A	106.80B/92.00A	----	96.80 - 1.00	.2181	----	----	----	----	632 UNCH
4355	----	----	107.40B/93.10A	107.40B/93.10A	----	98.00 - 0.90	.2203	----	----	----	----	2 UNCH
4360	94.00	94.00	108.70B/93.80A	108.70B/93.80A	----	99.10 - 0.90	.2224	----	----	1	----	51 + 1
4365	----	----	109.90B/95.30A	109.90B/95.30A	----	100.20 - 0.90	.2245	----	----	----	----	100 UNCH
4380	----	----	114.10B/98.70A	114.10B/98.70A	----	103.70 - 0.80	.2310	----	----	----	----	1 UNCH
4385	----	----	115.70B/100.00A	115.70B/100.00A	----	104.90 - 0.80	.2332	----	----	----	----	8 UNCH
4390	----	----	116.30B/101.00A	116.30B/101.00A	----	106.10 - 0.80	.2354	----	----	----	----	6 UNCH
4395	----	----	118.20B/102.30A	118.20B/102.30A	----	107.30 - 0.80	.2377	----	----	1	----	2 + 1
4400	----	----	119.50B/103.40A	119.50B/103.40A	----	108.50 - 0.80	.2399	----	----	1	----	838 UNCH
4410	----	----	121.90B/105.80A	121.90B/105.80A	----	111.00 - 0.70	.2444	----	----	----	----	1 UNCH
4415	----	----	123.60B/107.00A	123.60B/107.00A	----	112.30 - 0.70	.2467	----	----	----	----	6 UNCH
4420	----	----	124.50B/108.20A	124.50B/108.20A	----	113.50 - 0.70	.2490	----	----	----	----	2 UNCH
4425	----	----	126.70B/109.40A	126.70B/109.40A	----	114.80 - 0.70	.2513	----	----	----	----	3 UNCH
4435	----	----	129.40B/111.90A	129.40B/111.90A	----	117.40 - 0.70	.2560	----	----	----	----	6 UNCH
4440	----	----	130.40B/113.20A	130.40B/113.20A	----	118.70 - 0.70	.2583	----	----	----	----	37 UNCH
4450	----	----	133.10B/115.90A	133.10B/115.90A	----	121.40 - 0.60	.2630	----	----	----	----	325 UNCH
4455	----	----	135.30B/117.10A	135.30B/117.10A	----	122.80 - 0.60	.2655	----	----	----	----	1 UNCH
4460	----	----	136.80B/118.40A	136.80B/118.40A	----	124.20 - 0.50	.2679	----	----	----	----	4 UNCH
4465	----	----	138.30B/119.90A	138.30B/119.90A	----	125.50 - 0.60	.2703	----	----	----	----	10 UNCH
4470	----	----	139.30B/121.10A	139.30B/121.10A	----	126.90 - 0.60	.2727	----	----	----	----	14 UNCH
4475	----	----	140.90B/122.50A	140.90B/122.50A	----	128.40 - 0.50	.2752	----	----	----	----	15 UNCH
4480	----	----	141.70B/124.00A	141.70B/124.00A	----	129.80 - 0.50	.2776	----	----	----	----	107 UNCH
4485	126.30	126.30	143.50B/125.40A	143.50B/125.40A	----	131.20 - 0.50	.2801	----	----	2	----	12 + 2
4490	----	----	146.00B/126.80A	146.00B/126.80A	----	132.70 - 0.50	.2826	----	----	----	----	3 UNCH
4500	----	----	149.70B/129.70A	149.70B/129.70A	----	135.60 - 0.50	.2876	----	----	13	----	1315 + 13
4505	----	----	150.30B/131.10A	150.30B/131.10A	----	137.10 - 0.50	.2901	----	----	----	----	3 UNCH
4515	----	----	153.30B/134.00A	153.30B/134.00A	----	140.10 - 0.50	.2952	----	----	----	----	1 UNCH
4525	----	----	156.50B/137.00A	156.50B/137.00A	----	143.20 - 0.40	.3003	----	----	----	----	1 UNCH
4535	----	----	160.10B/140.10A	160.10B/140.10A	----	146.30 - 0.40	.3055	----	----	----	----	10 UNCH
4545	----	----	163.10B/143.20A	163.10B/143.20A	----	149.50 - 0.40	.3107	----	----	----	----	21 UNCH
4550	----	----	164.80B/144.90A	164.80B/144.90A	----	151.20 - 0.30	.3134	----	----	3	----	4 + 2
4560	----	----	168.50B/147.90A	168.50B/147.90A	----	154.50 - 0.20	.3187	----	----	----	----	3 UNCH
4570	----	----	171.50B/151.30A	171.50B/151.30A	----	157.80 - 0.20	.3240	----	----	----	----	10 UNCH
4575	153.00	153.00	175.50B/152.80A	175.50B/152.80A	----	159.50 - 0.20	.3267	----	----	1	----	4 + 1
4580	162.80	162.80	176.10B/154.50A	176.10B/154.50A	----	161.20 - 0.20	.3294	----	----	1	----	165 UNCH
4585	----	----	177.90B/156.10A	177.90B/156.10A	----	162.90 - 0.20	.3321	----	----	----	----	2 UNCH
4590	160.40	160.40	179.60B/157.80A	179.60B/157.80A	----	164.70 - 0.10	.3348	----	----	5	----	10 + 4
4600	180.00	180.00	184.70B/160.20	184.70B/160.20	----	168.20 - 0.10	.3403	----	----	14	----	360 + 5
4605	----	----	184.90B/163.10A	184.90B/163.10A	----	170.00 - 0.10	.3431	----	----	----	----	3 UNCH
4610	----	----	186.80B/164.70A	186.80B/164.70A	----	171.80 UNCH	.3458	----	----	----	----	2 UNCH
4620	----	----	191.40B/168.30A	191.40B/168.30A	----	175.50 + 0.10	.3514	----	----	----	----	3 UNCH
4625	----	----	192.80B/170.10A	192.80B/170.10A	----	177.30 + 0.10	.3542	----	----	----	----	100 UNCH
4640	----	----	198.90B/175.60A	198.90B/175.60A	----	183.00 + 0.20	.3626	----	----	----	----	302 UNCH
4645	----	----	201.60B/177.40A	201.60B/177.40A	----	184.90 + 0.30	.3655	----	----	----	----	127 UNCH
4650	----	----	202.50B/179.30A	202.50B/179.30A	----	186.80 + 0.30	.3683	----	----	----	----	312 UNCH
4665	----	----	210.70B/184.90A	210.70B/184.90A	----	192.80 + 0.50	.3769	----	----	----	----	1 UNCH
4675	----	----	215.40B/188.90A	215.40B/188.90A	----	196.80 + 0.70	.3827	----	----	----	----	2 UNCH
4680	----	----	216.00B/190.80A	216.00B/190.80A	----	198.80 + 0.70	.3855	----	----	----	----	5 UNCH
4700	221.00	221.00	226.60B/198.80A	226.60B/198.80A	----	207.20 + 1.10	.3972	----	----	11	----	468 - 5
4705	----	----	228.40B/200.90A	228.40B/200.90A	----	209.30 + 1.10	.4001	----	----	----	----	50 UNCH
4710	----	----	229.40B/202.90A	229.40B/202.90A	----	211.40 + 1.20	.4030	----	----	----	----	6 UNCH
4715	----	----	230.40B/205.00A	230.40B/205.00A	----	213.60 + 1.30	.4060	----	----	----	----	1 UNCH
4720	----	----	235.40B/207.00A	235.40B/207.00A	----	215.80 + 1.40	.4089	----	----	----	----	9 UNCH
4725	----	----	237.60B/209.20A	237.60B/209.20A	----	218.00 + 1.50	.4119	----	----	----	----	30 UNCH
4730	----	----	238.60B/211.40A	238.60B/211.40A	----	220.20 + 1.60	.4148	----	----	----	----	1 UNCH
4735	----	----	242.00B/213.50A	242.00B/213.50A	----	222.40 + 1.60	.4178	----	----	----	----	59 UNCH
4740	----	----	242.10B/215.60A	242.10B/215.60A	----	224.70 + 1.80	.4208	----	----	----	----	15 UNCH
4745	----	----	247.00B/217.60A	247.00B/217.60A	----	226.90 + 1.80	.4237	----	----	----	----	3 UNCH
4750	240.50	240.50	249.60B/219.90A	249.60B/219.90A	----	229.20 + 1.90	.4267	----	----	2	----	175 - 1
4760	----	----	253.80B/224.20A	253.80B/224.20A	----	233.80 + 2.00	.4327	----	----	----	----	1 UNCH
4775	----	----	260.00B/231.00A	260.00B/231.00A	----	240.90 + 2.30	.4416	----	----	----	----	57 UNCH
4780	----	----	261.50B/233.30A	261.50B/233.30A	----	243.30 + 2.40	.4446	----	----	----	----	14 UNCH
4785	----	----	266.80B/235.80A	266.80B/235.80A	----	245.70 + 2.50	.4476	----	----	----	----	17 UNCH
4795	----	----	269.40B/240.30A	269.40B/240.30A	----	250.60 + 2.70	.4536	----	----	----	----	2 UNCH
4800	----	----	272.70B/242.70A	272.70B/242.70A	----	253.10 + 2.90	.4566	----	----	99	----	786 - 61
4805	----	----	274.80B/245.10A	274.80B/245.10A	----	255.60 + 3.00	.4596	----	----	----	----	1 UNCH
4810	----	----	279.50B/247.50A	279.50B/247.50A	----	258.10 + 3.10	.4626	----	----	----	----	3 UNCH
4820	----	----	284.70B/252.30A	284.70B/252.30A	----	263.20 + 3.40	.4686	----	----	----	----	1 UNCH
4835	----	----	291.40B/259.60A	291.40B/259.60A	----	271.00 + 3.80	.4776	----	----	----	----	36 UNCH
4840	----	----	293.70B/262.20A	293.70B/262.20A	----	273.60 + 3.90	.4806	----	----	----	----	11 UNCH
4850	----	----	300.00B/267.20A	300.00B/267.20A	----	278.90 + 4.20	.4865	----	----	----	----	66 UNCH
4855	----	----	303.00B/269.90A	303.00B/269.90A	----	281.60 + 4.30	.4895	----	----	----	----	10 UNCH
4860	----	----	306.30B/272.30A	306.30B/272.30A	----	284.30 NEW	.4925	----	----	3	----	3 + 3
4865	----	----	308.50B/275.00A	308.50B/275.00A	----	287.00 + 4.50	.4955	----	----	----	----	2 UNCH
4870	----	----	311.40B/277.50A	311.40B/277.50A	----	289.70 + 4.60	.4985	----	----	----	----	14 UNCH
4875	----	----	314.10B/280.00A	314.10B/280.00A	----	292.50 + 4.70	.5014	----	----	----	----	76 UNCH
4900	----	----	328.40B/293.50A	328.40B/293.50A	----	306.40 + 5.20	.5162	----	----	----	----	355 UNCH
4905	----	----	331.90B/296.20A	331.90B/296.20A	----	309.20 + 5.30	.5192	----	----	----	----	17 UNCH
4925	----	----	337.50B/307.30A	337.50B/307.30A	----	320.70 + 5.70	.5309	----	----	----	----	50 UNCH
4950	----	----	351.70B/321.50A	351.70B/321.50A	----	335.40 + 6.30	.5455	----	----	----	----	31 UNCH
4955	----	----	355.40B/324.50A	355.40B/324.50A	----	338.30 + 6.30	.5484	----	----	----	----	1 UNCH
4980	----	----	370.20B/338.90A	370.20B/338.90A	----	353.40 + 6.90	.5628	----	----	----	----	1 UNCH
5000	----	----	382.30B/350.90A	382.30B/350.90A	----	365.70 + 7.30	.5743	----	----	----	----	317 UNCH
5010	----	----	389.40B/357.30A	389.40B/357.30A	----	371.90 + 7.50	.5800	----	----	----	----	1 UNCH
5025	----	----	398.90B/366.60A	398.90B/366.60A	----	381.30 + 7.70	.5884	----	----	----	----	25 UNCH
5030	----	----	401.70B/369.70A	401.70B/369.70A	----	384.50 + 7.90	.5912	----	----	----	----	1 UNCH
5040	----	----	408.90B/376.00A	408.90B/376.00A	----	390.90 + 8.10	.5968	----	----	----	----	4 UNCH
5045	----	----	412.20B/379.20A	412.20B/379.20A	----	394.10 + 8.20	.5996	----	----	----	----	31 UNCH
5050	----	----	417.50B/382.40A	417.50B/382.40A	----	397.30 + 8.20	.6024	----	----	----	----	351 UNCH
5070	----	----	421.20B/395.30A	421.20B/395.30A	----	410.30 + 8.50	.6134	----	----	----	----	17 UNCH
5080	----	----	424.30B/401.80A	424.30B/401.80A	----	417.00 + 8.80	.6189	----	----	----	----	3 UNCH
5100	----	----	438.00B/415.10A	438.00B/415.10A	----	430.40 + 9.10	.6296	----	----	----	----	81 UNCH
5120	----	----	452.00B/428.50A	452.00B/428.50A	----	444.20 + 9.60	.6401	----	----	----	----	2 UNCH
5180	----	----	495.00B/470.30A	495.00B/470.30A	----	487.00 + 10.90	.6704	----	----	----	----	1 UNCH
5195	----	----	506.10B/481.00A	506.10B/481.00A	----	498.00 + 11.30	.6776	----	----	----	----	2 UNCH
5200	----	----	509.80B/484.70A	509.80B/484.70A	----	501.70 + 11.40	.6800	----	----	----	----	112 UNCH
5265	----	----	559.60B/532.70A	559.60B/532.70A	----	551.00 + 13.00	.7098	----	----	----	----	1 UNCH
5300	----	----	587.20B/559.30A	587.20B/559.30A	----	578.30 + 13.80	.7248	----	----	----	----	3 UNCH
5355	----	----	631.60B/602.30A	631.60B/602.30A	----	622.20 + 15.10	.7473	----	----	----	----	1 UNCH
5400	----	----	668.70B/638.40A	668.70B/638.40A	----	658.90 + 16.10	.7646	----	----	----	----	76 UNCH
5460	----	----	719.40B/687.60A	719.40B/687.60A	----	708.90 + 17.30	.7860	----	----	----	----	1 UNCH
5500	----	----	751.60B/721.20A	751.60B/721.20A	----	742.80 + 18.10	.7992	----	----	----	----	3 UNCH
5530	----	----	760.20B/746.70A	760.20B/746.70A	----	768.60 + 18.60	.8086	----	----	----	----	1 UNCH
5575	----	----	----	629.90B/987.00A	----	807.80 + 19.50	.8218	----	----	----	----	2 UNCH
TOTAL										415		22021 + 1
SEP26												
2350	----	----	----	0.10B/9.50A	----	1.50 - 0.10	.0032	----	----	----	----	54 UNCH
2375	----	----	----	0.10B/15.40A	----	1.60 - 0.10	.0034	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
2400	----	----	----	0.10B/15.60A	----	1.70 - 0.10	.0036	----	----	----	----	1 UNCH
2500	----	----	----	1.00B/3.70A	----	2.10 - 0.10	.0045	----	----	----	----	4 UNCH
2600	----	----	----	1.40B/4.10A	----	2.60 - 0.20	.0057	----	----	----	----	2 UNCH
3000	----	----	----	3.90B/7.30A	----	5.90 - 0.30	.0135	----	----	----	----	2 UNCH
3145	----	----	----	5.90B/9.40A	----	8.10 - 0.50	.0187	----	----	----	----	15 UNCH
3150	----	----	----	6.00B/9.50A	----	8.20 - 0.50	.0189	----	----	----	----	2 UNCH
3200	----	----	----	6.90B/10.40A	----	9.10 - 0.50	.0210	----	----	----	----	1 UNCH
3270	----	----	----	8.20B/11.70A	----	10.60 - 0.60	.0245	----	----	----	----	15 UNCH
3300	----	----	----	8.90B/12.50A	----	11.30 - 0.70	.0262	----	----	----	----	1 UNCH
3475	----	----	----	14.20B/17.60A	----	16.50 - 0.90	.0382	----	----	----	----	2 UNCH
3480	----	----	----	14.40B/17.80A	----	16.60 - 1.00	.0385	----	----	----	----	780 UNCH
3500	17.40	17.40	17.40/17.40	17.40/17.40	----	17.40 - 1.00	.0403	----	----	1	----	19 UNCH
3525	----	----	----	16.20B/19.50A	----	18.40 - 1.00	.0426	----	----	----	----	2 UNCH
3565	----	----	----	17.90B/21.20A	----	20.10 - 1.00	.0464	----	----	----	----	1 UNCH
3610	----	----	----	20.20B/23.30A	----	22.20 - 1.10	.0511	----	----	----	----	1 UNCH
3625	----	----	----/24.00A	21.00B/24.00A	----	23.00 - 1.10	.0529	----	----	----	----	1 UNCH
3650	----	----	----/25.30A	23.50B/25.30A	----	24.30 - 1.10	.0557	----	----	----	----	66 UNCH
3700	----	----	----/27.50A	26.90B/27.50A	----	27.30 - 1.10	.0622	----	----	----	----	144 UNCH
3720	----	----	----/29.00A	28.20B/29.00A	----	28.50 - 1.20	.0649	----	----	----	----	50 UNCH
3755	----	----	----/31.20A	30.60B/31.20A	----	30.90 - 1.20	.0700	----	----	----	----	310 UNCH
3800	----	----	----/34.40A	34.00B/34.40A	----	34.30 - 1.10	.0771	----	----	----	----	1 UNCH
3850	----	----	----/38.20A	37.90B/38.20A	----	38.40 - 1.20	.0857	----	----	----	----	20 UNCH
3880	----	----	----/41.00A	40.80B/41.00A	----	41.20 - 1.20	.0914	----	----	----	----	26 UNCH
3900	----	----	----/42.80A	42.70B/42.80A	----	43.10 - 1.20	.0952	----	----	----	----	211 UNCH
3910	----	----	----/43.70A	43.80B/43.70A	----	44.10 - 1.20	.0972	----	----	----	----	2 UNCH
3920	----	----	----/44.60A	44.80B/44.60A	----	45.10 - 1.20	.0993	----	----	----	----	14 UNCH
3930	----	----	----/45.60A	45.90B/45.60A	----	46.20 - 1.20	.1014	----	----	----	----	2 UNCH
3945	----	----	----/47.00A	47.50B/47.00A	----	47.80 - 1.20	.1046	----	----	----	----	330 UNCH
3950	----	----	----/47.50A	48.00B/47.50A	----	48.30 - 1.20	.1056	----	----	----	----	324 UNCH
4000	----	----	----/52.80A	54.10B/52.80A	----	54.10 - 1.30	.1170	----	----	----	----	715 UNCH
4005	----	----	----/53.40A	54.70B/53.40A	----	54.70 - 1.30	.1181	----	----	----	----	1 UNCH
4020	----	----	----/55.10A	56.60B/55.10A	----	56.60 - 1.30	.1218	----	----	----	----	14 UNCH
4030	----	----	----/56.30A	57.90B/56.30A	----	57.90 - 1.30	.1243	----	----	1	----	2 + 1
4050	59.10	59.10	59.10/58.60A	61.00B/58.60A	----	60.50 - 1.30	.1293	----	----	2	----	43 UNCH
4080	----	----	----/62.40A	65.10B/62.40A	----	64.60 - 1.40	.1370	----	----	----	----	4 UNCH
4085	----	----	70.10B/63.10A	70.10B/63.10A	----	65.40 - 1.40	.1385	----	----	----	----	76 UNCH
4100	----	----	72.30B/65.20A	72.30B/65.20A	----	67.60 - 1.40	.1426	----	----	----	----	21 UNCH
4130	----	----	77.00B/69.40A	77.00B/69.40A	----	72.10 - 1.50	.1510	----	----	1	----	20 UNCH
4135	----	----	77.70B/70.10A	77.70B/70.10A	----	72.90 - 1.50	.1524	----	----	----	----	3 UNCH
4150	----	----	80.60B/72.30A	80.60B/72.30A	----	75.30 - 1.50	.1568	----	----	----	----	4 UNCH
4185	----	----	86.60B/78.30A	86.60B/78.30A	----	81.20 - 1.50	.1675	----	----	----	----	76 UNCH
4200	86.00	86.00	89.40B/80.80A	89.40B/80.80A	----	83.90 - 1.40	.1722	----	----	2	----	108 + 2
4220	----	----	93.30B/84.30A	93.30B/84.30A	----	87.50 - 1.40	.1786	----	----	----	----	113 UNCH
4225	----	----	94.20B/85.20A	94.20B/85.20A	----	88.40 - 1.50	.1802	----	----	----	----	3 UNCH
4230	----	----	95.20B/86.20A	95.20B/86.20A	----	89.40 - 1.40	.1820	----	----	----	----	1 UNCH
4240	----	----	97.70B/88.00A	97.70B/88.00A	----	91.30 - 1.40	.1853	----	----	----	----	56 UNCH
4250	----	----	99.40B/89.90A	99.40B/89.90A	----	93.20 - 1.40	.1886	----	----	----	----	62 UNCH
4300	----	----	112.20B/99.90A	112.20B/99.90A	----	103.50 - 1.30	.2062	----	----	----	----	84 UNCH
4320	----	----	116.90B/104.10A	116.90B/104.10A	----	107.90 - 1.20	.2135	----	----	----	----	152 UNCH
4350	----	----	122.20B/110.90A	122.20B/110.90A	----	114.70 - 1.20	.2248	----	----	----	----	20 UNCH
4365	----	----	127.40B/114.20A	127.40B/114.20A	----	118.30 - 1.20	.2307	----	----	----	----	5 UNCH
4390	----	----	133.50B/120.30A	133.50B/120.30A	----	124.50 - 1.10	.2406	----	----	----	----	15 UNCH
4400	----	----	136.60B/122.70A	136.60B/122.70A	----	127.10 - 1.00	.2447	----	----	----	----	36 UNCH
4410	----	----	139.10B/125.20A	139.10B/125.20A	----	129.70 - 0.90	.2488	----	----	----	----	7 UNCH
4420	----	----	141.80B/127.80A	141.80B/127.80A	----	132.30 - 0.90	.2529	----	----	----	----	1 UNCH
4430	----	----	144.60B/130.50A	144.60B/130.50A	----	135.00 - 0.90	.2571	----	----	----	----	2 UNCH
4440	----	----	147.20B/133.10A	147.20B/133.10A	----	137.70 - 0.90	.2613	----	----	----	----	8 UNCH
4450	----	----	150.50B/135.90A	150.50B/135.90A	----	140.50 - 0.80	.2655	----	----	----	----	430 UNCH
4475	----	----	158.10B/142.80A	158.10B/142.80A	----	147.70 - 0.70	.2764	----	----	----	----	3 UNCH
4490	----	----	165.00B/147.10A	165.00B/147.10A	----	152.20 - 0.50	.2830	----	----	----	----	50 UNCH
4500	----	----	164.50B/150.00A	164.50B/150.00A	----	155.20 - 0.50	.2875	----	----	----	----	459 UNCH
4550	----	----	182.90B/165.50A	182.90B/165.50A	----	171.30 - 0.10	.3105	----	----	----	----	350 UNCH
4560	----	----	185.40B/168.70A	185.40B/168.70A	----	174.70 UNCH	.3152	----	----	----	----	7 UNCH
4580	----	----	193.50B/175.40A	193.50B/175.40A	----	181.60 + 0.20	.3247	----	----	----	----	1 UNCH
4620	----	----	207.20B/189.30A	207.20B/189.30A	----	196.10 + 0.50	.3441	----	----	----	----	500 UNCH
4650	----	----	220.50B/200.10A	220.50B/200.10A	----	207.60 + 0.80	.3589	----	----	----	----	2 UNCH
4700	----	----	240.70B/219.50A	240.70B/219.50A	----	227.80 + 1.30	.3842	----	----	----	----	75 UNCH
4725	----	----	252.30B/229.80A	252.30B/229.80A	----	238.50 + 1.70	.3970	----	----	----	----	1 UNCH
4730	----	----	253.00B/231.90A	253.00B/231.90A	----	240.60 + 1.70	.3996	----	----	----	----	5 UNCH
4740	243.20	243.20	258.50B/236.10A	258.50B/236.10A	----	245.00 NEW	.4047	----	----	2	----	2 + 2
4750	----	----	262.70B/240.40A	262.70B/240.40A	----	249.40 + 2.00	.4099	----	----	----	----	150 UNCH
4760	----	----	268.40B/244.80A	268.40B/244.80A	----	253.90 + 2.10	.4151	----	----	----	----	100 UNCH
4775	----	----	275.00B/251.40A	275.00B/251.40A	----	260.70 + 2.30	.4229	----	----	----	----	18 UNCH
4800	273.70	273.70	286.80B/262.70A	286.80B/262.70A	----	272.30 + 2.60	.4360	----	----	5	----	30 + 3
4825	----	----	299.90B/274.50A	299.90B/274.50A	----	284.40 + 2.90	.4491	----	----	----	----	2 UNCH
4835	----	----	303.80B/279.30A	303.80B/279.30A	----	289.40 + 3.10	.4544	----	----	----	----	30 UNCH
4900	----	----	338.80B/311.90A	338.80B/311.90A	----	323.10 + 3.70	.4886	----	----	----	----	3 UNCH
4930	----	----	352.20B/327.90A	352.20B/327.90A	----	339.60 + 4.10	.5042	----	----	----	----	20 UNCH
4950	----	----	363.30B/338.80A	363.30B/338.80A	----	350.90 + 4.40	.5146	----	----	----	----	1 UNCH
4975	----	----	378.30B/352.70A	378.30B/352.70A	----	365.30 + 4.70	.5274	----	----	----	----	210 UNCH
5000	----	----	392.60B/367.10A	392.60B/367.10A	----	380.10 + 5.10	.5402	----	----	----	----	10 UNCH
5005	----	----	395.70B/370.00A	395.70B/370.00A	----	383.10 + 5.20	.5427	----	----	----	----	3 UNCH
5020	----	----	404.50B/378.90A	404.50B/378.90A	----	392.10 + 5.30	.5503	----	----	----	----	3 UNCH
5100	----	----	455.30B/428.10A	455.30B/428.10A	----	442.30 + 6.80	.5899	----	----	----	----	28 UNCH
5105	----	----	459.70B/431.20A	459.70B/431.20A	----	445.60 + 6.90	.5923	----	----	----	----	2 UNCH
5200	----	----	516.50B/494.30A	516.50B/494.30A	----	509.90 + 9.20	.6365	----	----	----	----	47 UNCH
5230	----	----	538.00B/515.10A	538.00B/515.10A	----	531.20 + 9.90	.6499	----	----	----	----	400 UNCH
5300	----	----	589.50B/565.30A	589.50B/565.30A	----	582.40 + 11.40	.6794	----	----	----	----	300 UNCH
5400	----	----	----/640.60A	640.20B/640.60A	----	659.10 + 13.40	.7184	----	----	----	----	100 UNCH
5420	----	----	----	486.60B/863.90A	----	674.90 + 13.80	.7257	----	----	----	----	80 UNCH
5450	----	----	----	510.80B/887.60A	----	698.80 + 14.30	.7364	----	----	----	----	1 UNCH
5500	----	----	----	552.20B/927.60A	----	739.30 + 15.10	.7534	----	----	----	----	3 UNCH
6000	----	----	----	1000.40B/1360.50A	----	1179.60 + 23.70	.8722	----	----	----	----	2 UNCH
TOTAL										14		7486 + 8
OCT26												
2700	----	----	----	1.70B/6.30A	----	4.10 - 0.50	.0086	----	----	----	----	1 UNCH
2800	----	----	----	2.50B/7.30A	----	5.00 - 0.50	.0106	----	----	----	----	3 UNCH
3100	----	----	----	6.30B/12.00A	----	9.60 - 0.40	.0206	----	----	----	----	1 UNCH
3200	----	----	----	8.40B/14.40A	----	11.90 - 0.60	.0256	----	----	----	----	414 UNCH
3240	----	----	----	9.50B/15.50A	----	13.00 - 0.70	.0279	----	----	----	----	5 UNCH
3300	----	----	----	11.40B/17.30A	----	14.90 - 0.70	.0319	----	----	----	----	415 UNCH
3340	----	----	----	12.70B/18.70A	----	16.30 - 0.80	.0348	----	----	----	----	9 UNCH
3360	----	----	----	13.30B/19.40A	----	17.10 - 0.80	.0364	----	----	----	----	1 UNCH
3380	----	----	----	14.10B/20.20A	----	17.80 - 0.90	.0379	----	----	----	----	1 UNCH
3390	----	----	----	14.50B/20.60A	----	18.20 - 0.90	.0387	----	----	----	----	4 UNCH
3400	----	----	----	14.90B/21.00A	----	18.60 - 0.90	.0395	----	----	----	----	150 UNCH
3480	----	----	----	18.40B/24.40A	----	22.20 - 1.10	.0468	----	----	----	----	12 UNCH
3500	----	----	----	19.40B/25.40A	----	23.20 - 1.10	.0489	----	----	----	----	10 UNCH
3520	----	----	----	20.40B/26.40A	----	24.20 - 1.20	.0509	----	----	----	----	12 UNCH
3550	----	----	----	23.00B/27.90A	----	25.80 - 1.30	.0541	----	----	----	----	25 UNCH
3600	----	----	----/29.80A	27.60B/29.80A	----	28.90 - 1.20	.0602	----	----	----	----	177 UNCH
3615	----	----	----/30.00A	28.60B/30.00A	----	29.90 - 1.20	.0621	----	----	----	----	1 UNCH
3700	----	----	----/36.50A	34.80B/36.50A	----	36.20 - 0.70	.0742	----	----	----	----	170 UNCH
3750	----	----	----/40.70A	38.90B/40.70A	----	40.50 - 0.50	.0822	----	----	----	----	19 UNCH
3770	----	----	----/42.50A	40.80B/42.50A	----	42.40 - 0.30	.0856	----	----	----	----	1 UNCH
3785	----	----	----/43.80A	42.20B/43.80A	----	43.80 - 0.30	.0882	----	----	----	----	1 UNCH
3800	44.00	44.00	44.00/42.00	44.00/42.00	----	45.20 - 0.30	.0908	----	----	5	----	22 + 2
3805	----	----	----/45.30A	44.20B/45.30A	----	45.70 - 0.30	.0917	----	----	----	----	1 UNCH
3865	----	----	----/51.70A	50.60B/51.70A	----	51.80 - 0.50	.1029	----	----	----	----	2 UNCH
3870	----	----	----/52.20A	51.10B/52.20A	----	52.40 - 0.50	.1040	----	----	----	----	1 UNCH
3875	----	----	----/52.70A	51.70B/52.70A	----	52.90 - 0.60	.1049	----	----	----	----	12 UNCH
3885	----	----	----/53.80A	52.80B/53.80A	----	54.00 - 0.60	.1069	----	----	----	----	5 UNCH
3890	----	----	----/54.30A	53.40B/54.30A	----	54.60 - 0.60	.1079	----	----	----	----	2 UNCH
3895	----	----	----/54.80A	54.00B/54.80A	----	55.10 - 0.70	.1089	----	----	----	----	2 UNCH
3900	----	----	----/55.40A	54.70B/55.40A	----	55.70 - 0.80	.1099	----	----	----	----	22 UNCH
3920	----	----	----/57.70A	57.10B/57.70A	----	58.00 - 1.00	.1141	----	----	----	----	28 UNCH
3930	----	----	----/58.70A	58.30B/58.70A	----	59.20 - 1.00	.1162	----	----	----	----	2 UNCH
3940	----	----	----/59.90A	59.70B/59.90A	----	60.50 - 1.00	.1185	----	----	----	----	65 UNCH
3950	----	----	----/61.10A	60.90B/61.10A	----	61.70 - 1.20	.1206	----	----	----	----	2 UNCH
3975	----	----	----/64.10A	64.30B/64.10A	----	64.90 - 1.40	.1263	----	----	----	----	5 UNCH
4000	67.30	67.30	68.00B/67.30	68.00B/67.30	----	68.30 - 1.60	.1322	----	----	1	----	407 + 1
4030	----	----	----/71.40A	72.60B/71.40A	----	72.60 - 1.80	.1395	----	----	----	----	2 UNCH
4050	----	----	----/74.20A	75.90B/74.20A	----	75.70 - 1.80	.1447	----	----	----	----	5 UNCH
4070	----	----	----/77.20A	79.10B/77.20A	----	78.80 - 1.90	.1499	----	----	----	----	24 UNCH
4100	----	----	----/82.00A	84.40B/82.00A	----	83.80 - 2.00	.1582	----	----	----	----	314 UNCH
4130	----	----	----/87.10A	89.60B/87.10A	----	89.00 - 2.00	.1666	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
4150	----	----	----/90.70A	93.70B/90.70A	----	92.70 - 2.00	.1726	----	----	----	----	5 UNCH
4200	----	----	----/100.10A	104.00B/100.10A	----	102.50 - 1.80	.1879	----	----	----	----	131 UNCH
4220	----	----	----/104.10A	107.80B/104.10A	----	106.70 - 1.70	.1944	----	----	----	----	5 UNCH
4235	----	----	----/107.20A	111.40B/107.20A	----	109.90 - 1.60	.1993	----	----	----	----	1 UNCH
4250	----	----	----/110.40A	114.60B/110.40A	----	113.20 - 1.60	.2043	----	----	2	----	72 UNCH
4265	----	----	118.30B/113.60A	118.30B/113.60A	----	116.50 - 1.60	.2093	----	----	----	----	200 UNCH
4270	----	----	119.30B/114.70A	119.30B/114.70A	----	117.70 - 1.50	.2110	----	----	----	----	226 UNCH
4300	----	----	126.90B/121.50A	126.90B/121.50A	----	124.80 - 1.30	.2215	----	----	----	----	476 UNCH
4355	----	----	141.10B/134.80A	141.10B/134.80A	----	138.60 - 1.10	.2415	----	----	----	----	11 UNCH
4375	----	----	147.30B/140.00A	147.30B/140.00A	----	143.90 - 1.00	.2490	----	----	----	----	10 UNCH
4400	----	----	153.90B/146.80A	153.90B/146.80A	----	150.80 - 0.90	.2586	----	----	----	----	302 UNCH
4430	----	----	163.80B/155.20A	163.80B/155.20A	----	159.40 - 0.90	.2703	----	----	----	----	3 UNCH
4450	----	----	169.50B/161.00A	169.50B/161.00A	----	165.40 - 0.70	.2784	----	----	----	----	26 UNCH
4500	----	----	185.70B/176.40A	185.70B/176.40A	----	181.00 - 0.70	.2990	----	----	----	----	56 UNCH
4600	----	----	222.40B/210.50A	222.40B/210.50A	----	215.60 - 0.60	.3423	----	----	----	----	419 UNCH
4610	----	----	226.50B/214.20A	226.50B/214.20A	----	219.40 - 0.50	.3468	----	----	----	----	5 UNCH
4675	----	----	253.30B/239.10A	253.30B/239.10A	----	244.90 - 0.30	.3764	----	----	----	----	1 UNCH
4700	----	----	264.10B/249.40A	264.10B/249.40A	----	255.30 - 0.20	.3881	----	----	----	----	64 UNCH
4750	----	----	286.70B/271.00A	286.70B/271.00A	----	277.50 + 0.30	.4117	----	----	2	----	173 UNCH
4775	----	----	298.70B/282.20A	298.70B/282.20A	----	289.30 + 0.80	.4236	----	----	----	----	1 UNCH
4800	----	----	311.80B/293.90A	311.80B/293.90A	----	301.50 + 1.30	.4355	----	----	----	----	126 UNCH
4845	----	----	334.10B/315.50A	334.10B/315.50A	----	324.70 + 2.60	.4570	----	----	----	----	17 UNCH
4850	----	----	336.70B/318.20A	336.70B/318.20A	----	327.40 + 2.80	.4594	----	----	----	----	83 UNCH
4875	----	----	349.90B/330.90A	349.90B/330.90A	----	340.70 + 3.30	.4712	----	----	----	----	1 UNCH
4900	----	----	363.50B/343.80A	363.50B/343.80A	----	354.20 + 3.70	.4831	----	----	----	----	110 UNCH
4910	----	----	369.60B/348.90A	369.60B/348.90A	----	359.70 + 3.90	.4878	----	----	----	----	1 UNCH
4920	----	----	374.60B/354.30A	374.60B/354.30A	----	365.20 + 4.10	.4925	----	----	----	----	1 UNCH
4925	----	----	377.40B/357.00A	377.40B/357.00A	----	368.00 + 4.10	.4949	----	----	----	----	25 UNCH
4935	----	----	383.00B/362.40A	383.00B/362.40A	----	373.50 NEW	.4996	----	----	5	----	5 + 5
4980	----	----	409.10B/387.40A	409.10B/387.40A	----	399.10 + 4.70	.5206	----	----	----	----	1 UNCH
5000	----	----	421.00B/398.90A	421.00B/398.90A	----	410.80 + 4.90	.5299	----	----	----	----	47 UNCH
5010	----	----	427.00B/404.90A	427.00B/404.90A	----	416.70 + 5.00	.5345	----	----	----	----	1 UNCH
5050	----	----	451.60B/428.70A	451.60B/428.70A	----	441.00 + 5.70	.5527	----	----	----	----	25 UNCH
5200	----	----	543.10B/524.90A	543.10B/524.90A	----	539.70 + 9.20	.6174	----	----	----	----	100 UNCH
5230	----	----	564.50B/545.20A	564.50B/545.20A	----	560.70 + 9.90	.6296	----	----	----	----	2 UNCH
5250	----	----	578.70B/559.20A	578.70B/559.20A	----	574.80 + 10.30	.6375	----	----	----	----	75 UNCH
5300	----	----	614.90B/594.40A	614.90B/594.40A	----	610.90 + 11.20	.6570	----	----	----	----	6 UNCH
5425	----	----	709.60B/687.10A	709.60B/687.10A	----	705.00 + 13.10	.7023	----	----	----	----	1 UNCH
5455	----	----	717.10B/710.20A	717.10B/710.20A	----	728.40 + 13.60	.7124	----	----	----	----	40 UNCH
5600	----	----	----	643.10B/1046.60A	----	845.40 + 16.10	.7571	----	----	----	----	1 UNCH
5700	----	----	----	729.30B/1128.90A	----	929.30 + 17.50	.7841	----	----	----	----	1 UNCH
TOTAL										15		5212 + 8
NOV26												
2750	----	----	----	1.60B/9.30A	----	5.60 - 0.50	.0111	----	----	----	----	1 UNCH
2800	----	----	----	2.10B/10.00A	----	6.20 - 0.60	.0123	----	----	----	----	8 UNCH
2900	----	----	----	3.30B/11.80A	----	7.90 - 0.60	.0156	----	----	----	----	1 UNCH
3000	----	----	----	4.80B/13.80A	----	9.90 - 0.60	.0195	----	----	----	----	95 UNCH
3120	----	----	----	7.40B/16.90A	----	12.80 - 0.80	.0252	----	----	----	----	10 UNCH
3180	----	----	----	9.00B/18.70A	----	14.60 - 0.80	.0286	----	----	----	----	10 UNCH
3200	----	----	----	9.50B/19.40A	----	15.20 - 0.90	.0298	----	----	----	----	93 UNCH
3215	----	----	----	9.90B/19.90A	----	15.70 - 0.90	.0308	----	----	----	----	1 UNCH
3220	----	----	----	10.30B/20.10A	----	15.90 - 0.80	.0311	----	----	----	----	1 UNCH
3225	----	----	----	10.30B/20.30A	----	16.10 - 0.80	.0315	----	----	----	----	1 UNCH
3235	----	----	----	10.60B/20.60A	----	16.40 - 0.90	.0321	----	----	----	----	2 UNCH
3250	----	----	----	11.20B/21.10A	----	17.00 - 0.80	.0332	----	----	----	----	18 UNCH
3255	----	----	----	11.30B/21.30A	----	17.10 - 0.90	.0334	----	----	----	----	18 UNCH
3300	----	----	----	13.00B/23.10A	----	18.90 - 0.90	.0368	----	----	----	----	20 UNCH
3310	----	----	----	13.20B/23.50A	----	19.30 - 0.90	.0375	----	----	----	----	1 UNCH
3320	----	----	----	13.80B/24.00A	----	19.70 - 0.90	.0383	----	----	----	----	16 UNCH
3350	----	----	----	15.00B/25.30A	----	21.00 - 1.00	.0407	----	----	----	----	180 UNCH
3455	----	----	----	20.20B/30.30A	----	26.20 - 1.20	.0503	----	----	----	----	1 UNCH
3475	----	----	----	21.30B/31.50A	----	27.40 - 1.10	.0524	----	----	1	----	2 + 1
3500	----	----	----	27.90B/33.00A	----	28.90 - 1.20	.0551	----	----	----	----	655 UNCH
3535	----	----	----	30.50B/35.10A	----	31.10 - 1.30	.0591	----	----	----	----	1 UNCH
3690	----	----	----	43.00B/45.20A	----	43.00 - 1.70	.0798	----	----	----	----	1 UNCH
3700	----	----	----	44.00B/45.60A	----	43.90 - 1.70	.0813	----	----	----	----	0 UNCH
3725	----	----	----/47.50A	46.20B/47.50A	----	46.20 - 1.80	.0852	----	----	----	----	1 UNCH
3740	----	----	----/49.30A	48.00B/49.30A	----	47.60 - 1.90	.0876	----	----	1	----	21 + 1
3750	----	----	----	49.00B/50.70A	----	48.60 - 1.90	.0892	----	----	----	----	150 UNCH
3780	----	----	----	52.30B/54.10A	----	51.70 - 2.00	.0944	----	----	----	----	1 UNCH
3800	----	----	----	54.50B/56.20A	----	53.80 - 2.10	.0979	----	----	----	----	25 UNCH
3820	----	----	----	56.90B/58.20A	----	56.10 - 2.10	.1016	----	----	----	----	20 UNCH
3875	----	----	----/64.10A	63.80B/64.10A	----	62.60 - 2.30	.1121	----	----	----	----	24 UNCH
4000	----	----	----/80.30A	82.00B/80.30A	----	80.20 - 2.60	.1394	----	----	----	----	2 UNCH
4100	----	----	100.20B/96.20A	100.20B/96.20A	----	97.10 - 2.80	.1646	----	----	----	----	1 UNCH
4160	----	----	112.60B/107.50A	112.60B/107.50A	----	108.70 - 2.80	.1811	----	----	----	----	1 UNCH
4170	----	----	114.20B/109.60A	114.20B/109.60A	----	110.70 - 2.80	.1840	----	----	----	----	1 UNCH
4200	----	----	120.80B/115.70A	120.80B/115.70A	----	117.00 - 2.80	.1928	----	----	----	----	4 UNCH
4205	----	----	122.40B/116.80A	122.40B/116.80A	----	118.10 - 2.80	.1943	----	----	----	----	1 UNCH
4215	----	----	124.20B/118.90A	124.20B/118.90A	----	120.30 - 2.80	.1973	----	----	----	----	5 UNCH
4275	----	----	138.80B/132.40A	138.80B/132.40A	----	134.10 - 2.70	.2160	----	----	----	----	3 UNCH
4320	----	----	151.00B/143.40A	151.00B/143.40A	----	145.40 - 2.50	.2308	----	----	----	----	43 UNCH
4350	----	----	159.40B/151.10A	159.40B/151.10A	----	153.20 - 2.60	.2409	----	----	----	----	3 UNCH
4400	----	----	173.40B/164.60A	173.40B/164.60A	----	167.20 - 2.40	.2584	----	----	----	----	3 UNCH
4425	----	----	181.70B/171.70A	181.70B/171.70A	----	174.50 - 2.30	.2674	----	----	----	----	72 UNCH
4500	----	----	206.60B/194.70A	206.60B/194.70A	----	198.10 - 2.00	.2954	----	----	----	----	40 UNCH
4580	----	----	235.70B/222.00A	235.70B/222.00A	----	226.00 - 1.60	.3268	----	----	----	----	10 UNCH
4640	----	----	259.40B/244.40A	259.40B/244.40A	----	248.80 - 1.30	.3512	----	----	----	----	90 UNCH
4700	----	----	284.80B/268.20A	284.80B/268.20A	----	273.30 - 0.70	.3762	----	----	----	----	2 UNCH
4725	----	----	294.90B/278.80A	294.90B/278.80A	----	284.00 - 0.50	.3868	----	----	----	----	2 UNCH
4800	322.00	322.00	331.00B/311.90A	331.00B/311.90A	----	318.00 + 0.40	.4189	----	----	1	----	2 + 1
4840	----	----	350.30B/330.80A	350.30B/330.80A	----	337.20 + 0.90	.4362	----	----	----	----	2 UNCH
4900	----	----	381.40B/360.50A	381.40B/360.50A	----	367.70 + 1.70	.4622	----	----	----	----	2 UNCH
4915	----	----	388.90B/367.90A	388.90B/367.90A	----	375.70 + 1.90	.4687	----	----	----	----	3 UNCH
4950	----	----	409.30B/386.50A	409.30B/386.50A	----	394.70 + 2.40	.4837	----	----	----	----	11 UNCH
4960	----	----	414.30B/392.00A	414.30B/392.00A	----	400.20 + 2.50	.4879	----	----	----	----	2 UNCH
5000	----	----	437.10B/414.10A	437.10B/414.10A	----	423.00 + 3.20	.5049	----	----	----	----	253 UNCH
5055	----	----	469.70B/445.50A	469.70B/445.50A	----	455.60 + 4.10	.5278	----	----	----	----	8 UNCH
5200	----	----	562.00B/535.20A	562.00B/535.20A	----	548.00 + 6.60	.5858	----	----	----	----	81 UNCH
5395	----	----	684.70B/669.60A	684.70B/669.60A	----	684.80 + 10.40	.6566	----	----	----	----	6 UNCH
5400	----	----	689.40B/673.20A	689.40B/673.20A	----	688.50 + 10.50	.6583	----	----	----	----	6 UNCH
5760	----	----	----	748.70B/1194.70A	----	973.20 + 16.50	.7631	----	----	----	----	1 UNCH
5975	----	----	----	938.00B/1377.00A	----	1158.20 + 19.40	.8101	----	----	----	----	1 UNCH
6000	----	----	----	960.60B/1398.70A	----	1180.20 + 19.60	.8148	----	----	----	----	1 UNCH
TOTAL										3		2040 + 3
DEC26												
1350	----	----	----	----/1.10A	----	0.20 UNCH	.0003	----	----	----	----	16 UNCH
1500	----	----	----	----/2.20A	----	0.30 - 0.10	.0005	----	----	----	----	1 UNCH
1600	----	----	----	----/3.00A	----	0.40 - 0.10	.0007	----	----	----	----	190 UNCH
1700	----	----	----	0.10B/2.00A	----	0.60 - 0.10	.0010	----	----	----	----	200 UNCH
1845	----	----	----	0.10B/21.20A	----	0.90 - 0.10	.0016	----	----	----	----	36 UNCH
1900	----	----	----	0.10B/21.50A	----	1.00 - 0.20	.0018	----	----	----	----	4 UNCH
2000	----	----	----	0.10B/22.30A	----	1.30 - 0.30	.0023	----	----	----	----	2 UNCH
2400	----	----	----	0.50B/6.70A	----	3.40 - 0.60	.0062	----	----	----	----	1 UNCH
2490	----	----	----	0.40B/7.70A	----	4.20 - 0.60	.0077	----	----	----	----	1 UNCH
2750	----	----	----	2.40B/11.20A	----	7.50 - 0.80	.0138	----	----	----	----	1 UNCH
2800	----	----	----	3.10B/12.10A	----	8.30 - 0.80	.0153	----	----	----	----	8 UNCH
2900	----	----	----	5.40B/14.00A	----	10.20 - 0.90	.0189	----	----	----	----	19 UNCH
2925	----	----	----	4.90B/14.70A	----	10.70 - 0.90	.0198	----	----	----	----	300 UNCH
2975	----	----	----	6.00B/16.00A	----	11.90 - 0.90	.0220	----	----	----	----	400 UNCH
3000	----	----	----	6.50B/16.70A	----	12.50 - 0.90	.0231	----	----	----	----	1363 UNCH
3160	----	----	----	11.00B/21.80A	----	17.30 - 1.00	.0318	----	----	----	----	2 UNCH
3175	----	----	----	11.50B/22.40A	----	17.80 - 1.00	.0328	----	----	----	----	1 UNCH
3190	----	----	----	12.10B/23.00A	----	18.40 - 1.00	.0338	----	----	----	----	5 UNCH
3250	----	----	----	14.50B/25.60A	----	20.70 - 1.10	.0380	----	----	----	----	15 UNCH
3300	----	----	----	16.70B/27.90A	----	23.00 - 1.10	.0420	----	----	----	----	6 UNCH
3400	----	----	----	22.10B/33.20A	----	28.10 - 1.40	.0509	----	----	----	----	1610 UNCH
3425	----	----	----	23.60B/34.70A	----	29.60 - 1.40	.0534	----	----	----	----	350 UNCH
3450	----	----	----	28.00B/36.20A	----	31.20 - 1.40	.0561	----	----	----	----	201 UNCH
3460	----	----	----	30.20B/36.90A	----	31.80 - 1.50	.0571	----	----	----	----	20 UNCH
3475	----	----	----	31.20B/37.40A	----	32.80 - 1.50	.0588	----	----	----	----	152 UNCH
3500	----	----	----	33.10B/37.00A	----	34.50 - 1.60	.0617	----	----	----	----	1457 UNCH
3550	----	----	----	37.00B/40.60A	----	38.20 - 1.70	.0678	----	----	----	----	18 UNCH
3565	----	----	----	38.20B/41.80A	----	39.40 - 1.70	.0697	----	----	----	----	2 UNCH
3590	----	----	----	40.30B/43.70A	----	41.40 - 1.90	.0730	----	----	----	----	1 UNCH
3600	----	----	----	41.20B/44.60A	----	42.30 - 1.80	.0744	----	----	----	----	353 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 23

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
3610	----	----	----	42.10B/45.70A	----	43.10 - 1.90	.0758	----	----	----	----	3 UNCH
3650	----	----	----	45.90B/49.40A	----	46.70 - 2.10	.0815	----	----	----	----	201 UNCH
3660	----	----	----	46.90B/50.20A	----	47.70 - 2.00	.0831	----	----	----	----	5 UNCH
3670	----	----	----	47.90B/51.70A	----	48.60 - 2.10	.0846	----	----	----	----	1 UNCH
3690	----	----	----	50.00B/53.70A	----	50.60 - 2.20	.0877	----	----	----	----	1 UNCH
3700	----	----	----	51.00B/54.70A	----	51.70 - 2.10	.0894	----	----	----	----	139 UNCH
3710	----	----	----	52.10B/55.70A	----	52.70 - 2.20	.0910	----	----	----	----	37 UNCH
3720	----	----	----	53.20B/57.20A	----	53.80 - 2.20	.0926	----	----	----	----	1 UNCH
3725	----	----	----	53.80B/57.70A	----	54.30 - 2.20	.0934	----	----	----	----	6 UNCH
3750	----	----	----	56.60B/60.40A	----	57.10 - 2.30	.0977	----	----	----	----	166 UNCH
3760	----	----	----	57.80B/61.20A	----	58.20 - 2.30	.0994	----	----	----	----	184 UNCH
3780	----	----	----	60.20B/63.90A	----	60.50 - 2.40	.1030	----	----	----	----	1 UNCH
3800	63.00	63.00	65.00/63.00	65.00/63.00	----	63.00 - 2.40	.1067	----	----	4	----	73 - 4
3810	----	----	----	64.00B/67.20A	----	64.20 - 2.50	.1085	----	----	----	----	56 UNCH
3850	----	----	----	69.30B/72.30A	----	69.40 - 2.60	.1163	----	----	----	----	24 UNCH
3880	----	----	----	73.60B/76.20A	----	73.60 - 2.60	.1224	----	----	----	----	1 UNCH
3900	79.00	79.00	79.00/78.80A	79.00/78.80A	----	76.50 - 2.70	.1266	----	----	1	----	804 - 1
3925	83.00	83.00	83.00/82.30A	83.00/82.30A	----	80.30 - 2.70	.1321	----	----	2	----	207 - 2
3930	----	----	----/83.00A	81.20B/83.00A	----	81.00 - 2.70	.1331	----	----	----	----	2 UNCH
3950	----	----	----/85.90A	84.30B/85.90A	----	84.20 - 2.70	.1376	----	----	----	----	27 UNCH
3975	----	----	----/89.50A	88.50B/89.50A	----	88.30 - 2.70	.1434	----	----	----	----	190 UNCH
3980	88.00	88.00	89.20B/88.00	89.20B/88.00	----	89.10 - 2.80	.1445	----	----	2	----	134 + 2
4000	----	----	----/93.40A	92.80B/93.40A	----	92.60 - 2.70	.1494	----	----	----	----	1699 UNCH
4025	----	----	----/97.40A	97.20B/97.40A	----	97.00 - 2.70	.1554	----	----	----	----	220 UNCH
4070	----	----	----/105.80A	105.70B/105.80A	----	105.40 - 2.70	.1668	----	----	----	----	5 UNCH
4090	----	----	----/109.60A	109.90B/109.60A	----	109.40 - 2.60	.1721	----	----	----	----	1 UNCH
4100	----	----	----/111.50A	111.60B/111.50A	----	111.40 - 2.60	.1748	----	----	----	----	381 UNCH
4130	----	----	----/117.60A	118.50B/117.60A	----	117.70 - 2.50	.1830	----	----	----	----	2 UNCH
4160	----	----	----/123.90A	125.20B/123.90A	----	124.20 - 2.40	.1913	----	----	----	----	252 UNCH
4170	----	----	----/126.10A	126.90B/126.10A	----	126.40 - 2.40	.1942	----	----	----	----	2 UNCH
4175	----	----	----/127.00A	128.50B/127.00A	----	127.60 - 2.30	.1957	----	----	----	----	60 UNCH
4200	133.00	133.00	134.00/132.70A	134.60B/132.70A	----	133.40 - 2.20	.2030	----	----	2	----	686 + 2
4215	----	----	----/136.00A	137.70B/136.00A	----	136.90 - 2.30	.2074	----	----	----	----	14 UNCH
4250	143.00	143.00	147.00/143.00	147.10B/143.00	----	145.60 - 2.00	.2180	----	----	4	----	206 + 4
4300	----	----	----/157.10A	160.40B/157.10A	----	158.60 - 1.90	.2337	----	----	----	----	1906 UNCH
4320	----	----	166.20B/162.40A	166.20B/162.40A	----	164.10 - 1.70	.2402	----	----	----	----	100 UNCH
4325	----	----	167.60B/163.90A	167.60B/163.90A	----	165.50 - 1.70	.2418	----	----	----	----	300 UNCH
4340	----	----	172.00B/167.70A	172.00B/167.70A	----	169.70 - 1.60	.2468	----	----	----	----	79 UNCH
4350	----	----	175.00B/170.70A	175.00B/170.70A	----	172.60 - 1.50	.2501	----	----	----	----	101 UNCH
4375	----	----	182.40B/177.80A	182.40B/177.80A	----	179.90 - 1.40	.2585	----	----	----	----	2 UNCH
4385	----	----	185.30B/180.70A	185.30B/180.70A	----	182.90 - 1.30	.2619	----	----	----	----	75 UNCH
4390	----	----	187.30B/182.10A	187.30B/182.10A	----	184.40 - 1.30	.2636	----	----	----	----	14 UNCH
4400	197.00	197.00	197.50/185.10A	197.50/185.10A	----	187.50 - 1.20	.2670	----	----	4	----	98 UNCH
4425	----	----	198.30B/192.70A	198.30B/192.70A	----	195.30 - 1.10	.2757	----	----	----	----	9 UNCH
4435	----	----	201.80B/195.70A	201.80B/195.70A	----	198.40 - 1.10	.2792	----	----	----	----	14 UNCH
4450	----	----	206.30B/200.50A	206.30B/200.50A	----	203.30 - 0.90	.2845	----	----	----	----	60 UNCH
4475	----	----	214.50B/208.60A	214.50B/208.60A	----	211.60 - 0.70	.2934	----	----	----	----	8 UNCH
4500	215.60	215.60	224.00B/215.60	224.00B/215.60	----	220.10 - 0.60	.3025	----	----	4	----	1117 UNCH
4510	----	----	226.80B/220.10A	226.80B/220.10A	----	223.50 - 0.60	.3061	----	----	----	----	2 UNCH
4515	----	----	228.70B/221.90A	228.70B/221.90A	----	225.30 - 0.50	.3080	----	----	----	----	242 UNCH
4520	----	----	231.20B/223.60A	231.20B/223.60A	----	227.00 - 0.50	.3098	----	----	----	----	25 UNCH
4530	----	----	234.80B/227.00A	234.80B/227.00A	----	230.60 - 0.40	.3135	----	----	----	----	20 UNCH
4535	----	----	236.00B/228.80A	236.00B/228.80A	----	232.40 - 0.40	.3154	----	----	----	----	102 UNCH
4540	----	----	238.10B/230.60A	238.10B/230.60A	----	234.20 - 0.30	.3172	----	----	----	----	1 UNCH
4550	----	----	242.30B/234.20A	242.30B/234.20A	----	237.80 - 0.30	.3209	----	----	----	----	5 UNCH
4555	----	----	244.20B/236.00A	244.20B/236.00A	----	239.60 - 0.30	.3228	----	----	----	----	50 UNCH
4580	----	----	253.20B/245.10A	253.20B/245.10A	----	248.90 - 0.20	.3322	----	----	----	----	50 UNCH
4585	----	----	255.90B/247.00A	255.90B/247.00A	----	250.80 - 0.10	.3341	----	----	----	----	325 UNCH
4600	----	----	261.80B/252.60A	261.80B/252.60A	----	256.50 - 0.10	.3398	----	----	----	----	418 UNCH
4620	----	----	270.20B/260.40A	270.20B/260.40A	----	264.30 + 0.10	.3475	----	----	----	----	50 UNCH
4625	----	----	272.00B/262.30A	272.00B/262.30A	----	266.30 + 0.10	.3494	----	----	----	----	22 UNCH
4640	----	----	277.80B/268.20A	277.80B/268.20A	----	272.30 + 0.20	.3552	----	----	----	----	100 UNCH
4650	----	----	282.70B/272.20A	282.70B/272.20A	----	276.30 + 0.20	.3591	----	----	----	----	111 UNCH
4680	----	----	295.30B/284.50A	295.30B/284.50A	----	288.80 + 0.50	.3709	----	----	----	----	60 UNCH
4690	----	----	299.60B/288.60A	299.60B/288.60A	----	293.00 + 0.50	.3748	----	----	----	----	1 UNCH
4700	----	----	304.10B/292.80A	304.10B/292.80A	----	297.30 + 0.60	.3788	----	----	----	----	522 UNCH
4750	----	----	326.40B/314.60A	326.40B/314.60A	----	319.50 + 0.90	.3987	----	----	----	----	63 UNCH
4790	----	----	345.70B/332.80A	345.70B/332.80A	----	338.30 + 1.30	.4147	----	----	----	----	60 UNCH
4800	----	----	350.90B/337.40A	350.90B/337.40A	----	343.10 + 1.40	.4188	----	----	----	----	152 UNCH
4810	----	----	356.00B/342.00A	356.00B/342.00A	----	348.00 + 1.50	.4228	----	----	----	----	56 UNCH
4815	----	----	357.50B/344.50A	357.50B/344.50A	----	350.50 + 1.60	.4248	----	----	----	----	10 UNCH
4820	----	----	360.40B/346.90A	360.40B/346.90A	----	353.00 + 1.70	.4268	----	----	----	----	20 UNCH
4825	----	----	363.00B/349.30A	363.00B/349.30A	----	355.40 + 1.70	.4289	----	----	----	----	100 UNCH
4850	----	----	375.20B/361.40A	375.20B/361.40A	----	368.10 + 2.00	.4389	----	----	1	----	10 UNCH
4880	390.00	390.00	390.80B/375.00	390.80B/375.00	----	383.70 NEW	.4510	----	----	11	----	11 + 11
4900	----	----	401.70B/386.50A	401.70B/386.50A	----	394.30 + 2.70	.4591	----	----	----	----	105 UNCH
4925	----	----	414.80B/399.60A	414.80B/399.60A	----	407.90 + 3.00	.4691	----	----	----	----	137 UNCH
4950	----	----	428.60B/412.90A	428.60B/412.90A	----	421.80 + 3.50	.4790	----	----	----	----	6 UNCH
4975	----	----	443.00B/426.50A	443.00B/426.50A	----	435.90 + 3.80	.4889	----	----	----	----	43 UNCH
4980	----	----	445.40B/429.10A	445.40B/429.10A	----	438.70 + 3.80	.4909	----	----	----	----	12 UNCH
4995	----	----	454.00B/437.50A	454.00B/437.50A	----	447.30 + 4.10	.4968	----	----	----	----	32 UNCH
5000	----	----	456.80B/440.20A	456.80B/440.20A	----	450.20 + 4.10	.4987	----	----	61	----	438 + 45
5020	----	----	468.50B/451.50A	468.50B/451.50A	----	461.90 + 4.50	.5065	----	----	----	----	8 UNCH
5025	----	----	471.40B/454.50A	471.40B/454.50A	----	464.80 + 4.50	.5085	----	----	----	----	110 UNCH
5035	----	----	477.40B/460.10A	477.40B/460.10A	----	470.70 + 4.70	.5124	----	----	----	----	8 UNCH
5050	----	----	486.20B/468.90A	486.20B/468.90A	----	479.60 + 4.90	.5182	----	----	----	----	201 UNCH
5070	----	----	498.30B/480.60A	498.30B/480.60A	----	491.60 + 5.20	.5259	----	----	----	----	1 UNCH
5075	----	----	501.30B/483.70A	501.30B/483.70A	----	494.70 + 5.40	.5278	----	----	----	----	100 UNCH
5095	----	----	513.50B/495.50A	513.50B/495.50A	----	506.90 + 5.70	.5354	----	----	----	----	6 UNCH
5100	----	----	516.60B/498.50A	516.60B/498.50A	----	509.90 + 5.70	.5373	----	----	----	----	6 UNCH
5195	----	----	577.20B/557.80A	577.20B/557.80A	----	570.00 + 7.10	.5727	----	----	----	----	5 UNCH
5200	----	----	580.60B/560.80A	580.60B/560.80A	----	573.30 + 7.30	.5746	----	----	----	----	38 UNCH
5250	----	----	613.90B/593.60A	613.90B/593.60A	----	606.40 + 8.10	.5926	----	----	----	----	126 UNCH
5290	----	----	641.30B/620.50A	641.30B/620.50A	----	633.50 + 8.70	.6067	----	----	----	----	1 UNCH
5295	----	----	639.60B/623.90A	639.60B/623.90A	----	636.90 + 8.70	.6084	----	----	----	----	1 UNCH
5360	----	----	682.40B/668.90A	682.40B/668.90A	----	682.40 + 9.80	.6305	----	----	----	----	100 UNCH
5370	----	----	690.10B/675.80A	690.10B/675.80A	----	689.50 + 9.90	.6338	----	----	----	----	20 UNCH
5375	----	----	693.20B/679.40A	693.20B/679.40A	----	693.10 + 10.00	.6355	----	----	----	----	34 UNCH
5400	----	----	711.40B/697.20A	711.40B/697.20A	----	711.10 + 10.40	.6436	----	----	----	----	102 UNCH
5460	----	----	755.70B/740.90A	755.70B/740.90A	----	755.30 + 11.40	.6626	----	----	----	----	200 UNCH
5465	----	----	759.40B/744.60A	759.40B/744.60A	----	759.00 + 11.40	.6641	----	----	----	----	50 UNCH
5480	----	----	771.50B/755.60A	771.50B/755.60A	----	770.30 + 11.70	.6687	----	----	----	----	50 UNCH
5500	----	----	786.60B/770.60A	786.60B/770.60A	----	785.40 + 12.00	.6747	----	----	----	----	31 UNCH
5525	----	----	804.70B/789.30A	804.70B/789.30A	----	804.50 + 12.50	.6821	----	----	----	----	80 UNCH
5600	----	----	863.60B/846.80A	863.60B/846.80A	----	862.80 + 13.70	.7034	----	----	----	----	252 UNCH
5900	----	----	----	868.30B/1347.10A	----	1110.50 + 18.80	.7752	----	----	----	----	125 UNCH
6000	----	----	----	956.60B/1432.20A	----	1197.00 + 20.30	.7948	----	----	----	----	40 UNCH
6500	----	----	----	1415.30B/1881.00A	----	1648.70 + 24.50	.8698	----	----	----	----	4 UNCH
TOTAL										96		21469 + 57
JAN27												
2800	----	----	----	2.00B/15.90A	----	9.20 - 0.80	.0163	----	----	----	----	10 UNCH
3000	----	----	----	8.50B/21.60A	----	14.00 - 0.70	.0246	----	----	----	----	3 UNCH
3520	----	----	----	41.60B/45.90A	----	44.10 - 1.40	.0710	----	----	----	----	1 UNCH
3680	----	----	----/61.40A	57.40B/61.40A	----	59.90 - 1.80	.0938	----	----	----	----	1 UNCH
3800	----	----	----	72.50B/76.60A	----	74.30 - 2.10	.1139	----	----	----	----	1 UNCH
3825	----	----	----/79.60A	76.40B/79.60A	----	77.60 - 2.20	.1184	----	----	----	----	1 UNCH
3900	----	----	----/89.60A	88.00B/89.60A	----	88.30 - 2.60	.1328	----	----	----	----	1 UNCH
3980	----	----	----/101.40A	102.00B/101.40A	----	101.10 - 2.90	.1497	----	----	----	----	1 UNCH
4000	----	----	----/104.50A	105.80B/104.50A	----	104.60 - 3.00	.1542	----	----	----	----	1 UNCH
4350	----	----	191.10B/184.60A	191.10B/184.60A	----	184.50 - 4.10	.2482	----	----	----	----	1 UNCH
4400	----	----	206.70B/199.30A	206.70B/199.30A	----	199.30 - 4.00	.2639	----	----	----	----	1 UNCH
4500	----	----	240.80B/231.40A	240.80B/231.40A	----	231.70 - 3.70	.2969	----	----	----	----	1 UNCH
4585	----	----	272.50B/261.20A	272.50B/261.20A	----	262.50 - 3.20	.3264	----	----	----	----	1 UNCH
4600	----	----	278.00B/267.20A	278.00B/267.20A	----	268.20 - 3.10	.3318	----	----	----	----	3 UNCH
4630	----	----	290.50B/278.60A	290.50B/278.60A	----	280.00 - 2.90	.3425	----	----	----	----	1 UNCH
4660	----	----	302.60B/290.40A	302.60B/290.40A	----	292.20 - 2.70	.3533	----	----	----	----	4 UNCH
4665	----	----	305.20B/292.40A	305.20B/292.40A	----	294.30 - 2.60	.3552	----	----	----	----	4 UNCH
4760	----	----	346.80B/332.80A	346.80B/332.80A	----	335.70 - 1.80	.3902	----	----	----	----	100 UNCH
4800	----	----	365.50B/351.00A	365.50B/351.00A	----	354.40 - 1.40	.4051	----	----	----	----	6 UNCH
4820	----	----	376.20B/360.20A	376.20B/360.20A	----	364.10 - 1.10	.4126	----	----	----	----	6 UNCH
4860	----	----	396.00B/379.10A	396.00B/379.10A	----	383.90 - 0.60	.4276	----	----	----	----	1 UNCH
4990	----	----	464.20B/446.10A	464.20B/446.10A	----	453.10 + 1.60	.4761	----	----	----	----	1 UNCH
4995	----	----	466.50B/448.80A	466.50B/448.80A	----	455.90 + 1.70	.4779	----	----	----	----	1 UNCH
5000	----	----	469.80B/451.60A	469.80B/451.60A	----	458.70 + 1.80	.4798	----	----	----	----	3 UNCH
5050	----	----	498.40B/479.40A	498.40B/479.40A	----	487.30 + 2.50	.4980	----	----	----	----	100 UNCH
5085	----	----	519.00B/499.30A	519.00B/499.30A	----	507.80 + 3.00	.5107	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JAN27												
5150	----	----	558.40B/537.90A	558.40B/537.90A	----	547.10 + 4.00	.5338	----	----	----	----	2 UNCH
5235	----	----	612.40B/590.90A	612.40B/590.90A	----	600.90 + 5.40	.5633	----	----	----	----	2 UNCH
5245	----	----	619.00B/597.30A	619.00B/597.30A	----	607.40 + 5.60	.5667	----	----	----	----	2 UNCH
5300	----	----	655.50B/633.10A	655.50B/633.10A	----	643.70 + 6.50	.5851	----	----	----	----	4 UNCH
TOTAL												266 0
FEB27												
4000	----	----	----	113.80B/118.40A	----	111.30 - 5.90	.1585	----	----	----	----	1 UNCH
4600	----	----	291.00B/----	291.00B/289.20A	----	280.40 - 8.50	.3338	----	----	----	----	17 UNCH
4650	----	----	311.60B/----	311.60B/309.00A	----	300.50 - 8.20	.3513	----	----	----	----	1 UNCH
4655	----	----	314.70B/----	314.70B/311.10A	----	302.60 - 8.10	.3531	----	----	----	----	1 UNCH
4660	----	----	316.70B/----	316.70B/313.20A	----	304.70 - 8.00	.3548	----	----	----	----	435 UNCH
4665	----	----	318.80B/----	318.80B/315.20A	----	306.80 - 8.00	.3566	----	----	----	----	3 UNCH
4775	----	----	368.50B/----	368.50B/363.20A	----	356.00 - 6.30	.3960	----	----	----	----	1 UNCH
5000	----	----	484.70B/----	484.70B/476.00A	----	469.60 - 4.80	.4777	----	----	----	----	10 UNCH
5005	----	----	487.40B/----	487.40B/478.70A	----	472.40 - 4.70	.4795	----	----	----	----	2 UNCH
5100	----	----	541.90B/----	541.90B/532.40A	----	527.40 - 3.60	.5131	----	----	----	----	2 UNCH
5150	----	----	572.30B/----	572.30B/562.20A	----	558.00 - 2.70	.5303	----	----	----	----	1 UNCH
5175	----	----	587.80B/----	587.80B/577.10A	----	573.60 - 2.30	.5388	----	----	----	----	125 UNCH
5200	----	----	603.60B/----	603.60B/592.70A	----	589.50 - 1.90	.5472	----	----	----	----	1 UNCH
5355	----	----	705.80B/----	705.80B/693.10A	----	692.80 + 1.10	.5971	----	----	----	----	1 UNCH
5520	----	----	----	460.10B/1166.80A	----	810.50 + 4.20	.6461	----	----	----	----	300 UNCH
5530	----	----	----	467.40B/1177.20A	----	817.90 + 4.40	.6489	----	----	----	----	100 UNCH
5550	----	----	----	482.10B/1190.30A	----	832.70 + 4.70	.6545	----	----	----	----	65 UNCH
5565	----	----	----	493.20B/1203.40A	----	843.90 + 5.00	.6586	----	----	----	----	50 UNCH
TOTAL												1116 0
MAR27												
5000	----	----	----	#184.40B/*748.30A	----	546.50 + 14.00	.4537	----	----	----	----	75 UNCH
TOTAL												75 0
APR27												
4300	----	----	----	#19.30B/*386.70A	----	261.00 NEW	.2573	----	----	----	150	150 + 150
5000	----	----	----	----/*856.40A	----	569.10 + 13.90	.4508	----	----	----	----	100 UNCH
TOTAL											150	250 + 150
DEC27												
3700	----	----	----	----	----	198.10 + 4.80	.1534	----	----	----	----	100 UNCH
3715	----	----	----	----	----	201.60 + 4.90	.1556	----	----	----	----	150 UNCH
3820	----	----	----	----	----	227.20 + 5.40	.1720	----	----	----	----	50 UNCH
4130	----	----	----	----	----	315.10 + 7.00	.2249	----	----	----	----	168 UNCH
4500	----	----	----	----	----	446.20 + 9.30	.2960	----	----	----	----	270 UNCH
4630	----	----	----	----	----	499.40 + 10.20	.3227	----	----	----	----	284 UNCH
4860	----	----	----	----	----	603.00 + 11.70	.3711	----	----	----	----	100 UNCH
5000	----	----	----	----	----	672.10 + 12.70	.4012	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1051.80 + 17.30	.5348	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1207.80 + 18.70	.5773	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	678.90 + 12.50	.3927	----	----	----	----	1 UNCH
5100	----	----	----	----	----	730.50 + 13.30	.4135	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
3400	----	----	----	----	----	1387.40 - 30.60	.9988	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1287.40 - 30.70	.9977	----	----	----	----	1 UNCH
3600	----	----	----/1,172.40A	1210.40B/1172.40A	----	1187.50 - 30.70	.9965	----	----	3	----	11 + 1
3675	----	----	----/1,096.20A	1135.40B/1096.20A	----	1112.60 - 30.80	.9958	----	----	----	----	8 UNCH
3685	----	----	----/1,086.20A	1125.40B/1086.20A	----	1102.60 - 30.90	.9953	----	----	----	----	8 UNCH
3700	----	----	----/1,071.20A	1113.00B/1071.20A	----	1087.70 - 30.80	.9953	----	----	----	----	31 UNCH
3720	----	----	----/1,052.50A	1093.00B/1052.50A	----	1067.70 - 30.90	.9947	----	----	----	----	6 UNCH
3725	----	----	----/1,047.50A	1088.00B/1047.50A	----	1062.70 - 30.90	.9947	----	----	----	----	8 UNCH
3735	----	----	----/1,036.30A	1075.50B/1036.30A	----	1052.80 - 30.80	.9946	----	----	----	----	15 UNCH
3750	----	----	----/1,021.30A	1063.10B/1021.30A	----	1037.80 - 30.90	.9941	----	----	----	----	56 UNCH
3800	----	----	----/971.50A	1013.10B/971.50A	----	988.00 - 30.90	.9929	----	----	----	----	44 UNCH
3820	----	----	----/950.40A	993.20B/950.40A	----	968.10 - 30.90	.9923	----	----	----	----	4 UNCH
3840	----	----	----/930.50A	973.20B/930.50A	----	948.20 - 30.90	.9917	----	----	----	----	20 UNCH
3855	----	----	----	----	----	933.30 - 30.90	.9911	----	----	----	----	2 UNCH
3875	----	----	----/895.70A	938.40B/895.70A	----	913.40 - 30.90	.9905	----	----	----	----	41 UNCH
3890	----	----	----	----	----	898.50 - 30.90	.9899	----	----	----	----	1 UNCH
3895	----	----	----/875.80A	916.00B/875.80A	----	893.50 - 30.90	.9899	----	----	----	----	9 UNCH
3900	----	----	----/870.00A	913.60B/870.00A	----	888.50 - 31.00	.9898	----	----	----	----	112 UNCH
3950	----	----	----/820.40A	863.90B/820.40A	----	838.80 - 31.00	.9878	----	----	----	----	223 UNCH
3960	----	----	----/811.30A	853.80B/811.30A	----	828.90 - 31.00	.9873	----	----	----	----	11 UNCH
3975	----	----	----/796.40A	838.90B/796.40A	----	814.00 - 31.00	.9866	----	----	----	----	13 UNCH
3980	----	----	----/784.60A	834.10B/784.60A	----	809.10 - 31.00	.9865	----	----	----	----	97 UNCH
3995	----	----	----/769.80A	818.70B/769.80A	----	794.20 - 31.00	.9854	----	----	----	----	62 UNCH
4000	----	----	----/765.00A	814.30B/765.00A	----	789.20 - 31.10	.9853	----	----	----	----	143 UNCH
4005	----	----	----/759.60A	808.80B/759.60A	----	784.30 - 31.00	.9852	----	----	----	----	30 UNCH
4015	----	----	----/750.00A	798.90B/750.00A	----	774.40 - 31.00	.9846	----	----	----	----	5 UNCH
4020	----	----	----/745.00A	793.90B/745.00A	----	769.40 - 31.10	.9840	----	----	----	----	15 UNCH
4025	----	----	----/739.50A	788.90B/739.50A	----	764.40 - 31.10	.9839	----	----	----	----	2 UNCH
4050	----	----	----/715.70A	764.60B/715.70A	----	739.70 - 31.10	.9820	----	----	----	----	176 UNCH
4070	----	----	----/695.80A	744.40B/695.80A	----	719.90 - 31.10	.9807	----	----	----	----	25 UNCH
4075	----	----	----/690.50A	739.50B/690.50A	----	715.00 - 31.10	.9806	----	----	----	----	22 UNCH
4090	----	----	----/676.10A	724.50B/676.10A	----	700.20 - 31.10	.9793	----	----	----	----	1 UNCH
4100	----	----	----/665.60A	714.80B/665.60A	----	690.30 - 31.10	.9781	----	----	----	----	48 UNCH
4105	----	----	----/661.20A	709.80B/661.20A	----	685.40 - 31.10	.9780	----	----	----	----	10 UNCH
4115	----	----	----/645.60A	704.70B/645.60A	----	675.50 - 31.20	.9768	----	----	----	----	4 UNCH
4120	----	----	----/640.70A	700.00B/640.70A	----	670.60 - 31.10	.9766	----	----	----	----	372 UNCH
4125	----	----	----/635.80A	694.60B/635.80A	----	665.70 - 31.10	.9760	----	----	----	----	1 UNCH
4130	----	----	----/630.90A	689.80B/630.90A	----	660.80 - 31.10	.9754	----	----	----	----	11 UNCH
4135	----	----	----/626.00A	685.10B/626.00A	----	655.80 - 31.20	.9748	----	----	----	----	3 UNCH
4145	----	----	----/616.30A	675.20B/616.30A	----	646.00 - 31.20	.9740	----	----	----	----	1 UNCH
4150	----	----	----/611.40A	670.40B/611.40A	----	641.10 - 31.20	.9733	----	----	----	----	255 UNCH
4155	----	----	----/606.50A	665.40B/606.50A	----	636.20 - 31.20	.9727	----	----	----	----	1 UNCH
4165	----	----	----/596.80A	655.60B/596.80A	----	626.40 - 31.20	.9714	----	----	----	----	3 UNCH
4170	----	----	----/591.90A	650.60B/591.90A	----	621.50 - 31.20	.9708	----	----	----	----	24 UNCH
4175	----	----	----/587.10A	645.70B/587.10A	----	616.60 - 31.20	.9701	----	----	----	----	3 UNCH
4180	----	----	----/582.20A	640.90B/582.20A	----	611.70 - 31.20	.9695	----	----	----	----	123 UNCH
4185	----	----	----/577.40A	635.70B/577.40A	----	606.80 - 31.20	.9688	----	----	----	----	3 UNCH
4190	----	----	----/572.50A	630.80B/572.50A	----	601.90 - 31.30	.9681	----	----	----	----	18 UNCH
4200	----	----	----/562.80A	621.00B/562.80A	----	592.10 - 31.30	.9668	----	----	----	----	822 UNCH
4205	----	----	----/558.00A	616.20B/558.00A	----	587.20 - 31.30	.9661	----	----	----	----	4 UNCH
4210	----	----	----/553.20A	611.30B/553.20A	----	582.30 - 31.40	.9654	----	----	----	----	23 UNCH
4220	----	----	----/543.60A	601.50B/543.60A	----	572.60 - 31.40	.9640	----	----	----	----	7 UNCH
4240	----	----	----/524.30A	582.00B/524.30A	----	553.10 - 31.50	.9606	----	----	----	----	21 UNCH
4245	----	----	----/519.60A	577.00B/519.60A	----	548.20 - 31.50	.9594	----	----	----	----	2 UNCH
4250	----	----	----/514.80A	572.30B/514.80A	----	543.40 - 31.50	.9587	----	----	----	----	277 UNCH
4255	----	----	----/510.00A	567.30B/510.00A	----	538.50 - 31.60	.9575	----	----	----	----	103 UNCH
4260	----	----	----/505.20A	562.50B/505.20A	----	533.70 - 31.60	.9567	----	----	----	----	8 UNCH
4265	----	----	----/500.50A	557.60B/500.50A	----	528.80 - 31.70	.9555	----	----	----	----	13 UNCH
4270	----	----	----/495.70A	552.60B/495.70A	----	524.00 - 31.70	.9547	----	----	----	----	29 UNCH
4275	----	----	----/491.00A	547.90B/491.00A	----	519.20 - 31.70	.9535	----	----	----	----	14 UNCH
4280	----	----	----/486.20A	543.00B/486.20A	----	514.30 - 31.80	.9527	----	----	----	----	1 UNCH
4285	----	----	----/481.50A	538.20B/481.50A	----	509.50 - 31.80	.9514	----	----	----	----	4 UNCH
4290	----	----	----/476.80A	533.30B/476.80A	----	504.70 - 31.80	.9502	----	----	----	----	44 UNCH
4295	----	----	----/472.10A	528.40B/472.10A	----	499.90 - 31.80	.9489	----	----	----	----	2 UNCH
4300	----	----	----/467.40A	523.60B/467.40A	----	495.10 - 31.80	.9476	----	----	----	----	1117 UNCH
4305	----	----	----/462.70A	518.80B/462.70A	----	490.20 - 32.00	.9463	----	----	----	----	2 UNCH
4315	----	----	----/453.30A	509.10B/453.30A	----	480.70 - 31.90	.9437	----	----	----	----	3 UNCH
4325	472.60	472.60	472.60/444.00A	499.50B/444.00A	----	471.10 - 32.10	.9410	----	----	2	----	562 + 2
4330	----	----	----/439.30A	494.50B/439.30A	----	466.30 - 32.10	.9397	----	----	----	----	26 UNCH
4335	----	----	----/434.70A	489.90B/434.70A	----	461.60 - 32.10	.9383	----	----	1	----	1 - 1
4340	----	----	----/430.00A	485.00B/430.00A	----	456.80 - 32.20	.9365	----	----	----	----	4 UNCH
4345	----	----	----/425.40A	480.20B/425.40A	----	452.00 - 32.30	.9352	----	----	----	----	2 UNCH
4350	----	----	----/420.80A	475.40B/420.80A	----	447.30 - 32.30	.9333	----	----	1	----	250 UNCH
4355	----	----	----/416.20A	470.50B/416.20A	----	442.60 - 32.30	.9319	----	----	----	----	40 UNCH
4360	----	----	----/411.60A	465.90B/411.60A	----	437.80 - 32.40	.9301	----	----	----	----	349 UNCH
4365	----	----	----/407.10A	461.20B/407.10A	----	433.10 - 32.40	.9282	----	----	----	----	5 UNCH
4370	----	----	----/402.60A	456.30B/402.60A	----	428.40 - 32.40	.9264	----	----	----	----	75 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL COMEX GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4375	----	----	----/398.00A	451.70B/398.00A	----	423.70 - 32.50	.9249	----	----	----	----	34 UNCH
4380	----	----	----/393.50A	446.80B/393.50A	----	419.00 - 32.50	.9226	----	----	----	----	12 UNCH
4385	----	----	----/389.00A	442.30B/389.00A	----	414.30 - 32.60	.9207	----	----	----	----	4 UNCH
4390	----	----	----/384.50A	437.40B/384.50A	----	409.70 - 32.50	.9187	----	----	----	----	10 UNCH
4395	----	----	----/380.00A	432.90B/380.00A	----	405.00 - 32.60	.9168	----	----	----	----	5 UNCH
4400	----	----	----/375.50A	428.20B/375.50A	----	400.40 - 32.60	.9144	----	----	----	----	1635 UNCH
4405	----	----	----/371.00A	423.40B/371.00A	----	395.70 - 32.70	.9125	----	----	----	----	16 UNCH
4410	----	----	----/366.60A	418.70B/366.60A	----	391.10 - 32.70	.9101	----	----	----	----	44 UNCH
4415	----	----	----/362.10A	414.10B/362.10A	----	386.50 - 32.70	.9077	----	----	----	----	35 UNCH
4420	----	----	----/357.70A	409.20B/357.70A	----	381.90 - 32.70	.9052	----	----	----	----	50 UNCH
4425	----	----	----/353.30A	404.70B/353.30A	----	377.30 - 32.80	.9028	----	----	----	----	67 UNCH
4430	----	----	----/348.90A	399.90B/348.90A	----	372.70 - 32.80	.9003	----	----	----	----	16 UNCH
4435	----	----	----/344.50A	395.40B/344.50A	----	368.10 - 32.90	.8979	----	----	1	----	6 UNCH
4440	----	----	----/340.20A	390.80B/340.20A	----	363.60 - 32.80	.8954	----	----	----	----	62 UNCH
4445	----	----	----/335.80A	386.30B/335.80A	----	359.00 - 32.90	.8925	----	----	----	----	7 UNCH
4450	----	----	----/331.50A	381.60B/331.50A	----	354.50 - 32.90	.8896	----	----	----	----	270 UNCH
4455	----	----	----/327.20A	376.80B/327.20A	----	350.00 - 32.90	.8866	----	----	----	----	44 UNCH
4460	----	----	----/322.90A	372.40B/322.90A	----	345.50 - 32.90	.8837	----	----	3	----	27 UNCH
4465	----	----	----/318.60A	367.70B/318.60A	----	341.00 - 32.90	.8807	----	----	----	----	20 UNCH
4470	----	----	----/314.40A	363.10B/314.40A	----	336.60 - 32.90	.8777	----	----	----	----	53 UNCH
4475	----	----	----/310.10A	358.80B/310.10A	----	332.10 - 33.00	.8747	----	----	3	----	39 - 1
4480	----	----	----/305.90A	354.40B/305.90A	----	327.70 - 32.90	.8714	----	----	----	----	117 UNCH
4485	----	----	----/301.70A	349.70B/301.70A	----	323.30 - 32.90	.8680	----	----	----	----	23 UNCH
4490	----	----	----/297.40A	345.30B/297.40A	----	318.80 - 33.00	.8645	----	----	----	----	19 UNCH
4495	----	----	----/293.30A	340.90B/293.30A	----	314.50 - 32.90	.8611	----	----	----	----	16 UNCH
4500	----	----	----/289.10A	336.50B/289.10A	----	310.10 - 33.00	.8576	----	----	----	----	1256 UNCH
4505	----	----	----/285.00A	331.90B/285.00A	----	305.70 - 33.00	.8541	----	----	----	----	29 UNCH
4510	----	----	----/280.90A	327.40B/280.90A	----	301.40 - 33.00	.8503	----	----	----	----	46 UNCH
4515	311.40	311.40	323.00B/276.80A	323.00B/276.80A	----	297.10 - 33.00	.8467	----	----	7	----	16 - 1
4520	----	----	----/272.70A	318.60B/272.70A	----	292.80 - 33.00	.8429	----	----	----	----	20 UNCH
4525	----	----	----/268.70A	314.20B/268.70A	----	288.50 - 33.00	.8389	----	----	----	----	23 UNCH
4530	----	----	----/264.70A	309.90B/264.70A	----	284.20 - 33.00	.8347	----	----	----	----	37 UNCH
4535	----	----	----/260.70A	305.70B/260.70A	----	280.00 - 33.00	.8307	----	----	----	----	30 UNCH
4540	----	----	----/256.70A	301.30B/256.70A	----	275.70 - 33.10	.8264	----	----	----	----	20 UNCH
4545	----	----	----/252.70A	296.90B/252.70A	----	271.50 - 33.10	.8221	----	----	----	----	4 UNCH
4550	273.80	273.80	292.80B/248.80A	292.80B/248.80A	----	267.30 - 33.10	.8177	----	----	3	----	366 - 1
4555	----	----	----/244.90A	288.40B/244.90A	----	263.20 - 33.00	.8134	----	----	----	----	31 UNCH
4560	----	----	----/241.00A	284.10B/241.00A	----	259.00 - 33.10	.8087	----	----	----	----	34 UNCH
4565	----	----	----/237.20A	279.90B/237.20A	----	254.90 - 33.10	.8042	----	----	----	----	49 UNCH
4570	252.10	252.10	252.10/233.30A	275.70B/233.30A	----	250.80 - 33.10	.7995	----	----	11	----	205 - 4
4575	----	----	----/229.50A	271.30B/229.50A	----	246.70 - 33.10	.7947	----	----	----	----	69 UNCH
4580	----	----	----/225.70A	267.30B/225.70A	----	242.70 - 33.00	.7896	----	----	----	----	6 UNCH
4585	----	----	----/222.00A	263.10B/222.00A	----	238.70 - 33.00	.7845	----	----	----	----	101 UNCH
4590	----	----	----/218.20A	259.10B/218.20A	----	234.70 - 33.00	.7797	----	----	----	----	135 UNCH
4595	----	----	----/214.50A	255.00B/214.50A	----	230.70 - 33.00	.7743	----	----	----	----	31 UNCH
4600	247.00	247.00	250.80B/210.90A	250.80B/210.90A	----	226.70 - 33.00	.7691	----	----	21	----	2677 - 8
4605	----	----	----/207.20A	246.80B/207.20A	----	222.80 - 32.90	.7636	----	----	----	----	302 UNCH
4610	----	----	----/203.60A	242.70B/203.60A	----	218.90 - 32.90	.7581	----	----	----	----	77 UNCH
4615	----	----	----/200.00A	238.80B/200.00A	----	215.00 - 32.90	.7526	----	----	----	----	20 UNCH
4620	----	----	----/196.40A	234.70B/196.40A	----	211.20 - 32.80	.7471	----	----	----	----	26 UNCH
4625	----	----	----/192.80A	230.70B/192.80A	----	207.40 - 32.80	.7412	----	----	----	----	117 UNCH
4630	----	----	----/189.20A	226.80B/189.20A	----	203.60 - 32.80	.7354	----	----	----	----	40 UNCH
4635	----	----	----/185.60A	222.90B/185.60A	----	199.80 - 32.80	.7293	----	----	----	----	229 UNCH
4640	----	----	----/182.00A	219.00B/182.00A	----	196.10 - 32.70	.7234	----	----	----	----	45 UNCH
4645	----	----	----/178.40A	215.10B/178.40A	----	192.40 - 32.60	.7173	----	----	----	----	6 UNCH
4650	193.70	193.70	211.50B/174.90A	211.50B/174.90A	----	188.80 - 32.50	.7109	----	----	79	----	588 - 31
4655	----	----	----/171.40A	207.60B/171.40A	----	185.10 - 32.50	.7047	----	----	----	----	223 UNCH
4660	----	----	----/168.00A	203.80B/168.00A	----	181.50 - 32.50	.6983	----	----	----	----	151 UNCH
4665	----	----	----/164.60A	200.10B/164.60A	----	178.00 - 32.30	.6917	----	----	----	----	57 UNCH
4670	178.90	178.90	196.40B/161.20A	196.40B/161.20A	----	174.50 - 32.20	.6852	----	----	1	----	118 UNCH
4675	----	----	----/157.80A	192.70B/157.80A	----	171.00 - 32.10	.6785	----	----	----	----	87 UNCH
4680	168.00	168.00	168.00/154.50A	189.10B/154.50A	----	167.50 - 32.10	.6716	----	----	1	----	163 + 1
4685	----	----	----/151.20A	185.50B/151.20A	----	164.10 - 31.90	.6648	----	----	----	----	159 UNCH
4690	----	----	----/148.00A	181.80B/148.00A	----	160.70 - 31.80	.6578	----	----	----	----	49 UNCH
4695	----	----	----/144.80A	178.30B/144.80A	----	157.40 - 31.70	.6509	----	----	----	----	55 UNCH
4700	----	----	----/141.60A	174.80B/141.60A	----	154.10 - 31.50	.6438	----	----	----	----	2233 UNCH
4705	----	----	----/138.80A	171.40B/138.80A	----	150.80 - 31.40	.6366	----	----	1	----	320 + 1
4710	----	----	----/135.50A	167.90B/135.50A	----	147.60 - 31.30	.6293	----	----	----	----	212 UNCH
4715	----	----	----/132.40A	164.50B/132.40A	----	144.40 - 31.20	.6220	----	----	----	----	68 UNCH
4720	139.90	139.90	139.90/129.40A	161.10B/129.40A	----	141.20 - 31.10	.6147	----	----	1	----	263 UNCH
4725	139.40	139.40	139.40/126.40A	157.80B/126.40A	----	138.10 - 30.90	.6072	----	----	5	----	150 + 3
4730	130.50	130.50	130.50/123.50A	154.50B/123.50A	----	135.00 - 30.80	.5997	----	----	1	----	52 + 1
4735	127.50	127.50	127.50/120.60A	151.20B/120.60A	----	131.90 - 30.70	.5922	----	----	1	----	31 UNCH
4740	124.40	124.40	124.40/117.80A	148.00B/117.80A	----	128.90 - 30.50	.5846	----	----	1	----	160 - 1
4745	121.70	121.70	121.70/115.00A	144.80B/115.00A	----	125.90 - 30.40	.5769	----	----	1	----	26 - 1
4750	120.90	120.90	142.00B/112.20A	142.00B/112.20A	----	123.00 - 30.20	.5692	----	----	162	----	1328 - 127
4755	115.80	115.80	115.80/109.50A	138.80B/109.50A	----	120.10 - 30.00	.5614	----	----	1	----	46 - 1
4760	124.40	124.40	135.70B/106.80A	135.70B/106.80A	----	117.20 - 29.90	.5536	----	----	4	----	86 + 1
4765	110.30	110.30	110.30/104.10A	132.70B/104.10A	----	114.40 - 29.70	.5458	----	----	1	----	79 UNCH
4770	107.50	107.50	107.50/101.50A	129.70B/101.50A	----	111.60 - 29.50	.5379	----	----	1	----	87 - 1
4775	119.00	119.00	125.60/99.00A	126.80B/99.00A	----	108.80 - 29.40	.5299	----	----	60	----	239 + 43
4780	----	----	----/96.40A	124.00B/96.40A	----	106.10 - 29.20	.5220	----	----	----	----	60 UNCH
4785	108.00	108.00	108.00/94.00A	121.30B/94.00A	----	103.50 - 28.90	.5140	----	----	3	----	36 + 2
4790	106.40	106.40	106.40/91.50A	118.60B/91.50A	----	100.80 - 28.80	.5059	----	----	3	----	129 + 1
4795	103.80	103.80	103.80/89.10A	115.90B/89.10A	----	98.30 - 28.50	.4979	----	----	1	----	58 + 1
4800	99.50	99.50	112.60B/86.80A	112.60B/86.80A	----	95.70 - 28.40	.4898	----	----	378	----	2386 + 9
4805	99.00	99.00	99.00/84.50A	110.70B/84.50A	----	93.30 - 28.10	.4818	----	----	1	----	52 + 1
4810	99.70	99.70	99.70/82.20A	108.20B/82.20A	----	90.80 - 28.00	.4737	----	----	72	----	582 - 3
4815	94.50	94.50	95.40/80.00A	105.70B/80.00A	----	88.40 - 27.80	.4656	----	----	2	----	14 - 2
4820	95.30	95.30	95.30/77.80A	103.20B/77.80A	----	86.10 - 27.60	.4576	----	----	6	----	193 - 2
4825	90.10	90.10	91.40/75.70A	100.80B/75.70A	----	83.80 - 27.30	.4495	----	----	9	----	178 - 5
4830	91.50	91.50	96.50/73.60A	98.40B/73.60A	----	81.50 - 27.10	.4414	----	----	82	----	78 + 13
4835	85.90	85.90	85.90/71.50A	96.00B/71.50A	----	79.30 - 26.90	.4334	----	----	2	----	10 UNCH
4840	78.40	78.40	78.40/69.50A	93.70B/69.50A	----	77.10 - 26.70	.4253	----	----	1	----	34 UNCH
4845	88.70	88.70	88.70/67.60A	91.40B/67.60A	----	75.00 - 26.40	.4174	----	----	18	----	134 + 9
4850	69.70	69.70	84.00/65.70A	89.20B/65.70A	----	72.90 - 26.20	.4094	----	----	342	----	1243 - 29
4855	76.20	76.20	76.20/63.80A	87.00B/63.80A	----	70.80 - 26.00	.4014	----	----	2	----	22 + 1
4860	67.10	67.10	67.10/61.90A	82.60B/61.90A	----	68.80 - 25.70	.3935	----	----	3	----	50 + 2
4865	69.00	69.00	69.00/60.10A	82.70B/60.10A	----	66.80 - 25.50	.3856	----	----	2	----	64 UNCH
4870	74.40	74.40	75.50/58.40A	80.60B/58.40A	----	64.90 - 25.20	.3778	----	----	65	----	106 + 35
4875	63.60	63.60	63.60/56.60A	78.50B/56.60A	----	63.00 - 24.90	.3700	----	----	1	----	176 UNCH
4880	----	----	----/55.00A	76.50B/55.00A	----	61.20 - 24.60	.3624	----	----	----	----	30 UNCH
4885	61.90	61.90	61.90/53.30A	74.50B/53.30A	----	59.40 - 24.30	.3547	----	----	1	----	59 UNCH
4890	56.50	56.50	59.00/51.70A	72.50B/51.70A	----	57.60 - 24.10	.3470	----	----	5	----	47 + 3
4895	56.50	56.50	58.30/50.10A	70.60B/50.10A	----	55.90 - 23.70	.3395	----	----	2	----	72 - 1
4900	61.00	61.00	66.10B/48.60A	66.10B/48.60A	----	54.20 - 23.50	.3320	----	----	224	----	2148 - 87
4905	51.40	51.40	54.90/47.10A	64.20B/47.10A	----	52.60 - 23.10	.3246	----	----	2	----	43 + 1
4910	50.30	50.30	50.30/45.70A	62.50B/45.70A	----	51.00 - 22.80	.3173	----	----	1	----	86 UNCH
4915	52.20	52.20	52.70/44.30A	63.30B/44.30A	----	49.40 - 22.60	.3100	----	----	3	----	69 - 1
4920	50.80	50.80	50.80/42.90A	61.50B/42.90A	----	47.90 - 22.20	.3028	----	----	2	----	65 + 1
4925	50.20	50.20	50.20/41.60A	59.80B/41.60A	----	46.40 - 21.90	.2957	----	----	50	----	304 - 6
4930	----	----	----/40.20A	58.10B/40.20A	----	45.00 - 21.50	.2888	----	----	----	----	194 UNCH
4935	46.90	46.90	50.40/39.00A	56.50B/39.00A	----	43.60 - 21.20	.2819	----	----	5	----	71 UNCH
4940	----	----	----/37.70A	54.90B/37.70A	----	42.20 - 20.90	.2750	----	----	----	----	23 UNCH
4945	----	----	----/36.50A	53.30B/36.50A	----	40.90 - 20.50	.2684	----	----	----	----	34 UNCH
4950	48.50	48.50	48.50/35.40A	49.60B/35.40A	----	39.60 - 20.20	.2617	----	----	340	----	1434 + 27
4955	----	----	----/34.20A	50.30B/34.20A	----	38.40 - 19.80	.2554	----	----	----	----	10 UNCH
4960	45.50	45.50	46.10/33.10A	48.80B/33.10A	----	37.10 - 19.60	.2487	----	----	37	----	45 + 9
4965	----	----	----/*32.10A	47.40B/*32.10A	----	35.90 - 19.20	.2424	----	----	----	----	63 UNCH
4970	----	----	----/*31.00A	46.00B/*31.00A	----	34.80 - 18.80	.2363	----	----	----	----	72 UNCH
4975	42.60	42.60	42.60/*29.60	44.60B/*29.60	----	33.70 - 18.50	.2303	----	----	20	----	305 + 5
4980	32.40	32.40	39.80/*29.00A	43.30B/*29.00A	----	32.60 - 18.10	.2242	----	----	51	----	260 + 3
4985	31.30	31.30	31.50/*28.10A	42.00B/*28.10A	----	31.50 - 17.80	.2182	----	----	34	----	170 + 23
4990	37.00	37.00	38.80/*27.20A	40.80B/*27.20A	----	30.50 - 17.50	.2125	----	----	61	----	60 + 11
4995	31.70	31.70	31.70/*26.30A	39.50B/*26.30A	----	29.50 - 17.10	.2068	----	----	2	----	113 + 1
5000	33.00	33.00	36.90/25.40A	36.90/25.40A	----	28.50 - 16.80	.2011	----	----	680	327	4187 - 47
5005	28.40	28.40	28.40/*24.60A	37.20B/*24.60A	----	27.60 - 16.40	.1958	----	----	14	----	29 + 4
5010	28.30	28.30	28.30/*23.80A	36.00B/*23.80A	----	26.70 - 16.10	.1905	----	----	41	----	158 - 4
5015	27.90	27.90	27.90/*23.00A	33.30B/*23.00A	----	25.80 - 15.80	.1852	----	----	9	----	55 - 1
5020	27.20	27.20	27.30/*22.20A	33.90B/*22.20A	----	25.00 - 15.40	.1803	----	----	70	----	89 + 50
5025	25.70	25.70	25.70/*21.50A	32.80B/*21.50A	----	24.10 - 15.10	.1750	----	----	21	----	229 + 10
5030	26.40	26.40	26.40/*20.80A	31.80B/*20.80A	----	23.30 - 14.80	.1701	----	----	4	----	266 + 2
5035	----	----	----/*20.10A	30.80B/*20.10A	----	22.50 - 14.50	.1652	----	----	----	----	19 UNCH
5040	----	----	----/*19.40A	29.90B/*19.40A	----	21.80 - 14.10	.1607	----	----	----	----	153 UNCH
5045	22.60	22.60	26.20/*18.40	28.90B/*18.40	----	21.00 - 13.90	.1558	----	----	66	----	1203 - 38
5050	24.90	24.90	25.10/*18.10A	26.80B/*18.10A	----	20.30 - 13.60	.1514	----	----	287	----	2111 + 34
5055	----	----	----/*17.50A	27.10B/*17.50A	----	19.60 - 13.30	.1469	----	----	----	----	85 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL COMEX GOLD OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5060	----	----	----/*16.90A	26.30B/*16.90A	----	19.00 - 12.90	.1429	----	----	----	----	91 UNCH
5065	----	----	----/*16.40A	25.50B/*16.40A	----	18.30 - 12.70	.1385	----	----	----	----	21 UNCH
5070	18.50	18.50	18.70/*15.80A	24.70B/*15.80A	----	17.70 - 12.40	.1345	----	----	3	----	62 + 1
5075	19.30	19.30	19.30/*15.30A	23.90B/*15.30A	----	17.10 - 12.10	.1305	----	----	8	----	55 UNCH
5080	18.50	18.50	18.50/*14.80A	23.10B/*14.80A	----	16.50 - 11.90	.1266	----	----	9	----	143 - 2
5085	15.80	15.80	16.70/*14.40A	22.40B/*14.40A	----	16.00 - 11.50	.1231	----	----	4	----	325 + 1
5090	16.80	16.80	16.80/*13.90A	21.70B/*13.90A	----	15.40 - 11.30	.1191	----	----	53	----	278 + 46
5095	16.60	16.60	16.60/*13.40A	21.00B/*13.40A	----	14.90 - 11.00	.1157	----	----	2	----	25 + 1
5100	19.60	19.60	19.60/*13.00A	19.60/*13.00A	----	14.40 - 10.80	.1122	----	----	325	----	1947 + 154
5105	13.50	13.50	13.50/*12.60A	19.70B/*12.60A	----	13.90 - 10.50	.1088	----	----	5	----	16 + 5
5110	14.30	14.30	14.30/*12.20A	19.10B/*12.20A	----	13.40 - 10.30	.1053	----	----	3	----	421 + 2
5115	14.00	14.00	14.00/*11.80A	18.50B/*11.80A	----	13.00 - 10.00	.1024	----	----	102	----	95 - 23
5120	13.60	13.60	15.70/*11.40A	17.90B/*11.40A	----	12.60 - 9.70	.0995	----	----	27	----	43 + 18
5125	----	----	----/*11.00A	17.30B/*11.00A	----	12.10 - 9.60	.0961	----	----	9	----	349 - 6
5130	----	----	----/*10.70A	16.80B/*10.70A	----	11.70 - 9.40	.0932	----	----	----	----	92 UNCH
5135	----	----	----/*10.30A	16.20B/*10.30A	----	11.30 - 9.10	.0903	----	----	1	----	179 - 1
5140	10.50	10.50	10.50/*10.00A	15.70B/*10.00A	----	11.00 - 8.80	.0880	----	----	1	----	260 + 1
5145	----	----	----/*9.70A	15.20B/*9.70A	----	10.60 - 8.70	.0851	----	----	1	----	78 UNCH
5150	10.90	10.90	12.10/*9.40A	14.10B/*9.40A	----	10.30 - 8.40	.0828	----	----	20	----	1542 - 7
5155	----	----	----/*9.10A	14.30B/*9.10A	----	9.90 - 8.20	.0800	----	----	27	----	98 + 23
5160	9.40	9.40	9.40/*8.90A	13.80B/*8.90A	----	9.60 - 8.00	.0777	----	----	1	----	319 UNCH
5165	10.80	10.80	10.80/*8.50A	13.40B/*8.50A	----	9.30 - 7.80	.0754	----	----	41	----	77 + 20
5170	10.70	10.70	10.70/*8.30A	13.00B/*8.30A	----	9.00 - 7.60	.0731	----	----	21	----	205 + 9
5175	9.50	9.50	9.50/*8.10A	12.60B/*8.10A	----	8.70 - 7.40	.0709	----	----	1	----	242 - 1
5180	10.10	10.10	10.10/*7.90A	12.20B/*7.90A	----	8.40 - 7.30	.0686	----	----	5	----	38 - 4
5185	8.80	8.80	8.80/*7.60A	11.80B/*7.60A	----	8.20 - 7.00	.0670	----	----	9	----	35 + 4
5190	7.90	7.90	8.40/*7.40A	11.40B/*7.40A	----	7.90 - 6.90	.0647	----	----	3	----	344 - 1
5195	----	----	----/*7.20A	11.10B/*7.20A	----	7.70 - 6.70	.0631	----	----	----	----	27 UNCH
5200	10.80	10.80	10.80/*7.00A	10.80/*7.00A	----	7.50 - 6.50	.0615	----	----	370	----	2814 - 55
5205	----	----	----/*6.80A	10.40B/*6.80A	----	7.20 - 6.40	.0592	----	----	----	----	28 UNCH
5210	7.00	7.00	7.40/*6.70A	10.10B/*6.70A	----	7.00 - 6.20	.0576	----	----	4	----	62 + 2
5215	----	----	----/*6.50A	9.70B/*6.50A	----	6.80 - 6.00	.0560	----	----	----	----	54 UNCH
5220	----	----	----/*6.30A	9.50B/*6.30A	----	6.60 - 5.80	.0544	----	----	----	----	266 UNCH
5225	7.00	7.00	7.00/*6.20A	9.20B/*6.20A	----	6.40 - 5.70	.0528	----	----	4	----	181 - 3
5230	6.70	6.70	6.70/*6.00A	8.90B/*6.00A	----	6.20 - 5.60	.0513	----	----	29	----	44 + 14
5235	7.10	7.10	7.10/*5.90A	8.60B/*5.90A	----	6.10 - 5.30	.0503	----	----	6	----	64 - 1
5240	6.90	6.90	6.90/*5.70A	8.40B/*5.70A	----	5.90 - 5.20	.0487	----	----	4	----	97 UNCH
5245	6.70	6.70	6.70/*5.50A	8.10B/*5.50A	----	5.70 - 5.10	.0472	----	----	7	----	61 + 2
5250	7.80	7.80	7.80/*5.30A	7.90B/*5.30A	----	5.60 - 4.90	.0462	----	----	116	----	1893 - 58
5255	----	----	----/*5.20A	7.60B/*5.20A	----	5.40 - 4.80	.0447	----	----	----	----	7 UNCH
5260	5.80	5.80	5.80/*5.00A	7.40B/*5.00A	----	5.30 - 4.70	.0438	----	----	17	----	111 UNCH
5265	6.40	6.40	6.40/*4.90A	7.20B/*4.90A	----	5.10 - 4.60	.0423	----	----	1	----	61 UNCH
5270	----	----	----/*4.80A	7.00B/*4.80A	----	5.00 - 4.40	.0413	----	----	----	----	93 UNCH
5275	----	----	----/*4.60A	6.80B/*4.60A	----	4.90 - 4.30	.0404	----	----	2	----	203 UNCH
5280	----	----	----/*4.50A	6.60B/*4.50A	----	4.70 - 4.20	.0389	----	----	----	----	288 UNCH
5285	----	----	----/*4.40A	6.40B/*4.40A	----	4.60 - 4.10	.0381	----	----	----	----	36 UNCH
5290	----	----	----/*4.30A	6.20B/*4.30A	----	4.50 - 4.00	.0372	----	----	----	----	64 UNCH
5295	----	----	----/*4.20A	6.10B/*4.20A	----	4.40 - 3.90	.0363	----	----	----	----	69 UNCH
5300	4.40	4.40	4.40/*4.10A	5.60B/*4.10A	----	4.30 - 3.80	.0354	----	----	58	----	2592 + 2
5305	----	----	----/*3.90A	5.70B/*3.90A	----	4.20 - 3.70	.0346	----	----	----	----	50 UNCH
5310	----	----	----/*3.80A	5.60B/*3.80A	----	4.10 - 3.60	.0337	----	----	----	----	31 UNCH
5315	----	----	----/*3.70A	5.40B/*3.70A	----	4.00 - 3.50	.0329	----	----	----	----	34 UNCH
5320	----	----	----/*3.60A	5.30B/*3.60A	----	3.90 - 3.40	.0321	----	----	----	----	529 UNCH
5325	----	----	----/*3.60A	5.20B/*3.60A	----	3.80 - 3.30	.0312	----	----	----	----	110 UNCH
5330	----	----	----/*3.50A	5.00B/*3.50A	----	3.80 - 3.10	.0310	----	----	----	----	42 UNCH
5335	3.30	3.30	3.30/*3.30	4.90B/*3.30	----	3.70 - 3.10	.0302	----	----	2	----	244 UNCH
5340	----	----	----/*3.30A	4.80B/*3.30A	----	3.60 - 3.00	.0294	----	----	----	----	133 UNCH
5345	3.60	3.60	3.60/*3.30A	4.70B/*3.30A	----	3.50 - 2.90	.0286	----	----	2	----	65 UNCH
5350	3.80	3.80	4.20/*3.10A	4.50B/*3.10A	----	3.40 - 2.90	.0278	----	----	11	----	819 + 3
5355	----	----	----/*3.10A	4.40B/*3.10A	----	3.40 - 2.70	.0276	----	----	----	----	29 UNCH
5360	----	----	----/*3.00A	4.30B/*3.00A	----	3.30 - 2.70	.0268	----	----	----	----	106 UNCH
5365	3.30	3.30	3.30/*2.90A	4.20B/*2.90A	----	3.20 - 2.70	.0260	----	----	3	----	33 UNCH
5370	----	----	----/*2.90A	4.10B/*2.90A	----	3.20 - 2.50	.0259	----	----	----	----	127 UNCH
5375	3.50	3.50	3.50/*2.80A	4.00B/*2.80A	----	3.10 - 2.50	.0251	----	----	5	----	400 - 3
5380	----	----	----/*2.70A	3.90B/*2.70A	----	3.00 - 2.50	.0243	----	----	----	----	77 UNCH
5385	----	----	----/*2.70A	3.80B/*2.70A	----	3.00 - 2.40	.0241	----	----	----	----	117 UNCH
5390	----	----	----/*2.60A	3.70B/*2.60A	----	2.90 - 2.40	.0234	----	----	----	----	100 UNCH
5395	2.40	2.40	2.90/*2.40	3.70B/*2.40	----	2.90 - 2.20	.0232	----	----	2	----	40 + 1
5400	3.50	3.50	3.50/*2.40	3.60B/*2.40	----	2.80 - 2.20	.0225	----	----	53	----	2528 - 5
5405	2.80	2.80	2.80/*2.40A	3.50B/*2.40A	----	2.80 - 2.10	.0223	----	----	3	----	63 + 3
5410	2.70	2.70	2.70/*2.40A	3.40B/*2.40A	----	2.70 - 2.10	.0216	----	----	1	----	156 + 1
5415	2.60	2.60	2.70/*2.30A	3.30B/*2.30A	----	2.70 - 2.00	.0215	----	----	6	----	35 - 2
5420	----	----	----/*2.30A	3.30B/*2.30A	----	2.60 - 2.00	.0207	----	----	----	----	143 UNCH
5425	2.50	2.50	2.50/*2.30A	3.00B/*2.30A	----	2.50 - 2.00	.0200	----	----	7	----	100 - 4
5430	2.50	2.50	2.50/*2.20A	3.10B/*2.20A	----	2.50 - 2.00	.0199	----	----	1	----	28 + 1
5435	2.50	2.50	2.50/*2.20A	3.10B/*2.20A	----	2.50 - 1.90	.0197	----	----	3	----	15 + 3
5440	2.60	2.60	2.60/*2.10A	3.00B/*2.10A	----	2.40 - 1.90	.0190	----	----	7	----	62 + 6
5445	2.40	2.40	2.40/*2.10A	2.90B/*2.10A	----	2.40 - 1.80	.0189	----	----	1	----	116 + 1
5450	2.20	2.20	2.20/*2.00A	2.90B/*2.00A	----	2.30 - 1.80	.0182	----	----	2	----	642 + 1
5455	2.30	2.30	2.30/*2.00A	2.80B/*2.00A	----	2.30 - 1.80	.0181	----	----	3	----	153 UNCH
5460	2.40	2.40	2.40/*1.80	2.80B/*1.80	----	2.20 - 1.80	.0173	----	----	2	----	37 + 2
5465	2.00	2.00	2.30/*1.90A	2.70B/*1.90A	----	2.20 - 1.70	.0173	----	----	7	----	38 - 2
5470	2.20	2.20	2.20/*1.90A	2.70B/*1.90A	----	2.20 - 1.60	.0172	----	----	1	----	253 + 1
5475	----	----	----/*1.80A	2.60B/*1.80A	----	2.10 - 1.70	.0164	----	----	----	----	35 UNCH
5480	----	----	----/*1.80A	2.50B/*1.80A	----	2.10 - 1.60	.0164	----	----	----	----	34 UNCH
5485	2.00	2.00	2.00/*1.80A	2.50B/*1.80A	----	2.00 - 1.60	.0156	----	----	1	----	41 + 1
5490	1.90	1.90	1.90/*1.80A	2.50B/*1.80A	----	2.00 - 1.60	.0156	----	----	1	----	35 UNCH
5495	2.40	2.40	2.40/*1.70A	2.50B/*1.70A	----	2.00 - 1.50	.0155	----	----	2	----	51 + 1
5500	2.30	2.30	2.40/*1.70	2.40/*1.70	----	1.90 - 1.60	.0148	----	----	463	50	4431 - 14
5505	1.90	1.90	2.10/*1.70A	2.40B/*1.70A	----	1.90 - 1.50	.0147	----	----	3	----	92 + 1
5510	1.80	1.80	1.80/*1.60A	2.30B/*1.60A	----	1.90 - 1.40	.0146	----	----	1	----	60 + 1
5515	1.80	1.80	1.80/*1.60A	2.30B/*1.60A	----	1.80 - 1.50	.0139	----	----	1	----	13 UNCH
5520	1.80	1.80	1.80/*1.60A	2.30B/*1.60A	----	1.80 - 1.40	.0139	----	----	2	----	204 + 2
5525	1.80	1.80	1.80/*1.60A	2.30B/*1.60A	----	1.80 - 1.40	.0138	----	----	2	----	86 + 2
5530	1.70	1.70	1.80/*1.60A	2.30B/*1.60A	----	1.70 - 1.40	.0131	----	----	2	----	64 + 2
5535	----	----	----/*1.60A	2.20B/*1.60A	----	1.70 - 1.40	.0130	----	----	----	----	14 UNCH
5540	----	----	----/*1.50A	2.20B/*1.50A	----	1.70 - 1.30	.0130	----	----	----	----	27 UNCH
5545	----	----	----/*1.50A	2.20B/*1.50A	----	1.70 - 1.30	.0129	----	----	----	----	6 UNCH
5550	1.80	1.80	1.80/*1.50A	2.10B/*1.50A	----	1.60 - 1.30	.0122	----	----	2	----	851 + 2
5555	----	----	----/*1.50A	2.10B/*1.50A	----	1.60 - 1.30	.0122	----	----	----	----	19 UNCH
5560	----	----	----/*1.50A	2.10B/*1.50A	----	1.60 - 1.30	.0121	----	----	----	----	28 UNCH
5565	----	----	----/*1.40A	2.10B/*1.40A	----	1.60 - 1.20	.0120	----	----	----	----	46 UNCH
5570	----	----	----/*1.40A	2.00B/*1.40A	----	1.50 - 1.30	.0114	----	----	2	----	557 - 1
5575	----	----	----/*1.40A	2.00B/*1.40A	----	1.50 - 1.20	.0113	----	----	----	----	239 UNCH
5580	----	----	----/*1.40A	2.00B/*1.40A	----	1.50 - 1.20	.0113	----	----	----	----	137 UNCH
5585	----	----	----/*1.40A	2.00B/*1.40A	----	1.50 - 1.10	.0112	----	----	3	----	20 UNCH
5590	----	----	----/*1.30A	1.90B/*1.30A	----	1.50 - 1.10	.0112	----	----	1	----	93 UNCH
5595	----	----	----/*1.30A	1.90B/*1.30A	----	1.40 - 1.20	.0105	----	----	----	----	17 UNCH
5600	1.80	1.80	2.00/*1.30A	2.00/*1.30A	----	1.40 - 1.10	.0104	----	----	535	----	3042 - 216
5610	----	----	----/*1.30A	1.90B/*1.30A	----	1.40 - 1.10	.0103	----	----	----	----	461 UNCH
5620	----	----	----/*1.30A	1.80B/*1.30A	----	1.40 - 1.00	.0102	----	----	----	----	136 UNCH
5625	1.80	1.80	1.90B/*1.20A	1.90B/*1.20A	----	1.30 - 1.00	.0096	----	----	10	----	269 + 2
5630	----	----	----/*1.20A	1.80B/*1.20A	----	1.30 - 1.00	.0096	----	----	----	----	147 UNCH
5640	----	----	----/*1.20A	1.80B/*1.20A	----	1.30 - 0.90	.0095	----	----	----	----	552 UNCH
5650	----	----	----/*1.20A	1.70B/*1.20A	----	1.30 - 0.90	.0094	----	----	----	----	707 UNCH
5660	----	----	----/*1.20A	1.70B/*1.20A	----	1.20 - 0.90	.0087	----	----	----	----	262 UNCH
5670	----	----	----/*1.10A	1.70B/*1.10A	----	1.20 - 0.80	.0086	----	----	----	----	41 UNCH
5675	----	----	----/*1.10A	1.70B/*1.10A	----	1.20 - 0.80	.0086	----	----	----	----	5 UNCH
5680	----	----	----/*1.10A	1.70B/*1.10A	----	1.20 - 0.80	.0086	----	----	----	----	94 UNCH
5690	----	----	----/*1.10A	1.70B/*1.10A	----	1.20 - 0.70	.0085	----	----	----	----	178 UNCH
5700	1.50	1.50	1.70/*1.10	1.70/*1.10	----	1.20 - 0.70	.0084	----	----	467	----	1836 - 28
5710	----	----	----/*1.10A	1.50B/*1.10A	----	1.10 - 0.70	.0078	----	----	----	----	49 UNCH
5720	----	----	----/*1.10A	1.50B/*1.10A	----	1.10 - 0.60	.0077	----	----	----	----	35 UNCH
5725	----	----	----/*1.10A	1.50B/*1.10A	----	1.10 - 0.60	.0077	----	----	----	----	432 UNCH
5730	----	----	----/*1.10A	1.50B/*1.10A	----	1.10 - 0.60	.0076	----	----	----	----	121 UNCH
5740	----	----	----/*1.10A	1.50B/*1.10A	----	1.10 - 0.50	.0076	----	----	----	----	55 UNCH
5750	----	----	----/*1.10A	1.50B/*1.10A	----	1.10 - 0.50	.0075	----	----	----	----	309 UNCH
5760	----	----	----/*1.10A	1.40B/*1.10A	----	1.10 - 0.50	.0075	----	----	----	----	63 UNCH
5770	----	----	----/*1.00A	1.40B/*1.00A	----	1.00 - 0.50	.0068	----	----	----	----	16 UNCH
5775	1.50	1.50	1.50/*1.10A	1.50/*1.10A	----	1.00 - 0.50	.0068	----	----	10	----	73 + 4
5780	----	----	----/*1.00A	1.40B/*1.00A	----	1.00 - 0.50	.0068	----	----	----	----	22 UNCH
5790	----	----	----/*1.00A	1.40B/*1.00A	----	1.00 - 0.40	.0067	----	----	----	----	41 UNCH
5800	----	----	----/*1.00A	1.30B/*1.00A	----	1.00 - 0.40	.0067	----	----	3	----	985 UNCH
5810	----	----	----/*1.00A	1.30B/*1.00A	----	1.00 - 0.40	.0066	----	----	----	----	37 UNCH
5820	----	----	----/*0.90A	1.30B/*0.90A	----	1.00 - 0.40	.0066	----	----	----	----	51 UNCH
5825	----	----	----/*0.90A	1.30B/*0.90A	----	1.00 - 0.30	.0066	----	----	2	----	112 UNCH
5830	----	----	----/*0.90A	1.30B/*0.90A	----	1.00 - 0.30	.0065	----	----	----	----	139 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
5840	----	----	----/*0.90A	1.20B/*0.90A	----	0.90 - 0.40	.0059	----	----	----	----	87 UNCH
5850	----	----	----/*0.90A	1.20B/*0.90A	----	0.90 - 0.40	.0059	----	----	----	----	327 UNCH
5860	----	----	----/*0.90A	1.20B/*0.90A	----	0.90 - 0.40	.0058	----	----	----	----	68 UNCH
5870	----	----	----/*0.90A	1.20B/*0.90A	----	0.90 - 0.40	.0058	----	----	----	----	17 UNCH
5875	0.90	0.90	1.00/*0.60	1.20B/*0.60	----	0.90 - 0.40	.0058	----	----	94	----	123 + 94
5880	----	----	----/*0.80A	1.20B/*0.80A	----	0.90 - 0.40	.0058	----	----	----	----	24 UNCH
5890	----	----	----/*0.80A	1.20B/*0.80A	----	0.80 - 0.50	.0052	----	----	----	----	23 UNCH
5900	----	----	----/*0.80A	1.20B/*0.80A	----	0.80 - 0.50	.0051	----	----	----	----	834 UNCH
5910	----	----	----/*0.80A	1.20B/*0.80A	----	0.80 - 0.40	.0051	----	----	----	----	61 UNCH
5920	----	----	----/*0.80A	1.10B/*0.80A	----	0.80 - 0.40	.0051	----	----	----	----	113 UNCH
5930	----	----	----/*0.80A	1.10B/*0.80A	----	0.80 - 0.40	.0050	----	----	----	----	136 UNCH
5940	----	----	----/*0.80A	1.10B/*0.80A	----	0.80 - 0.40	.0050	----	----	----	----	59 UNCH
5950	0.90	0.90	0.90/*0.70A	1.10B/*0.70A	----	0.80 - 0.40	.0050	----	----	9	----	441 UNCH
5960	----	----	----/*0.80A	1.10B/*0.80A	----	0.70 - 0.50	.0044	----	----	----	----	45 UNCH
5970	----	----	----/*0.80A	1.10B/*0.80A	----	0.70 - 0.50	.0044	----	----	----	----	35 UNCH
5980	0.60	0.60	0.70/*0.60	1.10B/*0.60	----	0.70 - 0.50	.0043	----	----	2	----	129 + 1
5990	----	----	----/*0.70A	1.10B/*0.70A	----	0.70 - 0.50	.0043	----	----	----	----	72 UNCH
6000	1.30	1.30	1.30/*0.70A	1.30/*0.70A	----	0.70 - 0.40	.0043	----	----	201	----	3503 - 32
6025	0.90	0.90	0.90/*0.70A	1.00B/*0.70A	----	0.70 - 0.40	.0042	----	----	25	----	86 - 8
6050	----	----	----/*0.60A	1.00B/*0.60A	----	0.60 - 0.50	.0036	----	----	----	----	103 UNCH
6075	----	----	----/*0.60A	0.90B/*0.60A	----	0.60 - 0.40	.0036	----	----	----	----	23 UNCH
6100	----	----	----/0.70A	0.90B/0.70A	----	0.60 - 0.40	.0035	----	----	1	----	522 UNCH
6125	----	----	----/*0.70A	0.80B/*0.70A	----	0.60 - 0.40	.0035	----	----	----	----	48 UNCH
6150	----	----	----/*0.70A	0.80B/*0.70A	----	0.60 - 0.30	.0034	----	----	----	----	132 UNCH
6175	----	----	----/*0.50A	0.70B/*0.50A	----	0.50 - 0.40	.0029	----	----	1	----	130 - 1
6200	----	----	----/*0.50A	0.70B/*0.50A	----	0.50 - 0.40	.0028	----	----	----	----	370 UNCH
6225	----	----	----/*0.50A	0.70B/*0.50A	----	0.50 - 0.30	.0028	----	----	----	----	138 UNCH
6250	----	----	----/*0.50A	0.80B/*0.50A	----	0.50 - 0.30	.0028	----	----	----	----	260 UNCH
6275	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.20	.0027	----	----	----	----	34 UNCH
6300	0.50	0.50	0.50/*0.50	0.70B/*0.50	----	0.40 - 0.30	.0022	----	----	9	----	254 UNCH
6325	----	----	----/*0.50A	0.60B/*0.50A	----	0.40 - 0.30	.0022	----	----	----	----	148 UNCH
6350	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.20	.0022	----	----	7	----	203 UNCH
6375	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.20	.0021	----	----	----	----	24 UNCH
6400	----	----	----/*0.40A	0.60B/*0.40A	----	0.40 - 0.20	.0021	----	----	1	----	345 UNCH
6425	----	----	----/*0.50A	0.50B/*0.50A	----	0.30 - 0.30	.0016	----	----	----	----	42 UNCH
6450	----	----	----	0.50B/*0.50A	----	0.30 - 0.20	.0016	----	----	----	----	76 UNCH
6475	----	----	----/*0.40A	0.40B/*0.40A	----	0.30 - 0.20	.0016	----	----	----	----	68 UNCH
6500	----	----	----/*0.40A	0.40B/*0.40A	----	0.30 - 0.20	.0015	----	----	----	----	1123 UNCH
6525	----	----	----/*0.40A	0.40B/*0.40A	----	0.30 - 0.20	.0015	----	----	----	----	20 UNCH
6550	----	----	----	0.40B/*0.40A	----	0.30 - 0.10	.0015	----	----	----	----	75 UNCH
6575	----	----	----	0.40B/*0.40A	----	0.30 - 0.10	.0015	----	----	----	----	10 UNCH
6600	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0015	----	----	----	----	72 UNCH
6625	----	----	----	0.30B/0.40A	----	0.20 - 0.20	.0010	----	----	----	----	38 UNCH
6650	----	----	----	0.30B/*0.40A	----	0.20 - 0.20	.0010	----	----	----	----	57 UNCH
6675	----	----	----	0.30B/0.40A	----	0.20 - 0.20	.0010	----	----	----	----	29 UNCH
6700	0.40	0.40	0.40/*0.40	0.40/*0.30A	----	0.20 - 0.10	.0010	----	----	3	----	381 UNCH
6725	----	----	----	0.30B/*0.30A	----	0.20 - 0.10	.0010	----	----	----	----	101 UNCH
6750	----	----	----	0.20B/*0.30A	----	0.20 - 0.10	.0010	----	----	----	----	64 UNCH
6775	----	----	----	0.20B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	7 UNCH
6800	----	----	----	0.20B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	616 UNCH
6825	----	----	----	0.20B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	8 UNCH
6850	----	----	----	0.20B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	32 UNCH
6875	----	----	----	0.20B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	13 UNCH
6900	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	553 UNCH
6925	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	1 UNCH
6950	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	34 UNCH
6975	----	----	----	0.10B/*0.20A	----	0.20 UNCH	.0009	----	----	----	----	7 UNCH
7000	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0004	----	----	----	----	823 UNCH
7025	----	----	----	0.20B/*0.20A	----	0.10 - 0.10	.0004	----	----	----	----	402 UNCH
7050	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0003	----	----	----	----	33 UNCH
7075	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0003	----	----	----	----	86 UNCH
7100	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0003	----	----	----	----	106 UNCH
7125	----	----	----	----/*0.30A	----	0.10 - 0.10	.0002	----	----	----	----	14 UNCH
7150	----	----	----	----/*0.30A	----	0.10 - 0.10	.0002	----	----	----	----	26 UNCH
7175	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	37 UNCH
7200	----	----	----	----/*0.30A	----	0.10 - 0.10	.0002	----	----	----	----	97 UNCH
7225	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	6 UNCH
7250	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	42 UNCH
7275	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	15 UNCH
7300	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	10 UNCH
7325	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
7350	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
7375	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	10 UNCH
7400	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	16 UNCH
7450	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	20 UNCH
7475	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	11 UNCH
7500	----	----	----/*0.10A	0.20B/*0.10A	----	0.10 - 0.10	.0000	----	----	----	----	350 UNCH
7525	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	42 UNCH
7575	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	6 UNCH
7600	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	89 UNCH
7625	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
7650	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
7675	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	36 UNCH
7700	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	77 UNCH
7725	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
7750	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
7775	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
7800	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	23 UNCH
7825	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
7850	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
7875	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
7900	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
7950	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	39 UNCH
7975	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
8000	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1098 UNCH
8100	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	54 UNCH
8200	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	20	----	1081 + 1
8300	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	10	----	37 + 10
8400	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
8500	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	15	----	74 + 15
8600	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
8700	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
8800	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
8900	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
9000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	332 UNCH
9100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
9200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
9300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
9400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
9500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	53 UNCH
9600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
9700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
9800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
9900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
10000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	767 UNCH
15000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	133 UNCH
TOTAL										6734	377	101540 - 104
JUN26												
1995	----	----	----/2,783.50A	2795.00B/2783.50A	----	2792.40 - 30.60	1.0000	----	----	300	----	0 UNCH
2000	----	----	----/2,774.80A	2809.70B/2774.80A	----	2787.40 - 30.60	1.0000	----	----	967	----	412 UNCH
2005	----	----	----/2,773.50A	2785.00B/2773.50A	----	2782.40 - 30.60	1.0000	----	----	300	----	0 UNCH
2795	----	----	----/1,982.50A	1996.00B/1982.50A	----	1992.40 - 30.60	.9988	----	----	350	----	0 UNCH
2800	----	----	----/1,970.30A	2012.30B/1970.30A	----	1987.40 - 30.60	.9988	----	----	828	----	500 - 100
2805	----	----	----/1,972.50A	1986.00B/1972.50A	----	1982.40 - 30.60	.9988	----	----	350	----	0 UNCH
2990	----	----	----	----	----	1797.40 - 30.60	.9967	----	----	----	----	0 UNCH
2995	----	----	----	----	----	1792.40 - 30.60	.9963	----	----	100	----	0 UNCH
3000	1792.00	1792.00	1,813.20B/1,771	1813.20B/1771.80A	----	1787.40 - 30.60	.9963	----	----	254	----	419 - 6
3005	----	----	----	----	----	1782.40 - 30.60	.9963	----	----	100	----	0 UNCH
3010	----	----	----	----	----	1777.40 - 30.60	.9963	----	----	----	----	0 UNCH
3200	----	----	----/1,572.30A	1609.70B/1572.30A	----	1587.50 - 30.70	.9937	----	----	----	----	25 UNCH
3300	----	----	----	----	----	1487.70 - 30.70	.9919	----	----	----	----	0 UNCH
3310	----	----	----	----	----	1477.70 - 30.80	.9916	----	----	----	----	0 UNCH
3400	----	----	----/1,370.80A	1413.90B/1370.80A	----	1388.10 - 30.80	.9894	----	----	----	----	893 UNCH
3500	----	----	----/1,273.00A	1310.80B/1273.00A	----	1288.70 - 30.90	.9865	----	----	----	----	58 UNCH
3525	----	----	----	----	----	1263.90 - 30.90	.9853	----	----	----	----	1 UNCH
3550	----	----	----/1,219.20A	1259.90B/1219.20A	----	1239.10 - 30.90	.9844	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
3580	----	----	----/1,189.80A	1232.80B/1189.80A	----	1209.40 - 30.90	.9829	----	----	----	----	18 UNCH
3585	----	----	----/1,184.90A	1227.90B/1184.90A	----	1204.50 - 30.90	.9828	----	----	----	----	100 UNCH
3600	----	----	----/1,170.00A	1213.00B/1170.00A	----	1189.70 - 30.90	.9820	----	----	----	----	214 UNCH
3635	----	----	----/1,135.40A	1178.40B/1135.40A	----	1155.10 - 30.90	.9803	----	----	----	----	60 UNCH
3650	----	----	----/1,120.30A	1163.50B/1120.30A	----	1140.30 - 30.90	.9795	----	----	----	----	143 UNCH
3665	----	----	----/1,105.60A	1148.70B/1105.60A	----	1125.50 - 30.90	.9787	----	----	----	----	3 UNCH
3700	1092.50	1092.50	1,115.40B/1,071	1115.40B/1071.20A	----	1091.00 - 30.90	.9763	----	----	3	----	392 - 3
3715	----	----	----/1,056.20A	1099.40B/1056.20A	----	1076.30 - 30.80	.9755	----	----	----	----	25 UNCH
3725	----	----	----/1,046.60A	1089.60B/1046.60A	----	1066.40 - 30.90	.9747	----	----	----	----	212 UNCH
3750	----	----	----/1,013.10A	1069.90B/1013.10A	----	1041.90 - 30.90	.9730	----	----	----	----	1112 UNCH
3755	----	----	----/1,008.20A	1065.00B/1008.20A	----	1037.00 - 30.80	.9726	----	----	----	----	15 UNCH
3785	----	----	----/978.90A	1035.10B/978.90A	----	1007.60 - 30.80	.9702	----	----	----	----	170 UNCH
3790	----	----	----/974.00A	1030.60B/974.00A	----	1002.70 - 30.90	.9698	----	----	----	----	1 UNCH
3800	----	----	----/964.30A	1020.90B/964.30A	----	992.90 - 30.90	.9690	----	----	----	----	545 UNCH
3835	----	----	----/930.30A	986.20B/930.30A	----	958.80 - 30.80	.9657	----	----	----	----	1 UNCH
3840	----	----	----/925.40A	981.90B/925.40A	----	953.90 - 30.80	.9650	----	----	----	----	21 UNCH
3850	----	----	----/915.70A	972.10B/915.70A	----	944.10 - 30.90	.9642	----	----	----	----	322 UNCH
3875	----	----	----/891.50A	947.70B/891.50A	----	919.80 - 30.90	.9614	----	----	----	----	60 UNCH
3895	----	----	----/872.20A	928.30B/872.20A	----	900.40 - 30.90	.9591	----	----	----	----	1 UNCH
3900	----	----	----/867.40A	923.40B/867.40A	----	895.60 - 30.80	.9586	----	----	----	----	364 UNCH
3925	----	----	----/843.40A	899.20B/843.40A	----	871.40 - 30.90	.9554	----	----	----	----	4 UNCH
3950	----	----	----/819.50A	875.20B/819.50A	----	847.30 - 30.90	.9519	----	----	----	----	14 UNCH
3975	----	----	----/795.60A	851.10B/795.60A	----	823.30 - 30.90	.9484	----	----	----	----	106 UNCH
3990	----	----	----/781.40A	836.60B/781.40A	----	808.90 - 30.90	.9460	----	----	----	----	1 UNCH
3995	----	----	----/776.70A	831.70B/776.70A	----	804.20 - 30.90	.9450	----	----	----	----	5 UNCH
4000	----	----	----/771.90A	826.60B/771.90A	----	799.40 - 30.90	.9442	----	----	----	----	862 UNCH
4005	----	----	----/767.20A	822.30B/767.20A	----	794.60 - 30.90	.9434	----	----	----	----	10 UNCH
4010	----	----	----/762.50A	817.50B/762.50A	----	789.80 - 31.00	.9426	----	----	----	----	1 UNCH
4020	----	----	----/753.00A	807.90B/753.00A	----	780.30 - 30.90	.9407	----	----	----	----	2 UNCH
4025	----	----	----/748.30A	803.20B/748.30A	----	775.60 - 30.90	.9399	----	----	----	----	51 UNCH
4040	----	----	----/734.30A	788.80B/734.30A	----	761.30 - 31.00	.9372	----	----	----	----	1 UNCH
4050	----	----	----/724.90A	779.40B/724.90A	----	751.80 - 31.00	.9353	----	----	----	----	185 UNCH
4060	----	----	----/715.60A	769.90B/715.60A	----	742.40 - 31.00	.9331	----	----	----	----	25 UNCH
4070	----	----	----/706.20A	760.40B/706.20A	----	733.00 - 30.90	.9312	----	----	----	----	10 UNCH
4075	----	----	----/701.60A	755.70B/701.60A	----	728.30 - 30.90	.9301	----	----	----	----	64 UNCH
4090	----	----	----/687.60A	741.50B/687.60A	----	714.20 - 31.00	.9267	----	----	----	----	34 UNCH
4100	----	----	----/678.40A	732.10B/678.40A	----	704.80 - 31.00	.9245	----	----	----	----	682 UNCH
4105	----	----	----/673.80A	727.40B/673.80A	----	700.10 - 31.00	.9234	----	----	----	----	50 UNCH
4110	----	----	----/669.20A	722.60B/669.20A	----	695.40 - 31.10	.9222	----	----	----	----	2 UNCH
4115	----	----	----/664.60A	718.00B/664.60A	----	690.80 - 31.00	.9211	----	----	----	----	5 UNCH
4125	----	----	----/655.40A	708.60B/655.40A	----	681.50 - 31.00	.9185	----	----	----	----	95 UNCH
4135	----	----	----/646.30A	699.20B/646.30A	----	672.20 - 31.00	.9160	----	----	----	----	16 UNCH
4150	----	----	----/632.60A	685.40B/632.60A	----	658.30 - 31.10	.9120	----	----	----	----	263 UNCH
4155	----	----	----/628.10A	680.60B/628.10A	----	653.70 - 31.10	.9106	----	----	----	----	5 UNCH
4170	----	----	----/614.50A	666.70B/614.50A	----	639.90 - 31.10	.9065	----	----	----	----	51 UNCH
4175	----	----	----/610.00A	662.10B/610.00A	----	635.30 - 31.10	.9051	----	----	----	----	61 UNCH
4195	----	----	----/592.10A	643.70B/592.10A	----	617.00 - 31.20	.8990	----	----	----	----	1 UNCH
4200	----	----	----/587.60A	639.20B/587.60A	----	612.50 - 31.10	.8976	----	----	----	----	2079 UNCH
4210	----	----	----/578.70A	630.10B/578.70A	----	603.40 - 31.20	.8944	----	----	----	----	1582 UNCH
4220	----	----	----/569.80A	621.00B/569.80A	----	594.30 - 31.20	.8909	----	----	----	----	84 UNCH
4225	----	----	----/565.40A	616.30B/565.40A	----	589.80 - 31.20	.8894	----	----	----	----	15 UNCH
4235	----	----	----/556.60A	607.20B/556.60A	----	580.80 - 31.20	.8860	----	----	----	----	6 UNCH
4240	----	----	----/552.20A	602.70B/552.20A	----	576.40 - 31.20	.8842	----	----	----	----	53 UNCH
4245	----	----	----/547.80A	598.30B/547.80A	----	571.90 - 31.20	.8825	----	----	----	----	263 UNCH
4250	----	----	----/543.40A	593.80B/543.40A	----	567.40 - 31.20	.8805	----	----	----	----	922 UNCH
4255	----	----	----/539.10A	589.20B/539.10A	----	563.00 - 31.20	.8787	----	----	----	----	6 UNCH
4260	----	----	----/534.70A	584.70B/534.70A	----	558.50 - 31.20	.8770	----	----	----	----	1 UNCH
4265	----	----	----/530.40A	580.20B/530.40A	----	554.10 - 31.20	.8750	----	----	----	----	87 UNCH
4270	----	----	----/526.00A	575.70B/526.00A	----	549.70 - 31.20	.8732	----	----	----	----	11 UNCH
4280	----	----	----/517.50A	566.80B/517.50A	----	540.80 - 31.30	.8692	----	----	----	----	1 UNCH
4285	----	----	----/513.10A	562.40B/513.10A	----	536.40 - 31.30	.8672	----	----	----	----	1 UNCH
4300	----	----	----/500.40A	549.20B/500.40A	----	523.30 - 31.20	.8611	----	----	----	----	2116 UNCH
4305	----	----	----/496.20A	544.70B/496.20A	----	518.90 - 31.30	.8590	----	----	----	----	1 UNCH
4310	----	----	----/491.90A	540.40B/491.90A	----	514.60 - 31.20	.8568	----	----	----	----	23 UNCH
4315	----	----	----/487.70A	535.90B/487.70A	----	510.20 - 31.30	.8547	----	----	----	----	1 UNCH
4320	----	----	----/483.50A	531.40B/483.50A	----	505.90 - 31.30	.8525	----	----	----	----	62 UNCH
4325	----	----	----/479.30A	527.20B/479.30A	----	501.60 - 31.30	.8504	----	----	----	----	72 UNCH
4335	----	----	----/470.90A	518.50B/470.90A	----	493.00 - 31.30	.8458	----	----	----	----	13 UNCH
4340	----	----	----/466.80A	514.00B/466.80A	----	488.70 - 31.30	.8436	----	----	----	----	17 UNCH
4345	----	----	----/462.60A	509.60B/462.60A	----	484.50 - 31.20	.8413	----	----	----	----	2 UNCH
4350	----	----	----/458.40A	505.50B/458.40A	----	480.20 - 31.30	.8388	----	----	----	----	1451 UNCH
4355	----	----	----/454.30A	501.10B/454.30A	----	476.00 - 31.20	.8364	----	----	----	----	129 UNCH
4360	----	----	----/450.20A	497.00B/450.20A	----	471.70 - 31.30	.8341	----	----	----	----	42 UNCH
4365	----	----	----/446.10A	492.70B/446.10A	----	467.50 - 31.30	.8316	----	----	----	----	4 UNCH
4370	----	----	----/442.10A	488.50B/442.10A	----	463.30 - 31.30	.8291	----	----	----	----	3 UNCH
4375	----	----	----/437.90A	484.00B/437.90A	----	459.10 - 31.30	.8266	----	----	----	----	106 UNCH
4380	----	----	----/433.80A	480.00B/433.80A	----	454.90 - 31.30	.8240	----	----	----	----	341 UNCH
4385	----	----	----/429.90A	475.70B/429.90A	----	450.80 - 31.20	.8215	----	----	----	----	3 UNCH
4390	----	----	----/425.80A	471.30B/425.80A	----	446.60 - 31.20	.8189	----	----	----	----	16 UNCH
4395	----	----	----/421.80A	467.10B/421.80A	----	442.50 - 31.20	.8162	----	----	----	----	10 UNCH
4400	----	----	----/417.80A	462.90B/417.80A	----	438.30 - 31.20	.8136	----	----	----	----	1458 UNCH
4410	----	----	----/409.90A	454.80B/409.90A	----	430.10 - 31.20	.8081	----	----	----	----	39 UNCH
4415	----	----	----/405.90A	450.40B/405.90A	----	426.00 - 31.20	.8053	----	----	----	----	176 UNCH
4420	----	----	----/402.00A	446.40B/402.00A	----	422.00 - 31.10	.8026	----	----	----	----	3 UNCH
4425	----	----	----/398.10A	442.30B/398.10A	----	417.90 - 31.20	.7998	----	----	----	----	274 UNCH
4430	----	----	----/394.20A	438.00B/394.20A	----	413.80 - 31.20	.7970	----	----	----	----	19 UNCH
4435	----	----	----/390.30A	433.90B/390.30A	----	409.80 - 31.20	.7940	----	----	----	----	20 UNCH
4440	----	----	----/386.40A	430.00B/386.40A	----	405.80 - 31.10	.7910	----	----	----	----	19 UNCH
4445	----	----	----/382.60A	425.90B/382.60A	----	401.80 - 31.10	.7881	----	----	----	----	5 UNCH
4450	----	----	----/378.70A	421.70B/378.70A	----	397.80 - 31.10	.7851	----	----	----	----	497 UNCH
4455	----	----	----/374.90A	417.80B/374.90A	----	393.90 - 31.00	.7821	----	----	----	----	6 UNCH
4460	----	----	----/371.10A	413.80B/371.10A	----	389.90 - 31.10	.7791	----	----	----	----	20 UNCH
4465	----	----	----/367.30A	409.80B/367.30A	----	386.00 - 31.00	.7759	----	----	----	----	18 UNCH
4470	----	----	----/363.60A	405.80B/363.60A	----	382.10 - 31.00	.7729	----	----	----	----	24 UNCH
4475	----	----	----/359.80A	401.70B/359.80A	----	378.10 - 31.00	.7697	----	----	----	----	22 UNCH
4480	----	----	----/356.10A	397.70B/356.10A	----	374.30 - 30.90	.7665	----	----	----	----	59 UNCH
4485	----	----	----/352.30A	393.80B/352.30A	----	370.40 - 30.90	.7633	----	----	----	----	6 UNCH
4490	----	----	----/348.60A	390.00B/348.60A	----	366.50 - 30.90	.7601	----	----	----	----	51 UNCH
4495	----	----	----/345.00A	386.00B/345.00A	----	362.70 - 30.90	.7568	----	----	----	----	6 UNCH
4500	----	----	----/341.30A	382.20B/341.30A	----	358.90 - 30.80	.7534	----	----	----	----	4396 UNCH
4505	----	----	----/337.70A	378.30B/337.70A	----	355.10 - 30.80	.7502	----	----	----	----	49 UNCH
4510	----	----	----/334.00A	374.30B/334.00A	----	351.30 - 30.80	.7468	----	----	----	----	1475 UNCH
4515	----	----	----/330.40A	370.50B/330.40A	----	347.50 - 30.80	.7433	----	----	----	----	93 UNCH
4520	----	----	----/326.80A	366.50B/326.80A	----	343.80 - 30.70	.7399	----	----	----	----	51 UNCH
4525	----	----	----/323.30A	362.80B/323.30A	----	340.10 - 30.60	.7365	----	----	----	----	232 UNCH
4530	----	----	----/319.70A	359.00B/319.70A	----	336.40 - 30.60	.7329	----	----	----	----	13 UNCH
4535	----	----	----/316.20A	355.30B/316.20A	----	332.70 - 30.50	.7294	----	----	----	----	12 UNCH
4540	----	----	----/312.70A	351.50B/312.70A	----	329.00 - 30.50	.7258	----	----	----	----	78 UNCH
4545	----	----	----/309.20A	348.20B/309.20A	----	325.40 - 30.40	.7221	----	----	----	----	32 UNCH
4550	----	----	----/305.70A	344.30B/305.70A	----	321.70 - 30.40	.7186	----	----	----	----	219 UNCH
4555	----	----	----/302.10A	340.20B/302.10A	----	318.10 - 30.40	.7149	----	----	----	----	9 UNCH
4560	----	----	----/298.60A	336.90B/298.60A	----	314.50 - 30.30	.7111	----	----	----	----	159 UNCH
4565	----	----	----/295.20A	333.40B/295.20A	----	310.90 - 30.30	.7074	----	----	----	----	104 UNCH
4570	----	----	----/291.80A	329.70B/291.80A	----	307.40 - 30.20	.7037	----	----	----	----	35 UNCH
4575	----	----	----/288.50A	326.10B/288.50A	----	303.80 - 30.20	.7000	----	----	----	----	65 UNCH
4580	----	----	----/285.10A	322.10B/285.10A	----	300.30 - 30.10	.6961	----	----	----	----	8 UNCH
4585	----	----	----/281.90A	318.50B/281.90A	----	296.80 - 30.10	.6923	----	----	----	----	15 UNCH
4590	----	----	----/278.50A	315.30B/278.50A	----	293.30 - 30.00	.6884	----	----	----	----	79 UNCH
4595	----	----	----/275.20A	311.20B/275.20A	----	289.90 - 29.90	.6845	----	----	----	----	13 UNCH
4600	294.60	294.60	308.10B/271.90A	308.10B/271.90A	----	286.40 - 29.90	.6806	----	----	5	----	5205 UNCH
4605	----	----	----/268.70A	304.60B/268.70A	----	283.00 - 29.90	.6766	----	----	----	----	153 UNCH
4610	----	----	----/265.50A	300.60B/265.50A	----	279.60 - 29.80	.6727	----	----	----	----	2 UNCH
4615	----	----	----/262.30A	297.20B/262.30A	----	276.30 - 29.70	.6687	----	----	----	----	3 UNCH
4620	----	----	----/259.10A	294.30B/259.10A	----	272.90 - 29.70	.6646	----	----	----	----	19 UNCH
4625	----	----	----/255.90A	290.90B/255.90A	----	269.60 - 29.60	.6605	----	----	----	----	196 UNCH
4630	----	----	----/252.80A	287.40B/252.80A	----	266.30 - 29.50	.6564	----	----	----	----	55 UNCH
4635	----	----	----/249.70A	283.70B/249.70A	----	263.00 - 29.50	.6524	----	----	1	----	6 UNCH
4640	----	----	----/246.10A	280.70B/246.10A	----	259.70 - 29.40	.6482	----	----	1	----	21 UNCH
4645	----	----	----/243.10A	277.00B/243.10A	----	256.50 - 29.30	.6440	----	----	----	----	13 UNCH
4650	----	----	----/240.00A	274.00B/240.00A	----	253.30 - 29.20	.6398	----	----	5	----	1011 UNCH
4655	----	----	----/237.00A	270.70B/237.00A	----	250.10 - 29.20	.6356	----	----	----	----	28 UNCH
4660	----	----	----/234.00A	267.40B/234.00A	----	246.90 - 29.10	.6314	----	----	----	----	25 UNCH
4665	----	----	----/231.00A	263.70B/231.00A	----	243.80 - 29.00	.6271	----	----	----	----	1 UNCH
4670	----	----	----/227.90A	260.90B/227.90A	----	240.60 - 29.00	.6228	----	----	2	----	152 UNCH
4675	----	----	----/224.90A	257.80B/224.90A	----	237.60 - 28.80	.6185	----	----	----	----	511 UNCH
4680	----	----	----/222.00A	254.60B/222.00A	----	234.50 - 28.70	.6142	----	----	----	----	235 UNCH
4685	----	----	----/219.00A	251.40B/219.00A	----	231.50 - 28.60	.6098	----	----	----	----	32 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4690	----	----	----/216.10A	248.20B/216.10A	----	228.40 - 28.60	.6055	----	----	----	----	38 UNCH
4695	----	----	----/213.20A	245.10B/213.20A	----	225.50 - 28.40	.6011	----	----	----	----	19 UNCH
4700	232.00	232.00	242.00B/210.30A	242.00B/210.30A	----	222.50 - 28.30	.5967	----	----	150	----	3351 - 87
4705	----	----	----/207.50A	238.80B/207.50A	----	219.60 - 28.10	.5922	----	----	----	----	3 UNCH
4710	----	----	----/204.60A	235.60B/204.60A	----	216.70 - 28.00	.5878	----	----	----	----	15 UNCH
4715	----	----	----/201.80A	232.70B/201.80A	----	213.80 - 27.80	.5833	----	----	----	----	13 UNCH
4720	----	----	----/199.00A	229.90B/199.00A	----	210.90 - 27.70	.5788	----	----	----	----	233 UNCH
4725	----	----	----/196.30A	226.90B/196.30A	----	208.10 - 27.60	.5744	----	----	3	----	392 - 2
4730	----	----	----/193.50A	223.90B/193.50A	----	205.20 - 27.50	.5698	----	----	----	----	13 UNCH
4735	208.00	208.00	220.80B/190.80A	220.80B/190.80A	----	202.40 - 27.40	.5653	----	----	2	----	90 - 2
4740	204.20	204.20	217.90B/188.10A	217.90B/188.10A	----	199.60 - 27.30	.5608	----	----	4	----	36 + 3
4745	----	----	----/185.50A	215.00B/185.50A	----	196.90 - 27.10	.5563	----	----	----	----	13 UNCH
4750	200.30	200.30	212.50B/182.90A	212.50B/182.90A	----	194.10 - 27.00	.5517	----	----	7	----	1948 + 5
4755	----	----	----/180.20A	209.30B/180.20A	----	191.40 - 26.90	.5472	----	----	----	----	102 UNCH
4760	----	----	----/177.70A	206.60B/177.70A	----	188.70 - 26.80	.5426	----	----	----	----	53 UNCH
4765	----	----	----/175.10A	203.70B/175.10A	----	186.00 - 26.70	.5380	----	----	----	----	37 UNCH
4770	184.00	184.00	200.90B/172.60A	200.90B/172.60A	----	183.30 - 26.70	.5334	----	----	2	----	38 UNCH
4775	----	----	----/170.10A	198.30B/170.10A	----	180.70 - 26.50	.5288	----	----	----	----	206 UNCH
4780	178.10	178.10	178.10/167.60A	195.60B/167.60A	----	178.00 - 26.50	.5242	----	----	1	----	104 UNCH
4785	177.30	177.30	192.80B/165.10A	192.80B/165.10A	----	175.50 - 26.30	.5196	----	----	9	----	31 + 6
4790	174.40	174.40	174.40/162.70A	190.10B/162.70A	----	172.90 - 26.30	.5150	----	----	3	----	28 + 2
4795	----	----	----/160.30A	187.40B/160.30A	----	170.40 - 26.10	.5104	----	----	2	----	43 + 2
4800	174.00	174.00	185.30B/157.90A	185.30B/157.90A	----	167.90 - 26.00	.5057	----	----	260	----	2933 + 31
4805	----	----	----/155.60A	182.20B/155.60A	----	165.40 - 25.90	.5011	----	----	----	----	8 UNCH
4810	166.90	166.90	179.70B/153.20A	179.70B/153.20A	----	162.90 - 25.80	.4964	----	----	6	----	29 - 2
4815	----	----	----/150.90A	177.20B/150.90A	----	160.50 - 25.70	.4918	----	----	----	----	43 UNCH
4820	169.10	169.10	169.10/148.70A	174.60B/148.70A	----	158.20 - 25.50	.4872	----	----	33	----	58 + 21
4825	159.70	159.70	172.10B/146.40A	172.10B/146.40A	----	155.80 - 25.40	.4826	----	----	12	----	152 - 7
4830	153.50	153.50	169.60B/144.20A	169.60B/144.20A	----	153.50 - 25.20	.4780	----	----	1	----	129 UNCH
4835	----	----	----/142.00A	167.20B/142.00A	----	151.20 - 25.10	.4733	----	----	----	----	2 UNCH
4840	149.00	149.00	164.80B/139.80A	164.80B/139.80A	----	149.00 - 24.90	.4687	----	----	2	----	37 - 1
4845	146.90	146.90	162.40B/137.70A	162.40B/137.70A	----	146.70 - 24.80	.4641	----	----	1	----	14 - 1
4850	150.50	150.50	160.50B/135.50A	160.50B/135.50A	----	144.50 - 24.60	.4595	----	----	55	----	625 - 27
4855	145.30	145.30	158.00B/133.40A	158.00B/133.40A	----	142.30 - 24.50	.4549	----	----	1	----	255 + 1
4860	----	----	----/131.40A	155.60B/131.40A	----	140.20 - 24.30	.4504	----	----	----	----	63 UNCH
4865	----	----	----/129.30A	153.10B/129.30A	----	138.00 - 24.20	.4458	----	----	----	----	26 UNCH
4870	----	----	----/127.30A	150.90B/127.30A	----	135.90 - 24.00	.4412	----	----	----	----	10 UNCH
4875	134.50	134.50	148.70B/125.30A	148.70B/125.30A	----	133.80 - 23.80	.4366	----	----	7	----	120 - 1
4880	----	----	----/123.40A	146.50B/123.40A	----	131.70 - 23.70	.4321	----	----	----	----	63 UNCH
4885	----	----	----/121.40A	144.30B/121.40A	----	129.70 - 23.50	.4276	----	----	----	----	256 UNCH
4890	127.60	127.60	127.60/119.50A	142.30B/119.50A	----	127.70 - 23.30	.4231	----	----	6	----	293 + 1
4895	----	----	----/117.60A	140.00B/117.60A	----	125.70 - 23.10	.4185	----	----	----	----	204 UNCH
4900	131.60	131.60	138.20B/115.70A	138.20B/115.70A	----	123.70 - 23.00	.4140	----	----	251	----	3577 + 2
4905	----	----	----/113.90A	135.80B/113.90A	----	121.80 - 22.80	.4096	----	----	----	----	9 UNCH
4910	----	----	----/112.10A	133.70B/112.10A	----	119.80 - 22.70	.4051	----	----	----	----	27 UNCH
4915	----	----	----/110.30A	131.60B/110.30A	----	117.90 - 22.50	.4006	----	----	----	----	40 UNCH
4920	----	----	----/108.50A	129.60B/108.50A	----	116.00 - 22.40	.3961	----	----	----	----	108 UNCH
4925	118.40	118.40	127.70B/106.70A	127.70B/106.70A	----	114.20 - 22.10	.3918	----	----	2	----	47 + 2
4930	----	----	----/105.00A	125.70B/105.00A	----	112.40 - 21.90	.3874	----	----	----	----	205 UNCH
4935	----	----	----/103.30A	123.80B/103.30A	----	110.50 - 21.90	.3829	----	----	----	----	6 UNCH
4940	----	----	----/101.60A	121.80B/101.60A	----	108.80 - 21.60	.3786	----	----	----	----	102 UNCH
4945	----	----	----/100.00A	119.90B/100.00A	----	107.00 - 21.50	.3743	----	----	----	----	193 UNCH
4950	107.90	107.90	118.30B/98.40A	118.30B/98.40A	----	105.30 - 21.20	.3700	----	----	8	----	1027 - 5
4955	103.10	103.10	116.20B/96.70A	116.20B/96.70A	----	103.50 - 21.20	.3656	----	----	1	----	33 UNCH
4960	102.80	102.80	102.80/95.20A	114.40B/95.20A	----	101.80 - 21.00	.3613	----	----	5	----	188 UNCH
4965	----	----	----/93.60A	112.60B/93.60A	----	100.20 - 20.70	.3571	----	----	----	----	37 UNCH
4970	----	----	----/92.10A	110.80B/92.10A	----	98.50 - 20.60	.3528	----	----	----	----	51 UNCH
4975	----	----	----/90.50A	109.10B/90.50A	----	96.90 - 20.40	.3486	----	----	1	----	211 UNCH
4980	----	----	----/89.00A	107.20B/89.00A	----	95.30 - 20.20	.3444	----	----	----	----	74 UNCH
4985	----	----	----/87.60A	105.60B/87.60A	----	93.70 - 20.10	.3402	----	----	----	----	115 UNCH
4990	93.80	93.80	104.20B/86.00A	104.20B/86.00A	----	92.20 - 19.80	.3362	----	----	11	----	1251 + 5
4995	----	----	----/84.70A	102.30B/84.70A	----	90.60 - 19.70	.3320	----	----	----	----	41 UNCH
5000	89.30	89.30	101.10/83.10A	101.10/83.10A	----	89.10 - 19.50	.3279	----	----	569	----	7629 - 66
5005	88.90	88.90	88.90/81.90A	99.10B/81.90A	----	87.60 - 19.40	.3238	----	----	1	----	301 UNCH
5010	----	----	----/80.50A	97.50B/80.50A	----	86.20 - 19.10	.3199	----	----	1	----	90 UNCH
5015	86.40	86.40	86.40/79.20A	95.90B/79.20A	----	84.70 - 19.00	.3158	----	----	3	----	77 + 3
5020	84.50	84.50	85.30/77.80A	94.40B/77.80A	----	83.30 - 18.80	.3119	----	----	3	----	460 UNCH
5025	81.70	81.70	92.70B/76.50A	92.70B/76.50A	----	81.90 - 18.60	.3079	----	----	10	----	70 + 1
5030	----	----	----/75.20A	91.40B/75.20A	----	80.50 - 18.40	.3040	----	----	----	----	118 UNCH
5035	----	----	----/74.00A	89.90B/74.00A	----	79.20 - 18.20	.3002	----	----	----	----	54 UNCH
5040	78.90	78.90	78.90/72.70A	88.50B/72.70A	----	77.80 - 18.10	.2963	----	----	2	----	52 + 2
5045	----	----	----/71.50A	87.10B/71.50A	----	76.50 - 17.90	.2925	----	----	----	----	22 UNCH
5050	----	----	----/70.20A	85.60B/70.20A	----	75.20 - 17.70	.2887	----	----	5	----	1158 - 5
5055	----	----	----/69.10A	84.30B/69.10A	----	74.00 - 17.40	.2850	----	----	----	----	7 UNCH
5060	----	----	----/67.90A	82.90B/67.90A	----	72.70 - 17.30	.2812	----	----	----	----	85 UNCH
5065	----	----	----/66.80A	81.60B/66.80A	----	71.50 - 17.10	.2776	----	----	----	----	28 UNCH
5070	----	----	----/65.60A	80.30B/65.60A	----	70.30 - 16.90	.2740	----	----	----	----	81 UNCH
5075	----	----	----/64.30A	78.80B/64.30A	----	69.10 - 16.70	.2704	----	----	----	----	725 UNCH
5080	68.70	68.70	68.70/63.40A	77.70B/63.40A	----	67.90 - 16.60	.2667	----	----	1	----	154 UNCH
5085	----	----	----/62.40A	76.40B/62.40A	----	66.70 - 16.50	.2631	----	----	----	----	129 UNCH
5090	----	----	----/61.30A	75.20B/61.30A	----	65.60 - 16.20	.2597	----	----	----	----	46 UNCH
5095	65.20	65.20	65.20/60.30A	73.90B/60.30A	----	64.50 - 16.10	.2562	----	----	4	----	60 + 4
5100	63.70	63.70	64.10/59.00A	72.50B/59.00A	----	63.40 - 15.90	.2528	----	----	459	----	4334 - 7
5105	----	----	----/58.20A	71.50B/58.20A	----	62.30 - 15.70	.2493	----	----	----	----	40 UNCH
5110	----	----	----/57.20A	70.40B/57.20A	----	61.30 - 15.50	.2460	----	----	----	----	104 UNCH
5115	----	----	----/56.30A	69.20B/56.30A	----	60.20 - 15.40	.2426	----	----	----	----	108 UNCH
5120	----	----	----/55.30A	68.10B/55.30A	----	59.20 - 15.20	.2393	----	----	1	----	53 UNCH
5125	----	----	----/54.30A	67.00B/54.30A	----	58.20 - 15.00	.2361	----	----	5	----	220 - 4
5130	----	----	----/53.40A	65.80B/53.40A	----	57.20 - 14.90	.2328	----	----	----	----	44 UNCH
5135	58.70	58.70	58.70/52.40A	64.80B/52.40A	----	56.30 - 14.60	.2298	----	----	4	----	44 UNCH
5140	----	----	----/51.60A	63.70B/51.60A	----	55.30 - 14.50	.2265	----	----	----	----	32 UNCH
5145	----	----	----/50.70A	62.60B/50.70A	----	54.40 - 14.30	.2235	----	----	----	----	9 UNCH
5150	58.20	58.20	58.20/49.70A	61.60B/49.70A	----	53.40 - 14.20	.2203	----	----	138	----	1868 - 5
5155	----	----	----/49.00A	60.60B/49.00A	----	52.50 - 14.10	.2172	----	----	----	----	22 UNCH
5160	----	----	----/48.10A	59.60B/48.10A	----	51.70 - 13.80	.2144	----	----	----	----	96 UNCH
5165	50.50	50.50	50.70/47.30A	58.60B/47.30A	----	50.80 - 13.70	.2114	----	----	45	----	131 + 18
5170	49.80	49.80	49.80/46.50A	57.60B/46.50A	----	49.90 - 13.50	.2083	----	----	2	----	46 + 1
5175	49.20	49.20	49.20/45.70A	56.70B/45.70A	----	49.10 - 13.30	.2055	----	----	19	----	41 - 4
5180	----	----	----/45.00A	55.80B/45.00A	----	48.30 - 13.10	.2027	----	----	----	----	53 UNCH
5185	----	----	----/44.20A	54.80B/44.20A	----	47.40 - 13.00	.1997	----	----	----	----	87 UNCH
5190	47.70	47.70	47.70/43.50A	53.90B/43.50A	----	46.60 - 12.90	.1969	----	----	36	----	503 UNCH
5195	46.80	46.80	52.50/42.60A	53.00B/42.60A	----	45.90 - 12.60	.1943	----	----	61	----	499 UNCH
5200	48.30	48.30	48.30/41.90A	51.70B/41.90A	----	45.10 - 12.50	.1915	----	----	310	----	6263 + 141
5205	----	----	----/41.30A	51.30B/41.30A	----	44.30 - 12.30	.1887	----	----	1	----	16 + 1
5210	44.10	44.10	50.00B/40.50A	50.00B/40.50A	----	43.60 - 12.10	.1861	----	----	48	----	3043 - 3
5215	----	----	----/40.10A	49.60B/40.10A	----	42.80 - 12.00	.1834	----	----	1	----	58 UNCH
5220	42.50	42.50	42.50/39.40A	48.80B/39.40A	----	42.10 - 11.80	.1808	----	----	5	----	196 - 3
5225	----	----	----/38.80A	47.50B/38.80A	----	41.40 - 11.70	.1783	----	----	1	----	283 UNCH
5230	41.20	41.20	46.70B/38.10A	46.70B/38.10A	----	40.70 - 11.50	.1757	----	----	12	----	105 - 1
5235	----	----	----/37.40A	46.40B/37.40A	----	40.00 - 11.30	.1732	----	----	----	----	149 UNCH
5240	----	----	----/36.90A	45.70B/36.90A	----	39.30 - 11.20	.1706	----	----	----	----	59 UNCH
5245	----	----	----/36.20A	44.90B/36.20A	----	38.70 - 11.00	.1683	----	----	----	----	19 UNCH
5250	38.90	38.90	43.40/35.70A	44.20B/35.70A	----	38.00 - 10.90	.1658	----	----	102	----	3883 + 6
5255	----	----	----/35.10A	43.40B/35.10A	----	37.40 - 10.70	.1635	----	----	1	----	68 UNCH
5260	----	----	----/34.50A	42.70B/34.50A	----	36.80 - 10.50	.1612	----	----	1	----	378 UNCH
5265	----	----	----/33.90A	42.00B/33.90A	----	36.20 - 10.30	.1590	----	----	----	----	29 UNCH
5270	35.30	35.30	40.90B/33.40A	40.90B/33.40A	----	35.60 - 10.10	.1567	----	----	1	----	49 + 1
5275	35.80	35.80	35.80/32.80A	40.20B/32.80A	----	35.00 - 10.00	.1544	----	----	9	----	28 - 1
5280	----	----	----/32.30A	40.00B/32.30A	----	34.40 - 9.90	.1521	----	----	----	----	91 UNCH
5285	----	----	----/31.80A	39.30B/31.80A	----	33.80 - 9.80	.1499	----	----	----	----	168 UNCH
5290	----	----	----/*31.30A	38.70B/*31.30A	----	33.30 - 9.60	.1479	----	----	1	----	35 UNCH
5295	32.60	32.60	32.60/*30.80A	38.10B/*30.80A	----	32.70 - 9.50	.1456	----	----	3	----	86 UNCH
5300	34.00	34.00	37.00B/30.30A	37.00B/30.30A	----	32.20 - 9.30	.1436	----	----	1156	----	4813 - 316
5305	32.60	32.60	32.60/*29.80A	36.80B/*29.80A	----	31.70 - 9.10	.1417	----	----	8	----	396 UNCH
5310	----	----	----/*29.30A	36.20B/*29.30A	----	31.20 - 9.00	.1397	----	----	----	----	118 UNCH
5315	----	----	----/*28.90A	35.70B/*28.90A	----	30.70 - 8.80	.1377	----	----	6	----	70 + 6
5320	----	----	----/*28.40A	34.70B/*28.40A	----	30.20 - 8.70	.1357	----	----	----	----	140 UNCH
5325	----	----	----/*27.90A	34.10B/*27.90A	----	29.70 - 8.60	.1337	----	----	----	----	156 UNCH
5330	----	----	----/*27.50A	34.00B/*27.50A	----	29.20 - 8.50	.1318	----	----	1	----	52 + 1
5335	33.20	33.20	33.20/*27.00A	33.40B/*27.00A	----	28.70 - 8.40	.1298	----	----	6	----	12 + 6
5340	28.60	28.60	28.60/*26.70A	32.90B/*26.70A	----	28.30 - 8.20	.1281	----	----	3	----	72 + 3
5345	30.40	30.40	30.40/*26.30A	32.40B/*26.30A	----	27.80 - 8.20	.1262	----	----	4	----	16 + 4
5350	27.30	27.30	31.50B/*25.90A	31.50B/*25.90A	----	27.40 - 8.00	.1245	----	----	229	----	1854 + 59
5355	----	----	----/*25.50A	31.30B/*25.50A	----	27.00 - 7.90	.1228	----	----	----	----	12 UNCH
5360	----	----	----/*25.10A	30.80B/*25.10A	----	26.60 - 7.70	.1212	----	----	2	----	52 + 2
5365	25.30	25.30	25.30/*24.70A	30.30B/*24.70A	----	26.10 - 7.70	.1192	----	----	2	----	7 UNCH
5370	----	----	----/*24.40A	29.90B/*24.40A	----	25.70 - 7.60	.1176	----	----	----	----	71 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5375	24.60	24.60	29.00B/*24.00A	29.00B/*24.00A	----	25.30 - 7.50	.1159	----	----	3	----	46 + 3
5380	25.10	25.10	25.10/*23.60A	28.90B/*23.60A	----	25.00 - 7.30	.1146	----	----	2	----	95 + 2
5385	23.80	23.80	23.80/*23.30A	28.50B/*23.30A	----	24.60 - 7.20	.1129	----	----	5	----	6 + 2
5390	22.60	22.60	22.60/*22.60	28.00B/*22.60	----	24.20 - 7.10	.1113	----	----	2	----	60 + 2
5395	----	----	----/*22.50A	27.60B/*22.50A	----	23.80 - 7.00	.1096	----	----	----	----	44 UNCH
5400	26.60	26.60	27.00/22.20	27.00/22.20	----	23.50 - 6.90	.1083	----	----	289	----	5458 UNCH
5405	----	----	----/*21.80A	26.80B/*21.80A	----	23.10 - 6.80	.1067	----	----	----	----	77 UNCH
5410	----	----	----/*21.50A	26.30B/*21.50A	----	22.80 - 6.70	.1053	----	----	----	----	35 UNCH
5415	----	----	----/*21.10A	25.90B/*21.10A	----	22.50 - 6.50	.1040	----	----	1	----	14 - 1
5420	----	----	----/*20.80A	25.50B/*20.80A	----	22.10 - 6.50	.1024	----	----	----	----	46 UNCH
5425	----	----	----/*20.40A	24.90B/*20.40A	----	21.80 - 6.40	.1011	----	----	1	----	121 UNCH
5430	20.20	20.20	20.20/*20.10A	24.80B/*20.10A	----	21.50 - 6.30	.0997	----	----	2	----	75 + 1
5435	----	----	----/*19.80A	24.40B/*19.80A	----	21.20 - 6.20	.0984	----	----	----	----	15 UNCH
5440	----	----	----/*19.50A	24.00B/*19.50A	----	20.90 - 6.10	.0971	----	----	1	----	95 UNCH
5445	21.10	21.10	21.10/*19.20A	23.70B/*19.20A	----	20.60 - 6.00	.0958	----	----	7	----	33 + 2
5450	23.30	23.30	23.30/*18.90A	23.30/*18.90A	----	20.30 - 5.90	.0945	----	----	49	----	1608 - 1
5455	----	----	----/*18.60A	22.90B/*18.60A	----	20.00 - 5.80	.0932	----	----	----	----	5 UNCH
5460	----	----	----/*18.30A	22.50B/*18.30A	----	19.70 - 5.80	.0919	----	----	1	----	115 UNCH
5465	----	----	----/*18.00A	22.30B/*18.00A	----	19.40 - 5.70	.0906	----	----	----	----	38 UNCH
5470	----	----	----/*17.70A	21.90B/*17.70A	----	19.20 - 5.60	.0897	----	----	----	----	34 UNCH
5475	19.00	19.00	19.00/*17.40A	21.50B/*17.40A	----	18.90 - 5.50	.0884	----	----	5	----	70 + 4
5480	----	----	----/*17.20A	21.30B/*17.20A	----	18.60 - 5.50	.0871	----	----	----	----	27 UNCH
5485	----	----	----/*16.90A	21.00B/*16.90A	----	18.40 - 5.30	.0861	----	----	----	----	9 UNCH
5490	----	----	----/*16.70A	20.70B/*16.70A	----	18.10 - 5.30	.0849	----	----	----	----	178 UNCH
5495	----	----	----/*16.40A	20.40B/*16.40A	----	17.90 - 5.20	.0839	----	----	----	----	66 UNCH
5500	16.60	16.60	20.00/16.20A	20.00/16.20A	----	17.60 - 5.10	.0827	----	----	2240	----	7340 + 790
5505	----	----	----/*15.90A	19.80B/*15.90A	----	17.40 - 5.00	.0817	----	----	----	----	11 UNCH
5510	----	----	----/*15.80A	19.50B/*15.80A	----	17.20 - 4.90	.0808	----	----	----	----	185 UNCH
5515	----	----	----/*15.50A	19.20B/*15.50A	----	16.90 - 4.90	.0795	----	----	----	----	40 UNCH
5520	----	----	----/*15.20A	19.00B/*15.20A	----	16.70 - 4.80	.0786	----	----	----	----	26 UNCH
5525	----	----	----/*15.10A	18.70B/*15.10A	----	16.50 - 4.70	.0776	----	----	1	----	167 UNCH
5530	----	----	----/*14.80A	18.40B/*14.80A	----	16.30 - 4.60	.0767	----	----	----	----	39 UNCH
5535	----	----	----/*14.60A	18.20B/*14.60A	----	16.00 - 4.70	.0755	----	----	----	----	7 UNCH
5540	----	----	----/*14.50A	17.90B/*14.50A	----	15.80 - 4.60	.0745	----	----	----	----	260 UNCH
5545	----	----	----/*14.20A	17.70B/*14.20A	----	15.60 - 4.50	.0736	----	----	----	----	18 UNCH
5550	----	----	----/*14.00A	17.40B/*14.00A	----	15.40 - 4.40	.0727	----	----	----	----	774 UNCH
5555	16.70	16.70	16.90/*13.80A	17.20B/*13.80A	----	15.20 - 4.40	.0718	----	----	7	----	8 + 7
5560	----	----	----/*13.60A	16.90B/*13.60A	----	15.00 - 4.30	.0709	----	----	----	----	32 UNCH
5565	----	----	----/*13.50A	16.70B/*13.50A	----	14.80 - 4.20	.0700	----	----	----	----	2 UNCH
5570	13.90	13.90	13.90/*13.30A	16.50B/*13.30A	----	14.70 - 4.10	.0694	----	----	2	----	26 + 2
5575	----	----	----/*13.10A	16.30B/*13.10A	----	14.50 - 4.00	.0685	----	----	----	----	19 UNCH
5580	----	----	----/*12.90A	16.10B/*12.90A	----	14.30 - 4.00	.0676	----	----	----	----	12 UNCH
5585	14.40	14.40	14.40/*12.80A	15.90B/*12.80A	----	14.10 - 4.00	.0667	----	----	1	----	11 UNCH
5590	----	----	----/*12.50A	15.70B/*12.50A	----	13.90 - 3.90	.0658	----	----	1	----	94 UNCH
5595	----	----	----/*12.30A	15.50B/*12.30A	----	13.80 - 3.80	.0652	----	----	----	----	30 UNCH
5600	15.00	15.00	15.20/*12.30	15.20/*12.30	----	13.60 - 3.80	.0643	----	----	59	----	2320 - 21
5610	----	----	----/*12.00A	14.90B/*12.00A	----	13.30 - 3.60	.0629	----	----	----	----	69 UNCH
5620	----	----	----/*11.50A	14.40B/*11.50A	----	13.00 - 3.50	.0615	----	----	1	----	57 UNCH
5625	----	----	----/*11.50A	14.30B/*11.50A	----	12.80 - 3.50	.0606	----	----	----	----	404 UNCH
5630	----	----	----/*11.30A	14.10B/*11.30A	----	12.70 - 3.40	.0600	----	----	----	----	203 UNCH
5640	----	----	----/*11.10A	13.70B/*11.10A	----	12.40 - 3.30	.0586	----	----	----	----	77 UNCH
5650	10.50	10.50	11.80/*10.50	13.40B/*10.50	----	12.10 - 3.20	.0572	----	----	11	----	701 - 4
5660	----	----	----/*10.50A	13.20B/*10.50A	----	11.80 - 3.20	.0558	----	----	----	----	41 UNCH
5665	----	----	----/*10.50A	12.90B/*10.50A	----	11.70 - 3.10	.0553	----	----	----	----	3 UNCH
5670	----	----	----/*10.30A	12.90B/*10.30A	----	11.60 - 3.00	.0548	----	----	----	----	120 UNCH
5675	----	----	----/*10.10A	12.60B/*10.10A	----	11.50 - 3.00	.0543	----	----	----	----	22 UNCH
5680	----	----	----/*10.00A	12.60B/*10.00A	----	11.30 - 3.00	.0534	----	----	----	----	46 UNCH
5690	----	----	----/*9.90A	12.30B/*9.90A	----	11.10 - 2.90	.0524	----	----	----	----	156 UNCH
5700	10.50	10.50	11.90B/*9.20	11.90B/*9.20	----	10.90 - 2.80	.0514	----	----	241	----	1979 + 172
5710	----	----	----/*9.40A	11.60B/*9.40A	----	10.70 - 2.70	.0504	----	----	----	----	40 UNCH
5720	10.20	10.20	11.40B/*9.20A	11.40B/*9.20A	----	10.50 - 2.60	.0494	----	----	1	----	17 UNCH
5725	----	----	----/*9.10A	11.20B/*9.10A	----	10.40 - 2.50	.0489	----	----	----	----	16 UNCH
5730	10.20	10.20	10.20/*9.00A	11.10B/*9.00A	----	10.30 - 2.50	.0484	----	----	2	----	58 - 1
5740	----	----	----/*8.80A	10.90B/*8.80A	----	10.10 - 2.40	.0474	----	----	----	----	58 UNCH
5750	8.50	8.50	10.80B/*8.50	10.80B/*8.50	----	9.90 - 2.40	.0464	----	----	18	----	1683 UNCH
5760	----	----	----/*8.40A	10.40B/*8.40A	----	9.70 - 2.30	.0454	----	----	----	----	18 UNCH
5770	----	----	----/*8.20A	10.20B/*8.20A	----	9.50 - 2.30	.0445	----	----	----	----	30 UNCH
5775	----	----	----/*8.10A	10.10B/*8.10A	----	9.40 - 2.20	.0440	----	----	----	----	218 UNCH
5780	----	----	----/*8.00A	10.00B/*8.00A	----	9.40 - 2.10	.0439	----	----	----	----	219 UNCH
5790	----	----	----/*7.90A	9.80B/*7.90A	----	9.20 - 2.10	.0429	----	----	----	----	11 UNCH
5800	8.30	8.30	9.60B/*7.60	9.60B/*7.60	----	9.00 - 2.00	.0420	----	----	180	----	3070 + 50
5810	----	----	----/*7.50A	9.40B/*7.50A	----	8.90 - 1.90	.0414	----	----	----	----	259 UNCH
5820	----	----	----/*7.40A	9.40B/*7.40A	----	8.70 - 1.90	.0405	----	----	----	----	34 UNCH
5825	----	----	----/*7.30A	9.30B/*7.30A	----	8.60 - 1.90	.0400	----	----	----	----	23 UNCH
5830	7.40	7.40	9.20B/*7.20A	9.20B/*7.20A	----	8.50 - 1.90	.0395	----	----	1	----	15 + 1
5840	----	----	----/*7.10A	8.90B/*7.10A	----	8.40 - 1.80	.0390	----	----	----	----	22 UNCH
5850	----	----	----/*7.00A	8.80B/*7.00A	----	8.20 - 1.80	.0381	----	----	16	----	472 + 3
5860	7.00	7.00	8.60B/*6.90A	8.60B/*6.90A	----	8.10 - 1.70	.0375	----	----	1	----	23 + 1
5870	----	----	----/*6.70A	8.40B/*6.70A	----	7.90 - 1.70	.0366	----	----	----	----	32 UNCH
5875	6.60	6.60	8.30B/*6.60	8.30B/*6.60	----	7.90 - 1.60	.0365	----	----	1	----	197 + 1
5880	----	----	----/*6.60A	8.30B/*6.60A	----	7.80 - 1.70	.0360	----	----	----	----	17 UNCH
5890	6.60	6.60	8.10B/*6.50A	8.10B/*6.50A	----	7.70 - 1.60	.0355	----	----	1	----	138 + 1
5900	7.60	7.60	8.00B/*6.30	8.00B/*6.30	----	7.60 - 1.50	.0350	----	----	86	----	1368 + 5
5910	6.20	6.20	7.90B/*6.10	7.90B/*6.10	----	7.50 - 1.50	.0344	----	----	2	----	12 + 2
5920	----	----	----/*6.10A	7.70B/*6.10A	----	7.40 - 1.40	.0339	----	----	----	----	38 UNCH
5930	6.00	6.00	7.60B/*6.00	7.60B/*6.00	----	7.30 - 1.40	.0334	----	----	1	----	58 UNCH
5940	5.80	5.80	7.50B/*5.80	7.50B/*5.80	----	7.20 - 1.40	.0328	----	----	1	----	4 + 1
5950	5.80	5.80	7.30B/*5.70	7.30B/*5.70	----	7.10 - 1.30	.0323	----	----	2	----	169 + 1
5960	5.70	5.70	7.20B/*5.70	7.20B/*5.70	----	7.00 - 1.30	.0318	----	----	1	----	36 + 1
5970	5.50	5.50	7.10B/*5.50	7.10B/*5.50	----	6.90 - 1.20	.0313	----	----	1	----	36 + 1
5980	5.50	5.50	7.00B/*5.50	7.00B/*5.50	----	6.80 - 1.20	.0308	----	----	1	----	7 + 1
5990	----	----	----/*5.40A	6.90B/*5.40A	----	6.70 - 1.20	.0303	----	----	----	----	4 UNCH
6000	7.00	7.00	7.10/5.20	7.10/5.20	----	6.60 - 1.20	.0298	----	----	937	----	8711 + 810
6010	5.30	5.30	6.70B/*5.20	6.70B/*5.20	----	6.50 - 1.10	.0293	----	----	2	----	10 + 1
6020	----	----	----/*5.20A	6.60B/*5.20A	----	6.40 - 1.10	.0288	----	----	----	----	23 UNCH
6030	----	----	----/*5.10A	6.50B/*5.10A	----	6.30 - 1.10	.0283	----	----	----	----	31 UNCH
6040	----	----	----/*5.00A	6.40B/*5.00A	----	6.20 - 1.10	.0278	----	----	----	----	26 UNCH
6050	5.00	5.00	6.30B/*4.90A	6.30B/*4.90A	----	6.10 - 1.10	.0274	----	----	1	----	281 + 1
6060	----	----	----/*4.90A	6.20B/*4.90A	----	6.00 - 1.10	.0269	----	----	----	----	32 UNCH
6070	----	----	----/*4.80A	6.10B/*4.80A	----	6.00 - 1.00	.0267	----	----	----	----	34 UNCH
6080	4.70	4.70	6.10B/*4.70	6.10B/*4.70	----	5.90 - 1.00	.0263	----	----	1	----	10 + 1
6090	----	----	----/*4.70A	6.00B/*4.70A	----	5.80 - 1.00	.0258	----	----	----	----	25 UNCH
6100	4.80	4.80	6.00/*4.60A	6.00/*4.60A	----	5.80 - 0.90	.0257	----	----	3	----	2394 UNCH
6110	----	----	----/*4.60A	5.70B/*4.60A	----	5.70 - 0.90	.0252	----	----	2	----	65 UNCH
6120	----	----	----/*4.50A	5.70B/*4.50A	----	5.60 - 0.90	.0248	----	----	----	----	11 UNCH
6125	----	----	----/*4.50A	5.70B/*4.50A	----	5.60 - 0.80	.0247	----	----	----	----	16 UNCH
6130	----	----	----/*4.50A	5.60B/*4.50A	----	5.50 - 0.90	.0243	----	----	----	----	10 UNCH
6140	----	----	----/*4.30A	5.50B/*4.30A	----	5.50 - 0.80	.0242	----	----	----	----	8 UNCH
6150	----	----	----/*4.30A	5.50B/*4.30A	----	5.40 - 0.80	.0237	----	----	----	----	510 UNCH
6160	----	----	----/*4.30A	5.40B/*4.30A	----	5.30 - 0.80	.0233	----	----	4	----	136 + 4
6170	----	----	----/*4.20A	5.40B/*4.20A	----	5.30 - 0.70	.0232	----	----	----	----	17 UNCH
6180	4.70	4.70	5.20B/*4.10A	5.20B/*4.10A	----	5.20 - 0.70	.0227	----	----	1	----	75 UNCH
6190	----	----	----/*4.10A	5.20B/*4.10A	----	5.20 - 0.60	.0226	----	----	----	----	2 UNCH
6200	4.80	4.80	5.20B/*4.10A	5.20B/*4.10A	----	5.10 - 0.70	.0222	----	----	189	----	4144 + 159
6210	----	----	----/*4.00A	5.00B/*4.00A	----	5.00 - 0.70	.0218	----	----	----	----	53 UNCH
6220	----	----	----/*3.90A	5.00B/*3.90A	----	5.00 - 0.60	.0217	----	----	----	----	7 UNCH
6230	----	----	----/*3.90A	5.00B/*3.90A	----	4.90 - 0.70	.0212	----	----	----	----	66 UNCH
6240	----	----	----/*3.90A	4.90B/*3.90A	----	4.90 - 0.60	.0211	----	----	----	----	21 UNCH
6250	----	----	----/*3.80A	4.80B/*3.80A	----	4.80 - 0.60	.0207	----	----	----	----	1307 UNCH
6260	----	----	----/*3.80A	4.70B/*3.80A	----	4.70 - 0.70	.0203	----	----	----	----	8 UNCH
6270	----	----	----/*3.70A	4.70B/*3.70A	----	4.70 - 0.60	.0202	----	----	----	----	146 UNCH
6280	----	----	----/*3.70A	4.70B/*3.70A	----	4.60 - 0.60	.0198	----	----	----	----	12 UNCH
6290	----	----	----/*3.60A	4.60B/*3.60A	----	4.60 - 0.60	.0197	----	----	----	----	19 UNCH
6300	----	----	----/*3.60A	4.50B/*3.60A	----	4.50 - 0.60	.0193	----	----	20	----	2450 + 20
6310	----	----	----/*3.60A	4.50B/*3.60A	----	4.50 - 0.60	.0192	----	----	----	----	2 UNCH
6320	----	----	----/*3.50A	4.40B/*3.50A	----	4.40 - 0.60	.0188	----	----	----	----	24 UNCH
6330	----	----	----/*3.50A	4.40B/*3.50A	----	4.40 - 0.50	.0187	----	----	----	----	33 UNCH
6340	----	----	----/*3.40A	4.30B/*3.40A	----	4.30 - 0.60	.0183	----	----	----	----	35 UNCH
6350	----	----	----/*3.40A	4.30B/*3.40A	----	4.30 - 0.50	.0182	----	----	----	----	17 UNCH
6360	----	----	----/*3.40A	4.20B/*3.40A	----	4.20 - 0.60	.0178	----	----	----	----	2 UNCH
6370	----	----	----/*3.30A	4.10B/*3.30A	----	4.20 - 0.50	.0177	----	----	----	----	4 UNCH
6380	----	----	----/*3.30A	4.10B/*3.30A	----	4.10 - 0.50	.0173	----	----	----	----	9 UNCH
6390	----	----	----/*3.30A	4.00B/*3.30A	----	4.10 - 0.50	.0173	----	----	----	----	1 UNCH
6400	----	----	----/*3.20A	4.00B/*3.20A	----	4.00 - 0.50	.0169	----	----	128	----	443 + 24
6410	----	----	----/*3.20A	4.00B/*3.20A	----	4.00 - 0.50	.0168	----	----	----	----	8 UNCH
6420	----	----	----/*3.20A	4.00B/*3.20A	----	4.00 - 0.40	.0167	----	----	----	----	3 UNCH
6430	----	----	----/*3.10A	3.90B/*3.10A	----	3.90 - 0.50	.0163	----	----	----	----	30 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
6440	----	----	----/*3.10A	3.80B/*3.10A	----	3.90 - 0.40	.0163	----	----	----	----	2 UNCH
6450	----	----	----/*3.10A	3.80B/*3.10A	----	3.80 - 0.50	.0159	----	----	----	----	58 UNCH
6460	----	----	----/*3.00A	3.70B/*3.00A	----	3.80 - 0.40	.0158	----	----	----	----	36 UNCH
6470	----	----	----/*3.00A	3.70B/*3.00A	----	3.80 - 0.40	.0158	----	----	----	----	9 UNCH
6480	----	----	----/*3.00A	3.70B/*3.00A	----	3.70 - 0.40	.0154	----	----	----	----	21 UNCH
6490	----	----	----/*3.00A	3.60B/*3.00A	----	3.70 - 0.40	.0153	----	----	----	----	23 UNCH
6500	2.70	2.70	3.60B/2.70	3.60B/2.70	----	3.70 - 0.30	.0153	----	----	47	----	1127 + 32
6525	----	----	----/*2.80A	3.50B/*2.80A	----	3.60 - 0.30	.0148	----	----	4	----	21 - 2
6550	----	----	----/*2.80A	3.50B/*2.80A	----	3.50 - 0.30	.0143	----	----	----	----	210 UNCH
6575	----	----	----/*2.70A	3.40B/*2.70A	----	3.40 - 0.30	.0139	----	----	----	----	7 UNCH
6600	2.40	2.40	3.40/*2.40	3.40/*2.40	----	3.40 - 0.20	.0137	----	----	15	----	842 - 15
6625	----	----	----/*2.60A	3.20B/*2.60A	----	3.30 - 0.20	.0133	----	----	----	----	106 UNCH
6650	3.00	3.00	3.20/*2.50A	3.20/*2.50A	----	3.20 - 0.20	.0129	----	----	2	----	32 - 1
6675	----	----	----/*2.50A	3.10B/*2.50A	----	3.20 - 0.10	.0128	----	----	----	----	50 UNCH
6700	2.70	2.70	3.00/*2.20	3.00/*2.20	----	3.10 - 0.10	.0123	----	----	102	----	1255 + 50
6725	----	----	----/*2.50A	2.90B/*2.50A	----	3.00 - 0.10	.0119	----	----	----	----	107 UNCH
6750	----	----	----/*2.40A	2.90B/*2.40A	----	3.00 UNCH	.0118	----	----	----	----	135 UNCH
6775	3.00	3.00	3.00/*2.40A	3.00/*2.40A	----	2.90 - 0.10	.0114	----	----	9	----	13 + 8
6800	----	----	----/*2.30A	2.80B/*2.30A	----	2.90 UNCH	.0113	----	----	----	----	245 UNCH
6825	----	----	----/*2.30A	2.70B/*2.30A	----	2.80 UNCH	.0109	----	----	----	----	10 UNCH
6850	----	----	----/*2.20A	2.70B/*2.20A	----	2.80 UNCH	.0108	----	----	----	----	26 UNCH
6875	----	----	----/*2.20A	2.60B/*2.20A	----	2.70 UNCH	.0104	----	----	----	----	3 UNCH
6900	----	----	----/*2.20A	2.50B/*2.20A	----	2.70 + 0.10	.0103	----	----	----	----	157 UNCH
6925	----	----	----/*2.20A	2.50B/*2.20A	----	2.60 UNCH	.0100	----	----	----	----	51 UNCH
6950	----	----	----/*2.10A	2.40B/*2.10A	----	2.60 + 0.10	.0099	----	----	----	----	27 UNCH
6975	----	----	----/*2.10A	2.40B/*2.10A	----	2.60 + 0.10	.0098	----	----	----	----	17 UNCH
7000	----	----	----/2.00A	2.30B/2.00A	----	2.50 + 0.10	.0094	----	----	----	----	1815 UNCH
7025	----	----	----/*2.00A	2.30B/*2.00A	----	2.50 + 0.10	.0094	----	----	----	----	32 UNCH
7050	----	----	----/*2.00A	2.30B/*2.00A	----	2.40 + 0.10	.0090	----	----	----	----	5 UNCH
7075	----	----	----/*2.00A	2.20B/*2.00A	----	2.40 + 0.10	.0089	----	----	----	----	8 UNCH
7100	----	----	----/*1.90A	2.20B/*1.90A	----	2.30 UNCH	.0086	----	----	----	----	147 UNCH
7125	----	----	----/*1.90A	2.10B/*1.90A	----	2.30 + 0.10	.0085	----	----	----	----	52 UNCH
7150	----	----	----/*1.90A	2.10B/*1.90A	----	2.20 UNCH	.0081	----	----	----	----	59 UNCH
7200	----	----	----/*1.80A	2.00B/*1.80A	----	2.10 UNCH	.0077	----	----	----	----	129 UNCH
7250	----	----	----/*1.80A	1.90B/*1.80A	----	2.00 - 0.10	.0073	----	----	----	----	91 UNCH
7275	----	----	----/*1.80A	2.00B/*1.80A	----	2.00 UNCH	.0073	----	----	----	----	1 UNCH
7300	----	----	----/*1.70A	1.90B/*1.70A	----	1.90 - 0.10	.0069	----	----	----	----	150 UNCH
7325	----	----	----/*1.70A	1.80B/*1.70A	----	1.90 - 0.10	.0069	----	----	----	----	14 UNCH
7350	----	----	----/*1.70A	1.90B/*1.70A	----	1.80 - 0.10	.0065	----	----	----	----	3 UNCH
7375	----	----	----/*1.70A	1.80B/*1.70A	----	1.80 - 0.10	.0065	----	----	----	----	20 UNCH
7400	----	----	----/*1.60A	1.70B/*1.60A	----	1.80 - 0.10	.0065	----	----	----	----	46 UNCH
7425	----	----	----/*1.60A	1.80B/*1.60A	----	1.70 - 0.10	.0061	----	----	----	----	20 UNCH
7450	----	----	----/*1.60A	1.70B/*1.60A	----	1.70 - 0.10	.0061	----	----	----	----	5 UNCH
7475	----	----	----/*1.60A	1.60B/*1.60A	----	1.70 - 0.10	.0061	----	----	----	----	8 UNCH
7500	1.50	1.50	1.70B/*1.50	1.70B/1.50	----	1.60 - 0.10	.0057	----	----	1	----	1358 + 1
7525	----	----	----/*1.60A	1.60B/*1.60A	----	1.60 - 0.10	.0057	----	----	----	----	22 UNCH
7575	----	----	----/*1.50A	1.50B/*1.50A	----	1.50 - 0.20	.0053	----	----	----	----	8 UNCH
7600	----	----	----/*1.50A	1.60B/*1.50A	----	1.50 - 0.10	.0053	----	----	2	----	48 + 2
7700	----	----	----/*1.40A	1.50B/*1.40A	----	1.40 - 0.10	.0049	----	----	----	----	45 UNCH
7750	----	----	----/*1.40A	1.40B/*1.40A	----	1.40 - 0.10	.0048	----	----	----	----	12 UNCH
7800	----	----	----	1.40B/1.40A	----	1.30 - 0.10	.0045	----	----	----	----	39 UNCH
7825	----	----	----	1.30B/1.40A	----	1.30 - 0.10	.0045	----	----	----	----	1 UNCH
7875	----	----	----/*1.30A	1.30B/*1.30A	----	1.30 - 0.10	.0044	----	----	----	----	31 UNCH
7900	----	----	----	1.30B/*1.30A	----	1.20 - 0.10	.0041	----	----	----	----	2 UNCH
7950	----	----	----	1.20B/*1.30A	----	1.20 - 0.10	.0041	----	----	----	----	2 UNCH
8000	----	----	----/*1.20A	1.10B/*1.20A	----	1.20 - 0.10	.0040	----	----	----	----	981 UNCH
8100	----	----	----	1.10B/*1.30A	----	1.10 - 0.10	.0037	----	----	----	----	3 UNCH
8200	----	----	----	1.00B/*1.20A	----	1.00 - 0.10	.0033	----	----	----	----	89 UNCH
8300	----	----	----	1.00B/1.20A	----	0.90 - 0.20	.0030	----	----	----	----	64 UNCH
8500	1.10	1.10	1.10/*1.00	1.10/*1.00	----	0.80 - 0.20	.0026	----	----	2	----	144 + 2
8600	----	----	----	0.80B/1.10A	----	0.80 - 0.10	.0026	----	----	----	----	51 UNCH
8800	----	----	----	0.70B/1.00A	----	0.70 - 0.10	.0022	----	----	----	----	32 UNCH
8900	----	----	----	0.60B/1.00A	----	0.60 - 0.20	.0019	----	----	----	----	15 UNCH
9000	----	----	----	0.60B/0.90A	----	0.60 - 0.20	.0019	----	----	----	----	230 UNCH
9100	0.60	0.60	0.60/*0.50A	0.60/*0.50A	----	0.50 - 0.20	.0016	----	----	10	----	11 + 10
9200	----	----	----	0.50B/0.90A	----	0.50 - 0.20	.0015	----	----	----	----	51 UNCH
9300	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.20	.0015	----	----	----	----	3 UNCH
9400	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.10	.0015	----	----	----	----	25 UNCH
9500	----	----	----	0.40B/0.80A	----	0.50 - 0.10	.0015	----	----	----	----	23 UNCH
9600	----	----	----	0.40B/0.80A	----	0.40 - 0.20	.0012	----	----	----	----	26 UNCH
9700	----	----	----	0.40B/0.70A	----	0.40 - 0.10	.0012	----	----	----	----	20 UNCH
9800	----	----	----	0.30B/0.70A	----	0.40 - 0.10	.0012	----	----	----	----	17 UNCH
9900	----	----	----	0.30B/0.70A	----	0.40 - 0.10	.0012	----	----	----	----	24 UNCH
10000	----	----	----	0.50B/0.70A	----	0.40 - 0.10	.0011	----	----	----	----	263 UNCH
10100	----	----	----	0.20B/0.60A	----	0.40 - 0.10	.0011	----	----	----	----	2 UNCH
10300	----	----	----	0.20B/0.60A	----	0.40 UNCH	.0011	----	----	----	----	3 UNCH
10400	----	----	----	0.20B/0.60A	----	0.30 - 0.10	.0008	----	----	----	----	2 UNCH
10500	----	----	----	0.20B/0.60A	----	0.30 - 0.10	.0008	----	----	----	----	1 UNCH
10700	----	----	----	0.10B/0.50A	----	0.30 UNCH	.0008	----	----	----	----	4 UNCH
11000	----	----	----	0.10B/0.50A	----	0.30 UNCH	.0008	----	----	----	----	72 UNCH
11300	----	----	----	0.10B/0.50A	----	0.20 - 0.10	.0005	----	----	----	----	12 UNCH
11500	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	1 UNCH
11600	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	5 UNCH
11700	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	15 UNCH
11900	----	----	----	----/*0.30A	----	0.20 UNCH	.0005	----	----	----	----	1 UNCH
12000	----	----	----	0.10B/*0.20A	----	0.20 UNCH	.0005	----	----	----	----	350 UNCH
TOTAL										12424		162384 + 1816
JUL26												
3500	----	----	----	----	----	1327.80 - 30.90	.9766	----	----	----	----	1 UNCH
3600	----	----	----/1,215.70A	1250.20B/1215.70A	----	1229.70 - 31.00	.9701	----	----	----	----	24 UNCH
3650	----	----	----/1,166.80A	1201.30B/1166.80A	----	1181.00 - 31.00	.9660	----	----	----	----	10 UNCH
3670	----	----	----/1,147.30A	1181.90B/1147.30A	----	1161.50 - 31.10	.9644	----	----	----	----	3 UNCH
3700	----	----	----/1,118.10A	1152.70B/1118.10A	----	1132.40 - 31.10	.9616	----	----	----	----	119 UNCH
3735	----	----	----	----	----	1098.60 - 31.10	.9582	----	----	----	----	1 UNCH
3775	----	----	----/1,045.80A	1079.90B/1045.80A	----	1060.00 - 31.20	.9538	----	----	----	----	4 UNCH
3800	----	----	----/1,020.40A	1059.90B/1020.40A	----	1036.00 - 31.20	.9508	----	----	----	----	2045 UNCH
3825	----	----	----/997.90A	1031.90B/997.90A	----	1012.00 - 31.30	.9477	----	----	----	----	5 UNCH
3850	----	----	----/974.10A	1008.10B/974.10A	----	988.20 - 31.20	.9443	----	----	----	----	65 UNCH
3860	----	----	----	----	----	978.60 - 31.30	.9430	----	----	----	----	1 UNCH
3865	----	----	----/959.80A	993.70B/959.80A	----	973.90 - 31.30	.9424	----	----	----	----	7 UNCH
3875	----	----	----/950.30A	984.20B/950.30A	----	964.40 - 31.30	.9409	----	----	----	----	25 UNCH
3900	----	----	----/926.70A	960.50B/926.70A	----	940.70 - 31.40	.9370	----	----	----	----	18 UNCH
3925	----	----	----/903.20A	936.90B/903.20A	----	917.20 - 31.30	.9329	----	----	----	----	35 UNCH
3950	----	----	----/877.20A	916.70B/877.20A	----	893.70 - 31.40	.9285	----	----	----	----	820 UNCH
3960	----	----	----	----	----	884.40 - 31.40	.9267	----	----	----	----	1 UNCH
4000	----	----	----/833.30A	866.70B/833.30A	----	847.30 - 31.30	.9187	----	----	----	----	16 UNCH
4020	----	----	----	----	----	828.80 - 31.40	.9145	----	----	----	----	1 UNCH
4030	----	----	----	607.10B/1008.10A	----	819.70 - 31.30	.9122	----	----	----	----	2 UNCH
4040	----	----	----	601.00B/998.90A	----	810.50 - 31.30	.9100	----	----	----	----	1 UNCH
4075	----	----	----/764.50A	797.60B/764.50A	----	778.60 - 31.40	.9017	----	----	----	----	6 UNCH
4095	----	----	----/746.40A	779.40B/746.40A	----	760.60 - 31.30	.8965	----	----	----	----	4 UNCH
4100	----	----	----/741.90A	774.80B/741.90A	----	756.10 - 31.30	.8951	----	----	----	----	194 UNCH
4105	----	----	----	579.60B/923.40A	----	751.60 - 31.30	.8940	----	----	----	----	1 UNCH
4110	----	----	----/732.90A	765.80B/732.90A	----	747.10 - 31.30	.8926	----	----	----	----	3 UNCH
4145	----	----	----/701.70A	734.30B/701.70A	----	715.80 - 31.30	.8829	----	----	----	----	28 UNCH
4150	----	----	----/697.30A	729.80B/697.30A	----	711.30 - 31.40	.8815	----	----	----	----	37 UNCH
4155	----	----	----	534.70B/879.00A	----	706.90 - 31.40	.8799	----	----	----	----	1 UNCH
4160	----	----	----	530.30B/874.60A	----	702.40 - 31.40	.8786	----	----	----	----	1 UNCH
4190	----	----	----	503.80B/848.30A	----	676.00 - 31.50	.8695	----	----	----	----	1 UNCH
4200	----	----	----/653.40A	685.60B/653.40A	----	667.20 - 31.50	.8663	----	----	----	----	8 UNCH
4215	----	----	----/640.50A	672.40B/640.50A	----	654.20 - 31.50	.8613	----	----	----	----	25 UNCH
4220	----	----	----	477.60B/822.30A	----	649.80 - 31.60	.8597	----	----	----	----	1 UNCH
4225	----	----	----	473.30B/818.00A	----	645.50 - 31.50	.8580	----	----	----	----	2 UNCH
4235	----	----	----	464.70B/809.60A	----	636.90 - 31.50	.8546	----	----	----	----	1 UNCH
4240	----	----	----/619.20A	650.80B/619.20A	----	632.60 - 31.50	.8528	----	----	----	----	39 UNCH
4245	----	----	----	456.10B/801.20A	----	628.30 - 31.60	.8510	----	----	----	----	1 UNCH
4250	----	----	----/609.70A	645.60B/609.70A	----	624.00 - 31.60	.8492	----	----	----	----	316 UNCH
4255	----	----	----	447.40B/793.30A	----	619.70 - 31.60	.8474	----	----	----	----	1 UNCH
4265	----	----	----	438.40B/785.30A	----	611.20 - 31.60	.8437	----	----	----	----	2 UNCH
4270	----	----	----/593.70A	625.50B/593.70A	----	607.00 - 31.60	.8419	----	----	----	----	38 UNCH
4275	----	----	----/589.50A	621.30B/589.50A	----	602.80 - 31.60	.8399	----	----	----	----	76 UNCH
4280	----	----	----/585.30A	617.00B/585.30A	----	598.60 - 31.60	.8381	----	----	----	----	3 UNCH
4300	602.60	602.60	602.60/568.60A	602.60/568.60A	----	581.80 - 31.60	.8302	----	----	1	----	64 + 1
4315	----	----	----/556.20A	587.50B/556.20A	----	569.40 - 31.60	.8241	----	----	----	----	21 UNCH
4325	----	----	----/548.00A	579.20B/548.00A	----	561.20 - 31.50	.8200	----	----	----	----	22 UNCH
4335	----	----	----	377.40B/730.00A	----	553.00 - 31.50	.8157	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4350	----	----	----/527.70A	558.60B/527.70A	----	540.80 - 31.50	.8092	----	----	----	----	10 UNCH
4360	----	----	----/519.60A	550.50B/519.60A	----	532.70 - 31.50	.8047	----	----	----	----	53 UNCH
4365	----	----	----/515.60A	546.40B/515.60A	----	528.70 - 31.40	.8024	----	----	----	----	45 UNCH
4370	----	----	----/511.60A	542.30B/511.60A	----	524.70 - 31.40	.8002	----	----	----	----	20 UNCH
4375	----	----	----/507.60A	538.30B/507.60A	----	520.70 - 31.40	.7979	----	----	----	----	5 UNCH
4400	----	----	----/486.00A	521.70B/486.00A	----	500.90 - 31.30	.7862	----	----	----	----	2267 UNCH
4410	----	----	----/480.10A	510.40B/480.10A	----	493.10 - 31.20	.7814	----	----	----	----	4 UNCH
4415	----	----	----/476.40A	506.40B/476.40A	----	489.20 - 31.20	.7790	----	----	----	----	39 UNCH
4420	----	----	----/472.40A	502.50B/472.40A	----	485.30 - 31.10	.7765	----	----	----	----	5 UNCH
4425	----	----	----/468.70A	498.60B/468.70A	----	481.40 - 31.10	.7741	----	----	----	----	16 UNCH
4430	----	----	----	307.10B/657.90A	----	477.50 - 31.10	.7716	----	----	----	----	1 UNCH
4445	----	----	----/453.40A	483.00B/453.40A	----	466.00 - 31.00	.7640	----	----	----	----	30 UNCH
4450	----	----	----/448.80A	482.10B/448.80A	----	462.20 - 31.00	.7614	----	----	----	----	255 UNCH
4455	----	----	----	291.00B/639.50A	----	458.40 - 31.00	.7589	----	----	----	----	2 UNCH
4460	----	----	----	287.90B/634.80A	----	454.60 - 31.00	.7562	----	----	----	----	2 UNCH
4475	----	----	----	278.90B/608.80A	----	443.30 - 30.90	.7482	----	----	----	----	2 UNCH
4480	----	----	----/427.30A	456.30B/427.30A	----	439.60 - 30.80	.7456	----	----	----	----	25 UNCH
4490	----	----	----/420.00A	448.80B/420.00A	----	432.20 - 30.80	.7402	----	----	----	----	9 UNCH
4500	----	----	----/410.90A	444.30B/410.90A	----	424.80 - 30.80	.7346	----	----	----	----	969 UNCH
4505	----	----	----	260.50B/594.00A	----	421.20 - 30.70	.7318	----	----	----	----	2 UNCH
4510	----	----	----/405.60A	434.00B/405.60A	----	417.60 - 30.60	.7290	----	----	----	----	45 UNCH
4515	----	----	----/402.00A	430.40B/402.00A	----	414.00 - 30.60	.7261	----	----	----	----	200 UNCH
4520	----	----	----/398.40A	426.70B/398.40A	----	410.40 - 30.60	.7233	----	----	----	----	188 UNCH
4525	----	----	----/394.80A	423.10B/394.80A	----	406.80 - 30.50	.7204	----	----	----	----	129 UNCH
4530	----	----	----/391.40A	419.40B/391.40A	----	403.30 - 30.40	.7175	----	----	----	----	5 UNCH
4535	----	----	----/387.90A	415.80B/387.90A	----	399.70 - 30.50	.7146	----	----	----	----	14 UNCH
4540	----	----	----/384.40A	412.20B/384.40A	----	396.20 - 30.40	.7117	----	----	----	----	53 UNCH
4550	----	----	----/377.50A	405.10B/377.50A	----	389.20 - 30.30	.7058	----	----	----	----	10 UNCH
4560	----	----	----/372.90A	387.30B/372.90A	----	382.30 - 30.20	.6997	----	----	----	----	2 UNCH
4565	----	----	----/369.50A	387.10B/369.50A	----	378.80 - 30.20	.6967	----	----	----	----	1 UNCH
4570	----	----	----/366.10A	387.00B/366.10A	----	375.40 - 30.10	.6937	----	----	----	----	2 UNCH
4575	----	----	----/360.50A	387.50B/360.50A	----	372.00 - 30.00	.6906	----	----	----	----	128 UNCH
4600	----	----	----/341.40A	374.50B/341.40A	----	355.20 - 29.70	.6751	----	----	----	----	345 UNCH
4605	----	----	----/340.60A	371.10B/340.60A	----	351.90 - 29.70	.6720	----	----	----	----	10 UNCH
4610	----	----	----/337.20A	367.70B/337.20A	----	348.60 - 29.60	.6688	----	----	----	----	6 UNCH
4635	----	----	----/318.90A	351.00B/318.90A	----	332.40 - 29.20	.6528	----	----	----	----	86 UNCH
4640	----	----	----/315.80A	349.80B/315.80A	----	329.20 - 29.10	.6495	----	----	----	----	242 UNCH
4645	----	----	----/315.20A	344.50B/315.20A	----	326.00 - 29.10	.6463	----	----	----	----	14 UNCH
4650	----	----	----/309.60A	343.70B/309.60A	----	322.80 - 29.10	.6430	----	----	----	----	259 UNCH
4655	----	----	----/306.70A	340.50B/306.70A	----	319.70 - 28.90	.6397	----	----	----	----	18 UNCH
4660	----	----	----/303.50A	337.00B/303.50A	----	316.60 - 28.80	.6364	----	----	----	----	20 UNCH
4665	----	----	----/300.60A	334.20B/300.60A	----	313.50 - 28.80	.6331	----	----	----	----	268 UNCH
4670	----	----	----/297.40A	330.70B/297.40A	----	310.40 - 28.70	.6297	----	----	----	----	105 UNCH
4675	----	----	----/294.60A	327.80B/294.60A	----	307.30 - 28.60	.6264	----	----	----	----	129 UNCH
4680	----	----	----/293.40A	322.10B/293.40A	----	304.30 - 28.50	.6231	----	----	----	----	10 UNCH
4685	----	----	----/290.60A	319.00B/290.60A	----	301.20 - 28.50	.6197	----	----	----	----	11 UNCH
4695	----	----	----/282.80A	315.30B/282.80A	----	295.20 - 28.40	.6129	----	----	----	----	22 UNCH
4700	----	----	----/280.10A	312.40B/280.10A	----	292.20 - 28.30	.6095	----	----	20	----	588 UNCH
4710	----	----	----/274.40A	306.00B/274.40A	----	286.40 - 28.10	.6027	----	----	----	----	110 UNCH
4720	----	----	----/273.00A	297.60B/273.00A	----	280.50 - 28.00	.5958	----	----	----	----	2 UNCH
4725	----	----	----/265.90A	297.30B/265.90A	----	277.70 - 27.90	.5923	----	----	----	----	51 UNCH
4730	----	----	----/263.20A	292.10B/263.20A	----	274.80 - 27.80	.5889	----	----	----	----	3 UNCH
4740	----	----	----/262.00A	286.50B/262.00A	----	269.20 - 27.60	.5819	----	----	----	----	1 UNCH
4745	----	----	----/255.00A	285.70B/255.00A	----	266.40 - 27.60	.5784	----	----	----	----	177 UNCH
4750	----	----	----/252.20A	283.10B/252.20A	----	263.60 - 27.50	.5749	----	----	----	----	1066 UNCH
4755	256.10	256.10	256.10/249.60A	279.90B/249.60A	----	260.80 - 27.50	.5714	----	----	4	----	16 + 4
4760	----	----	----/247.00A	277.10B/247.00A	----	258.10 - 27.30	.5679	----	----	----	----	47 UNCH
4770	----	----	----/241.60A	271.40B/241.60A	----	252.70 - 27.10	.5609	----	----	----	----	69 UNCH
4775	----	----	----/239.10A	268.60B/239.10A	----	250.00 - 27.10	.5574	----	----	----	----	150 UNCH
4780	----	----	----/236.40A	265.90B/236.40A	----	247.30 - 27.00	.5538	----	----	----	----	32 UNCH
4785	----	----	----/233.80A	263.10B/233.80A	----	244.70 - 26.90	.5503	----	----	----	----	12 UNCH
4790	----	----	----/234.50A	259.80B/234.50A	----	242.10 - 26.80	.5467	----	----	----	----	2 UNCH
4795	----	----	----/228.70A	257.70B/228.70A	----	239.50 - 26.70	.5432	----	----	----	----	32 UNCH
4800	236.90	236.90	255.30B/226.10A	255.30B/226.10A	----	236.90 - 26.60	.5397	----	----	88	440	1733 + 41
4805	----	----	----/223.70A	252.40B/223.70A	----	234.40 - 26.40	.5361	----	----	----	----	3 UNCH
4810	----	----	----/221.10A	249.70B/221.10A	----	231.80 - 26.40	.5325	----	----	----	----	32 UNCH
4820	----	----	----/216.30A	244.40B/216.30A	----	226.80 - 26.20	.5254	----	----	----	----	12 UNCH
4825	224.40	224.40	242.20B/213.90A	242.20B/213.90A	----	224.40 - 26.00	.5219	----	----	22	----	631 + 20
4830	----	----	----/211.50A	239.30B/211.50A	----	221.90 - 25.90	.5183	----	----	----	----	10 UNCH
4835	224.10	224.10	236.90B/209.10A	236.90B/209.10A	----	219.50 - 25.80	.5147	----	----	1	----	6 UNCH
4840	----	----	----/211.40A	233.90B/211.40A	----	217.10 - 25.70	.5112	----	----	----	----	1 UNCH
4845	----	----	----/204.40A	231.70B/204.40A	----	214.70 - 25.60	.5076	----	----	----	----	59 UNCH
4850	----	----	----/202.10A	229.50B/202.10A	----	212.30 - 25.50	.5040	----	----	13	----	381 - 1
4855	210.80	210.80	211.00/199.90A	226.40B/199.90A	----	210.00 - 25.40	.5005	----	----	6	----	7 + 6
4860	----	----	----/197.60A	224.50B/197.60A	----	207.70 - 25.30	.4970	----	----	----	----	10 UNCH
4865	----	----	----/195.40A	222.00B/195.40A	----	205.40 - 25.10	.4934	----	----	----	----	6 UNCH
4870	210.80	210.80	219.50B/193.30A	219.50B/193.30A	----	203.10 - 25.00	.4899	----	----	6	----	68 + 6
4875	----	----	----/190.90A	217.20B/190.90A	----	200.80 - 25.00	.4863	----	----	----	----	13 UNCH
4880	----	----	----/188.70A	214.80B/188.70A	----	198.50 - 24.90	.4827	----	----	----	----	18 UNCH
4885	----	----	----/191.00A	212.30B/191.00A	----	196.30 - 24.80	.4792	----	----	3	----	5 + 3
4890	----	----	----/188.80A	210.10B/188.80A	----	194.10 - 24.60	.4757	----	----	----	----	2 UNCH
4900	191.60	191.60	205.90B/180.10A	205.90B/180.10A	----	189.70 - 24.50	.4686	----	----	17	----	632 UNCH
4905	----	----	----/182.40A	203.20B/182.40A	----	187.50 - 24.40	.4651	----	----	----	----	2 UNCH
4910	193.00	193.00	200.90B/175.90A	200.90B/175.90A	----	185.40 - 24.20	.4616	----	----	82	----	120 + 8
4915	----	----	----/173.90A	198.70B/173.90A	----	183.20 - 24.20	.4580	----	----	----	----	32 UNCH
4920	----	----	----/172.00A	196.60B/172.00A	----	181.10 - 24.10	.4545	----	----	----	----	6 UNCH
4925	----	----	----/169.80A	194.30B/169.80A	----	179.00 - 24.00	.4510	----	----	----	----	4 UNCH
4930	----	----	----/168.00A	192.30B/168.00A	----	176.90 - 23.90	.4475	----	----	----	----	11 UNCH
4935	176.70	176.70	190.50B/166.00A	190.50B/166.00A	----	174.90 - 23.70	.4440	----	----	5	----	602 + 2
4940	179.20	179.20	187.90B/163.80	187.90B/163.80	----	172.80 - 23.70	.4405	----	----	8	----	173 + 8
4945	----	----	----/162.00A	185.80B/162.00A	----	170.80 - 23.60	.4371	----	----	----	----	8 UNCH
4950	----	----	----/160.20A	183.80B/160.20A	----	168.80 - 23.50	.4336	----	----	----	----	110 UNCH
4955	----	----	----/158.20A	181.70B/158.20A	----	166.80 - 23.40	.4301	----	----	----	----	72 UNCH
4960	----	----	----/160.30A	179.50B/160.30A	----	164.80 - 23.30	.4267	----	----	----	----	1 UNCH
4965	----	----	----/154.60A	177.60B/154.60A	----	162.90 - 23.10	.4232	----	----	----	----	173 UNCH
4970	----	----	----/152.60A	175.60B/152.60A	----	160.90 - 23.10	.4198	----	----	----	----	8 UNCH
4975	----	----	----/150.80A	173.50B/150.80A	----	159.00 - 23.00	.4163	----	----	----	----	42 UNCH
4980	----	----	----/149.00A	171.60B/149.00A	----	157.10 - 22.90	.4129	----	----	----	----	3 UNCH
4985	----	----	----/147.20A	169.60B/147.20A	----	155.20 - 22.80	.4095	----	----	----	----	27 UNCH
4990	----	----	----/145.40A	167.60B/145.40A	----	153.40 - 22.60	.4061	----	----	----	----	13 UNCH
4995	----	----	----/143.80A	165.70B/143.80A	----	151.60 - 22.50	.4028	----	----	----	----	20 UNCH
5000	150.90	150.90	164.50/142.10A	164.50/142.10A	----	149.70 - 22.50	.3993	----	----	276	50	2791 - 54
5005	----	----	----/140.40A	162.00B/140.40A	----	148.00 - 22.30	.3960	----	----	1	----	12 UNCH
5010	----	----	----/138.70A	160.10B/138.70A	----	146.20 - 22.20	.3927	----	----	----	----	15 UNCH
5015	----	----	----/136.90A	158.20B/136.90A	----	144.40 - 22.10	.3893	----	----	----	----	26 UNCH
5020	----	----	----/135.20A	156.50B/135.20A	----	142.70 - 21.90	.3860	----	----	----	----	7 UNCH
5025	----	----	----/133.60A	154.70B/133.60A	----	141.00 - 21.80	.3827	----	----	----	----	35 UNCH
5030	----	----	----/132.00A	152.90B/132.00A	----	139.30 - 21.70	.3794	----	----	----	----	31 UNCH
5035	137.40	137.40	137.40/130.40A	151.00B/130.40A	----	137.60 - 21.60	.3761	----	----	5	----	59 + 5
5040	----	----	----/132.40A	149.20B/132.40A	----	136.00 - 21.40	.3729	----	----	----	----	2 UNCH
5045	----	----	----/127.20A	147.50B/127.20A	----	134.30 - 21.30	.3696	----	----	----	----	3 UNCH
5050	----	----	----/125.60A	145.90B/125.60A	----	132.70 - 21.20	.3664	----	----	----	----	22 UNCH
5055	----	----	----/124.20A	144.10B/124.20A	----	131.10 - 21.00	.3632	----	----	----	----	8 UNCH
5060	----	----	----/122.60A	142.50B/122.60A	----	129.50 - 20.90	.3600	----	----	----	----	6 UNCH
5065	130.10	130.10	130.10/121.00A	140.70B/121.00A	----	127.90 - 20.80	.3568	----	----	13	----	34 + 10
5070	----	----	----/119.60A	139.10B/119.60A	----	126.40 - 20.60	.3537	----	----	----	----	21 UNCH
5075	----	----	----/118.20A	137.50B/118.20A	----	124.90 - 20.50	.3505	----	----	----	----	45 UNCH
5080	----	----	----/116.80A	135.90B/116.80A	----	123.30 - 20.40	.3473	----	----	----	----	79 UNCH
5085	----	----	----/115.30A	134.20B/115.30A	----	121.90 - 20.20	.3443	----	----	----	----	34 UNCH
5090	----	----	----/116.30A	132.50B/116.30A	----	120.40 - 20.10	.3412	----	----	----	----	2 UNCH
5095	----	----	----/112.40A	131.20B/112.40A	----	118.90 - 20.00	.3381	----	----	----	----	45 UNCH
5100	----	----	----/111.00A	129.90B/111.00A	----	117.50 - 19.80	.3350	----	----	----	----	622 UNCH
5105	----	----	----/109.80A	128.10B/109.80A	----	116.00 - 19.70	.3319	----	----	----	----	61 UNCH
5110	----	----	----/108.20A	126.50B/108.20A	----	114.60 - 19.60	.3289	----	----	----	----	3 UNCH
5115	----	----	----/107.00A	125.10B/107.00A	----	113.20 - 19.40	.3259	----	----	----	----	27 UNCH
5120	----	----	----/105.80A	123.60B/105.80A	----	111.90 - 19.20	.3230	----	----	----	----	38 UNCH
5125	----	----	----/104.60A	122.10B/104.60A	----	110.50 - 19.10	.3199	----	----	----	----	214 UNCH
5130	----	----	----/103.20A	120.70B/103.20A	----	109.20 - 18.90	.3170	----	----	----	----	13 UNCH
5135	----	----	----/101.80A	119.20B/101.80A	----	107.80 - 18.80	.3140	----	----	----	----	155 UNCH
5140	----	----	----/100.40A	117.80B/100.40A	----	106.50 - 18.70	.3111	----	----	----	----	55 UNCH
5145	----	----	----/99.20A	116.30B/99.20A	----	105.20 - 18.50	.3082	----	----	----	----	49 UNCH
5150	----	----	----/98.20A	115.20B/98.20A	----	103.90 - 18.40	.3053	----	----	----	----	699 UNCH
5155	----	----	----/99.00A	113.40B/99.00A	----	102.70 - 18.20	.3025	----	----	----	----	2 UNCH
5160	----	----	----/95.60A	112.20B/95.60A	----	101.40 - 18.10	.2996	----	----	----	----	9 UNCH
5165	----	----	----/94.50A	110.80B/94.50A	----	100.20 - 17.90	.2968	----	----	----	----	4 UNCH
5170	----	----	----/93.20A	109.60B/93.20A	----	99.00 - 17.80	.2941	----	----	----	----	6 UNCH
5175	----	----	----/92.10A	108.20B/92.10A	----	97.80 - 17.60	.2913	----	----	----	----	55 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5180	----	----	----/91.00A	106.90B/91.00A	----	96.60 - 17.50	.2885	----	----	----	----	14 UNCH
5185	----	----	----/89.80A	105.60B/89.80A	----	95.40 - 17.40	.2857	----	----	----	----	118 UNCH
5190	----	----	----/91.30A	104.20B/91.30A	----	94.20 - 17.30	.2830	----	----	----	----	2 UNCH
5195	96.60	96.60	103.20B/87.60A	103.20B/87.60A	----	93.10 - 17.10	.2803	----	----	32	----	39 + 32
5200	92.20	92.20	93.20/86.40A	102.20B/86.40A	----	92.00 - 16.90	.2777	----	----	5	----	1188 - 4
5205	----	----	----/85.60A	100.70B/85.60A	----	90.80 - 16.80	.2749	----	----	4	----	8 + 1
5210	----	----	----/84.40A	99.50B/84.40A	----	89.70 - 16.70	.2723	----	----	2	----	16 + 2
5215	----	----	----/83.40A	98.30B/83.40A	----	88.60 - 16.60	.2696	----	----	----	----	8 UNCH
5220	----	----	----/82.40A	97.10B/82.40A	----	87.60 - 16.30	.2671	----	----	----	----	17 UNCH
5225	----	----	----/81.20A	96.00B/81.20A	----	86.50 - 16.20	.2645	----	----	----	----	3 UNCH
5230	----	----	----/80.40A	94.80B/80.40A	----	85.40 - 16.10	.2619	----	----	----	----	9 UNCH
5240	----	----	----/80.30A	92.30B/80.30A	----	83.40 - 15.80	.2569	----	----	----	----	1 UNCH
5245	----	----	----/77.40A	91.40B/77.40A	----	82.40 - 15.60	.2544	----	----	----	----	61 UNCH
5250	----	----	----/76.60A	90.50B/76.60A	----	81.40 - 15.50	.2519	----	----	25	----	373 - 1
5255	----	----	----/75.50A	89.30B/75.50A	----	80.40 - 15.40	.2495	----	----	----	----	14 UNCH
5260	----	----	----/74.60A	88.20B/74.60A	----	79.40 - 15.30	.2470	----	----	----	----	150 UNCH
5265	----	----	----/73.80A	87.10B/73.80A	----	78.40 - 15.20	.2445	----	----	----	----	3 UNCH
5270	----	----	----/72.80A	86.10B/72.80A	----	77.50 - 15.00	.2422	----	----	----	----	10 UNCH
5275	----	----	----/72.00A	85.10B/72.00A	----	76.50 - 14.90	.2397	----	----	----	----	16 UNCH
5280	----	----	----/71.00A	84.10B/71.00A	----	75.60 - 14.80	.2374	----	----	----	----	5 UNCH
5285	----	----	----/70.20A	82.90B/70.20A	----	74.70 - 14.60	.2350	----	----	----	----	14 UNCH
5290	----	----	----/69.20A	82.10B/69.20A	----	73.80 - 14.50	.2327	----	----	----	----	33 UNCH
5295	----	----	----/70.60A	80.80B/70.60A	----	72.90 - 14.30	.2304	----	----	----	----	1 UNCH
5300	78.90	78.90	80.40B/67.60A	80.40B/67.60A	----	72.00 - 14.20	.2281	----	----	183	----	994 + 82
5305	71.80	71.80	79.10B/66.50A	79.10B/66.50A	----	71.10 - 14.10	.2258	----	----	2	----	40 UNCH
5310	----	----	----/65.70A	78.20B/65.70A	----	70.30 - 13.90	.2236	----	----	----	----	4 UNCH
5315	----	----	----/64.90A	77.30B/64.90A	----	69.40 - 13.90	.2213	----	----	----	----	13 UNCH
5320	69.00	69.00	76.30B/64.10A	76.30B/64.10A	----	68.60 - 13.70	.2192	----	----	50	----	58 + 50
5325	----	----	----/63.30A	75.30B/63.30A	----	67.80 - 13.50	.2170	----	----	----	----	181 UNCH
5330	----	----	----/62.50A	74.50B/62.50A	----	66.90 - 13.50	.2147	----	----	----	----	4 UNCH
5340	66.30	66.30	66.30/61.00A	72.60B/61.00A	----	65.30 NEW	.2105	----	----	15	----	15 + 15
5345	----	----	----/60.30A	71.80B/60.30A	----	64.50 - 13.10	.2083	----	----	----	----	8 UNCH
5350	64.00	64.00	64.00/59.40	71.30B/59.40	----	63.80 - 12.90	.2064	----	----	4	----	518 UNCH
5355	----	----	----/58.90A	70.10B/58.90A	----	63.00 - 12.90	.2042	----	----	----	----	4 UNCH
5360	58.10	58.10	58.10/58.10	69.50B/58.10	----	62.30 - 12.70	.2023	----	----	2	----	333 UNCH
5365	62.60	62.60	63.00/57.50A	68.40B/57.50A	----	61.50 - 12.60	.2002	----	----	135	----	135 + 121
5370	----	----	----/56.80A	67.70B/56.80A	----	60.80 - 12.50	.1982	----	----	----	----	10 UNCH
5375	----	----	----/56.10A	66.80B/56.10A	----	60.00 - 12.40	.1961	----	----	----	----	4 UNCH
5380	----	----	----/55.40A	66.20B/55.40A	----	59.30 - 12.30	.1941	----	----	----	----	5 UNCH
5385	----	----	----/54.80A	65.40B/54.80A	----	58.60 - 12.10	.1922	----	----	----	----	16 UNCH
5390	----	----	----/54.10A	64.70B/54.10A	----	57.90 - 12.00	.1902	----	----	----	----	11 UNCH
5395	----	----	----/53.50A	63.80B/53.50A	----	57.20 - 11.90	.1883	----	----	----	----	19 UNCH
5400	60.00	60.00	60.00/52.70	63.20B/52.70	----	56.60 - 11.70	.1865	----	----	81	----	3871 - 4
5405	----	----	----/52.20A	62.30B/52.20A	----	55.90 - 11.60	.1846	----	----	----	----	10 UNCH
5410	56.10	56.10	56.10/51.60A	61.70B/51.60A	----	55.20 - 11.60	.1827	----	----	3	----	19 + 3
5415	58.10	58.10	58.10/51.00A	60.90B/51.00A	----	54.60 - 11.40	.1809	----	----	3	----	17 - 1
5420	54.10	54.10	54.10/50.40A	60.10B/50.40A	----	53.90 - 11.30	.1790	----	----	5	----	15 + 5
5425	58.90	58.90	59.90/49.80A	59.90/49.80A	----	53.30 - 11.20	.1773	----	----	30	----	25 + 18
5430	----	----	----/49.60A	58.70B/49.60A	----	52.70 - 11.00	.1755	----	----	----	----	5 UNCH
5435	----	----	----/49.50A	58.00B/49.50A	----	52.10 - 10.90	.1738	----	----	----	----	3 UNCH
5440	----	----	----/49.30A	57.40B/49.30A	----	51.50 - 10.80	.1721	----	----	----	----	8 UNCH
5445	----	----	----/49.50A	56.70B/49.50A	----	50.90 - 10.70	.1703	----	----	----	----	8 UNCH
5450	----	----	----/48.90A	56.20B/48.90A	----	50.30 - 10.60	.1686	----	----	----	----	1186 UNCH
5455	----	----	----/48.40A	55.50B/48.40A	----	49.70 - 10.50	.1669	----	----	----	----	13 UNCH
5460	----	----	----/47.80A	54.80B/47.80A	----	49.10 - 10.40	.1651	----	----	----	----	13 UNCH
5465	----	----	----/47.60A	54.10B/47.60A	----	48.50 - 10.30	.1634	----	----	----	----	16 UNCH
5470	----	----	----/46.80A	53.50B/46.80A	----	48.00 - 10.10	.1619	----	----	----	----	17 UNCH
5475	----	----	----/46.20A	53.00B/46.20A	----	47.40 - 10.10	.1602	----	----	----	----	206 UNCH
5480	----	----	----/45.80A	52.20B/45.80A	----	46.90 - 9.90	.1587	----	----	----	----	5 UNCH
5485	46.40	46.40	51.70B/45.20A	51.70B/45.20A	----	46.30 - 9.80	.1569	----	----	2	----	4 + 2
5490	----	----	----/44.50A	51.00B/44.50A	----	45.80 - 9.70	.1554	----	----	----	----	17 UNCH
5495	----	----	----/43.80A	50.40B/43.80A	----	45.30 - 9.60	.1539	----	----	----	----	1 UNCH
5500	44.10	44.10	44.10/43.50A	49.90B/43.50A	----	44.80 - 9.50	.1524	----	----	433	----	4382 - 71
5505	48.10	48.10	48.10/43.00A	49.40B/43.00A	----	44.30 - 9.30	.1509	----	----	2	----	5 + 2
5510	42.40	42.40	42.40/42.40	48.60B/42.40	----	43.80 - 9.20	.1494	----	----	8	----	13 + 8
5515	----	----	----/41.50A	48.20B/41.50A	----	43.30 - 9.10	.1479	----	----	----	----	10 UNCH
5520	----	----	----/41.60A	47.70B/41.60A	----	42.80 - 9.00	.1464	----	----	----	----	11 UNCH
5525	----	----	----/40.20A	47.00B/40.20A	----	42.30 - 9.00	.1449	----	----	----	----	83 UNCH
5530	----	----	----/40.60A	46.70B/40.60A	----	41.80 - 8.90	.1434	----	----	----	----	25 UNCH
5535	----	----	----/40.20A	46.00B/40.20A	----	41.40 - 8.70	.1421	----	----	----	----	1 UNCH
5540	----	----	----/39.70A	45.60B/39.70A	----	40.90 - 8.60	.1406	----	----	----	----	16 UNCH
5545	----	----	----/39.20A	44.90B/39.20A	----	40.40 - 8.60	.1391	----	----	----	----	8 UNCH
5550	39.20	39.20	44.50B/38.70A	44.50B/38.70A	----	40.00 - 8.40	.1379	----	----	12	----	206 + 2
5555	----	----	----/38.30A	43.90B/38.30A	----	39.50 - 8.40	.1364	----	----	----	----	23 UNCH
5560	39.50	39.50	39.50/37.80A	43.40B/37.80A	----	39.10 - 8.30	.1351	----	----	1	----	22 + 1
5565	----	----	----/37.40A	43.00B/37.40A	----	38.70 - 8.10	.1338	----	----	----	----	1 UNCH
5570	----	----	----/37.10A	42.70B/37.10A	----	38.30 - 8.00	.1326	----	----	----	----	4 UNCH
5575	----	----	----/36.60A	42.00B/36.60A	----	37.80 - 8.00	.1311	----	----	----	----	29 UNCH
5580	----	----	----/36.10A	41.50B/36.10A	----	37.40 - 7.90	.1298	----	----	----	----	2 UNCH
5585	----	----	----/35.70A	41.10B/35.70A	----	37.00 - 7.80	.1286	----	----	----	----	19 UNCH
5590	----	----	----/35.30A	40.60B/35.30A	----	36.60 - 7.70	.1273	----	----	----	----	1 UNCH
5595	----	----	----/34.90A	40.20B/34.90A	----	36.20 - 7.60	.1261	----	----	----	----	19 UNCH
5600	36.00	36.00	39.80B/34.50A	39.80B/34.50A	----	35.80 - 7.50	.1248	----	----	47	----	2285 + 12
5605	----	----	----/34.20A	39.30B/34.20A	----	35.40 - 7.40	.1236	----	----	----	----	29 UNCH
5610	----	----	----/33.80A	38.90B/33.80A	----	35.10 - 7.30	.1225	----	----	----	----	1 UNCH
5625	34.30	34.30	34.30/*32.60A	37.60B/*32.60A	----	33.90 - 7.10	.1188	----	----	1	----	10 UNCH
5630	----	----	----/32.30A	37.20B/32.30A	----	33.60 - 7.00	.1178	----	----	----	----	5 UNCH
5635	32.80	32.80	36.80B/*31.90A	36.80B/*31.90A	----	33.20 - 6.90	.1165	----	----	4	----	12 + 4
5640	----	----	----/31.60A	36.40B/31.60A	----	32.90 - 6.80	.1155	----	----	----	----	4 UNCH
5650	----	----	----/31.00A	35.70B/31.00A	----	32.20 - 6.60	.1133	----	----	----	----	511 UNCH
5660	----	----	----/30.20A	34.90B/30.20A	----	31.50 - 6.50	.1110	----	----	----	----	1 UNCH
5670	----	----	----/29.60A	34.20B/29.60A	----	30.80 - 6.40	.1088	----	----	----	----	11 UNCH
5675	----	----	----/*29.20A	33.90B/*29.20A	----	30.50 - 6.30	.1078	----	----	----	----	6 UNCH
5680	----	----	----/29.00A	33.50B/29.00A	----	30.20 - 6.20	.1068	----	----	----	----	6 UNCH
5690	----	----	----/28.40A	32.80B/28.40A	----	29.60 - 6.00	.1048	----	----	----	----	11 UNCH
5700	----	----	----/27.80A	32.00B/27.80A	----	29.00 - 5.90	.1029	----	----	1	440	775 - 123
5710	----	----	----/27.20A	31.40B/27.20A	----	28.40 - 5.80	.1009	----	----	----	----	12 UNCH
5720	27.80	27.80	27.80/26.50A	30.80B/26.50A	----	27.80 - 5.70	.0989	----	----	5	----	15 + 5
5725	----	----	----/*26.30A	30.50B/*26.30A	----	27.50 - 5.60	.0980	----	----	----	----	57 UNCH
5730	----	----	----/26.00A	30.10B/26.00A	----	27.30 - 5.50	.0972	----	----	----	----	9 UNCH
5740	----	----	----/25.40A	29.50B/25.40A	----	26.70 - 5.40	.0953	----	----	----	----	8 UNCH
5750	26.40	26.40	29.00B/24.90A	29.00B/24.90A	----	26.20 - 5.30	.0936	----	----	18	----	972 + 1
5760	----	----	----/24.30A	28.40B/24.30A	----	25.70 - 5.10	.0919	----	----	----	----	168 UNCH
5770	----	----	----/23.90A	27.80B/23.90A	----	25.10 - 5.10	.0899	----	----	----	----	4 UNCH
5775	----	----	----/*23.60A	27.60B/*23.60A	----	24.90 - 5.00	.0892	----	----	----	----	214 UNCH
5780	----	----	----/23.30A	27.30B/23.30A	----	24.70 - 4.90	.0885	----	----	----	----	2 UNCH
5790	----	----	----/22.90A	26.80B/22.90A	----	24.20 - 4.80	.0868	----	----	----	----	10 UNCH
5800	----	----	----/22.40A	26.30B/22.40A	----	23.70 - 4.80	.0852	----	----	2	----	951 UNCH
5810	----	----	----/22.00A	25.70B/22.00A	----	23.20 - 4.70	.0835	----	----	----	----	10 UNCH
5820	----	----	----/21.70A	25.30B/21.70A	----	22.80 - 4.60	.0821	----	----	----	----	207 UNCH
5825	----	----	----/*21.30A	25.00B/*21.30A	----	22.60 - 4.50	.0814	----	----	----	----	19 UNCH
5830	----	----	----/21.10A	24.80B/21.10A	----	22.30 - 4.60	.0804	----	----	----	----	1 UNCH
5840	----	----	----/20.70A	24.30B/20.70A	----	21.90 - 4.50	.0791	----	----	----	----	102 UNCH
5850	----	----	----/20.30A	23.80B/20.30A	----	21.50 - 4.40	.0777	----	----	1	----	110 + 1
5860	25.00	25.00	25.00/20.00A	25.00/20.00A	----	21.10 - 4.30	.0763	----	----	2	----	70 + 1
5870	----	----	----/19.50A	23.00B/19.50A	----	20.70 - 4.20	.0749	----	----	----	----	9 UNCH
5875	----	----	----/*19.50A	22.70B/*19.50A	----	20.50 - 4.20	.0742	----	----	----	----	22 UNCH
5880	----	----	----/19.30A	22.60B/19.30A	----	20.30 - 4.20	.0735	----	----	----	----	11 UNCH
5890	----	----	----/18.90A	22.20B/18.90A	----	19.90 - 4.10	.0722	----	----	----	----	6 UNCH
5900	----	----	----/18.50A	21.70B/18.50A	----	19.60 - 4.00	.0710	----	----	1	----	416 UNCH
5910	----	----	----/18.20A	21.40B/18.20A	----	19.20 - 4.00	.0697	----	----	----	----	6 UNCH
5920	----	----	----/17.90A	21.00B/17.90A	----	18.90 - 3.90	.0686	----	----	----	----	25 UNCH
5925	----	----	----/*17.70A	20.90B/*17.70A	----	18.70 - 3.90	.0679	----	----	----	----	6 UNCH
5940	----	----	----/*17.20A	20.30B/*17.20A	----	18.20 - 3.80	.0662	----	----	----	----	2 UNCH
5950	----	----	----/*16.90A	19.90B/*16.90A	----	17.90 - 3.70	.0651	----	----	----	----	3 UNCH
5960	----	----	----/*16.60A	19.50B/*16.60A	----	17.60 - 3.60	.0640	----	----	----	----	15 UNCH
5970	----	----	----/*16.30A	19.20B/*16.30A	----	17.30 - 3.60	.0629	----	----	----	----	55 UNCH
5980	----	----	----/*16.00A	19.00B/*16.00A	----	17.00 - 3.50	.0619	----	----	----	----	3 UNCH
5990	----	----	----/*15.90A	18.60B/*15.90A	----	16.80 - 3.40	.0611	----	----	----	----	70 UNCH
6000	16.70	16.70	18.30B/15.50A	18.30B/15.50A	----	16.50 - 3.30	.0600	----	----	38	----	2571 UNCH
6025	----	----	----/*14.90A	17.60B/*14.90A	----	15.90 - 3.10	.0578	----	----	----	----	14 UNCH
6050	----	----	----/*14.30A	16.90B/*14.30A	----	15.30 - 3.00	.0556	----	----	----	----	41 UNCH
6075	----	----	----/*13.80A	16.20B/*13.80A	----	14.70 - 2.90	.0534	----	----	1	----	90 + 1
6100	----	----	----/*13.40A	15.60B/*13.40A	----	14.20 - 2.70	.0515	----	----	20	----	263 + 10
6125	13.80	13.80	15.00B/*12.90A	15.00B/*12.90A	----	13.70 - 2.60	.0496	----	----	31	----	60 - 5
6150	----	----	----/*12.50A	14.50B/*12.50A	----	13.30 - 2.40	.0480	----	----	----	----	880 UNCH
6175	----	----	----/*12.00A	14.00B/*12.00A	----	12.80 - 2.30	.0462	----	----	----	----	38 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
6200	----	----	----/*11.70A	13.60B/*11.70A	----	12.40 - 2.20	.0447	----	----	1	----	537 - 1
6225	----	----	----/*11.30A	13.00B/*11.30A	----	12.00 - 2.10	.0432	----	----	----	----	19 UNCH
6250	----	----	----/*10.90A	12.60B/*10.90A	----	11.60 - 2.10	.0417	----	----	1	----	392 - 1
6275	----	----	----/*10.60A	12.20B/*10.60A	----	11.30 - 1.90	.0405	----	----	----	----	3 UNCH
6300	11.80	11.80	11.80/*10.20A	11.90B/*10.20A	----	11.00 - 1.80	.0393	----	----	84	----	335 + 11
6325	----	----	----/*9.90A	11.50B/*9.90A	----	10.60 - 1.80	.0379	----	----	----	----	32 UNCH
6350	----	----	----/*9.70A	11.20B/*9.70A	----	10.30 - 1.70	.0367	----	----	----	----	32 UNCH
6375	----	----	----/*9.40A	10.80B/*9.40A	----	10.00 - 1.70	.0356	----	----	----	----	37 UNCH
6400	8.90	8.90	10.60B/*8.90	10.60B/*8.90	----	9.80 - 1.50	.0347	----	----	9	----	195 + 3
6425	----	----	----/*9.00A	10.30B/*9.00A	----	9.50 - 1.50	.0336	----	----	----	----	15 UNCH
6450	----	----	----/*8.60A	9.90B/*8.60A	----	9.30 - 1.40	.0328	----	----	----	----	48 UNCH
6475	----	----	----/*8.40A	9.60B/*8.40A	----	9.00 - 1.40	.0317	----	----	----	----	14 UNCH
6500	8.00	8.00	9.40B/8.00	9.40B/8.00	----	8.80 - 1.30	.0309	----	----	44	----	864 + 34
6525	----	----	----/*8.00A	9.10B/*8.00A	----	8.60 - 1.30	.0301	----	----	----	----	132 UNCH
6550	----	----	----/*7.70A	8.90B/*7.70A	----	8.40 - 1.20	.0293	----	----	----	----	1 UNCH
6575	----	----	----/*7.60A	8.60B/*7.60A	----	8.20 - 1.20	.0285	----	----	----	----	4 UNCH
6600	----	----	----/7.50A	8.50B/7.50A	----	8.00 - 1.10	.0278	----	----	----	----	30 UNCH
6650	----	----	----/7.10A	8.10B/7.10A	----	7.60 - 1.10	.0262	----	----	----	----	16 UNCH
6675	----	----	----/*6.70A	8.00B/*6.70A	----	7.40 - 1.10	.0255	----	----	----	----	1 UNCH
6700	----	----	----/6.70A	7.70B/6.70A	----	7.30 - 1.00	.0250	----	----	----	----	127 UNCH
6800	----	----	----/*6.20A	6.90B/6.20A	----	6.70 - 0.90	.0227	----	----	----	----	199 UNCH
6825	----	----	----/*6.00A	6.80B/6.00A	----	6.60 - 0.80	.0223	----	----	----	----	19 UNCH
6850	----	----	----/*5.90A	6.70B/5.90A	----	6.40 - 0.80	.0216	----	----	----	----	201 UNCH
6875	----	----	----/*5.80A	6.50B/5.80A	----	6.30 - 0.80	.0212	----	----	----	----	22 UNCH
6900	----	----	----/*5.70A	6.30B/5.70A	----	6.20 - 0.70	.0208	----	----	----	----	19 UNCH
6925	----	----	----/*5.50A	6.20B/5.50A	----	6.10 - 0.70	.0204	----	----	----	----	1 UNCH
6950	----	----	----/*5.40A	6.10B/5.40A	----	6.00 - 0.60	.0200	----	----	----	----	22 UNCH
6975	----	----	----/*5.30A	6.20B/5.30A	----	5.90 - 0.60	.0196	----	----	----	----	10 UNCH
7000	4.90	4.90	5.90/4.90	5.90/4.90	----	5.70 - 0.70	.0189	----	----	2	----	791 + 1
7050	----	----	----/*5.00A	5.60B/5.00A	----	5.50 - 0.60	.0181	----	----	----	----	17 UNCH
7075	----	----	----/*4.90A	5.50B/4.90A	----	5.50 - 0.50	.0180	----	----	----	----	13 UNCH
7100	----	----	----/*4.80A	5.50B/4.80A	----	5.40 - 0.50	.0177	----	----	----	----	28 UNCH
7125	----	----	----/*4.70A	5.30B/4.70A	----	5.30 - 0.50	.0173	----	----	----	----	1 UNCH
7150	----	----	----/*4.60A	5.30B/4.60A	----	5.20 - 0.40	.0169	----	----	----	----	19 UNCH
7175	----	----	----/*4.50A	5.20B/4.50A	----	5.10 - 0.40	.0165	----	----	----	----	1 UNCH
7200	----	----	----/*4.50A	5.20B/4.50A	----	5.00 - 0.40	.0162	----	----	----	----	3 UNCH
7225	----	----	----/*4.40A	5.20B/4.40A	----	4.90 - 0.40	.0158	----	----	----	----	17 UNCH
7250	5.20	5.20	5.20/*4.30A	5.20/4.30A	----	4.90 - 0.30	.0157	----	----	21	----	23 + 21
7275	----	----	----/*4.20A	4.90B/4.20A	----	4.80 - 0.30	.0154	----	----	----	----	14 UNCH
7300	----	----	----/*4.10A	4.80B/4.10A	----	4.70 - 0.30	.0150	----	----	40	----	42 + 38
7350	----	----	----/*4.00A	4.70B/4.00A	----	4.60 - 0.30	.0146	----	----	----	----	6 UNCH
7400	----	----	----/*3.90A	4.70B/3.90A	----	4.40 - 0.30	.0139	----	----	----	----	1 UNCH
7425	----	----	----/*3.80A	4.40B/3.80A	----	4.40 - 0.20	.0139	----	----	----	----	19 UNCH
7450	----	----	----/*3.70A	4.30B/3.70A	----	4.30 - 0.20	.0135	----	----	----	----	16 UNCH
7475	----	----	----/*3.70A	4.40B/3.70A	----	4.20 - 0.20	.0132	----	----	----	----	9 UNCH
7500	4.50	4.50	4.50/3.60A	4.50/3.60A	----	4.20 - 0.20	.0131	----	----	10	----	301 + 10
7525	----	----	----/*3.60A	4.20B/3.60A	----	4.10 - 0.20	.0128	----	----	----	----	33 UNCH
7550	----	----	----/*3.50A	4.20B/3.50A	----	4.10 - 0.10	.0127	----	----	----	----	50 UNCH
7575	----	----	----/*3.50A	4.10B/3.50A	----	4.00 - 0.10	.0124	----	----	----	----	1 UNCH
7600	----	----	----/*3.40A	4.10B/3.40A	----	4.00 - 0.10	.0124	----	----	----	----	10 UNCH
7625	----	----	----/*3.40A	4.00B/3.40A	----	3.90 - 0.10	.0120	----	----	----	----	12 UNCH
7700	----	----	----/*3.20A	3.80B/3.20A	----	3.70 - 0.10	.0114	----	----	----	----	11 UNCH
7725	----	----	----/*3.20A	3.70B/3.20A	----	3.70 UNCH	.0113	----	----	----	----	11 UNCH
7750	----	----	----/*3.10A	3.70B/3.10A	----	3.60 - 0.10	.0110	----	----	----	----	2 UNCH
7775	----	----	----/*3.10A	3.60B/3.10A	----	3.60 UNCH	.0109	----	----	----	----	5 UNCH
7800	----	----	3.60B/*3.00A	3.60B/3.00A	----	3.50 UNCH	.0106	----	----	----	----	5 UNCH
7825	----	----	3.60B/*3.00A	3.60B/3.00A	----	3.50 UNCH	.0106	----	----	----	----	10 UNCH
7875	----	----	----/*2.90A	3.40B/2.90A	----	3.40 UNCH	.0102	----	----	----	----	140 UNCH
7900	----	----	3.50B/*2.90A	3.50B/2.90A	----	3.40 + 0.10	.0102	----	----	----	----	1 UNCH
8000	----	----	3.20B/2.70A	3.20B/2.70A	----	3.20 + 0.10	.0095	----	----	----	----	589 UNCH
8100	2.80	2.80	3.10B/*2.60A	3.10B/2.60A	----	3.00 NEW	.0089	----	----	7	----	7 + 7
8300	----	----	2.80B/*2.40A	2.80B/2.40A	----	2.80 + 0.20	.0081	----	----	----	----	4 UNCH
8500	----	----	2.60B/2.10A	2.60B/2.10A	----	2.50 + 0.10	.0071	----	----	----	----	6 UNCH
8600	----	----	2.40B/*2.10A	2.40B/2.10A	----	2.40 + 0.20	.0068	----	----	----	----	1 UNCH
8800	----	----	2.20B/*1.90A	2.20B/1.90A	----	2.20 + 0.10	.0061	----	----	----	----	7 UNCH
9000	----	----	2.00B/1.80A	2.00B/1.80A	----	2.00 + 0.10	.0055	----	----	----	----	223 UNCH
9200	----	----	1.90B/*1.60A	1.90B/1.60A	----	1.80 UNCH	.0049	----	----	----	----	11 UNCH
9300	----	----	1.80B/*1.60A	1.80B/1.60A	----	1.80 + 0.10	.0048	----	----	----	----	4 UNCH
9400	----	----	----/*1.50A	1.70B/1.50A	----	1.70 UNCH	.0046	----	----	----	----	141 UNCH
9500	----	----	----/1.50A	1.70B/1.50A	----	1.60 - 0.10	.0043	----	----	----	----	66 UNCH
9900	----	----	----/*1.30A	1.40B/1.30A	----	1.40 - 0.10	.0036	----	----	----	----	5 UNCH
10000	1.20	1.20	1.40B/1.20	1.40B/1.20	----	1.40 UNCH	.0036	----	----	2	----	173 + 2
10100	----	----	----/*1.20A	1.30B/1.20A	----	1.30 UNCH	.0034	----	----	----	----	12 UNCH
11000	----	----	0.90B/----	0.90B/0.90A	----	0.90 + 0.10	.0022	----	----	----	----	86 UNCH
11200	----	----	0.80B/----	0.80B/0.90A	----	0.80 + 0.10	.0020	----	----	----	----	13 UNCH
11500	----	----	0.70B/----	0.70B/0.80A	----	0.70 + 0.10	.0017	----	----	----	----	47 UNCH
11600	----	----	0.70B/----	0.70B/0.80A	----	0.60 + 0.10	.0015	----	----	----	----	50 UNCH
12000	----	----	0.60B/----	0.60B/0.70A	----	0.50 + 0.10	.0012	----	----	----	----	216 UNCH
TOTAL										2003	930	55515 + 354
AUG26												
3400	----	----	----	----	----	1428.20 - 31.10	.9731	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1330.70 - 31.00	.9657	----	----	----	----	46 UNCH
3505	----	----	----	----	----	1325.80 - 31.10	.9654	----	----	----	----	4 UNCH
3520	----	----	----	----	----	1311.20 - 31.10	.9641	----	----	----	----	65 UNCH
3550	----	----	----	----	----	1282.20 - 31.10	.9615	----	----	----	----	310 UNCH
3600	----	----	----	----	----	1234.00 - 31.10	.9567	----	----	----	----	1045 UNCH
3610	----	----	----	----	----	1224.40 - 31.10	.9557	----	----	----	----	6 UNCH
3650	----	----	----	----	----	1186.10 - 31.10	.9514	----	----	----	----	4 UNCH
3660	----	----	----	----	----	1176.50 - 31.10	.9502	----	----	----	----	2 UNCH
3685	----	----	----	----	----	1152.70 - 31.10	.9473	----	----	----	----	1 UNCH
3700	----	----	----	----	----	1138.50 - 31.10	.9453	----	----	----	----	40 UNCH
3715	----	----	----	----	----	1124.20 - 31.20	.9435	----	----	----	----	30 UNCH
3720	----	----	----	----	----	1119.50 - 31.10	.9428	----	----	----	----	1 UNCH
3735	----	----	----	----	----	1105.30 - 31.20	.9408	----	----	----	----	1 UNCH
3750	----	----	----	----	----	1091.20 - 31.10	.9387	----	----	----	----	8 UNCH
3775	----	----	----	----	----	1067.70 - 31.10	.9352	----	----	----	----	4 UNCH
3780	----	----	----	----	----	1063.00 - 31.10	.9345	----	----	----	----	10 UNCH
3790	----	----	----	----	----	1053.60 - 31.20	.9330	----	----	----	----	67 UNCH
3800	----	----	----	----	----	1044.20 - 31.20	.9315	----	----	----	----	303 UNCH
3820	----	----	----	----	----	1025.60 - 31.20	.9283	----	----	----	----	3 UNCH
3840	----	----	----	----	----	1007.00 - 31.20	.9249	----	----	----	----	1 UNCH
3850	----	----	----	----	----	997.70 - 31.30	.9232	----	----	----	----	12 UNCH
3885	----	----	----	----	----	965.40 - 31.30	.9169	----	----	----	----	2 UNCH
3890	----	----	----	----	----	960.80 - 31.30	.9161	----	----	----	----	2 UNCH
3900	----	----	----	----	----	951.70 - 31.30	.9142	----	----	----	----	146 UNCH
3920	----	----	----	----	----	933.40 - 31.30	.9102	----	----	----	----	1 UNCH
3925	----	----	----	713.50B/1119.10A	----	928.80 - 31.40	.9092	----	----	----	----	10 UNCH
3950	----	----	----	732.00B/1079.40A	----	906.10 - 31.40	.9040	----	----	----	----	106 UNCH
3955	----	----	----	727.40B/1074.90A	----	901.60 - 31.40	.9030	----	----	----	----	7 UNCH
3975	----	----	----	709.30B/1056.90A	----	883.50 - 31.50	.8986	----	----	----	----	200 UNCH
3995	----	----	----	691.30B/1039.10A	----	865.60 - 31.50	.8940	----	----	----	----	30 UNCH
4000	----	----	----	686.80B/1034.70A	----	861.10 - 31.50	.8928	----	----	----	----	714 UNCH
4005	----	----	----	682.30B/1030.20A	----	856.70 - 31.40	.8917	----	----	----	----	1 UNCH
4015	----	----	----	673.30B/1021.40A	----	847.70 - 31.50	.8894	----	----	----	----	12 UNCH
4025	----	----	----	664.70B/1012.50A	----	838.90 - 31.50	.8869	----	----	----	----	174 UNCH
4045	----	----	----	646.70B/994.90A	----	821.20 - 31.50	.8819	----	----	----	----	30 UNCH
4050	----	----	----	642.30B/990.50A	----	816.80 - 31.50	.8807	----	----	----	----	100 UNCH
4055	----	----	----	637.80B/986.20A	----	812.40 - 31.50	.8794	----	----	----	----	100 UNCH
4075	----	----	----	620.30B/968.70A	----	794.80 - 31.60	.8740	----	----	----	----	3 UNCH
4080	----	----	----	615.90B/964.40A	----	790.50 - 31.60	.8727	----	----	----	----	1 UNCH
4100	----	----	----	598.50B/947.10A	----	773.10 - 31.60	.8671	----	----	----	----	73 UNCH
4110	----	----	----	590.10B/938.50A	----	764.40 - 31.70	.8643	----	----	----	----	19 UNCH
4135	----	----	----	568.30B/917.00A	----	742.90 - 31.70	.8569	----	----	----	----	20 UNCH
4140	----	----	----	564.00B/912.80A	----	738.70 - 31.70	.8554	----	----	----	----	1 UNCH
4150	----	----	----	555.50B/904.50A	----	730.20 - 31.60	.8524	----	----	----	----	40 UNCH
4165	----	----	----	542.70B/892.30A	----	717.40 - 31.70	.8477	----	----	----	----	1 UNCH
4195	----	----	----	516.30B/868.30A	----	692.20 - 31.80	.8379	----	----	----	----	3 UNCH
4200	----	----	----	512.00B/864.40A	----	688.10 - 31.70	.8363	----	----	----	----	75 UNCH
4215	----	----	----	498.90B/852.50A	----	675.60 - 31.80	.8311	----	----	----	----	1 UNCH
4220	----	----	----	494.60B/848.50A	----	671.50 - 31.70	.8294	----	----	----	----	16 UNCH
4225	----	----	----	490.30B/844.60A	----	667.40 - 31.70	.8277	----	----	----	----	102 UNCH
4235	----	----	----	481.70B/836.80A	----	659.10 - 31.80	.8241	----	----	----	----	1 UNCH
4250	----	----	----	468.90B/825.10A	----	646.90 - 31.70	.8188	----	----	----	----	71 UNCH
4265	----	----	----	456.40B/813.50A	----	634.70 - 31.80	.8133	----	----	----	----	77 UNCH
4285	----	----	----/607.10A	618.10B/607.10A	----	618.70 - 31.70	.8057	----	----	----	----	8 UNCH
4300	----	----	----/595.40A	618.50B/595.40A	----	606.70 - 31.70	.7998	----	----	----	----	42 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4320	----	----	----/579.80A	612.80B/579.80A	----	590.90 - 31.70	.7918	----	----	----	----	2 UNCH
4325	----	----	----/576.00A	608.80B/576.00A	----	587.00 - 31.60	.7899	----	----	----	----	6 UNCH
4330	----	----	----/572.20A	604.80B/572.20A	----	583.10 - 31.60	.7878	----	----	----	----	201 UNCH
4350	----	----	----/556.90A	589.10B/556.90A	----	567.60 - 31.60	.7795	----	----	----	----	774 UNCH
4360	----	----	----/549.40A	581.40B/549.40A	----	559.90 - 31.60	.7752	----	----	----	----	1 UNCH
4375	----	----	----/538.10A	569.80B/538.10A	----	548.50 - 31.50	.7688	----	----	----	----	3 UNCH
4385	----	----	----/530.70A	562.10B/530.70A	----	540.90 - 31.50	.7643	----	----	----	----	100 UNCH
4390	----	----	----/527.00A	558.30B/527.00A	----	537.20 - 31.40	.7621	----	----	----	----	1 UNCH
4400	----	----	----/519.60A	550.70B/519.60A	----	529.70 - 31.40	.7577	----	----	----	----	325 UNCH
4420	----	----	----/505.40A	535.60B/505.40A	----	514.80 - 31.40	.7486	----	----	----	----	50 UNCH
4425	----	----	----/501.50A	531.90B/501.50A	----	511.20 - 31.30	.7462	----	----	----	----	5 UNCH
4440	----	----	----/490.70A	520.80B/490.70A	----	500.20 - 31.30	.7392	----	----	----	----	1 UNCH
4450	----	----	----/483.60A	513.50B/483.60A	----	493.00 - 31.20	.7345	----	----	----	----	6 UNCH
4455	----	----	----/480.10A	509.80B/480.10A	----	489.40 - 31.20	.7321	----	----	----	----	2 UNCH
4460	----	----	----/476.60A	506.10B/476.60A	----	485.80 - 31.20	.7296	----	----	----	----	5 UNCH
4465	----	----	----/473.10A	502.50B/473.10A	----	482.20 - 31.20	.7273	----	----	----	----	9 UNCH
4470	----	----	----/469.60A	498.90B/469.60A	----	478.60 - 31.20	.7248	----	----	----	----	7 UNCH
4475	----	----	----/466.10A	495.30B/466.10A	----	475.10 - 31.10	.7223	----	----	----	----	29 UNCH
4485	----	----	----/459.20A	488.10B/459.20A	----	468.00 - 31.10	.7174	----	----	----	----	5 UNCH
4490	----	----	----/455.80A	484.60B/455.80A	----	464.50 - 31.10	.7149	----	----	----	----	1 UNCH
4500	----	----	----/448.90A	477.50B/448.90A	----	457.50 - 31.10	.7099	----	----	----	----	846 UNCH
4535	----	----	----/425.50A	453.10B/425.50A	----	433.50 - 31.00	.6920	----	----	----	----	10 UNCH
4540	----	----	----/422.20A	449.70B/422.20A	----	430.20 - 31.00	.6894	----	----	----	----	5 UNCH
4545	----	----	----/418.90A	446.30B/418.90A	----	426.80 - 31.00	.6868	----	----	----	----	1 UNCH
4550	----	----	----/415.70A	442.90B/415.70A	----	423.50 - 30.90	.6841	----	----	----	----	22 UNCH
4555	----	----	----/412.40A	439.50B/412.40A	----	420.20 - 30.90	.6815	----	----	----	----	1 UNCH
4560	----	----	----/409.20A	436.10B/409.20A	----	416.90 - 30.90	.6788	----	----	----	----	5 UNCH
4565	----	----	----/406.00A	432.80B/406.00A	----	413.60 - 30.80	.6761	----	----	----	----	1 UNCH
4575	----	----	----/399.60A	426.10B/399.60A	----	407.00 - 30.90	.6708	----	----	----	----	41 UNCH
4580	----	----	----/396.40A	422.80B/396.40A	----	403.80 - 30.80	.6681	----	----	----	----	200 UNCH
4585	----	----	----/393.30A	419.50B/393.30A	----	400.50 - 30.80	.6654	----	----	----	----	2 UNCH
4590	----	----	----/390.10A	416.20B/390.10A	----	397.30 - 30.80	.6626	----	----	----	----	16 UNCH
4595	----	----	----/387.00A	413.00B/387.00A	----	394.10 - 30.80	.6599	----	----	----	----	2 UNCH
4600	----	----	----/383.90A	409.70B/383.90A	----	390.90 - 30.70	.6571	----	----	----	----	100 UNCH
4605	----	----	----/381.10A	406.50B/381.10A	----	387.80 - 30.60	.6544	----	----	----	----	1 UNCH
4620	----	----	----/371.60A	396.90B/371.60A	----	378.40 - 30.50	.6460	----	----	----	----	4 UNCH
4640	----	----	----/359.60A	384.30B/359.60A	----	366.00 - 30.40	.6348	----	----	----	----	1 UNCH
4650	----	----	----/352.80A	378.00B/352.80A	----	360.00 - 30.30	.6291	----	----	----	----	145 UNCH
4660	----	----	----/347.80A	371.90B/347.80A	----	354.00 - 30.20	.6234	----	----	----	----	2 UNCH
4670	----	----	----/342.10A	365.80B/342.10A	----	348.10 - 30.00	.6176	----	----	----	----	3 UNCH
4675	----	----	----/338.20A	362.80B/338.20A	----	345.10 - 30.00	.6147	----	----	----	----	36 UNCH
4700	----	----	----/324.00A	347.90B/324.00A	----	330.70 - 29.60	.6002	----	----	----	----	1619 UNCH
4705	----	----	----/321.80A	345.30B/321.80A	----	327.90 - 29.50	.5973	----	----	----	----	20 UNCH
4710	----	----	----/318.50A	342.40B/318.50A	----	325.10 - 29.40	.5943	----	----	----	----	17 UNCH
4720	----	----	----/312.70A	336.60B/312.70A	----	319.50 - 29.30	.5885	----	----	----	----	29 UNCH
4725	----	----	----/311.10A	333.50B/311.10A	----	316.70 - 29.20	.5855	----	----	----	----	2 UNCH
4730	----	----	----/308.30A	332.10B/308.30A	----	314.00 - 29.10	.5826	----	----	----	----	3 UNCH
4750	311.00	311.00	321.60B/296.60A	321.60B/296.60A	----	303.20 - 28.70	.5707	----	----	2	----	181 - 1
4760	----	----	----/292.40A	316.20B/292.40A	----	297.90 - 28.60	.5647	----	----	----	----	10 UNCH
4770	----	----	----/287.20A	310.20B/287.20A	----	292.60 - 28.50	.5588	----	----	----	----	14 UNCH
4775	----	----	----/284.60A	308.10B/284.60A	----	290.00 - 28.40	.5558	----	----	----	----	10 UNCH
4780	----	----	----/280.80A	305.40B/280.80A	----	287.50 - 28.30	.5528	----	----	1	----	3 UNCH
4795	----	----	----/274.60A	297.00B/274.60A	----	279.90 - 28.00	.5438	----	----	----	----	2 UNCH
4800	----	----	----/272.00A	294.50B/272.00A	----	277.50 - 27.80	.5408	----	----	----	----	1630 UNCH
4810	----	----	----/267.30A	289.80B/267.30A	----	272.60 - 27.50	.5348	----	----	----	----	4 UNCH
4815	----	----	----/264.80A	287.30B/264.80A	----	270.20 - 27.30	.5318	----	----	----	----	3 UNCH
4820	----	----	----/262.80A	284.80B/262.80A	----	267.80 - 27.20	.5288	----	----	----	----	21 UNCH
4825	----	----	----/259.30A	282.30B/259.30A	----	265.40 - 27.10	.5258	----	----	----	----	5 UNCH
4830	----	----	----/257.40A	280.40B/257.40A	----	263.00 - 27.00	.5228	----	----	----	----	5 UNCH
4835	----	----	----/254.50A	277.60B/254.50A	----	260.70 - 26.80	.5198	----	----	----	----	35 UNCH
4840	----	----	----/252.10A	274.80B/252.10A	----	258.40 - 26.60	.5168	----	----	----	----	11 UNCH
4850	----	----	----/248.40A	270.40B/248.40A	----	253.80 - 26.40	.5108	----	----	----	----	34 UNCH
4860	----	----	----/242.70A	265.70B/242.70A	----	249.20 - 26.20	.5049	----	----	3	----	26 UNCH
4870	----	----	----/239.80A	260.70B/239.80A	----	244.70 - 26.00	.4989	----	----	----	----	11 UNCH
4875	----	----	----/237.30A	258.40B/237.30A	----	242.50 - 25.90	.4959	----	----	----	----	75 UNCH
4880	----	----	----/235.00A	256.10B/235.00A	----	240.30 - 25.80	.4930	----	----	----	----	30 UNCH
4895	----	----	----/228.80A	249.20B/228.80A	----	233.80 - 25.50	.4841	----	----	----	----	11 UNCH
4900	244.00	244.00	247.40B/226.60A	247.40B/226.60A	----	231.70 - 25.40	.4812	----	----	1	----	466 + 1
4905	----	----	----/225.10A	245.00B/225.10A	----	229.50 - 25.30	.4782	----	----	----	----	9 UNCH
4910	233.80	233.80	242.70B/222.10A	242.70B/222.10A	----	227.40 NEW	.4753	----	----	1	----	1 + 1
4925	----	----	----/216.40A	236.10B/216.40A	----	221.20 - 24.90	.4665	----	----	----	----	123 UNCH
4935	----	----	----/212.00A	231.80B/212.00A	----	217.10 - 24.60	.4606	----	----	----	----	1 UNCH
4940	----	----	----/209.90A	229.90B/209.90A	----	215.00 - 24.60	.4577	----	----	----	----	1 UNCH
4950	----	----	----/206.00A	225.50B/206.00A	----	211.00 - 24.40	.4519	----	----	----	----	64 UNCH
4955	----	----	----/204.40A	223.50B/204.40A	----	209.00 - 24.30	.4490	----	----	----	----	22 UNCH
4970	----	----	----/198.70A	217.40B/198.70A	----	203.20 NEW	.4403	----	----	1	----	1 + 1
4975	----	----	----/196.70A	215.40B/196.70A	----	201.20 - 23.90	.4374	----	----	----	----	2 UNCH
4985	----	----	----/193.00A	211.20B/193.00A	----	197.40 - 23.70	.4317	----	----	----	----	1 UNCH
4995	----	----	----/189.20A	207.40B/189.20A	----	193.60 - 23.50	.4260	----	----	----	----	3 UNCH
5000	----	----	----/187.10A	205.40B/187.10A	----	191.70 - 23.40	.4231	----	----	1	----	1524 UNCH
5005	----	----	----/185.50A	203.60B/185.50A	----	189.90 - 23.30	.4203	----	----	----	----	4 UNCH
5015	----	----	----/182.20A	199.70B/182.20A	----	186.20 - 23.10	.4146	----	----	----	----	3 UNCH
5025	----	----	----/178.50A	196.10B/178.50A	----	182.60 - 22.90	.4090	----	----	----	----	5 UNCH
5030	----	----	----/176.90A	194.30B/176.90A	----	180.80 - 22.80	.4062	----	----	----	----	2 UNCH
5045	----	----	----/171.80A	188.90B/171.80A	----	175.50 - 22.60	.3978	----	----	----	----	1 UNCH
5050	----	----	----/170.50A	187.00B/170.50A	----	173.80 - 22.40	.3950	----	----	34	----	52 + 34
5065	----	----	----/165.30A	181.90B/165.30A	----	168.70 - 22.10	.3868	----	----	----	----	22 UNCH
5075	173.50	173.50	178.30B/162.20A	178.30B/162.20A	----	165.30 - 22.00	.3813	----	----	2	----	203 + 2
5080	----	----	----/160.60A	176.70B/160.60A	----	163.70 - 21.90	.3786	----	----	----	----	21 UNCH
5100	----	----	----/154.50A	170.10B/154.50A	----	157.30 - 21.60	.3678	----	----	----	----	1595 UNCH
5105	----	----	----/152.80A	168.50B/152.80A	----	155.80 - 21.40	.3652	----	----	----	----	2 UNCH
5110	----	----	----/151.50A	166.90B/151.50A	----	154.30 - 21.30	.3626	----	----	----	----	4 UNCH
5115	----	----	----/149.90A	165.20B/149.90A	----	152.80 - 21.20	.3600	----	----	----	----	4 UNCH
5125	----	----	----/147.40A	162.10B/147.40A	----	149.80 - 21.00	.3548	----	----	----	----	20 UNCH
5130	----	----	----/145.90A	160.60B/145.90A	----	148.30 - 20.90	.3522	----	----	----	----	1 UNCH
5145	----	----	----/141.50A	156.00B/141.50A	----	144.00 - 20.60	.3445	----	----	----	----	14 UNCH
5150	----	----	----/140.20A	154.60B/140.20A	----	142.60 - 20.50	.3420	----	----	1	----	71 + 1
5155	----	----	----/138.90A	153.10B/138.90A	----	141.20 - 20.40	.3395	----	----	----	----	4 UNCH
5160	----	----	----/137.60A	151.60B/137.60A	----	139.90 - 20.20	.3370	----	----	----	----	6 UNCH
5175	144.00	144.00	147.20B/133.20A	147.20B/133.20A	----	135.80 NEW	.3296	----	----	1	----	1 + 1
5190	----	----	----/129.90A	143.10B/129.90A	----	131.90 - 19.60	.3223	----	----	----	----	4 UNCH
5200	----	----	----/127.30A	140.30B/127.30A	----	129.40 - 19.30	.3175	----	----	----	----	3401 UNCH
5205	----	----	----/126.40A	139.10B/126.40A	----	128.20 - 19.10	.3152	----	----	----	----	1 UNCH
5210	----	----	----/125.00A	137.60B/125.00A	----	126.90 - 19.10	.3128	----	----	----	----	6 UNCH
5215	----	----	----/123.70A	136.30B/123.70A	----	125.70 - 19.00	.3104	----	----	----	----	14 UNCH
5220	----	----	----/122.60A	135.10B/122.60A	----	124.50 - 18.80	.3081	----	----	----	----	29 UNCH
5225	----	----	----/121.40A	133.80B/121.40A	----	123.30 - 18.70	.3058	----	----	----	----	40 UNCH
5230	----	----	----/119.50A	132.50B/119.50A	----	122.10 - 18.60	.3035	----	----	----	----	8 UNCH
5235	----	----	----/118.60A	131.30B/118.60A	----	121.00 - 18.40	.3013	----	----	----	----	10 UNCH
5240	----	----	----/117.60A	130.00B/117.60A	----	119.80 - 18.40	.2990	----	----	----	----	16 UNCH
5245	----	----	----/116.20A	128.60B/116.20A	----	118.70 - 18.20	.2967	----	----	----	----	6 UNCH
5250	----	----	----/115.60A	127.40B/115.60A	----	117.50 - 18.10	.2944	----	----	----	----	465 UNCH
5255	----	----	----/113.90A	126.30B/113.90A	----	116.40 - 18.00	.2922	----	----	----	----	884 UNCH
5260	----	----	----/113.00A	125.10B/113.00A	----	115.30 - 17.90	.2900	----	----	----	----	24 UNCH
5265	----	----	----/111.80A	123.90B/111.80A	----	114.20 - 17.70	.2878	----	----	----	----	6 UNCH
5270	----	----	----/110.70A	122.60B/110.70A	----	113.10 - 17.60	.2856	----	----	----	----	18 UNCH
5275	----	----	----/109.40A	121.50B/109.40A	----	112.00 - 17.50	.2834	----	----	----	----	17 UNCH
5285	----	----	----/107.40A	119.20B/107.40A	----	109.90 - 17.30	.2791	----	----	1	----	12 UNCH
5290	----	----	----/106.30A	117.90B/106.30A	----	108.80 - 17.20	.2770	----	----	----	----	6 UNCH
5295	----	----	----/105.30A	116.80B/105.30A	----	107.80 - 17.00	.2749	----	----	----	----	6 UNCH
5300	----	----	----/104.10A	115.70B/104.10A	----	106.80 - 16.90	.2728	----	----	----	----	457 UNCH
5305	----	----	----/103.20A	114.60B/103.20A	----	105.70 - 16.80	.2706	----	----	----	----	6 UNCH
5310	106.20	106.20	113.50B/102.90A	113.50B/102.90A	----	104.70 - 16.70	.2685	----	----	3	----	103 + 3
5320	----	----	----/100.80A	111.40B/100.80A	----	102.70 - 16.50	.2644	----	----	----	----	9 UNCH
5325	----	----	----/97.90A	110.30B/97.90A	----	101.70 - 16.40	.2623	----	----	----	----	11 UNCH
5330	----	----	----/98.40A	109.20B/98.40A	----	100.80 - 16.20	.2604	----	----	----	----	3 UNCH
5350	----	----	----/94.70A	105.10B/94.70A	----	96.90 - 15.80	.2523	----	----	----	----	30 UNCH
5355	----	----	----/93.70A	104.10B/93.70A	----	96.00 - 15.70	.2503	----	----	----	----	1 UNCH
5360	----	----	----/92.80A	103.20B/92.80A	----	95.10 - 15.60	.2484	----	----	----	----	50 UNCH
5370	----	----	----/91.20A	101.10B/91.20A	----	93.30 - 15.30	.2445	----	----	----	----	2 UNCH
5375	----	----	----/90.20A	100.20B/90.20A	----	92.40 - 15.20	.2426	----	----	----	----	4 UNCH
5400	----	----	----/86.20A	95.50B/86.20A	----	88.00 - 14.70	.2331	----	----	----	----	3756 UNCH
5410	----	----	----/84.30A	93.70B/84.30A	----	86.30 - 14.50	.2294	----	----	----	----	6 UNCH
5420	----	----	----/82.60A	91.90B/82.60A	----	84.70 - 14.30	.2259	----	----	----	----	5 UNCH
5435	88.90	88.90	89.30B/80.60A	89.30B/80.60A	----	82.30 NEW	.2205	----	----	1	----	1 + 1
5445	----	----	----/79.20A	87.60B/79.20A	----	80.70 - 13.80	.2170	----	----	----	----	3 UNCH
5450	----	----	----/78.00A	86.80B/78.00A	----	79.90 - 13.70	.2152	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5460	----	----	----/77.00A	85.20B/77.00A	----	78.40 - 13.50	.2118	----	----	----	----	3 UNCH
5470	----	----	----/75.40A	83.60B/75.40A	----	76.90 - 13.30	.2084	----	----	----	----	1 UNCH
5475	----	----	----/74.80A	82.80B/74.80A	----	76.20 - 13.20	.2068	----	----	----	----	2 UNCH
5480	----	----	----/74.20A	82.00B/74.20A	----	75.50 - 13.10	.2052	----	----	----	----	10 UNCH
5485	----	----	----/73.50A	81.20B/73.50A	----	74.80 - 12.90	.2036	----	----	----	----	1 UNCH
5490	----	----	----/72.70A	80.50B/72.70A	----	74.00 - 12.90	.2018	----	----	----	----	2 UNCH
5495	----	----	----/72.20A	79.70B/72.20A	----	73.30 - 12.80	.2002	----	----	----	----	2 UNCH
5500	76.60	76.60	79.00B/71.00A	79.00B/71.00A	----	72.60 - 12.70	.1986	----	----	147	----	1153 + 98
5505	----	----	----/70.80A	78.30B/70.80A	----	72.00 - 12.60	.1971	----	----	----	----	6 UNCH
5515	----	----	----/69.60A	76.80B/69.60A	----	70.60 - 12.40	.1939	----	----	----	----	2 UNCH
5525	----	----	----/68.00A	75.40B/68.00A	----	69.30 - 12.20	.1909	----	----	----	----	25 UNCH
5535	68.00	68.00	68.00/67.00A	74.00B/67.00A	----	68.00 - 12.00	.1878	----	----	3	----	6 + 3
5545	----	----	----/65.90A	72.60B/65.90A	----	66.70 - 11.90	.1848	----	----	----	----	2 UNCH
5550	----	----	----/65.10A	71.90B/65.10A	----	66.10 - 11.70	.1833	----	----	----	----	2 UNCH
5565	----	----	----/63.40A	70.00B/63.40A	----	64.20 - 11.50	.1788	----	----	----	----	5 UNCH
5575	----	----	----/62.20A	68.70B/62.20A	----	63.10 - 11.30	.1761	----	----	----	----	3 UNCH
5580	----	----	----/61.80A	68.10B/61.80A	----	62.50 - 11.20	.1747	----	----	----	----	17 UNCH
5595	----	----	----/60.10A	66.20B/60.10A	----	60.80 - 10.90	.1706	----	----	----	----	3 UNCH
5600	----	----	----/59.40A	65.70B/59.40A	----	60.20 - 10.90	.1691	----	----	----	----	2037 UNCH
5615	----	----	----/58.00A	64.00B/58.00A	----	58.60 - 10.60	.1652	----	----	----	----	1 UNCH
5620	----	----	----/57.50A	63.30B/57.50A	----	58.00 - 10.60	.1638	----	----	----	----	2 UNCH
5635	----	----	----/*55.90A	61.60B/55.90A	----	56.50 - 10.20	.1600	----	----	----	----	2 UNCH
5640	----	----	----/*55.40A	61.20B/55.40A	----	55.90 - 10.20	.1586	----	----	----	----	3 UNCH
5650	----	----	----/54.30A	60.00B/54.30A	----	54.90 - 10.10	.1561	----	----	----	----	89 UNCH
5660	----	----	----/*53.50A	58.90B/53.50A	----	53.90 - 9.90	.1536	----	----	----	----	12 UNCH
5670	----	----	----/*52.20A	57.90B/*52.20A	----	53.00 - 9.70	.1513	----	----	----	----	10 UNCH
5675	----	----	----/*51.80A	57.50B/*51.80A	----	52.50 - 9.60	.1500	----	----	----	----	4 UNCH
5690	----	----	----/*50.60A	55.90B/*50.60A	----	51.10 - 9.40	.1465	----	----	----	----	13 UNCH
5700	----	----	----/49.60A	54.90B/49.60A	----	50.20 - 9.30	.1442	----	----	60	----	2218 + 20
5720	----	----	----/*48.20A	53.00B/*48.20A	----	48.50 - 8.90	.1398	----	----	----	----	13 UNCH
5725	----	----	----/*47.80A	52.50B/*47.80A	----	48.00 - 8.90	.1386	----	----	----	----	1 UNCH
5730	----	----	----/*47.40A	52.00B/*47.40A	----	47.60 - 8.80	.1375	----	----	----	----	12 UNCH
5750	----	----	----/45.80A	50.40B/45.80A	----	46.00 - 8.50	.1333	----	----	----	----	300 UNCH
5800	----	----	----/42.10A	46.10B/42.10A	----	42.20 - 7.90	.1234	----	----	----	----	941 UNCH
5825	----	----	----/*40.30A	44.10B/*40.30A	----	40.50 - 7.50	.1188	----	----	----	----	14 UNCH
5850	----	----	----/38.90A	42.30B/38.90A	----	38.80 - 7.30	.1143	----	----	----	----	165 UNCH
5875	----	----	----/*37.20A	40.60B/*37.20A	----	37.20 - 7.00	.1099	----	----	----	----	21 UNCH
5900	----	----	----/35.60A	38.90B/35.60A	----	35.80 - 6.70	.1060	----	----	----	----	1858 UNCH
5925	----	----	----/*34.20A	37.30B/*34.20A	----	34.40 - 6.40	.1022	----	----	----	----	2 UNCH
5950	----	----	----/*33.10A	35.90B/*33.10A	----	33.00 - 6.20	.0983	----	----	----	----	1 UNCH
6000	----	----	----/30.40A	33.20B/30.40A	----	30.60 - 5.70	.0915	----	----	22	----	1548 + 9
6100	29.90	29.90	29.90/26.20A	29.90/26.20A	----	26.40 - 4.90	.0795	----	----	22	----	334 + 4
6200	22.90	22.90	24.20B/22.90	24.20B/22.90	----	23.00 - 4.20	.0695	----	----	2	----	1342 + 2
6300	----	----	----/20.60A	21.40B/20.60A	----	20.30 - 3.60	.0614	----	----	1	----	76 + 1
6400	17.90	17.90	19.70/17.90	19.70/17.90	----	18.10 - 3.00	.0546	----	----	37	----	59 - 9
6500	16.00	16.00	17.00B/15.90	17.00B/15.90	----	16.20 - 2.60	.0488	----	----	7	----	812 UNCH
6600	14.40	14.40	15.30B/14.40	15.30B/14.40	----	14.70 - 2.20	.0440	----	----	3	----	132 UNCH
6700	15.00	15.00	15.00/13.40A	15.00/13.40A	----	13.40 - 2.00	.0399	----	----	1	----	255 + 1
6800	----	----	----/12.40A	12.60B/12.40A	----	12.30 - 1.70	.0363	----	----	----	----	49 UNCH
6900	----	----	----/11.40A	11.60B/11.40A	----	11.40 - 1.50	.0334	----	----	----	----	1 UNCH
7000	----	----	----/10.50A	10.70B/10.50A	----	10.60 - 1.30	.0308	----	----	2	----	542 + 1
7500	----	----	----/7.70A	7.50B/7.70A	----	7.80 - 0.70	.0217	----	----	1	----	738 + 1
8000	6.60	6.60	6.60/5.80A	6.60/5.80A	----	6.00 - 0.50	.0160	----	----	16	----	104 + 11
8500	----	----	----/4.70A	4.60B/4.70A	----	4.70 - 0.30	.0121	----	----	----	----	88 UNCH
9000	----	----	----/3.90A	3.90B/3.90A	----	3.80 - 0.20	.0095	----	----	----	----	9 UNCH
9500	2.80	2.80	3.20B/2.80	3.20B/2.80	----	3.10 - 0.10	.0076	----	----	2	----	68 UNCH
10000	----	----	2.80B/----	2.80B/2.90A	----	2.70 UNCH	.0064	----	----	----	----	98 UNCH
TOTAL										379		39839 + 186
SEP26												
3875	----	----	----	806.70B/1212.50A	----	1017.20 - 32.40	.9075	----	----	----	----	1 UNCH
3995	----	----	----	732.00B/1088.30A	----	910.60 - 32.50	.8818	----	----	----	----	10 UNCH
4085	----	----	----	654.20B/1010.80A	----	833.10 - 32.50	.8590	----	----	----	----	37 UNCH
4130	----	----	----	616.00B/973.60A	----	795.20 - 32.50	.8464	----	----	----	----	10 UNCH
4185	----	----	----	568.60B/929.90A	----	749.60 - 32.70	.8298	----	----	----	----	37 UNCH
4200	----	----	----	555.80B/918.20A	----	737.40 - 32.60	.8250	----	----	----	----	1 UNCH
4220	----	----	----	539.20B/902.60A	----	721.20 - 32.60	.8186	----	----	----	----	162 UNCH
4290	----	----	----	481.50B/849.20A	----	665.60 - 32.60	.7946	----	----	----	----	6 UNCH
4295	----	----	----	477.20B/845.50A	----	661.70 - 32.50	.7927	----	----	----	----	50 UNCH
4300	----	----	----	473.20B/841.70A	----	657.90 - 32.40	.7909	----	----	----	----	13 UNCH
4320	----	----	----	457.20B/826.80A	----	642.40 - 32.50	.7835	----	----	----	----	162 UNCH
4375	----	----	----	414.30B/786.60A	----	600.80 - 32.30	.7624	----	----	----	----	1 UNCH
4390	----	----	----	403.10B/775.80A	----	589.70 - 32.20	.7564	----	----	----	----	200 UNCH
4425	----	----	----	376.80B/751.00A	----	564.10 - 32.10	.7420	----	----	----	----	1 UNCH
4495	----	----	----/507.10A	505.70B/507.10A	----	514.90 - 31.70	.7116	----	----	----	----	18 UNCH
4500	----	----	----/503.80A	508.30B/503.80A	----	511.50 - 31.60	.7094	----	----	----	----	5 UNCH
4505	----	----	----/500.40A	506.30B/500.40A	----	508.10 - 31.60	.7071	----	----	----	----	2 UNCH
4510	----	----	----/497.40A	506.90B/497.40A	----	504.70 - 31.50	.7049	----	----	----	----	2 UNCH
4515	----	----	----/493.80A	505.20B/493.80A	----	501.30 - 31.50	.7026	----	----	----	----	2 UNCH
4545	----	----	----/474.10A	500.10B/474.10A	----	481.30 - 31.30	.6887	----	----	----	----	16 UNCH
4550	----	----	----/470.90A	496.80B/470.90A	----	478.00 - 31.30	.6864	----	----	----	----	222 UNCH
4560	----	----	----/464.50A	490.10B/464.50A	----	471.50 - 31.20	.6817	----	----	----	----	2 UNCH
4565	----	----	----/461.30A	486.80B/461.30A	----	468.20 - 31.20	.6793	----	----	----	----	2 UNCH
4570	----	----	----/458.10A	483.50B/458.10A	----	465.00 - 31.10	.6769	----	----	----	----	2 UNCH
4575	----	----	----/455.00A	480.20B/455.00A	----	461.80 - 31.10	.6746	----	----	----	----	2 UNCH
4580	----	----	----/451.80A	476.90B/451.80A	----	458.60 - 31.00	.6722	----	----	----	----	2 UNCH
4585	----	----	----/448.70A	473.70B/448.70A	----	455.40 - 31.00	.6698	----	----	----	----	2 UNCH
4590	----	----	----/445.60A	470.40B/445.60A	----	452.20 - 31.00	.6674	----	----	----	----	2 UNCH
4600	----	----	----/439.40A	464.00B/439.40A	----	445.90 - 30.90	.6625	----	----	----	----	53 UNCH
4650	----	----	----/409.20A	432.50B/409.20A	----	415.30 - 30.30	.6379	----	----	----	----	1 UNCH
4675	----	----	----/394.70A	417.30B/394.70A	----	400.50 - 30.10	.6253	----	----	----	----	1 UNCH
4680	----	----	----/391.90A	414.30B/391.90A	----	397.60 - 30.00	.6228	----	----	----	----	1 UNCH
4700	----	----	----/380.50A	402.50B/380.50A	----	386.10 - 29.80	.6126	----	----	----	----	117 UNCH
4705	----	----	----/377.80A	399.50B/377.80A	----	383.20 - 29.70	.6101	----	----	----	----	10 UNCH
4710	----	----	----/375.00A	396.60B/375.00A	----	380.40 - 29.70	.6075	----	----	----	----	1 UNCH
4720	----	----	----/369.50A	390.90B/369.50A	----	374.80 - 29.50	.6024	----	----	----	----	45 UNCH
4725	----	----	----/366.80A	388.00B/366.80A	----	372.00 - 29.40	.5998	----	----	----	----	2 UNCH
4730	----	----	----/364.00A	385.10B/364.00A	----	369.20 - 29.40	.5972	----	----	----	----	5 UNCH
4750	----	----	----/353.30A	374.40B/353.30A	----	358.20 - 29.20	.5869	----	----	----	----	43 UNCH
4775	----	----	----/340.30A	360.80B/340.30A	----	344.70 - 28.90	.5739	----	----	----	----	184 UNCH
4780	----	----	----/337.70A	358.30B/337.70A	----	342.10 - 28.80	.5712	----	----	----	----	7 UNCH
4800	332.50	332.50	332.50/327.60A	348.10B/327.60A	----	331.60 - 28.60	.5608	----	----	92	----	712 + 38
4840	----	----	----/308.10A	326.90B/308.10A	----	311.50 - 28.10	.5397	----	----	----	----	2 UNCH
4850	----	----	----/303.40A	322.70B/303.40A	----	306.70 - 28.00	.5345	----	----	----	----	20 UNCH
4875	----	----	----/291.90A	310.30B/291.90A	----	294.90 - 27.70	.5213	----	----	----	----	30 UNCH
4900	291.80	291.80	291.80/280.70A	298.40B/280.70A	----	283.50 - 27.40	.5082	----	----	1	----	260 UNCH
4920	----	----	----/271.70A	288.80B/271.70A	----	274.60 - 27.20	.4978	----	----	1	----	30 - 1
4925	----	----	----/269.60A	286.60B/269.60A	----	272.40 - 27.10	.4952	----	----	----	----	1 UNCH
4975	----	----	----/249.40A	264.80B/249.40A	----	251.40 - 26.50	.4693	----	----	----	----	314 UNCH
5000	----	----	----/239.50A	254.10B/239.50A	----	241.40 - 26.20	.4566	----	----	----	----	584 UNCH
5005	----	----	----/237.60A	252.40B/237.60A	----	239.50 - 26.00	.4541	----	----	----	----	1 UNCH
5050	----	----	----/221.00A	234.60B/221.00A	----	222.40 - 25.40	.4315	----	----	----	----	1 UNCH
5075	----	----	----/212.30A	225.40B/212.30A	----	213.40 - 24.90	.4191	----	----	----	----	1 UNCH
5100	----	----	----/204.00A	216.40B/204.00A	----	204.70 - 24.40	.4070	----	----	----	----	241 UNCH
5150	----	----	----/188.40A	199.10B/188.40A	----	188.30 - 23.30	.3832	----	----	----	----	3 UNCH
5155	----	----	----/186.90A	197.70B/186.90A	----	186.80 NEW	.3809	----	----	1	----	1 + 1
5200	----	----	----/173.50A	183.60B/173.50A	----	173.30 - 22.00	.3603	----	----	34	----	373 UNCH
5230	----	----	----/165.00A	174.50B/165.00A	----	164.80 - 21.40	.3470	----	----	----	----	400 UNCH
5235	----	----	----/163.40A	173.10B/163.40A	----	163.50 - 21.20	.3449	----	----	----	----	1 UNCH
5245	158.40	158.40	158.40/158.40	170.30B/158.40	----	160.80 NEW	.3406	----	----	20	----	20 + 20
5250	162.00	162.00	162.00/159.40A	168.90B/159.40A	----	159.50 - 20.80	.3384	----	----	210	----	200 + 190
5300	----	----	----/146.80A	155.50B/146.80A	----	146.80 - 19.80	.3175	----	----	20	70	853 + 70
5330	137.30	137.30	137.30/137.30	148.00B/137.30	----	139.70 NEW	.3055	----	----	20	----	20 + 20
5335	----	----	----/138.90A	146.60B/138.90A	----	138.50 - 19.10	.3034	----	----	----	----	1 UNCH
5350	----	----	----/135.60A	143.00B/135.60A	----	135.10 - 18.80	.2976	----	----	----	----	1 UNCH
5370	128.40	128.40	128.40/128.40	138.00B/128.40	----	130.70 NEW	.2899	----	----	15	----	15 + 15
5375	----	----	----/130.00A	136.80B/130.00A	----	129.60 - 18.40	.2880	----	----	----	----	2 UNCH
5400	----	----	----/124.90A	131.30B/124.90A	----	124.40 - 17.90	.2787	----	----	67	----	399 - 17
5420	----	----	----/120.80A	127.10B/120.80A	----	120.30 - 17.60	.2713	----	----	----	----	80 UNCH
5425	----	----	----/119.80A	126.00B/119.80A	----	119.40 - 17.40	.2696	----	----	----	----	50 UNCH
5450	----	----	----/114.90A	121.00B/114.90A	----	114.50 - 17.10	.2607	----	----	----	----	5 UNCH
5460	----	----	----/113.10A	119.20B/113.10A	----	112.60 - 16.90	.2572	----	----	----	----	1 UNCH
5475	----	----	----/110.40A	116.20B/110.40A	----	109.90 - 16.60	.2522	----	----	----	----	2 UNCH
5500	----	----	----/106.00A	111.60B/106.00A	----	105.40 - 16.30	.2438	----	----	----	----	1239 UNCH
5505	----	----	----/105.10A	110.80B/105.10A	----	104.60 - 16.10	.2422	----	----	----	----	3 UNCH
5520	----	----	----/102.50A	108.10B/102.50A	----	102.00 - 15.90	.2373	----	----	----	----	1 UNCH
5525	----	----	----/101.90A	107.10B/101.90A	----	101.10 - 15.90	.2356	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 37

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
5540	96.80	96.80	96.80/96.80	104.50B/96.80	----	98.70 NEW	.2309	----	----	15	----	15 + 15
5545	----	----	----/98.60A	103.70B/98.60A	----	97.90 - 15.50	.2294	----	----	----	----	0 UNCH
5600	----	----	----/90.50A	94.80B/90.50A	----	89.40 - 14.70	.2127	----	----	20	----	578 + 20
5625	----	----	----/87.10A	91.10B/87.10A	----	85.90 - 14.20	.2057	----	----	----	----	2 UNCH
5650	----	----	----/83.80A	87.50B/83.80A	----	82.50 - 13.80	.1988	----	----	----	----	559 UNCH
5700	77.20	77.20	80.90B/77.20	80.90B/77.20	----	76.20 - 13.00	.1857	----	----	2	----	1060 + 2
5750	----	----	----/72.10A	74.80B/72.10A	----	70.60 - 12.00	.1738	----	----	----	----	237 UNCH
5800	----	----	----/66.90A	69.30B/66.90A	----	65.40 - 11.20	.1625	----	----	----	----	827 UNCH
5850	----	----	----/62.20A	64.30B/62.20A	----	60.80 - 10.30	.1523	----	----	----	----	582 UNCH
5900	----	----	----/57.60A	59.70B/57.60A	----	56.60 - 9.40	.1427	----	----	----	----	503 UNCH
5950	----	----	----/53.70A	55.30B/53.70A	----	52.80 - 8.60	.1340	----	----	----	----	49 UNCH
6000	----	----	----/50.20A	52.00B/50.20A	----	49.30 - 7.90	.1258	----	----	----	----	1160 UNCH
6100	----	----	----/44.00A	44.20B/44.00A	----	43.20 - 6.50	.1112	----	----	----	----	362 UNCH
6200	37.80	37.80	37.80/37.80	39.00B/37.80	----	37.90 - 5.60	.0984	----	----	1	----	226 UNCH
6300	----	----	----/34.20A	34.10B/34.20A	----	33.30 - 4.90	.0872	----	----	----	----	159 UNCH
6400	----	----	----/30.80A	29.00B/30.80A	----	29.40 - 4.40	.0775	----	----	----	----	220 UNCH
6500	----	----	----/27.80A	25.80B/27.80A	----	26.30 - 4.00	.0695	----	----	----	----	344 UNCH
6600	----	----	----/*25.30A	22.80B/*25.30A	----	23.80 - 3.50	.0628	----	----	----	----	45 UNCH
6650	----	----	----/*24.20A	21.60B/*24.20A	----	22.70 - 3.30	.0599	----	----	----	----	5 UNCH
6750	----	----	----/*22.20A	19.40B/*22.20A	----	20.70 - 2.90	.0545	----	----	----	----	11 UNCH
6775	----	----	----/*21.70A	18.90B/*21.70A	----	20.30 - 2.80	.0534	----	----	----	----	1 UNCH
6800	----	----	----/21.30A	18.40B/21.30A	----	19.90 - 2.70	.0522	----	----	----	----	127 UNCH
7000	----	----	----/*18.20A	15.50B/*18.20A	----	16.90 - 2.20	.0440	----	----	----	----	200 UNCH
TOTAL										519	70	14583 + 373
OCT26												
3600	----	----	----	----	----	1277.60 - 32.30	.9380	----	----	----	----	12 UNCH
4300	----	----	----	478.60B/876.30A	----	678.10 - 32.40	.7750	----	----	----	----	102 UNCH
4400	----	----	----	403.30B/805.60A	----	605.20 - 32.00	.7378	----	----	----	----	8 UNCH
4405	----	----	----	399.80B/802.20A	----	601.70 - 32.00	.7359	----	----	----	----	2 UNCH
4480	----	----	----/545.30A	549.80B/545.30A	----	549.90 - 31.80	.7057	----	----	----	----	1 UNCH
4500	----	----	----/532.30A	550.30B/532.30A	----	536.50 - 31.80	.6973	----	----	----	----	3 UNCH
4515	----	----	----/522.60A	544.50B/522.60A	----	526.60 - 31.70	.6910	----	----	----	----	1 UNCH
4550	----	----	----/500.60A	521.50B/500.60A	----	503.90 - 31.60	.6760	----	----	----	----	1 UNCH
4580	----	----	----/480.90A	502.30B/480.90A	----	484.80 - 31.60	.6628	----	----	----	----	70 UNCH
4600	----	----	----/469.30A	489.70B/469.30A	----	472.30 - 31.70	.6539	----	----	----	----	134 UNCH
4610	----	----	----/463.80A	483.50B/463.80A	----	466.20 - 31.60	.6494	----	----	----	----	5 UNCH
4620	----	----	----/458.00A	477.40B/458.00A	----	460.10 - 31.60	.6449	----	----	----	----	1 UNCH
4630	----	----	----/452.20A	471.30B/452.20A	----	454.00 - 31.60	.6404	----	----	----	----	3 UNCH
4650	----	----	----/441.20A	459.20B/441.20A	----	442.10 - 31.50	.6313	----	----	----	----	1 UNCH
4670	----	----	----/429.50A	447.40B/429.50A	----	430.40 - 31.40	.6221	----	----	----	----	1 UNCH
4675	----	----	----/427.20A	444.40B/427.20A	----	427.50 - 31.40	.6197	----	----	----	----	1 UNCH
4690	----	----	----/418.40A	435.80B/418.40A	----	418.90 - 31.30	.6128	----	----	----	----	1 UNCH
4700	----	----	----/413.30A	430.00B/413.30A	----	413.20 - 31.30	.6081	----	----	----	----	5 UNCH
4710	----	----	----/408.00A	424.30B/408.00A	----	407.70 - 31.20	.6034	----	----	----	----	1 UNCH
4715	----	----	----/405.20A	421.50B/405.20A	----	404.90 - 31.20	.6010	----	----	----	----	2 UNCH
4750	----	----	----/385.80A	402.20B/385.80A	----	386.00 - 30.80	.5845	----	----	----	----	1 UNCH
4755	----	----	----/383.80A	399.40B/383.80A	----	383.40 - 30.70	.5821	----	----	----	----	1 UNCH
4800	----	----	----/360.40A	375.60B/360.40A	----	360.70 - 29.80	.5606	----	----	----	----	14 UNCH
4845	----	----	----/338.60A	353.00B/338.60A	----	339.40 - 28.60	.5392	----	----	----	----	1 UNCH
4850	----	----	----/336.80A	350.60B/336.80A	----	337.10 - 28.40	.5368	----	----	----	----	54 UNCH
4865	----	----	----/330.00A	343.30B/330.00A	----	330.30 - 28.00	.5296	----	----	----	----	2 UNCH
4880	----	----	----/322.60A	336.20B/322.60A	----	323.60 - 27.60	.5225	----	----	----	----	1 UNCH
4900	----	----	----/313.90A	326.80B/313.90A	----	314.60 - 27.40	.5131	----	----	----	----	1278 UNCH
4910	----	----	----/309.50A	322.20B/309.50A	----	310.20 - 27.20	.5083	----	----	----	----	1 UNCH
4925	----	----	----/302.60A	315.60B/302.60A	----	303.70 - 27.00	.5013	----	----	----	----	18 UNCH
4935	----	----	----/298.70A	311.00B/298.70A	----	299.30 NEW	.4966	----	----	5	----	5 + 5
4950	----	----	----/292.10A	304.40B/292.10A	----	292.90 - 26.80	.4895	----	----	----	----	7 UNCH
5000	----	----	----/272.00A	283.40B/272.00A	----	272.40 - 26.20	.4663	----	----	1	----	1426 - 1
5025	----	----	----/262.20A	273.30B/262.20A	----	262.70 - 25.80	.4548	----	----	----	----	2 UNCH
5050	----	----	----/253.60A	263.80B/253.60A	----	253.30 - 25.40	.4435	----	----	----	----	57 UNCH
5075	----	----	----/244.10A	254.30B/244.10A	----	244.30 - 24.80	.4323	----	----	----	----	2 UNCH
5080	----	----	----/242.20A	252.40B/242.20A	----	242.50 - 24.70	.4301	----	----	----	----	3 UNCH
5085	----	----	----/241.20A	250.70B/241.20A	----	240.80 - 24.60	.4279	----	----	----	----	3 UNCH
5100	----	----	----/235.40A	245.20B/235.40A	----	235.60 - 24.20	.4213	----	----	1	----	602 UNCH
5125	----	----	----/227.50A	236.50B/227.50A	----	227.20 - 23.60	.4104	----	----	----	----	1 UNCH
5160	----	----	----/216.20A	224.60B/216.20A	----	216.00 - 22.80	.3955	----	----	----	----	1 UNCH
5200	----	----	----/203.90A	212.00B/203.90A	----	203.80 - 21.90	.3789	----	----	----	----	1017 UNCH
5250	----	----	----/189.40A	196.90B/189.40A	----	189.50 - 20.80	.3588	----	----	----	----	522 UNCH
5255	----	----	----/188.30A	195.50B/188.30A	----	188.10 - 20.80	.3568	----	----	----	----	2 UNCH
5300	----	----	----/176.60A	182.90B/176.60A	----	176.10 - 20.00	.3393	----	----	----	----	938 UNCH
5325	----	----	----/170.20A	176.30B/170.20A	----	169.70 - 19.70	.3299	----	----	----	----	1 UNCH
5400	----	----	----/152.70A	157.80B/152.70A	----	152.10 - 18.40	.3028	----	----	----	----	168 UNCH
5435	----	----	----/145.60A	150.00B/145.60A	----	144.50 - 17.90	.2908	----	----	----	----	226 UNCH
5450	----	----	----/142.60A	146.80B/142.60A	----	141.40 - 17.60	.2858	----	----	----	----	66 UNCH
5455	----	----	----/141.50A	145.80B/141.50A	----	140.30 - 17.60	.2841	----	----	----	----	175 UNCH
5475	----	----	----/137.60A	141.70B/137.60A	----	136.30 - 17.30	.2776	----	----	----	----	1 UNCH
5500	----	----	----/132.70A	136.60B/132.70A	----	131.50 - 16.80	.2696	----	----	7	----	405 UNCH
5545	----	----	----/124.60A	128.00B/124.60A	----	123.20 - 16.10	.2557	----	----	----	----	5 UNCH
5550	----	----	----/123.90A	127.10B/123.90A	----	122.30 - 16.00	.2542	----	----	----	----	100 UNCH
5590	----	----	----/117.00A	120.00B/117.00A	----	115.50 - 15.30	.2425	----	----	----	----	4 UNCH
5600	----	----	----/115.50A	118.30B/115.50A	----	113.80 - 15.20	.2396	----	----	----	----	110 UNCH
5610	----	----	----/113.70A	116.60B/113.70A	----	112.20 - 15.00	.2368	----	----	----	----	1 UNCH
5615	----	----	----/113.10A	115.70B/113.10A	----	111.40 - 15.00	.2354	----	----	----	----	5 UNCH
5650	----	----	----/107.60A	110.10B/107.60A	----	106.00 - 14.40	.2259	----	----	----	----	201 UNCH
5655	----	----	----/107.00A	109.30B/107.00A	----	105.20 - 14.40	.2245	----	----	----	----	2 UNCH
5660	----	----	----/106.10A	108.60B/106.10A	----	104.50 - 14.30	.2232	----	----	----	----	1 UNCH
5675	----	----	----/104.20A	106.20B/104.20A	----	102.30 - 14.10	.2192	----	----	----	----	3 UNCH
5700	----	----	----/100.70A	102.60B/100.70A	----	98.70 - 13.80	.2128	----	----	----	----	20 UNCH
5710	----	----	----/99.40A	101.00B/99.40A	----	97.30 - 13.60	.2102	----	----	----	----	5 UNCH
5720	----	----	----/97.90A	99.70B/97.90A	----	96.00 - 13.50	.2078	----	----	----	----	75 UNCH
5750	----	----	----/94.00A	95.60B/94.00A	----	92.00 - 13.10	.2005	----	----	----	----	1 UNCH
5775	----	----	----/91.30A	92.30B/91.30A	----	88.90 - 12.80	.1947	----	----	----	----	50 UNCH
5800	----	----	----/88.10A	89.00B/88.10A	----	85.90 - 12.40	.1890	----	----	----	----	413 UNCH
5875	----	----	----/79.50A	80.40B/79.50A	----	77.70 - 11.40	.1732	----	----	----	----	1 UNCH
5900	----	----	----/76.90A	77.60B/76.90A	----	75.20 - 11.00	.1683	----	----	----	----	133 UNCH
5925	----	----	----/74.50A	75.20B/74.50A	----	72.80 - 10.70	.1635	----	----	----	----	1 UNCH
5950	----	----	----/72.10A	72.80B/72.10A	----	70.50 - 10.30	.1589	----	----	----	----	1 UNCH
6000	65.00	65.00	67.90B/65.00	67.90B/65.00	----	66.10 - 9.70	.1500	----	----	1	----	2066 UNCH
6100	58.50	58.50	59.90B/58.50	59.90B/58.50	----	58.20 - 8.60	.1338	----	----	1	----	66 UNCH
6200	----	----	----/53.20A	52.30B/53.20A	----	51.50 - 7.50	.1197	----	----	----	----	38 UNCH
6300	----	----	----/47.00A	45.90B/47.00A	----	45.80 - 6.60	.1074	----	----	----	----	632 UNCH
6400	42.00	42.00	44.30/42.00	44.30/42.00	----	41.00 - 5.90	.0968	----	----	4	----	1915 + 4
6500	37.80	37.80	40.40/37.80	40.40/37.80	----	36.90 - 5.30	.0875	----	----	10	----	5474 - 4
6800	----	----	----/*30.80A	25.50B/*30.80A	----	27.90 - 3.80	.0664	----	----	----	----	1385 UNCH
6900	----	----	----/*28.50A	23.00B/*28.50A	----	25.50 - 3.50	.0608	----	----	----	----	1 UNCH
7000	----	----	----	21.00B/26.60A	----	23.40 - 3.20	.0558	----	----	----	----	1571 UNCH
8000	----	----	----	11.60B/*16.20A	----	11.80 - 1.80	.0275	----	----	----	----	211 UNCH
8500	----	----	----	9.50B/*13.90A	----	9.30 - 1.40	.0212	----	----	----	----	208 UNCH
9000	----	----	----	8.00B/12.20A	----	7.80 - 1.10	.0172	----	----	----	----	69 UNCH
9500	----	----	----	6.80B/*10.80A	----	6.40 - 1.00	.0139	----	----	----	----	10 UNCH
TOTAL										30		22134 + 4
NOV26												
4000	----	----	----	753.40B/1174.40A	----	965.10 - 34.00	.8571	----	----	----	----	1 UNCH
4100	----	----	----	669.00B/1095.20A	----	883.00 - 34.20	.8317	----	----	----	----	1 UNCH
4275	----	----	----	527.00B/964.80A	----	747.00 - 34.10	.7799	----	----	----	----	38 UNCH
4300	----	----	----	507.70B/946.70A	----	728.40 - 34.10	.7717	----	----	----	----	1 UNCH
4375	----	----	----	451.60B/894.50A	----	674.20 - 33.90	.7462	----	----	----	----	38 UNCH
4400	----	----	----	433.70B/877.50A	----	656.60 - 33.80	.7373	----	----	----	----	20 UNCH
4440	----	----	----	405.40B/850.60A	----	629.00 - 33.60	.7228	----	----	----	----	1 UNCH
4500	----	----	----/589.00A	597.60B/589.00A	----	588.90 - 33.40	.7002	----	----	----	----	25 UNCH
4600	----	----	----/526.20A	540.80B/526.20A	----	525.50 - 33.00	.6607	----	----	----	----	1 UNCH
4750	----	----	----/439.60A	453.60B/439.60A	----	439.30 - 31.60	.5980	----	----	----	----	1 UNCH
4775	----	----	----/427.80A	440.10B/427.80A	----	426.00 - 31.30	.5873	----	----	----	----	30 UNCH
4800	----	----	----/414.90A	426.70B/414.90A	----	413.00 - 31.00	.5766	----	----	----	----	2 UNCH
4850	----	----	----/390.20A	401.20B/390.20A	----	387.90 - 30.40	.5549	----	----	----	----	25 UNCH
4900	----	----	----/365.60A	376.90B/365.60A	----	364.20 - 29.70	.5333	----	----	----	----	451 UNCH
4915	----	----	----/359.90A	369.80B/359.90A	----	357.30 - 29.60	.5268	----	----	----	----	1 UNCH
4925	----	----	----/355.40A	365.20B/355.40A	----	352.80 - 29.40	.5225	----	----	----	----	1 UNCH
4950	----	----	----/343.30A	353.70B/343.30A	----	341.90 - 29.00	.5118	----	----	----	----	150 UNCH
5000	----	----	----/321.80A	331.90B/321.80A	----	320.90 - 28.30	.4906	----	----	----	----	29 UNCH
5080	----	----	----/290.50A	299.30B/290.50A	----	289.90 - 27.00	.4573	----	----	----	----	4 UNCH
5085	----	----	----/289.60A	297.60B/289.60A	----	288.10 - 26.90	.4553	----	----	----	----	4 UNCH
5175	----	----	----/257.90A	264.60B/257.90A	----	256.90 - 25.30	.4195	----	----	----	----	2 UNCH
5200	----	----	----/249.70A	255.90B/249.70A	----	248.80 - 24.80	.4098	----	----	----	----	26 UNCH
5250	----	----	----/234.00A	239.80B/234.00A	----	233.30 - 23.90	.3908	----	----	----	----	9 UNCH
5300	----	----	----/219.70A	224.60B/219.70A	----	218.70 - 22.90	.3724	----	----	----	----	27 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
5370	----	----	----/200.90A	204.90B/200.90A	----	199.70 - 21.50	.3477	----	----	----	----	5 UNCH
5400	----	----	----/192.90A	197.10B/192.90A	----	192.00 - 21.00	.3374	----	----	----	----	17 UNCH
5450	----	----	----/181.50A	184.60B/181.50A	----	179.90 - 20.10	.3208	----	----	----	----	925 UNCH
5500	----	----	----/170.40A	173.00B/170.40A	----	168.60 - 19.20	.3049	----	----	----	----	79 UNCH
5550	----	----	----/160.10A	162.20B/160.10A	----	158.10 - 18.30	.2897	----	----	----	----	1 UNCH
5600	----	----	----/150.40A	152.10B/150.40A	----	148.30 - 17.40	.2752	----	----	----	----	43 UNCH
5700	----	----	----/133.10A	133.80B/133.10A	----	130.60 - 15.90	.2481	----	----	----	----	35 UNCH
5710	----	----	----/131.30A	132.10B/131.30A	----	129.00 - 15.80	.2456	----	----	----	----	1 UNCH
5800	----	----	----/117.80A	117.90B/117.80A	----	115.30 - 14.60	.2236	----	----	----	----	25 UNCH
5825	----	----	----/114.80A	114.30B/114.80A	----	111.80 - 14.30	.2179	----	----	----	----	2 UNCH
5900	----	----	----/105.40A	104.20B/105.40A	----	102.10 - 13.30	.2016	----	----	----	----	1 UNCH
5925	----	----	----/102.30A	101.10B/102.30A	----	99.10 - 13.00	.1965	----	----	----	----	4 UNCH
5975	----	----	----/96.50A	95.10B/96.50A	----	93.30 - 12.50	.1866	----	----	----	----	1 UNCH
6000	95.00	95.00	95.00/93.70A	95.00/93.70A	----	90.60 - 12.20	.1819	----	----	15	----	231 + 15
6100	----	----	----/83.50A	82.00B/83.50A	----	80.70 - 11.10	.1643	----	----	----	----	1 UNCH
6200	----	----	----/74.50A	73.00B/74.50A	----	72.10 - 10.20	.1486	----	----	----	----	1 UNCH
6400	----	----	----/61.50A	58.60B/61.50A	----	58.20 - 8.50	.1223	----	----	----	----	13 UNCH
6500	----	----	----/54.90A	52.70B/54.90A	----	52.60 - 7.80	.1114	----	----	----	----	1161 UNCH
8000	----	----	----	14.80B/23.90A	----	19.30 - 1.60	.0401	----	----	2	----	11 UNCH
9000	----	----	----	10.00B/18.10A	----	12.50 - 1.00	.0251	----	----	2	----	7 + 2
20000	----	----	1.40B/----	1.40B/1.80A	----	0.70 UNCH	.0012	----	----	----	----	137 UNCH
TOTAL										19		3589 + 17
DEC26												
3550	----	----	----	----	----	1368.80 - 33.10	.9298	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1350.40 - 33.20	.9271	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1323.00 - 33.20	.9229	----	----	----	----	1 UNCH
3800	----	----	----	918.10B/1369.10A	----	1144.70 - 33.80	.8899	----	----	----	----	4 UNCH
3900	----	----	----	832.40B/1283.70A	----	1059.00 - 34.00	.8696	----	----	----	----	2 UNCH
4060	----	----	----	698.20B/1155.30A	----	927.60 - 34.00	.8316	----	----	----	----	100 UNCH
4100	----	----	----	665.00B/1125.00A	----	895.90 - 34.00	.8210	----	----	----	----	48 UNCH
4160	----	----	----	616.20B/1080.40A	----	849.50 - 33.70	.8042	----	----	----	----	100 UNCH
4175	----	----	----	604.10B/1069.40A	----	838.00 - 33.80	.7999	----	----	----	----	37 UNCH
4200	----	----	----	584.30B/1051.20A	----	819.10 - 33.70	.7925	----	----	----	----	150 UNCH
4250	----	----	----	545.40B/1015.50A	----	782.00 - 33.40	.7774	----	----	----	----	293 UNCH
4255	----	----	----	541.60B/1011.90A	----	778.30 - 33.40	.7758	----	----	----	----	50 UNCH
4285	----	----	----	518.80B/990.90A	----	756.50 - 33.30	.7664	----	----	----	----	1 UNCH
4300	----	----	----	507.80B/980.40A	----	745.70 - 33.20	.7616	----	----	----	----	436 UNCH
4315	----	----	----	496.40B/970.10A	----	735.10 - 33.10	.7567	----	----	----	----	1 UNCH
4320	----	----	----	492.70B/966.60A	----	731.50 - 33.10	.7551	----	----	----	----	100 UNCH
4350	----	----	----	470.80B/946.20A	----	710.40 - 32.90	.7452	----	----	----	----	206 UNCH
4375	----	----	----	453.00B/929.40A	----	693.10 - 32.80	.7367	----	----	----	----	61 UNCH
4400	----	----	----	435.20B/912.70A	----	676.00 - 32.60	.7281	----	----	----	----	2 UNCH
4425	----	----	----	418.00B/896.30A	----	659.20 - 32.40	.7194	----	----	----	----	8 UNCH
4450	----	----	----/642.70A	634.70B/642.70A	----	642.60 - 32.30	.7106	----	----	----	----	87 UNCH
4465	----	----	----/632.70A	635.40B/632.70A	----	632.70 - 32.20	.7053	----	----	----	----	93 UNCH
4490	----	----	----/616.70A	632.10B/616.70A	----	616.50 - 32.10	.6962	----	----	----	----	7 UNCH
4500	----	----	----/610.40A	625.60B/610.40A	----	610.10 - 32.00	.6926	----	----	----	----	757 UNCH
4525	----	----	----/594.70A	609.50B/594.70A	----	594.20 - 31.90	.6834	----	----	----	----	5 UNCH
4540	----	----	----/585.50A	600.00B/585.50A	----	584.80 - 31.80	.6778	----	----	----	----	9 UNCH
4550	----	----	----/579.40A	593.70B/579.40A	----	578.60 - 31.70	.6741	----	----	----	----	1 UNCH
4565	----	----	----/570.30A	584.30B/570.30A	----	569.30 - 31.60	.6684	----	----	----	----	93 UNCH
4580	----	----	----/561.30A	575.00B/561.30A	----	560.20 - 31.50	.6628	----	----	----	----	150 UNCH
4585	----	----	----/558.30A	571.90B/558.30A	----	557.20 - 31.40	.6609	----	----	----	----	325 UNCH
4590	----	----	----/555.30A	568.80B/555.30A	----	554.10 - 31.50	.6590	----	----	----	----	15 UNCH
4600	----	----	----/547.80A	562.90B/547.80A	----	548.10 - 31.40	.6551	----	----	----	----	145 UNCH
4615	----	----	----/539.20A	553.50B/539.20A	----	539.20 - 31.30	.6494	----	----	----	----	41 UNCH
4625	----	----	----/533.40A	547.80B/533.40A	----	533.30 - 31.20	.6455	----	----	----	----	72 UNCH
4640	----	----	----/525.10A	538.90B/525.10A	----	524.50 - 31.20	.6397	----	----	----	----	100 UNCH
4650	----	----	----/519.50A	533.10B/519.50A	----	518.70 - 31.10	.6358	----	----	----	----	302 UNCH
4700	----	----	----/492.30A	504.40B/492.30A	----	490.50 - 30.80	.6161	----	----	----	----	98 UNCH
4720	----	----	----/481.20A	493.20B/481.20A	----	479.60 - 30.60	.6082	----	----	----	----	1 UNCH
4750	----	----	----/466.00A	476.90B/466.00A	----	463.60 - 30.30	.5962	----	----	----	----	211 UNCH
4780	----	----	----/450.90A	461.00B/450.90A	----	448.00 - 30.10	.5842	----	----	----	----	2 UNCH
4800	----	----	----/441.00A	450.70B/441.00A	----	438.00 - 29.90	.5761	----	----	----	----	146 UNCH
4810	----	----	----/435.90A	445.40B/435.90A	----	433.00 - 29.80	.5721	----	----	----	----	56 UNCH
4820	----	----	----/431.20A	440.40B/431.20A	----	428.10 - 29.70	.5680	----	----	----	----	49 UNCH
4825	----	----	----/428.70A	437.80B/428.70A	----	425.70 - 29.60	.5660	----	----	----	----	100 UNCH
4850	----	----	----/416.50A	425.40B/416.50A	----	413.70 - 29.40	.5559	----	----	----	----	291 UNCH
4875	----	----	----/405.10A	413.30B/405.10A	----	402.10 - 29.00	.5458	----	----	----	----	1 UNCH
4880	408.00	408.00	410.90B/402.70A	410.90B/402.70A	----	399.80 - 29.00	.5438	----	----	3	----	4 + 3
4900	----	----	----/393.50A	401.40B/393.50A	----	390.80 - 28.70	.5358	----	----	----	----	92 UNCH
4925	----	----	----/382.40A	389.90B/382.40A	----	379.80 - 28.30	.5258	----	----	----	----	126 UNCH
4950	----	----	----/371.80A	378.60B/371.80A	----	369.00 NEW	.5158	----	----	100	----	100 + 100
4975	----	----	----/361.00A	367.70B/361.00A	----	358.60 - 27.50	.5060	----	----	----	----	50 UNCH
5000	----	----	----/350.50A	357.00B/350.50A	----	348.30 - 27.20	.4961	----	----	60	----	2175 + 40
5025	----	----	----/340.20A	346.70B/340.20A	----	338.30 - 26.80	.4864	----	----	----	----	119 UNCH
5050	----	----	----/330.50A	336.50B/330.50A	----	328.50 - 26.50	.4767	----	----	----	----	100 UNCH
5070	----	----	----/323.10A	328.60B/323.10A	----	320.90 - 26.10	.4690	----	----	----	----	13 UNCH
5075	----	----	----/321.20A	326.60B/321.20A	----	319.00 - 26.10	.4671	----	----	----	----	30 UNCH
5090	----	----	----/315.30A	320.80B/315.30A	----	313.40 - 25.80	.4614	----	----	----	----	13 UNCH
5100	----	----	----/311.50A	317.10B/311.50A	----	309.70 - 25.60	.4576	----	----	----	----	131 UNCH
5150	----	----	----/294.30A	298.50B/294.30A	----	291.70 - 24.90	.4388	----	----	----	----	1 UNCH
5175	----	----	----/285.20A	289.80B/285.20A	----	283.00 - 24.60	.4295	----	----	----	----	100 UNCH
5195	----	----	----/278.80A	283.00B/278.80A	----	276.30 - 24.20	.4222	----	----	----	----	5 UNCH
5200	----	----	----/277.20A	281.30B/277.20A	----	274.60 - 24.20	.4204	----	----	----	----	851 UNCH
5250	----	----	----/261.20A	264.90B/261.20A	----	258.50 - 23.40	.4024	----	----	100	----	308 + 100
5275	----	----	----/253.60A	257.00B/253.60A	----	250.70 - 23.10	.3936	----	----	----	----	20 UNCH
5300	----	----	----/246.30A	249.40B/246.30A	----	243.30 - 22.60	.3850	----	----	----	----	340 UNCH
5350	----	----	----/232.40A	234.80B/232.40A	----	229.00 - 21.80	.3680	----	----	----	----	457 UNCH
5360	----	----	----/229.60A	232.20B/229.60A	----	226.20 - 21.70	.3646	----	----	----	----	100 UNCH
5370	----	----	----/227.00A	229.40B/227.00A	----	223.50 - 21.50	.3613	----	----	----	----	20 UNCH
5400	----	----	----/218.90A	221.30B/218.90A	----	215.60 - 21.00	.3516	----	----	----	----	1850 UNCH
5460	----	----	----/204.30A	205.80B/204.30A	----	200.60 - 20.10	.3327	----	----	----	----	200 UNCH
5465	----	----	----/203.10A	204.60B/203.10A	----	199.40 - 20.10	.3311	----	----	----	----	50 UNCH
5480	----	----	----/199.60A	201.10B/199.60A	----	195.90 - 19.80	.3266	----	----	----	----	50 UNCH
5500	192.40	192.40	192.40/192.40	196.20B/192.40	----	191.30 - 19.50	.3206	----	----	3	100	2190 + 98
5525	----	----	----/189.50A	190.50B/189.50A	----	185.70 - 19.10	.3132	----	----	----	----	80 UNCH
5550	----	----	----/184.20A	185.00B/184.20A	----	180.30 - 18.70	.3059	----	----	----	----	1 UNCH
5600	----	----	----/173.80A	174.30B/173.80A	----	170.10 - 17.90	.2920	----	----	----	----	2040 UNCH
5650	----	----	----/164.20A	164.30B/164.20A	----	160.50 - 17.10	.2786	----	----	----	----	6 UNCH
5660	----	----	----/162.30A	162.40B/162.30A	----	158.70 - 16.90	.2760	----	----	----	----	1 UNCH
5675	----	----	----/159.60A	159.60B/159.60A	----	156.00 - 16.70	.2722	----	----	----	----	8 UNCH
5680	----	----	----/158.70A	158.60B/158.70A	----	155.10 - 16.60	.2709	----	----	----	----	1 UNCH
5685	----	----	----/157.80A	157.70B/157.80A	----	154.30 - 16.40	.2697	----	----	----	----	18 UNCH
5690	----	----	----/156.90A	156.60B/156.90A	----	153.40 - 16.40	.2684	----	----	----	----	7 UNCH
5700	----	----	----/155.10A	155.00B/155.10A	----	151.70 - 16.20	.2660	----	----	----	----	285 UNCH
5705	----	----	----/154.30A	154.00B/154.30A	----	150.80 - 16.10	.2647	----	----	----	----	5 UNCH
5710	----	----	----/153.40A	153.10B/153.40A	----	150.00 - 16.00	.2635	----	----	----	----	5 UNCH
5750	----	----	----/146.70A	146.00B/146.70A	----	143.40 - 15.30	.2538	----	----	----	----	576 UNCH
5770	----	----	----/143.50A	142.60B/143.50A	----	140.20 - 15.00	.2491	----	----	----	----	5 UNCH
5775	----	----	----/142.70A	142.00B/142.70A	----	139.40 - 15.00	.2479	----	----	----	----	2 UNCH
5800	----	----	----/139.00A	137.80B/139.00A	----	135.60 - 14.60	.2422	----	----	----	----	220 UNCH
5810	----	----	----/137.50A	136.10B/137.50A	----	134.10 - 14.40	.2400	----	----	----	----	56 UNCH
5825	----	----	----/135.20A	133.80B/135.20A	----	132.00 - 14.10	.2367	----	----	----	----	4 UNCH
5875	----	----	----/128.10A	126.50B/128.10A	----	125.00 - 13.20	.2260	----	----	----	----	9 UNCH
5900	118.00	118.00	122.80B/118.00	122.80B/118.00	----	121.60 - 12.90	.2208	----	----	2	100	1072 - 100
5950	----	----	----/118.30A	116.10B/118.30A	----	115.30 - 12.10	.2109	----	----	----	----	25 UNCH
6000	108.00	108.00	109.80B/105.00	109.80B/105.00	----	109.30 - 11.40	.2013	----	----	106	100	5925 - 99
6100	----	----	----/101.10A	98.40B/101.10A	----	98.30 - 10.20	.1836	----	----	----	----	40 UNCH
6150	----	----	----/95.70A	93.20B/95.70A	----	93.30 - 9.70	.1754	----	----	----	----	1 UNCH
6200	----	----	----/90.90A	91.00B/90.90A	----	88.50 - 9.20	.1674	----	----	----	----	3345 UNCH
6300	----	----	----/82.20A	79.60B/82.20A	----	79.90 - 8.40	.1529	----	----	----	----	1046 UNCH
6400	----	----	----/75.10A	71.80B/75.10A	----	72.20 - 7.90	.1397	----	----	51	----	438 - 50
6500	69.00	69.00	69.00/68.90A	69.00/68.90A	----	65.40 - 7.50	.1277	----	----	1	225	4676 + 225
6750	----	----	----/54.00A	52.30B/54.00A	----	51.90 - 7.10	.1032	----	----	----	----	100 UNCH
6775	----	----	----/53.00A	51.30B/53.00A	----	50.80 - 7.10	.1011	----	----	----	----	163 UNCH
6800	----	----	----/51.90A	50.30B/51.90A	----	49.70 - 7.10	.0991	----	----	----	----	1664 UNCH
6900	----	----	----/49.90A	44.60B/49.90A	----	45.80 - 6.80	.0916	----	----	----	----	2 UNCH
7000	44.00	44.00	44.00/43.50	44.00/43.50	----	42.40 - 6.50	.0850	----	----	105	----	4033 + 30
7130	----	----	----/*44.40A	34.50B/*44.40A	----	38.70 - 6.00	.0776	----	----	----	----	200 UNCH
7175	----	----	----	33.30B/*43.30A	----	37.60 - 5.70	.0754	----	----	----	----	125 UNCH
7250	----	----	----	31.20B/41.40A	----	35.90 - 5.20	.0719	----	----	----	----	107 UNCH
7500	----	----	----	30.50B/36.50A	----	31.30 - 3.70	.0622	----	----	----	----	109 UNCH
8000	24.50	24.50	24.50/24.50	24.50/24.50	----	25.10 - 1.50	.0487	----	----	1	----	629 + 1
8125	----	----	----	18.30B/28.30A	----	23.80 - 1.20	.0459	----	----	----	----	801 UNCH
8500	----	----	----	15.60B/25.20A	----	20.40 - 1.20	.0388	----	----	----	----	170 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
8630	----	----	----	14.80B/*24.30A	----	19.50 - 1.20	.0369	----	----	----	----	400 UNCH
8725	----	----	----	14.30B/*23.70A	----	18.90 - 1.20	.0356	----	----	----	----	250 UNCH
9000	18.00	18.00	18.00/18.00	18.00/18.00	----	17.50 - 1.20	.0325	----	----	1	----	103 + 1
9500	16.70	16.70	17.00B/16.70	17.00B/16.70	----	16.40 - 0.60	.0293	----	----	9	----	289 + 9
9900	15.50	15.50	16.00/*15.50	16.00/*15.50	----	16.20 + 0.20	.0279	----	----	13	----	17 + 13
10000	15.00	15.00	16.00/14.00	16.00/14.00	----	16.10 + 0.30	.0275	----	----	394	----	7752 + 217
11000	----	----	----	12.00B/15.70A	----	15.10 + 1.10	.0242	----	----	----	----	387 UNCH
13000	8.50	8.50	9.00B/8.50	9.00B/8.50	----	11.20 + 0.10	.0169	----	----	12	----	394 + 7
15000	6.50	6.50	7.00B/6.50	7.00B/6.50	----	7.30 - 0.70	.0109	----	----	83	250	18915 - 191
17000	----	----	----	4.40B/6.00A	----	4.60 - 0.40	.0069	----	----	----	----	27 UNCH
19000	----	----	----	2.40B/3.50A	----	2.90 - 0.10	.0044	----	----	----	----	7 UNCH
20000	2.20	2.20	2.40/2.20	2.40/2.20	----	2.40 + 0.10	.0036	----	----	32	250	18477 - 239
21000	2.00	2.00	2.00/2.00	2.00/1.90A	----	1.80 UNCH	.0028	----	----	2	----	23 + 2
24000	----	----	----	----/1.60A	----	1.60 + 0.10	.0023	----	----	----	----	31 UNCH
TOTAL										1078	1,025	89327 + 167
JAN27												
4190	----	----	----	599.30B/1143.70A	----	872.70 - 36.10	.7934	----	----	----	----	1 UNCH
4290	----	----	----	522.30B/1074.00A	----	799.10 - 36.20	.7647	----	----	----	----	1 UNCH
4300	----	----	----	514.80B/1067.20A	----	791.90 - 36.20	.7617	----	----	----	----	1 UNCH
4400	----	----	----	442.80B/1000.70A	----	722.10 - 36.20	.7306	----	----	----	----	1 UNCH
4650	----	----	----/571.00A	577.70B/571.00A	----	565.20 - 34.90	.6446	----	----	----	----	1 UNCH
4750	----	----	----/516.10A	524.60B/516.10A	----	510.10 - 34.10	.6078	----	----	----	----	5 UNCH
4760	----	----	----/510.90A	519.40B/510.90A	----	504.90 - 33.90	.6040	----	----	----	----	100 UNCH
4800	----	----	----/490.20A	498.30B/490.20A	----	484.30 - 33.50	.5891	----	----	----	----	1 UNCH
4850	----	----	----/465.30A	472.80B/465.30A	----	459.60 - 33.00	.5704	----	----	----	----	1 UNCH
4875	----	----	----/453.30A	460.50B/453.30A	----	447.70 - 32.60	.5610	----	----	----	----	4 UNCH
4900	----	----	----/441.70A	448.40B/441.70A	----	436.10 - 32.20	.5516	----	----	----	----	9 UNCH
5000	----	----	----/397.20A	402.50B/397.20A	----	392.20 - 30.50	.5144	----	----	----	----	27 UNCH
5050	----	----	----/376.40A	381.10B/376.40A	----	371.70 - 29.80	.4962	----	----	----	----	100 UNCH
5100	----	----	----/356.60A	360.40B/356.60A	----	352.20 - 28.90	.4782	----	----	----	----	1 UNCH
5195	----	----	----/322.10A	324.50B/322.10A	----	317.40 - 27.50	.4447	----	----	----	----	10 UNCH
5250	----	----	----/304.30A	305.30B/304.30A	----	298.70 - 26.60	.4259	----	----	----	----	7 UNCH
5300	----	----	----/288.40A	288.90B/288.40A	----	282.70 - 25.80	.4092	----	----	----	----	1 UNCH
5400	----	----	----/258.60A	258.50B/258.60A	----	253.30 - 24.10	.3773	----	----	----	----	2 UNCH
5500	----	----	----/232.60A	231.50B/232.60A	----	227.20 - 22.30	.3472	----	----	----	----	24 UNCH
5550	----	----	----/220.50A	219.20B/220.50A	----	215.30 - 21.40	.3330	----	----	----	----	1 UNCH
5820	----	----	----/167.40A	163.40B/167.40A	----	161.60 - 17.30	.2645	----	----	----	----	6 UNCH
5850	----	----	----/162.10A	158.30B/162.10A	----	156.70 - 16.90	.2578	----	----	----	----	3 UNCH
5900	----	----	----/154.10A	150.10B/154.10A	----	148.80 - 16.20	.2470	----	----	----	----	5 UNCH
6000	131.00	131.00	131.00/131.00	135.30B/131.00	----	134.20 - 15.00	.2266	----	----	1	----	204 UNCH
6025	----	----	----/136.60A	131.90B/136.60A	----	130.80 - 14.70	.2217	----	----	----	----	1 UNCH
6300	----	----	----/105.40A	100.20B/105.40A	----	99.10 - 11.70	.1748	----	----	----	----	2 UNCH
20000	----	----	----/3.20A	3.00B/3.20A	----	3.50 + 0.20	.0050	----	----	----	----	47 UNCH
TOTAL										1		566 0
FEB27												
5000	----	----	----/416.60A	419.90B/416.60A	----	403.30 - 36.90	.5159	----	----	----	----	1 UNCH
5100	----	----	----/376.50A	377.80B/376.50A	----	363.10 - 35.70	.4805	----	----	----	----	1 UNCH
5175	----	----	----/348.90A	349.50B/348.90A	----	335.80 - 34.50	.4548	----	----	----	----	125 UNCH
5300	----	----	----/307.20A	306.10B/307.20A	----	294.90 - 32.20	.4139	----	----	----	----	50 UNCH
5375	----	----	----/284.70A	282.90B/284.70A	----	272.70 - 30.80	.3905	----	----	----	----	1 UNCH
5400	----	----	----/277.60A	275.50B/277.60A	----	265.70 NEW	.3829	----	----	1	----	1 + 1
5520	----	----	----/*246.00A	243.00B/*246.00A	----	234.30 - 28.10	.3479	----	----	----	----	300 UNCH
5530	----	----	----/*243.50A	240.50B/*243.50A	----	231.90 - 27.90	.3452	----	----	----	----	100 UNCH
5550	----	----	----/*239.40A	235.50B/*239.40A	----	227.00 - 27.60	.3396	----	----	----	----	65 UNCH
5600	----	----	----/*227.20A	223.50B/*227.20A	----	215.40 - 26.80	.3260	----	----	----	----	1 UNCH
6000	----	----	----/*155.20A	148.20B/*155.20A	----	143.20 - 20.60	.2340	----	----	1	----	6 + 1
6025	----	----	----/*151.80A	144.60B/*151.80A	----	139.80 - 20.20	.2293	----	----	----	----	4 UNCH
6100	----	----	----/*141.80A	134.30B/*141.80A	----	130.10 - 19.20	.2156	----	----	----	----	1 UNCH
6300	----	----	----/*119.20A	110.80B/*119.20A	----	108.10 - 16.70	.1835	----	----	----	----	1 UNCH
6500	----	----	----/*101.30A	92.30B/*101.30A	----	90.40 - 14.30	.1566	----	----	----	----	110 UNCH
6900	----	----	----	65.90B/*75.70A	----	63.80 - 10.40	.1145	----	----	----	450	532 - 268
7000	----	----	----/*67.00A	61.00B/*67.00A	----	59.20 - 9.70	.1067	----	----	----	450	383 - 450
7100	----	----	----	56.60B/*66.70A	----	55.30 - 9.10	.0999	----	----	----	----	8 UNCH
7900	----	----	----	4.20B/93.80A	----	31.90 - 6.10	.0591	----	----	----	----	500 UNCH
8000	40.00	40.00	40.00/*38.00	40.00/*38.00	----	29.70 - 5.70	.0553	----	----	3	----	500 UNCH
TOTAL										5	900	2690 - 716
MAR27												
5000	----	----	----	105.60B/*750.60A	----	513.60 - 18.70	.5393	----	----	----	----	75 UNCH
TOTAL												75 0
APR27												
5000	----	----	----	----/*902.80A	----	536.30 - 18.70	.5417	----	----	----	----	100 UNCH
5600	----	----	----	----/*557.80A	----	326.00 - 13.60	.3837	----	----	----	----	300 UNCH
6000	195.00	195.00	#195.00/*195.00	#195.00/*195.00	----	237.50 NEW	.2998	----	----	1	150	151 + 151
TOTAL										1	150	551 + 151
JUN27												
9500	----	----	----	----	----	46.00 - 2.50	.0635	----	----	----	----	1 UNCH
TOTAL												1 0
DEC27												
4860	----	----	----	----	----	838.20 - 21.20	.6168	----	----	----	----	100 UNCH
5000	----	----	----	----	----	772.30 - 20.30	.5866	----	----	----	----	50 UNCH
5650	----	----	----	----	----	525.40 - 15.90	.4534	----	----	----	----	200 UNCH
5700	----	----	----	----	----	510.10 - 15.70	.4439	----	----	----	----	150 UNCH
5800	----	----	----	----	----	481.20 - 15.00	.4255	----	----	----	----	200 UNCH
5880	----	----	----	----	----	459.30 - 14.50	.4112	----	----	----	----	50 UNCH
6300	----	----	----	----	----	361.20 - 12.30	.3427	----	----	----	----	18 UNCH
7500	----	----	----	----	----	271.10 - 9.00	.2473	----	----	----	----	170 UNCH
7800	----	----	----	----	----	263.80 - 8.70	.2353	----	----	----	----	284 UNCH
10000	----	----	----	----	----	192.00 - 6.10	.1621	----	----	----	----	100 UNCH
10500	----	----	----	----	----	172.60 - 5.60	.1468	----	----	----	----	10 UNCH
TOTAL												1332 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
APR26												
4595	----	----	----	----	----	2.80 - 2.30	.0315	----	----	----	----	1 UNCH
4750	18.00	18.00	#22.00/*18.00	#22.00/*18.00	----	19.00 NEW	.3061	----	----	2	----	2 + 2
4895	----	----	----	----	----	3.50 - 16.60	.0638	----	----	----	----	3 UNCH
TOTAL										2		6 + 2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
APR26												
3700	----	----	----	----/*0.70A	----	0.10 - 0.10	.0003	----	----	----	----	1 UNCH
3750	----	----	----	----/*0.80A	----	0.20 - 0.10	.0006	----	----	----	----	2 UNCH
3800	----	----	----	----/*0.80A	----	0.20 - 0.10	.0007	----	----	----	----	2 UNCH
4000	----	----	----	0.40B/*0.80A	----	0.50 - 0.20	.0022	----	----	----	----	44 UNCH
4050	----	----	----	0.50B/*0.90A	----	0.60 - 0.30	.0028	----	----	----	----	12 UNCH
4075	----	----	----/*0.90A	0.60B/*0.90A	----	0.70 NEW	.0034	----	----	2	----	0 UNCH
4100	----	----	----	0.60B/*1.00A	----	0.80 - 0.20	.0040	----	----	----	----	13 UNCH
4125	----	----	----/*1.00A	0.70B/*1.00A	----	0.80 - 0.40	.0041	----	----	----	----	2 UNCH
4200	----	----	----/578.50A	615.60B/578.50A	----	588.30 - 31.00	.9936	----	----	----	----	1 UNCH
4200	----	----	----/*3.30A	2.80B/*3.30A	----	3.30 - 0.70	.0215	----	----	1	----	3 UNCH
4200	2.10	2.10	2.10/*0.70	2.10/*0.70	----	1.10 - 0.40	.0063	----	----	20	----	8 - 8
4240	----	----	----/*1.30A	1.50B/*1.30A	----	1.30 - 0.50	.0079	----	----	----	----	1 UNCH
4245	----	----	----/*1.30A	1.50B/*1.30A	----	1.30 - 0.50	.0079	----	----	----	----	2 UNCH
4250	----	----	----/*3.70A	4.10B/*3.70A	----	4.10 - 0.80	.0275	----	----	1	----	0 - 1
4250	----	----	----/*1.40A	1.60B/*1.40A	----	1.30 - 0.60	.0080	----	----	----	----	50 UNCH
4255	----	----	----/*1.40A	1.60B/*1.40A	----	1.40 - 0.50	.0086	----	----	----	----	1 UNCH
4270	----	----	----/*4.30A	4.50B/*4.30A	----	4.50 - 0.80	.0305	----	----	----	----	1 UNCH
4280	1.80	1.80	1.80/*1.50A	1.80/*1.50A	----	1.50 NEW	.0096	----	----	1	----	1 + 1
4300	----	----	----/485.70A	509.60B/485.70A	----	496.00 - 32.70	.9428	----	----	----	----	1 UNCH
4300	----	----	----/*4.70A	5.50B/*4.70A	----	5.20 - 0.80	.0357	----	----	----	----	2 UNCH
4300	----	----	----/*1.60A	2.00B/*1.60A	----	1.60 - 0.70	.0106	----	----	----	----	102 UNCH
4315	----	----	----/*1.70A	2.20B/*1.70A	----	1.70 - 0.80	.0115	----	----	----	----	1 UNCH
4320	----	----	6.90B/*4.90A	6.90B/*4.90A	----	5.70 - 0.90	.0395	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
4320	----	----	----/*1.70A	2.20B/*1.70A	----	1.80 - 0.70	.0123	----	----	----	----	17 UNCH
4325	----	----	----/*1.80A	2.30B/*1.80A	----	1.80 - 0.80	.0124	----	----	----	----	1 UNCH
4340	----	----	----/*1.90A	2.50B/*1.90A	----	1.90 - 0.80	.0134	----	----	----	----	1 UNCH
4350	2.90	2.90	2.90/*1.90A	2.90/*1.90A	----	2.00 - 0.90	.0143	----	----	2	----	4 UNCH
4370	----	----	----/*2.10A	3.00B/*2.10A	----	2.20 - 1.00	.0162	----	----	----	----	14 UNCH
4380	2.00	2.00	2.00/*2.00	3.30B/*2.00	----	2.30 NEW	.0173	----	----	1	----	1 + 1
4400	----	----	11.10B/*7.50A	11.10B/*7.50A	----	8.60 - 1.40	.0613	----	----	----	----	1 UNCH
4400	----	----	3.80B/*2.40A	3.80B/*2.40A	----	2.50 - 1.20	.0194	----	----	----	----	3 UNCH
4410	----	----	4.00B/*2.50A	4.00B/*2.50A	----	2.60 - 1.30	.0205	----	----	----	----	1 UNCH
4415	----	----	4.20B/*2.60A	4.20B/*2.60A	----	2.70 - 1.30	.0214	----	----	----	----	1 UNCH
4420	----	----	4.40B/*2.60A	4.40B/*2.60A	----	2.80 - 1.30	.0224	----	----	----	----	5 UNCH
4425	----	----	4.50B/*2.70A	4.50B/*2.70A	----	2.90 - 1.30	.0233	----	----	----	----	1 UNCH
4430	----	----	4.70B/*2.70A	4.70B/*2.70A	----	2.90 - 1.40	.0236	----	----	----	----	16 UNCH
4435	----	----	4.90B/*2.80A	4.90B/*2.80A	----	3.00 - 1.40	.0246	----	----	----	----	2 UNCH
4440	----	----	5.10B/*2.90A	5.10B/*2.90A	----	3.10 - 1.50	.0256	----	----	----	----	2 UNCH
4450	----	----	26.20B/*19.50A	26.20B/*19.50A	----	21.30 - 3.00	.1236	----	----	----	----	1 UNCH
4450	----	----	5.40B/*3.00A	5.40B/*3.00A	----	3.30 - 1.50	.0276	----	----	----	----	4 UNCH
4455	----	----	5.50B/*3.10A	5.50B/*3.10A	----	3.40 - 1.60	.0287	----	----	----	----	16 UNCH
4460	----	----	5.90B/*3.20A	5.90B/*3.20A	----	3.50 - 1.60	.0298	----	----	----	----	1 UNCH
4465	----	----	----/321.30A	354.00B/321.30A	----	334.50 - 32.40	.9105	----	----	----	----	5 UNCH
4475	----	----	30.00B/*21.90A	30.00B/*21.90A	----	24.40 - 3.00	.1398	----	----	----	----	1 UNCH
4475	----	----	5.80B/*3.50A	5.80B/*3.50A	----	3.80 - 1.80	.0331	----	----	----	----	108 UNCH
4480	----	----	30.30B/*22.40A	30.30B/*22.40A	----	25.00 - 3.00	.1430	----	----	----	----	1 UNCH
4490	6.30	6.30	7.20B/*3.80A	7.20B/*3.80A	----	4.20 - 2.00	.0374	----	----	1	----	11 + 1
4500	----	----	----/265.20A	321.40B/265.20A	----	291.80 - 32.60	.9592	----	----	----	----	2 UNCH
4500	----	----	20.60B/*13.10A	20.60B/*13.10A	----	15.30 NEW	.1097	----	----	1	----	1 + 1
4500	5.90	5.90	7.80B/*4.00	7.80B/*4.00	----	4.50 - 2.10	.0406	----	----	4	----	17 + 1
4505	----	----	8.00B/*4.10A	8.00B/*4.10A	----	4.70 - 2.10	.0426	----	----	----	----	1 UNCH
4515	----	----	8.90B/*4.30A	8.90B/*4.30A	----	5.00 - 2.30	.0461	----	----	----	----	4 UNCH
4520	4.80	4.80	9.20B/*4.50A	9.20B/*4.50A	----	5.20 NEW	.0482	----	----	3	----	3 + 3
4525	----	----	24.80B/*15.20A	24.80B/*15.20A	----	17.80 - 2.30	.1271	----	----	----	----	20 UNCH
4530	----	----	----/237.60A	292.20B/237.60A	----	262.80 - 33.10	.9473	----	----	----	----	1 UNCH
4545	----	----	11.20B/*5.20A	11.20B/*5.20A	----	6.20 - 2.70	.0594	----	----	----	----	1 UNCH
4550	----	----	----/247.10A	276.70B/247.10A	----	257.90 - 33.00	.8523	----	----	----	----	1 UNCH
4550	----	----	28.20B/*17.80A	28.20B/*17.80A	----	20.80 NEW	.1473	----	----	1	----	1 + 1
4550	----	----	11.50B/*5.50A	11.50B/*5.50A	----	6.40 - 2.80	.0618	----	----	----	----	6 UNCH
4550	----	----	----/219.60A	272.90B/219.60A	----	243.70 - 33.40	.9380	----	----	----	----	45 UNCH
4555	----	----	12.00B/*5.60A	12.00B/*5.60A	----	6.70 - 2.80	.0650	----	----	----	----	2 UNCH
4560	----	----	12.60B/*5.80A	12.60B/*5.80A	----	7.00 - 2.90	.0682	----	----	----	----	2 UNCH
4565	----	----	13.10B/*6.10A	13.10B/*6.10A	----	7.20 - 3.00	.0707	----	----	----	----	3 UNCH
4575	----	----	----/227.00A	254.70B/227.00A	----	236.40 - 33.10	.8293	----	----	----	----	1 UNCH
4575	----	----	14.30B/*6.50A	14.30B/*6.50A	----	7.80 - 3.20	.0774	----	----	----	----	2 UNCH
4580	10.00	10.00	15.00B/*6.90A	15.00B/*6.90A	----	8.20 - 3.20	.0816	----	----	1	----	3 UNCH
4585	----	----	----/220.00A	245.50B/220.00A	----	228.00 - 33.10	.8194	----	----	----	----	1 UNCH
4600	----	----	----/208.60A	233.20B/208.60A	----	215.50 - 33.20	.8034	----	----	----	----	4 UNCH
4600	----	----	38.90B/*24.40A	38.90B/*24.40A	----	28.30 - 2.60	.1962	----	----	----	----	5 UNCH
4600	----	----	18.00B/*8.00A	18.00B/*8.00A	----	9.70 - 3.50	.0982	----	----	1	----	17 UNCH
4600	----	----	----/176.30A	225.40B/176.30A	----	197.00 - 34.00	.9016	----	----	1	----	1 UNCH
4605	----	----	18.60B/*8.30A	18.60B/*8.30A	----	10.10 NEW	.1027	----	----	1	----	1 + 1
4605	----	----	----/172.10A	220.50B/172.10A	----	192.40 - 34.10	.8971	----	----	----	----	1 UNCH
4610	----	----	58.10B/*43.60A	58.10B/*43.60A	----	48.40 - 2.50	.2560	----	----	----	----	6 UNCH
4615	----	----	20.30B/*9.10A	20.30B/*9.10A	----	11.00 - 3.70	.1128	----	----	----	----	1 UNCH
4620	----	----	21.30B/*9.40A	21.30B/*9.40A	----	11.50 - 3.80	.1182	----	----	----	----	51 UNCH
4620	----	----	----/159.80A	206.90B/159.80A	----	178.80 - 34.40	.8816	----	----	----	----	1 UNCH
4625	----	----	63.60B/*46.90A	63.60B/*46.90A	----	52.00 - 2.40	.2723	----	----	----	----	1 UNCH
4625	----	----	22.10B/*9.80A	22.10B/*9.80A	----	12.00 - 3.90	.1238	----	----	2	----	3 + 2
4630	----	----	45.90B/*29.60A	45.90B/*29.60A	----	34.20 - 2.50	.2322	----	----	----	----	5 UNCH
4630	----	----	23.10B/*10.30A	23.10B/*10.30A	----	12.50 - 4.00	.1295	----	----	2	----	3 + 1
4635	----	----	24.10B/*10.80A	24.10B/*10.80A	----	13.10 - 4.00	.1359	----	----	1	----	0 - 1
4640	----	----	25.10B/*11.20A	25.10B/*11.20A	----	13.70 - 4.10	.1425	----	----	3	----	38 - 1
4640	----	----	----/143.90A	188.70B/143.90A	----	161.00 - 34.70	.8573	----	----	----	----	1 UNCH
4645	23.00	23.00	26.20B/*11.70A	26.20B/*11.70A	----	14.30 - 4.20	.1491	----	----	26	----	29 + 21
4650	----	----	52.50B/*33.30A	52.50B/*33.30A	----	38.70 NEW	.2586	----	----	3	----	3 + 3
4650	----	----	----/169.50A	192.10B/169.50A	----	175.90 - 33.00	.7410	----	----	----	----	2 UNCH
4650	----	----	71.40B/*53.10A	71.40B/*53.10A	----	58.90 - 1.90	.3014	----	----	10	----	10 UNCH
4650	----	----	----/136.00A	179.70B/136.00A	----	152.30 - 34.80	.8433	----	----	----	----	2 UNCH
4650	18.70	18.70	27.40B/*12.10	27.40B/*12.10	----	15.00 - 4.20	.1565	----	----	5	----	51 - 1
4655	----	----	52.90B/*34.50A	52.90B/*34.50A	----	39.90 NEW	.2656	----	----	1	----	1 + 1
4660	----	----	29.70B/*13.40A	29.70B/*13.40A	----	16.40 - 4.30	.1717	----	----	----	----	1 UNCH
4665	----	----	----/123.80A	166.20B/123.80A	----	139.60 - 34.80	.8198	----	----	----	----	11 UNCH
4665	----	----	31.00B/*14.00A	31.00B/*14.00A	----	17.20 - 4.30	.1800	----	----	----	----	21 UNCH
4670	21.60	21.60	32.30B/*14.70A	32.30B/*14.70A	----	18.00 - 4.40	.1885	----	----	1	----	3 + 1
4670	----	----	----/155.00A	176.60B/155.00A	----	161.00 - 32.70	.7125	----	----	----	----	8 UNCH
4675	----	----	60.10B/*39.10A	60.10B/*39.10A	----	45.10 - 2.10	.2947	----	----	----	----	4 UNCH
4675	----	----	33.70B/*15.30A	33.70B/*15.30A	----	18.90 - 4.30	.1976	----	----	----	----	1 UNCH
4680	----	----	----/112.10A	153.60B/112.10A	----	127.10 NEW	.7929	----	----	1	----	1 + 1
4680	----	----	35.10B/*16.10A	35.10B/*16.10A	----	19.80 - 4.40	.2069	----	----	----	----	2 UNCH
4685	----	----	62.80B/*41.90A	62.80B/*41.90A	----	47.90 - 1.90	.3100	----	----	1	----	6 UNCH
4685	----	----	----/144.70A	165.20B/144.70A	----	150.20 - 32.50	.6896	----	----	----	----	1 UNCH
4690	----	----	----/165.10A	186.10B/165.10A	----	168.60 - 31.50	.6480	----	----	----	----	1 UNCH
4690	----	----	----/141.20A	161.20B/141.20A	----	146.70 - 32.40	.6817	----	----	----	----	5 UNCH
4695	----	----	----/100.80A	140.90B/100.80A	----	115.10 - 35.00	.7626	----	----	----	----	1 UNCH
4695	----	----	66.20B/*44.10A	66.20B/*44.10A	----	50.90 - 1.70	.3259	----	----	----	----	2 UNCH
4695	----	----	39.60B/*18.40A	39.60B/*18.40A	----	22.80 - 4.30	.2372	----	----	----	----	1 UNCH
4700	40.00	40.00	41.20B/*19.30A	41.20B/*19.30A	----	23.80 - 4.40	.2476	----	----	9	----	13 + 3
4700	----	----	----/97.50A	136.80B/97.50A	----	111.20 - 34.90	.7521	----	----	----	----	4 UNCH
4705	----	----	----/93.90A	132.70B/93.90A	----	107.40 - 34.80	.7407	----	----	----	----	1 UNCH
4710	----	----	----/90.10A	128.70B/90.10A	----	103.60 - 34.80	.7290	----	----	----	----	5 UNCH
4710	----	----	44.60B/*21.20A	44.60B/*21.20A	----	26.20 - 4.30	.2708	----	----	----	----	1 UNCH
4715	----	----	73.70B/*49.90A	73.70B/*49.90A	----	57.40 - 1.30	.3591	----	----	----	----	15 UNCH
4715	26.50	26.50	46.40B/*22.20A	46.40B/*22.20A	----	27.40 NEW	.2826	----	----	44	----	44 + 44
4720	27.80	27.80	48.20B/*23.30A	48.20B/*23.30A	----	28.80 NEW	.2953	----	----	42	----	42 + 42
4725	29.20	29.20	50.20B/*24.40A	50.20B/*24.40A	----	30.10 - 4.10	.3078	----	----	43	----	51 + 42
4725	----	----	----/79.90A	116.90B/79.90A	----	92.50 - 34.60	.6920	----	----	----	----	1 UNCH
4730	48.90	48.90	52.10B/*25.60A	52.10B/*25.60A	----	31.60 - 3.90	.3212	----	----	45	----	50 + 43
4735	----	----	82.60B/*56.20A	82.60B/*56.20A	----	64.50 - 0.80	.3938	----	----	----	----	1 UNCH
4735	33.40	33.40	54.40B/*26.80A	54.40B/*26.80A	----	33.10 - 3.80	.3347	----	----	2	----	11 + 2
4735	----	----	----/73.40A	109.20B/73.40A	----	85.50 - 34.40	.6650	----	----	----	----	5 UNCH
4740	35.60	35.60	56.50B/*28.00A	56.50B/*28.00A	----	34.70 - 3.60	.3487	----	----	5	----	6 + 5
4745	----	----	----/67.30A	101.80B/67.30A	----	78.70 NEW	.6369	----	----	7	----	7 + 7
4750	----	----	108.80B/*84.90A	108.80B/*84.90A	----	94.00 + 0.90	.4340	----	----	10	----	11 UNCH
4750	----	----	60.90B/*30.70A	60.90B/*30.70A	----	38.00 - 3.40	.3774	----	----	5	60	77 + 62
4750	----	----	----/103.20A	124.60B/103.20A	----	107.70 - 30.80	.5786	----	----	----	----	1 UNCH
4750	----	----	----/64.30A	98.20B/64.30A	----	75.40 - 33.90	.6224	----	----	----	----	2 UNCH
4755	45.80	45.80	63.20B/*32.20A	63.20B/*32.20A	----	39.80 NEW	.3923	----	----	1	----	1 + 1
4760	----	----	114.00B/*88.80A	114.00B/*88.80A	----	98.30 + 1.30	.4484	----	----	----	----	1 UNCH
4760	----	----	----/58.60A	91.10B/58.60A	----	69.10 - 33.50	.5922	----	----	----	----	33 UNCH
4765	----	----	----/94.20A	115.30B/94.20A	----	99.00 - 30.20	.5509	----	----	----	----	3 UNCH
4770	----	----	----/53.20A	84.20B/53.20A	----	63.00 - 33.00	.5611	----	----	----	----	3 UNCH
4775	----	----	----/50.60A	81.00B/50.60A	----	60.10 NEW	.5452	----	----	3	----	3 + 3
4775	----	----	73.10B/*38.60A	73.10B/*38.60A	----	47.70 NEW	.4546	----	----	3	----	3 + 3
4780	----	----	----/111.40A	128.80B/111.40A	----	114.80 - 28.40	.5219	----	----	----	----	1 UNCH
4780	----	----	----/48.10A	77.70B/48.10A	----	57.30 - 32.40	.5291	----	----	----	----	1 UNCH
4785	----	----	78.50B/*42.20A	78.50B/*42.20A	----	52.10 - 1.60	.4870	----	----	----	----	16 UNCH
4790	55.00	55.00	55.00/43.30A	71.70B/43.30A	----	51.90 NEW	.4964	----	----	2	----	1 + 1
4790	50.50	50.50	81.30B/*44.10A	81.30B/*44.10A	----	54.50 NEW	.5033	----	----	5	----	5 + 5
4795	56.70	56.70	83.60B/*46.20A	83.60B/*46.20A	----	56.90 NEW	.5198	----	----	4	----	3 + 3
4800	----	----	133.50B/*105.90	133.50B/*105.90A	----	117.10 + 3.00	.5070	----	----	----	----	1 UNCH
4800	----	----	86.50B/*48.30A	86.50B/*48.30A	----	59.40 NEW	.5364	----	----	2	----	2 + 2
4800	61.70	61.70	65.70B/*38.90A	65.70B/*38.90A	----	46.80 - 31.10	.4634	----	----	178	----	76 + 66
4805	----	----	89.60B/*50.50A	89.60B/*50.50A	----	62.00 - 0.10	.5529	----	----	----	----	1 UNCH
4810	----	----	----/*34.80A	60.10B/*34.80A	----	42.10 - 30.20	.4304	----	----	----	----	3 UNCH
4815	----	----	----/*32.90A	57.40B/*32.90A	----	39.80 - 29.80	.4138	----	----	----	----	1 UNCH
4820	----	----	144.50B/*115.40	144.50B/*115.40A	----	127.40 + 3.90	.5366	----	----	----	----	1 UNCH
4820	46.70	46.70	46.70/*31.10A	54.70B/*31.10A	----	37.70 - 29.30	.3976	----	----	2	----	7 + 2
4825	----	----	----/*29.30A	52.20B/*29.30A	----	35.60 - 28.80	.3812	----	----	1	----	13 UNCH
4840	----	----	----/*24.50A	45.00B/*24.50A	----	29.90 - 27.30	.3337	----	----	----	----	4 UNCH
4845	----	----	----/57.60A	73.20B/57.60A	----	60.00 - 26.20	.3982	----	----	----	----	18 UNCH
4845	----	----	----/*23.10A	43.00B/*23.10A	----	28.10 - 26.80	.3181	----	----	----	----	4 UNCH
4850	27.20	27.20	27.20/*21.70A	41.00B/*21.70A	----	26.40 - 26.20	.3029	----	----	24	----	59 + 23
4855	26.70	26.70	26.70/*20.40A	39.00B/*20.40A	----	24.90 NEW	.2885	----	----	1	----	1 + 1
4855	87.60	87.60	123.20B/*76.30A	123.20B/*76.30A	----	92.40 + 4.90	.7113	----	----	1	----	2 + 1
4865	27.00	27.00	27.00/*18.00A	35.30B/*18.00A	----	21.90 NEW	.2598	----	----	6	----	3 + 3
4870	----	----	----/*48.90A	62.30B/*48.90A	----	50.50 - 24.60	.3520	----	----	----	----	14 UNCH
4875	26.00	26.00	30.70/*15.80A	31.90B/*15.80A	----	19.30 - 23.20	.2333	----	----	12	----	11 + 10
4880	25.10	25.10	25.10/*14.80A	30.30B/*14.80A	----	18.00 NEW	.2201	----	----	5	----	5 + 5
4885	----	----	----/*14.00A	28.80B/*14.00A	----	16.90 - 22.00	.2081	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4890	25.10	25.10	25.10/*13.10A	27.30B/*13.10A	----	15.80 - 21.30	.1962	----	----	5	----	6 + 5
4900	----	----	----/*39.10A	50.40B/*39.10A	----	40.60 - 22.60	.2991	----	----	----	----	3 UNCH
4900	63.20	63.20	64.00/*61.70A	71.40B/*61.70A	----	62.90 - 22.30	.3479	----	----	30	----	30 - 30
4900	14.70	14.70	14.70/*11.50A	24.60B/*11.50A	----	13.80 - 20.10	.1738	----	----	10	----	52 + 10
4905	----	----	----/*38.30A	48.90B/*38.30A	----	39.10 - 22.20	.2906	----	----	----	----	50 UNCH
4910	----	----	----/*36.90A	47.10B/*36.90A	----	37.60 NEW	.2822	----	----	4	----	4 + 4
4910	----	----	----/*10.10A	22.10B/*10.10A	----	12.00 - 18.90	.1532	----	----	----	----	10 UNCH
4915	----	----	171.40B/117.30A	171.40B/117.30A	----	138.80 NEW	.8561	----	----	1	----	1 + 1
4920	16.40	16.40	16.40/*8.90A	19.80B/*8.90A	----	10.50 NEW	.1351	----	----	1	----	1 + 1
4925	----	----	----/*8.40A	18.70B/*8.40A	----	9.80 - 17.00	.1266	----	----	2	----	4 + 2
4925	----	----	180.00B/125.00A	180.00B/125.00A	----	147.30 + 13.60	.8732	----	----	----	----	1 UNCH
4930	----	----	----/*7.90A	17.70B/*7.90A	----	9.10 NEW	.1181	----	----	1	----	1 + 1
4935	----	----	----/*7.40A	16.70B/*7.40A	----	8.50 NEW	.1106	----	----	1	----	1 + 1
4945	----	----	----/*6.60A	14.90B/*6.60A	----	7.40 - 14.60	.0967	----	----	1	----	2 + 1
4950	9.20	9.20	9.20/*6.20A	14.10B/*6.20A	----	6.90 - 14.10	.0902	----	----	4	----	9 + 2
4955	----	----	----/*5.80A	13.30B/*5.80A	----	6.40 - 13.60	.0839	----	----	----	----	1 UNCH
4960	----	----	----/*5.50A	12.60B/*5.50A	----	6.00 NEW	.0786	----	----	1	----	1 + 1
4965	----	----	----/*5.20A	11.90B/*5.20A	----	5.60 - 12.50	.0733	----	----	1	----	8 + 1
4970	----	----	----/*4.90A	11.20B/*4.90A	----	5.20 - 12.00	.0681	----	----	----	----	19 UNCH
4975	----	----	----/*4.60A	10.60B/*4.60A	----	4.90 - 11.40	.0639	----	----	1	----	32 - 1
4985	----	----	----/*4.00A	9.40B/*4.00A	----	4.30 - 10.50	.0558	----	----	----	----	1 UNCH
4990	----	----	----/*20.10A	25.90B/*20.10A	----	20.10 - 16.10	.1691	----	----	----	----	14 UNCH
4990	----	----	----/*3.80A	8.90B/*3.80A	----	4.00 - 10.00	.0519	----	----	----	----	1 UNCH
4995	----	----	----/*19.30A	25.00B/*19.30A	----	19.30 - 15.70	.1634	----	----	----	----	28 UNCH
4995	----	----	----/*3.60A	8.40B/*3.60A	----	3.80 - 9.50	.0490	----	----	----	----	1 UNCH
4995	----	----	243.90B/185.00A	243.90B/185.00A	----	211.30 + 21.10	.9509	----	----	----	----	1 UNCH
5000	----	----	----/*36.00A	40.10B/*36.00A	----	35.70 - 16.40	.2249	----	----	----	----	1 UNCH
5000	----	----	----/*18.70A	24.00B/*18.70A	----	18.60 - 15.30	.1581	----	----	4	----	2 - 3
5000	6.00	6.00	6.00/*3.30A	7.10B/*3.30A	----	3.50 - 9.20	.0451	----	----	5	----	12 - 1
5000	----	----	248.70B/189.60A	248.70B/189.60A	----	216.00 + 21.40	.9547	----	----	----	----	2 UNCH
5005	----	----	----/*3.30A	7.30B/*3.30A	----	3.30 - 8.70	.0423	----	----	----	----	1 UNCH
5010	2.80	2.80	2.80/*2.80	6.90B/*2.80	----	3.10 - 8.30	.0396	----	----	1	----	7 + 1
5015	----	----	263.00B/203.40A	263.00B/203.40A	----	230.40 + 22.60	.9630	----	----	----	----	2 UNCH
5015	----	----	----/*2.90A	6.50B/*2.90A	----	2.90 - 8.00	.0369	----	----	----	----	4 UNCH
5020	----	----	----/*2.80A	6.10B/*2.80A	----	2.80 - 7.50	.0352	----	----	1	----	0 - 1
5025	----	----	----/*2.60A	5.80B/*2.60A	----	2.60 - 7.20	.0326	----	----	----	----	4 UNCH
5040	----	----	----/*2.20A	4.90B/*2.20A	----	2.20 - 6.20	.0271	----	----	----	----	40 UNCH
5050	----	----	----/*2.00A	4.30B/*2.00A	----	2.00 - 5.60	.0242	----	----	----	----	5 UNCH
5055	----	----	----/*1.90A	4.10B/*1.90A	----	1.90 - 5.30	.0228	----	----	----	----	1 UNCH
5060	----	----	----/*1.80A	3.90B/*1.80A	----	1.80 - 5.10	.0215	----	----	----	----	6 UNCH
5065	----	----	----/*1.70A	3.60B/*1.70A	----	1.70 - 4.90	.0202	----	----	----	----	1 UNCH
5075	----	----	----/*23.00A	25.30B/*23.00A	----	22.50 - 12.40	.1537	----	----	----	----	2 UNCH
5090	----	----	----/*1.30A	2.70B/*1.30A	----	1.30 - 3.90	.0149	----	----	----	----	13 UNCH
5095	----	----	----/*1.30A	2.60B/*1.30A	----	1.20 - 3.70	.0137	----	----	----	----	1 UNCH
5100	----	----	----/*8.60A	10.70B/*8.60A	----	8.40 - 9.00	.0769	----	----	----	----	4 UNCH
5100	----	----	----/*1.20A	2.40B/*1.20A	----	1.20 - 3.50	.0135	----	----	2	----	4 UNCH
5105	----	----	----/*1.10A	2.30B/*1.10A	----	1.10 - 3.40	.0123	----	----	----	----	2 UNCH
5110	----	----	----/*1.10A	2.20B/*1.10A	----	1.10 - 3.20	.0121	----	----	----	----	2 UNCH
5150	----	----	----/*0.90A	1.50B/*0.90A	----	0.70 - 2.30	.0073	----	----	----	----	1 UNCH
5175	----	----	----/*5.10A	5.50B/*5.10A	----	4.70 - 5.60	.0440	----	----	----	----	4 UNCH
5175	----	----	----/*0.80A	1.20B/*0.80A	----	0.60 - 1.90	.0059	----	----	1	----	1 - 1
5200	----	----	----/*10.80A	11.20B/*10.80A	----	9.50 - 7.10	.0730	----	----	----	----	360 UNCH
5200	----	----	----/*0.70A	1.00B/*0.70A	----	0.50 - 1.50	.0047	----	----	----	----	3 UNCH
5325	----	----	----	0.20B/*0.70A	----	0.10 - 0.50	.0004	----	----	----	----	2 UNCH
TOTAL										637	60	2319+ 401
MAY26												
4760	118.80	118.80	#131.10B/*112.5	131.10B/*112.50A	----	117.20 NEW	.4523	----	----	10	----	10 + 10
TOTAL										10		10+ 10

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
3500	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3850	----	----	----	----/*0.40A	----	0.10 - 0.10	.0002	----	----	----	----	2 UNCH
4000	----	----	----	0.40B/2.30A	----	1.40 - 0.80	.0080	----	----	----	----	1 UNCH
4000	----	----	0.50B/----	0.50B/*0.50A	----	0.30 - 0.10	.0011	----	----	----	----	3 UNCH
4075	0.40	0.40	0.40/*0.40	0.60B/*0.40	----	0.50 NEW	.0020	----	----	2	----	2 + 2
4100	----	----	0.70B/----	0.70B/*0.60A	----	0.50 - 0.10	.0021	----	----	----	----	16 UNCH
4150	----	----	----/*0.70A	0.80B/*0.70A	----	0.60 - 0.20	.0028	----	----	2	----	3 + 2
4175	----	----	0.90B/*0.70A	0.90B/*0.70A	----	0.70 - 0.10	.0034	----	----	----	----	48 UNCH
4200	----	----	----/*3.00A	2.30B/*3.00A	----	2.70 - 1.10	.0181	----	----	----	----	1 UNCH
4200	----	----	1.20B/*0.80A	1.20B/*0.80A	----	0.80 - 0.10	.0040	----	----	----	----	1 UNCH
4235	1.30	1.30	1.30/*0.90A	1.30/*0.90A	----	0.90 NEW	.0048	----	----	3	----	3 + 3
4250	----	----	----/*3.50A	3.20B/*3.50A	----	3.30 - 1.20	.0229	----	----	----	----	25 UNCH
4250	----	----	1.30B/*1.00A	1.30B/*1.00A	----	0.90 - 0.20	.0049	----	----	----	----	61 UNCH
4285	----	----	1.40B/*1.00A	1.40B/*1.00A	----	1.00 - 0.30	.0058	----	----	----	----	1 UNCH
4290	1.40	1.40	1.40/*1.00A	1.40/*1.00A	----	1.10 NEW	.0065	----	----	3	----	3 + 3
4300	----	----	----/*4.30A	4.50B/*4.30A	----	4.10 - 1.40	.0294	----	----	----	----	1 UNCH
4300	11.00	11.00	11.00/*9.60A	11.00/*9.60A	----	9.10 - 1.60	.0557	----	----	1	----	1 - 1
4300	1.10	1.10	1.50B/*1.00A	1.50B/*1.00A	----	1.10 - 0.30	.0066	----	----	1	----	322 + 1
4305	----	----	1.50B/*1.00A	1.50B/*1.00A	----	1.10 - 0.30	.0067	----	----	----	----	5 UNCH
4310	----	----	1.60B/*1.00A	1.60B/*1.00A	----	1.10 - 0.40	.0067	----	----	----	----	1 UNCH
4320	1.40	1.40	1.70B/*1.10A	1.70B/*1.10A	----	1.20 NEW	.0075	----	----	1	----	1 + 1
4325	1.30	1.30	1.70B/*1.10A	1.70B/*1.10A	----	1.20 NEW	.0076	----	----	1	----	1 + 1
4340	----	----	1.90B/*1.20A	1.90B/*1.20A	----	1.30 - 0.40	.0084	----	----	----	----	1 UNCH
4350	1.30	1.30	2.00B/*1.20A	2.00B/*1.20A	----	1.30 - 0.50	.0086	----	----	20	----	117 + 18
4350	----	----	13.80B/*10.80A	13.80B/*10.80A	----	11.70 - 2.00	.0715	----	----	----	----	1 UNCH
4360	----	----	----/*5.30A	7.10B/*5.30A	----	5.60 - 1.70	.0414	----	----	----	----	2 UNCH
4380	----	----	2.30B/*1.40A	2.30B/*1.40A	----	1.50 - 0.60	.0105	----	----	----	----	3 UNCH
4400	----	----	2.50B/*1.50A	2.50B/*1.50A	----	1.70 - 0.60	.0124	----	----	----	----	21 UNCH
4400	----	----	----/358.90A	419.10B/358.90A	----	389.00 - 31.20	.9875	----	----	----	----	1 UNCH
4410	2.70	2.70	2.70/*1.50A	2.70/*1.50A	----	1.70 NEW	.0127	----	----	1	----	1 + 1
4450	----	----	3.70B/*1.80A	3.70B/*1.80A	----	2.20 - 0.90	.0178	----	----	1	----	9 + 1
4455	----	----	3.80B/*1.80A	3.80B/*1.80A	----	2.20 - 1.00	.0180	----	----	----	----	1 UNCH
4460	----	----	3.90B/*1.90A	3.90B/*1.90A	----	2.30 - 1.00	.0190	----	----	----	----	2 UNCH
4465	----	----	4.10B/*1.90A	4.10B/*1.90A	----	2.30 - 1.20	.0193	----	----	----	----	12 UNCH
4470	----	----	4.30B/*2.00A	4.30B/*2.00A	----	2.40 - 1.20	.0203	----	----	----	----	2 UNCH
4475	----	----	----/314.10A	345.30B/314.10A	----	323.00 - 33.10	.9166	----	----	----	----	5 UNCH
4475	----	----	27.80B/*19.90A	27.80B/*19.90A	----	22.30 - 2.80	.1327	----	----	----	----	1 UNCH
4475	----	----	4.40B/*2.10A	4.40B/*2.10A	----	2.50 - 1.20	.0213	----	----	----	----	2 UNCH
4480	----	----	15.40B/*9.80A	15.40B/*9.80A	----	11.20 - 2.70	.0856	----	----	----	----	5 UNCH
4485	----	----	4.80B/*2.20A	4.80B/*2.20A	----	2.60 - 1.30	.0227	----	----	----	----	11 UNCH
4495	----	----	5.20B/*2.30A	5.20B/*2.30A	----	2.80 - 1.40	.0250	----	----	----	----	1 UNCH
4500	----	----	18.10B/*11.00A	18.10B/*11.00A	----	12.70 - 2.80	.0971	----	----	----	----	1 UNCH
4500	2.60	2.60	5.40B/*2.40A	5.40B/*2.40A	----	2.90 - 1.50	.0261	----	----	30	----	158 + 28
4500	----	----	----/261.90A	320.00B/261.90A	----	290.20 - 32.00	.9737	----	----	----	----	1 UNCH
4505	----	----	5.60B/*2.40A	5.60B/*2.40A	----	3.00 - 1.50	.0273	----	----	----	----	1 UNCH
4520	----	----	6.40B/*2.70A	6.40B/*2.70A	----	3.30 - 1.70	.0310	----	----	----	----	2 UNCH
4525	----	----	6.60B/*2.80A	6.60B/*2.80A	----	3.50 - 1.70	.0331	----	----	----	----	103 UNCH
4530	----	----	6.90B/*2.90A	6.90B/*2.90A	----	3.60 NEW	.0345	----	----	1	----	1 + 1
4540	----	----	22.80B/*14.20A	22.80B/*14.20A	----	16.50 - 3.10	.1254	----	----	----	----	1 UNCH
4540	----	----	7.50B/*3.10A	7.50B/*3.10A	----	3.90 - 1.90	.0381	----	----	----	----	5 UNCH
4545	4.60	4.60	8.00B/*3.20A	8.00B/*3.20A	----	4.00 - 2.10	.0395	----	----	2	----	13 + 2
4550	4.70	4.70	8.30B/*3.30A	8.30B/*3.30A	----	4.20 - 2.10	.0418	----	----	1	----	50 + 1
4550	----	----	----/215.10A	270.80B/215.10A	----	241.50 - 32.70	.9580	----	----	----	----	2 UNCH
4550	----	----	24.70B/*15.10A	24.70B/*15.10A	----	17.60 - 3.20	.1335	----	----	----	----	3 UNCH
4565	5.10	5.10	9.30B/*3.70A	9.30B/*3.70A	----	4.70 - 2.40	.0482	----	----	1	----	2 + 1
4570	----	----	9.80B/*3.90A	9.80B/*3.90A	----	4.90 - 2.40	.0508	----	----	----	----	6 UNCH
4575	----	----	10.30B/*4.00A	10.30B/*4.00A	----	5.10 - 2.50	.0534	----	----	1	----	19 + 1
4580	----	----	47.70B/*34.60A	47.70B/*34.60A	----	38.40 - 3.00	.2173	----	----	----	----	1 UNCH
4585	----	----	11.30B/*4.30A	11.30B/*4.30A	----	5.50 NEW	.0587	----	----	1	----	1 + 1
4585	----	----	49.00B/*35.50A	49.00B/*35.50A	----	39.40 - 3.00	.2223	----	----	----	----	3 UNCH
4590	----	----	11.80B/*4.60A	11.80B/*4.60A	----	5.80 - 2.80	.0624	----	----	----	----	14 UNCH
4590	----	----	----/179.00A	232.00B/179.00A	----	203.10 - 33.40	.9375	----	----	----	----	1 UNCH
4595	5.10	5.10	12.30B/*4.70A	12.30B/*4.70A	----	6.00 - 3.00	.0652	----	----	1	----	4 + 1
4600	20.70	20.70	34.20B/*20.70	34.20B/*20.70	----	24.50 - 3.30	.1822	----	----	2	----	4 + 2
4600	----	----	----/170.30A	222.20B/170.30A	----	193.60 - 33.60	.9308	----	----	1	----	2 + 1
4600	10.50	10.50	13.20B/*4.90A	13.20B/*4.90A	----	6.30 - 3.00	.0690	----	----	7	----	26 + 4
4600	----	----	53.60B/*38.30A	53.60B/*38.30A	----	42.60 - 2.90	.2377	----	----	----	----	2 UNCH
4605	----	----	35.30B/*21.80A	35.30B/*21.80A	----	25.40 - 3.20	.1881	----	----	----	----	1 UNCH
4605	----	----	13.70B/*5.10A	13.70B/*5.10A	----	6.60 - 3.10	.0729	----	----	5	----	75 + 5
4605	----	----	----/166.00A	217.80B/166.00A	----	188.90 - 33.70	.9269	----	----	----	----	8 UNCH
4610	----	----	----/200.50A	223.70B/200.50A	----	203.40 - 33.80	.8059	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE APR26		GOLD WEEKLY TUESDAY OPTION Week2										
4610	7.10	7.10	14.30B/*5.40A	14.30B/*5.40A	----	6.90 - 3.20	.0769	----	----	2	----	7 + 2
4620	----	----	----/153.20A	203.50B/153.20A	----	174.90 - 34.00	.9147	----	----	----	----	9 UNCH
4625	----	----	16.30B/*6.20A	16.30B/*6.20A	----	7.90 - 3.60	.0902	----	----	----	----	1 UNCH
4625	----	----	----/189.40A	211.00B/189.40A	----	191.20 NEW	.7874	----	----	1	----	1 + 1
4630	----	----	41.40B/*25.80A	41.40B/*25.80A	----	29.90 - 3.20	.2184	----	----	----	----	2 UNCH
4630	----	----	17.60B/*6.50A	17.60B/*6.50A	----	8.30 - 3.70	.0954	----	----	----	----	1 UNCH
4630	----	----	61.60B/*44.80A	61.60B/*44.80A	----	49.60 - 2.70	.2708	----	----	----	----	1 UNCH
4635	----	----	43.00B/*26.70A	43.00B/*26.70A	----	31.00 - 3.00	.2252	----	----	----	----	18 UNCH
4635	----	----	----/140.80A	189.40B/140.80A	----	161.00 - 34.40	.8991	----	----	----	----	12 UNCH
4650	8.00	8.00	20.90B/*7.90A	20.90B/*7.90A	----	10.10 - 4.10	.1192	----	----	18	----	15 + 12
4655	----	----	22.00B/*8.30A	22.00B/*8.30A	----	10.60 - 4.20	.1259	----	----	----	----	10 UNCH
4655	50.40	50.40	69.30B/*50.40	69.30B/*50.40	----	56.20 NEW	.3007	----	----	1	----	1 + 1
4660	----	----	49.80B/*31.60A	49.80B/*31.60A	----	36.50 - 2.80	.2602	----	----	----	----	18 UNCH
4665	14.70	14.70	24.30B/*9.00A	24.30B/*9.00A	----	11.70 - 4.40	.1406	----	----	10	----	35 + 10
4665	----	----	----/117.00A	161.80B/117.00A	----	134.10 - 35.00	.8592	----	----	----	----	27 UNCH
4670	----	----	----/113.10A	157.20B/113.10A	----	129.70 - 35.10	.8512	----	----	----	----	2 UNCH
4675	14.50	14.50	26.30B/*10.00A	26.30B/*10.00A	----	13.00 - 4.60	.1575	----	----	5	----	45 + 4
4675	----	----	----/109.00A	152.60B/109.00A	----	125.40 - 35.10	.8423	----	----	----	----	17 UNCH
4680	----	----	----/104.90A	148.30B/104.90A	----	121.10 - 35.20	.8332	----	----	----	----	9 UNCH
4680	----	----	27.80B/*10.50A	27.80B/*10.50A	----	13.70 - 4.70	.1666	----	----	----	----	2 UNCH
4685	64.90	64.90	80.70B/*59.20A	80.70B/*59.20A	----	65.30 NEW	.3395	----	----	1	----	1 + 1
4690	16.90	16.90	30.20B/*11.70A	30.20B/*11.70A	----	15.20 - 4.90	.1861	----	----	1	----	26 + 1
4690	----	----	----/135.90A	159.20B/135.90A	----	141.70 - 32.70	.6922	----	----	----	----	3 UNCH
4690	----	----	82.70B/*60.70A	82.70B/*60.70A	----	66.90 - 1.90	.3462	----	----	----	----	2 UNCH
4695	----	----	----/93.20A	135.00B/93.20A	----	108.50 - 35.40	.8026	----	----	----	----	6 UNCH
4700	----	----	----/89.30A	130.70B/89.30A	----	104.30 - 35.60	.7913	----	----	----	----	56 UNCH
4700	18.00	18.00	33.20B/*13.10A	33.20B/*13.10A	----	17.00 - 4.90	.2085	----	----	65	----	90 + 61
4700	79.00	79.00	87.20B/*63.80A	87.20B/*63.80A	----	70.20 - 1.70	.3598	----	----	1	----	2 UNCH
4715	----	----	----/78.30A	118.20B/78.30A	----	92.40 NEW	.7542	----	----	1	----	1 + 1
4715	19.10	19.10	38.10B/*15.40A	38.10B/*15.40A	----	20.00 - 5.00	.2457	----	----	1	----	13 + 1
4720	----	----	39.90B/*16.30A	39.90B/*16.30A	----	21.10 NEW	.2591	----	----	1	----	1 + 1
4725	----	----	41.80B/*17.20A	41.80B/*17.20A	----	22.30 NEW	.2734	----	----	----	51	51 + 51
4730	----	----	----/68.20A	106.00B/68.20A	----	80.90 - 35.50	.7115	----	----	2	----	103 - 2
4730	22.60	22.60	43.70B/*18.20A	43.70B/*18.20A	----	23.60 - 4.90	.2884	----	----	3	----	39 + 2
4735	----	----	----/133.60A	152.00B/133.60A	----	135.40 - 31.40	.5897	----	----	----	----	3 UNCH
4735	----	----	101.40B/*75.30A	101.40B/*75.30A	----	83.10 - 0.80	.4097	----	----	----	----	3 UNCH
4740	----	----	47.70B/*20.40A	47.70B/*20.40A	----	26.30 - 4.80	.3196	----	----	----	----	1 UNCH
4745	----	----	49.90B/*21.60A	49.90B/*21.60A	----	27.80 - 4.70	.3362	----	----	----	----	7 UNCH
4745	----	----	----/58.20A	94.30B/58.20A	----	70.20 - 35.20	.6636	----	----	----	----	1 UNCH
4750	----	----	83.60B/*56.00A	83.60B/*56.00A	----	65.00 - 0.10	.4167	----	----	----	----	2 UNCH
4750	25.00	25.00	52.10B/*22.90A	52.10B/*22.90A	----	29.40 - 4.50	.3534	----	----	31	----	34 + 23
4750	----	----	----/55.20A	90.60B/55.20A	----	66.70 - 35.20	.6464	----	----	----	----	8 UNCH
4755	58.40	58.40	58.40/52.20A	86.90B/52.20A	----	63.40 - 35.00	.6289	----	----	1	----	8 + 1
4755	41.60	41.60	54.40B/*24.20A	54.40B/*24.20A	----	31.00 NEW	.3709	----	----	3	----	2 + 2
4755	----	----	84.30B/*58.00A	84.30B/*58.00A	----	67.00 NEW	.4265	----	----	1	----	1 + 1
4765	----	----	59.20B/*27.10A	59.20B/*27.10A	----	34.60 NEW	.4078	----	----	1	----	1 + 1
4765	72.20	72.20	88.20B/*61.40A	88.20B/*61.40A	----	71.20 NEW	.4463	----	----	10	----	10 + 10
4770	----	----	61.80B/*28.70A	61.80B/*28.70A	----	36.50 - 3.70	.4268	----	----	1	----	3 + 1
4770	----	----	----/43.90A	76.20B/43.90A	----	53.90 - 34.30	.5730	----	----	----	----	4 UNCH
4770	----	----	89.50B/*63.40A	89.50B/*63.40A	----	73.30 NEW	.4563	----	----	1	----	1 + 1
4775	45.80	45.80	64.40B/*30.20A	64.40B/*30.20A	----	38.50 NEW	.4463	----	----	11	----	11 + 11
4780	----	----	67.10B/*31.90A	67.10B/*31.90A	----	40.60 NEW	.4660	----	----	1	----	1 + 1
4780	47.10	47.10	47.10/38.90A	69.30B/38.90A	----	48.00 NEW	.5338	----	----	1	----	1 + 1
4780	----	----	----/107.40A	124.60B/107.40A	----	109.90 NEW	.5219	----	----	2	----	2 + 2
4780	----	----	115.30B/*92.90A	115.30B/*92.90A	----	102.50 NEW	.4776	----	----	2	----	2 + 2
4785	57.00	57.00	66.00B/*36.50A	66.00B/*36.50A	----	45.20 NEW	.5137	----	----	5	----	4 + 4
4785	105.60	105.60	118.10B/*95.00A	118.10B/*95.00A	----	104.80 NEW	.4853	----	----	8	----	0 UNCH
4790	----	----	----/*34.20A	63.00B/*34.20A	----	42.50 - 33.10	.4934	----	----	----	----	1 UNCH
4795	----	----	75.20B/*37.30A	75.20B/*37.30A	----	47.50 - 2.10	.5268	----	----	----	----	1 UNCH
4795	50.20	50.20	60.20B/*32.00A	60.20B/*32.00A	----	39.90 NEW	.4730	----	----	20	----	13 + 13
4800	----	----	----/70.40A	90.30B/70.40A	----	74.90 - 28.30	.4821	----	----	----	----	20 UNCH
4800	50.50	50.50	78.20B/*39.20A	78.20B/*39.20A	----	50.00 - 1.70	.5474	----	----	44	----	32 - 1
4800	53.40	53.40	57.20B/*29.90A	57.20B/*29.90A	----	37.40 - 32.30	.4524	----	----	112	----	123 + 89
4805	30.00	30.00	30.00/*28.00A	54.30B/*28.00A	----	35.10 - 31.70	.4320	----	----	2	----	2 + 1
4805	----	----	81.40B/*41.40A	81.40B/*41.40A	----	52.70 - 1.20	.5678	----	----	----	----	1 UNCH
4810	35.00	35.00	36.10/*26.10A	51.60B/*26.10A	----	32.80 NEW	.4115	----	----	2	----	1 + 1
4810	----	----	----/92.90A	108.10B/92.90A	----	94.60 - 28.50	.4754	----	----	----	----	2 UNCH
4815	30.50	30.50	30.50/*24.30A	49.10B/*24.30A	----	30.60 - 30.80	.3911	----	----	1	----	14 + 1
4815	----	----	----/90.90A	105.30B/90.90A	----	92.20 - 28.30	.4677	----	----	----	----	6 UNCH
4815	----	----	133.60B/*108.70	133.60B/*108.70A	----	119.80 + 2.30	.5318	----	----	----	----	6 UNCH
4820	28.10	28.10	28.10/*22.60A	46.70B/*22.60A	----	28.50 NEW	.3708	----	----	3	----	3 + 3
4825	33.50	33.50	35.40/*21.00A	44.30B/*21.00A	----	26.60 - 29.60	.3512	----	----	76	----	61 - 15
4825	----	----	----/59.60A	77.10B/59.60A	----	63.20 - 26.90	.4307	----	----	----	----	3 UNCH
4825	----	----	94.60B/*50.40A	94.60B/*50.40A	----	64.20 + 1.00	.6486	----	----	----	----	2 UNCH
4830	25.40	25.40	25.90/*19.50A	42.10B/*19.50A	----	24.70 - 29.00	.3315	----	----	4	----	29 + 1
4830	----	----	98.10B/*53.10A	98.10B/*53.10A	----	67.30 + 1.60	.6683	----	----	1	----	1 UNCH
4835	----	----	----/*18.10A	39.90B/*18.10A	----	23.00 - 28.30	.3127	----	----	----	----	1 UNCH
4840	----	----	----/*16.80A	37.80B/*16.80A	----	21.30 - 27.70	.2939	----	----	----	----	25 UNCH
4845	----	----	109.10B/*61.30A	109.10B/*61.30A	----	77.30 + 3.50	.7242	----	----	----	----	0 UNCH
4845	----	----	----/*15.60A	35.80B/*15.60A	----	19.70 - 27.10	.2756	----	----	----	----	2 UNCH
4850	----	----	112.90B/*64.90A	112.90B/*64.90A	----	80.80 + 4.20	.7413	----	----	----	----	0 UNCH
4850	23.40	23.40	25.00/*14.40A	33.90B/*14.40A	----	18.30 - 26.30	.2585	----	----	11	----	22 + 10
4850	----	----	----/75.40A	88.20B/75.40A	----	76.70 - 26.40	.4136	----	----	----	----	1 UNCH
4850	----	----	----/*50.00A	65.50B/50.00A	----	52.70 - 25.50	.3798	----	----	----	----	3 UNCH
4860	20.70	20.70	23.80/*12.40A	30.30B/*12.40A	----	15.60 - 24.90	.2252	----	----	2	----	41 + 2
4860	72.00	72.00	72.00/72.00	83.60B/72.00	----	72.60 NEW	.3984	----	----	2	----	2 + 2
4860	----	----	----/*46.50A	60.60B/*46.50A	----	48.90 - 24.90	.3600	----	----	----	----	10 UNCH
4865	21.80	21.80	21.80/*11.40A	28.60B/*11.40A	----	14.40 NEW	.2097	----	----	2	----	2 + 2
4870	----	----	128.70B/*77.40A	128.70B/*77.40A	----	95.80 + 7.10	.8047	----	----	----	----	1 UNCH
4870	----	----	----/*10.60A	27.00B/*10.60A	----	13.30 - 23.40	.1951	----	----	----	----	1 UNCH
4870	73.80	73.80	79.30B/68.50A	79.30B/68.50A	----	68.70 NEW	.3833	----	----	5	----	5 + 5
4875	18.50	18.50	18.50/*9.80A	25.50B/*9.80A	----	12.20 - 22.70	.1806	----	----	106	----	160 + 101
4880	14.50	14.50	14.50/*9.00A	24.00B/*9.00A	----	11.30 - 21.90	.1678	----	----	21	----	23 + 20
4885	12.70	12.70	13.40/*8.40A	22.70B/*8.40A	----	10.40 - 21.10	.1553	----	----	4	----	58 + 3
4890	----	----	----/*37.10A	49.00B/*37.10A	----	38.80 - 22.90	.3029	----	----	----	----	5 UNCH
4895	----	----	----/*7.20A	20.10B/*7.20A	----	8.80 - 19.60	.1323	----	----	----	----	8 UNCH
4895	----	----	----/*35.70A	47.20B/*35.70A	----	37.30 - 22.50	.2938	----	----	----	----	5 UNCH
4900	8.00	8.00	8.00/*6.70A	18.90B/*6.70A	----	8.10 - 18.80	.1220	----	----	13	----	106 - 5
4900	----	----	----/*34.30A	45.50B/*34.30A	----	35.80 - 22.20	.2848	----	----	----	----	1 UNCH
4905	9.60	9.60	9.60/*6.20A	17.80B/*6.20A	----	7.40 - 18.10	.1118	----	----	2	----	12 + 2
4910	8.80	8.80	8.80/*5.70A	16.70B/*5.70A	----	6.80 - 17.40	.1028	----	----	2	----	43 + 2
4910	----	----	162.90B/106.90A	162.90B/106.90A	----	129.40 + 13.20	.8970	----	----	----	----	1 UNCH
4915	8.10	8.10	8.10/*5.40A	15.70B/*5.40A	----	6.30 - 16.60	.0950	----	----	2	----	4 + 2
4920	7.50	7.50	7.50/*5.00A	14.80B/*5.00A	----	5.80 NEW	.0873	----	----	2	----	2 + 2
4925	9.00	9.00	9.00/*4.70A	13.90B/*4.70A	----	5.30 - 15.30	.0797	----	----	105	----	120 + 105
4925	----	----	187.40B/148.60A	187.40B/148.60A	----	166.60 + 10.10	.7573	----	----	----	----	1 UNCH
4930	----	----	----/*4.40A	13.10B/*4.40A	----	4.90 - 14.60	.0734	----	----	----	----	3 UNCH
4930	----	----	----/*27.30A	36.30B/*27.30A	----	28.00 NEW	.2343	----	----	4	----	4 + 4
4935	----	----	----/*4.00A	12.30B/*4.00A	----	4.50 - 14.00	.0672	----	----	----	----	26 UNCH
4940	5.30	5.30	5.30/*3.70A	11.50B/*3.70A	----	4.20 - 13.30	.0622	----	----	1	----	2 + 1
4945	5.00	5.00	5.00/*3.50A	10.80B/*3.50A	----	3.80 NEW	.0562	----	----	11	----	5 + 5
4950	----	----	----/*3.30A	9.00B/*3.30A	----	3.50 - 12.10	.0515	----	----	2	----	19 UNCH
4950	----	----	----/*23.20A	30.80B/*23.20A	----	23.60 - 18.60	.2038	----	----	----	----	18 UNCH
4950	----	----	----/*44.10A	50.30B/*44.10A	----	42.90 - 20.30	.2707	----	----	----	----	1 UNCH
4955	6.30	6.30	6.30/*3.00A	9.50B/*3.00A	----	3.30 NEW	.0480	----	----	3	----	2 + 2
4960	7.10	7.10	7.10/*2.90A	8.90B/*2.90A	----	3.00 - 11.00	.0435	----	----	4	----	7 + 2
4960	----	----	----/*21.40A	28.40B/*21.40A	----	21.70 - 17.70	.1899	----	----	----	----	5 UNCH
4965	----	----	----/*2.70A	8.40B/*2.70A	----	2.80 - 10.40	.0402	----	----	----	----	1 UNCH
4970	3.50	3.50	3.50/*2.50A	7.90B/*2.50A	----	2.60 - 9.90	.0370	----	----	4	----	24 + 4
4975	----	----	223.10B/163.20A	223.10B/163.20A	----	189.90 + 21.20	.9660	----	----	----	----	1 UNCH
4975	4.30	4.30	4.30/*2.40A	7.40B/*2.40A	----	2.40 - 9.40	.0339	----	----	50	----	62 + 46
4975	----	----	228.80B/----	228.80B/194.40A	----	206.40 + 13.90	.8299	----	----	----	----	1 UNCH
4975	----	----	----/*19.10A	25.10B/*19.10A	----	19.00 - 16.70	.1698	----	----	----	----	18 UNCH
4980	----	----	----/*2.20A	6.90B/*2.20A	----	2.20 - 9.00	.0308	----	----	----	----	20 UNCH
4985	----	----	232.60B/172.40A	232.60B/172.40A	----	199.60 + 22.10	.9708	----	----	1	----	1 UNCH
4985	5.00	5.00	5.10/*2.10A	6.40B/*2.10A	----	2.10 - 8.50	.0290	----	----	10	----	308 + 2
4990	4.70	4.70	4.70/*1.90A	6.00B/*1.90A	----	1.90 - 8.10	.0261	----	----	12	----	15 + 10
4995	2.40	2.40	2.40/*1.80A	5.70B/*1.80A	----	1.80 - 7.60	.0244	----	----	1	----	12 + 1
5000	2.90	2.90	4.10/*1.70A	4.90B/*1.70A	----	1.70 - 7.20	.0228	----	----	8	----	34 + 2
5000	----	----	----/*15.30A	20.50B/*15.30A	----	15.30 NEW	.1406	----	----	----	100	100 + 100
5005	----	----	----/*1.60A	5.00B/*1.60A	----	1.50 - 6.90	.0200	----	----	----	----	25 UNCH
5010	2.60	2.60	3.60/*1.50A	4.70B/*1.50A	----	1.40 - 6.60	.0185	----	----	46	----	58 + 12
5015	3.40	3.40	3.40/*1.40A	4.40B/*1.40A	----	1.30 - 6.30	.0170	----	----	1	----	26 + 1
5020	2.50	2.50	3.30/*1.30A	4.20B/*1.30A	----	1.30 - 5.90	.0166	----	----	18	----	16 + 15
5025	3.50	3.50	3.50/*1.20A	3.90B/*1.20A	----	1.20 - 5.60	.0152	----	----	2	----	16 UNCH
5025	----	----	----/*12.30A	16.40B/*12.30A	----	12.30 - 12.80	.1157	----	----	4	----	4 UNCH
5030	----	----	----/*1.20A	3.70B/*1.20A	----	1.10 - 5.30	.0138	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week2										
APR26												
5035	2.00	2.00	2.00/*1.10A	3.50B/*1.10A	----	1.00 NEW	.0124	----	----	3	----	3 + 3
5040	1.70	1.70	1.70/*1.00A	3.20B/*1.00A	----	1.00 NEW	.0122	----	----	11	----	11 + 11
5045	----	----	----/*1.00A	3.10B/*1.00A	----	0.90 - 4.50	.0109	----	----	----	----	2 UNCH
5050	2.30	2.30	2.30/*0.90A	2.90B/*0.90A	----	0.90 - 4.30	.0107	----	----	2	----	3 UNCH
5060	----	----	----/*0.80A	2.50B/*0.80A	----	0.80 - 3.80	.0093	----	----	----	----	5 UNCH
5065	1.40	1.40	1.40/*0.80A	2.40B/*0.80A	----	0.70 NEW	.0080	----	----	17	----	17 + 17
5070	----	----	----/*0.70A	2.30B/*0.70A	----	0.70 - 3.50	.0079	----	----	----	----	6 UNCH
5075	1.20	1.20	1.20/*0.70A	2.10B/*0.70A	----	0.60 NEW	.0067	----	----	3	----	3 + 3
5075	----	----	----/*20.60A	22.60B/*20.60A	----	19.50 - 12.30	.1413	----	----	----	----	1 UNCH
5080	1.00	1.00	1.00/*0.70A	2.00B/*0.70A	----	0.60 NEW	.0066	----	----	3	----	3 + 3
5085	----	----	----/*0.70A	1.90B/*0.70A	----	0.60 - 3.00	.0065	----	----	----	----	2 UNCH
5100	----	----	----/*0.60A	1.60B/*0.60A	----	0.50 - 2.60	.0052	----	----	----	----	6 UNCH
5120	----	----	----/*0.50A	1.40B/*0.50A	----	0.40 - 2.10	.0040	----	----	----	----	1 UNCH
5130	1.30	1.30	1.30/*0.50A	1.30/*0.50A	----	0.40 NEW	.0039	----	----	2	----	2 + 2
5145	1.10	1.10	1.20B/*0.40A	1.20B/*0.40A	----	0.30 NEW	.0028	----	----	2	----	2 + 2
5150	5.50	5.50	5.50/*5.00A	5.60B/*5.00A	----	4.10 - 6.00	.0411	----	----	1	----	20 - 1
5165	0.30	0.30	0.30/*0.30	1.00B/*0.30	----	0.20 NEW	.0017	----	----	5	----	5 + 5
5175	----	----	----/*0.40A	0.90B/*0.40A	----	0.20 - 1.30	.0017	----	----	----	----	1 UNCH
5200	----	----	----/*0.40A	0.70B/*0.40A	----	0.20 - 1.10	.0016	----	----	----	----	1 UNCH
5200	----	----	----/*9.60A	10.20B/*9.60A	----	8.90 - 6.60	.0695	----	----	----	----	1 UNCH
5235	----	----	----/*0.40A	0.50B/*0.40A	----	0.10 - 0.90	.0003	----	----	----	----	2 UNCH
5300	----	----	----/*0.50A	0.30B/*0.50A	----	0.10 - 0.50	.0000	----	----	----	----	12 UNCH
5400	----	----	----	----	----	613.00 NEW	.9935	----	----	1	----	1 + 1
6100	----	----	----	----/*0.50A	----	0.10 UNCH	----	----	----	2	----	2 + 2
TOTAL										1059	151	3892 + 889
MAY26												
4795	----	----	----/*123.10A	134.70B/*123.10A	----	122.80 - 28.30	.5029	----	----	----	----	1 UNCH
4850	----	----	----/*97.80A	107.50B/*97.80A	----	97.50 - 26.10	.4325	----	----	----	----	4 UNCH
4900	----	----	----/*79.00A	86.10B/*79.00A	----	78.10 - 23.70	.3704	----	----	----	----	20 UNCH
5000	----	----	----/*50.60A	53.00B/*50.60A	----	48.20 - 18.50	.2584	----	----	----	----	32 UNCH
TOTAL												57 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week4										
APR26												
4000	----	----	----	0.70B/*2.50A	----	1.90 NEW	.0108	----	----	3	----	3 + 3
4000	----	----	----	0.50B/*1.00A	----	0.60 - 0.30	.0029	----	----	3	----	3 UNCH
4050	----	----	----/*1.00A	0.60B/*1.00A	----	0.70 - 0.40	.0036	----	----	----	----	2 UNCH
4100	----	----	----/1.20A	0.70B/1.20A	----	0.90 - 0.40	.0049	----	----	----	----	2 UNCH
4175	----	----	----/*1.30A	1.30B/*1.30A	----	1.20 - 0.60	.0072	----	----	----	----	2 UNCH
4200	----	----	----/*1.40A	1.50B/*1.40A	----	1.30 - 0.60	.0080	----	----	3	----	3 UNCH
4225	----	----	----/*4.40A	4.40B/*4.40A	----	4.40 - 1.20	.0283	----	----	----	----	115 UNCH
4225	----	----	----/*1.60A	1.60B/*1.60A	----	1.50 - 0.60	.0095	----	----	3	----	3 UNCH
4235	----	----	----/*1.60A	1.70B/*1.60A	----	1.50 - 0.70	.0097	----	----	----	----	1 UNCH
4250	----	----	----/*5.40A	4.60B/*5.40A	----	4.90 - 1.30	.0319	----	----	----	----	300 UNCH
4250	----	----	----/*1.70A	1.80B/*1.70A	----	1.60 - 0.80	.0105	----	----	----	----	1 UNCH
4255	----	----	----/*1.70A	1.90B/*1.70A	----	1.70 - 0.70	.0112	----	----	----	----	1 UNCH
4285	----	----	----/*1.90A	2.20B/*1.90A	----	1.90 - 0.80	.0130	----	----	----	----	1 UNCH
4300	----	----	----/*2.00A	2.50B/*2.00A	----	2.00 - 0.90	.0140	----	----	----	----	2 UNCH
4310	----	----	----/*2.10A	2.70B/*2.10A	----	2.10 - 1.00	.0149	----	----	----	----	1 UNCH
4325	14.50	14.50	#16.20B/*12.40A	#16.20B/*12.40A	----	13.50 NEW	.0759	----	----	2	----	1 + 1
4325	----	----	----/*2.20A	3.00B/*2.20A	----	2.20 - 1.10	.0159	----	----	1	----	150 UNCH
4350	----	----	----/*2.50A	3.50B/*2.50A	----	2.50 - 1.20	.0186	----	----	----	----	4 UNCH
4400	----	----	#23.70B/*17.70A	#23.70B/*17.70A	----	19.40 NEW	.1074	----	----	1	----	1 + 1
4400	----	----	13.80B/*8.70A	13.80B/*8.70A	----	10.10 - 2.00	.0689	----	----	----	----	1 UNCH
4400	----	----	4.90B/*3.00A	4.90B/*3.00A	----	3.30 - 1.50	.0261	----	----	300	----	301 + 300
4400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4410	----	----	5.30B/*3.20A	5.30B/*3.20A	----	3.50 - 1.50	.0280	----	----	----	----	4 UNCH
4410	----	----	13.60B/*9.10A	13.60B/*9.10A	----	10.60 - 2.10	.0726	----	----	----	----	2 UNCH
4415	----	----	5.50B/*3.20A	5.50B/*3.20A	----	3.60 NEW	.0289	----	----	1	----	1 + 1
4415	----	----	----/347.40A	405.20B/347.40A	----	375.80 - 32.10	.9709	----	----	----	----	5 UNCH
4415	----	----	----	----	----	403.00 UNCH	----	----	----	----	----	0 UNCH
4420	----	----	----/342.60A	400.50B/342.60A	----	370.90 - 32.20	.9699	----	----	----	----	5 UNCH
4420	----	----	----	----	----	398.00 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	5.80B/*3.40A	5.80B/*3.40A	----	3.80 - 1.60	.0309	----	----	----	----	1 UNCH
4425	----	----	26.90B/*19.70A	26.90B/*19.70A	----	21.80 - 2.10	.1200	----	----	----	----	15 UNCH
4440	----	----	----	----	----	378.00 UNCH	----	----	----	----	----	0 UNCH
4460	----	----	18.10B/*12.00A	18.10B/*12.00A	----	14.00 - 2.40	.0959	----	----	----	----	1 UNCH
4460	----	----	7.70B/*4.10A	7.70B/*4.10A	----	4.70 - 2.00	.0398	----	----	----	----	4 UNCH
4465	----	----	7.90B/*4.20A	7.90B/*4.20A	----	4.90 - 2.00	.0416	----	----	----	----	3 UNCH
4470	----	----	19.50B/*12.80A	19.50B/*12.80A	----	14.80 - 2.40	.1013	----	----	----	----	2 UNCH
4470	----	----	----	----	----	348.00 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	8.60B/*4.50A	8.60B/*4.50A	----	5.20 - 2.10	.0446	----	----	----	----	2 UNCH
4475	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4480	----	----	#34.80B/*25.10A	#34.80B/*25.10A	----	28.40 NEW	.1533	----	----	1	----	1 + 1
4480	----	----	8.80B/*4.60A	8.80B/*4.60A	----	5.40 - 2.10	.0465	----	----	----	----	1 UNCH
4480	----	----	20.70B/*13.50A	20.70B/*13.50A	----	15.70 - 2.50	.1073	----	----	----	----	4 UNCH
4485	----	----	9.10B/*4.80A	9.10B/*4.80A	----	5.60 - 2.10	.0484	----	----	----	----	1 UNCH
4485	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4495	----	----	----	----	----	323.00 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	23.60B/*15.20A	23.60B/*15.20A	----	17.60 - 2.60	.1199	----	----	----	----	1 UNCH
4500	----	----	10.10B/*5.20A	10.10B/*5.20A	----	6.20 - 2.30	.0544	----	----	----	----	19 UNCH
4500	----	----	----	----	----	318.00 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	#39.00B/*27.80A	#39.00B/*27.80A	----	31.30 - 2.10	.1674	----	----	----	----	1 UNCH
4510	----	----	26.00B/*16.10A	26.00B/*16.10A	----	18.70 - 2.60	.1270	----	----	----	----	2 UNCH
4515	19.90	19.90	26.50B/*16.60A	26.50B/*16.60A	----	19.20 NEW	.1304	----	----	20	----	20 + 20
4520	----	----	11.60B/*5.90A	11.60B/*5.90A	----	7.10 NEW	.0634	----	----	16	----	16 + 16
4525	----	----	12.00B/*6.10A	12.00B/*6.10A	----	7.40 - 2.50	.0663	----	----	----	----	72 UNCH
4530	----	----	12.50B/*6.40A	12.50B/*6.40A	----	7.70 - 2.60	.0692	----	----	----	----	2 UNCH
4535	----	----	----	----	----	283.00 UNCH	----	----	----	----	----	0 UNCH
4540	----	----	13.50B/*6.80A	13.50B/*6.80A	----	8.20 - 2.80	.0744	----	----	----	----	2 UNCH
4540	----	----	29.60B/*19.20A	29.60B/*19.20A	----	22.30 - 2.70	.1500	----	----	----	----	2 UNCH
4540	----	----	----	----	----	278.00 UNCH	----	----	----	----	----	0 UNCH
4545	----	----	14.30B/*7.10A	14.30B/*7.10A	----	8.50 NEW	.0774	----	----	1	----	1 + 1
4545	----	----	#47.80B/*34.90A	#47.80B/*34.90A	----	38.70 - 2.10	.2027	----	----	----	----	2 UNCH
4545	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	14.80B/*7.30A	14.80B/*7.30A	----	8.90 - 2.80	.0811	----	----	66	----	66 + 65
4550	----	----	----/222.80A	274.80B/222.80A	----	246.20 - 33.40	.9186	----	----	50	----	50 + 49
4550	----	----	----	----	----	268.00 UNCH	----	----	----	----	----	0 UNCH
4565	10.50	10.50	16.50B/*8.10A	16.50B/*8.10A	----	9.90 - 3.10	.0913	----	----	2	----	3 + 2
4575	----	----	#55.80B/*40.30A	#55.80B/*40.30A	----	44.60 - 1.90	.2295	----	----	----	----	1 UNCH
4575	----	----	36.80B/*23.70A	36.80B/*23.70A	----	27.50 - 2.70	.1820	----	----	----	----	55 UNCH
4575	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4580	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4580	----	----	18.80B/*9.10A	18.80B/*9.10A	----	11.20 - 3.20	.1038	----	----	1	----	3 + 1
4590	----	----	20.30B/*9.80A	20.30B/*9.80A	----	12.10 - 3.30	.1126	----	----	1	----	2 + 1
4600	14.20	14.20	22.10B/*10.60A	22.10B/*10.60A	----	13.10 - 3.40	.1224	----	----	51	----	62 + 47
4600	----	----	----	----	----	218.00 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4605	----	----	43.30B/*28.30A	43.30B/*28.30A	----	32.90 - 2.60	.2138	----	----	----	----	1 UNCH
4610	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4610	----	----	23.80B/*11.50A	23.80B/*11.50A	----	14.20 - 3.50	.1330	----	----	----	----	5 UNCH
4615	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4615	----	----	----	----	----	203.00 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	25.80B/*12.50A	25.80B/*12.50A	----	15.40 - 3.60	.1444	----	----	----	----	12 UNCH
4620	----	----	----	----	----	198.00 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4625	13.20	13.20	26.90B/*13.00A	26.90B/*13.00A	----	16.00 - 3.60	.1503	----	----	14	----	15 + 14
4625	----	----	----	----	----	193.00 UNCH	----	----	----	----	----	0 UNCH
4630	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	183.00 UNCH	----	----	----	----	----	0 UNCH
4640	20.70	20.70	30.10B/*14.80A	30.10B/*14.80A	----	18.10 - 3.80	.1700	----	----	1	----	2 + 1
4640	----	----	----	----	----	178.00 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4645	38.70	38.70	54.70B/*36.40A	54.70B/*36.40A	----	41.80 NEW	.2630	----	----	5	----	5 + 5
4645	----	----	----	----	----	173.00 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	19.70	19.70	32.50B/*16.00A	32.50B/*16.00A	----	19.70 - 3.80	.1847	----	----	3	----	6 + 1
4650	----	----	----	----	----	168.00 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	33.80B/*16.70A	33.80B/*16.70A	----	20.60 - 3.70	.1926	----	----	1	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week2										
APR26												
4655	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----	----	----	163.00 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	35.00B/*17.40A	35.00B/*17.40A	----	21.40 - 3.80	.2002	----	----	----	----	1 UNCH
4660	----	----	----	----	----	158.00 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	----	----	----	153.00 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	39.40B/*19.80A	39.40B/*19.80A	----	24.30 - 3.80	.2258	----	----	1	----	2 + 1
4675	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	143.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----/118.10A	158.20B/118.10A	----	132.70 - 34.30	.7650	----	----	----	----	30 UNCH
4680	39.90	39.90	40.70B/*20.60A	40.70B/*20.60A	----	25.30 NEW	.2347	----	----	7	----	7 + 7
4680	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	138.00 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	133.00 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	128.00 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----	----	----	123.00 UNCH	----	----	----	----	----	0 UNCH
4695	41.20	41.20	45.50B/*23.40A	45.50B/*23.40A	----	28.70 NEW	.2638	----	----	95	----	95 + 95
4695	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4700	43.20	43.20	47.10B/*24.40A	47.10B/*24.40A	----	30.00 - 3.60	.2743	----	----	6	----	7 + 5
4700	----	----	----/139.70A	163.10B/139.70A	----	144.60 - 32.00	.6575	----	----	----	----	1 UNCH
4700	----	----	----/103.70A	141.90B/103.70A	----	117.30 - 34.20	.7255	----	----	----	----	6 UNCH
4700	----	----	----	----	----	118.00 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	----	----	----	113.00 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	77.40B/*52.90A	77.40B/*52.90A	----	60.60 - 1.30	.3578	----	----	----	----	1 UNCH
4710	----	----	----	----	----	108.00 UNCH	----	----	----	----	----	0 UNCH
4715	34.00	34.00	52.60B/*27.70A	52.60B/*27.70A	----	34.00 - 3.30	.3068	----	----	1	----	1 UNCH
4715	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	----	----	----	103.00 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	98.00 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	93.00 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	58.10B/*31.30A	58.10B/*31.30A	----	38.50 - 3.00	.3418	----	----	----	----	3 UNCH
4730	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	----	----	----	88.00 UNCH	----	----	----	----	----	0 UNCH
4735	89.20	89.20	#111.10B/*84.40	111.10B/*84.40A	----	92.60 NEW	.4153	----	----	2	----	1 + 1
4735	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	----	----	----	83.00 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	----	----	----	78.00 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----	----	----	73.00 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----/74.50A	108.00B/74.50A	----	85.90 - 33.10	.6208	----	----	----	----	64 UNCH
4750	48.70	48.70	67.10B/*37.00A	67.10B/*37.00A	----	45.30 NEW	.3919	----	----	5	----	5 + 5
4750	----	----	----/71.60A	104.50B/71.60A	----	82.70 - 33.00	.6079	----	----	----	----	1 UNCH
4750	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	68.00 UNCH	----	----	----	----	----	0 UNCH
4755	----	----	69.10B/*38.60A	69.10B/*38.60A	----	47.20 - 2.20	.4050	----	----	----	----	1 UNCH
4755	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	----/65.90A	97.70B/65.90A	----	76.50 - 32.60	.5815	----	----	----	----	3 UNCH
4760	----	----	71.90B/*40.30A	71.90B/*40.30A	----	49.10 - 2.00	.4183	----	----	----	----	2 UNCH
4760	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	----	----	----	58.00 UNCH	----	----	----	----	----	0 UNCH
4765	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4765	----	----	----	----	----	53.00 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	----	----	----	48.00 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4775	85.20	85.20	103.50B/*75.60A	103.50B/*75.60A	----	86.10 NEW	.4683	----	----	2	----	2 + 2
4775	----	----	----/58.00A	87.70B/58.00A	----	67.70 - 31.90	.5405	----	----	----	----	6 UNCH
4775	----	----	79.40B/*45.40A	79.40B/*45.40A	----	55.30 - 1.30	.4592	----	----	----	----	1 UNCH
4775	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	----	----	----	43.00 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	81.80B/*47.30A	81.80B/*47.30A	----	57.60 NEW	.4732	----	----	5	----	4 + 4
4780	----	----	----	----	----	38.00 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	----/55.50A	84.70B/55.50A	----	65.00 NEW	.5266	----	----	5	----	4 + 4
4785	----	----	84.40B/*49.20A	84.40B/*49.20A	----	59.80 NEW	.4872	----	----	2	----	1 + 1
4785	----	----	----	----	----	33.00 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	----/53.10A	81.80B/53.10A	----	62.20 NEW	.5125	----	----	5	----	4 + 4
4785	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4790	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4790	----	----	----	----	----	28.00 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	----	----	----	23.00 UNCH	----	----	----	----	----	0 UNCH
4800	62.40	62.40	92.30B/55.30A	92.30B/55.30A	----	67.10 NEW	.5297	----	----	2	----	2 + 2
4800	58.60	58.60	58.60/46.20A	73.00B/46.20A	----	54.50 - 30.30	.4700	----	----	3	----	20 + 1
4800	----	----	----/81.70A	100.70B/81.70A	----	85.30 - 29.10	.4862	----	----	----	----	33 UNCH
4800	----	----	----	----	----	18.00 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4805	----	----	----/79.80A	97.90B/79.80A	----	82.90 - 28.80	.4772	----	----	----	----	19 UNCH
4805	----	----	----	----	----	13.00 UNCH	----	----	----	----	----	0 UNCH
4805	----	----	95.20B/*57.60A	95.20B/*57.60A	----	69.70 + 0.60	.5440	----	----	----	----	1 UNCH
4805	----	----	----/44.10A	70.10B/44.10A	----	52.10 NEW	.4558	----	----	3	----	3 + 3
4805	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	----/77.50A	95.40B/77.50A	----	80.40 - 28.60	.4681	----	----	----	----	1 UNCH
4810	----	----	----	----	----	8.00 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	----/*42.10A	67.40B/*42.10A	----	49.80 - 29.50	.4416	----	----	1	----	1 UNCH
4810	67.00	67.00	98.30B/*59.80A	98.30B/*59.80A	----	72.40 + 1.10	.5581	----	----	1	----	2 + 1
4815	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4815	----	----	----	----	----	3.00 UNCH	----	----	----	----	----	0 UNCH
4815	----	----	----/*40.10A	64.70B/*40.10A	----	47.50 - 29.20	.4274	----	----	----	----	1 UNCH
4820	----	----	----	----	----	2.00 UNCH	----	----	----	----	----	0 UNCH
4820	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4825	51.70	51.70	59.50B/*36.30A	59.50B/*36.30A	----	43.20 NEW	.3993	----	----	10	----	10 + 10
4825	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	----	----	----	7.00 UNCH	----	----	----	----	----	0 UNCH
4830	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4835	----	----	----/*32.80A	54.60B/*32.80A	----	39.10 - 27.50	.3714	----	----	----	----	17 UNCH
4835	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4835	----	----	----	----	----	17.00 UNCH	----	----	----	----	----	0 UNCH
4840	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4840	----	----	----	----	----	22.00 UNCH	----	----	----	----	----	0 UNCH
4845	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4850	101.60	101.60	101.60/*86.20A	101.60/*86.20A	----	86.10 NEW	.4228	----	----	2	----	1 + 1
4850	----	----	124.70B/79.90A	124.70B/79.90A	----	96.20 + 4.60	.6688	----	----	----	----	1 UNCH
4850	35.30	35.30	35.30/*28.10A	48.10B/*28.10A	----	33.60 - 26.00	.3310	----	----	4	----	59 + 4
4850	----	----	----	----	----	32.00 UNCH	----	----	----	----	----	0 UNCH
4850	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4855	----	----	----	----	----	37.00 UNCH	----	----	----	----	----	0 UNCH
4855	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4860	----	----	150.40B/117.10A	150.40B/117.10A	----	131.20 + 4.60	.6216	----	----	----	----	1 UNCH
4860	38.10	38.10	38.10/*25.30A	44.20B/*25.30A	----	30.30 - 25.00	.3051	----	----	2	----	21 + 2
4860	----	----	----	----	----	42.00 UNCH	----	----	----	----	----	0 UNCH
4860	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4865	----	----	----/*55.10A	69.30B/*55.10A	----	56.70 - 25.70	.3693	----	----	----	----	20 UNCH
4865	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4870	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4870	----	----	----	----	----	52.00 UNCH	----	----	----	----	----	0 UNCH
4875	----	----	143.10B/95.60A	143.10B/95.60A	----	113.30 + 7.10	.7317	----	----	----	----	1 UNCH
4875	----	----	----	----	----	57.00 UNCH	----	----	----	----	----	0 UNCH
4875	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4880	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4880	----	----	----/*20.40A	37.10B/*20.40A	----	24.40 - 22.90	.2561	----	----	----	----	3 UNCH
4885	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4885	----	----	----/*19.30A	35.40B/*19.30A	----	23.10 - 22.40	.2447	----	----	----	----	50 UNCH
4890	----	----	----	----	----	72.00 UNCH	----	----	----	----	----	0 UNCH
4890	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4895	----	----	----	----	----	77.00 UNCH	----	----	----	----	----	0 UNCH
4895	----	----	----/*17.30A	32.30B/*17.30A	----	20.60 - 21.30	.2223	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU — GOLD WEEKLY THURSDAY OPTION Week3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4900	----	----	162.80B/112.50A	162.80B/112.50A	----	132.00 + 9.80	.7878	----	----	----	----	1 UNCH
4900	----	----	----/*43.90A	55.10B/*43.90A	----	44.70 - 23.40	.3100	----	----	----	----	25 UNCH
4900	23.70	23.70	26.20/*16.30	30.80B/*16.30	----	19.50 - 20.70	.2120	----	----	118	----	309 + 53
4900	----	----	----/*67.90A	76.30B/*67.90A	----	66.90 NEW	.3543	----	----	2	----	1 + 1
4900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	----	----	----	82.00 UNCH	----	----	----	----	----	0 UNCH
4905	22.20	22.20	22.20/*15.50A	29.40B/*15.50A	----	18.40 - 20.20	.2017	----	----	11	----	11 + 10
4910	21.00	21.00	21.00/*14.70A	28.10B/*14.70A	----	17.40 - 19.60	.1920	----	----	3	----	8 + 3
4915	19.90	19.90	19.90/*13.90A	26.80B/*13.90A	----	16.40 NEW	.1823	----	----	10	----	10 + 10
4920	63.20	63.20	69.00B/*61.50A	69.00B/*61.50A	----	60.20 - 22.30	.3281	----	----	1	----	1 UNCH
4920	----	----	----/*13.10A	25.60B/*13.10A	----	15.50 - 18.60	.1733	----	----	----	----	132 UNCH
4925	----	----	----/*12.40A	24.40B/*12.40A	----	14.60 - 18.00	.1644	----	----	----	----	16 UNCH
4925	----	----	----/*36.80A	46.50B/*36.80A	----	37.40 - 21.60	.2705	----	----	----	----	20 UNCH
4935	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4940	----	----	----/*33.50A	42.00B/*33.50A	----	33.60 - 20.50	.2485	----	----	----	----	1 UNCH
4940	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4945	----	----	----/*10.00A	20.00B/*10.00A	----	11.60 - 15.90	.1330	----	----	----	----	10 UNCH
4950	----	----	205.20B/150.80A	205.20B/150.80A	----	173.50 + 15.30	.8734	----	----	----	----	1 UNCH
4950	----	----	----/*9.50A	19.00B/*9.50A	----	11.00 - 15.30	.1264	----	----	----	----	6 UNCH
4950	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4955	11.60	11.60	11.60/*9.00A	18.10B/*9.00A	----	10.30 NEW	.1191	----	----	2	----	2 + 2
4960	28.90	28.90	28.90/*28.80A	36.50B/*28.80A	----	29.10 NEW	.2210	----	----	4	----	4 + 4
4960	----	----	214.10B/158.90A	214.10B/158.90A	----	182.30 + 16.30	.8865	----	----	----	----	1 UNCH
4960	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4965	----	----	----	----	----	147.00 UNCH	----	----	----	----	----	0 UNCH
4970	----	----	223.10B/167.10A	223.10B/167.10A	----	191.20 NEW	.8986	----	----	4	----	4 + 4
4970	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4975	----	----	----/*7.30A	14.80B/*7.30A	----	8.20 - 12.90	.0956	----	----	----	----	1 UNCH
4975	----	----	227.60B/171.40A	227.60B/171.40A	----	195.70 NEW	.9042	----	----	4	----	4 + 4
4980	6.90	6.90	6.90/*6.90	14.00B/*6.90	----	7.80 NEW	.0908	----	----	5	----	5 + 5
4990	----	----	241.30B/184.30A	241.30B/184.30A	----	209.40 + 19.10	.9191	----	----	----	----	2 UNCH
4990	----	----	----	----	----	172.00 UNCH	----	----	----	----	----	0 UNCH
4995	----	----	----/*5.90A	11.90B/*5.90A	----	6.50 - 11.10	.0761	----	----	----	----	2 UNCH
5000	8.00	8.00	9.20/*5.60A	11.30B/*5.60A	----	6.20 - 10.60	.0724	----	----	5	----	119 + 1
5000	----	----	----/*21.60A	27.40B/*21.60A	----	21.70 - 15.80	.1728	----	----	----	----	1 UNCH
5000	----	----	250.60B/193.20A	250.60B/193.20A	----	218.70 + 20.00	.9274	----	----	----	----	1 UNCH
5000	----	----	----	----	----	182.00 UNCH	----	----	----	----	----	0 UNCH
5000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5005	----	----	----/*5.30A	10.70B/*5.30A	----	5.80 - 10.30	.0679	----	----	----	----	1 UNCH
5010	----	----	260.10B/202.20A	260.10B/202.20A	----	228.00 NEW	.9355	----	----	1	----	1 + 1
5010	----	----	----/*5.10A	10.20B/*5.10A	----	5.50 - 9.90	.0643	----	----	----	----	4 UNCH
5010	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5020	----	----	----/*4.50A	9.20B/*4.50A	----	4.90 - 9.10	.0573	----	----	1	----	3 + 1
5025	----	----	----/*4.40A	8.70B/*4.40A	----	4.70 - 8.70	.0547	----	----	----	----	1 UNCH
5030	----	----	----/*4.20A	8.30B/*4.20A	----	4.40 - 8.40	.0512	----	----	----	----	1 UNCH
5035	----	----	----/*4.00A	7.70B/*4.00A	----	4.20 - 8.00	.0487	----	----	----	----	1 UNCH
5050	----	----	----/*3.40A	6.60B/*3.40A	----	3.50 - 7.10	.0405	----	----	----	----	66 UNCH
5050	----	----	----	----	----	232.00 UNCH	----	----	----	----	----	0 UNCH
5050	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5065	----	----	----/*3.00A	5.60B/*3.00A	----	3.00 - 6.20	.0344	----	----	----	----	1 UNCH
5100	----	----	----/*2.20A	3.90B/*2.20A	----	2.00 - 4.70	.0225	----	----	----	----	6 UNCH
5125	----	----	----/*20.10A	21.20B/*20.10A	----	19.20 NEW	.1290	----	----	1	----	1 + 1
5150	----	----	----/*1.50A	2.30B/*1.50A	----	1.20 - 3.20	.0129	----	----	----	----	1 UNCH
5180	----	----	----/*1.20A	1.70B/*1.20A	----	0.90 - 2.60	.0094	----	----	----	----	1 UNCH
5200	----	----	----/*1.00A	1.50B/*1.00A	----	0.70 - 2.30	.0072	----	----	----	----	1 UNCH
5210	----	----	----/*0.90A	1.40B/*0.90A	----	0.70 - 2.10	.0070	----	----	----	----	1 UNCH
5255	----	----	----/*0.80A	0.80B/*0.80A	----	0.40 - 1.70	.0038	----	----	----	----	2 UNCH
5300	----	----	----/*0.70A	0.60B/*0.70A	----	0.30 - 1.30	.0027	----	----	----	----	1 UNCH
5305	----	----	----/*0.80A	0.50B/*0.80A	----	0.30 - 1.20	.0027	----	----	----	----	2 UNCH
5320	----	----	----/*0.80A	0.50B/*0.80A	----	0.30 - 1.10	.0026	----	----	----	----	1 UNCH
5425	----	----	----	0.20B/*0.80A	----	0.10 - 0.70	.0007	----	----	----	----	10 UNCH
TOTAL										886		2704 + 783

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
3500	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3600	0.10	0.10	0.20/*0.10	0.20/*0.10	----	0.10 UNCH	----	----	----	7	----	7 + 7
3750	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3850	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	2	----	1 - 1
3900	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
3950	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	4 UNCH
4000	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.20	.0000	----	----	----	----	21 UNCH
4025	----	----	----	0.40B/2.20A	----	1.30 - 0.60	.0076	----	----	----	----	1 UNCH
4050	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.10 - 0.20	.0001	----	----	2	----	3 + 1
4050	----	----	----	0.40B/2.30A	----	1.40 - 0.60	.0083	----	----	----	----	12 UNCH
4100	0.40	0.40	0.40/*0.20A	0.40/*0.20A	----	0.10 - 0.40	.0002	----	----	3	----	14 + 3
4100	----	----	----/*1.90A	1.30B/*1.90A	----	1.70 - 0.60	.0105	----	----	----	----	10 UNCH
4150	----	----	----/*0.30A	0.30B/*0.30A	----	0.20 - 0.40	.0006	----	----	----	----	2 UNCH
4175	0.20	0.20	0.20/*0.20	0.30B/*0.20	----	0.20 - 0.40	.0006	----	----	2	----	2 + 2
4175	----	----	----/*2.30A	1.60B/*2.30A	----	2.10 - 0.90	.0139	----	----	----	----	1 UNCH
4200	0.80	0.80	0.80/*0.20	0.80/*0.20	----	0.20 - 0.50	.0007	----	----	8	----	15 + 6
4215	----	----	----/*0.40A	0.40B/*0.40A	----	0.30 - 0.40	.0011	----	----	----	----	5 UNCH
4220	2.50	2.50	2.50/*2.50	2.50/*2.50	----	2.50 - 0.90	.0172	----	----	1	----	1 UNCH
4225	----	----	----/*2.60A	2.20B/*2.60A	----	2.50 - 1.00	.0173	----	----	----	----	49 UNCH
4250	----	----	----/525.80A	566.70B/525.80A	----	537.60 - 31.00	.9988	----	----	----	----	1 UNCH
4250	----	----	----/*0.50A	0.50B/*0.50A	----	0.30 - 0.40	.0012	----	----	----	----	100 UNCH
4250	2.80	2.80	2.80/*2.80	2.80/*2.80	----	2.80 - 1.10	.0197	----	----	1	----	26 + 1
4255	0.20	0.20	0.20/*0.20	0.60B/*0.20	----	0.30 - 0.40	.0012	----	----	1	----	2 + 1
4270	----	----	----/*0.50A	0.50B/*0.50A	----	0.30 - 0.50	.0013	----	----	----	----	10 UNCH
4300	----	----	----/*0.50A	0.60B/*0.50A	----	0.40 - 0.40	.0018	----	----	----	----	520 UNCH
4305	0.20	0.20	0.20/*0.20	0.60B/*0.20	----	0.40 NEW	.0019	----	----	2	----	2 + 2
4310	----	----	----/*0.60A	0.70B/*0.60A	----	0.40 - 0.50	.0019	----	----	----	----	10 UNCH
4315	----	----	----/*0.60A	0.70B/*0.60A	----	0.40 - 0.50	.0019	----	----	----	----	5 UNCH
4335	----	----	----/*3.90A	4.20B/*3.90A	----	4.00 - 1.50	.0302	----	----	----	----	1 UNCH
4340	----	----	----/*0.70A	0.90B/*0.70A	----	0.50 - 0.50	.0026	----	----	----	----	6 UNCH
4345	----	----	----/*0.70A	1.00B/*0.70A	----	0.50 - 0.50	.0026	----	----	----	----	101 UNCH
4350	1.10	1.10	1.10/*0.60A	1.10/*0.60A	----	0.50 - 0.50	.0026	----	----	4	----	128 + 4
4350	----	----	----/*4.20A	5.10B/*4.20A	----	4.30 - 1.60	.0328	----	----	----	----	5 UNCH
4355	0.50	0.50	0.50/*0.50	1.00B/*0.50	----	0.60 - 0.40	.0032	----	----	1	----	2 + 1
4360	0.90	0.90	1.10B/*0.80A	1.10B/*0.80A	----	0.60 NEW	.0033	----	----	1	----	1 + 1
4365	----	----	----/*0.60A	1.10B/*0.60A	----	0.60 - 0.50	.0033	----	----	----	----	1 UNCH
4375	----	----	----/*4.60A	6.50B/*4.60A	----	4.90 - 1.70	.0380	----	----	----	----	2 UNCH
4380	----	----	----/*4.80A	6.70B/*4.80A	----	5.10 - 1.70	.0395	----	----	1	----	3 + 1
4380	0.60	0.60	1.20B/*0.60	1.20B/*0.60	----	0.60 - 0.50	.0034	----	----	2	----	5 + 2
4390	----	----	1.30B/*0.70A	1.30B/*0.70A	----	0.70 - 0.50	.0041	----	----	----	----	1 UNCH
4400	1.20	1.20	1.30B/*0.50	1.30B/*0.50	----	0.70 - 0.50	.0042	----	----	4	----	523 + 2
4400	----	----	7.60B/*5.10A	7.60B/*5.10A	----	5.70 - 1.80	.0446	----	----	1	----	151 + 1
4405	----	----	1.40B/*0.80A	1.40B/*0.80A	----	0.80 - 0.50	.0049	----	----	----	----	1 UNCH
4415	----	----	----/342.70A	403.20B/342.70A	----	373.10 - 31.10	.9948	----	----	----	----	10 UNCH
4420	1.00	1.00	1.50B/*0.80A	1.50B/*0.80A	----	0.80 - 0.60	.0051	----	----	2	----	5 + 2
4425	0.50	0.50	1.50B/*0.50	1.50B/*0.50	----	0.90 - 0.50	.0059	----	----	4	----	37 + 3
4440	----	----	----/318.00A	378.30B/318.00A	----	348.20 - 31.20	.9938	----	----	----	----	1 UNCH
4440	1.20	1.20	1.70B/*0.90A	1.70B/*0.90A	----	0.90 - 0.60	.0061	----	----	1	----	3 + 1
4440	----	----	10.20B/*6.60A	10.20B/*6.60A	----	7.20 - 2.00	.0574	----	----	----	----	15 UNCH
4450	1.50	1.50	1.80B/*0.70A	1.80B/*0.70A	----	1.00 - 0.60	.0070	----	----	8	----	17 - 1
4450	----	----	10.60B/*6.90A	10.60B/*6.90A	----	7.60 - 2.10	.0610	----	----	----	----	1 UNCH
4460	----	----	11.10B/*7.40A	11.10B/*7.40A	----	8.10 - 2.20	.0651	----	----	----	----	10 UNCH
4465	----	----	11.60B/*7.50A	11.60B/*7.50A	----	8.40 - 2.20	.0676	----	----	----	----	5 UNCH
4470	1.20	1.20	2.10B/*1.00A	2.10B/*1.00A	----	1.10 - 0.80	.0082	----	----	2	----	4 + 1
4470	----	----	11.80B/*7.60A	11.80B/*7.60A	----	8.70 - 2.20	.0700	----	----	----	----	5 UNCH
4475	----	----	13.00B/*7.80A	13.00B/*7.80A	----	8.90 - 2.30	.0719	----	----	----	----	2 UNCH
4480	1.10	1.10	2.30B/*1.10	2.30B/*1.10	----	1.20 - 0.80	.0092	----	----	2	----	3 + 2
4485	----	----	13.20B/*8.30A	13.20B/*8.30A	----	9.50 - 2.40	.0769	----	----	----	----	5 UNCH
4490	----	----	2.50B/*1.20A	2.50B/*1.20A	----	1.30 - 0.90	.0103	----	----	----	----	7 UNCH
4495	1.80	1.80	2.60B/*1.10	2.60B/*1.10	----	1.30 NEW	.0105	----	----	7	----	7 + 7
4495	----	----	----/294.30A	324.70B/294.30A	----	302.30 NEW	.9172	----	----	2	----	2 + 2
4500	----	----	----/259.20A	318.70B/259.20A	----	288.70 - 31.50	.9884	----	----	----	----	301 UNCH
4500	2.40	2.40	2.70B/*1.00	2.70B/*1.00	----	1.40 - 0.90	.0115	----	----	26	----	65 + 7
4500	----	----	----/290.20A	320.00B/290.20A	----	297.60 NEW	.9146	----	----	2	----	2 + 2
4500	11.20	11.20	14.80B/*9.20A	14.80B/*9.20A	----	10.50 - 2.40	.0851	----	----	10	----	13 + 10
4510	----	----	3.10B/*1.40A	3.10B/*1.40A	----	1.50 - 1.00	.0127	----	----	----	----	1 UNCH
4515	----	----	3.20B/*1.40A	3.20B/*1.40A	----	1.50 - 1.10	.0129	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2										
APR26												
4520	1.00	1.00	3.30B/*1.00	3.30B/*1.00	----	1.60 NEW	.0140	----	----	1	----	1 + 1
4525	2.30	2.30	3.50B/*1.30	3.50B/*1.30	----	1.60 - 1.20	.0142	----	----	9	----	31 + 9
4535	----	----	----/225.40A	284.00B/225.40A	----	254.00 - 31.90	.9842	----	----	----	----	4 UNCH
4535	----	----	3.90B/*1.60A	3.90B/*1.60A	----	1.70 - 1.30	.0156	----	----	----	----	1 UNCH
4540	----	----	4.10B/*1.60A	4.10B/*1.60A	----	1.80 - 1.40	.0168	----	----	----	----	2 UNCH
4540	----	----	----/220.60A	279.00B/220.60A	----	249.10 - 32.00	.9831	----	----	----	----	1 UNCH
4550	----	----	22.30B/*12.70A	22.30B/*12.70A	----	14.70 - 2.80	.1193	----	----	----	----	1 UNCH
4550	----	----	----/211.10A	269.10B/211.10A	----	239.20 - 32.10	.9815	----	----	----	----	1 UNCH
4550	3.70	3.70	4.50B/*1.50	4.50B/*1.50	----	1.90 - 1.50	.0184	----	----	8	----	10 + 5
4555	----	----	4.70B/*1.70A	4.70B/*1.70A	----	2.00 - 1.60	.0197	----	----	1	----	20 + 1
4560	3.90	3.90	4.90B/*1.80	4.90B/*1.80	----	2.10 NEW	.0210	----	----	3	----	2 + 2
4570	5.70	5.70	5.70/*1.90A	5.70/*1.90A	----	2.30 - 1.80	.0237	----	----	3	----	4 + 3
4570	----	----	----/229.70A	255.90B/229.70A	----	234.20 - 33.30	.8631	----	----	----	----	1 UNCH
4575	2.20	2.20	5.80B/*2.00	5.80B/*2.00	----	2.40 - 1.90	.0252	----	----	2	----	4 + 2
4575	----	----	----/187.60A	244.40B/187.60A	----	214.70 - 32.50	.9747	----	----	----	----	5 UNCH
4575	----	----	25.50B/*15.10A	25.50B/*15.10A	----	17.50 - 2.90	.1413	----	----	----	----	1 UNCH
4580	6.20	6.20	6.20/*2.00A	6.20/*2.00A	----	2.50 - 1.90	.0267	----	----	11	----	38 + 11
4580	----	----	26.20B/*15.60A	26.20B/*15.60A	----	18.20 - 2.80	.1464	----	----	----	----	27 UNCH
4585	6.00	6.00	6.60B/*2.20A	6.60B/*2.20A	----	2.60 - 2.10	.0283	----	----	1	----	6 + 1
4585	----	----	----/178.40A	234.50B/178.40A	----	204.90 - 32.70	.9716	----	----	----	----	1 UNCH
4585	----	----	26.60B/*16.20A	26.60B/*16.20A	----	18.80 - 2.90	.1512	----	----	----	----	2 UNCH
4590	----	----	6.80B/*2.20A	6.80B/*2.20A	----	2.70 - 2.20	.0299	----	----	----	----	10 UNCH
4595	2.40	2.40	7.10B/*2.30A	7.10B/*2.30A	----	2.80 NEW	.0315	----	----	2	----	2 + 2
4595	----	----	28.70B/*17.40A	28.70B/*17.40A	----	20.20 - 2.90	.1618	----	----	----	----	2 UNCH
4600	6.30	6.30	7.60B/*2.40	7.60B/*2.40	----	2.90 - 2.40	.0333	----	----	356	----	346 + 317
4600	----	----	----/203.80A	228.70B/203.80A	----	208.20 - 33.40	.8325	----	----	----	----	10 UNCH
4600	22.00	22.00	30.00B/*17.70A	30.00B/*17.70A	----	20.90 - 2.90	.1671	----	----	21	----	22 + 19
4605	----	----	31.00B/*18.60A	31.00B/*18.60A	----	21.70 - 2.80	.1730	----	----	----	----	27 UNCH
4610	----	----	----/155.80A	210.00B/155.80A	----	180.50 - 33.30	.9619	----	----	----	----	1 UNCH
4610	----	----	8.40B/*2.60A	8.40B/*2.60A	----	3.20 - 2.60	.0380	----	----	----	----	18 UNCH
4615	3.20	3.20	8.90B/*2.80A	8.90B/*2.80A	----	3.40 - 2.70	.0410	----	----	1	----	45 + 1
4620	8.40	8.40	9.40B/*2.90A	9.40B/*2.90A	----	3.60 - 2.80	.0441	----	----	110	----	111 + 110
4625	----	----	----/142.60A	195.30B/142.60A	----	166.10 - 33.60	.9526	----	----	----	----	1 UNCH
4625	3.50	3.50	10.40B/*3.00A	10.40B/*3.00A	----	3.80 - 2.90	.0473	----	----	2	----	5 + 2
4630	7.40	7.40	10.80B/*3.20A	10.80B/*3.20A	----	4.00 - 3.10	.0506	----	----	6	----	7 + 5
4635	4.60	4.60	11.50B/*3.30A	11.50B/*3.30A	----	4.20 - 3.20	.0540	----	----	1	----	12 + 1
4635	----	----	----/134.00A	185.60B/134.00A	----	156.50 - 33.90	.9458	----	----	----	----	9 UNCH
4640	6.40	6.40	12.30B/*3.50A	12.30B/*3.50A	----	4.40 - 3.40	.0576	----	----	3	----	48 + 2
4645	----	----	12.90B/*3.60A	12.90B/*3.60A	----	4.70 - 3.50	.0624	----	----	5	----	7 + 5
4650	10.20	10.20	13.80B/*3.70A	13.80B/*3.70A	----	4.90 - 3.70	.0663	----	----	420	----	365 + 228
4650	----	----	----/121.40A	170.80B/121.40A	----	142.20 - 34.30	.9336	----	----	----	----	1 UNCH
4650	----	----	42.00B/*25.50A	42.00B/*25.50A	----	29.90 - 2.60	.2316	----	----	2	----	6 + 2
4655	5.50	5.50	14.50B/*3.90A	14.50B/*3.90A	----	5.20 - 3.80	.0714	----	----	2	----	3 + 2
4660	----	----	----/113.30A	161.50B/113.30A	----	132.90 - 34.50	.9221	----	----	----	----	2 UNCH
4660	7.50	7.50	15.50B/*4.10A	15.50B/*4.10A	----	5.60 - 3.90	.0778	----	----	16	----	24 + 8
4665	----	----	----/109.30A	156.50B/109.30A	----	128.20 - 34.70	.9165	----	----	1	----	0 - 1
4665	5.60	5.60	16.40B/*4.40A	16.40B/*4.40A	----	5.90 - 4.10	.0833	----	----	14	----	25 + 3
4670	7.20	7.20	17.40B/*4.60A	17.40B/*4.60A	----	6.30 - 4.20	.0901	----	----	2	----	7 + 2
4675	8.30	8.30	18.30B/*4.90A	18.30B/*4.90A	----	6.60 - 4.50	.0961	----	----	25	----	227 + 15
4680	----	----	----/137.70A	162.60B/137.70A	----	144.20 - 32.90	.7211	----	----	----	----	1 UNCH
4680	8.70	8.70	19.30B/*5.20A	19.30B/*5.20A	----	7.00 - 4.60	.1035	----	----	13	----	35 + 12
4685	----	----	----/92.30A	138.00B/92.30A	----	109.90 - 35.30	.8877	----	----	3	----	5 + 3
4685	5.50	5.50	20.30B/*5.50	20.30B/*5.50	----	7.50 - 4.80	.1121	----	----	4	----	4 + 2
4690	8.90	8.90	21.50B/*5.80A	21.50B/*5.80A	----	8.00 - 4.90	.1211	----	----	13	----	20 + 8
4695	----	----	----/84.00A	128.80B/84.00A	----	101.00 - 35.60	.8684	----	----	----	----	1 UNCH
4700	97.00	97.00	97.00/79.90A	124.30B/79.90A	----	96.60 - 35.70	.8578	----	----	1	----	114 + 1
4700	18.70	18.70	24.20B/*6.50	24.20B/*6.50	----	9.20 - 5.10	.1421	----	----	206	----	139 + 129
4700	----	----	58.90B/*36.20A	58.90B/*36.20A	----	42.40 - 2.00	.3135	----	----	----	----	24 UNCH
4700	----	----	----/124.00A	147.30B/124.00A	----	129.70 - 32.60	.6862	----	----	----	----	51 UNCH
4705	7.10	7.10	25.70B/*7.10	25.70B/*7.10	----	9.90 - 5.20	.1541	----	----	1	----	11 + 1
4710	11.00	11.00	27.30B/*7.70A	27.30B/*7.70A	----	10.60 - 5.30	.1665	----	----	3	----	13 + 2
4715	----	----	28.80B/*8.20A	28.80B/*8.20A	----	11.40 NEW	.1802	----	----	4	----	3 + 3
4720	11.30	11.30	30.40B/*8.80A	30.40B/*8.80A	----	12.20 - 5.50	.1945	----	----	17	----	56 + 12
4720	----	----	----/64.40A	106.50B/64.40A	----	79.60 - 36.10	.8054	----	----	1	----	17 + 1
4725	20.10	20.10	32.20B/*9.40A	32.20B/*9.40A	----	13.10 - 5.60	.2100	----	----	13	----	77 + 11
4730	----	----	----/57.20A	98.00B/57.20A	----	71.50 - 36.20	.7729	----	----	1	----	2 + 1
4730	26.50	26.50	34.10B/*10.10A	34.10B/*10.10A	----	14.10 - 5.60	.2269	----	----	11	----	78 UNCH
4735	----	----	----/53.70A	93.80B/53.70A	----	67.60 NEW	.7548	----	----	3	----	3 + 3
4735	20.50	20.50	36.00B/*10.90A	36.00B/*10.90A	----	15.20 - 5.60	.2451	----	----	27	----	64 + 22
4740	----	----	----/98.50A	121.10B/98.50A	----	102.90 - 31.60	.6090	----	----	----	----	2 UNCH
4740	55.30	55.30	89.50B/50.30A	89.50B/50.30A	----	63.80 NEW	.7354	----	----	2	----	2 + 2
4740	20.40	20.40	38.00B/*11.80A	38.00B/*11.80A	----	16.40 - 5.50	.2644	----	----	22	----	16 + 15
4745	----	----	40.20B/*12.80A	40.20B/*12.80A	----	17.60 - 5.50	.2844	----	----	----	----	4 UNCH
4745	61.00	61.00	61.00/47.00A	85.50B/47.00A	----	60.00 - 36.10	.7155	----	----	1	----	1 UNCH
4750	61.40	61.40	81.50B/43.80A	81.50B/43.80A	----	56.40 - 35.90	.6938	----	----	7	----	12 UNCH
4750	32.40	32.40	42.30B/*13.80A	42.30B/*13.80A	----	19.00 - 5.40	.3061	----	----	138	----	119 + 111
4750	----	----	78.50B/*51.00A	78.50B/*51.00A	----	59.30 - 0.70	.4114	----	----	2	----	2 + 1
4750	----	----	----/92.80A	114.40B/92.80A	----	96.70 - 31.30	.5883	----	----	----	----	12 UNCH
4755	36.40	36.40	44.60B/*14.90A	44.60B/*14.90A	----	20.40 - 5.30	.3283	----	----	24	----	22 + 21
4760	20.00	20.00	47.00B/*16.10A	47.00B/*16.10A	----	22.00 - 5.10	.3521	----	----	2	----	33 + 1
4765	43.40	43.40	49.50B/*17.30A	49.50B/*17.30A	----	23.60 - 5.00	.3765	----	----	6	----	11 + 6
4770	83.80	83.80	84.00B/*57.80A	84.00B/*57.80A	----	67.60 NEW	.4541	----	----	21	----	21 + 21
4770	----	----	----/*32.30A	66.20B/*32.30A	----	42.80 - 35.30	.5977	----	----	10	----	14 + 8
4770	40.50	40.50	52.10B/*18.70A	52.10B/*18.70A	----	25.40 - 4.70	.4021	----	----	8	----	6 + 5
4775	43.30	43.30	54.80B/*20.20A	54.80B/*20.20A	----	27.30 - 4.40	.4285	----	----	14	----	8 + 7
4775	46.20	46.20	62.60B/*29.80A	62.60B/*29.80A	----	39.70 NEW	.5713	----	----	13	----	12 + 12
4775	----	----	87.50B/*60.10A	87.50B/*60.10A	----	69.80 + 0.30	.4650	----	----	1	----	21 + 1
4775	----	----	----/76.80A	99.30B/76.80A	----	82.20 - 30.20	.5346	----	----	----	----	2 UNCH
4780	----	----	----/75.10A	96.20B/75.10A	----	79.40 - 30.10	.5237	----	----	----	----	1 UNCH
4780	34.90	34.90	57.60B/*21.80A	57.60B/*21.80A	----	29.30 - 4.10	.4557	----	----	67	119	169 + 168
4780	39.40	39.40	39.70/*27.40A	59.10B/*27.40A	----	36.70 - 34.70	.5442	----	----	21	----	22 + 20
4785	----	----	----/72.50A	93.30B/72.50A	----	76.70 - 29.90	.5126	----	----	----	----	24 UNCH
4785	----	----	92.50B/*64.10A	92.50B/*64.10A	----	74.30 + 0.70	.4870	----	----	----	----	24 UNCH
4785	33.00	33.00	59.90B/*23.50A	59.90B/*23.50A	----	31.50 NEW	.4835	----	----	5	----	3 + 3
4785	37.00	37.00	37.00/*25.10A	55.70B/*25.10A	----	33.90 - 34.30	.5164	----	----	12	----	11 + 10
4790	----	----	----/69.70A	90.10B/69.70A	----	74.10 - 29.60	.5016	----	----	----	----	3 UNCH
4790	41.10	41.10	62.90B/*25.20A	62.90B/*25.20A	----	33.80 - 3.30	.5117	----	----	6	----	12 + 2
4790	41.60	41.60	49.60/*22.90A	52.70B/*22.90A	----	31.20 - 33.90	.4881	----	----	19	----	15 + 13
4795	43.20	43.20	66.00B/*27.00A	66.00B/*27.00A	----	36.30 - 2.80	.5401	----	----	50	----	24 + 20
4795	----	----	----/67.30A	87.20B/67.30A	----	71.50 - 29.40	.4905	----	----	----	----	59 UNCH
4795	38.30	38.30	39.40/*20.90A	49.80B/*20.90A	----	28.70 - 33.30	.4597	----	----	75	----	22 + 12
4800	37.30	37.30	69.20B/*28.90A	69.20B/*28.90A	----	38.90 - 2.20	.5686	----	----	18	----	18 + 11
4800	38.00	38.00	46.50B/*19.00A	46.50B/*19.00A	----	26.30 - 32.80	.4313	----	----	67	----	60 + 43
4800	----	----	----/64.90A	84.50B/64.90A	----	68.90 - 29.20	.4793	----	----	1	----	25 UNCH
4805	30.20	30.20	35.80/*17.30A	44.50B/*17.30A	----	24.00 - 32.20	.4028	----	----	8	----	5 + 1
4810	----	----	75.90B/*33.00A	75.90B/*33.00A	----	44.50 - 1.00	.6250	----	----	----	----	4 UNCH
4810	34.00	34.00	34.00/*15.70A	41.90B/*15.70A	----	21.90 - 31.60	.3749	----	----	9	----	8 + 4
4815	28.20	28.20	31.60/*14.20A	39.50B/*14.20A	----	19.80 NEW	.3468	----	----	10	----	4 + 4
4815	----	----	----/58.10A	76.80B/58.10A	----	61.70 - 28.40	.4457	----	----	----	----	10 UNCH
4815	34.90	34.90	79.40B/*34.90	79.40B/*34.90	----	47.40 NEW	.6530	----	----	9	----	3 + 3
4820	100.00	100.00	112.00B/*79.40A	112.00B/*79.40A	----	91.90 NEW	.5651	----	----	1	----	1 + 1
4820	----	----	82.90B/*37.30A	82.90B/*37.30A	----	50.50 + 0.30	.6803	----	----	4	----	4 + 2
4820	25.10	25.10	31.00/*12.80A	37.20B/*12.80A	----	17.90 - 30.30	.3196	----	----	34	----	38 + 25
4825	28.00	28.00	32.80/*11.60A	34.90B/*11.60A	----	16.20 - 29.50	.2935	----	----	64	----	54 + 36
4830	21.30	21.30	31.10/*10.40A	32.80B/*10.40A	----	14.60 - 28.70	.2683	----	----	28	----	34 + 23
4830	----	----	90.30B/*42.40A	90.30B/*42.40A	----	57.20 + 1.90	.7315	----	----	----	----	3 UNCH
4835	18.90	18.90	19.00/*9.40A	30.70B/*9.40A	----	13.20 NEW	.2449	----	----	39	----	37 + 37
4840	----	----	----/*48.60A	64.30B/*48.60A	----	50.80 - 26.80	.3902	----	----	----	----	20 UNCH
4840	19.50	19.50	20.10/*8.40A	28.80B/*8.40A	----	11.90 - 26.90	.2225	----	----	21	----	29 + 16
4840	----	----	98.00B/*48.30A	98.00B/*48.30A	----	64.50 + 3.70	.7773	----	----	1	----	2 UNCH
4845	52.00	52.00	52.00/*46.30A	61.80B/*46.30A	----	48.80 - 26.50	.3793	----	----	1	----	80 UNCH
4845	----	----	----/*7.60A	27.00B/*7.60A	----	10.60 - 26.10	.2004	----	----	2	----	13 + 1
4850	----	----	----/*44.80A	60.10B/44.80A	----	46.70 - 26.30	.3681	----	----	5	----	9 UNCH
4850	17.00	17.00	22.00/*6.90A	25.20B/*6.90A	----	9.50 - 25.10	.1806	----	----	157	----	115 - 60
4850	----	----	106.00B/*54.80A	106.00B/*54.80A	----	72.10 + 5.50	.8192	----	----	----	----	8 UNCH
4855	----	----	----/*6.20A	23.50B/*6.20A	----	8.60 - 24.10	.1633	----	----	----	----	3 UNCH
4855	----	----	----/*43.10A	57.50B/*43.10A	----	44.90 - 25.90	.3575	----	----	----	----	7 UNCH
4855	----	----	110.20B/*57.90A	110.20B/*57.90A	----	76.20 + 6.50	.8366	----	----	----	----	1 UNCH
4860	8.70	8.70	9.10/*5.50	21.90B/*5.50	----	7.70 - 23.10	.1463	----	----	7	----	32 + 2
4865	----	----	----/*5.10A	20.50B/*5.10A	----	6.90 - 22.10	.1309	----	----	5	----	6 + 5
4870	14.80	14.80	14.80/*4.70A	19.10B/*4.70A	----	6.10 - 21.20	.1159	----	----	10	----	14 + 6
4875	10.50	10.50	10.50/*3.50	17.80B/*3.50	----	5.50 - 20.20	.1037	----	----	29	----	68 + 23
4880	----	----	----/35.10A	47.50B/35.10A	----	36.30 - 24.10	.3053	----	----	----	----	9 UNCH
4880	13.20	13.20	13.20/*4.00A	16.50B/*4.00A	----	4.80 - 19.40	.0905	----	----	12	----	22 + 6
4880	94.90	94.90	131.70B/*75.60A	131.70B/75.60A	----	97.40 NEW	.9093	----	----	1	----	1 + 1
4885	----	----	136.10B/79.50A	136.10B/79.50A	----	101.90 + 12.20	.9195	----	----	----	----	1 UNCH
4885	9.80	9.80	9.80/*3.50A	15.30B/*3.50A	----	4.30 - 18.50	.0804	----	----	10	----	42 + 8

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2										
APR26												
4890	4.90	4.90	4.90/*3.40A	14.30B/*3.40A	----	3.90 - 17.50	.0719	----	----	4	----	5 + 1
4890	----	----	140.60B/83.40A	140.60B/83.40A	----	106.50 + 13.10	.9279	----	----	----	----	2 UNCH
4895	----	----	----/*31.50A	42.40B/*31.50A	----	31.80 - 22.90	.2757	----	----	----	----	27 UNCH
4895	----	----	----/*3.10A	13.30B/*3.10A	----	3.50 - 16.60	.0638	----	----	1	----	12 + 1
4900	37.00	37.00	40.80B/*30.10A	40.80B/*30.10A	----	30.40 - 22.50	.2662	----	----	9	----	21 + 7
4900	8.00	8.00	8.60/*2.80A	12.30B/*2.80A	----	3.10 - 15.80	.0559	----	----	25	----	131 - 2
4900	----	----	149.80B/91.70A	149.80B/91.70A	----	115.70 + 14.90	.9439	----	----	3	----	5 + 3
4905	----	----	----/*2.60A	11.40B/*2.60A	----	2.80 - 14.90	.0497	----	----	1	----	5 + 1
4905	----	----	154.40B/95.80A	154.40B/95.80A	----	120.40 + 15.70	.9501	----	----	----	----	1 UNCH
4910	4.80	4.80	4.80/*2.40A	10.60B/*2.40A	----	2.60 - 14.00	.0452	----	----	4	----	10 + 4
4915	----	----	----/*26.60A	35.50B/*26.60A	----	26.50 - 21.20	.2387	----	----	----	----	1 UNCH
4915	3.20	3.20	3.20/*2.20A	9.90B/*2.20A	----	2.30 - 13.30	.0395	----	----	3	----	7 + 3
4920	5.20	5.20	5.20/*2.10A	9.20B/*2.10A	----	2.10 - 12.50	.0354	----	----	4	----	17 + 1
4920	----	----	----/*25.50A	34.20B/*25.50A	----	25.30 - 20.80	.2299	----	----	----	----	27 UNCH
4925	130.60	130.60	173.00B/113.40A	173.00B/113.40A	----	139.50 NEW	.9684	----	----	2	----	1 + 1
4925	5.10	5.10	5.40/*1.90A	8.50B/*1.90A	----	1.90 - 11.80	.0314	----	----	22	----	20 + 17
4930	3.90	3.90	4.50/*1.70	7.90B/*1.70	----	1.70 - 11.10	.0276	----	----	9	----	27 + 7
4935	5.70	5.70	5.70/*1.70A	7.40B/*1.70A	----	1.60 - 10.40	.0254	----	----	11	----	12 + 11
4940	----	----	187.30B/127.00A	187.30B/127.00A	----	154.10 + 20.90	.9766	----	----	----	----	0 UNCH
4940	----	----	----/*1.50A	6.80B/*1.50A	----	1.50 - 9.70	.0233	----	----	----	----	26 UNCH
4945	2.70	2.70	2.70/*1.30	6.40B/*1.30	----	1.30 NEW	.0199	----	----	2	----	2 + 2
4950	----	----	----/*19.50A	26.80B/*19.50A	----	19.10 NEW	.1820	----	----	1	----	1 + 1
4950	4.40	4.40	4.40/*1.00	5.80B/*1.00	----	1.20 - 8.60	.0179	----	----	11	----	61 + 1
4955	1.20	1.20	1.20/*1.20	5.40B/*1.20	----	1.10 - 8.10	.0161	----	----	2	----	10 + 2
4960	2.30	2.30	2.30/*1.10A	5.00B/*1.10A	----	1.00 - 7.60	.0143	----	----	6	----	30 UNCH
4965	----	----	----/*1.00A	4.70B/*1.00A	----	1.00 - 7.10	.0139	----	----	----	----	2 UNCH
4970	----	----	----/*0.90A	4.30B/*0.90A	----	0.90 - 6.70	.0123	----	----	1	----	4 + 1
4975	2.40	2.40	2.40/*0.80	4.00B/*0.80	----	0.80 - 6.30	.0107	----	----	5	----	18 + 1
4975	----	----	----/*15.40A	21.40B/*15.40A	----	15.10 - 16.00	.1484	----	----	----	----	4 UNCH
4975	----	----	221.20B/160.20A	221.20B/160.20A	----	188.40 + 24.40	.9892	----	----	1	----	2 + 1
4980	0.70	0.70	0.70/*0.70	3.80B/*0.70	----	0.80 - 5.80	.0104	----	----	1	----	2 + 1
4985	----	----	----/*0.70A	3.50B/*0.70A	----	0.70 - 5.50	.0089	----	----	----	----	3 UNCH
4990	2.30	2.30	2.30/*0.70A	3.30B/*0.70A	----	0.70 - 5.10	.0087	----	----	8	----	16 UNCH
4990	----	----	235.80B/174.40A	235.80B/174.40A	----	203.30 + 25.50	.9912	----	----	----	----	1 UNCH
4995	----	----	241.40B/----	241.40B/207.60A	----	220.00 NEW	.8737	----	----	3	----	3 + 3
4995	1.40	1.40	1.40/*0.50A	3.00B/*0.50A	----	0.60 NEW	.0073	----	----	1	----	1 + 1
5000	----	----	246.10B/----	246.10B/211.80A	----	224.40 NEW	.8791	----	----	2	----	2 + 2
5000	----	----	----/*12.40A	17.10B/*12.40A	----	12.00 - 13.90	.1206	----	----	10	----	380 - 1
5000	0.90	0.90	0.90/*0.50	2.30B/*0.50	----	0.60 - 4.50	.0072	----	----	20	----	33 + 2
5005	----	----	----/*0.60A	2.60B/*0.60A	----	0.60 - 4.20	.0070	----	----	----	----	4 UNCH
5010	1.90	1.90	1.90/*0.60A	2.40B/*0.60A	----	0.50 - 4.00	.0057	----	----	6	----	22 - 2
5015	1.40	1.40	1.40/*0.50A	2.30B/*0.50A	----	0.50 - 3.70	.0056	----	----	4	----	6 + 4
5020	----	----	----	#263.40B/*228.90A	----	242.40 NEW	.8985	----	----	2	----	2 + 2
5020	----	----	----/*0.40A	2.10B/*0.40A	----	0.50 - 3.40	.0055	----	----	----	----	1 UNCH
5025	----	----	268.40B/----	268.40B/233.30A	----	247.00 NEW	.9018	----	----	2	----	2 + 2
5025	1.90	1.90	1.90/*0.50A	2.00B/*0.50A	----	0.40 - 3.30	.0043	----	----	3	----	7 - 1
5035	----	----	----/*0.50A	1.80B/*0.50A	----	0.40 - 2.80	.0041	----	----	----	----	2 UNCH
5040	----	----	----/*0.40A	1.70B/*0.40A	----	0.40 - 2.60	.0040	----	----	----	----	3 UNCH
5050	----	----	290.90B/----	290.90B/255.40A	----	270.10 NEW	.9203	----	----	1	----	1 + 1
5050	11.00	11.00	11.00/*7.70A	11.00/*7.70A	----	7.70 - 10.00	.0794	----	----	50	----	90 + 50
5050	1.50	1.50	1.60B/*0.40A	1.60B/*0.40A	----	0.30 - 2.40	.0029	----	----	1	----	4 + 1
5055	1.40	1.40	1.40/*0.50A	1.50B/*0.50A	----	0.30 - 2.20	.0028	----	----	4	----	6 + 3
5060	----	----	----/*0.50A	1.40B/*0.50A	----	0.30 - 2.10	.0027	----	----	----	----	2 UNCH
5070	----	----	----/*0.40A	1.40B/*0.40A	----	0.20 - 1.90	.0017	----	----	1	----	5 + 1
5075	----	----	----/*0.40A	1.30B/*0.40A	----	0.20 - 1.70	.0017	----	----	----	----	1 UNCH
5080	----	----	----/*0.40A	1.20B/*0.40A	----	0.20 - 1.60	.0017	----	----	1	----	3 + 1
5090	1.50	1.50	1.50/*0.40A	1.50/*0.40A	----	0.20 NEW	.0016	----	----	1	----	1 + 1
5100	7.50	7.50	7.50/*5.70A	7.50/*5.70A	----	5.40 - 6.70	.0550	----	----	1	----	6 + 1
5100	335.00	335.00	335.00/301.90A	335.00/301.90A	----	317.80 NEW	.9447	----	----	2	----	2 + 2
5100	0.60	0.60	0.60/*0.30A	1.00B/*0.30A	----	0.20 - 1.30	.0015	----	----	3	----	14 + 1
5105	0.40	0.40	0.40/*0.30A	1.00B/*0.30A	----	0.20 NEW	.0015	----	----	1	----	1 + 1
5150	----	----	----/*3.80A	3.50B/*3.80A	----	4.00 - 4.30	.0397	----	----	4	----	4 UNCH
5150	0.20	0.20	0.20/*0.20	0.50B/*0.20	----	0.20 - 0.70	.0013	----	----	3	----	8 + 2
5180	----	----	404.80B/----	404.80B/364.10A	----	392.70 + 30.10	.9988	----	----	----	----	1 UNCH
5200	1.80	1.80	1.80/*1.80	2.70B/*1.80	----	3.00 - 2.70	.0289	----	----	1	----	5 + 1
5200	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.40	.0012	----	----	4	----	17 + 1
5220	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.30	.0011	----	----	----	----	2 UNCH
5225	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.30	.0011	----	----	----	----	2 UNCH
5235	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.20	.0011	----	----	2	----	1 - 1
5250	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	.0005	----	----	----	----	12 UNCH
5350	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	3 UNCH
5400	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
TOTAL										2806	119	7184 + 1839
MAY26												
4200	----	----	11.80B/----	11.80B/*11.40A	----	8.90 - 1.40	.0485	----	----	----	----	1 UNCH
4250	----	----	14.30B/*12.60A	14.30B/*12.60A	----	11.40 - 1.60	.0615	----	----	----	----	2 UNCH
4300	23.50	23.50	24.40B/*21.70A	24.40B/*21.70A	----	21.20 - 1.60	.0989	----	----	2	----	8 + 2
4300	----	----	18.00B/*15.40A	18.00B/*15.40A	----	14.70 - 1.60	.0780	----	----	----	----	18 UNCH
4350	----	----	30.20B/*26.20A	30.20B/*26.20A	----	26.20 - 1.60	.1201	----	----	1	----	16 + 1
4350	----	----	22.40B/*19.20A	22.40B/*19.20A	----	18.70 - 1.70	.0977	----	----	----	----	2 UNCH
4370	----	----	24.80B/*20.80A	24.80B/*20.80A	----	20.50 - 1.70	.1065	----	----	----	----	1 UNCH
4375	----	----	25.00B/*21.00A	25.00B/*21.00A	----	21.00 - 1.70	.1089	----	----	----	----	1 UNCH
4400	33.40	33.40	37.60B/*31.80A	37.60B/*31.80A	----	32.30 - 1.50	.1451	----	----	8	----	5 + 4
4400	----	----	28.60B/*23.70A	28.60B/*23.70A	----	23.60 - 1.80	.1213	----	----	1	----	2 + 1
4450	----	----	46.20B/*38.70A	46.20B/*38.70A	----	39.90 - 1.30	.1747	----	----	----	----	1 UNCH
4475	----	----	51.20B/*42.60A	51.20B/*42.60A	----	44.30 - 1.00	.1912	----	----	4	----	11 + 1
4475	----	----	40.10B/*32.40A	40.10B/*32.40A	----	33.40 - 1.60	.1660	----	----	----	----	1 UNCH
4485	----	----	52.40B/*44.30A	52.40B/*44.30A	----	46.10 - 1.00	.1980	----	----	----	----	10 UNCH
4500	46.30	46.30	56.60B/*46.30	56.60B/*46.30	----	49.00 NEW	.2086	----	----	2	----	1 + 1
4500	----	----	44.90B/*36.10A	44.90B/*36.10A	----	37.40 - 1.50	.1836	----	----	----	----	2 UNCH
4505	----	----	56.80B/*47.90A	56.80B/*47.90A	----	50.00 NEW	.2123	----	----	1	----	1 + 1
4505	----	----	45.40B/*36.90A	45.40B/*36.90A	----	38.30 - 1.40	.1874	----	----	----	----	1 UNCH
4540	----	----	65.60B/*54.90A	65.60B/*54.90A	----	57.40 NEW	.2388	----	----	1	----	1 + 1
4555	----	----	69.50B/*58.20A	69.50B/*58.20A	----	60.80 NEW	.2508	----	----	1	----	1 + 1
4580	----	----	62.90B/*50.90A	62.90B/*50.90A	----	53.40 - 0.80	.2499	----	----	----	----	2 UNCH
4600	----	----	83.70B/*69.20A	83.70B/*69.20A	----	72.20 - 0.20	.2895	----	----	----	----	1 UNCH
4600	----	----	69.40B/*55.50A	69.40B/*55.50A	----	58.20 - 0.60	.2687	----	----	----	----	4 UNCH
4610	----	----	86.10B/*71.80A	86.10B/*71.80A	----	75.00 - 0.10	.2986	----	----	----	----	2 UNCH
4620	----	----	89.40B/*74.60A	89.40B/*74.60A	----	77.80 UNCH	.3078	----	----	----	----	2 UNCH
4650	----	----	----/206.60A	225.50B/206.60A	----	209.20 - 30.50	.6790	----	----	----	----	1 UNCH
4690	----	----	----/180.20A	197.40B/180.20A	----	182.40 - 29.80	.6337	----	----	----	----	3 UNCH
4695	100.00	100.00	118.40B/*98.00A	118.40B/*98.00A	----	102.20 + 0.50	.3825	----	----	1	----	2 + 1
4700	----	----	121.60B/*99.80A	121.60B/*99.80A	----	104.10 + 0.60	.3879	----	----	----	----	7 UNCH
4700	----	----	----/173.60A	190.70B/173.60A	----	176.00 - 29.60	.6219	----	----	----	----	1 UNCH
4700	----	----	105.00B/*84.40A	105.00B/*84.40A	----	88.80 + 0.90	.3774	----	----	----	----	1 UNCH
4705	----	----	----/170.80A	187.00B/170.80A	----	172.80 - 29.60	.6160	----	----	----	----	1 UNCH
4705	----	----	106.80B/*86.20A	106.80B/*86.20A	----	90.60 + 1.00	.3834	----	----	----	----	11 UNCH
4720	----	----	----/162.10A	177.60B/162.10A	----	163.60 - 29.20	.5978	----	----	----	----	1 UNCH
4730	----	----	133.60B/*110.50	133.60B/*110.50A	----	115.80 + 0.90	.4204	----	----	----	----	20 UNCH
4770	----	----	147.40B/*127.50	147.40B/*127.50A	----	133.20 NEW	.4652	----	----	1	----	1 + 1
4780	----	----	152.40B/*132.20	152.40B/*132.20A	----	137.90 NEW	.4766	----	----	1	----	1 + 1
4800	135.50	135.50	135.50/*134.40A	147.30B/134.40A	----	135.10 - 28.10	.4997	----	----	1	----	2 + 1
4800	----	----	----/116.30A	130.20B/116.30A	----	119.20 - 27.40	.4962	----	----	----	----	1 UNCH
4815	----	----	----/*128.20A	139.50B/128.20A	----	127.90 NEW	.4825	----	----	1	----	1 + 1
4820	----	----	----/*125.90A	137.10B/125.90A	----	125.50 NEW	.4767	----	----	1	----	1 + 1
4880	----	----	----/*100.90A	109.40B/100.90A	----	99.90 - 24.90	.4090	----	----	----	----	1 UNCH
4900	----	----	220.40B/194.00A	220.40B/194.00A	----	204.60 + 6.50	.6122	----	----	----	----	1 UNCH
4900	----	----	----/*93.80A	101.10B/93.80A	----	92.30 - 24.10	.3870	----	----	----	----	11 UNCH
4900	----	----	----/75.50A	83.90B/75.50A	----	76.50 - 23.60	.3683	----	----	----	----	21 UNCH
4905	----	----	----/74.30A	81.80B/74.30A	----	74.70 - 23.40	.3621	----	----	----	----	2 UNCH
4950	61.30	61.30	61.30/*60.00A	66.00B/*60.00A	----	60.30 - 21.10	.3093	----	----	30	----	30 + 29
4975	----	----	----/*53.50A	57.90B/*53.50A	----	53.30 - 19.80	.2816	----	----	----	----	1 UNCH
5000	----	----	----/*63.50A	66.50B/*63.50A	----	61.30 - 19.00	.2856	----	----	1	----	2 + 1
5000	----	----	279.50B/246.10A	279.50B/246.10A	----	259.30 + 12.20	.7437	----	----	----	----	1 UNCH
5000	----	----	----/*48.30A	50.90B/*48.30A	----	47.10 - 18.40	.2557	----	----	----	----	3 UNCH
5005	----	----	----/*46.60A	49.90B/*46.60A	----	45.90 - 18.20	.2506	----	----	2	----	3 + 1
5025	----	----	----/*57.30A	59.30B/*57.30A	----	55.20 NEW	.2631	----	----	1	----	1 + 1
5075	----	----	----/*46.80A	47.40B/*46.80A	----	44.20 - 15.30	.2208	----	----	----	----	1 UNCH
5100	----	----	----/*41.80A	42.20B/*41.80A	----	39.30 NEW	.2011	----	----	1	----	1 + 1
5100	----	----	----/*29.00A	30.00B/*29.00A	----	28.10 - 13.10	.1679	----	----	----	----	2 UNCH
5125	----	----	----/*37.60A	37.60B/*37.60A	----	34.90 NEW	.1827	----	----	1	----	1 + 1
5175	----	----	----/*19.60A	19.60B/*19.60A	----	18.70 - 9.60	.1186	----	----	----	----	2 UNCH
5200	----	----	----/*17.40A	17.10B/*17.40A	----	16.00 - 8.70	.1040	----	----	1	----	0 - 1
TOTAL										64		236 + 52

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 48

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK3										
APR26												
4250	----	----	----	----	----	2.20 - 0.80	.0147	----	----	----	----	1 UNCH
4600	----	----	----	----	----	0.00 - 1.40	----	----	----	----	----	0 - 2
4700	----	----	----	----	----	0.00 - 4.90	----	----	----	----	----	0 - 1
4915	----	----	----	----	----	21.10 - 20.30	.2102	----	----	----	----	3 UNCH
TOTAL												4 - 3

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week3										
APR26												
5000	----	----	----	----/0.136A	----	0.004 - 0.005	.0005	----	----	----	----	1 UNCH
5000	----	----	----	0.001B/*0.159A	----	0.091 + 0.002	.0125	----	----	----	----	1 UNCH
6100	----	----	----	0.178B/*0.324A	----	0.245 + 0.007	.0447	----	----	----	----	1 UNCH
6500	----	----	----	0.115B/*0.233A	----	0.124 - 0.060	.0301	----	----	----	----	1 UNCH
6500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6550	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6600	0.275	0.275	0.275/*0.262A	0.275/*0.262A	----	0.156 NEW	.0390	----	----	1	----	1 + 1
6650	----	----	----	0.157B/*0.292A	----	0.175 - 0.074	.0444	----	----	----	----	2 UNCH
6800	----	----	----	----	----	8.438 UNCH	----	----	----	----	----	0 UNCH
6800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6800	----	----	----	0.309B/*0.373A	----	0.255 - 0.091	.0667	----	----	----	----	2 UNCH
6850	----	----	0.897B/----	0.897B/*0.947A	----	0.813 - 0.034	.1532	----	----	----	----	25 UNCH
6900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7000	----	----	----	----/21.357A	----	7.534 - 0.014	.8038	----	----	----	----	1 UNCH
7000	0.435	0.435	0.573B/*0.435	0.573B/*0.435	----	0.431 NEW	.1147	----	----	1	----	1 + 1
7180	----	----	0.929B/*0.810A	0.929B/*0.810A	----	0.701 - 0.150	.1836	----	----	----	----	3 UNCH
7200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7250	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	3.438 UNCH	----	----	----	----	----	0 UNCH
7325	----	----	1.369B/*1.124A	1.369B/*1.124A	----	1.019 - 0.187	.2591	----	----	----	----	10 UNCH
7330	----	----	1.386B/*1.137A	1.386B/*1.137A	----	1.030 - 0.190	.2619	----	----	----	----	10 UNCH
7350	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	2.438 UNCH	----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	1.938 UNCH	----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7455	----	----	----	----	----	1.888 UNCH	----	----	----	----	----	0 UNCH
7475	----	----	----	----	----	1.688 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	2.102B/*1.622A	2.102B/*1.622A	----	1.478 - 0.309	.3702	----	----	----	----	30 UNCH
7500	----	----	----/2.468A	2.622B/2.468A	----	2.958 - 0.266	.6297	----	----	----	----	1 UNCH
7500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	1.438 UNCH	----	----	----	----	----	0 UNCH
7510	----	----	----	----	----	1.338 UNCH	----	----	----	----	----	0 UNCH
7520	----	----	----	----	----	1.238 UNCH	----	----	----	----	----	0 UNCH
7525	----	----	----	----	----	1.188 UNCH	----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.938 UNCH	----	----	----	----	----	0 UNCH
7575	----	----	----	----	----	0.688 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----/1.984A	2.047B/1.984A	----	2.320 - 0.325	.5522	----	----	----	----	2 UNCH
7600	----	----	----	----	----	0.438 UNCH	----	----	----	----	----	0 UNCH
7625	----	----	----	----	----	0.188 UNCH	----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	0.062 UNCH	----	----	----	----	----	0 UNCH
7725	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7825	1.265	1.265	1.469B/1.165A	1.469B/1.165A	----	1.238 NEW	.3626	----	----	21	----	21 + 21
8000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8100	0.560	0.560	0.560/*0.550A	0.560/*0.550A	----	0.537 NEW	.1791	----	----	1	----	1 + 1
8250	----	----	----	----/21.907A	----	6.366 - 0.255	.8818	----	----	----	----	4 UNCH
8275	----	----	----	----/22.286A	----	6.593 - 0.243	.8896	----	----	----	----	4 UNCH
8800	----	----	----	----/28.748A	----	11.623 - 0.073	.9674	----	----	----	----	1 UNCH
TOTAL										24	0	123 + 24
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK2										
APR26												
6000	----	----	----	----/0.137A	----	0.001 - 0.008	.0000	----	----	----	----	1 UNCH
6300	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.003 NEW	.0004	----	----	1	----	1 + 1
6500	0.273	0.273	0.273/*0.273	0.273/*0.273	----	0.282 NEW	.0611	----	----	1	----	1 + 1
6500	----	----	----	0.001B/*0.101A	----	0.005 - 0.029	.0009	----	----	----	----	1 UNCH
6600	----	----	----	0.001B/*0.102A	----	0.007 - 0.036	.0014	----	----	----	----	1 UNCH
6625	----	----	----	0.001B/*0.102A	----	0.008 - 0.038	.0017	----	----	----	----	6 UNCH
6700	----	----	----	0.001B/*0.105A	----	0.010 - 0.047	.0024	----	----	----	----	1 UNCH
6750	----	----	----	0.005B/*0.110A	----	0.013 - 0.053	.0033	----	----	----	----	1 UNCH
6800	0.130	0.130	0.130/*0.070	0.130/*0.070	----	0.016 NEW	.0044	----	----	12	----	10 + 10
6900	----	----	----	0.037B/*0.136A	----	0.025 - 0.081	.0078	----	----	----	----	2 UNCH
6975	----	----	----	0.049B/*0.147A	----	0.036 - 0.102	.0123	----	----	----	----	11 UNCH
7000	0.100	0.100	0.100/*0.081	0.141B/*0.081	----	0.041 - 0.109	.0145	----	----	12	----	12 + 11
7000	1.128	1.128	1.128/0.806A	1.128/0.806A	----	0.698 - 0.087	.1580	----	----	2	----	1 - 1
7050	----	----	----	----	----	6.032 - 0.084	.9801	----	----	----	----	1 UNCH
7100	----	----	----/*0.172A	0.166B/*0.172A	----	0.070 - 0.146	.0276	----	----	----	----	1 UNCH
7175	----	----	----/*0.228A	0.232B/*0.228A	----	0.105 - 0.182	.0445	----	----	----	----	2 UNCH
7200	0.400	0.400	0.400/*0.175A	0.400/*0.175A	----	0.121 NEW	.0522	----	----	1	----	1 + 1
7200	----	----	----	3.627B/5.267A	----	4.600 - 0.153	.9477	----	----	----	----	1 UNCH
7205	----	----	----/*0.223A	0.280B/*0.223A	----	0.125 - 0.197	.0541	----	----	----	----	1 UNCH
7250	----	----	----/*0.257A	0.318B/*0.257A	----	0.160 - 0.223	.0715	----	----	----	----	2 UNCH
7300	0.666	0.666	0.666/*0.287A	0.666/*0.287A	----	0.212 - 0.252	.0971	----	----	3	----	18 + 1
7300	----	----	----	----/16.903A	----	4.785 - 0.109	.7198	----	----	----	----	2 UNCH
7300	----	----	----	----	----	3.691 - 0.210	.9028	----	----	----	----	4 UNCH
7400	0.410	0.410	0.803B/*0.410	0.803B/*0.410	----	0.361 NEW	.1701	----	----	2	----	2 + 2
7400	----	----	----	0.282B/4.386A	----	2.840 - 0.266	.8298	----	----	----	----	1 UNCH
7450	0.500	0.500	0.953B/*0.470	0.953B/*0.470	----	0.464 NEW	.2191	----	----	9	----	6 + 6
7500	1.000	1.000	1.195B/*0.505	1.195B/*0.505	----	0.592 - 0.356	.2773	----	----	45	----	41 + 40
7500	----	----	----/2.914A	3.031B/2.914A	----	3.444 - 0.149	.6087	----	----	----	----	2 UNCH
7500	----	----	----/1.533A	1.339B/1.533A	----	2.072 - 0.313	.7226	----	----	----	----	4 UNCH
7600	1.150	1.150	1.150/1.054A	1.182B/1.054A	----	1.415 - 0.341	.5820	----	----	3	----	6 + 3
7600	1.000	1.000	#1.346B/*0.939A	1.346B/*0.939A	----	0.935 NEW	.4179	----	----	4	----	4 + 4
7625	1.040	1.040	#1.505B/*1.007A	1.505B/*1.007A	----	1.041 NEW	.4568	----	----	1	----	1 + 1
7650	1.015	1.015	#1.015/*1.015	1.461B/*1.015	----	1.157 NEW	.4967	----	----	2	----	2 + 2
7650	1.100	1.100	1.364/0.857	1.364/0.857	----	1.137 NEW	.5032	----	----	6	----	2 + 2
7700	0.880	0.880	0.880/0.708A	0.880/0.708A	----	0.894 - 0.340	.4227	----	----	2	----	1 - 1
7700	1.000	1.000	#1.140/*1.000	1.553B/*1.000	----	1.414 NEW	.5772	----	----	2	----	2 + 2
7725	0.580	0.580	0.580/0.580	0.751B/0.580	----	0.787 NEW	.3829	----	----	1	----	1 + 1
7750	0.675	0.675	0.802B/*0.550	0.802B/*0.550	----	0.688 - 0.327	.3439	----	----	11	----	21 + 11
7800	0.602	0.602	0.700/0.407	0.700/0.407	----	0.518 - 0.307	.2706	----	----	41	----	30 + 28
7800	----	----	----/1.642A	1.845B/1.642A	----	1.892 - 0.179	.4182	----	----	----	----	0 UNCH
7825	0.580	0.580	0.580/0.452A	0.580/0.452A	----	0.446 NEW	.2370	----	----	1	----	1 + 1
7875	0.500	0.500	0.500/*0.358A	0.500/*0.358A	----	0.325 NEW	.1770	----	----	1	----	1 + 1
8000	0.150	0.150	0.150/*0.150	0.150/*0.150	----	0.136 - 0.190	.0740	----	----	1	----	5 + 1
8025	----	----	----/*0.215A	0.112B/*0.215A	----	0.116 - 0.176	.0621	----	----	----	----	1 UNCH
8100	0.120	0.120	0.120/*0.120	0.120/*0.120	----	0.071 - 0.139	.0358	----	----	1	----	0 - 1
8300	0.029	0.029	0.038B/*0.029	0.038B/*0.029	----	0.020 - 0.070	.0079	----	----	1	----	2 + 1
8500	----	----	----	0.001B/*0.101A	----	0.006 - 0.036	.0018	----	----	----	----	2 UNCH
TOTAL										166	0	220 + 128
MAY26												
6600	----	----	1.030B/----	1.030B/*1.072A	----	0.958 - 0.024	.1395	----	----	----	----	1 UNCH
7625	----	----	4.943B/*4.609A	4.943B/*4.609A	----	4.468 - 0.156	.4424	----	----	----	----	1 UNCH
TOTAL											0	2 0
SO CALL		COMEX SILVER OPTIONS										
MAY26												
3750	----	----	39.228B/38.506A	39.228B/38.506A	----	38.984 + 0.041	.9969	----	----	----	----	1 UNCH
3875	----	----	----/37.152A	37.254B/37.152A	----	37.738 + 0.041	.9962	----	----	----	----	50 UNCH
3900	----	----	37.729B/37.007A	37.729B/37.007A	----	37.489 + 0.041	.9960	----	----	----	----	1 UNCH
4000	----	----	----/35.904A	36.006B/35.904A	----	36.493 + 0.040	.9953	----	----	----	----	53 UNCH
4100	----	----	----/34.906A	35.008B/34.906A	----	35.497 + 0.042	.9948	----	----	----	----	50 UNCH
4200	----	----	----/33.908A	34.010B/33.908A	----	34.500 + 0.043	.9943	----	----	----	----	116 UNCH
4400	----	----	----/31.945A	31.938B/31.945A	----	32.507 + 0.045	.9931	----	----	----	----	43 UNCH
4450	----	----	32.238B/31.522A	32.238B/31.522A	----	32.009 + 0.045	.9928	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
4500	----	----	----/30.919A	31.019B/30.919A	----	31.510 + 0.045	.9925	----	----	----	----	120 UNCH
4550	----	----	31.241B/30.526A	31.241B/30.526A	----	31.011 + 0.044	.9923	----	----	----	----	1 UNCH
4600	----	----	----/29.954A	29.950B/29.954A	----	30.512 + 0.043	.9921	----	----	----	----	43 UNCH
4650	----	----	----/29.426A	29.526B/29.426A	----	30.013 + 0.042	.9918	----	----	----	----	77 UNCH
4675	----	----	----/29.275A	29.177B/29.275A	----	29.763 + 0.041	.9918	----	----	----	----	15 UNCH
4700	----	----	29.747B/29.034A	29.747B/29.034A	----	29.514 + 0.040	.9916	----	----	----	----	2 UNCH
4725	----	----	29.498B/28.786A	29.498B/28.786A	----	29.264 + 0.039	.9915	----	----	----	----	2 UNCH
4750	----	----	----/28.529A	28.431B/28.529A	----	29.015 + 0.039	.9914	----	----	----	----	7 UNCH
4800	----	----	----/28.033A	27.941B/28.033A	----	28.516 + 0.037	.9911	----	----	----	----	7 UNCH
4825	----	----	----/27.785A	27.686B/27.785A	----	28.267 + 0.037	.9909	----	----	----	----	22 UNCH
4850	----	----	----/27.540A	27.444B/27.540A	----	28.017 + 0.035	.9907	----	----	----	----	10 UNCH
4900	----	----	----/27.041A	26.948B/27.041A	----	27.519 + 0.034	.9904	----	----	----	----	14 UNCH
4925	----	----	----/26.793A	26.699B/26.793A	----	27.270 + 0.033	.9902	----	----	----	----	12 UNCH
4950	----	----	27.260B/26.553A	27.260B/26.553A	----	27.021 + 0.032	.9898	----	----	----	----	4 UNCH
5000	----	----	----/25.952A	26.053B/25.952A	----	26.525 + 0.033	.9894	----	----	----	----	99 UNCH
5025	----	----	26.514B/25.810A	26.514B/25.810A	----	26.276 + 0.032	.9890	----	----	----	----	3 UNCH
5050	----	----	----/25.555A	25.459B/25.555A	----	26.028 + 0.032	.9887	----	----	----	----	6 UNCH
5075	----	----	----/25.307A	25.211B/25.307A	----	25.781 + 0.032	.9883	----	----	----	----	6 UNCH
5100	----	----	----/25.060A	24.963B/25.060A	----	25.533 + 0.032	.9878	----	----	----	----	9 UNCH
5125	----	----	25.521B/24.821A	25.521B/24.821A	----	25.286 + 0.033	.9873	----	----	----	----	1 UNCH
5150	----	----	----/24.566A	24.468B/24.566A	----	25.039 + 0.033	.9868	----	----	----	----	15 UNCH
5200	----	----	----/24.073A	23.972B/24.073A	----	24.545 + 0.034	.9858	----	----	----	----	11 UNCH
5225	----	----	24.528B/23.834A	24.528B/23.834A	----	24.299 + 0.035	.9851	----	----	----	----	1 UNCH
5250	----	----	----/23.584A	23.477B/23.584A	----	24.053 + 0.036	.9845	----	----	----	----	21 UNCH
5275	----	----	----/23.347A	23.230B/23.347A	----	23.807 + 0.036	.9838	----	----	----	----	6 UNCH
5300	----	----	23.873B/22.988A	23.873B/22.988A	----	23.561 + 0.036	.9831	----	----	----	----	126 UNCH
5325	----	----	23.580B/22.819A	23.580B/22.819A	----	23.316 + 0.037	.9823	----	----	----	----	29 UNCH
5350	----	----	23.332B/22.573A	23.332B/22.573A	----	23.071 + 0.037	.9817	----	----	----	----	25 UNCH
5400	----	----	22.884B/22.004A	22.884B/22.004A	----	22.581 + 0.038	.9800	----	----	----	----	146 UNCH
5425	----	----	22.545B/21.872A	22.545B/21.872A	----	22.336 + 0.038	.9791	----	----	----	----	12 UNCH
5450	----	----	22.391B/21.513A	22.391B/21.513A	----	22.092 + 0.038	.9782	----	----	----	----	50 UNCH
5475	----	----	22.053B/21.397A	22.053B/21.397A	----	21.847 + 0.038	.9774	----	----	----	----	2 UNCH
5500	----	----	21.897B/21.022A	21.897B/21.022A	----	21.603 + 0.039	.9764	----	----	----	----	185 UNCH
5525	----	----	21.604B/20.854A	21.604B/20.854A	----	21.359 + 0.039	.9754	----	----	----	----	35 UNCH
5550	----	----	21.311B/20.632A	21.311B/20.632A	----	21.114 + 0.039	.9745	----	----	----	----	8 UNCH
5600	----	----	20.912B/20.042A	20.912B/20.042A	----	20.626 + 0.040	.9725	----	----	----	----	110 UNCH
5625	----	----	20.574B/19.920A	20.574B/19.920A	----	20.382 + 0.041	.9714	----	----	----	----	8 UNCH
5650	----	----	20.374B/19.632A	20.374B/19.632A	----	20.139 + 0.043	.9704	----	----	----	----	31 UNCH
5675	----	----	20.084B/19.432A	20.084B/19.432A	----	19.895 + 0.043	.9693	----	----	----	----	6 UNCH
5700	----	----	19.839B/19.188A	19.839B/19.188A	----	19.652 + 0.045	.9681	----	----	----	----	9 UNCH
5750	----	----	19.349B/18.667A	19.349B/18.667A	----	19.165 + 0.047	.9658	----	----	----	----	16 UNCH
5775	----	----	19.105B/18.469A	19.105B/18.469A	----	18.922 + 0.049	.9646	----	----	----	----	1 UNCH
5800	----	----	18.859B/18.225A	18.859B/18.225A	----	18.679 + 0.050	.9634	----	----	----	----	1 UNCH
5825	----	----	18.615B/17.953A	18.615B/17.953A	----	18.436 + 0.051	.9621	----	----	----	----	11 UNCH
5850	----	----	18.371B/17.742A	18.371B/17.742A	----	18.194 + 0.053	.9606	----	----	----	----	2 UNCH
5900	----	----	17.979B/17.128A	17.979B/17.128A	----	17.709 + 0.056	.9579	----	----	----	----	124 UNCH
5925	----	----	17.641B/16.997A	17.641B/16.997A	----	17.468 + 0.058	.9564	----	----	----	----	1 UNCH
5950	----	----	17.398B/16.762A	17.398B/16.762A	----	17.226 + 0.059	.9549	----	----	----	----	16 UNCH
6000	----	----	17.009B/16.146A	17.009B/16.146A	----	16.744 + 0.062	.9516	----	----	----	----	247 UNCH
6050	----	----	16.431B/15.807A	16.431B/15.807A	----	16.263 + 0.063	.9480	----	----	----	----	2 UNCH
6075	----	----	16.286B/15.443A	16.286B/15.443A	----	16.024 + 0.065	.9462	----	----	----	----	122 UNCH
6100	----	----	15.950B/15.317A	15.950B/15.317A	----	15.784 + 0.065	.9443	----	----	----	----	9 UNCH
6125	----	----	15.710B/15.107A	15.710B/15.107A	----	15.545 + 0.065	.9422	----	----	----	----	1 UNCH
6150	----	----	15.471B/14.846A	15.471B/14.846A	----	15.307 + 0.066	.9402	----	----	----	----	3 UNCH
6175	----	----	15.232B/14.610A	15.232B/14.610A	----	15.069 + 0.066	.9380	----	----	----	----	1 UNCH
6200	----	----	15.090B/14.246A	15.090B/14.246A	----	14.832 + 0.067	.9357	----	----	----	----	59 UNCH
6225	----	----	14.853B/14.011A	14.853B/14.011A	----	14.595 + 0.067	.9333	----	----	----	----	69 UNCH
6250	----	----	14.520B/13.906A	14.520B/13.906A	----	14.358 + 0.066	.9308	----	----	----	----	3 UNCH
6275	----	----	14.283B/13.673A	14.283B/13.673A	----	14.123 + 0.066	.9282	----	----	----	----	4 UNCH
6300	----	----	14.050B/13.437A	14.050B/13.437A	----	13.888 + 0.066	.9256	----	----	----	----	24 UNCH
6325	----	----	13.812B/13.233A	13.812B/13.233A	----	13.653 + 0.064	.9227	----	----	----	----	3 UNCH
6350	----	----	13.582B/12.984A	13.582B/12.984A	----	13.419 + 0.063	.9198	----	----	----	----	7 UNCH
6375	----	----	13.391B/12.717A	13.391B/12.717A	----	13.187 + 0.063	.9169	----	----	----	----	48 UNCH
6400	----	----	13.206B/12.390A	13.206B/12.390A	----	12.954 + 0.061	.9136	----	----	----	----	62 UNCH
6425	----	----	12.879B/12.275A	12.879B/12.275A	----	12.723 + 0.060	.9104	----	----	----	----	6 UNCH
6450	----	----	12.644B/12.068A	12.644B/12.068A	----	12.492 + 0.058	.9068	----	----	----	----	4 UNCH
6475	----	----	12.417B/11.841A	12.417B/11.841A	----	12.263 + 0.057	.9033	----	----	----	----	6 UNCH
6500	----	----	12.280B/11.493A	12.280B/11.493A	----	12.034 + 0.055	.8995	----	----	----	----	174 UNCH
6525	----	----	12.002B/11.345A	12.002B/11.345A	----	11.806 + 0.052	.8957	----	----	----	----	28 UNCH
6550	----	----	11.728B/11.169A	11.728B/11.169A	----	11.580 + 0.051	.8916	----	----	----	----	8 UNCH
6575	----	----	11.498B/10.957A	11.498B/10.957A	----	11.354 + 0.048	.8874	----	----	----	----	3 UNCH
6600	----	----	11.278B/10.730A	11.278B/10.730A	----	11.130 + 0.046	.8831	----	----	----	----	9 UNCH
6625	----	----	11.055B/10.510A	11.055B/10.510A	----	10.907 + 0.043	.8785	----	----	----	----	7 UNCH
6650	----	----	10.835B/10.293A	10.835B/10.293A	----	10.685 + 0.041	.8737	----	----	----	----	6 UNCH
6675	----	----	10.598B/10.118A	10.598B/10.118A	----	10.464 + 0.037	.8688	----	----	----	----	1 UNCH
6700	----	----	10.477B/9.795A	10.477B/9.795A	----	10.245 + 0.035	.8637	----	----	----	----	172 UNCH
6750	----	----	9.958B/9.438A	9.958B/9.438A	----	9.811 + 0.029	.8528	----	----	----	----	10 UNCH
6800	----	----	9.598B/8.960A	9.598B/8.960A	----	9.384 + 0.024	.8412	----	----	----	----	56 UNCH
6825	----	----	9.384B/8.756A	9.384B/8.756A	----	9.172 + 0.020	.8350	----	----	----	----	107 UNCH
6850	----	----	9.074B/8.612A	9.074B/8.612A	----	8.963 + 0.018	.8287	----	----	----	----	1 UNCH
6875	----	----	8.864B/8.434A	8.864B/8.434A	----	8.755 + 0.014	.8221	----	----	----	----	1 UNCH
6900	----	----	8.752B/8.155A	8.752B/8.155A	----	8.549 + 0.011	.8153	----	----	----	----	195 UNCH
6925	----	----	8.493B/8.004A	8.493B/8.004A	----	8.345 + 0.008	.8083	----	----	----	----	12 UNCH
6950	----	----	8.243B/7.806A	8.243B/7.806A	----	8.143 + 0.005	.8010	----	----	----	----	5 UNCH
7000	----	----	7.935B/7.366A	7.935B/7.366A	----	7.744 - 0.002	.7860	----	----	12	----	460 - 1
7025	----	----	7.697B/7.226A	7.697B/7.226A	----	7.548 - 0.005	.7781	----	----	----	----	11 UNCH
7050	----	----	7.506B/7.036A	7.506B/7.036A	----	7.354 - 0.008	.7700	----	----	----	----	26 UNCH
7075	----	----	7.315B/6.849A	7.315B/6.849A	----	7.162 - 0.011	.7617	----	----	----	----	7 UNCH
7100	----	----	7.148B/6.608A	7.148B/6.608A	----	6.972 - 0.015	.7532	----	----	----	----	64 UNCH
7125	----	----	6.863B/6.537A	6.863B/6.537A	----	6.784 - 0.019	.7445	----	----	----	----	4 UNCH
7150	----	----	6.675B/6.370A	6.675B/6.370A	----	6.599 - 0.022	.7356	----	----	----	----	2 UNCH
7175	----	----	6.574B/6.124A	6.574B/6.124A	----	6.416 - 0.026	.7264	----	----	----	----	13 UNCH
7200	----	----	6.413B/5.920A	6.413B/5.920A	----	6.235 - 0.030	.7171	----	----	----	----	52 UNCH
7225	----	----	6.215B/5.679A	6.215B/5.679A	----	6.057 - 0.034	.7075	----	----	----	----	8 UNCH
7250	----	----	6.048B/5.513A	6.048B/5.513A	----	5.882 - 0.037	.6978	----	----	----	----	62 UNCH
7275	----	----	5.769B/5.349A	5.769B/5.349A	----	5.708 - 0.042	.6879	----	----	----	----	3 UNCH
7300	----	----	5.725B/4.817A	5.725B/4.817A	----	5.538 - 0.046	.6778	----	----	9	----	141 + 8
7325	----	----	5.425B/4.696A	5.425B/4.696A	----	5.370 - 0.050	.6675	----	----	----	----	2 UNCH
7350	----	----	5.365B/4.527A	5.365B/4.527A	----	5.205 - 0.055	.6570	----	----	----	----	47 UNCH
7375	----	----	5.207B/4.375A	5.207B/4.375A	----	5.043 - 0.059	.6464	----	----	----	----	86 UNCH
7400	4.400	4.400	5.044B/4.177A	5.044B/4.177A	----	4.884 - 0.063	.6355	----	----	4	----	31 + 1
7425	----	----	4.891B/4.049A	4.891B/4.049A	----	4.728 - 0.066	.6246	----	----	----	----	7 UNCH
7450	----	----	4.732B/3.916A	4.732B/3.916A	----	4.574 - 0.071	.6135	----	----	----	----	14 UNCH
7475	----	----	4.582B/3.778A	4.582B/3.778A	----	4.424 - 0.075	.6023	----	----	----	----	6 UNCH
7500	3.920	3.920	4.440/3.645A	4.440/3.645A	----	4.276 - 0.080	.5910	----	----	10	----	443 - 6
7525	----	----	4.311B/3.521A	4.311B/3.521A	----	4.132 - 0.083	.5795	----	----	----	----	16 UNCH
7530	----	----	4.278B/3.490A	4.278B/3.490A	----	4.103 - 0.085	.5772	----	----	----	----	5 UNCH
7535	----	----	4.249B/3.477A	4.249B/3.477A	----	4.075 - 0.085	.5749	----	----	1	----	1 UNCH
7540	----	----	4.226B/3.452A	4.226B/3.452A	----	4.047 - 0.086	.5726	----	----	----	----	1 UNCH
7545	----	----	4.193B/3.451A	4.193B/3.451A	----	4.019 - 0.086	.5703	----	----	----	----	2 UNCH
7550	----	----	4.170B/3.413A	4.170B/3.413A	----	3.991 - 0.087	.5680	----	----	----	----	11 UNCH
7555	----	----	4.135B/3.383A	4.135B/3.383A	----	3.963 - 0.088	.5656	----	----	----	----	2 UNCH
7565	----	----	----/3.339A	3.984B/3.339A	----	3.907 - 0.090	.5610	----	----	----	----	0 UNCH
7570	3.958	3.958	4.054B/3.307A	4.054B/3.307A	----	3.880 - 0.091	.5587	----	----	2	----	3 + 2
7575	----	----	4.035B/3.292A	4.035B/3.292A	----	3.853 - 0.091	.5563	----	----	----	----	9 UNCH
7585	----	----	3.982B/3.237A	3.982B/3.237A	----	3.798 - 0.093	.5516	----	----	----	----	2 UNCH
7590	----	----	3.969B/3.203A	3.969B/3.203A	----	3.771 - 0.094	.5493	----	----	----	----	1 UNCH
7595	----	----	3.938B/3.202A	3.938B/3.202A	----	3.744 - 0.095	.5470	----	----	----	----	2 UNCH
7600	3.691	3.691	3.928B/3.158A	3.928B/3.158A	----	3.718 - 0.095	.5446	----	----	8	----	110 + 8
7605	----	----	3.904B/3.140A	3.904B/3.140A	----	3.691 - 0.096	.5423	----	----	----	----	2 UNCH
7615	3.644	3.644	3.849B/3.093A	3.849B/3.093A	----	3.638 - 0.098	.5376	----	----	1	----	2 UNCH
7620	----	----	3.820B/3.093A	3.820B/3.093A	----	3.612 - 0.099	.5352	----	----	----	----	2 UNCH
7625	3.070	3.070	3.794B/3.058A	3.794B/3.058A	----	3.586 - 0.099	.5328	----	----	4	----	12 - 1
7630	----	----	3.764B/3.023A	3.764B/3.023A	----	3.560 - 0.100	.5305	----	----	----	----	1 UNCH
7635	----	----	3.738B/3.016A	3.738B/3.016A	----	3.534 - 0.101	.5281	----	----	1	----	3 + 1
7640	----	----	3.716B/2.984A	3.716B/2.984A	----	3.508 - 0.102	.5258	----	----	----	----	3 UNCH
7645	3.450	3.450	3.684B/2.974A	3.684B/2.974A	----	3.483 - 0.103	.5234	----	----	1	----	11 + 1
7650	3.559	3.559	3.658B/2.948A	3.658B/2.948A	----	3.457 - 0.104	.5210	----	----	22	----	39 + 20
7655	3.534	3.534	3.635B/2.919A	3.635B/2.919A	----	3.432 - 0.104	.5186	----	----	3	----	5 + 3
7660	3.231	3.231	3.611B/2.907A	3.611B/2.907A	----	3.407 - 0.105	.5163	----	----	2	----	6 + 2
7665	3.413	3.413	3.583B/2.879A	3.583B/2.879A	----	3.382 - 0.106	.5139	----	----	1	----	13 UNCH
7675	3.164	3.164	3.530B/2.839A	3.530B/2.839A	----	3.332 - 0.107	.5092	----	----	2	----	5 + 1
7680	3.143	3.143	3.506B/2.828A	3.506B/2.828A	----	3.308 - 0.107	.5068	----	----	2	----	4 UNCH
7685	----	----	3.478B/2.803A	3.478B/2.803A	----	3.283 - 0.109	.5044	----	----	----	----	4 UNCH
7690	----	----	3.453B/2.770A	3.453B/2.770A	----	3.259 - 0.109	.5021	----	----	1	----	3 UNCH
7695	3.165	3.165	3.431B/2.769A	3.431B/2.769A	----	3.235 - 0.109	.4997	----	----	1	----	3 - 1
7700	2.860	2.860	3.425B/2.732A	3.425B/2.732A	----	3.211 - 0.110	.4973	----	----	24	----	210 - 1
7705	3.186	3.186	3.380B/2.728A	3.380B/2.728A	----	3.187 - 0.111	.4949	----	----	1	----	4 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL — COMEX SILVER OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
7710	----	----	3.353B/2.699A	3.353B/2.699A	----	3.163 - 0.112	.4926	----	----	----	----	1 UNCH
7715	----	----	3.331B/2.697A	3.331B/2.697A	----	3.139 - 0.113	.4902	----	----	----	----	4 UNCH
7720	----	----	3.306B/2.661A	3.306B/2.661A	----	3.115 - 0.114	.4878	----	----	----	----	1 UNCH
7725	----	----	3.285B/2.647A	3.285B/2.647A	----	3.092 - 0.114	.4855	----	----	----	----	7 UNCH
7735	----	----	3.231B/2.618A	3.231B/2.618A	----	3.046 - 0.115	.4807	----	----	----	----	1 UNCH
7740	3.073	3.073	3.209B/2.590A	3.209B/2.590A	----	3.023 - 0.115	.4784	----	----	1	----	2 + 1
7745	----	----	3.135B/2.571A	3.135B/2.571A	----	3.000 - 0.116	.4760	----	----	----	----	0 UNCH
7750	----	----	3.165B/2.550A	3.165B/2.550A	----	2.977 - 0.117	.4736	----	----	----	----	7 UNCH
7760	2.977	2.977	3.114B/2.518A	3.114B/2.518A	----	2.932 - 0.118	.4689	----	----	1	----	2 UNCH
7770	----	----	3.068B/2.477A	3.068B/2.477A	----	2.887 - 0.120	.4642	----	----	----	----	1 UNCH
7775	----	----	3.047B/2.446A	3.047B/2.446A	----	2.865 - 0.120	.4618	----	----	----	----	3 UNCH
7780	----	----	3.019B/2.439A	3.019B/2.439A	----	2.843 - 0.121	.4594	----	----	----	----	1 UNCH
7785	----	----	3.001B/2.409A	3.001B/2.409A	----	2.822 - 0.120	.4571	----	----	----	----	1 UNCH
7790	----	----	2.979B/2.405A	2.979B/2.405A	----	2.800 - 0.121	.4547	----	----	----	----	2 UNCH
7800	2.791	2.791	2.943B/2.363A	2.943B/2.363A	----	2.757 - 0.122	.4500	----	----	9	----	93 + 4
7805	----	----	2.914B/2.341A	2.914B/2.341A	----	2.736 - 0.123	.4477	----	----	----	----	7 UNCH
7810	----	----	2.889B/2.332A	2.889B/2.332A	----	2.715 - 0.123	.4454	----	----	----	----	1 UNCH
7815	----	----	2.865B/2.308A	2.865B/2.308A	----	2.694 - 0.123	.4430	----	----	----	----	3 UNCH
7825	2.500	2.500	2.850/2.274A	2.850/2.274A	----	2.652 - 0.125	.4384	----	----	20	----	7 + 1
7830	----	----	2.800B/2.265A	2.800B/2.265A	----	2.632 - 0.125	.4360	----	----	----	----	1 UNCH
7845	2.583	2.583	2.740B/2.209A	2.740B/2.209A	----	2.571 - 0.126	.4291	----	----	1	----	3 + 1
7850	2.600	2.600	2.723B/2.201A	2.723B/2.201A	----	2.551 - 0.126	.4268	----	----	19	----	35 UNCH
7855	----	----	2.696B/2.176A	2.696B/2.176A	----	2.531 - 0.127	.4244	----	----	----	----	8 UNCH
7860	----	----	2.676B/2.165A	2.676B/2.165A	----	2.511 - 0.127	.4221	----	----	----	----	4 UNCH
7865	----	----	2.656B/2.151A	2.656B/2.151A	----	2.492 - 0.127	.4199	----	----	----	----	1 UNCH
7870	----	----	2.638B/2.132A	2.638B/2.132A	----	2.472 - 0.128	.4175	----	----	----	----	1 UNCH
7875	----	----	2.621B/2.113A	2.621B/2.113A	----	2.453 - 0.128	.4153	----	----	----	----	43 UNCH
7885	2.538	2.538	2.574B/2.084A	2.574B/2.084A	----	2.414 NEW	.4107	----	----	1	----	1 + 1
7890	2.518	2.518	2.554B/2.064A	2.554B/2.064A	----	2.395 NEW	.4084	----	----	1	----	1 + 1
7895	----	----	2.537B/2.061A	2.537B/2.061A	----	2.377 - 0.129	.4061	----	----	----	----	1 UNCH
7900	2.174	2.174	2.521B/2.027A	2.521B/2.027A	----	2.358 - 0.129	.4039	----	----	4	----	38 UNCH
7905	2.460	2.460	2.496B/2.013A	2.496B/2.013A	----	2.339 - 0.130	.4016	----	----	1	----	4 + 1
7910	----	----	2.474B/1.997A	2.474B/1.997A	----	2.321 - 0.130	.3993	----	----	----	----	1 UNCH
7915	----	----	2.455B/1.981A	2.455B/1.981A	----	2.303 - 0.130	.3971	----	----	----	----	2 UNCH
7920	----	----	2.438B/1.968A	2.438B/1.968A	----	2.284 - 0.131	.3948	----	----	----	----	1 UNCH
7925	----	----	2.420B/1.948A	2.420B/1.948A	----	2.266 - 0.131	.3926	----	----	----	----	6 UNCH
7930	----	----	2.399B/1.938A	2.399B/1.938A	----	2.248 - 0.131	.3903	----	----	----	----	2 UNCH
7935	----	----	2.381B/1.921A	2.381B/1.921A	----	2.231 - 0.131	.3881	----	----	----	----	1 UNCH
7940	----	----	2.360B/1.909A	2.360B/1.909A	----	2.213 - 0.131	.3859	----	----	----	----	3 UNCH
7945	----	----	2.342B/1.894A	2.342B/1.894A	----	2.195 - 0.132	.3837	----	----	----	----	2 UNCH
7950	----	----	2.324B/1.866A	2.324B/1.866A	----	2.178 - 0.131	.3815	----	----	1	----	22 + 1
7955	----	----	2.302B/1.866A	2.302B/1.866A	----	2.161 - 0.131	.3793	----	----	----	----	1 UNCH
7960	----	----	2.288B/1.837A	2.288B/1.837A	----	2.144 - 0.131	.3771	----	----	----	----	2 UNCH
7965	----	----	2.270B/1.823A	2.270B/1.823A	----	2.127 - 0.131	.3749	----	----	----	----	2 UNCH
7970	----	----	2.251B/1.823A	2.251B/1.823A	----	2.110 - 0.131	.3727	----	----	----	----	14 UNCH
7975	----	----	2.233B/1.805A	2.233B/1.805A	----	2.093 - 0.132	.3705	----	----	2	----	17 + 2
7980	----	----	2.216B/1.795A	2.216B/1.795A	----	2.076 - 0.132	.3683	----	----	----	----	10 UNCH
7985	----	----	2.199B/1.781A	2.199B/1.781A	----	2.060 - 0.132	.3662	----	----	----	----	10 UNCH
7990	----	----	2.182B/1.766A	2.182B/1.766A	----	2.043 - 0.132	.3640	----	----	----	----	8 UNCH
7995	2.215	2.215	2.215/1.753A	2.215/1.753A	----	2.027 - 0.132	.3618	----	----	9	----	21 UNCH
8000	2.016	2.016	2.155B/1.730A	2.155B/1.730A	----	2.011 - 0.132	.3597	----	----	43	----	1311 - 20
8005	----	----	2.138B/1.718A	2.138B/1.718A	----	1.995 - 0.132	.3575	----	----	----	----	25 UNCH
8010	----	----	2.120B/1.703A	2.120B/1.703A	----	1.979 - 0.132	.3554	----	----	----	----	34 UNCH
8015	----	----	2.096B/1.699A	2.096B/1.699A	----	1.963 - 0.132	.3533	----	----	----	----	24 UNCH
8020	----	----	----/1.690A	2.079B/1.690A	----	1.947 - 0.133	.3511	----	----	----	----	14 UNCH
8025	1.695	1.695	2.110/1.679A	2.110/1.679A	----	1.932 - 0.132	.3491	----	----	5	----	13 + 1
8030	----	----	----/1.665A	2.045B/1.665A	----	1.916 - 0.132	.3469	----	----	----	----	4 UNCH
8035	----	----	----/1.648A	2.029B/1.648A	----	1.901 - 0.132	.3448	----	----	----	----	2 UNCH
8040	----	----	----/1.629A	2.012B/1.629A	----	1.886 - 0.132	.3428	----	----	----	----	2 UNCH
8045	----	----	----/1.623A	1.997B/1.623A	----	1.870 - 0.133	.3406	----	----	----	----	1 UNCH
8050	1.645	1.645	1.980B/1.605A	1.980B/1.605A	----	1.855 - 0.133	.3386	----	----	6	----	8 - 5
8055	----	----	----/1.602A	1.965B/1.602A	----	1.841 - 0.132	.3365	----	----	----	----	1 UNCH
8060	----	----	----/1.574A	1.948B/1.574A	----	1.826 - 0.132	.3345	----	----	----	----	1 UNCH
8065	----	----	----/1.576A	1.934B/1.576A	----	1.811 - 0.132	.3324	----	----	----	----	5 UNCH
8070	----	----	----/1.552A	1.917B/1.552A	----	1.797 - 0.131	.3304	----	----	----	----	2 UNCH
8075	1.650	1.650	1.650/1.540A	1.901B/1.540A	----	1.782 - 0.132	.3283	----	----	1	----	7 + 1
8080	----	----	----/1.539A	1.886B/1.539A	----	1.768 - 0.132	.3263	----	----	----	----	2 UNCH
8085	----	----	----/1.530A	1.872B/1.530A	----	1.754 - 0.131	.3243	----	----	----	----	1 UNCH
8090	----	----	----/1.501A	1.858B/1.501A	----	1.739 - 0.132	.3222	----	----	----	----	21 UNCH
8095	----	----	----/1.496A	1.842B/1.496A	----	1.725 - 0.132	.3202	----	----	----	----	13 UNCH
8100	1.729	1.729	1.833B/1.487A	1.833B/1.487A	----	1.712 - 0.131	.3183	----	----	5	----	239 - 2
8105	----	----	----/1.478A	1.810B/1.478A	----	1.698 - 0.131	.3163	----	----	----	----	1 UNCH
8110	----	----	----/1.473A	1.796B/1.473A	----	1.684 - 0.131	.3143	----	----	----	----	4 UNCH
8115	----	----	----/1.458A	1.779B/1.458A	----	1.671 - 0.130	.3123	----	----	----	----	3 UNCH
8125	----	----	----/1.437A	1.751B/1.437A	----	1.644 - 0.130	.3084	----	----	----	----	3 UNCH
8150	1.650	1.650	1.682B/1.369A	1.682B/1.369A	----	1.578 - 0.130	.2987	----	----	3	----	13 + 1
8175	1.591	1.591	1.591/1.329A	1.612B/1.329A	----	1.516 - 0.129	.2893	----	----	1	----	12 - 1
8195	1.541	1.541	1.541/1.289A	1.546B/1.289A	----	1.467 NEW	.2819	----	----	1	----	1 + 1
8200	1.472	1.472	1.557B/1.274A	1.557B/1.274A	----	1.456 - 0.127	.2801	----	----	125	----	142 + 46
8205	----	----	----/1.262A	1.536B/1.262A	----	1.444 - 0.127	.2783	----	----	----	----	1 UNCH
8210	----	----	----/1.259A	1.522B/1.259A	----	1.432 - 0.127	.2764	----	----	----	----	4 UNCH
8215	----	----	----/1.248A	1.492B/1.248A	----	1.421 NEW	.2747	----	----	1	----	1 + 1
8225	----	----	----/1.231A	1.485B/1.231A	----	1.398 - 0.126	.2711	----	----	----	----	2 UNCH
8230	----	----	----/1.220A	1.461B/1.220A	----	1.386 - 0.127	.2692	----	----	----	----	0 UNCH
8235	----	----	----/1.210A	1.461B/1.210A	----	1.375 - 0.126	.2675	----	----	----	----	1 UNCH
8240	----	----	----/1.203A	1.450B/1.203A	----	1.364 - 0.126	.2657	----	----	----	----	1 UNCH
8250	----	----	----/1.184A	1.434B/1.184A	----	1.342 - 0.126	.2623	----	----	----	----	130 UNCH
8255	----	----	----/1.171A	1.413B/1.171A	----	1.331 - 0.125	.2605	----	----	----	----	3 UNCH
8265	----	----	----/1.147A	1.390B/1.147A	----	1.310 - 0.124	.2571	----	----	----	----	2 UNCH
8270	----	----	----/1.145A	1.379B/1.145A	----	1.299 - 0.125	.2554	----	----	----	----	3 UNCH
8275	----	----	----/1.129A	1.367B/1.129A	----	1.289 - 0.124	.2537	----	----	----	----	6 UNCH
8280	----	----	----/1.119A	1.354B/1.119A	----	1.278 - 0.124	.2520	----	----	----	----	2 UNCH
8290	----	----	----/1.111A	1.331B/1.111A	----	1.258 - 0.123	.2487	----	----	----	----	11 UNCH
8300	----	----	----/1.091A	1.326B/1.091A	----	1.238 - 0.122	.2454	----	----	20	----	128 UNCH
8310	----	----	----/1.075A	1.287B/1.075A	----	1.218 - 0.122	.2421	----	----	----	----	2 UNCH
8325	----	----	----/1.053A	1.256B/1.053A	----	1.189 - 0.121	.2373	----	----	----	----	4 UNCH
8340	----	----	----/1.029A	1.234B/1.029A	----	1.160 - 0.120	.2325	----	----	----	----	29 UNCH
8345	----	----	----/1.012A	1.215B/1.012A	----	1.151 - 0.120	.2310	----	----	----	----	16 UNCH
8350	----	----	----/1.014A	1.213B/1.014A	----	1.141 - 0.120	.2293	----	----	----	----	26 UNCH
8360	----	----	----/1.000A	1.185B/1.000A	----	1.123 - 0.119	.2263	----	----	----	----	1 UNCH
8365	----	----	----/0.986A	1.174B/0.986A	----	1.114 - 0.119	.2247	----	----	----	----	1 UNCH
8370	----	----	----/0.977A	1.168B/0.977A	----	1.105 - 0.119	.2232	----	----	----	----	1 UNCH
8375	----	----	----/0.975A	1.159B/0.975A	----	1.096 - 0.119	.2217	----	----	----	----	7 UNCH
8400	----	----	----/0.932A	1.116B/0.932A	----	1.053 - 0.117	.2143	----	----	----	----	38 UNCH
8415	----	----	----/0.914A	1.088B/0.914A	----	1.028 - 0.116	.2099	----	----	----	----	1 UNCH
8420	----	----	----/0.904A	1.077B/0.904A	----	1.020 - 0.115	.2085	----	----	----	----	3 UNCH
8425	----	----	----/0.907A	1.068B/0.907A	----	1.011 - 0.116	.2070	----	----	----	----	6 UNCH
8435	----	----	----/0.885A	1.051B/0.885A	----	0.995 - 0.115	.2042	----	----	----	----	1 UNCH
8440	----	----	----/0.882A	1.042B/0.882A	----	0.987 - 0.115	.2028	----	----	----	----	1 UNCH
8450	----	----	----/0.867A	1.036B/0.867A	----	0.972 - 0.113	.2001	----	----	3	----	154 - 3
8460	----	----	----/0.859A	1.008B/0.859A	----	0.956 - 0.113	.1973	----	----	----	----	1 UNCH
8465	----	----	----/0.850A	0.996B/0.850A	----	0.948 - 0.113	.1959	----	----	----	----	0 UNCH
8475	----	----	----/0.838A	0.983B/0.838A	----	0.933 - 0.112	.1932	----	----	----	----	1 UNCH
8480	----	----	----/0.829A	0.976B/0.829A	----	0.926 - 0.112	.1919	----	----	----	----	1 UNCH
8485	----	----	----/0.828A	0.968B/0.828A	----	0.918 - 0.112	.1905	----	----	----	----	1 UNCH
8490	----	----	----/0.818A	0.959B/0.818A	----	0.911 - 0.111	.1892	----	----	----	----	2 UNCH
8500	0.900	0.900	0.954B/0.806A	0.954B/0.806A	----	0.897 - 0.110	.1866	----	----	13	----	786 - 3
8505	----	----	----/0.799A	0.933B/0.799A	----	0.889 - 0.111	.1853	----	----	----	----	4 UNCH
8510	----	----	----/0.799A	0.929B/0.799A	----	0.882 - 0.111	.1840	----	----	----	----	2 UNCH
8515	----	----	----/0.788A	0.921B/0.788A	----	0.875 - 0.110	.1827	----	----	----	----	1 UNCH
8525	----	----	----/0.765A	0.909B/0.765A	----	0.861 - 0.110	.1802	----	----	----	----	23 UNCH
8535	----	----	----/0.751A	0.891B/0.751A	----	0.848 - 0.109	.1777	----	----	----	----	1 UNCH
8540	----	----	----/0.759A	0.883B/0.759A	----	0.841 - 0.108	.1765	----	----	----	----	6 UNCH
8545	----	----	----/0.754A	0.876B/0.754A	----	0.834 - 0.109	.1752	----	----	----	----	2 UNCH
8550	----	----	----/0.744A	0.869B/0.744A	----	0.828 - 0.108	.1740	----	----	----	----	10 UNCH
8565	----	----	----/0.719A	0.849B/0.719A	----	0.808 - 0.107	.1704	----	----	----	----	10 UNCH
8570	----	----	----/0.713A	0.844B/0.713A	----	0.802 - 0.107	.1692	----	----	----	----	4 UNCH
8575	----	----	----/0.709A	0.833B/0.709A	----	0.795 - 0.107	.1680	----	----	----	----	34 UNCH
8590	----	----	----/0.704A	0.815B/0.704A	----	0.777 - 0.105	.1646	----	----	----	----	1 UNCH
8600	----	----	----/0.697A	0.810B/0.697A	----	0.764 - 0.106	.1622	----	----	3	----	247 UNCH
8605	----	----	----/0.694A	0.794B/0.694A	----	0.758 - 0.105	.1610	----	----	----	----	8 UNCH
8615	----	----	----/0.684A	0.785B/0.684A	----	0.746 - 0.105	.1588	----	----	----	----	1 UNCH
8620	----	----	----/0.683A	0.778B/0.683A	----	0.740 - 0.105	.1576	----	----	----	----	5 UNCH
8625	----	----	----/0.678A	0.769B/0.678A	----	0.734 - 0.104	.1565	----	----	----	----	2 UNCH
8630	----	----	----/0.672A	0.764B/0.672A	----	0.729 - 0.103	.1555	----	----	----	----	2 UNCH
8635	----	----	----/0.666A	0.756B/0.666A	----	0.723 - 0.103	.1544	----	----	----	----	1 UNCH
8640	----	----	----/0.664A	0.752B/0.664A	----	0.717 - 0.103	.1533	----	----	----	----	1 UNCH
8650	----	----	----/0.655A	0.734B/0.655A	----	0.706 - 0.103	.1511	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
8660	----	----	----/0.646A	0.726B/0.646A	----	0.695 - 0.102	.1490	----	----	----	----	2 UNCH
8670	----	----	----/0.640A	0.718B/0.640A	----	0.684 - 0.102	.1469	----	----	----	----	1 UNCH
8675	----	----	----/0.633A	0.711B/0.633A	----	0.678 - 0.102	.1458	----	----	----	----	1 UNCH
8695	----	----	----/0.618A	0.687B/0.618A	----	0.657 - 0.101	.1417	----	----	----	----	2 UNCH
8700	0.600	0.600	0.627/0.600	0.682B/0.600	----	0.652 - 0.101	.1408	----	----	22	----	89 + 1
8705	----	----	----/0.610A	0.677B/0.610A	----	0.647 - 0.100	.1398	----	----	----	----	17 UNCH
8725	----	----	----/0.595A	0.657B/0.595A	----	0.627 - 0.099	.1359	----	----	----	----	2 UNCH
8750	0.555	0.555	0.650/0.550A	0.650/0.550A	----	0.603 - 0.098	.1311	----	----	16	----	62 + 15
8775	0.540	0.540	0.610/0.530A	0.610/0.530A	----	0.579 - 0.098	.1264	----	----	25	----	22 + 3
8800	----	----	----/0.520A	0.588B/0.520A	----	0.557 - 0.097	.1220	----	----	1	----	623 - 1
8850	----	----	----/0.507A	0.543B/0.507A	----	0.515 - 0.095	.1136	----	----	----	----	3 UNCH
8875	----	----	----/0.494A	0.524B/0.494A	----	0.496 - 0.094	.1097	----	----	----	----	3 UNCH
8900	0.462	0.462	0.462/0.455	0.506B/0.455	----	0.477 - 0.093	.1058	----	----	9	----	102 - 3
8925	----	----	----/0.460A	0.489B/0.460A	----	0.460 - 0.091	.1022	----	----	----	----	4 UNCH
8950	----	----	----/0.441A	0.471B/0.441A	----	0.443 - 0.090	.0987	----	----	----	----	64 UNCH
8975	----	----	----/0.432A	0.453B/0.432A	----	0.427 - 0.089	.0953	----	----	----	----	23 UNCH
9000	0.460	0.460	0.470/0.400	0.470/0.400	----	0.411 - 0.089	.0920	----	----	156	----	1304 + 64
9025	----	----	----/0.407A	0.422B/0.407A	----	0.397 - 0.087	.0890	----	----	----	----	23 UNCH
9050	----	----	----/0.392A	0.406B/0.392A	----	0.383 - 0.086	.0860	----	----	----	----	17 UNCH
9075	----	----	----/0.385A	0.392B/0.385A	----	0.370 - 0.084	.0831	----	----	----	----	6 UNCH
9100	----	----	----/0.370A	0.379B/0.370A	----	0.358 - 0.082	.0805	----	----	----	----	80 UNCH
9125	----	----	----/0.361A	0.366B/0.361A	----	0.346 - 0.081	.0779	----	----	----	----	5 UNCH
9150	----	----	----/0.349A	0.354B/0.349A	----	0.335 - 0.079	.0754	----	----	----	----	27 UNCH
9175	----	----	----/0.343A	0.342B/0.343A	----	0.324 - 0.078	.0730	----	----	----	----	8 UNCH
9200	----	----	----/0.333A	0.330B/0.333A	----	0.315 - 0.075	.0709	----	----	----	----	173 UNCH
9225	----	----	----/0.331A	0.319B/0.331A	----	0.305 - 0.074	.0687	----	----	----	----	17 UNCH
9250	----	----	----/0.321A	0.310B/0.321A	----	0.297 - 0.071	.0668	----	----	----	----	37 UNCH
9275	----	----	----/0.314A	0.298B/0.314A	----	0.288 - 0.070	.0647	----	----	----	----	29 UNCH
9300	----	----	----/0.306A	0.292B/0.306A	----	0.281 - 0.067	.0631	----	----	----	----	196 UNCH
9325	----	----	----/0.298A	0.280B/0.298A	----	0.274 - 0.065	.0614	----	----	----	----	7 UNCH
9350	----	----	----/0.289A	0.270B/0.289A	----	0.267 - 0.063	.0597	----	----	----	----	37 UNCH
9375	----	----	----/0.283A	0.261B/0.283A	----	0.261 - 0.060	.0583	----	----	----	----	13 UNCH
9400	----	----	----/0.275A	0.255B/0.275A	----	0.255 - 0.058	.0568	----	----	----	----	39 UNCH
9425	----	----	----/0.267A	0.247B/0.267A	----	0.250 - 0.055	.0555	----	----	----	----	9 UNCH
9450	----	----	----/0.264A	0.240B/0.264A	----	0.245 - 0.052	.0542	----	----	----	----	21 UNCH
9475	----	----	----/0.262A	0.233B/0.262A	----	0.241 - 0.049	.0532	----	----	----	----	12 UNCH
9500	----	----	----/*0.230A	0.230B/*0.230A	----	0.237 - 0.046	.0521	----	----	----	----	832 UNCH
9525	----	----	----/0.250A	0.220B/0.250A	----	0.233 - 0.043	.0510	----	----	----	----	23 UNCH
9550	----	----	----/0.245A	0.218B/0.245A	----	0.230 - 0.040	.0501	----	----	----	----	30 UNCH
9575	----	----	----/0.240A	0.210B/0.240A	----	0.226 - 0.038	.0491	----	----	----	----	4 UNCH
9600	0.202	0.202	0.202/*0.202	0.202/*0.202	----	0.223 - 0.035	.0482	----	----	2	----	145 + 2
9625	----	----	----/0.228A	0.199B/0.228A	----	0.220 - 0.032	.0474	----	----	----	----	6 UNCH
9650	----	----	----/0.241A	0.193B/0.241A	----	0.217 - 0.030	.0466	----	----	1	----	15 + 1
9675	----	----	----	0.188B/0.244A	----	0.214 - 0.027	.0457	----	----	----	----	13 UNCH
9700	0.217	0.217	0.217/0.217	0.217/0.217	----	0.211 - 0.025	.0449	----	----	2	----	16 + 1
9725	----	----	----	0.168B/0.247A	----	0.208 - 0.023	.0441	----	----	----	----	9 UNCH
9750	----	----	----/*0.180A	0.163B/*0.180A	----	0.205 - 0.021	.0433	----	----	----	----	73 UNCH
9775	----	----	----	0.159B/0.240A	----	0.201 - 0.020	.0424	----	----	----	----	2 UNCH
9800	----	----	----	0.154B/0.233A	----	0.198 - 0.018	.0416	----	----	----	----	100 UNCH
9825	----	----	----	0.153B/0.233A	----	0.194 - 0.018	.0407	----	----	----	----	5 UNCH
9850	----	----	----	0.147B/0.228A	----	0.191 - 0.016	.0399	----	----	----	----	20 UNCH
9875	----	----	----	0.134B/0.222A	----	0.187 - 0.016	.0390	----	----	----	----	11 UNCH
9900	----	----	----	0.131B/0.216A	----	0.184 - 0.015	.0383	----	----	1	----	245 UNCH
9925	----	----	----	0.127B/0.218A	----	0.180 - 0.015	.0374	----	----	----	----	2 UNCH
9950	----	----	----	0.125B/0.215A	----	0.176 - 0.014	.0365	----	----	----	----	21 UNCH
9975	----	----	----	0.120B/0.214A	----	0.173 - 0.014	.0358	----	----	----	----	2 UNCH
10000	0.155	0.155	0.155/*0.140	0.155/*0.140	----	0.170 - 0.013	.0351	----	----	11	----	1061 + 8
10025	----	----	----	0.116B/0.208A	----	0.166 - 0.013	.0342	----	----	----	----	2 UNCH
10050	----	----	----	0.112B/0.205A	----	0.163 - 0.012	.0335	----	----	----	----	22 UNCH
10075	----	----	----	0.110B/0.204A	----	0.160 - 0.012	.0328	----	----	----	----	4 UNCH
10100	----	----	----	0.107B/0.200A	----	0.157 - 0.011	.0322	----	----	----	----	69 UNCH
10125	----	----	----	0.105B/0.199A	----	0.154 - 0.011	.0315	----	----	----	----	1 UNCH
10150	----	----	----	0.101B/0.197A	----	0.151 - 0.011	.0308	----	----	----	----	0 UNCH
10175	----	----	----	0.105B/0.195A	----	0.148 - 0.011	.0302	----	----	----	----	1 UNCH
10200	----	----	----	0.103B/0.193A	----	0.145 - 0.010	.0295	----	----	----	----	32 UNCH
10225	----	----	----	0.100B/0.191A	----	0.143 - 0.009	.0290	----	----	----	----	1 UNCH
10250	----	----	----	0.098B/0.196A	----	0.140 - 0.009	.0284	----	----	----	----	5 UNCH
10275	----	----	----	0.096B/0.194A	----	0.138 - 0.009	.0279	----	----	----	----	4 UNCH
10300	----	----	----	0.095B/0.186A	----	0.136 - 0.008	.0274	----	----	----	----	207 UNCH
10305	----	----	----	0.087B/0.191A	----	0.135 - 0.008	.0272	----	----	----	----	2 UNCH
10325	----	----	----	0.089B/0.191A	----	0.133 - 0.008	.0268	----	----	----	----	1 UNCH
10350	----	----	----	0.086B/0.183A	----	0.131 - 0.007	.0263	----	----	----	----	2 UNCH
10375	----	----	----	0.083B/0.178A	----	0.129 - 0.007	.0258	----	----	----	----	1 UNCH
10400	----	----	----	0.081B/0.175A	----	0.127 - 0.006	.0254	----	----	----	----	27 UNCH
10425	----	----	----	0.081B/0.161A	----	0.125 - 0.006	.0249	----	----	----	----	19 UNCH
10450	----	----	----	0.078B/0.157A	----	0.124 - 0.005	.0246	----	----	----	----	4 UNCH
10480	----	----	----	0.075B/0.167A	----	0.121 - 0.005	.0240	----	----	----	----	2 UNCH
10485	----	----	----	0.075B/0.168A	----	0.121 - 0.004	.0239	----	----	----	----	2 UNCH
10490	----	----	----	0.075B/0.146A	----	0.121 - 0.004	.0239	----	----	----	----	1 UNCH
10500	----	----	----	0.077B/0.130A	----	0.120 - 0.004	.0237	----	----	1	----	318 UNCH
10515	----	----	----	0.075B/0.144A	----	0.119 - 0.004	.0235	----	----	----	----	7 UNCH
10520	----	----	----	0.074B/0.145A	----	0.119 - 0.003	.0234	----	----	----	----	2 UNCH
10550	----	----	----	0.073B/0.143A	----	0.117 - 0.003	.0230	----	----	----	----	2 UNCH
10555	----	----	----	0.070B/0.143A	----	0.117 - 0.002	.0230	----	----	----	----	1 UNCH
10560	0.105	0.105	0.105/*0.105	0.105/*0.105	----	0.116 - 0.003	.0228	----	----	2	----	22 + 1
10570	----	----	----	0.071B/0.165A	----	0.116 - 0.002	.0227	----	----	----	----	1 UNCH
10575	----	----	----	0.070B/0.141A	----	0.115 - 0.002	.0225	----	----	----	----	1 UNCH
10580	----	----	----	0.069B/0.141A	----	0.115 - 0.002	.0225	----	----	----	----	1 UNCH
10595	----	----	----	0.068B/0.137A	----	0.114 - 0.002	.0223	----	----	----	----	2 UNCH
10600	----	----	----	0.070B/0.137A	----	0.114 - 0.001	.0223	----	----	----	----	23 UNCH
10605	----	----	----	0.068B/0.137A	----	0.114 - 0.001	.0222	----	----	----	----	5 UNCH
10610	----	----	----	0.070B/0.136A	----	0.113 - 0.002	.0221	----	----	----	----	1 UNCH
10615	----	----	----	0.070B/0.139A	----	0.113 - 0.001	.0220	----	----	----	----	1 UNCH
10625	----	----	----	0.069B/0.167A	----	0.112 - 0.001	.0218	----	----	----	----	1 UNCH
10630	----	----	----	0.066B/0.167A	----	0.112 - 0.001	.0218	----	----	----	----	1 UNCH
10650	----	----	----	0.068B/0.134A	----	0.111 - 0.001	.0216	----	----	----	----	1 UNCH
10655	----	----	----	0.068B/0.133A	----	0.111 UNCH	.0216	----	----	----	----	1 UNCH
10670	----	----	----	0.067B/0.133A	----	0.110 UNCH	.0213	----	----	----	----	1 UNCH
10675	----	----	----	0.064B/0.132A	----	0.110 UNCH	.0213	----	----	----	----	3 UNCH
10680	----	----	----	0.066B/0.132A	----	0.109 UNCH	.0211	----	----	----	----	7 UNCH
10685	----	----	----	0.066B/0.132A	----	0.109 UNCH	.0211	----	----	----	----	1 UNCH
10690	----	----	----	0.066B/0.131A	----	0.109 UNCH	.0211	----	----	----	----	1 UNCH
10700	----	----	----	0.064B/0.131A	----	0.108 UNCH	.0209	----	----	----	----	119 UNCH
10720	----	----	----	0.065B/0.130A	----	0.107 + 0.001	.0206	----	----	----	----	1 UNCH
10725	----	----	----	0.064B/0.164A	----	0.107 + 0.001	.0206	----	----	----	----	3 UNCH
10750	----	----	----	0.062B/0.129A	----	0.106 + 0.002	.0204	----	----	----	----	1 UNCH
10755	----	----	----	0.062B/0.155A	----	0.106 + 0.002	.0203	----	----	----	----	1 UNCH
10760	----	----	----	0.062B/0.129A	----	0.105 + 0.001	.0202	----	----	----	----	10 UNCH
10765	----	----	----	0.061B/0.157A	----	0.105 + 0.002	.0202	----	----	----	----	10 UNCH
10770	----	----	----	0.061B/0.159A	----	0.105 + 0.002	.0201	----	----	----	----	1 UNCH
10800	----	----	----	0.060B/0.125A	----	0.103 + 0.002	.0197	----	----	----	----	21 UNCH
10825	----	----	----	0.058B/0.157A	----	0.102 + 0.003	.0195	----	----	----	----	1 UNCH
10835	----	----	----	0.059B/0.123A	----	0.102 + 0.003	.0194	----	----	----	----	1 UNCH
10850	----	----	----	0.057B/0.123A	----	0.101 + 0.003	.0192	----	----	----	----	12 UNCH
10855	----	----	----	0.058B/0.156A	----	0.101 + 0.004	.0192	----	----	----	----	3 UNCH
10875	----	----	----	0.056B/0.123A	----	0.100 + 0.004	.0190	----	----	----	----	2 UNCH
10900	----	----	----	0.056B/0.122A	----	0.099 + 0.004	.0187	----	----	----	----	40 UNCH
10925	----	----	----	0.055B/0.121A	----	0.098 + 0.005	.0185	----	----	----	----	5 UNCH
10950	----	----	----	0.054B/0.120A	----	0.097 + 0.005	.0182	----	----	----	----	2 UNCH
10975	----	----	----	0.053B/0.117A	----	0.096 + 0.006	.0180	----	----	----	----	9 UNCH
11000	----	----	----	0.052B/0.114A	----	0.095 + 0.006	.0178	----	----	1	----	692 UNCH
11025	----	----	----	0.051B/0.113A	----	0.094 + 0.006	.0175	----	----	----	----	5 UNCH
11050	----	----	----	0.048B/0.139A	----	0.093 + 0.006	.0173	----	----	----	----	2 UNCH
11075	----	----	----	0.049B/0.113A	----	0.092 + 0.007	.0171	----	----	----	----	1 UNCH
11100	----	----	----	0.046B/0.113A	----	0.091 + 0.007	.0168	----	----	----	----	59 UNCH
11125	----	----	----	0.048B/0.111A	----	0.091 + 0.008	.0168	----	----	----	----	3 UNCH
11150	----	----	----	0.047B/0.110A	----	0.090 + 0.008	.0165	----	----	----	----	2 UNCH
11200	----	----	----	0.019B/0.142A	----	0.088 + 0.008	.0161	----	----	----	----	262 UNCH
11225	----	----	----	0.018B/0.140A	----	0.087 + 0.008	.0159	----	----	----	----	40 UNCH
11240	----	----	----	0.018B/0.139A	----	0.087 + 0.009	.0158	----	----	----	----	2 UNCH
11245	----	----	----	0.018B/0.139A	----	0.087 + 0.009	.0158	----	----	----	----	2 UNCH
11250	----	----	----	0.017B/0.146A	----	0.086 + 0.008	.0156	----	----	----	----	22 UNCH
11255	----	----	----	0.017B/0.137A	----	0.086 + 0.009	.0156	----	----	----	----	1 UNCH
11260	----	----	----	0.017B/0.139A	----	0.086 + 0.009	.0156	----	----	----	----	1 UNCH
11265	----	----	----	0.017B/0.138A	----	0.086 + 0.009	.0156	----	----	----	----	1 UNCH
11275	----	----	----	0.016B/0.138A	----	0.086 + 0.009	.0156	----	----	----	----	1 UNCH
11290	----	----	----	0.016B/0.145A	----	0.085 + 0.009	.0154	----	----	----	----	1 UNCH
11300	----	----	----	0.015B/0.138A	----	0.085 + 0.009	.0154	----	----	----	----	93 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 52

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
11305	----	----	----	0.015B/0.137A	----	0.085 + 0.010	.0154	----	----	----	----	1 UNCH
11315	----	----	----	0.015B/0.137A	----	0.084 + 0.009	.0152	----	----	----	----	1 UNCH
11325	----	----	----	0.015B/0.144A	----	0.084 + 0.009	.0152	----	----	----	----	8 UNCH
11335	----	----	----	0.014B/0.136A	----	0.084 + 0.010	.0151	----	----	----	----	2 UNCH
11345	----	----	----	0.013B/0.136A	----	0.084 + 0.010	.0151	----	----	----	----	1 UNCH
11350	----	----	----	0.013B/0.143A	----	0.083 + 0.009	.0149	----	----	----	----	4 UNCH
11365	----	----	----	0.013B/0.137A	----	0.083 + 0.010	.0149	----	----	----	----	1 UNCH
11370	----	----	----	0.013B/0.142A	----	0.083 + 0.010	.0149	----	----	----	----	2 UNCH
11380	----	----	----	0.012B/0.135A	----	0.082 + 0.009	.0147	----	----	----	----	3 UNCH
11385	----	----	----	0.012B/0.135A	----	0.082 + 0.010	.0147	----	----	----	----	1 UNCH
11400	----	----	----	0.012B/0.134A	----	0.082 + 0.010	.0147	----	----	----	----	10 UNCH
11450	----	----	----	0.010B/0.134A	----	0.080 + 0.010	.0143	----	----	----	----	41 UNCH
11455	----	----	----	0.010B/0.140A	----	0.080 + 0.010	.0142	----	----	----	----	1 UNCH
11465	----	----	----	0.010B/0.133A	----	0.080 + 0.010	.0142	----	----	----	----	1 UNCH
11475	----	----	----	0.010B/0.134A	----	0.080 + 0.010	.0142	----	----	----	----	1 UNCH
11480	----	----	----	0.010B/0.134A	----	0.080 + 0.011	.0142	----	----	----	----	1 UNCH
11485	----	----	----	0.010B/0.134A	----	0.079 + 0.010	.0140	----	----	----	----	2 UNCH
11500	----	----	----	0.040B/0.130A	----	0.079 + 0.010	.0140	----	----	----	----	250 UNCH
11505	----	----	----	0.010B/0.132A	----	0.079 + 0.010	.0140	----	----	----	----	2 UNCH
11515	----	----	----	0.010B/0.134A	----	0.079 + 0.011	.0140	----	----	----	----	2 UNCH
11525	----	----	----	0.010B/0.131A	----	0.078 + 0.010	.0138	----	----	----	----	7 UNCH
11530	----	----	----	0.010B/0.132A	----	0.078 + 0.010	.0138	----	----	----	----	10 UNCH
11540	----	----	----	0.010B/0.131A	----	0.078 + 0.010	.0138	----	----	----	----	10 UNCH
11550	----	----	----	0.030B/0.135A	----	0.078 + 0.011	.0137	----	----	----	----	22 UNCH
11570	----	----	----	0.010B/*0.129A	----	0.077 + 0.010	.0135	----	----	----	----	1 UNCH
11575	----	----	----	0.010B/*0.130A	----	0.077 + 0.010	.0135	----	----	----	----	1 UNCH
11595	----	----	----	0.010B/*0.130A	----	0.076 + 0.010	.0133	----	----	----	----	1 UNCH
11600	----	----	----	0.010B/*0.129A	----	0.076 + 0.010	.0133	----	----	----	----	43 UNCH
11615	----	----	----	0.010B/*0.129A	----	0.076 + 0.011	.0133	----	----	----	----	1 UNCH
11625	----	----	----	0.010B/*0.129A	----	0.076 + 0.011	.0133	----	----	----	----	2 UNCH
11630	----	----	----	0.010B/*0.129A	----	0.075 + 0.010	.0131	----	----	----	----	1 UNCH
11640	----	----	----	0.010B/*0.130A	----	0.075 + 0.010	.0131	----	----	----	----	1 UNCH
11650	----	----	----	0.010B/0.129A	----	0.075 + 0.010	.0131	----	----	----	----	2 UNCH
11665	----	----	----	0.010B/*0.128A	----	0.074 + 0.010	.0129	----	----	----	----	1 UNCH
11685	----	----	----	0.010B/*0.129A	----	0.074 + 0.010	.0129	----	----	----	----	1 UNCH
11690	----	----	----	0.010B/*0.127A	----	0.074 + 0.010	.0129	----	----	----	----	1 UNCH
11700	----	----	----	0.010B/0.126A	----	0.074 + 0.011	.0128	----	----	----	----	85 UNCH
11705	----	----	----	0.010B/*0.129A	----	0.073 + 0.010	.0127	----	----	----	----	1 UNCH
11725	----	----	----	0.010B/*0.126A	----	0.073 + 0.010	.0127	----	----	----	----	6 UNCH
11730	----	----	----	0.010B/*0.126A	----	0.073 + 0.010	.0126	----	----	----	----	1 UNCH
11750	----	----	----	0.009B/*0.126A	----	0.072 + 0.010	.0125	----	----	----	----	5 UNCH
11775	----	----	----	0.009B/*0.125A	----	0.072 + 0.010	.0124	----	----	----	----	2 UNCH
11800	----	----	----	0.009B/0.126A	----	0.071 + 0.010	.0122	----	----	----	----	64 UNCH
11825	----	----	----	0.009B/*0.125A	----	0.070 + 0.010	.0120	----	----	----	----	2 UNCH
11850	----	----	----	0.008B/0.127A	----	0.070 + 0.010	.0120	----	----	----	----	3 UNCH
11900	----	----	----	0.008B/0.123A	----	0.069 + 0.010	.0118	----	----	----	----	86 UNCH
11925	----	----	----	0.007B/0.124A	----	0.068 + 0.010	.0116	----	----	----	----	2 UNCH
11950	----	----	----	0.006B/*0.122A	----	0.067 + 0.009	.0114	----	----	----	----	5 UNCH
11975	----	----	----	0.005B/*0.122A	----	0.067 + 0.010	.0114	----	----	----	----	4 UNCH
12000	----	----	----	0.040B/0.095A	----	0.066 + 0.009	.0112	----	----	----	----	842 UNCH
12025	----	----	----	0.005B/*0.119A	----	0.066 + 0.009	.0111	----	----	----	----	1 UNCH
12050	----	----	----	0.004B/0.121A	----	0.065 + 0.009	.0109	----	----	----	----	1 UNCH
12075	----	----	----	0.004B/0.123A	----	0.065 + 0.009	.0109	----	----	----	----	1 UNCH
12100	----	----	----	0.005B/*0.118A	----	0.064 + 0.009	.0107	----	----	----	----	17 UNCH
12125	----	----	----	0.004B/*0.117A	----	0.064 + 0.009	.0107	----	----	----	----	1 UNCH
12150	----	----	----	0.004B/0.117A	----	0.063 + 0.009	.0105	----	----	----	----	13 UNCH
12175	----	----	----	0.003B/*0.114A	----	0.063 + 0.009	.0105	----	----	----	----	1 UNCH
12200	----	----	----	0.003B/*0.113A	----	0.062 + 0.008	.0103	----	----	----	----	3 UNCH
12225	----	----	----	0.003B/*0.114A	----	0.062 + 0.009	.0103	----	----	----	----	2 UNCH
12250	----	----	----	0.003B/*0.113A	----	0.061 + 0.008	.0101	----	----	----	----	3 UNCH
12300	----	----	----	0.001B/*0.113A	----	0.060 + 0.008	.0099	----	----	----	----	118 UNCH
12350	----	----	----	0.001B/*0.112A	----	0.059 + 0.007	.0097	----	----	----	----	2 UNCH
12375	----	----	----	0.001B/*0.111A	----	0.059 + 0.008	.0097	----	----	----	----	1 UNCH
12400	----	----	----	0.001B/*0.111A	----	0.058 + 0.007	.0095	----	----	----	----	12 UNCH
12450	----	----	----	0.001B/*0.109A	----	0.057 + 0.007	.0093	----	----	----	----	5 UNCH
12500	----	----	----	0.001B/*0.078A	----	0.056 + 0.006	.0091	----	----	----	----	331 UNCH
12525	----	----	----	0.001B/0.108A	----	0.056 + 0.006	.0091	----	----	----	----	2 UNCH
12550	----	----	----	0.001B/*0.107A	----	0.056 + 0.007	.0090	----	----	----	----	3 UNCH
12600	----	----	----	0.001B/*0.106A	----	0.055 + 0.006	.0088	----	----	----	----	30 UNCH
12650	----	----	----	0.001B/*0.105A	----	0.054 + 0.006	.0087	----	----	----	----	3 UNCH
12675	----	----	----	----/*0.105A	----	0.054 + 0.006	.0086	----	----	----	----	3 UNCH
12700	----	----	----	----/0.104A	----	0.053 + 0.005	.0085	----	----	----	----	5 UNCH
12725	----	----	----	----/*0.104A	----	0.053 + 0.006	.0084	----	----	----	----	1 UNCH
12775	----	----	----	----/*0.103A	----	0.052 + 0.005	.0083	----	----	----	----	2 UNCH
12800	----	----	----	----/*0.102A	----	0.052 + 0.005	.0082	----	----	----	----	30 UNCH
12900	----	----	----	----/0.100A	----	0.051 + 0.005	.0080	----	----	----	----	72 UNCH
13000	0.040	0.040	0.040/*0.035	0.040/*0.035	----	0.049 + 0.004	.0076	----	----	10	----	286 - 7
13100	----	----	----	----/*0.097A	----	0.048 + 0.004	.0074	----	----	----	----	3 UNCH
13200	----	----	----	----/0.096A	----	0.047 + 0.004	.0072	----	----	----	----	44 UNCH
13300	----	----	----	----/*0.096A	----	0.046 + 0.003	.0070	----	----	----	----	3 UNCH
13400	----	----	----	----/*0.095A	----	0.046 + 0.004	.0069	----	----	----	----	3 UNCH
13500	----	----	----	----/*0.096A	----	0.045 + 0.004	.0067	----	----	----	----	64 UNCH
13600	----	----	----	----/0.095A	----	0.044 + 0.003	.0065	----	----	----	----	19 UNCH
13700	----	----	----	----/0.099A	----	0.043 + 0.003	.0063	----	----	----	----	76 UNCH
13800	----	----	----	----/0.104A	----	0.042 + 0.003	.0062	----	----	----	----	39 UNCH
13900	----	----	----	----/0.103A	----	0.042 + 0.003	.0061	----	----	----	----	4 UNCH
14000	0.031	0.031	0.031/*0.031	0.031/*0.031	----	0.041 + 0.003	.0059	----	----	1	----	401 + 1
14100	----	----	----	----/0.100A	----	0.040 + 0.003	.0057	----	----	----	----	27 UNCH
14200	----	----	----	----/0.098A	----	0.039 + 0.003	.0056	----	----	----	----	41 UNCH
14300	----	----	----	----/0.097A	----	0.039 + 0.003	.0055	----	----	----	----	6 UNCH
14400	----	----	----	----/0.096A	----	0.038 + 0.003	.0053	----	----	----	----	13 UNCH
14500	----	----	----	----/0.095A	----	0.037 + 0.003	.0052	----	----	----	----	117 UNCH
14600	----	----	----	----/0.093A	----	0.036 + 0.003	.0050	----	----	----	----	55 UNCH
14700	----	----	----	----/0.091A	----	0.035 + 0.002	.0048	----	----	----	----	9 UNCH
14800	----	----	----	----/0.090A	----	0.034 + 0.002	.0047	----	----	----	----	62 UNCH
14900	----	----	----	----/0.088A	----	0.033 + 0.002	.0045	----	----	----	----	3 UNCH
15000	----	----	----	0.025B/0.040A	----	0.032 + 0.002	.0044	----	----	----	----	456 UNCH
15100	----	----	----	----/0.085A	----	0.031 + 0.002	.0042	----	----	----	----	9 UNCH
15200	----	----	----	----/0.084A	----	0.030 + 0.002	.0041	----	----	----	----	54 UNCH
15300	----	----	----	----/0.083A	----	0.029 + 0.002	.0039	----	----	----	----	11 UNCH
15500	----	----	----	----/0.080A	----	0.026 + 0.001	.0035	----	----	----	----	115 UNCH
15600	----	----	----	----/0.079A	----	0.025 + 0.001	.0034	----	----	----	----	1 UNCH
15700	----	----	----	----/0.077A	----	0.024 + 0.001	.0032	----	----	----	----	19 UNCH
15800	----	----	----	----/0.076A	----	0.023 + 0.001	.0031	----	----	----	----	14 UNCH
15900	----	----	----	----/0.075A	----	0.022 UNCH	.0029	----	----	----	----	14 UNCH
16000	----	----	----	0.013B/0.074A	----	0.021 UNCH	.0028	----	----	----	----	721 UNCH
16100	----	----	----	----/0.073A	----	0.020 UNCH	.0026	----	----	----	----	6 UNCH
16200	----	----	----	----/0.072A	----	0.018 - 0.001	.0024	----	----	----	----	1 UNCH
16300	----	----	----	----/0.070A	----	0.017 - 0.001	.0023	----	----	----	----	1 UNCH
16400	----	----	----	----/0.075A	----	0.016 - 0.001	.0021	----	----	----	----	2 UNCH
16500	----	----	----	----/0.083A	----	0.015 - 0.001	.0020	----	----	----	----	56 UNCH
16600	----	----	----	----/0.084A	----	0.015 - 0.001	.0020	----	----	----	----	3 UNCH
16700	----	----	----	----/0.176A	----	0.014 - 0.001	.0018	----	----	----	----	5 UNCH
16800	----	----	----	----/0.177A	----	0.013 - 0.001	.0017	----	----	----	----	6 UNCH
16900	----	----	----	----/0.178A	----	0.012 - 0.001	.0016	----	----	----	----	67 UNCH
17000	----	----	----	----/0.179A	----	0.011 - 0.002	.0014	----	----	----	----	67 UNCH
17100	----	----	----	----/0.180A	----	0.011 - 0.001	.0014	----	----	----	----	8 UNCH
17200	----	----	----	----/0.181A	----	0.010 - 0.002	.0013	----	----	----	----	6 UNCH
17300	----	----	----	----/0.182A	----	0.009 - 0.002	.0012	----	----	----	----	5 UNCH
17400	----	----	----	----/0.183A	----	0.009 - 0.002	.0012	----	----	----	----	6 UNCH
17500	----	----	----	0.005B/0.010A	----	0.008 - 0.002	.0010	----	----	----	----	96 UNCH
17600	----	----	----	----/0.184A	----	0.008 - 0.002	.0010	----	----	----	----	7 UNCH
17700	----	----	----	----/0.185A	----	0.008 - 0.001	.0010	----	----	----	----	9 UNCH
17800	----	----	----	----/0.186A	----	0.007 - 0.002	.0009	----	----	----	----	8 UNCH
17900	----	----	----	----/0.186A	----	0.007 - 0.002	.0009	----	----	----	----	3 UNCH
18000	----	----	----	----/0.050A	----	0.007 - 0.002	.0009	----	----	----	----	54 UNCH
18100	----	----	----	----/0.188A	----	0.007 - 0.001	.0009	----	----	----	----	1 UNCH
18200	----	----	----	----/0.188A	----	0.007 - 0.001	.0009	----	----	----	----	11 UNCH
18300	----	----	----	----/0.189A	----	0.006 - 0.002	.0008	----	----	----	----	5 UNCH
18400	----	----	----	----/0.189A	----	0.006 - 0.002	.0007	----	----	----	----	2 UNCH
18500	----	----	----	----/0.190A	----	0.006 - 0.002	.0007	----	----	----	----	11 UNCH
18700	----	----	----	----/0.191A	----	0.006 - 0.001	.0007	----	----	----	----	8 UNCH
18800	----	----	----	----/0.191A	----	0.006 - 0.001	.0007	----	----	----	----	6 UNCH
18900	----	----	----	----/0.192A	----	0.005 - 0.002	.0006	----	----	----	----	3 UNCH
19000	----	----	----	----/0.192A	----	0.005 - 0.002	.0006	----	----	----	----	51 UNCH
19100	----	----	----	----/0.193A	----	0.005 - 0.002	.0006	----	----	----	----	74 UNCH
19200	----	----	----	----/0.193A	----	0.005 - 0.001	.0006	----	----	----	----	130 UNCH
19300	----	----	----	----/0.194A	----	0.005 - 0.001	.0006	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
19400	----	----	----	----/0.194A	----	0.005 - 0.001	.0006	----	----	----	----	66 UNCH
19500	----	----	----	----/0.194A	----	0.005 - 0.001	.0006	----	----	----	----	96 UNCH
19700	----	----	----	----/0.195A	----	0.005 - 0.001	.0006	----	----	----	----	2 UNCH
19800	----	----	----	----/0.195A	----	0.004 - 0.002	.0005	----	----	----	----	10 UNCH
19900	----	----	----	----/0.196A	----	0.004 - 0.002	.0005	----	----	----	----	11 UNCH
20000	----	----	----	0.003B/*0.010A	----	0.004 - 0.001	.0005	----	----	----	----	392 UNCH
21000	----	----	----	----/0.100A	----	0.003 - 0.001	.0003	----	----	----	----	15 UNCH
22000	----	----	----	----/0.201A	----	0.002 - 0.001	.0002	----	----	----	----	10 UNCH
23000	----	----	----	----/0.005A	----	0.001 - 0.001	.0001	----	----	----	----	6 UNCH
24000	----	----	----	----/*0.004A	----	0.001 UNCH	.0000	----	----	----	----	4 UNCH
25000	----	----	----	----/0.005A	----	0.001 UNCH	.0000	----	----	----	----	91 UNCH
TOTAL										673	0	23605 + 154
JUN26												
4300	----	----	----/33.406A	33.707B/33.406A	----	34.114 + 0.021	.9846	----	----	----	----	20 UNCH
4850	----	----	----/28.060A	28.249B/28.060A	----	28.713 + 0.005	.9726	----	----	----	----	7 UNCH
4900	----	----	----/27.572A	27.761B/27.572A	----	28.226 + 0.003	.9711	----	----	----	----	9 UNCH
5000	----	----	27.637B/26.551A	27.637B/26.551A	----	27.256 + 0.001	.9675	----	----	----	----	348 UNCH
5025	----	----	27.339B/26.371A	27.339B/26.371A	----	27.014 + 0.001	.9666	----	----	----	----	6 UNCH
5050	----	----	27.096B/26.138A	27.096B/26.138A	----	26.773 + 0.001	.9656	----	----	----	----	1 UNCH
5200	----	----	25.705B/24.631A	25.705B/24.631A	----	25.331 UNCH	.9590	----	----	----	----	77 UNCH
5225	----	----	25.409B/24.497A	25.409B/24.497A	----	25.092 UNCH	.9579	----	----	----	----	4 UNCH
5275	----	----	24.923B/24.023A	24.923B/24.023A	----	24.615 + 0.001	.9553	----	----	----	----	7 UNCH
5300	----	----	24.688B/23.752A	24.688B/23.752A	----	24.377 + 0.001	.9539	----	----	----	----	3 UNCH
5325	----	----	24.444B/23.555A	24.444B/23.555A	----	24.140 + 0.001	.9525	----	----	----	----	5 UNCH
5350	----	----	24.206B/23.318A	24.206B/23.318A	----	23.903 + 0.002	.9511	----	----	----	----	7 UNCH
5400	----	----	23.730B/22.844A	23.730B/22.844A	----	23.430 + 0.002	.9481	----	----	----	----	2 UNCH
5425	----	----	23.492B/22.611A	23.492B/22.611A	----	23.194 + 0.003	.9466	----	----	----	----	9 UNCH
5500	----	----	22.845B/21.813A	22.845B/21.813A	----	22.489 + 0.004	.9417	----	----	----	----	341 UNCH
5525	----	----	22.550B/21.680A	22.550B/21.680A	----	22.255 + 0.004	.9400	----	----	----	----	2 UNCH
5600	----	----	21.840B/20.989A	21.840B/20.989A	----	21.556 + 0.006	.9345	----	----	----	----	7 UNCH
5625	----	----	21.606B/20.760A	21.606B/20.760A	----	21.323 + 0.005	.9326	----	----	----	----	11 UNCH
5675	----	----	21.138B/20.303A	21.138B/20.303A	----	20.860 + 0.005	.9286	----	----	----	----	1 UNCH
5700	----	----	20.971B/19.997A	20.971B/19.997A	----	20.630 + 0.006	.9266	----	----	----	----	56 UNCH
5725	----	----	20.679B/19.836A	20.679B/19.836A	----	20.400 + 0.006	.9245	----	----	----	----	10 UNCH
5750	----	----	20.439B/19.624A	20.439B/19.624A	----	20.170 + 0.005	.9223	----	----	----	----	13 UNCH
5775	----	----	20.217B/19.399A	20.217B/19.399A	----	19.941 + 0.005	.9201	----	----	----	----	1 UNCH
5800	----	----	19.979B/19.174A	19.979B/19.174A	----	19.713 + 0.006	.9179	----	----	----	----	2 UNCH
5825	----	----	19.759B/18.951A	19.759B/18.951A	----	19.485 + 0.005	.9155	----	----	----	----	1 UNCH
5850	----	----	19.518B/18.728A	19.518B/18.728A	----	19.257 + 0.004	.9131	----	----	----	----	9 UNCH
5900	----	----	19.059B/18.270A	19.059B/18.270A	----	18.805 + 0.003	.9082	----	----	----	----	4 UNCH
5925	----	----	18.831B/18.064A	18.831B/18.064A	----	18.580 + 0.003	.9056	----	----	----	----	17 UNCH
6000	----	----	18.223B/17.325A	18.223B/17.325A	----	17.908 UNCH	.8975	----	----	----	----	401 UNCH
6025	----	----	17.938B/17.161A	17.938B/17.161A	----	17.686 - 0.001	.8947	----	----	----	----	7 UNCH
6050	----	----	17.703B/16.987A	17.703B/16.987A	----	17.465 - 0.001	.8918	----	----	----	----	4 UNCH
6075	----	----	17.516B/16.732A	17.516B/16.732A	----	17.244 - 0.002	.8888	----	----	----	----	30 UNCH
6100	----	----	17.265B/16.563A	17.265B/16.563A	----	17.024 - 0.004	.8858	----	----	----	----	16 UNCH
6200	----	----	16.450B/15.623A	16.450B/15.623A	----	16.155 - 0.008	.8729	----	----	----	----	101 UNCH
6225	----	----	16.156B/15.512A	16.156B/15.512A	----	15.940 - 0.009	.8695	----	----	----	----	1 UNCH
6250	----	----	15.939B/15.306A	15.939B/15.306A	----	15.725 - 0.012	.8660	----	----	----	----	4 UNCH
6300	----	----	15.510B/14.894A	15.510B/14.894A	----	15.301 - 0.014	.8587	----	----	----	----	4 UNCH
6400	----	----	14.743B/14.001A	14.743B/14.001A	----	14.465 - 0.021	.8433	----	----	----	----	110 UNCH
6425	----	----	14.509B/13.809A	14.509B/13.809A	----	14.258 - 0.024	.8392	----	----	----	----	25 UNCH
6450	----	----	14.270B/13.673A	14.270B/13.673A	----	14.054 - 0.025	.8350	----	----	----	----	6 UNCH
6475	----	----	14.042B/13.489A	14.042B/13.489A	----	13.850 - 0.027	.8308	----	----	----	----	5 UNCH
6500	----	----	13.865B/13.252A	13.865B/13.252A	----	13.648 - 0.029	.8265	----	----	----	----	11 UNCH
6625	----	----	12.862B/12.310A	12.862B/12.310A	----	12.657 - 0.040	.8036	----	----	----	----	10 UNCH
6700	----	----	12.248B/11.780A	12.248B/11.780A	----	12.080 - 0.047	.7888	----	----	----	----	1 UNCH
6725	----	----	12.055B/11.597A	12.055B/11.597A	----	11.890 - 0.050	.7837	----	----	----	----	1 UNCH
6750	----	----	11.864B/11.416A	11.864B/11.416A	----	11.702 - 0.053	.7786	----	----	----	----	3 UNCH
6800	----	----	11.536B/11.048A	11.536B/11.048A	----	11.331 - 0.058	.7680	----	----	----	----	6 UNCH
6850	----	----	11.117B/10.702A	11.117B/10.702A	----	10.967 - 0.062	.7571	----	----	----	----	5 UNCH
6900	----	----	10.814B/10.342A	10.814B/10.342A	----	10.609 - 0.067	.7459	----	----	----	----	16 UNCH
6925	----	----	10.638B/10.168A	10.638B/10.168A	----	10.433 - 0.070	.7402	----	----	----	----	9 UNCH
6975	----	----	10.289B/9.828A	10.289B/9.828A	----	10.085 - 0.075	.7286	----	----	----	----	7 UNCH
7000	----	----	10.143B/9.594A	10.143B/9.594A	----	9.914 - 0.078	.7227	----	----	----	----	125 UNCH
7025	----	----	9.861B/9.535A	9.861B/9.535A	----	9.744 - 0.081	.7167	----	----	----	----	1 UNCH
7050	----	----	9.689B/9.375A	9.689B/9.375A	----	9.577 - 0.083	.7107	----	----	----	----	1 UNCH
7075	----	----	9.520B/9.215A	9.520B/9.215A	----	9.411 - 0.086	.7045	----	----	----	----	4 UNCH
7100	----	----	9.465B/8.968A	9.465B/8.968A	----	9.247 - 0.089	.6984	----	----	----	----	99 UNCH
7150	----	----	9.021B/8.750A	9.021B/8.750A	----	8.925 - 0.094	.6859	----	----	----	----	1 UNCH
7225	----	----	----/8.007A	8.538B/8.007A	----	8.456 - 0.101	.6667	----	----	----	----	1 UNCH
7250	----	----	8.499B/7.639A	8.499B/7.639A	----	8.303 - 0.104	.6602	----	----	----	----	31 UNCH
7275	----	----	----/7.681A	8.242B/7.681A	----	8.152 - 0.107	.6537	----	----	----	----	2 UNCH
7300	----	----	8.195B/7.339A	8.195B/7.339A	----	8.004 - 0.109	.6471	----	----	4	----	16 + 3
7375	----	----	----/7.016A	7.623B/7.016A	----	7.569 - 0.116	.6272	----	----	----	----	4 UNCH
7400	----	----	7.734B/6.876A	7.734B/6.876A	----	7.428 - 0.119	.6205	----	----	----	----	4 UNCH
7425	----	----	7.590B/6.663A	7.590B/6.663A	----	7.289 - 0.121	.6138	----	----	----	----	12 UNCH
7450	----	----	7.448B/6.514A	7.448B/6.514A	----	7.152 - 0.123	.6070	----	----	----	----	12 UNCH
7475	----	----	7.309B/6.443A	7.309B/6.443A	----	7.017 - 0.125	.6003	----	----	----	----	2 UNCH
7500	----	----	7.170B/6.260A	7.170B/6.260A	----	6.884 - 0.127	.5935	----	----	----	----	242 UNCH
7525	----	----	7.033B/6.135A	7.033B/6.135A	----	6.753 - 0.129	.5867	----	----	----	----	9 UNCH
7550	----	----	6.898B/5.964A	6.898B/5.964A	----	6.624 - 0.131	.5798	----	----	----	----	25 UNCH
7575	----	----	6.803B/5.873A	6.803B/5.873A	----	6.497 - 0.133	.5730	----	----	----	----	1 UNCH
7600	----	----	6.673B/5.729A	6.673B/5.729A	----	6.372 - 0.135	.5662	----	----	----	----	22 UNCH
7675	----	----	6.294B/5.408A	6.294B/5.408A	----	6.009 - 0.140	.5457	----	----	----	----	3 UNCH
7700	----	----	6.171B/5.297A	6.171B/5.297A	----	5.892 - 0.141	.5389	----	----	----	----	111 UNCH
7725	5.659	5.659	6.017B/5.238A	6.017B/5.238A	----	5.777 - 0.143	.5321	----	----	1	----	7 UNCH
7750	5.641	5.641	5.892B/5.110A	5.892B/5.110A	----	5.663 - 0.145	.5253	----	----	67	----	70 + 60
7775	5.445	5.445	5.775B/5.021A	5.775B/5.021A	----	5.552 - 0.146	.5185	----	----	1	----	3 + 1
7800	----	----	5.673B/4.934A	5.673B/4.934A	----	5.443 - 0.147	.5117	----	----	----	----	18 UNCH
7825	----	----	5.563B/4.837A	5.563B/4.837A	----	5.336 - 0.148	.5050	----	----	----	----	1 UNCH
7850	----	----	5.454B/4.774A	5.454B/4.774A	----	5.230 - 0.150	.4983	----	----	----	----	1 UNCH
7900	----	----	5.242B/4.562A	5.242B/4.562A	----	5.025 - 0.152	.4850	----	----	----	----	67 UNCH
7925	----	----	5.139B/4.483A	5.139B/4.483A	----	4.925 - 0.154	.4783	----	----	----	----	12 UNCH
7950	----	----	5.038B/4.385A	5.038B/4.385A	----	4.828 - 0.154	.4718	----	----	----	----	3 UNCH
7975	4.385	4.385	4.938B/4.307A	4.938B/4.307A	----	4.732 - 0.155	.4653	----	----	6	----	7 + 5
8000	4.750	4.750	4.841B/4.231A	4.841B/4.231A	----	4.638 - 0.156	.4588	----	----	41	----	237 + 11
8025	----	----	4.745B/4.132A	4.745B/4.132A	----	4.545 - 0.157	.4523	----	----	----	----	3 UNCH
8050	----	----	4.651B/4.058A	4.651B/4.058A	----	4.455 - 0.158	.4459	----	----	----	----	6 UNCH
8075	----	----	4.559B/3.983A	4.559B/3.983A	----	4.366 - 0.159	.4395	----	----	----	----	2 UNCH
8100	----	----	4.469B/3.915A	4.469B/3.915A	----	4.279 - 0.160	.4332	----	----	----	----	11 UNCH
8125	----	----	4.379B/3.836A	4.379B/3.836A	----	4.194 - 0.160	.4270	----	----	----	----	2 UNCH
8150	----	----	4.293B/3.764A	4.293B/3.764A	----	4.111 - 0.160	.4208	----	----	----	----	10 UNCH
8175	----	----	4.208B/3.692A	4.208B/3.692A	----	4.029 - 0.161	.4146	----	----	----	----	1 UNCH
8200	----	----	4.125B/3.625A	4.125B/3.625A	----	3.949 - 0.161	.4086	----	----	1	----	3 UNCH
8225	----	----	4.043B/3.550A	4.043B/3.550A	----	3.870 - 0.162	.4025	----	----	----	----	3 UNCH
8250	----	----	3.964B/3.487A	3.964B/3.487A	----	3.794 - 0.162	.3966	----	----	----	----	20 UNCH
8275	----	----	3.885B/3.408A	3.885B/3.408A	----	3.718 - 0.163	.3906	----	----	----	----	19 UNCH
8300	----	----	3.809B/3.350A	3.809B/3.350A	----	3.645 - 0.163	.3848	----	----	----	----	90 UNCH
8350	----	----	----/3.213A	3.660B/3.213A	----	3.502 - 0.164	.3733	----	----	----	----	13 UNCH
8375	3.219	3.219	3.588B/3.147A	3.588B/3.147A	----	3.433 - 0.164	.3676	----	----	2	----	5 UNCH
8400	----	----	----/3.094A	3.518B/3.094A	----	3.365 - 0.164	.3620	----	----	----	----	7 UNCH
8425	3.092	3.092	3.455B/3.033A	3.455B/3.033A	----	3.299 - 0.164	.3565	----	----	2	----	51 UNCH
8450	----	----	----/2.978A	3.381B/2.978A	----	3.234 - 0.165	.3510	----	----	----	----	19 UNCH
8475	----	----	----/2.941A	3.315B/2.941A	----	3.171 - 0.164	.3457	----	----	----	----	4 UNCH
8500	3.200	3.200	3.200/2.865A	3.253B/2.865A	----	3.109 - 0.164	.3403	----	----	13	----	364 + 10
8550	----	----	----/2.767A	3.126B/2.767A	----	2.989 - 0.164	.3299	----	----	----	----	5 UNCH
8575	----	----	----/2.715A	3.065B/2.715A	----	2.931 - 0.164	.3248	----	----	----	----	4 UNCH
8600	----	----	----/2.661A	3.006B/2.661A	----	2.874 - 0.164	.3197	----	----	----	----	9 UNCH
8625	----	----	----/2.620A	2.947B/2.620A	----	2.819 - 0.164	.3148	----	----	----	----	4 UNCH
8650	----	----	----/2.575A	2.890B/2.575A	----	2.764 - 0.164	.3099	----	----	----	----	5 UNCH
8675	----	----	----/2.528A	2.835B/2.528A	----	2.711 - 0.164	.3050	----	----	----	----	6 UNCH
8700	----	----	----/2.475A	2.790B/2.475A	----	2.659 - 0.164	.3003	----	----	1	----	32 UNCH
8725	----	----	----/2.438A	2.729B/2.438A	----	2.608 - 0.164	.2956	----	----	----	----	3 UNCH
8750	----	----	----/2.394A	2.675B/2.394A	----	2.559 - 0.163	.2910	----	----	1	----	13 + 1
8800	2.440	2.440	2.440/2.307A	2.585B/2.307A	----	2.462 - 0.163	.2819	----	----	19	----	95 + 19
8825	----	----	----/2.272A	2.528B/2.272A	----	2.416 - 0.162	.2775	----	----	----	----	2 UNCH
8850	----	----	----/2.227A	2.481B/2.227A	----	2.371 - 0.162	.2731	----	----	----	----	12 UNCH
8875	----	----	----/2.190A	2.433B/2.190A	----	2.326 - 0.162	.2688	----	----	----	----	2 UNCH
8900	----	----	----/2.150A	2.390B/2.150A	----	2.283 - 0.161	.2646	----	----	----	----	22 UNCH
8925	----	----	----/2.115A	2.344B/2.115A	----	2.240 - 0.161	.2605	----	----	----	----	3 UNCH
8950	----	----	----/2.076A	2.301B/2.076A	----	2.199 - 0.160	.2564	----	----	----	----	4 UNCH
8975	----	----	----/2.039A	2.260B/2.039A	----	2.158 - 0.160	.2524	----	----	----	----	4 UNCH
9000	2.154	2.154	2.236B/2.004A	2.236B/2.004A	----	2.118 - 0.160	.2484	----	----	68	----	526 + 8
9025	----	----	----/1.974A	2.176B/1.974A	----	2.079 - 0.159	.2445	----	----	----	----	4 UNCH
9050	----	----	----/1.937A	2.137B/1.937A	----	2.041 - 0.159	.2407	----	----	----	----	12 UNCH
9075	2.130	2.130	2.130/1.903A	2.130/1.903A	----	2.004 NEW	.2369	----	----	6	----	6 + 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
9100	----	----	----/1.867A	2.082B/1.867A	----	1.968 - 0.157	.2332	----	----	----	----	328 UNCH
9125	----	----	----/1.839A	2.022B/1.839A	----	1.932 - 0.157	.2295	----	----	----	----	2 UNCH
9150	----	----	----/1.811A	1.997B/1.811A	----	1.897 - 0.157	.2259	----	----	----	----	103 UNCH
9200	1.878	1.878	1.937B/1.749A	1.937B/1.749A	----	1.830 - 0.156	.2190	----	----	2	----	98 UNCH
9225	----	----	----/1.721A	1.881B/1.721A	----	1.797 - 0.156	.2155	----	----	----	----	7 UNCH
9250	----	----	----/1.691A	1.847B/1.691A	----	1.765 - 0.155	.2122	----	----	----	----	6 UNCH
9275	----	----	----/1.664A	1.815B/1.664A	----	1.734 - 0.154	.2089	----	----	----	----	7 UNCH
9300	----	----	----/1.634A	1.793B/1.634A	----	1.703 - 0.154	.2056	----	----	2	----	31 UNCH
9325	----	----	----/1.608A	1.751B/1.608A	----	1.673 - 0.154	.2024	----	----	----	----	2 UNCH
9350	----	----	----/1.584A	1.721B/1.584A	----	1.644 - 0.153	.1993	----	----	----	----	17 UNCH
9375	----	----	----/1.557A	1.691B/1.557A	----	1.615 - 0.153	.1962	----	----	----	----	17 UNCH
9400	----	----	----/1.534A	1.661B/1.534A	----	1.587 - 0.152	.1932	----	----	2	----	20 UNCH
9425	----	----	----/1.508A	1.633B/1.508A	----	1.560 - 0.151	.1902	----	----	----	----	22 UNCH
9450	----	----	----/1.484A	1.605B/1.484A	----	1.533 - 0.151	.1873	----	----	----	----	4 UNCH
9475	----	----	----/*1.461A	1.577B/*1.461A	----	1.506 - 0.151	.1844	----	----	----	----	17 UNCH
9500	----	----	----/1.433A	1.560B/1.433A	----	1.480 - 0.150	.1815	----	----	----	----	235 UNCH
9525	----	----	----/*1.416A	1.525B/*1.416A	----	1.455 - 0.150	.1788	----	----	----	----	1 UNCH
9550	----	----	----/1.398A	1.499B/1.398A	----	1.430 - 0.149	.1760	----	----	----	----	1 UNCH
9575	----	----	----/*1.371A	1.474B/*1.371A	----	1.406 - 0.148	.1734	----	----	----	----	1 UNCH
9600	----	----	----/1.345A	1.450B/1.345A	----	1.382 - 0.148	.1707	----	----	----	----	17 UNCH
9625	----	----	----/*1.330A	1.426B/*1.330A	----	1.359 - 0.147	.1681	----	----	----	----	4 UNCH
9650	----	----	----/1.309A	1.402B/1.309A	----	1.336 - 0.147	.1656	----	----	----	----	1 UNCH
9675	----	----	----/*1.290A	1.379B/*1.290A	----	1.313 - 0.147	.1630	----	----	----	----	2 UNCH
9700	----	----	----/1.264A	1.357B/1.264A	----	1.291 - 0.146	.1605	----	----	----	----	37 UNCH
9750	----	----	----/1.237A	1.313B/1.237A	----	1.249 - 0.145	.1557	----	----	----	----	28 UNCH
9800	----	----	----/1.198A	1.271B/1.198A	----	1.208 - 0.144	.1511	----	----	----	----	6 UNCH
9850	----	----	----/1.165A	1.231B/1.165A	----	1.169 - 0.142	.1466	----	----	----	----	2 UNCH
9875	----	----	----/*1.147A	1.212B/*1.147A	----	1.150 - 0.141	.1444	----	----	----	----	10 UNCH
9900	----	----	----/1.129A	1.199B/1.129A	----	1.131 - 0.141	.1422	----	----	----	----	22 UNCH
9925	----	----	----/*1.113A	1.174B/*1.113A	----	1.113 - 0.140	.1401	----	----	----	----	1 UNCH
9950	----	----	----/1.097A	1.156B/1.097A	----	1.095 - 0.140	.1380	----	----	----	----	2 UNCH
9975	----	----	----/*1.079A	1.138B/*1.079A	----	1.078 - 0.138	.1360	----	----	----	----	4 UNCH
10000	1.135	1.135	1.170/1.000	1.170/1.000	----	1.061 - 0.137	.1340	----	----	6	----	693 + 1
10025	----	----	----/*1.046A	1.102B/*1.046A	----	1.044 - 0.137	.1321	----	----	----	----	5 UNCH
10050	----	----	----/1.031A	1.085B/1.031A	----	1.028 - 0.136	.1302	----	----	----	----	3 UNCH
10075	----	----	----/*1.016A	1.069B/*1.016A	----	1.012 - 0.135	.1283	----	----	----	----	9 UNCH
10100	----	----	----/*1.001A	1.052B/*1.001A	----	0.997 - 0.133	.1265	----	----	----	----	19 UNCH
10125	----	----	----/*0.986A	1.036B/*0.986A	----	0.982 - 0.132	.1247	----	----	----	----	1 UNCH
10175	----	----	----/*0.955A	1.005B/*0.955A	----	0.952 - 0.130	.1211	----	----	----	----	1 UNCH
10200	----	----	----/*0.943A	0.990B/*0.943A	----	0.938 - 0.129	.1194	----	----	----	----	9 UNCH
10225	----	----	----/*0.929A	0.975B/*0.929A	----	0.924 - 0.127	.1177	----	----	----	----	1 UNCH
10300	----	----	----/*0.890A	0.932B/*0.890A	----	0.884 - 0.124	.1129	----	----	----	----	8 UNCH
10375	----	----	----/*0.852A	0.892B/*0.852A	----	0.847 - 0.119	.1083	----	----	----	----	2 UNCH
10400	----	----	----/*0.840A	0.879B/*0.840A	----	0.835 - 0.118	.1068	----	----	----	----	4 UNCH
10425	----	----	----/*0.829A	0.866B/*0.829A	----	0.823 - 0.116	.1054	----	----	----	----	1 UNCH
10450	----	----	----/*0.817A	0.854B/*0.817A	----	0.811 - 0.116	.1039	----	----	----	----	3 UNCH
10475	----	----	----/*0.806A	0.842B/*0.806A	----	0.800 - 0.114	.1025	----	----	----	----	2 UNCH
10500	----	----	----/*0.797A	0.830B/*0.797A	----	0.789 - 0.112	.1012	----	----	----	----	357 UNCH
10525	----	----	----/*0.789A	0.818B/*0.789A	----	0.779 - 0.110	.0999	----	----	----	----	12 UNCH
10550	----	----	----/*0.783A	0.806B/*0.783A	----	0.768 - 0.109	.0985	----	----	----	----	1 UNCH
10600	----	----	----/*0.765A	0.784B/*0.765A	----	0.748 - 0.106	.0960	----	----	----	----	67 UNCH
10625	----	----	----/*0.749A	0.773B/*0.749A	----	0.738 - 0.104	.0948	----	----	----	----	1 UNCH
10650	----	----	----/*0.745A	0.763B/*0.745A	----	0.728 - 0.103	.0935	----	----	----	----	3 UNCH
10675	----	----	----/*0.726A	0.751B/*0.726A	----	0.719 - 0.101	.0924	----	----	----	----	3 UNCH
10700	----	----	----/*0.729A	0.742B/*0.729A	----	0.709 - 0.100	.0911	----	----	----	----	12 UNCH
10750	----	----	----/*0.708A	0.721B/*0.708A	----	0.691 - 0.097	.0888	----	----	----	----	3 UNCH
10800	----	----	----/*0.689A	0.703B/*0.689A	----	0.674 - 0.094	.0867	----	----	----	----	2 UNCH
10850	----	----	----/*0.667A	0.684B/*0.667A	----	0.657 - 0.091	.0845	----	----	----	----	12 UNCH
10875	----	----	----/*0.659A	0.674B/*0.659A	----	0.649 - 0.090	.0835	----	----	----	----	6 UNCH
10900	----	----	----/*0.652A	0.666B/*0.652A	----	0.641 - 0.088	.0825	----	----	----	----	20 UNCH
10925	----	----	----/*0.639A	0.657B/*0.639A	----	0.634 - 0.086	.0815	----	----	----	----	1 UNCH
10950	----	----	----/*0.635A	0.648B/*0.635A	----	0.626 - 0.085	.0805	----	----	----	----	1 UNCH
11000	0.650	0.650	0.680/0.620A	0.680/0.620A	----	0.611 - 0.082	.0786	----	----	40	----	432 - 40
11025	----	----	----/*0.609A	0.624B/*0.609A	----	0.604 - 0.080	.0777	----	----	----	----	1 UNCH
11050	----	----	----/*0.602A	0.616B/*0.602A	----	0.597 - 0.079	.0768	----	----	----	----	4 UNCH
11075	----	----	----/*0.594A	0.608B/*0.594A	----	0.590 - 0.078	.0759	----	----	----	----	5 UNCH
11100	----	----	----/*0.589A	0.600B/*0.589A	----	0.583 - 0.076	.0749	----	----	----	----	1 UNCH
11125	----	----	----/*0.582A	0.593B/*0.582A	----	0.577 - 0.074	.0741	----	----	----	----	5 UNCH
11175	----	----	----/*0.570A	0.578B/*0.570A	----	0.564 - 0.071	.0724	----	----	----	----	2 UNCH
11200	----	----	----/*0.573A	0.571B/*0.573A	----	0.558 - 0.070	.0717	----	----	----	----	3 UNCH
11225	----	----	----/*0.557A	0.564B/*0.557A	----	0.551 - 0.069	.0708	----	----	----	----	3 UNCH
11300	----	----	----/*0.563A	0.544B/*0.563A	----	0.534 - 0.064	.0685	----	----	----	----	2 UNCH
11325	----	----	----/*0.553A	0.538B/*0.553A	----	0.528 - 0.063	.0677	----	----	----	----	6 UNCH
11350	----	----	----/*0.554A	0.531B/*0.554A	----	0.522 - 0.062	.0669	----	----	----	----	3 UNCH
11375	----	----	----/*0.539A	0.525B/*0.539A	----	0.517 - 0.060	.0663	----	----	----	----	1 UNCH
11400	----	----	----/*0.534A	0.519B/*0.534A	----	0.511 - 0.060	.0655	----	----	1	----	163 - 1
11425	----	----	----/*0.527A	0.513B/*0.527A	----	0.506 - 0.058	.0648	----	----	----	----	12 UNCH
11450	----	----	----/*0.530A	0.508B/*0.530A	----	0.501 - 0.057	.0641	----	----	----	----	13 UNCH
11475	----	----	----/*0.521A	0.502B/*0.521A	----	0.495 - 0.056	.0634	----	----	----	----	2 UNCH
11500	----	----	----/*0.519A	0.456B/*0.519A	----	0.490 - 0.055	.0627	----	----	----	----	245 UNCH
11525	----	----	----/*0.520A	0.468B/*0.520A	----	0.485 - 0.054	.0621	----	----	----	----	4 UNCH
11550	----	----	----	0.435B/*0.539A	----	0.480 - 0.053	.0614	----	----	----	----	1 UNCH
11625	----	----	----/*0.513A	0.418B/*0.513A	----	0.466 - 0.049	.0595	----	----	----	----	1 UNCH
11675	----	----	----	0.408B/*0.518A	----	0.457 - 0.046	.0583	----	----	----	----	2 UNCH
11700	----	----	----	0.385B/*0.514A	----	0.453 - 0.045	.0578	----	----	----	----	7 UNCH
11725	----	----	----	0.371B/*0.509A	----	0.448 - 0.044	.0571	----	----	----	----	2 UNCH
11750	----	----	----	0.366B/*0.505A	----	0.444 - 0.043	.0566	----	----	----	----	21 UNCH
11775	----	----	----	0.362B/*0.500A	----	0.440 - 0.042	.0560	----	----	----	----	2 UNCH
11800	----	----	----	0.357B/*0.496A	----	0.435 - 0.042	.0554	----	----	----	----	4 UNCH
11850	----	----	----	0.346B/*0.487A	----	0.427 - 0.039	.0543	----	----	----	----	5 UNCH
11900	----	----	----	0.337B/*0.479A	----	0.419 - 0.038	.0533	----	----	----	----	2 UNCH
11925	----	----	----	0.332B/*0.479A	----	0.415 - 0.037	.0527	----	----	----	----	8 UNCH
11950	----	----	----/*0.421A	0.328B/*0.421A	----	0.411 - 0.036	.0522	----	----	1	----	2 - 1
12000	0.425	0.425	0.425/0.380	0.425/0.380	----	0.404 - 0.034	.0512	----	----	2	----	451 - 1
12025	----	----	----	0.316B/*0.464A	----	0.400 - 0.033	.0507	----	----	----	----	11 UNCH
12125	----	----	----	0.300B/*0.449A	----	0.386 - 0.030	.0488	----	----	----	----	1 UNCH
12200	----	----	----	0.290B/*0.439A	----	0.376 - 0.028	.0475	----	----	----	----	13 UNCH
12225	----	----	----	0.286B/*0.435A	----	0.372 - 0.028	.0470	----	----	----	----	7 UNCH
12275	----	----	----	0.278B/*0.429A	----	0.366 - 0.026	.0462	----	----	----	----	1 UNCH
12325	----	----	----	0.271B/*0.419A	----	0.359 - 0.025	.0453	----	----	----	----	3 UNCH
12350	----	----	----	0.268B/*0.416A	----	0.356 - 0.025	.0449	----	----	----	----	5 UNCH
12400	----	----	----	0.267B/*0.410A	----	0.350 - 0.023	.0441	----	----	----	----	23 UNCH
12425	----	----	----	0.258B/*0.407A	----	0.347 - 0.023	.0437	----	----	----	----	1 UNCH
12450	----	----	----	0.255B/*0.404A	----	0.344 - 0.022	.0433	----	----	----	----	9 UNCH
12475	----	----	----	0.252B/*0.401A	----	0.341 - 0.022	.0429	----	----	----	----	1 UNCH
12500	----	----	----	0.256B/*0.398A	----	0.338 - 0.022	.0425	----	----	----	----	102 UNCH
12525	----	----	----	0.245B/*0.395A	----	0.335 - 0.021	.0421	----	----	----	----	37 UNCH
12550	----	----	----	0.242B/*0.393A	----	0.333 - 0.020	.0418	----	----	----	----	6 UNCH
12575	----	----	----	0.239B/*0.390A	----	0.330 - 0.020	.0414	----	----	----	----	2 UNCH
12600	----	----	----	0.236B/*0.387A	----	0.327 - 0.020	.0410	----	----	----	----	5 UNCH
12650	----	----	----	0.230B/*0.382A	----	0.322 - 0.018	.0403	----	----	----	----	2 UNCH
12675	----	----	----	0.228B/*0.379A	----	0.319 - 0.018	.0399	----	----	----	----	2 UNCH
12700	----	----	----	0.236B/*0.377A	----	0.317 - 0.017	.0396	----	----	----	----	11 UNCH
12725	----	----	----	0.222B/*0.374A	----	0.314 - 0.017	.0393	----	----	----	----	2 UNCH
12750	----	----	----	0.219B/*0.372A	----	0.311 - 0.017	.0389	----	----	----	----	2 UNCH
12775	----	----	----	0.217B/*0.369A	----	0.309 - 0.016	.0386	----	----	----	----	7 UNCH
12800	----	----	----	0.227B/*0.367A	----	0.306 - 0.017	.0382	----	----	----	----	34 UNCH
12900	----	----	----	0.203B/*0.358A	----	0.297 - 0.015	.0370	----	----	----	----	6 UNCH
13000	0.260	0.260	0.260/*0.260	0.260/*0.260	----	0.288 - 0.013	.0358	----	----	1	----	272 UNCH
13100	----	----	----	0.184B/*0.341A	----	0.279 - 0.012	.0346	----	----	----	----	4 UNCH
13200	----	----	----	0.176B/*0.333A	----	0.270 - 0.012	.0334	----	----	----	----	3 UNCH
13300	----	----	----	0.167B/*0.326A	----	0.262 - 0.011	.0324	----	----	----	----	3 UNCH
13400	----	----	----	0.159B/*0.323A	----	0.255 - 0.009	.0314	----	----	----	----	5 UNCH
13500	----	----	----	0.165B/*0.316A	----	0.247 - 0.009	.0304	----	----	----	----	23 UNCH
13600	----	----	----	0.144B/*0.309A	----	0.240 - 0.009	.0295	----	----	----	----	7 UNCH
13700	----	----	----	0.138B/*0.303A	----	0.234 - 0.007	.0286	----	----	----	----	5 UNCH
13800	----	----	----	0.131B/*0.296A	----	0.227 - 0.007	.0277	----	----	----	----	1 UNCH
13900	----	----	----	0.125B/*0.291A	----	0.221 - 0.007	.0269	----	----	----	----	3 UNCH
14000	----	----	----	0.143B/0.285A	----	0.215 - 0.007	.0262	----	----	----	----	292 UNCH
14200	----	----	----	0.131B/*0.275A	----	0.204 - 0.006	.0247	----	----	----	----	60 UNCH
14300	----	----	----	0.102B/*0.269A	----	0.199 - 0.005	.0240	----	----	----	----	1 UNCH
14400	----	----	----	0.120B/0.265A	----	0.194 - 0.005	.0234	----	----	----	----	65 UNCH
14500	----	----	----	0.116B/*0.261A	----	0.189 - 0.005	.0227	----	----	----	----	31 UNCH
14600	----	----	----	0.087B/*0.257A	----	0.185 - 0.004	.0222	----	----	----	----	6 UNCH
14700	----	----	----	0.104B/*0.252A	----	0.180 - 0.004	.0216	----	----	----	----	11 UNCH
14800	----	----	----	0.099B/*0.248A	----	0.176 - 0.003	.0210	----	----	----	----	10 UNCH
14900	----	----	----	0.074B/*0.245A	----	0.172 - 0.003	.0205	----	----	----	----	6 UNCH
15000	----	----	----	0.090B/0.241A	----	0.168 - 0.003	.0200	----	----	----	----	146 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
15300	----	----	----	0.058B/*0.231A	----	0.157 - 0.002	.0186	----	----	----	----	2 UNCH
15400	----	----	----	0.054B/*0.227A	----	0.154 - 0.001	.0182	----	----	----	----	1 UNCH
15500	----	----	----	0.050B/*0.224A	----	0.151 - 0.001	.0178	----	----	----	----	7 UNCH
15600	----	----	----	0.048B/*0.221A	----	0.148 UNCH	.0174	----	----	----	----	1 UNCH
15700	----	----	----	0.045B/*0.218A	----	0.145 UNCH	.0170	----	----	----	----	1 UNCH
15800	----	----	----	0.043B/*0.216A	----	0.142 UNCH	.0166	----	----	----	----	6 UNCH
15900	----	----	----	0.040B/*0.211A	----	0.139 UNCH	.0162	----	----	----	----	8 UNCH
16000	----	----	----	0.093B/0.180A	----	0.136 UNCH	.0158	----	----	----	----	202 UNCH
16200	----	----	----	0.043B/*0.204A	----	0.129 UNCH	.0150	----	----	----	----	36 UNCH
16400	----	----	----	0.027B/*0.201A	----	0.122 UNCH	.0141	----	----	----	----	1 UNCH
16500	----	----	----	0.034B/*0.195A	----	0.118 UNCH	.0137	----	----	----	----	30 UNCH
16600	----	----	----	0.022B/*0.197A	----	0.115 UNCH	.0133	----	----	----	----	2 UNCH
16700	----	----	----	0.058B/*0.194A	----	0.112 UNCH	.0130	----	----	----	----	6 UNCH
16800	----	----	----	0.018B/*0.190A	----	0.109 UNCH	.0126	----	----	----	----	3 UNCH
17000	----	----	----	0.020B/0.182A	----	0.103 - 0.001	.0119	----	----	----	----	21 UNCH
17100	----	----	----	0.012B/*0.179A	----	0.101 UNCH	.0117	----	----	----	----	5 UNCH
17200	----	----	----	0.011B/*0.175A	----	0.098 UNCH	.0113	----	----	----	----	5 UNCH
17300	----	----	----	0.012B/0.172A	----	0.096 UNCH	.0111	----	----	----	----	11 UNCH
17400	----	----	----	0.009B/0.168A	----	0.093 UNCH	.0107	----	----	----	----	2 UNCH
17500	----	----	----	0.009B/*0.165A	----	0.091 UNCH	.0105	----	----	----	----	63 UNCH
17700	----	----	----	0.009B/*0.159A	----	0.086 - 0.001	.0099	----	----	----	----	3 UNCH
17800	----	----	----	0.006B/*0.155A	----	0.084 UNCH	.0097	----	----	----	----	3 UNCH
18000	0.083	0.083	0.083/*0.083	0.083/*0.083	----	0.080 UNCH	.0092	----	----	1	----	45 + 1
18100	----	----	----	0.002B/*0.146A	----	0.078 UNCH	.0090	----	----	----	----	2 UNCH
18300	----	----	----	0.001B/*0.140A	----	0.074 - 0.001	.0085	----	----	----	----	1 UNCH
18900	----	----	----	0.001B/*0.121A	----	0.065 UNCH	.0074	----	----	----	----	1 UNCH
19000	----	----	----	0.001B/0.118A	----	0.063 - 0.001	.0072	----	----	----	----	229 UNCH
19500	----	----	----	0.001B/*0.104A	----	0.056 - 0.001	.0064	----	----	----	----	126 UNCH
19600	----	----	----	0.001B/*0.101A	----	0.055 - 0.001	.0063	----	----	----	----	2 UNCH
19900	----	----	----	0.001B/*0.142A	----	0.052 UNCH	.0059	----	----	----	----	28 UNCH
20000	----	----	----	0.001B/0.141A	----	0.051 UNCH	.0058	----	----	----	----	236 UNCH
21000	----	----	----	0.001B/*0.136A	----	0.041 - 0.001	.0046	----	----	----	----	20 UNCH
23000	----	----	----	0.001B/0.116A	----	0.029 UNCH	.0032	----	----	----	----	14 UNCH
25000	----	----	----	----/0.112A	----	0.021 - 0.001	.0023	----	----	----	----	298 UNCH
27000	----	----	----	----/0.184A	----	0.014 UNCH	.0015	----	----	----	----	3 UNCH
30000	----	----	----	----/0.150A	----	0.008 UNCH	.0008	----	----	----	----	31 UNCH
32000	----	----	----	----/0.238A	----	0.005 - 0.001	.0005	----	----	----	----	1 UNCH
35000	----	----	----	----/0.019A	----	0.004 UNCH	.0004	----	----	----	----	21 UNCH
TOTAL										291	0	10779 + 83
JUL26												
2700	----	----	50.417B/49.401A	50.417B/49.401A	----	50.047 + 0.031	.9958	----	----	----	----	1 UNCH
3900	----	----	38.430B/37.394A	38.430B/37.394A	----	38.089 + 0.007	.9853	----	----	----	----	1 UNCH
4000	----	----	37.438B/36.434A	37.438B/36.434A	----	37.104 UNCH	.9835	----	----	----	----	1 UNCH
4200	----	----	35.462B/34.490A	35.462B/34.490A	----	35.142 - 0.011	.9793	----	----	----	----	2 UNCH
4500	----	----	32.564B/31.578A	32.564B/31.578A	----	32.229 - 0.010	.9707	----	----	----	----	28 UNCH
4600	----	----	31.630B/30.577A	31.630B/30.577A	----	31.267 - 0.006	.9671	----	----	----	----	114 UNCH
4700	----	----	30.612B/29.691A	30.612B/29.691A	----	30.311 + 0.001	.9631	----	----	----	----	1 UNCH
4750	----	----	30.132B/29.219A	30.132B/29.219A	----	29.835 + 0.005	.9610	----	----	----	----	1 UNCH
4825	----	----	29.409B/28.530A	29.409B/28.530A	----	29.123 + 0.011	.9575	----	----	----	----	3 UNCH
4900	----	----	28.692B/27.829A	28.692B/27.829A	----	28.415 + 0.017	.9539	----	----	----	----	1 UNCH
4925	----	----	28.455B/27.597A	28.455B/27.597A	----	28.180 + 0.019	.9526	----	----	----	----	16 UNCH
5000	----	----	27.820B/26.816A	27.820B/26.816A	----	27.476 + 0.023	.9486	----	----	----	----	307 UNCH
5025	----	----	27.513B/26.653A	27.513B/26.653A	----	27.242 + 0.024	.9472	----	----	----	----	4 UNCH
5050	----	----	27.284B/26.409A	27.284B/26.409A	----	27.009 + 0.025	.9458	----	----	----	----	2 UNCH
5100	----	----	26.884B/25.887A	26.884B/25.887A	----	26.543 + 0.026	.9428	----	----	----	----	130 UNCH
5150	----	----	26.345B/25.511A	26.345B/25.511A	----	26.080 + 0.027	.9397	----	----	----	----	6 UNCH
5200	----	----	25.921B/25.002A	25.921B/25.002A	----	25.618 + 0.027	.9365	----	----	----	----	40 UNCH
5225	----	----	25.648B/24.825A	25.648B/24.825A	----	25.387 + 0.026	.9348	----	----	----	----	9 UNCH
5250	----	----	25.416B/24.597A	25.416B/24.597A	----	25.158 + 0.026	.9331	----	----	----	----	2 UNCH
5275	----	----	25.188B/24.370A	25.188B/24.370A	----	24.928 + 0.024	.9314	----	----	----	----	1 UNCH
5300	----	----	24.958B/24.144A	24.958B/24.144A	----	24.700 + 0.024	.9296	----	----	----	----	7 UNCH
5350	----	----	24.574B/23.603A	24.574B/23.603A	----	24.244 + 0.021	.9260	----	----	----	----	155 UNCH
5375	----	----	24.269B/23.468A	24.269B/23.468A	----	24.017 + 0.019	.9241	----	----	----	----	1 UNCH
5400	----	----	24.040B/23.244A	24.040B/23.244A	----	23.790 + 0.017	.9221	----	----	----	----	21 UNCH
5425	----	----	23.854B/22.954A	23.854B/22.954A	----	23.564 + 0.015	.9201	----	----	----	----	42 UNCH
5450	----	----	23.584B/22.798A	23.584B/22.798A	----	23.339 + 0.013	.9181	----	----	----	----	1 UNCH
5500	----	----	23.210B/22.263A	23.210B/22.263A	----	22.890 + 0.008	.9140	----	----	----	----	494 UNCH
5550	----	----	22.681B/21.900A	22.681B/21.900A	----	22.445 + 0.004	.9096	----	----	----	----	3 UNCH
5600	----	----	22.311B/21.384A	22.311B/21.384A	----	22.002 - 0.001	.9051	----	----	----	----	102 UNCH
5650	----	----	21.825B/21.003A	21.825B/21.003A	----	21.562 - 0.007	.9003	----	----	----	----	43 UNCH
5675	----	----	21.605B/20.787A	21.605B/20.787A	----	21.343 - 0.009	.8979	----	----	----	----	25 UNCH
5700	----	----	21.383B/20.572A	21.383B/20.572A	----	21.125 - 0.012	.8954	----	----	----	----	26 UNCH
5750	----	----	20.985B/20.087A	20.985B/20.087A	----	20.691 - 0.019	.8903	----	----	----	----	162 UNCH
5775	----	----	20.682B/19.982A	20.682B/19.982A	----	20.476 - 0.021	.8876	----	----	----	----	1 UNCH
5800	----	----	20.463B/19.770A	20.463B/19.770A	----	20.261 - 0.024	.8849	----	----	----	----	16 UNCH
5900	----	----	19.596B/18.934A	19.596B/18.934A	----	19.411 - 0.037	.8737	----	----	----	----	10 UNCH
5925	----	----	19.380B/18.727A	19.380B/18.727A	----	19.201 - 0.041	.8707	----	----	----	----	10 UNCH
5950	----	----	19.166B/18.520A	19.166B/18.520A	----	18.991 - 0.045	.8677	----	----	----	----	6 UNCH
5975	----	----	18.952B/18.315A	18.952B/18.315A	----	18.783 - 0.048	.8646	----	----	----	----	20 UNCH
6000	----	----	18.827B/18.022A	18.827B/18.022A	----	18.576 - 0.051	.8615	----	----	----	----	550 UNCH
6050	----	----	18.414B/17.615A	18.414B/17.615A	----	18.164 - 0.059	.8551	----	----	----	----	58 UNCH
6075	----	----	18.107B/17.503A	18.107B/17.503A	----	17.960 - 0.062	.8519	----	----	----	----	1 UNCH
6100	----	----	17.900B/17.302A	17.900B/17.302A	----	17.757 - 0.065	.8486	----	----	----	----	10 UNCH
6200	----	----	17.181B/16.423A	17.181B/16.423A	----	16.956 - 0.079	.8347	----	----	----	----	101 UNCH
6250	----	----	16.678B/16.126A	16.678B/16.126A	----	16.562 - 0.086	.8275	----	----	----	----	1 UNCH
6300	----	----	16.280B/15.744A	16.280B/15.744A	----	16.172 - 0.093	.8200	----	----	----	----	3 UNCH
6350	----	----	----/15.368A	15.886B/15.368A	----	15.788 - 0.099	.8123	----	----	----	----	2 UNCH
6450	----	----	----/14.632A	15.120B/14.632A	----	15.034 - 0.112	.7963	----	----	----	----	1 UNCH
6500	14.350	14.350	14.834B/14.179A	14.834B/14.179A	----	14.665 - 0.117	.7881	----	----	2	----	195 UNCH
6600	13.914	13.914	14.100B/13.479A	14.100B/13.479A	----	13.943 - 0.127	.7709	----	----	3	----	56 + 3
6650	----	----	13.742B/13.137A	13.742B/13.137A	----	13.590 - 0.131	.7620	----	----	----	----	100 UNCH
6750	----	----	----/12.574A	12.955B/12.574A	----	12.902 - 0.138	.7438	----	----	----	----	24 UNCH
6800	----	----	----/12.131A	12.705B/12.131A	----	12.566 - 0.141	.7344	----	----	----	----	250 UNCH
6825	----	----	----/12.099A	12.447B/12.099A	----	12.401 - 0.142	.7297	----	----	----	----	6 UNCH
6850	----	----	----/11.944A	12.283B/11.944A	----	12.237 - 0.143	.7249	----	----	----	----	1 UNCH
6875	----	----	----/11.792A	12.118B/11.792A	----	12.074 - 0.144	.7201	----	----	----	----	16 UNCH
6900	----	----	----/11.511A	12.045B/11.511A	----	11.913 - 0.145	.7152	----	----	----	----	99 UNCH
6950	----	----	----/11.334A	11.642B/11.334A	----	11.596 - 0.146	.7054	----	----	----	----	1 UNCH
7000	----	----	----/10.943A	11.409B/10.943A	----	11.285 - 0.147	.6955	----	----	----	----	159 UNCH
7025	----	----	----/10.794A	11.254B/10.794A	----	11.132 - 0.147	.6905	----	----	----	----	125 UNCH
7050	----	----	----/10.743A	11.000B/10.743A	----	10.980 - 0.148	.6854	----	----	----	----	1 UNCH
7100	----	----	----/10.453A	10.697B/10.453A	----	10.681 - 0.149	.6753	----	----	----	----	5 UNCH
7200	----	----	----/9.937A	10.111B/9.937A	----	10.103 - 0.150	.6547	----	----	----	----	11 UNCH
7225	----	----	----/9.815A	9.969B/9.815A	----	9.963 - 0.149	.6495	----	----	----	----	1 UNCH
7250	----	----	----/9.220A	9.929B/9.220A	----	9.824 - 0.150	.6443	----	----	----	----	164 UNCH
7300	----	----	----/9.132A	9.547B/9.132A	----	9.551 - 0.150	.6339	----	----	----	----	5 UNCH
7325	----	----	----/8.837A	9.513B/8.837A	----	9.417 - 0.150	.6286	----	----	----	----	100 UNCH
7350	----	----	----/8.937A	9.273B/8.937A	----	9.284 - 0.150	.6234	----	----	----	----	1 UNCH
7400	----	----	----/8.645A	9.005B/8.645A	----	9.024 - 0.151	.6128	----	----	----	----	22 UNCH
7450	----	----	8.922B/8.618A	8.922B/8.618A	----	8.770 - 0.151	.6023	----	----	----	----	12 UNCH
7500	8.356	8.356	8.356/7.979A	8.597B/7.979A	----	8.523 - 0.152	.5917	----	----	3	----	326 - 2
7550	----	----	----/8.003A	8.241B/8.003A	----	8.282 - 0.152	.5812	----	----	----	----	6 UNCH
7575	----	----	----/7.897A	8.116B/7.897A	----	8.164 - 0.152	.5759	----	----	----	----	20 UNCH
7600	----	----	----/7.734A	7.993B/7.734A	----	8.047 - 0.153	.5706	----	----	----	----	19 UNCH
7700	7.300	7.300	7.516B/7.000	7.516B/7.000	----	7.597 - 0.152	.5497	----	----	3	----	19 UNCH
7750	----	----	----/7.212A	7.286B/7.212A	----	7.381 NEW	.5393	----	----	65	----	65 + 65
7800	----	----	----/6.927A	7.069B/6.927A	----	7.171 - 0.151	.5290	----	----	----	----	15 UNCH
7900	----	----	----/6.559A	6.635B/6.559A	----	6.770 - 0.148	.5086	----	----	----	----	9 UNCH
7975	----	----	----/6.351A	6.339B/6.351A	----	6.484 - 0.145	.4935	----	----	----	----	5 UNCH
8000	----	----	----/6.018A	6.355B/6.018A	----	6.392 - 0.144	.4886	----	----	2	----	566 UNCH
8025	----	----	----/6.184A	6.145B/6.184A	----	6.301 - 0.143	.4836	----	----	----	----	8 UNCH
8100	----	----	----/5.903A	5.867B/5.903A	----	6.036 - 0.140	.4690	----	----	----	----	21 UNCH
8200	----	----	----/5.630A	5.515B/5.630A	----	5.702 - 0.134	.4500	----	----	----	----	2 UNCH
8250	----	----	----/5.287A	5.407B/5.287A	----	5.543 - 0.131	.4406	----	----	----	----	45 UNCH
8300	----	----	----/5.112A	5.295B/5.112A	----	5.389 - 0.128	.4315	----	----	27	----	196 - 22
8350	----	----	----/5.228A	5.032B/5.228A	----	5.240 - 0.124	.4225	----	----	----	----	2 UNCH
8375	4.990	4.990	4.999/4.988A	4.999/4.988A	----	5.167 - 0.123	.4180	----	----	45	----	48 + 45
8400	----	----	----/5.052A	4.877B/5.052A	----	5.095 - 0.122	.4136	----	----	----	----	5 UNCH
8500	----	----	----/4.609A	4.691B/4.609A	----	4.820 - 0.115	.3963	----	----	----	----	684 UNCH
8550	----	----	----/4.523A	4.562B/4.523A	----	4.690 - 0.111	.3879	----	----	----	----	329 UNCH
8600	----	----	----/4.571A	4.352B/4.571A	----	4.563 - 0.108	.3797	----	----	----	----	6 UNCH
8650	----	----	----/4.517A	4.224B/4.517A	----	4.441 - 0.104	.3716	----	----	----	----	1 UNCH
8700	----	----	----/4.172A	4.181B/4.172A	----	4.322 - 0.101	.3637	----	----	----	----	63 UNCH
8750	----	----	----	3.978B/4.307A	----	4.208 - 0.098	.3560	----	----	----	----	7 UNCH
8800	----	----	----/4.159A	3.897B/4.159A	----	4.097 - 0.095	.3484	----	----	----	----	12 UNCH
8900	----	----	----/3.780A	3.764B/3.780A	----	3.886 - 0.089	.3337	----	----	----	----	103 UNCH
9000	----	----	----/3.603A	3.546B/3.603A	----	3.689 - 0.084	.3196	----	----	----	----	295 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 56

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
9100	----	----	----	3.261B/3.642A	----	3.505 - 0.079	.3063	----	----	----	----	10 UNCH
9200	----	----	----/3.282A	3.193B/3.282A	----	3.332 - 0.076	.2935	----	----	1	----	81 UNCH
9250	----	----	----	3.025B/3.430A	----	3.250 - 0.074	.2873	----	----	----	----	7 UNCH
9300	----	----	----/3.141A	3.032B/3.141A	----	3.171 - 0.073	.2813	----	----	----	----	266 UNCH
9350	----	----	----	2.863B/3.295A	----	3.093 - 0.072	.2754	----	----	----	----	7 UNCH
9400	----	----	----	2.823B/3.154A	----	3.019 - 0.071	.2696	----	----	----	----	25 UNCH
9450	----	----	----	2.755B/3.084A	----	2.947 - 0.070	.2641	----	----	----	----	33 UNCH
9500	----	----	----/2.869A	2.734B/2.869A	----	2.876 - 0.071	.2585	----	----	----	----	449 UNCH
9600	----	----	----/2.747A	2.600B/2.747A	----	2.743 - 0.071	.2480	----	----	----	----	51 UNCH
9700	----	----	----	2.375B/2.813A	----	2.617 - 0.072	.2380	----	----	----	----	4 UNCH
9725	----	----	----	2.342B/2.810A	----	2.587 - 0.072	.2355	----	----	----	----	1 UNCH
9775	----	----	----/2.577A	2.380B/2.577A	----	2.528 - 0.072	.2308	----	----	----	----	50 UNCH
9800	----	----	----/2.522A	2.359B/2.522A	----	2.499 - 0.073	.2284	----	----	----	----	109 UNCH
9900	----	----	----/2.419A	2.245B/2.419A	----	2.387 - 0.074	.2193	----	----	----	----	73 UNCH
10000	----	----	----/2.351A	2.132B/2.351A	----	2.282 - 0.075	.2106	----	----	----	----	1512 UNCH
10100	----	----	----	1.931B/2.394A	----	2.183 - 0.075	.2023	----	----	----	----	1 UNCH
10125	----	----	----	1.907B/2.370A	----	2.159 - 0.075	.2003	----	----	----	----	1 UNCH
10200	----	----	----/2.144A	1.935B/2.144A	----	2.089 - 0.075	.1944	----	----	----	----	81 UNCH
10250	----	----	----	1.793B/2.255A	----	2.044 - 0.075	.1906	----	----	----	----	20 UNCH
10375	----	----	----	1.682B/2.152A	----	1.938 - 0.072	.1815	----	----	----	----	18 UNCH
10400	----	----	----	1.659B/2.133A	----	1.917 - 0.072	.1797	----	----	----	----	1 UNCH
10475	----	----	----	1.649B/2.025A	----	1.857 - 0.071	.1745	----	----	----	----	25 UNCH
10500	----	----	----	1.679B/1.919A	----	1.838 - 0.071	.1729	----	----	----	----	584 UNCH
10600	----	----	----	1.501B/1.981A	----	1.763 - 0.069	.1664	----	----	----	----	1 UNCH
10800	----	----	----	1.353B/1.847A	----	1.626 - 0.063	.1543	----	----	----	----	28 UNCH
11000	----	----	----	1.318B/1.574A	----	1.502 - 0.057	.1433	----	----	----	----	1057 UNCH
11100	----	----	----	1.168B/*1.667A	----	1.445 - 0.054	.1381	----	----	----	----	23 UNCH
11200	----	----	----	1.116B/*1.610A	----	1.391 - 0.051	.1332	----	----	----	----	8 UNCH
11225	----	----	----	1.103B/1.597A	----	1.378 - 0.050	.1321	----	----	----	----	3 UNCH
11300	----	----	----	1.156B/*1.413A	----	1.339 - 0.048	.1285	----	----	----	----	62 UNCH
11400	----	----	----	1.110B/1.506A	----	1.290 - 0.045	.1241	----	----	----	----	19 UNCH
11500	----	----	----/*1.200A	1.150B/*1.200A	----	1.244 - 0.042	.1198	----	----	----	----	128 UNCH
11600	----	----	----	1.020B/1.412A	----	1.200 - 0.039	.1158	----	----	----	----	1 UNCH
11625	----	----	----	1.067B/*1.401A	----	1.189 - 0.038	.1148	----	----	----	----	2 UNCH
11650	----	----	----	1.014B/*1.389A	----	1.178 - 0.038	.1138	----	----	----	----	24 UNCH
11675	----	----	----	1.064B/1.379A	----	1.168 - 0.037	.1128	----	----	----	----	22 UNCH
11700	----	----	----	1.068B/1.368A	----	1.157 - 0.037	.1118	----	----	----	----	22 UNCH
11725	----	----	----	0.882B/1.357A	----	1.147 - 0.036	.1109	----	----	----	----	22 UNCH
11750	----	----	----	0.873B/*1.347A	----	1.137 - 0.035	.1100	----	----	----	----	22 UNCH
11775	----	----	----	0.863B/*1.336A	----	1.127 - 0.035	.1090	----	----	----	----	22 UNCH
11800	----	----	----	0.854B/*1.326A	----	1.117 - 0.034	.1081	----	----	----	----	1 UNCH
11900	----	----	----	0.916B/*1.147A	----	1.079 - 0.031	.1046	----	----	----	----	1 UNCH
11950	----	----	----	0.938B/*1.131A	----	1.061 - 0.030	.1029	----	----	----	----	1 UNCH
12000	----	----	----	0.938B/1.114A	----	1.042 - 0.029	.1011	----	----	10	----	542 - 6
12200	----	----	----	0.883B/*1.049A	----	0.974 - 0.025	.0947	----	----	----	----	1 UNCH
12225	----	----	----	0.872B/*1.042A	----	0.966 - 0.025	.0940	----	----	----	----	16 UNCH
12250	----	----	----	0.867B/*1.034A	----	0.958 - 0.024	.0932	----	----	----	----	6 UNCH
12300	----	----	----	0.851B/*1.018A	----	0.942 - 0.024	.0917	----	----	----	----	8 UNCH
12375	----	----	----	0.826B/*0.996A	----	0.919 - 0.022	.0895	----	----	----	----	1 UNCH
12425	----	----	----	0.811B/*0.982A	----	0.905 - 0.021	.0882	----	----	----	----	1 UNCH
12450	----	----	----	0.804B/*0.974A	----	0.897 - 0.021	.0874	----	----	----	----	1 UNCH
12475	----	----	----	0.796B/*0.966A	----	0.890 - 0.020	.0868	----	----	----	----	3 UNCH
12500	----	----	----	0.789B/0.959A	----	0.883 - 0.020	.0861	----	----	----	----	142 UNCH
12600	----	----	----	0.759B/*0.932A	----	0.855 - 0.019	.0834	----	----	----	----	6 UNCH
12725	----	----	----	0.725B/*0.900A	----	0.822 - 0.018	.0803	----	----	----	----	1 UNCH
12800	----	----	----	0.706B/*0.880A	----	0.802 - 0.018	.0784	----	----	----	----	1 UNCH
13000	----	----	----	0.658B/0.834A	----	0.754 - 0.017	.0738	----	----	1	----	691 UNCH
14000	----	----	----	0.471B/0.653A	----	0.565 - 0.017	.0555	----	----	----	----	799 UNCH
14700	----	----	----	0.380B/*0.563A	----	0.472 - 0.016	.0463	----	----	----	----	1 UNCH
15000	0.420	0.420	0.420/0.400	0.420/0.400	----	0.440 - 0.015	.0431	----	----	33	----	709 + 24
16000	0.361	0.361	0.361/0.348	0.361/0.348	----	0.355 - 0.014	.0346	----	----	2	----	759 UNCH
17000	----	----	----	0.202B/0.378A	----	0.295 - 0.016	.0285	----	----	----	----	24 UNCH
18000	----	----	----	0.155B/0.326A	----	0.250 - 0.024	.0239	----	----	----	----	256 UNCH
19000	----	----	----	0.119B/0.289A	----	0.215 - 0.032	.0204	----	----	----	----	78 UNCH
20000	0.185	0.185	0.190/0.175	0.190/0.175	----	0.186 - 0.038	.0175	----	----	3	----	1208 UNCH
21000	----	----	----	0.068B/0.243A	----	0.161 - 0.039	.0150	----	----	----	----	427 UNCH
24000	----	----	----	0.022B/0.197A	----	0.108 - 0.024	.0099	----	----	----	----	125 UNCH
25000	0.110	0.110	0.110/*0.110	0.110/*0.110	----	0.095 - 0.020	.0087	----	----	7	----	356 + 7
27000	----	----	----	0.001B/0.274A	----	0.084 - 0.018	.0075	----	----	----	----	4 UNCH
30000	----	----	----	0.001B/0.251A	----	0.075 - 0.016	.0065	----	----	----	----	23 UNCH
32000	----	----	----	0.001B/0.246A	----	0.063 - 0.013	.0054	----	----	----	----	4 UNCH
35000	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.042 - 0.010	.0036	----	----	1	----	76 + 1
TOTAL										208	0	17920 + 115
AUG26												
5000	----	----	----	15.927B/39.943A	----	28.321 + 0.039	.9332	----	----	----	----	2 UNCH
5400	----	----	----	12.732B/36.311A	----	24.742 + 0.029	.9044	----	----	----	----	2 UNCH
5500	----	----	----	11.870B/35.430A	----	23.874 + 0.025	.8958	----	----	----	----	1 UNCH
6300	----	----	----	6.286B/27.966A	----	17.457 - 0.032	.8032	----	----	----	----	5 UNCH
6450	----	----	----	5.622B/26.673A	----	16.379 - 0.046	.7814	----	----	----	----	1 UNCH
6500	----	----	----	5.339B/26.164A	----	16.030 - 0.050	.7738	----	----	----	----	2 UNCH
6600	----	----	----	4.958B/25.202A	----	15.347 - 0.059	.7583	----	----	----	----	4 UNCH
6800	----	----	----	4.259B/23.381A	----	14.046 - 0.076	.7259	----	----	----	----	7 UNCH
6875	----	----	----	12.377B/14.187A	----	13.581 - 0.082	.7133	----	----	----	----	5 UNCH
7000	----	----	----	11.925B/13.446A	----	12.834 - 0.091	.6920	----	----	----	----	3 UNCH
7025	----	----	----	11.845B/13.299A	----	12.689 - 0.092	.6877	----	----	----	----	5 UNCH
7050	----	----	----	11.702B/13.151A	----	12.545 - 0.094	.6833	----	----	----	----	2 UNCH
7100	----	----	----	11.371B/12.866A	----	12.262 - 0.096	.6746	----	----	----	----	2 UNCH
7400	10.910	10.910	10.910/10.910	10.910/10.910	----	10.685 - 0.103	.6217	----	----	6	----	2 - 6
7425	----	----	----	9.738B/11.123A	----	10.562 - 0.104	.6173	----	----	----	----	14 UNCH
7475	----	----	----	9.995B/10.836A	----	10.322 - 0.103	.6084	----	----	----	----	6 UNCH
7500	9.400	9.400	10.035B/9.400	10.035B/9.400	----	10.204 - 0.103	.6040	----	----	3	----	4 + 2
7550	----	----	----	9.439B/10.248A	----	9.972 - 0.103	.5952	----	----	----	----	4 UNCH
7625	----	----	----	8.762B/10.176A	----	9.634 - 0.102	.5820	----	----	----	----	15 UNCH
7700	----	----	----	8.755B/9.548A	----	9.308 - 0.100	.5688	----	----	----	----	1 UNCH
7800	----	----	----	8.326B/9.150A	----	8.892 - 0.098	.5515	----	----	----	----	1 UNCH
7900	----	----	----	7.919B/8.810A	----	8.496 - 0.095	.5345	----	----	----	----	1 UNCH
8000	----	----	----	7.533B/8.445A	----	8.119 - 0.093	.5178	----	----	----	----	12 UNCH
8300	----	----	----	6.492B/7.469A	----	7.100 - 0.086	.4697	----	----	----	----	1 UNCH
8450	----	----	----	6.032B/7.026A	----	6.646 - 0.087	.4470	----	----	----	----	1 UNCH
8500	----	----	----	5.887B/6.888A	----	6.503 - 0.087	.4396	----	----	----	----	12 UNCH
8775	----	----	----	5.046B/6.270A	----	5.780 - 0.089	.4011	----	----	----	----	2 UNCH
8900	----	----	----	4.860B/5.907A	----	5.484 - 0.091	.3847	----	----	----	----	7 UNCH
9000	----	----	----	4.636B/5.696A	----	5.261 - 0.093	.3720	----	----	----	----	20 UNCH
9100	----	----	----	4.423B/5.498A	----	5.050 - 0.094	.3599	----	----	----	----	84 UNCH
9400	----	----	----	3.888B/4.917A	----	4.477 - 0.099	.3257	----	----	----	----	102 UNCH
10000	----	----	----	3.010B/3.989A	----	3.559 - 0.102	.2678	----	----	----	----	76 UNCH
10200	----	----	----	2.810B/3.734A	----	3.307 - 0.101	.2512	----	----	----	----	3 UNCH
10400	----	----	----	2.573B/3.497A	----	3.078 - 0.100	.2358	----	----	----	----	2 UNCH
10500	----	----	----	2.504B/3.380A	----	2.972 - 0.098	.2286	----	----	----	----	7 UNCH
11100	----	----	----	1.984B/2.809A	----	2.427 - 0.087	.1905	----	----	----	----	1 UNCH
11200	----	----	----	1.934B/2.724A	----	2.349 - 0.086	.1849	----	----	----	----	1 UNCH
11300	----	----	----	1.849B/2.645A	----	2.276 - 0.083	.1796	----	----	----	----	10 UNCH
11500	----	----	----	1.724B/2.502A	----	2.137 - 0.080	.1695	----	----	----	----	9 UNCH
11850	----	----	----	1.526B/2.272A	----	1.923 - 0.071	.1537	----	----	----	----	1 UNCH
12000	----	----	----	1.465B/2.197A	----	1.840 - 0.068	.1475	----	----	----	----	2 UNCH
12500	----	----	----	1.341B/1.966A	----	1.599 - 0.056	.1292	----	----	----	----	1 UNCH
13000	----	----	----	0.963B/1.782A	----	1.402 - 0.045	.1139	----	----	----	----	53 UNCH
14000	----	----	----	1.028B/1.170A	----	1.103 - 0.026	.0903	----	----	----	----	6 UNCH
15000	----	----	----	0.802B/0.945A	----	0.892 - 0.011	.0732	----	----	----	----	36 UNCH
16000	0.719	0.719	0.719/0.719	0.719/0.719	----	0.735 - 0.002	.0604	----	----	1	----	1 UNCH
17000	----	----	----	0.480B/0.683A	----	0.616 + 0.002	.0505	----	----	----	----	2 UNCH
18000	----	----	----	0.391B/0.589A	----	0.522 + 0.003	.0428	----	----	----	----	1 UNCH
19000	----	----	----	0.322B/0.521A	----	0.448 + 0.003	.0367	----	----	----	----	2 UNCH
20000	----	----	----	0.268B/0.463A	----	0.388 + 0.002	.0317	----	----	----	----	217 UNCH
25000	----	----	----	0.156B/*0.297A	----	0.215 UNCH	.0173	----	----	----	----	2 UNCH
30000	----	----	----	0.043B/*0.226A	----	0.147 + 0.005	.0116	----	----	----	----	13 UNCH
35000	----	----	----	0.001B/4.305A	----	0.094 + 0.003	.0074	----	----	----	----	2 UNCH
TOTAL										10	0	778 - 4
SEP26												
5100	----	----	----	12.177B/42.955A	----	27.676 + 0.041	.9141	----	----	----	----	1 UNCH
5900	----	----	----	6.113B/35.571A	----	21.050 + 0.025	.8389	----	----	----	----	2 UNCH
6000	----	----	----	5.409B/34.613A	----	20.289 + 0.023	.8271	----	----	----	----	7 UNCH
6700	----	----	----	2.412B/28.569A	----	15.479 UNCH	.7311	----	----	----	----	1 UNCH
7000	----	----	----	12.762B/14.340A	----	13.720 - 0.010	.6849	----	----	----	----	119 UNCH
7125	----	----	----	12.019B/13.657A	----	13.044 - 0.013	.6652	----	----	----	----	75 UNCH
7400	----	----	----	11.006B/11.979A	----	11.671 - 0.019	.6215	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
SEP26												
7500	----	----	----	10.532B/11.558A	----	11.210 - 0.022	.6057	----	----	----	----	1 UNCH
7700	----	----	----	9.646B/10.711A	----	10.348 - 0.025	.5744	----	----	----	----	1 UNCH
8000	----	----	----	8.463B/9.587A	----	9.193 - 0.029	.5290	----	----	----	----	105 UNCH
8200	----	----	----	7.765B/8.920A	----	8.507 - 0.031	.5001	----	----	----	----	20 UNCH
8500	----	----	----	6.841B/8.037A	----	7.587 - 0.036	.4592	----	----	----	----	100 UNCH
8675	----	----	----	6.300B/7.645A	----	7.106 - 0.039	.4367	----	----	----	----	5 UNCH
8700	----	----	----	6.297B/7.517A	----	7.040 - 0.040	.4336	----	----	----	----	100 UNCH
9000	----	----	----	5.575B/6.838A	----	6.310 - 0.046	.3978	----	----	----	----	65 UNCH
9500	----	----	----	4.626B/5.851A	----	5.299 - 0.057	.3449	----	----	----	----	12 UNCH
9750	----	----	----	4.234B/5.411A	----	4.875 - 0.063	.3216	----	----	----	----	23 UNCH
9800	----	----	----	4.150B/5.365A	----	4.796 - 0.064	.3171	----	----	----	----	9 UNCH
9900	----	----	----	4.020B/5.208A	----	4.643 - 0.066	.3085	----	----	----	----	40 UNCH
10000	----	----	----	3.884B/5.057A	----	4.498 - 0.067	.3002	----	----	----	----	182 UNCH
10500	----	----	----	3.282B/4.388A	----	3.859 - 0.077	.2625	----	----	----	----	50 UNCH
10800	----	----	----	2.983B/4.045A	----	3.538 - 0.081	.2429	----	----	----	----	2 UNCH
11000	----	----	----	2.799B/3.837A	----	3.346 - 0.082	.2310	----	----	80	----	130 + 72
12000	----	----	----	2.072B/2.993A	----	2.579 - 0.085	.1818	----	----	----	----	47 UNCH
12500	----	----	----	1.799B/2.669A	----	2.285 - 0.080	.1623	----	----	60	----	35 - 57
13000	----	----	----	1.548B/2.423A	----	2.034 - 0.074	.1455	----	----	30	----	32 + 30
14000	----	----	----	1.120B/2.055A	----	1.632 - 0.057	.1182	----	----	30	----	71 + 30
15000	----	----	----	1.185B/1.386A	----	1.330 - 0.038	.0973	----	----	80	----	211 + 80
16000	----	----	----	0.958B/1.174A	----	1.101 - 0.021	.0811	----	----	----	----	18 UNCH
17000	----	----	----	0.785B/1.010A	----	0.924 - 0.009	.0685	----	----	----	----	27 UNCH
18000	----	----	----	0.651B/0.877A	----	0.788 - 0.001	.0586	----	----	----	----	2 UNCH
19000	----	----	----	0.546B/0.772A	----	0.682 + 0.005	.0508	----	----	3	----	14 UNCH
20000	----	----	----	0.462B/0.686A	----	0.599 + 0.008	.0446	----	----	60	----	304 - 3
21000	----	----	----	0.395B/*0.616A	----	0.531 + 0.009	.0395	----	----	----	----	1 UNCH
23000	----	----	----	0.294B/*0.509A	----	0.432 + 0.009	.0319	----	----	----	----	32 UNCH
25000	----	----	----	0.223B/*0.429A	----	0.365 + 0.007	.0267	----	----	----	----	14 UNCH
30000	----	----	----	0.200B/0.315A	----	0.273 UNCH	.0194	----	----	----	----	19 UNCH
35000	----	----	----	0.052B/0.266A	----	0.156 UNCH	.0114	----	----	----	----	27 UNCH
TOTAL										343	0	2004 + 152
OCT26												
3800	----	----	----	----	----	40.551 + 0.043	.9747	----	----	----	----	1 UNCH
7000	----	----	----	13.901B/15.674A	----	15.351 + 0.002	.6896	----	----	----	----	2 UNCH
7100	----	----	----	13.362B/15.133A	----	14.797 - 0.001	.6758	----	----	----	----	1 UNCH
7500	----	----	----	11.733B/12.945A	----	12.747 - 0.015	.6195	----	----	----	----	1 UNCH
7650	----	----	----	11.059B/12.300A	----	12.048 - 0.020	.5983	----	----	----	----	1 UNCH
7875	----	----	----	9.946B/11.587A	----	11.071 - 0.028	.5667	----	----	----	----	2 UNCH
8000	----	----	----	9.646B/10.943A	----	10.565 - 0.032	.5495	----	----	----	----	4 UNCH
8075	----	----	----	9.223B/10.839A	----	10.273 - 0.035	.5393	----	----	----	----	1 UNCH
8500	----	----	----	7.978B/9.343A	----	8.793 - 0.046	.4838	----	----	----	----	1 UNCH
8700	----	----	----	7.411B/8.802A	----	8.191 - 0.051	.4593	----	----	----	----	4 UNCH
9000	----	----	----	6.650B/8.086A	----	7.390 - 0.056	.4248	----	----	----	----	1 UNCH
9100	----	----	----	6.418B/7.864A	----	7.148 - 0.058	.4139	----	----	----	----	73 UNCH
10000	----	----	----	4.822B/6.181A	----	5.433 - 0.067	.3301	----	----	----	----	96 UNCH
11000	----	----	----	3.609B/4.824A	----	4.215 - 0.067	.2629	----	----	----	----	3 UNCH
12000	----	----	----	2.759B/3.854A	----	3.385 - 0.061	.2142	----	----	----	----	65 UNCH
13000	----	----	----	2.149B/3.143A	----	2.747 - 0.051	.1763	----	----	----	----	145 UNCH
14000	----	----	----	1.672B/2.616A	----	2.244 - 0.038	.1462	----	----	----	----	2 UNCH
15000	----	----	----	1.266B/2.297A	----	1.847 - 0.027	.1220	----	----	----	----	178 UNCH
16000	1.611	1.611	1.611/1.611	1.611/1.601A	----	1.539 - 0.016	.1029	----	----	4	----	4 + 3
18000	----	----	----	0.969B/1.214A	----	1.090 - 0.014	.0744	----	----	----	----	340 UNCH
20000	----	----	----	0.705B/0.956A	----	0.816 - 0.012	.0564	----	----	----	----	225 UNCH
TOTAL										4	0	1150 + 3
NOV26												
6500	----	----	----	----/40.032A	----	18.916 + 0.056	.7503	----	----	----	----	1 UNCH
7000	----	----	----	14.584B/16.463A	----	15.998 + 0.044	.6869	----	----	----	----	14 UNCH
7100	----	----	----	13.989B/15.942A	----	15.463 + 0.041	.6739	----	----	----	----	14 UNCH
7500	----	----	----	12.361B/13.856A	----	13.490 + 0.029	.6211	----	----	----	----	1 UNCH
7900	----	----	----	10.703B/12.262A	----	11.782 + 0.014	.5690	----	----	----	----	10 UNCH
8000	----	----	----	10.329B/11.907A	----	11.396 + 0.009	.5563	----	----	----	----	10 UNCH
10000	----	----	----	5.540B/7.101A	----	6.442 - 0.067	.3559	----	----	----	----	26 UNCH
12000	----	----	----	3.351B/4.651A	----	4.104 - 0.069	.2391	----	----	----	----	13 UNCH
12500	----	----	----	2.987B/4.233A	----	3.707 - 0.062	.2180	----	----	----	----	10 UNCH
14000	----	----	----	2.157B/3.266A	----	2.794 - 0.036	.1683	----	----	----	----	1 UNCH
15000	----	----	----	1.729B/2.832A	----	2.350 - 0.020	.1433	----	----	----	----	5 UNCH
16000	----	----	----	1.353B/2.530A	----	1.999 - 0.008	.1232	----	----	----	----	2 UNCH
17000	----	----	----	1.475B/1.790A	----	1.717 - 0.003	.1068	----	----	----	----	1 UNCH
20000	1.205	1.205	1.205/1.204A	1.205/1.204A	----	1.150 + 0.001	.0728	----	----	1	----	31 UNCH
TOTAL										1	0	139 0
DEC26												
3875	----	----	----	----	----	40.010 + 0.051	.9596	----	----	----	----	1 UNCH
5250	----	----	----	#0.444B/*55.496A	----	27.986 + 0.043	.8782	----	----	----	----	50 UNCH
5500	----	----	----	----/53.582A	----	26.012 + 0.040	.8566	----	----	----	----	1 UNCH
6500	----	----	----	----/51.247A	----	19.086 + 0.031	.7485	----	----	----	----	564 UNCH
6900	----	----	----	15.500B/17.627A	----	16.831 + 0.034	.6986	----	----	----	----	1 UNCH
6950	----	----	----	15.330B/17.363A	----	16.570 + 0.034	.6922	----	----	----	----	200 UNCH
7000	----	----	----	15.071B/17.103A	----	16.314 + 0.035	.6859	----	----	----	----	120 UNCH
7025	----	----	----	14.943B/17.038A	----	16.187 + 0.034	.6827	----	----	----	----	1 UNCH
7075	----	----	----	14.691B/16.784A	----	15.937 + 0.035	.6763	----	----	----	----	5 UNCH
7100	----	----	----	14.567B/16.657A	----	15.814 + 0.035	.6731	----	----	----	----	15 UNCH
7375	----	----	----	13.271B/15.300A	----	14.526 + 0.035	.6382	----	----	----	----	3 UNCH
7500	----	----	----	12.840B/14.623A	----	13.981 + 0.035	.6224	----	----	----	----	18 UNCH
7575	----	----	----	12.411B/14.162A	----	13.666 + 0.034	.6130	----	----	----	----	1 UNCH
7750	----	----	----	11.795B/13.615A	----	12.964 + 0.032	.5914	----	----	----	----	2 UNCH
7800	----	----	----	11.598B/13.448A	----	12.772 + 0.031	.5853	----	----	----	----	1 UNCH
7925	----	----	----	11.062B/13.054A	----	12.308 + 0.030	.5703	----	----	----	----	2 UNCH
8000	----	----	----	10.848B/12.730A	----	12.040 + 0.028	.5614	----	----	----	----	127 UNCH
8100	----	----	----	10.496B/12.387A	----	11.694 + 0.026	.5498	----	----	----	----	1 UNCH
8200	11.100	11.100	11.149/11.100	11.149/11.100	----	11.362 + 0.024	.5384	----	----	2	----	22 - 2
8400	----	----	----	9.522B/11.452A	----	10.736 + 0.020	.5162	----	----	----	----	50 UNCH
8500	----	----	----	9.223B/11.165A	----	10.440 + 0.017	.5055	----	----	----	----	150 UNCH
8550	----	----	----	9.097B/11.060A	----	10.297 + 0.016	.5002	----	----	----	----	1 UNCH
8600	----	----	----	8.961B/10.889A	----	10.157 NEW	.4950	----	----	7	----	7 + 7
8800	----	----	----	8.445B/10.370A	----	9.622 + 0.010	.4747	----	----	----	----	5 UNCH
8900	----	----	----	8.203B/10.125A	----	9.369 + 0.006	.4649	----	----	----	----	2 UNCH
8950	----	----	----	8.083B/10.002A	----	9.247 + 0.006	.4600	----	----	----	----	1 UNCH
9000	----	----	----	7.970B/9.825A	----	9.127 + 0.004	.4553	----	----	----	44	228 + 44
9050	----	----	----	7.859B/9.761A	----	9.009 + 0.003	.4506	----	----	----	----	100 UNCH
9300	----	----	----	7.336B/9.196A	----	8.452 - 0.004	.4280	----	----	----	----	1 UNCH
9500	----	----	----	6.952B/8.780A	----	8.043 - 0.010	.4109	----	----	----	----	3 UNCH
9700	----	----	----	6.595B/8.392A	----	7.662 - 0.015	.3947	----	----	----	----	1 UNCH
9800	----	----	----	6.427B/8.208A	----	7.482 - 0.017	.3869	----	----	----	----	18 UNCH
9900	----	----	----	6.264B/8.029A	----	7.307 - 0.020	.3793	----	----	----	----	3 UNCH
10000	----	----	----	6.106B/7.857A	----	7.139 - 0.021	.3719	----	----	----	----	774 UNCH
10025	----	----	----	6.068B/7.815A	----	7.097 - 0.022	.3701	----	----	----	----	3 UNCH
10500	----	----	----	5.396B/7.075A	----	6.372 - 0.030	.3375	----	----	----	----	2 UNCH
10600	----	----	----	5.267B/6.933A	----	6.232 - 0.032	.3312	----	----	----	----	1 UNCH
10800	----	----	----	5.023B/6.661A	----	5.966 - 0.034	.3189	----	----	----	----	1 UNCH
11000	----	----	----	4.793B/6.358A	----	5.716 - 0.036	.3072	----	----	----	----	91 UNCH
11350	----	----	----	4.423B/5.990A	----	5.312 - 0.039	.2881	----	----	----	----	5 UNCH
11800	----	----	----	4.001B/5.514A	----	4.851 - 0.040	.2658	----	----	----	----	25 UNCH
12000	----	----	----	4.000B/5.320A	----	4.664 - 0.041	.2567	----	----	----	----	438 UNCH
12200	----	----	----	3.670B/5.136A	----	4.488 - 0.040	.2480	----	----	----	----	1 UNCH
12500	----	----	----	3.444B/4.877A	----	4.240 - 0.041	.2356	----	----	----	----	43 UNCH
13000	----	----	----	3.105B/4.487A	----	3.870 - 0.039	.2169	----	----	----	----	338 UNCH
14000	----	----	----	2.543B/3.799A	----	3.258 - 0.032	.1853	----	----	----	----	56 UNCH
14200	----	----	----	2.447B/3.722A	----	3.152 - 0.031	.1797	----	----	----	----	1 UNCH
15000	----	----	----	2.109B/3.317A	----	2.776 - 0.025	.1598	----	----	1	----	1821 UNCH
16000	----	----	----	1.704B/2.960A	----	2.391 - 0.017	.1390	----	----	1	----	1608 UNCH
17000	----	----	----	1.365B/2.679A	----	2.078 - 0.009	.1218	----	----	----	----	50 UNCH
18000	----	----	----	1.620B/1.912A	----	1.821 - 0.001	.1076	----	----	----	----	7 UNCH
19000	----	----	----	1.402B/1.714A	----	1.607 + 0.004	.0955	----	----	----	----	1 UNCH
20000	----	----	----	1.223B/1.543A	----	1.427 + 0.008	.0853	----	----	----	----	262 UNCH
21000	----	----	----	1.072B/1.398A	----	1.276 + 0.011	.0767	----	----	----	----	4 UNCH
23000	----	----	----	0.838B/*1.169A	----	1.037 + 0.012	.0628	----	----	----	----	4 UNCH
25000	----	----	----	0.667B/*0.997A	----	0.861 + 0.010	.0524	----	----	----	----	231 UNCH
30000	----	----	----	0.401B/0.722A	----	0.594 + 0.007	.0363	----	----	----	----	107 UNCH
40000	0.400	0.400	0.400/0.400	0.400/0.400	----	0.369 + 0.004	.0222	----	----	2	----	23 + 2
90000	----	----	----	----	----	0.181 + 0.001	.0097	----	----	----	----	1 UNCH
TOTAL										13	44	7603 + 51
JAN27												
7550	----	----	----	13.556B/15.640A	----	14.819 - 0.010	.6271	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 58

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JAN27												
7650	----	----	----	13.125B/15.267A	----	14.413 + 0.006	.6154	----	----	----	----	6 UNCH
10000	----	----	----	6.717B/9.030A	----	8.052 - 0.023	.3932	----	----	----	----	1 UNCH
11000	----	----	----	5.234B/7.581A	----	6.524 - 0.077	.3289	----	----	----	----	1 UNCH
13000	----	----	----	#3.263B/*5.661A	----	4.690 - 0.029	.2428	----	----	----	----	1 UNCH
14000	----	----	----	#2.587B/*4.999A	----	4.270 - 0.030	.2186	----	----	----	----	1 UNCH
14500	----	----	----	#2.302B/*4.723A	----	4.111 - 0.029	.2089	----	----	----	----	400 UNCH
15000	----	----	----	#2.045B/*4.474A	----	3.979 - 0.029	.2006	----	----	----	----	400 UNCH
TOTAL											0	811 0
FEB27												
9000	----	----	----	9.213B/11.748A	----	10.692 + 0.090	.4820	----	----	----	----	1 UNCH
30000	----	----	----	0.001B/4.370A	----	2.177 - 1.215	.0977	----	----	----	----	1 UNCH
TOTAL											0	2 0
MAR27												
8000	----	----	----	11.698B/16.335A	----	14.294 + 0.171	.5835	----	----	----	----	200 UNCH
9000	11.300	11.300	#11.300/*11.300	#11.300/*11.300	----	11.327 NEW	.4906	----	----	15	----	15 + 15
9200	----	----	----	8.357B/12.885A	----	10.840 + 0.118	.4740	----	----	----	----	25 UNCH
30000	----	----	----/*1.547A	0.521B/*1.547A	----	1.382 - 0.579	.0696	----	----	----	----	1 UNCH
TOTAL										15	0	241 + 15
JUL27												
2000	----	----	----	----	----	60.303 + 0.051	.9947	----	----	----	----	1 UNCH
10000	----	----	----	----	----	11.975 + 0.004	.4618	----	----	----	----	1 UNCH
10300	----	----	----	----	----	11.474 + 0.004	.4450	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	42.933 + 0.057	.9215	----	----	----	----	1 UNCH
20000	----	----	----	----	----	7.275 - 0.001	.2548	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
MAY26												
2075	----	----	----	----/0.010A	----	0.001 UNCH	.0000	----	----	----	----	31 UNCH
2100	----	----	----	----/0.043A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
2150	----	----	----	----/0.044A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
2175	----	----	----	----/0.044A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
2650	----	----	----	----/0.050A	----	0.002 - 0.001	.0002	----	----	----	----	2 UNCH
2700	----	----	----	----/0.051A	----	0.003 UNCH	.0003	----	----	----	----	50 UNCH
2800	----	----	----	----/0.014A	----	0.004 UNCH	.0004	----	----	----	----	12 UNCH
2850	----	----	----	----/0.054A	----	0.004 - 0.001	.0004	----	----	----	----	3 UNCH
2875	----	----	----	----/0.054A	----	0.004 - 0.001	.0004	----	----	----	----	1 UNCH
2950	----	----	----	----/0.056A	----	0.005 - 0.001	.0005	----	----	----	----	1 UNCH
3000	----	----	----	----/0.016A	----	0.006 UNCH	.0006	----	----	----	----	22 UNCH
3075	----	----	----	----/0.059A	----	0.007 - 0.001	.0007	----	----	----	----	16 UNCH
3100	----	----	----	----/0.059A	----	0.007 - 0.001	.0007	----	----	----	----	5 UNCH
3125	----	----	----	----/0.060A	----	0.008 - 0.001	.0008	----	----	----	----	14 UNCH
3175	----	----	----	----/0.061A	----	0.008 - 0.002	.0008	----	----	----	----	14 UNCH
3200	----	----	----	----/0.062A	----	0.009 - 0.001	.0009	----	----	----	----	13 UNCH
3225	----	----	----	----/*0.062A	----	0.009 - 0.002	.0009	----	----	----	----	10 UNCH
3275	----	----	----	----/0.063A	----	0.011 - 0.001	.0011	----	----	----	----	54 UNCH
3300	----	----	----	----/0.064A	----	0.011 - 0.002	.0012	----	----	----	----	79 UNCH
3325	----	----	----	----/*0.064A	----	0.012 - 0.001	.0013	----	----	----	----	2 UNCH
3350	----	----	----	----/*0.065A	----	0.012 - 0.002	.0013	----	----	----	----	14 UNCH
3375	----	----	----	----/*0.065A	----	0.013 - 0.002	.0014	----	----	----	----	12 UNCH
3400	----	----	----	----/*0.066A	----	0.014 - 0.002	.0015	----	----	----	----	39 UNCH
3450	----	----	----	----/*0.067A	----	0.015 - 0.002	.0016	----	----	----	----	5 UNCH
3475	----	----	----	----/*0.067A	----	0.016 - 0.002	.0017	----	----	----	----	13 UNCH
3500	----	----	----	----/*0.028A	----	0.017 - 0.002	.0018	----	----	----	----	59 UNCH
3550	----	----	----	----/*0.069A	----	0.019 - 0.002	.0021	----	----	----	----	1 UNCH
3575	----	----	----	----/*0.070A	----	0.019 - 0.003	.0021	----	----	----	----	28 UNCH
3600	----	----	----	----/*0.070A	----	0.020 - 0.003	.0022	----	----	----	----	6 UNCH
3625	----	----	----	----/*0.071A	----	0.021 - 0.003	.0023	----	----	----	----	12 UNCH
3675	----	----	----	----/0.072A	----	0.023 - 0.003	.0025	----	----	----	----	105 UNCH
3700	----	----	----	----/*0.073A	----	0.024 - 0.003	.0027	----	----	----	----	264 UNCH
3750	----	----	----	----/*0.074A	----	0.027 - 0.002	.0030	----	----	----	----	10 UNCH
3775	----	----	----	----/*0.075A	----	0.028 - 0.003	.0031	----	----	----	----	10 UNCH
3800	----	----	----	0.001B/*0.050A	----	0.029 - 0.003	.0032	----	----	----	----	356 UNCH
3850	----	----	----	----/*0.078A	----	0.032 - 0.003	.0036	----	----	----	----	1 UNCH
3900	----	----	----	----/0.079A	----	0.034 - 0.003	.0038	----	----	----	----	52 UNCH
3925	----	----	----	----/*0.080A	----	0.036 - 0.003	.0041	----	----	----	----	9 UNCH
3950	----	----	----	----/*0.081A	----	0.037 - 0.003	.0042	----	----	----	----	11 UNCH
3975	----	----	----	----/*0.082A	----	0.038 - 0.004	.0043	----	----	----	----	5 UNCH
4000	0.030	0.030	0.030/0.030	0.030/0.030	----	0.040 - 0.003	.0046	----	----	1	----	311 - 1
4025	----	----	----	----/*0.085A	----	0.041 - 0.003	.0047	----	----	----	----	3 UNCH
4050	----	----	----	----/*0.086A	----	0.042 - 0.002	.0049	----	----	----	----	21 UNCH
4075	----	----	----	----/*0.087A	----	0.043 - 0.002	.0050	----	----	----	----	15 UNCH
4100	----	----	----	----/*0.088A	----	0.044 - 0.001	.0051	----	----	----	----	190 UNCH
4125	----	----	----	----/*0.089A	----	0.045 - 0.001	.0053	----	----	----	----	10 UNCH
4150	----	----	----	----/*0.091A	----	0.046 UNCH	.0054	----	----	----	----	9 UNCH
4175	----	----	----	----/*0.092A	----	0.046 - 0.001	.0055	----	----	----	----	1 UNCH
4200	----	----	----	----/*0.094A	----	0.047 UNCH	.0056	----	----	----	----	101 UNCH
4225	----	----	----	0.001B/*0.095A	----	0.048 UNCH	.0058	----	----	----	----	20 UNCH
4250	----	----	----	0.001B/*0.095A	----	0.049 + 0.001	.0059	----	----	----	----	10 UNCH
4275	----	----	----	0.001B/*0.096A	----	0.050 + 0.001	.0061	----	----	----	----	7 UNCH
4300	----	----	----	0.010B/*0.097A	----	0.051 + 0.002	.0062	----	----	----	----	267 UNCH
4325	----	----	----	0.001B/*0.098A	----	0.052 + 0.002	.0064	----	----	----	----	1 UNCH
4350	----	----	----	0.001B/*0.099A	----	0.053 + 0.002	.0066	----	----	----	----	27 UNCH
4375	----	----	----	0.001B/*0.100A	----	0.054 + 0.003	.0067	----	----	----	----	12 UNCH
4400	----	----	----	0.001B/*0.101A	----	0.054 + 0.002	.0068	----	----	----	----	314 UNCH
4425	----	----	----	0.001B/*0.102A	----	0.055 + 0.002	.0070	----	----	----	----	14 UNCH
4450	----	----	----	0.001B/*0.103A	----	0.056 + 0.003	.0071	----	----	----	----	7 UNCH
4475	----	----	----	0.001B/*0.105A	----	0.056 + 0.002	.0072	----	----	----	----	81 UNCH
4500	0.050	0.050	0.050/*0.046	0.050/*0.046	----	0.057 + 0.002	.0074	----	----	4	----	786 UNCH
4525	----	----	----	0.001B/*0.107A	----	0.057 + 0.001	.0075	----	----	----	----	19 UNCH
4550	----	----	----	0.001B/*0.109A	----	0.058 + 0.001	.0076	----	----	----	----	4 UNCH
4575	----	----	----	0.001B/*0.110A	----	0.058 UNCH	.0077	----	----	----	----	11 UNCH
4600	----	----	----	0.001B/0.112A	----	0.058 - 0.001	.0078	----	----	----	----	14 UNCH
4625	----	----	----	0.001B/*0.113A	----	0.059 - 0.001	.0080	----	----	----	----	66 UNCH
4650	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.059 - 0.002	.0080	----	----	3	----	10 UNCH
4675	----	----	----	0.001B/*0.124A	----	0.059 - 0.003	.0081	----	----	----	----	17 UNCH
4700	----	----	----	0.001B/*0.126A	----	0.060 - 0.003	.0083	----	----	----	----	116 UNCH
4725	----	----	----	0.001B/*0.128A	----	0.060 - 0.004	.0084	----	----	----	----	11 UNCH
4750	----	----	----	0.001B/*0.130A	----	0.060 - 0.006	.0085	----	----	----	----	18 UNCH
4775	----	----	----	0.002B/*0.131A	----	0.061 - 0.006	.0087	----	----	----	----	4 UNCH
4800	----	----	----	0.005B/0.125A	----	0.061 - 0.007	.0088	----	----	1	----	318 UNCH
4825	----	----	----	0.015B/*0.133A	----	0.062 - 0.008	.0090	----	----	----	----	3 UNCH
4850	----	----	----	0.010B/0.137A	----	0.063 - 0.008	.0092	----	----	----	----	78 UNCH
4875	----	----	----	0.008B/0.133A	----	0.063 - 0.010	.0093	----	----	----	----	1 UNCH
4900	----	----	----/*0.060A	0.013B/*0.060A	----	0.064 - 0.011	.0095	----	----	----	----	163 UNCH
4925	----	----	----	0.008B/*0.132A	----	0.065 - 0.011	.0097	----	----	----	----	9 UNCH
4950	----	----	----/*0.064A	0.012B/*0.064A	----	0.067 - 0.011	.0100	----	----	----	----	11 UNCH
4975	----	----	----	0.011B/0.139A	----	0.068 - 0.012	.0103	----	----	----	----	52 UNCH
5000	0.070	0.070	0.070/*0.060	0.070/*0.060	----	0.069 - 0.012	.0105	----	----	107	----	919 + 36
5025	----	----	----/*0.075A	0.017B/*0.075A	----	0.071 - 0.012	.0109	----	----	----	----	1 UNCH
5050	----	----	----	0.021B/0.146A	----	0.073 - 0.012	.0112	----	----	----	----	24 UNCH
5075	----	----	----	0.023B/0.148A	----	0.075 - 0.012	.0116	----	----	----	----	7 UNCH
5100	----	----	----	0.027B/0.151A	----	0.078 - 0.011	.0121	----	----	----	----	163 UNCH
5125	----	----	----	0.029B/0.154A	----	0.081 - 0.011	.0126	----	----	----	----	52 UNCH
5150	----	----	----	0.060B/0.156A	----	0.084 - 0.010	.0131	----	----	----	----	48 UNCH
5175	----	----	----	0.035B/0.158A	----	0.087 - 0.010	.0136	----	----	----	----	2 UNCH
5200	----	----	----	0.038B/0.162A	----	0.090 - 0.009	.0141	----	----	----	----	163 UNCH
5225	----	----	----	0.042B/0.163A	----	0.094 - 0.008	.0148	----	----	----	----	5 UNCH
5250	----	----	----	0.044B/0.167A	----	0.098 - 0.008	.0154	----	----	----	----	29 UNCH
5275	----	----	----	0.048B/0.170A	----	0.102 - 0.007	.0161	----	----	----	----	8 UNCH
5300	----	----	----	0.054B/0.173A	----	0.106 - 0.007	.0167	----	----	1	----	171 UNCH
5325	----	----	----	0.057B/0.176A	----	0.111 - 0.006	.0175	----	----	----	----	23 UNCH
5350	----	----	----	0.060B/0.179A	----	0.115 - 0.007	.0182	----	----	----	----	28 UNCH
5375	----	----	----	0.090B/0.162A	----	0.120 - 0.006	.0190	----	----	----	----	14 UNCH
5400	----	----	----/*0.122A	0.092B/*0.122A	----	0.125 - 0.006	.0199	----	----	----	----	99 UNCH
5425	----	----	----	0.097B/0.164A	----	0.131 - 0.005	.0208	----	----	----	----	14 UNCH
5450	----	----	----	0.100B/0.178A	----	0.136 - 0.005	.0217	----	----	----	----	12 UNCH
5475	----	----	----	0.105B/0.182A	----	0.141 - 0.006	.0225	----	----	----	----	13 UNCH
5500	0.183	0.183	0.195/*0.140	0.195/*0.140	----	0.147 - 0.005	.0235	----	----	27	----	589 + 21
5525	----	----	----	0.118B/0.191A	----	0.153 - 0.004	.0245	----	----	----	----	37 UNCH
5550	----	----	----	0.123B/0.211A	----	0.158 - 0.004	.0254	----	----	----	----	31 UNCH
5575	----	----	----	0.124B/0.212A	----	0.164 - 0.003	.0264	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
5600	----	----	----	0.129B/0.217A	----	0.170 - 0.003	.0274	----	----	----	----	73 UNCH
5625	----	----	----	0.138B/0.222A	----	0.176 - 0.002	.0285	----	----	----	----	6 UNCH
5650	----	----	----	0.144B/0.228A	----	0.182 - 0.001	.0295	----	----	----	----	41 UNCH
5675	----	----	----	0.146B/0.234A	----	0.188 UNCH	.0306	----	----	1	----	48 UNCH
5700	----	----	----	0.152B/0.236A	----	0.195 + 0.002	.0318	----	----	----	----	131 UNCH
5725	----	----	----	0.163B/0.246A	----	0.201 + 0.003	.0329	----	----	----	----	28 UNCH
5750	----	----	----	0.172B/0.247A	----	0.208 + 0.005	.0341	----	----	----	----	111 UNCH
5775	----	----	----	0.178B/0.256A	----	0.214 + 0.005	.0352	----	----	----	----	14 UNCH
5800	----	----	----	0.182B/0.263A	----	0.221 + 0.007	.0365	----	----	----	----	370 UNCH
5825	----	----	----	0.191B/0.271A	----	0.228 + 0.008	.0378	----	----	----	----	55 UNCH
5850	----	----	----	0.192B/0.272A	----	0.236 + 0.010	.0392	----	----	----	----	7 UNCH
5875	----	----	0.233B/----	0.233B/0.282A	----	0.243 + 0.011	.0405	----	----	----	----	4 UNCH
5900	----	----	0.244B/----	0.244B/0.291A	----	0.251 + 0.013	.0420	----	----	----	----	116 UNCH
5925	----	----	0.253B/----	0.253B/0.300A	----	0.259 + 0.015	.0435	----	----	----	----	13 UNCH
5950	----	----	0.268B/----	0.268B/0.293A	----	0.267 + 0.016	.0450	----	----	----	----	13 UNCH
5975	----	----	0.276B/----	0.276B/0.289A	----	0.276 + 0.018	.0466	----	----	----	----	23 UNCH
6000	0.270	0.270	0.285B/*0.250	0.285B/*0.250	----	0.285 + 0.019	.0483	----	----	52	----	1098 - 8
6025	----	----	0.296B/----	0.296B/0.295A	----	0.294 + 0.020	.0500	----	----	----	----	24 UNCH
6050	0.255	0.255	0.346B/*0.255	0.346B/*0.255	----	0.304 + 0.021	.0518	----	----	3	----	328 UNCH
6075	----	----	0.367B/----	0.367B/0.312A	----	0.314 + 0.022	.0537	----	----	1	----	166 + 1
6100	0.380	0.380	0.405B/0.329A	0.405B/0.329A	----	0.324 + 0.022	.0556	----	----	1	----	156 - 1
6125	----	----	0.421B/----	0.421B/0.340A	----	0.335 + 0.023	.0576	----	----	----	----	7 UNCH
6150	----	----	0.438B/----	0.438B/0.344A	----	0.346 + 0.023	.0597	----	----	----	----	43 UNCH
6175	----	----	0.455B/----	0.455B/0.356A	----	0.358 + 0.023	.0619	----	----	----	----	14 UNCH
6200	0.430	0.430	0.475B/0.374A	0.475B/0.374A	----	0.370 + 0.023	.0642	----	----	1	----	60 + 1
6225	0.446	0.446	0.494B/0.386A	0.494B/0.386A	----	0.383 + 0.023	.0665	----	----	1	----	33 + 1
6250	0.410	0.410	0.515B/0.395A	0.515B/0.395A	----	0.397 + 0.024	.0691	----	----	1	----	92 - 1
6275	----	----	0.537B/----	0.537B/0.416A	----	0.411 + 0.023	.0717	----	----	----	----	13 UNCH
6300	0.470	0.470	0.560B/*0.407	0.560B/*0.407	----	0.425 + 0.022	.0743	----	----	4	----	190 - 3
6325	----	----	0.584B/----	0.584B/0.438A	----	0.441 + 0.022	.0771	----	----	----	----	126 UNCH
6350	----	----	0.608B/----	0.608B/0.448A	----	0.457 + 0.021	.0801	----	----	----	----	86 UNCH
6375	----	----	0.634B/----	0.634B/0.468A	----	0.473 + 0.019	.0830	----	----	----	----	29 UNCH
6400	----	----	0.660B/*0.472A	0.660B/*0.472A	----	0.491 + 0.018	.0862	----	----	----	----	109 UNCH
6425	----	----	0.689B/*0.484A	0.689B/*0.484A	----	0.509 + 0.017	.0895	----	----	1	----	10 + 1
6450	0.650	0.650	0.719B/*0.501A	0.719B/*0.501A	----	0.529 + 0.016	.0930	----	----	5	----	58 - 3
6475	0.658	0.658	0.749B/*0.523A	0.749B/*0.523A	----	0.549 + 0.014	.0966	----	----	1	----	10 UNCH
6500	0.765	0.765	0.780B/*0.539A	0.780B/*0.539A	----	0.570 + 0.012	.1003	----	----	4	50	781 + 17
6525	----	----	0.814B/*0.564A	0.814B/*0.564A	----	0.592 + 0.010	.1042	----	----	----	----	17 UNCH
6550	----	----	0.849B/*0.590A	0.849B/*0.590A	----	0.615 + 0.008	.1082	----	----	----	----	172 UNCH
6575	----	----	0.886B/*0.612A	0.886B/*0.612A	----	0.639 + 0.005	.1124	----	----	----	----	59 UNCH
6600	0.630	0.630	0.923B/*0.630	0.923B/*0.630	----	0.664 + 0.003	.1168	----	----	2	----	384 - 1
6625	----	----	0.963B/*0.661A	0.963B/*0.661A	----	0.691 + 0.001	.1214	----	----	----	----	6 UNCH
6650	----	----	1.003B/*0.692A	1.003B/*0.692A	----	0.719 - 0.002	.1261	----	----	1	----	78 + 1
6675	----	----	1.045B/*0.715A	1.045B/*0.715A	----	0.748 - 0.005	.1311	----	----	1	----	65 - 1
6700	1.001	1.001	1.089B/*0.743A	1.089B/*0.743A	----	0.778 - 0.008	.1361	----	----	14	----	428 + 2
6725	----	----	1.137B/*0.775A	1.137B/*0.775A	----	0.810 - 0.011	.1415	----	----	----	----	8 UNCH
6750	----	----	1.186B/*0.807A	1.186B/*0.807A	----	0.844 - 0.013	.1470	----	----	----	----	88 UNCH
6775	----	----	1.236B/*0.841A	1.236B/*0.841A	----	0.879 - 0.016	.1527	----	----	----	----	14 UNCH
6800	1.103	1.103	1.288B/*0.855A	1.288B/*0.855A	----	0.916 - 0.019	.1587	----	----	20	----	114 + 12
6825	----	----	1.342B/*0.911A	1.342B/*0.911A	----	0.954 - 0.022	.1648	----	----	1	----	12 - 1
6850	----	----	1.397B/*0.936A	1.397B/*0.936A	----	0.994 - 0.025	.1712	----	----	----	----	11 UNCH
6875	----	----	1.455B/*0.988A	1.455B/*0.988A	----	1.036 - 0.028	.1778	----	----	1	----	7 - 1
6900	1.322	1.322	1.559/*1.009A	1.559/*1.009A	----	1.080 - 0.031	.1846	----	----	15	----	444 + 2
6925	1.148	1.148	1.576B/*1.052A	1.576B/*1.052A	----	1.125 - 0.035	.1916	----	----	2	----	73 + 2
6950	1.199	1.199	1.638B/*1.099A	1.638B/*1.099A	----	1.173 - 0.037	.1988	----	----	9	----	34 + 9
6975	1.381	1.381	1.703B/*1.163A	1.703B/*1.163A	----	1.222 - 0.041	.2062	----	----	4	----	9 - 4
7000	1.560	1.560	1.835/*1.188A	1.835/*1.188A	----	1.273 - 0.044	.2139	----	----	699	----	1126 + 338
7025	1.500	1.500	1.839B/*1.260	1.839B/*1.260	----	1.327 - 0.047	.2218	----	----	5	----	13 UNCH
7050	1.613	1.613	1.911B/*1.293A	1.911B/*1.293A	----	1.382 - 0.051	.2298	----	----	6	----	60 + 5
7075	1.626	1.626	1.983B/*1.368A	1.983B/*1.368A	----	1.440 - 0.054	.2382	----	----	1	----	9 + 1
7100	1.888	1.888	2.104/*1.404A	2.104/*1.404A	----	1.500 - 0.057	.2467	----	----	19	----	74 + 3
7125	1.964	1.964	2.134B/*1.483A	2.134B/*1.483A	----	1.562 - 0.061	.2554	----	----	2	----	12 + 1
7150	2.141	2.141	2.213B/*1.546A	2.213B/*1.546A	----	1.626 - 0.065	.2643	----	----	1	----	25 + 1
7175	2.222	2.222	2.294B/*1.612A	2.294B/*1.612A	----	1.693 - 0.068	.2735	----	----	1	----	22 + 1
7200	2.050	2.050	2.378B/*1.654A	2.378B/*1.654A	----	1.762 - 0.072	.2828	----	----	11	----	314 + 2
7225	2.151	2.151	2.463B/*1.745A	2.463B/*1.745A	----	1.833 - 0.077	.2923	----	----	2	----	21 UNCH
7250	2.382	2.382	2.551B/*1.793A	2.551B/*1.793A	----	1.907 - 0.080	.3021	----	----	7	----	68 UNCH
7275	2.473	2.473	2.641B/1.889A	2.641B/1.889A	----	1.984 - 0.084	.3120	----	----	4	----	10 + 3
7300	----	----	2.733B/1.941A	2.733B/1.941A	----	2.063 - 0.088	.3221	----	----	2	----	64 + 1
7325	2.605	2.605	2.829B/2.046A	2.829B/2.046A	----	2.145 - 0.092	.3324	----	----	2	----	14 UNCH
7350	----	----	2.928B/2.119A	2.928B/2.119A	----	2.230 - 0.096	.3429	----	----	1	----	32 + 1
7375	----	----	3.029B/2.211A	3.029B/2.211A	----	2.317 - 0.101	.3535	----	----	1	----	6 UNCH
7400	2.891	2.891	3.132B/2.230	3.132B/2.230	----	2.408 - 0.104	.3643	----	----	61	----	59 + 9
7425	----	----	3.239B/2.388A	3.239B/2.388A	----	2.501 - 0.109	.3753	----	----	----	----	12 UNCH
7450	----	----	3.348B/2.479A	3.348B/2.479A	----	2.597 - 0.113	.3863	----	----	----	----	6 UNCH
7475	----	----	3.460B/2.579A	3.460B/2.579A	----	2.696 - 0.117	.3976	----	----	----	----	8 UNCH
7500	3.423	3.423	3.574B/2.651A	3.574B/2.651A	----	2.798 - 0.122	.4089	----	----	32	----	414 + 6
7525	----	----	3.693B/2.765A	3.693B/2.765A	----	2.904 - 0.125	.4204	----	----	----	----	33 UNCH
7530	3.568	3.568	3.717B/*2.799A	3.717B/*2.799A	----	2.925 - 0.126	.4227	----	----	1	----	6 - 1
7535	----	----	3.742B/*2.817A	3.742B/*2.817A	----	2.947 - 0.127	.4250	----	----	----	----	6 UNCH
7540	----	----	3.766B/*2.843A	3.766B/*2.843A	----	2.968 - 0.128	.4273	----	----	----	----	6 UNCH
7545	----	----	3.791B/*2.864A	3.791B/*2.864A	----	2.990 - 0.129	.4296	----	----	----	----	2 UNCH
7550	2.940	2.940	3.816B/2.880A	3.816B/2.880A	----	3.012 - 0.130	.4319	----	----	1	----	18 UNCH
7555	3.467	3.467	3.840B/*2.905A	3.840B/*2.905A	----	3.034 - 0.131	.4342	----	----	1	----	2 + 1
7560	3.453	3.453	3.865B/*2.925A	3.865B/*2.925A	----	3.056 - 0.132	.4366	----	----	1	----	2 + 1
7565	----	----	3.891B/*2.946A	3.891B/*2.946A	----	3.079 - 0.132	.4389	----	----	----	----	1 UNCH
7570	----	----	3.916B/*2.967A	3.916B/*2.967A	----	3.101 - 0.133	.4412	----	----	----	----	3 UNCH
7575	3.541	3.541	3.941B/2.991A	3.941B/2.991A	----	3.124 - 0.133	.4435	----	----	1	----	3 + 1
7580	3.529	3.529	3.967B/*3.001A	3.967B/*3.001A	----	3.146 - 0.135	.4459	----	----	2	----	27 + 1
7585	3.556	3.556	3.994B/*3.033A	3.994B/*3.033A	----	3.169 - 0.135	.4482	----	----	1	----	6 UNCH
7590	3.671	3.671	4.019B/*3.052A	4.019B/*3.052A	----	3.192 - 0.136	.4506	----	----	1	----	2 + 1
7595	----	----	4.045B/*3.075A	4.045B/*3.075A	----	3.215 - 0.137	.4529	----	----	----	----	1 UNCH
7600	3.481	3.481	4.071B/3.078A	4.071B/3.078A	----	3.238 - 0.138	.4553	----	----	17	----	52 + 1
7605	----	----	4.098B/*3.121A	4.098B/*3.121A	----	3.262 - 0.138	.4576	----	----	----	----	3 UNCH
7610	----	----	4.124B/*3.151A	4.124B/*3.151A	----	3.285 - 0.139	.4600	----	----	----	----	2 UNCH
7615	----	----	4.150B/*3.165A	4.150B/*3.165A	----	3.309 - 0.140	.4623	----	----	----	----	2 UNCH
7620	----	----	4.177B/*3.196A	4.177B/*3.196A	----	3.332 - 0.141	.4647	----	----	----	----	12 UNCH
7625	----	----	4.204B/3.222A	4.204B/3.222A	----	3.356 - 0.142	.4670	----	----	----	----	3 UNCH
7630	3.833	3.833	4.230B/*3.235A	4.230B/*3.235A	----	3.380 - 0.143	.4694	----	----	1	----	1 UNCH
7635	----	----	4.257B/*3.252A	4.257B/*3.252A	----	3.404 - 0.143	.4718	----	----	----	----	36 UNCH
7645	----	----	4.312B/3.311A	4.312B/3.311A	----	3.453 - 0.145	.4765	----	----	2	----	2 UNCH
7650	3.511	3.511	4.339B/3.331A	4.339B/3.331A	----	3.477 - 0.146	.4789	----	----	22	----	30 + 22
7655	3.530	3.530	4.367B/3.356A	4.367B/3.356A	----	3.502 - 0.146	.4812	----	----	22	----	23 + 22
7660	----	----	4.394B/3.376A	4.394B/3.376A	----	3.527 - 0.147	.4836	----	----	----	----	15 UNCH
7665	----	----	4.422B/3.407A	4.422B/3.407A	----	3.552 - 0.147	.4860	----	----	----	----	4 UNCH
7670	----	----	4.450B/3.429A	4.450B/3.429A	----	3.577 - 0.148	.4883	----	----	----	----	4 UNCH
7675	4.041	4.041	4.478B/3.447A	4.478B/3.447A	----	3.602 - 0.149	.4907	----	----	1	----	4 UNCH
7680	----	----	4.506B/3.475A	4.506B/3.475A	----	3.627 - 0.150	.4931	----	----	----	----	3 UNCH
7685	----	----	4.534B/3.507A	4.534B/3.507A	----	3.653 - 0.150	.4954	----	----	----	----	15 UNCH
7690	----	----	4.562B/3.527A	4.562B/3.527A	----	3.678 - 0.151	.4978	----	----	----	----	5 UNCH
7695	3.719	3.719	4.590B/3.546A	4.590B/3.546A	----	3.704 - 0.152	.5002	----	----	1	----	3 - 1
7700	4.074	4.074	4.618B/3.550A	4.618B/3.550A	----	3.730 - 0.152	.5025	----	----	8	----	251 - 5
7705	3.769	3.769	4.647B/3.607A	4.647B/3.607A	----	3.756 - 0.153	.5049	----	----	1	----	2 UNCH
7710	3.795	3.795	4.675B/3.623A	4.675B/3.623A	----	3.782 - 0.154	.5073	----	----	1	----	2 - 1
7715	3.821	3.821	4.704B/3.660A	4.704B/3.660A	----	3.808 - 0.154	.5097	----	----	1	----	2 + 1
7720	3.848	3.848	4.733B/3.673A	4.733B/3.673A	----	3.834 - 0.155	.5120	----	----	1	----	3 + 1
7725	3.874	3.874	4.762B/3.711A	4.762B/3.711A	----	3.861 - 0.156	.5144	----	----	1	----	2 - 1
7730	3.901	3.901	4.703B/3.729A	4.703B/3.729A	----	3.888 - 0.156	.5168	----	----	1	----	1 UNCH
7735	3.928	3.928	4.739B/3.758A	4.739B/3.758A	----	3.914 - 0.157	.5191	----	----	1	----	3 UNCH
7740	3.955	3.955	4.757B/3.782A	4.757B/3.782A	----	3.941 - 0.158	.5215	----	----	1	----	1 UNCH
7745	----	----	4.788B/3.805A	4.788B/3.805A	----	3.968 - 0.158	.5239	----	----	----	----	3 UNCH
7750	----	----	4.822B/3.804A	4.822B/3.804A	----	3.995 - 0.159	.5263	----	----	----	----	61 UNCH
7755	----	----	4.812B/3.861A	4.812B/3.861A	----	4.023 - 0.159	.5286	----	----	----	----	11 UNCH
7760	----	----	4.825B/3.883A	4.825B/3.883A	----	4.050 - 0.160	.5310	----	----	----	----	14 UNCH
7765	----	----	4.855B/3.914A	4.855B/3.914A	----	4.078 - 0.160	.5333	----	----	----	----	10 UNCH
7770	----	----	4.748B/3.948A	4.748B/3.948A	----	4.106 - 0.161	.5357	----	----	----	----	2 UNCH
7775	----	----	4.908B/3.969A	4.908B/3.969A	----	4.133 - 0.162	.5381	----	----	----	----	1 UNCH
7780	----	----	4.893B/4.001A	4.893B/4.001A	----	4.161 - 0.163	.5404	----	----	----	----	1 UNCH
7785	----	----	4.901B/4.022A	4.901B/4.022A	----	4.190 - 0.162	.5428	----	----	----	----	1 UNCH
7790	----	----	4.998B/4.046A	4.998B/4.046A	----	4.218 - 0.163	.5451	----	----	----	----	2 UNCH
7800	----	----	4.975B/4.092A	4.975B/4.092A	----	4.275 - 0.164	.5498	----	----	3	----	25 - 1
7805	----	----	4.940B/4.131A	4.940B/4.131A	----	4.303 - 0.165	.5522	----	----	----	----	1 UNCH
7810	----	----	4.957B/4.157A	4.957B/4.157A	----	4.332 - 0.165	.5545	----	----	----	----	1 UNCH
7815	----	----	4.966B/4.186A	4.966B/4.186A	----	4.361 - 0.166	.5568	----	----	----	----	1 UNCH
7820	----	----	4.966B/4.218A	4.966B/4.218A	----	4.390 - 0.166	.5592	----	----	----	----	1 UNCH
7825	----	----	4.949B/4.240A	4.949B/4.240A	----	4.420 - 0.166	.5615	----	----	----	----	1 UNCH
7830	----	----	4.931B/4.273A	4.931B/4.273A	----	4.449 - 0.167	.5638	----	----	----	----	11 UNCH
7835	----	----	5.056B/4.303A	5.056B/4.303A	----	4.478 - 0.168	.5662	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
7840	----	----	5.034B/4.328A	5.034B/4.328A	----	4.508 - 0.168	.5685	----	----	----	----	3 UNCH
7850	----	----	4.999B/4.377A	4.999B/4.377A	----	4.568 - 0.168	.5731	----	----	----	----	47 UNCH
7855	----	----	5.018B/4.418A	5.018B/4.418A	----	4.598 - 0.168	.5754	----	----	----	----	3 UNCH
7860	----	----	5.077B/4.447A	5.077B/4.447A	----	4.628 - 0.169	.5777	----	----	----	----	3 UNCH
7865	----	----	5.050B/4.470A	5.050B/4.470A	----	4.658 - 0.170	.5800	----	----	----	----	3 UNCH
7870	----	----	5.053B/4.502A	5.053B/4.502A	----	4.689 - 0.169	.5823	----	----	----	----	3 UNCH
7875	----	----	5.134B/4.531A	5.134B/4.531A	----	4.719 - 0.170	.5846	----	----	----	----	9 UNCH
7880	----	----	5.100B/4.569A	5.100B/4.569A	----	4.750 - 0.170	.5869	----	----	----	----	4 UNCH
7885	----	----	5.092B/4.592A	5.092B/4.592A	----	4.781 - 0.170	.5892	----	----	----	----	3 UNCH
7890	----	----	5.114B/4.619A	5.114B/4.619A	----	4.812 - 0.171	.5915	----	----	----	----	3 UNCH
7895	----	----	5.146B/4.651A	5.146B/4.651A	----	4.843 - 0.171	.5937	----	----	----	----	3 UNCH
7900	----	----	5.295B/4.666A	5.295B/4.666A	----	4.874 - 0.171	.5960	----	----	----	----	33 UNCH
7905	----	----	5.179B/4.719A	5.179B/4.719A	----	4.906 - 0.171	.5983	----	----	----	----	3 UNCH
7910	----	----	5.211B/4.749A	5.211B/4.749A	----	4.937 - 0.172	.6005	----	----	----	----	3 UNCH
7915	----	----	5.249B/4.777A	5.249B/4.777A	----	4.969 - 0.172	.6028	----	----	----	----	3 UNCH
7925	----	----	5.310B/4.840A	5.310B/4.840A	----	5.032 - 0.173	.6073	----	----	----	----	1 UNCH
7930	----	----	5.344B/4.871A	5.344B/4.871A	----	5.064 - 0.173	.6095	----	----	----	----	1 UNCH
7935	----	----	5.377B/4.897A	5.377B/4.897A	----	5.096 - 0.173	.6117	----	----	----	----	2 UNCH
7940	----	----	5.411B/4.930A	5.411B/4.930A	----	5.129 - 0.172	.6140	----	----	----	----	3 UNCH
7950	----	----	5.624B/4.992A	5.624B/4.992A	----	5.194 - 0.173	.6184	----	----	----	----	24 UNCH
7955	----	----	5.512B/5.027A	5.512B/5.027A	----	5.226 - 0.173	.6206	----	----	----	----	1 UNCH
7965	----	----	5.714B/5.093A	5.714B/5.093A	----	5.292 - 0.173	.6250	----	----	----	----	6 UNCH
7970	----	----	5.615B/5.128A	5.615B/5.128A	----	5.325 - 0.173	.6272	----	----	----	----	3 UNCH
7975	----	----	5.649B/5.170A	5.649B/5.170A	----	5.358 - 0.174	.6294	----	----	----	----	1 UNCH
7980	----	----	5.683B/5.189A	5.683B/5.189A	----	5.391 - 0.174	.6316	----	----	----	----	1 UNCH
7985	----	----	5.718B/5.236A	5.718B/5.236A	----	5.425 - 0.173	.6337	----	----	----	----	1 UNCH
7990	----	----	5.752B/5.268A	5.752B/5.268A	----	5.458 - 0.174	.6359	----	----	----	----	2 UNCH
8000	6.000	6.000	6.000/5.359A	6.000/5.359A	----	5.526 - 0.173	.6402	----	----	1	----	474 UNCH
8005	----	----	5.861B/5.482A	5.861B/5.482A	----	5.560 - 0.173	.6423	----	----	----	----	2 UNCH
8010	----	----	5.892B/5.515A	5.892B/5.515A	----	5.594 - 0.173	.6445	----	----	----	----	2 UNCH
8020	----	----	5.966B/5.581A	5.966B/5.581A	----	5.662 - 0.174	.6487	----	----	----	----	1 UNCH
8025	----	----	6.140B/5.555A	6.140B/5.555A	----	5.696 - 0.174	.6508	----	----	----	----	7 UNCH
8030	----	----	6.037B/5.648A	6.037B/5.648A	----	5.731 - 0.173	.6529	----	----	----	----	1 UNCH
8035	----	----	6.072B/5.681A	6.072B/5.681A	----	5.765 - 0.174	.6550	----	----	----	----	1 UNCH
8040	----	----	6.108B/5.714A	6.108B/5.714A	----	5.800 - 0.174	.6571	----	----	----	----	1 UNCH
8050	----	----	6.180B/5.782A	6.180B/5.782A	----	5.870 - 0.173	.6613	----	----	----	----	4 UNCH
8065	----	----	6.288B/5.884A	6.288B/5.884A	----	5.975 - 0.174	.6675	----	----	----	----	1 UNCH
8070	----	----	6.324B/5.918A	6.324B/5.918A	----	6.010 - 0.174	.6695	----	----	----	----	2 UNCH
8075	----	----	6.360B/5.952A	6.360B/5.952A	----	6.046 - 0.173	.6716	----	----	----	----	4 UNCH
8080	----	----	6.397B/5.987A	6.397B/5.987A	----	6.082 - 0.173	.6736	----	----	----	----	3 UNCH
8085	----	----	6.571B/5.970A	6.571B/5.970A	----	6.117 - 0.173	.6756	----	----	----	----	7 UNCH
8090	----	----	6.607B/6.005A	6.607B/6.005A	----	6.153 - 0.173	.6776	----	----	----	----	20 UNCH
8095	----	----	6.507B/6.091A	6.507B/6.091A	----	6.189 - 0.173	.6797	----	----	----	----	2 UNCH
8100	----	----	6.679B/6.076A	6.679B/6.076A	----	6.225 - 0.173	.6816	----	----	----	----	33 UNCH
8105	----	----	6.580B/6.160A	6.580B/6.160A	----	6.261 - 0.173	.6836	----	----	----	----	1 UNCH
8110	----	----	6.617B/6.195A	6.617B/6.195A	----	6.297 - 0.173	.6856	----	----	----	----	1 UNCH
8125	----	----	6.726B/6.301A	6.726B/6.301A	----	6.407 - 0.172	.6915	----	----	----	----	1 UNCH
8150	----	----	6.916B/6.480A	6.916B/6.480A	----	6.591 - 0.172	.7012	----	----	----	----	4 UNCH
8175	----	----	7.109B/6.661A	7.109B/6.661A	----	6.778 - 0.171	.7106	----	----	----	----	2 UNCH
8195	----	----	7.263B/6.808A	7.263B/6.808A	----	6.930 - 0.169	.7180	----	----	----	----	2 UNCH
8200	----	----	7.431B/6.797A	7.431B/6.797A	----	6.968 - 0.169	.7198	----	----	----	----	37 UNCH
8205	----	----	7.339B/6.881A	7.339B/6.881A	----	7.006 - 0.169	.7216	----	----	----	----	1 UNCH
8210	----	----	7.380B/6.918A	7.380B/6.918A	----	7.044 - 0.169	.7234	----	----	----	----	1 UNCH
8215	----	----	7.419B/6.956A	7.419B/6.956A	----	7.082 - 0.169	.7252	----	----	----	----	1 UNCH
8225	----	----	7.535B/7.030A	7.535B/7.030A	----	7.159 - 0.168	.7288	----	----	----	----	5 UNCH
8230	----	----	7.570B/7.067A	7.570B/7.067A	----	7.198 - 0.168	.7306	----	----	----	----	1 UNCH
8240	----	----	7.649B/7.143A	7.649B/7.143A	----	7.276 - 0.167	.7341	----	----	----	----	2 UNCH
8250	----	----	7.829B/7.126A	7.829B/7.126A	----	7.354 - 0.166	.7376	----	----	----	----	73 UNCH
8255	----	----	7.769B/7.256A	7.769B/7.256A	----	7.393 - 0.166	.7394	----	----	----	----	3 UNCH
8265	----	----	7.849B/7.332A	7.849B/7.332A	----	7.471 - 0.166	.7428	----	----	----	----	1 UNCH
8270	----	----	7.889B/7.370A	7.889B/7.370A	----	7.510 - 0.166	.7445	----	----	----	----	1 UNCH
8275	----	----	7.926B/7.408A	7.926B/7.408A	----	7.550 - 0.165	.7461	----	----	----	----	1 UNCH
8280	----	----	7.967B/7.447A	7.967B/7.447A	----	7.589 - 0.166	.7479	----	----	----	----	3 UNCH
8285	----	----	8.009B/7.485A	8.009B/7.485A	----	7.629 - 0.165	.7495	----	----	----	----	1 UNCH
8290	----	----	8.048B/7.524A	8.048B/7.524A	----	7.669 - 0.164	.7512	----	----	----	----	2 UNCH
8295	----	----	8.088B/7.563A	8.088B/7.563A	----	7.708 - 0.165	.7528	----	----	----	----	1 UNCH
8300	7.921	7.921	8.232B/7.508A	8.232B/7.508A	----	7.748 - 0.164	.7545	----	----	2	----	62 - 2
8305	----	----	8.169B/7.640A	8.169B/7.640A	----	7.788 - 0.164	.7561	----	----	----	----	1 UNCH
8315	----	----	8.250B/7.718A	8.250B/7.718A	----	7.868 - 0.164	.7594	----	----	----	----	1 UNCH
8320	----	----	8.291B/7.757A	8.291B/7.757A	----	7.909 - 0.162	.7610	----	----	----	----	2 UNCH
8325	----	----	8.332B/7.797A	8.332B/7.797A	----	7.949 - 0.162	.7626	----	----	----	----	1 UNCH
8330	----	----	8.373B/7.836A	8.373B/7.836A	----	7.989 - 0.163	.7642	----	----	----	----	1 UNCH
8335	----	----	8.414B/7.875A	8.414B/7.875A	----	8.030 - 0.162	.7657	----	----	----	----	1 UNCH
8340	----	----	8.542B/7.914A	8.542B/7.914A	----	8.070 - 0.162	.7674	----	----	----	----	19 UNCH
8350	----	----	8.619B/7.994A	8.619B/7.994A	----	8.151 - 0.162	.7705	----	----	----	----	19 UNCH
8355	----	----	8.579B/8.034A	8.579B/8.034A	----	8.192 - 0.161	.7721	----	----	----	----	3 UNCH
8360	----	----	8.621B/8.074A	8.621B/8.074A	----	8.233 - 0.161	.7736	----	----	----	----	4 UNCH
8375	----	----	8.828B/8.194A	8.828B/8.194A	----	8.356 - 0.160	.7782	----	----	----	----	8 UNCH
8385	----	----	8.830B/8.274A	8.830B/8.274A	----	8.438 - 0.159	.7811	----	----	----	----	1 UNCH
8395	----	----	8.914B/8.355A	8.914B/8.355A	----	8.521 - 0.158	.7842	----	----	----	----	1 UNCH
8400	----	----	9.033B/8.349A	9.033B/8.349A	----	8.562 - 0.158	.7856	----	----	5	----	29 - 2
8405	----	----	8.998B/8.436A	8.998B/8.436A	----	8.604 - 0.157	.7870	----	----	----	----	2 UNCH
8410	----	----	9.040B/8.477A	9.040B/8.477A	----	8.645 - 0.158	.7885	----	----	----	----	3 UNCH
8415	----	----	9.082B/8.518A	9.082B/8.518A	----	8.687 - 0.157	.7900	----	----	----	----	3 UNCH
8420	----	----	9.125B/8.559A	9.125B/8.559A	----	8.729 - 0.156	.7914	----	----	----	----	2 UNCH
8425	----	----	9.167B/8.600A	9.167B/8.600A	----	8.770 - 0.157	.7929	----	----	----	----	5 UNCH
8430	----	----	9.210B/8.641A	9.210B/8.641A	----	8.812 - 0.156	.7943	----	----	----	----	1 UNCH
8450	----	----	9.457B/8.759A	9.457B/8.759A	----	8.980 - 0.155	.7998	----	----	----	----	30 UNCH
8460	----	----	9.466B/8.889A	9.466B/8.889A	----	9.065 - 0.154	.8026	----	----	----	----	1 UNCH
8475	----	----	9.589B/9.014A	9.589B/9.014A	----	9.192 - 0.153	.8067	----	----	----	----	5 UNCH
8480	----	----	9.632B/9.056A	9.632B/9.056A	----	9.234 - 0.153	.8080	----	----	----	----	1 UNCH
8490	----	----	9.718B/9.140A	9.718B/9.140A	----	9.319 - 0.153	.8107	----	----	----	----	1 UNCH
8495	----	----	9.762B/9.182A	9.762B/9.182A	----	9.362 - 0.152	.8119	----	----	----	----	1 UNCH
8500	9.750	9.750	9.894B/9.131A	9.894B/9.131A	----	9.405 - 0.152	.8132	----	----	2	----	372 - 2
8515	----	----	9.935B/9.351A	9.935B/9.351A	----	9.533 - 0.151	.8172	----	----	----	----	1 UNCH
8535	----	----	10.108B/9.521A	10.108B/9.521A	----	9.705 - 0.150	.8221	----	----	----	----	2 UNCH
8545	----	----	10.196B/9.607A	10.196B/9.607A	----	9.792 - 0.149	.8247	----	----	----	----	1 UNCH
8550	----	----	10.240B/9.650A	10.240B/9.650A	----	9.835 - 0.149	.8258	----	----	----	----	3 UNCH
8555	----	----	10.284B/9.693A	10.284B/9.693A	----	9.878 - 0.149	.8271	----	----	----	----	1 UNCH
8560	----	----	10.327B/9.736A	10.327B/9.736A	----	9.922 - 0.148	.8282	----	----	----	----	1 UNCH
8565	----	----	10.372B/9.779A	10.372B/9.779A	----	9.965 - 0.149	.8295	----	----	----	----	1 UNCH
8570	----	----	10.417B/9.822A	10.417B/9.822A	----	10.009 - 0.148	.8306	----	----	----	----	1 UNCH
8575	----	----	10.459B/9.865A	10.459B/9.865A	----	10.052 - 0.148	.8319	----	----	----	----	3 UNCH
8580	----	----	10.499B/9.909A	10.499B/9.909A	----	10.096 - 0.147	.8330	----	----	----	----	1 UNCH
8585	----	----	10.548B/9.952A	10.548B/9.952A	----	10.140 - 0.147	.8342	----	----	----	----	1 UNCH
8590	----	----	10.592B/9.996A	10.592B/9.996A	----	10.183 - 0.147	.8353	----	----	----	----	4 UNCH
8600	----	----	10.770B/9.988A	10.770B/9.988A	----	10.271 - 0.146	.8377	----	----	----	----	83 UNCH
8605	----	----	10.727B/10.126A	10.727B/10.126A	----	10.315 - 0.146	.8388	----	----	----	----	3 UNCH
8620	----	----	10.861B/10.257A	10.861B/10.257A	----	10.447 - 0.145	.8422	----	----	----	----	1 UNCH
8630	----	----	10.945B/10.345A	10.945B/10.345A	----	10.535 - 0.145	.8444	----	----	----	----	1 UNCH
8640	----	----	11.034B/10.433A	11.034B/10.433A	----	10.623 - 0.145	.8466	----	----	----	----	2 UNCH
8645	----	----	11.079B/10.477A	11.079B/10.477A	----	10.668 - 0.144	.8476	----	----	----	----	1 UNCH
8650	----	----	11.121B/10.522A	11.121B/10.522A	----	10.712 - 0.144	.8487	----	----	----	----	5 UNCH
8655	----	----	11.169B/10.566A	11.169B/10.566A	----	10.756 - 0.144	.8498	----	----	----	----	3 UNCH
8665	----	----	11.260B/10.654A	11.260B/10.654A	----	10.845 - 0.143	.8520	----	----	----	----	1 UNCH
8670	----	----	11.305B/10.699A	11.305B/10.699A	----	10.890 - 0.143	.8529	----	----	----	----	1 UNCH
8675	----	----	11.410B/10.743A	11.410B/10.743A	----	10.934 - 0.143	.8541	----	----	----	----	9 UNCH
8685	----	----	11.440B/10.832A	11.440B/10.832A	----	11.024 - 0.142	.8560	----	----	----	----	1 UNCH
8695	----	----	11.532B/10.922A	11.532B/10.922A	----	11.113 - 0.142	.8581	----	----	----	----	1 UNCH
8700	----	----	11.648B/10.919A	11.648B/10.919A	----	11.158 - 0.141	.8591	----	----	----	----	32 UNCH
8705	----	----	11.680B/11.011A	11.680B/11.011A	----	11.202 - 0.142	.8601	----	----	----	----	10 UNCH
8725	----	----	11.804B/11.191A	11.804B/11.191A	----	11.382 - 0.141	.8640	----	----	----	----	2 UNCH
8750	----	----	12.031B/11.415A	12.031B/11.415A	----	11.608 - 0.139	.8687	----	----	----	----	1 UNCH
8775	----	----	12.314B/11.641A	12.314B/11.641A	----	11.834 - 0.139	.8734	----	----	----	----	9 UNCH
8800	----	----	12.581B/11.773A	12.581B/11.773A	----	12.061 - 0.138	.8778	----	----	----	----	219 UNCH
8825	----	----	12.727B/12.095A	12.727B/12.095A	----	12.290 - 0.137	.8821	----	----	----	----	3 UNCH
8850	----	----	13.005B/12.324A	13.005B/12.324A	----	12.519 - 0.136	.8863	----	----	----	----	13 UNCH
8875	----	----	13.237B/12.554A	13.237B/12.554A	----	12.749 - 0.135	.8902	----	----	----	----	8 UNCH
8900	----	----	13.470B/12.785A	13.470B/12.785A	----	12.981 - 0.133	.8941	----	----	----	----	8 UNCH
8925	----	----	13.702B/13.016A	13.702B/13.016A	----	13.213 - 0.132	.8976	----	----	----	----	6 UNCH
8950	----	----	13.895B/13.249A	13.895B/13.249A	----	13.446 - 0.131	.9012	----	----	----	----	3 UNCH
8975	----	----	14.169B/13.482A	14.169B/13.482A	----	13.679 - 0.130	.9046	----	----	----	----	9 UNCH
9000	----	----	14.471B/13.622A	14.471B/13.622A	----	13.914 - 0.129	.9079	----	----	----	----	167 UNCH
9025	----	----	14.640B/13.951A	14.640B/13.951A	----	14.149 - 0.127	.9109	----	----	----	----	11 UNCH
9050	----	----	14.842B/14.186A	14.842B/14.186A	----	14.385 - 0.126	.9139	----	----	----	----	2 UNCH
9075	----	----	15.080B/14.422A	15.080B/14.422A	----	14.622 - 0.124	.9167	----	----	----	----	4 UNCH
9100	----	----	15.317B/14.659A	15.317B/14.659A	----	14.859 - 0.123	.9194	----	----	----	----	4 UNCH
9150	----	----	15.832B/15.133A	15.832B/15.133A	----	15.336 - 0.119	.9245	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
9175	----	----	16.070B/15.371A	16.070B/15.371A	----	15.575 - 0.118	.9269	----	----	----	----	19 UNCH
9200	----	----	16.309B/15.611A	16.309B/15.611A	----	15.815 - 0.116	.9290	----	----	----	----	7 UNCH
9225	----	----	16.551B/15.849A	16.551B/15.849A	----	16.055 - 0.114	.9312	----	----	----	----	7 UNCH
9250	----	----	16.757B/16.089A	16.757B/16.089A	----	16.296 - 0.112	.9331	----	----	----	----	2 UNCH
9275	----	----	16.997B/16.329A	16.997B/16.329A	----	16.538 - 0.110	.9351	----	----	----	----	1 UNCH
9300	----	----	17.274B/16.570A	17.274B/16.570A	----	16.780 - 0.108	.9368	----	----	----	----	6 UNCH
9375	----	----	18.000B/17.293A	18.000B/17.293A	----	17.509 - 0.101	.9416	----	----	----	----	10 UNCH
9400	----	----	18.243B/17.535A	18.243B/17.535A	----	17.754 - 0.097	.9431	----	----	----	----	6 UNCH
9450	----	----	18.694B/18.020A	18.694B/18.020A	----	18.243 - 0.093	.9456	----	----	----	----	3 UNCH
9475	----	----	18.937B/18.263A	18.937B/18.263A	----	18.488 - 0.090	.9467	----	----	----	----	4 UNCH
9500	----	----	19.285B/18.412A	19.285B/18.412A	----	18.734 - 0.087	.9478	----	----	----	----	110 UNCH
9525	----	----	19.424B/18.749A	19.424B/18.749A	----	18.980 - 0.084	.9489	----	----	----	----	1 UNCH
9550	----	----	19.668B/18.993A	19.668B/18.993A	----	19.227 - 0.080	.9497	----	----	----	----	3 UNCH
9575	----	----	19.912B/19.236A	19.912B/19.236A	----	19.473 - 0.078	.9508	----	----	----	----	1 UNCH
9600	----	----	20.222B/19.434A	20.222B/19.434A	----	19.720 - 0.075	.9516	----	----	----	----	26 UNCH
9650	----	----	20.681B/19.970A	20.681B/19.970A	----	20.213 - 0.070	.9533	----	----	----	----	11 UNCH
9675	----	----	20.892B/20.214A	20.892B/20.214A	----	20.460 - 0.067	.9541	----	----	----	----	2 UNCH
9700	----	----	21.250B/20.365A	21.250B/20.365A	----	20.707 - 0.065	.9550	----	----	----	----	182 UNCH
9725	----	----	21.383B/20.703A	21.383B/20.703A	----	20.953 - 0.064	.9558	----	----	----	----	1 UNCH
9750	----	----	21.629B/20.949A	21.629B/20.949A	----	21.200 - 0.062	.9566	----	----	----	----	3 UNCH
9775	----	----	21.875B/21.194A	21.875B/21.194A	----	21.446 - 0.060	.9575	----	----	----	----	3 UNCH
9800	----	----	22.150B/21.439A	22.150B/21.439A	----	21.693 - 0.059	.9583	----	----	----	----	7 UNCH
9825	----	----	22.367B/21.685A	22.367B/21.685A	----	21.939 - 0.058	.9592	----	----	----	----	2 UNCH
9850	----	----	22.746B/21.838A	22.746B/21.838A	----	22.185 - 0.057	.9600	----	----	----	----	179 UNCH
9900	----	----	23.133B/22.422A	23.133B/22.422A	----	22.678 - 0.055	.9616	----	----	----	----	8 UNCH
10000	----	----	24.205B/23.316A	24.205B/23.316A	----	23.663 - 0.053	.9648	----	----	----	----	133 UNCH
10050	----	----	24.587B/23.902A	24.587B/23.902A	----	24.156 - 0.053	.9664	----	----	----	----	2 UNCH
10100	----	----	25.082B/24.395A	25.082B/24.395A	----	24.649 - 0.052	.9677	----	----	----	----	2 UNCH
10225	----	----	26.319B/25.632A	26.319B/25.632A	----	25.885 - 0.050	.9709	----	----	----	----	2 UNCH
10250	----	----	26.566B/25.879A	26.566B/25.879A	----	26.132 - 0.050	.9715	----	----	----	----	4 UNCH
10300	----	----	27.062B/26.374A	27.062B/26.374A	----	26.627 - 0.049	.9725	----	----	----	----	4 UNCH
10325	----	----	27.310B/26.622A	27.310B/26.622A	----	26.875 - 0.048	.9731	----	----	----	----	1 UNCH
10350	----	----	27.558B/26.870A	27.558B/26.870A	----	27.123 - 0.047	.9736	----	----	----	----	1 UNCH
10400	----	----	28.054B/27.366A	28.054B/27.366A	----	27.618 - 0.047	.9745	----	----	----	----	2 UNCH
10450	----	----	28.550B/27.862A	28.550B/27.862A	----	28.114 - 0.045	.9753	----	----	----	----	2 UNCH
10475	----	----	28.799B/28.110A	28.799B/28.110A	----	28.362 - 0.045	.9757	----	----	----	----	1 UNCH
10500	----	----	29.072B/28.360A	29.072B/28.360A	----	28.610 - 0.045	.9762	----	----	----	----	10 UNCH
10505	----	----	29.096B/28.408A	29.096B/28.408A	----	28.660 - 0.044	.9762	----	----	----	----	1 UNCH
10510	----	----	29.146B/28.458A	29.146B/28.458A	----	28.710 - 0.044	.9764	----	----	----	----	1 UNCH
10545	----	----	29.494B/28.805A	29.494B/28.805A	----	29.057 - 0.044	.9769	----	----	----	----	1 UNCH
10550	----	----	29.569B/28.857A	29.569B/28.857A	----	29.107 - 0.043	.9769	----	----	----	----	22 UNCH
10585	----	----	29.891B/29.202A	29.891B/29.202A	----	29.455 - 0.042	.9774	----	----	----	----	1 UNCH
10590	----	----	29.941B/29.252A	29.941B/29.252A	----	29.504 - 0.043	.9776	----	----	----	----	1 UNCH
10595	----	----	29.991B/29.302A	29.991B/29.302A	----	29.554 - 0.042	.9776	----	----	----	----	3 UNCH
10600	----	----	30.041B/29.351A	30.041B/29.351A	----	29.604 - 0.042	.9776	----	----	----	----	5 UNCH
10670	----	----	30.737B/30.047A	30.737B/30.047A	----	30.299 - 0.041	.9786	----	----	----	----	3 UNCH
10675	----	----	30.787B/30.097A	30.787B/30.097A	----	30.349 - 0.041	.9786	----	----	----	----	1 UNCH
10700	----	----	31.059B/30.348A	31.059B/30.348A	----	30.598 - 0.040	.9790	----	----	----	----	9 UNCH
10800	----	----	32.030B/31.340A	32.030B/31.340A	----	31.592 - 0.038	.9802	----	----	----	----	1 UNCH
10820	----	----	32.230B/31.539A	32.230B/31.539A	----	31.791 - 0.038	.9804	----	----	----	----	1 UNCH
10825	----	----	32.279B/31.588A	32.279B/31.588A	----	31.841 - 0.038	.9804	----	----	----	----	1 UNCH
10835	----	----	32.379B/31.688A	32.379B/31.688A	----	31.940 - 0.038	.9805	----	----	----	----	2 UNCH
10845	----	----	32.479B/31.787A	32.479B/31.787A	----	32.040 - 0.037	.9807	----	----	----	----	1 UNCH
10875	----	----	32.777B/32.086A	32.777B/32.086A	----	32.339 - 0.036	.9809	----	----	----	----	2 UNCH
10900	----	----	33.026B/32.334A	33.026B/32.334A	----	32.587 - 0.037	.9812	----	----	----	----	1 UNCH
10950	----	----	33.524B/32.832A	33.524B/32.832A	----	33.085 - 0.036	.9817	----	----	----	----	1 UNCH
10975	----	----	33.773B/33.081A	33.773B/33.081A	----	33.334 - 0.035	.9819	----	----	----	----	3 UNCH
11000	----	----	34.133B/----	34.133B/34.032A	----	33.583 - 0.035	.9821	----	----	----	----	60 UNCH
11025	----	----	34.272B/33.578A	34.272B/33.578A	----	33.832 - 0.035	.9824	----	----	----	----	1 UNCH
11075	----	----	34.770B/34.076A	34.770B/34.076A	----	34.330 - 0.034	.9828	----	----	----	----	1 UNCH
11100	----	----	35.019B/34.325A	35.019B/34.325A	----	34.579 - 0.034	.9831	----	----	----	----	1 UNCH
11125	----	----	35.268B/34.574A	35.268B/34.574A	----	34.828 - 0.033	.9831	----	----	----	----	1 UNCH
11175	----	----	35.767B/35.072A	35.767B/35.072A	----	35.326 - 0.033	.9836	----	----	----	----	1 UNCH
11200	----	----	36.016B/35.321A	36.016B/35.321A	----	35.575 - 0.033	.9838	----	----	----	----	4 UNCH
11225	----	----	36.265B/35.570A	36.265B/35.570A	----	35.824 - 0.033	.9840	----	----	----	----	3 UNCH
11250	----	----	36.514B/35.819A	36.514B/35.819A	----	36.073 - 0.033	.9842	----	----	----	----	1 UNCH
11500	----	----	39.114B/----	39.114B/39.021A	----	38.565 - 0.032	.9859	----	----	----	----	78 UNCH
11550	----	----	39.508B/38.808A	39.508B/38.808A	----	39.063 - 0.032	.9862	----	----	----	----	1 UNCH
11650	----	----	40.506B/39.805A	40.506B/39.805A	----	40.060 - 0.032	.9868	----	----	----	----	1 UNCH
11800	----	----	42.003B/41.300A	42.003B/41.300A	----	41.556 - 0.032	.9877	----	----	----	----	1 UNCH
11875	----	----	42.752B/42.049A	42.752B/42.049A	----	42.304 - 0.033	.9881	----	----	----	----	1 UNCH
12250	----	----	46.498B/45.791A	46.498B/45.791A	----	46.045 - 0.035	.9898	----	----	----	----	3 UNCH
12300	----	----	46.998B/46.290A	46.998B/46.290A	----	46.544 - 0.035	.9900	----	----	----	----	1 UNCH
12500	----	----	49.018B/----	49.018B/49.130A	----	48.541 - 0.035	.9908	----	----	----	----	20 UNCH
12700	----	----	50.995B/50.285A	50.995B/50.285A	----	50.537 - 0.037	.9914	----	----	----	----	1 UNCH
13000	----	----	53.993B/53.281A	53.993B/53.281A	----	53.533 - 0.038	.9923	----	----	----	----	1 UNCH
TOTAL										1251	50	19685 + 489
JUN26												
2100	----	----	----	----/0.017A	----	0.005 UNCH	.0004	----	----	----	----	1 UNCH
2350	----	----	----	0.007B/0.025A	----	0.012 - 0.002	.0010	----	----	----	----	2 UNCH
2500	----	----	----	0.014B/*0.025A	----	0.019 - 0.003	.0016	----	----	----	----	141 UNCH
2650	----	----	----	----/*0.036A	----	0.024 - 0.003	.0021	----	----	----	----	1 UNCH
3000	----	----	----	0.001B/0.075A	----	0.039 - 0.003	.0035	----	----	----	----	244 UNCH
3075	----	----	----	0.001B/0.096A	----	0.043 - 0.003	.0039	----	----	----	----	4 UNCH
3100	----	----	----	0.001B/0.098A	----	0.044 - 0.004	.0040	----	----	----	----	3 UNCH
3150	----	----	----	0.001B/0.101A	----	0.047 - 0.003	.0043	----	----	----	----	8 UNCH
3200	----	----	----	0.001B/0.104A	----	0.050 - 0.003	.0046	----	----	----	----	4 UNCH
3325	----	----	----	0.001B/0.114A	----	0.057 - 0.003	.0053	----	----	----	----	2 UNCH
3350	----	----	----	0.001B/0.116A	----	0.058 - 0.004	.0055	----	----	----	----	1 UNCH
3400	----	----	----	0.001B/0.120A	----	0.062 - 0.003	.0059	----	----	----	----	12 UNCH
3500	----	----	----	0.001B/0.128A	----	0.068 - 0.004	.0065	----	----	----	----	100 UNCH
3550	----	----	----	0.001B/0.133A	----	0.072 - 0.004	.0069	----	----	----	----	5 UNCH
3575	----	----	----	0.001B/0.135A	----	0.074 - 0.003	.0072	----	----	----	----	22 UNCH
3600	----	----	----	0.001B/0.137A	----	0.075 - 0.004	.0073	----	----	----	----	4 UNCH
3650	----	----	----	0.001B/0.140A	----	0.079 - 0.004	.0077	----	----	----	----	22 UNCH
3675	----	----	----	0.001B/0.142A	----	0.081 - 0.004	.0080	----	----	----	----	2 UNCH
3700	----	----	----	0.001B/0.144A	----	0.083 - 0.004	.0082	----	----	----	----	6 UNCH
3800	----	----	----	0.001B/0.154A	----	0.091 - 0.005	.0091	----	----	----	----	14 UNCH
3850	----	----	----	0.001B/*0.159A	----	0.095 - 0.006	.0096	----	----	----	----	2 UNCH
3900	----	----	----	0.004B/*0.162A	----	0.100 - 0.006	.0101	----	----	----	----	6 UNCH
3925	----	----	----	0.005B/*0.166A	----	0.102 - 0.006	.0104	----	----	----	----	3 UNCH
4000	----	----	----	0.047B/0.173A	----	0.109 - 0.007	.0112	----	----	----	----	55 UNCH
4075	----	----	----	0.015B/*0.183A	----	0.117 - 0.008	.0121	----	----	----	----	1 UNCH
4100	----	----	----	0.020B/*0.189A	----	0.120 - 0.008	.0125	----	----	----	----	2 UNCH
4125	----	----	----	0.023B/*0.192A	----	0.122 - 0.009	.0127	----	----	----	----	5 UNCH
4150	----	----	----	0.025B/*0.195A	----	0.125 - 0.009	.0131	----	----	----	----	4 UNCH
4200	----	----	----	0.043B/*0.199A	----	0.131 - 0.010	.0138	----	----	----	----	26 UNCH
4225	----	----	----	0.035B/*0.202A	----	0.134 - 0.011	.0141	----	----	----	----	7 UNCH
4250	----	----	----	0.039B/*0.205A	----	0.137 - 0.011	.0145	----	----	----	----	5 UNCH
4275	----	----	----	0.054B/*0.210A	----	0.140 - 0.012	.0149	----	----	----	----	13 UNCH
4300	----	----	----	0.045B/0.212A	----	0.143 - 0.013	.0152	----	----	----	----	7 UNCH
4350	----	----	----	0.054B/*0.220A	----	0.149 - 0.014	.0160	----	----	----	----	2 UNCH
4375	----	----	----	0.055B/0.222A	----	0.153 - 0.015	.0165	----	----	----	----	3 UNCH
4400	----	----	----	0.060B/*0.226A	----	0.156 - 0.016	.0169	----	----	----	----	8 UNCH
4425	----	----	----	0.066B/*0.231A	----	0.160 - 0.016	.0173	----	----	----	----	1 UNCH
4500	0.185	0.185	0.185/*0.185	0.185/*0.185	----	0.171 - 0.019	.0187	----	----	1	----	167 UNCH
4550	----	----	----	0.090B/*0.250A	----	0.179 - 0.020	.0197	----	----	----	----	2 UNCH
4600	----	----	----	0.099B/*0.260A	----	0.188 - 0.022	.0208	----	----	----	----	7 UNCH
4625	----	----	----	0.113B/*0.265A	----	0.193 - 0.022	.0214	----	----	----	----	12 UNCH
4650	----	----	----	0.110B/*0.271A	----	0.197 - 0.024	.0219	----	----	----	----	1 UNCH
4700	----	----	----	0.123B/*0.281A	----	0.207 - 0.025	.0231	----	----	----	----	3 UNCH
4725	----	----	----	0.135B/*0.288A	----	0.212 - 0.026	.0237	----	----	----	----	10 UNCH
4750	----	----	----	0.135B/0.293A	----	0.218 - 0.026	.0244	----	----	----	----	3 UNCH
4800	----	----	----	0.153B/*0.305A	----	0.229 - 0.028	.0258	----	----	----	----	23 UNCH
4850	----	----	----	0.162B/*0.318A	----	0.241 - 0.030	.0272	----	----	----	----	3 UNCH
4875	----	----	----	0.174B/*0.323A	----	0.248 - 0.030	.0280	----	----	----	----	15 UNCH
4900	----	----	----	0.182B/0.331A	----	0.254 - 0.031	.0288	----	----	----	----	176 UNCH
5000	0.280	0.280	0.280/*0.280	0.280/*0.280	----	0.284 - 0.032	.0323	----	----	1	----	1017 + 1
5025	----	----	----	0.219B/0.369A	----	0.292 - 0.032	.0332	----	----	----	----	8 UNCH
5050	----	----	----	0.228B/0.376A	----	0.300 - 0.033	.0342	----	----	----	----	3 UNCH
5075	----	----	----	0.237B/0.386A	----	0.309 - 0.033	.0352	----	----	----	----	2 UNCH
5100	----	----	----	0.250B/0.395A	----	0.318 - 0.033	.0363	----	----	----	----	29 UNCH
5125	----	----	----	0.257B/0.404A	----	0.327 - 0.033	.0373	----	----	----	----	1 UNCH
5150	----	----	----	0.267B/0.413A	----	0.336 - 0.034	.0384	----	----	----	----	16 UNCH
5175	----	----	----	0.278B/0.423A	----	0.346 - 0.034	.0395	----	----	----	----	12 UNCH
5200	0.410	0.410	0.410/0.410	0.410/0.410	----	0.357 - 0.033	.0408	----	----	2	----	4 UNCH
5225	----	----	----	0.300B/0.443A	----	0.367 - 0.034	.0420	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 62

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
5250	----	----	----	0.312B/0.453A	----	0.379 - 0.032	.0433	----	----	----	----	13 UNCH
5275	----	----	----	0.324B/0.465A	----	0.390 - 0.033	.0446	----	----	----	----	23 UNCH
5300	----	----	----/*0.431A	0.339B/*0.431A	----	0.402 - 0.032	.0459	----	----	----	----	14 UNCH
5325	----	----	----	0.349B/0.487A	----	0.414 - 0.032	.0473	----	----	----	----	10 UNCH
5350	----	----	----	0.363B/0.499A	----	0.427 - 0.031	.0487	----	----	----	----	13 UNCH
5375	----	----	----/*0.465A	0.443B/*0.465A	----	0.440 - 0.031	.0502	----	----	----	----	10 UNCH
5400	----	----	----/*0.480A	0.451B/*0.480A	----	0.453 - 0.031	.0517	----	----	----	----	14 UNCH
5425	----	----	0.515B/*0.494A	0.515B/*0.494A	----	0.467 - 0.030	.0532	----	----	----	----	4 UNCH
5450	0.471	0.471	0.515B/*0.471	0.515B/*0.471	----	0.481 - 0.030	.0548	----	----	1	----	2 UNCH
5475	----	----	0.571B/*0.519A	0.571B/*0.519A	----	0.496 - 0.029	.0565	----	----	----	----	13 UNCH
5500	0.536	0.536	0.562B/*0.488	0.562B/*0.488	----	0.511 - 0.029	.0582	----	----	57	----	361 + 52
5525	----	----	0.607B/*0.550A	0.607B/*0.550A	----	0.526 - 0.029	.0598	----	----	----	----	16 UNCH
5550	----	----	0.629B/*0.564A	0.629B/*0.564A	----	0.542 - 0.028	.0616	----	----	----	----	10 UNCH
5600	----	----	0.671B/*0.596A	0.671B/*0.596A	----	0.575 - 0.028	.0653	----	----	----	----	21 UNCH
5625	----	----	0.652B/*0.612A	0.652B/*0.612A	----	0.593 - 0.027	.0672	----	----	----	----	2 UNCH
5650	----	----	0.714B/*0.629A	0.714B/*0.629A	----	0.611 - 0.027	.0692	----	----	----	----	51 UNCH
5675	----	----	0.704B/*0.646A	0.704B/*0.646A	----	0.629 - 0.027	.0712	----	----	----	----	21 UNCH
5700	----	----	0.762B/*0.663A	0.762B/*0.663A	----	0.648 - 0.027	.0732	----	----	----	----	249 UNCH
5750	----	----	0.812B/*0.699A	0.812B/*0.699A	----	0.687 - 0.027	.0775	----	----	----	----	227 UNCH
5775	----	----	0.838B/0.719A	0.838B/0.719A	----	0.707 - 0.027	.0797	----	----	----	----	9 UNCH
5800	----	----	0.865B/*0.739A	0.865B/*0.739A	----	0.728 - 0.028	.0820	----	----	1	----	89 - 1
5825	----	----	0.892B/*0.751A	0.892B/*0.751A	----	0.750 - 0.027	.0843	----	----	----	----	9 UNCH
5850	----	----	0.920B/*0.773A	0.920B/*0.773A	----	0.772 - 0.028	.0867	----	----	----	----	16 UNCH
5875	----	----	0.966B/*0.796A	0.966B/*0.796A	----	0.795 - 0.028	.0891	----	----	----	----	12 UNCH
5900	----	----	0.984B/*0.820A	0.984B/*0.820A	----	0.818 - 0.029	.0916	----	----	----	----	50 UNCH
5925	0.924	0.924	1.015B/*0.845A	1.015B/*0.845A	----	0.842 - 0.030	.0942	----	----	3	----	21 - 1
5950	----	----	1.047B/*0.870A	1.047B/0.870A	----	0.867 - 0.030	.0968	----	----	----	----	16 UNCH
5975	----	----	1.017B/*0.896A	1.017B/0.896A	----	0.893 - 0.031	.0995	----	----	----	----	1 UNCH
6000	----	----	1.077B/0.922A	1.077B/0.922A	----	0.919 - 0.032	.1023	----	----	1	----	762 + 1
6025	----	----	1.150B/0.951A	1.150B/0.951A	----	0.946 - 0.033	.1051	----	----	----	----	31 UNCH
6050	----	----	1.186B/0.977A	1.186B/0.977A	----	0.974 - 0.034	.1080	----	----	----	----	144 UNCH
6075	----	----	1.221B/1.005A	1.221B/1.005A	----	1.003 - 0.035	.1110	----	----	----	----	31 UNCH
6100	----	----	1.264B/1.038A	1.264B/1.038A	----	1.033 - 0.035	.1140	----	----	----	----	77 UNCH
6125	----	----	1.298B/1.069A	1.298B/1.069A	----	1.063 - 0.037	.1171	----	----	----	----	3 UNCH
6150	----	----	1.338B/1.102A	1.338B/1.102A	----	1.094 - 0.038	.1203	----	----	----	----	7 UNCH
6175	----	----	1.374B/1.133A	1.374B/1.133A	----	1.127 - 0.039	.1236	----	----	----	----	291 UNCH
6200	1.265	1.265	1.431B/1.167A	1.431B/1.167A	----	1.160 - 0.041	.1269	----	----	2	----	156 + 1
6225	----	----	1.477B/1.200A	1.477B/1.200A	----	1.194 - 0.042	.1303	----	----	----	----	2 UNCH
6250	----	----	1.500B/1.237A	1.500B/1.237A	----	1.229 - 0.044	.1338	----	----	----	----	93 UNCH
6275	----	----	1.549B/1.273A	1.549B/1.273A	----	1.266 - 0.045	.1374	----	----	----	----	3 UNCH
6300	1.445	1.445	1.599B/1.310A	1.599B/1.310A	----	1.303 - 0.047	.1411	----	----	2	----	126 + 1
6325	----	----	1.551B/1.348A	1.551B/1.348A	----	1.342 - 0.048	.1448	----	----	----	----	6 UNCH
6350	----	----	1.713B/1.391A	1.713B/1.391A	----	1.381 - 0.050	.1486	----	----	----	----	28 UNCH
6375	----	----	1.757B/1.433A	1.757B/1.433A	----	1.422 - 0.052	.1525	----	----	----	----	102 UNCH
6400	1.540	1.540	1.813B/1.471A	1.813B/1.471A	----	1.464 - 0.053	.1565	----	----	3	----	84 + 1
6425	1.506	1.506	1.862B/1.506	1.862B/1.506	----	1.507 - 0.055	.1606	----	----	3	----	44 - 2
6450	----	----	1.918B/1.560A	1.918B/1.560A	----	1.552 - 0.057	.1648	----	----	3	----	14 + 3
6475	----	----	1.975B/1.580A	1.975B/1.580A	----	1.597 - 0.059	.1690	----	----	----	----	121 UNCH
6500	----	----	2.021B/1.629A	2.021B/1.629A	----	1.644 - 0.061	.1733	----	----	53	----	253 + 4
6525	----	----	2.086B/1.688A	2.086B/1.688A	----	1.692 - 0.064	.1777	----	----	----	----	35 UNCH
6550	----	----	2.143B/1.748A	2.143B/1.748A	----	1.742 - 0.065	.1822	----	----	----	----	23 UNCH
6575	----	----	2.211B/1.788A	2.211B/1.788A	----	1.793 - 0.068	.1868	----	----	----	----	2 UNCH
6600	----	----	2.264B/1.825A	2.264B/1.825A	----	1.845 - 0.070	.1915	----	----	1	----	141 UNCH
6625	----	----	2.336B/1.892A	2.336B/1.892A	----	1.899 - 0.072	.1962	----	----	----	----	10 UNCH
6650	----	----	2.411B/1.946A	2.411B/1.946A	----	1.955 - 0.074	.2011	----	----	----	----	11 UNCH
6675	2.095	2.095	2.474B/2.005A	2.474B/2.005A	----	2.011 - 0.077	.2060	----	----	12	----	16 + 12
6700	----	----	2.549B/2.044A	2.549B/2.044A	----	2.069 - 0.079	.2110	----	----	----	----	57 UNCH
6725	2.602	2.602	2.616B/2.115A	2.616B/2.115A	----	2.129 - 0.082	.2161	----	----	3	----	30 + 2
6750	----	----	2.682B/2.182A	2.682B/2.182A	----	2.190 - 0.084	.2212	----	----	----	----	22 UNCH
6775	----	----	2.623B/2.243A	2.623B/2.243A	----	2.253 - 0.087	.2265	----	----	----	----	2 UNCH
6800	----	----	2.821B/2.311A	2.821B/2.311A	----	2.318 - 0.088	.2318	----	----	1	----	22 + 1
6825	----	----	2.838B/2.371A	2.838B/2.371A	----	2.384 - 0.091	.2372	----	----	----	----	2 UNCH
6850	----	----	2.992B/2.435A	2.992B/2.435A	----	2.451 - 0.094	.2427	----	----	----	----	16 UNCH
6875	----	----	2.920B/2.510A	2.920B/2.510A	----	2.521 - 0.096	.2483	----	----	----	----	2 UNCH
6900	----	----	3.139B/2.556A	3.139B/2.556A	----	2.592 - 0.099	.2539	----	----	5	----	92 UNCH
6925	----	----	3.206B/2.653A	3.206B/2.653A	----	2.665 - 0.101	.2596	----	----	----	----	9 UNCH
6950	----	----	3.290B/2.721A	3.290B/2.721A	----	2.739 - 0.104	.2654	----	----	----	----	5 UNCH
6975	2.753	2.753	3.393B/2.753	3.393B/2.753	----	2.815 - 0.107	.2712	----	----	1	----	9 UNCH
7000	2.820	2.820	3.420B/2.819	3.420B/2.819	----	2.893 - 0.110	.2771	----	----	72	26	545 + 40
7025	----	----	3.450B/2.947A	3.450B/2.947A	----	2.973 - 0.112	.2831	----	----	1	----	5 + 1
7050	----	----	3.663B/3.028A	3.663B/3.028A	----	3.054 - 0.115	.2891	----	----	----	----	15 UNCH
7075	----	----	3.765B/3.097A	3.765B/3.097A	----	3.138 - 0.117	.2953	----	----	----	----	41 UNCH
7100	3.175	3.175	3.852B/3.175	3.852B/3.175	----	3.223 - 0.120	.3014	----	----	2	----	19 - 1
7125	3.332	3.332	3.807B/3.274A	3.807B/3.274A	----	3.310 - 0.123	.3077	----	----	1	----	3 UNCH
7150	3.420	3.420	4.047B/3.352A	4.047B/3.352A	----	3.399 - 0.125	.3139	----	----	1	----	27 UNCH
7175	3.832	3.832	4.126B/3.441A	4.126B/3.441A	----	3.490 - 0.127	.3203	----	----	2	----	37 + 1
7200	3.926	3.926	4.228B/3.510A	4.228B/3.510A	----	3.582 - 0.131	.3267	----	----	2	----	234 + 1
7225	----	----	4.220B/3.627A	4.220B/3.627A	----	3.677 - 0.133	.3331	----	----	----	----	6 UNCH
7250	----	----	4.447B/3.724A	4.447B/3.724A	----	3.773 - 0.136	.3396	----	----	----	----	13 UNCH
7275	----	----	4.443B/3.817A	4.443B/3.817A	----	3.872 - 0.138	.3461	----	----	----	----	3 UNCH
7300	----	----	4.665B/3.887A	4.665B/3.887A	----	3.972 - 0.140	.3527	----	----	4	----	80 + 3
7325	----	----	4.675B/4.013A	4.675B/4.013A	----	4.074 - 0.143	.3593	----	----	----	----	1 UNCH
7350	----	----	4.767B/4.110A	4.767B/4.110A	----	4.178 - 0.146	.3659	----	----	----	----	3 UNCH
7375	----	----	4.904B/4.214A	4.904B/4.214A	----	4.285 - 0.147	.3726	----	----	----	----	2 UNCH
7400	----	----	5.120B/4.307A	5.120B/4.307A	----	4.393 - 0.149	.3793	----	----	----	----	52 UNCH
7425	----	----	5.131B/4.426A	5.131B/4.426A	----	4.503 - 0.152	.3860	----	----	----	----	2 UNCH
7450	----	----	5.260B/4.515A	5.260B/4.515A	----	4.615 - 0.154	.3928	----	----	----	----	52 UNCH
7475	----	----	5.391B/4.648A	5.391B/4.648A	----	4.729 - 0.156	.3995	----	----	----	----	4 UNCH
7500	----	----	5.600B/4.736A	5.600B/4.736A	----	4.845 - 0.158	.4063	----	----	2	----	347 + 1
7525	----	----	5.651B/4.879A	5.651B/4.879A	----	4.963 - 0.160	.4131	----	----	----	----	3 UNCH
7550	----	----	5.777B/4.988A	5.777B/4.988A	----	5.083 - 0.162	.4200	----	----	----	----	7 UNCH
7575	----	----	5.916B/5.106A	5.916B/5.106A	----	5.205 - 0.164	.4268	----	----	----	----	5 UNCH
7600	5.378	5.378	6.120B/5.208A	6.120B/5.208A	----	5.329 - 0.166	.4336	----	----	3	----	78 - 3
7625	----	----	6.188B/5.351A	6.188B/5.351A	----	5.455 - 0.168	.4404	----	----	----	----	2 UNCH
7650	6.004	6.004	6.322B/5.476A	6.322B/5.476A	----	5.583 - 0.169	.4473	----	----	1	----	4 + 1
7675	----	----	6.462B/5.608A	6.462B/5.608A	----	5.713 - 0.171	.4541	----	----	----	----	2 UNCH
7700	----	----	6.652B/5.733A	6.652B/5.733A	----	5.845 - 0.172	.4609	----	----	----	----	21 UNCH
7725	----	----	6.652B/5.868A	6.652B/5.868A	----	5.979 - 0.174	.4677	----	----	----	----	1 UNCH
7750	----	----	6.739B/5.998A	6.739B/5.998A	----	6.115 - 0.175	.4745	----	----	----	----	2 UNCH
7775	----	----	6.889B/6.119A	6.889B/6.119A	----	6.253 - 0.176	.4813	----	----	----	----	27 UNCH
7800	6.856	6.856	7.025B/6.270A	7.025B/6.270A	----	6.392 - 0.178	.4881	----	----	2	----	8 + 2
7850	----	----	7.319B/6.548A	7.319B/6.548A	----	6.678 - 0.180	.5015	----	----	----	----	8 UNCH
7875	----	----	7.498B/6.679A	7.498B/6.679A	----	6.823 - 0.182	.5082	----	----	----	----	19 UNCH
7900	6.790	6.790	7.651B/6.790	7.651B/6.790	----	6.971 - 0.183	.5148	----	----	3	----	113 + 3
7925	----	----	7.817B/6.974A	7.817B/6.974A	----	7.120 - 0.184	.5214	----	----	----	----	10 UNCH
7950	----	----	7.952B/7.120A	7.952B/7.120A	----	7.271 - 0.185	.5280	----	----	----	----	21 UNCH
8000	----	----	8.323B/7.414A	8.323B/7.414A	----	7.580 - 0.186	.5410	----	----	----	----	147 UNCH
8025	----	----	8.408B/7.573A	8.408B/7.573A	----	7.736 - 0.188	.5475	----	----	----	----	1 UNCH
8050	----	----	8.575B/7.733A	8.575B/7.733A	----	7.895 - 0.188	.5539	----	----	----	----	1 UNCH
8075	----	----	8.743B/7.895A	8.743B/7.895A	----	8.055 - 0.189	.5603	----	----	----	----	1 UNCH
8100	----	----	8.912B/8.052A	8.912B/8.052A	----	8.217 - 0.190	.5666	----	----	----	----	2 UNCH
8125	----	----	9.084B/8.214A	9.084B/8.214A	----	8.381 - 0.191	.5728	----	----	----	----	2 UNCH
8150	----	----	9.257B/8.381A	9.257B/8.381A	----	8.547 - 0.191	.5790	----	----	----	----	4 UNCH
8175	----	----	9.432B/8.540A	9.432B/8.540A	----	8.714 - 0.192	.5852	----	----	----	----	42 UNCH
8200	----	----	9.609B/8.709A	9.609B/8.709A	----	8.883 - 0.192	.5912	----	----	----	----	14 UNCH
8225	----	----	9.719B/8.882A	9.719B/8.882A	----	9.054 - 0.192	.5973	----	----	----	----	6 UNCH
8250	----	----	9.899B/9.053A	9.899B/9.053A	----	9.226 - 0.193	.6032	----	----	----	----	15 UNCH
8275	----	----	10.080B/9.227A	10.080B/9.227A	----	9.400 - 0.193	.6092	----	----	----	----	23 UNCH
8300	----	----	10.262B/9.403A	10.262B/9.403A	----	9.575 - 0.194	.6150	----	----	----	----	6 UNCH
8350	----	----	10.631B/9.766A	10.631B/9.766A	----	9.931 - 0.194	.6265	----	----	----	----	17 UNCH
8400	----	----	11.009B/10.134A	11.009B/10.134A	----	10.292 - 0.195	.6378	----	----	----	----	3 UNCH
8425	----	----	10.946B/10.319A	10.946B/10.319A	----	10.475 - 0.195	.6433	----	----	----	----	63 UNCH
8450	----	----	11.128B/10.556A	11.128B/10.556A	----	10.659 - 0.195	.6488	----	----	----	----	18 UNCH
8475	----	----	11.233B/10.776A	11.233B/10.776A	----	10.845 - 0.195	.6541	----	----	----	----	2 UNCH
8500	----	----	11.518B/10.868A	11.518B/10.868A	----	11.032 - 0.195	.6594	----	----	----	----	62 UNCH
8525	----	----	11.618B/11.146A	11.618B/11.146A	----	11.221 - 0.194	.6647	----	----	----	----	1 UNCH
8550	----	----	11.803B/11.334A	11.803B/11.334A	----	11.410 - 0.195	.6699	----	----	----	----	1 UNCH
8575	----	----	11.998B/11.522A	11.998B/11.522A	----	11.602 - 0.194	.6750	----	----	----	----	1 UNCH
8600	----	----	12.195B/11.711A	12.195B/11.711A	----	11.794 - 0.194	.6800	----	----	----	----	5 UNCH
8625	----	----	12.473B/11.888A	12.473B/11.888A	----	11.987 - 0.195	.6850	----	----	----	----	11 UNCH
8675	----	----	12.791B/12.289A	12.791B/12.289A	----	12.378 - 0.194	.6948	----	----	----	----	2 UNCH
8700	----	----	13.066B/12.476A	13.066B/12.476A	----	12.575 - 0.194	.6995	----	----	----	----	14 UNCH
8750	----	----	13.467B/12.831A	13.467B/12.831A	----	12.973 - 0.193	.7088	----	----	----	----	26 UNCH
8775	----	----	13.592B/13.072A	13.592B/13.072A	----	13.174 - 0.193	.7134	----	----	----	----	1 UNCH
8800	----	----	13.874B/13.276A	13.874B/13.276A	----	13.375 - 0.193	.7179	----	----	----	----	14 UNCH
8825	----	----	14.078B/13.473A	14.078B/13.473A	----	13.578 - 0.192	.7223	----	----	----	----	15 UNCH
8850	----	----	14.283B/13.674A	14.283B/13.674A	----	13.782 - 0.192	.7267	----	----	----	----	6 UNCH
8925	----	----	14.836B/14.284A	14.836B/14.284A	----	14.399 - 0.190	.7393	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 63

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
8975	----	----	15.258B/14.695A	15.258B/14.695A	----	14.815 - 0.190	.7474	----	----	----	----	2 UNCH
9000	----	----	15.568B/14.814A	15.568B/14.814A	----	15.024 - 0.190	.7514	----	----	----	----	93 UNCH
9050	----	----	15.898B/15.319A	15.898B/15.319A	----	15.446 - 0.188	.7591	----	----	----	----	3 UNCH
9075	----	----	16.113B/15.528A	16.113B/15.528A	----	15.658 - 0.188	.7629	----	----	----	----	2 UNCH
9100	----	----	16.385B/15.738A	16.385B/15.738A	----	15.870 - 0.188	.7666	----	----	----	----	6 UNCH
9125	----	----	16.543B/15.951A	16.543B/15.951A	----	16.084 - 0.187	.7703	----	----	----	----	1 UNCH
9150	----	----	16.763B/16.161A	16.763B/16.161A	----	16.298 - 0.187	.7739	----	----	----	----	1 UNCH
9175	----	----	16.981B/16.374A	16.981B/16.374A	----	16.513 - 0.186	.7774	----	----	----	----	1 UNCH
9200	----	----	17.293B/16.501A	17.293B/16.501A	----	16.729 - 0.186	.7808	----	----	----	----	80 UNCH
9325	----	----	18.294B/17.667A	18.294B/17.667A	----	17.819 - 0.183	.7974	----	----	----	----	1 UNCH
9450	----	----	19.445B/18.763A	19.445B/18.763A	----	18.924 - 0.181	.8125	----	----	----	----	6 UNCH
9500	----	----	19.951B/19.120A	19.951B/19.120A	----	19.370 - 0.180	.8183	----	----	----	----	138 UNCH
9525	----	----	20.085B/19.428A	20.085B/19.428A	----	19.594 - 0.179	.8210	----	----	----	----	1 UNCH
9550	----	----	20.311B/19.651A	20.311B/19.651A	----	19.819 - 0.178	.8238	----	----	----	----	1 UNCH
9575	----	----	20.542B/19.873A	20.542B/19.873A	----	20.044 - 0.177	.8264	----	----	----	----	2 UNCH
9725	----	----	21.907B/21.225A	21.907B/21.225A	----	21.403 - 0.175	.8417	----	----	----	----	1 UNCH
9825	----	----	22.828B/22.135A	22.828B/22.135A	----	22.319 - 0.172	.8510	----	----	----	----	1 UNCH
9850	----	----	23.059B/22.364A	23.059B/22.364A	----	22.549 - 0.171	.8532	----	----	----	----	1 UNCH
9900	----	----	23.538B/22.821A	23.538B/22.821A	----	23.010 - 0.170	.8576	----	----	----	----	17 UNCH
9925	----	----	23.757B/23.053A	23.757B/23.053A	----	23.241 - 0.169	.8597	----	----	----	----	1 UNCH
9950	----	----	23.991B/23.284A	23.991B/23.284A	----	23.473 - 0.168	.8618	----	----	----	----	1 UNCH
10000	----	----	24.568B/23.659A	24.568B/23.659A	----	23.937 - 0.166	.8658	----	----	----	----	97 UNCH
10025	----	----	24.692B/23.972A	24.692B/23.972A	----	24.170 - 0.165	.8678	----	----	----	----	2 UNCH
10075	----	----	25.162B/24.434A	25.162B/24.434A	----	24.636 - 0.163	.8715	----	----	----	----	1 UNCH
10100	----	----	25.405B/24.665A	25.405B/24.665A	----	24.870 - 0.162	.8734	----	----	----	----	6 UNCH
10125	----	----	25.633B/24.897A	25.633B/24.897A	----	25.104 - 0.161	.8751	----	----	----	----	1 UNCH
10150	----	----	25.882B/25.129A	25.882B/25.129A	----	25.339 - 0.159	.8769	----	----	----	----	8 UNCH
10175	----	----	26.102B/25.362A	26.102B/25.362A	----	25.574 - 0.158	.8787	----	----	----	----	2 UNCH
10200	25.795	25.795	26.447B/25.515A	26.447B/25.515A	----	25.809 - 0.157	.8804	----	----	2	----	115 - 2
10225	----	----	26.575B/25.831A	26.575B/25.831A	----	26.044 - 0.156	.8821	----	----	----	----	1 UNCH
10325	----	----	27.524B/26.766A	27.524B/26.766A	----	26.989 - 0.150	.8885	----	----	----	----	1 UNCH
10350	----	----	27.761B/27.001A	27.761B/27.001A	----	27.226 - 0.149	.8900	----	----	----	----	1 UNCH
10375	----	----	27.999B/27.234A	27.999B/27.234A	----	27.463 - 0.148	.8915	----	----	----	----	1 UNCH
10400	----	----	28.237B/27.469A	28.237B/27.469A	----	27.701 - 0.146	.8930	----	----	----	----	1 UNCH
10500	----	----	29.195B/28.413A	29.195B/28.413A	----	28.653 - 0.140	.8986	----	----	----	----	9 UNCH
10600	----	----	30.173B/29.361A	30.173B/29.361A	----	29.609 - 0.134	.9038	----	----	----	----	5 UNCH
10825	----	----	32.320B/31.507A	32.320B/31.507A	----	31.772 - 0.120	.9142	----	----	----	----	6 UNCH
10850	----	----	32.703B/31.747A	32.703B/31.747A	----	32.014 - 0.118	.9153	----	----	----	----	4 UNCH
10875	----	----	32.818B/31.988A	32.818B/31.988A	----	32.255 - 0.117	.9163	----	----	----	----	2 UNCH
10950	----	----	33.542B/32.707A	33.542B/32.707A	----	32.980 - 0.112	.9193	----	----	----	----	3 UNCH
11000	----	----	34.026B/33.187A	34.026B/33.187A	----	33.465 - 0.109	.9212	----	----	----	----	3 UNCH
11325	----	----	37.181B/36.329A	37.181B/36.329A	----	36.625 - 0.091	.9321	----	----	----	----	1 UNCH
11500	----	----	38.876B/38.028A	38.876B/38.028A	----	38.335 - 0.081	.9371	----	----	----	----	10 UNCH
11525	----	----	39.120B/38.274A	39.120B/38.274A	----	38.579 - 0.080	.9378	----	----	----	----	1 UNCH
11675	----	----	40.587B/39.734A	40.587B/39.734A	----	40.048 - 0.074	.9415	----	----	----	----	1 UNCH
11700	----	----	40.832B/39.979A	40.832B/39.979A	----	40.294 - 0.072	.9421	----	----	----	----	1 UNCH
12000	----	----	43.860B/42.848A	43.860B/42.848A	----	43.241 - 0.061	.9486	----	----	----	----	50 UNCH
12025	----	----	44.024B/43.162A	44.024B/43.162A	----	43.487 - 0.060	.9491	----	----	----	----	1 UNCH
13000	----	----	53.705B/52.769A	53.705B/52.769A	----	53.114 - 0.041	.9641	----	----	----	----	5 UNCH
TOTAL										254	26	9495 + 122
JUL26												
2000	----	----	----	0.018B/0.028A	----	0.023 - 0.001	.0016	----	----	----	----	6 UNCH
2400	----	----	----	----/0.213A	----	0.038 + 0.005	.0029	----	----	----	----	10 UNCH
2650	----	----	----	0.001B/0.115A	----	0.049 + 0.010	.0039	----	----	----	----	6 UNCH
3000	----	----	----	0.001B/0.135A	----	0.068 + 0.014	.0056	----	----	----	----	5 UNCH
3025	----	----	----	0.001B/0.139A	----	0.069 + 0.014	.0058	----	----	----	----	1 UNCH
3350	----	----	----	0.001B/0.163A	----	0.092 + 0.006	.0081	----	----	----	----	1 UNCH
3400	----	----	----	0.009B/0.167A	----	0.097 + 0.005	.0085	----	----	----	----	55 UNCH
3475	----	----	----	0.021B/0.173A	----	0.104 + 0.001	.0092	----	----	----	----	5 UNCH
3500	----	----	----	0.024B/0.166A	----	0.106 - 0.001	.0094	----	----	----	----	4 UNCH
3600	----	----	----	0.038B/0.181A	----	0.117 - 0.008	.0105	----	----	----	----	12 UNCH
3700	----	----	----	0.051B/0.196A	----	0.128 - 0.017	.0117	----	----	----	----	92 UNCH
3800	----	----	----	0.067B/0.214A	----	0.142 - 0.025	.0130	----	----	----	----	25 UNCH
3825	----	----	----	0.071B/0.219A	----	0.146 - 0.027	.0134	----	----	----	----	8 UNCH
3850	----	----	----	0.076B/0.224A	----	0.149 - 0.030	.0137	----	----	----	----	3 UNCH
3900	----	----	----	0.086B/0.235A	----	0.157 - 0.034	.0145	----	----	----	----	11 UNCH
3950	----	----	----	0.095B/0.246A	----	0.166 - 0.038	.0154	----	----	----	----	1 UNCH
4000	----	----	----	0.106B/0.246A	----	0.175 - 0.042	.0163	----	----	----	----	70 UNCH
4075	----	----	----	0.123B/*0.278A	----	0.190 - 0.047	.0177	----	----	----	----	16 UNCH
4100	----	----	----	0.129B/0.287A	----	0.195 - 0.048	.0182	----	----	----	----	6 UNCH
4175	----	----	----	0.146B/*0.308A	----	0.213 - 0.050	.0199	----	----	----	----	9 UNCH
4200	----	----	----	0.152B/0.316A	----	0.219 - 0.051	.0205	----	----	----	----	27 UNCH
4225	----	----	----	0.158B/*0.323A	----	0.225 - 0.052	.0211	----	----	----	----	1 UNCH
4250	----	----	----	0.163B/0.329A	----	0.232 - 0.052	.0217	----	----	----	----	21 UNCH
4300	----	----	----	0.178B/0.341A	----	0.246 - 0.052	.0231	----	----	----	----	96 UNCH
4325	----	----	----	0.184B/*0.348A	----	0.253 - 0.052	.0237	----	----	----	----	17 UNCH
4375	----	----	----	0.198B/*0.364A	----	0.268 - 0.052	.0251	----	----	----	----	32 UNCH
4400	----	----	----	0.208B/0.370A	----	0.276 - 0.051	.0259	----	----	----	----	28 UNCH
4450	----	----	----	0.224B/0.385A	----	0.293 - 0.049	.0275	----	----	----	----	4 UNCH
4475	----	----	----	0.232B/*0.394A	----	0.301 - 0.049	.0282	----	----	----	----	16 UNCH
4500	----	----	----	0.241B/0.401A	----	0.310 - 0.047	.0291	----	----	----	----	304 UNCH
4575	----	----	----	0.268B/*0.429A	----	0.339 - 0.043	.0317	----	----	----	----	75 UNCH
4600	----	----	----	0.278B/0.437A	----	0.349 - 0.041	.0327	----	----	----	----	101 UNCH
4650	----	----	----	0.298B/0.459A	----	0.370 - 0.038	.0346	----	----	----	----	40 UNCH
4675	----	----	----	0.308B/*0.470A	----	0.381 - 0.036	.0356	----	----	----	----	12 UNCH
4700	----	----	----	0.317B/0.481A	----	0.393 - 0.033	.0367	----	----	----	----	153 UNCH
4725	----	----	----	0.329B/*0.492A	----	0.405 - 0.031	.0377	----	----	----	----	3 UNCH
4750	----	----	----	0.339B/0.504A	----	0.417 - 0.029	.0388	----	----	----	----	54 UNCH
4775	----	----	----	0.351B/*0.516A	----	0.429 - 0.027	.0399	----	----	----	----	8 UNCH
4800	----	----	----	0.363B/0.528A	----	0.442 - 0.024	.0411	----	----	----	----	15 UNCH
4825	----	----	----	0.378B/*0.540A	----	0.455 - 0.022	.0422	----	----	----	----	26 UNCH
4850	----	----	----	0.392B/0.553A	----	0.468 - 0.020	.0434	----	----	----	----	2 UNCH
4875	----	----	----	0.406B/*0.567A	----	0.482 - 0.018	.0447	----	----	----	----	23 UNCH
4900	----	----	----	0.420B/0.580A	----	0.496 - 0.016	.0459	----	----	----	----	172 UNCH
5000	----	----	----	0.475B/0.638A	----	0.555 - 0.010	.0512	----	----	1	----	864 + 1
5025	----	----	----	0.491B/*0.654A	----	0.571 - 0.009	.0526	----	----	----	----	1 UNCH
5050	----	----	----	0.507B/*0.670A	----	0.587 - 0.008	.0540	----	----	----	----	16 UNCH
5075	----	----	----	0.523B/*0.685A	----	0.604 - 0.007	.0555	----	----	----	----	11 UNCH
5100	----	----	----	0.542B/0.702A	----	0.621 - 0.006	.0570	----	----	----	----	176 UNCH
5150	----	----	----	0.583B/*0.735A	----	0.656 - 0.006	.0600	----	----	----	----	5 UNCH
5175	----	----	----	0.602B/*0.753A	----	0.674 - 0.006	.0616	----	----	----	----	5 UNCH
5200	----	----	----	0.622B/*0.771A	----	0.693 - 0.006	.0633	----	----	----	----	86 UNCH
5225	----	----	----	0.642B/*0.790A	----	0.712 - 0.007	.0649	----	----	----	----	9 UNCH
5250	----	----	----	0.662B/*0.809A	----	0.732 - 0.007	.0666	----	----	----	----	250 UNCH
5275	----	----	----	0.683B/*0.824A	----	0.752 - 0.008	.0684	----	----	----	----	2 UNCH
5300	----	----	----	0.705B/*0.846A	----	0.772 - 0.010	.0701	----	----	----	----	125 UNCH
5325	----	----	----	0.728B/0.871A	----	0.794 + 0.010	.0720	----	----	----	----	11 UNCH
5350	----	----	----	0.751B/0.890A	----	0.815 - 0.013	.0738	----	----	----	----	26 UNCH
5375	----	----	----	0.772B/0.911A	----	0.837 - 0.014	.0757	----	----	----	----	17 UNCH
5400	----	----	----	0.796B/0.934A	----	0.860 - 0.016	.0776	----	----	----	----	75 UNCH
5425	----	----	----	0.821B/0.961A	----	0.884 - 0.017	.0796	----	----	----	----	49 UNCH
5450	----	----	----	0.847B/0.986A	----	0.908 - 0.019	.0816	----	----	----	----	38 UNCH
5475	----	----	----	0.873B/1.012A	----	0.932 - 0.022	.0837	----	----	----	----	53 UNCH
5500	0.899	0.899	0.904B/0.899	0.904B/0.899	----	0.957 - 0.025	.0858	----	----	3	----	882 - 3
5525	----	----	----	0.933B/1.061A	----	0.983 - 0.027	.0879	----	----	----	----	72 UNCH
5550	----	----	----	0.962B/1.086A	----	1.010 - 0.029	.0901	----	----	----	----	13 UNCH
5575	----	----	----	0.981B/1.115A	----	1.037 - 0.032	.0924	----	----	----	----	3 UNCH
5600	----	----	----	0.962B/1.144A	----	1.065 - 0.034	.0947	----	----	----	----	13 UNCH
5625	----	----	----	0.971B/1.167A	----	1.094 - 0.037	.0970	----	----	----	----	3 UNCH
5650	1.120	1.120	1.120/*1.120	1.120/1.120	----	1.124 - 0.039	.0994	----	----	1	----	29 UNCH
5675	----	----	----	1.069B/1.314A	----	1.154 - 0.042	.1019	----	----	----	----	45 UNCH
5700	----	----	----	1.122B/1.337A	----	1.185 - 0.045	.1043	----	----	----	26	297 UNCH
5725	----	----	----	1.035B/1.396A	----	1.217 - 0.048	.1069	----	----	----	----	3 UNCH
5750	----	----	----	1.156B/1.408A	----	1.249 - 0.051	.1095	----	----	----	----	52 UNCH
5775	----	----	----	1.099B/1.464A	----	1.283 - 0.054	.1121	----	----	----	----	2 UNCH
5800	----	----	----	1.133B/1.498A	----	1.317 - 0.057	.1148	----	----	----	----	21 UNCH
5825	----	----	----	1.167B/1.532A	----	1.352 - 0.060	.1175	----	----	----	----	2 UNCH
5850	----	----	----	1.312B/1.561A	----	1.388 - 0.064	.1203	----	----	----	----	114 UNCH
5875	----	----	----	1.238B/1.603A	----	1.425 - 0.067	.1232	----	----	----	----	3 UNCH
5900	----	----	----	1.275B/1.639A	----	1.463 - 0.070	.1261	----	----	----	----	6 UNCH
5950	----	----	----	1.351B/1.716A	----	1.541 - 0.077	.1320	----	----	----	----	2 UNCH
5975	----	----	----	1.391B/1.755A	----	1.582 - 0.080	.1351	----	----	----	----	1 UNCH
6000	----	----	----	1.613B/1.786A	----	1.624 - 0.083	.1382	----	----	1	----	613 UNCH
6100	----	----	----	1.811B/1.956A	----	1.800 - 0.098	.1512	----	----	----	----	287 UNCH
6200	----	----	----	1.825B/2.155A	----	1.994 - 0.111	.1650	----	----	----	----	9 UNCH
6250	----	----	----	1.919B/2.230A	----	2.097 - 0.119	.1723	----	----	----	----	13 UNCH
6275	----	----	----	1.975B/2.287A	----	2.151 - 0.122	.1760	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
6300	----	----	----/2.297A	2.076B/2.297A	----	2.206 - 0.125	.1798	----	----	----	----	31 UNCH
6325	----	----	----	2.089B/2.397A	----	2.262 - 0.128	.1836	----	----	----	----	20 UNCH
6375	----	----	----/2.508A	2.208B/2.508A	----	2.377 - 0.135	.1913	----	----	----	----	1 UNCH
6400	----	----	----/2.481A	2.541B/2.481A	----	2.437 - 0.138	.1953	----	----	----	----	56 UNCH
6500	----	----	----/2.725A	2.812B/2.725A	----	2.688 - 0.149	.2117	----	----	----	----	680 UNCH
6550	----	----	----/2.852A	2.913B/2.852A	----	2.822 - 0.154	.2202	----	----	----	----	52 UNCH
6600	----	----	----/3.079A	2.848B/3.079A	----	2.960 - 0.160	.2288	----	----	----	----	1 UNCH
6650	----	----	----/3.133A	3.217B/3.133A	----	3.105 - 0.163	.2377	----	----	----	----	100 UNCH
6700	----	----	3.430B/3.281A	3.430B/3.281A	----	3.255 - 0.167	.2467	----	----	----	----	81 UNCH
6750	----	----	----/3.478A	3.343B/3.478A	----	3.411 - 0.170	.2559	----	----	----	----	26 UNCH
6800	----	----	3.773B/3.594A	3.773B/3.594A	----	3.573 - 0.172	.2653	----	----	6	----	257 UNCH
6900	----	----	----/4.030A	3.899B/4.030A	----	3.914 - 0.177	.2845	----	----	----	----	11 UNCH
7000	4.191	4.191	4.621B/4.191	4.621B/4.191	----	4.280 - 0.179	.3043	----	----	2	----	613 + 2
7025	----	----	4.596B/4.391A	4.596B/4.391A	----	4.375 - 0.180	.3093	----	----	----	----	127 UNCH
7100	----	----	----/4.787A	4.709B/4.787A	----	4.671 - 0.180	.3245	----	----	----	----	3 UNCH
7125	----	----	----/4.890A	4.755B/4.890A	----	4.772 - 0.181	.3296	----	----	----	----	9 UNCH
7150	----	----	----/4.991A	4.865B/4.991A	----	4.876 - 0.180	.3347	----	----	----	----	1 UNCH
7200	----	----	5.338B/5.149A	5.338B/5.149A	----	5.087 - 0.180	.3450	----	----	----	----	39 UNCH
7250	----	----	5.655B/5.313A	5.655B/5.313A	----	5.304 - 0.181	.3554	----	----	----	----	171 UNCH
7300	----	----	----/5.585A	5.661B/5.585A	----	5.528 - 0.181	.3659	----	----	----	----	25 UNCH
7375	5.774	5.774	6.257B/5.774	6.257B/5.774	----	5.876 - 0.182	.3816	----	----	11	----	152 + 3
7400	----	----	----/6.091A	6.154B/6.091A	----	5.995 - 0.182	.3869	----	----	----	----	23 UNCH
7450	----	----	----/6.328A	6.332B/6.328A	----	6.239 - 0.182	.3974	----	----	----	----	1 UNCH
7500	6.562	6.562	6.818B/6.519A	6.818B/6.519A	----	6.488 - 0.183	.4080	----	----	2	----	40 + 2
7525	----	----	----/6.691A	6.728B/6.691A	----	6.615 - 0.183	.4133	----	----	----	----	2 UNCH
7550	----	----	----/6.821A	6.871B/6.821A	----	6.744 - 0.183	.4185	----	----	----	----	7 UNCH
7600	----	----	7.196B/7.074A	7.196B/7.074A	----	7.006 - 0.184	.4291	----	----	----	----	3 UNCH
7625	----	----	----/7.205A	7.277B/7.205A	----	7.140 - 0.184	.4343	----	----	----	----	1 UNCH
7700	----	----	7.755B/7.603A	7.755B/7.603A	----	7.550 - 0.183	.4500	----	----	----	----	2 UNCH
7800	----	----	8.563B/8.043A	8.563B/8.043A	----	8.118 - 0.182	.4708	----	----	----	----	78 UNCH
7850	----	----	8.613B/8.433A	8.613B/8.433A	----	8.412 - 0.180	.4810	----	----	----	----	1 UNCH
7900	----	----	8.953B/8.725A	8.953B/8.725A	----	8.711 - 0.179	.4912	----	----	----	----	8 UNCH
7975	----	----	9.405B/9.170A	9.405B/9.170A	----	9.171 - 0.176	.5062	----	----	----	----	5 UNCH
8000	----	----	9.689B/9.209A	9.689B/9.209A	----	9.327 - 0.175	.5112	----	----	----	----	291 UNCH
8100	----	----	10.286B/9.880A	10.286B/9.880A	----	9.965 - 0.170	.5307	----	----	----	----	25 UNCH
8125	----	----	10.397B/10.089A	10.397B/10.089A	----	10.128 - 0.169	.5355	----	----	----	----	4 UNCH
8250	----	----	11.327B/10.844A	11.327B/10.844A	----	10.963 - 0.162	.5591	----	----	----	----	46 UNCH
8300	----	----	11.749B/11.125A	11.749B/11.125A	----	11.306 - 0.158	.5682	----	----	----	----	120 UNCH
8375	----	----	12.190B/11.743A	12.190B/11.743A	----	11.830 - 0.153	.5817	----	----	----	----	1 UNCH
8400	----	----	12.372B/11.913A	12.372B/11.913A	----	12.007 - 0.151	.5861	----	----	----	----	7 UNCH
8500	----	----	13.225B/12.506A	13.225B/12.506A	----	12.726 - 0.144	.6034	----	----	----	----	57 UNCH
8600	----	----	13.975B/13.229A	13.975B/13.229A	----	13.463 - 0.137	.6200	----	----	----	----	56 UNCH
8700	----	----	14.637B/14.080A	14.637B/14.080A	----	14.216 - 0.131	.6360	----	----	----	----	4 UNCH
9000	----	----	17.110B/16.294A	17.110B/16.294A	----	16.566 - 0.114	.6801	----	----	----	----	307 UNCH
9200	----	----	18.649B/18.019A	18.649B/18.019A	----	18.198 - 0.106	.7063	----	----	----	----	11 UNCH
9400	----	----	20.333B/19.684A	20.333B/19.684A	----	19.874 - 0.101	.7301	----	----	----	----	1 UNCH
9450	----	----	20.758B/20.107A	20.758B/20.107A	----	20.299 - 0.100	.7357	----	----	----	----	12 UNCH
9500	----	----	21.283B/20.424A	21.283B/20.424A	----	20.727 - 0.100	.7412	----	----	----	----	218 UNCH
9600	21.277	21.277	22.144B/21.277	22.144B/21.277	----	21.588 - 0.100	.7517	----	----	2	----	50 UNCH
9900	----	----	24.666B/23.998A	24.666B/23.998A	----	24.217 - 0.103	.7805	----	----	----	----	6 UNCH
9950	----	----	25.108B/24.441A	25.108B/24.441A	----	24.661 - 0.104	.7849	----	----	----	----	5 UNCH
10000	----	----	25.659B/24.781A	25.659B/24.781A	----	25.107 - 0.104	.7892	----	----	----	----	205 UNCH
10275	----	----	28.027B/27.355A	28.027B/27.355A	----	27.585 - 0.102	.8110	----	----	----	----	7 UNCH
10500	----	----	30.078B/29.406A	30.078B/29.406A	----	29.641 - 0.098	.8269	----	----	----	----	3 UNCH
10600	----	----	30.994B/30.326A	30.994B/30.326A	----	30.562 - 0.096	.8334	----	----	----	----	9 UNCH
11000	----	----	34.812B/33.945A	34.812B/33.945A	----	34.284 - 0.085	.8565	----	----	----	----	217 UNCH
11300	----	----	37.536B/36.867A	37.536B/36.867A	----	37.110 - 0.076	.8712	----	----	----	----	10 UNCH
11500	----	----	39.433B/38.762A	39.433B/38.762A	----	39.007 - 0.070	.8799	----	----	----	----	1 UNCH
12000	----	----	44.219B/43.541A	44.219B/43.541A	----	43.790 - 0.056	.8987	----	----	----	----	15 UNCH
13000	----	----	53.913B/53.224A	53.913B/53.224A	----	53.476 - 0.044	.9260	----	----	----	----	6 UNCH
TOTAL										29	26	10202 + 5
AUG26												
3300	----	----	----	0.052B/0.244A	----	0.139 UNCH	.0108	----	----	----	----	2 UNCH
3900	----	----	----	0.179B/0.367A	----	0.293 + 0.002	.0226	----	----	----	----	2 UNCH
4175	----	----	----	0.271B/0.454A	----	0.389 + 0.003	.0301	----	----	----	----	1 UNCH
4300	----	----	----	0.316B/0.504A	----	0.441 + 0.004	.0341	----	----	----	----	1 UNCH
4350	----	----	----	0.338B/0.527A	----	0.463 + 0.004	.0358	----	----	----	----	1 UNCH
4375	----	----	----	0.355B/*0.539A	----	0.475 + 0.005	.0368	----	----	----	----	160 UNCH
4500	----	----	----	0.417B/0.601A	----	0.537 + 0.006	.0415	----	----	----	----	2 UNCH
4600	----	----	----	0.475B/0.656A	----	0.591 + 0.005	.0457	----	----	----	----	2 UNCH
4625	----	----	----	0.490B/*0.671A	----	0.606 + 0.006	.0468	----	----	----	----	1 UNCH
4700	----	----	----	0.538B/0.717A	----	0.651 + 0.005	.0503	----	----	----	----	1 UNCH
4775	----	----	----	0.587B/*0.767A	----	0.700 + 0.006	.0540	----	----	----	----	1 UNCH
4800	----	----	----	0.605B/0.784A	----	0.717 + 0.006	.0552	----	----	----	----	16 UNCH
4825	----	----	----	0.623B/*0.802A	----	0.734 + 0.005	.0565	----	----	----	----	1 UNCH
5000	----	----	----	0.771B/0.938A	----	0.868 + 0.003	.0665	----	----	----	----	14 UNCH
5275	----	----	----	1.095B/1.137A	----	1.131 - 0.002	.0853	----	----	----	----	1 UNCH
5300	----	----	----	1.087B/1.188A	----	1.158 - 0.003	.0872	----	----	----	----	1 UNCH
5500	----	----	----	1.184B/1.585A	----	1.402 - 0.010	.1039	----	----	----	----	26 UNCH
5675	----	----	----	1.292B/2.066A	----	1.655 - 0.019	.1205	----	----	----	----	9 UNCH
5800	----	----	----	1.520B/2.218A	----	1.861 - 0.027	.1337	----	----	----	----	4 UNCH
5850	----	----	----	1.620B/2.344A	----	1.950 - 0.031	.1392	----	----	----	----	2 UNCH
5875	1.965	1.965	1.965/1.955	1.965/1.955	----	1.996 - 0.032	.1420	----	----	12	----	4 - 8
5900	----	----	----	1.915B/2.389A	----	2.043 - 0.034	.1449	----	----	----	----	5 UNCH
5950	----	----	----	1.918B/2.479A	----	2.140 - 0.037	.1508	----	----	----	----	10 UNCH
6000	----	----	----	1.929B/2.620A	----	2.240 - 0.042	.1568	----	----	----	----	139 UNCH
6100	----	----	----	2.156B/2.848A	----	2.454 - 0.050	.1694	----	----	----	----	9 UNCH
6500	----	----	----	3.151B/3.893A	----	3.494 - 0.086	.2258	----	----	----	----	156 UNCH
6600	----	----	----	3.429B/4.214A	----	3.804 - 0.094	.2413	----	----	----	----	13 UNCH
6725	----	----	----	3.829B/4.644A	----	4.221 - 0.105	.2614	----	----	----	----	7 UNCH
6825	----	----	----	4.201B/5.064A	----	4.579 - 0.113	.2779	----	----	----	----	7 UNCH
7000	----	----	----	4.891B/5.706A	----	5.260 - 0.125	.3077	----	----	----	----	6 UNCH
7050	----	----	----	5.104B/5.913A	----	5.467 - 0.127	.3163	----	----	----	----	1 UNCH
7100	----	----	----	5.322B/6.117A	----	5.680 - 0.130	.3250	----	----	----	----	2 UNCH
7350	----	----	----	6.498B/7.227A	----	6.830 - 0.137	.3691	----	----	----	----	6 UNCH
7400	----	----	----	6.751B/7.466A	----	7.077 - 0.138	.3779	----	----	----	----	4 UNCH
7500	----	----	----	7.271B/7.961A	----	7.588 - 0.137	.3957	----	----	----	----	6 UNCH
7550	----	----	----	7.540B/8.217A	----	7.852 - 0.137	.4045	----	----	----	----	5 UNCH
7600	----	----	----	7.814B/8.478A	----	8.121 - 0.136	.4133	----	----	----	----	4 UNCH
7700	----	----	----	8.379B/9.018A	----	8.676 - 0.134	.4308	----	----	----	----	25 UNCH
8000	----	----	----	10.198B/10.769A	----	10.462 - 0.125	.4819	----	----	----	----	20 UNCH
8150	----	----	----	11.173B/11.714A	----	11.419 - 0.123	.5063	----	----	----	----	10 UNCH
8200	----	----	----	11.507B/12.038A	----	11.747 - 0.122	.5143	----	----	----	----	10 UNCH
8250	----	----	----	11.846B/12.367A	----	12.080 - 0.121	.5221	----	----	----	----	5 UNCH
8500	----	----	----	13.599B/14.079A	----	13.804 - 0.119	.5600	----	----	----	----	20 UNCH
9000	----	----	----	17.472B/17.786A	----	17.521 - 0.126	.6276	----	----	----	----	29 UNCH
9300	----	----	----	19.324B/20.581A	----	19.895 - 0.130	.6630	----	----	----	----	1 UNCH
9500	----	----	----	20.952B/22.233A	----	21.527 - 0.132	.6845	----	----	----	----	30 UNCH
10000	----	----	----	15.805B/35.476A	----	25.744 - 0.134	.7318	----	----	----	----	6 UNCH
10175	----	----	----	17.073B/37.300A	----	27.260 - 0.133	.7464	----	----	----	----	15 UNCH
TOTAL										12	0	803 - 8
SEP26												
2500	----	----	----	0.001B/4.140A	----	0.043 + 0.001	.0033	----	----	----	----	60 UNCH
3000	----	----	----	0.041B/0.263A	----	0.105 + 0.003	.0079	----	----	----	----	22 UNCH
3500	----	----	----	0.147B/0.362A	----	0.222 + 0.005	.0163	----	----	----	----	74 UNCH
4000	----	----	----	0.314B/0.523A	----	0.433 + 0.009	.0306	----	----	----	----	46 UNCH
4500	----	----	----	0.592B/0.798A	----	0.722 + 0.010	.0502	----	----	----	----	12 UNCH
5000	----	----	----	1.047B/1.226A	----	1.157 + 0.007	.0786	----	----	----	----	232 UNCH
5100	----	----	----	1.161B/1.335A	----	1.268 + 0.006	.0856	----	----	----	----	1 UNCH
5500	----	----	----	1.385B/2.268A	----	1.824 UNCH	.1187	----	----	----	----	228 UNCH
5600	----	----	----	1.571B/2.428A	----	1.994 - 0.002	.1284	----	----	----	----	1 UNCH
5700	----	----	----	1.788B/2.599A	----	2.179 - 0.004	.1386	----	----	----	----	2 UNCH
5800	----	----	----	2.003B/2.560A	----	2.378 - 0.006	.1494	----	----	----	----	7 UNCH
5900	----	----	----	2.210B/2.945A	----	2.592 - 0.009	.1607	----	----	----	----	50 UNCH
6000	----	----	----	2.434B/3.236A	----	2.823 - 0.012	.1725	----	----	----	----	128 UNCH
6050	----	----	----	2.552B/3.364A	----	2.945 - 0.013	.1786	----	----	----	----	15 UNCH
6300	----	----	----	3.192B/4.070A	----	3.620 - 0.022	.2111	----	----	3	----	5 + 2
6400	----	----	----	3.483B/4.330A	----	3.923 - 0.025	.2248	----	----	----	----	1 UNCH
6425	----	----	----	3.559B/4.411A	----	4.002 - 0.025	.2284	----	----	----	----	1 UNCH
6500	----	----	----	3.793B/4.718A	----	4.245 - 0.028	.2390	----	----	----	----	55 UNCH
6550	----	----	----	3.956B/4.835A	----	4.414 NEW	.2463	----	----	15	----	15 + 15
6800	----	----	----	5.100B/5.775A	----	5.333 NEW	.2837	----	----	4	----	4 + 4
6900	----	----	----	5.248B/6.246A	----	5.736 - 0.041	.2991	----	----	----	----	1 UNCH
7000	----	----	----	5.671B/6.656A	----	6.161 - 0.044	.3147	----	----	----	----	16 UNCH
7025	----	----	----	5.776B/6.792A	----	6.271 - 0.044	.3186	----	----	----	----	1 UNCH
7100	----	----	----	6.118B/7.087A	----	6.607 - 0.047	.3305	----	----	----	----	16 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 65

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
SEP26												
7125	----	----	----	6.211B/7.251A	----	6.722 - 0.047	.3344	----	----	----	----	25 UNCH
7175	----	----	----	6.440B/7.424A	----	6.955 - 0.049	.3423	----	----	----	----	20 UNCH
7200	----	----	----	6.595B/7.539A	----	7.074 - 0.049	.3463	----	----	----	----	50 UNCH
7400	----	----	----	7.609B/8.504A	----	8.071 - 0.053	.3781	----	----	----	----	20 UNCH
7500	----	----	----	8.148B/9.020A	----	8.600 - 0.055	.3939	----	----	----	----	3 UNCH
7550	----	----	----	8.424B/9.285A	----	8.872 - 0.056	.4018	----	----	----	----	2 UNCH
7700	----	----	----	9.283B/10.110A	----	9.717 - 0.058	.4252	----	----	----	----	1 UNCH
7800	----	----	----	9.880B/10.685A	----	10.304 - 0.060	.4406	----	----	----	----	4 UNCH
7900	----	----	----	10.495B/11.279A	----	10.909 - 0.061	.4557	----	----	----	----	1 UNCH
8000	----	----	----	11.128B/11.892A	----	11.531 - 0.062	.4706	----	----	----	----	40 UNCH
8100	----	----	----	11.778B/12.524A	----	12.169 - 0.064	.4851	----	----	----	----	1 UNCH
8200	----	----	----	12.444B/13.173A	----	12.823 - 0.065	.4994	----	----	----	----	1 UNCH
8500	----	----	----	14.534B/15.216A	----	14.872 - 0.070	.5404	----	----	----	----	225 UNCH
8700	----	----	----	15.994B/16.650A	----	16.306 - 0.072	.5660	----	----	----	----	100 UNCH
9000	----	----	----	18.273B/18.897A	----	18.545 - 0.079	.6018	----	----	----	----	74 UNCH
9300	----	----	----	20.641B/21.240A	----	20.881 - 0.086	.6345	----	----	----	----	1 UNCH
9400	----	----	----	21.448B/22.040A	----	21.679 - 0.088	.6448	----	----	----	----	1 UNCH
10150	----	----	----	15.064B/40.656A	----	27.919 - 0.102	.7114	----	----	----	----	1 UNCH
10300	----	----	----	15.896B/42.384A	----	29.213 - 0.105	.7228	----	----	----	----	1 UNCH
TOTAL										22	0	1564 + 21
OCT26												
2675	----	----	----	0.001B/4.564A	----	0.081 + 0.002	.0057	----	----	----	----	8 UNCH
3250	----	----	----	0.125B/0.370A	----	0.178 + 0.004	.0126	----	----	----	----	1 UNCH
4000	----	----	----	0.398B/0.635A	----	0.465 + 0.008	.0315	----	----	----	----	3 UNCH
4500	----	----	----	0.728B/0.960A	----	0.869 + 0.014	.0551	----	----	----	----	3 UNCH
5000	----	----	----/1.450A	1.246B/1.450A	----	1.488 + 0.013	.0881	----	----	----	----	6 UNCH
5050	----	----	----/1.511A	1.310B/1.511A	----	1.563 + 0.012	.0919	----	----	----	----	1 UNCH
5150	----	----	----	1.287B/1.711A	----	1.722 + 0.012	.0999	----	----	----	----	5 UNCH
6500	----	----	----	4.188B/5.151A	----	5.080 - 0.017	.2432	----	----	----	----	6 UNCH
7000	----	----	----	6.116B/7.151A	----	7.001 - 0.034	.3099	----	----	----	----	85 UNCH
7225	----	----	----	7.124B/8.206A	----	7.999 - 0.043	.3412	----	----	----	----	87 UNCH
7500	----	----	----	8.545B/9.612A	----	9.335 - 0.053	.3800	----	----	----	----	1 UNCH
7950	----	----	----	11.178B/12.153A	----	11.797 - 0.067	.4431	----	----	----	----	10 UNCH
8200	----	----	----	12.787B/13.718A	----	13.310 - 0.075	.4769	----	----	----	----	6 UNCH
8375	----	----	----	13.731B/15.039A	----	14.430 - 0.079	.4998	----	----	----	----	1 UNCH
9100	----	----	----	19.270B/20.087A	----	19.542 - 0.093	.5856	----	----	----	----	1 UNCH
10000	----	----	----	26.116B/27.626A	----	26.725 - 0.102	.6694	----	----	----	----	40 UNCH
TOTAL											0	264 0
NOV26												
4500	----	----	----	0.899B/1.167A	----	1.067 + 0.022	.0623	----	----	----	----	2 UNCH
4550	----	----	----	0.945B/1.215A	----	1.127 + 0.023	.0653	----	----	----	----	1 UNCH
4800	----	----	----	1.229B/1.484A	----	1.460 + 0.024	.0817	----	----	----	----	1 UNCH
5000	----	----	----	1.339B/1.918A	----	1.771 + 0.026	.0965	----	----	----	----	12 UNCH
5200	----	----	----	1.357B/2.467A	----	2.125 + 0.027	.1126	----	----	----	----	1 UNCH
5950	----	----	----	3.048B/4.030A	----	3.878 + 0.025	.1853	----	----	----	----	1 UNCH
6700	----	----	----	5.469B/6.622A	----	6.409 + 0.014	.2740	----	----	----	----	50 UNCH
7000	----	----	----	6.714B/7.935A	----	7.665 + 0.007	.3125	----	----	----	----	40 UNCH
7025	----	----	----	6.826B/8.052A	----	7.777 + 0.007	.3158	----	----	----	----	6 UNCH
7500	----	----	----	9.188B/10.530A	----	10.086 - 0.008	.3783	----	----	----	----	3 UNCH
7700	----	----	----	10.333B/11.624A	----	11.170 - 0.015	.4045	----	----	----	----	50 UNCH
8500	----	----	----	15.526B/16.697A	----	16.157 - 0.048	.5032	----	----	----	----	60 UNCH
9000	----	----	----	19.180B/20.295A	----	19.751 - 0.070	.5568	----	----	----	----	5 UNCH
9050	----	----	----	19.559B/20.669A	----	20.127 - 0.072	.5617	----	----	----	----	3 UNCH
10000	----	----	----	27.138B/28.182A	----	27.689 - 0.101	.6436	----	----	----	----	1 UNCH
11000	----	----	----	20.976B/51.340A	----	36.216 - 0.109	.7096	----	----	----	----	1 UNCH
TOTAL											0	237 0
DEC26												
1500	----	----	----	----/0.130A	----	0.021 + 0.001	.0012	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/5.056A	----	0.065 + 0.002	.0038	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/5.299A	----	0.118 + 0.004	.0072	----	----	----	----	32 UNCH
3000	----	----	----	0.120B/0.445A	----	0.210 + 0.007	.0131	----	----	----	----	93 UNCH
3100	----	----	----	0.152B/0.480A	----	0.235 + 0.007	.0147	----	----	----	----	1 UNCH
3150	----	----	----	0.168B/0.491A	----	0.256 + 0.008	.0159	----	----	----	----	1 UNCH
3500	----	----	----	0.308B/0.597A	----	0.447 + 0.012	.0262	----	----	----	----	45 UNCH
3850	----	----	----	0.494B/0.810A	----	0.694 + 0.015	.0390	----	----	----	----	1 UNCH
3900	----	----	----	0.526B/0.841A	----	0.731 + 0.015	.0409	----	----	----	----	1 UNCH
3925	----	----	----	0.542B/0.857A	----	0.751 + 0.016	.0419	----	----	----	----	1 UNCH
4000	----	----	----	0.594B/0.909A	----	0.810 + 0.015	.0450	----	----	----	----	74 UNCH
4500	----	----	----	1.048B/1.351A	----	1.296 + 0.013	.0695	----	----	----	----	32 UNCH
4600	----	----	----	1.159B/1.461A	----	1.414 + 0.012	.0753	----	----	----	----	4 UNCH
4800	----	----	----	1.420B/1.707A	----	1.676 + 0.011	.0879	----	----	----	----	241 UNCH
5000	----	----	----	1.207B/2.474A	----	1.972 + 0.008	.1018	----	----	----	----	357 UNCH
5250	----	----	----	1.665B/2.954A	----	2.401 + 0.005	.1212	----	----	----	----	50 UNCH
5300	----	----	----	1.774B/2.971A	----	2.495 + 0.005	.1253	----	----	----	----	250 UNCH
5400	----	----	----	2.007B/3.157A	----	2.692 + 0.003	.1339	----	----	----	----	100 UNCH
5500	----	----	----	2.238B/3.354A	----	2.901 + 0.001	.1428	----	----	----	----	84 UNCH
5600	----	----	----	2.486B/3.582A	----	3.124 UNCH	.1521	----	----	----	----	4 UNCH
5650	----	----	----	2.603B/3.735A	----	3.241 - 0.001	.1569	----	----	----	----	12 UNCH
5800	----	----	----	2.965B/4.083A	----	3.613 - 0.002	.1718	----	----	----	----	1 UNCH
5950	----	----	----	3.366B/4.505A	----	4.019 - 0.004	.1875	----	----	----	----	5 UNCH
6000	----	----	----	3.515B/4.658A	----	4.163 - 0.005	.1929	----	----	----	----	147 UNCH
6200	----	----	----	4.114B/5.309A	----	4.781 - 0.006	.2153	----	----	----	----	13 UNCH
6300	----	----	----	4.463B/5.660A	----	5.116 - 0.007	.2269	----	----	----	----	25 UNCH
6500	----	----	----	5.169B/6.489A	----	5.845 - 0.006	.2508	----	----	----	----	626 UNCH
6650	----	----	----	5.746B/7.018A	----	6.442 - 0.005	.2693	----	----	----	----	5 UNCH
6725	----	----	----	6.049B/7.336A	----	6.756 - 0.005	.2787	----	----	----	----	4 UNCH
6750	----	----	----	6.152B/7.527A	----	6.863 - 0.005	.2818	----	----	----	----	6 UNCH
6800	----	----	----	6.361B/7.664A	----	7.081 - 0.004	.2881	----	----	9	----	52 UNCH
6850	----	----	----	6.575B/7.888A	----	7.303 - 0.004	.2945	----	----	----	----	61 UNCH
6900	----	----	----	6.778B/8.116A	----	7.530 - 0.003	.3008	----	----	----	----	1 UNCH
6950	----	----	----	7.000B/8.349A	----	7.761 - 0.003	.3071	----	----	----	----	101 UNCH
7000	----	----	----	7.225B/8.585A	----	7.996 - 0.003	.3135	----	----	----	----	179 UNCH
7050	----	----	----	7.455B/8.826A	----	8.236 - 0.003	.3199	----	----	----	----	1 UNCH
7075	----	----	----	7.572B/8.948A	----	8.358 - 0.002	.3231	----	----	----	----	20 UNCH
7100	----	----	----	7.692B/9.071A	----	8.480 - 0.002	.3262	----	----	----	----	2 UNCH
7200	----	----	----	8.172B/9.575A	----	8.981 - 0.002	.3390	----	----	----	----	14 UNCH
7500	----	----	----	9.737B/11.185A	----	10.583 - 0.002	.3769	----	----	----	----	21 UNCH
7550	----	----	----	9.992B/11.468A	----	10.864 - 0.003	.3832	----	----	----	----	1 UNCH
7800	----	----	----	11.442B/12.941A	----	12.326 - 0.005	.4141	----	----	----	----	20 UNCH
7850	----	----	----	11.744B/13.247A	----	12.629 - 0.006	.4201	----	----	----	----	10 UNCH
7875	----	----	----	11.890B/13.401A	----	12.782 - 0.006	.4231	----	----	----	----	4 UNCH
7900	----	----	----	12.055B/13.605A	----	12.936 - 0.007	.4261	----	----	----	----	19 UNCH
8000	----	----	----	12.686B/14.220A	----	13.561 - 0.008	.4379	----	----	----	----	50 UNCH
8100	----	----	----	13.332B/14.849A	----	14.199 - 0.010	.4496	----	----	----	----	1 UNCH
8200	----	----	----	13.991B/15.491A	----	14.850 - 0.012	.4610	----	----	----	----	35 UNCH
8350	----	----	----	15.004B/16.485A	----	15.852 - 0.015	.4777	----	----	----	----	9 UNCH
8400	----	----	----	15.349B/16.822A	----	16.192 - 0.016	.4831	----	----	----	----	50 UNCH
8500	----	----	----	16.045B/17.505A	----	16.880 - 0.019	.4939	----	----	----	----	160 UNCH
8600	----	----	----	16.753B/18.201A	----	17.581 - 0.020	.5044	----	----	----	----	2 UNCH
8800	----	----	----	18.202B/19.627A	----	19.014 - 0.026	.5247	----	----	----	----	12 UNCH
8900	----	----	----	18.941B/20.356A	----	19.746 - 0.028	.5345	----	----	----	----	30 UNCH
9000	----	----	----	19.690B/21.095A	----	20.487 - 0.031	.5441	----	----	----	----	3 UNCH
9050	----	----	----	20.068B/21.468A	----	20.862 - 0.032	.5488	----	----	----	----	100 UNCH
9500	----	----	----	23.559B/24.923A	----	24.327 - 0.044	.5884	----	----	----	----	2 UNCH
9850	----	----	----	26.375B/27.717A	----	27.125 - 0.053	.6163	----	----	----	----	8 UNCH
9950	----	----	----	27.193B/28.530A	----	27.939 - 0.054	.6238	----	----	----	----	1 UNCH
10025	----	----	----	27.504B/29.330A	----	28.553 - 0.056	.6293	----	----	----	----	3 UNCH
10125	----	----	----	28.377B/30.160A	----	29.376 - 0.058	.6365	----	----	----	----	1 UNCH
10700	----	----	----	33.173B/35.028A	----	34.208 - 0.066	.6744	----	----	----	----	5 UNCH
10800	----	----	----	34.030B/35.889A	----	35.063 - 0.068	.6805	----	----	----	----	2 UNCH
11000	----	----	----	35.778B/37.624A	----	36.786 - 0.069	.6922	----	----	----	----	2 UNCH
11500	----	----	----	14.991B/67.302A	----	41.158 - 0.072	.7190	----	----	----	----	1 UNCH
12000	----	----	----	18.417B/73.139A	----	45.610 - 0.073	.7428	----	----	----	----	1 UNCH
12100	----	----	----	18.968B/73.990A	----	46.508 - 0.073	.7472	----	----	----	----	1 UNCH
12300	----	----	----	20.549B/75.772A	----	48.314 - 0.072	.7557	----	----	----	----	1 UNCH
15000	----	----	----	44.175B/102.477A	----	73.436 - 0.056	.8397	----	----	----	----	1 UNCH
19000	----	----	----	85.091B/138.930A	----	112.101 - 0.029	.9042	----	----	----	----	1 UNCH
TOTAL										9	0	3393 0
JAN27												
3800	----	----	----	0.308B/1.075A	----	0.716 - 0.005	.0384	----	----	----	----	1 UNCH
7125	----	----	----	7.181B/*10.388A	----	8.893 - 0.099	.3213	----	----	----	----	1 UNCH
8600	----	----	----	16.837B/18.650A	----	17.867 + 0.068	.4866	----	----	----	----	1 UNCH
TOTAL											0	3 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 66

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAR27												
6500	----	----	----	5.068B/8.638A	----	7.040 UNCH	.2533	----	----	----	----	20 UNCH
TOTAL											0	20 0
DEC27												
7175	----	----	----	----	----	13.634 - 0.030	.3032	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
MAY26												
8000	----	----	----/2.631A	2.766B/2.631A	----	2.816 - 0.166	.4099	----	----	----	----	5 UNCH
8200	2.096	2.096	2.096/2.087A	2.097B/2.087A	----	2.182 NEW	.3386	----	----	1	----	1 + 1
TOTAL										1	0	6 + 1
SO1 PUT		SILVER OPTIONS										
MAY26												
7050	1.680	1.680	1.957B/*1.680	1.957B/*1.680	----	1.698 NEW	.2393	----	----	1	----	1 + 1
TOTAL										1	0	1 + 1
SO2 CALL		SILVER OPTIONS										
APR26												
6200	----	----	----	----	----	14.480 + 0.030	----	----	----	----	----	0 - 1
6800	8.275	8.275	#8.275/8.275	#8.275/8.275	----	8.480 + 0.010	----	----	----	1	----	0 - 2
7000	----	----	----	----	----	6.480 - 0.006	----	----	----	----	----	0 - 2
7050	----	----	----	----	----	5.980 - 0.013	----	----	----	----	----	0 - 2
7110	----	----	----	----	----	5.380 - 0.025	----	----	----	----	----	0 - 1
7200	----	----	----	----	----	4.480 - 0.051	----	----	----	----	----	0 - 2
7300	----	----	----	----	----	3.480 - 0.104	----	----	----	----	----	0 - 4
7350	----	----	----	----/6.136A	----	2.980 - 0.148	----	----	----	----	----	0 - 4
7355	----	----	----	----/4.781A	----	2.930 - 0.153	----	----	----	----	----	0 - 3
7400	----	----	----	0.038B/4.104A	----	2.480 - 0.207	----	----	----	----	----	0 - 132
7450	----	----	----/1.763A	0.254B/1.763A	----	1.980 - 0.290	----	----	----	----	----	0 - 2
7475	----	----	----/1.398A	0.438B/1.398A	----	1.730 - 0.341	----	----	----	----	----	0 - 3
7500	1.500	1.500	1.500/0.928A	1.500/0.928A	----	1.480 - 0.400	----	----	----	2	----	0 - 35
7525	----	----	----/0.819A	0.750B/0.819A	----	1.230 - 0.467	----	----	----	----	----	0 - 1
7550	0.576	0.576	0.968/*0.576	0.968/*0.576	----	0.980 - 0.544	----	----	----	6	----	0 - 7
7560	0.660	0.660	0.660/0.660	0.720B/0.660	----	0.880 - 0.578	----	----	----	3	----	0 - 3
7565	0.450	0.450	0.450/*0.450	0.712B/*0.450	----	0.830 NEW	----	----	----	8	----	0 UNCH
7575	----	----	----/0.615A	0.673B/0.615A	----	0.730 - 0.631	----	----	----	----	----	0 - 7
7585	----	----	----/0.501A	0.663B/0.501A	----	0.630 - 0.669	----	----	----	----	----	0 UNCH
7600	0.762	0.762	0.829/*0.489A	0.829/*0.489A	----	0.480 - 0.728	----	----	----	6	----	0 - 16
7605	----	----	----/0.502A	0.549B/0.502A	----	0.430 - 0.749	----	----	----	----	----	0 - 5
7620	----	----	----/*0.424A	0.526B/*0.424A	----	0.280 - 0.814	----	----	----	----	----	0 - 2
7625	0.722	0.722	0.722/*0.391A	0.722/*0.391A	----	0.230 NEW	----	----	----	3	----	0 UNCH
7650	0.555	0.555	0.585/*0.195A	0.585/*0.195A	----	0.000 - 0.936	----	----	----	6	----	0 - 6
7675	----	----	----/*0.010A	0.260B/*0.010A	----	0.000 - 0.817	----	----	----	----	----	0 - 2
7700	0.171	0.171	0.171/*0.010A	0.215B/*0.010A	----	0.000 - 0.710	----	----	----	1	----	0 - 10
7725	----	----	----/*0.173A	0.123B/*0.173A	----	0.000 - 0.613	----	----	----	----	----	0 - 2
7750	0.085	0.085	0.085/*0.065	0.085/*0.065	----	0.000 - 0.526	----	----	----	2	----	0 - 2
7775	----	----	----/*0.126A	0.020B/*0.126A	----	0.000 - 0.450	----	----	----	----	----	0 - 2
7800	0.151	0.151	0.151/*0.010	0.151/*0.010	----	0.000 - 0.383	----	----	----	2	----	0 - 21
7850	----	----	----/*0.101A	0.009B/*0.101A	----	0.000 - 0.275	----	----	----	----	----	0 - 2
7900	----	----	----/*0.108A	0.006B/*0.108A	----	0.000 - 0.196	----	----	----	----	----	0 - 2
7925	----	----	----/*0.104A	0.004B/*0.104A	----	0.000 - 0.164	----	----	----	----	----	0 - 5
7950	----	----	----/*0.101A	0.003B/*0.101A	----	0.000 - 0.138	----	----	----	----	----	0 - 4
8000	----	----	----/*0.010A	0.001B/*0.010A	----	0.000 - 0.098	----	----	----	----	----	0 - 43
8100	----	----	----	----/0.098A	----	0.000 - 0.051	----	----	----	----	----	0 - 23
8150	----	----	----	----/*0.107A	----	0.000 - 0.038	----	----	----	----	----	0 - 1
8200	----	----	----	----/0.113A	----	0.000 - 0.029	----	----	----	----	----	0 - 1
8250	----	----	----	----/*0.101A	----	0.000 - 0.022	----	----	----	----	----	0 - 7
8300	----	----	----	----/0.091A	----	0.000 - 0.018	----	----	----	----	----	0 - 1
8400	----	----	----	----/*0.091A	----	0.000 - 0.013	----	----	----	----	----	0 - 5
8500	----	----	----	----/0.091A	----	0.000 - 0.010	----	----	----	----	----	0 - 17
8625	----	----	----	----/*0.092A	----	0.000 - 0.008	----	----	----	----	----	0 - 2
8800	----	----	----	----/*0.092A	----	0.000 - 0.008	----	----	----	----	----	0 - 6
8825	----	----	----	----/0.092A	----	0.000 - 0.008	----	----	----	----	----	0 - 1
9000	----	----	----	----/*0.075A	----	0.000 - 0.008	----	----	----	----	----	0 - 16
9125	----	----	----	----/*0.091A	----	0.000 - 0.004	----	----	----	----	----	0 - 2
9200	----	----	----	----/*0.091A	----	0.000 - 0.003	----	----	----	----	----	0 - 7
9225	----	----	----	----/0.091A	----	0.000 - 0.002	----	----	----	----	----	0 - 2
9500	----	----	----	----/*0.091A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
TOTAL										40	0	0 - 428
SO2 PUT		SILVER OPTIONS										
APR26												
5500	----	----	----	----/0.091A	----	0.000 - 0.001	----	----	----	----	----	0 - 14
5800	----	----	----	----/0.092A	----	0.000 - 0.002	----	----	----	----	----	0 - 2
6000	----	----	----	----/0.091A	----	0.000 - 0.006	----	----	----	----	----	0 - 43
6100	----	----	----	----/0.091A	----	0.000 - 0.009	----	----	----	----	----	0 - 10
6200	----	----	----	----/0.091A	----	0.000 - 0.013	----	----	----	----	----	0 - 20
6250	----	----	----	----/0.091A	----	0.000 - 0.016	----	----	----	----	----	0 - 2
6300	----	----	----	----/0.091A	----	0.000 - 0.019	----	----	----	----	----	0 - 3
6400	----	----	----	----/*0.091A	----	0.000 - 0.026	----	----	----	----	----	0 - 12
6450	----	----	----	----/*0.092A	----	0.000 - 0.028	----	----	----	----	----	0 - 2
6500	0.020	0.020	0.020/*0.020	0.020/*0.020	----	0.000 - 0.028	----	----	----	1	----	0 - 19
6575	----	----	----	----/*0.091A	----	0.000 - 0.029	----	----	----	----	----	0 - 2
6600	----	----	----	----/0.091A	----	0.000 - 0.029	----	----	----	----	----	0 - 24
6650	----	----	----	----/*0.092A	----	0.000 - 0.029	----	----	----	----	----	0 - 2
6700	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.030	----	----	----	1	----	0 - 10
6750	----	----	----	----/*0.091A	----	0.000 - 0.031	----	----	----	----	----	0 - 3
6800	----	----	----	----/*0.091A	----	0.000 - 0.033	----	----	----	----	----	0 - 3
6870	----	----	----	----/*0.091A	----	0.000 - 0.037	----	----	----	----	----	0 - 3
6900	0.027	0.027	0.027/*0.001	0.027/*0.001	----	0.000 - 0.039	----	----	----	3	----	0 - 1
6950	----	----	----	----/*0.100A	----	0.000 - 0.043	----	----	----	----	----	0 - 3
6960	----	----	----	----/*0.101A	----	0.000 - 0.044	----	----	----	----	----	0 - 1
7000	----	----	----/*0.010A	0.001B/*0.010A	----	0.000 - 0.049	----	----	----	----	----	0 - 27
7025	----	----	----	0.001B/*0.100A	----	0.000 - 0.052	----	----	----	----	----	0 - 1
7050	----	----	----	0.001B/0.101A	----	0.000 - 0.056	----	----	----	----	----	0 - 1
7085	----	----	----	0.001B/*0.097A	----	0.000 - 0.062	----	----	----	----	----	0 - 2
7100	----	----	----	0.001B/0.098A	----	0.000 - 0.065	----	----	----	----	----	0 - 8
7110	----	----	----	0.001B/*0.099A	----	0.000 - 0.067	----	----	----	----	----	0 - 2
7115	----	----	----	0.001B/*0.106A	----	0.000 - 0.068	----	----	----	----	----	0 - 5
7135	0.014	0.014	0.014/*0.014	0.014/*0.014	----	0.000 - 0.073	----	----	----	1	----	0 - 1
7150	----	----	----	0.002B/*0.103A	----	0.000 - 0.077	----	----	----	----	----	0 - 3
7155	----	----	----	0.003B/*0.103A	----	0.000 - 0.078	----	----	----	----	----	0 - 1
7175	0.014	0.014	0.014/*0.014	0.014/*0.014	----	0.000 - 0.085	----	----	----	1	----	0 - 1
7180	0.012	0.012	0.012/*0.012	0.012/*0.012	----	0.000 - 0.086	----	----	----	1	----	0 - 1
7195	----	----	----	0.009B/*0.102A	----	0.000 - 0.091	----	----	----	----	----	0 - 1
7200	0.005	0.005	0.005/*0.005	0.052B/*0.005	----	0.000 - 0.093	----	----	----	1	----	0 - 19
7225	----	----	----/*0.097A	0.003B/*0.097A	----	0.000 - 0.104	----	----	----	----	----	0 - 1
7300	0.225	0.225	0.225/*0.095A	0.225/*0.095A	----	0.000 - 0.147	----	----	----	2	----	0 - 2
7325	----	----	----/*0.097A	0.071B/*0.097A	----	0.000 - 0.166	----	----	----	----	----	0 - 3
7350	0.200	0.200	0.200/*0.100A	0.200/*0.100A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7400	0.300	0.300	0.300/*0.101A	0.300/*0.101A	----	0.000 - 0.250	----	----	----	3	----	0 - 51
7450	----	----	0.378B/*0.106A	0.378B/*0.106A	----	0.000 - 0.332	----	----	----	----	----	0 - 1
7470	----	----	0.446B/*0.111A	0.446B/*0.111A	----	0.000 - 0.372	----	----	----	----	----	0 - 1
7475	----	----	0.479B/*0.107A	0.479B/*0.107A	----	0.000 - 0.383	----	----	----	----	----	0 - 4
7480	0.376	0.376	0.485B/*0.105A	0.485B/*0.105A	----	0.000 - 0.394	----	----	----	1	----	0 - 1
7500	0.755	0.755	0.755/*0.015	0.755/*0.015	----	0.000 - 0.442	----	----	----	9	----	0 - 6
7505	----	----	0.591B/*0.103A	0.591B/*0.103A	----	0.000 - 0.455	----	----	----	----	----	0 - 1
7520	----	----	0.665B/*0.113A	0.665B/*0.113A	----	0.000 - 0.495	----	----	----	----	----	0 - 1
7550	1.002	1.002	1.002/*0.010A	1.002/*0.010A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7565	0.100	0.100	0.640B/*0.100	0.640B/*0.100	----	0.000 NEW	----	----	----	8	----	0 UNCH
7580	----	----	----/*0.184A	0.614B/*0.184A	----	0.000 - 0.692	----	----	----	----	----	0 - 3
7600	0.150	0.150	0.850B/*0.150	0.850B/*0.150	----	0.000 - 0.771	----	----	----	1	----	0 - 11
7650	0.220	0.220	0.220/*0.220	0.721B/*0.220	----	0.020 - 0.978	----	----	----	1	----	0 - 1
7675	----	----	----/*0.525A	0.535B/*0.525A	----	0.270 - 0.859	----	----	----	----	----	0 - 1
7700	----	----	----/*0.630A	0.167B/*0.630A	----	0.520 - 0.751	----	----	----	----	----	0 - 3
TOTAL										38	0	0 - 343
SO3 CALL		SILVER OPTIONS										
APR26												
7000	----	----	----	----/22.396A	----	7.007 - 0.081	.8679	----	----	----	----	7 UNCH
7100	----	----	----	----/21.381A	----	6.133 - 0.103	.8353	----	----	----	----	1 UNCH
7300	----	----	----	2.934B/5.619A	----	4.505 - 0.149	.7462	----	----	----	----	3 UNCH
7400	----	----	----/3.217A	3.179B/3.217A	----	3.768 - 0.171	.6885	----	----	----	----	1 UNCH
7420	----	----	----/3.150A	3.169B/3.150A	----	3.628 - 0.175	.6759	----	----	----	----	5 UNCH
7430	2.811	2.811	2.811/2.811	3.157B/2.811	----	3.559 NEW	.6695	----	----	2	----	2 + 2
7450	2.700	2.700	2.700/2.700	3.184B/2.700	----	3.423 NEW	.6564	----	----	6	----	6 + 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO3 CALL		SILVER OPTIONS										
APR26												
7475	2.844	2.844	2.844/2.836A	3.171B/2.836A	----	3.257 NEW	.6396	----	----	6	----	6 + 6
7500	2.699	2.699	2.744/2.678A	3.054B/2.678A	----	3.095 - 0.190	.6225	----	----	4	----	17 UNCH
7550	----	----	----/2.445A	2.881B/2.445A	----	2.786 - 0.198	.5868	----	----	----	----	1 UNCH
7575	----	----	----/2.324A	2.750B/2.324A	----	2.638 - 0.201	.5685	----	----	----	----	2 UNCH
7600	2.407	2.407	2.636B/2.187A	2.636B/2.187A	----	2.496 - 0.204	.5499	----	----	4	----	14 + 4
7625	2.393	2.393	2.395/2.110A	2.466B/2.110A	----	2.358 NEW	.5311	----	----	4	----	4 + 4
7750	----	----	----/1.597A	1.812B/1.597A	----	1.747 - 0.210	.4356	----	----	----	----	2 UNCH
7800	----	----	----/1.423A	1.624B/1.423A	----	1.538 - 0.209	.3978	----	----	----	----	3 UNCH
7825	----	----	----/1.357A	1.452B/1.357A	----	1.442 - 0.207	.3793	----	----	----	----	3 UNCH
7875	----	----	----/1.212A	1.263B/1.212A	----	1.263 - 0.202	.3433	----	----	----	----	4 UNCH
7975	----	----	----/0.980A	0.921B/0.980A	----	0.962 - 0.189	.2765	----	----	----	----	2 UNCH
8000	0.865	0.865	0.943/0.865	0.943/0.865	----	0.898 - 0.184	.2611	----	----	9	50	61 + 58
8100	----	----	----/0.728A	0.631B/0.728A	----	0.680 - 0.165	.2058	----	----	----	----	2 UNCH
8300	----	----	----/*0.483A	0.302B/*0.483A	----	0.397 - 0.123	.1250	----	----	----	----	7 UNCH
8400	0.300	0.300	0.300/*0.300	0.300/*0.300	----	0.311 NEW	.0980	----	----	11	----	11 + 11
8500	0.230	0.230	0.230/*0.220	0.230/*0.220	----	0.248 - 0.088	.0776	----	----	16	----	32 + 14
8800	----	----	----/*0.190A	0.051B/*0.190A	----	0.143 - 0.050	.0421	----	----	----	----	2 UNCH
8875	0.120	0.120	0.120/*0.120	0.120/*0.120	----	0.112 - 0.044	.0332	----	----	1	----	1 - 1
TOTAL										63	50	199 + 104
SO3 PUT		SILVER OPTIONS										
APR26												
4000	----	----	----	----/0.195A	----	0.001 UNCH	.0001	----	----	----	----	20 UNCH
5500	----	----	----	0.001B/*0.123A	----	0.058 - 0.006	.0091	----	----	----	----	1 UNCH
6000	----	----	----	0.095B/0.177A	----	0.111 - 0.017	.0206	----	----	14	----	110 UNCH
6300	----	----	----	0.109B/*0.227A	----	0.161 - 0.032	.0333	----	----	----	----	2 UNCH
6400	----	----	----	0.136B/*0.249A	----	0.185 - 0.039	.0396	----	----	1	----	7 + 1
6500	0.200	0.200	0.200/*0.200	0.200/*0.200	----	0.214 - 0.049	.0474	----	----	2	----	7 + 1
6600	0.218	0.218	0.218/*0.218	0.218/*0.218	----	0.251 NEW	.0574	----	----	10	----	10 + 10
6700	0.400	0.400	0.400/*0.392A	0.400/*0.392A	----	0.297 NEW	.0699	----	----	2	----	2 + 2
6825	----	----	----	0.439B/*0.495A	----	0.374 - 0.090	.0906	----	----	----	----	20 UNCH
7000	0.830	0.830	0.830/*0.555	0.830/*0.555	----	0.530 - 0.124	.1320	----	----	52	----	41 + 32
7050	0.958	0.958	0.958/*0.749A	0.958/*0.749A	----	0.590 NEW	.1475	----	----	1	----	1 + 1
7200	1.250	1.250	1.250/*0.794	1.250/*0.794	----	0.819 - 0.169	.2048	----	----	8	----	10 + 7
7205	0.844	0.844	1.208B/*0.844	1.208B/*0.844	----	0.828 NEW	.2070	----	----	1	----	1 + 1
7210	0.849	0.849	1.223B/*0.849	1.223B/*0.849	----	0.838 NEW	.2093	----	----	1	----	1 + 1
7250	1.160	1.160	1.346B/*1.126A	1.346B/*1.126A	----	0.917 NEW	.2281	----	----	5	----	5 + 5
7300	----	----	1.545B/----	1.545B/*1.229A	----	1.027 - 0.192	.2537	----	----	----	----	10 UNCH
7380	----	----	1.803B/----	1.803B/*1.475A	----	1.232 - 0.209	.2992	----	----	----	----	2 UNCH
7500	1.720	1.720	2.346B/*1.720	2.346B/*1.720	----	1.616 - 0.233	.3774	----	----	2	----	4 + 2
7550	----	----	2.548B/----	2.548B/*2.063A	----	1.807 - 0.239	.4131	----	----	----	----	2 UNCH
7575	1.961	1.961	2.673B/*1.927	2.673B/*1.927	----	1.909 NEW	.4314	----	----	6	----	6 + 6
7600	2.010	2.010	2.838B/*2.010	2.838B/*2.010	----	2.016 NEW	.4500	----	----	1	----	1 + 1
7675	3.380	3.380	3.380/*2.360A	3.380/*2.360A	----	2.368 NEW	.5069	----	----	1	----	1 + 1
7700	----	----	3.333B/*2.487A	3.333B/*2.487A	----	2.496 NEW	.5261	----	----	2	----	2 + 2
TOTAL										109	0	266 + 73
SO4 CALL		SILVER OPTIONS										
APR26												
7800	----	----	----/2.331A	2.546B/2.331A	----	2.643 - 0.058	.4463	----	----	----	----	8 UNCH
7900	----	----	----/2.000A	2.078B/2.000A	----	2.223 - 0.079	.3973	----	----	----	----	5 UNCH
8000	----	----	----/1.717A	1.754B/1.717A	----	1.849 - 0.099	.3494	----	----	----	----	1 UNCH
8200	----	----	----/1.272A	1.174B/1.272A	----	1.311 - 0.117	.2666	----	----	----	----	1 UNCH
8225	----	----	----/1.249A	1.088B/1.249A	----	1.270 - 0.116	.2586	----	----	----	----	2 UNCH
8250	1.150	1.150	1.150/1.150	1.150/1.150	----	1.230 NEW	.2509	----	----	1	----	1 + 1
8300	----	----	----/1.099A	0.954B/1.099A	----	1.155 - 0.114	.2361	----	----	----	----	1 UNCH
8400	0.800	0.800	#0.800/*0.800	#0.800/*0.800	----	1.021 NEW	.2094	----	----	1	----	1 + 1
TOTAL										2	0	20 + 2
SO4 PUT		SILVER OPTIONS										
APR26												
6100	0.283	0.283	0.290/*0.250	0.290/*0.250	----	0.239 - 0.026	.0443	----	----	3	----	0 - 1
6125	----	----	----	0.207B/*0.371A	----	0.251 - 0.027	.0465	----	----	----	----	2 UNCH
6400	----	----	----	0.418B/0.531A	----	0.417 - 0.027	.0768	----	----	----	----	1 UNCH
6500	----	----	----	0.515B/0.611A	----	0.499 - 0.023	.0915	----	----	----	----	1 UNCH
7000	----	----	1.402B/----	1.402B/*1.277A	----	1.202 + 0.002	.2076	----	----	----	----	1 UNCH
7200	1.510	1.510	2.006B/*1.510	2.006B/*1.510	----	1.686 - 0.003	.2780	----	----	4	----	1 UNCH
7300	----	----	2.369B/----	2.369B/*2.052A	----	1.986 - 0.011	.3183	----	----	----	----	1 UNCH
TOTAL										7	0	7 - 1
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
6000	----	----	----	----/58.009A	----	16.525 + 0.010	.9907	----	----	----	----	1 UNCH
6700	----	----	----	0.123B/*0.225A	----	0.147 - 0.059	.0386	----	----	----	----	1 UNCH
6800	----	----	----	0.208B/*0.261A	----	0.191 - 0.067	.0519	----	----	----	----	1 UNCH
6800	----	----	0.754B/----	0.754B/*0.755A	----	0.671 - 0.022	.1325	----	----	----	----	2 UNCH
7000	----	----	----/*0.408A	0.425B/*0.408A	----	0.327 - 0.101	.0934	----	----	----	----	1 UNCH
7200	----	----	0.818B/*0.627A	0.818B/*0.627A	----	0.566 - 0.159	.1655	----	----	----	----	1 UNCH
7400	----	----	#2.966B/----	#2.966B/*2.594A	----	2.454 - 0.128	.3480	----	----	----	----	1 UNCH
7800	1.150	1.150	1.150/0.977A	1.150/0.977A	----	1.208 - 0.317	.3717	----	----	1	----	1 + 1
7850	----	----	----/0.876A	0.873B/0.876A	----	1.029 - 0.308	.3281	----	----	----	----	4 UNCH
7900	----	----	----/0.746A	0.734B/0.746A	----	0.876 - 0.296	.2875	----	----	----	----	4 UNCH
8000	0.600	0.600	0.600/0.567A	0.600/0.567A	----	0.623 - 0.267	.2148	----	----	1	----	2 UNCH
8200	1.772	1.772	1.773B/*1.772	1.773B/*1.772	----	1.917 - 0.119	.3231	----	----	2	----	2 UNCH
8300	----	----	----/0.267A	0.089B/0.267A	----	0.201 - 0.164	.0743	----	----	----	----	1 UNCH
8350	0.707	0.707	0.707/*0.707	0.707/*0.707	----	0.767 NEW	.1847	----	----	1	----	1 + 1
TOTAL										5	0	23 + 2
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week2										
APR26												
6500	----	----	----	0.007B/*0.147A	----	0.017 - 0.033	.0043	----	----	----	----	1 UNCH
6550	----	----	----	0.018B/*0.150A	----	0.020 - 0.038	.0052	----	----	----	----	1 UNCH
6600	----	----	----	0.031B/*0.154A	----	0.024 - 0.043	.0065	----	----	----	----	1 UNCH
6700	----	----	----	0.057B/*0.166A	----	0.036 - 0.057	.0106	----	----	----	----	2 UNCH
6900	0.190	0.190	0.190/*0.190	0.190/*0.190	----	0.086 NEW	.0285	----	----	1	----	1 + 1
7000	----	----	----	0.239B/*0.266A	----	0.134 - 0.124	.0462	----	----	----	----	1 UNCH
7000	----	----	1.013B/----	1.013B/*0.936A	----	0.848 - 0.066	.1752	----	----	----	----	1 UNCH
7100	0.450	0.450	0.450/*0.215	0.450/*0.215	----	0.210 NEW	.0742	----	----	2	----	2 + 2
7250	----	----	0.646B/*0.516A	0.646B/*0.516A	----	0.401 - 0.215	.1421	----	----	----	----	1 UNCH
7300	----	----	2.432B/----	2.432B/*2.164A	----	2.037 - 0.102	.3061	----	----	----	----	3 UNCH
7300	----	----	----	----/33.845A	----	3.973 - 0.192	.8266	----	----	----	----	1 UNCH
7355	----	----	0.954B/*0.697A	0.954B/*0.697A	----	0.593 - 0.256	.2088	----	----	----	----	1 UNCH
7400	----	----	1.145B/*0.769A	1.145B/*0.769A	----	0.687 - 0.273	.2419	----	----	----	----	2 UNCH
7475	----	----	----/2.477A	1.579B/2.477A	----	2.605 - 0.257	.6941	----	----	----	----	2 UNCH
7475	----	----	1.408B/*0.988A	1.408B/*0.988A	----	0.876 - 0.299	.3058	----	----	----	----	2 UNCH
7500	----	----	----/1.903A	1.899B/1.903A	----	2.428 - 0.265	.6704	----	----	----	----	1 UNCH
7520	----	----	1.609B/*1.128A	1.609B/*1.128A	----	1.011 - 0.313	.3493	----	----	----	----	4 UNCH
7535	----	----	1.680B/*1.177A	1.680B/*1.177A	----	1.061 - 0.317	.3647	----	----	----	----	4 UNCH
7580	----	----	1.714B/*1.339A	1.714B/*1.339A	----	1.222 - 0.328	.4130	----	----	----	----	2 UNCH
7600	----	----	----/1.413A	1.527B/1.413A	----	1.780 - 0.290	.5645	----	----	----	----	7 UNCH
7625	----	----	----/2.551A	2.674B/2.551A	----	2.940 NEW	.5312	----	----	2	----	2 + 2
7625	----	----	----/1.333A	1.427B/1.333A	----	1.634 NEW	.5358	----	----	2	----	2 + 2
7700	2.567	2.567	2.567/2.218A	2.567/2.218A	----	2.561 NEW	.4868	----	----	1	----	1 + 1
7750	0.955	0.955	0.955/0.903A	0.955/0.903A	----	1.015 NEW	.3865	----	----	1	----	1 + 1
7750	----	----	----/3.105A	3.346B/3.105A	----	3.428 - 0.134	.5027	----	----	----	----	3 UNCH
7800	----	----	----/0.750A	0.774B/0.750A	----	0.820 - 0.292	.3282	----	----	----	----	4 UNCH
7850	----	----	----/0.661A	0.562B/0.661A	----	0.655 - 0.281	.2735	----	----	----	----	8 UNCH
7900	0.500	0.500	0.500/*0.500	0.500/*0.500	----	0.518 NEW	.2238	----	----	1	----	1 + 1
8000	----	----	----/*0.416A	0.225B/*0.416A	----	0.319 - 0.231	.1434	----	----	----	----	6 UNCH
8100	1.230	1.230	1.230/1.061A	1.230/1.061A	----	1.112 NEW	.2655	----	----	1	----	1 + 1
8200	----	----	----/*0.235A	0.039B/*0.235A	----	0.130 - 0.153	.0565	----	----	----	----	1 UNCH
8500	0.068	0.068	0.068/*0.068	0.068/*0.068	----	0.048 NEW	.0174	----	----	1	----	1 + 1
TOTAL										12	0	71 + 12

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK2										
APR26												
530	----	----	----	----/*0.0060A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
530	----	----	#0.6225B/0.4560	#0.6225B/0.4560	----	0.5865 + 0.1215	.0000	----	----	----	----	0 - 9
535	----	----	----	----/*0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 68

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
APR26												
548	----	----	----	0.2755B/0.3965A	----	0.4135 + 0.1125	.9467	----	----	----	----	1 UNCH
550	0.4000	0.4000	#0.4230B/0.2580	#0.4230B/0.2580	----	0.3865 + 0.1210	.0000	----	----	3	----	3 UNCH
555	----	----	----	----/*0.0075A	----	0.0005 - 0.0020	.0000	----	----	----	----	20 UNCH
558	----	----	----	----/*0.0075A	----	0.0005 - 0.0035	.0000	----	----	1	----	1 UNCH
560	----	----	#0.3240B/0.1640	#0.3240B/0.1640	----	0.2865 + 0.1165	.0000	----	----	----	----	5 UNCH
567	----	----	----/*0.0085A	0.0070B/*0.0085	----	0.0005 NEW	.0041	----	----	1	----	1 + 1
568	----	----	#0.2445B/0.1010	#0.2445B/0.1010	----	0.2065 + 0.1035	.9940	----	----	----	----	1 UNCH
573	----	----	#0.1955B/----	#0.1955B/0.0715	----	0.1585 + 0.0895	.9653	----	----	----	----	1 UNCH
575	0.0050	0.0050	0.0050/*0.0050	0.0390B/*0.0050	----	0.0040 NEW	.0572	----	----	3	----	3 + 3
576	----	----	----/*0.0470A	0.0900B/*0.0470	----	0.0485 - 0.0450	.2901	----	----	----	----	1 UNCH
576	----	----	#0.1665B/----	0.1665B/0.0570A	----	0.1310 + 0.0790	.9276	----	----	----	----	1 UNCH
577	----	----	----/*0.0115A	0.0505B/*0.0115	----	0.0060 - 0.0465	.0880	----	----	----	----	1 UNCH
578	0.0090	0.0090	0.0090/*0.0090	0.0565B/*0.0090	----	0.0075 NEW	.1098	----	----	2	----	2 + 2
580	0.0120	0.0120	0.0120/*0.0090	0.0700B/*0.0090	----	0.0110 - 0.0590	.1602	----	----	35	----	30 + 25
584	----	----	#0.0945B/----	0.0945B/0.0300A	----	0.0675 + 0.0460	.7025	----	----	----	----	1 UNCH
586	0.0390	0.0390	0.1170B/*0.0280	0.1170B/*0.0280	----	0.0295 NEW	.3827	----	----	1	----	1 + 1
586	0.0405	0.0405	#0.0790B/0.0405	0.0790B/0.0245A	----	0.0555 NEW	.6172	----	----	2	----	2 + 2
590	----	----	#0.0525B/----	0.0525B/0.0165A	----	0.0360 + 0.0265	.4429	----	----	----	----	39 UNCH
595	0.0200	0.0200	0.0285B/0.0200	0.0285B/0.0125A	----	0.0205 + 0.0160	.2613	----	----	5	----	20 UNCH
596	0.0060	0.0060	0.0245B/*0.0060	0.0245B/*0.0060	----	0.0180 + 0.0140	.2308	----	----	11	----	21 + 11
598	0.0100	0.0100	0.0175B/0.0100	0.0175B/0.0090A	----	0.0140 NEW	.1791	----	----	10	----	10 + 10
TOTAL										74		196 + 46
MAY26												
465	----	----	----	----/*0.0030A	----	0.0020 - 0.0010	.0080	----	----	----	----	14 UNCH
565	----	----	----/*0.0760A	0.1045B/*0.0760	----	0.0780 - 0.0305	.2521	----	----	----	----	2 UNCH
630	0.0295	0.0295	#0.0820/*0.0295	#0.0820/*0.0295	----	0.0660 NEW	.2395	----	----	4	----	0 UNCH
TOTAL										4		16
HWR THU		COPPER WEEKLY THURSDAY OPT Week5										
APR26												
465	----	----	----	----/0.0105A	----	0.0005 - 0.0005	.0024	----	----	----	----	21 UNCH
500	----	----	----	----/0.0100A	----	0.0005 UNCH	.0000	----	----	----	----	3 UNCH
530	----	----	----	----/0.0110A	----	0.0005 - 0.0015	.0022	----	----	----	----	2 UNCH
556	----	----	#0.2915B/----	#0.2915B/0.3375	----	0.3315 + 0.1095	.9544	----	----	----	----	1 UNCH
560	----	----	----	----	----	0.1645 UNCH	----	----	----	----	----	0 UNCH
562	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
565	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
565	----	----	----	----	----	0.1145 UNCH	----	----	----	----	----	0 UNCH
566	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
570	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
571	----	----	0.1985B/----	0.1985B/0.1110A	----	0.1975 + 0.0885	.8301	----	----	----	----	1 UNCH
572	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
574	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
575	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
575	----	----	----	----	----	0.0145 UNCH	----	----	----	----	----	0 UNCH
577	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
578	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
579	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
580	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
590	----	----	0.0965B/----	0.0965B/0.0405A	----	0.0770 + 0.0445	.4778	----	----	----	----	2 UNCH
615	0.0625	0.0625	#0.0625/*0.0625	#0.0625/0.0245A	----	0.0480 NEW	.2306	----	----	2	----	2 + 2
620	----	----	0.0135B/----	0.0135B/0.0135A	----	0.0120 + 0.0085	.0880	----	----	----	----	4 UNCH
650	----	----	----	----/*0.0095A	----	0.0010 + 0.0005	.0070	----	----	----	----	2 UNCH
TOTAL										2		38 + 2
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week4										
APR26												
465	----	----	----	----/0.0100A	----	0.0005 - 0.0005	.0011	----	----	----	----	21 UNCH
565	----	----	#0.2755B/----	#0.2755B/0.1355	----	0.2385 + 0.1030	.9723	----	----	----	----	1 UNCH
568	----	----	#0.1990B/----	#0.1990B/0.2040	----	0.2105 + 0.0975	.9499	----	----	----	----	1 UNCH
575	0.0125	0.0125	0.0125/*0.0125	0.0490B/*0.0125	----	0.0125 NEW	.1376	----	----	10	----	10 + 10
584	0.0420	0.0420	0.0420/*0.0360A	0.0815B/*0.0360	----	0.0370 NEW	.3555	----	----	1	----	1 + 1
585	0.0295	0.0295	0.1160B/*0.0295	0.1160B/*0.0295	----	0.0410 NEW	.3852	----	----	1	----	1 + 1
585	0.0720	0.0720	#0.0850B/0.0720	#0.0850B/0.0365	----	0.0770 + 0.0470	.6146	----	----	1	----	1 + 1
590	0.1250	0.1250	0.1580B/*0.0500	0.1580B/*0.0500	----	0.0660 NEW	.5378	----	----	7	----	7 + 7
665	0.0035	0.0035	#0.0145B/*0.003	#0.0145B/*0.003	----	0.0125 NEW	.0618	----	----	36	----	36 + 36
TOTAL										56		79 + 56
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
465	----	----	----	----/0.0100A	----	0.0005 UNCH	.0011	----	----	----	----	21 UNCH
522	----	----	----	----/0.0075A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
549	----	----	----/*0.0165A	0.0190B/*0.0165	----	0.0130 - 0.0110	.0805	----	----	----	----	1 UNCH
554	----	----	----/*0.0100A	0.0035B/*0.0100	----	0.0020 - 0.0085	.0179	----	----	----	----	1 UNCH
561	0.0135	0.0135	0.0135/*0.0115A	0.0135/*0.0115A	----	0.0040 NEW	.0385	----	----	1	----	1 + 1
580	0.0780	0.0780	0.0780/*0.0725A	0.1285B/*0.0725	----	0.0785 NEW	.3703	----	----	1	----	1 + 1
580	----	----	#0.1865B/----	#0.1865B/0.0950	----	0.1640 + 0.0700	.6293	----	----	----	----	1 UNCH
588	----	----	#0.0920B/----	#0.0920B/0.0380	----	0.0755 + 0.0460	.5199	----	----	----	----	1 UNCH
595	----	----	#0.0575B/----	#0.0575B/0.0250	----	0.0475 + 0.0315	.3603	----	----	----	----	1 UNCH
597	0.0450	0.0450	#0.0495B/*0.045	#0.0495B/0.0220	----	0.0415 NEW	.3203	----	----	1	----	1 + 1
600	0.0480	0.0480	#0.0910B/0.0480	#0.0910B/0.0395	----	0.0785 + 0.0420	.3647	----	----	1	----	4 + 1
600	----	----	#0.0385B/----	#0.0385B/0.0175	----	0.0335 + 0.0230	.2650	----	----	----	----	1 UNCH
625	----	----	#0.0325B/----	#0.0325B/0.0160	----	0.0260 + 0.0170	.1425	----	----	----	----	3 UNCH
TOTAL										4		38 + 4
MAY26												
455	----	----	----	----/0.0110A	----	0.0005 - 0.0005	.0023	----	----	----	----	21 UNCH
465	----	----	----	----/0.0120A	----	0.0010 - 0.0005	.0045	----	----	----	----	2 UNCH
475	----	----	----	----/0.0125A	----	0.0020 - 0.0010	.0087	----	----	----	----	2 UNCH
485	----	----	----	----/0.0140A	----	0.0030 - 0.0020	.0131	----	----	----	----	1 UNCH
500	0.0100	0.0100	0.0100/*0.0100	0.0100/*0.0100	----	0.0055 - 0.0035	.0238	----	----	1	----	2 + 1
510	----	----	----	0.0065B/*0.0135	----	0.0080 - 0.0050	.0345	----	----	----	----	8 UNCH
520	----	----	----/*0.0165A	0.0120B/*0.0165	----	0.0120 - 0.0065	.0509	----	----	----	----	1 UNCH
530	----	----	----/*0.0205A	0.0200B/*0.0205	----	0.0170 - 0.0090	.0716	----	----	----	----	4 UNCH
540	----	----	----/*0.0270A	0.0315B/*0.0270	----	0.0240 - 0.0135	.0999	----	----	----	----	10 UNCH
550	----	----	----/*0.0370A	0.0485B/*0.0370	----	0.0350 - 0.0195	.1410	----	----	----	----	28 UNCH
550	----	----	0.4955B/----	0.4955B/0.4050A	----	0.4775 + 0.1020	.8584	----	----	----	----	3 UNCH
555	----	----	----/*0.0440A	0.0595B/*0.0440	----	0.0425 - 0.0225	.1671	----	----	----	----	16 UNCH
556	----	----	----/*0.0460A	0.0620B/*0.0460	----	0.0445 - 0.0230	.1734	----	----	----	----	1 UNCH
560	----	----	----/*0.0530A	0.0725B/*0.0530	----	0.0525 - 0.0260	.1986	----	----	----	----	1 UNCH
561	----	----	----/*0.0550A	0.0765B/*0.0550	----	0.0550 - 0.0260	.2058	----	----	----	----	1 UNCH
562	----	----	----/*0.0570A	0.0785B/*0.0570	----	0.0575 - 0.0265	.2129	----	----	----	----	20 UNCH
565	----	----	----/*0.0640A	0.0885B/*0.0640	----	0.0650 - 0.0290	.2345	----	----	----	----	1 UNCH
568	----	----	0.3515B/----	0.3515B/0.2765A	----	0.3370 + 0.0910	.7412	----	----	----	----	1 UNCH
575	----	----	----/*0.0905A	0.1300B/*0.0905	----	0.0970 - 0.0355	.3150	----	----	----	----	1 UNCH
579	----	----	0.2760B/0.1795A	0.2760B/0.1795A	----	0.2650 + 0.0820	.6503	----	----	----	----	1 UNCH
584	----	----	----/*0.1215A	0.1765B/*0.1215	----	0.1320 - 0.0450	.3924	----	----	----	----	24 UNCH
585	----	----	0.1825B/*0.1250	0.1825B/*0.1250	----	0.1365 - 0.0455	.4013	----	----	----	----	1 UNCH
590	----	----	----/*0.1470A	0.2105B/*0.1470	----	0.1595 - 0.0515	.4458	----	----	----	----	17 UNCH
590	----	----	0.2215B/0.1315A	0.2215B/0.1315A	----	0.2025 + 0.0695	.5535	----	----	----	----	4 UNCH
600	----	----	----/*0.1960A	0.2730B/*0.1960	----	0.2150 - 0.0605	.5336	----	----	----	----	1 UNCH
600	----	----	0.1795B/0.0970A	0.1795B/0.0970A	----	0.1590 + 0.0610	.4657	----	----	----	----	1 UNCH
607	----	----	0.1510B/----	0.1510B/0.0790A	----	0.1350 + 0.0565	.4091	----	----	----	----	1 UNCH
610	----	----	0.1405B/----	0.1405B/0.0720A	----	0.1255 + 0.0545	.3861	----	----	----	----	4 UNCH
617	----	----	0.1165B/----	0.1165B/0.0585A	----	0.1055 + 0.0485	.3358	----	----	----	----	1 UNCH
624	----	----	0.0985B/----	0.0985B/0.0470A	----	0.0880 + 0.0430	.2897	----	----	----	----	16 UNCH
645	----	----	----/0.5445A	0.6030B/0.5445A	----	0.5560 - 0.0940	.8189	----	----	----	----	6 UNCH
660	----	----	0.0370B/----	0.0370B/0.0190A	----	0.0330 + 0.0185	.1243	----	----	----	----	1 UNCH
675	----	----	0.0230B/----	0.0230B/0.0145A	----	0.0210 + 0.0125	.0831	----	----	----	----	2 UNCH
695	----	----	0.0120B/----	0.0120B/0.0125A	----	0.0110 + 0.0070	.0463	----	----	----	----	20 UNCH
700	0.0035	0.0035	0.0105B/*0.0035	0.0105B/*0.0035	----	0.0095 NEW	.0403	----	----	21	----	21 + 21
710	----	----	----	0.0020B/0.0150A	----	0.0070 + 0.0045	.0302	----	----	----	----	2 UNCH
TOTAL										22		247 + 22
JUN26												
579	----	----	----/*0.1820A	0.2260B/*0.1820	----	0.1955 - 0.0385	.3857	----	----	----	----	1 UNCH
580	----	----	----/*0.1860A	0.2310B/*0.1860	----	0.2000 - 0.0390	.3916	----	----	----	----	5 UNCH
580	----	----	0.3640B/----	0.3640B/0.2630A	----	0.3425 + 0.0820	.6070	----	----	----	----	5 UNCH
595	----	----	----/*0.2555A	0.3170B/*0.2555	----	0.2760 NEW	.4804	----	----	5	----	5 + 5
595	----	----	0.2865B/----	0.2865B/0.1995A	----	0.2695 NEW	.5182	----	----	5	----	5 + 5
610	----	----	0.2245B/----	0.2245B/0.1495A	----	0.2120 + 0.0685	.4344	----	----	----	----	7 UNCH
630	----	----	0.1615B/----	0.1615B/0.1015A	----	0.1535 + 0.0595	.3368	----	----	----	----	8 UNCH
650	----	----	0.1150B/----	0.1150B/0.0695A	----	0.1085 + 0.0475	.2546	----	----	----	----	6 UNCH
660	----	----	0.0965B/----	0.0965B/0.0585A	----	0.0900 + 0.0415	.2188	----	----	----	----	7 UNCH
TOTAL										10		49 + 10
JUL26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
JUL26												
600	----	----	0.3500B/----	0.3500B/0.2595A	----	0.3335 + 0.0785	.5266	----	----	----	----	12 UNCH
TOTAL												12
HX CALL		COMEX COPPER OPTIONS										
MAY26												
490	----	----	----	----	----	0.9890 + 0.1215	.9828	----	----	----	----	1 UNCH
500	----	----	----	----	----	0.8900 + 0.1215	.9775	----	----	----	----	3 UNCH
505	----	----	----	----	----	0.8405 + 0.1215	.9763	----	----	----	----	3 UNCH
525	----	----	0.6635B/----	0.6635B/0.5825A	----	0.6435 + 0.1170	.9562	----	----	----	----	14 UNCH
530	----	----	0.6320B/----	0.6320B/0.5350A	----	0.5950 + 0.1155	.9477	----	----	----	----	276 UNCH
531	----	----	----	0.4580B/0.5255A	----	0.5855 + 0.1155	.9470	----	----	----	----	1 UNCH
532	----	----	----	0.4500B/0.5160A	----	0.5755 + 0.1145	.9444	----	----	----	----	1 UNCH
533	----	----	#0.4605B/----	#0.4605B/0.5070	----	0.5660 + 0.1145	.9437	----	----	----	----	3 UNCH
534	----	----	#0.4490B/----	#0.4490B/0.4975	----	0.5565 + 0.1140	.9410	----	----	----	----	4 UNCH
535	----	----	----	0.4335B/0.4885A	----	0.5470 + 0.1135	.9384	----	----	----	----	1 UNCH
536	----	----	#0.5090B/----	#0.5090B/0.4795	----	0.5370 + 0.1125	.9357	----	----	----	----	2 UNCH
537	----	----	#0.5025B/----	#0.5025B/0.4700	----	0.5275 + 0.1120	.9330	----	----	----	----	1 UNCH
539	----	----	#0.5025B/----	#0.5025B/0.4520	----	0.5085 + 0.1110	.9292	----	----	----	----	2 UNCH
540	----	----	0.5195B/----	0.5195B/0.4430A	----	0.4990 + 0.1105	.9246	----	----	----	----	44 UNCH
541	----	----	#0.5125B/----	#0.5125B/0.4345	----	0.4895 + 0.1100	.9217	----	----	----	----	9 UNCH
542	----	----	#0.5035B/----	#0.5035B/0.4255	----	0.4805 + 0.1100	.9188	----	----	----	----	15 UNCH
543	----	----	#0.4935B/----	#0.4935B/0.4165	----	0.4710 + 0.1090	.9158	----	----	----	----	1 UNCH
544	----	----	#0.4840B/----	#0.4840B/0.4080	----	0.4615 + 0.1085	.9128	----	----	----	----	2 UNCH
545	----	----	0.4755B/----	0.4755B/0.3995A	----	0.4525 + 0.1080	.9080	----	----	----	----	14 UNCH
546	----	----	#0.4665B/----	#0.4665B/0.3910	----	0.4430 + 0.1070	.9032	----	----	----	----	7 UNCH
547	----	----	#0.4565B/----	#0.4565B/0.3825	----	0.4340 + 0.1065	.8999	----	----	----	----	1 UNCH
548	----	----	#0.4480B/----	#0.4480B/0.3740	----	0.4250 + 0.1060	.8950	----	----	----	----	28 UNCH
549	----	----	#0.4390B/----	#0.4390B/0.3655	----	0.4160 + 0.1055	.8901	----	----	----	----	5 UNCH
550	0.4400	0.4400	0.4480B/0.4000	0.4480B/0.3575A	----	0.4070 + 0.1045	.8851	----	----	7	----	456 - 3
551	0.4375	0.4375	0.4410/0.4375	0.4410/0.3490A	----	0.3980 + 0.1035	.8800	----	----	3	----	14 UNCH
552	0.3915	0.3915	0.4125B/0.3885	0.4125B/0.3410A	----	0.3890 + 0.1030	.8749	----	----	7	----	18 - 3
553	----	----	0.4035B/----	0.4035B/0.3330A	----	0.3805 + 0.1025	.8682	----	----	----	----	21 UNCH
554	----	----	0.3945B/----	0.3945B/0.3255A	----	0.3720 + 0.1015	.8615	----	----	----	----	7 UNCH
555	----	----	0.3860B/0.2555A	0.3860B/0.2555A	----	0.3635 + 0.1010	.8562	----	----	3	----	111 - 3
556	----	----	0.3775B/----	0.3775B/0.3100A	----	0.3550 + 0.1000	.8493	----	----	----	----	26 UNCH
557	----	----	0.3690B/----	0.3690B/0.3025A	----	0.3465 + 0.0990	.8412	----	----	----	----	18 UNCH
558	----	----	0.3605B/----	0.3605B/0.2950A	----	0.3380 + 0.0980	.8343	----	----	----	----	16 UNCH
559	----	----	0.3520B/----	0.3520B/0.2875A	----	0.3300 + 0.0975	.8261	----	----	----	----	20 UNCH
560	----	----	0.3615B/0.2200A	0.3615B/0.2200A	----	0.3220 + 0.0965	.8191	----	----	3	120	881 + 19
561	----	----	0.3355B/----	0.3355B/0.2735A	----	0.3140 + 0.0955	.8108	----	----	----	----	20 UNCH
562	----	----	0.3275B/----	0.3275B/0.2665A	----	0.3060 + 0.0945	.8014	----	----	----	----	12 UNCH
563	----	----	0.3280B/----	0.3280B/0.2595A	----	0.2980 + 0.0930	.7931	----	----	1	----	22 - 1
564	----	----	0.3115B/----	0.3115B/0.2530A	----	0.2905 + 0.0925	.7836	----	----	----	----	24 UNCH
565	----	----	0.3155B/0.1880A	0.3155B/0.1880A	----	0.2830 + 0.0910	.7742	----	----	----	----	210 UNCH
566	----	----	0.2960B/----	0.2960B/0.2400A	----	0.2755 + 0.0900	.7648	----	----	----	----	15 UNCH
567	----	----	0.2880B/0.1765A	0.2880B/0.1765A	----	0.2685 + 0.0890	.7553	----	----	----	----	11 UNCH
568	----	----	0.2810B/0.1675A	0.2810B/0.1675A	----	0.2610 + 0.0875	.7449	----	----	----	----	59 UNCH
569	----	----	0.2730B/0.1590A	0.2730B/0.1590A	----	0.2540 + 0.0865	.7346	----	----	----	----	108 UNCH
570	0.2485	0.2485	0.2810B/0.1540A	0.2810B/0.1540A	----	0.2470 + 0.0855	.7242	----	----	13	----	560 - 12
571	----	----	0.2595B/0.1475A	0.2595B/0.1475A	----	0.2405 + 0.0845	.7139	----	----	----	----	31 UNCH
572	----	----	0.2525B/0.1420A	0.2525B/0.1420A	----	0.2340 + 0.0835	.7028	----	----	----	----	34 UNCH
573	----	----	0.2455B/0.1370A	0.2455B/0.1370A	----	0.2275 + 0.0820	.6918	----	----	----	----	35 UNCH
574	----	----	0.2380B/0.1330A	0.2380B/0.1330A	----	0.2210 + 0.0805	.6808	----	----	----	----	19 UNCH
575	0.1675	0.1675	0.2470B/0.1275A	0.2470B/0.1275A	----	0.2145 + 0.0790	.6692	----	----	10	----	682 - 4
576	----	----	0.2380B/0.1235A	0.2380B/0.1235A	----	0.2085 + 0.0780	.6577	----	----	----	----	125 UNCH
577	----	----	0.2190B/0.1190A	0.2190B/0.1190A	----	0.2025 + 0.0765	.6463	----	----	----	----	56 UNCH
578	----	----	0.2130B/0.1145A	0.2130B/0.1145A	----	0.1970 + 0.0755	.6349	----	----	----	----	14 UNCH
579	----	----	0.2065B/0.1110A	0.2065B/0.1110A	----	0.1910 + 0.0740	.6231	----	----	----	----	9 UNCH
580	0.1195	0.1195	0.2190B/0.1070A	0.2190B/0.1070A	----	0.1855 + 0.0730	.6118	----	----	49	----	578 - 31
581	----	----	0.1965B/0.1030A	0.1965B/0.1030A	----	0.1800 + 0.0715	.6001	----	----	----	----	4 UNCH
582	0.1150	0.1150	0.1995B/0.0995A	0.1995B/0.0995A	----	0.1750 + 0.0705	.5882	----	----	2	----	7 + 2
583	----	----	0.1975B/0.0955A	0.1975B/0.0955A	----	0.1695 + 0.0690	.5767	----	----	6	----	63 - 1
584	----	----	0.1910B/0.0925A	0.1910B/0.0925A	----	0.1645 + 0.0675	.5650	----	----	----	----	45 UNCH
585	0.0915	0.0915	0.1895B/0.0885A	0.1895B/0.0885A	----	0.1595 + 0.0665	.5533	----	----	1	----	478 + 1
586	0.1390	0.1390	0.1840B/0.0855A	0.1840B/0.0855A	----	0.1550 + 0.0655	.5416	----	----	21	----	13 + 3
587	0.1415	0.1415	0.1780B/0.0820A	0.1780B/0.0820A	----	0.1500 + 0.0640	.5301	----	----	3	----	8 + 3
588	----	----	0.1735B/0.0790A	0.1735B/0.0790A	----	0.1455 + 0.0625	.5186	----	----	----	----	3 UNCH
589	0.1445	0.1445	0.1685B/0.0765A	0.1685B/0.0765A	----	0.1410 + 0.0615	.5072	----	----	8	----	18 + 6
590	0.0800	0.0800	0.1640B/0.0735A	0.1640B/0.0735A	----	0.1365 + 0.0600	.4958	----	----	86	----	1851 - 1
591	0.1390	0.1390	0.1600B/0.0705A	0.1600B/0.0705A	----	0.1325 + 0.0590	.4846	----	----	3	----	141 + 1
592	----	----	0.1545B/0.0685A	0.1545B/0.0685A	----	0.1285 + 0.0580	.4734	----	----	----	----	2 UNCH
593	0.1280	0.1280	0.1500B/0.0655A	0.1500B/0.0655A	----	0.1245 + 0.0570	.4624	----	----	1	----	17 + 1
594	0.1450	0.1450	0.1455B/0.0630A	0.1455B/0.0630A	----	0.1205 + 0.0560	.4514	----	----	3	----	6 + 2
595	0.1165	0.1165	0.1430B/0.0600A	0.1430B/0.0600A	----	0.1165 + 0.0545	.4405	----	----	608	----	860 + 544
596	----	----	0.1370B/0.0580A	0.1370B/0.0580A	----	0.1130 + 0.0535	.4300	----	----	----	----	4 UNCH
597	----	----	0.1335B/0.0555A	0.1335B/0.0555A	----	0.1090 + 0.0520	.4191	----	----	----	----	1 UNCH
598	----	----	0.1295B/0.0540A	0.1295B/0.0540A	----	0.1055 + 0.0510	.4087	----	----	----	----	2 UNCH
599	----	----	0.1255B/0.0515A	0.1255B/0.0515A	----	0.1025 + 0.0505	.3987	----	----	----	----	6 UNCH
600	0.0650	0.0650	0.1240B/0.0650	0.1240B/0.0500A	----	0.0990 + 0.0490	.3884	----	----	177	120	1355 - 63
601	----	----	0.1170B/0.0475A	0.1170B/0.0475A	----	0.0955 + 0.0475	.3782	----	----	----	----	9 UNCH
602	----	----	0.1145B/0.0455A	0.1145B/0.0455A	----	0.0925 + 0.0465	.3685	----	----	----	----	4 UNCH
603	----	----	0.1100B/----	0.1100B/0.0445A	----	0.0895 + 0.0455	.3588	----	----	----	----	15 UNCH
604	----	----	0.1070B/----	0.1070B/0.0425A	----	0.0865 + 0.0445	.3492	----	----	----	----	44 UNCH
605	0.0520	0.0520	0.1060/0.0520	0.1060/0.0410A	----	0.0840 + 0.0440	.3403	----	----	15	----	180 - 2
606	----	----	0.1005B/----	0.1005B/0.0390A	----	0.0810 + 0.0425	.3309	----	----	----	----	5 UNCH
607	----	----	0.0985B/----	0.0985B/0.0380A	----	0.0785 + 0.0415	.3221	----	----	----	----	18 UNCH
608	0.0775	0.0775	0.0950B/0.0775	0.0950B/0.0365A	----	0.0755 + 0.0400	.3127	----	----	1	----	50 UNCH
609	----	----	0.0915B/----	0.0915B/0.0345A	----	0.0730 + 0.0390	.3041	----	----	----	----	25 UNCH
610	0.0615	0.0615	0.0905B/0.0615	0.0905B/0.0335A	----	0.0710 + 0.0385	.2963	----	----	33	----	1010 - 2
611	----	----	0.0865B/----	0.0865B/0.0320A	----	0.0685 + 0.0375	.2878	----	----	----	----	17 UNCH
612	----	----	0.0840B/----	0.0840B/0.0310A	----	0.0660 + 0.0360	.2793	----	----	----	----	29 UNCH
613	----	----	0.0815B/----	0.0815B/0.0295A	----	0.0640 + 0.0355	.2718	----	----	----	----	39 UNCH
614	----	----	0.0790B/----	0.0790B/0.0280A	----	0.0620 + 0.0345	.2643	----	----	----	----	29 UNCH
615	0.0625	0.0625	0.0775B/0.0260A	0.0775B/0.0260A	----	0.0595 + 0.0330	.2559	----	----	637	----	991 + 524
616	----	----	0.0740B/0.0245A	0.0740B/0.0245A	----	0.0575 + 0.0325	.2485	----	----	----	----	45 UNCH
617	----	----	0.0710B/----	0.0710B/0.0260A	----	0.0555 + 0.0315	.2411	----	----	----	----	56 UNCH
618	----	----	0.0690B/0.0205A	0.0690B/0.0205A	----	0.0540 + 0.0310	.2348	----	----	6	----	50 + 5
619	0.0315	0.0315	0.0665B/0.0195A	0.0665B/0.0195A	----	0.0520 + 0.0300	.2276	----	----	20	----	78 + 15
620	0.0400	0.0400	0.0655B/0.0185A	0.0655B/0.0185A	----	0.0500 + 0.0285	.2203	----	----	24	300	1204 + 168
621	0.0410	0.0410	0.0630B/0.0175A	0.0630B/0.0175A	----	0.0485 + 0.0280	.2142	----	----	3	----	59 + 3
622	----	----	0.0605B/0.0170A	0.0605B/0.0170A	----	0.0470 + 0.0275	.2081	----	----	----	----	45 UNCH
623	----	----	0.0590B/0.0160A	0.0590B/0.0160A	----	0.0450 + 0.0265	.2009	----	----	----	----	69 UNCH
624	----	----	0.0565B/0.0160A	0.0565B/0.0160A	----	0.0435 + 0.0255	.1949	----	----	59	----	69 + 40
625	0.0165	0.0165	0.0550B/0.0145A	0.0550B/0.0145A	----	0.0420 + 0.0250	.1890	----	----	249	----	924 - 172
626	----	----	0.0530B/0.0140A	0.0530B/0.0140A	----	0.0405 + 0.0240	.1831	----	----	----	----	29 UNCH
627	0.0165	0.0165	0.0510B/0.0135A	0.0510B/0.0135A	----	0.0390 + 0.0230	.1772	----	----	2	----	30 - 2
628	0.0310	0.0310	0.0500B/0.0130A	0.0500B/0.0130A	----	0.0375 + 0.0225	.1713	----	----	3	----	199 UNCH
629	----	----	0.0480B/0.0125A	0.0480B/0.0125A	----	0.0365 + 0.0220	.1667	----	----	----	----	105 UNCH
630	0.0200	0.0200	0.0475B/0.0120A	0.0475B/0.0120A	----	0.0350 + 0.0210	.1609	----	----	33	----	571 + 27
631	----	----	0.0445B/0.0115A	0.0445B/0.0115A	----	0.0340 + 0.0205	.1564	----	----	----	----	6 UNCH
633	0.0325	0.0325	0.0420B/0.0105A	0.0420B/0.0105A	----	0.0315 + 0.0190	.1463	----	----	2	----	35 - 2
634	----	----	0.0405B/0.0100A	0.0405B/0.0100A	----	0.0300 + 0.0180	.1405	----	----	----	----	3 UNCH
635	0.0250	0.0250	0.0405B/0.0095A	0.0405B/0.0095A	----	0.0290 + 0.0175	.1362	----	----	31	----	347 + 24
636	----	----	0.0375B/0.0090A	0.0375B/0.0090A	----	0.0280 + 0.0170	.1318	----	----	----	----	7 UNCH
637	----	----	0.0365B/0.0090A	0.0365B/0.0090A	----	0.0270 + 0.0165	.1276	----	----	----	----	3 UNCH
638	----	----	0.0360B/0.0085A	0.0360B/0.0085A	----	0.0260 + 0.0160	.1233	----	----	----	----	3 UNCH
639	----	----	0.0345B/*0.0080	0.0345B/*0.0080	----	0.0250 + 0.0150	.1190	----	----	----	----	1 UNCH
640	0.0255	0.0255	0.0335B/0.0080A	0.0335B/0.0080A	----	0.0240 + 0.0145	.1148	----	----	98	----	1212 + 19
641	----	----	0.0325B/*0.0075	0.0325B/*0.0075	----	0.0235 + 0.0145	.1121	----	----	----	----	6 UNCH
642	0.0295	0.0295	0.0320B/0.0075A	0.0320B/0.0075A	----	0.0225 + 0.0140	.1079	----	----	12	----	16 + 12
643	----	----	0.0295B/*0.0070	0.0295B/*0.0070	----	0.0215 + 0.0130	.1037	----	----	----	----	9 UNCH
644	----	----	0.0290B/0.0070A	0.0290B/0.0070A	----	0.0210 + 0.0130	.1011	----	----	----	----	1 UNCH
645	----	----	0.0280B/*0.0070	0.0280B/*0.0070	----	0.0200 + 0.0120	.0970	----	----	1	----	84 + 1
646	----	----	0.0270B/0.0070A	0.0270B/0.0070A	----	0.0195 + 0.0120	.0944	----	----	----	----	1 UNCH
650	0.0210	0.0210	0.0240B/0.0155	0.0240B/0.0070A	----	0.0165 + 0.0100	.0812	----	----	5	----	3284 - 3
655	----	----	0.0205B/----	0.0205B/0.0075A	----	0.0140 + 0.0085	.0692	----	----	----	----	70 UNCH
660	0.0145	0.0145	0.0175B/0.0135	0.0175B/0.0060A	----	0.0115 + 0.0065	.0576	----	----	8	----	149 + 1
665	0.0120	0.0120	0.0145B/0.0120	0.0145B/0.0040A	----	0.0100 + 0.0060	.0499	----	----	4	----	19 + 2
670	0.0110	0.0110	0.0125/0.0105	0.0125/0.0045A	----	0.0085 + 0.0050	.0425	----	----	15	600	1075 + 592
675	----	----	0.0105B/----	0.0105B/0.0040A	----	0.0070 + 0.0035	.0353	----	----	----	----	124 UNCH
680	----	----	0.0090B/----	0.0090B/0.0045A	----	0.0065 + 0.0035	.0321	----	----	27	----	1124 + 23
685	0.0050	0.0050	0.0080B/0.0050	0.0080B/0.0050	----	0.0055 + 0.0030	.0272	----	----	2	----	13 + 2
690	----	----	0.0065B/----	0.0065B/0.0045A	----	0.0050 + 0.0025	.0244	----	----	----	----	178 UNCH
695	----	----	0.0055B/----	0.0055B/0.0040A	----	0.0045 + 0.0025	.0217	----	----	----	----	26 UNCH
700	0.0050	0.0050	0.0060/0.0035	0.0060/0.0030A	----	0.0040 + 0.0020	.0192	----	----	73	----	527 + 2
705	----	----	0.0040B/----	0.0040B/0.0035A	----	0.0035 + 0.0015	.0167	----	----	----	----	2 UNCH
710	----	----	0.0035B/----	0.0035B/0.0040A	----	0.0035 + 0.0015	.0162	----	----	----	----	59 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 70

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
715	----	----	----	----/0.0040A	----	0.0030 + 0.0010	.0139	----	----	----	----	13 UNCH
720	0.0045	0.0045	0.0045/0.0030	0.0045/0.0030	----	0.0030 + 0.0010	.0135	----	----	8	----	18 + 5
725	0.0030	0.0030	0.0030/0.0030	0.0030/0.0030	----	0.0030 + 0.0010	.0132	----	----	1	----	91 + 1
730	----	----	----	----/0.0060A	----	0.0025 + 0.0005	.0110	----	----	----	----	15 UNCH
735	----	----	----	----/0.0060A	----	0.0025 + 0.0005	.0108	----	----	----	----	5 UNCH
740	----	----	----	----/0.0055A	----	0.0025 + 0.0005	.0105	----	----	----	----	92 UNCH
745	----	----	----	----/0.0055A	----	0.0025 + 0.0005	.0103	----	----	----	----	34 UNCH
750	----	----	----	0.0010B/0.0055A	----	0.0025 + 0.0005	.0100	----	----	----	----	489 UNCH
755	----	----	----	----/0.0045A	----	0.0025 + 0.0005	.0098	----	----	----	----	2 UNCH
760	----	----	----	0.0010B/0.0045A	----	0.0025 + 0.0005	.0096	----	----	2	----	77 UNCH
765	----	----	----	----/0.0050A	----	0.0025 + 0.0010	.0094	----	----	----	----	2 UNCH
770	----	----	----	----/0.0050A	----	0.0020 + 0.0005	.0077	----	----	----	----	3 UNCH
775	----	----	----	----/0.0045A	----	0.0020 + 0.0005	.0075	----	----	----	----	47 UNCH
780	----	----	----	----/0.0045A	----	0.0020 + 0.0005	.0074	----	----	----	----	8 UNCH
785	----	----	----	----/0.0045A	----	0.0020 + 0.0005	.0072	----	----	----	----	3 UNCH
790	----	----	----	----/0.0045A	----	0.0020 + 0.0005	.0071	----	----	----	----	3 UNCH
795	----	----	----	----/0.0040A	----	0.0020 + 0.0005	.0070	----	----	----	----	5 UNCH
800	----	----	----	----/0.0040A	----	0.0020 + 0.0005	.0069	----	----	25	----	4120 UNCH
810	----	----	----	----/0.0040A	----	0.0015 + 0.0005	.0052	----	----	25	----	4040 UNCH
820	----	----	----	----/0.0035A	----	0.0015 + 0.0005	.0050	----	----	----	----	28 UNCH
825	----	----	----	----/0.0035A	----	0.0015 + 0.0005	.0050	----	----	----	----	91 UNCH
835	----	----	----	----/0.0035A	----	0.0010 UNCH	.0034	----	----	----	----	1 UNCH
840	----	----	----	----/0.0030A	----	0.0010 UNCH	.0033	----	----	----	----	4 UNCH
850	----	----	----	----/0.0030A	----	0.0010 UNCH	.0032	----	----	----	----	62 UNCH
855	----	----	----	----/0.0030A	----	0.0010 + 0.0005	.0032	----	----	----	----	30 UNCH
860	----	----	----	----/0.0030A	----	0.0010 + 0.0005	.0032	----	----	----	----	4 UNCH
865	----	----	----	----/0.0025A	----	0.0005 UNCH	.0017	----	----	----	----	3 UNCH
870	----	----	----	----/0.0025A	----	0.0005 UNCH	.0014	----	----	----	----	4 UNCH
875	----	----	----	----/0.0025A	----	0.0005 UNCH	.0012	----	----	----	----	1 UNCH
880	----	----	----	----/0.0025A	----	0.0005 UNCH	.0011	----	----	----	----	12 UNCH
890	----	----	----	----/0.0025A	----	0.0005 UNCH	.0008	----	----	----	----	1 UNCH
900	----	----	----	----/0.0020A	----	0.0005 UNCH	.0006	----	----	----	----	73 UNCH
915	----	----	----	----/0.0020A	----	0.0005 UNCH	.0003	----	----	----	----	1 UNCH
920	----	----	----	----/0.0020A	----	0.0005 UNCH	.0003	----	----	----	----	4 UNCH
925	----	----	----	----/0.0020A	----	0.0005 UNCH	.0002	----	----	----	----	10 UNCH
930	----	----	----	----/0.0020A	----	0.0005 UNCH	.0002	----	----	----	----	1 UNCH
935	----	----	----	----/0.0020A	----	0.0005 UNCH	.0002	----	----	----	----	1 UNCH
940	----	----	----	----/0.0020A	----	0.0005 UNCH	.0001	----	----	----	----	4 UNCH
945	----	----	----	----/0.0020A	----	0.0005 UNCH	.0001	----	----	----	----	10 UNCH
950	----	----	----	----/0.0010A	----	0.0005 UNCH	.0001	----	----	----	----	40 UNCH
TOTAL									1140	2439		33368 + 1743
JUN26												
500	----	----	----	----	----	0.9610 + 0.1140	.9378	----	----	----	----	4 UNCH
525	----	----	0.7505B/----	0.7505B/0.6760A	----	0.7300 + 0.1070	.8851	----	----	----	----	1 UNCH
535	----	----	0.6635B/----	0.6635B/0.5910A	----	0.6425 + 0.1030	.8535	----	----	----	----	2 UNCH
540	----	----	0.6220B/----	0.6220B/0.5505A	----	0.6000 + 0.1005	.8348	----	----	----	----	22 UNCH
545	----	----	0.5805B/0.4560A	0.5805B/0.4560A	----	0.5595 + 0.0990	.8129	----	----	----	----	2 UNCH
549	----	----	#0.5485B/----	#0.5485B/0.4815	----	0.5280 + 0.0975	.7947	----	----	----	----	1 UNCH
550	----	----	0.5410B/0.4195A	0.5410B/0.4195A	----	0.5205 + 0.0970	.7895	----	----	----	----	3 UNCH
555	----	----	0.5030B/0.3845A	0.5030B/0.3845A	----	0.4825 + 0.0945	.7642	----	----	----	----	1 UNCH
556	----	----	#0.4955B/----	#0.4955B/0.4310	----	0.4755 + 0.0945	.7585	----	----	----	----	1 UNCH
557	----	----	#0.4885B/----	#0.4885B/0.4240	----	0.4680 + 0.0935	.7532	----	----	1	----	63 + 1
559	----	----	#0.4735B/----	#0.4735B/0.4105	----	0.4540 + 0.0930	.7423	----	----	----	----	4 UNCH
560	----	----	0.4805B/0.3515A	0.4805B/0.3515A	----	0.4465 + 0.0920	.7366	----	----	----	----	106 UNCH
562	----	----	#0.4525B/----	0.4525B/0.3905A	----	0.4330 + 0.0915	.7252	----	----	----	----	1 UNCH
565	----	----	0.4385B/0.3205A	0.4385B/0.3205A	----	0.4125 + 0.0895	.7077	----	----	----	----	2 UNCH
568	----	----	0.4115B/----	0.4115B/0.3530A	----	0.3925 + 0.0875	.6897	----	----	----	----	3 UNCH
569	----	----	0.4050B/0.2970A	0.4050B/0.2970A	----	0.3860 + 0.0870	.6836	----	----	----	----	2 UNCH
570	----	----	0.4115B/0.2855A	0.4115B/0.2855A	----	0.3800 + 0.0870	.6772	----	----	3	----	20 - 2
574	----	----	0.3735B/0.2635A	0.3735B/0.2635A	----	0.3550 + 0.0840	.6523	----	----	----	----	3 UNCH
575	----	----	0.3790B/0.2565A	0.3790B/0.2565A	----	0.3495 + 0.0840	.6460	----	----	1	----	149 UNCH
579	----	----	0.3440B/0.2370A	0.3440B/0.2370A	----	0.3260 + 0.0815	.6202	----	----	----	----	3 UNCH
580	----	----	0.3530B/0.2315A	0.3530B/0.2315A	----	0.3205 + 0.0810	.6139	----	----	1	----	45 + 1
581	----	----	0.3380B/0.2275A	0.3380B/0.2275A	----	0.3150 + 0.0800	.6074	----	----	----	----	1 UNCH
582	----	----	0.3325B/0.2225A	0.3325B/0.2225A	----	0.3100 + 0.0800	.6008	----	----	----	----	1 UNCH
583	----	----	0.3270B/0.2180A	0.3270B/0.2180A	----	0.3045 + 0.0795	.5943	----	----	----	----	2 UNCH
584	----	----	0.3215B/0.2135A	0.3215B/0.2135A	----	0.2990 + 0.0785	.5878	----	----	----	----	3 UNCH
585	----	----	0.3215B/0.2090A	0.3215B/0.2090A	----	0.2940 + 0.0780	.5813	----	----	25	----	11 - 17
586	----	----	0.3125B/0.2045A	0.3125B/0.2045A	----	0.2890 + 0.0775	.5747	----	----	----	----	1 UNCH
587	----	----	0.3115B/0.2000A	0.3115B/0.2000A	----	0.2840 + 0.0770	.5682	----	----	----	----	3 UNCH
588	----	----	0.3075B/0.1965A	0.3075B/0.1965A	----	0.2790 + 0.0765	.5617	----	----	----	----	4 UNCH
589	----	----	0.3000B/0.1915A	0.3000B/0.1915A	----	0.2745 + 0.0760	.5552	----	----	----	----	1 UNCH
590	0.2710	0.2710	0.2995B/0.1880A	0.2995B/0.1880A	----	0.2695 + 0.0755	.5487	----	----	3	----	21 + 1
591	----	----	0.2945B/0.1840A	0.2945B/0.1840A	----	0.2650 + 0.0750	.5422	----	----	----	----	10 UNCH
594	----	----	0.2770B/0.1725A	0.2770B/0.1725A	----	0.2515 NEW	.5229	----	----	3	----	3 + 3
595	----	----	0.2755B/0.1690A	0.2755B/0.1690A	----	0.2470 + 0.0730	.5165	----	----	----	----	5 UNCH
596	----	----	0.2685B/0.1650A	0.2685B/0.1650A	----	0.2430 + 0.0725	.5102	----	----	----	----	3 UNCH
600	0.2235	0.2235	0.2555B/0.1510A	0.2555B/0.1510A	----	0.2265 + 0.0705	.4851	----	----	36	55	365 + 30
604	----	----	0.2365B/0.1390A	0.2365B/0.1390A	----	0.2115 + 0.0690	.4608	----	----	----	----	14 UNCH
605	0.1400	0.1400	0.2325B/0.1360A	0.2325B/0.1360A	----	0.2080 + 0.0685	.4548	----	----	5	----	8 + 5
607	----	----	0.2240B/0.1295A	0.2240B/0.1295A	----	0.2010 + 0.0675	.4430	----	----	----	----	30 UNCH
608	----	----	0.2210B/0.1270A	0.2210B/0.1270A	----	0.1975 + 0.0670	.4372	----	----	----	----	2 UNCH
609	----	----	0.2165B/0.1245A	0.2165B/0.1245A	----	0.1940 + 0.0665	.4313	----	----	----	----	7 UNCH
610	0.1500	0.1500	0.2140B/0.1210A	0.2140B/0.1210A	----	0.1905 + 0.0660	.4255	----	----	11	----	545 + 4
612	----	----	0.2060B/0.1160A	0.2060B/0.1160A	----	0.1840 + 0.0650	.4142	----	----	6	----	20 + 6
613	----	----	0.2010B/0.1135A	0.2010B/0.1135A	----	0.1805 + 0.0645	.4084	----	----	----	----	2 UNCH
615	----	----	0.1950B/0.1085A	0.1950B/0.1085A	----	0.1745 + 0.0635	.3975	----	----	----	----	15 UNCH
616	----	----	0.1915B/0.1060A	0.1915B/0.1060A	----	0.1710 + 0.0625	.3918	----	----	----	----	9 UNCH
617	----	----	0.1880B/0.1035A	0.1880B/0.1035A	----	0.1680 + 0.0620	.3863	----	----	----	----	1 UNCH
620	0.1630	0.1630	0.1805B/0.0965A	0.1805B/0.0965A	----	0.1590 + 0.0605	.3702	----	----	3	----	140 + 3
622	----	----	0.1715B/0.0925A	0.1715B/0.0925A	----	0.1535 + 0.0595	.3599	----	----	----	----	3 UNCH
625	----	----	0.1650B/0.0865A	0.1650B/0.0865A	----	0.1450 + 0.0575	.3443	----	----	----	----	148 UNCH
627	----	----	0.1580B/0.0825A	0.1580B/0.0825A	----	0.1400 + 0.0565	.3346	----	----	----	----	11 UNCH
629	----	----	0.1530B/0.0790A	0.1530B/0.0790A	----	0.1350 + 0.0555	.3249	----	----	----	----	2 UNCH
630	----	----	0.1515B/0.0770A	0.1515B/0.0770A	----	0.1325 + 0.0550	.3201	----	----	----	----	538 UNCH
635	----	----	0.1380B/----	0.1380B/0.0685A	----	0.1205 + 0.0520	.2966	----	----	----	----	13 UNCH
640	----	----	0.1260B/----	0.1260B/0.0615A	----	0.1100 + 0.0490	.2750	----	----	----	----	59 UNCH
645	----	----	0.1160B/----	0.1160B/0.0550A	----	0.1000 + 0.0460	.2542	----	----	49	----	60 + 49
650	0.0840	0.0840	0.1065B/0.0840	0.1065B/0.0495A	----	0.0915 + 0.0435	.2355	----	----	134	----	567 + 86
655	----	----	0.0970B/----	0.0970B/0.0440A	----	0.0830 + 0.0405	.2171	----	----	----	----	7 UNCH
660	0.0590	0.0590	0.0890B/0.0375A	0.0890B/0.0375A	----	0.0760 + 0.0380	.2009	----	----	15	----	273 - 2
665	0.0605	0.0605	0.0810B/0.0335A	0.0810B/0.0335A	----	0.0690 + 0.0350	.1850	----	----	13	----	30 + 1
670	0.0550	0.0550	0.0745B/0.0300A	0.0745B/0.0300A	----	0.0630 + 0.0325	.1707	----	----	15	----	207 UNCH
675	----	----	0.0680B/0.0265A	0.0680B/0.0265A	----	0.0575 + 0.0305	.1574	----	----	----	----	38 UNCH
680	0.0605	0.0605	0.0625/0.0240A	0.0625/0.0240A	----	0.0525 + 0.0280	.1452	----	----	31	----	318 + 14
685	0.0360	0.0360	0.0570B/0.0215A	0.0570B/0.0215A	----	0.0480 + 0.0260	.1339	----	----	20	----	10 - 1
690	----	----	0.0515B/0.0190A	0.0515B/0.0190A	----	0.0440 + 0.0245	.1237	----	----	----	----	124 UNCH
695	----	----	0.0470B/0.0170A	0.0470B/0.0170A	----	0.0400 + 0.0225	.1136	----	----	----	----	1 UNCH
700	0.0335	0.0335	0.0445/0.0155A	0.0445/0.0155A	----	0.0365 + 0.0205	.1045	----	----	35	----	349 + 29
705	0.0300	0.0300	0.0400B/0.0140A	0.0400B/0.0140A	----	0.0335 + 0.0190	.0965	----	----	3	----	4 + 3
710	0.0280	0.0280	0.0370B/0.0280	0.0370B/0.0130A	----	0.0310 NEW	.0896	----	----	7	----	7 + 7
715	0.0240	0.0240	0.0340B/0.0240	0.0340B/0.0120A	----	0.0285 + 0.0165	.0828	----	----	5	----	8 UNCH
720	0.0300	0.0300	0.0315B/0.0255	0.0315B/0.0110A	----	0.0260 + 0.0150	.0761	----	----	8	----	11 + 6
725	0.0275	0.0275	0.0290B/0.0210	0.0290B/0.0105A	----	0.0240 + 0.0135	.0705	----	----	5	----	75 + 3
740	----	----	0.0220B/----	0.0220B/0.0100A	----	0.0190 + 0.0100	.0563	----	----	----	----	1 UNCH
745	----	----	0.0200B/----	0.0200B/0.0090A	----	0.0175 + 0.0090	.0521	----	----	----	----	1502 UNCH
750	0.0090	0.0090	0.0185B/0.0090	0.0185B/0.0090	----	0.0165 + 0.0090	.0490	----	----	3	----	163 + 3
755	----	----	0.0165B/----	0.0165B/0.0080A	----	0.0155 + 0.0080	.0459	----	----	----	----	1 UNCH
765	----	----	0.0145B/----	0.0145B/0.0080A	----	0.0130 + 0.0065	.0390	----	----	----	----	1503 UNCH
770	----	----	0.0135B/----	0.0135B/0.0080A	----	0.0120 + 0.0060	.0361	----	----	----	----	3 UNCH
780	0.0100	0.0100	0.0115B/0.0100	0.0115B/0.0075A	----	0.0105 + 0.0050	.0316	----	----	1	----	2 + 1
795	----	----	0.0095B/----	0.0095B/0.0070A	----	0.0080 + 0.0030	.0245	----	----	----	----	33 UNCH
800	----	----	0.0085B/----	0.0085B/0.0075A	----	0.0075 + 0.0030	.0229	----	----	----	----	6 UNCH
810	0.0080	0.0080	0.0080/*0.0065A	0.0080/0.0065A	----	0.0065 NEW	.0199	----	----	3	----	3 + 3
825	----	----	0.0060B/----	0.0060B/0.0055A	----	0.0055 + 0.0020	.0167	----	----	----	----	1 UNCH
840	----	----	0.0045B/----	0.0045B/0.0065A	----	0.0045 + 0.0020	.0137	----	----	----	----	6 UNCH
850	----	----	0.0040B/----	0.0040B/0.0060A	----	0.0035 + 0.0010	.0109	----	----	1	----	4 - 1
880	----	----	----	----/0.0045A	----	0.0025 + 0.0010	.0077	----	----	----	----	2 UNCH
900	----	----	----	----/0.0040A	----	0.0020 + 0.0010	.0061	----	----	----	----	9 UNCH
910	----	----	----	----/0.0040A	----	0.0015 + 0.0005	.0047	----	----	----	----	11 UNCH
950	----	----	----	----/0.0030A	----	0.0010 + 0.0005	.0031	----	----	----	----	1 UNCH
975	----	----	----	----/0.0015A	----	0.0005 UNCH	.0016	----	----	----	----	1 UNCH
TOTAL									55	446		7780 + 236
JUL26												
500	----	----	----	----	----	0.9815 + 0.1080	.9014	----	----	----	----	2 UNCH
520	----	----	----	----	----	0.8070 + 0.1020	.8517	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 71

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUL26												
525	----	----	----	----	----	0.7655 + 0.1000	.8361	----	----	----	----	1 UNCH
530	----	----	0.7385B/----	0.7385B/0.7395A	----	0.7250 + 0.0985	.8198	----	----	----	----	6 UNCH
540	----	----	0.6605B/0.5490A	0.6605B/0.5490A	----	0.6470 + 0.0950	.7829	----	----	----	----	16 UNCH
545	----	----	0.5765B/0.5145A	0.5765B/0.5145A	----	0.6100 + 0.0930	.7629	----	----	----	----	1 UNCH
550	----	----	0.6025B/0.4810A	0.6025B/0.4810A	----	0.5740 + 0.0915	.7417	----	----	----	----	2 UNCH
555	----	----	0.5735B/0.4485A	0.5735B/0.4485A	----	0.5395 + 0.0895	.7198	----	----	52	----	116 - 30
560	----	----	0.5330B/0.4180A	0.5330B/0.4180A	----	0.5065 + 0.0875	.6968	----	----	----	----	1 UNCH
570	----	----	0.4765B/0.3535A	0.4765B/0.3535A	----	0.4450 + 0.0840	.6485	----	----	----	----	157 UNCH
574	----	----	#0.4325B/0.3335	#0.4325B/0.3335	----	0.4220 + 0.0830	.6287	----	----	----	----	5 UNCH
575	----	----	0.4470B/0.3280A	0.4470B/0.3280A	----	0.4165 + 0.0830	.6236	----	----	2	----	19 + 2
580	----	----	0.4210B/0.3040A	0.4210B/0.3040A	----	0.3900 + 0.0820	.5985	----	----	3	----	149 - 3
585	0.2880	0.2880	0.3980B/0.2805A	0.3980B/0.2805A	----	0.3645 + 0.0800	.5734	----	----	7	----	304 UNCH
590	0.2875	0.2875	0.3695B/0.2590A	0.3695B/0.2590A	----	0.3410 + 0.0785	.5483	----	----	27	----	107 + 15
591	0.3020	0.3020	#0.3630B/*0.255	#0.3630B/0.2550	----	0.3365 NEW	.5433	----	----	4	----	2 + 2
594	0.3245	0.3245	#0.3485B/*0.242	#0.3485B/0.2425	----	0.3230 NEW	.5284	----	----	2	----	2 + 2
595	----	----	0.3470B/0.2390A	0.3470B/0.2390A	----	0.3185 + 0.0760	.5235	----	----	15	----	29 - 15
598	0.3325	0.3325	#0.3325/*0.2275	#0.3325/0.2275A	----	0.3060 NEW	.5088	----	----	1	----	1 + 1
599	0.3275	0.3275	#0.3280/*0.2230	#0.3280/0.2230A	----	0.3020 NEW	.5040	----	----	2	----	2 + 2
600	0.2760	0.2760	0.3265B/0.2200A	0.3265B/0.2200A	----	0.2980 + 0.0745	.4992	----	----	327	----	357 + 127
605	----	----	0.3030B/0.2020A	0.3030B/0.2020A	----	0.2790 + 0.0735	.4755	----	----	5	----	40 - 4
610	0.2530	0.2530	0.2835B/0.1855A	0.2835B/0.1855A	----	0.2610 + 0.0725	.4524	----	----	2	----	33 UNCH
615	----	----	0.2665B/0.1700A	0.2665B/0.1700A	----	0.2440 + 0.0715	.4299	----	----	1	----	103 + 1
620	----	----	0.2495B/0.1560A	0.2495B/0.1560A	----	0.2285 + 0.0705	.4084	----	----	79	----	110 + 29
625	0.1805	0.1805	0.2365B/0.1435A	0.2365B/0.1435A	----	0.2135 + 0.0695	.3875	----	----	3	----	348 + 2
630	----	----	0.2185B/0.1315A	0.2185B/0.1315A	----	0.1995 + 0.0675	.3674	----	----	----	----	5 UNCH
635	----	----	0.2040B/----	0.2040B/0.1210A	----	0.1865 + 0.0660	.3481	----	----	----	----	11 UNCH
640	0.1565	0.1565	0.1940B/0.1495	0.1940B/0.1110A	----	0.1740 + 0.0640	.3294	----	----	65	----	812 + 39
645	0.1285	0.1285	0.1830B/0.1285	0.1830B/0.1025A	----	0.1625 + 0.0615	.3116	----	----	5	----	326 + 1
650	0.1180	0.1180	0.1725/0.1180	0.1725/0.0935A	----	0.1515 + 0.0590	.2944	----	----	271	100	469 + 180
660	0.1000	0.1000	0.1490B/0.1000	0.1490B/0.0795A	----	0.1320 + 0.0540	.2627	----	----	99	----	226 - 23
665	----	----	0.1345B/----	0.1345B/0.0740A	----	0.1235 + 0.0515	.2482	----	----	----	----	1 UNCH
670	0.0975	0.0975	0.1280B/0.0975	0.1280B/0.0680A	----	0.1155 + 0.0495	.2344	----	----	6	----	22 UNCH
675	0.0765	0.0765	0.1225B/0.0765	0.1225B/0.0620A	----	0.1080 + 0.0470	.2213	----	----	6	----	443 + 6
680	----	----	0.1100B/----	0.1100B/0.0580A	----	0.1010 + 0.0445	.2088	----	----	----	----	3 UNCH
685	----	----	0.1025B/----	0.1025B/0.0535A	----	0.0940 + 0.0420	.1965	----	----	----	----	2 UNCH
690	0.0985	0.0985	0.1005B/0.0985	0.1005B/0.0495A	----	0.0880 + 0.0400	.1855	----	----	1	----	246 + 1
695	----	----	0.0905B/----	0.0905B/0.0465A	----	0.0825 + 0.0380	.1751	----	----	----	----	40 UNCH
700	0.0540	0.0540	0.0880B/0.0540	0.0880B/0.0430A	----	0.0775 + 0.0365	.1655	----	----	63	----	175 + 44
715	0.0700	0.0700	0.0700/0.0700	0.0700/0.0345A	----	0.0635 + 0.0310	.1387	----	----	2	----	25 UNCH
725	----	----	0.0585B/----	0.0585B/0.0300A	----	0.0560 + 0.0280	.1237	----	----	----	----	1523 UNCH
730	----	----	0.0540B/----	0.0540B/0.0295A	----	0.0525 + 0.0265	.1166	----	----	----	----	4 UNCH
750	----	----	0.0445B/----	0.0445B/0.0235A	----	0.0415 + 0.0220	.0936	----	----	49	----	184 - 1
775	----	----	0.0280B/----	0.0280B/0.0185A	----	0.0310 + 0.0170	.0712	----	----	----	----	25 UNCH
800	----	----	0.0220B/----	0.0220B/0.0160A	----	0.0240 + 0.0135	.0555	----	----	----	----	69 UNCH
850	----	----	0.0125B/----	0.0125B/0.0125A	----	0.0155 + 0.0090	.0357	----	----	----	----	3 UNCH
875	----	----	0.0095B/----	0.0095B/0.0105A	----	0.0120 + 0.0070	.0279	----	----	----	----	2 UNCH
900	----	----	0.0055B/----	0.0055B/0.0085A	----	0.0105 + 0.0060	.0240	----	----	----	----	271 UNCH
950	----	----	0.0035B/----	0.0035B/0.0060A	----	0.0065 + 0.0040	.0151	----	----	----	----	56 UNCH
975	----	----	----	----/0.0050A	----	0.0050 + 0.0030	.0118	----	----	----	----	2 UNCH
1000	----	----	----	----/0.0030A	----	0.0040 + 0.0025	.0094	----	----	----	----	4 UNCH
TOTAL									100	1099		6863 + 378
AUG26												
500	----	----	----	----	----	1.0555 + 0.1015	.8814	----	----	----	----	2 UNCH
550	----	----	0.6910B/0.5755A	0.6910B/0.5755A	----	0.6635 + 0.0865	.7350	----	----	----	----	3 UNCH
575	----	----	0.5320B/0.4215A	0.5320B/0.4215A	----	0.5090 + 0.0805	.6358	----	----	----	----	1 UNCH
580	----	----	0.5040B/0.3960A	0.5040B/0.3960A	----	0.4820 + 0.0795	.6150	----	----	----	----	252 UNCH
585	----	----	0.4770B/0.3725A	0.4770B/0.3725A	----	0.4565 + 0.0790	.5941	----	----	----	----	11 UNCH
590	----	----	0.4515B/0.3495A	0.4515B/0.3495A	----	0.4320 + 0.0780	.5732	----	----	----	----	16 UNCH
600	----	----	0.4110B/0.3065A	0.4110B/0.3065A	----	0.3870 + 0.0770	.5319	----	----	----	----	4 UNCH
620	----	----	0.3290B/0.2340A	0.3290B/0.2340A	----	0.3090 + 0.0735	.4531	----	----	1	----	7 + 1
625	----	----	0.3105B/0.2185A	0.3105B/0.2185A	----	0.2920 + 0.0725	.4344	----	----	----	----	85 UNCH
640	----	----	0.2620B/----	0.2620B/0.1775A	----	0.2460 + 0.0685	.3814	----	----	----	----	153 UNCH
650	----	----	0.2340B/----	0.2340B/0.1550A	----	0.2195 + 0.0655	.3488	----	----	----	----	30 UNCH
675	----	----	0.1760B/----	0.1760B/0.1105A	----	0.1655 + 0.0565	.2773	----	----	----	----	168 UNCH
680	----	----	0.1660B/----	0.1660B/0.1035A	----	0.1565 + 0.0550	.2647	----	----	----	----	1 UNCH
690	----	----	0.1410B/----	0.1410B/0.0975A	----	0.1400 + 0.0510	.2410	----	----	----	----	3 UNCH
700	----	----	0.1260B/----	0.1260B/0.0875A	----	0.1250 + 0.0475	.2190	----	----	----	----	4 UNCH
725	----	----	0.0935B/----	0.0935B/0.0660A	----	0.0950 + 0.0390	.1726	----	----	----	----	86 UNCH
730	----	----	0.0935B/----	0.0935B/0.0565A	----	0.0895 + 0.0370	.1641	----	----	----	----	1 UNCH
750	----	----	0.0745B/----	0.0745B/0.0460A	----	0.0720 + 0.0315	.1353	----	----	----	----	66 UNCH
800	----	----	0.0420B/----	0.0420B/0.0290A	----	0.0425 + 0.0200	.0840	----	----	----	----	6 UNCH
850	----	----	0.0235B/----	0.0235B/0.0225A	----	0.0270 + 0.0135	.0546	----	----	----	----	1 UNCH
900	----	----	0.0135B/----	0.0135B/0.0185A	----	0.0190 + 0.0100	.0383	----	----	----	----	57 UNCH
950	----	----	0.0080B/----	0.0080B/0.0150A	----	0.0125 + 0.0070	.0257	----	----	----	----	2 UNCH
975	0.0110	0.0110	0.0110/*0.0110	0.0110/*0.0110	----	0.0100 + 0.0055	.0208	----	----	3	----	1 - 3
TOTAL										4		960 - 2
SEP26												
495	----	----	----	----	----	1.1205 + 0.1005	.8696	----	----	----	----	2 UNCH
500	----	----	----	----	----	1.0785 + 0.0990	.8587	----	----	----	----	5 UNCH
535	----	----	0.7560B/----	0.7560B/0.7310A	----	0.8055 + 0.0900	.7665	----	----	----	----	1 UNCH
565	----	----	0.6340B/----	0.6340B/0.5320A	----	0.6095 + 0.0820	.6647	----	----	----	----	1 UNCH
575	----	----	0.5765B/0.4705A	0.5765B/0.4705A	----	0.5535 + 0.0800	.6281	----	----	----	----	100 UNCH
595	----	----	0.4775B/0.3770A	0.4775B/0.3770A	----	0.4550 + 0.0770	.5540	----	----	1	----	2 UNCH
600	----	----	0.4540B/----	0.4540B/0.3565A	----	0.4330 + 0.0765	.5357	----	----	1	----	287 UNCH
610	----	----	0.4105B/----	0.4105B/0.3175A	----	0.3915 + 0.0750	.4998	----	----	----	----	31 UNCH
615	----	----	0.3915B/----	0.3915B/0.2990A	----	0.3725 + 0.0745	.4823	----	----	----	----	9 UNCH
620	----	----	0.3710B/----	0.3710B/0.2820A	----	0.3540 + 0.0735	.4650	----	----	----	----	35 UNCH
625	----	----	0.3535B/----	0.3535B/0.2655A	----	0.3365 + 0.0730	.4481	----	----	----	----	142 UNCH
630	----	----	0.3355B/----	0.3355B/0.2500A	----	0.3200 + 0.0720	.4317	----	----	----	----	2 UNCH
640	----	----	0.3030B/----	0.3030B/0.2220A	----	0.2885 + 0.0690	.3997	----	----	----	----	12 UNCH
650	----	----	0.2745B/----	0.2745B/0.1980A	----	0.2605 + 0.0665	.3695	----	----	----	----	201 UNCH
655	----	----	0.2605B/----	0.2605B/0.1865A	----	0.2475 + 0.0650	.3551	----	----	----	----	4 UNCH
670	----	----	0.2240B/----	0.2240B/0.1580A	----	0.2125 + 0.0600	.3145	----	----	----	----	1 UNCH
675	----	----	0.2135B/----	0.2135B/0.1500A	----	0.2020 + 0.0580	.3019	----	----	----	----	325 UNCH
680	----	----	0.2030B/----	0.2030B/0.1420A	----	0.1920 NEW	.2897	----	----	----	350	350 + 350
690	----	----	0.1830B/----	0.1830B/0.1275A	----	0.1735 + 0.0525	.2666	----	----	----	----	11 UNCH
700	----	----	0.1660B/----	0.1660B/0.1155A	----	0.1570 + 0.0495	.2452	----	----	----	----	55 UNCH
750	----	----	0.1005B/----	0.1005B/0.0710A	----	0.0970 + 0.0350	.1617	----	----	25	----	35 + 25
800	----	----	0.0615B/----	0.0615B/0.0470A	----	0.0610 + 0.0245	.1068	----	----	----	----	12 UNCH
875	----	----	0.0300B/----	0.0300B/0.0300A	----	0.0325 + 0.0145	.0595	----	----	----	----	1 UNCH
900	----	----	0.0235B/----	0.0235B/0.0270A	----	0.0265 NEW	.0491	----	----	25	----	25 + 25
975	----	----	0.0115B/----	0.0115B/0.0205A	----	0.0155 + 0.0075	.0293	----	----	----	----	1 UNCH
TOTAL									350	52		1650 + 400
OCT26												
650	----	----	0.3365B/----	0.3365B/0.2720A	----	0.3285 + 0.0680	.4104	----	----	----	----	100 UNCH
700	----	----	0.2090B/----	0.2090B/0.1695A	----	0.2100 + 0.0585	.2879	----	----	----	----	145 UNCH
775	----	----	0.1020B/----	0.1020B/0.0950A	----	0.1015 + 0.0270	.1584	----	----	----	----	71 UNCH
800	----	----	0.0830B/----	0.0830B/0.0720A	----	0.0815 + 0.0225	.1305	----	----	----	----	1 UNCH
850	----	----	0.0520B/----	0.0520B/0.0520A	----	0.0565 + 0.0180	.0927	----	----	----	----	30 UNCH
875	----	----	0.0415B/----	0.0415B/0.0455A	----	0.0485 + 0.0160	.0797	----	----	----	----	2 UNCH
900	----	----	0.0325B/----	0.0325B/0.0405A	----	0.0420 + 0.0140	.0691	----	----	----	----	3 UNCH
975	----	----	0.0155B/----	0.0155B/0.0305A	----	0.0230 + 0.0085	.0399	----	----	----	----	4 UNCH
TOTAL												356
NOV26												
535	----	----	0.9065B/----	0.9065B/0.8510A	----	0.9320 + 0.0900	.7578	----	----	----	----	1 UNCH
545	----	----	0.8770B/----	0.8770B/0.7875A	----	0.8650 + 0.0875	.7306	----	----	----	----	1 UNCH
580	----	----	0.6665B/----	0.6665B/0.5935A	----	0.6580 + 0.0800	.6281	----	----	----	----	2 UNCH
585	----	----	0.6400B/----	0.6400B/0.5690A	----	0.6320 + 0.0790	.6128	----	----	----	----	1 UNCH
595	----	----	0.5900B/----	0.5900B/0.5230A	----	0.5830 + 0.0775	.5824	----	----	----	----	2 UNCH
600	----	----	0.5660B/----	0.5660B/0.5010A	----	0.5600 + 0.0770	.5672	----	----	----	----	2 UNCH
610	----	----	0.5210B/----	0.5210B/0.4595A	----	0.5160 + 0.0755	.5370	----	----	----	----	14 UNCH
640	----	----	0.4040B/----	0.4040B/0.3515A	----	0.4030 + 0.0715	.4510	----	----	----	----	1 UNCH
655	----	----	0.3550B/----	0.3550B/0.3070A	----	0.3560 + 0.0690	.4113	----	----	----	----	1 UNCH
670	----	----	0.3115B/----	0.3115B/0.2680A	----	0.3140 + 0.0655	.3740	----	----	----	----	14 UNCH
675	----	----	0.2980B/----	0.2980B/0.2560A	----	0.3010 + 0.0640	.3621	----	----	----	----	1 UNCH
750	----	----	0.1535B/----	0.1535B/0.1365A	----	0.1625 + 0.0445	.2194	----	----	----	----	1 UNCH
850	----	----	0.0635B/----	0.0635B/0.0700A	----	0.0760 + 0.0245	.1126	----	----	----	----	1 UNCH
900	----	----	0.0395B/----	0.0395B/0.0545A	----	0.0530 + 0.0185	.0813	----	----	----	----	1 UNCH
975	----	----	----	0.0185B/0.0415A	----	0.0305 + 0.0115	.0492	----	----	----	----	1 UNCH
TOTAL												44
DEC26												
520	----	----	----	----	----	1.0605 + 0.0925	.7856	----	----	----	----	1 UNCH
525	----	----	0.9380B/----	0.9380B/0.9455A	----	1.0250 + 0.0910	.7737	----	----	----	----	123 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
DEC26												
535	----	----	0.9655B/----	0.9655B/0.8805A	----	0.9565 + 0.0890	.7488	----	----	----	----	1 UNCH
550	----	----	0.8670B/----	0.8670B/0.7890A	----	0.8595 + 0.0850	.7095	----	----	----	----	2 UNCH
555	----	----	0.8355B/----	0.8355B/0.7605A	----	0.8290 + 0.0840	.6959	----	----	----	----	1 UNCH
565	----	----	0.7760B/----	0.7760B/0.7055A	----	0.7705 + 0.0815	.6681	----	----	----	----	45 UNCH
575	0.7150	0.7150	0.7200B/0.7150	0.7200B/0.6535A	----	0.7155 + 0.0795	.6398	----	----	1	----	123 UNCH
585	----	----	0.6670B/----	0.6670B/0.6050A	----	0.6645 + 0.0780	.6113	----	----	----	----	1 UNCH
590	----	----	0.6420B/----	0.6420B/0.5820A	----	0.6400 + 0.0770	.5969	----	----	----	----	200 UNCH
595	----	----	0.6175B/----	0.6175B/0.5595A	----	0.6160 + 0.0760	.5827	----	----	----	----	163 UNCH
600	0.5915	0.5915	0.5940B/0.5915	0.5940B/0.5380A	----	0.5935 + 0.0755	.5684	----	----	1	----	602 + 1
610	----	----	0.5495B/----	0.5495B/0.4965A	----	0.5500 + 0.0745	.5401	----	----	----	----	356 UNCH
620	----	----	0.5075B/----	0.5075B/0.4580A	----	0.5095 + 0.0730	.5124	----	----	----	----	408 UNCH
625	0.4000	0.4000	0.4880B/0.4000	0.4880B/0.4000	----	0.4900 + 0.0720	.4988	----	----	10	----	3 - 10
630	----	----	0.4690B/----	0.4690B/0.4220A	----	0.4715 + 0.0715	.4854	----	----	----	----	456 UNCH
640	----	----	0.4325B/----	0.4325B/0.3885A	----	0.4360 + 0.0700	.4591	----	----	----	----	29 UNCH
650	0.3920	0.3920	0.4100/0.3575A	0.4100/0.3575A	----	0.4035 + 0.0685	.4338	----	----	7	----	378 + 7
660	----	----	0.3675B/----	0.3675B/0.3295A	----	0.3730 + 0.0665	.4093	----	----	----	----	300 UNCH
670	----	----	0.3385B/----	0.3385B/0.3030A	----	0.3450 + 0.0645	.3858	----	----	----	----	4 UNCH
675	----	----	0.3250B/----	0.3250B/0.2910A	----	0.3315 + 0.0635	.3744	----	----	----	----	17 UNCH
680	----	----	0.3115B/----	0.3115B/0.2795A	----	0.3190 + 0.0625	.3634	----	----	----	----	3 UNCH
700	----	----	0.2640B/----	0.2640B/0.2380A	----	0.2730 + 0.0575	.3216	----	----	----	----	843 UNCH
705	----	----	0.2535B/----	0.2535B/0.2285A	----	0.2625 + 0.0560	.3118	----	----	----	----	2 UNCH
725	----	----	0.2150B/----	0.2150B/0.1965A	----	0.2255 + 0.0510	.2756	----	----	----	----	5 UNCH
730	----	----	0.2060B/----	0.2060B/0.1890A	----	0.2170 + 0.0495	.2670	----	----	----	----	2 UNCH
750	----	----	0.1750B/----	0.1750B/0.1640A	----	0.1870 + 0.0445	.2358	----	----	----	----	24 UNCH
800	----	----	0.1175B/----	0.1175B/0.1175A	----	0.1305 + 0.0340	.1731	----	----	----	----	104 UNCH
850	----	----	0.0785B/----	0.0785B/0.0885A	----	0.0935 + 0.0265	.1286	----	----	----	----	4 UNCH
900	0.0500	0.0500	0.0700/0.0500	0.0700/0.0500	----	0.0685 + 0.0200	.0967	----	----	16	----	211 + 11
925	----	----	----	0.0420B/0.0625A	----	0.0615 + 0.0185	.0867	----	----	----	----	6 UNCH
950	----	----	----	0.0335B/0.0570A	----	0.0555 + 0.0170	.0780	----	----	----	----	78 UNCH
975	----	----	----	0.0265B/0.0525A	----	0.0505 + 0.0155	.0707	----	----	----	----	13 UNCH
TOTAL										35		4508 + 9
JAN27												
500	----	----	----	----	----	1.3070 + 0.0960	.8242	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.1290 + 0.0160	.1466	----	----	----	----	1 UNCH
TOTAL												2
MAR27												
680	----	----	----	----	----	0.5255 + 0.0495	.4356	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.2570 + 0.0235	.2089	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
MAY26												
125	----	----	----	----/0.0080A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
300	----	----	----	----/0.0080A	----	0.0005 UNCH	----	----	----	----	----	22 UNCH
330	----	----	----	----/0.0080A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
340	----	----	----	----/0.0050A	----	0.0005 UNCH	.0000	----	----	----	----	6 UNCH
350	----	----	----	----/*0.0005A	----	0.0005 UNCH	.0000	----	----	----	----	6 UNCH
360	----	----	----	----/0.0020A	----	0.0005 UNCH	.0002	----	----	----	----	35 UNCH
370	----	----	----	----/0.0050A	----	0.0005 UNCH	.0004	----	----	----	----	1 UNCH
375	----	----	----	----/0.0050A	----	0.0005 UNCH	.0005	----	----	----	----	1 UNCH
390	----	----	----	----/0.0050A	----	0.0005 UNCH	.0014	----	----	----	----	2 UNCH
395	----	----	----	----/0.0050A	----	0.0010 UNCH	.0027	----	----	----	----	6 UNCH
400	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0010 UNCH	.0028	----	----	1	----	124 UNCH
405	----	----	----	----/*0.0030A	----	0.0010 UNCH	.0029	----	----	----	----	125 UNCH
410	----	----	----	----/0.0055A	----	0.0010 UNCH	.0030	----	----	----	----	23 UNCH
415	----	----	----	----/0.0055A	----	0.0010 UNCH	.0031	----	----	----	----	6 UNCH
420	----	----	----/*0.0010A	----/*0.0010A	----	0.0015 UNCH	.0045	----	----	----	----	60 UNCH
425	----	----	----	----/*0.0015A	----	0.0015 UNCH	.0047	----	----	----	----	56 UNCH
430	----	----	----	----/0.0055A	----	0.0015 UNCH	.0048	----	----	----	----	21 UNCH
435	----	----	----	----/0.0020A	----	0.0015 UNCH	.0050	----	----	----	----	8 UNCH
440	----	----	----/0.0015A	----/0.0015A	----	0.0020 UNCH	.0066	----	----	----	----	130 UNCH
445	----	----	----/*0.0010A	----/*0.0010A	----	0.0020 UNCH	.0068	----	----	----	----	52 UNCH
450	----	----	----/0.0015A	----/0.0015A	----	0.0025 UNCH	.0085	----	----	1	----	857 UNCH
455	----	----	----/0.0015A	----/0.0015A	----	0.0025 UNCH	.0088	----	----	----	----	23 UNCH
460	0.0020	0.0020	0.0020/*0.0020	0.0020/*0.0020	----	0.0025 UNCH	.0092	----	----	45	----	504 - 43
465	----	----	----	----/0.0045A	----	0.0025 UNCH	.0095	----	----	----	----	34 UNCH
470	0.0015	0.0015	0.0015/*0.0015	0.0015/*0.0015	----	0.0025 UNCH	.0099	----	----	5	----	58 UNCH
475	----	----	----/0.0020A	----/0.0020A	----	0.0030 UNCH	.0120	----	----	----	----	418 UNCH
480	0.0030	0.0030	0.0035/*0.0020A	0.0035/*0.0020A	----	0.0035 UNCH	.0141	----	----	13	----	1306 UNCH
485	----	----	----/*0.0025A	----/*0.0025A	----	0.0035 - 0.0005	.0147	----	----	----	----	86 UNCH
490	0.0035	0.0035	0.0040B/*0.0025	0.0040B/*0.0025	----	0.0040 UNCH	.0171	----	----	2	----	271 UNCH
495	0.0040	0.0040	0.0040/*0.0030A	0.0040/*0.0030A	----	0.0045 + 0.0005	.0197	----	----	10	----	92 UNCH
500	0.0045	0.0045	0.0055/*0.0040	0.0055/*0.0040	----	0.0050 + 0.0005	.0224	----	----	61	----	1758 - 27
505	0.0010	0.0010	0.0055B/*0.0005	0.0055B/*0.0005	----	0.0050 - 0.0005	.0235	----	----	18	----	176 - 2
510	0.0055	0.0055	0.0065/*0.0050A	0.0065/*0.0050A	----	0.0060 - 0.0005	.0285	----	----	39	----	390 + 2
514	----	----	----/*0.0055A	0.0070B/*0.0055	----	0.0065 - 0.0010	.0316	----	----	----	----	43 UNCH
515	----	----	----/*0.0055A	0.0075B/*0.0055	----	0.0065 - 0.0015	.0319	----	----	2	----	155 UNCH
516	----	----	----/*0.0055A	0.0075B/*0.0055	----	0.0065 - 0.0020	.0323	----	----	----	----	74 UNCH
517	----	----	----/*0.0055A	0.0080B/*0.0055	----	0.0070 - 0.0015	.0345	----	----	----	----	108 UNCH
518	----	----	----/*0.0060A	0.0080B/*0.0060	----	0.0070 - 0.0020	.0349	----	----	----	----	118 UNCH
519	----	----	----/*0.0060A	0.0085B/*0.0060	----	0.0070 - 0.0025	.0353	----	----	----	----	88 UNCH
520	0.0070	0.0070	0.0070/*0.0060A	0.0090B/*0.0060	----	0.0075 - 0.0025	.0376	----	----	20	----	1173 - 12
521	0.0075	0.0075	0.0075/*0.0065A	0.0095B/*0.0065	----	0.0075 - 0.0030	.0380	----	----	5	----	67 + 1
522	----	----	----/*0.0070A	0.0100B/*0.0070	----	0.0080 - 0.0030	.0403	----	----	----	----	49 UNCH
523	----	----	----/*0.0070A	0.0100B/*0.0070	----	0.0080 - 0.0035	.0408	----	----	----	----	21 UNCH
524	----	----	----/*0.0075A	0.0110B/*0.0075	----	0.0080 - 0.0040	.0413	----	----	----	----	20 UNCH
525	0.0085	0.0085	0.0090/*0.0075A	0.0110B/*0.0075	----	0.0085 - 0.0040	.0437	----	----	54	----	359 - 6
526	----	----	----/*0.0075A	0.0120B/*0.0075	----	0.0085 - 0.0045	.0442	----	----	----	----	19 UNCH
527	----	----	----/*0.0080A	0.0125B/*0.0080	----	0.0090 - 0.0045	.0467	----	----	----	----	17 UNCH
528	----	----	----/*0.0080A	0.0130B/*0.0080	----	0.0090 - 0.0055	.0473	----	----	----	----	12 UNCH
529	----	----	----/*0.0085A	0.0135B/*0.0085	----	0.0095 - 0.0055	.0497	----	----	----	----	6 UNCH
530	0.0135	0.0135	0.0135/*0.0085A	0.0145B/*0.0085	----	0.0100 - 0.0055	.0522	----	----	4	----	682 - 2
531	----	----	----/*0.0090A	0.0150B/*0.0090	----	0.0100 - 0.0065	.0529	----	----	1	----	24 UNCH
532	----	----	----/*0.0095A	0.0160B/*0.0095	----	0.0105 - 0.0065	.0555	----	----	5	----	11 - 5
533	----	----	----/*0.0095A	0.0165B/*0.0095	----	0.0105 - 0.0075	.0562	----	----	----	----	7 UNCH
534	----	----	----/*0.0100A	0.0175B/*0.0100	----	0.0110 - 0.0075	.0588	----	----	----	----	9 UNCH
535	0.0165	0.0165	0.0165/*0.0105	0.0185B/*0.0105	----	0.0115 - 0.0080	.0615	----	----	15	----	202 - 5
536	----	----	----/*0.0105A	0.0190B/*0.0105	----	0.0120 - 0.0085	.0642	----	----	1	----	12 UNCH
537	----	----	----/*0.0110A	0.0200B/*0.0110	----	0.0125 - 0.0090	.0669	----	----	----	----	9 UNCH
538	----	----	----/*0.0115A	0.0215B/*0.0115	----	0.0130 - 0.0095	.0696	----	----	----	----	10 UNCH
539	0.0150	0.0150	0.0150/*0.0120A	0.0215B/*0.0120	----	0.0130 - 0.0105	.0706	----	----	1	----	11 UNCH
540	0.0200	0.0200	0.0200/*0.0115	0.0225B/*0.0115	----	0.0140 - 0.0105	.0753	----	----	99	----	324 - 23
541	----	----	----/*0.0130A	0.0225B/*0.0130	----	0.0145 - 0.0110	.0781	----	----	----	----	10 UNCH
542	----	----	----/*0.0135A	0.0225B/*0.0135	----	0.0150 - 0.0115	.0811	----	----	----	----	8 UNCH
543	----	----	----/*0.0135A	0.0240B/*0.0135	----	0.0155 - 0.0125	.0841	----	----	----	----	1 UNCH
544	----	----	----/*0.0145A	0.0260B/*0.0145	----	0.0160 - 0.0130	.0871	----	----	----	----	1 UNCH
545	0.0160	0.0160	0.0160/*0.0150A	0.0280B/*0.0150	----	0.0170 - 0.0135	.0919	----	----	29	----	187 + 22
546	----	----	----/*0.0155A	0.0295B/*0.0155	----	0.0180 - 0.0140	.0967	----	----	1	----	10 - 1
547	0.0205	0.0205	0.0205/*0.0160A	0.0310B/*0.0160	----	0.0185 - 0.0150	.0999	----	----	1	----	7 - 1
548	0.0215	0.0215	0.0215/*0.0170A	0.0320B/*0.0170	----	0.0195 - 0.0155	.1048	----	----	87	----	53 - 48
549	----	----	----/*0.0180A	0.0350B/*0.0180	----	0.0205 - 0.0160	.1098	----	----	----	----	12 UNCH
550	0.0225	0.0225	0.0235/*0.0180	0.0340B/*0.0180	----	0.0215 - 0.0170	.1148	----	----	329	----	1748 - 91
551	0.0240	0.0240	0.0240/*0.0195	0.0385B/*0.0195	----	0.0225 - 0.0175	.1199	----	----	10	----	36 + 5
552	0.0255	0.0255	0.0265/*0.0205A	0.0400B/*0.0205	----	0.0235 - 0.0185	.1250	----	----	4	----	16 - 2
553	0.0260	0.0260	0.0260/*0.0215A	0.0410B/*0.0215	----	0.0250 - 0.0190	.1317	----	----	3	----	20 - 1
554	0.0255	0.0255	0.0255/*0.0225A	0.0420B/*0.0225	----	0.0265 - 0.0195	.1384	----	----	2	----	17 UNCH
555	0.0225	0.0225	0.0240/*0.0225	0.0455B/*0.0225	----	0.0275 - 0.0210	.1437	----	----	33	----	151 + 22
556	0.0320	0.0320	0.0320/*0.0250A	0.0480B/*0.0250	----	0.0290 - 0.0215	.1505	----	----	6	----	12 - 3
557	0.0335	0.0335	0.0335/*0.0270A	0.0490B/*0.0270	----	0.0310 - 0.0220	.1587	----	----	9	----	34 - 3
558	0.0295	0.0295	0.0295/*0.0285A	0.0520B/*0.0285	----	0.0325 - 0.0230	.1656	----	----	9	----	102 - 5
559	----	----	----/*0.0300A	0.0555B/*0.0300	----	0.0345 - 0.0240	.1738	----	----	----	----	25 UNCH
560	0.0345	0.0345	0.0405/*0.0315A	0.0580B/*0.0315	----	0.0360 - 0.0255	.1808	----	----	11	----	517 - 5
561	----	----	----/*0.0330A	0.0610B/*0.0330	----	0.0380 - 0.0260	.1891	----	----	----	----	15 UNCH
562	----	----	----/*0.0350A	0.0650B/*0.0350	----	0.0405 - 0.0270	.1985	----	----	1	----	22 UNCH
563	0.0390	0.0390	0.0390/*0.0365A	0.0675B/*0.0365	----	0.0425 - 0.0280	.2068	----	----	45	----	43 + 31
564	----	----	----/*0.0385A	0.0715B/*0.0385	----	0.0450 - 0.0290	.2162	----	----	----	----	9 UNCH
565	0.0515	0.0515	0.0515/*0.0405A	0.0760B/*0.0405	----	0.0475 - 0.0300	.2257	----	----	1	----	208 UNCH
566	0.0440	0.0440	0.0440/*0.0435A	0.0800B/*0.0435	----	0.0500 - 0.0310	.2351	----	----	2	----	6 UNCH
567	----	----	----/*0.0455A	0.0830B/*0.0455	----	0.0525 - 0.0325	.2445	----	----	----	----	3 UNCH
568	----	----	----/*0.0480A	0.0880B/*0.0480	----	0.0555 - 0.0335	.2549	----	----	----	----	8 UNCH
569	----	----	----/*0.0505A	0.0920B/*0.0505	----	0.0585 - 0.0345	.2653	----	----	----	----	27 UNCH
570	0.0880	0.0880	0.0880/*0.0530	0.0965B/*0.0530	----	0.0615 - 0.0360	.2756	----	----	18	----	533 - 3
571	----	----	0.1025B/*0.0560	0.1025B/*0.0560	----	0.0645 - 0.0370	.2860	----	----	1	----	5 UNCH
572	----	----	----/*0.0590A	0.1065B/*0.0590	----	0.0680 - 0.0385	.2970	----	----	----	----	9 UNCH
573	----	----	0.1115B/*0.0625	0.1115B/*0.0625	----	0.0715 - 0.0395	.3081	----	----	----	----	5 UNCH
574	----	----	0.1175B/*0.0650	0.1175B/*0.0650	----	0.0750 - 0.0410	.3191	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
MAY26												
575	0.1100	0.1100	0.1215B/*0.0675	0.1215B/*0.0675	----	0.0790 - 0.0420	.3306	----	----	54	----	338 + 30
576	----	----	0.1280B/*0.0720	0.1280B/*0.0720	----	0.0830 - 0.0430	.3421	----	----	----	----	29 UNCH
577	----	----	0.1330B/*0.0750	0.1330B/*0.0750	----	0.0870 - 0.0445	.3536	----	----	----	----	77 UNCH
578	----	----	0.1380B/*0.0785	0.1380B/*0.0785	----	0.0910 - 0.0460	.3650	----	----	----	----	25 UNCH
579	----	----	0.1450B/*0.0825	0.1450B/*0.0825	----	0.0955 - 0.0470	.3767	----	----	----	----	6 UNCH
580	0.1345	0.1345	0.1500B/*0.0850	0.1500B/*0.0850	----	0.0995 - 0.0485	.3881	----	----	90	----	268 + 6
581	----	----	0.1570B/*0.0900	0.1570B/*0.0900	----	0.1040 - 0.0500	.3998	----	----	----	----	20 UNCH
582	----	----	0.1625B/*0.0940	0.1625B/*0.0940	----	0.1090 - 0.0510	.4116	----	----	----	----	7 UNCH
583	0.1020	0.1020	0.1710B/*0.0980	0.1710B/*0.0980	----	0.1135 - 0.0525	.4232	----	----	3	----	4 + 3
584	----	----	----/*0.1025A	0.1720B/*0.1025	----	0.1185 - 0.0535	.4349	----	----	2	----	5 UNCH
585	0.1250	0.1250	0.1250/*0.1060A	0.1755B/*0.1060	----	0.1235 - 0.0550	.4466	----	----	11	----	185 - 4
586	----	----	----/*0.1115A	0.1715B/*0.1115	----	0.1290 - 0.0560	.4582	----	----	----	----	3 UNCH
587	----	----	----/*0.1160A	0.1745B/*0.1160	----	0.1340 - 0.0575	.4698	----	----	----	----	3 UNCH
588	----	----	----/*0.1210A	0.1650B/*0.1210	----	0.1395 - 0.0585	.4813	----	----	----	----	2 UNCH
589	----	----	----/*0.1260A	0.1700B/*0.1260	----	0.1450 - 0.0600	.4927	----	----	3	----	5 + 3
590	0.1360	0.1360	0.1605/*0.1300A	0.2105B/*0.1300	----	0.1505 - 0.0610	.5041	----	----	29	----	167 + 23
591	0.1460	0.1460	0.1460/*0.1365A	0.1835B/*0.1365	----	0.1565 - 0.0620	.5153	----	----	4	----	5 + 4
592	----	----	----/*0.1415A	0.1905B/*0.1415	----	0.1620 - 0.0635	.5264	----	----	----	----	50 UNCH
594	0.1580	0.1580	0.1580/*0.1530A	0.2050B/*0.1530	----	0.1745 - 0.0655	.5484	----	----	3	----	3 + 2
595	----	----	0.2480B/*0.1585	0.2480B/*0.1585	----	0.1805 - 0.0665	.5593	----	----	----	----	31 UNCH
597	----	----	----/*0.1705A	0.2275B/*0.1705	----	0.1930 - 0.0690	.5807	----	----	----	----	1 UNCH
598	----	----	----/*0.1760A	0.2350B/*0.1760	----	0.1995 - 0.0700	.5912	----	----	----	----	1 UNCH
600	----	----	----/*0.1875A	0.2735B/*0.1875	----	0.2130 - 0.0720	.6114	----	----	6	----	505 UNCH
602	----	----	----/*0.2065A	0.2665B/*0.2065	----	0.2265 - 0.0745	.6314	----	----	----	----	1 UNCH
603	----	----	----/*0.2135A	0.2745B/*0.2135	----	0.2335 - 0.0755	.6410	----	----	----	----	1 UNCH
604	----	----	----/*0.2195A	0.2830B/*0.2195	----	0.2405 - 0.0765	.6506	----	----	----	----	2 UNCH
605	----	----	----/*0.2225A	0.2910B/*0.2225	----	0.2475 - 0.0780	.6595	----	----	----	----	37 UNCH
610	----	----	----/*0.2575A	0.3335B/*0.2575	----	0.2845 - 0.0830	.7036	----	----	----	----	42 UNCH
615	----	----	----/*0.3000A	0.3770B/*0.3000	----	0.3235 - 0.0875	.7440	----	----	----	----	1 UNCH
619	----	----	----/*0.3550A	0.4130B/*0.3550	----	0.3555 - 0.0915	.7723	----	----	----	----	1 UNCH
620	----	----	----/0.3425A	0.4220B/0.3425A	----	0.3635 - 0.0925	.7795	----	----	----	----	3 UNCH
645	----	----	----/0.5775A	0.5820B/0.5775A	----	0.5835 - 0.1090	.9029	----	----	----	----	1 UNCH
TOTAL										1209		15988 - 138
JUN26												
330	----	----	----	----/*0.0025A	----	0.0015 + 0.0005	.0031	----	----	----	----	3 UNCH
355	----	----	----	----/0.0090A	----	0.0020 + 0.0005	.0044	----	----	----	----	10 UNCH
370	----	----	----	----/0.0095A	----	0.0030 + 0.0005	.0067	----	----	----	----	1 UNCH
380	----	----	----	----/0.0095A	----	0.0035 + 0.0005	.0079	----	----	----	----	1 UNCH
400	----	----	----	0.0020B/0.0075A	----	0.0050 + 0.0010	.0117	----	----	----	----	3 UNCH
405	----	----	----	----/*0.0080A	----	0.0050 + 0.0005	.0120	----	----	----	----	1 UNCH
410	----	----	----	----/*0.0085A	----	0.0050 + 0.0005	.0123	----	----	----	----	2 UNCH
420	----	----	----	0.0035B/*0.0085	----	0.0050 - 0.0005	.0130	----	----	----	----	3 UNCH
430	----	----	----	0.0005B/*0.0080	----	0.0055 - 0.0005	.0149	----	----	1	----	3 - 1
435	----	----	----	0.0010B/*0.0100	----	0.0055 - 0.0010	.0153	----	----	1	----	2 UNCH
440	----	----	----	0.0040B/*0.0085	----	0.0060 - 0.0015	.0169	----	----	5	----	8 UNCH
445	----	----	----	0.0055B/0.0110A	----	0.0065 - 0.0015	.0185	----	----	5	----	11 - 1
450	0.0090	0.0090	0.0090/0.0090	0.0090/0.0090	----	0.0070 - 0.0020	.0202	----	----	6	----	473 - 3
455	----	----	----/*0.0085A	0.0060B/*0.0085	----	0.0080 - 0.0015	.0231	----	----	15	----	65 - 5
460	----	----	----/*0.0085A	0.0085B/*0.0085	----	0.0090 - 0.0015	.0260	----	----	1	----	89 - 1
465	----	----	----/*0.0090A	0.0095B/*0.0090	----	0.0095 - 0.0025	.0280	----	----	17	----	920 - 1
470	0.0090	0.0090	0.0090/*0.0090	0.0105B/*0.0090	----	0.0105 - 0.0030	.0312	----	----	5	----	671 UNCH
475	----	----	----/*0.0105A	0.0120B/*0.0105	----	0.0120 - 0.0035	.0356	----	----	7	----	156 - 7
480	0.0130	0.0130	0.0130/*0.0120	0.0140B/*0.0120	----	0.0130 - 0.0045	.0390	----	----	20	55	1010 + 1
485	----	----	----/*0.0135A	0.0155B/*0.0135	----	0.0145 - 0.0050	.0437	----	----	----	----	54 UNCH
490	----	----	----/*0.0155A	0.0180B/*0.0155	----	0.0160 - 0.0060	.0486	----	----	1	----	62 - 1
495	----	----	----/*0.0175A	0.0205B/*0.0175	----	0.0180 - 0.0065	.0547	----	----	----	----	35 UNCH
500	----	----	----/*0.0195A	0.0235B/*0.0195	----	0.0205 - 0.0070	.0621	----	----	12	----	571 + 3
505	0.0225	0.0225	0.0225/*0.0220A	0.0280B/*0.0220	----	0.0235 - 0.0080	.0707	----	----	3	----	517 + 2
510	----	----	----/*0.0250A	0.0320B/*0.0250	----	0.0265 - 0.0090	.0795	----	----	4	----	221 - 1
515	----	----	----/*0.0285A	0.0375B/*0.0285	----	0.0300 - 0.0105	.0897	----	----	1	----	29 UNCH
520	0.0375	0.0375	0.0375/*0.0325	0.0425B/*0.0325	----	0.0340 - 0.0125	.1011	----	----	47	----	171 - 18
523	----	----	----/*0.0350A	0.0460B/*0.0350	----	0.0370 - 0.0130	.1092	----	----	----	----	3 UNCH
525	0.0420	0.0420	0.0420/*0.0370A	0.0490B/*0.0370	----	0.0390 - 0.0140	.1147	----	----	5	----	2302 - 2
528	----	----	----/*0.0400A	0.0535B/*0.0400	----	0.0420 - 0.0155	.1230	----	----	----	----	3 UNCH
529	----	----	----/*0.0410A	0.0545B/*0.0410	----	0.0430 - 0.0160	.1258	----	----	----	----	5 UNCH
530	0.0505	0.0505	0.0505/*0.0425A	0.0565B/*0.0425	----	0.0445 - 0.0160	.1295	----	----	57	----	142 + 25
531	----	----	----/*0.0435A	0.0580B/*0.0435	----	0.0455 - 0.0165	.1323	----	----	----	----	2 UNCH
532	0.0515	0.0515	0.0515/*0.0445A	0.0600B/*0.0445	----	0.0470 NEW	.1360	----	----	2	----	2 + 2
534	----	----	----/*0.0470A	0.0640B/*0.0470	----	0.0495 - 0.0180	.1426	----	----	----	----	3 UNCH
535	----	----	----/*0.0485A	0.0655B/*0.0485	----	0.0510 - 0.0180	.1463	----	----	2	----	24 + 2
537	----	----	----/*0.0510A	0.0685B/*0.0510	----	0.0540 - 0.0190	.1537	----	----	----	----	4 UNCH
538	----	----	----/*0.0525A	0.0715B/*0.0525	----	0.0555 - 0.0195	.1575	----	----	----	----	5 UNCH
539	----	----	----/*0.0540A	0.0735B/*0.0540	----	0.0570 - 0.0200	.1612	----	----	----	----	1 UNCH
540	0.0655	0.0655	0.0655/*0.0555A	0.0760B/*0.0555	----	0.0585 - 0.0205	.1650	----	----	11	----	56 + 5
542	----	----	----/*0.0585A	0.0795B/*0.0585	----	0.0620 - 0.0210	.1733	----	----	----	----	3 UNCH
543	----	----	----/*0.0600A	0.0810B/*0.0600	----	0.0640 - 0.0215	.1778	----	----	----	----	12 UNCH
544	0.0685	0.0685	0.0685/*0.0620A	0.0845B/*0.0620	----	0.0660 - 0.0215	.1824	----	----	1	----	2 + 1
545	----	----	----/*0.0635A	0.0865B/*0.0635	----	0.0680 - 0.0220	.1869	----	----	25	----	56 - 11
546	----	----	----/*0.0650A	0.0890B/*0.0650	----	0.0700 NEW	.1914	----	----	1	----	1 + 1
547	0.0670	0.0670	0.0740/*0.0665A	0.0920B/*0.0665	----	0.0720 NEW	.1960	----	----	4	----	3 + 3
548	----	----	----/*0.0685A	0.0935B/*0.0685	----	0.0740 - 0.0235	.2005	----	----	----	----	1 UNCH
550	0.0785	0.0785	0.0800/*0.0725A	0.1000B/*0.0725	----	0.0785 - 0.0240	.2103	----	----	6	----	151 UNCH
551	----	----	----/*0.0740A	0.1030B/*0.0740	----	0.0810 - 0.0245	.2154	----	----	----	----	90 UNCH
553	0.0785	0.0785	0.0785/*0.0785	0.1090B/*0.0785	----	0.0855 NEW	.2252	----	----	3	----	3 + 3
555	0.0855	0.0855	0.0855/*0.0825A	0.1130B/*0.0825	----	0.0905 - 0.0265	.2356	----	----	2	----	10 UNCH
556	0.0880	0.0880	0.0880/*0.0855A	0.1160B/*0.0855	----	0.0935 NEW	.2413	----	----	2	----	2 + 2
557	0.0940	0.0940	0.0980/*0.0875A	0.1195B/*0.0875	----	0.0960 - 0.0275	.2466	----	----	6	----	52 + 2
559	----	----	----/*0.0920A	0.1260B/*0.0920	----	0.1015 - 0.0285	.2575	----	----	----	----	5 UNCH
560	----	----	----/*0.0945A	0.1300B/*0.0945	----	0.1045 - 0.0290	.2632	----	----	2	----	4 - 1
561	----	----	----/*0.0970A	0.1335B/*0.0970	----	0.1075 - 0.0295	.2689	----	----	----	----	2 UNCH
565	----	----	----/*0.1075A	0.1495B/*0.1075	----	0.1200 - 0.0315	.2921	----	----	----	----	166 UNCH
567	0.1225	0.1225	0.1290/*0.1140A	0.1575B/*0.1140	----	0.1265 - 0.0330	.3040	----	----	3	----	3 + 3
568	----	----	----/*0.1175A	0.1600B/*0.1175	----	0.1300 - 0.0335	.3101	----	----	----	----	0 UNCH
570	0.1445	0.1445	0.1445/*0.1230A	0.1700B/*0.1230	----	0.1375 - 0.0340	.3226	----	----	2	----	14 + 1
574	----	----	----/*0.1365A	0.1880B/*0.1365	----	0.1525 - 0.0365	.3475	----	----	----	----	1 UNCH
575	0.1610	0.1610	0.1610/*0.1400A	0.1925B/*0.1400	----	0.1565 - 0.0370	.3538	----	----	2	----	63 + 1
576	----	----	----/*0.1435A	0.1970B/*0.1435	----	0.1605 - 0.0380	.3602	----	----	----	----	1 UNCH
577	----	----	----/*0.1475A	0.2020B/*0.1475	----	0.1645 - 0.0385	.3665	----	----	----	----	1 UNCH
578	----	----	----/*0.1510A	0.2070B/*0.1510	----	0.1690 - 0.0390	.3731	----	----	----	----	1 UNCH
579	----	----	----/*0.1550A	0.2125B/*0.1550	----	0.1735 - 0.0395	.3796	----	----	----	----	2 UNCH
580	0.1625	0.1625	0.1625/*0.1585A	0.2175B/*0.1585	----	0.1775 - 0.0405	.3859	----	----	2	----	15 + 1
581	----	----	----/*0.1625A	0.2230B/*0.1625	----	0.1820 - 0.0410	.3924	----	----	----	----	1 UNCH
582	0.1785	0.1785	0.1785/*0.1660A	0.2280B/*0.1660	----	0.1870 - 0.0410	.3990	----	----	1	----	3 + 1
583	----	----	----/*0.1705A	0.2325B/*0.1705	----	0.1915 - 0.0415	.4055	----	----	----	----	1 UNCH
584	0.1930	0.1930	0.1930/*0.1745A	0.2385B/*0.1745	----	0.1960 - 0.0425	.4120	----	----	3	----	4 + 2
585	----	----	----/*0.1790A	0.2440B/*0.1790	----	0.2010 - 0.0430	.4185	----	----	----	----	2 UNCH
588	----	----	0.2610B/*0.1920	0.2610B/*0.1920	----	0.2160 NEW	.4381	----	----	1	----	1 + 1
590	----	----	----/*0.2015A	0.2720B/*0.2015	----	0.2265 - 0.0455	.4511	----	----	----	----	2 UNCH
594	----	----	0.2965B/*0.2210	0.2965B/*0.2210	----	0.2480 NEW	.4769	----	----	3	----	3 + 3
600	----	----	----/*0.2520A	0.3285B/*0.2520	----	0.2830 - 0.0505	.5147	----	----	5	----	17 + 2
602	----	----	----/*0.2635A	0.3180B/*0.2635	----	0.2950 - 0.0515	.5269	----	----	----	----	1 UNCH
605	----	----	----/*0.2805A	0.3630B/*0.2805	----	0.3140 - 0.0525	.5450	----	----	----	----	48 UNCH
610	----	----	----/*0.3105A	0.3985B/*0.3105	----	0.3465 - 0.0550	.5743	----	----	----	----	20 UNCH
615	----	----	----/*0.3435A	0.4360B/*0.3435	----	0.3800 - 0.0575	.6023	----	----	----	----	31 UNCH
620	----	----	----/*0.3770A	0.4740B/*0.3770	----	0.4145 - 0.0605	.6296	----	----	----	----	9 UNCH
630	----	----	----/*0.4480A	0.5200B/*0.4480	----	0.4875 - 0.0660	.6797	----	----	----	----	9 UNCH
645	----	----	----/0.5860A	0.6465B/0.5860A	----	0.6050 - 0.0750	.7456	----	----	----	----	1 UNCH
650	----	----	----/0.6270A	0.6905B/0.6270A	----	0.6460 - 0.0775	.7643	----	----	----	----	3 UNCH
655	----	----	----/0.6860A	0.7350B/0.6860A	----	0.6875 - 0.0805	.7827	----	----	----	----	1 UNCH
700	----	----	----/1.0865A	1.0870B/1.0865A	----	1.0895 - 0.1010	.8953	----	----	----	----	1 UNCH
TOTAL									55	302		8466 + 14
JUL26												
330	----	----	----	----/0.0105A	----	0.0010 - 0.0005	.0023	----	----	----	----	80 UNCH
350	----	----	----	----/0.0115A	----	0.0015 - 0.0010	.0035	----	----	----	----	5 UNCH
380	----	----	----	----/0.0130A	----	0.0030 - 0.0015	.0072	----	----	----	----	2 UNCH
390	----	----	----	0.0010B/*0.0140	----	0.0035 - 0.0020	.0086	----	----	----	----	6 UNCH
395	----	----	----	0.0010B/*0.0150	----	0.0040 - 0.0020	.0098	----	----	----	----	1 UNCH
400	----	----	----	0.0020B/0.0110A	----	0.0045 - 0.0025	.0110	----	----	----	----	508 UNCH
405	0.0080	0.0080	0.0080/*0.0080	0.0080/*0.0080	----	0.0050 - 0.0025	.0123	----	----	1	----	1 UNCH
415	----	----	----/*0.0085A	0.0035B/*0.0085	----	0.0065 - 0.0030	.0158	----	----	----	----	53 UNCH
420	----	----	----/*0.0090A	0.0040B/*0.0090	----	0.0070 - 0.0035	.0172	----	----	----	----	4 UNCH
425	0.0140	0.0140	0.0140/*0.0095A	0.0140/*0.0095A	----	0.0080 - 0.0035	.0196	----	----	1	----	50 UNCH
430	----	----	----/*0.0110A	0.0060B/*0.0110	----	0.0085 - 0.0040	.0211	----	----	----	----	8 UNCH
435	----	----	----	0.0080B/*0.0165	----	0.0095 - 0.0045	.0236	----	----	----	----	5 UNCH
440	----	----	----	0.0100B/*0.0160	----	0.0105 - 0.0050	.0261	----	----	----	----	3 UNCH
445	----	----	----	0.0120B/*0.0170	----	0.0120 - 0.0050	.0296	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 74

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUL26												
450	0.0165	0.0165	0.0165/*0.0155A	0.0165/*0.0155A	----	0.0135 - 0.0055	.0332	----	----	2	----	1923 UNCH
455	----	----	----/*0.0165A	0.0140B/*0.0165	----	0.0150 - 0.0065	.0369	----	----	----	----	9 UNCH
460	----	----	----/*0.0185A	0.0155B/*0.0185	----	0.0165 - 0.0075	.0407	----	----	----	----	5 UNCH
470	0.0220	0.0220	0.0220/*0.0220	0.0220/*0.0220	----	0.0210 - 0.0085	.0511	----	----	1	----	2 - 1
475	----	----	----/*0.0245A	0.0245B/*0.0245	----	0.0240 - 0.0085	.0578	----	----	----	----	510 UNCH
480	----	----	----/*0.0275A	0.0290B/*0.0275	----	0.0270 - 0.0095	.0645	----	----	----	----	70 UNCH
485	----	----	----/*0.0300A	0.0335B/*0.0300	----	0.0300 - 0.0105	.0714	----	----	----	----	1 UNCH
490	0.0355	0.0355	0.0355/*0.0335A	0.0385B/*0.0335	----	0.0340 - 0.0110	.0800	----	----	3	----	540 - 3
495	----	----	----/*0.0375A	0.0445B/*0.0375	----	0.0380 - 0.0125	.0887	----	----	----	----	96 UNCH
500	0.0400	0.0400	0.0400/*0.0400	0.0510B/*0.0400	----	0.0425 - 0.0135	.0983	----	----	8	----	2617 - 1
505	----	----	----/*0.0470A	0.0575B/*0.0470	----	0.0480 - 0.0145	.1095	----	----	----	----	2 UNCH
510	0.0555	0.0555	0.0555/*0.0530A	0.0650B/*0.0530	----	0.0540 - 0.0160	.1215	----	----	1	----	33 UNCH
520	----	----	----/*0.0655A	0.0820B/*0.0655	----	0.0675 - 0.0195	.1480	----	----	31	----	593 - 25
525	0.0730	0.0730	0.0800/*0.0730	0.0920B/*0.0730	----	0.0760 - 0.0205	.1636	----	----	6	----	520 - 4
530	----	----	----/*0.0805A	0.1025B/*0.0805	----	0.0850 - 0.0225	.1799	----	----	----	----	3220 UNCH
534	----	----	----/*0.0905A	0.1120B/*0.0905	----	0.0935 - 0.0235	.1943	----	----	----	----	1 UNCH
535	----	----	----/*0.0925A	0.1145B/*0.0925	----	0.0955 - 0.0240	.1978	----	----	----	----	1 UNCH
539	----	----	----/*0.1005A	0.1250B/*0.1005	----	0.1045 - 0.0255	.2128	----	----	----	----	1 UNCH
540	0.1035	0.1035	0.1035/*0.0995A	0.1280B/*0.0995	----	0.1070 - 0.0255	.2168	----	----	38	----	481 + 24
550	0.1255	0.1255	0.1380/*0.1230A	0.1580B/*0.1230	----	0.1335 - 0.0290	.2580	----	----	139	100	600 + 129
555	----	----	----/*0.1385A	0.1760B/*0.1385	----	0.1485 - 0.0310	.2800	----	----	31	----	54 + 10
560	----	----	----/*0.1515A	0.1945B/*0.1515	----	0.1650 - 0.0335	.3029	----	----	2	----	152 - 1
565	----	----	----/*0.1690A	0.2150B/*0.1690	----	0.1830 - 0.0355	.3267	----	----	----	----	7 UNCH
570	----	----	----/*0.1865A	0.2370B/*0.1865	----	0.2030 - 0.0365	.3512	----	----	2	----	81 UNCH
571	----	----	----/*0.1905A	0.2415B/*0.1905	----	0.2070 - 0.0370	.3561	----	----	----	----	1 UNCH
574	----	----	----/*0.2015A	0.2555B/*0.2015	----	0.2200 - 0.0375	.3710	----	----	----	----	5 UNCH
580	----	----	----/*0.2250A	0.2850B/*0.2250	----	0.2475 - 0.0385	.4012	----	----	29	----	1764 + 29
585	----	----	----/*0.2480A	0.3115B/*0.2480	----	0.2715 - 0.0405	.4263	----	----	----	----	21 UNCH
586	----	----	----/*0.2525A	0.3175B/*0.2525	----	0.2765 - 0.0410	.4313	----	----	----	----	7 UNCH
587	----	----	----/*0.2570A	0.3230B/*0.2570	----	0.2820 - 0.0410	.4364	----	----	----	----	7 UNCH
588	----	----	----/*0.2630A	0.3275B/*0.2630	----	0.2870 - 0.0415	.4414	----	----	----	----	1 UNCH
589	----	----	----/*0.2665A	0.3330B/*0.2665	----	0.2925 - 0.0420	.4464	----	----	----	----	7 UNCH
590	----	----	----/*0.2715A	0.3390B/*0.2715	----	0.2975 - 0.0425	.4514	----	----	----	----	21 UNCH
595	----	----	----/*0.2970A	0.3685B/*0.2970	----	0.3250 - 0.0445	.4762	----	----	----	----	2 UNCH
600	----	----	----/*0.3230A	0.3990B/*0.3230	----	0.3545 - 0.0455	.5006	----	----	----	----	10 UNCH
610	----	----	----/*0.3800A	0.4595B/*0.3800	----	0.4165 - 0.0480	.5473	----	----	----	----	47 UNCH
615	----	----	----/*0.4105A	0.4945B/*0.4105	----	0.4495 - 0.0490	.5698	----	----	----	----	10 UNCH
700	----	----	----	----	----	1.1280 - 0.0850	.8342	----	----	----	----	1 UNCH
705	----	----	----	----	----	1.1730 - 0.0870	.8437	----	----	----	----	1 UNCH
TOTAL									100	295		14153 + 157
AUG26												
405	----	----	----	0.0070B/0.0215A	----	0.0125 - 0.0025	.0239	----	----	----	----	3 UNCH
420	----	----	----	0.0100B/*0.0205	----	0.0145 - 0.0040	.0287	----	----	----	----	1 UNCH
440	0.0210	0.0210	0.0210/*0.0210	0.0210/*0.0210	----	0.0195 - 0.0065	.0394	----	----	1	----	8 - 1
450	----	----	----/*0.0280A	0.0215B/*0.0280	----	0.0230 - 0.0080	.0467	----	----	----	----	4 UNCH
475	----	----	----/*0.0415A	0.0420B/*0.0415	----	0.0370 - 0.0125	.0737	----	----	----	----	2 UNCH
480	----	----	----/*0.0455A	0.0475B/*0.0455	----	0.0410 - 0.0140	.0810	----	----	----	----	4 UNCH
500	----	----	----/*0.0655A	0.0745B/*0.0655	----	0.0630 - 0.0180	.1183	----	----	----	----	3 UNCH
510	----	----	----/*0.0795A	0.0900B/*0.0795	----	0.0780 - 0.0200	.1418	----	----	----	----	1 UNCH
520	----	----	----/*0.0960A	0.1100B/*0.0960	----	0.0955 - 0.0225	.1681	----	----	----	----	300 UNCH
530	----	----	----/*0.1150A	0.1330B/*0.1150	----	0.1155 - 0.0260	.1970	----	----	----	----	1 UNCH
580	----	----	----/*0.2685A	0.3150B/*0.2685	----	0.2835 - 0.0400	.3847	----	----	----	----	250 UNCH
585	----	----	----/*0.2900A	0.3400B/*0.2900	----	0.3075 - 0.0410	.4056	----	----	----	----	5 UNCH
590	----	----	----/*0.3130A	0.3665B/*0.3130	----	0.3330 - 0.0415	.4264	----	----	----	----	14 UNCH
TOTAL										1		596 - 1
SEP26												
400	----	----	----	0.0095B/*0.0250	----	0.0160 - 0.0035	.0279	----	----	----	----	1 UNCH
450	----	----	----/*0.0410A	0.0325B/*0.0410	----	0.0340 - 0.0085	.0603	----	----	----	----	578 UNCH
470	----	----	----/*0.0560A	0.0510B/*0.0560	----	0.0495 - 0.0125	.0853	----	----	----	----	3 UNCH
475	----	----	----/*0.0610A	0.0565B/*0.0610	----	0.0545 - 0.0140	.0930	----	----	----	----	70 UNCH
480	----	----	----/*0.0665A	0.0625B/*0.0665	----	0.0600 - 0.0155	.1013	----	----	----	----	7 UNCH
485	----	----	----/*0.0725A	0.0700B/*0.0725	----	0.0660 - 0.0165	.1101	----	----	----	----	1 UNCH
490	----	----	----/*0.0800A	0.0770B/*0.0800	----	0.0725 - 0.0180	.1196	----	----	----	----	9 UNCH
500	----	----	----/*0.0950A	0.0935B/*0.0950	----	0.0880 - 0.0205	.1409	----	----	----	----	377 UNCH
520	----	----	----/*0.1320A	0.1365B/*0.1320	----	0.1255 - 0.0255	.1898	----	----	----	----	3 UNCH
525	----	----	----/*0.1435A	0.1495B/*0.1435	----	0.1370 - 0.0270	.2037	----	----	----	----	325 UNCH
535	----	----	----/*0.1680A	0.1775B/*0.1680	----	0.1620 NEW	.2331	----	----	1	350	350 + 350
540	----	----	----/*0.1745A	0.1975B/*0.1745	----	0.1765 - 0.0305	.2490	----	----	----	----	1 UNCH
550	----	----	----/*0.2040A	0.2325B/*0.2040	----	0.2075 - 0.0335	.2818	----	----	1	----	20 UNCH
575	----	----	----/*0.2945A	0.3385B/*0.2945	----	0.3065 - 0.0390	.3715	----	----	----	----	102 UNCH
590	----	----	----/*0.3630A	0.4150B/*0.3630	----	0.3790 - 0.0415	.4271	----	----	----	----	2 UNCH
600	----	----	----/*0.4135A	0.4710B/*0.4135	----	0.4330 - 0.0425	.4638	----	----	----	----	9 UNCH
610	----	----	----/*0.4680A	0.5310B/*0.4680	----	0.4905 - 0.0440	.4998	----	----	----	----	6 UNCH
615	----	----	----/*0.4965A	0.5625B/*0.4965	----	0.5210 - 0.0445	.5173	----	----	----	----	1 UNCH
625	----	----	----/0.5570A	0.6280B/0.5570A	----	0.5840 - 0.0465	.5514	----	----	----	----	147 UNCH
695	----	----	----/1.0810A	1.1070B/1.0810A	----	1.1060 - 0.0685	.7439	----	----	----	----	2 UNCH
TOTAL									350	2		2014 + 350
OCT26												
375	----	----	----	0.0010B/0.0280A	----	0.0145 - 0.0015	.0223	----	----	----	----	2 UNCH
400	----	----	----	0.0060B/*0.0320	----	0.0190 - 0.0025	.0304	----	----	----	----	1 UNCH
450	----	----	----	0.0335B/*0.0525	----	0.0405 - 0.0090	.0647	----	----	----	----	1 UNCH
470	----	----	----/*0.0705A	0.0565B/*0.0705	----	0.0585 - 0.0135	.0901	----	----	----	----	1 UNCH
500	0.1050	0.1050	0.1050/*0.1000	0.1050/*0.1000	----	0.0995 - 0.0225	.1426	----	----	6	----	116 + 6
TOTAL										6		121 + 6
NOV26												
400	----	----	----	0.0075B/0.0410A	----	0.0245 - 0.0030	.0362	----	----	----	----	10 UNCH
475	----	----	----/*0.0975A	0.0785B/*0.0975	----	0.0815 - 0.0165	.1114	----	----	----	----	2 UNCH
735	----	----	----/1.4310A	1.4210B/1.4310A	----	1.4355 - 0.0715	.7565	----	----	----	----	2 UNCH
TOTAL												14
DEC26												
385	----	----	----	0.0040B/*0.0440	----	0.0260 - 0.0015	.0352	----	----	----	----	1 UNCH
400	----	----	----	0.0300B/*0.0490	----	0.0320 - 0.0015	.0434	----	----	----	----	17 UNCH
420	----	----	----	0.0225B/*0.0585	----	0.0425 - 0.0030	.0573	----	----	----	----	2 UNCH
455	----	----	----	0.0600B/*0.0890	----	0.0710 - 0.0120	.0928	----	----	----	----	1 UNCH
475	0.1020	0.1020	0.1165B/*0.1020	0.1165B/*0.1020	----	0.0970 - 0.0175	.1221	----	----	1	----	76 - 1
490	----	----	----/*0.1415A	0.1210B/*0.1415	----	0.1230 - 0.0215	.1490	----	----	----	----	5 UNCH
500	0.1800	0.1800	0.1800/*0.1615A	0.1800/*0.1615A	----	0.1440 - 0.0230	.1692	----	----	10	----	53 - 9
550	----	----	----/*0.2995A	0.2975B/*0.2995	----	0.2880 - 0.0340	.2899	----	----	----	----	2 UNCH
560	----	----	----/*0.3365A	0.3385B/*0.3365	----	0.3260 - 0.0365	.3172	----	----	----	----	300 UNCH
570	----	----	----/*0.3765A	0.3830B/*0.3765	----	0.3680 - 0.0385	.3453	----	----	----	----	1 UNCH
580	----	----	----/*0.4205A	0.4305B/*0.4205	----	0.4130 - 0.0405	.3738	----	----	----	----	22 UNCH
600	----	----	----/*0.5165A	0.5355B/*0.5165	----	0.5135 - 0.0435	.4310	----	----	----	----	26 UNCH
630	----	----	----/0.6815A	0.7150B/0.6815A	----	0.6870 - 0.0475	.5139	----	----	----	----	18 UNCH
TOTAL										11		524 - 10
JAN27												
400	----	----	----	----	----	0.0335 - 0.0060	.0434	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0405 - 0.0065	.0490	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0115 - 0.0015	.0119	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
APR26												
548	----	----	#0.4430B/0.2755	#0.4430B/0.2755	----	0.4060 + 0.1210	----	----	----	----	----	0 - 2
555	----	----	0.3730B/0.2060A	0.3730B/0.2060A	----	0.3360 + 0.1205	----	----	----	----	----	0 - 1
558	----	----	#0.3380B/----	#0.3380B/0.2795	----	0.3335 + 0.1005	.8478	----	----	----	----	11 UNCH
560	----	----	0.3230B/0.1570A	0.3230B/0.1570A	----	0.2860 + 0.1200	----	----	----	1	----	0 - 2
567	----	----	0.2530B/0.0945A	0.2530B/0.0945A	----	0.2160 + 0.1155	----	----	----	----	----	0 - 5
570	----	----	0.2230B/0.0720A	0.2230B/0.0720A	----	0.1860 + 0.1105	----	----	----	----	----	0 - 1
572	0.1395	0.1395	0.2030B/0.0595A	0.2030B/0.0595A	----	0.1660 + 0.1055	----	----	----	1	----	0 - 1
574	----	----	#0.1815B/----	0.1815B/0.1035A	----	0.1805 + 0.0805	.7630	----	----	----	----	1 UNCH
575	----	----	0.1735B/----	0.1735B/0.0430A	----	0.1360 + 0.0950	----	----	----	----	----	0 - 9
575	----	----	#0.2325B/0.1280	#0.2325B/0.1280	----	0.2085 + 0.0800	.6774	----	----	----	----	7 UNCH
576	----	----	0.1635B/----	0.1635B/0.0395A	----	0.1260 + 0.0900	----	----	----	----	----	0 - 1
578	0.0845	0.0845	#0.1505B/0.0845	0.1505B/0.0845	----	0.1520 NEW	.7000	----	----	2	----	1 + 1
580	0.0290	0.0290	0.1240B/0.0290	0.1240B/0.0245A	----	0.0860 + 0.0670	----	----	----	2	----	0 - 8
580	----	----	#0.1360B/----	0.1360B/0.0775A	----	0.1390 + 0.0670	.6654	----	----	----	----	5 UNCH
580	0.2190	0.2190	#0.2190/0.2190	#0.2190/0.1060A	----	0.1790 + 0.0730	.6166	----	----	2	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HXE CALL		COPPER OPTIONS										
APR26												
581	----	----	#0.1310B/----	0.1310B/0.0740A	----	0.1330 + 0.0650	.6473	----	----	----	----	1 UNCH
582	0.0150	0.0150	0.1040B/0.0150	0.1040B/0.0145A	----	0.0660 NEW	----	----	----	20	----	0 UNCH
584	0.0090	0.0090	0.0845B/*0.0090	0.0845B/*0.0090	----	0.0460 NEW	----	----	----	1	----	0 UNCH
585	0.0075	0.0075	0.0745B/*0.0075	0.0745B/*0.0075	----	0.0360 + 0.0290	----	----	----	2	----	0 - 3
587	----	----	0.0550B/----	0.0550B/0.0100A	----	0.0160 + 0.0115	----	----	----	----	----	0 - 1
589	0.0020	0.0020	0.0365B/*0.0020	0.0365B/*0.0020	----	0.0000 - 0.0025	----	----	----	9	----	0 - 5
589	----	----	#0.1130B/----	0.1130B/0.0495A	----	0.0910 NEW	.4999	----	----	4	----	4 + 4
590	0.0250	0.0250	0.0275B/0.0095A	0.0275B/0.0095A	----	0.0000 - 0.0020	----	----	----	30	----	0 - 30
590	----	----	#0.1080B/----	0.1080B/0.0470A	----	0.0865 + 0.0470	.4818	----	----	----	----	10 UNCH
590	0.1325	0.1325	#0.1510B/0.1325	#0.1510B/0.0715	----	0.1305 NEW	.4943	----	----	1	----	1 + 1
592	----	----	0.0160B/----	0.0160B/0.0090A	----	0.0000 NEW	----	----	----	32	----	0 UNCH
593	0.0150	0.0150	0.0150/0.0085A	0.0150/0.0085A	----	0.0000 NEW	----	----	----	34	----	0 UNCH
594	0.0040	0.0040	0.0075B/*0.0040	0.0075B/*0.0040	----	0.0000 - 0.0010	----	----	----	7	----	0 - 1
595	----	----	#0.0850B/----	0.0850B/0.0365A	----	0.0680 + 0.0390	.3961	----	----	1	----	6 + 1
595	----	----	#0.1290B/----	#0.1290B/0.0585	----	0.1110 + 0.0540	.4366	----	----	----	----	7 UNCH
600	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0000 - 0.0005	----	----	----	3	----	0 - 4
600	0.0950	0.0950	#0.1095B/0.0950	#0.1095B/0.0475	----	0.0945 NEW	.3832	----	----	3	----	3 + 3
604	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
610	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 100
630	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
640	----	----	0.0040B/----	0.0040B/0.0085A	----	0.0050 + 0.0035	.0336	----	----	----	----	3 UNCH
650	0.0045	0.0045	0.0045/*0.0045	0.0045/*0.0045	----	0.0030 NEW	.0193	----	----	10	----	10 + 10
670	----	----	----	----/*0.0075A	----	0.0005 UNCH	.0031	----	----	----	----	3 UNCH
TOTAL										165		75 - 157
MAY26												
580	----	----	#0.2635B/0.1585	#0.2635B/0.1585	----	0.2410 NEW	.6556	----	----	1	----	1 + 1
TOTAL										1		1 + 1
HXE PUT		COPPER OPTIONS										
APR26												
470	----	----	----	----/*0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
490	----	----	----	----/*0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
510	----	----	----	----/*0.0075A	----	0.0005 - 0.0005	.0008	----	----	----	----	25 UNCH
515	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 115
520	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 31
524	0.0100	0.0100	0.0100/*0.0100	0.0100/*0.0100	----	0.0065 NEW	.0347	----	----	1	----	1 + 1
526	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
530	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 31
535	----	----	----	----/*0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 7
540	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 115
545	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
550	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 5
552	0.0010	0.0010	0.0030/*0.0005A	0.0030/*0.0005A	----	0.0000 - 0.0005	----	----	----	601	----	0 - 1
555	----	----	----	----/*0.0065A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 1
558	----	----	----	----/0.0065A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 1
560	----	----	----	0.0005B/0.0070A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 18
565	----	----	----	----/*0.0070A	----	0.0000 - 0.0040	----	----	----	----	----	0 - 3
565	0.0170	0.0170	0.0170/*0.0170	0.0335B/*0.0170	----	0.0180 - 0.0240	.1313	----	----	1	----	1 UNCH
568	----	----	----/*0.0240A	0.0440B/*0.0240	----	0.0220 - 0.0295	.1595	----	----	----	----	1 UNCH
569	----	----	----/*0.0070A	0.0010B/*0.0070	----	0.0000 - 0.0090	----	----	----	----	----	0 - 5
570	0.0060	0.0060	0.0060/*0.0015	0.0060/*0.0015	----	0.0000 - 0.0110	----	----	----	3	----	0 - 11
571	----	----	----/*0.0070A	0.0045B/*0.0070	----	0.0000 - 0.0130	----	----	----	----	----	0 - 10
572	0.0160	0.0160	0.0160/*0.0075A	0.0160/*0.0075A	----	0.0000 - 0.0160	----	----	----	2	----	0 - 11
573	0.0050	0.0050	0.0050/*0.0050	0.0125B/*0.0050	----	0.0000 NEW	----	----	----	10	----	0 UNCH
575	0.0100	0.0100	0.0100/*0.0010	0.0225B/*0.0010	----	0.0000 - 0.0265	----	----	----	15	----	0 - 1
576	----	----	----/*0.0080A	0.0280B/*0.0080	----	0.0000 - 0.0315	----	----	----	----	----	0 - 1
577	----	----	----/*0.0070A	0.0345B/*0.0070	----	0.0000 NEW	----	----	----	32	----	0 UNCH
585	0.0025	0.0025	0.0995B/*0.0025	0.0995B/*0.0025	----	0.0000 NEW	----	----	----	42	----	0 UNCH
587	0.0100	0.0100	0.1185B/*0.0095	0.1185B/*0.0095	----	0.0000 NEW	----	----	----	40	----	0 UNCH
589	0.0205	0.0205	0.1375B/*0.0120	0.1375B/*0.0120	----	0.0040 NEW	.0000	----	----	1	----	0 UNCH
589	----	----	----/*0.0870A	0.1245B/*0.0870	----	0.0950 NEW	.4998	----	----	4	----	4 + 4
TOTAL										752		34 - 366
MAY26												
465	----	----	----	----/*0.0030A	----	0.0020 - 0.0010	.0078	----	----	----	----	14 UNCH
510	----	----	----	0.0035B/*0.0105	----	0.0070 - 0.0030	.0308	----	----	----	----	1 UNCH
TOTAL												15

ALUMINIUM OPTIONS ON FUTURES

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
MAY26												
1575	----	----	----/26.90A	33.40B/26.90A	----	23.10 - 16.60	.3548	----	----	----	----	5 UNCH
1585	----	----	----/24.10A	29.00B/24.10A	----	20.10 - 15.30	.3151	----	----	----	----	1 UNCH
1600	----	----	----/20.60A	23.10B/20.60A	----	16.20 - 13.50	.2607	----	----	----	----	31 UNCH
1610	----	----	----/18.60A	19.70B/18.60A	----	14.10 - 12.30	.2291	----	----	----	----	15 UNCH
1615	----	----	----/17.70A	18.20B/17.70A	----	13.00 - 11.90	.2133	----	----	----	----	15 UNCH
1720	----	----	----	1.70B/9.40A	----	2.50 - 4.30	.0411	----	----	----	----	8 UNCH
1800	----	----	----	----/7.70A	----	0.80 - 2.00	.0117	----	----	----	----	4 UNCH
1900	----	----	----	----/6.70A	----	0.20 - 0.70	.0024	----	----	----	----	20 UNCH
1925	----	----	----	----/6.50A	----	0.10 - 0.50	.0009	----	----	----	----	10 UNCH
1950	----	----	----	----/6.30A	----	0.10 - 0.40	.0005	----	----	----	----	40 UNCH
2475	----	----	----	----/5.20A	----	0.10 UNCH	----	----	----	----	----	100 UNCH
TOTAL												249 0
JUN26												
1400	----	----	----/184.60A	204.30B/184.60A	----	185.20 - 22.60	.7414	----	----	----	----	75 UNCH
1440	----	----	----	----	----	158.00 - 21.10	.6865	----	----	----	----	1 UNCH
1460	----	----	----	----	----	145.40 - 20.30	.6571	----	----	----	----	25 UNCH
1500	----	----	----/123.90A	136.00B/123.90A	----	122.40 - 18.60	.5958	----	----	----	----	110 UNCH
1525	----	----	----/111.60A	121.80B/111.60A	----	109.50 - 17.50	.5566	----	----	----	----	5 UNCH
1550	91.70	91.70	91.70/91.70	108.70B/91.70	----	97.70 - 16.30	.5173	----	----	3	----	14 + 3
1575	----	----	----/90.00A	96.70B/90.00A	----	87.00 - 15.20	.4786	----	----	----	----	15 UNCH
1600	73.40	73.40	73.40/72.40	85.80B/72.40	----	77.30 - 14.00	.4409	----	----	3	----	56 + 3
1655	----	----	----/63.30A	65.10B/63.30A	----	59.40 - 11.50	.3635	----	----	----	----	1 UNCH
1700	----	----	----/52.20A	51.50B/52.20A	----	47.90 - 9.70	.3074	----	----	----	----	25 UNCH
1750	----	----	----/42.80A	39.60B/42.80A	----	38.10 - 7.70	.2544	----	----	----	----	10 UNCH
1800	----	----	----/35.60A	30.70B/35.60A	----	30.70 - 6.10	.2110	----	----	----	----	110 UNCH
1850	----	----	----	24.00B/30.30A	----	25.20 - 4.90	.1763	----	----	----	----	2 UNCH
1900	----	----	----	19.00B/26.20A	----	21.00 - 4.00	.1484	----	----	----	----	64 UNCH
1925	----	----	----	17.00B/24.60A	----	19.40 - 3.50	.1372	----	----	----	----	40 UNCH
1950	----	----	----	15.20B/23.10A	----	17.90 - 3.20	.1268	----	----	----	----	10 UNCH
2000	----	----	----	12.10B/20.80A	----	15.30 - 2.70	.1086	----	----	----	----	106 UNCH
2100	----	----	----	7.80B/17.40A	----	10.50 - 1.80	.0765	----	----	----	----	52 UNCH
2200	----	----	----	5.00B/15.10A	----	7.10 - 1.40	.0532	----	----	----	----	7 UNCH
2300	----	----	----	3.10B/13.50A	----	5.10 - 1.00	.0386	----	----	----	----	30 UNCH
2400	----	----	----	1.70B/12.20A	----	3.90 - 0.80	.0294	----	----	----	----	7 UNCH
2500	----	----	----	0.50B/11.20A	----	2.80 - 0.50	.0214	----	----	----	----	25 UNCH
2700	----	----	----	----/9.70A	----	1.50 - 0.30	.0116	----	----	----	----	50 UNCH
3000	----	----	----	----/8.30A	----	0.60 - 0.20	.0047	----	----	----	----	30 UNCH
3500	----	----	----	----/7.00A	----	0.20 UNCH	.0015	----	----	----	----	25 UNCH
TOTAL										6		895 + 6
JUL26												
1800	----	----	----/68.50A	65.10B/68.50A	----	62.70 - 9.70	.3060	----	----	----	----	29 UNCH
TOTAL												29 0
SEP26												
1400	----	----	----/269.00A	278.10B/269.00A	----	265.00 - 20.50	.7003	----	----	----	----	75 UNCH
1575	----	----	----/187.00A	188.40B/187.00A	----	181.00 - 16.20	.5497	----	----	----	----	25 UNCH
1665	----	----	----/155.50A	153.80B/155.50A	----	148.60 - 14.20	.4778	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
SEP26												
1700	----	----	----/144.70A	142.00B/144.70A	----	137.70 - 13.40	.4516	----	----	----	----	5 UNCH
1800	----	----	----/118.50A	113.10B/118.50A	----	111.20 - 11.20	.3833	----	----	----	----	1 UNCH
1900	----	----	----/98.20A	90.40B/98.20A	----	90.70 - 9.20	.3251	----	----	----	----	5 UNCH
2100	----	----	----	60.00B/71.00A	----	62.90 - 6.40	.2372	----	----	----	----	25 UNCH
2200	----	----	----	50.00B/61.90A	----	54.50 - 5.70	.2070	----	----	----	----	5 UNCH
2400	----	----	----	36.10B/49.10A	----	43.60 - 4.50	.1646	----	----	----	----	15 UNCH
2550	----	----	----	28.90B/42.40A	----	37.40 - 3.90	.1407	----	----	----	----	50 UNCH
TOTAL												215 0
DEC26												
2000	----	----	----	----	----	174.20 - 11.70	.4057	----	----	----	----	1 UNCH
3000	----	----	----	----	----	106.60 - 7.20	.2394	----	----	----	----	1 UNCH
TOTAL												2 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
MAY26												
1250	----	----	----	----/5.80A	----	0.10 UNCH	.0001	----	----	----	----	160 UNCH
1300	----	----	----	----/6.60A	----	0.20 - 0.10	.0029	----	----	----	----	1 UNCH
1400	----	----	----	----/*9.90A	----	2.50 - 0.30	.0440	----	----	----	----	22 UNCH
1450	----	----	----	5.10B/13.90A	----	8.00 + 0.20	.1356	----	----	----	----	2 UNCH
1500	----	----	----	17.50B/22.40A	----	20.40 + 2.00	.3079	----	----	----	----	2 UNCH
1550	----	----	42.10B/----	42.10B/39.00A	----	42.30 + 6.90	.5348	----	----	----	----	100 UNCH
1605	----	----	----	52.20B/68.90A	----	79.90 + 13.90	.7555	----	----	----	----	17 UNCH
1610	----	----	----	----	----	83.80 + 14.40	.7708	----	----	----	----	17 UNCH
1615	----	----	----	----	----	87.80 + 14.90	.7866	----	----	----	----	26 UNCH
1675	----	----	144.70B/----	144.70B/121.90A	----	139.90 + 19.90	.9137	----	----	----	----	100 UNCH
1820	----	----	----	----	----	280.30 + 25.10	.9914	----	----	----	----	25 UNCH
TOTAL												472 0
JUN26												
1200	----	----	----	7.50B/17.30A	----	12.00 + 1.10	.0797	----	----	----	----	15 UNCH
1250	----	----	----	12.80B/21.90A	----	17.70 + 1.40	.1125	----	----	----	----	1 UNCH
1300	----	----	----	19.70B/28.00A	----	24.40 + 1.80	.1509	----	----	----	----	125 UNCH
1325	----	----	----	23.80B/31.70A	----	28.50 + 2.20	.1736	----	----	----	----	18 UNCH
1335	----	----	----	25.70B/33.40A	----	30.30 + 2.40	.1833	----	----	----	----	1 UNCH
1350	32.60	32.60	32.60/*32.60	32.60/32.60	----	33.30 NEW	.1990	----	----	5	----	5 + 5
1400	45.00	45.00	45.00/45.00	45.00/45.00	----	45.50 + 4.10	.2584	----	----	2	----	217 + 2
1440	----	----	54.00B/----	54.00B/57.60A	----	58.10 + 5.60	.3133	----	----	----	----	4 UNCH
1450	63.40	63.40	63.40/62.90	63.40/60.70A	----	61.70 + 6.00	.3279	----	----	3	----	79 + 3
1460	----	----	61.60B/----	61.60B/64.00A	----	65.50 + 6.40	.3427	----	----	----	----	25 UNCH
1500	83.40	83.40	83.40/83.40	83.40/79.10A	----	82.30 NEW	.4040	----	----	3	----	3 + 3
1750	----	----	248.30B/----	248.30B/231.60A	----	247.20 + 19.00	.7454	----	----	----	----	1 UNCH
1900	----	----	382.50B/----	382.50B/359.30A	----	379.80 + 22.90	.8514	----	----	----	----	50 UNCH
TOTAL										13		544 + 13
JUL26												
1285	----	----	----	29.30B/38.90A	----	35.10 + 2.20	.1640	----	----	----	----	9 UNCH
1300	----	----	----	32.30B/41.70A	----	38.20 + 2.60	.1761	----	----	----	----	35 UNCH
TOTAL												44 0
SEP26												
1465	----	----	124.80B/----	124.80B/132.90A	----	131.90 + 7.90	.3556	----	----	----	----	150 UNCH
1575	----	----	185.30B/----	185.30B/190.00A	----	191.70 + 10.40	.4499	----	----	----	----	25 UNCH
1650	----	----	232.70B/----	232.70B/235.10A	----	238.60 + 12.20	.5102	----	----	----	----	50 UNCH
1925	----	----	439.60B/----	439.60B/433.30A	----	443.80 + 18.00	.6874	----	----	----	----	75 UNCH
TOTAL												300 0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
APR26												
1500	----	----	----/36.30A	67.90B/36.30A	----	40.20 - 30.60	----	----	----	----	----	0 - 2
1600	----	----	----/29.30A	31.90B/29.30A	----	24.90 - 13.70	.3147	----	----	----	----	1 UNCH
1630	----	----	----/*5.40A	----/*5.40A	----	0.00 - 5.60	----	----	----	----	----	0 - 7
TOTAL												1 - 9
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4										
APR26												
1755	----	----	----	5.70B/10.50A	----	8.40 + 1.80	.0677	----	----	----	----	27 UNCH
1765	----	----	----	----/5.90A	----	2.90 + 0.50	.0289	----	----	----	----	27 UNCH
1790	----	----	----	1.00B/6.70A	----	3.90 + 0.70	.0391	----	----	----	----	27 UNCH
1840	----	----	----	4.40B/9.10A	----	7.10 + 1.50	.0709	----	----	----	----	27 UNCH
1935	22.60	22.60	22.60/22.60	22.60/18.70A	----	18.50 NEW	.1808	----	----	25	----	25 + 25
1940	----	----	----	----/*3.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 35
1955	----	----	----	----	----	110.20 - 47.80	----	----	----	----	----	0 - 10
1975	----	----	----/82.20A	137.90B/82.20A	----	90.20 - 48.50	----	----	----	----	----	0 - 4
2040	----	----	----/71.50A	64.90B/71.50A	----	73.70 - 35.20	.5842	----	----	----	----	10 UNCH
2050	----	----	----/12.30A	68.50B/12.30A	----	15.20 - 56.60	----	----	----	----	----	0 - 20
2065	----	----	----/*4.70A	22.80B/*4.70A	----	0.20 - 59.90	----	----	----	----	----	0 - 25
2085	----	----	98.50B/----	98.50B/82.00A	----	95.20 + 18.90	.5185	----	----	----	----	26 UNCH
2090	----	----	----/72.10A	90.30B/72.10A	----	73.30 - 27.40	.4718	----	----	----	----	26 UNCH
2090	----	----	101.40B/----	101.40B/84.30A	----	98.00 + 19.30	.5281	----	----	----	----	26 UNCH
2090	----	----	28.10B/----	28.10B/22.40A	----	24.80 + 4.20	----	----	----	----	----	0 - 18
2095	----	----	----/70.10A	90.80B/70.10A	----	71.10 - 27.10	.4622	----	----	----	----	26 UNCH
2095	----	----	103.30B/----	103.30B/86.70A	----	100.90 + 19.80	.5377	----	----	----	----	53 UNCH
2095	----	----	----/*3.10A	27.10B/*3.10A	----	0.00 - 39.60	----	----	----	----	----	0 - 25
2100	----	----	----/*3.10A	30.40B/*3.10A	----	0.00 - 36.70	----	----	----	----	----	0 - 23
2115	----	----	----/*3.10A	21.90B/*3.10A	----	0.00 - 28.70	----	----	----	----	----	0 - 24
2120	----	----	----/60.70A	80.10B/60.70A	----	61.10 - 24.90	.4151	----	----	----	----	27 UNCH
2125	----	----	----/*3.10A	16.90B/*3.10A	----	0.00 - 24.20	----	----	----	----	----	0 - 1
2150	----	----	120.40B/----	120.40B/92.90A	----	113.50 + 25.40	.7080	----	----	----	----	12 UNCH
2155	----	----	----	----	----	117.20 + 26.00	.7191	----	----	----	----	12 UNCH
2160	----	----	----	----	----	121.00 + 26.60	.7297	----	----	----	----	12 UNCH
2160	----	----	----/27.20A	39.90B/27.20A	----	26.20 - 20.30	.2702	----	----	----	----	12 UNCH
2265	----	----	----/12.70A	13.90B/12.70A	----	9.80 - 9.70	.1096	----	----	----	----	26 UNCH
2345	----	----	----	----/*3.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
TOTAL										25		401 - 161
MAY26												
1700	----	----	7.70B/----	7.70B/12.40A	----	9.50 + 2.00	.0665	----	----	----	----	3 UNCH
1915	----	----	----	----	----	194.90 - 38.20	.7447	----	----	----	----	20 UNCH
2050	----	----	----/109.20A	136.10B/109.20A	----	111.50 - 30.20	.5483	----	----	----	----	10 UNCH
TOTAL												33 0
PO CALL		PLATINUM OPTIONS										
MAY26												
1750	----	----	----/307.00A	362.50B/307.00A	----	315.60 - 47.00	.9946	----	----	----	----	19 UNCH
1800	----	----	----/258.20A	313.00B/258.20A	----	266.50 - 46.90	.9841	----	----	----	----	18 UNCH
1850	----	----	----/210.40A	264.20B/210.40A	----	218.30 - 46.70	.9620	----	----	----	----	2 UNCH
1950	----	----	----/120.80A	170.50B/120.80A	----	127.40 - 44.80	.8493	----	----	----	----	3 UNCH
1995	----	----	----	----	----	91.20 - 42.30	.7461	----	----	----	----	15 UNCH
2000	----	----	----/82.60A	127.00B/82.60A	----	87.60 - 41.90	.7320	----	----	----	----	304 UNCH
2005	----	----	----	----	----	84.00 - 41.40	.7172	----	----	----	----	14 UNCH
2025	----	----	----/66.60A	106.60B/66.60A	----	70.50 - 39.50	.6534	----	----	----	----	50 UNCH
2040	----	----	----/61.30A	52.30B/61.30A	----	61.30 - 37.90	.6015	----	----	----	----	64 UNCH
2045	----	----	----/55.50A	52.30B/55.50A	----	58.50 - 37.20	.5837	----	----	----	----	50 UNCH
2050	----	----	----/52.90A	87.80B/52.90A	----	55.70 - 36.60	.5658	----	----	----	----	111 UNCH
2055	----	----	----/50.50A	55.10B/50.50A	----	53.00 - 36.00	.5477	----	----	----	----	57 UNCH
2060	----	----	----/48.10A	53.60B/48.10A	----	50.40 - 35.40	.5295	----	----	----	----	12 UNCH
2065	----	----	----/45.80A	55.40B/45.80A	----	47.90 - 34.70	.5112	----	----	----	----	14 UNCH
2070	----	----	----/43.60A	55.90B/43.60A	----	45.50 - 34.10	.4930	----	----	----	----	14 UNCH
2075	----	----	----/41.50A	71.00B/41.50A	----	43.10 - 33.50	.4748	----	----	----	----	25 UNCH
2080	----	----	----/39.50A	55.60B/39.50A	----	40.90 - 32.70	.4568	----	----	----	----	20 UNCH
2085	----	----	----/37.50A	56.10B/37.50A	----	38.70 - 32.10	.4388	----	----	----	----	14 UNCH
2090	----	----	----/35.70A	56.00B/35.70A	----	36.70 - 31.30	.4211	----	----	----	----	21 UNCH
2095	----	----	----/33.90A	56.00B/33.90A	----	34.70 - 30.60	.4036	----	----	----	----	7 UNCH
2100	----	----	----/32.20A	56.40B/32.20A	----	32.80 - 29.90	.3863	----	----	----	----	233 UNCH
2105	----	----	----/30.60A	53.60B/30.60A	----	31.00 - 29.10	.3694	----	----	----	----	7 UNCH
2110	----	----	----/29.10A	51.10B/29.10A	----	29.30 - 28.30	.3528	----	----	----	----	37 UNCH
2115	----	----	----/27.60A	48.60B/27.60A	----	27.60 - 27.60	.3364	----	----	----	----	22 UNCH
2120	30.00	30.00	30.00/26.20A	46.20B/26.20A	----	26.10 - 26.70	.3208	----	----	13	----	27 + 13
2125	28.50	28.50	28.50/24.90A	43.80B/24.90A	----	24.60 - 26.00	.3053	----	----	13	----	27 + 13
2130	27.10	27.10	27.10/23.60A	41.50B/23.60A	----	23.20 - 25.10	.2904	----	----	13	----	120 + 13
2135	25.80	25.80	25.80/22.40A	39.30B/22.40A	----	21.90 - 24.30	.2761	----	----	13	----	20 + 13
2140	----	----	----/21.30A	37.20B/21.30A	----	20.60 - 23.50	.2619	----	----	----	----	7 UNCH
2145	----	----	----/20.30A	35.20B/20.30A	----	19.40 - 22.70	.2484	----	----	----	----	7 UNCH
2150	----	----	----/19.30A	33.20B/19.30A	----	18.30 - 21.90	.2356	----	----	----	----	119 UNCH
2155	----	----	----/18.30A	31.40B/18.30A	----	17.20 - 21.10	.2229	----	----	----	----	7 UNCH
2160	----	----	----/17.40A	29.70B/17.40A	----	16.30 - 20.20	.2117	----	----	----	----	13 UNCH
2170	----	----	----/15.80A	26.40B/15.80A	----	14.40 - 18.70	.1889	----	----	----	----	75 UNCH
2175	----	----	----/15.10A	24.90B/15.10A	----	13.60 - 17.90	.1788	----	----	----	----	208 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 77

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
MAY26												
2200	----	----	----/*12.10A	18.30B/12.10A	----	10.20 - 14.30	.1348	----	----	----	----	205 UNCH
2215	----	----	----/*10.80A	15.10B/10.80A	----	8.60 - 12.50	.1135	----	----	----	----	20 UNCH
2220	----	----	----/*10.50A	14.20B/10.50A	----	8.10 - 12.00	.1069	----	----	----	----	21 UNCH
2245	----	----	----/*8.90A	10.20B/8.90A	----	6.00 - 9.70	.0788	----	----	----	----	10 UNCH
2250	----	----	----/*8.70A	9.50B/8.70A	----	5.60 - 9.30	.0736	----	----	----	----	29 UNCH
2260	----	----	----/*8.20A	8.20B/8.20A	----	5.00 - 8.60	.0653	----	----	----	----	10 UNCH
2265	----	----	----/*8.00A	7.70B/8.00A	----	4.70 - 8.20	.0612	----	----	----	----	10 UNCH
2270	----	----	----/*7.80A	7.10B/7.80A	----	4.40 - 7.90	.0572	----	----	----	----	183 UNCH
2275	----	----	----/*7.60A	6.60B/7.60A	----	4.20 - 7.60	.0543	----	----	----	----	10 UNCH
2280	----	----	----/7.40A	6.10B/7.40A	----	4.00 - 7.20	.0514	----	----	----	----	38 UNCH
2285	----	----	----/*7.20A	5.70B/7.20A	----	3.70 - 7.00	.0476	----	----	----	----	10 UNCH
2300	----	----	----/*6.80A	4.40B/6.80A	----	3.20 - 6.20	.0404	----	----	----	----	27 UNCH
2315	----	----	----/*6.40A	3.40B/6.40A	----	2.70 - 5.50	.0336	----	----	----	----	10 UNCH
2320	----	----	----/*6.30A	3.10B/6.30A	----	2.60 - 5.30	.0321	----	----	----	----	4 UNCH
2330	----	----	----/*6.10A	2.50B/6.10A	----	2.30 - 4.90	.0282	----	----	----	----	10 UNCH
2350	----	----	----/*5.70A	1.60B/5.70A	----	1.80 - 4.10	.0216	----	----	----	----	1 UNCH
2360	----	----	----	1.10B/5.50A	----	1.60 - 3.80	.0190	----	----	----	----	10 UNCH
2390	----	----	----	0.10B/5.10A	----	1.10 - 2.80	.0126	----	----	----	----	21 UNCH
2400	----	----	----/*1.20A	----/*1.20A	----	0.90 - 2.50	.0103	----	----	----	----	18 UNCH
2450	----	----	----	----/4.60A	----	0.40 - 1.50	.0043	----	----	----	----	160 UNCH
2500	----	----	----	----/4.20A	----	0.20 - 0.90	.0020	----	----	----	----	170 UNCH
2700	----	----	----	----/3.50A	----	0.10 UNCH	.0000	----	----	----	----	110 UNCH
2730	----	----	----	----/3.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2750	----	----	----	----/3.40A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2800	----	----	----	----/3.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2880	----	----	----	----/3.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3000	----	----	----	----/3.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3050	----	----	----	----/3.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3150	----	----	----	----/3.10A	----	0.10 UNCH	----	----	----	----	----	121 UNCH
TOTAL										52		2980 + 52
JUN26												
1900	----	----	----/230.60A	268.70B/230.60A	----	236.10 - 35.90	.7147	----	----	----	----	1 UNCH
2000	----	----	----/171.50A	201.80B/171.50A	----	175.20 - 31.00	.6074	----	----	----	----	20 UNCH
2090	129.50	129.50	129.50/128.50	146.30B/128.50	----	130.80 NEW	.5060	----	----	2	----	2 + 2
2100	----	----	----/124.60A	146.90B/124.60A	----	126.50 - 25.80	.4948	----	----	----	----	2 UNCH
2150	----	----	----/105.60A	124.00B/105.60A	----	106.50 - 23.30	.4400	----	----	----	----	4 UNCH
2200	----	----	----/89.00A	104.00B/89.00A	----	89.30 - 20.80	.3879	----	----	----	----	200 UNCH
2225	----	----	----/81.60A	95.00B/81.60A	----	81.60 - 19.60	.3631	----	----	----	----	30 UNCH
2250	----	----	----/74.80A	86.80B/74.80A	----	74.60 - 18.40	.3393	----	----	----	----	2 UNCH
2300	----	----	----/62.80A	72.10B/62.80A	----	62.20 - 16.10	.2949	----	----	----	----	321 UNCH
2355	46.70	46.70	47.20/46.70	58.50B/46.70	----	50.60 NEW	.2506	----	----	2	----	2 + 2
2500	----	----	----/31.80A	33.30B/31.80A	----	29.80 - 8.80	.1609	----	----	----	----	105 UNCH
2650	----	----	----/21.20A	18.80B/21.20A	----	17.50 - 5.80	.1006	----	----	----	----	17 UNCH
TOTAL										4		706 + 4
JUL26												
1500	----	----	----/570.30A	620.70B/570.30A	----	578.60 - 43.80	.9328	----	----	----	----	50 UNCH
1680	----	----	----	----	----	424.20 - 38.90	.8492	----	----	----	----	50 UNCH
1700	----	----	----/401.30A	444.30B/401.30A	----	408.50 - 38.30	.8366	----	----	----	----	1 UNCH
1800	----	----	----/328.70A	366.10B/328.70A	----	334.50 - 35.10	.7672	----	----	----	----	113 UNCH
1850	----	----	----/295.60A	330.10B/295.60A	----	300.60 - 33.40	.7284	----	----	----	----	1 UNCH
1950	----	----	----/235.60A	264.30B/235.60A	----	239.50 - 29.60	.6447	----	----	----	----	0 UNCH
2000	----	----	----/208.90A	234.60B/208.90A	----	212.40 - 27.40	.6009	----	----	----	----	110 UNCH
2050	----	----	----/184.60A	207.10B/184.60A	----	187.70 - 25.00	.5567	----	----	----	----	1 UNCH
2100	----	----	----/162.60A	181.80B/162.60A	----	165.10 - 22.70	.5127	----	----	1	100	422 UNCH
2150	----	----	----/143.00A	159.00B/143.00A	----	144.80 - 20.60	.4697	----	----	----	----	12 UNCH
2200	124.00	124.00	124.00/124.00	138.60B/124.00	----	126.60 - 18.70	.4280	----	----	1	----	405 + 1
2300	94.00	94.00	94.00/94.00	104.60B/94.00	----	96.50 - 15.00	.3510	----	----	4	----	167 + 4
2375	----	----	----/79.40A	84.40B/79.40A	----	78.50 - 12.70	.2996	----	----	----	----	50 UNCH
2400	----	----	----/74.30A	78.50B/74.30A	----	73.30 - 11.90	.2839	----	----	----	----	766 UNCH
2500	----	----	----/57.30A	58.60B/57.30A	----	55.60 - 9.20	.2274	----	----	----	----	422 UNCH
2600	----	----	----/44.80A	43.70B/44.80A	----	42.50 - 7.10	.1816	----	----	----	----	361 UNCH
2700	----	----	----/35.90A	32.80B/35.90A	----	33.20 - 5.30	.1463	----	----	1	----	14 + 1
2755	----	----	----/32.10A	28.20B/32.10A	----	29.20 - 4.50	.1303	----	----	----	----	1 UNCH
2800	----	----	----/29.60A	25.00B/29.60A	----	26.30 - 3.80	.1186	----	----	----	----	347 UNCH
2850	----	----	----	22.00B/27.20A	----	23.60 - 3.20	.1073	----	----	----	----	91 UNCH
2900	----	----	----	19.50B/25.10A	----	21.20 - 2.70	.0971	----	----	----	----	90 UNCH
3000	----	----	----	15.80B/21.90A	----	17.30 - 2.00	.0802	----	----	----	----	582 UNCH
3100	----	----	----	13.00B/19.40A	----	14.30 - 1.40	.0668	----	----	----	----	159 UNCH
3200	----	----	----	8.10B/20.40A	----	11.60 - 1.00	.0550	----	----	----	----	14 UNCH
3300	----	----	----	6.40B/18.80A	----	9.50 - 0.90	.0455	----	----	----	----	31 UNCH
3400	----	----	----	5.00B/17.60A	----	7.90 - 0.70	.0382	----	----	----	----	32 UNCH
3500	----	----	----	3.90B/16.50A	----	6.70 - 0.60	.0325	----	----	----	----	274 UNCH
3600	----	----	----	2.90B/15.50A	----	5.80 - 0.40	.0281	----	----	----	----	300 UNCH
3800	----	----	----	4.10B/11.20A	----	4.40 - 0.40	.0213	----	----	----	----	12 UNCH
3900	----	----	----	3.50B/10.60A	----	3.90 - 0.30	.0188	----	----	----	----	8 UNCH
4000	----	----	----	2.90B/10.10A	----	3.50 - 0.30	.0168	----	----	----	----	221 UNCH
TOTAL									100	7		5107 + 6
OCT26												
1720	----	----	----	----	----	458.00 - 42.70	.7788	----	----	----	----	1 UNCH
1800	----	----	----/403.90A	441.50B/403.90A	----	407.20 - 41.20	.7333	----	----	----	----	1 UNCH
2200	----	----	----/218.30A	240.20B/218.30A	----	218.10 - 31.20	.4957	----	----	----	----	135 UNCH
2400	----	----	----/162.10A	176.60B/162.10A	----	160.10 - 25.70	.3938	----	----	----	----	110 UNCH
2500	132.00	132.00	132.00/132.00	152.20B/132.00	----	138.00 - 23.50	.3502	----	----	2	----	177 + 2
2600	----	----	----/122.20A	131.60B/122.20A	----	119.20 - 21.80	.3112	----	----	----	----	10 UNCH
2700	----	----	----/106.50A	114.00B/106.50A	----	103.40 - 20.20	.2767	----	----	----	----	300 UNCH
2800	----	----	----/93.00A	98.90B/93.00A	----	90.10 - 18.40	.2463	----	----	----	----	30 UNCH
2850	----	----	----/87.10A	92.10B/87.10A	----	84.30 - 17.60	.2327	----	----	----	----	100 UNCH
2900	----	----	----/81.60A	85.80B/81.60A	----	78.90 - 16.80	.2198	----	----	----	----	210 UNCH
3000	----	----	----/71.90A	74.60B/71.90A	----	69.50 - 15.30	.1966	----	----	----	----	121 UNCH
3200	----	----	----/56.80A	56.80B/56.80A	----	54.90 - 12.90	.1591	----	----	----	----	10 UNCH
3500	----	----	----/42.50A	39.10B/42.50A	----	40.20 - 10.10	.1191	----	----	----	----	10 UNCH
TOTAL										2		1215 + 2
JAN27												
2360	----	----	----	----	----	235.40 - 22.70	.4598	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
MAY26												
1700	----	----	----	----/*3.60A	----	0.20 - 0.10	.0019	----	----	----	----	1 UNCH
1725	----	----	----	----/*3.80A	----	0.30 - 0.10	.0030	----	----	----	----	13 UNCH
1745	----	----	----	----/4.00A	----	0.50 - 0.10	.0052	----	----	----	----	15 UNCH
1750	----	----	----	----/4.10A	----	0.50 - 0.20	.0053	----	----	----	----	76 UNCH
1780	----	----	----	----/4.50A	----	0.90 - 0.20	.0100	----	----	----	----	1 UNCH
1785	----	----	----	----/4.60A	----	1.00 - 0.20	.0112	----	----	----	----	1 UNCH
1800	----	----	----	----/4.90A	----	1.40 - 0.10	.0158	----	----	----	----	108 UNCH
1820	----	----	----	----/5.30A	----	1.90 - 0.10	.0221	----	----	----	----	100 UNCH
1825	----	----	----	----/5.40A	----	2.10 UNCH	.0245	----	----	----	----	14 UNCH
1850	----	----	----	0.90B/6.20A	----	3.20 + 0.20	.0379	----	----	----	----	78 UNCH
1855	----	----	----	1.20B/6.40A	----	3.40 + 0.10	.0405	----	----	----	----	15 UNCH
1860	----	----	----	1.50B/6.60A	----	3.70 + 0.20	.0442	----	----	----	----	100 UNCH
1865	----	----	----	1.90B/6.80A	----	4.00 + 0.30	.0478	----	----	----	----	5 UNCH
1870	----	----	----	2.30B/7.10A	----	4.30 + 0.30	.0516	----	----	----	----	14 UNCH
1875	----	----	----	2.60B/7.30A	----	4.70 + 0.40	.0563	----	----	----	----	122 UNCH
1890	----	----	----	4.00B/8.20A	----	5.80 + 0.60	.0700	----	----	----	----	22 UNCH
1895	----	----	----	4.40B/8.50A	----	6.20 + 0.70	.0750	----	----	----	----	29 UNCH
1900	----	----	----	5.00B/8.90A	----	6.60 + 0.80	.0801	----	----	----	----	132 UNCH
1905	----	----	----	5.50B/9.20A	----	7.10 + 1.00	.0861	----	----	----	----	46 UNCH
1910	----	----	----	6.10B/9.60A	----	7.50 + 1.00	.0914	----	----	----	----	46 UNCH
1915	----	----	----	6.70B/10.00A	----	8.00 + 1.10	.0977	----	----	----	----	67 UNCH
1920	----	----	----	7.30B/10.50A	----	8.60 + 1.30	.1048	----	----	----	----	49 UNCH
1925	----	----	7.90B/----	7.90B/10.90A	----	9.10 + 1.40	.1113	----	----	----	----	20 UNCH
1930	----	----	8.60B/----	8.60B/11.40A	----	9.60 + 1.40	.1180	----	----	----	----	20 UNCH
1935	----	----	9.30B/----	9.30B/12.00A	----	10.20 + 1.60	.1255	----	----	----	----	20 UNCH
1945	----	----	10.90B/----	10.90B/13.10A	----	11.50 + 1.90	.1418	----	----	----	----	30 UNCH
1950	----	----	11.80B/----	11.80B/13.70A	----	12.20 + 2.10	.1506	----	----	----	----	79 UNCH
1970	----	----	15.80B/----	15.80B/16.60A	----	15.50 + 2.90	.1907	----	----	----	----	9 UNCH
1990	----	----	20.90B/----	20.90B/20.10A	----	19.80 + 4.20	.2399	----	----	----	----	10 UNCH
2000	----	----	24.00B/----	24.00B/22.20A	----	22.40 + 5.00	.2679	----	----	----	50	310 - 25
2005	26.10	26.10	26.10/26.10	26.10/23.20A	----	23.80 NEW	.2827	----	----	13	----	13 + 13
2010	27.50	27.50	27.50/27.50	27.50/24.30A	----	25.30 NEW	.2979	----	----	13	----	13 + 13
2015	28.90	28.90	29.30B/28.90	29.30B/25.40A	----	26.90 NEW	.3138	----	----	13	----	13 + 13
2020	30.40	30.40	31.30B/30.40	31.30B/26.60A	----	28.60 NEW	.3301	----	----	13	----	13 + 13
2025	29.60	29.60	33.30B/29.60	33.30B/27.90A	----	30.30 NEW	.3465	----	----	13	----	13 + 13
2030	31.10	31.10	35.50B/31.10	35.50B/29.20A	----	32.20 + 7.90	.3636	----	----	13	----	78 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PO PUT		PLATINUM OPTIONS											
MAY26													
2050	----	----	44.90B/----	44.90B/35.10A	----	40.50 + 10.20	.4341	----	----	----	50	200	UNCH
2100	----	----	74.60B/----	74.60B/55.00A	----	67.60 + 17.00	.6136	----	----	----	----	70	UNCH
2115	----	----	66.00B/----	66.00B/62.30A	----	77.40 + 19.30	.6635	----	----	----	----	22	UNCH
2155	----	----	----	----	----	107.00 + 25.80	.7770	----	----	----	----	13	UNCH
2160	----	----	----	----	----	111.00 + 26.60	.7882	----	----	----	----	38	UNCH
2175	----	----	132.50B/----	132.50B/97.80A	----	123.40 + 29.00	.8211	----	----	----	----	10	UNCH
2195	----	----	----	----	----	140.50 + 31.80	.8572	----	----	----	----	23	UNCH
2200	----	----	154.50B/----	154.50B/115.40A	----	144.90 + 32.50	.8651	----	----	----	----	10	UNCH
2215	----	----	----	----	----	158.30 + 34.40	.8864	----	----	----	----	60	UNCH
2450	----	----	395.80B/----	395.80B/341.80A	----	385.10 + 45.50	.9956	----	----	----	----	50	UNCH
2500	----	----	445.50B/----	445.50B/391.00A	----	434.90 + 46.10	.9979	----	----	----	----	100	UNCH
TOTAL									100	78		2291 +	43
JUN26													
1825	----	----	48.40B/----	48.40B/46.90A	----	49.90 + 7.90	.2147	----	----	----	----	89	UNCH
1850	----	----	55.10B/----	55.10B/52.70A	----	56.40 + 8.80	.2370	----	----	----	----	1	UNCH
1900	----	----	70.50B/----	70.50B/66.00A	----	71.40 + 10.80	.2851	----	----	----	----	275	UNCH
1950	91.00	91.00	91.00/91.00	91.00/81.80A	----	89.30 NEW	.3374	----	----	2	----	2 +	2
2000	----	----	110.40B/----	110.40B/100.30A	----	110.20 + 15.70	.3924	----	----	----	----	1	UNCH
2100	----	----	162.90B/----	162.90B/145.90A	----	161.10 + 20.90	.5050	----	----	----	----	100	UNCH
TOTAL										2		468 +	2
JUL26													
1400	----	----	----	5.70B/12.10A	----	9.30 + 1.80	.0408	----	----	----	----	150	UNCH
1500	----	----	----	12.60B/17.60A	----	15.90 + 3.00	.0670	----	----	----	----	153	UNCH
1550	----	----	17.70B/----	17.70B/21.60A	----	20.80 + 4.00	.0851	----	----	----	----	200	UNCH
1600	----	----	24.40B/----	24.40B/26.90A	----	27.10 + 5.20	.1070	----	----	----	----	403	UNCH
1650	----	----	32.70B/----	32.70B/33.60A	----	35.20 + 6.80	.1331	----	----	----	----	1	UNCH
1680	----	----	38.60B/----	38.60B/38.40A	----	40.90 + 7.70	.1506	----	----	----	----	50	UNCH
1700	----	----	42.90B/----	42.90B/42.00A	----	45.20 + 8.40	.1631	----	----	----	----	286	UNCH
1710	----	----	45.20B/----	45.20B/43.90A	----	47.40 + 8.80	.1695	----	----	----	----	1	UNCH
1750	----	----	55.10B/----	55.10B/52.40A	----	57.00 + 10.00	.1964	----	----	----	----	50	UNCH
1800	----	----	69.40B/----	69.40B/64.90A	----	70.70 + 11.60	.2325	----	----	----	----	218	UNCH
1900	----	----	104.20B/----	104.20B/95.90A	----	104.60 + 15.00	.3124	----	----	----	----	1	UNCH
2100	----	----	200.30B/----	200.30B/182.40A	----	199.80 + 24.00	.4870	----	----	----	----	225	UNCH
2165	----	----	239.60B/----	239.60B/217.90A	----	238.40 + 26.70	.5428	----	----	----	----	20	UNCH
2350	----	----	371.00B/----	371.00B/339.10A	----	367.40 + 33.30	.6837	----	----	----	----	5	UNCH
2400	----	----	410.50B/----	410.50B/376.20A	----	406.30 + 34.80	.7158	----	----	----	----	300	UNCH
4000	----	----	1,945.50B/----	1,945.50B/1,891	----	1934.90 + 46.90	.9832	----	----	----	----	10	UNCH
TOTAL												2073	0
OCT26													
1300	----	----	----	15.30B/24.10A	----	19.80 - 0.30	.0573	----	----	----	----	4	UNCH
1500	----	----	----	40.70B/46.60A	----	43.70 + 0.90	.1160	----	----	----	----	80	UNCH
1600	----	----	----	61.80B/65.80A	----	64.20 + 2.10	.1590	----	----	----	----	17	UNCH
1720	----	----	96.30B/----	96.30B/98.40A	----	98.00 + 4.00	.2207	----	----	----	----	2	UNCH
1800	----	----	125.00B/----	125.00B/125.90A	----	126.40 + 5.50	.2662	----	----	----	----	0	UNCH
2000	----	----	215.40B/----	215.40B/213.40A	----	216.60 + 10.00	.3864	----	----	----	----	1	UNCH
2100	----	----	270.30B/----	270.30B/266.80A	----	271.50 + 12.80	.4464	----	----	----	----	100	UNCH
2400	----	----	472.70B/----	472.70B/460.10A	----	472.30 + 21.10	.6057	----	----	----	----	200	UNCH
2500	----	----	550.10B/----	550.10B/534.10A	----	549.10 + 23.20	.6493	----	----	----	----	1	UNCH
TOTAL												405	0
JAN27													
1500	----	----	----	----	----	59.20 + 5.60	.1326	----	----	----	----	40	UNCH
1800	----	----	----	----	----	158.90 + 11.90	.2750	----	----	----	----	1	UNCH
TOTAL												41	0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 79

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
MAY26 CALL			
OG	5000	0	327
OG	5500	0	50
TOTALS		0	377
JUL26 CALL			
OG	4800	0	440
OG	5000	0	50
OG	5700	0	440
TOTALS		0	930
SEP26 CALL			
OG	5300	0	70
TOTALS		0	70
DEC26 CALL			
OG	5500	0	100
OG	5900	0	100
OG	6000	0	100
OG	6500	0	225
OG	15000	0	250
OG	20000	0	250
TOTALS		0	1025
FEB27 CALL			
OG	6900	0	450
OG	7000	0	450
TOTALS		0	900
APR27 CALL			
OG	6000	0	150
TOTALS		0	150
OG PUT	COMEX GOLD OPTIONS		
MAY26 PUT			
OG	4400	0	150
OG	4600	0	277
OG	4700	0	100
OG	4800	0	110
TOTALS		0	637
JUN26 PUT			
OG	3520	0	140
OG	3790	0	60
TOTALS		0	200
JUL26 PUT			
OG	4100	0	50
TOTALS		0	50
APR27 PUT			
OG	4300	0	150
TOTALS		0	150
SO CALL	COMEX SILVER OPTIONS		
DEC26 CALL			
SO	9000	0	44
TOTALS		0	44
SO PUT	COMEX SILVER OPTIONS		
MAY26 PUT			
SO	6500	0	50
TOTALS		0	50
JUN26 PUT			
SO	7000	0	26
TOTALS		0	26
JUL26 PUT			
SO	5700	0	26
TOTALS		0	26
HX CALL	COMEX COPPER OPTIONS		
MAY26 CALL			
HX	560	0	120
HX	600	0	120
HX	620	0	300
HX	670	0	600
TOTALS		0	1140
JUN26 CALL			
HX	600	0	55
TOTALS		0	55
JUL26 CALL			
HX	650	0	100
TOTALS		0	100
SEP26 CALL			
HX	680	0	350
TOTALS		0	350
HX PUT	COMEX COPPER OPTIONS		
JUN26 PUT			
HX	480	0	55
TOTALS		0	55
JUL26 PUT			
HX	550	0	100
TOTALS		0	100
SEP26 PUT			
HX	535	0	350
TOTALS		0	350
PO CALL	PLATINUM OPTIONS		
JUL26 CALL			
PO	2100	0	100
TOTALS		0	100
PO PUT	PLATINUM OPTIONS		
MAY26 PUT			
PO	2000	0	50
PO	2050	0	50
TOTALS		0	100
OG2 CALL	GOLD OPTIONS		
APR26 CALL			
OG2	4795	0	25
TOTALS		0	25
OG3 CALL	GOLD OPTIONS		
APR26 CALL			
OG3	4960	0	20
TOTALS		0	20

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO3 CALL		SILVER OPTIONS		
APR26	CALL			
SO3		8000	0	50
TOTALS			0	50
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK3		
APR26	PUT			
G3W		4750	0	60
TOTALS			0	60
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2		
APR26	PUT			
G2M		4780	0	119
TOTALS			0	119
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week3		
APR26	CALL			
G3T		5000	0	100
TOTALS			0	100
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week2		
APR26	PUT			
G2T		4725	0	51
TOTALS			0	51

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.