METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	APR26	APR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27
COO OPT	04/30			05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31
ECG10 OP		04/24	04/27											
ECG11 OP		04/24	04/27											
ECG13 OP		04/24	04/27											
ECG15 OP		04/24	04/27											
ECG16 OP		04/24	04/27											
ECGC OOF		04/24	04/27											
ECHG OOF		04/24	04/27											
ECSI OOF		04/24	04/27											
EHO OPT	04/30			05/29	06/30	07/31	08/28	09/30						
FMG OPT	04/24			05/01										
FSO OPT	04/30			05/29	06/30									
GMW MON				05/18	06/01									
GWR THU	04/30			05/14										
GWT TUE	04/28			05/19										
GWW WED	04/29			05/20										
HMW MON				05/18	06/01									
HRO OPT	04/28			05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29			
HWR THU	04/30													
HWT TUE	04/28			05/05										
HWW WED	04/29			05/06	06/03	07/01	08/05							
HX CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28		02/23
HX PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
HXE CALL	04/24			05/15										
HXE PUT	04/24			05/08										
LHO OPT	04/30			05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31
OG CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG1 CALL				05/01										
OG1 PUT				05/01										
OG2 CALL				05/08										
OG2 PUT				05/08										
OG3 CALL				05/15										
OG3 PUT				05/15										
OG4 CALL	04/24			05/22										
OG4 PUT	04/24			05/22										
OMG OPT				04/27	05/26	06/25								
PAO CALL					05/20	06/17		08/19			11/18			
PAO PUT					05/20	06/17		08/19			11/18			
PLW OOF	04/24			05/01										
PO CALL					05/20	06/17			09/16			12/16		
PO PUT					05/20	06/17			09/16			12/16		
RWS THU	04/30			05/21										
SMW MON				05/18	06/01									
SO CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO1 CALL				05/01										
SO1 PUT				05/01										
SO2 CALL				05/08										
SO2 PUT				05/08										
SO3 CALL				05/15										
SO3 PUT				05/15										
SO4 CALL	04/24													
SO4 PUT	04/24													
SWW WED	04/29			05/06										
TWS TUE	04/28			05/19										
WMG WED	04/29													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK5										
APR26												
4700	29.50	29.50	#29.50/*29.50	#29.50/*29.50	----	34.40 NEW	.5366	----	----	1	----	1 + 1
TOTAL										1		1+ 1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
MAY26												
3600	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3700	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3850	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3900	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.00 - 0.10	----	----	----	2	----	0 - 2
4000	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.00 - 0.10	----	----	----	3	----	0 - 4
4200	----	----	----	----	----	0.00 - 0.30	----	----	----	----	----	0 - 2
4250	----	----	----	----	----	443.70 - 47.50	----	1	----	----	----	0 - 1
4450	----	----	----	----	----	243.70 - 48.40	----	1	----	----	----	0 - 1
4500	----	----	----/187.00A	----/187.00A	----	193.70 - 48.80	----	1	----	----	----	0 - 1
4500	----	----	----	----	----	0.00 - 1.70	----	----	----	----	----	0 - 1
4600	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 3.60	----	----	----	1	----	0 - 3
4725	----	----	----	----	----	31.30 + 8.30	----	1	----	----	----	0 - 1
4770	----	----	----	----	----	76.30 + 30.40	----	1	----	----	----	0 - 1
4800	----	----	----	30.00B/----	----	106.30 + 38.30	----	2	----	----	----	0 - 2
4800	----	----	----	----	----	0.00 - 8.90	----	----	----	----	----	0 - 1
4900	----	----	----	----	----	0.00 - 1.30	----	----	----	----	----	0 - 2
4900	----	----	----	----	----	206.30 + 46.00	----	1	----	----	----	0 - 1
4910	----	----	----	----	----	0.00 - 1.10	----	----	----	----	----	0 - 1
5000	----	----	----	----	----	0.00 - 0.40	----	----	----	----	----	0 - 1
5050	----	----	----	----	----	356.30 + 47.00	----	3	----	----	----	0 - 3
5200	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5875	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 1
TOTAL										6		0- 35
JUN26												
2500	----	----	----	----	----	0.30 + 0.10	----	----	----	----	----	2 UNCH
4200	----	----	----	----	----	12.90 - 0.50	----	----	----	----	----	1 UNCH
4260	----	----	----	----	----	16.30 - 0.40	----	----	----	----	----	1 UNCH
4300	17.80	17.80	17.80/17.80	17.80/17.80	----	19.20 - 0.30	----	----	----	2	----	4 + 2
4500	----	----	----	----	----	48.00 + 2.90	----	----	----	----	----	5 UNCH
4600	----	----	----	----	----	76.20 + 6.70	----	----	----	----	----	1 UNCH
4625	----	----	----	----	----	85.20 + 7.80	----	----	----	----	----	1 UNCH
4645	----	----	----	----	----	93.10 + 8.90	----	----	----	----	----	6 UNCH
4700	----	----	----/*139.00A	----/*139.00A	----	111.50 - 34.90	----	----	----	----	----	1 UNCH
4720	----	----	----	----	----	127.90 + 13.50	----	----	----	----	----	2 UNCH
4900	----	----	----	----/*60.10A	----	40.00 - 20.10	----	----	----	----	----	2 UNCH
5000	----	----	----	----	----	22.80 - 13.40	----	----	----	----	----	0 UNCH
5100	----	----	----	----	----	13.30 - 8.60	----	----	----	----	----	1 UNCH
5400	----	----	----	----/*6.40A	----	4.00 - 2.40	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	1.60 - 0.70	----	----	----	----	----	1 UNCH
TOTAL										2		30+ 2
JUL26												
3400	----	----	----	----	----	1329.90 - 47.40	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1270.40 - 47.40	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	29.80 - 0.10	----	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
JUL26												
4300	----	----	----	----	----	41.40 + 0.60	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	81.00 + 4.10	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	112.30 + 7.10	----	----	----	----	----	2 UNCH
TOTAL												7 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
APR26												
3500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4200	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4460	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4505	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4515	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4520	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4540	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4560	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4565	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4570	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4585	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4590	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4595	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4605	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4610	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4615	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4630	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----	----	----	4.10 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	9.10 UNCH	----	----	----	----	----	0 UNCH
4755	----	----	----	----	----	14.10 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	----	----	----	19.10 UNCH	----	----	----	----	----	0 UNCH
4765	----	----	----	----	----	24.10 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	----	----	----	29.10 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	----	----	----	34.10 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	----	----	----	39.10 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	----	----	----	44.10 UNCH	----	----	----	----	----	0 UNCH
4790	----	----	----	----	----	49.10 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	----	----	----	54.10 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	59.10 UNCH	----	----	----	----	----	0 UNCH
4805	----	----	----	----	----	64.10 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	----	----	----	69.10 UNCH	----	----	----	----	----	0 UNCH
4815	----	----	----	----	----	74.10 UNCH	----	----	----	----	----	0 UNCH
4820	----	----	----	----	----	79.10 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	----	----	----	84.10 UNCH	----	----	----	----	----	0 UNCH
4830	----	----	----	----	----	89.10 UNCH	----	----	----	----	----	0 UNCH
4835	----	----	----	----	----	94.10 UNCH	----	----	----	----	----	0 UNCH
4840	----	----	----	----	----	99.10 UNCH	----	----	----	----	----	0 UNCH
4850	----	----	----	----	----	109.10 UNCH	----	----	----	----	----	0 UNCH
4855	----	----	----	----	----	114.10 UNCH	----	----	----	----	----	0 UNCH
4865	----	----	----	----	----	124.10 UNCH	----	----	----	----	----	0 UNCH
4870	----	----	----	----	----	129.10 UNCH	----	----	----	----	----	0 UNCH
4875	----	----	----	----	----	134.10 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	----	----	----	159.10 UNCH	----	----	----	----	----	0 UNCH
4905	----	----	----	----	----	164.10 UNCH	----	----	----	----	----	0 UNCH
4910	----	----	----	----	----	169.10 UNCH	----	----	----	----	----	0 UNCH
4915	----	----	----	----	----	174.10 UNCH	----	----	----	----	----	0 UNCH
4920	----	----	----	----	----	179.10 UNCH	----	----	----	----	----	0 UNCH
4940	----	----	----	----	----	199.10 UNCH	----	----	----	----	----	0 UNCH
4995	----	----	----	----	----	254.10 UNCH	----	----	----	----	----	0 UNCH
5000	----	----	----	----	----	259.10 UNCH	----	----	----	----	----	0 UNCH
5200	----	----	----	----	----	459.10 UNCH	----	----	----	----	----	0 UNCH
6500	----	----	----	----	----	1759.10 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0
MAY26												
4100	8.00	8.00	#8.00/*8.00	#8.00/*8.00	----	7.70 NEW	.0435	----	----	1	----	1 + 1
4625	78.80	78.80	#81.40B/*77.60	#81.40B/*77.60	----	81.80 NEW	.3904	----	----	20	----	20 + 20
4775	----	----	----	#156.70B/*155.00A	----	153.20 NEW	.6094	----	----	1	----	1 + 1
4850	----	----	----	#206.80B/*203.60A	----	203.10 NEW	.7125	----	----	1	----	1 + 1
TOTAL										23		23 + 23

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL		GOLD OPTIONS										
APR26												
3500	----	----	----	----	----	1240.90 UNCH	----	----	----	----	----	0 UNCH
4540	----	----	----	----	----	200.90 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	190.90 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	140.90 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----	----	----	120.90 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	----	----	----	115.90 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	90.90 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----	----	----	85.90 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	65.90 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	60.90 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	55.90 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	50.90 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----	----	----	45.90 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	40.90 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	----	----	----	35.90 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----	----	----	30.90 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	----	----	----	25.90 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	20.90 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	15.90 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	----	----	----	10.90 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	----	----	----	5.90 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	----	----	----	0.90 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4755	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG4 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4765	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4790	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4805	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4820	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4830	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4835	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4840	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4845	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4850	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4860	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4875	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4880	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4885	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4940	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5100	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5150	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
6500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0
MAY26												
5000	23.60	23.60	#23.60/*22.00A	#24.30B/*22.00A	----	20.20 NEW	.1414	----	----	1	----	1 + 1
TOTAL										1		1+ 1

OG3 PUT — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
3900	----	----	----	2.40B/*3.50A	----	2.90 - 0.30	.0159	----	----	----	----	1 UNCH
4000	----	----	----	3.80B/*4.50A	----	3.70 - 0.50	.0216	----	----	----	----	1 UNCH
4100	----	----	----	4.40B/*5.80A	----	5.00 - 0.70	.0310	----	----	----	----	3 UNCH
4200	7.60	7.60	7.60/*7.60	7.60/*7.60	----	7.40 - 0.70	.0477	----	----	2	----	53 + 2
4300	10.50	10.50	11.20B/*10.50	11.20B/*10.50	----	11.50 - 0.60	.0761	----	----	1	----	14 + 1
4350	13.50	13.50	14.40B/*13.50	14.40B/*13.50	----	14.80 - 0.30	.0981	----	----	14	----	15 + 14
4400	16.80	16.80	19.40B/*16.80	19.40B/*16.80	----	19.30 + 0.40	.1269	----	----	1	----	6 + 1
4425	20.00	20.00	22.20B/*20.00	22.20B/*20.00	----	22.00 NEW	.1440	----	----	10	----	10 + 10
4450	23.00	23.00	25.60B/*22.80A	25.60B/*22.80A	----	25.30 + 1.20	.1640	----	----	10	----	11 + 9
4475	26.80	26.80	29.50B/*26.50A	29.50B/*26.50A	----	29.00 + 1.80	.1860	----	----	10	----	12 + 10
4500	30.60	30.60	34.30B/*30.40A	34.30B/30.40A	----	33.30 + 2.40	.2107	----	----	10	----	11 + 10
4525	34.50	34.50	39.60B/*34.50	39.60B/34.50	----	38.30 NEW	.2384	----	----	10	----	10 + 10
4550	43.30	43.30	45.70B/40.50	45.70B/40.20A	----	44.00 + 4.20	.2687	----	----	12	----	13 + 10
4575	50.00	50.00	52.80B/48.10	52.80B/46.00A	----	50.50 + 5.30	.3018	----	----	3	----	4 + 1
4600	57.50	57.50	60.80B/55.30	60.80B/52.70A	----	57.90 NEW	.3375	----	----	8	----	6 + 6
4625	66.00	66.00	69.80B/63.50	69.80B/60.30A	----	66.20 + 7.80	.3756	----	----	2	----	2 + 1
4650	75.70	75.70	79.70B/72.70	79.70B/68.70A	----	75.60 + 9.30	.4159	----	----	6	----	99 UNCH
4675	----	----	90.80B/----	90.80B/78.10A	----	86.00 + 10.80	.4578	----	----	----	----	1 UNCH
4700	----	----	103.10B/----	103.10B/87.50A	----	97.50 + 12.50	.5009	----	----	----	----	2 UNCH
4725	----	----	116.40B/----	116.40B/98.00A	----	110.20 + 14.30	.5445	----	----	----	----	6 UNCH
4750	125.00	125.00	130.80B/121.60	130.80B/112.60A	----	124.10 NEW	.5879	----	----	6	----	0 UNCH
4775	----	----	146.50B/----	146.50B/125.80A	----	139.20 + 18.30	.6305	----	----	----	----	1 UNCH
4800	----	----	163.20B/----	163.20B/140.40A	----	155.40 + 20.50	.6715	----	----	----	----	14 UNCH
TOTAL										105		295 + 85

OG3 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
4450	----	----	----/*264.90A	305.30B/*264.90A	----	268.60 - 45.90	.8356	----	----	----	----	1 UNCH
4650	----	----	----/*115.00A	147.60B/*115.00A	----	119.20 - 37.90	.5836	----	----	----	----	12 UNCH
4725	----	----	----/*76.40A	102.50B/*76.40A	----	78.90 - 32.90	.4549	----	----	----	----	5 UNCH
4750	----	----	----/*65.90A	89.50B/*65.90A	----	67.90 - 30.90	.4115	----	----	----	----	11 UNCH
4800	----	----	----/*47.60A	67.00B/*47.60A	----	49.30 - 26.60	.3280	----	----	102	----	101 + 89
4825	----	----	----/*40.20A	57.50B/*40.20A	----	41.70 NEW	.2893	----	----	1	----	1 + 1
4850	40.50	40.50	40.50/*33.80A	49.00B/*33.80A	----	35.10 NEW	.2532	----	----	111	----	111 + 111
4875	31.00	31.00	31.00/*28.40A	41.50B/*28.40A	----	29.50 NEW	.2202	----	----	2	----	2 + 2
4900	35.00	35.00	37.00/*22.70	37.00/*22.70	----	24.80 - 17.70	.1907	----	----	30	----	22 + 19
4950	17.50	17.50	17.50/*16.50A	24.60B/*16.50A	----	17.50 - 13.70	.1414	----	----	10	----	13 + 10
5000	15.60	15.60	20.40/*12.10A	20.40/*12.10A	----	12.50 - 10.30	.1044	----	----	10	----	34 - 2
5025	----	----	----/*10.20A	14.70B/*10.20A	----	10.70 - 8.90	.0902	----	----	----	----	1 UNCH
5050	----	----	----/*9.20A	12.50B/*9.20A	----	9.20 - 7.70	.0780	----	----	----	----	3 UNCH
5100	----	----	----/*7.20A	8.70B/*7.20A	----	6.80 - 5.90	.0583	----	----	----	----	6 UNCH
5125	----	----	----/*6.40A	7.10B/*6.40A	----	6.00 - 5.00	.0513	----	----	----	----	1 UNCH
5150	----	----	----/*5.30A	5.50B/*5.30A	----	5.30 - 4.40	.0451	----	----	----	----	1 UNCH
5225	----	----	----/*4.20A	3.40B/*4.20A	----	3.70 - 3.00	.0311	----	----	----	----	2 UNCH
5300	----	----	----/*3.40A	2.40B/*3.40A	----	2.70 - 2.10	.0222	----	----	----	----	2 UNCH
5400	----	----	----/*2.50A	1.50B/*2.50A	----	1.60 - 1.40	.0131	----	----	----	----	1 UNCH
5500	----	----	----	1.00B/*2.10A	----	1.00 - 0.90	.0080	----	----	----	----	1 UNCH
TOTAL										266		331 + 230

OG2 PUT — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
3750	0.80	0.80	0.90B/*0.80	0.90B/*0.80	----	1.20 - 0.10	.0059	----	----	3	----	5 + 3
3800	1.00	1.00	1.10/*1.00	1.10/*1.00	----	1.30 - 0.10	.0067	----	----	7	----	6 + 5
3900	----	----	----/*1.40A	1.40B/*1.40A	----	1.60 - 0.20	.0089	----	----	----	----	1 UNCH
4000	2.10	2.10	2.10/*2.10	2.10/*2.10	----	2.10 - 0.20	.0127	----	----	1	----	5 + 1
4100	2.70	2.70	2.70/*2.60A	2.70/*2.60A	----	2.70 - 0.30	.0179	----	----	1	----	4 + 1
4200	3.30	3.30	3.80/*3.30	4.10B/*3.30	----	3.70 - 0.50	.0269	----	----	24	----	30 + 24
4250	5.70	5.70	5.70/*4.40A	5.70/*4.40A	----	4.50 - 0.70	.0341	----	----	4	----	7 + 4
4275	----	----	5.90B/*4.90A	5.90B/*4.90A	----	5.10 - 0.70	.0392	----	----	----	----	2 UNCH
4300	6.00	6.00	6.70B/*5.50A	6.70B/*5.50A	----	5.70 - 0.80	.0447	----	----	1	----	3 UNCH
4350	----	----	8.90B/*7.00A	8.90B/*7.00A	----	7.40 - 0.80	.0597	----	----	3	----	30 + 3
4375	----	----	10.40B/*8.00A	10.40B/*8.00A	----	8.60 - 0.70	.0700	----	----	----	----	27 UNCH
4400	----	----	12.10B/*9.10A	12.10B/*9.10A	----	10.00 - 0.70	.0820	----	----	----	----	57 UNCH
4425	----	----	14.20B/*10.60A	14.20B/*10.60A	----	11.80 - 0.40	.0969	----	----	----	----	2 UNCH
4450	12.40	12.40	16.80B/*12.30A	16.80B/*12.30A	----	13.90 - 0.20	.1143	----	----	6	----	13 + 5
4475	----	----	19.80B/14.40A	19.80B/14.40A	----	16.40 + 0.10	.1346	----	----	----	----	51 UNCH
4500	17.60	17.60	23.30B/16.80A	23.30B/16.80A	----	19.50 + 0.50	.1590	----	----	22	----	402 - 3
4525	----	----	27.80B/19.70A	27.80B/19.70A	----	23.30 + 1.20	.1877	----	----	4	----	150 UNCH
4550	22.50	22.50	33.00B/22.50	33.00B/22.50	----	27.80 + 2.00	.2206	----	----	4	----	68 UNCH
4575	33.50	33.50	38.80B/27.20A	38.80B/27.20A	----	33.30 + 3.20	.2585	----	----	10	----	46 + 7
4600	33.80	33.80	45.80B/31.90A	45.80B/31.90A	----	39.70 + 4.50	.3006	----	----	76	----	114 + 34
4625	46.50	46.50	54.00B/37.60A	54.00B/37.60A	----	47.20 NEW	.3470	----	----	16	----	16 + 16
4650	50.00	50.00	63.60B/44.40A	63.60B/44.40A	----	55.90 + 7.70	.3973	----	----	102	----	112 + 102
4675	----	----	74.20B/52.30A	74.20B/52.30A	----	66.00 NEW	.4508	----	----	1	----	1 + 1
4700	----	----	86.10B/61.30A	86.10B/61.30A	----	77.60 + 12.10	.5063	----	----	12	----	22 + 11
4725	76.00	76.00	99.20B/71.60A	99.20B/71.60A	----	90.60 + 14.60	.5624	----	----	3	----	13 + 3
4750	----	----	113.30B/83.10A	113.30B/83.10A	----	105.10 + 17.30	.6176	----	----	----	----	11 UNCH
4775	----	----	129.60B/96.20A	129.60B/96.20A	----	121.10 + 20.10	.6706	----	----	----	----	10 UNCH
4800	----	----	147.20B/111.10A	147.20B/111.10A	----	138.50 + 23.00	.7200	----	----	1	----	17 + 1
4825	----	----	166.10B/127.00A	166.10B/127.00A	----	157.20 + 25.90	.7648	----	----	----	----	1 UNCH
4850	----	----	186.20B/144.20A	186.20B/144.20A	----	177.00 + 28.70	.8046	----	----	----	----	1 UNCH
4900	----	----	228.80B/182.30A	228.80B/182.30A	----	219.40 + 33.60	.8680	----	----	4	----	5 + 4
4975	----	----	297.90B/246.00A	297.90B/246.00A	----	288.00 + 39.20	.9285	----	----	----	----	2 UNCH
TOTAL										305		1234 + 222

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG2 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4450	----	----	----/*249.50A	303.80B/*249.50A	----	257.30 - 47.40	.8854	----	----	----	----	2 UNCH
4500	----	----	----/*205.50A	258.10B/*205.50A	----	213.10 - 46.50	.8406	----	----	----	----	2 UNCH
4550	----	----	----/*164.70A	214.20B/*164.70A	----	171.40 - 45.00	.7791	----	----	----	----	1 UNCH
4575	----	----	----/*145.90A	193.20B/*145.90A	----	151.80 - 44.00	.7412	----	----	----	----	1 UNCH
4650	----	----	----/*94.80A	135.40B/*94.80A	----	99.60 - 39.40	.6023	----	----	----	----	3 UNCH
4700	78.00	78.00	102.30B/*67.60A	102.30B/*67.60A	----	71.30 - 35.10	.4933	----	----	142	----	142 + 134
4725	82.50	82.50	82.50/*56.20A	88.10B/*56.20A	----	59.30 - 32.60	.4372	----	----	3	----	34 + 3
4750	----	----	----/*46.10A	74.70B/*46.10A	----	48.90 - 29.80	.3820	----	----	3	----	29 + 1
4775	39.60	39.60	39.60/*37.10A	63.00B/*37.10A	----	39.90 - 27.00	.3290	----	----	10	----	15 UNCH
4800	37.80	37.80	37.80/*29.70A	52.20B/*29.70A	----	32.30 - 24.10	.2796	----	----	4	----	18 + 4
4825	24.30	24.30	24.30/*23.60A	43.30B/*23.60A	----	26.00 - 21.30	.2348	----	----	35	----	35 + 34
4850	32.60	32.60	32.60/*18.70A	35.60B/*18.70A	----	20.80 - 18.50	.1950	----	----	18	----	22 + 15
4875	19.90	19.90	19.90/*14.90A	29.10B/*14.90A	----	16.70 - 15.90	.1611	----	----	43	----	22 + 10
4900	12.00	12.00	12.00/*11.80A	23.40B/*11.80A	----	13.30 - 13.60	.1317	----	----	29	----	41 + 28
4925	----	----	----/*9.50A	19.00B/*9.50A	----	10.70 - 11.40	.1078	----	----	3	----	23 + 1
4950	13.60	13.60	13.60/*7.60A	15.40B/*7.60A	----	8.60 - 9.60	.0878	----	----	3	----	25 + 3
4975	----	----	----/*6.20A	12.60B/*6.20A	----	6.90 - 8.10	.0713	----	----	1	----	1 UNCH
5000	8.00	8.00	10.10B/*5.20A	10.10B/*5.20A	----	5.70 - 6.70	.0589	----	----	25	----	49 + 15
5025	----	----	----/*4.40A	8.20B/*4.40A	----	4.70 - 5.60	.0485	----	----	----	----	51 UNCH
5050	----	----	----/*3.80A	6.70B/*3.80A	----	3.90 - 4.70	.0401	----	----	1	----	30 UNCH
5100	----	----	----/*2.90A	4.50B/*2.90A	----	2.90 - 3.20	.0291	----	----	----	----	4 UNCH
5125	----	----	----/*2.60A	3.70B/*2.60A	----	2.50 NEW	.0247	----	----	20	----	20 + 20
5150	----	----	----/*2.30A	3.10B/*2.30A	----	2.20 - 2.30	.0214	----	----	20	----	24 + 20
5200	----	----	----/*1.90A	2.30B/*1.90A	----	1.80 - 1.60	.0168	----	----	----	----	6 UNCH
5250	----	----	----/*1.60A	1.70B/*1.60A	----	1.40 - 1.30	.0127	----	----	----	----	5 UNCH
5275	----	----	----/*1.50A	1.60B/*1.50A	----	1.30 - 1.00	.0116	----	----	----	----	1 UNCH
5300	----	----	----/*1.50A	1.40B/*1.50A	----	1.20 - 0.80	.0105	----	----	2	----	5 + 2
TOTAL										362		611 + 290

OG1 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	0.30	0.30	#0.30/*0.30	0.30/*0.20A	----	0.10 UNCH	----	----	----	21	----	21 + 21
3750	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.40	.0002	----	----	12	----	14 + 12
3800	----	----	----/*0.40A	0.10B/*0.40A	----	0.20 - 0.40	.0006	----	----	----	----	14 UNCH
3900	----	----	----	0.30B/*0.80A	----	0.30 - 0.40	.0011	----	----	----	----	6 UNCH
4000	0.50	0.50	0.50/*0.50	0.50/*0.50	----	0.40 - 0.50	.0017	----	----	10	----	17 + 10
4100	0.70	0.70	0.70/*0.70	0.80B/*0.70	----	0.80 - 0.50	.0040	----	----	1	----	16 + 1
4125	----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 0.50	.0046	----	----	----	----	6 UNCH
4150	0.80	0.80	1.00/*0.80	1.00/*0.80	----	1.00 - 0.50	.0054	----	----	14	----	15 + 14
4175	----	----	----/*1.00A	1.20B/*1.00A	----	1.10 - 0.50	.0062	----	----	1	----	2 UNCH
4200	1.60	1.60	1.60/*1.10A	1.60/*1.10A	----	1.20 - 0.60	.0071	----	----	22	----	25 + 21
4225	----	----	----/*1.20A	1.40B/*1.20A	----	1.30 - 0.60	.0080	----	----	----	----	3 UNCH
4250	1.10	1.10	1.50/*1.10	1.60B/*1.10	----	1.40 - 0.70	.0091	----	----	56	----	79 + 35
4295	1.40	1.40	#1.40/*1.40	#2.00B/*1.40	----	1.70 NEW	.0120	----	----	1	----	1 + 1
4300	1.50	1.50	1.70/*1.50	2.00B/*1.50	----	1.80 - 0.70	.0128	----	----	33	----	55 + 18
4325	----	----	----/*1.80A	2.40B/*1.80A	----	2.00 - 0.80	.0150	----	----	----	----	12 UNCH
4335	----	----	----/*1.80A	2.50B/*1.80A	----	2.00 - 0.90	.0154	----	----	----	----	1 UNCH
4345	----	----	----/*1.90A	2.60B/*1.90A	----	2.10 - 1.00	.0165	----	----	----	----	4 UNCH
4350	----	----	----/*2.00A	2.70B/*2.00A	----	2.20 - 0.90	.0175	----	----	8	----	24 + 4
4375	----	----	----/*2.20A	3.20B/*2.20A	----	2.50 - 1.00	.0209	----	----	----	----	11 UNCH
4400	4.40	4.40	4.40/*2.60	4.40/*2.60	----	2.90 - 1.10	.0256	----	----	11	----	55 + 7
4420	----	----	----/*2.90A	4.40B/*2.90A	----	3.20 - 1.30	.0296	----	----	----	----	1 UNCH
4425	3.10	3.10	3.10/*3.00A	4.60B/*3.00A	----	3.40 - 1.20	.0317	----	----	1	----	2 + 1
4450	3.50	3.50	5.70B/*3.50	5.70B/*3.50	----	4.00 - 1.40	.0393	----	----	8	----	167 UNCH
4460	----	----	6.20B/*3.80A	6.20B/*3.80A	----	4.30 - 1.40	.0431	----	----	7	----	8 + 7
4465	5.50	5.50	6.50B/*3.90A	6.50B/*3.90A	----	4.50 NEW	.0455	----	----	3	----	3 + 3
4475	----	----	7.00B/*4.20A	7.00B/*4.20A	----	4.90 - 1.40	.0505	----	----	1	----	10 - 1
4480	----	----	7.30B/*4.30A	7.30B/*4.30A	----	5.10 - 1.50	.0531	----	----	4	----	12 + 4
4485	----	----	7.80B/*4.50A	7.80B/*4.50A	----	5.30 - 1.50	.0557	----	----	----	----	1 UNCH
4490	----	----	8.10B/*4.70A	8.10B/*4.70A	----	5.60 - 1.40	.0592	----	----	----	----	20 UNCH
4495	----	----	8.40B/*4.90A	8.40B/*4.90A	----	5.80 - 1.50	.0620	----	----	----	----	1 UNCH
4500	9.50	9.50	10.20/*5.10A	10.20/*5.10A	----	6.10 - 1.50	.0657	----	----	67	----	270 + 7
4510	----	----	9.80B/*5.50A	9.80B/*5.50A	----	6.70 - 1.50	.0733	----	----	----	----	1 UNCH
4515	6.80	6.80	10.20B/*5.80A	10.20B/*5.80A	----	7.00 - 1.50	.0772	----	----	1	----	7 + 1
4520	6.80	6.80	10.70B/*6.00A	10.70B/*6.00A	----	7.40 - 1.40	.0820	----	----	7	----	14 + 6
4525	8.30	8.30	11.30B/*6.30A	11.30B/*6.30A	----	7.70 - 1.50	.0862	----	----	11	----	15 + 11
4535	----	----	12.40B/*7.00A	12.40B/*7.00A	----	8.60 - 1.30	.0971	----	----	----	----	4 UNCH
4540	----	----	13.10B/*7.30A	13.10B/*7.30A	----	9.00 - 1.30	.1024	----	----	----	----	1 UNCH
4545	11.20	11.20	13.80B/*7.70A	13.80B/*7.70A	----	9.50 - 1.20	.1086	----	----	13	----	24 + 8
4550	14.00	14.00	14.50B/*8.10A	14.50B/*8.10A	----	10.00 - 1.20	.1149	----	----	40	----	120 + 16
4555	8.70	8.70	15.20B/*8.50A	15.20B/*8.50A	----	10.50 - 1.20	.1214	----	----	24	----	24 + 23
4560	10.00	10.00	16.10B/*9.00A	16.10B/*9.00A	----	11.10 - 1.10	.1287	----	----	2	----	55 + 1
4565	11.00	11.00	16.90B/*9.40A	16.90B/*9.40A	----	11.70 NEW	.1362	----	----	12	----	11 + 11
4570	----	----	17.80B/*9.90A	17.80B/*9.90A	----	12.40 - 0.80	.1446	----	----	1	----	2 + 1
4575	12.10	12.10	18.70B/*10.50A	18.70B/*10.50A	----	13.10 - 0.70	.1531	----	----	4	----	11 + 2
4580	20.00	20.00	20.00/*11.10A	20.00/*11.10A	----	13.80 - 0.60	.1618	----	----	2	----	3 + 2
4585	----	----	20.70B/*11.70A	20.70B/*11.70A	----	14.60 - 0.50	.1713	----	----	3	----	12 + 2
4590	----	----	21.60B/*12.30A	21.60B/*12.30A	----	15.40 - 0.40	.1810	----	----	1	----	4 + 1
4595	20.00	20.00	22.80B/*13.00A	22.80B/*13.00A	----	16.30 - 0.20	.1916	----	----	4	----	25 + 4
4600	22.70	22.70	23.90B/*13.70A	23.90B/*13.70A	----	17.30 + 0.10	.2029	----	----	100	----	210 - 4
4605	----	----	25.20B/14.50A	25.20B/14.50A	----	18.30 + 0.30	.2144	----	----	1	----	6 + 1
4610	15.00	15.00	26.40B/*15.00	26.40B/*15.00	----	19.30 + 0.50	.2261	----	----	2	----	19 + 1
4615	----	----	27.70B/*16.00A	27.70B/*16.00A	----	20.40 NEW	.2386	----	----	2	----	2 + 2
4620	----	----	29.10B/*16.80A	29.10B/*16.80A	----	21.60 + 1.00	.2518	----	----	3	----	17 + 3
4625	18.00	18.00	30.50B/*17.60A	30.50B/*17.60A	----	22.80 + 1.30	.2651	----	----	2	----	12 + 2
4630	----	----	32.10B/18.50A	32.10B/18.50A	----	24.10 + 1.60	.2792	----	----	----	----	81 UNCH
4635	----	----	33.60B/19.30A	33.60B/19.30A	----	25.40 + 1.90	.2935	----	----	----	----	72 UNCH
4640	----	----	35.30B/20.30A	35.30B/20.30A	----	26.90 + 2.30	.3088	----	----	----	----	72 UNCH
4650	22.40	22.40	38.80B/22.30A	38.80B/22.30A	----	29.90 + 3.00	.3400	----	----	116	----	490 + 112
4655	----	----	40.80B/23.40A	40.80B/23.40A	----	31.60 + 3.50	.3566	----	----	1	----	5 + 1
4660	31.50	31.50	42.70B/24.60A	42.70B/24.60A	----	33.30 + 3.90	.3733	----	----	1	----	9 UNCH
4665	----	----	44.80B/25.90A	44.80B/25.90A	----	35.10 + 4.30	.3905	----	----	----	----	4 UNCH
4670	35.10	35.10	46.80B/27.10A	46.80B/27.10A	----	37.10 + 5.00	.4083	----	----	1	----	3 UNCH
4675	36.60	36.60	48.70B/28.50A	48.70B/28.50A	----	39.10 + 5.50	.4263	----	----	2	----	8 + 1
4680	38.60	38.60	50.90B/29.90A	50.90B/29.90A	----	41.20 + 6.10	.4445	----	----	3	----	19 + 2
4685	----	----	53.50B/31.40A	53.50B/31.40A	----	43.30 + 6.60	.4629	----	----	----	----	1 UNCH
4690	43.00	43.00	55.90B/32.80A	55.90B/32.80A	----	45.60 + 7.30	.4815	----	----	1	----	2 UNCH
4700	35.70	35.70	60.70B/35.40	60.70B/35.40	----	50.40 + 8.60	.5192	----	----	26	----	224 - 6
4705	51.00	51.00	63.40B/37.90A	63.40B/37.90A	----	52.90 + 9.30	.5381	----	----	10	----	10 + 9
4710	52.50	52.50	66.20B/39.70A	66.20B/39.70A	----	55.50 + 9.90	.5571	----	----	1	----	1 UNCH
4715	----	----	68.60B/41.60A	68.60B/41.60A	----	58.20 + 10.70	.5760	----	----	1	----	2 + 1
4720	----	----	71.80B/43.60A	71.80B/43.60A	----	61.00 + 11.40	.5948	----	----	1	----	174 - 1
4725	54.10	54.10	73.90B/45.80A	73.90B/45.80A	----	63.90 + 12.20	.6134	----	----	3	----	15 UNCH
4730	----	----	76.90B/47.80A	76.90B/47.80A	----	66.90 + 13.00	.6318	----	----	1	----	10 UNCH
4735	----	----	80.00B/50.10A	80.00B/50.10A	----	69.90 + 13.70	.6499	----	----	1	----	12 + 1
4740	----	----	83.10B/52.40A	83.10B/52.40A	----	73.10 + 14.50	.6681	----	----	2	----	17 UNCH
4750	63.20	63.20	89.90B/57.20A	89.90B/57.20A	----	79.70 + 16.20	.7023	----	----	3	----	18 + 1
4755	----	----	93.30B/59.70A	93.30B/59.70A	----	83.20 + 17.10	.7191	----	----	----	----	4 UNCH
4760	----	----	96.50B/62.30A	96.50B/62.30A	----	86.70 + 18.00	.7348	----	----	----	----	7 UNCH
4775	----	----	107.20B/70.80A	107.20B/70.80A	----	97.80 + 20.70	.7797	----	----	----	----	2 UNCH
4785	----	----	115.50B/77.40A	115.50B/77.40A	----	105.60 + 22.50	.8072	----	----	----	----	4 UNCH
4790	----	----	119.50B/80.40A	119.50B/80.40A	----	109.60 + 23.40	.8197	----	----	----	----	7 UNCH
4800	92.50	92.50	127.80B/86.70A	127.80B/86.70A	----	117.80 + 25.20	.8429	----	----	5	----	46 UNCH
4805	----	----	132.00B/90.20A	132.00B/90.20A	----	122.00 + 26.10	.8535	----	----	1	----	2 + 1
4810	----	----	136.30B/93.70A	136.30B/93.70A	----	126.20 NEW	.8631	----	----	1	----	1 + 1
4825	----	----	149.10B/104.30A	149.10B/104.30A	----	139.20 + 29.50	.8901	----	----	2	----	2 + 1
4830	----	----	153.80B/108.00A	153.80B/108.00A	----	143.70 + 30.30	.8983	----	----	----	----	4 UNCH
4835	----	----	158.30B/111.80A	158.30B/111.80A	----	148.10 + 31.00	.9054	----	----	----	----	1 UNCH
4840	----	----	162.80B/115.80A	162.80B/115.80A	----	152.70 + 31.90	.9123	----	----	----	----	7 UNCH
4850	----	----	171.90B/123.70A	171.90B/123.70A	----	161.80 + 33.30	.9250	----	----	1	----	3 + 1
4880	----	----	200.10B/148.50A	200.10B/148.50A	----	189.80 + 36.90	.9524	----	----	----	----	3 UNCH
4890	----	----	209.40B/157.20A	209.40B/157.20A	----	199.40 + 38.00	.9584	----	----	----	----	1 UNCH
4895	----	----	214.40B/161.70A	214.40B/161.70A	----	204.20 + 38.50	.9613	----	----	----	----	1 UNCH
4900	----	----	219.20B/166.10A	219.20B/166.10A	----	209.00 + 39.00	.9641	----	----	1	----	4 UNCH
4905	----	----	223.70B/170.60A	223.70B/170.60A	----	213.80 NEW	.9669	----	----	2	----	2 + 2
4910	----	----	228.90B/175.10A	228.90B/175.10A	----	218.70 + 39.90	.9697	----	----	----	----	1 UNCH
4935	----	----	253.20B/198.20A	253.20B/198.20A	----	243.10 + 41.70	.9773	----	----	----	----	1 UNCH
4950	----	----	266.90B/212.30A	266.90B/212.30A	----	257.80 + 42.50	.9814	----	----	----	----	2 UNCH
5000	----	----	316.30B/260.30A	316.30B/260.30A	----	307.30 + 44.50	.9887	----	----	----	----	3 UNCH
5050	----	----	366.00B/----	366.00B/315.20A	----	356.90 + 45.50	.9935	----	----	----	----	2 UNCH
5200	----	----	515.50B/----	515.50B/464.10A	----	506.50 + 46.50	.9980	----	----	----	----	3 UNCH
TOTAL										703		2837 + 386

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG1 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
4400	----	----	345.20B/*286.90	345.20B/*286.90A	----	296.50 - 48.20	.9742	----	----	----	----	1 UNCH
4500	----	----	----/*191.10A	247.90B/*191.10A	----	199.70 - 48.60	.9342	----	----	----	----	2 UNCH
4600	----	----	----/*104.20A	155.70B/*104.20A	----	110.90 - 47.10	.7969	----	----	----	----	1 UNCH
4625	----	----	----/*85.60A	134.30B/*85.60A	----	91.50 - 45.80	.7347	----	----	1	----	2 + 1
4650	----	----	----/*68.30A	114.20B/*68.30A	----	73.60 - 44.20	.6598	----	----	2	----	3 + 2
4655	----	----	----/*64.90A	110.20B/*64.90A	----	70.30 - 43.70	.6432	----	----	----	----	1 UNCH
4665	----	----	----/*58.90A	102.70B/*58.90A	----	63.80 - 42.80	.6093	----	----	----	----	1 UNCH
4670	58.00	58.00	58.00/*55.90A	98.90B/*55.90A	----	60.70 - 42.30	.5915	----	----	1	----	0 - 1
4680	54.00	54.00	54.00/*50.20A	91.70B/*50.20A	----	54.90 - 41.10	.5553	----	----	1	----	1 UNCH
4690	----	----	----/*45.00A	84.80B/*45.00A	----	49.30 - 39.90	.5183	----	----	----	----	4 UNCH
4700	55.50	55.50	78.00B/*40.20A	78.00B/*40.20A	----	44.10 - 38.60	.4806	----	----	39	----	44 + 23
4705	----	----	----/*37.90A	74.80B/*37.90A	----	41.60 NEW	.4617	----	----	2	----	1 + 1
4715	----	----	----/*33.50A	68.90B/*33.50A	----	36.90 - 36.50	.4238	----	----	----	----	1 UNCH
4720	----	----	----/*31.50A	65.80B/*31.50A	----	34.70 - 35.80	.4050	----	----	----	----	183 UNCH
4725	----	----	----/*29.70A	62.90B/*29.70A	----	32.60 - 35.00	.3864	----	----	----	----	2 UNCH
4730	----	----	----/*27.80A	60.00B/*27.80A	----	30.60 - 34.20	.3680	----	----	31	----	30 + 1
4735	40.80	40.80	40.80/*26.00A	57.20B/*26.00A	----	28.70 - 33.40	.3499	----	----	8	----	11 + 6
4740	----	----	----/*24.50A	54.50B/*24.50A	----	26.80 - 32.70	.3317	----	----	2	----	22 UNCH
4745	----	----	----/*22.90A	51.90B/*22.90A	----	25.10 - 31.80	.3144	----	----	----	----	5 UNCH
4750	34.00	34.00	49.30B/*21.40A	49.30B/*21.40A	----	23.50 - 30.90	.2975	----	----	7	----	20 + 7
4755	----	----	----/*20.00A	46.80B/*20.00A	----	21.90 - 30.10	.2807	----	----	----	----	22 UNCH
4760	----	----	----/*18.60A	44.40B/*18.60A	----	20.50 - 29.10	.2650	----	----	----	----	22 UNCH
4765	26.10	26.10	26.10/*17.30A	42.20B/*17.30A	----	19.10 - 28.30	.2494	----	----	4	----	6 + 4
4770	18.20	18.20	18.20/*16.00A	40.00B/*16.00A	----	17.80 - 27.40	.2344	----	----	3	----	4 + 1
4775	14.80	14.80	14.80/*14.80	37.80B/*14.80	----	16.60 - 26.40	.2201	----	----	2	----	13 + 1
4780	----	----	----/*13.80A	35.80B/*13.80A	----	15.40 - 25.60	.2060	----	----	----	----	5 UNCH
4785	21.00	21.00	33.90B/*12.70A	33.90B/*12.70A	----	14.30 - 24.70	.1926	----	----	5	----	27 + 5
4790	----	----	----/*11.80A	32.00B/*11.80A	----	13.30 - 23.80	.1801	----	----	2	----	2 UNCH
4795	----	----	----/*10.90A	30.20B/*10.90A	----	12.40 - 22.90	.1684	----	----	----	----	1 UNCH
4800	27.20	27.20	28.50/*10.10A	28.50/*10.10A	----	11.50 - 22.00	.1569	----	----	28	----	75 + 15
4805	----	----	----/*9.40A	26.90B/*9.40A	----	10.70 NEW	.1463	----	----	2	----	1 + 1
4810	8.50	8.50	8.50/*8.50	25.20B/*8.50	----	10.00 - 20.20	.1367	----	----	8	----	22 + 8
4815	8.90	8.90	8.90/*8.00A	23.70B/*8.00A	----	9.20 - 19.40	.1264	----	----	2	----	3 + 1
4820	22.30	22.30	22.30/*7.50A	22.30/*7.50A	----	8.60 - 18.50	.1180	----	----	9	----	9 + 4
4825	14.70	14.70	14.70/*7.00A	21.00B/*7.00A	----	8.00 - 17.70	.1097	----	----	4	----	19 + 3
4830	10.10	10.10	10.10/*6.50A	19.80B/*6.50A	----	7.40 - 16.90	.1015	----	----	11	----	22 + 11
4835	----	----	----/*6.10A	18.60B/*6.10A	----	6.90 - 16.10	.0944	----	----	3	----	36 - 1
4840	14.10	14.10	17.50B/*5.70A	17.50B/*5.70A	----	6.40 - 15.40	.0875	----	----	7	----	36 - 1
4845	8.70	8.70	8.70/*5.30A	16.30B/*5.30A	----	5.90 - 14.70	.0806	----	----	1	----	8 + 1
4850	13.00	13.00	15.50B/*4.70A	15.50B/*4.70A	----	5.50 - 14.00	.0748	----	----	25	----	144 + 4
4855	----	----	----/*4.60A	14.50B/*4.60A	----	5.10 - 13.30	.0692	----	----	1	----	1 UNCH
4860	----	----	----/*4.30A	13.40B/*4.30A	----	4.80 - 12.60	.0646	----	----	1	----	4 UNCH
4865	----	----	----/*4.00A	12.60B/*4.00A	----	4.50 - 12.00	.0602	----	----	----	----	15 UNCH
4870	10.00	10.00	10.00/*3.80A	11.80B/*3.80A	----	4.10 - 11.40	.0548	----	----	2	----	2 + 1
4875	4.60	4.60	4.60/*3.50A	11.10B/*3.50A	----	3.90 - 10.80	.0516	----	----	5	----	9 UNCH
4880	----	----	----/*3.30A	10.40B/*3.30A	----	3.60 - 10.30	.0474	----	----	1	----	6 + 1
4885	----	----	----/*3.10A	9.70B/*3.10A	----	3.40 - 9.70	.0444	----	----	----	----	6 UNCH
4890	3.70	3.70	3.70/*2.90A	9.10B/*2.90A	----	3.20 - 9.20	.0414	----	----	1	----	15 - 1
4895	3.80	3.80	3.80/*2.80A	8.60B/*2.80A	----	3.00 - 8.70	.0385	----	----	1	----	3 + 1
4900	7.00	7.00	7.00/*2.60A	8.00B/*2.60A	----	2.80 - 8.20	.0357	----	----	21	----	73 - 6
4905	----	----	----/*2.50A	7.50B/*2.50A	----	2.60 - 7.80	.0329	----	----	----	----	26 UNCH
4910	2.50	2.50	2.50/*2.20	7.00B/*2.20	----	2.40 - 7.40	.0302	----	----	13	----	18 + 13
4915	----	----	----/*2.20A	6.50B/*2.20A	----	2.30 - 7.00	.0286	----	----	1	----	52 UNCH
4920	----	----	----/*2.10A	6.10B/*2.10A	----	2.20 - 6.60	.0270	----	----	1	----	5 UNCH
4925	3.40	3.40	3.40/*2.00A	5.70B/*2.00A	----	2.10 - 6.20	.0255	----	----	2	----	23 UNCH
4930	3.00	3.00	3.00/*1.90A	5.40B/*1.90A	----	2.00 - 5.80	.0240	----	----	1	----	10 UNCH
4935	4.50	4.50	4.50/*1.80A	5.00B/*1.80A	----	1.90 - 5.50	.0226	----	----	11	----	57 + 5
4940	----	----	----/*1.70A	4.70B/*1.70A	----	1.80 - 5.20	.0212	----	----	----	----	5 UNCH
4945	----	----	----/*1.70A	4.40B/*1.70A	----	1.70 - 5.00	.0198	----	----	----	----	4 UNCH
4950	4.80	4.80	4.80/*1.60A	4.80/*1.60A	----	1.60 - 4.70	.0184	----	----	3	----	119 + 1
4955	1.30	1.30	1.30/*1.30	3.90B/*1.30	----	1.50 - 4.50	.0171	----	----	5	----	8 + 3
4960	----	----	----/*1.50A	3.60B/*1.50A	----	1.50 - 4.20	.0168	----	----	----	----	20 UNCH
4965	----	----	----/*1.40A	3.40B/*1.40A	----	1.40 - 4.00	.0156	----	----	1	----	5 UNCH
4970	----	----	----/*1.40A	3.20B/*1.40A	----	1.30 NEW	.0143	----	----	1	----	1 + 1
4975	----	----	----/*1.30A	3.00B/*1.30A	----	1.30 - 3.60	.0141	----	----	4	----	29 + 1
4980	2.10	2.10	2.10/*1.30A	2.80B/*1.30A	----	1.20 - 3.40	.0129	----	----	4	----	3 - 2
4990	----	----	----/*1.20A	2.50B/*1.20A	----	1.10 - 3.10	.0116	----	----	----	----	5 UNCH
4995	----	----	----/*1.10A	2.40B/*1.10A	----	1.10 - 2.90	.0114	----	----	----	----	2 UNCH
5000	1.30	1.30	1.30/*1.00	2.30B/*1.00	----	1.10 - 2.70	.0112	----	----	5	----	128 + 3
5010	----	----	----/*1.00A	2.00B/*1.00A	----	1.00 - 2.50	.0100	----	----	----	----	13 UNCH
5020	----	----	----/*1.00A	1.80B/*1.00A	----	0.90 - 2.30	.0088	----	----	----	----	31 UNCH
5025	----	----	----/*1.00A	1.80B/*1.00A	----	0.90 - 2.20	.0087	----	----	----	----	34 UNCH
5030	----	----	----	#1.70B/*0.90A	----	0.90 NEW	.0086	----	----	1	----	1 + 1
5050	1.90	1.90	1.90/*0.80A	1.90/*0.80A	----	0.70 - 1.80	.0064	----	----	2	----	26 + 2
5075	----	----	----/*0.80A	1.10B/*0.80A	----	0.60 - 1.40	.0052	----	----	1	----	39 UNCH
5100	----	----	----/*0.70A	0.90B/*0.70A	----	0.50 - 1.20	.0041	----	----	1	----	377 - 1
5125	----	----	----/*0.60A	0.70B/*0.60A	----	0.50 - 1.00	.0039	----	----	----	----	17 UNCH
5150	0.80	0.80	0.80/*0.60A	0.80/*0.60A	----	0.40 - 0.90	.0029	----	----	5	----	26 UNCH
5175	----	----	----/*0.60A	0.50B/*0.60A	----	0.40 - 0.80	.0028	----	----	3	----	21 + 3
5200	----	----	----/*0.50A	0.40B/*0.50A	----	0.30 - 0.80	.0020	----	----	----	----	28 UNCH
5225	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.70	.0019	----	----	----	----	26 UNCH
5250	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.20 - 0.70	.0012	----	----	10	----	41 + 10
5275	----	----	----/*0.50A	0.20B/*0.50A	----	0.20 - 0.60	.0011	----	----	----	----	30 UNCH
5325	----	----	----/*0.40A	0.40B/*0.40A	----	0.10 - 0.50	.0005	----	----	----	----	1 UNCH
5400	----	----	----	0.10B/*0.40A	----	0.10 - 0.30	.0001	----	----	----	----	15 UNCH
5600	----	----	----	----/*0.40A	----	0.10 - 0.10	----	----	----	----	----	7 UNCH
TOTAL										318		2199 + 133

OG PUT — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
1000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	102	----	0 - 2046
1500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 761
1600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 40
1700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
1800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
1900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 149
2175	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 25
2200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 129
2225	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 271
2250	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
2275	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 156
2325	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
2350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 122
2400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
2420	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
2450	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
2485	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
2495	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 75
2500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 74
2505	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
2520	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
2525	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 102
2540	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
2550	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2560	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
2580	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
2590	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 114
2615	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2620	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
2660	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2685	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 34
2705	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2715	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
2725	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2730	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
2750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
2755	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
2770	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
2785	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
2790	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
2800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 88
2815	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
2820	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 74
2845	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
2850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
2870	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
2895	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 39
2900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 348
2905	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
2910	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
2930	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
2940	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
2950	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 302
2980	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
2995	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
3000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 140
3005	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3010	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3020	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3040	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 52
3045	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3050	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 19
3055	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3065	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3070	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3075	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 66
3080	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3090	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3095	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 308
3105	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3115	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3120	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 41
3125	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3130	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
3135	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3140	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3150	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 11
3155	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 74
3160	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
3170	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3175	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
3185	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
3200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 268
3205	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
3210	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
3220	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
3225	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
3235	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3245	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3250	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 89
3255	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
3260	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
3265	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
3270	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3275	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 22
3280	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3290	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 40
3295	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 592
3305	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 60
3310	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3315	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3320	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3325	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
3330	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3335	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
3340	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3345	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 53
3360	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
3370	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 75
3375	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 54
3380	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3385	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
3390	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3395	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
3400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 196
3405	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3415	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 118
3420	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3425	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 11
3430	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
3435	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 101
3440	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3445	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
3450	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 49
3455	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 44
3460	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 142
3465	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 17
3470	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 76
3475	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 94
3480	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 84
3485	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 60
3490	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 52
3495	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 54
3500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1428
3505	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
3510	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
3515	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 82
3520	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
3525	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 128
3530	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 102
3535	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 158
3540	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
3545	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 67
3550	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 362
3555	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 45
3560	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
3565	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
3570	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 11
3575	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 96
3580	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
3585	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
3590	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 38
3595	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 44
3600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1026
3605	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 61
3610	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
3615	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 130
3620	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 138
3625	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 50
3630	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
3635	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 31
3640	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 47
3645	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
3650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 430
3655	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
3660	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 52
3665	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
3670	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
3675	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 66
3680	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 118
3685	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3690	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
3695	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 73
3700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1359
3705	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 40
3710	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 25
3715	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
3720	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
3725	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 37
3730	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 55
3735	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 38
3740	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
3745	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 39
3750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 391
3755	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
3760	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 49
3765	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 102
3770	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 25
3775	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 280
3780	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
3785	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
3790	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
3795	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 25
3800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1477
3805	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 74
3810	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
3815	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 53
3820	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 788
3825	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 113
3830	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
3835	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 31
3840	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 51
3845	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 36
3850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2988
3855	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 41
3860	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 50
3865	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
3870	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 38
3875	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 45
3880	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 39
3885	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 82
3890	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
3895	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 75
3900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1780
3905	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
3910	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 145
3915	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 38
3920	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 218
3925	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 84
3930	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 62
3935	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
3940	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 37
3945	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 24
3950	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 147
3955	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 59
3960	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
3965	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 85
3970	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 44
3975	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 40
3980	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 141
3985	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 51
3990	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 24
3995	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
4000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	8	----	0 - 2988
4005	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 236
4010	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 61
4015	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 53
4020	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 92
4025	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 106
4030	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 39
4035	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
4040	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 61
4045	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 206
4050	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1349
4055	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 145
4060	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
4065	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
4070	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 114
4075	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 133
4080	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 150
4085	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 763
4090	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 218
4095	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 155
4100	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1520
4105	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 228
4110	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 67
4115	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 44
4120	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 131
4125	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 209
4130	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 843
4135	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 92
4140	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 28
4145	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 100
4150	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 514
4155	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 43
4160	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 28
4165	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 66
4170	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 82
4175	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 205
4180	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 283
4185	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 357
4190	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 86
4195	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 113
4200	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 2919
4205	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 200
4210	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 89
4215	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 180
4220	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 20
4225	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 199
4230	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 142
4235	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 59
4240	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 161
4245	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 51
4250	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 823
4255	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 36
4260	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 105
4265	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 68
4270	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 112
4275	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 140
4280	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 124
4285	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 254
4290	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 113
4295	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 35
4300	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.50	----	----	----	26	----	0 - 2971
4305	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 58
4310	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 106
4315	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 23
4320	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 68
4325	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 197
4330	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 275
4335	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 40
4340	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 145
4345	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 347
4350	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	1	----	0 - 1026
4355	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 80
4360	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 351
4365	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 39
4370	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 882

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4375	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.90	----	----	----	1	----	0 - 114
4380	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 81
4385	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 394
4390	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 95
4395	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 60
4400	0.60	0.60	0.60/*0.10	0.60/*0.10	----	0.00 - 1.00	----	----	----	212	----	0 - 4099
4405	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 1.00	----	----	----	1	----	0 - 33
4410	0.10	0.10	0.10/*0.10	0.30B/*0.10	----	0.00 - 1.00	----	----	----	1	----	0 - 108
4415	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 128
4420	0.60	0.60	0.60/*0.10A	0.60/*0.10A	----	0.00 - 1.10	----	----	----	1	----	0 - 135
4425	0.10	0.10	0.10/*0.10	0.40B/*0.10	----	0.00 - 1.10	----	----	----	11	----	0 - 613
4430	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 114
4435	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 304
4440	1.00	1.00	1.00/*0.10A	1.00/*0.10A	----	0.00 - 1.20	----	----	----	2	----	0 - 337
4445	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 125
4450	0.10	0.10	0.10/*0.10	0.50B/*0.10	----	0.00 - 1.30	----	----	----	7	----	0 - 1298
4455	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 238
4460	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 1.40	----	----	----	1	----	0 - 61
4465	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 1.40	----	----	----	----	----	0 - 52
4470	1.30	1.30	1.30/*0.10A	1.30/*0.10A	----	0.00 - 1.40	----	----	----	1	----	0 - 114
4475	0.10	0.10	0.10/*0.10	0.60B/*0.10	----	0.00 - 1.50	----	----	----	5	----	0 - 966
4480	----	----	----/*0.10A	0.60B/*0.10A	----	0.00 - 1.50	----	----	----	----	----	0 - 136
4485	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 1.50	----	----	----	----	----	0 - 48
4490	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 1.60	----	----	----	----	----	0 - 202
4495	0.10	0.10	0.10/*0.10	0.80B/*0.10	----	0.00 - 1.60	----	----	----	2	----	0 - 79
4500	1.20	1.20	1.30/*0.10A	1.30/*0.10A	----	0.00 - 1.70	----	----	----	32	----	0 - 2049
4505	----	----	----/*0.10A	0.80B/*0.10A	----	0.00 - 1.70	----	----	----	----	----	0 - 39
4510	----	----	----/*0.10A	0.90B/*0.10A	----	0.00 - 1.80	----	----	----	----	----	0 - 100
4515	----	----	----/*0.10A	1.00B/*0.10A	----	0.00 - 1.80	----	----	----	----	----	0 - 63
4520	0.30	0.30	0.30/*0.10A	1.00B/*0.10A	----	0.00 - 1.90	----	----	----	3	----	0 - 181
4525	1.80	1.80	1.80/*0.10A	1.80/*0.10A	----	0.00 - 1.90	----	----	----	11	----	0 - 864
4530	0.80	0.80	0.80/*0.10A	1.20B/*0.10A	----	0.00 - 2.00	----	----	----	5	----	0 - 99
4535	0.20	0.20	0.20/*0.10A	1.20B/*0.10A	----	0.00 - 2.10	----	----	----	10	----	0 - 141
4540	0.90	0.90	0.90/*0.10	1.30B/*0.10	----	0.00 - 2.10	----	----	----	15	----	0 - 54
4545	----	----	----/*0.10A	1.40B/*0.10A	----	0.00 - 2.20	----	----	----	----	----	0 - 78
4550	1.00	1.00	1.00/*0.10	1.60B/*0.10	----	0.00 - 2.30	----	----	----	35	----	0 - 1761
4555	----	----	----/*0.10A	1.70B/*0.10A	----	0.00 - 2.40	----	----	----	----	----	0 - 36
4560	0.20	0.20	0.20/*0.10	1.80B/*0.10	----	0.00 - 2.50	----	----	----	3	----	0 - 123
4565	0.90	0.90	0.90/*0.10	2.00B/*0.10	----	0.00 - 2.60	----	----	----	25	----	0 - 115
4570	0.50	0.50	0.50/*0.10A	2.20B/*0.10A	----	0.00 - 2.70	----	----	----	1	----	0 - 185
4575	1.40	1.40	1.40/*0.10A	2.40B/*0.10A	----	0.00 - 2.80	----	----	----	8	----	0 - 168
4580	3.30	3.30	3.30/*0.10A	3.30/*0.10A	----	0.00 - 2.90	----	----	----	8	----	0 - 158
4585	----	----	----/*0.10A	2.90B/*0.10A	----	0.00 - 3.10	----	----	----	3	----	0 - 49
4590	0.70	0.70	0.70/*0.10	3.10B/*0.10	----	0.00 - 3.20	----	----	----	11	----	0 - 100
4595	0.20	0.20	0.20/*0.10A	3.40B/*0.10A	----	0.00 - 3.40	----	----	----	3	----	0 - 79
4600	4.20	4.20	4.20/*0.10	4.20/*0.10	----	0.00 - 3.60	----	----	----	121	----	0 - 2852
4605	----	----	4.00B/*0.10A	4.00B/*0.10A	----	0.00 - 3.80	----	----	----	2	----	0 - 110
4610	0.80	0.80	4.30B/*0.10A	4.30B/*0.10A	----	0.00 - 4.00	----	----	----	4	----	0 - 226
4615	----	----	4.70B/*0.10A	4.70B/*0.10A	----	0.00 - 4.30	----	----	----	3	----	0 - 98
4620	2.50	2.50	6.00B/*0.10A	6.00B/*0.10A	----	0.00 - 4.50	----	----	----	51	----	0 - 214
4625	5.70	5.70	6.30B/*0.10A	6.30B/*0.10A	----	0.00 - 4.80	----	----	----	57	----	0 - 427
4630	6.30	6.30	6.60/*0.10A	6.60/*0.10A	----	0.00 - 5.10	----	----	----	13	----	0 - 826
4635	1.40	1.40	7.00B/*0.10	7.00B/*0.10	----	0.00 - 5.50	----	----	----	30	----	0 - 447
4640	3.70	3.70	7.80B/*0.10A	7.80B/*0.10A	----	0.00 - 5.90	----	----	----	17	----	0 - 161
4645	9.80	9.80	9.80/*0.10A	9.80/*0.10A	----	0.00 - 6.30	----	----	----	4	----	0 - 59
4650	10.00	10.00	11.00/*0.10	11.00/*0.10	----	0.00 - 6.80	----	----	----	215	----	0 - 1061
4655	2.70	2.70	11.00B/*0.10A	11.00B/*0.10A	----	0.00 - 7.30	----	----	----	19	----	0 - 264
4660	12.80	12.80	12.80/*0.10	12.80/*0.10	----	0.00 - 7.90	----	----	----	66	----	0 - 214
4665	2.30	2.30	14.00B/*0.10A	14.00B/*0.10A	----	0.00 - 8.50	----	----	----	19	----	0 - 89
4670	3.10	3.10	15.60B/*0.10A	15.60B/*0.10A	----	0.00 - 9.30	----	----	----	66	----	0 - 232
4675	17.00	17.00	17.50B/*0.10A	17.50B/*0.10A	----	0.00 - 10.00	----	----	----	114	----	0 - 273
4680	16.60	16.60	19.50B/*0.10	19.50B/*0.10	----	0.00 - 10.90	----	----	----	125	----	0 - 266
4685	21.00	21.00	21.90B/*0.10A	21.90B/*0.10A	----	0.00 - 11.80	----	----	----	137	----	0 - 137
4690	13.50	13.50	24.20B/*0.90A	24.20B/*0.90A	----	0.00 - 12.80	----	----	----	166	----	0 - 211
4695	13.00	13.00	26.90B/*1.00	26.90B/*1.00	----	1.30 - 12.70	----	100	----	74	----	0 - 110
4700	24.20	24.20	29.80B/*4.70A	29.80B/*4.70A	----	6.30 - 8.90	----	1629	----	644	----	0 - 1800
4705	17.00	17.00	32.10B/*6.10	32.10B/*6.10	----	11.30 - 5.20	----	72	----	20	----	0 - 60
4710	32.50	32.50	35.00B/*7.20A	35.00B/*7.20A	----	16.30 - 1.60	----	256	----	152	----	0 - 261
4715	12.20	12.20	38.40B/*9.10A	38.40B/*9.10A	----	21.30 + 1.80	----	147	----	26	----	0 - 134
4720	37.00	37.00	41.60B/*10.40	41.60B/*10.40	----	26.30 + 5.10	----	356	----	109	----	0 - 329
4725	12.90	12.90	45.10B/*12.70A	45.10B/*12.70A	----	31.30 + 8.30	----	277	----	94	----	0 - 255
4730	----	----	48.80B/*14.90A	48.80B/*14.90A	----	36.30 + 11.40	----	110	----	6	----	0 - 112
4735	43.00	43.00	52.70B/*16.90A	52.70B/*16.90A	----	41.30 + 14.30	----	39	----	8	----	0 - 41
4740	18.20	18.20	57.10B/*18.20	57.10B/*18.20	----	46.30 + 17.10	----	116	----	13	----	0 - 118
4745	----	----	62.00B/21.30A	62.00B/21.30A	----	51.30 + 19.70	----	52	----	----	----	0 - 52
4750	49.70	49.70	67.10B/23.90A	67.10B/23.90A	----	56.30 + 22.20	----	842	----	37	----	0 - 851
4755	----	----	72.00B/26.60A	72.00B/26.60A	----	61.30 + 24.50	----	205	----	----	----	0 - 205
4760	----	----	77.00B/30.20A	77.00B/30.20A	----	66.30 + 26.60	----	132	----	1	----	0 - 132
4765	----	----	82.00B/33.50A	82.00B/33.50A	----	71.30 + 28.60	----	132	----	----	----	0 - 132
4770	----	----	86.90B/37.00A	86.90B/37.00A	----	76.30 + 30.40	----	107	----	1	----	0 - 108
4775	----	----	91.90B/40.60A	91.90B/40.60A	----	81.30 + 32.10	----	378	----	4	----	0 - 381
4780	----	----	96.90B/44.50A	96.90B/44.50A	----	86.30 + 33.60	----	101	----	----	----	0 - 101
4785	----	----	101.90B/48.40A	101.90B/48.40A	----	91.30 + 34.90	----	107	----	1	----	0 - 108
4790	63.00	63.00	106.90B/52.60A	106.90B/52.60A	----	96.30 + 36.20	----	368	----	5	----	0 - 373
4795	----	----	111.90B/56.90A	111.90B/56.90A	----	101.30 + 37.30	----	57	----	3	----	0 - 59
4800	92.30	92.30	116.90B/61.00A	116.90B/61.00A	----	106.30 + 38.30	----	1700	----	24	----	0 - 1708
4805	112.40	112.40	121.90B/65.70A	121.90B/65.70A	----	111.30 + 39.20	----	73	----	12	----	0 - 78
4810	70.50	70.50	126.90B/70.30A	126.90B/70.30A	----	116.30 + 40.00	----	417	----	2	----	0 - 418
4815	----	----	131.90B/74.90A	131.90B/74.90A	----	121.30 + 40.80	----	52	----	1	----	0 - 53
4820	----	----	136.80B/79.60A	136.80B/79.60A	----	126.30 + 41.50	----	182	----	----	----	0 - 182
4825	96.50	96.50	141.90B/84.30A	141.90B/84.30A	----	131.30 + 42.10	----	223	----	33	----	0 - 233
4830	----	----	146.90B/89.10A	146.90B/89.10A	----	136.30 + 42.60	----	77	----	----	----	0 - 77
4835	----	----	151.80B/93.90A	151.80B/93.90A	----	141.30 + 43.00	----	158	----	8	----	0 - 164
4840	----	----	156.80B/98.70A	156.80B/98.70A	----	146.30 + 43.40	----	132	----	1	----	0 - 132
4845	----	----	161.80B/103.60A	161.80B/103.60A	----	151.30 + 43.80	----	78	----	----	----	0 - 78
4850	----	----	166.80B/108.40A	166.80B/108.40A	----	156.30 + 44.10	----	1085	----	8	----	0 - 1090
4855	----	----	171.80B/113.30A	171.80B/113.30A	----	161.30 + 44.40	----	143	----	----	----	0 - 143
4860	----	----	176.80B/118.20A	176.80B/118.20A	----	166.30 + 44.70	----	41	----	1	----	0 - 42
4865	----	----	181.80B/123.20A	181.80B/123.20A	----	171.30 + 44.90	----	80	----	----	----	0 - 80
4870	----	----	186.80B/128.10A	186.80B/128.10A	----	176.30 + 45.10	----	250	----	1	----	0 - 250
4875	----	----	191.80B/133.00A	191.80B/133.00A	----	181.30 + 45.30	----	366	----	1	----	0 - 366
4880	----	----	196.80B/138.00A	196.80B/138.00A	----	186.30 + 45.50	----	106	----	----	----	0 - 107
4885	----	----	201.80B/142.90A	201.80B/142.90A	----	191.30 + 45.60	----	24	----	----	----	0 - 24
4890	----	----	206.80B/147.90A	206.80B/147.90A	----	196.30 + 45.80	----	64	----	----	----	0 - 64
4895	----	----	211.80B/152.80A	211.80B/152.80A	----	201.30 + 45.90	----	92	----	----	----	0 - 92
4900	158.00	158.00	216.80B/157.80A	216.80B/157.80A	----	206.30 + 46.00	----	998	----	50	----	0 - 1034
4905	----	----	221.80B/162.80A	221.80B/162.80A	----	211.30 + 46.10	----	54	----	2	----	0 - 54
4910	----	----	226.80B/167.80A	226.80B/167.80A	----	216.30 + 46.20	----	90	----	----	----	0 - 92
4915	----	----	231.80B/172.70A	231.80B/172.70A	----	221.30 + 46.20	----	29	----	----	----	0 - 29
4920	----	----	236.80B/177.70A	236.80B/177.70A	----	226.30 + 46.30	----	148	----	----	----	0 - 148
4925	----	----	241.80B/182.70A	241.80B/182.70A	----	231.30 + 46.30	----	72	----	1	----	0 - 73
4930	----	----	246.80B/187.60A	246.80B/187.60A	----	236.30 + 46.30	----	50	----	----	----	0 - 50
4935	----	----	251.80B/192.60A	251.80B/192.60A	----	241.30 + 46.40	----	54	----	----	----	0 - 54
4940	----	----	256.80B/197.60A	256.80B/197.60A	----	246.30 + 46.40	----	14	----	----	----	0 - 14
4945	----	----	261.80B/202.60A	261.80B/202.60A	----	251.30 + 46.40	----	41	----	----	----	0 - 41
4950	----	----	266.80B/207.60A	266.80B/207.60A	----	256.30 + 46.50	----	751	----	3	----	0 - 753
4955	----	----	271.80B/212.60A	271.80B/212.60A	----	261.30 + 46.50	----	83	----	----	----	0 - 83
4960	----	----	276.80B/217.50A	276.80B/217.50A	----	266.30 + 46.60	----	132	----	----	----	0 - 132
4965	----	----	281.80B/222.50A	281.80B/222.50A	----	271.30 + 46.60	----	15	----	----	----	0 - 15
4970	----	----	286.80B/227.50A	286.80B/227.50A	----	276.30 + 46.70	----	4	----	----	----	0 - 4
4975	----	----	291.80B/232.50A	291.80B/232.50A	----	281.30 + 46.70	----	90	----	----	----	0 - 90
4980	----	----	296.80B/237.50A	296.80B/237.50A	----	286.30 + 46.80	----	57	----	----	----	0 - 57
4985	----	----	301.80B/242.50A	301.80B/242.50A	----	291.30 + 46.80	----	126	----	----	----	0 - 126
4990	----	----	306.80B/247.70A	306.80B/247.70A	----	296.30 + 46.80	----	31	----	----	----	0 - 31
4995	----	----	311.80B/252.10A	311.80B/252.10A	----	301.30 + 46.80	----	221	----	3	----	0 - 222
5000	309.60	309.60	316.80B/257.40A	316.80B/257.40A	----	306.30 + 46.80	----	1104	----	8	----	0 - 1110
5005	----	----	321.80B/262.50A	321.80B/262.50A	----	311.30 + 46.90	----	41	----	----	----	0 - 41
5010	321.00	321.00	326.80B/267.50A	326.80B/267.50A	----	316.30 + 46.90	----	14	----	1	----	0 - 14
5015	----	----	331.80B/272.50A	331.80B/272.50A	----	321.30 + 46.90	----	23	----	----	----	0 - 23
5020	----	----	336.80B/277.50A	336.80B/277.50A	----	326.30 + 46.90	----	24	----	----	----	0 - 24
5025	----	----	341.80B/282.50A	341.80B/282.50A	----	331.30 + 47.00	----	153	----	2	----	0 - 155
5030	----	----	346.80B/287.50A	346.80B/287.50A	----	336.30 + 47.00	----	22	----	----	----	0 - 22
5035	----	----	351.80B/292.50A	351.80B/292.50A	----	341.30 + 47.00	----	13	----	----	----	0 - 13
5040	----	----	356.80B/297.40A	356.80B/297.40A	----	346.30 + 47.00	----	134	----	1	----	0 - 134
5045	----	----	361.80B/302.40A	361.80B/302.40A	----	351.30 + 47.00	----	28	----	1	----	0 - 28
5050	----	----	366.80B/307.40A	366.80B/307.40A	----	356.30 + 47.00	----	429	----	----	----	0 - 429
5055	----	----	371.80B/312.40A	371.80B/312.40A	----	361.30 + 47.00	----	104	----	----	----	0 - 104

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
5060	----	----	376.80B/317.40A	376.80B/317.40A	----	366.30 + 47.10	----	57	----	----	----	0 - 57
5065	----	----	381.80B/322.40A	381.80B/322.40A	----	371.30 + 47.10	----	53	----	1	----	0 - 54
5070	----	----	386.80B/327.40A	386.80B/327.40A	----	376.30 + 47.10	----	165	----	----	----	0 - 165
5075	----	----	391.80B/332.40A	391.80B/332.40A	----	381.30 + 47.10	----	47	----	----	----	0 - 47
5080	380.10	380.10	396.80B/337.40A	396.80B/337.40A	----	386.30 + 47.10	----	83	----	1	----	0 - 83
5085	----	----	401.80B/342.40A	401.80B/342.40A	----	391.30 + 47.10	----	110	----	8	----	0 - 112
5090	----	----	406.80B/347.40A	406.80B/347.40A	----	396.30 + 47.10	----	23	----	----	----	0 - 23
5095	----	----	411.80B/352.40A	411.80B/352.40A	----	401.30 + 47.10	----	7	----	----	----	0 - 7
5100	407.60	407.60	416.80B/357.40A	416.80B/357.40A	----	406.30 + 47.20	----	375	----	14	----	0 - 377
5105	----	----	421.80B/362.40A	421.80B/362.40A	----	411.30 + 47.20	----	57	----	1	----	0 - 57
5110	----	----	426.80B/367.40A	426.80B/367.40A	----	416.30 + 47.20	----	284	----	----	----	0 - 284
5115	----	----	431.80B/372.40A	431.80B/372.40A	----	421.30 + 47.20	----	23	----	----	----	0 - 23
5120	----	----	436.80B/377.40A	436.80B/377.40A	----	426.30 + 47.20	----	16	----	1	----	0 - 16
5125	----	----	441.80B/382.40A	441.80B/382.40A	----	431.30 + 47.20	----	88	----	----	----	0 - 88
5130	----	----	446.80B/387.40A	446.80B/387.40A	----	436.30 + 47.20	----	118	----	----	----	0 - 118
5135	----	----	451.80B/392.40A	451.80B/392.40A	----	441.30 + 47.20	----	95	----	----	----	0 - 95
5140	----	----	456.80B/397.40A	456.80B/397.40A	----	446.30 + 47.20	----	22	----	1	----	0 - 22
5145	----	----	461.80B/402.40A	461.80B/402.40A	----	451.30 + 47.20	----	42	----	2	----	0 - 42
5150	----	----	466.80B/407.40A	466.80B/407.40A	----	456.30 + 47.20	----	240	----	----	----	0 - 240
5155	----	----	471.80B/412.40A	471.80B/412.40A	----	461.30 + 47.20	----	8	----	----	----	0 - 8
5160	----	----	476.80B/417.40A	476.80B/417.40A	----	466.30 + 47.20	----	29	----	----	----	0 - 29
5165	----	----	481.80B/422.60A	481.80B/422.60A	----	471.30 + 47.20	----	44	----	----	----	0 - 44
5170	----	----	486.80B/427.60A	486.80B/427.60A	----	476.30 + 47.20	----	142	----	1	----	0 - 142
5175	----	----	491.80B/432.60A	491.80B/432.60A	----	481.30 + 47.20	----	28	----	2	----	0 - 28
5180	----	----	496.80B/437.40A	496.80B/437.40A	----	486.30 + 47.20	----	76	----	----	----	0 - 76
5185	----	----	501.80B/442.40A	501.80B/442.40A	----	491.30 + 47.20	----	2	----	----	----	0 - 2
5190	----	----	506.80B/447.00A	506.80B/447.00A	----	496.30 + 47.20	----	8	----	----	----	0 - 8
5195	----	----	511.80B/452.40A	511.80B/452.40A	----	501.30 + 47.20	----	9	----	----	----	0 - 9
5200	----	----	516.80B/457.40A	516.80B/457.40A	----	506.30 + 47.20	----	217	----	1	----	0 - 217
5205	----	----	521.80B/462.40A	521.80B/462.40A	----	511.30 + 47.20	----	15	----	----	----	0 - 15
5210	----	----	526.80B/467.40A	526.80B/467.40A	----	516.30 + 47.20	----	6	----	----	----	0 - 6
5215	----	----	531.80B/472.40A	531.80B/472.40A	----	521.30 + 47.20	----	3	----	----	----	0 - 3
5220	----	----	536.80B/477.40A	536.80B/477.40A	----	526.30 + 47.20	----	9	----	----	----	0 - 9
5225	----	----	541.80B/482.40A	541.80B/482.40A	----	531.30 + 47.20	----	48	----	----	----	0 - 48
5230	----	----	546.80B/487.40A	546.80B/487.40A	----	536.30 + 47.20	----	10	----	----	----	0 - 10
5235	----	----	551.80B/492.40A	551.80B/492.40A	----	541.30 + 47.20	----	46	----	----	----	0 - 46
5240	----	----	556.80B/497.40A	556.80B/497.40A	----	546.30 + 47.20	----	17	----	----	----	0 - 17
5245	----	----	561.80B/502.40A	561.80B/502.40A	----	551.30 + 47.20	----	13	----	----	----	0 - 13
5250	----	----	566.80B/507.40A	566.80B/507.40A	----	556.30 + 47.20	----	154	----	----	----	0 - 154
5260	----	----	576.80B/517.40A	576.80B/517.40A	----	566.30 + 47.20	----	11	----	----	----	0 - 11
5265	----	----	581.80B/522.30A	581.80B/522.30A	----	571.30 + 47.20	----	1	----	----	----	0 - 1
5270	----	----	586.80B/527.30A	586.80B/527.30A	----	576.30 + 47.20	----	15	----	----	----	0 - 15
5275	----	----	591.80B/532.30A	591.80B/532.30A	----	581.30 + 47.20	----	30	----	----	----	0 - 30
5290	----	----	606.80B/547.30A	606.80B/547.30A	----	596.30 + 47.20	----	1	----	----	----	0 - 1
5300	606.70	606.70	616.80B/557.30A	616.80B/557.30A	----	606.30 + 47.20	----	53	----	9	----	0 - 53
5305	----	----	621.80B/562.30A	621.80B/562.30A	----	611.30 + 47.20	----	10	----	----	----	0 - 10
5310	----	----	626.80B/567.30A	626.80B/567.30A	----	616.30 + 47.20	----	32	----	----	----	0 - 32
5315	----	----	631.80B/572.30A	631.80B/572.30A	----	621.30 + 47.20	----	1	----	----	----	0 - 1
5320	----	----	636.80B/577.30A	636.80B/577.30A	----	626.30 + 47.20	----	24	----	----	----	0 - 24
5325	----	----	641.80B/582.30A	641.80B/582.30A	----	631.30 + 47.20	----	50	----	----	----	0 - 50
5330	----	----	646.80B/587.30A	646.80B/587.30A	----	636.30 + 47.20	----	12	----	----	----	0 - 12
5335	----	----	651.80B/592.30A	651.80B/592.30A	----	641.30 + 47.20	----	1	----	----	----	0 - 1
5350	----	----	666.80B/607.30A	666.80B/607.30A	----	656.30 + 47.20	----	21	----	----	----	0 - 21
5360	----	----	676.80B/617.30A	676.80B/617.30A	----	666.30 + 47.20	----	1	----	----	----	0 - 1
5370	----	----	686.80B/627.30A	686.80B/627.30A	----	676.30 + 47.20	----	32	----	----	----	0 - 32
5375	----	----	691.80B/632.30A	691.80B/632.30A	----	681.30 + 47.20	----	5	----	----	----	0 - 5
5385	----	----	701.80B/642.30A	701.80B/642.30A	----	691.30 + 47.20	----	----	----	----	----	0 UNCH
5395	----	----	711.80B/652.30A	711.80B/652.30A	----	701.30 + 47.20	----	1	----	1	----	0 - 1
5400	----	----	716.80B/657.30A	716.80B/657.30A	----	706.30 + 47.20	----	53	----	----	----	0 - 53
5410	----	----	726.80B/667.30A	726.80B/667.30A	----	716.30 + 47.20	----	55	----	----	----	0 - 55
5420	----	----	736.80B/677.30A	736.80B/677.30A	----	726.30 + 47.20	----	4	----	----	----	0 - 4
5425	----	----	741.80B/682.30A	741.80B/682.30A	----	731.30 + 47.20	----	31	----	----	----	0 - 31
5450	----	----	766.80B/707.30A	766.80B/707.30A	----	756.30 + 47.20	----	8	----	----	----	0 - 8
5490	----	----	806.80B/747.30A	806.80B/747.30A	----	796.30 + 47.20	----	3	----	----	----	0 - 3
5500	----	----	816.80B/757.30A	816.80B/757.30A	----	806.30 + 47.20	----	19	----	----	----	0 - 19
15000	----	----	10,316.80B/10,2	10316.80B/10257.30A	----	)306.30 NEW	----	4	----	102	----	0 UNCH
TOTAL										3291		0 - 94081
JUN26												
1325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1375	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1400	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1425	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1475	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1525	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
1575	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1580	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1590	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	175 UNCH
1600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
1610	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1615	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1620	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
1625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1650	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1670	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1675	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1685	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1690	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1695	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1735	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1740	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1745	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
1755	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1775	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1780	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1785	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1795	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1800	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
1815	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1820	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1855	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1875	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1900	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1905	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
1915	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1920	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1950	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1955	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1965	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1975	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	85 UNCH
2000	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	20	----	607 + 4
2005	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2010	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2015	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
2020	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2025	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	40 UNCH
2030	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
2050	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
2085	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
2100	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	90 UNCH
2105	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2130	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2170	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2180	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
2195	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2200	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	9 UNCH
2205	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
2220	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2230	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	25 UNCH
2235	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	21 UNCH
2240	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	6 UNCH
2250	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	5 UNCH
2300	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
2315	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	40 UNCH
2330	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0002	----	----	----	----	9 UNCH
2350	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
2380	----	----	0.20B/----	0.20B/0.40A	----	0.10 UNCH	.0003	----	----	----	----	9 UNCH
2385	----	----	0.20B/----	0.20B/0.40A	----	0.20 + 0.10	.0005	----	----	----	----	1 UNCH
2390	----	----	0.20B/----	0.20B/0.40A	----	0.20 + 0.10	.0005	----	----	----	----	1 UNCH
2395	----	----	0.20B/----	0.20B/0.40A	----	0.20 + 0.10	.0005	----	----	----	----	1 UNCH
2400	----	----	0.20B/----	0.20B/0.40A	----	0.20 + 0.10	.0005	----	----	----	----	71 UNCH
2405	----	----	0.20B/----	0.20B/0.40A	----	0.20 + 0.10	.0005	----	----	----	----	1 UNCH
2410	----	----	0.20B/----	0.20B/0.40A	----	0.20 + 0.10	.0005	----	----	----	----	6 UNCH
2415	----	----	0.20B/----	0.20B/0.40A	----	0.20 + 0.10	.0005	----	----	----	----	1 UNCH
2420	----	----	0.20B/----	0.20B/0.40A	----	0.20 + 0.10	.0005	----	----	----	----	5 UNCH
2425	----	----	0.20B/----	0.20B/0.40A	----	0.20 + 0.10	.0005	----	----	----	----	23 UNCH
2430	----	----	0.20B/----	0.20B/0.40A	----	0.20 + 0.10	.0005	----	----	----	----	1 UNCH
2445	----	----	----	0.20B/0.40A	----	0.20 UNCH	.0005	----	----	----	----	5 UNCH
2450	----	----	0.30B/----	0.30B/0.40A	----	0.20 UNCH	.0005	----	----	----	----	51 UNCH
2460	----	----	----	0.20B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	1 UNCH
2465	----	----	----	0.20B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	7 UNCH
2475	----	----	0.30B/----	0.30B/0.40A	----	0.30 + 0.10	.0008	----	----	----	----	3 UNCH
2495	----	----	0.30B/----	0.30B/0.40A	----	0.30 + 0.10	.0008	----	----	----	----	1 UNCH
2500	0.30	0.30	0.30/0.10	0.30/0.10	----	0.30 + 0.10	.0008	----	----	4	----	1925 + 1
2510	----	----	0.30B/----	0.30B/0.40A	----	0.30 + 0.10	.0008	----	----	----	----	2 UNCH
2525	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0008	----	----	----	----	25 UNCH
2535	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0008	----	----	----	----	5 UNCH
2540	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0008	----	----	----	----	5 UNCH
2550	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0009	----	----	----	----	50 UNCH
2565	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0009	----	----	----	----	5 UNCH
2580	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0009	----	----	----	----	5 UNCH
2590	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.40 + 0.20	.0011	----	----	10	----	13 + 5
2600	----	----	0.30B/----	0.30B/0.40A	----	0.40 + 0.20	.0011	----	----	----	----	187 UNCH
2645	----	----	----	0.30B/0.40A	----	0.40 + 0.10	.0012	----	----	----	----	10 UNCH
2650	----	----	----	0.30B/0.40A	----	0.40 + 0.10	.0012	----	----	----	----	1 UNCH
2685	0.40	0.40	0.40/0.40	0.40/0.40	----	0.50 NEW	.0015	----	----	26	----	26 + 26
2695	----	----	----	0.30B/0.40A	----	0.50 + 0.20	.0015	----	----	----	----	2 UNCH
2700	----	----	0.40B/----	0.40B/0.40A	----	0.50 + 0.20	.0015	----	----	----	----	427 UNCH
2730	----	----	0.40B/----	0.40B/*0.40A	----	0.50 + 0.20	.0015	----	----	----	----	5 UNCH
2750	----	----	0.40B/----	0.40B/0.50A	----	0.60 + 0.30	.0018	----	----	----	----	1 UNCH
2800	0.60	0.60	0.70/0.60	0.70/0.50A	----	0.60 + 0.20	.0019	----	----	51	----	736 - 15
2805	----	----	0.60B/----	0.60B/0.50A	----	0.60 + 0.20	.0019	----	----	----	----	223 UNCH
2810	----	----	0.50B/----	0.50B/0.50A	----	0.60 + 0.20	.0019	----	----	----	----	39 UNCH
2825	----	----	0.50B/----	0.50B/0.50A	----	0.70 + 0.30	.0022	----	----	----	----	56 UNCH
2830	----	----	0.50B/----	0.50B/*0.50A	----	0.70 + 0.30	.0022	----	----	----	----	25 UNCH
2850	----	----	0.50B/----	0.50B/*0.50A	----	0.70 + 0.30	.0022	----	----	----	----	22 UNCH
2865	0.60	0.60	0.60/0.60	0.60/0.60	----	0.70 NEW	.0022	----	----	2	----	2 + 2
2875	----	----	0.60B/----	0.60B/0.60A	----	0.70 + 0.20	.0022	----	----	----	----	7 UNCH
2900	----	----	0.60B/----	0.60B/0.60A	----	0.80 + 0.30	.0025	----	----	----	----	155 UNCH
2905	----	----	0.60B/----	0.60B/*0.60A	----	0.80 + 0.30	.0026	----	----	----	----	5 UNCH
2915	----	----	----	0.60B/*0.60A	----	0.80 + 0.20	.0026	----	----	----	----	1 UNCH
2930	----	----	0.70B/----	0.70B/*0.60A	----	0.80 + 0.20	.0026	----	----	----	----	1 UNCH
2935	----	----	0.70B/----	0.70B/*0.60A	----	0.90 + 0.30	.0029	----	----	----	----	3 UNCH
2950	----	----	0.70B/----	0.70B/0.70A	----	0.90 + 0.30	.0029	----	----	----	----	24 UNCH
2955	0.70	0.70	0.70/0.70	0.70/0.70	----	0.90 NEW	.0029	----	----	8	----	8 + 8
2970	----	----	----	0.70B/*0.70A	----	0.90 + 0.20	.0029	----	----	----	----	2 UNCH
2975	----	----	----	0.70B/*0.70A	----	0.90 + 0.20	.0030	----	----	----	----	9 UNCH
2990	----	----	----	0.70B/*0.70A	----	1.00 + 0.30	.0033	----	----	----	----	5 UNCH
2995	----	----	0.80B/----	0.80B/*0.70A	----	1.00 + 0.30	.0033	----	----	----	----	6 UNCH
3000	0.70	0.70	1.00/0.70	1.00/0.70	----	1.00 + 0.30	.0033	----	----	52	----	1685 + 10
3005	----	----	0.80B/----	0.80B/0.80A	----	1.00 + 0.30	.0033	----	----	----	----	30 UNCH
3010	----	----	0.80B/----	0.80B/0.80A	----	1.00 + 0.30	.0033	----	----	----	----	8 UNCH
3015	----	----	----	0.80B/0.80A	----	1.00 + 0.20	.0033	----	----	----	----	216 UNCH
3020	----	----	----	0.80B/*0.80A	----	1.00 + 0.20	.0033	----	----	----	----	35 UNCH
3035	----	----	----	0.80B/*0.80A	----	1.10 + 0.30	.0037	----	----	----	----	1 UNCH
3045	0.90	0.90	0.90/0.90	0.90/*0.80A	----	1.10 NEW	.0037	----	----	56	----	56 + 56
3050	----	----	0.90B/----	0.90B/*0.80A	----	1.10 + 0.30	.0037	----	----	----	----	389 UNCH
3065	----	----	----	0.90B/0.90A	----	1.10 + 0.20	.0037	----	----	----	----	7 UNCH
3070	----	----	----	0.90B/0.90A	----	1.10 + 0.20	.0037	----	----	----	----	6 UNCH
3075	----	----	----	0.90B/0.90A	----	1.10 + 0.20	.0038	----	----	----	----	10 UNCH
3080	----	----	----	0.90B/0.90A	----	1.20 + 0.30	.0041	----	----	----	----	8 UNCH
3095	----	----	1.00B/----	1.00B/*0.90A	----	1.20 + 0.30	.0041	----	----	----	----	42 UNCH
3100	1.10	1.10	1.10/*0.90A	1.10/*0.90A	----	1.20 + 0.20	.0041	----	----	1	----	367 UNCH
3105	----	----	----/*0.90A	1.00B/*0.90A	----	1.20 + 0.20	.0041	----	----	----	----	13 UNCH
3110	----	----	----/*0.90A	1.00B/*0.90A	----	1.20 + 0.20	.0041	----	----	----	----	10 UNCH
3120	----	----	----/*0.90A	1.00B/*0.90A	----	1.30 + 0.30	.0045	----	----	----	----	13 UNCH
3125	----	----	----	1.00B/1.00A	----	1.30 + 0.30	.0045	----	----	----	----	13 UNCH
3130	----	----	----	1.00B/*1.00A	----	1.30 + 0.30	.0045	----	----	----	----	26 UNCH
3140	----	----	----/*1.00A	1.10B/*1.00A	----	1.30 + 0.20	.0045	----	----	----	----	5 UNCH
3150	----	----	----/1.00A	1.10B/1.00A	----	1.30 + 0.20	.0046	----	----	----	----	147 UNCH
3155	----	----	1.20B/*1.00A	1.20B/*1.00A	----	1.40 + 0.30	.0049	----	----	----	----	16 UNCH
3160	----	----	1.20B/*1.00A	1.20B/*1.00A	----	1.40 + 0.30	.0049	----	----	----	----	5 UNCH
3170	----	----	1.20B/----	1.20B/*1.10A	----	1.40 + 0.30	.0049	----	----	----	----	6 UNCH
3175	----	----	1.20B/----	1.20B/*1.10A	----	1.40 + 0.30	.0049	----	----	----	----	12 UNCH
3180	----	----	----/*1.10A	1.20B/*1.10A	----	1.40 + 0.20	.0049	----	----	----	----	5 UNCH
3185	----	----	----/*1.10A	1.20B/*1.10A	----	1.40 + 0.20	.0050	----	----	----	----	6 UNCH
3190	----	----	----/*1.10A	1.20B/*1.10A	----	1.40 + 0.20	.0050	----	----	----	----	18 UNCH
3195	----	----	----/1.10A	1.20B/1.10A	----	1.50 + 0.30	.0053	----	----	----	----	12 UNCH
3200	1.30	1.30	1.30/1.10A	1.30/1.10A	----	1.50 + 0.30	.0053	----	----	4	----	296 UNCH
3205	----	----	1.30B/*1.10A	1.30B/*1.10A	----	1.50 + 0.30	.0053	----	----	----	----	42 UNCH
3210	----	----	1.30B/----	1.30B/1.20A	----	1.50 + 0.30	.0054	----	----	----	----	25 UNCH
3215	----	----	----/*1.20A	1.30B/*1.20A	----	1.50 + 0.20	.0054	----	----	----	----	22 UNCH
3220	----	----	----/1.20A	1.30B/1.20A	----	1.50 + 0.20	.0054	----	----	----	----	36 UNCH
3225	----	----	1.40B/1.20A	1.40B/1.20A	----	1.50 + 0.20	.0054	----	----	----	----	75 UNCH
3230	----	----	1.40B/1.20A	1.40B/1.20A	----	1.60 + 0.30	.0057	----	----	----	----	7 UNCH
3235	----	----	1.40B/*1.20A	1.40B/*1.20A	----	1.60 + 0.30	.0057	----	----	----	----	25 UNCH
3250	----	----	----/*1.20A	1.40B/*1.20A	----	1.60 + 0.20	.0058	----	----	----	----	148 UNCH
3255	----	----	----/*1.30A	1.40B/*1.30A	----	1.60 + 0.20	.0058	----	----	----	----	124 UNCH
3260	----	----	1.50B/1.30A	1.50B/1.30A	----	1.70 + 0.30	.0062	----	----	----	----	45 UNCH
3265	1.40	1.40	1.50B/1.30A	1.50B/1.30A	----	1.70 + 0.30	.0062	----	----	10	----	30 + 10
3270	----	----	1.50B/*1.30A	1.50B/*1.30A	----	1.70 + 0.30	.0062	----	----	----	----	7 UNCH
3275	----	----	1.50B/1.30A	1.50B/1.30A	----	1.70 + 0.30	.0062	----	----	----	----	10 UNCH
3280	----	----	1.50B/*1.30A	1.50B/*1.30A	----	1.70 + 0.30	.0062	----	----	----	----	13 UNCH
3290	----	----	1.60B/*1.40A	1.60B/*1.40A	----	1.70 + 0.20	.0063	----	----	----	----	37 UNCH
3300	----	----	1.60B/1.40A	1.60B/1.40A	----	1.80 + 0.30	.0066	----	----	----	----	398 UNCH
3305	----	----	1.60B/*1.40A	1.60B/*1.40A	----	1.80 + 0.30	.0067	----	----	----	----	1 UNCH
3310	----	----	1.60B/*1.40A	1.60B/*1.40A	----	1.80 + 0.30	.0067	----	----	----	----	7 UNCH
3315	----	----	1.60B/*1.40A	1.60B/*1.40A	----	1.80 + 0.30	.0067	----	----	----	----	7 UNCH
3320	----	----	----/*1.40A	1.60B/*1.40A	----	1.80 + 0.20	.0067	----	----	----	----	4 UNCH
3325	----	----	1.70B/*1.40A	1.70B/*1.40A	----	1.90 + 0.30	.0071	----	----	----	----	47 UNCH
3335	----	----	1.70B/*1.50A	1.70B/*1.50A	----	1.90 + 0.30	.0071	----	----	----	----	46 UNCH
3340	----	----	1.70B/*1.50A	1.70B/*1.50A	----	1.90 + 0.30	.0072	----	----	----	----	22 UNCH
3345	----	----	1.70B/*1.50A	1.70B/*1.50A	----	1.90 + 0.30	.0072	----	----	----	----	12 UNCH
3350	2.00	2.00	2.00/*1.50A	2.00/*1.50A	----	1.90 + 0.20	.0072	----	----	25	----	432 + 25
3355	----	----	1.80B/*1.50A	1.80B/*1.50A	----	2.00 + 0.30	.0075	----	----	----	----	17 UNCH
3360	----	----	1.80B/*1.50A	1.80B/*1.50A	----	2.00 + 0.30	.0076	----	----	----	----	7 UNCH
3365	----	----	1.80B/*1.50A	1.80B/*1.50A	----	2.00 + 0.30	.0076	----	----	----	----	31 UNCH
3370	----	----	1.80B/*1.50A	1.80B/*1.50A	----	2.00 + 0.30	.0076	----	----	----	----	26 UNCH
3375	----	----	----/1.60A	1.80B/1.60A	----	2.00 + 0.20	.0077	----	----	----	----	98 UNCH
3380	----	----	2.00B/*1.60A	2.00B/*1.60A	----	2.00 + 0.20	.0077	----	----	----	----	46 UNCH
3385	----	----	1.90B/*1.60A	1.90B/*1.60A	----	2.10 + 0.30	.0080	----	----	----	----	6 UNCH
3390	----	----	1.90B/*1.60A	1.90B/*1.60A	----	2.10 + 0.30	.0081	----	----	----	----	59 UNCH
3395	----	----	1.90B/*1.60A	1.90B/*1.60A	----	2.10 + 0.30	.0081	----	----	----	----	1 UNCH
3400	2.10	2.10	2.10/1.70A	2.10/1.70A	----	2.10 + 0.30	.0081	----	----	97	----	723 - 19
3405	----	----	2.00B/*1.70A	2.00B/*1.70A	----	2.10 + 0.20	.0082	----	----	----	----	66 UNCH
3410	----	----	2.00B/*1.70A	2.00B/*1.70A	----	2.10 + 0.20	.0082	----	----	----	----	7 UNCH
3415	----	----	2.00B/*1.70A	2.00B/*1.70A	----	2.20 + 0.30	.0085	----	----	----	----	3 UNCH
3420	----	----	2.00B/*1.70A	2.00B/*1.70A	----	2.20 + 0.30	.0086	----	----	----	----	18 UNCH
3425	----	----	2.00B/*1.70A	2.00B/*1.70A	----	2.20 + 0.30	.0086	----	----	----	----	25 UNCH
3430	----	----	----/*1.80A	2.00B/*1.80A	----	2.20 + 0.20	.0086	----	----	----	----	10 UNCH
3435	----	----	2.10B/*1.80A	2.10B/*1.80A	----	2.20 + 0.20	.0087	----	----	----	----	20 UNCH
3450	----	----	2.20B/*1.80A	2.20B/*1.80A	----	2.30 + 0.30	.0091	----	----	----	----	407 UNCH
3455	----	----	----/*1.90A	2.10B/*1.90A	----	2.30 + 0.20	.0091	----	----	----	----	51 UNCH
3460	----	----	2.20B/*1.90A	2.20B/*1.90A	----	2.30 + 0.20	.0092	----	----	----	----	50 UNCH
3465	----	----	2.20B/*1.90A	2.20B/*1.90A	----	2.30 + 0.20	.0092	----	----	----	----	89 UNCH
3470	----	----	2.20B/*1.90A	2.20B/*1.90A	----	2.40 + 0.30	.0096	----	----	----	----	28 UNCH
3475	----	----	----/*1.90A	2.20B/*1.90A	----	2.40 + 0.20	.0096	----	----	----	----	241 UNCH
3480	----	----	2.30B/*2.00A	2.30B/*2.00A	----	2.40 + 0.20	.0097	----	----	----	----	171 UNCH
3485	----	----	2.30B/2.00A	2.30B/2.00A	----	2.40 + 0.20	.0097	----	----	----	----	3 UNCH
3490	----	----	2.30B/*2.00A	2.30B/*2.00A	----	2.40 + 0.20	.0097	----	----	----	----	21 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3500	2.50	2.50	2.50/2.00A	2.50/2.00A	----	2.50 + 0.20	.0101	----	----	99	----	1782 - 15
3505	----	----	2.40B/*2.10A	2.40B/*2.10A	----	2.50 + 0.20	.0102	----	----	----	----	65 UNCH
3510	----	----	2.40B/*2.10A	2.40B/*2.10A	----	2.50 + 0.20	.0102	----	----	----	----	86 UNCH
3515	----	----	2.50B/*2.10A	2.50B/*2.10A	----	2.60 + 0.30	.0106	----	----	----	----	16 UNCH
3520	----	----	2.50B/*2.10A	2.50B/*2.10A	----	2.60 + 0.20	.0106	----	----	----	----	138 UNCH
3525	----	----	2.50B/*2.10A	2.50B/*2.10A	----	2.60 + 0.20	.0107	----	----	----	----	301 UNCH
3530	----	----	2.50B/*2.20A	2.50B/*2.20A	----	2.60 + 0.20	.0107	----	----	----	----	7 UNCH
3535	----	----	2.60B/*2.20A	2.60B/*2.20A	----	2.70 + 0.30	.0111	----	----	----	----	100 UNCH
3540	----	----	2.60B/*2.20A	2.60B/*2.20A	----	2.70 + 0.20	.0111	----	----	----	----	5 UNCH
3545	----	----	2.60B/*2.20A	2.60B/*2.20A	----	2.70 + 0.20	.0112	----	----	----	----	20 UNCH
3550	----	----	2.70B/*2.20A	2.70B/*2.20A	----	2.70 + 0.20	.0112	----	----	----	----	418 UNCH
3555	----	----	2.70B/*2.30A	2.70B/*2.30A	----	2.80 + 0.20	.0116	----	----	----	----	2 UNCH
3560	----	----	2.70B/*2.30A	2.70B/*2.30A	----	2.80 + 0.20	.0117	----	----	----	----	89 UNCH
3565	----	----	2.80B/*2.30A	2.80B/*2.30A	----	2.80 + 0.20	.0117	----	----	----	----	41 UNCH
3570	----	----	2.80B/*2.30A	2.80B/*2.30A	----	2.90 + 0.30	.0121	----	----	----	----	60 UNCH
3575	----	----	2.80B/*2.30A	2.80B/*2.30A	----	2.90 + 0.20	.0122	----	----	----	----	40 UNCH
3580	----	----	2.80B/*2.40A	2.80B/*2.40A	----	2.90 + 0.20	.0122	----	----	----	----	76 UNCH
3585	----	----	2.90B/*2.40A	2.90B/*2.40A	----	2.90 + 0.20	.0123	----	----	----	----	2 UNCH
3590	----	----	2.90B/*2.40A	2.90B/*2.40A	----	3.00 + 0.20	.0126	----	----	----	----	3 UNCH
3595	----	----	2.90B/*2.40A	2.90B/*2.40A	----	3.00 + 0.20	.0127	----	----	----	----	23 UNCH
3600	2.50	2.50	3.00B/2.40A	3.00B/2.40A	----	3.00 + 0.20	.0128	----	----	16	----	1657 + 2
3610	----	----	3.00B/*2.50A	3.00B/*2.50A	----	3.10 + 0.20	.0132	----	----	----	----	3 UNCH
3615	----	----	3.00B/*2.50A	3.00B/*2.50A	----	3.10 + 0.20	.0133	----	----	----	----	37 UNCH
3620	----	----	3.10B/*2.60A	3.10B/*2.60A	----	3.20 + 0.20	.0137	----	----	----	----	11 UNCH
3625	----	----	3.10B/*2.60A	3.10B/*2.60A	----	3.20 + 0.20	.0137	----	----	----	----	67 UNCH
3630	----	----	3.10B/*2.60A	3.10B/*2.60A	----	3.20 + 0.20	.0138	----	----	----	----	86 UNCH
3635	----	----	3.20B/*2.60A	3.20B/*2.60A	----	3.30 + 0.20	.0142	----	----	----	----	107 UNCH
3640	----	----	3.20B/*2.70A	3.20B/*2.70A	----	3.30 + 0.20	.0142	----	----	----	----	24 UNCH
3645	----	----	3.20B/*2.60A	3.20B/*2.60A	----	3.30 + 0.20	.0143	----	----	----	----	13 UNCH
3650	2.50	2.50	3.30B/*2.50	3.30B/*2.50	----	3.40 + 0.20	.0147	----	----	1	----	555 - 1
3655	----	----	3.30B/*2.70A	3.30B/*2.70A	----	3.40 + 0.20	.0148	----	----	----	----	7 UNCH
3660	----	----	3.30B/*2.80A	3.30B/*2.80A	----	3.40 + 0.20	.0148	----	----	----	----	1 UNCH
3665	----	----	3.40B/*2.80A	3.40B/*2.80A	----	3.50 + 0.20	.0152	----	----	----	----	15 UNCH
3670	2.80	2.80	3.40B/*2.80	3.40B/*2.80	----	3.50 + 0.20	.0153	----	----	4	----	31 UNCH
3675	----	----	3.40B/*2.90A	3.40B/*2.90A	----	3.50 + 0.20	.0154	----	----	----	----	46 UNCH
3680	3.60	3.60	3.60/*2.80A	3.60/*2.80A	----	3.60 + 0.20	.0158	----	----	1	----	18 UNCH
3685	----	----	3.50B/*2.90A	3.50B/*2.90A	----	3.60 + 0.20	.0159	----	----	----	----	51 UNCH
3690	----	----	3.60B/*2.90A	3.60B/*2.90A	----	3.60 + 0.20	.0159	----	----	----	----	7 UNCH
3695	----	----	3.60B/*3.00A	3.60B/*3.00A	----	3.70 + 0.20	.0164	----	----	----	----	19 UNCH
3700	----	----	3.60B/3.00A	3.60B/3.00A	----	3.70 + 0.20	.0164	----	----	25	----	819 UNCH
3705	----	----	----/*3.00A	3.60B/*3.00A	----	3.80 + 0.20	.0169	----	----	----	----	124 UNCH
3710	----	----	3.70B/*3.10A	3.70B/*3.10A	----	3.80 + 0.20	.0169	----	----	----	----	79 UNCH
3715	----	----	3.70B/*3.10A	3.70B/*3.10A	----	3.80 + 0.20	.0170	----	----	----	----	46 UNCH
3720	4.00	4.00	4.00/*3.10A	4.00/*3.10A	----	3.90 + 0.20	.0174	----	----	1	----	3 + 1
3725	----	----	3.80B/*3.20A	3.80B/*3.20A	----	3.90 + 0.20	.0175	----	----	----	----	91 UNCH
3730	4.10	4.10	4.10/*3.20A	4.10/*3.20A	----	3.90 + 0.10	.0176	----	----	1	----	18 UNCH
3740	4.10	4.10	4.10/*3.30A	4.10/*3.30A	----	4.00 + 0.20	.0181	----	----	1	----	66 + 1
3745	3.40	3.40	4.20/*3.30A	4.20/*3.30A	----	4.00 + 0.10	.0182	----	----	3	----	20 + 1
3750	3.80	3.80	4.10/*3.10	4.10/*3.10	----	4.10 + 0.20	.0187	----	----	35	----	1312 - 12
3755	4.20	4.20	4.20/*3.40A	4.20/*3.40A	----	4.10 + 0.10	.0187	----	----	1	----	14 UNCH
3760	----	----	4.10B/*3.40A	4.10B/*3.40A	----	4.10 + 0.10	.0188	----	----	----	----	23 UNCH
3765	4.20	4.20	4.20/*3.40A	4.20/*3.40A	----	4.20 + 0.10	.0193	----	----	1	----	49 + 1
3770	----	----	4.20B/*3.50A	4.20B/*3.50A	----	4.20 + 0.10	.0194	----	----	----	----	10 UNCH
3775	----	----	----/*3.50A	4.20B/*3.50A	----	4.30 + 0.10	.0198	----	----	----	----	39 UNCH
3780	----	----	----/*3.60A	4.20B/*3.60A	----	4.30 + 0.10	.0199	----	----	----	----	15 UNCH
3785	----	----	----/*3.60A	4.30B/*3.60A	----	4.30 UNCH	.0200	----	----	----	----	7 UNCH
3790	----	----	4.40B/*3.70A	4.40B/*3.70A	----	4.40 + 0.10	.0205	----	----	----	----	259 UNCH
3795	3.80	3.80	4.40B/*3.70A	4.40B/*3.70A	----	4.40 + 0.10	.0206	----	----	1	----	58 + 1
3800	3.40	3.40	4.70/*3.40	4.70/*3.40	----	4.50 + 0.10	.0210	----	----	1335	2000	2826 + 1470
3805	----	----	4.50B/*3.80A	4.50B/*3.80A	----	4.50 + 0.10	.0211	----	----	----	----	71 UNCH
3810	3.90	3.90	4.50B/*3.70A	4.50B/*3.70A	----	4.50 UNCH	.0212	----	----	37	----	44 + 31
3815	----	----	4.60B/*3.80A	4.60B/*3.80A	----	4.60 + 0.10	.0217	----	----	----	----	38 UNCH
3820	4.00	4.00	4.60/*3.90A	4.60/*3.90A	----	4.60 UNCH	.0218	----	----	8	----	18 + 8
3825	----	----	----/*3.90A	4.70B/*3.90A	----	4.70 UNCH	.0223	----	----	----	----	38 UNCH
3830	4.70	4.70	4.70/*4.00A	4.70/*4.00A	----	4.70 UNCH	.0224	----	----	7	----	184 - 1
3835	----	----	----/*4.00A	4.80B/*4.00A	----	4.80 UNCH	.0229	----	----	----	----	55 UNCH
3840	4.30	4.30	4.80/*4.00A	4.80/*4.00A	----	4.80 UNCH	.0230	----	----	2	----	4 + 1
3845	----	----	----/*4.10A	4.90B/*4.10A	----	4.90 UNCH	.0235	----	----	----	----	1 UNCH
3850	4.80	4.80	4.90/*4.10A	4.90/*4.10A	----	4.90 UNCH	.0236	----	----	5	----	689 - 1
3855	----	----	----/*4.20A	5.00B/*4.20A	----	5.00 UNCH	.0241	----	----	----	----	73 UNCH
3860	4.50	4.50	5.00/*4.20A	5.00/*4.20A	----	5.00 UNCH	.0242	----	----	2	----	29 + 2
3865	----	----	----/*4.30A	5.10B/*4.30A	----	5.10 UNCH	.0247	----	----	----	----	19 UNCH
3870	4.80	4.80	5.10B/*4.30A	5.10B/*4.30A	----	5.10 - 0.10	.0248	----	----	1	----	16 UNCH
3875	4.90	4.90	5.20B/*4.40A	5.20B/*4.40A	----	5.20 UNCH	.0253	----	----	1	----	164 + 1
3880	5.20	5.20	5.20/*4.40A	5.20/*4.40A	----	5.20 - 0.10	.0255	----	----	1	----	16 + 1
3885	5.30	5.30	5.30/*4.50A	5.30/*4.50A	----	5.30 - 0.10	.0260	----	----	1	----	13 + 1
3890	5.30	5.30	5.30/*4.50A	5.30/*4.50A	----	5.30 - 0.10	.0261	----	----	2	----	46 + 1
3895	----	----	----/*4.60A	5.40B/*4.60A	----	5.40 - 0.10	.0266	----	----	----	----	16 UNCH
3900	5.40	5.40	5.40/*4.60A	5.50B/*4.60A	----	5.40 - 0.20	.0268	----	----	12	----	1129 UNCH
3905	----	----	----/*4.70A	5.50B/*4.70A	----	5.50 - 0.10	.0273	----	----	----	----	45 UNCH
3910	----	----	----/*4.70A	5.60B/*4.70A	----	5.60 - 0.10	.0278	----	----	----	----	10 UNCH
3915	----	----	----/*4.80A	5.60B/*4.80A	----	5.60 - 0.20	.0279	----	----	----	----	24 UNCH
3920	----	----	----/*4.80A	5.70B/*4.80A	----	5.70 - 0.10	.0285	----	----	----	----	33 UNCH
3925	----	----	----/*4.90A	5.80B/*4.90A	----	5.80 - 0.10	.0290	----	----	----	----	51 UNCH
3930	----	----	----/*5.00A	5.80B/*5.00A	----	5.80 - 0.20	.0291	----	----	----	----	23 UNCH
3935	5.10	5.10	5.90B/*5.00	5.90B/*5.00	----	5.90 - 0.20	.0297	----	----	10	----	28 UNCH
3940	5.90	5.90	5.90/*5.10A	6.00B/*5.10A	----	6.00 - 0.10	.0302	----	----	2	----	101 UNCH
3945	----	----	----/*5.20A	6.10B/*5.20A	----	6.00 - 0.20	.0304	----	----	----	----	18 UNCH
3950	6.10	6.10	6.10/*5.20A	6.10/*5.20A	----	6.10 - 0.20	.0309	----	----	2	----	320 + 2
3955	6.20	6.20	6.20/*5.30A	6.20/*5.30A	----	6.20 - 0.20	.0315	----	----	6	----	6 - 4
3960	----	----	----/*5.40A	6.30B/*5.40A	----	6.30 - 0.20	.0320	----	----	----	----	35 UNCH
3965	----	----	----/*5.40A	6.40B/*5.40A	----	6.30 - 0.20	.0322	----	----	----	----	19 UNCH
3970	----	----	----/*5.50A	6.40B/*5.50A	----	6.40 - 0.20	.0328	----	----	----	----	58 UNCH
3975	----	----	----/*5.60A	6.50B/*5.60A	----	6.50 - 0.20	.0333	----	----	----	----	337 UNCH
3980	----	----	----/*5.70A	6.60B/*5.70A	----	6.60 - 0.20	.0339	----	----	49	----	62 + 31
3985	6.50	6.50	6.50/*5.70A	6.70B/*5.70A	----	6.70 - 0.20	.0345	----	----	1	----	29 + 1
3990	----	----	----/*5.80A	6.80B/*5.80A	----	6.70 - 0.30	.0347	----	----	----	----	19 UNCH
3995	----	----	----/*5.90A	6.90B/*5.90A	----	6.80 - 0.30	.0353	----	----	----	----	144 UNCH
4000	7.90	7.90	7.90/*5.80	7.90/*5.80	----	6.90 - 0.30	.0358	----	----	44	----	3900 + 3
4005	----	----	----/*6.10A	7.10B/*6.10A	----	7.00 - 0.30	.0364	----	----	----	----	35 UNCH
4010	6.70	6.70	6.70/*6.20A	7.20B/*6.20A	----	7.10 - 0.30	.0370	----	----	5	----	42 UNCH
4015	----	----	----/*6.20A	7.30B/*6.20A	----	7.20 - 0.30	.0376	----	----	----	----	17 UNCH
4020	7.10	7.10	7.10/*6.30A	7.40B/*6.30A	----	7.30 - 0.30	.0382	----	----	1	----	188 + 1
4025	----	----	----/*6.40A	7.50B/*6.40A	----	7.40 - 0.30	.0388	----	----	1	----	215 UNCH
4030	----	----	----/*6.50A	7.70B/*6.50A	----	7.50 - 0.30	.0394	----	----	1	----	17 UNCH
4035	----	----	----/*6.60A	7.80B/*6.60A	----	7.60 - 0.30	.0401	----	----	----	----	45 UNCH
4040	----	----	----/*6.70A	7.90B/*6.70A	----	7.70 - 0.30	.0407	----	----	----	----	76 UNCH
4045	----	----	----/*6.80A	8.10B/*6.80A	----	7.80 - 0.30	.0413	----	----	----	----	2 UNCH
4050	7.80	7.80	7.80/*6.90A	8.20B/*6.90A	----	7.90 - 0.40	.0419	----	----	28	----	1161 - 24
4055	----	----	----/*7.00A	8.30B/*7.00A	----	8.10 - 0.30	.0429	----	----	----	----	20 UNCH
4060	----	----	----/*7.20A	8.50B/*7.20A	----	8.20 - 0.30	.0436	----	----	----	----	92 UNCH
4065	----	----	8.70B/*7.30A	8.70B/*7.30A	----	8.30 - 0.30	.0442	----	----	----	----	123 UNCH
4070	----	----	----/*7.40A	8.80B/*7.40A	----	8.40 - 0.40	.0449	----	----	----	----	67 UNCH
4075	----	----	----/*7.50A	8.90B/*7.50A	----	8.60 - 0.30	.0459	----	----	----	----	268 UNCH
4080	----	----	9.10B/*7.70A	9.10B/*7.70A	----	8.70 - 0.30	.0466	----	----	1	----	111 - 1
4085	8.60	8.60	9.30B/*7.80A	9.30B/*7.80A	----	8.80 - 0.40	.0473	----	----	8	----	70 + 3
4090	----	----	9.40B/*7.90A	9.40B/*7.90A	----	9.00 - 0.30	.0483	----	----	----	----	116 UNCH
4095	----	----	9.60B/*8.00A	9.60B/*8.00A	----	9.10 - 0.40	.0490	----	----	----	----	69 UNCH
4100	8.40	8.40	9.80B/8.00	9.80B/8.00	----	9.20 - 0.40	.0497	----	----	383	----	2273 + 3
4105	9.10	9.10	10.00B/*8.30A	10.00B/*8.30A	----	9.40 - 0.40	.0508	----	----	6	----	92 + 6
4110	10.00	10.00	10.20B/*8.40A	10.20B/*8.40A	----	9.50 - 0.40	.0515	----	----	25	----	158 + 12
4115	9.40	9.40	10.40B/8.60A	10.40B/8.60A	----	9.70 - 0.40	.0526	----	----	7	----	466 + 7
4120	9.20	9.20	10.60B/*8.70A	10.60B/*8.70A	----	9.80 - 0.40	.0533	----	----	24	----	77 + 19
4125	9.10	9.10	10.80B/8.90A	10.80B/8.90A	----	10.00 - 0.40	.0544	----	----	26	----	384 + 11
4130	9.30	9.30	11.00B/*9.00A	11.00B/*9.00A	----	10.20 - 0.40	.0555	----	----	17	----	41 + 17
4135	9.50	9.50	11.20B/9.20A	11.20B/9.20A	----	10.30 - 0.40	.0563	----	----	36	----	37 + 3
4140	9.70	9.70	11.40B/9.40A	11.40B/9.40A	----	10.50 - 0.40	.0574	----	----	29	----	49 + 24
4145	9.50	9.50	11.60B/9.50	11.60B/9.50	----	10.70 - 0.40	.0585	----	----	11	----	266 + 11
4150	10.00	10.00	11.80B/*9.60	11.80B/*9.60	----	10.90 - 0.40	.0597	----	----	118	----	608 + 55
4155	10.00	10.00	12.10B/9.90A	12.10B/9.90A	----	11.00 - 0.50	.0604	----	----	16	----	38 + 14
4160	11.50	11.50	12.30B/10.00A	12.30B/10.00A	----	11.20 - 0.50	.0616	----	----	2	----	89 + 2
4165	10.60	10.60	12.60B/10.20A	12.60B/10.20A	----	11.40 - 0.50	.0628	----	----	6	----	28 + 4
4170	10.70	10.70	12.80B/10.40A	12.80B/10.40A	----	11.60 - 0.50	.0639	----	----	1	----	57 UNCH
4175	----	----	13.00B/10.60A	13.00B/10.60A	----	11.80 - 0.50	.0651	----	----	----	----	916 UNCH
4180	----	----	13.30B/10.80A	13.30B/10.80A	----	12.00 - 0.50	.0663	----	----	----	----	123 UNCH
4185	----	----	13.60B/11.00A	13.60B/11.00A	----	12.30 - 0.40	.0679	----	----	1	----	27 + 1
4190	----	----	13.90B/11.20A	13.90B/11.20A	----	12.50 - 0.40	.0691	----	----	----	----	31 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4195	----	----	14.10B/11.50A	14.10B/11.50A	----	12.70 - 0.50	.0703	----	----	----	----	38 UNCH
4200	13.40	13.40	14.40B/11.70A	14.40B/11.70A	----	12.90 - 0.50	.0716	----	----	281	----	2949 + 97
4205	----	----	14.70B/11.90A	14.70B/11.90A	----	13.20 - 0.40	.0732	----	----	2	----	47 + 2
4210	12.50	12.50	15.00B/12.10A	15.00B/12.10A	----	13.40 - 0.50	.0745	----	----	2	----	396 + 2
4215	14.00	14.00	15.30B/12.40A	15.30B/12.40A	----	13.70 - 0.40	.0761	----	----	11	----	18 + 4
4220	----	----	15.60B/12.60A	15.60B/12.60A	----	13.90 - 0.50	.0774	----	----	----	----	199 UNCH
4225	13.30	13.30	16.00B/12.90A	16.00B/12.90A	----	14.20 - 0.40	.0790	----	----	87	----	453 + 72
4230	----	----	16.30B/13.10A	16.30B/13.10A	----	14.50 - 0.40	.0807	----	----	----	----	71 UNCH
4235	----	----	16.70B/13.40A	16.70B/13.40A	----	14.80 - 0.40	.0824	----	----	----	----	59 UNCH
4240	----	----	17.10B/13.70A	17.10B/13.70A	----	15.10 - 0.40	.0840	----	----	----	----	59 UNCH
4245	----	----	17.30B/13.90A	17.30B/13.90A	----	15.40 - 0.40	.0857	----	----	2	----	59 - 2
4250	15.80	15.80	17.80B/14.20A	17.80B/14.20A	----	15.70 - 0.40	.0875	----	----	28	----	797 - 22
4255	----	----	18.20B/14.50A	18.20B/14.50A	----	16.00 - 0.40	.0892	----	----	----	----	40 UNCH
4260	----	----	18.40B/14.80A	18.40B/14.80A	----	16.30 - 0.40	.0909	----	----	----	----	108 UNCH
4265	----	----	18.80B/15.10A	18.80B/15.10A	----	16.60 - 0.40	.0927	----	----	----	----	35 UNCH
4270	19.60	19.60	19.60/15.40A	19.60/15.40A	----	17.00 - 0.30	.0948	----	----	4	----	57 + 4
4275	----	----	20.00B/15.80A	20.00B/15.80A	----	17.30 - 0.40	.0966	----	----	----	----	124 UNCH
4280	----	----	20.30B/16.10A	20.30B/16.10A	----	17.70 - 0.30	.0987	----	----	----	----	80 UNCH
4285	----	----	20.60B/16.40A	20.60B/16.40A	----	18.10 - 0.30	.1008	----	----	----	----	49 UNCH
4290	----	----	21.10B/16.80A	21.10B/16.80A	----	18.40 - 0.30	.1027	----	----	----	----	105 UNCH
4295	----	----	21.60B/17.20A	21.60B/17.20A	----	18.80 - 0.30	.1049	----	----	----	----	31 UNCH
4300	22.00	22.00	22.00/17.30	22.00/17.30	----	19.20 - 0.30	.1071	----	----	483	----	2959 - 136
4305	----	----	22.60B/17.90A	22.60B/17.90A	----	19.60 - 0.20	.1093	----	----	----	----	79 UNCH
4310	20.50	20.50	23.10B/18.30A	23.10B/18.30A	----	20.10 - 0.10	.1118	----	----	7	----	56 UNCH
4315	19.80	19.80	23.60B/18.70A	23.60B/18.70A	----	20.50 - 0.10	.1141	----	----	1	----	55 + 1
4320	----	----	24.00B/19.10A	24.00B/19.10A	----	21.00 - 0.10	.1166	----	----	1	----	84 - 1
4325	----	----	24.60B/19.50A	24.60B/19.50A	----	21.40 - 0.10	.1189	----	----	----	----	100 UNCH
4330	----	----	25.20B/20.00A	25.20B/20.00A	----	21.90 UNCH	.1215	----	----	2	----	498 - 2
4335	----	----	25.70B/20.40A	25.70B/20.40A	----	22.40 UNCH	.1242	----	----	1	----	69 UNCH
4340	22.10	22.10	26.30B/20.90A	26.30B/20.90A	----	22.90 + 0.10	.1268	----	----	10	----	109 + 5
4345	----	----	26.80B/21.30A	26.80B/21.30A	----	23.40 + 0.10	.1295	----	----	----	----	53 UNCH
4350	28.00	28.00	28.40/21.60	28.40/21.60	----	23.90 + 0.10	.1322	----	----	273	----	840 - 29
4355	----	----	28.00B/22.30A	28.00B/22.30A	----	24.50 + 0.20	.1352	----	----	----	----	62 UNCH
4360	25.00	25.00	28.70B/22.80A	28.70B/22.80A	----	25.00 + 0.20	.1379	----	----	45	----	129 + 43
4365	----	----	29.30B/23.40A	29.30B/23.40A	----	25.60 + 0.30	.1409	----	----	1	----	71 + 1
4370	----	----	30.00B/23.90A	30.00B/23.90A	----	26.20 + 0.40	.1440	----	----	6	----	44 + 3
4375	26.80	26.80	30.60B/24.40A	30.60B/24.40A	----	26.80 + 0.40	.1471	----	----	2	----	528 UNCH
4380	25.30	25.30	31.50B/25.00A	31.50B/25.00A	----	27.40 + 0.50	.1502	----	----	2	----	511 + 2
4385	----	----	32.00B/25.50A	32.00B/25.50A	----	28.00 + 0.50	.1533	----	----	12	----	137 + 6
4390	30.50	30.50	32.70B/26.10A	32.70B/26.10A	----	28.70 + 0.60	.1567	----	----	22	----	87 + 8
4395	29.50	29.50	33.60B/26.70A	33.60B/26.70A	----	29.30 + 0.60	.1599	----	----	10	----	102 + 5
4400	33.50	33.50	34.20B/27.40A	34.20B/27.40A	----	30.00 + 0.70	.1634	----	----	607	----	2849 - 199
4405	28.90	28.90	35.20B/28.00A	35.20B/28.00A	----	30.70 + 0.80	.1669	----	----	14	----	133 + 1
4410	----	----	35.90B/28.50A	35.90B/28.50A	----	31.50 + 1.00	.1707	----	----	27	----	113 UNCH
4415	30.30	30.30	36.60B/29.20A	36.60B/29.20A	----	32.20 + 1.00	.1742	----	----	2	----	100 UNCH
4420	31.20	31.20	37.60B/29.80A	37.60B/29.80A	----	33.00 + 1.10	.1780	----	----	14	----	150 + 2
4425	33.20	33.20	38.50B/30.40A	38.50B/30.40A	----	33.70 + 1.10	.1816	----	----	33	----	410 + 3
4430	----	----	39.30B/31.10A	39.30B/31.10A	----	34.50 + 1.20	.1854	----	----	----	----	101 UNCH
4435	33.70	33.70	40.30B/31.80A	40.30B/31.80A	----	35.30 + 1.30	.1893	----	----	28	----	85 - 10
4440	----	----	41.20B/32.50A	41.20B/32.50A	----	36.20 + 1.50	.1935	----	----	6	----	46 UNCH
4445	35.10	35.10	42.10B/33.20A	42.10B/33.20A	----	37.00 + 1.50	.1974	----	----	1	----	70 UNCH
4450	40.30	40.30	43.00B/34.00A	43.00B/34.00A	----	37.90 + 1.60	.2016	----	----	3352	----	4385 + 3138
4455	----	----	44.10B/34.70A	44.10B/34.70A	----	38.80 + 1.70	.2058	----	----	----	----	67 UNCH
4460	----	----	45.00B/35.60A	45.00B/35.60A	----	39.70 + 1.80	.2101	----	----	----	----	42 UNCH
4465	38.70	38.70	46.00B/36.30A	46.00B/36.30A	----	40.70 + 2.00	.2146	----	----	3359	----	3337 + 3322
4470	42.20	42.20	47.10B/37.10A	47.10B/37.10A	----	41.70 + 2.10	.2191	----	----	19	----	72 + 1
4475	43.20	43.20	48.20B/37.90A	48.20B/37.90A	----	42.70 + 2.30	.2237	----	----	21	----	167 - 4
4480	----	----	49.20B/38.80A	49.20B/38.80A	----	43.70 + 2.40	.2282	----	----	----	----	105 UNCH
4485	----	----	50.40B/39.60A	50.40B/39.60A	----	44.70 + 2.50	.2328	----	----	7	----	56 - 2
4490	----	----	51.60B/40.50A	51.60B/40.50A	----	45.80 + 2.70	.2377	----	----	1	----	166 UNCH
4495	----	----	52.70B/41.40A	52.70B/41.40A	----	46.90 + 2.80	.2425	----	----	1	----	173 UNCH
4500	53.30	53.30	54.00B/42.50A	54.00B/42.50A	----	48.00 + 2.90	.2474	----	----	958	200	5091 - 490
4505	----	----	55.10B/43.30A	55.10B/43.30A	----	49.10 + 3.00	.2523	----	----	----	----	283 UNCH
4510	----	----	56.40B/44.30A	56.40B/44.30A	----	50.30 + 3.20	.2574	----	----	----	----	48 UNCH
4515	48.20	48.20	57.70B/45.30A	57.70B/45.30A	----	51.50 + 3.40	.2626	----	----	94	----	542 + 69
4520	52.30	52.30	59.00B/46.30A	59.00B/46.30A	----	52.70 + 3.50	.2677	----	----	17	----	156 + 6
4525	----	----	60.30B/47.30A	60.30B/47.30A	----	53.90 + 3.60	.2730	----	----	7	----	166 + 2
4530	52.10	52.10	61.70B/48.40A	61.70B/48.40A	----	55.20 + 3.80	.2784	----	----	6	----	258 UNCH
4535	----	----	63.20B/49.50A	63.20B/49.50A	----	56.50 + 4.00	.2838	----	----	----	----	107 UNCH
4540	----	----	64.50B/50.60A	64.50B/50.60A	----	57.80 + 4.10	.2892	----	----	1	----	314 UNCH
4545	----	----	65.90B/51.80A	65.90B/51.80A	----	59.20 + 4.40	.2949	----	----	----	----	81 UNCH
4550	58.00	58.00	67.40B/52.90A	67.40B/52.90A	----	60.60 + 4.60	.3006	----	----	132	----	999 + 23
4555	----	----	68.90B/54.10A	68.90B/54.10A	----	62.00 + 4.70	.3062	----	----	----	----	55 UNCH
4560	----	----	70.50B/55.30A	70.50B/55.30A	----	63.50 + 5.00	.3121	----	----	----	----	124 UNCH
4565	61.90	61.90	72.10B/56.60A	72.10B/56.60A	----	64.90 + 5.10	.3179	----	----	2	----	212 + 1
4570	62.00	62.00	73.70B/57.80A	73.70B/57.80A	----	66.40 + 5.30	.3238	----	----	1	----	175 + 1
4575	----	----	75.20B/59.10A	75.20B/59.10A	----	68.00 + 5.50	.3298	----	----	----	----	307 UNCH
4580	70.00	70.00	77.00B/60.50A	77.00B/60.50A	----	69.60 + 5.80	.3359	----	----	2	----	220 + 1
4585	----	----	78.90B/61.80A	78.90B/61.80A	----	71.20 + 6.00	.3420	----	----	7	----	131 - 4
4590	----	----	80.40B/63.20A	80.40B/63.20A	----	72.80 + 6.20	.3482	----	----	1	----	178 + 1
4595	----	----	82.00B/64.60A	82.00B/64.60A	----	74.50 + 6.40	.3545	----	----	----	----	87 UNCH
4600	75.50	75.50	84.00B/66.00A	84.00B/66.00A	----	76.20 + 6.70	.3608	----	----	470	200	2490 + 306
4605	81.20	81.20	86.00B/67.50A	86.00B/67.50A	----	77.90 + 6.80	.3671	----	----	5	----	114 + 3
4610	76.50	76.50	87.70B/68.90A	87.70B/68.90A	----	79.70 + 7.10	.3735	----	----	3	----	214 + 2
4615	----	----	89.80B/70.40A	89.80B/70.40A	----	81.50 + 7.40	.3800	----	----	1	----	57 + 1
4620	79.90	79.90	91.50B/72.10A	91.50B/72.10A	----	83.40 + 7.70	.3866	----	----	1	----	189 UNCH
4625	77.70	77.70	93.70B/73.70A	93.70B/73.70A	----	85.20 + 7.80	.3931	----	----	30	----	520 + 5
4630	84.90	84.90	95.70B/75.40A	95.70B/75.40A	----	87.20 + 8.20	.3998	----	----	4	----	148 UNCH
4635	91.10	91.10	97.70B/76.80A	97.70B/76.80A	----	89.10 + 8.40	.4065	----	----	9	----	45 - 3
4640	93.90	93.90	99.50B/78.50A	99.50B/78.50A	----	91.10 + 8.70	.4132	----	----	2	----	62 UNCH
4645	93.50	93.50	101.60B/80.30A	101.60B/80.30A	----	93.10 + 8.90	.4199	----	----	8	----	90 - 1
4650	92.00	92.00	103.80B/82.10A	103.80B/82.10A	----	95.20 + 9.20	.4268	----	----	290	----	1674 - 158
4655	99.80	99.80	106.10B/83.90A	106.10B/83.90A	----	97.30 + 9.50	.4336	----	----	4	----	101 + 1
4660	95.10	95.10	108.30B/85.70A	108.30B/85.70A	----	99.40 + 9.80	.4405	----	----	1	----	109 + 1
4665	100.00	100.00	110.40B/87.60A	110.40B/87.60A	----	101.50 + 10.00	.4474	----	----	10	----	29 + 10
4670	100.80	100.80	112.80B/89.40A	112.80B/89.40A	----	103.70 + 10.30	.4543	----	----	5	----	258 UNCH
4675	112.20	112.20	115.10B/91.30A	115.10B/91.30A	----	106.00 + 10.60	.4613	----	----	5	----	423 UNCH
4680	115.80	115.80	117.30B/93.40A	117.30B/93.40A	----	108.30 + 10.90	.4683	----	----	12	----	86 - 10
4685	115.90	115.90	119.70B/95.40A	119.70B/95.40A	----	110.60 + 11.20	.4753	----	----	1	----	65 UNCH
4690	115.00	115.00	122.40B/97.30A	122.40B/97.30A	----	112.90 + 11.50	.4824	----	----	29	----	218 + 22
4695	111.40	111.40	124.80B/99.40A	124.80B/99.40A	----	115.30 + 11.80	.4894	----	----	42	----	78 + 4
4700	120.00	120.00	127.00B/101.50A	127.00B/101.50A	----	117.80 + 12.20	.4965	----	----	218	----	2006 + 53
4705	----	----	129.90B/103.60A	129.90B/103.60A	----	120.20 + 12.40	.5036	----	----	----	----	94 UNCH
4710	120.10	120.10	132.10B/105.80A	132.10B/105.80A	----	122.80 + 12.80	.5107	----	----	8	----	51 + 3
4715	121.00	121.00	134.70B/108.00A	134.70B/108.00A	----	125.30 + 13.10	.5177	----	----	22	----	60 + 4
4720	123.50	123.50	137.70B/110.20A	137.70B/110.20A	----	127.90 + 13.50	.5248	----	----	44	----	160 + 14
4725	----	----	140.30B/112.50A	140.30B/112.50A	----	130.50 + 13.80	.5319	----	----	6	----	146 - 3
4730	----	----	143.00B/114.90A	143.00B/114.90A	----	133.20 + 14.20	.5390	----	----	----	----	89 UNCH
4735	----	----	145.80B/117.20A	145.80B/117.20A	----	135.90 + 14.50	.5461	----	----	----	----	218 UNCH
4740	----	----	148.20B/119.60A	148.20B/119.60A	----	138.70 + 14.90	.5531	----	----	----	----	90 UNCH
4745	128.50	128.50	151.40B/122.00A	151.40B/122.00A	----	141.50 + 15.30	.5602	----	----	26	----	31 + 24
4750	----	----	154.20B/124.50A	154.20B/124.50A	----	144.30 + 15.70	.5673	----	----	21	----	933 UNCH
4755	----	----	157.10B/127.10A	157.10B/127.10A	----	147.20 + 16.10	.5742	----	----	----	----	25 UNCH
4760	----	----	160.00B/129.50A	160.00B/129.50A	----	150.10 + 16.50	.5812	----	----	----	----	97 UNCH
4765	----	----	162.90B/132.00A	162.90B/132.00A	----	153.00 + 16.80	.5882	----	----	----	----	67 UNCH
4770	----	----	165.90B/134.60A	165.90B/134.60A	----	156.00 + 17.20	.5951	----	----	----	----	97 UNCH
4775	----	----	168.20B/137.30A	168.20B/137.30A	----	159.00 + 17.60	.6020	----	----	----	----	192 UNCH
4780	----	----	171.30B/139.90A	171.30B/139.90A	----	162.10 + 18.00	.6088	----	----	25	----	91 + 23
4785	----	----	174.30B/142.70A	174.30B/142.70A	----	165.20 + 18.40	.6157	----	----	1	----	101 - 1
4790	----	----	177.60B/145.40A	177.60B/145.40A	----	168.30 + 18.80	.6225	----	----	25	----	93 + 23
4795	----	----	180.50B/148.20A	180.50B/148.20A	----	171.50 + 19.20	.6292	----	----	----	----	56 UNCH
4800	150.80	150.80	184.00B/150.80	184.00B/150.80	----	174.70 + 19.60	.6359	----	----	17	----	3004 + 2
4805	----	----	187.00B/153.90A	187.00B/153.90A	----	177.90 + 20.00	.6425	----	----	----	----	83 UNCH
4810	----	----	190.60B/156.80A	190.60B/156.80A	----	181.20 + 20.40	.6492	----	----	----	----	46 UNCH
4815	181.00	181.00	193.70B/159.70A	193.70B/159.70A	----	184.50 + 20.80	.6557	----	----	1	----	120 + 1
4820	----	----	197.10B/162.60A	197.10B/162.60A	----	187.80 + 21.10	.6623	----	----	----	----	37 UNCH
4825	----	----	200.40B/165.90A	200.40B/165.90A	----	191.20 + 21.50	.6687	----	----	----	----	204 UNCH
4830	----	----	203.90B/169.10A	203.90B/169.10A	----	194.60 + 21.90	.6751	----	----	----	----	124 UNCH
4835	----	----	207.50B/172.30A	207.50B/172.30A	----	198.00 + 22.20	.6815	----	----	----	----	32 UNCH
4840	----	----	211.10B/175.40A	211.10B/175.40A	----	201.50 + 22.60	.6878	----	----	----	----	36 UNCH
4845	----	----	214.40B/178.50A	214.40B/178.50A	----	204.90 + 22.90	.6940	----	----	----	----	15 UNCH
4850	190.20	190.20	218.40B/181.70A	218.40B/181.70A	----	208.50 + 23.30	.7001	----	----	14	----	601 UNCH
4855	----	----	222.00B/184.80A	222.00B/184.80A	----	212.00 + 23.60	.7064	----	----	----	----	305 UNCH
4860	----	----	225.60B/188.10A	225.60B/188.10A	----	215.70 + 24.00	.7122	----	----	----	----	91 UNCH
4865	----	----	229.30B/191.30A	229.30B/191.30A	----	219.30 + 24.30	.7182	----	----	----	----	50 UNCH
4870	----	----	233.00B/194.70A	233.00B/194.70A	----	223.00 + 24.70	.7241	----	----	----	----	44 UNCH
4875	----	----	236.60B/198.00A	236.60B/198.00A	----	226.70 + 25.10	.7299	----	----	----	----	71 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4880	----	----	240.30B/201.40A	240.30B/201.40A	----	230.40 + 25.40	.7355	----	----	----	----	8 UNCH
4885	----	----	244.10B/204.80A	244.10B/204.80A	----	234.20 + 25.80	.7411	----	----	----	----	7 UNCH
4890	----	----	248.10B/208.20A	248.10B/208.20A	----	238.00 + 26.20	.7466	----	----	----	----	48 UNCH
4895	----	----	252.00B/211.70A	252.00B/211.70A	----	241.90 + 26.70	.7519	----	----	----	----	213 UNCH
4900	235.40	235.40	256.10B/215.30A	256.10B/215.30A	----	245.80 + 27.10	.7572	----	----	3	----	1710 + 1
4905	----	----	259.90B/218.70A	259.90B/218.70A	----	249.70 + 27.40	.7625	----	----	----	----	11 UNCH
4910	----	----	263.70B/222.30A	263.70B/222.30A	----	253.60 + 27.80	.7678	----	----	----	----	59 UNCH
4915	----	----	267.80B/225.90A	267.80B/225.90A	----	257.60 + 28.20	.7728	----	----	----	----	37 UNCH
4920	----	----	271.80B/229.60A	271.80B/229.60A	----	261.50 + 28.50	.7778	----	----	----	----	92 UNCH
4925	----	----	275.70B/233.20A	275.70B/233.20A	----	265.60 + 29.00	.7828	----	----	----	----	74 UNCH
4930	----	----	279.90B/236.90A	279.90B/236.90A	----	269.60 + 29.30	.7878	----	----	1	----	199 UNCH
4940	----	----	287.90B/244.40A	287.90B/244.40A	----	277.70 + 30.00	.7971	----	----	----	----	64 UNCH
4945	----	----	292.20B/248.30A	292.20B/248.30A	----	281.80 + 30.30	.8018	----	----	----	----	13 UNCH
4950	----	----	296.40B/252.10A	296.40B/252.10A	----	285.90 + 30.60	.8064	----	----	3	----	291 + 1
4955	----	----	300.30B/255.80A	300.30B/255.80A	----	290.10 + 31.00	.8108	----	----	----	----	31 UNCH
4960	----	----	304.50B/259.70A	304.50B/259.70A	----	294.30 + 31.40	.8151	----	----	----	----	23 UNCH
4965	----	----	308.70B/263.60A	308.70B/263.60A	----	298.50 + 31.70	.8194	----	----	----	----	26 UNCH
4970	----	----	313.10B/267.50A	313.10B/267.50A	----	302.70 + 32.00	.8237	----	----	----	----	44 UNCH
4975	----	----	317.40B/271.40A	317.40B/271.40A	----	306.90 + 32.30	.8276	----	----	----	----	156 UNCH
4980	----	----	321.60B/275.40A	321.60B/275.40A	----	311.20 + 32.60	.8319	----	----	----	----	28 UNCH
4985	----	----	325.70B/279.40A	325.70B/279.40A	----	315.50 + 33.00	.8358	----	----	----	----	10 UNCH
4990	----	----	330.40B/283.50A	330.40B/283.50A	----	319.80 + 33.30	.8397	----	----	----	----	293 UNCH
4995	----	----	334.60B/287.50A	334.60B/287.50A	----	324.10 + 33.50	.8433	----	----	1	----	12 + 1
5000	----	----	339.20B/291.50A	339.20B/291.50A	----	328.40 + 33.80	.8471	----	----	----	----	1850 UNCH
5005	----	----	343.50B/295.70A	343.50B/295.70A	----	332.80 + 34.10	.8507	----	----	----	----	302 UNCH
5010	----	----	347.70B/299.70A	347.70B/299.70A	----	337.20 + 34.40	.8542	----	----	----	----	13 UNCH
5015	----	----	352.10B/303.90A	352.10B/303.90A	----	341.60 + 34.70	.8576	----	----	----	----	49 UNCH
5020	----	----	356.50B/308.10A	356.50B/308.10A	----	346.00 + 35.00	.8611	----	----	----	----	31 UNCH
5025	----	----	360.70B/312.30A	360.70B/312.30A	----	350.40 + 35.20	.8642	----	----	----	----	53 UNCH
5030	----	----	365.40B/316.40A	365.40B/316.40A	----	354.90 + 35.50	.8677	----	----	----	----	66 UNCH
5035	----	----	370.00B/320.60A	370.00B/320.60A	----	359.30 + 35.70	.8707	----	----	----	----	13 UNCH
5040	----	----	374.40B/324.80A	374.40B/324.80A	----	363.80 + 36.00	.8738	----	----	----	----	18 UNCH
5045	----	----	378.90B/329.10A	378.90B/329.10A	----	368.30 + 36.20	.8768	----	----	----	----	5 UNCH
5050	----	----	383.50B/333.40A	383.50B/333.40A	----	372.80 + 36.40	.8798	----	----	----	----	805 UNCH
5055	----	----	387.90B/337.80A	387.90B/337.80A	----	377.40 + 36.70	.8824	----	----	----	----	63 UNCH
5060	----	----	392.20B/342.00A	392.20B/342.00A	----	381.90 + 36.90	.8854	----	----	----	----	64 UNCH
5065	----	----	397.00B/346.40A	397.00B/346.40A	----	386.50 + 37.20	.8880	----	----	----	----	17 UNCH
5070	----	----	401.60B/350.80A	401.60B/350.80A	----	391.00 + 37.40	.8905	----	----	----	----	52 UNCH
5075	----	----	405.90B/355.10A	405.90B/355.10A	----	395.60 + 37.60	.8931	----	----	----	----	30 UNCH
5080	----	----	410.90B/359.50A	410.90B/359.50A	----	400.20 + 37.80	.8956	----	----	----	----	31 UNCH
5085	----	----	415.50B/364.00A	415.50B/364.00A	----	404.80 + 38.00	.8982	----	----	----	----	123 UNCH
5090	----	----	420.10B/368.40A	420.10B/368.40A	----	409.40 + 38.20	.9007	----	----	----	----	111 UNCH
5095	----	----	424.60B/372.80A	424.60B/372.80A	----	414.10 + 38.50	.9032	----	----	----	----	127 UNCH
5100	----	----	429.40B/377.30A	429.40B/377.30A	----	418.70 + 38.60	.9052	----	----	1	----	466 + 1
5105	----	----	434.00B/381.80A	434.00B/381.80A	----	423.40 + 38.90	.9073	----	----	----	----	38 UNCH
5110	----	----	438.50B/386.30A	438.50B/386.30A	----	428.00 + 39.00	.9098	----	----	----	----	74 UNCH
5115	----	----	443.20B/390.80A	443.20B/390.80A	----	432.70 + 39.20	.9118	----	----	----	----	14 UNCH
5120	----	----	448.00B/395.30A	448.00B/395.30A	----	437.40 + 39.40	.9138	----	----	----	----	25 UNCH
5125	----	----	452.70B/399.80A	452.70B/399.80A	----	442.10 + 39.60	.9158	----	----	----	----	192 UNCH
5130	----	----	457.40B/404.40A	457.40B/404.40A	----	446.80 + 39.80	.9178	----	----	----	----	26 UNCH
5135	----	----	461.80B/409.00A	461.80B/409.00A	----	451.50 + 39.90	.9198	----	----	----	----	37 UNCH
5140	----	----	466.50B/413.50A	466.50B/413.50A	----	456.20 + 40.10	.9213	----	----	----	----	14 UNCH
5145	----	----	471.60B/418.10A	471.60B/418.10A	----	461.00 + 40.30	.9232	----	----	----	----	39 UNCH
5150	----	----	476.30B/422.70A	476.30B/422.70A	----	465.70 + 40.40	.9247	----	----	----	----	389 UNCH
5155	----	----	480.70B/427.30A	480.70B/427.30A	----	470.50 + 40.70	.9267	----	----	----	----	38 UNCH
5160	----	----	485.80B/431.90A	485.80B/431.90A	----	475.20 + 40.80	.9281	----	----	----	----	70 UNCH
5165	----	----	490.20B/436.50A	490.20B/436.50A	----	480.00 + 41.00	.9300	----	----	----	----	47 UNCH
5170	----	----	495.20B/441.20A	495.20B/441.20A	----	484.70 + 41.00	.9315	----	----	----	----	504 UNCH
5175	----	----	500.10B/445.80A	500.10B/445.80A	----	489.50 + 41.20	.9329	----	----	----	----	15 UNCH
5180	----	----	504.90B/450.70A	504.90B/450.70A	----	494.30 + 41.40	.9343	----	----	----	----	19 UNCH
5185	----	----	509.30B/455.20A	509.30B/455.20A	----	499.10 + 41.50	.9358	----	----	----	----	22 UNCH
5190	----	----	514.10B/459.80A	514.10B/459.80A	----	503.90 + 41.70	.9372	----	----	----	----	5 UNCH
5195	----	----	518.90B/464.50A	518.90B/464.50A	----	508.70 + 41.80	.9386	----	----	----	----	8 UNCH
5200	----	----	523.90B/469.20A	523.90B/469.20A	----	513.50 + 41.90	.9400	----	----	----	----	611 UNCH
5205	----	----	528.50B/473.90A	528.50B/473.90A	----	518.30 + 42.00	.9413	----	----	----	----	36 UNCH
5210	----	----	533.30B/478.70A	533.30B/478.70A	----	523.10 + 42.10	.9422	----	----	1	----	69 + 1
5215	----	----	538.50B/483.40A	538.50B/483.40A	----	528.00 + 42.30	.9436	----	----	----	----	42 UNCH
5220	----	----	543.30B/488.10A	543.30B/488.10A	----	532.80 + 42.40	.9450	----	----	----	----	188 UNCH
5225	----	----	548.10B/492.90A	548.10B/492.90A	----	537.60 + 42.50	.9458	----	----	1	----	200 - 1
5230	----	----	552.60B/497.60A	552.60B/497.60A	----	542.50 + 42.60	.9472	----	----	----	----	7 UNCH
5235	----	----	557.80B/502.40A	557.80B/502.40A	----	547.30 + 42.70	.9480	----	----	----	----	160 UNCH
5240	----	----	562.20B/507.20A	562.20B/507.20A	----	552.20 + 42.90	.9493	----	----	----	----	1 UNCH
5245	----	----	567.50B/512.10A	567.50B/512.10A	----	557.00 + 42.90	.9501	----	----	----	----	9 UNCH
5250	----	----	572.00B/516.70A	572.00B/516.70A	----	561.90 + 43.00	.9510	----	----	----	----	333 UNCH
5255	----	----	577.20B/521.30A	577.20B/521.30A	----	566.70 + 43.10	.9523	----	----	----	----	9 UNCH
5260	558.20	558.20	581.70B/526.20A	581.70B/526.20A	----	571.60 + 43.20	.9531	----	----	1	----	11 UNCH
5265	----	----	586.90B/531.00A	586.90B/531.00A	----	576.50 + 43.30	.9539	----	----	----	----	5 UNCH
5270	----	----	591.80B/535.80A	591.80B/535.80A	----	581.40 + 43.40	.9547	----	----	----	----	24 UNCH
5275	----	----	596.30B/540.60A	596.30B/540.60A	----	586.20 + 43.40	.9560	----	----	----	----	170 UNCH
5280	----	----	601.50B/545.40A	601.50B/545.40A	----	591.10 + 43.50	.9568	----	----	----	----	67 UNCH
5285	----	----	606.40B/550.50A	606.40B/550.50A	----	596.00 + 43.60	.9575	----	----	----	----	27 UNCH
5290	----	----	611.30B/555.10A	611.30B/555.10A	----	600.90 + 43.70	.9583	----	----	----	----	2 UNCH
5300	----	----	620.70B/564.70A	620.70B/564.70A	----	610.70 + 43.90	.9598	----	----	----	----	562 UNCH
5305	----	----	625.60B/569.60A	625.60B/569.60A	----	615.60 + 43.90	.9606	----	----	----	----	103 UNCH
5320	----	----	640.20B/584.10A	640.20B/584.10A	----	630.30 + 44.10	.9628	----	----	----	----	108 UNCH
5325	----	----	645.10B/589.00A	645.10B/589.00A	----	635.20 + 44.20	.9635	----	----	----	----	1 UNCH
5335	----	----	654.90B/598.70A	654.90B/598.70A	----	645.00 + 44.30	.9645	----	----	----	----	5 UNCH
5340	----	----	659.80B/603.80A	659.80B/603.80A	----	649.90 + 44.30	.9652	----	----	----	----	52 UNCH
5345	----	----	665.20B/608.30A	665.20B/608.30A	----	654.90 + 44.50	.9659	----	----	----	----	2 UNCH
5350	----	----	670.10B/613.30A	670.10B/613.30A	----	659.80 + 44.50	.9666	----	----	----	----	109 UNCH
5365	----	----	684.80B/627.90A	684.80B/627.90A	----	674.50 + 44.60	.9682	----	----	----	----	4 UNCH
5370	----	----	689.30B/632.70A	689.30B/632.70A	----	679.50 + 44.70	.9684	----	----	----	----	37 UNCH
5375	----	----	694.70B/637.60A	694.70B/637.60A	----	684.40 + 44.70	.9691	----	----	----	----	1 UNCH
5380	----	----	699.60B/642.60A	699.60B/642.60A	----	689.30 + 44.70	.9698	----	----	----	----	2 UNCH
5385	----	----	699.40B/----	699.40B/674.50A	----	694.30 + 44.90	.9699	----	----	----	----	10 UNCH
5390	----	----	----	----	----	699.20 + 44.90	.9706	----	----	----	----	2 UNCH
5395	----	----	709.30B/----	709.30B/684.40A	----	704.10 + 44.90	.9713	----	----	----	----	156 UNCH
5400	----	----	714.50B/----	714.50B/688.30A	----	709.10 + 45.00	.9714	----	----	----	----	445 UNCH
5420	----	----	734.00B/----	734.00B/709.00A	----	728.80 + 45.10	.9731	----	----	----	----	10 UNCH
5425	----	----	----	----	----	733.80 + 45.20	.9737	----	----	----	----	1 UNCH
5430	----	----	743.80B/----	743.80B/718.90A	----	738.70 + 45.20	.9739	----	----	----	----	30 UNCH
5435	----	----	748.80B/----	748.80B/723.80A	----	743.70 + 45.30	.9745	----	----	----	----	10 UNCH
5440	----	----	753.70B/----	753.70B/728.70A	----	748.60 + 45.30	.9747	----	----	----	----	20 UNCH
5470	----	----	----	----	----	778.40 + 45.60	.9770	----	----	----	----	1 UNCH
5490	----	----	803.20B/----	803.20B/778.20A	----	798.20 + 45.70	.9785	----	----	----	----	166 UNCH
5500	799.00	799.00	813.10B/798.00	813.10B/788.10A	----	808.10 + 45.70	.9787	----	----	2	----	52 UNCH
5525	----	----	----	----	----	832.90 + 45.80	.9802	----	----	----	----	2 UNCH
5575	----	----	----	----	----	882.60 + 46.10	.9826	----	----	----	----	2 UNCH
5590	----	----	902.40B/----	902.40B/877.40A	----	897.50 + 46.10	.9834	----	----	----	----	77 UNCH
5595	----	----	----	----	----	902.50 + 46.10	.9834	----	----	----	----	1 UNCH
5600	----	----	911.60B/----	911.60B/887.40A	----	907.50 + 46.20	.9835	----	----	----	----	9 UNCH
5640	----	----	952.10B/----	952.10B/927.10A	----	947.30 + 46.30	.9851	----	----	----	----	9 UNCH
5800	----	----	1,110.80B/----	1110.80B/1086.50A	----	1106.80 + 46.70	.9893	----	----	----	----	6 UNCH
6000	----	----	1,310.10B/----	1310.10B/1286.20A	----	1306.40 + 46.90	.9931	----	----	----	----	4 UNCH
TOTAL										14226	2,400	105571+ 8062
JUL26												
2275	----	----	----	0.30B/0.70A	----	0.50 + 0.10	.0012	----	----	----	----	21 UNCH
2300	----	----	----	0.30B/0.70A	----	0.60 + 0.20	.0015	----	----	----	----	96 UNCH
2400	----	----	----	0.50B/0.80A	----	0.80 + 0.20	.0020	----	----	----	----	2 UNCH
2500	----	----	----	0.60B/1.00A	----	0.90 + 0.20	.0023	----	----	----	----	194 UNCH
2575	----	----	----	0.70B/1.10A	----	1.10 + 0.20	.0029	----	----	----	----	1 UNCH
2600	----	----	----	0.80B/1.10A	----	1.10 + 0.20	.0029	----	----	----	----	12 UNCH
2620	----	----	----	0.80B/1.20A	----	1.20 + 0.20	.0032	----	----	----	----	1 UNCH
2650	----	----	----	0.90B/1.20A	----	1.20 + 0.20	.0032	----	----	----	----	51 UNCH
2670	----	----	----	0.90B/1.30A	----	1.30 + 0.20	.0035	----	----	----	----	10 UNCH
2675	----	----	----	0.90B/1.30A	----	1.30 + 0.20	.0035	----	----	----	----	10 UNCH
2680	----	----	----	0.90B/1.30A	----	1.30 + 0.20	.0035	----	----	----	----	10 UNCH
2700	----	----	----	1.00B/1.40A	----	1.40 + 0.30	.0038	----	----	----	----	3 UNCH
2705	----	----	----	1.00B/1.40A	----	1.40 + 0.20	.0038	----	----	----	----	1 UNCH
2710	----	----	----	1.00B/1.40A	----	1.40 + 0.20	.0038	----	----	----	----	7 UNCH
2730	----	----	----	1.00B/1.40A	----	1.40 + 0.20	.0038	----	----	----	----	1 UNCH
2750	1.10	1.10	1.10/1.10	1.10/1.10	----	1.50 + 0.20	.0041	----	----	1	----	20 + 1
2785	----	----	----	1.20B/1.50A	----	1.60 + 0.20	.0044	----	----	----	----	2 UNCH
2800	----	----	----	1.20B/1.50A	----	1.60 + 0.20	.0045	----	----	3	----	9 + 3
2850	----	----	----	1.40B/1.60A	----	1.80 + 0.20	.0051	----	----	----	----	3 UNCH
2860	----	----	----	1.50B/1.70A	----	1.80 + 0.20	.0051	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
2890	----	----	----	1.60B/1.80A	----	1.90 + 0.20	.0054	----	----	----	----	60 UNCH
2895	----	----	----	1.60B/1.80A	----	2.00 + 0.30	.0057	----	----	----	----	18 UNCH
2900	----	----	----	1.70B/1.80A	----	2.00 + 0.30	.0057	----	----	----	----	18 UNCH
2905	----	----	----	1.70B/1.80A	----	2.00 + 0.30	.0057	----	----	----	----	19 UNCH
2920	----	----	----	1.70B/1.90A	----	2.00 + 0.20	.0058	----	----	----	----	3 UNCH
2950	----	----	----	1.80B/1.90A	----	2.20 + 0.30	.0063	----	----	----	----	52 UNCH
2985	----	----	----	1.90B/2.00A	----	2.30 + 0.30	.0067	----	----	----	----	21 UNCH
2995	----	----	----	2.00B/2.10A	----	2.30 + 0.30	.0068	----	----	----	----	16 UNCH
3000	2.10	2.10	2.10/2.10	2.10/2.10	----	2.30 + 0.20	.0068	----	----	5	----	66 + 3
3010	----	----	----	2.00B/2.10A	----	2.40 + 0.30	.0071	----	----	----	----	1 UNCH
3015	----	----	----	2.10B/*2.10A	----	2.40 + 0.30	.0071	----	----	----	----	5 UNCH
3025	----	----	----	2.10B/2.20A	----	2.40 + 0.20	.0071	----	----	----	----	1 UNCH
3035	----	----	----	2.20B/2.20A	----	2.50 + 0.30	.0074	----	----	----	----	5 UNCH
3050	----	----	----	2.30B/2.30A	----	2.50 + 0.20	.0075	----	----	----	----	1 UNCH
3100	----	----	----	2.50B/2.50A	----	2.70 + 0.20	.0082	----	----	----	----	43 UNCH
3105	----	----	----	2.50B/2.50A	----	2.80 + 0.30	.0085	----	----	----	----	1 UNCH
3125	----	----	----	2.60B/2.60A	----	2.80 + 0.20	.0086	----	----	----	----	42 UNCH
3140	----	----	----/*2.60A	2.70B/2.60A	----	2.90 + 0.20	.0090	----	----	----	----	1 UNCH
3150	----	----	----	2.70B/2.70A	----	2.90 + 0.20	.0090	----	----	----	----	12 UNCH
3155	----	----	----	2.70B/2.70A	----	2.90 + 0.20	.0090	----	----	----	----	1 UNCH
3200	2.70	2.70	3.00B/*2.70	3.00B/*2.70	----	3.10 + 0.10	.0098	----	----	50	----	164 + 50
3210	----	----	----/*2.90A	3.00B/*2.90A	----	3.10 + 0.10	.0099	----	----	----	----	1 UNCH
3220	----	----	----/*3.00A	3.10B/3.00A	----	3.20 + 0.10	.0102	----	----	----	----	1 UNCH
3225	----	----	----/*3.00A	3.10B/3.00A	----	3.20 + 0.10	.0103	----	----	----	----	70 UNCH
3250	----	----	----/*3.10A	3.20B/*3.10A	----	3.30 UNCH	.0107	----	----	----	----	62 UNCH
3275	----	----	----/*3.30A	3.40B/3.30A	----	3.40 UNCH	.0111	----	----	----	----	10 UNCH
3280	----	----	----/3.30A	3.40B/3.30A	----	3.50 UNCH	.0114	----	----	----	----	10 UNCH
3290	----	----	----/*3.40A	3.50B/3.40A	----	3.50 UNCH	.0115	----	----	----	----	11 UNCH
3300	----	----	----/3.40A	3.50B/3.40A	----	3.60 UNCH	.0118	----	----	----	----	70 UNCH
3320	----	----	----/*3.50A	3.60B/*3.50A	----	3.70 UNCH	.0123	----	----	----	----	1 UNCH
3325	----	----	----/*3.60A	3.60B/3.60A	----	3.70 - 0.10	.0123	----	----	----	----	147 UNCH
3335	----	----	----/*3.60A	3.80B/*3.60A	----	3.80 UNCH	.0127	----	----	----	----	86 UNCH
3340	----	----	----/*3.70A	3.80B/3.70A	----	3.80 - 0.10	.0127	----	----	----	----	1 UNCH
3350	----	----	----/*3.70A	3.80B/3.70A	----	3.90 UNCH	.0131	----	----	----	----	24 UNCH
3355	----	----	----/*3.70A	4.00B/*3.70A	----	3.90 - 0.10	.0131	----	----	----	----	69 UNCH
3360	----	----	----/3.80A	3.90B/3.80A	----	4.00 UNCH	.0134	----	----	----	----	4 UNCH
3370	----	----	----/*3.80A	4.00B/*3.80A	----	4.10 UNCH	.0138	----	----	----	----	9 UNCH
3380	----	----	----/*3.90A	4.00B/3.90A	----	4.10 - 0.10	.0139	----	----	----	----	2 UNCH
3385	----	----	----/*3.90A	4.10B/*3.90A	----	4.20 UNCH	.0142	----	----	----	----	4 UNCH
3390	----	----	----/*4.00A	4.20B/4.00A	----	4.20 UNCH	.0142	----	----	----	----	1 UNCH
3395	----	----	----/*4.00A	4.20B/*4.00A	----	4.20 - 0.10	.0143	----	----	----	----	31 UNCH
3400	----	----	----/4.00A	4.20B/4.00A	----	4.30 UNCH	.0146	----	----	1	----	50 UNCH
3410	----	----	----/*4.10A	4.30B/*4.10A	----	4.40 UNCH	.0150	----	----	----	----	5 UNCH
3425	----	----	----/4.20A	4.40B/4.20A	----	4.50 UNCH	.0154	----	----	----	----	56 UNCH
3435	----	----	----/*4.30A	4.50B/*4.30A	----	4.60 UNCH	.0158	----	----	----	----	5 UNCH
3445	----	----	----/4.40A	4.50B/4.40A	----	4.70 UNCH	.0162	----	----	----	----	1 UNCH
3450	----	----	----/4.40A	4.50B/4.40A	----	4.70 - 0.10	.0162	----	----	----	----	134 UNCH
3455	----	----	----/4.50A	4.60B/4.50A	----	4.80 UNCH	.0166	----	----	----	----	10 UNCH
3460	----	----	----/*4.50A	4.60B/4.50A	----	4.80 - 0.10	.0166	----	----	----	----	10 UNCH
3465	----	----	----/*4.50A	4.70B/*4.50A	----	4.90 UNCH	.0169	----	----	1	----	142 - 1
3475	----	----	----/*4.60A	4.80B/*4.60A	----	5.00 UNCH	.0173	----	----	----	----	140 UNCH
3480	----	----	----/4.70A	4.80B/4.70A	----	5.00 UNCH	.0174	----	----	----	----	36 UNCH
3495	----	----	----/4.80A	4.90B/4.80A	----	5.20 UNCH	.0181	----	----	----	----	5 UNCH
3500	4.50	4.50	5.20B/4.50	5.20B/4.50	----	5.20 - 0.10	.0182	----	----	28	----	609 UNCH
3505	----	----	----/4.90A	5.00B/4.90A	----	5.30 UNCH	.0185	----	----	----	----	9 UNCH
3510	----	----	----/*4.90A	5.30B/*4.90A	----	5.30 - 0.10	.0186	----	----	----	----	5 UNCH
3515	----	----	----/5.00A	5.20B/5.00A	----	5.40 UNCH	.0190	----	----	----	----	6 UNCH
3525	----	----	----/5.10A	5.30B/5.10A	----	5.50 UNCH	.0194	----	----	----	----	3 UNCH
3530	----	----	----/5.10A	5.30B/5.10A	----	5.60 UNCH	.0197	----	----	----	----	168 UNCH
3535	----	----	----/5.20A	5.40B/5.20A	----	5.60 UNCH	.0198	----	----	----	----	31 UNCH
3545	----	----	----/5.30A	5.40B/5.30A	----	5.70 UNCH	.0202	----	----	----	----	256 UNCH
3550	----	----	----/5.30A	5.50B/5.30A	----	5.80 UNCH	.0206	----	----	----	----	163 UNCH
3555	----	----	----/5.40A	5.60B/5.40A	----	5.80 - 0.10	.0206	----	----	----	----	1 UNCH
3565	----	----	----/5.50A	5.70B/5.50A	----	6.00 UNCH	.0213	----	----	----	----	2 UNCH
3575	----	----	----/5.60A	5.80B/5.60A	----	6.10 UNCH	.0218	----	----	----	----	1 UNCH
3580	----	----	----/5.60A	5.80B/5.60A	----	6.20 UNCH	.0221	----	----	----	----	5 UNCH
3590	----	----	----/5.70A	6.00B/5.70A	----	6.30 UNCH	.0226	----	----	----	----	16 UNCH
3600	----	----	----/5.90A	6.10B/5.90A	----	6.40 UNCH	.0230	----	----	----	----	140 UNCH
3605	----	----	----/5.90A	6.10B/5.90A	----	6.50 UNCH	.0234	----	----	----	----	5 UNCH
3610	----	----	----/6.00A	6.20B/6.00A	----	6.60 UNCH	.0237	----	----	----	----	1 UNCH
3620	----	----	----/6.10A	6.30B/6.10A	----	6.70 UNCH	.0242	----	----	----	----	12 UNCH
3625	----	----	----/6.20A	6.40B/6.20A	----	6.80 UNCH	.0246	----	----	----	----	11 UNCH
3630	----	----	----/6.20A	6.70B/6.20A	----	6.80 UNCH	.0247	----	----	----	----	10 UNCH
3635	----	----	----/6.30A	6.50B/6.30A	----	6.90 UNCH	.0250	----	----	----	----	3 UNCH
3640	----	----	----/6.40A	6.60B/6.40A	----	7.00 UNCH	.0254	----	----	----	----	6 UNCH
3645	----	----	----/6.40A	6.70B/6.40A	----	7.10 UNCH	.0258	----	----	----	----	1 UNCH
3650	----	----	----/6.50A	6.70B/6.50A	----	7.10 UNCH	.0259	----	----	----	----	99 UNCH
3655	----	----	----/6.60A	6.80B/6.60A	----	7.20 UNCH	.0263	----	----	----	----	7 UNCH
3660	----	----	----/6.60A	7.10B/6.60A	----	7.30 UNCH	.0266	----	----	----	----	22 UNCH
3665	----	----	----/6.70A	7.00B/6.70A	----	7.40 UNCH	.0270	----	----	----	----	2 UNCH
3670	----	----	----/6.80A	7.00B/6.80A	----	7.50 UNCH	.0274	----	----	----	----	111 UNCH
3675	----	----	----/6.80A	7.10B/6.80A	----	7.50 UNCH	.0275	----	----	----	----	4 UNCH
3680	----	----	----/6.90A	7.20B/6.90A	----	7.60 UNCH	.0279	----	----	----	----	5 UNCH
3685	----	----	----/7.00A	7.30B/7.00A	----	7.70 UNCH	.0283	----	----	----	----	12 UNCH
3690	----	----	----/7.10A	7.30B/7.10A	----	7.80 UNCH	.0287	----	----	----	----	50 UNCH
3695	----	----	----/7.10A	7.40B/7.10A	----	7.90 UNCH	.0291	----	----	----	----	141 UNCH
3700	----	----	----/7.20A	7.80B/7.20A	----	8.00 UNCH	.0295	----	----	----	----	439 UNCH
3705	----	----	----/7.30A	7.60B/7.30A	----	8.00 UNCH	.0296	----	----	----	----	20 UNCH
3715	----	----	----/7.50A	7.80B/7.50A	----	8.20 UNCH	.0304	----	----	----	----	30 UNCH
3720	----	----	----/7.50A	7.80B/7.50A	----	8.30 UNCH	.0308	----	----	----	----	18 UNCH
3725	----	----	----/7.60A	7.90B/7.60A	----	8.40 UNCH	.0312	----	----	----	----	5 UNCH
3730	----	----	----/7.70A	8.00B/7.70A	----	8.50 UNCH	.0316	----	----	----	----	3 UNCH
3735	----	----	----/7.80A	8.10B/7.80A	----	8.60 UNCH	.0320	----	----	----	----	30 UNCH
3740	----	----	----/7.90A	8.20B/7.90A	----	8.70 UNCH	.0324	----	----	----	----	20 UNCH
3750	----	----	----/8.10A	8.40B/8.10A	----	8.90 UNCH	.0332	----	----	----	----	543 UNCH
3760	----	----	----/8.30A	8.60B/8.30A	----	9.10 UNCH	.0340	----	----	----	----	2 UNCH
3765	----	----	----/8.30A	8.80B/8.30A	----	9.20 UNCH	.0345	----	----	----	----	32 UNCH
3770	----	----	----/8.50A	8.80B/8.50A	----	9.30 UNCH	.0349	----	----	----	----	120 UNCH
3775	----	----	----/8.60A	8.90B/8.60A	----	9.40 UNCH	.0353	----	----	----	----	61 UNCH
3780	----	----	----/8.70A	9.00B/8.70A	----	9.50 UNCH	.0357	----	----	----	----	1 UNCH
3785	----	----	----/8.80A	9.10B/8.80A	----	9.60 - 0.10	.0361	----	----	----	----	6 UNCH
3790	----	----	----/8.80A	9.50B/8.80A	----	9.70 - 0.10	.0366	----	----	----	----	40 UNCH
3795	----	----	----/8.90A	9.60B/8.90A	----	9.80 - 0.10	.0370	----	----	----	----	36 UNCH
3800	9.40	9.40	9.50B/9.00A	9.50B/9.00A	----	9.90 - 0.10	.0374	----	----	16	----	685 + 1
3810	----	----	----/9.30A	9.70B/9.30A	----	10.20 UNCH	.0386	----	----	----	----	16 UNCH
3815	----	----	----/9.40A	9.80B/9.40A	----	10.30 - 0.10	.0390	----	----	----	----	14 UNCH
3820	----	----	----/9.50A	9.90B/9.50A	----	10.40 - 0.10	.0395	----	----	----	----	10 UNCH
3825	----	----	----/9.60A	10.00B/9.60A	----	10.50 - 0.10	.0399	----	----	----	----	9 UNCH
3830	----	----	----/9.80A	10.40B/9.80A	----	10.60 - 0.20	.0404	----	----	----	----	24 UNCH
3835	----	----	----/9.90A	10.40B/9.90A	----	10.80 - 0.10	.0411	----	----	----	----	1 UNCH
3840	----	----	----/10.00A	10.40B/10.00A	----	10.90 - 0.10	.0416	----	----	----	----	33 UNCH
3845	----	----	----/10.20A	10.80B/10.20A	----	11.00 - 0.20	.0420	----	----	----	----	13 UNCH
3850	----	----	----/10.20A	11.00B/10.20A	----	11.10 - 0.20	.0425	----	----	1	----	207 UNCH
3860	10.80	10.80	10.80/10.50A	11.20B/10.50A	----	11.40 - 0.20	.0437	----	----	16	----	42 + 13
3870	----	----	----/10.80A	11.30B/10.80A	----	11.70 - 0.20	.0449	----	----	----	----	2 UNCH
3875	----	----	----/10.90A	11.70B/10.90A	----	11.80 - 0.20	.0454	----	----	----	----	108 UNCH
3880	----	----	----/11.10A	11.50B/11.10A	----	12.00 - 0.20	.0461	----	----	----	----	14 UNCH
3885	----	----	----/11.20A	11.70B/11.20A	----	12.10 - 0.20	.0466	----	----	----	----	37 UNCH
3890	----	----	----/11.40A	11.90B/11.40A	----	12.30 - 0.20	.0473	----	----	----	----	4 UNCH
3895	----	----	----/11.50A	12.40B/11.50A	----	12.40 - 0.20	.0478	----	----	----	----	2 UNCH
3900	----	----	----/11.70A	12.50B/11.70A	----	12.60 - 0.20	.0486	----	----	----	----	313 UNCH
3905	----	----	----/11.80A	12.60B/11.80A	----	12.70 - 0.30	.0491	----	----	----	----	12 UNCH
3910	----	----	----/12.00A	12.50B/12.00A	----	12.90 - 0.20	.0499	----	----	----	----	54 UNCH
3920	----	----	----/12.30A	12.90B/12.30A	----	13.20 - 0.30	.0511	----	----	----	----	9 UNCH
3925	----	----	----/12.50A	13.00B/12.50A	----	13.40 - 0.20	.0519	----	----	----	----	49 UNCH
3930	----	----	----/12.60A	13.50B/12.60A	----	13.60 - 0.20	.0527	----	----	1	----	32 UNCH
3935	----	----	----/12.80A	13.40B/12.80A	----	13.70 - 0.30	.0532	----	----	----	----	7 UNCH
3940	----	----	----/12.80A	13.90B/12.80A	----	13.90 - 0.30	.0540	----	----	----	----	25 UNCH
3945	----	----	----/13.00A	14.10B/13.00A	----	14.10 - 0.30	.0548	----	----	2	----	23 + 2
3950	----	----	----/13.20A	14.30B/13.20A	----	14.30 - 0.30	.0556	----	----	----	----	600 UNCH
3955	----	----	----/13.40A	14.50B/13.40A	----	14.50 - 0.30	.0564	----	----	----	----	56 UNCH
3960	14.70	14.70	14.70/13.60A	14.70/13.60A	----	14.70 - 0.30	.0572	----	----	2	----	21 + 2
3965	----	----	----/13.80A	14.90B/13.80A	----	14.80 - 0.40	.0578	----	----	----	----	94 UNCH
3970	----	----	15.60B/14.00A	15.60B/14.00A	----	15.00 - 0.40	.0586	----	----	----	----	6 UNCH
3975	----	----	15.90B/14.20A	15.90B/14.20A	----	15.20 - 0.40	.0594	----	----	----	----	22 UNCH
3980	----	----	16.20B/14.40A	16.20B/14.40A	----	15.50 - 0.30	.0605	----	----	----	----	4 UNCH
3985	----	----	16.40B/14.60A	16.40B/14.60A	----	15.70 - 0.30	.0613	----	----	----	----	136 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3990	----	----	16.60B/14.80A	16.60B/14.80A	----	15.90 - 0.30	.0621	----	----	----	----	41 UNCH
3995	----	----	16.90B/15.00A	16.90B/15.00A	----	16.10 - 0.30	.0630	----	----	----	----	20 UNCH
4000	15.60	15.60	17.20B/15.20A	17.20B/15.20A	----	16.30 - 0.40	.0638	----	----	92	----	1115 + 25
4005	----	----	17.50B/15.40A	17.50B/15.40A	----	16.50 - 0.40	.0646	----	----	----	----	155 UNCH
4010	----	----	17.70B/15.60A	17.70B/15.60A	----	16.80 - 0.30	.0657	----	----	----	----	3 UNCH
4015	----	----	18.00B/15.90A	18.00B/15.90A	----	17.00 - 0.40	.0666	----	----	----	----	59 UNCH
4020	----	----	18.30B/16.10A	18.30B/16.10A	----	17.30 - 0.30	.0677	----	----	----	----	91 UNCH
4025	----	----	18.60B/16.30A	18.60B/16.30A	----	17.50 - 0.30	.0686	----	----	----	----	19 UNCH
4030	----	----	18.90B/16.60A	18.90B/16.60A	----	17.80 - 0.30	.0697	----	----	----	----	50 UNCH
4035	----	----	19.20B/16.80A	19.20B/16.80A	----	18.00 - 0.40	.0706	----	----	----	----	3 UNCH
4040	----	----	19.50B/17.10A	19.50B/17.10A	----	18.30 - 0.30	.0717	----	----	----	----	2 UNCH
4045	----	----	19.80B/17.30A	19.80B/17.30A	----	18.50 - 0.40	.0726	----	----	2	----	22 + 2
4050	----	----	20.10B/17.60A	20.10B/17.60A	----	18.80 - 0.30	.0737	----	----	4	----	51 + 1
4055	----	----	20.40B/17.80A	20.40B/17.80A	----	19.10 - 0.30	.0749	----	----	----	----	32 UNCH
4060	----	----	20.80B/18.10A	20.80B/18.10A	----	19.40 - 0.30	.0760	----	----	----	----	2 UNCH
4065	----	----	21.10B/18.40A	21.10B/18.40A	----	19.60 - 0.40	.0770	----	----	----	----	8 UNCH
4070	----	----	21.50B/18.60A	21.50B/18.60A	----	19.90 - 0.40	.0781	----	----	----	----	10 UNCH
4075	----	----	21.80B/18.90A	21.80B/18.90A	----	20.20 - 0.40	.0793	----	----	----	----	14 UNCH
4080	----	----	22.20B/19.20A	22.20B/19.20A	----	20.50 - 0.40	.0805	----	----	----	----	9 UNCH
4085	----	----	22.50B/19.50A	22.50B/19.50A	----	20.80 - 0.40	.0816	----	----	----	----	13 UNCH
4090	----	----	22.90B/19.80A	22.90B/19.80A	----	21.10 - 0.40	.0828	----	----	----	----	5 UNCH
4095	----	----	23.20B/20.10A	23.20B/20.10A	----	21.50 - 0.30	.0843	----	----	----	----	4 UNCH
4100	21.20	21.20	23.60B/20.50A	23.60B/20.50A	----	21.80 - 0.30	.0855	----	----	15	----	1050 + 11
4105	----	----	24.00B/20.80A	24.00B/20.80A	----	22.10 - 0.30	.0867	----	----	----	----	9 UNCH
4110	----	----	24.40B/21.10A	24.40B/21.10A	----	22.50 - 0.30	.0881	----	----	----	----	15 UNCH
4115	----	----	24.80B/21.40A	24.80B/21.40A	----	22.80 - 0.30	.0893	----	----	----	----	8 UNCH
4120	----	----	25.20B/21.70A	25.20B/21.70A	----	23.20 - 0.20	.0908	----	----	----	----	8 UNCH
4125	----	----	25.60B/22.10A	25.60B/22.10A	----	23.50 - 0.30	.0920	----	----	----	----	83 UNCH
4130	----	----	26.00B/22.40A	26.00B/22.40A	----	23.90 - 0.30	.0935	----	----	----	----	65 UNCH
4135	----	----	26.40B/22.80A	26.40B/22.80A	----	24.20 - 0.30	.0948	----	----	----	----	7 UNCH
4140	----	----	26.90B/23.20A	26.90B/23.20A	----	24.60 - 0.30	.0963	----	----	----	----	44 UNCH
4145	----	----	27.30B/23.50A	27.30B/23.50A	----	25.00 - 0.30	.0978	----	----	----	----	242 UNCH
4150	----	----	27.70B/23.90A	27.70B/23.90A	----	25.40 - 0.20	.0993	----	----	3	----	155 UNCH
4155	----	----	28.20B/24.30A	28.20B/24.30A	----	25.80 - 0.20	.1008	----	----	----	----	5 UNCH
4160	----	----	28.70B/24.60A	28.70B/24.60A	----	26.20 - 0.20	.1023	----	----	----	----	3 UNCH
4165	----	----	29.10B/25.00A	29.10B/25.00A	----	26.60 - 0.20	.1038	----	----	1	----	70 + 1
4170	----	----	29.60B/25.40A	29.60B/25.40A	----	27.10 - 0.10	.1056	----	----	1	----	2 + 1
4175	----	----	30.10B/25.80A	30.10B/25.80A	----	27.50 - 0.20	.1071	----	----	4	----	46 + 3
4180	----	----	30.60B/26.30A	30.60B/26.30A	----	27.90 - 0.20	.1087	----	----	1	----	5 + 1
4185	----	----	31.10B/26.70A	31.10B/26.70A	----	28.40 - 0.10	.1105	----	----	1	----	13 UNCH
4190	----	----	31.60B/27.10A	31.60B/27.10A	----	28.80 - 0.20	.1120	----	----	----	----	129 UNCH
4195	----	----	32.10B/27.50A	32.10B/27.50A	----	29.30 - 0.10	.1138	----	----	----	----	65 UNCH
4200	29.10	29.10	32.60B/28.00A	32.60B/28.00A	----	29.80 - 0.10	.1156	----	----	20	----	580 UNCH
4205	31.50	31.50	33.20B/28.40A	33.20B/28.40A	----	30.30 UNCH	.1174	----	----	1	----	7 + 1
4210	----	----	33.60B/28.90A	33.60B/28.90A	----	30.80 UNCH	.1192	----	----	1	----	67 - 1
4215	----	----	34.30B/29.40A	34.30B/29.40A	----	31.30 UNCH	.1211	----	----	----	----	39 UNCH
4220	----	----	34.80B/29.90A	34.80B/29.90A	----	31.80 UNCH	.1229	----	----	1	----	196 UNCH
4225	----	----	35.40B/30.40A	35.40B/30.40A	----	32.30 UNCH	.1247	----	----	----	----	38 UNCH
4230	----	----	36.10B/30.80A	36.10B/30.80A	----	32.80 UNCH	.1266	----	----	----	----	16 UNCH
4235	----	----	36.70B/31.40A	36.70B/31.40A	----	33.40 + 0.10	.1287	----	----	----	----	42 UNCH
4240	----	----	37.20B/31.90A	37.20B/31.90A	----	33.90 + 0.10	.1305	----	----	----	----	37 UNCH
4245	----	----	37.90B/32.40A	37.90B/32.40A	----	34.50 + 0.20	.1326	----	----	----	----	3 UNCH
4250	33.20	33.20	37.80B/32.90A	37.80B/32.90A	----	35.00 + 0.10	.1345	----	----	3	----	1151 UNCH
4255	----	----	39.10B/33.50A	39.10B/33.50A	----	35.60 + 0.20	.1366	----	----	----	----	3 UNCH
4260	----	----	39.80B/34.00A	39.80B/34.00A	----	36.20 + 0.20	.1387	----	----	1	----	19 - 1
4265	----	----	40.40B/34.60A	40.40B/34.60A	----	36.80 + 0.20	.1409	----	----	1	----	13 + 1
4270	----	----	41.10B/35.20A	41.10B/35.20A	----	37.40 + 0.30	.1430	----	----	1	----	7 UNCH
4275	----	----	41.80B/35.70A	41.80B/35.70A	----	38.10 + 0.40	.1453	----	----	1	----	85 - 1
4280	----	----	42.50B/36.30A	42.50B/36.30A	----	38.70 + 0.40	.1475	----	----	----	----	51 UNCH
4285	----	----	43.20B/36.90A	43.20B/36.90A	----	39.30 + 0.40	.1497	----	----	----	----	101 UNCH
4290	----	----	44.00B/37.60A	44.00B/37.60A	----	40.00 + 0.50	.1520	----	----	----	----	34 UNCH
4295	----	----	44.60B/38.10A	44.60B/38.10A	----	40.70 + 0.50	.1544	----	----	----	----	20 UNCH
4300	42.00	42.00	45.40B/38.80A	45.40B/38.80A	----	41.40 + 0.60	.1568	----	----	18	----	867 - 4
4305	----	----	46.10B/39.50A	46.10B/39.50A	----	42.10 + 0.60	.1592	----	----	----	----	9 UNCH
4310	----	----	46.90B/40.10A	46.90B/40.10A	----	42.80 + 0.70	.1616	----	----	----	----	12 UNCH
4315	----	----	47.70B/40.80A	47.70B/40.80A	----	43.50 + 0.70	.1640	----	----	----	----	60 UNCH
4320	----	----	48.50B/41.50A	48.50B/41.50A	----	44.20 + 0.70	.1664	----	----	----	----	5 UNCH
4325	----	----	49.30B/42.00A	49.30B/42.00A	----	45.00 + 0.80	.1690	----	----	----	----	80 UNCH
4330	----	----	50.10B/42.80A	50.10B/42.80A	----	45.70 + 0.80	.1715	----	----	----	----	24 UNCH
4335	----	----	51.00B/43.50A	51.00B/43.50A	----	46.50 + 0.90	.1741	----	----	----	----	111 UNCH
4340	----	----	51.80B/44.20A	51.80B/44.20A	----	47.30 + 1.00	.1768	----	----	2	----	115 + 1
4345	----	----	52.70B/45.00A	52.70B/45.00A	----	48.10 + 1.10	.1794	----	----	----	----	12 UNCH
4350	----	----	53.50B/45.60A	53.50B/45.60A	----	48.90 + 1.10	.1821	----	----	5	----	426 UNCH
4355	----	----	54.40B/46.40A	54.40B/46.40A	----	49.80 + 1.20	.1849	----	----	----	----	124 UNCH
4360	----	----	55.30B/47.20A	55.30B/47.20A	----	50.60 + 1.30	.1876	----	----	----	----	104 UNCH
4365	----	----	56.30B/48.00A	56.30B/48.00A	----	51.50 + 1.40	.1905	----	----	----	----	29 UNCH
4370	----	----	57.20B/48.70A	57.20B/48.70A	----	52.30 + 1.40	.1932	----	----	----	----	139 UNCH
4375	----	----	58.10B/49.60A	58.10B/49.60A	----	53.20 + 1.50	.1961	----	----	----	----	27 UNCH
4380	----	----	59.10B/50.30A	59.10B/50.30A	----	54.10 + 1.50	.1990	----	----	----	----	6 UNCH
4385	----	----	60.10B/51.10A	60.10B/51.10A	----	55.00 + 1.60	.2019	----	----	----	----	52 UNCH
4390	----	----	61.10B/52.00A	61.10B/52.00A	----	56.00 + 1.70	.2050	----	----	----	----	2 UNCH
4395	----	----	62.10B/52.80A	62.10B/52.80A	----	56.90 + 1.80	.2079	----	----	----	----	26 UNCH
4400	59.30	59.30	63.10B/53.60A	63.10B/53.60A	----	57.90 + 1.90	.2110	----	----	9	----	986 - 1
4405	----	----	64.10B/54.50A	64.10B/54.50A	----	58.90 + 2.00	.2142	----	----	----	----	26 UNCH
4410	----	----	65.20B/55.40A	65.20B/55.40A	----	59.90 + 2.10	.2173	----	----	----	----	16 UNCH
4415	----	----	66.20B/56.30A	66.20B/56.30A	----	60.90 + 2.10	.2204	----	----	----	----	8 UNCH
4420	----	----	67.30B/57.20A	67.30B/57.20A	----	61.90 + 2.20	.2236	----	----	----	----	16 UNCH
4425	----	----	68.40B/58.10A	68.40B/58.10A	----	63.00 + 2.40	.2269	----	----	----	----	37 UNCH
4430	----	----	69.60B/59.10A	69.60B/59.10A	----	64.10 + 2.50	.2302	----	----	----	----	168 UNCH
4435	----	----	70.70B/60.20A	70.70B/60.20A	----	65.20 + 2.60	.2335	----	----	----	----	2 UNCH
4440	----	----	71.90B/61.00A	71.90B/61.00A	----	66.30 + 2.70	.2369	----	----	1	----	37 UNCH
4445	----	----	73.00B/62.10A	73.00B/62.10A	----	67.40 + 2.80	.2402	----	----	----	----	152 UNCH
4450	----	----	74.20B/63.00A	74.20B/63.00A	----	68.50 + 2.80	.2436	----	----	1	----	645 UNCH
4455	----	----	75.40B/64.20A	75.40B/64.20A	----	69.70 + 3.00	.2471	----	----	----	----	19 UNCH
4460	----	----	76.70B/65.20A	76.70B/65.20A	----	70.90 + 3.10	.2506	----	----	----	----	103 UNCH
4465	----	----	77.90B/66.10A	77.90B/66.10A	----	72.10 + 3.20	.2541	----	----	----	----	28 UNCH
4470	67.90	67.90	79.20B/66.80	79.20B/66.80	----	73.30 + 3.30	.2577	----	----	3	----	29 + 1
4475	----	----	80.50B/68.30A	80.50B/68.30A	----	74.50 + 3.40	.2612	----	----	----	----	36 UNCH
4480	----	----	81.80B/69.50A	81.80B/69.50A	----	75.80 + 3.60	.2649	----	----	----	----	140 UNCH
4485	----	----	83.10B/70.60A	83.10B/70.60A	----	77.00 + 3.60	.2685	----	----	----	----	50 UNCH
4490	----	----	84.40B/71.70A	84.40B/71.70A	----	78.30 + 3.80	.2722	----	----	----	----	41 UNCH
4495	----	----	85.80B/73.00A	85.80B/73.00A	----	79.70 + 4.00	.2760	----	----	----	----	3 UNCH
4500	85.70	85.70	87.20B/74.10A	87.20B/74.10A	----	81.00 + 4.10	.2798	----	----	79	----	1220 - 13
4505	----	----	88.60B/75.30A	88.60B/75.30A	----	82.30 + 4.20	.2835	----	----	----	----	6 UNCH
4510	----	----	90.00B/76.60A	90.00B/76.60A	----	83.70 + 4.30	.2874	----	----	----	----	8 UNCH
4515	----	----	91.40B/77.80A	91.40B/77.80A	----	85.10 + 4.40	.2913	----	----	----	----	5 UNCH
4520	----	----	92.90B/79.00A	92.90B/79.00A	----	86.50 + 4.60	.2951	----	----	----	----	11 UNCH
4525	----	----	94.40B/80.30A	94.40B/80.30A	----	88.00 + 4.80	.2992	----	----	----	----	87 UNCH
4530	----	----	95.90B/81.60A	95.90B/81.60A	----	89.40 + 4.80	.3031	----	----	----	----	8 UNCH
4535	----	----	97.40B/82.90A	97.40B/82.90A	----	90.90 + 5.00	.3071	----	----	----	----	5 UNCH
4540	----	----	99.00B/84.30A	99.00B/84.30A	----	92.40 + 5.10	.3111	----	----	----	----	90 UNCH
4545	----	----	100.50B/85.60A	100.50B/85.60A	----	94.00 + 5.40	.3153	----	----	----	----	20 UNCH
4550	----	----	102.20B/86.90A	102.20B/86.90A	----	95.50 + 5.50	.3193	----	----	8	----	71 + 2
4555	----	----	103.80B/88.40A	103.80B/88.40A	----	97.10 + 5.60	.3235	----	----	----	----	16 UNCH
4560	----	----	105.30B/89.70A	105.30B/89.70A	----	98.70 + 5.80	.3276	----	----	----	----	29 UNCH
4565	----	----	107.10B/91.30A	107.10B/91.30A	----	100.30 + 5.90	.3318	----	----	----	----	105 UNCH
4570	----	----	108.80B/92.70A	108.80B/92.70A	----	101.90 + 6.10	.3360	----	----	----	----	9 UNCH
4575	----	----	110.50B/94.00A	110.50B/94.00A	----	103.60 + 6.30	.3403	----	----	----	----	20 UNCH
4580	----	----	112.20B/95.70A	112.20B/95.70A	----	105.30 + 6.40	.3446	----	----	----	----	5 UNCH
4585	108.20	108.20	114.00B/97.10A	114.00B/97.10A	----	107.00 + 6.60	.3489	----	----	2	----	9 + 1
4590	----	----	115.80B/98.80A	115.80B/98.80A	----	108.70 + 6.70	.3532	----	----	----	----	9 UNCH
4595	----	----	117.50B/100.20A	117.50B/100.20A	----	110.50 + 6.90	.3576	----	----	----	----	49 UNCH
4600	----	----	119.30B/101.70A	119.30B/101.70A	----	112.30 + 7.10	.3620	----	----	9	----	1286 UNCH
4605	----	----	121.20B/103.50A	121.20B/103.50A	----	114.10 + 7.30	.3664	----	----	----	----	2 UNCH
4610	109.10	109.10	123.10B/105.10A	123.10B/105.10A	----	115.90 + 7.50	.3708	----	----	1	----	134 UNCH
4615	----	----	125.00B/106.70A	125.00B/106.70A	----	117.70 + 7.60	.3753	----	----	----	----	13 UNCH
4620	124.00	124.00	126.90B/108.60A	126.90B/108.60A	----	119.60 + 7.80	.3798	----	----	1	----	47 UNCH
4625	----	----	128.80B/110.00A	128.80B/110.00A	----	121.50 + 8.00	.3843	----	----	----	----	35 UNCH
4630	----	----	130.80B/111.90A	130.80B/111.90A	----	123.40 + 8.20	.3888	----	----	----	----	13 UNCH
4635	----	----	132.70B/113.70A	132.70B/113.70A	----	125.40 + 8.40	.3934	----	----	----	----	123 UNCH
4640	----	----	134.80B/115.60A	134.80B/115.60A	----	127.40 + 8.60	.3979	----	----	----	----	155 UNCH
4645	----	----	136.90B/117.10A	136.90B/117.10A	----	129.40 + 8.80	.4025	----	----	----	----	12 UNCH
4650	133.10	133.10	138.80B/119.00A	138.80B/119.00A	----	131.40 + 9.00	.4071	----	----	4	----	266 + 4
4655	----	----	141.10B/120.90A	141.10B/120.90A	----	133.40 + 9.20	.4118	----	----	----	----	2 UNCH
4660	----	----	143.20B/122.60A	143.20B/122.60A	----	135.50 + 9.40	.4164	----	----	----	----	62 UNCH
4665	----	----	145.30B/124.50A	145.30B/124.50A	----	137.60 + 9.60	.4211	----	----	----	----	23 UNCH
4670	----	----	147.80B/126.60A	147.80B/126.60A	----	139.70 + 9.80	.4258	----	----	----	----	101 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4675	----	----	149.80B/128.40A	149.80B/128.40A	----	141.90 + 10.00	.4305	----	----	----	----	156 UNCH
4680	----	----	151.90B/130.50A	151.90B/130.50A	----	144.10 + 10.30	.4352	----	----	----	----	26 UNCH
4685	----	----	154.20B/132.40A	154.20B/132.40A	----	146.30 + 10.50	.4399	----	----	----	----	8 UNCH
4690	150.50	150.50	156.50B/134.40A	156.50B/134.40A	----	148.50 + 10.70	.4447	----	----	3	----	15 + 2
4695	----	----	158.80B/136.60A	158.80B/136.60A	----	150.70 + 10.80	.4494	----	----	----	----	179 UNCH
4700	----	----	161.50B/138.70A	161.50B/138.70A	----	153.00 + 11.10	.4542	----	----	2	----	680 + 2
4705	149.10	149.10	163.70B/140.90A	163.70B/140.90A	----	155.30 + 11.30	.4589	----	----	1	----	10 UNCH
4710	----	----	165.90B/142.80A	165.90B/142.80A	----	157.70 + 11.60	.4637	----	----	----	----	126 UNCH
4715	----	----	168.40B/145.00A	168.40B/145.00A	----	160.00 + 11.70	.4685	----	----	----	----	4 UNCH
4720	----	----	170.80B/147.20A	170.80B/147.20A	----	162.40 + 12.00	.4733	----	----	2	----	11 + 1
4725	----	----	173.20B/149.30A	173.20B/149.30A	----	164.80 + 12.20	.4781	----	----	1	----	206 + 1
4730	----	----	175.70B/151.60A	175.70B/151.60A	----	167.20 + 12.40	.4830	----	----	1	----	67 + 1
4735	----	----	178.20B/153.90A	178.20B/153.90A	----	169.70 + 12.60	.4878	----	----	----	----	17 UNCH
4740	----	----	180.90B/156.20A	180.90B/156.20A	----	172.20 + 12.90	.4926	----	----	----	----	115 UNCH
4745	----	----	183.30B/158.50A	183.30B/158.50A	----	174.70 + 13.10	.4974	----	----	----	----	121 UNCH
4750	----	----	185.30B/160.70A	185.30B/160.70A	----	177.30 + 13.40	.5022	----	----	101	----	438 + 38
4755	----	----	188.70B/163.10A	188.70B/163.10A	----	179.80 + 13.50	.5071	----	----	----	----	12 UNCH
4760	185.00	185.00	191.20B/165.40A	191.20B/165.40A	----	182.40 + 13.80	.5119	----	----	50	----	79 + 50
4765	----	----	194.10B/167.80A	194.10B/167.80A	----	185.10 + 14.10	.5167	----	----	----	----	305 UNCH
4770	----	----	196.70B/170.40A	196.70B/170.40A	----	187.70 + 14.20	.5215	----	----	----	----	10 UNCH
4775	----	----	199.40B/172.90A	199.40B/172.90A	----	190.40 + 14.50	.5263	----	----	----	----	46 UNCH
4780	----	----	202.00B/175.30A	202.00B/175.30A	----	193.10 + 14.70	.5311	----	----	----	----	31 UNCH
4785	189.70	189.70	204.90B/177.80A	204.90B/177.80A	----	195.90 + 15.00	.5359	----	----	50	----	125 + 50
4790	----	----	207.70B/180.30A	207.70B/180.30A	----	198.70 + 15.30	.5407	----	----	----	----	3 UNCH
4795	----	----	210.50B/183.00A	210.50B/183.00A	----	201.50 + 15.60	.5455	----	----	----	----	137 UNCH
4800	----	----	212.40B/185.60A	212.40B/185.60A	----	204.30 + 15.80	.5502	----	----	2	----	1285 + 2
4805	----	----	215.10B/188.20A	215.10B/188.20A	----	207.20 + 16.10	.5550	----	----	----	----	4 UNCH
4810	----	----	218.20B/190.80A	218.20B/190.80A	----	210.10 + 16.40	.5597	----	----	----	----	8 UNCH
4815	----	----	221.00B/193.50A	221.00B/193.50A	----	213.00 + 16.60	.5645	----	----	----	----	27 UNCH
4820	----	----	224.00B/196.10A	224.00B/196.10A	----	216.00 + 17.00	.5692	----	----	----	----	206 UNCH
4825	----	----	227.00B/198.80A	227.00B/198.80A	----	219.00 + 17.30	.5739	----	----	----	----	33 UNCH
4830	----	----	229.90B/201.60A	229.90B/201.60A	----	222.00 + 17.50	.5785	----	----	----	----	2 UNCH
4835	----	----	233.10B/204.30A	233.10B/204.30A	----	225.00 + 17.80	.5832	----	----	----	----	21 UNCH
4840	----	----	236.20B/207.10A	236.20B/207.10A	----	228.10 + 18.10	.5878	----	----	----	----	9 UNCH
4845	----	----	239.40B/209.90A	239.40B/209.90A	----	231.20 + 18.40	.5924	----	----	----	----	74 UNCH
4850	----	----	242.70B/212.80A	242.70B/212.80A	----	234.30 + 18.70	.5970	----	----	----	----	299 UNCH
4855	----	----	245.00B/215.60A	245.00B/215.60A	----	237.40 + 18.90	.6016	----	----	----	----	8 UNCH
4860	----	----	248.00B/218.50A	248.00B/218.50A	----	240.60 + 19.30	.6062	----	----	----	----	1 UNCH
4865	----	----	252.00B/221.40A	252.00B/221.40A	----	243.80 + 19.60	.6107	----	----	----	----	27 UNCH
4870	----	----	255.50B/224.40A	255.50B/224.40A	----	247.00 + 19.80	.6153	----	----	----	----	319 UNCH
4875	----	----	258.50B/227.30A	258.50B/227.30A	----	250.20 + 20.10	.6197	----	----	----	----	71 UNCH
4880	----	----	261.80B/230.30A	261.80B/230.30A	----	253.40 + 20.30	.6243	----	----	----	----	51 UNCH
4885	----	----	264.50B/235.60A	264.50B/235.60A	----	256.70 + 20.60	.6287	----	----	----	----	12 UNCH
4890	----	----	267.70B/----	267.70B/239.90A	----	260.00 + 20.90	.6331	----	----	----	----	9 UNCH
4895	----	----	271.80B/----	271.80B/244.20A	----	263.30 + 21.10	.6375	----	----	----	----	48 UNCH
4900	----	----	275.20B/----	275.20B/247.20A	----	266.60 + 21.40	.6419	----	----	----	----	243 UNCH
4905	----	----	278.60B/----	278.60B/249.20A	----	270.00 + 21.70	.6463	----	----	----	----	54 UNCH
4910	----	----	281.20B/----	281.20B/253.50A	----	273.40 + 22.00	.6507	----	----	----	----	2 UNCH
4915	----	----	285.50B/----	285.50B/255.50A	----	276.80 + 22.20	.6549	----	----	----	----	118 UNCH
4920	----	----	289.00B/----	289.00B/260.00A	----	280.20 + 22.50	.6592	----	----	----	----	22 UNCH
4925	----	----	291.70B/----	291.70B/263.20A	----	283.70 + 22.80	.6634	----	----	----	----	11 UNCH
4930	----	----	296.00B/----	296.00B/266.40A	----	287.10 + 23.00	.6677	----	----	----	----	52 UNCH
4935	----	----	298.70B/----	298.70B/269.70A	----	290.60 + 23.20	.6719	----	----	----	----	4 UNCH
4940	----	----	302.30B/----	302.30B/273.00A	----	294.10 + 23.50	.6761	----	----	----	----	11 UNCH
4950	----	----	310.20B/----	310.20B/279.60A	----	301.20 + 24.00	.6843	----	----	----	----	106 UNCH
4975	----	----	323.20B/----	323.20B/296.60A	----	319.40 + 25.30	.7044	----	----	----	----	2 UNCH
4980	----	----	327.00B/----	327.00B/300.20A	----	323.10 + 25.60	.7082	----	----	----	----	6 UNCH
4985	----	----	336.10B/----	336.10B/303.60A	----	326.80 + 25.80	.7121	----	----	----	----	104 UNCH
4990	----	----	333.30B/----	333.30B/307.10A	----	330.60 + 26.20	.7158	----	----	----	----	2 UNCH
4995	----	----	338.30B/----	338.30B/310.60A	----	334.30 + 26.40	.7196	----	----	----	----	12 UNCH
5000	332.00	332.00	347.40B/332.00	347.40B/312.80A	----	338.10 + 26.60	.7234	----	----	2	----	544 + 1
5005	----	----	345.90B/----	345.90B/317.80A	----	341.90 + 26.90	.7271	----	----	----	----	12 UNCH
5010	----	----	349.80B/----	349.80B/321.40A	----	345.70 + 27.10	.7309	----	----	----	----	9 UNCH
5015	----	----	353.60B/----	353.60B/325.00A	----	349.60 + 27.50	.7344	----	----	----	----	20 UNCH
5020	----	----	357.50B/----	357.50B/328.60A	----	353.40 + 27.70	.7380	----	----	----	----	5 UNCH
5025	----	----	361.40B/----	361.40B/332.30A	----	357.30 + 27.90	.7416	----	----	----	----	150 UNCH
5030	----	----	365.30B/----	365.30B/335.90A	----	361.20 + 28.20	.7452	----	----	----	----	8 UNCH
5035	----	----	369.20B/----	369.20B/339.60A	----	365.10 + 28.40	.7487	----	----	----	----	37 UNCH
5040	----	----	373.20B/----	373.20B/343.40A	----	369.10 + 28.70	.7521	----	----	----	----	10 UNCH
5045	----	----	377.10B/----	377.10B/347.10A	----	373.00 + 28.90	.7555	----	----	----	----	5 UNCH
5050	----	----	381.10B/----	381.10B/350.90A	----	377.00 + 29.20	.7588	----	----	----	----	78 UNCH
5055	----	----	385.10B/----	385.10B/354.60A	----	381.00 + 29.40	.7622	----	----	----	----	3 UNCH
5065	----	----	393.10B/----	393.10B/362.30A	----	389.00 + 29.90	.7689	----	----	----	----	11 UNCH
5075	----	----	401.30B/----	401.30B/369.90A	----	397.10 + 30.40	.7754	----	----	----	----	6 UNCH
5080	----	----	404.20B/----	404.20B/373.60A	----	401.10 + 30.50	.7786	----	----	----	----	2 UNCH
5085	----	----	409.40B/----	409.40B/377.70A	----	405.20 + 30.80	.7817	----	----	----	----	21 UNCH
5090	----	----	413.50B/----	413.50B/381.60A	----	409.30 + 31.00	.7849	----	----	----	----	6 UNCH
5095	----	----	417.70B/----	417.70B/385.50A	----	413.40 + 31.20	.7878	----	----	----	----	42 UNCH
5100	----	----	421.80B/----	421.80B/389.40A	----	417.50 + 31.40	.7909	----	----	----	----	106 UNCH
5105	----	----	425.90B/----	425.90B/393.30A	----	421.70 + 31.60	.7938	----	----	----	----	22 UNCH
5110	----	----	430.10B/----	430.10B/397.40A	----	425.80 + 31.80	.7967	----	----	----	----	16 UNCH
5115	----	----	434.30B/----	434.30B/401.40A	----	430.00 + 32.00	.7996	----	----	----	----	37 UNCH
5120	----	----	438.50B/----	438.50B/405.40A	----	434.20 + 32.20	.8025	----	----	----	----	14 UNCH
5125	----	----	442.70B/----	442.70B/409.40A	----	438.40 + 32.40	.8054	----	----	----	----	37 UNCH
5130	----	----	446.90B/----	446.90B/413.50A	----	442.60 + 32.60	.8083	----	----	----	----	23 UNCH
5135	----	----	451.20B/----	451.20B/417.50A	----	446.90 + 32.90	.8110	----	----	----	----	9 UNCH
5140	----	----	455.40B/----	455.40B/421.60A	----	451.10 + 33.00	.8138	----	----	----	----	19 UNCH
5145	----	----	458.60B/----	458.60B/425.70A	----	455.40 + 33.20	.8165	----	----	----	----	2 UNCH
5150	----	----	464.00B/----	464.00B/429.70A	----	459.60 + 33.40	.8191	----	----	----	----	233 UNCH
5155	----	----	468.20B/----	468.20B/433.90A	----	463.90 + 33.60	.8218	----	----	----	----	42 UNCH
5160	----	----	472.50B/----	472.50B/438.30A	----	468.20 + 33.70	.8244	----	----	----	----	42 UNCH
5170	----	----	481.20B/----	481.20B/446.40A	----	476.90 + 34.20	.8294	----	----	----	----	51 UNCH
5175	----	----	485.50B/----	485.50B/450.40A	----	481.20 + 34.30	.8318	----	----	----	----	61 UNCH
5180	----	----	489.90B/----	489.90B/454.90A	----	485.60 + 34.50	.8344	----	----	----	----	10 UNCH
5185	----	----	494.20B/----	494.20B/459.00A	----	489.90 + 34.70	.8368	----	----	----	----	103 UNCH
5190	----	----	498.60B/----	498.60B/463.20A	----	494.30 + 34.90	.8391	----	----	----	----	19 UNCH
5200	----	----	507.40B/----	507.40B/471.70A	----	503.10 + 35.20	.8438	----	----	----	----	57 UNCH
5225	----	----	529.40B/----	529.40B/493.10A	----	525.30 + 36.10	.8547	----	----	----	----	42 UNCH
5230	----	----	533.20B/----	533.20B/497.30A	----	529.70 + 36.20	.8568	----	----	----	----	2 UNCH
5235	----	----	538.30B/----	538.30B/501.60A	----	534.20 + 36.40	.8588	----	----	----	----	23 UNCH
5245	----	----	546.60B/----	546.60B/510.50A	----	543.20 + 36.70	.8629	----	----	----	----	2 UNCH
5250	----	----	551.80B/----	551.80B/514.80A	----	547.70 + 36.90	.8650	----	----	----	----	14 UNCH
5255	----	----	556.30B/----	556.30B/519.10A	----	552.20 + 37.00	.8667	----	----	----	----	14 UNCH
5285	----	----	583.00B/----	583.00B/545.70A	----	579.50 + 37.90	.8780	----	----	----	----	2 UNCH
5290	----	----	588.20B/----	588.20B/550.10A	----	584.10 + 38.10	.8797	----	----	----	----	4 UNCH
5295	----	----	592.80B/----	592.80B/554.70A	----	588.70 + 38.20	.8814	----	----	----	----	2 UNCH
5300	----	----	597.60B/----	597.60B/559.20A	----	593.30 + 38.40	.8831	----	----	----	----	68 UNCH
5315	----	----	611.50B/----	611.50B/572.70A	----	607.10 + 38.80	.8880	----	----	----	----	10 UNCH
5325	----	----	620.60B/----	620.60B/581.50A	----	616.30 + 39.00	.8911	----	----	----	----	1 UNCH
5350	----	----	644.00B/----	644.00B/604.40A	----	639.60 + 39.70	.8985	----	----	----	----	8 UNCH
5375	660.50	660.50	667.70B/660.50	667.70B/627.30A	----	663.00 + 40.20	.9053	----	----	1	----	8 + 1
5390	----	----	681.00B/----	681.00B/641.20A	----	677.10 + 40.60	.9093	----	----	----	----	5 UNCH
5400	----	----	692.90B/----	692.90B/650.50A	----	686.50 + 40.70	.9117	----	----	----	----	602 UNCH
5410	----	----	689.10B/----	689.10B/659.70A	----	696.00 + 41.00	.9143	----	----	----	----	1 UNCH
5440	----	----	696.80B/----	696.80B/687.80A	----	724.40 + 41.50	.9209	----	----	----	----	1 UNCH
5475	----	----	761.60B/----	761.60B/720.80A	----	757.90 + 42.10	.9280	----	----	----	----	7 UNCH
5500	----	----	785.60B/----	785.60B/764.00A	----	781.90 + 42.50	.9327	----	----	----	----	3 UNCH
5505	----	----	----	----	----	786.70 + 42.60	.9333	----	----	----	----	1 UNCH
5510	----	----	----	----	----	791.50 + 42.60	.9342	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1372.60 + 46.50	.9789	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1397.40 + 46.50	.9796	----	----	----	----	2 UNCH
TOTAL										640		32201 + 258
AUG26												
2300	----	----	0.80B/----	0.80B/1.00A	----	0.80 + 0.10	.0019	----	----	----	----	36 UNCH
2325	----	----	----	0.80B/1.10A	----	0.80 UNCH	.0019	----	----	----	----	1 UNCH
2350	----	----	----	0.80B/1.20A	----	0.90 UNCH	.0022	----	----	----	----	2 UNCH
2375	----	----	----	0.90B/1.20A	----	1.00 + 0.10	.0024	----	----	----	----	7 UNCH
2400	----	----	----	0.90B/1.30A	----	1.00 UNCH	.0024	----	----	----	----	5 UNCH
2425	----	----	----	1.00B/1.30A	----	1.10 UNCH	.0027	----	----	----	----	1 UNCH
2475	----	----	----	1.10B/1.40A	----	1.30 + 0.10	.0032	----	----	----	----	5 UNCH
2500	----	----	----	1.20B/1.50A	----	1.40 + 0.10	.0034	----	----	----	----	7 UNCH
2570	----	----	----	1.40B/1.70A	----	1.60 + 0.10	.0040	----	----	----	----	9 UNCH
2580	----	----	----	1.40B/1.70A	----	1.70 + 0.10	.0042	----	----	----	----	1 UNCH
2590	----	----	----	1.40B/1.70A	----	1.70 + 0.10	.0042	----	----	----	----	2 UNCH
2600	----	----	----	1.40B/1.80A	----	1.70 + 0.10	.0042	----	----	----	----	6 UNCH
2615	----	----	----	1.50B/1.80A	----	1.80 + 0.10	.0045	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
2625	----	----	----	1.50B/1.80A	----	1.80 + 0.10	.0045	----	----	----	----	2 UNCH
2640	----	----	----	1.60B/1.90A	----	1.90 + 0.10	.0048	----	----	----	----	1 UNCH
2665	----	----	----	1.80B/2.00A	----	2.00 + 0.10	.0050	----	----	----	----	1 UNCH
2685	----	----	----	1.90B/2.00A	----	2.10 + 0.20	.0053	----	----	----	----	1 UNCH
2690	----	----	----	1.90B/2.00A	----	2.10 + 0.10	.0053	----	----	----	----	1 UNCH
2730	----	----	----	1.90B/2.20A	----	2.20 + 0.10	.0056	----	----	----	----	1 UNCH
2745	----	----	----	2.00B/2.20A	----	2.30 + 0.10	.0059	----	----	----	----	1 UNCH
2750	----	----	----	2.10B/2.20A	----	2.30 + 0.10	.0059	----	----	----	----	4 UNCH
2800	----	----	----	2.30B/2.40A	----	2.50 + 0.10	.0065	----	----	----	----	33 UNCH
2860	----	----	----	2.50B/2.70A	----	2.80 + 0.10	.0074	----	----	----	----	1 UNCH
2950	----	----	----/3.10A	2.90B/3.10A	----	3.30 + 0.10	.0089	----	----	----	----	8 UNCH
3000	2.70	2.70	3.50/2.70	3.50/2.70	----	3.50 UNCH	.0096	----	----	3	----	267 + 2
3005	----	----	----/3.40A	3.20B/3.40A	----	3.60 + 0.10	.0099	----	----	----	----	5 UNCH
3010	----	----	----/*3.40A	3.20B/3.40A	----	3.60 UNCH	.0099	----	----	----	----	1 UNCH
3015	----	----	----/*3.40A	3.20B/3.40A	----	3.60 UNCH	.0099	----	----	----	----	1 UNCH
3025	----	----	----/*3.50A	3.30B/3.50A	----	3.70 UNCH	.0102	----	----	----	----	5 UNCH
3040	----	----	----/*3.60A	3.30B/3.60A	----	3.80 UNCH	.0105	----	----	----	----	1 UNCH
3065	----	----	----/*3.70A	3.60B/3.70A	----	4.00 + 0.10	.0111	----	----	----	----	1 UNCH
3090	----	----	----/*3.90A	3.70B/3.90A	----	4.10 UNCH	.0115	----	----	----	----	1 UNCH
3095	----	----	----/*3.90A	3.80B/*3.90A	----	4.20 UNCH	.0118	----	----	----	----	1 UNCH
3100	----	----	----/4.00A	3.80B/4.00A	----	4.20 UNCH	.0118	----	----	----	----	139 UNCH
3110	----	----	----/*4.00A	3.80B/4.00A	----	4.30 UNCH	.0121	----	----	----	----	15 UNCH
3120	----	----	----/*4.10A	4.00B/4.10A	----	4.30 - 0.10	.0122	----	----	----	----	29 UNCH
3130	----	----	----/*4.20A	3.90B/4.20A	----	4.40 UNCH	.0125	----	----	----	----	5 UNCH
3145	----	----	----/*4.30A	4.10B/4.30A	----	4.50 - 0.10	.0128	----	----	----	----	1 UNCH
3150	----	----	----/*4.30A	4.20B/4.30A	----	4.60 UNCH	.0131	----	----	----	----	10 UNCH
3155	----	----	----/*4.40A	4.20B/4.40A	----	4.60 UNCH	.0132	----	----	----	----	3 UNCH
3160	----	----	----/*4.40A	4.30B/4.40A	----	4.60 - 0.10	.0132	----	----	----	----	1 UNCH
3165	----	----	----/*4.40A	4.30B/*4.40A	----	4.70 UNCH	.0135	----	----	----	----	141 UNCH
3170	----	----	----/*4.50A	4.30B/4.50A	----	4.70 - 0.10	.0135	----	----	----	----	1 UNCH
3180	----	----	----/*4.50A	4.40B/*4.50A	----	4.80 - 0.10	.0138	----	----	----	----	25 UNCH
3185	----	----	----/*4.60A	4.50B/*4.60A	----	4.90 UNCH	.0141	----	----	----	----	1 UNCH
3190	----	----	----/*4.60A	4.50B/*4.60A	----	4.90 UNCH	.0141	----	----	----	----	881 UNCH
3195	----	----	----/*4.70A	4.50B/4.70A	----	4.90 - 0.10	.0142	----	----	----	----	1 UNCH
3200	----	----	----/*4.70A	4.60B/4.70A	----	5.00 UNCH	.0144	----	----	----	----	406 UNCH
3250	----	----	----/*5.10A	5.00B/*5.10A	----	5.40 - 0.10	.0158	----	----	----	----	405 UNCH
3260	----	----	----/*5.20A	5.20B/*5.20A	----	5.50 - 0.10	.0162	----	----	----	----	30 UNCH
3300	----	----	----/5.60A	5.50B/5.60A	----	6.00 - 0.10	.0177	----	----	----	----	164 UNCH
3350	----	----	----/*6.20A	6.00B/*6.20A	----	6.50 - 0.20	.0195	----	----	----	----	375 UNCH
3370	----	----	----/*6.40A	6.30B/*6.40A	----	6.80 - 0.10	.0205	----	----	----	----	1 UNCH
3375	----	----	----/*6.50A	6.30B/*6.50A	----	6.80 - 0.20	.0205	----	----	----	----	15 UNCH
3380	----	----	----/*6.50A	6.40B/*6.50A	----	6.90 - 0.20	.0208	----	----	----	----	1 UNCH
3390	----	----	----/*6.70A	6.50B/*6.70A	----	7.00 - 0.20	.0212	----	----	----	----	1 UNCH
3400	----	----	----/*6.80A	6.70B/*6.80A	----	7.20 - 0.10	.0218	----	----	----	----	23 UNCH
3405	----	----	----/*6.90A	6.70B/*6.90A	----	7.20 - 0.20	.0219	----	----	----	----	4 UNCH
3450	----	----	----/*7.40A	7.40B/*7.40A	----	7.90 - 0.20	.0242	----	----	----	----	1 UNCH
3465	----	----	----/*7.70A	7.70B/*7.70A	----	8.10 - 0.30	.0249	----	----	----	----	6 UNCH
3470	----	----	----/*7.70A	7.80B/*7.70A	----	8.20 - 0.20	.0252	----	----	----	----	1 UNCH
3495	----	----	----/*8.10A	8.20B/*8.10A	----	8.70 - 0.20	.0268	----	----	----	----	1 UNCH
3500	8.10	8.10	8.80/*8.10	8.80/*8.10	----	8.70 - 0.30	.0269	----	----	6	----	817 - 4
3505	----	----	----/*8.40A	8.40B/*8.40A	----	8.80 - 0.30	.0273	----	----	----	----	1 UNCH
3510	----	----	----/*8.50A	8.50B/*8.50A	----	8.90 - 0.30	.0276	----	----	----	----	50 UNCH
3520	----	----	----/*8.60A	8.70B/*8.60A	----	9.10 - 0.30	.0282	----	----	----	----	210 UNCH
3525	----	----	----/*8.70A	8.80B/*8.70A	----	9.20 - 0.30	.0286	----	----	----	----	60 UNCH
3545	----	----	----/*9.10A	9.20B/*9.10A	----	9.60 - 0.30	.0299	----	----	----	----	9 UNCH
3550	----	----	----/*9.20A	9.20B/*9.20A	----	9.70 - 0.30	.0302	----	----	----	----	118 UNCH
3570	----	----	----/*9.60A	9.70B/*9.60A	----	10.10 - 0.30	.0316	----	----	----	----	32 UNCH
3575	----	----	----/*9.70A	9.80B/*9.70A	----	10.20 - 0.30	.0320	----	----	----	----	20 UNCH
3585	----	----	----/*9.90A	10.00B/*9.90A	----	10.40 - 0.30	.0327	----	----	----	----	50 UNCH
3600	----	----	----/10.30A	10.40B/10.30A	----	10.80 - 0.30	.0339	----	----	----	----	455 UNCH
3610	----	----	----/*10.50A	10.60B/*10.50A	----	11.00 - 0.30	.0346	----	----	----	----	1 UNCH
3630	----	----	----/*11.00A	11.20B/*11.00A	----	11.50 - 0.30	.0363	----	----	----	----	8 UNCH
3645	----	----	----/*11.30A	11.60B/*11.30A	----	11.90 - 0.30	.0376	----	----	----	----	22 UNCH
3650	----	----	----/*11.50A	11.70B/*11.50A	----	12.00 - 0.40	.0380	----	----	----	----	40 UNCH
3655	----	----	----/11.50A	11.80B/11.50A	----	12.20 - 0.30	.0386	----	----	----	----	55 UNCH
3660	----	----	----/*11.70A	12.00B/*11.70A	----	12.30 - 0.40	.0390	----	----	----	----	9 UNCH
3665	----	----	----/11.90A	12.10B/11.90A	----	12.50 - 0.30	.0396	----	----	----	----	1 UNCH
3675	----	----	----/*12.10A	12.40B/*12.10A	----	12.70 - 0.40	.0403	----	----	----	----	24 UNCH
3690	----	----	----/12.60A	13.00B/12.60A	----	13.20 - 0.40	.0419	----	----	----	----	13 UNCH
3700	----	----	----/*12.80A	13.20B/*12.80A	----	13.50 - 0.40	.0429	----	----	----	----	219 UNCH
3705	----	----	----/*13.00A	13.40B/*13.00A	----	13.70 - 0.30	.0436	----	----	----	----	20 UNCH
3715	----	----	----/*13.30A	13.70B/*13.30A	----	14.00 - 0.40	.0446	----	----	----	----	30 UNCH
3725	----	----	----/13.60A	14.00B/13.60A	----	14.30 - 0.40	.0456	----	----	----	----	4 UNCH
3730	----	----	----/*13.80A	14.20B/*13.80A	----	14.50 - 0.40	.0462	----	----	----	----	10 UNCH
3750	----	----	----/14.50A	14.90B/14.50A	----	15.20 - 0.40	.0485	----	----	----	----	83 UNCH
3765	----	----	----/15.00A	15.60B/15.00A	----	15.70 - 0.40	.0502	----	----	----	----	100 UNCH
3770	----	----	----/15.00A	15.70B/15.00A	----	15.90 - 0.40	.0509	----	----	----	----	4 UNCH
3775	----	----	----/15.30A	15.90B/15.30A	----	16.10 - 0.40	.0515	----	----	----	----	12 UNCH
3790	----	----	----/15.90A	16.50B/15.90A	----	16.70 - 0.40	.0535	----	----	----	----	2 UNCH
3795	----	----	----/16.10A	16.80B/16.10A	----	16.90 - 0.40	.0541	----	----	----	----	81 UNCH
3800	----	----	----/16.30A	17.00B/16.30A	----	17.10 - 0.50	.0548	----	----	----	----	323 UNCH
3805	----	----	----/16.50A	17.20B/16.50A	----	17.40 - 0.40	.0557	----	----	----	----	4 UNCH
3810	----	----	----/16.70A	17.40B/16.70A	----	17.60 - 0.40	.0563	----	----	----	----	50 UNCH
3815	----	----	----/16.90A	17.60B/16.90A	----	17.80 - 0.40	.0570	----	----	----	----	150 UNCH
3820	----	----	----/17.10A	17.80B/17.10A	----	18.00 - 0.40	.0577	----	----	----	----	52 UNCH
3825	----	----	----/17.30A	18.10B/17.30A	----	18.20 - 0.50	.0583	----	----	----	----	51 UNCH
3835	----	----	19.20B/17.80A	19.20B/17.80A	----	18.70 - 0.40	.0599	----	----	----	----	10 UNCH
3845	----	----	20.10B/18.30A	20.10B/18.30A	----	19.20 - 0.40	.0615	----	----	----	----	1 UNCH
3850	----	----	----/18.50A	19.30B/18.50A	----	19.40 - 0.40	.0622	----	----	----	----	87 UNCH
3855	----	----	----/18.70A	19.60B/18.70A	----	19.70 - 0.40	.0631	----	----	----	----	3 UNCH
3875	----	----	----/19.70A	20.70B/19.70A	----	20.70 - 0.40	.0663	----	----	----	----	10 UNCH
3880	----	----	----/20.00A	21.00B/20.00A	----	21.00 - 0.40	.0672	----	----	----	----	299 UNCH
3885	----	----	----/20.20A	21.20B/20.20A	----	21.20 - 0.40	.0679	----	----	----	----	10 UNCH
3890	----	----	----/20.50A	21.50B/20.50A	----	21.50 - 0.40	.0688	----	----	----	----	73 UNCH
3900	19.20	19.20	22.10B/*19.20	22.10B/*19.20	----	22.10 - 0.40	.0707	----	----	4	----	305 UNCH
3910	----	----	----/21.50A	22.70B/21.50A	----	22.60 - 0.40	.0724	----	----	----	----	1 UNCH
3920	----	----	----/22.10A	23.30B/22.10A	----	23.20 - 0.40	.0743	----	----	----	----	12 UNCH
3925	----	----	----/22.40A	23.60B/22.40A	----	23.50 - 0.40	.0752	----	----	----	----	10 UNCH
3930	----	----	----/22.70A	23.90B/22.70A	----	23.90 - 0.30	.0764	----	----	----	----	49 UNCH
3935	----	----	----/23.00A	24.20B/23.00A	----	24.20 - 0.30	.0773	----	----	----	----	11 UNCH
3940	----	----	26.00B/23.20A	26.00B/23.20A	----	24.50 - 0.40	.0783	----	----	----	----	2 UNCH
3950	----	----	26.70B/23.80A	26.70B/23.80A	----	25.10 - 0.40	.0802	----	----	----	----	248 UNCH
3955	----	----	27.10B/24.10A	27.10B/24.10A	----	25.50 - 0.30	.0814	----	----	----	----	10 UNCH
3960	----	----	27.50B/24.40A	27.50B/24.40A	----	25.80 - 0.40	.0823	----	----	----	----	1 UNCH
3965	----	----	27.90B/24.80A	27.90B/24.80A	----	26.20 - 0.30	.0835	----	----	----	----	25 UNCH
3975	----	----	28.70B/25.40A	28.70B/25.40A	----	26.90 - 0.30	.0857	----	----	----	----	267 UNCH
3980	----	----	29.00B/25.80A	29.00B/25.80A	----	27.20 - 0.30	.0867	----	----	----	----	45 UNCH
3985	----	----	29.50B/26.10A	29.50B/26.10A	----	27.60 - 0.30	.0879	----	----	----	----	2 UNCH
3990	----	----	29.90B/26.40A	29.90B/26.40A	----	28.00 - 0.30	.0891	----	----	----	----	44 UNCH
3995	----	----	30.30B/26.80A	30.30B/26.80A	----	28.30 - 0.30	.0901	----	----	----	----	4 UNCH
4000	28.00	28.00	30.70B/27.20A	30.70B/27.20A	----	28.70 - 0.30	.0913	----	----	27	----	1379 + 27
4005	----	----	31.20B/27.60A	31.20B/27.60A	----	29.10 - 0.30	.0925	----	----	----	----	3 UNCH
4010	----	----	31.60B/27.90A	31.60B/27.90A	----	29.50 - 0.30	.0937	----	----	----	----	78 UNCH
4025	----	----	33.00B/29.10A	33.00B/29.10A	----	30.70 - 0.30	.0973	----	----	----	----	101 UNCH
4030	----	----	33.40B/29.50A	33.40B/29.50A	----	31.10 - 0.30	.0986	----	----	----	----	50 UNCH
4040	----	----	34.40B/30.30A	34.40B/30.30A	----	32.00 - 0.20	.1012	----	----	----	----	25 UNCH
4045	----	----	34.90B/30.70A	34.90B/30.70A	----	32.40 - 0.20	.1025	----	----	----	----	30 UNCH
4050	----	----	35.40B/31.10A	35.40B/31.10A	----	32.90 - 0.20	.1039	----	----	----	----	300 UNCH
4065	----	----	36.80B/32.40A	36.80B/32.40A	----	34.30 - 0.10	.1081	----	----	----	----	4 UNCH
4075	----	----	37.90B/33.30A	37.90B/33.30A	----	35.20 - 0.10	.1108	----	----	----	----	11 UNCH
4080	----	----	38.40B/33.70A	38.40B/33.70A	----	35.70 - 0.10	.1122	----	----	----	----	6 UNCH
4085	----	----	39.00B/34.20A	39.00B/34.20A	----	36.20 UNCH	.1137	----	----	----	----	28 UNCH
4090	----	----	39.50B/34.70A	39.50B/34.70A	----	36.70 UNCH	.1152	----	----	1	----	1 + 1
4095	----	----	40.10B/35.20A	40.10B/35.20A	----	37.20 UNCH	.1167	----	----	----	----	4 UNCH
4100	----	----	40.60B/35.70A	40.60B/35.70A	----	37.70 UNCH	.1181	----	----	1	----	137 + 1
4110	----	----	41.80B/36.70A	41.80B/36.70A	----	38.80 + 0.10	.1213	----	----	----	----	1 UNCH
4115	----	----	42.40B/37.20A	42.40B/37.20A	----	39.30 UNCH	.1228	----	----	----	----	16 UNCH
4120	----	----	43.00B/37.70A	43.00B/37.70A	----	39.90 + 0.10	.1245	----	----	----	----	1 UNCH
4125	40.90	40.90	43.50B/38.20A	43.50B/38.20A	----	40.40 NEW	.1260	----	----	4	----	4 + 4
4130	----	----	44.10B/38.70A	44.10B/38.70A	----	41.00 + 0.20	.1277	----	----	----	----	5 UNCH
4135	----	----	44.80B/39.30A	44.80B/39.30A	----	41.60 + 0.20	.1294	----	----	----	----	54 UNCH
4140	----	----	45.40B/39.80A	45.40B/39.80A	----	42.20 + 0.20	.1311	----	----	----	----	1 UNCH
4145	----	----	46.00B/40.40A	46.00B/40.40A	----	42.70 + 0.20	.1326	----	----	----	----	20 UNCH
4150	----	----	46.70B/41.00A	46.70B/41.00A	----	43.30 + 0.20	.1343	----	----	----	----	360 UNCH
4160	----	----	48.00B/42.10A	48.00B/42.10A	----	44.60 + 0.30	.1379	----	----	----	----	66 UNCH
4165	----	----	48.70B/42.70A	48.70B/42.70A	----	45.20 + 0.40	.1396	----	----	----	----	101 UNCH
4170	----	----	49.40B/43.30A	49.40B/43.30A	----	45.80 + 0.30	.1414	----	----	----	----	77 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4175	----	----	50.00B/43.90A	50.00B/43.90A	----	46.50 + 0.40	.1432	----	----	6	----	31 + 6
4180	----	----	50.70B/44.50A	50.70B/44.50A	----	47.10 + 0.40	.1450	----	----	----	----	93 UNCH
4185	46.80	46.80	51.50B/45.20A	51.50B/45.20A	----	47.80 + 0.50	.1469	----	----	10	----	51 + 10
4190	46.80	46.80	52.20B/45.80A	52.20B/45.80A	----	48.50 + 0.50	.1488	----	----	1	----	141 UNCH
4195	----	----	52.90B/46.40A	52.90B/46.40A	----	49.20 + 0.60	.1507	----	----	----	----	143 UNCH
4200	----	----	53.70B/47.00A	53.70B/47.00A	----	49.80 + 0.50	.1525	----	----	27	----	203 - 27
4205	49.00	49.00	54.40B/47.70A	54.40B/47.70A	----	50.50 + 0.60	.1544	----	----	30	----	336 + 30
4215	----	----	55.90B/49.10A	55.90B/49.10A	----	52.00 + 0.70	.1585	----	----	----	----	18 UNCH
4220	----	----	56.70B/49.70A	56.70B/49.70A	----	52.70 + 0.70	.1604	----	----	----	----	12 UNCH
4225	----	----	57.50B/50.50A	57.50B/50.50A	----	53.50 + 0.80	.1625	----	----	20	----	14 + 13
4230	----	----	58.30B/51.20A	58.30B/51.20A	----	54.20 + 0.80	.1645	----	----	1	----	11 + 1
4235	----	----	59.10B/51.90A	59.10B/51.90A	----	55.00 + 0.90	.1666	----	----	----	----	1 UNCH
4245	57.20	57.20	60.70B/53.40A	60.70B/53.40A	----	56.60 + 1.00	.1709	----	----	1	----	33 + 1
4250	----	----	61.40B/54.10A	61.40B/54.10A	----	57.40 + 1.10	.1730	----	----	1	----	427 UNCH
4255	----	----	62.40B/54.90A	62.40B/54.90A	----	58.20 + 1.10	.1752	----	----	----	----	883 UNCH
4260	----	----	63.30B/55.60A	63.30B/55.60A	----	59.00 + 1.10	.1773	----	----	----	----	8 UNCH
4270	----	----	65.10B/57.20A	65.10B/57.20A	----	60.70 + 1.30	.1818	----	----	----	----	3 UNCH
4275	61.50	61.50	66.00B/58.00A	66.00B/58.00A	----	61.50 + 1.30	.1840	----	----	15	----	23 + 11
4280	63.30	63.30	66.90B/58.80A	66.90B/58.80A	----	62.40 + 1.40	.1863	----	----	17	----	67 + 17
4285	----	----	67.80B/59.60A	67.80B/59.60A	----	63.30 + 1.40	.1886	----	----	----	----	170 UNCH
4290	----	----	68.70B/60.50A	68.70B/60.50A	----	64.20 + 1.50	.1910	----	----	----	----	2 UNCH
4295	----	----	69.70B/61.30A	69.70B/61.30A	----	65.10 + 1.60	.1933	----	----	----	----	2 UNCH
4300	62.00	62.00	70.60B/62.00	70.60B/62.00	----	66.00 + 1.60	.1956	----	----	110	----	664 + 24
4305	----	----	71.60B/63.10A	71.60B/63.10A	----	66.90 + 1.60	.1980	----	----	----	----	101 UNCH
4310	----	----	72.60B/63.90A	72.60B/63.90A	----	67.90 + 1.70	.2005	----	----	----	----	2 UNCH
4315	----	----	73.60B/64.90A	73.60B/64.90A	----	68.80 + 1.80	.2029	----	----	----	----	8 UNCH
4320	66.20	66.20	74.60B/65.80A	74.60B/65.80A	----	69.80 + 1.90	.2054	----	----	13	----	18 + 13
4325	----	----	75.60B/66.70A	75.60B/66.70A	----	70.80 + 1.90	.2079	----	----	1	----	287 UNCH
4330	----	----	76.70B/67.60A	76.70B/67.60A	----	71.80 + 2.00	.2104	----	----	----	----	103 UNCH
4335	----	----	77.70B/68.60A	77.70B/68.60A	----	72.80 + 2.10	.2129	----	----	----	----	1 UNCH
4340	----	----	78.80B/69.50A	78.80B/69.50A	----	73.80 + 2.10	.2154	----	----	----	----	2 UNCH
4350	----	----	81.00B/71.50A	81.00B/71.50A	----	75.90 + 2.30	.2206	----	----	1	----	672 UNCH
4355	----	----	82.10B/72.50A	82.10B/72.50A	----	77.00 + 2.40	.2233	----	----	----	----	2 UNCH
4360	----	----	83.20B/73.50A	83.20B/73.50A	----	78.10 + 2.50	.2260	----	----	----	----	61 UNCH
4365	----	----	84.30B/74.50A	84.30B/74.50A	----	79.20 + 2.60	.2287	----	----	----	----	100 UNCH
4375	----	----	86.60B/76.50A	86.60B/76.50A	----	81.40 + 2.70	.2341	----	----	----	----	8 UNCH
4380	----	----	87.80B/77.50A	87.80B/77.50A	----	82.50 + 2.70	.2368	----	----	----	----	1 UNCH
4385	----	----	89.00B/78.60A	89.00B/78.60A	----	83.70 + 2.90	.2396	----	----	----	----	8 UNCH
4390	80.50	80.50	90.20B/79.70A	90.20B/79.70A	----	84.90 + 3.00	.2424	----	----	22	----	16 UNCH
4395	----	----	91.50B/80.70A	91.50B/80.70A	----	86.00 + 3.00	.2452	----	----	----	----	2 UNCH
4400	89.40	89.40	92.70B/81.80A	92.70B/81.80A	----	87.20 + 3.10	.2480	----	----	22	----	1326 UNCH
4405	----	----	93.90B/82.90A	93.90B/82.90A	----	88.50 + 3.30	.2510	----	----	50	----	62 + 50
4410	----	----	95.20B/84.00A	95.20B/84.00A	----	89.70 + 3.30	.2538	----	----	----	----	1 UNCH
4415	----	----	96.50B/85.20A	96.50B/85.20A	----	90.90 + 3.40	.2567	----	----	12	----	146 + 10
4420	----	----	97.80B/86.30A	97.80B/86.30A	----	92.20 + 3.50	.2597	----	----	----	----	2 UNCH
4425	----	----	99.20B/87.40A	99.20B/87.40A	----	93.50 + 3.60	.2627	----	----	----	----	3 UNCH
4430	----	----	100.50B/88.70A	100.50B/88.70A	----	94.80 + 3.70	.2657	----	----	----	----	24 UNCH
4435	----	----	101.80B/89.90A	101.80B/89.90A	----	96.10 + 3.80	.2687	----	----	----	----	6 UNCH
4440	----	----	103.20B/91.10A	103.20B/91.10A	----	97.40 + 3.90	.2717	----	----	----	----	53 UNCH
4445	----	----	104.60B/92.30A	104.60B/92.30A	----	98.80 + 4.00	.2748	----	----	----	----	1 UNCH
4450	----	----	106.00B/93.60A	106.00B/93.60A	----	100.10 + 4.10	.2778	----	----	----	----	329 UNCH
4455	----	----	107.40B/94.80A	107.40B/94.80A	----	101.50 + 4.20	.2809	----	----	----	----	230 UNCH
4460	----	----	108.90B/96.10A	108.90B/96.10A	----	102.90 + 4.30	.2840	----	----	----	----	4 UNCH
4465	----	----	110.30B/97.30A	110.30B/97.30A	----	104.30 + 4.40	.2872	----	----	----	----	18 UNCH
4470	----	----	111.70B/98.60A	111.70B/98.60A	----	105.70 + 4.50	.2903	----	----	----	----	118 UNCH
4475	----	----	113.20B/100.00A	113.20B/100.00A	----	107.20 + 4.70	.2935	----	----	----	----	36 UNCH
4480	----	----	114.80B/101.30A	114.80B/101.30A	----	108.70 + 4.80	.2968	----	----	----	----	143 UNCH
4485	----	----	116.30B/102.70A	116.30B/102.70A	----	110.10 + 4.80	.2999	----	----	----	----	12 UNCH
4490	----	----	117.90B/104.00A	117.90B/104.00A	----	111.60 + 4.90	.3032	----	----	----	----	3 UNCH
4495	----	----	119.40B/105.40A	119.40B/105.40A	----	113.20 + 5.10	.3065	----	----	----	----	25 UNCH
4500	119.80	119.80	121.00/106.70A	121.00/106.70A	----	114.70 + 5.20	.3098	----	----	32	----	1340 - 5
4505	----	----	122.60B/108.20A	122.60B/108.20A	----	116.30 + 5.40	.3131	----	----	----	----	28 UNCH
4510	----	----	124.20B/109.60A	124.20B/109.60A	----	117.80 + 5.40	.3164	----	----	----	----	31 UNCH
4515	----	----	125.80B/111.10A	125.80B/111.10A	----	119.40 + 5.60	.3198	----	----	----	----	3 UNCH
4520	119.00	119.00	127.40B/112.60A	127.40B/112.60A	----	121.00 + 5.70	.3231	----	----	5	----	20 + 5
4525	----	----	129.10B/114.10A	129.10B/114.10A	----	122.70 + 5.90	.3266	----	----	----	----	1 UNCH
4535	----	----	132.50B/117.10A	132.50B/117.10A	----	126.00 + 6.10	.3334	----	----	----	----	10 UNCH
4540	----	----	134.20B/118.70A	134.20B/118.70A	----	127.70 + 6.20	.3368	----	----	----	----	14 UNCH
4545	----	----	136.00B/120.30A	136.00B/120.30A	----	129.40 + 6.40	.3403	----	----	----	----	21 UNCH
4550	----	----	137.80B/121.80A	137.80B/121.80A	----	131.10 + 6.50	.3438	----	----	2	----	12 UNCH
4555	----	----	139.50B/123.40A	139.50B/123.40A	----	132.90 + 6.70	.3473	----	----	----	----	124 UNCH
4560	----	----	141.40B/125.10A	141.40B/125.10A	----	134.60 + 6.70	.3508	----	----	----	----	15 UNCH
4565	----	----	143.20B/126.70A	143.20B/126.70A	----	136.40 + 6.90	.3543	----	----	----	----	2 UNCH
4570	----	----	145.00B/128.40A	145.00B/128.40A	----	138.20 + 7.00	.3579	----	----	----	----	30 UNCH
4575	----	----	147.10B/130.10A	147.10B/130.10A	----	140.00 + 7.20	.3615	----	----	----	----	11 UNCH
4580	138.30	138.30	149.00B/131.80A	149.00B/131.80A	----	141.90 + 7.40	.3651	----	----	11	----	175 + 1
4585	----	----	150.90B/133.50A	150.90B/133.50A	----	143.80 + 7.60	.3687	----	----	----	----	4 UNCH
4590	----	----	152.70B/135.20A	152.70B/135.20A	----	145.70 + 7.70	.3723	----	----	----	----	10 UNCH
4600	----	----	156.70B/138.80A	156.70B/138.80A	----	149.50 + 8.00	.3796	----	----	1	----	493 + 1
4605	----	----	158.70B/140.60A	158.70B/140.60A	----	151.40 + 8.10	.3832	----	----	----	----	6 UNCH
4610	----	----	160.80B/142.40A	160.80B/142.40A	----	153.40 + 8.30	.3869	----	----	----	----	2 UNCH
4615	----	----	162.60B/144.20A	162.60B/144.20A	----	155.40 + 8.50	.3906	----	----	----	----	2 UNCH
4620	----	----	164.90B/146.10A	164.90B/146.10A	----	157.40 + 8.70	.3943	----	----	----	----	14 UNCH
4625	----	----	167.10B/147.90A	167.10B/147.90A	----	159.50 + 8.90	.3980	----	----	----	----	202 UNCH
4640	----	----	173.40B/153.70A	173.40B/153.70A	----	165.70 + 9.50	.4093	----	----	1	----	307 + 1
4645	----	----	175.30B/155.70A	175.30B/155.70A	----	167.80 + 9.60	.4130	----	----	----	----	131 UNCH
4650	----	----	177.90B/157.60A	177.90B/157.60A	----	169.90 + 9.80	.4168	----	----	----	----	387 UNCH
4660	----	----	182.00B/161.70A	182.00B/161.70A	----	174.30 + 10.30	.4244	----	----	----	----	24 UNCH
4665	----	----	184.50B/163.70A	184.50B/163.70A	----	176.50 + 10.50	.4282	----	----	----	----	4 UNCH
4670	----	----	186.80B/165.80A	186.80B/165.80A	----	178.70 + 10.60	.4320	----	----	----	----	3 UNCH
4675	----	----	189.00B/167.80A	189.00B/167.80A	----	181.00 + 10.90	.4358	----	----	----	----	4 UNCH
4680	----	----	191.30B/169.90A	191.30B/169.90A	----	183.30 + 11.20	.4396	----	----	1	----	9 + 1
4685	----	----	193.60B/172.10A	193.60B/172.10A	----	185.60 + 11.40	.4434	----	----	----	----	22 UNCH
4695	----	----	198.50B/176.40A	198.50B/176.40A	----	190.20 + 11.70	.4511	----	----	----	----	2 UNCH
4700	----	----	200.70B/178.60A	200.70B/178.60A	----	192.60 + 12.00	.4550	----	----	----	----	329 UNCH
4705	----	----	203.10B/180.80A	203.10B/180.80A	----	194.90 + 12.10	.4588	----	----	----	----	52 UNCH
4710	----	----	205.60B/183.00A	205.60B/183.00A	----	197.40 + 12.40	.4627	----	----	----	----	7 UNCH
4715	----	----	208.20B/185.20A	208.20B/185.20A	----	199.80 + 12.60	.4665	----	----	----	----	1 UNCH
4720	----	----	210.70B/187.50A	210.70B/187.50A	----	202.20 + 12.80	.4704	----	----	----	----	10 UNCH
4725	----	----	213.20B/189.80A	213.20B/189.80A	----	204.70 + 13.00	.4743	----	----	10	----	37 + 7
4730	----	----	215.70B/192.10A	215.70B/192.10A	----	207.20 + 13.20	.4781	----	----	----	----	1 UNCH
4735	----	----	218.20B/194.40A	218.20B/194.40A	----	209.70 + 13.40	.4820	----	----	----	----	59 UNCH
4740	----	----	220.80B/196.80A	220.80B/196.80A	----	212.20 + 13.60	.4859	----	----	----	----	41 UNCH
4745	----	----	223.30B/199.20A	223.30B/199.20A	----	214.80 + 13.80	.4897	----	----	----	----	24 UNCH
4750	209.00	209.00	226.00B/201.50A	226.00B/201.50A	----	217.40 + 14.00	.4936	----	----	3	----	169 + 3
4755	----	----	228.60B/204.00A	228.60B/204.00A	----	220.00 + 14.20	.4975	----	----	----	----	21 UNCH
4760	223.90	223.90	231.30B/206.40A	231.30B/206.40A	----	222.60 + 14.40	.5013	----	----	6	----	7 + 6
4770	----	----	235.40B/211.30A	235.40B/211.30A	----	227.90 + 14.70	.5090	----	----	----	----	250 UNCH
4775	----	----	237.90B/213.80A	237.90B/213.80A	----	230.60 + 14.90	.5129	----	----	10	----	89 + 10
4780	----	----	240.80B/216.30A	240.80B/216.30A	----	233.30 + 15.00	.5167	----	----	3	----	19 + 3
4785	----	----	243.30B/218.80A	243.30B/218.80A	----	236.00 + 15.10	.5206	----	----	----	----	18 UNCH
4790	----	----	246.40B/221.40A	246.40B/221.40A	----	238.70 + 15.20	.5244	----	----	----	----	53 UNCH
4795	----	----	249.80B/224.00A	249.80B/224.00A	----	241.50 + 15.40	.5282	----	----	----	----	101 UNCH
4800	239.40	239.40	252.50B/226.60A	252.50B/226.60A	----	244.30 + 15.60	.5321	----	----	3	----	836 UNCH
4805	----	----	255.30B/229.30A	255.30B/229.30A	----	247.10 + 15.70	.5359	----	----	----	----	2 UNCH
4810	----	----	258.40B/231.90A	258.40B/231.90A	----	250.00 + 15.90	.5397	----	----	----	----	5 UNCH
4815	----	----	261.00B/234.60A	261.00B/234.60A	----	252.80 + 16.00	.5435	----	----	----	----	2 UNCH
4820	----	----	264.50B/237.20A	264.50B/237.20A	----	255.70 + 16.20	.5473	----	----	----	----	4 UNCH
4825	----	----	267.70B/240.00A	267.70B/240.00A	----	258.60 + 16.30	.5511	----	----	----	----	30 UNCH
4835	----	----	273.70B/245.40A	273.70B/245.40A	----	264.40 + 16.60	.5587	----	----	----	----	36 UNCH
4840	----	----	276.80B/248.30A	276.80B/248.30A	----	267.40 + 16.80	.5624	----	----	----	----	15 UNCH
4850	----	----	283.00B/253.80A	283.00B/253.80A	----	273.40 + 17.20	.5699	----	----	----	----	154 UNCH
4855	----	----	285.60B/256.60A	285.60B/256.60A	----	276.40 + 17.30	.5737	----	----	----	----	11 UNCH
4860	----	----	288.60B/259.80A	288.60B/259.80A	----	279.50 + 17.60	.5774	----	----	----	----	9 UNCH
4865	----	----	292.00B/262.30A	292.00B/262.30A	----	282.50 + 17.70	.5811	----	----	----	----	12 UNCH
4870	----	----	294.90B/265.20A	294.90B/265.20A	----	285.60 + 17.90	.5848	----	----	----	----	28 UNCH
4875	----	----	296.80B/268.10A	296.80B/268.10A	----	288.70 + 18.10	.5884	----	----	1	----	82 UNCH
4880	----	----	299.90B/271.40A	299.90B/271.40A	----	291.90 + 18.30	.5921	----	----	----	----	125 UNCH
4885	----	----	302.70B/274.20A	302.70B/274.20A	----	295.00 + 18.50	.5957	----	----	----	----	8 UNCH
4890	----	----	305.60B/277.20A	305.60B/277.20A	----	298.20 + 18.70	.5994	----	----	----	----	3 UNCH
4900	----	----	313.10B/283.00A	313.10B/283.00A	----	304.60 + 19.10	.6066	----	----	----	----	375 UNCH
4905	----	----	316.30B/286.50A	316.30B/286.50A	----	307.90 + 19.40	.6102	----	----	----	----	29 UNCH
4910	----	----	319.50B/----	319.50B/293.00A	----	311.10 + 19.60	.6138	----	----	----	----	22 UNCH
4920	----	----	325.20B/----	325.20B/300.60A	----	317.70 + 20.00	.6208	----	----	----	----	3 UNCH
4925	----	----	329.50B/----	329.50B/303.70A	----	321.10 + 20.30	.6243	----	----	----	----	53 UNCH
4930	----	----	331.90B/----	331.90B/306.90A	----	324.40 + 20.50	.6278	----	----	----	----	1 UNCH
4950	----	----	346.60B/----	346.60B/319.60A	----	338.00 + 21.40	.6416	----	----	----	----	31 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4955	----	----	349.10B/----	349.10B/321.90A	----	341.50 + 21.70	.6450	----	----	----	----	1 UNCH
4980	----	----	366.60B/----	366.60B/344.40A	----	359.00 + 22.80	.6618	----	----	----	----	1 UNCH
5000	379.20	379.20	381.20B/379.20	381.20B/358.60A	----	373.30 + 23.70	.6747	----	----	4	----	326 + 3
5010	----	----	388.40B/----	388.40B/365.60A	----	380.50 + 24.00	.6811	----	----	----	----	1 UNCH
5025	----	----	399.50B/----	399.50B/376.20A	----	391.50 + 24.60	.6905	----	----	----	----	25 UNCH
5030	----	----	403.20B/----	403.20B/379.80A	----	395.20 + 24.80	.6936	----	----	----	----	1 UNCH
5040	----	----	410.80B/----	410.80B/387.00A	----	402.70 + 25.20	.6996	----	----	----	----	4 UNCH
5045	----	----	414.00B/----	414.00B/390.70A	----	406.40 + 25.40	.7028	----	----	----	----	31 UNCH
5050	----	----	414.70B/----	414.70B/394.30A	----	410.20 + 25.60	.7058	----	----	----	----	351 UNCH
5070	----	----	429.00B/----	429.00B/409.00A	----	425.40 + 26.30	.7175	----	----	----	----	17 UNCH
5080	----	----	436.70B/----	436.70B/416.50A	----	433.10 + 26.70	.7233	----	----	----	----	3 UNCH
5100	----	----	452.40B/----	452.40B/437.10A	----	448.60 + 27.40	.7345	----	----	----	----	83 UNCH
5120	----	----	----	299.10B/615.90A	----	464.40 + 28.20	.7454	----	----	----	----	2 UNCH
5180	----	----	----	348.70B/662.80A	----	513.10 + 30.40	.7756	----	----	----	----	1 UNCH
5195	----	----	----	361.60B/674.70A	----	525.50 + 30.90	.7827	----	----	----	----	2 UNCH
5200	----	----	533.50B/----	533.50B/516.60A	----	529.70 + 31.10	.7851	----	----	----	----	112 UNCH
5265	----	----	----	422.80B/731.50A	----	584.90 + 33.30	.8130	----	----	----	----	1 UNCH
5300	----	----	619.00B/----	619.00B/600.90A	----	615.40 + 34.40	.8265	----	----	----	----	3 UNCH
5355	----	----	----	504.50B/807.10A	----	664.00 + 35.90	.8456	----	----	----	----	1 UNCH
5400	----	----	707.90B/----	707.90B/689.20A	----	704.50 + 37.00	.8597	----	----	----	----	76 UNCH
5460	----	----	----	600.00B/899.60A	----	759.40 + 38.30	.8763	----	----	----	----	1 UNCH
5500	----	----	799.60B/----	799.60B/780.20A	----	796.40 + 39.10	.8860	----	----	----	----	3 UNCH
5530	----	----	----	665.00B/964.10A	----	824.40 + 39.70	.8930	----	----	----	----	1 UNCH
5575	----	----	----	707.30B/1006.10A	----	866.70 + 40.50	.9020	----	----	----	----	2 UNCH
TOTAL										499		25635 + 226
SEP26												
2350	----	----	----	0.10B/7.40A	----	1.00 - 0.30	.0024	----	----	----	----	55 UNCH
2375	----	----	----	0.10B/7.40A	----	1.00 - 0.40	.0024	----	----	----	----	4 UNCH
2400	----	----	----	0.10B/7.50A	----	1.10 - 0.40	.0026	----	----	----	----	1 UNCH
2500	----	----	----	0.10B/7.80A	----	1.40 - 0.50	.0034	----	----	----	----	4 UNCH
2600	----	----	----	1.60B/2.80A	----	1.80 - 0.50	.0044	----	----	----	----	2 UNCH
3000	----	----	----/4.80A	3.50B/4.80A	----	4.60 - 1.00	.0118	----	----	----	----	2 UNCH
3145	----	----	----/6.10A	4.80B/6.10A	----	6.00 - 0.90	.0158	----	----	----	----	15 UNCH
3150	----	----	----/6.30A	4.80B/6.30A	----	6.10 - 0.90	.0160	----	----	----	----	2 UNCH
3200	----	----	----/7.00A	5.40B/7.00A	----	6.70 - 0.80	.0177	----	----	----	----	1 UNCH
3270	----	----	----/7.80A	6.30B/7.80A	----	7.70 - 0.60	.0206	----	----	----	----	15 UNCH
3300	----	----	----/8.30A	6.70B/8.30A	----	8.10 - 0.60	.0218	----	----	----	----	1 UNCH
3475	----	----	----	10.10B/11.80A	----	11.50 - 0.30	.0317	----	----	----	----	2 UNCH
3480	----	----	----/11.80A	10.20B/11.80A	----	11.70 - 0.20	.0322	----	----	----	----	780 UNCH
3500	----	----	----	10.70B/12.40A	----	12.20 - 0.10	.0336	----	----	----	----	21 UNCH
3525	----	----	----	11.50B/13.00A	----	12.80 - 0.20	.0354	----	----	----	----	2 UNCH
3550	----	----	----	12.10B/13.80A	----	13.50 - 0.10	.0374	----	----	----	----	3 UNCH
3565	----	----	----	12.60B/14.20A	----	14.00 UNCH	.0388	----	----	----	----	1 UNCH
3610	----	----	----	14.10B/15.60A	----	15.50 + 0.10	.0430	----	----	----	----	1 UNCH
3625	----	----	----	14.60B/16.20A	----	16.00 UNCH	.0444	----	----	----	----	1 UNCH
3650	----	----	----	15.60B/17.00A	----	16.90 UNCH	.0470	----	----	----	----	66 UNCH
3690	----	----	----	17.20B/18.60A	----	18.60 + 0.10	.0516	----	----	----	----	60 UNCH
3700	----	----	----	17.80B/19.10A	----	19.00 + 0.10	.0528	----	----	2	----	149 + 2
3720	----	----	----	18.70B/19.90A	----	19.90 + 0.10	.0553	----	----	----	----	50 UNCH
3750	----	----	----	20.20B/21.30A	----	21.40 + 0.10	.0593	----	----	----	----	80 UNCH
3755	----	----	----	20.50B/21.60A	----	21.60 + 0.10	.0599	----	----	----	----	310 UNCH
3775	----	----	----	22.10B/22.60A	----	22.70 NEW	.0629	----	----	1	----	1 + 1
3800	23.00	23.00	23.40B/23.00	23.40B/23.00	----	24.10 + 0.10	.0667	----	----	1	----	3 + 1
3850	----	----	----/26.50A	26.60B/26.50A	----	27.20 + 0.10	.0750	----	----	----	----	20 UNCH
3880	----	----	----/28.50A	28.70B/28.50A	----	29.30 + 0.10	.0805	----	----	----	----	26 UNCH
3900	----	----	----/29.90A	30.00B/29.90A	----	30.80 + 0.20	.0844	----	----	----	----	211 UNCH
3910	----	----	----/30.60A	30.80B/30.60A	----	31.50 + 0.10	.0863	----	----	----	----	2 UNCH
3920	----	----	----/31.40A	31.60B/31.40A	----	32.30 + 0.20	.0884	----	----	2	----	14 UNCH
3930	----	----	----/32.10A	32.30B/32.10A	----	33.10 + 0.20	.0904	----	----	----	----	2 UNCH
3945	----	----	----/33.30A	33.60B/33.30A	----	34.40 + 0.30	.0938	----	----	----	----	380 UNCH
3950	----	----	----/33.70A	33.90B/33.70A	----	34.80 + 0.20	.0948	----	----	----	----	324 UNCH
4000	39.30	39.30	39.30/37.90	39.30/37.90	----	39.30 + 0.30	.1063	----	----	31	----	923 + 28
4005	----	----	----/38.90A	39.20B/38.90A	----	39.80 + 0.30	.1076	----	----	----	----	1 UNCH
4020	----	----	----/40.30A	40.80B/40.30A	----	41.30 + 0.40	.1114	----	----	----	----	14 UNCH
4030	----	----	----/41.30A	41.90B/41.30A	----	42.40 + 0.50	.1141	----	----	----	----	2 UNCH
4050	----	----	44.10B/43.30A	44.10B/43.30A	----	44.50 + 0.50	.1193	----	----	----	----	47 UNCH
4080	----	----	47.80B/46.50A	47.80B/46.50A	----	47.90 + 0.60	.1277	----	----	----	----	4 UNCH
4085	----	----	48.50B/47.10A	48.50B/47.10A	----	48.50 + 0.60	.1292	----	----	----	----	76 UNCH
4100	----	----	50.50B/48.80A	50.50B/48.80A	----	50.40 + 0.80	.1337	----	----	----	----	22 UNCH
4130	----	----	54.60B/52.50A	54.60B/52.50A	----	54.20 + 0.80	.1430	----	----	----	----	20 UNCH
4135	----	----	55.40B/53.10A	55.40B/53.10A	----	54.90 + 0.90	.1446	----	----	----	----	3 UNCH
4150	----	----	57.30B/55.00A	57.30B/55.00A	----	57.00 + 1.00	.1496	----	----	----	----	4 UNCH
4185	----	----	62.70B/59.70A	62.70B/59.70A	----	62.20 + 1.30	.1617	----	----	----	----	76 UNCH
4200	----	----	65.20B/62.00A	65.20B/62.00A	----	64.50 + 1.30	.1671	----	----	----	----	113 UNCH
4220	----	----	68.50B/65.20A	68.50B/65.20A	----	67.80 + 1.50	.1746	----	----	----	----	113 UNCH
4225	----	----	69.30B/66.00A	69.30B/66.00A	----	68.60 + 1.50	.1764	----	----	----	----	3 UNCH
4230	----	----	70.30B/66.80A	70.30B/66.80A	----	69.50 + 1.60	.1784	----	----	----	----	1 UNCH
4240	----	----	72.10B/68.50A	72.10B/68.50A	----	71.20 + 1.70	.1823	----	----	----	----	56 UNCH
4250	----	----	74.00B/70.30A	74.00B/70.30A	----	73.00 + 1.80	.1863	----	----	----	----	88 UNCH
4275	----	----	78.70B/74.80A	78.70B/74.80A	----	77.60 NEW	.1965	----	----	6	----	6 + 6
4290	79.60	79.60	81.70B/77.60A	81.70B/77.60A	----	80.50 NEW	.2028	----	----	1	----	1 + 1
4300	81.50	81.50	83.80B/79.60A	83.80B/79.60A	----	82.50 + 2.30	.2071	----	----	1	----	96 UNCH
4320	----	----	88.10B/83.60A	88.10B/83.60A	----	86.70 + 2.50	.2160	----	----	----	----	152 UNCH
4325	----	----	89.10B/84.70A	89.10B/84.70A	----	87.70 NEW	.2182	----	----	6	----	6 + 6
4350	----	----	94.90B/90.10A	94.90B/90.10A	----	93.30 + 2.90	.2299	----	----	----	----	20 UNCH
4365	----	----	98.50B/93.50A	98.50B/93.50A	----	96.70 + 3.10	.2370	----	----	----	----	5 UNCH
4390	----	----	104.70B/----	104.70B/99.30A	----	102.80 + 3.50	.2493	----	----	----	----	16 UNCH
4395	----	----	105.90B/----	105.90B/100.60A	----	104.00 NEW	.2518	----	----	1	----	1 + 1
4400	----	----	107.30B/----	107.30B/101.70A	----	105.30 + 3.60	.2543	----	----	1	----	36 UNCH
4410	----	----	109.90B/----	109.90B/104.20A	----	107.90 + 3.80	.2594	----	----	----	----	6 UNCH
4420	----	----	112.60B/----	112.60B/106.90A	----	110.50 + 3.90	.2646	----	----	----	----	1 UNCH
4430	----	----	115.40B/----	115.40B/109.40A	----	113.20 + 4.10	.2698	----	----	----	----	2 UNCH
4440	----	----	118.20B/----	118.20B/112.00A	----	116.00 + 4.30	.2752	----	----	----	----	7 UNCH
4450	----	----	121.20B/----	121.20B/114.30A	----	118.80 + 4.50	.2805	----	----	1	----	430 UNCH
4475	----	----	128.50B/----	128.50B/121.70A	----	126.10 + 5.00	.2943	----	----	----	----	3 UNCH
4490	----	----	133.30B/----	133.30B/126.10A	----	130.70 + 5.30	.3027	----	----	----	----	50 UNCH
4500	----	----	136.60B/----	136.60B/128.90A	----	133.80 + 5.50	.3084	----	----	1	----	454 + 1
4520	----	----	143.20B/----	143.20B/135.30A	----	140.30 + 6.00	.3200	----	----	----	----	91 UNCH
4550	----	----	153.80B/----	153.80B/144.90A	----	150.50 + 6.70	.3377	----	----	----	----	350 UNCH
4560	----	----	157.10B/----	157.10B/148.60A	----	154.00 + 6.90	.3437	----	----	----	----	6 UNCH
4575	----	----	162.60B/----	162.60B/153.60A	----	159.50 + 7.40	.3529	----	----	----	----	10 UNCH
4580	----	----	164.50B/----	164.50B/155.40A	----	161.30 + 7.40	.3560	----	----	----	----	1 UNCH
4585	----	----	166.40B/----	166.40B/157.30A	----	163.20 + 7.60	.3591	----	----	1	----	2 + 1
4600	----	----	172.20B/----	172.20B/162.90A	----	168.90 + 8.00	.3684	----	----	----	----	4 UNCH
4605	----	----	174.20B/----	174.20B/164.80A	----	170.80 + 8.10	.3715	----	----	----	----	1 UNCH
4620	----	----	180.50B/----	180.50B/170.30A	----	176.70 + 8.50	.3809	----	----	----	----	502 UNCH
4625	----	----	182.30B/----	182.30B/172.30A	----	178.80 + 8.80	.3841	----	----	1	----	2 + 1
4645	----	----	190.60B/----	190.60B/180.20A	----	187.00 + 9.30	.3968	----	----	----	----	1 UNCH
4650	----	----	192.70B/----	192.70B/182.30A	----	189.10 + 9.50	.4000	----	----	----	----	2 UNCH
4655	----	----	195.10B/----	195.10B/184.20A	----	191.20 + 9.60	.4033	----	----	----	----	3 UNCH
4700	----	----	215.40B/----	215.40B/203.30A	----	211.10 + 11.00	.4325	----	----	----	----	76 UNCH
4705	----	----	217.30B/----	217.30B/205.70A	----	213.40 + 11.10	.4358	----	----	----	----	2 UNCH
4710	----	----	219.80B/----	219.80B/207.90A	----	215.70 + 11.20	.4391	----	----	----	----	1 UNCH
4725	----	----	227.00B/----	227.00B/214.70A	----	222.70 + 11.60	.4489	----	----	----	----	1 UNCH
4730	----	----	230.00B/----	230.00B/216.80A	----	225.10 + 11.80	.4522	----	----	----	----	5 UNCH
4740	----	----	234.40B/----	234.40B/221.70A	----	230.00 + 12.10	.4588	----	----	----	----	2 UNCH
4750	----	----	240.00B/----	240.00B/226.30A	----	234.90 + 12.40	.4654	----	----	----	----	151 UNCH
4760	----	----	244.80B/----	244.80B/231.20A	----	239.80 + 12.60	.4721	----	----	----	----	100 UNCH
4775	----	----	252.50B/----	252.50B/238.70A	----	247.40 + 13.10	.4820	----	----	----	----	18 UNCH
4780	----	----	254.90B/----	254.90B/240.20A	----	250.00 + 13.20	.4853	----	----	----	----	2 UNCH
4800	257.50	257.50	266.30B/257.50	266.30B/251.00A	----	260.40 + 13.70	.4985	----	----	1	----	471 + 1
4825	----	----	279.50B/----	279.50B/263.90A	----	273.90 + 14.50	.5150	----	----	----	----	2 UNCH
4835	----	----	285.70B/----	285.70B/269.20A	----	279.40 + 14.70	.5215	----	----	----	----	30 UNCH
4855	----	----	297.30B/----	297.30B/280.00A	----	290.70 + 15.30	.5346	----	----	----	----	14 UNCH
4875	----	----	308.90B/----	308.90B/291.00A	----	302.30 + 15.90	.5475	----	----	----	----	4 UNCH
4885	----	----	315.20B/----	315.20B/296.70A	----	308.20 + 16.20	.5540	----	----	----	----	4 UNCH
4895	----	----	320.60B/----	320.60B/302.30A	----	314.20 + 16.60	.5604	----	----	----	----	1 UNCH
4900	----	----	324.50B/----	324.50B/305.20A	----	317.20 + 16.70	.5635	----	----	----	----	3 UNCH
4915	----	----	333.00B/----	333.00B/313.90A	----	326.50 + 17.40	.5730	----	----	----	----	1 UNCH
4930	----	----	343.40B/----	343.40B/322.80A	----	335.90 + 17.90	.5824	----	----	----	----	20 UNCH
4950	----	----	355.40B/----	355.40B/334.90A	----	348.70 + 18.70	.5947	----	----	----	----	1 UNCH
4975	----	----	371.90B/----	371.90B/350.50A	----	365.10 + 19.70	.6099	----	----	----	----	210 UNCH
5000	----	----	388.80B/----	388.80B/366.40A	----	381.80 + 20.60	.6247	----	----	----	----	10 UNCH
5005	----	----	392.30B/----	392.30B/369.60A	----	385.20 + 20.80	.6276	----	----	----	----	3 UNCH
5020	----	----	402.60B/----	402.60B/379.30A	----	395.50 + 21.40	.6363	----	----	----	----	3 UNCH
5060	----	----	430.90B/----	430.90B/409.40A	----	423.60 + 22.80	.6590	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 20

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
5100	----	----	460.10B/----	460.10B/437.80A	----	452.60 + 24.20	.6807	----	----	----	----	28 UNCH
5105	----	----	463.80B/----	463.80B/441.40A	----	456.30 + 24.40	.6832	----	----	----	----	2 UNCH
5150	----	----	493.30B/----	493.30B/474.30A	----	490.10 + 25.90	.7062	----	----	----	----	2 UNCH
5200	----	----	532.80B/----	532.80B/518.40A	----	529.00 + 27.60	.7301	----	----	----	----	45 UNCH
5230	----	----	557.70B/----	557.70B/540.70A	----	552.90 + 28.50	.7436	----	----	----	----	400 UNCH
5300	----	----	615.00B/----	615.00B/596.90A	----	610.10 + 30.50	.7728	----	----	----	----	300 UNCH
5400	----	----	698.90B/----	698.90B/681.80A	----	695.10 + 33.20	.8092	----	----	----	----	100 UNCH
5420	----	----	716.20B/----	716.20B/698.90A	----	712.40 + 33.60	.8157	----	----	----	----	80 UNCH
5450	----	----	----	573.60B/887.60A	----	738.70 + 34.40	.8251	----	----	----	----	1 UNCH
5500	----	----	786.80B/----	786.80B/768.80A	----	783.10 + 35.70	.8395	----	----	----	----	3 UNCH
6000	----	----	----	----	----	1252.00 + 42.80	.9270	----	----	----	----	2 UNCH
TOTAL										58		8546 + 50
OCT26												
2700	----	----	----	0.10B/17.30A	----	6.40 + 0.40	.0127	----	----	----	----	1 UNCH
2800	----	----	----/6.00A	0.10B/6.00A	----	7.90 + 0.40	.0157	----	----	----	----	3 UNCH
2900	----	----	----	0.10B/19.30A	----	9.60 + 0.70	.0192	----	----	----	----	1 UNCH
3100	----	----	----	0.10B/22.00A	----	12.20 + 2.00	.0258	----	----	----	----	1 UNCH
3155	----	----	----	0.10B/23.00A	----	13.00 + 2.30	.0279	----	----	----	----	1 UNCH
3200	----	----	----	0.10B/23.80A	----	13.70 + 2.60	.0298	----	----	----	----	414 UNCH
3240	----	----	----	0.10B/24.70A	----	14.20 + 2.70	.0313	----	----	----	----	5 UNCH
3300	----	----	----	0.10B/26.10A	----	15.10 + 2.80	.0340	----	----	----	----	415 UNCH
3340	----	----	----	0.10B/27.20A	----	15.60 + 2.70	.0357	----	----	----	----	9 UNCH
3360	----	----	----	0.10B/27.70A	----	15.90 + 2.80	.0367	----	----	----	----	1 UNCH
3380	----	----	----	0.10B/28.30A	----	16.20 + 2.80	.0376	----	----	----	----	1 UNCH
3390	----	----	----	0.10B/28.60A	----	16.30 + 2.70	.0381	----	----	----	----	4 UNCH
3400	----	----	----	0.40B/28.90A	----	16.50 + 2.80	.0386	----	----	----	----	150 UNCH
3480	----	----	----	2.70B/31.80A	----	17.80 + 3.00	.0430	----	----	----	----	12 UNCH
3500	----	----	----	3.40B/32.60A	----	18.10 + 2.90	.0441	----	----	----	----	10 UNCH
3520	----	----	----	4.10B/33.40A	----	18.60 + 3.00	.0455	----	----	----	----	12 UNCH
3550	----	----	----	5.20B/34.70A	----	19.30 + 3.00	.0477	----	----	----	----	25 UNCH
3600	----	----	----	7.30B/37.20A	----	21.00 + 2.90	.0523	----	----	----	----	177 UNCH
3615	----	----	----	7.90B/38.00A	----	21.60 + 2.80	.0539	----	----	----	----	1 UNCH
3700	----	----	24.60B/----	24.60B/28.30A	----	25.80 + 1.90	.0644	----	----	----	----	135 UNCH
3715	----	----	25.50B/----	25.50B/28.80A	----	26.70 + 1.70	.0665	----	----	----	----	196 UNCH
3750	----	----	27.80B/----	27.80B/31.00A	----	29.00 + 1.30	.0720	----	----	----	----	19 UNCH
3770	----	----	----	29.20B/32.40A	----	30.40 + 1.00	.0753	----	----	----	----	1 UNCH
3785	----	----	----	30.30B/33.40A	----	31.50 + 0.90	.0778	----	----	----	----	1 UNCH
3800	----	----	----	31.50B/32.30A	----	32.60 + 0.70	.0804	----	----	----	----	20 UNCH
3805	----	----	----	32.00B/32.70A	----	33.00 + 0.70	.0813	----	----	----	----	1 UNCH
3865	----	----	----	37.00B/37.60A	----	37.90 + 0.30	.0927	----	----	----	----	2 UNCH
3870	----	----	----/37.80A	37.40B/37.80A	----	38.40 + 0.40	.0938	----	----	----	----	1 UNCH
3875	----	----	----/38.30A	37.70B/38.30A	----	38.80 + 0.30	.0947	----	----	----	----	12 UNCH
3885	----	----	----/39.30A	38.80B/39.30A	----	39.70 + 0.30	.0968	----	----	----	----	5 UNCH
3890	----	----	----	39.20B/39.90A	----	40.20 + 0.40	.0979	----	----	----	----	2 UNCH
3895	----	----	----	39.70B/40.40A	----	40.70 + 0.40	.0990	----	----	----	----	2 UNCH
3900	----	----	----	40.20B/41.10A	----	41.10 + 0.30	.1000	----	----	----	----	22 UNCH
3920	----	----	----	42.20B/42.70A	----	43.10 + 0.40	.1045	----	----	----	----	28 UNCH
3930	----	----	----	43.20B/43.70A	----	44.10 + 0.50	.1067	----	----	----	----	2 UNCH
3940	----	----	----	44.30B/44.80A	----	45.10 + 0.50	.1090	----	----	----	----	65 UNCH
3950	----	----	----	45.30B/45.70A	----	46.20 + 0.60	.1114	----	----	----	----	2 UNCH
3975	----	----	----	48.10B/48.30A	----	48.90 + 0.70	.1174	----	----	----	----	5 UNCH
4000	50.00	50.00	51.80/50.00	51.80/50.00	----	51.80 + 0.80	.1238	----	----	3	----	408 + 2
4030	----	----	54.80B/----	54.80B/54.60A	----	55.50 + 1.00	.1318	----	----	----	----	2 UNCH
4035	----	----	55.40B/----	55.40B/55.10A	----	56.20 + 1.10	.1333	----	----	----	----	1 UNCH
4050	----	----	57.50B/----	57.50B/57.00A	----	58.20 + 1.20	.1375	----	----	----	----	5 UNCH
4070	----	----	60.40B/----	60.40B/59.60A	----	60.90 + 1.30	.1433	----	----	----	----	24 UNCH
4100	----	----	64.70B/63.70A	64.70B/63.70A	----	65.30 + 1.50	.1524	----	----	----	----	464 UNCH
4130	----	----	69.50B/----	69.50B/68.30A	----	70.00 + 1.70	.1621	----	----	----	----	2 UNCH
4135	----	----	70.30B/----	70.30B/69.20A	----	70.80 + 1.80	.1637	----	----	----	----	1 UNCH
4150	----	----	73.30B/71.20A	73.30B/71.20A	----	73.30 + 1.90	.1688	----	----	----	----	5 UNCH
4200	78.00	78.00	82.50B/78.00	82.50B/78.00	----	82.20 + 2.40	.1865	----	----	3	----	286 + 2
4220	----	----	86.40B/----	86.40B/83.50A	----	86.00 + 2.50	.1939	----	----	----	----	5 UNCH
4235	----	----	89.00B/----	89.00B/86.90A	----	89.00 + 2.70	.1997	----	----	----	----	1 UNCH
4250	----	----	92.20B/----	92.20B/89.30A	----	92.10 + 2.90	.2056	----	----	----	----	72 UNCH
4265	----	----	95.70B/----	95.70B/92.30A	----	95.30 + 3.10	.2116	----	----	----	----	200 UNCH
4270	----	----	96.60B/----	96.60B/93.50A	----	96.40 + 3.20	.2136	----	----	----	----	226 UNCH
4280	----	----	98.90B/----	98.90B/95.60A	----	98.60 + 3.30	.2177	----	----	----	----	196 UNCH
4300	----	----	103.60B/----	103.60B/99.90A	----	103.20 + 3.60	.2261	----	----	----	----	476 UNCH
4330	----	----	110.40B/----	110.40B/107.30A	----	110.30 + 4.00	.2391	----	----	----	----	1 UNCH
4350	----	----	116.10B/----	116.10B/111.70A	----	115.40 + 4.40	.2480	----	----	----	----	210 UNCH
4355	----	----	117.40B/----	117.40B/113.00A	----	116.70 + 4.50	.2503	----	----	----	----	11 UNCH
4375	----	----	122.70B/----	122.70B/117.90A	----	121.90 + 4.80	.2595	----	----	----	----	10 UNCH
4400	----	----	129.40B/----	129.40B/124.70A	----	128.80 + 5.30	.2713	----	----	----	----	302 UNCH
4420	----	----	135.50B/----	135.50B/130.00A	----	134.60 + 5.70	.2810	----	----	----	----	5 UNCH
4430	----	----	138.20B/----	138.20B/132.70A	----	137.50 + 5.90	.2858	----	----	----	----	3 UNCH
4450	----	----	144.90B/----	144.90B/138.70A	----	143.60 + 6.30	.2958	----	----	----	----	26 UNCH
4500	164.40	164.40	164.40/154.40A	164.40/154.40A	----	159.70 + 7.30	.3215	----	----	1	----	91 UNCH
4600	----	----	198.30B/----	198.30B/190.20A	----	196.10 + 9.20	.3759	----	----	----	----	352 UNCH
4610	----	----	203.00B/----	203.00B/194.10A	----	200.10 + 9.40	.3816	----	----	----	----	5 UNCH
4625	----	----	209.00B/----	209.00B/200.00A	----	206.10 + 9.60	.3901	----	----	----	----	40 UNCH
4640	----	----	215.50B/----	215.50B/206.10A	----	212.30 + 9.80	.3987	----	----	----	----	13 UNCH
4650	217.00	217.00	219.70B/217.00	219.70B/210.60A	----	216.60 NEW	.4044	----	----	33	----	33 + 33
4675	----	----	230.50B/----	230.50B/221.30A	----	227.40 + 10.50	.4189	----	----	----	----	1 UNCH
4680	----	----	232.70B/----	232.70B/223.50A	----	229.60 + 10.60	.4218	----	----	----	----	1 UNCH
4700	----	----	242.50B/----	242.50B/232.40A	----	238.60 + 10.90	.4335	----	----	----	----	84 UNCH
4740	----	----	261.60B/----	261.60B/251.00A	----	257.50 + 11.60	.4571	----	----	----	----	1 UNCH
4750	----	----	267.10B/----	267.10B/255.80A	----	262.40 + 11.80	.4631	----	----	----	----	174 UNCH
4775	----	----	279.60B/----	279.60B/268.30A	----	275.00 + 12.30	.4779	----	----	----	----	1 UNCH
4780	----	----	282.30B/----	282.30B/270.80A	----	277.60 + 12.50	.4808	----	----	----	----	1 UNCH
4800	----	----	293.50B/----	293.50B/281.00A	----	288.10 + 12.90	.4927	----	----	----	----	100 UNCH
4845	----	----	318.60B/----	318.60B/305.30A	----	312.90 + 14.30	.5191	----	----	----	----	17 UNCH
4850	----	----	321.50B/----	321.50B/308.10A	----	315.70 + 14.40	.5220	----	----	----	----	80 UNCH
4875	----	----	335.70B/----	335.70B/322.10A	----	330.20 + 15.40	.5364	----	----	----	----	1 UNCH
4900	----	----	350.90B/----	350.90B/336.40A	----	345.20 + 16.50	.5507	----	----	----	----	131 UNCH
4910	----	----	356.90B/----	356.90B/342.40A	----	351.30 + 17.00	.5563	----	----	----	----	1 UNCH
4920	----	----	363.10B/----	363.10B/348.30A	----	357.50 + 17.40	.5619	----	----	----	----	1 UNCH
4925	----	----	366.50B/----	366.50B/351.20A	----	360.60 + 17.60	.5648	----	----	----	----	25 UNCH
4935	----	----	373.00B/----	373.00B/357.30A	----	366.90 + 18.00	.5703	----	----	----	----	5 UNCH
4965	----	----	391.80B/----	391.80B/375.90A	----	385.90 + 18.60	.5869	----	----	----	----	13 UNCH
4980	----	----	401.40B/----	401.40B/385.30A	----	395.60 + 18.70	.5950	----	----	----	----	1 UNCH
5000	----	----	414.80B/----	414.80B/398.10A	----	408.80 + 18.90	.6058	----	----	----	----	47 UNCH
5010	----	----	421.40B/----	421.40B/404.70A	----	415.40 + 19.00	.6111	----	----	----	----	1 UNCH
5050	----	----	449.00B/----	449.00B/431.40A	----	442.70 + 19.90	.6319	----	----	----	----	25 UNCH
5150	----	----	521.30B/----	521.30B/501.50A	----	514.90 + 23.70	.6803	----	----	----	----	1 UNCH
5200	----	----	559.30B/----	559.30B/538.60A	----	552.70 + 25.60	.7027	----	----	----	----	100 UNCH
5230	----	----	565.70B/----	565.70B/561.40A	----	576.00 + 26.70	.7155	----	----	----	----	2 UNCH
5250	----	----	592.90B/----	592.90B/576.80A	----	591.60 + 27.30	.7237	----	----	----	----	75 UNCH
5300	----	----	632.80B/----	632.80B/620.60A	----	631.50 + 28.80	.7436	----	----	----	----	6 UNCH
5425	----	----	----	560.70B/893.70A	----	735.30 + 31.80	.7875	----	----	----	----	1 UNCH
5455	----	----	761.90B/----	761.90B/748.40A	----	760.90 + 32.40	.7968	----	----	----	----	40 UNCH
5495	----	----	----	622.40B/952.30A	----	795.60 + 33.20	.8085	----	----	----	----	1 UNCH
5500	----	----	----	626.80B/956.50A	----	800.00 + 33.30	.8099	----	----	----	----	1 UNCH
5600	----	----	----	717.40B/1042.30A	----	888.50 + 35.00	.8359	----	----	----	----	1 UNCH
5700	----	----	----	809.00B/1130.20A	----	979.20 + 37.20	.8579	----	----	----	----	1 UNCH
TOTAL										40		6180 + 37
NOV26												
2750	----	----	----	0.10B/16.20A	----	8.80 - 3.70	.0163	----	----	----	----	1 UNCH
2800	----	----	----	0.10B/16.70A	----	9.80 - 4.10	.0181	----	----	----	----	8 UNCH
2900	----	----	----/10.00A	0.10B/10.00A	----	10.40 - 4.30	.0201	----	----	----	----	1 UNCH
3000	----	----	----	0.10B/19.40A	----	11.10 - 4.30	.0223	----	----	----	----	95 UNCH
3120	----	----	----	0.10B/21.70A	----	12.10 - 4.50	.0255	----	----	----	----	10 UNCH
3180	----	----	----	0.10B/23.00A	----	12.80 - 4.40	.0275	----	----	----	----	10 UNCH
3200	----	----	----	0.10B/23.50A	----	13.00 - 4.50	.0282	----	----	----	----	93 UNCH
3215	----	----	----	0.10B/23.90A	----	13.20 - 4.50	.0288	----	----	----	----	1 UNCH
3220	----	----	----	0.10B/24.00A	----	13.30 - 4.50	.0290	----	----	----	----	1 UNCH
3225	----	----	----	0.10B/24.20A	----	13.30 - 4.50	.0291	----	----	----	----	1 UNCH
3235	----	----	----	0.10B/24.50A	----	13.50 - 4.50	.0296	----	----	----	----	2 UNCH
3250	----	----	----	0.10B/24.90A	----	13.70 - 4.50	.0302	----	----	----	----	18 UNCH
3255	----	----	----	0.10B/25.00A	----	13.80 - 4.50	.0304	----	----	----	----	18 UNCH
3300	----	----	----	0.10B/26.40A	----	14.50 - 4.50	.0324	----	----	----	----	20 UNCH
3310	----	----	----	0.10B/26.70A	----	14.70 - 4.50	.0330	----	----	----	----	1 UNCH
3320	----	----	----	0.10B/27.00A	----	14.90 - 4.50	.0335	----	----	----	----	16 UNCH
3350	----	----	----	0.10B/28.00A	----	15.60 - 4.40	.0352	----	----	----	----	180 UNCH
3455	----	----	----	0.10B/32.20A	----	18.50 - 4.30	.0424	----	----	----	----	1 UNCH
3475	----	----	----	0.10B/33.10A	----	19.20 - 4.20	.0441	----	----	----	----	2 UNCH
3500	----	----	----	0.10B/34.30A	----	20.10 - 4.20	.0463	----	----	----	----	655 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 21

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
3535	----	----	----	0.10B/36.10A	----	21.50 - 4.10	.0496	----	----	----	----	3 UNCH
3690	----	----	----	29.50B/33.40A	----	30.20 - 3.20	.0688	----	----	----	----	1 UNCH
3725	----	----	----	32.00B/35.90A	----	32.70 - 2.90	.0741	----	----	----	----	1 UNCH
3740	----	----	----	33.20B/37.10A	----	33.90 - 2.80	.0766	----	----	----	----	21 UNCH
3750	----	----	----	34.00B/37.90A	----	34.70 - 2.70	.0783	----	----	----	----	150 UNCH
3780	----	----	----	36.40B/40.30A	----	37.20 - 2.40	.0835	----	----	----	----	1 UNCH
3800	----	----	----/40.30A	39.20B/40.30A	----	39.00 - 2.20	.0872	----	----	----	----	28 UNCH
3820	----	----	----/42.30A	41.10B/42.30A	----	40.90 - 2.00	.0910	----	----	----	----	20 UNCH
3875	----	----	----/47.40A	46.50B/47.40A	----	46.50 - 1.40	.1023	----	----	----	----	24 UNCH
3980	----	----	----	58.60B/59.40A	----	59.40 UNCH	.1271	----	----	----	----	1 UNCH
4000	----	----	----	61.50B/61.90A	----	62.20 + 0.30	.1323	----	----	----	----	3 UNCH
4100	----	----	76.60B/75.90A	76.60B/75.90A	----	77.70 + 1.60	.1607	----	----	----	----	2 UNCH
4160	----	----	87.20B/----	87.20B/86.30A	----	88.30 + 2.30	.1795	----	----	----	----	1 UNCH
4170	----	----	89.10B/----	89.10B/88.00A	----	90.20 + 2.40	.1828	----	----	----	----	1 UNCH
4200	----	----	95.00B/----	95.00B/93.70A	----	96.10 + 2.70	.1930	----	----	----	----	5 UNCH
4205	----	----	95.90B/----	95.90B/94.70A	----	97.10 + 2.80	.1947	----	----	----	----	1 UNCH
4215	----	----	98.10B/----	98.10B/96.70A	----	99.10 + 2.90	.1982	----	----	----	----	5 UNCH
4275	----	----	111.40B/----	111.40B/109.50A	----	112.20 + 3.60	.2200	----	----	----	----	3 UNCH
4305	----	----	118.70B/----	118.70B/116.40A	----	119.30 + 4.00	.2316	----	----	----	----	1 UNCH
4320	----	----	122.50B/----	122.50B/120.20A	----	122.90 + 4.10	.2374	----	----	----	----	43 UNCH
4330	----	----	125.00B/----	125.00B/122.50A	----	125.40 + 4.20	.2414	----	----	----	----	2 UNCH
4350	----	----	130.10B/----	130.10B/127.70A	----	130.60 + 4.50	.2496	----	----	----	----	3 UNCH
4400	----	----	144.00B/----	144.00B/140.80A	----	144.20 + 5.10	.2706	----	----	----	----	3 UNCH
4425	----	----	151.40B/----	151.40B/147.90A	----	151.50 + 5.40	.2815	----	----	----	----	72 UNCH
4430	----	----	153.10B/----	153.10B/149.60A	----	153.00 + 5.50	.2837	----	----	----	----	10 UNCH
4450	----	----	159.30B/----	159.30B/155.40A	----	159.10 + 5.80	.2927	----	----	----	----	39 UNCH
4500	----	----	175.90B/----	175.90B/171.20A	----	175.40 + 6.70	.3158	----	----	----	----	45 UNCH
4510	----	----	179.10B/----	179.10B/174.60A	----	178.80 + 6.90	.3206	----	----	----	----	10 UNCH
4535	----	----	188.20B/----	188.20B/183.10A	----	187.60 + 7.40	.3325	----	----	----	----	10 UNCH
4540	----	----	190.00B/----	190.00B/184.80A	----	189.40 + 7.60	.3349	----	----	----	----	6 UNCH
4580	----	----	205.10B/----	205.10B/199.30A	----	204.30 + 8.40	.3546	----	----	----	----	10 UNCH
4640	----	----	229.40B/----	229.40B/222.60A	----	228.40 + 9.90	.3848	----	----	----	----	90 UNCH
4700	----	----	256.00B/----	256.00B/247.90A	----	254.30 + 11.10	.4157	----	----	----	----	2 UNCH
4725	----	----	267.70B/----	267.70B/259.30A	----	265.60 + 11.50	.4288	----	----	----	----	2 UNCH
4800	----	----	305.10B/----	305.10B/295.10A	----	301.60 + 12.60	.4684	----	----	----	----	7 UNCH
4840	----	----	326.50B/----	326.50B/315.50A	----	322.30 + 13.10	.4896	----	----	----	----	2 UNCH
4845	----	----	329.20B/----	329.20B/318.40A	----	324.90 + 13.10	.4922	----	----	----	----	10 UNCH
4850	----	----	331.90B/----	331.90B/320.80A	----	327.60 + 13.20	.4948	----	----	----	----	6 UNCH
4900	----	----	360.30B/----	360.30B/348.20A	----	355.60 + 14.00	.5209	----	----	----	----	12 UNCH
4915	----	----	369.10B/----	369.10B/356.70A	----	364.40 + 14.30	.5286	----	----	----	----	3 UNCH
4935	----	----	381.10B/----	381.10B/368.20A	----	376.30 + 14.60	.5389	----	----	----	----	25 UNCH
4950	----	----	390.10B/----	390.10B/377.10A	----	385.40 + 15.00	.5465	----	----	----	----	11 UNCH
4960	----	----	396.30B/----	396.30B/383.10A	----	391.50 + 15.10	.5515	----	----	----	----	2 UNCH
5000	----	----	421.50B/----	421.50B/406.90A	----	416.50 + 16.10	.5714	----	----	----	----	256 UNCH
5020	----	----	434.30B/----	434.30B/419.10A	----	429.30 + 16.70	.5812	----	----	----	----	30 UNCH
5055	----	----	457.30B/----	457.30B/441.10A	----	452.10 + 17.60	.5981	----	----	----	----	8 UNCH
5200	----	----	559.20B/----	559.20B/541.40A	----	553.40 + 22.10	.6633	----	----	----	----	81 UNCH
5395	----	----	----	507.50B/885.70A	----	704.20 + 27.50	.7373	----	----	----	----	6 UNCH
5400	----	----	----	511.50B/889.70A	----	708.20 + 27.60	.7390	----	----	----	----	6 UNCH
5760	----	----	----	826.90B/1191.30A	----	1017.70 + 35.20	.8354	----	----	----	----	1 UNCH
5975	----	----	----	1024.80B/1385.30A	----	1214.80 + 38.50	.8734	----	----	----	----	1 UNCH
6000	----	----	----	1048.00B/1408.70A	----	1238.10 + 38.80	.8770	----	----	----	----	1 UNCH
TOTAL												2221 0
DEC26												
1350	----	----	----	----/1.10A	----	0.20 UNCH	.0003	----	----	----	----	16 UNCH
1375	----	----	----	----/10.30A	----	0.20 UNCH	.0003	----	----	----	----	1 UNCH
1500	----	----	----	----/2.00A	----	0.40 UNCH	.0007	----	----	----	----	1 UNCH
1600	----	----	----	----/2.70A	----	0.60 + 0.10	.0010	----	----	----	----	190 UNCH
1700	----	----	----	----/3.50A	----	0.80 + 0.10	.0014	----	----	----	----	200 UNCH
1845	----	----	----	0.10B/3.00A	----	1.20 + 0.10	.0021	----	----	----	----	50 UNCH
1900	----	----	----	0.10B/12.40A	----	1.40 + 0.10	.0024	----	----	----	----	4 UNCH
2000	----	----	----	0.10B/12.90A	----	1.80 + 0.10	.0031	----	----	----	----	2 UNCH
2400	----	----	----	0.10B/15.40A	----	4.80 + 0.40	.0085	----	----	----	----	1 UNCH
2490	----	----	----	0.10B/16.20A	----	5.80 + 0.40	.0103	----	----	----	----	1 UNCH
2750	----	----	----	0.10B/18.90A	----	7.50 + 0.10	.0145	----	----	----	----	1 UNCH
2800	5.90	5.90	5.90/5.90	5.90/5.90	----	8.00 + 0.10	.0156	----	----	2	----	10 + 2
2900	----	----	----	5.00B/21.20A	----	9.20 UNCH	.0184	----	----	----	----	19 UNCH
2925	----	----	----	0.10B/21.60A	----	9.60 UNCH	.0192	----	----	----	----	300 UNCH
2975	----	----	----	0.10B/22.50A	----	10.30 - 0.10	.0208	----	----	----	----	400 UNCH
3000	----	----	----	0.10B/23.00A	----	10.80 - 0.10	.0219	----	----	----	----	1356 UNCH
3160	----	----	----	0.10B/27.00A	----	14.10 - 0.40	.0291	----	----	----	----	2 UNCH
3175	----	----	----	0.10B/27.40A	----	14.50 - 0.40	.0300	----	----	----	----	1 UNCH
3190	----	----	----	0.10B/27.90A	----	14.90 - 0.40	.0308	----	----	----	----	5 UNCH
3250	----	----	----	0.10B/29.90A	----	16.60 - 0.30	.0345	----	----	----	----	15 UNCH
3300	----	----	----	0.10B/31.70A	----	18.10 - 0.30	.0378	----	----	----	----	7 UNCH
3400	----	----	----	0.10B/36.10A	----	21.50 - 0.20	.0452	----	----	----	----	1610 UNCH
3425	----	----	----	0.10B/37.30A	----	22.50 - 0.10	.0474	----	----	----	----	350 UNCH
3450	----	----	----	0.10B/38.60A	----	23.60 UNCH	.0497	----	----	----	----	201 UNCH
3460	----	----	----	0.10B/39.20A	----	24.00 UNCH	.0506	----	----	----	----	20 UNCH
3475	----	----	----	0.10B/40.00A	----	24.70 + 0.10	.0521	----	----	----	----	152 UNCH
3500	----	----	----	0.10B/41.40A	----	25.80 + 0.10	.0545	----	----	----	----	1457 UNCH
3550	----	----	----	2.10B/44.60A	----	28.40 + 0.30	.0599	----	----	----	----	18 UNCH
3565	----	----	----	2.90B/45.60A	----	29.20 + 0.30	.0616	----	----	----	----	2 UNCH
3590	----	----	----	29.10B/34.10A	----	30.70 + 0.40	.0647	----	----	----	----	1 UNCH
3600	----	----	----	29.80B/34.40A	----	31.30 + 0.40	.0659	----	----	----	----	356 UNCH
3610	----	----	----	30.50B/35.00A	----	32.00 + 0.40	.0673	----	----	----	----	3 UNCH
3650	----	----	----	33.50B/37.90A	----	34.70 + 0.40	.0728	----	----	----	----	201 UNCH
3660	----	----	----	34.20B/38.70A	----	35.50 + 0.50	.0743	----	----	----	----	5 UNCH
3670	----	----	----	35.00B/39.50A	----	36.30 + 0.60	.0759	----	----	----	----	1 UNCH
3690	----	----	----	36.60B/41.10A	----	37.80 + 0.50	.0789	----	----	----	----	1 UNCH
3700	----	----	----	37.50B/41.90A	----	38.70 + 0.50	.0806	----	----	----	----	269 UNCH
3710	----	----	----	38.30B/42.70A	----	39.50 + 0.50	.0821	----	----	----	----	37 UNCH
3720	----	----	----	39.20B/43.60A	----	40.40 + 0.50	.0838	----	----	----	----	1 UNCH
3725	----	----	----	39.60B/44.00A	----	40.90 + 0.60	.0848	----	----	----	----	6 UNCH
3750	----	----	----	41.90B/46.30A	----	43.20 + 0.50	.0891	----	----	----	----	166 UNCH
3760	----	----	----	42.90B/47.20A	----	44.20 + 0.50	.0910	----	----	----	----	184 UNCH
3780	----	----	----	44.80B/49.20A	----	46.20 + 0.50	.0947	----	----	----	----	1 UNCH
3800	----	----	48.00B/----	48.00B/49.70A	----	48.30 + 0.40	.0986	----	----	----	----	73 UNCH
3810	----	----	----	49.00B/50.50A	----	49.40 + 0.40	.1006	----	----	----	----	56 UNCH
3850	----	----	----	53.20B/54.90A	----	54.00 + 0.40	.1089	----	----	----	----	24 UNCH
3880	----	----	----	56.90B/58.10A	----	57.80 + 0.40	.1156	----	----	----	----	1 UNCH
3900	----	----	----	59.30B/60.40A	----	60.40 + 0.40	.1202	----	----	----	----	1206 UNCH
3920	63.30	63.30	63.60/63.30	63.60/62.90A	----	63.10 NEW	.1249	----	----	50	----	50 + 50
3925	63.00	63.00	63.00/62.80	63.00/62.80	----	63.80 + 0.40	.1261	----	----	50	----	252 + 47
3930	----	----	----	63.20B/64.10A	----	64.50 + 0.40	.1273	----	----	----	----	2 UNCH
3950	----	----	----/66.80A	66.10B/66.80A	----	67.40 + 0.50	.1323	----	----	----	----	27 UNCH
3975	----	----	----/70.00A	69.80B/70.00A	----	71.10 + 0.50	.1387	----	----	----	----	190 UNCH
3980	68.70	68.70	70.50B/68.70	70.50B/68.70	----	71.80 + 0.50	.1399	----	----	2	----	144 + 2
4000	----	----	----/73.50A	73.60B/73.50A	----	75.00 + 0.60	.1452	----	----	----	----	1961 UNCH
4025	----	----	----/77.10A	77.50B/77.10A	----	79.00 + 0.70	.1520	----	----	----	----	220 UNCH
4050	----	----	----/81.20A	81.70B/81.20A	----	83.20 + 0.90	.1590	----	----	----	----	200 UNCH
4070	----	----	86.00B/84.50A	86.00B/84.50A	----	86.70 + 1.00	.1647	----	----	----	----	5 UNCH
4090	----	----	----/88.00A	88.60B/88.00A	----	90.40 + 1.20	.1707	----	----	----	----	1 UNCH
4100	----	----	91.40B/89.50A	91.40B/89.50A	----	92.20 + 1.30	.1736	----	----	----	----	385 UNCH
4130	----	----	----/95.40A	96.20B/95.40A	----	98.00 + 1.60	.1829	----	----	----	----	2 UNCH
4160	----	----	103.00B/100.90A	103.00B/100.90A	----	104.10 + 2.00	.1925	----	----	----	----	252 UNCH
4170	----	----	104.30B/103.20A	104.30B/103.20A	----	106.10 + 2.00	.1957	----	----	----	----	2 UNCH
4175	----	----	106.00B/104.00A	106.00B/104.00A	----	107.20 + 2.10	.1974	----	----	----	----	60 UNCH
4200	----	----	111.60B/108.90A	111.60B/108.90A	----	112.60 + 2.40	.2057	----	----	----	----	669 UNCH
4215	----	----	114.90B/112.60A	114.90B/112.60A	----	116.00 + 2.70	.2109	----	----	----	----	14 UNCH
4250	----	----	123.00B/120.30A	123.00B/120.30A	----	124.10 + 3.10	.2231	----	----	----	----	344 UNCH
4300	133.00	133.00	135.60B/132.40A	135.60B/132.40A	----	136.50 + 3.90	.2414	----	----	2	----	2104 + 2
4320	----	----	141.00B/----	141.00B/137.60A	----	141.80 + 4.30	.2491	----	----	----	----	100 UNCH
4325	----	----	142.40B/----	142.40B/138.80A	----	143.10 + 4.30	.2510	----	----	----	----	300 UNCH
4340	----	----	146.30B/----	146.30B/143.10A	----	147.20 + 4.60	.2568	----	----	----	----	79 UNCH
4350	----	----	149.20B/----	149.20B/145.80A	----	149.90 + 4.70	.2607	----	----	----	----	151 UNCH
4365	----	----	153.60B/----	153.60B/149.70A	----	154.10 + 5.00	.2666	----	----	----	----	390 UNCH
4375	----	----	156.00B/----	156.00B/153.10A	----	157.00 + 5.20	.2706	----	----	----	----	2 UNCH
4385	----	----	159.30B/----	159.30B/155.50A	----	159.90 + 5.30	.2746	----	----	----	----	75 UNCH
4390	----	----	161.20B/----	161.20B/157.10A	----	161.40 + 5.50	.2767	----	----	----	----	14 UNCH
4400	----	----	164.00B/----	164.00B/159.70A	----	164.40 + 5.70	.2808	----	----	----	----	253 UNCH
4425	----	----	171.80B/----	171.80B/167.50A	----	172.00 + 6.10	.2911	----	----	----	----	9 UNCH
4430	166.70	166.70	173.50B/166.70	173.50B/166.70	----	173.60 NEW	.2932	----	----	10	----	10 + 10
4435	----	----	174.90B/----	174.90B/170.50A	----	175.10 + 6.20	.2953	----	----	----	----	14 UNCH
4450	----	----	180.00B/----	180.00B/175.30A	----	179.90 + 6.50	.3017	----	----	----	----	260 UNCH
4475	----	----	188.40B/----	188.40B/183.60A	----	188.10 + 6.90	.3124	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
4500	----	----	197.50B/----	197.50B/191.80A	----	196.60 + 7.30	.3234	----	----	----	----	1206 UNCH
4510	----	----	200.30B/----	200.30B/195.70A	----	200.10 + 7.50	.3278	----	----	----	----	2 UNCH
4515	----	----	202.50B/----	202.50B/197.20A	----	201.90 + 7.60	.3301	----	----	----	----	242 UNCH
4520	----	----	204.50B/----	204.50B/199.10A	----	203.70 + 7.70	.3323	----	----	----	----	25 UNCH
4525	----	----	206.30B/----	206.30B/200.70A	----	205.50 + 7.80	.3346	----	----	----	----	200 UNCH
4530	----	----	208.20B/----	208.20B/202.60A	----	207.30 + 7.90	.3368	----	----	----	----	20 UNCH
4535	----	----	210.00B/----	210.00B/204.50A	----	209.10 + 8.00	.3391	----	----	----	----	102 UNCH
4540	----	----	211.40B/----	211.40B/206.50A	----	210.90 + 8.00	.3413	----	----	----	----	1 UNCH
4550	----	----	215.70B/----	215.70B/209.90A	----	214.60 + 8.20	.3459	----	----	----	----	4 UNCH
4555	----	----	217.70B/----	217.70B/211.80A	----	216.40 + 8.20	.3481	----	----	----	----	50 UNCH
4580	----	----	227.50B/----	227.50B/221.30A	----	225.90 + 8.60	.3596	----	----	----	----	50 UNCH
4585	----	----	229.50B/----	229.50B/223.00A	----	227.90 + 8.70	.3620	----	----	----	----	325 UNCH
4600	238.20	238.20	238.20/235.60	238.20/229.10A	----	233.80 + 8.90	.3690	----	----	10	----	511 - 4
4620	----	----	243.80B/----	243.80B/237.10A	----	241.80 + 9.10	.3783	----	----	----	----	50 UNCH
4625	----	----	246.00B/----	246.00B/239.30A	----	243.80 + 9.10	.3807	----	----	----	----	24 UNCH
4640	----	----	252.70B/----	252.70B/245.40A	----	250.10 + 9.40	.3878	----	----	----	----	100 UNCH
4650	----	----	256.70B/----	256.70B/249.60A	----	254.30 + 9.50	.3926	----	----	----	----	112 UNCH
4680	----	----	270.10B/----	270.10B/262.60A	----	267.30 + 10.00	.4070	----	----	----	----	60 UNCH
4690	----	----	274.30B/----	274.30B/266.90A	----	271.80 + 10.20	.4118	----	----	----	----	1 UNCH
4700	275.00	275.00	280.10B/271.50A	280.10B/271.50A	----	276.30 + 10.30	.4167	----	----	9	----	512 - 5
4750	----	----	303.70B/----	303.70B/294.60A	----	300.10 + 11.40	.4411	----	----	7	----	63 - 4
4790	----	----	323.80B/----	323.80B/314.10A	----	320.30 + 12.40	.4607	----	----	----	----	60 UNCH
4800	----	----	329.10B/----	329.10B/319.10A	----	325.50 + 12.70	.4655	----	----	----	----	302 UNCH
4810	----	----	334.10B/----	334.10B/324.30A	----	330.70 + 12.80	.4704	----	----	----	----	56 UNCH
4815	----	----	336.90B/----	336.90B/326.70A	----	333.30 + 12.90	.4729	----	----	----	----	10 UNCH
4820	----	----	339.60B/----	339.60B/329.40A	----	335.90 + 13.00	.4753	----	----	----	----	20 UNCH
4825	----	----	342.30B/----	342.30B/332.10A	----	338.50 + 13.00	.4778	----	----	----	----	112 UNCH
4835	----	----	347.20B/----	347.20B/337.10A	----	343.80 NEW	.4826	----	----	----	125	125 + 125
4850	----	----	355.80B/----	355.80B/345.30A	----	351.70 + 13.20	.4899	----	----	----	----	13 UNCH
4875	----	----	369.40B/----	369.40B/358.60A	----	365.30 + 13.40	.5021	----	----	7	----	7 + 7
4880	----	----	372.40B/----	372.40B/361.30A	----	368.10 + 13.50	.5045	----	----	----	----	11 UNCH
4900	----	----	383.90B/----	383.90B/372.70A	----	379.30 + 13.60	.5141	----	----	----	----	110 UNCH
4925	----	----	398.70B/----	398.70B/386.70A	----	393.70 + 13.90	.5261	----	----	----	----	237 UNCH
4950	----	----	414.00B/----	414.00B/401.10A	----	408.60 + 14.30	.5379	----	----	----	----	24 UNCH
4975	----	----	428.90B/----	428.90B/416.10A	----	423.90 + 14.90	.5495	----	----	----	----	43 UNCH
4980	----	----	431.90B/----	431.90B/419.10A	----	427.00 + 15.00	.5519	----	----	----	----	5 UNCH
4995	----	----	441.40B/----	441.40B/428.30A	----	436.40 + 15.30	.5587	----	----	----	----	32 UNCH
5000	----	----	444.50B/----	444.50B/431.30A	----	439.50 + 15.40	.5610	----	----	----	----	445 UNCH
5020	----	----	457.40B/----	457.40B/443.70A	----	452.30 + 15.90	.5701	----	----	----	----	8 UNCH
5025	----	----	460.50B/----	460.50B/446.80A	----	455.50 + 16.10	.5724	----	----	----	----	210 UNCH
5035	----	----	467.20B/----	467.20B/453.10A	----	461.90 + 16.20	.5769	----	----	----	----	8 UNCH
5050	----	----	476.80B/----	476.80B/462.50A	----	471.70 + 16.60	.5835	----	----	----	----	201 UNCH
5070	----	----	489.90B/----	489.90B/475.20A	----	485.00 + 17.30	.5923	----	----	----	----	1 UNCH
5075	----	----	493.50B/----	493.50B/478.40A	----	488.30 + 17.40	.5945	----	----	----	----	100 UNCH
5095	----	----	507.00B/----	507.00B/491.30A	----	501.80 + 18.00	.6032	----	----	----	----	6 UNCH
5100	----	----	510.10B/----	510.10B/494.50A	----	505.20 + 18.10	.6053	----	----	----	----	6 UNCH
5195	----	----	576.70B/----	576.70B/558.60A	----	571.70 + 20.90	.6446	----	----	----	----	5 UNCH
5200	----	----	580.30B/----	580.30B/562.00A	----	575.30 + 21.00	.6466	----	----	----	----	38 UNCH
5250	----	----	617.10B/----	617.10B/599.50A	----	611.90 + 22.50	.6661	----	----	----	----	126 UNCH
5290	----	----	647.00B/----	647.00B/628.90A	----	641.80 + 23.50	.6811	----	----	----	----	1 UNCH
5295	----	----	650.70B/----	650.70B/632.60A	----	645.60 + 23.60	.6828	----	----	----	----	1 UNCH
5360	----	----	701.10B/----	701.10B/681.80A	----	695.50 + 25.10	.7060	----	----	----	----	100 UNCH
5370	----	----	703.10B/----	703.10B/689.40A	----	703.30 + 25.30	.7094	----	----	----	----	20 UNCH
5375	----	----	707.00B/----	707.00B/693.30A	----	707.20 + 25.40	.7110	----	----	----	----	34 UNCH
5400	----	----	726.60B/----	726.60B/712.80A	----	726.90 + 25.90	.7194	----	----	----	----	102 UNCH
5415	----	----	738.50B/----	738.50B/729.80A	----	738.80 + 26.20	.7243	----	----	----	----	4 UNCH
5460	----	----	774.60B/----	774.60B/765.80A	----	775.00 + 27.00	.7386	----	----	----	----	200 UNCH
5465	----	----	778.60B/----	778.60B/769.90A	----	779.10 + 27.20	.7401	----	----	----	----	50 UNCH
5480	----	----	790.80B/----	790.80B/782.00A	----	791.30 + 27.40	.7447	----	----	----	----	50 UNCH
5500	----	----	807.10B/----	807.10B/798.30A	----	807.80 + 27.90	.7506	----	----	----	----	31 UNCH
5525	----	----	827.70B/----	827.70B/818.80A	----	828.50 + 28.50	.7578	----	----	----	----	80 UNCH
5600	----	----	892.00B/----	892.00B/880.10A	----	891.80 + 30.20	.7781	----	----	----	----	252 UNCH
5900	----	----	1,152.60B/----	1152.60B/1146.10A	----	1156.90 + 35.90	.8420	----	----	----	----	125 UNCH
6000	----	----	1,242.90B/----	1242.90B/1237.90A	----	1248.40 + 37.20	.8584	----	----	----	----	40 UNCH
6500	----	----	1,710.50B/----	1710.50B/1714.20A	----	1721.80 + 42.30	.9137	----	----	----	----	4 UNCH
TOTAL										149	125	24608 + 232
JAN27												
2800	----	----	----	0.10B/12.00A	----	11.40 + 1.30	.0199	----	----	----	----	10 UNCH
3000	----	----	----	0.10B/34.40A	----	16.50 + 3.00	.0290	----	----	----	----	3 UNCH
3500	----	----	----	0.40B/41.00A	----	31.60 + 0.70	.0606	----	----	----	----	1 UNCH
3520	----	----	----	11.90B/57.70A	----	32.40 + 0.50	.0624	----	----	----	----	1 UNCH
3680	----	----	----	42.70B/47.80A	----	42.30 - 0.80	.0817	----	----	----	----	1 UNCH
3800	----	----	----	54.90B/58.10A	----	54.30 - 0.80	.1026	----	----	----	----	1 UNCH
3825	----	----	----	57.80B/61.00A	----	57.40 - 0.60	.1077	----	----	----	----	1 UNCH
3900	----	----	----	67.30B/70.40A	----	67.50 - 0.20	.1241	----	----	----	----	1 UNCH
3980	----	----	----	79.00B/81.20A	----	79.90 + 0.40	.1435	----	----	----	----	1 UNCH
4000	----	----	----	82.30B/84.00A	----	83.30 + 0.60	.1486	----	----	----	----	1 UNCH
4350	----	----	159.10B/----	159.10B/159.60A	----	159.80 + 3.70	.2573	----	----	----	----	1 UNCH
4400	----	----	174.00B/----	174.00B/174.30A	----	174.50 + 4.50	.2761	----	----	----	----	1 UNCH
4500	----	----	206.70B/----	206.70B/206.30A	----	207.40 + 6.40	.3157	----	----	----	----	2 UNCH
4585	----	----	238.30B/----	238.30B/237.20A	----	239.10 + 8.30	.3514	----	----	----	----	1 UNCH
4600	----	----	244.30B/----	244.30B/242.90A	----	245.00 + 8.50	.3578	----	----	----	----	3 UNCH
4630	----	----	256.50B/----	256.50B/255.30A	----	257.20 + 9.10	.3708	----	----	----	----	1 UNCH
4660	----	----	269.10B/----	269.10B/267.70A	----	269.80 + 9.60	.3839	----	----	----	----	4 UNCH
4665	----	----	271.30B/----	271.30B/269.70A	----	272.00 + 9.80	.3861	----	----	----	----	4 UNCH
4710	----	----	291.30B/----	291.30B/289.10A	----	291.80 + 10.40	.4060	----	----	----	----	2 UNCH
4760	----	----	314.70B/----	314.70B/312.00A	----	315.00 + 11.10	.4284	----	----	----	----	100 UNCH
4800	----	----	334.40B/----	334.40B/331.30A	----	334.40 + 11.50	.4464	----	----	----	----	6 UNCH
4820	----	----	344.50B/----	344.50B/341.30A	----	344.40 + 11.70	.4554	----	----	----	----	6 UNCH
4860	----	----	365.40B/----	365.40B/361.70A	----	364.90 + 11.90	.4735	----	----	----	----	1 UNCH
4980	----	----	433.00B/----	433.00B/428.20A	----	431.60 + 13.00	.5268	----	----	----	----	10 UNCH
4990	----	----	438.90B/----	438.90B/434.00A	----	437.50 + 13.10	.5312	----	----	----	----	1 UNCH
4995	----	----	441.90B/----	441.90B/437.00A	----	440.40 + 13.10	.5334	----	----	----	----	1 UNCH
5000	----	----	444.90B/----	444.90B/439.90A	----	443.40 + 13.20	.5356	----	----	----	----	3 UNCH
5050	----	----	475.80B/----	475.80B/470.20A	----	474.00 + 14.10	.5570	----	----	----	----	100 UNCH
5085	----	----	498.20B/----	498.20B/491.60A	----	496.20 + 14.90	.5716	----	----	----	----	2 UNCH
5150	----	----	541.00B/----	541.00B/533.60A	----	539.20 + 16.80	.5981	----	----	----	----	2 UNCH
5235	----	----	600.40B/----	600.40B/591.70A	----	598.20 + 19.40	.6308	----	----	----	----	2 UNCH
5245	----	----	607.60B/----	607.60B/598.70A	----	605.40 + 19.80	.6346	----	----	----	----	2 UNCH
5300	----	----	647.70B/----	647.70B/637.50A	----	645.30 + 21.30	.6544	----	----	----	----	4 UNCH
TOTAL												280 0
FEB27												
4000	----	----	93.00B/----	93.00B/96.50A	----	94.70 + 2.90	.1578	----	----	----	----	1 UNCH
4200	----	----	134.50B/----	134.50B/137.60A	----	136.40 + 5.50	.2147	----	----	----	----	50 UNCH
4600	----	----	262.50B/----	262.50B/265.40A	----	265.20 + 11.90	.3611	----	----	----	----	17 UNCH
4650	----	----	283.40B/----	283.40B/286.20A	----	285.90 + 12.40	.3816	----	----	----	----	1 UNCH
4655	----	----	285.70B/----	285.70B/287.80A	----	288.00 + 12.50	.3837	----	----	----	----	1 UNCH
4660	----	----	287.90B/----	287.90B/289.90A	----	290.10 + 12.50	.3858	----	----	----	----	435 UNCH
4665	----	----	290.10B/----	290.10B/292.10A	----	292.30 + 12.60	.3879	----	----	----	----	3 UNCH
4750	----	----	329.00B/----	329.00B/331.00A	----	330.20 + 13.00	.4236	----	----	----	----	1 UNCH
4755	----	----	331.40B/----	331.40B/333.40A	----	332.50 + 13.00	.4257	----	----	----	----	1 UNCH
4775	----	----	341.20B/----	341.20B/343.00A	----	341.90 + 13.10	.4342	----	----	----	----	1 UNCH
4800	----	----	353.60B/----	353.60B/355.40A	----	353.90 + 13.10	.4449	----	----	----	----	125 UNCH
4835	----	----	371.60B/----	371.60B/373.20A	----	371.20 + 13.20	.4599	----	----	----	----	1 UNCH
4840	----	----	374.20B/----	374.20B/375.80A	----	373.80 + 13.30	.4620	----	----	----	----	1 UNCH
5000	----	----	464.00B/----	464.00B/464.80A	----	461.50 + 14.30	.5296	----	----	----	----	10 UNCH
5005	----	----	467.00B/----	467.00B/467.90A	----	464.50 + 14.30	.5317	----	----	----	----	2 UNCH
5050	----	----	494.60B/----	494.60B/495.00A	----	491.80 NEW	.5500	----	----	1	----	1 + 1
5055	----	----	497.70B/----	497.70B/498.00A	----	494.90 NEW	.5521	----	----	1	----	1 + 1
5100	----	----	526.20B/----	526.20B/526.20A	----	523.40 + 15.70	.5700	----	----	----	----	2 UNCH
5150	----	----	558.90B/----	558.90B/558.50A	----	556.20 + 16.70	.5893	----	----	----	----	1 UNCH
5175	----	----	575.70B/----	575.70B/574.90A	----	573.10 + 17.20	.5988	----	----	----	----	125 UNCH
5200	----	----	592.70B/----	592.70B/591.80A	----	590.20 + 17.80	.6081	----	----	----	----	1 UNCH
5355	----	----	701.40B/----	701.40B/701.20A	----	701.80 + 21.30	.6620	----	----	----	----	1 UNCH
5520	----	----	822.30B/----	822.30B/825.50A	----	829.50 + 25.20	.7121	----	----	----	----	300 UNCH
5530	----	----	824.20B/----	824.20B/833.40A	----	837.50 + 25.40	.7150	----	----	----	----	100 UNCH
5550	----	----	829.60B/----	829.60B/849.10A	----	853.50 + 25.80	.7205	----	----	----	----	65 UNCH
5565	----	----	----	576.50B/1145.40A	----	865.60 + 26.10	.7245	----	----	----	----	50 UNCH
TOTAL										2		1297 + 2
MAR27												
5000	----	----	----	#250.10B/*649.70A	----	385.40 - 22.20	.5310	----	----	----	----	75 UNCH
TOTAL												75 0
APR27												
4300	----	----	----	----/*290.30A	----	223.10 + 10.30	.2640	----	----	----	----	150 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
APR27												
5000	----	----	----	#217.50B/*715.40A	----	541.40 + 20.40	.4928	----	----	----	----	100 UNCH
5060	----	----	----	#238.90B/*766.30A	----	575.60 + 21.30	.5125	----	----	----	----	25 UNCH
TOTAL												275 0
DEC27												
3700	----	----	----	----	----	158.10 + 5.30	.1465	----	----	----	----	100 UNCH
3715	----	----	----	----	----	161.10 + 5.30	.1489	----	----	----	----	150 UNCH
3820	----	----	----	----	----	183.40 + 6.00	.1665	----	----	----	----	50 UNCH
4130	----	----	----	----	----	260.40 + 8.30	.2246	----	----	----	----	168 UNCH
4500	----	----	----	----	----	383.20 + 11.70	.3068	----	----	----	----	270 UNCH
4630	----	----	----	----	----	437.00 + 12.90	.3383	----	----	----	----	284 UNCH
4860	----	----	----	----	----	546.40 + 15.30	.3957	----	----	----	----	100 UNCH
5000	----	----	----	----	----	620.40 + 16.70	.4308	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1020.00 + 23.30	.5815	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1182.60 + 25.40	.6283	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	623.90 + 16.00	.4205	----	----	----	----	1 UNCH
5100	----	----	----	----	----	678.40 + 17.00	.4444	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
1000	----	----	3,742.70B/3,683	3742.70B/3683.20A	----	3693.70 - 47.20	----	4	----	102	----	0 UNCH
3400	----	----	1,342.70B/1,283	1342.70B/1283.20A	----	1293.70 - 47.20	----	1	----	----	----	0 - 1
3600	----	----	1,142.70B/1,083	1142.70B/1083.20A	----	1093.70 - 47.20	----	10	----	----	----	0 - 10
3700	----	----	1,042.70B/983.2	1042.70B/983.20A	----	993.70 - 47.20	----	11	----	----	----	0 - 11
3855	----	----	887.80B/828.30A	887.80B/828.30A	----	838.70 - 47.20	----	2	----	----	----	0 - 2
3875	----	----	867.80B/808.30A	867.80B/808.30A	----	818.70 - 47.20	----	----	----	----	----	0 UNCH
3895	----	----	847.80B/788.30A	847.80B/788.30A	----	798.70 - 47.20	----	----	----	----	----	0 UNCH
3900	----	----	842.70B/783.30A	842.70B/783.30A	----	793.70 - 47.20	----	25	----	----	----	0 - 25
3950	----	----	792.80B/733.30A	792.80B/733.30A	----	743.70 - 47.20	----	10	----	----	----	0 - 10
3960	----	----	782.80B/723.30A	782.80B/723.30A	----	733.70 - 47.20	----	----	----	----	----	0 UNCH
3975	----	----	767.80B/708.30A	767.80B/708.30A	----	718.70 - 47.20	----	----	----	----	----	0 UNCH
3980	----	----	762.70B/703.30A	762.70B/703.30A	----	713.70 - 47.20	----	34	----	----	----	0 - 34
3995	----	----	747.70B/688.20A	747.70B/688.20A	----	698.70 - 47.20	----	----	----	----	----	0 UNCH
4000	----	----	742.70B/683.20A	742.70B/683.20A	----	693.70 - 47.20	----	6	----	----	----	0 - 6
4005	----	----	737.70B/678.20A	737.70B/678.20A	----	688.70 - 47.20	----	----	----	----	----	0 UNCH
4015	----	----	727.80B/668.20A	727.80B/668.20A	----	678.70 - 47.20	----	----	----	----	----	0 UNCH
4020	----	----	722.70B/663.20A	722.70B/663.20A	----	673.70 - 47.20	----	----	----	----	----	0 UNCH
4025	----	----	717.80B/658.20A	717.80B/658.20A	----	668.70 - 47.20	----	----	----	----	----	0 UNCH
4050	----	----	692.70B/633.20A	692.70B/633.20A	----	643.70 - 47.20	----	125	----	----	----	0 - 125
4070	----	----	672.70B/613.20A	672.70B/613.20A	----	623.70 - 47.20	----	25	----	----	----	0 - 25
4075	----	----	667.70B/608.20A	667.70B/608.20A	----	618.70 - 47.20	----	----	----	----	----	0 UNCH
4090	----	----	652.70B/593.20A	652.70B/593.20A	----	603.70 - 47.30	----	1	----	----	----	0 - 1
4100	----	----	642.70B/583.20A	642.70B/583.20A	----	593.70 - 47.30	----	14	----	----	----	0 - 14
4105	----	----	637.70B/578.20A	637.70B/578.20A	----	588.70 - 47.30	----	10	----	----	----	0 - 10
4120	----	----	622.70B/563.20A	622.70B/563.20A	----	573.70 - 47.30	----	288	----	----	----	0 - 288
4125	----	----	617.70B/558.20A	617.70B/558.20A	----	568.70 - 47.30	----	----	----	----	----	0 UNCH
4130	----	----	612.70B/553.20A	612.70B/553.20A	----	563.70 - 47.30	----	10	----	----	----	0 - 10
4135	----	----	607.70B/548.20A	607.70B/548.20A	----	558.70 - 47.30	----	----	----	----	----	0 UNCH
4145	----	----	597.70B/538.20A	597.70B/538.20A	----	548.70 - 47.30	----	1	----	----	----	0 - 1
4150	----	----	592.70B/533.20A	592.70B/533.20A	----	543.70 - 47.30	----	178	----	----	----	0 - 178
4155	----	----	587.70B/528.20A	587.70B/528.20A	----	538.70 - 47.30	----	----	----	----	----	0 UNCH
4165	----	----	577.70B/518.20A	577.70B/518.20A	----	528.70 - 47.40	----	----	----	----	----	0 UNCH
4170	----	----	572.70B/513.20A	572.70B/513.20A	----	523.70 - 47.40	----	6	----	----	----	0 - 6
4175	----	----	567.70B/508.20A	567.70B/508.20A	----	518.70 - 47.40	----	2	----	----	----	0 - 2
4180	----	----	562.70B/503.20A	562.70B/503.20A	----	513.70 - 47.40	----	120	----	----	----	0 - 120
4185	----	----	557.70B/498.20A	557.70B/498.20A	----	508.70 - 47.40	----	2	----	----	----	0 - 2
4190	----	----	552.70B/493.20A	552.70B/493.20A	----	503.70 - 47.40	----	1	----	----	----	0 - 1
4200	----	----	542.70B/483.20A	542.70B/483.20A	----	493.70 - 47.40	----	693	----	----	----	0 - 693
4205	----	----	537.70B/478.20A	537.70B/478.20A	----	488.70 - 47.40	----	4	----	----	----	0 - 4
4210	----	----	532.70B/473.20A	532.70B/473.20A	----	483.70 - 47.40	----	11	----	----	----	0 - 11
4220	----	----	522.70B/463.20A	522.70B/463.20A	----	473.70 - 47.40	----	----	----	----	----	0 UNCH
4240	----	----	502.70B/443.20A	502.70B/443.20A	----	453.70 - 47.50	----	21	----	----	----	0 - 21
4245	----	----	497.70B/438.20A	497.70B/438.20A	----	448.70 - 47.50	----	2	----	----	----	0 - 2
4250	----	----	492.70B/433.20A	492.70B/433.20A	----	443.70 - 47.50	----	277	----	----	----	0 - 277
4255	----	----	487.70B/428.20A	487.70B/428.20A	----	438.70 - 47.50	----	103	----	----	----	0 - 103
4260	----	----	482.70B/423.20A	482.70B/423.20A	----	433.70 - 47.50	----	8	----	----	----	0 - 8
4265	----	----	477.70B/418.20A	477.70B/418.20A	----	428.70 - 47.50	----	13	----	----	----	0 - 13
4270	----	----	472.80B/413.20A	472.80B/413.20A	----	423.70 - 47.60	----	29	----	----	----	0 - 29
4275	----	----	467.80B/408.20A	467.80B/408.20A	----	418.70 - 47.60	----	14	----	----	----	0 - 14
4280	----	----	462.80B/403.20A	462.80B/403.20A	----	413.70 - 47.60	----	1	----	----	----	0 - 1
4285	----	----	457.80B/398.20A	457.80B/398.20A	----	408.70 - 47.60	----	4	----	----	----	0 - 4
4290	----	----	452.80B/393.20A	452.80B/393.20A	----	403.70 - 47.60	----	44	----	----	----	0 - 44
4295	----	----	447.80B/388.20A	447.80B/388.20A	----	398.70 - 47.60	----	2	----	----	----	0 - 2
4300	----	----	442.80B/383.20A	442.80B/383.20A	----	393.70 - 47.70	----	1117	----	----	----	0 - 1117
4305	----	----	437.80B/378.20A	437.80B/378.20A	----	388.70 - 47.70	----	2	----	----	----	0 - 2
4315	----	----	427.80B/368.20A	427.80B/368.20A	----	378.70 - 47.70	----	3	----	----	----	0 - 3
4325	----	----	417.80B/358.20A	417.80B/358.20A	----	368.70 - 47.70	----	562	----	----	----	0 - 562
4330	----	----	412.80B/353.20A	412.80B/353.20A	----	363.70 - 47.80	----	26	----	----	----	0 - 26
4335	----	----	407.80B/348.20A	407.80B/348.20A	----	358.70 - 47.80	----	1	----	----	----	0 - 1
4340	----	----	402.80B/343.20A	402.80B/343.20A	----	353.70 - 47.80	----	4	----	----	----	0 - 4
4345	----	----	397.80B/338.20A	397.80B/338.20A	----	348.70 - 47.80	----	2	----	----	----	0 - 2
4350	----	----	392.80B/333.20A	392.80B/333.20A	----	343.70 - 47.90	----	249	----	----	----	0 - 249
4355	----	----	387.80B/328.20A	387.80B/328.20A	----	338.70 - 47.90	----	40	----	----	----	0 - 40
4360	----	----	382.80B/323.20A	382.80B/323.20A	----	333.70 - 47.90	----	349	----	----	----	0 - 349
4365	----	----	377.80B/318.20A	377.80B/318.20A	----	328.70 - 47.90	----	5	----	----	----	0 - 5
4370	----	----	372.80B/313.20A	372.80B/313.20A	----	323.70 - 47.90	----	75	----	----	----	0 - 75
4375	----	----	367.80B/308.20A	367.80B/308.20A	----	318.70 - 48.00	----	34	----	----	----	0 - 34
4380	----	----	362.80B/303.20A	362.80B/303.20A	----	313.70 - 48.00	----	12	----	----	----	0 - 12
4385	----	----	357.80B/298.20A	357.80B/298.20A	----	308.70 - 48.00	----	4	----	----	----	0 - 4
4390	----	----	352.80B/293.20A	352.80B/293.20A	----	303.70 - 48.10	----	10	----	----	----	0 - 10
4395	----	----	347.80B/288.20A	347.80B/288.20A	----	298.70 - 48.10	----	5	----	----	----	0 - 5
4400	----	----	342.80B/283.20A	342.80B/283.20A	----	293.70 - 48.10	----	1605	----	----	----	0 - 1605
4405	----	----	337.80B/278.20A	337.80B/278.20A	----	288.70 - 48.10	----	16	----	----	----	0 - 16
4410	----	----	332.80B/273.20A	332.80B/273.20A	----	283.70 - 48.20	----	44	----	----	----	0 - 44
4415	----	----	327.80B/268.20A	327.80B/268.20A	----	278.70 - 48.20	----	35	----	----	----	0 - 35
4420	----	----	322.80B/263.20A	322.80B/263.20A	----	273.70 - 48.20	----	50	----	----	----	0 - 50
4425	----	----	317.60B/258.20A	317.60B/258.20A	----	268.70 - 48.30	----	67	----	10	----	0 - 75
4430	----	----	312.60B/253.20A	312.60B/253.20A	----	263.70 - 48.30	----	16	----	----	----	0 - 16
4435	----	----	307.60B/248.20A	307.60B/248.20A	----	258.70 - 48.30	----	6	----	----	----	0 - 6
4440	----	----	302.60B/243.20A	302.60B/243.20A	----	253.70 - 48.40	----	60	----	----	----	0 - 60
4445	----	----	297.80B/238.20A	297.80B/238.20A	----	248.70 - 48.40	----	7	----	----	----	0 - 7
4450	----	----	292.60B/233.20A	292.60B/233.20A	----	243.70 - 48.40	----	270	----	----	----	0 - 270
4455	----	----	287.60B/228.20A	287.60B/228.20A	----	238.70 - 48.50	----	44	----	----	----	0 - 44
4460	----	----	282.80B/223.20A	282.80B/223.20A	----	233.70 - 48.50	----	27	----	----	----	0 - 27
4465	----	----	277.80B/218.20A	277.80B/218.20A	----	228.70 - 48.50	----	20	----	----	----	0 - 20
4470	----	----	272.80B/213.20A	272.80B/213.20A	----	223.70 - 48.60	----	53	----	----	----	0 - 53
4475	----	----	267.80B/208.20A	267.80B/208.20A	----	218.70 - 48.60	----	39	----	----	----	0 - 39
4480	----	----	262.90B/203.20A	262.90B/203.20A	----	213.70 - 48.60	----	117	----	----	----	0 - 117
4485	----	----	257.90B/198.20A	257.90B/198.20A	----	208.70 - 48.70	----	23	----	----	----	0 - 23
4490	----	----	252.90B/193.20A	252.90B/193.20A	----	203.70 - 48.70	----	19	----	----	----	0 - 19
4495	----	----	247.90B/188.20A	247.90B/188.20A	----	198.70 - 48.80	----	16	----	----	----	0 - 16
4500	215.50	215.50	243.10B/183.20A	243.10B/183.20A	----	193.70 - 48.80	----	1264	----	46	----	0 - 1268
4505	----	----	238.00B/178.20A	238.00B/178.20A	----	188.70 - 48.90	----	29	----	----	----	0 - 29
4510	----	----	233.00B/173.20A	233.00B/173.20A	----	183.70 - 48.90	----	46	----	----	----	0 - 46
4515	----	----	228.10B/168.20A	228.10B/168.20A	----	178.70 - 49.00	----	16	----	----	----	0 - 16
4520	----	----	223.10B/163.20A	223.10B/163.20A	----	173.70 - 49.00	----	20	----	----	----	0 - 20
4525	----	----	218.10B/158.20A	218.10B/158.20A	----	168.70 - 49.10	----	23	----	----	----	0 - 23
4530	----	----	213.10B/153.20A	213.10B/153.20A	----	163.70 - 49.10	----	37	----	----	----	0 - 37
4535	----	----	208.20B/148.30A	208.20B/148.30A	----	158.70 - 49.20	----	30	----	----	----	0 - 30
4540	----	----	203.20B/143.30A	203.20B/143.30A	----	153.70 - 49.30	----	20	----	----	----	0 - 20
4545	----	----	198.20B/138.30A	198.20B/138.30A	----	148.70 - 49.40	----	4	----	----	----	0 - 4
4550	140.00	140.00	193.30B/133.20A	193.30B/133.20A	----	143.70 - 49.40	----	363	----	2	----	0 - 365
4555	----	----	188.30B/128.30A	188.30B/128.30A	----	138.70 - 49.50	----	31	----	----	----	0 - 31
4560	----	----	183.40B/123.30A	183.40B/123.30A	----	133.70 - 49.60	----	35	----	----	----	0 - 35
4565	----	----	----/118.30A	178.40B/118.30A	----	128.70 - 49.70	----	49	----	----	----	0 - 49
4570	----	----	----/113.30A	173.40B/113.30A	----	123.70 - 49.80	----	205	----	----	----	0 - 205
4575	----	----	----/108.30A	168.50B/108.30A	----	118.70 - 50.00	----	69	----	----	----	0 - 69
4580	----	----	----/103.30A	163.50B/103.30A	----	113.70 - 50.10	----	6	----	----	----	0 - 6
4585	----	----	----/98.30A	158.50B/98.30A	----	108.70 - 50.20	----	100	----	----	----	0 - 100

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4590	----	----	----/93.30A	153.60B/93.30A	----	103.70 - 50.40	----	130	----	----	----	0 - 130
4595	----	----	----/88.30A	148.70B/88.30A	----	98.70 - 50.60	----	31	----	----	----	0 - 31
4600	88.90	88.90	91.20/83.30A	143.80B/83.30A	----	93.70 - 50.80	----	2630	----	53	----	0 - 2640
4605	----	----	----/78.30A	138.80B/78.30A	----	88.70 - 51.00	----	302	----	----	----	0 - 302
4610	----	----	----/73.40A	133.90B/73.40A	----	83.70 - 51.20	----	76	----	----	----	0 - 76
4615	----	----	----/68.40A	129.00B/68.40A	----	78.70 - 51.40	----	20	----	----	----	0 - 20
4620	----	----	----/63.40A	124.00B/63.40A	----	73.70 - 51.70	----	26	----	1	----	0 - 26
4625	----	----	----/58.40A	119.10B/58.40A	----	68.70 - 52.00	----	117	----	----	----	0 - 117
4630	----	----	----/53.60A	114.20B/53.60A	----	63.70 - 52.30	----	39	----	----	----	0 - 39
4635	----	----	----/*48.60A	109.40B/*48.60A	----	58.70 - 52.70	----	229	----	----	----	0 - 229
4640	----	----	----/*43.80A	104.50B/*43.80A	----	53.70 - 53.10	----	46	----	----	----	0 - 46
4645	----	----	----/*38.90A	99.60B/*38.90A	----	48.70 - 53.50	----	6	----	----	----	0 - 6
4650	----	----	----/*34.00A	94.90B/*34.00A	----	43.70 - 54.00	----	581	----	----	----	0 - 581
4655	----	----	----/*29.20A	90.10B/*29.20A	----	38.70 - 54.50	----	222	----	1	----	0 - 223
4660	51.00	51.00	51.00/*24.40A	85.30B/*24.40A	----	33.70 - 55.10	----	134	----	18	----	0 - 146
4665	----	----	----/*19.60A	80.50B/*19.60A	----	28.70 - 55.70	----	51	----	----	----	0 - 51
4670	----	----	----/*14.50A	75.80B/*14.50A	----	23.70 - 56.40	----	117	----	2	----	0 - 118
4675	----	----	----/*9.80A	71.20B/*9.80A	----	18.70 - 57.20	----	86	----	1	----	0 - 86
4680	42.40	42.40	42.40/*5.40A	66.70B/*5.40A	----	13.70 - 58.10	----	149	----	45	----	0 - 160
4685	27.70	27.70	62.10B/*2.30A	62.10B/*2.30A	----	8.70 - 59.00	----	161	----	35	----	0 - 159
4690	9.90	9.90	10.00/*1.00A	57.60B/*1.00A	----	3.70 - 60.00	----	86	----	92	----	0 - 50
4695	8.20	8.20	8.20/*0.20	53.30B/*0.20	----	0.00 - 59.90	----	----	----	45	----	0 - 58
4700	32.00	32.00	49.00B/*0.10	49.00B/*0.10	----	0.00 - 56.10	----	----	----	639	----	0 - 1946
4705	21.10	21.10	45.20B/*0.20A	45.20B/*0.20A	----	0.00 - 52.40	----	----	----	82	----	0 - 303
4710	20.50	20.50	41.30B/*0.10	41.30B/*0.10	----	0.00 - 48.80	----	----	----	480	----	0 - 224
4715	22.00	22.00	37.00B/*0.10A	37.00B/*0.10A	----	0.00 - 45.40	----	----	----	159	----	0 - 108
4720	17.90	17.90	33.90B/*0.10	33.90B/*0.10	----	0.00 - 42.10	----	----	----	206	----	0 - 275
4725	16.40	16.40	30.50B/*0.10	30.50B/*0.10	----	0.00 - 38.90	----	----	----	231	----	0 - 200
4730	20.00	20.00	27.10B/*0.10A	27.10B/*0.10A	----	0.00 - 35.80	----	----	----	52	----	0 - 79
4735	7.30	7.30	7.30/*0.10A	24.50B/*0.10A	----	0.00 - 32.90	----	----	----	38	----	0 - 42
4740	7.80	7.80	21.50B/*0.10	21.50B/*0.10	----	0.00 - 30.10	----	----	----	101	----	0 - 187
4745	14.00	14.00	18.80B/*0.10A	18.80B/*0.10A	----	0.00 - 27.50	----	----	----	56	----	0 - 71
4750	9.00	9.00	18.00/*0.10	18.00/*0.10	----	0.00 - 25.00	----	----	----	334	----	0 - 1052
4755	0.80	0.80	0.80/*0.10A	14.20B/*0.10A	----	0.00 - 22.70	----	----	----	49	----	0 - 96
4760	6.00	6.00	12.40B/*0.10A	12.40B/*0.10A	----	0.00 - 20.60	----	----	----	25	----	0 - 149
4765	3.90	3.90	3.90/*0.10A	10.50B/*0.10A	----	0.00 - 18.60	----	----	----	51	----	0 - 71
4770	4.70	4.70	8.90B/*0.10	8.90B/*0.10	----	0.00 - 16.80	----	----	----	68	----	0 - 107
4775	4.00	4.00	9.00/*0.10A	9.00/*0.10A	----	0.00 - 15.10	----	----	----	30	----	0 - 432
4780	5.00	5.00	6.50B/*0.10	6.50B/*0.10	----	0.00 - 13.70	----	----	----	44	----	0 - 79
4785	6.10	6.10	6.10/*0.10	6.10/*0.10	----	0.00 - 12.30	----	----	----	6	----	0 - 108
4790	1.20	1.20	4.80/*0.10A	4.80/*0.10A	----	0.00 - 11.10	----	----	----	11	----	0 - 222
4795	0.20	0.20	0.20/*0.10A	3.80B/*0.10A	----	0.00 - 9.90	----	----	----	5	----	0 - 85
4800	3.20	3.20	4.00/*0.10	4.00/*0.10	----	0.00 - 8.90	----	----	----	228	----	0 - 2539
4805	----	----	----/*0.10A	2.70B/*0.10A	----	0.00 - 8.00	----	----	----	----	----	0 - 103
4810	2.50	2.50	2.50/*0.10A	2.50/*0.10A	----	0.00 - 7.20	----	----	----	16	----	0 - 738
4815	1.70	1.70	2.00B/*0.10	2.00B/*0.10	----	0.00 - 6.40	----	----	----	5	----	0 - 56
4820	0.70	0.70	0.70/*0.10A	1.80B/*0.10A	----	0.00 - 5.80	----	----	----	14	----	0 - 202
4825	0.80	0.80	0.80/*0.10A	1.50B/*0.10A	----	0.00 - 5.20	----	----	----	17	----	0 - 388
4830	0.30	0.30	0.40/*0.10A	1.30B/*0.10A	----	0.00 - 4.60	----	----	----	16	----	0 - 101
4835	0.20	0.20	0.20/*0.10A	1.10B/*0.10A	----	0.00 - 4.20	----	----	----	100	----	0 - 70
4840	1.30	1.30	1.30/*0.10A	1.30/*0.10A	----	0.00 - 3.80	----	----	----	3	----	0 - 209
4845	2.00	2.00	2.00/*0.10A	2.00/*0.10A	----	0.00 - 3.40	----	----	----	1	----	0 - 190
4850	1.70	1.70	1.70/*0.10	1.70/*0.10	----	0.00 - 3.10	----	----	----	77	----	0 - 1408
4855	0.70	0.70	0.70/*0.10A	0.70/*0.10A	----	0.00 - 2.80	----	----	----	3	----	0 - 163
4860	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 2.60	----	----	----	----	----	0 - 179
4865	0.80	0.80	0.80/*0.10A	0.80/*0.10A	----	0.00 - 2.30	----	----	----	6	----	0 - 201
4870	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 2.10	----	----	----	2	----	0 - 197
4875	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 1.90	----	----	----	----	----	0 - 386
4880	0.60	0.60	0.60/*0.10	0.60/*0.10	----	0.00 - 1.80	----	----	----	45	----	0 - 132
4885	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 1.60	----	----	----	1	----	0 - 67
4890	1.00	1.00	1.00/*0.10A	1.00/*0.10A	----	0.00 - 1.50	----	----	----	1	----	0 - 95
4895	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.40	----	----	----	----	----	0 - 120
4900	0.80	0.80	0.80/*0.10	0.80/*0.10	----	0.00 - 1.30	----	----	----	28	----	0 - 2028
4905	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 50
4910	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 101
4915	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 198
4920	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 167
4925	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 415
4930	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 254
4935	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 61
4940	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 26
4945	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 88
4950	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 1356
4955	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 39
4960	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 46
4965	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 63
4970	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 59
4975	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 291
4980	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.50	----	----	----	1	----	0 - 229
4985	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 178
4990	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 62
4995	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 138
5000	0.10	0.10	0.20/*0.10	0.20/*0.10	----	0.00 - 0.40	----	----	----	25	----	0 - 3372
5005	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 31
5010	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	5	----	0 - 124
5015	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 66
5020	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 90
5025	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 288
5030	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 324
5035	----	----	----/0.20A	----/0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 39
5040	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 190
5045	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 925
5050	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.20	----	----	----	1	----	0 - 1697
5055	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 87
5060	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 93
5065	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 25
5070	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 65
5075	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 67
5080	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 322
5085	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 328
5090	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 345
5095	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
5100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2305
5105	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 76
5110	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 455
5115	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 97
5120	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 53
5125	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 450
5130	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 90
5135	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 188
5140	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 261
5145	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 77
5150	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1465
5155	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 90
5160	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 290
5165	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 67
5170	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 205
5175	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 270
5180	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 45
5185	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 38
5190	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 344
5195	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 38
5200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2529
5205	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 29
5210	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 54
5215	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 64
5220	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 272
5225	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 183
5230	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 46
5235	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 73
5240	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 93
5245	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 58
5250	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1857
5255	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
5260	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 120
5265	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 62
5270	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 95

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
5275	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 202
5280	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 287
5285	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
5290	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 65
5295	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 69
5300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2044
5305	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 48
5310	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 36
5315	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
5320	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 360
5325	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 110
5330	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 42
5335	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 243
5340	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 134
5345	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 65
5350	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	6	----	0 - 824
5355	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 29
5360	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 106
5365	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
5370	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 125
5375	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 403
5380	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 77
5385	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 117
5390	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 100
5395	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 39
5400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2639
5405	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 63
5410	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 155
5415	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
5420	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 143
5425	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 100
5430	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 22
5435	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
5440	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 62
5445	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 116
5450	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 542
5455	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 153
5460	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 37
5465	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 38
5470	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 253
5475	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
5480	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 34
5485	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 41
5490	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
5495	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 52
5500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3998
5505	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 92
5510	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 64
5515	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
5520	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 204
5525	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 85
5530	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 65
5535	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
5540	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
5545	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5550	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 854
5555	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
5560	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
5565	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 46
5570	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 556
5575	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 238
5580	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 139
5585	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
5590	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 93
5595	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 17
5600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2955
5610	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 462
5620	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 137
5625	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 261
5630	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 151
5640	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 552
5650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 703
5660	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 262
5670	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 43
5675	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5680	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 94
5690	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 178
5700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1830
5710	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 50
5720	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
5725	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 431
5730	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 120
5740	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 55
5750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 309
5760	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 63
5770	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
5775	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 70
5780	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
5790	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 38
5800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 989
5810	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 37
5820	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 50
5825	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 112
5830	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 138
5840	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 89
5850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 330
5860	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 68
5870	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 17
5875	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 123
5880	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 24
5890	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
5900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 773
5910	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 61
5920	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 113
5930	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 136
5940	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 59
5950	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 377
5960	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 45
5970	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 37
5980	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 136
5990	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 89
6000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3496
6025	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 86
6050	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 103
6075	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
6100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 527
6125	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 48
6150	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 132
6175	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 128
6200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 374
6225	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 138
6250	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 278
6275	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 34
6300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 274
6325	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 148
6350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 203
6375	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 24
6400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 333
6425	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 42
6450	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 49
6475	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 68
6500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1575
6525	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
6550	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 75
6575	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
6600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 71
6625	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 38

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
6650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 57
6675	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 29
6700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 381
6725	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 101
6750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 64
6775	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
6800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 616
6825	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
6850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 32
6875	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
6900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 553
6925	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
6950	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 34
6975	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
7000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 823
7025	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 402
7050	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
7075	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 86
7100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 106
7125	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
7150	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
7175	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 37
7200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 97
7225	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
7250	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 42
7275	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
7300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
7325	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
7350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
7375	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
7400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
7450	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
7475	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 11
7500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 350
7525	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 42
7575	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
7600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 89
7625	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
7650	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
7675	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 36
7700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 77
7725	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
7750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
7775	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
7800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
7825	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
7850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
7875	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
7900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
7950	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 39
7975	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
8000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1098
8100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 54
8200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1081
8300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 37
8400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
8500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 74
8600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
8700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
8800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
8900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
9000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 332
9100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
9200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
9300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
9400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
9500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 53
9600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
9700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
9800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
9900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 31
10000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 767
15000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 133
TOTAL										102	----	0 - 100833
										3827		
JUN26												
1995	----	----	----	----	----	2698.70 - 47.20	1.0000	----	----	----	----	0 UNCH
2000	----	----	----/2,689.10A	2713.70B/2689.10A	----	2693.70 - 47.20	1.0000	1905	----	1905	----	422 UNCH
2005	----	----	----	----	----	2688.70 - 47.20	1.0000	----	----	----	----	0 UNCH
2795	----	----	----	----	----	1898.70 - 47.20	.9991	----	----	----	----	0 UNCH
2800	----	----	----/1,886.50A	1914.20B/1886.50A	----	1893.70 - 47.20	.9991	1100	----	1100	----	500 UNCH
2805	----	----	----	----	----	1888.70 - 47.20	.9991	----	----	----	----	0 UNCH
2995	----	----	----	----	----	1698.70 - 47.20	.9973	----	----	----	----	0 UNCH
3000	----	----	----/1,688.70A	1714.30B/1688.70A	----	1693.70 - 47.20	.9973	449	----	700	----	400 UNCH
3005	----	----	----	----	----	1688.70 - 47.20	.9973	----	----	----	----	0 UNCH
3400	----	----	----/1,287.70A	1316.00B/1287.70A	----	1294.30 - 46.90	.9920	50	----	105	----	766 + 55
3500	----	----	----/1,189.80A	1214.00B/1189.80A	----	1194.60 - 46.90	.9899	----	----	----	----	57 UNCH
3525	----	----	----	----	----	1169.80 - 46.80	.9893	----	----	----	----	1 UNCH
3550	----	----	----	----	----	1144.90 - 46.90	.9887	----	----	----	----	1 UNCH
3580	----	----	----/1,110.10A	1134.40B/1110.10A	----	1115.10 - 46.80	.9877	----	----	----	----	18 UNCH
3585	----	----	----/1,105.20A	1129.40B/1105.20A	----	1110.10 - 46.90	.9877	----	----	----	----	100 UNCH
3600	----	----	----/1,090.20A	1114.40B/1090.20A	----	1095.20 - 46.80	.9872	----	----	----	----	214 UNCH
3635	----	----	----/1,055.40A	1079.60B/1055.40A	----	1060.40 - 46.90	.9857	----	----	----	----	60 UNCH
3650	----	----	----/1,040.50A	1064.70B/1040.50A	----	1045.50 - 46.90	.9852	----	----	----	----	143 UNCH
3665	----	----	----/1,024.80A	1049.80B/1024.80A	----	1030.60 - 46.90	.9846	----	----	----	----	3 UNCH
3700	----	----	----/989.50A	1016.00B/989.50A	----	995.90 - 46.80	.9834	----	----	----	----	389 UNCH
3715	----	----	----/975.10A	1000.10B/975.10A	----	981.00 - 46.90	.9828	----	----	----	----	25 UNCH
3725	----	----	----/965.90A	990.20B/965.90A	----	971.10 - 46.80	.9823	----	----	----	----	212 UNCH
3750	----	----	----/938.50A	967.60B/938.50A	----	946.30 - 46.90	.9811	----	----	----	----	1109 UNCH
3755	----	----	----/936.10A	960.40B/936.10A	----	941.30 - 46.90	.9810	----	----	----	----	15 UNCH
3785	----	----	----/906.40A	930.60B/906.40A	----	911.60 - 46.90	.9798	----	----	----	----	170 UNCH
3790	----	----	----	----	----	906.60 - 46.90	.9793	----	----	----	----	1 UNCH
3800	----	----	----/889.10A	918.00B/889.10A	----	896.70 - 46.90	.9787	----	----	----	----	545 UNCH
3835	----	----	----	----	----	862.00 - 47.00	.9769	----	----	----	----	1 UNCH
3840	----	----	----/851.90A	876.10B/851.90A	----	857.10 - 47.00	.9767	----	----	----	----	21 UNCH
3850	----	----	----/840.60A	867.30B/840.60A	----	847.20 - 47.00	.9761	----	----	----	----	322 UNCH
3875	----	----	----/817.20A	841.50B/817.20A	----	822.40 - 47.10	.9744	----	----	----	----	60 UNCH
3895	----	----	----	----	----	802.70 - 47.10	.9731	----	----	----	----	1 UNCH
3900	----	----	----/791.20A	817.80B/791.20A	----	797.70 - 47.20	.9729	----	----	----	----	363 UNCH
3925	----	----	----/767.90A	792.10B/767.90A	----	773.10 - 47.10	.9707	----	----	----	----	4 UNCH
3950	----	----	----/743.30A	767.50B/743.30A	----	748.50 - 47.10	.9687	----	----	----	----	14 UNCH
3975	----	----	----/718.70A	742.90B/718.70A	----	723.90 - 47.20	.9663	----	----	----	----	106 UNCH
3990	----	----	----	----	----	709.10 - 47.30	.9649	----	----	----	----	1 UNCH
3995	----	----	----/699.00A	723.20B/699.00A	----	704.20 - 47.30	.9643	----	----	----	----	5 UNCH
4000	----	----	747.50B/689.30A	747.50B/689.30A	----	699.30 - 47.30	.9638	----	----	----	----	860 UNCH
4005	----	----	742.50B/684.80A	742.50B/684.80A	----	694.40 - 47.30	.9632	----	----	----	----	10 UNCH
4010	----	----	737.60B/680.00A	737.60B/680.00A	----	689.50 - 47.30	.9626	----	----	----	----	1 UNCH
4020	----	----	727.80B/670.20A	727.80B/670.20A	----	679.70 - 47.30	.9614	----	----	----	----	2 UNCH
4025	----	----	722.90B/665.00A	722.90B/665.00A	----	674.80 - 47.30	.9607	----	----	----	----	51 UNCH
4030	----	----	718.00B/660.00A	718.00B/660.00A	----	669.90 - 47.30	.9601	----	----	----	----	1 UNCH
4040	----	----	708.20B/650.20A	708.20B/650.20A	----	660.20 - 47.30	.9589	----	----	----	----	1 UNCH
4050	----	----	698.40B/640.70A	698.40B/640.70A	----	650.40 - 47.30	.9576	----	----	----	----	185 UNCH
4060	----	----	688.40B/631.10A	688.40B/631.10A	----	640.60 - 47.40	.9560	----	----	----	----	25 UNCH
4070	----	----	678.90B/620.90A	678.90B/620.90A	----	630.90 - 47.30	.9546	----	----	----	----	10 UNCH
4075	----	----	674.00B/616.30A	674.00B/616.30A	----	626.00 - 47.40	.9536	----	----	----	----	64 UNCH
4090	----	----	659.40B/601.50A	659.40B/601.50A	----	611.50 - 47.30	.9512	----	----	----	----	34 UNCH
4100	----	----	649.70B/592.20A	649.70B/592.20A	----	601.70 - 47.40	.9498	----	----	----	----	682 UNCH
4105	----	----	644.60B/587.00A	644.60B/587.00A	----	596.90 - 47.40	.9487	----	----	----	----	50 UNCH
4110	----	----	640.00B/582.30A	640.00B/582.30A	----	592.10 - 47.30	.9480	----	----	----	----	2 UNCH
4115	----	----	635.10B/577.70A	635.10B/577.70A	----	587.20 - 47.40	.9469	----	----	----	----	5 UNCH
4125	----	----	625.50B/567.70A	625.50B/567.70A	----	577.50 - 47.40	.9451	----	----	----	----	95 UNCH
4135	----	----	615.80B/558.40A	615.80B/558.40A	----	567.90 - 47.40	.9432	----	----	----	----	16 UNCH
4150	----	----	601.10B/543.70A	601.10B/543.70A	----	553.40 - 47.50	.9398	----	----	----	----	263 UNCH
4155	----	----	596.50B/539.30A	596.50B/539.30A	----	548.60 - 47.50	.9390	----	----	----	----	5 UNCH
4170	----	----	582.10B/524.80A	582.10B/524.80A	----	534.20 - 47.50	.9355	----	----	----	----	51 UNCH
4175	----	----	577.30B/520.30A	577.30B/520.30A	----	529.50 - 47.40	.9343	----	----	----	----	61 UNCH
4195	----	----	558.10B/501.00A	558.10B/501.00A	----	510.40 - 47.40	.9291	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4200	----	----	553.30B/496.60A	553.30B/496.60A	----	505.60 - 47.40	.9278	----	----	65	----	2077 UNCH
4210	----	----	543.70B/486.90A	543.70B/486.90A	----	496.10 - 47.40	.9250	----	----	65	----	1576 UNCH
4220	----	----	534.30B/477.40A	534.30B/477.40A	----	486.60 - 47.50	.9220	----	----	----	----	84 UNCH
4225	----	----	529.70B/472.70A	529.70B/472.70A	----	481.90 - 47.40	.9204	----	----	----	----	15 UNCH
4235	----	----	520.00B/463.50A	520.00B/463.50A	----	472.50 - 47.40	.9170	----	----	----	----	6 UNCH
4240	----	----	----/459.00A	515.10B/459.00A	----	467.80 - 47.40	.9154	----	----	----	----	53 UNCH
4245	----	----	----/454.20A	510.40B/454.20A	----	463.10 - 47.40	.9136	----	----	----	----	263 UNCH
4250	----	----	----/449.40A	505.70B/449.40A	----	458.40 - 47.40	.9119	----	----	----	----	922 UNCH
4255	----	----	501.20B/445.00A	501.20B/445.00A	----	453.70 - 47.40	.9102	----	----	----	----	6 UNCH
4260	----	----	----/440.20A	496.40B/440.20A	----	449.10 - 47.30	.9085	----	----	----	----	1 UNCH
4265	----	----	----/435.50A	491.70B/435.50A	----	444.40 - 47.40	.9067	----	----	----	----	87 UNCH
4270	----	----	----/431.00A	487.10B/431.00A	----	439.70 - 47.40	.9046	----	----	----	----	11 UNCH
4280	----	----	----/421.80A	477.80B/421.80A	----	430.50 - 47.30	.9007	----	----	----	----	1 UNCH
4285	----	----	----/417.50A	472.90B/417.50A	----	425.90 - 47.30	.8985	----	----	----	----	1 UNCH
4300	----	----	----/403.40A	459.10B/403.40A	----	412.10 - 47.20	.8923	----	----	1	----	2117 UNCH
4305	----	----	----/399.00A	454.50B/399.00A	----	407.50 - 47.20	.8901	----	----	----	----	1 UNCH
4310	----	----	----/394.70A	449.90B/394.70A	----	402.90 - 47.20	.8875	----	----	----	----	23 UNCH
4315	----	----	----/390.00A	445.30B/390.00A	----	398.40 - 47.10	.8853	----	----	----	----	1 UNCH
4320	----	----	----/385.50A	440.70B/385.50A	----	393.80 - 47.10	.8827	----	----	----	----	62 UNCH
4325	382.50	382.50	382.50/381.10A	436.10B/381.10A	----	389.30 - 47.10	.8804	----	----	1	----	73 + 1
4335	----	----	----/372.20A	426.90B/372.20A	----	380.30 - 47.00	.8752	----	----	----	----	13 UNCH
4340	----	----	----/367.50A	422.40B/367.50A	----	375.80 - 46.90	.8725	----	----	----	----	17 UNCH
4345	----	----	----/363.20A	417.80B/363.20A	----	371.30 - 46.90	.8698	----	----	----	----	2 UNCH
4350	----	----	----/358.70A	413.30B/358.70A	----	366.80 - 46.90	.8671	----	----	----	----	1457 UNCH
4355	----	----	----/354.40A	408.80B/354.40A	----	362.40 - 46.80	.8641	----	----	----	----	129 UNCH
4360	----	----	----/349.20A	404.20B/349.20A	----	358.00 - 46.70	.8614	----	----	----	----	42 UNCH
4365	----	----	----/345.70A	399.70B/345.70A	----	353.50 - 46.80	.8584	----	----	----	----	4 UNCH
4370	----	----	----/341.30A	395.20B/341.30A	----	349.10 - 46.70	.8553	----	----	----	----	3 UNCH
4375	----	----	----/336.10A	390.70B/336.10A	----	344.70 - 46.60	.8522	----	----	----	----	106 UNCH
4380	----	----	----/331.70A	386.30B/331.70A	----	340.40 - 46.50	.8491	----	----	----	----	341 UNCH
4385	----	----	----/328.30A	381.80B/328.30A	----	336.00 - 46.50	.8460	----	----	----	----	3 UNCH
4390	----	----	----/323.30A	377.40B/323.30A	----	331.70 - 46.40	.8425	----	----	----	----	16 UNCH
4395	----	----	----/319.80A	372.90B/319.80A	----	327.40 - 46.30	.8394	----	----	----	----	10 UNCH
4400	----	----	----/314.40A	368.50B/314.40A	----	323.10 - 46.20	.8359	----	----	----	----	1456 UNCH
4410	----	----	----/306.30A	359.70B/306.30A	----	314.50 - 46.10	.8286	----	----	----	----	39 UNCH
4415	----	----	----/302.00A	355.40B/302.00A	----	310.20 - 46.10	.8251	----	----	----	----	176 UNCH
4420	----	----	----/298.70A	351.00B/298.70A	----	306.00 - 46.00	.8213	----	----	----	----	3 UNCH
4425	----	----	----/293.70A	346.70B/293.70A	----	301.80 - 45.90	.8177	----	----	----	----	274 UNCH
4430	----	----	----/289.60A	342.40B/289.60A	----	297.60 - 45.80	.8138	----	----	----	----	19 UNCH
4435	----	----	----/285.90A	338.10B/285.90A	----	293.40 - 45.70	.8099	----	----	----	----	19 UNCH
4440	----	----	----/281.40A	333.80B/281.40A	----	289.30 - 45.60	.8058	----	----	----	----	20 UNCH
4445	----	----	----/278.00A	329.50B/278.00A	----	285.20 - 45.40	.8018	----	----	----	----	5 UNCH
4450	----	----	----/273.20A	325.20B/273.20A	----	281.00 - 45.40	.7976	----	----	----	----	497 UNCH
4455	----	----	----/269.80A	321.00B/269.80A	----	277.00 - 45.20	.7934	----	----	----	----	6 UNCH
4460	----	----	----/265.30A	316.80B/265.30A	----	272.90 - 45.10	.7892	----	----	----	----	20 UNCH
4465	----	----	----/261.30A	312.60B/261.30A	----	268.90 - 45.00	.7847	----	----	----	----	18 UNCH
4470	----	----	----/257.40A	308.40B/257.40A	----	264.80 - 44.90	.7801	----	----	----	----	24 UNCH
4475	----	----	----/253.50A	304.30B/253.50A	----	260.80 - 44.80	.7756	----	----	----	----	22 UNCH
4480	----	----	----/249.60A	300.10B/249.60A	----	256.90 - 44.60	.7710	----	----	----	----	59 UNCH
4485	----	----	----/246.10A	296.00B/246.10A	----	252.90 - 44.60	.7664	----	----	----	----	6 UNCH
4490	----	----	----/241.80A	291.90B/241.80A	----	249.00 - 44.40	.7616	----	----	----	----	51 UNCH
4495	----	----	----/238.50A	287.90B/238.50A	----	245.10 - 44.30	.7567	----	----	----	----	6 UNCH
4500	----	----	----/234.10A	283.80B/234.10A	----	241.20 - 44.10	.7518	----	----	4	----	4362 - 4
4505	----	----	----/230.40A	279.80B/230.40A	----	237.40 - 43.90	.7469	----	----	----	----	49 UNCH
4510	----	----	----/226.60A	275.70B/226.60A	----	233.50 - 43.90	.7418	----	----	----	----	1475 UNCH
4515	----	----	----/223.00A	271.70B/223.00A	----	229.70 - 43.70	.7367	----	----	----	----	93 UNCH
4520	----	----	----/219.30A	267.80B/219.30A	----	226.00 - 43.50	.7315	----	----	----	----	51 UNCH
4525	----	----	----/215.60A	263.80B/215.60A	----	222.20 - 43.40	.7263	----	----	----	----	232 UNCH
4530	----	----	----/212.30A	259.90B/212.30A	----	218.50 - 43.20	.7209	----	----	----	----	13 UNCH
4535	----	----	----/208.70A	256.00B/208.70A	----	214.80 - 43.10	.7154	----	----	----	----	12 UNCH
4540	----	----	----/204.80A	252.10B/204.80A	----	211.20 - 42.80	.7100	----	----	----	----	78 UNCH
4545	----	----	----/201.20A	248.20B/201.20A	----	207.50 - 42.70	.7043	----	----	----	----	32 UNCH
4550	----	----	----/197.70A	244.50B/197.70A	----	203.90 - 42.50	.6987	----	----	----	----	219 UNCH
4555	----	----	----/194.40A	240.60B/194.40A	----	200.40 - 42.30	.6930	----	----	----	----	9 UNCH
4560	----	----	----/190.80A	236.80B/190.80A	----	196.80 - 42.10	.6871	----	----	----	----	158 UNCH
4565	----	----	----/187.40A	233.10B/187.40A	----	193.30 - 41.90	.6814	----	----	----	----	104 UNCH
4570	----	----	----/183.90A	229.40B/183.90A	----	189.80 - 41.80	.6754	----	----	----	----	35 UNCH
4575	----	----	----/180.60A	225.70B/180.60A	----	186.40 - 41.50	.6694	----	----	----	----	65 UNCH
4580	----	----	----/177.30A	222.00B/177.30A	----	183.00 - 41.30	.6633	----	----	----	----	8 UNCH
4585	----	----	----/174.00A	218.40B/174.00A	----	179.60 - 41.10	.6572	----	----	----	----	15 UNCH
4590	----	----	----/170.70A	214.70B/170.70A	----	176.30 - 40.80	.6510	----	----	----	----	79 UNCH
4595	----	----	----/167.60A	211.20B/167.60A	----	172.90 - 40.70	.6447	----	----	----	----	13 UNCH
4600	168.00	168.00	171.80/164.20A	207.70B/164.20A	----	169.70 - 40.40	.6384	----	----	26	----	5163 + 15
4605	----	----	----/161.20A	204.20B/161.20A	----	166.40 - 40.20	.6321	----	----	----	----	153 UNCH
4610	----	----	----/157.90A	200.60B/157.90A	----	163.20 - 39.90	.6257	----	----	----	----	3 UNCH
4615	----	----	----/154.90A	197.20B/154.90A	----	160.00 - 39.70	.6192	----	----	----	----	3 UNCH
4620	----	----	----/151.60A	193.80B/151.60A	----	156.90 - 39.40	.6126	----	----	----	----	20 UNCH
4625	----	----	----/148.60A	190.30B/148.60A	----	153.80 - 39.20	.6061	----	----	----	----	196 UNCH
4630	----	----	----/145.60A	187.00B/145.60A	----	150.70 - 38.90	.5994	----	----	----	----	55 UNCH
4635	----	----	----/142.70A	183.60B/142.70A	----	147.70 - 38.60	.5927	----	----	----	----	6 UNCH
4640	----	----	----/139.60A	180.40B/139.60A	----	144.70 - 38.40	.5860	----	----	----	----	21 UNCH
4645	----	----	----/136.70A	177.10B/136.70A	----	141.70 - 38.10	.5793	----	----	----	----	13 UNCH
4650	149.20	149.20	149.20/133.80A	173.90B/133.80A	----	138.80 - 37.80	.5724	----	----	17	----	916 + 11
4655	----	----	----/131.10A	170.70B/131.10A	----	135.90 - 37.60	.5656	----	----	----	----	28 UNCH
4660	----	----	----/128.20A	167.50B/128.20A	----	133.00 - 37.30	.5587	----	----	----	----	25 UNCH
4665	----	----	----/125.50A	164.40B/125.50A	----	130.20 - 37.00	.5518	----	----	----	----	2 UNCH
4670	123.80	123.80	123.80/122.80A	161.30B/122.80A	----	127.40 - 36.80	.5449	----	----	2	----	152 + 1
4675	120.60	120.60	123.40/120.10A	158.30B/120.10A	----	124.60 - 36.50	.5379	----	----	13	----	516 + 5
4680	132.70	132.70	132.70/117.50A	155.20B/117.50A	----	121.90 - 36.20	.5309	----	----	18	----	248 + 13
4685	119.10	119.10	119.40/114.90A	152.60B/114.90A	----	119.30 - 35.80	.5239	----	----	11	----	41 + 9
4690	116.30	116.30	119.50/112.30A	149.60B/112.30A	----	116.60 - 35.60	.5168	----	----	33	----	56 + 18
4695	----	----	----/*109.80A	146.70B/*109.80A	----	114.00 - 35.30	.5098	----	----	----	----	51 UNCH
4700	121.50	121.50	143.80B/107.40A	143.80B/107.40A	----	111.50 - 34.90	.5027	----	----	211	----	3417 + 96
4705	109.70	109.70	110.80/*104.90A	141.00B/*104.90A	----	109.00 - 34.60	.4956	----	----	30	----	39 + 22
4710	117.90	117.90	117.90/102.50A	138.10B/102.50A	----	106.50 - 34.30	.4885	----	----	15	----	24 + 10
4715	104.20	104.20	104.20/*100.20A	135.40B/*100.20A	----	104.10 - 33.90	.4815	----	----	22	----	21 + 4
4720	109.50	109.50	110.40/97.90A	132.60B/97.90A	----	101.70 - 33.60	.4744	----	----	103	----	309 + 80
4725	115.60	115.60	129.90B/95.50A	129.90B/95.50A	----	99.30 - 33.30	.4673	----	----	41	----	342 + 11
4730	119.80	119.80	119.80/93.20A	127.20B/93.20A	----	97.00 - 32.90	.4602	----	----	18	----	53 + 14
4735	103.20	103.20	103.20/*90.90A	124.50B/*90.90A	----	94.70 - 32.60	.4531	----	----	9	----	244 + 5
4740	96.30	96.30	96.30/88.70A	121.90B/88.70A	----	92.50 - 32.20	.4461	----	----	16	----	45 - 1
4745	111.70	111.70	119.40B/*86.50A	119.40B/*86.50A	----	90.30 - 31.80	.4390	----	----	24	----	35 + 18
4750	102.00	102.00	116.80B/84.00	116.80B/84.00	----	88.10 - 31.40	.4319	----	----	165	----	2027 - 75
4755	86.00	86.00	86.00/*82.20A	114.40B/*82.20A	----	86.00 - 31.00	.4250	----	----	7	----	113 + 7
4760	83.40	83.40	85.00/*80.10A	111.90B/*80.10A	----	83.90 - 30.70	.4180	----	----	22	----	62 - 3
4765	----	----	----/*78.00A	109.50B/*78.00A	----	81.90 - 30.30	.4110	----	----	----	----	68 UNCH
4770	97.20	97.20	107.10B/*76.00A	107.10B/*76.00A	----	79.90 - 29.90	.4041	----	----	28	----	57 + 4
4775	98.20	98.20	98.20/74.10A	104.70B/74.10A	----	77.90 - 29.50	.3972	----	----	12	----	204 + 7
4780	73.90	73.90	75.20/*72.10A	102.40B/*72.10A	----	76.00 - 29.10	.3904	----	----	12	----	129 UNCH
4785	73.70	73.70	74.50/*70.20A	100.20B/*70.20A	----	74.10 - 28.70	.3835	----	----	13	----	53 + 11
4790	71.80	71.80	71.80/*68.40A	97.90B/*68.40A	----	72.20 - 28.30	.3767	----	----	7	----	43 - 2
4795	70.60	70.60	70.80/*66.60A	95.70B/*66.60A	----	70.40 - 27.90	.3700	----	----	24	----	66 + 18
4800	75.00	75.00	93.60B/64.80A	93.60B/64.80A	----	68.60 - 27.50	.3633	----	----	1057	200	4259 + 502
4805	74.20	74.20	74.20/*63.10A	91.40B/*63.10A	----	66.90 - 27.10	.3567	----	----	15	----	42 + 13
4810	65.70	65.70	65.70/*61.30A	89.30B/*61.30A	----	65.10 - 26.80	.3500	----	----	7	----	85 + 5
4815	----	----	----/*59.70A	87.30B/*59.70A	----	63.50 - 26.30	.3436	----	----	----	----	89 UNCH
4820	63.10	63.10	63.10/*58.10A	85.20B/*58.10A	----	61.80 - 26.00	.3370	----	----	29	----	96 + 19
4825	58.80	58.80	60.20/56.50A	83.30B/56.50A	----	60.20 - 25.60	.3305	----	----	21	----	667 - 10
4830	58.50	58.50	58.90/*55.00A	81.30B/*55.00A	----	58.60 - 25.30	.3241	----	----	34	----	133 + 25
4835	57.50	57.50	57.50/*53.40A	79.50B/*53.40A	----	57.00 - 25.00	.3177	----	----	4	----	7 + 2
4840	55.90	55.90	55.90/*52.00A	77.50B/*52.00A	----	55.50 - 24.60	.3114	----	----	1	----	61 + 1
4845	52.60	52.60	55.40/*50.50A	75.70B/*50.50A	----	54.00 - 24.20	.3052	----	----	14	----	30 + 9
4850	71.70	71.70	71.70/49.10A	73.90B/49.10A	----	52.60 - 23.80	.2991	----	----	213	----	2146 + 15
4855	51.90	51.90	51.90/*47.80A	72.00B/*47.80A	----	51.10 - 23.50	.2929	----	----	4	----	281 UNCH
4860	50.00	50.00	50.00/*46.40A	70.40B/*46.40A	----	49.80 - 23.10	.2870	----	----	5	----	64 + 2
4865	48.90	48.90	48.90/*45.10A	68.70B/*45.10A	----	48.40 - 22.80	.2810	----	----	16	----	70 + 15
4870	----	----	----/*43.90A	67.00B/*43.90A	----	47.10 - 22.40	.2752	----	----	1	----	29 UNCH
4875	58.50	58.50	58.80/42.60A	65.30B/42.60A	----	45.80 - 22.10	.2693	----	----	20	----	126 - 1
4880	----	----	----/*41.40A	63.70B/*41.40A	----	44.60 - 21.60	.2638	----	----	----	----	73 UNCH
4885	----	----	----/*40.30A	62.00B/*40.30A	----	43.40 - 21.20	.2582	----	----	----	----	262 UNCH
4890	49.20	49.20	49.20/*39.10A	60.60B/*39.10A	----	42.20 - 20.90	.2526	----	----	2	----	306 + 2
4895	42.00	42.00	42.00/*38.00A	59.10B/*38.00A	----	41.10 - 20.50	.2473	----	----	1	----	215 + 1
4900	53.50	53.50	57.40B/36.90A	57.40B/36.90A	----	40.00 - 20.10	.2420	----	----	696	200	4611 + 357
4905	----	----	----/*35.90A	56.00B/*35.90A	----	38.90 - 19.70	.2367	----	----	----	----	19 UNCH
4910	50.50	50.50	54.70B/*34.90A	54.70B/*34.90A	----	37.80 - 19.40	.2314	----	----	19	----	49 + 15
4915	47.90	47.90	47.90/*33.90A	53.20B/*33.90A	----	36.80 - 19.00	.2264	----	----	25	----	268 + 4
4920	----	----	----/*32.90A	52.00B/*32.90A	----	35.80 - 18.60	.2214	----	----	1	----	121 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4925	40.80	40.80	40.80/*31.90A	50.70B/*31.90A	----	34.80 - 18.20	.2165	----	----	5	----	105 + 2
4930	----	----	----/*31.00A	49.20B/*31.00A	----	33.80 - 17.90	.2115	----	----	----	----	208 UNCH
4935	32.90	32.90	32.90/*30.10A	48.00B/*30.10A	----	32.90 - 17.50	.2068	----	----	104	----	122 + 104
4940	----	----	----/*29.30A	46.70B/*29.30A	----	32.00 - 17.20	.2021	----	----	1	----	102 UNCH
4945	----	----	----/*28.40A	45.50B/*28.40A	----	31.10 - 16.80	.1975	----	----	----	----	344 UNCH
4950	43.30	43.30	44.30B/*27.60A	44.30B/*27.60A	----	30.20 - 16.50	.1928	----	----	176	----	1656 + 145
4955	----	----	----/*26.80A	43.20B/*26.80A	----	29.40 - 16.10	.1885	----	----	1	----	73 - 1
4960	38.80	38.80	38.80/*26.10A	42.00B/*26.10A	----	28.60 - 15.80	.1842	----	----	2	----	392 + 2
4965	----	----	----/*25.30A	40.90B/*25.30A	----	27.80 - 15.50	.1799	----	----	1	----	38 + 1
4970	35.10	35.10	39.90B/*24.50A	39.90B/*24.50A	----	27.00 - 15.20	.1756	----	----	3	----	153 + 1
4975	----	----	----/*23.90A	38.90B/*23.90A	----	26.30 - 14.80	.1717	----	----	10	----	336 + 6
4980	----	----	----/*23.20A	37.80B/*23.20A	----	25.50 - 14.60	.1674	----	----	----	----	148 UNCH
4985	22.90	22.90	22.90/*22.50A	36.80B/*22.50A	----	24.80 - 14.30	.1635	----	----	12	----	119 + 2
4990	27.50	27.50	27.50/*21.90A	35.90B/*21.90A	----	24.10 - 14.00	.1596	----	----	1	----	973 - 1
4995	----	----	----/*21.30A	35.00B/*21.30A	----	23.50 - 13.60	.1561	----	----	----	----	101 UNCH
5000	29.00	29.00	34.10B/20.70A	34.10B/20.70A	----	22.80 - 13.40	.1522	----	----	982	----	7484 + 112
5005	----	----	----/*20.10A	33.10B/*20.10A	----	22.20 - 13.10	.1487	----	----	----	----	301 UNCH
5010	----	----	----/*19.60A	32.30B/*19.60A	----	21.60 - 12.80	.1452	----	----	13	----	188 UNCH
5015	----	----	----/*19.00A	31.40B/*19.00A	----	21.00 - 12.50	.1417	----	----	12	----	73 - 4
5020	20.20	20.20	20.20/*18.50A	30.60B/*18.50A	----	20.40 - 12.30	.1382	----	----	6	----	468 - 2
5025	----	----	----/*18.00A	29.60B/*18.00A	----	19.90 - 11.90	.1351	----	----	3	----	116 - 1
5030	----	----	----/*17.50A	29.00B/*17.50A	----	19.30 - 11.70	.1317	----	----	6	----	123 UNCH
5035	----	----	----/*17.00A	28.20B/*17.00A	----	18.80 - 11.50	.1286	----	----	----	----	58 UNCH
5040	----	----	----/*16.60A	27.30B/*16.60A	----	18.30 - 11.20	.1256	----	----	7	----	234 + 1
5045	18.30	18.30	18.30/*16.10A	26.60B/*16.10A	----	17.80 - 11.00	.1226	----	----	22	----	168 + 20
5050	24.80	24.80	25.90B/*15.50	25.90B/*15.50	----	17.30 - 10.80	.1195	----	----	73	----	1697 - 14
5055	----	----	----/*15.30A	25.30B/*15.30A	----	16.90 - 10.50	.1169	----	----	----	----	61 UNCH
5060	19.90	19.90	24.50B/*14.90A	24.50B/*14.90A	----	16.40 - 10.30	.1139	----	----	7	----	105 - 1
5065	----	----	----/*14.50A	23.90B/*14.50A	----	16.00 - 10.00	.1114	----	----	7	----	41 + 1
5070	18.80	18.80	18.80/*14.10A	23.40B/*14.10A	----	15.60 - 9.80	.1088	----	----	2	----	80 - 2
5075	----	----	----/*13.70A	22.70B/*13.70A	----	15.20 - 9.50	.1063	----	----	11	----	753 + 5
5080	17.90	17.90	22.10B/*13.40A	22.10B/*13.40A	----	14.80 - 9.30	.1038	----	----	6	----	330 - 1
5085	14.30	14.30	14.30/*13.10A	21.50B/*13.10A	----	14.40 - 9.10	.1012	----	----	5	----	202 + 4
5090	14.20	14.20	14.20/*12.70A	21.10B/*12.70A	----	14.00 - 9.00	.0987	----	----	1	----	71 UNCH
5095	13.60	13.60	13.60/*12.40A	20.40B/*12.40A	----	13.60 - 8.80	.0962	----	----	7	----	73 + 6
5100	17.70	17.70	19.90B/12.10A	19.90B/12.10A	----	13.30 - 8.60	.0942	----	----	763	----	4862 - 283
5105	----	----	----/*11.80A	19.30B/*11.80A	----	13.00 - 8.30	.0921	----	----	----	----	41 UNCH
5110	12.60	12.60	12.60/*11.50A	18.80B/*11.50A	----	12.60 - 8.20	.0897	----	----	7	----	111 + 3
5115	14.50	14.50	14.80/*11.20A	18.40B/*11.20A	----	12.30 - 8.00	.0876	----	----	25	----	178 + 25
5120	14.10	14.10	14.70/*11.00A	17.90B/*11.00A	----	12.00 - 7.80	.0856	----	----	26	----	154 + 22
5125	14.10	14.10	14.10/*10.70A	17.50B/*10.70A	----	11.70 - 7.60	.0836	----	----	7	----	312 + 6
5130	13.80	13.80	13.80/*10.40A	17.00B/*10.40A	----	11.40 - 7.50	.0817	----	----	8	----	56 + 6
5135	13.50	13.50	13.50/*10.20A	16.60B/*10.20A	----	11.10 - 7.30	.0797	----	----	17	----	77 + 17
5140	13.20	13.20	13.20/*9.90A	16.20B/*9.90A	----	10.90 - 7.10	.0782	----	----	8	----	144 + 3
5145	12.90	12.90	12.90/*9.70A	15.80B/*9.70A	----	10.60 - 7.00	.0762	----	----	14	----	29 + 14
5150	13.80	13.80	15.40B/*9.30	15.40B/*9.30	----	10.40 - 6.70	.0748	----	----	546	----	2409 - 64
5155	12.30	12.30	12.30/*9.30A	15.00B/*9.30A	----	10.10 - 6.60	.0728	----	----	5	----	36 + 5
5160	12.00	12.00	12.00/*9.10A	14.60B/*9.10A	----	9.90 - 6.40	.0714	----	----	7	----	116 + 6
5165	11.80	11.80	11.80/*8.90A	14.30B/*8.90A	----	9.60 - 6.40	.0694	----	----	8	----	162 - 3
5170	11.50	11.50	11.50/*8.70A	13.90B/*8.70A	----	9.40 - 6.20	.0680	----	----	9	----	358 UNCH
5175	----	----	----/*8.50A	13.60B/*8.50A	----	9.20 - 6.00	.0666	----	----	----	----	46 UNCH
5180	----	----	----/*8.30A	13.20B/*8.30A	----	9.00 - 5.90	.0652	----	----	1	----	66 - 1
5185	----	----	----/*8.10A	12.90B/*8.10A	----	8.80 - 5.70	.0637	----	----	----	----	115 UNCH
5190	----	----	----/*7.90A	12.60B/*7.90A	----	8.60 - 5.60	.0623	----	----	1	----	499 - 1
5195	----	----	----/*7.80A	12.30B/*7.80A	----	8.40 - 5.50	.0610	----	----	----	----	521 UNCH
5200	10.90	10.90	12.30B/7.50	12.30B/7.50	----	8.20 - 5.40	.0596	----	----	160	----	6252 + 7
5205	7.90	7.90	7.90/*7.40A	11.70B/*7.40A	----	8.00 - 5.30	.0582	----	----	35	----	70 + 34
5210	----	----	----/*7.30A	11.40B/*7.30A	----	7.90 - 5.10	.0573	----	----	1	----	3073 UNCH
5215	----	----	----/*7.10A	11.20B/*7.10A	----	7.70 - 5.00	.0560	----	----	----	----	81 UNCH
5220	----	----	----/*7.00A	10.90B/*7.00A	----	7.50 - 4.90	.0546	----	----	----	----	204 UNCH
5225	----	----	----/*6.80A	10.70B/*6.80A	----	7.40 - 4.70	.0538	----	----	20	----	804 + 20
5230	----	----	----/*6.70A	10.40B/*6.70A	----	7.20 - 4.70	.0524	----	----	----	----	124 UNCH
5235	7.40	7.40	7.40/*6.60A	10.20B/*6.60A	----	7.10 - 4.50	.0516	----	----	1	----	155 + 1
5240	6.30	6.30	6.30/*6.30	9.90B/*6.30	----	6.90 - 4.50	.0502	----	----	5	----	63 - 3
5245	----	----	----/*6.30A	9.70B/*6.30A	----	6.80 - 4.30	.0494	----	----	----	----	23 UNCH
5250	9.00	9.00	9.80/*6.20A	9.80/*6.20A	----	6.70 - 4.20	.0486	----	----	192	----	4164 - 111
5255	----	----	----/*6.10A	9.30B/*6.10A	----	6.50 - 4.20	.0473	----	----	----	----	70 UNCH
5260	----	----	----/*6.00A	9.10B/*6.00A	----	6.40 - 4.10	.0465	----	----	2	----	411 UNCH
5265	----	----	----/*5.90A	8.90B/*5.90A	----	6.30 - 4.00	.0457	----	----	----	----	49 UNCH
5270	----	----	----/*5.70A	8.70B/*5.70A	----	6.20 - 3.90	.0449	----	----	2	----	50 UNCH
5275	6.30	6.30	6.30/*5.60A	8.50B/*5.60A	----	6.00 - 3.90	.0436	----	----	1	----	126 UNCH
5280	----	----	----/*5.50A	8.30B/*5.50A	----	5.90 - 3.80	.0429	----	----	----	----	98 UNCH
5285	----	----	----/*5.40A	8.10B/*5.40A	----	5.80 - 3.70	.0421	----	----	----	----	167 UNCH
5290	----	----	----/*5.30A	8.00B/*5.30A	----	5.70 - 3.60	.0413	----	----	----	----	35 UNCH
5295	----	----	----/*5.30A	7.80B/*5.30A	----	5.60 - 3.50	.0406	----	----	----	----	97 UNCH
5300	7.10	7.10	7.70/*5.20A	7.70/*5.20A	----	5.50 - 3.50	.0398	----	----	420	----	4908 - 213
5305	----	----	----/*5.10A	7.50B/*5.10A	----	5.40 - 3.40	.0391	----	----	----	----	304 UNCH
5310	----	----	----/*5.00A	7.30B/*5.00A	----	5.30 - 3.30	.0383	----	----	----	----	125 UNCH
5315	----	----	----/*4.90A	7.20B/*4.90A	----	5.20 - 3.30	.0376	----	----	----	----	82 UNCH
5320	----	----	----/*4.80A	7.00B/*4.80A	----	5.10 - 3.20	.0369	----	----	----	----	140 UNCH
5325	----	----	----/*4.80A	6.90B/*4.80A	----	5.00 - 3.20	.0361	----	----	----	----	162 UNCH
5330	----	----	----/*4.70A	6.80B/*4.70A	----	5.00 - 3.00	.0360	----	----	----	----	84 UNCH
5335	----	----	----/*4.60A	6.60B/*4.60A	----	4.90 - 3.00	.0352	----	----	----	----	26 UNCH
5340	----	----	----/*4.50A	6.50B/*4.50A	----	4.80 - 3.00	.0345	----	----	1	----	71 - 1
5345	----	----	----/*4.50A	6.40B/*4.50A	----	4.70 - 2.90	.0338	----	----	----	----	24 UNCH
5350	5.70	5.70	5.70/*4.40A	6.30B/*4.40A	----	4.60 - 2.90	.0331	----	----	114	----	1917 + 7
5355	----	----	----/*4.30A	6.10B/*4.30A	----	4.60 - 2.80	.0329	----	----	----	----	21 UNCH
5360	----	----	----/*4.30A	6.00B/*4.30A	----	4.50 - 2.70	.0322	----	----	1	----	63 - 1
5365	----	----	----/*4.20A	5.90B/*4.20A	----	4.40 - 2.70	.0315	----	----	----	----	13 UNCH
5370	----	----	----/*4.10A	5.80B/*4.10A	----	4.40 - 2.60	.0314	----	----	3	----	77 - 2
5375	----	----	----/*4.10A	6.00B/*4.10A	----	4.30 - 2.60	.0307	----	----	----	----	269 UNCH
5380	----	----	----/*4.00A	5.60B/*4.00A	----	4.20 - 2.60	.0300	----	----	----	----	98 UNCH
5385	----	----	----/*4.00A	5.50B/*4.00A	----	4.20 - 2.50	.0298	----	----	----	----	10 UNCH
5390	----	----	----/*3.90A	5.40B/*3.90A	----	4.10 - 2.50	.0292	----	----	1	----	121 UNCH
5395	----	----	----/*3.90A	5.30B/*3.90A	----	4.00 - 2.50	.0285	----	----	----	----	48 UNCH
5400	5.20	5.20	5.20/*3.80A	5.20/*3.80A	----	4.00 - 2.40	.0283	----	----	12	----	5399 + 6
5405	----	----	----/*3.80A	5.10B/*3.80A	----	3.90 - 2.40	.0277	----	----	----	----	87 UNCH
5410	5.30	5.30	5.30/*3.70A	5.30/*3.70A	----	3.90 - 2.30	.0275	----	----	3	----	27 + 1
5415	----	----	----/*3.70A	4.90B/*3.70A	----	3.80 - 2.30	.0269	----	----	----	----	12 UNCH
5420	----	----	----/*3.60A	4.80B/*3.60A	----	3.80 - 2.20	.0267	----	----	----	----	43 UNCH
5425	----	----	----/*3.60A	4.80B/*3.60A	----	3.70 - 2.20	.0261	----	----	----	----	125 UNCH
5430	----	----	----/*3.50A	4.70B/*3.50A	----	3.70 - 2.10	.0260	----	----	----	----	103 UNCH
5435	3.70	3.70	3.70/*3.50A	4.60B/*3.50A	----	3.60 - 2.10	.0253	----	----	1	----	18 UNCH
5440	----	----	----/*3.50A	4.50B/*3.50A	----	3.60 - 2.00	.0252	----	----	----	----	99 UNCH
5445	----	----	----/*3.40A	4.80B/*3.40A	----	3.50 - 2.00	.0245	----	----	----	----	40 UNCH
5450	4.50	4.50	4.70/*3.40A	4.80B/*3.40A	----	3.50 - 1.90	.0244	----	----	212	----	1578 + 10
5455	----	----	----/*3.30A	4.30B/*3.30A	----	3.40 - 2.00	.0238	----	----	----	----	181 UNCH
5460	----	----	----/*3.30A	4.60B/*3.30A	----	3.40 - 1.90	.0237	----	----	----	----	130 UNCH
5465	----	----	----/*3.30A	4.20B/*3.30A	----	3.30 - 1.90	.0230	----	----	----	----	39 UNCH
5470	4.50	4.50	4.50/*3.20A	4.50/*3.20A	----	3.30 - 1.80	.0229	----	----	1	----	36 + 1
5475	----	----	----/*3.20A	4.00B/*3.20A	----	3.30 - 1.80	.0228	----	----	----	----	84 UNCH
5480	----	----	----/*3.20A	3.90B/*3.20A	----	3.20 - 1.80	.0222	----	----	----	----	47 UNCH
5485	----	----	----/*3.10A	3.90B/*3.10A	----	3.20 - 1.70	.0221	----	----	----	----	9 UNCH
5490	----	----	----/*3.10A	3.80B/*3.10A	----	3.10 - 1.80	.0215	----	----	----	----	178 UNCH
5495	----	----	----/*3.10A	3.80B/*3.10A	----	3.10 - 1.70	.0214	----	----	----	----	73 UNCH
5500	3.80	3.80	4.00B/*3.00A	4.00B/*3.00A	----	3.10 - 1.60	.0213	----	----	106	----	7102 - 36
5505	----	----	----/*3.00A	3.70B/*3.00A	----	3.00 - 1.70	.0207	----	----	----	----	15 UNCH
5510	----	----	----/*3.00A	3.60B/*3.00A	----	3.00 - 1.60	.0206	----	----	----	----	185 UNCH
5515	----	----	----/*2.90A	3.60B/*2.90A	----	3.00 - 1.50	.0205	----	----	----	----	39 UNCH
5520	----	----	----/*2.90A	3.50B/*2.90A	----	2.90 - 1.60	.0199	----	----	----	----	26 UNCH
5525	----	----	----/*2.90A	3.50B/*2.90A	----	2.90 - 1.50	.0198	----	----	----	----	165 UNCH
5530	----	----	----/*2.90A	3.40B/*2.90A	----	2.90 - 1.50	.0197	----	----	----	----	39 UNCH
5535	----	----	----/*2.80A	3.40B/*2.80A	----	2.80 - 1.50	.0191	----	----	----	----	8 UNCH
5540	3.10	3.10	3.10/*2.80A	3.30B/*2.80A	----	2.80 - 1.50	.0190	----	----	1	----	292 + 1
5545	----	----	----/*2.80A	3.30B/*2.80A	----	2.80 - 1.40	.0189	----	----	----	----	19 UNCH
5550	----	----	----/*2.80A	3.20B/*2.80A	----	2.70 - 1.50	.0183	----	----	----	----	774 UNCH
5555	----	----	----/*2.70A	3.20B/*2.70A	----	2.70 - 1.40	.0182	----	----	----	----	4 UNCH
5560	----	----	----/*2.70A	3.10B/*2.70A	----	2.70 - 1.40	.0182	----	----	1	----	52 UNCH
5565	----	----	----/*2.70A	3.10B/*2.70A	----	2.60 - 1.40	.0176	----	----	----	----	14 UNCH
5570	----	----	----/*2.70A	3.10B/*2.70A	----	2.60 - 1.40	.0175	----	----	----	----	28 UNCH
5575	----	----	----/*2.60A	3.10B/*2.60A	----	2.60 - 1.30	.0174	----	----	9	----	59 - 1
5580	----	----	----/*2.60A	3.00B/*2.60A	----	2.60 - 1.30	.0174	----	----	----	----	13 UNCH
5585	----	----	----/*2.60A	3.00B/*2.60A	----	2.50 - 1.30	.0168	----	----	----	----	11 UNCH
5590	----	----	----/*2.60A	3.00B/*2.60A	----	2.50 - 1.30	.0167	----	----	----	----	95 UNCH
5595	----	----	----/*2.50A	2.90B/*2.50A	----	2.50 - 1.20	.0166	----	----	----	----	39 UNCH
5600	2.90	2.90	2.90/*2.50	2.90/*2.50	----	2.50 - 1.20	.0166	----	----	214	----	2380 - 30
5610	----	----	----/*2.50A	2.80B/*2.50A	----	2.40 - 1.20	.0159	----	----	----	----	73 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5620	----	----	----/*2.40A	2.70B/*2.40A	----	2.40 - 1.20	.0158	----	----	----	----	59 UNCH
5625	----	----	----/*2.40A	2.70B/*2.40A	----	2.40 - 1.10	.0157	----	----	----	----	405 UNCH
5630	----	----	----/*2.40A	2.70B/*2.40A	----	2.30 - 1.20	.0152	----	----	----	----	228 UNCH
5640	----	----	----/*2.40A	2.60B/*2.40A	----	2.30 - 1.10	.0150	----	----	----	----	79 UNCH
5650	----	----	----/*2.30A	2.60B/*2.30A	----	2.30 - 1.10	.0149	----	----	----	----	743 UNCH
5660	----	----	----/*2.30A	2.50B/*2.30A	----	2.20 - 1.10	.0143	----	----	----	----	43 UNCH
5665	----	----	----/*2.30A	2.50B/*2.30A	----	2.20 - 1.10	.0143	----	----	----	----	5 UNCH
5670	----	----	----/*2.20A	2.40B/*2.20A	----	2.20 - 1.00	.0142	----	----	----	----	119 UNCH
5675	----	----	----/*2.20A	2.40B/*2.20A	----	2.20 - 1.00	.0142	----	----	----	----	22 UNCH
5680	----	----	----/*2.20A	2.40B/*2.20A	----	2.10 - 1.10	.0136	----	----	----	----	47 UNCH
5690	----	----	----/*2.20A	2.40B/*2.20A	----	2.10 - 1.00	.0135	----	----	----	----	163 UNCH
5700	2.80	2.80	2.80/*2.10A	2.80/*2.10A	----	2.10 - 1.00	.0134	----	----	12	----	1964 UNCH
5710	----	----	----/*2.10A	2.30B/*2.10A	----	2.00 - 1.00	.0128	----	----	----	----	41 UNCH
5720	----	----	----/*2.10A	2.20B/*2.10A	----	2.00 - 0.90	.0127	----	----	----	----	18 UNCH
5725	----	----	----/*2.10A	2.20B/*2.10A	----	2.00 - 0.90	.0127	----	----	----	----	36 UNCH
5730	----	----	----/*2.00A	2.20B/*2.00A	----	2.00 - 0.90	.0126	----	----	----	----	59 UNCH
5740	----	----	----/*2.00A	2.10B/*2.00A	----	1.90 - 0.90	.0120	----	----	----	----	61 UNCH
5750	2.20	2.20	2.20/*2.00	2.20/*2.00	----	1.90 - 0.90	.0119	----	----	14	----	1713 + 10
5760	----	----	----/*1.90A	2.10B/*1.90A	----	1.90 - 0.80	.0119	----	----	----	----	18 UNCH
5770	----	----	----/*1.90A	2.00B/*1.90A	----	1.90 - 0.80	.0118	----	----	----	----	32 UNCH
5775	----	----	----/*1.90A	2.00B/*1.90A	----	1.90 - 0.70	.0117	----	----	----	----	167 UNCH
5780	----	----	----/*1.90A	2.00B/*1.90A	----	1.80 - 0.80	.0112	----	----	----	----	219 UNCH
5790	----	----	----/*1.80A	2.00B/*1.80A	----	1.80 - 0.80	.0111	----	----	----	----	11 UNCH
5800	2.10	2.10	2.10/*1.80A	2.10/*1.80A	----	1.80 - 0.70	.0111	----	----	14	----	3162 UNCH
5810	----	----	----/*1.80A	1.90B/*1.80A	----	1.80 - 0.70	.0110	----	----	----	----	260 UNCH
5820	----	----	----/*1.70A	1.90B/*1.70A	----	1.70 - 0.70	.0104	----	----	----	----	35 UNCH
5825	----	----	----/*1.70A	1.80B/*1.70A	----	1.70 - 0.70	.0104	----	----	----	----	37 UNCH
5830	----	----	----/*1.70A	1.80B/*1.70A	----	1.70 - 0.70	.0104	----	----	----	----	17 UNCH
5840	----	----	----/*1.70A	1.80B/*1.70A	----	1.70 - 0.70	.0103	----	----	----	----	22 UNCH
5850	----	----	----/*1.70A	1.80B/*1.70A	----	1.70 - 0.60	.0102	----	----	----	----	456 UNCH
5860	----	----	----/*1.70A	1.70B/*1.70A	----	1.60 - 0.70	.0097	----	----	----	----	24 UNCH
5870	----	----	----/*1.70A	1.70B/*1.70A	----	1.60 - 0.70	.0096	----	----	----	----	32 UNCH
5875	----	----	----/*1.70A	1.70B/*1.70A	----	1.60 - 0.70	.0096	----	----	----	----	196 UNCH
5880	----	----	----/*1.70A	1.70B/*1.70A	----	1.60 - 0.70	.0096	----	----	----	----	17 UNCH
5890	----	----	----/*1.70A	1.60B/*1.70A	----	1.60 - 0.60	.0095	----	----	----	----	138 UNCH
5900	----	----	----/*1.60A	1.60B/*1.60A	----	1.50 - 0.70	.0090	----	----	----	----	1374 UNCH
5910	----	----	----/*1.60A	1.60B/*1.60A	----	1.50 - 0.70	.0089	----	----	----	----	12 UNCH
5920	----	----	----/*1.60A	1.60B/*1.60A	----	1.50 - 0.70	.0089	----	----	----	----	40 UNCH
5930	----	----	----/*1.50A	1.50B/*1.50A	----	1.50 - 0.60	.0088	----	----	----	----	57 UNCH
5940	----	----	----/*1.50A	1.50B/*1.50A	----	1.40 - 0.70	.0083	----	----	----	----	5 UNCH
5950	----	----	----/*1.50A	1.50B/*1.50A	----	1.40 - 0.70	.0082	----	----	----	----	170 UNCH
5960	----	----	----/*1.50A	1.50B/*1.50A	----	1.40 - 0.70	.0082	----	----	----	----	46 UNCH
5970	----	----	----/*1.50A	1.40B/*1.50A	----	1.30 - 0.70	.0076	----	----	1	----	35 UNCH
5980	----	----	----/*1.50A	1.40B/*1.50A	----	1.30 - 0.70	.0076	----	----	----	----	22 UNCH
5990	----	----	----/*1.50A	1.40B/*1.50A	----	1.30 - 0.70	.0076	----	----	----	----	13 UNCH
6000	1.80	1.80	1.80/*1.40A	1.80/*1.40A	----	1.30 - 0.60	.0075	----	----	6	----	5647 - 3
6010	----	----	----/*1.40A	1.30B/*1.40A	----	1.20 - 0.70	.0070	----	----	----	----	10 UNCH
6020	----	----	----/*1.40A	1.30B/*1.40A	----	1.20 - 0.70	.0070	----	----	----	----	23 UNCH
6030	----	----	----/*1.40A	1.40B/*1.40A	----	1.20 - 0.70	.0069	----	----	----	----	31 UNCH
6040	----	----	----/*1.40A	1.30B/*1.40A	----	1.20 - 0.60	.0069	----	----	----	----	24 UNCH
6050	1.20	1.20	1.20/*1.20	1.30B/*1.20	----	1.20 - 0.60	.0069	----	----	4	----	278 - 3
6060	----	----	----/*1.30A	1.30B/*1.30A	----	1.20 - 0.60	.0068	----	----	----	----	32 UNCH
6070	----	----	----/*1.40A	1.20B/*1.40A	----	1.10 - 0.60	.0063	----	----	----	----	34 UNCH
6080	----	----	----/*1.30A	1.20B/*1.30A	----	1.10 - 0.60	.0063	----	----	----	----	10 UNCH
6090	----	----	----/*1.30A	1.20B/*1.30A	----	1.10 - 0.60	.0062	----	----	----	----	26 UNCH
6100	1.10	1.10	1.10/*1.10	1.10/*1.10	----	1.10 - 0.50	.0062	----	----	2	----	2410 - 2
6110	----	----	----/*1.30A	1.20B/*1.30A	----	1.10 - 0.50	.0062	----	----	----	----	65 UNCH
6120	----	----	----/*1.30A	1.10B/*1.30A	----	1.10 - 0.50	.0061	----	----	----	----	11 UNCH
6125	----	----	----/*1.20A	1.10B/*1.20A	----	1.10 - 0.50	.0061	----	----	----	----	16 UNCH
6130	----	----	----/*1.30A	1.10B/*1.30A	----	1.10 - 0.50	.0061	----	----	----	----	10 UNCH
6140	----	----	----/*1.20A	1.10B/*1.20A	----	1.10 - 0.40	.0061	----	----	----	----	9 UNCH
6150	----	----	----/*1.20A	1.10B/*1.20A	----	1.00 - 0.50	.0056	----	----	----	----	506 UNCH
6160	----	----	----/*1.20A	1.00B/*1.20A	----	1.00 - 0.50	.0056	----	----	----	----	138 UNCH
6170	----	----	----/*1.10A	1.00B/*1.10A	----	1.00 - 0.50	.0055	----	----	----	----	17 UNCH
6180	----	----	----/*1.10A	1.00B/*1.10A	----	1.00 - 0.40	.0055	----	----	----	----	75 UNCH
6190	----	----	----/*1.20A	1.00B/*1.20A	----	1.00 - 0.40	.0055	----	----	----	----	2 UNCH
6200	1.10	1.10	1.10/*1.00	1.10/*1.00	----	1.00 - 0.40	.0055	----	----	4	----	4276 - 2
6210	----	----	----/*1.10A	1.00B/*1.10A	----	1.00 - 0.40	.0054	----	----	----	----	53 UNCH
6220	----	----	----/*1.10A	0.90B/*1.10A	----	1.00 - 0.30	.0054	----	----	----	----	7 UNCH
6230	----	----	----/*1.10A	1.00B/*1.10A	----	0.90 - 0.40	.0049	----	----	----	----	67 UNCH
6240	----	----	----/*1.00A	0.90B/*1.00A	----	0.90 - 0.40	.0049	----	----	----	----	21 UNCH
6250	----	----	----/*1.10A	0.90B/*1.10A	----	0.90 - 0.40	.0049	----	----	----	----	1323 UNCH
6260	----	----	----/*1.10A	0.90B/*1.10A	----	0.90 - 0.30	.0049	----	----	----	----	8 UNCH
6270	----	----	----/*1.10A	0.90B/*1.10A	----	0.90 - 0.30	.0048	----	----	----	----	146 UNCH
6280	----	----	----/*1.00A	0.80B/*1.00A	----	0.90 - 0.30	.0048	----	----	----	----	12 UNCH
6290	----	----	----/*1.00A	0.80B/*1.00A	----	0.90 - 0.30	.0048	----	----	----	----	19 UNCH
6300	----	----	----/*1.00A	0.80B/*1.00A	----	0.90 - 0.30	.0048	----	----	----	----	2450 UNCH
6310	----	----	----/*0.90A	0.80B/*0.90A	----	0.90 - 0.30	.0047	----	----	----	----	2 UNCH
6320	----	----	----/*1.00A	0.80B/*1.00A	----	0.90 - 0.20	.0047	----	----	----	----	24 UNCH
6330	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.30	.0043	----	----	----	----	33 UNCH
6340	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.30	.0042	----	----	----	----	36 UNCH
6350	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.30	.0042	----	----	----	----	17 UNCH
6360	----	----	----/*1.00A	0.70B/*1.00A	----	0.80 - 0.30	.0042	----	----	----	----	2 UNCH
6370	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0042	----	----	----	----	6 UNCH
6380	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0042	----	----	----	----	8 UNCH
6390	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0041	----	----	----	----	1 UNCH
6400	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.30	.0041	----	----	----	----	481 UNCH
6410	----	----	----	0.70B/*1.00A	----	0.80 - 0.20	.0041	----	----	----	----	8 UNCH
6420	----	----	----	0.70B/*1.00A	----	0.80 - 0.20	.0041	----	----	----	----	3 UNCH
6430	----	----	----/*0.80A	0.70B/*0.80A	----	0.80 - 0.20	.0041	----	----	----	----	34 UNCH
6440	----	----	----/*0.90A	0.70B/*0.90A	----	0.70 - 0.30	.0036	----	----	----	----	2 UNCH
6450	----	----	----/*0.90A	0.70B/*0.90A	----	0.70 - 0.30	.0036	----	----	----	----	64 UNCH
6460	----	----	----/*0.90A	0.60B/*0.90A	----	0.70 - 0.30	.0036	----	----	----	----	36 UNCH
6470	----	----	----/*0.90A	0.60B/*0.90A	----	0.70 - 0.30	.0036	----	----	----	----	9 UNCH
6480	----	----	----/*0.90A	0.60B/*0.90A	----	0.70 - 0.30	.0036	----	----	----	----	21 UNCH
6490	----	----	----/*0.90A	0.60B/*0.90A	----	0.70 - 0.30	.0036	----	----	----	----	17 UNCH
6500	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0035	----	----	----	----	1111 UNCH
6525	----	----	----/*0.70A	0.60B/*0.70A	----	0.70 - 0.20	.0035	----	----	----	----	21 UNCH
6550	----	----	----/*0.70A	0.50B/*0.70A	----	0.70 - 0.20	.0035	----	----	----	----	209 UNCH
6575	----	----	----/*0.80A	0.50B/*0.80A	----	0.60 - 0.30	.0030	----	----	----	----	7 UNCH
6600	0.50	0.50	0.50/*0.50	0.50/*0.50	----	0.60 - 0.30	.0030	----	----	1	----	881 + 1
6625	----	----	----	0.50B/*0.80A	----	0.60 - 0.20	.0030	----	----	----	----	105 UNCH
6650	----	----	----/*0.70A	0.40B/*0.70A	----	0.60 - 0.20	.0029	----	----	----	----	40 UNCH
6675	0.50	0.50	0.50/*0.50	0.50/*0.50	----	0.60 - 0.20	.0029	----	----	1	----	48 UNCH
6700	----	----	----/*0.70A	0.40B/*0.70A	----	0.60 - 0.20	.0029	----	----	----	----	1346 UNCH
6725	----	----	----/*0.70A	0.40B/*0.70A	----	0.50 - 0.30	.0024	----	----	----	----	107 UNCH
6750	----	----	----	0.40B/*0.70A	----	0.50 - 0.20	.0024	----	----	----	----	134 UNCH
6775	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.20	.0024	----	----	----	----	13 UNCH
6800	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.20	.0024	----	----	----	----	239 UNCH
6825	----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.20	.0023	----	----	----	----	10 UNCH
6850	----	----	----	0.30B/*0.60A	----	0.50 - 0.10	.0023	----	----	----	----	26 UNCH
6875	----	----	----	0.30B/*0.60A	----	0.40 - 0.20	.0019	----	----	----	----	3 UNCH
6900	----	----	----	0.30B/*0.60A	----	0.40 - 0.20	.0019	----	----	----	----	157 UNCH
6925	----	----	----	0.30B/*0.60A	----	0.40 - 0.20	.0019	----	----	----	----	51 UNCH
6950	----	----	----	0.30B/*0.60A	----	0.40 - 0.20	.0019	----	----	----	----	27 UNCH
6975	----	----	----	0.20B/*0.50A	----	0.40 - 0.10	.0018	----	----	----	----	21 UNCH
7000	----	----	----	0.20B/*0.50A	----	0.40 - 0.10	.0018	----	----	----	----	1851 UNCH
7025	----	----	----	0.20B/*0.50A	----	0.40 - 0.10	.0018	----	----	----	----	33 UNCH
7050	----	----	----	0.20B/*0.50A	----	0.40 - 0.10	.0018	----	----	----	----	5 UNCH
7075	----	----	----	0.20B/*0.50A	----	0.40 - 0.10	.0018	----	----	----	----	10 UNCH
7100	----	----	----	0.40B/*0.50A	----	0.30 - 0.20	.0014	----	----	----	----	145 UNCH
7125	----	----	----	0.20B/*0.50A	----	0.30 - 0.10	.0014	----	----	----	----	52 UNCH
7150	----	----	----	0.20B/*0.50A	----	0.30 - 0.10	.0013	----	----	----	----	59 UNCH
7175	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	3 UNCH
7200	----	----	----	0.10B/*0.50A	----	0.30 - 0.10	.0013	----	----	----	----	134 UNCH
7225	----	----	----	0.10B/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	2 UNCH
7250	----	----	----	0.10B/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	91 UNCH
7275	----	----	----	0.10B/*0.40A	----	0.30 UNCH	.0013	----	----	----	----	1 UNCH
7300	----	----	----	----/0.50A	----	0.30 UNCH	.0013	----	----	----	----	150 UNCH
7325	----	----	----	----/0.50A	----	0.20 - 0.10	.0009	----	----	----	----	14 UNCH
7350	----	----	----	----/0.50A	----	0.20 - 0.10	.0009	----	----	----	----	3 UNCH
7375	----	----	----	----/0.50A	----	0.20 - 0.10	.0009	----	----	----	----	20 UNCH
7400	----	----	----	----/0.50A	----	0.20 - 0.10	.0009	----	----	----	----	46 UNCH
7425	----	----	----	----/0.50A	----	0.20 - 0.10	.0009	----	----	----	----	20 UNCH
7450	----	----	----	----/0.50A	----	0.20 - 0.10	.0009	----	----	----	----	5 UNCH
7475	----	----	----	----/0.50A	----	0.20 - 0.10	.0008	----	----	----	----	8 UNCH
7500	----	----	----	----/*0.40A	----	0.20 - 0.10	.0008	----	----	----	----	1355 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
7525	----	----	----	----/*0.40A	----	0.20 - 0.10	.0008	----	----	----	----	22 UNCH
7575	----	----	----	----/0.40A	----	0.20 - 0.10	.0008	----	----	----	----	8 UNCH
7600	----	----	----	----/0.50A	----	0.20 - 0.10	.0008	----	----	----	----	48 UNCH
7700	----	----	----	----/0.40A	----	0.20 - 0.10	.0008	----	----	----	----	45 UNCH
7750	----	----	----	----/0.40A	----	0.20 - 0.10	.0008	----	----	----	----	12 UNCH
7800	----	----	----	----/0.40A	----	0.20 - 0.10	.0008	----	----	----	----	39 UNCH
7825	----	----	----	----/0.40A	----	0.20 - 0.10	.0008	----	----	----	----	1 UNCH
7875	----	----	----	----/0.40A	----	0.20 - 0.10	.0008	----	----	----	----	31 UNCH
7900	----	----	----	----/0.40A	----	0.20 - 0.10	.0008	----	----	----	----	2 UNCH
7950	----	----	----	----/0.40A	----	0.20 - 0.10	.0008	----	----	----	----	2 UNCH
8000	----	----	----	----/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	923 UNCH
8100	----	----	----	----/0.40A	----	0.20 - 0.10	.0007	----	----	----	----	4 UNCH
8200	----	----	----	----/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	89 UNCH
8300	----	----	----	----/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	64 UNCH
8500	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0007	----	----	----	----	146 UNCH
8600	----	----	----	----/0.30A	----	0.20 - 0.10	.0007	----	----	----	----	52 UNCH
8800	----	----	----	----/*0.30A	----	0.20 - 0.10	.0006	----	----	----	----	32 UNCH
8900	----	----	----	----/0.30A	----	0.20 - 0.10	.0006	----	----	----	----	15 UNCH
9000	----	----	----	----/0.30A	----	0.20 - 0.10	.0006	----	----	----	----	387 UNCH
9100	----	----	----	----/0.30A	----	0.20 - 0.10	.0006	----	----	----	----	11 UNCH
9200	----	----	----	----/0.30A	----	0.20 UNCH	.0006	----	----	----	----	51 UNCH
9300	----	----	----	----/0.30A	----	0.20 UNCH	.0006	----	----	8	----	11 UNCH
9400	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	25 UNCH
9500	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	23 UNCH
9600	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	27 UNCH
9700	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	20 UNCH
9800	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	17 UNCH
9900	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0001	----	----	3	----	27 + 3
10000	----	----	----	----/0.20A	----	0.10 - 0.10	.0001	----	----	----	----	363 UNCH
10100	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	2 UNCH
10300	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
10400	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
10500	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
10700	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
11000	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	72 UNCH
11300	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	12 UNCH
11500	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
11600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
11700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
11900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
12000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	406 UNCH
TOTAL										11557	400	171771+ 1160
JUL26												
3200	----	----	----	----	----	1529.10 - 47.30	.9906	26	----	26	----	0 UNCH
3250	----	----	----	----	----	1479.20 NEW	.9897	51	----	51	----	0 UNCH
3300	----	----	----	----	----	1429.40 - 47.40	.9884	----	----	26	----	26 + 26
3350	----	----	----	----	----	1379.60 NEW	.9871	----	----	51	----	51 + 51
3500	----	----	----	----	----	1230.80 - 47.30	.9817	----	----	----	----	1 UNCH
3600	----	----	----/1,127.80A	1150.00B/1127.80A	----	1131.90 - 47.30	.9767	----	----	----	----	24 UNCH
3650	----	----	----/1,078.40A	1100.60B/1078.40A	----	1082.70 - 47.20	.9738	----	----	----	----	10 UNCH
3670	----	----	----/1,057.60A	1080.90B/1057.60A	----	1063.00 - 47.30	.9722	----	----	----	----	3 UNCH
3700	----	----	----/1,029.20A	1051.40B/1029.20A	----	1033.50 - 47.30	.9701	----	----	----	----	119 UNCH
3735	----	----	----	----	----	999.20 - 47.20	.9675	----	----	----	----	1 UNCH
3775	----	----	----/955.70A	977.80B/955.70A	----	960.00 - 47.30	.9641	----	----	----	----	4 UNCH
3800	----	----	----/927.90A	955.90B/927.90A	----	935.60 - 47.30	.9620	----	----	----	----	2050 UNCH
3825	----	----	----/906.90A	929.00B/906.90A	----	911.20 - 47.30	.9594	----	----	----	----	3 UNCH
3850	----	----	----/882.60A	904.60B/882.60A	----	886.90 - 47.30	.9568	----	----	----	----	65 UNCH
3860	----	----	----	----	----	877.10 - 47.40	.9556	----	----	----	----	1 UNCH
3865	----	----	----/868.00A	890.10B/868.00A	----	872.30 - 47.40	.9551	----	----	----	----	7 UNCH
3875	----	----	----/858.40A	880.40B/858.40A	----	862.60 - 47.40	.9539	----	----	----	----	25 UNCH
3900	----	----	----/834.20A	856.10B/834.20A	----	838.40 - 47.40	.9506	----	----	----	----	18 UNCH
3925	----	----	----/810.10A	832.00B/810.10A	----	814.20 - 47.50	.9473	----	----	----	----	35 UNCH
3950	----	----	----/782.90A	810.40B/782.90A	----	790.20 - 47.50	.9436	----	----	----	----	820 UNCH
3960	----	----	----	----	----	780.60 - 47.50	.9419	----	----	----	----	1 UNCH
4000	----	----	----/738.40A	760.10B/738.40A	----	742.30 - 47.60	.9353	----	----	1	----	15 - 1
4020	----	----	----/715.90A	724.10B/715.90A	----	723.30 - 47.50	.9313	----	----	----	----	1 UNCH
4030	----	----	----/706.40A	721.60B/706.40A	----	713.80 - 47.60	.9293	----	----	----	----	2 UNCH
4040	----	----	----/697.00A	719.10B/697.00A	----	704.30 - 47.60	.9273	----	----	----	----	1 UNCH
4075	----	----	----/664.10A	707.40B/664.10A	----	671.40 - 47.50	.9197	----	----	----	----	6 UNCH
4095	----	----	----/645.50A	688.80B/645.50A	----	652.70 - 47.50	.9147	----	----	----	----	4 UNCH
4100	----	----	----/640.90A	683.90B/640.90A	----	648.00 - 47.60	.9135	----	----	----	----	194 UNCH
4105	----	----	----/636.30A	679.30B/636.30A	----	643.40 - 47.50	.9123	----	----	----	----	1 UNCH
4110	----	----	----/631.60A	674.60B/631.60A	----	638.70 - 47.50	.9108	----	----	----	----	3 UNCH
4145	----	----	----/599.40A	642.10B/599.40A	----	606.40 - 47.40	.9011	----	----	----	----	28 UNCH
4150	----	----	----/594.90A	637.70B/594.90A	----	601.80 - 47.40	.8996	----	----	----	----	37 UNCH
4155	----	----	----/590.40A	632.90B/590.40A	----	597.20 - 47.40	.8981	----	----	----	----	1 UNCH
4160	----	----	----/585.90A	628.30B/585.90A	----	592.60 - 47.50	.8966	----	----	----	----	1 UNCH
4190	----	----	----/558.70A	600.90B/558.70A	----	565.30 - 47.40	.8868	----	----	----	----	1 UNCH
4200	----	----	----/549.60A	591.80B/549.60A	----	556.30 - 47.30	.8832	----	----	1	----	7 - 1
4215	----	----	----/536.20A	578.40B/536.20A	----	542.80 - 47.30	.8777	----	----	----	----	25 UNCH
4220	----	----	----/531.80A	574.00B/531.80A	----	538.40 - 47.20	.8759	----	----	----	----	1 UNCH
4225	----	----	----/527.40A	569.20B/527.40A	----	533.90 - 47.20	.8740	----	----	----	----	2 UNCH
4235	----	----	----/518.60A	560.30B/518.60A	----	525.00 - 47.10	.8701	----	----	----	----	1 UNCH
4240	----	----	----/514.10A	555.80B/514.10A	----	520.60 - 47.10	.8682	----	----	----	----	39 UNCH
4245	----	----	----/509.80A	551.30B/509.80A	----	516.20 - 47.00	.8661	----	----	----	----	1 UNCH
4250	----	----	----/505.30A	546.90B/505.30A	----	511.70 - 47.10	.8642	----	----	----	----	316 UNCH
4255	----	----	----/501.00A	542.70B/501.00A	----	507.30 - 47.10	.8621	----	----	----	----	1 UNCH
4265	----	----	----/492.30A	533.80B/492.30A	----	498.60 - 46.90	.8579	----	----	----	----	2 UNCH
4270	----	----	----/487.90A	529.30B/487.90A	----	494.20 - 46.90	.8557	----	----	----	----	38 UNCH
4275	----	----	----/483.60A	524.80B/483.60A	----	489.90 - 46.80	.8534	----	----	----	----	76 UNCH
4280	----	----	----/479.30A	520.40B/479.30A	----	485.50 - 46.80	.8512	----	----	----	----	3 UNCH
4300	----	----	----/462.10A	502.90B/462.10A	----	468.30 - 46.60	.8419	----	----	----	----	63 UNCH
4315	----	----	----/449.40A	489.90B/449.40A	----	455.40 - 46.50	.8347	----	----	----	----	21 UNCH
4325	----	----	----/441.00A	481.20B/441.00A	----	447.00 - 46.40	.8297	----	----	----	----	22 UNCH
4335	----	----	----/432.70A	472.80B/432.70A	----	438.50 - 46.30	.8246	----	----	----	----	1 UNCH
4350	----	----	----/420.20A	460.10B/420.20A	----	426.00 - 46.10	.8166	----	----	----	----	10 UNCH
4360	----	----	----/411.90A	451.70B/411.90A	----	417.70 - 46.00	.8110	----	----	----	----	53 UNCH
4365	----	----	----/407.80A	447.50B/407.80A	----	413.60 - 45.90	.8082	----	----	----	----	45 UNCH
4370	----	----	----/403.80A	443.30B/403.80A	----	409.50 - 45.80	.8054	----	----	----	----	20 UNCH
4375	----	----	----/399.70A	439.10B/399.70A	----	405.40 - 45.80	.8025	----	----	----	----	5 UNCH
4400	----	----	----/379.60A	418.70B/379.60A	----	385.20 - 45.30	.7876	----	----	1	----	2267 UNCH
4410	----	----	----/371.70A	410.60B/371.70A	----	377.20 - 45.20	.7813	----	----	----	----	4 UNCH
4415	----	----	----/367.80A	406.30B/367.80A	----	373.30 - 45.00	.7782	----	----	----	----	39 UNCH
4420	----	----	----/363.90A	402.30B/363.90A	----	369.30 - 45.00	.7750	----	----	----	----	5 UNCH
4425	----	----	----/360.00A	398.30B/360.00A	----	365.40 - 44.90	.7717	----	----	----	----	16 UNCH
4430	----	----	----/356.20A	394.40B/356.20A	----	361.50 - 44.80	.7684	----	----	----	----	1 UNCH
4445	----	----	----/343.10A	382.40B/343.10A	----	349.90 - 44.40	.7584	----	----	----	----	30 UNCH
4450	----	----	----/339.30A	378.60B/339.30A	----	346.00 - 44.40	.7550	----	----	----	----	255 UNCH
4455	----	----	----/337.00A	374.50B/337.00A	----	342.20 - 44.20	.7515	----	----	----	----	2 UNCH
4460	----	----	----/333.30A	370.60B/333.30A	----	338.40 - 44.10	.7480	----	----	----	----	2 UNCH
4475	----	----	----/322.10A	359.00B/322.10A	----	327.10 - 43.80	.7374	----	----	----	----	2 UNCH
4480	----	----	----/317.00A	355.10B/317.00A	----	323.40 - 43.70	.7337	----	----	----	----	25 UNCH
4490	----	----	----/311.00A	347.50B/311.00A	----	316.00 - 43.40	.7264	----	----	----	----	9 UNCH
4500	319.50	319.50	319.50/302.40A	340.10B/302.40A	----	308.70 - 43.20	.7188	----	----	2	----	969 + 1
4505	----	----	----/300.30A	336.20B/300.30A	----	305.10 - 43.00	.7150	----	----	----	----	2 UNCH
4510	----	----	----/295.30A	332.50B/295.30A	----	301.50 - 42.90	.7112	----	----	----	----	45 UNCH
4515	----	----	----/291.80A	328.80B/291.80A	----	297.90 - 42.80	.7073	----	----	----	----	200 UNCH
4520	----	----	----/288.30A	325.30B/288.30A	----	294.40 - 42.60	.7034	----	----	----	----	188 UNCH
4525	----	----	----/284.90A	321.70B/284.90A	----	290.80 - 42.50	.6994	----	----	----	----	129 UNCH
4530	----	----	----/281.90A	317.80B/281.90A	----	287.30 - 42.40	.6955	----	----	----	----	5 UNCH
4535	----	----	----/278.40A	314.30B/278.40A	----	283.80 - 42.20	.6915	----	----	----	----	14 UNCH
4540	----	----	----/274.50A	310.60B/274.50A	----	280.30 - 42.10	.6874	----	----	----	----	54 UNCH
4550	----	----	----/268.20A	303.40B/268.20A	----	273.50 - 41.70	.6792	----	----	----	----	10 UNCH
4560	----	----	----/261.60A	296.40B/261.60A	----	266.70 - 41.40	.6709	----	----	----	----	2 UNCH
4565	----	----	----/258.40A	292.80B/258.40A	----	263.30 - 41.30	.6667	----	----	----	----	1 UNCH
4570	----	----	----/254.90A	289.50B/254.90A	----	260.00 - 41.10	.6625	----	----	----	----	2 UNCH
4575	----	----	----/251.30A	285.90B/251.30A	----	256.70 - 41.00	.6582	----	----	----	----	128 UNCH
4580	----	----	----/248.60A	282.50B/248.60A	----	253.40 - 40.80	.6539	----	----	----	----	1 UNCH
4600	----	----	----/235.30A	268.90B/235.30A	----	240.40 - 40.20	.6365	----	----	----	----	342 UNCH
4605	----	----	----/232.60A	265.60B/232.60A	----	237.30 - 39.90	.6321	----	----	----	----	10 UNCH
4610	----	----	----/229.50A	262.40B/229.50A	----	234.10 - 39.80	.6277	----	----	----	----	6 UNCH
4635	----	----	----/213.90A	246.20B/213.90A	----	218.70 - 38.90	.6052	----	----	----	----	84 UNCH
4640	----	----	----/211.00A	242.90B/211.00A	----	215.70 - 38.70	.6006	----	----	----	----	239 UNCH
4645	----	----	----/208.10A	239.70B/208.10A	----	212.80 - 38.40	.5960	----	----	----	----	14 UNCH
4650	----	----	----/204.90A	236.60B/204.90A	----	209.80 - 38.30	.5914	----	----	----	----	257 UNCH
4655	----	----	----/202.10A	233.50B/202.10A	----	206.90 - 38.00	.5868	----	----	----	----	18 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4660	----	----	----/199.30A	230.50B/199.30A	----	204.00 - 37.80	.5821	----	----	----	----	20 UNCH
4665	----	----	----/196.40A	227.40B/196.40A	----	201.10 - 37.60	.5774	----	----	----	----	268 UNCH
4670	----	----	----/193.70A	224.40B/193.70A	----	198.30 - 37.40	.5727	----	----	----	----	105 UNCH
4675	----	----	----/190.90A	221.40B/190.90A	----	195.40 - 37.30	.5680	----	----	----	----	129 UNCH
4680	----	----	----/188.10A	218.80B/188.10A	----	192.60 - 37.00	.5633	----	----	----	----	10 UNCH
4685	----	----	----/185.50A	216.40B/185.50A	----	189.90 - 36.80	.5586	----	----	----	----	11 UNCH
4695	----	----	----/180.10A	215.40B/180.10A	----	184.40 - 36.40	.5491	----	----	----	----	23 UNCH
4700	----	----	----/177.40A	212.60B/177.40A	----	181.70 - 36.10	.5443	----	----	1	----	594 + 1
4710	----	----	----/172.40A	206.80B/172.40A	----	176.40 - 35.70	.5348	----	----	----	----	117 UNCH
4720	----	----	----/167.20A	202.70B/167.20A	----	171.20 - 35.20	.5252	----	----	----	----	9 UNCH
4725	----	----	----/164.70A	199.90B/164.70A	----	168.60 - 35.10	.5204	----	----	----	----	52 UNCH
4730	176.50	176.50	176.60/162.20A	197.20B/162.20A	----	166.00 - 34.90	.5155	----	----	4	----	7 + 4
4740	----	----	----/157.20A	191.70B/157.20A	----	161.00 - 34.50	.5059	----	----	----	----	1 UNCH
4745	----	----	----/154.80A	189.10B/154.80A	----	158.60 - 34.20	.5011	----	----	----	----	177 UNCH
4750	156.10	156.10	156.10/152.40A	186.40B/152.40A	----	156.20 - 33.90	.4963	----	----	344	----	1453 + 309
4755	----	----	----/150.10A	184.10B/150.10A	----	153.80 - 33.70	.4914	----	----	----	----	17 UNCH
4760	----	----	----/147.80A	181.20B/147.80A	----	151.40 - 33.50	.4866	----	----	----	----	47 UNCH
4770	----	----	----/143.10A	176.50B/143.10A	----	146.70 - 33.00	.4770	----	----	----	----	70 UNCH
4775	145.10	145.10	145.70/140.80A	173.50B/140.80A	----	144.40 - 32.80	.4722	----	----	2	----	150 UNCH
4780	----	----	----/138.60A	171.30B/138.60A	----	142.20 - 32.50	.4674	----	----	----	----	31 UNCH
4785	156.50	156.50	156.50/136.30A	168.50B/136.30A	----	140.00 - 32.20	.4626	----	----	1	----	13 + 1
4790	----	----	----/134.10A	166.50B/134.10A	----	137.80 - 32.00	.4578	----	----	----	----	2 UNCH
4795	----	----	----/132.00A	164.20B/132.00A	----	135.60 - 31.70	.4530	----	----	----	----	89 UNCH
4800	129.40	129.40	129.40/129.40	161.50B/129.40	----	133.50 - 31.40	.4483	----	----	14	----	1752 + 7
4805	----	----	----/127.70A	158.90B/127.70A	----	131.40 - 31.10	.4435	----	----	----	----	29 UNCH
4810	----	----	----/125.60A	156.90B/125.60A	----	129.30 - 30.90	.4388	----	----	----	----	33 UNCH
4815	----	----	----/123.60A	154.20B/123.60A	----	127.20 - 30.70	.4340	----	----	----	----	1 UNCH
4820	134.30	134.30	152.50B/121.50A	152.50B/121.50A	----	125.20 - 30.40	.4293	----	----	10	----	14 - 9
4825	----	----	----/119.50A	150.20B/119.50A	----	123.20 - 30.10	.4246	----	----	----	----	647 UNCH
4830	----	----	----/117.50A	147.40B/117.50A	----	121.30 - 29.70	.4200	----	----	----	----	12 UNCH
4835	----	----	----/*115.60A	145.10B/*115.60A	----	119.30 - 29.50	.4153	----	----	----	----	18 UNCH
4840	----	----	----/*113.60A	142.90B/*113.60A	----	117.40 - 29.20	.4107	----	----	----	----	6 UNCH
4845	117.10	117.10	117.10/*111.70A	141.20B/*111.70A	----	115.50 - 28.90	.4061	----	----	10	----	71 + 10
4850	109.50	109.50	110.00/109.50	139.10B/109.50	----	113.70 - 28.60	.4015	----	----	53	----	412 - 8
4855	----	----	----/*108.00A	136.50B/*108.00A	----	111.80 - 28.40	.3969	----	----	----	----	7 UNCH
4860	----	----	----/*106.20A	134.40B/*106.20A	----	110.00 - 28.10	.3924	----	----	----	----	13 UNCH
4865	----	----	----/*104.40A	132.40B/*104.40A	----	108.20 - 27.80	.3878	----	----	----	----	32 UNCH
4870	----	----	----/*102.60A	130.30B/*102.60A	----	106.40 - 27.50	.3833	----	----	----	----	62 UNCH
4875	----	----	----/100.90A	128.20B/100.90A	----	104.70 - 27.20	.3788	----	----	8	----	15 - 2
4880	100.00	100.00	100.00/*99.20A	126.20B/*99.20A	----	102.90 - 27.00	.3743	----	----	5	----	67 + 5
4885	----	----	----/*97.50A	124.40B/*97.50A	----	101.20 - 26.70	.3698	----	----	----	----	13 UNCH
4890	98.40	98.40	98.40/*95.80A	122.90B/*95.80A	----	99.60 - 26.40	.3655	----	----	2	----	5 + 2
4895	----	----	----/*94.20A	121.00B/*94.20A	----	97.90 - 26.20	.3610	----	----	----	----	9 UNCH
4900	96.20	96.20	96.20/92.60A	119.10B/92.60A	----	96.30 - 25.80	.3567	----	----	328	----	1067 + 170
4905	93.60	93.60	93.60/*90.90A	117.30B/*90.90A	----	94.60 - 25.70	.3522	----	----	1	----	9 UNCH
4910	92.20	92.20	92.20/*89.40A	115.40B/*89.40A	----	93.00 - 25.40	.3479	----	----	1	----	105 - 1
4915	----	----	----/*87.80A	113.60B/*87.80A	----	91.50 - 25.10	.3437	----	----	----	----	36 UNCH
4920	----	----	----/*86.30A	111.80B/*86.30A	----	89.90 - 24.90	.3393	----	----	----	----	9 UNCH
4925	----	----	----/84.80A	110.00B/84.80A	----	88.40 - 24.60	.3351	----	----	12	----	37 UNCH
4930	----	----	----/*83.30A	108.20B/*83.30A	----	86.90 - 24.30	.3309	----	----	----	----	65 UNCH
4935	----	----	----/*81.90A	106.50B/*81.90A	----	85.40 - 24.10	.3267	----	----	----	----	605 UNCH
4940	----	----	----/*80.50A	104.80B/*80.50A	----	83.90 - 23.90	.3225	----	----	----	----	176 UNCH
4945	----	----	----/*79.10A	103.10B/*79.10A	----	82.50 - 23.60	.3184	----	----	----	----	11 UNCH
4950	87.00	87.00	87.00/77.70A	101.40B/77.70A	----	81.10 - 23.30	.3143	----	----	6	----	186 + 1
4955	----	----	----/*76.40A	99.80B/*76.40A	----	79.70 - 23.00	.3102	----	----	----	----	72 UNCH
4960	----	----	----/*75.00A	98.20B/*75.00A	----	78.30 - 22.80	.3061	----	----	----	----	16 UNCH
4965	----	----	----/*73.70A	96.50B/*73.70A	----	77.00 - 22.50	.3022	----	----	----	----	173 UNCH
4970	----	----	----/*72.40A	95.00B/*72.40A	----	75.70 - 22.20	.2983	----	----	----	----	8 UNCH
4975	----	----	----/71.10A	93.30B/71.10A	----	74.30 - 22.10	.2942	----	----	----	----	42 UNCH
4980	----	----	----/*69.90A	91.80B/*69.90A	----	73.10 - 21.70	.2904	----	----	----	----	3 UNCH
4985	----	----	----/*68.60A	90.40B/*68.60A	----	71.80 - 21.50	.2865	----	----	----	----	27 UNCH
4990	----	----	----/*67.40A	88.90B/*67.40A	----	70.60 - 21.20	.2827	----	----	----	----	15 UNCH
4995	----	----	----/*66.20A	87.40B/*66.20A	----	69.40 - 20.90	.2790	----	----	----	----	36 UNCH
5000	86.40	86.40	86.80/65.00A	86.80/65.00A	----	68.20 - 20.70	.2752	----	----	55	----	2429 + 6
5005	----	----	----/*63.80A	84.40B/*63.80A	----	67.00 - 20.40	.2715	----	----	----	----	18 UNCH
5010	----	----	----/*62.80A	83.20B/*62.80A	----	65.80 - 20.20	.2677	----	----	----	----	35 UNCH
5015	----	----	----/*61.60A	81.60B/*61.60A	----	64.70 - 19.90	.2642	----	----	----	----	29 UNCH
5020	----	----	----/*60.50A	80.30B/*60.50A	----	63.60 - 19.60	.2606	----	----	----	----	7 UNCH
5025	----	----	----/*59.50A	79.00B/*59.50A	----	62.50 - 19.40	.2570	----	----	----	----	34 UNCH
5030	----	----	----/*58.40A	77.60B/*58.40A	----	61.40 - 19.20	.2535	----	----	----	----	42 UNCH
5035	60.20	60.20	60.20/*57.40A	76.40B/*57.40A	----	60.30 - 19.00	.2499	----	----	17	----	56 - 4
5040	----	----	----/*56.30A	75.20B/*56.30A	----	59.30 - 18.70	.2465	----	----	2	----	3 + 1
5045	----	----	----/*55.30A	73.80B/*55.30A	----	58.30 - 18.40	.2432	----	----	----	----	3 UNCH
5050	----	----	----/*54.40A	72.60B/*54.40A	----	57.30 - 18.10	.2398	----	----	----	----	134 UNCH
5055	----	----	----/*53.40A	71.40B/*53.40A	----	56.30 - 17.90	.2364	----	----	----	----	8 UNCH
5060	----	----	----/*52.40A	70.30B/*52.40A	----	55.30 - 17.70	.2331	----	----	----	----	8 UNCH
5065	62.80	62.80	69.00B/*51.50A	69.00B/*51.50A	----	54.30 - 17.50	.2297	----	----	1	----	207 - 1
5070	----	----	----/*50.60A	67.80B/*50.60A	----	53.40 - 17.20	.2266	----	----	----	----	22 UNCH
5075	57.00	57.00	57.00/*49.70A	66.70B/*49.70A	----	52.40 - 17.10	.2232	----	----	1	----	57 UNCH
5080	----	----	----/*48.80A	65.50B/*48.80A	----	51.50 - 16.90	.2201	----	----	----	----	81 UNCH
5085	----	----	----/*47.90A	64.40B/*47.90A	----	50.60 - 16.60	.2169	----	----	----	----	34 UNCH
5090	51.60	51.60	51.60/*47.00A	63.40B/*47.00A	----	49.70 - 16.40	.2138	----	----	3	----	4 + 2
5095	50.60	50.60	50.60/*46.20A	62.30B/*46.20A	----	48.90 - 16.20	.2109	----	----	21	----	52 + 14
5100	----	----	----/*45.40A	61.20B/*45.40A	----	48.00 - 16.00	.2078	----	----	100	----	880 UNCH
5105	----	----	----/*44.60A	60.30B/*44.60A	----	47.20 - 15.80	.2049	----	----	----	----	61 UNCH
5110	----	----	----/*43.80A	59.20B/*43.80A	----	46.40 - 15.50	.2020	----	----	----	----	14 UNCH
5115	----	----	----/*43.10A	58.20B/*43.10A	----	45.60 - 15.30	.1991	----	----	----	----	27 UNCH
5120	----	----	----/*42.30A	57.30B/*42.30A	----	44.80 - 15.10	.1962	----	----	----	----	38 UNCH
5125	----	----	----/*41.60A	56.20B/*41.60A	----	44.00 - 15.00	.1933	----	----	8	----	239 UNCH
5130	----	----	----/*40.80A	55.30B/*40.80A	----	43.20 - 14.80	.1904	----	----	----	----	36 UNCH
5135	----	----	----/*40.10A	54.40B/*40.10A	----	42.50 - 14.60	.1877	----	----	----	----	155 UNCH
5140	45.80	45.80	45.80/*39.40A	53.50B/*39.40A	----	41.70 - 14.40	.1849	----	----	11	----	57 UNCH
5145	----	----	----/*38.70A	52.60B/*38.70A	----	41.00 - 14.20	.1822	----	----	----	----	49 UNCH
5150	40.10	40.10	40.10/*38.10A	51.70B/*38.10A	----	40.30 - 14.00	.1796	----	----	188	----	988 + 167
5155	43.60	43.60	43.60/*37.40A	50.80B/*37.40A	----	39.60 - 13.80	.1770	----	----	12	----	16 + 12
5160	----	----	----/*36.70A	50.00B/*36.70A	----	38.90 - 13.70	.1743	----	----	----	----	12 UNCH
5165	----	----	----/*36.10A	49.10B/*36.10A	----	38.30 - 13.40	.1719	----	----	----	----	7 UNCH
5170	----	----	----/*35.50A	48.40B/*35.50A	----	37.60 - 13.30	.1693	----	----	----	----	6 UNCH
5175	40.00	40.00	40.00/*34.90A	47.50B/*34.90A	----	37.00 - 13.10	.1670	----	----	1	----	55 UNCH
5180	----	----	----/*34.30A	46.70B/*34.30A	----	36.30 - 13.00	.1644	----	----	----	----	14 UNCH
5185	----	----	----/*33.70A	45.90B/*33.70A	----	35.70 - 12.80	.1620	----	----	----	----	118 UNCH
5190	35.00	35.00	35.00/*33.10A	45.10B/*33.10A	----	35.10 - 12.60	.1596	----	----	3	----	5 + 3
5195	----	----	----/*32.60A	44.40B/*32.60A	----	34.50 - 12.40	.1573	----	----	----	----	41 UNCH
5200	32.20	32.20	32.20/*32.00A	43.70B/*32.00A	----	33.90 - 12.30	.1550	----	----	8	----	1359 - 2
5205	36.80	36.80	36.80/*31.50A	42.80B/*31.50A	----	33.40 - 12.00	.1529	----	----	10	----	44 + 10
5210	----	----	----/*30.90A	42.20B/*30.90A	----	32.80 - 11.90	.1505	----	----	2	----	55 UNCH
5215	----	----	----/*30.40A	41.50B/*30.40A	----	32.30 - 11.70	.1485	----	----	----	----	26 UNCH
5220	----	----	----/*29.90A	40.70B/*29.90A	----	31.70 - 11.60	.1461	----	----	1	----	18 + 1
5225	----	----	----/*29.40A	40.10B/*29.40A	----	31.20 - 11.40	.1441	----	----	----	----	104 UNCH
5230	----	----	----/*28.90A	39.40B/*28.90A	----	30.70 - 11.20	.1420	----	----	8	----	60 - 8
5235	----	----	----/*28.40A	38.70B/*28.40A	----	30.20 - 11.10	.1400	----	----	----	----	2 UNCH
5240	----	----	----/*27.90A	38.10B/*27.90A	----	29.70 - 10.90	.1379	----	----	1	----	120 + 1
5245	29.10	29.10	29.10/*27.50	37.50B/*27.50	----	29.20 - 10.80	.1359	----	----	2	----	61 UNCH
5250	31.60	31.60	31.60/*27.00A	36.90B/*27.00A	----	28.70 - 10.60	.1339	----	----	10	----	643 + 3
5255	----	----	----/*26.60A	36.30B/*26.60A	----	28.30 - 10.40	.1321	----	----	----	----	14 UNCH
5260	----	----	----/*26.10A	35.70B/*26.10A	----	27.80 - 10.30	.1301	----	----	----	----	150 UNCH
5265	----	----	----/*25.70A	35.10B/*25.70A	----	27.40 - 10.10	.1284	----	----	----	----	4 UNCH
5270	25.30	25.30	25.30/*25.30	34.50B/*25.30	----	26.90 - 10.00	.1264	----	----	2	----	17 UNCH
5275	----	----	----/*24.90A	33.90B/*24.90A	----	26.50 - 9.80	.1246	----	----	----	----	20 UNCH
5280	----	----	----/*24.50A	33.30B/*24.50A	----	26.10 - 9.70	.1229	----	----	1	----	5 UNCH
5285	----	----	----/*24.10A	32.80B/*24.10A	----	25.60 - 9.60	.1209	----	----	----	----	19 UNCH
5290	----	----	----/*23.70A	32.30B/*23.70A	----	25.20 - 9.50	.1192	----	----	----	----	43 UNCH
5295	----	----	----/*23.30A	31.70B/*23.30A	----	24.80 - 9.30	.1175	----	----	----	----	79 UNCH
5300	27.10	27.10	27.10/*22.90A	31.20B/*22.90A	----	24.40 - 9.20	.1158	----	----	183	----	1352 - 5
5305	29.90	29.90	29.90/*22.60A	30.70B/*22.60A	----	24.10 - 9.00	.1144	----	----	7	----	68 + 5
5310	23.10	23.10	23.10/*22.20A	30.20B/*22.20A	----	23.70 - 8.90	.1127	----	----	9	----	16 + 9
5315	----	----	----/*21.90A	29.80B/*21.90A	----	23.30 - 8.70	.1110	----	----	----	----	26 UNCH
5320	26.00	26.00	29.30B/*21.50A	29.30B/*21.50A	----	22.90 - 8.70	.1093	----	----	50	----	58 - 1
5325	----	----	----/*21.20A	28.80B/*21.20A	----	22.60 - 8.50	.1079	----	----	----	----	182 UNCH
5330	----	----	----/*20.90A	28.40B/*20.90A	----	22.20 - 8.40	.1062	----	----	----	----	13 UNCH
5335	----	----	----/*20.60A	27.90B/*20.60A	----	21.90 - 8.20	.1049	----	----	----	----	3 UNCH
5340	----	----	----/*20.20A	27.50B/*20.20A	----	21.50 - 8.20	.1032	----	----	----	----	30 UNCH
5345	----	----	----/*19.90A	27.00B/*19.90A	----	21.20 - 8.00	.1018	----	----	----	----	42 UNCH
5350	----	----	----/*19.60A	26.60B/*19.60A	----	20.90 - 7.90	.1005	----	----	201	----	739 + 89
5355	----	----	----/*19.30A	26.20B/*19.30A	----	20.60 - 7.70	.0991	----	----	----	----	108 UNCH
5360	----	----	----/*19.00A	25.70B/*19.00A	----	20.30 - 7.60	.0978	----	----	----	----	328 UNCH
5365	----	----	----/*18.80A	25.30B/*18.80A	----	20.00 - 7.50	.0964	----	----	----	----	146 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5370	----	----	----/*18.50A	24.90B/*18.50A	----	19.60 - 7.50	.0948	----	----	----	----	24 UNCH
5375	----	----	----/*18.20A	24.60B/*18.20A	----	19.40 - 7.30	.0937	----	----	----	----	10 UNCH
5380	----	----	----/*17.90A	24.20B/*17.90A	----	19.10 - 7.20	.0924	----	----	----	----	8 UNCH
5385	23.50	23.50	23.50/*17.70A	23.80B/*17.70A	----	18.80 - 7.10	.0911	----	----	3	----	16 UNCH
5390	----	----	----/*17.40A	23.40B/*17.40A	----	18.50 - 7.00	.0897	----	----	----	----	13 UNCH
5395	----	----	----/*17.20A	23.10B/*17.20A	----	18.20 - 6.90	.0884	----	----	----	----	24 UNCH
5400	23.70	23.70	23.70/*16.90A	23.70/*16.90A	----	18.00 - 6.80	.0874	----	----	99	----	3012 - 17
5405	----	----	----/*16.70A	22.40B/*16.70A	----	17.70 - 6.70	.0861	----	----	----	----	10 UNCH
5410	----	----	----/*16.50A	22.10B/*16.50A	----	17.40 - 6.60	.0848	----	----	----	----	23 UNCH
5415	----	----	----/*16.20A	21.70B/*16.20A	----	17.20 - 6.50	.0838	----	----	----	----	16 UNCH
5420	----	----	----/*16.00A	21.40B/*16.00A	----	16.90 - 6.50	.0825	----	----	8	----	29 UNCH
5425	----	----	----/*15.80A	21.10B/*15.80A	----	16.70 - 6.30	.0815	----	----	----	----	27 UNCH
5430	----	----	----/*15.50A	20.80B/*15.50A	----	16.40 - 6.30	.0802	----	----	----	----	11 UNCH
5435	----	----	----/*15.30A	20.50B/*15.30A	----	16.20 - 6.20	.0792	----	----	----	----	6 UNCH
5440	18.20	18.20	18.20/*15.10A	20.20B/*15.10A	----	16.00 - 6.00	.0783	----	----	4	----	8 - 2
5445	----	----	----/*14.90A	19.90B/*14.90A	----	15.80 - 5.90	.0773	----	----	----	----	24 UNCH
5450	----	----	----/*14.70A	19.60B/*14.70A	----	15.50 - 5.90	.0760	----	----	8	----	1184 - 4
5455	----	----	----/*14.50A	19.30B/*14.50A	----	15.30 - 5.80	.0750	----	----	----	----	36 UNCH
5460	----	----	----/*14.30A	19.00B/*14.30A	----	15.10 - 5.70	.0741	----	----	1	----	24 + 1
5465	----	----	----/*14.10A	18.80B/*14.10A	----	14.90 - 5.60	.0731	----	----	----	----	18 UNCH
5470	----	----	----/*13.90A	18.50B/*13.90A	----	14.70 - 5.60	.0722	----	----	----	----	27 UNCH
5475	----	----	----/*13.70A	18.30B/*13.70A	----	14.50 - 5.50	.0712	----	----	----	----	206 UNCH
5480	----	----	----/*13.50A	18.00B/*13.50A	----	14.30 - 5.40	.0703	----	----	----	----	5 UNCH
5485	----	----	----/*13.40A	17.70B/*13.40A	----	14.10 - 5.30	.0694	----	----	----	----	9 UNCH
5490	----	----	----/*13.20A	17.40B/*13.20A	----	13.90 - 5.30	.0684	----	----	1	----	19 + 1
5495	----	----	----/*13.00A	17.20B/*13.00A	----	13.70 - 5.20	.0675	----	----	----	----	4 UNCH
5500	17.10	17.10	17.20/12.90A	17.20/12.90A	----	13.50 - 5.20	.0666	----	----	159	----	2676 - 24
5505	----	----	----/*12.70A	16.70B/*12.70A	----	13.40 - 5.00	.0660	----	----	----	----	6 UNCH
5510	----	----	----/*12.50A	16.50B/*12.50A	----	13.20 - 5.00	.0650	----	----	----	----	13 UNCH
5515	----	----	----/*12.40A	16.30B/*12.40A	----	13.00 - 4.90	.0641	----	----	----	----	17 UNCH
5520	----	----	----/*12.20A	16.10B/*12.20A	----	12.90 - 4.80	.0635	----	----	----	----	11 UNCH
5525	----	----	----/*12.10A	15.90B/*12.10A	----	12.70 - 4.80	.0626	----	----	----	----	90 UNCH
5530	----	----	----/*11.90A	15.60B/*11.90A	----	12.50 - 4.80	.0617	----	----	----	----	23 UNCH
5535	----	----	----/*11.80A	15.20B/*11.80A	----	12.40 - 4.60	.0612	----	----	----	----	12 UNCH
5540	12.80	12.80	12.80/*11.60A	15.00B/*11.60A	----	12.20 - 4.60	.0602	----	----	1	----	16 UNCH
5545	----	----	----/*11.50A	14.80B/*11.50A	----	12.10 - 4.50	.0597	----	----	----	----	17 UNCH
5550	----	----	----/*11.30A	14.70B/*11.30A	----	11.90 - 4.50	.0588	----	----	6	----	202 UNCH
5555	13.30	13.30	13.30/*11.20A	14.50B/*11.20A	----	11.80 - 4.40	.0582	----	----	14	----	34 + 9
5560	----	----	----/*11.10A	14.30B/*11.10A	----	11.60 - 4.40	.0573	----	----	----	----	23 UNCH
5565	----	----	----/*11.00A	14.10B/*11.00A	----	11.50 - 4.30	.0568	----	----	----	----	12 UNCH
5570	----	----	----/*10.80A	13.90B/*10.80A	----	11.30 - 4.30	.0559	----	----	----	----	4 UNCH
5575	----	----	----/*10.70A	13.80B/*10.70A	----	11.20 - 4.20	.0553	----	----	----	----	31 UNCH
5580	----	----	----/*10.60A	13.60B/*10.60A	----	11.10 - 4.10	.0548	----	----	----	----	7 UNCH
5585	----	----	----/*10.50A	13.40B/*10.50A	----	10.90 - 4.20	.0539	----	----	----	----	19 UNCH
5590	----	----	----/*10.40A	13.20B/*10.40A	----	10.80 - 4.10	.0534	----	----	----	----	5 UNCH
5595	----	----	----/*10.20A	13.10B/*10.20A	----	10.70 - 4.00	.0528	----	----	----	----	19 UNCH
5600	----	----	----/*10.10A	12.90B/*10.10A	----	10.60 - 3.90	.0523	----	----	4	----	2222 - 1
5605	----	----	----/*10.00A	12.70B/*10.00A	----	10.40 - 4.00	.0514	----	----	----	----	32 UNCH
5610	----	----	----/*9.90A	12.60B/*9.90A	----	10.30 - 3.90	.0509	----	----	----	----	5 UNCH
5620	----	----	----/*9.70A	12.30B/*9.70A	----	10.10 - 3.80	.0498	----	----	----	----	5 UNCH
5625	10.20	10.20	10.20/*9.60A	12.20B/*9.60A	----	10.00 - 3.70	.0493	----	----	1	----	8 UNCH
5630	----	----	----/*9.50A	12.00B/*9.50A	----	9.90 - 3.70	.0488	----	----	----	----	5 UNCH
5635	----	----	----/*9.40A	11.90B/*9.40A	----	9.80 - 3.60	.0483	----	----	----	----	12 UNCH
5640	----	----	----/*9.30A	11.80B/*9.30A	----	9.70 - 3.60	.0478	----	----	----	----	8 UNCH
5650	----	----	----/*9.10A	11.50B/*9.10A	----	9.50 - 3.50	.0467	----	----	----	----	444 UNCH
5660	----	----	----/*8.90A	11.20B/*8.90A	----	9.30 - 3.40	.0457	----	----	----	----	7 UNCH
5670	----	----	----/*8.70A	11.00B/*8.70A	----	9.10 - 3.30	.0447	----	----	----	----	11 UNCH
5675	----	----	----/*8.60A	10.80B/*8.60A	----	9.00 - 3.30	.0442	----	----	----	----	6 UNCH
5680	----	----	----/*8.60A	10.70B/*8.60A	----	8.90 - 3.30	.0437	----	----	----	----	6 UNCH
5690	----	----	----/*8.40A	10.50B/*8.40A	----	8.70 - 3.20	.0427	----	----	----	----	21 UNCH
5700	8.80	8.80	8.80/*8.20A	10.30B/*8.20A	----	8.50 - 3.20	.0418	----	----	1	----	962 + 1
5710	9.20	9.20	9.20/*8.00A	10.00B/*8.00A	----	8.40 - 3.00	.0411	----	----	15	----	22 + 10
5720	----	----	----/*7.90A	9.80B/*7.90A	----	8.20 - 3.00	.0402	----	----	----	----	17 UNCH
5725	----	----	----/*7.80A	9.70B/*7.80A	----	8.20 - 2.90	.0400	----	----	----	----	57 UNCH
5730	----	----	----/*7.70A	9.60B/*7.70A	----	8.10 - 2.90	.0396	----	----	----	----	9 UNCH
5740	----	----	----/*7.60A	9.40B/*7.60A	----	7.90 - 2.90	.0386	----	----	----	----	9 UNCH
5750	9.30	9.30	9.30/*7.50A	9.30/*7.50A	----	7.80 - 2.80	.0380	----	----	2	----	974 UNCH
5760	----	----	----/*7.30A	9.10B/*7.30A	----	7.70 - 2.70	.0374	----	----	----	----	168 UNCH
5770	----	----	----/*7.20A	8.90B/*7.20A	----	7.50 - 2.70	.0365	----	----	----	----	4 UNCH
5775	----	----	----/*7.20A	8.80B/*7.20A	----	7.50 - 2.60	.0364	----	----	----	----	216 UNCH
5780	----	----	----/*7.10A	8.80B/*7.10A	----	7.40 - 2.60	.0359	----	----	----	----	2 UNCH
5790	----	----	----/*7.00A	8.50B/*7.00A	----	7.30 - 2.50	.0353	----	----	----	----	9 UNCH
5800	----	----	----/*6.90A	8.40B/*6.90A	----	7.20 - 2.40	.0348	----	----	1	----	778 - 1
5810	----	----	----/*6.80A	8.20B/*6.80A	----	7.10 - 2.30	.0342	----	----	----	----	11 UNCH
5820	----	----	----/*6.60A	8.20B/*6.60A	----	7.00 - 2.30	.0337	----	----	----	----	207 UNCH
5825	----	----	----/*6.60A	8.00B/*6.60A	----	6.90 - 2.30	.0332	----	----	----	----	19 UNCH
5830	----	----	----/*6.50A	7.90B/*6.50A	----	6.90 - 2.20	.0331	----	----	----	----	1 UNCH
5840	----	----	----/*6.40A	7.80B/*6.40A	----	6.80 - 2.10	.0326	----	----	----	----	102 UNCH
5850	----	----	----/*6.30A	7.60B/*6.30A	----	6.70 - 2.10	.0320	----	----	----	----	109 UNCH
5860	8.00	8.00	8.20/*6.20	8.20/*6.20	----	6.60 - 2.00	.0315	----	----	6	----	92 + 6
5870	----	----	----/*6.20A	7.50B/*6.20A	----	6.50 - 2.00	.0310	----	----	----	----	9 UNCH
5875	----	----	----/*6.20A	7.20B/*6.20A	----	6.50 - 1.90	.0309	----	----	----	----	22 UNCH
5880	----	----	----/*6.20A	7.10B/*6.20A	----	6.40 - 2.00	.0304	----	----	----	----	11 UNCH
5890	----	----	----/*6.00A	7.00B/*6.00A	----	6.30 - 1.90	.0299	----	----	----	----	9 UNCH
5900	----	----	----/*6.00A	6.90B/*6.00A	----	6.30 - 1.80	.0298	----	----	1	----	428 UNCH
5910	----	----	----/*6.00A	6.80B/*6.00A	----	6.20 - 1.80	.0292	----	----	----	----	6 UNCH
5920	----	----	----/*5.90A	6.70B/*5.90A	----	6.10 - 1.70	.0287	----	----	----	----	25 UNCH
5925	----	----	----/*5.90A	6.70B/*5.90A	----	6.00 - 1.80	.0283	----	----	----	----	6 UNCH
5940	----	----	----/*5.80A	6.40B/*5.80A	----	5.90 - 1.70	.0277	----	----	----	----	2 UNCH
5950	----	----	----/*5.70A	6.40B/*5.70A	----	5.80 - 1.70	.0272	----	----	----	----	4 UNCH
5960	----	----	----/*5.60A	6.30B/*5.60A	----	5.80 - 1.60	.0271	----	----	----	----	15 UNCH
5970	----	----	----/*5.50A	6.20B/*5.50A	----	5.70 - 1.60	.0266	----	----	----	----	55 UNCH
5980	----	----	----/*5.50A	6.10B/*5.50A	----	5.60 - 1.60	.0261	----	----	----	----	3 UNCH
5990	----	----	----/*5.40A	6.00B/*5.40A	----	5.50 - 1.60	.0256	----	----	----	----	70 UNCH
6000	6.30	6.30	6.30/*5.30A	6.30/*5.30A	----	5.40 - 1.60	.0251	----	----	73	----	2216 + 3
6025	----	----	----/*5.20A	5.70B/*5.20A	----	5.30 - 1.40	.0245	----	----	----	----	29 UNCH
6050	----	----	----/*5.00A	5.50B/*5.00A	----	5.10 - 1.40	.0235	----	----	----	----	40 UNCH
6075	----	----	----/*4.90A	5.30B/*4.90A	----	4.90 - 1.40	.0225	----	----	1	----	90 UNCH
6100	5.20	5.20	5.20/*4.80A	5.20/*4.80A	----	4.70 - 1.40	.0215	----	----	2	----	301 UNCH
6125	----	----	----/*4.70A	5.00B/*4.70A	----	4.60 - 1.30	.0209	----	----	1	----	59 - 1
6150	----	----	----/*4.50A	4.80B/*4.50A	----	4.40 - 1.30	.0200	----	----	----	----	881 UNCH
6175	----	----	----/*4.40A	4.70B/*4.40A	----	4.30 - 1.30	.0194	----	----	----	----	39 UNCH
6200	----	----	----/*4.30A	4.60B/*4.30A	----	4.20 - 1.20	.0189	----	----	----	----	556 UNCH
6225	----	----	----/*4.20A	4.40B/*4.20A	----	4.00 - 1.30	.0179	----	----	----	----	20 UNCH
6250	----	----	----/*4.10A	4.30B/*4.10A	----	3.90 - 1.20	.0174	----	----	----	----	392 UNCH
6275	----	----	----/*4.00A	4.20B/*4.00A	----	3.80 - 1.20	.0169	----	----	----	----	3 UNCH
6300	4.00	4.00	4.00/*3.90A	4.10B/*3.90A	----	3.70 - 1.20	.0164	----	----	1	----	337 + 1
6325	----	----	----/*3.80A	4.00B/*3.80A	----	3.70 - 1.00	.0162	----	----	----	----	34 UNCH
6350	----	----	----/*3.80A	3.90B/*3.80A	----	3.60 - 1.00	.0157	----	----	----	----	32 UNCH
6375	----	----	----/*3.70A	3.80B/*3.70A	----	3.50 - 1.00	.0152	----	----	----	----	37 UNCH
6400	----	----	----/*3.60A	3.70B/*3.60A	----	3.40 - 1.00	.0147	----	----	----	----	183 UNCH
6425	----	----	----/*3.50A	3.60B/*3.50A	----	3.30 - 1.00	.0142	----	----	----	----	17 UNCH
6450	----	----	----/*3.40A	3.50B/*3.40A	----	3.30 - 0.90	.0141	----	----	----	----	48 UNCH
6475	----	----	----/*3.40A	3.40B/*3.40A	----	3.20 - 0.90	.0136	----	----	----	----	14 UNCH
6500	3.20	3.20	3.20/*3.20	3.30B/3.20	----	3.20 - 0.80	.0135	----	----	157	----	755 - 96
6525	----	----	----/*3.30A	3.30B/*3.30A	----	3.10 - 0.80	.0130	----	----	----	----	132 UNCH
6550	----	----	----/*3.20A	3.20B/*3.20A	----	3.00 - 0.80	.0126	----	----	----	----	1 UNCH
6575	----	----	----/*3.10A	3.10B/*3.10A	----	3.00 - 0.80	.0125	----	----	----	----	4 UNCH
6600	----	----	----/*3.10A	3.10B/*3.10A	----	2.90 - 0.80	.0120	----	----	----	----	26 UNCH
6650	----	----	----/*2.90A	2.90B/*2.90A	----	2.80 - 0.70	.0115	----	----	----	----	16 UNCH
6675	----	----	----/*2.90A	2.80B/*2.90A	----	2.80 - 0.70	.0114	----	----	----	----	1 UNCH
6700	----	----	----/*2.90A	2.80B/*2.90A	----	2.70 - 0.70	.0110	----	----	----	----	127 UNCH
6775	----	----	----/*2.70A	2.60B/*2.70A	----	2.60 - 0.60	.0104	----	----	----	----	1 UNCH
6800	----	----	----/*2.70A	2.60B/*2.70A	----	2.60 - 0.50	.0103	----	----	----	----	201 UNCH
6825	----	----	----/*2.60A	2.50B/*2.60A	----	2.50 - 0.60	.0099	----	----	----	----	19 UNCH
6850	----	----	----/*2.50A	2.40B/*2.50A	----	2.50 - 0.50	.0099	----	----	----	----	201 UNCH
6875	----	----	----/*2.50A	2.40B/*2.50A	----	2.40 - 0.60	.0095	----	----	----	----	22 UNCH
6900	----	----	----/*2.50A	2.40B/*2.50A	----	2.40 - 0.50	.0094	----	----	----	----	19 UNCH
6925	----	----	----/*2.50A	2.30B/*2.50A	----	2.40 - 0.50	.0093	----	----	----	----	1 UNCH
6950	----	----	----/*2.40A	2.20B/*2.40A	----	2.30 - 0.50	.0089	----	----	----	----	22 UNCH
6975	----	----	----/*2.40A	2.30B/*2.40A	----	2.30 - 0.50	.0089	----	----	----	----	10 UNCH
7000	2.00	2.00	2.00/*2.00	2.20B/2.00	----	2.30 - 0.40	.0088	----	----	1	----	818 UNCH
7050	----	----	----/*2.30A	2.10B/*2.30A	----	2.20 - 0.40	.0084	----	----	1	----	18 UNCH
7075	----	----	----/*2.20A	2.00B/*2.20A	----	2.20 - 0.40	.0083	----	----	----	----	13 UNCH
7100	----	----	----/*2.20A	2.00B/*2.20A	----	2.10 - 0.40	.0080	----	----	----	----	28 UNCH
7125	----	----	----/*2.20A	2.00B/*2.20A	----	2.10 - 0.40	.0079	----	----	----	----	1 UNCH
7150	----	----	----/*2.10A	1.90B/*2.10A	----	2.10 - 0.30	.0079	----	----	----	----	19 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
7175	----	----	----/*2.10A	1.90B/*2.10A	----	2.00 - 0.40	.0075	----	----	----	----	1 UNCH
7200	----	----	----/*2.00A	1.80B/*2.00A	----	2.00 - 0.40	.0075	----	----	----	----	3 UNCH
7225	----	----	----/*2.00A	1.80B/*2.00A	----	2.00 - 0.30	.0074	----	----	----	----	22 UNCH
7250	----	----	----/*2.00A	1.70B/*2.00A	----	1.90 - 0.40	.0071	----	----	----	----	23 UNCH
7275	----	----	----/*2.00A	1.70B/*2.00A	----	1.90 - 0.30	.0070	----	----	----	----	14 UNCH
7300	----	----	----/*1.90A	1.60B/*1.90A	----	1.90 - 0.30	.0070	----	----	----	----	42 UNCH
7350	----	----	----/*1.80A	1.60B/*1.80A	----	1.80 - 0.30	.0066	----	----	----	----	8 UNCH
7400	----	----	----/*1.70A	1.50B/*1.70A	----	1.80 - 0.30	.0065	----	----	----	----	2 UNCH
7425	----	----	----/*1.70A	1.50B/*1.70A	----	1.70 - 0.30	.0062	----	----	----	----	19 UNCH
7450	----	----	----/*1.80A	1.40B/*1.80A	----	1.70 - 0.30	.0061	----	----	----	----	16 UNCH
7475	----	----	----/*1.70A	1.40B/*1.70A	----	1.70 - 0.30	.0061	----	----	----	----	9 UNCH
7500	----	----	----/1.70A	1.40B/1.70A	----	1.70 - 0.20	.0061	----	----	----	----	301 UNCH
7525	----	----	----/*1.70A	1.40B/*1.70A	----	1.60 - 0.30	.0057	----	----	----	----	33 UNCH
7550	----	----	----/*1.60A	1.30B/*1.60A	----	1.60 - 0.30	.0057	----	----	----	----	50 UNCH
7575	----	----	----/*1.60A	1.30B/*1.60A	----	1.60 - 0.30	.0057	----	----	----	----	1 UNCH
7600	----	----	----/*1.60A	1.30B/*1.60A	----	1.60 - 0.20	.0056	----	----	----	----	10 UNCH
7625	----	----	----/*1.50A	1.20B/*1.50A	----	1.60 - 0.20	.0056	----	----	----	----	12 UNCH
7700	----	----	----/*1.50A	1.20B/*1.50A	----	1.50 - 0.20	.0052	----	----	----	----	11 UNCH
7725	----	----	----/*1.40A	1.20B/*1.40A	----	1.50 - 0.20	.0052	----	----	----	----	11 UNCH
7750	----	----	----/*1.40A	1.10B/*1.40A	----	1.50 - 0.20	.0052	----	----	----	----	6 UNCH
7775	----	----	----/*1.50A	1.10B/*1.50A	----	1.40 - 0.20	.0049	----	----	----	----	5 UNCH
7800	----	----	----/*1.50A	1.10B/*1.50A	----	1.40 - 0.20	.0048	----	----	----	----	5 UNCH
7825	----	----	----/*1.50A	1.10B/*1.50A	----	1.40 - 0.20	.0048	----	----	----	----	13 UNCH
7875	----	----	----/*1.40A	1.00B/*1.40A	----	1.40 - 0.10	.0048	----	----	----	----	151 UNCH
7900	----	----	----	1.00B/*1.50A	----	1.30 - 0.20	.0045	----	----	----	----	1 UNCH
8000	----	----	----	0.90B/1.40A	----	1.30 - 0.10	.0044	----	----	3	----	592 + 3
8100	----	----	----	0.80B/*1.40A	----	1.20 - 0.10	.0040	----	----	----	----	7 UNCH
8300	----	----	----	0.70B/*1.20A	----	1.10 - 0.10	.0036	----	----	----	----	4 UNCH
8500	1.00	1.00	1.00/1.00	1.00/1.00	----	1.00 UNCH	.0032	----	----	4	----	44 - 2
8600	----	----	----	0.60B/1.10A	----	1.00 + 0.10	.0032	----	----	----	----	1 UNCH
8700	----	----	----	0.50B/*1.00A	----	0.90 UNCH	.0028	----	----	1	----	25 UNCH
8800	----	----	----	0.50B/*0.90A	----	0.90 + 0.10	.0028	----	----	----	----	7 UNCH
9000	----	----	----	0.40B/0.90A	----	0.80 + 0.10	.0025	----	----	----	----	223 UNCH
9200	----	----	----	0.30B/*0.80A	----	0.70 + 0.10	.0021	----	----	----	----	11 UNCH
9300	----	----	----	0.20B/*0.80A	----	0.70 + 0.10	.0021	----	----	----	----	4 UNCH
9400	----	----	----	0.20B/*0.80A	----	0.70 + 0.10	.0021	----	----	----	----	141 UNCH
9500	----	----	----	0.20B/0.80A	----	0.60 + 0.10	.0018	----	----	----	----	66 UNCH
9900	----	----	----	0.10B/0.70A	----	0.50 UNCH	.0014	----	----	----	----	5 UNCH
10000	----	----	----	0.20B/0.70A	----	0.50 UNCH	.0014	----	----	----	----	173 UNCH
10100	----	----	----	----/*0.60A	----	0.50 + 0.10	.0014	----	----	----	----	12 UNCH
11000	----	----	----	----/*0.40A	----	0.30 UNCH	.0008	----	----	----	----	88 UNCH
11200	----	----	----	----/0.50A	----	0.30 + 0.10	.0008	----	----	----	----	13 UNCH
11500	----	----	----	----/0.50A	----	0.20 UNCH	.0005	----	----	----	----	47 UNCH
11600	----	----	----	----/0.50A	----	0.20 UNCH	.0005	----	----	----	----	50 UNCH
12000	----	----	----	----/*0.20A	----	0.20 + 0.10	.0005	----	----	----	----	217 UNCH
TOTAL										2459		56571 + 755
AUG26												
3400	----	----	----	----	----	1330.90 - 47.40	.9781	----	----	----	----	1 UNCH
3500	----	----	----/1,229.20A	1249.10B/1229.20A	----	1232.40 - 47.40	.9727	----	----	----	----	46 UNCH
3505	----	----	----/1,224.20A	1244.20B/1224.20A	----	1227.40 - 47.50	.9724	----	----	----	----	4 UNCH
3520	----	----	----/1,209.50A	1229.50B/1209.50A	----	1212.70 - 47.50	.9714	----	----	----	----	65 UNCH
3550	----	----	----/1,178.60A	1201.40B/1178.60A	----	1183.30 - 47.50	.9693	----	----	----	----	310 UNCH
3600	----	----	----/1,127.90A	1153.70B/1127.90A	----	1134.40 - 47.50	.9655	----	----	----	----	1045 UNCH
3610	----	----	----/1,121.20A	1141.40B/1121.20A	----	1124.60 - 47.50	.9647	----	----	----	----	6 UNCH
3650	----	----	----/1,082.20A	1102.50B/1082.20A	----	1085.70 - 47.50	.9613	----	----	----	----	4 UNCH
3660	----	----	----	----	----	1075.90 - 47.50	.9603	----	----	----	----	1 UNCH
3685	----	----	----	----	----	1051.70 - 47.50	.9579	----	----	----	----	1 UNCH
3700	----	----	----/1,033.60A	1054.00B/1033.60A	----	1037.20 - 47.50	.9562	----	----	----	----	40 UNCH
3715	----	----	----/1,019.10A	1039.50B/1019.10A	----	1022.70 - 47.50	.9545	----	----	----	----	30 UNCH
3720	----	----	----	----	----	1017.80 - 47.60	.9541	----	----	----	----	1 UNCH
3735	----	----	----	----	----	1003.40 - 47.50	.9522	----	----	----	----	1 UNCH
3750	----	----	----/985.40A	1005.70B/985.40A	----	988.90 - 47.50	.9505	----	----	----	----	8 UNCH
3775	----	----	----/961.40A	981.70B/961.40A	----	964.90 - 47.50	.9475	----	----	----	----	4 UNCH
3780	----	----	----/956.60A	976.90B/956.60A	----	960.10 - 47.50	.9468	----	----	----	----	10 UNCH
3790	----	----	----/947.00A	967.30B/947.00A	----	950.50 - 47.60	.9455	----	----	----	----	67 UNCH
3800	----	----	----/936.20A	959.00B/936.20A	----	941.00 - 47.50	.9441	----	----	----	----	303 UNCH
3820	----	----	----/918.40A	938.70B/918.40A	----	921.90 - 47.50	.9412	----	----	----	----	3 UNCH
3840	----	----	----	----	----	902.80 - 47.60	.9382	----	----	----	----	1 UNCH
3850	----	----	----/889.90A	910.20B/889.90A	----	893.30 - 47.60	.9366	----	----	----	----	12 UNCH
3885	----	----	----	----	----	860.20 - 47.60	.9308	----	----	----	----	2 UNCH
3890	----	----	----	----	----	855.50 - 47.60	.9299	----	----	----	----	2 UNCH
3900	----	----	----/842.70A	862.90B/842.70A	----	846.10 - 47.50	.9280	----	----	----	----	146 UNCH
3920	----	----	----	----	----	827.40 - 47.50	.9244	----	----	----	----	1 UNCH
3925	----	----	----/819.30A	839.50B/819.30A	----	822.70 - 47.50	.9234	----	----	----	----	10 UNCH
3950	----	----	----/796.00A	816.10B/796.00A	----	799.40 - 47.40	.9184	----	----	----	----	106 UNCH
3955	----	----	----/791.40A	811.50B/791.40A	----	794.70 - 47.50	.9172	----	----	----	----	7 UNCH
3975	----	----	----/772.90A	792.90B/772.90A	----	776.20 - 47.40	.9128	----	----	----	----	200 UNCH
3995	----	----	----/754.40A	774.40B/754.40A	----	757.70 - 47.40	.9084	----	----	----	----	30 UNCH
4000	----	----	----/747.20A	772.10B/747.20A	----	753.10 - 47.40	.9072	----	----	----	----	683 UNCH
4005	----	----	----	----	----	748.50 - 47.40	.9060	----	----	----	----	1 UNCH
4015	----	----	----/736.10A	756.00B/736.10A	----	739.40 - 47.30	.9035	----	----	----	----	12 UNCH
4025	----	----	----/726.90A	746.90B/726.90A	----	730.20 - 47.40	.9011	----	----	----	----	174 UNCH
4045	----	----	----/708.80A	728.60B/708.80A	----	712.00 - 47.30	.8959	----	----	----	----	30 UNCH
4050	----	----	----/704.20A	724.00B/704.20A	----	707.50 - 47.30	.8945	----	----	----	----	100 UNCH
4055	----	----	----/699.70A	719.50B/699.70A	----	703.00 - 47.20	.8932	----	----	----	----	100 UNCH
4075	----	----	----/681.70A	701.40B/681.70A	----	684.90 - 47.20	.8875	----	----	----	----	3 UNCH
4080	----	----	----	542.70B/838.50A	----	680.40 - 47.20	.8861	----	----	----	----	1 UNCH
4100	----	----	----/659.40A	679.00B/659.40A	----	662.50 - 47.10	.8801	----	----	----	----	73 UNCH
4110	----	----	----/650.60A	670.00B/650.60A	----	653.60 - 47.10	.8770	----	----	----	----	19 UNCH
4135	----	----	----/627.70A	647.90B/627.70A	----	631.50 - 47.00	.8689	----	----	----	----	20 UNCH
4140	----	----	----	488.90B/785.20A	----	627.20 - 46.90	.8672	----	----	----	----	1 UNCH
4150	----	----	----/615.50A	634.70B/615.50A	----	618.40 - 46.80	.8639	----	----	----	----	40 UNCH
4165	----	----	----	466.80B/763.30A	----	605.30 - 46.80	.8586	----	----	----	----	1 UNCH
4195	----	----	----/576.70A	595.50B/576.70A	----	579.40 - 46.60	.8474	----	----	----	----	3 UNCH
4200	----	----	----/572.50A	591.30B/572.50A	----	575.20 - 46.50	.8456	----	----	----	----	75 UNCH
4215	----	----	----	423.60B/721.60A	----	562.40 - 46.40	.8396	----	----	----	----	1 UNCH
4220	----	----	----/555.50A	574.30B/555.50A	----	558.10 - 46.40	.8377	----	----	----	----	16 UNCH
4225	----	----	----/551.30A	570.00B/551.30A	----	553.90 - 46.30	.8356	----	----	----	----	102 UNCH
4235	----	----	----	405.90B/705.50A	----	545.50 - 46.20	.8315	----	----	----	----	1 UNCH
4250	----	----	----/530.40A	548.90B/530.40A	----	532.90 - 46.10	.8250	----	----	----	----	71 UNCH
4265	----	----	----/518.00A	536.40B/518.00A	----	520.50 - 45.90	.8186	----	----	----	----	77 UNCH
4285	----	----	----/501.70A	519.90B/501.70A	----	504.10 - 45.70	.8094	----	----	----	----	8 UNCH
4300	----	----	----/489.70A	507.60B/489.70A	----	491.90 - 45.50	.8024	----	----	----	----	42 UNCH
4320	----	----	----	332.60B/638.60A	----	475.80 - 45.30	.7926	----	----	----	----	2 UNCH
4325	----	----	----/469.60A	487.40B/469.60A	----	471.80 - 45.20	.7901	----	----	----	----	6 UNCH
4330	----	----	----/465.60A	483.40B/465.60A	----	467.80 - 45.20	.7876	----	----	----	----	201 UNCH
4350	----	----	----/447.40A	469.60B/447.40A	----	452.10 - 44.80	.7773	----	----	----	----	774 UNCH
4360	----	----	----	299.50B/608.30A	----	444.30 - 44.70	.7719	----	----	----	----	1 UNCH
4375	----	----	----/430.70A	447.90B/430.70A	----	432.70 - 44.40	.7639	----	----	----	----	3 UNCH
4385	----	----	----/423.10A	440.20B/423.10A	----	425.10 - 44.20	.7583	----	----	----	----	100 UNCH
4390	----	----	----	275.40B/570.00A	----	421.30 - 44.10	.7555	----	----	----	----	1 UNCH
4400	----	----	----/410.90A	429.70B/410.90A	----	413.70 - 44.00	.7499	----	----	----	----	325 UNCH
4420	----	----	----/397.10A	413.60B/397.10A	----	398.80 - 43.60	.7382	----	----	----	----	50 UNCH
4425	----	----	----/393.50A	409.90B/393.50A	----	395.10 - 43.60	.7352	----	----	----	----	5 UNCH
4440	----	----	----	236.80B/524.00A	----	384.20 - 43.20	.7262	----	----	----	----	1 UNCH
4450	----	----	----/375.40A	391.40B/375.40A	----	377.00 - 43.00	.7201	----	----	----	----	6 UNCH
4455	----	----	----	225.70B/512.00A	----	373.40 - 42.90	.7170	----	----	----	----	2 UNCH
4460	----	----	----/365.90A	384.20B/365.90A	----	369.80 - 42.80	.7138	----	----	----	----	5 UNCH
4465	----	----	----/361.20A	380.60B/361.20A	----	366.20 - 42.70	.7107	----	----	----	----	9 UNCH
4470	----	----	----/357.80A	377.00B/357.80A	----	362.70 - 42.60	.7075	----	----	----	----	7 UNCH
4475	----	----	----/354.30A	373.40B/354.30A	----	359.20 - 42.50	.7043	----	----	----	----	29 UNCH
4485	----	----	----/347.40A	366.30B/347.40A	----	352.20 - 42.30	.6979	----	----	----	----	5 UNCH
4490	----	----	----/344.00A	361.80B/344.00A	----	348.70 - 42.20	.6947	----	----	----	----	1 UNCH
4500	----	----	----/335.60A	361.50B/335.60A	----	341.90 - 41.90	.6881	----	----	14	----	832 - 14
4535	----	----	----/313.80A	338.50B/313.80A	----	318.40 - 41.00	.6644	----	----	----	----	10 UNCH
4540	----	----	----/310.70A	335.10B/310.70A	----	315.10 - 40.90	.6610	----	----	----	----	5 UNCH
4545	----	----	----/307.60A	331.70B/307.60A	----	311.90 - 40.70	.6575	----	----	----	----	1 UNCH
4550	----	----	----/302.50A	328.40B/302.50A	----	308.60 - 40.70	.6540	----	----	----	----	22 UNCH
4555	----	----	----/301.00A	325.10B/301.00A	----	305.40 - 40.50	.6505	----	----	----	----	1 UNCH
4560	----	----	----/298.00A	321.80B/298.00A	----	302.20 - 40.40	.6470	----	----	----	----	5 UNCH
4565	----	----	----/294.70A	318.50B/294.70A	----	299.00 - 40.20	.6434	----	----	----	----	1 UNCH
4575	----	----	----/287.30A	312.00B/287.30A	----	292.70 - 39.90	.6363	----	----	----	----	41 UNCH
4580	----	----	----/284.20A	308.80B/284.20A	----	289.60 - 39.80	.6327	----	----	----	----	200 UNCH
4585	----	----	----/282.30A	305.60B/282.30A	----	286.50 - 39.60	.6291	----	----	----	----	2 UNCH
4590	----	----	----/278.10A	302.50B/278.10A	----	283.50 - 39.40	.6255	----	----	----	----	16 UNCH
4595	----	----	----/276.30A	299.90B/276.30A	----	280.40 - 39.30	.6218	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4600	----	----	----/272.20A	299.50B/272.20A	----	277.40 - 39.10	.6182	----	----	----	----	100 UNCH
4605	----	----	----/270.30A	299.50B/270.30A	----	274.30 - 39.00	.6145	----	----	----	----	1 UNCH
4620	----	----	----/260.90A	295.00B/260.90A	----	265.40 - 38.50	.6035	----	----	----	----	4 UNCH
4625	----	----	----/257.80A	292.10B/257.80A	----	262.50 - 38.20	.5997	----	----	----	----	11 UNCH
4630	----	----	----/255.20A	288.90B/255.20A	----	259.60 - 38.10	.5960	----	----	----	----	10 UNCH
4640	----	----	----/249.90A	282.80B/249.90A	----	253.80 - 37.70	.5885	----	----	----	----	1 UNCH
4650	----	----	----/243.60A	277.60B/243.60A	----	248.20 - 37.30	.5810	----	----	14	----	145 UNCH
4660	----	----	----/238.20A	271.00B/238.20A	----	242.60 - 36.90	.5734	----	----	----	----	2 UNCH
4670	----	----	----/232.60A	265.20B/232.60A	----	237.10 - 36.50	.5658	----	----	----	----	3 UNCH
4675	----	----	----/230.00A	262.30B/230.00A	----	234.40 - 36.20	.5620	----	----	----	----	36 UNCH
4690	----	----	----/222.40A	258.10B/222.40A	----	226.40 - 35.60	.5505	----	----	4	----	1 UNCH
4700	----	----	----/216.60A	252.50B/216.60A	----	221.20 - 35.10	.5428	----	----	4	----	1629 UNCH
4705	----	----	----/214.40A	250.40B/214.40A	----	218.60 - 34.90	.5389	----	----	----	----	20 UNCH
4710	----	----	----/211.90A	248.50B/211.90A	----	216.00 - 34.80	.5351	----	----	----	----	17 UNCH
4720	----	----	----/206.90A	242.50B/206.90A	----	211.00 - 34.30	.5274	----	----	----	----	29 UNCH
4725	----	----	----/204.90A	239.90B/204.90A	----	208.50 - 34.10	.5235	----	----	----	----	2 UNCH
4730	----	----	----/202.00A	237.20B/202.00A	----	206.00 - 33.90	.5196	----	----	----	----	3 UNCH
4735	----	----	----/199.80A	234.60B/199.80A	----	203.50 - 33.80	.5158	----	----	----	----	2 UNCH
4745	----	----	----/194.70A	229.30B/194.70A	----	198.70 - 33.30	.5080	----	----	----	50	62 + 50
4750	224.00	224.00	227.20B/191.60	227.20B/191.60	----	196.30 - 33.20	.5042	----	----	63	----	202 + 21
4755	----	----	----/190.10A	224.70B/190.10A	----	193.90 - 33.00	.5003	----	----	----	----	7 UNCH
4760	----	----	----/187.70A	221.80B/187.70A	----	191.60 - 32.80	.4964	----	----	----	----	31 UNCH
4765	----	----	----/185.40A	219.50B/185.40A	----	189.30 NEW	.4926	----	----	6	----	6 + 6
4770	----	----	----/183.20A	216.70B/183.20A	----	187.00 - 32.50	.4887	----	----	----	----	250 UNCH
4775	208.10	208.10	208.10/181.00A	214.30B/181.00A	----	184.70 - 32.30	.4849	----	----	7	----	12 + 1
4780	----	----	----/178.70A	211.60B/178.70A	----	182.40 - 32.20	.4810	----	----	3	----	13 + 3
4785	----	----	----/176.50A	209.30B/176.50A	----	180.20 - 32.00	.4772	----	----	----	----	2 UNCH
4790	----	----	----/174.40A	206.90B/174.40A	----	178.00 - 31.90	.4733	----	----	----	----	3 UNCH
4795	----	----	----/172.20A	204.60B/172.20A	----	175.80 - 31.70	.4695	----	----	----	----	106 UNCH
4800	195.60	195.60	195.60/169.90A	202.30B/169.90A	----	173.60 - 31.60	.4657	----	----	155	----	1719 + 3
4805	170.40	170.40	171.80/168.00A	199.90B/168.00A	----	171.50 - 31.40	.4619	----	----	3	----	14 + 2
4810	----	----	----/165.90A	197.70B/165.90A	----	169.30 - 31.40	.4580	----	----	----	----	24 UNCH
4815	----	----	----/163.80A	195.20B/163.80A	----	167.20 - 31.20	.4542	----	----	----	----	3 UNCH
4820	----	----	----/161.70A	193.00B/161.70A	----	165.10 - 31.10	.4504	----	----	----	----	22 UNCH
4825	----	----	----/159.50A	190.80B/159.50A	----	163.10 - 30.80	.4467	----	----	6	----	33 UNCH
4830	160.40	160.40	160.40/157.50A	188.50B/157.50A	----	161.00 - 30.70	.4429	----	----	6	----	15 - 2
4835	----	----	----/155.50A	186.30B/155.50A	----	159.00 - 30.50	.4391	----	----	----	----	38 UNCH
4840	----	----	----/153.50A	184.10B/153.50A	----	157.00 - 30.40	.4353	----	----	----	----	25 UNCH
4850	----	----	----/149.50A	179.80B/149.50A	----	153.10 - 30.00	.4279	----	----	----	----	63 UNCH
4860	----	----	----/145.70A	175.60B/145.70A	----	149.20 - 29.70	.4204	----	----	----	----	28 UNCH
4865	----	----	----/*143.90A	173.40B/*143.90A	----	147.30 - 29.50	.4167	----	----	----	----	10 UNCH
4870	----	----	----/142.00A	171.30B/142.00A	----	145.40 - 29.30	.4130	----	----	----	----	13 UNCH
4875	----	----	----/140.10A	169.20B/140.10A	----	143.60 - 29.10	.4093	----	----	----	----	146 UNCH
4880	----	----	----/138.30A	167.20B/138.30A	----	141.80 - 28.80	.4057	----	----	----	----	146 UNCH
4885	----	----	----/*136.50A	165.20B/*136.50A	----	140.00 - 28.60	.4021	----	----	----	----	21 UNCH
4890	----	----	----/134.70A	163.20B/134.70A	----	138.20 - 28.40	.3984	----	----	----	----	9 UNCH
4895	----	----	----/*133.00A	161.30B/*133.00A	----	136.40 - 28.20	.3948	----	----	----	----	31 UNCH
4900	133.20	133.20	133.20/131.30A	159.30B/131.30A	----	134.70 - 28.00	.3912	----	----	62	----	613 + 15
4905	----	----	----/*129.60A	157.40B/*129.60A	----	132.90 - 27.80	.3876	----	----	----	----	15 UNCH
4910	----	----	----/127.90A	155.50B/127.90A	----	131.20 - 27.60	.3840	----	----	----	----	7 UNCH
4920	----	----	----/124.50A	152.10B/124.50A	----	127.90 - 27.10	.3770	----	----	----	----	3 UNCH
4925	----	----	----/122.90A	150.20B/122.90A	----	126.30 - 26.90	.3735	----	----	----	----	125 UNCH
4930	----	----	----/121.30A	148.40B/121.30A	----	124.70 - 26.60	.3700	----	----	----	----	1 UNCH
4935	----	----	----/*119.70A	146.60B/*119.70A	----	123.10 - 26.40	.3665	----	----	----	----	1 UNCH
4940	----	----	----/118.10A	144.90B/118.10A	----	121.50 - 26.20	.3631	----	----	----	----	23 UNCH
4945	----	----	----/*116.70A	143.00B/*116.70A	----	119.90 - 26.00	.3596	----	----	----	----	23 UNCH
4950	----	----	----/115.10A	141.30B/115.10A	----	118.40 - 25.70	.3562	----	----	2	----	117 + 1
4955	----	----	----/*113.60A	139.60B/*113.60A	----	116.90 - 25.50	.3528	----	----	----	----	22 UNCH
4960	----	----	----/*112.10A	137.80B/*112.10A	----	115.40 - 25.30	.3495	----	----	----	----	18 UNCH
4965	----	----	----/*110.70A	136.20B/*110.70A	----	113.90 - 25.10	.3461	----	----	----	----	22 UNCH
4975	----	----	----/107.80A	132.70B/107.80A	----	111.00 - 24.60	.3395	----	----	----	----	2 UNCH
4980	----	----	----/*106.40A	131.10B/*106.40A	----	109.50 - 24.50	.3361	----	----	----	----	3 UNCH
4985	----	----	----/*105.00A	129.50B/*105.00A	----	108.10 - 24.20	.3328	----	----	----	----	14 UNCH
4990	----	----	----/*103.60A	127.90B/*103.60A	----	106.70 - 24.00	.3296	----	----	1	----	5 + 1
4995	----	----	----/*102.20A	126.20B/*102.20A	----	105.40 - 23.70	.3264	----	----	----	----	3 UNCH
5000	124.50	124.50	124.70B/100.90A	124.70B/100.90A	----	104.00 - 23.60	.3232	----	----	16	----	1279 + 4
5005	----	----	----/*99.60A	123.10B/*99.60A	----	102.60 - 23.40	.3199	----	----	----	----	10 UNCH
5015	----	----	----/*97.00A	120.20B/*97.00A	----	100.00 - 23.00	.3136	----	----	----	----	3 UNCH
5020	105.00	105.00	105.00/*95.70A	118.70B/*95.70A	----	98.70 - 22.80	.3105	----	----	10	----	11 + 10
5025	105.00	105.00	105.00/*94.40A	117.20B/*94.40A	----	97.40 - 22.60	.3074	----	----	110	----	76 - 24
5030	----	----	----/*93.10A	115.70B/*93.10A	----	96.10 - 22.50	.3043	----	----	1	----	3 + 1
5035	----	----	----/*91.90A	114.20B/*91.90A	----	94.90 - 22.20	.3012	----	----	----	----	10 UNCH
5040	----	----	----/*90.70A	112.80B/*90.70A	----	93.70 - 22.00	.2982	----	----	----	----	3 UNCH
5045	----	----	----/*89.40A	111.40B/*89.40A	----	92.40 - 21.90	.2951	----	----	----	----	22 UNCH
5050	----	----	----/*88.30A	110.00B/*88.30A	----	91.20 - 21.70	.2921	----	----	1	----	248 UNCH
5055	----	----	----/*87.20A	108.60B/*87.20A	----	90.00 - 21.50	.2891	----	----	1	----	2 + 1
5060	----	----	----/*85.90A	107.30B/*85.90A	----	88.90 - 21.30	.2863	----	----	----	----	11 UNCH
5065	----	----	----/*84.80A	105.90B/*84.80A	----	87.70 - 21.10	.2833	----	----	----	----	43 UNCH
5070	----	----	----/*83.70A	104.60B/*83.70A	----	86.60 - 20.90	.2804	----	----	----	----	7 UNCH
5075	----	----	----/*82.60A	103.30B/*82.60A	----	85.40 - 20.80	.2775	----	----	----	----	204 UNCH
5080	----	----	----/*81.50A	102.00B/*81.50A	----	84.30 - 20.60	.2746	----	----	----	----	21 UNCH
5090	----	----	----/*79.30A	99.30B/*79.30A	----	82.10 - 20.20	.2689	----	----	----	----	1 UNCH
5100	86.90	86.90	86.90/77.20A	96.90B/77.20A	----	80.00 - 19.80	.2634	----	----	103	----	1461 - 84
5105	----	----	----/*76.20A	95.60B/*76.20A	----	79.00 - 19.60	.2607	----	----	----	----	2 UNCH
5110	78.70	78.70	78.70/*75.20A	94.40B/*75.20A	----	77.90 - 19.50	.2579	----	----	1	----	6 - 1
5115	82.30	82.30	82.30/*74.20A	93.20B/*74.20A	----	76.90 - 19.30	.2552	----	----	3	----	8 + 3
5120	----	----	----/*73.30A	92.10B/*73.30A	----	75.90 - 19.10	.2525	----	----	----	50	51 + 50
5125	----	----	----/*72.30A	90.90B/*72.30A	----	74.90 - 18.90	.2499	----	----	----	----	20 UNCH
5130	----	----	----/*71.30A	89.80B/*71.30A	----	74.00 - 18.70	.2474	----	----	----	----	2 UNCH
5135	----	----	----/*70.40A	88.60B/*70.40A	----	73.00 - 18.50	.2447	----	----	----	----	1 UNCH
5140	74.00	74.00	74.00/*69.50A	87.50B/*69.50A	----	72.10 - 18.30	.2422	----	----	10	----	12 + 9
5145	----	----	----/*68.60A	86.30B/*68.60A	----	71.10 - 18.20	.2395	----	----	----	----	14 UNCH
5150	----	----	----/*67.70A	85.20B/*67.70A	----	70.20 - 18.00	.2370	----	----	----	----	90 UNCH
5155	----	----	----/*66.80A	84.20B/*66.80A	----	69.30 - 17.80	.2345	----	----	----	----	18 UNCH
5160	----	----	----/*66.00A	83.20B/*66.00A	----	68.40 - 17.60	.2320	----	----	----	----	7 UNCH
5165	----	----	----/*65.10A	82.10B/*65.10A	----	67.50 - 17.50	.2295	----	----	----	----	2 UNCH
5170	----	----	----/*64.20A	81.10B/*64.20A	----	66.70 - 17.20	.2272	----	----	----	----	6 UNCH
5175	----	----	----/*63.40A	80.00B/*63.40A	----	65.80 - 17.10	.2247	----	----	----	----	325 UNCH
5185	----	----	----/*61.70A	78.00B/*61.70A	----	64.10 - 16.80	.2199	----	----	----	----	2 UNCH
5190	----	----	----/*60.90A	77.00B/*60.90A	----	63.30 - 16.60	.2176	----	----	----	----	4 UNCH
5195	----	----	----/*60.10A	76.10B/*60.10A	----	62.50 - 16.40	.2153	----	----	----	----	12 UNCH
5200	73.20	73.20	73.20/59.30A	75.10B/59.30A	----	61.70 - 16.20	.2130	----	----	8	----	2757 + 7
5205	----	----	----/*58.60A	74.20B/*58.60A	----	60.90 - 16.00	.2107	----	----	----	----	1 UNCH
5210	----	----	----/*57.80A	73.20B/*57.80A	----	60.10 - 15.90	.2084	----	----	----	----	8 UNCH
5215	----	----	----/*57.10A	72.30B/*57.10A	----	59.40 - 15.60	.2063	----	----	----	----	14 UNCH
5220	----	----	----/*56.30A	71.40B/*56.30A	----	58.60 - 15.50	.2040	----	----	----	----	29 UNCH
5225	----	----	----/*55.60A	70.50B/*55.60A	----	57.90 - 15.30	.2019	----	----	----	----	46 UNCH
5230	----	----	----/*54.90A	69.60B/*54.90A	----	57.10 - 15.20	.1996	----	----	----	----	10 UNCH
5235	----	----	----/*54.20A	68.70B/*54.20A	----	56.40 - 15.00	.1975	----	----	----	----	10 UNCH
5240	----	----	----/*53.50A	67.80B/*53.50A	----	55.70 - 14.80	.1954	----	----	----	----	16 UNCH
5245	----	----	----/*52.80A	67.00B/*52.80A	----	55.00 - 14.70	.1933	----	----	----	----	12 UNCH
5250	----	----	----/*52.10A	66.20B/*52.10A	----	54.30 - 14.50	.1913	----	----	----	----	565 UNCH
5255	53.50	53.50	53.50/*51.50A	65.30B/*51.50A	----	53.60 - 14.40	.1892	----	----	1	----	888 UNCH
5260	----	----	----/*50.80A	64.50B/*50.80A	----	53.00 - 14.10	.1873	----	----	----	----	24 UNCH
5265	----	----	----/*50.20A	63.70B/*50.20A	----	52.30 - 14.00	.1852	----	----	----	----	11 UNCH
5270	----	----	----/*49.60A	62.90B/*49.60A	----	51.60 - 13.90	.1831	----	----	----	----	18 UNCH
5275	----	----	----/*48.90A	62.10B/*48.90A	----	51.00 - 13.70	.1812	----	----	----	----	17 UNCH
5280	----	----	----/*48.30A	61.40B/*48.30A	----	50.40 - 13.50	.1794	----	----	----	----	6 UNCH
5285	----	----	----/*47.70A	60.60B/*47.70A	----	49.70 - 13.40	.1773	----	----	----	----	32 UNCH
5290	----	----	----/*47.10A	59.80B/*47.10A	----	49.10 - 13.30	.1754	----	----	----	----	16 UNCH
5295	----	----	----/*46.50A	59.10B/*46.50A	----	48.50 - 13.10	.1736	----	----	----	----	6 UNCH
5300	55.00	55.00	55.00/45.90A	58.40B/45.90A	----	47.90 - 13.00	.1717	----	----	45	----	898 + 8
5305	----	----	----/*45.40A	57.60B/*45.40A	----	47.30 - 12.80	.1699	----	----	----	----	6 UNCH
5310	----	----	----/*44.80A	56.80B/*44.80A	----	46.70 - 12.70	.1680	----	----	----	----	105 UNCH
5320	----	----	----/*43.70A	55.50B/*43.70A	----	45.60 - 12.40	.1645	----	----	1	----	17 + 1
5325	----	----	----/*43.10A	54.90B/*43.10A	----	45.00 - 12.30	.1627	----	----	----	----	20 UNCH
5330	----	----	----/*42.60A	54.20B/*42.60A	----	44.50 - 12.10	.1610	----	----	----	----	3 UNCH
5335	----	----	----/*42.10A	53.50B/*42.10A	----	43.90 - 12.10	.1592	----	----	----	----	1 UNCH
5345	----	----	----/*41.10A	52.20B/*41.10A	----	42.90 - 11.70	.1559	----	----	----	----	2 UNCH
5350	40.20	40.20	40.20/*40.20	51.60B/*40.20	----	42.40 - 11.60	.1543	----	----	29	----	8001 UNCH
5355	----	----	----/*40.10A	50.90B/*40.10A	----	41.90 - 11.40	.1527	----	----	----	----	1 UNCH
5360	----	----	----/*39.60A	50.30B/*39.60A	----	41.40 - 11.30	.1511	----	----	----	----	110 UNCH
5370	38.50	38.50	38.60/*38.10	49.10B/*38.10	----	40.40 - 11.10	.1478	----	----	11	----	8000 UNCH
5375	----	----	----/*38.20A	48.50B/*38.20A	----	39.90 - 11.00	.1462	----	----	10	----	14 + 10
5380	----	----	----/*37.70A	47.80B/*37.70A	----	39.40 - 10.90	.1446	----	----	----	----	3 UNCH
5400	----	----	----/35.90A	45.70B/35.90A	----	37.60 - 10.40	.1387	----	----	----	----	2114 UNCH
5405	----	----	----/*35.50A	45.10B/*35.50A	----	37.10 - 10.30	.1371	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5410	----	----	----/*35.10A	44.60B/*35.10A	----	36.70 - 10.20	.1357	----	----	----	----	6 UNCH
5420	----	----	----/*34.30A	43.50B/*34.30A	----	35.80 - 10.00	.1328	----	----	----	----	8 UNCH
5430	----	----	----/*33.50A	42.50B/*33.50A	----	35.00 NEW	.1301	----	----	4	----	4 + 4
5435	----	----	----/*33.20A	42.00B/*33.20A	----	34.60 - 9.70	.1287	----	----	----	----	2 UNCH
5440	----	----	----/*32.80A	41.50B/*32.80A	----	34.20 - 9.60	.1274	----	----	----	----	105 UNCH
5445	----	----	----/*32.40A	41.00B/*32.40A	----	33.80 - 9.50	.1260	----	----	----	----	3 UNCH
5450	----	----	----/*32.10A	40.50B/*32.10A	----	33.40 - 9.40	.1247	----	----	----	----	124 UNCH
5460	----	----	----/*31.30A	39.60B/*31.30A	----	32.70 - 9.10	.1222	----	----	----	----	15 UNCH
5465	----	----	----/*31.00A	39.10B/*31.00A	----	32.30 - 9.00	.1209	----	----	----	----	29 UNCH
5470	----	----	----/*30.70A	38.60B/*30.70A	----	31.90 - 9.00	.1196	----	----	----	----	4 UNCH
5475	----	----	----/*30.30A	38.20B/*30.30A	----	31.60 - 8.80	.1185	----	----	----	----	2 UNCH
5480	----	----	----/*30.00A	37.70B/*30.00A	----	31.20 - 8.80	.1171	----	----	----	----	14 UNCH
5485	----	----	----/*29.60A	37.20B/*29.60A	----	30.90 - 8.60	.1160	----	----	----	----	2 UNCH
5490	----	----	----/*29.30A	36.80B/*29.30A	----	30.50 - 8.60	.1147	----	----	----	----	2 UNCH
5495	----	----	----/*29.00A	36.40B/*29.00A	----	30.20 - 8.50	.1136	----	----	----	----	4 UNCH
5500	36.00	36.00	36.00/28.20	36.00/28.20	----	29.90 - 8.30	.1126	----	----	21	----	1230 - 10
5505	----	----	----/*28.40A	35.60B/*28.40A	----	29.50 - 8.30	.1112	----	----	----	----	10 UNCH
5510	----	----	----/*28.10A	35.20B/*28.10A	----	29.20 - 8.20	.1102	----	----	----	----	8 UNCH
5515	----	----	----/*27.80A	34.70B/*27.80A	----	28.90 - 8.10	.1091	----	----	----	----	2 UNCH
5520	----	----	----/*27.50A	34.30B/*27.50A	----	28.60 - 8.00	.1080	----	----	----	----	1 UNCH
5525	----	----	----/*27.20A	34.00B/*27.20A	----	28.30 - 7.90	.1070	----	----	----	----	29 UNCH
5530	----	----	----/*26.90A	33.50B/*26.90A	----	27.90 - 7.90	.1057	----	----	----	----	1 UNCH
5535	----	----	----/*26.60A	33.20B/*26.60A	----	27.60 - 7.80	.1046	----	----	----	----	12 UNCH
5540	30.20	30.20	30.20/*26.30A	32.80B/*26.30A	----	27.30 - 7.70	.1035	----	----	8	----	9 + 8
5545	----	----	----/*26.00A	32.40B/*26.00A	----	27.10 - 7.60	.1027	----	----	----	----	2 UNCH
5550	----	----	----/*25.80A	32.00B/*25.80A	----	26.80 - 7.50	.1017	----	----	----	----	127 UNCH
5555	----	----	----/*25.50A	31.70B/*25.50A	----	26.50 - 7.40	.1006	----	----	----	----	1 UNCH
5560	----	----	----/*25.20A	31.30B/*25.20A	----	26.20 - 7.40	.0996	----	----	----	----	3 UNCH
5565	----	----	----/*25.00A	31.00B/*25.00A	----	25.90 - 7.30	.0985	----	----	----	----	5 UNCH
5570	----	----	----/*24.70A	30.60B/*24.70A	----	25.70 - 7.10	.0977	----	----	----	----	3 UNCH
5575	----	----	----/*24.50A	30.30B/*24.50A	----	25.40 - 7.10	.0967	----	----	----	----	3 UNCH
5580	----	----	----/*24.20A	29.90B/*24.20A	----	25.10 - 7.10	.0957	----	----	----	----	17 UNCH
5590	----	----	----/*23.70A	29.30B/*23.70A	----	24.60 - 6.90	.0938	----	----	----	----	1 UNCH
5595	----	----	----/*23.50A	29.00B/*23.50A	----	24.40 - 6.70	.0930	----	----	----	----	3 UNCH
5600	----	----	----/23.20A	28.60B/23.20A	----	24.10 - 6.70	.0920	----	----	1	----	1105 + 1
5605	----	----	----/*23.00A	28.30B/*23.00A	----	23.90 - 6.60	.0912	----	----	----	----	7 UNCH
5610	----	----	----/*22.80A	28.10B/*22.80A	----	23.60 - 6.60	.0902	----	----	----	----	11 UNCH
5615	----	----	----/*22.60A	27.70B/*22.60A	----	23.40 - 6.50	.0894	----	----	----	----	1 UNCH
5620	----	----	----/*22.30A	27.40B/*22.30A	----	23.10 - 6.50	.0884	----	----	----	----	2 UNCH
5635	----	----	----/*21.70A	26.50B/*21.70A	----	22.50 - 6.20	.0861	----	----	----	----	2 UNCH
5640	----	----	----/*21.50A	26.20B/*21.50A	----	22.20 - 6.20	.0851	----	----	----	----	3 UNCH
5650	----	----	----/*20.50A	25.70B/*20.50A	----	21.80 - 6.00	.0836	----	----	1	----	600 UNCH
5660	21.20	21.20	21.20/*20.70A	25.10B/*20.70A	----	21.40 - 5.90	.0821	----	----	9	----	27 + 9
5670	----	----	----/*20.30A	24.60B/*20.30A	----	21.00 - 5.70	.0806	----	----	----	----	10 UNCH
5675	----	----	----/*20.10A	24.40B/*20.10A	----	20.80 - 5.60	.0798	----	----	----	----	4 UNCH
5680	----	----	----/*19.90A	24.00B/*19.90A	----	20.60 - 5.60	.0791	----	----	----	----	4 UNCH
5690	----	----	----/*19.50A	23.60B/*19.50A	----	20.20 - 5.50	.0776	----	----	----	----	16 UNCH
5700	----	----	----/*19.20A	23.00B/19.20A	----	19.80 - 5.40	.0761	----	----	12	----	1674 - 8
5710	----	----	----/*18.80A	22.60B/*18.80A	----	19.50 - 5.20	.0749	----	----	----	----	7 UNCH
5720	----	----	----/*18.50A	22.10B/*18.50A	----	19.10 - 5.10	.0735	----	----	----	----	13 UNCH
5725	----	----	----/*18.30A	21.90B/*18.30A	----	18.90 - 5.10	.0728	----	----	----	----	1 UNCH
5730	----	----	----/*18.10A	21.70B/*18.10A	----	18.80 - 5.00	.0723	----	----	----	----	15 UNCH
5750	----	----	----/*17.50A	20.60B/*17.50A	----	18.10 - 4.80	.0697	----	----	----	----	300 UNCH
5775	----	----	----/*16.80A	19.70B/*16.80A	----	17.30 - 4.60	.0666	----	----	----	----	2 UNCH
5800	----	----	----/*16.10A	18.70B/16.10A	----	16.60 - 4.30	.0639	----	----	----	----	1030 UNCH
5825	----	----	----/*15.50A	17.80B/*15.50A	----	15.90 - 4.10	.0612	----	----	----	----	120 UNCH
5850	----	----	----/*14.90A	17.10B/*14.90A	----	15.30 - 3.90	.0588	----	----	----	----	165 UNCH
5875	----	----	----/*14.50A	16.00B/*14.50A	----	14.70 - 3.70	.0565	----	----	----	----	26 UNCH
5900	----	----	----/*14.10A	15.60B/14.10A	----	14.20 - 3.50	.0544	----	----	1	----	1496 + 1
5925	----	----	----/*13.50A	14.80B/*13.50A	----	13.70 - 3.40	.0524	----	----	----	----	2 UNCH
5950	----	----	----/*13.20A	14.30B/*13.20A	----	13.20 - 3.20	.0505	----	----	----	----	2 UNCH
6000	12.60	12.60	12.60/12.00A	13.30B/12.00A	----	12.40 - 2.90	.0471	----	----	1	----	1681 UNCH
6100	----	----	----/*11.00A	11.70B/*11.00A	----	10.90 - 2.60	.0411	----	----	----	----	373 UNCH
6200	10.60	10.60	10.60/*9.80A	10.60/*9.80A	----	9.80 - 2.20	.0364	----	----	4	----	1479 - 4
6300	----	----	----/*8.90A	9.30B/*8.90A	----	8.90 - 1.90	.0326	----	----	----	----	85 UNCH
6400	----	----	----/*8.20A	8.50B/*8.20A	----	8.20 - 1.60	.0296	----	----	----	----	65 UNCH
6500	7.90	7.90	7.90/7.60A	7.90/7.60A	----	7.60 - 1.40	.0270	----	----	1	----	718 UNCH
6600	----	----	----/*7.10A	7.10B/*7.10A	----	7.10 - 1.20	.0248	----	----	----	----	150 UNCH
6700	----	----	----/*6.70A	6.60B/*6.70A	----	6.60 - 1.10	.0227	----	----	----	----	254 UNCH
6800	----	----	----/*6.30A	6.10B/*6.30A	----	6.20 - 1.00	.0210	----	----	----	----	50 UNCH
6900	----	----	----/*5.90A	5.70B/*5.90A	----	5.80 - 1.00	.0194	----	----	----	----	2 UNCH
7000	----	----	----/5.60A	5.40B/5.60A	----	5.50 - 0.80	.0181	----	----	1	----	632 - 1
7500	----	----	----/4.50A	4.20B/4.50A	----	4.30 - 0.50	.0133	----	----	----	----	737 UNCH
8000	----	----	----/3.60A	3.40B/3.60A	----	3.40 - 0.40	.0100	----	----	----	----	166 UNCH
8500	----	----	----/2.90A	2.80B/2.90A	----	2.80 - 0.20	.0078	----	----	----	----	90 UNCH
9000	----	----	----	2.30B/2.50A	----	2.30 - 0.20	.0062	----	----	----	----	9 UNCH
9500	----	----	----	2.00B/2.10A	----	1.90 - 0.20	.0050	----	----	----	----	69 UNCH
10000	----	----	----	1.60B/1.80A	----	1.60 - 0.20	.0041	----	----	12	----	101 + 3
TOTAL										787	100	55761+ 85
SEP26												
3875	----	----	----	----	----	909.50 - 47.00	.9188	----	----	----	----	1 UNCH
3995	----	----	----/795.40A	816.00B/795.40A	----	799.90 - 46.90	.8927	----	----	----	----	10 UNCH
4085	----	----	----/716.00A	735.90B/716.00A	----	720.10 - 46.50	.8686	----	----	----	----	37 UNCH
4130	----	----	----/677.30A	696.70B/677.30A	----	681.10 - 46.20	.8547	----	----	----	----	10 UNCH
4185	----	----	----/630.80A	649.90B/630.80A	----	634.40 - 45.90	.8359	----	----	----	----	37 UNCH
4200	----	----	----	478.30B/784.60A	----	621.80 - 45.80	.8305	----	----	----	----	1 UNCH
4220	----	----	----/601.80A	620.60B/601.80A	----	605.20 - 45.60	.8230	----	----	----	----	162 UNCH
4290	----	----	----/545.50A	563.50B/545.50A	----	548.50 - 44.90	.7946	----	----	----	----	6 UNCH
4295	----	----	----/541.60A	559.50B/541.60A	----	544.50 - 44.90	.7925	----	----	----	----	50 UNCH
4300	----	----	----/537.60A	555.50B/537.60A	----	540.60 - 44.80	.7903	----	----	----	----	13 UNCH
4320	----	----	----/522.10A	539.70B/522.10A	----	524.90 - 44.60	.7814	----	----	----	----	162 UNCH
4375	----	----	----	333.40B/650.20A	----	482.80 - 43.80	.7555	----	----	----	----	1 UNCH
4390	----	----	----/469.30A	485.90B/469.30A	----	471.60 - 43.60	.7480	----	----	----	----	202 UNCH
4425	----	----	----	295.30B/614.20A	----	445.90 - 43.10	.7300	----	----	----	----	1 UNCH
4495	----	----	----/392.20A	415.60B/392.20A	----	396.90 - 41.70	.6917	----	----	----	----	18 UNCH
4500	----	----	----/388.80A	413.60B/388.80A	----	393.50 - 41.60	.6889	----	----	----	----	7 UNCH
4505	----	----	----/385.50A	410.10B/385.50A	----	390.20 - 41.50	.6860	----	----	----	----	2 UNCH
4510	----	----	----/382.20A	406.70B/382.20A	----	386.80 - 41.40	.6831	----	----	----	----	2 UNCH
4515	----	----	----/378.90A	403.30B/378.90A	----	383.50 - 41.30	.6802	----	----	----	----	2 UNCH
4545	----	----	----/359.20A	383.20B/359.20A	----	363.80 - 40.60	.6625	----	----	----	----	16 UNCH
4550	----	----	----/356.00A	379.90B/356.00A	----	360.60 - 40.50	.6595	----	----	----	----	222 UNCH
4560	----	----	----/350.00A	373.30B/350.00A	----	354.30 - 40.20	.6534	----	----	----	----	2 UNCH
4565	----	----	----/346.90A	370.10B/346.90A	----	351.10 - 40.10	.6504	----	----	----	----	2 UNCH
4570	----	----	----/343.70A	366.80B/343.70A	----	348.00 - 39.90	.6474	----	----	----	----	2 UNCH
4575	----	----	----/340.60A	363.60B/340.60A	----	344.80 - 39.80	.6443	----	----	----	----	2 UNCH
4580	----	----	----/337.40A	360.40B/337.40A	----	341.70 - 39.70	.6412	----	----	----	----	2 UNCH
4585	----	----	----/334.50A	357.30B/334.50A	----	338.60 - 39.60	.6381	----	----	----	----	2 UNCH
4590	----	----	----/331.40A	354.10B/331.40A	----	335.60 - 39.40	.6350	----	----	----	----	2 UNCH
4600	----	----	----/325.30A	347.80B/325.30A	----	329.50 - 39.10	.6288	----	----	----	----	53 UNCH
4650	----	----	----/296.00A	323.30B/296.00A	----	300.10 - 37.70	.5971	----	----	----	----	1 UNCH
4675	----	----	----/282.30A	308.70B/282.30A	----	286.20 - 36.90	.5809	----	----	----	----	1 UNCH
4680	----	----	----/279.50A	306.00B/279.50A	----	283.40 - 36.80	.5777	----	----	----	----	1 UNCH
4700	----	----	----/268.60A	294.70B/268.60A	----	272.60 - 36.20	.5646	----	----	----	----	117 UNCH
4705	----	----	----/265.80A	291.90B/265.80A	----	269.90 - 36.10	.5614	----	----	----	----	10 UNCH
4710	----	----	----/263.70A	288.90B/263.70A	----	267.30 - 35.90	.5581	----	----	----	----	1 UNCH
4720	----	----	----/258.40A	283.60B/258.40A	----	262.10 - 35.60	.5515	----	----	----	----	45 UNCH
4725	----	----	----/255.90A	280.70B/255.90A	----	259.50 - 35.50	.5482	----	----	----	----	2 UNCH
4730	----	----	----/253.10A	278.30B/253.10A	----	256.90 - 35.40	.5449	----	----	----	----	5 UNCH
4750	----	----	----/243.20A	267.60B/243.20A	----	246.80 - 34.80	.5317	----	----	----	----	43 UNCH
4770	----	----	----/234.00A	257.40B/234.00A	----	237.00 - 34.20	.5184	----	----	----	----	2 UNCH
4775	----	----	----/231.40A	254.90B/231.40A	----	234.60 - 34.10	.5151	----	----	----	----	184 UNCH
4780	----	----	----/229.10A	252.60B/229.10A	----	232.20 - 34.00	.5118	----	----	----	----	7 UNCH
4795	----	----	----/222.50A	245.20B/222.50A	----	225.20 - 33.50	.5019	----	----	----	----	2 UNCH
4800	----	----	----/219.90A	242.80B/219.90A	----	222.90 - 33.40	.4986	----	----	----	----	941 UNCH
4840	----	----	----/202.80A	223.90B/202.80A	----	205.00 - 32.30	.4723	----	----	----	----	2 UNCH
4850	----	----	----/198.60A	220.00B/198.60A	----	200.70 - 32.10	.4658	----	----	----	----	24 UNCH
4860	----	----	----/194.60A	215.20B/194.60A	----	196.50 - 31.80	.4593	----	----	----	----	2 UNCH
4875	----	----	----/188.40A	208.70B/188.40A	----	190.40 - 31.30	.4496	----	----	----	----	30 UNCH
4885	----	----	----/184.80A	204.60B/184.80A	----	186.40 - 31.00	.4432	----	----	----	----	2 UNCH
4900	----	----	----/178.70A	198.40B/178.70A	----	180.60 - 30.40	.4336	----	----	----	50	310 + 50
4920	----	----	----/171.30A	190.50B/171.30A	----	173.10 - 29.70	.4210	----	----	----	----	30 UNCH
4925	----	----	----/169.60A	188.70B/169.60A	----	171.30 - 29.50	.4179	----	----	1	----	3 + 1
4930	----	----	----/167.40A	186.70B/167.40A	----	169.50 - 29.30	.4148	----	----	----	----	3 UNCH
4935	----	----	----/166.10A	184.90B/166.10A	----	167.70 - 29.10	.4117	----	----	----	----	1 UNCH
4950	----	----	----/160.50A	179.30B/160.50A	----	162.50 - 28.50	.4025	----	----	75	----	192 UNCH
4965	----	----	----/*155.60A	173.90B/*155.60A	----	157.40 - 27.90	.3933	----	----	1	----	2 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
4975	----	----	----/152.00A	170.60B/152.00A	----	154.10 - 27.50	.3873	----	----	----	----	315 UNCH
5000	150.00	150.00	150.00/144.00A	161.80B/144.00A	----	146.10 - 26.60	.3725	----	----	2	----	527 UNCH
5005	----	----	----/*142.70A	160.20B/*142.70A	----	144.60 - 26.30	.3696	----	----	----	----	1 UNCH
5050	----	----	----/129.50A	145.70B/129.50A	----	131.20 - 24.80	.3438	----	----	----	----	1 UNCH
5075	----	----	----/122.60A	138.90B/122.60A	----	124.30 - 23.90	.3301	----	----	----	----	1 UNCH
5100	----	----	----/115.90A	131.30B/115.90A	----	117.70 - 23.10	.3166	----	----	----	----	241 UNCH
5110	----	----	----/*113.60A	128.60B/*113.60A	----	115.20 - 22.70	.3114	----	----	----	----	1 UNCH
5150	----	----	----/104.00A	118.50B/104.00A	----	105.70 - 21.40	.2911	----	----	----	----	3 UNCH
5155	----	----	----/*103.30A	116.90B/*103.30A	----	104.60 - 21.20	.2887	----	----	----	----	1 UNCH
5200	102.90	102.90	106.70B/93.20A	106.70B/93.20A	----	95.00 - 19.70	.2673	----	----	50	----	373 UNCH
5230	----	----	----/*87.50A	100.30B/*87.50A	----	89.10 - 18.80	.2538	----	----	----	----	400 UNCH
5235	----	----	----/*86.90A	99.30B/*86.90A	----	88.10 - 18.70	.2515	----	----	----	----	1 UNCH
5245	----	----	----/*84.80A	97.30B/*84.80A	----	86.30 - 18.40	.2473	----	----	----	----	20 UNCH
5250	----	----	----/*83.70A	96.30B/*83.70A	----	85.40 - 18.20	.2451	----	----	----	----	200 UNCH
5300	----	----	----/75.30A	86.90B/75.30A	----	76.90 - 16.80	.2247	----	----	150	80	1255 + 72
5330	----	----	----/*70.80A	81.90B/*70.80A	----	72.20 - 16.00	.2132	----	----	----	----	20 UNCH
5335	----	----	----/*70.40A	81.10B/*70.40A	----	71.40 - 15.90	.2112	----	----	----	----	1 UNCH
5350	----	----	----/*68.30A	78.40B/*68.30A	----	69.30 - 15.50	.2059	----	----	----	----	1 UNCH
5370	----	----	----/*65.20A	75.30B/*65.20A	----	66.50 - 15.00	.1988	----	----	----	----	15 UNCH
5375	----	----	----/*64.80A	74.50B/*64.80A	----	65.80 - 14.90	.1970	----	----	----	----	2 UNCH
5400	----	----	----/61.30A	71.00B/61.30A	----	62.50 - 14.30	.1885	----	----	----	50	294 UNCH
5420	----	----	----/*58.90A	68.00B/*58.90A	----	60.00 - 13.80	.1820	----	----	----	----	80 UNCH
5425	----	----	----/*58.40A	67.30B/*58.40A	----	59.40 - 13.70	.1804	----	----	----	----	50 UNCH
5450	----	----	----/*55.50A	64.20B/*55.50A	----	56.50 - 13.00	.1727	----	----	----	----	5 UNCH
5460	----	----	----/*54.60A	62.90B/*54.60A	----	55.40 - 12.80	.1697	----	----	----	----	1 UNCH
5475	----	----	----/*53.00A	61.20B/*53.00A	----	53.80 - 12.40	.1654	----	----	----	----	2 UNCH
5500	----	----	----/50.50A	58.30B/50.50A	----	51.20 - 11.80	.1583	----	----	----	----	1099 UNCH
5505	----	----	----/*50.00A	57.70B/*50.00A	----	50.70 - 11.70	.1570	----	----	----	----	3 UNCH
5520	----	----	----/*48.60A	56.00B/*48.60A	----	49.30 - 11.30	.1531	----	----	----	----	1 UNCH
5525	48.40	48.40	48.40/*48.10A	55.40B/*48.10A	----	48.80 - 11.20	.1517	----	----	4	----	6 + 4
5540	----	----	----/*46.70A	53.80B/*46.70A	----	47.40 - 10.90	.1478	----	----	----	----	15 UNCH
5600	----	----	----/41.90A	47.90B/41.90A	----	42.40 - 9.80	.1336	----	----	290	----	808 - 194
5605	----	----	----/*41.50A	45.10B/*41.50A	----	42.00 - 9.70	.1325	----	----	----	----	3 UNCH
5625	----	----	----/*40.00A	43.30B/*40.00A	----	40.50 - 9.40	.1281	----	----	----	----	2 UNCH
5650	----	----	----/*38.30A	41.30B/*38.30A	----	38.80 - 9.00	.1231	----	----	----	----	414 UNCH
5665	----	----	----/*37.30A	40.20B/*37.30A	----	37.80 - 8.70	.1201	----	----	----	----	3 UNCH
5675	----	----	----/*36.70A	39.40B/*36.70A	----	37.10 - 8.60	.1181	----	----	----	----	8 UNCH
5700	----	----	----/35.20A	37.60B/35.20A	----	35.50 - 8.20	.1134	----	----	----	----	1060 UNCH
5730	----	----	----/*33.30A	35.60B/*33.30A	----	33.70 - 7.70	.1080	----	----	----	----	2 UNCH
5750	----	----	----/*32.20A	34.40B/*32.20A	----	32.50 - 7.50	.1044	----	----	----	----	173 UNCH
5760	----	----	----/*31.70A	33.70B/*31.70A	----	32.00 - 7.30	.1029	----	----	----	----	1 UNCH
5800	----	----	----/29.70A	31.90B/29.70A	----	29.90 - 6.90	.0965	----	----	----	----	524 UNCH
5850	----	----	----/*28.10A	29.40B/*28.10A	----	27.60 - 6.40	.0894	----	----	----	----	438 UNCH
5900	----	----	----/26.30A	27.00B/26.30A	----	25.60 - 5.90	.0830	----	----	150	----	503 - 45
5950	----	----	----/*24.60A	24.30B/*24.60A	----	23.80 - 5.50	.0773	----	----	----	----	51 UNCH
6000	22.60	22.60	22.60/22.60	22.80B/22.60	----	22.20 - 5.10	.0721	----	----	26	----	1118 + 10
6100	----	----	----/20.50A	19.60B/20.50A	----	19.60 - 4.30	.0634	----	----	----	----	185 UNCH
6200	16.60	16.60	16.60/16.60	17.20B/16.60	----	17.40 - 3.70	.0561	----	----	3	----	231 - 1
6300	----	----	----/16.60A	15.40B/16.60A	----	15.70 - 3.10	.0502	----	----	----	----	159 UNCH
6400	----	----	----/15.20A	13.90B/15.20A	----	14.30 - 2.70	.0453	----	----	----	----	215 UNCH
6500	----	----	----/*14.10A	12.60B/14.10A	----	13.10 - 2.30	.0411	----	----	----	----	540 UNCH
6600	----	----	----/*13.20A	11.40B/*13.20A	----	12.20 - 2.00	.0378	----	----	----	----	25 UNCH
6650	----	----	----/*12.80A	11.20B/*12.80A	----	11.80 - 1.90	.0363	----	----	----	----	5 UNCH
6750	----	----	----/*12.00A	10.40B/*12.00A	----	11.00 - 1.70	.0335	----	----	----	----	11 UNCH
6775	----	----	----/*11.80A	10.20B/*11.80A	----	10.80 - 1.70	.0328	----	----	----	----	1 UNCH
6800	----	----	----/*11.60A	10.00B/*11.60A	----	10.70 - 1.60	.0323	----	----	----	----	127 UNCH
7000	----	----	----/*10.60A	8.90B/*10.60A	----	9.50 - 1.30	.0280	----	----	----	----	100 UNCH
8000	6.00	6.00	6.00/*5.20	6.00/*5.20	----	6.50 NEW	.0170	----	----	15	----	15 + 15
TOTAL										767	180	14649 - 87
OCT26												
3600	----	----	----/1,172.20A	1188.30B/1172.20A	----	1174.10 - 44.70	.9463	----	----	----	----	12 UNCH
4300	----	----	----/558.40A	573.50B/558.40A	----	560.30 - 43.50	.7707	----	----	----	----	102 UNCH
4400	----	----	----/485.00A	499.20B/485.00A	----	487.00 - 41.70	.7254	----	----	----	----	8 UNCH
4405	----	----	----	325.00B/657.30A	----	483.40 - 41.70	.7230	----	----	----	----	2 UNCH
4480	----	----	----/427.30A	449.30B/427.30A	----	432.00 - 40.20	.6855	----	----	----	----	1 UNCH
4500	----	----	----/414.00A	435.80B/414.00A	----	418.90 - 39.70	.6751	----	----	----	----	3 UNCH
4515	----	----	----/404.70A	425.60B/404.70A	----	409.10 - 39.40	.6672	----	----	----	----	1 UNCH
4550	----	----	----/382.80A	403.20B/382.80A	----	386.90 - 38.70	.6483	----	----	----	----	1 UNCH
4580	----	----	----/364.20A	384.50B/364.20A	----	368.40 - 38.20	.6318	----	----	----	----	70 UNCH
4600	----	----	----/352.70A	374.80B/352.70A	----	356.40 - 37.80	.6206	----	----	----	----	134 UNCH
4610	----	----	----/346.70A	372.90B/346.70A	----	350.50 - 37.60	.6149	----	----	----	----	5 UNCH
4620	----	----	----/341.40A	371.50B/341.40A	----	344.60 - 37.50	.6093	----	----	----	----	1 UNCH
4630	----	----	----/335.20A	365.60B/335.20A	----	338.80 - 37.30	.6036	----	----	----	----	3 UNCH
4650	324.00	324.00	324.00/323.80A	353.90B/323.80A	----	327.40 - 37.00	.5921	----	----	33	----	34 + 33
4670	----	----	----/313.60A	342.50B/313.60A	----	316.20 - 36.70	.5805	----	----	----	----	1 UNCH
4675	----	----	----/310.90A	339.70B/310.90A	----	313.50 - 36.60	.5776	----	----	----	----	1 UNCH
4690	----	----	----/303.00A	331.30B/303.00A	----	305.40 - 36.30	.5688	----	----	----	----	1 UNCH
4700	299.00	299.00	299.00/297.20A	326.00B/297.20A	----	300.00 - 36.20	.5630	----	----	1	----	5 UNCH
4710	----	----	----/292.70A	320.50B/292.70A	----	294.80 - 35.90	.5571	----	----	----	----	1 UNCH
4715	----	----	----/290.20A	317.70B/290.20A	----	292.10 - 35.90	.5541	----	----	----	----	2 UNCH
4750	----	----	----/273.00A	299.40B/273.00A	----	274.40 - 35.20	.5334	----	----	1	----	0 - 1
4755	----	----	----/270.60A	296.90B/270.60A	----	271.90 - 35.20	.5305	----	----	----	----	1 UNCH
4800	----	----	----/249.40A	274.70B/249.40A	----	250.60 - 34.10	.5038	----	----	----	----	326 UNCH
4845	----	----	----/230.60A	253.80B/230.60A	----	230.90 - 32.80	.4774	----	----	----	----	2 UNCH
4850	----	----	----/227.90A	251.50B/227.90A	----	228.80 - 32.70	.4745	----	----	----	----	53 UNCH
4865	----	----	----/222.40A	244.90B/222.40A	----	222.60 - 32.10	.4658	----	----	----	----	2 UNCH
4880	----	----	----/216.30A	238.40B/216.30A	----	216.60 - 31.50	.4572	----	----	----	----	1 UNCH
4900	209.00	209.00	209.00/207.60A	230.00B/207.60A	----	208.90 - 30.50	.4459	----	----	33	----	1319 + 21
4905	----	----	----/206.10A	228.00B/206.10A	----	207.00 - 30.30	.4430	----	----	----	----	20 UNCH
4910	----	----	----/204.90A	226.00B/204.90A	----	205.10 - 30.10	.4402	----	----	----	----	1 UNCH
4925	----	----	----/198.70A	219.70B/198.70A	----	199.50 - 29.50	.4318	----	----	----	----	18 UNCH
4935	----	----	----/194.80A	215.90B/194.80A	----	195.90 - 29.20	.4262	----	----	----	----	5 UNCH
4945	----	----	----/191.50A	212.10B/191.50A	----	192.30 - 28.90	.4207	----	----	----	----	3 UNCH
4950	----	----	----/189.40A	210.10B/189.40A	----	190.50 - 28.80	.4179	----	----	----	----	18 UNCH
5000	----	----	----/172.00A	191.80B/172.00A	----	173.50 - 28.20	.3908	----	----	----	----	1339 UNCH
5025	----	----	----/165.60A	183.00B/165.60A	----	165.60 - 27.80	.3776	----	----	----	----	2 UNCH
5050	----	----	----/156.70A	174.80B/156.70A	----	158.00 - 27.20	.3647	----	----	----	----	57 UNCH
5075	----	----	----/150.90A	166.80B/150.90A	----	150.80 - 26.40	.3522	----	----	----	----	2 UNCH
5080	----	----	----/*148.40A	165.30B/*148.40A	----	149.40 - 26.20	.3497	----	----	----	----	3 UNCH
5085	----	----	----/*147.30A	163.80B/*147.30A	----	148.00 - 26.10	.3472	----	----	----	----	3 UNCH
5100	----	----	----/142.60A	159.30B/142.60A	----	143.90 - 25.50	.3399	----	----	----	----	802 UNCH
5125	----	----	----/137.40A	152.00B/137.40A	----	137.40 - 24.50	.3280	----	----	----	----	1 UNCH
5150	----	----	----/131.10A	145.10B/131.10A	----	131.20 - 23.50	.3164	----	----	1	----	1 - 1
5160	----	----	----/*128.70A	142.50B/*128.70A	----	128.80 - 23.10	.3118	----	----	----	----	1 UNCH
5170	----	----	----/*124.70A	139.80B/*124.70A	----	126.40 - 22.70	.3073	----	----	----	----	5 UNCH
5200	----	----	----/118.10A	132.10B/118.10A	----	119.60 - 21.60	.2941	----	----	----	----	1086 UNCH
5250	----	----	----/*107.80A	120.40B/*107.80A	----	109.00 - 19.90	.2731	----	----	----	----	522 UNCH
5255	107.00	107.00	107.00/*107.00	119.30B/*107.00	----	108.00 - 19.70	.2711	----	----	2	----	1 - 1
5300	----	----	----/97.60A	109.70B/97.60A	----	99.30 - 18.50	.2533	----	----	----	----	939 UNCH
5325	----	----	----/*94.90A	104.70B/*94.90A	----	94.90 - 17.80	.2440	----	----	----	----	1 UNCH
5350	----	----	----/*89.20A	100.00B/*89.20A	----	90.60 - 17.20	.2348	----	----	----	----	4 UNCH
5365	----	----	----/*88.40A	97.30B/*88.40A	----	88.20 - 16.80	.2296	----	----	----	----	1 UNCH
5400	----	----	----/81.60A	91.20B/81.60A	----	82.80 - 16.00	.2177	----	----	----	----	458 UNCH
5410	----	----	----/*81.60A	89.50B/*81.60A	----	81.30 - 15.90	.2144	----	----	----	----	1 UNCH
5435	----	----	----/*76.60A	85.50B/*76.60A	----	77.80 - 15.30	.2065	----	----	----	----	226 UNCH
5450	----	----	----/*74.50A	83.20B/*74.50A	----	75.80 - 15.00	.2019	----	----	----	----	66 UNCH
5455	----	----	----/*74.10A	82.50B/*74.10A	----	75.10 - 15.00	.2004	----	----	----	----	175 UNCH
5475	----	----	----/*72.70A	79.50B/*72.70A	----	72.50 - 14.60	.1944	----	----	----	----	1 UNCH
5500	71.00	71.00	71.00/68.40A	76.00B/68.40A	----	69.50 - 14.10	.1873	----	----	14	----	2009 + 13
5520	66.00	66.00	73.30B/*66.00	73.30B/*66.00	----	67.20 NEW	.1819	----	----	1	----	1 + 1
5530	----	----	----/*66.30A	72.00B/*66.30A	----	66.00 - 13.70	.1791	----	----	----	----	1 UNCH
5545	----	----	----/*63.70A	70.10B/*63.70A	----	64.40 - 13.40	.1752	----	----	----	----	5 UNCH
5550	----	----	----/*62.80A	69.50B/*62.80A	----	63.90 - 13.30	.1740	----	----	----	----	100 UNCH
5590	----	----	----/*60.00A	64.70B/*60.00A	----	59.80 - 12.60	.1640	----	----	----	----	4 UNCH
5600	----	----	----/59.00A	63.60B/59.00A	----	58.80 - 12.40	.1616	----	----	----	----	198 UNCH
5610	----	----	----/*58.10A	62.50B/*58.10A	----	57.90 - 12.20	.1593	----	----	----	----	1 UNCH
5615	----	----	----/*57.60A	62.00B/*57.60A	----	57.40 - 12.10	.1581	----	----	----	----	5 UNCH
5650	----	----	----/*54.20A	58.30B/*54.20A	----	54.30 - 11.40	.1504	----	----	----	----	401 UNCH
5655	----	----	----/*53.70A	57.80B/*53.70A	----	53.80 - 11.40	.1492	----	----	----	----	2 UNCH
5660	----	----	----/*53.40A	57.30B/*53.40A	----	53.40 - 11.30	.1481	----	----	----	----	1 UNCH
5675	----	----	----/*52.10A	55.80B/*52.10A	----	52.10 - 11.00	.1449	----	----	----	----	3 UNCH
5700	----	----	----/50.20A	53.60B/50.20A	----	50.10 - 10.50	.1398	----	----	----	----	170 UNCH
5710	----	----	----/*49.40A	52.60B/*49.40A	----	49.40 - 10.20	.1380	----	----	----	----	5 UNCH
5720	----	----	----/*48.70A	51.70B/*48.70A	----	48.60 - 10.00	.1359	----	----	----	----	75 UNCH
5750	----	----	----/*46.40A	49.20B/*46.40A	----	46.40 - 9.50	.1303	----	----	----	----	1 UNCH
5775	----	----	----/*44.80A	47.20B/*44.80A	----	44.70 - 9.00	.1258	----	----	----	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 37

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
5800	----	----	----/43.20A	45.30B/43.20A	----	43.00 - 8.70	.1214	----	----	----	----	411 UNCH
5825	----	----	----/*42.10A	43.50B/*42.10A	----	41.50 - 8.30	.1174	----	----	----	----	1 UNCH
5875	----	----	----/*38.40A	40.20B/*38.40A	----	38.60 - 7.80	.1097	----	----	----	----	1 UNCH
5900	----	----	----/37.10A	38.70B/37.10A	----	37.30 - 7.60	.1062	----	----	----	----	132 UNCH
5925	----	----	----/*35.90A	37.90B/*35.90A	----	36.00 - 7.40	.1026	----	----	----	----	1 UNCH
5950	----	----	----/*34.80A	36.60B/*34.80A	----	34.80 - 7.20	.0994	----	----	----	----	1 UNCH
6000	----	----	----/32.70A	34.10B/32.70A	----	32.60 - 6.70	.0933	----	----	13	----	3165 + 8
6100	----	----	----/30.60A	29.10B/30.60A	----	28.80 - 5.90	.0825	----	----	----	----	66 UNCH
6200	----	----	----/27.60A	24.70B/27.60A	----	25.70 - 5.10	.0736	----	----	----	----	38 UNCH
6300	----	----	----/25.20A	21.90B/25.20A	----	23.20 - 4.40	.0662	----	----	----	----	756 UNCH
6400	----	----	----/23.10A	19.60B/23.10A	----	21.10 - 3.80	.0599	----	----	----	----	1910 UNCH
6500	19.50	19.50	19.50/19.50	19.50/19.50	----	19.40 - 3.30	.0547	----	----	3	----	4739 UNCH
6800	----	----	----/*17.60A	13.70B/*17.60A	----	15.60 - 2.40	.0429	----	----	----	----	1385 UNCH
6900	----	----	----/*16.70A	12.80B/*16.70A	----	14.70 - 2.20	.0400	----	----	----	----	1 UNCH
7000	----	----	----	12.00B/*16.00A	----	13.90 - 2.00	.0374	----	----	----	----	1583 UNCH
8000	----	----	----	7.70B/*11.50A	----	9.40 - 1.00	.0228	----	----	----	----	211 UNCH
8500	----	----	----	6.60B/*10.20A	----	8.30 - 0.80	.0192	----	----	----	----	208 UNCH
9000	----	----	----	5.70B/9.20A	----	7.40 - 0.70	.0164	----	----	----	----	69 UNCH
9500	----	----	----	4.90B/*8.20A	----	6.70 - 0.60	.0143	----	----	----	----	10 UNCH
13000	2.70	2.70	2.70/*2.70	2.70/*2.70	----	2.80 - 0.10	.0053	----	----	4	----	25 + 4
TOTAL										106		25599 + 77
NOV26												
4000	----	----	----	682.80B/1034.30A	----	849.90 - 46.90	.8645	----	----	----	----	1 UNCH
4100	----	----	----	598.10B/951.80A	----	766.20 - 45.60	.8359	----	----	----	----	1 UNCH
4275	----	----	----	453.30B/818.00A	----	627.60 - 43.50	.7762	----	----	----	----	38 UNCH
4300	----	----	----	433.70B/799.70A	----	608.70 - 43.30	.7665	----	----	----	----	1 UNCH
4375	----	----	----	377.00B/746.20A	----	553.80 - 42.30	.7361	----	----	----	----	38 UNCH
4400	----	----	----	358.80B/728.90A	----	536.10 - 42.00	.7254	----	----	----	----	1 UNCH
4440	----	----	----/503.40A	504.00B/503.40A	----	508.40 - 41.40	.7077	----	----	----	----	1 UNCH
4500	----	----	----/463.90A	484.50B/463.90A	----	468.50 - 40.30	.6801	----	----	----	----	25 UNCH
4595	408.40	408.40	408.40/405.40A	424.30B/405.40A	----	409.50 NEW	.6338	----	----	2	----	1 + 1
4600	----	----	----/402.60A	421.20B/402.60A	----	406.50 - 38.20	.6313	----	----	----	----	1 UNCH
4750	----	----	----/321.40A	341.50B/321.40A	----	323.60 - 35.20	.5538	----	----	----	----	1 UNCH
4775	----	----	----/309.20A	328.70B/309.20A	----	310.90 - 34.90	.5406	----	----	----	----	31 UNCH
4800	----	----	----/297.30A	316.20B/297.30A	----	298.60 - 34.60	.5274	----	----	3	----	4 + 2
4850	----	----	----/274.90A	292.40B/274.90A	----	275.40 - 33.90	.5010	----	----	3	----	25 - 3
4900	----	----	----/254.00A	270.10B/254.00A	----	254.00 - 33.20	.4749	----	----	----	----	451 UNCH
4915	----	----	----/247.90A	263.60B/247.90A	----	248.00 - 32.90	.4672	----	----	----	----	1 UNCH
4925	----	----	----/244.00A	259.60B/244.00A	----	244.00 - 32.80	.4621	----	----	----	----	1 UNCH
4935	----	----	----/240.20A	255.30B/240.20A	----	240.10 - 32.60	.4570	----	----	----	----	25 UNCH
4950	----	----	----/234.50A	249.30B/234.50A	----	234.40 - 32.30	.4494	----	----	----	----	150 UNCH
4970	----	----	----/227.00A	241.20B/227.00A	----	227.00 - 31.80	.4394	----	----	----	----	10 UNCH
5000	----	----	----/216.40A	229.70B/216.40A	----	216.20 - 31.10	.4245	----	----	----	----	84 UNCH
5020	----	----	----/209.40A	222.40B/209.40A	----	209.20 - 30.60	.4147	----	----	----	----	30 UNCH
5060	----	----	----/196.10A	208.20B/196.10A	----	195.90 - 29.40	.3955	----	----	----	----	2 UNCH
5080	----	----	----/189.80A	201.40B/189.80A	----	189.60 - 28.80	.3861	----	----	----	----	4 UNCH
5085	----	----	----/188.30A	199.70B/188.30A	----	188.00 - 28.70	.3837	----	----	----	----	4 UNCH
5175	----	----	----/162.40A	172.00B/162.40A	----	162.10 - 26.00	.3434	----	----	----	----	2 UNCH
5200	----	----	----/155.90A	164.90B/155.90A	----	155.60 - 25.30	.3328	----	----	----	----	26 UNCH
5250	----	----	----/*143.90A	151.70B/*143.90A	----	143.40 - 23.90	.3123	----	----	----	----	9 UNCH
5300	----	----	----/132.80A	139.50B/132.80A	----	132.30 - 22.40	.2929	----	----	----	----	27 UNCH
5330	----	----	----/*126.60A	132.80B/*126.60A	----	126.10 - 21.60	.2818	----	----	----	----	1 UNCH
5370	----	----	----/*118.80A	124.40B/*118.80A	----	118.30 - 20.60	.2676	----	----	----	----	5 UNCH
5400	----	----	----/113.40A	118.60B/113.40A	----	112.80 - 19.80	.2573	----	----	----	----	17 UNCH
5420	----	----	----/*109.90A	114.90B/*109.90A	----	109.30 - 19.30	.2507	----	----	----	----	14 UNCH
5450	----	----	----/*104.80A	109.50B/*104.80A	----	104.30 - 18.60	.2411	----	----	----	----	925 UNCH
5460	----	----	----/*103.20A	107.80B/*103.20A	----	102.70 - 18.30	.2380	----	----	----	----	10 UNCH
5500	----	----	----/96.90A	101.30B/96.90A	----	96.60 - 17.40	.2260	----	----	1	----	79 UNCH
5550	----	----	----/*89.90A	93.70B/*89.90A	----	89.50 - 16.30	.2117	----	----	----	----	1 UNCH
5600	----	----	----/83.40A	86.70B/83.40A	----	83.00 - 15.30	.1984	----	----	1	----	44 + 1
5680	----	----	----/*74.00A	77.30B/*74.00A	----	73.70 - 13.80	.1789	----	----	----	----	39 UNCH
5700	----	----	----/71.90A	74.70B/71.90A	----	71.60 - 13.50	.1744	----	----	----	----	45 UNCH
5710	----	----	----/*70.90A	74.00B/*70.90A	----	70.60 - 13.30	.1722	----	----	----	----	1 UNCH
5800	----	----	----/62.50A	64.70B/62.50A	----	62.20 - 11.80	.1537	----	----	----	----	80 UNCH
5825	----	----	----/*60.30A	62.70B/*60.30A	----	60.10 - 11.50	.1490	----	----	----	----	2 UNCH
5900	----	----	----/54.90A	56.50B/54.90A	----	54.40 - 10.40	.1360	----	----	----	----	1 UNCH
5925	----	----	----/*53.20A	54.40B/*53.20A	----	52.60 - 10.10	.1319	----	----	----	----	4 UNCH
5975	----	----	----/*50.00A	50.70B/*50.00A	----	49.40 - 9.40	.1243	----	----	----	----	3 UNCH
6000	----	----	----/49.00A	49.10B/49.00A	----	47.90 - 9.10	.1208	----	----	----	----	231 UNCH
6100	42.00	42.00	42.00/42.00	43.90B/42.00	----	42.40 - 8.10	.1076	----	----	1	----	1 UNCH
6200	----	----	----/38.90A	39.20B/38.90A	----	37.90 - 7.10	.0965	----	----	----	----	1 UNCH
6400	----	----	----/33.50A	29.50B/33.50A	----	31.00 - 5.50	.0790	----	----	----	----	13 UNCH
6500	----	----	----/30.90A	26.60B/30.90A	----	28.30 - 4.90	.0719	----	----	----	----	1164 UNCH
8000	----	----	----	11.20B/*16.30A	----	13.90 - 1.40	.0309	----	----	----	----	11 UNCH
9000	----	----	----	8.60B/13.40A	----	10.70 - 1.10	.0220	----	----	----	----	8 UNCH
20000	----	----	----	----/2.00A	----	1.40 - 0.20	.0023	----	----	----	----	138 UNCH
TOTAL										11		3833 + 1
DEC26												
3550	----	----	----	----	----	1262.30 - 47.10	.9381	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1243.50 - 47.00	.9357	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1215.40 - 46.90	.9319	----	----	----	----	1 UNCH
3800	----	----	----/1,033.80A	1044.80B/1033.80A	----	1033.10 - 46.70	.8984	----	----	----	----	4 UNCH
3900	----	----	----	764.30B/1143.60A	----	945.90 - 46.70	.8764	----	----	----	----	2 UNCH
4060	----	----	----/810.60A	823.10B/810.60A	----	811.90 - 46.10	.8343	----	----	----	----	100 UNCH
4100	----	----	----/778.30A	790.70B/778.30A	----	779.60 - 45.80	.8224	----	----	----	----	48 UNCH
4160	----	----	----/730.40A	743.00B/730.40A	----	732.10 - 45.10	.8034	----	----	----	----	100 UNCH
4175	----	----	----/718.50A	731.30B/718.50A	----	720.40 - 45.00	.7985	----	----	----	----	37 UNCH
4200	----	----	----/699.10A	711.90B/699.10A	----	701.10 - 44.60	.7901	----	----	----	----	150 UNCH
4250	----	----	----/659.80A	675.20B/659.80A	----	663.20 - 43.90	.7726	----	----	----	----	293 UNCH
4255	----	----	----/657.30A	670.20B/657.30A	----	659.50 - 43.80	.7708	----	----	----	----	50 UNCH
4300	----	----	----/622.80A	638.10B/622.80A	----	626.30 - 43.10	.7542	----	----	----	----	436 UNCH
4315	----	----	----	423.20B/820.80A	----	615.40 - 42.90	.7485	----	----	----	----	1 UNCH
4320	----	----	----/609.50A	622.50B/609.50A	----	611.80 - 42.80	.7465	----	----	----	----	100 UNCH
4350	----	----	----/588.10A	600.90B/588.10A	----	590.40 - 42.20	.7349	----	----	----	----	206 UNCH
4375	----	----	----/570.70A	583.40B/570.70A	----	572.80 - 41.80	.7249	----	----	----	----	61 UNCH
4400	----	----	----	361.70B/762.50A	----	555.50 - 41.40	.7147	----	----	----	----	2 UNCH
4425	----	----	----/533.00A	549.00B/533.00A	----	538.50 - 40.90	.7043	----	----	----	----	8 UNCH
4450	----	----	----/516.70A	536.90B/516.70A	----	521.80 - 40.50	.6937	----	----	----	----	87 UNCH
4465	----	----	----/506.90A	527.30B/506.90A	----	511.90 - 40.20	.6873	----	----	----	----	93 UNCH
4490	----	----	----/490.90A	510.60B/490.90A	----	495.60 - 39.80	.6764	----	----	----	----	7 UNCH
4500	----	----	----/484.50A	504.20B/484.50A	----	489.20 - 39.70	.6720	----	----	----	----	757 UNCH
4525	----	----	----/469.10A	488.30B/469.10A	----	473.40 - 39.20	.6608	----	----	----	----	5 UNCH
4540	----	----	----/459.90A	478.90B/459.90A	----	464.00 - 39.10	.6540	----	----	----	----	9 UNCH
4550	----	----	----/454.20A	472.70B/454.20A	----	457.80 - 38.90	.6494	----	----	----	----	1 UNCH
4565	----	----	----/445.10A	463.60B/445.10A	----	448.70 - 38.70	.6426	----	----	----	----	93 UNCH
4580	----	----	----/436.10A	454.30B/436.10A	----	439.60 - 38.50	.6357	----	----	----	----	150 UNCH
4585	----	----	----/433.10A	451.30B/433.10A	----	436.70 - 38.30	.6333	----	----	----	----	325 UNCH
4590	----	----	----/430.20A	448.30B/430.20A	----	433.70 - 38.30	.6310	----	----	----	----	15 UNCH
4600	----	----	----/424.40A	442.30B/424.40A	----	427.80 - 38.10	.6263	----	----	----	----	145 UNCH
4615	----	----	----/416.00A	433.50B/416.00A	----	419.00 - 38.00	.6193	----	----	----	----	41 UNCH
4625	----	----	----/410.30A	427.70B/410.30A	----	413.20 - 37.90	.6146	----	----	----	----	71 UNCH
4640	----	----	----/401.90A	423.20B/401.90A	----	404.70 - 37.60	.6074	----	----	----	----	100 UNCH
4650	----	----	----/396.40A	417.50B/396.40A	----	399.10 - 37.50	.6027	----	----	----	----	302 UNCH
4700	396.00	396.00	396.00/367.30A	396.00/367.30A	----	371.80 - 36.80	.5785	----	----	3	----	94 - 3
4750	----	----	----/344.40A	363.60B/344.40A	----	346.40 - 35.60	.5541	----	----	----	----	211 UNCH
4780	----	----	----/330.50A	348.60B/330.50A	----	332.00 - 34.80	.5395	----	----	----	----	2 UNCH
4790	327.10	327.10	327.10/325.80A	343.50B/325.80A	----	327.20 NEW	.5346	----	----	1	----	1 + 1
4795	----	----	----/323.10A	341.10B/323.10A	----	324.90 - 34.50	.5321	----	----	----	----	6 UNCH
4800	----	----	----/321.00A	338.60B/321.00A	----	322.50 - 34.50	.5297	----	----	----	----	375 UNCH
4810	----	----	----/316.20A	333.80B/316.20A	----	317.90 - 34.20	.5248	----	----	----	----	56 UNCH
4820	----	----	----/311.60A	329.10B/311.60A	----	313.20 - 34.10	.5199	----	----	----	----	49 UNCH
4825	----	----	----/309.40A	326.70B/309.40A	----	310.90 - 34.10	.5175	----	----	----	----	104 UNCH
4835	----	----	----/305.50A	322.00B/305.50A	----	306.30 NEW	.5126	----	----	----	125	125 + 125
4850	----	----	----/298.50A	315.10B/298.50A	----	299.50 - 33.90	.5053	----	----	----	----	296 UNCH
4875	----	----	----/288.40A	303.80B/288.40A	----	288.50 - 33.70	.4931	----	----	----	----	1 UNCH
4880	----	----	----/285.70A	301.60B/285.70A	----	286.30 - 33.70	.4907	----	----	----	----	4 UNCH
4900	----	----	----/277.70A	292.90B/277.70A	----	277.90 - 33.40	.4811	----	----	----	----	352 UNCH
4925	----	----	----/267.70A	282.40B/267.70A	----	267.70 - 33.20	.4692	----	----	----	----	238 UNCH
4950	----	----	----/258.00A	272.10B/258.00A	----	257.90 - 32.80	.4574	----	----	----	----	103 UNCH
4975	----	----	----/248.80A	262.20B/248.80A	----	248.60 - 32.30	.4457	----	----	----	----	50 UNCH
5000	----	----	----/239.40A	252.50B/239.40A	----	239.60 - 31.70	.4343	----	----	----	----	2331 UNCH
5005	----	----	----/237.70A	250.60B/237.70A	----	237.80 - 31.60	.4320	----	----	----	----	4 UNCH
5025	----	----	----/230.60A	243.30B/230.60A	----	230.90 - 31.10	.4229	----	----	----	----	218 UNCH
5050	----	----	----/222.00A	234.30B/222.00A	----	222.60 - 30.40	.4118	----	----	----	----	101 UNCH
5070	----	----	----/215.60A	227.30B/215.60A	----	216.10 - 29.90	.4030	----	----	----	----	13 UNCH
5075	----	----	----/213.90A	225.60B/213.90A	----	214.50 - 29.80	.4008	----	----	----	----	30 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
5090	----	----	----/208.70A	220.50B/208.70A	----	209.80 - 29.30	.3943	----	----	----	----	15 UNCH
5100	----	----	----/206.00A	217.30B/206.00A	----	206.70 - 29.10	.3900	----	----	----	----	316 UNCH
5125	200.10	200.10	200.10/196.70A	209.10B/196.70A	----	199.20 - 28.40	.3794	----	----	100	----	100 + 100
5150	----	----	----/192.30A	201.40B/192.30A	----	192.00 - 27.60	.3691	----	----	----	----	1 UNCH
5155	----	----	----/189.90A	199.90B/189.90A	----	190.50 - 27.50	.3669	----	----	----	----	4 UNCH
5175	----	----	----/183.90A	194.10B/183.90A	----	185.00 - 26.90	.3588	----	----	----	----	100 UNCH
5195	----	----	----/*178.90A	188.50B/*178.90A	----	179.60 - 26.30	.3508	----	----	----	----	5 UNCH
5200	----	----	----/176.90A	187.50B/176.90A	----	178.30 - 26.20	.3489	----	----	----	----	1306 UNCH
5245	----	----	----/*166.10A	175.10B/*166.10A	----	166.80 - 24.90	.3314	----	----	----	----	4 UNCH
5250	----	----	----/*164.30A	173.90B/*164.30A	----	165.50 - 24.90	.3294	----	----	----	----	337 UNCH
5255	----	----	----/*164.60A	171.90B/*164.60A	----	164.30 - 24.70	.3275	----	----	----	----	1 UNCH
5265	----	----	----/*162.20A	169.40B/*162.20A	----	161.90 - 24.40	.3238	----	----	----	----	2 UNCH
5275	----	----	----/*158.90A	167.50B/*158.90A	----	159.50 - 24.20	.3201	----	----	----	----	20 UNCH
5300	----	----	----/153.10A	161.50B/153.10A	----	153.70 - 23.60	.3109	----	----	----	----	340 UNCH
5350	----	----	----/*142.20A	150.30B/*142.20A	----	142.70 - 22.50	.2931	----	----	----	----	457 UNCH
5360	----	----	----/*139.60A	147.70B/*139.60A	----	140.60 - 22.30	.2897	----	----	----	----	100 UNCH
5370	----	----	----/*138.30A	145.70B/*138.30A	----	138.60 - 22.00	.2863	----	----	----	----	36 UNCH
5400	----	----	----/132.10A	139.60B/132.10A	----	132.60 - 21.40	.2763	----	----	775	----	953 - 739
5460	----	----	----/*121.50A	127.90B/*121.50A	----	121.40 - 20.30	.2572	----	----	----	----	200 UNCH
5465	----	----	----/*120.50A	127.20B/*120.50A	----	120.60 - 20.20	.2558	----	----	----	----	50 UNCH
5480	----	----	----/*117.80A	124.30B/*117.80A	----	118.00 - 19.90	.2512	----	----	----	----	50 UNCH
5500	----	----	----/114.20A	121.30B/114.20A	----	114.70 - 19.50	.2454	----	----	1	160	2574 - 159
5505	126.00	126.00	126.00/*113.70A	126.00/*113.70A	----	113.90 NEW	.2439	----	----	3	----	3 + 3
5525	----	----	----/*110.50A	116.70B/*110.50A	----	110.70 - 19.00	.2382	----	----	----	----	80 UNCH
5550	----	----	----/*107.00A	112.70B/*107.00A	----	106.90 - 18.40	.2313	----	----	----	----	3 UNCH
5570	----	----	----/*104.00A	109.50B/*104.00A	----	104.00 - 18.00	.2259	----	----	----	----	195 UNCH
5600	----	----	----/99.20A	105.50B/99.20A	----	99.80 - 17.40	.2181	----	----	775	----	2152 UNCH
5650	----	----	----/*92.70A	98.20B/*92.70A	----	93.40 - 16.20	.2059	----	----	----	----	250 UNCH
5660	----	----	----/*92.60A	96.00B/*92.60A	----	92.10 - 16.00	.2034	----	----	----	----	1 UNCH
5675	----	----	----/*89.50A	95.00B/*89.50A	----	90.30 - 15.70	.1999	----	----	2	----	14 UNCH
5680	----	----	----/*90.20A	93.40B/*90.20A	----	89.70 - 15.60	.1988	----	----	----	----	1 UNCH
5685	----	----	----/*88.50A	93.70B/*88.50A	----	89.10 - 15.50	.1976	----	----	----	----	18 UNCH
5690	----	----	----/*87.90A	93.10B/*87.90A	----	88.60 - 15.40	.1966	----	----	1	----	11 + 1
5700	----	----	----/86.70A	92.10B/86.70A	----	87.40 - 15.20	.1943	----	----	----	----	375 UNCH
5705	----	----	----/*86.20A	91.20B/*86.20A	----	86.80 - 15.10	.1931	----	----	----	----	5 UNCH
5710	----	----	----/*85.40A	90.70B/*85.40A	----	86.30 - 15.00	.1921	----	----	----	----	5 UNCH
5750	----	----	----/*81.00A	85.90B/*81.00A	----	81.90 - 14.30	.1834	----	----	3	----	302 + 1
5770	----	----	----/*79.30A	83.80B/*79.30A	----	79.80 - 13.90	.1793	----	----	----	----	8 UNCH
5775	----	----	----/*79.80A	82.40B/*79.80A	----	79.30 - 13.80	.1783	----	----	----	----	2 UNCH
5800	----	----	----/76.30A	81.00B/76.30A	----	76.90 - 13.30	.1734	----	----	----	----	1655 UNCH
5810	----	----	----/*75.20A	79.60B/*75.20A	----	75.90 - 13.20	.1714	----	----	----	----	56 UNCH
5825	----	----	----/*74.00A	78.00B/*74.00A	----	74.50 - 13.00	.1685	----	----	----	----	4 UNCH
5850	----	----	----/*72.00A	75.60B/*72.00A	----	72.20 - 12.60	.1638	----	----	----	----	51 UNCH
5875	----	----	----/*70.50A	73.20B/*70.50A	----	70.00 - 12.20	.1593	----	----	----	----	9 UNCH
5900	71.00	71.00	71.00/68.20A	71.00/68.20A	----	67.90 - 11.90	.1550	----	----	2	----	1267 + 1
5950	----	----	----/*64.30A	65.70B/*64.30A	----	63.90 - 11.20	.1466	----	----	----	----	27 UNCH
6000	----	----	----/60.90A	62.10B/60.90A	----	60.20 - 10.70	.1388	----	----	4	----	5354 + 4
6100	56.40	56.40	56.40/54.40	56.40/54.40	----	53.80 - 9.60	.1249	----	----	100	----	125 + 85
6150	----	----	----/*51.70A	51.80B/*51.70A	----	50.90 - 9.10	.1186	----	----	----	----	2 UNCH
6200	----	----	----/48.80A	48.60B/48.80A	----	48.30 - 8.60	.1128	----	----	----	----	3201 UNCH
6250	----	----	----/*46.50A	47.30B/*46.50A	----	45.80 - 8.30	.1072	----	----	----	----	20 UNCH
6300	----	----	----/44.40A	45.00B/44.40A	----	43.60 - 7.80	.1022	----	----	----	----	1047 UNCH
6400	----	----	----/40.80A	40.50B/40.80A	----	39.60 - 7.00	.0930	----	----	----	----	703 UNCH
6500	----	----	----/39.00A	36.70B/39.00A	----	36.30 - 6.10	.0852	----	----	3	----	5173 + 3
6750	----	----	----/*32.80A	27.70B/*32.80A	----	29.90 - 3.90	.0697	----	----	----	----	100 UNCH
6775	----	----	----/*32.30A	27.20B/*32.30A	----	29.40 - 3.60	.0685	----	----	----	----	163 UNCH
6800	----	----	----/*31.80A	26.60B/*31.80A	----	28.90 - 3.40	.0672	----	----	----	----	1817 UNCH
6900	----	----	----	24.70B/*30.10A	----	27.10 - 2.70	.0627	----	----	----	----	12 UNCH
7000	----	----	----	23.00B/28.50A	----	25.60 - 2.10	.0588	----	----	4	----	4185 + 4
7130	----	----	----	21.20B/*26.80A	----	23.80 - 1.60	.0542	----	----	----	----	200 UNCH
7175	----	----	----	20.60B/*26.30A	----	23.30 - 1.40	.0529	----	----	----	----	125 UNCH
7250	----	----	----	19.80B/25.50A	----	22.40 - 1.30	.0506	----	----	----	----	112 UNCH
7500	----	----	----	17.50B/23.20A	----	20.10 - 1.00	.0445	----	----	----	----	109 UNCH
8000	----	----	----	14.50B/20.30A	----	17.10 - 1.40	.0362	----	----	4	----	799 + 4
8125	----	----	----	14.00B/*19.70A	----	16.50 - 1.60	.0346	----	----	----	----	801 UNCH
8500	----	----	----	12.70B/18.30A	----	15.30 - 2.00	.0310	----	----	----	----	170 UNCH
8630	----	----	----	12.40B/*17.90A	----	15.00 - 2.10	.0300	----	----	----	----	400 UNCH
8725	----	----	----	12.10B/*17.60A	----	14.80 - 2.10	.0293	----	----	----	----	250 UNCH
8775	----	----	----	12.00B/17.50A	----	14.70 - 2.10	.0290	----	----	----	----	25 UNCH
9000	----	----	----	14.30B/16.90A	----	14.30 - 2.00	.0277	----	----	----	----	210 UNCH
9500	----	----	----	10.40B/15.70A	----	13.70 - 1.10	.0254	----	----	----	----	292 UNCH
9900	----	----	----	9.60B/14.80A	----	13.10 - 0.50	.0236	----	----	----	----	17 UNCH
10000	13.80	13.80	13.80/12.70	13.80/12.70	----	13.00 - 0.30	.0232	----	----	6	----	8405 + 4
11000	----	----	----	7.80B/12.80A	----	10.70 - 0.40	.0184	----	----	----	----	397 UNCH
13000	----	----	----	7.90B/9.80A	----	8.10 - 0.60	.0130	----	----	----	----	407 UNCH
15000	6.40	6.40	6.40/6.40	6.40/6.40	----	6.70 UNCH	.0102	----	----	283	----	20419 + 163
17000	----	----	----	3.40B/5.90A	----	5.10 + 0.50	.0076	----	----	----	----	27 UNCH
19000	----	----	----	1.20B/4.00A	----	3.20 + 0.30	.0048	----	----	----	----	7 UNCH
20000	2.50	2.50	2.80/2.50	2.80/2.50	----	2.50 + 0.10	.0038	----	----	931	----	22097 + 846
21000	----	----	----	1.80B/2.30A	----	1.90 + 0.10	.0029	----	----	----	----	30 UNCH
24000	----	----	----	----/1.80A	----	1.60 + 0.10	.0024	----	----	----	----	31 UNCH
TOTAL										3001	285	99264 + 444
JAN27												
4190	----	----	----	542.80B/977.90A	----	752.20 - 45.10	.7925	----	----	----	----	1 UNCH
4290	----	----	----	465.40B/906.00A	----	677.40 - 44.10	.7592	----	----	----	----	1 UNCH
4300	----	----	----	457.90B/899.00A	----	670.10 - 44.10	.7557	----	----	----	----	1 UNCH
4400	----	----	----	385.70B/830.80A	----	600.00 - 42.50	.7188	----	----	----	----	1 UNCH
4650	----	----	----/444.00A	461.40B/444.00A	----	445.20 - 37.50	.6151	----	----	----	----	1 UNCH
4750	----	----	----/391.00A	413.60B/391.00A	----	391.70 - 35.90	.5706	----	----	----	----	5 UNCH
4760	----	----	----/386.00A	408.40B/386.00A	----	386.60 - 35.80	.5662	----	----	----	----	100 UNCH
4800	----	----	----/366.40A	388.20B/366.40A	----	366.60 - 35.50	.5481	----	----	----	----	1 UNCH
4850	----	----	----/343.40A	363.70B/343.40A	----	342.80 - 35.10	.5255	----	----	----	----	1 UNCH
4875	----	----	----/332.40A	352.10B/332.40A	----	331.40 - 34.90	.5143	----	----	----	----	4 UNCH
4900	----	----	----/321.90A	340.70B/321.90A	----	320.30 - 34.70	.5031	----	----	----	----	10 UNCH
5000	----	----	----/*281.90A	298.30B/281.90A	----	279.10 - 33.80	.4590	----	----	----	----	26 UNCH
5050	----	----	----/263.70A	278.90B/263.70A	----	260.60 - 32.80	.4376	----	----	----	----	100 UNCH
5100	----	----	----/247.00A	260.70B/247.00A	----	243.40 - 31.60	.4168	----	----	----	----	1 UNCH
5120	----	----	----/240.30A	253.70B/240.30A	----	236.80 - 31.20	.4086	----	----	----	----	1 UNCH
5195	----	----	----/217.50A	229.20B/217.50A	----	214.00 - 28.90	.3791	----	----	----	----	5 UNCH
5250	----	----	----/*202.30A	212.70B/*202.30A	----	198.80 - 27.20	.3584	----	----	----	----	7 UNCH
5300	----	----	----/*189.10A	198.70B/*189.10A	----	186.00 - 25.80	.3404	----	----	----	----	2 UNCH
5400	----	----	----/*166.40A	173.70B/*166.40A	----	162.90 - 23.30	.3066	----	----	----	----	2 UNCH
5500	----	----	----/*146.20A	151.90B/*146.20A	----	142.80 - 21.50	.2757	----	----	----	----	24 UNCH
5550	----	----	----/*137.50A	142.20B/*137.50A	----	133.80 - 20.60	.2613	----	----	----	----	1 UNCH
5820	----	----	----/*98.60A	100.60B/*98.60A	----	95.80 - 16.30	.1965	----	----	----	----	6 UNCH
5850	----	----	----/*95.20A	96.90B/*95.20A	----	92.50 - 15.80	.1905	----	----	----	----	3 UNCH
5900	----	----	----/*89.60A	91.10B/*89.60A	----	87.30 - 15.00	.1810	----	----	----	----	5 UNCH
6000	----	----	----/*80.10A	80.80B/*80.10A	----	77.90 - 13.50	.1634	----	----	----	----	205 UNCH
6025	----	----	----/*78.30A	78.40B/*78.30A	----	75.70 - 13.20	.1593	----	----	----	----	1 UNCH
6300	----	----	----/*60.20A	58.00B/*60.20A	----	56.10 - 10.00	.1212	----	----	----	----	2 UNCH
20000	----	----	----	3.00B/4.00A	----	3.40 UNCH	.0049	----	----	----	----	60 UNCH
TOTAL												577 0
FEB27												
4650	----	----	----/*464.00A	481.60B/*464.00A	----	465.20 NEW	.6123	----	----	1	----	1 + 1
4700	----	----	----/*437.70A	458.20B/*437.70A	----	437.80 - 34.10	.5915	----	----	----	----	1 UNCH
5000	----	----	----/*302.90A	317.20B/*302.90A	----	297.50 - 32.70	.4643	----	----	----	----	2 UNCH
5100	----	----	----/*267.30A	279.60B/*267.30A	----	261.30 - 31.20	.4241	----	----	----	----	1 UNCH
5175	----	----	----/*243.50A	254.10B/*243.50A	----	237.30 - 29.80	.3953	----	----	----	----	125 UNCH
5200	----	----	----/*236.00A	246.20B/*236.00A	----	229.90 NEW	.3861	----	----	2	----	2 + 2
5250	----	----	----/*221.80A	231.00B/*221.80A	----	215.80 - 28.20	.3681	----	----	----	----	2 UNCH
5300	----	----	----/*208.60A	216.80B/*208.60A	----	202.70 - 27.00	.3507	----	----	----	----	50 UNCH
5375	----	----	----/*190.30A	197.10B/*190.30A	----	184.60 - 25.40	.3260	----	----	----	----	2 UNCH
5400	----	----	----/*184.60A	191.00B/*184.60A	----	179.00 - 24.80	.3181	----	----	----	----	1 UNCH
5520	----	----	----/*159.90A	164.40B/*159.90A	----	154.60 - 22.10	.2826	----	----	----	----	300 UNCH
5530	----	----	----/*157.90A	162.40B/*157.90A	----	152.70 - 21.90	.2797	----	----	----	----	100 UNCH
5550	----	----	----/*154.30A	158.40B/*154.30A	----	149.10 - 21.50	.2743	----	----	----	----	65 UNCH
5600	----	----	----/*145.50A	149.00B/*145.50A	----	140.50 - 20.40	.2611	----	----	----	----	1 UNCH
6000	----	----	----/*94.10A	93.00B/*94.10A	----	90.00 - 12.90	.1773	----	----	----	----	122 UNCH
6025	----	----	----/*92.20A	90.50B/*92.20A	----	87.70 - 12.50	.1732	----	----	----	----	4 UNCH
6100	----	----	----/*85.20A	83.50B/*85.20A	----	81.20 - 11.40	.1615	----	----	----	----	4 UNCH
6300	68.00	68.00	68.00/*68.00	68.00/*68.00	----	67.00 - 8.90	.1352	----	----	1	----	1 UNCH
6500	----	----	----/*59.60A	56.20B/*59.60A	----	56.30 - 7.30	.1145	----	----	----	----	110 UNCH
6900	----	----	----/*47.60A	41.10B/*47.60A	----	42.30 - 5.60	.0858	----	----	----	----	532 UNCH
7000	----	----	----/*44.90A	37.30B/*44.90A	----	39.80 - 5.20	.0805	----	----	----	----	385 UNCH
7100	----	----	----	27.40B/47.60A	----	37.60 - 4.70	.0758	----	----	----	----	9 UNCH
7900	----	----	----	16.60B/*36.50A	----	26.60 + 0.10	.0513	----	----	----	----	500 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
FEB27												
8000	----	----	----	15.70B/*35.20A	----	25.80 + 0.70	.0494	----	----	----	----	500 UNCH
TOTAL										4		2820+ 3
MAR27												
4210	----	----	----/*798.80A	455.60B/*798.80A	----	754.60 - 59.50	.8008	----	----	----	----	1 UNCH
5000	----	----	----	136.50B/*501.40A	----	255.40 - 68.30	.4624	----	----	----	----	75 UNCH
5500	----	----	----	62.50B/*245.00A	----	143.40 - 46.80	.2806	----	----	----	----	67 UNCH
5650	----	----	----	49.70B/247.40A	----	125.20 - 40.30	.2453	----	----	----	----	15 UNCH
6000	----	----	----	28.30B/176.60A	----	91.40 - 28.30	.1808	----	----	----	----	2 UNCH
6500	----	----	----	11.10B/118.40A	----	59.20 - 17.20	.1191	----	----	----	----	1 UNCH
TOTAL												161 0
APR27												
5000	----	----	----	----/569.30A	----	411.60 - 25.60	.5000	----	----	----	----	100 UNCH
5060	----	----	----	----/*532.70A	----	387.20 - 24.70	.4804	----	----	----	----	25 UNCH
5600	----	----	----	----/*307.00A	----	230.60 - 17.50	.3269	----	----	----	----	300 UNCH
6000	----	----	----	----/212.90A	----	163.10 - 13.50	.2449	----	----	----	----	151 UNCH
TOTAL												576 0
JUN27												
7000	----	----	----	----	----	79.00 NEW	.1276	----	----	3	----	3 + 3
9500	----	----	----	----	----	18.10 - 0.40	.0316	----	----	----	----	1 UNCH
10000	----	----	----	15.00B/----	----	15.30 UNCH	.0265	----	----	3	----	3 + 3
TOTAL										6		7+ 6
DEC27												
4860	----	----	----	----	----	688.30 - 26.70	.5925	----	----	----	----	100 UNCH
5000	----	----	----	----	----	627.30 - 25.30	.5574	----	----	----	----	50 UNCH
5650	----	----	----	----	----	399.30 - 19.20	.4073	----	----	----	----	200 UNCH
5700	----	----	----	----	----	385.40 - 18.70	.3969	----	----	----	----	150 UNCH
5800	----	----	----	----	----	359.00 - 17.80	.3766	----	----	----	----	200 UNCH
5880	----	----	----	----	----	339.30 - 17.20	.3610	----	----	----	----	125 UNCH
6300	----	----	----	----	----	253.40 - 13.90	.2878	----	----	----	----	18 UNCH
7500	----	----	----	----	----	182.80 - 10.00	.1968	----	----	----	----	170 UNCH
7800	----	----	----	----	----	178.10 - 9.60	.1866	----	----	----	----	284 UNCH
10000	----	----	----	----	----	125.60 - 6.70	.1227	----	----	----	----	100 UNCH
10500	----	----	----	----	----	111.20 - 6.00	.1094	----	----	----	----	10 UNCH
TOTAL												1407 0
DEC28												
5750	----	----	----	----	----	619.70 - 19.10	.4704	----	----	----	----	100 UNCH
TOTAL												100 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK5										
APR26												
4000	0.40	0.40	0.40/*0.20A	0.40/*0.20A	----	0.10 - 0.30	.0000	----	----	1	----	4 + 1
4200	0.40	0.40	0.40/*0.40	0.50B/*0.40	----	0.20 - 0.80	.0004	----	----	11	----	24 + 11
4250	----	----	----/*0.60A	0.70B/*0.60A	----	0.30 - 0.90	.0008	----	----	----	----	12 UNCH
4275	----	----	----/*0.70A	0.80B/*0.70A	----	0.40 - 1.00	.0012	----	----	----	----	2 UNCH
4300	----	----	----/385.20A	439.70B/385.20A	----	394.10 - 48.20	.9982	----	----	----	----	1 UNCH
4300	----	----	----/*0.70A	0.90B/*0.70A	----	0.50 - 1.00	.0017	----	----	----	----	1 UNCH
4325	0.50	0.50	0.50/*0.50	1.10B/*0.50	----	0.60 NEW	.0023	----	----	1	----	1 + 1
4330	----	----	----/*0.80A	1.10B/*0.80A	----	0.70 - 1.00	.0028	----	----	----	----	0 UNCH
4350	----	----	----/*0.90A	1.30B/*0.90A	----	0.80 - 1.10	.0035	----	----	----	----	100 UNCH
4410	1.10	1.10	1.10/*1.10	2.00B/*1.10	----	1.10 NEW	.0062	----	----	2	----	2 + 2
4425	1.20	1.20	1.20/*1.20	2.20B/*1.20	----	1.20 - 1.50	.0073	----	----	8	----	8 + 7
4450	1.50	1.50	1.50/*1.40A	2.70B/*1.40A	----	1.40 - 1.70	.0095	----	----	1	----	5 + 1
4455	----	----	----/*1.50A	2.80B/*1.50A	----	1.40 NEW	.0097	----	----	1	----	1 + 1
4470	----	----	----/*1.60A	3.20B/*1.60A	----	1.60 NEW	.0120	----	----	4	----	4 + 4
4475	----	----	----/*1.70A	3.30B/*1.70A	----	1.70 - 1.90	.0131	----	----	----	----	2 UNCH
4480	----	----	----/*1.70A	3.50B/*1.70A	----	1.70 - 2.00	.0134	----	----	----	----	1 UNCH
4485	----	----	----/*1.80A	3.60B/*1.80A	----	1.80 - 2.00	.0145	----	----	----	----	1 UNCH
4495	----	----	----/*1.90A	4.00B/*1.90A	----	2.00 - 2.10	.0170	----	----	----	----	1 UNCH
4500	2.80	2.80	2.80/*2.00	4.20B/*2.00	----	2.10 - 2.10	.0183	----	----	3	----	60 + 1
4505	----	----	----/*2.00A	4.40B/*2.00A	----	2.20 - 2.20	.0197	----	----	----	----	11 UNCH
4510	----	----	----/*2.10A	4.60B/*2.10A	----	2.30 - 2.30	.0211	----	----	----	----	2 UNCH
4515	----	----	4.80B/*2.20A	4.80B/*2.20A	----	2.40 - 2.30	.0226	----	----	1	----	7 + 1
4520	----	----	5.10B/*2.30A	5.10B/*2.30A	----	2.50 - 2.40	.0242	----	----	4	----	6 + 4
4525	----	----	5.40B/*2.40A	5.40B/*2.40A	----	2.70 NEW	.0268	----	----	3	----	3 + 3
4530	----	----	5.60B/*2.50A	5.60B/*2.50A	----	2.80 - 2.50	.0286	----	----	1	----	4 + 1
4535	----	----	6.00B/*2.60A	6.00B/*2.60A	----	3.00 - 2.50	.0314	----	----	----	----	2 UNCH
4540	----	----	6.30B/*2.70A	6.30B/*2.70A	----	3.20 NEW	.0343	----	----	3	----	3 + 3
4545	4.10	4.10	6.60B/*2.90A	6.60B/*2.90A	----	3.30 NEW	.0364	----	----	2	----	2 + 2
4550	4.80	4.80	7.10B/*3.00A	7.10B/*3.00A	----	3.60 - 2.60	.0407	----	----	4	----	4 + 3
4555	----	----	7.60B/*3.20A	7.60B/*3.20A	----	3.80 - 2.70	.0441	----	----	----	----	20 UNCH
4560	----	----	8.00B/*3.30A	8.00B/*3.30A	----	4.00 - 2.80	.0477	----	----	1	----	11 + 1
4565	4.40	4.40	8.50B/*3.50A	8.50B/*3.50A	----	4.30 - 2.80	.0525	----	----	51	----	51 + 47
4570	5.10	5.10	9.10B/*3.70A	9.10B/*3.70A	----	4.60 NEW	.0575	----	----	1	----	1 + 1
4575	4.60	4.60	9.70B/*4.00A	9.70B/*4.00A	----	4.90 - 2.90	.0628	----	----	4	----	3 UNCH
4580	4.50	4.50	10.20B/*4.20A	10.20B/*4.20A	----	5.30 - 2.80	.0695	----	----	3	----	28 + 3
4585	5.30	5.30	11.00B/*4.50A	11.00B/*4.50A	----	5.70 NEW	.0764	----	----	2	----	2 + 2
4590	----	----	11.60B/*4.90A	11.60B/*4.90A	----	6.10 - 2.80	.0837	----	----	2	----	13 + 2
4595	6.10	6.10	12.50B/*5.20A	12.50B/*5.20A	----	6.50 - 2.90	.0913	----	----	1	----	38 + 1
4600	14.00	14.00	14.00/*5.70	14.00/*5.70	----	7.10 - 2.70	.1015	----	----	45	----	86 + 29
4605	----	----	14.30B/*6.10A	14.30B/*6.10A	----	7.60 - 2.80	.1110	----	----	----	----	5 UNCH
4610	8.00	8.00	15.20B/*6.60A	15.20B/*6.60A	----	8.20 - 2.70	.1221	----	----	5	----	12 + 5
4615	----	----	16.30B/*7.10A	16.30B/*7.10A	----	8.90 - 2.60	.1347	----	----	----	----	1 UNCH
4620	11.50	11.50	17.30B/*7.70A	17.30B/*7.70A	----	9.60 - 2.50	.1478	----	----	3	----	5 + 1
4620	----	----	----/*76.30A	130.30B/*76.30A	----	83.30 - 49.60	.8521	----	----	----	----	1 UNCH
4625	10.00	10.00	18.40B/*8.20A	18.40B/*8.20A	----	10.40 - 2.30	.1624	----	----	32	----	32 + 32
4630	----	----	19.60B/*8.70A	19.60B/*8.70A	----	11.30 - 2.10	.1786	----	----	2	----	4 + 2
4640	----	----	22.30B/*10.00A	22.30B/*10.00A	----	13.30 - 1.60	.2147	----	----	3	----	4 + 3
4650	15.00	15.00	25.40B/*11.60A	25.40B/*11.60A	----	15.70 - 0.90	.2568	----	----	11	----	25 + 6
4655	----	----	26.90B/*12.50A	26.90B/*12.50A	----	17.00 - 0.50	.2795	----	----	----	----	2 UNCH
4660	----	----	28.70B/*13.40A	28.70B/*13.40A	----	18.40 - 0.10	.3037	----	----	1	----	21 + 1
4665	29.90	29.90	32.00/*14.40A	32.00/*14.40A	----	20.00 + 0.40	.3297	----	----	51	----	48 + 45
4670	----	----	32.50B/*15.40A	32.50B/*15.40A	----	21.60 + 0.90	.3563	----	----	5	----	7 + 3
4675	28.20	28.20	34.70B/*16.40A	34.70B/*16.40A	----	23.40 + 1.50	.3845	----	----	4	----	13 + 1
4680	35.20	35.20	37.00B/*17.40A	37.00B/*17.40A	----	25.40 + 2.20	.4138	----	----	2	----	7 UNCH
4685	23.50	23.50	39.20B/*18.60A	39.20B/*18.60A	----	27.40 + 2.90	.4436	----	----	1	----	17 UNCH
4690	32.10	32.10	32.10/*28.80A	71.70B/*28.80A	----	33.30 - 43.50	.5256	----	----	4	----	4 + 3
4690	33.90	33.90	41.60B/19.80A	41.60B/19.80A	----	29.60 NEW	.4743	----	----	18	----	10 + 10
4695	31.00	31.00	44.10B/21.20A	44.10B/21.20A	----	32.00 + 4.60	.5053	----	----	4	----	15 UNCH
4695	30.20	30.20	30.20/*26.40A	67.80B/*26.40A	----	30.70 NEW	.4946	----	----	1	----	1 + 1
4700	29.80	29.80	29.80/*24.10A	64.20B/*24.10A	----	28.10 - 41.70	.4633	----	----	2	----	4 + 2
4700	30.10	30.10	46.30B/22.60A	46.30B/22.60A	----	34.40 + 5.50	.5366	----	----	1	----	52 UNCH
4705	25.00	25.00	49.30B/24.10A	49.30B/24.10A	----	37.00 + 6.40	.5679	----	----	8	----	4 + 3
4705	34.00	34.00	34.00/*22.00A	60.60B/*22.00A	----	25.70 - 40.80	.4320	----	----	1	----	4 + 1
4710	29.40	29.40	52.10B/25.50A	52.10B/25.50A	----	39.80 NEW	.5988	----	----	2	----	2 + 2
4710	----	----	----/*20.00A	57.50B/*20.00A	----	23.50 NEW	.4011	----	----	1	----	1 + 1
4715	----	----	54.10B/27.20A	54.10B/27.20A	----	42.70 + 8.50	.6293	----	----	1	----	47 UNCH
4715	21.00	21.00	23.00/*18.10A	53.90B/*18.10A	----	21.40 NEW	.3706	----	----	9	----	8 + 8
4720	36.40	36.40	36.40/*16.40A	51.00B/*16.40A	----	19.40 - 37.60	.3405	----	----	116	----	57 + 56
4720	----	----	57.40B/29.00A	57.40B/29.00A	----	45.70 + 9.60	.6593	----	----	----	----	67 UNCH
4725	----	----	60.20B/31.00A	60.20B/31.00A	----	48.90 NEW	.6881	----	----	6	----	6 + 6
4730	----	----	63.40B/32.90A	63.40B/32.90A	----	52.20 NEW	.7160	----	----	2	----	2 + 2
4730	----	----	----/*13.40A	45.30B/*13.40A	----	15.90 - 35.20	.2839	----	----	8	----	46 + 7
4735	----	----	66.90B/35.00A	66.90B/35.00A	----	55.60 + 13.20	.7420	----	----	----	----	2 UNCH
4735	29.40	29.40	29.40/*12.00A	42.40B/*12.00A	----	14.40 - 33.90	.2578	----	----	1	----	1 UNCH
4740	----	----	70.30B/37.20A	70.30B/37.20A	----	59.20 + 14.50	.7677	----	----	4	----	11 + 2
4740	20.10	20.10	20.10/*10.90A	39.60B/*10.90A	----	12.90 - 32.70	.2322	----	----	20	----	20 + 12
4745	----	----	73.60B/39.70A	73.60B/39.70A	----	62.90 + 15.80	.7912	----	----	----	----	45 UNCH
4745	----	----	----/*9.80A	37.00B/*9.80A	----	11.60 - 31.40	.2087	----	----	----	----	20 UNCH
4750	68.20	68.20	77.20B/42.20A	77.20B/42.20A	----	66.70 + 17.10	.8132	----	----	1	----	27 - 1
4750	22.00	22.00	34.50B/*8.70A	34.50B/*8.70A	----	10.40 - 30.10	.1867	----	----	39	----	84 + 19
4755	----	----	80.80B/44.80A	80.80B/44.80A	----	70.60 + 18.40	.8337	----	----	----	----	9 UNCH
4755	9.20	9.20	9.50/*7.80A	31.90B/*7.80A	----	9.30 - 28.80	.1662	----	----	4	----	19 + 4
4760	----	----	84.60B/47.40A	84.60B/47.40A	----	74.70 + 19.80	.8514	----	----	----	----	1 UNCH
4760	18.90	18.90	29.80B/*7.00A	29.80B/*7.00A	----	8.40 - 27.40	.1484	----	----	5	----	8 + 3
4765	7.50	7.50	7.50/*6.30A	27.40B/*6.30A	----	7.50 NEW	.1313	----	----	3	----	3 + 3
4770	----	----	----/*5.60A	25.40B/*5.60A	----	6.70 - 24.90	.1158	----	----	8	----	1 UNCH
4770	----	----	92.90B/53.40A	92.90B/53.40A	----	83.00 + 22.30	.8840	----	----	----	----	1 UNCH
4775	----	----	97.00B/56.60A	97.00B/56.60A	----	87.30 NEW	.8977	----	----	6	----	6 + 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK5										
APR26												
4775	15.50	15.50	15.50/*5.00A	23.50B/*5.00A	----	6.00 - 23.60	.1021	----	----	26	----	26 + 25
4780	----	----	101.60B/59.70A	101.60B/59.70A	----	91.60 NEW	.9109	----	----	1	----	1 + 1
4780	10.10	10.10	10.10/*4.40A	21.70B/*4.40A	----	5.30 - 22.40	.0889	----	----	4	----	61 - 2
4785	----	----	----/*4.00A	20.10B/*4.00A	----	4.80 - 21.10	.0788	----	----	----	----	3 UNCH
4790	----	----	110.30B/66.50A	110.30B/66.50A	----	100.60 NEW	.9308	----	----	2	----	2 + 2
4790	----	----	----/*3.50A	18.30B/*3.50A	----	4.30 - 19.90	.0691	----	----	1	----	1 UNCH
4795	10.70	10.70	16.80B/*3.20A	16.80B/*3.20A	----	3.80 NEW	.0598	----	----	1	----	1 + 1
4800	13.00	13.00	15.40B/*2.90A	15.40B/*2.90A	----	3.50 - 17.60	.0535	----	----	15	----	184 + 2
4800	----	----	119.50B/73.60A	119.50B/73.60A	----	109.70 + 29.50	.9464	----	----	----	----	2 UNCH
4805	----	----	----/*2.70A	14.20B/*2.70A	----	3.10 - 16.60	.0463	----	----	5	----	5 UNCH
4810	----	----	----/*2.40A	13.00B/*2.40A	----	2.80 - 15.50	.0406	----	----	----	----	2 UNCH
4815	----	----	----/*2.30A	12.00B/*2.30A	----	2.50 - 14.60	.0353	----	----	1	----	5 UNCH
4820	6.90	6.90	11.00B/*2.10A	11.00B/*2.10A	----	2.30 - 13.60	.0315	----	----	2	----	3 + 2
4820	----	----	138.80B/89.00A	138.80B/89.00A	----	128.60 + 33.60	.9684	----	----	----	----	1 UNCH
4825	----	----	143.30B/93.10A	143.30B/93.10A	----	133.40 NEW	.9720	----	----	1	----	1 + 1
4825	3.50	3.50	3.50/*1.90A	9.90B/*1.90A	----	2.10 - 12.70	.0278	----	----	6	----	4 + 2
4830	----	----	----/*1.80A	9.00B/*1.80A	----	1.90 - 11.90	.0244	----	----	----	----	10 UNCH
4835	----	----	153.20B/101.60A	153.20B/101.60A	----	143.00 NEW	.9787	----	----	6	----	6 + 6
4840	6.20	6.20	6.40/*1.60A	7.50B/*1.60A	----	1.60 - 10.30	.0193	----	----	129	----	179 + 98
4845	5.00	5.00	6.90B/*1.50A	6.90B/*1.50A	----	1.50 - 9.60	.0175	----	----	1	----	13 - 1
4850	----	----	167.40B/114.40A	167.40B/114.40A	----	157.60 + 38.20	.9841	----	----	1	----	1 UNCH
4850	7.20	7.20	7.20/*1.40	7.20/*1.40	----	1.40 - 8.90	.0158	----	----	2	----	10 + 1
4855	----	----	----/*1.30A	5.80B/*1.30A	----	1.30 - 8.30	.0142	----	----	1	----	9 UNCH
4860	----	----	----/*1.30A	5.30B/*1.30A	----	1.20 - 7.70	.0127	----	----	----	----	10 UNCH
4865	----	----	----/*1.10A	4.80B/*1.10A	----	1.10 - 7.20	.0112	----	----	----	----	3 UNCH
4870	1.00	1.00	1.00/*1.00	4.40B/*1.00	----	1.00 - 6.70	.0099	----	----	1	----	0 - 1
4875	----	----	----/*1.00A	4.10B/*1.00A	----	0.90 - 6.30	.0086	----	----	2	----	2 + 1
4880	----	----	----/*1.00A	3.60B/*1.00A	----	0.90 - 5.80	.0083	----	----	----	----	5 UNCH
4885	----	----	----/*0.90A	3.30B/*0.90A	----	0.80 - 5.40	.0072	----	----	----	----	1 UNCH
4890	----	----	----/*0.90A	3.00B/*0.90A	----	0.80 - 5.00	.0070	----	----	----	----	19 UNCH
4895	----	----	----/*0.80A	2.80B/*0.80A	----	0.70 - 4.70	.0059	----	----	----	----	11 UNCH
4900	1.10	1.10	1.10/*0.70A	2.50B/*0.70A	----	0.70 - 4.40	.0057	----	----	24	----	138 - 3
4905	----	----	----/*0.80A	2.30B/*0.80A	----	0.70 - 4.10	.0056	----	----	1	----	29 - 1
4910	----	----	226.90B/170.30A	226.90B/170.30A	----	216.90 + 43.40	.9953	----	----	----	----	1 UNCH
4910	----	----	----/*0.70A	2.10B/*0.70A	----	0.60 - 3.90	.0046	----	----	----	----	27 UNCH
4915	----	----	----/*0.70A	1.90B/*0.70A	----	0.60 - 3.60	.0045	----	----	----	----	2 UNCH
4920	----	----	----/*0.70A	1.80B/*0.70A	----	0.60 - 3.30	.0044	----	----	----	----	1 UNCH
4925	0.50	0.50	0.50/*0.50	1.60B/*0.50	----	0.50 - 3.20	.0035	----	----	1	----	6 + 1
4930	----	----	----/*0.70A	1.50B/*0.70A	----	0.50 - 3.00	.0034	----	----	----	----	3 UNCH
4940	----	----	----/*0.60A	1.30B/*0.60A	----	0.40 - 2.70	.0025	----	----	----	----	3 UNCH
4945	----	----	----/*0.60A	1.20B/*0.60A	----	0.40 - 2.50	.0025	----	----	----	----	1 UNCH
4950	----	----	----/*0.60A	1.10B/*0.60A	----	0.40 - 2.30	.0024	----	----	----	----	38 UNCH
4955	----	----	271.60B/214.10A	271.60B/214.10A	----	261.60 + 45.00	.9976	----	----	----	----	1 UNCH
4960	----	----	----/*0.50A	0.90B/*0.50A	----	0.40 - 2.00	.0023	----	----	----	----	1 UNCH
4970	----	----	----/*0.50A	0.80B/*0.50A	----	0.30 - 1.90	.0016	----	----	----	----	5 UNCH
4980	----	----	----/*0.60A	0.70B/*0.60A	----	0.30 - 1.70	.0015	----	----	----	----	1 UNCH
4995	----	----	310.80B/----	310.80B/257.60A	----	301.50 + 45.80	.9991	----	----	----	----	2 UNCH
5000	----	----	----/*0.60A	0.60B/*0.60A	----	0.20 - 1.50	.0008	----	----	----	----	21 UNCH
5010	0.20	0.20	0.20/*0.20	0.40B/*0.20	----	0.20 NEW	.0008	----	----	1	----	1 + 1
5025	----	----	----/*0.50A	0.40B/*0.50A	----	0.10 - 1.30	.0003	----	----	----	----	1 UNCH
5050	----	----	----/*0.50A	0.30B/*0.50A	----	0.10 - 1.00	.0001	----	----	----	----	4 UNCH
5075	----	----	----/*0.40A	0.30B/*0.40A	----	0.10 - 0.90	.0000	----	----	----	----	3 UNCH
5100	----	----	----/*0.40A	0.10B/*0.40A	----	0.10 - 0.80	.0000	----	----	----	----	3 UNCH
5150	----	----	----/*0.40A	----/*0.40A	----	0.10 - 0.50	----	----	----	----	----	10 UNCH
5175	----	----	----/*0.40A	----/*0.40A	----	0.10 - 0.40	----	----	----	----	----	2 UNCH
5200	----	----	----	----/*0.40A	----	0.10 - 0.30	----	----	----	----	----	120 UNCH
5225	----	----	----	----/*0.40A	----	0.10 - 0.20	----	----	----	----	----	1 UNCH
TOTAL										790		2325 + 517
MAY26												
3500	----	----	----	0.50B/*1.60A	----	1.20 + 0.20	.0051	----	----	----	----	16 UNCH
3900	3.50	3.50	#3.50/*3.50	#3.50/*3.50	----	5.70 NEW	.0273	----	----	2	----	2 + 2
3900	----	----	----/*1.30A	1.00B/*1.30A	----	1.20 - 0.20	.0066	----	----	----	----	30 UNCH
4000	----	----	----/*1.60A	1.30B/*1.60A	----	1.50 - 0.20	.0091	----	----	----	----	15 UNCH
4100	----	----	----/*1.90A	1.90B/*1.90A	----	1.90 - 0.40	.0128	----	----	----	----	20 UNCH
4250	----	----	----	11.30B/*13.50A	----	12.50 UNCH	.0749	----	----	1	----	1 + 1
4275	----	----	----/*3.30A	4.20B/*3.30A	----	3.50 - 0.80	.0284	----	----	----	----	1 UNCH
4300	----	----	----	14.60B/*16.30A	----	15.70 NEW	.0940	----	----	1	----	1 + 1
4300	----	----	----/*3.70A	4.70B/*3.70A	----	3.90 - 0.90	.0325	----	----	----	----	11 UNCH
4300	----	----	----/*9.00A	8.90B/*9.00A	----	9.20 - 0.20	.0651	----	----	----	----	2 UNCH
4325	16.80	16.80	16.80/*16.80	16.80/*16.80	----	17.50 NEW	.1049	----	----	2	----	2 + 2
4350	----	----	6.20B/*4.70A	6.20B/*4.70A	----	5.10 NEW	.0444	----	----	1	----	1 + 1
4400	----	----	8.50B/*6.20A	8.50B/*6.20A	----	6.80 - 1.10	.0616	----	----	1	----	127 + 1
4425	8.30	8.30	10.00B/*7.20	10.00B/*7.20	----	8.00 NEW	.0735	----	----	2	----	2 + 2
4500	----	----	17.50B/*12.10A	17.50B/*12.10A	----	13.70 - 0.80	.1286	----	----	----	----	1 UNCH
4550	19.00	19.00	25.60B/17.40A	25.60B/17.40A	----	20.40 + 0.20	.1890	----	----	35	----	126 + 35
4575	----	----	30.90B/21.00A	30.90B/21.00A	----	24.90 + 1.00	.2277	----	----	----	----	13 UNCH
4575	----	----	46.30B/----	46.30B/40.00A	----	43.40 + 4.00	.2868	----	----	----	----	2 UNCH
4590	----	----	34.60B/23.40A	34.60B/23.40A	----	28.20 + 1.70	.2544	----	----	----	----	1 UNCH
4600	----	----	37.30B/25.20A	37.30B/25.20A	----	30.60 + 2.20	.2733	----	----	1	----	55 + 1
4605	----	----	38.70B/25.90A	38.70B/25.90A	----	31.80 + 2.40	.2830	----	----	----	----	25 UNCH
4610	----	----	40.10B/26.80A	40.10B/26.80A	----	33.20 + 2.70	.2933	----	----	----	----	1 UNCH
4615	----	----	41.80B/27.90A	41.80B/27.90A	----	34.50 + 2.90	.3035	----	----	----	----	2 UNCH
4625	----	----	44.90B/30.00A	44.90B/30.00A	----	37.40 + 3.50	.3249	----	----	----	----	2 UNCH
4630	----	----	46.60B/31.10A	46.60B/31.10A	----	39.00 + 3.90	.3362	----	----	----	----	1 UNCH
4650	----	----	53.70B/36.00A	53.70B/36.00A	----	45.70 + 5.40	.3826	----	----	1	----	26 UNCH
4655	----	----	55.90B/37.50A	55.90B/37.50A	----	47.60 + 5.90	.3948	----	----	----	----	152 UNCH
4665	----	----	60.20B/40.30A	60.20B/40.30A	----	51.40 + 6.70	.4195	----	----	----	----	1 UNCH
4670	----	----	61.90B/41.90A	61.90B/41.90A	----	53.50 + 7.20	.4321	----	----	----	----	13 UNCH
4700	----	----	95.60B/----	95.60B/80.30A	----	89.60 + 11.70	.5028	----	----	----	----	2 UNCH
4700	----	----	76.20B/51.90A	76.20B/51.90A	----	67.10 + 10.30	.5099	----	----	----	----	70 UNCH
4705	----	----	79.10B/53.80A	79.10B/53.80A	----	69.60 + 10.90	.5231	----	----	----	----	1 UNCH
4715	87.90	87.90	87.90/*50.00A	87.90/*50.00A	----	53.60 NEW	.4503	----	----	1	----	1 + 1
4750	59.10	59.10	59.10/*36.50A	65.40B/*36.50A	----	39.10 NEW	.3600	----	----	3	----	3 + 3
4750	----	----	104.30B/73.80A	104.30B/73.80A	----	95.30 + 16.50	.6396	----	----	----	----	1 UNCH
4750	----	----	123.70B/----	123.70B/105.20A	----	116.70 + 16.00	.5976	----	----	----	----	1 UNCH
4760	----	----	110.60B/78.70A	110.60B/78.70A	----	101.80 + 17.90	.6642	----	----	----	----	10 UNCH
4770	----	----	----/*29.90A	55.80B/*29.90A	----	32.30 - 27.90	.3115	----	----	----	----	1 UNCH
4770	----	----	117.20B/84.10A	117.20B/84.10A	----	108.50 + 19.20	.6882	----	----	----	----	1 UNCH
4790	----	----	----/*24.30A	47.40B/*24.30A	----	26.50 NEW	.2664	----	----	1	----	1 + 1
4795	----	----	135.10B/99.00A	135.10B/99.00A	----	126.40 NEW	.7439	----	----	1	----	1 + 1
4800	----	----	----/*21.80A	43.50B/*21.80A	----	23.90 - 23.90	.2451	----	----	1	----	103 + 1
4810	----	----	----/*19.60A	39.60B/*19.60A	----	21.60 - 22.50	.2253	----	----	4	----	4 + 3
4820	20.10	20.10	20.10/*17.30	36.40B/*17.30	----	19.50 NEW	.2066	----	----	30	----	30 + 30
4840	13.70	13.70	13.70/*13.70	30.40B/*13.70	----	15.80 - 18.60	.1724	----	----	24	----	24 + 20
4845	----	----	----/*13.50A	29.00B/*13.50A	----	15.00 - 18.00	.1647	----	----	----	----	1 UNCH
4850	----	----	----/*12.80A	27.70B/*12.80A	----	14.30 - 17.30	.1576	----	----	1	----	52 + 1
4850	----	----	179.70B/136.40A	179.70B/136.40A	----	170.40 + 29.80	.8421	----	----	----	----	9 UNCH
4865	----	----	----/*11.00A	24.00B/*11.00A	----	12.20 - 15.60	.1367	----	----	1	----	1 UNCH
4875	----	----	----/*9.80A	21.70B/*9.80A	----	11.00 NEW	.1243	----	----	1	----	1 + 1
4900	----	----	----/*7.60A	17.10B/*7.60A	----	8.50 - 12.00	.0977	----	----	1	----	5 + 1
4900	----	----	----/*19.20A	29.10B/*19.20A	----	20.30 - 16.80	.1710	----	----	1	----	5 + 1
4900	----	----	----/*32.60A	43.90B/*32.60A	----	31.90 - 19.10	.2173	----	----	----	----	1 UNCH
4915	----	----	----/*6.50A	14.80B/*6.50A	----	7.30 - 10.60	.0844	----	----	1	----	0 - 1
4925	----	----	----/*5.90A	13.50B/*5.90A	----	6.60 - 9.80	.0766	----	----	2	----	82 + 2
4925	----	----	----/*15.80A	24.00B/*15.80A	----	16.80 NEW	.1451	----	----	1	----	1 + 1
4950	----	----	----/*4.70A	10.50B/*4.70A	----	5.20 - 8.00	.0604	----	----	1	----	5 + 1
4950	----	----	----/*13.20A	19.70B/*13.20A	----	13.90 - 12.80	.1227	----	----	----	----	3 UNCH
4955	----	----	----/*4.50A	10.00B/*4.50A	----	5.00 - 7.70	.0580	----	----	----	----	1 UNCH
4960	----	----	----/*4.30A	9.60B/*4.30A	----	4.80 - 7.30	.0556	----	----	----	----	1 UNCH
4970	----	----	----/*4.00A	8.70B/*4.00A	----	4.30 - 6.80	.0499	----	----	1	----	0 - 1
4975	----	----	----/*11.10A	16.10B/*11.10A	----	11.50 NEW	.1034	----	----	2	----	2 + 2
4995	----	----	314.20B/260.30A	314.20B/260.30A	----	304.60 NEW	.9596	----	----	1	----	1 + 1
5000	----	----	----/*3.20A	6.50B/*3.20A	----	3.40 - 5.30	.0389	----	----	1	----	2 + 1
5000	----	----	----/*9.30A	13.50B/*9.30A	----	9.60 - 9.50	.0874	----	----	1	----	3 UNCH
5015	----	----	----/*3.00A	5.60B/*3.00A	----	3.00 - 4.70	.0341	----	----	----	----	1 UNCH
5020	----	----	335.60B/283.80A	335.60B/283.80A	----	329.00 NEW	.9670	----	----	1	----	1 + 1
5025	3.00	3.00	3.00/*2.80A	5.10B/*2.80A	----	2.80 - 4.30	.0316	----	----	1	----	1 UNCH
5025	----	----	----/*8.50A	11.40B/*8.50A	----	8.10 - 8.00	.0743	----	----	----	----	1 UNCH
5025	----	----	340.50B/288.50A	340.50B/288.50A	----	333.90 NEW	.9682	----	----	1	----	1 + 1
5050	----	----	----/*2.50A	4.10B/*2.50A	----	2.30 - 3.60	.0256	----	----	----	----	2 UNCH
5050	----	----	----/*7.40A	9.50B/*7.40A	----	6.80 - 6.80	.0629	----	----	1	----	1 UNCH
5075	----	----	----/*2.20A	3.30B/*2.20A	----	2.00 - 2.90	.0217	----	----	----	----	2 UNCH
5075	----	----	----/*6.50A	7.70B/*6.50A	----	5.80 - 5.70	.0537	----	----	----	----	1 UNCH
5100	----	----	----/*5.50A	6.20B/*5.50A	----	5.00 - 4.70	.0462	----	----	----	----	1 UNCH
5100	----	----	----/*11.90A	12.10B/*11.90A	----	8.70 - 7.70	.0703	----	----	----	----	2 UNCH
5125	----	----	----/*1.80A	2.20B/*1.80A	----	1.50 - 2.00	.0156	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK1

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5150	----	----	----/*1.60A	1.80B/*1.60A	----	1.30 - 1.70	.0132	----	----	----	----	1 UNCH
5175	----	----	----/*1.50A	1.50B/*1.50A	----	1.20 - 1.40	.0119	----	----	----	----	2 UNCH
5200	----	----	----/*1.40A	1.20B/*1.40A	----	1.10 - 1.20	.0106	----	----	----	----	1 UNCH
5250	----	----	----/*1.20A	1.00B/*1.20A	----	0.90 - 1.00	.0082	----	----	----	----	4 UNCH
5250	----	----	----/*3.20A	2.10B/*3.20A	----	2.40 - 1.40	.0212	----	----	----	----	1 UNCH
5300	----	----	----	#1.20B/*6.20A	----	2.10 - 2.70	.0188	----	----	----	----	1 UNCH
TOTAL										132		1107 + 118

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week4

APR26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4000	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
4200	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.50	----	----	----	4	----	104 UNCH
4250	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.70	----	----	----	----	----	1 UNCH
4255	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.10 NEW	----	----	----	1	----	1 + 1
4265	0.10	0.10	0.10/*0.10	0.30B/*0.10	----	0.10 NEW	----	----	----	1	----	1 + 1
4270	0.10	0.10	0.10/*0.10	0.30B/*0.10	----	0.10 NEW	----	----	----	2	----	2 + 2
4280	0.10	0.10	0.10/*0.10	0.30B/*0.10	----	0.10 NEW	----	----	----	1	----	1 + 1
4300	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 0.90	----	----	----	----	----	3 UNCH
4325	----	----	----/*0.30A	0.50B/*0.30A	----	0.10 - 1.00	----	----	----	2	----	2 UNCH
4340	----	----	----/*0.40A	0.60B/*0.40A	----	0.10 - 1.10	.0000	----	----	----	----	3 UNCH
4350	0.30	0.30	0.30/*0.20	0.60B/*0.20	----	0.10 - 1.20	.0000	----	----	45	----	40 + 28
4375	----	----	----/*0.40A	0.70B/*0.40A	----	0.20 - 1.20	.0001	----	----	----	----	10 UNCH
4400	1.00	1.00	1.00/*0.20	1.00/*0.20	----	0.20 - 1.40	.0001	----	----	38	----	37 + 3
4410	----	----	----/*0.40A	1.00B/*0.40A	----	0.30 - 1.40	.0003	----	----	----	----	3 UNCH
4425	0.60	0.60	0.60/*0.40	1.10B/*0.40	----	0.40 - 1.40	.0005	----	----	9	----	19 UNCH
4440	0.60	0.60	0.60/*0.40	1.20B/*0.40	----	0.40 - 1.50	.0005	----	----	14	----	13 - 2
4445	----	----	----/*0.60A	1.30B/*0.60A	----	0.50 - 1.50	.0007	----	----	----	----	1 UNCH
4450	1.70	1.70	1.70/*0.50A	1.70/*0.50A	----	0.50 - 1.60	.0008	----	----	30	----	29 + 22
4455	0.70	0.70	0.70/*0.30	1.40B/*0.30	----	0.50 - 1.60	.0008	----	----	3	----	30 + 1
4465	----	----	----/*0.60A	1.60B/*0.60A	----	0.60 - 1.70	.0011	----	----	----	----	2 UNCH
4475	----	----	----/*0.70A	1.70B/*0.70A	----	0.60 - 1.80	.0012	----	----	1	----	4 - 1
4480	0.40	0.40	0.40/*0.40	1.80B/*0.40	----	0.60 - 1.90	.0012	----	----	1	----	2 + 1
4485	----	----	----/*0.70A	1.90B/*0.70A	----	0.70 - 1.80	.0016	----	----	----	----	10 UNCH
4490	----	----	----/*0.80A	2.00B/*0.80A	----	0.70 - 1.90	.0017	----	----	----	----	1 UNCH
4495	----	----	----/*0.80A	2.10B/*0.80A	----	0.70 - 2.00	.0017	----	----	----	----	1 UNCH
4500	0.70	0.70	0.70/*0.60	2.20B/*0.60	----	0.80 - 2.00	.0022	----	----	12	----	27 + 6
4505	2.40	2.40	2.40/*0.50	2.40/*0.50	----	0.80 - 2.10	.0022	----	----	4	----	12 + 2
4510	0.90	0.90	0.90/*0.90	2.50B/*0.90	----	0.80 - 2.20	.0023	----	----	1	----	5 + 1
4515	----	----	----/*0.90A	2.60B/*0.90A	----	0.90 - 2.10	.0029	----	----	----	----	3 UNCH
4520	----	----	----/*0.90A	2.80B/*0.90A	----	0.90 - 2.30	.0030	----	----	2	----	4 + 2
4525	1.20	1.20	1.20/*0.70	3.00B/*0.70	----	1.00 - 2.30	.0036	----	----	26	----	30 + 26
4530	1.30	1.30	1.30/*1.00A	3.10B/*1.00A	----	1.00 - 2.40	.0037	----	----	20	----	24 + 18
4535	1.40	1.40	1.40/*1.10	3.30B/*1.10	----	1.10 - 2.40	.0044	----	----	2	----	5 + 2
4540	----	----	----/*1.10A	3.50B/*1.10A	----	1.10 - 2.60	.0046	----	----	----	----	20 UNCH
4545	1.30	1.30	1.40/*1.00	3.80B/*1.00	----	1.20 - 2.70	.0054	----	----	4	----	14 + 1
4550	5.20	5.20	5.20/*1.00	5.20/*1.00	----	1.20 - 2.80	.0057	----	----	16	----	19 + 9
4555	1.20	1.20	4.40B/*1.20	4.40B/*1.20	----	1.30 - 2.90	.0066	----	----	3	----	5 + 3
4560	1.30	1.30	4.60B/*1.30	4.60B/*1.30	----	1.40 - 3.00	.0077	----	----	3	----	4 + 1
4565	1.00	1.00	4.90B/*1.00	4.90B/*1.00	----	1.50 - 3.10	.0088	----	----	2	----	3 + 2
4570	2.10	2.10	5.30B/*1.50	5.30B/*1.50	----	1.60 - 3.30	.0100	----	----	100	----	99 + 97
4575	2.40	2.40	5.60B/*1.50	5.60B/*1.50	----	1.70 - 3.40	.0114	----	----	24	----	26 + 21
4580	5.10	5.10	6.00B/*1.70	6.00B/*1.70	----	1.90 - 3.50	.0138	----	----	7	----	6 + 2
4585	1.80	1.80	6.40B/*1.80	6.40B/*1.80	----	2.10 - 3.50	.0164	----	----	37	----	27 + 22
4590	2.00	2.00	6.90B/*2.00	6.90B/*2.00	----	2.20 - 3.70	.0184	----	----	26	----	12 + 10
4595	----	----	7.40B/*2.20A	7.40B/*2.20A	----	2.40 - 3.90	.0216	----	----	2	----	2 + 1
4600	9.10	9.10	9.10/*2.30	9.10/*2.30	----	2.70 - 3.90	.0262	----	----	79	----	80 + 38
4605	2.70	2.70	8.70B/*2.50A	8.70B/*2.50A	----	3.00 - 4.00	.0314	----	----	7	----	17 + 7
4610	4.20	4.20	9.30B/*2.70A	9.30B/*2.70A	----	3.30 - 4.10	.0370	----	----	33	----	45 + 29
4615	3.80	3.80	10.20B/*2.90A	10.20B/*2.90A	----	3.60 - 4.20	.0433	----	----	18	----	24 + 9
4620	----	----	----/*70.00A	126.50B/*70.00A	----	77.70 - 51.40	.9483	----	----	----	----	1 UNCH
4620	3.50	3.50	11.10B/*3.20A	11.10B/*3.20A	----	4.00 - 4.30	.0516	----	----	27	----	53 + 15
4625	4.00	4.00	12.10B/*3.50	12.10B/*3.50	----	4.50 - 4.30	.0622	----	----	223	----	429 - 89
4625	----	----	----/*65.70A	121.80B/*65.70A	----	73.20 - 51.50	.9377	----	----	----	----	1 UNCH
4630	5.90	5.90	13.10B/*3.90A	13.10B/*3.90A	----	5.00 - 4.30	.0738	----	----	10	----	14 + 8
4635	4.80	4.80	14.10B/*4.30A	14.10B/*4.30A	----	5.70 - 4.20	.0893	----	----	38	----	31 + 30
4640	6.70	6.70	15.30B/*4.80A	15.30B/*4.80A	----	6.40 - 4.10	.1064	----	----	10	----	23 + 4
4645	7.40	7.40	16.50B/*5.40A	16.50B/*5.40A	----	7.20 - 4.00	.1264	----	----	12	----	12 + 11
4650	48.30	48.30	48.30/*45.70A	98.70B/*45.70A	----	51.80 NEW	.8504	----	----	4	----	1 + 1
4650	18.00	18.00	18.00/*6.20A	18.00/*6.20A	----	8.10 - 3.80	.1495	----	----	60	----	62 + 12
4655	7.90	7.90	19.50B/*6.90A	19.50B/*6.90A	----	9.20 - 3.50	.1771	----	----	50	----	101 - 1
4660	10.00	10.00	21.00B/*7.60A	21.00B/*7.60A	----	10.30 - 3.20	.2068	----	----	9	----	37 + 5
4665	11.00	11.00	22.70B/*8.20A	22.70B/*8.20A	----	11.60 - 2.80	.2410	----	----	92	----	172 + 82
4670	11.20	11.20	24.90B/*9.10A	24.90B/*9.10A	----	13.10 - 2.30	.2793	----	----	107	----	447 + 51
4675	10.90	10.90	26.50B/*10.00A	26.50B/*10.00A	----	14.70 - 1.70	.3205	----	----	134	----	101 + 94
4675	----	----	----/*27.70A	76.70B/*27.70A	----	33.40 - 48.90	.6794	----	----	----	----	100 UNCH
4680	26.30	26.30	30.00/*10.80A	30.00/*10.80A	----	16.40 - 1.10	.3645	----	----	225	----	89 + 76
4680	----	----	----/*25.20A	72.50B/*25.20A	----	30.10 NEW	.6354	----	----	1	----	1 + 1
4685	16.70	16.70	31.20B/*11.70A	31.20B/*11.70A	----	18.30 - 0.40	.4115	----	----	14	----	22 + 3
4685	24.00	24.00	24.50/*22.40A	68.40B/*22.40A	----	27.00 NEW	.5884	----	----	26	----	26 + 26
4690	24.00	24.00	27.40/*19.90A	64.30B/*19.90A	----	24.10 - 46.80	.5391	----	----	43	----	22 + 21
4690	16.00	16.00	33.30B/*12.70A	33.30B/*12.70A	----	20.40 + 0.40	.4608	----	----	16	----	15 + 9
4695	32.20	32.20	36.10B/*13.70A	36.10B/*13.70A	----	22.60 + 1.30	.5116	----	----	30	----	45 + 3
4695	22.50	22.50	24.20/*17.00	60.50B/*17.00	----	21.30 - 45.90	.4883	----	----	97	----	36 + 35
4700	24.50	24.50	38.40B/*14.20	38.40B/*14.20	----	25.00 + 2.20	.5634	----	----	287	----	81 + 10
4700	29.00	29.00	29.00/*15.20A	57.00B/*15.20A	----	18.70 - 45.00	.4365	----	----	48	----	26 + 23
4705	18.20	18.20	19.00/*13.30A	53.00B/*13.30A	----	16.30 NEW	.3848	----	----	79	----	44 + 44
4705	35.50	35.50	41.60B/*16.10A	41.60B/*16.10A	----	27.60 + 3.30	.6151	----	----	20	----	28 + 1
4710	33.20	33.20	43.60B/*16.00	43.60B/*16.00	----	30.40 + 4.50	.6658	----	----	118	----	99 - 16
4710	27.00	27.00	27.80/*11.50A	49.40B/*11.50A	----	14.10 - 42.70	.3341	----	----	273	----	111 + 98
4715	35.00	35.00	46.80B/*19.10A	46.80B/*19.10A	----	33.50 + 5.80	.7135	----	----	144	----	56 + 16
4715	30.10	30.10	30.90/*10.00A	46.00B/*10.00A	----	12.20 - 41.40	.2864	----	----	73	----	41 + 37
4720	26.50	26.50	28.10/*8.70	42.70B/*8.70	----	10.50 - 39.90	.2421	----	----	221	----	59 + 55
4720	28.20	28.20	49.70B/*20.60A	49.70B/*20.60A	----	36.80 + 7.30	.7578	----	----	78	----	41 - 6
4725	28.30	28.30	53.00B/22.50A	53.00B/22.50A	----	40.30 + 8.80	.7980	----	----	37	----	83 + 1
4725	25.60	25.60	39.70B/*7.20	39.70B/*7.20	----	9.00 - 38.30	.2018	----	----	207	----	151 + 63
4730	20.10	20.10	36.90B/*6.50A	36.90B/*6.50A	----	7.70 - 36.70	.1663	----	----	13	----	29 + 7
4730	29.00	29.00	56.60B/23.80	56.60B/23.80	----	44.00 + 10.50	.8336	----	----	58	----	37 - 16
4735	25.00	25.00	26.30/*5.50A	34.20B/*5.50A	----	6.60 - 35.00	.1359	----	----	20	----	15 + 9
4735	----	----	59.90B/26.50A	59.90B/26.50A	----	47.90 + 12.20	.8640	----	----	----	----	18 UNCH
4740	20.50	20.50	31.40B/*4.40A	31.40B/*4.40A	----	5.60 - 33.20	.1093	----	----	150	----	74 + 45
4740	29.00	29.00	63.70B/28.70A	63.70B/28.70A	----	51.90 + 14.00	.8906	----	----	15	----	14 + 3
4745	16.30	16.30	32.00/*3.80A	32.00/*3.80A	----	4.80 - 31.40	.0879	----	----	16	----	21 + 10
4745	----	----	67.20B/30.80A	67.20B/30.80A	----	56.10 + 15.80	.9120	----	----	1	----	2 UNCH
4750	14.00	14.00	26.20B/*3.00	26.20B/*3.00	----	4.10 - 29.60	.0699	----	----	116	----	122 + 28
4750	65.30	65.30	71.00B/33.50A	71.00B/33.50A	----	60.40 + 17.60	.9299	----	----	2	----	25 UNCH
4755	11.00	11.00	23.60B/*2.80A	23.60B/*2.80A	----	3.50 - 27.90	.0553	----	----	64	----	48 + 11
4755	----	----	75.00B/36.20A	75.00B/36.20A	----	64.80 + 19.40	.9446	----	----	----	----	21 UNCH
4760	61.00	61.00	79.30B/39.10A	79.30B/39.10A	----	69.30 + 21.10	.9547	----	----	9	----	13 + 1
4760	9.00	9.00	9.00/*2.40A	21.40B/*2.40A	----	3.10 - 26.00	.0452	----	----	23	----	13 + 3
4765	19.20	19.20	19.20/*2.10A	19.60B/*2.10A	----	2.60 - 24.30	.0347	----	----	43	----	67 + 14
4765	----	----	83.70B/42.30A	83.70B/42.30A	----	73.90 + 22.90	.9651	----	----	2	----	2 + 1
4770	10.00	10.00	19.00/*1.80A	19.00/*1.80A	----	2.30 - 22.60	.0282	----	----	64	----	72 + 26
4770	----	----	88.70B/45.40A	88.70B/45.40A	----	78.60 + 24.60	.9717	----	----	----	----	20 UNCH
4775	----	----	93.40B/48.80A	93.40B/48.80A	----	83.30 + 26.20	.9775	----	----	----	----	5 UNCH
4775	15.70	15.70	16.00/*1.70A	16.00/*1.70A	----	2.00 - 21.00	.0224	----	----	45	----	22 + 9
4780	5.30	5.30	5.30/*1.50A	14.20B/*1.50A	----	1.80 - 19.40	.0185	----	----	41	----	42 + 30
4780	----	----	98.10B/52.00A	98.10B/52.00A	----	88.10 + 27.80	.9814	----	----	6	----	15 - 3
4785	7.20	7.20	7.20/*1.20	12.70B/*1.20	----	1.60 - 18.00	.0150	----	----	12	----	12 - 1
4785	----	----	102.50B/55.70A	102.50B/55.70A	----	92.80 + 29.20	.9849	----	----	2	----	1 + 1
4790	6.50	6.50	11.40B/*1.30	11.40B/*1.30	----	1.40 - 16.60	.0119	----	----	118	----	112 + 95
4790	----	----	107.70B/59.40A	107.70B/59.40A	----	97.70 + 30.60	.9880	----	----	----	----	6 UNCH
4795	----	----	112.30B/63.20A	112.30B/63.20A	----	102.50 + 31.80	.9907	----	----	----	----	2 UNCH
4795	1.90	1.90	1.90/*1.20A	10.20B/*1.20A	----	1.20 - 15.40	.0092	----	----	8	----	77 + 2
4800	----	----	117.40B/67.10A	117.40B/67.10A	----	107.40 + 33.10	.9921	----	----	3	----	12 - 1
4800	5.00	5.00	9.10B/*1.00	9.10B/*1.00	----	1.10 - 14.20	.0078	----	----	87	----	128 + 22
4805	2.80	2.80	2.80/*1.00A	8.10B/*1.00A	----	1.00 - 13.00	.0065	----	----	4	----	33 - 2
4810	4.00	4.00	7.30B/*0.90A	7.30B/*0.90A	----	0.80 - 12.10	.0045	----	----	2	----	74 + 1
4810	----	----	126.90B/75.30A	126.90B/75.30A	----	117.10 + 35.10	.9954	----	----	----	----	1 UNCH
4815	----	----	131.90B/79.50A	131.90B/79.50A	----	122.00 + 36.00	.9956	----	----	----	----	4 UNCH
4815	3.20	3.20	3.20/*0.80A	6.40B/*0.80A	----	0.80 - 11.10	.0043	----	----	1	----	41 - 1
4820	1.30	1.30	1.30/*0.60	5.80B/*0.60	----	0.70 - 10.30	.0034	----	----	10	----	58 UNCH
4820	----	----	136.70B/83.90A	136.70B/83.90A	----	127.00 + 36.90	.9965	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week4										
APR26												
4825	6.20	6.20	6.20/*0.60	6.20/*0.60	----	0.60 - 9.50	.0026	----	----	129	----	132 + 118
4830	----	----	146.80B/92.70A	146.80B/92.70A	----	136.80 + 38.40	.9980	----	----	----	----	9 UNCH
4830	5.30	5.30	5.40/*0.50	5.40/*0.50	----	0.50 - 8.80	.0019	----	----	50	----	84 + 38
4835	----	----	151.70B/97.20A	151.70B/97.20A	----	141.80 + 39.10	.9981	----	----	----	----	2 UNCH
4835	----	----	----/*0.60A	4.10B/*0.60A	----	0.50 - 8.10	.0018	----	----	----	----	6 UNCH
4840	1.10	1.10	1.10/*0.40	3.70B/*0.40	----	0.40 - 7.60	.0012	----	----	5	----	25 UNCH
4840	----	----	156.70B/101.80A	156.70B/101.80A	----	146.70 + 39.70	.9987	----	----	----	----	3 UNCH
4845	----	----	----/*0.60A	3.20B/*0.60A	----	0.40 - 6.90	.0012	----	----	----	----	18 UNCH
4850	2.10	2.10	2.80B/*0.20	2.80B/*0.20	----	0.30 - 6.50	.0007	----	----	24	----	80 + 11
4855	0.30	0.30	0.30/*0.30	2.50B/*0.30	----	0.30 - 6.00	.0007	----	----	1	----	2 + 1
4860	2.00	2.00	2.00/*0.30A	2.20B/*0.30A	----	0.20 - 5.60	.0003	----	----	13	----	19 + 6
4860	----	----	176.50B/120.40A	176.50B/120.40A	----	166.50 + 41.70	.9996	----	----	----	----	1 UNCH
4865	----	----	181.50B/125.20A	181.50B/125.20A	----	171.50 + 42.10	.9996	----	----	----	----	2 UNCH
4870	----	----	186.50B/129.90A	186.50B/129.90A	----	176.50 NEW	.9996	----	----	1	----	1 + 1
4870	----	----	----/*0.30A	1.70B/*0.30A	----	0.20 - 4.70	.0003	----	----	----	----	12 UNCH
4875	1.20	1.20	1.20/*0.20	1.50B/*0.20	----	0.10 - 4.50	.0001	----	----	12	----	17 + 8
4880	1.80	1.80	2.00/*0.10	2.00/*0.10	----	0.10 - 4.10	.0000	----	----	12	----	22 - 2
4885	0.10	0.10	0.10/*0.10	1.20B/*0.10	----	0.10 - 3.80	.0000	----	----	4	----	7 + 2
4890	----	----	206.40B/149.30A	206.40B/149.30A	----	196.40 + 43.70	1.0000	----	----	----	----	8 UNCH
4890	0.40	0.40	0.40/*0.30A	1.00B/*0.30A	----	0.10 - 3.60	.0000	----	----	1	----	14 - 1
4895	----	----	----/*0.30A	0.90B/*0.30A	----	0.10 - 3.30	.0000	----	----	----	----	6 UNCH
4900	1.30	1.30	1.30/*0.20	1.30/*0.20	----	0.10 - 3.10	.0000	----	----	14	----	75 + 1
4900	----	----	216.40B/159.00A	216.40B/159.00A	----	206.40 + 44.20	1.0000	----	----	1	----	2 UNCH
4905	----	----	----/*0.30A	0.70B/*0.30A	----	0.10 - 2.80	.0000	----	----	1	----	2 + 1
4910	----	----	----/*0.30A	0.60B/*0.30A	----	0.10 - 2.60	.0000	----	----	----	----	1 UNCH
4915	0.70	0.70	0.70/*0.30A	0.70/*0.30A	----	0.10 - 2.50	----	----	----	2	----	13 - 1
4920	0.50	0.50	0.50/*0.30A	0.50/*0.30A	----	0.10 - 2.30	----	----	----	1	----	8 - 1
4925	0.60	0.60	0.60/*0.20A	0.60/*0.20A	----	0.10 - 2.10	----	----	----	1	----	14 + 1
4930	----	----	----/*0.30A	0.40B/*0.30A	----	0.10 - 2.00	----	----	----	----	----	6 UNCH
4935	----	----	----/*0.30A	0.40B/*0.30A	----	0.10 - 1.90	----	----	----	----	----	1 UNCH
4940	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 1.70	----	----	----	----	----	9 UNCH
4950	0.40	0.40	0.40/*0.20A	0.40/*0.20A	----	0.10 - 1.50	----	----	----	5	----	18 - 5
4955	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 1.40	----	----	----	----	----	1 UNCH
4960	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 1.40	----	----	----	----	----	2 UNCH
4965	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 1.30	----	----	----	----	----	51 UNCH
4970	----	----	285.80B/----	285.80B/232.00A	----	276.40 + 46.10	1.0000	----	----	----	----	2 UNCH
4970	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 1.20	----	----	----	----	----	103 UNCH
4975	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 1.10	----	----	----	1	----	41 UNCH
4980	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 1.10	----	----	----	----	----	6 UNCH
5000	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.90	----	----	----	1	----	209 UNCH
5010	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.80	----	----	----	----	----	49 UNCH
5015	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.70	----	----	----	----	----	50 UNCH
5020	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.70	----	----	----	----	----	101 UNCH
5020	----	----	335.70B/----	335.70B/281.70A	----	326.40 + 46.60	1.0000	2	----	----	----	0 - 2
5025	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.70	----	----	----	----	----	32 UNCH
5025	----	----	340.70B/----	340.70B/286.70A	----	331.40 + 46.60	1.0000	----	----	----	----	2 UNCH
5050	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.50	----	----	----	----	----	32 UNCH
5075	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.40	----	----	----	----	----	8 UNCH
5100	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	----	----	----	----	----	1 UNCH
5150	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	19 UNCH
5200	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	52 UNCH
5225	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
5300	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	2	----	24 UNCH
5350	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	19 UNCH
5400	----	----	#715.50B/----	#715.50B/661.00A	----	706.40 + 47.30	1.0000	1	----	----	----	0 - 1
TOTAL										4609		6185 + 1558
MAY26												
4250	----	----	----/*6.80A	5.70B/*6.80A	----	6.60 - 0.90	.0470	----	----	----	----	20 UNCH
4275	----	----	----/*7.40A	6.40B/*7.40A	----	7.40 - 0.90	.0533	----	----	----	----	10 UNCH
4300	8.30	8.30	8.30/*8.10A	8.30/*8.10A	----	8.30 - 0.90	.0604	----	----	3	----	23 + 3
4300	----	----	----/*3.00A	3.80B/*3.00A	----	3.20 - 1.10	.0272	----	----	----	----	2 UNCH
4325	----	----	----/*8.80A	8.80B/*8.80A	----	9.40 - 0.80	.0689	----	----	----	----	10 UNCH
4350	----	----	----/*3.80A	5.10B/*3.80A	----	4.10 - 1.10	.0368	----	----	----	----	2 UNCH
4375	----	----	----/*4.30A	5.90B/*4.30A	----	4.70 NEW	.0434	----	----	6	----	6 + 6
4400	----	----	7.00B/*5.00A	7.00B/*5.00A	----	5.50 - 1.10	.0519	----	----	----	----	1 UNCH
4400	13.00	13.00	13.70B/*13.00	13.70B/*13.00	----	14.10 - 0.40	.1045	----	----	1	----	1 UNCH
4425	----	----	8.30B/*5.70A	8.30B/*5.70A	----	6.50 - 1.10	.0626	----	----	6	----	7 + 6
4450	----	----	9.90B/*6.80A	9.90B/*6.80A	----	7.70 - 1.10	.0755	----	----	1	----	51 + 1
4450	----	----	18.90B/*17.30A	18.90B/*17.30A	----	19.00 + 0.30	.1396	----	----	----	----	3 UNCH
4475	----	----	22.30B/19.80A	22.30B/19.80A	----	22.10 + 0.80	.1612	----	----	----	----	7 UNCH
4475	9.50	9.50	12.20B/*8.10A	12.20B/*8.10A	----	9.20 NEW	.0917	----	----	19	----	18 + 18
4500	----	----	36.70B/----	36.70B/*37.10A	----	38.50 + 4.10	.2254	----	----	----	----	1 UNCH
4500	----	----	14.90B/*9.80A	14.90B/*9.80A	----	11.20 - 1.00	.1126	----	----	----	----	11 UNCH
4525	----	----	31.10B/27.40A	31.10B/27.40A	----	30.20 + 2.20	.2145	----	----	----	----	1 UNCH
4535	----	----	19.50B/*13.00A	19.50B/*13.00A	----	14.90 - 0.60	.1505	----	----	----	----	10 UNCH
4550	16.00	16.00	22.00B/*14.70A	22.00B/*14.70A	----	16.90 - 0.40	.1704	----	----	10	----	11 + 10
4565	19.80	19.80	25.00B/16.50A	25.00B/16.50A	----	19.30 UNCH	.1933	----	----	1	----	11 + 1
4575	----	----	27.20B/18.10A	27.20B/18.10A	----	21.10 NEW	.2100	----	----	4	----	4 + 4
4575	----	----	55.40B/----	55.40B/*52.60A	----	56.00 NEW	.3120	----	----	2	----	1 + 1
4575	----	----	43.00B/----	43.00B/37.00A	----	41.20 + 4.20	.2815	----	----	----	----	7 UNCH
4600	26.40	26.40	33.20B/21.90A	33.20B/21.90A	----	26.30 + 1.40	.2569	----	----	10	----	18 + 10
4610	----	----	35.90B/23.70A	35.90B/23.70A	----	28.80 + 1.90	.2781	----	----	----	----	10 UNCH
4625	37.40	37.40	40.50B/26.30A	40.50B/26.30A	----	32.90 + 2.90	.3118	----	----	1	----	3 + 1
4635	33.00	33.00	43.80B/28.60A	43.80B/28.60A	----	35.90 NEW	.3357	----	----	1	----	1 + 1
4650	----	----	68.80B/----	68.80B/57.10A	----	64.70 + 8.30	.4071	----	----	----	----	1 UNCH
4650	----	----	49.10B/32.00A	49.10B/32.00A	----	40.90 + 4.70	.3735	----	----	----	----	50 UNCH
4675	43.00	43.00	59.60B/39.20A	59.60B/39.20A	----	50.60 + 7.10	.4410	----	----	130	----	34 + 32
4690	----	----	66.80B/44.00A	66.80B/44.00A	----	57.30 + 8.80	.4834	----	----	----	----	10 UNCH
4700	----	----	----/*51.90A	88.70B/*51.90A	----	55.80 NEW	.4877	----	----	20	----	20 + 20
4700	----	----	71.80B/47.70A	71.80B/47.70A	----	62.10 + 9.90	.5120	----	----	2	----	37 UNCH
4700	----	----	91.80B/----	91.80B/75.10A	----	86.20 + 11.90	.5037	----	----	----	----	3 UNCH
4700	83.00	83.00	83.00/*77.30A	101.40B/*77.30A	----	79.90 NEW	.4959	----	----	1	----	1 + 1
4705	----	----	74.40B/49.30A	74.40B/49.30A	----	64.60 + 10.50	.5264	----	----	----	----	1 UNCH
4715	----	----	79.80B/53.10A	79.80B/53.10A	----	69.90 + 11.80	.5551	----	----	----	----	10 UNCH
4720	----	----	82.60B/55.40A	82.60B/55.40A	----	72.60 + 12.50	.5695	----	----	----	----	9 UNCH
4725	----	----	117.70B/----	117.70B/104.80A	----	115.20 NEW	.5409	----	----	2	----	2 + 2
4725	----	----	85.50B/57.30A	85.50B/57.30A	----	75.40 + 13.10	.5836	----	----	----	----	1 UNCH
4750	----	----	120.20B/----	120.20B/97.80A	----	113.10 + 16.00	.6030	----	----	----	----	1 UNCH
4750	----	----	----/*32.00A	60.70B/*32.00A	----	34.30 - 30.60	.3463	----	----	----	----	53 UNCH
4750	----	----	99.80B/69.10A	99.80B/69.10A	----	90.60 + 16.60	.6534	----	----	----	----	1 UNCH
4765	----	----	----/*27.40A	53.50B/*27.40A	----	29.30 - 28.50	.3068	----	----	1	----	31 + 1
4765	----	----	109.70B/76.80A	109.70B/76.80A	----	100.50 + 18.60	.6929	----	----	----	----	30 UNCH
4770	----	----	----/*25.90A	51.10B/*25.90A	----	27.70 - 27.90	.2939	----	----	1	----	51 + 1
4795	----	----	----/*19.60A	40.80B/*19.60A	----	21.00 - 24.30	.2348	----	----	----	----	1 UNCH
4800	31.20	31.20	39.00B/*18.40A	39.00B/*18.40A	----	19.90 - 23.60	.2243	----	----	38	----	70 + 36
4800	----	----	135.80B/97.70A	135.80B/97.70A	----	126.10 + 23.60	.7754	----	----	----	----	20 UNCH
4820	14.40	14.40	14.40/*14.40	32.30B/*14.40	----	16.00 - 20.60	.1855	----	----	1	----	32 + 1
4820	----	----	151.50B/111.00A	151.50B/111.00A	----	142.30 + 26.70	.8143	----	----	----	----	30 UNCH
4825	----	----	----/*13.90A	30.80B/*13.90A	----	15.20 - 19.80	.1770	----	----	4	----	5 + 4
4825	----	----	164.20B/----	164.20B/141.40A	----	163.70 + 23.40	.7380	----	----	----	----	1 UNCH
4830	----	----	----/*13.10A	29.30B/*13.10A	----	14.50 - 19.00	.1692	----	----	1	----	1 UNCH
4850	23.80	23.80	23.80/*10.40A	24.10B/*10.40A	----	11.50 - 16.30	.1375	----	----	1	----	4 UNCH
4850	----	----	----/*25.70A	36.70B/*25.70A	----	26.80 - 21.20	.2234	----	----	1	----	3 + 1
4850	----	----	183.60B/----	183.60B/158.50A	----	182.90 + 26.00	.7761	----	----	----	----	1 UNCH
4855	----	----	----/*9.90A	22.80B/*9.90A	----	10.90 - 15.60	.1308	----	----	----	----	1 UNCH
4860	----	----	----/*9.30A	21.70B/*9.30A	----	10.30 - 15.00	.1241	----	----	4	----	0 - 4
4875	----	----	----/*34.30A	45.60B/*34.30A	----	33.50 NEW	.2346	----	----	2	----	1 + 1
4900	----	----	222.40B/173.00A	222.40B/173.00A	----	212.80 + 36.40	.9177	----	----	----	----	1 UNCH
4900	----	----	----/*5.90A	14.40B/*5.90A	----	6.70 - 10.70	.0820	----	----	----	----	14 UNCH
4900	----	----	----/*17.30A	24.00B/*17.30A	----	18.20 NEW	.1607	----	----	1	----	1 + 1
4905	----	----	----/*5.60A	13.70B/*5.60A	----	6.30 - 10.30	.0774	----	----	----	----	0 UNCH
4925	----	----	----/*4.60A	11.20B/*4.60A	----	5.20 NEW	.0636	----	----	1	----	1 + 1
4925	----	----	----/*14.00A	19.40B/*14.00A	----	14.90 - 13.90	.1349	----	----	----	----	7 UNCH
4935	----	----	----/*4.20A	10.00B/*4.20A	----	4.70 - 8.00	.0574	----	----	----	----	10 UNCH
4950	----	----	----/*3.70A	8.60B/*3.70A	----	4.10 - 7.00	.0498	----	----	----	----	6 UNCH
4950	----	----	----/*11.60A	15.60B/*11.60A	----	12.30 - 11.80	.1134	----	----	1	----	3 UNCH
4965	----	----	----/*3.30A	7.40B/*3.30A	----	3.60 - 6.10	.0433	----	----	----	----	2 UNCH
4970	----	----	----/*3.20A	7.10B/*3.20A	----	3.40 - 5.90	.0409	----	----	----	----	1 UNCH
4975	----	----	----/*9.60A	12.70B/*9.60A	----	10.10 - 10.10	.0947	----	----	----	----	2 UNCH
4990	----	----	----/*2.80A	5.70B/*2.80A	----	2.90 - 4.90	.0344	----	----	----	----	1 UNCH
5000	----	----	----/*2.60A	5.20B/*2.60A	----	2.70 - 4.50	.0317	----	----	----	----	38 UNCH
5000	----	----	----/*8.60A	10.50B/*8.60A	----	8.30 - 8.60	.0789	----	----	1	----	1 UNCH
5020	----	----	----/*2.30A	4.20B/*2.30A	----	2.30 - 3.80	.0266	----	----	----	----	1 UNCH
5020	----	----	333.70B/282.70A	333.70B/282.70A	----	328.40 NEW	.9732	----	----	1	----	1 + 1
5025	----	----	339.90B/287.40A	339.90B/287.40A	----	333.30 NEW	.9745	----	----	1	----	1 + 1
5025	----	----	----/*7.50A	8.90B/*7.50A	----	6.70 - 7.50	.0648	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
5050	----	----	----/*2.00A	3.20B/*2.00A	----	1.80 - 3.00	.0204	----	----	----	----	3 UNCH
5075	----	----	----/*1.80A	2.50B/*1.80A	----	1.50 - 2.50	.0166	----	----	----	----	3 UNCH
5100	----	----	----/*10.90A	9.10B/*10.90A	----	7.50 - 7.10	.0634	----	----	----	----	1 UNCH
5125	5.60	5.60	5.60/*4.60A	5.60/*4.60A	----	3.10 NEW	.0308	----	----	3	----	3 + 3
5150	----	----	----/*1.40A	1.30B/*1.40A	----	1.00 - 1.50	.0102	----	----	----	----	1 UNCH
5175	----	----	----/*3.80A	2.70B/*3.80A	----	2.20 - 3.30	.0218	----	----	----	----	1 UNCH
5175	----	----	----	----	----	481.90 NEW	.9919	----	----	1	----	1 + 1
5200	----	----	----	----	----	506.80 NEW	.9931	----	----	1	----	1 + 1
5200	----	----	----/*3.40A	2.10B/*3.40A	----	1.90 - 2.90	.0187	----	----	----	----	3 UNCH
5200	----	----	----/*1.20A	1.00B/*1.20A	----	0.70 - 1.30	.0068	----	----	----	----	1 UNCH
5225	0.60	0.60	0.60/*0.60	0.90B/*0.60	----	0.60 NEW	.0057	----	----	1	----	1 + 1
5400	----	----	----	----	----	706.40 NEW	.9978	----	----	1	----	1 + 1
TOTAL										287		884 + 169

GWR THU — GOLD WEEKLY THURSDAY OPTION Week5

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4000	----	----	----	0.30B/*0.80A	----	0.20 - 0.60	.0006	----	----	----	----	5 UNCH
4100	----	----	----/*0.80A	0.50B/*0.80A	----	0.40 - 0.60	.0015	----	----	----	----	151 UNCH
4200	0.70	0.70	0.70/*0.70	0.90B/*0.70	----	0.70 - 0.70	.0033	----	----	1	----	5 UNCH
4250	1.50	1.50	1.50/*0.80	1.50/*0.80	----	0.90 - 0.80	.0047	----	----	3	----	3 + 1
4325	----	----	----/*1.30A	1.70B/*1.30A	----	1.30 - 1.00	.0083	----	----	----	----	1 UNCH
4375	----	----	----/*1.60A	2.40B/*1.60A	----	1.70 - 1.10	.0124	----	----	----	----	2 UNCH
4375	----	----	----/311.50A	365.30B/311.50A	----	320.30 - 48.30	.9874	----	----	----	----	1 UNCH
4400	----	----	----/*1.90A	2.80B/*1.90A	----	2.00 - 1.20	.0157	----	----	----	----	2 UNCH
4400	----	----	344.50B/*285.90	344.50B/*285.90A	----	295.60 - 48.40	.9842	----	----	----	----	31 UNCH
4415	2.40	2.40	#2.50/*2.00A	3.20B/*2.00A	----	2.20 NEW	.0180	----	----	17	----	17 + 17
4425	----	----	----/*2.20A	3.40B/*2.20A	----	2.30 - 1.40	.0195	----	----	----	----	16 UNCH
4445	----	----	----/*2.40A	4.00B/*2.40A	----	2.70 NEW	.0242	----	----	1	----	1 + 1
4450	----	----	----/*2.50A	4.20B/*2.50A	----	2.80 - 1.50	.0255	----	----	----	----	9 UNCH
4475	----	----	5.20B/*3.00A	5.20B/*3.00A	----	3.40 - 1.70	.0333	----	----	2	----	4 UNCH
4480	3.10	3.10	5.50B/*3.10	5.50B/*3.10	----	3.60 - 1.70	.0357	----	----	1	----	2 + 1
4485	----	----	5.70B/*3.20A	5.70B/*3.20A	----	3.70 - 1.70	.0373	----	----	----	----	8 UNCH
4490	----	----	6.00B/*3.40A	6.00B/*3.40A	----	3.90 - 1.70	.0398	----	----	----	----	13 UNCH
4495	----	----	6.30B/*3.50A	6.30B/*3.50A	----	4.10 - 1.70	.0424	----	----	1	----	5 + 1
4500	4.60	4.60	6.60B/*3.50	6.60B/*3.50	----	4.30 - 1.80	.0451	----	----	81	----	95 + 74
4505	3.90	3.90	6.90B/*3.80A	6.90B/*3.80A	----	4.50 NEW	.0478	----	----	1	----	1 + 1
4510	4.90	4.90	7.30B/*4.00A	7.30B/*4.00A	----	4.70 NEW	.0507	----	----	3	----	3 + 3
4515	----	----	7.60B/*4.10A	7.60B/*4.10A	----	5.00 - 1.80	.0545	----	----	----	----	1 UNCH
4520	4.70	4.70	8.10B/*4.30A	8.10B/*4.30A	----	5.20 - 1.80	.0575	----	----	2	----	2 + 1
4525	5.20	5.20	8.40B/*4.50A	8.40B/*4.50A	----	5.50 - 1.80	.0615	----	----	2	----	19 + 2
4530	5.20	5.20	8.80B/*4.80A	8.80B/*4.80A	----	5.80 NEW	.0657	----	----	3	----	3 + 3
4535	6.20	6.20	9.40B/*5.00A	9.40B/*5.00A	----	6.10 - 1.80	.0700	----	----	10	----	111 + 10
4540	5.90	5.90	9.90B/*5.30A	9.90B/*5.30A	----	6.40 - 1.90	.0744	----	----	2	----	2 + 1
4545	5.70	5.70	10.60B/*5.50A	10.60B/*5.50A	----	6.70 - 1.90	.0789	----	----	1	----	4 + 1
4550	10.90	10.90	11.10B/*5.80A	11.10B/*5.80A	----	7.10 - 1.90	.0845	----	----	46	----	30 + 15
4555	----	----	11.80B/*6.20A	11.80B/*6.20A	----	7.50 - 1.90	.0903	----	----	----	----	11 UNCH
4560	7.30	7.30	12.40B/*6.50A	12.40B/*6.50A	----	8.00 NEW	.0971	----	----	17	----	11 + 11
4570	8.00	8.00	13.80B/*7.30A	13.80B/*7.30A	----	8.90 - 1.70	.1104	----	----	22	----	15 + 12
4575	9.50	9.50	14.80B/*7.80A	14.80B/*7.80A	----	9.50 - 1.60	.1186	----	----	6	----	16 UNCH
4575	----	----	----/*120.70A	175.30B/*120.70A	----	128.10 - 48.80	.8812	----	----	----	----	3 UNCH
4580	----	----	----/*116.10A	170.70B/*116.10A	----	123.70 - 48.70	.8736	----	----	----	----	3 UNCH
4580	8.60	8.60	15.60B/*8.20A	15.60B/*8.20A	----	10.00 NEW	.1263	----	----	2	----	2 + 2
4585	----	----	16.50B/*8.70A	16.50B/*8.70A	----	10.60 - 1.60	.1350	----	----	----	----	2 UNCH
4590	----	----	17.40B/*9.30A	17.40B/*9.30A	----	11.30 - 1.40	.1447	----	----	----	----	3 UNCH
4595	10.60	10.60	18.40B/*9.80A	18.40B/*9.80A	----	12.00 NEW	.1547	----	----	3	----	3 + 3
4600	15.90	15.90	19.40B/*10.40A	19.40B/*10.40A	----	12.70 - 1.20	.1650	----	----	160	----	139 + 104
4600	----	----	----/*99.50A	152.50B/*99.50A	----	106.40 - 48.40	.8348	----	----	----	----	50 UNCH
4605	----	----	20.50B/*11.00A	20.50B/*11.00A	----	13.50 - 1.10	.1763	----	----	----	----	2 UNCH
4610	20.50	20.50	21.60B/*11.70A	21.60B/*11.70A	----	14.40 NEW	.1887	----	----	10	----	10 + 10
4615	----	----	22.80B/*12.30A	22.80B/*12.30A	----	15.30 - 0.70	.2014	----	----	----	----	2 UNCH
4620	----	----	24.00B/*13.00A	24.00B/*13.00A	----	16.30 - 0.50	.2150	----	----	----	----	1 UNCH
4625	----	----	25.50B/*13.80A	25.50B/*13.80A	----	17.40 NEW	.2296	----	----	1	----	1 + 1
4630	14.60	14.60	26.80B/*14.60	26.80B/*14.60	----	18.50 UNCH	.2446	----	----	6	----	6 + 3
4645	----	----	31.40B/*17.20A	31.40B/*17.20A	----	22.30 + 0.90	.2943	----	----	----	----	1 UNCH
4650	22.50	22.50	33.20B/*18.10A	33.20B/*18.10A	----	23.70 + 1.30	.3123	----	----	57	----	53 + 51
4650	----	----	----/*62.40A	109.70B/*62.40A	----	67.40 - 45.90	.6876	----	----	3	----	4 + 3
4660	21.90	21.90	36.90B/20.20A	36.90B/20.20A	----	26.90 + 2.20	.3508	----	----	50	----	119 + 19
4670	----	----	41.00B/22.50A	41.00B/22.50A	----	30.40 + 3.20	.3917	----	----	1	----	11 UNCH
4675	26.10	26.10	43.20B/23.70A	43.20B/23.70A	----	32.30 NEW	.4130	----	----	1	----	1 + 1
4680	54.10	54.10	54.10/*43.90A	86.50B/*43.90A	----	48.00 NEW	.5651	----	----	1	----	1 + 1
4685	43.00	43.00	43.00/*41.20A	82.80B/*41.20A	----	45.10 NEW	.5430	----	----	2	----	1 + 1
4690	40.70	40.70	49.70B/27.80A	49.70B/27.80A	----	38.70 + 5.70	.4794	----	----	3	----	8 + 1
4695	39.00	39.00	39.80/*36.20A	75.70B/*36.20A	----	39.70 NEW	.4977	----	----	2	----	2 + 2
4700	40.00	40.00	54.70B/30.80A	54.70B/30.80A	----	43.50 + 7.10	.5249	----	----	2	----	48 + 2
4700	----	----	----/*33.80A	72.30B/*33.80A	----	37.20 - 40.00	.4749	----	----	----	----	1 UNCH
4705	----	----	----/*31.60A	69.00B/*31.60A	----	34.70 - 39.30	.4519	----	----	----	----	6 UNCH
4710	----	----	60.40B/34.10A	60.40B/34.10A	----	48.70 + 8.70	.5707	----	----	----	----	29 UNCH
4715	----	----	----/*27.30A	62.40B/*27.30A	----	30.20 - 37.60	.4065	----	----	----	----	1 UNCH
4720	30.00	30.00	30.00/*25.50A	59.80B/*25.50A	----	28.10 NEW	.3841	----	----	2	----	2 + 2
4720	----	----	65.30B/37.80A	65.30B/37.80A	----	54.40 + 10.50	.6158	----	----	----	----	1 UNCH
4725	25.20	25.20	29.00/*23.70A	56.80B/*23.70A	----	26.10 NEW	.3620	----	----	12	----	8 + 8
4730	34.50	34.50	34.50/*22.00A	53.80B/*22.00A	----	24.30 NEW	.3407	----	----	20	----	15 + 15
4730	----	----	71.30B/41.90A	71.30B/41.90A	----	60.50 + 12.30	.6592	----	----	----	----	1 UNCH
4735	29.00	29.00	29.00/*20.40A	51.00B/*20.40A	----	22.50 NEW	.3195	----	----	3	----	3 + 3
4735	----	----	74.40B/44.10A	74.40B/44.10A	----	63.80 + 13.40	.6804	----	----	----	----	1 UNCH
4740	38.90	38.90	38.90/*18.90A	48.40B/*18.90A	----	20.80 NEW	.2988	----	----	2	----	2 + 2
4745	20.50	20.50	20.50/*17.40A	45.80B/*17.40A	----	19.30 NEW	.2793	----	----	7	----	7 + 7
4750	22.50	22.50	22.50/*16.10A	43.30B/*16.10A	----	17.80 - 30.80	.2601	----	----	117	----	137 + 105
4750	----	----	84.60B/51.20A	84.60B/51.20A	----	74.10 + 16.40	.7398	----	----	----	----	65 UNCH
4755	----	----	88.10B/53.70A	88.10B/53.70A	----	77.70 + 17.40	.7583	----	----	----	----	16 UNCH
4755	17.00	17.00	17.00/*14.80A	40.80B/*14.80A	----	16.40 - 29.80	.2415	----	----	16	----	95 + 16
4760	----	----	91.70B/56.40A	91.70B/56.40A	----	81.50 + 18.60	.7752	----	----	----	----	28 UNCH
4760	20.10	20.10	20.10/*13.70A	38.60B/*13.70A	----	15.20 - 28.60	.2246	----	----	26	----	42 + 25
4765	20.10	20.10	20.10/*12.70A	36.10B/*12.70A	----	14.00 NEW	.2079	----	----	3	----	1 + 1
4770	20.10	20.10	20.10/*11.70A	33.90B/*11.70A	----	12.90 - 26.50	.1922	----	----	1	----	2 + 1
4775	20.10	20.10	32.00B/*10.80A	32.00B/*10.80A	----	11.90 - 25.50	.1775	----	----	15	----	17 + 15
4780	----	----	107.40B/68.30A	107.40B/68.30A	----	97.20 NEW	.8359	----	----	1	----	1 + 1
4785	----	----	----/*9.10A	28.00B/*9.10A	----	10.10 - 23.40	.1507	----	----	6	----	12 + 4
4790	18.70	18.70	18.70/*8.30A	26.40B/*8.30A	----	9.30 - 22.40	.1385	----	----	47	----	36 + 34
4795	13.00	13.00	13.00/*7.60A	24.50B/*7.60A	----	8.60 - 21.30	.1275	----	----	10	----	11 + 10
4800	15.10	15.10	23.00/*7.00A	23.00/*7.00A	----	7.90 - 20.40	.1168	----	----	33	----	106 + 20
4810	6.20	6.20	6.20/*5.90A	20.10B/*5.90A	----	6.70 - 18.50	.0980	----	----	7	----	28 + 1
4815	----	----	----/*5.40A	18.70B/*5.40A	----	6.20 - 17.50	.0900	----	----	----	----	1 UNCH
4820	----	----	142.20B/95.60A	142.20B/95.60A	----	132.00 + 30.60	.9177	----	----	----	----	1 UNCH
4820	5.30	5.30	5.30/*5.00A	17.40B/*5.00A	----	5.70 NEW	.0822	----	----	1	----	1 + 1
4825	13.00	13.00	16.30B/*4.60A	16.30B/*4.60A	----	5.30 NEW	.0756	----	----	7	----	7 + 7
4825	----	----	146.40B/99.40A	146.40B/99.40A	----	136.60 + 31.50	.9242	----	----	1	----	2 + 1
4830	5.10	5.10	5.10/*4.20A	15.20B/*4.20A	----	4.90 - 14.90	.0692	----	----	1	----	8 UNCH
4835	4.20	4.20	4.20/*3.90A	14.20B/*3.90A	----	4.50 NEW	.0630	----	----	2	----	2 + 2
4840	----	----	----/*3.70A	13.00B/*3.70A	----	4.20 - 13.40	.0581	----	----	----	----	2 UNCH
4840	----	----	160.50B/111.40A	160.50B/111.40A	----	150.50 + 33.90	.9417	----	----	----	----	3 UNCH
4845	3.60	3.60	3.60/*3.40A	12.10B/*3.40A	----	3.90 - 12.60	.0533	----	----	1	----	1 + 1
4845	----	----	165.30B/115.40A	165.30B/115.40A	----	155.20 + 34.60	.9465	----	----	----	----	4 UNCH
4850	3.90	3.90	3.90/*3.10A	11.30B/*3.10A	----	3.60 - 12.00	.0487	----	----	5	----	85 - 1
4850	----	----	169.90B/119.50A	169.90B/119.50A	----	159.90 + 35.30	.9512	----	----	----	----	4 UNCH
4855	----	----	----/*3.00A	10.50B/*3.00A	----	3.40 - 11.20	.0452	----	----	----	----	2 UNCH
4860	----	----	----/*2.80A	9.80B/*2.80A	----	3.10 - 10.70	.0408	----	----	----	----	3 UNCH
4865	3.20	3.20	3.20/*2.60A	9.10B/*2.60A	----	2.90 - 10.00	.0377	----	----	2	----	2 + 1
4870	----	----	----/*2.50A	8.50B/*2.50A	----	2.70 - 9.50	.0346	----	----	1	----	12 + 1
4875	3.00	3.00	3.00/*2.30A	7.90B/*2.30A	----	2.50 - 8.90	.0316	----	----	1	----	25 - 1
4880	----	----	----/*2.20A	7.40B/*2.20A	----	2.40 - 8.40	.0298	----	----	----	----	30 UNCH
4885	----	----	----/*2.10A	6.80B/*2.10A	----	2.20 - 7.90	.0269	----	----	----	----	2 UNCH
4890	----	----	----/*2.00A	6.30B/*2.00A	----	2.10 - 7.40	.0253	----	----	1	----	13 + 1
4900	----	----	----/*1.80A	5.50B/*1.80A	----	1.80 - 6.60	.0210	----	----	6	----	16 + 2
4905	----	----	----/*1.80A	5.10B/*1.80A	----	1.70 - 6.20	.0195	----	----	----	----	1 UNCH
4915	----	----	----/*1.60A	4.30B/*1.60A	----	1.50 - 5.60	.0167	----	----	----	----	2 UNCH
4920	----	----	----/*1.50A	4.00B/*1.50A	----	1.40 - 5.20	.0153	----	----	----	----	5 UNCH
4925	3.50	3.50	3.50/*1.40A	3.80B/*1.40A	----	1.40 - 4.90	.0150	----	----	2	----	15 + 2
4930	----	----	----/*1.40A	3.60B/*1.40A	----	1.30 - 4.60	.0137	----	----	----	----	5 UNCH
4935	2.70	2.70	2.90/*1.30A	3.40B/*1.30A	----	1.20 - 4.40	.0125	----	----	30	----	57 + 30
4940	----	----	----/*1.20A	3.00B/*1.20A	----	1.10 - 4.20	.0113	----	----	----	----	1 UNCH
4945	----	----	----/*1.30A	2.80B/*1.30A	----	1.10 - 3.90	.0111	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week5										
APR26												
4950	----	----	----/*1.20A	2.60B/*1.20A	----	1.00 - 3.70	.0099	----	----	2	----	9 - 1
4960	----	----	----/*1.10A	2.30B/*1.10A	----	0.90 - 3.40	.0086	----	----	----	----	17 UNCH
4965	----	----	----/*1.00A	2.10B/*1.00A	----	0.90 - 3.10	.0085	----	----	----	----	1 UNCH
4970	----	----	----/*1.00A	2.00B/*1.00A	----	0.80 - 3.00	.0074	----	----	----	----	1 UNCH
4975	----	----	----/*1.00A	1.80B/*1.00A	----	0.80 - 2.80	.0073	----	----	----	----	38 UNCH
5000	----	----	316.00B/----	316.00B/263.60A	----	306.90 + 45.00	.9949	----	----	----	----	2 UNCH
5000	----	----	----/*0.90A	1.30B/*0.90A	----	0.60 - 2.30	.0050	----	----	----	----	39 UNCH
5005	----	----	----/*0.80A	1.20B/*0.80A	----	0.60 - 2.20	.0049	----	----	----	----	4 UNCH
5020	----	----	----/*0.80A	1.00B/*0.80A	----	0.50 - 1.90	.0039	----	----	----	----	2 UNCH
5025	----	----	----/*0.80A	1.00B/*0.80A	----	0.50 - 1.80	.0038	----	----	----	----	10 UNCH
5050	----	----	----/*0.70A	0.70B/*0.70A	----	0.40 - 1.50	.0028	----	----	----	----	2 UNCH
5075	----	----	----/*0.70A	0.60B/*0.70A	----	0.30 - 1.30	.0019	----	----	----	----	13 UNCH
5125	----	----	----/*0.60A	0.40B/*0.60A	----	0.20 - 1.00	.0011	----	----	----	----	49 UNCH
5150	----	----	----/*0.60A	0.40B/*0.60A	----	0.10 - 0.90	.0003	----	----	----	----	10 UNCH
5200	----	----	----/*0.60A	0.10B/*0.60A	----	0.10 - 0.60	.0000	----	----	----	----	40 UNCH
5225	----	----	----	----/*0.60A	----	0.10 - 0.50	.0000	----	----	----	----	1 UNCH
5400	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5500	----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5600	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL										917		2304 + 675
MAY26												
3900	3.00	3.00	3.00/*3.00	3.00/*3.00	----	2.80 NEW	.0153	----	----	1	----	1 + 1
4000	1.50	1.50	1.50/*1.50	1.70B/*1.50	----	1.70 NEW	.0104	----	----	6	----	6 + 6
4200	3.00	3.00	3.00/*3.00	3.60B/*3.00	----	3.10 - 0.80	.0230	----	----	2	----	2 + 1
4275	----	----	----/*4.10A	5.00B/*4.10A	----	4.30 NEW	.0340	----	----	1	----	1 + 1
4300	----	----	----/*10.10A	9.90B/*10.10A	----	10.50 - 0.50	.0715	----	----	----	----	1 UNCH
4325	----	----	6.50B/*5.10A	6.50B/*5.10A	----	5.40 - 1.00	.0446	----	----	----	----	1 UNCH
4350	6.20	6.20	7.50B/*5.70A	7.50B/*5.70A	----	6.20 NEW	.0520	----	----	1	----	1 + 1
4400	----	----	10.00B/*7.50A	10.00B/*7.50A	----	8.30 - 0.90	.0716	----	----	5	----	7 UNCH
4425	----	----	11.70B/*8.70A	11.70B/*8.70A	----	9.70 - 0.90	.0846	----	----	----	----	2 UNCH
4450	----	----	23.30B/*20.90A	23.30B/*20.90A	----	22.70 + 0.60	.1546	----	----	----	----	10 UNCH
4450	----	----	13.90B/*10.20A	13.90B/*10.20A	----	11.40 NEW	.1003	----	----	1	----	1 + 1
4475	----	----	27.00B/24.50A	27.00B/24.50A	----	26.20 + 1.10	.1767	----	----	----	----	2 UNCH
4475	13.90	13.90	16.70B/*12.00A	16.70B/*12.00A	----	13.50 - 0.50	.1193	----	----	10	----	12 + 9
4500	----	----	20.00B/*14.10A	20.00B/*14.10A	----	16.00 - 0.30	.1418	----	----	1	----	152 + 1
4525	----	----	36.60B/*32.50A	36.60B/32.50A	----	35.30 + 2.70	.2302	----	----	----	----	2 UNCH
4525	----	----	23.80B/16.70A	23.80B/16.70A	----	19.20 NEW	.1694	----	----	1	----	1 + 1
4550	----	----	42.60B/----	42.60B/37.60A	----	41.00 + 3.80	.2616	----	----	----	----	10 UNCH
4550	----	----	28.50B/20.00A	28.50B/20.00A	----	23.20 + 0.80	.2023	----	----	----	----	66 UNCH
4575	29.50	29.50	34.20B/23.70A	34.20B/23.70A	----	28.10 + 1.70	.2407	----	----	3	----	3 + 2
4600	----	----	57.40B/----	57.40B/49.80A	----	54.80 + 6.30	.3325	----	----	----	----	152 UNCH
4625	----	----	48.60B/33.20A	48.60B/33.20A	----	41.10 + 4.30	.3343	----	----	----	----	50 UNCH
4645	----	----	55.70B/38.10A	55.70B/38.10A	----	47.80 + 5.70	.3777	----	----	----	----	1 UNCH
4650	----	----	57.60B/39.40A	57.60B/39.40A	----	49.60 + 6.10	.3890	----	----	----	----	12 UNCH
4650	----	----	76.10B/----	76.10B/65.20A	----	72.20 + 9.10	.4134	----	----	----	----	4 UNCH
4660	----	----	61.80B/42.30A	61.80B/42.30A	----	53.40 + 6.90	.4120	----	----	----	----	1 UNCH
4670	----	----	65.90B/45.50A	65.90B/45.50A	----	57.50 + 7.80	.4355	----	----	----	----	100 UNCH
4695	55.00	55.00	78.10B/54.10A	78.10B/54.10A	----	68.80 NEW	.4961	----	----	2	----	2 + 2
4700	----	----	99.30B/----	99.30B/84.10A	----	93.60 NEW	.5018	----	----	2	----	2 + 2
4700	----	----	80.70B/56.10A	80.70B/56.10A	----	71.20 + 10.80	.5084	----	----	----	----	5 UNCH
4700	----	----	----/*61.30A	97.10B/*61.30A	----	64.90 - 36.40	.4913	----	----	----	----	200 UNCH
4720	65.00	65.00	91.20B/64.10A	91.20B/64.10A	----	81.70 + 13.00	.5576	----	----	2	----	1 - 1
4720	----	----	----/*52.30A	85.50B/*52.30A	----	55.40 - 34.10	.4421	----	----	----	----	1 UNCH
4725	----	----	94.10B/66.00A	94.10B/66.00A	----	84.50 + 13.70	.5698	----	----	----	----	4 UNCH
4730	----	----	----/*48.10A	79.90B/*48.10A	----	51.00 - 33.00	.4177	----	----	----	----	4 UNCH
4740	----	----	----/*44.30A	74.60B/*44.30A	----	46.90 - 31.80	.3935	----	----	----	----	1 UNCH
4740	----	----	102.00B/72.80A	102.00B/72.80A	----	93.20 + 15.40	.6061	----	----	----	----	12 UNCH
4750	----	----	----/*40.60A	69.40B/*40.60A	----	43.10 - 30.50	.3700	----	----	10	----	210 + 9
4750	----	----	108.20B/77.90A	108.20B/77.90A	----	99.30 + 16.60	.6297	----	----	----	----	1 UNCH
4765	----	----	117.80B/85.50A	117.80B/85.50A	----	109.00 + 18.60	.6645	----	----	----	----	50 UNCH
4770	----	----	121.40B/88.10A	121.40B/88.10A	----	112.30 + 19.20	.6756	----	----	10	----	10 UNCH
4775	----	----	----/*32.30A	57.70B/*32.30A	----	34.50 - 27.30	.3131	----	----	----	----	1 UNCH
4775	----	----	124.70B/91.00A	124.70B/91.00A	----	115.70 + 19.80	.6866	----	----	----	----	50 UNCH
4780	38.80	38.80	55.70B/*30.70A	55.70B/*30.70A	----	32.90 NEW	.3020	----	----	1	----	1 + 1
4785	36.90	36.90	53.30B/*29.30A	53.30B/*29.30A	----	31.50 NEW	.2916	----	----	1	----	1 + 1
4790	----	----	----/*27.90A	51.20B/*27.90A	----	30.00 - 25.50	.2809	----	----	----	----	1 UNCH
4800	----	----	142.50B/106.20A	142.50B/106.20A	----	133.60 + 23.00	.7387	----	----	----	----	1 UNCH
4800	----	----	----/*25.30A	47.50B/*25.30A	----	27.40 NEW	.2610	----	----	13	----	13 + 13
4815	----	----	154.10B/115.50A	154.10B/115.50A	----	144.90 + 24.90	.7676	----	----	----	----	1 UNCH
4820	----	----	----/*20.80A	40.20B/*20.80A	----	22.60 NEW	.2230	----	----	4	----	4 + 4
4825	----	----	----/*19.80A	38.60B/*19.80A	----	21.60 - 21.00	.2145	----	----	----	----	50 UNCH
4830	----	----	166.10B/125.70A	166.10B/125.70A	----	156.70 + 26.70	.7936	----	----	----	----	4 UNCH
4845	25.50	25.50	32.60B/*16.10A	32.60B/*16.10A	----	17.80 - 18.60	.1819	----	----	8	----	15 + 4
4845	----	----	178.30B/136.40A	178.30B/136.40A	----	169.00 + 28.60	.8178	----	----	----	----	5 UNCH
4850	----	----	182.80B/139.90A	182.80B/139.90A	----	173.10 + 29.10	.8256	----	----	5	----	9 UNCH
4850	----	----	----/*15.30A	31.20B/*15.30A	----	16.90 - 18.10	.1740	----	----	----	----	201 UNCH
4860	15.30	15.30	15.30/*13.80A	28.60B/*13.80A	----	15.40 NEW	.1602	----	----	1	----	1 + 1
4880	12.60	12.60	12.60/*11.30A	24.00B/*11.30A	----	12.70 NEW	.1347	----	----	2	----	2 + 2
4900	16.30	16.30	16.30/*9.30A	20.00B/*9.30A	----	10.50 - 12.80	.1130	----	----	3	----	6 + 3
4905	----	----	----/*8.90A	19.10B/*8.90A	----	10.00 NEW	.1081	----	----	2	----	2 + 2
4925	----	----	----/*18.10A	26.70B/*18.10A	----	18.90 - 15.00	.1555	----	----	----	----	11 UNCH
4925	----	----	----/*7.30A	16.00B/*7.30A	----	8.30 - 10.70	.0906	----	----	----	----	50 UNCH
4955	----	----	----/*5.60A	12.30B/*5.60A	----	6.40 - 8.40	.0702	----	----	----	----	9 UNCH
4970	----	----	----/*5.00A	10.80B/*5.00A	----	5.60 - 7.50	.0615	----	----	----	----	18 UNCH
4985	----	----	----/*4.50A	9.50B/*4.50A	----	5.00 - 6.70	.0547	----	----	----	----	1 UNCH
4990	5.00	5.00	5.00/*4.30A	9.00B/*4.30A	----	4.80 - 6.40	.0525	----	----	5	----	25 + 5
5000	----	----	----/*4.00A	8.30B/*4.00A	----	4.50 - 5.90	.0489	----	----	----	----	10 UNCH
5000	----	----	----/*10.70A	15.40B/*10.70A	----	10.90 - 10.10	.0953	----	----	----	----	154 UNCH
5015	----	----	----/*3.70A	7.30B/*3.70A	----	4.00 - 5.30	.0433	----	----	----	----	3 UNCH
5025	----	----	----/*9.10A	13.00B/*9.10A	----	9.10 - 8.80	.0807	----	----	----	----	10 UNCH
5025	----	----	----/*3.40A	6.60B/*3.40A	----	3.80 - 4.80	.0408	----	----	----	----	1 UNCH
5050	----	----	----/*3.00A	5.40B/*3.00A	----	3.20 NEW	.0339	----	----	2	----	2 + 2
5075	----	----	----/*7.40A	9.00B/*7.40A	----	6.30 - 6.80	.0573	----	----	----	----	4 UNCH
5125	----	----	----/*2.20A	3.00B/*2.20A	----	2.10 - 2.40	.0211	----	----	----	----	1 UNCH
5200	----	----	----/*1.70A	1.80B/*1.70A	----	1.50 - 1.50	.0142	----	----	----	----	1 UNCH
5250	----	----	----/*1.50A	1.40B/*1.50A	----	1.30 - 1.10	.0117	----	----	----	----	1 UNCH
5275	----	----	----/*1.40A	1.30B/*1.40A	----	1.20 - 1.00	.0105	----	----	----	----	3 UNCH
5350	1.10	1.10	#1.10/*1.10	1.10/*1.10	----	0.90 NEW	.0075	----	----	1	----	1 + 1
5400	----	----	----	0.90B/*1.30A	----	0.70 - 0.60	.0057	----	----	----	----	1 UNCH
TOTAL										106		1778 + 75

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1										
MAY26												
3800	----	----	----	0.20B/1.10A	----	0.40 - 0.40	.0019	----	----	----	----	4 UNCH
3900	----	----	----/*0.90A	0.50B/*0.90A	----	0.70 - 0.30	.0037	----	----	----	----	3 UNCH
3900	----	----	----/*2.10A	1.30B/*2.10A	----	1.70 - 0.50	.0099	----	----	----	----	6 UNCH
4000	----	----	3.60B/----	3.60B/5.90A	----	3.00 + 0.20	.0187	----	----	----	----	2 UNCH
4000	0.90	0.90	0.90/*0.90	0.90/*0.90	----	1.00 NEW	.0058	----	----	2	----	2 + 2
4100	----	----	----/*1.30A	1.10B/*1.30A	----	1.30 - 0.40	.0085	----	----	----	----	30 UNCH
4100	----	----	----	4.10B/*7.40A	----	5.00 + 0.10	.0315	----	----	----	----	3 UNCH
4200	----	----	----/*1.70A	1.70B/*1.70A	----	1.70 - 0.50	.0127	----	----	----	----	1 UNCH
4200	----	----	----/*4.40A	4.20B/*4.40A	----	4.40 - 1.00	.0318	----	----	----	----	1 UNCH
4200	----	----	----	7.30B/*10.00A	----	8.20 - 0.20	.0519	----	----	----	----	2 UNCH
4225	----	----	----/*1.80A	1.90B/*1.80A	----	1.80 - 0.60	.0140	----	----	2	----	3 + 2
4250	1.90	1.90	1.90/*1.90	2.20B/*1.90	----	2.00 - 0.60	.0161	----	----	2	----	5 + 2
4250	----	----	----/*5.30A	5.40B/*5.30A	----	5.50 - 0.90	.0409	----	----	----	----	2 UNCH
4275	1.90	1.90	1.90/*1.90	2.50B/*1.90	----	2.20 NEW	.0183	----	----	1	----	1 + 1
4300	----	----	----/*2.30A	2.90B/*2.30A	----	2.40 - 0.80	.0208	----	----	2	----	20 + 1
4300	----	----	----	12.10B/*14.10A	----	13.10 - 0.30	.0836	----	----	1	----	2 + 1
4300	----	----	----/*6.60A	6.90B/*6.60A	----	6.90 - 0.90	.0528	----	----	----	----	6 UNCH
4325	----	----	----/*7.40A	7.90B/*7.40A	----	7.80 - 0.90	.0603	----	----	----	----	2 UNCH
4325	----	----	----	13.90B/*15.40A	----	14.80 - 0.10	.0943	----	----	----	----	4 UNCH
4350	2.90	2.90	3.20/*2.90	3.90B/*2.90	----	3.10 - 0.90	.0287	----	----	50	----	53 + 50
4350	15.40	15.40	15.40/*15.40	15.90B/*15.40	----	16.80 + 0.20	.1067	----	----	2	----	2 + 1
4350	----	----	----/*8.40A	9.00B/*8.40A	----	8.90 - 0.80	.0695	----	----	----	----	17 UNCH
4355	----	----	----/*3.00A	4.00B/*3.00A	----	3.20 NEW	.0298	----	----	2	----	2 + 2
4360	----	----	----/*3.10A	4.10B/*3.10A	----	3.30 - 0.90	.0309	----	----	----	----	1 UNCH
4370	----	----	----/*3.20A	4.40B/*3.20A	----	3.50 - 1.00	.0332	----	----	1	----	2 UNCH
4375	----	----	----/*3.30A	4.50B/*3.30A	----	3.60 - 1.00	.0344	----	----	1	----	1 UNCH
4375	----	----	----	18.30B/19.30A	----	19.20 + 0.60	.1211	----	----	----	----	3 UNCH
4375	----	----	----/*9.50A	10.40B/*9.50A	----	10.20 - 0.70	.0802	----	----	----	----	1 UNCH
4385	----	----	----/*3.50A	4.80B/*3.50A	----	3.80 - 1.00	.0368	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON MAY26		GOLD WEEKLY MONDAY OPTION WEEK1										
4400	4.40	4.40	5.40B/*3.80A	5.40B/*3.80A	----	4.20 - 1.10	.0413	----	----	5	----	94 + 2
4400	----	----	----/*10.80A	12.10B/*10.80A	----	11.80 - 0.60	.0931	----	----	----	----	6 UNCH
4400	----	----	21.00B/----	21.00B/22.10A	----	21.90 + 1.00	.1371	----	----	----	----	10 UNCH
4410	4.20	4.20	5.80B/*4.10A	5.80B/*4.10A	----	4.50 - 1.10	.0448	----	----	1	----	4 + 1
4415	----	----	6.00B/*4.20A	6.00B/*4.20A	----	4.60 - 1.20	.0461	----	----	----	----	150 UNCH
4420	----	----	6.20B/*4.40A	6.20B/*4.40A	----	4.80 - 1.10	.0483	----	----	1	----	1 UNCH
4440	5.20	5.20	7.20B/*5.00A	7.20B/*5.00A	----	5.50 NEW	.0566	----	----	1	----	1 + 1
4450	----	----	7.80B/*5.30A	7.80B/*5.30A	----	6.00 - 1.10	.0621	----	----	----	----	3 UNCH
4450	----	----	16.90B/*14.70A	16.90B/*14.70A	----	16.00 - 0.20	.1262	----	----	----	----	2 UNCH
4455	----	----	8.20B/*5.50A	8.20B/*5.50A	----	6.20 NEW	.0646	----	----	1	----	1 + 1
4460	----	----	8.40B/*5.70A	8.40B/*5.70A	----	6.40 - 1.20	.0671	----	----	1	----	3 + 1
4470	----	----	9.40B/*6.10A	9.40B/*6.10A	----	7.00 NEW	.0737	----	----	3	----	3 + 3
4475	----	----	9.50B/*6.30A	9.50B/*6.30A	----	7.20 - 1.20	.0764	----	----	1	----	2 + 1
4475	----	----	20.10B/*17.10A	20.10B/*17.10A	----	18.80 + 0.20	.1474	----	----	----	----	10 UNCH
4475	----	----	31.90B/----	31.90B/31.40A	----	33.00 + 3.30	.1985	----	----	----	----	4 UNCH
4480	10.20	10.20	10.80/*6.60A	10.80/*6.60A	----	7.50 NEW	.0799	----	----	20	----	10 + 10
4485	----	----	10.50B/*6.80A	10.50B/*6.80A	----	7.90 NEW	.0841	----	----	3	----	3 + 3
4485	----	----	21.50B/18.30A	21.50B/18.30A	----	20.10 + 0.40	.1570	----	----	----	----	11 UNCH
4490	----	----	22.30B/18.90A	22.30B/18.90A	----	20.80 + 0.50	.1620	----	----	----	----	2 UNCH
4495	----	----	11.30B/*7.40A	11.30B/*7.40A	----	8.50 NEW	.0913	----	----	3	----	3 + 3
4500	----	----	23.90B/20.10A	23.90B/20.10A	----	22.20 + 0.70	.1722	----	----	1	----	5 UNCH
4500	10.00	10.00	11.90B/*7.60A	11.90B/*7.60A	----	8.90 - 1.20	.0958	----	----	52	----	56 + 41
4500	----	----	36.60B/----	36.60B/35.70A	----	37.70 + 4.10	.2232	----	----	----	----	5 UNCH
4505	----	----	12.20B/*8.00A	12.20B/*8.00A	----	9.30 - 1.10	.1003	----	----	----	----	1 UNCH
4505	----	----	24.80B/20.80A	24.80B/20.80A	----	23.00 + 0.90	.1778	----	----	----	----	1 UNCH
4520	----	----	27.50B/22.90A	27.50B/22.90A	----	25.50 + 1.40	.1952	----	----	----	----	1 UNCH
4525	11.00	11.00	14.90B/*9.40A	14.90B/*9.40A	----	11.10 - 1.00	.1205	----	----	1	----	1 UNCH
4525	----	----	42.00B/----	42.00B/40.20A	----	43.10 + 5.20	.2505	----	----	----	----	2 UNCH
4540	----	----	16.90B/*10.70A	16.90B/*10.70A	----	12.70 - 0.80	.1383	----	----	1	----	3 + 1
4540	----	----	31.60B/26.20A	31.60B/26.20A	----	29.20 + 2.00	.2203	----	----	----	----	1 UNCH
4545	----	----	17.70B/*11.20A	17.70B/*11.20A	----	13.30 NEW	.1449	----	----	1	----	1 + 1
4550	12.70	12.70	18.50B/*11.70A	18.50B/*11.70A	----	14.00 - 0.60	.1522	----	----	8	----	22 + 7
4550	----	----	48.00B/----	48.00B/45.50A	----	49.00 + 6.20	.2797	----	----	----	----	2 UNCH
4550	----	----	33.90B/28.00A	33.90B/28.00A	----	31.30 + 2.50	.2340	----	----	1	----	2 UNCH
4555	----	----	19.30B/*12.20A	19.30B/*12.20A	----	14.60 - 0.60	.1589	----	----	----	----	1 UNCH
4555	----	----	35.10B/29.00A	35.10B/29.00A	----	32.40 + 2.70	.2411	----	----	----	----	1 UNCH
4560	----	----	20.30B/*12.80A	20.30B/*12.80A	----	15.30 NEW	.1664	----	----	3	----	3 + 3
4565	----	----	37.60B/31.00A	37.60B/31.00A	----	34.60 + 3.10	.2555	----	----	----	----	1 UNCH
4570	----	----	38.90B/32.00A	38.90B/32.00A	----	35.80 + 3.30	.2630	----	----	----	----	2 UNCH
4575	16.60	16.60	23.30B/*14.60A	23.30B/*14.60A	----	17.70 UNCH	.1913	----	----	6	----	16 + 6
4575	----	----	54.80B/----	54.80B/50.60A	----	55.60 + 7.30	.3112	----	----	----	----	3 UNCH
4580	----	----	24.30B/*15.20A	24.30B/*15.20A	----	18.60 + 0.20	.2004	----	----	----	----	2 UNCH
4585	----	----	25.30B/*16.00A	25.30B/*16.00A	----	19.50 + 0.30	.2096	----	----	----	----	20 UNCH
4590	----	----	26.50B/*16.70A	26.50B/*16.70A	----	20.50 + 0.50	.2194	----	----	----	----	2 UNCH
4595	----	----	27.70B/*17.50A	27.70B/*17.50A	----	21.50 NEW	.2293	----	----	9	----	8 + 8
4600	20.70	20.70	29.10B/18.40A	29.10B/18.40A	----	22.60 + 1.00	.2399	----	----	120	----	117 + 110
4600	----	----	62.40B/----	62.40B/55.50A	----	62.90 + 8.40	.3449	----	----	1	----	32 + 1
4600	40.50	40.50	47.60B/40.50	47.60B/39.10A	----	43.70 + 4.80	.3112	----	----	10	----	41 + 9
4605	----	----	30.20B/19.20A	30.20B/19.20A	----	23.70 + 1.20	.2505	----	----	1	----	4 + 1
4610	----	----	31.60B/20.00A	31.60B/20.00A	----	24.90 + 1.50	.2618	----	----	----	----	1 UNCH
4610	----	----	50.90B/----	50.90B/41.70A	----	46.70 + 5.40	.3285	----	----	----	----	2 UNCH
4620	----	----	54.30B/----	54.30B/44.50A	----	49.80 + 5.90	.3462	----	----	34	----	3 + 1
4620	----	----	34.50B/21.80A	34.50B/21.80A	----	27.40 + 2.00	.2851	----	----	----	----	4 UNCH
4625	24.40	24.40	36.10B/22.80A	36.10B/22.80A	----	28.80 NEW	.2974	----	----	12	----	12 + 12
4635	----	----	39.30B/24.70A	39.30B/24.70A	----	31.70 + 3.10	.3229	----	----	----	----	1 UNCH
4640	36.30	36.30	41.00B/25.90A	41.00B/25.90A	----	33.20 NEW	.3360	----	----	1	----	1 + 1
4650	----	----	----/*75.10A	119.00B/*75.10A	----	80.20 - 42.90	.6363	----	----	----	----	1 UNCH
4650	30.80	30.80	44.70B/28.10A	44.70B/28.10A	----	36.50 + 4.20	.3635	----	----	23	----	13 + 2
4655	----	----	46.80B/29.40A	46.80B/29.40A	----	38.30 + 4.70	.3777	----	----	----	----	1 UNCH
4655	----	----	----/*71.70A	115.30B/*71.70A	----	76.90 NEW	.6220	----	----	1	----	1 + 1
4660	----	----	68.50B/----	68.50B/56.30A	----	64.00 + 8.30	.4224	----	----	----	----	2 UNCH
4665	----	----	50.60B/31.90A	50.60B/31.90A	----	42.00 + 5.60	.4067	----	----	----	----	3 UNCH
4670	----	----	52.70B/33.40A	52.70B/33.40A	----	44.00 + 6.10	.4216	----	----	5	----	12 UNCH
4675	79.00	79.00	91.10B/79.00	91.10B/79.00	----	89.50 NEW	.4586	----	----	3	----	3 + 3
4680	----	----	57.10B/36.40A	57.10B/36.40A	----	48.10 + 7.10	.4519	----	----	----	----	1 UNCH
4680	----	----	----/*57.30A	97.40B/*57.30A	----	61.80 NEW	.5478	----	----	1	----	1 + 1
4685	----	----	59.30B/37.90A	59.30B/37.90A	----	50.30 + 7.60	.4673	----	----	3	----	5 + 3
4690	----	----	62.00B/39.70A	62.00B/39.70A	----	52.60 + 8.20	.4829	----	----	3	----	6 + 3
4690	----	----	82.40B/----	82.40B/66.90A	----	76.80 + 10.40	.4839	----	----	----	----	4 UNCH
4690	----	----	----/*52.10A	90.40B/*52.10A	----	56.30 - 38.90	.5168	----	----	----	----	3 UNCH
4695	----	----	----/*49.60A	87.20B/*49.60A	----	53.70 - 38.30	.5012	----	----	----	----	1 UNCH
4695	----	----	84.80B/----	84.80B/68.90A	----	79.20 + 10.80	.4944	----	----	----	----	1 UNCH
4700	65.00	65.00	67.00B/43.10A	67.00B/43.10A	----	57.40 + 9.50	.5142	----	----	42	----	192 + 34
4700	----	----	----/*47.20A	84.20B/*47.20A	----	51.10 - 37.70	.4855	----	----	----	----	1 UNCH
4700	----	----	103.20B/----	103.20B/91.00A	----	100.50 + 12.90	.5001	----	----	----	----	3 UNCH
4700	----	----	87.40B/----	87.40B/70.60A	----	81.60 + 11.20	.5049	----	----	----	----	9 UNCH
4705	----	----	----/*44.90A	80.90B/*44.90A	----	48.60 - 37.10	.4697	----	----	----	----	2 UNCH
4705	59.70	59.70	69.70B/44.80A	69.70B/44.80A	----	59.90 + 10.10	.5300	----	----	11	----	21 + 10
4710	----	----	72.30B/46.90A	72.30B/46.90A	----	62.50 + 10.70	.5458	----	----	----	----	1 UNCH
4715	----	----	75.10B/48.90A	75.10B/48.90A	----	65.20 NEW	.5615	----	----	3	----	3 + 3
4715	----	----	----/*40.50A	75.10B/*40.50A	----	43.90 - 35.80	.4382	----	----	----	----	1 UNCH
4720	----	----	----/*38.40A	72.30B/*38.40A	----	41.60 - 35.10	.4224	----	----	2	----	2 + 1
4725	58.00	58.00	80.80B/52.80A	80.80B/52.80A	----	70.80 NEW	.5928	----	----	25	----	11 + 11
4725	62.10	62.10	63.20/*36.30A	69.20B/*36.30A	----	39.50 - 34.40	.4069	----	----	6	----	13 + 1
4725	----	----	101.00B/----	101.00B/81.50A	----	94.60 + 13.50	.5577	----	----	2	----	1 - 1
4730	----	----	82.80B/55.10A	82.80B/55.10A	----	73.70 + 13.50	.6084	----	----	----	----	1 UNCH
4730	----	----	103.80B/----	103.80B/83.80A	----	97.30 + 13.90	.5682	----	----	----	----	20 UNCH
4730	----	----	----/*34.50A	66.50B/*34.50A	----	37.40 - 33.70	.3914	----	----	10	----	16 + 10
4735	----	----	----/*32.70A	63.80B/*32.70A	----	35.40 - 33.00	.3760	----	----	2	----	2 + 1
4740	----	----	89.20B/59.60A	89.20B/59.60A	----	79.80 + 15.00	.6389	----	----	1	----	1 UNCH
4740	----	----	109.70B/----	109.70B/88.60A	----	103.10 + 15.00	.5891	----	----	----	----	5 UNCH
4745	----	----	92.00B/61.90A	92.00B/61.90A	----	82.90 + 15.70	.6540	----	----	1	----	1 UNCH
4750	----	----	95.20B/64.30A	95.20B/64.30A	----	86.10 + 16.40	.6686	----	----	2	----	3 + 2
4750	----	----	----/*51.20A	72.30B/*51.20A	----	52.90 - 31.00	.3900	----	----	----	----	8 UNCH
4750	45.00	45.00	55.80B/*27.60A	55.80B/*27.60A	----	29.90 - 30.70	.3312	----	----	213	----	201 + 140
4750	----	----	116.00B/----	116.00B/93.60A	----	109.10 + 16.10	.6095	----	----	----	----	5 UNCH
4750	----	----	130.60B/----	130.60B/116.80A	----	126.30 + 15.80	.5850	----	----	1	----	2 + 1
4755	27.20	27.20	27.20/*26.00A	53.50B/*26.00A	----	28.20 - 30.00	.3166	----	----	2	----	51 + 1
4760	----	----	102.20B/69.50A	102.20B/69.50A	----	92.80 + 17.90	.6973	----	----	----	----	3 UNCH
4760	26.20	26.20	26.20/*24.50A	50.70B/*24.50A	----	26.60 - 29.20	.3025	----	----	16	----	47 + 16
4765	----	----	----/*45.80A	63.90B/*45.80A	----	47.30 NEW	.3598	----	----	34	----	1 + 1
4765	----	----	105.60B/72.20A	105.60B/72.20A	----	96.30 + 18.70	.7110	----	----	----	----	1 UNCH
4765	----	----	----/*23.00A	48.80B/*23.00A	----	25.10 - 28.40	.2887	----	----	----	----	1 UNCH
4770	----	----	----/*21.60A	46.20B/*21.60A	----	23.60 - 27.60	.2750	----	----	----	----	4 UNCH
4775	83.30	83.30	112.80B/77.80A	112.80B/77.80A	----	103.50 + 20.40	.7380	----	----	5	----	6 - 5
4775	41.30	41.30	41.30/*41.00A	60.50B/*41.00A	----	43.90 NEW	.3404	----	----	2	----	2 + 2
4775	38.90	38.90	38.90/*20.30A	44.20B/*20.30A	----	22.20 - 26.90	.2617	----	----	11	----	31 UNCH
4775	----	----	----/*61.70A	82.00B/*61.70A	----	60.10 - 29.60	.3728	----	----	----	----	1 UNCH
4775	----	----	146.00B/----	146.00B/130.10A	----	141.30 + 17.60	.6266	----	----	1	----	1 UNCH
4780	20.10	20.10	20.10/*19.00A	42.30B/*19.00A	----	20.90 - 26.10	.2490	----	----	4	----	2 + 1
4785	----	----	----/*17.90A	40.00B/*17.90A	----	19.70 - 25.20	.2369	----	----	2	----	0 UNCH
4790	----	----	----/*16.70A	38.20B/*16.70A	----	18.50 - 24.50	.2248	----	----	4	----	55 + 4
4795	----	----	127.90B/90.20A	127.90B/90.20A	----	118.60 + 23.50	.7865	----	----	----	----	11 UNCH
4800	----	----	144.10B/----	144.10B/121.60A	----	142.30 + 21.60	.7061	----	----	----	----	3 UNCH
4800	----	----	131.90B/93.60A	131.90B/93.60A	----	122.50 + 24.20	.7979	----	----	----	----	1 UNCH
4800	30.10	30.10	34.40B/*14.70A	34.40B/*14.70A	----	16.30 - 22.90	.2018	----	----	70	----	87 + 59
4800	----	----	162.30B/----	162.30B/144.30A	----	157.50 + 19.40	.6664	----	----	----	----	1 UNCH
4800	----	----	----/*53.00A	71.30B/*53.00A	----	51.40 - 27.70	.3330	----	----	----	----	13 UNCH
4800	----	----	----/*34.30A	49.50B/*34.30A	----	36.10 - 25.60	.2935	----	----	----	----	101 UNCH
4805	----	----	----/*13.80A	32.70B/*13.80A	----	15.30 - 22.10	.1911	----	----	1	----	4 UNCH
4810	----	----	----/*31.50A	45.00B/*31.50A	----	33.40 - 24.40	.2760	----	----	----	----	1 UNCH
4815	18.50	18.50	18.50/*12.10A	29.50B/*12.10A	----	13.50 NEW	.1710	----	----	58	----	54 + 54
4815	----	----	----/*30.30A	43.30B/*30.30A	----	32.10 - 23.80	.2674	----	----	----	----	1 UNCH
4820	----	----	157.00B/----	157.00B/134.30A	----	156.90 + 23.80	.7407	----	----	----	----	2 UNCH
4820	----	----	----/*29.10A	41.60B/*29.10A	----	30.80 - 23.30	.2589	----	----	----	----	1 UNCH
4820	21.00	21.00	21.00/*11.40A	28.00B/*11.40A	----	12.70 NEW	.1618	----	----	5	----	2 + 2
4825	----	----	153.00B/110.40A	153.00B/110.40A	----	143.10 + 28.10	.8471	----	----	----	----	1 UNCH
4825	22.30	22.30	23.00/*10.60A	26.50B/*10.60A	----	11.90 - 19.10	.1527	----	----	10	----	14 + 10
4825	----	----	----/*45.30A	61.50B/*45.30A	----	43.90 - 25.70	.2956	----	----	----	----	1 UNCH
4825	35.50	35.50	35.50/*27.80A	40.20B/*27.80A	----	29.60 NEW	.2507	----	----	4	----	4 + 4
4830	----	----	----/*10.00A	25.20B/*10.00A	----	11.20 - 18.30	.1443	----	----	1	----	15 + 1
4835	----	----	----/*9.40A	23.90B/*9.40A	----	10.50 - 17.60	.1361	----	----	----	----	3 UNCH
4845	----	----	----/*8.30A	21.30B/*8.30A	----	9.30 - 16.20	.1213	----	----	1	----	2 - 1
4850	18.00	18.00	20.20B/*7.80A	20.20B/*7.80A	----	8.70 - 15.60	.1141	----	----	23	----	15 + 5
4850	----	----	198.10B/----	198.10B/176.30A	----	193.40 + 23.40	.7386	----	----	----	----	1 UNCH
4850	----	----	----/*22.40A	32.40B/*22.40A	----	24.00 - 20.20	.2116	----	----	----	----	2 UNCH
4855	----	----	----/*7.30A	19.10B/*7.30A	----	8.20 - 14.90	.1077	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1										
MAY26												
4860	10.20	10.20	10.20/*6.90A	17.90B/*6.90A	----	7.70 - 14.30	.1015	----	----	3	----	2 + 1
4865	----	----	----/*6.50A	17.10B/*6.50A	----	7.20 - 13.70	.0953	----	----	----	----	1 UNCH
4870	----	----	----/*6.10A	16.00B/*6.10A	----	6.80 - 13.10	.0900	----	----	----	----	4 UNCH
4870	----	----	197.00B/----	197.00B/169.50A	----	196.30 + 28.90	.8162	----	----	----	----	2 UNCH
4875	----	----	----/*33.00A	45.20B/*33.00A	----	31.90 - 21.50	.2292	----	----	----	----	2 UNCH
4875	----	----	217.50B/----	217.50B/193.70A	----	212.80 + 25.50	.7702	----	----	----	----	1 UNCH
4880	----	----	----/*17.30A	25.00B/*17.30A	----	18.50 - 17.40	.1703	----	----	----	----	1 UNCH
4880	----	----	----/*5.50A	14.20B/*5.50A	----	6.00 - 12.00	.0797	----	----	2	----	12 + 2
4890	----	----	----/*4.90A	12.70B/*4.90A	----	5.40 NEW	.0714	----	----	2	----	2 + 2
4900	11.00	11.00	11.40B/*4.40A	11.40B/*4.40A	----	4.80 - 9.90	.0635	----	----	12	----	39 - 1
4900	----	----	237.60B/----	237.60B/212.00A	----	233.10 + 27.70	.7991	----	----	----	----	1 UNCH
4900	----	----	222.70B/----	222.70B/192.60A	----	221.70 + 31.70	.8527	----	----	----	----	1 UNCH
4900	----	----	----/*14.60A	21.20B/*14.60A	----	15.60 - 15.50	.1469	----	----	1	----	18 UNCH
4905	----	----	----/*4.20A	10.70B/*4.20A	----	4.50 - 9.50	.0595	----	----	1	----	3 + 1
4910	----	----	----/*3.90A	10.20B/*3.90A	----	4.30 - 9.00	.0566	----	----	----	----	17 UNCH
4915	----	----	----/*3.70A	9.60B/*3.70A	----	4.00 - 8.70	.0528	----	----	----	----	1 UNCH
4920	----	----	----/*3.60A	9.00B/*3.60A	----	3.80 - 8.20	.0500	----	----	1	----	5 + 1
4925	----	----	----/*3.40A	8.50B/*3.40A	----	3.60 - 7.90	.0473	----	----	----	----	4 UNCH
4925	----	----	244.80B/192.40A	244.80B/192.40A	----	234.80 NEW	.9525	----	----	1	----	1 + 1
4925	----	----	----/*11.90A	17.20B/*11.90A	----	12.60 - 13.40	.1215	----	----	----	----	9 UNCH
4930	----	----	----/*3.20A	8.10B/*3.20A	----	3.40 - 7.50	.0446	----	----	----	----	1 UNCH
4940	----	----	----/*3.00A	7.20B/*3.00A	----	3.10 - 6.80	.0403	----	----	----	----	1 UNCH
4950	----	----	----/*2.70A	6.40B/*2.70A	----	2.80 - 6.20	.0361	----	----	1	----	41 + 1
4950	22.00	22.00	22.00/*20.70A	27.50B/*20.70A	----	19.80 - 15.20	.1526	----	----	1	----	6 + 1
4950	----	----	----/*9.80A	14.00B/*9.80A	----	10.10 - 11.60	.0997	----	----	1	----	5 UNCH
4960	----	----	----/*9.00A	13.00B/*9.00A	----	9.20 - 11.00	.0917	----	----	----	----	5 UNCH
4960	----	----	----/*2.50A	5.60B/*2.50A	----	2.50 - 5.70	.0321	----	----	----	----	2 UNCH
4965	----	----	----/*2.40A	5.30B/*2.40A	----	2.40 NEW	.0306	----	----	1	----	1 + 1
4970	----	----	----/*8.30A	12.00B/*8.30A	----	8.40 - 10.40	.0844	----	----	----	----	5 UNCH
4970	----	----	----/*2.30A	5.00B/*2.30A	----	2.30 - 5.10	.0292	----	----	----	----	1 UNCH
4975	----	----	----/*2.20A	4.70B/*2.20A	----	2.20 - 4.90	.0278	----	----	----	----	1 UNCH
4980	----	----	----/*2.10A	4.40B/*2.10A	----	2.10 - 4.70	.0264	----	----	----	----	1 UNCH
4985	----	----	----/*2.10A	4.20B/*2.10A	----	2.00 - 4.50	.0250	----	----	2	----	3 + 2
4995	----	----	307.20B/257.50A	307.20B/257.50A	----	303.00 NEW	.9765	----	----	1	----	1 + 1
4995	----	----	305.10B/----	305.10B/274.20A	----	308.00 + 38.50	.9290	----	----	----	----	1 UNCH
5000	----	----	312.10B/262.30A	312.10B/262.30A	----	307.90 + 43.40	.9778	----	----	----	----	1 UNCH
5000	9.90	9.90	9.90/*6.60A	11.10B/*6.60A	----	6.90 - 8.30	.0692	----	----	3	----	7 UNCH
5000	----	----	----/*1.90A	3.60B/*1.90A	----	1.80 - 3.80	.0221	----	----	2	----	5 + 1
5000	----	----	----/*15.60A	19.40B/*15.60A	----	14.40 - 11.40	.1149	----	----	----	----	7 UNCH
5005	----	----	----/*1.80A	3.40B/*1.80A	----	1.70 - 3.70	.0208	----	----	1	----	3 UNCH
5010	----	----	----/*1.70A	3.20B/*1.70A	----	1.70 - 3.50	.0205	----	----	----	----	29 UNCH
5015	3.60	3.60	3.60/*1.70A	3.60/*1.70A	----	1.60 NEW	.0193	----	----	1	----	1 + 1
5020	----	----	331.70B/281.60A	331.70B/281.60A	----	327.70 NEW	.9818	----	----	2	----	2 + 2
5020	----	----	313.50B/----	313.50B/296.90A	----	332.00 NEW	.9388	----	----	2	----	2 + 2
5020	----	----	----/*1.60A	2.90B/*1.60A	----	1.50 - 3.20	.0180	----	----	----	----	4 UNCH
5025	----	----	336.60B/286.40A	336.60B/286.40A	----	332.60 NEW	.9820	----	----	4	----	4 + 4
5025	----	----	----/*1.60A	2.70B/*1.60A	----	1.50 - 3.00	.0178	----	----	----	----	1 UNCH
5025	----	----	----/*5.60A	7.90B/*5.60A	----	5.80 - 6.90	.0582	----	----	----	----	4 UNCH
5025	----	----	315.30B/----	315.30B/301.50A	----	336.70 + 40.30	.9415	----	----	2	----	3 + 2
5050	----	----	----/*1.40A	2.10B/*1.40A	----	1.30 - 2.40	.0149	----	----	2	----	3 + 2
5050	----	----	----/*11.70A	14.20B/*11.70A	----	10.20 - 9.10	.0844	----	----	----	----	3 UNCH
5075	----	----	----/*4.20A	5.60B/*4.20A	----	4.00 - 5.10	.0403	----	----	----	----	1 UNCH
5075	----	----	----/*1.20A	1.60B/*1.20A	----	1.10 - 2.00	.0122	----	----	----	----	2 UNCH
5100	----	----	----/*3.70A	4.80B/*3.70A	----	3.50 - 4.20	.0349	----	----	----	----	4 UNCH
5100	----	----	----	----	----	409.40 NEW	.9649	----	----	1	----	1 + 1
5100	----	----	----/*1.10A	1.20B/*1.10A	----	0.90 - 1.70	.0097	----	----	1	----	6 + 1
5100	----	----	----	248.60B/561.40A	----	407.10 NEW	.9902	----	----	5	----	5 + 5
5100	----	----	----/*9.40A	10.20B/*9.40A	----	7.30 - 7.20	.0620	----	----	----	----	4 UNCH
5100	----	----	401.50B/----	401.50B/383.30A	----	413.00 NEW	.9376	----	----	1	----	1 + 1
5125	----	----	----/*3.30A	4.10B/*3.30A	----	3.10 - 3.50	.0305	----	----	----	----	4 UNCH
5125	----	----	----/*1.00A	1.00B/*1.00A	----	0.80 - 1.40	.0083	----	----	2	----	3 + 2
5150	----	----	----/*3.00A	3.50B/*3.00A	----	2.80 - 2.90	.0271	----	----	----	----	1 UNCH
5150	----	----	----/*7.60A	6.80B/*7.60A	----	5.30 - 5.80	.0458	----	----	----	----	4 UNCH
5200	----	----	----	----	----	509.60 + 42.70	.9651	----	----	----	----	1 UNCH
5200	----	----	----/*6.40A	3.80B/*6.40A	----	4.00 - 4.60	.0347	----	----	----	----	4 UNCH
5200	----	----	----/*0.90A	0.70B/*0.90A	----	0.60 - 0.90	.0056	----	----	----	----	3 UNCH
5200	----	----	----/*2.50A	2.60B/*2.50A	----	2.40 - 2.00	.0222	----	----	----	----	92 UNCH
5225	----	----	----/*1.00A	0.70B/*1.00A	----	0.50 - 0.80	.0046	----	----	----	----	1 UNCH
5225	----	----	----/*2.30A	2.30B/*2.30A	----	2.10 - 1.80	.0193	----	----	----	----	1 UNCH
5250	----	----	----/*2.20A	2.00B/*2.20A	----	2.00 - 1.50	.0179	----	----	----	----	9 UNCH
5275	----	----	----/*2.00A	1.80B/*2.00A	----	1.80 - 1.30	.0159	----	----	----	----	3 UNCH
5300	----	----	----/*4.80A	1.90B/*4.80A	----	2.30 - 3.10	.0199	----	----	----	----	1 UNCH
5500	----	----	----	0.20B/*3.90A	----	0.90 - 1.40	.0075	----	----	----	----	1 UNCH
TOTAL										1041		2448 + 707
JUN26												
3500	----	----	#0.60B/----	#0.60B/*4.80A	----	0.50 + 0.40	.0027	----	----	----	----	2 UNCH
3750	----	----	#2.30B/----	#2.30B/*6.20A	----	2.10 + 1.20	.0109	----	----	----	----	4 UNCH
3900	----	----	#4.00B/----	#4.00B/*8.00A	----	4.30 + 1.80	.0220	----	----	----	----	2 UNCH
4100	----	----	----	7.70B/*13.30A	----	10.10 + 1.80	.0512	----	----	----	----	4 UNCH
4200	----	----	----	14.00B/*15.80A	----	14.80 + 0.70	.0750	----	----	----	----	1 UNCH
4250	14.20	14.20	17.30B/*14.20	17.30B/*14.20	----	17.90 NEW	.0906	----	----	1	----	1 + 1
4300	----	----	21.40B/----	21.40B/22.50A	----	21.70 + 1.20	.1094	----	----	----	----	5 UNCH
4350	----	----	26.60B/----	26.60B/*26.70A	----	26.70 + 1.90	.1330	----	----	5	----	4 + 3
4400	----	----	33.00B/----	33.00B/32.60A	----	33.00 + 2.70	.1616	----	----	1	----	2 + 1
4450	----	----	41.10B/----	41.10B/40.10A	----	40.70 + 3.60	.1953	----	----	----	----	1 UNCH
4475	----	----	45.80B/----	45.80B/44.50A	----	45.20 + 4.20	.2142	----	----	----	----	2 UNCH
4500	----	----	51.00B/----	51.00B/49.30A	----	50.20 + 4.80	.2347	----	----	5	----	4 + 3
4525	----	----	56.70B/----	56.70B/54.90A	----	55.60 + 5.40	.2565	----	----	----	----	2 UNCH
4550	----	----	63.00B/----	63.00B/60.70A	----	61.70 + 6.10	.2800	----	----	----	----	4 UNCH
4575	----	----	70.00B/----	70.00B/66.80A	----	68.30 + 6.90	.3049	----	----	----	----	1 UNCH
4600	----	----	77.60B/----	77.60B/70.90A	----	75.60 + 7.70	.3313	----	----	----	----	2 UNCH
4700	----	----	115.40B/----	115.40B/107.00A	----	112.50 NEW	.4497	----	----	1	----	1 + 1
4750	----	----	139.70B/----	139.70B/128.40A	----	136.10 + 14.60	.5138	----	----	----	----	1 UNCH
4750	----	----	----/*115.60A	141.70B/*115.60A	----	115.00 NEW	.4853	----	----	1	----	1 + 1
4800	----	----	167.70B/----	167.70B/153.10A	----	163.40 + 17.60	.5781	----	----	----	----	1 UNCH
4825	----	----	----/*83.10A	104.70B/*83.10A	----	82.50 NEW	.3895	----	----	2	----	0 UNCH
4875	----	----	----/*66.00A	84.30B/*66.00A	----	65.30 - 24.80	.3293	----	----	4	----	1 UNCH
5000	----	----	----/*36.30A	46.60B/*36.30A	----	35.60 NEW	.2046	----	----	2	----	2 + 2
5025	----	----	----/*32.20A	41.10B/*32.20A	----	31.50 - 14.60	.1848	----	----	----	----	1 UNCH
5075	----	----	----/*25.50A	31.90B/*25.50A	----	24.70 NEW	.1501	----	----	2	----	0 UNCH
5100	----	----	----/*22.80A	28.00B/*22.80A	----	21.90 - 10.30	.1351	----	----	1	----	2 + 1
5125	----	----	----/*20.40A	24.60B/*20.40A	----	19.40 - 9.10	.1215	----	----	----	----	2 UNCH
5150	----	----	----/*18.40A	21.60B/*18.40A	----	17.30 - 8.10	.1095	----	----	----	----	1 UNCH
5175	----	----	----/*16.60A	19.00B/*16.60A	----	15.40 - 7.20	.0985	----	----	----	----	3 UNCH
5225	----	----	----/*14.50A	14.70B/*14.50A	----	12.40 - 5.90	.0805	----	----	----	----	1 UNCH
5275	----	----	----/*12.60A	11.50B/*12.60A	----	10.00 - 5.10	.0657	----	----	----	----	3 UNCH
5400	----	----	----	3.20B/*9.00A	----	5.80 - 3.10	.0391	----	----	----	----	9 UNCH
TOTAL										25		70 + 13

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK4										
APR26												
4715	----	----	----	----	----	25.90 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0
MAY26												
4700	53.00	53.00	#53.00/*53.00	#53.00/*53.00	----	50.40 NEW	.5192	----	----	1	----	1 + 1
4800	----	----	----	----	----	117.80 + 25.20	.8429	----	----	----	----	1 UNCH
TOTAL										1		2 + 1

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week5										
APR26												
6900	----	----	----/*0.168A	0.052B/*0.168A	----	0.100 - 0.073	.0318	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week5										
APR26												
7000	0.131	0.131	0.131/*0.131	0.131/*0.131	----	0.164 -	0.086 .0554	----	----	1	----	2 + 1
7100	----	----	----/*0.286A	0.167B/*0.286A	----	0.244 -	0.099 .0876	----	----	----	----	1 UNCH
7300	----	----	----/*0.542A	0.499B/*0.542A	----	0.540 -	0.096 .2064	----	----	----	----	1 UNCH
7500	----	----	1.204B/1.112A	1.204B/1.112A	----	1.165 +	0.016 .4193	----	----	----	----	4 UNCH
7600	----	----	----/1.503A	1.501B/1.503A	----	1.656 +	0.137 .5472	----	----	----	----	4 UNCH
7700	----	----	----/*0.899A	1.428B/*0.899A	----	0.824 -	1.096 .3292	----	----	----	----	4 UNCH
7950	----	----	----/*0.407A	0.444B/*0.407A	----	0.261 -	0.702 .1103	----	----	----	----	1 UNCH
8000	----	----	----	----	----	4.634 +	0.744 .9151	----	----	----	----	1 UNCH
8000	0.191	0.191	0.200/*0.191	0.354B/*0.191	----	0.203 -	0.629 .0848	----	----	3	----	3 + 1
8100	----	----	----/*0.226A	0.186B/*0.226A	----	0.121 -	0.497 .0484	----	----	----	----	1 UNCH
9600	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.001	NEW ----	----	----	1	----	1 + 1
TOTAL										5	0	25 + 3
MAY26												
7100	0.700	0.700	0.700/*0.700	0.700/*0.700	----	0.872	NEW .2125	----	----	1	----	1 + 1
7100	----	----	----/*1.860A	#1.642B/*1.860A	----	2.090	NEW .2961	----	----	1	----	1 + 1
7200	----	----	----/*2.185A	#1.979B/*2.185A	----	2.495	NEW .3345	----	----	1	----	1 + 1
7650	3.152	3.152	#3.152/*2.947A	3.152/*2.947A	----	2.699	NEW .4715	----	----	1	----	1 + 1
8000	----	----	----/*1.007A	1.109B/*1.007A	----	0.860 -	0.715 .2378	----	----	----	----	5 UNCH
8150	----	----	----/*1.861A	#1.533B/*1.861A	----	2.195	NEW .3235	----	----	1	----	1 + 1
8250	----	----	----/*1.647A	#1.301B/*1.647A	----	1.935	NEW .2937	----	----	1	----	1 + 1
TOTAL										6	0	11 + 6
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK2										
MAY26												
5500	----	----	----	0.004B/0.139A	----	0.043 -	0.039 .0090	----	----	----	----	17 UNCH
6600	----	----	----	0.046B/*0.174A	----	0.123 -	0.040 .0365	----	----	----	----	1 UNCH
6800	0.506	0.506	0.549/*0.506	0.549/*0.506	----	0.569	NEW .1312	----	----	11	----	9 + 9
6900	0.650	0.650	0.650/*0.650	0.650/0.650	----	0.709	NEW .1608	----	----	1	----	1 + 1
7100	----	----	----	----/25.247A	----	5.055	NEW .8433	----	----	1	----	1 + 1
7200	----	----	----/*0.627A	0.585B/*0.627A	----	0.673 -	0.064 .2099	----	----	----	----	1 UNCH
7300	0.960	0.960	0.960/0.881A	0.960/0.881A	----	0.924	NEW .2762	----	----	25	----	25 + 25
7425	----	----	----/1.162A	1.293B/1.162A	----	1.345 +	0.036 .3740	----	----	----	----	1 UNCH
7550	----	----	----/*2.089A	2.191B/*2.089A	----	1.964	NEW .5179	----	----	1	----	1 + 1
7600	----	----	----/1.916A	1.912B/1.916A	----	2.152 +	0.197 .5261	----	----	----	----	15 UNCH
7625	----	----	2.760B/----	2.760B/2.968A	----	3.077 +	0.621 .5238	----	----	----	----	1 UNCH
7750	2.720	2.720	2.720/2.600	2.720/2.600	----	3.042	NEW .6548	----	----	4	----	3 + 3
7800	----	----	----/*1.891A	2.211B/*1.891A	----	1.698 -	0.596 .3735	----	----	----	----	1 UNCH
7900	----	----	----/*1.570A	1.804B/*1.570A	----	1.384 -	0.517 .3197	----	----	----	----	4 UNCH
7900	----	----	----/*2.183A	2.453B/*2.183A	----	1.764 -	0.762 .3488	----	----	----	----	1 UNCH
7900	----	----	----	3.957B/5.025A	----	4.812 +	0.854 .6802	----	----	----	----	4 UNCH
7975	----	----	----	----/22.914A	----	4.706 +	0.706 .8129	----	----	----	----	2 UNCH
8000	----	----	----	----/23.258A	----	4.913 +	0.741 .8264	----	----	----	----	2 UNCH
8000	----	----	----/*1.299A	1.453B/*1.299A	----	1.124 -	0.448 .2709	----	----	----	----	50 UNCH
8000	0.450	0.450	0.450/*0.450	0.690B/*0.450	----	0.484	NEW .1734	----	----	1	----	1 + 1
8100	0.385	0.385	0.400/*0.385	0.452B/*0.385	----	0.345	NEW .1272	----	----	4	----	4 + 4
8400	----	----	----/*0.208A	0.112B/*0.208A	----	0.149	NEW .0539	----	----	1	----	1 + 1
8500	----	----	----/*0.514A	0.426B/*0.514A	----	0.408 -	0.230 .1106	----	----	----	----	50 UNCH
8900	----	----	----	0.006B/0.134A	----	0.078 -	0.053 .0232	----	----	----	----	1 UNCH
TOTAL										49	0	197 + 46
JUN26												
7950	----	----	----	0.200B/12.650A	----	5.957 -	1.517 .6459	----	----	----	----	1 UNCH
8000	----	----	----	0.500B/13.000A	----	6.326 -	1.454 .6642	----	----	----	----	1 UNCH
TOTAL											0	2 0
SO CALL		COMEX SILVER OPTIONS										
MAY26												
3875	----	----	----	----	----	36.275 -	1.389 ----	51	----	----	----	0 - 51
4000	----	----	----	----	----	35.025 -	1.389 ----	53	----	----	----	0 - 53
4100	----	----	----	----	----	34.025 -	1.389 ----	50	----	----	----	0 - 50
4175	----	----	----	----	----	33.275 -	1.389 ----	----	----	----	----	0 UNCH
4200	----	----	----	----	----	33.025 -	1.389 ----	116	----	----	----	0 - 116
4225	----	----	----	----	----	32.775 -	1.389 ----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	29.025 -	1.389 ----	20	----	----	----	0 - 20
4650	----	----	----	----	----	28.525 -	1.389 ----	71	----	----	----	0 - 71
4675	----	----	----	----	----	28.275 -	1.389 ----	10	----	----	----	0 - 10
4800	----	----	----	----	----	27.025 -	1.389 ----	4	----	----	----	0 - 4
4900	----	----	----	----	----	26.025 -	1.389 ----	1	----	----	----	0 - 1
5000	----	----	----	----	----	25.025 -	1.389 ----	40	----	----	----	0 - 40
5250	----	----	----	----	----	22.525 -	1.389 ----	11	----	----	----	0 - 11
5300	----	----	----	----	----	22.025 -	1.389 ----	76	----	----	----	0 - 76
5350	----	----	----	----	----	21.525 -	1.389 ----	----	----	----	----	0 UNCH
5400	----	----	----	----	----	21.025 -	1.389 ----	44	----	----	----	0 - 44
5450	----	----	----	----	----	20.525 -	1.389 ----	50	----	----	----	0 - 50
5500	----	----	----	----	----	20.025 -	1.389 ----	8	----	----	----	0 - 8
5525	----	----	----	----	----	19.775 -	1.389 ----	----	----	----	----	0 UNCH
5550	----	----	----	----	----	19.525 -	1.389 ----	6	----	----	----	0 - 6
5600	----	----	----	----	----	19.025 -	1.389 ----	107	----	----	----	0 - 107
5625	----	----	----	----	----	18.775 -	1.389 ----	6	----	----	----	0 - 6
5650	----	----	----	----	----	18.525 -	1.389 ----	31	----	----	----	0 - 31
5675	----	----	----	----	----	18.275 -	1.390 ----	6	----	----	----	0 - 6
5700	----	----	----	----	----	18.025 -	1.390 ----	1	----	----	----	0 - 1
5750	----	----	----	----	----	17.525 -	1.390 ----	7	----	----	----	0 - 7
5800	----	----	----	----	----	17.025 -	1.390 ----	1	----	----	----	0 - 1
5825	----	----	----	----	----	16.775 -	1.390 ----	11	----	----	----	0 - 11
5850	----	----	----	----	----	16.525 -	1.390 ----	2	----	----	----	0 - 2
5900	----	----	----	----	----	16.025 -	1.391 ----	124	----	----	----	0 - 124
5925	----	----	----	----	----	15.775 -	1.391 ----	----	----	----	----	0 UNCH
5950	----	----	----	----	----	15.525 -	1.391 ----	15	----	----	----	0 - 15
6000	----	----	----	15.200B/----	----	15.025 -	1.392 ----	106	----	----	----	0 - 106
6050	----	----	----	----	----	14.525 -	1.392 ----	1	----	----	----	0 - 1
6075	----	----	----	----	----	14.275 -	1.393 ----	72	----	----	----	0 - 72
6100	----	----	----	----	----	14.025 -	1.393 ----	----	----	----	----	0 UNCH
6125	----	----	----	----	----	13.775 -	1.393 ----	1	----	----	----	0 - 1
6150	----	----	----	----	----	13.525 -	1.394 ----	2	----	----	----	0 - 2
6175	----	----	----	----	----	13.275 -	1.394 ----	1	----	----	----	0 - 1
6200	----	----	----	----	----	13.025 -	1.395 ----	----	----	----	----	0 UNCH
6225	----	----	----	----	----	12.775 -	1.395 ----	17	----	----	----	0 - 17
6250	----	----	----	----	----	12.525 -	1.396 ----	3	----	----	----	0 - 3
6275	----	----	----	----	----	12.275 -	1.396 ----	4	----	----	----	0 - 4
6300	----	----	----	----	----	12.025 -	1.397 ----	24	----	----	----	0 - 24
6325	----	----	----	----	----	11.775 -	1.399 ----	3	----	----	----	0 - 3
6350	----	----	----	----	----	11.525 -	1.401 ----	7	----	----	----	0 - 7
6375	----	----	----/11.562A	11.293B/11.562A	----	11.275 -	1.403 ----	48	----	----	----	0 - 48
6400	----	----	----/11.329A	11.164B/11.329A	----	11.025 -	1.404 ----	62	----	----	----	0 - 62
6425	----	----	----/11.177A	10.997B/11.177A	----	10.775 -	1.405 ----	6	----	----	----	0 - 6
6450	----	----	----/10.925A	10.748B/10.925A	----	10.525 -	1.406 ----	4	----	----	----	0 - 4
6475	----	----	----/10.675A	10.561B/10.675A	----	10.275 -	1.406 ----	6	----	----	----	0 - 6
6500	----	----	----/10.280A	10.404B/10.280A	----	10.025 -	1.406 ----	162	----	----	----	0 - 162
6525	----	----	----/10.060A	10.108B/10.060A	----	9.775 -	1.407 ----	28	----	----	----	0 - 28
6550	----	----	----/9.927A	9.813B/9.927A	----	9.525 -	1.407 ----	8	----	----	----	0 - 8
6575	----	----	----/9.590A	9.564B/9.590A	----	9.275 -	1.407 ----	3	----	----	----	0 - 3
6600	----	----	----/9.309A	9.315B/9.309A	----	9.025 -	1.408 ----	9	----	----	----	0 - 9
6625	----	----	----/9.059A	9.066B/9.059A	----	8.775 -	1.409 ----	7	----	----	----	0 - 7
6650	----	----	----/8.809A	8.817B/8.809A	----	8.525 -	1.410 ----	6	----	----	----	0 - 6
6675	----	----	----/8.650A	8.568B/8.650A	----	8.275 -	1.412 ----	1	----	----	----	0 - 1
6700	----	----	----/8.234A	8.410B/8.234A	----	8.025 -	1.414 ----	170	----	----	----	0 - 170
6750	----	----	----/7.806A	7.821B/7.806A	----	7.525 -	1.419 ----	10	----	----	----	0 - 10
6800	----	----	----/6.850A	7.414B/6.850A	----	7.025 -	1.425 ----	56	----	----	----	0 - 56
6825	----	----	----/6.629A	7.165B/6.629A	----	6.775 -	1.428 ----	107	----	----	----	0 - 107
6850	----	----	----/6.471A	6.824B/6.471A	----	6.525 -	1.431 ----	1	----	----	----	0 - 1
6875	----	----	----/6.256A	6.575B/6.256A	----	6.275 -	1.434 ----	1	----	----	----	0 - 1
6900	----	----	----/5.881A	6.418B/5.881A	----	6.025 -	1.437 ----	195	----	----	----	0 - 195
6925	----	----	----/5.711A	6.077B/5.711A	----	5.775 -	1.439 ----	12	----	----	----	0 - 12
6950	----	----	----/5.507A	5.828B/5.507A	----	5.525 -	1.441 ----	5	----	----	----	0 - 5
7000	4.922	4.922	4.922/4.787	5.422B/4.787	----	5.025 -	1.447 ----	438	----	3	----	0 - 440
7025	----	----	----/4.712A	5.080B/4.712A	----	4.775 -	1.452 ----	11	----	----	----	0 - 11
7050	----	----	----/4.454A	4.877B/4.454A	----	4.525 -	1.457 ----	26	----	----	----	0 - 26
7075	----	----	----/4.213A	4.582B/4.213A	----	4.275 -	1.464 ----	6	----	----	----	0 - 6
7100	----	----	----/3.899A	4.424B/3.899A	----	4.025 -	1.473 ----	64	----	----	----	0 - 64
7125	----	----	----/3.761A	4.083B/3.761A	----	3.775 -	1.482 ----	4	----	----	----	0 - 4
7150	----	----	----/3.512A	3.834B/3.512A	----	3.525 -	1.493 ----	2	----	----	----	0 - 2
7175	----	----	----/3.213A	3.584B/3.213A	----	3.275 -	1.504 ----	13	----	----	----	0 - 13
7200	----	----	----/2.902A	3.428B/2.902A	----	3.025 -	1.516 ----	52	----	----	----	0 - 52
7225	----	----	----/2.714A	3.086B/2.714A	----	2.775 -	1.529 ----	8	----	----	----	0 - 8
7250	----	----	----/*2.405A	2.928B/*2.405A	----	2.525 -	1.543 ----	56	----	----	----	0 - 56
7275	----	----	----/*2.271A	2.585B/*2.271A	----	2.275 -	1.558 ----	2	----	----	----	0 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

SO CALL — COMEX SILVER OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
7300	----	----	----/1.894A	2.428B/1.894A	----	2.025 - 1.575	----	142	----	----	----	0 - 142
7325	----	----	----/*1.777A	2.088B/*1.777A	----	1.775 - 1.595	----	3	----	1	----	0 - 3
7350	----	----	----/*1.392A	1.935B/*1.392A	----	1.525 - 1.618	----	51	----	----	----	0 - 51
7375	----	----	----/*1.159A	1.692B/*1.159A	----	1.275 - 1.645	----	86	----	----	----	0 - 86
7400	0.870	0.870	1.110/*0.870	1.450B/*0.870	----	1.025 - 1.678	----	45	----	2	----	0 - 45
7425	----	----	----/*0.734A	1.128B/*0.734A	----	0.775 - 1.717	----	7	----	----	----	0 - 7
7450	----	----	----/*0.478A	0.904B/*0.478A	----	0.525 - 1.764	----	17	----	----	----	0 - 17
7460	----	----	----/*0.381A	0.850B/*0.381A	----	0.425 - 1.785	----	1	----	1	----	0 - 1
7475	----	----	----/*0.279A	0.851B/*0.279A	----	0.275 - 1.819	----	7	----	----	----	0 - 7
7480	----	----	----/*0.252A	0.851B/*0.252A	----	0.225 - 1.831	----	1	----	----	----	0 - 1
7500	0.963	0.963	1.667/*0.040	1.667/*0.040	----	0.025 - 1.882	----	406	----	262	----	0 - 403
7520	----	----	----/*0.053A	0.847B/*0.053A	----	0.000 - 1.764	----	----	----	1	----	0 - 1
7525	----	----	----/*0.046A	0.836B/*0.046A	----	0.000 - 1.730	----	----	----	2	----	0 - 16
7530	----	----	----/*0.048A	0.879B/*0.048A	----	0.000 - 1.695	----	----	----	----	----	0 - 4
7535	----	----	----/*0.041A	0.849B/*0.041A	----	0.000 - 1.661	----	----	----	----	----	0 - 2
7540	----	----	----/*0.037A	0.819B/*0.037A	----	0.000 - 1.628	----	----	----	----	----	0 - 2
7545	----	----	----/*0.034A	0.813B/*0.034A	----	0.000 - 1.594	----	----	----	----	----	0 - 2
7550	0.530	0.530	0.823B/*0.029A	0.823B/*0.029A	----	0.000 - 1.561	----	----	----	12	----	0 - 14
7555	----	----	----/*0.033A	0.809B/*0.033A	----	0.000 - 1.529	----	----	----	----	----	0 - 7
7565	----	----	----/*0.033A	0.836B/*0.033A	----	0.000 - 1.465	----	----	----	----	----	0 - 1
7570	----	----	----/*0.034A	0.803B/*0.034A	----	0.000 - 1.434	----	----	----	----	----	0 - 3
7575	0.010	0.010	0.010/*0.010	0.803B/*0.010	----	0.000 - 1.403	----	----	----	1	----	0 - 9
7580	0.140	0.140	0.140/*0.033A	0.806B/*0.033A	----	0.000 - 1.373	----	----	----	10	----	0 - 1
7585	----	----	----/*0.040A	0.830B/*0.040A	----	0.000 - 1.342	----	----	----	----	----	0 - 2
7590	0.250	0.250	0.250/*0.038A	0.798B/*0.038A	----	0.000 - 1.313	----	----	----	10	----	0 - 1
7595	----	----	----/*0.051A	0.792B/*0.051A	----	0.000 - 1.283	----	----	----	----	----	0 - 2
7600	0.332	0.332	0.769B/*0.047A	0.769B/*0.047A	----	0.000 - 1.254	----	----	----	43	----	0 - 143
7605	----	----	----/*0.044A	0.728B/*0.044A	----	0.000 - 1.226	----	----	----	----	----	0 - 2
7610	----	----	----/*0.056A	0.702B/*0.056A	----	0.000 - 1.198	----	----	----	----	----	0 - 1
7615	----	----	----/*0.048A	0.672B/*0.048A	----	0.000 - 1.170	----	----	----	----	----	0 - 2
7620	----	----	----/*0.054A	0.640B/*0.054A	----	0.000 - 1.142	----	----	----	----	----	0 - 2
7625	0.271	0.271	0.609B/*0.049A	0.609B/*0.049A	----	0.000 - 1.115	----	----	----	14	----	0 - 13
7630	----	----	----/*0.053A	0.580B/*0.053A	----	0.000 - 1.089	----	----	----	----	----	0 - 1
7635	----	----	----/*0.059A	0.546B/*0.059A	----	0.000 - 1.062	----	----	----	----	----	0 - 3
7640	----	----	----/*0.057A	0.518B/*0.057A	----	0.000 - 1.036	----	----	----	----	----	0 - 4
7645	----	----	----/*0.053A	0.496B/*0.053A	----	0.000 - 1.011	----	----	----	----	----	0 - 10
7650	0.267	0.267	0.466B/*0.001A	0.466B/*0.001A	----	0.000 - 0.986	----	----	----	4	----	0 - 33
7655	----	----	----/*0.035A	0.454B/*0.035A	----	0.000 - 0.961	----	----	----	----	----	0 - 8
7660	----	----	----/*0.035A	0.411B/*0.035A	----	0.000 - 0.937	----	----	----	----	----	0 - 28
7665	----	----	----/*0.055A	0.410B/*0.055A	----	0.000 - 0.913	----	----	----	----	----	0 - 13
7675	0.250	0.250	0.250/*0.058A	0.356B/*0.058A	----	0.000 - 0.866	----	----	----	10	----	0 - 13
7680	----	----	----/*0.058A	0.345B/*0.058A	----	0.000 - 0.843	----	----	----	----	----	0 - 4
7685	----	----	----/*0.073A	0.326B/*0.073A	----	0.000 - 0.821	----	----	----	----	----	0 - 5
7690	----	----	----/*0.078A	0.307B/*0.078A	----	0.000 - 0.799	----	----	----	1	----	0 - 3
7695	----	----	----/*0.076A	0.287B/*0.076A	----	0.000 - 0.777	----	----	----	1	----	0 - 6
7700	0.154	0.154	0.365B/*0.001A	0.365B/*0.001A	----	0.000 - 0.756	----	----	----	27	----	0 - 266
7705	----	----	----/*0.069A	0.264B/*0.069A	----	0.000 - 0.735	----	----	----	----	----	0 - 5
7710	----	----	----/*0.062A	0.330B/*0.062A	----	0.000 - 0.715	----	----	----	----	----	0 - 2
7715	----	----	----/*0.063A	0.255B/*0.063A	----	0.000 - 0.695	----	----	----	----	----	0 - 5
7720	----	----	----/*0.066A	0.320B/*0.066A	----	0.000 - 0.675	----	----	----	----	----	0 - 3
7725	0.140	0.140	0.140/*0.061A	0.330B/*0.061A	----	0.000 - 0.656	----	----	----	8	----	0 - 15
7735	----	----	----/*0.065A	0.236B/*0.065A	----	0.000 - 0.619	----	----	----	----	----	0 - 1
7740	----	----	----/*0.066A	0.229B/*0.066A	----	0.000 - 0.601	----	----	----	----	----	0 - 2
7745	----	----	----/*0.053A	0.218B/*0.053A	----	0.000 - 0.583	----	----	----	----	----	0 - 3
7750	0.310	0.310	0.310/*0.005	0.310/*0.005	----	0.000 - 0.566	----	----	----	9	----	0 - 13
7755	----	----	----/*0.052A	0.205B/*0.052A	----	0.000 - 0.550	----	----	----	----	----	0 - 1
7760	----	----	----/*0.050A	0.197B/*0.050A	----	0.000 - 0.533	----	----	----	----	----	0 - 2
7765	----	----	----/*0.051A	0.184B/*0.051A	----	0.000 - 0.517	----	----	----	----	----	0 - 1
7770	----	----	----/*0.055A	0.174B/*0.055A	----	0.000 - 0.502	----	----	----	----	----	0 - 1
7775	0.160	0.160	0.167B/*0.055A	0.167B/*0.055A	----	0.000 - 0.487	----	----	----	2	----	0 - 4
7780	----	----	----/*0.054A	0.156B/*0.054A	----	0.000 - 0.472	----	----	----	----	----	0 - 1
7785	----	----	----/*0.054A	0.148B/*0.054A	----	0.000 - 0.458	----	----	----	----	----	0 - 1
7790	----	----	----/*0.047A	0.137B/*0.047A	----	0.000 - 0.444	----	----	----	----	----	0 - 4
7795	----	----	----/*0.053A	0.124B/*0.053A	----	0.000 - 0.430	----	----	----	----	----	0 - 2
7800	0.010	0.010	0.010/*0.010	0.118B/*0.010	----	0.000 - 0.417	----	----	----	2	----	0 - 147
7805	----	----	----/*0.054A	0.114B/*0.054A	----	0.000 - 0.404	----	----	----	----	----	0 - 9
7810	----	----	----/*0.053A	0.105B/*0.053A	----	0.000 - 0.391	----	----	----	----	----	0 - 5
7815	----	----	----/*0.055A	0.098B/*0.055A	----	0.000 - 0.379	----	----	----	----	----	0 - 5
7820	----	----	----/*0.067A	0.091B/*0.067A	----	0.000 - 0.367	----	----	----	----	----	0 - 2
7825	----	----	----/*0.064A	0.085B/*0.064A	----	0.000 - 0.356	----	----	----	----	----	0 - 5
7835	----	----	----/*0.063A	0.072B/*0.063A	----	0.000 - 0.334	----	----	----	----	----	0 - 1
7840	----	----	----/*0.057A	0.067B/*0.057A	----	0.000 - 0.324	----	----	----	----	----	0 - 3
7845	----	----	----/*0.038A	0.062B/*0.038A	----	0.000 - 0.314	----	----	----	----	----	0 - 3
7850	----	----	----/*0.023A	0.057B/*0.023A	----	0.000 - 0.304	----	----	----	----	----	0 - 38
7855	----	----	----/*0.054A	0.052B/*0.054A	----	0.000 - 0.295	----	----	----	----	----	0 - 9
7860	----	----	----/*0.053A	0.047B/*0.053A	----	0.000 - 0.285	----	----	----	----	----	0 - 5
7865	----	----	----/*0.051A	0.043B/*0.051A	----	0.000 - 0.276	----	----	----	----	----	0 - 1
7870	0.050	0.050	0.050/*0.050	0.080B/*0.050	----	0.000 - 0.268	----	----	----	1	----	0 - 2
7875	0.010	0.010	0.010/*0.010	0.035B/*0.010	----	0.000 - 0.260	----	----	----	5	----	0 - 50
7880	----	----	----/*0.050A	0.032B/*0.050A	----	0.000 - 0.252	----	----	----	----	----	0 - 7
7890	----	----	----/*0.048A	0.026B/*0.048A	----	0.000 - 0.236	----	----	----	----	----	0 - 1
7895	----	----	----/*0.048A	0.022B/*0.048A	----	0.000 - 0.229	----	----	----	----	----	0 - 7
7900	0.002	0.002	0.002/*0.002	0.019B/*0.002	----	0.000 - 0.222	----	----	----	1	----	0 - 89
7905	----	----	----/*0.046A	0.017B/*0.046A	----	0.000 - 0.215	----	----	----	----	----	0 - 5
7910	----	----	----/*0.046A	0.014B/*0.046A	----	0.000 - 0.208	----	----	----	----	----	0 - 4
7915	----	----	----/*0.044A	0.013B/*0.044A	----	0.000 - 0.202	----	----	----	----	----	0 - 5
7920	----	----	----/*0.033A	0.010B/*0.033A	----	0.000 - 0.196	----	----	----	----	----	0 - 3
7925	----	----	----/*0.044A	0.035B/*0.044A	----	0.000 - 0.190	----	----	----	----	----	0 - 15
7930	----	----	----/*0.042A	0.035B/*0.042A	----	0.000 - 0.184	----	----	----	----	----	0 - 3
7935	----	----	----/*0.042A	0.002B/*0.042A	----	0.000 - 0.179	----	----	----	----	----	0 - 2
7940	----	----	----/*0.029A	0.001B/*0.029A	----	0.000 - 0.173	----	----	----	----	----	0 - 6
7945	----	----	----/*0.041A	----/*0.041A	----	0.000 - 0.168	----	----	----	----	----	0 - 6
7950	----	----	----/*0.030A	----/*0.030A	----	0.000 - 0.163	----	----	----	----	----	0 - 34
7955	----	----	----/*0.040A	0.040B/*0.040A	----	0.000 - 0.158	----	----	----	----	----	0 - 9
7960	----	----	----/*0.040A	----/*0.040A	----	0.000 - 0.153	----	----	----	----	----	0 - 15
7965	----	----	----/*0.029A	----/*0.029A	----	0.000 - 0.149	----	----	----	----	----	0 - 2
7970	----	----	----/*0.039A	----/*0.039A	----	0.000 - 0.144	----	----	----	----	----	0 - 15
7975	----	----	----/*0.032A	----/*0.032A	----	0.000 - 0.140	----	----	----	----	----	0 - 15
7980	----	----	----/*0.038A	----/*0.038A	----	0.000 - 0.136	----	----	----	----	----	0 - 11
7985	----	----	----/*0.037A	----/*0.037A	----	0.000 - 0.132	----	----	----	----	----	0 - 3
7990	----	----	----/*0.029A	----/*0.029A	----	0.000 - 0.128	----	----	----	----	----	0 - 14
7995	----	----	----/*0.036A	----/*0.036A	----	0.000 - 0.124	----	----	----	----	----	0 - 26
8000	0.035	0.035	0.035/*0.009A	0.036B/*0.009A	----	0.000 - 0.121	----	----	----	10	----	0 - 1276
8005	----	----	----/*0.035A	----/*0.035A	----	0.000 - 0.117	----	----	----	----	----	0 - 26
8010	----	----	----/*0.035A	----/*0.035A	----	0.000 - 0.114	----	----	----	----	----	0 - 34
8015	----	----	----/*0.033A	----/*0.033A	----	0.000 - 0.111	----	----	----	----	----	0 - 10
8020	----	----	----/*0.034A	----/*0.034A	----	0.000 - 0.108	----	----	----	----	----	0 - 5
8025	----	----	----/*0.033A	----/*0.033A	----	0.000 - 0.105	----	----	----	----	----	0 - 30
8030	----	----	----/*0.032A	0.008B/*0.032A	----	0.000 - 0.102	----	----	----	----	----	0 - 28
8035	----	----	----/*0.033A	----/*0.033A	----	0.000 - 0.099	----	----	----	----	----	0 - 4
8040	----	----	----/*0.028A	----/*0.028A	----	0.000 - 0.096	----	----	----	----	----	0 - 3
8045	----	----	----/*0.035A	----/*0.035A	----	0.000 - 0.093	----	----	----	----	----	0 - 2
8050	0.040	0.040	0.040/*0.035A	0.040/*0.035A	----	0.000 - 0.091	----	----	----	5	----	0 - 51
8055	----	----	----/*0.026A	----/*0.026A	----	0.000 - 0.088	----	----	----	----	----	0 - 3
8060	----	----	----/*0.034A	----/*0.034A	----	0.000 - 0.086	----	----	----	----	----	0 - 1
8065	----	----	----/*0.032A	----/*0.032A	----	0.000 - 0.083	----	----	----	----	----	0 - 9
8070	----	----	----/*0.026A	----/*0.026A	----	0.000 - 0.081	----	----	----	----	----	0 - 13
8075	----	----	----/*0.033A	----/*0.033A	----	0.000 - 0.079	----	----	----	----	----	0 - 11
8080	----	----	----/*0.031A	----/*0.031A	----	0.000 - 0.077	----	----	----	----	----	0 - 2
8085	----	----	----/*0.030A	----/*0.030A	----	0.000 - 0.075	----	----	----	----	----	0 - 1
8090	----	----	----/*0.032A	----/*0.032A	----	0.000 - 0.073	----	----	----	----	----	0 - 21
8095	----	----	----/*0.026A	----/*0.026A	----	0.000 - 0.071	----	----	----	----	----	0 - 13
8100	----	----	----/*0.010A	----/*0.010A	----	0.000 - 0.069	----	----	----	1	----	0 - 334
8105	----	----	----/*0.026A	----/*0.026A	----	0.000 - 0.067	----	----	----	----	----	0 - 2
8110	----	----	----/*0.031A	----/*0.031A	----	0.000 - 0.065	----	----	----	----	----	0 - 2
8115	----	----	----/*0.028A	----/*0.028A	----	0.000 - 0.064	----	----	----	----	----	0 - 4
8125	----	----	----/*0.030A	----/*0.030A	----	0.000 - 0.060	----	----	----	----	----	0 - 3
8140	----	----	----/*0.026A	----/*0.026A	----	0.000 - 0.056	----	----	----	----	----	0 - 4
8150	----	----	----/*0.029A	----/*0.029A	----	0.000 - 0.053	----	----	----	----	----	0 - 14
8170	----	----	----/*0.028A	----/*0.028A	----	0.000 - 0.047	----	----	----	----	----	0 - 3
8175	----	----	----/*0.028A	----/*0.028A	----	0.000 - 0.046	----	----	----	----	----	0 - 17
8195	----	----	----/*0.025A	----/*0.025A	----	0.000 - 0.041	----	----	----	----	----	0 - 1
8200	0.040	0.040	0.040/*0.003	0.040/*0.003	----	0.000 - 0.040	----	----	----	4	----	0 - 136
8205	----	----	----/*0.027A	----/*0.027A	----	0.000 - 0.039	----	----	----	----	----	0 - 1
8210	----	----	----/*0.027A	----/*0.027A	----	0.000 - 0.038	----	----	----	----	----	0 - 2
8220	----	----	----/*0.026A	----/*0.026A	----	0.000 - 0.036	----	----	----	----	----	0 - 2
8225	----	----	----/*0.026A	----/*0.026A	----	0.000 - 0.035	----	----	----	----	----	0 - 3
8235	----	----	----/*0.027A	----/*0.027A	----	0.000 - 0.033	----	----	----	----	----	0 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
8240	----	----	----/*0.028A	----/*0.028A	----	0.000 - 0.032	----	----	----	----	----	0 - 2
8250	----	----	----/*0.025A	----/*0.025A	----	0.000 - 0.031	----	----	----	----	----	0 - 157
8255	----	----	----/*0.027A	----/*0.027A	----	0.000 - 0.030	----	----	----	----	----	0 - 4
8260	----	----	----/*0.027A	----/*0.027A	----	0.000 - 0.029	----	----	----	----	----	0 - 1
8265	----	----	----/*0.027A	----/*0.027A	----	0.000 - 0.029	----	----	----	----	----	0 - 2
8270	----	----	----/*0.025A	----/*0.025A	----	0.000 - 0.028	----	----	----	----	----	0 - 10
8275	----	----	----/*0.025A	----/*0.025A	----	0.000 - 0.027	----	----	----	----	----	0 - 6
8280	----	----	----	----/*0.028A	----	0.000 - 0.027	----	----	----	----	----	0 - 17
8285	----	----	----	----/*0.028A	----	0.000 - 0.026	----	----	----	----	----	0 - 1
8290	----	----	----/*0.021A	----/*0.021A	----	0.000 - 0.026	----	----	----	----	----	0 - 17
8295	----	----	----	----/*0.026A	----	0.000 - 0.025	----	----	----	----	----	0 - 2
8300	0.020	0.020	0.020/*0.015A	0.020/*0.015A	----	0.000 - 0.024	----	----	----	1	----	0 - 141
8310	----	----	----	----/*0.025A	----	0.000 - 0.023	----	----	----	----	----	0 - 8
8325	----	----	----	----/*0.028A	----	0.000 - 0.022	----	----	----	----	----	0 - 5
8330	----	----	----	----/*0.028A	----	0.000 - 0.022	----	----	----	----	----	0 - 1
8335	----	----	----	----/*0.027A	----	0.000 - 0.021	----	----	----	----	----	0 - 2
8340	----	----	----	----/*0.028A	----	0.000 - 0.021	----	----	----	----	----	0 - 32
8345	----	----	----	----/*0.034A	----	0.000 - 0.020	----	----	----	----	----	0 - 16
8350	----	----	----	----/*0.026A	----	0.000 - 0.020	----	----	----	1	----	0 - 38
8360	----	----	----/*0.001A	----/*0.001A	----	0.000 - 0.019	----	----	----	----	----	0 - 9
8365	----	----	----	----/*0.035A	----	0.000 - 0.019	----	----	----	----	----	0 - 1
8370	----	----	----	----/*0.034A	----	0.000 - 0.019	----	----	----	----	----	0 - 5
8375	----	----	----	----/*0.034A	----	0.000 - 0.018	----	----	----	----	----	0 - 7
8395	----	----	----	----/0.034A	----	0.000 - 0.017	----	----	----	----	----	0 - 2
8400	----	----	----	----/*0.034A	----	0.000 - 0.017	----	----	----	----	----	0 - 152
8410	----	----	----	----/*0.034A	----	0.000 - 0.016	----	----	----	----	----	0 - 3
8415	0.005	0.005	0.005/*0.005	0.005/*0.005	----	0.000 - 0.016	----	----	----	1	----	0 - 2
8420	----	----	----	----/*0.034A	----	0.000 - 0.016	----	----	----	----	----	0 - 5
8425	----	----	----	----/*0.033A	----	0.000 - 0.016	----	----	----	----	----	0 - 6
8430	----	----	----	----/*0.025A	----	0.000 - 0.015	----	----	----	----	----	0 - 2
8435	----	----	----	----/*0.034A	----	0.000 - 0.015	----	----	----	----	----	0 - 2
8440	----	----	----	----/*0.033A	----	0.000 - 0.015	----	----	----	----	----	0 - 1
8450	0.005	0.005	0.005/*0.005	0.005/*0.005	----	0.000 - 0.015	----	----	----	1	----	0 - 175
8455	----	----	----	----/*0.033A	----	0.000 - 0.014	----	----	----	----	----	0 - 2
8460	----	----	----	----/*0.032A	----	0.000 - 0.014	----	----	----	----	----	0 - 1
8475	----	----	----	----/*0.033A	----	0.000 - 0.014	----	----	----	----	----	0 - 4
8480	----	----	----	----/*0.033A	----	0.000 - 0.013	----	----	----	----	----	0 - 1
8485	----	----	----	----/0.032A	----	0.000 - 0.013	----	----	----	----	----	0 - 1
8490	----	----	----	----/*0.033A	----	0.000 - 0.013	----	----	----	----	----	0 - 2
8500	0.005	0.005	0.005/*0.005	0.005/*0.005	----	0.000 - 0.013	----	----	----	1	----	0 - 909
8505	----	----	----	----/*0.025A	----	0.000 - 0.013	----	----	----	----	----	0 - 5
8510	----	----	----	----/*0.031A	----	0.000 - 0.013	----	----	----	----	----	0 - 2
8515	----	----	----	----/*0.032A	----	0.000 - 0.012	----	----	----	----	----	0 - 1
8525	----	----	----	----/*0.032A	----	0.000 - 0.012	----	----	----	----	----	0 - 22
8530	----	----	----	----/*0.031A	----	0.000 - 0.012	----	----	----	----	----	0 - 1
8535	----	----	----	----/*0.026A	----	0.000 - 0.012	----	----	----	----	----	0 - 1
8540	----	----	----	----/*0.025A	----	0.000 - 0.012	----	----	----	----	----	0 - 14
8545	----	----	----	----/*0.030A	----	0.000 - 0.012	----	----	----	----	----	0 - 4
8550	----	----	----	----/0.030A	----	0.000 - 0.012	----	----	----	----	----	0 - 9
8565	----	----	----	----/*0.027A	----	0.000 - 0.011	----	----	----	----	----	0 - 10
8575	----	----	----	----/*0.029A	----	0.000 - 0.011	----	----	----	----	----	0 - 34
8580	----	----	----	0.002B/*0.026A	----	0.000 - 0.011	----	----	----	----	----	0 - 1
8590	----	----	----	----/*0.027A	----	0.000 - 0.011	----	----	----	----	----	0 - 1
8595	----	----	----	----/*0.031A	----	0.000 - 0.011	----	----	----	----	----	0 - 4
8600	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.011	----	----	----	1	----	0 - 441
8605	----	----	----	0.002B/*0.048A	----	0.000 - 0.011	----	----	----	----	----	0 - 9
8615	----	----	----	----/*0.031A	----	0.000 - 0.010	----	----	----	----	----	0 - 1
8620	----	----	----	----/*0.023A	----	0.000 - 0.010	----	----	----	----	----	0 - 5
8625	----	----	----	----/*0.032A	----	0.000 - 0.010	----	----	----	----	----	0 - 3
8630	----	----	----	----/*0.031A	----	0.000 - 0.010	----	----	----	----	----	0 - 2
8635	----	----	----	----/*0.032A	----	0.000 - 0.010	----	----	----	----	----	0 - 1
8640	----	----	----	----/*0.047A	----	0.000 - 0.010	----	----	----	----	----	0 - 1
8650	----	----	----	----/0.052A	----	0.000 - 0.010	----	----	----	----	----	0 - 9
8660	----	----	----	----/0.049A	----	0.000 - 0.010	----	----	----	----	----	0 - 1
8670	----	----	----	----/*0.032A	----	0.000 - 0.010	----	----	----	----	----	0 - 1
8675	----	----	----	----/*0.033A	----	0.000 - 0.009	----	----	----	----	----	0 - 1
8695	----	----	----	----/*0.032A	----	0.000 - 0.009	----	----	----	----	----	0 - 2
8700	----	----	----	----/0.033A	----	0.000 - 0.009	----	----	----	----	----	0 - 145
8705	----	----	----	----/*0.026A	----	0.000 - 0.009	----	----	----	----	----	0 - 21
8725	----	----	----	----/0.030A	----	0.000 - 0.008	----	----	----	----	----	0 - 2
8750	----	----	----	----/0.034A	----	0.000 - 0.008	----	----	----	----	----	0 - 76
8775	----	----	----	----/*0.033A	----	0.000 - 0.007	----	----	----	----	----	0 - 17
8800	----	----	----	----/*0.033A	----	0.000 - 0.007	----	----	----	----	----	0 - 674
8850	----	----	----	----/*0.026A	----	0.000 - 0.006	----	----	----	----	----	0 - 3
8875	----	----	----	----/0.027A	----	0.000 - 0.005	----	----	----	----	----	0 - 11
8900	----	----	----	----/0.034A	----	0.000 - 0.005	----	----	----	----	----	0 - 96
8925	----	----	----	----/0.033A	----	0.000 - 0.005	----	----	----	----	----	0 - 8
8950	----	----	----	----/*0.025A	----	0.000 - 0.004	----	----	----	----	----	0 - 80
8975	----	----	----	----/0.034A	----	0.000 - 0.004	----	----	----	----	----	0 - 25
9000	0.001	0.001	0.001/*0.001	0.002B/*0.001	----	0.000 - 0.004	----	----	----	8	----	0 - 1201
9025	----	----	----	----/*0.026A	----	0.000 - 0.004	----	----	----	----	----	0 - 23
9050	----	----	----	----/0.034A	----	0.000 - 0.004	----	----	----	----	----	0 - 29
9075	----	----	----	----/*0.026A	----	0.000 - 0.003	----	----	----	----	----	0 - 6
9100	----	----	----	----/*0.026A	----	0.000 - 0.003	----	----	----	----	----	0 - 76
9125	----	----	----	----/0.033A	----	0.000 - 0.003	----	----	----	----	----	0 - 5
9150	----	----	----	----/0.034A	----	0.000 - 0.003	----	----	----	----	----	0 - 29
9175	----	----	----	----/0.035A	----	0.000 - 0.003	----	----	----	----	----	0 - 8
9200	----	----	----/*0.001A	----/*0.001A	----	0.000 - 0.003	----	----	----	----	----	0 - 155
9225	----	----	----	----/0.033A	----	0.000 - 0.003	----	----	----	----	----	0 - 17
9250	----	----	----	----/0.035A	----	0.000 - 0.003	----	----	----	----	----	0 - 37
9275	----	----	----	----/0.026A	----	0.000 - 0.002	----	----	----	----	----	0 - 29
9300	----	----	----	----/0.035A	----	0.000 - 0.002	----	----	----	----	----	0 - 151
9325	----	----	----	----/0.034A	----	0.000 - 0.002	----	----	----	----	----	0 - 6
9350	----	----	----	----/*0.008A	----	0.000 - 0.002	----	----	----	----	----	0 - 48
9375	----	----	----	----/0.034A	----	0.000 - 0.002	----	----	----	----	----	0 - 13
9400	----	----	----	----/0.026A	----	0.000 - 0.002	----	----	----	----	----	0 - 53
9425	----	----	----	----/0.026A	----	0.000 - 0.002	----	----	----	----	----	0 - 8
9450	----	----	----	----/0.035A	----	0.000 - 0.002	----	----	----	----	----	0 - 21
9475	----	----	----	----/0.034A	----	0.000 - 0.002	----	----	----	----	----	0 - 17
9500	----	----	----	----/*0.004A	----	0.000 - 0.002	----	----	----	----	----	0 - 790
9525	----	----	----	----/0.035A	----	0.000 - 0.002	----	----	----	----	----	0 - 21
9550	----	----	----	----/0.035A	----	0.000 - 0.002	----	----	----	----	----	0 - 30
9575	----	----	----	----/0.035A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
9600	----	----	----	----/0.034A	----	0.000 - 0.001	----	----	----	----	----	0 - 113
9625	----	----	----	----/0.033A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
9650	----	----	----	----/0.034A	----	0.000 - 0.001	----	----	----	----	----	0 - 15
9675	----	----	----	----/0.034A	----	0.000 - 0.001	----	----	----	----	----	0 - 13
9700	----	----	----	----/*0.026A	----	0.000 - 0.001	----	----	----	----	----	0 - 67
9725	----	----	----	----/*0.026A	----	0.000 - 0.001	----	----	----	----	----	0 - 8
9750	----	----	----	----/0.035A	----	0.000 - 0.001	----	----	----	----	----	0 - 63
9775	----	----	----	----/0.034A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
9800	----	----	----	----/*0.026A	----	0.000 - 0.001	----	----	----	----	----	0 - 98
9825	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 12
9850	----	----	----	----/0.035A	----	0.000 - 0.001	----	----	----	----	----	0 - 30
9875	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
9900	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 239
9925	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
9950	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 21
9975	----	----	----	----/0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
10000	----	----	----	----/*0.010A	----	0.000 - 0.001	----	----	----	----	----	0 - 1047
10025	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
10050	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 23
10075	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
10100	----	----	----	----/0.030A	----	0.000 - 0.001	----	----	----	----	----	0 - 63
10125	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10175	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10200	----	----	----	----/0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 28
10225	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10250	----	----	----	----/0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
10275	----	----	----	----/0.033A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
10300	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 204
10305	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
10325	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10350	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
10375	----	----	----	----/0.068A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10400	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 29
10425	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 19
10450	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 50

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
10480	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
10485	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
10490	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10500	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.001	----	----	----	1	----	0 - 282
10515	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 7
10520	----	----	----	----/0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
10550	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
10555	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10560	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 26
10570	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10575	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10580	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10595	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
10600	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 23
10605	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
10610	----	----	----	----/0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10615	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10625	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10630	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10650	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10655	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10670	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10675	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
10680	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 7
10685	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10690	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10700	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 93
10720	----	----	----	----/0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10725	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
10750	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10755	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10760	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
10765	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
10770	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10800	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 21
10825	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10835	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10850	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 12
10855	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
10875	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
10900	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 40
10925	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
10950	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
10975	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 9
11000	----	----	----	----/*0.003A	----	0.000 - 0.001	----	----	----	----	----	0 - 695
11025	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
11050	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11075	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11100	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 59
11125	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
11150	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11200	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 262
11225	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 40
11240	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11245	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11250	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 22
11255	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11260	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11265	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11275	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11290	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11300	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 93
11305	----	----	----	----/0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11315	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11325	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 8
11335	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11345	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11350	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
11365	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11370	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11380	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
11385	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11400	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
11450	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 41
11455	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11465	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11475	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11480	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11485	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11500	----	----	----	----/*0.005A	----	0.000 - 0.001	----	----	----	----	----	0 - 238
11505	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11515	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11525	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 7
11530	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
11540	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
11550	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 22
11570	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11575	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11595	----	----	----	----/*0.001A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11600	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 43
11615	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11625	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11630	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11640	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11650	----	----	----	----/0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11665	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11685	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11690	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11700	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 85
11705	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11725	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
11730	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
11750	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
11775	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11800	----	----	----	----/*0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 61
11825	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11850	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
11900	----	----	----	----/*0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 86
11925	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
11950	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
11975	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
12000	----	----	----	----/*0.005A	----	0.000 - 0.001	----	----	----	----	----	0 - 838
12025	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
12050	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
12075	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
12100	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 17
12125	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
12150	----	----	----	----/*0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 13
12175	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
12200	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
12225	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
12250	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
12300	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 118
12350	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
12375	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
12400	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 12
12450	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
12500	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 331
12525	----	----	----	----/*0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
12550	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
12600	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 31
12650	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
12675	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
12700	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
12725	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
12775	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
12800	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 30
12900	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 72

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
13000	----	----	----	----/*0.002A	----	0.000 - 0.001	----	----	----	----	----	0 - 282
13100	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
13200	----	----	----	----/*0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 44
13300	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
13400	----	----	----	----/0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
13500	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 64
13600	----	----	----	----/*0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 19
13700	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 76
13800	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 39
13900	----	----	----	----/*0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
14000	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 400
14100	----	----	----	----/*0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 27
14200	----	----	----	----/0.065A	----	0.000 - 0.001	----	----	----	----	----	0 - 41
14300	----	----	----	----/0.066A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
14400	----	----	----	----/0.066A	----	0.000 - 0.001	----	----	----	----	----	0 - 13
14500	----	----	----	----/0.067A	----	0.000 - 0.001	----	----	----	----	----	0 - 291
14600	----	----	----	----/0.070A	----	0.000 - 0.001	----	----	----	----	----	0 - 55
14700	----	----	----	----/0.070A	----	0.000 - 0.001	----	----	----	----	----	0 - 9
14800	----	----	----	----/0.070A	----	0.000 - 0.001	----	----	----	----	----	0 - 62
14900	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
15000	----	----	----	----/*0.002A	----	0.000 - 0.001	----	----	----	----	----	0 - 450
15100	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 9
15200	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 54
15300	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
15500	----	----	----	----/*0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 115
15600	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
15700	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 19
15800	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 14
15900	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 14
16000	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 721
16100	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
16200	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
16300	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
16400	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
16500	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 56
16600	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
16700	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
16800	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
16900	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 67
17000	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 67
17100	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 8
17200	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
17300	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
17400	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
17500	----	----	----	----/*0.002A	----	0.000 - 0.001	----	----	----	----	----	0 - 96
17600	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 7
17700	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 9
17800	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 8
17900	----	----	----	----/*0.027A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
18000	----	----	----	----/*0.001A	----	0.000 - 0.001	----	----	----	----	----	0 - 54
18100	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
18200	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
18300	----	----	----	----/*0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
18400	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
18500	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
18700	----	----	----	----/*0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 8
18800	----	----	----	----/*0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
18900	----	----	----	----/*0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
19000	----	----	----	----/0.002A	----	0.000 - 0.001	----	----	----	----	----	0 - 51
19100	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 74
19200	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 130
19300	----	----	----	----/*0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
19400	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 66
19500	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 86
19700	----	----	----	----/*0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
19800	----	----	----	----/*0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
19900	----	----	----	----/*0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
20000	----	----	----	----/0.002A	----	0.000 - 0.001	----	----	----	----	----	0 - 382
21000	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 14
22000	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
23000	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
24000	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
25000	----	----	----	----/0.002A	----	0.000 - 0.001	----	----	----	----	----	0 - 94
TOTAL										468	0	0 - 23522
JUN26												
4300	----	----	----/32.282A	33.100B/32.282A	----	32.585 - 1.378	.9924	----	----	----	----	20 UNCH
4850	----	----	----/26.837A	27.562B/26.837A	----	27.113 - 1.374	.9870	----	----	----	----	7 UNCH
4900	----	----	----/26.342A	27.063B/26.342A	----	26.616 - 1.374	.9865	----	----	----	----	9 UNCH
5000	----	----	----/25.316A	26.121B/25.316A	----	25.622 - 1.374	.9853	----	----	----	----	367 UNCH
5025	----	----	----/25.095A	25.852B/25.095A	----	25.374 - 1.374	.9849	----	----	----	----	6 UNCH
5050	----	----	----/24.843A	25.567B/24.843A	----	25.126 - 1.374	.9846	----	----	----	----	1 UNCH
5200	----	----	----/23.338A	24.136B/23.338A	----	23.638 - 1.376	.9820	----	----	----	----	79 UNCH
5225	----	----	----/23.132A	23.827B/23.132A	----	23.390 - 1.377	.9816	----	----	----	----	4 UNCH
5275	----	----	----/22.631A	23.331B/22.631A	----	22.895 - 1.378	.9806	----	----	----	----	7 UNCH
5300	----	----	----/22.395A	23.084B/22.395A	----	22.648 - 1.378	.9800	----	----	----	----	3 UNCH
5325	----	----	----/22.150A	22.836B/22.150A	----	22.401 - 1.379	.9794	----	----	----	----	5 UNCH
5350	----	----	----/21.894A	22.587B/21.894A	----	22.154 - 1.379	.9789	----	----	----	----	7 UNCH
5400	----	----	----/21.414A	22.093B/21.414A	----	21.661 - 1.380	.9775	----	----	----	----	2 UNCH
5425	----	----	----/21.157A	21.845B/21.157A	----	21.414 - 1.382	.9768	----	----	----	----	9 UNCH
5500	----	----	----/20.381A	21.174B/20.381A	----	20.676 - 1.384	.9745	----	----	----	----	344 UNCH
5525	----	----	----/20.172A	20.861B/20.172A	----	20.431 - 1.384	.9736	----	----	----	----	2 UNCH
5600	----	----	----/19.447A	20.125B/19.447A	----	19.695 - 1.388	.9709	----	----	----	----	7 UNCH
5625	----	----	----/19.204A	19.880B/19.204A	----	19.450 - 1.389	.9699	----	----	----	----	11 UNCH
5675	----	----	----/18.714A	19.391B/18.714A	----	18.962 - 1.391	.9677	----	----	----	----	3 UNCH
5700	----	----	----/18.435A	19.218B/18.435A	----	18.718 - 1.392	.9665	----	----	----	----	56 UNCH
5725	----	----	----/18.235A	18.901B/18.235A	----	18.475 - 1.393	.9652	----	----	----	----	10 UNCH
5750	----	----	----/17.995A	18.658B/17.995A	----	18.232 - 1.394	.9640	----	----	----	----	13 UNCH
5775	----	----	----/17.755A	18.414B/17.755A	----	17.989 - 1.396	.9626	----	----	----	----	1 UNCH
5800	----	----	----/17.532A	18.171B/17.532A	----	17.747 - 1.397	.9612	----	----	----	----	2 UNCH
5825	----	----	----/17.293A	17.928B/17.293A	----	17.505 - 1.398	.9596	----	----	----	----	1 UNCH
5850	----	----	----/17.038A	17.685B/17.038A	----	17.264 - 1.399	.9581	----	----	----	----	9 UNCH
5900	----	----	----/16.581A	17.201B/16.581A	----	16.782 - 1.403	.9547	----	----	----	----	4 UNCH
5925	----	----	----/16.338A	16.960B/16.338A	----	16.543 - 1.403	.9529	----	----	----	----	17 UNCH
6000	----	----	----/15.579A	16.317B/15.579A	----	15.826 - 1.407	.9468	----	----	----	----	401 UNCH
6025	----	----	----/15.400A	16.000B/15.400A	----	15.589 - 1.408	.9446	----	----	----	----	7 UNCH
6050	----	----	----/15.166A	15.763B/15.166A	----	15.352 - 1.409	.9423	----	----	----	----	4 UNCH
6075	----	----	----/14.896A	15.558B/14.896A	----	15.116 - 1.409	.9398	----	----	----	----	30 UNCH
6100	----	----	----/14.700A	15.287B/14.700A	----	14.881 - 1.410	.9373	----	----	----	----	16 UNCH
6200	----	----	----/13.720A	14.418B/13.720A	----	13.948 - 1.411	.9258	----	----	----	----	101 UNCH
6225	----	----	----/13.553A	14.109B/13.553A	----	13.717 - 1.411	.9226	----	----	----	----	1 UNCH
6250	----	----	----/13.327A	13.876B/13.327A	----	13.487 - 1.411	.9193	----	----	----	----	4 UNCH
6300	----	----	----/12.879A	13.412B/12.879A	----	13.030 - 1.410	.9122	----	----	----	----	4 UNCH
6400	----	----	----/11.928A	12.575B/11.928A	----	12.129 - 1.407	.8961	----	----	----	----	110 UNCH
6425	----	----	----/11.746A	12.311B/11.746A	----	11.908 - 1.404	.8917	----	----	----	----	25 UNCH
6450	----	----	----/11.562A	12.045B/11.562A	----	11.687 - 1.403	.8871	----	----	----	----	5 UNCH
6475	----	----	----/11.348A	11.823B/11.348A	----	11.469 - 1.400	.8823	----	----	----	----	7 UNCH
6500	----	----	----/11.135A	11.600B/11.135A	----	11.252 - 1.397	.8772	----	----	----	----	13 UNCH
6625	----	----	----/10.092A	10.517B/10.092A	----	10.190 - 1.379	.8496	----	----	----	----	10 UNCH
6700	----	----	----/9.486A	9.876B/9.486A	----	9.573 - 1.366	.8309	----	----	----	----	1 UNCH
6725	----	----	----/9.286A	9.669B/9.286A	----	9.370 - 1.362	.8244	----	----	----	----	1 UNCH
6750	----	----	----/9.057A	9.464B/9.057A	----	9.170 - 1.357	.8176	----	----	----	----	3 UNCH
6800	----	----	----/8.702A	9.080B/8.702A	----	8.774 - 1.348	.8037	----	----	----	----	6 UNCH
6850	----	----	----/8.325A	8.661B/8.325A	----	8.386 - 1.339	.7891	----	----	----	----	5 UNCH
6900	----	----	----/7.954A	8.307B/7.954A	----	8.005 - 1.330	.7738	----	----	----	----	16 UNCH
6925	----	----	----/7.773A	8.120B/7.773A	----	7.818 - 1.325	.7659	----	----	----	----	9 UNCH
6975	----	----	----/7.418A	7.753B/7.418A	----	7.451 - 1.314	.7496	----	----	----	----	7 UNCH
7000	7.675	7.675	7.700/7.167A	7.700/7.167A	----	7.271 - 1.309	.7412	----	----	2	----	126 UNCH
7025	----	----	----/7.074A	7.335B/7.074A	----	7.093 - 1.303	.7327	----	----	----	----	1 UNCH
7050	----	----	----/6.904A	7.154B/6.904A	----	6.917 - 1.298	.7240	----	----	----	----	1 UNCH
7075	----	----	----/6.737A	6.976B/6.737A	----	6.744 - 1.291	.7152	----	----	----	----	4 UNCH
7100	----	----	----/6.495A	6.885B/6.495A	----	6.573 - 1.286	.7062	----	----	----	----	97 UNCH
7150	----	----	----/6.250A	6.455B/6.250A	----	6.239 - 1.273	.6879	----	----	----	----	1 UNCH
7200	----	----	----/6.136A	5.567B/6.136A	----	5.915 NEW	.6691	----	----	1	----	1 + 1
7225	----	----	----/5.787A	5.964B/5.787A	----	5.757 - 1.252	.6595	----	----	----	----	1 UNCH
7250	----	----	----/5.581A	6.012B/5.581A	----	5.602 - 1.244	.6498	----	----	----	----	31 UNCH
7275	----	----	----/5.492A	5.853B/5.492A	----	5.450 - 1.236	.6400	----	----	----	----	2 UNCH
7300	----	----	----/5.283A	5.696B/5.283A	----	5.300 - 1.228	.6301	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
7350	----	----	----/4.999A	5.500B/4.999A	----	5.009 - 1.210	.6101	----	----	----	----	1 UNCH
7375	----	----	----/4.851A	5.276B/4.851A	----	4.868 - 1.201	.6000	----	----	----	----	4 UNCH
7400	----	----	----/4.654A	5.208B/4.654A	----	4.729 - 1.191	.5898	----	----	1	----	4 UNCH
7425	----	----	----/4.526A	5.204B/4.526A	----	4.594 - 1.181	.5796	----	----	----	----	12 UNCH
7450	4.314	4.314	4.314/4.313	5.162B/4.313	----	4.461 - 1.171	.5694	----	----	2	----	14 + 2
7475	4.678	4.678	4.678/4.264A	5.092B/4.264A	----	4.331 - 1.160	.5591	----	----	1	----	3 + 1
7500	4.283	4.283	4.460/4.123A	4.992B/4.123A	----	4.204 - 1.149	.5488	----	----	2	----	264 + 2
7525	3.943	3.943	3.943/3.943	4.926B/3.943	----	4.080 - 1.138	.5385	----	----	2	----	9 UNCH
7550	----	----	----/3.899A	4.895B/3.899A	----	3.958 - 1.127	.5283	----	----	12	----	36 + 11
7575	----	----	----/*3.790A	4.775B/*3.790A	----	3.840 - 1.115	.5180	----	----	----	----	1 UNCH
7600	4.052	4.052	4.620B/*3.691A	4.620B/*3.691A	----	3.724 - 1.103	.5077	----	----	23	----	35 + 13
7650	----	----	----/*3.464A	4.403B/*3.464A	----	3.501 - 1.078	.4873	----	----	2	----	3 + 2
7675	----	----	----/*3.359A	4.279B/*3.359A	----	3.394 - 1.065	.4772	----	----	----	----	3 UNCH
7700	3.352	3.352	3.352/*3.240A	4.094B/*3.240A	----	3.290 - 1.051	.4671	----	----	6	----	109 + 6
7725	3.956	3.956	4.031B/*3.158A	4.031B/*3.158A	----	3.188 - 1.038	.4571	----	----	1	----	9 + 1
7750	3.171	3.171	3.171/*3.043A	3.938B/*3.043A	----	3.089 - 1.024	.4472	----	----	2	----	70 - 1
7775	3.741	3.741	3.821B/*2.967A	3.821B/*2.967A	----	2.992 - 1.011	.4373	----	----	1	----	5 + 1
7800	3.432	3.432	3.721B/*2.853	3.721B/*2.853	----	2.899 - 0.996	.4275	----	----	9	----	178 + 5
7825	3.080	3.080	3.080/*2.777A	3.611B/*2.777A	----	2.807 - 0.983	.4178	----	----	1	----	2 UNCH
7850	----	----	----/*2.701A	3.507B/*2.701A	----	2.719 - 0.968	.4083	----	----	----	----	2 UNCH
7875	2.895	2.895	2.895/*2.606A	3.411B/*2.606A	----	2.633 NEW	.3988	----	----	1	----	1 + 1
7900	2.640	2.640	2.803/*2.508	3.256B/*2.508	----	2.549 - 0.939	.3895	----	----	9	----	108 + 3
7925	----	----	----/*2.446A	3.194B/*2.446A	----	2.468 - 0.925	.3803	----	----	----	----	12 UNCH
7950	2.744	2.744	2.744/*2.381A	3.101B/*2.381A	----	2.389 - 0.910	.3711	----	----	6	----	12 + 3
7975	----	----	----/*2.291A	3.008B/*2.291A	----	2.313 - 0.895	.3622	----	----	----	----	7 UNCH
8000	2.729	2.729	2.884B/2.201A	2.884B/2.201A	----	2.239 - 0.880	.3534	----	----	125	----	717 + 80
8025	----	----	----/*2.155A	2.825B/*2.155A	----	2.167 - 0.866	.3447	----	----	----	----	4 UNCH
8050	----	----	----/*2.096A	2.758B/*2.096A	----	2.098 - 0.850	.3361	----	----	----	----	8 UNCH
8075	----	----	----/*2.024A	2.698B/*2.024A	----	2.030 - 0.836	.3277	----	----	----	----	2 UNCH
8100	2.000	2.000	2.092/*1.891	2.605B/*1.891	----	1.965 - 0.821	.3195	----	----	28	----	43 + 18
8125	----	----	----/*1.898A	2.521B/*1.898A	----	1.902 - 0.806	.3114	----	----	----	----	3 UNCH
8150	----	----	----/*1.844A	2.461B/*1.844A	----	1.841 - 0.791	.3034	----	----	----	----	14 UNCH
8175	----	----	----/*1.769A	2.364B/*1.769A	----	1.782 - 0.776	.2956	----	----	----	----	1 UNCH
8200	1.900	1.900	1.900/*1.691A	2.309B/*1.691A	----	1.725 - 0.761	.2880	----	----	17	----	192 + 5
8225	----	----	----/*1.659A	2.253B/*1.659A	----	1.670 - 0.747	.2806	----	----	----	----	3 UNCH
8250	----	----	----/*1.616A	2.185B/*1.616A	----	1.616 - 0.733	.2732	----	----	6	----	28 + 5
8275	----	----	----/*1.555A	2.121B/*1.555A	----	1.565 - 0.718	.2661	----	----	----	----	18 UNCH
8300	1.595	1.595	1.612/1.483A	2.060B/1.483A	----	1.515 - 0.703	.2591	----	----	16	----	118 + 3
8325	----	----	----/*1.458A	1.998B/*1.458A	----	1.467 - 0.689	.2523	----	----	----	----	7 UNCH
8350	----	----	----/*1.421A	1.938B/*1.421A	----	1.420 - 0.676	.2456	----	----	6	----	31 + 5
8375	----	----	----/*1.368A	1.880B/*1.368A	----	1.375 - 0.662	.2390	----	----	----	----	5 UNCH
8400	1.533	1.533	1.533/*1.300	1.826B/*1.300	----	1.332 - 0.648	.2327	----	----	63	----	357 + 32
8425	----	----	----/*1.284A	1.769B/*1.284A	----	1.290 - 0.634	.2265	----	----	----	----	51 UNCH
8450	1.485	1.485	1.485/*1.250A	1.717B/*1.250A	----	1.250 - 0.621	.2205	----	----	2	----	22 UNCH
8475	1.498	1.498	1.498/*1.207A	1.666B/*1.207A	----	1.211 - 0.607	.2146	----	----	2	----	6 + 2
8500	1.453	1.453	1.453/*1.171A	1.606B/*1.171A	----	1.173 - 0.595	.2088	----	----	84	----	626 + 6
8525	1.410	1.410	1.410/*1.135A	1.569B/*1.135A	----	1.137 - 0.582	.2032	----	----	2	----	18 UNCH
8550	----	----	----/*1.104A	1.528B/*1.104A	----	1.102 - 0.569	.1978	----	----	----	----	14 UNCH
8575	----	----	----/*1.067A	1.483B/*1.067A	----	1.068 - 0.557	.1925	----	----	----	----	6 UNCH
8600	----	----	----/*1.036A	1.419B/*1.036A	----	1.036 - 0.544	.1874	----	----	2	----	93 UNCH
8625	----	----	----/*1.004A	1.398B/*1.004A	----	1.004 - 0.533	.1823	----	----	----	----	5 UNCH
8650	1.045	1.045	1.045/*0.975A	1.357B/*0.975A	----	0.974 - 0.521	.1775	----	----	1	----	18 + 1
8675	----	----	----/*0.944A	1.319B/*0.944A	----	0.945 - 0.509	.1728	----	----	----	----	54 UNCH
8700	----	----	----/*0.916A	1.280B/*0.916A	----	0.916 - 0.498	.1681	----	----	----	----	59 UNCH
8725	----	----	----/*0.890A	1.224B/*0.890A	----	0.889 - 0.487	.1636	----	----	----	----	5 UNCH
8750	0.953	0.953	0.953/*0.862A	1.209B/*0.862A	----	0.863 - 0.476	.1593	----	----	1	----	14 + 1
8775	----	----	----/*0.841A	1.174B/*0.841A	----	0.838 - 0.465	.1551	----	----	----	----	1 UNCH
8800	----	----	----/*0.817A	1.141B/*0.817A	----	0.813 - 0.455	.1510	----	----	1	----	83 UNCH
8825	----	----	----/*0.790A	1.109B/*0.790A	----	0.789 - 0.445	.1469	----	----	----	----	3 UNCH
8850	----	----	----/*0.769A	1.077B/*0.769A	----	0.767 - 0.434	.1431	----	----	----	----	28 UNCH
8875	----	----	----/*0.747A	1.047B/*0.747A	----	0.745 - 0.424	.1394	----	----	----	----	3 UNCH
8900	----	----	----/*0.725A	1.018B/*0.725A	----	0.723 - 0.415	.1356	----	----	21	----	81 + 20
8925	----	----	----/*0.702A	0.990B/*0.702A	----	0.703 - 0.406	.1321	----	----	----	----	6 UNCH
8950	----	----	----/*0.677A	0.962B/*0.677A	----	0.683 - 0.397	.1287	----	----	2	----	78 + 1
8975	----	----	----/*0.659A	0.936B/*0.659A	----	0.664 - 0.388	.1253	----	----	----	----	41 UNCH
9000	0.862	0.862	0.950B/*0.640A	0.950B/*0.640A	----	0.645 - 0.379	.1220	----	----	54	----	697 + 20
9025	----	----	----/*0.622A	0.885B/*0.622A	----	0.627 - 0.371	.1189	----	----	----	----	6 UNCH
9050	0.826	0.826	0.861B/*0.607A	0.861B/*0.607A	----	0.610 - 0.362	.1158	----	----	2	----	12 - 2
9075	----	----	----/*0.590A	0.837B/*0.590A	----	0.593 - 0.355	.1128	----	----	----	----	3 UNCH
9100	0.570	0.570	0.580/*0.550	0.815B/*0.550	----	0.577 - 0.347	.1100	----	----	6	----	332 UNCH
9125	----	----	----/*0.559A	0.793B/*0.559A	----	0.561 - 0.339	.1071	----	----	----	----	5 UNCH
9150	----	----	----/*0.543A	0.768B/*0.543A	----	0.546 - 0.332	.1044	----	----	1	----	110 UNCH
9175	----	----	----/*0.529A	0.751B/*0.529A	----	0.531 - 0.325	.1017	----	----	----	----	1 UNCH
9200	----	----	----/*0.516A	0.730B/*0.516A	----	0.517 - 0.318	.0991	----	----	----	----	120 UNCH
9225	0.539	0.539	0.539/*0.509A	0.710B/*0.509A	----	0.503 - 0.311	.0966	----	----	5	----	14 + 4
9250	----	----	----/*0.497A	0.692B/*0.497A	----	0.490 - 0.304	.0942	----	----	----	----	8 UNCH
9275	0.541	0.541	0.541/*0.483A	0.667B/*0.483A	----	0.477 - 0.298	.0918	----	----	5	----	7 UNCH
9300	0.524	0.524	0.524/*0.472A	0.656B/*0.472A	----	0.465 - 0.291	.0896	----	----	18	----	41 + 5
9325	----	----	----/*0.459A	0.632B/*0.459A	----	0.453 - 0.285	.0874	----	----	----	----	4 UNCH
9350	0.590	0.590	0.590/*0.449A	0.616B/*0.449A	----	0.442 - 0.278	.0853	----	----	6	----	26 + 2
9375	0.488	0.488	0.488/*0.436A	0.605B/*0.436A	----	0.431 - 0.272	.0832	----	----	5	----	20 UNCH
9400	0.530	0.530	0.530/*0.427A	0.610B/*0.427A	----	0.420 - 0.267	.0812	----	----	15	----	39 + 9
9425	0.464	0.464	0.464/*0.415A	0.569B/*0.415A	----	0.409 - 0.261	.0791	----	----	6	----	32 UNCH
9450	----	----	----/*0.413A	0.560B/*0.413A	----	0.399 - 0.256	.0773	----	----	----	----	4 UNCH
9475	----	----	----/*0.403A	0.542B/*0.403A	----	0.390 - 0.250	.0755	----	----	----	----	17 UNCH
9500	0.520	0.520	0.532B/*0.376	0.532B/*0.376	----	0.380 - 0.245	.0737	----	----	8	----	340 - 4
9525	----	----	----/*0.386A	0.518B/*0.386A	----	0.371 - 0.240	.0719	----	----	----	----	2 UNCH
9550	----	----	----/*0.379A	0.502B/*0.379A	----	0.363 - 0.234	.0704	----	----	----	----	4 UNCH
9575	----	----	----/*0.371A	0.492B/*0.371A	----	0.354 - 0.230	.0687	----	----	1	----	1 - 1
9600	----	----	----/*0.363A	0.480B/*0.363A	----	0.346 - 0.225	.0671	----	----	1	----	25 - 1
9625	----	----	----/*0.360A	0.468B/*0.360A	----	0.338 - 0.220	.0656	----	----	----	----	9 UNCH
9650	----	----	----/*0.353A	0.457B/*0.353A	----	0.331 - 0.215	.0642	----	----	----	----	2 UNCH
9675	0.328	0.328	0.328/*0.328	0.445B/*0.328	----	0.323 - 0.211	.0627	----	----	1	----	6 - 1
9700	0.323	0.323	0.323/*0.323	0.435B/*0.323	----	0.316 - 0.206	.0613	----	----	3	----	39 UNCH
9725	----	----	----/*0.331A	0.423B/*0.331A	----	0.309 - 0.202	.0599	----	----	----	----	1 UNCH
9750	----	----	----/*0.323A	0.412B/*0.323A	----	0.303 - 0.197	.0587	----	----	----	----	29 UNCH
9775	----	----	----/*0.317A	0.402B/*0.317A	----	0.297 - 0.193	.0575	----	----	----	----	1 UNCH
9800	----	----	----/*0.311A	0.392B/*0.311A	----	0.290 - 0.189	.0562	----	----	----	----	25 UNCH
9825	----	----	----/*0.303A	0.382B/*0.303A	----	0.285 - 0.184	.0551	----	----	----	----	1 UNCH
9850	----	----	----/*0.298A	0.371B/*0.298A	----	0.279 - 0.181	.0540	----	----	----	----	3 UNCH
9875	----	----	----/*0.292A	0.363B/*0.292A	----	0.273 - 0.177	.0528	----	----	----	----	11 UNCH
9900	----	----	----/*0.288A	0.348B/*0.288A	----	0.268 - 0.173	.0518	----	----	----	----	26 UNCH
9925	----	----	----/*0.286A	0.344B/*0.286A	----	0.263 - 0.169	.0508	----	----	----	----	2 UNCH
9950	----	----	----/*0.283A	0.327B/*0.283A	----	0.258 - 0.165	.0498	----	----	----	----	2 UNCH
9975	----	----	----/*0.279A	0.279B/*0.279A	----	0.253 - 0.162	.0488	----	----	----	----	4 UNCH
10000	0.252	0.252	0.252/*0.250	0.273B/*0.250	----	0.249 - 0.158	.0479	----	----	10	----	1048 + 1
10025	----	----	----/*0.270A	0.242B/*0.270A	----	0.244 - 0.155	.0469	----	----	----	----	4 UNCH
10050	----	----	----/*0.265A	0.261B/*0.265A	----	0.240 - 0.151	.0461	----	----	2	----	8 + 2
10075	----	----	----/*0.260A	0.223B/*0.260A	----	0.236 - 0.148	.0453	----	----	----	----	9 UNCH
10100	----	----	----/*0.255A	0.218B/*0.255A	----	0.232 - 0.144	.0444	----	----	----	----	24 UNCH
10125	----	----	----/*0.252A	0.214B/*0.252A	----	0.228 - 0.141	.0436	----	----	----	----	1 UNCH
10150	----	----	----/*0.248A	0.209B/*0.248A	----	0.225 - 0.137	.0430	----	----	----	----	2 UNCH
10175	----	----	----/*0.244A	0.214B/*0.244A	----	0.221 - 0.134	.0421	----	----	----	----	1 UNCH
10200	----	----	----/*0.240A	0.202B/*0.240A	----	0.218 - 0.131	.0415	----	----	----	----	15 UNCH
10225	----	----	----/*0.236A	0.197B/*0.236A	----	0.214 - 0.128	.0407	----	----	----	----	1 UNCH
10275	----	----	----/*0.228A	0.189B/*0.228A	----	0.208 - 0.122	.0394	----	----	----	----	1 UNCH
10300	----	----	----/*0.226A	0.186B/*0.226A	----	0.205 - 0.119	.0388	----	----	----	----	13 UNCH
10375	----	----	----/*0.217A	0.177B/*0.217A	----	0.196 - 0.111	.0369	----	----	----	----	2 UNCH
10400	----	----	----/*0.214A	0.174B/*0.214A	----	0.194 - 0.108	.0364	----	----	----	----	26 UNCH
10425	----	----	----/*0.211A	0.169B/*0.211A	----	0.191 - 0.106	.0358	----	----	----	----	1 UNCH
10450	----	----	----/*0.208A	0.167B/*0.208A	----	0.188 - 0.104	.0352	----	----	----	----	3 UNCH
10475	----	----	----/*0.204A	0.164B/*0.204A	----	0.186 - 0.101	.0348	----	----	----	----	2 UNCH
10500	0.179	0.179	0.179/*0.179	0.181B/*0.179	----	0.183 - 0.099	.0342	----	----	1	----	388 - 1
10525	----	----	----/*0.199A	0.157B/*0.199A	----	0.181 - 0.096	.0337	----	----	----	----	12 UNCH
10550	----	----	----/*0.197A	0.156B/*0.197A	----	0.178 - 0.095	.0331	----	----	----	----	1 UNCH
10575	----	----	----/*0.195A	0.156B/*0.195A	----	0.176 - 0.092	.0327	----	----	----	----	4 UNCH
10600	----	----	----/*0.191A	0.149B/*0.191A	----	0.173 - 0.091	.0321	----	----	2	----	92 UNCH
10625	----	----	----/*0.189A	0.148B/*0.189A	----	0.171 - 0.089	.0317	----	----	----	----	1 UNCH
10650	----	----	----/*0.188A	0.146B/*0.188A	----	0.168 - 0.087	.0311	----	----	----	----	3 UNCH
10675	----	----	----/*0.186A	0.144B/*0.186A	----	0.166 - 0.085	.0307	----	----	----	----	15 UNCH
10700	----	----	----/*0.183A	0.141B/*0.183A	----	0.164 - 0.083	.0302	----	----	----	----	81 UNCH
10750	----	----	----/*0.178A	0.136B/*0.178A	----	0.159 - 0.081	.0292	----	----	----	----	5 UNCH
10800	----	----	----/*0.174A	0.133B/*0.174A	----	0.154 - 0.079	.0283	----	----	2	----	2 UNCH
10825	----	----	----/*0.173A	0.129B/*0.173A	----	0.152 - 0.077	.0279	----	----	----	----	1 UNCH
10850	----	----	----/*0.171A	0.128B/*0.171A	----	0.149 - 0.077	.0273	----	----	----	----	12 UNCH
10875	----	----	----/*0.169A	0.126B/*0.169A	----	0.147 - 0.075	.0269	----	----	----	----	6 UNCH
10900	0.155	0.155	0.155/*0.151A	0.155/*0.151A	----	0.144 - 0.075	.0264	----	----	1	----	22 + 1
10925	----	----	----/*0.165A	0.122B/*0.165A	----	0.142 - 0.074	.0260	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
10950	0.175	0.175	0.175/*0.164A	0.175/*0.164A	----	0.139 - 0.074	.0254	----	----	3	----	4 UNCH
11000	0.180	0.180	0.180/*0.125	0.180/*0.125	----	0.134 - 0.073	.0245	----	----	13	----	418 - 3
11025	----	----	----/*0.160A	0.113B/*0.160A	----	0.132 - 0.072	.0241	----	----	----	----	1 UNCH
11050	----	----	----/*0.157A	0.113B/*0.157A	----	0.129 - 0.072	.0236	----	----	----	----	5 UNCH
11075	----	----	----/*0.156A	0.124B/*0.156A	----	0.127 - 0.071	.0232	----	----	4	----	5 UNCH
11100	----	----	----/*0.156A	0.109B/*0.156A	----	0.125 - 0.070	.0228	----	----	----	----	3 UNCH
11125	----	----	----/*0.154A	0.109B/*0.154A	----	0.123 - 0.070	.0224	----	----	----	----	5 UNCH
11175	----	----	----/*0.151A	0.104B/*0.151A	----	0.120 - 0.068	.0218	----	----	----	----	3 UNCH
11200	----	----	----/*0.150A	0.104B/*0.150A	----	0.118 - 0.067	.0214	----	----	----	----	8 UNCH
11225	----	----	----/*0.149A	0.100B/*0.149A	----	0.117 - 0.066	.0212	----	----	----	----	3 UNCH
11300	----	----	----/*0.144A	0.098B/*0.144A	----	0.113 - 0.063	.0204	----	----	----	----	2 UNCH
11325	----	----	----/*0.144A	0.096B/*0.144A	----	0.112 - 0.061	.0202	----	----	----	----	6 UNCH
11350	----	----	----/*0.141A	0.095B/*0.141A	----	0.110 - 0.061	.0198	----	----	----	----	3 UNCH
11375	----	----	----/*0.153A	0.086B/*0.153A	----	0.109 - 0.060	.0196	----	----	----	----	1 UNCH
11400	----	----	----/*0.152A	0.085B/*0.152A	----	0.108 - 0.059	.0194	----	----	----	----	163 UNCH
11425	----	----	----/*0.150A	0.082B/*0.150A	----	0.106 - 0.059	.0190	----	----	----	----	12 UNCH
11450	----	----	----/*0.151A	0.076B/*0.151A	----	0.105 - 0.058	.0188	----	----	----	----	13 UNCH
11475	----	----	----/*0.151A	0.084B/*0.151A	----	0.104 - 0.057	.0186	----	----	----	----	8 UNCH
11500	0.130	0.130	0.130/*0.105	0.130/*0.105	----	0.102 - 0.057	.0182	----	----	7	----	266 - 2
11525	----	----	----/*0.145A	0.082B/*0.145A	----	0.101 - 0.056	.0180	----	----	----	----	8 UNCH
11550	----	----	----/*0.145A	0.081B/*0.145A	----	0.100 - 0.055	.0178	----	----	----	----	1 UNCH
11575	----	----	----/*0.145A	0.080B/*0.145A	----	0.099 - 0.054	.0176	----	----	----	----	4 UNCH
11600	0.100	0.100	0.100/*0.100	0.105B/*0.100	----	0.098 - 0.054	.0174	----	----	1	----	1 - 1
11625	----	----	----/*0.140A	0.074B/*0.140A	----	0.097 - 0.053	.0172	----	----	----	----	21 UNCH
11675	----	----	----/*0.142A	0.073B/*0.142A	----	0.096 - 0.050	.0169	----	----	----	----	2 UNCH
11700	----	----	----/*0.136A	0.073B/*0.136A	----	0.095 - 0.050	.0167	----	----	----	----	8 UNCH
11725	----	----	----/*0.135A	0.065B/*0.135A	----	0.094 - 0.049	.0165	----	----	----	----	2 UNCH
11750	----	----	----/*0.136A	0.064B/*0.136A	----	0.093 - 0.048	.0163	----	----	----	----	15 UNCH
11775	----	----	----/*0.135A	0.063B/*0.135A	----	0.093 - 0.047	.0163	----	----	----	----	2 UNCH
11800	----	----	----/*0.131A	0.061B/*0.131A	----	0.092 - 0.046	.0161	----	----	----	----	6 UNCH
11825	----	----	----	0.062B/*0.138A	----	0.092 - 0.045	.0160	----	----	----	----	9 UNCH
11850	----	----	----/*0.128A	0.060B/*0.128A	----	0.091 - 0.044	.0158	----	----	----	----	5 UNCH
11875	----	----	----/*0.126A	0.060B/*0.126A	----	0.091 - 0.043	.0158	----	----	----	----	1 UNCH
11900	----	----	----/*0.127A	0.090B/*0.127A	----	0.090 - 0.042	.0156	----	----	1	----	1 - 1
11925	----	----	----/*0.126A	0.058B/*0.126A	----	0.090 - 0.041	.0155	----	----	----	----	8 UNCH
11950	----	----	----/*0.116A	0.060B/*0.116A	----	0.089 - 0.041	.0153	----	----	----	----	6 UNCH
11975	----	----	----/*0.124A	0.056B/*0.124A	----	0.089 - 0.039	.0153	----	----	----	----	1 UNCH
12000	----	----	----/*0.095A	0.077B/*0.095A	----	0.088 - 0.039	.0151	----	----	3	----	371 - 2
12025	----	----	----/*0.122A	0.054B/*0.122A	----	0.087 - 0.039	.0149	----	----	----	----	11 UNCH
12050	----	----	----	0.053B/*0.127A	----	0.087 - 0.037	.0148	----	----	----	----	1 UNCH
12075	----	----	----/*0.121A	0.052B/*0.121A	----	0.086 - 0.037	.0147	----	----	----	----	1 UNCH
12125	----	----	----	0.050B/*0.122A	----	0.085 - 0.035	.0144	----	----	----	----	1 UNCH
12200	----	----	----/*0.116A	0.055B/*0.116A	----	0.084 - 0.033	.0141	----	----	----	----	13 UNCH
12225	----	----	----/*0.115A	0.047B/*0.115A	----	0.083 - 0.033	.0140	----	----	----	----	7 UNCH
12275	----	----	----	0.047B/*0.115A	----	0.082 - 0.031	.0137	----	----	----	----	1 UNCH
12325	----	----	----	0.049B/*0.112A	----	0.081 - 0.030	.0135	----	----	----	----	4 UNCH
12350	----	----	----	0.048B/*0.114A	----	0.080 - 0.030	.0133	----	----	----	----	5 UNCH
12400	----	----	----	0.049B/*0.110A	----	0.079 - 0.029	.0131	----	----	----	----	23 UNCH
12425	----	----	----	0.047B/*0.111A	----	0.079 - 0.028	.0131	----	----	----	----	1 UNCH
12450	----	----	----	0.047B/*0.106A	----	0.078 - 0.028	.0129	----	----	----	----	9 UNCH
12475	----	----	----	0.046B/*0.108A	----	0.078 - 0.027	.0129	----	----	----	----	1 UNCH
12500	----	----	----	0.070B/*0.110A	----	0.077 - 0.027	.0127	----	----	2	----	109 - 2
12525	----	----	----	0.045B/*0.106A	----	0.076 - 0.027	.0125	----	----	----	----	37 UNCH
12550	----	----	----	0.044B/*0.106A	----	0.076 - 0.026	.0125	----	----	----	----	6 UNCH
12575	----	----	----	0.044B/*0.105A	----	0.075 - 0.026	.0123	----	----	----	----	2 UNCH
12600	----	----	----	0.043B/*0.104A	----	0.075 - 0.025	.0123	----	----	----	----	9 UNCH
12650	----	----	----	0.042B/*0.103A	----	0.074 - 0.024	.0121	----	----	----	----	2 UNCH
12675	----	----	----	0.042B/*0.102A	----	0.073 - 0.024	.0119	----	----	----	----	2 UNCH
12700	----	----	----	0.040B/*0.102A	----	0.072 - 0.025	.0117	----	----	----	----	11 UNCH
12725	----	----	----	0.042B/*0.101A	----	0.072 - 0.024	.0117	----	----	----	----	2 UNCH
12750	----	----	----	0.039B/*0.100A	----	0.071 - 0.024	.0115	----	----	----	----	2 UNCH
12775	----	----	----	0.039B/*0.102A	----	0.071 - 0.023	.0115	----	----	----	----	7 UNCH
12800	----	----	----	0.039B/*0.098A	----	0.070 - 0.023	.0114	----	----	----	----	34 UNCH
12900	----	----	----	0.038B/*0.106A	----	0.068 - 0.022	.0110	----	----	----	----	6 UNCH
13000	----	----	----/*0.080A	0.060B/*0.080A	----	0.065 - 0.022	.0104	----	----	----	----	273 UNCH
13100	----	----	----	0.032B/*0.103A	----	0.063 - 0.021	.0101	----	----	----	----	4 UNCH
13200	----	----	----	0.021B/*0.112A	----	0.061 - 0.020	.0097	----	----	----	----	3 UNCH
13300	----	----	----	0.002B/*0.130A	----	0.059 - 0.020	.0093	----	----	----	----	3 UNCH
13400	----	----	----	0.001B/*0.128A	----	0.057 - 0.019	.0090	----	----	----	----	5 UNCH
13500	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.055 - 0.019	.0086	----	----	1	----	22 - 1
13600	----	----	----	0.001B/*0.129A	----	0.053 - 0.019	.0083	----	----	----	----	7 UNCH
13700	----	----	----	0.001B/*0.127A	----	0.051 - 0.019	.0080	----	----	----	----	5 UNCH
13800	----	----	----	0.001B/*0.124A	----	0.049 - 0.019	.0076	----	----	----	----	1 UNCH
13900	----	----	----	0.001B/*0.122A	----	0.047 - 0.019	.0073	----	----	----	----	3 UNCH
14000	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.046 - 0.018	.0071	----	----	1	----	292 UNCH
14200	----	----	----	0.001B/0.116A	----	0.042 - 0.019	.0065	----	----	----	----	60 UNCH
14300	----	----	----	0.001B/*0.114A	----	0.041 - 0.018	.0063	----	----	----	----	1 UNCH
14400	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.040 - 0.018	.0061	----	----	4	----	65 UNCH
14500	----	----	----	0.001B/*0.111A	----	0.038 - 0.018	.0058	----	----	----	----	31 UNCH
14600	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.037 - 0.018	.0056	----	----	1	----	7 + 1
14700	----	----	----	0.001B/*0.108A	----	0.036 - 0.018	.0054	----	----	----	----	11 UNCH
14800	----	----	----	0.001B/*0.106A	----	0.035 - 0.018	.0053	----	----	----	----	10 UNCH
14900	----	----	----	0.001B/*0.105A	----	0.034 - 0.017	.0051	----	----	----	----	6 UNCH
15000	0.050	0.050	0.050/*0.021	0.050/*0.021	----	0.033 - 0.017	.0049	----	----	4	----	147 + 1
15300	----	----	----	0.001B/*0.098A	----	0.030 - 0.017	.0044	----	----	----	----	2 UNCH
15400	----	----	----	0.001B/*0.097A	----	0.030 - 0.016	.0044	----	----	----	----	1 UNCH
15500	----	----	----	0.001B/*0.095A	----	0.029 - 0.016	.0042	----	----	----	----	6 UNCH
15600	----	----	----	0.001B/*0.094A	----	0.028 - 0.016	.0041	----	----	----	----	1 UNCH
15700	----	----	----	0.001B/*0.092A	----	0.028 - 0.015	.0041	----	----	----	----	1 UNCH
15800	----	----	----	0.001B/*0.091A	----	0.027 - 0.016	.0039	----	----	----	----	6 UNCH
15900	----	----	----	0.001B/*0.089A	----	0.027 - 0.015	.0039	----	----	----	----	8 UNCH
16000	----	----	----	0.001B/0.088A	----	0.026 - 0.015	.0037	----	----	----	----	200 UNCH
16200	----	----	----	----/*0.086A	----	0.025 - 0.015	.0036	----	----	----	----	36 UNCH
16400	----	----	----	----/*0.083A	----	0.024 - 0.014	.0034	----	----	----	----	1 UNCH
16500	----	----	----	----/0.082A	----	0.024 - 0.014	.0034	----	----	----	----	30 UNCH
16600	----	----	----	----/*0.080A	----	0.024 - 0.013	.0034	----	----	----	----	2 UNCH
16700	----	----	----	----/0.079A	----	0.023 - 0.013	.0032	----	----	----	----	7 UNCH
16800	----	----	----	----/*0.078A	----	0.023 - 0.013	.0032	----	----	----	----	3 UNCH
17000	----	----	----	----/0.076A	----	0.022 - 0.013	.0030	----	----	----	----	27 UNCH
17100	----	----	----	----/*0.075A	----	0.022 - 0.012	.0030	----	----	----	----	5 UNCH
17200	----	----	----	----/*0.074A	----	0.022 - 0.012	.0030	----	----	----	----	5 UNCH
17300	----	----	----	----/*0.073A	----	0.022 - 0.011	.0030	----	----	----	----	11 UNCH
17400	----	----	----	----/*0.072A	----	0.021 - 0.012	.0028	----	----	----	----	2 UNCH
17500	----	----	----	----/0.071A	----	0.021 - 0.011	.0028	----	----	----	----	63 UNCH
17700	----	----	----	----/0.074A	----	0.021 - 0.011	.0028	----	----	----	----	3 UNCH
17800	----	----	----	----/0.070A	----	0.021 - 0.010	.0028	----	----	----	----	3 UNCH
18000	----	----	----	----/0.289A	----	0.021 - 0.010	.0028	----	----	----	----	46 UNCH
18100	----	----	----	----/0.291A	----	0.020 - 0.010	.0026	----	----	----	----	2 UNCH
18300	----	----	----	----/0.295A	----	0.020 - 0.010	.0026	----	----	----	----	1 UNCH
18900	----	----	----	----/0.305A	----	0.020 - 0.008	.0025	----	----	----	----	1 UNCH
19000	----	----	----	----/0.160A	----	0.020 - 0.008	.0025	----	----	----	----	229 UNCH
19500	----	----	----	----/0.314A	----	0.020 - 0.007	.0025	----	----	----	----	126 UNCH
19600	----	----	----	----/0.315A	----	0.020 - 0.006	.0025	----	----	----	----	2 UNCH
19900	----	----	----	----/0.319A	----	0.020 - 0.006	.0024	----	----	----	----	28 UNCH
20000	----	----	----	0.005B/0.030A	----	0.020 - 0.006	.0024	----	----	----	----	240 UNCH
21000	----	----	----	----/0.331A	----	0.015 - 0.005	.0018	----	----	----	----	20 UNCH
23000	----	----	----	----/0.346A	----	0.009 - 0.003	.0010	----	----	----	----	14 UNCH
25000	----	----	----/*0.004A	----/*0.004A	----	0.006 - 0.002	.0007	----	----	----	----	303 UNCH
27000	----	----	----	----/0.364A	----	0.004 - 0.001	.0004	----	----	----	----	3 UNCH
30000	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.002 UNCH	.0002	----	----	1	----	31 UNCH
32000	----	----	----	----/0.175A	----	0.001 - 0.001	.0001	----	----	----	----	1 UNCH
35000	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.001 UNCH	.0000	----	----	2	----	45 UNCH
TOTAL										666	0	13856 + 254
JUL26												
2700	----	----	----/48.323A	49.016B/48.323A	----	48.568 - 1.372	.9979	----	----	----	----	1 UNCH
3900	----	----	----/36.301A	37.040B/36.301A	----	36.574 - 1.378	.9915	----	----	----	----	1 UNCH
4000	----	----	----/35.295A	36.080B/35.295A	----	35.577 - 1.380	.9906	----	----	----	----	1 UNCH
4500	----	----	----/30.331A	31.071B/30.331A	----	30.608 - 1.389	.9849	----	----	----	----	28 UNCH
4600	----	----	----/29.326A	30.117B/29.326A	----	29.618 - 1.391	.9833	----	----	----	----	124 UNCH
4700	----	----	----/28.384A	29.063B/28.384A	----	28.630 - 1.393	.9813	----	----	----	----	1 UNCH
4750	----	----	----/27.895A	28.569B/27.895A	----	28.137 - 1.394	.9803	----	----	----	----	1 UNCH
4825	----	----	----/27.167A	27.829B/27.167A	----	27.399 - 1.396	.9784	----	----	----	----	3 UNCH
4900	----	----	----/26.443A	27.092B/26.443A	----	26.662 - 1.398	.9765	----	----	----	----	1 UNCH
4925	----	----	----/26.199A	26.847B/26.199A	----	26.417 - 1.399	.9758	----	----	----	----	16 UNCH
5000	----	----	----/25.420A	26.181B/25.420A	----	25.684 - 1.401	.9734	----	----	----	----	307 UNCH
5025	----	----	----/25.228A	25.866B/25.228A	----	25.440 - 1.401	.9726	----	----	----	----	4 UNCH
5050	----	----	----/24.984A	25.622B/24.984A	----	25.196 - 1.402	.9717	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

SO CALL	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26		COMEX SILVER OPTIONS										
5100	----	----	----/24.440A	25.205B/24.440A	----	24.710 - 1.404	.9698	----	----	----	----	133 UNCH
5150	----	----	----/24.016A	24.646B/24.016A	----	24.225 - 1.405	.9677	----	----	----	----	6 UNCH
5200	----	----	----/23.510A	24.194B/23.510A	----	23.741 - 1.407	.9655	----	----	----	----	40 UNCH
5225	----	----	----/23.286A	23.916B/23.286A	----	23.500 - 1.408	.9643	----	----	----	----	9 UNCH
5250	----	----	----/23.055A	23.673B/23.055A	----	23.260 - 1.408	.9631	----	----	----	----	2 UNCH
5275	----	----	----/22.816A	23.431B/22.816A	----	23.019 - 1.410	.9618	----	----	----	----	1 UNCH
5300	----	----	----/22.577A	23.190B/22.577A	----	22.780 - 1.410	.9605	----	----	----	----	7 UNCH
5350	----	----	----/22.049A	22.786B/22.049A	----	22.301 - 1.412	.9577	----	----	----	----	157 UNCH
5375	----	----	----/21.863A	22.465B/21.863A	----	22.063 - 1.412	.9561	----	----	----	----	1 UNCH
5400	----	----	----/21.627A	22.225B/21.627A	----	21.825 - 1.413	.9546	----	----	----	----	21 UNCH
5425	----	----	----/21.364A	22.027B/21.364A	----	21.588 - 1.414	.9530	----	----	----	----	42 UNCH
5450	----	----	----/21.156A	21.748B/21.156A	----	21.351 - 1.415	.9514	----	----	----	----	1 UNCH
5500	----	----	----/20.622A	21.355B/20.622A	----	20.880 - 1.415	.9478	----	----	----	----	496 UNCH
5550	----	----	----/20.216A	20.801B/20.216A	----	20.410 - 1.417	.9440	----	----	----	----	3 UNCH
5600	----	----	----/19.694A	20.412B/19.694A	----	19.944 - 1.418	.9400	----	----	----	----	106 UNCH
5650	----	----	----/19.258A	19.904B/19.258A	----	19.480 - 1.419	.9357	----	----	----	----	43 UNCH
5675	----	----	----/19.028A	19.671B/19.028A	----	19.249 - 1.420	.9334	----	----	----	----	25 UNCH
5700	----	----	----/18.785A	19.439B/18.785A	----	19.019 - 1.420	.9310	----	----	----	----	26 UNCH
5750	----	----	----/18.312A	19.019B/18.312A	----	18.561 - 1.421	.9261	----	----	----	----	164 UNCH
5775	----	----	----/18.142A	18.706B/18.142A	----	18.334 - 1.421	.9236	----	----	----	----	1 UNCH
5800	----	----	----/17.916A	18.479B/17.916A	----	18.107 - 1.421	.9209	----	----	----	----	16 UNCH
5900	----	----	----/17.024A	17.571B/17.024A	----	17.208 - 1.422	.9095	----	----	----	----	10 UNCH
5925	----	----	----/16.802A	17.346B/16.802A	----	16.986 - 1.422	.9065	----	----	----	----	10 UNCH
5950	----	----	----/16.581A	17.122B/16.581A	----	16.765 - 1.421	.9033	----	----	----	----	6 UNCH
5975	----	----	----/16.365A	16.899B/16.365A	----	16.544 - 1.422	.9001	----	----	----	----	20 UNCH
6000	----	----	----/16.083A	16.762B/16.083A	----	16.325 - 1.421	.8968	----	----	----	----	552 UNCH
6050	----	----	----/15.651A	16.322B/15.651A	----	15.889 - 1.421	.8899	----	----	----	----	58 UNCH
6075	----	----	----/15.501A	16.017B/15.501A	----	15.673 - 1.420	.8863	----	----	----	----	1 UNCH
6100	----	----	----/15.290A	15.799B/15.290A	----	15.458 - 1.419	.8826	----	----	----	----	10 UNCH
6200	----	----	----/14.386A	15.025B/14.386A	----	14.609 - 1.415	.8671	----	----	----	----	101 UNCH
6250	----	----	----/14.045A	14.512B/14.045A	----	14.192 - 1.413	.8587	----	----	----	----	1 UNCH
6300	----	----	----/13.640A	14.093B/13.640A	----	13.780 - 1.409	.8501	----	----	----	----	3 UNCH
6350	----	----	----/13.240A	13.678B/13.240A	----	13.374 - 1.405	.8410	----	----	----	----	2 UNCH
6450	----	----	----/12.457A	12.870B/12.457A	----	12.578 - 1.396	.8218	----	----	----	----	1 UNCH
6500	12.400	12.400	12.567B/12.001A	12.567B/12.001A	----	12.189 - 1.391	.8116	----	----	4	----	198 + 3
6600	----	----	----/11.258A	11.793B/11.258A	----	11.430 - 1.378	.7902	----	----	----	----	56 UNCH
6650	----	----	----/10.897A	11.415B/10.897A	----	11.061 - 1.371	.7790	----	----	----	----	102 UNCH
6750	----	----	----/10.275A	10.586B/10.275A	----	10.343 - 1.354	.7555	----	----	----	----	24 UNCH
6800	----	----	----/9.858A	10.320B/9.858A	----	9.995 - 1.344	.7434	----	----	----	----	250 UNCH
6825	----	----	----/9.773A	10.051B/9.773A	----	9.823 - 1.340	.7372	----	----	----	----	6 UNCH
6850	----	----	----/9.609A	9.876B/9.609A	----	9.654 - 1.334	.7310	----	----	----	----	1 UNCH
6875	----	----	----/9.447A	9.702B/9.447A	----	9.486 - 1.329	.7246	----	----	----	----	16 UNCH
6900	----	----	----/9.207A	9.625B/9.207A	----	9.320 - 1.324	.7183	----	----	----	----	99 UNCH
6950	----	----	----/8.976A	9.193B/8.976A	----	8.995 - 1.312	.7053	----	----	----	----	1 UNCH
7000	----	----	----/8.590A	8.959B/8.590A	----	8.677 - 1.301	.6921	----	----	----	----	153 UNCH
7025	----	----	----/8.441A	8.796B/8.441A	----	8.521 - 1.294	.6854	----	----	----	----	125 UNCH
7050	----	----	----/8.378A	8.542B/8.378A	----	8.367 - 1.288	.6787	----	----	----	----	1 UNCH
7100	----	----	----/8.090A	8.228B/8.090A	----	8.065 - 1.275	.6651	----	----	----	----	5 UNCH
7200	----	----	----/7.542A	7.627B/7.542A	----	7.486 - 1.247	.6375	----	----	----	----	11 UNCH
7225	----	----	----/7.410A	7.481B/7.410A	----	7.347 - 1.239	.6306	----	----	----	----	1 UNCH
7250	----	----	----/7.194A	7.431B/7.194A	----	7.209 - 1.232	.6236	----	----	----	----	165 UNCH
7300	----	----	----/7.026A	7.060B/7.026A	----	6.940 - 1.216	.6095	----	----	----	----	3 UNCH
7325	----	----	----/6.815A	7.012B/6.815A	----	6.809 - 1.208	.6025	----	----	----	----	102 UNCH
7350	----	----	----/6.772A	6.791B/6.772A	----	6.679 - 1.201	.5954	----	----	----	----	2 UNCH
7400	----	----	----/6.532A	6.533B/6.532A	----	6.427 - 1.184	.5813	----	----	1	----	18 + 1
7425	----	----	----/6.475A	6.442B/6.475A	----	6.304 NEW	.5743	----	----	5	----	5 + 5
7450	----	----	----/6.298A	6.412B/6.298A	----	6.183 - 1.167	.5672	----	----	----	----	12 UNCH
7475	----	----	----/6.189A	6.412B/6.189A	----	6.064 - 1.159	.5602	----	----	----	----	1 UNCH
7500	----	----	----/5.988A	6.625B/5.988A	----	5.947 - 1.150	.5531	----	----	3	----	296 + 1
7525	----	----	----/5.968A	6.159B/5.968A	----	5.832 - 1.142	.5461	----	----	----	----	1 UNCH
7550	5.864	5.864	5.864/5.864	6.036B/5.864	----	5.719 - 1.133	.5391	----	----	5	----	7 UNCH
7575	----	----	----/*5.754A	5.915B/5.754A	----	5.608 - 1.125	.5321	----	----	----	----	20 UNCH
7600	5.700	5.700	5.700/*5.614A	5.865B/5.614A	----	5.499 - 1.116	.5252	----	----	1	----	32 UNCH
7700	----	----	----/*5.168A	5.661B/5.168A	----	5.082 - 1.081	.4977	----	----	1	----	120 UNCH
7750	----	----	----/*4.979A	5.401B/4.979A	----	4.886 - 1.062	.4842	----	----	----	----	115 UNCH
7800	4.970	4.970	4.970/*4.795A	4.970/4.795A	----	4.696 - 1.045	.4708	----	----	1	----	52 UNCH
7900	----	----	----/*4.529A	4.524B/*4.529A	----	4.340 - 1.008	.4447	----	----	1	----	13 UNCH
7975	4.161	4.161	4.161/*4.161	4.176B/*4.161	----	4.090 - 0.981	.4257	----	----	5	----	2 - 5
8000	4.100	4.100	4.240/4.099A	4.450B/4.099A	----	4.011 - 0.971	.4195	----	----	22	----	678 + 1
8025	----	----	----/4.130A	4.006B/4.130A	----	3.933 - 0.962	.4134	----	----	----	----	6 UNCH
8050	3.870	3.870	3.960/*3.870	3.969B/*3.870	----	3.856 - 0.953	.4073	----	----	5	----	4 + 1
8100	----	----	----/*3.830A	3.830B/*3.830A	----	3.708 - 0.935	.3953	----	----	----	----	67 UNCH
8175	----	----	----/*3.695A	3.538B/*3.695A	----	3.497 - 0.908	.3779	----	----	----	----	1 UNCH
8200	----	----	----/*3.556A	3.807B/*3.556A	----	3.430 - 0.898	.3722	----	----	----	----	153 UNCH
8250	----	----	----/*3.424A	3.620B/*3.424A	----	3.300 - 0.880	.3611	----	----	----	----	145 UNCH
8300	3.250	3.250	3.250/*3.250	3.522B/*3.250	----	3.175 - 0.862	.3502	----	----	1	----	350 UNCH
8325	----	----	----/*3.326A	3.125B/*3.326A	----	3.114 - 0.854	.3448	----	----	----	----	1 UNCH
8350	----	----	----/*3.264A	3.067B/*3.264A	----	3.055 - 0.845	.3396	----	----	----	----	2 UNCH
8375	----	----	----/*3.162A	3.014B/*3.162A	----	2.997 - 0.837	.3344	----	----	----	----	48 UNCH
8400	----	----	----/*3.147A	2.994B/*3.147A	----	2.940 - 0.828	.3293	----	----	3	----	10 - 3
8500	----	----	----/*2.857A	3.005B/*2.857A	----	2.723 - 0.797	.3094	----	----	----	----	834 UNCH
8550	----	----	----/*2.763A	2.874B/*2.763A	----	2.620 - 0.783	.2998	----	----	4	----	259 - 2
8600	----	----	----/*2.754A	2.552B/*2.754A	----	2.522 - 0.769	.2906	----	----	1	----	12 UNCH
8650	----	----	----/*2.641A	2.407B/*2.641A	----	2.428 - 0.755	.2816	----	----	----	----	11 UNCH
8700	----	----	----/*2.495A	2.597B/*2.495A	----	2.338 - 0.742	.2728	----	----	----	----	111 UNCH
8750	----	----	----/*2.410A	2.271B/*2.410A	----	2.253 - 0.727	.2644	----	----	----	----	66 UNCH
8775	----	----	----/*2.469A	2.177B/*2.469A	----	2.212 NEW	.2603	----	----	1	----	2 + 2
8800	----	----	----/*2.404A	2.181B/*2.404A	----	2.173 - 0.711	.2564	----	----	----	----	12 UNCH
8850	----	----	----/*2.327A	2.050B/*2.327A	----	2.097 - 0.695	.2486	----	----	1	----	1 UNCH
8900	----	----	----/*2.182A	2.233B/*2.182A	----	2.025 - 0.679	.2411	----	----	----	----	111 UNCH
8950	----	----	----/*2.182A	1.892B/*2.182A	----	1.957 - 0.662	.2339	----	----	----	----	5 UNCH
9000	2.075	2.075	2.075/1.940	2.075/1.940	----	1.892 - 0.645	.2270	----	----	9	----	562 - 3
9050	----	----	----/*2.048A	1.743B/*2.048A	----	1.831 - 0.628	.2204	----	----	----	----	5 UNCH
9100	----	----	----/*1.982A	1.720B/*1.982A	----	1.773 - 0.610	.2140	----	----	----	----	11 UNCH
9200	----	----	----/*1.786A	1.629B/*1.786A	----	1.666 - 0.575	.2021	----	----	----	----	78 UNCH
9225	1.704	1.704	1.704/*1.680	1.704/*1.680	----	1.640 - 0.567	.1992	----	----	2	----	3 UNCH
9250	----	----	----/*1.798A	1.526B/*1.798A	----	1.615 - 0.558	.1963	----	----	----	----	7 UNCH
9300	----	----	----/*1.680A	1.656B/*1.680A	----	1.568 - 0.541	.1910	----	----	----	----	267 UNCH
9350	----	----	----/*1.698A	1.404B/*1.698A	----	1.522 - 0.524	.1857	----	----	----	----	9 UNCH
9400	----	----	----/*1.648A	1.366B/*1.648A	----	1.478 - 0.508	.1806	----	----	----	----	11 UNCH
9450	----	----	----/*1.565A	1.323B/*1.565A	----	1.436 - 0.491	.1757	----	----	----	----	33 UNCH
9475	1.550	1.550	1.550/*1.550	1.550/*1.550	----	1.416 NEW	.1734	----	----	5	----	5 + 5
9500	1.499	1.499	1.499/*1.482A	1.499/*1.482A	----	1.396 - 0.475	.1710	----	----	3	----	751 UNCH
9525	----	----	----/*1.540A	1.219B/*1.540A	----	1.376 - 0.468	.1687	----	----	1	----	0 - 1
9550	----	----	----/*1.518A	1.196B/*1.518A	----	1.357 - 0.460	.1665	----	----	1	----	6 - 1
9600	----	----	----/*1.403A	1.227B/*1.403A	----	1.319 - 0.446	.1620	----	----	----	----	53 UNCH
9650	----	----	----/*1.446A	1.134B/*1.446A	----	1.283 - 0.431	.1578	----	----	----	----	1 UNCH
9700	----	----	----/*1.422A	1.085B/*1.422A	----	1.247 - 0.418	.1536	----	----	----	----	5 UNCH
9725	----	----	----/*1.408A	1.037B/*1.408A	----	1.230 - 0.411	.1516	----	----	----	----	1 UNCH
9750	----	----	----/*1.390A	1.091B/*1.390A	----	1.213 - 0.405	.1496	----	----	----	----	82 UNCH
9775	----	----	----/*1.371A	0.996B/*1.371A	----	1.196 - 0.399	.1476	----	----	25	----	30 - 17
9800	----	----	----/*1.342A	1.150B/*1.342A	----	1.180 - 0.392	.1456	----	----	1	----	130 UNCH
9825	1.033	1.033	1.033/*1.033	1.075B/*1.033	----	1.163 - 0.387	.1437	----	----	4	----	5 + 2
9850	----	----	----/*1.318A	0.945B/*1.318A	----	1.148 - 0.380	.1418	----	----	10	----	23 UNCH
9900	----	----	----/*1.283A	0.924B/*1.283A	----	1.116 - 0.369	.1381	----	----	1	----	68 - 1
9925	----	----	----/*1.267A	0.898B/*1.267A	----	1.101 - 0.363	.1363	----	----	----	----	6 UNCH
10000	1.350	1.350	1.350/1.000	1.350/1.000	----	1.057 - 0.346	.1311	----	----	35	----	1761 + 2
10100	----	----	----/*1.159A	0.798B/*1.159A	----	1.001 - 0.326	.1244	----	----	----	----	1 UNCH
10125	----	----	----/*1.076A	0.788B/*1.076A	----	0.987 - 0.322	.1227	----	----	----	----	7 UNCH
10200	----	----	----/*1.068A	0.865B/*1.068A	----	0.948 - 0.308	.1181	----	----	----	----	101 UNCH
10250	----	----	----/*1.078A	0.723B/*1.078A	----	0.923 - 0.299	.1151	----	----	----	----	20 UNCH
10275	----	----	----/*1.065A	0.711B/*1.065A	----	0.911 - 0.294	.1136	----	----	----	----	10 UNCH
10375	----	----	----/*1.017A	0.665B/*1.017A	----	0.863 - 0.278	.1079	----	----	----	----	18 UNCH
10400	----	----	----/*1.005A	0.654B/*1.005A	----	0.852 - 0.274	.1065	----	----	----	----	1 UNCH
10475	----	----	----/*0.972A	0.623B/*0.972A	----	0.819 - 0.263	.1026	----	----	----	----	25 UNCH
10500	----	----	----/0.961A	0.910B/0.961A	----	0.808 - 0.259	.1013	----	----	----	----	594 UNCH
10550	----	----	----/*0.805A	0.614B/*0.805A	----	0.787 - 0.252	.0987	----	----	----	----	1 UNCH
10600	----	----	----/*0.790A	0.610B/*0.790A	----	0.766 - 0.246	.0962	----	----	----	----	2 UNCH
10800	----	----	----/*0.719A	0.613B/*0.719A	----	0.691 - 0.221	.0871	----	----	----	----	36 UNCH
11000	0.610	0.610	0.610/0.584	0.640B/0.584	----	0.623 - 0.201	.0788	----	----	34	----	1332 - 20
11100	----	----	----/*0.632A	0.519B/*0.632A	----	0.592 - 0.192	.0750	----	----	----	----	10 UNCH
11200	----	----	----/*0.606A	0.491B/*0.606A	----	0.563 - 0.183	.0715	----	----	----	----	8 UNCH
11225	----	----	----/*0.600A	0.484B/*0.600A	----	0.556 - 0.181	.0706	----	----	----	----	3 UNCH
11300	----	----	----/*0.582A	0.465B/*0.582A	----	0.536 - 0.175	.0681	----	----	----	----	50 UNCH
11400	----	----	----/*0.559A	0.439B/*0.559A	----	0.510 - 0.168	.0649	----	----	----	----	19 UNCH
11425	----	----	----/*0.553A	0.438B/*0.553A	----	0.504 - 0.166	.0642	----	----	----	----	10 UNCH
11450	----	----	----/*0.548A	0.431B/*0.548A	----	0.498 - 0.164	.0634	----	----	----	----	3 UNCH
11500	----	----	----/*0.537A	0.421B/*0.537A	----	0.486 - 0.161	.0619	----	----	----	----	57 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
11600	----	----	----/*0.517A	0.397B/*0.517A	----	0.463 - 0.154	.0591	----	----	----	----	1 UNCH
11625	----	----	----/*0.512A	0.392B/*0.512A	----	0.458 - 0.152	.0585	----	----	----	----	2 UNCH
11650	----	----	----/*0.507A	0.387B/*0.507A	----	0.452 - 0.151	.0577	----	----	----	----	24 UNCH
11675	----	----	----/*0.502A	0.385B/*0.502A	----	0.447 - 0.150	.0571	----	----	----	----	22 UNCH
11700	----	----	----/*0.498A	0.381B/*0.498A	----	0.441 - 0.149	.0564	----	----	----	----	22 UNCH
11725	----	----	----/*0.493A	0.376B/*0.493A	----	0.436 - 0.147	.0557	----	----	----	----	22 UNCH
11750	----	----	----/*0.489A	0.372B/*0.489A	----	0.431 - 0.146	.0551	----	----	----	----	22 UNCH
11775	----	----	----/*0.484A	0.367B/*0.484A	----	0.426 - 0.144	.0545	----	----	----	----	22 UNCH
11800	----	----	----/*0.480A	0.361B/*0.480A	----	0.421 - 0.143	.0539	----	----	----	----	1 UNCH
11900	----	----	----/*0.462A	0.341B/*0.462A	----	0.402 - 0.138	.0515	----	----	----	----	1 UNCH
11950	----	----	----/*0.454A	0.338B/*0.454A	----	0.393 - 0.135	.0503	----	----	----	----	1 UNCH
12000	0.375	0.375	0.375/0.375	0.375/0.375	----	0.384 - 0.133	.0492	----	----	7	----	409 - 1
12200	----	----	----/*0.417A	0.299B/*0.417A	----	0.351 - 0.124	.0450	----	----	----	----	1 UNCH
12225	----	----	----/*0.413A	0.298B/*0.413A	----	0.348 - 0.122	.0446	----	----	----	----	16 UNCH
12250	----	----	----/*0.410A	0.295B/*0.410A	----	0.344 - 0.121	.0441	----	----	----	----	6 UNCH
12300	----	----	----/*0.403A	0.288B/*0.403A	----	0.336 - 0.120	.0431	----	----	----	----	8 UNCH
12375	----	----	----/*0.393A	0.277B/*0.393A	----	0.326 - 0.116	.0418	----	----	----	----	1 UNCH
12425	----	----	----/*0.387A	0.273B/*0.387A	----	0.319 - 0.115	.0410	----	----	----	----	1 UNCH
12450	----	----	----/*0.384A	0.270B/*0.384A	----	0.316 - 0.113	.0406	----	----	----	----	1 UNCH
12475	----	----	----/*0.381A	0.268B/*0.381A	----	0.312 - 0.113	.0401	----	----	----	----	3 UNCH
12500	----	----	----/*0.378A	0.350B/*0.378A	----	0.309 - 0.112	.0397	----	----	----	----	137 UNCH
12600	----	----	----/*0.366A	0.251B/*0.366A	----	0.297 - 0.108	.0381	----	----	----	----	6 UNCH
12725	----	----	----/*0.352A	0.237B/*0.352A	----	0.283 - 0.104	.0363	----	----	----	----	1 UNCH
12800	----	----	----/*0.342A	0.234B/*0.342A	----	0.274 - 0.102	.0352	----	----	----	----	1 UNCH
13000	----	----	----/0.324A	0.211B/0.324A	----	0.255 - 0.095	.0327	----	----	----	----	572 UNCH
14000	----	----	----/0.243A	0.146B/0.243A	----	0.184 - 0.072	.0233	----	----	----	----	793 UNCH
14700	----	----	----/*0.203A	0.120B/*0.203A	----	0.152 - 0.060	.0190	----	----	----	----	1 UNCH
15000	0.172	0.172	0.182/*0.161A	0.182/*0.161A	----	0.140 - 0.057	.0174	----	----	10	----	710 - 4
16000	----	----	----/0.149A	0.089B/0.149A	----	0.111 - 0.045	.0136	----	----	----	----	749 UNCH
17000	----	----	----/0.124A	0.080B/0.124A	----	0.090 - 0.036	.0108	----	----	----	----	26 UNCH
18000	0.065	0.065	0.065/*0.065	0.065/*0.065	----	0.074 - 0.028	.0088	----	----	2	----	257 UNCH
19000	----	----	----	0.001B/0.140A	----	0.061 - 0.022	.0071	----	----	----	----	78 UNCH
20000	----	----	----	0.056B/*0.068A	----	0.050 - 0.018	.0058	----	----	----	----	1185 UNCH
21000	----	----	----	0.037B/0.189A	----	0.042 - 0.014	.0048	----	----	----	----	427 UNCH
24000	----	----	----	0.002B/*0.050A	----	0.025 - 0.007	.0028	----	----	----	----	130 UNCH
25000	----	----	----	0.003B/*0.040A	----	0.022 - 0.005	.0024	----	----	----	----	364 UNCH
27000	----	----	----	----/*0.035A	----	0.017 - 0.006	.0018	----	----	----	----	4 UNCH
30000	----	----	----	----/0.185A	----	0.013 - 0.007	.0014	----	----	----	----	23 UNCH
32000	----	----	----	----/0.199A	----	0.011 - 0.005	.0011	----	----	----	----	4 UNCH
35000	----	----	0.011B/----	0.011B/*0.019A	----	0.010 UNCH	.0010	----	----	----	----	77 UNCH
TOTAL										215	0	19821 - 35
AUG26												
5000	----	----	----/26.418A	26.738B/26.418A	----	26.352 - 1.396	.9595	----	----	----	----	2 UNCH
5400	----	----	----/22.695A	22.979B/22.695A	----	22.603 - 1.405	.9342	----	----	----	----	2 UNCH
5500	----	----	----/21.790A	22.056B/21.790A	----	21.690 - 1.406	.9260	----	----	----	----	1 UNCH
6300	----	----	----/15.072A	15.118B/15.072A	----	14.911 - 1.392	.8246	----	----	----	----	5 UNCH
6450	----	----	----/13.919A	13.961B/13.919A	----	13.777 - 1.381	.7981	----	----	----	----	1 UNCH
6500	----	----	----/13.585A	13.587B/13.585A	----	13.410 - 1.377	.7889	----	----	----	----	2 UNCH
6600	----	----	----/12.883A	12.852B/12.883A	----	12.696 - 1.367	.7696	----	----	----	----	4 UNCH
6800	----	----	----/11.499A	11.634B/11.499A	----	11.344 - 1.342	.7286	----	----	----	----	7 UNCH
6875	----	----	----/11.089A	10.961B/11.089A	----	10.864 - 1.331	.7126	----	----	----	----	5 UNCH
7000	----	----	----/10.348A	10.268B/10.348A	----	10.098 - 1.311	.6851	----	----	----	----	3 UNCH
7025	----	----	----/10.202A	10.114B/10.202A	----	9.951 - 1.306	.6795	----	----	----	----	5 UNCH
7050	----	----	----/10.061A	9.961B/10.061A	----	9.804 - 1.302	.6739	----	----	----	----	2 UNCH
7100	----	----	----/9.786A	9.660B/9.786A	----	9.517 - 1.293	.6626	----	----	----	----	2 UNCH
7400	----	----	----/8.272A	7.965B/8.272A	----	7.984 - 1.190	.5938	----	----	----	----	2 UNCH
7425	----	----	----/7.962A	8.122B/7.962A	----	7.868 - 1.180	.5881	----	----	----	----	14 UNCH
7475	----	----	----/7.717A	7.879B/7.717A	----	7.641 - 1.159	.5767	----	----	----	----	6 UNCH
7500	7.507	7.507	7.880/7.507	7.880/7.507	----	7.530 - 1.148	.5710	----	----	5	----	8 + 4
7550	----	----	----/7.359A	7.541B/7.359A	----	7.313 - 1.125	.5598	----	----	----	----	4 UNCH
7625	----	----	----/*7.025A	7.199B/7.025A	----	6.998 - 1.092	.5430	----	----	----	----	18 UNCH
7700	----	----	----/*6.734A	6.871B/6.734A	----	6.695 - 1.060	.5265	----	----	----	----	1 UNCH
7800	----	----	----/*6.350A	6.478B/6.350A	----	6.312 - 1.016	.5049	----	----	----	----	1 UNCH
7900	----	----	----/*5.993A	6.110B/*5.993A	----	5.951 - 0.974	.4838	----	----	----	----	1 UNCH
7950	----	----	----/*5.835A	5.934B/*5.835A	----	5.778 - 0.954	.4734	----	----	----	----	9 UNCH
7975	----	----	----/*5.742A	5.807B/*5.742A	----	5.694 - 0.943	.4683	----	----	----	----	1 UNCH
8000	5.672	5.672	5.672/5.666A	5.763B/5.666A	----	5.611 - 0.933	.4633	----	----	16	----	35 + 15
8100	----	----	----/*5.353A	5.436B/*5.353A	----	5.292 - 0.894	.4434	----	----	----	----	9 UNCH
8200	----	----	----/*5.054A	5.127B/*5.054A	----	4.993 - 0.858	.4241	----	----	----	----	1 UNCH
8300	4.899	4.899	4.899/*4.778A	4.899/*4.778A	----	4.713 - 0.824	.4056	----	----	2	----	3 UNCH
8400	----	----	----/*4.519A	4.562B/*4.519A	----	4.451 - 0.792	.3877	----	----	----	----	1 UNCH
8450	----	----	----/*4.394A	4.435B/*4.394A	----	4.326 - 0.778	.3791	----	----	----	----	2 UNCH
8500	----	----	----/*4.277A	4.306B/*4.277A	----	4.206 - 0.764	.3706	----	----	----	----	13 UNCH
8600	----	----	----/*4.006A	4.118B/*4.006A	----	3.977 - 0.737	.3542	----	----	3	----	96 + 3
8775	----	----	----/*3.682A	3.682B/*3.682A	----	3.611 - 0.696	.3272	----	----	----	----	2 UNCH
8900	----	----	----/*3.444A	3.437B/*3.444A	----	3.375 - 0.669	.3092	----	----	----	----	7 UNCH
8950	----	----	----/*3.354A	3.342B/*3.354A	----	3.286 - 0.660	.3023	----	----	----	----	6 UNCH
9000	----	----	----/3.267A	3.256B/3.267A	----	3.199 - 0.651	.2955	----	----	----	----	22 UNCH
9100	----	----	----/*3.067A	3.116B/*3.067A	----	3.035 - 0.633	.2825	----	----	----	----	84 UNCH
9200	----	----	----/*2.944A	2.926B/*2.944A	----	2.881 - 0.616	.2702	----	----	----	----	1 UNCH
9250	----	----	----/*2.872A	2.844B/*2.872A	----	2.808 - 0.608	.2642	----	----	----	----	10 UNCH
9400	2.719	2.719	2.719/*2.640	2.719/*2.640	----	2.602 - 0.585	.2472	----	----	4	----	106 + 2
9450	----	----	----/*2.601A	2.565B/*2.601A	----	2.537 - 0.578	.2418	----	----	----	----	19 UNCH
9500	2.601	2.601	2.601/*2.535A	2.601/*2.535A	----	2.475 - 0.570	.2366	----	----	2	----	3 + 2
10000	2.000	2.000	2.000/2.000	2.000/2.000	----	1.942 - 0.504	.1905	----	----	1	----	143 + 1
10200	----	----	----/*1.852A	1.774B/*1.852A	----	1.770 - 0.478	.1751	----	----	----	----	4 UNCH
10400	----	----	----/*1.713A	1.625B/*1.713A	----	1.616 - 0.455	.1611	----	----	----	----	2 UNCH
10500	----	----	----/*1.643A	1.556B/*1.643A	----	1.546 - 0.443	.1547	----	----	----	----	7 UNCH
10800	1.632	1.632	1.632/*1.632	1.632/*1.632	----	1.357 - 0.411	.1370	----	----	5	----	8 + 5
11000	----	----	----/1.518A	1.054B/1.518A	----	1.248 - 0.390	.1267	----	----	----	----	4 UNCH
11100	----	----	----/*1.479A	1.006B/*1.479A	----	1.198 - 0.380	.1219	----	----	----	----	20 UNCH
11200	----	----	----/*1.391A	0.960B/*1.391A	----	1.150 - 0.370	.1173	----	----	----	----	1 UNCH
11400	----	----	----/*1.299A	0.873B/*1.299A	----	1.062 - 0.352	.1088	----	----	----	----	2 UNCH
11500	----	----	----/*1.254A	0.940B/*1.254A	----	1.021 - 0.343	.1048	----	----	----	----	48 UNCH
11700	----	----	----/*1.173A	0.838B/*1.173A	----	0.946 - 0.326	.0974	----	----	----	----	2 UNCH
11850	----	----	----/*1.099A	0.570B/*1.099A	----	0.895 - 0.313	.0923	----	----	----	----	1 UNCH
12000	----	----	----/0.949A	0.751B/0.949A	----	0.847 - 0.302	.0876	----	----	----	----	2 UNCH
12500	----	----	----/*0.799A	0.708B/*0.799A	----	0.712 - 0.265	.0740	----	----	1	----	2 + 1
13000	----	----	----/0.690A	0.595B/0.690A	----	0.606 - 0.232	.0631	----	----	----	----	56 UNCH
14000	----	----	----/0.558A	0.410B/0.558A	----	0.454 - 0.179	.0473	----	----	----	----	7 UNCH
15000	----	----	----/0.450A	0.300B/0.450A	----	0.356 - 0.137	.0368	----	----	----	----	36 UNCH
16000	----	----	----/0.373A	0.223B/0.373A	----	0.290 - 0.103	.0297	----	----	----	----	1 UNCH
17000	----	----	----/*0.317A	0.167B/*0.317A	----	0.235 - 0.086	.0240	----	----	----	----	4 UNCH
18000	----	----	----	0.127B/*0.274A	----	0.194 - 0.074	.0197	----	----	----	----	4 UNCH
19000	----	----	----	0.098B/*0.241A	----	0.164 - 0.063	.0165	----	----	----	----	2 UNCH
20000	----	----	----	0.076B/0.215A	----	0.141 - 0.055	.0141	----	----	1	----	218 + 1
25000	----	----	----	0.001B/*0.110A	----	0.076 - 0.033	.0073	----	----	----	----	3 UNCH
30000	----	----	----	0.001B/*0.074A	----	0.048 - 0.021	.0045	----	----	----	----	13 UNCH
32000	----	----	----	0.001B/*0.067A	----	0.038 - 0.017	.0035	----	----	----	----	1 UNCH
35000	----	----	----	0.001B/*0.057A	----	0.028 - 0.013	.0026	----	----	----	----	2 UNCH
TOTAL										40	0	1119 + 34
SEP26												
5100	----	----	----/26.232A	25.620B/26.232A	----	25.633 - 1.382	.9364	----	----	----	----	1 UNCH
5900	----	----	----/19.370A	18.600B/19.370A	----	18.682 - 1.364	.8586	----	----	----	----	2 UNCH
6000	----	----	----/18.576A	17.795B/18.576A	----	17.883 - 1.360	.8452	----	----	----	----	7 UNCH
6700	----	----	----/13.494A	12.635B/13.494A	----	12.883 - 1.287	.7304	----	----	----	----	1 UNCH
7000	----	----	----/11.459A	10.868B/11.459A	----	11.094 - 1.233	.6731	----	----	----	----	121 UNCH
7125	----	----	----/10.733A	10.138B/10.733A	----	10.415 - 1.206	.6486	----	----	----	----	75 UNCH
7400	----	----	----/9.297A	8.792B/9.297A	----	9.058 - 1.135	.5943	----	----	----	----	104 UNCH
7500	8.500	8.500	8.700/8.500	8.700/8.500	----	8.609 - 1.107	.5747	----	----	2	----	2 + 1
7700	----	----	----/*8.155A	7.469B/8.155A	----	7.780 - 1.047	.5362	----	----	----	----	1 UNCH
8000	----	----	----/6.950A	6.332B/6.950A	----	6.696 - 0.953	.4814	----	----	----	----	101 UNCH
8200	----	----	----/*6.531A	5.714B/*6.531A	----	6.067 - 0.892	.4471	----	----	----	----	24 UNCH
8500	----	----	----/*5.623A	4.964B/*5.623A	----	5.246 - 0.808	.3996	----	----	----	----	101 UNCH
8600	----	----	----/*5.558A	4.617B/*5.558A	----	5.002 - 0.782	.3847	----	----	----	----	6 UNCH
8675	----	----	----/*5.396A	4.417B/*5.396A	----	4.829 - 0.762	.3740	----	----	----	----	5 UNCH
8700	----	----	----/*5.181A	4.526B/*5.181A	----	4.772 - 0.756	.3705	----	----	----	----	100 UNCH
8800	----	----	----/*5.139A	4.167B/*5.139A	----	4.555 - 0.732	.3567	----	----	----	----	5 UNCH
9000	4.200	4.200	4.200/4.200	4.200/4.200	----	4.156 - 0.687	.3308	----	----	2	----	186 UNCH
9500	----	----	----/*3.862A	3.059B/*3.862A	----	3.338 - 0.593	.2746	----	----	----	----	43 UNCH
9600	----	----	----/*3.721A	2.923B/*3.721A	----	3.201 - 0.577	.2648	----	----	----	----	25 UNCH
9750	----	----	----	2.696B/*3.602A	----	3.010 - 0.554	.2509	----	----	----	----	23 UNCH
9800	----	----	----/*3.378A	2.740B/*3.378A	----	2.949 - 0.547	.2464	----	----	----	----	130 UNCH
9900	----	----	----/*3.255A	2.621B/*3.255A	----	2.834 - 0.533	.2378	----	----	----	----	59 UNCH
10000	----	----	----	2.602B/3.292A	----	2.724 - 0.521	.2296	----	----	----	----	290 UNCH
10100	----	----	----	2.323B/*3.176A	----	2.621 - 0.508	.2217	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
SEP26												
10200	----	----	----	2.216B/*3.065A	----	2.523 -	0.496 .2142	----	----	----	----	1 UNCH
10500	----	----	----/*2.631A	2.012B/*2.631A	----	2.258 -	0.465 .1936	----	----	----	----	115 UNCH
10800	----	----	----	1.746B/*2.501A	----	2.033 -	0.437 .1756	----	----	----	----	2 UNCH
11000	----	----	----/2.236A	1.629B/2.236A	----	1.900 -	0.421 .1648	----	----	----	----	190 UNCH
11300	----	----	----/*2.045A	1.442B/*2.045A	----	1.724 -	0.399 .1503	----	----	----	----	60 UNCH
11500	----	----	----	1.331B/*2.029A	----	1.619 -	0.385 .1415	----	----	----	----	70 UNCH
12000	----	----	----	1.055B/1.802A	----	1.394 -	0.353 .1226	----	----	----	----	117 UNCH
12500	----	----	----	0.824B/*1.600A	----	1.209 -	0.324 .1068	----	----	----	----	35 UNCH
13000	----	----	----	0.657B/1.458A	----	1.055 -	0.296 .0936	----	----	----	----	36 UNCH
14000	----	----	----/0.917A	0.756B/0.917A	----	0.819 -	0.245 .0730	----	----	----	----	102 UNCH
15000	0.650	0.650	0.650/0.650	0.650/0.650	----	0.649 -	0.201 .0581	----	----	15	----	226 + 5
16000	0.560	0.560	0.560/0.560	0.560/0.560	----	0.526 -	0.162 .0471	----	----	1	----	18 UNCH
17000	----	----	----/0.533A	0.355B/0.533A	----	0.437 -	0.129 .0391	----	----	----	----	27 UNCH
18000	----	----	----/0.462A	0.288B/0.462A	----	0.363 -	0.111 .0325	----	----	----	----	2 UNCH
19000	----	----	----	0.234B/0.407A	----	0.307 -	0.096 .0274	----	----	----	----	14 UNCH
20000	0.300	0.300	0.300/0.300	0.300/0.300	----	0.263 -	0.084 .0235	----	----	2	----	306 + 2
21000	----	----	----	0.157B/*0.327A	----	0.229 -	0.074 .0204	----	----	----	----	1 UNCH
23000	----	----	----	0.108B/*0.273A	----	0.179 -	0.060 .0158	----	----	----	----	32 UNCH
25000	----	----	----	0.073B/*0.234A	----	0.146 -	0.051 .0127	----	----	----	----	14 UNCH
30000	----	----	----	0.029B/0.209A	----	0.102 -	0.037 .0086	----	----	----	----	18 UNCH
35000	----	----	----	0.001B/2.971A	----	0.052 -	0.021 .0045	----	----	----	----	27 UNCH
TOTAL										22	0	2827 + 8
OCT26												
3800	----	----	----	----	----	38.902 -	1.362 .9844	----	----	----	----	1 UNCH
7000	----	----	----/13.269A	11.720B/13.269A	----	12.354 -	1.228 .6797	----	----	----	----	2 UNCH
7100	----	----	----/12.493A	11.152B/12.493A	----	11.816 -	1.206 .6621	----	----	----	----	1 UNCH
7500	----	----	----/10.619A	9.545B/10.619A	----	9.891 -	1.111 .5915	----	----	----	----	1 UNCH
7650	----	----	----/9.972A	8.863B/9.972A	----	9.259 -	1.073 .5655	----	----	----	----	1 UNCH
7875	----	----	----/9.224A	7.740B/9.224A	----	8.397 -	1.015 .5277	----	----	----	----	2 UNCH
8000	----	----	----/8.722A	7.544B/8.722A	----	7.959 -	0.984 .5075	----	----	----	----	4 UNCH
8075	----	----	----/8.515A	7.066B/8.515A	----	7.709 -	0.966 .4957	----	----	----	----	1 UNCH
8500	----	----	----/*7.231A	5.981B/*7.231A	----	6.467 -	0.872 .4331	----	----	----	----	1 UNCH
8700	----	----	----/*6.716A	5.476B/*6.716A	----	5.971 -	0.834 .4063	----	----	----	----	4 UNCH
9000	----	----	----/6.032A	4.782B/6.032A	----	5.318 -	0.783 .3695	----	----	----	----	1 UNCH
9100	----	----	----/*5.826A	4.595B/*5.826A	----	5.121 -	0.768 .3581	----	----	----	----	73 UNCH
10000	----	----	----/4.322A	3.263B/4.322A	----	3.719 -	0.643 .2718	----	----	----	----	96 UNCH
11000	----	----	----/3.199A	2.279B/3.199A	----	2.693 -	0.524 .2036	----	----	----	----	3 UNCH
11100	----	----	----/*3.110A	2.202B/*3.110A	----	2.612 -	0.513 .1980	----	----	----	----	2 UNCH
11700	----	----	----	1.804B/*2.643A	----	2.189 -	0.453 .1684	----	----	----	----	2 UNCH
12000	----	----	----	1.636B/2.445A	----	2.011 -	0.426 .1557	----	----	----	----	65 UNCH
13000	----	----	----	1.147B/1.997A	----	1.544 -	0.348 .1215	----	----	----	----	145 UNCH
14000	----	----	----	1.065B/1.678A	----	1.215 -	0.289 .0967	----	----	----	----	2 UNCH
15000	----	----	----/1.104A	0.902B/1.104A	----	0.981 -	0.242 .0786	----	----	----	----	178 UNCH
16000	----	----	----/0.929A	0.733B/0.929A	----	0.812 -	0.205 .0652	----	----	----	----	4 UNCH
18000	----	----	----	0.488B/0.692A	----	0.535 -	0.148 .0439	----	----	----	----	340 UNCH
20000	----	----	----	0.338B/0.543A	----	0.377 -	0.112 .0312	----	----	----	----	225 UNCH
TOTAL											0	1154 0
NOV26												
6500	----	----	----	----/41.153A	----	16.022 -	1.266 .7532	----	----	----	----	1 UNCH
7000	----	----	----/14.085A	12.369B/14.085A	----	13.108 -	1.187 .6746	----	----	----	----	14 UNCH
7100	----	----	----/13.406A	11.850B/13.406A	----	12.590 -	1.169 .6584	----	----	----	----	14 UNCH
7500	----	----	----/11.541A	10.258B/11.541A	----	10.724 -	1.092 .5940	----	----	----	----	1 UNCH
7900	----	----	----/10.044A	8.639B/10.044A	----	9.168 -	1.014 .5323	----	----	6	----	16 + 6
8000	----	----	----/9.680A	8.285B/9.680A	----	8.823 -	0.995 .5176	----	----	----	----	10 UNCH
8200	----	----	----/9.063A	7.645B/9.063A	----	8.182	NEW .4892	----	----	6	----	6 + 6
9000	----	----	----/6.984A	5.556B/6.984A	----	6.166	NEW .3906	----	----	1	----	1 + 1
9550	----	----	----	4.583B/*5.924A	----	5.166 -	0.743 .3362	----	----	----	----	3 UNCH
9800	----	----	----	4.212B/*5.509A	----	4.786 -	0.711 .3146	----	----	----	----	3 UNCH
10000	----	----	----	3.944B/5.217A	----	4.508 -	0.687 .2986	----	----	----	----	26 UNCH
12000	----	----	----	2.154B/3.144A	----	2.622 -	0.497 .1832	----	----	----	----	13 UNCH
12500	----	----	----	1.875B/*2.814A	----	2.322 -	0.460 .1638	----	----	----	----	10 UNCH
13000	----	----	----	1.640B/2.545A	----	2.066 -	0.427 .1469	----	----	----	----	2 UNCH
14000	----	----	----	1.194B/2.170A	----	1.659 -	0.369 .1196	----	----	----	----	3 UNCH
15000	----	----	----	0.873B/1.881A	----	1.356 -	0.319 .0988	----	----	----	----	5 UNCH
16000	----	----	----	0.638B/1.655A	----	1.129 -	0.276 .0828	----	----	----	----	2 UNCH
17000	----	----	----/1.103A	0.871B/1.103A	----	0.958 -	0.237 .0705	----	----	----	----	1 UNCH
20000	----	----	----/0.764A	0.527B/0.764A	----	0.638 -	0.155 .0470	----	----	----	----	32 UNCH
21000	----	----	----/*0.690A	0.453B/*0.690A	----	0.567 -	0.138 .0418	----	----	----	----	2 UNCH
TOTAL										13	0	165 + 13
DEC26												
3875	----	----	----	----	----	38.243 -	1.372 .9709	----	----	----	----	1 UNCH
5250	----	----	----	----/58.619A	----	25.794 -	1.361 .8914	----	----	----	----	50 UNCH
5500	----	----	----	----/56.509A	----	23.745 -	1.350 .8681	----	----	----	----	1 UNCH
6500	----	----	----	----/45.830A	----	16.587 -	1.263 .7453	----	----	----	----	564 UNCH
6900	----	----	----/15.469A	13.290B/15.469A	----	14.288 -	1.209 .6865	----	----	----	----	1 UNCH
6950	----	----	----/15.204A	12.967B/15.204A	----	14.024 -	1.201 .6790	----	----	----	----	200 UNCH
7000	----	----	----/14.942A	12.766B/14.942A	----	13.765 -	1.194 .6715	----	----	----	----	120 UNCH
7025	----	----	----/14.815A	12.579B/14.815A	----	13.638 -	1.190 .6677	----	----	----	----	1 UNCH
7075	----	----	----/14.560A	12.386B/14.560A	----	13.386 -	1.182 .6602	----	----	----	----	5 UNCH
7100	----	----	----/14.090A	12.486B/14.090A	----	13.263 -	1.177 .6564	----	----	----	----	15 UNCH
7375	----	----	----/12.767A	10.979B/12.767A	----	11.979 -	1.133 .6151	----	----	----	----	2 UNCH
7500	----	----	----/12.271A	10.878B/12.271A	----	11.443 -	1.110 .5966	----	----	----	----	18 UNCH
7575	----	----	----	10.139B/12.283A	----	11.134 -	1.097 .5856	----	----	----	----	1 UNCH
7750	----	----	----/11.339A	9.864B/11.339A	----	10.452 -	1.066 .5603	----	----	----	----	2 UNCH
7800	----	----	----/11.121A	9.674B/11.121A	----	10.267 -	1.057 .5533	----	----	----	----	1 UNCH
7925	----	----	----	8.845B/10.926A	----	9.821 -	1.034 .5359	----	----	----	----	2 UNCH
8000	----	----	----/10.440A	8.979B/10.440A	----	9.565 -	1.021 .5257	----	----	----	----	127 UNCH
8100	----	----	----/10.127A	8.647B/10.127A	----	9.237 -	1.003 .5123	----	----	----	----	1 UNCH
8200	----	----	----/9.819A	8.328B/9.819A	----	8.924 -	0.985 .4993	----	----	----	----	21 UNCH
8400	----	----	----/9.252A	7.712B/9.252A	----	8.340 -	0.948 .4741	----	----	----	----	50 UNCH
8500	----	----	----/8.989A	7.469B/8.989A	----	8.067 -	0.931 .4620	----	----	----	----	150 UNCH
8550	----	----	----	7.301B/8.891A	----	7.936 -	0.922 .4561	----	----	----	----	25 UNCH
8600	----	----	----	7.170B/8.738A	----	7.807 -	0.913 .4503	----	----	----	----	7 UNCH
8800	----	----	----	6.675B/8.295A	----	7.321 -	0.879 .4277	----	----	----	----	5 UNCH
8900	----	----	----	6.458B/8.074A	----	7.094 -	0.863 .4169	----	----	----	----	2 UNCH
8950	----	----	----	6.346B/7.968A	----	6.984 -	0.855 .4117	----	----	----	----	1 UNCH
9000	----	----	----	6.236B/7.864A	----	6.877 -	0.846 .4065	----	----	----	----	229 UNCH
9050	----	----	----	6.129B/*7.759A	----	6.772 -	0.839 .4014	----	----	----	----	100 UNCH
9300	----	----	----	5.639B/*7.263A	----	6.281 -	0.800 .3769	----	----	----	----	1 UNCH
9500	----	----	----	5.270B/6.902A	----	5.925 -	0.771 .3588	----	----	----	----	10 UNCH
9700	----	----	----	4.930B/*6.569A	----	5.597 -	0.743 .3417	----	----	----	----	1 UNCH
9800	----	----	----	4.772B/*6.412A	----	5.443 -	0.730 .3335	----	----	1	----	25 + 1
9900	----	----	----	4.620B/*6.259A	----	5.294 -	0.718 .3256	----	----	----	----	3 UNCH
10000	----	----	----	4.433B/6.104A	----	5.151 -	0.705 .3179	----	----	1	----	781 + 1
10025	----	----	----	4.312B/*6.066A	----	5.116 -	0.702 .3160	----	----	----	----	3 UNCH
10500	----	----	----	3.778B/*5.405A	----	4.509 -	0.649 .2828	----	----	----	----	2 UNCH
10600	----	----	----	3.659B/*5.280A	----	4.393 -	0.640 .2764	----	----	----	----	6 UNCH
10800	----	----	----	3.444B/*5.041A	----	4.174 -	0.620 .2641	----	----	----	----	1 UNCH
11000	----	----	----	3.238B/4.817A	----	3.970 -	0.602 .2525	----	----	----	----	91 UNCH
11350	----	----	----	2.935B/*4.460A	----	3.644 -	0.572 .2338	----	----	----	----	5 UNCH
11800	----	----	----	2.594B/*4.054A	----	3.276 -	0.538 .2122	----	----	----	----	25 UNCH
12000	----	----	----/3.201A	2.458B/3.201A	----	3.129 -	0.524 .2035	----	----	----	----	478 UNCH
12200	----	----	----	2.331B/*3.737A	----	2.991 -	0.510 .1953	----	----	----	----	1 UNCH
12500	----	----	----	2.155B/*3.527A	----	2.800 -	0.490 .1838	----	----	----	----	43 UNCH
13000	----	----	----	1.874B/3.206A	----	2.518 -	0.459 .1666	----	----	----	----	386 UNCH
14000	----	----	----	1.443B/2.740A	----	2.066 -	0.401 .1384	----	----	----	----	56 UNCH
14200	----	----	----	1.354B/*2.671A	----	1.990 -	0.391 .1336	----	----	----	----	1 UNCH
15000	----	----	----	1.052B/2.425A	----	1.724 -	0.350 .1165	----	----	----	----	1828 UNCH
16000	----	----	----	0.755B/2.166A	----	1.461 -	0.304 .0994	----	----	----	----	1615 UNCH
17000	----	----	----	0.535B/1.960A	----	1.253 -	0.265 .0857	----	----	----	----	50 UNCH
18000	----	----	----/1.273A	0.915B/1.273A	----	1.086 -	0.232 .0746	----	----	----	----	7 UNCH
19000	----	----	----/1.136A	0.765B/1.136A	----	0.951 -	0.203 .0655	----	----	----	----	1 UNCH
20000	----	----	----	0.652B/1.024A	----	0.839 -	0.181 .0579	----	----	----	----	262 UNCH
21000	----	----	----	0.561B/*0.930A	----	0.745 -	0.164 .0515	----	----	----	----	4 UNCH
23000	----	----	----	0.424B/*0.784A	----	0.600 -	0.140 .0416	----	----	----	----	4 UNCH
25000	----	----	----	0.380B/*0.676A	----	0.496 -	0.124 .0344	----	----	----	----	237 UNCH
30000	----	----	----/*0.400A	0.172B/*0.400A	----	0.344 -	0.096 .0236	----	----	----	----	112 UNCH
40000	----	----	----	0.102B/0.344A	----	0.220 -	0.064 .0146	----	----	----	----	23 UNCH
90000	----	----	----	----	----	0.078 -	0.024 .0047	----	----	----	----	2 UNCH
TOTAL										2	0	7766 + 2
JAN27												
7550	----	----	----/13.252A	11.942B/13.252A	----	12.322 -	1.142 .6025	----	----	1	----	2 + 1
7650	----	----	----/*12.855A	11.323B/*12.855A	----	11.920 -	1.128 .5888	----	----	----	----	6 UNCH
10000	----	----	----	5.296B/*7.056A	----	5.910 -	0.796 .3406	----	----	1	----	6 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 57

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JAN27												
11000	----	----	----	3.975B/*5.762A	----	4.583 - 0.682	.2736	----	----	1	----	6 + 1
12500	----	----	----	2.623B/*4.447A	----	3.305 NEW	.2035	----	----	1	----	1 + 1
13000	----	----	----	2.268B/*4.121A	----	3.084 - 0.519	.1891	----	----	----	----	1 UNCH
14000	----	----	----	2.200B/*3.587A	----	2.764 - 0.474	.1671	----	----	----	----	1 UNCH
14500	----	----	----	1.496B/*3.368A	----	2.646 - 0.455	.1585	----	----	----	----	400 UNCH
15000	----	----	----	1.293B/*3.175A	----	2.549 - 0.440	.1512	----	----	----	----	400 UNCH
TOTAL										4	0	823 + 4
FEB27												
9000	----	----	----	7.750B/9.547A	----	8.393 - 0.912	.4393	----	----	----	----	1 UNCH
30000	----	----	----	0.245B/*0.907A	----	0.471 - 0.116	.0304	----	----	----	----	1 UNCH
TOTAL											0	2 0
MAR27												
8000	----	----	----	10.098B/*13.681A	----	11.758 - 1.159	.5528	----	----	----	----	200 UNCH
9000	----	----	----	7.441B/10.855A	----	8.983 - 1.018	.4494	----	----	----	----	35 UNCH
9200	----	----	----	7.021B/*10.422A	----	8.551 - 0.985	.4316	----	----	----	----	25 UNCH
30000	----	----	----/*1.063A	0.339B/*1.063A	----	0.908 - 0.183	.0509	----	----	----	----	2 UNCH
TOTAL											0	262 0
JUL27												
2000	----	----	----	----	----	58.691 - 1.364	.9948	----	----	----	----	1 UNCH
10000	----	----	----	----	----	10.922 - 0.659	.4428	----	----	----	----	1 UNCH
10300	----	----	----	----	----	10.444 - 0.638	.4259	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	41.386 - 1.248	.9186	----	----	----	----	1 UNCH
20000	----	----	----	----	----	6.583 - 0.379	.2407	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
MAY26												
2075	----	----	----	----/0.004A	----	0.000 - 0.001	----	----	----	----	----	0 - 31
2100	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
2150	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
2175	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
2650	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
2700	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 50
2800	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 12
2850	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
2875	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
2950	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
3000	----	----	----	----/*0.001A	----	0.000 - 0.001	----	----	----	----	----	0 - 22
3075	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 16
3100	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
3125	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 14
3175	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 14
3200	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 13
3225	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
3275	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 54
3300	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 79
3325	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
3350	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 14
3375	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 12
3400	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 39
3450	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
3475	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 13
3500	----	----	----	----/0.007A	----	0.000 - 0.001	----	----	----	----	----	0 - 59
3550	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
3575	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 28
3600	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
3625	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 12
3675	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 105
3700	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 264
3750	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
3775	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
3800	----	----	----	----/0.010A	----	0.000 - 0.001	----	----	----	----	----	0 - 356
3850	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
3900	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 52
3925	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 9
3950	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
3975	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
4000	0.009	0.009	0.011/0.009	0.011/0.009	----	0.000 - 0.001	----	----	----	5	----	0 - 350
4025	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
4050	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 21
4075	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 15
4100	----	----	----	----/0.010A	----	0.000 - 0.001	----	----	----	----	----	0 - 215
4125	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
4150	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 9
4175	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
4200	----	----	----	----/0.043A	----	0.000 - 0.001	----	----	----	----	----	0 - 101
4225	----	----	----	----/*0.010A	----	0.000 - 0.001	----	----	----	----	----	0 - 20
4250	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
4275	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 7
4300	----	----	----	----/0.010A	----	0.000 - 0.001	----	----	----	----	----	0 - 295
4325	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
4350	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 27
4375	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 12
4400	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 313
4425	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 14
4450	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 7
4475	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 81
4500	----	----	----	----/0.005A	----	0.000 - 0.001	----	----	----	----	----	0 - 780
4525	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 19
4550	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
4575	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
4600	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 14
4625	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 66
4650	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
4675	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 17
4700	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 116
4725	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
4750	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 18
4775	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
4800	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 318
4825	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
4850	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 76
4875	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
4900	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 162
4925	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 9
4950	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
4975	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 52
5000	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.001	----	----	----	14	----	0 - 916
5025	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
5050	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 24
5075	----	----	----	----/0.042A	----	0.000 - 0.001	----	----	----	----	----	0 - 7
5100	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 161
5125	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 51
5150	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 48
5175	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
5200	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 163
5225	----	----	----	----/0.072A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
5250	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 29
5275	----	----	----	----/0.071A	----	0.000 - 0.001	----	----	----	----	----	0 - 8
5300	----	----	----	----/0.043A	----	0.000 - 0.001	----	----	----	----	----	0 - 172
5325	----	----	----	----/0.042A	----	0.000 - 0.001	----	----	----	----	----	0 - 23
5350	----	----	----	----/0.041A	----	0.000 - 0.001	----	----	----	----	----	0 - 28
5375	----	----	----	----/0.042A	----	0.000 - 0.002	----	----	----	----	----	0 - 14
5400	----	----	----	----/0.041A	----	0.000 - 0.002	----	----	----	----	----	0 - 98
5425	----	----	----	----/0.044A	----	0.000 - 0.002	----	----	----	----	----	0 - 14
5450	----	----	----	----/0.043A	----	0.000 - 0.002	----	----	----	----	----	0 - 12
5475	----	----	----	----/0.043A	----	0.000 - 0.002	----	----	----	----	----	0 - 13
5500	0.011	0.011	0.011/0.011	0.011/0.011	----	0.000 - 0.002	----	----	----	1	----	0 - 627
5525	----	----	----	----/0.044A	----	0.000 - 0.002	----	----	----	----	----	0 - 37
5550	----	----	----	----/0.034A	----	0.000 - 0.002	----	----	----	----	----	0 - 31
5575	----	----	----	----/0.044A	----	0.000 - 0.002	----	----	----	----	----	0 - 5
5600	----	----	----	----/0.042A	----	0.000 - 0.002	----	----	----	----	----	0 - 81

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
5625	----	----	----	----/0.042A	----	0.000 - 0.002	----	----	----	----	----	0 - 6
5650	----	----	----	----/0.039A	----	0.000 - 0.003	----	----	----	----	----	0 - 41
5675	----	----	----	----/0.043A	----	0.000 - 0.003	----	----	----	----	----	0 - 48
5700	----	----	----	----/0.035A	----	0.000 - 0.003	----	----	----	----	----	0 - 130
5725	----	----	----	----/0.039A	----	0.000 - 0.003	----	----	----	----	----	0 - 28
5750	----	----	----	----/*0.032A	----	0.000 - 0.003	----	----	----	----	----	0 - 110
5775	----	----	----	----/*0.034A	----	0.000 - 0.003	----	----	----	----	----	0 - 11
5800	----	----	----	----/0.042A	----	0.000 - 0.003	----	----	----	----	----	0 - 357
5825	----	----	----	----/0.040A	----	0.000 - 0.004	----	----	----	----	----	0 - 54
5850	----	----	----	----/0.028A	----	0.000 - 0.004	----	----	----	----	----	0 - 7
5875	----	----	----	----/0.043A	----	0.000 - 0.004	----	----	----	----	----	0 - 4
5900	----	----	----	----/0.043A	----	0.000 - 0.004	----	----	----	----	----	0 - 106
5925	----	----	----	----/*0.040A	----	0.000 - 0.004	----	----	----	----	----	0 - 13
5950	----	----	----	----/*0.028A	----	0.000 - 0.005	----	----	----	----	----	0 - 13
5975	----	----	----	----/*0.042A	----	0.000 - 0.005	----	----	----	----	----	0 - 23
6000	----	----	----	----/0.015A	----	0.000 - 0.005	----	----	----	----	----	0 - 1090
6025	----	----	----	----/*0.038A	----	0.000 - 0.005	----	----	----	----	----	0 - 23
6050	----	----	----	----/0.027A	----	0.000 - 0.006	----	----	----	----	----	0 - 322
6075	----	----	----	----/0.044A	----	0.000 - 0.006	----	----	----	----	----	0 - 153
6100	----	----	----	----/*0.041A	----	0.000 - 0.006	----	----	----	----	----	0 - 153
6125	----	----	----	----/*0.041A	----	0.000 - 0.007	----	----	----	----	----	0 - 7
6150	----	----	----	----/*0.041A	----	0.000 - 0.007	----	----	----	----	----	0 - 39
6175	----	----	----	----/*0.035A	----	0.000 - 0.008	----	----	----	----	----	0 - 14
6200	----	----	----	----/0.040A	----	0.000 - 0.008	----	----	----	----	----	0 - 58
6225	----	----	----	----/*0.027A	----	0.000 - 0.009	----	----	----	----	----	0 - 33
6250	----	----	----	----/*0.039A	----	0.000 - 0.009	----	----	----	----	----	0 - 87
6275	----	----	----	----/*0.027A	----	0.000 - 0.010	----	----	----	----	----	0 - 12
6300	----	----	----	----/0.038A	----	0.000 - 0.010	----	----	----	----	----	0 - 176
6325	----	----	----	----/*0.028A	----	0.000 - 0.012	----	----	----	----	----	0 - 125
6350	----	----	----	----/*0.032A	----	0.000 - 0.014	----	----	----	----	----	0 - 72
6375	----	----	----	----/*0.041A	----	0.000 - 0.016	----	----	----	----	----	0 - 28
6400	----	----	----	----/0.042A	----	0.000 - 0.018	----	----	----	----	----	0 - 97
6425	----	----	----	----/*0.041A	----	0.000 - 0.019	----	----	----	----	----	0 - 9
6450	----	----	----	----/0.048A	----	0.000 - 0.019	----	----	----	----	----	0 - 55
6475	----	----	----	----/*0.043A	----	0.000 - 0.020	----	----	----	----	----	0 - 10
6500	----	----	----	0.001B/0.028A	----	0.000 - 0.020	----	----	----	----	----	0 - 756
6525	----	----	----	----/*0.028A	----	0.000 - 0.020	----	----	----	----	----	0 - 18
6550	----	----	----	----/*0.029A	----	0.000 - 0.020	----	----	----	----	----	0 - 172
6575	----	----	----	----/0.028A	----	0.000 - 0.021	----	----	----	----	----	0 - 46
6600	----	----	----	----/*0.032A	----	0.000 - 0.021	----	----	----	----	----	0 - 359
6625	----	----	----	----/*0.034A	----	0.000 - 0.022	----	----	----	----	----	0 - 6
6650	----	----	----	----/*0.028A	----	0.000 - 0.024	----	----	----	----	----	0 - 81
6675	----	----	----	----/*0.028A	----	0.000 - 0.025	----	----	----	----	----	0 - 63
6700	----	----	----	----/*0.029A	----	0.000 - 0.027	----	----	----	----	----	0 - 530
6725	----	----	----	----/*0.029A	----	0.000 - 0.029	----	----	----	----	----	0 - 10
6750	----	----	----/*0.029A	----/*0.029A	----	0.000 - 0.032	----	----	----	----	----	0 - 87
6775	----	----	----/*0.030A	----/*0.030A	----	0.000 - 0.035	----	----	----	----	----	0 - 14
6800	0.040	0.040	0.040/*0.005A	0.040/*0.005A	----	0.000 - 0.038	----	----	----	9	----	0 - 119
6825	----	----	----/*0.032A	----/*0.032A	----	0.000 - 0.041	----	----	----	----	----	0 - 12
6850	----	----	----/*0.031A	----/*0.031A	----	0.000 - 0.044	----	----	----	----	----	0 - 16
6875	----	----	----/*0.032A	----/*0.032A	----	0.000 - 0.047	----	----	----	----	----	0 - 6
6900	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.000 - 0.049	----	----	----	2	----	0 - 460
6925	----	----	----/*0.043A	----/*0.043A	----	0.000 - 0.052	----	----	----	----	----	0 - 79
6950	----	----	----/*0.046A	0.001B/*0.046A	----	0.000 - 0.054	----	----	----	2	----	0 - 30
6975	----	----	----/*0.029A	0.002B/*0.029A	----	0.000 - 0.056	----	----	----	----	----	0 - 9
7000	0.030	0.030	0.045/*0.001	0.045/*0.001	----	0.000 - 0.060	----	----	----	18	----	0 - 751
7025	----	----	----/*0.030A	0.002B/*0.030A	----	0.000 - 0.064	----	----	----	----	----	0 - 16
7030	----	----	----/*0.053A	0.002B/*0.053A	----	0.000 - 0.065	----	----	----	----	----	0 - 9
7050	----	----	----/*0.054A	0.002B/*0.054A	----	0.000 - 0.070	----	----	----	----	----	0 - 61
7075	----	----	----/*0.058A	0.003B/*0.058A	----	0.000 - 0.077	----	----	----	----	----	0 - 11
7100	0.056	0.056	0.056/*0.012	0.056/*0.012	----	0.000 - 0.085	----	----	----	4	----	0 - 71
7110	----	----	----/*0.063A	0.004B/*0.063A	----	0.000 - 0.089	----	----	----	----	----	0 - 10
7125	----	----	----/*0.058A	0.004B/*0.058A	----	0.000 - 0.095	----	----	----	----	----	0 - 19
7150	----	----	----/*0.058A	0.014B/*0.058A	----	0.000 - 0.105	----	----	----	----	----	0 - 46
7175	----	----	----/*0.052A	0.064B/*0.052A	----	0.000 - 0.116	----	----	----	----	----	0 - 23
7200	0.035	0.035	0.035/*0.005A	0.081B/*0.005A	----	0.000 - 0.128	----	----	----	9	----	0 - 411
7225	----	----	----/*0.046A	0.098B/*0.046A	----	0.000 - 0.141	----	----	----	----	----	0 - 16
7250	----	----	----/*0.050A	0.121B/*0.050A	----	0.000 - 0.155	----	----	----	6	----	0 - 63
7260	----	----	----/*0.039A	0.130B/*0.039A	----	0.000 - 0.160	----	----	----	----	----	0 - 2
7275	----	----	----/*0.040A	0.148B/*0.040A	----	0.000 - 0.170	----	----	----	----	----	0 - 8
7300	0.220	0.220	0.220/*0.020	0.220/*0.020	----	0.000 - 0.187	----	----	----	15	----	0 - 101
7325	----	----	0.208B/*0.045A	0.208B/*0.045A	----	0.000 - 0.206	----	----	----	----	----	0 - 26
7340	----	----	0.250B/*0.067A	0.250B/*0.067A	----	0.000 - 0.220	----	----	----	----	----	0 - 3
7350	----	----	0.270B/*0.064A	0.270B/*0.064A	----	0.000 - 0.229	----	----	----	1	----	0 - 59
7360	----	----	0.285B/*0.059A	0.285B/*0.059A	----	0.000 - 0.240	----	----	----	----	----	0 - 1
7370	0.122	0.122	0.314B/*0.006	0.314B/*0.006	----	0.000 NEW	----	----	----	2	----	0 UNCH
7375	----	----	0.325B/*0.056A	0.325B/*0.056A	----	0.000 - 0.257	----	----	----	----	----	0 - 23
7380	----	----	0.330B/*0.058A	0.330B/*0.058A	----	0.000 - 0.263	----	----	----	----	----	0 - 1
7400	0.450	0.450	0.450/*0.010A	0.450/*0.010A	----	0.000 - 0.289	----	----	----	12	----	0 - 98
7410	----	----	0.417B/*0.055A	0.417B/*0.055A	----	0.000 - 0.304	----	----	----	----	----	0 - 5
7425	----	----	0.473B/*0.051A	0.473B/*0.051A	----	0.000 - 0.329	----	----	----	----	----	0 - 23
7450	0.650	0.650	0.650/*0.045A	0.650/*0.045A	----	0.000 - 0.375	----	----	----	22	----	0 - 46
7470	0.215	0.215	0.647B/*0.045A	0.647B/*0.045A	----	0.000 - 0.418	----	----	----	12	----	0 - 1
7475	0.214	0.214	0.653B/*0.044A	0.653B/*0.044A	----	0.000 - 0.430	----	----	----	9	----	0 - 11
7480	0.164	0.164	0.678B/*0.048A	0.678B/*0.048A	----	0.000 - 0.442	----	----	----	1	----	0 - 1
7490	----	----	0.718B/*0.043A	0.718B/*0.043A	----	0.000 - 0.467	----	----	----	----	----	0 - 3
7500	0.850	0.850	0.850/*0.006	0.850/*0.006	----	0.000 - 0.493	----	----	----	157	----	0 - 702
7525	----	----	0.896B/*0.197A	0.896B/*0.197A	----	0.225 - 0.341	----	31	----	----	----	0 - 31
7530	----	----	0.886B/*0.278A	0.886B/*0.278A	----	0.275 - 0.306	----	7	----	----	----	0 - 7
7535	----	----	0.919B/*0.297A	0.919B/*0.297A	----	0.325 - 0.272	----	10	----	----	----	0 - 10
7540	----	----	0.955B/*0.274A	0.955B/*0.274A	----	0.375 - 0.239	----	7	----	----	----	0 - 7
7545	----	----	0.987B/*0.339A	0.987B/*0.339A	----	0.425 - 0.206	----	2	----	----	----	0 - 2
7550	----	----	0.946B/*0.346A	0.946B/*0.346A	----	0.475 - 0.173	----	48	----	5	----	0 - 52
7555	----	----	0.919B/*0.373A	0.919B/*0.373A	----	0.525 - 0.140	----	7	----	----	----	0 - 7
7560	----	----	0.876B/*0.385A	0.876B/*0.385A	----	0.575 - 0.108	----	3	----	----	----	0 - 3
7565	----	----	0.918B/*0.404A	0.918B/*0.404A	----	0.625 - 0.077	----	2	----	----	----	0 - 2
7570	----	----	0.952B/*0.418A	0.952B/*0.418A	----	0.675 - 0.045	----	3	----	1	----	0 - 3
7575	----	----	0.986B/*0.450A	0.986B/*0.450A	----	0.725 - 0.014	----	3	----	----	----	0 - 3
7580	----	----	0.909B/*0.467A	0.909B/*0.467A	----	0.775 + 0.016	----	31	----	----	----	0 - 31
7585	0.559	0.559	0.913B/*0.497A	0.913B/*0.497A	----	0.825 + 0.046	----	7	----	2	----	0 - 9
7590	----	----	0.967B/*0.509A	0.967B/*0.509A	----	0.875 + 0.076	----	13	----	----	----	0 - 13
7595	----	----	0.961B/*0.509A	0.961B/*0.509A	----	0.925 + 0.105	----	3	----	----	----	0 - 3
7600	1.055	1.055	1.126B/0.538A	1.126B/0.538A	----	0.975 + 0.134	----	129	----	3	----	0 - 130
7605	----	----	1.109B/*0.549A	1.109B/*0.549A	----	1.025 + 0.163	----	13	----	----	----	0 - 13
7610	----	----	1.107B/0.569A	1.107B/0.569A	----	1.075 + 0.191	----	2	----	----	----	0 - 2
7615	----	----	1.158B/0.588A	1.158B/0.588A	----	1.125 + 0.219	----	2	----	----	----	0 - 2
7620	----	----	1.257B/0.619A	1.257B/0.619A	----	1.175 + 0.247	----	12	----	----	----	0 - 12
7625	----	----	1.306B/0.636A	1.306B/0.636A	----	1.225 + 0.274	----	11	----	----	----	0 - 11
7630	----	----	1.304B/0.651A	1.304B/0.651A	----	1.275 + 0.300	----	1	----	----	----	0 - 1
7635	----	----	1.440B/0.681A	1.440B/0.681A	----	1.325 + 0.327	----	36	----	----	----	0 - 36
7645	----	----	1.454B/0.729A	1.454B/0.729A	----	1.425 + 0.378	----	4	----	----	----	0 - 4
7650	----	----	1.569B/0.744A	1.569B/0.744A	----	1.475 + 0.403	----	27	----	----	----	0 - 27
7655	----	----	1.620B/0.774A	1.620B/0.774A	----	1.525 + 0.428	----	24	----	----	----	0 - 24
7660	----	----	1.659B/0.805A	1.659B/0.805A	----	1.575 + 0.452	----	16	----	----	----	0 - 16
7665	----	----	1.707B/0.836A	1.707B/0.836A	----	1.625 + 0.476	----	7	----	----	----	0 - 7
7670	----	----	1.703B/0.867A	1.703B/0.867A	----	1.675 + 0.500	----	4	----	----	----	0 - 4
7675	1.807	1.807	1.807/0.929A	1.807/0.929A	----	1.725 + 0.523	----	8	----	1	----	0 - 8
7680	----	----	1.803B/1.130A	1.803B/1.130A	----	1.775 + 0.546	----	3	----	----	----	0 - 3
7685	----	----	1.907B/1.134A	1.907B/1.134A	----	1.825 + 0.568	----	14	----	----	----	0 - 14
7690	----	----	1.906B/1.131A	1.906B/1.131A	----	1.875 + 0.591	----	5	----	----	----	0 - 5
7695	----	----	1.956B/1.167A	1.956B/1.167A	----	1.925 + 0.612	----	2	----	----	----	0 - 2
7700	1.550	1.550	2.200/1.550	2.200/1.343A	----	1.975 + 0.633	----	543	----	8	----	0 - 543
7705	----	----	2.056B/----	2.056B/1.770A	----	2.025 + 0.654	----	3	----	----	----	0 - 3
7710	----	----	2.106B/----	2.106B/1.818A	----	2.075 + 0.675	----	2	----	----	----	0 - 2
7715	----	----	2.156B/----	2.156B/1.867A	----	2.125 + 0.694	----	4	----	----	----	0 - 4
7720	----	----	2.206B/----	2.206B/1.915A	----	2.175 + 0.714	----	4	----	----	----	0 - 4
7725	----	----	2.255B/----	2.255B/1.964A	----	2.225 + 0.733	----	5	----	----	----	0 - 5
7730	----	----	2.306B/----	2.306B/2.013A	----	2.275 + 0.752	----	2	----	----	----	0 - 2
7735	----	----	2.356B/----	2.356B/2.061A	----	2.325 + 0.770	----	3	----	----	----	0 - 3
7740	----	----	2.405B/----	2.405B/2.111A	----	2.375 + 0.788	----	1	----	----	----	0 - 1
7745	----	----	2.456B/----	2.456B/2.161A	----	2.425 + 0.806	----	3	----	----	----	0 - 3
7750	----	----	2.620B/----	2.620B/2.120A	----	2.475 + 0.823	----	87	----	1	----	0 - 88
7755	----	----	2.608B/----	2.608B/2.259A	----	2.525 + 0.840	----	13	----	----	----	0 - 13
7760	----	----	2.658B/----	2.658B/2.309A	----	2.575 + 0.856	----	14	----	----	----	0 - 14
7765	----	----	2.708B/----	2.708B/2.358A	----	2.625 + 0.872	----	10	----	----	----	0 - 10
7770	----	----	2.706B/----	2.706B/2.407A	----	2.675 + 0.888	----	3	----	----	----	0 - 3
7775	----	----	2.808B/----	2.808B/2.457A	----	2.725 + 0.903	----	9	----	----	----	0 - 9
7780	----	----	2.806B/----	2.806B/2.507A	----	2.775 + 0.918	----	2	----	----	----	0 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

SO PUT COMEX SILVER OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
7785	----	----	2.855B/----	2.855B/2.556A	----	2.825 + 0.932	----	5	----	----	----	0 - 5
7790	----	----	2.905B/----	2.905B/2.606A	----	2.875 + 0.946	----	2	----	----	----	0 - 2
7800	2.450	2.450	3.135B/2.450	3.135B/2.015A	----	2.975 + 0.973	----	79	----	3	----	0 - 80
7805	----	----	3.056B/----	3.056B/2.755A	----	3.025 + 0.986	----	2	----	----	----	0 - 2
7810	----	----	3.106B/----	3.106B/2.804A	----	3.075 + 0.998	----	3	----	----	----	0 - 3
7815	----	----	3.155B/----	3.155B/2.854A	----	3.125 + 1.010	----	2	----	----	----	0 - 2
7820	----	----	3.205B/----	3.205B/2.903A	----	3.175 + 1.022	----	1	----	----	----	0 - 1
7825	----	----	3.308B/----	3.308B/2.953A	----	3.225 + 1.033	----	11	----	----	----	0 - 11
7830	----	----	3.358B/----	3.358B/3.003A	----	3.275 + 1.045	----	11	----	----	----	0 - 11
7835	----	----	3.421B/----	3.421B/3.007A	----	3.325 + 1.055	----	20	----	----	----	0 - 20
7840	----	----	3.405B/----	3.405B/3.103A	----	3.375 + 1.066	----	3	----	----	----	0 - 3
7845	----	----	3.455B/----	3.455B/3.153A	----	3.425 + 1.076	----	2	----	----	----	0 - 2
7850	----	----	3.635B/----	3.635B/3.111A	----	3.475 + 1.086	----	55	----	----	----	0 - 55
7855	----	----	3.555B/----	3.555B/3.253A	----	3.525 + 1.095	----	3	----	----	----	0 - 3
7860	----	----	3.605B/----	3.605B/3.303A	----	3.575 + 1.104	----	4	----	----	----	0 - 4
7865	----	----	3.708B/----	3.708B/3.353A	----	3.625 + 1.113	----	12	----	----	----	0 - 12
7870	----	----	3.705B/----	3.705B/3.403A	----	3.675 + 1.122	----	3	----	----	----	0 - 3
7875	----	----	3.808B/----	3.808B/3.452A	----	3.725 + 1.130	----	12	----	----	----	0 - 12
7880	----	----	3.858B/----	3.858B/3.502A	----	3.775 + 1.138	----	6	----	----	----	0 - 6
7885	----	----	3.855B/----	3.855B/3.552A	----	3.825 + 1.146	----	3	----	----	----	0 - 3
7890	----	----	3.905B/----	3.905B/3.602A	----	3.875 + 1.153	----	4	----	----	----	0 - 4
7895	----	----	3.955B/----	3.955B/3.652A	----	3.925 + 1.161	----	2	----	----	----	0 - 2
7900	----	----	4.120B/----	4.120B/3.609A	----	3.975 + 1.168	----	66	----	----	----	0 - 66
7905	----	----	4.055B/----	4.055B/3.751A	----	4.025 + 1.175	----	4	----	----	----	0 - 4
7910	----	----	4.105B/----	4.105B/3.801A	----	4.075 + 1.181	----	3	----	----	----	0 - 3
7915	----	----	4.155B/----	4.155B/3.851A	----	4.125 + 1.188	----	3	----	----	----	0 - 3
7920	----	----	4.258B/----	4.258B/3.900A	----	4.175 + 1.194	----	10	----	----	----	0 - 10
7925	----	----	4.255B/----	4.255B/3.950A	----	4.225 + 1.200	----	2	----	----	----	0 - 2
7930	----	----	4.305B/----	4.305B/4.000A	----	4.275 + 1.206	----	3	----	----	----	0 - 3
7935	----	----	4.355B/----	4.355B/4.050A	----	4.325 + 1.211	----	3	----	----	----	0 - 3
7940	----	----	4.405B/----	4.405B/4.100A	----	4.375 + 1.217	----	4	----	----	----	0 - 4
7945	----	----	4.455B/----	4.455B/4.150A	----	4.425 + 1.222	----	1	----	----	----	0 - 1
7950	----	----	4.634B/----	4.634B/4.107A	----	4.475 + 1.227	----	57	----	----	----	0 - 57
7955	----	----	4.555B/----	4.555B/4.249A	----	4.525 + 1.232	----	3	----	----	----	0 - 3
7960	----	----	4.605B/----	4.605B/4.299A	----	4.575 + 1.236	----	1	----	----	----	0 - 1
7965	----	----	4.707B/----	4.707B/4.349A	----	4.625 + 1.241	----	7	----	----	----	0 - 7
7970	4.490	4.490	4.757B/4.490	4.757B/4.399A	----	4.675 + 1.245	----	6	----	1	----	0 - 7
7975	----	----	4.754B/----	4.754B/4.449A	----	4.725 + 1.250	----	2	----	----	----	0 - 2
7980	----	----	4.804B/----	4.804B/4.499A	----	4.775 + 1.254	----	1	----	----	----	0 - 1
7985	----	----	4.854B/----	4.854B/4.549A	----	4.825 + 1.258	----	2	----	----	----	0 - 2
7990	----	----	4.957B/----	4.957B/4.599A	----	4.875 + 1.262	----	12	----	----	----	0 - 12
7995	----	----	4.954B/----	4.954B/4.649A	----	4.925 + 1.265	----	2	----	----	----	0 - 2
8000	5.000	5.000	5.119B/5.000	5.119B/4.606A	----	4.975 + 1.269	----	435	----	1	----	0 - 436
8005	4.810	4.810	5.107B/4.810	5.107B/4.748A	----	5.025 + 1.273	----	5	----	1	----	0 - 6
8010	----	----	5.104B/----	5.104B/4.798A	----	5.075 + 1.276	----	2	----	----	----	0 - 2
8020	----	----	5.270B/----	5.270B/4.852A	----	5.175 + 1.282	----	23	----	----	----	0 - 23
8025	----	----	5.307B/----	5.307B/4.948A	----	5.225 + 1.285	----	13	----	----	----	0 - 13
8030	----	----	5.304B/----	5.304B/4.998A	----	5.275 + 1.288	----	1	----	----	----	0 - 1
8035	----	----	5.354B/----	5.354B/5.048A	----	5.325 + 1.291	----	1	----	----	----	0 - 1
8040	----	----	5.404B/----	5.404B/5.098A	----	5.375 + 1.294	----	1	----	----	----	0 - 1
8050	----	----	5.504B/----	5.504B/5.198A	----	5.475 + 1.299	----	3	----	1	----	0 - 4
8055	----	----	5.554B/----	5.554B/5.248A	----	5.525 + 1.302	----	1	----	----	----	0 - 1
8060	----	----	5.603B/----	5.603B/5.298A	----	5.575 + 1.304	----	1	----	----	----	0 - 1
8065	----	----	5.653B/----	5.653B/5.348A	----	5.625 + 1.307	----	3	----	----	----	0 - 3
8070	----	----	5.703B/----	5.703B/5.398A	----	5.675 + 1.309	----	2	----	----	----	0 - 2
8075	----	----	5.753B/----	5.753B/5.448A	----	5.725 + 1.311	----	3	----	----	----	0 - 3
8080	----	----	5.803B/----	5.803B/5.498A	----	5.775 + 1.313	----	3	----	----	----	0 - 3
8085	----	----	5.907B/----	5.907B/5.548A	----	5.825 + 1.315	----	7	----	----	----	0 - 7
8090	----	----	5.970B/----	5.970B/5.551A	----	5.875 + 1.317	----	20	----	----	----	0 - 20
8095	----	----	5.953B/----	5.953B/5.647A	----	5.925 + 1.319	----	3	----	----	----	0 - 3
8100	----	----	6.070B/----	6.070B/5.651A	----	5.975 + 1.321	----	33	----	1	----	0 - 33
8105	----	----	6.053B/----	6.053B/5.747A	----	6.025 + 1.323	----	1	----	----	----	0 - 1
8110	----	----	6.141B/----	6.141B/5.797A	----	6.075 + 1.325	----	2	----	----	----	0 - 2
8125	----	----	6.291B/----	6.291B/5.948A	----	6.225 + 1.330	----	1	----	----	----	0 - 1
8150	----	----	6.549B/----	6.549B/6.151A	----	6.475 + 1.337	----	25	----	----	----	0 - 25
8175	----	----	6.755B/----	6.755B/6.447A	----	6.725 + 1.345	----	2	----	----	----	0 - 2
8195	----	----	6.593B/----	6.593B/6.647A	----	6.925 + 1.349	----	1	----	----	----	0 - 1
8200	----	----	6.743B/----	6.743B/6.651A	----	6.975 + 1.351	----	39	----	----	----	0 - 39
8205	----	----	6.760B/----	6.760B/6.747A	----	7.025 + 1.352	----	1	----	----	----	0 - 1
8210	----	----	6.743B/----	6.743B/6.797A	----	7.075 + 1.353	----	1	----	----	----	0 - 1
8215	----	----	6.793B/----	6.793B/6.847A	----	7.125 + 1.354	----	1	----	----	----	0 - 1
8220	----	----	6.956B/----	6.956B/6.851A	----	7.175 + 1.355	----	21	----	----	----	0 - 21
8225	----	----	6.961B/----	6.961B/6.947A	----	7.225 + 1.356	----	8	----	----	----	0 - 8
8230	----	----	7.011B/----	7.011B/6.997A	----	7.275 + 1.356	----	15	----	----	----	0 - 15
8240	----	----	7.067B/----	7.067B/7.097A	----	7.375 + 1.358	----	2	----	----	----	0 - 2
8245	----	----	7.200B/----	7.200B/7.101A	----	7.425 + 1.359	----	25	----	----	----	0 - 25
8250	----	----	7.311B/----	7.311B/7.105A	----	7.475 + 1.360	----	74	----	----	----	0 - 74
8255	----	----	7.160B/----	7.160B/7.247A	----	7.525 + 1.360	----	4	----	----	----	0 - 4
8260	----	----	7.210B/----	7.210B/7.297A	----	7.575 + 1.361	----	1	----	----	----	0 - 1
8265	----	----	7.260B/----	7.260B/7.347A	----	7.625 + 1.362	----	1	----	----	----	0 - 1
8270	----	----	7.310B/----	7.310B/7.397A	----	7.675 + 1.363	----	1	----	----	----	0 - 1
8275	----	----	7.360B/----	7.360B/7.447A	----	7.725 + 1.363	----	1	----	----	----	0 - 1
8280	----	----	7.410B/----	7.410B/7.497A	----	7.775 + 1.364	----	3	----	----	----	0 - 3
8285	----	----	7.460B/----	7.460B/7.547A	----	7.825 + 1.364	----	1	----	----	----	0 - 1
8290	----	----	7.510B/----	7.510B/7.597A	----	7.875 + 1.365	----	2	----	----	----	0 - 2
8295	----	----	7.560B/----	7.560B/7.647A	----	7.925 + 1.366	----	1	----	----	----	0 - 1
8300	----	----	7.775B/----	7.775B/7.605A	----	7.975 + 1.366	----	64	----	----	----	0 - 64
8305	----	----	7.760B/----	7.760B/7.747A	----	8.025 + 1.367	----	7	----	----	----	0 - 7
8315	----	----	7.760B/----	7.760B/7.847A	----	8.125 + 1.368	----	1	----	----	----	0 - 1
8320	----	----	7.810B/----	7.810B/7.897A	----	8.175 + 1.368	----	2	----	----	----	0 - 2
8325	----	----	7.859B/----	7.859B/7.947A	----	8.225 + 1.369	----	1	----	----	----	0 - 1
8330	----	----	7.909B/----	7.909B/7.997A	----	8.275 + 1.369	----	1	----	----	----	0 - 1
8335	----	----	7.959B/----	7.959B/8.047A	----	8.325 + 1.369	----	1	----	----	----	0 - 1
8340	----	----	8.110B/----	8.110B/8.097A	----	8.375 + 1.370	----	19	----	----	----	0 - 19
8350	----	----	8.203B/----	8.203B/8.197A	----	8.475 + 1.371	----	19	----	----	----	0 - 19
8355	----	----	8.260B/----	8.260B/8.247A	----	8.525 + 1.371	----	3	----	----	----	0 - 3
8360	----	----	8.209B/----	8.209B/8.297A	----	8.575 + 1.371	----	4	----	----	----	0 - 4
8375	----	----	8.460B/----	8.460B/8.447A	----	8.725 + 1.372	----	8	----	----	----	0 - 8
8385	----	----	8.498B/----	8.498B/8.547A	----	8.825 + 1.373	----	1	----	----	----	0 - 1
8395	----	----	8.598B/----	8.598B/8.647A	----	8.925 + 1.374	----	1	----	----	----	0 - 1
8400	----	----	8.754B/----	8.754B/8.651A	----	8.975 + 1.374	----	26	----	----	----	0 - 26
8405	----	----	8.698B/----	8.698B/8.747A	----	9.025 + 1.374	----	2	----	----	----	0 - 2
8410	----	----	8.767B/----	8.767B/8.797A	----	9.075 + 1.374	----	3	----	----	----	0 - 3
8415	----	----	8.817B/----	8.817B/8.847A	----	9.125 + 1.375	----	3	----	----	----	0 - 3
8420	----	----	8.867B/----	8.867B/8.897A	----	9.175 + 1.375	----	2	----	----	----	0 - 2
8425	----	----	8.917B/----	8.917B/8.947A	----	9.225 + 1.375	----	5	----	----	----	0 - 5
8430	----	----	8.967B/----	8.967B/8.997A	----	9.275 + 1.375	----	2	----	----	----	0 - 2
8445	----	----	9.117B/----	9.117B/9.147A	----	9.425 + 1.376	----	1	----	----	----	0 - 1
8450	----	----	9.132B/----	9.132B/9.151A	----	9.475 + 1.376	----	28	----	----	----	0 - 28
8455	----	----	9.138B/----	9.138B/9.247A	----	9.525 + 1.376	----	1	----	----	----	0 - 1
8460	----	----	9.188B/----	9.188B/9.297A	----	9.575 + 1.377	----	1	----	----	----	0 - 1
8475	----	----	9.338B/----	9.338B/9.447A	----	9.725 + 1.377	----	5	----	----	----	0 - 5
8480	----	----	9.388B/----	9.388B/9.497A	----	9.775 + 1.377	----	1	----	----	----	0 - 1
8490	----	----	9.488B/----	9.488B/9.597A	----	9.875 + 1.378	----	1	----	----	----	0 - 1
8495	----	----	9.538B/----	9.538B/9.647A	----	9.925 + 1.378	----	1	----	----	----	0 - 1
8500	9.890	9.890	9.950B/9.890	9.950B/9.604A	----	9.975 + 1.378	----	329	----	1	----	0 - 329
8515	----	----	9.738B/----	9.738B/9.847A	----	10.125 + 1.378	----	1	----	----	----	0 - 1
8535	----	----	9.934B/----	9.934B/10.047A	----	10.325 + 1.379	----	2	----	----	----	0 - 2
8545	----	----	10.034B/----	10.034B/10.147A	----	10.425 + 1.379	----	1	----	----	----	0 - 1
8550	----	----	10.084B/----	10.084B/10.197A	----	10.475 + 1.379	----	2	----	----	----	0 - 2
8555	----	----	10.134B/----	10.134B/10.247A	----	10.525 + 1.379	----	1	----	----	----	0 - 1
8560	----	----	10.184B/----	10.184B/10.297A	----	10.575 + 1.379	----	1	----	----	----	0 - 1
8565	----	----	10.234B/----	10.234B/10.347A	----	10.625 + 1.380	----	1	----	----	----	0 - 1
8570	----	----	10.287B/----	10.287B/10.397A	----	10.675 + 1.380	----	1	----	----	----	0 - 1
8575	----	----	10.337B/----	10.337B/10.447A	----	10.725 + 1.380	----	3	----	----	----	0 - 3
8580	----	----	10.387B/----	10.387B/10.497A	----	10.775 + 1.380	----	1	----	----	----	0 - 1
8585	----	----	10.437B/----	10.437B/10.547A	----	10.825 + 1.380	----	1	----	----	----	0 - 1
8590	----	----	10.487B/----	10.487B/10.597A	----	10.875 + 1.380	----	4	----	----	----	0 - 4
8600	----	----	10.729B/----	10.729B/10.604A	----	10.975 + 1.380	----	84	----	----	----	0 - 84
8605	----	----	10.637B/----	10.637B/10.747A	----	11.025 + 1.380	----	3	----	----	----	0 - 3
8620	----	----	10.805B/----	10.805B/10.897A	----	11.175 + 1.381	----	1	----	----	----	0 - 1
8630	----	----	10.869B/----	10.869B/10.997A	----	11.275 + 1.381	----	1	----	----	----	0 - 1
8640	----	----	10.969B/----	10.969B/11.097A	----	11.375 + 1.381	----	2	----	----	----	0 - 2
8645	----	----	11.031B/----	11.031B/11.147A	----	11.425 + 1.381	----	1	----	----	----	0 - 1
8650	----	----	11.098B/----	11.098B/11.197A	----	11.475 + 1.381	----	5	----	----	----	0 - 5
8655	----	----	11.148B/----	11.148B/11.247A	----	11.525 + 1.381	----	3	----	----	----	0 - 3
8665	----	----	11.248B/----	11.248B/11.410A	----	11.625 + 1.381	----	1	----	----	----	0 - 1
8670	----	----	11.198B/----	11.198B/11.460A	----	11.675 + 1.381	----	1	----	----	----	0 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 60

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
8675	----	----	11.083B/----	11.083B/11.510A	----	11.725 + 1.381	----	9	----	----	----	0 - 9
8685	----	----	11.183B/----	11.183B/11.616A	----	11.825 + 1.382	----	1	----	----	----	0 - 1
8695	----	----	----	----	----	11.925 + 1.382	----	1	----	----	----	0 - 1
8700	----	----	----	----	----	11.975 + 1.382	----	33	----	----	----	0 - 33
8705	----	----	----	----	----	12.025 + 1.382	----	10	----	----	----	0 - 10
8725	----	----	----	----	----	12.225 + 1.383	----	2	----	----	----	0 - 2
8750	----	----	----	----	----	12.475 + 1.383	----	1	----	----	----	0 - 1
8775	----	----	----	----	----	12.725 + 1.384	----	9	----	----	----	0 - 9
8800	----	----	----	----	----	12.975 + 1.384	----	219	----	1	----	0 - 220
8825	----	----	----	----	----	13.225 + 1.385	----	3	----	----	----	0 - 3
8850	----	----	----	----	----	13.475 + 1.385	----	13	----	----	----	0 - 13
8875	----	----	----	----	----	13.725 + 1.386	----	8	----	----	----	0 - 8
8900	----	----	----	11.389B/----	----	13.975 + 1.386	----	8	----	----	----	0 - 8
8925	----	----	----	----	----	14.225 + 1.386	----	5	----	----	----	0 - 5
8950	----	----	----	----	----	14.475 + 1.387	----	3	----	----	----	0 - 3
8975	----	----	----	----	----	14.725 + 1.387	----	9	----	----	----	0 - 9
9000	----	----	----	12.400B/----	----	14.975 + 1.387	----	157	----	----	----	0 - 157
9025	----	----	----	----	----	15.225 + 1.387	----	11	----	----	----	0 - 11
9050	----	----	----	----	----	15.475 + 1.387	----	2	----	----	----	0 - 2
9075	----	----	----	----	----	15.725 + 1.388	----	4	----	----	----	0 - 4
9100	----	----	----	----	----	15.975 + 1.388	----	4	----	----	----	0 - 4
9150	----	----	----	----	----	16.475 + 1.388	----	7	----	----	----	0 - 7
9175	----	----	----	----	----	16.725 + 1.388	----	19	----	----	----	0 - 19
9200	----	----	----	----	----	16.975 + 1.388	----	6	----	----	----	0 - 6
9225	----	----	----	----	----	17.225 + 1.388	----	6	----	----	----	0 - 6
9250	----	----	----	----	----	17.475 + 1.388	----	1	----	----	----	0 - 1
9275	----	----	----	----	----	17.725 + 1.388	----	1	----	----	----	0 - 1
9300	----	----	----	----	----	17.975 + 1.388	----	3	----	----	----	0 - 3
9375	----	----	----	----	----	18.725 + 1.389	----	10	----	----	----	0 - 10
9400	----	----	----	----	----	18.975 + 1.389	----	5	----	----	----	0 - 5
9450	----	----	----	----	----	19.475 + 1.389	----	3	----	----	----	0 - 3
9475	----	----	----	----	----	19.725 + 1.389	----	2	----	----	----	0 - 2
9500	----	----	----	----	----	19.975 + 1.389	----	61	----	----	----	0 - 61
9550	----	----	----	----	----	20.475 + 1.389	----	3	----	----	----	0 - 3
9575	----	----	----	----	----	20.725 + 1.389	----	----	----	----	----	0 UNCH
9600	----	----	----	18.349B/----	----	20.975 + 1.389	----	13	----	----	----	0 - 13
9650	----	----	----	----	----	21.475 + 1.389	----	----	----	----	----	0 UNCH
9675	----	----	----	----	----	21.725 + 1.389	----	----	----	----	----	0 UNCH
9700	----	----	----	----	----	21.975 + 1.389	----	175	----	----	----	0 - 175
9750	----	----	----	----	----	22.475 + 1.389	----	----	----	----	----	0 UNCH
9775	----	----	----	----	----	22.725 + 1.389	----	1	----	----	----	0 - 1
9800	----	----	----	----	----	22.975 + 1.389	----	----	----	----	----	0 UNCH
9850	----	----	----	----	----	23.475 + 1.389	----	----	----	----	----	0 UNCH
9900	----	----	----	----	----	23.975 + 1.389	----	6	----	----	----	0 - 6
10000	----	----	----	----	----	24.975 + 1.389	----	99	----	----	----	0 - 99
10050	----	----	----	----	----	25.475 + 1.389	----	1	----	----	----	0 - 1
10100	----	----	----	----	----	25.975 + 1.389	----	1	----	----	----	0 - 1
10225	----	----	----	----	----	27.225 + 1.389	----	1	----	----	----	0 - 1
10250	----	----	----	----	----	27.475 + 1.389	----	1	----	----	----	0 - 1
10300	----	----	----	----	----	27.975 + 1.389	----	1	----	----	----	0 - 1
10350	----	----	----	----	----	28.475 + 1.389	----	1	----	----	----	0 - 1
10400	----	----	----	----	----	28.975 + 1.389	----	2	----	----	----	0 - 2
10450	----	----	----	----	----	29.475 + 1.389	----	1	----	----	----	0 - 1
10475	----	----	----	----	----	29.725 + 1.389	----	1	----	----	----	0 - 1
10500	----	----	----	----	----	29.975 + 1.389	----	7	----	----	----	0 - 7
10550	----	----	----	----	----	30.475 + 1.389	----	3	----	----	----	0 - 3
10595	----	----	----	----	----	30.925 + 1.389	----	1	----	----	----	0 - 1
10600	----	----	----	----	----	30.975 + 1.389	----	2	----	----	----	0 - 2
10675	----	----	----	----	----	31.725 + 1.389	----	1	----	----	----	0 - 1
10700	----	----	----	----	----	31.975 + 1.389	----	2	----	----	----	0 - 2
10800	----	----	----	----	----	32.975 + 1.389	----	1	----	----	----	0 - 1
11000	----	----	----	----	----	34.975 + 1.389	----	----	----	----	----	0 UNCH
11175	----	----	----	----	----	36.725 + 1.389	----	----	----	----	----	0 UNCH
11200	----	----	----	----	----	36.975 + 1.389	----	2	----	----	----	0 - 2
11225	----	----	----	----	----	37.225 + 1.389	----	----	----	----	----	0 UNCH
11500	----	----	----	----	----	39.975 + 1.389	----	58	----	----	----	0 - 58
11800	----	----	----	----	----	42.975 + 1.389	----	1	----	----	----	0 - 1
11875	----	----	----	----	----	43.725 + 1.389	----	1	----	----	----	0 - 1
12300	----	----	----	----	----	47.975 + 1.389	----	1	----	----	----	0 - 1
12700	----	----	----	----	----	51.975 + 1.389	----	1	----	----	----	0 - 1
TOTAL										332	0	0 - 20274
JUN26												
2100	----	----	----	----/0.004A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
2350	----	----	----	----/0.383A	----	0.003 UNCH	.0003	----	----	----	----	2 UNCH
2500	----	----	----	0.001B/0.010A	----	0.005 - 0.001	.0005	----	----	----	----	141 UNCH
2650	----	----	----	----/0.376A	----	0.007 - 0.001	.0007	----	----	----	----	1 UNCH
3000	----	----	----/*0.009A	----/*0.009A	----	0.012 - 0.004	.0013	----	----	----	----	244 UNCH
3075	----	----	----	----/0.054A	----	0.013 - 0.005	.0014	----	----	----	----	4 UNCH
3100	----	----	----	----/0.054A	----	0.014 - 0.005	.0015	----	----	----	----	3 UNCH
3150	----	----	----	----/0.055A	----	0.015 - 0.005	.0016	----	----	----	----	9 UNCH
3200	----	----	----	----/0.057A	----	0.016 - 0.006	.0018	----	----	----	----	4 UNCH
3325	----	----	----	----/0.060A	----	0.019 - 0.008	.0021	----	----	----	----	2 UNCH
3350	----	----	----	----/0.061A	----	0.019 - 0.008	.0022	----	----	----	----	1 UNCH
3375	----	----	----	----/0.062A	----	0.020 - 0.008	.0023	----	----	----	----	1 UNCH
3400	----	----	----	----/0.062A	----	0.021 - 0.008	.0024	----	----	----	----	12 UNCH
3500	----	----	----	0.001B/0.066A	----	0.023 - 0.010	.0027	----	----	----	----	100 UNCH
3550	----	----	----	0.001B/0.068A	----	0.025 - 0.010	.0029	----	----	----	----	5 UNCH
3575	----	----	----	0.001B/0.069A	----	0.026 - 0.011	.0031	----	----	----	----	22 UNCH
3600	----	----	----	0.005B/0.070A	----	0.026 - 0.012	.0031	----	----	----	----	6 UNCH
3650	----	----	----	0.001B/0.073A	----	0.028 - 0.012	.0033	----	----	----	----	22 UNCH
3675	----	----	----	0.001B/0.074A	----	0.029 - 0.012	.0035	----	----	----	----	1 UNCH
3700	----	----	----	0.001B/0.075A	----	0.030 - 0.012	.0036	----	----	----	----	6 UNCH
3800	----	----	----	0.001B/0.080A	----	0.033 - 0.014	.0040	----	----	----	----	14 UNCH
3850	----	----	----/*0.040A	0.001B/*0.040A	----	0.035 - 0.014	.0043	----	----	----	----	2 UNCH
3900	----	----	----	0.001B/0.086A	----	0.037 - 0.014	.0046	----	----	----	----	6 UNCH
3925	----	----	----	0.001B/0.087A	----	0.038 - 0.014	.0047	----	----	----	----	3 UNCH
4000	----	----	----/0.050A	0.025B/0.050A	----	0.041 - 0.015	.0052	----	----	----	----	133 UNCH
4075	----	----	----	0.001B/0.092A	----	0.045 - 0.014	.0058	----	----	----	----	1 UNCH
4100	----	----	----	0.035B/0.093A	----	0.046 - 0.014	.0059	----	----	----	----	31 UNCH
4125	----	----	----	0.001B/0.094A	----	0.047 - 0.014	.0061	----	----	----	----	5 UNCH
4150	----	----	----	0.001B/0.096A	----	0.048 - 0.015	.0062	----	----	----	----	4 UNCH
4200	----	----	----	0.001B/0.098A	----	0.051 - 0.014	.0067	----	----	----	----	26 UNCH
4225	----	----	----	0.001B/0.099A	----	0.052 - 0.014	.0068	----	----	----	----	7 UNCH
4250	----	----	----	0.001B/0.100A	----	0.054 - 0.013	.0071	----	----	----	----	5 UNCH
4275	----	----	----	0.001B/0.102A	----	0.055 - 0.013	.0073	----	----	----	----	13 UNCH
4300	----	----	----	0.001B/0.103A	----	0.056 - 0.013	.0075	----	----	----	----	7 UNCH
4350	----	----	----	0.001B/0.105A	----	0.059 - 0.012	.0079	----	----	----	----	2 UNCH
4375	----	----	----	0.001B/0.106A	----	0.060 - 0.012	.0081	----	----	----	----	3 UNCH
4400	----	----	----	0.001B/0.107A	----	0.062 - 0.011	.0084	----	----	----	----	8 UNCH
4425	----	----	----	0.001B/0.108A	----	0.063 - 0.011	.0086	----	----	----	----	1 UNCH
4500	----	----	----	0.040B/0.100A	----	0.067 - 0.010	.0093	----	----	----	----	168 UNCH
4550	----	----	----	0.001B/0.115A	----	0.069 - 0.010	.0097	----	----	----	----	2 UNCH
4600	----	----	----	0.001B/0.118A	----	0.072 - 0.009	.0102	----	----	----	----	7 UNCH
4625	----	----	----	0.001B/0.119A	----	0.073 - 0.009	.0104	----	----	----	----	12 UNCH
4650	----	----	----	0.001B/0.121A	----	0.074 - 0.009	.0106	----	----	----	----	1 UNCH
4700	----	----	----	0.001B/0.124A	----	0.077 - 0.008	.0112	----	----	----	----	2 UNCH
4725	----	----	----	0.002B/0.125A	----	0.078 - 0.008	.0114	----	----	----	----	10 UNCH
4750	----	----	----	0.008B/0.121A	----	0.079 - 0.008	.0116	----	----	----	----	3 UNCH
4800	----	----	----	0.032B/0.091A	----	0.082 - 0.008	.0122	----	----	----	----	29 UNCH
4850	----	----	----	0.036B/*0.094A	----	0.085 - 0.007	.0128	----	----	----	----	3 UNCH
4875	----	----	----	0.038B/*0.096A	----	0.086 - 0.008	.0131	----	----	----	----	15 UNCH
4900	----	----	----	0.039B/*0.098A	----	0.087 - 0.008	.0133	----	----	----	----	171 UNCH
4975	----	----	----	0.044B/*0.102A	----	0.092 - 0.007	.0143	----	----	----	----	1 UNCH
5000	0.075	0.075	0.094/*0.070	0.094/*0.070	----	0.093 - 0.008	.0146	----	----	11	----	1006 UNCH
5025	----	----	----	0.047B/*0.106A	----	0.095 - 0.008	.0150	----	----	----	----	8 UNCH
5050	----	----	----	0.047B/*0.108A	----	0.096 - 0.009	.0153	----	----	----	----	3 UNCH
5075	----	----	----	0.050B/*0.110A	----	0.098 - 0.009	.0157	----	----	----	----	2 UNCH
5100	----	----	----	0.052B/*0.113A	----	0.100 - 0.009	.0161	----	----	----	----	32 UNCH
5125	----	----	----	0.055B/*0.114A	----	0.102 - 0.009	.0165	----	----	----	----	1 UNCH
5150	----	----	----	0.058B/*0.119A	----	0.104 - 0.009	.0170	----	----	----	----	16 UNCH
5175	----	----	----	0.059B/*0.123A	----	0.106 - 0.009	.0174	----	----	----	----	12 UNCH
5200	----	----	----	0.064B/0.129A	----	0.108 - 0.010	.0178	----	----	----	----	8 UNCH
5225	----	----	----	0.063B/*0.128A	----	0.110 - 0.011	.0183	----	----	----	----	1 UNCH
5250	0.116	0.116	0.116/*0.116	0.116/*0.116	----	0.113 - 0.011	.0189	----	----	1	----	14 UNCH
5275	----	----	----	0.073B/*0.134A	----	0.115 - 0.012	.0193	----	----	----	----	17 UNCH
5300	----	----	----/0.125A	0.075B/0.125A	----	0.118 - 0.012	.0199	----	----	----	----	13 UNCH
5325	----	----	----	0.079B/*0.140A	----	0.121 - 0.012	.0205	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
5350	----	----	----	0.082B/*0.144A	----	0.123 - 0.014	.0210	----	----	----	----	12 UNCH
5375	----	----	----	0.084B/*0.148A	----	0.127 - 0.013	.0217	----	----	----	----	10 UNCH
5400	----	----	----/0.141A	0.089B/0.141A	----	0.130 - 0.014	.0224	----	----	5	----	24 + 5
5425	----	----	----	0.092B/*0.154A	----	0.133 - 0.016	.0230	----	----	----	----	4 UNCH
5450	----	----	----	0.099B/0.157A	----	0.137 - 0.016	.0238	----	----	----	----	2 UNCH
5475	----	----	----	0.101B/*0.164A	----	0.141 - 0.017	.0246	----	----	----	----	13 UNCH
5500	0.135	0.135	0.175/*0.130	0.175/*0.130	----	0.145 - 0.017	.0254	----	----	15	----	540 + 9
5525	----	----	----	0.106B/*0.170A	----	0.149 - 0.019	.0262	----	----	----	----	16 UNCH
5550	----	----	----	0.112B/*0.174A	----	0.153 - 0.020	.0270	----	----	----	----	10 UNCH
5575	----	----	----	0.114B/*0.181A	----	0.158 - 0.021	.0280	----	----	----	----	2 UNCH
5600	0.147	0.147	0.147/*0.147	0.147/*0.147	----	0.163 - 0.022	.0290	----	----	7	----	19 + 1
5625	----	----	----	0.125B/*0.194A	----	0.168 - 0.023	.0300	----	----	----	----	2 UNCH
5650	----	----	----	0.130B/*0.200A	----	0.173 - 0.024	.0310	----	----	----	----	51 UNCH
5675	----	----	----	0.136B/*0.205A	----	0.179 - 0.025	.0322	----	----	----	----	21 UNCH
5700	0.173	0.173	0.173/*0.170	0.173/*0.170	----	0.185 - 0.027	.0333	----	----	2	----	243 UNCH
5725	----	----	----/*0.218A	0.149B/*0.218A	----	0.192 - 0.027	.0346	----	----	----	----	3 UNCH
5750	----	----	----/*0.226A	0.155B/*0.226A	----	0.198 - 0.029	.0359	----	----	----	----	226 UNCH
5775	----	----	----/*0.233A	0.160B/*0.233A	----	0.205 - 0.031	.0372	----	----	----	----	9 UNCH
5800	----	----	----/0.242A	0.170B/0.242A	----	0.213 - 0.031	.0387	----	----	----	----	101 UNCH
5825	----	----	----/*0.249A	0.176B/*0.249A	----	0.221 - 0.032	.0402	----	----	----	----	9 UNCH
5850	0.250	0.250	0.250/*0.250	0.250/*0.250	----	0.229 - 0.034	.0418	----	----	1	----	16 UNCH
5875	----	----	----/*0.270A	0.191B/*0.270A	----	0.238 - 0.035	.0434	----	----	----	----	12 UNCH
5900	----	----	----/*0.276A	0.208B/*0.276A	----	0.247 - 0.037	.0451	----	----	----	----	43 UNCH
5925	----	----	----/*0.286A	0.218B/*0.286A	----	0.257 - 0.038	.0470	----	----	----	----	21 UNCH
5950	----	----	----/*0.296A	0.228B/*0.296A	----	0.267 - 0.039	.0489	----	----	----	----	16 UNCH
5975	----	----	----/*0.309A	0.232B/*0.309A	----	0.278 - 0.040	.0509	----	----	----	----	2 UNCH
6000	0.538	0.538	0.538/*0.260	0.538/*0.260	----	0.290 - 0.041	.0531	----	----	7	----	811 - 1
6025	----	----	----/*0.336A	0.254B/*0.336A	----	0.302 - 0.042	.0552	----	----	----	----	31 UNCH
6050	----	----	----/*0.350A	0.271B/*0.350A	----	0.315 - 0.043	.0576	----	----	----	----	142 UNCH
6075	----	----	----/0.364A	0.285B/0.364A	----	0.329 - 0.043	.0601	----	----	----	----	31 UNCH
6100	0.350	0.350	0.353/0.335	0.360B/0.335	----	0.343 - 0.044	.0626	----	----	6	----	90 + 2
6125	0.392	0.392	0.392/0.392	0.392/0.392	----	0.358 - 0.045	.0652	----	----	1	----	3 + 1
6150	----	----	----/0.398A	0.333B/0.398A	----	0.374 - 0.045	.0680	----	----	----	----	13 UNCH
6175	----	----	----/0.408A	0.398B/0.408A	----	0.391 - 0.045	.0710	----	----	----	----	305 UNCH
6200	----	----	----/0.419A	0.394B/0.419A	----	0.409 - 0.045	.0741	----	----	----	----	143 UNCH
6225	----	----	----/*0.411A	0.437B/*0.411A	----	0.427 - 0.046	.0772	----	----	----	----	2 UNCH
6250	----	----	----/*0.429A	0.427B/*0.429A	----	0.447 - 0.045	.0806	----	----	----	----	91 UNCH
6275	----	----	----/0.447A	0.480B/0.447A	----	0.467 - 0.045	.0840	----	----	----	----	3 UNCH
6300	0.460	0.460	0.475B/0.460	0.475B/0.460	----	0.489 - 0.044	.0877	----	----	1	----	126 - 1
6325	----	----	----/0.487A	0.528B/0.487A	----	0.512 - 0.043	.0915	----	----	----	----	17 UNCH
6350	----	----	----/0.510A	0.540B/0.510A	----	0.535 - 0.043	.0953	----	----	1	----	32 + 1
6375	----	----	----/0.531A	0.579B/0.531A	----	0.561 - 0.041	.0995	----	----	----	----	105 UNCH
6400	0.590	0.590	0.592B/0.554A	0.592B/0.554A	----	0.587 - 0.040	.1037	----	----	9	----	94 + 4
6425	----	----	----/0.578A	0.623B/0.578A	----	0.615 - 0.038	.1082	----	----	----	----	45 UNCH
6450	0.645	0.645	0.651B/0.599A	0.651B/0.599A	----	0.644 - 0.036	.1128	----	----	7	----	29 + 5
6475	0.644	0.644	0.759B/0.625A	0.759B/0.625A	----	0.675 - 0.034	.1176	----	----	1	----	120 UNCH
6500	0.680	0.680	0.795B/0.642	0.795B/0.642	----	0.708 - 0.030	.1226	----	----	36	----	377 + 5
6525	0.706	0.706	0.833B/0.677A	0.833B/0.677A	----	0.742 - 0.027	.1278	----	----	1	----	35 UNCH
6550	----	----	0.872B/0.709A	0.872B/0.709A	----	0.778 - 0.023	.1332	----	----	----	----	46 UNCH
6575	----	----	0.912B/0.746A	0.912B/0.746A	----	0.815 - 0.020	.1387	----	----	----	----	6 UNCH
6600	----	----	0.954B/0.778A	0.954B/0.778A	----	0.854 - 0.016	.1444	----	----	5	----	160 + 5
6625	----	----	0.997B/0.811A	0.997B/0.811A	----	0.894 - 0.012	.1503	----	----	----	----	19 UNCH
6650	----	----	1.043B/0.852A	1.043B/0.852A	----	0.936 - 0.008	.1563	----	----	----	----	15 UNCH
6675	1.038	1.038	1.090B/0.887A	1.090B/0.887A	----	0.980 - 0.003	.1626	----	----	2	----	27 + 2
6700	0.983	0.983	1.130B/0.912	1.130B/0.912	----	1.025 + 0.001	.1689	----	----	11	----	103 + 8
6725	----	----	1.188B/0.965A	1.188B/0.965A	----	1.072 + 0.005	.1755	----	----	2	----	30 UNCH
6750	1.010	1.010	1.241B/1.006A	1.241B/1.006A	----	1.121 + 0.010	.1822	----	----	14	----	63 + 7
6775	1.143	1.143	1.295B/1.048A	1.295B/1.048A	----	1.171 + 0.013	.1890	----	----	3	----	8 + 1
6800	1.127	1.127	1.342B/1.092A	1.342B/1.092A	----	1.224 + 0.019	.1961	----	----	16	----	75 + 9
6825	----	----	1.410B/1.139A	1.410B/1.139A	----	1.278 + 0.023	.2034	----	----	----	----	3 UNCH
6850	----	----	1.471B/1.190A	1.471B/1.190A	----	1.334 + 0.027	.2107	----	----	8	----	59 + 7
6875	----	----	1.534B/1.241A	1.534B/1.241A	----	1.393 + 0.033	.2183	----	----	----	----	3 UNCH
6900	1.317	1.317	1.598B/1.293A	1.598B/1.293A	----	1.453 + 0.037	.2261	----	----	12	----	108 + 5
6925	1.423	1.423	1.664B/1.350A	1.664B/1.350A	----	1.516 + 0.043	.2340	----	----	1	----	10 UNCH
6950	----	----	1.734B/1.414A	1.734B/1.414A	----	1.580 + 0.047	.2420	----	----	----	----	13 UNCH
6975	1.563	1.563	1.805B/1.471A	1.805B/1.471A	----	1.647 + 0.053	.2502	----	----	2	----	10 + 1
7000	1.629	1.629	1.882B/1.507	1.882B/1.507	----	1.716 + 0.058	.2586	----	----	131	----	728 + 91
7025	----	----	1.958B/1.600A	1.958B/1.600A	----	1.788 + 0.064	.2672	----	----	----	----	21 UNCH
7050	1.746	1.746	2.038B/1.669A	2.038B/1.669A	----	1.861 + 0.069	.2758	----	----	10	----	71 + 5
7075	1.733	1.733	2.121B/1.733	2.121B/1.733	----	1.938 + 0.076	.2847	----	----	4	----	44 UNCH
7100	1.879	1.879	2.208B/1.811A	2.208B/1.811A	----	2.016 + 0.082	.2936	----	----	17	----	55 + 12
7125	1.995	1.995	2.292B/1.890A	2.292B/1.890A	----	2.097 + 0.088	.3027	----	----	2	----	9 + 1
7150	2.005	2.005	2.378B/1.964A	2.378B/1.964A	----	2.181 + 0.095	.3119	----	----	1	----	28 + 1
7175	2.139	2.139	2.460B/2.048A	2.460B/2.048A	----	2.267 + 0.102	.3213	----	----	40	----	68 + 29
7200	2.257	2.257	2.550B/2.123A	2.550B/2.123A	----	2.356 + 0.109	.3308	----	----	16	----	327 + 9
7225	2.418	2.418	2.655B/2.205A	2.655B/2.205A	----	2.448 + 0.117	.3404	----	----	1	----	9 + 1
7250	2.345	2.345	2.751B/2.289A	2.751B/2.289A	----	2.542 + 0.124	.3501	----	----	1	----	16 UNCH
7275	----	----	2.839B/2.375A	2.839B/2.375A	----	2.639 + 0.132	.3599	----	----	----	----	10 UNCH
7300	2.577	2.577	2.949B/2.465A	2.949B/2.465A	----	2.738 + 0.140	.3697	----	----	14	----	103 + 6
7325	2.814	2.814	3.051B/2.562A	3.051B/2.562A	----	2.841 + 0.149	.3797	----	----	1	----	15 UNCH
7350	----	----	3.175B/2.656A	3.175B/2.656A	----	2.946 + 0.158	.3897	----	----	----	----	12 UNCH
7375	2.839	2.839	3.269B/2.759A	3.269B/2.759A	----	3.054 + 0.167	.3998	----	----	2	----	19 + 1
7400	2.989	2.989	3.401B/2.881A	3.401B/2.881A	----	3.165 + 0.177	.4100	----	----	5	----	55 + 2
7425	----	----	3.528B/2.969A	3.528B/2.969A	----	3.279 + 0.187	.4202	----	----	----	----	3 UNCH
7450	----	----	3.620B/3.069A	3.620B/3.069A	----	3.395 + 0.197	.4304	----	----	----	----	57 UNCH
7475	----	----	3.738B/3.192A	3.738B/3.192A	----	3.515 + 0.208	.4407	----	----	----	----	3 UNCH
7500	3.570	3.570	3.845B/3.316A	3.845B/3.316A	----	3.637 + 0.218	.4510	----	----	1	----	436 + 1
7525	----	----	4.026B/3.409A	4.026B/3.409A	----	3.762 + 0.229	.4613	----	----	----	----	6 UNCH
7550	----	----	4.115B/3.532A	4.115B/3.532A	----	3.891 + 0.242	.4716	----	----	10	----	19 + 10
7575	----	----	4.244B/3.634A	4.244B/3.634A	----	4.021 + 0.253	.4819	----	----	1	----	5 + 1
7600	4.198	4.198	4.441B/3.781A	4.441B/3.781A	----	4.155 + 0.265	.4921	----	----	8	----	84 + 3
7625	----	----	4.516B/3.874A	4.516B/3.874A	----	4.292 + 0.278	.5023	----	----	----	----	4 UNCH
7650	----	----	4.707B/4.003A	4.707B/4.003A	----	4.431 + 0.291	.5125	----	----	----	----	10 UNCH
7675	----	----	4.866B/4.147A	4.866B/4.147A	----	4.573 + 0.304	.5227	----	----	----	----	4 UNCH
7700	4.705	4.705	4.947B/4.277A	4.947B/4.277A	----	4.718 + 0.317	.5327	----	----	5	----	72 + 5
7725	----	----	5.160B/4.401A	5.160B/4.401A	----	4.866 + 0.331	.5427	----	----	----	----	23 UNCH
7750	----	----	5.216B/4.539A	5.216B/4.539A	----	5.016 + 0.344	.5527	----	----	1	----	5 + 1
7775	----	----	5.356B/4.680A	5.356B/4.680A	----	5.169 + 0.358	.5626	----	----	----	----	31 UNCH
7800	----	----	5.625B/4.829A	5.625B/4.829A	----	5.325 + 0.373	.5723	----	----	----	----	42 UNCH
7825	----	----	5.781B/4.959A	5.781B/4.959A	----	5.483 + 0.387	.5820	----	----	----	----	5 UNCH
7850	----	----	5.825B/5.114A	5.825B/5.114A	----	5.644 + 0.401	.5915	----	----	----	----	10 UNCH
7875	----	----	6.015B/5.269A	6.015B/5.269A	----	5.807 + 0.415	.6010	----	----	----	----	21 UNCH
7900	----	----	6.095B/5.419A	6.095B/5.419A	----	5.973 + 0.430	.6104	----	----	----	----	112 UNCH
7925	----	----	6.253B/5.577A	6.253B/5.577A	----	6.141 + 0.445	.6196	----	----	----	----	19 UNCH
7950	----	----	6.422B/5.765A	6.422B/5.765A	----	6.312 + 0.460	.6287	----	----	----	----	23 UNCH
7975	----	----	6.512B/5.886A	6.512B/5.886A	----	6.485 + 0.474	.6376	----	----	----	----	2 UNCH
8000	6.541	6.541	6.798B/6.075A	6.798B/6.075A	----	6.660 + 0.489	.6465	----	----	6	----	175 + 1
8025	----	----	6.871B/----	6.871B/6.459A	----	6.838 + 0.504	.6552	----	----	----	----	1 UNCH
8050	----	----	7.053B/----	7.053B/6.676A	----	7.018 + 0.519	.6637	----	----	----	----	4 UNCH
8075	----	----	7.238B/----	7.238B/6.907A	----	7.200 + 0.534	.6721	----	----	----	----	1 UNCH
8100	6.999	6.999	7.490B/6.999	7.490B/6.999	----	7.384 + 0.549	.6804	----	----	1	----	7 UNCH
8125	----	----	7.612B/----	7.612B/7.250A	----	7.570 + 0.564	.6885	----	----	----	----	2 UNCH
8150	----	----	7.863B/----	7.863B/7.378A	----	7.759 + 0.579	.6964	----	----	----	----	6 UNCH
8175	8.204	8.204	8.204/8.204	8.204/7.613A	----	7.949 + 0.594	.7042	----	----	1	----	44 UNCH
8200	8.085	8.085	8.238B/8.017	8.238B/7.749A	----	8.141 + 0.608	.7118	----	----	13	----	24 + 12
8225	----	----	8.431B/----	8.431B/8.014A	----	8.336 + 0.624	.7193	----	----	----	----	6 UNCH
8250	----	----	8.626B/----	8.626B/8.209A	----	8.532 + 0.638	.7266	----	----	----	----	18 UNCH
8275	----	----	8.857B/----	8.857B/8.406A	----	8.729 + 0.652	.7337	----	----	----	----	41 UNCH
8300	----	----	9.029B/----	9.029B/8.604A	----	8.929 + 0.667	.7408	----	----	----	----	8 UNCH
8350	----	----	9.443B/----	9.443B/9.008A	----	9.333 + 0.695	.7543	----	----	----	----	18 UNCH
8375	----	----	9.604B/----	9.604B/9.257A	----	9.538 + 0.709	.7608	----	----	----	----	1 UNCH
8400	----	----	9.814B/----	9.814B/9.458A	----	9.744 + 0.723	.7671	----	----	----	----	3 UNCH
8425	----	----	10.100B/----	10.100B/9.577A	----	9.952 + 0.737	.7734	----	----	----	----	63 UNCH
8450	----	----	10.262B/----	10.262B/9.832A	----	10.161 + 0.750	.7794	----	----	----	----	18 UNCH
8475	----	----	10.448B/----	10.448B/10.071A	----	10.371 + 0.763	.7853	----	----	----	----	2 UNCH
8500	----	----	10.772B/----	10.772B/10.195A	----	10.583 + 0.776	.7910	----	----	----	----	66 UNCH
8525	----	----	10.877B/----	10.877B/10.488A	----	10.796 + 0.789	.7966	----	----	----	----	1 UNCH
8550	----	----	11.094B/----	11.094B/10.698A	----	11.011 + 0.802	.8020	----	----	----	----	1 UNCH
8575	----	----	11.310B/----	11.310B/10.910A	----	11.226 + 0.814	.8074	----	----	----	----	1 UNCH
8600	----	----	11.529B/----	11.529B/11.123A	----	11.443 + 0.826	.8125	----	----	----	----	4 UNCH
8625	----	----	11.780B/----	11.780B/11.325A	----	11.661 + 0.838	.8175	----	----	----	----	11 UNCH
8650	----	----	11.971B/----	11.971B/11.553A	----	11.881 + 0.851	.8224	----	----	----	----	2 UNCH
8675	----	----	12.193B/----	12.193B/11.769A	----	12.101 + 0.863	.8271	----	----	----	----	2 UNCH
8700	----	----	12.444B/----	12.444B/11.975A	----	12.322 + 0.874	.8318	----	----	----	----	14 UNCH
8750	----	----	12.900B/----	12.900B/12.384A	----	12.768 + 0.896	.8405	----	----	----	----	26 UNCH
8775	----	----	13.090B/----	13.090B/12.647A	----	12.992 + 0.907	.8447	----	----	----	----	1 UNCH
8800	----	----	13.317B/----	13.317B/12.863A	----	13.217 + 0.918	.8489	----	----	----	----	14 UNCH
8825	----	----	13.544B/----	13.544B/13.085A	----	13.443 + 0.928	.8529	----	----	----	----	15 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
8850	----	----	13.775B/----	13.775B/13.311A	----	13.669 + 0.937	.8567	----	----	----	----	6 UNCH
8925	----	----	14.502B/----	14.502B/13.991A	----	14.354 + 0.967	.8677	----	----	----	----	4 UNCH
8975	----	----	14.935B/----	14.935B/14.444A	----	14.814 + 0.985	.8745	----	----	----	----	2 UNCH
9000	----	----	15.261B/----	15.261B/14.589A	----	15.045 + 0.994	.8778	----	----	----	----	134 UNCH
9050	----	----	15.649B/----	15.649B/15.129A	----	15.509 + 1.011	.8840	----	----	----	----	3 UNCH
9075	----	----	15.871B/----	15.871B/15.359A	----	15.742 + 1.019	.8870	----	----	----	----	2 UNCH
9100	----	----	16.109B/----	16.109B/15.590A	----	15.975 + 1.026	.8899	----	----	----	----	6 UNCH
9125	----	----	16.343B/----	16.343B/15.821A	----	16.209 + 1.034	.8927	----	----	----	----	1 UNCH
9150	----	----	16.580B/----	16.580B/16.053A	----	16.443 + 1.041	.8955	----	----	----	----	1 UNCH
9175	----	----	16.848B/----	16.848B/16.286A	----	16.678 + 1.049	.8982	----	----	----	----	1 UNCH
9200	----	----	17.140B/----	17.140B/16.439A	----	16.914 + 1.056	.9007	----	----	----	----	80 UNCH
9325	----	----	18.286B/----	18.286B/17.694A	----	18.098 + 1.090	.9125	----	----	----	----	1 UNCH
9450	----	----	19.490B/----	19.490B/18.882A	----	19.292 + 1.119	.9226	----	----	----	----	6 UNCH
9500	----	----	20.013B/----	20.013B/19.281A	----	19.773 + 1.131	.9262	----	----	----	----	138 UNCH
9525	----	----	20.177B/----	20.177B/19.599A	----	20.013 + 1.135	.9279	----	----	----	----	1 UNCH
9550	----	----	20.419B/----	20.419B/19.839A	----	20.254 + 1.141	.9295	----	----	----	----	1 UNCH
9575	----	----	20.692B/----	20.692B/20.080A	----	20.495 + 1.146	.9312	----	----	----	----	2 UNCH
9725	----	----	22.152B/----	22.152B/21.528A	----	21.949 + 1.175	.9399	----	----	----	----	1 UNCH
9825	----	----	23.127B/----	23.127B/22.499A	----	22.923 + 1.192	.9447	----	----	----	----	1 UNCH
9850	----	----	23.344B/----	23.344B/22.743A	----	23.167 + 1.196	.9459	----	----	----	----	1 UNCH
9900	----	----	23.871B/----	23.871B/23.230A	----	23.655 + 1.204	.9481	----	----	----	----	17 UNCH
9925	----	----	24.079B/----	24.079B/23.474A	----	23.900 + 1.208	.9491	----	----	----	----	1 UNCH
9950	----	----	24.324B/----	24.324B/23.718A	----	24.145 + 1.212	.9501	----	----	----	----	1 UNCH
10000	----	----	24.889B/----	24.889B/24.130A	----	24.635 + 1.219	.9520	----	----	----	----	97 UNCH
10025	----	----	25.059B/----	25.059B/24.452A	----	24.880 + 1.223	.9529	----	----	----	----	2 UNCH
10075	----	----	25.553B/----	25.553B/24.942A	----	25.371 + 1.230	.9546	----	----	----	----	1 UNCH
10100	----	----	25.833B/----	25.833B/25.186A	----	25.617 + 1.233	.9554	----	----	----	----	6 UNCH
10125	----	----	26.046B/----	26.046B/25.431A	----	25.863 + 1.237	.9562	----	----	----	----	1 UNCH
10150	----	----	26.320B/----	26.320B/25.676A	----	26.109 + 1.240	.9569	----	----	----	----	8 UNCH
10175	----	----	26.540B/----	26.540B/25.921A	----	26.355 + 1.243	.9577	----	----	----	----	2 UNCH
10200	----	----	26.858B/----	26.858B/26.090A	----	26.602 + 1.247	.9584	----	----	----	----	120 UNCH
10225	----	----	27.058B/----	27.058B/26.412A	----	26.848 + 1.250	.9592	----	----	----	----	1 UNCH
10325	----	----	28.040B/----	28.040B/27.395A	----	27.835 + 1.262	.9617	----	----	----	----	1 UNCH
10350	----	----	28.293B/----	28.293B/27.641A	----	28.082 + 1.265	.9623	----	----	----	----	1 UNCH
10375	----	----	28.534B/----	28.534B/27.887A	----	28.329 + 1.268	.9630	----	----	----	----	1 UNCH
10400	----	----	28.781B/----	28.781B/28.133A	----	28.576 + 1.270	.9634	----	----	----	----	1 UNCH
10500	----	----	29.783B/----	29.783B/29.119A	----	29.564 + 1.280	.9657	----	----	----	----	11 UNCH
10600	----	----	30.779B/----	30.779B/30.107A	----	30.554 + 1.289	.9678	----	----	----	----	5 UNCH
10825	----	----	33.006B/----	33.006B/32.331A	----	32.780 + 1.302	.9720	----	----	----	----	6 UNCH
10850	----	----	33.258B/----	33.258B/32.579A	----	33.028 + 1.303	.9726	----	----	----	----	4 UNCH
10875	----	----	33.506B/----	33.506B/32.828A	----	33.275 + 1.304	.9730	----	----	----	----	2 UNCH
10950	----	----	34.251B/----	34.251B/33.570A	----	34.018 + 1.307	.9744	----	----	----	----	3 UNCH
11000	----	----	34.748B/----	34.748B/34.066A	----	34.513 + 1.308	.9754	----	----	----	----	3 UNCH
11325	----	----	37.951B/----	37.951B/37.293A	----	37.739 + 1.320	.9797	----	----	----	----	1 UNCH
11500	----	----	39.715B/----	39.715B/39.031A	----	39.480 + 1.326	.9817	----	----	----	----	10 UNCH
11525	----	----	39.974B/----	39.974B/39.280A	----	39.728 + 1.326	.9819	----	----	----	----	1 UNCH
11675	----	----	41.461B/----	41.461B/40.770A	----	41.222 + 1.332	.9830	----	----	----	----	1 UNCH
11700	----	----	41.721B/----	41.721B/41.019A	----	41.471 + 1.332	.9832	----	----	----	----	1 UNCH
12000	----	----	44.737B/----	44.737B/43.939A	----	44.464 + 1.344	.9848	----	----	----	----	50 UNCH
12025	----	----	44.940B/----	44.940B/44.250A	----	44.713 + 1.344	.9850	----	----	----	----	1 UNCH
13000	----	----	54.703B/----	54.703B/53.967A	----	54.442 + 1.361	.9895	----	----	----	----	5 UNCH
TOTAL										480	0	11198 + 268
JUL26												
2000	----	----	----	0.003B/0.045A	----	0.007 - 0.003	.0006	----	----	----	----	6 UNCH
2400	----	----	----	----/0.239A	----	0.014 - 0.005	.0013	----	----	----	----	10 UNCH
2650	----	----	----	----/0.064A	----	0.020 - 0.007	.0019	----	----	----	----	6 UNCH
3000	----	----	----	0.001B/0.074A	----	0.030 - 0.009	.0030	----	----	----	----	5 UNCH
3025	----	----	----	0.001B/0.075A	----	0.030 - 0.010	.0030	----	----	----	----	1 UNCH
3350	----	----	----	0.001B/0.091A	----	0.043 - 0.013	.0045	----	----	----	----	1 UNCH
3400	----	----	----	0.001B/0.094A	----	0.045 - 0.014	.0048	----	----	----	----	55 UNCH
3475	----	----	----	0.001B/0.098A	----	0.049 - 0.015	.0053	----	----	----	----	5 UNCH
3500	----	----	----	0.001B/0.099A	----	0.051 - 0.014	.0055	----	----	----	----	4 UNCH
3600	----	----	----	0.001B/0.106A	----	0.056 - 0.016	.0061	----	----	----	----	12 UNCH
3700	----	----	----	0.001B/0.082A	----	0.062 - 0.017	.0069	----	----	----	----	91 UNCH
3800	----	----	----	0.001B/0.122A	----	0.067 - 0.019	.0076	----	----	----	----	25 UNCH
3825	----	----	----	0.001B/0.125A	----	0.068 - 0.019	.0077	----	----	----	----	8 UNCH
3850	----	----	----	0.001B/0.126A	----	0.070 - 0.019	.0080	----	----	----	----	3 UNCH
3900	----	----	----	0.001B/0.129A	----	0.073 - 0.019	.0084	----	----	----	----	11 UNCH
3950	----	----	----	0.001B/0.132A	----	0.076 - 0.020	.0088	----	----	----	----	1 UNCH
4000	----	----	----	0.040B/0.136A	----	0.079 - 0.021	.0092	----	----	----	----	70 UNCH
4075	----	----	----	0.002B/0.142A	----	0.083 - 0.022	.0098	----	----	----	----	16 UNCH
4100	----	----	----	0.005B/0.143A	----	0.085 - 0.022	.0101	----	----	----	----	6 UNCH
4175	----	----	----	0.020B/*0.131A	----	0.090 - 0.023	.0109	----	----	----	----	9 UNCH
4200	----	----	----/*0.110A	0.042B/*0.110A	----	0.092 - 0.023	.0111	----	----	----	----	27 UNCH
4225	----	----	----	0.021B/*0.129A	----	0.094 - 0.024	.0114	----	----	----	----	1 UNCH
4250	----	----	----	0.021B/*0.133A	----	0.095 - 0.025	.0116	----	----	----	----	21 UNCH
4300	----	----	----/*0.117A	0.049B/*0.117A	----	0.099 - 0.025	.0122	----	----	----	----	98 UNCH
4325	----	----	----	0.028B/*0.141A	----	0.101 - 0.026	.0125	----	----	----	----	17 UNCH
4375	----	----	----	0.032B/*0.145A	----	0.106 - 0.026	.0132	----	----	----	----	32 UNCH
4400	----	----	----	0.057B/*0.141A	----	0.108 - 0.026	.0135	----	----	1	----	29 UNCH
4450	----	----	----	0.039B/*0.153A	----	0.112 - 0.028	.0142	----	----	----	----	4 UNCH
4475	----	----	----	0.041B/*0.158A	----	0.115 - 0.028	.0146	----	----	----	----	16 UNCH
4500	0.111	0.111	0.111/*0.102	0.111/*0.102	----	0.117 - 0.029	.0149	----	----	5	----	301 - 1
4575	----	----	----	0.051B/*0.174A	----	0.125 - 0.030	.0161	----	----	----	----	75 UNCH
4600	----	----	----	0.079B/*0.166A	----	0.128 - 0.031	.0166	----	----	----	----	101 UNCH
4650	----	----	----	0.061B/0.183A	----	0.135 - 0.031	.0176	----	----	----	----	40 UNCH
4675	----	----	----	0.063B/*0.190A	----	0.138 - 0.032	.0180	----	----	----	----	12 UNCH
4700	0.143	0.143	0.143/*0.143	0.143/*0.143	----	0.141 - 0.032	.0185	----	----	1	----	152 - 1
4725	----	----	----	0.073B/*0.198A	----	0.145 - 0.033	.0191	----	----	----	----	3 UNCH
4750	----	----	----	0.075B/*0.203A	----	0.148 - 0.034	.0195	----	----	----	----	54 UNCH
4775	----	----	----	0.078B/*0.207A	----	0.152 - 0.034	.0201	----	----	----	----	8 UNCH
4800	----	----	----	0.106B/*0.206A	----	0.156 - 0.035	.0207	----	----	----	----	15 UNCH
4825	----	----	----	0.087B/*0.217A	----	0.161 - 0.035	.0214	----	----	----	----	26 UNCH
4850	----	----	----	0.091B/*0.222A	----	0.165 - 0.036	.0220	----	----	----	----	2 UNCH
4875	----	----	----	0.119B/*0.221A	----	0.170 - 0.036	.0227	----	----	----	----	23 UNCH
4900	----	----	----	0.116B/*0.233A	----	0.174 - 0.037	.0233	----	----	----	----	172 UNCH
5000	0.201	0.201	0.201/0.185	0.201/0.185	----	0.196 - 0.039	.0264	----	----	7	----	892 + 1
5025	----	----	----	0.152B/*0.254A	----	0.202 - 0.040	.0272	----	----	----	----	1 UNCH
5050	----	----	----	0.158B/*0.263A	----	0.208 - 0.041	.0281	----	----	----	----	16 UNCH
5075	----	----	----	0.165B/*0.272A	----	0.215 - 0.041	.0291	----	----	----	----	11 UNCH
5100	----	----	----	0.171B/*0.281A	----	0.222 - 0.042	.0300	----	----	----	----	176 UNCH
5150	----	----	----	0.185B/*0.297A	----	0.237 - 0.043	.0321	----	----	----	----	5 UNCH
5175	----	----	----	0.191B/*0.307A	----	0.245 - 0.044	.0332	----	----	----	----	5 UNCH
5200	----	----	----	0.199B/*0.317A	----	0.253 - 0.045	.0343	----	----	----	----	96 UNCH
5225	----	----	----	0.208B/*0.321A	----	0.262 - 0.046	.0355	----	----	----	----	9 UNCH
5250	----	----	----	0.215B/0.336A	----	0.271 - 0.047	.0367	----	----	----	----	225 UNCH
5275	----	----	----	0.225B/*0.341A	----	0.281 - 0.047	.0380	----	----	----	----	2 UNCH
5300	----	----	----	0.232B/0.354A	----	0.291 - 0.048	.0393	----	----	----	----	125 UNCH
5325	----	----	----	0.241B/0.366A	----	0.301 - 0.049	.0407	----	----	----	----	11 UNCH
5350	----	----	----	0.252B/0.374A	----	0.312 - 0.050	.0421	----	----	----	----	26 UNCH
5375	----	----	----	0.262B/0.384A	----	0.324 - 0.050	.0437	----	----	----	----	17 UNCH
5400	----	----	----	0.273B/0.396A	----	0.336 - 0.050	.0452	----	----	----	----	75 UNCH
5425	----	----	----	0.284B/0.410A	----	0.348 - 0.051	.0468	----	----	----	----	49 UNCH
5450	----	----	----	0.296B/0.418A	----	0.361 - 0.052	.0484	----	----	----	----	38 UNCH
5475	----	----	----	0.310B/0.437A	----	0.375 - 0.052	.0502	----	----	----	----	53 UNCH
5500	0.400	0.400	0.400/*0.361	0.400/*0.361	----	0.389 - 0.053	.0520	----	----	31	----	1049 - 16
5525	----	----	----	0.334B/0.460A	----	0.404 - 0.053	.0539	----	----	----	----	72 UNCH
5550	----	----	----	0.349B/0.475A	----	0.419 - 0.054	.0558	----	----	----	----	18 UNCH
5575	----	----	----	0.363B/0.491A	----	0.435 - 0.055	.0577	----	----	----	----	3 UNCH
5600	----	----	----/0.506A	0.378B/0.506A	----	0.451 - 0.056	.0597	----	----	----	----	15 UNCH
5625	----	----	----/*0.523A	0.393B/0.523A	----	0.469 - 0.056	.0619	----	----	----	----	3 UNCH
5650	----	----	----/*0.538A	0.409B/0.538A	----	0.487 - 0.056	.0641	----	----	----	----	29 UNCH
5675	----	----	----/*0.499A	0.427B/*0.499A	----	0.505 - 0.057	.0663	----	----	----	----	45 UNCH
5700	----	----	----/0.574A	0.446B/0.574A	----	0.525 - 0.057	.0687	----	----	----	----	299 UNCH
5725	----	----	----/0.592A	0.466B/0.592A	----	0.545 - 0.058	.0711	----	----	----	----	3 UNCH
5750	----	----	----/0.611A	0.488B/0.611A	----	0.566 - 0.058	.0736	----	----	----	----	52 UNCH
5775	----	----	----/0.629A	0.509B/0.629A	----	0.588 - 0.058	.0762	----	----	----	----	2 UNCH
5800	----	----	----/0.650A	0.530B/0.650A	----	0.610 - 0.059	.0788	----	----	----	----	29 UNCH
5825	----	----	----/0.671A	0.554B/0.671A	----	0.634 - 0.059	.0816	----	----	----	----	3 UNCH
5850	----	----	----/0.693A	0.576B/0.693A	----	0.658 - 0.059	.0844	----	----	----	----	114 UNCH
5875	----	----	----/0.714A	0.601B/0.714A	----	0.683 - 0.059	.0873	----	----	----	----	3 UNCH
5900	----	----	----/0.738A	0.627B/0.738A	----	0.709 - 0.059	.0903	----	----	----	----	6 UNCH
5925	----	----	----/0.762A	0.653B/0.762A	----	0.736 - 0.059	.0933	----	----	----	----	1 UNCH
5950	----	----	----/0.787A	0.678B/0.787A	----	0.764 - 0.059	.0965	----	----	----	----	2 UNCH
5975	----	----	----/0.808A	0.696B/0.808A	----	0.793 - 0.058	.0997	----	----	----	----	1 UNCH
6000	----	----	----/0.839A	0.800B/0.839A	----	0.823 - 0.058	.1030	----	----	----	----	602 UNCH
6100	----	----	----	0.799B/1.028A	----	0.953 - 0.056	.1171	----	----	----	----	288 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
6125	----	----	----	0.803B/1.097A	----	0.988 - 0.055	.1209	----	----	----	----	1 UNCH
6200	----	----	----	0.910B/1.209A	----	1.101 - 0.052	.1327	----	----	----	----	8 UNCH
6250	----	----	----	0.988B/1.268A	----	1.182 - 0.049	.1410	----	----	----	----	13 UNCH
6275	----	----	----/*1.227A	1.030B/1.227A	----	1.225 - 0.047	.1454	----	----	----	----	1 UNCH
6300	----	----	----	1.081B/1.378A	----	1.268 - 0.046	.1497	----	----	4	----	243 + 4
6325	----	----	----	1.119B/1.424A	----	1.314 - 0.043	.1542	----	----	----	----	20 UNCH
6375	----	----	----	1.173B/1.517A	----	1.408 - 0.040	.1635	----	----	6	----	6 + 5
6400	----	----	----	1.349B/1.560A	----	1.457 - 0.038	.1682	----	----	----	----	59 UNCH
6500	1.650	1.650	1.650/1.650	1.650/1.650	----	1.669 - 0.028	.1882	----	----	2	----	710 + 2
6550	----	----	----/1.800A	1.692B/1.800A	----	1.785 - 0.021	.1987	----	----	25	----	35 - 17
6600	----	----	----	1.764B/1.984A	----	1.907 - 0.014	.2096	----	----	1	----	9 + 1
6650	----	----	----	1.952B/2.043A	----	2.035 - 0.007	.2208	----	----	1	----	127 UNCH
6700	2.190	2.190	2.190/1.990	2.190/1.990	----	2.170 + 0.001	.2323	----	----	6	----	96 - 1
6750	----	----	----	2.207B/2.348A	----	2.313 + 0.010	.2442	----	----	----	----	26 UNCH
6800	----	----	----	2.388B/2.454A	----	2.462 + 0.019	.2564	----	----	10	----	339 - 10
6825	----	----	----	2.409B/2.607A	----	2.540 + 0.025	.2626	----	----	----	----	2 UNCH
6900	----	----	----	2.695B/2.839A	----	2.783 + 0.040	.2815	----	----	1	----	19 + 1
7000	3.050	3.050	3.085B/3.050	3.085B/3.050	----	3.135 + 0.063	.3077	----	----	5	----	661 UNCH
7025	----	----	3.182B/----	3.182B/3.194A	----	3.228 + 0.070	.3143	----	----	----	----	128 UNCH
7050	----	----	----	3.216B/3.359A	----	3.323 + 0.076	.3211	----	----	----	----	2 UNCH
7100	----	----	----	3.407B/3.527A	----	3.519 + 0.089	.3346	----	----	----	----	16 UNCH
7125	----	----	----	3.518B/3.663A	----	3.620 + 0.096	.3415	----	----	----	----	9 UNCH
7150	----	----	3.628B/----	3.628B/3.767A	----	3.723 + 0.103	.3484	----	----	----	----	1 UNCH
7175	----	----	3.772B/----	3.772B/3.788A	----	3.828 + 0.110	.3553	----	----	----	----	30 UNCH
7200	3.750	3.750	3.881B/3.750	3.881B/3.750	----	3.935 + 0.118	.3622	----	----	10	----	59 + 10
7250	----	----	4.158B/----	4.158B/4.075A	----	4.156 + 0.133	.3762	----	----	----	----	182 UNCH
7300	----	----	4.357B/----	4.357B/4.335A	----	4.384 + 0.148	.3902	----	----	----	----	30 UNCH
7375	4.736	4.736	4.812/4.628A	4.812/4.628A	----	4.743 + 0.173	.4114	----	----	2	----	158 + 1
7400	----	----	4.815B/----	4.815B/4.850A	----	4.866 + 0.180	.4184	----	----	2	----	23 + 2
7450	----	----	5.081B/----	5.081B/5.069A	----	5.120 + 0.197	.4325	----	----	----	----	1 UNCH
7500	----	----	5.434B/----	5.434B/5.250A	----	5.381 + 0.214	.4466	----	----	----	----	53 UNCH
7525	----	----	5.522B/----	5.522B/5.431A	----	5.515 + 0.223	.4537	----	----	10	----	25 UNCH
7550	5.800	5.800	5.800/5.351	5.800/5.351	----	5.651 + 0.232	.4607	----	----	6	----	8 + 1
7600	----	----	5.910B/----	5.910B/5.850A	----	5.929 + 0.249	.4746	----	----	----	----	4 UNCH
7625	----	----	6.048B/----	6.048B/5.993A	----	6.070 + 0.258	.4815	----	----	----	----	2 UNCH
7650	6.000	6.000	6.240B/6.000	6.240B/6.000	----	6.214 NEW	.4884	----	----	25	----	25 + 25
7675	----	----	6.335B/----	6.335B/6.324A	----	6.360 + 0.276	.4953	----	----	----	----	14 UNCH
7700	6.737	6.737	6.737/6.336A	6.737/6.336A	----	6.507 + 0.284	.5021	----	----	1	----	104 UNCH
7800	----	----	7.205B/----	7.205B/6.924A	----	7.117 + 0.321	.5290	----	----	1	----	74 - 1
7825	----	----	7.280B/----	7.280B/7.135A	----	7.274 + 0.331	.5356	----	----	----	----	6 UNCH
7850	----	----	7.441B/----	7.441B/7.300A	----	7.433 + 0.340	.5421	----	----	----	----	6 UNCH
7900	----	----	7.770B/----	7.770B/7.630A	----	7.755 + 0.358	.5550	----	----	----	----	11 UNCH
7975	7.966	7.966	8.274B/7.966	8.274B/7.966	----	8.253 + 0.386	.5741	----	----	5	----	5 UNCH
8000	----	----	8.529B/----	8.529B/8.202A	----	8.422 + 0.395	.5802	----	----	----	----	288 UNCH
8100	----	----	9.187B/----	9.187B/8.877A	----	9.114 + 0.432	.6044	----	----	----	----	44 UNCH
8125	----	----	9.319B/----	9.319B/9.110A	----	9.291 + 0.441	.6103	----	----	----	----	7 UNCH
8175	----	----	9.681B/----	9.681B/9.453A	----	9.650 + 0.459	.6219	----	----	----	----	4 UNCH
8225	----	----	10.050B/----	10.050B/9.802A	----	10.014 + 0.477	.6332	----	----	----	----	1 UNCH
8250	----	----	10.285B/----	10.285B/9.930A	----	10.199 + 0.487	.6387	----	----	----	----	46 UNCH
8300	----	----	10.705B/----	10.705B/10.241A	----	10.572 + 0.505	.6496	----	----	----	----	128 UNCH
8375	----	----	11.210B/----	11.210B/10.885A	----	11.140 + 0.530	.6654	----	----	----	----	3 UNCH
8400	----	----	11.380B/----	11.380B/11.071A	----	11.332 + 0.538	.6705	----	----	----	----	7 UNCH
8500	----	----	12.278B/----	12.278B/11.735A	----	12.111 + 0.571	.6904	----	----	----	----	57 UNCH
8575	----	----	12.769B/----	12.769B/12.418A	----	12.705 + 0.592	.7046	----	----	----	----	3 UNCH
8600	----	----	13.061B/----	13.061B/12.519A	----	12.906 + 0.599	.7092	----	----	----	----	56 UNCH
8700	----	----	13.794B/----	13.794B/13.422A	----	13.717 + 0.627	.7269	----	----	----	----	4 UNCH
9000	----	----	16.431B/----	16.431B/15.843A	----	16.259 + 0.724	.7728	----	----	----	----	312 UNCH
9200	----	----	18.101B/----	18.101B/17.686A	----	18.024 + 0.795	.7977	----	----	----	----	11 UNCH
9400	----	----	19.894B/----	19.894B/19.472A	----	19.829 + 0.863	.8192	----	----	----	----	1 UNCH
9450	----	----	20.347B/----	20.347B/19.923A	----	20.285 + 0.880	.8240	----	----	----	----	12 UNCH
9500	----	----	20.883B/----	20.883B/20.278A	----	20.743 + 0.896	.8287	----	----	----	----	218 UNCH
9600	----	----	21.797B/----	21.797B/21.188A	----	21.663 + 0.926	.8377	----	----	----	----	50 UNCH
9900	----	----	24.492B/----	24.492B/24.050A	----	24.450 + 1.005	.8617	----	----	----	----	6 UNCH
9950	----	----	24.965B/----	24.965B/24.514A	----	24.918 + 1.016	.8653	----	----	----	----	5 UNCH
10000	----	----	25.513B/----	25.513B/24.882A	----	25.387 + 1.027	.8687	----	----	----	----	205 UNCH
10275	----	----	28.038B/----	28.038B/27.560A	----	27.983 + 1.081	.8862	----	----	----	----	7 UNCH
10500	----	----	30.189B/----	30.189B/29.694A	----	30.123 + 1.116	.8985	----	----	----	----	3 UNCH
10600	----	----	31.148B/----	31.148B/30.649A	----	31.079 + 1.130	.9036	----	----	----	----	9 UNCH
11000	----	----	35.102B/----	35.102B/34.408A	----	34.927 + 1.177	.9210	----	----	----	----	217 UNCH
11300	----	----	37.936B/----	37.936B/37.415A	----	37.834 + 1.205	.9317	----	----	----	----	10 UNCH
11500	----	----	39.889B/----	39.889B/39.368A	----	39.780 + 1.219	.9379	----	----	----	----	1 UNCH
12000	----	----	44.798B/----	44.798B/44.273A	----	44.672 + 1.250	.9506	----	----	----	----	15 UNCH
13000	----	----	54.694B/----	54.694B/54.137A	----	54.538 + 1.294	.9672	----	----	----	----	6 UNCH
TOTAL										168	0	11132 + 6
AUG26												
3300	----	----	----	0.001B/0.331A	----	0.035 - 0.009	.0038	----	----	----	----	2 UNCH
3900	----	----	----	0.030B/*0.163A	----	0.090 - 0.018	.0099	----	----	----	----	2 UNCH
4000	----	----	----	0.041B/0.177A	----	0.103 - 0.020	.0113	----	----	----	----	1 UNCH
4175	----	----	----	0.067B/*0.205A	----	0.129 - 0.023	.0142	----	----	----	----	1 UNCH
4300	----	----	----	0.086B/*0.229A	----	0.151 - 0.026	.0167	----	----	----	----	1 UNCH
4350	----	----	----	0.095B/*0.239A	----	0.161 - 0.027	.0178	----	----	----	----	1 UNCH
4375	----	----	----	0.100B/*0.245A	----	0.166 - 0.027	.0184	----	----	----	----	160 UNCH
4400	----	----	----	0.105B/*0.249A	----	0.171 - 0.028	.0190	----	----	----	----	1 UNCH
4500	----	----	----	0.127B/*0.275A	----	0.194 - 0.030	.0216	----	----	----	----	2 UNCH
4600	----	----	----	0.154B/*0.302A	----	0.220 - 0.032	.0245	----	----	----	----	4 UNCH
4625	----	----	----	0.161B/*0.310A	----	0.227 - 0.033	.0252	----	----	----	----	1 UNCH
4700	----	----	----	0.183B/*0.332A	----	0.250 - 0.034	.0278	----	----	----	----	1 UNCH
4775	----	----	----	0.209B/*0.358A	----	0.275 - 0.035	.0305	----	----	----	----	1 UNCH
4800	----	----	----	0.215B/0.342A	----	0.283 - 0.037	.0314	----	----	----	----	16 UNCH
4825	----	----	----	0.224B/*0.376A	----	0.293 - 0.037	.0325	----	----	----	----	1 UNCH
5000	----	----	----	0.303B/0.451A	----	0.365 - 0.041	.0403	----	----	----	----	14 UNCH
5275	----	----	----	0.464B/0.605A	----	0.520 - 0.047	.0564	----	----	----	----	1 UNCH
5300	----	----	----	0.482B/0.622A	----	0.537 - 0.048	.0581	----	----	----	----	1 UNCH
5500	----	----	----	0.647B/0.776A	----	0.695 - 0.051	.0738	----	----	----	----	25 UNCH
5675	----	----	----/*0.855A	0.877B/*0.855A	----	0.870 - 0.052	.0904	----	----	----	----	9 UNCH
5700	----	----	----/*0.884A	0.875B/*0.884A	----	0.899 NEW	.0930	----	----	1	----	1 + 1
5800	----	----	----/*1.007A	0.961B/*1.007A	----	1.020 - 0.052	.1041	----	----	----	----	5 UNCH
5850	----	----	----/1.074A	0.791B/1.074A	----	1.087 - 0.051	.1100	----	----	----	----	2 UNCH
5875	----	----	----/1.109A	1.067B/1.109A	----	1.121 - 0.051	.1130	----	----	----	----	4 UNCH
5900	----	----	----/1.145A	0.897B/1.145A	----	1.157 - 0.050	.1162	----	----	----	----	5 UNCH
5950	----	----	----/*1.218A	0.949B/*1.218A	----	1.231 - 0.050	.1226	----	----	----	----	10 UNCH
6000	----	----	----/1.295A	1.263B/1.295A	----	1.310 - 0.049	.1293	----	----	----	----	156 UNCH
6050	----	----	----/*1.376A	1.321B/*1.376A	----	1.393 - 0.047	.1363	----	----	----	----	1 UNCH
6100	----	----	----/*1.462A	1.260B/*1.462A	----	1.481 - 0.045	.1435	----	----	----	----	10 UNCH
6150	----	----	----/*1.553A	1.319B/*1.553A	----	1.573 - 0.044	.1510	----	----	----	----	1 UNCH
6200	----	----	----/*1.647A	1.404B/*1.647A	----	1.671 - 0.041	.1588	----	----	----	----	1 UNCH
6400	----	----	----/2.068A	2.116B/2.068A	----	2.113 - 0.030	.1925	----	----	----	----	1 UNCH
6500	2.251	2.251	2.435B/2.251	2.435B/2.251	----	2.368 - 0.022	.2108	----	----	6	----	226 + 2
6600	----	----	2.669B/2.574A	2.669B/2.574A	----	2.648 - 0.011	.2301	----	----	----	----	13 UNCH
6725	2.943	2.943	3.099B/2.941A	3.099B/2.941A	----	3.032 + 0.003	.2553	----	----	1	----	8 + 1
6825	3.267	3.267	3.444B/3.265A	3.444B/3.265A	----	3.369 + 0.017	.2764	----	----	1	----	8 + 1
6900	----	----	3.690B/3.526A	3.690B/3.526A	----	3.639 + 0.028	.2926	----	----	----	----	1 UNCH
6950	----	----	3.914B/3.710A	3.914B/3.710A	----	3.828 + 0.037	.3035	----	----	----	----	1 UNCH
6975	----	----	4.012B/3.804A	4.012B/3.804A	----	3.925 + 0.041	.3091	----	----	----	----	1 UNCH
7000	----	----	4.106B/3.901A	4.106B/3.901A	----	4.023 + 0.045	.3146	----	----	----	----	8 UNCH
7050	----	----	4.318B/4.098A	4.318B/4.098A	----	4.226 + 0.055	.3258	----	----	----	----	1 UNCH
7100	4.306	4.306	4.532B/4.304A	4.532B/4.304A	----	4.435 + 0.064	.3371	----	----	2	----	5 + 2
7200	----	----	4.980B/4.730A	4.980B/4.730A	----	4.874 + 0.083	.3599	----	----	----	----	2 UNCH
7225	----	----	5.092B/4.858A	5.092B/4.858A	----	4.994 + 0.093	.3656	----	----	----	----	2 UNCH
7300	----	----	5.415B/5.191A	5.415B/5.191A	----	5.365 + 0.124	.3829	----	----	----	----	1 UNCH
7350	----	----	5.658B/5.438A	5.658B/5.438A	----	5.619 + 0.144	.3944	----	----	----	----	6 UNCH
7400	----	----	5.906B/5.702A	5.906B/5.702A	----	5.880 + 0.166	.4059	----	----	----	----	4 UNCH
7500	----	----	6.446B/6.202A	6.446B/6.202A	----	6.419 + 0.209	.4286	----	----	1	----	7 + 1
7550	----	----	6.725B/----	6.725B/6.492A	----	6.698 + 0.231	.4399	----	----	----	----	5 UNCH
7600	----	----	7.002B/----	7.002B/6.768A	----	6.983 + 0.253	.4511	----	----	----	----	4 UNCH
7700	----	----	7.627B/----	7.627B/7.331A	----	7.570 + 0.297	.4732	----	----	----	----	38 UNCH
7950	----	----	9.159B/----	9.159B/8.870A	----	9.135 + 0.404	.5262	----	----	----	----	4 UNCH
7975	----	----	9.339B/----	9.339B/9.024A	----	9.299 + 0.415	.5313	----	----	----	----	1 UNCH
8000	----	----	9.577B/----	9.577B/9.173A	----	9.464 + 0.425	.5364	----	----	----	----	139 UNCH
8150	----	----	10.529B/----	10.529B/10.178A	----	10.483 + 0.483	.5660	----	----	----	----	10 UNCH
8200	----	----	10.884B/----	10.884B/10.524A	----	10.832 + 0.501	.5756	----	----	----	----	10 UNCH
8250	----	----	11.240B/----	11.240B/10.873A	----	11.186 + 0.518	.5849	----	----	----	----	5 UNCH
8500	----	----	13.066B/----	13.066B/12.778A	----	13.024 + 0.596	.6291	----	----	----	----	20 UNCH
9000	----	----	17.001B/----	17.001B/16.736A	----	16.984 + 0.710	.7042	----	----	----	----	33 UNCH
9300	----	----	19.328B/----	19.328B/19.373A	----	19.503 + 0.762	.7413	----	----	----	----	1 UNCH
9500	----	----	21.235B/----	21.235B/20.988A	----	21.229 + 0.793	.7631	----	----	----	----	30 UNCH
10000	----	----	25.695B/----	25.695B/25.449A	----	25.668 + 0.862	.8092	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
AUG26												
10025	----	----	25.726B/----	25.726B/25.744A	----	25.894 + 0.866	.8112	----	----	----	----	1 UNCH
10175	----	----	27.287B/----	27.287B/27.054A	----	27.257 + 0.885	.8228	----	----	----	----	15 UNCH
TOTAL										12	0	1058 + 8
SEP26												
2500	----	----	----	0.001B/2.863A	----	0.011 - 0.003	.0011	----	----	----	----	60 UNCH
3000	----	----	----	0.001B/2.962A	----	0.033 - 0.007	.0033	----	----	----	----	22 UNCH
3500	----	----	----	0.021B/0.194A	----	0.084 - 0.012	.0082	----	----	----	----	74 UNCH
4000	----	----	----	0.100B/*0.261A	----	0.192 - 0.021	.0180	----	----	----	----	46 UNCH
4500	----	----	----	0.239B/*0.412A	----	0.350 - 0.026	.0327	----	----	----	----	12 UNCH
5000	----	----	----	0.510B/0.676A	----	0.619 - 0.028	.0568	----	----	----	----	232 UNCH
5100	----	----	----	0.585B/0.748A	----	0.694 - 0.027	.0633	----	----	----	----	1 UNCH
5400	----	----	----	0.877B/1.019A	----	0.976 - 0.026	.0866	----	----	----	----	1 UNCH
5500	----	----	----	1.001B/1.129A	----	1.094 - 0.024	.0959	----	----	----	----	228 UNCH
5600	----	----	----	1.095B/1.252A	----	1.224 - 0.022	.1059	----	----	----	----	1 UNCH
5700	----	----	----	0.982B/1.690A	----	1.369 - 0.019	.1168	----	----	----	----	2 UNCH
5800	----	----	----	1.151B/1.837A	----	1.529 - 0.016	.1285	----	----	----	----	8 UNCH
5900	----	----	----	1.345B/1.833A	----	1.706 - 0.012	.1411	----	----	----	----	50 UNCH
6000	1.900	1.900	1.900/1.802	1.900/1.802	----	1.901 - 0.007	.1545	----	----	32	----	164 + 11
6050	----	----	----	1.631B/2.274A	----	2.006 - 0.003	.1615	----	----	----	----	15 UNCH
6200	----	----	----	1.964B/2.602A	----	2.348 + 0.007	.1837	----	----	----	----	40 UNCH
6300	----	----	----	2.201B/2.896A	----	2.603 + 0.016	.1995	----	----	----	----	5 UNCH
6400	----	----	----	2.460B/3.176A	----	2.879 + 0.026	.2160	----	----	----	----	3 UNCH
6425	----	----	----	2.529B/3.251A	----	2.952 + 0.029	.2202	----	----	----	----	3 UNCH
6500	----	----	----	2.789B/3.330A	----	3.178 + 0.037	.2331	----	----	----	----	55 UNCH
6550	----	----	----	2.879B/3.612A	----	3.336 + 0.044	.2419	----	----	----	----	15 UNCH
6800	----	----	----	3.718B/4.431A	----	4.217 + 0.082	.2879	----	----	----	----	5 UNCH
6900	----	----	----	4.097B/4.791A	----	4.612 + 0.101	.3071	----	----	----	----	1 UNCH
7000	----	----	----	4.500B/5.175A	----	5.032 + 0.121	.3265	----	----	----	----	16 UNCH
7025	----	----	----	4.605B/5.274A	----	5.140 + 0.125	.3314	----	----	----	----	1 UNCH
7100	----	----	----	4.930B/5.582A	----	5.476 + 0.142	.3461	----	----	----	----	16 UNCH
7125	----	----	----	5.041B/5.616A	----	5.591 + 0.148	.3510	----	----	----	----	25 UNCH
7175	----	----	----	5.268B/5.905A	----	5.826 + 0.160	.3609	----	----	----	----	20 UNCH
7200	----	----	----	5.384B/5.870A	----	5.946 + 0.166	.3658	----	----	----	----	50 UNCH
7400	----	----	----	6.367B/6.979A	----	6.958 + 0.218	.4053	----	----	----	----	24 UNCH
7500	----	----	----	6.920B/7.507A	----	7.501 + 0.248	.4249	----	----	----	----	3 UNCH
7550	----	----	----	7.204B/7.784A	----	7.780 + 0.262	.4346	----	----	----	----	2 UNCH
7700	----	----	----	8.113B/8.655A	----	8.653 + 0.307	.4634	----	----	----	----	1 UNCH
7800	----	----	----	8.733B/9.273A	----	9.262 + 0.339	.4821	----	----	----	----	4 UNCH
7900	----	----	----	9.375B/9.920A	----	9.892 + 0.371	.5004	----	----	----	----	1 UNCH
8000	----	----	----	10.014B/10.507A	----	10.541 + 0.402	.5182	----	----	----	----	40 UNCH
8100	----	----	----	10.691B/11.282A	----	11.208 + 0.432	.5356	----	----	----	----	1 UNCH
8200	----	----	----	11.388B/11.989A	----	11.894 + 0.464	.5525	----	----	----	----	1 UNCH
8500	----	----	13.576B/----	13.576B/14.050A	----	14.046 + 0.549	.6001	----	----	----	----	225 UNCH
8700	----	----	15.106B/----	15.106B/15.589A	----	15.555 + 0.601	.6291	----	----	----	----	100 UNCH
9000	----	----	17.307B/----	17.307B/17.977A	----	17.912 + 0.671	.6688	----	----	----	----	74 UNCH
9300	----	----	19.666B/----	19.666B/20.612A	----	20.369 + 0.731	.7039	----	----	----	----	1 UNCH
9400	----	----	----	20.438B/21.450A	----	21.208 + 0.750	.7147	----	----	----	----	1 UNCH
10150	----	----	26.938B/----	26.938B/27.926A	----	27.739 + 0.862	.7817	----	----	----	----	1 UNCH
10300	----	----	28.276B/----	28.276B/29.261A	----	29.087 + 0.879	.7926	----	----	----	----	1 UNCH
TOTAL										32	0	1651 + 11
OCT26												
2675	----	----	----	0.001B/3.071A	----	0.029 - 0.001	.0026	----	----	----	----	8 UNCH
3250	----	----	----	0.017B/0.218A	----	0.074 - 0.001	.0067	----	----	----	----	1 UNCH
4000	----	----	----	0.153B/*0.342A	----	0.234 + 0.001	.0204	----	----	----	----	3 UNCH
4500	0.400	0.400	0.400/*0.400	0.400/*0.400	----	0.499 + 0.009	.0406	----	----	1	----	3 UNCH
5000	----	----	----	0.680B/0.868A	----	0.847 - 0.002	.0672	----	----	----	----	6 UNCH
5050	----	----	----	0.725B/0.911A	----	0.891 - 0.004	.0705	----	----	----	----	1 UNCH
5150	----	----	----	0.823B/1.004A	----	0.985 - 0.007	.0774	----	----	----	----	5 UNCH
6500	----	----	----	3.154B/4.003A	----	3.631 + 0.035	.2353	----	----	----	----	6 UNCH
7000	----	----	----	4.981B/5.949A	----	5.537 + 0.121	.3198	----	----	----	----	85 UNCH
7225	----	----	----	5.993B/7.010A	----	6.584 + 0.171	.3596	----	----	----	----	87 UNCH
7500	----	----	----	7.389B/8.463A	----	8.018 + 0.238	.4081	----	----	----	----	33 UNCH
7950	----	----	----	10.087B/11.112A	----	10.707 + 0.353	.4840	----	----	----	----	10 UNCH
8200	----	----	----	11.761B/12.753A	----	12.364 + 0.414	.5231	----	----	----	----	6 UNCH
8375	----	----	----	12.860B/14.097A	----	13.584 + 0.453	.5489	----	----	----	----	1 UNCH
9100	----	----	18.673B/----	18.673B/19.393A	----	19.074 + 0.587	.6415	----	----	----	----	1 UNCH
10000	----	----	----	17.510B/34.306A	----	26.584 + 0.715	.7277	----	----	----	----	40 UNCH
TOTAL										1	0	296 0
NOV26												
4500	----	----	----	0.475B/0.705A	----	0.620 - 0.027	.0467	----	----	----	----	2 UNCH
4550	----	----	----	0.505B/0.739A	----	0.656 - 0.027	.0493	----	----	----	----	1 UNCH
4800	----	----	----	0.708B/0.932A	----	0.860 - 0.027	.0633	----	----	----	----	1 UNCH
5000	----	----	----	0.910B/1.123A	----	1.058 - 0.025	.0765	----	----	----	----	12 UNCH
5200	----	----	----	1.154B/1.351A	----	1.294 - 0.021	.0918	----	----	----	----	1 UNCH
5950	----	----	----	2.192B/3.032A	----	2.656 + 0.018	.1697	----	----	----	----	1 UNCH
6700	----	----	----	4.452B/5.480A	----	5.028 + 0.109	.2771	----	----	----	----	50 UNCH
7000	----	----	----	5.680B/6.781A	----	6.306 + 0.159	.3249	----	----	----	----	40 UNCH
7025	----	----	----	5.794B/6.898A	----	6.421 + 0.163	.3289	----	----	----	----	6 UNCH
7400	----	----	----	7.626B/8.810A	----	8.305 + 0.234	.3894	----	----	----	----	24 UNCH
7500	----	----	----	8.165B/9.369A	----	8.855 + 0.253	.4054	----	----	----	----	7 UNCH
7700	----	----	----	9.302B/10.545A	----	10.014 + 0.293	.4369	----	----	----	----	50 UNCH
8500	----	----	----	14.633B/15.824A	----	15.330 + 0.446	.5500	----	----	----	----	60 UNCH
9000	----	----	----	18.415B/19.574A	----	19.101 + 0.530	.6088	----	----	----	----	5 UNCH
9050	----	----	----	18.807B/19.963A	----	19.493 + 0.538	.6142	----	----	----	----	3 UNCH
10000	----	----	----	26.426B/27.950A	----	27.324 + 0.668	.7009	----	----	----	----	1 UNCH
11000	----	----	----	14.583B/56.903A	----	36.109 + 0.780	.7675	----	----	----	----	1 UNCH
TOTAL											0	265 0
DEC26												
1500	----	----	----	----/0.085A	----	0.007 - 0.001	.0005	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/0.200A	----	0.025 - 0.004	.0018	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/3.617A	----	0.049 - 0.007	.0038	----	----	----	----	32 UNCH
3000	----	----	----	0.009B/0.272A	----	0.094 - 0.011	.0075	----	----	----	----	93 UNCH
3100	----	----	----	0.022B/0.288A	----	0.107 - 0.012	.0085	----	----	----	----	1 UNCH
3150	----	----	----	0.029B/0.299A	----	0.119 - 0.012	.0094	----	----	----	----	1 UNCH
3500	----	----	----	0.086B/0.391A	----	0.231 - 0.020	.0172	----	----	----	----	45 UNCH
3850	----	----	----	0.198B/0.519A	----	0.391 - 0.025	.0278	----	----	----	----	1 UNCH
3925	----	----	----	0.224B/*0.552A	----	0.430 - 0.025	.0304	----	----	----	----	1 UNCH
4000	----	----	----/*0.400A	0.256B/*0.400A	----	0.470 - 0.027	.0331	----	----	----	----	81 UNCH
4500	0.870	0.870	0.870/*0.869A	0.870/0.869A	----	0.824 - 0.028	.0557	----	----	1	----	35 UNCH
4600	----	----	----	0.638B/0.988A	----	0.914 - 0.028	.0613	----	----	----	----	4 UNCH
4800	----	----	----	0.829B/1.176A	----	1.118 - 0.027	.0737	----	----	----	----	241 UNCH
5000	----	----	----	1.069B/1.399A	----	1.357 - 0.023	.0878	----	----	----	----	357 UNCH
5250	----	----	----	1.399B/1.737A	----	1.714 - 0.016	.1081	----	----	----	----	50 UNCH
5300	----	----	----	1.373B/1.892A	----	1.793 - 0.015	.1124	----	----	----	----	250 UNCH
5400	----	----	----	1.194B/2.489A	----	1.962 - 0.011	.1216	----	----	----	----	100 UNCH
5500	----	----	----	1.397B/2.656A	----	2.144 - 0.006	.1313	----	----	----	----	109 UNCH
5600	----	----	----	1.618B/2.788A	----	2.340 UNCH	.1415	----	----	----	----	4 UNCH
5650	----	----	----	1.739B/2.749A	----	2.443 + 0.002	.1468	----	----	----	----	12 UNCH
5800	----	----	----	2.068B/3.246A	----	2.777 + 0.012	.1634	----	----	----	----	1 UNCH
5950	----	----	----	2.418B/3.649A	----	3.147 + 0.023	.1810	----	----	----	----	5 UNCH
6000	----	----	----	2.547B/3.792A	----	3.279 + 0.027	.1871	----	----	----	----	147 UNCH
6200	----	----	----	3.099B/4.409A	----	3.855 + 0.046	.2128	----	----	----	----	13 UNCH
6300	----	----	----	3.413B/4.745A	----	4.172 + 0.057	.2262	----	----	----	----	25 UNCH
6500	----	----	----	4.085B/5.473A	----	4.868 + 0.079	.2541	----	----	----	----	626 UNCH
6650	----	----	----	4.638B/6.071A	----	5.446 + 0.099	.2758	----	----	----	----	5 UNCH
6725	----	----	----	4.936B/6.386A	----	5.752 + 0.109	.2869	----	----	----	----	4 UNCH
6750	----	----	----	5.036B/6.493A	----	5.857 + 0.113	.2906	----	----	----	----	6 UNCH
6800	----	----	----	5.242B/6.712A	----	6.070 + 0.119	.2980	----	----	----	----	59 UNCH
6850	----	----	----	5.429B/6.936A	----	6.289 + 0.127	.3054	----	----	----	----	78 UNCH
6900	----	----	----	5.643B/7.164A	----	6.513 + 0.135	.3129	----	----	----	----	1 UNCH
6950	----	----	----	5.888B/7.397A	----	6.741 + 0.141	.3204	----	----	----	----	101 UNCH
7000	----	----	----	6.089B/7.635A	----	6.975 + 0.149	.3279	----	----	----	----	179 UNCH
7050	----	----	----	6.328B/7.876A	----	7.214 + 0.157	.3355	----	----	----	----	0 UNCH
7075	----	----	----	6.435B/8.002A	----	7.335 + 0.161	.3392	----	----	----	----	20 UNCH
7100	----	----	----	6.575B/8.115A	----	7.457 + 0.165	.3430	----	----	----	----	2 UNCH
7200	----	----	----	7.060B/8.606A	----	7.959 + 0.181	.3580	----	----	----	----	14 UNCH
7250	----	----	----	7.320B/8.859A	----	8.217 + 0.189	.3655	----	----	----	----	48 UNCH
7500	----	----	----	8.716B/10.197A	----	9.577 + 0.233	.4028	----	----	----	----	22 UNCH
7550	----	----	----	9.019B/10.479A	----	9.863 + 0.242	.4101	----	----	----	----	1 UNCH
7800	----	----	----	10.517B/11.948A	----	11.356 + 0.287	.4461	----	----	----	----	20 UNCH
7850	----	----	----	10.831B/12.255A	----	11.667 + 0.297	.4531	----	----	----	----	10 UNCH
7875	----	----	----	10.827B/12.570A	----	11.824 + 0.301	.4566	----	----	----	----	1 UNCH
7900	----	----	----	11.152B/12.565A	----	11.982 + 0.306	.4601	----	----	----	----	19 UNCH
8000	----	----	----	11.802B/13.210A	----	12.624 + 0.324	.4737	----	----	----	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 65

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
DEC26												
8100	----	----	----	12.491B/13.865A	----	13.281 + 0.342	.4871	----	----	----	----	1 UNCH
8200	----	----	----	13.135B/14.534A	----	13.953 + 0.361	.5001	----	----	----	----	35 UNCH
8350	----	----	----	14.218B/15.566A	----	14.988 + 0.389	.5191	----	----	----	----	9 UNCH
8400	----	----	----	14.574B/15.917A	----	15.339 + 0.398	.5253	----	----	----	----	50 UNCH
8500	----	----	----	15.294B/16.624A	----	16.052 + 0.416	.5374	----	----	----	----	166 UNCH
8550	----	----	----	15.630B/16.984A	----	16.412 + 0.424	.5433	----	----	----	----	25 UNCH
8600	----	----	----	15.997B/17.346A	----	16.776 + 0.433	.5491	----	----	----	----	2 UNCH
8800	----	----	----	17.499B/18.824A	----	18.261 + 0.468	.5717	----	----	----	----	12 UNCH
8900	----	----	----	18.269B/19.536A	----	19.020 + 0.485	.5825	----	----	----	----	30 UNCH
9000	----	----	----	19.059B/19.642A	----	19.789 + 0.502	.5929	----	----	----	----	3 UNCH
9050	----	----	----	19.449B/20.686A	----	20.177 + 0.511	.5980	----	----	----	----	100 UNCH
9500	----	----	----	23.023B/24.265A	----	23.767 + 0.580	.6406	----	----	----	----	2 UNCH
9850	----	----	----	25.554B/27.123A	----	26.663 + 0.629	.6699	----	----	----	----	8 UNCH
9950	----	----	----	26.391B/28.408A	----	27.504 + 0.641	.6777	----	----	----	----	1 UNCH
10025	----	----	----	27.020B/29.043A	----	28.139 + 0.651	.6834	----	----	----	----	3 UNCH
10125	----	----	----	27.901B/29.901A	----	28.989 + 0.663	.6908	----	----	----	----	1 UNCH
10700	----	----	----	10.026B/57.700A	----	33.972 + 0.729	.7293	----	----	----	----	5 UNCH
10800	----	----	----	10.202B/58.849A	----	34.852 + 0.738	.7354	----	----	----	----	2 UNCH
11000	----	----	----	11.998B/61.137A	----	36.625 + 0.758	.7470	----	----	----	----	2 UNCH
11500	----	----	----	15.166B/66.523A	----	41.116 + 0.803	.7732	----	----	----	----	1 UNCH
12000	----	----	----	19.034B/71.806A	----	45.680 + 0.844	.7959	----	----	----	----	1 UNCH
12100	----	----	----	19.823B/72.736A	----	46.600 + 0.851	.8001	----	----	----	----	1 UNCH
12300	----	----	----	21.391B/74.723A	----	48.448 + 0.866	.8082	----	----	----	----	1 UNCH
15000	----	----	----	48.380B/100.028A	----	74.067 + 1.049	.8831	----	----	----	----	1 UNCH
19000	----	----	----	89.760B/136.464A	----	113.252 + 1.244	.9343	----	----	----	----	1 UNCH
TOTAL										1	0	3527 0
JAN27												
3800	----	----	----	0.130B/0.688A	----	0.322 - 0.018	.0236	----	----	----	----	1 UNCH
6500	----	----	----	4.268B/6.014A	----	5.226 + 0.043	.2515	----	----	----	----	1 UNCH
7125	----	----	----	6.561B/9.144A	----	7.953 + 0.120	.3378	----	----	----	----	1 UNCH
8600	----	----	----	16.228B/17.671A	----	17.041 + 0.355	.5277	----	----	----	----	1 UNCH
TOTAL											0	4 0
FEB27												
8150	----	----	----	13.611B/15.240A	----	14.484 + 0.326	.4692	----	----	----	----	10 UNCH
8225	----	----	----	13.404B/16.429A	----	14.980 + 0.335	.4779	----	----	----	----	10 UNCH
8250	----	----	----	14.279B/15.898A	----	15.147 + 0.339	.4808	----	----	----	----	10 UNCH
TOTAL											0	30 0
MAR27												
6500	----	----	----	4.728B/7.404A	----	6.172 + 0.085	.2601	----	----	----	----	20 UNCH
8300	----	----	----	14.397B/17.597A	----	16.044 + 0.215	.4799	----	----	----	----	50 UNCH
TOTAL											0	70 0
APR27												
4000	----	----	----	----	----	1.119 + 0.054	.0549	----	----	----	----	1 UNCH
TOTAL											0	1 0
DEC27												
7175	----	----	----	----	----	13.882 + 0.370	.3155	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
MAY26												
7600	----	----	----/*1.545A	1.726B/*1.545A	----	1.463 NEW	.4638	----	----	----	25	25 + 25
7660	1.227	1.227	#1.227/*1.227	#1.672B/*1.227	----	1.203 NEW	.4008	----	----	4	----	4 + 4
7700	----	----	----/*1.116A	1.611B/*1.116A	----	1.048 - 1.076	.3599	----	----	----	----	13 UNCH
7750	0.994	0.994	0.994/*0.948A	1.353B/*0.948A	----	0.873 NEW	.3108	----	----	1	----	1 + 1
7800	0.700	0.700	0.700/*0.700	1.164B/*0.700	----	0.722 - 0.957	.2649	----	----	3	----	10 + 3
7900	----	----	----/*0.602A	0.789B/*0.602A	----	0.484 - 0.827	.1857	----	----	----	----	10 UNCH
8000	0.450	0.450	0.450/*0.290	0.463B/*0.290	----	0.326 - 0.687	.1268	----	----	3	----	29 + 2
8100	0.530	0.530	0.530/*0.220	0.530/*0.220	----	0.226 - 0.551	.0866	----	----	5	----	1 UNCH
8200	----	----	----/*0.219A	0.173B/*0.219A	----	0.165 - 0.429	.0609	----	----	1	----	9 UNCH
8800	0.030	0.030	0.030/*0.028	0.030/*0.028	----	0.032 NEW	.0087	----	----	5	----	5 + 5
9000	----	----	----/*0.030A	0.001B/*0.030A	----	0.017 - 0.057	.0041	----	----	----	----	12 UNCH
10000	----	----	----	----/0.108A	----	0.003 - 0.025	.0004	----	----	----	----	3 UNCH
TOTAL										22	25	122 + 40
SO1 PUT		SILVER OPTIONS										
MAY26												
6000	----	----	----	0.001B/0.097A	----	0.004 - 0.013	.0007	----	----	----	----	10 UNCH
6500	----	----	----	0.008B/0.136A	----	0.039 - 0.052	.0102	----	----	----	----	50 UNCH
6550	----	----	----	0.009B/*0.140A	----	0.051 - 0.058	.0136	----	----	----	----	4 UNCH
6700	----	----	----/*0.151A	0.065B/*0.151A	----	0.085 - 0.067	.0249	----	----	----	----	22 UNCH
6825	----	----	----/*0.191A	0.055B/*0.191A	----	0.131 - 0.073	.0409	----	----	----	----	3 UNCH
6900	----	----	----/0.223A	0.100B/0.223A	----	0.169 - 0.078	.0547	----	----	----	----	1 UNCH
6925	----	----	----/*0.253A	0.163B/*0.253A	----	0.183 - 0.080	.0599	----	----	----	----	1 UNCH
7000	0.250	0.250	0.250/*0.250	0.250/*0.250	----	0.235 - 0.087	.0794	----	----	1	----	11 + 1
7050	----	----	----/*0.314A	0.217B/*0.314A	----	0.279 - 0.090	.0959	----	----	----	----	1 UNCH
7100	----	----	----/*0.356A	0.281B/*0.356A	----	0.332 - 0.093	.1156	----	----	----	----	7 UNCH
7200	0.500	0.500	0.500/*0.442A	0.500/*0.442A	----	0.477 - 0.089	.1676	----	----	3	----	4 + 3
7250	0.475	0.475	0.475/*0.460	0.501B/*0.460	----	0.574 - 0.080	.2006	----	----	7	----	12 + 7
7300	0.693	0.693	0.695B/0.665A	0.695B/0.665A	----	0.691 - 0.064	.2385	----	----	1	----	7 UNCH
7340	----	----	----	#0.766B/*0.707A	----	0.801 NEW	.2723	----	----	1	----	1 + 1
7350	0.850	0.850	0.850/0.786A	0.850/0.786A	----	0.831 NEW	.2812	----	----	1	----	1 + 1
7400	----	----	----/0.869A	0.969B/0.869A	----	0.996 - 0.007	.3280	----	----	----	----	4 UNCH
7500	1.530	1.530	1.530/1.213A	1.530/1.213A	----	1.399 + 0.080	.4298	----	----	15	----	8 - 1
7575	1.574	1.574	1.675B/1.522A	1.675B/1.522A	----	1.763 + 0.157	.5095	----	----	1	----	6 + 1
7600	----	----	----/1.643A	1.689B/1.643A	----	1.895 + 0.184	.5361	----	----	----	----	25 UNCH
7650	----	----	----	1.909B/1.990A	----	2.176 + 0.238	.5887	----	----	----	----	10 UNCH
TOTAL										30	0	188 + 13
SO2 CALL		SILVER OPTIONS										
MAY26												
7500	----	----	----/3.300A	3.064B/3.300A	----	2.949 - 1.207	.5522	----	----	----	----	3 UNCH
7600	----	----	----/*2.558A	2.602B/*2.558A	----	2.457 - 1.124	.4899	----	----	----	----	5 UNCH
8000	----	----	----/*1.172A	1.318B/*1.172A	----	1.071 - 0.747	.2633	----	----	----	----	5 UNCH
8100	1.506	1.506	1.506/*0.957A	1.506/*0.957A	----	0.853 - 0.653	.2183	----	----	1	----	1 UNCH
8200	----	----	----/*0.781A	0.791B/*0.781A	----	0.675 - 0.566	.1790	----	----	----	----	2 UNCH
8300	----	----	----/*0.636A	0.605B/*0.636A	----	0.533 - 0.486	.1456	----	----	----	----	5 UNCH
8500	0.350	0.350	0.350/*0.350	0.350/*0.350	----	0.332 NEW	.0947	----	----	8	----	8 + 8
9000	----	----	----/*0.205A	0.082B/*0.205A	----	0.115 - 0.157	.0335	----	----	----	----	1 UNCH
9200	----	----	----/*0.177A	0.051B/*0.177A	----	0.083 - 0.120	.0237	----	----	----	----	4 UNCH
10000	----	----	----	0.004B/*0.147A	----	0.039 - 0.062	.0096	----	----	----	----	1 UNCH
TOTAL										9	0	35 + 8
SO2 PUT		SILVER OPTIONS										
MAY26												
6500	----	----	----/*0.275A	0.125B/*0.275A	----	0.212 - 0.084	.0542	----	----	----	----	1 UNCH
6600	0.129	0.129	0.152/*0.129	0.168B/*0.129	----	0.269 NEW	.0689	----	----	30	----	15 + 15
7000	0.700	0.700	0.700/0.700	0.700/0.700	----	0.725 NEW	.1765	----	----	1	----	1 + 1
7300	----	----	----/1.500A	1.383B/1.500A	----	1.552 NEW	.3271	----	----	1	----	1 + 1
7400	2.030	2.030	2.030/1.842A	2.030/1.842A	----	1.937 + 0.092	.3862	----	----	5	----	5 + 4
7500	----	----	2.226B/----	2.226B/2.238A	----	2.382 NEW	.4477	----	----	1	----	1 + 1
7600	----	----	----	2.606B/2.677A	----	2.888 + 0.246	.5100	----	----	----	----	1 UNCH
7800	4.020	4.020	4.020/4.020	4.020/4.020	----	4.082 + 0.431	.6306	----	----	1	----	1 UNCH
8000	----	----	----	3.039B/6.816A	----	5.499 + 0.625	.7365	----	----	----	----	9 UNCH
TOTAL										39	0	35 + 22
SO3 CALL		SILVER OPTIONS										
MAY26												
7600	----	----	----/*3.255A	3.711B/*3.255A	----	3.043 - 1.046	.4991	----	----	----	----	5 UNCH
7700	----	----	----/*2.811A	3.202B/*2.811A	----	2.604 - 0.974	.4494	----	----	----	----	50 UNCH
7850	----	----	----/*2.289A	2.495B/*2.289A	----	2.044 - 0.859	.3778	----	----	----	----	2 UNCH
8100	----	----	----/*1.545A	1.660B/*1.545A	----	1.343 - 0.672	.2729	----	----	----	----	2 UNCH
8200	1.404	1.404	1.404/*1.200	1.404/*1.200	----	1.133 NEW	.2374	----	----	11	----	11 + 11
8500	0.820	0.820	0.820/*0.820	0.820/*0.820	----	0.686 NEW	.1537	----	----	1	----	1 + 1
9000	----	----	----/*0.440A	0.308B/*0.440A	----	0.326 - 0.250	.0762	----	----	----	----	5 UNCH
9100	----	----	----/*0.390A	0.257B/*0.390A	----	0.287 - 0.228	.0671	----	----	----	----	2 UNCH
TOTAL										12	0	78 + 12
SO3 PUT		SILVER OPTIONS										
MAY26												
6600	0.285	0.285	0.395B/*0.285	0.395B/*0.285	----	0.495 NEW	.1051	----	----	15	----	15 + 15
7200	----	----	----	1.614B/1.757A	----	1.761 + 0.085	.3067	----	----	----	----	10 UNCH
7350	2.020	2.020	2.020/*2.020	2.141B/2.020	----	2.308 NEW	.3764	----	----	1	----	1 + 1
7700	----	----	3.929B/----	3.929B/3.860A	----	4.034 + 0.397	.5505	----	----	----	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO3 PUT		SILVER OPTIONS										
MAY26												
7850	----	----	4.538B/----	4.538B/4.727A	----	4.971 +	0.511 .6220	----	----	----	----	2 UNCH
TOTAL										16	0	78 + 16
SO4 CALL		SILVER OPTIONS										
APR26												
7500	----	----	----	----	----	1.414	UNCH ----	----	----	----	----	0 UNCH
7525	----	----	----	----	----	1.164	UNCH ----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.914	UNCH ----	----	----	----	----	0 UNCH
7575	----	----	----	----	----	0.664	UNCH ----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.414	UNCH ----	----	----	----	----	0 UNCH
7620	----	----	----	----	----	0.214	UNCH ----	----	----	----	----	0 UNCH
7625	----	----	----	----	----	0.164	UNCH ----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7725	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7775	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7790	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7840	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7850	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7900	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8075	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8090	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8700	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
9000	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
TOTAL											0	0 0
SO4 PUT		SILVER OPTIONS										
APR26												
6825	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7000	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7150	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7290	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7330	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7475	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7625	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7660	----	----	----	----	----	0.186	UNCH ----	----	----	----	----	0 UNCH
7675	----	----	----	----	----	0.336	UNCH ----	----	----	----	----	0 UNCH
7680	----	----	----	----	----	0.386	UNCH ----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.586	UNCH ----	----	----	----	----	0 UNCH
7710	----	----	----	----	----	0.686	UNCH ----	----	----	----	----	0 UNCH
7720	----	----	----	----	----	0.786	UNCH ----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	1.086	UNCH ----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	1.586	UNCH ----	----	----	----	----	0 UNCH
7825	----	----	----	----	----	1.836	UNCH ----	----	----	----	----	0 UNCH
7840	----	----	----	----	----	1.986	UNCH ----	----	----	----	----	0 UNCH
7850	----	----	----	----	----	2.086	UNCH ----	----	----	----	----	0 UNCH
7900	----	----	----	----	----	2.586	UNCH ----	----	----	----	----	0 UNCH
7950	----	----	----	----	----	3.086	UNCH ----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	3.586	UNCH ----	----	----	----	----	0 UNCH
8100	----	----	----	----	----	4.586	UNCH ----	----	----	----	----	0 UNCH
8125	----	----	----	----	----	4.836	UNCH ----	----	----	----	----	0 UNCH
8200	----	----	----	----	----	5.586	UNCH ----	----	----	----	----	0 UNCH
TOTAL											0	0 0
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
6000	----	----	----	----	----	15.569 -	1.371 .0000	----	----	----	----	1 UNCH
6750	----	----	----	0.001B/*0.096A	----	0.018 -	0.036 .0033	----	----	----	----	1 UNCH
6870	----	----	----	0.002B/*0.116A	----	0.040 -	0.051 .0094	----	----	----	----	1 UNCH
6900	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.048 -	0.055 .0120	----	----	2	----	0 - 2
7000	----	----	----/*0.130A	0.020B/*0.130A	----	0.084 -	0.069 .0247	----	----	----	----	0 UNCH
7300	0.240	0.240	0.240/*0.240	0.257B/*0.240	----	0.296 -	0.142 .1346	----	----	2	----	2 + 1
7400	0.450	0.450	0.450/*0.450	0.502B/*0.450	----	0.485 -	0.134 .2374	----	----	1	----	2 + 1
7450	----	----	----/*0.613A	0.645B/*0.613A	----	0.624 -	0.111 .3084	----	----	----	----	2 UNCH
7500	----	----	0.884B/0.752A	0.884B/0.752A	----	0.801 -	0.070 .3912	----	----	1	----	1 UNCH
7525	----	----	0.962B/0.817A	0.962B/0.817A	----	0.905 -	0.042 .4358	----	----	----	----	4 UNCH
7600	----	----	----/1.116A	1.143B/1.116A	----	1.283 +	0.073 .5738	----	----	----	----	1 UNCH
7600	0.800	0.800	0.850/*0.800	1.200B/*0.800	----	0.851 -	1.298 .4261	----	----	7	----	6 + 4
7650	----	----	----/*0.779A	1.162B/*0.779A	----	0.646 -	1.211 .3368	----	----	----	----	16 UNCH
7660	----	----	----/*0.792A	1.164B/*0.792A	----	0.610 -	1.191 .3199	----	----	----	----	22 UNCH
7730	----	----	----	1.052B/2.409A	----	2.128 +	0.324 .7879	----	----	----	----	17 UNCH
7730	----	----	----/*0.564A	0.911B/*0.564A	----	0.396 -	1.048 .2120	----	----	----	----	20 UNCH
7800	0.439	0.439	0.439/*0.387A	0.637B/*0.387A	----	0.246	NEW .1293	----	----	20	----	20 + 20
8000	----	----	----/*0.149A	0.125B/*0.149A	----	0.049 -	0.482 .0198	----	----	----	----	11 UNCH
8000	----	----	----	----	----	4.481 +	0.891 .9801	----	----	----	----	1 UNCH
8200	0.038	0.038	0.038/*0.038	0.038/*0.038	----	0.007 -	0.213 .0016	----	----	1	----	3 + 1
8300	----	----	----/*0.041A	0.001B/*0.041A	----	0.003 -	0.142 .0005	----	----	----	----	5 UNCH
8700	----	----	----	----/*0.104A	----	0.001 -	0.034 ----	----	----	----	----	1 UNCH
8800	----	----	----	----/*0.105A	----	0.001 -	0.025 ----	----	----	----	----	1 UNCH
TOTAL										34	0	138 + 25
MAY26												
6000	----	----	----	0.008B/0.142A	----	0.060 -	0.010 .0141	----	----	----	----	15 UNCH
7400	----	----	----	1.445B/1.518A	----	1.535 +	0.031 .3703	----	----	----	----	1 UNCH
7825	----	----	----/*1.338A	1.567B/*1.338A	----	1.132 -	0.932 .3178	----	----	----	----	1 UNCH
7875	----	----	----/*1.189A	1.368B/*1.189A	----	0.992 -	0.870 .2859	----	----	----	----	1 UNCH
8200	----	----	----/*0.532A	0.514B/*0.532A	----	0.418 -	0.495 .1338	----	----	----	----	2 UNCH
8500	----	----	----/*0.274A	0.170B/*0.274A	----	0.199 -	0.267 .0648	----	----	----	----	6 UNCH
8700	----	----	----/*0.195A	0.078B/*0.195A	----	0.127 -	0.180 .0408	----	----	----	----	1 UNCH
10000	----	----	----	0.001B/*0.116A	----	0.014 -	0.036 .0036	----	----	----	----	5 UNCH
TOTAL											0	32 0
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week4										
APR26												
6750	----	----	----	0.001B/*0.086A	----	0.001 -	0.031 ----	----	----	----	----	1 UNCH
6800	0.056	0.056	0.056/*0.056	0.056/*0.056	----	0.001 -	0.039 ----	----	----	1	----	2 - 1
6875	----	----	----	0.001B/*0.087A	----	0.001 -	0.055 ----	----	----	----	----	1 UNCH
7000	0.011	0.011	0.012/*0.011	0.012/*0.011	----	0.003 -	0.095 .0001	----	----	2	----	2 + 2
7200	----	----	----/*0.121A	0.010B/*0.121A	----	0.024 -	0.177 .0042	----	----	1	----	1 UNCH
7300	0.130	0.130	0.130/*0.130	0.130/*0.130	----	0.068 -	0.226 .0236	----	----	1	----	1 + 1
7350	0.270	0.270	0.270/*0.205A	0.270/*0.205A	----	0.112	NEW .0511	----	----	1	----	1 + 1
7400	0.300	0.300	0.300/*0.244A	0.300/*0.244A	----	0.183 -	0.253 .1039	----	----	2	----	1 UNCH
7500	0.500	0.500	0.500/*0.356A	0.627B/*0.356A	----	0.444	NEW .3185	----	----	3	----	2 + 2
7550	0.505	0.505	0.505/*0.503A	0.752B/*0.503A	----	0.655 -	0.140 .4745	----	----	1	----	26 + 1
7590	0.990	0.990	#0.990/*0.742A	0.990/*0.742A	----	0.535	NEW .3958	----	----	1	----	1 + 1
7600	0.817	0.817	0.817/0.753A	0.877B/0.753A	----	0.925	NEW .6355	----	----	1	----	1 + 1
7600	0.511	0.511	0.511/*0.511	0.933B/*0.511	----	0.493	NEW .3645	----	----	2	----	2 + 2
7610	----	----	----/*0.658A	0.875B/*0.658A	----	0.453 -	1.392 .3338	----	----	----	----	22 UNCH
7620	----	----	----/*0.877A	0.863B/*0.877A	----	1.048 +	0.003 .6955	----	----	----	----	22 UNCH
7640	0.650	0.650	#0.650/*0.552A	0.871B/*0.552A	----	0.348	NEW .2491	----	----	5	----	5 + 5
7650	1.000	1.000	1.100/*0.516A	1.100/*0.516A	----	0.317	NEW .2235	----	----	13	----	13 + 13
7675	0.750	0.750	0.750/*0.251	0.870B/*0.251	----	0.249	NEW .1665	----	----	11	----	11 + 11
7675	----	----	----/1.281A	0.754B/1.281A	----	1.431 +	0.146 .8334	----	----	----	----	1 UNCH
7700	0.615	0.615	0.635/*0.220	0.810B/*0.220	----	0.193	NEW .1200	----	----	17	----	17 + 17
7730	----	----	----	0.414B/2.168A	----	1.872 +	0.306 .9223	----	----	----	----	8 UNCH
7730	----	----	----/*0.309A	0.629B/*0.309A	----	0.140 -	1.066 .0776	----	----	----	----	7 UNCH
7750	0.270	0.270	0.270/*0.270	0.538B/*0.270	----	0.111 -	1.006 .0561	----	----	21	----	24 + 21
7800	0.085	0.085	0.090/*0.085	0.371B/*0.085	----	0.061	NEW .0231	----	----	2	----	2 + 2
7880	----	----	----/*0.129A	0.127B/*0.129A	----	0.022 -	0.641 .0045	----	----	----	----	1 UNCH
7975	----	----	----/*0.086A	0.002B/*0.086A	----	0.006 -	0.438 .0005	----	----	----	----	4 UNCH
8000	----	----	----/*0.015A	0.002B/*0.015A	----	0.004 -	0.395 .0002	----	----	----	----	0 UNCH
8250	----	----	----/*0.088A	0.001B/*0.088A	----	0.001 -	0.137 ----	----	----	----	----	1 UNCH
8300	----	----	----/*0.085A	----/*0.085A	----	0.001 -	0.111 ----	----	----	----	----	2 UNCH
8400	----	----	----	----/0.086A	----	0.001 -	0.072 ----	----	----	----	----	1 UNCH
8500	----	----	----	----/*0.109A	----	0.001 -	0.045 ----	----	----	----	----	1 UNCH
TOTAL										85	0	184 + 79
MAY26												
7200	----	----	----/0.810A	0.658B/0.810A	----	0.808 -	0.049 .2292	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week1										
MAY26												
7700	----	----	----	2.446B/2.626A	----	2.836 + 0.315	.6045	----	----	----	----	75 UNCH
7700	----	----	----/*2.447A	2.790B/*2.447A	----	2.232 - 0.727	.4372	----	----	----	----	1 UNCH
7800	----	----	----/*2.644A	#2.462B/*2.644A	----	2.522 - 2.467	.4140	----	----	----	----	3 UNCH
7825	----	----	----	2.777B/3.766A	----	3.656 + 0.469	.6998	----	----	----	----	20 UNCH
8800	----	----	----	----/34.775A	----	12.526 NEW	.9683	----	----	1	----	1 + 1
9200	----	----	----/*0.235A	0.099B/*0.235A	----	0.173 - 0.089	.0439	----	----	----	----	1 UNCH
9750	----	----	----	0.023B/*0.181A	----	0.110 - 0.066	.0258	----	----	----	----	1 UNCH
10500	----	----	----	0.005B/*0.160A	----	0.077 - 0.056	.0160	----	----	----	----	1 UNCH
TOTAL										1	0	104 + 1

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK1										
MAY26												
465	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
490	----	----	----	----/0.0075A	----	0.0005 UNCH	.0010	----	----	----	----	14 UNCH
565	----	----	----	0.0130B/0.0185A	----	0.0140 - 0.0045	.0811	----	----	----	----	2 UNCH
570	----	----	----/0.0220A	0.0170B/0.0220A	----	0.0175 - 0.0055	.1016	----	----	----	----	1 UNCH
580	0.0130	0.0130	0.0130/*0.0130	0.0130/*0.0130	----	0.0110 - 0.0055	.0863	----	----	10	----	11 + 10
584	----	----	----/0.0200A	0.0135B/0.0200A	----	0.0145 NEW	.1144	----	----	2	----	2 + 2
585	----	----	----/0.0210A	0.0145B/0.0210A	----	0.0155 - 0.0065	.1225	----	----	----	----	1 UNCH
585	----	----	----/0.0420A	0.0390B/0.0420A	----	0.0375 NEW	.2052	----	----	1	----	1 + 1
586	----	----	----/0.0440A	0.0420B/0.0440A	----	0.0395 - 0.0080	.2147	----	----	----	----	1 UNCH
590	----	----	----/0.0525A	0.0520B/0.0525A	----	0.0485 - 0.0085	.2557	----	----	----	----	1 UNCH
594	----	----	----/0.0330A	0.0315B/0.0330A	----	0.0280 NEW	.2211	----	----	1	----	1 + 1
595	----	----	----/0.0655A	0.0675B/0.0655A	----	0.0630 NEW	.3149	----	----	1	----	1 + 1
600	----	----	----/0.1095A	0.1210B/0.1095A	----	0.1140 - 0.0070	.4029	----	----	----	----	3 UNCH
606	----	----	----/0.1045A	0.1145B/0.1045A	----	0.1075 - 0.0090	.4637	----	----	----	----	4 UNCH
606	----	----	0.1550B/0.1215A	0.1550B/0.1215A	----	0.1265 - 0.0185	.5358	----	----	----	----	4 UNCH
615	----	----	0.0705B/0.0480A	0.0705B/0.0480A	----	0.0485 NEW	.3562	----	----	5	----	5 + 5
615	----	----	0.1995B/0.1790A	0.1995B/0.1790A	----	0.1910 - 0.0060	.5628	----	----	----	----	4 UNCH
615	----	----	----/0.1490A	0.1650B/0.1490A	----	0.1575 - 0.0080	.5882	----	----	----	----	4 UNCH
615	----	----	0.1445B/*0.1175	0.1445B/*0.1175	----	0.1200 - 0.0155	.4366	----	----	----	----	4 UNCH
615	----	----	0.1085B/0.0845A	0.1085B/0.0845A	----	0.0865 - 0.0175	.4113	----	----	----	----	4 UNCH
620	0.0350	0.0350	0.0350/*0.0345A	0.0500B/*0.0345	----	0.0335 NEW	.2639	----	----	3	----	3 + 3
625	----	----	----/0.0550A	0.0690B/0.0550A	----	0.0540 NEW	.2872	----	----	1	----	1 + 1
630	0.0225	0.0225	0.0225/*0.0155	0.0225/*0.0155	----	0.0150 - 0.0120	.1294	----	----	10	----	10 + 10
630	----	----	0.0880B/*0.0720	0.0880B/*0.0720	----	0.0715 - 0.0110	.2945	----	----	----	----	29 UNCH
635	----	----	----/*0.0360A	0.0415B/*0.0360	----	0.0320 NEW	.1872	----	----	1	----	1 + 1
TOTAL										35		126 + 35
JUN26												
640	----	----	0.0985B/*0.0885	0.0985B/*0.0885	----	0.0880 - 0.0095	.2826	----	----	----	----	3 UNCH
675	----	----	----/*0.0380A	0.0370B/*0.0380	----	0.0360 - 0.0030	.1305	----	----	----	----	3 UNCH
TOTAL												6
HWR THU		COPPER WEEKLY THURSDAY OPT Week5										
APR26												
465	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	21 UNCH
550	----	----	----	----/0.0045A	----	0.0005 - 0.0025	.0005	----	----	----	----	4 UNCH
570	0.0045	0.0045	0.0045/*0.0045	0.0045/*0.0045	----	0.0015 NEW	.0094	----	----	1	----	1 + 1
575	0.0050	0.0050	0.0050/*0.0050	0.0050/*0.0050	----	0.0025 NEW	.0175	----	----	1	----	1 + 1
592	----	----	----/0.0200A	0.0135B/0.0200A	----	0.0140 - 0.0090	.1262	----	----	----	----	3 UNCH
599	----	----	----/0.0300A	0.0300B/0.0300A	----	0.0270 - 0.0115	.2490	----	----	----	----	1 UNCH
606	0.0685	0.0685	0.0980B/*0.0665	0.0980B/0.0665A	----	0.0695 NEW	.5626	----	----	1	----	1 + 1
607	0.0685	0.0685	0.0685/0.0550A	0.0685/0.0550A	----	0.0550 - 0.0125	.4679	----	----	1	----	2 + 1
608	0.0690	0.0690	0.0725/0.0590A	0.0725/0.0590A	----	0.0600 NEW	.4988	----	----	2	----	2 + 2
608	0.0635	0.0635	0.0880B/*0.0570	0.0880B/0.0570A	----	0.0590 NEW	.5011	----	----	3	----	3 + 3
609	0.0670	0.0670	0.0670/0.0635A	0.0745B/0.0635A	----	0.0650 NEW	.5297	----	----	1	----	1 + 1
640	0.0065	0.0065	0.0065/*0.0065	0.0065/*0.0065	----	0.0020 - 0.0050	.0155	----	----	15	----	39 + 15
TOTAL										25		79 + 25
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week4										
APR26												
465	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	21 UNCH
565	----	----	----	----/*0.0035A	----	0.0005 - 0.0005	----	----	----	----	----	1 UNCH
570	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0035	----	0.0005 NEW	.0000	----	----	1	----	1 + 1
585	----	----	----	0.0010B/0.0080A	----	0.0020 - 0.0030	.0060	----	----	----	----	1 UNCH
589	0.0030	0.0030	0.0050/*0.0030	0.0050/*0.0030	----	0.0040 - 0.0040	.0182	----	----	12	----	10 + 8
595	0.0085	0.0085	0.0085/*0.0085	0.0085/*0.0085	----	0.0055 NEW	.0402	----	----	18	----	18 + 18
600	----	----	----/*0.0150A	0.0125B/*0.0150	----	0.0090 - 0.0135	.1023	----	----	----	----	1 UNCH
600	0.0930	0.0930	0.1325B/0.0765A	0.1325B/0.0765A	----	0.0880 NEW	.8975	----	----	1	----	1 + 1
605	0.0300	0.0300	0.0300/*0.0230A	0.0300/*0.0230A	----	0.0205 - 0.0165	.3082	----	----	2	----	3 + 2
607	----	----	0.0725B/*0.0355	0.0725B/*0.0355	----	0.0375 - 0.0260	.5633	----	----	3	----	1 UNCH
610	0.0350	0.0350	0.0350/*0.0350	0.0575B/*0.0350	----	0.0440 NEW	.6408	----	----	1	----	1 + 1
610	0.0370	0.0370	0.0525B/*0.0245	0.0525B/*0.0245	----	0.0230 - 0.0250	.3591	----	----	1	----	2 + 1
611	----	----	----/0.0485A	0.0640B/0.0485A	----	0.0505 - 0.0145	.7020	----	----	----	----	3 UNCH
625	0.0100	0.0100	0.0100/*0.0085A	0.0100/*0.0085A	----	0.0005 NEW	.0014	----	----	2	----	2 + 2
630	----	----	----	----/*0.0080A	----	0.0005 - 0.0045	.0000	----	----	1	----	0 - 1
660	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
665	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	36 UNCH
TOTAL										42		103 + 33
MAY26												
490	----	----	----	----/0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	14 UNCH
580	0.0140	0.0140	0.0140/*0.0140	0.0140/*0.0140	----	0.0140 NEW	.1028	----	----	10	----	10 + 10
615	----	----	0.0785B/0.0550A	0.0785B/0.0550A	----	0.0560 NEW	.3710	----	----	----	500	500 + 500
630	0.0265	0.0265	0.0265/*0.0230A	0.0290B/*0.0230	----	0.0190 NEW	.1509	----	----	10	----	10 + 10
TOTAL									500	20		534 + 520
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
465	----	----	----	----/0.0060A	----	0.0005 UNCH	----	----	----	----	----	21 UNCH
570	----	----	----	----/0.0060A	----	0.0005 - 0.0025	.0003	----	----	----	----	1 UNCH
580	----	----	----	0.0020B/0.0065A	----	0.0010 - 0.0050	.0058	----	----	----	----	1 UNCH
590	----	----	----/*0.0125A	0.0050B/0.0125A	----	0.0050 NEW	.0449	----	----	1	----	1 + 1
600	----	----	----/*0.0220A	0.0215B/*0.0220	----	0.0180 - 0.0125	.2053	----	----	----	----	2 UNCH
604	----	----	----/*0.0615A	0.0785B/0.0615A	----	0.0680 - 0.0235	.6638	----	----	3	----	1 UNCH
613	0.0580	0.0580	0.0580/0.0580	0.0855B/0.0580	----	0.0755 - 0.0110	.7052	----	----	1	----	8 + 1
620	----	----	----/*0.0145A	0.0200B/*0.0145	----	0.0095 - 0.0150	.1071	----	----	----	----	1 UNCH
621	----	----	----/*0.0135A	0.0170B/*0.0135	----	0.0085 NEW	.0930	----	----	1	----	1 + 1
675	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
TOTAL										6		38 + 3
MAY26												
455	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	21 UNCH
465	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
475	----	----	----	----/*0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
485	----	----	----	----/*0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
500	----	----	----	----/*0.0070A	----	0.0005 - 0.0005	.0004	----	----	----	----	2 UNCH
510	----	----	----	----/0.0075A	----	0.0005 - 0.0010	.0014	----	----	----	----	8 UNCH
520	----	----	----	----/*0.0075A	----	0.0010 - 0.0010	.0052	----	----	----	----	1 UNCH
530	----	----	----	----/*0.0080A	----	0.0015 - 0.0015	.0083	----	----	----	----	4 UNCH
540	----	----	----	0.0005B/*0.0085	----	0.0025 - 0.0020	.0145	----	----	----	----	10 UNCH
550	----	----	----	0.0015B/*0.0095	----	0.0040 - 0.0025	.0244	----	----	----	----	27 UNCH
550	----	----	----/0.5920A	0.5905B/0.5920A	----	0.5825 - 0.0120	.9754	----	----	----	----	3 UNCH
555	----	----	----	0.0025B/0.0105A	----	0.0050 - 0.0030	.0313	----	----	----	----	16 UNCH
556	----	----	----	0.0025B/0.0105A	----	0.0050 - 0.0035	.0318	----	----	----	----	1 UNCH
560	----	----	----	0.0030B/0.0115A	----	0.0065 - 0.0030	.0414	----	----	----	----	1 UNCH
562	----	----	----	0.0040B/0.0120A	----	0.0070 - 0.0035	.0452	----	----	----	----	20 UNCH
565	----	----	----	0.0050B/0.0130A	----	0.0080 - 0.0040	.0525	----	----	----	----	1 UNCH
568	----	----	----	----	----	0.4080 - 0.0135	.9371	----	----	----	----	1 UNCH
575	----	----	----/0.0180A	0.0110B/0.0180A	----	0.0135 - 0.0050	.0911	----	----	----	----	1 UNCH
579	----	----	----	0.2880B/0.3300A	----	0.3060 - 0.0145	.8850	----	----	----	----	1 UNCH
580	0.0185	0.0185	0.0185/*0.0185	0.0185/*0.0185	----	0.0180 NEW	.1214	----	----	50	----	50 + 50
584	----	----	----/0.0270A	0.0220B/0.0270A	----	0.0225 - 0.0065	.1515	----	----	----	----	24 UNCH
585	----	----	----/0.0280A	0.0235B/0.0280A	----	0.0240 - 0.0070	.1608	----	----	----	----	1 UNCH
590	0.0375	0.0375	0.0375/0.0360A	0.0375/0.0360A	----	0.0330 - 0.0075	.2142	----	----	10	----	27 + 10
590	----	----	----/0.1990A	0.2150B/0.1990A	----	0.2115 - 0.0175	.7855	----	----	----	----	4 UNCH
600	----	----	----/0.0610A	0.0650B/0.0610A	----	0.0610 - 0.0095	.3566	----	----	----	----	1 UNCH
600	----	----	0.1730B/0.1315A	0.1730B/0.1315A	----	0.1400 - 0.0190	.6431	----	----	----	----	1 UNCH
607	----	----	0.1275B/0.0950A	0.1275B/0.0950A	----	0.1000 - 0.0190	.5231	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
610	----	----	0.1110B/0.0815A	0.1110B/0.0815A	----	0.0855 - 0.0185	.4705	----	----	----	----	5 UNCH
614	0.0690	0.0690	0.0905B/0.0655A	0.0905B/0.0655A	----	0.0680 - 0.0185	.4011	----	----	9	----	10 + 9
617	----	----	0.0770B/0.0550A	0.0770B/0.0550A	----	0.0570 - 0.0175	.3514	----	----	----	----	1 UNCH
624	----	----	----/*0.0370A	0.0515B/*0.0370	----	0.0370 - 0.0155	.2483	----	----	----	----	16 UNCH
625	0.0355	0.0355	0.0365/*0.0350A	0.0485B/*0.0350	----	0.0345 NEW	.2347	----	----	20	----	20 + 20
635	0.0235	0.0235	0.0235/*0.0200	0.0250B/*0.0200	----	0.0185 NEW	.1340	----	----	50	----	50 + 50
645	----	----	----/0.3730A	0.3705B/0.3730A	----	0.3810 + 0.0025	.9230	----	----	----	----	6 UNCH
660	----	----	----	0.0025B/*0.0105	----	0.0040 - 0.0045	.0295	----	----	----	----	1 UNCH
675	----	----	----	0.0010B/*0.0090	----	0.0020 - 0.0025	.0138	----	----	----	----	2 UNCH
695	----	----	----	----/*0.0075A	----	0.0010 - 0.0015	.0062	----	----	----	----	20 UNCH
700	----	----	----	----/0.0075A	----	0.0005 - 0.0015	.0032	----	----	----	----	21 UNCH
710	----	----	----	----/0.0130A	----	0.0005 - 0.0005	.0013	----	----	----	----	2 UNCH
TOTAL										139		386+ 139
JUN26												
500	----	----	----	0.0055B/0.0165A	----	0.0085 - 0.0015	.0300	----	----	----	----	1 UNCH
555	----	----	----	0.0410B/0.0465A	----	0.0415 - 0.0050	.1403	----	----	----	----	2 UNCH
579	----	----	----/0.0925A	0.0930B/0.0925A	----	0.0905 - 0.0065	.2682	----	----	----	----	1 UNCH
580	----	----	----/0.0955A	0.0960B/0.0955A	----	0.0935 - 0.0065	.2749	----	----	----	----	5 UNCH
580	----	----	0.4065B/0.3635A	0.4065B/0.3635A	----	0.3715 - 0.0160	.7241	----	----	----	----	5 UNCH
595	----	----	----/0.1455A	0.1510B/0.1455A	----	0.1465 - 0.0065	.3829	----	----	----	----	5 UNCH
595	----	----	0.3045B/0.2710A	0.3045B/0.2710A	----	0.2750 - 0.0160	.6162	----	----	----	----	5 UNCH
606	----	----	----/0.1920A	0.2035B/0.1920A	----	0.1975 - 0.0060	.4679	----	----	----	----	3 UNCH
610	----	----	0.2210B/0.1975A	0.2210B/0.1975A	----	0.1980 - 0.0145	.5001	----	----	----	----	8 UNCH
650	----	----	----/0.0795A	0.0825B/0.0795A	----	0.0755 - 0.0090	.2395	----	----	----	----	6 UNCH
660	----	----	----/0.0635A	0.0630B/0.0635A	----	0.0590 - 0.0080	.1943	----	----	----	----	8 UNCH
700	----	----	----	0.0210B/0.0305A	----	0.0215 - 0.0050	.0792	----	----	----	----	1 UNCH
TOTAL												50
JUL26												
600	----	----	0.3755B/0.3450A	0.3755B/0.3450A	----	0.3495 - 0.0140	.6001	----	----	----	----	12 UNCH
611	----	----	----/0.2605A	0.2705B/0.2605A	----	0.2665 - 0.0040	.4611	----	----	----	----	22 UNCH
612	----	----	0.2765B/0.2655A	0.2765B/0.2655A	----	0.2715 - 0.0040	.4669	----	----	----	----	5 UNCH
612	----	----	0.3110B/0.2870A	0.3110B/0.2870A	----	0.2885 - 0.0140	.5315	----	----	----	----	5 UNCH
621	----	----	0.2690B/0.2490A	0.2690B/0.2490A	----	0.2495 - 0.0135	.4810	----	----	----	----	1 UNCH
TOTAL												45
AUG26												
630	----	----	0.3070B/*0.2915	0.3070B/*0.2915	----	0.2910 NEW	.4573	----	----	1	----	1 + 1
640	----	----	0.2700B/*0.2580	0.2700B/*0.2580	----	0.2565 NEW	.4167	----	----	1	----	1 + 1
TOTAL										2		2+ 2
HX CALL		COMEX COPPER OPTIONS										
MAY26												
525	----	----	0.8120B/0.7505A	0.8120B/0.7505A	----	0.7710 - 0.0065	----	9	----	----	----	0 - 9
530	----	----	0.7620B/0.7005A	0.7620B/0.7005A	----	0.7210 - 0.0065	----	274	----	----	----	0 - 274
531	----	----	#0.7520B/0.6905	0.7520B/0.6905A	----	0.7110 - 0.0065	----	1	----	----	----	0 - 1
532	----	----	#0.7420B/0.6805	0.7420B/0.6805A	----	0.7010 - 0.0065	----	1	----	----	----	0 - 1
533	----	----	#0.7320B/0.6705	0.7320B/0.6705A	----	0.6910 - 0.0065	----	3	----	----	----	0 - 3
534	----	----	#0.7220B/0.6605	0.7220B/0.6605A	----	0.6810 - 0.0065	----	4	----	----	----	0 - 4
535	----	----	0.7120B/0.6505A	0.7120B/0.6505A	----	0.6710 - 0.0065	----	1	----	----	----	0 - 1
536	----	----	#0.7020B/0.6405	0.7020B/0.6405A	----	0.6610 - 0.0065	----	1	----	----	----	0 - 1
537	----	----	#0.6920B/0.6305	0.6920B/0.6305A	----	0.6510 - 0.0065	----	1	----	----	----	0 - 1
539	----	----	#0.6725B/0.6105	0.6725B/0.6105A	----	0.6310 - 0.0065	----	1	----	----	----	0 - 1
541	----	----	0.6520B/0.5900A	0.6520B/0.5900A	----	0.6110 - 0.0065	----	9	----	----	----	0 - 9
542	----	----	0.6420B/0.5800A	0.6420B/0.5800A	----	0.6010 - 0.0065	----	12	----	----	----	0 - 12
543	----	----	#0.6325B/0.5700	0.6325B/0.5700A	----	0.5910 - 0.0065	----	1	----	----	----	0 - 1
544	----	----	#0.6225B/0.5600	0.6225B/0.5600A	----	0.5810 - 0.0065	----	2	----	----	----	0 - 2
545	----	----	0.6120B/0.5500A	0.6120B/0.5500A	----	0.5710 - 0.0065	----	14	----	----	----	0 - 14
546	----	----	0.6025B/0.5400A	0.6025B/0.5400A	----	0.5610 - 0.0065	----	7	----	----	----	0 - 7
547	----	----	#0.5920B/0.5300	0.5920B/0.5300A	----	0.5510 - 0.0065	----	1	----	----	----	0 - 1
548	----	----	0.5825B/0.5200A	0.5825B/0.5200A	----	0.5410 - 0.0065	----	27	----	----	----	0 - 27
549	----	----	0.5720B/0.5100A	0.5720B/0.5100A	----	0.5310 - 0.0065	----	3	----	----	----	0 - 3
550	----	----	0.5625B/0.5000A	0.5625B/0.5000A	----	0.5210 - 0.0065	----	409	----	19	----	0 - 422
551	----	----	0.5525B/0.4900A	0.5525B/0.4900A	----	0.5110 - 0.0065	----	11	----	----	----	0 - 11
552	----	----	0.5425B/0.4800A	0.5425B/0.4800A	----	0.5010 - 0.0065	----	17	----	----	----	0 - 17
553	----	----	0.5325B/0.4700A	0.5325B/0.4700A	----	0.4910 - 0.0065	----	19	----	----	----	0 - 19
554	----	----	0.5225B/0.4600A	0.5225B/0.4600A	----	0.4810 - 0.0065	----	7	----	----	----	0 - 7
555	----	----	0.5120B/0.4500A	0.5120B/0.4500A	----	0.4710 - 0.0065	----	108	----	----	----	0 - 108
556	----	----	0.5025B/0.4400A	0.5025B/0.4400A	----	0.4610 - 0.0065	----	26	----	----	----	0 - 26
557	----	----	0.4925B/0.4300A	0.4925B/0.4300A	----	0.4510 - 0.0065	----	14	----	----	----	0 - 14
558	----	----	0.4820B/0.4200A	0.4820B/0.4200A	----	0.4410 - 0.0065	----	15	----	----	----	0 - 15
559	----	----	0.4720B/0.4100A	0.4720B/0.4100A	----	0.4310 - 0.0065	----	14	----	----	----	0 - 14
560	----	----	0.4625B/0.4000A	0.4625B/0.4000A	----	0.4210 - 0.0065	----	863	----	----	----	0 - 863
561	----	----	0.4525B/0.3900A	0.4525B/0.3900A	----	0.4110 - 0.0065	----	14	----	----	----	0 - 14
562	----	----	0.4425B/0.3800A	0.4425B/0.3800A	----	0.4010 - 0.0065	----	7	----	----	----	0 - 7
563	0.3800	0.3800	0.4325B/0.3700A	0.4325B/0.3700A	----	0.3910 - 0.0065	----	16	----	2	----	0 - 16
564	----	----	0.4225B/0.3600A	0.4225B/0.3600A	----	0.3810 - 0.0070	----	23	----	----	----	0 - 23
565	----	----	0.4125B/0.3500A	0.4125B/0.3500A	----	0.3710 - 0.0070	----	201	----	1	----	0 - 202
566	----	----	0.4025B/0.3400A	0.4025B/0.3400A	----	0.3610 - 0.0070	----	12	----	----	----	0 - 12
567	----	----	0.3925B/0.3300A	0.3925B/0.3300A	----	0.3510 - 0.0075	----	10	----	1	----	0 - 10
568	----	----	0.3825B/0.3200A	0.3825B/0.3200A	----	0.3410 - 0.0075	----	59	----	----	----	0 - 59
569	----	----	0.3725B/0.3100A	0.3725B/0.3100A	----	0.3310 - 0.0080	----	108	----	----	----	0 - 108
570	----	----	0.3625B/0.3000A	0.3625B/0.3000A	----	0.3210 - 0.0080	----	552	----	----	----	0 - 552
571	----	----	0.3525B/0.2900A	0.3525B/0.2900A	----	0.3110 - 0.0080	----	26	----	----	----	0 - 26
572	----	----	0.3425B/0.2800A	0.3425B/0.2800A	----	0.3010 - 0.0085	----	29	----	----	----	0 - 29
573	----	----	0.3325B/0.2700A	0.3325B/0.2700A	----	0.2910 - 0.0085	----	35	----	----	----	0 - 35
574	----	----	0.3230B/0.2600A	0.3230B/0.2600A	----	0.2810 - 0.0090	----	17	----	----	----	0 - 17
575	----	----	0.3130B/0.2500A	0.3130B/0.2500A	----	0.2710 - 0.0095	----	506	----	1	----	0 - 506
576	----	----	0.3030B/0.2400A	0.3030B/0.2400A	----	0.2610 - 0.0095	----	113	----	----	----	0 - 113
577	----	----	0.2935B/0.2300A	0.2935B/0.2300A	----	0.2510 - 0.0100	----	52	----	----	----	0 - 52
578	----	----	0.2835B/0.2200A	0.2835B/0.2200A	----	0.2410 - 0.0105	----	15	----	----	----	0 - 15
579	----	----	0.2740B/0.2100A	0.2740B/0.2100A	----	0.2310 - 0.0110	----	9	----	----	----	0 - 9
580	0.2495	0.2495	0.2645B/0.1970A	0.2645B/0.1970A	----	0.2210 - 0.0115	----	504	----	28	----	0 - 508
581	----	----	0.2545B/0.1900A	0.2545B/0.1900A	----	0.2110 - 0.0115	----	3	----	1	----	0 - 4
582	----	----	0.2450B/0.1800A	0.2450B/0.1800A	----	0.2010 - 0.0115	----	7	----	----	----	0 - 7
583	----	----	0.2350B/0.1700A	0.2350B/0.1700A	----	0.1910 - 0.0115	----	63	----	----	----	0 - 63
584	----	----	0.2255B/0.1600A	0.2255B/0.1600A	----	0.1810 - 0.0120	----	43	----	----	----	0 - 43
585	----	----	0.2160B/0.1465A	0.2160B/0.1465A	----	0.1710 - 0.0120	----	146	----	1	----	0 - 147
586	----	----	0.2060B/0.1400A	0.2060B/0.1400A	----	0.1610 - 0.0120	----	13	----	----	----	0 - 13
587	----	----	0.1965B/0.1300A	0.1965B/0.1300A	----	0.1510 - 0.0125	----	8	----	----	----	0 - 8
588	----	----	0.1865B/0.1200A	0.1865B/0.1200A	----	0.1410 - 0.0130	----	3	----	----	----	0 - 3
589	----	----	0.1770B/0.1105A	0.1770B/0.1105A	----	0.1310 - 0.0135	----	18	----	----	----	0 - 18
590	0.1100	0.1100	0.1670B/0.0970A	0.1670B/0.0970A	----	0.1210 - 0.0140	----	947	----	18	----	0 - 964
591	----	----	0.1575B/0.0905A	0.1575B/0.0905A	----	0.1110 - 0.0145	----	63	----	----	----	0 - 63
592	----	----	0.1480B/0.0810A	0.1480B/0.0810A	----	0.1010 - 0.0155	----	2	----	----	----	0 - 2
593	----	----	0.1380B/0.0715A	0.1380B/0.0715A	----	0.0910 - 0.0165	----	16	----	----	----	0 - 16
594	----	----	0.1285B/0.0615A	0.1285B/0.0615A	----	0.0810 - 0.0175	----	20	----	----	----	0 - 20
595	0.0680	0.0680	0.1180B/0.0485A	0.1180B/0.0485A	----	0.0710 - 0.0190	----	785	----	4	----	0 - 788
596	----	----	0.1090B/0.0425A	0.1090B/0.0425A	----	0.0610 - 0.0210	----	1	----	----	----	0 - 1
597	----	----	0.0995B/0.0330A	0.0995B/0.0330A	----	0.0510 - 0.0235	----	17	----	----	----	0 - 17
598	----	----	0.0900B/*0.0245	0.0900B/*0.0245	----	0.0410 - 0.0260	----	30	----	1	----	0 - 31
599	----	----	0.0805B/*0.0180	0.0805B/*0.0180	----	0.0310 - 0.0295	----	4	----	----	----	0 - 4
600	0.0525	0.0525	0.0750/*0.0080A	0.0750/*0.0080A	----	0.0210 - 0.0330	----	1179	----	9	----	0 - 1180
601	0.0025	0.0025	0.0620B/*0.0025	0.0620B/*0.0025	----	0.0110 - 0.0375	----	6	----	3	----	0 - 5
602	----	----	0.0535B/*0.0040	0.0535B/*0.0040	----	0.0010 - 0.0420	----	14	----	11	----	0 - 7
603	0.0115	0.0115	0.0455B/*0.0005	0.0455B/*0.0005	----	0.0000 - 0.0380	----	----	----	2	----	0 - 17
604	0.0405	0.0405	0.0405/*0.0030A	0.0405/*0.0030A	----	0.0000 - 0.0340	----	----	----	35	----	0 - 38
605	0.0250	0.0250	0.0330B/*0.0030	0.0330B/*0.0030	----	0.0000 - 0.0300	----	----	----	29	----	0 - 229
606	0.0045	0.0045	0.0310B/*0.0020	0.0310B/*0.0020	----	0.0000 - 0.0260	----	----	----	4	----	0 - 12
607	----	----	0.0260B/*0.0020	0.0260B/*0.0020	----	0.0000 - 0.0230	----	----	----	1	----	0 - 23
608	0.0060	0.0060	0.0215B/*0.0020	0.0215B/*0.0020	----	0.0000 - 0.0200	----	----	----	8	----	0 - 61
609	0.0060	0.0060	0.0060/*0.0010A	0.0175B/*0.0010	----	0.0000 - 0.0175	----	----	----	3	----	0 - 30
610	0.0035	0.0035	0.0060/*0.0005A	0.0135B/*0.0005	----	0.0000 - 0.0150	----	----	----	160	----	0 - 845
611	----	----	----/*0.0010A	0.0105B/*0.0010	----	0.0000 - 0.0130	----	----	----	----	----	0 - 17
612	0.0045	0.0045	0.0080B/*0.0020	0.0080B/*0.0020	----	0.0000 - 0.0115	----	----	----	2	----	0 - 30
613	----	----	----/*0.0020A	0.0055B/*0.0020	----	0.0000 - 0.0100	----	----	----	----	----	0 - 39
614	----	----	----/*0.0005A	0.0040B/*0.0005	----	0.0000 - 0.0085	----	----	----	----	----	0 - 99
615	----	----	----/*0.0005A	0.0035B/*0.0005	----	0.0000 - 0.0070	----	----	----	1	----	0 - 723
616	----	----	----/*0.0015A	----/*0.0015A	----	0.0000 - 0.0060	----	----	----	----	----	0 - 56
617	----	----	----/*0.0015A	----/*0.0015A	----	0.0000 - 0.0050	----	----	----	1	----	0 - 99
618	----	----	----/*0.0015A	----/*0.0015A	----	0.0000 - 0.0040	----	----	----	----	----	0 - 146
619	----	----	----/*0.0010A	----/*0.0010A	----	0.0000 - 0.0035	----	----	----	----	----	0 - 298
620	0.0030	0.0030	0.0030/*0.0005	0.0030/*0.0005	----	0.0000 - 0.0030	----	----	----	13	----	0 - 1170
621	----	----	----/*0.0010A	----/*0.0010A	----	0.0000 - 0.0025	----	----	----	----	----	0 - 88
622	----	----	----/*0.0010A	----/*0.0010A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 70
623	----	----	----/*0.0010A	----/*0.0010A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 75
624	----	----	----/*0.0010A	----/*0.0010A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 65

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
625	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0000 - 0.0015	----	----	----	4	----	0 - 836
626	----	----	----	----/*0.0010A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 47
627	----	----	----	----/*0.0010A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 36
628	----	----	----	----/*0.0015A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 203
629	----	----	----	----/*0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 121
630	----	----	----	0.0005B/*0.0010	----	0.0000 - 0.0005	----	----	----	----	----	0 - 832
631	----	----	----	----/*0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 39
632	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 6
633	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 62
634	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 48
635	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	2	----	0 - 337
636	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 36
637	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 8
638	----	----	----	----/*0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
639	----	----	----	----/*0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 29
640	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	2	----	0 - 793
641	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 9
642	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 17
643	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 9
644	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
645	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 91
646	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 7
647	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
649	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
650	----	----	----	----/0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2691
655	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 123
660	----	----	----	----/0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 142
665	----	----	----	----/0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 24
670	0.0015	0.0015	0.0015/0.0015	0.0015/0.0015	----	0.0000 - 0.0005	----	----	----	2	----	0 - 1069
675	----	----	----	----/0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 149
680	----	----	----	----/0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1139
685	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 13
690	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 224
695	----	----	----	----/0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 96
700	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 437
705	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 14
710	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 59
715	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 44
720	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 18
725	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 93
730	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 14
735	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 5
740	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 92
745	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 34
750	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 455
755	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
760	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 72
765	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
770	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
775	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 47
780	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
785	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
790	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
795	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 5
800	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4120
810	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4040
820	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 28
825	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 91
835	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
840	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
850	----	----	----	----/0.0005A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 62
855	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 30
860	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
865	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
870	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
875	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
880	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 12
890	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
900	----	----	----	----/*0.0005A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 73
915	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
920	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
925	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
930	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
935	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
940	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
945	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
950	----	----	----	----/0.0005A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 40
TOTAL										369		0 - 31040
JUN26												
500	----	----	----	----	----	1.0850 - 0.0100	.9728	----	----	----	----	4 UNCH
510	----	----	----	----	----	0.9865 - 0.0105	.9650	----	----	----	----	1 UNCH
525	----	----	----	----	----	0.8405 - 0.0105	.9501	----	----	----	----	1 UNCH
535	----	----	----	----	----	0.7440 - 0.0110	.9353	----	----	----	----	2 UNCH
540	----	----	----/0.7050A	0.6920B/0.7050A	----	0.6960 - 0.0115	.9266	----	----	----	----	24 UNCH
545	----	----	----	----	----	0.6490 - 0.0120	.9160	----	----	----	----	2 UNCH
549	----	----	----/0.6080A	0.5845B/0.6080A	----	0.6115 - 0.0125	.9058	----	----	----	----	1 UNCH
550	----	----	----/0.5985A	0.5975B/0.5985A	----	0.6020 - 0.0130	.9023	----	----	----	----	5 UNCH
555	----	----	----/0.5535A	0.5455B/0.5535A	----	0.5565 - 0.0135	.8866	----	----	----	----	1 UNCH
556	----	----	----/0.5445A	0.5365B/0.5445A	----	0.5475 - 0.0135	.8829	----	----	----	----	1 UNCH
557	----	----	----/0.5355A	0.5335B/0.5355A	----	0.5385 - 0.0135	.8792	----	----	----	----	63 UNCH
559	----	----	----/0.5180A	0.5100B/0.5180A	----	0.5205 - 0.0140	.8705	----	----	----	----	4 UNCH
560	----	----	----/0.5090A	0.5065B/0.5090A	----	0.5120 - 0.0135	.8667	----	----	----	----	106 UNCH
562	----	----	----/0.4925A	0.4840B/0.4925A	----	0.4945 - 0.0140	.8578	----	----	----	----	1 UNCH
565	----	----	----/0.4670A	0.4580B/0.4670A	----	0.4685 - 0.0145	.8438	----	----	----	----	2 UNCH
568	----	----	----/0.4420A	0.4330B/0.4420A	----	0.4435 - 0.0145	.8276	----	----	----	----	3 UNCH
569	----	----	----/0.4340A	0.4250B/0.4340A	----	0.4355 - 0.0145	.8215	----	----	----	----	2 UNCH
570	----	----	----/0.4255A	0.4210B/0.4255A	----	0.4270 - 0.0150	.8163	----	----	----	----	21 UNCH
574	----	----	----/0.3945A	0.3845B/0.3945A	----	0.3955 - 0.0145	.7917	----	----	----	----	3 UNCH
575	----	----	----/0.3830A	0.3910B/0.3830A	----	0.3875 - 0.0150	.7847	----	----	----	----	149 UNCH
579	----	----	----/0.3570A	0.3460B/0.3570A	----	0.3570 - 0.0155	.7580	----	----	----	----	3 UNCH
580	----	----	0.3710B/0.3365A	0.3710B/0.3365A	----	0.3495 - 0.0155	.7503	----	----	----	----	45 UNCH
581	----	----	----/0.3425A	0.3315B/0.3425A	----	0.3425 - 0.0155	.7432	----	----	----	----	1 UNCH
582	----	----	----/0.3355A	0.3240B/0.3355A	----	0.3350 - 0.0160	.7361	----	----	----	----	1 UNCH
583	----	----	----/0.3285A	0.3165B/0.3285A	----	0.3280 - 0.0160	.7283	----	----	----	----	2 UNCH
584	----	----	----/0.3215A	0.3095B/0.3215A	----	0.3210 - 0.0160	.7205	----	----	----	----	3 UNCH
585	----	----	0.3495B/0.3020A	0.3495B/0.3020A	----	0.3140 - 0.0160	.7127	----	----	----	----	12 UNCH
586	----	----	----/0.3080A	0.2955B/0.3080A	----	0.3070 - 0.0165	.7049	----	----	----	----	1 UNCH
587	----	----	----/0.3015A	0.2885B/0.3015A	----	0.3000 - 0.0165	.6971	----	----	----	----	3 UNCH
588	----	----	----/0.2950A	0.2820B/0.2950A	----	0.2935 - 0.0165	.6888	----	----	----	----	4 UNCH
589	----	----	----/0.2885A	0.2750B/0.2885A	----	0.2870 - 0.0165	.6809	----	----	----	----	1 UNCH
590	----	----	0.3140B/0.2705A	0.3140B/0.2705A	----	0.2805 - 0.0165	.6725	----	----	----	----	82 UNCH
591	----	----	----/0.2710A	0.2680B/0.2710A	----	0.2740 - 0.0165	.6638	----	----	----	----	10 UNCH
594	----	----	----/0.2535A	0.2545B/0.2535A	----	0.2550 - 0.0170	.6383	----	----	----	----	3 UNCH
595	----	----	0.2805B/0.2400A	0.2805B/0.2400A	----	0.2490 - 0.0170	.6296	----	----	----	----	6 UNCH
596	----	----	----/0.2340A	0.2435B/0.2340A	----	0.2435 - 0.0160	.6209	----	----	----	----	3 UNCH
598	0.2355	0.2355	0.2355/0.2215A	0.2370B/0.2215A	----	0.2315 - 0.0165	.6032	----	----	3	----	2 - 1
599	0.2330	0.2330	0.2330/0.2155A	0.2345B/0.2155A	----	0.2260 - 0.0160	.5943	----	----	1	----	2 + 1
600	0.2260	0.2260	0.2490B/0.2100A	0.2490B/0.2100A	----	0.2205 - 0.0155	.5853	----	----	6	----	435 - 1
602	0.2165	0.2165	0.2325B/0.2000A	0.2325B/0.2000A	----	0.2100 NEW	.5675	----	----	1	----	1 + 1
603	0.2115	0.2115	0.2315B/0.1945A	0.2315B/0.1945A	----	0.2045 - 0.0150	.5586	----	----	7	----	7 + 5
604	----	----	0.2270B/0.1900A	0.2270B/0.1900A	----	0.1995 - 0.0145	.5495	----	----	----	----	14 UNCH
605	0.1975	0.1975	0.2235B/0.1850A	0.2235B/0.1850A	----	0.1945 - 0.0145	.5405	----	----	4	180	194 + 184
606	----	----	0.2195B/0.1800A	0.2195B/0.1800A	----	0.1895 - 0.0140	.5315	----	----	2	----	4 - 1
607	----	----	0.2140B/0.1755A	0.2140B/0.1755A	----	0.1845 - 0.0140	.5226	----	----	5	----	80 + 3
608	0.1795	0.1795	0.2085B/0.1710A	0.2085B/0.1710A	----	0.1795 - 0.0140	.5136	----	----	6	----	8 + 2
609	0.1815	0.1815	0.2035B/0.1665A	0.2035B/0.1665A	----	0.1750 - 0.0140	.5046	----	----	3	----	17 + 1
610	0.1850	0.1850	0.1985B/0.1610A	0.1985B/0.1610A	----	0.1705 - 0.0135	.4957	----	----	28	----	572 + 12
611	----	----	0.1935B/0.1575A	0.1935B/0.1575A	----	0.1660 - 0.0135	.4868	----	----	----	----	9 UNCH
612	0.1890	0.1890	0.1890/0.1535A	0.1890/0.1535A	----	0.1615 - 0.0135	.4779	----	----	1	----	27 + 1
613	0.1875	0.1875	0.1875/0.1495A	0.1875/0.1495A	----	0.1570 - 0.0135	.4690	----	----	1	----	53 + 1
614	0.1675	0.1675	0.1805/0.1455A	0.1805/0.1455A	----	0.1530 - 0.0130	.4603	----	----	2	----	12 + 2
615	0.1780	0.1780	0.1780/0.1410A	0.1780/0.1410A	----	0.1485 - 0.0135	.4515	----	----	12	----	867 UNCH
616	0.1580	0.1580	0.1735/0.1380A	0.1735/0.1380A	----	0.1445 - 0.0130	.4428	----	----	2	----	18 + 2
617	0.1690	0.1690	0.1690/0.1340A	0.1690/0.1340A	----	0.1405 - 0.0130	.4341	----	----	2	----	27 + 1
618	0.1570	0.1570	0.1645/0.1305A	0.1645/0.1305A	----	0.1365 - 0.0130	.4255	----	----	3	----	19 + 3
619	0.1595	0.1595	0.1595/0.1270A	0.1595/0.1270A	----	0.1325 - 0.0130	.4168	----	----	1	----	22 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUN26												
620	0.1560	0.1560	0.1560/0.1225A	0.1560/0.1225A	----	0.1290 - 0.0130	.4085	----	----	48	----	579 + 4
621	----	----	0.1480B/0.1200A	0.1480B/0.1200A	----	0.1255 - 0.0125	.4002	----	----	----	----	11 UNCH
622	----	----	0.1440B/0.1165A	0.1440B/0.1165A	----	0.1215 - 0.0130	.3916	----	----	----	----	7 UNCH
623	----	----	0.1400B/0.1130A	0.1400B/0.1130A	----	0.1180 - 0.0130	.3833	----	----	----	----	1 UNCH
624	----	----	0.1360B/0.1100A	0.1360B/0.1100A	----	0.1150 - 0.0125	.3755	----	----	----	----	3 UNCH
625	0.1235	0.1235	0.1325B/0.1065A	0.1325B/0.1065A	----	0.1115 - 0.0125	.3672	----	----	42	----	416 + 10
626	----	----	0.1285B/0.1040A	0.1285B/0.1040A	----	0.1080 - 0.0125	.3590	----	----	----	----	3 UNCH
627	----	----	0.1250B/0.1010A	0.1250B/0.1010A	----	0.1050 - 0.0120	.3512	----	----	----	----	15 UNCH
628	----	----	0.1215B/0.0980A	0.1215B/0.0980A	----	0.1020 - 0.0120	.3435	----	----	----	----	13 UNCH
629	----	----	0.1180B/0.0955A	0.1180B/0.0955A	----	0.0990 - 0.0115	.3358	----	----	----	----	33 UNCH
630	0.0990	0.0990	0.1145B/0.0915A	0.1145B/0.0915A	----	0.0960 - 0.0115	.3281	----	----	137	----	1748 + 134
631	0.0930	0.0930	0.1115B/0.0895A	0.1115B/0.0895A	----	0.0935 - 0.0110	.3210	----	----	2	----	10 + 1
632	----	----	0.1080B/0.0870A	0.1080B/0.0870A	----	0.0905 - 0.0110	.3133	----	----	----	----	18 UNCH
635	0.0825	0.0825	0.0990B/0.0780	0.0990B/0.0780	----	0.0825 - 0.0105	.2916	----	----	22	----	107 + 17
640	0.0695	0.0695	0.0850B/0.0680A	0.0850B/0.0680A	----	0.0710 - 0.0090	.2583	----	----	73	----	969 - 41
645	0.0610	0.0610	0.0730B/0.0595A	0.0730B/0.0595A	----	0.0610 - 0.0075	.2280	----	----	7	----	76 + 5
650	0.0580	0.0580	0.0695/0.0495	0.0695/0.0495	----	0.0525 - 0.0060	.2007	----	----	47	----	714 - 8
655	0.0600	0.0600	0.0600/0.0430A	0.0600/0.0430A	----	0.0450 - 0.0055	.1760	----	----	16	----	389 + 6
660	0.0400	0.0400	0.0520/0.0380A	0.0520/0.0380A	----	0.0385 - 0.0050	.1538	----	----	171	----	816 - 43
665	0.0440	0.0440	0.0440/0.0335A	0.0440/0.0335A	----	0.0335 - 0.0040	.1354	----	----	9	----	54 + 3
670	0.0380	0.0380	0.0380/0.0285A	0.0380/0.0285A	----	0.0290 - 0.0035	.1188	----	----	8	----	1323 UNCH
675	0.0265	0.0265	0.0315B/0.0250	0.0315B/0.0250	----	0.0255 - 0.0030	.1051	----	----	52	----	89 + 40
680	0.0235	0.0235	0.0270B/*0.0205	0.0270B/*0.0205	----	0.0225 - 0.0025	.0932	----	----	8	----	426 + 8
685	----	----	0.0240B/0.0200A	0.0240B/0.0200A	----	0.0195 - 0.0025	.0816	----	----	----	----	58 UNCH
690	----	----	0.0210B/*0.0175	0.0210B/*0.0175	----	0.0175 - 0.0020	.0731	----	----	1	----	137 UNCH
695	----	----	0.0185B/0.0160A	0.0185B/0.0160A	----	0.0155 - 0.0020	.0649	----	----	1	----	47 - 1
700	0.0160	0.0160	0.0180/0.0145A	0.0180/0.0145A	----	0.0140 - 0.0015	.0584	----	----	40	----	748 UNCH
705	----	----	0.0150B/0.0130A	0.0150B/0.0130A	----	0.0125 - 0.0015	.0522	----	----	----	----	15 UNCH
710	0.0115	0.0115	0.0135/0.0115	0.0135/0.0115	----	0.0110 - 0.0015	.0461	----	----	5	----	81 + 1
715	----	----	----/0.0105A	0.0115B/0.0105A	----	0.0100 - 0.0015	.0418	----	----	----	----	10 UNCH
720	0.0100	0.0100	0.0105B/0.0100	0.0105B/0.0100	----	0.0090 - 0.0010	.0375	----	----	2	----	29 + 1
725	----	----	0.0095B/----	0.0095B/0.0090A	----	0.0080 - 0.0010	.0334	----	----	----	----	84 UNCH
730	0.0090	0.0090	0.0090/0.0085	0.0090/0.0085	----	0.0075 - 0.0010	.0310	----	----	2	----	14 + 1
735	----	----	0.0080B/----	0.0080B/0.0080A	----	0.0065 - 0.0010	.0270	----	----	----	----	40 UNCH
740	----	----	----/0.0065A	0.0070B/0.0065A	----	0.0060 - 0.0010	.0248	----	----	----	----	2 UNCH
745	----	----	----	0.0065B/0.0070A	----	0.0055 - 0.0010	.0226	----	----	----	----	1523 UNCH
750	0.0060	0.0060	0.0060/0.0060	0.0060/0.0060	----	0.0050 - 0.0010	.0205	----	----	1	----	167 UNCH
755	----	----	----	0.0055B/0.0060A	----	0.0045 - 0.0010	.0184	----	----	----	----	1 UNCH
765	----	----	0.0050B/----	0.0050B/0.0055A	----	0.0040 - 0.0005	.0161	----	----	----	----	1506 UNCH
770	0.0070	0.0070	0.0070/*0.0040	0.0070/*0.0040	----	0.0035 - 0.0010	.0141	----	----	3	----	8 + 2
775	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0035	----	0.0035 - 0.0005	.0138	----	----	2	----	2 - 1
780	----	----	----	----/*0.0050A	----	0.0030 - 0.0010	.0120	----	----	----	----	8 UNCH
795	----	----	----	----/0.0060A	----	0.0025 - 0.0005	.0097	----	----	----	----	33 UNCH
800	----	----	----	----/0.0055A	----	0.0025 - 0.0005	.0096	----	----	----	----	7 UNCH
810	----	----	----	----/0.0050A	----	0.0020 - 0.0005	.0077	----	----	----	----	3 UNCH
825	----	----	----	----/*0.0040A	----	0.0015 - 0.0005	.0057	----	----	----	----	1 UNCH
840	----	----	----	----/*0.0035A	----	0.0015 UNCH	.0055	----	----	----	----	6 UNCH
850	----	----	----	----/*0.0030A	----	0.0010 - 0.0005	.0038	----	----	----	----	4 UNCH
880	----	----	----	----/*0.0025A	----	0.0010 UNCH	.0035	----	----	----	----	2 UNCH
900	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0014	----	----	----	----	9 UNCH
910	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0010	----	----	----	----	11 UNCH
950	----	----	----	----/0.0025A	----	0.0005 UNCH	.0003	----	----	----	----	1 UNCH
975	----	----	----	----/0.0015A	----	0.0005 UNCH	.0001	----	----	----	----	1 UNCH
TOTAL									180	789		15344 + 356
JUL26												
500	1.1200	1.1200	1.1200/1.1000	1.1200/1.1000	----	1.0960 - 0.0105	.9416	----	----	2	----	10 + 2
520	----	----	----	----	----	0.9085 - 0.0100	.9108	----	----	----	----	2 UNCH
525	----	----	----/0.8590A	0.8460B/0.8590A	----	0.8625 - 0.0105	.9005	----	----	----	----	1 UNCH
530	----	----	----/0.8135A	0.8110B/0.8135A	----	0.8175 - 0.0100	.8891	----	----	----	----	6 UNCH
540	----	----	----/0.7255A	0.7220B/0.7255A	----	0.7290 - 0.0110	.8615	----	----	----	----	16 UNCH
545	----	----	----/0.6835A	0.6725B/0.6835A	----	0.6860 - 0.0120	.8455	----	----	----	----	1 UNCH
550	----	----	----/0.6420A	0.6310B/0.6420A	----	0.6440 - 0.0125	.8277	----	----	----	----	2 UNCH
555	----	----	----/0.6015A	0.5960B/0.6015A	----	0.6035 - 0.0130	.8084	----	----	----	----	116 UNCH
560	----	----	----/0.5630A	0.5515B/0.5630A	----	0.5645 - 0.0130	.7871	----	----	----	----	1 UNCH
570	----	----	0.5195B/0.4770A	0.5195B/0.4770A	----	0.4900 - 0.0140	.7393	----	----	----	----	157 UNCH
574	----	----	----/0.4610A	0.4530B/0.4610A	----	0.4625 - 0.0135	.7185	----	----	----	----	5 UNCH
575	----	----	0.4880B/0.4440A	0.4880B/0.4440A	----	0.4555 - 0.0140	.7133	----	----	1	----	19 UNCH
580	----	----	0.4535B/0.4110A	0.4535B/0.4110A	----	0.4225 - 0.0135	.6860	----	----	1	----	123 + 1
585	----	----	0.4205B/0.3795A	0.4205B/0.3795A	----	0.3910 - 0.0140	.6576	----	----	----	----	304 UNCH
590	----	----	0.3890B/0.3495A	0.3890B/0.3495A	----	0.3615 - 0.0135	.6286	----	----	----	----	104 UNCH
591	----	----	----/0.3525A	0.3550B/0.3525A	----	0.3555 - 0.0140	.6226	----	----	----	----	3 UNCH
593	----	----	----/0.3370A	0.3435B/0.3370A	----	0.3445 - 0.0135	.6108	----	----	----	----	1 UNCH
594	----	----	----/0.3320A	0.3375B/0.3320A	----	0.3390 - 0.0135	.6048	----	----	----	----	2 UNCH
595	0.3225	0.3225	0.3595B/0.3225	0.3595B/0.3225	----	0.3335 - 0.0135	.5989	----	----	1	----	29 UNCH
597	----	----	0.3400B/0.3140A	0.3400B/0.3140A	----	0.3230 - 0.0135	.5869	----	----	----	----	1 UNCH
598	----	----	0.3370B/0.3080A	0.3370B/0.3080A	----	0.3175 - 0.0135	.5810	----	----	----	----	1 UNCH
599	----	----	0.3370B/0.3035A	0.3370B/0.3035A	----	0.3125 - 0.0135	.5749	----	----	----	----	2 UNCH
600	----	----	0.3315B/0.2960A	0.3315B/0.2960A	----	0.3075 - 0.0130	.5690	----	----	3	----	394 + 1
603	----	----	0.3210B/0.2840A	0.3210B/0.2840A	----	0.2925 - 0.0130	.5510	----	----	----	----	1 UNCH
605	0.3130	0.3130	0.3150/0.2735A	0.3150/0.2735A	----	0.2830 - 0.0130	.5391	----	----	2	----	34 + 1
610	----	----	0.2860B/0.2515A	0.2860B/0.2515A	----	0.2600 - 0.0130	.5094	----	----	----	----	111 UNCH
615	0.2400	0.2400	0.2635B/0.2305A	0.2635B/0.2305A	----	0.2390 - 0.0120	.4803	----	----	6	----	1626 + 2
620	0.2175	0.2175	0.2420B/0.2125A	0.2420B/0.2125A	----	0.2195 - 0.0115	.4519	----	----	94	----	196 + 28
625	0.2010	0.2010	0.2225B/0.1925A	0.2225B/0.1925A	----	0.2015 - 0.0105	.4244	----	----	13	----	255 + 3
630	0.1835	0.1835	0.2040B/0.1780A	0.2040B/0.1780A	----	0.1845 - 0.0105	.3976	----	----	62	----	366 + 39
635	----	----	0.1870B/0.1645A	0.1870B/0.1645A	----	0.1695 - 0.0090	.3722	----	----	----	----	78 UNCH
640	0.1650	0.1650	0.1720B/0.1485A	0.1720B/0.1485A	----	0.1550 - 0.0090	.3475	----	----	178	500	1500 + 376
645	0.1410	0.1410	0.1575B/0.1370A	0.1575B/0.1370A	----	0.1420 - 0.0080	.3242	----	----	11	----	367 UNCH
650	0.1395	0.1395	0.1440B/0.1255A	0.1440B/0.1255A	----	0.1300 - 0.0075	.3021	----	----	5	----	604 + 1
655	----	----	0.1320B/0.1150A	0.1320B/0.1150A	----	0.1190 - 0.0070	.2811	----	----	----	----	682 UNCH
660	----	----	0.1205B/0.1060A	0.1205B/0.1060A	----	0.1090 - 0.0065	.2615	----	----	----	----	241 UNCH
665	----	----	0.1105B/0.0980A	0.1105B/0.0980A	----	0.1000 - 0.0060	.2431	----	----	1	----	3 + 1
670	----	----	0.1010B/0.0905A	0.1010B/0.0905A	----	0.0910 - 0.0060	.2251	----	----	43	----	108 + 36
675	0.0835	0.0835	0.0915B/0.0810A	0.0915B/0.0810A	----	0.0835 - 0.0055	.2090	----	----	5	----	2071 - 1
680	0.0755	0.0755	0.0840B/0.0745A	0.0840B/0.0745A	----	0.0765 - 0.0050	.1938	----	----	23	----	225 + 23
685	----	----	0.0765B/0.0700A	0.0765B/0.0700A	----	0.0700 - 0.0045	.1795	----	----	1	----	16 + 1
690	0.0685	0.0685	0.0705B/0.0625A	0.0705B/0.0625A	----	0.0640 - 0.0045	.1661	----	----	5	----	288 + 3
695	0.0600	0.0600	0.0645B/0.0570	0.0645B/0.0570	----	0.0585 - 0.0045	.1536	----	----	16	----	52 + 11
700	----	----	0.0590B/0.0555A	0.0590B/0.0555A	----	0.0540 - 0.0035	.1427	----	----	----	----	465 UNCH
710	----	----	0.0500B/0.0475A	0.0500B/0.0475A	----	0.0455 - 0.0030	.1224	----	----	----	----	855 UNCH
715	----	----	0.0460B/0.0440A	0.0460B/0.0440A	----	0.0420 - 0.0025	.1137	----	----	----	----	28 UNCH
720	----	----	0.0425B/----	0.0425B/0.0410A	----	0.0390 - 0.0020	.1060	----	----	----	----	3 UNCH
725	----	----	0.0390B/----	0.0390B/0.0380A	----	0.0365 - 0.0015	.0993	----	----	----	----	1557 UNCH
730	----	----	0.0360B/----	0.0360B/0.0350A	----	0.0340 - 0.0010	.0927	----	----	20	----	23 + 18
750	0.0265	0.0265	0.0270B/0.0260A	0.0270B/0.0260A	----	0.0265 + 0.0015	.0723	----	----	5	----	244 - 2
775	----	----	0.0190B/----	0.0190B/0.0200A	----	0.0205 + 0.0030	.0552	----	----	----	----	34 UNCH
780	----	----	0.0175B/----	0.0175B/0.0190A	----	0.0195 + 0.0030	.0524	----	----	----	----	3 UNCH
800	0.0140	0.0140	0.0155/0.0135	0.0155/0.0135	----	0.0155 + 0.0020	.0416	----	----	6	----	2092 + 2
850	----	----	----	0.0060B/0.0090A	----	0.0080 - 0.0010	.0220	----	----	----	----	4 UNCH
875	----	----	----	0.0030B/0.0070A	----	0.0050 - 0.0020	.0143	----	----	----	----	2 UNCH
900	----	----	----	----/0.0060A	----	0.0035 - 0.0020	.0101	----	----	1	----	2223 + 1
950	----	----	----	----/0.0035A	----	0.0020 - 0.0010	.0058	----	----	----	----	61 UNCH
975	----	----	----	----/0.0030A	----	0.0015 - 0.0005	.0043	----	----	----	----	2 UNCH
1000	----	----	----	----/0.0030A	----	0.0010 - 0.0005	.0029	----	----	----	----	4 UNCH
TOTAL									500	505		17724 + 547
AUG26												
500	1.1500	1.1500	#1.1500/1.1500	#1.1500/1.1500	----	1.1680 - 0.0095	.9189	----	----	1	----	3 + 1
550	----	----	----	----	----	0.7370 - 0.0110	.8008	----	----	----	----	3 UNCH
580	----	----	0.5525B/0.5125A	0.5525B/0.5125A	----	0.5245 - 0.0120	.6830	----	----	1	----	253 + 1
585	----	----	0.5205B/0.4805A	0.5205B/0.4805A	----	0.4940 - 0.0120	.6606	----	----	----	----	11 UNCH
590	----	----	0.4895B/0.4540A	0.4895B/0.4540A	----	0.4640 - 0.0125	.6379	----	----	1	----	17 + 1
595	----	----	0.4605B/0.4290A	0.4605B/0.4290A	----	0.4360 - 0.0120	.6149	----	----	----	----	1 UNCH
600	----	----	0.4325B/0.3985A	0.4325B/0.3985A	----	0.4090 - 0.0120	.5916	----	----	----	----	4 UNCH
620	0.3095	0.3095	0.3335B/0.3070A	0.3335B/0.3070A	----	0.3155 - 0.0110	.4987	----	----	2	----	8 + 1
625	----	----	0.3120B/0.2885A	0.3120B/0.2885A	----	0.2950 - 0.0110	.4760	----	----	----	----	92 UNCH
635	----	----	0.2730B/0.2540A	0.2730B/0.2540A	----	0.2585 - 0.0100	.4325	----	----	----	----	2 UNCH
640	----	----	0.2555B/0.2365A	0.2555B/0.2365A	----	0.2420 - 0.0095	.4117	----	----	----	----	153 UNCH
650	----	----	0.2230B/0.2085A	0.2230B/0.2085A	----	0.2120 - 0.0085	.3720	----	----	----	----	57 UNCH
675	----	----	----/0.1495A	0.1585B/0.1495A	----	0.1530 - 0.0065	.2859	----	----	----	----	169 UNCH
680	----	----	----/0.1410A	0.1480B/0.1410A	----	0.1435 - 0.0060	.2710	----	----	----	----	1 UNCH
690	----	----	----/0.1285A	0.1285B/0.1285A	----	0.1265 - 0.0055	.2435	----	----	----	----	3 UNCH
700	----	----	----/0.1130A	0.1115B/0.1130A	----	0.1115 - 0.0045	.2184	----	----	----	900	984 + 900
725	----	----	----/0.0835A	0.0790B/0.0835A	----	0.0820 - 0.0030	.1666	----	----	----	----	86 UNCH
730	----	----	----/0.0760A	0.0765B/0.0760A	----	0.0770 - 0.0030	.1576	----	----	----	----	1 UNCH
750	0.0560	0.0560	0.0560/0.0560	0.0600B/0.0560	----	0.0610 - 0.0010	.1275	----	----	1	----	106 UNCH
800	0.0340	0.0340	0.0340/0.0340	0.0340/0.0340	----	0.0340 UNCH	.0745	----	----	1	----	11 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 71

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
AUG26												
850	----	----	----	0.0195B/0.0250A	----	0.0200 UNCH	.0450	----	----	----	----	1 UNCH
900	----	----	----	0.0105B/0.0170A	----	0.0130 UNCH	.0293	----	----	----	----	57 UNCH
950	----	----	----	0.0045B/0.0130A	----	0.0080 UNCH	.0184	----	----	----	----	2 UNCH
975	----	----	----	0.0025B/0.0110A	----	0.0060 UNCH	.0140	----	----	1	----	5 + 1
TOTAL									900	8		2030 + 906
SEP26												
495	----	----	----	----	----	1.2305 - 0.0080	.9047	----	----	----	----	2 UNCH
500	----	----	----	1.1660B/1.1995A	----	1.1855 - 0.0080	.8970	----	----	----	----	5 UNCH
535	----	----	----	----	----	0.8880 - 0.0100	.8197	----	----	----	----	1 UNCH
565	----	----	0.6955B/0.6580A	0.6955B/0.6580A	----	0.6670 - 0.0110	.7236	----	----	----	----	1 UNCH
575	----	----	0.6290B/0.5910A	0.6290B/0.5910A	----	0.6025 - 0.0105	.6863	----	----	----	----	100 UNCH
595	----	----	0.5095B/0.4785A	0.5095B/0.4785A	----	0.4870 - 0.0110	.6073	----	----	----	----	5 UNCH
600	----	----	0.4825B/0.4505A	0.4825B/0.4505A	----	0.4615 - 0.0110	.5872	----	----	----	----	244 UNCH
610	----	----	0.4320B/0.4055A	0.4320B/0.4055A	----	0.4135 - 0.0105	.5468	----	----	----	----	31 UNCH
615	----	----	0.4090B/0.3840A	0.4090B/0.3840A	----	0.3910 - 0.0105	.5268	----	----	----	----	9 UNCH
620	----	----	0.3865B/0.3620A	0.3865B/0.3620A	----	0.3700 - 0.0100	.5071	----	----	----	----	185 UNCH
625	----	----	0.3655B/0.3430A	0.3655B/0.3430A	----	0.3500 - 0.0100	.4877	----	----	----	----	622 UNCH
630	----	----	0.3450B/0.3255A	0.3450B/0.3255A	----	0.3310 - 0.0095	.4686	----	----	----	----	2 UNCH
635	----	----	0.3260B/0.3080A	0.3260B/0.3080A	----	0.3135 - 0.0085	.4501	----	----	----	----	1 UNCH
640	----	----	0.3080B/0.2910A	0.3080B/0.2910A	----	0.2965 - 0.0080	.4319	----	----	----	----	12 UNCH
650	----	----	0.2745B/0.2590A	0.2745B/0.2590A	----	0.2650 - 0.0075	.3970	----	----	----	----	164 UNCH
655	----	----	0.2595B/0.2465A	0.2595B/0.2465A	----	0.2505 - 0.0075	.3802	----	----	----	----	4 UNCH
660	0.2380	0.2380	0.2450B/0.2330A	0.2450B/0.2330A	----	0.2370 NEW	.3641	----	----	1	----	1 + 1
670	----	----	0.2185B/0.2080A	0.2185B/0.2080A	----	0.2115 - 0.0065	.3331	----	----	----	----	1 UNCH
675	----	----	----/0.1970A	0.2060B/0.1970A	----	0.2000 - 0.0060	.3185	----	----	----	----	325 UNCH
680	----	----	----/0.1865A	0.1945B/0.1865A	----	0.1890 - 0.0060	.3043	----	----	----	----	351 UNCH
690	----	----	----/0.1680A	0.1735B/0.1680A	----	0.1685 - 0.0060	.2774	----	----	----	----	12 UNCH
700	----	----	----/0.1500A	0.1550B/0.1500A	----	0.1505 - 0.0055	.2527	----	----	----	----	444 UNCH
720	----	----	----/0.1230A	0.1245B/0.1230A	----	0.1215 - 0.0040	.2103	----	----	----	----	5 UNCH
750	----	----	----/0.0905A	0.0905B/0.0905A	----	0.0895 - 0.0020	.1603	----	----	----	----	73 UNCH
775	----	----	----	0.0700B/0.0745A	----	0.0705 - 0.0005	.1289	----	----	----	----	3 UNCH
800	----	----	----	0.0540B/0.0610A	----	0.0555 - 0.0005	.1035	----	----	----	----	21 UNCH
875	----	----	----	0.0260B/0.0365A	----	0.0275 UNCH	.0539	----	----	----	----	1 UNCH
900	----	----	----	0.0205B/0.0315A	----	0.0220 UNCH	.0437	----	----	----	----	25 UNCH
975	----	----	----	0.0100B/0.0205A	----	0.0115 - 0.0005	.0236	----	----	1	----	4 + 1
TOTAL										2		2654 + 2
OCT26												
600	----	----	0.5795B/0.5570A	0.5795B/0.5570A	----	0.5595 - 0.0110	.6141	----	----	----	----	2 UNCH
605	----	----	0.5530B/0.5315A	0.5530B/0.5315A	----	0.5340 - 0.0105	.5964	----	----	----	----	2 UNCH
615	----	----	0.5025B/0.4790A	0.5025B/0.4790A	----	0.4855 - 0.0105	.5611	----	----	----	----	10 UNCH
650	----	----	0.3565B/0.3425A	0.3565B/0.3425A	----	0.3470 - 0.0085	.4433	----	----	----	----	106 UNCH
700	----	----	----/0.2185A	0.2100B/0.2185A	----	0.2130 - 0.0060	.3040	----	----	----	----	145 UNCH
775	----	----	----	0.0980B/0.1155A	----	0.1060 - 0.0015	.1680	----	----	----	----	71 UNCH
800	----	----	----	0.0795B/0.0910A	----	0.0855 - 0.0015	.1385	----	----	----	----	1 UNCH
850	----	----	----	0.0510B/0.0645A	----	0.0560 - 0.0010	.0943	----	----	----	----	30 UNCH
875	----	----	----	0.0420B/0.0555A	----	0.0465 - 0.0010	.0791	----	----	----	----	2 UNCH
900	----	----	----	0.0340B/0.0480A	----	0.0390 - 0.0005	.0669	----	----	----	----	3 UNCH
975	----	----	----	0.0190B/0.0330A	----	0.0245 - 0.0005	.0424	----	----	1	----	7 + 1
TOTAL										1		379 + 1
NOV26												
535	----	----	----	----	----	1.0150 - 0.0105	.8012	----	----	----	----	1 UNCH
545	----	----	----	----	----	0.9425 - 0.0100	.7752	----	----	----	----	1 UNCH
580	----	----	0.7325B/0.7145A	0.7325B/0.7145A	----	0.7155 - 0.0095	.6733	----	----	----	----	2 UNCH
585	----	----	0.7030B/0.6865A	0.7030B/0.6865A	----	0.6865 - 0.0100	.6578	----	----	----	----	1 UNCH
595	----	----	0.6465B/0.6330A	0.6465B/0.6330A	----	0.6315 - 0.0105	.6262	----	----	----	----	2 UNCH
600	----	----	0.6195B/0.6075A	0.6195B/0.6075A	----	0.6055 - 0.0105	.6103	----	----	----	----	2 UNCH
610	----	----	0.5685B/0.5590A	0.5685B/0.5590A	----	0.5560 - 0.0105	.5784	----	----	----	----	14 UNCH
640	----	----	----/0.4350A	0.4370B/0.4350A	----	0.4295 - 0.0095	.4851	----	----	----	----	1 UNCH
655	----	----	----/0.3830A	0.3815B/0.3830A	----	0.3770 - 0.0085	.4414	----	----	----	----	1 UNCH
670	----	----	----/0.3370A	0.3330B/0.3370A	----	0.3310 - 0.0075	.4003	----	----	----	----	14 UNCH
675	----	----	----/0.3230A	0.3180B/0.3230A	----	0.3170 - 0.0070	.3873	----	----	----	----	1 UNCH
700	----	----	----	0.2525B/0.2615A	----	0.2545 - 0.0055	.3265	----	----	----	----	1 UNCH
750	----	----	----	0.1585B/0.1735A	----	0.1650 - 0.0035	.2290	----	----	----	----	2 UNCH
850	----	----	----	0.0655B/0.0860A	----	0.0730 - 0.0015	.1123	----	----	----	----	1 UNCH
900	----	----	----	0.0435B/0.0650A	----	0.0495 - 0.0010	.0790	----	----	----	----	1 UNCH
975	----	----	----	0.0235B/0.0460A	----	0.0270 - 0.0005	.0456	----	----	----	----	1 UNCH
TOTAL												46
DEC26												
520	----	----	----	----	----	1.1510 - 0.0090	.8238	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.1125 - 0.0095	.8126	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.0390 - 0.0095	.7891	----	----	----	----	1 UNCH
550	----	----	----/0.9360A	0.9435B/0.9360A	----	0.9345 - 0.0100	.7510	----	----	----	----	2 UNCH
555	----	----	0.9185B/0.9035A	0.9185B/0.9035A	----	0.9015 - 0.0100	.7375	----	----	----	----	1 UNCH
565	----	----	0.8535B/0.8405A	0.8535B/0.8405A	----	0.8380 - 0.0100	.7100	----	----	----	----	45 UNCH
575	----	----	0.7915B/0.7810A	0.7915B/0.7810A	----	0.7780 - 0.0100	.6815	----	----	----	----	123 UNCH
585	----	----	0.7330B/0.7255A	0.7330B/0.7255A	----	0.7210 - 0.0100	.6525	----	----	----	----	1 UNCH
590	----	----	0.7050B/0.6990A	0.7050B/0.6990A	----	0.6940 - 0.0100	.6378	----	----	----	----	200 UNCH
595	----	----	0.6780B/0.6730A	0.6780B/0.6730A	----	0.6680 - 0.0095	.6231	----	----	----	----	163 UNCH
600	----	----	----/0.6480A	0.6520B/0.6480A	----	0.6425 - 0.0100	.6083	----	----	----	----	602 UNCH
610	----	----	----/0.6010A	0.6020B/0.6010A	----	0.5940 - 0.0100	.5787	----	----	----	----	356 UNCH
620	0.5500	0.5500	0.5500/0.5420	0.5555B/0.5420	----	0.5485 - 0.0100	.5492	----	----	2	----	413 + 2
625	----	----	----/0.5360A	0.5335B/0.5360A	----	0.5275 - 0.0095	.5347	----	----	----	----	3 UNCH
630	----	----	----/0.5155A	0.5120B/0.5155A	----	0.5070 - 0.0095	.5203	----	----	----	----	456 UNCH
640	----	----	----	0.4715B/0.4775A	----	0.4680 - 0.0090	.4921	----	----	----	----	29 UNCH
650	----	----	----	0.4340B/0.4415A	----	0.4320 - 0.0085	.4647	----	----	----	----	573 UNCH
660	----	----	----	0.3990B/0.4085A	----	0.3985 - 0.0085	.4381	----	----	----	----	300 UNCH
670	----	----	----	0.3665B/0.3780A	----	0.3675 - 0.0080	.4126	----	----	----	----	4 UNCH
675	----	----	----	0.3515B/0.3635A	----	0.3530 - 0.0080	.4002	----	----	----	----	17 UNCH
680	----	----	----	0.3365B/0.3500A	----	0.3390 - 0.0075	.3881	----	----	----	----	3 UNCH
700	----	----	----	0.2840B/0.2995A	----	0.2875 - 0.0075	.3421	----	----	----	----	844 UNCH
705	----	----	----	0.2720B/0.2885A	----	0.2760 - 0.0070	.3313	----	----	----	----	2 UNCH
725	----	----	----	0.2290B/0.2480A	----	0.2345 - 0.0070	.2910	----	----	----	----	5 UNCH
730	----	----	----	0.2195B/0.2390A	----	0.2255 - 0.0065	.2818	----	----	----	----	4 UNCH
750	----	----	----	0.1850B/0.2065A	----	0.1925 - 0.0055	.2473	----	----	----	----	24 UNCH
800	----	----	----	0.1220B/0.1460A	----	0.1330 - 0.0025	.1797	----	----	----	----	104 UNCH
850	----	----	----	0.0810B/0.1080A	----	0.0930 - 0.0020	.1309	----	----	----	----	4 UNCH
900	----	----	----	0.0650B/0.0835A	----	0.0665 - 0.0020	.0965	----	----	----	----	213 UNCH
925	----	----	----	0.0450B/0.0745A	----	0.0590 - 0.0015	.0856	----	----	----	----	6 UNCH
950	----	----	----	0.0365B/0.0665A	----	0.0525 - 0.0015	.0761	----	----	----	----	78 UNCH
975	----	----	----	0.0300B/0.0600A	----	0.0475 - 0.0015	.0686	----	----	----	----	13 UNCH
TOTAL										2		4713 + 2
JAN27												
500	----	----	----	----	----	1.4170 - 0.0095	.8526	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.1360 - 0.0040	.1538	----	----	----	----	1 UNCH
TOTAL												2
MAR27												
680	----	----	----	----	----	0.5040 - 0.0070	.4463	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.1060 - 0.0030	.1229	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
MAY26												
125	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
300	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 22
330	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
340	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 6
350	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 6
360	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 35
370	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
375	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
390	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
395	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 6
400	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 124
405	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 125
410	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 23
415	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 6
420	----	----	----	----/0.0005A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 59
425	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 56
430	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 13
435	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 8
440	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 130
445	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 50

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 72

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
MAY26												
450	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 855
455	----	----	----	----/0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 23
460	0.0010	0.0010	0.0010/0.0010	0.0010/0.0010	----	0.0000 - 0.0005	----	----	----	1	----	0 - 498
465	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 34
470	0.0015	0.0015	0.0015/0.0015	0.0015/0.0015	----	0.0000 - 0.0005	----	----	----	1	----	0 - 57
475	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 416
480	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1301
485	----	----	----	----/0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 85
490	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 268
495	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 90
500	----	----	----	----/0.0005A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1752
505	0.0015	0.0015	0.0015/0.0015	0.0015/0.0015	----	0.0000 - 0.0005	----	----	----	3	----	0 - 175
510	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 387
514	----	----	----	----/0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 43
515	0.0015	0.0015	0.0015/0.0015	0.0015/0.0015	----	0.0000 - 0.0005	----	----	----	1	----	0 - 153
516	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 74
517	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 108
518	----	----	----	----/0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 117
519	----	----	----	----/0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 88
520	0.0005	0.0005	0.0005/*0.0005	0.0005/*0.0005	----	0.0000 - 0.0005	----	----	----	1	----	0 - 1170
521	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 67
522	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 52
523	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 23
524	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 20
525	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 329
526	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 19
527	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 17
528	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 12
529	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 6
530	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 589
531	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 24
532	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 11
533	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 7
534	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 9
535	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 200
536	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 12
537	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 9
538	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
539	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 11
540	----	----	----	----/*0.0005A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 314
541	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
542	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 8
543	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
544	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
545	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 156
546	----	----	----	----/0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
547	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 7
548	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 55
549	----	----	----	----/0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 12
550	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1707
551	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 36
552	----	----	----	----/0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 16
553	----	----	----	----/0.0020A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 18
554	----	----	----	----/0.0020A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 19
555	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 136
556	----	----	----	----/0.0015A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 12
557	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 21
558	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 74
559	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 14
560	----	----	----	----/0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 592
561	----	----	----	----/*0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 20
562	----	----	----	----/*0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 17
563	----	----	----	----/*0.0010A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 40
564	----	----	----	----/*0.0010A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 9
565	----	----	----	----/0.0010A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 225
566	----	----	----	----/*0.0010A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 7
567	----	----	----/*0.0010A	----/*0.0010A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 10
568	----	----	----	----/*0.0015A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 56
569	----	----	----/*0.0010A	----/*0.0010A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 98
570	----	----	----/*0.0015A	----/*0.0015A	----	0.0000 - 0.0020	----	----	----	1	----	0 - 704
571	----	----	----/*0.0010A	----/*0.0010A	----	0.0000 - 0.0025	----	----	----	----	----	0 - 9
572	----	----	----/*0.0015A	----/*0.0015A	----	0.0000 - 0.0025	----	----	----	----	----	0 - 14
573	----	----	----/*0.0010A	----/*0.0010A	----	0.0000 - 0.0030	----	----	----	----	----	0 - 12
574	----	----	----/*0.0010A	----/*0.0010A	----	0.0000 - 0.0030	----	----	----	----	----	0 - 9
575	----	----	----/0.0010A	----/0.0010A	----	0.0000 - 0.0035	----	----	----	1	----	0 - 380
576	----	----	----/*0.0010A	----/*0.0010A	----	0.0000 - 0.0035	----	----	----	----	----	0 - 48
577	----	----	----/*0.0010A	----/*0.0010A	----	0.0000 - 0.0040	----	----	----	----	----	0 - 75
578	----	----	----/*0.0015A	----/*0.0015A	----	0.0000 - 0.0045	----	----	----	----	----	0 - 33
579	----	----	----/*0.0010A	----/*0.0010A	----	0.0000 - 0.0050	----	----	----	----	----	0 - 15
580	0.0050	0.0050	0.0050/*0.0010A	0.0050/*0.0010A	----	0.0000 - 0.0055	----	----	----	8	----	0 - 320
581	----	----	----/*0.0010A	0.0020B/*0.0010	----	0.0000 - 0.0055	----	----	----	----	----	0 - 35
582	----	----	----/*0.0010A	0.0020B/*0.0010	----	0.0000 - 0.0055	----	----	----	----	----	0 - 12
583	----	----	----/*0.0010A	0.0045B/*0.0010	----	0.0000 - 0.0055	----	----	----	----	----	0 - 9
584	----	----	----/*0.0010A	0.0050B/*0.0010	----	0.0000 - 0.0060	----	----	----	----	----	0 - 29
585	----	----	----/*0.0010A	0.0050B/*0.0010	----	0.0000 - 0.0060	----	----	----	----	----	0 - 353
586	0.0015	0.0015	0.0015/*0.0010A	0.0055B/*0.0010	----	0.0000 - 0.0065	----	----	----	3	----	0 - 18
587	----	----	----/*0.0015A	0.0060B/*0.0015	----	0.0000 - 0.0065	----	----	----	----	----	0 - 6
588	----	----	----/*0.0020A	0.0060B/*0.0020	----	0.0000 - 0.0070	----	----	----	----	----	0 - 21
589	----	----	----/*0.0020A	0.0065B/*0.0020	----	0.0000 - 0.0075	----	----	----	----	----	0 - 113
590	0.0055	0.0055	0.0055/*0.0020A	0.0065B/*0.0020	----	0.0000 - 0.0080	----	----	----	9	----	0 - 582
591	----	----	----/*0.0020A	0.0070B/*0.0020	----	0.0000 - 0.0085	----	----	----	----	----	0 - 28
592	----	----	----/*0.0020A	0.0070B/*0.0020	----	0.0000 - 0.0095	----	----	----	1	----	0 - 104
593	----	----	----/*0.0020A	0.0075B/*0.0020	----	0.0000 - 0.0105	----	----	----	----	----	0 - 30
594	0.0050	0.0050	0.0050/*0.0020A	0.0080B/*0.0020	----	0.0000 - 0.0115	----	----	----	2	----	0 - 23
595	0.0085	0.0085	0.0085/*0.0020A	0.0090B/*0.0020	----	0.0000 - 0.0130	----	----	----	47	----	0 - 235
596	0.0110	0.0110	0.0135/*0.0020A	0.0135/*0.0020A	----	0.0000 - 0.0150	----	----	----	7	----	0 - 27
597	0.0085	0.0085	0.0085/*0.0020A	0.0145B/*0.0020	----	0.0000 - 0.0175	----	----	----	4	----	0 - 38
598	0.0040	0.0040	0.0040/*0.0025A	0.0175B/*0.0025	----	0.0000 - 0.0205	----	----	----	2	----	0 - 15
599	0.0020	0.0020	0.0020/*0.0005A	0.0220B/*0.0005	----	0.0000 - 0.0235	----	----	----	12	----	0 - 43
600	0.0310	0.0310	0.0310/*0.0005	0.0310/*0.0005	----	0.0000 - 0.0270	----	----	----	82	----	0 - 1203
601	0.0080	0.0080	0.0320B/*0.0005	0.0320B/*0.0005	----	0.0000 - 0.0315	----	----	----	3	----	0 - 4
602	----	----	0.0380B/*0.0135	0.0380B/*0.0135	----	0.0000 - 0.0360	----	----	----	----	----	0 - 3
603	0.0170	0.0170	0.0170/*0.0165A	0.0390B/*0.0165	----	0.0090 - 0.0320	----	10	----	6	----	0 - 5
604	----	----	----/*0.0185A	0.0455B/*0.0185	----	0.0190 - 0.0280	----	16	----	----	----	0 - 16
605	----	----	----/*0.0245A	0.0525B/*0.0245	----	0.0290 - 0.0240	----	57	----	2	----	0 - 55
606	0.0395	0.0395	0.0605B/0.0305A	0.0605B/0.0305A	----	0.0390 - 0.0200	----	22	----	2	----	0 - 22
607	----	----	0.0700B/0.0355A	0.0700B/0.0355A	----	0.0490 - 0.0170	----	22	----	----	----	0 - 22
608	----	----	0.0800B/0.0405A	0.0800B/0.0405A	----	0.0590 - 0.0140	----	30	----	1	----	0 - 31
609	----	----	0.0900B/0.0515A	0.0900B/0.0515A	----	0.0690 - 0.0115	----	3	----	----	----	0 - 3
610	0.0500	0.0500	0.1000B/0.0500	0.1000B/0.0500	----	0.0790 - 0.0090	----	72	----	1	----	0 - 72
611	----	----	0.1100B/0.0650A	0.1100B/0.0650A	----	0.0890 - 0.0070	----	5	----	----	----	0 - 5
612	0.0625	0.0625	0.1200B/0.0625	0.1200B/0.0625	----	0.0990 - 0.0055	----	4	----	1	----	0 - 4
613	----	----	0.1300B/0.0795A	0.1300B/0.0795A	----	0.1090 - 0.0035	----	4	----	----	----	0 - 4
615	----	----	0.1500B/0.0955A	0.1500B/0.0955A	----	0.1290 - 0.0010	----	1	----	----	----	0 - 1
617	----	----	0.1700B/0.1125A	0.1700B/0.1125A	----	0.1490 + 0.0010	----	1	----	----	----	0 - 1
619	----	----	0.1900B/0.1310A	0.1900B/0.1310A	----	0.1690 + 0.0025	----	1	----	----	----	0 - 1
620	----	----	0.2000B/0.1405A	0.2000B/0.1405A	----	0.1790 + 0.0030	----	3	----	----	----	0 - 3
629	----	----	0.2900B/0.2285A	0.2900B/0.2285A	----	0.2690 + 0.0055	----	90	----	----	----	0 - 90
645	----	----	0.4500B/0.3880A	0.4500B/0.3880A	----	0.4290 + 0.0055	----	1	----	----	----	0 - 1
TOTAL										202		0 - 18392
JUN26												
330	----	----	----	----/0.0035A	----	0.0005 UNCH	.0001	----	----	----	----	8 UNCH
355	----	----	----	----/0.0040A	----	0.0005 - 0.0005	.0007	----	----	----	----	10 UNCH
370	----	----	----	----/0.0040A	----	0.0010 - 0.0005	.0024	----	----	----	----	1 UNCH
380	----	----	----	----/0.0040A	----	0.0010 - 0.0010	.0025	----	----	----	----	1 UNCH
400	----	----	----	----/0.0030A	----	0.0020 - 0.0010	.0050	----	----	----	----	3 UNCH
405	----	----	----	----/*0.0030A	----	0.0020 - 0.0010	.0052	----	----	----	----	1 UNCH
410	----	----	----	----/0.0035A	----	0.0020 - 0.0010	.0053	----	----	----	----	2 UNCH
420	0.0015	0.0015	0.0020/*0.0015	0.0020/*0.0015	----	0.0020 - 0.0010	.0056	----	----	8	----	9 + 6
430	----	----	----	----/0.0035A	----	0.0025 - 0.0005	.0071	----	----	----	----	3 UNCH
435	----	----	----	----/0.0055A	----	0.0025 - 0.0010	.0074	----	----	----	----	2 UNCH
440	----	----	----	----/0.0055A	----	0.0025 - 0.0010	.0076	----	----	----	----	8 UNCH
445	----	----	----	----/0.0060A	----	0.0030 - 0.0010	.0091	----	----	----	----	8 UNCH
450	----	----	----	----/0.0065A	----	0.0030 - 0.0015	.0093	----	----	----	----	450 UNCH
455	----	----	----	0.0005B/*0.0065	----	0.0035 - 0.0010	.0109	----	----	----	----	42 UNCH
460	----	----	----	0.0030B/0.0070A	----	0.0040 - 0.0015	.0125	----	----	----	----	54 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
465	----	----	----	0.0035B/0.0075A	----	0.0040 - 0.0015	.0129	----	----	----	----	884 UNCH
470	----	----	----	0.0015B/0.0080A	----	0.0045 - 0.0010	.0147	----	----	----	----	666 UNCH
475	----	----	----	0.0020B/0.0085A	----	0.0050 - 0.0010	.0165	----	----	----	----	155 UNCH
480	0.0090	0.0090	0.0090/0.0090	0.0090/0.0090	----	0.0055 - 0.0010	.0184	----	----	37	----	954 UNCH
485	----	----	----	0.0030B/*0.0090	----	0.0060 - 0.0010	.0204	----	----	----	----	60 UNCH
490	----	----	----	0.0065B/*0.0080	----	0.0065 - 0.0010	.0225	----	----	----	----	50 UNCH
495	----	----	----	0.0045B/0.0100A	----	0.0070 - 0.0010	.0247	----	----	----	----	35 UNCH
500	0.0085	0.0085	0.0090B/*0.0080	0.0090B/0.0080A	----	0.0075 - 0.0010	.0270	----	----	6	----	558 UNCH
505	0.0095	0.0095	0.0095/*0.0085A	0.0095/0.0085A	----	0.0085 - 0.0010	.0309	----	----	3	----	522 UNCH
510	0.0105	0.0105	0.0105/0.0105	0.0105/0.0105	----	0.0095 - 0.0010	.0349	----	----	1	----	161 UNCH
515	0.0115	0.0115	0.0115/0.0100A	0.0115/0.0100A	----	0.0105 - 0.0010	.0391	----	----	2	----	35 UNCH
520	0.0125	0.0125	0.0125/0.0110A	0.0125/0.0110A	----	0.0115 - 0.0010	.0436	----	----	2	----	152 UNCH
523	----	----	----/0.0120A	0.0135B/0.0120A	----	0.0125 - 0.0010	.0476	----	----	----	----	4 UNCH
524	----	----	----/0.0120A	0.0140B/0.0120A	----	0.0125 - 0.0015	.0480	----	----	----	----	1 UNCH
525	----	----	----/0.0125A	0.0140B/0.0125A	----	0.0130 - 0.0010	.0498	----	----	----	----	2155 UNCH
526	0.0125	0.0125	0.0145B/0.0125	0.0145B/0.0125	----	0.0130 - 0.0015	.0503	----	----	3	----	5 + 3
527	0.0125	0.0125	0.0145B/0.0125	0.0145B/0.0125	----	0.0135 - 0.0015	.0521	----	----	3	----	3 + 1
528	----	----	----/0.0130A	0.0150B/0.0130A	----	0.0140 - 0.0010	.0539	----	----	1	----	4 + 1
529	----	----	----/0.0135A	0.0155B/0.0135A	----	0.0140 - 0.0015	.0544	----	----	----	----	5 UNCH
530	0.0145	0.0145	0.0155B/0.0140A	0.0155B/0.0140A	----	0.0145 - 0.0015	.0563	----	----	1	----	131 + 1
531	----	----	----/0.0140A	0.0160B/0.0140A	----	0.0150 - 0.0015	.0582	----	----	----	----	4 UNCH
532	0.0140	0.0140	0.0165B/0.0140	0.0165B/0.0140	----	0.0150 - 0.0020	.0587	----	----	3	----	3 + 1
533	----	----	----/0.0145A	0.0170B/0.0145A	----	0.0155 - 0.0015	.0606	----	----	----	----	1 UNCH
534	0.0150	0.0150	0.0170B/0.0150	0.0170B/0.0150	----	0.0160 - 0.0015	.0626	----	----	3	----	6 + 3
535	----	----	----/0.0155A	0.0175B/0.0155A	----	0.0165 - 0.0015	.0645	----	----	----	----	73 UNCH
536	----	----	----/0.0160A	0.0180B/0.0160A	----	0.0165 - 0.0020	.0652	----	----	----	----	1 UNCH
537	----	----	----/0.0160A	0.0185B/0.0160A	----	0.0170 - 0.0020	.0672	----	----	----	----	4 UNCH
538	----	----	----/0.0165A	0.0190B/0.0165A	----	0.0175 - 0.0020	.0692	----	----	----	----	5 UNCH
539	0.0170	0.0170	0.0195B/0.0170	0.0195B/0.0170	----	0.0180 - 0.0020	.0712	----	----	3	----	4 + 3
540	0.0175	0.0175	0.0200B/0.0175	0.0200B/0.0175	----	0.0185 - 0.0020	.0732	----	----	30	----	103 - 20
542	----	----	----/0.0185A	0.0210B/0.0185A	----	0.0195 - 0.0025	.0774	----	----	----	----	4 UNCH
543	----	----	----/0.0190A	0.0215B/0.0190A	----	0.0200 - 0.0025	.0795	----	----	----	----	10 UNCH
544	0.0195	0.0195	0.0225B/0.0195	0.0225B/0.0195	----	0.0205 - 0.0025	.0817	----	----	2	----	4 + 2
545	0.0200	0.0200	0.0230B/0.0200	0.0230B/0.0200	----	0.0210 - 0.0030	.0838	----	----	16	----	64 + 5
546	----	----	----/0.0210A	0.0240B/0.0210A	----	0.0215 - 0.0030	.0860	----	----	----	----	0 UNCH
547	----	----	----/0.0215A	0.0250B/0.0215A	----	0.0225 - 0.0030	.0895	----	----	1	----	5 + 1
548	----	----	----/0.0215A	0.0255B/0.0215A	----	0.0230 - 0.0030	.0918	----	----	----	----	3 UNCH
550	0.0270	0.0270	0.0270/0.0235A	0.0270/0.0235A	----	0.0245 - 0.0035	.0976	----	----	201	----	990 + 200
551	----	----	----/0.0240A	0.0285B/0.0240A	----	0.0250 - 0.0035	.0999	----	----	----	----	85 UNCH
552	----	----	----/0.0245A	0.0295B/0.0245A	----	0.0260 - 0.0035	.1035	----	----	----	----	1 UNCH
553	----	----	----/0.0255A	0.0305B/0.0255A	----	0.0270 - 0.0035	.1071	----	----	----	----	2 UNCH
554	----	----	----/0.0265A	0.0315B/0.0265A	----	0.0275 - 0.0040	.1096	----	----	----	----	3 UNCH
555	0.0295	0.0295	0.0295/0.0275A	0.0325B/0.0275A	----	0.0285 - 0.0040	.1133	----	----	16	----	36 + 2
556	----	----	0.0340B/0.0280A	0.0340B/0.0280A	----	0.0295 - 0.0040	.1170	----	----	----	----	8 UNCH
557	----	----	----/0.0295A	0.0345B/0.0295A	----	0.0305 - 0.0045	.1207	----	----	----	----	62 UNCH
558	0.0315	0.0315	0.0365B/0.0300A	0.0365B/0.0300A	----	0.0315 NEW	.1244	----	----	2	----	2 + 2
559	----	----	0.0375B/0.0310A	0.0375B/0.0310A	----	0.0330 - 0.0040	.1293	----	----	----	----	5 UNCH
560	----	----	0.0390B/0.0325A	0.0390B/0.0325A	----	0.0340 - 0.0045	.1332	----	----	15	150	445 UNCH
561	----	----	----/0.0335A	0.0400B/0.0335A	----	0.0350 - 0.0050	.1370	----	----	----	----	3 UNCH
562	----	----	0.0420B/0.0345A	0.0420B/0.0345A	----	0.0365 - 0.0045	.1420	----	----	----	----	5 UNCH
564	0.0375	0.0375	0.0450B/0.0375	0.0450B/0.0375	----	0.0390 NEW	.1510	----	----	3	----	3 + 3
565	0.0470	0.0470	0.0480B/0.0390A	0.0480B/0.0390A	----	0.0405 - 0.0050	.1560	----	----	2	----	222 UNCH
566	----	----	0.0485B/0.0405A	0.0485B/0.0405A	----	0.0420 - 0.0050	.1611	----	----	----	----	3 UNCH
567	----	----	0.0500B/0.0420A	0.0500B/0.0420A	----	0.0440 - 0.0050	.1671	----	----	----	----	12 UNCH
568	----	----	0.0520B/0.0435A	0.0520B/0.0435A	----	0.0455 - 0.0050	.1723	----	----	----	----	1 UNCH
569	0.0480	0.0480	0.0540B/0.0450A	0.0540B/0.0450A	----	0.0475 - 0.0050	.1783	----	----	3	----	5 + 3
570	0.0475	0.0475	0.0610/0.0470	0.0610/0.0470	----	0.0490 - 0.0055	.1835	----	----	186	----	191 + 143
571	----	----	0.0580B/0.0485A	0.0580B/0.0485A	----	0.0510 - 0.0050	.1896	----	----	----	----	7 UNCH
572	----	----	0.0595B/0.0505A	0.0595B/0.0505A	----	0.0530 - 0.0050	.1958	----	----	----	----	1 UNCH
573	----	----	0.0615B/0.0525A	0.0615B/0.0525A	----	0.0550 - 0.0055	.2019	----	----	----	----	2 UNCH
574	----	----	0.0635B/0.0545A	0.0635B/0.0545A	----	0.0570 - 0.0055	.2081	----	----	----	----	2 UNCH
575	----	----	0.0675B/0.0570A	0.0675B/0.0570A	----	0.0595 - 0.0055	.2151	----	----	33	----	108 + 25
576	----	----	0.0685B/0.0590A	0.0685B/0.0590A	----	0.0615 - 0.0055	.2214	----	----	----	----	3 UNCH
577	0.0640	0.0640	0.0770/0.0610A	0.0770/0.0610A	----	0.0640 - 0.0055	.2284	----	----	12	----	12 + 10
578	----	----	0.0735B/0.0635A	0.0735B/0.0635A	----	0.0660 - 0.0060	.2347	----	----	----	----	2 UNCH
579	----	----	0.0760B/0.0660A	0.0760B/0.0660A	----	0.0685 - 0.0065	.2418	----	----	----	----	2 UNCH
580	0.0700	0.0700	0.0850/0.0675	0.0850/0.0675	----	0.0715 - 0.0060	.2495	----	----	200	200	802 + 121
581	0.0880	0.0880	0.0880/0.0710A	0.0880/0.0710A	----	0.0740 - 0.0065	.2566	----	----	24	----	26 + 22
582	0.0910	0.0910	0.0910/0.0740A	0.0910/0.0740A	----	0.0765 - 0.0065	.2638	----	----	4	----	8 + 4
583	----	----	0.0890B/0.0765A	0.0890B/0.0765A	----	0.0795 - 0.0065	.2716	----	----	1	----	9 UNCH
584	0.0960	0.0960	0.0960/0.0795A	0.0960/0.0795A	----	0.0825 - 0.0065	.2793	----	----	6	----	16 + 4
585	0.0790	0.0790	0.0950B/0.0790	0.0950B/0.0790	----	0.0855 - 0.0070	.2871	----	----	4	----	30 + 4
586	0.1025	0.1025	0.1025/0.0850A	0.1025/0.0850A	----	0.0885 - 0.0070	.2949	----	----	3	----	4 + 3
588	----	----	0.1045B/0.0910A	0.1045B/0.0910A	----	0.0950 - 0.0070	.3111	----	----	----	----	2 UNCH
590	0.0935	0.0935	0.1200/0.0935	0.1200/0.0935	----	0.1015 - 0.0075	.3273	----	----	209	----	166 + 136
591	----	----	0.1145B/0.1000A	0.1145B/0.1000A	----	0.1055 - 0.0070	.3361	----	----	----	----	1 UNCH
593	----	----	0.1225B/0.1065A	0.1225B/0.1065A	----	0.1125 - 0.0075	.3528	----	----	----	----	1 UNCH
594	----	----	0.1275B/0.1095A	0.1275B/0.1095A	----	0.1165 - 0.0075	.3615	----	----	----	----	6 UNCH
595	0.1100	0.1100	0.1320/0.1100	0.1320/0.1100	----	0.1205 - 0.0070	.3702	----	----	17	----	19 + 13
596	0.1360	0.1360	0.1360/0.1165A	0.1360/0.1165A	----	0.1245 - 0.0070	.3789	----	----	1	----	11 UNCH
597	----	----	0.1415B/0.1200A	0.1415B/0.1200A	----	0.1285 - 0.0070	.3877	----	----	----	----	4 UNCH
598	0.1260	0.1260	0.1445B/0.1245A	0.1445B/0.1245A	----	0.1330 - 0.0065	.3966	----	----	1	----	7 UNCH
599	0.1385	0.1385	0.1485B/0.1280A	0.1485B/0.1280A	----	0.1375 - 0.0065	.4056	----	----	3	----	15 - 1
600	0.1450	0.1450	0.1530B/0.1310A	0.1530B/0.1310A	----	0.1420 - 0.0060	.4145	----	----	104	----	204 + 101
601	----	----	0.1580B/0.1360A	0.1580B/0.1360A	----	0.1465 - 0.0060	.4234	----	----	----	----	5 UNCH
602	0.1645	0.1645	0.1645/0.1400A	0.1645/0.1400A	----	0.1510 - 0.0055	.4323	----	----	5	----	14 + 5
603	0.1690	0.1690	0.1695/0.1440A	0.1695/0.1440A	----	0.1555 - 0.0055	.4413	----	----	9	----	16 + 9
604	----	----	0.1720B/0.1480A	0.1720B/0.1480A	----	0.1605 - 0.0055	.4503	----	----	2	----	9 UNCH
605	----	----	0.1780B/0.1530A	0.1780B/0.1530A	----	0.1655 - 0.0050	.4593	----	----	----	180	201 + 141
606	0.1670	0.1670	0.1825B/0.1575A	0.1825B/0.1575A	----	0.1705 - 0.0050	.4683	----	----	1	----	15 + 1
607	0.1680	0.1680	0.1885/0.1620A	0.1885/0.1620A	----	0.1755 - 0.0045	.4773	----	----	9	----	78 - 1
608	0.1950	0.1950	0.1950/0.1660A	0.1950/0.1660A	----	0.1805 - 0.0045	.4863	----	----	6	----	45 - 2
609	0.1830	0.1830	0.1985B/0.1670A	0.1985B/0.1670A	----	0.1860 - 0.0045	.4952	----	----	5	----	45 + 3
610	0.1880	0.1880	0.2040B/0.1705	0.2040B/0.1705	----	0.1915 - 0.0040	.5041	----	----	18	----	56 + 14
611	----	----	0.2100B/0.1755A	0.2100B/0.1755A	----	0.1970 - 0.0040	.5130	----	----	----	----	15 UNCH
612	----	----	0.2155B/0.1805A	0.2155B/0.1805A	----	0.2025 - 0.0035	.5219	----	----	----	----	9 UNCH
613	0.1935	0.1935	0.2205B/0.1850	0.2205B/0.1850	----	0.2080 - 0.0040	.5308	----	----	2	----	10 + 2
614	0.2000	0.2000	0.2260B/0.1900	0.2260B/0.1900	----	0.2135 - 0.0040	.5395	----	----	3	----	8 + 3
615	0.1955	0.1955	0.2320B/0.1955	0.2320B/0.1955	----	0.2195 - 0.0035	.5484	----	----	1	----	38 + 1
616	0.2010	0.2010	0.2380B/0.2010	0.2380B/0.2010	----	0.2255 - 0.0035	.5571	----	----	1	----	16 + 1
617	0.2065	0.2065	0.2445B/0.2065	0.2445B/0.2065	----	0.2310 - 0.0040	.5657	----	----	2	----	26 + 1
618	----	----	0.2505B/0.2175A	0.2505B/0.2175A	----	0.2375 - 0.0035	.5744	----	----	----	----	12 UNCH
619	----	----	0.2565B/0.2235A	0.2565B/0.2235A	----	0.2435 - 0.0035	.5830	----	----	----	----	13 UNCH
620	----	----	0.2620B/0.2285A	0.2620B/0.2285A	----	0.2495 - 0.0035	.5913	----	----	1	----	14 + 1
621	----	----	0.2660B/0.2350A	0.2660B/0.2350A	----	0.2560 - 0.0030	.5996	----	----	----	----	6 UNCH
622	----	----	0.2690B/0.2415A	0.2690B/0.2415A	----	0.2625 - 0.0030	.6083	----	----	----	----	1 UNCH
623	----	----	0.2755B/0.2470A	0.2755B/0.2470A	----	0.2690 - 0.0030	.6165	----	----	----	----	2 UNCH
630	----	----	0.3310B/0.2970A	0.3310B/0.2970A	----	0.3165 - 0.0020	.6717	----	----	1	----	10 + 1
640	----	----	0.4030B/0.3665A	0.4030B/0.3665A	----	0.3910 + 0.0005	.7415	----	----	2	----	2 UNCH
645	----	----	----/0.4040A	0.4280B/0.4040A	----	0.4310 + 0.0020	.7719	----	----	----	----	1 UNCH
650	----	----	0.4695B/----	0.4695B/0.4750A	----	0.4725 + 0.0035	.7991	----	----	----	----	3 UNCH
655	----	----	0.5125B/----	0.5125B/0.5165A	----	0.5150 + 0.0045	.8238	----	----	----	----	10 UNCH
700	----	----	----	----	----	0.9330 + 0.0080	.9414	----	----	----	----	1 UNCH
TOTAL									530	1243		11671+ 982
JUL26												
330	----	----	----	----/0.0075A	----	0.0005 UNCH	.0009	----	----	----	----	80 UNCH
350	----	----	----	----/0.0080A	----	0.0010 UNCH	.0023	----	----	----	----	5 UNCH
380	----	----	----	----/0.0085A	----	0.0020 UNCH	.0048	----	----	----	----	2 UNCH
390	----	----	----	----/0.0095A	----	0.0025 - 0.0005	.0061	----	----	----	----	6 UNCH
395	----	----	----	0.0005B/0.0095A	----	0.0030 UNCH	.0072	----	----	----	----	1 UNCH
400	----	----	----	0.0005B/0.0065A	----	0.0030 - 0.0005	.0074	----	----	----	----	586 UNCH
405	----	----	----	0.0010B/*0.0065	----	0.0035 - 0.0005	.0086	----	----	----	----	1 UNCH
415	----	----	----	0.0020B/*0.0050	----	0.0045 - 0.0005	.0110	----	----	----	----	53 UNCH
420	----	----	----	0.0025B/*0.0055	----	0.0050 - 0.0005	.0123	----	----	----	----	4 UNCH
425	----	----	----	0.0030B/0.0085A	----	0.0055 - 0.0005	.0136	----	----	----	----	33 UNCH
430	----	----	----	0.0035B/*0.0065	----	0.0060 - 0.0005	.0150	----	----	----	----	8 UNCH
435	----	----	----	0.0055B/0.0100A	----	0.0070 - 0.0005	.0173	----	----	----	----	5 UNCH
440	----	----	----	0.0060B/0.0105A	----	0.0075 - 0.0005	.0187	----	----	----	----	4 UNCH
445	----	----	----	0.0055B/*0.0115	----	0.0085 - 0.0005	.0212	----	----	----	----	3 UNCH
450	0.0090	0.0090	0.0095B/0.0090	0.0095B/0.0090	----	0.0095 - 0.0005	.0237	----	----	3	----	1924 + 3
455	----	----	----/*0.0100A	0.0070B/0.0100A	----	0.0100 - 0.0005	.0253	----	----	----	----	9 UNCH
460	----	----	----/0.0105A	0.0080B/0.0105A	----	0.0105 - 0.0010	.0271	----	----	----	----	6 UNCH
470	----	----	----	0.0095B/0.0150A	----	0.0125 - 0.0005	.0327	----	----	----	----	2 UNCH
475	----	----	----	0.0120B/0.0160A	----	0.0135 - 0.0010	.0356	----	----	----	----	513 UNCH
480	----	----	----	0.0135B/0.0170A	----	0.0150 - 0.0005	.0396	----	----	----	----	70 UNCH
485	----	----	----	0.0150B/0.0185A	----	0.0160 - 0.0010	.0429	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUL26												
490	----	----	----	0.0165B/0.0195A	----	0.0175 - 0.0010	.0472	----	----	----	----	545 UNCH
495	----	----	----	0.0185B/0.0210A	----	0.0195 - 0.0010	.0526	----	----	----	----	96 UNCH
500	0.0200	0.0200	0.0225/*0.0195	0.0225/*0.0195	----	0.0215 - 0.0010	.0582	----	----	29	----	2666 + 1
505	----	----	----	0.0235B/0.0250A	----	0.0235 - 0.0010	.0640	----	----	----	----	2 UNCH
510	----	----	----/0.0260A	0.0265B/0.0260A	----	0.0260 - 0.0010	.0709	----	----	----	----	203 UNCH
515	----	----	----/0.0285A	0.0300B/0.0285A	----	0.0295 - 0.0010	.0798	----	----	----	----	1 UNCH
520	0.0340	0.0340	0.0340/0.0320A	0.0340/0.0320A	----	0.0330 - 0.0010	.0890	----	----	22	----	367 + 8
525	0.0370	0.0370	0.0370/0.0355A	0.0380B/0.0355A	----	0.0370 - 0.0010	.0993	----	----	1	----	524 UNCH
530	0.0410	0.0410	0.0435B/0.0400A	0.0435B/0.0400A	----	0.0415 - 0.0010	.1107	----	----	76	----	3179 - 49
533	----	----	0.0465B/0.0430A	0.0465B/0.0430A	----	0.0445 - 0.0015	.1181	----	----	----	----	1 UNCH
534	----	----	0.0480B/0.0440A	0.0480B/0.0440A	----	0.0460 - 0.0010	.1214	----	----	----	----	2 UNCH
535	----	----	0.0495B/0.0455A	0.0495B/0.0455A	----	0.0470 - 0.0015	.1239	----	----	----	----	2 UNCH
539	----	----	0.0545B/0.0505A	0.0545B/0.0505A	----	0.0515 - 0.0020	.1349	----	----	----	----	2 UNCH
540	----	----	0.0560B/0.0515A	0.0560B/0.0515A	----	0.0530 - 0.0020	.1382	----	----	1	----	869 + 1
541	----	----	0.0570B/0.0530A	0.0570B/0.0530A	----	0.0540 - 0.0025	.1409	----	----	----	----	1 UNCH
542	----	----	0.0585B/0.0540A	0.0585B/0.0540A	----	0.0555 - 0.0020	.1442	----	----	----	----	2 UNCH
543	----	----	0.0600B/0.0555A	0.0600B/0.0555A	----	0.0570 - 0.0020	.1476	----	----	----	----	3 UNCH
545	----	----	0.0630B/0.0585A	0.0630B/0.0585A	----	0.0600 - 0.0025	.1543	----	----	----	----	4 UNCH
548	----	----	0.0690B/0.0630A	0.0690B/0.0630A	----	0.0645 - 0.0030	.1645	----	----	----	----	1 UNCH
550	0.0735	0.0735	0.0740/0.0650A	0.0740/0.0650A	----	0.0680 - 0.0030	.1720	----	----	30	----	925 + 5
552	----	----	0.0765B/0.0695A	0.0765B/0.0695A	----	0.0715 - 0.0030	.1796	----	----	----	----	2 UNCH
553	----	----	0.0785B/0.0715A	0.0785B/0.0715A	----	0.0730 - 0.0035	.1831	----	----	----	----	1 UNCH
554	----	----	0.0805B/0.0735A	0.0805B/0.0735A	----	0.0750 - 0.0035	.1872	----	----	----	----	10 UNCH
555	----	----	0.0825B/0.0750A	0.0825B/0.0750A	----	0.0770 - 0.0035	.1913	----	----	1	----	56 + 1
556	----	----	0.0835B/0.0770A	0.0835B/0.0770A	----	0.0790 - 0.0035	.1955	----	----	----	----	1 UNCH
559	----	----	----/0.0835A	0.0895B/0.0835A	----	0.0855 - 0.0040	.2085	----	----	1	----	2 + 1
560	----	----	0.0950B/0.0850A	0.0950B/0.0850A	----	0.0875 - 0.0040	.2127	----	----	----	----	198 UNCH
561	----	----	0.0945B/0.0880A	0.0945B/0.0880A	----	0.0900 - 0.0040	.2174	----	----	----	----	3 UNCH
563	----	----	0.1005B/0.0920A	0.1005B/0.0920A	----	0.0945 - 0.0040	.2263	----	----	----	----	12 UNCH
565	----	----	0.1060B/0.0975A	0.1060B/0.0975A	----	0.0995 - 0.0045	.2358	----	----	----	----	10 UNCH
567	----	----	0.1100B/0.1020A	0.1100B/0.1020A	----	0.1050 - 0.0040	.2457	----	----	1	----	2 + 1
570	----	----	0.1205B/0.1095A	0.1205B/0.1095A	----	0.1130 - 0.0045	.2604	----	----	1	----	95 UNCH
571	----	----	0.1230B/0.1125A	0.1230B/0.1125A	----	0.1160 - 0.0045	.2656	----	----	----	----	17 UNCH
572	----	----	0.1245B/0.1155A	0.1245B/0.1155A	----	0.1190 - 0.0040	.2709	----	----	----	----	3 UNCH
574	----	----	0.1325B/0.1210A	0.1325B/0.1210A	----	0.1250 - 0.0045	.2813	----	----	----	----	5 UNCH
575	----	----	0.1375B/0.1240A	0.1375B/0.1240A	----	0.1280 - 0.0045	.2865	----	----	1	----	204 UNCH
580	0.1480	0.1480	0.1550B/0.1395A	0.1550B/0.1395A	----	0.1445 - 0.0045	.3137	----	----	22	----	1806 + 15
585	----	----	0.1715B/0.1565A	0.1715B/0.1565A	----	0.1630 - 0.0045	.3421	----	----	----	----	27 UNCH
586	----	----	0.1755B/0.1595A	0.1755B/0.1595A	----	0.1670 - 0.0045	.3479	----	----	----	----	7 UNCH
587	----	----	0.1800B/0.1635A	0.1800B/0.1635A	----	0.1710 - 0.0045	.3538	----	----	----	----	7 UNCH
588	----	----	0.1830B/0.1670A	0.1830B/0.1670A	----	0.1750 - 0.0045	.3596	----	----	----	----	2 UNCH
589	----	----	0.1875B/0.1710A	0.1875B/0.1710A	----	0.1790 - 0.0045	.3654	----	----	----	----	7 UNCH
590	0.1920	0.1920	0.1950B/0.1750A	0.1950B/0.1750A	----	0.1830 - 0.0045	.3712	----	----	15	----	525 UNCH
595	----	----	0.2150B/0.1945A	0.2150B/0.1945A	----	0.2050 - 0.0040	.4009	----	----	33	----	110 + 33
596	0.2030	0.2030	0.2180B/0.1990A	0.2180B/0.1990A	----	0.2095 NEW	.4068	----	----	1	----	1 + 1
600	0.2225	0.2225	0.2410B/0.2165A	0.2410B/0.2165A	----	0.2290 - 0.0035	.4308	----	----	4	----	193 + 4
605	----	----	0.2645B/0.2400A	0.2645B/0.2400A	----	0.2540 - 0.0035	.4607	----	----	----	----	64 UNCH
610	----	----	0.2915B/0.2660A	0.2915B/0.2660A	----	0.2810 - 0.0030	.4903	----	----	----	----	58 UNCH
615	----	----	0.3210B/0.2925A	0.3210B/0.2925A	----	0.3100 - 0.0025	.5194	----	----	----	----	16 UNCH
700	----	----	----	0.9645B/*0.9755	----	0.9710 + 0.0060	.8570	----	----	----	----	1 UNCH
705	----	----	----	1.0095B/*1.0205	----	1.0165 + 0.0065	.8677	----	----	----	----	1 UNCH
TOTAL										242		16157 + 25
AUG26												
405	----	----	----	0.0035B/0.0170A	----	0.0100 UNCH	.0190	----	----	----	----	3 UNCH
420	----	----	----	0.0055B/0.0185A	----	0.0120 UNCH	.0234	----	----	----	----	1 UNCH
440	----	----	----	0.0090B/0.0215A	----	0.0155 UNCH	.0312	----	----	----	----	11 UNCH
450	----	----	----	0.0140B/0.0230A	----	0.0175 UNCH	.0359	----	----	----	----	6 UNCH
475	----	----	----	0.0215B/0.0270A	----	0.0245 UNCH	.0521	----	----	1	----	5 + 1
480	----	----	----	0.0240B/0.0285A	----	0.0270 + 0.0005	.0573	----	----	----	----	4 UNCH
500	----	----	----	0.0360B/0.0395A	----	0.0380 + 0.0005	.0808	----	----	----	----	2 UNCH
510	----	----	----	0.0440B/0.0470A	----	0.0460 + 0.0005	.0969	----	----	----	----	1 UNCH
520	----	----	----	0.0550B/0.0575A	----	0.0560 UNCH	.1162	----	----	----	----	300 UNCH
530	----	----	----	0.0680B/0.0695A	----	0.0690 UNCH	.1398	----	----	----	----	1 UNCH
550	----	----	----/0.1040A	0.1055B/0.1040A	----	0.1045 - 0.0010	.1989	----	----	----	----	2 UNCH
565	----	----	----/0.1390A	0.1435B/0.1390A	----	0.1420 - 0.0015	.2540	----	----	----	----	1 UNCH
570	----	----	0.1590B/0.1530A	0.1590B/0.1530A	----	0.1565 NEW	.2740	----	----	1	----	1 + 1
575	----	----	0.1755B/0.1685A	0.1755B/0.1685A	----	0.1725 - 0.0020	.2950	----	----	----	----	1 UNCH
580	----	----	0.1955B/0.1845A	0.1955B/0.1845A	----	0.1900 - 0.0020	.3167	----	----	1	----	251 + 1
585	----	----	0.2125B/0.2020A	0.2125B/0.2020A	----	0.2090 - 0.0020	.3390	----	----	----	----	7 UNCH
590	----	----	0.2335B/0.2210A	0.2335B/0.2210A	----	0.2290 - 0.0020	.3617	----	----	----	----	14 UNCH
625	----	----	0.4155B/0.3920A	0.4155B/0.3920A	----	0.4075 - 0.0005	.5236	----	----	----	----	5 UNCH
TOTAL										3		616 + 3
SEP26												
400	----	----	----	0.0075B/0.0215A	----	0.0145 + 0.0005	.0244	----	----	----	----	1 UNCH
440	----	----	----	0.0185B/0.0280A	----	0.0225 - 0.0010	.0406	----	----	----	----	2 UNCH
450	0.0235	0.0235	0.0270/0.0235	0.0270/0.0235	----	0.0260 - 0.0005	.0472	----	----	53	----	649 + 11
470	----	----	----	0.0310B/0.0385A	----	0.0345 UNCH	.0634	----	----	----	----	3 UNCH
475	----	----	----	0.0345B/0.0415A	----	0.0375 + 0.0005	.0687	----	----	1	----	73 + 1
480	----	----	----	0.0375B/0.0445A	----	0.0405 + 0.0010	.0742	----	----	----	----	7 UNCH
485	----	----	----	0.0415B/0.0480A	----	0.0440 + 0.0010	.0804	----	----	----	----	1 UNCH
490	----	----	----	0.0410B/0.0530A	----	0.0480 + 0.0015	.0873	----	----	----	----	9 UNCH
500	0.0565	0.0565	0.0585/*0.0565	0.0585/0.0565	----	0.0570 + 0.0010	.1027	----	----	50	----	427 + 50
520	----	----	----	0.0760B/0.0870A	----	0.0820 + 0.0005	.1422	----	----	----	----	3 UNCH
525	0.0850	0.0850	0.0850/*0.0850	0.0850/*0.0850	----	0.0900 + 0.0005	.1541	----	----	2	----	327 + 2
535	----	----	0.1090B/----	0.1090B/0.1110A	----	0.1080 UNCH	.1800	----	----	----	----	350 UNCH
540	----	----	----	0.1180B/0.1190A	----	0.1180 - 0.0005	.1939	----	----	----	----	1 UNCH
550	----	----	0.1425B/----	0.1425B/0.1420A	----	0.1415 - 0.0005	.2246	----	----	----	----	20 UNCH
560	----	----	0.1705B/0.1690A	0.1705B/0.1690A	----	0.1690 - 0.0010	.2582	----	----	----	----	6 UNCH
570	----	----	0.2035B/0.2005A	0.2035B/0.2005A	----	0.2010 - 0.0010	.2944	----	----	----	----	3 UNCH
575	----	----	0.2215B/0.2175A	0.2215B/0.2175A	----	0.2190 - 0.0010	.3133	----	----	----	----	102 UNCH
580	0.2375	0.2375	0.2440B/0.2360A	0.2440B/0.2360A	----	0.2380 - 0.0010	.3327	----	----	2	----	552 UNCH
590	----	----	0.2855B/0.2755A	0.2855B/0.2755A	----	0.2795 - 0.0010	.3722	----	----	----	----	222 UNCH
600	----	----	0.3305B/0.3195A	0.3305B/0.3195A	----	0.3255 - 0.0010	.4124	----	----	----	----	9 UNCH
610	----	----	0.3820B/0.3685A	0.3820B/0.3685A	----	0.3770 - 0.0005	.4528	----	----	5	----	11 + 5
615	----	----	0.4095B/0.3945A	0.4095B/0.3945A	----	0.4040 - 0.0005	.4728	----	----	----	----	1 UNCH
620	----	----	0.4380B/0.4220A	0.4380B/0.4220A	----	0.4325 UNCH	.4925	----	----	----	----	1 UNCH
625	----	----	0.4715B/0.4505A	0.4715B/0.4505A	----	0.4620 UNCH	.5119	----	----	----	----	147 UNCH
695	----	----	0.9720B/0.9410A	0.9720B/0.9410A	----	0.9650 + 0.0045	.7347	----	----	----	----	2 UNCH
TOTAL										113		2929 + 69
OCT26												
375	----	----	----	0.0050B/0.0230A	----	0.0140 UNCH	.0205	----	----	----	----	2 UNCH
400	----	----	----	0.0090B/0.0265A	----	0.0180 + 0.0005	.0275	----	----	----	----	1 UNCH
450	----	----	----	0.0235B/0.0390A	----	0.0320 + 0.0005	.0519	----	----	----	----	1 UNCH
470	----	----	----	0.0355B/0.0495A	----	0.0430 + 0.0005	.0696	----	----	----	----	1 UNCH
475	----	----	----	0.0370B/0.0550A	----	0.0465 + 0.0005	.0751	----	----	1	----	3 + 1
500	----	----	----	0.0610B/0.0770A	----	0.0700 + 0.0010	.1096	----	----	----	----	60 UNCH
570	----	----	----	0.2145B/0.2275A	----	0.2210 - 0.0005	.2833	----	----	----	----	4 UNCH
TOTAL										1		72 + 1
NOV26												
400	----	----	----	0.0095B/0.0345A	----	0.0220 UNCH	.0317	----	----	----	----	10 UNCH
475	----	----	----	0.0475B/0.0700A	----	0.0585 - 0.0005	.0861	----	----	----	----	2 UNCH
590	----	----	----	0.3370B/0.3455A	----	0.3415 - 0.0005	.3574	----	----	----	----	1 UNCH
735	----	----	1.3005B/1.2830A	1.3005B/1.2830A	----	1.3020 + 0.0055	.7446	----	----	----	----	2 UNCH
TOTAL												15
DEC26												
380	----	----	----	0.0060B/0.0370A	----	0.0200 - 0.0015	.0272	----	----	----	----	2 UNCH
385	----	----	----	0.0070B/0.0380A	----	0.0210 - 0.0015	.0287	----	----	----	----	1 UNCH
395	----	----	----	0.0095B/0.0400A	----	0.0230 - 0.0020	.0320	----	----	----	----	1 UNCH
400	----	----	----	0.0105B/0.0415A	----	0.0240 - 0.0020	.0337	----	----	----	----	18 UNCH
420	----	----	----	0.0175B/0.0475A	----	0.0305 - 0.0020	.0435	----	----	----	----	2 UNCH
475	----	----	----	0.0575B/0.0855A	----	0.0715 + 0.0025	.0966	----	----	----	----	76 UNCH
480	0.0800	0.0800	0.0800/0.0800	0.0800/0.0800	----	0.0775 + 0.0025	.1037	----	----	1	----	16 + 1
490	----	----	----	0.0765B/0.1035A	----	0.0905 + 0.0025	.1189	----	----	----	----	5 UNCH
500	----	----	----	0.0925B/0.1185A	----	0.1055 + 0.0015	.1359	----	----	----	----	53 UNCH
550	----	----	----	0.2110B/0.2350A	----	0.2235 - 0.0010	.2484	----	----	----	----	153 UNCH
560	----	----	----	0.2455B/0.2680A	----	0.2570 - 0.0010	.2755	----	----	----	----	300 UNCH
570	----	----	----	0.2830B/0.3035A	----	0.2940 - 0.0005	.3036	----	----	----	----	1 UNCH
580	----	----	----	0.3235B/0.3425A	----	0.3340 - 0.0005	.3323	----	----	----	----	22 UNCH
600	----	----	----	0.4155B/0.4305A	----	0.4240 - 0.0010	.3911	----	----	----	----	26 UNCH
630	----	----	----	0.5765B/0.5870A	----	0.5840 - 0.0005	.4791	----	----	----	----	18 UNCH
TOTAL										1		694 + 1
JAN27												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JAN27												
400	----	----	----	----	----	0.0235 - 0.0005	.0322	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0295 - 0.0005	.0376	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0155 - 0.0005	.0142	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
APR26												
558	----	----	----	----	----	0.4470 UNCH	----	----	----	----	----	0 UNCH
580	----	----	----	----	----	0.2270 UNCH	----	----	----	----	----	0 UNCH
595	----	----	----	----	----	0.0770 UNCH	----	----	----	----	----	0 UNCH
599	----	----	----	----	----	0.0370 UNCH	----	----	----	----	----	0 UNCH
600	----	----	----	----	----	0.0270 UNCH	----	----	----	----	----	0 UNCH
601	----	----	----	----	----	0.0170 UNCH	----	----	----	----	----	0 UNCH
608	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
610	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0
MAY26												
580	----	----	0.3320B/0.2715A	0.3320B/0.2715A	----	0.2860 - 0.0150	.9447	----	----	----	----	1 UNCH
593	----	----	----	0.1440B/0.2095A	----	0.1695 - 0.0175	.8264	----	----	----	----	1 UNCH
595	----	----	0.1940B/0.1455A	0.1940B/0.1455A	----	0.1535 - 0.0175	.7943	----	----	----	----	1 UNCH
596	----	----	----	0.1190B/0.1880A	----	0.1455 - 0.0180	.7777	----	----	----	----	1 UNCH
605	----	----	0.1115B/0.0790A	0.1115B/0.0790A	----	0.0835 - 0.0215	.5802	----	----	----	----	7 UNCH
615	0.0405	0.0405	0.0605B/*0.0390	0.0605B/*0.0390	----	0.0395 - 0.0190	.3283	----	----	3	----	4 + 2
615	0.1370	0.1370	0.1370/*0.1085A	0.1370/*0.1085A	----	0.1120 NEW	.4314	----	----	1	----	1 + 1
625	0.0170	0.0170	0.0170/*0.0170	0.0260B/*0.0170	----	0.0175 NEW	.1524	----	----	1	----	1 + 1
630	0.0170	0.0170	0.0170/*0.0110A	0.0170/*0.0110A	----	0.0110 - 0.0100	.0961	----	----	10	----	25 + 10
635	----	----	----/*0.0130A	0.0085B/*0.0130	----	0.0070 - 0.0075	.0597	----	----	----	----	32 UNCH
635	----	----	----/*0.0305A	0.0360B/*0.0305	----	0.0265 - 0.0125	.1672	----	----	----	----	50 UNCH
640	----	----	----	0.0040B/*0.0115	----	0.0040 - 0.0065	.0334	----	----	----	----	15 UNCH
645	----	----	----/*0.0215A	0.0200B/*0.0215	----	0.0160 - 0.0085	.1039	----	----	----	----	50 UNCH
TOTAL										15		189 + 14
HXE PUT		COPPER OPTIONS										
APR26												
593	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
595	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
596	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
599	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
605	----	----	----	----	----	0.0230 UNCH	----	----	----	----	----	0 UNCH
610	----	----	----	----	----	0.0730 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0
MAY26												
465	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
558	----	----	----	0.0010B/*0.0070	----	0.0015 - 0.0030	.0087	----	----	----	----	1 UNCH
565	----	----	----	0.0100B/0.0165A	----	0.0110 NEW	.0674	----	----	----	625	625 + 625
570	----	----	----/0.0190A	0.0140B/0.0190A	----	0.0145 - 0.0055	.0884	----	----	----	----	50 UNCH
575	----	----	----/*0.0095A	0.0040B/*0.0095	----	0.0050 - 0.0050	.0369	----	----	----	----	15 UNCH
577	0.0080	0.0080	0.0110/*0.0080	0.0110/*0.0080	----	0.0060 NEW	.0450	----	----	38	----	38 + 38
578	0.0100	0.0100	0.0100/*0.0100	0.0100/*0.0100	----	0.0060 NEW	.0462	----	----	21	----	21 + 21
580	0.0105	0.0105	0.0105/*0.0105	0.0105/*0.0105	----	0.0070 NEW	.0551	----	----	10	----	10 + 10
580	----	----	----/0.0295A	0.0255B/0.0295A	----	0.0245 - 0.0065	.1471	----	----	----	500	552 + 500
585	0.0140	0.0140	0.0140/*0.0140	0.0140/*0.0140	----	0.0105 - 0.0065	.0863	----	----	20	----	35 + 20
590	----	----	----/0.0465A	0.0450B/0.0465A	----	0.0430 - 0.0080	.2421	----	----	----	----	5 UNCH
591	0.0185	0.0185	0.0185/*0.0185	0.0185/*0.0185	----	0.0175 NEW	.1472	----	----	2	----	2 + 2
593	----	----	----/0.0250A	0.0220B/0.0250A	----	0.0205 - 0.0080	.1734	----	----	----	----	1 UNCH
595	0.0230	0.0230	0.0230/*0.0230	0.0265B/*0.0230	----	0.0245 NEW	.2055	----	----	1	----	1 + 1
595	----	----	----/0.0590A	0.0605B/0.0590A	----	0.0570 - 0.0085	.3042	----	----	----	----	1 UNCH
596	----	----	----/0.0300A	0.0290B/0.0300A	----	0.0265 - 0.0085	.2221	----	----	----	----	3 UNCH
599	----	----	----/0.0360A	0.0380B/0.0360A	----	0.0340 - 0.0100	.2799	----	----	----	----	1 UNCH
605	0.0545	0.0545	0.0545/0.0545	0.0625B/0.0545	----	0.0545 NEW	.4196	----	----	1	----	1 + 1
615	----	----	0.1205B/0.1025A	0.1205B/0.1025A	----	0.1105 - 0.0095	.6715	----	----	----	----	1 UNCH
TOTAL									1125	93		1377 + 1218

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUN26												
1400	----	----	----/114.80A	127.70B/114.80A	----	115.90 - 22.30	.7276	----	----	----	----	75 UNCH
1440	----	----	----	----	----	90.00 - 20.80	.6362	----	----	----	----	1 UNCH
1460	----	----	----/79.70A	79.70B/79.70A	----	78.60 - 19.80	.5871	----	----	----	----	25 UNCH
1500	----	----	----/62.00A	67.40B/62.00A	----	59.50 - 17.40	.4882	----	----	----	----	110 UNCH
1525	----	----	----/53.00A	56.70B/53.00A	----	49.90 - 15.70	.4293	----	----	----	----	5 UNCH
1550	----	----	----/45.40A	47.50B/45.40A	----	42.00 - 14.00	.3750	----	----	----	----	14 UNCH
1575	----	----	----/*38.90A	39.70B/*38.90A	----	35.30 - 12.50	.3258	----	----	----	----	15 UNCH
1600	----	----	----/*33.40A	33.00B/*33.40A	----	29.80 - 11.10	.2822	----	----	----	----	57 UNCH
1650	----	----	----/*25.10A	22.70B/*25.10A	----	21.20 - 9.00	.2098	----	----	----	----	44 UNCH
1700	----	----	----/*19.40A	15.50B/*19.40A	----	15.30 - 7.00	.1558	----	----	----	----	33 UNCH
1750	----	----	----/*15.80A	10.50B/*15.80A	----	11.40 - 5.30	.1175	----	----	----	----	92 UNCH
1800	----	----	----	7.00B/*13.40A	----	8.90 - 3.90	.0913	----	----	----	----	112 UNCH
1850	----	----	----	4.60B/*11.80A	----	7.10 - 3.10	.0721	----	----	----	----	42 UNCH
1900	----	----	----	2.90B/*10.60A	----	5.70 - 2.70	.0574	----	----	----	----	64 UNCH
1925	----	----	----	2.20B/*10.20A	----	5.20 - 2.40	.0519	----	----	----	----	40 UNCH
1950	----	----	----	1.70B/*9.70A	----	4.70 - 2.30	.0467	----	----	----	----	10 UNCH
2000	----	----	----	0.70B/*9.00A	----	3.80 - 2.00	.0375	----	----	----	----	108 UNCH
2100	----	----	----	----/8.00A	----	2.10 - 1.30	.0213	----	----	----	----	52 UNCH
2200	----	----	----	----/7.30A	----	1.20 - 0.80	.0123	----	----	----	----	8 UNCH
2300	----	----	----	----/*6.70A	----	0.70 - 0.60	.0072	----	----	----	----	30 UNCH
2400	----	----	----	----/*6.30A	----	0.50 - 0.40	.0050	----	----	----	----	7 UNCH
2500	----	----	----	----/*5.90A	----	0.30 - 0.20	.0030	----	----	----	----	25 UNCH
2700	----	----	----	----/*5.50A	----	0.10 - 0.10	.0007	----	----	----	----	50 UNCH
3000	----	----	----	----/*5.10A	----	0.10 UNCH	.0000	----	----	----	----	30 UNCH
3500	----	----	----	----/*4.80A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
TOTAL												1074 0
JUL26												
1550	----	----	----/83.60A	86.00B/83.60A	----	80.20 - 15.60	.4677	----	----	----	----	50 UNCH
1600	----	----	----/67.50A	67.80B/67.50A	----	63.00 - 14.10	.3921	----	----	----	----	50 UNCH
1800	----	----	----/*31.60A	26.20B/*31.60A	----	25.20 - 7.70	.1827	----	----	----	----	49 UNCH
TOTAL												149 0
SEP26												
1400	----	----	----/196.80A	200.00B/196.80A	----	193.50 - 19.00	.6728	----	----	----	----	75 UNCH
1575	----	----	----/120.90A	117.90B/120.90A	----	115.50 - 14.30	.4762	----	----	----	----	25 UNCH
1665	----	----	----/94.40A	89.10B/94.40A	----	88.40 - 12.00	.3890	----	----	----	----	9 UNCH
1700	----	----	----/86.00A	79.90B/86.00A	----	79.90 - 11.10	.3590	----	----	----	----	55 UNCH
1800	----	----	----/67.00A	58.90B/67.00A	----	60.60 - 8.80	.2854	----	----	----	----	1 UNCH
1900	----	----	----/53.90A	44.40B/53.90A	----	47.30 - 6.90	.2292	----	----	----	----	5 UNCH
2000	----	----	----	34.30B/44.60A	----	38.00 - 5.40	.1870	----	----	----	----	5 UNCH
2100	----	----	----	27.10B/37.90A	----	30.40 - 4.60	.1523	----	----	----	----	25 UNCH
2200	----	----	----	21.70B/32.90A	----	25.30 - 3.90	.1274	----	----	----	----	5 UNCH
2400	----	----	----	13.90B/26.00A	----	19.00 - 3.10	.0946	----	----	----	----	15 UNCH
2550	----	----	----	10.00B/22.50A	----	15.70 - 2.50	.0775	----	----	----	----	50 UNCH
TOTAL												270 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
DEC26												
2000	----	----	----	----	----	70.60 - 7.90	.2639	----	----	----	----	1 UNCH
3000	----	----	----	----	----	24.40 - 3.20	.0918	----	----	----	----	1 UNCH
TOTAL												2 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
JUN26												
1200	----	----	----	----/9.00A	----	2.90 - 0.50	.0346	----	----	----	----	15 UNCH
1250	----	----	----	2.70B/11.60A	----	5.40 - 0.60	.0623	----	----	----	----	1 UNCH
1300	----	----	----	7.20B/15.90A	----	9.90 - 0.40	.1080	----	----	----	60	135 + 60
1325	----	----	----	10.40B/18.90A	----	13.20 - 0.20	.1393	----	----	----	----	18 UNCH
1335	----	----	----	11.80B/20.40A	----	14.80 - 0.10	.1537	----	----	----	----	1 UNCH
1350	----	----	----	14.20B/23.00A	----	17.50 + 0.10	.1772	----	----	----	----	5 UNCH
1400	----	----	----	25.60B/33.80A	----	29.70 + 1.10	.2723	----	----	----	10	227 + 10
1440	----	----	----	40.00B/46.70A	----	43.60 + 2.60	.3637	----	----	----	----	4 UNCH
1450	----	----	----	44.50B/50.70A	----	47.80 + 3.10	.3881	----	----	----	----	101 UNCH
1460	----	----	49.20B/----	49.20B/54.90A	----	52.30 + 3.70	.4128	----	----	----	----	100 UNCH
1475	----	----	57.00B/----	57.00B/61.70A	----	59.50 + 4.50	.4501	----	----	----	----	10 UNCH
1500	----	----	71.40B/----	71.40B/74.40A	----	73.10 + 6.10	.5117	----	----	----	----	54 UNCH
1550	----	----	105.00B/----	105.00B/104.40A	----	105.40 + 9.40	.6248	----	----	----	----	1 UNCH
1750	----	----	276.90B/----	276.90B/265.10A	----	274.60 + 18.30	.8824	----	----	----	----	1 UNCH
1900	----	----	421.80B/----	421.80B/407.00A	----	418.70 + 21.00	.9425	----	----	----	----	50 UNCH
TOTAL									70			723 + 70
JUL26												
1285	----	----	----	15.80B/25.70A	----	20.30 + 0.50	.1436	----	----	----	----	9 UNCH
1300	----	----	----	18.10B/28.00A	----	22.70 + 0.60	.1583	----	----	----	----	125 UNCH
1400	----	----	----	42.50B/51.20A	----	46.90 + 2.80	.2866	----	----	----	----	20 UNCH
1450	----	----	62.40B/----	62.40B/69.30A	----	66.30 + 4.70	.3672	----	----	----	----	30 UNCH
TOTAL												184 0
SEP26												
1300	----	----	----	41.90B/54.90A	----	48.80 + 2.20	.2192	----	----	----	----	10 UNCH
1460	----	----	106.40B/----	106.40B/116.30A	----	112.30 + 6.50	.3961	----	----	----	----	75 UNCH
1465	----	----	109.10B/----	109.10B/118.80A	----	114.90 + 6.60	.4019	----	----	----	----	150 UNCH
1550	----	----	158.50B/----	158.50B/165.90A	----	163.60 + 8.90	.4970	----	----	----	----	100 UNCH
1575	----	----	174.60B/----	174.60B/181.30A	----	179.50 + 9.60	.5234	----	----	----	----	25 UNCH
1650	----	----	226.60B/----	226.60B/231.00A	----	230.70 + 11.40	.5970	----	----	----	----	50 UNCH
1925	----	----	454.30B/----	454.30B/450.50A	----	455.90 + 17.40	.7821	----	----	----	----	75 UNCH
TOTAL												485 0
DEC26												
1500	----	----	----	----	----	167.60 + 8.40	.4149	----	----	----	----	40 UNCH
TOTAL												40 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4										
APR26												
2050	----	----	----	----	----	19.60 UNCH	----	----	----	----	----	0 UNCH
2085	----	----	----	----	----	54.60 UNCH	----	----	----	----	----	0 UNCH
2090	----	----	----	----	----	59.60 UNCH	----	----	----	----	----	0 UNCH
2095	----	----	----	----	----	64.60 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0
MAY26												
1700	----	----	----	----/*3.30A	----	0.10 - 0.10	.0009	----	----	----	----	3 UNCH
1915	----	----	----	----	----	93.90 - 32.60	.8294	----	----	----	----	20 UNCH
2000	----	----	45.00B/32.70A	45.00B/32.70A	----	40.20 + 6.30	.5022	----	----	----	----	10 UNCH
2040	21.60	21.60	22.00/*21.60	41.70B/*21.60	----	22.00 NEW	.3245	----	----	4	----	4 + 4
2045	24.80	24.80	24.80/*21.00A	39.30B/*21.00A	----	20.50 NEW	.3052	----	----	20	----	20 + 20
2050	----	----	----/*21.50A	37.00B/*21.50A	----	19.10 - 20.40	.2867	----	----	----	----	10 UNCH
2095	----	----	----/*12.70A	20.10B/*12.70A	----	9.70 - 14.10	.1522	----	----	----	----	4 UNCH
2200	----	----	----/*5.90A	3.00B/*5.90A	----	1.70 - 5.30	.0245	----	----	----	----	20 UNCH
TOTAL										24		91 + 24
PO CALL		PLATINUM OPTIONS										
JUN26												
1900	----	----	172.00B/134.70A	172.00B/134.70A	----	137.70 - 30.20	.7083	----	----	----	----	1 UNCH
2000	79.00	79.00	108.40B/79.00	108.40B/79.00	----	81.70 - 25.50	.5155	----	----	3	----	20 UNCH
2025	----	----	95.60B/70.00A	95.60B/70.00A	----	70.90 NEW	.4673	----	----	1	----	1 + 1
2050	----	----	----/60.60A	83.90B/60.60A	----	61.20 NEW	.4206	----	----	----	50	50 + 50
2090	----	----	----/*47.80A	67.30B/*47.80A	----	48.00 - 20.50	.3507	----	----	----	----	2 UNCH
2100	----	----	----/*45.00A	63.50B/*45.00A	----	45.20 - 19.80	.3345	----	----	1	----	1 - 1
2130	----	----	----/*37.60A	53.20B/*37.60A	----	37.60 - 17.60	.2888	----	----	----	----	100 UNCH
2150	----	----	----/*33.40A	47.10B/*33.40A	----	33.40 - 16.00	.2615	----	----	----	----	4 UNCH
2165	----	----	----/*30.60A	42.90B/*30.60A	----	30.50 - 14.80	.2423	----	----	----	----	1 UNCH
2175	----	----	----/*28.90A	40.30B/*28.90A	----	28.80 - 14.00	.2305	----	----	----	----	12 UNCH
2180	----	----	----/*28.10A	39.10B/*28.10A	----	28.00 - 13.60	.2249	----	----	----	----	12 UNCH
2185	----	----	----/*27.30A	37.90B/*27.30A	----	27.20 - 13.20	.2193	----	----	----	----	12 UNCH
2190	35.10	35.10	35.10/*26.60A	36.70B/*26.60A	----	26.40 - 12.90	.2137	----	----	4	----	16 + 4
2195	----	----	----/*25.90A	35.50B/*25.90A	----	25.60 - 12.60	.2081	----	----	----	----	12 UNCH
2200	36.00	36.00	36.00/*25.10A	36.00/*25.10A	----	24.90 - 12.20	.2030	----	----	1	----	365 UNCH
2205	----	----	----/*24.50A	33.40B/*24.50A	----	24.20 - 11.80	.1980	----	----	----	----	12 UNCH
2210	----	----	----/*23.80A	32.30B/*23.80A	----	23.50 - 11.50	.1929	----	----	----	----	24 UNCH
2220	----	----	----/*22.60A	30.40B/*22.60A	----	22.20 - 10.80	.1833	----	----	----	----	6 UNCH
2225	----	----	----/*22.00A	29.40B/*22.00A	----	21.60 - 10.50	.1788	----	----	----	----	44 UNCH
2230	----	----	----/*21.40A	28.50B/*21.40A	----	20.90 - 10.30	.1739	----	----	----	----	24 UNCH
2235	----	----	----/*20.90A	27.60B/*20.90A	----	20.30 - 10.00	.1694	----	----	----	----	12 UNCH
2240	----	----	----/*20.40A	26.80B/*20.40A	----	19.80 - 9.70	.1654	----	----	----	----	27 UNCH
2250	18.00	18.00	18.00/*18.00	25.10B/*18.00	----	18.70 - 9.20	.1571	----	----	10	----	72 + 10
2255	----	----	----/*18.90A	24.30B/*18.90A	----	18.10 - 9.00	.1527	----	----	----	----	15 UNCH
2270	----	----	----/*17.60A	22.20B/*17.60A	----	16.60 - 8.30	.1412	----	----	----	----	72 UNCH
2280	----	----	----/*16.80A	20.80B/*16.80A	----	15.70 - 7.90	.1341	----	----	----	----	60 UNCH
2300	----	----	----/*15.40A	18.40B/*15.40A	----	14.10 - 7.20	.1212	----	----	----	----	423 UNCH
2320	----	----	----/*14.20A	16.30B/*14.20A	----	12.60 - 6.60	.1092	----	----	----	----	78 UNCH
2340	----	----	----/*13.20A	14.40B/*13.20A	----	11.40 - 6.00	.0991	----	----	----	----	30 UNCH
2345	----	----	----/*12.90A	14.00B/*12.90A	----	11.10 - 5.90	.0967	----	----	----	----	15 UNCH
2350	----	----	----/*12.70A	13.50B/*12.70A	----	10.80 - 5.80	.0942	----	----	----	----	55 UNCH
2355	11.10	11.10	11.10/*11.00	13.10B/*11.00	----	10.60 - 5.60	.0923	----	----	2	----	17 UNCH
2400	----	----	----/*10.70A	10.00B/*10.70A	----	8.60 - 4.70	.0750	----	----	----	----	1 UNCH
2420	----	----	----/*10.10A	8.90B/*10.10A	----	8.00 - 4.20	.0694	----	----	----	----	4 UNCH
2450	----	----	----/*9.30A	7.40B/*9.30A	----	7.10 - 3.70	.0613	----	----	----	----	1 UNCH
2500	----	----	----/*8.20A	5.50B/*8.20A	----	5.50 - 2.90	.0480	----	----	----	----	100 UNCH
2650	----	----	----	2.10B/*6.20A	----	2.20 - 1.40	.0202	----	----	----	----	17 UNCH
2750	3.00	3.00	3.50/*3.00	3.50/*3.00	----	1.20 NEW	.0113	----	----	2	----	2 + 2
TOTAL									50	24		1720 + 66
JUL26												
1500	----	----	541.00B/495.00A	541.00B/495.00A	----	501.30 - 33.50	.9645	----	----	----	----	50 UNCH
1680	----	----	----	----	----	336.50 - 33.20	.8814	----	----	----	----	50 UNCH
1700	----	----	357.80B/315.80A	357.80B/315.80A	----	319.60 - 33.10	.8667	----	----	----	----	1 UNCH
1800	----	----	277.10B/239.30A	277.10B/239.30A	----	241.60 - 31.80	.7732	----	----	----	----	113 UNCH
1850	----	----	240.70B/205.60A	240.70B/205.60A	----	207.40 - 30.60	.7163	----	----	----	----	1 UNCH
2000	----	----	150.30B/124.50A	150.30B/124.50A	----	125.50 - 24.20	.5282	----	----	----	----	110 UNCH
2050	----	----	126.60B/104.00A	126.60B/104.00A	----	104.90 - 21.60	.4666	----	----	----	----	1 UNCH
2085	----	----	----/91.40A	111.70B/91.40A	----	92.30 - 19.70	.4255	----	----	----	----	1 UNCH
2100	----	----	----/86.50A	105.80B/86.50A	----	87.40 - 18.90	.4085	----	----	----	----	522 UNCH
2150	----	----	----/71.70A	87.80B/71.70A	----	72.60 - 16.30	.3549	----	----	----	----	12 UNCH
2170	----	----	----/66.50A	81.30B/66.50A	----	67.30 - 15.40	.3347	----	----	----	----	4 UNCH
2200	----	----	----/*59.40A	72.40B/*59.40A	----	60.20 - 14.00	.3064	----	----	----	----	506 UNCH
2250	----	----	----/*49.40A	59.60B/*49.40A	----	50.00 - 11.80	.2634	----	----	----	----	5 UNCH
2300	----	----	----/*41.40A	49.10B/*41.40A	----	41.70 - 9.90	.2261	----	----	----	----	178 UNCH
2350	35.00	35.00	35.00/*34.90A	40.50B/*34.90A	----	34.90 - 8.40	.1940	----	----	80	----	131 + 30
2375	----	----	----/*32.20A	36.90B/*32.20A	----	32.10 - 7.60	.1801	----	----	----	----	50 UNCH
2400	----	----	----/*29.80A	33.60B/*29.80A	----	29.50 - 7.00	.1670	----	----	----	----	867 UNCH
2450	----	----	----/*25.80A	28.10B/*25.80A	----	25.20 - 5.90	.1445	----	----	----	----	50 UNCH
2480	----	----	----/*23.80A	25.30B/*23.80A	----	23.00 - 5.40	.1327	----	----	----	----	50 UNCH
2500	----	----	----/*22.70A	23.60B/*22.70A	----	21.70 - 5.10	.1256	----	----	50	----	432 + 10
2600	----	----	----/*18.20A	17.10B/*18.20A	----	16.70 - 3.80	.0972	----	----	----	----	363 UNCH
2700	----	----	----/*15.20A	12.70B/*15.20A	----	13.30 - 3.00	.0772	----	----	----	----	114 UNCH
2800	----	----	----/*13.10A	9.80B/*13.10A	----	10.90 - 2.50	.0627	----	----	----	----	348 UNCH
2850	----	----	----	8.60B/*12.30A	----	10.00 - 2.20	.0571	----	----	----	----	91 UNCH
2900	----	----	----	7.70B/*11.60A	----	9.20 - 2.10	.0522	----	----	----	----	190 UNCH
3000	----	----	----	6.10B/*10.40A	----	8.00 - 1.80	.0446	----	----	----	----	583 UNCH
3100	----	----	----	4.80B/*9.40A	----	7.00 - 1.70	.0384	----	----	----	----	159 UNCH
3200	----	----	----	1.10B/11.00A	----	6.30 - 1.60	.0338	----	----	----	----	18 UNCH
3300	----	----	----	0.30B/*10.30A	----	5.80 - 1.50	.0305	----	----	----	----	31 UNCH
3400	----	----	----	----/*9.80A	----	4.80 - 1.20	.0253	----	----	----	----	32 UNCH
3500	----	----	----	----/*9.30A	----	3.90 - 1.10	.0207	----	----	----	----	274 UNCH
3600	----	----	----	----/*8.90A	----	3.30 - 0.90	.0175	----	----	----	----	300 UNCH
3800	----	----	----	0.30B/*6.00A	----	2.40 - 0.70	.0127	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 77

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
JUL26												
3900	----	----	----	----/*5.70A	----	2.10 - 0.60	.0111	----	----	----	----	8 UNCH
4000	----	----	----	----/5.50A	----	1.90 - 0.50	.0100	----	----	----	----	221 UNCH
TOTAL										130		5878 + 40
OCT26												
1720	----	----	----	----	----	377.00 - 30.10	.7676	----	----	----	----	1 UNCH
1800	----	----	----/326.40A	355.30B/326.40A	----	326.40 - 28.90	.7120	----	----	----	----	1 UNCH
2125	----	----	----/177.90A	193.90B/177.90A	----	177.00 - 19.40	.4786	----	----	----	----	12 UNCH
2135	----	----	----/174.60A	190.20B/174.60A	----	173.70 - 19.20	.4720	----	----	----	----	12 UNCH
2200	----	----	----/154.70A	167.90B/154.70A	----	153.50 - 18.10	.4307	----	----	----	----	135 UNCH
2400	----	----	----/107.70A	114.90B/107.70A	----	105.70 - 13.90	.3217	----	----	----	----	110 UNCH
2500	----	----	----/90.60A	95.40B/90.60A	----	89.20 - 11.60	.2789	----	----	----	----	181 UNCH
2600	----	----	----/76.60A	79.50B/76.60A	----	75.50 - 9.70	.2418	----	----	----	----	10 UNCH
2700	----	----	----/65.30A	66.50B/65.30A	----	63.90 - 8.10	.2094	----	----	----	----	310 UNCH
2800	----	----	----/*56.10A	55.90B/*56.10A	----	54.40 - 6.90	.1818	----	----	----	----	31 UNCH
2850	----	----	----/*52.20A	51.40B/*52.20A	----	50.30 - 6.60	.1696	----	----	----	----	100 UNCH
2900	----	----	----/*48.80A	47.30B/*48.80A	----	46.80 - 6.10	.1588	----	----	----	----	210 UNCH
3000	----	----	----/*42.90A	40.40B/*42.90A	----	40.70 - 5.50	.1397	----	----	----	----	121 UNCH
3200	----	----	----/*34.30A	30.00B/*34.30A	----	30.80 - 4.40	.1082	----	----	----	----	10 UNCH
3500	----	----	----	20.20B/*26.30A	----	21.80 - 3.20	.0776	----	----	----	----	10 UNCH
4000	----	----	----	11.70B/*19.20A	----	14.50 - 2.20	.0510	----	----	----	----	5 UNCH
TOTAL												1259 0
JAN27												
2360	----	----	----	----	----	178.90 - 15.00	.4073	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
JUN26												
1800	----	----	17.90B/----	17.90B/18.90A	----	17.20 - 0.50	.1451	----	----	----	----	2 UNCH
1825	----	----	22.50B/----	22.50B/22.60A	----	21.40 UNCH	.1752	----	----	----	----	89 UNCH
1850	30.00	30.00	30.00/30.00	30.00/27.10A	----	26.60 + 0.70	.2099	----	----	22	----	26 + 22
1875	----	----	34.50B/----	34.50B/32.50A	----	32.80 + 1.50	.2487	----	----	----	----	24 UNCH
1880	----	----	36.00B/----	36.00B/33.70A	----	34.20 + 1.70	.2570	----	----	----	----	24 UNCH
1885	----	----	37.50B/----	37.50B/34.90A	----	35.60 + 1.80	.2653	----	----	----	----	42 UNCH
1890	----	----	39.10B/----	39.10B/36.20A	----	37.10 + 2.10	.2739	----	----	----	----	24 UNCH
1895	----	----	40.70B/----	40.70B/37.50A	----	38.70 + 2.30	.2827	----	----	----	----	12 UNCH
1900	----	----	42.30B/----	42.30B/38.80A	----	40.30 + 2.50	.2916	----	----	----	----	401 UNCH
1905	----	----	44.00B/----	44.00B/40.20A	----	41.90 + 2.70	.3005	----	----	----	----	39 UNCH
1910	----	----	45.80B/----	45.80B/41.70A	----	43.70 + 3.00	.3097	----	----	----	----	39 UNCH
1915	----	----	47.60B/----	47.60B/43.20A	----	45.50 + 3.20	.3190	----	----	----	----	54 UNCH
1920	----	----	49.50B/----	49.50B/44.80A	----	47.30 + 3.40	.3283	----	----	----	----	44 UNCH
1925	----	----	51.50B/----	51.50B/46.40A	----	49.20 + 3.70	.3378	----	----	----	----	27 UNCH
1930	----	----	53.40B/----	53.40B/48.10A	----	51.20 + 4.00	.3474	----	----	----	----	42 UNCH
1935	----	----	55.50B/----	55.50B/49.80A	----	53.20 + 4.20	.3569	----	----	----	----	42 UNCH
1940	----	----	57.60B/----	57.60B/51.50A	----	55.20 + 4.40	.3665	----	----	----	----	30 UNCH
1950	----	----	61.90B/----	61.90B/55.30A	----	59.50 + 4.90	.3860	----	----	----	----	139 UNCH
1955	----	----	64.20B/----	64.20B/57.20A	----	61.80 + 5.20	.3959	----	----	----	----	30 UNCH
1960	----	----	66.50B/----	66.50B/59.20A	----	64.00 + 5.30	.4056	----	----	----	----	15 UNCH
1965	----	----	68.80B/----	68.80B/61.20A	----	66.40 + 5.60	.4155	----	----	----	----	15 UNCH
1970	----	----	71.20B/----	71.20B/63.30A	----	68.80 + 5.90	.4254	----	----	----	----	15 UNCH
1975	----	----	73.70B/----	73.70B/65.50A	----	71.20 + 6.10	.4352	----	----	----	----	15 UNCH
1980	----	----	76.30B/----	76.30B/67.70A	----	73.70 + 6.30	.4451	----	----	----	----	15 UNCH
1985	----	----	78.90B/----	78.90B/69.90A	----	76.20 + 6.50	.4549	----	----	----	----	15 UNCH
1990	----	----	81.50B/----	81.50B/72.20A	----	78.80 + 6.80	.4647	----	----	----	----	15 UNCH
1995	----	----	84.30B/----	84.30B/74.50A	----	81.50 + 7.10	.4745	----	----	----	----	15 UNCH
2000	----	----	87.00B/76.80A	87.00B/76.80A	----	84.10 + 7.20	.4843	----	----	----	----	24 UNCH
2020	----	----	98.50B/86.50A	98.50B/86.50A	----	95.30 + 8.20	.5230	----	----	----	----	30 UNCH
2050	----	----	117.00B/102.30A	117.00B/102.30A	----	113.50 + 9.80	.5792	----	----	----	----	3 UNCH
2100	----	----	151.50B/131.80A	151.50B/131.80A	----	147.40 + 13.00	.6654	----	----	----	----	101 UNCH
2140	----	----	----	----	----	177.60 + 16.00	.7251	----	----	----	----	1 UNCH
2200	----	----	232.00B/202.00A	232.00B/202.00A	----	226.90 + 20.60	.7968	----	----	----	----	10 UNCH
TOTAL										22		1419 + 22
JUL26												
1400	----	----	----	0.30B/*5.80A	----	2.30 - 0.60	.0163	----	----	----	----	150 UNCH
1500	----	----	----	3.50B/8.30A	----	5.20 - 0.90	.0353	----	----	----	----	153 UNCH
1550	----	----	----	6.20B/*10.50A	----	7.70 - 1.00	.0507	----	----	----	----	200 UNCH
1600	----	----	----	10.30B/13.70A	----	11.20 - 1.00	.0711	----	----	----	----	402 UNCH
1650	----	----	----	16.00B/18.40A	----	16.20 - 0.80	.0984	----	----	----	----	1 UNCH
1680	----	----	----	20.40B/22.20A	----	20.10 - 0.60	.1184	----	----	----	----	50 UNCH
1700	----	----	23.70B/----	23.70B/25.10A	----	23.10 - 0.50	.1331	----	----	----	----	283 UNCH
1710	----	----	25.50B/----	25.50B/26.70A	----	24.80 - 0.40	.1412	----	----	----	----	1 UNCH
1750	----	----	33.70B/----	33.70B/34.10A	----	32.50 UNCH	.1761	----	----	----	----	50 UNCH
1800	----	----	46.40B/----	46.40B/45.70A	----	44.80 + 0.80	.2266	----	----	----	----	261 UNCH
1825	----	----	53.90B/----	53.90B/52.30A	----	52.10 + 1.30	.2542	----	----	----	----	30 UNCH
1850	----	----	62.30B/----	62.30B/59.70A	----	60.40 + 2.10	.2835	----	----	----	----	40 UNCH
1900	----	----	81.50B/----	81.50B/76.60A	----	79.40 + 3.70	.3446	----	----	----	----	81 UNCH
2000	118.00	118.00	130.20B/118.00	130.20B/118.00	----	127.90 NEW	.4715	----	----	1	----	1 + 1
2085	----	----	173.70B/165.70A	173.70B/165.70A	----	179.40 + 13.00	.5743	----	----	----	----	1 UNCH
2100	----	----	191.80B/174.70A	191.80B/174.70A	----	189.30 + 13.70	.5912	----	----	----	----	225 UNCH
2135	----	----	----	----	----	213.60 + 15.60	.6294	----	----	----	----	190 UNCH
2165	----	----	----	----	----	235.30 + 17.10	.6601	----	----	----	----	20 UNCH
2350	----	----	390.20B/357.60A	390.20B/357.60A	----	386.00 + 24.50	.8058	----	----	----	----	5 UNCH
2400	----	----	435.10B/400.30A	435.10B/400.30A	----	430.40 + 25.80	.8328	----	----	----	----	300 UNCH
4000	----	----	2,009.80B/1,963	2,009.80B/1,963	----	2002.40 + 32.80	.9900	----	----	----	----	10 UNCH
TOTAL										1		2454 + 1
OCT26												
1300	----	----	----	9.70B/17.60A	----	13.20 - 0.80	.0480	----	----	----	----	4 UNCH
1500	----	----	----	30.90B/36.70A	----	32.70 - 0.40	.1092	----	----	----	----	20 UNCH
1600	----	----	----	50.00B/54.60A	----	51.10 + 0.40	.1582	----	----	----	----	17 UNCH
1720	----	----	83.10B/----	83.10B/85.90A	----	83.60 + 1.70	.2319	----	----	----	----	2 UNCH
1820	----	----	119.90B/----	119.90B/120.00A	----	120.20 + 3.30	.3019	----	----	----	----	3 UNCH
2000	----	----	207.80B/----	207.80B/202.00A	----	207.90 + 8.90	.4342	----	----	----	----	1 UNCH
2100	----	----	268.00B/----	268.00B/258.40A	----	268.10 + 11.80	.5043	----	----	----	----	100 UNCH
2130	----	----	287.50B/----	287.50B/276.80A	----	287.60 + 12.50	.5243	----	----	----	----	41 UNCH
2135	----	----	290.80B/----	290.80B/279.90A	----	290.90 + 12.60	.5275	----	----	----	----	12 UNCH
2140	----	----	294.10B/----	294.10B/283.00A	----	294.20 + 12.70	.5308	----	----	----	----	12 UNCH
2400	----	----	486.70B/466.40A	486.70B/466.40A	----	485.30 + 18.10	.6778	----	----	----	----	200 UNCH
2500	----	----	568.90B/545.70A	568.90B/545.70A	----	567.80 + 20.30	.7207	----	----	----	----	1 UNCH
TOTAL												413 0
JAN27												
1500	----	----	----	----	----	68.30 + 3.70	.1527	----	----	----	----	40 UNCH
1800	----	----	----	----	----	165.60 + 7.80	.3029	----	----	----	----	1 UNCH
TOTAL												41 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 78

PRELIMINARY

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
JUN26 CALL			
OG	4800	0	200
OG	4900	0	200
TOTALS		0	400
AUG26 CALL			
OG	4745	0	50
OG	5120	0	50
TOTALS		0	100
SEP26 CALL			
OG	4900	0	50
OG	5300	0	80
OG	5400	0	50
TOTALS		0	180
DEC26 CALL			
OG	4835	0	125
OG	5500	0	160
TOTALS		0	285
OG PUT	COMEX GOLD OPTIONS		
JUN26 PUT			
OG	3800	0	2000
OG	4500	0	200
OG	4600	0	200
TOTALS		0	2400
DEC26 PUT			
OG	4835	0	125
TOTALS		0	125
HX CALL	COMEX COPPER OPTIONS		
JUN26 CALL			
HX	605	0	180
TOTALS		0	180
JUL26 CALL			
HX	640	0	500
TOTALS		0	500
AUG26 CALL			
HX	700	0	900
TOTALS		0	900
HX PUT	COMEX COPPER OPTIONS		
JUN26 PUT			
HX	560	0	150
HX	580	0	200
HX	605	0	180
TOTALS		0	530
PO CALL	PLATINUM OPTIONS		
JUN26 CALL			
PO	2050	0	50
TOTALS		0	50
PAO PUT	NYMEX PALLADIUM OPTIONS		
JUN26 PUT			
PAO	1300	0	60
PAO	1400	0	10
TOTALS		0	70
HXE PUT	COPPER OPTIONS		
MAY26 PUT			
H2E	565	0	625
H2E	580	0	500
TOTALS		0	1125
SO1 CALL	SILVER OPTIONS		
MAY26 CALL			
SO1	7600	0	25
TOTALS		0	25
HWT TUE	COPPER WEEKLY TUESDAY OPTION Week1		
MAY26 CALL			
H1T	615	0	500
TOTALS		0	500

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.