METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	MAY26	MAY26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27
COO OPT	05/29			06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
ECG10 OP		05/05	05/06											
ECG11 OP		05/05	05/06											
ECG13 OP		05/05	05/06											
ECG15 OP		05/05	05/06											
ECG16 OP		05/05	05/06											
ECGC OOF		05/05	05/06											
ECHG OOF		05/05	05/06											
ECSI OOF		05/05	05/06											
EHO OPT	05/29			06/30	07/31	08/28	09/30							
FMG OPT	05/08													
FSO OPT	05/29			06/30										
GMW MON	05/18			06/08										
GWR THU	05/28													
GWT TUE	05/19			06/02										
GWW WED	05/27													
HMW MON	05/18			06/01										
HRO OPT	05/26			06/23	07/28	08/25	09/29	10/27	11/24	12/29				
HWR THU	05/21													
HWT TUE	05/19			06/02										
HWW WED	05/27			06/03	07/01	08/05								
HX CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HX PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HXE CALL	05/29													
HXE PUT	05/29													
LHO OPT	05/29			06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
MMG MON				06/01										
OG CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG2 CALL	05/08													
OG2 PUT	05/08													
OG3 CALL	05/15													
OG3 PUT	05/15													
OG4 CALL	05/22													
OG4 PUT	05/22													
OG5 CALL	05/29													
OG5 PUT	05/29													
OMG OPT				05/26	06/25	07/28								
PAO CALL				05/20	06/17	07/15	08/19			11/18				
PAO PUT				05/20	06/17		08/19			11/18				
PLW OOF	05/15													
PO CALL				05/20	06/17	07/15		09/16			12/16			
PO PUT				05/20	06/17			09/16			12/16			
RWS THU	05/28													
SMW MON	05/18			06/01										
SO CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
SO PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO2 CALL	05/08													
SO2 PUT	05/08													
SO3 CALL	05/15													
SO3 PUT	05/15													
SO4 CALL	05/22													
SO4 PUT	05/22													
SO5 PUT	05/29													
SWW WED	05/27													
TWS TUE	05/19			06/02										
WMG WED	05/06													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK1										
MAY26												
4700	24.00	24.00	#24.00/*24.00	#24.00/*24.00	----	0.00 NEW	----	----	----	1	----	0 UNCH
TOTAL										1		0 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
JUN26												
2500	----	----	----	----	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
3950	----	----	----	----	----	2.40 - 1.90	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	5.70 - 6.70	----	----	----	----	----	1 UNCH
4260	----	----	----/*17.00A	----/*17.00A	----	7.70 - 9.50	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	9.60 - 12.00	----	----	----	----	----	4 UNCH
4500	----	----	----	----	----	32.40 - 36.30	----	----	----	----	----	5 UNCH
4600	----	----	----	----	----	59.40 - 55.50	----	----	----	----	----	1 UNCH
4625	----	----	----	----	----	68.50 - 60.80	----	----	----	----	----	1 UNCH
4645	----	----	----	----	----	76.60 - 65.00	----	----	----	----	----	6 UNCH
4700	----	----	----	----	----	96.60 + 49.00	----	----	----	----	----	1 UNCH
4720	----	----	----	----	----	113.00 - 80.60	----	----	----	----	----	2 UNCH
4800	----	----	----	----	----	56.90 + 30.30	----	----	----	----	----	1 UNCH
4865	49.00	49.00	49.00/*49.00	49.00/*49.00	----	39.40 NEW	----	----	----	1	----	1 + 1
4900	----	----	----	----	----	32.20 + 17.20	----	----	----	----	----	2 UNCH
5100	----	----	----	----	----	10.50 + 4.60	----	----	----	----	----	1 UNCH
5400	----	----	----	----	----	3.30 + 0.70	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	1.30 + 0.20	----	----	----	----	----	1 UNCH
TOTAL										1		33 + 1
JUL26												
3400	----	----	----	----	----	1330.40 + 25.90	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1270.70 + 25.70	----	----	----	----	----	1 UNCH
3950	----	----	----	8.70B/----	----	9.50 - 6.30	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	22.10 - 16.00	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	32.50 - 22.40	----	----	----	----	----	1 UNCH
4500	64.80	64.80	#64.90/64.80	#64.90/64.80	----	70.50 - 41.90	----	----	----	2	----	3 + 2
4600	----	----	----	----	----	102.00 - 54.30	----	----	----	----	----	2 UNCH
4700	----	----	----	114.50B/----	----	173.60 + 58.80	----	----	----	----	----	1 UNCH
5000	----	----	----	31.00B/61.00A	----	64.30 + 24.20	----	----	----	----	----	2 UNCH
5200	----	----	----	----	----	32.00 + 11.30	----	----	----	----	----	1 UNCH
TOTAL										2		14 + 2
AUG26												
4400	----	----	----/114.00A	----/114.00A	----	79.50 - 36.40	----	----	----	----	----	5 UNCH
TOTAL												5 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 PUT		GOLD OPTIONS										
MAY26												
3800	----	----	----/*2.70A	2.00B/*2.70A	----	2.30 NEW	.0118	----	----	3	----	2 + 2
4000	----	----	----/*4.00A	3.30B/*4.00A	----	3.30 - 3.20	.0195	----	----	----	----	1 UNCH
4100	----	----	----/*5.20A	5.60B/*5.20A	----	4.50 - 4.80	.0279	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG5 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4250	16.00	16.00	16.00/*8.70A	16.00/*8.70A	----	8.50 - 9.40	.0547	----	----	3	----	5 + 3
4275	----	----	----/*9.80A	15.80B/*9.80A	----	9.60 - 10.70	.0618	----	----	----	----	1 UNCH
4300	10.20	10.20	#10.20/*10.20	19.30B/*10.20	----	11.00 - 12.10	.0705	----	----	1	----	2 + 1
4350	----	----	----/*13.70A	26.00B/*13.70A	----	14.30 - 15.70	.0909	----	----	19	----	2 + 1
4400	22.00	22.00	#22.00/*17.80A	34.80B/*17.80A	----	18.90 NEW	.1179	----	----	1	----	1 + 1
4450	31.30	31.30	31.30/*23.20A	46.50B/*23.20A	----	25.00 - 26.10	.1520	----	----	6	----	34 + 6
4475	31.20	31.20	#33.50/*26.60A	54.60B/*26.60A	----	28.70 NEW	.1718	----	----	67	----	59 + 59
4500	35.50	35.50	#35.50/*30.50A	62.70B/*30.50A	----	33.00 NEW	.1940	----	----	33	----	23 + 23
4550	----	----	----/*40.00A	82.60B/*40.00A	----	43.50 - 41.20	.2450	----	----	1	----	0 - 1
4575	----	----	----/*45.70A	93.70B/*45.70A	----	49.80 - 45.60	.2738	----	----	1	----	0 - 1
4600	----	----	----/*52.10A	105.30B/*52.10A	----	56.90 - 50.30	.3045	----	----	19	----	2 + 1
4625	77.70	77.70	#77.70/*59.40A	111.60B/*59.40A	----	64.90 NEW	.3373	----	----	1	----	1 + 1
4675	82.00	82.00	#90.00/*75.00	136.10B/*75.00	----	83.70 NEW	.4073	----	----	68	----	9 + 9
4750	109.40	109.40	#109.40/*108.60	183.80B/*108.60A	----	119.50 NEW	.5183	----	----	1	----	1 + 1
TOTAL										224		144 + 106

OG5 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4625	----	----	#191.20B/96.80A	#191.20B/96.80A	----	169.60 + 71.50	.6621	----	----	----	----	1 UNCH
4650	----	----	#174.30B/----	#174.30B/89.10A	----	153.50 + 66.50	.6277	----	----	1	----	0 - 1
4725	----	----	#132.20B/----	#132.20B/63.00A	----	111.40 NEW	.5182	----	----	1	----	1 + 1
4750	----	----	#124.20B/----	#124.20B/55.70A	----	99.40 NEW	.4810	----	----	1	----	1 + 1
4900	----	----	#63.30B/----	#63.30B/26.90A	----	47.90 + 24.30	.2796	----	----	----	----	3 UNCH
4925	----	----	#56.30B/----	#56.30B/24.10A	----	42.20 + 21.40	.2522	----	----	----	----	1 UNCH
4950	----	----	#49.80B/----	#49.80B/21.50A	----	37.00 + 18.70	.2264	----	----	----	----	1 UNCH
4975	----	----	#44.10B/----	#44.10B/19.30A	----	32.50 + 16.30	.2030	----	----	----	----	1 UNCH
5000	22.00	22.00	#39.10B/22.00	#39.10B/17.10A	----	28.40 + 14.00	.1812	----	----	391	----	478 + 385
5050	----	----	#31.20B/----	#31.20B/14.40A	----	21.80 + 10.40	.1439	----	----	----	----	3 UNCH
5075	----	----	#27.80B/----	#27.80B/12.90A	----	19.20 + 9.00	.1283	----	----	----	----	1 UNCH
5100	----	----	#24.70B/----	#24.70B/12.20A	----	16.90 + 7.70	.1143	----	----	----	----	1 UNCH
5125	18.10	18.10	#21.80B/18.10	#21.80B/11.30A	----	15.00 + 6.70	.1022	----	----	1	----	2 + 1
5400	----	----	#6.70B/----	#6.70B/5.80A	----	5.30 + 1.90	.0356	----	----	----	----	1 UNCH
TOTAL										395		495 + 387

OG4 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	----	----	----	0.50B/1.30A	----	0.80 - 0.50	.0036	----	----	----	----	17 UNCH
3800	----	----	----/*1.80A	1.50B/*1.80A	----	1.30 - 1.20	.0073	----	----	1	----	1 UNCH
3900	2.10	2.10	2.10/2.10	2.10/2.10	----	1.60 - 1.60	.0096	----	----	10	----	10 UNCH
4000	----	----	----/*2.60A	2.90B/*2.60A	----	2.10 - 2.20	.0136	----	----	----	----	10 UNCH
4100	3.20	3.20	3.20/*3.20	4.90B/*3.20	----	3.00 - 3.30	.0207	----	----	1	----	2 UNCH
4125	----	----	----/*3.50A	6.30B/*3.50A	----	3.30 - 3.70	.0231	----	----	----	----	2 UNCH
4150	----	----	----/*3.80A	6.50B/*3.80A	----	3.60 - 4.30	.0257	----	----	----	----	2 UNCH
4200	----	----	----/*4.60A	9.00B/*4.60A	----	4.50 - 5.70	.0329	----	----	----	----	10 UNCH
4250	----	----	----/*5.70A	12.40B/*5.70A	----	5.80 - 7.70	.0431	----	----	----	----	4 UNCH
4275	----	----	----/*6.40A	14.60B/*6.40A	----	6.60 - 9.00	.0494	----	----	----	----	25 UNCH
4300	----	----	----/*7.20A	17.30B/*7.20A	----	7.60 - 10.60	.0571	----	----	----	----	3 UNCH
4325	----	----	----/*8.30A	20.50B/*8.30A	----	8.80 - 12.40	.0662	----	----	----	----	10 UNCH
4375	----	----	----/*11.00A	28.60B/*11.00A	----	12.10 - 17.00	.0903	----	----	----	----	32 UNCH
4400	18.10	18.10	18.10/*12.80A	33.90B/*12.80A	----	14.30 - 19.80	.1057	----	----	8	----	19 + 8
4425	----	----	----/*14.90A	39.70B/*14.90A	----	16.80 - 23.00	.1230	----	----	----	----	11 UNCH
4450	24.20	24.20	46.60B/*17.40A	46.60B/*17.40A	----	20.00 - 26.50	.1439	----	----	11	----	26 - 8
4475	----	----	54.70B/*20.50A	54.70B/*20.50A	----	23.70 NEW	.1673	----	----	1	----	1 + 1
4500	----	----	63.70B/*24.10A	63.70B/*24.10A	----	28.00 - 34.70	.1937	----	----	7	----	14 + 3
4525	----	----	74.00B/*28.40A	74.00B/*28.40A	----	33.20 - 39.30	.2236	----	----	----	----	15 UNCH
4550	----	----	85.40B/*33.40A	85.40B/*33.40A	----	39.20 - 44.20	.2564	----	----	6	----	3 + 2
4600	55.00	55.00	111.80B/*46.00A	111.80B/*46.00A	----	53.90 - 54.90	.3302	----	----	60	----	87 + 34
4625	----	----	126.30B/*53.80A	126.30B/*53.80A	----	62.90 - 60.40	.3708	----	----	1	----	6 + 1
4650	----	----	142.60B/*62.50A	142.60B/*62.50A	----	72.90 - 66.00	.4130	----	----	2	----	2 + 1
4700	90.70	90.70	178.00B/*84.30A	178.00B/*84.30A	----	96.30 NEW	.5001	----	----	3	----	3 + 3
4725	----	----	197.20B/*96.20A	197.20B/*96.20A	----	109.80 NEW	.5438	----	----	1	----	1 + 1
4775	----	----	237.90B/*123.60	237.90B/*123.60A	----	140.00 - 92.30	.6281	----	----	1	----	2 + 1
4850	----	----	303.90B/*172.80	303.90B/*172.80A	----	193.20 - 04.20	.7390	----	----	----	----	1 UNCH
TOTAL										113		319 + 47

OG4 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4500	----	----	#255.70B/126.20	#255.70B/126.20A	----	222.10 + 91.00	.8059	----	----	----	----	1 UNCH
4525	----	----	#235.20B/110.90	#235.20B/110.90A	----	202.20 + 86.30	.7760	----	----	----	----	15 UNCH
4550	----	----	#215.30B/97.30A	#215.30B/97.30A	----	183.30 + 81.40	.7431	----	----	1	----	1 + 1
4575	----	----	#196.80B/85.00A	#196.80B/85.00A	----	165.20 + 76.20	.7074	----	----	----	----	1 UNCH
4600	----	----	#178.50B/73.90A	#178.50B/73.90A	----	148.10 + 70.80	.6693	----	----	----	----	55 UNCH
4625	----	----	#161.40B/63.90A	#161.40B/63.90A	----	132.10 + 65.20	.6287	----	----	----	----	3 UNCH
4650	----	----	#145.60B/54.90A	#145.60B/54.90A	----	117.10 + 59.60	.5865	----	----	1	----	9 UNCH
4675	----	----	#130.20B/47.20A	#130.20B/47.20A	----	103.30 NEW	.5432	----	----	1	----	1 + 1
4700	102.30	102.30	#117.10/40.80A	#117.10/40.80A	----	90.70 + 48.60	.4994	----	----	3	----	4 + 2
4750	----	----	#91.70B/29.60A	91.70B/29.60A	----	68.70 + 38.10	.4129	----	----	2	----	5 + 1
4775	----	----	#80.80B/25.30A	80.80B/25.30A	----	59.40 + 33.30	.3714	----	----	----	----	1 UNCH
4800	60.00	60.00	#71.00B/21.60A	71.00B/21.60A	----	51.20 + 29.00	.3320	----	----	31	----	33 + 31
4850	37.50	37.50	#54.30B/15.90A	54.30B/15.90A	----	37.70 + 21.40	.2605	----	----	1	----	7 + 1
4875	----	----	#47.30B/13.70A	47.30B/13.70A	----	32.30 NEW	.2292	----	----	2	----	1 + 1
4900	----	----	#41.40B/11.90A	41.40B/11.90A	----	27.60 + 15.60	.2007	----	----	----	----	5 UNCH
4925	----	----	#35.90B/----	35.90B/10.40A	----	23.60 + 13.20	.1753	----	----	----	----	1 UNCH
4950	13.70	13.70	#31.30B/13.70	31.30B/9.20A	----	20.10 + 11.10	.1523	----	----	14	----	20 + 14
4975	----	----	#27.10B/----	27.10B/8.10A	----	17.20 + 9.40	.1324	----	----	----	----	11 UNCH
5000	14.00	14.00	23.40B/14.00	23.40B/7.20A	----	14.70 + 7.80	.1148	----	----	65	----	43 - 18
5025	----	----	#20.30B/----	20.30B/6.50A	----	12.60 + 6.50	.0995	----	----	----	----	3 UNCH
5050	12.80	12.80	#17.60B/12.80	17.60B/5.90A	----	10.90 NEW	.0867	----	----	5	----	5 + 5
5075	----	----	#15.20B/----	15.20B/5.40A	----	9.40 + 4.50	.0753	----	----	----	----	1 UNCH
5125	7.70	7.70	#11.50B/7.70	11.50B/4.50A	----	7.20 NEW	.0578	----	----	1	----	1 + 1
5150	7.50	7.50	#10.00B/7.10	10.00B/4.20A	----	6.30 NEW	.0506	----	----	2	----	2 + 2
5175	6.70	6.70	#8.80B/6.30	#8.80B/4.00A	----	5.60 NEW	.0448	----	----	2	----	2 + 2
5200	6.20	6.20	#7.70B/5.40	#7.70B/3.70A	----	5.00 NEW	.0398	----	----	2	----	2 + 2
5300	3.60	3.60	4.70B/3.60	4.70B/3.00A	----	3.30 NEW	.0256	----	----	1	----	1 + 1
5500	----	----	2.10B/----	2.10B/2.10A	----	1.80 + 0.60	.0128	----	----	----	----	10 UNCH
5600	2.50	2.50	#2.50/*1.60A	#2.50/1.60A	----	1.40 NEW	.0095	----	----	1	----	1 + 1
TOTAL										135		245 + 48

OG3 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.30 - 0.30	.0012	----	----	3	----	10 + 2
3700	----	----	----	0.30B/*0.90A	----	0.40 - 0.40	.0019	----	----	1	----	2 UNCH
3750	----	----	----	0.40B/*0.90A	----	0.40 - 0.50	.0021	----	----	1	----	6 UNCH
3800	----	----	----/*0.80A	0.40B/*0.80A	----	0.50 - 0.60	.0027	----	----	----	----	56 UNCH
3900	0.90	0.90	0.90/*0.90	0.90/*0.90	----	0.90 - 0.40	.0051	----	----	12	----	40 + 11
4000	----	----	----/*1.00A	1.20B/*1.00A	----	1.20 - 0.60	.0075	----	----	----	----	53 UNCH
4100	1.40	1.40	1.40/*1.40	2.00B/*1.40	----	1.50 - 1.20	.0105	----	----	2	----	21 UNCH
4150	----	----	----/*1.70A	2.70B/*1.70A	----	1.70 - 1.70	.0126	----	----	----	----	5 UNCH
4200	2.00	2.00	2.30/*1.80	3.70B/*1.80	----	1.90 - 2.60	.0151	----	----	6	----	136 + 1
4225	----	----	----/*2.20A	4.40B/*2.20A	----	2.10 - 3.10	.0171	----	----	----	----	4 UNCH
4250	----	----	----/*2.40A	5.30B/*2.40A	----	2.30 - 3.80	.0194	----	----	1	----	7 UNCH
4275	----	----	----/*2.70A	6.60B/*2.70A	----	2.70 - 4.50	.0231	----	----	----	----	46 UNCH
4300	5.40	5.40	5.40/*3.10A	8.00B/*3.10A	----	3.10 - 5.60	.0272	----	----	6	----	316 - 2
4325	3.60	3.60	3.70/*3.60	10.00B/*3.60	----	3.60 - 6.80	.0322	----	----	20	----	35 + 13
4350	4.20	4.20	4.20/*3.90	12.30B/*3.90	----	4.20 - 8.50	.0383	----	----	2	----	38 UNCH
4375	5.00	5.00	5.00/*4.80A	15.20B/*4.80A	----	5.10 - 10.30	.0470	----	----	1	----	54 + 1
4400	10.30	10.30	19.00B/*5.40	19.00B/*5.40	----	6.20 - 12.70	.0576	----	----	12	----	67 + 4
4425	14.00	14.00	23.50B/*6.80A	23.50B/*6.80A	----	7.60 - 15.60	.0709	----	----	5	----	23 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4450	15.20	15.20	29.20B/*8.20A	29.20B/*8.20A	----	9.30 - 19.10	.0869	----	----	188	----	196 + 158
4475	25.60	25.60	36.10B/*10.00A	36.10B/*10.00A	----	11.60 - 23.20	.1075	----	----	9	----	37 - 1
4500	24.90	24.90	44.00B/*12.20A	44.00B/*12.20A	----	14.40 - 28.00	.1322	----	----	61	----	120 + 22
4525	20.00	20.00	53.80B/*15.10A	53.80B/*15.10A	----	17.90 - 33.40	.1618	----	----	2	----	18 + 1
4550	28.90	28.90	64.70B/*18.60A	64.70B/*18.60A	----	22.20 - 39.50	.1966	----	----	83	----	122 + 54
4575	36.50	36.50	77.00B/*23.00A	77.00B/*23.00A	----	27.50 - 46.10	.2370	----	----	20	----	38 + 7
4600	58.00	58.00	91.20B/*28.30A	91.20B/*28.30A	----	33.90 - 53.10	.2829	----	----	41	----	75 - 7
4625	65.00	65.00	106.80B/*34.80A	106.80B/*34.80A	----	41.60 - 60.30	.3339	----	----	2	----	52 - 1
4650	50.40	50.40	123.70B/*42.40A	123.70B/*42.40A	----	50.70 - 67.70	.3890	----	----	72	----	162 + 53
4675	----	----	141.90B/*51.30A	141.90B/*51.30A	----	61.30 - 74.90	.4470	----	----	2	----	2 UNCH
4700	----	----	161.50B/*61.90A	161.50B/*61.90A	----	73.30 - 82.00	.5063	----	----	27	----	26 + 24
4725	----	----	182.20B/*73.70A	182.20B/*73.70A	----	87.00 - 88.60	.5654	----	----	1	----	7 UNCH
4750	----	----	203.70B/*86.90A	203.70B/*86.90A	----	102.10 - 94.60	.6227	----	----	1	----	2 + 1
4775	----	----	226.00B/*101.70	226.00B/101.70A	----	118.70 - 00.00	.6766	----	----	----	----	1 UNCH
4800	----	----	248.80B/117.30A	248.80B/117.30A	----	136.60 - 04.70	.7262	----	----	2	----	15 + 2
4875	----	----	320.20B/172.80A	320.20B/172.80A	----	196.80 NEW	.8428	----	----	1	----	1 + 1
4900	----	----	344.20B/193.30A	344.20B/193.30A	----	218.60 NEW	.8712	----	----	3	----	2 + 2
5025	----	----	----/304.30A	387.60B/304.30A	----	335.20 - 23.10	.9528	----	----	----	----	1 UNCH
5100	409.50	409.50	409.50/375.40A	429.60B/375.40A	----	408.30 - 24.40	.9726	----	----	1	----	3 UNCH
5150	----	----	----/423.90A	478.50B/423.90A	----	457.50 NEW	.9801	----	----	2	----	2 + 2
TOTAL										590		1801 + 349

OG3 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4200	400.00	400.00	448.70B/363.70A	448.70B/363.70A	----	495.90 NEW	.9848	----	----	1	----	1 + 1
4250	----	----	399.50B/315.90A	399.50B/315.90A	----	446.40 + 22.00	.9805	----	----	----	----	2 UNCH
4400	----	----	335.80B/179.80A	335.80B/179.80A	----	300.30 + 13.00	.9422	----	----	----	----	3 UNCH
4450	----	----	289.00B/140.00A	289.00B/140.00A	----	253.50 + 06.70	.9128	----	----	----	----	3 UNCH
4550	181.20	181.20	200.70B/74.90A	200.70B/74.90A	----	166.40 + 86.20	.8031	----	----	10	----	37 - 5
4575	----	----	179.90B/62.50A	179.90B/62.50A	----	146.70 + 79.60	.7627	----	----	----	----	2 UNCH
4600	72.00	72.00	160.50B/51.70A	160.50B/51.70A	----	128.20 + 72.70	.7168	----	----	3	----	132 + 1
4625	----	----	142.10B/42.50A	142.10B/42.50A	----	110.90 + 65.40	.6658	----	----	1	----	33 UNCH
4650	72.00	72.00	124.50B/34.70A	124.50B/34.70A	----	95.00 + 58.10	.6107	----	----	35	----	168 + 4
4675	----	----	108.30B/28.00A	108.30B/28.00A	----	80.50 + 50.70	.5527	----	----	----	----	12 UNCH
4700	50.00	50.00	94.00B/22.60A	94.00B/22.60A	----	67.60 + 43.70	.4934	----	----	20	----	664 - 7
4725	80.80	80.80	80.80/18.30A	80.80/18.30A	----	56.30 + 37.10	.4343	----	----	26	----	29 + 5
4750	50.10	50.10	68.70B/14.80A	68.70B/14.80A	----	46.40 + 31.00	.3770	----	----	22	----	79 + 9
4775	20.00	20.00	58.00B/11.90A	58.00B/11.90A	----	38.00 + 25.60	.3231	----	----	80	----	89 - 16
4800	13.40	13.40	50.00/9.70A	50.00/9.70A	----	30.90 + 20.90	.2735	----	----	533	----	307 - 370
4825	----	----	40.70B/7.90A	40.70B/7.90A	----	25.00 + 16.90	.2290	----	----	5	----	34 + 5
4850	12.50	12.50	34.10B/12.50	34.10B/6.60A	----	20.20 + 13.60	.1902	----	----	123	----	264 + 106
4875	----	----	28.30B/----	28.30B/5.50A	----	16.30 + 10.90	.1569	----	----	75	----	68 - 26
4900	8.70	8.70	23.40B/8.50	23.40B/4.70A	----	13.10 + 8.60	.1285	----	----	535	----	701 - 434
4925	11.60	11.60	19.40B/11.60	19.40B/4.00A	----	10.60 + 6.80	.1052	----	----	1	----	35 + 1
4950	4.00	4.00	15.90B/4.00	15.90B/3.50A	----	8.50 + 5.20	.0853	----	----	62	----	177 + 58
4975	8.50	8.50	13.10B/8.50	13.10B/3.00A	----	7.00 + 4.20	.0702	----	----	1	----	8 + 1
5000	2.30	2.30	10.80B/2.30	10.80B/2.30	----	5.70 + 3.30	.0572	----	----	170	----	210 + 144
5025	----	----	9.00B/----	9.00B/2.50A	----	4.70 + 2.50	.0470	----	----	----	----	5 UNCH
5050	----	----	7.40B/----	7.40B/2.30A	----	3.90 + 2.00	.0388	----	----	51	----	60 + 51
5075	4.80	4.80	6.10B/4.40	6.10B/2.10A	----	3.30 + 1.60	.0324	----	----	5	----	5 + 2
5100	----	----	5.10B/----	5.10B/1.60A	----	2.80 + 1.20	.0272	----	----	----	----	11 UNCH
5125	----	----	4.20B/----	4.20B/1.90A	----	2.40 + 1.00	.0229	----	----	----	----	1 UNCH
5150	3.20	3.20	3.50B/3.20	3.50B/1.80A	----	2.10 + 0.80	.0197	----	----	11	----	12 + 11
5200	----	----	2.50B/----	2.50B/1.60A	----	1.60 + 0.40	.0145	----	----	----	----	2 UNCH
5225	----	----	2.10B/----	2.10B/1.50A	----	1.40 + 0.30	.0125	----	----	----	----	4 UNCH
5300	----	----	1.40B/----	1.40B/1.30A	----	1.10 + 0.20	.0092	----	----	----	----	7 UNCH
5400	0.90	0.90	0.90/*0.90	0.90/0.90	----	0.60 UNCH	.0047	----	----	11	----	12 + 9
5500	----	----	0.60B/----	0.60B/*0.80A	----	0.40 - 0.10	.0029	----	----	----	----	1 UNCH
5600	----	----	0.40B/----	0.40B/*0.70A	----	0.30 UNCH	.0020	----	----	1	----	1 + 1
TOTAL										1782		3179 - 449

OG2 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3750	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
3800	----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
3900	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	100 UNCH
4000	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	----	----	----	4	----	60 + 2
4100	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.40	.0000	----	----	3	----	31 - 1
4125	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 0.40	.0000	----	----	2	----	3 UNCH
4150	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 0.50	.0000	----	----	----	----	23 UNCH
4175	----	----	----/*0.30A	0.40B/*0.30A	----	0.10 - 0.60	.0001	----	----	----	----	4 UNCH
4200	0.30	0.30	0.30/*0.30	0.50B/*0.30	----	0.10 - 0.80	.0002	----	----	10	----	30 + 9
4210	0.20	0.20	#0.20/*0.20	0.50B/*0.20	----	0.20 NEW	.0004	----	----	10	----	10 + 10
4225	----	----	----/*0.30A	0.60B/*0.30A	----	0.20 - 0.90	.0004	----	----	----	----	2 UNCH
4250	0.70	0.70	0.70/*0.40A	0.80B/*0.40A	----	0.20 - 1.00	.0005	----	----	3	----	40 - 1
4275	----	----	----/*0.40A	0.90B/*0.40A	----	0.20 - 1.10	.0005	----	----	----	----	4 UNCH
4290	----	----	----/*0.40A	1.10B/*0.40A	----	0.30 - 1.10	.0009	----	----	----	----	25 UNCH
4300	1.00	1.00	1.00/*0.40	1.20B/*0.40	----	0.30 - 1.20	.0009	----	----	3	----	86 - 1
4310	----	----	----/*0.50A	1.30B/*0.50A	----	0.30 - 1.40	.0010	----	----	1	----	0 - 1
4320	----	----	----/*0.50A	1.50B/*0.50A	----	0.30 - 1.50	.0010	----	----	----	----	1 UNCH
4325	----	----	----/*0.50A	1.50B/*0.50A	----	0.30 - 1.60	.0010	----	----	3	----	11 - 3
4340	0.50	0.50	0.50/*0.50	1.70B/*0.50	----	0.40 - 1.70	.0015	----	----	5	----	6 + 5
4345	----	----	----/*0.60A	1.80B/*0.60A	----	0.40 - 1.80	.0016	----	----	----	----	1 UNCH
4350	0.80	0.80	0.80/*0.50	1.90B/*0.50	----	0.40 - 1.90	.0016	----	----	8	----	260 UNCH
4355	0.60	0.60	0.60/*0.60	2.00B/*0.60	----	0.40 - 2.00	.0016	----	----	30	----	31 + 30
4360	----	----	----/*0.60A	2.10B/*0.60A	----	0.50 - 2.00	.0021	----	----	----	----	4 UNCH
4365	----	----	----/*0.60A	2.40B/*0.60A	----	0.50 - 2.20	.0022	----	----	----	----	5 UNCH
4370	----	----	----/*0.60A	2.50B/*0.60A	----	0.50 - 2.30	.0022	----	----	1	----	1 - 1
4375	0.90	0.90	0.90/*0.70A	2.60B/*0.70A	----	0.50 - 2.40	.0022	----	----	6	----	125 - 6
4380	0.70	0.70	#0.70/*0.70	2.70B/*0.70	----	0.60 NEW	.0028	----	----	20	----	20 + 20
4385	----	----	----/*0.70A	3.00B/*0.70A	----	0.60 NEW	.0029	----	----	1	----	1 + 1
4390	----	----	----/*0.70A	3.30B/*0.70A	----	0.60 - 2.90	.0029	----	----	----	----	1 UNCH
4395	1.00	1.00	1.00/*0.70A	3.50B/*0.70A	----	0.60 - 3.10	.0030	----	----	1	----	2 + 1
4400	1.30	1.30	1.40/*0.70	3.70B/*0.70	----	0.70 - 3.20	.0036	----	----	51	----	390 - 7
4405	0.90	0.90	0.90/*0.80	4.00B/*0.80	----	0.70 - 3.50	.0037	----	----	43	----	70 + 39
4410	----	----	----/*0.80A	4.30B/*0.80A	----	0.70 - 3.70	.0038	----	----	1	----	4 + 1
4415	1.50	1.50	1.50/*0.90A	4.70B/*0.90A	----	0.80 - 3.90	.0045	----	----	1	----	6 UNCH
4420	0.90	0.90	#0.90/*0.90	5.00B/*0.90	----	0.80 - 4.20	.0046	----	----	10	----	11 + 10
4425	1.30	1.30	1.30/*0.90A	5.40B/*0.90A	----	0.80 - 4.60	.0047	----	----	12	----	53 + 8
4430	1.70	1.70	5.90B/*0.90A	5.90B/*0.90A	----	0.90 - 4.90	.0054	----	----	5	----	16 - 2
4435	----	----	6.40B/*1.00A	6.40B/*1.00A	----	0.90 - 5.30	.0055	----	----	2	----	6 - 2
4440	----	----	6.80B/*1.00A	6.80B/*1.00A	----	1.00 - 5.70	.0063	----	----	1	----	23 UNCH
4445	----	----	7.50B/*1.00A	7.50B/*1.00A	----	1.00 - 6.20	.0065	----	----	----	----	12 UNCH
4450	1.60	1.60	8.00B/*0.90	8.00B/*0.90	----	1.10 - 6.60	.0073	----	----	142	----	181 + 6
4455	3.00	3.00	8.70B/*1.10A	8.70B/*1.10A	----	1.10 - 7.20	.0075	----	----	4	----	4 - 2
4460	----	----	#9.50B/*1.10A	9.50B/*1.10A	----	1.20 - 7.80	.0084	----	----	1	----	2 UNCH
4465	----	----	#10.10B/*1.20A	10.10B/*1.20A	----	1.20 - 8.50	.0086	----	----	4	----	31 UNCH
4470	2.30	2.30	10.90B/*1.20A	10.90B/*1.20A	----	1.30 - 9.10	.0096	----	----	2	----	27 + 1
4475	7.80	7.80	11.90B/*1.30A	11.90B/*1.30A	----	1.40 - 9.90	.0107	----	----	40	----	153 + 23
4480	----	----	12.80B/*1.30A	12.80B/*1.30A	----	1.50 - 10.60	.0117	----	----	2	----	7 + 1
4490	3.00	3.00	14.80B/*1.40A	14.80B/*1.40A	----	1.60 - 12.50	.0132	----	----	15	----	7 - 15
4495	----	----	16.10B/*1.50A	16.10B/*1.50A	----	1.80 - 13.30	.0152	----	----	1001	----	1001 + 999
4500	13.00	13.00	17.30B/*1.60A	17.30B/*1.60A	----	1.90 - 14.40	.0165	----	----	157	----	258 UNCH
4505	4.30	4.30	#18.70B/*1.70A	18.70B/*1.70A	----	2.00 - 15.50	.0179	----	----	1002	----	1000 + 999
4510	3.90	3.90	20.10B/*1.80A	20.10B/*1.80A	----	2.20 - 16.60	.0202	----	----	9	----	20 - 1
4515	2.50	2.50	21.60B/*1.90A	21.60B/*1.90A	----	2.30 - 17.90	.0216	----	----	103	----	103 + 102
4520	3.60	3.60	23.20B/*2.00A	23.20B/*2.00A	----	2.50 - 19.10	.0241	----	----	10	----	28 + 4
4525	7.50	7.50	24.90B/*2.10A	24.90B/*2.10A	----	2.70 - 20.40	.0267	----	----	30	----	187 + 14
4530	10.00	10.00	26.60B/*2.30A	26.60B/*2.30A	----	2.90 - 21.90	.0294	----	----	1	----	3 + 1
4535	3.30	3.30	28.40B/*2.40A	28.40B/*2.40A	----	3.20 NEW	.0332	----	----	1	----	1 + 1
4540	6.30	6.30	30.40B/*2.60A	30.40B/*2.60A	----	3.40 NEW	.0362	----	----	2	----	2 + 2
4545	6.40	6.40	32.50B/*2.80A	32.50B/*2.80A	----	3.70 NEW	.0403	----	----	10	----	9 + 9
4550	6.00	6.00	34.70B/*3.00A	34.70B/*3.00A	----	4.00 - 28.10	.0445	----	----	218	----	263 + 141
4555	8.60	8.60	37.00B/*3.20A	37.00B/*3.20A	----	4.30 - 29.80	.0490	----	----	35	----	30 + 28
4560	7.20	7.20	39.40B/*3.50A	39.40B/*3.50A	----	4.70 - 31.60	.0546	----	----	10	----	5 + 3
4565	5.50	5.50	41.90B/*3.70A	41.90B/*3.70A	----	5.10 - 33.40	.0604	----	----	12	----	6 + 4
4570	6.00	6.00	44.80B/*4.00A	44.80B/*4.00A	----	5.50 - 35.40	.0665	----	----	6	----	11 + 3
4575	36.90	36.90	47.40B/*4.30A	47.40B/*4.30A	----	6.00 - 37.30	.0738	----	----	53	----	359 - 8

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG2 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4580	----	----	50.10B/*4.70A	50.10B/*4.70A	----	6.50 - 39.40	.0814	----	----	4	----	4 + 2
4585	10.60	10.60	52.90B/*5.10A	52.90B/*5.10A	----	7.00 - 41.60	.0893	----	----	15	----	12 + 6
4590	11.00	11.00	55.80B/*5.50A	55.80B/*5.50A	----	7.60 - 43.80	.0985	----	----	14	----	8 + 4
4595	8.00	8.00	59.00B/*6.00A	59.00B/*6.00A	----	8.30 - 46.00	.1089	----	----	2	----	3 + 2
4600	30.00	30.00	62.30B/*6.50A	62.30B/*6.50A	----	9.00 - 48.30	.1197	----	----	212	----	381 + 56
4605	15.10	15.10	65.60B/*7.10A	65.60B/*7.10A	----	9.80 NEW	.1318	----	----	7	----	7 + 7
4610	15.00	15.00	69.10B/*7.50	69.10B/*7.50	----	10.60 NEW	.1442	----	----	4	----	4 + 4
4615	17.50	17.50	72.70B/*8.40A	72.70B/*8.40A	----	11.50 NEW	.1579	----	----	3	----	2 + 2
4620	29.80	29.80	76.40B/*8.80	76.40B/*8.80	----	12.50 NEW	.1729	----	----	4	----	4 + 4
4625	35.00	35.00	80.30B/*9.90A	80.30B/*9.90A	----	13.60 - 60.40	.1890	----	----	81	----	82 + 49
4630	51.00	51.00	84.30B/*10.70A	84.30B/*10.70A	----	14.70 - 63.00	.2056	----	----	29	----	30 + 28
4635	----	----	88.30B/*11.70A	88.30B/*11.70A	----	15.90 NEW	.2233	----	----	4	----	3 + 3
4640	23.20	23.20	92.00B/*12.70A	92.00B/*12.70A	----	17.30 - 67.90	.2427	----	----	88	----	87 + 86
4645	18.00	18.00	96.40B/*13.80A	96.40B/*13.80A	----	18.60 - 70.50	.2620	----	----	12	----	9 + 8
4650	31.40	31.40	100.60B/*15.00A	100.60B/*15.00A	----	20.10 - 73.00	.2828	----	----	117	----	130 + 11
4655	19.30	19.30	104.40B/*16.20A	104.40B/*16.20A	----	21.70 NEW	.3045	----	----	3	----	3 + 3
4660	19.80	19.80	109.10B/*17.60A	109.10B/*17.60A	----	23.40 NEW	.3270	----	----	6	----	5 + 5
4665	21.40	21.40	113.00B/*18.60	113.00B/*18.60	----	25.20 NEW	.3503	----	----	11	----	9 + 9
4670	23.30	23.30	117.80B/*20.50A	117.80B/*20.50A	----	27.00 NEW	.3739	----	----	13	----	12 + 12
4675	24.40	24.40	121.90B/*21.90A	121.90B/*21.90A	----	29.00 - 85.20	.3984	----	----	6	----	8 - 1
4680	38.00	38.00	126.70B/*23.40A	126.70B/*23.40A	----	31.10 NEW	.4234	----	----	1	----	1 + 1
4685	33.10	33.10	130.90B/*25.20A	130.90B/*25.20A	----	33.30 NEW	.4488	----	----	2	----	2 + 2
4690	42.00	42.00	135.80B/*26.80A	135.80B/*26.80A	----	35.60 NEW	.4744	----	----	26	----	14 + 14
4700	65.00	65.00	145.20B/*30.40A	145.20B/*30.40A	----	40.60 - 96.00	.5261	----	----	83	----	66 + 45
4705	36.00	36.00	149.90B/*32.40A	149.90B/*32.40A	----	43.20 NEW	.5520	----	----	2	----	2 + 2
4710	46.60	46.60	154.40B/*34.50A	154.40B/*34.50A	----	46.00 NEW	.5775	----	----	114	----	50 + 50
4715	49.30	49.30	159.30B/*36.60A	159.30B/*36.60A	----	48.90 NEW	.6027	----	----	1	----	1 + 1
4725	85.50	85.50	168.70B/*41.30A	168.70B/*41.30A	----	54.90 - 05.10	.6521	----	----	5	----	15 + 1
4740	61.90	61.90	183.20B/*49.10A	183.20B/*49.10A	----	64.80 NEW	.7208	----	----	1	----	1 + 1
4750	78.70	78.70	192.90B/*54.70A	192.90B/*54.70A	----	72.00 - 12.00	.7616	----	----	22	----	26 + 11
4775	----	----	217.40B/71.20A	217.40B/71.20A	----	91.30 - 17.00	.8476	----	----	----	----	10 UNCH
4800	----	----	238.10B/89.40A	238.10B/89.40A	----	112.60 - 20.30	.9064	----	----	----	----	18 UNCH
4825	----	----	262.40B/109.10A	262.40B/109.10A	----	135.20 - 22.40	.9441	----	----	----	----	1 UNCH
4850	----	----	287.60B/130.60A	287.60B/130.60A	----	158.70 - 23.70	.9666	----	----	----	----	2 UNCH
4875	----	----	312.10B/152.30A	312.10B/152.30A	----	182.80 - 24.40	.9793	----	----	1	----	1 UNCH
4900	----	----	337.30B/175.10A	337.30B/175.10A	----	207.20 - 24.90	.9870	----	----	1	----	4 - 1
4925	----	----	361.90B/199.00A	361.90B/199.00A	----	231.80 - 25.20	.9916	----	----	1	----	1 UNCH
4975	----	----	411.80B/247.10A	411.80B/247.10A	----	281.30 - 25.60	.9965	----	----	2	----	2 UNCH
5000	----	----	437.10B/271.30A	437.10B/271.30A	----	306.20 - 25.60	.9974	----	----	----	----	1 UNCH
TOTAL										4004		6230 + 2853

OG2 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4200	----	----	530.40B/364.10A	530.40B/364.10A	----	494.40 + 25.10	.9999	----	----	----	----	1 - 1
4300	----	----	430.60B/260.60A	430.60B/260.60A	----	394.60 + 24.60	.9990	----	----	----	----	2 UNCH
4350	----	----	380.90B/211.40A	380.90B/211.40A	----	344.70 + 23.90	.9984	----	----	----	----	2 UNCH
4385	----	----	#345.90B/177.80	#345.90B/177.80A	----	309.90 + 23.20	.9970	----	----	----	----	4 UNCH
4400	----	----	331.70B/163.40A	331.70B/163.40A	----	295.00 + 22.60	.9963	----	----	----	----	33 UNCH
4450	210.00	210.00	282.20B/118.30A	282.20B/118.30A	----	245.40 + 19.20	.9926	----	----	2	----	7 UNCH
4475	----	----	256.90B/97.10A	256.90B/97.10A	----	220.70 + 16.00	.9892	----	----	----	----	3 UNCH
4500	158.70	158.70	233.20B/77.50A	233.20B/77.50A	----	196.20 + 11.40	.9834	----	----	3	----	35 + 3
4515	----	----	#218.50B/66.90A	#218.50B/66.90A	----	181.60 + 08.00	.9782	----	----	----	----	10 UNCH
4520	----	----	#213.50B/63.50A	#213.50B/63.50A	----	176.80 + 06.70	.9758	----	----	----	----	1 UNCH
4525	193.00	193.00	208.70B/60.10A	208.70B/60.10A	----	172.00 + 05.40	.9732	----	----	1	----	1 UNCH
4530	83.20	83.20	#203.90B/56.80A	#203.90B/56.80A	----	167.20 + 03.90	.9705	----	----	1	----	6 UNCH
4535	----	----	#199.40B/53.40A	#199.40B/53.40A	----	162.50 + 02.50	.9667	----	----	----	----	2 UNCH
4550	130.00	130.00	185.00B/44.70A	185.00B/44.70A	----	148.30 + 97.70	.9554	----	----	15	----	43 - 12
4560	143.70	143.70	#175.80B/39.50A	#175.80B/39.50A	----	139.00 + 94.20	.9453	----	----	1	----	1 UNCH
4565	----	----	#171.10B/37.00A	#171.10B/37.00A	----	134.40 + 92.40	.9394	----	----	1	----	1 UNCH
4570	----	----	#166.80B/34.70A	#166.80B/34.70A	----	129.80 + 90.40	.9334	----	----	1	----	19 UNCH
4575	32.00	32.00	162.10B/32.00	162.10B/32.00	----	125.30 + 88.50	.9261	----	----	15	----	449 - 13
4580	----	----	#157.60B/30.30A	#157.60B/30.30A	----	120.80 + 86.40	.9185	----	----	2	----	28 + 1
4585	----	----	#153.50B/28.20A	#153.50B/28.20A	----	116.30 + 84.20	.9106	----	----	----	----	1 UNCH
4590	----	----	#148.80B/26.20A	#148.80B/26.20A	----	111.90 + 82.00	.9014	----	----	2	----	15 - 1
4595	----	----	#144.40B/24.40A	#144.40B/24.40A	----	107.60 + 79.80	.8910	----	----	3	----	19 - 3
4600	47.30	47.30	140.00B/22.80A	140.00B/22.80A	----	103.30 + 77.50	.8802	----	----	21	----	171 + 8
4605	----	----	#135.70B/21.10A	#135.70B/21.10A	----	99.10 + 75.10	.8681	----	----	6	----	13 - 2
4610	83.00	83.00	#132.00/19.50A	#132.00/19.50A	----	94.90 + 72.70	.8557	----	----	2	----	6 UNCH
4615	26.30	26.30	#126.70B/18.00A	#126.70B/18.00A	----	90.80 NEW	.8419	----	----	114	----	35 + 35
4620	27.00	27.00	#122.70B/16.60A	#122.70B/16.60A	----	86.80 + 67.80	.8270	----	----	40	----	18 + 11
4625	65.00	65.00	118.80B/15.40A	118.80B/15.40A	----	82.90 + 65.40	.8108	----	----	24	----	68 - 6
4630	----	----	#114.30B/14.40A	#114.30B/14.40A	----	79.00 + 62.80	.7943	----	----	5	----	6 - 1
4635	109.20	109.20	#110.60B/13.40A	#110.60B/13.40A	----	75.20 + 60.30	.7766	----	----	12	----	9 + 4
4640	15.10	15.10	#106.30B/12.20A	#106.30B/12.20A	----	71.60 + 57.80	.7571	----	----	7	----	16 + 4
4645	----	----	#102.70B/11.40A	#102.70B/11.40A	----	67.90 + 55.20	.7379	----	----	1	----	0 - 1
4650	9.80	9.80	98.60B/*9.80	98.60B/*9.80	----	64.40 + 52.70	.7171	----	----	63	----	190 - 18
4655	41.00	41.00	94.50B/9.70A	94.50B/9.70A	----	61.00 + 50.30	.6954	----	----	3	----	5 + 2
4660	----	----	#91.30B/9.00A	#91.30B/9.00A	----	57.70 + 47.80	.6728	----	----	----	----	6 UNCH
4665	44.30	44.30	#87.20B/8.20A	#87.20B/8.20A	----	54.50 + 45.40	.6496	----	----	4	----	4 UNCH
4670	56.10	56.10	#83.80B/7.50A	#83.80B/7.50A	----	51.30 + 42.90	.6260	----	----	75	----	31 - 32
4675	25.00	25.00	80.60B/6.90A	80.60B/6.90A	----	48.30 + 40.60	.6014	----	----	23	----	36 - 12
4680	64.80	64.80	#77.10B/6.40A	#77.10B/6.40A	----	45.40 + 38.30	.5764	----	----	1	----	2 + 1
4685	67.50	67.50	#73.70B/5.80A	#73.70B/5.80A	----	42.60 + 36.00	.5511	----	----	4	----	7 + 4
4690	----	----	#70.50B/5.40A	#70.50B/5.40A	----	39.90 + 33.80	.5254	----	----	3	----	3 + 3
4695	----	----	#67.80B/5.00A	#67.80B/5.00A	----	37.40 + 31.80	.4996	----	----	2	----	24 UNCH
4700	8.80	8.80	64.70B/4.60A	64.70B/4.60A	----	34.90 + 29.70	.4737	----	----	113	----	165 + 9
4705	33.40	33.40	#61.60B/4.20A	#61.60B/4.20A	----	32.50 + 27.70	.4479	----	----	5	----	4 + 3
4710	26.00	26.00	#58.70B/3.80A	#58.70B/3.80A	----	30.30 + 25.90	.4224	----	----	111	----	56 + 54
4715	28.70	28.70	#55.90B/3.60A	#55.90B/3.60A	----	28.20 + 24.10	.3972	----	----	1	----	3 + 1
4720	41.00	41.00	#53.10B/3.50A	#53.10B/3.50A	----	26.20 NEW	.3724	----	----	66	----	51 + 51
4725	13.00	13.00	51.00/3.10A	51.00/3.10A	----	24.20 + 20.60	.3478	----	----	64	----	72 + 24
4730	19.40	19.40	#47.90/2.90A	#47.90/2.90A	----	22.40 + 19.10	.3242	----	----	110	----	34 - 2
4735	29.20	29.20	#45.50B/2.80A	#45.50B/2.80A	----	20.70 + 17.60	.3012	----	----	7	----	11 + 7
4740	26.00	26.00	#43.10B/2.50A	#43.10B/2.50A	----	19.10 + 16.20	.2791	----	----	16	----	16 + 15
4745	24.30	24.30	#40.80B/2.40A	#40.80B/2.40A	----	17.70 NEW	.2585	----	----	1	----	1 + 1
4750	4.20	4.20	38.70B/2.20A	38.70B/2.20A	----	16.30 + 13.70	.2382	----	----	259	----	394 - 35
4755	25.60	25.60	#36.50B/2.10A	#36.50B/2.10A	----	15.00 + 12.60	.2191	----	----	13	----	13 + 11
4760	10.10	10.10	#34.50B/2.10A	#34.50B/2.10A	----	13.80 + 11.50	.2010	----	----	4	----	7 + 3
4770	3.90	3.90	#30.70B/1.80A	#30.70B/1.80A	----	11.60 + 9.60	.1676	----	----	9	----	9 + 5
4775	20.70	20.70	29.00B/1.70A	29.00B/1.70A	----	10.60 + 8.70	.1523	----	----	15	----	62 UNCH
4780	18.60	18.60	#27.30B/1.50A	#27.30B/1.50A	----	9.80 + 8.00	.1392	----	----	6	----	5 + 1
4785	10.00	10.00	#25.70B/1.60A	#25.70B/1.60A	----	9.00 NEW	.1265	----	----	2	----	1 + 1
4790	2.00	2.00	#24.20B/1.50A	#24.20B/1.50A	----	8.20 + 6.60	.1141	----	----	9	----	18 + 8
4795	6.30	6.30	#22.70B/6.30	#22.70B/1.50A	----	7.50 + 6.00	.1031	----	----	3	----	2 + 1
4800	1.90	1.90	21.40B/1.90	21.40B/1.40A	----	6.90 + 5.50	.0934	----	----	167	----	302 + 58
4805	8.30	8.30	#20.10B/1.30A	#20.10B/1.30A	----	6.40 + 5.00	.0851	----	----	72	----	43 + 41
4810	16.90	16.90	#18.90B/9.70	#18.90B/1.30A	----	5.80 NEW	.0761	----	----	2	----	1 + 1
4815	7.10	7.10	#17.70B/7.10	#17.70B/1.20A	----	5.40 NEW	.0694	----	----	8	----	8 + 8
4820	8.70	8.70	#16.60B/1.10A	#16.60B/1.10A	----	4.90 NEW	.0619	----	----	6	----	4 + 4
4825	9.20	9.20	15.60B/4.60	15.60B/1.10A	----	4.50 + 3.40	.0558	----	----	31	----	56 + 5
4830	5.50	5.50	#14.60B/4.90	#14.60B/1.10A	----	4.20 + 3.10	.0509	----	----	10	----	12 + 9
4835	9.80	9.80	#13.70B/3.70	#13.70B/1.10A	----	3.80 NEW	.0452	----	----	22	----	22 + 22
4840	3.20	3.20	#12.80B/3.20	#12.80B/1.00A	----	3.50 + 2.50	.0407	----	----	6	----	8 + 6
4845	4.30	4.30	#12.00B/4.30	#12.00B/1.10A	----	3.30 + 2.30	.0374	----	----	26	----	25 + 24
4850	2.60	2.60	11.30B/2.60	11.30B/1.10A	----	3.00 + 2.10	.0333	----	----	70	----	135 + 30
4855	3.30	3.30	#10.50B/3.30	#10.50B/1.10A	----	2.80 + 1.90	.0303	----	----	1	----	3 + 1
4860	----	----	#9.90B/----	#9.90B/1.00A	----	2.60 NEW	.0275	----	----	4	----	4 + 4
4870	5.10	5.10	#8.60B/5.10	#8.60B/1.00A	----	2.20 NEW	.0221	----	----	3	----	3 + 3
4875	2.10	2.10	8.10B/2.00	8.10B/1.00A	----	2.10 + 1.30	.0206	----	----	15	----	269 + 10
4890	2.00	2.00	#6.60B/2.00	#6.60B/0.90A	----	1.70 NEW	.0154	----	----	20	----	20 + 20
4895	----	----	#6.20B/----	#6.20B/0.90A	----	1.60 + 0.90	.0141	----	----	----	----	1 UNCH
4900	1.30	1.30	6.00/1.30	6.00/0.90A	----	1.50 + 0.80	.0129	----	----	28	----	228 + 1
4905	----	----	#5.40B/----	#5.40B/1.00A	----	1.40 + 0.80	.0117	----	----	----	----	2 UNCH
4910	2.90	2.90	#5.10B/2.90	#5.10B/1.00A	----	1.30 + 0.70	.0106	----	----	1	----	3 + 1
4915	2.50	2.50	#4.80B/1.80	#4.80B/0.90A	----	1.20 NEW	.0095	----	----	2	----	2 + 2
4925	1.40	1.40	4.20B/1.40	4.20B/0.90A	----	1.10 + 0.50	.0083	----	----	5	----	40 + 5
4930	----	----	#3.90B/----	#3.90B/0.90A	----	1.00 NEW	.0073	----	----	1	----	1 + 1
4935	2.00	2.00	#3.70B/2.00	#3.70B/0.90A	----	1.00 + 0.50	.0071	----	----	1	----	123 + 1
4940	----	----	#3.40B/----	#3.40B/0.90A	----	0.90 + 0.40	.0062	----	----	4	----	56 + 4
4945	----	----	#3.20B/----	#3.20B/0.90A	----	0.90 + 0.40	.0061	----	----	----	----	76 UNCH
4950	1.80	1.80	3.00B/1.80	3.00B/0.90A	----	0.80 + 0.30	.0053	----	----	3	----	100 UNCH
4955	1.70	1.70	#2.80B/0.90A	#2.80B/0.90A	----	0.80 NEW	.0051	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG2 CALL — GOLD OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4960	----	----	#2.60B/----	#2.60B/0.80A	----	0.70 + 0.20	.0043	----	----	----	----	1 UNCH
4975	1.00	1.00	2.10B/0.70A	2.10B/0.70A	----	0.60 + 0.10	.0034	----	----	11	----	14 + 3
4985	----	----	#1.90B/----	#1.90B/0.70A	----	0.60 + 0.20	.0033	----	----	----	----	6 UNCH
5000	1.60	1.60	1.60/0.60A	1.60/0.60A	----	0.50 + 0.10	.0025	----	----	11	----	347 + 1
5005	0.80	0.80	#1.50B/0.60A	#1.50B/0.60A	----	0.50 + 0.10	.0025	----	----	1	----	42 UNCH
5025	1.00	1.00	1.30/0.50A	1.30/0.50A	----	0.40 UNCH	.0018	----	----	30	----	81 + 30
5050	----	----	0.90B/----	0.90B/0.40A	----	0.30 UNCH	.0012	----	----	----	----	66 UNCH
5075	0.20	0.20	0.60B/*0.20	0.60B/*0.20	----	0.20 UNCH	.0007	----	----	5	----	8 + 5
5100	0.50	0.50	0.50/*0.30A	0.50/0.30A	----	0.10 - 0.10	.0002	----	----	12	----	23 + 8
5105	0.40	0.40	#0.40/*0.30A	0.40/*0.30A	----	0.10 NEW	.0002	----	----	1	----	1 + 1
5125	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.10 - 0.10	.0001	----	----	5	----	14 + 5
5150	----	----	0.30B/----	0.30B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
5175	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 UNCH	.0000	----	----	2	----	2 + 2
5200	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	4	----	18 UNCH
5225	----	----	----	0.10B/0.30A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
5250	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
5275	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5300	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
5350	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
6000	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
TOTAL										1862		4477 + 449

OG PUT — COMEX GOLD OPTIONS

JUN26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
1325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1375	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1400	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1425	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1475	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1525	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
1575	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1580	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1590	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	175 UNCH
1600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
1610	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1615	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1620	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
1625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1650	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1670	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1675	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1685	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1690	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1695	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1735	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1740	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1745	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1755	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1775	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1780	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1785	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1795	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
1815	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1820	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1855	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1875	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1905	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
1915	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1920	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1950	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1955	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1965	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1975	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	85 UNCH
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	607 UNCH
2005	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2010	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2015	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2020	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2025	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
2030	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
2050	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2085	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
2100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	91 UNCH
2105	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2110	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2130	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2170	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2180	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2195	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
2205	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
2220	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2230	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	25 UNCH
2235	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	21 UNCH
2240	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
2250	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2300	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
2315	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	40 UNCH
2330	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	9 UNCH
2350	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2380	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	14 UNCH
2385	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2390	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2395	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2400	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	72 UNCH
2405	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2410	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
2415	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2420	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2425	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	23 UNCH
2430	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2445	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2450	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	51 UNCH
2460	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2465	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
2475	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
2495	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
2500	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	.0001	----	----	----	----	1928 UNCH
2510	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	2 UNCH
2525	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0001	----	----	----	----	25 UNCH
2535	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	5 UNCH
2540	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	5 UNCH
2550	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0001	----	----	----	----	50 UNCH
2565	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	5 UNCH
2580	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	5 UNCH
2590	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0002	----	----	----	----	13 UNCH
2600	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	.0002	----	----	----	----	189 UNCH
2645	----	----	----/0.20A	0.10B/0.20A	----	0.20 - 0.10	.0006	----	----	----	----	10 UNCH
2650	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0006	----	----	----	----	1 UNCH
2685	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0006	----	----	----	----	26 UNCH
2695	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0006	----	----	----	----	2 UNCH
2700	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.20 - 0.10	.0006	----	----	1	----	427 UNCH
2730	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0006	----	----	----	----	35 UNCH
2750	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0006	----	----	----	----	1 UNCH
2800	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.20	.0006	----	----	----	----	718 UNCH
2805	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.20	.0006	----	----	----	----	223 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
2810	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0006	----	----	----	----	18 UNCH
2825	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0009	----	----	----	----	56 UNCH
2830	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0009	----	----	----	----	25 UNCH
2850	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0010	----	----	----	----	22 UNCH
2865	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0010	----	----	----	----	2 UNCH
2875	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0010	----	----	----	----	7 UNCH
2900	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0010	----	----	----	----	157 UNCH
2905	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0010	----	----	----	----	5 UNCH
2915	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0010	----	----	----	----	1 UNCH
2930	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0010	----	----	----	----	1 UNCH
2935	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0010	----	----	----	----	3 UNCH
2950	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0010	----	----	----	----	24 UNCH
2955	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0010	----	----	----	----	8 UNCH
2970	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0010	----	----	----	----	2 UNCH
2975	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0010	----	----	----	----	10 UNCH
2990	----	----	----	0.40B/*0.50A	----	0.30 - 0.20	.0011	----	----	----	----	5 UNCH
2995	----	----	----	0.40B/*0.50A	----	0.30 - 0.20	.0011	----	----	----	----	6 UNCH
3000	----	----	----/0.40A	0.40B/0.40A	----	0.30 - 0.20	.0011	----	----	----	----	1722 UNCH
3005	----	----	----	0.40B/*0.50A	----	0.30 - 0.20	.0011	----	----	----	----	30 UNCH
3010	----	----	----	0.40B/*0.50A	----	0.30 - 0.20	.0011	----	----	----	----	8 UNCH
3015	----	----	----	0.40B/*0.50A	----	0.30 - 0.20	.0011	----	----	----	----	216 UNCH
3020	----	----	----	0.40B/*0.50A	----	0.30 - 0.20	.0011	----	----	----	----	35 UNCH
3035	----	----	----	0.40B/*0.50A	----	0.30 - 0.20	.0011	----	----	----	----	1 UNCH
3045	----	----	----	0.40B/*0.50A	----	0.30 - 0.20	.0011	----	----	----	----	56 UNCH
3050	----	----	----/*0.50A	0.40B/*0.50A	----	0.30 - 0.30	.0011	----	----	----	----	389 UNCH
3065	----	----	----/*0.50A	0.40B/*0.50A	----	0.30 - 0.30	.0011	----	----	----	----	7 UNCH
3070	----	----	----/*0.50A	0.40B/*0.50A	----	0.30 - 0.30	.0011	----	----	----	----	7 UNCH
3075	----	----	----/*0.50A	0.40B/*0.50A	----	0.30 - 0.30	.0011	----	----	----	----	10 UNCH
3080	----	----	----/*0.50A	0.40B/*0.50A	----	0.30 - 0.30	.0011	----	----	----	----	8 UNCH
3085	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0015	----	----	----	----	1 UNCH
3095	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.20	.0015	----	----	----	----	42 UNCH
3100	----	----	----	0.50B/*0.60A	----	0.40 - 0.20	.0015	----	----	----	----	381 UNCH
3105	----	----	----	0.50B/*0.60A	----	0.40 - 0.20	.0015	----	----	----	----	13 UNCH
3110	----	----	----	0.50B/*0.60A	----	0.40 - 0.20	.0015	----	----	----	----	11 UNCH
3120	----	----	----/*0.60A	0.50B/*0.60A	----	0.40 - 0.30	.0015	----	----	----	----	13 UNCH
3125	----	----	----/*0.60A	0.50B/*0.60A	----	0.40 - 0.30	.0015	----	----	----	----	13 UNCH
3130	----	----	----/*0.60A	0.50B/*0.60A	----	0.40 - 0.30	.0015	----	----	----	----	26 UNCH
3140	----	----	----/*0.60A	0.50B/*0.60A	----	0.40 - 0.30	.0015	----	----	----	----	5 UNCH
3150	----	----	----/*0.60A	0.50B/*0.60A	----	0.40 - 0.30	.0015	----	----	----	----	147 UNCH
3155	----	----	----/*0.60A	0.60B/*0.60A	----	0.40 - 0.30	.0016	----	----	----	----	16 UNCH
3160	----	----	----/*0.60A	0.60B/*0.60A	----	0.40 - 0.30	.0016	----	----	----	----	16 UNCH
3170	----	----	----/*0.60A	0.60B/*0.60A	----	0.40 - 0.40	.0016	----	----	----	----	6 UNCH
3175	----	----	----/*0.60A	0.60B/*0.60A	----	0.40 - 0.40	.0016	----	----	----	----	13 UNCH
3180	----	----	----/*0.60A	0.60B/*0.60A	----	0.40 - 0.40	.0016	----	----	----	----	5 UNCH
3185	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.30	.0019	----	----	----	----	6 UNCH
3190	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.30	.0019	----	----	----	----	18 UNCH
3195	----	----	----/*0.70A	0.60B/*0.70A	----	0.50 - 0.30	.0020	----	----	----	----	12 UNCH
3200	----	----	----/*0.70A	0.60B/*0.70A	----	0.50 - 0.30	.0020	----	----	----	----	1172 UNCH
3205	----	----	----/*0.70A	0.60B/*0.70A	----	0.50 - 0.30	.0020	----	----	----	----	42 UNCH
3210	----	----	----/*0.70A	0.60B/*0.70A	----	0.50 - 0.30	.0020	----	----	----	----	25 UNCH
3215	----	----	----/*0.70A	0.60B/*0.70A	----	0.50 - 0.40	.0020	----	----	----	----	22 UNCH
3220	----	----	----/*0.70A	0.60B/*0.70A	----	0.50 - 0.40	.0020	----	----	----	----	37 UNCH
3225	----	----	----/*0.70A	0.60B/*0.70A	----	0.50 - 0.40	.0020	----	----	----	----	75 UNCH
3230	----	----	----/*0.70A	0.60B/*0.70A	----	0.50 - 0.40	.0020	----	----	----	----	7 UNCH
3235	----	----	----/*0.70A	0.70B/*0.70A	----	0.50 - 0.40	.0020	----	----	----	----	25 UNCH
3240	----	----	----/*0.70A	0.70B/*0.70A	----	0.50 - 0.40	.0020	----	----	----	----	1 UNCH
3250	----	----	----/*0.80A	0.70B/*0.80A	----	0.50 - 0.40	.0020	----	----	----	----	148 UNCH
3255	----	----	----/*0.80A	0.70B/*0.80A	----	0.50 - 0.50	.0020	----	----	----	----	124 UNCH
3260	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.40	.0024	----	----	----	----	45 UNCH
3265	----	----	----/*0.80A	0.70B/*0.80A	----	0.60 - 0.40	.0024	----	----	----	----	30 UNCH
3270	----	----	----/*0.80A	0.70B/*0.80A	----	0.60 - 0.40	.0024	----	----	----	----	7 UNCH
3275	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.40	.0024	----	----	----	----	10 UNCH
3280	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.40	.0024	----	----	----	----	13 UNCH
3290	----	----	----/*0.80A	0.70B/*0.80A	----	0.60 - 0.40	.0025	----	----	----	----	37 UNCH
3295	----	----	----/*0.80A	0.70B/*0.80A	----	0.60 - 0.50	.0025	----	----	----	----	2 UNCH
3300	----	----	----/*0.80A	0.80B/*0.80A	----	0.60 - 0.50	.0025	----	----	----	----	410 UNCH
3305	----	----	----/*0.90A	0.80B/*0.90A	----	0.60 - 0.50	.0025	----	----	----	----	1 UNCH
3310	----	----	----/*0.70A	0.80B/*0.70A	----	0.60 - 0.50	.0025	----	----	----	----	7 UNCH
3315	----	----	----/*0.90A	0.80B/*0.90A	----	0.60 - 0.50	.0025	----	----	----	----	7 UNCH
3320	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.40	.0029	----	----	----	----	4 UNCH
3325	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.40	.0029	----	----	----	----	47 UNCH
3335	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.50	.0029	----	----	----	----	46 UNCH
3340	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.50	.0029	----	----	----	----	22 UNCH
3345	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.50	.0029	----	----	----	----	12 UNCH
3350	0.80	0.80	0.80/*0.70	0.80/*0.70	----	0.70 - 0.50	.0030	----	----	39	----	434 + 2
3355	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.50	.0030	----	----	----	----	17 UNCH
3360	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.50	.0030	----	----	----	----	7 UNCH
3365	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.50	.0030	----	----	----	----	31 UNCH
3370	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.50	.0030	----	----	----	----	26 UNCH
3375	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.40	.0034	----	----	----	----	98 UNCH
3380	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.50	.0034	----	----	----	----	46 UNCH
3385	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.50	.0034	----	----	----	----	6 UNCH
3390	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.50	.0034	----	----	----	----	59 UNCH
3395	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.50	.0034	----	----	----	----	2 UNCH
3400	0.80	0.80	1.00/*0.80	1.00/*0.80	----	0.80 - 0.50	.0035	----	----	4	----	720 - 1
3405	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.50	.0035	----	----	----	----	66 UNCH
3410	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.50	.0035	----	----	----	----	7 UNCH
3415	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.50	.0035	----	----	----	----	3 UNCH
3420	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.50	.0035	----	----	----	----	18 UNCH
3425	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.50	.0035	----	----	----	----	25 UNCH
3430	----	----	----/*1.10A	1.00B/*1.10A	----	0.90 - 0.50	.0039	----	----	----	----	10 UNCH
3435	----	----	----/*1.10A	1.00B/*1.10A	----	0.90 - 0.50	.0039	----	----	----	----	20 UNCH
3450	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.50	.0040	----	----	----	----	386 UNCH
3455	----	----	----/*1.10A	1.00B/*1.10A	----	0.90 - 0.50	.0040	----	----	----	----	51 UNCH
3460	----	----	----/*1.10A	1.00B/*1.10A	----	0.90 - 0.50	.0040	----	----	----	----	227 UNCH
3465	----	----	----/*1.10A	1.00B/*1.10A	----	0.90 - 0.50	.0040	----	----	----	----	89 UNCH
3470	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.50	.0041	----	----	----	----	28 UNCH
3475	----	----	----/*1.10A	1.00B/*1.10A	----	0.90 - 0.50	.0041	----	----	----	----	106 UNCH
3480	----	----	----/*1.10A	1.10B/*1.10A	----	1.00 - 0.40	.0045	----	----	----	----	171 UNCH
3485	----	----	----/*1.10A	1.20B/*1.10A	----	1.00 - 0.50	.0045	----	----	----	----	3 UNCH
3490	----	----	----/*1.20A	1.10B/*1.20A	----	1.00 - 0.50	.0045	----	----	----	----	21 UNCH
3500	----	----	----/*1.10A	1.20B/*1.10A	----	1.00 - 0.50	.0045	----	----	----	----	1819 UNCH
3505	----	----	----/*1.20A	1.10B/*1.20A	----	1.00 - 0.50	.0046	----	----	----	----	65 UNCH
3510	----	----	----/*1.20A	1.10B/*1.20A	----	1.00 - 0.50	.0046	----	----	----	----	86 UNCH
3515	----	----	----/*1.20A	1.20B/*1.20A	----	1.00 - 0.50	.0046	----	----	----	----	16 UNCH
3520	----	----	----/*1.20A	1.20B/*1.20A	----	1.00 - 0.50	.0046	----	----	----	----	138 UNCH
3525	----	----	----/*1.20A	1.20B/*1.20A	----	1.00 - 0.60	.0046	----	----	----	----	301 UNCH
3530	----	----	----/*1.20A	1.20B/*1.20A	----	1.10 - 0.50	.0051	----	----	----	----	7 UNCH
3535	----	----	----/*1.20A	1.20B/*1.20A	----	1.10 - 0.50	.0051	----	----	----	----	100 UNCH
3540	----	----	----/*1.20A	1.20B/*1.20A	----	1.10 - 0.50	.0051	----	----	----	----	5 UNCH
3545	----	----	----/*1.20A	1.20B/*1.20A	----	1.10 - 0.50	.0051	----	----	----	----	22 UNCH
3550	----	----	----/*1.20A	1.30B/*1.20A	----	1.10 - 0.60	.0051	----	----	1	----	417 UNCH
3555	----	----	----/*1.30A	1.30B/*1.30A	----	1.10 - 0.60	.0052	----	----	----	----	2 UNCH
3560	----	----	----/*1.30A	1.30B/*1.30A	----	1.10 - 0.60	.0052	----	----	----	----	89 UNCH
3565	----	----	----/*1.30A	1.30B/*1.30A	----	1.10 - 0.60	.0052	----	----	----	----	41 UNCH
3570	----	----	----/*1.30A	1.40B/*1.30A	----	1.10 - 0.60	.0052	----	----	----	----	60 UNCH
3575	----	----	----/*1.30A	1.30B/*1.30A	----	1.10 - 0.70	.0053	----	----	----	----	41 UNCH
3580	----	----	----/*1.30A	1.40B/*1.30A	----	1.20 - 0.60	.0057	----	----	----	----	76 UNCH
3585	----	----	----/*1.30A	1.40B/*1.30A	----	1.20 - 0.60	.0057	----	----	----	----	2 UNCH
3590	----	----	----/*1.30A	1.40B/*1.30A	----	1.20 - 0.60	.0057	----	----	----	----	3 UNCH
3595	----	----	----/*1.30A	1.40B/*1.30A	----	1.20 - 0.70	.0058	----	----	----	----	23 UNCH
3600	1.80	1.80	1.80/*1.30	1.80/*1.30	----	1.20 - 0.70	.0058	----	----	88	----	1894 + 2
3610	----	----	----/*1.40A	1.50B/*1.40A	----	1.20 - 0.70	.0058	----	----	----	----	4 UNCH
3615	----	----	----/*1.40A	1.50B/*1.40A	----	1.20 - 0.80	.0059	----	----	----	----	37 UNCH
3620	1.70	1.70	1.70/*1.40A	1.70/*1.40A	----	1.30 - 0.70	.0063	----	----	6	----	17 + 6
3625	----	----	----/*1.40A	1.50B/*1.40A	----	1.30 - 0.70	.0063	----	----	----	----	67 UNCH
3630	----	----	----/*1.40A	1.50B/*1.40A	----	1.30 - 0.70	.0064	----	----	----	----	87 UNCH
3635	----	----	----/*1.40A	1.60B/*1.40A	----	1.30 - 0.80	.0064	----	----	----	----	108 UNCH
3640	----	----	----/*1.50A	1.60B/*1.50A	----	1.30 - 0.80	.0064	----	----	1	----	24 UNCH
3645	----	----	----/*1.40A	1.60B/*1.40A	----	1.30 - 0.80	.0065	----	----	----	----	14 UNCH
3650	1.40	1.40	1.40/*1.40	1.60B/*1.40	----	1.30 - 0.90	.0065	----	----	30	----	703 - 30
3655	----	----	----/*1.40A	1.60B/*1.40A	----	1.30 - 0.90	.0065	----	----	----	----	9 UNCH
3660	----	----	----/*1.50A	1.70B/*1.50A	----	1.40 - 0.80	.0070	----	----	----	----	1 UNCH
3665	----	----	----/*1.50A	1.70B/*1.50A	----	1.40 - 0.80	.0070	----	----	----	----	39 UNCH
3670	----	----	----/*1.50A	1.70B/*1.50A	----	1.40 - 0.90	.0070	----	----	----	----	31 UNCH
3675	----	----	----/*1.50A	1.70B/*1.50A	----	1.40 - 0.90	.0071	----	----	----	----	46 UNCH
3680	----	----	----/*1.60A	1.70B/*1.60A	----	1.40 - 0.90	.0071	----	----	----	----	18 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3685	----	----	----/*1.60A	1.80B/*1.60A	----	1.40 - 0.90	.0071	----	----	----	----	48 UNCH
3690	----	----	----/*1.50A	1.80B/*1.50A	----	1.40 - 1.00	.0072	----	----	----	----	11 UNCH
3695	----	----	----/*1.60A	1.90B/*1.60A	----	1.40 - 1.00	.0072	----	----	----	----	19 UNCH
3700	2.10	2.10	2.10/*1.60	2.10/*1.60	----	1.50 - 0.90	.0077	----	----	6	----	821 - 1
3705	----	----	----/*1.60A	1.80B/*1.60A	----	1.50 - 0.90	.0077	----	----	----	----	126 UNCH
3710	----	----	----/*1.60A	1.90B/*1.60A	----	1.50 - 1.00	.0077	----	----	----	----	80 UNCH
3715	2.00	2.00	2.00/*1.60A	2.00/*1.60A	----	1.50 - 1.00	.0078	----	----	4	----	50 + 4
3720	----	----	----/*1.70A	2.00B/*1.70A	----	1.50 - 1.00	.0078	----	----	----	----	4 UNCH
3725	----	----	----/*1.70A	1.90B/*1.70A	----	1.50 - 1.00	.0079	----	----	----	----	121 UNCH
3730	----	----	----/*1.70A	2.00B/*1.70A	----	1.50 - 1.10	.0079	----	----	----	----	18 UNCH
3740	----	----	----/*1.70A	2.20B/*1.70A	----	1.60 - 1.00	.0084	----	----	----	----	66 UNCH
3745	----	----	----/*1.70A	2.10B/*1.70A	----	1.60 - 1.00	.0085	----	----	----	----	20 UNCH
3750	----	----	----/*1.70A	2.10B/*1.70A	----	1.60 - 1.10	.0085	----	----	----	----	1308 UNCH
3755	----	----	----/*1.70A	2.10B/*1.70A	----	1.60 - 1.10	.0085	----	----	----	----	14 UNCH
3760	----	----	----/*1.70A	2.10B/*1.70A	----	1.60 - 1.10	.0086	----	----	----	----	23 UNCH
3765	----	----	----/*1.70A	2.20B/*1.70A	----	1.60 - 1.20	.0086	----	----	----	----	49 UNCH
3770	----	----	----/*1.80A	2.30B/*1.80A	----	1.70 - 1.10	.0091	----	----	----	----	13 UNCH
3775	----	----	----/*1.80A	2.20B/*1.80A	----	1.70 - 1.10	.0092	----	----	----	----	39 UNCH
3780	----	----	----/*1.80A	2.40B/*1.80A	----	1.70 - 1.10	.0092	----	----	----	----	15 UNCH
3785	----	----	----/*1.80A	2.30B/*1.80A	----	1.70 - 1.20	.0093	----	----	----	----	7 UNCH
3790	----	----	----/*1.80A	2.40B/*1.80A	----	1.70 - 1.20	.0093	----	----	----	----	259 UNCH
3795	----	----	----/*1.90A	2.50B/*1.90A	----	1.70 - 1.20	.0093	----	----	----	----	83 UNCH
3800	1.90	1.90	1.90/*1.60	2.40B/*1.60	----	1.80 - 1.20	.0098	----	----	30	----	2767 - 8
3805	----	----	----/*1.90A	2.50B/*1.90A	----	1.80 - 1.20	.0099	----	----	----	----	71 UNCH
3810	----	----	----/*1.90A	2.40B/*1.90A	----	1.80 - 1.20	.0100	----	----	----	----	44 UNCH
3815	2.30	2.30	2.30/*1.90A	2.60B/*1.90A	----	1.80 - 1.30	.0100	----	----	2	----	40 + 2
3820	----	----	----/*1.90A	2.50B/*1.90A	----	1.80 - 1.30	.0101	----	----	----	----	18 UNCH
3825	----	----	----/*2.00A	2.60B/*2.00A	----	1.90 - 1.20	.0106	----	----	----	----	40 UNCH
3830	2.10	2.10	2.10/*2.00A	2.60B/*2.00A	----	1.90 - 1.30	.0106	----	----	1	----	186 UNCH
3835	----	----	----/*2.00A	2.60B/*2.00A	----	1.90 - 1.30	.0107	----	----	----	----	55 UNCH
3840	----	----	----/*2.00A	2.70B/*2.00A	----	1.90 - 1.30	.0107	----	----	----	----	4 UNCH
3845	----	----	----/*2.00A	2.90B/*2.00A	----	1.90 - 1.40	.0108	----	----	----	----	1 UNCH
3850	1.90	1.90	2.00/*1.80	2.90B/*1.80	----	1.90 - 1.40	.0109	----	----	56	----	696 UNCH
3855	----	----	----/*2.00A	3.00B/*2.00A	----	2.00 - 1.30	.0114	----	----	----	----	73 UNCH
3860	----	----	----/*2.10A	3.00B/*2.10A	----	2.00 - 1.40	.0114	----	----	----	----	29 UNCH
3865	----	----	----/*2.10A	3.00B/*2.10A	----	2.00 - 1.40	.0115	----	----	----	----	19 UNCH
3870	----	----	----/*2.10A	3.10B/*2.10A	----	2.00 - 1.50	.0116	----	----	----	----	16 UNCH
3875	----	----	----/*2.10A	3.10B/*2.10A	----	2.00 - 1.50	.0116	----	----	----	----	163 UNCH
3880	----	----	----/*2.20A	3.20B/*2.20A	----	2.10 - 1.40	.0122	----	----	----	----	26 UNCH
3885	----	----	----/*2.20A	3.20B/*2.20A	----	2.10 - 1.50	.0122	----	----	----	----	13 UNCH
3890	----	----	----/*2.20A	3.30B/*2.20A	----	2.10 - 1.50	.0123	----	----	----	----	49 UNCH
3895	----	----	----/*2.20A	3.30B/*2.20A	----	2.10 - 1.60	.0124	----	----	----	----	16 UNCH
3900	3.00	3.00	3.00/*2.20	3.40B/*2.20	----	2.20 - 1.50	.0129	----	----	33	----	1139 + 5
3905	----	----	----/*2.30A	3.40B/*2.30A	----	2.20 - 1.60	.0130	----	----	----	----	45 UNCH
3910	----	----	----/*2.30A	3.50B/*2.30A	----	2.20 - 1.60	.0131	----	----	----	----	10 UNCH
3915	----	----	----/*2.30A	3.60B/*2.30A	----	2.20 - 1.70	.0131	----	----	----	----	24 UNCH
3920	2.30	2.30	2.30/*2.30	3.60B/*2.30	----	2.30 - 1.60	.0137	----	----	3	----	36 + 3
3925	----	----	----/*2.40A	3.70B/*2.40A	----	2.30 - 1.70	.0138	----	----	1	----	60 UNCH
3930	----	----	----/*2.40A	3.70B/*2.40A	----	2.30 - 1.80	.0139	----	----	----	----	21 UNCH
3935	----	----	----/*2.40A	3.80B/*2.40A	----	2.30 - 1.80	.0139	----	----	----	----	27 UNCH
3940	----	----	----/*2.40A	3.90B/*2.40A	----	2.40 - 1.80	.0145	----	----	----	----	101 UNCH
3945	----	----	----/*2.50A	3.90B/*2.50A	----	2.40 - 1.90	.0146	----	----	----	----	18 UNCH
3950	----	----	----/*2.50A	4.00B/*2.50A	----	2.40 - 1.90	.0147	----	----	1	----	315 - 1
3955	----	----	----/*2.50A	4.10B/*2.50A	----	2.50 - 1.90	.0153	----	----	----	----	13 UNCH
3960	----	----	----/*2.60A	4.10B/*2.60A	----	2.50 - 2.00	.0153	----	----	----	----	39 UNCH
3965	----	----	----/*2.60A	4.20B/*2.60A	----	2.50 - 2.00	.0154	----	----	----	----	23 UNCH
3970	----	----	----/*2.60A	4.30B/*2.60A	----	2.50 - 2.10	.0155	----	----	----	----	70 UNCH
3975	----	----	----/*2.70A	4.40B/*2.70A	----	2.60 - 2.10	.0161	----	----	----	----	358 UNCH
3980	----	----	----/*2.70A	4.40B/*2.70A	----	2.60 - 2.20	.0162	----	----	1	----	104 UNCH
3985	----	----	----/*2.70A	4.50B/*2.70A	----	2.60 - 2.20	.0163	----	----	----	----	57 UNCH
3990	----	----	----/*2.80A	4.60B/*2.80A	----	2.70 - 2.20	.0169	----	----	----	----	64 UNCH
3995	----	----	----/*2.80A	4.70B/*2.80A	----	2.70 - 2.30	.0170	----	----	----	----	175 UNCH
4000	3.80	3.80	3.80/*2.70	4.80B/*2.70	----	2.70 - 2.40	.0171	----	----	90	----	4209 - 65
4005	3.20	3.20	3.20/*2.90A	4.90B/*2.90A	----	2.80 - 2.40	.0177	----	----	6	----	62 - 4
4010	3.00	3.00	3.20/*2.90A	5.00B/*2.90A	----	2.80 - 2.50	.0179	----	----	2	----	64 + 1
4015	----	----	----/*2.90A	5.10B/*2.90A	----	2.90 - 2.50	.0185	----	----	----	----	64 UNCH
4020	----	----	----/*3.00A	5.20B/*3.00A	----	2.90 - 2.60	.0186	----	----	----	----	118 UNCH
4025	2.90	2.90	2.90/*2.90	5.30B/*2.90	----	2.90 - 2.70	.0187	----	----	19	----	314 UNCH
4030	----	----	----/*3.10A	5.40B/*3.10A	----	3.00 - 2.70	.0193	----	----	----	----	48 UNCH
4035	----	----	----/*3.10A	5.50B/*3.10A	----	3.00 - 2.80	.0195	----	----	1	----	56 UNCH
4040	----	----	----/*3.20A	5.60B/*3.20A	----	3.10 - 2.80	.0201	----	----	----	----	91 UNCH
4045	----	----	----/*3.20A	5.70B/*3.20A	----	3.10 - 3.00	.0202	----	----	----	----	39 UNCH
4050	5.70	5.70	5.70/*3.20	5.90B/*3.20	----	3.20 - 3.00	.0209	----	----	67	----	1221 - 2
4055	4.20	4.20	4.20/*3.30A	6.00B/*3.30A	----	3.20 - 3.10	.0210	----	----	2	----	41 + 1
4060	----	----	----/*3.30A	6.10B/*3.30A	----	3.30 - 3.10	.0217	----	----	----	----	97 UNCH
4065	----	----	----/*3.40A	6.20B/*3.40A	----	3.30 - 3.30	.0218	----	----	2	----	140 UNCH
4070	3.30	3.30	3.50/*3.20	6.40B/*3.20	----	3.40 - 3.30	.0225	----	----	10	----	66 - 4
4075	3.40	3.40	3.40/*3.40	6.60B/*3.40	----	3.40 - 3.50	.0226	----	----	15	----	273 UNCH
4080	----	----	----/*3.60A	6.70B/*3.60A	----	3.50 - 3.50	.0233	----	----	1	----	150 UNCH
4085	3.50	3.50	3.50/*3.50	6.90B/*3.50	----	3.60 - 3.60	.0240	----	----	10	----	276 + 6
4090	----	----	----/*3.70A	7.10B/*3.70A	----	3.60 - 3.70	.0241	----	----	----	----	114 UNCH
4095	3.70	3.70	3.70/*3.70	7.30B/*3.70	----	3.70 - 3.80	.0248	----	----	6	----	2081 - 6
4100	5.10	5.10	5.10/*3.60	7.40B/*3.60	----	3.80 - 3.80	.0255	----	----	381	----	2372 - 130
4105	4.20	4.20	4.20/*3.80	7.60B/*3.80	----	3.80 - 4.00	.0257	----	----	12	----	2069 UNCH
4110	----	----	----/*3.90A	7.80B/*3.90A	----	3.90 - 4.10	.0264	----	----	1	----	160 UNCH
4115	----	----	----/*4.00A	7.90B/*4.00A	----	4.00 - 4.20	.0271	----	----	----	----	472 UNCH
4120	4.50	4.50	4.50/*4.10A	8.20B/*4.10A	----	4.10 - 4.30	.0278	----	----	2	----	85 - 1
4125	4.60	4.60	4.60/*4.10	8.40B/*4.10	----	4.10 - 4.50	.0280	----	----	74	----	392 - 4
4130	----	----	----/*4.20A	8.50B/*4.20A	----	4.20 - 4.60	.0287	----	----	----	----	52 UNCH
4135	4.80	4.80	4.80/*4.30A	8.80B/*4.30A	----	4.30 - 4.70	.0294	----	----	9	----	47 - 2
4140	----	----	----/*4.40A	9.00B/*4.40A	----	4.40 - 4.80	.0301	----	----	----	----	48 UNCH
4145	----	----	----/*4.50A	9.20B/*4.50A	----	4.50 - 4.90	.0309	----	----	----	----	267 UNCH
4150	6.00	6.00	6.00/*4.30	9.50B/*4.30	----	4.60 - 5.10	.0316	----	----	91	----	651 + 27
4155	----	----	----/*4.60A	9.80B/*4.60A	----	4.70 - 5.20	.0324	----	----	----	----	43 UNCH
4160	----	----	----/*4.70A	9.90B/*4.70A	----	4.80 - 5.30	.0331	----	----	1	----	223 - 1
4165	5.30	5.30	5.30/*4.80A	10.30B/*4.80A	----	4.90 - 5.50	.0339	----	----	2	----	30 UNCH
4170	----	----	----/*4.90A	10.60B/*4.90A	----	5.00 - 5.70	.0347	----	----	----	----	56 UNCH
4175	5.50	5.50	5.50/*5.00A	10.90B/*5.00A	----	5.10 - 5.80	.0354	----	----	15	----	932 - 3
4180	5.60	5.60	5.60/*5.10A	11.10B/*5.10A	----	5.20 - 6.00	.0362	----	----	1	----	124 UNCH
4185	5.80	5.80	5.80/*5.20A	11.40B/*5.20A	----	5.30 - 6.20	.0370	----	----	7	----	21 - 6
4190	----	----	----/*5.30A	11.70B/*5.30A	----	5.40 - 6.40	.0378	----	----	1	----	29 - 1
4195	----	----	----/*5.40A	12.00B/*5.40A	----	5.60 - 6.50	.0391	----	----	3	----	40 UNCH
4200	9.90	9.90	12.50B/*5.50	12.50B/*5.50	----	5.70 - 6.70	.0400	----	----	448	325	3383 - 267
4205	----	----	----/*5.70A	12.80B/*5.70A	----	5.80 - 7.00	.0408	----	----	4	----	68 UNCH
4210	----	----	13.20B/*5.80A	13.20B/*5.80A	----	6.00 - 7.10	.0421	----	----	----	----	465 UNCH
4215	----	----	13.50B/*5.90A	13.50B/*5.90A	----	6.10 - 7.30	.0430	----	----	2	----	36 UNCH
4220	----	----	13.90B/*6.10A	13.90B/*6.10A	----	6.30 - 7.50	.0443	----	----	1	----	200 - 1
4225	6.40	6.40	14.40B/*6.20A	14.40B/*6.20A	----	6.40 - 7.80	.0452	----	----	208	----	375 - 107
4230	7.20	7.20	14.70B/*6.30A	14.70B/*6.30A	----	6.60 - 8.00	.0466	----	----	31	----	103 + 30
4235	6.70	6.70	15.20B/*6.50A	15.20B/*6.50A	----	6.80 - 8.20	.0480	----	----	16	----	69 + 3
4240	7.30	7.30	15.50B/*6.60	15.50B/*6.60	----	6.90 - 8.50	.0489	----	----	27	----	83 + 26
4245	7.10	7.10	16.00B/*6.80	16.00B/*6.80	----	7.10 - 8.70	.0503	----	----	12	----	89 UNCH
4250	10.00	10.00	16.50B/*6.90	16.50B/*6.90	----	7.30 - 9.00	.0517	----	----	179	----	1484 - 15
4255	8.50	8.50	16.90B/*7.10	16.90B/*7.10	----	7.50 - 9.20	.0531	----	----	3	----	270 UNCH
4260	----	----	17.50B/*7.30A	17.50B/*7.30A	----	7.70 - 9.50	.0546	----	----	33	----	140 + 30
4265	8.20	8.20	18.00B/*7.50A	18.00B/*7.50A	----	7.90 - 9.80	.0560	----	----	1	----	81 - 1
4270	----	----	18.50B/*7.60A	18.50B/*7.60A	----	8.10 - 10.10	.0575	----	----	3	----	50 UNCH
4275	15.30	15.30	19.10B/*7.80A	19.10B/*7.80A	----	8.30 - 10.40	.0590	----	----	70	----	158 + 5
4280	7.90	7.90	19.60B/*7.90	19.60B/*7.90	----	8.60 - 10.70	.0610	----	----	2	----	82 + 2
4285	----	----	20.10B/*8.20A	20.10B/*8.20A	----	8.80 - 11.00	.0625	----	----	----	----	50 UNCH
4290	----	----	20.80B/*8.40A	20.80B/*8.40A	----	9.00 - 11.40	.0640	----	----	24	----	141 + 22
4295	----	----	21.30B/*8.70A	21.30B/*8.70A	----	9.30 - 11.70	.0660	----	----	1	----	116 UNCH
4300	19.70	19.70	22.10B/*8.90	22.10B/*8.90	----	9.60 - 12.00	.0680	----	----	651	----	3425 - 213
4305	10.60	10.60	22.80B/*9.10A	22.80B/*9.10A	----	9.80 - 12.40	.0696	----	----	4	----	103 + 2
4310	12.50	12.50	23.30B/*9.40A	23.30B/*9.40A	----	10.10 - 12.80	.0717	----	----	33	----	93 + 31
4315	14.50	14.50	24.20B/*9.60A	24.20B/*9.60A	----	10.40 - 13.20	.0737	----	----	3	----	51 - 1
4320	11.10	11.10	24.90B/*9.90A	24.90B/*9.90A	----	10.70 - 13.50	.0758	----	----	3	----	86 + 1
4325	11.40	11.40	25.70B/*10.20A	25.70B/*10.20A	----	11.00 - 14.00	.0779	----	----	2	----	170 - 1
4330	10.80	10.80	26.50B/*10.40A	26.50B/*10.40A	----	11.30 - 14.40	.0800	----	----	9	----	569 UNCH
4335	----	----	27.20B/*10.70A	27.20B/*10.70A	----	11.70 - 14.80	.0826	----	----	7	----	75 - 1
4340	11.80	11.80	28.10B/*11.00A	28.10B/*11.00A	----	12.00 - 15.30	.0848	----	----	5	----	109 + 1
4345	18.10	18.10	28.90B/*11.30A	28.90B/*11.30A	----	12.40 - 15.70	.0874	----	----	3	----	68 + 1
4350	20.20	20.20	29.90B/*11.50	29.90B/*11.50	----	12.70 - 16.20	.0896	----	----	200	15	1068 + 8
4355	----	----	30.70B/*12.00A	30.70B/*12.00A	----	13.10 - 16.70	.0923	----	----	----	----	81 UNCH
4360	15.10	15.10	31.70B/*12.30A	31.70B/*12.30A	----	13.50 - 17.20	.0950	----	----	43	----	160 + 29
4365	15.50	15.50	32.50B/*12.70A	32.50B/*12.70A	----	13.90 - 17.70	.0977	----	----	19	----	69 - 3
4370	----	----	33.60B/*13.00A	33.60B/*13.00A	----	14.40 - 18.10	.1008	----	----	----	----	47 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4375	----	----	34.60B/*13.40A	34.60B/*13.40A	----	14.80 - 18.70	.1035	----	----	34	----	536 + 15
4380	15.50	15.50	35.70B/*13.80A	35.70B/*13.80A	----	15.30 - 19.20	.1067	----	----	12	----	502 + 4
4385	----	----	36.80B/*14.20A	36.80B/*14.20A	----	15.70 - 19.80	.1095	----	----	2	----	142 UNCH
4390	18.40	18.40	37.90B/*14.60A	37.90B/*14.60A	----	16.20 - 20.40	.1127	----	----	12	----	100 - 2
4395	18.10	18.10	38.90B/*15.00A	38.90B/*15.00A	----	16.70 - 21.00	.1160	----	----	4	----	100 - 2
4400	29.00	29.00	40.20B/*15.50A	40.20B/*15.50A	----	17.20 - 21.60	.1192	----	----	665	----	2288 - 280
4405	17.90	17.90	41.40B/*15.90A	41.40B/*15.90A	----	17.80 - 22.20	.1229	----	----	3	----	131 + 1
4410	23.30	23.30	42.70B/*16.40A	42.70B/*16.40A	----	18.40 - 22.70	.1266	----	----	38	----	441 + 6
4415	19.40	19.40	43.90B/*16.90A	43.90B/*16.90A	----	18.90 - 23.50	.1300	----	----	7	----	113 UNCH
4420	----	----	45.20B/*17.40A	45.20B/*17.40A	----	19.50 - 24.10	.1337	----	----	2	----	100 - 1
4425	20.50	20.50	46.50B/*18.00A	46.50B/*18.00A	----	20.20 - 24.70	.1379	----	----	327	----	416 - 208
4430	24.30	24.30	47.90B/*18.50A	47.90B/*18.50A	----	20.80 - 25.40	.1416	----	----	7	----	105 - 2
4435	21.50	21.50	49.30B/*19.10A	49.30B/*19.10A	----	21.50 - 26.10	.1458	----	----	3	----	101 - 3
4440	24.20	24.20	50.80B/*19.70A	50.80B/*19.70A	----	22.10 - 26.90	.1497	----	----	20	----	87 + 15
4445	23.50	23.50	52.30B/*20.30A	52.30B/*20.30A	----	22.80 - 27.60	.1539	----	----	2	----	74 UNCH
4450	36.80	36.80	53.80B/*20.90A	53.80B/*20.90A	----	23.60 - 28.30	.1585	----	----	209	200	3695 - 188
4455	----	----	55.40B/*21.60A	55.40B/*21.60A	----	24.30 - 29.10	.1628	----	----	6	15	109 - 8
4460	27.00	27.00	57.00B/*22.20A	57.00B/*22.20A	----	25.10 - 29.80	.1675	----	----	16	----	305 - 1
4465	29.20	29.20	58.60B/*22.90A	58.60B/*22.90A	----	25.90 - 30.60	.1722	----	----	23	----	2473 - 4
4470	32.60	32.60	60.40B/*23.60A	60.40B/*23.60A	----	26.80 - 31.40	.1772	----	----	56	----	138 UNCH
4475	29.10	29.10	62.10B/*24.40A	62.10B/*24.40A	----	27.60 - 32.20	.1819	----	----	52	----	193 + 3
4480	30.50	30.50	63.90B/*25.10A	63.90B/*25.10A	----	28.50 - 33.00	.1870	----	----	19	----	158 + 10
4485	28.90	28.90	65.60B/*25.90A	65.60B/*25.90A	----	29.40 - 33.80	.1921	----	----	6	----	104 - 5
4490	32.00	32.00	67.60B/*26.70A	67.60B/*26.70A	----	30.40 - 34.60	.1975	----	----	42	----	273 + 18
4495	----	----	69.40B/*27.50A	69.40B/*27.50A	----	31.30 - 35.50	.2027	----	----	1	----	215 UNCH
4500	52.50	52.50	71.50B/*28.40A	71.50B/*28.40A	----	32.40 - 36.30	.2084	----	----	544	102	4989 - 115
4505	32.70	32.70	73.50B/*29.30A	73.50B/*29.30A	----	33.40 - 37.20	.2139	----	----	22	----	290 - 16
4510	38.20	38.20	75.40B/*30.20A	75.40B/*30.20A	----	34.50 - 38.00	.2197	----	----	32	----	97 + 7
4515	37.40	37.40	77.50B/*31.10A	77.50B/*31.10A	----	35.60 - 38.90	.2255	----	----	1	----	566 UNCH
4520	33.70	33.70	79.60B/*32.10A	79.60B/*32.10A	----	36.70 - 39.80	.2314	----	----	6	----	195 - 1
4525	47.70	47.70	81.90B/*33.10A	81.90B/*33.10A	----	37.90 - 40.70	.2375	----	----	297	----	503 + 247
4530	48.10	48.10	84.00B/*34.10A	84.00B/*34.10A	----	39.10 - 41.60	.2436	----	----	3	----	374 UNCH
4535	44.20	44.20	86.30B/*35.10A	86.30B/*35.10A	----	40.30 - 42.60	.2498	----	----	3	----	187 - 1
4540	45.60	45.60	88.60B/36.20A	88.60B/36.20A	----	41.60 - 43.50	.2562	----	----	23	----	268 - 16
4545	43.80	43.80	91.00B/37.30A	91.00B/37.30A	----	42.90 - 44.40	.2627	----	----	4	----	118 + 3
4550	77.20	77.20	93.40B/38.40A	93.40B/38.40A	----	44.20 - 45.40	.2692	----	----	58	----	1207 + 4
4555	----	----	95.70B/39.60A	95.70B/39.60A	----	45.50 - 46.40	.2757	----	----	10	----	89 - 1
4560	47.90	47.90	98.30B/40.80A	98.30B/40.80A	----	46.90 - 47.40	.2824	----	----	6	----	149 + 3
4565	58.70	58.70	100.60B/42.00A	100.60B/42.00A	----	48.40 - 48.30	.2893	----	----	1	----	235 UNCH
4570	60.30	60.30	103.40B/43.30A	103.40B/43.30A	----	49.90 - 49.30	.2963	----	----	3	----	177 - 3
4575	53.20	53.20	105.80B/44.70A	105.80B/44.70A	----	51.40 - 50.30	.3033	----	----	13	----	321 UNCH
4580	58.60	58.60	108.60B/45.90A	108.60B/45.90A	----	52.90 - 51.40	.3103	----	----	16	----	253 + 15
4585	54.90	54.90	111.10B/47.30A	111.10B/47.30A	----	54.50 - 52.40	.3175	----	----	5	----	216 UNCH
4590	93.20	93.20	114.00B/48.70A	114.00B/48.70A	----	56.10 - 53.40	.3247	----	----	40	----	188 + 6
4595	----	----	116.70B/50.20A	116.70B/50.20A	----	57.80 - 54.40	.3321	----	----	----	----	83 UNCH
4600	88.00	88.00	119.70B/51.60A	119.70B/51.60A	----	59.40 - 55.50	.3394	----	----	618	50	2625 + 134
4605	61.40	61.40	122.40B/53.10A	122.40B/53.10A	----	61.20 - 56.50	.3470	----	----	8	----	119 + 1
4610	68.70	68.70	125.30B/54.70A	125.30B/54.70A	----	63.00 - 57.60	.3546	----	----	50	----	247 + 14
4615	89.50	89.50	128.50B/56.30A	128.50B/56.30A	----	64.80 - 58.60	.3622	----	----	4	----	58 - 1
4620	91.50	91.50	131.30B/57.90A	131.30B/57.90A	----	66.60 - 59.80	.3698	----	----	6	----	203 + 2
4625	93.40	93.40	134.10B/59.60A	134.10B/59.60A	----	68.50 - 60.80	.3776	----	----	213	----	865 + 9
4630	96.50	96.50	137.30B/61.30A	137.30B/61.30A	----	70.50 - 61.80	.3854	----	----	5	----	198 UNCH
4635	99.00	99.00	140.10B/63.00A	140.10B/63.00A	----	72.40 - 63.00	.3932	----	----	3	----	110 + 3
4640	98.90	98.90	143.50B/64.70A	143.50B/64.70A	----	74.50 - 64.00	.4012	----	----	12	----	85 + 1
4645	104.00	104.00	146.50B/66.60A	146.50B/66.60A	----	76.60 - 65.00	.4092	----	----	2	----	98 UNCH
4650	105.90	105.90	150.10B/68.40A	150.10B/68.40A	----	78.70 - 66.10	.4172	----	----	47	300	1552 - 279
4655	108.80	108.80	153.40B/70.30A	153.40B/70.30A	----	80.80 - 67.20	.4252	----	----	1	----	109 + 1
4660	100.20	100.20	156.70B/72.30A	156.70B/72.30A	----	83.00 - 68.30	.4333	----	----	7	----	111 + 1
4665	94.60	94.60	160.10B/74.20A	160.10B/74.20A	----	85.30 - 69.30	.4415	----	----	3	----	31 + 1
4670	105.40	105.40	163.60B/76.20A	163.60B/76.20A	----	87.60 - 70.40	.4496	----	----	9	----	262 + 3
4675	88.40	88.40	167.00B/78.30A	167.00B/78.30A	----	89.90 - 71.40	.4578	----	----	302	----	495 + 92
4680	102.10	102.10	170.30B/80.40A	170.30B/80.40A	----	92.30 - 72.50	.4659	----	----	6	----	123 + 3
4685	101.20	101.20	174.10B/82.50A	174.10B/82.50A	----	94.80 - 73.50	.4741	----	----	2	----	64 - 1
4690	100.50	100.50	177.60B/84.90A	177.60B/84.90A	----	97.20 - 74.60	.4823	----	----	8	----	216 UNCH
4695	106.40	106.40	181.30B/87.40A	181.30B/87.40A	----	99.70 - 75.60	.4905	----	----	1	----	81 UNCH
4700	154.30	154.30	184.70B/89.50A	184.70B/89.50A	----	102.30 - 76.60	.4987	----	----	377	265	2023 + 101
4705	----	----	188.40B/91.60A	188.40B/91.60A	----	104.90 - 77.60	.5069	----	----	5	----	97 + 1
4710	111.30	111.30	192.40B/94.10A	192.40B/94.10A	----	107.60 - 78.60	.5151	----	----	38	----	61 + 10
4715	----	----	196.10B/96.50A	196.10B/96.50A	----	110.30 - 79.60	.5232	----	----	16	----	55 - 6
4720	102.60	102.60	199.90B/98.90A	199.90B/98.90A	----	113.00 - 80.60	.5314	----	----	3	----	162 + 1
4725	110.90	110.90	203.80B/101.40A	203.80B/101.40A	----	115.80 - 81.60	.5395	----	----	20	----	138 - 8
4730	----	----	207.70B/103.90A	207.70B/103.90A	----	118.60 - 82.60	.5475	----	----	----	----	89 UNCH
4735	107.50	107.50	211.60B/106.70A	211.60B/106.70A	----	121.50 - 83.60	.5556	----	----	130	----	330 + 112
4740	----	----	215.50B/109.20A	215.50B/109.20A	----	124.40 - 84.50	.5636	----	----	6	----	88 - 1
4745	----	----	219.60B/111.90A	219.60B/111.90A	----	127.30 - 85.50	.5716	----	----	----	----	31 UNCH
4750	----	----	223.50B/114.80A	223.50B/114.80A	----	130.30 - 86.50	.5795	----	----	9	----	925 - 2
4755	----	----	227.50B/117.40A	227.50B/117.40A	----	133.40 - 87.30	.5873	----	----	----	----	24 UNCH
4760	137.10	137.10	231.50B/120.40A	231.50B/120.40A	----	136.40 - 88.30	.5953	----	----	1	----	98 + 1
4765	----	----	235.60B/123.00A	235.60B/123.00A	----	139.60 - 89.20	.6029	----	----	----	----	67 UNCH
4770	----	----	239.90B/125.90A	239.90B/125.90A	----	142.70 - 90.10	.6107	----	----	----	----	97 UNCH
4775	----	----	244.00B/128.80A	244.00B/128.80A	----	145.90 - 91.00	.6184	----	----	----	----	191 UNCH
4780	----	----	248.00B/132.00A	248.00B/132.00A	----	149.10 - 91.90	.6259	----	----	----	----	91 UNCH
4785	----	----	252.20B/134.70A	252.20B/134.70A	----	152.40 - 92.70	.6334	----	----	3	----	92 - 2
4790	----	----	256.50B/138.00A	256.50B/138.00A	----	155.70 - 93.60	.6408	----	----	1	----	91 UNCH
4795	----	----	260.60B/140.80A	260.60B/140.80A	----	159.10 - 94.40	.6483	----	----	----	----	53 UNCH
4800	166.80	166.80	265.00B/144.20A	265.00B/144.20A	----	162.50 - 95.20	.6556	----	----	34	----	2819 - 13
4805	----	----	269.20B/147.10A	269.20B/147.10A	----	165.90 - 96.00	.6627	----	----	1	----	82 UNCH
4810	169.50	169.50	273.60B/150.60A	273.60B/150.60A	----	169.40 - 96.80	.6697	----	----	15	----	59 + 13
4815	----	----	277.90B/153.80A	277.90B/153.80A	----	172.90 - 97.50	.6768	----	----	1	----	120 UNCH
4820	176.30	176.30	282.30B/156.80A	282.30B/156.80A	----	176.40 - 98.30	.6838	----	----	13	----	44 + 8
4825	179.50	179.50	286.60B/160.10A	286.60B/160.10A	----	180.00 - 99.00	.6906	----	----	3	----	202 - 2
4830	----	----	290.90B/164.00A	290.90B/164.00A	----	183.60 - 99.80	.6975	----	----	----	----	123 UNCH
4835	----	----	295.40B/167.40A	295.40B/167.40A	----	187.20 - 00.50	.7043	----	----	----	----	32 UNCH
4840	177.40	177.40	299.80B/170.30A	299.80B/170.30A	----	190.90 - 01.20	.7108	----	----	10	----	46 + 10
4845	189.00	189.00	304.10B/173.70A	304.10B/173.70A	----	194.60 - 01.90	.7173	----	----	10	----	23 + 8
4850	192.60	192.60	308.70B/177.40A	308.70B/177.40A	----	198.30 - 02.60	.7236	----	----	23	----	571 - 12
4855	190.00	190.00	313.20B/181.00A	313.20B/181.00A	----	202.10 - 03.20	.7299	----	----	10	----	315 + 10
4860	191.70	191.70	317.70B/184.80A	317.70B/184.80A	----	205.90 - 03.80	.7361	----	----	10	----	91 UNCH
4865	----	----	322.20B/187.90A	322.20B/187.90A	----	209.80 - 04.40	.7420	----	----	----	----	50 UNCH
4870	----	----	326.70B/192.00A	326.70B/192.00A	----	213.60 - 05.10	.7482	----	----	----	----	44 UNCH
4875	----	----	331.30B/195.20A	331.30B/195.20A	----	217.50 - 05.70	.7542	----	----	----	----	71 UNCH
4880	----	----	335.70B/198.90A	335.70B/198.90A	----	221.50 - 06.20	.7598	----	----	----	----	8 UNCH
4885	----	----	340.30B/202.60A	340.30B/202.60A	----	225.40 - 06.90	.7653	----	----	----	----	7 UNCH
4890	----	----	345.00B/206.60A	345.00B/206.60A	----	229.40 - 07.40	.7709	----	----	----	----	48 UNCH
4895	----	----	349.50B/210.40A	349.50B/210.40A	----	233.50 - 07.90	.7764	----	----	----	----	228 UNCH
4900	224.10	224.10	354.10B/214.20A	354.10B/214.20A	----	237.50 - 08.50	.7817	----	----	2	----	1683 - 1
4905	----	----	358.80B/218.10A	358.80B/218.10A	----	241.60 - 08.90	.7872	----	----	----	----	11 UNCH
4910	----	----	363.30B/222.20A	363.30B/222.20A	----	245.70 - 09.50	.7920	----	----	----	----	59 UNCH
4915	----	----	368.10B/225.70A	368.10B/225.70A	----	249.80 - 10.00	.7972	----	----	----	----	37 UNCH
4920	----	----	372.70B/229.90A	372.70B/229.90A	----	254.00 - 10.40	.8020	----	----	----	----	92 UNCH
4925	----	----	377.30B/233.70A	377.30B/233.70A	----	258.20 - 10.80	.8071	----	----	1	----	74 UNCH
4930	----	----	382.10B/238.10A	382.10B/238.10A	----	262.40 - 11.30	.8115	----	----	----	----	199 UNCH
4940	----	----	391.50B/246.20A	391.50B/246.20A	----	270.80 - 12.20	.8209	----	----	----	----	64 UNCH
4945	----	----	396.20B/249.90A	396.20B/249.90A	----	275.10 - 12.60	.8253	----	----	----	----	13 UNCH
4950	----	----	400.90B/254.30A	400.90B/254.30A	----	279.40 - 13.00	.8296	----	----	----	----	291 UNCH
4955	----	----	405.60B/258.10A	405.60B/258.10A	----	283.70 - 13.40	.8339	----	----	2	----	32 + 1
4960	----	----	410.40B/262.80A	410.40B/262.80A	----	288.00 - 13.80	.8378	----	----	----	----	23 UNCH
4965	----	----	415.10B/267.00A	415.10B/267.00A	----	292.40 - 14.10	.8420	----	----	----	----	29 UNCH
4970	----	----	419.90B/271.10A	419.90B/271.10A	----	296.70 - 14.60	.8459	----	----	----	----	44 UNCH
4975	----	----	424.70B/274.90A	424.70B/274.90A	----	301.10 - 14.90	.8497	----	----	----	----	156 UNCH
4980	----	----	429.40B/279.60A	429.40B/279.60A	----	305.50 - 15.30	.8536	----	----	2	----	29 + 1
4985	----	----	434.20B/284.10A	434.20B/284.10A	----	309.90 - 15.60	.8574	----	----	----	----	10 UNCH
4990	----	----	438.90B/288.20A	438.90B/288.20A	----	314.40 - 15.90	.8607	----	----	----	----	293 UNCH
4995	----	----	443.70B/292.40A	443.70B/292.40A	----	318.80 - 16.30	.8645	----	----	----	----	12 UNCH
5000	----	----	448.60B/296.70A	448.60B/296.70A	----	323.30 - 16.50	.8678	----	----	1	----	1849 + 1
5005	----	----	453.30B/300.70A	453.30B/300.70A	----	327.80 - 16.80	.8711	----	----	----	----	302 UNCH
5010	----	----	458.20B/305.80A	458.20B/305.80A	----	332.30 - 17.10	.8744	----	----	----	----	13 UNCH
5015	----	----	463.00B/309.80A	463.00B/309.80A	----	336.80 - 17.40	.8777	----	----	----	----	49 UNCH
5020	----	----	467.90B/313.90A	467.90B/313.90A	----	341.40 - 17.60	.8806	----	----	2	----	31 UNCH
5025	----	----	472.70B/318.30A	472.70B/318.30A	----	345.90 - 17.90	.8838	----	----	----	----	53 UNCH
5030	----	----	477.50B/323.10A	477.50B/323.10A	----	350.50 - 18.20	.8866	----	----	----	----	66 UNCH
5035	----	----	482.40B/327.00A	482.40B/327.00A	----	355.00 - 18.50	.8894	----	----	2	----	12 - 1
5040	----	----	487.20B/331.40A	487.20B/331.40A	----	359.60 - 18.70	.8921	----	----	----	----	18 UNCH
5045	----	----	492.10B/336.10A	492.10B/336.10A	----	364.20 - 18.90	.8949	----	----	----	----	5 UNCH
5050	----	----	496.90B/340.30A	496.90B/340.30A	----	368.80 - 19.20	.8976	----	----	1	----	803 UNCH
5055	----	----	501.80B/345.20A	501.80B/345.20A	----	373.50 - 19.30	.9003	----	----	----	----	63 UNCH
5060	----	----	506.60B/349.70A	506.60B/349.70A	----	378.10 - 19.60	.9025	----	----	----	----	64 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
5065	----	----	511.50B/353.70A	511.50B/353.70A	----	382.70 - 19.80	.9052	----	----	----	----	17 UNCH
5070	----	----	516.40B/358.80A	516.40B/358.80A	----	387.40 - 20.00	.9074	----	----	----	----	52 UNCH
5075	----	----	521.50B/362.70A	521.50B/362.70A	----	392.10 - 20.20	.9096	----	----	----	----	29 UNCH
5080	----	----	526.20B/367.80A	526.20B/367.80A	----	396.80 - 20.30	.9123	----	----	----	----	31 UNCH
5085	----	----	531.00B/372.10A	531.00B/372.10A	----	401.40 - 20.60	.9144	----	----	----	----	123 UNCH
5090	----	----	535.80B/376.90A	535.80B/376.90A	----	406.20 - 20.70	.9161	----	----	----	----	111 UNCH
5095	394.60	394.60	540.70B/380.90A	540.70B/380.90A	----	410.90 - 20.90	.9182	----	----	1	----	107 - 1
5100	----	----	545.70B/385.80A	545.70B/385.80A	----	415.60 - 21.00	.9203	----	----	----	----	459 UNCH
5105	----	----	550.60B/390.60A	550.60B/390.60A	----	420.30 - 21.20	.9225	----	----	1	----	37 - 1
5110	----	----	555.50B/395.20A	555.50B/395.20A	----	425.10 - 21.30	.9240	----	----	----	----	74 UNCH
5115	----	----	----/399.60A	528.30B/399.60A	----	429.80 - 21.50	.9261	----	----	----	----	14 UNCH
5120	----	----	----/404.40A	528.30B/404.40A	----	434.60 - 21.60	.9277	----	----	----	----	25 UNCH
5125	----	----	----/409.10A	528.80B/409.10A	----	439.30 - 21.80	.9293	----	----	----	----	192 UNCH
5130	----	----	----/413.50A	533.60B/413.50A	----	444.10 - 21.90	.9308	----	----	----	----	26 UNCH
5135	----	----	----/418.40A	519.60B/418.40A	----	448.90 - 22.00	.9329	----	----	----	----	37 UNCH
5140	----	----	----/423.30A	522.50B/423.30A	----	453.70 - 22.10	.9344	----	----	----	----	14 UNCH
5145	----	----	----/427.70A	527.40B/427.70A	----	458.50 - 22.20	.9359	----	----	----	----	39 UNCH
5150	----	----	----/431.90A	521.40B/431.90A	----	463.30 - 22.30	.9374	----	----	----	----	389 UNCH
5155	----	----	----/436.60A	520.60B/436.60A	----	468.10 - 22.40	.9383	----	----	----	----	38 UNCH
5160	----	----	----/442.30A	525.40B/442.30A	----	472.90 - 22.60	.9398	----	----	----	----	70 UNCH
5165	----	----	----/446.50A	515.50B/446.50A	----	477.70 - 22.70	.9413	----	----	----	----	47 UNCH
5170	----	----	----/451.30A	505.30B/451.30A	----	482.50 - 22.80	.9428	----	----	----	----	505 UNCH
5175	----	----	----/455.70A	510.20B/455.70A	----	487.40 - 22.80	.9437	----	----	----	----	15 UNCH
5180	----	----	----/460.70A	514.40B/460.70A	----	492.20 - 22.90	.9451	----	----	----	----	19 UNCH
5185	----	----	----/465.50A	518.90B/465.50A	----	497.00 - 23.10	.9466	----	----	----	----	22 UNCH
5190	----	----	----/470.20A	523.70B/470.20A	----	501.90 - 23.10	.9475	----	----	----	----	7 UNCH
5195	----	----	----/474.90A	528.60B/474.90A	----	506.70 - 23.20	.9489	----	----	----	----	8 UNCH
5200	----	----	----/479.70A	533.50B/479.70A	----	511.60 - 23.30	.9498	----	----	----	----	578 UNCH
5205	----	----	----/484.10A	538.30B/484.10A	----	516.40 - 23.40	.9506	----	----	----	----	36 UNCH
5210	----	----	----/489.20A	543.20B/489.20A	----	521.30 - 23.40	.9520	----	----	----	----	68 UNCH
5215	----	----	----/494.00A	548.00B/494.00A	----	526.20 - 23.50	.9529	----	----	----	----	42 UNCH
5220	----	----	----/498.80A	552.90B/498.80A	----	531.00 - 23.60	.9537	----	----	----	----	188 UNCH
5225	----	----	----/503.60A	557.80B/503.60A	----	535.90 - 23.60	.9551	----	----	----	----	200 UNCH
5230	----	----	----/508.40A	562.70B/508.40A	----	540.80 - 23.70	.9560	----	----	----	----	7 UNCH
5235	----	----	----/513.20A	567.50B/513.20A	----	545.70 - 23.70	.9568	----	----	----	----	160 UNCH
5245	----	----	----/522.30A	577.30B/522.30A	----	555.40 - 23.90	.9584	----	----	----	----	9 UNCH
5250	----	----	----/527.60A	582.20B/527.60A	----	560.30 - 23.90	.9592	----	----	----	----	375 UNCH
5255	----	----	----/532.10A	587.10B/532.10A	----	565.20 - 24.00	.9600	----	----	----	----	9 UNCH
5260	----	----	----/536.80A	592.00B/536.80A	----	570.10 - 24.00	.9608	----	----	----	----	11 UNCH
5265	----	----	----/542.10A	596.90B/542.10A	----	575.00 - 24.10	.9616	----	----	----	----	5 UNCH
5270	----	----	----/546.60A	601.80B/546.60A	----	579.90 - 24.10	.9624	----	----	----	----	24 UNCH
5275	----	----	----/551.80A	606.70B/551.80A	----	584.80 - 24.20	.9632	----	----	----	----	170 UNCH
5280	----	----	----/556.30A	611.60B/556.30A	----	589.70 - 24.20	.9639	----	----	----	----	67 UNCH
5285	----	----	----/561.50A	616.50B/561.50A	----	594.60 - 24.30	.9647	----	----	----	----	27 UNCH
5290	----	----	----/566.00A	621.40B/566.00A	----	599.50 - 24.30	.9655	----	----	----	----	2 UNCH
5300	695.00	695.00	695.00/575.70A	695.00/575.70A	----	609.30 - 24.50	.9670	----	----	9	----	560 - 6
5305	----	----	----/581.00A	636.20B/581.00A	----	614.30 - 24.40	.9672	----	----	----	----	103 UNCH
5320	----	----	----/595.20A	650.90B/595.20A	----	629.00 - 24.60	.9694	----	----	1	----	108 UNCH
5325	----	----	----/600.50A	655.90B/600.50A	----	634.00 - 24.60	.9696	----	----	----	----	1 UNCH
5335	----	----	----/609.70A	665.70B/609.70A	----	643.80 - 24.70	.9710	----	----	----	----	5 UNCH
5340	----	----	----/614.60A	670.70B/614.60A	----	648.80 - 24.70	.9712	----	----	----	----	52 UNCH
5345	----	----	----/620.00A	675.60B/620.00A	----	653.70 - 24.70	.9719	----	----	----	----	2 UNCH
5350	----	----	----/624.90A	680.50B/624.90A	----	658.60 - 24.80	.9726	----	----	----	----	109 UNCH
5365	----	----	----/639.10A	695.30B/639.10A	----	673.50 - 24.80	.9736	----	----	----	----	4 UNCH
5370	----	----	----/644.00A	700.30B/644.00A	----	678.40 - 24.90	.9743	----	----	----	----	37 UNCH
5375	----	----	----/649.40A	705.20B/649.40A	----	683.30 - 25.00	.9744	----	----	----	----	1 UNCH
5380	----	----	----/654.40A	710.20B/654.40A	----	688.30 - 25.00	.9751	----	----	----	----	2 UNCH
5385	----	----	----/659.00A	715.10B/659.00A	----	693.20 - 25.00	.9753	----	----	----	----	10 UNCH
5390	----	----	----/663.80A	720.00B/663.80A	----	698.20 - 25.00	.9760	----	----	----	----	2 UNCH
5395	----	----	----/675.30A	712.50B/675.30A	----	703.10 - 25.10	.9761	----	----	----	----	156 UNCH
5400	----	----	----/680.50A	719.10B/680.50A	----	708.10 - 25.10	.9762	----	----	----	----	446 UNCH
5420	----	----	----/700.00A	737.20B/700.00A	----	727.90 - 25.20	.9778	----	----	----	----	10 UNCH
5425	----	----	----	----	----	732.90 - 25.10	.9779	----	----	----	----	1 UNCH
5430	----	----	----/709.90A	747.10B/709.90A	----	737.80 - 25.20	.9786	----	----	----	----	30 UNCH
5435	----	----	----/714.80A	752.00B/714.80A	----	742.80 - 25.20	.9787	----	----	----	----	10 UNCH
5440	----	----	----/719.80A	757.00B/719.80A	----	747.80 - 25.20	.9793	----	----	----	----	20 UNCH
5470	----	----	----	----	----	777.60 - 25.20	.9810	----	----	----	----	1 UNCH
5490	----	----	----/769.30A	806.60B/769.30A	----	797.40 - 25.30	.9819	----	----	----	----	166 UNCH
5500	----	----	----/779.30A	816.50B/779.30A	----	807.40 - 25.20	.9821	----	----	----	----	52 UNCH
5525	----	----	----	----	----	832.20 - 25.30	.9836	----	----	----	----	2 UNCH
5575	----	----	----	----	----	881.90 - 25.40	.9854	----	----	----	----	2 UNCH
5590	----	----	----/868.60A	905.90B/868.60A	----	896.90 - 25.40	.9861	----	----	----	----	77 UNCH
5595	----	----	----	----	----	901.80 - 25.50	.9861	----	----	----	----	1 UNCH
5600	----	----	----/878.50A	915.80B/878.50A	----	906.80 - 25.40	.9862	----	----	----	----	9 UNCH
5640	----	----	----/918.50A	955.60B/918.50A	----	946.70 - 25.40	.9877	----	----	----	----	9 UNCH
5800	----	----	----/1,079.40A	1114.90B/1079.40A	----	1106.20 - 25.60	.9911	----	----	----	----	6 UNCH
8000	----	----	----	----	----	3305.70 - 25.80	1.0000	----	----	21	----	0 UNCH
8500	----	----	----	----	----	3805.70 NEW	1.0000	----	----	5	----	0 UNCH
9000	----	----	----	----	----	4305.70 NEW	1.0000	----	----	10	----	0 UNCH
9500	----	----	----	----	----	4805.70 NEW	1.0000	----	----	4	----	0 UNCH
10000	----	----	----	----	----	5305.70 - 25.80	1.0000	----	----	172	----	0 UNCH
11000	----	----	----	----	----	5305.70 NEW	1.0000	----	----	8	----	0 UNCH
12000	----	----	----	----	----	7305.70 - 25.80	1.0000	----	----	3	----	0 UNCH
TOTAL										8135	1,272	115593 - 924
JUL26												
2000	0.10	0.10	#0.10/*0.10	0.10/*0.10	----	0.10 NEW	.0002	----	----	4	----	4 + 4
2275	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.20	.0008	----	----	----	----	23 UNCH
2300	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0008	----	----	----	----	97 UNCH
2400	----	----	----/*0.60A	0.40B/*0.60A	----	0.40 - 0.30	.0011	----	----	----	----	2 UNCH
2500	----	----	----/0.70A	0.50B/0.70A	----	0.50 - 0.40	.0014	----	----	----	----	194 UNCH
2575	----	----	----/*0.80A	0.60B/*0.80A	----	0.60 - 0.40	.0017	----	----	----	----	1 UNCH
2600	----	----	----/*0.80A	0.70B/*0.80A	----	0.60 - 0.50	.0017	----	----	----	----	12 UNCH
2620	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.40	.0020	----	----	----	----	1 UNCH
2650	----	----	----/*0.90A	0.70B/*0.90A	----	0.70 - 0.50	.0020	----	----	----	----	51 UNCH
2670	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.50	.0020	----	----	----	----	10 UNCH
2675	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.50	.0020	----	----	----	----	10 UNCH
2680	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.40	.0023	----	----	----	----	10 UNCH
2700	----	----	----/*1.00A	0.80B/*1.00A	----	0.80 - 0.50	.0023	----	----	----	----	7 UNCH
2705	----	----	----/*1.00A	0.80B/*1.00A	----	0.80 - 0.50	.0023	----	----	----	----	1 UNCH
2710	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.50	.0023	----	----	----	----	7 UNCH
2730	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.50	.0024	----	----	----	----	1 UNCH
2750	----	----	----/1.10A	0.90B/1.10A	----	0.90 - 0.50	.0026	----	----	----	----	20 UNCH
2785	----	----	----/1.10A	1.00B/1.10A	----	0.90 - 0.60	.0027	----	----	----	----	2 UNCH
2800	----	----	----/*1.20A	1.00B/*1.20A	----	1.00 - 0.50	.0030	----	----	----	----	9 UNCH
2850	----	----	----/*1.30A	1.20B/*1.30A	----	1.10 - 0.50	.0033	----	----	----	----	3 UNCH
2860	----	----	----/*1.30A	1.20B/*1.30A	----	1.10 - 0.60	.0034	----	----	----	----	6 UNCH
2890	----	----	----/*1.40A	1.20B/*1.40A	----	1.10 - 0.60	.0034	----	----	----	----	60 UNCH
2895	----	----	----/*1.40A	1.30B/*1.40A	----	1.20 - 0.60	.0037	----	----	----	----	18 UNCH
2900	----	----	----/*1.40A	1.30B/*1.40A	----	1.20 - 0.60	.0037	----	----	----	----	18 UNCH
2905	----	----	----/*1.40A	1.30B/*1.40A	----	1.20 - 0.60	.0037	----	----	----	----	19 UNCH
2920	----	----	----/*1.40A	1.30B/*1.40A	----	1.20 - 0.60	.0038	----	----	----	----	3 UNCH
2950	----	----	----/*1.50A	1.40B/*1.50A	----	1.30 - 0.60	.0041	----	----	----	----	52 UNCH
2985	----	----	----/*1.60A	1.50B/*1.60A	----	1.40 - 0.60	.0044	----	----	----	----	21 UNCH
2995	----	----	----/*1.60A	1.50B/*1.60A	----	1.40 - 0.60	.0045	----	----	----	----	16 UNCH
3000	----	----	----/*1.60A	1.60B/*1.60A	----	1.40 - 0.70	.0045	----	----	----	----	66 UNCH
3010	----	----	----/*1.70A	1.60B/*1.70A	----	1.40 - 0.70	.0045	----	----	----	----	1 UNCH
3015	----	----	----/*1.70A	1.60B/*1.70A	----	1.50 - 0.60	.0048	----	----	----	----	5 UNCH
3025	----	----	----/*1.70A	1.60B/*1.70A	----	1.50 - 0.60	.0048	----	----	----	----	1 UNCH
3035	----	----	----/*1.70A	1.70B/*1.70A	----	1.50 - 0.70	.0049	----	----	----	----	5 UNCH
3050	----	----	----/*1.80A	1.70B/*1.80A	----	1.60 - 0.60	.0052	----	----	----	----	2 UNCH
3100	----	----	----/*1.90A	1.90B/*1.90A	----	1.70 - 0.70	.0056	----	----	----	----	44 UNCH
3105	----	----	----/*1.90A	1.90B/*1.90A	----	1.70 - 0.70	.0056	----	----	----	----	1 UNCH
3125	----	----	----/*2.00A	2.00B/*2.00A	----	1.80 - 0.70	.0060	----	----	----	----	42 UNCH
3140	----	----	----/*2.10A	2.10B/*2.10A	----	1.80 - 0.80	.0061	----	----	----	----	1 UNCH
3150	----	----	----/*2.10A	2.10B/*2.10A	----	1.90 - 0.70	.0064	----	----	----	----	12 UNCH
3155	----	----	----/*2.10A	2.10B/*2.10A	----	1.90 - 0.70	.0064	----	----	----	----	1 UNCH
3170	----	----	----/*2.10A	2.20B/*2.10A	----	1.90 - 0.80	.0065	----	----	----	----	1 UNCH
3185	----	----	----/*2.20A	2.30B/*2.20A	----	2.00 - 0.80	.0068	----	----	----	----	20 UNCH
3200	----	----	----/*2.30A	2.40B/*2.30A	----	2.00 - 0.80	.0069	----	----	3	----	261 UNCH
3210	----	----	----/*2.30A	2.40B/*2.30A	----	2.10 - 0.80	.0072	----	----	----	----	1 UNCH
3220	----	----	----/*2.30A	2.40B/*2.30A	----	2.10 - 0.80	.0072	----	----	----	----	1 UNCH
3225	----	----	----/*2.30A	2.40B/*2.30A	----	2.10 - 0.90	.0073	----	----	----	----	70 UNCH
3250	----	----	----/*2.40A	2.60B/*2.40A	----	2.20 - 0.90	.0077	----	----	----	----	62 UNCH
3275	----	----	----/*2.50A	2.70B/*2.50A	----	2.40 - 0.80	.0084	----	----	----	----	10 UNCH
3280	----	----	----/*2.50A	2.80B/*2.50A	----	2.40 - 0.90	.0084	----	----	----	----	24 UNCH
3285	----	----	----/*2.60A	2.80B/*2.60A	----	2.40 - 0.90	.0084	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 10

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3290	3.10	3.10	3.10/*2.60A	3.10/*2.60A	----	2.40 - 0.90	.0085	----	----	1	----	12 - 1
3300	----	----	----/*2.60A	2.90B/*2.60A	----	2.50 - 0.90	.0088	----	----	----	----	82 UNCH
3320	----	----	----/*2.70A	3.00B/*2.70A	----	2.60 - 0.90	.0092	----	----	----	----	27 UNCH
3325	----	----	----/*2.70A	3.00B/*2.70A	----	2.60 - 0.90	.0093	----	----	----	----	147 UNCH
3335	----	----	----/*2.80A	3.10B/*2.80A	----	2.60 - 1.00	.0093	----	----	----	----	87 UNCH
3340	----	----	----/*2.80A	3.10B/*2.80A	----	2.70 - 0.90	.0097	----	----	----	----	1 UNCH
3350	----	----	----/*2.80A	3.20B/*2.80A	----	2.70 - 1.00	.0097	----	----	----	----	25 UNCH
3355	----	----	----/*2.80A	3.20B/*2.80A	----	2.70 - 1.00	.0098	----	----	----	----	69 UNCH
3360	----	----	----/*2.90A	3.20B/*2.90A	----	2.70 - 1.10	.0098	----	----	----	----	5 UNCH
3370	----	----	----/*2.90A	3.30B/*2.90A	----	2.80 - 1.00	.0102	----	----	----	----	9 UNCH
3380	----	----	----/*2.90A	3.40B/*2.90A	----	2.80 - 1.10	.0102	----	----	----	----	2 UNCH
3385	----	----	----/*2.90A	3.40B/*2.90A	----	2.90 - 1.00	.0106	----	----	----	----	4 UNCH
3390	----	----	----/*2.90A	3.40B/*2.90A	----	2.90 - 1.10	.0106	----	----	----	----	1 UNCH
3395	----	----	----/*3.00A	3.50B/*3.00A	----	2.90 - 1.10	.0106	----	----	----	----	32 UNCH
3400	----	----	----/*3.00A	3.50B/*3.00A	----	2.90 - 1.20	.0107	----	----	----	----	55 UNCH
3405	----	----	----/*3.00A	3.50B/*3.00A	----	3.00 - 1.10	.0110	----	----	----	----	1 UNCH
3410	----	----	----/*3.10A	3.60B/*3.10A	----	3.00 - 1.10	.0110	----	----	----	----	5 UNCH
3415	----	----	----/*3.10A	3.60B/*3.10A	----	3.00 - 1.20	.0111	----	----	----	----	1 UNCH
3425	----	----	----/*3.10A	3.70B/*3.10A	----	3.00 - 1.30	.0112	----	----	----	----	57 UNCH
3435	----	----	----/*3.20A	3.70B/*3.20A	----	3.10 - 1.20	.0116	----	----	----	----	5 UNCH
3445	----	----	----/*3.20A	3.80B/*3.20A	----	3.10 - 1.30	.0116	----	----	----	----	2 UNCH
3450	3.30	3.30	3.30/*3.20A	3.90B/*3.20A	----	3.20 - 1.30	.0120	----	----	1	----	132 - 1
3455	----	----	----/*3.30A	3.90B/*3.30A	----	3.20 - 1.30	.0120	----	----	----	----	10 UNCH
3460	----	----	----/*3.30A	3.90B/*3.30A	----	3.20 - 1.40	.0121	----	----	----	----	10 UNCH
3465	----	----	----/*3.30A	4.00B/*3.30A	----	3.20 - 1.40	.0121	----	----	----	----	142 UNCH
3475	----	----	----/*3.40A	4.10B/*3.40A	----	3.30 - 1.40	.0125	----	----	----	----	140 UNCH
3480	----	----	----/*3.40A	4.10B/*3.40A	----	3.30 - 1.40	.0126	----	----	----	----	36 UNCH
3495	----	----	----/*3.50A	4.20B/*3.50A	----	3.40 - 1.50	.0130	----	----	----	----	5 UNCH
3500	3.30	3.30	3.50/3.30	4.30B/3.30	----	3.40 - 1.50	.0131	----	----	2	----	652 UNCH
3505	----	----	----/*3.50A	4.30B/*3.50A	----	3.50 - 1.50	.0134	----	----	----	----	9 UNCH
3510	----	----	----/*3.50A	4.40B/*3.50A	----	3.50 - 1.50	.0135	----	----	----	----	5 UNCH
3515	----	----	----/*3.50A	4.40B/*3.50A	----	3.50 - 1.60	.0135	----	----	----	----	8 UNCH
3520	----	----	----/*3.60A	4.50B/*3.60A	----	3.50 - 1.70	.0136	----	----	----	----	5 UNCH
3525	----	----	----/*3.60A	4.50B/*3.60A	----	3.60 - 1.60	.0139	----	----	----	----	3 UNCH
3530	----	----	----/*3.60A	4.60B/*3.60A	----	3.60 - 1.70	.0140	----	----	----	----	168 UNCH
3535	----	----	----/*3.60A	4.60B/*3.60A	----	3.60 - 1.70	.0140	----	----	----	----	31 UNCH
3545	----	----	----/*3.80A	4.70B/*3.80A	----	3.70 - 1.70	.0145	----	----	----	----	256 UNCH
3550	----	----	----/*3.70A	4.80B/*3.70A	----	3.70 - 1.80	.0145	----	----	----	----	167 UNCH
3555	----	----	----/*3.80A	4.80B/*3.80A	----	3.80 - 1.80	.0149	----	----	----	----	1 UNCH
3565	----	----	----/*3.80A	4.90B/*3.80A	----	3.80 - 1.90	.0150	----	----	2	----	2 UNCH
3575	----	----	----/*3.90A	5.00B/*3.90A	----	3.90 - 1.90	.0154	----	----	----	----	1 UNCH
3580	----	----	----/*3.90A	5.10B/*3.90A	----	3.90 - 2.00	.0155	----	----	----	----	5 UNCH
3585	----	----	----/*4.00A	5.20B/*4.00A	----	4.00 - 1.90	.0159	----	----	----	----	1 UNCH
3590	----	----	----/*4.00A	5.20B/*4.00A	----	4.00 - 2.00	.0159	----	----	----	----	16 UNCH
3600	3.70	3.70	3.70/*3.70	5.40B/*3.70	----	4.10 - 2.00	.0164	----	----	10	----	155 + 5
3605	----	----	----/*4.10A	5.40B/*4.10A	----	4.10 - 2.10	.0164	----	----	----	----	6 UNCH
3610	4.00	4.00	4.00/*4.00	5.50B/*4.00	----	4.20 - 2.10	.0168	----	----	1	----	2 + 1
3615	----	----	----/*4.20A	5.50B/*4.20A	----	4.20 - 2.20	.0169	----	----	2	----	2 UNCH
3620	----	----	----/*4.20A	5.60B/*4.20A	----	4.20 - 2.20	.0169	----	----	----	----	12 UNCH
3625	----	----	----/*4.30A	5.60B/*4.30A	----	4.30 - 2.20	.0173	----	----	----	----	11 UNCH
3630	----	----	----/*4.30A	5.70B/*4.30A	----	4.30 - 2.30	.0174	----	----	----	----	10 UNCH
3635	----	----	----/*4.30A	5.80B/*4.30A	----	4.40 - 2.30	.0178	----	----	----	----	3 UNCH
3640	----	----	----/*4.40A	5.80B/*4.40A	----	4.40 - 2.30	.0179	----	----	----	----	6 UNCH
3645	----	----	----/*4.40A	5.90B/*4.40A	----	4.50 - 2.30	.0182	----	----	----	----	1 UNCH
3650	5.10	5.10	5.10/*4.50A	6.00B/*4.50A	----	4.50 - 2.40	.0183	----	----	1	----	99 UNCH
3655	----	----	----/*4.50A	6.10B/*4.50A	----	4.60 - 2.40	.0187	----	----	----	----	6 UNCH
3660	----	----	----/*4.60A	6.10B/*4.60A	----	4.60 - 2.50	.0188	----	----	----	----	22 UNCH
3665	----	----	----/*4.60A	6.20B/*4.60A	----	4.70 - 2.50	.0192	----	----	----	----	2 UNCH
3670	----	----	----/*4.70A	6.30B/*4.70A	----	4.70 - 2.50	.0193	----	----	----	----	111 UNCH
3675	----	----	----/*4.70A	6.40B/*4.70A	----	4.80 - 2.50	.0196	----	----	----	----	4 UNCH
3680	----	----	----/*4.70A	6.50B/*4.70A	----	4.80 - 2.60	.0197	----	----	----	----	5 UNCH
3685	----	----	----/*4.80A	6.50B/*4.80A	----	4.90 - 2.60	.0201	----	----	----	----	12 UNCH
3690	----	----	----/*4.80A	6.60B/*4.80A	----	4.90 - 2.70	.0202	----	----	----	----	50 UNCH
3695	----	----	----/*4.90A	6.70B/*4.90A	----	5.00 - 2.70	.0206	----	----	----	----	142 UNCH
3700	----	----	----/*4.90A	6.80B/*4.90A	----	5.10 - 2.70	.0210	----	----	1	----	449 - 1
3705	----	----	----/*5.00A	6.90B/*5.00A	----	5.10 - 2.80	.0211	----	----	----	----	20 UNCH
3715	----	----	----/*5.10A	7.10B/*5.10A	----	5.20 - 2.90	.0216	----	----	----	----	30 UNCH
3720	----	----	----/*5.20A	7.20B/*5.20A	----	5.30 - 2.90	.0220	----	----	----	----	18 UNCH
3725	----	----	----/*5.30A	7.20B/*5.30A	----	5.40 - 2.90	.0224	----	----	2	----	7 UNCH
3730	----	----	----/*5.30A	7.30B/*5.30A	----	5.40 - 3.00	.0225	----	----	----	----	3 UNCH
3735	----	----	----/*5.30A	7.40B/*5.30A	----	5.50 - 3.00	.0229	----	----	----	----	30 UNCH
3740	----	----	----/*5.50A	7.50B/*5.50A	----	5.50 - 3.10	.0230	----	----	----	----	20 UNCH
3750	----	----	----/*5.60A	7.80B/*5.60A	----	5.70 - 3.20	.0239	----	----	----	----	538 UNCH
3760	----	----	----/*5.70A	8.00B/*5.70A	----	5.80 - 3.30	.0244	----	----	----	----	3 UNCH
3765	----	----	----/*5.80A	8.10B/*5.80A	----	5.90 - 3.30	.0248	----	----	----	----	32 UNCH
3770	----	----	----/*5.80A	8.20B/*5.80A	----	5.90 - 3.40	.0249	----	----	----	----	120 UNCH
3775	----	----	----/*5.90A	8.30B/*5.90A	----	6.00 - 3.50	.0254	----	----	----	----	61 UNCH
3780	----	----	----/*6.00A	8.40B/*6.00A	----	6.10 - 3.50	.0258	----	----	----	----	11 UNCH
3785	----	----	----/*6.00A	8.50B/*6.00A	----	6.20 - 3.50	.0262	----	----	----	----	6 UNCH
3790	----	----	----/*6.10A	9.00B/*6.10A	----	6.20 - 3.70	.0264	----	----	----	----	40 UNCH
3795	----	----	----/*6.20A	9.10B/*6.20A	----	6.30 - 3.70	.0268	----	----	----	----	36 UNCH
3800	6.10	6.10	6.40/*6.10	8.90B/*6.10	----	6.40 - 3.70	.0272	----	----	5	----	624 + 2
3810	----	----	----/*6.40A	9.20B/*6.40A	----	6.50 - 3.90	.0278	----	----	----	----	16 UNCH
3815	----	----	----/*6.50A	9.30B/*6.50A	----	6.60 - 4.00	.0282	----	----	----	----	14 UNCH
3820	----	----	----/*6.60A	9.40B/*6.60A	----	6.70 - 4.00	.0287	----	----	----	----	10 UNCH
3825	----	----	----/*6.60A	9.60B/*6.60A	----	6.80 - 4.10	.0291	----	----	----	----	11 UNCH
3830	----	----	----/*6.70A	10.10B/*6.70A	----	6.90 - 4.10	.0296	----	----	----	----	24 UNCH
3835	----	----	----/*6.80A	9.90B/*6.80A	----	6.90 - 4.30	.0297	----	----	----	----	1 UNCH
3840	----	----	----/*6.90A	10.00B/*6.90A	----	7.00 - 4.30	.0302	----	----	----	----	33 UNCH
3845	----	----	----/*6.90A	10.70B/*6.90A	----	7.10 - 4.40	.0306	----	----	----	----	12 UNCH
3850	6.70	6.70	6.70/*6.70	11.00B/*6.70	----	7.20 - 4.50	.0311	----	----	11	----	215 + 1
3860	----	----	----/*7.20A	11.40B/*7.20A	----	7.40 - 4.60	.0320	----	----	1	----	42 UNCH
3865	----	----	----/*7.30A	11.60B/*7.30A	----	7.50 - 4.70	.0325	----	----	1	----	78 UNCH
3870	----	----	----/*7.40A	11.80B/*7.40A	----	7.60 - 4.80	.0330	----	----	----	----	3 UNCH
3875	----	----	----/*7.50A	12.00B/*7.50A	----	7.70 - 4.90	.0335	----	----	----	----	113 UNCH
3880	----	----	----/*7.60A	12.20B/*7.60A	----	7.80 - 4.90	.0339	----	----	----	----	14 UNCH
3885	----	----	----/*7.70A	12.40B/*7.70A	----	7.90 - 5.00	.0344	----	----	----	----	37 UNCH
3890	----	----	----/*7.80A	12.60B/*7.80A	----	8.00 - 5.10	.0349	----	----	----	----	4 UNCH
3895	----	----	----/*7.90A	12.90B/*7.90A	----	8.10 - 5.20	.0354	----	----	----	----	2 UNCH
3900	11.90	11.90	11.90/*8.00A	13.00B/*8.00A	----	8.20 - 5.30	.0359	----	----	7	----	292 - 2
3905	----	----	----/*8.10A	13.30B/*8.10A	----	8.30 - 5.50	.0364	----	----	----	----	12 UNCH
3910	----	----	----/*8.30A	13.60B/*8.30A	----	8.40 - 5.60	.0369	----	----	----	----	54 UNCH
3920	----	----	----/*8.50A	14.00B/*8.50A	----	8.70 - 5.70	.0382	----	----	----	----	13 UNCH
3925	----	----	----/*8.60A	14.20B/*8.60A	----	8.80 - 5.80	.0387	----	----	1	----	57 UNCH
3930	----	----	----/*8.70A	14.50B/*8.70A	----	8.90 - 6.00	.0392	----	----	----	----	25 UNCH
3935	----	----	----/*8.90A	14.50B/*8.90A	----	9.10 - 6.00	.0400	----	----	----	----	17 UNCH
3940	----	----	----/*9.00A	14.90B/*9.00A	----	9.20 - 6.10	.0405	----	----	----	----	25 UNCH
3945	----	----	----/*9.10A	15.20B/*9.10A	----	9.30 - 6.30	.0410	----	----	----	----	23 UNCH
3950	----	----	----/*9.20A	15.50B/*9.20A	----	9.50 - 6.30	.0419	----	----	8	----	608 UNCH
3955	----	----	----/*9.40A	15.80B/*9.40A	----	9.60 - 6.50	.0424	----	----	----	----	56 UNCH
3960	----	----	----/*9.50A	16.00B/*9.50A	----	9.70 - 6.70	.0429	----	----	----	----	23 UNCH
3965	----	----	----/*9.70A	16.30B/*9.70A	----	9.90 - 6.70	.0438	----	----	----	----	94 UNCH
3970	----	----	----/*9.70A	16.60B/*9.70A	----	10.00 - 6.90	.0443	----	----	1	----	8 - 1
3975	----	----	----/*9.90A	16.90B/*9.90A	----	10.20 - 7.00	.0452	----	----	1	----	26 UNCH
3980	----	----	----/*10.10A	17.20B/*10.10A	----	10.30 - 7.20	.0457	----	----	1	----	235 UNCH
3985	----	----	----/*10.20A	17.50B/*10.20A	----	10.50 - 7.30	.0466	----	----	----	----	136 UNCH
3990	----	----	----/*10.40A	17.80B/*10.40A	----	10.70 - 7.40	.0474	----	----	1	----	41 UNCH
3995	----	----	----/*10.50A	18.10B/*10.50A	----	10.80 - 7.60	.0480	----	----	----	----	20 UNCH
4000	13.00	13.00	13.00/*10.30	18.50B/*10.30	----	11.00 - 7.70	.0489	----	----	362	----	1433 - 222
4005	11.70	11.70	11.70/*10.90A	18.90B/*10.90A	----	11.20 - 7.80	.0497	----	----	4	----	153 - 2
4010	11.90	11.90	11.90/*11.00A	19.20B/*11.00A	----	11.40 - 7.90	.0506	----	----	1	----	4 + 1
4015	12.10	12.10	12.10/*11.20A	19.60B/*11.20A	----	11.60 - 8.00	.0515	----	----	1	----	63 + 1
4020	12.30	12.30	12.30/*11.30	19.90B/*11.30	----	11.70 - 8.30	.0521	----	----	4	----	114 + 2
4025	12.50	12.50	12.50/*11.60A	20.20B/*11.60A	----	11.90 - 8.40	.0530	----	----	4	----	22 + 1
4030	----	----	----/*11.80A	20.70B/*11.80A	----	12.10 - 8.60	.0539	----	----	1	----	50 UNCH
4035	----	----	----/*11.90A	21.00B/*11.90A	----	12.30 - 8.70	.0548	----	----	----	----	3 UNCH
4040	----	----	----/*12.10A	21.40B/*12.10A	----	12.50 - 8.90	.0557	----	----	----	----	8 UNCH
4045	----	----	----/*12.30A	21.80B/*12.30A	----	12.80 - 9.00	.0569	----	----	----	----	22 UNCH
4050	14.80	14.80	14.80/*12.50A	22.10B/*12.50A	----	13.00 - 9.20	.0578	----	----	271	----	235 - 22
4055	----	----	----/*12.70A	22.50B/*12.70A	----	13.20 - 9.40	.0587	----	----	----	----	32 UNCH
4060	----	----	----/*12.90A	22.90B/*12.90A	----	13.40 - 9.60	.0596	----	----	----	----	2 UNCH
4065	----	----	----/*13.10A	23.30B/*13.10A	----	13.60 - 9.80	.0606	----	----	2	----	130 UNCH
4070	----	----	----/*13.30A	23.80B/*13.30A	----	13.90 - 9.90	.0618	----	----	----	----	12 UNCH
4075	----	----	----/*13.60A	24.20B/*13.60A	----	14.10 - 10.10	.0627	----	----	5	----	18 + 3
4080	----	----	----/*13.80A	24.60B/*13.80A	----	14.40 - 10.20	.0640	----	----	1	----	9 - 1
4085	----	----	----/*14.00A	25.10B/*14.00A	----	14.60 - 10.50	.0649	----	----	----	----	14 UNCH
4090	----	----	25.60B/*14.20A	25.60B/*14.20A	----	14.90 - 10.60	.0662	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4095	----	----	----/*14.50A	26.00B/*14.50A	----	15.10 - 10.90	.0671	----	----	----	----	15 UNCH
4100	20.00	20.00	26.50B/*14.40	26.50B/*14.40	----	15.40 - 11.00	.0684	----	----	116	----	1213 - 27
4105	----	----	----/*15.00A	26.90B/*15.00A	----	15.70 - 11.20	.0697	----	----	----	----	14 UNCH
4110	----	----	27.50B/*15.20A	27.50B/*15.20A	----	16.00 - 11.40	.0709	----	----	1	----	16 UNCH
4115	----	----	28.00B/*15.50A	28.00B/*15.50A	----	16.20 - 11.70	.0719	----	----	----	----	6 UNCH
4120	20.90	20.90	28.60B/*15.80A	28.60B/*15.80A	----	16.50 - 11.90	.0732	----	----	4	----	82 - 2
4125	----	----	29.10B/*16.10A	29.10B/*16.10A	----	16.80 - 12.10	.0745	----	----	----	----	84 UNCH
4130	18.10	18.10	29.70B/*16.30A	29.70B/*16.30A	----	17.10 - 12.40	.0758	----	----	23	----	91 + 22
4135	----	----	30.20B/*16.60A	30.20B/*16.60A	----	17.40 - 12.60	.0771	----	----	----	----	42 UNCH
4140	----	----	30.70B/*16.90A	30.70B/*16.90A	----	17.80 - 12.70	.0787	----	----	----	----	37 UNCH
4145	19.10	19.10	31.40B/*17.20A	31.40B/*17.20A	----	18.10 - 13.00	.0800	----	----	8	----	238 + 4
4150	20.90	20.90	32.00B/*17.50A	32.00B/*17.50A	----	18.40 - 13.30	.0813	----	----	17	----	154 - 8
4155	----	----	32.50B/*17.80A	32.50B/*17.80A	----	18.80 - 13.50	.0829	----	----	----	----	8 UNCH
4160	20.20	20.20	33.10B/*18.20A	33.10B/*18.20A	----	19.10 - 13.80	.0842	----	----	5	----	7 + 5
4165	----	----	33.80B/*18.50A	33.80B/*18.50A	----	19.50 - 14.00	.0859	----	----	----	----	91 UNCH
4170	----	----	34.40B/*18.80A	34.40B/*18.80A	----	19.80 - 14.30	.0872	----	----	----	----	5 UNCH
4175	----	----	35.10B/*19.10A	35.10B/*19.10A	----	20.20 - 14.50	.0888	----	----	----	----	48 UNCH
4180	----	----	35.80B/*19.50A	35.80B/*19.50A	----	20.60 - 14.80	.0905	----	----	1	----	20 + 1
4185	----	----	36.30B/*19.80A	36.30B/*19.80A	----	20.90 - 15.10	.0919	----	----	----	----	14 UNCH
4190	----	----	37.10B/*20.20A	37.10B/*20.20A	----	21.30 - 15.40	.0935	----	----	----	----	130 UNCH
4195	----	----	37.80B/*20.60A	37.80B/*20.60A	----	21.70 - 15.70	.0952	----	----	1	----	67 + 1
4200	32.40	32.40	38.50B/*20.90A	38.50B/*20.90A	----	22.10 - 16.00	.0968	----	----	110	----	607 - 31
4205	----	----	39.20B/*21.30A	39.20B/*21.30A	----	22.60 - 16.20	.0988	----	----	1	----	22 UNCH
4210	----	----	40.00B/*21.70A	40.00B/*21.70A	----	23.00 - 16.50	.1004	----	----	----	----	68 UNCH
4215	----	----	40.70B/*22.10A	40.70B/*22.10A	----	23.40 - 16.80	.1021	----	----	----	----	42 UNCH
4220	----	----	41.50B/*22.60A	41.50B/*22.60A	----	23.90 - 17.10	.1041	----	----	----	----	196 UNCH
4225	----	----	42.30B/*23.00A	42.30B/*23.00A	----	24.30 - 17.40	.1058	----	----	2	----	52 - 1
4230	----	----	43.10B/*23.40A	43.10B/*23.40A	----	24.80 - 17.70	.1078	----	----	----	----	17 UNCH
4235	----	----	43.90B/*23.80A	43.90B/*23.80A	----	25.30 - 18.00	.1097	----	----	----	----	47 UNCH
4240	----	----	44.70B/*24.20A	44.70B/*24.20A	----	25.80 - 18.30	.1117	----	----	1	----	97 UNCH
4245	----	----	45.60B/*24.70A	45.60B/*24.70A	----	26.30 - 18.60	.1137	----	----	----	----	5 UNCH
4250	26.90	26.90	46.40B/*25.20A	46.40B/*25.20A	----	26.80 - 18.90	.1157	----	----	10	----	1251 + 3
4255	----	----	47.30B/*25.60A	47.30B/*25.60A	----	27.30 - 19.30	.1177	----	----	----	----	4 UNCH
4260	----	----	48.20B/*26.10A	48.20B/*26.10A	----	27.80 - 19.60	.1197	----	----	----	----	28 UNCH
4265	----	----	49.10B/*26.60A	49.10B/*26.60A	----	28.30 - 20.00	.1217	----	----	1	----	22 UNCH
4270	29.40	29.40	50.10B/27.10A	50.10B/27.10A	----	28.90 - 20.30	.1240	----	----	1	----	7 - 1
4275	----	----	51.00B/27.60A	51.00B/27.60A	----	29.50 - 20.60	.1263	----	----	3	----	139 - 2
4280	29.40	29.40	52.00B/28.20A	52.00B/28.20A	----	30.00 - 21.10	.1284	----	----	2	----	188 + 1
4285	----	----	52.90B/28.70A	52.90B/28.70A	----	30.60 - 21.40	.1307	----	----	1	----	102 UNCH
4290	33.30	33.30	53.90B/29.20A	53.90B/29.20A	----	31.20 - 21.80	.1330	----	----	1	----	36 - 1
4295	----	----	54.90B/29.80A	54.90B/29.80A	----	31.80 - 22.10	.1353	----	----	4	----	22 - 2
4300	33.20	33.20	56.00B/30.40A	56.00B/30.40A	----	32.50 - 22.40	.1378	----	----	159	----	1089 + 6
4305	----	----	57.00B/31.00A	57.00B/31.00A	----	33.10 - 22.80	.1402	----	----	----	----	9 UNCH
4310	----	----	58.10B/31.60A	58.10B/31.60A	----	33.70 - 23.30	.1425	----	----	----	----	31 UNCH
4315	----	----	59.20B/32.20A	59.20B/32.20A	----	34.40 - 23.60	.1451	----	----	----	----	59 UNCH
4320	----	----	60.30B/32.80A	60.30B/32.80A	----	35.10 - 24.00	.1477	----	----	1	----	10 + 1
4325	----	----	61.40B/33.40A	61.40B/33.40A	----	35.80 - 24.40	.1503	----	----	----	----	159 UNCH
4330	----	----	62.60B/34.10A	62.60B/34.10A	----	36.50 - 24.80	.1529	----	----	----	----	25 UNCH
4335	35.80	35.80	63.70B/34.70A	63.70B/34.70A	----	37.20 - 25.20	.1555	----	----	2	----	113 + 2
4340	----	----	64.90B/35.40A	64.90B/35.40A	----	37.90 - 25.70	.1581	----	----	2	----	118 UNCH
4345	----	----	66.10B/36.10A	66.10B/36.10A	----	38.70 - 26.00	.1610	----	----	----	----	14 UNCH
4350	----	----	67.40B/36.80A	67.40B/36.80A	----	39.40 - 26.50	.1636	----	----	98	----	512 + 42
4355	----	----	68.60B/37.70A	68.60B/37.70A	----	40.20 - 26.90	.1665	----	----	----	----	124 UNCH
4360	----	----	69.90B/38.40A	69.90B/38.40A	----	41.00 - 27.40	.1694	----	----	----	----	105 UNCH
4365	----	----	71.20B/39.20A	71.20B/39.20A	----	41.80 - 27.80	.1723	----	----	2	----	36 UNCH
4370	----	----	72.50B/39.90A	72.50B/39.90A	----	42.70 - 28.20	.1753	----	----	1	----	139 UNCH
4375	----	----	73.80B/40.60A	73.80B/40.60A	----	43.50 - 28.70	.1782	----	----	----	----	25 UNCH
4380	----	----	75.20B/41.50A	75.20B/41.50A	----	44.40 - 29.10	.1814	----	----	1	----	7 + 1
4385	----	----	76.60B/42.30A	76.60B/42.30A	----	45.20 - 29.60	.1843	----	----	----	----	66 UNCH
4390	----	----	78.00B/43.10A	78.00B/43.10A	----	46.10 - 30.10	.1874	----	----	----	----	39 UNCH
4395	----	----	79.40B/43.90A	79.40B/43.90A	----	47.00 - 30.60	.1905	----	----	----	----	27 UNCH
4400	71.70	71.70	80.90B/44.70A	80.90B/44.70A	----	48.00 - 31.00	.1939	----	----	89	----	1091 + 8
4405	----	----	82.50B/45.60A	82.50B/45.60A	----	48.90 - 31.50	.1970	----	----	----	----	28 UNCH
4410	----	----	83.90B/46.50A	83.90B/46.50A	----	49.90 - 32.00	.2004	----	----	----	----	18 UNCH
4415	50.20	50.20	85.40B/47.40A	85.40B/47.40A	----	50.80 - 32.60	.2036	----	----	172	----	172 + 161
4420	51.00	51.00	86.90B/48.30A	86.90B/48.30A	----	51.80 - 33.10	.2069	----	----	1	----	102 + 1
4425	----	----	88.50B/49.30A	88.50B/49.30A	----	52.80 - 33.60	.2103	----	----	----	----	38 UNCH
4430	----	----	90.10B/50.20A	90.10B/50.20A	----	53.90 - 34.10	.2139	----	----	----	----	168 UNCH
4435	----	----	91.70B/51.20A	91.70B/51.20A	----	54.90 - 34.60	.2173	----	----	----	----	8 UNCH
4440	----	----	93.40B/52.20A	93.40B/52.20A	----	56.00 - 35.20	.2208	----	----	----	----	65 UNCH
4445	----	----	95.00B/53.20A	95.00B/53.20A	----	57.10 - 35.70	.2244	----	----	----	----	152 UNCH
4450	79.00	79.00	96.70B/54.10A	96.70B/54.10A	----	58.20 - 36.20	.2280	----	----	31	----	947 - 30
4455	----	----	98.50B/55.10A	98.50B/55.10A	----	59.30 - 36.80	.2316	----	----	----	----	19 UNCH
4460	----	----	100.20B/56.30A	100.20B/56.30A	----	60.50 - 37.30	.2354	----	----	----	----	235 UNCH
4465	----	----	102.00B/57.40A	102.00B/57.40A	----	61.70 - 37.90	.2392	----	----	----	----	29 UNCH
4470	69.00	69.00	103.80B/58.40A	103.80B/58.40A	----	62.90 - 38.40	.2430	----	----	3	----	69 + 1
4475	----	----	105.70B/59.60A	105.70B/59.60A	----	64.10 - 39.00	.2468	----	----	----	----	37 UNCH
4480	----	----	107.50B/60.80A	107.50B/60.80A	----	65.30 - 39.60	.2506	----	----	2	----	142 UNCH
4485	----	----	109.30B/61.90A	109.30B/61.90A	----	66.60 - 40.10	.2545	----	----	1	----	51 UNCH
4490	----	----	111.20B/63.00A	111.20B/63.00A	----	67.80 - 40.80	.2584	----	----	2	----	47 + 1
4495	----	----	113.20B/64.20A	113.20B/64.20A	----	69.20 - 41.30	.2625	----	----	----	----	84 UNCH
4500	67.00	67.00	115.10B/65.30A	115.10B/65.30A	----	70.50 - 41.90	.2665	----	----	56	----	1241 + 23
4505	111.30	111.30	117.10B/66.70A	117.10B/66.70A	----	71.80 - 42.50	.2705	----	----	5	----	13 UNCH
4510	----	----	119.10B/68.00A	119.10B/68.00A	----	73.20 - 43.10	.2746	----	----	1	----	8 UNCH
4515	----	----	121.20B/69.30A	121.20B/69.30A	----	74.60 - 43.70	.2788	----	----	----	----	5 UNCH
4520	----	----	123.30B/70.60A	123.30B/70.60A	----	76.00 - 44.30	.2829	----	----	----	----	13 UNCH
4525	----	----	125.40B/71.90A	125.40B/71.90A	----	77.50 - 44.80	.2872	----	----	110	----	124 - 85
4530	82.00	82.00	127.50B/73.20A	127.50B/73.20A	----	78.90 - 45.50	.2914	----	----	1	----	16 + 1
4535	----	----	129.60B/74.60A	129.60B/74.60A	----	80.40 - 46.10	.2957	----	----	1	----	10 + 1
4540	----	----	131.80B/76.00A	131.80B/76.00A	----	81.90 - 46.70	.3000	----	----	----	----	91 UNCH
4545	----	----	134.00B/77.40A	134.00B/77.40A	----	83.50 - 47.30	.3044	----	----	1	----	20 UNCH
4550	99.00	99.00	136.40B/78.70A	136.40B/78.70A	----	85.00 - 48.00	.3087	----	----	4	----	421 - 1
4555	----	----	138.50B/80.30A	138.50B/80.30A	----	86.60 - 48.60	.3132	----	----	----	----	23 UNCH
4560	----	----	140.80B/81.70A	140.80B/81.70A	----	88.20 - 49.20	.3176	----	----	----	----	70 UNCH
4565	----	----	143.20B/83.20A	143.20B/83.20A	----	89.90 - 49.80	.3222	----	----	----	----	106 UNCH
4570	----	----	145.60B/84.70A	145.60B/84.70A	----	91.50 - 50.40	.3266	----	----	----	----	16 UNCH
4575	----	----	147.90B/86.30A	147.90B/86.30A	----	93.20 - 51.10	.3312	----	----	3	----	25 UNCH
4580	----	----	150.30B/87.90A	150.30B/87.90A	----	94.90 - 51.70	.3358	----	----	1	----	11 UNCH
4585	93.00	93.00	152.80B/89.50A	152.80B/89.50A	----	96.70 - 52.30	.3404	----	----	2	----	17 + 1
4590	98.40	98.40	155.20B/91.10A	155.20B/91.10A	----	98.40 - 53.00	.3450	----	----	2	----	20 + 2
4595	----	----	157.70B/92.70A	157.70B/92.70A	----	100.20 - 53.60	.3497	----	----	----	----	50 UNCH
4600	105.90	105.90	160.30B/94.40A	160.30B/94.40A	----	102.00 - 54.30	.3544	----	----	174	----	1357 + 85
4605	----	----	162.90B/96.20A	162.90B/96.20A	----	103.90 - 54.80	.3592	----	----	----	----	8 UNCH
4610	105.00	105.00	165.40B/97.80A	165.40B/97.80A	----	105.70 - 55.50	.3639	----	----	2	----	136 - 2
4615	107.30	107.30	167.40B/99.60A	167.40B/99.60A	----	107.60 - 56.20	.3686	----	----	2	----	24 UNCH
4620	----	----	169.90B/101.40A	169.90B/101.40A	----	109.50 - 56.90	.3734	----	----	----	----	48 UNCH
4625	----	----	172.50B/103.10A	172.50B/103.10A	----	111.50 - 57.40	.3783	----	----	2	----	188 - 1
4630	----	----	175.20B/104.90A	175.20B/104.90A	----	113.40 - 58.20	.3831	----	----	----	----	14 UNCH
4635	114.50	114.50	177.90B/106.80A	177.90B/106.80A	----	115.40 - 58.80	.3879	----	----	1	----	126 UNCH
4640	----	----	180.80B/108.60A	180.80B/108.60A	----	117.50 - 59.40	.3928	----	----	----	----	155 UNCH
4645	----	----	183.70B/110.60A	183.70B/110.60A	----	119.50 - 60.10	.3977	----	----	----	----	24 UNCH
4650	131.00	131.00	186.30B/112.20A	186.30B/112.20A	----	121.60 - 60.70	.4026	----	----	14	150	376 + 14
4655	----	----	189.10B/114.30A	189.10B/114.30A	----	123.70 - 61.40	.4076	----	----	----	----	12 UNCH
4660	----	----	191.80B/116.30A	191.80B/116.30A	----	125.80 - 62.10	.4125	----	----	1	----	63 + 1
4665	----	----	195.10B/118.20A	195.10B/118.20A	----	128.00 - 62.70	.4175	----	----	----	----	24 UNCH
4670	----	----	197.90B/120.30A	197.90B/120.30A	----	130.20 - 63.40	.4225	----	----	1	----	100 - 1
4675	----	----	201.30B/122.30A	201.30B/122.30A	----	132.40 - 64.10	.4274	----	----	----	----	155 UNCH
4680	132.50	132.50	203.90B/124.40A	203.90B/124.40A	----	134.60 - 64.80	.4324	----	----	10	----	131 UNCH
4685	----	----	206.70B/126.50A	206.70B/126.50A	----	136.90 - 65.40	.4375	----	----	----	----	8 UNCH
4690	----	----	210.20B/128.90A	210.20B/128.90A	----	139.20 - 66.10	.4425	----	----	----	----	15 UNCH
4695	----	----	213.10B/130.90A	213.10B/130.90A	----	141.50 - 66.80	.4475	----	----	----	----	189 UNCH
4700	153.80	153.80	215.30B/132.70A	215.30B/132.70A	----	143.90 - 67.40	.4525	----	----	130	225	813 + 89
4705	----	----	217.90B/135.30A	217.90B/135.30A	----	146.20 - 68.10	.4576	----	----	----	----	9 UNCH
4710	----	----	221.20B/137.60A	221.20B/137.60A	----	148.60 - 68.80	.4626	----	----	2	----	128 + 2
4715	----	----	223.80B/139.90A	223.80B/139.90A	----	151.10 - 69.40	.4677	----	----	1	----	120 - 1
4720	155.00	155.00	226.10B/142.00A	226.10B/142.00A	----	153.50 - 70.20	.4728	----	----	10	----	63 + 10
4725	----	----	----/144.30A	225.60B/144.30A	----	156.00 - 70.80	.4778	----	----	2	----	206 UNCH
4730	158.30	158.30	158.80/146.70A	227.10B/146.70A	----	158.50 - 71.50	.4829	----	----	184	----	74 + 7
4735	----	----	----/149.00A	230.40B/149.00A	----	161.10 - 72.10	.4879	----	----	----	----	17 UNCH
4740	----	----	----/151.40A	233.70B/151.40A	----	163.60 - 72.90	.4930	----	----	----	----	115 UNCH
4745	----	----	----/153.80A	237.10B/153.80A	----	166.20 - 73.60	.4981	----	----	----	----	121 UNCH
4750	----	----	----/156.20A	240.90B/156.20A	----	168.90 - 74.20	.5031	----	----	----	----	437 UNCH
4755	----	----	----/158.80A	243.70B/158.80A	----	171.50 - 74.90	.5082	----	----	----	----	12 UNCH
4760	----	----	----/161.40A	247.20B/161.40A	----	174.20 - 75.50	.5132	----	----	----	----	79 UNCH
4765	----	----	----/163.70A	250.70B/163.70A	----	176.90 - 76.20	.5182	----	----	----	----	306 UNCH
4770	----	----	----/166.30A	253.60B/166.30A	----	179.70 - 76.80	.5233	----	----	----	----	10 UNCH
4775	----	----	----/169.00A	254.00B/169.00A	----	182.40 - 77.50	.5283	----	----	----	----	46 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4780	----	----	----/171.60A	251.70B/171.60A	----	185.20 - 78.20	.5333	----	----	----	----	39 UNCH
4785	----	----	----/174.20A	255.00B/174.20A	----	188.10 - 78.70	.5383	----	----	----	----	115 UNCH
4790	----	----	----/177.10A	258.30B/177.10A	----	190.90 - 79.40	.5432	----	----	----	----	3 UNCH
4795	----	----	----/179.80A	261.90B/179.80A	----	193.80 - 80.10	.5483	----	----	----	----	77 UNCH
4800	----	----	----/182.40A	265.40B/182.40A	----	196.70 - 80.70	.5532	----	----	7	----	1228 - 3
4805	192.70	192.70	192.70/185.30A	268.80B/185.30A	----	199.60 - 81.40	.5581	----	----	1	----	6 + 1
4810	----	----	----/188.10A	272.30B/188.10A	----	202.60 - 81.90	.5631	----	----	----	----	8 UNCH
4815	----	----	----/191.00A	276.10B/191.00A	----	205.60 - 82.60	.5680	----	----	----	----	27 UNCH
4820	----	----	----/193.80A	279.70B/193.80A	----	208.60 - 83.20	.5728	----	----	----	----	205 UNCH
4825	----	----	----/196.70A	283.30B/196.70A	----	211.60 - 83.80	.5777	----	----	----	----	33 UNCH
4830	----	----	----/199.60A	286.70B/199.60A	----	214.70 - 84.40	.5825	----	----	----	----	2 UNCH
4835	----	----	----/202.50A	290.60B/202.50A	----	217.80 - 85.00	.5874	----	----	----	----	21 UNCH
4840	----	----	----/205.40A	294.10B/205.40A	----	220.90 - 85.60	.5921	----	----	----	----	9 UNCH
4845	----	----	----/208.40A	298.00B/208.40A	----	224.10 - 86.20	.5970	----	----	----	----	101 UNCH
4850	----	----	----/211.40A	301.80B/211.40A	----	227.20 - 86.80	.6017	----	----	----	----	298 UNCH
4855	----	----	----/214.40A	305.20B/214.40A	----	230.40 - 87.40	.6064	----	----	----	----	8 UNCH
4860	----	----	----/217.50A	309.00B/217.50A	----	233.70 - 87.90	.6111	----	----	----	----	1 UNCH
4865	----	----	----/220.60A	313.30B/220.60A	----	236.90 - 88.50	.6158	----	----	----	----	27 UNCH
4870	----	----	----/223.60A	316.90B/223.60A	----	240.20 - 89.10	.6205	----	----	----	----	319 UNCH
4875	----	----	----/226.80A	320.60B/226.80A	----	243.50 - 89.60	.6250	----	----	----	----	71 UNCH
4880	----	----	----/230.00A	324.50B/230.00A	----	246.80 - 90.20	.6297	----	----	----	----	51 UNCH
4885	----	----	----/233.10A	328.10B/233.10A	----	250.10 - 90.80	.6342	----	----	----	----	12 UNCH
4890	----	----	----/236.30A	332.00B/236.30A	----	253.50 - 91.30	.6387	----	----	----	----	9 UNCH
4895	----	----	----/239.60A	336.00B/239.60A	----	256.90 - 91.90	.6432	----	----	----	----	48 UNCH
4900	248.10	248.10	248.10/242.80A	339.90B/242.80A	----	260.30 - 92.40	.6477	----	----	1	----	244 + 1
4905	----	----	----/246.10A	343.80B/246.10A	----	263.80 - 92.90	.6521	----	----	----	----	54 UNCH
4910	----	----	----/249.60A	347.80B/249.60A	----	267.20 - 93.50	.6565	----	----	----	----	2 UNCH
4915	----	----	----/252.70A	351.80B/252.70A	----	270.70 - 94.00	.6609	----	----	----	----	118 UNCH
4920	----	----	----/256.00A	355.80B/256.00A	----	274.20 - 94.50	.6653	----	----	1	----	22 UNCH
4925	----	----	----/259.40A	359.80B/259.40A	----	277.80 - 95.00	.6697	----	----	----	----	11 UNCH
4930	----	----	----/262.80A	363.80B/262.80A	----	281.30 - 95.50	.6739	----	----	----	----	52 UNCH
4935	----	----	----/266.20A	367.90B/266.20A	----	284.90 - 96.00	.6782	----	----	----	----	4 UNCH
4940	----	----	----/269.80A	371.90B/269.80A	----	288.50 - 96.50	.6824	----	----	----	----	11 UNCH
4950	294.80	294.80	294.80/276.70A	380.10B/276.70A	----	295.80 - 97.50	.6907	----	----	1	----	106 UNCH
4975	----	----	----/294.50A	400.90B/294.50A	----	314.30 - 99.90	.7107	----	----	----	----	2 UNCH
4980	----	----	----/298.10A	405.10B/298.10A	----	318.10 - 00.30	.7146	----	----	----	----	6 UNCH
4985	----	----	----/301.70A	409.30B/301.70A	----	321.90 - 00.70	.7185	----	----	----	----	104 UNCH
4990	----	----	----/305.40A	413.60B/305.40A	----	325.70 - 01.20	.7224	----	----	----	----	2 UNCH
4995	----	----	----/309.10A	417.80B/309.10A	----	329.50 - 01.70	.7263	----	----	----	----	12 UNCH
5000	----	----	----/312.70A	422.10B/312.70A	----	333.30 - 02.20	.7300	----	----	----	----	545 UNCH
5005	----	----	----/316.50A	426.30B/316.50A	----	337.20 - 02.60	.7337	----	----	----	----	12 UNCH
5010	----	----	----/323.50A	430.60B/323.50A	----	341.10 - 03.00	.7374	----	----	----	----	9 UNCH
5015	----	----	----/324.50A	434.90B/324.50A	----	345.00 - 03.40	.7411	----	----	----	----	20 UNCH
5020	----	----	----/331.10A	439.20B/331.10A	----	348.90 - 03.80	.7446	----	----	----	----	5 UNCH
5025	----	----	----/332.20A	443.60B/332.20A	----	352.90 - 04.20	.7482	----	----	----	----	150 UNCH
5030	----	----	----/338.70A	447.90B/338.70A	----	356.80 - 04.60	.7517	----	----	----	----	8 UNCH
5035	----	----	----/339.60A	452.30B/339.60A	----	360.80 - 05.00	.7552	----	----	----	----	37 UNCH
5040	----	----	----/346.40A	456.60B/346.40A	----	364.80 - 05.40	.7587	----	----	----	----	10 UNCH
5045	----	----	----/350.60A	461.00B/350.60A	----	368.80 - 05.80	.7621	----	----	----	----	5 UNCH
5050	----	----	----/352.40A	465.40B/352.40A	----	372.80 - 06.20	.7654	----	----	----	----	78 UNCH
5055	----	----	----/358.40A	469.80B/358.40A	----	376.90 - 06.50	.7689	----	----	----	----	3 UNCH
5065	----	----	----/366.30A	478.70B/366.30A	----	385.00 - 07.30	.7754	----	----	----	----	11 UNCH
5075	----	----	----/374.20A	487.60B/374.20A	----	393.20 - 08.00	.7818	----	----	----	----	6 UNCH
5080	----	----	----/378.70A	492.00B/378.70A	----	397.30 - 08.40	.7848	----	----	----	----	2 UNCH
5085	----	----	----/382.30A	496.50B/382.30A	----	401.40 - 08.80	.7881	----	----	----	----	21 UNCH
5090	----	----	----/385.90A	501.00B/385.90A	----	405.60 - 09.00	.7911	----	----	----	----	6 UNCH
5095	----	----	----/390.40A	505.50B/390.40A	----	409.70 - 09.40	.7943	----	----	----	----	42 UNCH
5100	----	----	----/393.90A	510.00B/393.90A	----	413.90 - 09.80	.7973	----	----	----	----	106 UNCH
5105	----	----	----/398.50A	514.50B/398.50A	----	418.10 - 10.10	.8002	----	----	----	----	22 UNCH
5110	----	----	----/402.70A	519.00B/402.70A	----	422.30 - 10.40	.8030	----	----	----	----	16 UNCH
5115	----	----	----/406.70A	523.50B/406.70A	----	426.50 - 10.70	.8060	----	----	----	----	37 UNCH
5120	----	----	----/410.90A	528.10B/410.90A	----	430.80 - 11.00	.8087	----	----	----	----	13 UNCH
5125	----	----	----/415.00A	532.60B/415.00A	----	435.00 - 11.30	.8117	----	----	----	----	37 UNCH
5130	----	----	----/419.20A	537.20B/419.20A	----	439.30 - 11.60	.8144	----	----	----	----	23 UNCH
5135	----	----	----/423.40A	541.70B/423.40A	----	443.60 - 11.80	.8171	----	----	----	----	9 UNCH
5140	----	----	----/427.30A	546.30B/427.30A	----	447.80 - 12.20	.8198	----	----	----	----	19 UNCH
5145	----	----	----/431.60A	550.90B/431.60A	----	452.10 - 12.50	.8225	----	----	----	----	3 UNCH
5150	----	----	----/435.90A	555.50B/435.90A	----	456.50 - 12.70	.8250	----	----	----	----	233 UNCH
5155	----	----	----/439.90A	560.10B/439.90A	----	460.80 - 13.00	.8277	----	----	----	----	42 UNCH
5160	----	----	----/444.40A	564.70B/444.40A	----	465.10 - 13.30	.8301	----	----	----	----	42 UNCH
5170	----	----	----/452.40A	574.00B/452.40A	----	473.90 - 13.70	.8352	----	----	----	----	51 UNCH
5175	----	----	----/456.90A	578.60B/456.90A	----	478.20 - 14.10	.8376	----	----	----	----	61 UNCH
5180	----	----	----/461.00A	583.20B/461.00A	----	482.60 - 14.30	.8400	----	----	----	----	10 UNCH
5185	----	----	----/465.50A	587.90B/465.50A	----	487.00 - 14.50	.8425	----	----	----	----	103 UNCH
5190	----	----	----/469.70A	592.50B/469.70A	----	491.40 - 14.80	.8446	----	----	----	----	19 UNCH
5200	----	----	----/478.30A	601.90B/478.30A	----	500.30 - 15.20	.8491	----	----	----	----	56 UNCH
5225	----	----	----/500.20A	625.30B/500.20A	----	522.70 - 16.20	.8599	----	----	----	----	42 UNCH
5230	----	----	----/504.80A	630.00B/504.80A	----	527.20 - 16.40	.8620	----	----	----	----	2 UNCH
5235	----	----	----/509.00A	647.00B/509.00A	----	531.70 - 16.60	.8641	----	----	----	----	23 UNCH
5245	----	----	----/517.90A	648.20B/517.90A	----	540.70 - 17.00	.8680	----	----	----	----	2 UNCH
5250	----	----	----/522.30A	649.50B/522.30A	----	545.20 - 17.20	.8701	----	----	----	----	14 UNCH
5255	----	----	----/526.70A	649.60B/526.70A	----	549.80 - 17.40	.8719	----	----	----	----	14 UNCH
5285	----	----	----/553.50A	662.00B/553.50A	----	577.20 - 18.40	.8827	----	----	----	----	2 UNCH
5290	----	----	----/558.10A	664.30B/558.10A	----	581.80 - 18.60	.8845	----	----	----	----	4 UNCH
5295	----	----	----/562.60A	665.50B/562.60A	----	586.50 - 18.70	.8859	----	----	----	----	2 UNCH
5300	----	----	----/567.10A	667.00B/567.10A	----	591.10 - 18.80	.8876	----	----	----	----	68 UNCH
5315	----	----	----/580.70A	670.70B/580.70A	----	605.00 - 19.30	.8925	----	----	----	----	10 UNCH
5325	----	----	----/590.00A	673.20B/590.00A	----	614.30 - 19.60	.8953	----	----	----	----	2 UNCH
5350	----	----	----/612.90A	670.90B/612.90A	----	637.60 - 20.30	.9026	----	----	----	----	8 UNCH
5375	----	----	----/635.90A	683.00B/635.90A	----	661.10 - 20.90	.9091	----	----	----	----	8 UNCH
5390	----	----	----/650.00A	684.80B/650.00A	----	675.30 - 21.20	.9129	----	----	----	----	5 UNCH
5400	----	----	----/658.00A	697.90B/658.00A	----	684.80 - 21.40	.9152	----	----	----	----	602 UNCH
5410	----	----	----/668.60A	695.50B/668.60A	----	694.30 - 21.60	.9176	----	----	----	----	1 UNCH
5440	----	----	----/695.70A	715.60B/695.70A	----	722.90 - 22.10	.9242	----	----	----	----	1 UNCH
5475	----	----	----/728.80A	765.80B/728.80A	----	756.40 - 22.80	.9310	----	----	----	----	7 UNCH
5500	----	----	----/752.50A	789.80B/752.50A	----	780.50 - 23.10	.9351	----	----	----	----	4 UNCH
5505	----	----	----/757.30A	755.60B/757.30A	----	785.30 - 23.20	.9360	----	----	----	----	1 UNCH
5510	----	----	----/762.10A	760.30B/762.10A	----	790.20 - 23.20	.9369	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1371.50 - 26.30	.9804	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1396.40 - 26.30	.9810	----	----	----	----	2 UNCH
TOTAL										2338	375	36895 + 68
AUG26												
2300	----	----	----/1.00A	0.80B/1.00A	----	0.80 - 0.50	.0019	----	----	----	----	38 UNCH
2325	----	----	----/*1.10A	0.80B/1.10A	----	0.80 - 0.50	.0019	----	----	----	----	1 UNCH
2350	----	----	----/*1.10A	0.90B/1.10A	----	0.90 - 0.50	.0022	----	----	----	----	2 UNCH
2375	----	----	----/*1.20A	0.90B/1.20A	----	0.90 - 0.50	.0022	----	----	----	----	7 UNCH
2400	----	----	----/*1.20A	1.00B/1.20A	----	1.00 - 0.50	.0024	----	----	----	----	5 UNCH
2425	----	----	----/*1.30A	1.00B/1.30A	----	1.00 - 0.50	.0025	----	----	----	----	1 UNCH
2475	----	----	----/*1.40A	1.10B/1.40A	----	1.10 - 0.50	.0027	----	----	----	----	5 UNCH
2500	1.20	1.20	1.20/*1.20	1.20/*1.20	----	1.20 - 0.50	.0030	----	----	5	----	112 + 5
2570	----	----	----/*1.60A	1.30B/*1.60A	----	1.30 - 0.60	.0033	----	----	----	----	9 UNCH
2580	----	----	----/*1.60A	1.40B/*1.60A	----	1.40 - 0.50	.0036	----	----	----	----	1 UNCH
2590	----	----	----/*1.60A	1.40B/*1.60A	----	1.40 - 0.50	.0036	----	----	----	----	2 UNCH
2600	----	----	----/1.70A	1.40B/1.70A	----	1.40 - 0.50	.0036	----	----	----	----	6 UNCH
2615	----	----	----/*1.70A	1.50B/*1.70A	----	1.50 - 0.50	.0038	----	----	----	----	1 UNCH
2625	----	----	----/*1.70A	1.50B/*1.70A	----	1.50 - 0.50	.0039	----	----	----	----	2 UNCH
2640	----	----	----/*1.80A	1.50B/*1.80A	----	1.50 - 0.50	.0039	----	----	----	----	1 UNCH
2665	----	----	----/*1.80A	1.60B/*1.80A	----	1.60 - 0.50	.0042	----	----	----	----	1 UNCH
2685	----	----	----/*1.90A	1.70B/*1.90A	----	1.70 - 0.50	.0044	----	----	----	----	1 UNCH
2690	----	----	----/*1.90A	1.70B/*1.90A	----	1.70 - 0.50	.0045	----	----	----	----	1 UNCH
2730	----	----	----/*2.00A	1.80B/*2.00A	----	1.80 - 0.50	.0048	----	----	----	----	1 UNCH
2745	----	----	----/*2.10A	1.80B/*2.10A	----	1.80 - 0.50	.0048	----	----	----	----	1 UNCH
2750	----	----	----/*2.10A	1.90B/*2.10A	----	1.80 - 0.50	.0048	----	----	----	----	4 UNCH
2800	----	----	----/*2.30A	2.00B/*2.30A	----	2.00 - 0.50	.0054	----	----	----	----	36 UNCH
2860	----	----	----/*2.50A	2.20B/*2.50A	----	2.20 - 0.50	.0061	----	----	----	----	1 UNCH
2900	----	----	----/*2.60A	2.40B/*2.60A	----	2.40 - 0.50	.0067	----	----	----	----	2 UNCH
2950	----	----	----/*2.80A	2.60B/*2.80A	----	2.60 - 0.60	.0074	----	----	----	----	8 UNCH
2980	----	----	----/*2.90A	2.70B/*2.90A	----	2.70 - 0.70	.0077	----	----	----	----	1 UNCH
3000	----	----	----/3.00A	2.90B/3.00A	----	2.80 - 0.80	.0081	----	----	----	----	269 UNCH
3005	----	----	----/*3.00A	2.80B/*3.00A	----	2.80 - 0.80	.0081	----	----	----	----	5 UNCH
3010	----	----	----/*3.00A	2.90B/*3.00A	----	2.90 - 0.70	.0083	----	----	----	----	1 UNCH
3015	----	----	----/*3.00A	2.90B/*3.00A	----	2.90 - 0.80	.0084	----	----	----	----	1 UNCH
3025	----	----	----/*3.10A	3.00B/*3.10A	----	2.90 - 0.90	.0084	----	----	----	----	5 UNCH
3040	----	----	----/*3.20A	3.00B/*3.20A	----	3.00 - 0.90	.0087	----	----	----	----	1 UNCH
3065	----	----	----/*3.20A	3.20B/*3.20A	----	3.10 - 1.00	.0091	----	----	----	----	1 UNCH
3090	----	----	----/*3.40A	3.40B/*3.40A	----	3.20 - 1.00	.0095	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3095	----	----	----/*3.40A	3.40B/*3.40A	----	3.30 - 1.00	.0097	----	----	----	----	1 UNCH
3100	----	----	----/*3.40A	3.50B/*3.40A	----	3.30 - 1.00	.0098	----	----	----	----	214 UNCH
3110	----	----	----/*3.40A	3.50B/*3.40A	----	3.40 - 1.00	.0101	----	----	----	----	15 UNCH
3115	----	----	----/*3.50A	3.50B/*3.50A	----	3.40 - 1.00	.0101	----	----	----	----	1 UNCH
3120	----	----	----/*3.50A	3.60B/*3.50A	----	3.40 - 1.00	.0101	----	----	----	----	29 UNCH
3130	----	----	----/*3.60A	3.60B/*3.60A	----	3.50 - 1.00	.0104	----	----	----	----	5 UNCH
3145	----	----	----/*3.70A	3.80B/*3.70A	----	3.50 - 1.10	.0105	----	----	----	----	1 UNCH
3150	----	----	----/*3.70A	3.80B/*3.70A	----	3.60 - 1.00	.0108	----	----	----	----	10 UNCH
3155	----	----	----/*3.70A	3.80B/*3.70A	----	3.60 - 1.00	.0109	----	----	----	----	3 UNCH
3160	----	----	----/*3.70A	3.90B/*3.70A	----	3.60 - 1.00	.0109	----	----	----	----	1 UNCH
3165	----	----	----/*3.80A	3.90B/*3.80A	----	3.60 - 1.10	.0109	----	----	----	----	141 UNCH
3170	----	----	----/*3.80A	3.90B/*3.80A	----	3.70 - 1.00	.0112	----	----	----	----	1 UNCH
3175	----	----	----/*3.80A	4.00B/*3.80A	----	3.70 - 1.00	.0112	----	----	----	----	1 UNCH
3180	----	----	----/*3.80A	4.00B/*3.80A	----	3.70 - 1.10	.0113	----	----	----	----	25 UNCH
3185	----	----	----/*3.90A	4.10B/*3.90A	----	3.80 - 1.00	.0115	----	----	----	----	1 UNCH
3190	----	----	----/*3.90A	4.10B/*3.90A	----	3.80 - 1.00	.0116	----	----	----	----	881 UNCH
3195	----	----	----/*3.90A	4.10B/*3.90A	----	3.80 - 1.10	.0116	----	----	----	----	1 UNCH
3200	----	----	----/*4.00A	4.20B/*4.00A	----	3.80 - 1.10	.0117	----	----	----	----	406 UNCH
3250	4.10	4.10	4.20/*4.10	4.70B/*4.10	----	4.20 - 1.20	.0130	----	----	125	----	530 + 125
3260	----	----	----/*4.30A	4.70B/*4.30A	----	4.20 - 1.30	.0131	----	----	----	----	30 UNCH
3295	----	----	----/*4.60A	5.10B/*4.60A	----	4.50 - 1.40	.0142	----	----	----	----	2 UNCH
3300	----	----	----/*4.60A	5.20B/*4.60A	----	4.50 - 1.50	.0142	----	----	----	----	165 UNCH
3330	----	----	----/*4.80A	5.50B/*4.80A	----	4.80 - 1.60	.0153	----	----	----	----	2 UNCH
3350	----	----	----/*5.00A	5.80B/*5.00A	----	4.90 - 1.70	.0157	----	----	----	----	375 UNCH
3370	----	----	----/*5.20A	6.10B/*5.20A	----	5.10 - 1.80	.0164	----	----	----	----	1 UNCH
3375	----	----	----/*5.20A	6.10B/*5.20A	----	5.20 - 1.80	.0168	----	----	----	----	15 UNCH
3380	----	----	----/*5.30A	6.20B/*5.30A	----	5.20 - 1.90	.0168	----	----	----	----	1 UNCH
3390	----	----	----/*5.40A	6.40B/*5.40A	----	5.30 - 2.00	.0172	----	----	----	----	1 UNCH
3395	5.30	5.30	5.30/*5.20	6.40B/*5.20	----	5.30 NEW	.0172	----	----	7	----	7 + 7
3400	5.60	5.60	5.60/*5.50A	6.50B/*5.50A	----	5.40 - 2.00	.0176	----	----	1	----	33 UNCH
3405	----	----	----/*5.50A	6.60B/*5.50A	----	5.40 - 2.10	.0176	----	----	----	----	4 UNCH
3410	----	----	----/*5.60A	6.70B/*5.60A	----	5.50 - 2.10	.0179	----	----	----	----	1 UNCH
3450	----	----	----/*6.00A	7.30B/*6.00A	----	5.90 - 2.40	.0195	----	----	----	----	1 UNCH
3460	----	----	----/*6.10A	7.50B/*6.10A	----	6.00 - 2.50	.0199	----	----	----	----	1 UNCH
3465	----	----	----/*6.20A	7.60B/*6.20A	----	6.10 - 2.50	.0202	----	----	----	----	6 UNCH
3470	----	----	----/*6.20A	7.70B/*6.20A	----	6.20 - 2.50	.0205	----	----	----	----	1 UNCH
3495	----	----	----/*6.60A	8.20B/*6.60A	----	6.50 - 2.70	.0216	----	----	----	----	1 UNCH
3500	----	----	----/*6.60A	8.30B/*6.60A	----	6.60 - 2.70	.0220	----	----	----	----	817 UNCH
3505	----	----	----/*6.70A	8.40B/*6.70A	----	6.60 - 2.90	.0220	----	----	----	----	1 UNCH
3510	----	----	----/*6.80A	8.50B/*6.80A	----	6.70 - 2.90	.0224	----	----	----	----	50 UNCH
3520	----	----	----/*6.90A	8.70B/*6.90A	----	6.80 - 3.00	.0228	----	----	----	----	210 UNCH
3525	----	----	----/*7.00A	8.80B/*7.00A	----	6.90 - 3.00	.0231	----	----	----	----	60 UNCH
3535	----	----	----/*7.10A	9.00B/*7.10A	----	7.10 - 3.10	.0238	----	----	----	----	1 UNCH
3545	----	----	----/*7.20A	9.20B/*7.20A	----	7.20 - 3.20	.0242	----	----	----	----	9 UNCH
3550	7.10	7.10	7.10/*7.10	9.40B/*7.10	----	7.30 - 3.20	.0246	----	----	1	----	119 + 1
3560	----	----	----/*7.50A	9.50B/*7.50A	----	7.40 - 3.40	.0250	----	----	----	----	1 UNCH
3570	----	----	----/*7.60A	9.80B/*7.60A	----	7.60 - 3.50	.0257	----	----	----	----	32 UNCH
3575	----	----	----/*7.70A	9.90B/*7.70A	----	7.70 - 3.50	.0261	----	----	----	----	20 UNCH
3585	----	----	----/*7.90A	10.20B/*7.90A	----	7.90 - 3.60	.0268	----	----	----	----	50 UNCH
3600	8.50	8.50	8.50/*8.10A	10.60B/*8.10A	----	8.10 - 3.80	.0276	----	----	2	----	679 - 2
3605	8.20	8.20	8.20/*8.20	10.70B/*8.20	----	8.20 NEW	.0279	----	----	1	----	1 + 1
3610	----	----	----/*8.30A	10.80B/*8.30A	----	8.30 - 3.90	.0283	----	----	----	----	1 UNCH
3630	----	----	----/*8.70A	11.40B/*8.70A	----	8.70 - 4.20	.0297	----	----	----	----	8 UNCH
3645	----	----	----/*9.00A	11.80B/*9.00A	----	9.00 - 4.40	.0308	----	----	----	----	22 UNCH
3650	----	----	----/*9.10A	12.10B/*9.10A	----	9.10 - 4.40	.0312	----	----	----	----	42 UNCH
3655	----	----	----/*9.20A	12.20B/*9.20A	----	9.20 - 4.50	.0316	----	----	----	----	55 UNCH
3660	----	----	----/*9.30A	12.30B/*9.30A	----	9.30 - 4.60	.0320	----	----	----	----	9 UNCH
3665	----	----	----/*9.40A	12.50B/*9.40A	----	9.50 - 4.60	.0326	----	----	----	----	1 UNCH
3675	----	----	----/*9.70A	12.80B/*9.70A	----	9.70 - 4.80	.0333	----	----	----	----	24 UNCH
3690	----	----	----/*10.00A	13.40B/*10.00A	----	10.10 - 4.90	.0347	----	----	2	----	12 UNCH
3700	----	----	----/*10.20A	13.80B/*10.20A	----	10.30 - 5.10	.0355	----	----	----	----	249 UNCH
3705	10.60	10.60	10.60/*10.40A	13.90B/*10.40A	----	10.40 - 5.20	.0359	----	----	1	----	21 + 1
3715	----	----	----/*10.60A	14.30B/*10.60A	----	10.70 - 5.40	.0369	----	----	----	----	30 UNCH
3725	----	----	----/*10.90A	14.70B/*10.90A	----	11.00 - 5.50	.0380	----	----	----	----	4 UNCH
3730	----	----	----/*11.00A	14.90B/*11.00A	----	11.10 - 5.60	.0384	----	----	----	----	10 UNCH
3740	----	----	----/*11.30A	15.30B/*11.30A	----	11.40 - 5.80	.0394	----	----	----	----	1 UNCH
3750	12.10	12.10	12.10/*11.60A	15.90B/*11.60A	----	11.70 - 5.90	.0405	----	----	10	----	79 - 5
3765	----	----	----/*12.00A	16.40B/*12.00A	----	12.10 - 6.30	.0420	----	----	----	----	100 UNCH
3770	----	----	----/*12.10A	16.70B/*12.10A	----	12.30 - 6.30	.0427	----	----	----	----	4 UNCH
3775	----	----	----/*12.40A	17.00B/*12.40A	----	12.50 - 6.40	.0433	----	----	----	----	12 UNCH
3790	----	----	----/*12.80A	17.70B/*12.80A	----	13.00 - 6.70	.0451	----	----	2	----	7 - 1
3795	----	----	----/*13.00A	17.90B/*13.00A	----	13.10 - 6.90	.0455	----	----	----	----	82 UNCH
3800	13.00	13.00	13.10/*13.00	18.20B/*13.00	----	13.30 - 6.90	.0462	----	----	30	----	358 + 20
3805	----	----	----/*13.30A	18.40B/*13.30A	----	13.50 - 7.00	.0469	----	----	----	----	4 UNCH
3810	----	----	----/*13.50A	18.70B/*13.50A	----	13.70 - 7.10	.0476	----	----	----	----	50 UNCH
3815	----	----	----/*13.70A	19.00B/*13.70A	----	13.80 - 7.30	.0480	----	----	----	----	150 UNCH
3820	----	----	----/*13.90A	19.20B/*13.90A	----	14.00 - 7.40	.0487	----	----	----	----	52 UNCH
3825	----	----	----/*14.10A	19.50B/*14.10A	----	14.20 - 7.50	.0494	----	----	----	----	51 UNCH
3835	----	----	----/*14.40A	20.10B/*14.40A	----	14.60 - 7.70	.0508	----	----	----	----	10 UNCH
3845	----	----	----/*14.70A	20.70B/*14.70A	----	15.00 - 7.90	.0522	----	----	----	----	1 UNCH
3850	16.80	16.80	16.80/*14.90A	21.00B/*14.90A	----	15.20 - 8.10	.0529	----	----	5	----	122 + 5
3855	----	----	----/*15.10A	21.30B/*15.10A	----	15.40 - 8.20	.0536	----	----	----	----	5 UNCH
3875	----	----	----/*16.00A	22.70B/*16.00A	----	16.30 - 8.70	.0567	----	----	----	----	10 UNCH
3880	16.40	16.40	16.40/*16.20A	23.00B/*16.20A	----	16.50 - 8.80	.0574	----	----	42	----	340 + 40
3885	16.60	16.60	16.60/*16.40A	23.20B/*16.40A	----	16.80 - 8.90	.0583	----	----	89	----	89 + 79
3890	----	----	----/*16.70A	23.70B/*16.70A	----	17.00 - 9.10	.0591	----	----	----	----	73 UNCH
3900	17.20	17.20	17.40/*17.10A	24.40B/*17.10A	----	17.50 - 9.30	.0608	----	----	2	----	658 UNCH
3910	17.80	17.80	17.80/*17.60A	25.10B/*17.60A	----	18.00 - 9.60	.0625	----	----	37	----	37 + 36
3915	18.10	18.10	18.10/*17.80A	25.40B/*17.80A	----	18.20 NEW	.0632	----	----	35	----	35 + 35
3920	18.30	18.30	18.30/*18.10A	25.70B/*18.10A	----	18.50 - 9.90	.0642	----	----	37	----	49 + 37
3925	----	----	----/*18.30A	26.20B/*18.30A	----	18.80 - 10.00	.0652	----	----	1	----	11 + 1
3930	----	----	----/*18.60A	27.00B/*18.60A	----	19.00 - 10.20	.0659	----	----	----	----	49 UNCH
3935	----	----	----/*18.80A	27.40B/*18.80A	----	19.30 - 10.40	.0669	----	----	----	----	11 UNCH
3940	20.50	20.50	20.50/*19.20A	27.60B/*19.20A	----	19.60 - 10.50	.0679	----	----	2	----	2 UNCH
3950	----	----	----/*19.70A	28.50B/*19.70A	----	20.20 - 10.80	.0699	----	----	----	----	248 UNCH
3955	----	----	----/*19.90A	28.90B/*19.90A	----	20.50 - 10.90	.0709	----	----	----	----	10 UNCH
3960	----	----	----/*20.20A	29.50B/*20.20A	----	20.80 - 11.10	.0719	----	----	----	----	1 UNCH
3965	----	----	----/*20.50A	29.80B/*20.50A	----	21.10 - 11.30	.0729	----	----	----	----	25 UNCH
3970	----	----	----/*20.80A	30.20B/*20.80A	----	21.40 - 11.50	.0739	----	----	----	----	1 UNCH
3975	----	----	----/*21.10A	30.70B/*21.10A	----	21.70 - 11.60	.0749	----	----	----	----	267 UNCH
3980	----	----	----/*21.40A	31.20B/*21.40A	----	22.00 - 11.80	.0760	----	----	5	----	2251 + 5
3985	----	----	----/*21.70A	31.70B/*21.70A	----	22.30 - 12.00	.0770	----	----	----	----	2 UNCH
3990	----	----	----/*22.00A	32.30B/*22.00A	----	22.70 - 12.10	.0782	----	----	----	----	45 UNCH
3995	----	----	----/*22.40A	32.60B/*22.40A	----	23.00 - 12.30	.0793	----	----	----	----	4 UNCH
4000	27.10	27.10	27.10/*22.50	33.10B/*22.50	----	23.30 - 12.60	.0803	----	----	256	----	1433 - 143
4005	----	----	----/*23.00A	33.60B/*23.00A	----	23.70 - 12.70	.0816	----	----	----	----	3 UNCH
4010	----	----	----/*23.40A	34.20B/*23.40A	----	24.00 - 12.90	.0826	----	----	----	----	78 UNCH
4020	----	----	----/*24.10A	35.20B/*24.10A	----	24.80 - 13.20	.0851	----	----	----	----	2 UNCH
4025	----	----	----/*24.40A	35.70B/*24.40A	----	25.10 - 13.50	.0862	----	----	----	----	101 UNCH
4030	----	----	----/*24.80A	36.30B/*24.80A	----	25.50 - 13.70	.0875	----	----	----	----	50 UNCH
4035	----	----	----/*25.10A	39.00B/*25.10A	----	25.90 - 13.90	.0887	----	----	----	----	19 UNCH
4040	----	----	----/*25.50A	37.70B/*25.50A	----	26.30 - 14.10	.0900	----	----	----	----	25 UNCH
4045	----	----	----/*25.90A	38.40B/*25.90A	----	26.70 - 14.30	.0913	----	----	----	----	30 UNCH
4050	----	----	----/*26.30A	39.10B/*26.30A	----	27.10 - 14.50	.0926	----	----	----	----	312 UNCH
4065	----	----	----/*27.50A	40.80B/*27.50A	----	28.30 - 15.20	.0965	----	----	----	----	4 UNCH
4070	----	----	----/*27.90A	41.40B/*27.90A	----	28.80 - 15.30	.0980	----	----	----	----	1 UNCH
4075	----	----	----/*28.20A	42.10B/*28.20A	----	29.20 - 15.60	.0993	----	----	----	----	11 UNCH
4080	----	----	----/*28.70A	42.80B/*28.70A	----	29.70 - 15.70	.1009	----	----	----	----	6 UNCH
4085	----	----	----/*29.10A	43.70B/*29.10A	----	30.10 - 16.00	.1022	----	----	----	----	29 UNCH
4090	----	----	----/*29.50A	44.40B/*29.50A	----	30.60 - 16.20	.1037	----	----	----	----	201 UNCH
4095	----	----	----/*30.00A	45.00B/*30.00A	----	31.10 - 16.40	.1053	----	----	----	----	14 UNCH
4100	----	----	----/30.50A	45.80B/30.50A	----	31.50 - 16.70	.1066	----	----	----	----	337 UNCH
4105	----	----	----/*31.00A	46.30B/31.00A	----	32.00 - 16.90	.1081	----	----	----	----	15 UNCH
4110	32.40	32.40	32.40/*31.40A	47.10B/31.40A	----	32.50 - 17.20	.1097	----	----	2	----	3 + 2
4115	----	----	----/31.90A	47.80B/31.90A	----	33.00 - 17.40	.1113	----	----	----	----	16 UNCH
4120	----	----	----/32.40A	48.70B/32.40A	----	33.50 - 17.70	.1128	----	----	----	----	1 UNCH
4125	----	----	----/32.90A	49.30B/32.90A	----	34.00 - 17.90	.1144	----	----	----	----	5 UNCH
4130	----	----	----/33.40A	50.10B/33.40A	----	34.60 - 18.10	.1161	----	----	----	----	5 UNCH
4135	----	----	----/33.90A	50.90B/33.90A	----	35.10 - 18.40	.1177	----	----	----	----	57 UNCH
4140	----	----	----/34.40A	51.70B/34.40A	----	35.60 - 18.70	.1193	----	----	----	----	1 UNCH
4145	----	----	----/34.90A	52.70B/34.90A	----	36.20 - 18.90	.1211	----	----	----	----	27 UNCH
4150	----	----	----/35.50A	53.60B/35.50A	----	36.70 - 19.20	.1227	----	----	----	----	361 UNCH
4155	----	----	----/36.00A	54.20B/36.00A	----	37.30 - 19.50	.1244	----	----	----	----	1 UNCH
4160	36.60	36.60	36.60/36.50A	55.20B/36.50A	----	37.90 - 19.70	.1262	----	----	3	----	66 UNCH
4165	----	----	----/37.10A	56.10B/37.10A	----	38.50 - 20.00	.1280	----	----	----	----	102 UNCH
4170	----	----	----/37.60A	56.90B/37.60A	----	39.10 - 20.30	.1298	----	----	----	----	80 UNCH
4175	----	----	----/38.20A	57.90B/38.20A	----	39.70 - 20.50	.1316	----	----	----	----	33 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4180	----	----	----/38.70A	58.80B/38.70A	----	40.30 - 20.80	.1335	----	----	----	----	114 UNCH
4185	----	----	----/39.40A	59.70B/39.40A	----	40.90 - 21.20	.1353	----	----	----	----	50 UNCH
4190	----	----	----/40.00A	60.60B/40.00A	----	41.60 - 21.40	.1373	----	----	----	----	140 UNCH
4195	----	----	----/40.60A	61.50B/40.60A	----	42.20 - 21.70	.1391	----	----	----	----	218 UNCH
4200	61.00	61.00	61.00/41.20A	62.60B/41.20A	----	42.90 - 22.00	.1411	----	----	53	----	252 + 30
4205	----	----	----/41.80A	63.70B/41.80A	----	43.60 - 22.20	.1431	----	----	----	----	350 UNCH
4210	44.10	44.10	44.10/42.50A	64.40B/42.50A	----	44.20 - 22.60	.1450	----	----	2	----	3 + 2
4215	----	----	----/43.10A	65.40B/43.10A	----	44.90 - 22.90	.1470	----	----	----	----	17 UNCH
4220	----	----	----/43.80A	66.60B/43.80A	----	45.60 - 23.20	.1490	----	----	----	----	12 UNCH
4225	----	----	----/44.50A	67.60B/44.50A	----	46.30 - 23.60	.1511	----	----	----	----	17 UNCH
4230	----	----	----/45.10A	68.80B/45.10A	----	47.10 - 23.80	.1533	----	----	----	----	11 UNCH
4235	----	----	----/45.80A	69.70B/45.80A	----	47.80 - 24.10	.1553	----	----	----	----	8 UNCH
4240	----	----	----/46.50A	70.80B/46.50A	----	48.50 - 24.50	.1574	----	----	----	----	37 UNCH
4245	----	----	----/47.30A	71.80B/47.30A	----	49.30 - 24.80	.1596	----	----	----	----	55 UNCH
4250	49.80	49.80	49.80/48.00A	73.60B/48.00A	----	50.10 - 25.10	.1619	----	----	19	----	776 UNCH
4255	----	----	----/48.80A	74.10B/48.80A	----	50.90 - 25.40	.1641	----	----	----	----	888 UNCH
4260	51.40	51.40	51.40/49.50A	75.20B/49.50A	----	51.60 - 25.80	.1662	----	----	2	----	10 + 1
4270	----	----	----/51.00A	77.50B/51.00A	----	53.30 - 26.40	.1708	----	----	----	----	15 UNCH
4275	----	----	----/51.80A	78.70B/51.80A	----	54.10 - 26.80	.1731	----	----	----	----	23 UNCH
4280	54.80	54.80	54.80/52.60A	79.90B/52.60A	----	54.90 - 27.20	.1754	----	----	1	----	68 + 1
4285	----	----	----/53.40A	81.70B/53.40A	----	55.80 - 27.50	.1778	----	----	----	----	171 UNCH
4290	----	----	----/54.20A	82.90B/54.20A	----	56.70 - 27.80	.1802	----	----	----	----	61 UNCH
4295	----	----	----/55.10A	84.20B/55.10A	----	57.60 - 28.20	.1827	----	----	----	----	2 UNCH
4300	----	----	----/55.90A	85.60B/55.90A	----	58.50 - 28.50	.1851	----	----	223	----	969 + 48
4305	----	----	----/56.70A	86.40B/56.70A	----	59.40 - 28.90	.1876	----	----	----	----	504 UNCH
4310	----	----	----/57.60A	88.10B/57.60A	----	60.30 - 29.30	.1900	----	----	----	----	3 UNCH
4315	----	----	----/58.50A	89.30B/58.50A	----	61.20 - 29.70	.1925	----	----	----	----	8 UNCH
4320	----	----	----/59.40A	90.70B/59.40A	----	62.20 - 30.00	.1951	----	----	----	----	21 UNCH
4325	----	----	----/60.30A	91.80B/60.30A	----	63.10 - 30.50	.1976	----	----	----	----	310 UNCH
4330	----	----	----/61.20A	93.30B/61.20A	----	64.10 - 30.80	.2002	----	----	----	----	104 UNCH
4335	----	----	----/62.10A	94.80B/62.10A	----	65.10 - 31.20	.2028	----	----	----	----	10 UNCH
4340	69.50	69.50	69.50/63.10A	96.20B/63.10A	----	66.10 - 31.60	.2055	----	----	3	----	8 + 3
4345	----	----	----/64.00A	97.60B/64.00A	----	67.20 - 31.90	.2082	----	----	----	----	1 UNCH
4350	72.70	72.70	72.70/65.10A	99.00B/65.10A	----	68.20 - 32.30	.2109	----	----	2	----	880 UNCH
4355	----	----	----/66.10A	100.60B/66.10A	----	69.30 - 32.70	.2137	----	----	----	----	103 UNCH
4360	----	----	----/67.10A	102.00B/67.10A	----	70.30 - 33.20	.2163	----	----	----	----	72 UNCH
4365	----	----	----/68.10A	103.70B/68.10A	----	71.40 - 33.50	.2191	----	----	----	----	115 UNCH
4375	----	----	----/70.20A	106.60B/70.20A	----	73.60 - 34.40	.2248	----	----	----	----	8 UNCH
4380	----	----	----/71.20A	108.00B/71.20A	----	74.80 - 34.70	.2277	----	----	----	----	2 UNCH
4385	----	----	----/72.30A	109.90B/72.30A	----	75.90 - 35.20	.2305	----	----	----	----	8 UNCH
4390	----	----	----/73.40A	111.30B/73.40A	----	77.10 - 35.60	.2335	----	----	----	----	16 UNCH
4395	----	----	----/74.50A	113.10B/74.50A	----	78.30 - 36.00	.2364	----	----	----	----	2 UNCH
4400	80.60	80.60	84.80/75.60A	114.70B/75.60A	----	79.50 - 36.40	.2394	----	----	39	150	1446 + 148
4405	----	----	----/76.70A	116.10B/76.70A	----	80.70 - 36.80	.2424	----	----	----	----	54 UNCH
4410	----	----	----/77.90A	117.80B/77.90A	----	81.90 - 37.30	.2453	----	----	----	300	303 + 299
4415	----	----	----/79.10A	119.50B/79.10A	----	83.20 - 37.70	.2484	----	----	18	----	153 + 7
4420	----	----	----/80.30A	121.00B/80.30A	----	84.40 - 38.20	.2514	----	----	----	----	4 UNCH
4425	----	----	----/81.50A	122.90B/81.50A	----	85.70 - 38.60	.2545	----	----	----	----	8 UNCH
4430	----	----	----/82.70A	124.60B/82.70A	----	87.00 - 39.00	.2576	----	----	12	----	38 UNCH
4435	----	----	----/84.00A	126.40B/84.00A	----	88.30 - 39.50	.2608	----	----	----	----	6 UNCH
4440	----	----	----/85.20A	128.20B/85.20A	----	89.70 - 39.90	.2640	----	----	12	----	65 + 12
4445	----	----	----/86.50A	130.00B/86.50A	----	91.00 - 40.40	.2671	----	----	----	----	1 UNCH
4450	----	----	----/87.70A	132.20B/87.70A	----	92.40 - 40.80	.2703	----	----	12	----	374 UNCH
4455	----	----	----/89.10A	133.70B/89.10A	----	93.80 - 41.20	.2736	----	----	----	----	240 UNCH
4460	----	----	----/90.40A	135.70B/90.40A	----	95.20 - 41.70	.2768	----	----	----	----	6 UNCH
4465	----	----	----/91.80A	137.50B/91.80A	----	96.60 - 42.20	.2801	----	----	----	----	18 UNCH
4470	----	----	----/93.10A	139.40B/93.10A	----	98.10 - 42.60	.2834	----	----	----	----	112 UNCH
4475	----	----	----/94.50A	141.40B/94.50A	----	99.60 - 43.00	.2868	----	----	----	----	34 UNCH
4480	----	----	----/95.80A	143.50B/95.80A	----	101.10 - 43.50	.2902	----	----	----	----	140 UNCH
4485	97.40	97.40	97.40/97.30A	145.40B/97.30A	----	102.60 - 44.00	.2935	----	----	1	----	13 + 1
4490	----	----	----/98.70A	147.60B/98.70A	----	104.10 - 44.40	.2969	----	----	----	----	6 UNCH
4495	----	----	----/100.30A	149.50B/100.30A	----	105.60 - 45.00	.3003	----	----	----	----	29 UNCH
4500	107.00	107.00	107.00/101.70A	152.00B/101.70A	----	107.20 - 45.40	.3037	----	----	156	----	1682 + 121
4505	----	----	----/103.20A	154.70B/103.20A	----	108.80 - 45.90	.3072	----	----	----	----	40 UNCH
4510	----	----	157.20B/104.70A	157.20B/104.70A	----	110.40 - 46.30	.3107	----	----	----	----	48 UNCH
4515	----	----	159.10B/106.30A	159.10B/106.30A	----	112.00 - 46.90	.3142	----	----	----	----	3 UNCH
4520	----	----	161.50B/107.80A	161.50B/107.80A	----	113.70 - 47.30	.3177	----	----	1	----	21 UNCH
4525	----	----	164.70B/109.40A	164.70B/109.40A	----	115.30 - 47.80	.3212	----	----	----	----	7 UNCH
4530	----	----	166.80B/111.00A	166.80B/111.00A	----	117.00 - 48.30	.3248	----	----	----	----	4 UNCH
4535	----	----	----/112.60A	167.00B/112.60A	----	118.70 - 48.80	.3283	----	----	1	----	11 UNCH
4540	----	----	169.90B/114.10A	169.90B/114.10A	----	120.50 - 49.20	.3320	----	----	----	----	38 UNCH
4545	122.50	122.50	172.20B/115.80A	172.20B/115.80A	----	122.20 - 49.70	.3356	----	----	3	----	21 UNCH
4550	----	----	----/117.40A	173.80B/117.40A	----	124.00 - 50.20	.3392	----	----	----	----	36 UNCH
4555	----	----	177.20B/119.10A	177.20B/119.10A	----	125.80 - 50.70	.3429	----	----	----	----	114 UNCH
4560	----	----	----/120.80A	178.30B/120.80A	----	127.60 - 51.20	.3465	----	----	6	----	30 - 1
4565	----	----	181.90B/122.50A	181.90B/122.50A	----	129.40 - 51.70	.3502	----	----	----	----	2 UNCH
4570	----	----	185.40B/124.30A	185.40B/124.30A	----	131.30 - 52.20	.3539	----	----	5	----	62 UNCH
4575	----	----	187.70B/126.00A	187.70B/126.00A	----	133.10 - 52.80	.3576	----	----	----	----	58 UNCH
4580	----	----	189.20B/127.80A	189.20B/127.80A	----	135.00 - 53.30	.3613	----	----	----	----	175 UNCH
4585	----	----	191.50B/129.60A	191.50B/129.60A	----	136.90 - 53.80	.3651	----	----	----	----	4 UNCH
4590	138.10	138.10	195.20B/131.40A	195.20B/131.40A	----	138.80 - 54.30	.3688	----	----	2	----	32 + 2
4595	----	----	----/133.20A	193.80B/133.20A	----	140.80 - 54.80	.3726	----	----	----	----	152 UNCH
4600	----	----	----/135.00A	194.20B/135.00A	----	142.80 - 55.30	.3764	----	----	104	----	548 + 5
4605	----	----	----/137.00A	195.00B/137.00A	----	144.80 - 55.80	.3802	----	----	----	----	85 UNCH
4610	----	----	----/138.90A	197.60B/138.90A	----	146.80 - 56.30	.3840	----	----	----	----	9 UNCH
4615	----	----	----/140.80A	200.30B/140.80A	----	148.80 - 56.90	.3878	----	----	----	----	2 UNCH
4620	----	----	----/142.70A	202.70B/142.70A	----	150.90 - 57.40	.3917	----	----	----	----	14 UNCH
4625	----	----	----/144.80A	205.40B/144.80A	----	152.90 - 58.00	.3955	----	----	----	----	206 UNCH
4630	155.10	155.10	155.10/146.60A	207.70B/146.60A	----	155.00 - 58.50	.3993	----	----	4	----	9 + 2
4635	----	----	----/148.70A	210.30B/148.70A	----	157.10 - 59.10	.4032	----	----	28	----	128 + 28
4640	----	----	----/150.70A	213.30B/150.70A	----	159.30 - 59.60	.4071	----	----	1	----	325 + 1
4645	----	----	----/152.80A	215.70B/152.80A	----	161.40 - 60.20	.4110	----	----	----	----	131 UNCH
4650	----	----	----/154.80A	218.50B/154.80A	----	163.60 - 60.70	.4148	----	----	2	----	397 + 1
4660	----	----	----/159.00A	224.40B/159.00A	----	168.00 - 61.80	.4227	----	----	----	----	27 UNCH
4665	----	----	----/161.00A	226.60B/161.00A	----	170.30 - 62.30	.4266	----	----	----	----	4 UNCH
4670	----	----	----/163.30A	229.20B/163.30A	----	172.60 - 62.80	.4305	----	----	1	----	3 UNCH
4675	----	----	----/165.50A	232.10B/165.50A	----	174.80 - 63.40	.4344	----	----	----	----	13 UNCH
4680	----	----	----/167.70A	234.90B/167.70A	----	177.20 - 63.90	.4384	----	----	1	----	12 + 1
4685	----	----	----/169.80A	237.90B/169.80A	----	179.50 - 64.50	.4423	----	----	----	----	223 UNCH
4690	----	----	----/172.10A	240.70B/172.10A	----	181.80 - 65.10	.4462	----	----	----	----	9 UNCH
4695	----	----	----/174.30A	243.60B/174.30A	----	184.20 - 65.60	.4502	----	----	----	----	2 UNCH
4700	195.00	195.00	200.60/176.30A	246.50B/176.30A	----	186.60 - 66.10	.4542	----	----	24	----	974 - 13
4705	----	----	----/178.90A	249.50B/178.90A	----	189.10 - 66.60	.4581	----	----	----	----	59 UNCH
4710	----	----	----/181.20A	252.60B/181.20A	----	191.50 - 67.20	.4621	----	----	----	----	7 UNCH
4715	----	----	----/183.60A	255.80B/183.60A	----	194.00 - 67.70	.4660	----	----	----	----	1 UNCH
4720	----	----	----/185.80A	258.60B/185.80A	----	196.50 - 68.20	.4700	----	----	----	----	10 UNCH
4725	197.70	197.70	197.70/188.20A	263.50B/188.20A	----	199.00 - 68.80	.4740	----	----	17	----	45 + 7
4730	----	----	----/190.60A	264.70B/190.60A	----	201.50 - 69.40	.4779	----	----	----	----	4 UNCH
4735	----	----	276.70B/193.00A	276.70B/193.00A	----	204.10 - 69.90	.4819	----	----	----	----	59 UNCH
4740	204.00	204.00	204.00/195.50A	271.20B/195.50A	----	206.60 - 70.50	.4859	----	----	1	----	48 + 1
4745	----	----	----/198.00A	276.60B/198.00A	----	209.30 - 70.90	.4898	----	----	11	----	32 + 8
4750	----	----	----/200.40A	279.70B/200.40A	----	211.90 - 71.50	.4938	----	----	1	----	166 UNCH
4755	----	----	----/203.00A	278.30B/203.00A	----	214.50 - 72.10	.4977	----	----	----	----	20 UNCH
4760	----	----	----/205.20A	280.80B/205.20A	----	217.20 - 72.60	.5017	----	----	----	----	9 UNCH
4770	----	----	----/210.60A	287.60B/210.60A	----	222.60 - 73.60	.5095	----	----	----	----	250 UNCH
4775	----	----	----/213.30A	290.80B/213.30A	----	225.40 - 74.10	.5135	----	----	----	----	89 UNCH
4780	----	----	----/215.90A	294.00B/215.90A	----	228.10 - 74.70	.5174	----	----	----	----	19 UNCH
4785	----	----	----/218.60A	304.50B/218.60A	----	230.90 - 75.20	.5213	----	----	----	----	18 UNCH
4790	----	----	----/221.50A	305.00B/221.50A	----	233.70 - 75.70	.5252	----	----	----	----	53 UNCH
4795	----	----	----/224.30A	304.20B/224.30A	----	236.60 - 76.20	.5291	----	----	----	----	101 UNCH
4800	256.70	256.70	259.00/226.70A	304.30B/226.70A	----	239.40 - 76.70	.5330	----	----	5	----	834 - 2
4805	----	----	----/229.80A	304.70B/229.80A	----	242.30 - 77.20	.5369	----	----	----	----	2 UNCH
4810	----	----	----/232.40A	308.30B/232.40A	----	245.20 - 77.70	.5408	----	----	----	----	5 UNCH
4815	----	----	----/235.30A	309.80B/235.30A	----	248.10 - 78.20	.5446	----	----	----	----	2 UNCH
4820	----	----	----/238.00A	310.00B/238.00A	----	251.10 - 78.70	.5484	----	----	----	----	4 UNCH
4825	----	----	----/240.80A	311.50B/240.80A	----	254.00 - 79.30	.5523	----	----	----	----	30 UNCH
4835	----	----	----/246.60A	312.50B/246.60A	----	260.00 - 80.20	.5600	----	----	----	----	36 UNCH
4840	248.90	248.90	248.90/248.90	313.70B/248.90	----	263.10 - 80.70	.5637	----	----	10	----	5 - 10
4850	----	----	----/255.20A	314.60B/255.20A	----	269.20 - 81.70	.5713	----	----	----	----	154 UNCH
4855	----	----	----/258.20A	315.30B/258.20A	----	272.30 - 82.10	.5751	----	----	----	----	11 UNCH
4860	----	----	----/261.20A	316.10B/261.20A	----	275.40 - 82.60	.5789	----	----	----	----	9 UNCH
4865	----	----	----/264.20A	316.80B/264.20A	----	278.50 - 83.20	.5826	----	----	----	----	12 UNCH
4870	----	----	----/267.30A	317.60B/267.30A	----	281.70 - 83.60	.5863	----	----	----	----	28 UNCH
4875	----	----	----/270.40A	318.50B/270.40A	----	284.90 - 84.00	.5900	----	----	----	----	82 UNCH
4880	288.40	288.40	288.40/273.30A	316.30B/273.30A	----	288.10 - 84.50	.5937	----	----	1	----	126 + 1
4885	----	----	----/276.40A	314.20B/276.40A	----	291.30 - 85.00	.5973	----	----	----	----	8 UNCH
4890	----	----	----/279.60A	315.00B/279.60A	----	294.50 - 85.50	.6010	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 15

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4900	----	----	----/285.50A	320.20B/285.50A	----	301.10 - 86.40	.6082	----	----	----	----	375 UNCH
4905	----	----	----/288.90A	321.70B/288.90A	----	304.30 - 86.90	.6118	----	----	----	----	29 UNCH
4910	----	----	----/292.20A	323.10B/292.20A	----	307.70 - 87.30	.6155	----	----	----	----	22 UNCH
4920	----	----	----/298.60A	329.60B/298.60A	----	314.30 - 88.30	.6225	----	----	----	----	3 UNCH
4925	----	----	----/301.90A	333.20B/301.90A	----	317.70 - 88.70	.6261	----	----	----	----	53 UNCH
4930	----	----	----/305.00A	336.30B/305.00A	----	321.10 - 89.10	.6296	----	----	----	----	1 UNCH
4950	----	----	----/318.40A	350.60B/318.40A	----	334.80 - 90.90	.6434	----	----	----	----	31 UNCH
4955	----	----	----/321.80A	354.00B/321.80A	----	338.30 - 91.30	.6469	----	----	----	----	1 UNCH
4980	----	----	----/338.80A	372.00B/338.80A	----	356.00 - 93.40	.6636	----	----	----	----	1 UNCH
5000	----	----	----/352.70A	386.70B/352.70A	----	370.40 - 95.00	.6766	----	----	----	----	326 UNCH
5010	----	----	----/359.90A	394.20B/359.90A	----	377.80 - 95.70	.6830	----	----	----	----	1 UNCH
5025	----	----	----/370.60A	405.50B/370.60A	----	388.90 - 96.90	.6924	----	----	----	----	25 UNCH
5030	----	----	----/374.30A	409.20B/374.30A	----	392.60 - 97.30	.6956	----	----	----	----	1 UNCH
5040	----	----	----/381.40A	411.30B/381.40A	----	400.20 - 98.00	.7017	----	----	----	----	4 UNCH
5045	----	----	----/385.30A	413.20B/385.30A	----	403.90 - 98.40	.7047	----	----	----	----	31 UNCH
5050	----	----	----/388.90A	418.70B/388.90A	----	407.70 - 98.80	.7076	----	----	----	----	351 UNCH
5070	----	----	----/403.70A	432.40B/403.70A	----	423.10 - 00.10	.7194	----	----	----	----	17 UNCH
5080	----	----	----/411.40A	440.20B/411.40A	----	430.80 - 00.90	.7250	----	----	----	----	3 UNCH
5100	----	----	----/431.30A	455.90B/431.30A	----	446.50 - 02.20	.7362	----	----	----	----	82 UNCH
5120	----	----	----	380.80B/580.60A	----	462.40 - 03.50	.7471	----	----	----	----	2 UNCH
5180	----	----	----	434.50B/629.80A	----	511.40 - 06.90	.7773	----	----	----	----	1 UNCH
5195	----	----	----	448.10B/642.10A	----	523.90 - 07.70	.7843	----	----	----	----	2 UNCH
5200	----	----	----/511.00A	537.60B/511.00A	----	528.00 - 08.10	.7867	----	----	----	----	112 UNCH
5265	----	----	----	511.00B/701.60A	----	583.50 - 11.10	.8144	----	----	----	----	1 UNCH
5300	----	----	----/595.40A	623.50B/595.40A	----	614.00 - 12.60	.8280	----	----	----	----	3 UNCH
5355	----	----	----	593.30B/780.20A	----	662.80 - 14.70	.8470	----	----	----	----	1 UNCH
5400	----	----	----/683.50A	712.70B/683.50A	----	703.40 - 16.20	.8609	----	----	----	----	76 UNCH
5460	----	----	----/876.00A	655.50B/876.00A	----	758.40 - 17.90	.8771	----	----	----	----	1 UNCH
5500	----	----	----/774.30A	804.50B/774.30A	----	795.50 - 18.80	.8869	----	----	----	----	3 UNCH
5530	----	----	----/941.50A	693.80B/941.50A	----	823.50 - 19.50	.8936	----	----	----	----	1 UNCH
5575	----	----	----/984.10A	735.80B/984.10A	----	865.80 - 20.40	.9027	----	----	----	----	2 UNCH
TOTAL										1487	450	33777 + 953
SEP26												
2000	----	----	----	0.50B/*1.00A	----	0.70 - 0.20	.0014	----	----	----	----	1 UNCH
2350	----	----	----/*1.80A	1.10B/1.80A	----	1.40 - 0.70	.0031	----	----	----	----	36 UNCH
2375	----	----	----/*1.90A	1.10B/1.90A	----	1.40 - 0.80	.0031	----	----	----	----	4 UNCH
2400	----	----	----/*1.90A	1.20B/1.90A	----	1.50 - 0.80	.0034	----	----	----	----	1 UNCH
2500	----	----	----/2.20A	1.40B/2.20A	----	1.70 - 1.00	.0040	----	----	----	----	4 UNCH
2600	----	----	----/*2.40A	1.70B/2.40A	----	2.00 - 1.10	.0048	----	----	----	----	2 UNCH
3000	----	----	----/4.20A	3.50B/4.20A	----	3.90 - 1.00	.0103	----	----	----	----	2 UNCH
3145	----	----	----/*5.20A	4.70B/*5.20A	----	5.00 - 1.20	.0137	----	----	----	----	15 UNCH
3150	----	----	----/5.30A	4.80B/5.30A	----	5.00 - 1.30	.0137	----	----	----	----	2 UNCH
3200	----	----	----/5.80A	5.40B/5.80A	----	5.50 - 1.40	.0153	----	----	----	----	1 UNCH
3270	----	----	----/*6.50A	6.30B/*6.50A	----	6.20 - 1.80	.0175	----	----	----	----	15 UNCH
3300	----	----	----/*6.90A	6.80B/*6.90A	----	6.60 - 1.90	.0187	----	----	----	----	1 UNCH
3400	----	----	----/*8.00A	8.70B/*8.00A	----	8.10 - 2.60	.0233	----	----	----	----	1 UNCH
3475	----	----	----/*9.50A	10.50B/*9.50A	----	9.40 - 3.40	.0274	----	----	----	----	2 UNCH
3480	----	----	----/*9.50A	10.60B/*9.50A	----	9.50 - 3.50	.0277	----	----	----	----	780 UNCH
3500	----	----	----/*10.00A	11.30B/*10.00A	----	9.90 - 3.70	.0289	----	----	----	----	26 UNCH
3525	----	----	----/*10.50A	11.90B/*10.50A	----	10.50 - 4.00	.0307	----	----	----	----	2 UNCH
3550	----	----	----/*11.10A	12.80B/*11.10A	----	11.10 - 4.30	.0326	----	----	----	----	5 UNCH
3565	----	----	----/*11.50A	13.40B/*11.50A	----	11.50 - 4.50	.0338	----	----	----	----	1 UNCH
3590	----	----	----/*12.10A	14.30B/*12.10A	----	12.10 - 4.90	.0357	----	----	----	----	2 UNCH
3600	----	----	----/*12.40A	14.80B/*12.40A	----	12.40 - 5.10	.0365	----	----	----	----	37 UNCH
3610	----	----	----/*12.70A	15.10B/*12.70A	----	12.70 - 5.20	.0374	----	----	----	----	7 UNCH
3625	----	----	----/*13.20A	15.70B/*13.20A	----	13.10 - 5.50	.0387	----	----	----	----	1 UNCH
3650	----	----	----/*14.10A	16.90B/*14.10A	----	13.90 - 5.90	.0411	----	----	----	----	66 UNCH
3690	----	----	----/*15.40A	18.70B/*15.40A	----	15.30 - 6.60	.0453	----	----	----	----	60 UNCH
3700	16.00	16.00	16.00/*15.80A	19.20B/*15.80A	----	15.70 - 6.80	.0464	----	----	2	----	149 - 2
3720	----	----	----/16.60A	20.30B/16.60A	----	16.50 - 7.20	.0488	----	----	----	----	50 UNCH
3750	----	----	----/17.80A	22.60B/17.80A	----	17.70 - 7.90	.0524	----	----	----	----	120 UNCH
3755	----	----	----/18.00A	22.90B/18.00A	----	17.90 - 8.00	.0530	----	----	----	----	310 UNCH
3775	----	----	----/18.90A	23.70B/18.90A	----	18.90 - 8.30	.0558	----	----	----	----	1 UNCH
3800	----	----	----/20.10A	25.50B/20.10A	----	20.10 - 9.00	.0593	----	----	----	----	41 UNCH
3825	----	----	----/21.30A	27.10B/21.30A	----	21.40 - 9.60	.0631	----	----	----	----	12 UNCH
3850	----	----	----/22.70A	29.60B/22.70A	----	22.80 - 10.30	.0671	----	----	----	----	20 UNCH
3880	----	----	----/24.50A	31.80B/24.50A	----	24.60 - 11.10	.0722	----	----	----	----	26 UNCH
3900	----	----	----/25.70A	33.50B/25.70A	----	26.00 - 11.60	.0761	----	----	7	----	210 - 1
3910	----	----	----/26.40A	34.40B/26.40A	----	26.60 - 12.00	.0778	----	----	----	----	2 UNCH
3915	----	----	----/26.70A	34.90B/26.70A	----	27.00 - 12.10	.0789	----	----	----	----	4 UNCH
3920	----	----	----/27.10A	35.50B/27.10A	----	27.40 - 12.20	.0799	----	----	----	----	14 UNCH
3930	----	----	----/27.80A	36.40B/27.80A	----	28.10 - 12.60	.0819	----	----	----	----	2 UNCH
3945	----	----	----/28.90A	38.00B/28.90A	----	29.20 - 13.10	.0850	----	----	----	----	380 UNCH
3950	----	----	----/29.30A	38.50B/29.30A	----	29.60 - 13.20	.0861	----	----	----	----	324 UNCH
3975	----	----	----/31.20A	41.50B/31.20A	----	31.60 NEW	.0915	----	----	4	----	4 + 4
3980	----	----	----/31.60A	42.10B/31.60A	----	32.00 - 14.30	.0926	----	----	----	----	2 UNCH
4000	----	----	----/33.30A	45.10B/33.30A	----	33.80 - 15.00	.0974	----	----	1	100	1125 + 100
4005	----	----	----/33.80A	46.40B/33.80A	----	34.30 - 15.10	.0987	----	----	----	----	1 UNCH
4020	----	----	----/35.10A	47.80B/35.10A	----	35.70 - 15.70	.1025	----	----	----	----	14 UNCH
4030	----	----	----/36.10A	49.60B/36.10A	----	36.60 - 16.10	.1049	----	----	2	----	1 - 2
4050	37.70	37.70	37.70/37.70	54.20B/37.70	----	38.70 - 16.80	.1104	----	----	3	----	47 UNCH
4065	----	----	----/39.50A	56.50B/39.50A	----	40.20 - 17.50	.1144	----	----	----	----	5 UNCH
4070	----	----	----/40.10A	57.20B/40.10A	----	40.80 - 17.70	.1159	----	----	----	----	10 UNCH
4080	----	----	----/41.10A	58.70B/41.10A	----	41.90 - 18.10	.1187	----	----	----	----	6 UNCH
4085	----	----	----/41.70A	59.00B/41.70A	----	42.50 - 18.30	.1202	----	----	----	----	76 UNCH
4090	----	----	----/42.30A	59.80B/42.30A	----	43.10 - 18.50	.1217	----	----	2	----	2 UNCH
4100	----	----	----/43.30A	61.80B/43.30A	----	44.20 - 19.00	.1246	----	----	----	----	22 UNCH
4115	----	----	----/45.10A	63.80B/45.10A	----	46.10 - 19.70	.1294	----	----	----	----	28 UNCH
4130	----	----	----/47.00A	66.40B/47.00A	----	48.00 - 20.40	.1342	----	----	----	----	20 UNCH
4135	----	----	----/47.60A	67.30B/47.60A	----	48.60 - 20.70	.1357	----	----	----	----	3 UNCH
4150	----	----	----/49.60A	70.10B/49.60A	----	50.70 - 21.30	.1408	----	----	----	----	4 UNCH
4185	----	----	----/54.40A	76.60B/54.40A	----	55.70 - 23.20	.1531	----	----	----	----	76 UNCH
4200	60.00	60.00	60.00/55.90	79.60B/55.90	----	58.00 - 24.00	.1586	----	----	29	----	223 + 5
4220	----	----	----/59.70A	83.90B/59.70A	----	61.20 - 25.20	.1662	----	----	----	----	113 UNCH
4225	----	----	----/60.50A	85.10B/60.50A	----	62.10 - 25.40	.1683	----	----	----	----	2 UNCH
4230	----	----	----/61.30A	86.10B/61.30A	----	62.90 - 25.70	.1702	----	----	----	----	29 UNCH
4240	63.00	63.00	63.00/62.90A	88.30B/62.90A	----	64.70 - 26.20	.1743	----	----	7	----	129 UNCH
4250	----	----	----/64.60A	90.90B/64.60A	----	66.40 - 26.90	.1783	----	----	----	----	126 UNCH
4275	----	----	----/69.00A	97.10B/69.00A	----	71.10 - 28.40	.1889	----	----	----	----	30 UNCH
4290	----	----	----/71.80A	100.90B/71.80A	----	74.00 - 29.30	.1955	----	----	----	----	1 UNCH
4300	----	----	----/73.70A	103.60B/73.70A	----	76.00 - 30.00	.1999	----	----	5	----	104 + 5
4320	----	----	----/77.60A	109.10B/77.60A	----	80.20 - 31.30	.2091	----	----	----	----	158 UNCH
4325	----	----	----/78.60A	110.50B/78.60A	----	81.20 - 31.70	.2114	----	----	----	----	6 UNCH
4345	----	----	----/82.80A	117.40B/82.80A	----	85.70 - 33.00	.2210	----	----	----	----	16 UNCH
4350	----	----	----/83.90A	118.50B/83.90A	----	86.80 - 33.40	.2234	----	----	----	----	21 UNCH
4360	----	----	----/86.10A	121.70B/86.10A	----	89.10 - 34.20	.2282	----	----	----	----	1 UNCH
4365	----	----	----/87.20A	122.90B/87.20A	----	90.30 - 34.50	.2307	----	----	----	----	6 UNCH
4375	----	----	----/89.50A	126.30B/89.50A	----	92.70 - 35.20	.2358	----	----	----	----	55 UNCH
4380	----	----	----/90.70A	127.90B/90.70A	----	94.00 - 35.50	.2384	----	----	----	----	95 UNCH
4390	92.00	92.00	92.00/92.00	131.40B/92.00	----	96.50 - 36.30	.2435	----	----	1	----	41 + 1
4395	----	----	----/94.30A	132.70B/94.30A	----	97.70 - 36.70	.2460	----	----	----	----	41 UNCH
4400	102.70	102.70	102.70/95.40A	134.60B/95.40A	----	99.00 - 37.10	.2487	----	----	25	339	568 + 308
4405	----	----	----/96.70A	136.20B/96.70A	----	100.30 - 37.40	.2513	----	----	----	----	40 UNCH
4410	----	----	----/97.90A	137.70B/97.90A	----	101.60 - 37.80	.2539	----	----	----	----	6 UNCH
4420	----	----	----/100.60A	141.30B/100.60A	----	104.30 - 38.60	.2593	----	----	----	----	1 UNCH
4430	----	----	----/103.10A	144.60B/103.10A	----	107.10 - 39.30	.2648	----	----	----	----	2 UNCH
4440	----	----	----/105.90A	148.50B/105.90A	----	109.90 - 40.10	.2703	----	----	----	----	7 UNCH
4445	----	----	----/107.30A	150.20B/107.30A	----	111.30 - 40.50	.2730	----	----	----	----	1 UNCH
4450	108.40	108.40	108.40/108.30A	151.90B/108.30A	----	112.70 - 40.90	.2758	----	----	15	----	460 + 15
4470	----	----	----/114.20A	159.50B/114.20A	----	118.60 - 42.50	.2871	----	----	----	----	2 UNCH
4475	----	----	----/115.50A	161.50B/115.50A	----	120.20 - 42.90	.2900	----	----	----	----	3 UNCH
4485	----	----	----/118.50A	165.50B/118.50A	----	123.20 - 43.80	.2957	----	----	----	----	1 UNCH
4490	----	----	----/120.00A	167.40B/120.00A	----	124.80 - 44.10	.2986	----	----	----	----	50 UNCH
4495	----	----	----/121.50A	169.40B/121.50A	----	126.40 - 44.50	.3016	----	----	----	----	1 UNCH
4500	----	----	----/122.70A	171.40B/122.70A	----	128.00 - 44.90	.3045	----	----	3	----	500 - 1
4515	----	----	----/127.60A	177.60B/127.60A	----	132.90 - 46.20	.3134	----	----	----	----	3 UNCH
4520	----	----	----/129.30A	179.70B/129.30A	----	134.60 - 46.60	.3164	----	----	----	----	91 UNCH
4525	----	----	----/130.80A	182.70B/130.80A	----	136.30 NEW	.3195	----	----	2	----	2 + 2
4530	----	----	186.00B/132.30A	186.00B/132.30A	----	138.00 - 47.40	.3225	----	----	----	----	2 UNCH
4550	----	----	194.80B/138.90A	194.80B/138.90A	----	144.90 - 49.20	.3347	----	----	----	----	352 UNCH
4560	----	----	199.30B/142.50A	199.30B/142.50A	----	148.50 - 50.10	.3409	----	----	----	----	6 UNCH
4565	----	----	201.90B/144.20A	201.90B/144.20A	----	150.40 - 50.40	.3440	----	----	----	----	75 UNCH
4570	----	----	203.90B/146.00A	203.90B/146.00A	----	152.20 - 50.90	.3471	----	----	----	----	2 UNCH
4575	----	----	----/147.70A	205.30B/147.70A	----	154.10 - 51.30	.3503	----	----	----	----	10 UNCH
4580	----	----	208.90B/149.50A	208.90B/149.50A	----	155.90 - 51.80	.3534	----	----	----	----	1 UNCH
4585	----	----	----/151.30A	209.30B/151.30A	----	157.80 - 52.20	.3566	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4595	----	----	216.10B/155.00A	216.10B/155.00A	----	161.70 - 53.10	.3629	----	----	----	----	2 UNCH
4600	----	----	----/156.80A	216.60B/156.80A	----	163.60 - 53.50	.3661	----	----	1	----	54 - 1
4605	----	----	221.10B/158.70A	221.10B/158.70A	----	165.60 - 53.90	.3693	----	----	----	----	1 UNCH
4615	----	----	224.60B/162.40A	224.60B/162.40A	----	169.60 - 54.80	.3758	----	----	----	----	1 UNCH
4620	----	----	227.70B/164.20A	227.70B/164.20A	----	171.60 - 55.30	.3790	----	----	----	----	408 UNCH
4625	----	----	229.60B/166.30A	229.60B/166.30A	----	173.60 - 55.80	.3822	----	----	10	----	10 + 8
4630	----	----	233.10B/168.20A	233.10B/168.20A	----	175.70 - 56.20	.3855	----	----	----	----	2 UNCH
4645	----	----	241.00B/174.30A	241.00B/174.30A	----	182.00 - 57.50	.3953	----	----	----	----	1 UNCH
4650	----	----	243.60B/176.20A	243.60B/176.20A	----	184.10 - 58.00	.3985	----	----	----	----	2 UNCH
4655	----	----	246.10B/178.30A	246.10B/178.30A	----	186.30 - 58.40	.4018	----	----	----	----	3 UNCH
4700	209.50	209.50	209.50/197.50A	261.40B/197.50A	----	206.50 - 62.50	.4316	----	----	4	----	79 + 3
4705	----	----	----/199.80A	264.00B/199.80A	----	208.80 - 63.00	.4350	----	----	----	----	2 UNCH
4710	----	----	----/202.10A	267.10B/202.10A	----	211.20 - 63.40	.4383	----	----	----	----	1 UNCH
4725	----	----	----/208.90A	275.70B/208.90A	----	218.40 - 64.80	.4483	----	----	----	----	1 UNCH
4730	----	----	----/211.20A	278.70B/211.20A	----	220.80 - 65.30	.4517	----	----	----	----	5 UNCH
4740	----	----	----/215.90A	284.00B/215.90A	----	225.70 - 66.20	.4584	----	----	----	----	2 UNCH
4750	----	----	----/220.70A	290.00B/220.70A	----	230.70 - 67.10	.4651	----	----	5	----	151 UNCH
4760	----	----	----/225.50A	296.00B/225.50A	----	235.80 - 68.00	.4718	----	----	----	----	100 UNCH
4775	----	----	----/233.00A	304.40B/233.00A	----	243.60 - 69.40	.4819	----	----	----	----	18 UNCH
4780	----	----	----/235.50A	307.50B/235.50A	----	246.20 - 69.90	.4852	----	----	----	----	3 UNCH
4800	----	----	329.50B/245.70A	329.50B/245.70A	----	256.90 - 71.70	.4986	----	----	----	----	471 UNCH
4825	----	----	----/259.00A	334.40B/259.00A	----	270.60 - 74.10	.5152	----	----	----	----	2 UNCH
4830	----	----	----/261.80A	337.70B/261.80A	----	273.40 - 74.60	.5185	----	----	----	----	1 UNCH
4835	----	----	----/264.40A	340.90B/264.40A	----	276.30 - 75.00	.5218	----	----	----	----	30 UNCH
4855	----	----	----/275.40A	360.90B/275.40A	----	287.80 - 76.80	.5349	----	----	----	----	14 UNCH
4875	----	----	----/286.70A	361.70B/286.70A	----	299.60 - 78.50	.5479	----	----	----	----	4 UNCH
4885	----	----	----/292.80A	365.90B/292.80A	----	305.60 - 79.40	.5544	----	----	----	----	4 UNCH
4895	----	----	----/298.50A	368.50B/298.50A	----	311.70 - 80.20	.5608	----	----	----	----	1 UNCH
4900	----	----	----/301.60A	369.40B/301.60A	----	314.70 - 80.70	.5640	----	----	----	----	3 UNCH
4915	----	----	----/310.60A	371.60B/310.60A	----	324.00 - 82.00	.5735	----	----	----	----	1 UNCH
4930	----	----	----/319.80A	373.70B/319.80A	----	333.50 - 83.20	.5830	----	----	----	----	20 UNCH
4950	----	----	----/332.20A	375.80B/332.20A	----	346.40 - 84.70	.5953	----	----	----	----	1 UNCH
4975	----	----	----/348.20A	379.90B/348.20A	----	362.80 - 86.70	.6106	----	----	----	----	210 UNCH
5000	----	----	----/364.30A	395.10B/364.30A	----	379.70 - 88.60	.6254	----	----	----	----	10 UNCH
5005	----	----	----/367.40A	398.50B/367.40A	----	383.20 - 88.80	.6284	----	----	----	----	3 UNCH
5020	----	----	----/377.90A	409.00B/377.90A	----	393.60 - 89.90	.6371	----	----	----	----	3 UNCH
5060	----	----	----/405.40A	437.90B/405.40A	----	421.90 - 92.80	.6596	----	----	----	----	4 UNCH
5100	----	----	----/433.80A	467.50B/433.80A	----	451.20 - 95.40	.6812	----	----	----	----	28 UNCH
5105	----	----	----/437.50A	471.10B/437.50A	----	455.00 - 95.60	.6838	----	----	----	----	2 UNCH
5150	----	----	----/470.70A	493.00B/470.70A	----	489.00 - 98.60	.7066	----	----	----	----	2 UNCH
5200	----	----	----/512.70A	540.90B/512.70A	----	528.00 - 01.50	.7304	----	----	----	----	45 UNCH
5230	----	----	----/535.40A	566.10B/535.40A	----	552.00 - 03.20	.7439	----	----	----	----	400 UNCH
5300	----	----	----/591.60A	623.80B/591.60A	----	609.50 - 06.60	.7728	----	----	----	----	300 UNCH
5400	----	----	----/676.20A	708.00B/676.20A	----	694.70 - 10.70	.8088	----	----	----	----	100 UNCH
5420	----	----	----/693.60A	725.40B/693.60A	----	712.10 - 11.50	.8153	----	----	----	----	80 UNCH
5450	----	----	----	663.10B/858.90A	----	738.40 - 12.60	.8246	----	----	----	----	1 UNCH
5500	----	----	----/763.10A	796.30B/763.10A	----	782.80 - 14.20	.8391	----	----	----	----	3 UNCH
6000	----	----	----	----	----	1252.10 - 23.00	.9254	----	----	----	----	2 UNCH
TOTAL										128	439	10166 + 444
OCT26												
2700	----	----	----	1.90B/3.60A	----	2.80 - 0.20	.0067	----	----	----	----	1 UNCH
2800	----	----	----	2.40B/4.10A	----	3.60 - 0.40	.0086	----	----	----	----	3 UNCH
2900	----	----	----/4.70A	2.90B/4.70A	----	4.20 - 0.70	.0103	----	----	----	----	1 UNCH
3100	----	----	----/6.60A	4.70B/6.60A	----	6.00 - 1.60	.0153	----	----	----	----	1 UNCH
3155	----	----	----/7.30A	5.30B/7.30A	----	6.60 - 1.90	.0171	----	----	----	----	1 UNCH
3200	----	----	----/7.90A	5.90B/7.90A	----	7.20 - 2.20	.0187	----	----	----	----	414 UNCH
3240	----	----	----/8.50A	6.40B/8.50A	----	7.80 - 2.50	.0204	----	----	----	----	5 UNCH
3300	----	----	----/9.50A	7.40B/9.50A	----	8.80 - 3.00	.0232	----	----	----	----	415 UNCH
3340	----	----	----/10.30A	8.20B/10.30A	----	9.60 - 3.30	.0254	----	----	----	----	9 UNCH
3360	----	----	----/10.70A	8.60B/10.70A	----	10.00 - 3.50	.0265	----	----	----	----	1 UNCH
3380	----	----	----/11.20A	9.00B/11.20A	----	10.50 - 3.60	.0278	----	----	----	----	1 UNCH
3390	----	----	----/11.40A	9.30B/11.40A	----	10.70 - 3.80	.0284	----	----	----	----	4 UNCH
3400	----	----	----/11.70A	9.50B/11.70A	----	11.00 - 3.80	.0291	----	----	----	----	150 UNCH
3480	----	----	----/13.80A	11.90B/13.80A	----	13.30 - 4.60	.0352	----	----	----	----	12 UNCH
3500	----	----	----/14.40A	12.60B/14.40A	----	14.00 - 4.80	.0370	----	----	----	----	10 UNCH
3520	----	----	----/15.10A	13.10B/15.10A	----	14.70 - 5.00	.0388	----	----	----	----	12 UNCH
3550	----	----	----/16.10A	14.30B/16.10A	----	15.80 - 5.40	.0417	----	----	----	----	25 UNCH
3600	18.50	18.50	18.50/18.00A	18.50/18.00A	----	17.90 - 6.10	.0470	----	----	2	----	180 + 2
3615	----	----	----/18.70A	16.70B/18.70A	----	18.50 - 6.40	.0486	----	----	----	----	1 UNCH
3700	20.90	20.90	20.90/20.90	26.20B/20.90	----	22.60 - 8.10	.0591	----	----	1	----	136 + 1
3715	----	----	----/23.40A	27.30B/23.40A	----	23.40 - 8.40	.0611	----	----	----	----	196 UNCH
3750	----	----	----/25.50A	29.90B/25.50A	----	25.30 - 9.40	.0660	----	----	----	----	19 UNCH
3770	----	----	----/26.60A	31.60B/26.60A	----	26.40 - 10.10	.0689	----	----	----	----	1 UNCH
3785	----	----	----/27.20A	32.90B/27.20A	----	27.20 - 10.70	.0711	----	----	----	----	1 UNCH
3800	----	----	----/28.20A	34.20B/28.20A	----	28.10 - 11.30	.0734	----	----	----	----	19 UNCH
3805	----	----	----/28.60A	34.70B/28.60A	----	28.40 - 11.40	.0742	----	----	----	----	1 UNCH
3820	----	----	----/29.70A	36.10B/29.70A	----	29.30 - 12.10	.0765	----	----	----	----	1 UNCH
3865	----	----	----/33.00A	40.60B/33.00A	----	32.80 - 13.40	.0851	----	----	----	----	2 UNCH
3870	----	----	----/33.40A	41.10B/33.40A	----	33.30 - 13.40	.0862	----	----	----	----	1 UNCH
3875	----	----	----/33.80A	41.70B/33.80A	----	33.70 - 13.60	.0872	----	----	----	----	12 UNCH
3885	----	----	----/34.70A	42.80B/34.70A	----	34.70 - 13.70	.0894	----	----	----	----	5 UNCH
3890	----	----	----/35.10A	43.40B/35.10A	----	35.20 - 13.80	.0906	----	----	----	----	2 UNCH
3895	----	----	----/35.50A	43.90B/35.50A	----	35.70 - 13.90	.0917	----	----	----	----	2 UNCH
3900	----	----	----/35.90A	44.70B/35.90A	----	36.20 - 14.00	.0929	----	----	----	----	23 UNCH
3920	----	----	----/37.70A	47.80B/37.70A	----	38.10 - 14.60	.0973	----	----	----	----	28 UNCH
3930	----	----	----/38.60A	49.40B/38.60A	----	39.00 - 15.00	.0995	----	----	----	----	2 UNCH
3940	----	----	----/39.60A	50.40B/39.60A	----	40.00 - 15.30	.1018	----	----	----	----	65 UNCH
3950	----	----	----/40.50A	51.70B/40.50A	----	40.90 - 15.80	.1040	----	----	----	----	2 UNCH
3975	----	----	----/43.10A	55.10B/43.10A	----	43.40 - 16.80	.1099	----	----	----	----	5 UNCH
4000	----	----	----/45.90A	58.70B/45.90A	----	46.10 - 17.90	.1161	----	----	----	----	394 UNCH
4030	----	----	----/49.60A	63.40B/49.60A	----	49.60 - 19.20	.1241	----	----	----	----	2 UNCH
4035	----	----	----/50.20A	64.20B/50.20A	----	50.30 - 19.30	.1256	----	----	----	----	0 UNCH
4050	----	----	----/52.10A	66.60B/52.10A	----	52.20 - 20.00	.1299	----	----	----	----	5 UNCH
4070	----	----	----/54.60A	70.00B/54.60A	----	55.00 - 20.80	.1359	----	----	----	----	24 UNCH
4100	----	----	----/58.20A	75.50B/58.20A	----	59.30 - 22.00	.1452	----	----	----	----	466 UNCH
4130	----	----	----/62.80A	81.30B/62.80A	----	63.80 - 23.50	.1549	----	----	----	----	2 UNCH
4135	----	----	----/63.50A	82.30B/63.50A	----	64.60 - 23.70	.1566	----	----	----	----	0 UNCH
4150	----	----	----/65.90A	85.70B/65.90A	----	67.10 - 24.40	.1618	----	----	----	----	5 UNCH
4180	----	----	----/70.70A	92.20B/70.70A	----	72.20 - 25.90	.1724	----	----	----	----	1 UNCH
4200	73.70	73.70	73.70/73.70	96.70B/73.70	----	75.80 - 27.00	.1797	----	----	8	----	353 UNCH
4220	----	----	----/77.80A	101.60B/77.80A	----	79.60 - 28.10	.1874	----	----	----	----	5 UNCH
4235	----	----	----/80.90A	105.30B/80.90A	----	82.50 - 28.90	.1932	----	----	----	----	1 UNCH
4250	----	----	----/83.60A	109.10B/83.60A	----	85.60 - 29.80	.1993	----	----	----	----	72 UNCH
4265	----	----	----/86.60A	113.00B/86.60A	----	88.70 - 30.70	.2053	----	----	----	----	200 UNCH
4270	----	----	----/87.70A	114.50B/87.70A	----	89.80 - 31.00	.2074	----	----	----	----	226 UNCH
4280	----	----	----/89.80A	117.20B/89.80A	----	91.90 - 31.60	.2116	----	----	----	----	196 UNCH
4300	----	----	----/93.90A	122.80B/93.90A	----	96.40 - 32.90	.2201	----	----	----	----	476 UNCH
4330	----	----	----/101.00A	131.60B/101.00A	----	103.40 - 34.90	.2333	----	----	----	----	1 UNCH
4350	----	----	----/105.70A	137.80B/105.70A	----	108.30 - 36.30	.2424	----	----	1	----	211 + 1
4355	----	----	----/106.90A	139.10B/106.90A	----	109.50 - 36.70	.2447	----	----	----	----	11 UNCH
4375	----	----	----/112.00A	145.50B/112.00A	----	114.70 - 38.10	.2541	----	----	----	----	10 UNCH
4400	----	----	----/118.40A	153.70B/118.40A	----	121.40 - 40.00	.2661	----	----	7	300	608 + 219
4430	----	----	----/127.00A	164.50B/127.00A	----	130.10 - 42.20	.2811	----	----	----	----	3 UNCH
4450	----	----	----/132.90A	171.80B/132.90A	----	136.20 - 43.70	.2913	----	----	----	----	26 UNCH
4475	----	----	----/140.60A	181.50B/140.60A	----	144.20 - 45.60	.3045	----	----	----	----	2 UNCH
4500	----	----	----/148.50A	191.60B/148.50A	----	152.60 - 47.40	.3179	----	----	----	----	91 UNCH
4550	----	----	----/166.10A	213.70B/166.10A	----	170.50 - 51.30	.3455	----	----	----	----	1 UNCH
4560	----	----	----/169.30A	218.60B/169.30A	----	174.30 - 52.10	.3511	----	----	----	----	78 UNCH
4600	----	----	----/184.20A	236.50B/184.20A	----	190.00 - 55.20	.3740	----	----	----	150	329 UNCH
4610	----	----	----/188.30A	241.30B/188.30A	----	194.10 - 56.00	.3798	----	----	----	----	5 UNCH
4625	----	----	----/194.30A	248.70B/194.30A	----	200.30 - 57.20	.3885	----	----	----	----	40 UNCH
4630	----	----	----/196.80A	251.20B/196.80A	----	202.40 - 57.60	.3914	----	----	----	----	1 UNCH
4635	----	----	----/198.80A	253.70B/198.80A	----	204.60 - 58.00	.3944	----	----	----	----	1 UNCH
4640	----	----	----/200.40A	256.70B/200.40A	----	206.70 - 58.40	.3973	----	----	----	----	13 UNCH
4650	----	----	----/204.60A	261.40B/204.60A	----	211.00 - 59.20	.4032	----	----	----	----	133 UNCH
4675	----	----	----/215.90A	274.80B/215.90A	----	222.20 - 61.20	.4180	----	----	----	----	1 UNCH
4680	----	----	----/218.10A	277.30B/218.10A	----	224.40 - 61.70	.4209	----	----	----	----	1 UNCH
4700	----	----	----/226.50A	286.80B/226.50A	----	233.70 - 63.30	.4329	----	----	----	----	84 UNCH
4715	----	----	----/233.40A	295.10B/233.40A	----	240.90 - 64.50	.4419	----	----	----	----	3 UNCH
4750	----	----	----/250.10A	315.20B/250.10A	----	258.30 - 67.30	.4628	----	----	1	----	175 + 1
4775	----	----	----/263.30A	330.00B/263.30A	----	271.30 - 69.30	.4778	----	----	----	----	1 UNCH
4780	----	----	----/265.80A	333.00B/265.80A	----	274.00 - 69.60	.4808	----	----	----	----	1 UNCH
4800	----	----	----/275.30A	345.20B/275.30A	----	284.80 - 71.30	.4927	----	----	1	----	101 + 1
4845	----	----	----/299.70A	373.60B/299.70A	----	310.30 - 74.80	.5192	----	----	----	----	17 UNCH
4850	----	----	----/302.50A	376.80B/302.50A	----	313.20 - 75.20	.5221	----	----	----	----	80 UNCH
4875	----	----	----/317.20A	393.20B/317.20A	----	327.60 - 77.30	.5367	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
4900	----	----	----/331.10A	410.60B/331.10A	----	342.30 - 79.40	.5512	----	----	----	----	131 UNCH
4910	----	----	----/337.50A	414.10B/337.50A	----	348.30 - 80.20	.5569	----	----	----	----	1 UNCH
4920	----	----	----/343.50A	416.50B/343.50A	----	354.40 - 81.00	.5626	----	----	----	----	1 UNCH
4925	----	----	----/346.00A	416.60B/346.00A	----	357.50 - 81.30	.5655	----	----	----	----	25 UNCH
4935	----	----	----/352.30A	420.00B/352.30A	----	363.80 - 82.00	.5711	----	----	----	----	5 UNCH
4965	----	----	----/370.80A	424.90B/370.80A	----	383.10 - 84.10	.5877	----	----	----	----	13 UNCH
4980	----	----	----/380.70A	427.50B/380.70A	----	393.00 - 85.00	.5959	----	----	----	----	1 UNCH
5000	----	----	----/393.20A	424.60B/393.20A	----	406.40 - 86.30	.6065	----	----	----	----	47 UNCH
5010	----	----	----/400.20A	432.50B/400.20A	----	413.20 - 86.90	.6119	----	----	----	----	1 UNCH
5050	----	----	----/426.80A	455.50B/426.80A	----	440.90 - 89.40	.6324	----	----	----	----	25 UNCH
5150	----	----	----/497.40A	528.60B/497.40A	----	513.70 - 95.10	.6806	----	----	----	----	1 UNCH
5200	----	----	----/534.50A	563.00B/534.50A	----	551.80 - 97.80	.7028	----	----	----	----	100 UNCH
5230	----	----	----/557.40A	567.60B/557.40A	----	575.20 - 99.30	.7156	----	----	----	----	2 UNCH
5250	----	----	----/572.80A	602.30B/572.80A	----	590.90 - 00.40	.7238	----	----	----	----	75 UNCH
5300	----	----	----/615.80A	642.60B/615.80A	----	631.00 - 02.70	.7434	----	----	----	----	6 UNCH
5425	----	----	----	650.70B/857.80A	----	735.00 - 08.10	.7870	----	----	----	----	1 UNCH
5455	----	----	----/743.70A	772.50B/743.70A	----	760.80 - 09.10	.7963	----	----	----	----	40 UNCH
5495	----	----	----	714.50B/918.20A	----	795.50 - 10.50	.8079	----	----	----	----	1 UNCH
5500	----	----	----	719.10B/922.60A	----	799.80 - 10.70	.8093	----	----	----	----	1 UNCH
5600	----	----	----	809.90B/1010.80A	----	888.50 - 13.60	.8350	----	----	----	----	1 UNCH
5700	----	----	----	902.40B/1101.20A	----	979.30 - 15.90	.8568	----	----	----	----	1 UNCH
TOTAL										21	450	6705 + 225
NOV26												
2750	----	----	----	3.00B/4.80A	----	3.80 - 0.70	.0086	----	----	----	----	1 UNCH
2800	----	----	----	3.30B/5.20A	----	4.30 - 0.80	.0098	----	----	----	----	8 UNCH
2900	----	----	----/*6.10A	4.10B/6.10A	----	5.30 - 1.00	.0122	----	----	----	----	1 UNCH
3000	----	----	----/7.10A	5.10B/7.10A	----	6.40 - 1.40	.0149	----	----	----	----	95 UNCH
3120	----	----	----/8.70A	6.70B/8.70A	----	8.10 - 1.90	.0191	----	----	----	----	10 UNCH
3180	----	----	----/9.70A	7.50B/9.70A	----	9.10 - 2.30	.0216	----	----	----	----	10 UNCH
3200	----	----	----/10.10A	7.90B/10.10A	----	9.40 - 2.50	.0223	----	----	----	----	93 UNCH
3215	----	----	----/10.40A	8.10B/10.40A	----	9.70 - 2.60	.0231	----	----	----	----	1 UNCH
3220	----	----	----/10.50A	8.30B/10.50A	----	9.80 - 2.60	.0233	----	----	----	----	1 UNCH
3225	----	----	----/10.60A	8.30B/10.60A	----	9.90 - 2.60	.0236	----	----	----	----	1 UNCH
3235	----	----	----/10.80A	8.50B/10.80A	----	10.10 - 2.70	.0241	----	----	----	----	2 UNCH
3250	----	----	----/11.20A	8.80B/11.20A	----	10.40 - 2.90	.0248	----	----	----	----	18 UNCH
3255	----	----	----/11.30A	8.80B/11.30A	----	10.50 - 2.90	.0251	----	----	----	----	18 UNCH
3300	----	----	----/12.30A	9.90B/12.30A	----	11.60 - 3.20	.0277	----	----	----	----	20 UNCH
3310	----	----	----/12.60A	10.10B/12.60A	----	11.80 - 3.40	.0282	----	----	----	----	1 UNCH
3320	----	----	----/12.80A	10.40B/12.80A	----	12.10 - 3.40	.0289	----	----	----	----	16 UNCH
3350	----	----	----/13.60A	11.20B/13.60A	----	12.90 - 3.70	.0309	----	----	----	----	180 UNCH
3455	----	----	----/17.00A	14.90B/17.00A	----	16.20 - 5.10	.0388	----	----	----	----	1 UNCH
3475	----	----	----/17.80A	15.40B/17.80A	----	16.90 - 5.40	.0404	----	----	----	----	2 UNCH
3500	----	----	----/18.80A	16.40B/18.80A	----	17.90 - 5.80	.0428	----	----	----	----	665 UNCH
3535	----	----	----/20.30A	18.00B/20.30A	----	19.40 - 6.40	.0463	----	----	2	----	1 - 2
3605	23.00	23.00	23.00/23.00	23.60B/23.00	----	22.80 - 7.70	.0541	----	----	1	----	1 UNCH
3690	----	----	----/28.60A	29.70B/28.60A	----	27.70 - 9.70	.0651	----	----	----	----	1 UNCH
3725	----	----	----/30.80A	32.60B/30.80A	----	30.10 - 10.60	.0704	----	----	----	----	1 UNCH
3740	----	----	----/31.80A	33.90B/31.80A	----	31.20 - 10.90	.0728	----	----	----	----	21 UNCH
3750	----	----	----/32.50A	34.80B/32.50A	----	31.90 - 11.20	.0743	----	----	----	----	150 UNCH
3780	----	----	----/34.80A	37.70B/34.80A	----	34.20 - 12.10	.0793	----	----	----	----	1 UNCH
3800	37.00	37.00	37.00/36.30A	39.70B/36.30A	----	35.80 - 12.70	.0828	----	----	2	----	29 UNCH
3820	----	----	----/37.90A	41.80B/37.90A	----	37.50 - 13.30	.0865	----	----	----	----	22 UNCH
3875	----	----	----/43.00A	48.70B/43.00A	----	42.60 - 15.00	.0972	----	----	2	----	24 UNCH
3900	----	----	----/45.60A	52.30B/45.60A	----	45.10 - 15.90	.1024	----	----	----	----	2 UNCH
3920	----	----	----/47.60A	54.90B/47.60A	----	47.20 - 16.60	.1068	----	----	----	----	2 UNCH
3925	----	----	----/48.10A	55.60B/48.10A	----	47.70 - 16.80	.1079	----	----	----	----	2 UNCH
3980	----	----	----/54.60A	63.60B/54.60A	----	54.10 - 18.80	.1209	----	----	----	----	1 UNCH
4000	----	----	----/56.80A	66.70B/56.80A	----	56.60 - 19.60	.1259	----	----	----	----	5 UNCH
4025	----	----	----/60.10A	70.90B/60.10A	----	59.90 - 20.60	.1324	----	----	----	----	2 UNCH
4100	----	----	----/70.70A	84.60B/70.70A	----	71.00 - 23.90	.1538	----	----	----	----	2 UNCH
4135	75.20	75.20	75.20/75.20	91.80B/75.20	----	76.80 NEW	.1647	----	----	22	----	22 + 22
4160	----	----	----/81.00A	97.30B/81.00A	----	81.20 - 26.80	.1728	----	----	----	----	1 UNCH
4170	----	----	----/82.70A	99.60B/82.70A	----	83.10 - 27.20	.1762	----	----	----	----	1 UNCH
4180	----	----	----/84.60A	101.90B/84.60A	----	85.00 - 27.70	.1796	----	----	----	----	1 UNCH
4200	----	----	----/88.30A	106.60B/88.30A	----	88.80 - 28.80	.1864	----	----	----	----	6 UNCH
4205	----	----	----/89.20A	107.70B/89.20A	----	89.80 - 29.00	.1882	----	----	----	----	1 UNCH
4215	----	----	----/91.30A	110.30B/91.30A	----	91.80 - 29.60	.1917	----	----	----	----	5 UNCH
4250	----	----	----/98.50A	119.10B/98.50A	----	99.20 - 31.40	.2046	----	----	----	----	370 UNCH
4275	----	----	----/104.00A	126.00B/104.00A	----	104.80 - 32.80	.2142	----	----	----	----	3 UNCH
4305	----	----	----/110.70A	134.40B/110.70A	----	111.80 - 34.60	.2259	----	----	----	----	1 UNCH
4320	----	----	----/114.20A	138.90B/114.20A	----	115.50 - 35.50	.2320	----	----	----	----	43 UNCH
4330	----	----	----/116.70A	142.00B/116.70A	----	118.00 - 36.10	.2361	----	----	----	----	2 UNCH
4350	----	----	----/121.70A	148.20B/121.70A	----	123.20 - 37.30	.2445	----	----	----	----	3 UNCH
4390	----	----	----/132.20A	161.20B/132.20A	----	134.10 - 39.80	.2617	----	----	----	----	1 UNCH
4395	----	----	----/133.80A	162.90B/133.80A	----	135.60 - 40.00	.2640	----	----	----	----	1 UNCH
4400	----	----	----/135.00A	164.50B/135.00A	----	137.00 - 40.40	.2662	----	----	----	----	3 UNCH
4425	----	----	----/142.10A	173.30B/142.10A	----	144.40 - 41.90	.2774	----	----	----	----	72 UNCH
4430	----	----	----/143.70A	175.10B/143.70A	----	145.90 - 42.20	.2797	----	----	----	----	10 UNCH
4450	----	----	----/149.50A	182.50B/149.50A	----	152.10 - 43.50	.2889	----	----	----	----	39 UNCH
4485	----	----	----/160.50A	195.80B/160.50A	----	163.40 - 45.90	.3054	----	----	----	----	1 UNCH
4490	----	----	----/162.10A	197.80B/162.10A	----	165.10 - 46.20	.3078	----	----	----	----	1 UNCH
4500	----	----	----/165.30A	201.80B/165.30A	----	168.50 - 46.80	.3126	----	----	----	----	45 UNCH
4510	----	----	----/168.80A	205.80B/168.80A	----	172.00 - 47.40	.3175	----	----	----	----	11 UNCH
4535	----	----	----/177.30A	216.20B/177.30A	----	180.80 - 49.20	.3297	----	----	----	----	10 UNCH
4540	----	----	----/179.00A	218.30B/179.00A	----	182.70 - 49.40	.3323	----	----	----	----	6 UNCH
4580	----	----	----/193.50A	237.30B/193.50A	----	197.70 - 52.20	.3523	----	----	----	----	10 UNCH
4640	----	----	----/216.80A	265.40B/216.80A	----	222.00 - 56.40	.3832	----	----	----	----	90 UNCH
4650	----	----	----/221.10A	270.20B/221.10A	----	226.20 - 57.10	.3884	----	----	----	----	50 UNCH
4700	----	----	----/242.30A	297.10B/242.30A	----	248.30 - 60.90	.4148	----	----	----	----	2 UNCH
4710	----	----	----/246.80A	303.90B/246.80A	----	252.90 - 61.70	.4201	----	----	----	----	1 UNCH
4725	----	----	----/253.70A	313.00B/253.70A	----	259.90 - 62.90	.4281	----	----	----	----	2 UNCH
4755	----	----	----/267.60A	323.00B/267.60A	----	274.30 - 65.30	.4442	----	----	----	----	1 UNCH
4800	----	----	----/289.60A	348.80B/289.60A	----	297.10 - 68.80	.4683	----	----	----	----	7 UNCH
4820	----	----	----/299.90A	360.60B/299.90A	----	307.80 NEW	.4790	----	----	1	----	1 + 1
4840	----	----	----/310.30A	372.70B/310.30A	----	318.70 - 71.40	.4896	----	----	----	----	2 UNCH
4845	----	----	----/312.90A	375.70B/312.90A	----	321.50 - 71.70	.4922	----	----	----	----	10 UNCH
4850	----	----	----/315.70A	378.80B/315.70A	----	324.20 - 72.10	.4949	----	----	----	----	6 UNCH
4900	----	----	----/343.10A	410.30B/343.10A	----	352.80 - 75.30	.5210	----	----	----	----	12 UNCH
4915	----	----	----/351.60A	420.00B/351.60A	----	361.60 - 76.30	.5288	----	----	----	----	3 UNCH
4935	----	----	----/363.20A	433.20B/363.20A	----	373.60 - 77.60	.5391	----	----	----	----	25 UNCH
4950	----	----	----/371.90A	443.20B/371.90A	----	382.60 - 78.70	.5467	----	----	----	----	11 UNCH
4960	----	----	----/377.90A	456.50B/377.90A	----	388.70 - 79.40	.5518	----	----	----	----	2 UNCH
5000	----	----	----/402.30A	461.10B/402.30A	----	413.70 - 82.10	.5719	----	----	----	----	256 UNCH
5020	----	----	----/414.70A	468.60B/414.70A	----	426.50 - 83.50	.5818	----	----	----	----	30 UNCH
5055	----	----	----/437.20A	474.10B/437.20A	----	449.30 - 85.90	.5988	----	----	----	----	8 UNCH
5200	----	----	----/536.80A	566.10B/536.80A	----	551.10 - 94.40	.6641	----	----	----	----	81 UNCH
5395	----	----	----	592.40B/840.90A	----	702.90 - 02.90	.7377	----	----	----	----	6 UNCH
5400	----	----	----	596.70B/844.90A	----	707.00 - 03.10	.7394	----	----	----	----	6 UNCH
5760	----	----	----	920.30B/1154.80A	----	1017.60 - 14.10	.8346	----	----	----	----	1 UNCH
5975	----	----	----	1120.40B/1353.10A	----	1214.80 - 18.50	.8723	----	----	----	----	1 UNCH
6000	----	----	----	1144.00B/1376.70A	----	1238.10 - 19.00	.8759	----	----	----	----	1 UNCH
TOTAL										30		2695 + 21
DEC26												
1350	----	----	----	----/1.00A	----	0.10 UNCH	.0001	----	----	----	----	16 UNCH
1375	----	----	----	----/12.70A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1500	----	----	----	----/1.80A	----	0.20 UNCH	.0003	----	----	----	----	1 UNCH
1600	----	----	----	----/1.90A	----	0.30 UNCH	.0005	----	----	----	----	190 UNCH
1700	----	----	----	0.20B/2.20A	----	0.40 - 0.10	.0007	----	----	----	----	200 UNCH
1845	----	----	----	0.20B/3.10A	----	0.70 - 0.20	.0013	----	----	----	----	50 UNCH
1900	----	----	----	0.20B/3.50A	----	0.80 - 0.20	.0015	----	----	----	----	4 UNCH
2000	----	----	----	0.50B/4.20A	----	1.10 - 0.30	.0021	----	----	----	----	2 UNCH
2400	----	----	----	1.80B/3.80A	----	2.60 - 0.50	.0053	----	----	----	----	1 UNCH
2490	----	----	----	2.10B/4.30A	----	3.00 - 0.60	.0062	----	----	----	----	1 UNCH
2750	----	----	----	3.70B/6.20A	----	4.80 - 0.90	.0103	----	----	----	----	1 UNCH
2800	----	----	----	4.10B/6.70A	----	5.30 - 1.00	.0115	----	----	----	----	18 UNCH
2900	----	----	----	5.50B/7.90A	----	6.40 - 1.30	.0140	----	----	----	----	19 UNCH
2925	----	----	----	5.10B/8.20A	----	6.70 - 1.50	.0147	----	----	----	----	300 UNCH
2975	----	----	----/8.90A	6.10B/8.90A	----	7.40 - 1.70	.0163	----	----	----	----	400 UNCH
3000	----	----	----/9.30A	6.30B/9.30A	----	7.70 - 1.90	.0171	----	----	5	----	1356 UNCH
3160	----	----	----/12.30A	9.20B/12.30A	----	10.60 - 3.20	.0238	----	----	----	----	2 UNCH
3175	----	----	----/12.50A	9.60B/12.50A	----	11.00 - 3.30	.0247	----	----	----	----	1 UNCH
3190	----	----	----/12.90A	9.80B/12.90A	----	11.30 - 3.50	.0254	----	----	5	----	0 - 5
3250	12.80	12.80	12.80/12.80	12.80/12.80	----	12.90 - 4.20	.0289	----	----	3	----	18 + 3
3300	20.00	20.00	20.00/15.80A	20.00/15.80A	----	14.40 - 4.80	.0323	----	----	1	----	7 UNCH
3400	18.80	18.80	18.80/18.80	18.80/18.80	----	17.90 - 6.30	.0400	----	----	1	----	1251 + 1
3425	----	----	----/20.10A	17.50B/20.10A	----	19.00 - 6.60	.0423	----	----	----	----	350 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
3450	----	----	----/21.20A	18.50B/21.20A	----	20.10 - 7.00	.0447	----	----	----	----	201 UNCH
3460	----	----	----/21.70A	19.00B/21.70A	----	20.60 - 7.10	.0457	----	----	----	----	20 UNCH
3475	----	----	----/22.40A	19.60B/22.40A	----	21.30 - 7.40	.0472	----	----	----	----	152 UNCH
3500	----	----	----/23.60A	21.00B/23.60A	----	22.60 - 7.70	.0500	----	----	----	----	1467 UNCH
3550	----	----	----/26.40A	28.80B/26.40A	----	25.50 - 8.40	.0559	----	----	----	----	18 UNCH
3565	----	----	----/27.30A	29.90B/27.30A	----	26.40 - 8.60	.0578	----	----	----	----	2 UNCH
3590	----	----	----/28.70A	31.80B/28.70A	----	28.00 - 9.00	.0610	----	----	----	----	1 UNCH
3600	----	----	----/29.40A	32.60B/29.40A	----	28.70 - 9.10	.0624	----	----	73	----	464 + 48
3610	----	----	----/30.00A	33.40B/30.00A	----	29.40 - 9.20	.0638	----	----	----	----	3 UNCH
3650	----	----	----/32.60A	36.70B/32.60A	----	32.30 - 9.90	.0696	----	----	----	----	201 UNCH
3660	----	----	----/33.30A	37.60B/33.30A	----	33.00 - 10.10	.0710	----	----	----	----	5 UNCH
3670	----	----	----/34.00A	38.50B/34.00A	----	33.80 - 10.20	.0726	----	----	----	----	1 UNCH
3690	----	----	----/35.50A	40.40B/35.50A	----	35.30 - 10.70	.0756	----	----	----	----	1 UNCH
3700	40.00	40.00	40.00/36.30A	41.40B/36.30A	----	36.10 - 10.90	.0772	----	----	5	----	279 UNCH
3710	----	----	----/37.00A	42.30B/37.00A	----	36.90 - 11.20	.0788	----	----	----	----	37 UNCH
3720	----	----	----/37.80A	43.40B/37.80A	----	37.70 - 11.50	.0804	----	----	----	----	1 UNCH
3725	----	----	----/38.20A	43.90B/38.20A	----	38.20 - 11.50	.0813	----	----	----	----	6 UNCH
3750	----	----	----/40.40A	46.50B/40.40A	----	40.30 - 12.20	.0855	----	----	----	----	166 UNCH
3760	----	----	----/41.30A	47.60B/41.30A	----	41.20 - 12.50	.0873	----	----	----	----	184 UNCH
3780	----	----	----/43.00A	49.90B/43.00A	----	43.00 - 13.10	.0908	----	----	----	----	1 UNCH
3800	----	----	----/44.90A	52.30B/44.90A	----	44.90 - 13.70	.0945	----	----	----	----	150 UNCH
3810	----	----	----/45.90A	53.70B/45.90A	----	45.80 - 14.00	.0963	----	----	----	----	56 UNCH
3850	----	----	----/50.10A	59.70B/50.10A	----	49.90 - 15.40	.1042	----	----	----	----	24 UNCH
3880	----	----	----/53.40A	63.80B/53.40A	----	53.10 - 16.50	.1104	----	----	----	----	1 UNCH
3900	63.20	63.20	63.20/55.70A	66.80B/55.70A	----	55.40 - 17.30	.1147	----	----	2	----	1207 UNCH
3920	----	----	----/58.20A	69.80B/58.20A	----	57.80 - 18.10	.1192	----	----	----	----	50 UNCH
3925	----	----	----/58.80A	70.60B/58.80A	----	58.40 - 18.30	.1203	----	----	----	----	252 UNCH
3930	----	----	----/59.40A	71.40B/59.40A	----	59.00 - 18.50	.1215	----	----	----	----	2 UNCH
3950	----	----	----/62.00A	74.60B/62.00A	----	61.60 - 19.30	.1262	----	----	----	----	27 UNCH
3965	----	----	----/64.00A	77.10B/64.00A	----	63.60 - 19.90	.1299	----	----	----	----	50 UNCH
3975	----	----	----/65.30A	78.80B/65.30A	----	64.90 - 20.40	.1323	----	----	----	----	192 UNCH
3980	65.40	65.40	65.40/65.40	79.70B/65.40	----	65.60 - 20.60	.1336	----	----	8	----	157 + 8
4000	74.80	74.80	74.80/68.90A	83.30B/68.90A	----	68.40 - 21.50	.1387	----	----	34	275	2061 + 100
4025	----	----	----/72.50A	87.90B/72.50A	----	72.20 - 22.50	.1454	----	----	----	----	220 UNCH
4050	----	----	----/76.50A	92.80B/76.50A	----	76.10 - 23.60	.1523	----	----	----	----	202 UNCH
4070	----	----	----/79.80A	96.80B/79.80A	----	79.40 - 24.50	.1580	----	----	----	----	7 UNCH
4090	----	----	----/83.30A	101.10B/83.30A	----	82.80 - 25.50	.1639	----	----	----	----	1 UNCH
4100	----	----	----/84.10A	103.20B/84.10A	----	84.60 - 25.90	.1669	----	----	----	----	385 UNCH
4130	----	----	----/90.30A	110.00B/90.30A	----	90.10 - 27.30	.1762	----	----	----	----	2 UNCH
4150	----	----	----/93.40A	114.70B/93.40A	----	93.90 - 28.40	.1825	----	----	----	----	21 UNCH
4160	----	----	----/95.20A	117.10B/95.20A	----	95.90 - 28.80	.1858	----	----	----	----	252 UNCH
4170	----	----	----/98.20A	119.50B/98.20A	----	97.90 - 29.40	.1891	----	----	----	----	2 UNCH
4175	----	----	----/98.30A	120.80B/98.30A	----	99.00 - 29.50	.1908	----	----	----	----	60 UNCH
4200	----	----	----/103.30A	127.20B/103.30A	----	104.30 - 30.80	.1993	----	----	----	----	887 UNCH
4215	----	----	----/106.80A	131.10B/106.80A	----	107.60 - 31.60	.2046	----	----	----	----	14 UNCH
4250	----	----	----/114.40A	140.80B/114.40A	----	115.60 - 33.40	.2171	----	----	----	----	344 UNCH
4300	----	----	----/126.30A	155.50B/126.30A	----	128.00 - 36.20	.2360	----	----	----	----	2342 UNCH
4320	----	----	----/131.60A	162.20B/131.60A	----	133.30 - 37.20	.2438	----	----	----	----	100 UNCH
4325	----	----	----/132.80A	163.70B/132.80A	----	134.70 - 37.50	.2458	----	----	----	400	544 + 244
4340	----	----	----/137.00A	168.60B/137.00A	----	138.80 - 38.30	.2518	----	----	----	----	82 UNCH
4350	----	----	----/139.60A	172.00B/139.60A	----	141.60 - 38.90	.2558	----	----	----	----	151 UNCH
4365	----	----	----/143.70A	176.90B/143.70A	----	145.90 - 39.80	.2620	----	----	----	----	390 UNCH
4375	----	----	----/147.40A	180.30B/147.40A	----	148.80 - 40.40	.2661	----	----	----	----	2 UNCH
4385	----	----	----/149.40A	183.90B/149.40A	----	151.80 - 40.90	.2703	----	----	----	----	75 UNCH
4390	----	----	----/150.90A	185.60B/150.90A	----	153.30 - 41.20	.2724	----	----	----	----	30 UNCH
4400	156.30	156.30	157.00/153.70A	189.10B/153.70A	----	156.30 - 41.90	.2766	----	----	3	----	280 UNCH
4425	----	----	----/161.50A	198.20B/161.50A	----	164.20 - 43.30	.2873	----	----	----	----	9 UNCH
4430	----	----	----/162.90A	200.00B/162.90A	----	165.80 - 43.60	.2895	----	----	----	----	10 UNCH
4435	----	----	----/164.40A	201.90B/164.40A	----	167.40 - 43.90	.2917	----	----	----	----	14 UNCH
4450	----	----	----/169.10A	207.80B/169.10A	----	172.30 - 44.80	.2982	----	----	----	----	260 UNCH
4475	----	----	----/177.30A	217.30B/177.30A	----	180.80 - 46.30	.3094	----	----	----	----	8 UNCH
4500	194.00	194.00	194.00/185.70A	227.60B/185.70A	----	189.50 - 48.00	.3206	----	----	3	----	1198 + 3
4510	----	----	----/189.80A	231.70B/189.80A	----	193.10 - 48.60	.3252	----	----	----	----	2 UNCH
4515	----	----	----/191.10A	233.80B/191.10A	----	195.00 - 48.90	.3275	----	----	----	----	242 UNCH
4520	----	----	----/192.90A	235.90B/192.90A	----	196.80 - 49.20	.3298	----	----	----	----	25 UNCH
4525	----	----	----/194.70A	238.00B/194.70A	----	198.60 - 49.60	.3321	----	----	----	----	200 UNCH
4530	----	----	----/196.40A	240.10B/196.40A	----	200.50 - 49.90	.3344	----	----	----	----	20 UNCH
4535	----	----	----/198.20A	242.30B/198.20A	----	202.40 - 50.20	.3368	----	----	----	----	102 UNCH
4540	----	----	----/200.60A	244.50B/200.60A	----	204.30 - 50.50	.3391	----	----	----	----	1 UNCH
4550	----	----	----/203.80A	248.80B/203.80A	----	208.10 - 51.20	.3437	----	----	----	----	4 UNCH
4555	----	----	----/205.70A	251.10B/205.70A	----	210.00 - 51.50	.3461	----	----	----	----	50 UNCH
4580	----	----	----/215.10A	263.80B/215.10A	----	219.80 - 53.20	.3579	----	----	----	----	50 UNCH
4585	----	----	----/217.00A	265.30B/217.00A	----	221.80 - 53.50	.3602	----	----	----	----	325 UNCH
4600	----	----	----/222.80A	272.20B/222.80A	----	227.90 - 54.50	.3674	----	----	----	----	523 UNCH
4620	----	----	----/230.90A	281.70B/230.90A	----	236.20 - 55.90	.3770	----	----	----	----	50 UNCH
4625	----	----	----/233.00A	285.40B/233.00A	----	238.30 - 56.20	.3794	----	----	----	10	34 + 10
4640	----	----	----/239.20A	291.30B/239.20A	----	244.70 - 57.20	.3867	----	----	----	----	100 UNCH
4650	----	----	----/243.40A	296.20B/243.40A	----	249.00 - 57.90	.3915	----	----	3	----	116 + 3
4680	----	----	----/256.40A	312.20B/256.40A	----	262.30 - 59.80	.4062	----	----	----	----	60 UNCH
4700	----	----	----/265.20A	323.50B/265.20A	----	271.50 - 61.10	.4160	----	----	----	----	510 UNCH
4725	----	----	----/276.70A	333.80B/276.70A	----	283.20 - 62.90	.4283	----	----	----	----	110 UNCH
4750	----	----	----/288.50A	347.50B/288.50A	----	295.40 - 64.60	.4407	----	----	12	----	63 UNCH
4790	----	----	----/308.10A	370.10B/308.10A	----	315.80 - 67.40	.4605	----	----	----	----	60 UNCH
4795	----	----	----/310.80A	373.00B/310.80A	----	318.30 NEW	.4630	----	----	1	----	1 + 1
4800	326.60	326.60	326.60/313.10A	376.00B/313.10A	----	321.00 - 68.10	.4655	----	----	1	----	305 + 1
4810	----	----	----/318.30A	381.80B/318.30A	----	326.20 - 68.90	.4704	----	----	----	----	56 UNCH
4815	----	----	----/320.80A	384.80B/320.80A	----	328.80 - 69.30	.4729	----	----	----	----	10 UNCH
4820	----	----	----/323.40A	387.70B/323.40A	----	331.50 - 69.60	.4753	----	----	----	----	20 UNCH
4825	----	----	----/326.00A	390.70B/326.00A	----	334.20 - 69.90	.4778	----	----	----	----	112 UNCH
4830	334.00	334.00	334.00/328.80A	393.70B/328.80A	----	336.80 NEW	.4803	----	----	6	----	6 + 6
4835	----	----	----/331.30A	396.70B/331.30A	----	339.50 - 70.60	.4827	----	----	----	----	125 UNCH
4850	----	----	----/339.20A	405.80B/339.20A	----	347.70 - 71.60	.4901	----	----	----	----	13 UNCH
4875	----	----	----/352.90A	421.30B/352.90A	----	361.50 - 73.30	.5023	----	----	9	----	16 + 9
4880	----	----	----/355.50A	424.40B/355.50A	----	364.30 - 73.70	.5047	----	----	----	----	11 UNCH
4900	356.70	356.70	371.40/356.70	437.10B/356.70	----	375.80 - 74.90	.5144	----	----	5	----	110 UNCH
4925	----	----	----/381.10A	453.20B/381.10A	----	390.40 - 76.50	.5264	----	----	----	----	237 UNCH
4950	----	----	----/395.60A	469.60B/395.60A	----	405.40 - 78.10	.5383	----	----	----	----	24 UNCH
4975	----	----	----/410.50A	486.30B/410.50A	----	420.80 - 79.50	.5500	----	----	----	----	43 UNCH
4980	----	----	----/413.60A	489.70B/413.60A	----	424.00 - 79.70	.5523	----	----	----	----	5 UNCH
4995	----	----	----/422.60A	505.40B/422.60A	----	433.40 - 80.70	.5592	----	----	----	----	32 UNCH
5000	----	----	----/425.60A	503.40B/425.60A	----	436.60 - 80.90	.5615	----	----	----	----	445 UNCH
5020	----	----	----/438.10A	511.10B/438.10A	----	449.40 - 82.10	.5707	----	----	----	----	8 UNCH
5025	----	----	----/441.10A	512.50B/441.10A	----	452.60 - 82.40	.5729	----	----	----	----	210 UNCH
5035	----	----	----/447.40A	514.00B/447.40A	----	459.10 - 83.00	.5774	----	----	----	----	8 UNCH
5050	----	----	----/456.90A	517.40B/456.90A	----	469.00 - 83.80	.5841	----	----	----	----	201 UNCH
5070	----	----	----/470.00A	521.30B/470.00A	----	482.30 - 84.90	.5930	----	----	----	----	1 UNCH
5075	----	----	----/473.10A	521.90B/473.10A	----	485.60 - 85.20	.5952	----	----	----	----	100 UNCH
5095	----	----	----/485.90A	517.80B/485.90A	----	499.10 - 86.30	.6039	----	----	----	----	6 UNCH
5100	----	----	----/489.80A	518.80B/489.80A	----	502.50 - 86.60	.6060	----	----	----	----	6 UNCH
5195	----	----	----/555.00A	583.00B/555.00A	----	569.30 - 91.60	.6454	----	----	----	----	5 UNCH
5200	----	----	----/558.50A	586.60B/558.50A	----	572.90 - 91.90	.6474	----	----	----	----	38 UNCH
5250	----	----	----/594.50A	623.70B/594.50A	----	609.70 - 94.20	.6669	----	----	----	----	126 UNCH
5290	----	----	----/624.10A	654.20B/624.10A	----	639.70 - 96.20	.6818	----	----	----	----	1 UNCH
5295	----	----	----/627.80A	658.00B/627.80A	----	643.50 - 96.40	.6837	----	----	----	----	1 UNCH
5360	----	----	----/677.00A	703.50B/677.00A	----	693.70 - 99.20	.7066	----	----	----	----	100 UNCH
5370	----	----	----/684.80A	711.30B/684.80A	----	701.60 - 99.50	.7100	----	----	----	----	20 UNCH
5375	----	----	----/688.60A	715.30B/688.60A	----	705.50 - 99.80	.7117	----	----	----	----	34 UNCH
5400	----	----	----/708.20A	735.10B/708.20A	----	725.30 - 00.80	.7200	----	----	----	----	102 UNCH
5415	----	----	----/719.90A	747.00B/719.90A	----	737.30 - 01.30	.7249	----	----	----	----	4 UNCH
5460	----	----	----/762.20A	783.40B/762.20A	----	773.70 - 03.00	.7390	----	----	----	----	200 UNCH
5465	----	----	----/766.40A	787.40B/766.40A	----	777.80 - 03.20	.7406	----	----	----	----	50 UNCH
5480	----	----	----/778.50A	799.70B/778.50A	----	790.10 - 03.70	.7451	----	----	----	----	50 UNCH
5500	----	----	----/794.90A	816.10B/794.90A	----	806.60 - 04.40	.7510	----	----	----	----	31 UNCH
5525	----	----	----/815.40A	836.80B/815.40A	----	827.30 - 05.40	.7581	----	----	----	----	80 UNCH
5600	----	----	----/875.30A	901.70B/875.30A	----	890.70 - 07.90	.7783	----	----	----	----	252 UNCH
5900	----	----	----/1,142.00A	1162.70B/1142.00A	----	1156.50 - 15.00	.8414	----	----	----	----	125 UNCH
6000	----	----	----/1,233.60A	1253.10B/1233.60A	----	1248.30 - 16.60	.8574	----	----	----	----	40 UNCH
6500	----	----	----/1,708.80A	1721.50B/1708.80A	----	1722.10 - 22.60	.9119	----	----	----	----	4 UNCH
TOTAL										180	685	25541 + 432
JAN27												
2700	----	----	----/7.40A	2.70B/7.40A	----	5.70 - 2.00	.0113	----	----	----	----	8 UNCH
2800	----	----	----/*8.00A	4.10B/*8.00A	----	6.60 - 2.40	.0133	----	----	----	----	10 UNCH
3000	9.20	9.20	9.80/9.20	9.80/9.20	----	10.10 - 3.60	.0205	----	----	3	----	10 + 3
3500	----	----	----/*29.70A	29.80B/*29.70A	----	26.80 - 8.60	.0546	----	----	----	----	1 UNCH
3520	----	----	----/*30.10A	31.30B/*30.10A	----	28.10 - 8.80	.0570	----	----	----	----	1 UNCH
3680	----	----	----/*41.30A	45.20B/*41.30A	----	40.80 - 10.70	.0799	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 19

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JAN27												
3800	----	----	----/*52.50A	59.50B/52.50A	----	52.70 - 13.50	.1008	----	----	----	----	1 UNCH
3825	----	----	----/55.20A	63.50B/55.20A	----	55.40 - 14.30	.1056	----	----	----	----	1 UNCH
3900	----	----	----/64.20A	74.60B/64.20A	----	64.20 - 17.20	.1208	----	----	----	----	1 UNCH
3980	----	----	----/75.60A	88.20B/75.60A	----	74.90 - 20.70	.1388	----	----	----	----	1 UNCH
4000	77.50	77.50	77.50/77.50	92.00B/77.50	----	77.80 - 21.70	.1437	----	----	1	----	2 + 1
4070	----	----	----/90.30A	106.10B/90.30A	----	89.40 - 24.50	.1622	----	----	----	----	1 UNCH
4100	----	----	----/95.80A	112.80B/95.80A	----	94.90 - 25.70	.1707	----	----	----	----	8 UNCH
4200	----	----	----/115.90A	137.20B/115.90A	----	115.70 - 29.70	.2015	----	----	----	----	3 UNCH
4350	----	----	----/152.90A	181.70B/152.90A	----	154.00 - 36.60	.2541	----	----	----	----	1 UNCH
4400	----	----	----/167.20A	198.80B/167.20A	----	168.70 - 39.50	.2732	----	----	----	----	1 UNCH
4500	----	----	----/199.10A	236.80B/199.10A	----	201.40 - 45.60	.3134	----	----	----	----	2 UNCH
4585	----	----	----/229.80A	273.80B/229.80A	----	232.80 - 51.20	.3495	----	----	----	----	1 UNCH
4600	----	----	----/235.30A	282.60B/235.30A	----	238.70 - 52.30	.3561	----	----	----	----	3 UNCH
4630	----	----	----/247.50A	296.40B/247.50A	----	250.90 - 54.30	.3693	----	----	----	----	1 UNCH
4660	----	----	----/259.40A	308.70B/259.40A	----	263.60 - 56.30	.3826	----	----	----	----	4 UNCH
4665	----	----	----/261.50A	313.30B/261.50A	----	265.70 - 56.70	.3848	----	----	----	----	4 UNCH
4710	281.70	281.70	281.70/281.30A	332.10B/281.30A	----	285.70 - 59.60	.4051	----	----	2	----	4 - 1
4760	----	----	----/304.30A	358.40B/304.30A	----	309.20 - 62.90	.4278	----	----	----	----	100 UNCH
4800	----	----	----/323.50A	380.40B/323.50A	----	329.00 - 65.40	.4461	----	----	----	----	6 UNCH
4820	----	----	----/333.30A	391.70B/333.30A	----	339.20 - 66.60	.4552	----	----	----	----	6 UNCH
4860	----	----	----/354.10A	415.00B/354.10A	----	360.30 - 69.00	.4734	----	----	----	----	1 UNCH
4960	----	----	----/409.10A	476.60B/409.10A	----	416.70 - 74.70	.5182	----	----	----	----	42 UNCH
4980	----	----	----/420.60A	489.50B/420.60A	----	428.60 - 75.90	.5269	----	----	----	----	10 UNCH
4990	----	----	----/426.30A	496.00B/426.30A	----	434.60 - 76.40	.5313	----	----	----	----	1 UNCH
4995	----	----	----/429.30A	499.30B/429.30A	----	437.60 - 76.70	.5335	----	----	----	----	1 UNCH
5000	436.30	436.30	436.30/432.30A	502.60B/432.30A	----	440.60 - 77.10	.5356	----	----	1	----	2 - 1
5050	----	----	----/462.60A	536.10B/462.60A	----	471.70 - 79.80	.5570	----	----	----	----	100 UNCH
5085	----	----	----/484.60A	554.40B/484.60A	----	494.10 - 81.70	.5717	----	----	----	----	2 UNCH
5150	----	----	----/526.60A	566.30B/526.60A	----	537.10 - 85.30	.5982	----	----	----	----	2 UNCH
5235	----	----	----/584.70A	604.90B/584.70A	----	596.10 - 89.70	.6311	----	----	----	----	2 UNCH
5245	----	----	----/591.60A	612.10B/591.60A	----	603.30 - 90.10	.6348	----	----	----	----	2 UNCH
5300	----	----	----/630.80A	652.70B/630.80A	----	643.20 - 92.80	.6549	----	----	----	----	44 UNCH
TOTAL										7		391+ 2
FEB27												
4000	----	----	----/89.60A	98.40B/89.60A	----	88.90 - 23.00	.1531	----	----	----	----	1 UNCH
4070	----	----	----/*102.30A	113.40B/*102.30A	----	101.70 - 25.40	.1717	----	----	----	----	2 UNCH
4200	----	----	----/*129.70A	146.00B/*129.70A	----	129.40 - 30.60	.2103	----	----	----	----	50 UNCH
4300	----	----	----/155.40A	175.60B/155.40A	----	154.60 - 35.30	.2434	----	----	----	----	1 UNCH
4500	----	----	----/217.90A	248.10B/217.90A	----	217.20 - 46.80	.3182	----	----	1	----	1 UNCH
4600	----	----	----/254.70A	297.80B/254.70A	----	255.70 - 53.40	.3591	----	----	----	----	17 UNCH
4650	----	----	----/275.40A	321.40B/275.40A	----	276.90 - 56.90	.3802	----	----	----	----	1 UNCH
4655	----	----	----/277.00A	323.80B/277.00A	----	279.10 - 57.30	.3823	----	----	----	----	1 UNCH
4660	----	----	----/279.20A	327.00B/279.20A	----	281.30 - 57.70	.3844	----	----	----	----	435 UNCH
4665	----	----	----/281.80A	328.10B/281.80A	----	283.50 - 58.10	.3865	----	----	----	----	3 UNCH
4750	----	----	----/319.10A	364.70B/319.10A	----	323.40 - 63.40	.4231	----	----	----	----	1 UNCH
4755	----	----	----/321.10A	367.40B/321.10A	----	325.90 - 63.60	.4252	----	----	----	----	1 UNCH
4775	----	----	----/330.80A	378.20B/330.80A	----	335.90 - 64.50	.4338	----	----	----	----	1 UNCH
4785	----	----	----/335.40A	383.70B/335.40A	----	340.90 - 65.00	.4382	----	----	----	----	100 UNCH
4800	----	----	----/343.10A	392.00B/343.10A	----	348.60 - 65.70	.4446	----	----	----	----	125 UNCH
4805	----	----	----/345.30A	394.80B/345.30A	----	351.20 - 65.90	.4468	----	----	----	----	2 UNCH
4835	----	----	----/363.40A	411.80B/363.40A	----	366.90 - 67.30	.4597	----	----	----	----	1 UNCH
4840	----	----	----/366.00A	414.70B/366.00A	----	369.50 - 67.60	.4619	----	----	----	----	1 UNCH
4845	----	----	----/368.60A	417.60B/368.60A	----	372.20 - 67.80	.4640	----	----	----	----	2 UNCH
4850	----	----	----/371.20A	420.50B/371.20A	----	374.80 - 68.20	.4662	----	----	----	----	1 UNCH
4855	----	----	----/373.80A	423.40B/373.80A	----	377.50 - 68.40	.4683	----	----	----	----	3 UNCH
4900	----	----	----/397.90A	450.20B/397.90A	----	402.10 - 71.00	.4875	----	----	----	----	4 UNCH
4905	----	----	----/400.70A	453.20B/400.70A	----	404.80 - 71.40	.4896	----	----	----	----	4 UNCH
4950	----	----	----/426.00A	481.10B/426.00A	----	430.30 - 74.30	.5086	----	----	----	----	1 UNCH
4955	----	----	----/428.80A	484.20B/428.80A	----	433.20 - 74.60	.5107	----	----	----	----	1 UNCH
5000	----	----	----/455.10A	513.10B/455.10A	----	459.70 - 77.50	.5294	----	----	----	----	10 UNCH
5005	----	----	----/458.00A	516.30B/458.00A	----	462.70 - 77.80	.5315	----	----	----	----	2 UNCH
5050	----	----	----/485.30A	546.20B/485.30A	----	490.10 - 80.80	.5499	----	----	----	----	4 UNCH
5055	----	----	----/488.40A	549.60B/488.40A	----	493.20 - 81.10	.5519	----	----	----	----	4 UNCH
5100	----	----	----/516.70A	577.50B/516.70A	----	521.60 - 83.90	.5699	----	----	----	----	2 UNCH
5120	----	----	----/529.50A	585.70B/529.50A	----	534.50 - 85.20	.5778	----	----	----	----	1 UNCH
5150	----	----	----/549.00A	592.40B/549.00A	----	554.20 - 87.00	.5894	----	----	----	----	1 UNCH
5175	----	----	----/565.50A	597.30B/565.50A	----	570.90 - 88.50	.5990	----	----	----	----	125 UNCH
5200	----	----	----/582.20A	597.00B/582.20A	----	587.80 - 89.90	.6084	----	----	----	----	1 UNCH
5250	625.00	625.00	626.40B/616.60A	626.40B/616.60A	----	622.40 NEW	.6268	----	----	10	----	10 + 10
5355	----	----	----/692.20A	703.70B/692.20A	----	698.40 - 97.80	.6632	----	----	----	----	1 UNCH
5520	----	----	----/817.40A	822.40B/817.40A	----	825.70 - 04.00	.7141	----	----	----	----	300 UNCH
5530	----	----	----/825.20A	825.60B/825.20A	----	833.60 - 04.40	.7170	----	----	----	----	100 UNCH
5550	----	----	----/841.00A	832.30B/841.00A	----	849.70 - 05.00	.7225	----	----	----	----	65 UNCH
5565	----	----	----	668.70B/1072.50A	----	861.80 - 05.50	.7266	----	----	----	----	50 UNCH
TOTAL										11		1436+ 10
MAR27												
4660	----	----	----/*286.90A	328.80B/*286.90A	----	286.20 - 56.70	.3725	----	----	----	----	24 UNCH
4750	328.00	328.00	328.20/*326.50A	366.00B/*326.50A	----	326.30 NEW	.4089	----	----	15	----	15 + 15
4810	----	----	----/*355.00A	397.90B/*355.00A	----	355.10 - 66.50	.4335	----	----	----	----	21 UNCH
4900	----	----	----/*400.90A	448.90B/*400.90A	----	401.60 - 72.10	.4704	----	----	----	----	2 UNCH
4905	----	----	----/*403.50A	451.80B/*403.50A	----	404.30 - 72.40	.4724	----	----	----	----	2 UNCH
5000	----	----	----/*456.10A	509.80B/*456.10A	----	457.70 - 78.10	.5106	----	----	----	----	75 UNCH
TOTAL										15		139+ 15
APR27												
4300	----	----	----	75.90B/*267.40A	----	223.10 - 36.40	.2638	----	----	----	----	150 UNCH
4900	----	----	----	190.10B/*631.70A	----	474.10 - 61.60	.4607	----	----	----	----	2 UNCH
4905	----	----	----	219.20B/*633.50A	----	476.70 - 61.80	.4624	----	----	----	----	2 UNCH
5000	----	----	----	224.20B/*707.90A	----	527.60 - 65.90	.4950	----	----	----	----	100 UNCH
5060	----	----	----	245.80B/*751.70A	----	567.40 - 68.30	.5139	----	----	----	----	25 UNCH
TOTAL												279 0
JUN27												
4900	----	----	----	----	----	503.70 - 58.90	.4436	----	----	----	----	1 UNCH
4905	----	----	----	----	----	506.40 - 59.10	.4451	----	----	----	----	1 UNCH
TOTAL												2 0
DEC27												
3700	----	----	----	----	----	154.60 - 19.60	.1450	----	----	----	----	100 UNCH
3715	----	----	----	----	----	157.60 - 20.00	.1475	----	----	----	----	150 UNCH
3820	----	----	----	----	----	179.60 - 22.30	.1650	----	----	----	----	50 UNCH
4130	----	----	----	----	----	256.00 - 29.80	.2233	----	----	----	----	168 UNCH
4500	----	----	----	----	----	377.90 - 40.30	.3059	----	----	----	----	270 UNCH
4630	----	----	----	----	----	431.50 - 44.20	.3377	----	----	----	----	284 UNCH
4860	----	----	----	----	----	540.30 - 51.40	.3955	----	----	----	----	100 UNCH
5000	----	----	----	----	----	614.10 - 55.70	.4309	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1014.00 - 74.60	.5827	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1176.80 - 80.50	.6297	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	617.80 - 54.10	.4206	----	----	----	----	1 UNCH
5100	----	----	----	----	----	672.20 - 57.00	.4447	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
1995	----	----	----	----	----	?699.30 + 25.80	1.0000	----	----	200	----	0 UNCH
2000	----	----	2,723.40B/----	2723.40B/2683.90A	----	?694.30 + 25.80	1.0000	----	----	1932	----	422 UNCH
2005	----	----	----	----	----	?689.30 + 25.80	1.0000	----	----	200	----	0 UNCH
2800	----	----	1,923.80B/----	1923.80B/1879.30A	----	1894.30 + 25.80	1.0000	----	----	704	----	500 UNCH
3000	----	----	1,722.30B/----	1722.30B/1682.40A	----	1694.30 + 25.80	.9998	----	----	275	----	400 UNCH
3400	----	----	1,324.60B/----	1324.60B/1279.80A	----	1294.30 + 25.50	.9969	----	----	503	----	615 - 151
3500	----	----	1,221.20B/----	1221.20B/1185.70A	----	1194.50 + 25.50	.9957	----	----	----	----	57 UNCH
3525	----	----	----	----	----	1169.50 + 25.40	.9956	----	----	----	----	1 UNCH
3550	----	----	----	----	----	1144.50 + 25.30	.9950	----	----	----	----	1 UNCH
3580	----	----	1,141.30B/----	1141.30B/1105.80A	----	1114.60 + 25.30	.9944	----	----	----	----	18 UNCH
3585	----	----	1,136.30B/----	1136.30B/1100.80A	----	1109.60 + 25.30	.9944	----	----	----	----	100 UNCH
3600	----	----	1,121.30B/----	1121.30B/1085.80A	----	1094.60 + 25.20	.9943	----	----	----	----	214 UNCH
3635	----	----	1,086.40B/----	1086.40B/1050.90A	----	1059.70 + 25.10	.9937	----	----	----	----	60 UNCH
3650	----	----	1,071.40B/----	1071.40B/1035.90A	----	1044.70 + 25.00	.9936	----	----	----	----	143 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 20

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
3665	----	----	1,056.50B/----	1056.50B/1020.90A	----	1029.80 + 25.10	.9931	----	----	----	----	3 UNCH
3700	----	----	1,024.00B/----	1024.00B/984.00A	----	994.90 + 25.00	.9924	----	----	----	----	389 UNCH
3715	----	----	1,006.60B/----	1006.60B/971.00A	----	979.90 + 24.90	.9923	----	----	----	----	25 UNCH
3725	----	----	998.50B/----	998.50B/961.10A	----	969.90 + 24.80	.9922	----	----	----	----	212 UNCH
3750	----	----	975.30B/----	975.30B/929.80A	----	945.00 + 24.80	.9915	----	----	----	----	1109 UNCH
3755	----	----	968.30B/----	968.30B/931.10A	----	940.00 + 24.80	.9915	----	----	----	----	15 UNCH
3785	----	----	938.40B/----	938.40B/901.20A	----	910.10 + 24.70	.9907	----	----	----	----	170 UNCH
3790	----	----	----	----	----	905.10 + 24.60	.9907	----	----	----	----	1 UNCH
3800	----	----	925.40B/----	925.40B/880.50A	----	895.20 + 24.70	.9901	----	----	----	----	545 UNCH
3835	----	----	----	----	----	860.30 + 24.50	.9893	----	----	----	----	1 UNCH
3840	----	----	882.00B/----	882.00B/846.40A	----	855.30 + 24.50	.9892	----	----	----	----	21 UNCH
3850	----	----	874.50B/----	874.50B/834.50A	----	845.40 + 24.50	.9891	----	----	----	----	322 UNCH
3875	----	----	847.20B/----	847.20B/811.60A	----	820.50 + 24.40	.9883	----	----	----	----	60 UNCH
3895	----	----	----	----	----	800.60 + 24.30	.9875	----	----	----	----	1 UNCH
3900	----	----	824.70B/----	824.70B/784.70A	----	795.60 + 24.20	.9870	----	----	----	----	363 UNCH
3925	----	----	797.50B/----	797.50B/761.90A	----	770.70 + 24.00	.9861	----	----	----	----	4 UNCH
3950	----	----	772.60B/----	772.60B/737.00A	----	745.90 + 23.90	.9852	----	----	----	----	14 UNCH
3975	----	----	749.30B/----	749.30B/712.20A	----	721.00 + 23.60	.9837	----	----	----	----	106 UNCH
3990	----	----	----	----	----	706.20 + 23.60	.9829	----	----	----	----	1 UNCH
3995	----	----	728.00B/----	728.00B/692.40A	----	701.20 + 23.50	.9828	----	----	----	----	5 UNCH
4000	----	----	726.00B/----	726.00B/682.80A	----	696.20 + 23.40	.9827	----	----	----	----	870 UNCH
4005	----	----	719.70B/558.50A	719.70B/558.50A	----	691.30 + 23.40	.9821	----	----	----	----	10 UNCH
4010	----	----	649.40B/553.60A	649.40B/553.60A	----	686.30 + 23.30	.9820	----	----	----	----	1 UNCH
4020	----	----	643.00B/543.80A	643.00B/543.80A	----	676.40 + 23.20	.9812	----	----	----	----	2 UNCH
4025	----	----	699.90B/538.90A	699.90B/538.90A	----	671.40 + 23.10	.9811	----	----	----	----	51 UNCH
4030	----	----	639.10B/534.00A	639.10B/534.00A	----	666.50 + 23.10	.9805	----	----	----	----	1 UNCH
4040	----	----	643.60B/524.40A	643.60B/524.40A	----	656.60 + 22.90	.9797	----	----	----	----	1 UNCH
4050	----	----	675.10B/514.50A	675.10B/514.50A	----	646.70 + 22.80	.9789	----	----	----	----	185 UNCH
4060	----	----	665.20B/504.80A	665.20B/504.80A	----	636.80 + 22.60	.9781	----	----	----	----	25 UNCH
4070	----	----	655.40B/495.10A	655.40B/495.10A	----	626.90 + 22.40	.9773	----	----	----	----	10 UNCH
4075	----	----	650.40B/490.20A	650.40B/490.20A	----	622.00 + 22.40	.9771	----	----	----	----	64 UNCH
4090	----	----	635.60B/475.70A	635.60B/475.70A	----	607.20 + 22.10	.9756	----	----	----	----	34 UNCH
4100	----	----	626.90B/466.20A	626.90B/466.20A	----	597.30 + 21.90	.9743	----	----	----	----	682 UNCH
4105	----	----	620.80B/461.30A	620.80B/461.30A	----	592.40 + 21.80	.9741	----	----	----	----	50 UNCH
4110	----	----	592.80B/456.50A	592.80B/456.50A	----	587.40 + 21.60	.9734	----	----	----	----	2 UNCH
4115	----	----	611.00B/451.50A	611.00B/451.50A	----	582.50 + 21.50	.9727	----	----	----	----	5 UNCH
4125	----	----	601.10B/442.20A	601.10B/442.20A	----	572.70 + 21.30	.9717	----	----	----	----	95 UNCH
4135	----	----	591.30B/432.50A	591.30B/432.50A	----	562.90 + 21.10	.9703	----	----	----	----	16 UNCH
4150	----	----	576.90B/418.20A	576.90B/418.20A	----	548.10 + 20.60	.9681	----	----	----	----	263 UNCH
4155	----	----	571.60B/413.50A	571.60B/413.50A	----	543.20 + 20.50	.9673	----	----	----	----	5 UNCH
4170	----	----	556.90B/399.30A	556.90B/399.30A	----	528.60 + 20.10	.9650	----	----	----	----	51 UNCH
4175	----	----	560.30B/394.60A	560.30B/394.60A	----	523.70 + 19.90	.9642	----	----	----	----	61 UNCH
4195	----	----	540.50B/375.80A	540.50B/375.80A	----	504.20 + 19.20	.9605	----	----	----	----	1 UNCH
4200	500.50	500.50	535.60B/371.20A	535.60B/371.20A	----	499.30 + 19.00	.9597	----	----	2	----	2058 UNCH
4210	491.50	491.50	526.20B/361.90A	526.20B/361.90A	----	489.60 + 18.60	.9575	----	----	10	----	1552 UNCH
4220	----	----	516.20B/352.80A	516.20B/352.80A	----	479.90 + 18.20	.9553	----	----	----	----	84 UNCH
4225	----	----	511.80B/348.10A	511.80B/348.10A	----	475.10 + 18.00	.9544	----	----	----	----	15 UNCH
4235	----	----	501.70B/339.00A	501.70B/339.00A	----	465.40 + 17.50	.9517	----	----	----	----	6 UNCH
4240	----	----	497.30B/334.40A	497.30B/334.40A	----	460.60 + 17.20	.9507	----	----	----	----	53 UNCH
4245	----	----	492.50B/329.80A	492.50B/329.80A	----	455.80 + 17.00	.9493	----	----	----	----	263 UNCH
4250	----	----	487.70B/325.10A	487.70B/325.10A	----	451.00 + 16.80	.9479	----	----	----	----	922 UNCH
4255	----	----	482.50B/320.80A	482.50B/320.80A	----	446.20 + 16.50	.9465	----	----	----	----	6 UNCH
4260	----	----	478.10B/316.40A	478.10B/316.40A	----	441.40 + 16.20	.9450	----	----	----	----	1 UNCH
4265	----	----	473.30B/311.70A	473.30B/311.70A	----	436.60 + 15.90	.9436	----	----	----	----	87 UNCH
4270	----	----	468.50B/307.50A	468.50B/307.50A	----	431.80 + 15.60	.9421	----	----	----	----	11 UNCH
4280	----	----	458.60B/298.60A	458.60B/298.60A	----	422.30 + 15.00	.9386	----	----	----	----	1 UNCH
4285	----	----	453.90B/294.20A	453.90B/294.20A	----	417.50 + 14.70	.9371	----	----	----	----	1 UNCH
4300	----	----	439.90B/281.00A	439.90B/281.00A	----	403.30 + 13.70	.9315	----	----	----	----	2124 UNCH
4305	----	----	436.20B/276.80A	436.20B/276.80A	----	398.50 + 13.20	.9300	----	----	----	----	1 UNCH
4310	----	----	430.40B/272.40A	430.40B/272.40A	----	393.80 + 12.90	.9279	----	----	----	----	23 UNCH
4315	----	----	425.90B/268.20A	425.90B/268.20A	----	389.10 + 12.50	.9258	----	----	----	----	1 UNCH
4320	----	----	421.00B/263.70A	421.00B/263.70A	----	384.40 + 12.10	.9237	----	----	----	----	62 UNCH
4325	----	----	416.30B/259.60A	416.30B/259.60A	----	379.80 + 11.80	.9216	----	----	----	----	73 UNCH
4335	----	----	406.90B/251.20A	406.90B/251.20A	----	370.40 + 10.80	.9169	----	----	----	----	13 UNCH
4340	----	----	403.20B/247.20A	403.20B/247.20A	----	365.80 + 10.40	.9147	----	----	----	----	17 UNCH
4345	----	----	397.50B/242.90A	397.50B/242.90A	----	361.10 + 09.90	.9121	----	----	----	----	2 UNCH
4350	----	----	392.60B/238.80A	392.60B/238.80A	----	356.50 + 09.50	.9099	----	----	----	----	1457 UNCH
4355	----	----	387.90B/234.60A	387.90B/234.60A	----	351.90 + 09.00	.9072	----	----	----	----	129 UNCH
4360	----	----	383.60B/230.70A	383.60B/230.70A	----	347.30 + 08.50	.9046	----	----	----	----	42 UNCH
4365	----	----	380.00B/226.70A	380.00B/226.70A	----	342.70 + 08.00	.9019	----	----	----	----	4 UNCH
4370	----	----	374.50B/222.70A	374.50B/222.70A	----	338.20 + 07.50	.8987	----	----	----	----	3 UNCH
4375	----	----	369.80B/218.80A	369.80B/218.80A	----	333.60 + 06.90	.8960	----	----	----	----	106 UNCH
4380	----	----	365.10B/214.70A	365.10B/214.70A	----	329.10 + 06.40	.8928	----	----	----	----	341 UNCH
4385	----	----	360.50B/211.00A	360.50B/211.00A	----	324.50 + 05.80	.8900	----	----	----	----	3 UNCH
4390	----	----	356.20B/206.90A	356.20B/206.90A	----	320.00 + 05.20	.8868	----	----	----	----	16 UNCH
4395	----	----	351.90B/203.20A	351.90B/203.20A	----	315.60 + 04.70	.8835	----	----	----	----	10 UNCH
4400	----	----	347.50B/199.20A	347.50B/199.20A	----	311.10 + 04.10	.8803	----	----	----	----	1458 UNCH
4410	----	----	338.30B/191.80A	338.30B/191.80A	----	302.20 + 02.80	.8729	----	----	----	----	39 UNCH
4415	----	----	333.70B/187.90A	333.70B/187.90A	----	297.80 + 02.20	.8695	----	----	----	----	176 UNCH
4420	----	----	329.10B/184.50A	329.10B/184.50A	----	293.40 + 01.50	.8658	----	----	----	----	3 UNCH
4425	----	----	325.20B/180.60A	325.20B/180.60A	----	289.00 + 00.80	.8616	----	----	----	----	274 UNCH
4430	----	----	320.80B/177.00A	320.80B/177.00A	----	284.70 + 00.20	.8578	----	----	----	----	24 UNCH
4435	----	----	316.00B/173.70A	316.00B/173.70A	----	280.30 + 99.40	.8536	----	----	----	----	21 UNCH
4440	----	----	311.70B/170.10A	311.70B/170.10A	----	276.00 + 98.70	.8498	----	----	----	----	20 UNCH
4445	----	----	308.10B/166.60A	308.10B/166.60A	----	271.70 + 98.00	.8455	----	----	----	----	5 UNCH
4450	----	----	303.40B/163.30A	303.40B/163.30A	----	267.50 + 97.30	.8409	----	----	20	----	485 - 12
4455	----	----	299.00B/159.70A	299.00B/159.70A	----	263.20 + 96.50	.8366	----	----	----	----	6 UNCH
4460	----	----	294.80B/156.50A	294.80B/156.50A	----	259.00 + 95.70	.8320	----	----	----	----	20 UNCH
4465	----	----	290.10B/153.10A	290.10B/153.10A	----	254.80 + 95.00	.8273	----	----	----	----	28 UNCH
4470	----	----	286.30B/149.70A	286.30B/149.70A	----	250.70 + 94.20	.8223	----	----	----	----	24 UNCH
4475	----	----	282.10B/146.40A	282.10B/146.40A	----	246.60 + 93.50	.8175	----	----	----	----	22 UNCH
4480	----	----	277.90B/143.20A	277.90B/143.20A	----	242.50 + 92.70	.8125	----	----	----	----	59 UNCH
4485	----	----	273.90B/140.00A	273.90B/140.00A	----	238.40 + 91.80	.8074	----	----	----	----	11 UNCH
4490	----	----	269.20B/136.90A	269.20B/136.90A	----	234.30 + 90.90	.8019	----	----	----	----	81 UNCH
4495	----	----	264.90B/133.90A	264.90B/133.90A	----	230.30 + 90.10	.7968	----	----	----	----	12 UNCH
4500	250.20	250.20	260.90B/130.90A	260.90B/130.90A	----	226.30 + 89.20	.7910	----	----	52	----	4466 - 39
4505	----	----	256.70B/127.70A	256.70B/127.70A	----	222.40 + 88.40	.7855	----	----	----	----	53 UNCH
4510	----	----	252.60B/124.10A	252.60B/124.10A	----	218.40 + 87.50	.7797	----	----	----	----	1475 UNCH
4515	----	----	249.20B/121.50A	249.20B/121.50A	----	214.60 + 86.70	.7739	----	----	----	----	99 UNCH
4520	----	----	245.20B/118.60A	245.20B/118.60A	----	210.70 + 85.70	.7681	----	----	----	----	92 UNCH
4525	208.90	208.90	240.80B/115.70A	240.80B/115.70A	----	206.90 + 84.90	.7619	----	----	14	----	414 - 12
4530	----	----	237.20B/112.90A	237.20B/112.90A	----	203.10 + 83.90	.7558	----	----	----	----	124 UNCH
4535	186.80	186.80	232.80B/110.30A	232.80B/110.30A	----	199.30 + 83.00	.7496	----	----	1	----	104 UNCH
4540	----	----	229.40B/107.50A	229.40B/107.50A	----	195.60 + 82.10	.7432	----	----	----	----	114 UNCH
4545	----	----	225.30B/104.70A	225.30B/104.70A	----	191.90 + 81.10	.7367	----	----	----	----	33 UNCH
4550	207.00	207.00	221.40B/102.30A	221.40B/102.30A	----	188.20 + 80.10	.7303	----	----	4	----	343 - 2
4555	----	----	217.70B/99.70A	217.70B/99.70A	----	184.60 + 79.20	.7238	----	----	----	----	29 UNCH
4560	----	----	214.20B/97.30A	214.20B/97.30A	----	181.00 + 78.20	.7170	----	----	----	----	174 UNCH
4565	170.50	170.50	210.10B/94.70A	210.10B/94.70A	----	177.50 + 77.30	.7101	----	----	2	----	106 - 2
4570	----	----	206.30B/92.60A	206.30B/92.60A	----	173.90 + 76.20	.7031	----	----	3	----	70 - 1
4575	----	----	202.70B/90.10A	202.70B/90.10A	----	170.50 + 75.30	.6961	----	----	1	----	88 UNCH
4580	----	----	199.50B/87.70A	199.50B/87.70A	----	167.00 + 74.20	.6891	----	----	----	----	43 UNCH
4585	122.90	122.90	195.90B/85.40A	195.90B/85.40A	----	163.60 + 73.20	.6819	----	----	1	----	186 UNCH
4590	125.00	125.00	192.00B/83.20A	192.00B/83.20A	----	160.20 + 72.20	.6747	----	----	2	----	231 - 2
4595	----	----	188.40B/81.10A	188.40B/81.10A	----	156.90 + 71.10	.6673	----	----	----	----	40 UNCH
4600	97.80	97.80	185.10/78.90A	185.10/78.90A	----	153.60 + 70.10	.6600	----	----	151	----	5737 UNCH
4605	----	----	181.40B/76.70A	181.40B/76.70A	----	150.30 + 69.00	.6524	----	----	----	----	156 UNCH
4610	----	----	178.50B/74.70A	178.50B/74.70A	----	147.10 + 68.00	.6448	----	----	----	----	122 UNCH
4615	100.00	100.00	174.70B/72.70A	174.70B/72.70A	----	143.90 + 66.90	.6372	----	----	4	----	55 + 2
4620	70.00	70.00	171.30B/70.00	171.30B/70.00	----	140.80 + 65.90	.6296	----	----	4	----	72 + 1
4625	97.50	97.50	168.20B/68.70A	168.20B/68.70A	----	137.70 + 64.80	.6218	----	----	67	----	274 + 24
4630	100.10	100.10	164.80B/66.90A	164.80B/66.90A	----	134.70 + 63.80	.6140	----	----	1	----	29 - 1
4635	101.50	101.50	161.60B/65.00A	161.60B/65.00A	----	131.60 + 62.60	.6062	----	----	4	----	105 UNCH
4640	96.60	96.60	158.40B/63.30A	158.40B/63.30A	----	128.70 + 61.60	.5982	----	----	5	----	38 - 1
4645	92.60	92.60	155.60B/61.40A	155.60B/61.40A	----	125.80 + 60.50	.5902	----	----	1	----	14 UNCH
4650	95.00	95.00	152.00B/59.60A	152.00B/59.60A	----	122.90 + 59.50	.5822	----	----	33	----	2119 - 6
4655	88.40	88.40	149.40B/58.10A	149.40B/58.10A	----	120.10 + 58.40	.5742	----	----	1	----	54 + 1
4660	85.90	85.90	146.40B/56.40A	146.40B/56.40A	----	117.30 + 57.30	.5661	----	----	5	----	95 + 5
4665	83.40	83.40	143.40B/54.80A	143.40B/54.80A	----	114.50 + 56.20	.5580	----	----	4	----	81 + 2
4670	81.30	81.30	140.50B/53.30A	140.50B/53.30A	----	111.90 + 55.30	.5498	----	----	101	----	166 - 4
4675	123.70	123.70	137.60B/51.80A	137.60B/51.80A	----	109.20 + 54.20	.5417	----	----	15	----	522 + 2
4680	72.70	72.70	134.70B/50.20A	134.70B/50.20A	----	106.60 + 53.10	.5335	----	----	13	----	224 + 1
4685	89.80	89.80	131.90B/48.80A	131.90B/48.80A	----	104.00 + 52.00	.5253	----	----	2	----	57 + 1
4690	57.20	57.20	129.10B/47.40A	129.10B/47.40A	----	101.50 + 51.00	.5171	----	----	5	----	61 + 1
4695	----	----	126.30B/46.00A	126.30B/46.00A	----	99.10 + 50.10	.5089	----	----	1	----	68 + 1
4700	65.00	65.00	124.20/44.70A	124.20/44.70A	----	96.60 + 49.00	.5007	----	----	501	100	3843 - 40
4705	104.10	104.10	120.90B/43.40A	120.90B/43.40A	----	94.20 + 47.90	.4925	----	----	8	----	43 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 21

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4710	62.10	62.10	118.40B/42.10A	118.40B/42.10A	----	91.90 + 47.00	.4843	----	----	82	----	60 + 22
4715	69.50	69.50	115.80B/40.90A	115.80B/40.90A	----	89.60 + 45.90	.4762	----	----	74	----	43 + 13
4720	58.40	58.40	113.50B/39.70A	113.50B/39.70A	----	87.30 + 44.90	.4680	----	----	37	----	319 - 12
4725	65.50	65.50	111.00B/38.50A	111.00B/38.50A	----	85.10 + 43.90	.4599	----	----	37	----	364 - 6
4730	60.50	60.50	108.50B/37.50A	108.50B/37.50A	----	83.00 + 43.00	.4519	----	----	24	----	59 + 4
4735	92.30	92.30	106.10B/36.30A	106.10B/36.30A	----	80.80 + 42.00	.4438	----	----	2	----	258 + 2
4740	53.00	53.00	103.60B/35.30A	103.60B/35.30A	----	78.80 + 41.10	.4358	----	----	75	----	66 + 24
4745	67.90	67.90	101.00B/34.20A	101.00B/34.20A	----	76.70 + 40.10	.4278	----	----	4	----	80 + 2
4750	51.40	51.40	98.90B/33.20A	98.90B/33.20A	----	74.70 + 39.10	.4199	----	----	345	----	2505 + 99
4755	65.00	65.00	96.70B/32.30A	96.70B/32.30A	----	72.80 + 38.20	.4121	----	----	4	----	114 UNCH
4760	93.70	93.70	94.50B/31.40A	94.50B/31.40A	----	70.80 + 37.20	.4042	----	----	39	----	85 + 19
4765	50.60	50.60	92.30B/30.50A	92.30B/30.50A	----	69.00 + 36.40	.3965	----	----	3	----	78 + 1
4770	48.20	48.20	90.20B/29.60A	90.20B/29.60A	----	67.10 + 35.40	.3887	----	----	67	----	142 + 49
4775	----	----	88.10B/28.60A	88.10B/28.60A	----	65.30 + 34.50	.3810	----	----	21	----	300 - 2
4780	67.90	67.90	85.80B/27.80A	85.80B/27.80A	----	63.60 + 33.70	.3735	----	----	5	----	156 - 3
4785	----	----	83.80B/27.00A	83.80B/27.00A	----	61.90 + 32.90	.3661	----	----	----	----	48 UNCH
4790	47.50	47.50	81.80B/26.20A	81.80B/26.20A	----	60.20 + 32.00	.3586	----	----	7	----	101 + 5
4795	----	----	80.00B/25.40A	80.00B/25.40A	----	58.50 + 31.10	.3511	----	----	----	----	72 UNCH
4800	30.00	30.00	78.20B/24.70A	78.20B/24.70A	----	56.90 + 30.30	.3439	----	----	1577	----	7400 - 38
4805	65.40	65.40	76.20B/24.00A	76.20B/24.00A	----	55.40 + 29.60	.3368	----	----	2	----	42 + 1
4810	----	----	74.40B/23.30A	74.40B/23.30A	----	53.90 + 28.80	.3297	----	----	8	----	54 + 4
4815	38.70	38.70	72.70B/22.60A	72.70B/22.60A	----	52.40 + 28.10	.3226	----	----	1	----	92 UNCH
4820	----	----	70.70B/21.90A	70.70B/21.90A	----	50.90 + 27.30	.3156	----	----	20	102	326 + 110
4825	34.00	34.00	69.10B/21.30A	69.10B/21.30A	----	49.50 + 26.50	.3088	----	----	51	----	740 + 22
4830	50.40	50.40	67.30B/20.70A	67.30B/20.70A	----	48.10 + 25.80	.3020	----	----	6	----	323 - 3
4835	----	----	65.90B/20.10A	65.90B/20.10A	----	46.70 + 25.00	.2952	----	----	8	----	22 + 3
4840	33.00	33.00	64.30B/19.50A	64.30B/19.50A	----	45.40 + 24.40	.2886	----	----	105	----	160 + 52
4845	47.80	47.80	62.50B/19.00A	62.50B/19.00A	----	44.10 + 23.70	.2821	----	----	15	----	55 + 13
4850	31.40	31.40	61.00/18.40A	61.00/18.40A	----	42.90 + 23.10	.2758	----	----	295	----	2042 + 83
4855	49.50	49.50	59.60B/17.90A	59.60B/17.90A	----	41.70 + 22.40	.2696	----	----	18	----	551 - 8
4860	29.90	29.90	58.00B/17.40A	58.00B/17.40A	----	40.50 + 21.80	.2633	----	----	16	----	76 + 9
4865	50.10	50.10	56.70B/16.90A	56.70B/16.90A	----	39.40 + 21.20	.2574	----	----	23	----	75 + 1
4870	35.10	35.10	55.10B/16.50A	55.10B/16.50A	----	38.20 + 20.50	.2512	----	----	23	----	48 - 1
4875	37.50	37.50	53.80B/15.90A	53.80B/15.90A	----	37.10 + 19.90	.2453	----	----	76	----	350 - 22
4880	----	----	52.40B/15.60A	52.40B/15.60A	----	36.10 + 19.40	.2397	----	----	2	----	94 + 1
4885	43.20	43.20	51.10B/15.10A	51.10B/15.10A	----	35.10 + 18.80	.2341	----	----	4	----	203 - 91
4890	23.50	23.50	49.80B/14.70A	49.80B/14.70A	----	34.10 + 18.30	.2285	----	----	4	----	299 - 89
4895	42.40	42.40	48.70B/14.30A	48.70B/14.30A	----	33.10 + 17.70	.2230	----	----	27	----	250 - 14
4900	21.00	21.00	47.40B/13.80A	47.40B/13.80A	----	32.20 + 17.20	.2178	----	----	1358	----	6662 - 334
4905	34.60	34.60	46.10B/13.50A	46.10B/13.50A	----	31.20 + 16.60	.2123	----	----	8	----	46 + 4
4910	20.10	20.10	45.10B/13.10A	45.10B/13.10A	----	30.40 + 16.20	.2074	----	----	25	----	68 + 5
4915	18.70	18.70	43.80B/12.80A	43.80B/12.80A	----	29.50 + 15.70	.2023	----	----	55	----	303 - 1
4920	23.30	23.30	42.70B/12.50A	42.70B/12.50A	----	28.70 + 15.20	.1975	----	----	5	----	130 - 2
4925	28.80	28.80	41.70B/12.20A	41.70B/12.20A	----	27.80 + 14.70	.1924	----	----	16	----	244 - 4
4930	32.80	32.80	40.60B/11.90A	40.60B/11.90A	----	27.10 + 14.30	.1880	----	----	2	----	231 - 2
4935	34.60	34.60	39.60B/11.50A	39.60B/11.50A	----	26.30 + 13.80	.1832	----	----	4	----	89 - 3
4940	27.00	27.00	38.60B/11.30A	38.60B/11.30A	----	25.50 + 13.40	.1785	----	----	12	----	797 + 1
4945	29.90	29.90	37.60B/11.00A	37.60B/11.00A	----	24.80 + 13.00	.1742	----	----	2	----	366 UNCH
4950	16.00	16.00	36.50/10.70A	36.50/10.70A	----	24.10 + 12.60	.1699	----	----	444	200	1852 + 217
4955	----	----	35.60B/10.40A	35.60B/10.40A	----	23.40 + 12.20	.1656	----	----	----	----	109 UNCH
4960	31.70	31.70	34.70B/10.20A	34.70B/10.20A	----	22.80 + 11.90	.1617	----	----	7	125	382 - 70
4965	----	----	33.90B/9.90A	33.90B/9.90A	----	22.10 + 11.40	.1574	----	----	1	----	145 + 1
4970	24.40	24.40	32.90B/9.70A	32.90B/9.70A	----	21.50 + 11.10	.1536	----	----	8	----	198 - 1
4975	25.50	25.50	32.20B/9.50A	32.20B/9.50A	----	20.90 + 10.70	.1497	----	----	33	----	355 - 6
4980	----	----	31.40B/9.30A	31.40B/9.30A	----	20.30 + 10.40	.1459	----	----	14	----	226 + 1
4985	20.10	20.10	30.60B/9.00A	30.60B/9.00A	----	19.70 + 10.00	.1421	----	----	3	----	181 + 3
4990	----	----	29.80B/8.80A	29.80B/8.80A	----	19.20 + 9.80	.1388	----	----	201	----	931 + 111
4995	----	----	29.00B/8.60A	29.00B/8.60A	----	18.60 + 9.40	.1350	----	----	2	----	147 - 1
5000	11.00	11.00	28.30B/8.40A	28.30B/8.40A	----	18.10 + 9.10	.1317	----	----	2314	----	9247 - 718
5005	22.60	22.60	27.60B/8.20A	27.60B/8.20A	----	17.60 + 8.80	.1284	----	----	54	----	341 - 10
5010	10.10	10.10	26.90B/8.10A	26.90B/8.10A	----	17.10 + 8.50	.1251	----	----	2	----	210 - 2
5015	17.90	17.90	26.20B/7.70A	26.20B/7.70A	----	16.60 + 8.20	.1218	----	----	2	----	134 + 2
5020	25.90	25.90	26.10/7.70A	26.10/7.70A	----	16.20 + 8.00	.1190	----	----	5	----	471 UNCH
5025	23.70	23.70	24.80B/7.50A	24.80B/7.50A	----	15.70 + 7.70	.1157	----	----	44	----	157 + 2
5030	20.30	20.30	24.20B/7.20A	24.20B/7.20A	----	15.30 + 7.50	.1129	----	----	101	----	187 + 41
5035	10.00	10.00	23.60B/7.10A	23.60B/7.10A	----	14.90 + 7.20	.1101	----	----	1	----	72 + 1
5040	22.30	22.30	23.00B/6.90A	23.00B/6.90A	----	14.50 + 7.00	.1074	----	----	11	----	242 + 6
5045	----	----	22.40B/6.80A	22.40B/6.80A	----	14.10 + 6.70	.1047	----	----	----	----	180 UNCH
5050	20.00	20.00	21.90B/6.80A	21.90B/6.80A	----	13.70 + 6.50	.1019	----	----	200	----	1593 + 115
5055	17.00	17.00	21.30B/6.50A	21.30B/6.50A	----	13.30 + 6.20	.0992	----	----	1	----	65 UNCH
5060	----	----	20.80B/6.50A	20.80B/6.50A	----	13.00 + 6.10	.0970	----	----	1	----	103 UNCH
5065	15.60	15.60	20.30B/6.40A	20.30B/6.40A	----	12.60 + 5.80	.0943	----	----	1	----	34 + 1
5070	----	----	19.70B/6.20A	19.70B/6.20A	----	12.30 + 5.70	.0921	----	----	----	----	106 UNCH
5075	13.00	13.00	19.30B/6.10A	19.30B/6.10A	----	12.00 + 5.50	.0899	----	----	27	----	748 - 3
5080	11.80	11.80	18.70B/6.00A	18.70B/6.00A	----	11.60 + 5.20	.0873	----	----	1	----	437 - 1
5085	14.50	14.50	18.30B/5.90A	18.30B/5.90A	----	11.30 + 5.10	.0851	----	----	15	----	217 - 3
5090	14.40	14.40	18.40/5.80A	18.40/5.80A	----	11.10 + 5.00	.0835	----	----	2	----	87 - 2
5095	13.60	13.60	17.40B/5.70A	17.40B/5.70A	----	10.80 + 4.80	.0813	----	----	12	----	93 - 8
5100	5.30	5.30	17.00B/5.30	17.00B/5.30	----	10.50 + 4.60	.0792	----	----	398	500	6519 - 372
5105	----	----	16.60B/5.50A	16.60B/5.50A	----	10.20 + 4.40	.0771	----	----	2	----	52 UNCH
5110	10.10	10.10	16.20B/5.40A	16.20B/5.40A	----	10.00 + 4.30	.0755	----	----	3	----	116 - 3
5115	11.50	11.50	15.80B/5.30A	15.80B/5.30A	----	9.70 + 4.10	.0734	----	----	10	----	184 + 3
5120	12.10	12.10	15.40B/5.20A	15.40B/5.20A	----	9.50 + 4.00	.0719	----	----	1	----	159 + 1
5125	14.70	14.70	15.10B/5.10A	15.10B/5.10A	----	9.30 + 3.90	.0703	----	----	24	----	319 - 1
5130	10.70	10.70	14.70B/5.10A	14.70B/5.10A	----	9.10 + 3.80	.0688	----	----	18	----	74 + 7
5135	----	----	14.30B/5.00A	14.30B/5.00A	----	8.80 + 3.60	.0667	----	----	----	----	79 UNCH
5140	10.20	10.20	13.90B/4.90A	13.90B/4.90A	----	8.60 + 3.50	.0652	----	----	15	----	144 UNCH
5145	11.20	11.20	13.70B/4.80A	13.70B/4.80A	----	8.40 + 3.40	.0637	----	----	1	----	29 UNCH
5150	9.00	9.00	13.40B/4.70A	13.40B/4.70A	----	8.20 + 3.30	.0622	----	----	573	200	2457 + 171
5155	9.70	9.70	13.10B/4.70A	13.10B/4.70A	----	8.10 + 3.20	.0613	----	----	3	----	37 - 1
5160	----	----	12.80B/4.60A	12.80B/4.60A	----	7.90 + 3.10	.0598	----	----	1	----	112 - 1
5165	9.10	9.10	12.50B/4.50A	12.50B/4.50A	----	7.70 + 3.00	.0583	----	----	22	----	149 UNCH
5170	8.10	8.10	12.20B/4.50A	12.20B/4.50A	----	7.50 + 2.90	.0569	----	----	1	----	363 UNCH
5175	----	----	11.90B/4.40A	11.90B/4.40A	----	7.40 + 2.90	.0559	----	----	1	----	72 UNCH
5180	7.80	7.80	11.60B/4.30A	11.60B/4.30A	----	7.20 + 2.70	.0545	----	----	3	----	67 + 2
5185	----	----	11.40B/4.30A	11.40B/4.30A	----	7.00 + 2.60	.0531	----	----	----	----	115 UNCH
5190	7.20	7.20	11.20B/4.20A	11.20B/4.20A	----	6.90 + 2.60	.0522	----	----	9	----	496 + 6
5195	----	----	10.90B/4.10A	10.90B/4.10A	----	6.70 + 2.40	.0507	----	----	----	----	524 UNCH
5200	5.00	5.00	10.70B/4.10A	10.70B/4.10A	----	6.60 + 2.40	.0499	----	----	299	----	5952 - 185
5205	7.90	7.90	10.40B/4.00A	10.40B/4.00A	----	6.50 + 2.40	.0490	----	----	19	----	84 + 9
5210	6.60	6.60	10.20B/4.00A	10.20B/4.00A	----	6.30 + 2.20	.0476	----	----	2	----	3072 - 1
5215	7.20	7.20	10.00B/3.90A	10.00B/3.90A	----	6.20 + 2.20	.0468	----	----	2	----	83 + 2
5220	7.60	7.60	9.70B/7.10	9.70B/3.90A	----	6.10 + 2.20	.0459	----	----	10	----	207 + 4
5225	----	----	9.50B/3.80A	9.50B/3.80A	----	5.90 + 2.00	.0445	----	----	30	----	792 - 30
5230	7.40	7.40	9.30B/6.80	9.30B/3.80A	----	5.80 + 2.00	.0437	----	----	7	----	124 + 1
5235	7.00	7.00	9.10B/3.70A	9.10B/3.70A	----	5.70 + 1.90	.0429	----	----	7	----	157 + 2
5240	----	----	8.90B/3.60A	8.90B/3.60A	----	5.60 + 1.90	.0421	----	----	2	----	67 + 2
5245	6.50	6.50	8.70B/3.60A	8.70B/3.60A	----	5.50 + 1.80	.0413	----	----	3	----	25 + 2
5250	6.80	6.80	8.50B/3.50A	8.50B/3.50A	----	5.40 + 1.80	.0405	----	----	357	----	4280 + 27
5255	6.40	6.40	8.30B/3.50A	8.30B/3.50A	----	5.30 + 1.70	.0397	----	----	8	----	243 + 3
5260	6.50	6.50	8.10B/6.50	8.10B/3.50A	----	5.20 + 1.70	.0389	----	----	1	----	375 + 1
5265	----	----	8.00B/3.40A	8.00B/3.40A	----	5.10 + 1.60	.0381	----	----	----	----	49 UNCH
5270	----	----	7.80B/----	7.80B/3.40A	----	5.00 + 1.60	.0373	----	----	----	----	48 UNCH
5275	----	----	7.60B/----	7.60B/3.40A	----	4.90 + 1.50	.0365	----	----	----	----	126 UNCH
5280	----	----	7.50B/----	7.50B/3.40A	----	4.80 + 1.50	.0358	----	----	----	----	98 UNCH
5285	----	----	7.30B/----	7.30B/3.30A	----	4.70 + 1.40	.0350	----	----	----	----	167 UNCH
5290	4.50	4.50	7.20B/4.50	7.20B/3.30A	----	4.60 + 1.40	.0343	----	----	1	----	36 + 1
5295	----	----	7.10B/----	7.10B/3.20A	----	4.50 + 1.30	.0335	----	----	----	----	93 UNCH
5300	6.00	6.00	6.90B/3.10A	6.90B/3.10A	----	4.40 + 1.20	.0328	----	----	296	----	4681 - 58
5305	4.30	4.30	6.80B/4.30	6.80B/3.20A	----	4.40 + 1.30	.0326	----	----	1	----	303 UNCH
5310	4.20	4.20	6.70B/4.20	6.70B/3.10A	----	4.30 + 1.20	.0318	----	----	3	----	126 + 1
5315	----	----	6.50B/----	6.50B/3.10A	----	4.20 + 1.10	.0311	----	----	----	----	82 UNCH
5320	----	----	6.40B/----	6.40B/3.10A	----	4.10 + 1.10	.0304	----	----	----	----	140 UNCH
5325	----	----	6.30B/----	6.30B/3.00A	----	4.10 + 1.10	.0302	----	----	5	----	216 + 3
5330	----	----	6.20B/----	6.20B/3.00A	----	4.00 + 1.00	.0295	----	----	----	----	84 UNCH
5335	3.80	3.80	6.10B/3.80	6.10B/3.00A	----	3.90 + 1.00	.0287	----	----	1	----	27 + 1
5340	4.40	4.40	6.00B/4.40	6.00B/2.90A	----	3.90 + 1.00	.0286	----	----	27	----	81 + 11
5345	4.70	4.70	5.80B/4.70	5.80B/2.90A	----	3.80 + 0.90	.0279	----	----	3	----	26 + 2
5350	4.70	4.70	5.80B/2.80A	5.80B/2.80A	----	3.70 + 0.80	.0272	----	----	114	----	1944 + 12
5355	----	----	5.60B/----	5.60B/2.90A	----	3.70 + 0.90	.0270	----	----	1	----	20 - 1
5360	----	----	5.50B/----	5.50B/2.80A	----	3.60 + 0.80	.0263	----	----	----	----	65 UNCH
5365	----	----	5.40B/----	5.40B/2.80A	----	3.60 + 0.80	.0262	----	----	----	----	12 UNCH
5370	----	----	5.30B/2.70A	5.30B/2.70A	----	3.50 + 0.70	.0255	----	----	----	----	75 UNCH
5375	----	----	5.20B/----	5.20B/2.70A	----	3.50 + 0.80	.0254	----	----	2	----	269 UNCH
5380	----	----	5.10B/----	5.10B/2.70A	----	3.40 + 0.70	.0247	----	----	----	----	98 UNCH
5385	----	----	5.10B/2.60A	5.10B/2.60A	----	3.40 + 0.70	.0245	----	----	----	----	10 UNCH
5390	----	----	5.00B/2.60A	5.00B/2.60A	----	3.30 + 0.60	.0239	----	----	----	----	121 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 22

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5395	----	----	4.90B/2.60A	4.90B/2.60A	----	3.30 + 0.60	.0237	----	----	----	----	47 UNCH
5400	2.50	2.50	4.80/2.50	4.80/2.50	----	3.30 + 0.70	.0236	----	----	71	----	5268 - 48
5405	----	----	4.70B/2.50A	4.70B/2.50A	----	3.20 + 0.60	.0230	----	----	----	----	87 UNCH
5410	2.60	2.60	4.60B/2.50A	4.60B/2.50A	----	3.20 + 0.60	.0228	----	----	7	----	32 + 1
5415	----	----	4.50B/2.50A	4.50B/2.50A	----	3.10 + 0.50	.0222	----	----	----	----	12 UNCH
5420	----	----	4.50B/----	4.50B/2.50A	----	3.10 + 0.60	.0221	----	----	----	----	43 UNCH
5425	3.90	3.90	4.40B/3.90	4.40B/2.50A	----	3.10 + 0.60	.0220	----	----	5	----	125 UNCH
5430	----	----	4.30B/----	4.30B/2.50A	----	3.00 + 0.50	.0213	----	----	----	----	103 UNCH
5435	----	----	4.30B/2.40A	4.30B/2.40A	----	3.00 + 0.50	.0212	----	----	----	----	19 UNCH
5440	----	----	4.20B/----	4.20B/2.40A	----	2.90 + 0.50	.0205	----	----	----	----	98 UNCH
5445	----	----	4.10B/----	4.10B/2.40A	----	2.90 + 0.50	.0204	----	----	----	----	40 UNCH
5450	3.70	3.70	4.10B/2.30A	4.10B/2.30A	----	2.90 + 0.50	.0203	----	----	16	----	1525 - 10
5455	----	----	4.00B/----	4.00B/2.40A	----	2.80 + 0.40	.0197	----	----	----	----	181 UNCH
5460	----	----	3.90B/----	3.90B/2.30A	----	2.80 + 0.50	.0196	----	----	----	----	130 UNCH
5465	----	----	3.90B/----	3.90B/2.30A	----	2.80 + 0.50	.0195	----	----	----	----	40 UNCH
5470	----	----	3.80B/----	3.80B/2.30A	----	2.70 + 0.40	.0189	----	----	----	----	36 UNCH
5475	----	----	3.80B/----	3.80B/2.20A	----	2.70 + 0.50	.0188	----	----	----	----	79 UNCH
5480	2.20	2.20	3.70B/2.20	3.70B/2.20	----	2.70 + 0.50	.0187	----	----	1	----	48 + 1
5485	----	----	3.70B/----	3.70B/2.20A	----	2.70 + 0.50	.0186	----	----	----	----	9 UNCH
5490	2.10	2.10	3.60B/2.10	3.60B/2.10	----	2.60 + 0.40	.0180	----	----	1	----	189 + 1
5495	----	----	3.60B/----	3.60B/2.20A	----	2.60 + 0.50	.0179	----	----	----	----	75 UNCH
5500	2.00	2.00	3.50B/2.00	3.50B/2.00	----	2.60 + 0.50	.0178	----	----	133	300	6989 - 34
5505	----	----	3.50B/----	3.50B/2.10A	----	2.50 + 0.40	.0172	----	----	----	----	15 UNCH
5510	----	----	3.40B/----	3.40B/2.20A	----	2.50 + 0.40	.0171	----	----	----	----	185 UNCH
5515	----	----	3.40B/----	3.40B/2.10A	----	2.50 + 0.50	.0171	----	----	----	----	38 UNCH
5520	----	----	3.30B/----	3.30B/2.10A	----	2.50 + 0.50	.0170	----	----	----	----	26 UNCH
5525	----	----	3.30B/----	3.30B/2.20A	----	2.40 + 0.40	.0164	----	----	----	----	166 UNCH
5530	----	----	3.20B/----	3.20B/2.10A	----	2.40 + 0.40	.0163	----	----	----	----	39 UNCH
5535	----	----	3.20B/----	3.20B/2.20A	----	2.40 + 0.40	.0162	----	----	----	----	8 UNCH
5540	----	----	3.10B/----	3.10B/2.20A	----	2.40 + 0.50	.0162	----	----	----	----	292 UNCH
5545	----	----	3.10B/----	3.10B/2.10A	----	2.30 + 0.40	.0156	----	----	----	----	19 UNCH
5550	----	----	3.10B/----	3.10B/2.10A	----	2.30 + 0.40	.0155	----	----	41	----	771 - 41
5555	----	----	3.00B/----	3.00B/2.10A	----	2.30 + 0.40	.0154	----	----	----	----	4 UNCH
5560	----	----	3.00B/----	3.00B/2.00A	----	2.20 + 0.30	.0148	----	----	----	----	52 UNCH
5565	----	----	3.00B/----	3.00B/2.00A	----	2.20 + 0.40	.0148	----	----	----	----	14 UNCH
5570	----	----	2.90B/----	2.90B/2.10A	----	2.20 + 0.40	.0147	----	----	----	----	28 UNCH
5575	----	----	2.90B/----	2.90B/2.10A	----	2.20 + 0.40	.0146	----	----	----	----	60 UNCH
5580	----	----	2.80B/----	2.80B/2.00A	----	2.10 + 0.30	.0140	----	----	----	----	13 UNCH
5585	----	----	2.80B/----	2.80B/2.10A	----	2.10 + 0.30	.0140	----	----	----	----	11 UNCH
5590	----	----	2.80B/----	2.80B/2.00A	----	2.10 + 0.30	.0139	----	----	----	----	94 UNCH
5595	----	----	2.70B/----	2.70B/2.00A	----	2.10 + 0.30	.0139	----	----	----	----	39 UNCH
5600	2.80	2.80	2.80/2.80	2.80/2.00A	----	2.10 + 0.40	.0138	----	----	154	----	2382 - 50
5610	----	----	2.70B/----	2.70B/1.80A	----	2.00 + 0.30	.0132	----	----	----	----	73 UNCH
5620	----	----	2.60B/----	2.60B/1.90A	----	2.00 + 0.30	.0131	----	----	----	----	59 UNCH
5625	----	----	2.60B/----	2.60B/1.90A	----	2.00 + 0.30	.0130	----	----	----	----	405 UNCH
5630	----	----	2.50B/----	2.50B/1.90A	----	1.90 + 0.20	.0124	----	----	----	----	231 UNCH
5640	----	----	2.50B/----	2.50B/1.90A	----	1.90 + 0.30	.0123	----	----	6	----	74 - 5
5650	----	----	2.40B/----	2.40B/1.90A	----	1.90 + 0.30	.0123	----	----	2	----	733 - 2
5660	----	----	2.40B/----	2.40B/1.90A	----	1.80 + 0.20	.0116	----	----	----	----	42 UNCH
5665	----	----	2.30B/----	2.30B/1.80A	----	1.80 + 0.20	.0116	----	----	----	----	6 UNCH
5670	----	----	2.30B/----	2.30B/1.70A	----	1.80 + 0.20	.0115	----	----	----	----	119 UNCH
5675	----	----	2.60B/----	2.60B/1.80A	----	1.80 + 0.20	.0115	----	----	----	----	22 UNCH
5680	----	----	2.30B/----	2.30B/1.80A	----	1.80 + 0.20	.0115	----	----	----	----	47 UNCH
5690	----	----	2.20B/----	2.20B/1.80A	----	1.80 + 0.30	.0114	----	----	6	----	170 UNCH
5700	2.50	2.50	2.50/2.50	2.50/1.80A	----	1.70 + 0.20	.0108	----	----	80	----	1895 - 2
5710	----	----	2.10B/----	2.10B/1.60A	----	1.70 + 0.20	.0107	----	----	----	----	41 UNCH
5720	----	----	2.10B/----	2.10B/1.70A	----	1.70 + 0.20	.0106	----	----	----	----	18 UNCH
5725	----	----	2.30B/----	2.30B/1.70A	----	1.70 + 0.20	.0106	----	----	----	----	36 UNCH
5730	----	----	2.00B/----	2.00B/1.70A	----	1.70 + 0.20	.0106	----	----	----	----	59 UNCH
5740	----	----	2.00B/----	2.00B/1.60A	----	1.70 + 0.30	.0105	----	----	----	----	61 UNCH
5750	----	----	2.20B/----	2.20B/1.70A	----	1.60 + 0.20	.0099	----	----	----	----	1679 UNCH
5760	----	----	1.90B/----	1.90B/1.60A	----	1.60 + 0.20	.0098	----	----	----	----	18 UNCH
5770	----	----	1.90B/----	1.90B/1.60A	----	1.60 + 0.20	.0098	----	----	----	----	32 UNCH
5775	----	----	1.90B/----	1.90B/1.60A	----	1.60 + 0.20	.0097	----	----	----	----	167 UNCH
5780	----	----	1.90B/----	1.90B/1.60A	----	1.60 + 0.30	.0097	----	----	----	----	219 UNCH
5790	----	----	1.80B/----	1.80B/1.60A	----	1.50 + 0.20	.0091	----	----	----	----	11 UNCH
5800	1.60	1.60	1.80B/1.60	1.80B/1.50A	----	1.50 + 0.20	.0091	----	----	15	----	3139 UNCH
5810	----	----	1.80B/----	1.80B/1.60A	----	1.50 + 0.20	.0090	----	----	----	----	260 UNCH
5820	----	----	1.70B/----	1.70B/1.50A	----	1.40 + 0.10	.0085	----	----	5	----	35 UNCH
5825	----	----	1.70B/----	1.70B/1.50A	----	1.40 + 0.20	.0084	----	----	----	----	37 UNCH
5830	----	----	1.70B/----	1.70B/1.50A	----	1.40 + 0.20	.0084	----	----	----	----	17 UNCH
5840	----	----	1.70B/----	1.70B/1.50A	----	1.40 + 0.20	.0084	----	----	----	----	22 UNCH
5850	----	----	1.70B/----	1.70B/1.50A	----	1.40 + 0.20	.0083	----	----	----	----	456 UNCH
5860	----	----	1.60B/----	1.60B/1.50A	----	1.30 + 0.10	.0078	----	----	----	----	24 UNCH
5870	----	----	1.60B/----	1.60B/1.40A	----	1.30 + 0.10	.0077	----	----	----	----	32 UNCH
5875	----	----	1.60B/----	1.60B/1.40A	----	1.30 + 0.20	.0077	----	----	----	----	196 UNCH
5880	----	----	1.60B/----	1.60B/1.40A	----	1.30 + 0.20	.0077	----	----	----	----	17 UNCH
5890	----	----	1.50B/----	1.50B/1.40A	----	1.30 + 0.20	.0076	----	----	----	----	139 UNCH
5900	1.60	1.60	1.70/1.40A	1.70/1.40A	----	1.20 + 0.10	.0071	----	----	3	----	1371 - 3
5910	----	----	1.50B/----	1.50B/1.30A	----	1.20 + 0.10	.0070	----	----	----	----	12 UNCH
5920	----	----	1.50B/----	1.50B/1.30A	----	1.20 + 0.10	.0070	----	----	----	----	40 UNCH
5930	----	----	1.40B/----	1.40B/1.30A	----	1.20 + 0.20	.0069	----	----	----	----	57 UNCH
5940	----	----	1.40B/----	1.40B/1.30A	----	1.20 + 0.20	.0069	----	----	----	----	7 UNCH
5950	----	----	1.60B/----	1.60B/1.30A	----	1.20 + 0.20	.0069	----	----	----	----	170 UNCH
5960	----	----	1.40B/----	1.40B/1.20A	----	1.10 + 0.10	.0063	----	----	----	----	46 UNCH
5970	----	----	1.50B/----	1.50B/1.20A	----	1.10 + 0.10	.0063	----	----	----	----	34 UNCH
5980	----	----	1.30B/----	1.30B/1.20A	----	1.10 + 0.10	.0063	----	----	----	----	22 UNCH
5990	----	----	1.50B/----	1.50B/1.20A	----	1.10 + 0.20	.0062	----	----	----	----	13 UNCH
6000	1.30	1.30	1.50/1.00	1.50/1.00	----	1.10 + 0.20	.0062	----	----	33	----	5651 - 4
6010	----	----	1.30B/----	1.30B/1.10A	----	1.00 + 0.10	.0057	----	----	----	----	10 UNCH
6020	----	----	1.20B/----	1.20B/1.10A	----	1.00 + 0.10	.0057	----	----	----	----	23 UNCH
6030	1.00	1.00	1.20B/1.00	1.20B/1.00	----	1.00 + 0.10	.0056	----	----	1	----	31 UNCH
6040	----	----	1.20B/----	1.20B/1.00A	----	1.00 + 0.10	.0056	----	----	----	----	24 UNCH
6050	----	----	1.40B/----	1.40B/1.10A	----	1.00 + 0.20	.0056	----	----	----	----	278 UNCH
6060	----	----	1.20B/----	1.20B/1.10A	----	1.00 + 0.20	.0055	----	----	----	----	32 UNCH
6070	----	----	1.10B/----	1.10B/1.00A	----	1.00 + 0.20	.0055	----	----	----	----	34 UNCH
6080	----	----	1.10B/----	1.10B/1.00A	----	0.90 + 0.10	.0050	----	----	----	----	10 UNCH
6090	----	----	1.10B/----	1.10B/1.00A	----	0.90 + 0.10	.0050	----	----	----	----	26 UNCH
6100	----	----	1.10B/----	1.10B/1.00A	----	0.90 + 0.10	.0049	----	----	----	----	2410 UNCH
6110	----	----	1.10B/----	1.10B/1.00A	----	0.90 + 0.10	.0049	----	----	----	----	65 UNCH
6120	----	----	1.00B/----	1.00B/1.00A	----	0.90 + 0.20	.0049	----	----	----	----	11 UNCH
6125	----	----	1.00B/----	1.00B/1.00A	----	0.90 + 0.20	.0049	----	----	----	----	16 UNCH
6130	----	----	1.00B/----	1.00B/0.90A	----	0.90 + 0.20	.0049	----	----	----	----	10 UNCH
6140	----	----	1.00B/----	1.00B/0.90A	----	0.90 + 0.20	.0048	----	----	----	----	7 UNCH
6150	1.00	1.00	1.00/0.90A	1.00/0.90A	----	0.80 + 0.10	.0044	----	----	1	----	510 + 1
6160	----	----	1.00B/----	1.00B/0.90A	----	0.80 + 0.10	.0043	----	----	----	----	138 UNCH
6170	----	----	1.00B/----	1.00B/0.90A	----	0.80 + 0.10	.0043	----	----	----	----	17 UNCH
6180	----	----	1.00B/----	1.00B/0.90A	----	0.80 + 0.10	.0043	----	----	----	----	75 UNCH
6190	----	----	1.00B/----	1.00B/0.90A	----	0.80 + 0.20	.0043	----	----	----	----	2 UNCH
6200	----	----	1.00B/----	1.00B/0.90A	----	0.80 + 0.20	.0043	----	----	----	----	4274 UNCH
6210	----	----	0.90B/----	0.90B/0.90A	----	0.80 + 0.20	.0042	----	----	----	----	53 UNCH
6220	----	----	0.90B/----	0.90B/0.90A	----	0.80 + 0.20	.0042	----	----	----	----	7 UNCH
6230	----	----	0.90B/----	0.90B/0.80A	----	0.80 + 0.20	.0042	----	----	----	----	67 UNCH
6240	----	----	0.90B/----	0.90B/0.80A	----	0.70 + 0.10	.0037	----	----	----	----	21 UNCH
6250	----	----	0.80B/----	0.80B/0.80A	----	0.70 + 0.10	.0037	----	----	----	----	1322 UNCH
6260	----	----	0.80B/----	0.80B/0.80A	----	0.70 + 0.10	.0037	----	----	----	----	8 UNCH
6270	0.80	0.80	0.80/0.80	0.80/0.80	----	0.70 + 0.10	.0037	----	----	1	----	149 + 1
6280	----	----	0.80B/----	0.80B/0.80A	----	0.70 + 0.20	.0036	----	----	----	----	12 UNCH
6290	----	----	0.80B/----	0.80B/0.80A	----	0.70 + 0.20	.0036	----	----	----	----	19 UNCH
6300	----	----	0.80B/----	0.80B/0.80A	----	0.70 + 0.20	.0036	----	----	----	----	2450 UNCH
6310	----	----	0.80B/----	0.80B/0.80A	----	0.70 + 0.20	.0036	----	----	----	----	2 UNCH
6320	----	----	0.80B/----	0.80B/0.70A	----	0.70 + 0.20	.0036	----	----	----	----	24 UNCH
6330	----	----	0.80B/----	0.80B/0.70A	----	0.60 + 0.10	.0031	----	----	----	----	32 UNCH
6340	----	----	0.80B/----	0.80B/0.80A	----	0.60 + 0.10	.0031	----	----	----	----	36 UNCH
6350	----	----	0.70B/----	0.70B/0.80A	----	0.60 + 0.10	.0031	----	----	----	----	17 UNCH
6360	----	----	0.70B/----	0.70B/0.80A	----	0.60 + 0.10	.0031	----	----	----	----	2 UNCH
6370	----	----	0.70B/----	0.70B/0.80A	----	0.60 + 0.10	.0031	----	----	----	----	6 UNCH
6380	----	----	0.70B/----	0.70B/0.80A	----	0.60 + 0.10	.0030	----	----	----	----	8 UNCH
6390	----	----	0.70B/----	0.70B/0.70A	----	0.60 + 0.10	.0030	----	----	----	----	1 UNCH
6400	----	----	0.70B/----	0.70B/0.70A	----	0.60 + 0.10	.0030	----	----	----	----	481 UNCH
6410	----	----	0.70B/----	0.70B/0.70A	----	0.60 + 0.10	.0030	----	----	----	----	8 UNCH
6420	----	----	0.70B/----	0.70B/0.70A	----	0.60 + 0.20	.0030	----	----	----	----	3 UNCH
6430	----	----	0.70B/----	0.70B/0.70A	----	0.60 + 0.20	.0030	----	----	----	----	35 UNCH
6440	----	----	0.60B/----	0.60B/0.70A	----	0.50 + 0.10	.0025	----	----	----	----	2 UNCH
6450	----	----	0.60B/----	0.60B/0.70A	----	0.50 + 0.10	.0025	----	----	----	----	64 UNCH
6460	0.60	0.60	0.60/*0.60	0.60/0.60	----	0.50 + 0.10	.0025	----	----	2	----	38 + 2
6470	----	----	0.60B/----	0.60B/0.70A	----	0.50 + 0.10	.0025	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
6480	----	----	0.60B/----	0.60B/0.70A	----	0.50 + 0.10	.0025	----	----	----	----	21 UNCH
6490	0.40	0.40	0.60B/*0.40	0.60B/*0.40	----	0.50 + 0.10	.0025	----	----	3	----	17 UNCH
6500	0.10	0.10	0.60/*0.10	0.60/*0.10	----	0.50 + 0.10	.0025	----	----	62	----	1049 - 56
6525	----	----	0.50B/----	0.50B/0.60A	----	0.50 + 0.10	.0024	----	----	----	----	21 UNCH
6550	----	----	0.50B/----	0.50B/0.60A	----	0.50 + 0.10	.0024	----	----	----	----	209 UNCH
6575	----	----	0.50B/----	0.50B/0.60A	----	0.50 + 0.10	.0024	----	----	----	----	7 UNCH
6600	----	----	0.50B/----	0.50B/0.60A	----	0.40 UNCH	.0019	----	----	----	----	878 UNCH
6625	----	----	0.50B/----	0.50B/0.60A	----	0.40 + 0.10	.0019	----	----	----	----	105 UNCH
6650	----	----	0.40B/----	0.40B/0.50A	----	0.40 + 0.10	.0019	----	----	----	----	40 UNCH
6675	----	----	0.40B/----	0.40B/0.50A	----	0.40 + 0.10	.0019	----	----	----	----	48 UNCH
6700	----	----	0.40B/----	0.40B/0.50A	----	0.40 + 0.10	.0019	----	----	----	----	1346 UNCH
6725	----	----	0.40B/----	0.40B/0.50A	----	0.40 + 0.10	.0019	----	----	----	----	107 UNCH
6750	----	----	0.40B/----	0.40B/0.50A	----	0.40 + 0.10	.0018	----	----	----	----	134 UNCH
6775	----	----	0.40B/----	0.40B/0.50A	----	0.40 + 0.10	.0018	----	----	----	----	13 UNCH
6800	----	----	0.40B/----	0.40B/0.50A	----	0.40 + 0.10	.0018	----	----	----	----	239 UNCH
6825	----	----	----	0.30B/0.40A	----	0.40 + 0.10	.0018	----	----	----	----	10 UNCH
6850	----	----	----	0.30B/0.40A	----	0.40 + 0.10	.0018	----	----	----	----	31 UNCH
6875	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0014	----	----	----	----	3 UNCH
6900	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0013	----	----	----	----	157 UNCH
6925	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0013	----	----	----	----	51 UNCH
6950	----	----	0.30B/----	0.30B/0.40A	----	0.30 + 0.10	.0013	----	----	----	----	27 UNCH
6975	----	----	0.30B/----	0.30B/0.40A	----	0.30 + 0.10	.0013	----	----	----	----	21 UNCH
7000	----	----	0.30B/----	0.30B/0.40A	----	0.30 + 0.10	.0013	----	----	----	----	1838 UNCH
7025	----	----	----	0.20B/0.30A	----	0.30 + 0.10	.0013	----	----	----	----	53 UNCH
7050	----	----	----	0.20B/0.30A	----	0.30 + 0.10	.0013	----	----	----	----	120 UNCH
7075	----	----	----	0.10B/0.30A	----	0.30 + 0.10	.0013	----	----	----	----	30 UNCH
7100	----	----	----	0.10B/0.30A	----	0.30 + 0.10	.0013	----	----	----	----	145 UNCH
7125	----	----	----	0.10B/0.30A	----	0.30 + 0.10	.0013	----	----	----	----	52 UNCH
7150	----	----	----	0.10B/0.30A	----	0.30 + 0.10	.0012	----	----	----	----	59 UNCH
7175	----	----	----	0.10B/0.30A	----	0.30 + 0.10	.0012	----	----	----	----	3 UNCH
7200	----	----	----	0.10B/0.30A	----	0.30 + 0.10	.0012	----	----	----	----	134 UNCH
7225	----	----	----	0.10B/0.30A	----	0.30 + 0.10	.0012	----	----	----	----	2 UNCH
7250	----	----	----	0.10B/0.30A	----	0.30 + 0.10	.0012	----	----	----	----	91 UNCH
7275	----	----	----	0.10B/0.30A	----	0.30 + 0.10	.0012	----	----	----	----	1 UNCH
7300	----	----	----	0.10B/0.30A	----	0.30 + 0.10	.0012	----	----	----	----	150 UNCH
7325	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	14 UNCH
7350	----	----	----	----/0.30A	----	0.20 UNCH	.0008	----	----	----	----	3 UNCH
7375	----	----	----	----/0.30A	----	0.20 UNCH	.0008	----	----	----	----	20 UNCH
7400	----	----	----	----/0.30A	----	0.20 UNCH	.0008	----	----	----	----	47 UNCH
7425	----	----	----	----/0.30A	----	0.20 + 0.10	.0008	----	----	----	----	20 UNCH
7450	----	----	----	----/0.30A	----	0.20 + 0.10	.0008	----	----	----	----	5 UNCH
7475	----	----	----	----/0.30A	----	0.20 + 0.10	.0008	----	----	----	----	8 UNCH
7500	----	----	----	0.10B/0.20A	----	0.20 + 0.10	.0008	----	----	----	----	1355 UNCH
7525	----	----	----	----/0.30A	----	0.20 + 0.10	.0008	----	----	----	----	22 UNCH
7575	----	----	----	----/0.30A	----	0.10 UNCH	.0004	----	----	----	----	8 UNCH
7600	----	----	----	0.10B/0.10A	----	0.10 UNCH	.0003	----	----	----	----	78 UNCH
7700	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	50 UNCH
7750	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	12 UNCH
7800	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	39 UNCH
7825	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
7875	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	31 UNCH
7900	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	2 UNCH
7950	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	2 UNCH
8000	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	967 UNCH
8100	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
8200	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	88 UNCH
8300	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	64 UNCH
8500	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	146 UNCH
8600	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	52 UNCH
8800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	32 UNCH
8900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
9000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	3	----	387 UNCH
9100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
9200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	51 UNCH
9300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
9400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
9500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
9600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
9700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
9800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
9900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
10000	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	----	----	----	6	----	363 UNCH
10100	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
10300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
10400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
10500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
10700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
11000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	72 UNCH
11300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
11500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
11600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
11700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
11900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
12000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	406 UNCH
TOTAL										15897	1,527	187728 - 1266
JUL26												
3200	----	----	1,555.40B/----	1555.40B/1521.80A	----	1529.90 + 26.40	.9938	----	----	----	----	4 - 5
3300	----	----	1,455.70B/----	1455.70B/1421.80A	----	1430.10 + 26.20	.9916	----	----	----	----	129 - 1
3350	----	----	1,405.90B/----	1405.90B/1371.90A	----	1380.30 + 26.10	.9906	----	----	----	----	51 UNCH
3500	----	----	----	----	----	1230.80 + 25.40	.9871	----	----	----	----	1 UNCH
3600	----	----	1,157.10B/----	1157.10B/1123.00A	----	1131.50 + 24.90	.9836	----	----	----	----	24 UNCH
3650	----	----	1,107.50B/----	1107.50B/1073.40A	----	1081.90 + 24.50	.9816	----	----	----	----	10 UNCH
3670	----	----	1,087.70B/----	1087.70B/1053.60A	----	1062.10 + 24.40	.9806	----	----	----	----	3 UNCH
3700	----	----	1,058.00B/----	1058.00B/1023.90A	----	1032.40 + 24.10	.9788	----	----	----	----	119 UNCH
3735	----	----	----	----	----	997.80 + 23.80	.9768	----	----	----	----	1 UNCH
3775	----	----	983.90B/----	983.90B/950.00A	----	958.40 + 23.40	.9743	----	----	----	----	4 UNCH
3800	----	----	961.90B/----	961.90B/921.60A	----	933.80 + 23.10	.9724	----	----	----	----	2050 UNCH
3825	----	----	934.70B/----	934.70B/900.90A	----	909.20 + 22.70	.9705	----	----	----	----	3 UNCH
3850	----	----	910.20B/----	910.20B/876.50A	----	884.60 + 22.30	.9684	----	----	----	----	65 UNCH
3860	----	----	----	----	----	874.80 + 22.10	.9675	----	----	----	----	1 UNCH
3865	----	----	895.50B/----	895.50B/861.80A	----	869.90 + 22.00	.9670	----	----	----	----	7 UNCH
3875	----	----	885.70B/----	885.70B/852.10A	----	860.10 + 21.80	.9661	----	----	----	----	25 UNCH
3900	----	----	861.30B/----	861.30B/827.70A	----	835.70 + 21.40	.9636	----	----	----	----	18 UNCH
3925	----	----	836.90B/----	836.90B/803.40A	----	811.30 + 20.90	.9608	----	----	----	----	35 UNCH
3950	----	----	815.40B/----	815.40B/775.40A	----	787.00 + 20.30	.9575	----	----	----	----	820 UNCH
3960	----	----	----	----	----	777.30 + 20.10	.9564	----	----	----	----	1 UNCH
4000	----	----	764.20B/----	764.20B/628.20A	----	738.60 + 19.00	.9505	----	----	----	----	15 UNCH
4020	----	----	627.00B/----	627.00B/609.50A	----	719.40 + 18.40	.9472	----	----	----	----	1 UNCH
4030	----	----	613.30B/----	613.30B/600.20A	----	709.80 + 18.10	.9454	----	----	----	----	2 UNCH
4040	----	----	624.60B/----	624.60B/590.90A	----	700.20 + 17.70	.9436	----	----	----	----	1 UNCH
4075	----	----	692.30B/----	692.30B/558.70A	----	666.90 + 16.50	.9365	----	----	----	----	6 UNCH
4095	----	----	673.30B/----	673.30B/540.50A	----	647.90 + 15.70	.9320	----	----	----	----	4 UNCH
4100	----	----	668.60B/----	668.60B/535.90A	----	643.20 + 15.50	.9308	----	----	----	----	194 UNCH
4105	----	----	628.10B/----	628.10B/531.40A	----	638.50 + 15.30	.9295	----	----	----	----	1 UNCH
4110	----	----	659.10B/----	659.10B/526.90A	----	633.80 + 15.10	.9282	----	----	----	----	3 UNCH
4145	----	----	626.20B/----	626.20B/495.60A	----	601.00 + 13.50	.9191	----	----	----	----	28 UNCH
4150	----	----	623.00B/----	623.00B/491.10A	----	596.30 + 13.20	.9178	----	----	----	----	37 UNCH
4155	----	----	618.20B/----	618.20B/486.70A	----	591.70 + 13.00	.9162	----	----	----	----	1 UNCH
4160	----	----	614.00B/----	614.00B/482.30A	----	587.00 + 12.70	.9148	----	----	----	----	1 UNCH
4190	----	----	586.40B/----	586.40B/456.10A	----	559.30 + 11.10	.9055	----	----	----	----	1 UNCH
4200	----	----	577.20B/----	577.20B/447.40A	----	550.20 + 10.60	.9022	----	----	----	----	7 UNCH
4215	----	----	563.60B/----	563.60B/434.60A	----	536.50 + 09.70	.8969	----	----	----	----	25 UNCH
4220	----	----	558.90B/----	558.90B/430.30A	----	531.90 + 09.30	.8949	----	----	----	----	1 UNCH
4225	----	----	554.50B/----	554.50B/426.10A	----	527.40 + 09.10	.8932	----	----	----	----	2 UNCH
4235	----	----	545.40B/----	545.40B/417.60A	----	518.40 + 08.50	.8893	----	----	----	----	1 UNCH
4240	----	----	540.90B/----	540.90B/413.40A	----	513.90 + 08.10	.8873	----	----	----	----	39 UNCH
4245	----	----	536.30B/----	536.30B/409.20A	----	509.40 + 07.80	.8853	----	----	----	----	1 UNCH
4250	----	----	532.00B/----	532.00B/405.00A	----	504.90 + 07.50	.8833	----	----	----	----	318 UNCH
4255	----	----	527.40B/----	527.40B/400.90A	----	500.40 + 07.10	.8813	----	----	----	----	1 UNCH
4265	----	----	518.50B/----	518.50B/392.60A	----	491.50 + 06.40	.8772	----	----	----	----	2 UNCH
4270	----	----	514.00B/----	514.00B/388.50A	----	487.10 + 06.10	.8749	----	----	----	----	38 UNCH
4275	----	----	509.40B/----	509.40B/384.40A	----	482.70 + 05.80	.8726	----	----	----	----	76 UNCH
4280	----	----	505.10B/----	505.10B/380.30A	----	478.30 + 05.40	.8706	----	----	----	----	3 UNCH
4300	----	----	487.30B/----	487.30B/364.10A	----	460.70 + 03.90	.8611	----	----	----	----	63 UNCH
4315	----	----	474.20B/----	474.20B/351.90A	----	447.70 + 02.70	.8538	----	----	----	----	21 UNCH
4325	----	----	465.70B/----	465.70B/344.10A	----	439.10 + 01.90	.8486	----	----	----	----	22 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4335	----	----	457.00B/----	457.00B/336.70A	----	430.60 + 01.20	.8434	----	----	----	----	1 UNCH
4350	----	----	444.20B/----	444.20B/324.80A	----	417.90 + 99.90	.8352	----	----	----	----	17 UNCH
4360	----	----	435.70B/----	435.70B/317.30A	----	409.50 + 99.00	.8295	----	----	----	----	53 UNCH
4365	----	----	431.40B/----	431.40B/313.50A	----	405.30 + 98.60	.8266	----	----	----	----	45 UNCH
4370	----	----	427.40B/----	427.40B/309.80A	----	401.20 + 98.20	.8235	----	----	----	----	20 UNCH
4375	----	----	423.00B/----	423.00B/306.30A	----	397.00 + 97.60	.8206	----	----	----	----	5 UNCH
4400	----	----	402.40B/----	402.40B/287.80A	----	376.60 + 95.30	.8050	----	----	----	----	2274 UNCH
4410	----	----	394.10B/----	394.10B/274.60A	----	368.50 + 94.30	.7984	----	----	----	----	4 UNCH
4415	----	----	390.20B/----	390.20B/270.80A	----	364.50 + 93.80	.7953	----	----	----	----	39 UNCH
4420	----	----	386.00B/----	386.00B/267.70A	----	360.50 + 93.30	.7919	----	----	----	----	5 UNCH
4425	----	----	382.00B/----	382.00B/264.30A	----	356.50 + 92.70	.7885	----	----	----	----	16 UNCH
4430	----	----	378.00B/----	378.00B/261.00A	----	352.60 + 92.20	.7849	----	----	1	----	2 UNCH
4445	----	----	366.10B/----	366.10B/251.00A	----	340.90 + 90.70	.7744	----	----	----	----	30 UNCH
4450	----	----	362.30B/----	362.30B/247.30A	----	337.00 + 90.10	.7708	----	----	----	----	256 UNCH
4455	----	----	358.20B/238.50A	358.20B/238.50A	----	333.20 + 89.60	.7672	----	----	----	----	2 UNCH
4460	----	----	354.30B/235.30A	354.30B/235.30A	----	329.30 + 89.00	.7634	----	----	----	----	2 UNCH
4475	----	----	342.80B/225.80A	342.80B/225.80A	----	318.00 + 87.30	.7520	----	----	----	----	2 UNCH
4480	----	----	341.40B/222.50A	341.40B/222.50A	----	314.20 + 86.70	.7482	----	----	----	----	36 UNCH
4485	----	----	335.20B/219.60A	335.20B/219.60A	----	310.50 + 86.10	.7442	----	----	----	----	1 UNCH
4490	----	----	333.70B/216.40A	333.70B/216.40A	----	306.80 + 85.60	.7404	----	----	----	----	20 UNCH
4500	305.00	305.00	326.30B/210.10A	326.30B/210.10A	----	299.50 + 84.40	.7323	----	----	2	----	969 - 1
4505	----	----	320.10B/207.50A	320.10B/207.50A	----	295.80 + 83.80	.7283	----	----	----	----	2 UNCH
4510	----	----	318.70B/204.50A	318.70B/204.50A	----	292.20 + 83.20	.7241	----	----	----	----	75 UNCH
4515	----	----	315.00B/201.60A	315.00B/201.60A	----	288.60 + 82.60	.7200	----	----	----	----	210 UNCH
4520	----	----	311.40B/198.70A	311.40B/198.70A	----	285.10 + 82.00	.7158	----	----	----	----	188 UNCH
4525	----	----	307.50B/195.80A	307.50B/195.80A	----	281.50 + 81.40	.7115	----	----	----	----	129 UNCH
4530	----	----	301.80B/192.90A	301.80B/192.90A	----	278.00 + 80.80	.7074	----	----	----	----	5 UNCH
4535	----	----	300.30B/190.10A	300.30B/190.10A	----	274.50 + 80.20	.7031	----	----	----	----	19 UNCH
4540	----	----	296.80B/187.30A	296.80B/187.30A	----	271.10 + 79.60	.6988	----	----	----	----	56 UNCH
4550	210.00	210.00	287.60B/181.70A	287.60B/181.70A	----	264.20 + 78.40	.6900	----	----	1	----	10 UNCH
4555	----	----	284.20B/179.20A	284.20B/179.20A	----	260.80 + 77.70	.6856	----	----	----	----	2 UNCH
4560	----	----	282.80B/176.40A	282.80B/176.40A	----	257.40 + 77.10	.6811	----	----	----	----	51 UNCH
4565	----	----	279.10B/173.80A	279.10B/173.80A	----	254.10 + 76.50	.6766	----	----	----	----	24 UNCH
4570	----	----	274.90B/171.20A	274.90B/171.20A	----	250.80 + 75.90	.6721	----	----	----	----	2 UNCH
4575	----	----	272.30B/168.60A	272.30B/168.60A	----	247.50 + 75.30	.6675	----	----	----	----	125 UNCH
4580	----	----	268.80B/166.00A	268.80B/166.00A	----	244.20 + 74.60	.6629	----	----	----	----	11 UNCH
4585	----	----	265.40B/163.50A	265.40B/163.50A	----	241.00 + 74.00	.6583	----	----	----	----	9 UNCH
4590	----	----	262.60B/160.90A	262.60B/160.90A	----	237.70 + 73.30	.6537	----	----	----	----	1 UNCH
4595	----	----	262.90B/158.50A	262.90B/158.50A	----	234.60 + 72.70	.6490	----	----	----	----	2 UNCH
4600	231.50	231.50	260.60B/156.00A	260.60B/156.00A	----	231.40 + 72.10	.6443	----	----	11	----	399 + 2
4605	----	----	257.20B/153.70A	257.20B/153.70A	----	228.20 + 71.40	.6396	----	----	----	----	4 UNCH
4610	----	----	253.90B/151.30A	253.90B/151.30A	----	225.10 + 70.70	.6349	----	----	----	----	13 UNCH
4615	----	----	250.50B/148.90A	250.50B/148.90A	----	222.00 + 70.10	.6301	----	----	----	----	11 UNCH
4620	----	----	247.50B/146.60A	247.50B/146.60A	----	219.00 + 69.50	.6253	----	----	----	----	35 UNCH
4625	----	----	244.30B/144.30A	244.30B/144.30A	----	215.90 + 68.80	.6205	----	----	----	----	103 UNCH
4630	----	----	241.00B/142.10A	241.00B/142.10A	----	212.90 + 68.10	.6157	----	----	----	----	4 UNCH
4635	----	----	237.80B/139.80A	237.80B/139.80A	----	209.90 + 67.40	.6108	----	----	----	----	91 UNCH
4640	----	----	234.70B/137.60A	234.70B/137.60A	----	207.00 + 66.80	.6059	----	----	----	----	231 UNCH
4645	----	----	231.80B/135.40A	231.80B/135.40A	----	204.10 + 66.20	.6010	----	----	----	----	19 UNCH
4650	----	----	230.50B/133.10A	230.50B/133.10A	----	201.20 + 65.60	.5961	----	----	300	----	841 - 125
4655	----	----	227.40B/131.20A	227.40B/131.20A	----	198.30 + 64.90	.5912	----	----	----	----	18 UNCH
4660	----	----	224.50B/129.00A	224.50B/129.00A	----	195.40 + 64.20	.5862	----	----	----	----	52 UNCH
4665	----	----	221.50B/127.10A	221.50B/127.10A	----	192.60 + 63.50	.5812	----	----	----	----	269 UNCH
4670	----	----	218.50B/125.00A	218.50B/125.00A	----	189.80 + 62.80	.5763	----	----	----	----	106 UNCH
4675	----	----	215.50B/123.00A	215.50B/123.00A	----	187.10 + 62.20	.5713	----	----	8	----	134 UNCH
4680	----	----	212.70B/120.90A	212.70B/120.90A	----	184.30 + 61.50	.5663	----	----	----	----	140 UNCH
4685	----	----	209.70B/119.00A	209.70B/119.00A	----	181.60 + 60.80	.5613	----	----	----	----	11 UNCH
4690	207.70	207.70	207.70/116.90A	207.70/116.90A	----	178.90 + 60.20	.5562	----	----	2	----	3 + 1
4695	----	----	204.10B/115.20A	204.10B/115.20A	----	176.30 + 59.50	.5512	----	----	----	----	33 UNCH
4700	144.50	144.50	201.30B/113.10A	201.30B/113.10A	----	173.60 + 58.80	.5462	----	----	388	40	909 + 185
4705	----	----	198.40B/111.40A	198.40B/111.40A	----	171.00 + 58.10	.5411	----	----	1	----	3 UNCH
4710	----	----	195.70B/109.60A	195.70B/109.60A	----	168.50 + 57.50	.5361	----	----	----	----	117 UNCH
4715	131.60	131.60	192.90B/107.80A	192.90B/107.80A	----	165.90 + 56.80	.5310	----	----	2	----	2 - 1
4720	166.00	166.00	190.20B/106.00A	190.20B/106.00A	----	163.40 + 56.10	.5259	----	----	2	----	16 + 2
4725	164.10	164.10	187.60B/104.20A	187.60B/104.20A	----	160.90 + 55.50	.5209	----	----	3	----	57 + 1
4730	----	----	184.90B/102.50A	184.90B/102.50A	----	158.40 + 54.70	.5158	----	----	15	----	13 + 6
4735	158.70	158.70	182.30B/100.80A	182.30B/100.80A	----	156.00 NEW	.5108	----	----	2	----	2 + 2
4740	----	----	179.80B/98.10A	179.80B/98.10A	----	153.60 + 53.40	.5057	----	----	----	----	1 UNCH
4745	----	----	177.70B/96.60A	177.70B/96.60A	----	151.20 + 52.80	.5006	----	----	----	----	177 UNCH
4750	----	----	175.20B/94.80A	175.20B/94.80A	----	148.90 + 52.10	.4956	----	----	28	----	1656 + 12
4755	----	----	172.40B/93.20A	172.40B/93.20A	----	146.50 + 51.40	.4905	----	----	----	----	19 UNCH
4760	----	----	169.60B/91.60A	169.60B/91.60A	----	144.20 + 50.70	.4855	----	----	----	----	47 UNCH
4765	----	----	167.50B/90.20A	167.50B/90.20A	----	142.00 + 50.10	.4805	----	----	----	----	4 UNCH
4770	----	----	165.20B/88.60A	165.20B/88.60A	----	139.70 + 49.40	.4754	----	----	----	----	72 UNCH
4775	----	----	162.30B/87.10A	162.30B/87.10A	----	137.50 + 48.80	.4704	----	----	8	----	162 + 7
4780	108.80	108.80	160.50B/85.50A	160.50B/85.50A	----	135.30 + 48.10	.4654	----	----	4	----	32 UNCH
4785	----	----	158.00B/84.10A	158.00B/84.10A	----	133.20 + 47.50	.4604	----	----	----	----	13 UNCH
4790	----	----	155.90B/82.60A	155.90B/82.60A	----	131.10 + 46.90	.4555	----	----	----	----	5 UNCH
4795	----	----	153.40B/81.10A	153.40B/81.10A	----	128.90 + 46.20	.4504	----	----	----	----	89 UNCH
4800	127.00	127.00	151.20B/79.80A	151.20B/79.80A	----	126.90 + 45.60	.4455	----	----	46	120	1968 + 142
4805	----	----	148.80B/78.40A	148.80B/78.40A	----	124.80 + 44.90	.4406	----	----	----	----	45 UNCH
4810	----	----	146.60B/77.20A	146.60B/77.20A	----	122.80 + 44.30	.4357	----	----	----	----	34 UNCH
4815	----	----	144.50B/75.60A	144.50B/75.60A	----	120.80 + 43.70	.4308	----	----	----	----	10 UNCH
4820	----	----	142.50B/74.50A	142.50B/74.50A	----	118.90 + 43.10	.4259	----	----	5	----	66 + 5
4825	131.90	131.90	140.60B/73.00A	140.60B/73.00A	----	116.90 + 42.50	.4210	----	----	8	----	655 - 5
4830	117.60	117.60	138.00B/71.80A	138.00B/71.80A	----	115.00 + 41.90	.4162	----	----	4	----	14 + 2
4835	----	----	135.90B/70.50A	135.90B/70.50A	----	113.10 + 41.20	.4113	----	----	----	----	18 UNCH
4840	----	----	134.20B/69.50A	134.20B/69.50A	----	111.30 + 40.70	.4066	----	----	2	----	183 - 2
4845	----	----	131.90B/68.10A	131.90B/68.10A	----	109.40 + 40.00	.4018	----	----	----	----	71 UNCH
4850	88.00	88.00	130.20B/66.90A	130.20B/66.90A	----	107.60 + 39.50	.3970	----	----	65	----	523 + 10
4855	----	----	128.00B/65.80A	128.00B/65.80A	----	105.80 + 38.90	.3923	----	----	----	----	7 UNCH
4860	----	----	126.00B/64.60A	126.00B/64.60A	----	104.10 + 38.30	.3876	----	----	4	----	17 - 1
4865	----	----	123.90B/63.60A	123.90B/63.60A	----	102.30 + 37.70	.3829	----	----	----	----	32 UNCH
4870	----	----	122.00B/62.40A	122.00B/62.40A	----	100.60 + 37.10	.3782	----	----	----	----	62 UNCH
4875	----	----	120.10B/61.20A	120.10B/61.20A	----	99.00 + 36.70	.3737	----	----	4	----	19 + 3
4880	----	----	118.50B/60.30A	118.50B/60.30A	----	97.30 + 36.10	.3691	----	----	1	----	84 + 1
4885	----	----	116.30B/59.10A	116.30B/59.10A	----	95.70 + 35.50	.3645	----	----	----	----	25 UNCH
4890	95.60	95.60	114.80B/58.10A	114.80B/58.10A	----	94.10 + 35.00	.3600	----	----	2	----	54 UNCH
4895	----	----	112.90B/57.10A	112.90B/57.10A	----	92.50 + 34.50	.3555	----	----	----	----	51 UNCH
4900	55.00	55.00	111.20B/55.00	111.20B/55.00	----	90.90 + 33.90	.3510	----	----	58	----	1134 + 17
4905	----	----	109.10B/55.10A	109.10B/55.10A	----	89.40 + 33.40	.3466	----	----	----	----	8 UNCH
4910	----	----	107.50B/54.20A	107.50B/54.20A	----	87.90 + 32.90	.3422	----	----	----	----	146 UNCH
4915	----	----	105.80B/53.30A	105.80B/53.30A	----	86.40 + 32.30	.3378	----	----	----	----	36 UNCH
4920	----	----	104.10B/52.50A	104.10B/52.50A	----	84.90 + 31.80	.3334	----	----	----	----	13 UNCH
4925	----	----	102.30B/51.30A	102.30B/51.30A	----	83.40 + 31.20	.3291	----	----	----	----	38 UNCH
4930	----	----	100.80B/50.40A	100.80B/50.40A	----	82.00 + 30.80	.3248	----	----	----	----	65 UNCH
4935	82.70	82.70	99.10B/49.50A	99.10B/49.50A	----	80.60 + 30.30	.3206	----	----	2	----	618 UNCH
4940	72.50	72.50	97.60B/48.70A	97.60B/48.70A	----	79.20 + 29.70	.3164	----	----	1	----	284 - 1
4945	----	----	95.90B/47.90A	95.90B/47.90A	----	77.90 + 29.30	.3123	----	----	----	----	11 UNCH
4950	76.60	76.60	94.50B/47.00A	94.50B/47.00A	----	76.50 + 28.80	.3080	----	----	18	----	297 + 7
4955	79.30	79.30	92.90B/46.20A	92.90B/46.20A	----	75.20 + 28.30	.3040	----	----	51	----	87 - 18
4960	----	----	91.40B/45.50A	91.40B/45.50A	----	73.90 + 27.80	.2999	----	----	----	----	22 UNCH
4965	74.10	74.10	90.00B/44.60A	90.00B/44.60A	----	72.70 + 27.40	.2960	----	----	5	----	178 + 5
4970	75.30	75.30	88.40B/43.90A	88.40B/43.90A	----	71.40 + 26.90	.2919	----	----	42	----	56 - 22
4975	----	----	87.10B/43.10A	87.10B/43.10A	----	70.20 + 26.50	.2880	----	----	----	----	44 UNCH
4980	----	----	85.60B/42.40A	85.60B/42.40A	----	69.00 + 26.00	.2841	----	----	32	----	30 - 8
4985	----	----	84.20B/41.70A	84.20B/41.70A	----	67.80 + 25.60	.2802	----	----	----	----	31 UNCH
4990	77.40	77.40	82.90B/40.90A	82.90B/40.90A	----	66.60 + 25.10	.2764	----	----	1	----	35 + 1
4995	----	----	81.50B/40.20A	81.50B/40.20A	----	65.40 + 24.60	.2725	----	----	----	----	43 UNCH
5000	47.50	47.50	80.30B/39.50A	80.30B/39.50A	----	64.30 + 24.20	.2688	----	----	539	40	3015 + 93
5005	----	----	78.90B/38.80A	78.90B/38.80A	----	63.20 + 23.80	.2651	----	----	3	----	22 + 3
5010	----	----	77.60B/38.20A	77.60B/38.20A	----	62.10 + 23.40	.2614	----	----	----	----	36 UNCH
5015	----	----	76.40B/37.60A	76.40B/37.60A	----	61.00 + 22.90	.2577	----	----	----	----	33 UNCH
5020	62.20	62.20	75.10B/37.00A	75.10B/37.00A	----	60.00 + 22.60	.2542	----	----	6	----	13 + 3
5025	68.10	68.10	73.90B/36.40A	73.90B/36.40A	----	58.90 + 22.10	.2506	----	----	5	----	39 + 1
5030	----	----	72.70B/35.70A	72.70B/35.70A	----	57.90 + 21.70	.2471	----	----	----	----	42 UNCH
5035	----	----	71.50B/35.20A	71.50B/35.20A	----	56.90 + 21.30	.2436	----	----	----	----	60 UNCH
5040	----	----	70.40B/34.50A	70.40B/34.50A	----	55.90 + 20.90	.2401	----	----	----	----	15 UNCH
5045	----	----	69.20B/34.00A	69.20B/34.00A	----	54.90 + 20.50	.2367	----	----	----	----	9 UNCH
5050	46.80	46.80	68.10B/33.30A	68.10B/33.30A	----	54.00 + 20.20	.2334	----	----	282	----	193 - 15
5055	----	----	67.00B/32.90A	67.00B/32.90A	----	53.00 + 19.70	.2300	----	----	----	----	18 UNCH
5060	----	----	65.90B/32.30A	65.90B/32.30A	----	52.10 + 19.40	.2267	----	----	----	----	29 UNCH
5065	53.00	53.00	64.80B/31.70A	64.80B/31.70A	----	51.20 + 19.00	.2235	----	----	1	----	214 - 1
5070	----	----	63.70B/31.20A	63.70B/31.20A	----	50.30 + 18.70	.2202	----	----	----	----	30 UNCH
5075	50.50	50.50	62.70B/30.70A	62.70B/30.70A	----	49.40 + 18.30	.2170	----	----	9	----	140 + 5
5080	----	----	61.70B/30.20A	61.70B/30.20A	----	48.60 + 18.00	.2140	----	----	1	----	90 + 1
5085	----	----	60.70B/29.70A	60.70B/29.70A	----	47.70 + 17.60	.2108	----	----	2	----	43 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5090	48.60	48.60	59.70B/29.20A	59.70B/29.20A	----	46.90 + 17.30	.2078	----	----	6	----	12 + 2
5095	49.00	49.00	58.70B/28.80A	58.70B/28.80A	----	46.00 + 16.90	.2046	----	----	15	----	52 - 1
5100	34.50	34.50	57.80B/28.20A	57.80B/28.20A	----	45.20 + 16.60	.2016	----	----	410	----	1245 + 236
5105	50.00	50.00	56.80B/27.80A	56.80B/27.80A	----	44.40 + 16.30	.1986	----	----	1	----	73 + 1
5110	----	----	55.80B/27.30A	55.80B/27.30A	----	43.70 + 16.00	.1959	----	----	1	----	20 + 1
5115	----	----	54.90B/27.00A	54.90B/27.00A	----	42.90 + 15.70	.1929	----	----	----	----	30 UNCH
5120	----	----	54.00B/26.50A	54.00B/26.50A	----	42.20 + 15.40	.1902	----	----	----	----	39 UNCH
5125	----	----	53.10B/27.30A	53.10B/27.30A	----	41.40 + 15.10	.1872	----	----	6	----	241 + 3
5130	----	----	52.30B/----	52.30B/26.90A	----	40.70 + 14.80	.1845	----	----	4	----	38 + 2
5135	41.50	41.50	51.40B/41.50	51.40B/26.50A	----	40.00 + 14.50	.1818	----	----	6	----	171 - 6
5140	----	----	50.60B/----	50.60B/26.10A	----	39.30 + 14.20	.1791	----	----	1	----	55 + 1
5145	----	----	49.70B/----	49.70B/25.70A	----	38.60 + 13.90	.1764	----	----	----	----	66 UNCH
5150	----	----	49.00B/----	49.00B/25.20A	----	38.00 + 13.70	.1739	----	----	6	----	991 UNCH
5155	----	----	48.20B/----	48.20B/24.90A	----	37.30 + 13.40	.1712	----	----	4	----	20 + 4
5160	36.70	36.70	47.30B/36.70	47.30B/24.60A	----	36.70 + 13.20	.1688	----	----	10	----	22 + 10
5165	37.50	37.50	46.60B/37.50	46.60B/24.20A	----	36.00 + 12.90	.1661	----	----	7	----	21 + 7
5170	45.50	45.50	45.70B/45.50	45.70B/23.80A	----	35.40 + 12.60	.1637	----	----	2	----	10 UNCH
5175	----	----	45.10B/----	45.10B/23.50A	----	34.80 + 12.40	.1613	----	----	----	----	58 UNCH
5180	44.30	44.30	44.30/44.30	44.30/23.10A	----	34.20 + 12.10	.1589	----	----	16	----	33 UNCH
5185	----	----	43.60B/----	43.60B/22.80A	----	33.60 + 11.90	.1565	----	----	2	----	119 + 1
5190	----	----	42.90B/----	42.90B/22.50A	----	33.10 + 11.70	.1543	----	----	----	----	5 UNCH
5195	----	----	42.20B/----	42.20B/22.20A	----	32.50 + 11.40	.1519	----	----	2	----	37 + 1
5200	25.90	25.90	41.60B/25.90	41.60B/21.70A	----	32.00 + 11.30	.1498	----	----	114	----	1890 + 43
5205	32.20	32.20	40.90B/32.20	40.90B/21.50A	----	31.40 + 11.00	.1474	----	----	6	----	45 UNCH
5210	----	----	40.20B/----	40.20B/21.20A	----	30.90 + 10.80	.1453	----	----	----	----	57 UNCH
5215	----	----	39.50B/----	39.50B/20.90A	----	30.40 + 10.60	.1432	----	----	----	----	46 UNCH
5220	----	----	38.90B/----	38.90B/20.60A	----	29.90 + 10.40	.1411	----	----	----	----	21 UNCH
5225	----	----	38.30B/----	38.30B/20.30A	----	29.40 + 10.20	.1390	----	----	----	----	105 UNCH
5230	----	----	37.70B/----	37.70B/20.10A	----	28.90 + 10.00	.1369	----	----	----	----	85 UNCH
5235	----	----	37.00B/----	37.00B/19.80A	----	28.40 + 9.80	.1349	----	----	----	----	4 UNCH
5240	29.30	29.30	36.60B/29.30	36.60B/19.50A	----	27.90 + 9.60	.1328	----	----	4	----	120 UNCH
5245	29.10	29.10	36.00B/29.10	36.00B/19.30A	----	27.50 + 9.40	.1310	----	----	8	----	67 + 6
5250	----	----	35.30B/----	35.30B/18.90A	----	27.00 + 9.20	.1289	----	----	301	----	754 + 50
5255	35.00	35.00	35.00/28.20	35.00/18.70A	----	26.60 + 9.10	.1272	----	----	6	----	18 + 4
5260	----	----	34.20B/----	34.20B/18.50A	----	26.20 + 8.90	.1254	----	----	7	----	154 + 4
5265	26.40	26.40	33.80B/26.40	33.80B/17.10A	----	25.70 + 8.70	.1233	----	----	4	----	8 + 4
5270	----	----	33.30B/----	33.30B/17.00A	----	25.30 + 8.50	.1216	----	----	3	----	22 + 3
5275	27.50	27.50	32.90B/27.50	32.90B/17.70A	----	24.90 + 8.40	.1198	----	----	1	----	29 - 1
5280	25.10	25.10	32.20B/25.10	32.20B/17.50A	----	24.50 + 8.20	.1181	----	----	35	----	38 + 33
5285	----	----	31.80B/----	31.80B/17.30A	----	24.10 + 8.00	.1163	----	----	10	----	20 + 1
5290	----	----	31.20B/----	31.20B/16.20A	----	23.70 + 7.90	.1146	----	----	----	----	43 UNCH
5295	24.70	24.70	30.70B/24.70	30.70B/16.80A	----	23.40 + 7.80	.1132	----	----	8	----	84 + 5
5300	27.70	27.70	30.30B/24.30	30.30B/16.50A	----	23.00 + 7.60	.1114	----	----	19	----	1373 + 9
5305	23.50	23.50	29.80B/23.50	29.80B/16.50A	----	22.60 + 7.40	.1097	----	----	1	----	65 UNCH
5310	----	----	29.30B/----	29.30B/16.20A	----	22.30 + 7.30	.1083	----	----	1	----	19 UNCH
5315	----	----	28.90B/----	28.90B/16.00A	----	21.90 + 7.10	.1066	----	----	----	----	28 UNCH
5320	22.80	22.80	28.40B/22.80	28.40B/15.80A	----	21.60 + 7.00	.1052	----	----	12	----	57 UNCH
5325	----	----	28.00B/----	28.00B/15.60A	----	21.30 + 6.90	.1038	----	----	2	----	181 UNCH
5330	----	----	27.60B/----	27.60B/15.50A	----	20.90 + 6.70	.1021	----	----	----	----	13 UNCH
5335	----	----	27.20B/----	27.20B/15.30A	----	20.60 + 6.60	.1007	----	----	----	----	3 UNCH
5340	----	----	26.80B/----	26.80B/15.10A	----	20.30 + 6.50	.0993	----	----	----	----	30 UNCH
5345	21.40	21.40	26.20B/21.40	26.20B/14.70A	----	20.00 + 6.40	.0979	----	----	1	----	42 UNCH
5350	----	----	25.90B/----	25.90B/14.60A	----	19.70 + 6.30	.0965	----	----	55	----	738 + 54
5355	----	----	25.40B/----	25.40B/14.40A	----	19.40 + 6.10	.0952	----	----	----	----	108 UNCH
5360	----	----	25.10B/----	25.10B/14.20A	----	19.10 + 6.00	.0938	----	----	1	----	328 UNCH
5365	----	----	24.60B/----	24.60B/14.10A	----	18.80 + 5.90	.0924	----	----	----	----	147 UNCH
5370	19.50	19.50	24.30B/19.50	24.30B/13.90A	----	18.50 + 5.70	.0911	----	----	3	----	27 + 2
5375	----	----	24.00B/----	24.00B/13.90A	----	18.30 + 5.70	.0900	----	----	3	----	24 + 2
5380	19.10	19.10	23.70B/19.10	23.70B/13.60A	----	18.00 + 5.60	.0887	----	----	4	----	12 + 4
5385	----	----	23.30B/----	23.30B/13.60A	----	17.70 + 5.40	.0873	----	----	----	----	17 UNCH
5390	----	----	22.80B/----	22.80B/13.10A	----	17.50 + 5.40	.0863	----	----	----	----	13 UNCH
5395	----	----	22.70B/----	22.70B/13.30A	----	17.20 + 5.20	.0850	----	----	----	----	24 UNCH
5400	16.20	16.20	22.40B/16.20	22.40B/13.00A	----	17.00 + 5.20	.0840	----	----	1854	----	3747 + 731
5405	17.00	17.00	22.00B/17.00	22.00B/12.90A	----	16.70 + 5.00	.0826	----	----	6	----	19 + 6
5410	----	----	21.80B/----	21.80B/12.70A	----	16.50 + 5.00	.0816	----	----	----	----	24 UNCH
5415	----	----	21.30B/----	21.30B/12.60A	----	16.20 + 4.80	.0803	----	----	----	----	16 UNCH
5420	----	----	21.00B/----	21.00B/12.40A	----	16.00 + 4.70	.0793	----	----	----	----	29 UNCH
5425	16.60	16.60	20.50B/16.60	20.50B/12.30A	----	15.80 + 4.70	.0783	----	----	5	----	29 + 2
5430	----	----	20.40B/----	20.40B/12.20A	----	15.60 + 4.60	.0773	----	----	----	----	11 UNCH
5435	----	----	20.10B/----	20.10B/12.10A	----	15.30 + 4.40	.0760	----	----	----	----	7 UNCH
5440	----	----	19.80B/----	19.80B/11.90A	----	15.10 + 4.40	.0751	----	----	----	----	17 UNCH
5445	----	----	19.60B/----	19.60B/11.80A	----	14.90 + 4.30	.0741	----	----	----	----	24 UNCH
5450	----	----	19.30B/----	19.30B/11.70A	----	14.70 + 4.20	.0731	----	----	----	----	1159 UNCH
5455	----	----	19.10B/----	19.10B/11.60A	----	14.50 + 4.10	.0721	----	----	----	----	36 UNCH
5460	15.60	15.60	18.80B/15.60	18.80B/11.50A	----	14.30 + 4.00	.0712	----	----	13	----	26 + 2
5465	----	----	18.50B/----	18.50B/11.30A	----	14.10 + 3.90	.0702	----	----	----	----	18 UNCH
5470	----	----	18.30B/----	18.30B/11.20A	----	13.90 + 3.90	.0693	----	----	----	----	28 UNCH
5475	----	----	17.80B/----	17.80B/11.10A	----	13.70 + 3.80	.0683	----	----	----	----	206 UNCH
5480	----	----	17.70B/----	17.70B/11.00A	----	13.60 + 3.80	.0677	----	----	----	----	5 UNCH
5485	----	----	17.30B/----	17.30B/10.90A	----	13.40 + 3.70	.0668	----	----	----	----	9 UNCH
5490	----	----	17.20B/----	17.20B/10.80A	----	13.20 + 3.60	.0658	----	----	----	----	20 UNCH
5495	----	----	17.00B/----	17.00B/10.70A	----	13.00 + 3.50	.0649	----	----	----	----	4 UNCH
5500	11.00	11.00	17.00/11.00	17.00/10.60A	----	12.90 + 3.50	.0643	----	----	253	----	2401 + 103
5505	----	----	16.50B/----	16.50B/10.50A	----	12.70 + 3.40	.0634	----	----	----	----	6 UNCH
5510	----	----	16.30B/----	16.30B/10.40A	----	12.50 + 3.30	.0624	----	----	----	----	13 UNCH
5515	----	----	16.10B/----	16.10B/10.30A	----	12.40 + 3.30	.0618	----	----	----	----	17 UNCH
5520	14.10	14.10	15.80B/14.10	15.80B/10.20A	----	12.20 + 3.20	.0609	----	----	3	----	15 + 3
5525	----	----	15.50B/----	15.50B/10.10A	----	12.10 + 3.20	.0603	----	----	----	----	91 UNCH
5530	----	----	15.30B/----	15.30B/10.00A	----	11.90 + 3.10	.0594	----	----	3	----	26 - 3
5535	----	----	15.10B/----	15.10B/9.90A	----	11.80 + 3.10	.0589	----	----	----	----	12 UNCH
5540	----	----	14.80B/----	14.80B/9.80A	----	11.60 + 3.00	.0579	----	----	----	----	16 UNCH
5545	----	----	14.60B/----	14.60B/9.70A	----	11.50 + 2.90	.0574	----	----	----	----	17 UNCH
5550	----	----	14.60B/----	14.60B/9.60A	----	11.30 + 2.80	.0565	----	----	----	----	202 UNCH
5555	12.20	12.20	14.40B/12.20	14.40B/9.50A	----	11.20 + 2.80	.0559	----	----	1	----	35 + 1
5560	----	----	14.20B/----	14.20B/9.40A	----	11.10 + 2.80	.0554	----	----	----	----	23 UNCH
5565	----	----	13.90B/----	13.90B/9.40A	----	10.90 + 2.70	.0545	----	----	----	----	12 UNCH
5570	----	----	13.70B/----	13.70B/9.30A	----	10.80 + 2.70	.0539	----	----	----	----	4 UNCH
5575	----	----	13.50B/----	13.50B/9.20A	----	10.70 + 2.60	.0534	----	----	----	----	31 UNCH
5580	----	----	13.30B/----	13.30B/9.10A	----	10.60 + 2.60	.0528	----	----	----	----	7 UNCH
5585	----	----	13.20B/----	13.20B/9.00A	----	10.40 + 2.50	.0519	----	----	----	----	19 UNCH
5590	----	----	13.00B/----	13.00B/8.90A	----	10.30 + 2.50	.0514	----	----	----	----	5 UNCH
5595	----	----	12.90B/----	12.90B/8.80A	----	10.20 + 2.40	.0508	----	----	----	----	19 UNCH
5600	8.60	8.60	12.80/8.60	12.80/8.50A	----	10.10 + 2.40	.0503	----	----	12	----	2104 + 8
5605	----	----	12.60B/----	12.60B/8.70A	----	10.00 + 2.40	.0498	----	----	----	----	32 UNCH
5610	----	----	12.40B/----	12.40B/8.60A	----	9.80 + 2.20	.0489	----	----	----	----	10 UNCH
5620	11.20	11.20	12.00B/11.20	12.00B/8.50A	----	9.60 + 2.20	.0478	----	----	1	----	6 + 1
5625	----	----	12.00B/----	12.00B/8.40A	----	9.50 + 2.20	.0473	----	----	----	----	9 UNCH
5630	----	----	11.80B/----	11.80B/8.30A	----	9.40 + 2.10	.0468	----	----	----	----	5 UNCH
5635	----	----	11.70B/----	11.70B/8.30A	----	9.30 + 2.10	.0463	----	----	----	----	12 UNCH
5640	----	----	11.50B/----	11.50B/8.20A	----	9.20 + 2.00	.0458	----	----	----	----	8 UNCH
5650	----	----	11.30B/----	11.30B/8.00A	----	9.00 + 2.00	.0448	----	----	7	----	394 UNCH
5660	----	----	11.00B/----	11.00B/8.00A	----	8.80 + 1.90	.0437	----	----	----	----	7 UNCH
5670	----	----	10.80B/----	10.80B/7.80A	----	8.60 + 1.80	.0427	----	----	----	----	11 UNCH
5675	----	----	10.60B/----	10.60B/7.80A	----	8.60 + 1.90	.0426	----	----	----	----	7 UNCH
5680	----	----	10.50B/----	10.50B/7.70A	----	8.50 + 1.80	.0421	----	----	----	----	6 UNCH
5690	----	----	10.30B/----	10.30B/7.60A	----	8.30 + 1.70	.0411	----	----	----	----	21 UNCH
5700	10.20	10.20	10.20/8.80	10.20/7.40A	----	8.10 + 1.70	.0401	----	----	11	----	967 + 8
5710	----	----	9.70B/----	9.70B/7.30A	----	8.00 + 1.70	.0395	----	----	----	----	22 UNCH
5720	----	----	9.50B/----	9.50B/7.20A	----	7.80 + 1.60	.0385	----	----	----	----	17 UNCH
5725	----	----	9.50B/----	9.50B/7.10A	----	7.70 + 1.50	.0380	----	----	10	----	54 - 3
5730	----	----	9.30B/----	9.30B/7.10A	----	7.70 + 1.60	.0379	----	----	----	----	9 UNCH
5740	----	----	9.20B/----	9.20B/7.00A	----	7.50 + 1.50	.0370	----	----	----	----	9 UNCH
5750	----	----	8.90B/----	8.90B/6.80A	----	7.40 + 1.50	.0364	----	----	----	----	989 UNCH
5760	----	----	8.70B/----	8.70B/6.70A	----	7.20 + 1.40	.0354	----	----	----	----	168 UNCH
5770	----	----	8.60B/----	8.60B/6.60A	----	7.10 + 1.30	.0348	----	----	----	----	4 UNCH
5775	----	----	8.40B/----	8.40B/6.60A	----	7.00 + 1.30	.0344	----	----	----	----	215 UNCH
5780	----	----	8.40B/----	8.40B/6.50A	----	7.00 + 1.30	.0343	----	----	----	----	2 UNCH
5790	----	----	8.20B/----	8.20B/6.40A	----	6.80 + 1.20	.0333	----	----	----	----	9 UNCH
5800	7.40	7.40	8.00B/7.30	8.00B/6.30A	----	6.70 + 1.20	.0328	----	----	4	----	832 + 2
5810	----	----	7.90B/----	7.90B/6.20A	----	6.60 + 1.20	.0322	----	----	----	----	11 UNCH
5820	----	----	7.70B/----	7.70B/6.20A	----	6.50 + 1.20	.0317	----	----	----	----	207 UNCH
5825	----	----	7.70B/----	7.70B/6.10A	----	6.40 + 1.10	.0312	----	----	10	----	19 UNCH
5830	----	----	7.60B/----	7.60B/6.10A	----	6.40 + 1.20	.0311	----	----	----	----	1 UNCH
5840	----	----	7.40B/----	7.40B/6.00A	----	6.30 + 1.10	.0306	----	----	----	----	102 UNCH
5850	6.80	6.80	7.30B/6.80	7.30B/5.90A	----	6.20 + 1.10	.0300	----	----	1	----	109 UNCH
5860	6.70	6.70	7.20B/6.70	7.20B/5.80A	----	6.10 + 1.10	.0295	----	----	1	----	107 UNCH
5870	----	----	7.00B/----	7.00B/5.70A	----	6.00 + 1.10	.0290	----	----	----	----	15 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5875	----	----	6.90B/----	6.90B/5.70A	----	5.90 + 1.00	.0285	----	----	----	----	22 UNCH
5880	----	----	6.90B/----	6.90B/5.70A	----	5.90 + 1.00	.0285	----	----	----	----	11 UNCH
5890	----	----	6.80B/----	6.80B/5.60A	----	5.80 + 1.00	.0279	----	----	----	----	9 UNCH
5900	----	----	6.70B/----	6.70B/5.50A	----	5.70 + 1.00	.0274	----	----	----	----	429 UNCH
5910	----	----	6.50B/----	6.50B/5.40A	----	5.60 + 0.90	.0269	----	----	----	----	6 UNCH
5920	----	----	6.40B/----	6.40B/5.40A	----	5.50 + 0.90	.0264	----	----	----	----	19 UNCH
5925	----	----	6.30B/----	6.30B/5.30A	----	5.50 + 0.90	.0263	----	----	----	----	6 UNCH
5930	5.70	5.70	6.30B/5.70	6.30B/5.30A	----	5.40 NEW	.0259	----	----	4	----	4 + 4
5940	----	----	6.20B/----	6.20B/5.30A	----	5.30 + 0.80	.0254	----	----	----	----	2 UNCH
5950	----	----	6.10B/----	6.10B/5.20A	----	5.30 + 0.90	.0252	----	----	----	----	46 UNCH
5960	5.70	5.70	6.00B/5.70	6.00B/5.10A	----	5.20 + 0.80	.0248	----	----	1	----	16 + 1
5970	5.70	5.70	5.90B/5.70	5.90B/5.10A	----	5.10 + 0.80	.0243	----	----	1	----	55 UNCH
5980	----	----	5.80B/----	5.80B/5.00A	----	5.00 + 0.70	.0238	----	----	----	----	3 UNCH
5990	5.20	5.20	5.70B/5.20	5.70B/4.90A	----	5.00 + 0.80	.0237	----	----	4	----	74 + 4
6000	6.00	6.00	6.30/5.80	6.30/4.90A	----	4.90 + 0.70	.0232	----	----	11	----	2182 + 4
6025	----	----	5.40B/----	5.40B/4.80A	----	4.70 + 0.60	.0222	----	----	----	----	30 UNCH
6050	----	----	5.20B/----	5.20B/4.60A	----	4.60 + 0.60	.0215	----	----	----	----	40 UNCH
6075	----	----	5.00B/----	5.00B/4.50A	----	4.50 + 0.60	.0209	----	----	----	----	90 UNCH
6100	----	----	4.90B/----	4.90B/4.40A	----	4.30 + 0.50	.0199	----	----	1	----	295 UNCH
6125	----	----	4.70B/----	4.70B/4.30A	----	4.20 + 0.40	.0194	----	----	----	----	59 UNCH
6150	----	----	4.60B/----	4.60B/4.20A	----	4.10 + 0.40	.0188	----	----	1	----	881 UNCH
6175	----	----	4.40B/----	4.40B/4.10A	----	4.00 + 0.40	.0182	----	----	----	----	37 UNCH
6200	----	----	4.30B/----	4.30B/4.00A	----	3.90 + 0.40	.0177	----	----	----	----	550 UNCH
6225	----	----	4.20B/----	4.20B/3.90A	----	3.80 + 0.40	.0171	----	----	2	----	20 - 2
6250	----	----	4.10B/----	4.10B/3.80A	----	3.70 + 0.30	.0166	----	----	3	----	392 - 2
6275	----	----	4.00B/----	4.00B/3.80A	----	3.60 + 0.30	.0160	----	----	----	----	3 UNCH
6300	----	----	3.90B/----	3.90B/3.70A	----	3.50 + 0.30	.0155	----	----	----	----	336 UNCH
6325	----	----	3.80B/----	3.80B/3.60A	----	3.50 + 0.40	.0154	----	----	----	----	29 UNCH
6350	----	----	3.70B/----	3.70B/3.50A	----	3.40 + 0.30	.0149	----	----	----	----	26 UNCH
6375	----	----	3.60B/----	3.60B/3.50A	----	3.30 + 0.30	.0144	----	----	----	----	37 UNCH
6400	----	----	3.50B/----	3.50B/3.40A	----	3.30 + 0.40	.0142	----	----	----	----	171 UNCH
6425	----	----	3.40B/----	3.40B/3.30A	----	3.20 + 0.30	.0138	----	----	----	----	17 UNCH
6450	----	----	3.30B/----	3.30B/3.30A	----	3.10 + 0.30	.0133	----	----	----	----	48 UNCH
6475	----	----	3.30B/----	3.30B/3.20A	----	3.10 + 0.40	.0132	----	----	----	----	14 UNCH
6500	3.60	3.60	3.60/3.10A	3.60/3.10A	----	3.00 + 0.30	.0127	----	----	1	----	650 UNCH
6525	----	----	3.10B/----	3.10B/3.10A	----	3.00 + 0.40	.0126	----	----	----	----	132 UNCH
6550	----	----	3.10B/----	3.10B/3.00A	----	2.90 + 0.30	.0121	----	----	----	----	1 UNCH
6575	----	----	3.00B/----	3.00B/3.00A	----	2.80 + 0.30	.0117	----	----	----	----	4 UNCH
6600	----	----	3.00B/----	3.00B/2.90A	----	2.80 + 0.40	.0116	----	----	----	----	27 UNCH
6650	----	----	2.90B/----	2.90B/2.80A	----	2.70 + 0.40	.0111	----	----	----	----	16 UNCH
6675	----	----	2.80B/----	2.80B/2.80A	----	2.70 + 0.40	.0110	----	----	----	----	1 UNCH
6700	----	----	2.70B/----	2.70B/2.70A	----	2.60 + 0.30	.0106	----	----	----	----	127 UNCH
6775	----	----	2.60B/----	2.60B/2.60A	----	2.50 + 0.40	.0100	----	----	----	----	1 UNCH
6800	----	----	2.60B/----	2.60B/2.50A	----	2.40 + 0.30	.0096	----	----	2	----	201 UNCH
6825	----	----	2.50B/----	2.50B/2.50A	----	2.40 + 0.40	.0095	----	----	----	----	19 UNCH
6850	----	----	2.50B/----	2.50B/2.50A	----	2.40 + 0.40	.0094	----	----	----	----	201 UNCH
6875	----	----	2.50B/----	2.50B/2.50A	----	2.30 + 0.30	.0091	----	----	----	----	22 UNCH
6900	----	----	2.40B/----	2.40B/2.40A	----	2.30 + 0.40	.0090	----	----	----	----	19 UNCH
6925	----	----	2.40B/----	2.40B/2.30A	----	2.20 + 0.30	.0086	----	----	----	----	1 UNCH
6950	----	----	2.40B/----	2.40B/2.30A	----	2.20 + 0.30	.0085	----	----	----	----	22 UNCH
6975	----	----	2.30B/----	2.30B/2.20A	----	2.20 + 0.40	.0085	----	----	----	----	10 UNCH
7000	----	----	2.40B/----	2.40B/2.20A	----	2.10 + 0.30	.0081	----	----	----	----	1119 UNCH
7050	----	----	2.20B/----	2.20B/2.10A	----	2.10 + 0.40	.0080	----	----	----	----	18 UNCH
7075	----	----	2.20B/----	2.20B/2.10A	----	2.00 + 0.30	.0076	----	----	----	----	13 UNCH
7100	----	----	2.20B/----	2.20B/2.10A	----	2.00 + 0.30	.0076	----	----	----	----	28 UNCH
7125	----	----	2.10B/----	2.10B/2.00A	----	2.00 + 0.30	.0075	----	----	----	----	1 UNCH
7150	----	----	2.10B/----	2.10B/2.00A	----	2.00 + 0.40	.0075	----	----	----	----	19 UNCH
7175	----	----	2.00B/----	2.00B/2.00A	----	1.90 + 0.30	.0071	----	----	----	----	1 UNCH
7200	----	----	2.00B/----	2.00B/1.90A	----	1.90 + 0.30	.0071	----	----	----	----	3 UNCH
7225	----	----	2.00B/----	2.00B/1.90A	----	1.90 + 0.40	.0070	----	----	----	----	22 UNCH
7250	----	----	2.00B/----	2.00B/1.90A	----	1.80 + 0.30	.0067	----	----	----	----	23 UNCH
7275	----	----	1.90B/----	1.90B/1.90A	----	1.80 + 0.30	.0066	----	----	----	----	14 UNCH
7300	----	----	1.90B/----	1.90B/1.80A	----	1.80 + 0.30	.0066	----	----	----	----	50 UNCH
7350	----	----	1.80B/----	1.80B/1.80A	----	1.70 + 0.30	.0062	----	----	----	----	8 UNCH
7400	----	----	1.80B/----	1.80B/1.70A	----	1.70 + 0.30	.0061	----	----	----	----	2 UNCH
7425	----	----	1.70B/----	1.70B/1.70A	----	1.60 + 0.20	.0058	----	----	----	----	19 UNCH
7450	----	----	2.00B/----	2.00B/1.70A	----	1.60 + 0.30	.0058	----	----	----	----	28 UNCH
7475	----	----	1.70B/----	1.70B/1.60A	----	1.60 + 0.30	.0057	----	----	----	----	9 UNCH
7500	2.00	2.00	2.10/1.50	2.10/1.50	----	1.60 + 0.30	.0057	----	----	14	----	300 UNCH
7525	----	----	1.80B/----	1.80B/1.60A	----	1.50 + 0.20	.0054	----	----	----	----	33 UNCH
7550	----	----	1.60B/----	1.60B/1.60A	----	1.50 + 0.30	.0053	----	----	----	----	50 UNCH
7575	----	----	1.60B/----	1.60B/1.30A	----	1.50 + 0.30	.0053	----	----	----	----	1 UNCH
7600	----	----	1.60B/----	1.60B/1.30A	----	1.50 + 0.30	.0053	----	----	----	----	10 UNCH
7625	----	----	1.50B/----	1.50B/1.50A	----	1.50 + 0.30	.0053	----	----	----	----	12 UNCH
7700	----	----	1.50B/----	1.50B/1.40A	----	1.40 + 0.30	.0049	----	----	----	----	11 UNCH
7725	1.50	1.50	1.50/1.40A	1.50/1.40A	----	1.40 + 0.30	.0049	----	----	6	----	17 + 6
7750	----	----	1.40B/----	1.40B/1.40A	----	1.30 + 0.20	.0045	----	----	----	----	6 UNCH
7775	----	----	1.40B/----	1.40B/1.40A	----	1.30 + 0.20	.0045	----	----	----	----	6 UNCH
7800	1.30	1.30	1.40B/1.30	1.40B/1.30	----	1.30 + 0.30	.0045	----	----	1	----	5 UNCH
7825	----	----	1.40B/----	1.40B/1.30A	----	1.30 + 0.30	.0045	----	----	----	----	13 UNCH
7875	----	----	1.30B/----	1.30B/1.30A	----	1.20 + 0.20	.0041	----	----	----	----	151 UNCH
7900	----	----	1.30B/----	1.30B/1.30A	----	1.20 + 0.20	.0041	----	----	----	----	1 UNCH
8000	1.60	1.60	1.70/1.20A	1.70/1.20A	----	1.20 + 0.30	.0040	----	----	5	----	746 - 4
8100	----	----	1.10B/----	1.10B/1.20A	----	1.10 + 0.20	.0037	----	----	----	----	7 UNCH
8200	1.00	1.00	1.10B/*1.00	1.10B/1.00	----	1.00 NEW	.0033	----	----	1	----	1 + 1
8300	----	----	1.00B/----	1.00B/1.10A	----	1.00 + 0.20	.0033	----	----	----	----	4 UNCH
8500	----	----	0.90B/----	0.90B/1.00A	----	0.90 + 0.20	.0029	----	----	----	----	30 UNCH
8600	----	----	0.80B/----	0.80B/0.90A	----	0.80 + 0.10	.0026	----	----	----	----	1 UNCH
8700	----	----	----	0.70B/0.80A	----	0.80 + 0.10	.0025	----	----	----	----	24 UNCH
8800	----	----	----	0.70B/0.80A	----	0.70 UNCH	.0022	----	----	----	----	7 UNCH
9000	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0019	----	----	----	----	241 UNCH
9200	----	----	----	0.50B/0.70A	----	0.60 UNCH	.0018	----	----	----	----	11 UNCH
9300	----	----	----	0.50B/0.60A	----	0.60 UNCH	.0018	----	----	----	----	4 UNCH
9400	----	----	----	0.40B/0.60A	----	0.50 - 0.10	.0015	----	----	----	----	141 UNCH
9500	----	----	----	0.40B/0.60A	----	0.50 - 0.10	.0015	----	----	----	----	66 UNCH
9900	----	----	----/*0.50A	0.30B/0.50A	----	0.40 - 0.20	.0012	----	----	----	----	5 UNCH
10000	----	----	----/*0.30A	0.30B/*0.30A	----	0.40 - 0.20	.0011	----	----	----	----	173 UNCH
10100	----	----	----/*0.50A	0.20B/0.50A	----	0.40 - 0.20	.0011	----	----	----	----	12 UNCH
11000	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	103 UNCH
11200	----	----	----	----/0.30A	----	0.20 - 0.10	.0005	----	----	----	----	13 UNCH
11500	----	----	----	----/0.30A	----	0.20 - 0.10	.0005	----	----	----	----	47 UNCH
11600	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0003	----	----	----	----	50 UNCH
12000	----	----	----	----/*0.10A	----	0.10 UNCH	.0001	----	----	----	----	217 UNCH
TOTAL										5338	200	62505 + 1667
AUG26												
3100	----	----	----	----	----	1629.90 + 26.40	.9912	----	----	----	----	0 - 1
3200	----	----	1,554.90B/----	1554.90B/1522.80A	----	1530.10 + 26.20	.9890	----	----	----	----	3 - 75
3250	----	----	----	----	----	1480.20 NEW	.9875	----	----	125	----	0 UNCH
3300	----	----	----	----	----	1430.50 NEW	.9862	----	----	25	----	0 UNCH
3350	----	----	----	----	----	1380.70 NEW	.9846	----	----	125	----	125 + 125
3400	----	----	----	----	----	1331.10 + 25.10	.9826	----	----	25	----	26 + 25
3500	----	----	1,256.50B/----	1256.50B/1224.30A	----	1232.10 + 24.20	.9779	----	----	----	----	46 UNCH
3505	----	----	1,251.60B/----	1251.60B/1219.40A	----	1227.20 + 24.20	.9779	----	----	----	----	4 UNCH
3520	----	----	1,236.80B/----	1236.80B/1204.60A	----	1212.40 + 24.10	.9771	----	----	----	----	65 UNCH
3550	----	----	1,208.50B/----	1208.50B/1172.80A	----	1182.80 + 23.70	.9752	----	----	----	----	310 UNCH
3600	----	----	1,162.10B/----	1162.10B/1124.00A	----	1133.60 + 23.10	.9721	----	----	----	----	1045 UNCH
3610	----	----	1,148.30B/----	1148.30B/1116.10A	----	1123.80 + 23.00	.9713	----	----	----	----	6 UNCH
3650	----	----	1,109.10B/----	1109.10B/1077.00A	----	1084.60 + 22.50	.9683	----	----	----	----	4 UNCH
3660	----	----	----	----	----	1074.80 + 22.30	.9675	----	----	----	----	1 UNCH
3685	----	----	----	----	----	1050.40 + 21.90	.9653	----	----	----	----	1 UNCH
3700	----	----	1,060.30B/----	1060.30B/1028.20A	----	1035.80 + 21.70	.9639	----	----	----	----	40 UNCH
3715	----	----	1,045.70B/----	1045.70B/1013.70A	----	1021.20 + 21.40	.9624	----	----	----	----	30 UNCH
3720	----	----	----	----	----	1016.30 + 21.30	.9620	----	----	----	----	1 UNCH
3735	----	----	----	----	----	1001.70 + 21.00	.9605	----	----	----	----	1 UNCH
3750	----	----	1,011.80B/----	1011.80B/979.80A	----	987.20 + 20.80	.9587	----	----	----	----	8 UNCH
3775	----	----	987.60B/----	987.60B/955.70A	----	963.00 + 20.30	.9559	----	----	----	----	4 UNCH
3780	----	----	982.80B/----	982.80B/950.90A	----	958.10 + 20.10	.9554	----	----	----	----	10 UNCH
3790	----	----	973.10B/----	973.10B/941.30A	----	948.50 + 20.00	.9541	----	----	----	----	67 UNCH
3800	----	----	964.60B/----	964.60B/929.60A	----	938.80 + 19.70	.9529	----	----	----	----	303 UNCH
3820	----	----	944.20B/----	944.20B/912.50A	----	919.60 + 19.30	.9504	----	----	----	----	3 UNCH
3840	----	----	----	----	----	900.40 + 18.80	.9476	----	----	----	----	1 UNCH
3850	----	----	915.50B/----	915.50B/883.80A	----	890.80 + 18.50	.9461	----	----	----	----	12 UNCH
3885	----	----	----	----	----	857.50 + 17.70	.9406	----	----	----	----	2 UNCH
3890	----	----	----	----	----	852.70 + 17.50	.9398	----	----	----	----	2 UNCH
3900	----	----	867.90B/----	867.90B/836.40A	----	843.20 + 17.20	.9381	----	----	----	----	146 UNCH
3920	----	----	----	----	----	824.30 + 16.60	.9346	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 27

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
3925	----	----	844.20B/----	844.20B/812.90A	----	819.50 + 16.40	.9337	----	----	----	----	10 UNCH
3950	----	----	820.70B/----	820.70B/789.50A	----	796.00 + 15.60	.9289	----	----	----	----	106 UNCH
3955	----	----	816.00B/----	816.00B/784.80A	----	791.30 + 15.50	.9279	----	----	----	----	7 UNCH
3975	----	----	797.20B/----	797.20B/766.20A	----	772.60 + 14.80	.9238	----	----	----	----	200 UNCH
3995	----	----	778.60B/----	778.60B/747.70A	----	754.00 + 14.10	.9194	----	----	----	----	30 UNCH
4000	----	----	776.50B/----	776.50B/741.20A	----	749.30 + 13.80	.9184	----	----	----	----	723 UNCH
4005	----	----	----	556.50B/812.50A	----	744.70 + 13.70	.9171	----	----	----	----	1 UNCH
4015	----	----	760.00B/----	760.00B/729.30A	----	735.40 + 13.30	.9148	----	----	----	----	12 UNCH
4025	----	----	750.80B/----	750.80B/720.10A	----	726.20 + 12.90	.9124	----	----	----	----	174 UNCH
4045	----	----	732.30B/----	732.30B/701.90A	----	707.80 + 12.10	.9073	----	----	----	----	30 UNCH
4050	----	----	727.70B/----	727.70B/697.30A	----	703.20 + 11.80	.9060	----	----	----	----	100 UNCH
4055	----	----	723.20B/----	723.20B/692.80A	----	698.70 + 11.70	.9047	----	----	----	----	100 UNCH
4075	----	----	705.00B/----	705.00B/674.70A	----	680.50 + 10.80	.8992	----	----	----	----	3 UNCH
4080	----	----	----	558.40B/746.20A	----	675.90 + 10.50	.8977	----	----	----	----	1 UNCH
4100	----	----	682.30B/----	682.30B/652.30A	----	657.90 + 09.60	.8919	----	----	----	----	73 UNCH
4110	----	----	673.30B/----	673.30B/643.40A	----	648.90 + 09.10	.8888	----	----	----	----	19 UNCH
4135	----	----	650.90B/----	650.90B/621.20A	----	626.60 + 07.90	.8807	----	----	----	----	20 UNCH
4140	----	----	----	505.00B/696.80A	----	622.10 + 07.60	.8791	----	----	----	----	1 UNCH
4150	----	----	637.60B/----	637.60B/608.10A	----	613.30 + 07.10	.8757	----	----	----	----	40 UNCH
4165	----	----	----	483.10B/676.80A	----	600.10 + 06.20	.8704	----	----	----	----	1 UNCH
4195	----	----	597.90B/----	597.90B/569.20A	----	574.00 + 04.50	.8592	----	----	----	----	3 UNCH
4200	----	----	593.60B/----	593.60B/564.90A	----	569.70 + 04.20	.8572	----	----	----	----	75 UNCH
4215	----	----	----	440.30B/637.10A	----	556.80 + 03.30	.8513	----	----	----	----	1 UNCH
4220	----	----	576.40B/----	576.40B/547.90A	----	552.50 + 03.00	.8493	----	----	----	----	16 UNCH
4225	----	----	572.00B/----	572.00B/543.70A	----	548.20 + 02.60	.8472	----	----	----	----	102 UNCH
4235	----	----	----	423.40B/621.60A	----	539.70 + 02.00	.8429	----	----	----	----	1 UNCH
4250	----	----	550.90B/----	550.90B/522.70A	----	527.10 + 01.10	.8364	----	----	----	----	71 UNCH
4265	----	----	538.30B/----	538.30B/510.30A	----	514.50 + 00.00	.8297	----	----	----	----	77 UNCH
4285	----	----	521.60B/----	521.60B/494.00A	----	498.00 + 98.60	.8204	----	----	----	----	8 UNCH
4300	----	----	509.20B/----	509.20B/481.80A	----	485.70 + 97.50	.8131	----	----	----	----	42 UNCH
4320	----	----	----	352.20B/557.80A	----	469.60 + 96.10	.8031	----	----	----	----	2 UNCH
4325	----	----	488.70B/----	488.70B/461.90A	----	465.50 + 95.60	.8006	----	----	----	----	6 UNCH
4330	----	----	484.70B/----	484.70B/458.00A	----	461.60 + 95.30	.7980	----	----	----	----	201 UNCH
4350	----	----	471.10B/----	471.10B/439.80A	----	445.70 + 93.70	.7873	----	----	----	----	774 UNCH
4360	----	----	----	320.30B/528.80A	----	437.90 + 92.90	.7818	----	----	----	----	1 UNCH
4375	----	----	449.00B/----	449.00B/423.20A	----	426.30 + 91.70	.7734	----	----	----	----	3 UNCH
4385	----	----	441.30B/----	441.30B/415.60A	----	418.60 + 90.80	.7676	----	----	----	----	100 UNCH
4390	----	----	----	297.10B/507.50A	----	414.80 + 90.40	.7646	----	----	----	----	1 UNCH
4400	414.00	414.00	432.10B/414.00	432.10B/402.80A	----	407.30 + 89.60	.7587	----	----	2	----	326 UNCH
4420	----	----	414.60B/----	414.60B/389.70A	----	392.40 + 87.90	.7467	----	----	----	----	50 UNCH
4425	----	----	410.80B/----	410.80B/386.10A	----	388.70 + 87.50	.7435	----	----	----	----	5 UNCH
4440	----	----	----	260.10B/473.10A	----	377.70 + 86.10	.7341	----	----	----	----	1 UNCH
4450	----	----	392.30B/----	392.30B/291.30A	----	370.50 + 85.20	.7277	----	----	----	----	6 UNCH
4455	----	----	----	273.30B/290.80A	----	367.00 + 84.80	.7245	----	----	----	----	2 UNCH
4460	----	----	385.00B/----	385.00B/289.40A	----	363.40 + 84.30	.7212	----	----	----	----	5 UNCH
4465	----	----	381.40B/----	381.40B/286.30A	----	359.90 + 83.90	.7180	----	----	----	----	9 UNCH
4470	----	----	377.80B/----	377.80B/283.20A	----	356.30 + 83.40	.7146	----	----	----	----	7 UNCH
4475	----	----	374.30B/----	374.30B/279.80A	----	352.80 + 82.90	.7113	----	----	1	----	30 + 1
4485	----	----	367.20B/----	367.20B/274.00A	----	345.90 + 82.00	.7045	----	----	----	----	5 UNCH
4490	----	----	349.90B/----	349.90B/270.70A	----	342.50 + 81.60	.7011	----	----	----	----	1 UNCH
4500	----	----	359.00B/249.40A	359.00B/249.40A	----	335.60 + 80.60	.6943	----	----	----	----	807 UNCH
4525	----	----	342.60B/235.60A	342.60B/235.60A	----	318.90 + 78.20	.6768	----	----	----	----	10 UNCH
4535	----	----	335.90B/229.80A	335.90B/229.80A	----	312.40 + 77.30	.6697	----	----	----	----	10 UNCH
4540	----	----	332.50B/227.10A	332.50B/227.10A	----	309.10 + 76.70	.6660	----	----	----	----	5 UNCH
4545	----	----	329.10B/224.40A	329.10B/224.40A	----	305.90 + 76.20	.6624	----	----	----	----	1 UNCH
4550	----	----	327.40B/221.80A	327.40B/221.80A	----	302.70 + 75.70	.6588	----	----	----	----	22 UNCH
4555	----	----	322.40B/219.20A	322.40B/219.20A	----	299.50 + 75.20	.6551	----	----	----	----	1 UNCH
4560	----	----	320.90B/216.70A	320.90B/216.70A	----	296.40 + 74.80	.6515	----	----	----	----	153 UNCH
4565	----	----	316.00B/213.80A	316.00B/213.80A	----	293.20 + 74.20	.6478	----	----	----	----	1 UNCH
4570	----	----	312.80B/211.40A	312.80B/211.40A	----	290.10 + 73.70	.6441	----	----	----	----	4 UNCH
4575	----	----	311.10B/208.80A	311.10B/208.80A	----	287.00 + 73.20	.6404	----	----	----	----	41 UNCH
4580	----	----	309.70B/206.30A	309.70B/206.30A	----	283.90 + 72.70	.6366	----	----	----	----	209 UNCH
4585	----	----	303.20B/203.80A	303.20B/203.80A	----	280.90 + 72.20	.6329	----	----	----	----	2 UNCH
4590	----	----	301.70B/201.40A	301.70B/201.40A	----	277.80 + 71.70	.6292	----	----	----	----	66 UNCH
4595	----	----	296.90B/198.90A	296.90B/198.90A	----	274.80 + 71.20	.6254	----	----	----	----	10 UNCH
4600	290.00	290.00	295.60B/196.80A	295.60B/196.80A	----	271.80 + 70.60	.6216	----	----	14	----	300 - 5
4605	----	----	290.70B/194.00A	290.70B/194.00A	----	268.80 + 70.10	.6178	----	----	----	----	3 UNCH
4615	----	----	285.30B/189.30A	285.30B/189.30A	----	263.00 + 69.10	.6102	----	----	----	----	7 UNCH
4620	----	----	282.30B/186.90A	282.30B/186.90A	----	260.00 + 68.50	.6063	----	----	----	----	5 UNCH
4625	----	----	279.30B/184.70A	279.30B/184.70A	----	257.10 + 68.00	.6025	----	----	----	----	13 UNCH
4630	----	----	277.40B/182.20A	277.40B/182.20A	----	254.30 + 67.50	.5986	----	----	----	----	24 UNCH
4640	----	----	271.90B/177.70A	271.90B/177.70A	----	248.60 + 66.40	.5909	----	----	----	----	18 UNCH
4650	270.00	270.00	270.00/173.30A	270.00/173.30A	----	243.00 + 65.30	.5831	----	----	2	----	276 - 1
4655	----	----	262.60B/171.10A	262.60B/171.10A	----	240.20 + 64.70	.5792	----	----	----	----	1 UNCH
4660	----	----	259.70B/169.10A	259.70B/169.10A	----	237.50 + 64.20	.5753	----	----	----	----	4 UNCH
4665	----	----	257.80B/166.90A	257.80B/166.90A	----	234.80 + 63.70	.5714	----	----	----	----	16 UNCH
4670	----	----	255.70B/164.80A	255.70B/164.80A	----	232.10 + 63.20	.5675	----	----	----	----	50 UNCH
4675	----	----	253.40B/162.70A	253.40B/162.70A	----	229.40 + 62.60	.5635	----	----	----	----	39 UNCH
4680	----	----	248.60B/160.60A	248.60B/160.60A	----	226.70 + 62.00	.5596	----	----	----	----	10 UNCH
4685	----	----	247.00B/158.60A	247.00B/158.60A	----	224.10 + 61.50	.5557	----	----	----	----	200 UNCH
4690	----	----	243.10B/156.60A	243.10B/156.60A	----	221.50 + 61.00	.5517	----	----	----	----	8 UNCH
4695	----	----	240.50B/154.60A	240.50B/154.60A	----	218.90 + 60.40	.5478	----	----	----	----	4 UNCH
4700	192.60	192.60	239.70B/152.70A	239.70B/152.70A	----	216.30 + 59.80	.5438	----	----	96	----	2257 + 47
4705	----	----	236.80B/150.70A	236.80B/150.70A	----	213.80 + 59.30	.5398	----	----	----	----	22 UNCH
4710	----	----	234.40B/148.80A	234.40B/148.80A	----	211.30 + 58.80	.5359	----	----	----	----	22 UNCH
4715	----	----	234.50B/146.90A	234.50B/146.90A	----	208.80 + 58.30	.5319	----	----	----	----	1 UNCH
4720	----	----	231.80B/145.00A	231.80B/145.00A	----	206.30 + 57.70	.5280	----	----	----	----	60 UNCH
4725	----	----	228.40B/143.10A	228.40B/143.10A	----	203.80 + 57.10	.5240	----	----	7	----	35 + 5
4730	----	----	225.80B/141.30A	225.80B/141.30A	----	201.40 + 56.60	.5200	----	----	5	----	9 + 5
4735	----	----	223.30B/139.40A	223.30B/139.40A	----	199.00 + 56.10	.5161	----	----	----	----	2 UNCH
4745	----	----	219.10B/135.90A	219.10B/135.90A	----	194.20 + 54.90	.5081	----	----	11	----	63 + 11
4750	----	----	216.80B/134.10A	216.80B/134.10A	----	191.90 + 54.40	.5042	----	----	142	----	309 + 12
4755	----	----	214.20B/132.40A	214.20B/132.40A	----	189.60 + 53.90	.5002	----	----	----	----	56 UNCH
4760	----	----	211.70B/130.60A	211.70B/130.60A	----	187.30 + 53.40	.4963	----	----	----	----	31 UNCH
4765	----	----	209.40B/128.90A	209.40B/128.90A	----	185.00 + 52.80	.4924	----	----	8	----	9 + 3
4770	----	----	206.90B/127.30A	206.90B/127.30A	----	182.80 + 52.40	.4884	----	----	16	----	252 + 2
4775	----	----	204.70B/125.60A	204.70B/125.60A	----	180.60 + 51.90	.4845	----	----	1	----	21 UNCH
4780	----	----	202.30B/124.00A	202.30B/124.00A	----	178.40 + 51.40	.4806	----	----	6	----	17 + 4
4785	----	----	200.00B/122.30A	200.00B/122.30A	----	176.20 + 50.80	.4767	----	----	----	----	2 UNCH
4790	----	----	197.40B/120.70A	197.40B/120.70A	----	174.00 + 50.30	.4727	----	----	----	----	27 UNCH
4795	----	----	195.90B/119.20A	195.90B/119.20A	----	171.90 + 49.80	.4689	----	----	----	----	103 UNCH
4800	162.20	162.20	193.30B/117.60A	193.30B/117.60A	----	169.80 + 49.30	.4650	----	----	16	----	1909 + 14
4805	----	----	190.90B/116.10A	190.90B/116.10A	----	167.70 + 48.80	.4611	----	----	----	----	14 UNCH
4810	----	----	189.10B/114.60A	189.10B/114.60A	----	165.60 + 48.20	.4572	----	----	6	----	18 - 6
4815	----	----	187.00B/113.10A	187.00B/113.10A	----	163.60 + 47.80	.4534	----	----	----	----	3 UNCH
4820	182.00	182.00	184.40B/111.60A	184.40B/111.60A	----	161.60 + 47.30	.4495	----	----	2	----	23 + 1
4825	----	----	182.90B/110.20A	182.90B/110.20A	----	159.50 + 46.70	.4456	----	----	----	----	83 UNCH
4830	----	----	180.30B/108.70A	180.30B/108.70A	----	157.60 + 46.30	.4418	----	----	6	----	23 - 1
4835	----	----	178.00B/107.30A	178.00B/107.30A	----	155.60 + 45.70	.4380	----	----	----	----	38 UNCH
4840	----	----	176.10B/105.90A	176.10B/105.90A	----	153.70 + 45.30	.4342	----	----	----	----	25 UNCH
4845	----	----	174.50B/104.60A	174.50B/104.60A	----	151.80 + 44.80	.4305	----	----	----	----	1 UNCH
4850	153.00	153.00	171.70B/103.10A	171.70B/103.10A	----	149.90 + 44.30	.4267	----	----	1	----	190 + 1
4860	----	----	168.40B/100.40A	168.40B/100.40A	----	146.10 + 43.30	.4191	----	----	----	----	29 UNCH
4865	----	----	165.50B/99.10A	165.50B/99.10A	----	144.30 + 42.80	.4154	----	----	----	----	11 UNCH
4870	----	----	164.30B/97.80A	164.30B/97.80A	----	142.50 + 42.40	.4117	----	----	----	----	23 UNCH
4875	----	----	161.90B/96.50A	161.90B/96.50A	----	140.70 + 41.90	.4080	----	----	----	----	147 UNCH
4880	----	----	160.50B/95.20A	160.50B/95.20A	----	138.90 + 41.40	.4043	----	----	----	----	142 UNCH
4885	----	----	158.60B/94.00A	158.60B/94.00A	----	137.20 + 41.00	.4007	----	----	28	----	39 + 18
4890	----	----	156.40B/92.70A	156.40B/92.70A	----	135.50 + 40.50	.3970	----	----	----	----	8 UNCH
4895	----	----	154.40B/91.50A	154.40B/91.50A	----	133.80 + 40.10	.3934	----	----	----	----	37 UNCH
4900	137.10	137.10	152.30B/89.80A	152.30B/89.80A	----	132.10 + 39.60	.3898	----	----	11	----	592 - 2
4905	----	----	150.40B/89.10A	150.40B/89.10A	----	130.40 + 39.20	.3862	----	----	----	----	14 UNCH
4910	128.30	128.30	148.70B/88.00A	148.70B/88.00A	----	128.70 + 38.70	.3825	----	----	3	----	10 + 3
4920	----	----	145.70B/85.70A	145.70B/85.70A	----	125.50 + 37.80	.3755	----	----	----	----	3 UNCH
4925	----	----	144.00B/84.50A	144.00B/84.50A	----	123.90 + 37.40	.3719	----	----	----	----	125 UNCH
4930	----	----	142.20B/83.40A	142.20B/83.40A	----	122.30 + 36.90	.3684	----	----	----	----	25 UNCH
4935	----	----	139.80B/82.40A	139.80B/82.40A	----	120.70 + 36.40	.3649	----	----	----	----	1 UNCH
4940	----	----	138.40B/81.30A	138.40B/81.30A	----	119.20 + 36.00	.3614	----	----	2	----	28 + 2
4945	136.20	136.20	136.80B/80.20A	136.80B/80.20A	----	117.70 + 35.60	.3580	----	----	1	----	23 UNCH
4950	104.50	104.50	135.10B/79.20A	135.10B/79.20A	----	116.20 + 35.20	.3546	----	----	42	----	222 + 5
4955	----	----	133.50B/78.10A	133.50B/78.10A	----	114.70 + 34.80	.3512	----	----	----	----	22 UNCH
4960	----	----	131.80B/77.10A	131.80B/77.10A	----	113.20 + 34.30	.3477	----	----	----	----	29 UNCH
4965	----	----	130.60B/76.10A	130.60B/76.10A	----	111.70 + 33.80	.3443	----	----	----	----	22 UNCH
4970	117.00	117.00	129.00B/75.10A	129.00B/75.10A	----	110.30 + 33.50	.3410	----	----	1	----	1 + 1
4975	----	----	127.40B/74.10A	127.40B/74.10A	----	108.90 + 33.10	.3377	----	----	----	----	2 UNCH
4980	----	----	125.60B/73.20A	125.60B/73.20A	----	107.50 + 32.70	.3344	----	----	----	----	3 UNCH
4985	----	----	124.00B/72.20A	124.00B/72.20A	----	106.10 + 32.20	.3311	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4990	----	----	122.80B/71.30A	122.80B/71.30A	----	104.80 + 31.90	.3279	----	----	1	----	9 + 1
4995	----	----	121.00B/70.40A	121.00B/70.40A	----	103.40 + 31.50	.3246	----	----	----	----	1 UNCH
5000	112.00	112.00	120.00/69.40A	120.00/69.40A	----	102.10 + 31.10	.3214	----	----	102	----	1813 - 38
5005	----	----	118.30B/68.50A	118.30B/68.50A	----	100.80 + 30.70	.3182	----	----	----	----	10 UNCH
5015	----	----	115.20B/66.80A	115.20B/66.80A	----	98.20 + 29.90	.3119	----	----	1	----	7 + 1
5020	----	----	113.80B/65.90A	113.80B/65.90A	----	96.90 + 29.50	.3087	----	----	----	----	30 UNCH
5025	95.10	95.10	112.40B/65.10A	112.40B/65.10A	----	95.70 + 29.20	.3057	----	----	3	----	230 UNCH
5030	98.70	98.70	111.00B/64.20A	111.00B/64.20A	----	94.40 + 28.70	.3025	----	----	2	----	193 UNCH
5035	----	----	109.90B/63.40A	109.90B/63.40A	----	93.20 + 28.40	.2995	----	----	----	----	11 UNCH
5040	96.50	96.50	107.80B/62.60A	107.80B/62.60A	----	92.00 + 28.00	.2964	----	----	12	----	15 + 12
5045	83.10	83.10	106.60B/61.80A	106.60B/61.80A	----	90.80 + 27.60	.2934	----	----	1	----	23 + 1
5050	----	----	105.60B/61.00A	105.60B/61.00A	----	89.70 + 27.40	.2905	----	----	----	----	275 UNCH
5055	----	----	104.40B/60.20A	104.40B/60.20A	----	88.50 + 27.00	.2875	----	----	----	----	3 UNCH
5060	----	----	103.10B/59.40A	103.10B/59.40A	----	87.40 + 26.70	.2846	----	----	1	----	11 UNCH
5065	----	----	101.80B/58.70A	101.80B/58.70A	----	86.20 + 26.20	.2816	----	----	----	----	43 UNCH
5070	----	----	100.40B/57.90A	100.40B/57.90A	----	85.10 + 25.90	.2787	----	----	----	----	7 UNCH
5075	----	----	99.00B/57.20A	99.00B/57.20A	----	84.00 + 25.60	.2758	----	----	1	----	204 UNCH
5080	----	----	98.00B/56.50A	98.00B/56.50A	----	83.00 + 25.30	.2731	----	----	----	----	21 UNCH
5085	----	----	96.80B/55.70A	96.80B/55.70A	----	81.90 + 24.90	.2702	----	----	----	----	103 UNCH
5090	----	----	95.60B/55.10A	95.60B/55.10A	----	80.80 + 24.60	.2673	----	----	----	----	1 UNCH
5095	----	----	94.40B/54.30A	94.40B/54.30A	----	79.80 + 24.30	.2646	----	----	----	----	4 UNCH
5100	87.00	87.00	94.00/53.70A	94.00/53.70A	----	78.80 + 24.00	.2619	----	----	109	----	1457 + 93
5105	----	----	91.90B/53.00A	91.90B/53.00A	----	77.70 + 23.60	.2590	----	----	----	----	3 UNCH
5110	80.50	80.50	91.00B/52.30A	91.00B/52.30A	----	76.70 + 23.30	.2563	----	----	4	----	11 + 4
5115	80.30	80.30	89.90B/51.70A	89.90B/51.70A	----	75.70 + 22.90	.2536	----	----	1	----	9 + 1
5120	----	----	88.50B/51.00A	88.50B/51.00A	----	74.80 + 22.70	.2511	----	----	1	300	354 + 301
5125	----	----	87.70B/50.40A	87.70B/50.40A	----	73.80 + 22.40	.2484	----	----	150	----	159 + 135
5130	----	----	86.60B/49.80A	86.60B/49.80A	----	72.90 + 22.10	.2459	----	----	----	----	2 UNCH
5135	----	----	85.60B/49.20A	85.60B/49.20A	----	71.90 + 21.70	.2432	----	----	----	----	4 UNCH
5140	----	----	84.20B/48.60A	84.20B/48.60A	----	71.00 + 21.50	.2406	----	----	----	----	12 UNCH
5145	----	----	83.50B/48.00A	83.50B/48.00A	----	70.10 + 21.20	.2381	----	----	----	----	12 UNCH
5150	68.90	68.90	82.50B/47.40A	82.50B/47.40A	----	69.20 + 20.90	.2356	----	----	20	----	113 + 18
5155	----	----	81.10B/46.80A	81.10B/46.80A	----	68.30 + 20.60	.2331	----	----	----	----	18 UNCH
5160	----	----	80.40B/46.20A	80.40B/46.20A	----	67.40 + 20.30	.2306	----	----	----	----	14 UNCH
5165	----	----	79.50B/45.60A	79.50B/45.60A	----	66.50 + 20.00	.2280	----	----	----	----	2 UNCH
5170	----	----	78.20B/45.10A	78.20B/45.10A	----	65.70 + 19.70	.2257	----	----	----	----	6 UNCH
5175	60.60	60.60	77.50B/44.50A	77.50B/44.50A	----	64.90 + 19.50	.2234	----	----	97	----	361 + 36
5185	----	----	75.50B/43.50A	75.50B/43.50A	----	63.20 + 18.90	.2185	----	----	----	----	2 UNCH
5190	----	----	74.30B/42.90A	74.30B/42.90A	----	62.40 + 18.60	.2162	----	----	----	----	6 UNCH
5195	----	----	73.40B/42.50A	73.40B/42.50A	----	61.60 + 18.40	.2139	----	----	----	----	12 UNCH
5200	60.00	60.00	72.90B/41.90A	72.90B/41.90A	----	60.80 + 18.10	.2116	----	----	339	50	2952 + 193
5205	61.90	61.90	72.00B/41.50A	72.00B/41.50A	----	60.00 + 17.80	.2093	----	----	2	----	6 UNCH
5210	----	----	71.20B/41.00A	71.20B/41.00A	----	59.30 + 17.60	.2071	----	----	----	----	8 UNCH
5215	----	----	70.20B/40.40A	70.20B/40.40A	----	58.50 + 17.30	.2048	----	----	----	----	14 UNCH
5220	----	----	69.40B/39.90A	69.40B/39.90A	----	57.80 + 17.10	.2027	----	----	----	----	29 UNCH
5225	56.90	56.90	68.60B/39.40A	68.60B/39.40A	----	57.10 + 16.90	.2006	----	----	5	----	51 + 5
5230	----	----	67.80B/39.00A	67.80B/39.00A	----	56.30 + 16.60	.1983	----	----	1	----	11 + 1
5235	----	----	67.30B/38.50A	67.30B/38.50A	----	55.60 + 16.40	.1962	----	----	----	----	20 UNCH
5240	----	----	66.10B/38.10A	66.10B/38.10A	----	54.90 + 16.10	.1941	----	----	----	----	16 UNCH
5245	----	----	65.30B/37.60A	65.30B/37.60A	----	54.20 + 15.90	.1919	----	----	----	----	12 UNCH
5250	----	----	64.30B/37.20A	64.30B/37.20A	----	53.50 + 15.60	.1898	----	----	31	----	677 + 15
5255	----	----	63.80B/36.80A	63.80B/36.80A	----	52.90 + 15.50	.1879	----	----	----	----	888 UNCH
5260	----	----	63.60B/36.30A	63.60B/36.30A	----	52.20 + 15.20	.1858	----	----	----	----	24 UNCH
5265	----	----	62.80B/35.90A	62.80B/35.90A	----	51.60 + 15.10	.1839	----	----	----	----	11 UNCH
5270	----	----	61.80B/35.50A	61.80B/35.50A	----	50.90 + 14.80	.1819	----	----	----	----	118 UNCH
5275	----	----	61.30B/35.10A	61.30B/35.10A	----	50.30 + 14.60	.1800	----	----	----	----	21 UNCH
5280	----	----	60.20B/34.70A	60.20B/34.70A	----	49.70 + 14.40	.1781	----	----	----	----	207 UNCH
5285	----	----	59.30B/34.30A	59.30B/34.30A	----	49.00 + 14.10	.1760	----	----	----	----	32 UNCH
5290	----	----	58.60B/33.90A	58.60B/33.90A	----	48.40 + 13.90	.1741	----	----	----	----	16 UNCH
5295	----	----	57.90B/33.60A	57.90B/33.60A	----	47.80 + 13.70	.1722	----	----	----	----	6 UNCH
5300	----	----	57.20B/33.20A	57.20B/33.20A	----	47.20 + 13.50	.1704	----	----	----	----	906 UNCH
5305	----	----	56.60B/32.80A	56.60B/32.80A	----	46.70 + 13.40	.1687	----	----	----	----	11 UNCH
5310	----	----	55.90B/32.40A	55.90B/32.40A	----	46.10 + 13.20	.1668	----	----	----	----	105 UNCH
5320	----	----	55.00B/31.70A	55.00B/31.70A	----	45.00 + 12.80	.1633	----	----	----	----	17 UNCH
5325	----	----	54.10B/31.30A	54.10B/31.30A	----	44.40 + 12.60	.1615	----	----	----	----	23 UNCH
5330	----	----	53.70B/31.00A	53.70B/31.00A	----	43.90 + 12.40	.1598	----	----	----	----	3 UNCH
5335	----	----	52.60B/30.60A	52.60B/30.60A	----	43.40 + 12.30	.1582	----	----	----	----	1 UNCH
5345	----	----	51.30B/30.00A	51.30B/30.00A	----	42.30 + 11.80	.1547	----	----	----	----	2 UNCH
5350	----	----	50.70B/29.60A	50.70B/29.60A	----	41.80 + 11.70	.1531	----	----	50	----	8001 UNCH
5355	----	----	50.10B/29.40A	50.10B/29.40A	----	41.30 + 11.50	.1514	----	----	----	----	1 UNCH
5360	----	----	50.00B/29.00A	50.00B/29.00A	----	40.80 + 11.30	.1498	----	----	----	----	110 UNCH
5365	----	----	49.40B/28.70A	49.40B/28.70A	----	40.30 + 11.10	.1482	----	----	----	----	3 UNCH
5370	31.10	31.10	48.40B/28.40A	48.40B/28.40A	----	39.90 + 11.00	.1468	----	----	6	----	8005 UNCH
5375	----	----	48.20B/28.10A	48.20B/28.10A	----	39.40 + 10.90	.1452	----	----	----	----	16 UNCH
5380	----	----	47.20B/27.90A	47.20B/27.90A	----	38.90 + 10.70	.1436	----	----	----	----	3 UNCH
5400	28.70	28.70	45.00B/26.70A	45.00B/26.70A	----	37.10 + 10.00	.1376	----	----	71	----	2147 + 32
5405	----	----	44.90B/26.40A	44.90B/26.40A	----	36.70 + 9.90	.1362	----	----	----	----	7 UNCH
5410	38.50	38.50	44.40B/26.20A	44.40B/26.20A	----	36.30 + 9.80	.1348	----	----	1	----	17 + 1
5420	----	----	43.10B/25.60A	43.10B/25.60A	----	35.40 + 9.40	.1319	----	----	----	----	8 UNCH
5425	----	----	42.60B/25.40A	42.60B/25.40A	----	35.00 + 9.30	.1305	----	----	----	----	15 UNCH
5430	34.40	34.40	42.10B/25.10A	42.10B/25.10A	----	34.60 + 9.20	.1291	----	----	10	----	14 + 10
5435	----	----	41.40B/24.90A	41.40B/24.90A	----	34.20 + 9.00	.1278	----	----	----	----	20 UNCH
5440	----	----	41.00B/24.60A	41.00B/24.60A	----	33.90 + 9.00	.1267	----	----	----	----	106 UNCH
5445	----	----	40.60B/24.40A	40.60B/24.40A	----	33.50 + 8.80	.1253	----	----	----	----	10 UNCH
5450	----	----	40.40B/24.10A	40.40B/24.10A	----	33.10 + 8.70	.1240	----	----	----	----	126 UNCH
5455	----	----	39.80B/23.90A	39.80B/23.90A	----	32.70 + 8.50	.1226	----	----	----	----	10 UNCH
5460	----	----	39.30B/23.70A	39.30B/23.70A	----	32.40 + 8.50	.1215	----	----	----	----	15 UNCH
5465	33.90	33.90	38.80B/23.40A	38.80B/23.40A	----	32.00 + 8.30	.1202	----	----	9	----	38 + 9
5470	----	----	38.40B/23.20A	38.40B/23.20A	----	31.60 + 8.10	.1188	----	----	----	----	4 UNCH
5475	----	----	38.00B/23.00A	38.00B/23.00A	----	31.30 + 8.10	.1177	----	----	----	----	2 UNCH
5480	----	----	37.40B/22.70A	37.40B/22.70A	----	30.90 + 7.90	.1164	----	----	----	----	14 UNCH
5485	33.40	33.40	37.20B/22.40A	37.20B/22.40A	----	30.60 + 7.80	.1153	----	----	17	----	19 + 17
5490	----	----	36.70B/22.30A	36.70B/22.30A	----	30.30 + 7.70	.1142	----	----	----	----	2 UNCH
5495	----	----	36.30B/22.10A	36.30B/22.10A	----	29.90 + 7.60	.1129	----	----	----	----	4 UNCH
5500	30.00	30.00	36.00B/21.80A	36.00B/21.80A	----	29.60 + 7.50	.1118	----	----	12	----	1415 + 12
5505	----	----	35.50B/21.70A	35.50B/21.70A	----	29.30 + 7.40	.1107	----	----	----	----	9 UNCH
5510	----	----	35.10B/21.50A	35.10B/21.50A	----	29.00 + 7.30	.1097	----	----	----	----	8 UNCH
5515	31.80	31.80	34.70B/21.30A	34.70B/21.30A	----	28.70 + 7.20	.1086	----	----	6	----	18 + 6
5520	----	----	34.30B/21.10A	34.30B/21.10A	----	28.30 + 7.00	.1073	----	----	----	----	1 UNCH
5525	----	----	33.80B/----	33.80B/22.90A	----	28.00 + 6.90	.1062	----	----	----	----	2229 UNCH
5530	----	----	33.40B/----	33.40B/23.00A	----	27.70 + 6.80	.1051	----	----	----	----	1 UNCH
5535	----	----	33.10B/----	33.10B/22.80A	----	27.50 + 6.80	.1043	----	----	----	----	12 UNCH
5540	----	----	32.70B/----	32.70B/22.60A	----	27.20 + 6.70	.1033	----	----	----	----	9 UNCH
5545	----	----	32.30B/----	32.30B/22.40A	----	26.90 + 6.60	.1022	----	----	----	----	11 UNCH
5550	----	----	32.00B/----	32.00B/21.90A	----	26.60 + 6.50	.1011	----	----	1	----	128 + 1
5555	----	----	31.70B/----	31.70B/22.00A	----	26.30 + 6.40	.1001	----	----	----	----	1 UNCH
5560	----	----	31.30B/----	31.30B/21.90A	----	26.00 + 6.20	.0990	----	----	----	----	3 UNCH
5565	----	----	31.10B/----	31.10B/21.70A	----	25.80 + 6.20	.0982	----	----	----	----	14 UNCH
5570	----	----	30.60B/19.30A	30.60B/19.30A	----	25.50 + 6.10	.0972	----	----	----	----	3 UNCH
5575	----	----	30.40B/----	30.40B/21.30A	----	25.20 + 6.00	.0961	----	----	----	----	3 UNCH
5580	----	----	29.90B/----	29.90B/21.20A	----	25.00 + 5.90	.0954	----	----	----	----	17 UNCH
5590	----	----	29.30B/----	29.30B/20.80A	----	24.50 + 5.80	.0935	----	----	----	----	1 UNCH
5595	----	----	29.00B/----	29.00B/18.50A	----	24.20 + 5.70	.0925	----	----	----	----	29 UNCH
5600	24.00	24.00	28.80B/24.00	28.80B/20.30A	----	24.00 + 5.60	.0917	----	----	6	----	1130 + 5
5605	----	----	28.50B/----	28.50B/20.30A	----	23.70 + 5.50	.0907	----	----	----	----	7 UNCH
5610	----	----	28.20B/----	28.20B/20.10A	----	23.50 + 5.40	.0899	----	----	----	----	11 UNCH
5615	----	----	27.80B/----	27.80B/20.00A	----	23.30 + 5.40	.0891	----	----	----	----	1 UNCH
5620	----	----	27.60B/----	27.60B/19.80A	----	23.00 + 5.30	.0881	----	----	----	----	2 UNCH
5635	----	----	26.70B/----	26.70B/19.40A	----	22.40 + 5.10	.0858	----	----	----	----	2 UNCH
5640	----	----	26.40B/----	26.40B/19.10A	----	22.10 + 5.00	.0848	----	----	----	----	4 UNCH
5650	----	----	26.00B/----	26.00B/16.90A	----	21.70 + 4.90	.0833	----	----	----	----	600 UNCH
5660	----	----	25.40B/----	25.40B/16.90A	----	21.30 + 4.70	.0818	----	----	----	----	27 UNCH
5670	----	----	24.90B/----	24.90B/18.20A	----	20.90 + 4.60	.0803	----	----	----	----	10 UNCH
5675	----	----	24.60B/----	24.60B/18.00A	----	20.70 + 4.50	.0795	----	----	----	----	4 UNCH
5680	----	----	24.50B/----	24.50B/17.90A	----	20.50 + 4.50	.0788	----	----	----	----	4 UNCH
5690	----	----	23.90B/----	23.90B/17.60A	----	20.10 + 4.30	.0773	----	----	----	----	16 UNCH
5700	20.70	20.70	23.50B/20.70	23.50B/15.60A	----	19.70 + 4.20	.0758	----	----	1	----	1674 UNCH
5710	----	----	23.00B/----	23.00B/17.00A	----	19.40 + 4.10	.0746	----	----	----	----	7 UNCH
5720	----	----	22.60B/----	22.60B/16.80A	----	19.00 + 4.00	.0731	----	----	----	----	13 UNCH
5725	----	----	22.40B/----	22.40B/16.80A	----	18.90 + 4.00	.0727	----	----	----	----	1 UNCH
5730	----	----	22.20B/----	22.20B/16.50A	----	18.70 + 3.90	.0720	----	----	----	----	15 UNCH
5750	16.90	16.90	21.40B/16.90	21.40B/15.90A	----	18.00 + 3.70	.0693	----	----	1	----	300 UNCH
5775	----	----	20.40B/----	20.40B/15.40A	----	17.30 + 3.50	.0666	----	----	----	----	2 UNCH
5800	----	----	19.50B/----	19.50B/13.50A	----	16.50 + 3.20	.0636	----	----	30	----	1002 - 14
5825	----	----	18.60B/----	18.60B/13.10A	----	15.90 + 3.10	.0611	----	----	----	----	120 UNCH
5850	----	----	17.90B/----	17.90B/13.90A	----	15.30 + 2.90	.0588	----	----	1	----	166 + 1
5875	----	----	17.10B/----	17.10B/13.40A	----	14.70 + 2.70	.0564	----	----	----	----	26 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5900	----	----	16.50B/----	16.50B/13.00A	----	14.10 + 2.50	.0541	----	----	----	----	1496 UNCH
5925	----	----	15.80B/----	15.80B/12.60A	----	13.60 + 2.40	.0521	----	----	----	----	2 UNCH
5950	----	----	15.20B/----	15.20B/12.20A	----	13.10 + 2.20	.0501	----	----	----	----	2 UNCH
6000	----	----	14.10B/----	14.10B/10.70A	----	12.30 + 2.00	.0468	----	----	----	----	1724 UNCH
6100	10.80	10.80	12.20B/10.80	12.20B/10.50A	----	10.80 + 1.60	.0407	----	----	1	----	374 + 1
6200	11.20	11.20	11.20/11.20	11.20/9.50A	----	9.70 + 1.30	.0361	----	----	3	----	1432 - 3
6250	----	----	10.10B/----	10.10B/9.10A	----	9.20 + 1.20	.0340	----	----	----	----	1 UNCH
6300	----	----	9.50B/----	9.50B/8.70A	----	8.80 + 1.10	.0323	----	----	2	----	84 UNCH
6400	----	----	8.60B/----	8.60B/8.00A	----	8.00 + 0.80	.0289	----	----	2	----	52 - 2
6500	7.60	7.60	7.90B/7.60	7.90B/7.40A	----	7.40 + 0.70	.0263	----	----	3	----	802 UNCH
6600	----	----	7.30B/----	7.30B/6.90A	----	6.90 + 0.60	.0242	----	----	----	----	152 UNCH
6700	----	----	6.80B/----	6.80B/6.50A	----	6.40 + 0.50	.0221	----	----	----	----	253 UNCH
6800	----	----	6.30B/----	6.30B/6.10A	----	6.00 + 0.40	.0204	----	----	----	----	50 UNCH
6900	----	----	5.80B/----	5.80B/5.80A	----	5.70 + 0.40	.0191	----	----	----	----	17 UNCH
7000	5.30	5.30	5.60B/5.30	5.60B/5.30	----	5.40 + 0.30	.0178	----	----	8	----	636 + 3
7500	----	----	4.30B/----	4.30B/4.50A	----	4.30 + 0.30	.0132	----	----	----	----	737 UNCH
8000	----	----	3.50B/----	3.50B/3.70A	----	3.50 + 0.40	.0102	----	----	----	----	166 UNCH
8500	----	----	2.80B/----	2.80B/3.10A	----	2.80 + 0.30	.0078	----	----	----	----	84 UNCH
9000	----	----	2.40B/----	2.40B/2.50A	----	2.40 + 0.40	.0064	----	----	----	----	17 UNCH
9500	----	----	2.00B/----	2.00B/2.10A	----	2.00 + 0.40	.0052	----	----	----	----	71 UNCH
10000	----	----	1.70B/----	1.70B/1.80A	----	1.70 + 0.40	.0043	----	----	----	----	101 UNCH
TOTAL										1855	350	63150 + 1052
SEP26												
3875	----	----	----	626.80B/975.70A	----	906.50 + 16.10	.9271	----	----	----	----	1 UNCH
3995	----	----	821.00B/----	821.00B/784.90A	----	795.90 + 12.00	.9019	----	----	----	----	10 UNCH
4085	----	----	740.30B/----	740.30B/705.40A	----	715.50 + 08.40	.8778	----	----	----	----	37 UNCH
4130	----	----	700.80B/----	700.80B/666.70A	----	676.20 + 06.20	.8637	----	----	----	----	10 UNCH
4185	----	----	653.70B/----	653.70B/620.30A	----	629.30 + 03.40	.8447	----	----	----	----	37 UNCH
4200	----	----	----	496.70B/701.00A	----	616.70 + 02.60	.8392	----	----	----	----	1 UNCH
4220	----	----	624.30B/----	624.30B/591.50A	----	600.10 + 01.50	.8315	----	----	----	----	162 UNCH
4290	----	----	567.20B/----	567.20B/535.50A	----	543.30 + 97.20	.8022	----	----	----	----	6 UNCH
4295	----	----	563.20B/----	563.20B/531.60A	----	539.30 + 96.80	.7999	----	----	----	----	50 UNCH
4300	----	----	559.20B/----	559.20B/527.70A	----	535.30 + 96.40	.7977	----	----	----	----	13 UNCH
4320	----	----	543.20B/----	543.20B/512.30A	----	519.60 + 95.10	.7885	----	----	----	----	162 UNCH
4375	----	----	----	356.20B/572.70A	----	477.60 + 91.20	.7618	----	----	----	----	1 UNCH
4390	----	----	489.40B/----	489.40B/460.00A	----	466.50 + 90.10	.7540	----	----	----	----	202 UNCH
4425	----	----	----	319.50B/538.40A	----	441.00 + 87.50	.7354	----	----	----	----	1 UNCH
4495	----	----	413.50B/----	413.50B/321.70A	----	392.20 + 81.80	.6958	----	----	----	----	18 UNCH
4500	390.30	390.30	410.20B/390.30	410.20B/319.00A	----	388.90 + 81.40	.6929	----	----	4	----	12 + 4
4505	----	----	408.70B/----	408.70B/315.90A	----	385.50 + 81.00	.6900	----	----	----	----	2 UNCH
4510	----	----	405.90B/----	405.90B/312.80A	----	382.20 + 80.60	.6870	----	----	----	----	2 UNCH
4515	----	----	402.50B/----	402.50B/309.80A	----	378.90 + 80.10	.6840	----	----	----	----	2 UNCH
4520	----	----	399.20B/293.60A	399.20B/293.60A	----	375.60 + 79.70	.6810	----	----	----	----	1 UNCH
4545	----	----	382.60B/278.80A	382.60B/278.80A	----	359.40 + 77.60	.6658	----	----	----	----	16 UNCH
4550	----	----	379.40B/276.60A	379.40B/276.60A	----	356.20 + 77.10	.6627	----	----	----	----	225 UNCH
4560	----	----	372.80B/271.00A	372.80B/271.00A	----	349.90 + 76.30	.6565	----	----	----	----	2 UNCH
4565	----	----	369.50B/268.90A	369.50B/268.90A	----	346.80 + 75.90	.6534	----	----	----	----	2 UNCH
4570	----	----	366.20B/266.00A	366.20B/266.00A	----	343.70 + 75.50	.6502	----	----	----	----	2 UNCH
4575	----	----	363.10B/262.90A	363.10B/262.90A	----	340.60 + 75.00	.6471	----	----	----	----	2 UNCH
4580	----	----	359.90B/260.70A	359.90B/260.70A	----	337.50 + 74.60	.6440	----	----	----	----	2 UNCH
4585	----	----	356.80B/257.60A	356.80B/257.60A	----	334.40 + 74.10	.6408	----	----	----	----	2 UNCH
4590	----	----	353.60B/255.00A	353.60B/255.00A	----	331.40 + 73.70	.6376	----	----	----	----	2 UNCH
4600	----	----	348.90B/250.00A	348.90B/250.00A	----	325.30 + 72.80	.6312	----	----	1	----	54 - 1
4605	----	----	344.30B/247.40A	344.30B/247.40A	----	322.30 + 72.30	.6280	----	----	----	----	10 UNCH
4620	----	----	335.10B/240.20A	335.10B/240.20A	----	313.50 + 71.10	.6184	----	----	----	----	1 UNCH
4640	----	----	323.10B/230.70A	323.10B/230.70A	----	301.90 + 69.20	.6054	----	----	----	----	1 UNCH
4650	----	----	317.70B/225.80A	317.70B/225.80A	----	296.30 + 68.40	.5988	----	----	----	----	1 UNCH
4675	----	----	304.50B/213.70A	304.50B/213.70A	----	282.40 + 66.10	.5823	----	----	----	----	4 UNCH
4680	----	----	301.60B/211.50A	301.60B/211.50A	----	279.70 + 65.60	.5790	----	----	----	----	1 UNCH
4700	----	----	295.10B/203.50A	295.10B/203.50A	----	269.00 + 63.80	.5657	----	----	----	----	169 UNCH
4705	----	----	287.90B/201.70A	287.90B/201.70A	----	266.40 + 63.30	.5624	----	----	----	----	10 UNCH
4710	----	----	285.30B/199.00A	285.30B/199.00A	----	263.80 + 62.90	.5590	----	----	----	----	1 UNCH
4720	----	----	284.20B/195.80A	284.20B/195.80A	----	258.70 + 62.00	.5523	----	----	----	----	45 UNCH
4725	----	----	277.20B/192.70A	277.20B/192.70A	----	256.10 + 61.50	.5490	----	----	----	----	2 UNCH
4730	----	----	274.70B/191.50A	274.70B/191.50A	----	253.60 + 61.00	.5456	----	----	----	----	5 UNCH
4740	----	----	269.80B/185.80A	269.80B/185.80A	----	248.60 + 60.10	.5389	----	----	----	----	1 UNCH
4745	----	----	270.00B/185.40A	270.00B/185.40A	----	246.20 + 59.70	.5356	----	----	----	----	1 UNCH
4750	----	----	268.40B/----	268.40B/184.50A	----	243.70 + 59.20	.5322	----	----	5	----	47 + 4
4770	----	----	258.40B/----	258.40B/177.00A	----	234.10 + 57.30	.5188	----	----	----	----	2 UNCH
4775	----	----	256.10B/173.40A	256.10B/173.40A	----	231.80 + 56.90	.5154	----	----	----	----	184 UNCH
4780	----	----	253.50B/171.90A	253.50B/171.90A	----	229.40 + 56.40	.5121	----	----	----	----	7 UNCH
4785	----	----	251.10B/170.10A	251.10B/170.10A	----	227.10 + 55.90	.5087	----	----	----	----	1 UNCH
4795	----	----	246.40B/166.70A	246.40B/166.70A	----	222.50 + 55.00	.5021	----	----	----	----	2 UNCH
4800	----	----	243.70B/----	243.70B/165.80A	----	220.30 + 54.60	.4987	----	----	1	----	1402 UNCH
4835	----	----	227.70B/153.20A	227.70B/153.20A	----	205.00 + 51.30	.4755	----	----	----	----	1 UNCH
4840	----	----	225.60B/151.20A	225.60B/151.20A	----	202.90 + 50.90	.4722	----	----	----	----	4 UNCH
4850	----	----	221.20B/148.50A	221.20B/148.50A	----	198.70 + 49.90	.4657	----	----	----	----	22 UNCH
4860	----	----	216.90B/144.80A	216.90B/144.80A	----	194.60 + 49.00	.4591	----	----	----	----	2 UNCH
4875	----	----	210.20B/----	210.20B/140.90A	----	188.60 + 47.70	.4494	----	----	----	----	30 UNCH
4880	----	----	208.40B/----	208.40B/139.50A	----	186.70 + 47.30	.4462	----	----	----	----	2 UNCH
4885	----	----	206.40B/----	206.40B/137.80A	----	184.70 + 46.90	.4429	----	----	----	----	2 UNCH
4900	----	----	200.20B/133.00A	200.20B/133.00A	----	179.00 + 45.60	.4333	----	----	----	----	310 UNCH
4920	----	----	192.40B/127.20A	192.40B/127.20A	----	171.60 + 43.90	.4207	----	----	----	----	30 UNCH
4925	----	----	190.30B/125.80A	190.30B/125.80A	----	169.80 + 43.50	.4175	----	----	----	----	3 UNCH
4930	187.60	187.60	188.30B/124.60A	188.30B/124.60A	----	168.00 + 43.10	.4144	----	----	2	----	2 - 1
4935	----	----	186.50B/----	186.50B/124.10A	----	166.30 + 42.80	.4113	----	----	----	----	1 UNCH
4950	161.90	161.90	180.60B/119.00A	180.60B/119.00A	----	161.10 + 41.60	.4020	----	----	17	----	281 - 11
4965	----	----	175.70B/----	175.70B/115.60A	----	156.00 + 40.40	.3928	----	----	----	----	2 UNCH
4975	----	----	172.00B/----	172.00B/113.10A	----	152.70 + 39.60	.3868	----	----	----	----	315 UNCH
5000	130.00	130.00	163.60B/130.00	163.60B/108.70A	----	144.90 + 37.90	.3720	----	----	167	226	563 + 81
5005	----	----	161.90B/105.60A	161.90B/105.60A	----	143.30 + 37.40	.3690	----	----	----	----	1 UNCH
5010	----	----	160.30B/----	160.30B/104.80A	----	141.80 + 37.10	.3661	----	----	----	----	10 UNCH
5050	----	----	147.70B/95.70A	147.70B/95.70A	----	130.30 + 34.40	.3434	----	----	----	----	300 UNCH
5075	----	----	140.30B/----	140.30B/91.10A	----	123.50 + 32.60	.3296	----	----	----	----	1 UNCH
5100	----	----	133.20B/----	133.20B/86.40A	----	117.10 + 31.00	.3163	----	----	1	----	313 + 1
5110	----	----	130.50B/----	130.50B/85.00A	----	114.70 + 30.40	.3111	----	----	----	----	1 UNCH
5130	----	----	125.20B/----	125.20B/81.10A	----	109.90 NEW	.3009	----	----	5	----	4 + 4
5150	----	----	120.30B/----	120.30B/77.50A	----	105.30 + 27.80	.2909	----	----	3	----	5 + 2
5155	----	----	118.90B/----	118.90B/77.20A	----	104.20 + 27.60	.2885	----	----	----	----	1 UNCH
5175	----	----	114.20B/----	114.20B/73.60A	----	99.90 + 26.40	.2789	----	----	----	----	2 UNCH
5200	----	----	108.40B/----	108.40B/70.30A	----	94.70 + 24.90	.2671	----	----	----	----	473 UNCH
5230	----	----	102.00B/----	102.00B/65.70A	----	88.90 + 23.30	.2537	----	----	----	----	402 UNCH
5235	----	----	101.00B/----	101.00B/65.00A	----	88.00 + 23.10	.2516	----	----	----	----	1 UNCH
5245	----	----	98.90B/----	98.90B/64.30A	----	86.20 + 22.60	.2473	----	----	----	----	20 UNCH
5250	95.70	95.70	97.90B/95.70	97.90B/63.10A	----	85.30 + 22.30	.2452	----	----	7	----	275 UNCH
5270	85.70	85.70	94.00B/85.70	94.00B/60.80A	----	81.80 NEW	.2368	----	----	5	----	5 + 5
5300	----	----	88.50B/----	88.50B/57.30A	----	76.90 + 20.00	.2248	----	----	----	----	1209 UNCH
5315	----	----	85.80B/----	85.80B/56.40A	----	74.50 + 19.20	.2190	----	----	----	----	5 UNCH
5330	----	----	83.20B/----	83.20B/54.70A	----	72.30 + 18.60	.2134	----	----	----	----	20 UNCH
5335	----	----	82.40B/----	82.40B/54.10A	----	71.60 + 18.50	.2116	----	----	----	----	1 UNCH
5350	----	----	80.00B/----	80.00B/52.50A	----	69.40 + 17.80	.2061	----	----	----	----	1 UNCH
5365	----	----	77.70B/----	77.70B/51.20A	----	67.30 + 17.20	.2008	----	----	----	----	2 UNCH
5370	----	----	76.90B/----	76.90B/50.30A	----	66.70 + 17.00	.1992	----	----	----	----	15 UNCH
5375	65.70	65.70	76.00B/65.70	76.00B/49.90A	----	66.00 + 16.80	.1974	----	----	4	----	6 + 4
5400	----	----	72.40B/----	72.40B/49.90A	----	62.80 + 15.90	.1891	----	----	5	----	492 UNCH
5420	----	----	69.60B/----	69.60B/48.10A	----	60.30 + 15.10	.1825	----	----	----	----	83 UNCH
5425	----	----	69.00B/----	69.00B/48.00A	----	59.70 + 15.00	.1810	----	----	----	----	50 UNCH
5450	----	----	65.70B/----	65.70B/45.50A	----	56.80 + 14.10	.1733	----	----	----	----	7 UNCH
5460	----	----	64.40B/----	64.40B/45.60A	----	55.70 + 13.70	.1703	----	----	----	----	1 UNCH
5475	----	----	62.60B/----	62.60B/44.10A	----	54.10 + 13.30	.1660	----	----	----	----	26 UNCH
5500	55.20	55.20	59.60B/55.20	59.60B/42.30A	----	51.50 + 12.50	.1589	----	----	37	----	1430 + 1
5505	----	----	59.10B/----	59.10B/41.90A	----	51.00 + 12.30	.1575	----	----	----	----	3 UNCH
5520	----	----	57.40B/----	57.40B/40.80A	----	49.50 + 11.80	.1534	----	----	----	----	1 UNCH
5525	----	----	56.90B/----	56.90B/40.60A	----	49.00 + 11.60	.1521	----	----	----	----	6 UNCH
5540	----	----	55.30B/----	55.30B/39.40A	----	47.60 + 11.20	.1482	----	----	----	----	15 UNCH
5550	----	----	54.30B/----	54.30B/40.10A	----	46.70 + 10.90	.1457	----	----	3	----	3 + 3
5595	----	----	49.90B/----	49.90B/36.60A	----	43.00 + 9.90	.1351	----	----	----	----	4 UNCH
5600	----	----	49.60B/----	49.60B/36.30A	----	42.60 + 9.80	.1340	----	----	----	----	547 UNCH
5605	----	----	49.00B/----	49.00B/36.10A	----	42.20 + 9.60	.1328	----	----	----	----	3 UNCH
5625	----	----	46.70B/----	46.70B/35.00A	----	40.80 + 9.30	.1287	----	----	----	----	2 UNCH
5650	----	----	45.10B/----	45.10B/33.70A	----	39.10 + 8.90	.1237	----	----	----	----	414 UNCH
5665	----	----	43.50B/----	43.50B/33.10A	----	38.10 + 8.60	.1207	----	----	----	----	3 UNCH
5675	----	----	42.90B/----	42.90B/32.60A	----	37.40 + 8.40	.1187	----	----	----	----	8 UNCH
5700	41.10	41.10	41.10/41.10	41.10/31.50A	----	35.90 + 8.00	.1141	----	----	3	----	1057 - 3
5730	----	----	39.20B/----	39.20B/30.30A	----	34.20 + 7.50	.1090	----	----	----	----	2 UNCH
5750	----	----	37.90B/----	37.90B/29.30A	----	33.10 + 7.20	.1056	----	----	20	----	183 + 10

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
5760	----	----	36.90B/----	36.90B/29.00A	----	32.50 + 7.00	.1039	----	----	----	----	1 UNCH
5775	----	----	35.60B/----	35.60B/28.40A	----	31.80 + 6.90	.1017	----	----	----	----	162 UNCH
5800	----	----	34.20B/----	34.20B/28.50A	----	30.60 + 6.50	.0979	----	----	----	----	536 UNCH
5850	----	----	31.80B/----	31.80B/26.60A	----	28.30 + 5.70	.0908	----	----	----	----	439 UNCH
5900	----	----	29.30B/----	29.30B/25.30A	----	26.30 + 5.10	.0845	----	----	----	----	598 UNCH
5950	----	----	27.30B/----	27.30B/23.80A	----	24.60 + 4.70	.0790	----	----	----	----	51 UNCH
6000	23.90	23.90	25.30B/23.90	25.30B/22.50A	----	22.90 + 4.10	.0736	----	----	21	----	1148 + 20
6100	----	----	22.10B/----	22.10B/20.40A	----	20.20 + 3.40	.0647	----	----	----	----	185 UNCH
6200	18.60	18.60	19.50B/18.30A	19.50B/18.30A	----	18.00 + 2.90	.0574	----	----	7	----	237 + 3
6300	----	----	17.40B/----	17.40B/16.50A	----	16.30 + 2.50	.0515	----	----	----	----	159 UNCH
6400	----	----	15.70B/----	15.70B/15.10A	----	14.90 + 2.10	.0466	----	----	----	----	225 UNCH
6500	----	----	14.30B/----	14.30B/13.80A	----	13.70 + 1.80	.0424	----	----	----	----	541 UNCH
6600	----	----	13.20B/----	13.20B/12.80A	----	12.80 + 1.60	.0391	----	----	----	----	25 UNCH
6650	----	----	12.70B/----	12.70B/12.40A	----	12.40 + 1.50	.0376	----	----	----	----	9 UNCH
6750	----	----	11.90B/----	11.90B/11.60A	----	11.60 + 1.40	.0348	----	----	----	----	11 UNCH
6775	----	----	11.80B/----	11.80B/11.50A	----	11.50 + 1.40	.0343	----	----	----	----	1 UNCH
6800	----	----	11.60B/----	11.60B/11.30A	----	11.30 + 1.30	.0336	----	----	----	----	127 UNCH
7000	11.20	11.20	11.20/10.20A	11.20/10.20A	----	10.10 + 1.10	.0293	----	----	29	----	128 + 28
8000	6.00	6.00	7.00/*3.30	7.00/*3.30	----	6.70 + 0.40	.0174	----	----	35	----	107 + 21
TOTAL										382	226	16609 + 175
OCT26												
3600	----	----	1,195.80B/----	1195.80B/1161.50A	----	1172.70 + 21.20	.9518	----	----	----	----	12 UNCH
4300	----	----	577.70B/----	577.70B/548.70A	----	554.80 + 93.30	.7769	----	----	----	----	102 UNCH
4400	----	----	503.50B/----	503.50B/476.30A	----	480.80 + 86.20	.7308	----	----	----	----	8 UNCH
4405	----	----	----	353.50B/579.20A	----	477.30 + 85.80	.7283	----	----	----	----	2 UNCH
4480	----	----	450.20B/----	450.20B/358.90A	----	426.00 + 80.20	.6897	----	----	----	----	1 UNCH
4500	----	----	436.80B/----	436.80B/347.20A	----	412.90 + 78.60	.6789	----	----	----	----	3 UNCH
4515	----	----	426.90B/----	426.90B/338.60A	----	403.30 + 77.50	.6707	----	----	----	----	1 UNCH
4550	----	----	404.40B/----	404.40B/318.20A	----	381.40 + 74.80	.6513	----	----	----	----	2 UNCH
4580	----	----	385.70B/----	385.70B/302.60A	----	363.20 + 72.40	.6342	----	----	----	----	70 UNCH
4600	----	----	373.50B/----	373.50B/292.50A	----	351.40 + 70.90	.6227	----	----	----	----	134 UNCH
4610	----	----	367.60B/----	367.60B/287.60A	----	345.60 + 70.10	.6169	----	----	----	----	5 UNCH
4620	----	----	361.70B/----	361.70B/282.80A	----	339.80 + 69.20	.6111	----	----	----	----	1 UNCH
4630	----	----	355.90B/----	355.90B/278.00A	----	334.10 + 68.40	.6053	----	----	----	----	3 UNCH
4650	----	----	345.20B/----	345.20B/268.50A	----	322.90 + 66.80	.5935	----	----	----	----	84 UNCH
4670	----	----	333.60B/----	333.60B/259.10A	----	312.00 + 65.20	.5817	----	----	----	----	1 UNCH
4675	----	----	330.80B/----	330.80B/256.80A	----	309.30 + 64.80	.5787	----	----	----	----	1 UNCH
4690	----	----	323.20B/----	323.20B/250.00A	----	301.40 + 63.60	.5698	----	----	----	----	4 UNCH
4700	----	----	319.10B/----	319.10B/245.60A	----	296.20 + 62.80	.5638	----	----	----	----	157 UNCH
4710	----	----	312.90B/----	312.90B/241.20A	----	291.00 + 61.90	.5578	----	----	----	----	1 UNCH
4715	----	----	310.20B/----	310.20B/239.00A	----	288.50 + 61.60	.5548	----	----	----	----	2 UNCH
4750	----	----	293.00B/----	293.00B/224.40A	----	271.20 + 58.70	.5338	----	----	----	----	35 UNCH
4755	----	----	289.50B/----	289.50B/222.40A	----	268.90 + 58.40	.5308	----	----	----	----	1 UNCH
4800	262.00	262.00	268.60B/262.00	268.60B/205.00A	----	248.30 + 54.80	.5040	----	----	3	----	478 + 3
4845	----	----	251.00B/----	251.00B/188.80A	----	229.30 + 51.30	.4775	----	----	----	----	2 UNCH
4850	----	----	249.00B/----	249.00B/187.10A	----	227.20 + 50.80	.4746	----	----	----	----	53 UNCH
4865	----	----	242.20B/----	242.20B/182.10A	----	221.00 + 49.60	.4658	----	----	----	----	2 UNCH
4880	----	----	235.50B/----	235.50B/177.10A	----	214.90 + 48.40	.4571	----	----	----	----	1 UNCH
4900	----	----	227.40B/----	227.40B/170.70A	----	206.80 + 46.60	.4455	----	----	3	----	1319 UNCH
4905	----	----	225.70B/----	225.70B/169.20A	----	204.90 + 46.30	.4426	----	----	----	----	20 UNCH
4910	----	----	223.70B/----	223.70B/167.70A	----	203.00 + 45.90	.4398	----	----	----	----	1 UNCH
4925	----	----	217.80B/----	217.80B/163.10A	----	197.30 + 44.70	.4312	----	----	----	----	18 UNCH
4935	----	----	213.90B/----	213.90B/160.10A	----	193.70 + 44.00	.4256	----	----	----	----	5 UNCH
4945	196.00	196.00	210.00B/196.00	210.00B/157.20A	----	190.10 + 43.30	.4200	----	----	5	----	8 + 5
4950	----	----	208.00B/----	208.00B/155.80A	----	188.40 + 43.00	.4173	----	----	----	----	868 UNCH
5000	----	----	188.90B/----	188.90B/141.80A	----	172.00 + 39.80	.3902	----	----	30	----	1339 UNCH
5025	----	----	180.50B/----	180.50B/135.60A	----	164.30 + 38.20	.3771	----	----	----	----	2 UNCH
5050	----	----	172.70B/----	172.70B/129.60A	----	157.00 + 36.70	.3644	----	----	----	----	59 UNCH
5075	----	----	164.70B/----	164.70B/123.80A	----	150.00 + 35.30	.3519	----	----	----	----	4 UNCH
5080	----	----	163.10B/----	163.10B/122.70A	----	148.60 + 34.90	.3494	----	----	----	----	3 UNCH
5085	----	----	161.70B/----	161.70B/121.60A	----	147.30 + 34.70	.3470	----	----	----	----	3 UNCH
5100	----	----	158.40B/----	158.40B/118.20A	----	143.30 + 33.80	.3397	----	----	17	----	807 + 3
5125	----	----	150.60B/----	150.60B/113.10A	----	136.90 + 32.40	.3278	----	----	----	----	1 UNCH
5150	----	----	144.00B/----	144.00B/108.10A	----	130.80 + 31.10	.3163	----	----	----	----	36 UNCH
5160	----	----	141.50B/----	141.50B/106.20A	----	128.40 + 30.50	.3117	----	----	----	----	1 UNCH
5170	----	----	138.90B/----	138.90B/104.40A	----	126.10 + 30.00	.3073	----	----	----	----	5 UNCH
5200	129.60	129.60	131.90B/129.60	131.90B/98.90A	----	119.40 + 28.50	.2941	----	----	9	450	1497 + 459
5250	----	----	120.40B/----	120.40B/90.90A	----	108.90 + 25.90	.2732	----	----	1	----	524 + 1
5255	----	----	119.00B/----	119.00B/90.20A	----	108.00 + 25.70	.2713	----	----	----	----	1 UNCH
5300	----	----	110.20B/----	110.20B/83.60A	----	99.50 + 23.60	.2537	----	----	1	----	988 UNCH
5325	----	----	105.20B/----	105.20B/80.30A	----	95.10 + 22.50	.2443	----	----	----	----	9 UNCH
5350	----	----	100.70B/----	100.70B/77.30A	----	90.90 + 21.40	.2353	----	----	----	----	4 UNCH
5365	----	----	98.10B/----	98.10B/75.50A	----	88.50 + 20.70	.2301	----	----	----	----	1 UNCH
5400	84.00	84.00	92.40B/84.00	92.40B/71.40A	----	83.10 + 19.30	.2182	----	----	3	----	601 + 3
5410	----	----	90.70B/----	90.70B/70.50A	----	81.70 + 18.90	.2151	----	----	----	----	1 UNCH
5435	----	----	87.20B/----	87.20B/67.80A	----	78.20 + 18.00	.2072	----	----	----	----	226 UNCH
5450	----	----	84.80B/----	84.80B/66.50A	----	76.20 + 17.50	.2026	----	----	----	----	66 UNCH
5455	----	----	84.10B/----	84.10B/66.00A	----	75.50 + 17.30	.2010	----	----	----	----	175 UNCH
5475	----	----	81.30B/----	81.30B/64.20A	----	73.00 + 16.60	.1952	----	----	----	----	1 UNCH
5500	76.50	76.50	80.00/76.50	80.00/61.90A	----	70.00 + 15.90	.1881	----	----	126	----	2000 - 5
5520	----	----	75.30B/----	75.30B/60.50A	----	67.70 + 15.30	.1827	----	----	----	----	2 UNCH
5545	----	----	72.40B/----	72.40B/58.30A	----	64.90 + 14.50	.1760	----	----	----	----	5 UNCH
5550	----	----	71.90B/----	71.90B/57.90A	----	64.40 + 14.40	.1748	----	----	----	----	280 UNCH
5590	----	----	67.30B/----	67.30B/54.70A	----	60.30 + 13.20	.1648	----	----	----	----	4 UNCH
5600	----	----	66.30B/----	66.30B/54.00A	----	59.40 + 13.10	.1626	----	----	17	----	272 + 16
5610	----	----	65.00B/----	65.00B/53.20A	----	58.40 + 12.80	.1602	----	----	----	----	1 UNCH
5615	----	----	64.80B/----	64.80B/52.80A	----	58.00 + 12.70	.1591	----	----	----	----	5 UNCH
5650	----	----	61.00B/----	61.00B/50.70A	----	54.90 + 11.90	.1514	----	----	----	----	401 UNCH
5655	----	----	60.50B/----	60.50B/50.40A	----	54.50 + 11.80	.1503	----	----	----	----	2 UNCH
5660	----	----	60.10B/----	60.10B/50.00A	----	54.00 + 11.60	.1491	----	----	----	----	1 UNCH
5675	----	----	58.70B/----	58.70B/49.10A	----	52.80 + 11.30	.1461	----	----	----	----	3 UNCH
5700	----	----	56.40B/----	56.40B/47.50A	----	50.80 + 10.80	.1410	----	----	----	----	170 UNCH
5710	----	----	55.60B/----	55.60B/47.00A	----	50.10 + 10.70	.1392	----	----	----	----	5 UNCH
5720	----	----	54.70B/----	54.70B/46.40A	----	49.30 + 10.50	.1371	----	----	----	----	75 UNCH
5750	----	----	52.30B/----	52.30B/44.70A	----	47.20 + 10.00	.1317	----	----	----	----	851 UNCH
5775	----	----	50.40B/----	50.40B/43.40A	----	45.50 + 9.50	.1272	----	----	----	----	50 UNCH
5800	----	----	48.50B/----	48.50B/42.10A	----	43.90 + 9.10	.1230	----	----	----	----	411 UNCH
5825	----	----	46.90B/----	46.90B/40.90A	----	42.40 + 8.70	.1190	----	----	----	----	1 UNCH
5875	----	----	43.70B/----	43.70B/38.70A	----	39.50 + 7.90	.1113	----	----	----	----	1 UNCH
5900	----	----	42.00B/----	42.00B/37.70A	----	38.20 + 7.50	.1078	----	----	----	----	274 UNCH
5925	----	----	40.50B/----	40.50B/36.80A	----	36.90 + 7.10	.1043	----	----	1	----	2 UNCH
5950	----	----	39.20B/----	39.20B/35.60A	----	35.70 + 6.80	.1010	----	----	1	----	1 UNCH
6000	----	----	37.00B/----	37.00B/33.50A	----	33.50 + 6.20	.0949	----	----	----	----	2039 UNCH
6100	----	----	32.70B/----	32.70B/29.80A	----	29.60 + 5.20	.0841	----	----	----	----	66 UNCH
6200	----	----	28.00B/----	28.00B/26.90A	----	26.50 + 4.50	.0751	----	----	----	----	38 UNCH
6300	----	----	25.10B/----	25.10B/24.40A	----	24.00 + 3.90	.0678	----	----	----	----	756 UNCH
6400	----	----	22.70B/----	22.70B/22.30A	----	21.90 + 3.40	.0615	----	----	----	----	1910 UNCH
6500	17.50	17.50	23.40/17.50	23.40/17.50	----	20.10 + 2.90	.0561	----	----	4	----	4029 - 1
6800	----	----	16.40B/----	16.40B/17.30A	----	16.50 + 2.00	.0446	----	----	----	----	1385 UNCH
6900	----	----	15.30B/----	15.30B/16.50A	----	15.50 + 1.70	.0415	----	----	----	----	1 UNCH
7000	----	----	14.40B/----	14.40B/15.30A	----	14.70 + 1.50	.0390	----	----	----	----	1584 UNCH
8000	----	----	9.70B/----	9.70B/11.40A	----	10.20 + 0.70	.0242	----	----	----	----	212 UNCH
8500	----	----	8.60B/----	8.60B/10.50A	----	9.10 + 0.60	.0206	----	----	----	----	208 UNCH
9000	----	----	----	7.60B/9.70A	----	8.30 + 0.70	.0179	----	----	----	----	69 UNCH
9500	----	----	----	6.80B/8.90A	----	7.50 + 0.60	.0156	----	----	----	----	10 UNCH
13000	----	----	----	3.00B/3.90A	----	3.50 + 0.40	.0064	----	----	----	----	25 UNCH
TOTAL										221	450	26908 + 484
NOV26												
4000	----	----	----	707.70B/943.00A	----	846.00 + 07.50	.8712	----	----	----	----	1 UNCH
4100	----	----	----	623.80B/864.60A	----	761.20 + 03.10	.8430	----	----	----	----	1 UNCH
4275	----	----	----	482.70B/735.60A	----	621.60 + 93.80	.7823	----	----	----	----	38 UNCH
4300	----	----	----	463.80B/718.20A	----	602.80 + 92.40	.7724	----	----	----	----	1 UNCH
4375	----	----	----	408.80B/667.10A	----	547.90 + 87.80	.7411	----	----	----	----	38 UNCH
4400	----	----	----	391.30B/650.60A	----	530.30 + 86.30	.7301	----	----	----	----	4 UNCH
4440	----	----	499.00B/----	499.00B/495.00A	----	502.70 + 83.70	.7119	----	----	----	----	1 UNCH
4500	----	----	486.20B/----	486.20B/392.90A	----	463.00 + 79.80	.6835	----	----	----	----	28 UNCH
4575	----	----	438.20B/----	438.20B/351.10A	----	416.10 + 74.60	.6463	----	----	----	----	1 UNCH
4595	----	----	426.00B/----	426.00B/340.50A	----	404.20 + 73.30	.6361	----	----	----	----	1 UNCH
4600	----	----	423.00B/----	423.00B/337.90A	----	401.30 + 73.00	.6335	----	----	----	----	5 UNCH
4700	356.70	356.70	365.50B/356.70	365.50B/289.10A	----	345.30 + 65.60	.5812	----	----	3	----	4 + 2
4750	----	----	340.80B/----	340.80B/266.90A	----	319.40 + 61.50	.5545	----	----	----	----	1 UNCH
4775	----	----	328.40B/----	328.40B/256.40A	----	307.10 + 59.50	.5411	----	----	----	----	31 UNCH
4800	----	----	316.00B/----	316.00B/246.30A	----	295.30 + 57.70	.5277	----	----	----	----	4 UNCH
4850	----	----	292.70B/----	292.70B/227.20A	----	273.10 + 54.40	.5011	----	----	----	----	25 UNCH
4900	----	----	273.80B/----	273.80B/209.40A	----	252.30 + 51.20	.4750	----	----	----	----	451 UNCH
4915	----	----	267.80B/----	267.80B/204.40A	----	246.30 + 50.10	.4672	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
4925	----	----	263.60B/----	263.60B/201.10A	----	242.40 + 49.50	.4621	----	----	----	----	1 UNCH
4935	----	----	259.40B/----	259.40B/197.80A	----	238.50 + 48.80	.4569	----	----	----	----	25 UNCH
4950	----	----	253.50B/----	253.50B/193.10A	----	232.80 + 47.80	.4493	----	----	----	----	150 UNCH
4970	----	----	245.70B/----	245.70B/186.90A	----	225.30 + 46.40	.4392	----	----	----	----	10 UNCH
5000	222.00	222.00	234.40B/222.00	234.40B/178.00A	----	214.40 + 44.30	.4241	----	----	5	----	88 + 4
5020	----	----	226.80B/----	226.80B/172.30A	----	207.50 + 43.00	.4143	----	----	----	----	30 UNCH
5060	----	----	212.60B/----	212.60B/161.60A	----	194.20 + 40.30	.3949	----	----	----	----	2 UNCH
5080	----	----	206.10B/----	206.10B/156.50A	----	187.90 + 39.00	.3855	----	----	----	----	4 UNCH
5085	----	----	204.40B/----	204.40B/155.20A	----	186.30 + 38.70	.3831	----	----	----	----	4 UNCH
5175	----	----	174.90B/----	174.90B/134.50A	----	160.70 + 33.50	.3427	----	----	----	----	12 UNCH
5180	----	----	173.80B/----	173.80B/133.50A	----	159.40 + 33.20	.3405	----	----	----	----	1 UNCH
5185	----	----	172.20B/----	172.20B/132.40A	----	158.10 + 33.00	.3384	----	----	----	----	1 UNCH
5200	----	----	168.60B/----	168.60B/129.40A	----	154.30 + 32.20	.3321	----	----	----	----	31 UNCH
5230	----	----	160.60B/----	160.60B/123.50A	----	147.00 + 30.70	.3197	----	----	----	----	5 UNCH
5250	----	----	155.10B/----	155.10B/119.70A	----	142.30 + 29.70	.3116	----	----	----	----	9 UNCH
5275	----	----	149.90B/----	149.90B/115.20A	----	136.80 NEW	.3019	----	----	1	----	1 + 1
5300	----	----	144.10B/----	144.10B/110.90A	----	131.40 + 27.50	.2923	----	----	----	----	395 UNCH
5325	----	----	138.00B/----	138.00B/106.90A	----	126.30 NEW	.2831	----	----	1	----	1 + 1
5330	----	----	137.00B/----	137.00B/106.10A	----	125.40 + 26.40	.2814	----	----	----	----	1 UNCH
5370	----	----	128.70B/----	128.70B/100.00A	----	117.80 + 24.80	.2673	----	----	----	----	5 UNCH
5400	----	----	123.50B/----	123.50B/95.70A	----	112.40 + 23.70	.2571	----	----	----	----	17 UNCH
5420	----	----	120.00B/----	120.00B/93.00A	----	109.00 + 22.90	.2505	----	----	----	----	14 UNCH
5450	----	----	114.30B/----	114.30B/89.10A	----	104.20 + 22.00	.2411	----	----	1	----	925 UNCH
5460	----	----	112.70B/----	112.70B/87.80A	----	102.60 + 21.60	.2380	----	----	----	----	10 UNCH
5500	----	----	105.90B/----	105.90B/83.10A	----	96.60 + 20.30	.2261	----	----	1	----	82 UNCH
5550	----	----	98.60B/----	98.60B/77.60A	----	89.70 + 18.80	.2121	----	----	----	----	1 UNCH
5600	----	----	91.50B/----	91.50B/72.60A	----	83.30 + 17.20	.1989	----	----	----	----	44 UNCH
5680	----	----	81.60B/----	81.60B/65.50A	----	74.30 + 15.10	.1798	----	----	----	----	39 UNCH
5690	----	----	80.40B/----	80.40B/64.90A	----	73.20 + 14.80	.1775	----	----	----	----	10 UNCH
5700	----	----	79.50B/----	79.50B/64.10A	----	72.20 + 14.50	.1753	----	----	----	----	45 UNCH
5710	----	----	78.10B/----	78.10B/63.30A	----	71.20 + 14.30	.1731	----	----	----	----	1 UNCH
5800	----	----	69.30B/----	69.30B/56.90A	----	62.90 + 12.20	.1548	----	----	----	----	80 UNCH
5825	----	----	66.80B/----	66.80B/55.30A	----	60.80 + 11.60	.1501	----	----	----	----	2 UNCH
5900	----	----	60.80B/----	60.80B/51.00A	----	55.10 + 10.20	.1371	----	----	----	----	1 UNCH
5925	----	----	58.90B/----	58.90B/49.60A	----	53.40 + 9.70	.1331	----	----	----	----	4 UNCH
5975	----	----	55.20B/----	55.20B/47.10A	----	50.10 + 8.90	.1254	----	----	----	----	3 UNCH
6000	----	----	53.50B/----	53.50B/46.00A	----	48.60 + 8.50	.1219	----	----	1	----	236 UNCH
6100	----	----	47.30B/----	47.30B/41.80A	----	43.20 + 7.20	.1089	----	----	----	----	1 UNCH
6200	----	----	42.70B/----	42.70B/39.00A	----	38.60 + 6.10	.0977	----	----	----	----	1 UNCH
6400	----	----	34.70B/----	34.70B/32.40A	----	31.60 + 4.60	.0800	----	----	----	----	13 UNCH
6500	----	----	30.50B/----	30.50B/29.80A	----	28.90 + 4.10	.0730	----	----	----	----	1164 UNCH
8000	----	----	14.10B/----	14.10B/17.10A	----	15.20 + 3.10	.0331	----	----	----	----	11 UNCH
9000	----	----	11.40B/----	11.40B/14.10A	----	12.90 + 2.30	.0255	----	----	----	----	8 UNCH
20000	----	----	----	0.10B/4.00A	----	1.80 + 0.20	.0028	----	----	----	----	140 UNCH
TOTAL										13		4264 + 8
DEC26												
3550	----	----	----	----	----	1261.40 + 19.70	.9424	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1242.60 + 19.30	.9398	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1214.60 + 18.80	.9356	----	----	----	----	1 UNCH
3800	----	----	1,053.10B/----	1053.10B/1024.30A	----	1031.40 + 13.60	.9026	----	----	----	----	4 UNCH
3900	----	----	----	792.30B/1050.20A	----	942.60 + 09.80	.8821	----	----	----	----	2 UNCH
4060	----	----	829.30B/----	829.30B/800.30A	----	806.30 + 02.80	.8412	----	----	----	----	100 UNCH
4100	----	----	796.30B/----	796.30B/767.80A	----	773.50 + 00.80	.8293	----	----	----	----	48 UNCH
4160	----	----	748.10B/----	748.10B/720.20A	----	725.50 + 97.80	.8103	----	----	----	----	100 UNCH
4175	----	----	736.20B/----	736.20B/708.50A	----	713.70 + 97.00	.8052	----	----	----	----	37 UNCH
4200	----	----	716.80B/----	716.80B/689.30A	----	694.30 + 95.80	.7967	----	----	----	----	150 UNCH
4250	----	----	679.70B/----	679.70B/650.10A	----	656.20 + 93.10	.7788	----	----	----	----	293 UNCH
4255	----	----	674.80B/----	674.80B/647.90A	----	652.50 + 92.80	.7769	----	----	----	----	50 UNCH
4300	----	----	642.30B/----	642.30B/613.50A	----	619.30 + 90.40	.7598	----	----	----	----	436 UNCH
4315	----	----	----	457.80B/741.70A	----	608.40 + 89.50	.7539	----	----	----	----	1 UNCH
4320	----	----	626.80B/----	626.80B/600.80A	----	604.80 + 89.20	.7520	----	----	----	----	100 UNCH
4350	----	----	605.30B/----	605.30B/579.70A	----	583.50 + 87.50	.7399	----	----	----	----	206 UNCH
4375	----	----	587.70B/----	587.70B/562.50A	----	566.00 + 86.00	.7296	----	----	----	----	61 UNCH
4400	----	----	531.90B/----	531.90B/541.30A	----	548.90 + 84.60	.7191	----	----	----	----	2 UNCH
4425	----	----	553.30B/----	553.30B/524.70A	----	532.00 + 83.00	.7083	----	----	----	----	8 UNCH
4450	----	----	538.10B/----	538.10B/508.50A	----	515.50 + 81.50	.6974	----	----	----	----	87 UNCH
4465	----	----	528.90B/----	528.90B/437.30A	----	505.80 + 80.60	.6907	----	----	----	----	93 UNCH
4490	----	----	512.60B/----	512.60B/426.80A	----	489.70 + 78.90	.6794	----	----	----	----	7 UNCH
4500	----	----	506.60B/----	506.60B/421.10A	----	483.40 + 78.30	.6749	----	----	----	----	757 UNCH
4525	----	----	490.30B/----	490.30B/407.00A	----	467.90 + 76.70	.6634	----	----	----	----	5 UNCH
4540	----	----	480.70B/----	480.70B/398.80A	----	458.70 + 75.70	.6564	----	----	----	----	9 UNCH
4550	----	----	474.70B/----	474.70B/393.30A	----	452.70 + 75.10	.6517	----	----	----	----	11 UNCH
4565	----	----	465.30B/----	465.30B/385.30A	----	443.70 + 74.10	.6447	----	----	----	----	93 UNCH
4580	----	----	456.30B/----	456.30B/377.40A	----	434.80 + 73.00	.6376	----	----	----	----	150 UNCH
4585	----	----	453.80B/----	453.80B/373.50A	----	431.90 + 72.70	.6352	----	----	----	----	325 UNCH
4590	----	----	450.30B/----	450.30B/372.20A	----	429.00 + 72.40	.6328	----	----	----	----	16 UNCH
4600	----	----	444.40B/----	444.40B/367.00A	----	423.20 + 71.70	.6281	----	----	----	----	159 UNCH
4615	----	----	435.60B/----	435.60B/359.40A	----	414.60 + 70.70	.6209	----	----	----	----	41 UNCH
4625	----	----	430.00B/----	430.00B/354.40A	----	409.00 + 70.10	.6160	----	----	----	----	71 UNCH
4640	----	----	421.40B/----	421.40B/346.90A	----	400.60 + 69.00	.6088	----	----	----	----	100 UNCH
4650	----	----	416.30B/----	416.30B/340.90A	----	395.00 + 68.30	.6039	----	----	----	----	302 UNCH
4675	----	----	402.70B/----	402.70B/330.10A	----	381.50 + 66.80	.5917	----	----	15	----	48 + 15
4680	----	----	398.90B/----	398.90B/327.80A	----	378.80 + 66.40	.5893	----	----	----	----	2 UNCH
4700	353.50	353.50	390.00B/353.50	390.00B/318.60A	----	368.20 + 65.10	.5794	----	----	18	----	95 UNCH
4725	----	----	376.70B/----	376.70B/307.40A	----	355.40 + 63.40	.5671	----	----	----	----	110 UNCH
4730	----	----	372.30B/----	372.30B/305.20A	----	352.80 + 63.00	.5646	----	----	----	----	2 UNCH
4750	----	----	363.90B/----	363.90B/296.10A	----	342.90 + 61.60	.5547	----	----	----	----	239 UNCH
4775	----	----	349.70B/----	349.70B/285.90A	----	330.90 + 59.80	.5423	----	----	----	----	2 UNCH
4780	----	----	347.20B/----	347.20B/283.80A	----	328.50 + 59.40	.5398	----	----	----	----	2 UNCH
4790	----	----	344.10B/----	344.10B/279.70A	----	323.80 + 58.70	.5349	----	----	----	----	1 UNCH
4795	321.00	321.00	342.40B/320.50	342.40B/277.70A	----	321.50 + 58.40	.5324	----	----	3	----	9 + 3
4800	----	----	340.00B/----	340.00B/275.10A	----	319.20 + 58.10	.5299	----	----	1	----	375 UNCH
4810	----	----	335.40B/----	335.40B/271.70A	----	314.60 + 57.40	.5250	----	----	----	----	56 UNCH
4820	----	----	330.60B/----	330.60B/267.80A	----	310.00 + 56.60	.5201	----	----	----	----	49 UNCH
4825	----	----	328.30B/----	328.30B/265.80A	----	307.70 + 56.20	.5176	----	----	----	----	104 UNCH
4835	----	----	323.70B/----	323.70B/262.00A	----	303.30 + 55.60	.5127	----	----	----	----	125 UNCH
4850	----	----	316.90B/----	316.90B/255.80A	----	296.60 + 54.50	.5053	----	----	----	----	296 UNCH
4875	----	----	305.20B/----	305.20B/247.10A	----	285.80 + 52.80	.4931	----	----	----	----	1 UNCH
4880	----	----	303.80B/----	303.80B/245.30A	----	283.70 + 52.50	.4907	----	----	----	----	4 UNCH
4900	----	----	296.90B/----	296.90B/238.20A	----	275.50 + 51.30	.4810	----	----	----	----	356 UNCH
4925	----	----	286.50B/----	286.50B/229.70A	----	265.50 + 49.80	.4690	----	----	----	----	238 UNCH
4950	----	----	276.30B/----	276.30B/221.50A	----	255.90 + 48.30	.4572	----	----	----	----	103 UNCH
4975	----	----	266.70B/----	266.70B/213.60A	----	246.60 + 46.70	.4455	----	----	----	----	50 UNCH
5000	225.00	225.00	257.00B/225.00	257.00B/206.00A	----	237.70 + 45.30	.4339	----	----	306	----	2476 + 64
5005	----	----	255.10B/----	255.10B/204.50A	----	236.00 + 45.10	.4317	----	----	----	----	4 UNCH
5025	----	----	247.90B/----	247.90B/198.60A	----	229.10 + 43.90	.4226	----	----	----	----	218 UNCH
5050	----	----	239.00B/----	239.00B/191.60A	----	220.80 + 42.50	.4114	----	----	----	----	101 UNCH
5070	----	----	232.80B/----	232.80B/186.10A	----	214.40 + 41.40	.4025	----	----	----	----	13 UNCH
5075	----	----	231.10B/----	231.10B/184.80A	----	212.80 + 41.10	.4003	----	----	----	----	30 UNCH
5090	----	----	226.10B/----	226.10B/180.90A	----	208.20 + 40.30	.3939	----	----	----	----	17 UNCH
5100	----	----	222.90B/----	222.90B/178.30A	----	205.10 + 39.70	.3895	----	----	----	----	349 UNCH
5125	----	----	213.60B/----	213.60B/172.00A	----	197.60 + 38.40	.3789	----	----	----	----	70 UNCH
5150	----	----	206.10B/----	206.10B/166.00A	----	190.50 + 37.10	.3685	----	----	----	----	11 UNCH
5155	----	----	204.50B/----	204.50B/164.90A	----	189.10 + 36.90	.3664	----	----	----	----	4 UNCH
5170	----	----	200.10B/----	200.10B/161.40A	----	184.90 + 36.00	.3602	----	----	----	----	4 UNCH
5175	----	----	198.60B/----	198.60B/160.30A	----	183.50 + 35.70	.3582	----	----	----	----	101 UNCH
5195	----	----	193.00B/----	193.00B/155.60A	----	178.20 + 34.80	.3502	----	----	----	----	5 UNCH
5200	----	----	191.60B/----	191.60B/154.10A	----	176.90 + 34.60	.3482	----	----	32	----	1329 UNCH
5220	----	----	186.10B/----	186.10B/149.70A	----	171.70 + 33.50	.3403	----	----	----	----	6 UNCH
5245	----	----	179.60B/----	179.60B/144.40A	----	165.50 + 32.40	.3307	----	----	----	----	10 UNCH
5250	160.40	160.40	178.30B/160.40	178.30B/143.20A	----	164.30 + 32.10	.3288	----	----	2	----	342 UNCH
5255	----	----	175.80B/----	175.80B/142.30A	----	163.10 + 31.90	.3269	----	----	----	----	1 UNCH
5265	----	----	174.50B/----	174.50B/140.40A	----	160.70 + 31.40	.3232	----	----	----	----	5 UNCH
5275	----	----	172.00B/----	172.00B/138.30A	----	158.30 + 30.90	.3194	----	----	----	----	20 UNCH
5300	----	----	166.00B/----	166.00B/133.20A	----	152.60 + 29.80	.3103	----	----	----	----	740 UNCH
5350	----	----	154.60B/----	154.60B/124.40A	----	141.80 + 27.70	.2926	----	----	----	----	460 UNCH
5360	----	----	152.40B/----	152.40B/122.50A	----	139.80 + 27.40	.2892	----	----	----	----	100 UNCH
5370	----	----	150.30B/----	150.30B/120.20A	----	137.80 + 27.00	.2859	----	----	----	----	36 UNCH
5400	----	----	144.00B/----	144.00B/116.20A	----	131.90 + 25.80	.2759	----	----	1	----	479 UNCH
5450	----	----	133.80B/----	133.80B/107.50A	----	122.70 NEW	.2600	----	----	1	----	1 + 1
5460	----	----	132.40B/----	132.40B/107.30A	----	121.00 + 23.60	.2570	----	----	----	----	203 UNCH
5465	----	----	131.50B/----	131.50B/105.40A	----	120.10 + 23.40	.2555	----	----	----	----	53 UNCH
5475	----	----	129.20B/----	129.20B/103.80A	----	118.40 NEW	.2525	----	----	----	400	400 + 400
5480	----	----	128.80B/----	128.80B/103.30A	----	117.60 + 22.90	.2510	----	----	----	----	50 UNCH
5500	121.60	121.60	125.30B/121.60	125.30B/102.00A	----	114.30 + 22.20	.2451	----	----	76	----	2678 + 71
5505	----	----	124.40B/----	124.40B/99.80A	----	113.50 + 22.00	.2437	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 32

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
5525	----	----	120.90B/----	120.90B/97.40A	----	110.40 + 21.30	.2380	----	----	----	----	80 UNCH
5550	----	----	117.00B/----	117.00B/94.50A	----	106.60 + 20.50	.2311	----	----	----	----	3 UNCH
5570	----	----	113.80B/----	113.80B/92.30A	----	103.70 + 19.80	.2257	----	----	----	----	195 UNCH
5600	109.40	109.40	109.50B/109.40	109.50B/90.50A	----	99.60 + 18.90	.2180	----	----	1	----	2205 UNCH
5650	----	----	102.40B/----	102.40B/85.50A	----	93.10 + 17.30	.2056	----	----	----	----	250 UNCH
5660	----	----	100.90B/----	100.90B/83.30A	----	91.90 + 17.10	.2033	----	----	----	----	1 UNCH
5675	----	----	99.10B/----	99.10B/81.70A	----	90.10 + 16.70	.1998	----	----	----	----	14 UNCH
5680	----	----	98.40B/----	98.40B/81.70A	----	89.50 + 16.50	.1986	----	----	----	----	1 UNCH
5685	----	----	97.80B/----	97.80B/80.90A	----	88.90 + 16.40	.1975	----	----	----	----	18 UNCH
5690	----	----	97.20B/----	97.20B/80.60A	----	88.40 + 16.30	.1964	----	----	----	----	12 UNCH
5700	----	----	96.00B/----	96.00B/79.40A	----	87.20 + 16.00	.1941	----	----	----	----	375 UNCH
5705	----	----	95.30B/----	95.30B/79.70A	----	86.70 + 15.90	.1931	----	----	----	----	5 UNCH
5710	----	----	94.70B/----	94.70B/79.40A	----	86.10 + 15.80	.1920	----	----	----	----	5 UNCH
5750	----	----	90.20B/----	90.20B/76.30A	----	81.90 + 14.90	.1835	----	----	----	----	313 UNCH
5770	----	----	87.80B/----	87.80B/75.60A	----	79.80 + 14.40	.1794	----	----	----	----	8 UNCH
5775	----	----	87.10B/----	87.10B/75.10A	----	79.30 + 14.30	.1784	----	----	----	----	2 UNCH
5800	80.80	80.80	84.70B/80.80	84.70B/73.10A	----	76.90 + 13.80	.1735	----	----	42	----	2053 - 2
5810	----	----	83.50B/----	83.50B/72.30A	----	76.00 + 13.70	.1716	----	----	1	----	56 UNCH
5825	----	----	81.90B/----	81.90B/71.20A	----	74.60 + 13.40	.1687	----	----	----	----	4 UNCH
5850	----	----	79.60B/----	79.60B/69.40A	----	72.40 + 13.00	.1642	----	----	----	----	51 UNCH
5875	----	----	77.10B/----	77.10B/67.10A	----	70.30 + 12.60	.1598	----	----	----	----	9 UNCH
5900	74.30	74.30	74.60B/74.30	74.60B/65.50A	----	68.30 + 12.20	.1556	----	----	158	----	1567 + 150
5950	----	----	70.40B/----	70.40B/63.70A	----	64.40 + 11.40	.1474	----	----	----	----	29 UNCH
6000	65.00	65.00	66.40B/60.00	66.40B/60.00	----	60.90 + 10.70	.1398	----	----	617	275	5291 - 49
6100	----	----	59.40B/----	59.40B/54.60A	----	54.50 + 9.30	.1260	----	----	----	----	132 UNCH
6150	----	----	56.30B/----	56.30B/51.80A	----	51.70 + 8.60	.1198	----	----	----	----	12 UNCH
6200	----	----	53.50B/----	53.50B/49.40A	----	49.10 + 8.00	.1140	----	----	----	----	3203 UNCH
6250	----	----	50.90B/----	50.90B/47.00A	----	46.70 + 7.50	.1086	----	----	64	----	76 + 47
6300	----	----	48.60B/----	48.60B/44.50A	----	44.50 + 6.90	.1036	----	----	----	----	1049 UNCH
6400	----	----	44.30B/----	44.30B/41.20A	----	40.60 + 6.00	.0946	----	----	150	----	683 UNCH
6500	42.80	42.80	42.80/38.10A	42.80/38.10A	----	37.40 + 5.20	.0869	----	----	507	----	5949 + 505
6750	----	----	31.70B/----	31.70B/32.00A	----	31.70 + 4.00	.0726	----	----	----	----	104 UNCH
6775	30.20	30.20	31.10B/30.20	31.10B/30.20	----	31.20 + 3.80	.0713	----	----	1	----	163 UNCH
6800	34.70	34.70	39.90/31.10A	39.90/31.10A	----	30.80 + 3.70	.0703	----	----	2	----	1817 - 2
6900	----	----	28.60B/----	28.60B/29.40A	----	29.30 + 3.50	.0662	----	----	64	----	77 + 64
7000	30.40	30.40	30.40/28.10A	30.40/28.10A	----	27.90 + 3.20	.0625	----	----	12	60	4211 - 4
7130	----	----	24.90B/----	24.90B/26.50A	----	26.40 + 3.00	.0584	----	----	----	----	200 UNCH
7175	----	----	24.40B/----	24.40B/26.20A	----	26.00 + 3.00	.0572	----	----	----	----	125 UNCH
7250	----	----	23.50B/----	23.50B/25.20A	----	25.20 + 2.90	.0551	----	----	----	----	108 UNCH
7500	----	----	21.00B/----	21.00B/23.10A	----	23.10 + 2.70	.0493	----	----	1	----	115 + 1
8000	----	----	18.00B/----	18.00B/20.40A	----	20.20 + 2.70	.0410	----	----	----	----	799 UNCH
8125	----	----	17.50B/----	17.50B/19.90A	----	19.60 + 2.70	.0394	----	----	----	----	801 UNCH
8500	----	----	16.00B/----	16.00B/18.40A	----	18.30 + 2.70	.0355	----	----	----	----	170 UNCH
8630	----	----	#15.60B/----	15.60B/17.80A	----	18.00 + 2.80	.0345	----	----	----	----	400 UNCH
8725	----	----	#15.50B/----	15.50B/17.60A	----	17.70 + 2.70	.0336	----	----	----	----	250 UNCH
8775	----	----	15.20B/----	15.20B/17.50A	----	17.60 + 2.70	.0333	----	----	----	----	25 UNCH
9000	----	----	15.20B/----	15.20B/17.00A	----	17.10 + 2.60	.0317	----	----	----	----	238 UNCH
9500	----	----	----	13.70B/16.60A	----	16.10 + 1.90	.0287	----	----	----	----	294 UNCH
9900	----	----	----	12.90B/16.20A	----	15.40 + 1.30	.0267	----	----	----	----	17 UNCH
10000	----	----	----	14.00B/16.20A	----	15.20 + 1.20	.0262	----	----	----	----	8718 UNCH
11000	----	----	----	10.90B/14.50A	----	13.50 + 0.80	.0221	----	----	----	----	397 UNCH
13000	----	----	----	8.60B/11.30A	----	10.20 + 1.10	.0157	----	----	----	----	407 UNCH
15000	7.00	7.00	7.50/7.00	7.50/7.00	----	7.70 + 0.40	.0114	----	----	202	----	22169 + 127
17000	----	----	----	5.00B/6.80A	----	6.10 + 0.70	.0088	----	----	----	----	26 UNCH
19000	----	----	----	3.10B/5.30A	----	4.60 + 0.90	.0065	----	----	----	----	7 UNCH
20000	3.30	3.30	3.70/3.30	3.70/3.30	----	3.70 + 0.60	.0053	----	----	367	----	24277 + 286
21000	----	----	----	2.50B/3.00A	----	2.80 + 0.10	.0041	----	----	----	----	31 UNCH
24000	----	----	----/2.00A	0.30B/2.00A	----	2.00 - 0.30	.0029	----	----	----	----	31 UNCH
TOTAL										2644	735	106042 + 1677
JAN27												
4190	----	----	----	579.30B/895.80A	----	747.70 + 97.60	.7971	----	----	----	----	1 UNCH
4290	----	----	----	504.00B/826.60A	----	673.30 + 93.20	.7630	----	----	----	----	1 UNCH
4300	----	----	----	496.70B/819.90A	----	666.00 + 92.60	.7594	----	----	----	----	1 UNCH
4400	----	----	----	426.60B/754.50A	----	595.90 + 87.20	.7218	----	----	----	----	1 UNCH
4500	----	----	548.60B/----	548.60B/465.00A	----	530.20 + 81.00	.6815	----	----	----	----	1 UNCH
4600	----	----	486.50B/----	486.50B/413.30A	----	469.10 + 74.20	.6387	----	----	----	----	4 UNCH
4650	----	----	458.10B/----	458.10B/387.70A	----	440.50 + 70.80	.6166	----	----	----	----	1 UNCH
4700	----	----	432.40B/----	432.40B/363.50A	----	413.20 NEW	.5941	----	----	1	----	1 + 1
4710	----	----	426.90B/----	426.90B/358.80A	----	407.90 + 66.80	.5896	----	----	----	----	3 UNCH
4750	----	----	405.90B/----	405.90B/340.50A	----	387.30 + 64.20	.5714	----	----	----	----	8 UNCH
4760	----	----	400.80B/----	400.80B/336.00A	----	382.30 + 63.60	.5669	----	----	----	----	100 UNCH
4800	----	----	380.70B/----	380.70B/318.70A	----	362.70 + 61.00	.5486	----	----	----	----	1 UNCH
4850	----	----	356.80B/----	356.80B/298.30A	----	339.50 + 58.00	.5258	----	----	----	----	1 UNCH
4875	----	----	345.60B/----	345.60B/288.60A	----	328.40 + 56.50	.5145	----	----	----	----	4 UNCH
4900	----	----	334.80B/----	334.80B/279.20A	----	317.60 + 55.00	.5032	----	----	----	----	10 UNCH
5000	----	----	297.20B/----	297.20B/244.40A	----	277.70 + 49.40	.4591	----	----	----	----	28 UNCH
5050	----	----	277.30B/----	277.30B/228.70A	----	259.60 + 46.70	.4377	----	----	----	----	100 UNCH
5100	----	----	260.20B/----	260.20B/214.20A	----	242.60 + 44.00	.4169	----	----	----	----	1 UNCH
5130	----	----	249.20B/----	249.20B/205.90A	----	232.90 + 42.30	.4047	----	----	----	----	1 UNCH
5195	----	----	226.20B/----	226.20B/189.20A	----	213.30 + 38.90	.3791	----	----	----	----	5 UNCH
5250	----	----	210.70B/----	210.70B/176.30A	----	198.00 + 36.20	.3583	----	----	----	----	7 UNCH
5300	----	----	197.40B/----	197.40B/165.10A	----	185.10 + 33.80	.3401	----	----	----	----	1 UNCH
5400	----	----	173.10B/----	173.10B/145.40A	----	162.10 + 29.70	.3063	----	----	----	----	2 UNCH
5450	----	----	161.60B/----	161.60B/136.70A	----	151.90 + 27.90	.2906	----	----	----	----	6 UNCH
5500	----	----	152.10B/----	152.10B/128.80A	----	142.40 + 26.20	.2756	----	----	1	----	59 + 1
5550	----	----	142.40B/----	142.40B/121.40A	----	133.60 + 24.60	.2614	----	----	----	----	4 UNCH
5820	----	----	103.00B/----	103.00B/91.90A	----	96.00 + 17.00	.1968	----	----	----	----	6 UNCH
5850	----	----	99.60B/----	99.60B/89.20A	----	92.70 + 16.30	.1909	----	----	----	----	3 UNCH
5900	----	----	93.80B/----	93.80B/85.00A	----	87.50 + 15.10	.1813	----	----	----	----	5 UNCH
6000	83.60	83.60	84.00B/83.60	84.00B/76.00A	----	78.00 + 12.90	.1636	----	----	2	----	257 + 1
6025	----	----	81.70B/----	81.70B/74.10A	----	75.80 + 12.30	.1595	----	----	----	----	1 UNCH
6300	----	----	62.10B/----	62.10B/58.40A	----	56.00 + 7.70	.1211	----	----	----	----	2 UNCH
6500	----	----	51.80B/----	51.80B/49.30A	----	45.40 NEW	.0997	----	----	1	----	1 + 1
20000	5.50	5.50	5.50/5.40A	5.50/5.40A	----	5.80 UNCH	.0078	----	----	2	----	128 + 1
TOTAL										7		755 + 5
FEB27												
4650	----	----	474.90B/----	474.90B/401.30A	----	457.70 + 69.20	.6140	----	----	----	----	1 UNCH
4700	----	----	447.50B/----	447.50B/377.30A	----	431.30 + 65.70	.5926	----	----	----	----	1 UNCH
4785	----	----	404.00B/----	404.00B/339.40A	----	389.30 + 61.20	.5559	----	----	----	----	100 UNCH
5000	----	----	315.50B/----	315.50B/258.60A	----	297.10 + 48.70	.4647	----	----	----	----	12 UNCH
5100	----	----	278.60B/----	278.60B/228.00A	----	260.90 + 42.40	.4244	----	----	1	----	2 + 1
5175	----	----	253.70B/----	253.70B/207.60A	----	236.50 + 37.90	.3953	----	----	----	----	125 UNCH
5200	----	----	246.30B/----	246.30B/201.30A	----	228.80 + 36.40	.3859	----	----	----	----	3 UNCH
5250	----	----	228.00B/----	228.00B/189.30A	----	214.30 + 33.60	.3676	----	----	20	----	22 + 20
5300	----	----	214.60B/----	214.60B/178.10A	----	200.80 + 31.10	.3499	----	----	----	----	50 UNCH
5375	----	----	195.50B/----	195.50B/162.80A	----	182.30 + 27.70	.3247	----	----	----	----	2 UNCH
5400	----	----	189.80B/----	189.80B/158.10A	----	176.60 + 26.70	.3167	----	----	----	----	1 UNCH
5500	----	----	167.90B/----	167.90B/140.90A	----	155.80 + 23.20	.2864	----	----	----	10	13 + 10
5520	----	----	163.80B/----	163.80B/137.70A	----	152.00 + 22.50	.2807	----	----	----	----	300 UNCH
5530	----	----	162.10B/----	162.10B/136.20A	----	150.10 + 22.20	.2779	----	----	----	----	100 UNCH
5550	----	----	158.30B/----	158.30B/133.20A	----	146.50 + 21.60	.2724	----	----	----	----	82 UNCH
5600	----	----	149.10B/----	149.10B/126.10A	----	137.90 + 20.20	.2590	----	----	----	----	8 UNCH
6000	----	----	96.10B/----	96.10B/84.70A	----	88.40 + 12.40	.1756	----	----	----	----	1290 UNCH
6025	----	----	93.60B/----	93.60B/82.90A	----	86.10 + 11.90	.1715	----	----	----	----	4 UNCH
6100	----	----	86.90B/----	86.90B/77.70A	----	79.90 + 10.90	.1601	----	----	----	----	4 UNCH
6300	----	----	71.80B/----	71.80B/66.20A	----	66.10 + 8.30	.1341	----	----	----	----	1 UNCH
6500	----	----	60.00B/----	60.00B/57.50A	----	55.80 + 6.90	.1139	----	----	----	----	1220 UNCH
6900	----	----	44.60B/----	44.60B/44.30A	----	42.10 + 6.50	.0856	----	----	----	----	532 UNCH
7000	42.00	42.00	42.00/41.90A	42.00/41.90A	----	39.80 + 6.50	.0805	----	----	19	----	385 UNCH
7100	----	----	32.80B/----	32.80B/41.30A	----	37.70 + 6.40	.0759	----	----	----	----	9 UNCH
7900	----	----	----	21.30B/*31.90A	----	28.40 + 4.20	.0538	----	----	----	----	500 UNCH
8000	----	----	----	20.50B/*31.30A	----	27.80 + 4.00	.0521	----	----	----	----	551 UNCH
TOTAL										40	10	5318 + 31
MAR27												
4210	----	----	----	520.80B/1044.30A	----	785.10 + 94.90	.7824	----	----	----	----	0 UNCH
4995	----	----	#344.80B/----	#344.80B/293.10A	----	330.90 + 48.20	.4849	----	----	----	----	1 UNCH
5000	333.00	333.00	#347.50B/333.00	#347.50B/291.30A	----	329.00 + 48.00	.4830	----	----	20	----	95 + 20
5010	----	----	#345.00B/----	#345.00B/287.90A	----	325.00 + 47.30	.4790	----	----	----	----	1 UNCH
5500	----	----	192.80B/----	192.80B/164.30A	----	182.20 + 26.10	.3103	----	----	----	----	67 UNCH
5600	----	----	#171.80B/----	#171.80B/147.70A	----	162.80 + 23.10	.2830	----	----	----	----	1 UNCH
5650	----	----	162.80B/----	162.80B/140.30A	----	154.00 + 21.80	.2702	----	----	----	----	19 UNCH
5790	----	----	#140.00B/----	140.00B/122.00A	----	132.30 + 18.40	.2376	----	----	----	----	2 UNCH
5820	129.00	129.00	#135.50B/129.00	135.50B/118.50A	----	128.10 NEW	.2312	----	----	1	----	1 + 1
5850	----	----	#131.40B/----	131.40B/115.20A	----	124.10 + 17.10	.2249	----	----	----	----	4 UNCH
5900	125.00	125.00	#126.00/117.00	126.00/110.00A	----	117.80 + 16.10	.2150	----	----	8	----	11 + 8

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAR27												
6000	----	----	112.00B/----	112.00B/100.50A	----	106.40 + 14.30	.1965	----	----	----	----	2 UNCH
6500	----	----	71.30B/----	71.30B/68.30A	----	67.00 + 8.10	.1287	----	----	----	----	1 UNCH
TOTAL										29		205 + 29
APR27												
5000	----	----	----	141.20B/573.80A	----	399.10 + 59.90	.4980	----	----	----	----	100 UNCH
5060	----	----	----	#183.50B/508.60A	----	380.30 + 57.60	.4791	----	----	----	----	25 UNCH
5600	----	----	----	#66.10B/323.00A	----	230.00 + 38.80	.3268	----	----	----	----	300 UNCH
6000	----	----	----	32.30B/224.20A	----	162.20 + 28.80	.2444	----	----	----	----	151 UNCH
TOTAL												576 0
JUN27												
7000	----	----	----	----	----	78.90 + 14.90	.1275	----	----	----	----	3 UNCH
9000	----	----	----	----	----	25.80 + 5.00	.0436	----	----	----	----	1 UNCH
10000	----	----	----	----	----	19.60 + 3.60	.0321	----	----	----	----	3 UNCH
TOTAL												7 0
DEC27												
4860	----	----	----	----	----	683.70 + 71.60	.5928	----	----	----	----	100 UNCH
5000	----	----	----	----	----	622.60 + 67.30	.5574	----	----	----	----	50 UNCH
5650	----	----	----	----	----	395.50 + 48.80	.4063	----	----	----	----	200 UNCH
5700	----	----	----	----	----	381.60 + 47.50	.3958	----	----	----	----	150 UNCH
5800	----	----	----	----	----	355.40 + 45.00	.3754	----	----	----	----	200 UNCH
5880	----	----	----	----	----	335.70 + 43.10	.3597	----	----	----	----	125 UNCH
6300	----	----	----	----	----	249.30 + 34.10	.2858	----	----	----	----	18 UNCH
7500	----	----	----	----	----	113.70 + 17.50	.1482	----	----	----	----	170 UNCH
7800	----	----	----	----	----	95.70 + 15.00	.1272	----	----	----	----	284 UNCH
10000	35.00	35.00	35.00/35.00	35.00/35.00	----	39.80 + 6.30	.0547	----	----	1	----	102 + 1
10500	----	----	----	----	----	35.70 + 5.60	.0485	----	----	----	----	10 UNCH
TOTAL										1		1409 + 1
DEC28												
5750	----	----	----	----	----	616.60 + 57.50	.4702	----	----	----	----	100 UNCH
TOTAL												100 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
JUN26												
4400	----	----	----	----	----	20.70 - 21.20	.1248	----	----	----	----	1 UNCH
TOTAL												1 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
MAY26												
3500	----	----	----	----/1.10A	----	0.10 - 0.10	.0001	----	----	----	----	16 UNCH
3800	1.60	1.60	1.60/*1.60	1.60/*1.60	----	2.00 - 1.00	.0104	----	----	1	----	4 - 1
3800	----	----	----	0.10B/*0.80A	----	0.20 - 0.40	.0010	----	----	----	----	5 UNCH
3900	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 30
3900	1.20	1.20	1.20/*1.20	1.40B/*1.20	----	1.20 - 1.00	.0074	----	----	1	----	3 UNCH
4000	----	----	----/*0.90A	0.60B/*0.90A	----	0.50 - 0.70	.0031	----	----	----	----	2 UNCH
4000	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 40
4100	1.30	1.30	1.30/*0.60	1.30/*0.60	----	0.70 - 1.00	.0049	----	----	2	----	1 UNCH
4100	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 22
4100	----	----	----/*2.60A	3.50B/*2.60A	----	2.30 - 2.50	.0164	----	----	1	----	1 UNCH
4150	4.00	4.00	4.00/*3.00A	4.80B/*3.00A	----	2.70 NEW	.0202	----	----	6	----	0 UNCH
4160	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4175	----	----	----/*3.30A	5.60B/*3.30A	----	3.00 - 3.90	.0228	----	----	----	----	3 UNCH
4180	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4200	1.50	1.50	1.50/*1.00	2.00B/*1.00	----	1.10 - 1.70	.0087	----	----	13	----	15 + 13
4200	----	----	----/*3.60A	6.60B/*3.60A	----	3.40 - 4.40	.0261	----	----	1	----	51 UNCH
4200	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4210	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4220	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4225	----	----	----/*4.00A	7.80B/*4.00A	----	3.80 - 5.20	.0297	----	----	----	----	3 UNCH
4250	----	----	----/*1.50A	3.10B/*1.50A	----	1.40 - 2.50	.0119	----	----	2	----	3 + 1
4250	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4250	----	----	----/*4.40A	9.60B/*4.40A	----	4.30 - 6.10	.0341	----	----	6	----	7 + 6
4265	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4275	----	----	----/*8.10A	13.00B/*8.10A	----	7.90 - 8.80	.0539	----	----	----	----	1 UNCH
4275	1.80	1.80	1.80/*1.60A	3.80B/*1.60A	----	1.60 NEW	.0140	----	----	1	----	1 + 1
4275	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4295	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	2	----	0 - 2
4300	----	----	----/*5.60A	13.50B/*5.60A	----	5.70 - 8.50	.0460	----	----	6	----	17 + 6
4300	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 24
4300	----	----	----/*1.80A	4.80B/*1.80A	----	1.80 - 3.70	.0164	----	----	----	----	4 UNCH
4310	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4315	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4325	----	----	----/*2.00A	6.10B/*2.00A	----	2.10 - 4.70	.0197	----	----	----	----	2 UNCH
4325	----	----	----/*10.30A	18.80B/*10.30A	----	10.20 - 12.30	.0697	----	----	----	----	1 UNCH
4325	----	----	----/*6.40A	16.10B/*6.40A	----	6.60 - 10.20	.0537	----	----	----	----	14 UNCH
4325	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 11
4330	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 8
4335	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 6
4340	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
4345	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 7
4350	----	----	----/*2.40A	7.80B/*2.40A	----	2.50 - 5.90	.0241	----	----	----	----	40 UNCH
4350	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 12
4350	----	----	----/*7.30A	19.30B/*7.30A	----	7.80 - 12.20	.0635	----	----	5	----	6 + 5
4365	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 3
4375	----	----	----/*8.50A	23.20B/*8.50A	----	9.20 - 14.60	.0749	----	----	1	----	10 UNCH
4375	25.50	25.50	25.50/*13.40A	25.80B/*13.40A	----	13.50 - 16.90	.0915	----	----	2	----	5 UNCH
4375	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 5
4375	----	----	----/*2.80A	10.10B/*2.80A	----	3.00 - 7.40	.0297	----	----	1	----	14 + 1
4380	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.50	----	----	----	1	----	0 - 4
4385	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 0.50	----	----	----	2	----	0 - 7
4400	----	----	----/*3.40A	12.90B/*3.40A	----	3.70 - 9.40	.0375	----	----	----	----	6 UNCH
4400	----	----	----/*10.00A	28.00B/*10.00A	----	10.90 - 17.40	.0884	----	----	12	----	22 + 5
4400	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 175
4405	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 2
4410	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 5
4415	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 8
4420	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 9
4425	----	----	16.70B/*4.20A	16.70B/*4.20A	----	4.50 - 12.00	.0466	----	----	1	----	2 - 1
4425	17.80	17.80	17.80/*17.30A	35.00B/*17.30A	----	18.00 NEW	.1200	----	----	3	----	3 + 3
4425	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 0.80	----	----	----	4	----	0 - 29
4425	11.40	11.40	11.40/*11.40	33.40B/*11.40	----	13.00 - 20.60	.1047	----	----	2	----	1 UNCH
4430	0.20	0.20	0.20/*0.10A	0.60B/*0.10A	----	0.00 - 0.90	----	----	----	1	----	0 - 2
4435	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 1
4440	1.00	1.00	1.00/*0.10	1.00/*0.10	----	0.00 - 1.00	----	----	----	5	----	0 - 5
4445	----	----	----/*0.10A	0.90B/*0.10A	----	0.00 - 1.10	----	----	----	4	----	0 - 3
4450	----	----	----/*20.00A	40.90B/*20.00A	----	20.90 - 26.00	.1376	----	----	----	----	2 UNCH
4450	5.10	5.10	21.60B/*5.10	21.60B/*5.10	----	5.70 - 15.20	.0598	----	----	5	----	6 + 5
4450	1.40	1.40	1.40/*0.10A	1.40/*0.10A	----	0.00 - 1.20	----	----	----	8	----	0 - 61
4450	----	----	280.40B/110.40A	280.40B/110.40A	----	244.30 + 24.60	----	----	----	----	----	0 - 1
4450	----	----	----/*13.90A	39.80B/*13.90A	----	15.60 NEW	.1242	----	----	5	----	5 + 5
4455	----	----	#275.20B/105.80	#275.20B/105.80A	----	239.30 + 24.50	----	----	----	----	----	0 - 1
4455	----	----	----/*0.10A	1.10B/*0.10A	----	0.00 - 1.40	----	----	----	----	----	0 - 1
4460	----	----	----/*0.10A	1.30B/*0.10A	----	0.00 - 1.50	----	----	----	----	----	0 - 5
4465	----	----	----/*0.10A	1.50B/*0.10A	----	0.00 - 1.70	----	----	----	----	----	0 - 2
4470	----	----	----/*0.20A	1.80B/*0.20A	----	0.00 - 1.80	----	----	----	2	----	0 - 3
4475	----	----	27.60B/*6.40A	27.60B/*6.40A	----	7.20 - 19.30	.0762	----	----	1	----	0 - 1
4475	1.00	1.00	1.00/*0.10A	1.90B/*0.10A	----	0.00 - 2.10	----	----	----	12	----	0 - 33
4480	----	----	----/*0.20A	2.20B/*0.20A	----	0.00 - 2.30	----	----	----	----	----	0 - 3
4485	----	----	----/*0.10A	2.50B/*0.10A	----	0.00 - 2.60	----	----	----	1	----	0 - 7
4490	----	----	----/*0.20A	2.90B/*0.20A	----	0.00 - 3.00	----	----	----	----	----	0 - 24
4495	0.70	0.70	0.70/*0.20A	3.30B/*0.20A	----	0.00 - 3.40	----	----	----	2	----	0 - 7
4500	10.00	10.00	35.20B/*8.00A	35.20B/*8.00A	----	9.30 NEW	.0983	----	----	2	----	2 + 2
4500	----	----	#282.10B/----	#282.10B/171.40A	----	257.80 + 93.40	.8195	----	----	----	----	50 UNCH
4500	----	----	56.10B/*19.70A	56.10B/*19.70A	----	22.50 - 33.00	.1731	----	----	14	----	14 + 7
4500	5.00	5.00	5.00/*0.10A	5.00/*0.10A	----	0.00 - 3.80	----	----	----	42	----	0 - 46

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED MAY26		GOLD WEEKLY WEDNESDAY OPTION WEEK1										
4505	----	----	4.50B/*0.10A	4.50B/*0.10A	----	0.00 - 4.30	----	----	----	1	----	0 - 6
4510	205.20	205.20	#220.30B/55.50A	#220.30B/55.50A	----	184.30 + 20.90	----	----	----	2	----	0 - 2
4510	1.10	1.10	5.20B/*0.10	5.20B/*0.10	----	0.00 - 4.90	----	----	----	9	----	0 - 48
4515	----	----	6.10B/*0.20A	6.10B/*0.20A	----	0.00 - 5.60	----	----	----	----	----	0 - 25
4520	7.50	7.50	7.50/*0.10A	7.50/*0.10A	----	0.00 - 6.40	----	----	----	4	----	0 - 25
4525	----	----	----/*30.60A	64.70B/*30.60A	----	32.90 NEW	.2048	----	----	1	----	1 + 1
4525	11.00	11.00	44.10B/*10.10A	44.10B/*10.10A	----	11.90 - 29.90	.1254	----	----	2	----	2 + 2
4525	4.50	4.50	8.00B/*0.10	8.00B/*0.10	----	0.00 - 7.30	----	----	----	7	----	0 - 52
4525	172.60	172.60	206.00B/43.50A	206.00B/43.50A	----	169.30 + 18.50	----	----	----	1	----	0 - 11
4530	----	----	9.20B/*0.10A	9.20B/*0.10A	----	0.00 - 8.30	----	----	----	6	----	0 - 56
4530	----	----	#201.00B/39.70A	#201.00B/39.70A	----	164.30 + 17.50	----	----	----	----	----	0 - 3
4535	----	----	#195.40B/36.20A	#195.40B/36.20A	----	159.30 + 16.30	----	----	----	----	----	0 - 2
4535	6.00	6.00	10.70B/*0.10A	10.70B/*0.10A	----	0.00 - 9.50	----	----	----	27	----	0 - 18
4540	8.00	8.00	12.20B/*0.10A	12.20B/*0.10A	----	0.00 - 10.80	----	----	----	3	----	0 - 19
4540	170.60	170.60	#190.40B/32.70A	#190.40B/32.70A	----	154.30 + 15.00	----	----	----	2	----	0 - 2
4545	7.20	7.20	14.00B/*0.10A	14.00B/*0.10A	----	0.00 - 12.20	----	----	----	2	----	0 - 5
4545	168.40	168.40	#185.80B/28.90A	#185.80B/28.90A	----	149.30 + 13.60	----	----	----	5	----	0 - 66
4550	15.50	15.50	54.90B/*12.80A	54.90B/*12.80A	----	15.30 NEW	.1594	----	----	2	----	2 + 2
4550	10.10	10.10	15.90B/*0.10	15.90B/*0.10	----	0.00 - 13.80	----	----	----	61	----	0 - 123
4550	----	----	181.20B/26.10A	181.20B/26.10A	----	144.30 + 12.00	----	----	----	----	----	0 - 10
4550	----	----	77.60B/*28.00A	77.60B/*28.00A	----	32.40 NEW	.2370	----	----	5	----	5 + 5
4555	19.00	19.00	19.00/*0.10	19.00/*0.10	----	0.00 - 15.60	----	----	----	67	----	0 - 8
4555	----	----	#176.10B/23.30A	#176.10B/23.30A	----	139.30 + 10.20	----	----	----	7	----	0 - 63
4560	10.40	10.40	20.30B/*0.10A	20.30B/*0.10A	----	0.00 - 17.60	----	----	----	20	----	0 - 77
4560	43.60	43.60	#170.50B/20.60A	#170.50B/20.60A	----	134.30 + 08.20	----	----	----	11	----	0 - 8
4565	101.80	101.80	#165.50B/18.00A	#165.50B/18.00A	----	129.30 + 06.10	----	----	----	1	----	0 - 17
4565	7.50	7.50	23.10B/*0.10A	23.10B/*0.10A	----	0.00 - 19.70	----	----	----	18	----	0 - 8
4570	40.00	40.00	#161.80/*15.80A	#161.80/*15.80A	----	124.30 + 03.70	----	----	----	16	----	0 - 60
4570	27.50	27.50	27.50/*0.10A	27.50/*0.10A	----	0.00 - 22.10	----	----	----	53	----	0 - 50
4575	----	----	173.40B/52.50A	173.40B/52.50A	----	139.00 + 81.80	.7982	----	----	1	----	1 UNCH
4575	----	----	67.40B/*16.30A	67.40B/*16.30A	----	19.80 - 43.90	.2016	----	----	----	----	2 UNCH
4575	----	----	90.20B/*33.40A	90.20B/*33.40A	----	38.70 - 49.20	.2745	----	----	----	----	10 UNCH
4575	41.60	41.60	156.20B/*13.80A	156.20B/*13.80A	----	119.30 + 01.20	----	----	----	9	----	0 - 20
4575	1.00	1.00	28.20B/*0.10A	28.20B/*0.10A	----	0.00 - 24.60	----	----	----	7	----	0 - 24
4580	11.00	11.00	150.60B/*11.00	150.60B/*11.00	----	114.30 + 98.40	----	----	----	5	----	0 - 29
4580	14.00	14.00	31.50B/*0.10	31.50B/*0.10	----	0.00 - 27.40	----	----	----	10	----	0 - 32
4585	10.40	10.40	146.30B/*10.40	146.30B/*10.40	----	109.30 + 95.50	----	----	----	53	----	0 - 94
4585	19.00	19.00	34.80B/*0.10A	34.80B/*0.10A	----	0.00 - 30.30	----	----	----	28	----	0 - 12
4590	5.60	5.60	38.70B/*0.10A	38.70B/*0.10A	----	0.00 - 33.50	----	----	----	13	----	0 - 27
4590	15.10	15.10	140.90B/*8.90A	140.90B/*8.90A	----	104.30 + 92.30	----	----	----	13	----	0 - 38
4595	18.00	18.00	136.40B/*7.80A	136.40B/*7.80A	----	99.30 + 88.90	----	----	----	9	----	0 - 10
4595	18.50	18.50	42.50B/*0.10A	42.50B/*0.10A	----	0.00 - 36.90	----	----	----	8	----	0 - 10
4600	27.10	27.10	81.50B/*21.00A	81.50B/*21.00A	----	25.40 NEW	.2511	----	----	7	----	7 + 7
4600	----	----	153.10B/41.90A	153.10B/41.90A	----	119.60 + 73.70	.7487	----	----	----	----	1 UNCH
4600	----	----	170.90B/66.00A	170.90B/66.00A	----	140.30 + 70.50	.6841	----	----	----	----	7 UNCH
4600	5.30	5.30	131.00B/*5.30	131.00B/*5.30	----	94.30 + 85.40	----	----	----	130	----	0 - 115
4600	21.00	21.00	46.10B/*0.10A	46.10B/*0.10A	----	0.00 - 40.40	----	----	----	106	----	0 - 55
4600	----	----	104.20B/*39.70A	104.20B/*39.70A	----	46.10 - 55.10	.3155	----	----	7	----	17 + 7
4605	25.20	25.20	50.30B/*0.10A	50.30B/*0.10A	----	0.00 - 44.10	----	----	----	20	----	0 - 28
4605	89.00	89.00	126.00B/*5.70A	126.00B/*5.70A	----	89.30 + 81.70	----	----	----	1	----	0 - 7
4610	15.00	15.00	121.20B/4.90A	121.20B/4.90A	----	84.30 + 77.80	----	----	----	17	----	0 - 24
4610	18.20	18.20	54.80B/*0.10A	54.80B/*0.10A	----	0.00 - 48.00	----	----	----	282	----	0 - 2
4615	27.40	27.40	58.90B/*0.10A	58.90B/*0.10A	----	0.00 - 52.10	----	----	----	16	----	0 - 8
4615	12.50	12.50	117.40/4.10A	117.40/4.10A	----	79.30 + 73.70	----	----	----	35	----	0 - 12
4620	7.00	7.00	111.30B/3.60A	111.30B/3.60A	----	74.30 + 69.60	----	----	----	14	----	0 - 24
4620	27.00	27.00	63.70B/*0.10A	63.70B/*0.10A	----	0.00 - 56.20	----	----	----	73	----	0 - 1
4625	62.90	62.90	62.90/*53.70A	105.50B/*53.70A	----	59.20 NEW	.3291	----	----	1	----	1 + 1
4625	10.00	10.00	107.00B/3.10A	107.00B/3.10A	----	69.30 + 65.20	----	----	----	34	----	0 - 56
4625	----	----	118.90B/*47.10A	118.90B/*47.10A	----	54.60 - 61.30	.3594	----	----	----	----	112 UNCH
4625	12.00	12.00	68.20B/*0.10A	68.20B/*0.10A	----	0.00 - 60.50	----	----	----	27	----	0 - 5
4625	----	----	133.80B/33.20A	133.80B/33.20A	----	101.60 NEW	.6916	----	----	1	----	1 + 1
4625	45.40	45.40	97.60B/*26.80A	97.60B/*26.80A	----	32.40 NEW	.3082	----	----	6	----	5 + 5
4630	15.00	15.00	72.90B/*0.10A	72.90B/*0.10A	----	0.00 - 65.00	----	----	----	40	----	0 - 1
4630	2.20	2.20	102.20B/*2.20	102.20B/*2.20	----	64.30 + 60.80	----	----	----	8	----	0 - 5
4635	15.90	15.90	77.60B/*0.10A	77.60B/*0.10A	----	0.00 - 69.50	----	----	----	7	----	0 - 2
4635	10.50	10.50	96.90B/2.40A	96.90B/2.40A	----	59.30 + 56.30	----	----	----	62	----	0 - 52
4640	20.60	20.60	82.40B/*0.10	82.40B/*0.10	----	0.00 - 74.10	----	----	----	24	----	0 - 3
4640	13.50	13.50	92.60B/2.10A	92.60B/2.10A	----	54.30 + 51.70	----	----	----	17	----	0 - 35
4645	20.00	20.00	87.10B/*0.10A	87.10B/*0.10A	----	0.00 NEW	----	----	----	23	----	0 UNCH
4645	7.00	7.00	87.90B/1.90A	87.90B/1.90A	----	49.30 + 47.10	----	----	----	14	----	0 - 8
4650	73.50	73.50	115.40B/*33.80A	115.40B/*33.80A	----	40.90 NEW	.3715	----	----	2	----	2 + 2
4650	----	----	116.40B/26.00A	116.40B/26.00A	----	85.20 + 56.70	.6282	----	----	----	----	204 UNCH
4650	----	----	136.60B/47.70A	136.60B/47.70A	----	108.60 + 58.20	.5939	----	----	----	----	3 UNCH
4650	64.00	64.00	135.30B/*55.50A	135.30B/*55.50A	----	64.30 - 67.50	.4057	----	----	13	----	12 + 9
4650	7.00	7.00	83.30B/1.70A	83.30B/1.70A	----	44.30 + 42.40	----	----	----	146	----	0 - 165
4650	23.00	23.00	92.10B/*0.10	92.10B/*0.10	----	0.00 - 83.40	----	----	----	223	----	0 - 33
4655	19.50	19.50	97.00B/*0.10A	97.00B/*0.10A	----	0.00 - 88.20	----	----	----	36	----	0 - 153
4655	6.60	6.60	78.50B/1.50A	78.50B/1.50A	----	39.30 + 37.60	----	----	----	17	----	0 - 157
4660	29.50	29.50	101.70B/*0.10A	101.70B/*0.10A	----	0.00 NEW	----	----	----	47	----	0 UNCH
4660	10.00	10.00	73.90B/1.40A	73.90B/1.40A	----	34.30 + 32.80	----	----	----	11	----	0 - 8
4665	9.40	9.40	69.50B/9.40	69.50B/1.30A	----	29.30 + 28.00	----	----	----	29	----	0 - 19
4665	13.60	13.60	106.80B/*0.10A	106.80B/*0.10A	----	0.00 - 97.80	----	----	----	30	----	0 - 7
4670	18.80	18.80	111.70B/*0.10	111.70B/*0.10	----	0.00 - 02.60	----	----	----	57	----	0 - 13
4670	15.60	15.60	65.00B/12.50	65.00B/1.20A	----	24.30 + 23.20	----	----	----	18	----	0 - 25
4675	----	----	99.50B/20.20A	99.50B/20.20A	----	70.40 + 48.20	.5601	----	----	2	----	2 - 1
4675	----	----	153.00B/*65.10A	153.00B/*65.10A	----	75.30 NEW	.4536	----	----	1	----	1 + 1
4675	9.80	9.80	116.60B/*0.10	116.60B/*0.10	----	0.00 NEW	----	----	----	39	----	0 UNCH
4675	0.80	0.80	60.60B/0.80	60.60B/0.80	----	19.30 + 18.30	----	----	----	85	----	0 - 12
4675	----	----	121.50B/40.40A	121.50B/40.40A	----	94.60 + 52.10	.5460	----	----	----	----	25 UNCH
4675	----	----	135.00B/*42.30A	135.00B/*42.30A	----	51.10 - 77.50	.4396	----	----	----	----	1 UNCH
4680	2.00	2.00	56.70B/0.80A	56.70B/0.80A	----	14.30 + 13.40	----	----	----	23	----	0 - 13
4680	19.70	19.70	121.60B/*0.10A	121.60B/*0.10A	----	0.00 - 12.30	----	----	----	164	----	0 - 6
4685	4.90	4.90	52.40B/4.90	52.40B/0.80A	----	9.30 + 8.60	----	----	----	47	----	0 - 1
4685	15.80	15.80	126.40B/*0.10A	126.40B/*0.10A	----	0.00 NEW	----	----	----	70	----	0 UNCH
4690	3.40	3.40	48.40B/3.00	48.40B/0.70A	----	4.30 + 3.70	----	----	----	44	----	0 - 2
4690	45.80	45.80	131.50B/*0.10	131.50B/*0.10	----	0.00 NEW	----	----	----	107	----	0 UNCH
4695	28.90	28.90	44.80B/0.70A	44.80B/0.70A	----	0.00 - 0.60	----	----	----	36	----	0 - 8
4695	14.30	14.30	136.20B/*1.40A	136.20B/*1.40A	----	0.70 NEW	----	----	----	74	----	0 UNCH
4700	----	----	171.70B/*75.80A	171.70B/*75.80A	----	87.60 NEW	.5021	----	----	3	----	1 + 1
4700	72.60	72.60	86.10/15.80A	86.10/15.80A	----	57.40 + 40.30	.4898	----	----	20	----	18 + 11
4700	----	----	107.30B/34.00A	107.30B/34.00A	----	81.90 + 46.20	.4974	----	----	1	----	8 UNCH
4700	2.10	2.10	40.60B/*0.10A	40.60B/*0.10A	----	0.00 - 0.50	----	----	----	186	----	0 - 53
4700	64.50	64.50	155.20B/*52.30A	155.20B/*52.30A	----	63.10 - 85.40	.5100	----	----	3	----	4 + 2
4700	19.80	19.80	141.40B/*2.90A	141.40B/*2.90A	----	5.70 - 26.30	----	----	----	181	----	0 - 73
4705	25.60	25.60	36.80B/*0.10	36.80B/*0.10	----	0.00 - 0.40	----	----	----	76	----	0 - 5
4705	64.40	64.40	146.20B/*4.00A	146.20B/*4.00A	----	10.70 - 26.20	----	----	----	25	----	0 - 3
4710	32.00	32.00	151.40B/*5.30A	151.40B/*5.30A	----	15.70 NEW	----	----	----	35	----	0 UNCH
4710	2.50	2.50	33.60B/*0.10A	33.60B/*0.10A	----	0.00 - 0.40	----	----	----	39	----	0 - 10
4715	3.00	3.00	30.90B/0.20A	30.90B/0.20A	----	0.00 - 0.30	----	----	----	89	----	0 - 1
4715	12.20	12.20	156.20B/*6.90A	156.20B/*6.90A	----	20.70 NEW	----	----	----	22	----	0 UNCH
4720	21.50	21.50	161.20B/*8.80A	161.20B/*8.80A	----	25.70 NEW	----	----	----	52	----	0 UNCH
4720	3.30	3.30	27.80B/0.30	27.80B/0.30	----	0.00 - 0.30	----	----	----	57	----	0 - 1
4725	48.00	48.00	71.20B/12.20A	71.20B/12.20A	----	46.20 + 33.00	.4198	----	----	2	----	3 + 1
4725	107.70	107.70	107.70/*91.10A	160.50B/*91.10A	----	100.60 NEW	.4813	----	----	1	----	1 + 1
4725	----	----	93.90B/28.50A	93.90B/28.50A	----	70.50 + 40.60	.4491	----	----	----	----	2 UNCH
4725	----	----	191.30B/*87.60A	191.30B/*87.60A	----	101.10 NEW	.5504	----	----	1	----	1 + 1
4725	22.90	22.90	166.30B/*11.20A	166.30B/*11.20A	----	30.70 - 26.00	----	----	----	39	----	0 - 1
4725	7.00	7.00	25.70/*0.10	25.70/*0.10	----	0.00 - 0.30	----	----	----	137	----	0 - 7
4730	13.20	13.20	22.10B/*0.10A	22.10B/*0.10A	----	0.00 - 0.20	----	----	----	57	----	0 - 2
4730	33.70	33.70	171.10B/*13.30	171.10B/*13.30	----	35.70 NEW	----	----	----	15	----	0 UNCH
4735	13.90	13.90	19.60B/*0.10A	19.60B/*0.10A	----	0.00 - 0.20	----	----	----	67	----	0 - 2
4740	----	----	181.30B/*20.20A	181.30B/*20.20A	----	45.70 - 26.00	----	----	----	----	----	0 - 1
4740	1.80	1.80	17.30B/*0.10A	17.30B/*0.10A	----	0.00 - 0.20	----	----	----	77	----	0 - 2
4745	9.70	9.70	15.20B/*0.10A	15.20B/*0.10A	----	0.00 - 0.20	----	----	----	44	----	0 - 11
4750	35.50	35.50	59.30B/9.50A	59.30B/9.50A	----	36.70 + 26.60	.3528	----	----	6	----	15 + 4
4750	----	----	199.60B/77.20A	199.60B/77.20A	----	92.40 - 99.10	.6469	----	----	1	----	2 + 1
4750	----	----	#114.10B/----	#114.10B/49.80A	----	93.50 + 46.50	.4786	----	----	----	----	4 UNCH
4750	----	----	191.30B/*27.40A	191.30B/*27.40A	----	55.70 - 26.00	----	----	----	9	----	0 - 3
4750	0.90	0.90	13.40B/0.10A	13.40B/0.10A	----	0.00 - 0.20	----	----	----	148	----	0 - 144
4750	----	----	82.30B/24.00A	82.30B/24.00A	----	60.30 + 35.30	.4019	----	----	1	----	4 + 1
4755	8.30	8.30	11.70B/*0.10A	11.70B/*0.10A	----	0.00 - 0.20	----	----	----	14	----	0 - 8
4755	----	----	196.20B/*31.40A	196.20B/*31.40A	----	60.70 NEW	----	----	----	2	----	0 UNCH
4760	0.30	0.30	10.10B/*0.10A	10.10B/*0.10A	----	0.00 - 0.20	----	----	----	25	----	0 - 2
4760	53.90	53.90	201.10B/*35.50A	201.10B/*35.50A	----	65.70 - 25.90	----	----	----	6	----	0 - 10
4765	0.60	0.60	8.80B/*0.10	8.80B/*0.10	----	0.00 - 0.10	----	----	----	72	----	0 - 7
4765	----	----	206.10B/*40.20A	206.10B/*40.20A	----	70.70 - 25.90	----	----	----	----	----	0 - 2
4770	0.30	0.30	7.50B/*0.10A	7.50B/*0.10A	----	0.00 - 0.10	----	----	----	28	----	0 - 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK1

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4770	77.40	77.40	211.10B/*44.70A	211.10B/*44.70A	----	75.70 - 25.90	----	----	----	2	----	0 - 1
4775	29.80	29.80	48.80B/7.40A	48.80B/7.40A	----	28.90 + 21.10	.2912	----	----	40	----	40 + 36
4775	----	----	71.40B/20.30A	71.40B/20.30A	----	51.30 + 30.40	.3566	----	----	60	----	50 + 48
4775	0.70	0.70	6.50B/*0.10A	6.50B/*0.10A	----	0.00 - 0.10	----	----	----	33	----	0 - 7
4780	----	----	221.10B/*54.20A	221.10B/*54.20A	----	85.70 - 25.90	----	----	----	----	----	0 - 1
4780	0.70	0.70	5.60B/*0.10A	5.60B/*0.10A	----	0.00 - 0.10	----	----	----	21	----	0 - 4
4785	3.00	3.00	4.80B/*0.10A	4.80B/*0.10A	----	0.00 - 0.10	----	----	----	11	----	0 - 25
4790	----	----	231.20B/63.40A	231.20B/63.40A	----	95.70 - 25.90	----	----	----	2	----	0 - 2
4790	4.00	4.00	4.00/*0.10A	4.00/*0.10A	----	0.00 - 0.10	----	----	----	4	----	0 UNCH
4795	----	----	236.20B/67.90A	236.20B/67.90A	----	100.70 - 25.90	----	----	----	----	----	0 - 1
4795	0.70	0.70	3.40B/*0.10A	3.40B/*0.10A	----	0.00 - 0.10	----	----	----	4	----	0 - 2
4800	74.60	74.60	#91.50B/74.60	#91.50B/38.70A	----	72.70 + 36.90	.4016	----	----	5	----	6 + 5
4800	2.10	2.10	3.90/0.10A	3.90/0.10A	----	0.00 - 0.10	----	----	----	110	----	0 - 151
4800	8.80	8.80	40.00B/5.90A	40.00B/5.90A	----	22.60 + 16.50	.2365	----	----	49	----	105 + 37
4800	----	----	241.20B/72.20A	241.20B/72.20A	----	105.70 - 25.90	----	----	----	----	----	0 UNCH
4800	----	----	61.80B/17.10A	61.80B/17.10A	----	43.50 + 26.10	.3140	----	----	----	----	1 UNCH
4805	2.80	2.80	2.80/*0.10A	2.80/*0.10A	----	0.00 - 0.10	----	----	----	6	----	0 - 2
4810	----	----	251.10B/82.20A	251.10B/82.20A	----	115.70 - 25.90	----	----	----	----	----	0 UNCH
4810	1.40	1.40	2.00B/*0.10A	2.00B/*0.10A	----	0.00 - 0.10	----	----	----	3	----	0 - 6
4815	----	----	256.20B/85.70A	256.20B/85.70A	----	120.70 - 25.90	----	----	----	----	----	0 - 1
4815	1.40	1.40	1.70B/*0.10A	1.70B/*0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 5
4820	0.80	0.80	1.90B/*0.10A	1.90B/*0.10A	----	0.00 - 0.10	----	----	----	4	----	0 - 39
4825	26.00	26.00	32.60B/26.00	32.60B/4.80A	----	17.50 + 12.70	.1891	----	----	1	----	2 + 1
4825	1.30	1.30	1.50/*0.10A	1.50/*0.10A	----	0.00 - 0.10	----	----	----	8	----	0 - 52
4825	----	----	53.20B/14.40A	53.20B/14.40A	----	36.70 + 22.10	.2744	----	----	1	----	22 + 1
4830	0.80	0.80	1.00B/0.10A	1.00B/0.10A	----	0.00 - 0.10	----	----	----	3	----	0 - 11
4835	----	----	0.80B/----	0.80B/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4840	----	----	0.60B/----	0.60B/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 24
4845	----	----	0.50B/----	0.50B/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4850	21.10	21.10	26.30B/14.50	26.30B/3.90A	----	13.50 + 9.70	.1494	----	----	9	----	9 + 8
4850	----	----	291.00B/119.30A	291.00B/119.30A	----	155.70 - 25.90	----	----	----	----	----	0 - 9
4850	0.50	0.50	0.60/0.10A	0.60/0.10A	----	0.00 - 0.10	----	----	----	14	----	0 - 53
4865	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.10	----	----	----	25	----	0 - 6
4875	----	----	#62.70B/----	#62.70B/26.40A	----	48.80 NEW	.2970	----	----	1	----	1 + 1
4875	16.70	16.70	21.10B/16.70	21.10B/3.30A	----	10.40 NEW	.1169	----	----	1	----	1 + 1
4875	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 2
4900	----	----	#56.80B/----	#56.80B/23.30A	----	42.70 + 21.70	.2666	----	----	1	----	7 + 1
4900	12.80	12.80	17.00B/8.60	17.00B/2.80A	----	8.10 + 5.60	.0916	----	----	5	----	13 + 5
4900	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	5	----	0 - 9
4900	----	----	33.50B/----	33.50B/9.10A	----	21.90 + 13.10	.1773	----	----	5	----	15 + 4
4925	----	----	#50.10B/----	#50.10B/20.60A	----	37.20 + 18.80	.2382	----	----	----	----	1 UNCH
4925	8.00	8.00	13.60B/8.00	13.60B/2.40A	----	6.30 + 4.20	.0714	----	----	6	----	8 + 4
4925	23.70	23.70	#28.60B/23.70	28.60B/7.90A	----	18.40 NEW	.1519	----	----	2	----	2 + 2
4925	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	10	----	0 - 81
4950	----	----	#44.10B/----	#44.10B/18.20A	----	32.50 + 16.50	.2125	----	----	----	----	1 UNCH
4950	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4950	4.20	4.20	10.80B/4.20	10.80B/2.10A	----	4.90 + 3.10	.0554	----	----	2	----	11 + 2
4955	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4960	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4975	----	----	8.60B/----	8.60B/1.90A	----	3.90 + 2.40	.0436	----	----	1	----	3 UNCH
4975	----	----	#20.90B/----	20.90B/6.10A	----	13.00 + 7.40	.1108	----	----	5	----	6 + 5
4980	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5000	----	----	#32.70B/----	#32.70B/13.00A	----	24.70 + 12.50	.1677	----	----	----	----	1 UNCH
5000	----	----	6.80B/----	6.80B/1.70A	----	3.10 + 1.80	.0343	----	----	2	----	8 + 2
5000	----	----	#17.70B/----	17.70B/5.40A	----	11.00 + 6.20	.0946	----	----	5	----	12 + 4
5000	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5015	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5020	----	----	461.20B/289.90A	461.20B/289.90A	----	325.70 - 25.90	----	----	----	----	----	0 - 1
5025	5.30	5.30	5.50B/5.30	5.50B/1.60A	----	2.50 + 1.30	.0272	----	----	13	----	14 + 13
5025	----	----	----/300.20A	355.00B/300.20A	----	333.00 - 24.50	.9727	----	----	----	----	1 UNCH
5025	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5025	----	----	#15.00B/----	15.00B/4.90A	----	9.40 + 5.10	.0813	----	----	5	----	6 + 5
5050	----	----	4.40B/----	4.40B/1.50A	----	2.10 + 1.00	.0223	----	----	----	----	1 UNCH
5050	7.00	7.00	#12.90B/7.00	12.90B/4.40A	----	8.10 NEW	.0702	----	----	2	----	2 + 2
5050	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5075	----	----	3.50B/----	3.50B/1.40A	----	1.70 + 0.70	.0177	----	----	2	----	3 + 2
5075	----	----	#11.00B/----	11.00B/4.10A	----	6.90 + 3.50	.0600	----	----	----	----	3 UNCH
5075	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5100	----	----	2.80B/----	2.80B/1.30A	----	1.40 + 0.40	.0143	----	----	----	----	2 UNCH
5100	----	----	----/373.10A	428.70B/373.10A	----	406.90 - 25.30	.9856	----	----	----	----	1 UNCH
5100	6.80	6.80	#9.40B/6.80	9.40B/3.70A	----	6.00 + 3.00	.0521	----	----	27	----	29 + 27
5100	----	----	----/378.70A	#432.10B/378.70A	----	411.30 - 22.70	.9476	----	----	----	----	1 UNCH
5125	6.20	6.20	#8.00B/6.20	8.00B/3.50A	----	5.20 NEW	.0450	----	----	1	----	1 + 1
5125	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5125	10.00	10.00	#17.80B/10.00	#17.80B/9.60A	----	12.60 + 6.30	.0910	----	----	11	----	11 UNCH
5150	5.40	5.40	#6.90B/5.40	6.90B/3.30A	----	4.60 NEW	.0396	----	----	2	----	2 + 2
5150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5175	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5200	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5200	----	----	1.30B/----	1.30B/1.00A	----	0.80 UNCH	.0073	----	----	----	----	1 UNCH
5225	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5250	----	----	0.90B/----	0.90B/0.80A	----	0.60 UNCH	.0052	----	----	----	----	1 UNCH
5250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5300	----	----	#3.00B/----	#3.00B/2.40A	----	2.30 + 0.70	.0188	----	----	----	----	40 UNCH
TOTAL										5034		1273 - 3304

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week3

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3800	----	----	----/1.40A	0.70B/1.40A	----	0.90 - 0.60	.0051	----	----	----	----	10 UNCH
4000	----	----	----/*0.70A	0.30B/*0.70A	----	0.30 - 0.60	.0017	----	----	----	----	3 UNCH
4100	----	----	----/*2.30A	2.90B/*2.30A	----	1.90 - 2.10	.0139	----	----	----	----	1 UNCH
4100	----	----	----/*0.90A	0.70B/*0.90A	----	0.40 - 0.90	.0027	----	----	----	----	1 UNCH
4150	----	----	----/*0.90A	1.00B/*0.90A	----	0.50 - 1.10	.0036	----	----	----	----	2 UNCH
4150	----	----	----/*2.70A	4.00B/*2.70A	----	2.30 - 2.80	.0175	----	----	----	----	2 UNCH
4175	----	----	----/*0.90A	1.20B/*0.90A	----	0.50 - 1.30	.0038	----	----	----	----	1 UNCH
4200	----	----	----/*3.10A	5.60B/*3.10A	----	2.80 - 3.90	.0222	----	----	4	----	7 UNCH
4200	----	----	----/*1.00A	1.50B/*1.00A	----	0.60 - 1.40	.0047	----	----	----	----	4 UNCH
4225	----	----	----/*1.00A	1.90B/*1.00A	----	0.70 - 1.70	.0057	----	----	----	----	2 UNCH
4250	----	----	----/*3.80A	8.00B/*3.80A	----	3.60 - 5.40	.0295	----	----	10	----	20 + 10
4250	----	----	----/*1.10A	2.20B/*1.10A	----	0.80 - 2.00	.0068	----	----	20	----	29 UNCH
4275	----	----	----/*1.20A	2.80B/*1.20A	----	1.00 - 2.30	.0088	----	----	----	----	10 UNCH
4280	----	----	----	----	----	288.50 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	----/*4.90A	12.00B/*4.90A	----	4.80 - 7.60	.0403	----	----	10	----	22 + 10
4300	----	----	----/*1.30A	3.60B/*1.30A	----	1.20 - 2.90	.0109	----	----	20	----	35 UNCH
4325	----	----	----/*5.50A	14.30B/*5.50A	----	5.60 - 9.10	.0474	----	----	----	----	10 UNCH
4325	----	----	----/*1.50A	4.40B/*1.50A	----	1.50 - 3.50	.0141	----	----	----	----	10 UNCH
4350	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350	----	----	----/*1.70A	5.80B/*1.70A	----	1.80 - 4.50	.0175	----	----	----	----	33 UNCH
4375	----	----	----/*2.00A	7.60B/*2.00A	----	2.10 - 5.90	.0213	----	----	----	----	16 UNCH
4375	----	----	----/*7.40A	21.00B/*7.40A	----	7.90 - 13.20	.0671	----	----	----	----	10 UNCH
4380	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	25.40B/*8.70A	25.40B/*8.70A	----	9.40 - 15.90	.0799	----	----	----	----	1 UNCH
4400	----	----	----/*2.40A	10.00B/*2.40A	----	2.70 - 7.50	.0280	----	----	----	----	51 UNCH
4400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4415	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4420	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	30.60B/*10.30A	30.60B/*10.30A	----	11.30 - 19.00	.0955	----	----	----	----	12 UNCH
4425	6.80	6.80	6.80/*3.00A	13.20B/*3.00A	----	3.30 - 9.90	.0354	----	----	1	----	3 - 1
4430	----	----	----	#14.00B/*3.20A	----	3.50 NEW	.0377	----	----	2	----	2 + 2
4430	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4435	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4440	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	37.10B/*12.20A	37.10B/*12.20A	----	13.70 - 22.60	.1145	----	----	----	----	5 UNCH
4450	----	----	17.60B/*3.70A	17.60B/*3.70A	----	4.20 - 12.80	.0461	----	----	----	----	32 UNCH
4450	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4460	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4465	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4470	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	23.30B/*4.60A	23.30B/*4.60A	----	5.40 - 16.70	.0605	----	----	----	----	152 UNCH
4480	----	----	----	----	----	88.50 UNCH	----	----	----	----	----	0 UNCH
4480	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE GOLD WEEKLY TUESDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
MAY26														
4485	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4485	7.70	7.70	#7.70/*5.20A	#25.40B/*5.20A	----	6.00	NEW	.0675	----	----	1	----	1 +	1
4490	----	----	----	----	----	78.50	UNCH	----	----	----	----	----	0	UNCH
4490	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4495	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4495	----	----	----	----	----	73.50	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	53.20B/*17.50A	53.20B/*17.50A	----	20.00	- 31.50	.1624	----	----	----	----	2	UNCH
4500	----	----	237.10B/90.60A	237.10B/90.60A	----	201.20	+ 04.30	.9204	----	----	----	----	4	UNCH
4500	12.30	12.30	30.30B/*5.90A	30.30B/*5.90A	----	7.00	- 21.50	.0794	----	----	5	----	30 +	5
4500	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	68.50	UNCH	----	----	----	----	----	0	UNCH
4505	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4510	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4510	----	----	----	----	----	58.50	UNCH	----	----	----	----	----	0	UNCH
4510	9.90	9.90	#9.90/*6.70A	#33.10B/*6.70A	----	7.80	NEW	.0887	----	----	1	----	1 +	1
4515	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4515	----	----	----	----	----	53.50	UNCH	----	----	----	----	----	0	UNCH
4515	----	----	----	#34.70B/*7.10A	----	8.20	NEW	.0935	----	----	2	----	2 +	2
4520	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4520	----	----	----	----	----	48.50	UNCH	----	----	----	----	----	0	UNCH
4525	180.70	180.70	214.10B/74.30A	214.10B/74.30A	----	178.40	NEW	.8950	----	----	1	----	1 +	1
4525	12.40	12.40	39.00B/*7.70A	39.00B/*7.70A	----	9.20	- 27.30	.1048	----	----	26	----	27 +	26
4525	----	----	----	----	----	43.50	UNCH	----	----	----	----	----	0	UNCH
4525	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4530	----	----	----	----	----	38.50	UNCH	----	----	----	----	----	0	UNCH
4530	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4530	13.20	13.20	#13.20/*8.30A	#40.70B/*8.30A	----	9.70	NEW	.1105	----	----	2	----	2 +	2
4535	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4535	----	----	----	----	----	33.50	UNCH	----	----	----	----	----	0	UNCH
4535	11.50	11.50	#13.10/*8.70A	#42.60B/*8.70A	----	10.30	NEW	.1171	----	----	3	----	3 +	3
4540	----	----	----	----	----	28.50	UNCH	----	----	----	----	----	0	UNCH
4540	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4545	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4545	----	----	----	----	----	23.50	UNCH	----	----	----	----	----	0	UNCH
4545	12.70	12.70	#14.10/*9.80A	#46.90B/*9.80A	----	11.50	NEW	.1305	----	----	3	----	3 +	3
4550	37.60	37.60	74.50B/*25.30A	74.50B/*25.30A	----	29.30	NEW	.2266	----	----	2	----	1 +	1
4550	----	----	206.20B/86.20A	206.20B/86.20A	----	173.40	+ 83.30	.7730	----	----	----	----	1	UNCH
4550	14.50	14.50	49.50B/*10.00A	49.50B/*10.00A	----	12.10	- 34.30	.1373	----	----	14	----	13 +	12
4550	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	18.50	UNCH	----	----	----	----	----	0	UNCH
4555	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4555	----	----	----	----	----	13.50	UNCH	----	----	----	----	----	0	UNCH
4560	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4560	----	----	----	----	----	8.50	UNCH	----	----	----	----	----	0	UNCH
4565	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4565	----	----	----	----	----	3.50	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	1.50	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	87.10B/*30.40A	87.10B/*30.40A	----	35.30	- 48.40	.2649	----	----	----	----	1	UNCH
4575	----	----	170.60B/47.20A	170.60B/47.20A	----	135.20	+ 83.60	.8209	----	----	----	----	1	UNCH
4575	----	----	62.10B/*13.00A	62.10B/*13.00A	----	16.00	- 42.10	.1789	----	----	1	----	12	UNCH
4575	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	6.50	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	11.50	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	16.50	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	#67.40B/*15.00A	----	17.90	NEW	.1983	----	----	2	----	2 +	2
4590	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	21.50	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	26.50	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4600	62.00	62.00	167.40B/60.50	167.40B/60.50	----	136.60	+ 70.90	.6923	----	----	250	----	36 -	74
4600	37.50	37.50	150.30B/36.80A	150.30B/36.80A	----	115.30	+ 74.90	.7697	----	----	2	----	13 +	1
4600	----	----	76.40B/*17.10A	76.40B/*17.10A	----	21.10	- 50.80	.2300	----	----	2	----	18 +	2
4600	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	31.50	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	36.50	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	41.50	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	46.50	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	51.50	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	115.90B/*43.60A	115.90B/*43.60A	----	50.60	- 61.30	.3529	----	----	----	----	20	UNCH
4625	----	----	92.80B/*22.30A	92.80B/*22.30A	----	27.50	- 60.10	.2901	----	----	40	----	40 +	30
4625	45.90	45.90	129.80B/28.30A	129.80B/28.30A	----	96.80	+ 65.60	.7097	----	----	4	----	4 +	3
4625	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	56.50	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	61.50	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	66.50	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	71.50	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4645	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4645	----	----	----	----	----	76.50	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	132.40B/*51.90A	132.40B/*51.90A	----	60.20	- 67.70	.4016	----	----	----	----	1	UNCH
4650	34.10	34.10	111.00B/*28.90A	111.00B/*28.90A	----	35.70	- 69.50	.3591	----	----	32	----	31 +	29
4650	----	----	132.90B/44.60A	132.90B/44.60A	----	104.40	+ 57.90	.5980	----	----	----	----	10	UNCH
4650	110.70	110.70	111.50B/21.60A	111.50B/21.60A	----	79.90	+ 56.20	.6406	----	----	5	----	70 -	4
4650	----	----	----	----	----	81.50	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	86.50	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	91.50	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	#118.40B/*32.30A	----	39.40	NEW	.3885	----	----	1	----	1 +	1
4665	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4670	----	----	----	----	----	101.50	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	94.70B/16.40A	94.70B/16.40A	----	64.90	+ 47.00	.5656	----	----	1	----	2 +	1
4675	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	106.50	UNCH	----	----	----	----	----	0	UNCH
4680	----	----	----	----	----	111.50	UNCH	----	----	----	----	----	0	UNCH
4680	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4680	----	----	----	#134.60B/*39.10A	----	47.80	NEW	.4496	----	----	1	----	1 +	1
4690	----	----	----	----	----	121.50	UNCH	----	----	----	----	----	0	UNCH
4690	----	----	----	#142.90B/*42.90A	----	52.50	NEW	.4810	----	----	6	----	6 +	6
4700	90.50	90.50	103.40B/31.00A	103.40B/31.00A	----	77.50	+ 45.30	.4963	----	----	4	----	5 +	3
4700	26.00	26.00	79.80B/12.30A	79.80B/12.30A	----	51.80	+ 38.40	.4873	----	----	5	----	14 +	1
4700	----	----	152.30B/*47.00A	152.30B/*47.00A	----	57.50	- 87.30	.5124	----	----	1	----	4	UNCH
4700	----	----	----	----	----	131.50	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4705	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4705	----	----	----	----	----	136.50	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	141.50	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	#160.40B/*51.50A	----	62.80	NEW	.5438	----	----	1	----	1 +	1
4715	----	----	----	----	----	146.50	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	#164.80B/*53.80A	----	65.50	NEW	.5594	----	----	1	----	1 +	1
4715	----	----	----	#71.40B/*10.40A	----	44.90	NEW	.4403	----	----	1	----	1 +	1
4720	----	----	----	----	----	151.50	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	188.90B/*84.00A	188.90B/*84.00A	----	96.80	- 86.20	.5543	----	----	1	----	1 -	1
4725	88.60	88.60	90.10B/25.60A	90.10B/25.60A	----	66.10	+ 39.40	.4453	----	----	1	----	6 +	1
4725	----	----	174.30B/58.60A	174.30B/58.60A	----	71.30	- 95.10	.5902	----	----	----	----	2	UNCH
4725	----	----	66.10B/9.30A	66.10B/9.30A	----	40.70	+ 30.70	.4095	----	----	41	----	44 +	40
4725	----	----	----	----	----	156.50	UNCH	----	----	----	----	----	0	UNCH
4730	----	----	----	----	----	161.50	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	#58.70B/*7.90A	----	34.90	NEW	.3645	----	----	1	----	1 +	1
4750	76.50	76.50	78.40B/21.50A	78.40B/21.50A	----	56.10	+ 34.10	.3956	----	----	4	----	5	UNCH
4750	35.80	35.80	54.10B/7.00A	54.10B/7.00A	----	31.50	+ 24.00	.3358	----	----	38	----	43 -	4
4750	----	----	197.20B/71.70A	197.20B/71.70A	----	87.10	- 01.80	.6639	----	----	----	----	1	UNCH
4750	----	----	----	----	----	181.50	UNCH	----	----	----	----	----	0	UNCH
4755	----	----	----	#51.80B/*6.80A	----	29.80	NEW	.3216	----	----	2	----	1 +	1
4765	----	----	----	----	----	196.50	UNCH	----	----	----	----	----	0	UNCH
4775	52.30	52.30	67.50B/17.90A	67.50B/17.90A	----	47.30	+ 29.20	.3482	----	----	3	----	13 +	2
4775	----	----	43.80B/5.40A	43.80B/5.40A	----	24.10	+ 18.40	.2693	----	----	1	----	5	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week2										
MAY26												
4780	----	----	----	#41.90B/*5.40A	----	22.80 NEW	.2569	----	----	1	----	1 + 1
4790	32.50	32.50	#32.50/*32.50	#38.40B/*4.80A	----	20.40 NEW	.2334	----	----	1	----	1 + 1
4795	----	----	----	#239.10B/*100.00A	----	119.90 NEW	.7775	----	----	1	----	1 + 1
4800	51.60	51.60	58.10B/14.90A	58.10B/14.90A	----	39.70 + 24.70	.3038	----	----	4	----	21 + 2
4800	109.00	109.00	244.50B/103.40A	244.50B/103.40A	----	123.90 - 11.80	.7885	----	----	1	----	1 UNCH
4800	9.40	9.40	35.20B/4.30A	35.20B/4.30A	----	18.20 + 13.80	.2112	----	----	14	----	42 + 12
4800	----	----	----	----	----	231.50 UNCH	----	----	----	----	----	0 UNCH
4805	----	----	----	----	----	236.50 UNCH	----	----	----	----	----	0 UNCH
4820	----	----	----	----	----	251.50 UNCH	----	----	----	----	----	0 UNCH
4820	----	----	----	#29.40B/*3.70A	----	14.60 NEW	.1726	----	----	3	----	2 + 2
4825	45.00	45.00	49.90B/45.00	49.90B/12.40A	----	33.30 + 20.90	.2633	----	----	2	----	11 + 1
4825	12.20	12.20	28.00B/12.20	28.00B/3.40A	----	13.80 + 10.40	.1638	----	----	100	----	150 + 100
4825	----	----	268.60B/122.10A	268.60B/122.10A	----	144.40 - 15.30	.8359	----	----	----	----	1 UNCH
4825	----	----	----	----	----	256.50 UNCH	----	----	----	----	----	0 UNCH
4850	37.90	37.90	42.60B/37.90	42.60B/10.50A	----	27.80 + 17.50	.2265	----	----	2	----	3 + 2
4850	14.50	14.50	22.10B/14.50	22.10B/2.70A	----	10.30 + 7.60	.1246	----	----	61	----	66 + 53
4850	----	----	----/141.70A	272.70B/141.70A	----	166.00 - 18.00	.8752	----	----	----	----	1 UNCH
4875	----	----	36.30B/----	36.30B/9.00A	----	23.10 + 14.50	.1934	----	----	----	----	4 UNCH
4875	5.10	5.10	17.50B/5.10	17.50B/2.30A	----	7.80 + 5.60	.0947	----	----	3	----	33 + 1
4885	11.30	11.30	#11.30/*11.30	#15.90B/*2.30A	----	7.00 NEW	.0849	----	----	2	----	2 + 2
4900	----	----	#30.70B/----	30.70B/7.80A	----	19.20 + 12.00	.1645	----	----	2	----	9 UNCH
4900	8.70	8.70	13.70B/8.70	13.70B/2.00A	----	5.90 + 4.10	.0716	----	----	1	----	9 UNCH
4925	----	----	#26.10B/----	26.10B/6.70A	----	16.00 + 9.80	.1396	----	----	----	----	2 UNCH
4925	----	----	10.60B/----	10.60B/1.70A	----	4.50 + 3.00	.0541	----	----	----	----	7 UNCH
4950	2.50	2.50	8.30B/2.50	8.30B/1.50A	----	3.40 + 2.10	.0404	----	----	2	----	6 UNCH
4950	----	----	----/228.40A	282.00B/228.40A	----	259.00 - 23.60	.9594	----	----	----	----	1 UNCH
4975	12.40	12.40	#18.50B/12.40	18.50B/5.20A	----	11.20 + 6.60	.1002	----	----	2	----	1 UNCH
4975	----	----	6.40B/----	6.40B/1.40A	----	2.70 + 1.60	.0314	----	----	----	----	9 UNCH
5000	----	----	----/275.10A	329.60B/275.10A	----	307.70 - 24.60	.9760	----	----	----	----	1 UNCH
5000	----	----	5.00B/----	5.00B/1.30A	----	2.10 + 1.20	.0239	----	----	----	----	4 UNCH
5000	----	----	----	----	----	431.50 UNCH	----	----	----	----	----	0 UNCH
5020	----	----	----	----	----	451.50 UNCH	----	----	----	----	----	0 UNCH
5025	----	----	----/298.60A	354.10B/298.60A	----	332.20 - 24.90	.9811	----	----	----	----	1 UNCH
5025	----	----	3.80B/----	3.80B/1.20A	----	1.70 + 0.90	.0188	----	----	----	----	1 UNCH
5075	----	----	2.30B/----	2.30B/1.10A	----	1.10 NEW	.0115	----	----	3	----	3 + 3
5075	7.10	7.10	#9.50B/7.10	9.50B/3.50A	----	5.70 + 2.90	.0519	----	----	3	----	3 + 2
5100	----	----	----/378.50A	#432.30B/378.50A	----	410.20 - 23.30	.9559	----	----	----	----	1 UNCH
5100	----	----	#8.10B/----	8.10B/3.20A	----	4.80 + 2.30	.0438	----	----	----	----	1 UNCH
5100	----	----	----/524.40A	357.90B/524.40A	----	406.40 - 25.40	.9908	----	----	----	----	1 UNCH
5125	----	----	1.50B/----	1.50B/0.90A	----	0.70 + 0.30	.0069	----	----	----	----	3 UNCH
5150	4.60	4.60	5.80B/4.60	5.80B/2.90A	----	3.70 NEW	.0332	----	----	1	----	1 + 1
5175	1.10	1.10	1.10/*0.70A	1.10/0.70A	----	0.50 + 0.20	.0046	----	----	1	----	1 UNCH
5200	----	----	----/475.00A	#529.30B/475.00A	----	508.10 - 24.60	.9750	----	----	----	----	1 UNCH
5200	----	----	0.70B/----	0.70B/0.70A	----	0.40 + 0.10	.0036	----	----	----	----	1 UNCH
5200	----	----	----	----	----	631.50 UNCH	----	----	----	----	----	0 UNCH
5400	----	----	1.50B/----	1.50B/1.70A	----	1.40 + 0.30	.0110	----	----	----	----	2 UNCH
TOTAL										789		1403 + 307
JUN26												
3250	----	----	----	0.30B/3.80A	----	0.70 - 0.30	.0028	----	----	----	----	2 UNCH
4100	5.50	5.50	5.50/*5.50	8.50B/*5.50	----	5.50 - 5.40	.0328	----	----	2	----	2 UNCH
4200	----	----	----/*9.80A	12.50B/*9.80A	----	8.60 - 8.10	.0516	----	----	----	----	1 UNCH
4300	----	----	----/*12.90A	23.40B/*12.90A	----	13.90 - 12.90	.0826	----	----	1	----	1 - 1
4350	15.80	15.80	15.80/*15.80	30.10B/*15.80	----	17.60 NEW	.1039	----	----	1	----	1 + 1
4400	----	----	----/*21.30A	39.70B/*21.30A	----	22.30 - 22.00	.1302	----	----	1	----	2 UNCH
4425	----	----	----/*23.90A	45.30B/*23.90A	----	25.20 - 25.00	.1459	----	----	----	----	2 UNCH
4450	----	----	----/*27.50A	52.00B/*27.50A	----	28.80 - 28.00	.1642	----	----	1	----	2 + 1
4500	----	----	----/*35.40A	68.00B/*35.40A	----	37.60 NEW	.2066	----	----	1	----	1 + 1
4575	----	----	#235.90B/----	#235.90B/137.60A	----	210.50 + 80.10	.7141	----	----	----	----	1 UNCH
4575	68.00	68.00	68.00/*51.70A	99.40B/*51.70A	----	55.90 - 46.50	.2852	----	----	1	----	0 - 1
4600	170.00	170.00	#217.70B/116.90	#217.70B/116.90A	----	193.10 + 75.70	.6845	----	----	4	----	4 + 1
4600	57.80	57.80	61.10/*57.80	108.40B/*57.80	----	63.40 - 50.90	.3148	----	----	2	----	2 UNCH
4650	90.00	90.00	90.00/*73.90A	132.10B/*73.90A	----	80.90 NEW	.3783	----	----	3	----	2 + 2
4675	126.00	126.00	#168.00B/83.70A	#168.00B/83.70A	----	145.70 + 61.60	.5875	----	----	3	----	2 UNCH
4675	----	----	----/*83.20A	144.90B/*83.20A	----	90.90 NEW	.4118	----	----	1	----	1 + 1
4725	140.00	140.00	#140.00/140.00	#140.00/67.00A	----	118.50 NEW	.5185	----	----	1	----	1 + 1
4775	----	----	----/*131.20A	211.70B/*131.20A	----	140.20 NEW	.5502	----	----	1	----	1 + 1
4800	100.00	100.00	#103.70B/100.00	#103.70B/47.40A	----	85.00 + 39.20	.4150	----	----	2	----	1 - 1
4850	----	----	#83.40B/----	#83.40B/37.40A	----	67.30 + 31.80	.3502	----	----	----	----	1 UNCH
4900	29.00	29.00	#66.60B/27.40A	#66.60B/27.40A	----	53.00 + 25.50	.2913	----	----	3	----	3 + 2
5000	22.80	22.80	#42.60B/22.80	#42.60B/20.80A	----	32.80 + 16.00	.1959	----	----	1	----	3 + 1
TOTAL										29		36 + 9

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week4										
MAY26												
3250	----	----	----	0.10B/2.90A	----	2.10 NEW	.0068	----	----	2	----	1 + 1
3500	----	----	----	0.40B/1.40A	----	0.70 - 0.70	.0031	----	----	----	----	40 UNCH
3750	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3900	0.60	0.60	0.60/*0.60	0.60/*0.60	----	0.60 - 0.60	.0034	----	----	3	----	1 - 2
3900	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
4000	----	----	----/*1.20A	0.90B/*1.20A	----	0.90 - 0.70	.0056	----	----	----	----	1 UNCH
4000	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
4075	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4095	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
4100	----	----	----/*1.20A	1.50B/*1.20A	----	1.00 - 1.20	.0071	----	----	----	----	1 UNCH
4100	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	6 UNCH
4110	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
4125	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
4130	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
4150	1.40	1.40	1.40/*1.40	2.10B/*1.40	----	1.20 - 1.50	.0090	----	----	3	----	1 - 3
4150	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	2	----	2 UNCH
4200	----	----	----/*6.50A	9.30B/*6.50A	----	6.00 - 6.70	.0396	----	----	----	----	1 UNCH
4200	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.20	----	----	----	10	----	106 UNCH
4200	----	----	----/*1.70A	2.80B/*1.70A	----	1.50 - 2.10	.0120	----	----	----	----	0 UNCH
4245	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.10 NEW	----	----	----	5	----	5 + 5
4250	----	----	----/*1.90A	4.30B/*1.90A	----	1.90 - 3.00	.0160	----	----	----	----	1 UNCH
4250	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.10 - 0.40	----	----	----	1	----	5 - 1
4250	----	----	----/*5.10A	10.90B/*5.10A	----	5.00 NEW	.0384	----	----	1	----	1 + 1
4275	----	----	----/*2.10A	5.10B/*2.10A	----	2.20 - 3.70	.0190	----	----	4	----	4 UNCH
4275	----	----	----/*5.70A	12.90B/*5.70A	----	5.80 - 8.10	.0448	----	----	----	----	20 UNCH
4275	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.60	----	----	----	----	----	7 UNCH
4300	----	----	#432.70B/----	#432.70B/338.80A	----	439.00 + 15.10	.9343	----	----	----	----	1 UNCH
4300	3.30	3.30	3.30/*2.40A	6.30B/*2.40A	----	2.50 - 4.60	.0223	----	----	104	----	104 + 87
4300	----	----	----/*6.40A	15.40B/*6.40A	----	6.70 NEW	.0520	----	----	1	----	1 + 1
4300	0.30	0.30	0.30/*0.20A	0.40B/*0.20A	----	0.10 - 0.70	----	----	----	2	----	10 + 1
4315	----	----	----/*0.20A	0.60B/*0.20A	----	0.10 - 0.80	----	----	----	----	----	3 UNCH
4325	----	----	----/*2.80A	7.90B/*2.80A	----	2.90 - 5.70	.0265	----	----	----	----	23 UNCH
4325	----	----	----/*7.30A	18.20B/*7.30A	----	7.80 - 11.20	.0607	----	----	----	----	10 UNCH
4325	----	----	----/*0.20A	0.60B/*0.20A	----	0.10 - 0.80	----	----	----	----	----	7 UNCH
4330	----	----	----/*0.20A	0.70B/*0.20A	----	0.10 - 0.90	----	----	----	----	----	1 UNCH
4340	----	----	----/*0.20A	0.80B/*0.20A	----	0.10 - 0.90	----	----	----	----	----	1 UNCH
4345	----	----	----/*0.20A	0.80B/*0.20A	----	0.10 - 1.00	----	----	----	----	----	3 UNCH
4350	----	----	----/*3.30A	9.90B/*3.30A	----	3.40 - 7.10	.0318	----	----	----	----	2 UNCH
4350	----	----	----/*8.50A	21.70B/*8.50A	----	9.10 - 13.20	.0709	----	----	----	----	1 UNCH
4350	0.30	0.30	0.30/*0.20A	0.90B/*0.20A	----	0.10 - 1.00	----	----	----	4	----	219 UNCH
4355	----	----	----/*0.20A	0.90B/*0.20A	----	0.10 - 1.10	----	----	----	----	----	28 UNCH
4360	----	----	----/*0.20A	1.00B/*0.20A	----	0.10 - 1.10	----	----	----	----	----	2 UNCH
4370	----	----	----/*0.30A	1.10B/*0.30A	----	0.10 - 1.30	----	----	----	1	----	3 UNCH
4375	0.80	0.80	0.80/*0.30A	1.20B/*0.30A	----	0.10 - 1.30	----	----	----	2	----	32 + 1
4375	----	----	----/*3.80A	12.60B/*3.80A	----	4.10 - 8.90	.0391	----	----	----	----	53 UNCH
4380	0.30	0.30	0.30/*0.30	1.20B/*0.30	----	0.10 - 1.40	----	----	----	3	----	4 + 3
4385	----	----	----/*0.30A	1.30B/*0.30A	----	0.10 - 1.50	----	----	----	----	----	4 UNCH
4390	----	----	----/*0.30A	1.40B/*0.30A	----	0.10 - 1.60	----	----	----	----	----	3 UNCH
4395	----	----	----/*0.30A	1.50B/*0.30A	----	0.10 - 1.70	.0000	----	----	----	----	1 UNCH
4400	----	----	----/*4.50A	15.80B/*4.50A	----	4.90 - 11.10	.0476	----	----	1	----	105 UNCH
4400	----	----	----/*0.30A	1.60B/*0.30A	----	0.10 - 1.80	.0000	----	----	5	----	46 - 5
4400	13.80	13.80	13.80/*11.40A	30.80B/*11.40A	----	12.70 NEW	.0979	----	----	4	----	3 + 3
4405	----	----	----/*0.20A	1.70B/*0.20A	----	0.10 - 1.90	.0000	----	----	----	----	4 UNCH
4410	----	----	----/*0.20A	1.90B/*0.20A	----	0.10 - 2.00	.0000	----	----	----	----	11 UNCH
4415	0.70	0.70	0.70/*0.20A	2.00B/*0.20A	----	0.10 - 2.10	.0000	----	----	1	----	60 - 1
4420	----	----	----/*0.20A	2.20B/*0.20A	----	0.10 - 2.30	.0000	----	----	----	----	16 UNCH
4425	0.80	0.80	0.80/*0.20	2.50B/*0.20	----	0.10 - 2.40	.0000	----	----	4	----	17 + 2
4425	----	----	20.10B/*5.40A	20.10B/*5.40A	----	6.00 NEW	.0590	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week1										
MAY26												
4430	1.00	1.00	1.00/*0.20A	2.70B/*0.20A	----	0.10 - 2.60	.0000	----	----	2	----	14 + 2
4435	----	----	----/*0.20A	2.90B/*0.20A	----	0.20 - 2.70	.0001	----	----	----	----	1 UNCH
4440	2.30	2.30	2.30/*0.20A	3.10B/*0.20A	----	0.20 - 2.90	.0001	----	----	2	----	4 + 1
4445	----	----	----/*0.20A	3.40B/*0.20A	----	0.20 - 3.20	.0002	----	----	----	----	1 UNCH
4450	4.00	4.00	4.00/*0.20	4.00/*0.20	----	0.20 - 3.50	.0002	----	----	20	----	29 + 10
4450	----	----	25.40B/*6.60A	25.40B/*6.60A	----	7.50 - 17.20	.0741	----	----	----	----	107 UNCH
4450	----	----	43.20B/*15.80A	43.20B/*15.80A	----	17.90 - 25.10	.1349	----	----	----	----	20 UNCH
4455	----	----	4.10B/*0.20A	4.10B/*0.20A	----	0.20 - 3.80	.0002	----	----	----	----	5 UNCH
4460	----	----	4.50B/*0.30A	4.50B/*0.30A	----	0.20 - 4.10	.0002	----	----	1	----	7 UNCH
4465	0.50	0.50	4.90B/*0.30A	4.90B/*0.30A	----	0.20 - 4.60	.0002	----	----	1	----	3 + 1
4470	194.50	194.50	#261.30B/95.20A	#261.30B/95.20A	----	224.60 NEW	.9996	----	----	9	----	9 + 9
4470	1.00	1.00	5.40B/*0.30A	5.40B/*0.30A	----	0.30 - 4.90	.0004	----	----	11	----	13 + 10
4475	0.30	0.30	6.00B/*0.30	6.00B/*0.30	----	0.30 - 5.40	.0004	----	----	9	----	36 + 8
4475	9.70	9.70	31.80B/*8.10A	31.80B/*8.10A	----	9.30 - 21.30	.0922	----	----	6	----	6 + 2
4480	193.80	193.80	#250.80B/86.90A	#250.80B/86.90A	----	214.60 NEW	.9995	----	----	3	----	3 + 3
4480	2.80	2.80	6.70B/*0.30	6.70B/*0.30	----	0.30 - 6.00	.0004	----	----	34	----	32 + 28
4485	0.90	0.90	7.40B/*0.40A	7.40B/*0.40A	----	0.30 - 6.70	.0004	----	----	3	----	5 + 1
4490	----	----	#240.90B/78.40A	#240.90B/78.40A	----	204.60 + 18.50	.9995	----	----	----	----	1 UNCH
4490	0.80	0.80	8.20B/*0.40A	8.20B/*0.40A	----	0.30 - 7.40	.0005	----	----	3	----	9 + 2
4495	----	----	9.00B/*0.40A	9.00B/*0.40A	----	0.30 - 8.10	.0005	----	----	----	----	2 UNCH
4500	4.50	4.50	10.10B/*0.30	10.10B/*0.30	----	0.40 - 8.90	.0008	----	----	137	----	254 + 63
4500	156.50	156.50	231.10B/70.20A	231.10B/70.20A	----	194.70 + 16.90	.9992	----	----	29	----	29 + 28
4500	----	----	60.00B/*22.00A	60.00B/*22.00A	----	25.40 NEW	.1844	----	----	1	----	1 + 1
4500	14.00	14.00	39.40B/*10.00A	39.40B/*10.00A	----	11.70 - 26.10	.1155	----	----	4	----	20 + 4
4505	0.50	0.50	11.10B/*0.50	11.10B/*0.50	----	0.40 - 9.80	.0008	----	----	4	----	5 + 2
4505	172.70	172.70	#226.60B/66.30A	#226.60B/66.30A	----	189.70 NEW	.9991	----	----	5	----	5 + 5
4510	168.10	168.10	#221.40B/62.50A	#221.40B/62.50A	----	184.70 NEW	.9991	----	----	3	----	3 + 3
4510	3.20	3.20	12.20B/*0.50A	12.20B/*0.50A	----	0.40 - 10.90	.0008	----	----	3	----	52 + 1
4515	----	----	#216.20B/58.70A	#216.20B/58.70A	----	179.70 + 13.80	.9991	----	----	----	----	1 UNCH
4515	1.70	1.70	13.50B/*0.60A	13.50B/*0.60A	----	0.40 - 12.00	.0009	----	----	1	----	3 + 1
4520	1.10	1.10	14.80B/*0.60A	14.80B/*0.60A	----	0.50 - 13.10	.0013	----	----	3	----	6 + 2
4525	4.80	4.80	16.20B/*0.70	16.20B/*0.70	----	0.50 - 14.40	.0013	----	----	4	----	8 + 1
4525	13.10	13.10	49.00B/*12.40A	49.00B/*12.40A	----	14.80 - 31.70	.1443	----	----	14	----	14 + 9
4530	0.70	0.70	17.80B/*0.70	17.80B/*0.70	----	0.60 - 15.70	.0018	----	----	3	----	5 + 3
4535	3.00	3.00	19.60B/*0.80A	19.60B/*0.80A	----	0.60 - 17.20	.0019	----	----	5	----	3 + 2
4540	1.00	1.00	21.30B/*0.80A	21.30B/*0.80A	----	0.70 - 18.70	.0025	----	----	22	----	18 + 15
4545	2.10	2.10	23.30B/*0.90A	23.30B/*0.90A	----	0.80 - 20.40	.0031	----	----	6	----	3 UNCH
4545	----	----	#187.30B/38.20A	#187.30B/38.20A	----	150.10 + 05.40	.9968	----	----	----	----	2 UNCH
4550	49.00	49.00	49.00/*37.50A	78.50B/*37.50A	----	41.50 NEW	.2404	----	----	1	----	1 + 1
4550	13.70	13.70	25.40B/*0.70	25.40B/*0.70	----	0.90 - 22.10	.0038	----	----	56	----	85 + 14
4550	----	----	182.60B/35.30A	182.60B/35.30A	----	145.20 + 03.70	.9961	----	----	1	----	6 UNCH
4550	26.50	26.50	59.90B/*15.60A	59.90B/*15.60A	----	18.70 - 38.00	.1792	----	----	8	----	19 + 7
4550	----	----	81.60B/*30.80A	81.60B/*30.80A	----	35.80 - 43.50	.2472	----	----	1	----	7 + 1
4560	13.20	13.20	30.10B/*1.10A	30.10B/*1.10A	----	1.20 - 25.90	.0062	----	----	8	----	6 + 2
4565	6.40	6.40	33.00B/*1.20A	33.00B/*1.20A	----	1.30 - 28.00	.0073	----	----	5	----	4 + 3
4570	----	----	#163.10B/25.30A	#163.10B/25.30A	----	125.80 + 95.60	.9907	----	----	----	----	1 UNCH
4570	3.20	3.20	35.60B/*1.30A	35.60B/*1.30A	----	1.50 - 30.20	.0092	----	----	16	----	19 + 14
4575	----	----	158.30B/23.20A	158.30B/23.20A	----	121.00 + 93.30	.9886	----	----	----	----	1 UNCH
4575	53.40	53.40	94.10B/*36.50A	94.10B/*36.50A	----	42.40 - 49.00	.2837	----	----	1	----	1 UNCH
4575	10.10	10.10	38.50B/*1.20	38.50B/*1.20	----	1.70 - 32.50	.0113	----	----	48	----	33 + 22
4575	51.10	51.10	51.10/*43.20A	90.20B/*43.20A	----	47.70 NEW	.2695	----	----	2	----	0 UNCH
4575	----	----	176.50B/57.30A	176.50B/57.30A	----	142.80 + 80.70	.7792	----	----	----	----	9 UNCH
4575	----	----	72.30B/*19.60A	72.30B/*19.60A	----	23.60 - 45.00	.2205	----	----	18	----	27 + 16
4580	55.80	55.80	#153.20B/21.10A	#153.20B/21.10A	----	116.20 + 90.90	.9862	----	----	10	----	10 UNCH
4580	22.10	22.10	40.70B/*1.50A	40.70B/*1.50A	----	1.90 - 34.90	.0137	----	----	15	----	13 + 12
4585	6.00	6.00	43.90B/*1.60A	43.90B/*1.60A	----	2.20 NEW	.0173	----	----	6	----	6 + 6
4585	----	----	#148.80B/19.40A	#148.80B/19.40A	----	111.50 + 88.40	.9826	----	----	----	----	1 UNCH
4590	4.40	4.40	47.10B/*1.80A	47.10B/*1.80A	----	2.40 NEW	.0202	----	----	12	----	11 + 11
4590	28.50	28.50	#143.80B/17.50A	#143.80B/17.50A	----	106.70 + 85.70	.9797	----	----	3	----	3 UNCH
4595	----	----	#139.10B/15.90A	#139.10B/15.90A	----	102.00 + 82.90	.9754	----	----	1	----	3 UNCH
4595	6.10	6.10	50.50B/*1.90A	50.50B/*1.90A	----	2.70 NEW	.0245	----	----	5	----	5 + 5
4600	16.00	16.00	54.10B/*2.00	54.10B/*2.00	----	3.10 - 45.70	.0304	----	----	71	----	77 + 44
4600	85.00	85.00	134.50B/*14.40A	134.50B/*14.40A	----	97.40 + 80.10	.9695	----	----	10	----	28 - 5
4600	29.80	29.80	86.30B/*24.70A	86.30B/*24.70A	----	29.70 - 52.50	.2685	----	----	11	----	157 UNCH
4600	----	----	#174.40B/70.00A	174.40B/70.00A	----	144.20 + 70.90	.6763	----	----	----	----	150 UNCH
4600	49.70	49.70	108.00B/*43.00A	108.00B/*43.00A	----	50.00 NEW	.3232	----	----	1	----	1 + 1
4600	----	----	157.10B/46.70A	157.10B/46.70A	----	123.90 + 73.20	.7312	----	----	----	----	13 UNCH
4605	130.40	130.40	#130.80/*13.10A	#130.80/*13.10A	----	92.80 + 77.20	.9631	----	----	4	----	4 UNCH
4605	8.30	8.30	58.00B/*2.40A	58.00B/*2.40A	----	3.50 NEW	.0368	----	----	2	----	2 + 2
4610	7.60	7.60	61.80B/*2.60A	61.80B/*2.60A	----	3.90 - 51.70	.0438	----	----	30	----	30 + 29
4610	----	----	#125.30B/*11.70	#125.30B/*11.70A	----	88.20 + 74.10	.9561	----	----	----	----	89 UNCH
4615	9.20	9.20	65.60B/*2.90A	65.60B/*2.90A	----	4.40 NEW	.0527	----	----	3	----	2 + 2
4615	15.10	15.10	#121.10B/*10.80	#121.10B/*10.80A	----	83.70 + 71.00	.9471	----	----	13	----	15 + 13
4620	81.00	81.00	116.70B/*9.70A	116.70B/*9.70A	----	79.30 + 67.90	.9361	----	----	6	----	12 + 4
4620	28.00	28.00	69.40B/*3.20	69.40B/*3.20	----	5.00 - 57.90	.0637	----	----	140	----	81 + 77
4625	32.00	32.00	73.80B/*3.60A	73.80B/*3.60A	----	5.60 - 61.10	.0757	----	----	47	----	63 + 12
4625	----	----	102.20B/*30.90A	102.20B/*30.90A	----	37.10 - 60.30	.3224	----	----	19	----	22 + 16
4625	19.60	19.60	112.30B/*8.60A	112.30B/*8.60A	----	74.90 + 64.60	.9242	----	----	74	----	38 + 22
4630	75.00	75.00	107.80B/7.80A	107.80B/7.80A	----	70.60 + 61.40	.9099	----	----	2	----	4 + 2
4630	12.00	12.00	78.00B/*4.00A	78.00B/*4.00A	----	6.30 NEW	.0900	----	----	17	----	11 + 11
4635	50.60	50.60	103.70B/7.10A	103.70B/7.10A	----	66.40 + 58.10	.8932	----	----	10	----	7 + 2
4635	29.60	29.60	82.20B/*4.40	82.20B/*4.40	----	7.10 - 67.60	.1067	----	----	30	----	20 + 18
4640	22.00	22.00	86.70B/*5.10A	86.70B/*5.10A	----	8.00 NEW	.1259	----	----	25	----	22 + 22
4640	65.50	65.50	99.10B/*6.20A	99.10B/*6.20A	----	62.30 + 54.90	.8740	----	----	11	----	41 + 11
4645	10.60	10.60	90.90B/*5.60	90.90B/*5.60	----	9.00 - 74.10	.1477	----	----	21	----	16 + 15
4645	----	----	95.10B/5.70A	95.10B/5.70A	----	58.30 + 51.70	.8521	----	----	----	----	1 UNCH
4650	20.10	20.10	95.30B/*6.50	95.30B/*6.50	----	10.10 - 77.30	.1722	----	----	93	----	69 + 57
4650	7.00	7.00	90.80B/5.10A	90.80B/5.10A	----	54.40 + 48.50	.8277	----	----	12	----	22 - 2
4650	67.00	67.00	120.40B/30.20A	120.40B/30.20A	----	90.20 + 57.50	.6183	----	----	7	----	12 + 6
4650	118.30	118.30	#140.80B/51.60A	140.80B/51.60A	----	112.80 + 59.10	.5900	----	----	1	----	15 UNCH
4650	63.50	63.50	119.60B/*38.30A	119.60B/*38.30A	----	46.00 - 68.20	.3814	----	----	7	----	57 + 3
4655	32.20	32.20	100.10B/*7.30A	100.10B/*7.30A	----	11.30 NEW	.1993	----	----	53	----	45 + 45
4655	13.50	13.50	86.60B/4.60A	86.60B/4.60A	----	50.60 + 45.30	.8006	----	----	55	----	23 - 29
4660	----	----	82.60B/4.20A	82.60B/4.20A	----	47.00 + 42.20	.7699	----	----	----	----	6 UNCH
4660	20.40	20.40	104.50B/*8.20A	104.50B/*8.20A	----	12.70 - 83.60	.2300	----	----	6	----	5 + 4
4665	5.00	5.00	78.60B/3.70A	78.60B/3.70A	----	43.50 + 39.20	.7368	----	----	9	----	4 + 2
4665	26.20	26.20	109.30B/*9.40A	109.30B/*9.40A	----	14.20 NEW	.2631	----	----	8	----	4 + 4
4670	55.50	55.50	74.80B/3.40A	74.80B/3.40A	----	40.10 + 36.20	.7014	----	----	8	----	70 + 4
4670	26.00	26.00	114.00B/*10.30A	114.00B/*10.30A	----	15.80 - 89.50	.2984	----	----	74	----	136 + 36
4675	21.50	21.50	118.60B/*11.60A	118.60B/*11.60A	----	17.60 NEW	.3365	----	----	69	----	45 + 45
4675	17.80	17.80	71.60B/2.90A	71.60B/2.90A	----	36.90 + 33.40	.6633	----	----	25	----	104 + 5
4675	----	----	----/*73.70A	135.40B/*73.70A	----	81.20 NEW	.4056	----	----	1	----	1 + 1
4675	105.90	105.90	105.90/24.10A	105.90/24.10A	----	75.60 + 49.60	.5560	----	----	5	----	170 - 1
4680	77.00	77.00	123.30B/*13.20A	123.30B/*13.20A	----	19.50 NEW	.3764	----	----	25	----	17 + 17
4680	----	----	67.20B/2.70A	67.20B/2.70A	----	33.80 NEW	.6235	----	----	5	----	3 + 3
4685	16.00	16.00	63.70B/2.50A	63.70B/2.50A	----	30.90 + 28.10	.5819	----	----	18	----	10 + 9
4685	20.40	20.40	128.10B/*14.70A	128.10B/*14.70A	----	21.60 NEW	.4180	----	----	27	----	17 + 17
4690	20.00	20.00	132.90B/*16.40A	132.90B/*16.40A	----	23.80 NEW	.4607	----	----	34	----	16 + 16
4690	34.20	34.20	60.00B/2.30A	60.00B/2.30A	----	28.10 + 25.60	.5392	----	----	3	----	4 + 3
4695	31.70	31.70	56.60B/2.10A	56.60B/2.10A	----	25.50 + 23.20	.4958	----	----	8	----	4 + 3
4695	28.20	28.20	137.70B/*18.00A	137.70B/*18.00A	----	26.20 - 02.60	.5041	----	----	21	----	7 + 5
4700	5.20	5.20	54.10B/1.80A	54.10B/1.80A	----	23.10 + 21.00	.4524	----	----	98	100	153 - 63
4700	32.30	32.30	142.50B/*19.60A	142.50B/*19.60A	----	28.80 - 04.80	.5475	----	----	135	----	66 + 61
4700	66.40	66.40	158.50B/*57.30A	158.50B/*57.30A	----	68.40 - 83.50	.5080	----	----	3	----	7 + 3
4700	61.40	61.40	89.60B/19.20A	89.60B/19.20A	----	62.70 + 42.20	.4917	----	----	15	----	67 + 7
4700	----	----	#111.70B/37.10A	111.70B/37.10A	----	86.20 NEW	.4984	----	----	3	----	3 + 3
4705	40.50	40.50	147.40B/*21.40A	147.40B/*21.40A	----	31.50 - 06.90	.5906	----	----	11	----	10 + 9
4705	22.30	22.30	51.10B/1.80A	51.10B/1.80A	----	20.80 + 18.90	.4093	----	----	56	----	42 + 11
4710	35.50	35.50	152.30B/*23.30A	152.30B/*23.30A	----	34.30 - 08.90	.6330	----	----	3	----	3 + 2
4710	34.30	34.30	48.10B/18.50	48.10B/1.70A	----	18.60 + 16.90	.3669	----	----	62	----	53 + 1
4715	38.10	38.10	157.30B/*25.30A	157.30B/*25.30A	----	37.40 NEW	.6732	----	----	8	----	5 + 5
4715	23.80	23.80	45.10B/1.50A	45.10B/1.50A	----	16.70 + 15.10	.3267	----	----	30	----	12 + 7
4720	12.00	12.00	42.30B/1.40A	42.30B/1.40A	----	14.90 + 13.40	.2882	----	----	39	----	20 + 16
4720	36.70	36.70	162.10B/*27.50A	162.10B/*27.50A	----	40.60 - 12.30	.7117	----	----	1	----	2 + 1
4725	13.30	13.30	39.60B/13.00	39.60B/1.30A	----	13.20 + 11.90	.2515	----	----	92	60	107 + 54
4725	37.30	37.30	167.00B/*29.80A	167.00B/*29.80A	----	43.90 - 13.90	.7484	----	----	22	----	17 + 11
4725	----	----	180.00B/*69.10A	180.00B/69.10A	----	82.00 - 90.50	.5719	----	----	1	----	0 - 1
4725	----	----	76.20B/15.20A	76.20B/15.20A	----	51.40 + 35.20	.4278	----	----	4	----	2 - 3
4730	10.20	10.20	37.00B/1.10A	37.00B/1.10A	----	11.70 + 10.50	.2180	----	----	14	----	15 + 6
4730	46.10	46.10	171.90B/*32.30A	171.90B/*32.30A	----	47.40 NEW	.7819	----	----	2	----	2 + 2
4735	27.70	27.70	34.50B/1.10A	34.50B/1.10A	----	10.40 + 9.20	.1880	----	----	30	----	22 + 21
4735	----	----	172.80B/*34.90A	172.80B/*34.90A	----	51.10 NEW	.8119	----	----	1	----	1 + 1
4740	5.20	5.20	32.20B/1.00A	32.20B/1.00A	----	9.20 + 8.10	.1607	----	----	7	----	6 + 3
4740	183.90	183.90	183.90/*37.60A	183.90/*37.60A	----	54.90 - 17.60	.8392	----	----	12	----	14 + 2
4745	----	----	182.70B/*40.50A	182.70B/*40.50A	----	58.80 - 18.70	.8638	----	----	----	----	1 UNCH
4745	----	----	29.90B/0.90A	29.90B/0.90A	----	8.10 + 7.10	.1361	----	----	4	----	4 + 3
4750	5.20	5.20	27.90B/5.20	27.90B/0.90A	----	7.10 + 6.20	.1142	----	----	146	100	193 - 68

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week1										
MAY26												
4750	----	----	187.90B/*43.40A	187.90B/*43.40A	----	62.80 - 19.60	.8857	----	----	----	----	1 UNCH
4750	28.20	28.20	64.20B/12.00A	64.20B/12.00A	----	41.70 NEW	.3662	----	----	10	100	110 + 110
4750	----	----	----/*105.40A	185.20B/*105.40A	----	116.90 NEW	.5194	----	----	1	----	1 + 1
4750	86.20	86.20	#86.90B/26.90A	86.90B/26.90A	----	64.50 NEW	.4077	----	----	1	----	1 + 1
4755	4.40	4.40	25.80B/0.80A	25.80B/0.80A	----	6.30 + 5.40	.0963	----	----	13	----	31 + 5
4760	----	----	23.90B/*0.70A	23.90B/*0.70A	----	5.60 + 4.80	.0810	----	----	2	----	3 + 2
4765	----	----	202.50B/*53.90A	202.50B/*53.90A	----	75.60 - 21.60	.9330	----	----	----	----	50 UNCH
4765	11.10	11.10	22.20B/0.70A	22.20B/0.70A	----	4.90 + 4.10	.0669	----	----	13	----	13 + 12
4770	----	----	207.40B/*57.40A	207.40B/*57.40A	----	80.00 - 22.20	.9448	----	----	1	----	12 + 1
4770	12.90	12.90	20.50B/8.80	20.50B/0.70A	----	4.30 + 3.60	.0551	----	----	55	----	53 + 51
4775	5.40	5.40	18.90B/0.60A	18.90B/0.60A	----	3.80 + 3.10	.0456	----	----	13	----	161 + 3
4775	----	----	212.40B/61.00A	212.40B/61.00A	----	84.50 - 22.70	.9543	----	----	----	----	51 UNCH
4775	----	----	53.60B/9.60A	53.60B/9.60A	----	33.50 + 23.40	.3086	----	----	2	----	11 UNCH
4780	13.90	13.90	17.40B/0.60A	17.40B/0.60A	----	3.40 + 2.70	.0381	----	----	76	----	66 + 64
4785	11.00	11.00	16.10B/11.00	16.10B/0.60A	----	3.00 + 2.40	.0313	----	----	7	----	4 + 1
4790	0.80	0.80	14.90B/0.80	14.90B/0.70A	----	2.60 + 2.00	.0251	----	----	21	----	24 + 16
4795	102.10	102.10	232.30B/76.60A	232.30B/76.60A	----	103.00 NEW	.9793	----	----	4	----	2 + 2
4795	----	----	13.60B/----	13.60B/0.70A	----	2.30 + 1.70	.0206	----	----	----	----	4 UNCH
4800	----	----	#66.20B/19.30A	66.20B/19.30A	----	47.40 + 27.50	.3235	----	----	----	----	57 UNCH
4800	----	----	237.50B/80.70A	237.50B/80.70A	----	107.80 - 24.20	.9824	----	----	----	----	5 UNCH
4800	1.30	1.30	12.60B/1.30	12.60B/0.70A	----	2.10 + 1.60	.0175	----	----	63	----	94 + 4
4800	43.00	43.00	44.60B/7.70A	44.60B/7.70A	----	26.70 + 18.70	.2563	----	----	12	----	28 + 9
4805	7.60	7.60	11.50B/7.60	11.50B/0.60A	----	1.90 + 1.40	.0147	----	----	2	----	5 + 2
4810	2.30	2.30	10.50B/2.00	10.50B/0.60A	----	1.60 + 1.10	.0112	----	----	8	----	9 + 6
4815	3.10	3.10	9.70B/3.10	9.70B/0.70A	----	1.50 NEW	.0098	----	----	4	----	2 + 2
4815	----	----	252.20B/93.60A	252.20B/93.60A	----	122.20 - 24.70	.9901	----	----	----	----	1 UNCH
4820	0.90	0.90	8.90B/0.90	8.90B/0.70A	----	1.30 + 0.80	.0078	----	----	6	----	8 UNCH
4825	----	----	#57.70B/16.50A	57.70B/16.50A	----	40.40 + 23.60	.2852	----	----	2	----	15 UNCH
4825	----	----	262.20B/102.70A	262.20B/102.70A	----	131.90 - 25.00	.9932	----	----	----	----	2 UNCH
4825	2.40	2.40	8.10B/1.30	8.10B/0.70A	----	1.20 + 0.70	.0067	----	----	57	----	32 - 19
4825	24.20	24.20	36.70B/6.20A	36.70B/6.20A	----	21.20 + 14.80	.2103	----	----	75	----	77 + 65
4830	197.20	197.20	267.10B/106.10A	267.10B/106.10A	----	136.70 - 25.20	.9949	----	----	2	----	4 UNCH
4830	----	----	7.40B/----	7.40B/0.70A	----	1.00 + 0.60	.0050	----	----	----	----	1 UNCH
4840	2.70	2.70	6.20B/2.70	6.20B/0.70A	----	0.80 + 0.40	.0033	----	----	8	----	14 + 7
4845	----	----	282.10B/119.30A	282.10B/119.30A	----	151.40 - 25.50	.9973	----	----	----	----	5 UNCH
4845	4.40	4.40	5.70B/2.40	5.70B/0.80A	----	0.70 + 0.30	.0027	----	----	2	----	19 + 2
4850	0.80	0.80	5.20B/0.60	5.20B/0.60	----	0.60 + 0.20	.0020	----	----	129	----	182 - 24
4850	----	----	287.40B/123.80A	287.40B/123.80A	----	156.30 - 25.50	.9979	----	----	----	----	9 UNCH
4850	----	----	30.30B/5.10A	30.30B/5.10A	----	16.80 + 11.60	.1710	----	----	4	----	9 + 2
4855	----	----	4.70B/----	4.70B/0.70A	----	0.60 + 0.30	.0019	----	----	----	----	1 UNCH
4860	----	----	4.30B/----	4.30B/0.60A	----	0.50 + 0.20	.0014	----	----	----	----	1 UNCH
4865	----	----	4.00B/----	4.00B/0.60A	----	0.40 + 0.10	.0010	----	----	----	----	1 UNCH
4870	0.30	0.30	3.60B/0.30	3.60B/0.30	----	0.40 + 0.10	.0009	----	----	14	----	14 + 11
4875	17.30	17.30	#43.20B/12.10A	43.20B/12.10A	----	29.10 + 16.90	.2179	----	----	1	----	2 + 1
4875	0.30	0.30	3.30B/*0.30	3.30B/*0.30	----	0.40 + 0.10	.0009	----	----	6	----	10 + 6
4875	----	----	24.80B/----	24.80B/4.30A	----	13.30 + 9.10	.1380	----	----	11	----	11 + 9
4880	0.30	0.30	3.00B/0.30	3.00B/0.30	----	0.30 + 0.10	.0006	----	----	5	----	7 + 5
4885	0.70	0.70	2.70B/*0.40A	2.70B/*0.40A	----	0.30 + 0.10	.0005	----	----	1	----	2 + 1
4890	----	----	327.00B/162.60A	327.00B/162.60A	----	196.00 - 25.70	.9994	----	----	----	----	0 UNCH
4890	----	----	2.50B/----	2.50B/0.40A	----	0.30 + 0.10	.0005	----	----	----	----	1 UNCH
4895	----	----	2.20B/----	2.20B/*0.40A	----	0.20 UNCH	.0002	----	----	----	----	2 UNCH
4900	----	----	#37.30B/----	37.30B/10.50A	----	24.70 + 14.30	.1893	----	----	2	----	29 + 1
4900	0.80	0.80	2.10B/0.20	2.10B/0.20	----	0.20 UNCH	.0002	----	----	29	----	22 + 15
4900	----	----	#59.60B/----	#59.60B/23.80A	----	45.60 + 23.30	.2740	----	----	----	----	3 UNCH
4900	----	----	348.80B/*206.90	348.80B/*206.90A	----	230.10 NEW	.8103	----	----	1	----	1 + 1
4905	----	----	342.00B/176.80A	342.00B/176.80A	----	210.90 - 25.70	.9997	----	----	----	----	2 UNCH
4910	0.30	0.30	1.70B/0.30	1.70B/0.30	----	0.20 UNCH	.0002	----	----	3	----	5 + 3
4925	0.20	0.20	1.30B/0.20	1.30B/0.20	----	0.20 + 0.10	.0002	----	----	2	----	52 + 2
4925	----	----	16.50B/----	16.50B/3.10A	----	8.30 + 5.40	.0882	----	----	----	----	14 UNCH
4925	----	----	#32.30B/----	32.30B/9.20A	----	20.90 + 11.90	.1637	----	----	1	----	19 + 1
4930	----	----	1.10B/----	1.10B/0.20A	----	0.20 + 0.10	.0002	----	----	----	----	2 UNCH
4935	----	----	1.00B/----	1.00B/0.20A	----	0.20 + 0.10	.0002	----	----	----	----	1 UNCH
4940	0.20	0.20	0.90B/0.20	0.90B/0.20	----	0.20 + 0.10	.0002	----	----	10	----	11 + 10
4955	----	----	0.70B/----	0.70B/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	9 UNCH
4970	----	----	0.50B/----	0.50B/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	18 UNCH
4985	----	----	0.30B/----	0.30B/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
4990	----	----	0.30B/----	0.30B/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	25 UNCH
5000	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.10 UNCH	----	----	----	5	----	15 + 5
5000	7.40	7.40	8.80B/5.10	8.80B/2.20A	----	4.40 + 2.60	.0463	----	----	27	----	176 + 26
5000	19.40	19.40	#20.60B/19.40	20.60B/6.30A	----	12.80 + 7.00	.1048	----	----	2	----	18 UNCH
5005	----	----	0.20B/----	0.20B/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5010	----	----	0.20B/----	0.20B/0.20A	----	0.10 UNCH	----	----	----	2	----	2 UNCH
5015	----	----	0.20B/----	0.20B/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5025	----	----	----	0.10B/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5025	5.80	5.80	#7.20B/5.00	7.20B/1.90A	----	3.60 + 2.00	.0375	----	----	3	----	13 + 3
5025	----	----	----/301.90A	357.00B/301.90A	----	334.10 - 23.80	.9623	----	----	----	----	1 UNCH
5025	12.20	12.20	#17.70B/12.20	17.70B/5.70A	----	11.00 + 5.90	.0907	----	----	1	----	3 + 1
5050	5.90	5.90	5.90/5.90	5.90/1.80A	----	3.00 + 1.50	.0308	----	----	12	----	14 + 9
5050	----	----	#15.20B/----	15.20B/5.20A	----	9.40 + 4.90	.0781	----	----	1	----	4 + 1
5075	----	----	#13.10B/----	13.10B/4.70A	----	8.10 + 4.10	.0676	----	----	----	----	1 UNCH
5100	----	----	----/374.10A	429.30B/374.10A	----	407.60 - 24.80	.9789	----	----	----	----	1 UNCH
5100	----	----	#11.30B/----	11.30B/4.30A	----	7.00 + 3.40	.0586	----	----	----	----	1 UNCH
5125	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5125	----	----	#9.80B/----	9.80B/4.00A	----	6.10 + 2.80	.0510	----	----	----	----	1 UNCH
5150	----	----	2.70B/----	2.70B/1.40A	----	1.60 + 0.60	.0152	----	----	----	----	3 UNCH
5150	4.90	4.90	#8.50B/4.90	8.50B/3.70A	----	5.30 NEW	.0443	----	----	5	----	4 + 4
5175	----	----	----	----	----	481.80 - 25.30	.9869	----	----	----	----	1 UNCH
5200	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5200	1.30	1.30	1.90B/1.30	1.90B/1.30	----	1.20 NEW	.0110	----	----	1	----	1 + 1
5250	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5275	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5300	3.80	3.80	#3.90B/3.80	#3.90B/2.70A	----	2.70 NEW	.0216	----	----	1	----	1 + 1
5350	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5400	----	----	#2.40B/----	#2.40B/2.30A	----	2.00 + 0.60	.0152	----	----	----	----	40 UNCH
5400	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL										3388	360	6387 + 1512

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2										
MAY26												
3700	----	----	----	----/0.60A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3900	----	----	----	----/*0.70A	----	0.10 - 0.40	.0004	----	----	----	----	60 UNCH
4000	----	----	----/*1.30A	1.20B/*1.30A	----	1.00 - 1.30	.0070	----	----	----	----	4 UNCH
4000	----	----	----	0.60B/*0.70A	----	0.20 - 0.50	.0010	----	----	----	----	5 UNCH
4100	----	----	----/*1.90A	2.10B/*1.90A	----	1.40 - 2.00	.0107	----	----	----	----	4 UNCH
4100	----	----	----/*0.60A	0.30B/*0.60A	----	0.30 - 0.60	.0018	----	----	----	----	3 UNCH
4125	----	----	----/*0.70A	0.50B/*0.70A	----	0.30 - 0.70	.0019	----	----	----	----	1 UNCH
4150	----	----	----/*0.70A	0.60B/*0.70A	----	0.30 - 0.80	.0020	----	----	----	----	1 UNCH
4175	----	----	----/*0.70A	0.70B/*0.70A	----	0.40 - 0.80	.0027	----	----	----	----	2 UNCH
4200	3.20	3.20	3.20/*2.70A	4.50B/*2.70A	----	2.30 - 3.40	.0188	----	----	4	----	5 + 3
4200	----	----	----/*0.70A	0.90B/*0.70A	----	0.40 - 1.00	.0029	----	----	----	----	13 UNCH
4250	----	----	----/*0.80A	1.40B/*0.80A	----	0.50 - 1.40	.0040	----	----	----	----	3 UNCH
4275	----	----	----/*0.90A	1.80B/*0.90A	----	0.60 - 1.60	.0050	----	----	----	----	5 UNCH
4300	----	----	----/*0.90A	2.20B/*0.90A	----	0.70 - 2.00	.0061	----	----	----	----	59 UNCH
4300	3.80	3.80	3.80/*3.80	9.70B/*3.80	----	4.10 - 6.60	.0354	----	----	2	----	27 UNCH
4315	1.50	1.50	#1.50/*1.00A	2.50B/*1.00A	----	0.80 NEW	.0072	----	----	1	----	1 + 1
4325	1.00	1.00	1.00/*1.00	2.80B/*1.00	----	0.90 - 2.40	.0082	----	----	1	----	17 UNCH
4325	----	----	----/*4.80A	11.90B/*4.80A	----	4.80 - 7.90	.0419	----	----	2	----	5 UNCH
4350	1.70	1.70	1.70/*1.20A	3.90B/*1.20A	----	1.10 - 3.10	.0105	----	----	1	----	17 UNCH
4350	5.50	5.50	5.50/*5.50	14.50B/*5.50	----	5.70 - 9.60	.0501	----	----	1	----	22 + 1
4360	----	----	----/*1.30A	4.30B/*1.30A	----	1.20 - 3.40	.0117	----	----	----	----	6 UNCH
4375	1.50	1.50	1.50/*1.40A	5.10B/*1.40A	----	1.30 - 4.10	.0131	----	----	6	----	46 - 1
4375	----	----	----/*6.40A	17.90B/*6.40A	----	6.70 - 11.80	.0595	----	----	2	----	4 UNCH
4400	3.30	3.30	3.30/*1.60A	7.00B/*1.60A	----	1.60 - 5.40	.0169	----	----	8	----	25 - 4
4400	10.90	10.90	10.90/*7.50A	21.70B/*7.50A	----	8.00 - 14.40	.0712	----	----	10	----	22 UNCH
4425	3.20	3.20	9.40B/*1.80	9.40B/*1.80	----	2.00 - 7.30	.0222	----	----	8	----	39 + 2
4425	----	----	----/*8.90A	26.60B/*8.90A	----	9.70 - 17.40	.0861	----	----	----	----	5 UNCH
4440	----	----	11.60B/*2.00A	11.60B/*2.00A	----	2.30 - 8.90	.0262	----	----	----	----	4 UNCH
4450	6.50	6.50	13.10B/*2.20A	13.10B/*2.20A	----	2.50 - 10.10	.0290	----	----	5	----	169 UNCH
4450	----	----	33.10B/*10.50A	33.10B/*10.50A	----	11.80 - 20.90	.1040	----	----	----	----	5 UNCH
4455	----	----	#14.00B/*2.30A	14.00B/*2.30A	----	2.60 - 10.80	.0305	----	----	----	----	2 UNCH
4460	----	----	#14.70B/*2.40A	14.70B/*2.40A	----	2.80 - 11.40	.0330	----	----	----	----	10 UNCH
4465	----	----	15.90B/*2.50A	15.90B/*2.50A	----	2.90 - 12.20	.0345	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON MAY26		GOLD WEEKLY MONDAY OPTION WEEK2										
4470	----	----	#16.90B/*2.60A	16.90B/*2.60A	----	3.10 - 12.90	.0371	----	----	1	----	1 UNCH
4475	----	----	18.00B/*2.80A	18.00B/*2.80A	----	3.30 - 13.70	.0397	----	----	1	----	24 UNCH
4475	----	----	39.80B/*12.70A	39.80B/*12.70A	----	14.40 - 25.00	.1255	----	----	----	----	4 UNCH
4480	3.30	3.30	#19.10B/*2.90A	19.10B/*2.90A	----	3.40 NEW	.0414	----	----	1	----	1 + 1
4485	----	----	20.30B/*3.10A	20.30B/*3.10A	----	3.60 - 15.60	.0442	----	----	1	----	19 UNCH
4490	11.40	11.40	21.60B/*3.20A	21.60B/*3.20A	----	3.90 - 16.50	.0479	----	----	1	----	10 + 1
4495	----	----	23.00B/*3.40A	23.00B/*3.40A	----	4.10 - 17.50	.0507	----	----	4	----	2 + 2
4500	----	----	235.00B/84.80A	235.00B/84.80A	----	198.60 + 07.20	.9462	----	----	----	----	2 UNCH
4500	23.70	23.70	48.10B/*15.30A	48.10B/*15.30A	----	17.70 - 29.50	.1515	----	----	2	----	9 UNCH
4500	9.00	9.00	24.40B/*3.60A	24.40B/*3.60A	----	4.30 - 18.60	.0537	----	----	10	----	62 - 4
4505	----	----	25.90B/*3.80A	25.90B/*3.80A	----	4.60 - 19.70	.0576	----	----	----	----	2 UNCH
4510	5.20	5.20	27.50B/*4.00A	27.50B/*4.00A	----	4.90 NEW	.0616	----	----	25	----	25 + 25
4515	5.20	5.20	29.20B/*4.20A	29.20B/*4.20A	----	5.20 - 22.00	.0657	----	----	5	----	9 - 1
4520	----	----	216.10B/71.30A	216.10B/71.30A	----	179.80 + 02.50	.9290	----	----	----	----	1 UNCH
4520	7.80	7.80	30.90B/*4.50A	30.90B/*4.50A	----	5.60 - 23.20	.0708	----	----	5	----	6 + 2
4525	5.60	5.60	32.70B/*4.80A	32.70B/*4.80A	----	5.90 - 24.60	.0751	----	----	9	----	26 - 1
4525	----	----	58.00B/*18.60A	58.00B/*18.60A	----	21.70 - 34.70	.1817	----	----	----	----	1 UNCH
4530	6.10	6.10	34.60B/*5.10A	34.60B/*5.10A	----	6.30 - 25.90	.0803	----	----	7	----	7 - 2
4535	9.20	9.20	36.70B/*5.40A	36.70B/*5.40A	----	6.70 - 27.30	.0857	----	----	7	----	6 + 3
4535	185.40	185.40	202.60B/61.60A	202.60B/61.60A	----	166.00 + 98.50	.9141	----	----	2	----	2 UNCH
4540	5.80	5.80	38.70B/*5.70A	38.70B/*5.70A	----	7.20 - 28.70	.0920	----	----	6	----	9 + 6
4545	6.90	6.90	40.80B/*6.10A	40.80B/*6.10A	----	7.60 NEW	.0976	----	----	5	----	5 + 5
4550	31.00	31.00	43.00B/*6.50A	43.00B/*6.50A	----	8.20 - 31.70	.1051	----	----	33	----	11 + 4
4550	----	----	188.60B/53.20A	188.60B/53.20A	----	152.40 + 94.00	.8947	----	----	----	----	3 UNCH
4550	25.40	25.40	69.10B/*22.60A	69.10B/*22.60A	----	26.50 - 40.40	.2163	----	----	5	----	9 + 4
4555	----	----	184.40B/50.50A	184.40B/50.50A	----	147.90 + 92.30	.8881	----	----	----	----	0 UNCH
4555	----	----	45.40B/*6.90A	45.40B/*6.90A	----	8.70 - 33.40	.1117	----	----	4	----	1 UNCH
4560	9.50	9.50	47.80B/*7.40A	47.80B/*7.40A	----	9.30 - 35.00	.1194	----	----	1	----	2 + 1
4565	11.40	11.40	50.20B/*7.90A	50.20B/*7.90A	----	9.90 - 36.70	.1271	----	----	12	----	12 + 9
4565	----	----	175.20B/45.40A	175.20B/45.40A	----	139.10 + 89.00	.8727	----	----	----	----	2 UNCH
4570	----	----	171.90B/43.10A	171.90B/43.10A	----	134.80 + 87.30	.8640	----	----	----	----	89 UNCH
4570	----	----	52.90B/*8.40A	52.90B/*8.40A	----	10.60 - 38.40	.1358	----	----	3	----	6 + 1
4575	13.30	13.30	55.60B/*9.00A	55.60B/*9.00A	----	11.30 - 40.20	.1446	----	----	6	----	7 + 4
4575	----	----	167.50B/40.80A	167.50B/40.80A	----	130.50 + 85.50	.8552	----	----	----	----	1 UNCH
4575	----	----	81.70B/*27.40A	81.70B/*27.40A	----	32.40 - 46.40	.2559	----	----	----	----	3 UNCH
4580	11.00	11.00	58.40B/*9.60A	58.40B/*9.60A	----	12.00 - 42.10	.1536	----	----	7	----	8 + 1
4580	----	----	162.10B/38.50A	162.10B/38.50A	----	126.30 + 83.70	.8462	----	----	----	----	1 UNCH
4585	13.60	13.60	61.50B/*10.30A	61.50B/*10.30A	----	12.80 - 44.00	.1635	----	----	6	----	9 + 5
4585	----	----	157.90B/36.40A	157.90B/36.40A	----	122.10 + 81.80	.8363	----	----	----	----	1 UNCH
4590	----	----	153.60B/34.40A	153.60B/34.40A	----	118.00 + 79.90	.8256	----	----	7	----	7 UNCH
4590	17.70	17.70	64.00B/*11.00	64.00B/*11.00	----	13.70 - 45.80	.1741	----	----	6	----	5 + 2
4595	----	----	66.90B/*11.70A	66.90B/*11.70A	----	14.60 - 47.80	.1850	----	----	----	----	1 UNCH
4595	----	----	149.30B/32.40A	149.30B/32.40A	----	113.90 + 78.00	.8148	----	----	14	----	22 UNCH
4600	20.20	20.20	70.20B/*12.50A	70.20B/*12.50A	----	15.60 - 49.80	.1966	----	----	20	----	57 + 13
4600	80.00	80.00	144.90B/30.50A	144.90B/30.50A	----	109.80 + 75.90	.8032	----	----	7	----	73 - 1
4600	----	----	95.70B/*33.30A	95.70B/*33.30A	----	39.30 - 53.00	.2995	----	----	----	----	31 UNCH
4600	----	----	164.10B/57.50A	164.10B/57.50A	----	133.50 + 72.70	.7001	----	----	----	----	50 UNCH
4605	----	----	141.40B/28.90A	141.40B/28.90A	----	105.90 + 74.00	.7914	----	----	----	----	0 UNCH
4610	----	----	137.30B/27.30A	137.30B/27.30A	----	101.90 + 71.80	.7789	----	----	----	----	1 UNCH
4615	----	----	80.00B/*15.30A	80.00B/*15.30A	----	18.80 - 56.00	.2336	----	----	----	----	1 UNCH
4620	----	----	128.90B/24.10A	128.90B/24.10A	----	94.30 + 67.70	.7528	----	----	7	----	7 UNCH
4620	----	----	83.50B/*16.30A	83.50B/*16.30A	----	20.00 - 58.10	.2470	----	----	3	----	4 + 3
4625	28.00	28.00	87.00B/*17.40A	87.00B/*17.40A	----	21.30 - 60.20	.2611	----	----	8	----	8 + 7
4625	----	----	125.30B/22.60A	125.30B/22.60A	----	90.60 + 65.60	.7387	----	----	----	----	16 UNCH
4630	----	----	121.40B/21.30A	121.40B/21.30A	----	87.00 + 63.50	.7240	----	----	----	----	2 UNCH
4635	----	----	94.40B/*19.60A	94.40B/*19.60A	----	24.10 - 64.40	.2907	----	----	----	----	1 UNCH
4640	112.70	112.70	113.20B/18.70A	113.20B/18.70A	----	79.90 + 59.30	.6937	----	----	4	----	63 - 3
4645	----	----	110.00B/17.50A	110.00B/17.50A	----	76.50 + 57.10	.6778	----	----	1	----	2 UNCH
4650	62.00	62.00	106.00B/*23.40A	106.00B/*23.40A	----	28.90 NEW	.3384	----	----	12	----	12 + 12
4650	51.80	51.80	106.50B/16.40A	106.50B/16.40A	----	73.10 + 55.00	.6614	----	----	11	----	30 - 3
4650	100.00	100.00	129.00B/40.00A	129.00B/40.00A	----	100.90 + 58.80	.6022	----	----	16	----	15 + 14
4655	----	----	102.70B/15.40A	102.70B/15.40A	----	69.90 + 52.90	.6448	----	----	1	----	2 - 1
4655	----	----	110.30B/*24.70A	110.30B/*24.70A	----	30.60 - 72.80	.3549	----	----	----	----	1 UNCH
4660	----	----	99.20B/14.40A	99.20B/14.40A	----	66.70 + 50.80	.6279	----	----	----	----	5 UNCH
4660	----	----	114.00B/*26.10A	114.00B/*26.10A	----	32.40 - 75.00	.3719	----	----	----	----	3 UNCH
4665	----	----	118.50B/*27.70A	118.50B/*27.70A	----	34.30 - 77.00	.3892	----	----	----	----	1 UNCH
4670	----	----	122.70B/*29.30A	122.70B/*29.30A	----	36.30 NEW	.4069	----	----	2	----	2 + 2
4670	69.00	69.00	92.30B/12.60A	92.30B/12.60A	----	60.60 + 46.70	.5929	----	----	2	----	10 UNCH
4675	----	----	145.70B/*57.40A	145.70B/*57.40A	----	67.30 - 73.90	.4503	----	----	----	----	3 UNCH
4675	30.30	30.30	126.80B/*30.30	126.80B/*30.30	----	38.40 NEW	.4248	----	----	1	----	1 + 1
4675	----	----	88.80B/11.90A	88.80B/11.90A	----	57.70 + 44.70	.5750	----	----	2	----	1 UNCH
4680	----	----	130.80B/*32.60A	130.80B/*32.60A	----	40.60 NEW	.4429	----	----	1	----	1 + 1
4680	26.00	26.00	85.70B/11.20A	85.70B/11.20A	----	54.90 + 42.70	.5569	----	----	11	----	11 + 1
4685	----	----	82.50B/10.50A	82.50B/10.50A	----	52.10 + 40.70	.5387	----	----	1	----	2 UNCH
4690	76.00	76.00	79.10B/9.80A	79.10B/9.80A	----	49.50 + 38.80	.5203	----	----	3	----	5 UNCH
4690	56.00	56.00	139.40B/*36.30A	139.40B/*36.30A	----	45.20 - 86.90	.4795	----	----	40	----	44 + 40
4695	----	----	76.10B/9.20A	76.10B/9.20A	----	46.90 + 36.90	.5019	----	----	----	----	1 UNCH
4695	----	----	144.20B/*38.20A	144.20B/*38.20A	----	47.60 - 88.80	.4979	----	----	1	----	2 + 1
4700	----	----	99.20B/27.10A	99.20B/27.10A	----	73.70 + 45.10	.4953	----	----	1	----	2 UNCH
4700	37.80	37.80	73.10B/8.60A	73.10B/8.60A	----	44.50 + 35.20	.4835	----	----	237	----	206 + 201
4700	----	----	148.60B/*40.20A	148.60B/*40.20A	----	50.20 - 90.60	.5163	----	----	8	----	16 + 6
4700	----	----	165.00B/67.90A	165.00B/67.90A	----	79.40 - 80.50	.5043	----	----	1	----	4 + 1
4705	----	----	70.30B/8.20A	70.30B/8.20A	----	42.10 NEW	.4651	----	----	2	----	0 UNCH
4710	47.60	47.60	67.50B/7.60A	67.50B/7.60A	----	39.80 + 31.60	.4467	----	----	2	----	5 + 2
4715	8.00	8.00	64.80B/7.20A	64.80B/7.20A	----	37.60 NEW	.4285	----	----	34	----	25 + 25
4720	50.10	50.10	62.00B/6.70A	62.00B/6.70A	----	35.50 + 28.30	.4104	----	----	13	----	11 + 10
4725	73.90	73.90	88.90/22.30A	88.90/22.30A	----	62.20 + 38.80	.4414	----	----	6	----	5 + 1
4725	----	----	171.40B/*51.50A	171.40B/*51.50A	----	64.20 - 98.90	.6072	----	----	1	----	3 UNCH
4730	57.50	57.50	176.00B/*54.00A	176.00B/*54.00A	----	67.30 - 00.40	.6247	----	----	26	----	46 + 26
4730	56.30	56.30	57.00B/5.80A	57.00B/5.80A	----	31.60 + 25.30	.3751	----	----	26	----	26 + 24
4735	47.00	47.00	54.30B/5.50A	54.30B/5.50A	----	29.80 NEW	.3579	----	----	6	----	5 + 5
4740	34.00	34.00	52.00B/5.20A	52.00B/5.20A	----	28.00 + 22.50	.3408	----	----	1	----	6 + 1
4740	----	----	185.40B/59.10A	185.40B/59.10A	----	73.70 - 03.30	.6590	----	----	----	----	5 UNCH
4745	42.70	42.70	49.70B/4.90A	49.70B/4.90A	----	26.40 + 21.20	.3245	----	----	2	----	5 + 2
4750	7.90	7.90	48.00/4.60A	48.00/4.60A	----	24.80 + 19.90	.3083	----	----	27	----	46 + 17
4750	----	----	73.90B/18.30A	73.90B/18.30A	----	52.20 + 33.10	.3891	----	----	1	----	29 - 1
4750	----	----	194.90B/64.80A	194.90B/64.80A	----	80.50 - 05.80	.6915	----	----	----	----	5 UNCH
4750	----	----	206.60B/92.90A	206.60B/92.90A	----	107.80 - 92.60	.6105	----	----	----	----	2 UNCH
4755	28.40	28.40	45.20B/4.30A	45.20B/4.30A	----	23.30 NEW	.2926	----	----	28	----	28 + 28
4755	113.00	113.00	199.60B/67.70A	199.60B/67.70A	----	84.00 NEW	.7072	----	----	1	----	1 + 1
4760	7.10	7.10	43.20B/4.20A	43.20B/4.20A	----	21.90 + 17.60	.2775	----	----	11	----	25 + 6
4765	27.20	27.20	41.20B/3.90A	41.20B/3.90A	----	20.50 + 16.40	.2625	----	----	3	----	4 + 2
4770	30.20	30.20	39.20B/3.70A	39.20B/3.70A	----	19.20 + 15.40	.2481	----	----	12	----	12 + 11
4770	----	----	214.00B/76.80A	214.00B/76.80A	----	94.90 - 10.30	.7517	----	----	2	----	2 + 2
4775	29.40	29.40	37.40B/3.50A	37.40B/3.50A	----	18.00 + 14.40	.2344	----	----	25	----	31 + 25
4775	----	----	228.40B/107.40A	228.40B/107.40A	----	124.10 - 97.80	.6604	----	----	----	----	1 UNCH
4775	56.40	56.40	63.20B/15.20A	63.20B/15.20A	----	43.50 + 27.90	.3392	----	----	8	----	7 + 5
4780	20.70	20.70	35.60B/3.30A	35.60B/3.30A	----	16.90 + 13.50	.2214	----	----	2	----	3 UNCH
4785	23.70	23.70	33.80B/23.70	33.80B/3.20A	----	15.80 + 12.60	.2085	----	----	1	----	2 + 1
4790	----	----	32.00B/----	32.00B/3.00A	----	14.80 + 11.80	.1964	----	----	----	----	2 UNCH
4795	19.70	19.70	30.60B/19.70	30.60B/2.90A	----	13.90 NEW	.1852	----	----	3	----	1 + 1
4800	----	----	243.10B/97.30A	243.10B/97.30A	----	118.60 - 15.50	.8258	----	----	----	----	8 UNCH
4800	6.10	6.10	29.10B/6.00	29.10B/2.70A	----	13.00 + 10.30	.1740	----	----	338	----	165 + 52
4800	----	----	250.70B/123.20A	250.70B/123.20A	----	141.70 - 02.30	.7067	----	----	----	----	1 UNCH
4800	47.70	47.70	53.90B/12.50A	53.90B/12.50A	----	36.10 + 23.40	.2929	----	----	3	----	16 + 3
4805	17.00	17.00	27.60B/17.00	27.60B/2.70A	----	12.10 NEW	.1630	----	----	1	----	1 + 1
4810	19.50	19.50	26.20B/13.00	26.20B/2.50A	----	11.30 + 8.90	.1529	----	----	20	----	21 + 18
4815	----	----	24.90B/----	24.90B/2.40A	----	10.60 + 8.30	.1437	----	----	----	----	6 UNCH
4820	----	----	----/112.40A	236.70B/112.40A	----	135.60 - 18.00	.8652	----	----	----	----	2 UNCH
4820	----	----	23.60B/----	23.60B/2.30A	----	9.90 + 7.70	.1346	----	----	----	----	1 UNCH
4825	----	----	22.40B/----	22.40B/2.20A	----	9.30 + 7.20	.1264	----	----	3	----	9 + 3
4825	30.40	30.40	45.60B/30.40	45.60B/10.50A	----	29.90 + 19.50	.2510	----	----	3	----	12 UNCH
4830	----	----	21.20B/----	21.20B/2.10A	----	8.70 + 6.70	.1184	----	----	4	----	3 + 2
4835	----	----	----/124.30A	244.90B/124.30A	----	148.70 - 19.60	.8893	----	----	----	----	1 UNCH
4840	10.60	10.60	19.00B/10.60	19.00B/2.00A	----	7.60 NEW	.1036	----	----	1	----	1 + 1
4850	----	----	297.30B/158.40A	297.30B/158.40A	----	180.20 - 09.60	.7865	----	----	----	----	1 UNCH
4850	10.80	10.80	17.00B/9.40	17.00B/1.80A	----	6.60 + 4.90	.0901	----	----	2	----	10 UNCH
4850	15.40	15.40	38.50B/15.40	38.50B/8.80A	----	24.60 + 16.00	.2131	----	----	19	----	19 + 15
4855	24.10	24.10	#37.20B/24.10	#37.20B/8.50A	----	23.70 + 15.50	.2063	----	----	4	----	5 + 2
4855	8.90	8.90	16.10B/8.90	16.10B/1.80A	----	6.20 + 4.60	.0845	----	----	1	----	12 UNCH
4860	9.10	9.10	15.20B/9.10	15.20B/1.70A	----	5.80 + 4.30	.0789	----	----	2	----	9 + 2
4865	----	----	14.40B/----	14.40B/1.60A	----	5.40 + 3.90	.0734	----	----	----	----	2 UNCH
4870	----	----	----/153.50A	279.00B/153.50A	----	180.70 - 22.10	.9318	----	----	----	----	2 UNCH
4875	----	----	12.90B/----	12.90B/1.60A	----	4.70 + 3.40	.0637	----	----	----	----	3 UNCH
4875	----	----	320.90B/177.80A	320.90B/177.80A	----	200.80 - 12.50	.8194	----	----	----	----	1 UNCH
4875	----	----	32.60B/----	32.60B/7.50A	----	20.30 + 13.20	.1802	----	----	7	----	5 + 3
4880	5.10	5.10	12.10B/5.10	12.10B/1.50A	----	4.40 + 3.10	.0595	----	----	4	----	7 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK2

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26											
4890 ----	----	10.90B/----	10.90B/1.50A	----	3.90 NEW	.0522	----	----	1	----	1 + 1
4895 ----	----	10.20B/----	10.20B/1.50A	----	3.70 + 2.60	.0492	----	----	----	----	2 UNCH
4900 ----	----	9.70B/----	9.70B/1.50A	----	3.40 + 2.30	.0452	----	----	5	----	24 + 5
4900 ----	----	----/179.90A	278.40B/179.90A	----	209.00 - 23.50	.9546	----	----	----	----	1 UNCH
4900 ----	----	344.90B/197.50A	344.90B/197.50A	----	222.10 - 15.00	.8487	----	----	----	----	1 UNCH
4905 ----	----	9.10B/----	9.10B/1.40A	----	3.20 NEW	.0423	----	----	1	----	1 + 1
4915 ----	----	8.10B/----	8.10B/1.40A	----	2.80 + 1.80	.0367	----	----	----	----	1 UNCH
4925 ----	----	7.40B/----	7.40B/1.30A	----	2.50 + 1.60	.0323	----	----	----	----	11 UNCH
4930 ----	----	6.90B/----	6.90B/1.30A	----	2.40 + 1.50	.0308	----	----	----	----	1 UNCH
4950 ----	----	5.40B/----	5.40B/1.20A	----	1.90 + 1.10	.0237	----	----	----	----	5 UNCH
4950 16.50	16.50	19.10B/16.50	19.10B/4.90A	----	11.30 + 7.00	.1059	----	----	9	----	12 + 5
4955 ----	----	5.10B/----	5.10B/1.20A	----	1.80 + 1.00	.0223	----	----	----	----	2 UNCH
4960 ----	----	4.80B/----	4.80B/1.20A	----	1.70 + 0.90	.0209	----	----	----	----	5 UNCH
4970 ----	----	4.40B/----	4.40B/1.20A	----	1.50 + 0.80	.0182	----	----	----	----	5 UNCH
4980 ----	----	3.80B/----	3.80B/1.10A	----	1.40 NEW	.0166	----	----	1	----	1 + 1
4990 ----	----	3.40B/----	3.40B/1.10A	----	1.20 + 0.60	.0141	----	----	----	----	7 UNCH
4995 ----	----	----/268.40A	323.70B/268.40A	----	301.80 - 25.20	.9859	----	----	1	----	1 UNCH
5000 2.50	2.50	3.10B/1.90	3.10B/1.10A	----	1.10 + 0.50	.0127	----	----	2	----	10 + 1
5000 308.80	308.80	308.80/273.30A	328.60B/273.30A	----	306.70 - 25.30	.9872	----	----	1	----	0 - 1
5000 8.00	8.00	13.10B/8.00	13.10B/3.90A	----	7.70 + 4.50	.0735	----	----	15	----	19 + 15
5020 ----	----	----/292.30A	348.40B/292.30A	----	326.50 - 25.40	.9898	----	----	----	----	2 UNCH
5025 ----	----	----/297.60A	353.30B/297.60A	----	331.50 - 25.40	.9900	----	----	1	----	2 - 1
5025 ----	----	2.30B/----	2.30B/1.00A	----	0.90 + 0.30	.0099	----	----	----	----	4 UNCH
5050 7.30	7.30	9.20B/7.30	9.20B/3.20A	----	5.40 + 2.90	.0517	----	----	8	----	9 + 6
5075 ----	----	1.30B/----	1.30B/0.70A	----	0.60 + 0.20	.0060	----	----	----	----	1 UNCH
5100 ----	----	----/520.00A	361.00B/520.00A	----	406.00 - 25.70	.9961	----	----	----	----	1 UNCH
5100 ----	----	6.40B/----	6.40B/2.70A	----	3.90 + 1.80	.0371	----	----	1	----	4 UNCH
5100 ----	----	----/376.70A	#430.10B/376.70A	----	409.20 - 23.90	.9627	----	----	----	----	2 UNCH
5100 ----	----	1.00B/----	1.00B/0.70A	----	0.40 UNCH	.0039	----	----	----	----	2 UNCH
5125 ----	----	5.40B/----	5.40B/2.50A	----	3.30 + 1.40	.0313	----	----	----	----	3 UNCH
5125 ----	----	0.70B/----	0.70B/*0.60A	----	0.30 UNCH	.0028	----	----	----	----	2 UNCH
5150 3.30	3.30	4.50B/3.30	4.50B/2.30A	----	2.90 + 1.20	.0271	----	----	5	----	5 + 2
5150 ----	----	0.60B/----	0.60B/*0.50A	----	0.30 + 0.10	.0026	----	----	----	----	1 UNCH
5200 ----	----	0.30B/----	0.30B/0.50A	----	0.20 UNCH	.0016	----	----	----	----	90 UNCH
5200 ----	----	----/473.80A	#528.40B/473.80A	----	507.60 - 24.90	.9789	----	----	----	----	1 UNCH
5200 ----	----	3.20B/----	3.20B/2.20A	----	2.30 + 0.80	.0209	----	----	2	----	4 + 1
5225 ----	----	0.30B/----	0.30B/*0.50A	----	0.10 UNCH	.0008	----	----	----	----	1 UNCH
5250 ----	----	0.20B/----	0.20B/*0.50A	----	0.10 UNCH	.0004	----	----	----	----	5 UNCH
5275 ----	----	0.20B/----	0.20B/*0.50A	----	0.10 UNCH	.0002	----	----	----	----	3 UNCH
5300 ----	----	1.80B/----	1.80B/1.80A	----	1.50 + 0.30	.0129	----	----	1	----	1 UNCH
5500 ----	----	0.70B/----	0.70B/1.20A	----	0.50 UNCH	.0040	----	----	----	----	1 UNCH
TOTAL									1357		2642 + 701
JUN26											
3500 ----	----	----	0.30B/2.90A	----	1.60 - 0.50	.0068	----	----	----	----	40 UNCH
3750 ----	----	----/*3.10A	1.90B/*3.10A	----	2.10 - 1.30	.0106	----	----	----	----	4 UNCH
3800 ----	----	----/*3.40A	2.20B/*3.40A	----	2.30 - 1.50	.0119	----	----	----	----	1 UNCH
3900 ----	----	----/*3.90A	2.70B/*3.90A	----	2.70 - 2.30	.0150	----	----	----	----	2 UNCH
4000 ----	----	----/*4.70A	3.80B/*4.70A	----	3.50 - 3.30	.0206	----	----	1	----	6 + 1
4100 5.70	5.70	5.90/*5.70	6.40B/*5.70	----	4.90 - 5.00	.0301	----	----	10	----	15 + 10
4150 ----	----	----/*6.80A	8.70B/*6.80A	----	6.00 - 6.30	.0373	----	----	----	----	1 UNCH
4200 9.70	9.70	9.70/*7.60	11.40B/*7.60	----	7.60 - 7.80	.0473	----	----	15	----	16 + 10
4250 ----	----	----/*10.40A	15.20B/*10.40A	----	9.70 - 9.90	.0603	----	----	1	----	3 UNCH
4275 ----	----	----/*11.10A	17.50B/*11.10A	----	11.00 - 11.20	.0682	----	----	1	----	1 UNCH
4300 13.00	13.00	13.00/*12.20A	21.70B/*12.20A	----	12.40 - 12.70	.0767	----	----	8	----	11 + 3
4325 ----	----	----/*13.50A	24.30B/*13.50A	----	13.90 - 14.60	.0860	----	----	----	----	1 UNCH
4350 18.10	18.10	18.10/*15.50	28.00B/*15.50	----	15.60 - 16.70	.0964	----	----	6	----	6 - 4
4375 ----	----	----/*17.80A	32.30B/*17.80A	----	17.90 - 18.90	.1095	----	----	1	----	2 UNCH
4400 21.40	21.40	21.40/*19.80A	37.50B/*19.80A	----	20.70 - 21.20	.1247	----	----	6	----	8 + 5
4425 ----	----	----/*22.90A	43.10B/*22.90A	----	23.80 NEW	.1413	----	----	1	----	1 + 1
4450 ----	----	----/*25.90A	49.40B/*25.90A	----	27.40 - 27.00	.1599	----	----	----	----	1 UNCH
4475 ----	----	----/*29.60A	56.80B/*29.60A	----	31.30 - 30.50	.1799	----	----	----	----	3 UNCH
4500 ----	----	----/*33.50A	64.90B/*33.50A	----	35.80 - 34.10	.2019	----	----	----	----	4 UNCH
4500 225.00	225.00	292.40B/225.00	292.40B/184.10A	----	265.30 + 92.50	.7974	----	----	1	----	1 UNCH
4525 ----	----	----/*50.10A	85.30B/*50.10A	----	52.30 NEW	.2500	----	----	1	----	1 + 1
4525 43.80	43.80	43.80/*38.10A	74.10B/*38.10A	----	40.90 - 38.00	.2261	----	----	2	----	2 UNCH
4525 208.00	208.00	272.10B/208.00	272.10B/167.60A	----	245.40 + 88.50	.7732	----	----	1	----	1 UNCH
4550 ----	----	----/*55.90A	95.60B/*55.90A	----	58.80 NEW	.2748	----	----	1	----	1 + 1
4550 ----	----	----/*43.70A	85.00B/*43.70A	----	46.70 - 42.00	.2523	----	----	----	----	4 UNCH
4575 86.00	86.00	86.00/*49.60A	96.60B/*49.60A	----	53.30 - 46.10	.2806	----	----	1	----	1 - 1
4600 ----	----	----/*56.30A	105.30B/*56.30A	----	60.80 - 50.10	.3109	----	----	----	----	2 UNCH
4600 ----	----	215.30B/----	215.30B/114.30A	----	190.40 + 76.40	.6884	----	----	----	----	2 UNCH
4625 ----	----	197.70B/100.10A	197.70B/100.10A	----	173.70 + 72.20	.6566	----	----	----	----	3 UNCH
4625 ----	----	----/*63.70A	114.90B/*63.70A	----	69.00 - 54.40	.3427	----	----	----	----	1 UNCH
4650 125.00	125.00	181.10B/88.30A	181.10B/88.30A	----	157.90 + 67.80	.6234	----	----	1	----	2 UNCH
4650 ----	----	----/*71.50A	129.30B/*71.50A	----	78.20 - 58.70	.3759	----	----	----	----	2 UNCH
4675 165.00	165.00	#179.30B/*165.0	#179.30B/103.00A	----	156.90 NEW	.5817	----	----	1	----	1 + 1
4675 ----	----	165.10B/----	165.10B/80.40A	----	143.00 + 63.10	.5891	----	----	----	----	2 UNCH
4700 147.00	147.00	#164.60B/*147.0	#164.60B/93.10A	----	143.10 NEW	.5505	----	----	1	----	1 + 1
4700 ----	----	----/*90.30A	157.40B/*90.30A	----	99.20 - 68.20	.4453	----	----	----	----	3 UNCH
4700 ----	----	150.10B/----	150.10B/71.50A	----	129.00 + 58.30	.5540	----	----	----	----	15 UNCH
4725 ----	----	136.10B/----	136.10B/63.70A	----	116.00 + 53.40	.5184	----	----	----	----	1 UNCH
4750 131.00	131.00	#137.70B/*121.0	#137.70B/75.80A	----	118.10 NEW	.4875	----	----	3	----	3 + 3
4750 ----	----	124.00B/----	124.00B/56.10A	----	103.80 + 48.30	.4827	----	----	----	----	1 UNCH
4750 ----	----	----/*112.20A	191.10B/112.20A	----	123.90 - 78.10	.5166	----	----	----	----	1 UNCH
4775 ----	----	112.50B/----	112.50B/50.40A	----	92.70 + 43.60	.4473	----	----	----	----	1 UNCH
4800 ----	----	----/*143.20A	228.20B/143.20A	----	152.40 - 87.50	.5868	----	----	----	----	1 UNCH
4800 ----	----	101.10B/----	101.10B/44.70A	----	82.40 + 38.90	.4125	----	----	----	----	15 UNCH
4825 ----	----	90.50B/----	90.50B/39.80A	----	73.20 + 34.80	.3787	----	----	1	----	1 UNCH
4850 ----	----	80.50B/----	80.50B/35.10A	----	64.80 + 30.90	.3462	----	----	----	----	1 UNCH
4875 ----	----	71.60B/----	71.60B/31.40A	----	57.40 + 27.40	.3154	----	----	----	----	2 UNCH
4900 35.00	35.00	#77.00B/*35.00	#77.00B/35.00	----	63.10 NEW	.3109	----	----	3	----	3 + 3
4900 ----	----	63.90B/----	63.90B/27.40A	----	50.70 + 24.30	.2863	----	----	----	----	2 UNCH
4900 ----	----	----/208.70A	310.50B/208.70A	----	220.40 - 02.30	.7130	----	----	----	----	1 UNCH
4925 ----	----	57.00B/----	57.00B/24.80A	----	44.70 + 21.40	.2589	----	----	1	----	1 UNCH
4950 ----	----	50.80B/----	50.80B/21.70A	----	39.40 + 18.80	.2336	----	----	----	----	2 UNCH
4950 ----	----	#62.80B/----	#62.80B/33.50A	----	50.80 NEW	.2618	----	----	1	----	1 + 1
4975 ----	----	45.40B/----	45.40B/21.20A	----	34.80 + 16.60	.2105	----	----	----	----	1 UNCH
5000 55.10	55.10	#55.10/*53.40	#55.10/27.70A	----	40.90 NEW	.2190	----	----	13	----	13 + 13
5000 ----	----	#40.70B/----	40.70B/19.20A	----	30.60 + 14.50	.1889	----	----	----	----	5 UNCH
5025 ----	----	#36.30B/----	36.30B/17.40A	----	27.00 + 12.70	.1695	----	----	----	----	1 UNCH
5050 ----	----	#32.30B/----	32.30B/14.00A	----	23.80 + 11.10	.1518	----	----	----	----	2 UNCH
5100 ----	----	#25.40B/----	25.40B/13.20A	----	18.60 + 8.50	.1218	----	----	----	----	2 UNCH
5125 ----	----	#22.80B/----	22.80B/12.20A	----	16.50 + 7.40	.1091	----	----	----	----	2 UNCH
5150 ----	----	#20.10B/----	20.10B/11.30A	----	14.60 + 6.40	.0975	----	----	----	----	1 UNCH
5175 ----	----	#18.00B/----	18.00B/10.60A	----	13.00 + 5.50	.0875	----	----	----	----	3 UNCH
5200 ----	----	#15.90B/----	15.90B/10.00A	----	11.70 + 4.90	.0790	----	----	----	----	1 UNCH
5225 ----	----	#13.60B/----	13.60B/9.40A	----	10.50 + 4.30	.0711	----	----	----	----	1 UNCH
5275 ----	----	#11.00B/----	11.00B/8.40A	----	8.70 + 3.40	.0588	----	----	----	----	3 UNCH
5300 9.90	9.90	#9.90/9.90	9.90/8.00A	----	8.00 NEW	.0539	----	----	1	----	1 + 1
5400 ----	----	5.80B/----	5.80B/6.60A	----	5.80 + 2.00	.0385	----	----	----	----	9 UNCH
5700 ----	----	2.40B/----	2.40B/3.60A	----	2.80 + 0.50	.0171	----	----	----	----	10 UNCH
5750 ----	----	----	#2.10B/3.30A	----	2.60 + 0.40	.0156	----	----	----	----	11 UNCH
6000 ----	----	----	0.40B/2.40A	----	1.80 UNCH	.0099	----	----	----	----	11 UNCH
TOTAL									83		285 + 50

FMG OPT — MICRO GOLD WEEKLY FRI OPTION WEEK2

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26											
4450 ----	----	----	0.50B/----	----	1.10 - 6.60	.0073	----	----	----	----	3 UNCH
4700 52.00	52.00	#52.00/*36.00	#52.00/36.00	----	34.90 NEW	.4737	----	----	2	----	2 + 2
TOTAL									2		5 + 2

SILVER OPTIONS ON FUTURES

RWS THU — SILVER WEEKLY THURSDAY OPTION Week1

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26											

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week1										
MAY26												
6800	----	----	----	0.001B/*0.115A	----	0.001 -	0.048 ----	----	----	----	----	1 UNCH
6900	----	----	----/*0.271A	0.398B/*0.271A	----	0.249 -	0.398 .0701	----	----	----	----	2 UNCH
7000	----	----	----/*0.015A	0.001B/*0.015A	----	0.001 -	0.152 ----	----	----	3	----	2 - 3
7100	----	----	----/*0.102A	0.094B/*0.102A	----	0.002 -	0.270 .0000	----	----	----	----	3 UNCH
7100	----	----	----/*0.834A	1.497B/*0.834A	----	0.756 -	0.887 .1708	----	----	----	----	1 UNCH
7120	0.330	0.330	0.340B/*0.096A	0.340B/*0.096A	----	0.002	NEW .0000	----	----	10	----	10 + 10
7150	----	----	----/*0.096A	0.157B/*0.096A	----	0.004 -	0.356 .0001	----	----	----	----	2 UNCH
7200	0.038	0.038	0.038/*0.019	0.309B/*0.019	----	0.006 -	0.469 .0003	----	----	2	----	22 + 2
7200	----	----	----/*1.033A	1.906B/*1.033A	----	0.966 -	1.075 .2097	----	----	----	----	1 UNCH
7250	----	----	----/*0.110A	0.434B/*0.110A	----	0.011 -	0.608 .0009	----	----	3	----	0 - 3
7270	----	----	----/*0.113A	0.508B/*0.113A	----	0.014 -	0.673 .0014	----	----	----	----	20 UNCH
7300	0.160	0.160	0.160/*0.114A	0.662B/*0.114A	----	0.020	NEW .0025	----	----	5	----	5 + 5
7300	----	----	----/*1.723A	2.848B/*1.723A	----	1.677 -	1.351 .2840	----	----	----	----	1 UNCH
7400	0.200	0.200	0.200/*0.142A	0.767B/*0.142A	----	0.060	NEW .0151	----	----	7	----	7 + 7
7425	----	----	----/*0.172A	0.718B/*0.172A	----	0.078 -	1.345 .0226	----	----	----	----	1 UNCH
7450	----	----	----	0.639B/0.763A	----	2.903 +	2.243 .9670	----	----	3	----	0 - 3
7450	0.300	0.300	0.300/*0.192A	0.724B/*0.192A	----	0.100	NEW .0329	----	----	1	----	1 + 1
7500	----	----	0.670B/----	0.670B/0.594A	----	2.464 +	1.966 .9344	----	----	3	----	5 - 1
7500	0.150	0.150	0.200/*0.150	0.677B/*0.150	----	0.161	NEW .0655	----	----	14	----	14 + 14
7530	0.174	0.174	0.174/*0.174	0.712B/*0.174	----	0.209	NEW .0942	----	----	1	----	1 + 1
7550	1.209	1.209	1.209/1.209	1.209/0.511A	----	2.051	NEW .8816	----	----	1	----	1 + 1
7600	----	----	1.123B/----	1.123B/0.418A	----	1.673 +	1.398 .8035	----	----	----	----	1 UNCH
7600	0.460	0.460	0.460/*0.373A	0.702B/*0.373A	----	0.370	NEW .1964	----	----	9	----	9 + 9
7640	----	----	----/*0.481A	0.819B/*0.481A	----	0.496 -	2.540 .2766	----	----	----	----	7 UNCH
7650	1.978	1.978	2.616B/1.978	2.616B/1.191A	----	2.609 +	1.593 .5749	----	----	1	----	1 UNCH
7650	----	----	1.117B/----	1.117B/0.379A	----	1.335 +	1.130 .7010	----	----	----	----	1 UNCH
7660	----	----	----/*0.514A	0.917B/*0.514A	----	0.570 -	2.642 .3219	----	----	----	----	7 UNCH
7700	0.380	0.380	1.400/0.380	1.400/0.274A	----	1.042 +	0.887 .5807	----	----	10	----	21 + 4
7700	----	----	----/*0.625A	1.170B/*0.625A	----	0.739	NEW .4192	----	----	5	----	5 + 5
7750	0.905	0.905	0.905/*0.705	1.187B/*0.705	----	0.994	NEW .5455	----	----	11	----	5 + 5
7775	1.100	1.100	1.100/*0.897A	1.189B/*0.897A	----	1.140	NEW .6065	----	----	6	----	5 + 5
7800	0.572	0.572	0.885B/0.572	0.885B/0.198A	----	0.599	NEW .3357	----	----	9	----	7 + 7
7840	1.400	1.400	#1.420/*1.230	1.420/*1.230	----	1.568	NEW .7468	----	----	18	----	14 + 14
7850	----	----	1.885B/----	1.885B/0.778A	----	1.656	NEW .4221	----	----	2	----	2 + 2
7850	0.700	0.700	0.700/0.553	0.700/0.181A	----	0.443 +	0.362 .2347	----	----	6	----	8 + 5
7900	0.580	0.580	0.580/0.580	0.580/0.159A	----	0.324	NEW .1563	----	----	1	----	1 + 1
8000	----	----	----	----	----	2.866 -	3.608 .9385	----	----	----	----	2 UNCH
8000	0.200	0.200	0.250/0.110	0.250/0.110	----	0.169 +	0.114 .0615	----	----	28	----	25 + 24
8020	0.137	0.137	#0.137/*0.137	0.137/0.137	----	0.148	NEW .0502	----	----	1	----	1 + 1
8050	0.194	0.194	0.194/0.194	0.194/0.147A	----	0.121	NEW .0367	----	----	1	----	1 + 1
8100	----	----	#2.298B/----	#2.298B/1.318A	----	2.146 +	1.032 .3633	----	----	----	----	1 UNCH
8150	----	----	1.520B/----	1.520B/0.871A	----	1.524 +	0.844 .3111	----	----	----	----	1 UNCH
8175	0.140	0.140	0.140/*0.126A	0.140/0.126A	----	0.053	NEW .0095	----	----	1	----	1 + 1
8200	----	----	#1.985B/----	#1.985B/1.168A	----	1.872 +	0.910 .3260	----	----	----	----	1 UNCH
8250	----	----	#1.253B/----	1.253B/0.756A	----	1.292 +	0.723 .2712	----	----	----	----	1 UNCH
8400	0.025	0.025	0.025/*0.025	0.025/*0.025	----	0.011	NEW .0006	----	----	1	----	1 + 1
9000	0.664	0.664	#0.664/0.664	#0.664/0.487A	----	0.657	NEW .1300	----	----	4	----	4 + 4
TOTAL										167	0	233 + 120
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK2										
MAY26												
5500	----	----	----	----/0.170A	----	0.001 -	0.004 .0001	----	----	----	----	17 UNCH
6000	----	----	----	----	----	17.305 +	3.704 .9988	----	----	----	----	1 UNCH
6300	----	----	----	0.001B/0.112A	----	0.011 -	0.035 .0026	----	----	----	----	1 UNCH
6750	0.200	0.200	0.200/*0.109A	0.200/*0.109A	----	0.039	NEW .0124	----	----	1	----	1 + 1
6800	----	----	----/*0.122A	0.039B/*0.122A	----	0.047 -	0.153 .0153	----	----	----	----	9 UNCH
6900	----	----	----/*0.134A	0.129B/*0.134A	----	0.070 -	0.227 .0239	----	----	----	----	1 UNCH
7000	----	----	----/*0.158A	0.266B/*0.158A	----	0.099 -	0.351 .0354	----	----	----	----	37 UNCH
7200	----	----	#4.407B/----	#4.407B/6.294A	----	5.505 +	2.971 .9213	----	----	----	----	1 UNCH
7350	----	----	----/*1.071A	2.233B/*1.071A	----	0.969 -	1.394 .2437	----	----	----	----	1 UNCH
7400	----	----	----	1.202B/1.452A	----	3.744 +	2.349 .8267	----	----	----	----	6 UNCH
7400	----	----	----/*0.429A	1.378B/*0.429A	----	0.443 -	1.371 .1732	----	----	----	----	6 UNCH
7500	----	----	1.828B/----	1.828B/1.064A	----	2.957 +	1.977 .7506	----	----	6	----	4 + 2
7500	----	----	----/*0.602A	1.304B/*0.602A	----	0.655 -	1.743 .2493	----	----	----	----	1 UNCH
7625	----	----	----/*0.930A	1.395B/*0.930A	----	1.052 -	2.215 .3725	----	----	----	----	1 UNCH
7650	----	----	1.936B/----	1.936B/0.699A	----	1.955 +	1.415 .5999	----	----	12	----	8 + 4
7700	1.100	1.100	1.943B/1.100	1.943B/0.580A	----	1.679 +	1.243 .5436	----	----	1	----	11 UNCH
7710	----	----	#1.875B/----	#1.875B/0.589A	----	1.629	NEW .5321	----	----	7	----	6 + 6
7750	----	----	1.860B/----	1.860B/0.525A	----	1.441 +	1.086 .4867	----	----	2	----	0 - 2
7800	0.700	0.700	1.617B/0.700	1.617B/0.435A	----	1.229 +	0.940 .4312	----	----	3	----	5 UNCH
7850	1.178	1.178	1.379B/1.178	1.379B/0.414A	----	1.042	NEW .3781	----	----	2	----	2 + 2
7900	----	----	----/*2.225A	2.470B/*2.225A	----	2.576 -	3.030 .6715	----	----	----	----	4 UNCH
7900	----	----	1.130B/----	1.130B/0.343A	----	0.880 +	0.691 .3284	----	----	14	----	12 + 8
8000	0.350	0.350	0.789B/0.350	0.789B/0.262A	----	0.619 +	0.495 .2412	----	----	54	----	15 - 35
8100	----	----	0.484B/----	0.484B/0.208A	----	0.431	NEW .1722	----	----	1	----	1 + 1
8500	0.140	0.140	0.160/*0.140	0.160/0.140	----	0.098 +	0.081 .0380	----	----	59	----	28 - 22
8500	0.450	0.450	0.471B/0.450	0.471B/0.312A	----	0.500	NEW .1383	----	----	1	----	1 + 1
TOTAL										163	0	180 - 34
JUN26												
7050	----	----	----/*1.243A	1.889B/*1.243A	----	1.162 -	0.980 .2028	----	----	----	----	1 UNCH
7950	----	----	----/*4.867A	5.119B/*4.867A	----	5.027 -	2.454 .5685	----	----	----	----	1 UNCH
8000	----	----	----/*5.146A	5.225B/*5.146A	----	5.354 -	2.522 .5882	----	----	----	----	1 UNCH
8600	----	----	#1.298B/----	#1.298B/0.864A	----	1.267 +	0.590 .2234	----	----	----	----	1 UNCH
10250	----	----	0.159B/----	0.159B/0.291A	----	0.240 +	0.101 .0453	----	----	----	----	2 UNCH
TOTAL											0	6 0
SO CALL		COMEX SILVER OPTIONS										
JUN26												
4300	----	----	35.011B/----	35.011B/33.676A	----	34.307 +	3.716 .9962	----	----	4	----	20 UNCH
4850	----	----	29.534B/----	29.534B/28.176A	----	28.812 +	3.711 .9946	----	----	----	----	7 UNCH
4900	----	----	29.035B/----	29.035B/27.678A	----	28.312 +	3.710 .9944	----	----	----	----	9 UNCH
5000	----	----	28.136B/----	28.136B/26.624A	----	27.315 +	3.712 .9939	----	----	----	----	367 UNCH
5025	----	----	27.788B/----	27.788B/26.429A	----	27.065 +	3.711 .9938	----	----	----	----	6 UNCH
5050	----	----	27.556B/----	27.556B/26.278A	----	26.816 +	3.712 .9936	----	----	----	----	1 UNCH
5200	----	----	26.125B/----	26.125B/24.560A	----	25.320 +	3.713 .9924	----	----	----	----	79 UNCH
5225	----	----	25.803B/----	25.803B/24.533A	----	25.071 +	3.713 .9924	----	----	----	----	4 UNCH
5275	----	----	25.275B/----	25.275B/23.936A	----	24.573 +	3.714 .9919	----	----	----	----	7 UNCH
5300	----	----	25.064B/----	25.064B/23.786A	----	24.324 +	3.714 .9917	----	----	----	----	3 UNCH
5325	----	----	24.815B/----	24.815B/23.537A	----	24.075 +	3.714 .9914	----	----	----	----	5 UNCH
5350	----	----	24.528B/----	24.528B/23.191A	----	23.826 +	3.714 .9912	----	----	----	----	7 UNCH
5400	----	----	24.069B/----	24.069B/22.791A	----	23.328 +	3.713 .9906	----	----	----	----	2 UNCH
5425	----	----	23.777B/----	23.777B/22.446A	----	23.079 +	3.713 .9904	----	----	----	----	9 UNCH
5500	----	----	23.119B/----	23.119B/21.578A	----	22.332 +	3.711 .9894	----	----	----	----	344 UNCH
5525	----	----	22.819B/----	22.819B/21.550A	----	22.084 +	3.710 .9891	----	----	----	----	2 UNCH
5600	----	----	22.044B/----	22.044B/20.709A	----	21.338 +	3.706 .9881	----	----	----	----	7 UNCH
5625	----	----	21.796B/----	21.796B/20.462A	----	21.090 +	3.705 .9876	----	----	----	----	11 UNCH
5675	----	----	21.338B/----	21.338B/20.063A	----	20.593 +	3.700 .9868	----	----	----	----	3 UNCH
5700	----	----	21.140B/----	21.140B/19.597A	----	20.345 +	3.697 .9863	----	----	----	----	56 UNCH
5725	----	----	20.805B/----	20.805B/19.473A	----	20.097 +	3.694 .9858	----	----	----	----	10 UNCH
5750	----	----	20.558B/----	20.558B/19.226A	----	19.849 +	3.691 .9853	----	----	----	----	13 UNCH
5775	----	----	20.348B/----	20.348B/19.075A	----	19.602 +	3.687 .9848	----	----	----	----	1 UNCH
5800	----	----	20.101B/----	20.101B/18.828A	----	19.354 +	3.682 .9841	----	----	----	----	2 UNCH
5825	----	----	19.854B/----	19.854B/18.582A	----	19.107 +	3.677 .9836	----	----	----	----	1 UNCH
5850	----	----	19.570B/----	19.570B/18.240A	----	18.860 +	3.671 .9829	----	----	----	----	9 UNCH
5900	----	----	19.113B/----	19.113B/17.844A	----	18.366 +	3.659 .9814	----	----	----	----	4 UNCH
5925	----	----	18.830B/----	18.830B/17.503A	----	18.119 +	3.652 .9807	----	----	----	----	17 UNCH
6000	----	----	18.180B/----	18.180B/16.755A	----	17.381 +	3.636 .9778	----	----	----	----	401 UNCH
6025	----	----	17.846B/----	17.846B/16.525A	----	17.136 +	3.631 .9769	----	----	----	----	7 UNCH
6050	----	----	17.606B/----	17.606B/16.376A	----	16.890 +	3.626 .9757	----	----	----	----	4 UNCH
6075	----	----	17.433B/----	17.433B/16.060A	----	16.645 +	3.622 .9746	----	----	----	----	30 UNCH
6100	----	----	17.111B/----	17.111B/15.795A	----	16.400 +	3.617 .9735	----	----	----	----	16 UNCH
6200	----	----	16.257B/----	16.257B/13.390A	----	15.422 +	3.595 .9683	----	----	----	----	101 UNCH
6225	----	----	15.896B/----	15.896B/14.681A	----	15.178 +	3.586 .9668	----	----	----	----	1 UNCH
6250	----	----	15.653B/----	15.653B/14.441A	----	14.935 +	3.577 .9653	----	----	----	----	4 UNCH
6300	----	----	15.167B/----	15.167B/12.139A	----	14.449 +	3.553 .9620	----	----	----	----	4 UNCH
6400	----	----	14.320B/----	14.320B/12.801A	----	13.487 +	3.505 .9534	----	----	----	----	110 UNCH
6425	----	----	14.046B/----	14.046B/12.705A	----	13.248 +	3.491 .9509	----	----	----	----	25 UNCH
6450	----	----	13.723B/----	13.723B/12.541A	----	13.010 +	3.477 .9483	----	----	----	----	5 UNCH
6475	----	----	13.521B/----	13.521B/12.216A	----	12.773 +	3.462 .9454	----	----	----	----	7 UNCH
6500	----	----	13.284B/----	13.284B/11.792A	----	12.537 +	3.446 .9423	----	----	----	----	13 UNCH
6625	----	----	12.104B/----	12.104B/10.833A	----	11.371 +	3.351 .9247	----	----	----	----	10 UNCH
6700	----	----	11.384B/----	11.384B/10.248A	----	10.683 +	3.286 .9120	----	----	----	----	1 UNCH
6725	----	----	11.155B/----	11.155B/10.026A	----	10.456 +	3.262 .9073	----	----	----	----	1 UNCH
6750	----	----	10.927B/----	10.927B/9.806A	----	10.231 +	3.237 .9022	----	----	----	----	3 UNCH
6800	----	----	10.487B/----	10.487B/9.282A	----	9.786 +	3.182 .8915	----	----	----	----	9 UNCH
6850	----	----	10.028B/----	10.028B/8.939A	----	9.348 +	3.122 .8798	----	----	----	----	5 UNCH
6900	9.050	9.050	9.637B/9.037	9.637B/8.432A	----	8.917 +	3.056 .8668	----	----	2	----	15 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS											
JUN26													
6925	----	----	9.392B/----	9.392B/8.224A	----	8.705	+ 3.022	.8600	----	----	----	----	9 UNCH
6975	----	----	8.959B/----	8.959B/7.816A	----	8.287	+ 2.950	.8455	----	----	----	----	7 UNCH
7000	8.810	8.810	8.811B/7.508A	8.811B/7.508A	----	8.080	+ 2.911	.8379	----	----	4	----	127 UNCH
7025	----	----	8.515B/----	8.515B/7.499A	----	7.877	+ 2.873	.8300	----	----	----	----	1 UNCH
7050	----	----	8.325B/----	8.325B/7.303A	----	7.675	+ 2.832	.8218	----	----	----	----	2 UNCH
7075	----	----	8.103B/----	8.103B/7.110A	----	7.476	+ 2.792	.8132	----	----	----	----	4 UNCH
7100	7.366	7.366	7.985B/7.366	7.985B/6.791A	----	7.279	+ 2.750	.8045	----	----	1	----	94 - 1
7150	----	----	7.500B/4.222A	7.500B/4.222A	----	6.893	+ 2.664	.7863	----	----	----	----	1 UNCH
7200	----	----	7.165B/3.790A	7.165B/3.790A	----	6.518	+ 2.576	.7671	----	----	----	----	6 UNCH
7225	----	----	6.921B/3.576A	6.921B/3.576A	----	6.335	+ 2.532	.7571	----	----	----	----	4 UNCH
7250	----	----	6.792B/3.443A	6.792B/3.443A	----	6.154	+ 2.486	.7469	----	----	----	----	30 UNCH
7275	----	----	6.549B/3.320A	6.549B/3.320A	----	5.977	+ 2.441	.7364	----	----	----	----	2 UNCH
7300	3.700	3.700	6.402B/3.191A	6.402B/3.191A	----	5.802	+ 2.394	.7257	----	----	3	----	23 UNCH
7325	----	----	6.188B/3.078A	6.188B/3.078A	----	5.630	+ 2.347	.7148	----	----	----	----	1 UNCH
7350	----	----	6.041B/2.955A	6.041B/2.955A	----	5.462	+ 2.300	.7038	----	----	----	----	23 UNCH
7375	----	----	5.870B/2.844A	5.870B/2.844A	----	5.296	+ 2.252	.6925	----	----	----	----	6 UNCH
7400	----	----	5.703B/2.731A	5.703B/2.731A	----	5.134	+ 2.205	.6811	----	----	1	----	47 UNCH
7425	----	----	5.581B/2.644A	5.581B/2.644A	----	4.974	+ 2.156	.6695	----	----	----	----	31 UNCH
7450	----	----	5.381B/2.520A	5.381B/2.520A	----	4.819	+ 2.109	.6578	----	----	----	----	15 UNCH
7475	----	----	5.194B/2.420A	5.194B/2.420A	----	4.666	+ 2.061	.6459	----	----	----	----	3 UNCH
7500	3.420	3.420	5.127B/2.321A	5.127B/2.321A	----	4.517	+ 2.014	.6340	----	----	2	----	266 + 1
7525	3.099	3.099	4.904B/2.230A	4.904B/2.230A	----	4.370	+ 1.965	.6219	----	----	3	----	12 - 1
7550	3.005	3.005	4.765B/2.157A	4.765B/2.157A	----	4.228	+ 1.918	.6097	----	----	2	----	35 - 1
7575	2.948	2.948	4.576B/2.051A	4.576B/2.051A	----	4.088	+ 1.870	.5975	----	----	2	----	4 + 2
7600	2.572	2.572	4.502B/1.970A	4.502B/1.970A	----	3.952	+ 1.823	.5852	----	----	20	----	81 + 5
7625	2.746	2.746	4.292B/1.887A	4.292B/1.887A	----	3.819	NEW	.5728	----	----	4	----	4 + 4
7650	2.625	2.625	4.198B/1.815A	4.198B/1.815A	----	3.690	+ 1.729	.5605	----	----	6	----	6 - 1
7675	2.950	2.950	4.072B/1.720A	4.072B/1.720A	----	3.564	+ 1.683	.5481	----	----	3	----	9 UNCH
7700	2.777	2.777	3.968B/1.655A	3.968B/1.655A	----	3.441	+ 1.637	.5357	----	----	14	----	126 - 10
7725	----	----	3.820B/1.580A	3.820B/1.580A	----	3.322	+ 1.592	.5234	----	----	----	----	9 UNCH
7750	2.603	2.603	3.744B/1.528A	3.744B/1.528A	----	3.206	+ 1.547	.5110	----	----	14	----	80 + 10
7775	----	----	3.634B/1.452A	3.634B/1.452A	----	3.093	+ 1.503	.4988	----	----	----	----	4 UNCH
7800	2.344	2.344	3.525B/1.393A	3.525B/1.393A	----	2.983	+ 1.459	.4866	----	----	18	----	205 - 14
7825	----	----	3.395B/1.338A	3.395B/1.338A	----	2.877	+ 1.416	.4745	----	----	8	----	10 + 1
7850	3.090	3.090	3.280B/1.281A	3.280B/1.281A	----	2.774	+ 1.374	.4625	----	----	2	----	4 + 2
7875	----	----	3.169B/1.229A	3.169B/1.229A	----	2.673	+ 1.331	.4505	----	----	----	----	2 UNCH
7900	1.703	1.703	3.071B/1.179A	3.071B/1.179A	----	2.576	+ 1.290	.4387	----	----	27	----	109 + 5
7925	2.687	2.687	2.957B/1.131A	2.957B/1.131A	----	2.482	+ 1.250	.4271	----	----	2	----	12 - 2
7950	2.589	2.589	2.862B/1.087A	2.862B/1.087A	----	2.391	+ 1.211	.4155	----	----	10	----	24 - 5
7975	2.494	2.494	2.762B/1.051A	2.762B/1.051A	----	2.303	+ 1.172	.4042	----	----	23	----	18 - 10
8000	0.950	0.950	2.690/*0.950	2.690/*0.950	----	2.218	+ 1.134	.3929	----	----	81	----	717 - 7
8025	----	----	2.563B/0.961A	2.563B/0.961A	----	2.136	+ 1.097	.3819	----	----	----	----	7 UNCH
8050	----	----	2.479B/0.923A	2.479B/0.923A	----	2.057	+ 1.061	.3711	----	----	----	----	29 UNCH
8075	----	----	2.385B/0.892A	2.385B/0.892A	----	1.980	+ 1.026	.3604	----	----	----	----	2 UNCH
8100	1.000	1.000	2.305B/0.853A	2.305B/0.853A	----	1.906	+ 0.991	.3499	----	----	30	----	81 + 20
8125	----	----	2.211B/0.824A	2.211B/0.824A	----	1.834	+ 0.957	.3396	----	----	----	----	4 UNCH
8150	1.980	1.980	2.142B/0.788A	2.142B/0.788A	----	1.765	+ 0.924	.3295	----	----	1	----	56 - 1
8175	----	----	2.057B/0.758A	2.057B/0.758A	----	1.699	+ 0.892	.3196	----	----	----	----	3 UNCH
8200	1.238	1.238	2.000/0.729A	2.000/0.729A	----	1.635	+ 0.861	.3099	----	----	19	----	198 + 5
8225	----	----	1.917B/0.702A	1.917B/0.702A	----	1.573	+ 0.830	.3005	----	----	----	----	60 UNCH
8250	1.800	1.800	1.846B/0.683A	1.846B/0.683A	----	1.513	+ 0.799	.2912	----	----	2	----	36 UNCH
8275	----	----	1.777B/0.650A	1.777B/0.650A	----	1.456	+ 0.771	.2822	----	----	----	----	35 UNCH
8300	1.523	1.523	1.715B/0.630A	1.715B/0.630A	----	1.401	+ 0.743	.2734	----	----	23	----	121 + 14
8325	----	----	1.646B/0.623A	1.646B/0.623A	----	1.348	+ 0.715	.2648	----	----	----	----	8 UNCH
8350	1.250	1.250	1.591B/0.585A	1.591B/0.585A	----	1.297	+ 0.689	.2564	----	----	1	----	36 UNCH
8375	----	----	1.528B/0.561A	1.528B/0.561A	----	1.248	+ 0.663	.2483	----	----	----	----	8 UNCH
8400	1.360	1.360	1.481B/0.541A	1.481B/0.541A	----	1.201	+ 0.638	.2403	----	----	132	----	361 - 2
8425	----	----	1.427B/0.522A	1.427B/0.522A	----	1.156	+ 0.614	.2326	----	----	----	----	58 UNCH
8450	1.265	1.265	1.366B/0.503A	1.366B/0.503A	----	1.112	+ 0.590	.2251	----	----	1	75	96 + 75
8475	----	----	1.316B/0.486A	1.316B/0.486A	----	1.071	+ 0.568	.2179	----	----	----	----	6 UNCH
8500	0.755	0.755	1.276B/0.469A	1.276B/0.469A	----	1.031	+ 0.547	.2108	----	----	73	----	649 UNCH
8525	----	----	1.222B/0.453A	1.222B/0.453A	----	0.992	+ 0.525	.2039	----	----	----	----	18 UNCH
8550	----	----	1.178B/0.437A	1.178B/0.437A	----	0.955	+ 0.504	.1973	----	----	----	----	21 UNCH
8575	----	----	1.126B/0.424A	1.126B/0.424A	----	0.920	+ 0.485	.1909	----	----	----	----	7 UNCH
8600	0.635	0.635	1.100B/0.410A	1.100B/0.410A	----	0.886	+ 0.466	.1846	----	----	38	----	126 + 2
8625	----	----	1.056B/0.396A	1.056B/0.396A	----	0.853	+ 0.447	.1786	----	----	----	----	17 UNCH
8650	----	----	1.017B/0.384A	1.017B/0.384A	----	0.822	+ 0.429	.1727	----	----	1	----	18 UNCH
8675	0.958	0.958	0.987B/0.371A	0.987B/0.371A	----	0.792	+ 0.412	.1671	----	----	3	----	59 + 1
8700	0.420	0.420	0.952B/0.360A	0.952B/0.360A	----	0.763	+ 0.396	.1616	----	----	44	----	107 + 26
8725	----	----	0.907B/0.349A	0.907B/0.349A	----	0.736	+ 0.380	.1564	----	----	----	----	11 UNCH
8750	0.414	0.414	0.877B/0.338A	0.877B/0.338A	----	0.710	+ 0.365	.1513	----	----	4	----	40 + 3
8775	----	----	0.845B/0.327A	0.845B/0.327A	----	0.684	+ 0.350	.1463	----	----	----	----	16 UNCH
8800	0.380	0.380	0.820B/0.318A	0.820B/0.318A	----	0.660	+ 0.336	.1416	----	----	3	----	96 UNCH
8825	----	----	0.781B/0.308A	0.781B/0.308A	----	0.637	+ 0.323	.1370	----	----	----	----	12 UNCH
8850	----	----	0.758B/0.302A	0.758B/0.302A	----	0.615	+ 0.311	.1326	----	----	----	----	49 UNCH
8875	----	----	0.728B/----	0.728B/0.346A	----	0.593	+ 0.298	.1282	----	----	----	----	29 UNCH
8900	----	----	0.706B/----	0.706B/0.335A	----	0.573	+ 0.286	.1242	----	----	----	----	106 UNCH
8925	----	----	0.685B/----	0.685B/0.327A	----	0.554	+ 0.276	.1203	----	----	----	----	6 UNCH
8950	----	----	0.655B/----	0.655B/0.316A	----	0.535	+ 0.264	.1164	----	----	----	----	76 UNCH
8975	----	----	0.640B/----	0.640B/0.310A	----	0.517	+ 0.254	.1127	----	----	----	----	41 UNCH
9000	0.225	0.225	0.621B/0.225	0.621B/0.225	----	0.500	+ 0.244	.1091	----	----	81	----	640 + 11
9025	----	----	0.597B/----	0.597B/0.302A	----	0.484	+ 0.236	.1058	----	----	2	----	13 - 2
9050	0.531	0.531	0.580B/0.523	0.580B/0.319A	----	0.468	+ 0.226	.1024	----	----	10	----	21 + 7
9075	----	----	0.559B/----	0.559B/0.310A	----	0.453	+ 0.218	.0993	----	----	----	----	10 UNCH
9100	0.290	0.290	0.542B/0.290	0.542B/0.290	----	0.439	+ 0.210	.0963	----	----	35	----	338 - 1
9125	----	----	0.524B/----	0.524B/0.307A	----	0.425	+ 0.202	.0933	----	----	----	----	5 UNCH
9150	0.504	0.504	0.507B/0.465	0.507B/0.307A	----	0.412	+ 0.195	.0905	----	----	9	----	117 + 9
9175	0.427	0.427	0.488B/0.427	0.488B/0.300A	----	0.399	+ 0.188	.0877	----	----	5	----	6 + 5
9200	0.360	0.360	0.473B/0.360	0.473B/0.282A	----	0.387	+ 0.181	.0851	----	----	6	----	115 - 2
9225	----	----	0.458B/----	0.458B/0.288A	----	0.375	+ 0.175	.0826	----	----	1	----	14 UNCH
9250	----	----	0.442B/----	0.442B/0.283A	----	0.364	+ 0.169	.0802	----	----	----	----	9 UNCH
9275	0.425	0.425	0.429B/0.425	0.429B/0.278A	----	0.353	+ 0.163	.0778	----	----	1	----	8 + 1
9300	0.220	0.220	0.425/0.220	0.425/0.220	----	0.343	+ 0.157	.0756	----	----	23	----	61 + 16
9325	0.399	0.399	0.404B/0.399	0.404B/0.267A	----	0.333	+ 0.152	.0734	----	----	1	----	4 UNCH
9350	0.386	0.386	0.391B/0.386	0.391B/0.210A	----	0.324	+ 0.147	.0713	----	----	1	----	24 UNCH
9375	0.375	0.375	0.379B/0.375	0.379B/0.260A	----	0.314	+ 0.142	.0692	----	----	5	----	25 + 5
9400	0.301	0.301	0.369B/0.301	0.369B/0.248A	----	0.306	+ 0.138	.0673	----	----	2	----	74 UNCH
9425	----	----	0.351B/----	0.351B/0.252A	----	0.297	+ 0.133	.0654	----	----	----	----	32 UNCH
9450	----	----	0.346B/----	0.346B/0.248A	----	0.289	+ 0.128	.0636	----	----	----	----	4 UNCH
9475	----	----	0.330B/----	0.330B/0.245A	----	0.281	+ 0.124	.0618	----	----	----	----	17 UNCH
9500	0.289	0.289	0.321B/0.289	0.321B/0.236A	----	0.273	+ 0.120	.0600	----	----	1	----	1878 UNCH
9525	----	----	0.310B/----	0.310B/0.239A	----	0.266	+ 0.116	.0585	----	----	----	----	2 UNCH
9550	----	----	0.306B/----	0.306B/0.235A	----	0.259	+ 0.113	.0569	----	----	----	----	4 UNCH
9575	----	----	0.296B/----	0.296B/0.232A	----	0.252	+ 0.109	.0553	----	----	----	----	1 UNCH
9600	0.138	0.138	0.286B/0.132A	0.286B/0.132A	----	0.246	+ 0.106	.0539	----	----	26	----	50 + 25
9625	----	----	0.278B/----	0.278B/0.228A	----	0.239	+ 0.102	.0524	----	----	----	----	9 UNCH
9650	----	----	0.270B/----	0.270B/0.225A	----	0.233	+ 0.099	.0510	----	----	----	----	1 UNCH
9675	----	----	0.260B/----	0.260B/0.223A	----	0.227	+ 0.096	.0497	----	----	----	----	6 UNCH
9700	----	----	0.252B/----	0.252B/0.218A	----	0.221	+ 0.093	.0483	----	----	----	----	39 UNCH
9725	----	----	0.243B/----	0.243B/0.219A	----	0.216	+ 0.090	.0472	----	----	----	----	1 UNCH
9750	----	----	0.236B/----	0.236B/0.217A	----	0.210	+ 0.087	.0459	----	----	----	----	29 UNCH
9775	----	----	0.223B/----	0.223B/0.214A	----	0.205	+ 0.085	.0447	----	----	----	----	1 UNCH
9800	----	----	0.222B/----	0.222B/0.212A	----	0.200	+ 0.082	.0436	----	----	----	----	24 UNCH
9825	----	----	0.217B/----	0.217B/0.207A	----	0.195	+ 0.079	.0425	----	----	----	----	1 UNCH
9850	----	----	0.205B/----	0.205B/0.206A	----	0.190	+ 0.077	.0413	----	----	----	----	3 UNCH
9875	----	----	0.203B/----	0.203B/0.200A	----	0.185	+ 0.074	.0402	----	----	----	----	11 UNCH
9900	----	----	0.199B/----	0.199B/0.191A	----	0.181	+ 0.072	.0393	----	----	1	----	27 + 1
9925	----	----	0.183B/----	0.183B/0.186A	----	0.176	+ 0.069	.0382	----	----	----	----	2 UNCH
9950	----	----	0.173B/----	0.173B/0.188A	----	0.172	+ 0.067	.0373	----	----	----	----	2 UNCH
9975	----	----	0.170B/----	0.170B/0.184A	----	0.168	+ 0.065	.0364	----	----	----	----	4 UNCH
10000	0.150	0.150	0.172B/0.150	0.172B/0.150	----	0.164	+ 0.063	.0355	----	----	85	----	2666 - 1
10025	----	----	0.166B/----	0.166B/0.178A	----	0.160	+ 0.061	.0346	----	----	----	----	4 UNCH
10050	----	----	0.161B/----	0.161B/0.178A	----	0.156	+ 0.059	.0337	----	----	----	----	9 UNCH
10075	----	----	0.151B/----	0.151B/0.166A	----	0.152	+ 0.057	.0328	----	----	----	----	9 UNCH
10100	----	----	0.148B/----	0.148B/0.169A	----	0.148	+ 0.055	.0319	----	----	1	----	24 UNCH
10125	----	----	0.144B/----	0.144B/0.165A	----	0.144	+ 0.052	.0311	----	----	----	----	1 UNCH
10150	----	----	0.141B/----	0.141B/0.163A	----	0.141	+ 0.051	.0304	----	----	----	----	2 UNCH
10175	----	----	0.137B/----	0.137B/0.162A	----	0.137	+ 0.048	.0295	----	----	----	----	1 UNCH
10200	----	----	0.130B/----	0.130B/0.157A	----	0.134	+ 0.047	.0288	----	----	----	----	14 UNCH
10225	----	----	0.123B/----	0.123B/0.155A	----	0.131	+ 0.045	.0281	----	----	----	----	1 UNCH
10275	----	----	0.125B/----	0.125B/0.151A	----	0.125	+ 0.042	.0268	----	----	----	----	1 UNCH
10300	----	----	0.107B/----	0.107B/0.148A	----	0.123	+ 0.041	.0263	----	----	----	----	12 UNCH
10375	----	----	0.095B/----	0.095B/0.140A	----	0.117	+ 0.039	.0248	----	----	1	----	1 - 1
10400	----	----	0.093B/----	0.093B/0.138A	----	0.115	+ 0.038	.0244	----	----	----	----	26 UNCH
10425	----	----	0.090B/----	0.090B/0.134A	----	0.114	+ 0.038	.0241	----	----	----	----	1 UNCH
10450	----	----	0.088B/----	0.088B/0.132A	----	0.113	+ 0.038	.0237	----	----	----	----	3 UNCH
10475	----	----	0.100B/----	0.100B/0.130A	----	0.112	+ 0.038	.0234	----	----	----	----	2 UNCH
10500	0.100	0.100	0.100/0.100	0.100/0.100	----	0.111	+ 0.037	.0231	----	----	4	----	319 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS												
JUN26														
10525	----	----	0.083B/----	0.083B/0.126A	----	0.111	+	0.038 .0230	----	----	----	----	12	UNCH
10550	----	----	0.095B/----	0.095B/0.121A	----	0.111	+	0.039 .0229	----	----	----	----	1	UNCH
10575	----	----	0.073B/----	0.073B/0.150A	----	0.111	+	0.039 .0228	----	----	----	----	4	UNCH
10600	----	----	----	0.071B/0.110A	----	0.111	+	0.040 .0226	----	----	1	----	34	- 1
10625	----	----	----	0.069B/0.146A	----	0.111	+	0.041 .0225	----	----	----	----	1	UNCH
10650	----	----	----	0.070B/0.144A	----	0.110	+	0.040 .0222	----	----	----	----	2	UNCH
10675	----	----	----	0.065B/0.109A	----	0.110	+	0.041 .0221	----	----	----	----	15	UNCH
10700	----	----	----	0.060B/0.111A	----	0.110	+	0.041 .0220	----	----	----	----	80	UNCH
10750	----	----	----	0.059B/0.108A	----	0.108	+	0.041 .0215	----	----	----	----	5	UNCH
10800	----	----	----	0.055B/0.135A	----	0.107	+	0.041 .0211	----	----	----	----	3	UNCH
10825	----	----	----	0.053B/0.133A	----	0.106	+	0.040 .0208	----	----	----	----	1	UNCH
10850	----	----	----	0.052B/0.132A	----	0.105	+	0.040 .0206	----	----	----	----	12	UNCH
10875	----	----	----	0.047B/0.131A	----	0.104	+	0.040 .0203	----	----	----	----	6	UNCH
10900	----	----	----	0.046B/0.129A	----	0.103	+	0.039 .0200	----	----	----	----	22	UNCH
10925	----	----	----	0.044B/0.128A	----	0.102	+	0.039 .0198	----	----	----	----	2	UNCH
10950	----	----	----	0.043B/0.126A	----	0.101	+	0.039 .0195	----	----	----	----	4	UNCH
11000	0.085	0.085	0.085/0.070	0.085/0.070	----	0.099	+	0.038 .0190	----	----	12	----	425	+ 6
11025	----	----	----	0.038B/0.122A	----	0.098	+	0.037 .0188	----	----	----	----	1	UNCH
11050	----	----	----	0.037B/0.121A	----	0.096	+	0.036 .0184	----	----	----	----	4	UNCH
11075	----	----	----	0.036B/0.118A	----	0.095	+	0.036 .0182	----	----	----	----	5	UNCH
11100	----	----	----	0.035B/0.118A	----	0.094	+	0.035 .0179	----	----	----	----	3	UNCH
11125	----	----	----	0.033B/0.117A	----	0.093	+	0.035 .0177	----	----	----	----	5	UNCH
11175	----	----	----	0.033B/0.115A	----	0.090	+	0.033 .0171	----	----	----	----	3	UNCH
11200	----	----	----	0.032B/0.113A	----	0.089	+	0.032 .0168	----	----	----	----	8	UNCH
11225	----	----	----	0.031B/0.112A	----	0.087	+	0.031 .0165	----	----	----	----	3	UNCH
11250	0.088	0.088	0.088/*0.088	0.088/0.088	----	0.086		NEW .0162	----	----	1	----	1	+ 1
11300	----	----	----	0.027B/0.109A	----	0.084	+	0.030 .0158	----	----	----	----	2	UNCH
11325	----	----	----	0.026B/0.108A	----	0.082	+	0.028 .0154	----	----	----	----	6	UNCH
11350	----	----	----	0.031B/0.107A	----	0.081	+	0.028 .0152	----	----	----	----	3	UNCH
11375	----	----	----	0.024B/0.106A	----	0.080	+	0.027 .0150	----	----	----	----	2	UNCH
11400	----	----	----	0.023B/0.107A	----	0.078	+	0.026 .0146	----	----	----	----	163	UNCH
11425	----	----	----	0.029B/0.107A	----	0.077	+	0.025 .0144	----	----	----	----	12	UNCH
11450	----	----	----	0.027B/0.104A	----	0.076	+	0.025 .0142	----	----	----	----	13	UNCH
11475	----	----	----	0.028B/0.105A	----	0.075	+	0.024 .0140	----	----	----	----	8	UNCH
11500	----	----	----	0.051B/0.102A	----	0.074	+	0.023 .0138	----	----	----	----	262	UNCH
11525	----	----	----	0.019B/0.103A	----	0.073	+	0.023 .0135	----	----	----	----	8	UNCH
11550	----	----	----	0.018B/0.100A	----	0.072	+	0.022 .0133	----	----	----	----	1	UNCH
11575	----	----	----	0.023B/0.101A	----	0.071	+	0.022 .0131	----	----	----	----	4	UNCH
11600	----	----	----	0.024B/0.101A	----	0.070	+	0.021 .0129	----	----	----	----	1	UNCH
11625	----	----	----	0.015B/0.097A	----	0.069	+	0.021 .0127	----	----	----	----	21	UNCH
11675	----	----	----	0.014B/0.095A	----	0.068	+	0.021 .0125	----	----	----	----	2	UNCH
11700	----	----	----	0.013B/0.085A	----	0.067	+	0.021 .0123	----	----	----	----	8	UNCH
11725	----	----	----	0.012B/0.092A	----	0.066	+	0.020 .0121	----	----	----	----	2	UNCH
11750	----	----	----	0.012B/0.092A	----	0.065	+	0.020 .0119	----	----	----	----	15	UNCH
11775	----	----	----	0.011B/*0.071A	----	0.064	+	0.019 .0117	----	----	----	----	2	UNCH
11800	----	----	----	0.010B/0.089A	----	0.063	+	0.019 .0115	----	----	----	----	6	UNCH
11825	----	----	----	0.011B/0.088A	----	0.063	+	0.019 .0114	----	----	----	----	9	UNCH
11850	----	----	----	0.011B/0.087A	----	0.062	+	0.019 .0112	----	----	----	----	5	UNCH
11875	----	----	----	0.011B/0.086A	----	0.061	+	0.018 .0111	----	----	----	----	1	UNCH
11900	----	----	----	0.011B/0.087A	----	0.060	+	0.018 .0109	----	----	----	----	1	UNCH
11925	----	----	----	0.011B/0.089A	----	0.059	+	0.017 .0107	----	----	----	----	8	UNCH
11950	----	----	----	0.011B/0.078A	----	0.058	+	0.017 .0105	----	----	----	----	6	UNCH
11975	----	----	----	0.011B/0.087A	----	0.058	+	0.017 .0104	----	----	----	----	1	UNCH
12000	0.050	0.050	0.050/0.050	0.050/0.050	----	0.057	+	0.017 .0103	----	----	1	----	369	UNCH
12025	----	----	----	0.011B/0.086A	----	0.056	+	0.016 .0101	----	----	----	----	11	UNCH
12050	----	----	----	0.011B/0.082A	----	0.055	+	0.016 .0099	----	----	----	----	1	UNCH
12075	----	----	----	0.011B/0.079A	----	0.054	+	0.015 .0097	----	----	----	----	1	UNCH
12125	----	----	----	0.011B/0.083A	----	0.053	+	0.015 .0095	----	----	----	----	1	UNCH
12200	----	----	----	0.008B/0.078A	----	0.051	+	0.015 .0091	----	----	----	----	13	UNCH
12225	----	----	----	0.011B/*0.074A	----	0.050	+	0.014 .0089	----	----	----	----	7	UNCH
12275	----	----	----	0.008B/0.079A	----	0.048	+	0.013 .0085	----	----	----	----	1	UNCH
12325	----	----	----	0.010B/0.078A	----	0.047	+	0.013 .0083	----	----	----	----	4	UNCH
12350	----	----	----	0.008B/0.077A	----	0.046	+	0.013 .0082	----	----	----	----	5	UNCH
12400	----	----	----	0.010B/0.075A	----	0.045	+	0.012 .0079	----	----	----	----	23	UNCH
12425	----	----	----	0.010B/0.074A	----	0.044	+	0.012 .0078	----	----	----	----	1	UNCH
12450	----	----	----	0.012B/0.075A	----	0.044	+	0.012 .0077	----	----	----	----	9	UNCH
12475	----	----	----	0.008B/0.074A	----	0.043	+	0.012 .0076	----	----	----	----	1	UNCH
12500	----	----	----	0.008B/0.074A	----	0.043	+	0.012 .0075	----	----	----	----	108	UNCH
12525	----	----	----	0.007B/0.074A	----	0.042	+	0.011 .0074	----	----	----	----	37	UNCH
12550	----	----	----	0.010B/0.074A	----	0.041	+	0.011 .0072	----	----	----	----	6	UNCH
12575	----	----	----	0.006B/0.074A	----	0.041	+	0.011 .0072	----	----	----	----	2	UNCH
12600	----	----	----	0.005B/0.075A	----	0.041	+	0.011 .0072	----	----	----	----	9	UNCH
12650	----	----	----	0.007B/0.073A	----	0.040	+	0.011 .0070	----	----	----	----	2	UNCH
12675	----	----	----	0.006B/0.074A	----	0.040	+	0.011 .0069	----	----	----	----	2	UNCH
12700	----	----	----	0.007B/0.072A	----	0.039	+	0.010 .0068	----	----	----	----	11	UNCH
12725	----	----	----	0.004B/0.073A	----	0.039	+	0.010 .0067	----	----	----	----	2	UNCH
12750	----	----	----	0.004B/0.073A	----	0.039	+	0.011 .0067	----	----	----	----	2	UNCH
12775	----	----	----	0.006B/0.073A	----	0.038	+	0.010 .0066	----	----	----	----	7	UNCH
12800	----	----	----	0.004B/0.072A	----	0.038	+	0.010 .0065	----	----	----	----	34	UNCH
12900	----	----	----	0.002B/0.070A	----	0.036	+	0.009 .0062	----	----	----	----	6	UNCH
13000	----	----	0.037B/----	0.037B/0.072A	----	0.035	+	0.009 .0059	----	----	----	----	521	UNCH
13100	----	----	----	0.001B/0.067A	----	0.033	+	0.008 .0056	----	----	----	----	4	UNCH
13200	----	----	----	0.001B/0.069A	----	0.032	+	0.008 .0054	----	----	----	----	3	UNCH
13300	----	----	----	0.001B/0.064A	----	0.031	+	0.008 .0052	----	----	----	----	3	UNCH
13400	----	----	----	0.001B/0.063A	----	0.030	+	0.007 .0050	----	----	----	----	5	UNCH
13500	----	----	----	0.001B/0.062A	----	0.028	+	0.006 .0046	----	----	----	----	26	UNCH
13600	----	----	----	0.001B/0.061A	----	0.027	+	0.006 .0044	----	----	----	----	7	UNCH
13700	----	----	----	0.001B/0.060A	----	0.026	+	0.006 .0043	----	----	----	----	5	UNCH
13800	----	----	----	0.001B/0.059A	----	0.026	+	0.006 .0042	----	----	----	----	1	UNCH
13900	----	----	----	0.001B/0.058A	----	0.025	+	0.006 .0040	----	----	----	----	3	UNCH
14000	----	----	----	0.001B/*0.025A	----	0.024	+	0.005 .0039	----	----	324	----	337	+ 45
14200	----	----	----	0.001B/0.056A	----	0.023	+	0.005 .0036	----	----	----	----	60	UNCH
14300	----	----	----	0.001B/0.055A	----	0.022	+	0.004 .0035	----	----	----	----	1	UNCH
14400	----	----	----	0.001B/0.055A	----	0.022	+	0.005 .0034	----	----	----	----	65	UNCH
14500	----	----	----	0.001B/0.054A	----	0.021	+	0.004 .0033	----	----	----	----	31	UNCH
14600	----	----	----	----/0.054A	----	0.021	+	0.004 .0032	----	----	----	----	7	UNCH
14700	----	----	----	----/0.053A	----	0.020	+	0.003 .0031	----	----	----	----	11	UNCH
14800	----	----	----	----/0.053A	----	0.020	+	0.004 .0030	----	----	----	----	10	UNCH
14900	----	----	----	----/0.052A	----	0.020	+	0.004 .0030	----	----	----	----	6	UNCH
15000	----	----	----	0.010B/0.052A	----	0.019	+	0.003 .0029	----	----	----	----	146	UNCH
15300	----	----	----	----/0.051A	----	0.018	+	0.003 .0027	----	----	----	----	2	UNCH
15400	----	----	----	----/0.051A	----	0.018	+	0.003 .0026	----	----	----	----	1	UNCH
15500	----	----	----	----/0.050A	----	0.017	+	0.002 .0025	----	----	----	----	6	UNCH
15600	----	----	----	----/0.050A	----	0.017	+	0.003 .0025	----	----	----	----	1	UNCH
15700	----	----	----	----/0.050A	----	0.017	+	0.003 .0025	----	----	----	----	1	UNCH
15800	----	----	----	----/0.049A	----	0.016	+	0.002 .0023	----	----	----	----	6	UNCH
15900	----	----	----	----/0.049A	----	0.016	+	0.002 .0023	----	----	----	----	8	UNCH
16000	----	----	----	0.010B/0.049A	----	0.016	+	0.003 .0023	----	----	----	----	199	UNCH
16200	----	----	----	----/0.048A	----	0.015	+	0.002 .0021	----	----	----	----	36	UNCH
16400	----	----	----	----/0.051A	----	0.015	+	0.003 .0021	----	----	----	----	1	UNCH
16500	----	----	----	----/0.054A	----	0.014	+	0.002 .0019	----	----	----	----	30	UNCH
16600	----	----	----	----/0.164A	----	0.014	+	0.002 .0019	----	----	----	----	2	UNCH
16700	----	----	----	----/0.165A	----	0.014	+	0.002 .0019	----	----	----	----	7	UNCH
16800	----	----	----	----/0.167A	----	0.013	+	0.001 .0018	----	----	----	----	3	UNCH
17000	----	----	----	----/0.170A	----	0.013	+	0.002 .0018	----	----	----	----	27	UNCH
17100	----	----	----	----/0.171A	----	0.013	+	0.002 .0018	----	----	----	----	5	UNCH
17200	----	----	----	----/0.173A	----	0.012	+	0.001 .0016	----	----	----	----	5	UNCH
17300	----	----	----	----/0.174A	----	0.012	+	0.001 .0016	----	----	----	----	11	UNCH
17400	----	----	----	----/0.175A	----	0.012	+	0.002 .0016	----	----	----	----	2	UNCH
17500	----	----	----	----/0.177A	----	0.011	+	0.001 .0015	----	----	----	----	63	UNCH
17700	----	----	----	----/0.179A	----	0.011	+	0.001 .0015	----	----	----	----	3	UNCH
17800	----	----	----	----/0.180A	----	0.011	+	0.001 .0014	----	----	----	----	3	UNCH
18000	----	----	----	----/0.183A	----	0.010	+	0.001 .0013	----	----	----	----	46	UNCH
18100	----	----	----	----/0.184A	----	0.010	+	0.001 .0013	----	----	----	----	2	UNCH
18300	----	----	----	----/0.186A	----	0.010	+	0.001 .0013	----	----	----	----	1	UNCH
18900	----	----	----	----/0.192A	----	0.008		UNCH .0010	----	----	----	----	1	UNCH
19000	----	----	----	----/0.160A	----	0.008	+	0.001 .0010	----	----	----	----	229	UNCH
19500	----	----	----	----/0.198A	----	0.007		UNCH .0009	----	----	----	----	126	UNCH
19600	----	----	----	----/0.199A	----	0.007		UNCH .0009	----	----	----	----	2	UNCH
19900	----	----	----	----/0.201A	----	0.007	+	0.001 .0008	----	----	----	----	28	UNCH
20000	----	----	----	----/*0.007A	----	0.006		UNCH .0007	----	----	----	----	240	UNCH
21000	----	----	----	----/0.209A	----	0.005		UNCH .0006	----	----	----	----	20	UNCH
23000	----	----	----	----/0.219A	----	0.003		UNCH .0003	----	----	----	----	14	UNCH
25000	----	----	----	----/0.005A	----	0.002		UNCH .0002	----	----	----	----	302	UNCH
27000	----	----	----	----/0.230A	----	0.001		UNCH .0001	----	----	----	----	3	UNCH
30000	----	----	----	----/0.003A	----	0.001		UNCH .0000	----	----	----	----	31	UNCH
32000	----	----	----	----/0.004A	----	0.001		UNCH .0000	----	----	----	----	1	UNCH
35000	----	----	----	----/0.002A	----	0.001		UNCH ----	----	----	----	----	45	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
TOTAL										1271	75	18062 + 243
JUL26												
2700	----	----	50.974B/----	50.974B/49.766A	----	50.303 +	3.722 .9989	----	----	----	----	1 UNCH
3900	----	----	38.981B/----	38.981B/37.760A	----	38.303 +	3.721 .9947	----	----	----	----	1 UNCH
4000	----	----	37.982B/----	37.982B/36.760A	----	37.303 +	3.720 .9943	----	----	----	----	1 UNCH
4500	----	----	33.075B/----	33.075B/31.646A	----	32.310 +	3.713 .9915	----	----	----	----	28 UNCH
4600	----	----	32.141B/----	32.141B/30.665A	----	31.314 +	3.710 .9905	----	----	----	----	124 UNCH
4700	----	----	30.999B/----	30.999B/29.765A	----	30.320 +	3.706 .9892	----	----	----	----	1 UNCH
4750	----	----	30.562B/----	30.562B/29.268A	----	29.823 +	3.703 .9885	----	----	----	----	1 UNCH
4825	----	----	29.759B/----	29.759B/28.519A	----	29.080 +	3.700 .9871	----	----	----	----	3 UNCH
4900	----	----	29.009B/----	29.009B/27.761A	----	28.338 +	3.696 .9857	----	----	----	----	1 UNCH
4925	----	----	28.810B/----	28.810B/27.493A	----	28.091 +	3.695 .9851	----	----	----	----	16 UNCH
5000	----	----	28.129B/----	28.129B/26.685A	----	27.351 +	3.690 .9835	----	----	----	----	307 UNCH
5025	----	----	27.782B/----	27.782B/26.542A	----	27.105 +	3.689 .9829	----	----	----	----	4 UNCH
5050	----	----	27.536B/----	27.536B/26.296A	----	26.859 +	3.687 .9823	----	----	----	----	2 UNCH
5100	----	----	27.148B/----	27.148B/25.713A	----	26.368 +	3.685 .9808	----	----	----	----	133 UNCH
5150	----	----	26.612B/----	26.612B/25.277A	----	25.877 +	3.681 .9793	----	----	----	----	6 UNCH
5200	----	----	26.113B/----	26.113B/24.800A	----	25.388 +	3.678 .9777	----	----	----	----	40 UNCH
5225	----	----	25.875B/----	25.875B/24.544A	----	25.143 +	3.676 .9770	----	----	----	----	9 UNCH
5250	----	----	25.572B/----	25.572B/24.318A	----	24.899 +	3.674 .9761	----	----	----	----	2 UNCH
5275	----	----	25.327B/----	25.327B/24.074A	----	24.655 +	3.672 .9752	----	----	----	----	1 UNCH
5300	----	----	25.141B/----	25.141B/23.813A	----	24.411 +	3.669 .9742	----	----	----	----	7 UNCH
5350	----	----	24.700B/----	24.700B/23.300A	----	23.925 +	3.665 .9723	----	----	----	----	157 UNCH
5375	----	----	24.352B/----	24.352B/23.102A	----	23.681 +	3.661 .9713	----	----	----	----	1 UNCH
5400	----	----	24.165B/----	24.165B/22.842A	----	23.438 +	3.658 .9702	----	----	----	----	21 UNCH
5425	----	----	23.914B/----	23.914B/22.616A	----	23.196 +	3.656 .9692	----	----	----	----	42 UNCH
5450	----	----	23.670B/----	23.670B/22.428A	----	22.953 +	3.652 .9681	----	----	----	----	1 UNCH
5500	----	----	23.245B/----	23.245B/21.851A	----	22.469 +	3.644 .9659	----	----	----	----	496 UNCH
5550	----	----	22.657B/----	22.657B/21.417A	----	21.985 +	3.634 .9634	----	----	----	----	3 UNCH
5600	----	----	22.281B/----	22.281B/20.894A	----	21.503 +	3.623 .9609	----	----	----	----	106 UNCH
5650	----	----	21.746B/----	21.746B/20.380A	----	21.022 +	3.611 .9581	----	----	----	----	43 UNCH
5675	----	----	21.499B/----	21.499B/20.144A	----	20.782 +	3.603 .9567	----	----	----	----	25 UNCH
5700	----	----	21.259B/----	21.259B/19.907A	----	20.543 +	3.597 .9552	----	----	----	----	26 UNCH
5750	----	----	20.845B/----	20.845B/19.393A	----	20.065 +	3.580 .9520	----	----	----	----	164 UNCH
5775	----	----	20.503B/----	20.503B/19.286A	----	19.827 +	3.572 .9503	----	----	----	----	1 UNCH
5800	----	----	20.288B/----	20.288B/19.034A	----	19.589 +	3.562 .9486	----	----	----	----	16 UNCH
5900	----	----	19.369B/----	19.369B/18.105A	----	18.644 +	3.521 .9410	----	----	----	----	10 UNCH
5925	----	----	19.134B/----	19.134B/16.776A	----	18.410 +	3.511 .9389	----	----	----	----	10 UNCH
5950	----	----	18.899B/----	18.899B/16.714A	----	18.176 +	3.499 .9367	----	----	----	----	6 UNCH
5975	----	----	18.665B/----	18.665B/17.410A	----	17.943 +	3.487 .9344	----	----	----	----	20 UNCH
6000	----	----	18.519B/----	18.519B/15.378A	----	17.710 +	3.474 .9321	----	----	----	----	547 UNCH
6050	----	----	18.058B/----	18.058B/16.670A	----	17.248 +	3.448 .9271	----	----	----	----	58 UNCH
6075	----	----	17.704B/----	17.704B/16.530A	----	17.019 +	3.435 .9244	----	----	----	----	1 UNCH
6100	----	----	17.497B/----	17.497B/16.287A	----	16.790 +	3.420 .9216	----	----	----	----	10 UNCH
6200	----	----	16.687B/----	16.687B/15.294A	----	15.886 +	3.361 .9096	----	----	----	----	101 UNCH
6250	----	----	16.120B/----	16.120B/14.983A	----	15.441 +	3.330 .9028	----	----	----	----	1 UNCH
6300	----	----	15.675B/----	15.675B/14.551A	----	15.000 +	3.296 .8957	----	----	----	----	3 UNCH
6350	----	----	15.236B/----	15.236B/14.124A	----	14.565 +	3.262 .8881	----	----	----	----	2 UNCH
6450	----	----	14.369B/----	14.369B/13.286A	----	13.711 +	3.190 .8714	----	----	----	----	1 UNCH
6500	13.943	13.943	14.065B/13.290	14.065B/12.783A	----	13.292 +	3.152 .8623	----	----	3	----	188 - 3
6600	----	----	13.231B/----	13.231B/11.996A	----	12.475 +	3.073 .8428	----	----	----	----	56 UNCH
6650	----	----	12.823B/----	12.823B/11.603A	----	12.076 +	3.031 .8323	----	----	----	----	102 UNCH
6750	----	----	11.943B/----	11.943B/10.888A	----	11.298 +	2.941 .8102	----	----	----	----	24 UNCH
6800	----	----	11.629B/----	11.629B/10.472A	----	10.920 +	2.893 .7984	----	----	----	----	250 UNCH
6825	----	----	11.370B/----	11.370B/10.332A	----	10.734 +	2.868 .7924	----	----	----	----	6 UNCH
6850	----	----	11.145B/----	11.145B/10.180A	----	10.549 +	2.842 .7863	----	----	----	----	1 UNCH
6875	----	----	10.987B/----	10.987B/9.970A	----	10.367 +	2.815 .7802	----	----	----	----	16 UNCH
6900	----	----	10.861B/----	10.861B/9.752A	----	10.186 +	2.787 .7738	----	----	----	----	99 UNCH
6950	----	----	10.478B/----	10.478B/9.405A	----	9.830 +	2.729 .7610	----	----	----	----	26 UNCH
7000	----	----	10.136B/----	10.136B/9.009A	----	9.482 +	2.667 .7479	----	----	----	----	153 UNCH
7025	----	----	9.965B/----	9.965B/8.845A	----	9.311 +	2.635 .7412	----	----	----	----	125 UNCH
7050	----	----	9.694B/----	9.694B/8.801A	----	9.142 +	2.602 .7344	----	----	----	----	1 UNCH
7100	----	----	9.351B/----	9.351B/8.491A	----	8.811 +	2.538 .7206	----	----	----	----	5 UNCH
7150	----	----	9.116B/----	9.116B/6.049A	----	8.492 +	2.478 .7064	----	----	----	----	100 UNCH
7200	----	----	8.753B/5.664A	8.753B/5.664A	----	8.183 +	2.422 .6920	----	----	----	----	11 UNCH
7225	----	----	8.561B/5.515A	8.561B/5.515A	----	8.031 +	2.392 .6848	----	----	----	----	1 UNCH
7250	----	----	8.488B/5.329A	8.488B/5.329A	----	7.881 +	2.361 .6775	----	----	----	----	171 UNCH
7300	----	----	8.165B/5.151A	8.165B/5.151A	----	7.582 +	2.286 .6629	----	----	----	----	104 UNCH
7325	----	----	8.023B/5.097A	8.023B/5.097A	----	7.436 +	2.247 .6555	----	----	----	----	113 UNCH
7350	----	----	7.766B/4.899A	7.766B/4.899A	----	7.292 +	2.210 .6481	----	----	----	----	2 UNCH
7400	----	----	7.561B/4.724A	7.561B/4.724A	----	7.015 +	2.145 .6332	----	----	4	----	24 - 4
7425	----	----	7.422B/4.589A	7.422B/4.589A	----	6.880 +	2.116 .6257	----	----	----	----	6 UNCH
7450	----	----	7.285B/4.576A	7.285B/4.576A	----	6.749 +	2.089 .6182	----	----	----	----	14 UNCH
7475	----	----	7.083B/4.477A	7.083B/4.477A	----	6.620 +	2.062 .6107	----	----	----	----	1 UNCH
7500	5.021	5.021	7.034B/4.298A	7.034B/4.298A	----	6.494 +	2.036 .6031	----	----	7	----	297 - 3
7525	----	----	6.804B/4.303A	6.804B/4.303A	----	6.369 +	2.008 .5956	----	----	----	----	1 UNCH
7550	----	----	6.758B/4.148A	6.758B/4.148A	----	6.246 +	1.979 .5881	----	----	----	----	7 UNCH
7575	----	----	6.634B/4.112A	6.634B/4.112A	----	6.126 +	1.951 .5806	----	----	----	----	20 UNCH
7600	----	----	6.516B/3.976A	6.516B/3.976A	----	6.007 +	1.921 .5732	----	----	----	----	149 UNCH
7650	----	----	6.216B/3.838A	6.216B/3.838A	----	5.776 +	1.862 .5583	----	----	----	----	3 UNCH
7675	----	----	6.226B/3.770A	6.226B/3.770A	----	5.663 +	1.832 .5509	----	----	----	----	7 UNCH
7700	4.165	4.165	6.111B/3.664A	6.111B/3.664A	----	5.553 +	1.803 .5435	----	----	2	----	136 UNCH
7750	----	----	5.885B/3.553A	5.885B/3.553A	----	5.338 +	1.745 .5289	----	----	----	----	123 UNCH
7775	----	----	5.606B/3.373A	5.606B/3.373A	----	5.234	NEW .5216	----	----	7	----	5 + 5
7800	----	----	5.679B/3.306A	5.679B/3.306A	----	5.132 +	1.688 .5144	----	----	----	----	55 UNCH
7850	----	----	5.446B/3.183A	5.446B/3.183A	----	4.934 +	1.633 .5001	----	----	----	----	17 UNCH
7900	4.172	4.172	5.260B/3.032A	5.260B/3.032A	----	4.744 +	1.579 .4860	----	----	3	----	63 - 1
7925	----	----	5.141B/2.968A	5.141B/2.968A	----	4.652 +	1.553 .4791	----	----	----	----	1 UNCH
7950	----	----	5.045B/2.914A	5.045B/2.914A	----	4.562 +	1.527 .4722	----	----	----	----	1 UNCH
7975	----	----	4.957B/2.833A	4.957B/2.833A	----	4.474 +	1.502 .4654	----	----	----	----	4 UNCH
8000	3.850	3.850	4.872B/2.771A	4.872B/2.771A	----	4.388 +	1.478 .4586	----	----	94	----	648 - 31
8025	3.835	3.835	4.770B/2.720A	4.770B/2.720A	----	4.303 +	1.452 .4519	----	----	4	----	10 + 4
8050	----	----	4.680B/2.673A	4.680B/2.673A	----	4.220 +	1.428 .4453	----	----	5	----	13 + 5
8075	----	----	4.585B/2.608A	4.585B/2.608A	----	4.139 +	1.404 .4388	----	----	----	----	8 UNCH
8100	4.501	4.501	4.513B/2.568A	4.513B/2.568A	----	4.060 +	1.381 .4323	----	----	2	----	67 - 2
8150	----	----	4.338B/2.460A	4.338B/2.460A	----	3.906 +	1.334 .4195	----	----	5	----	8 + 5
8175	3.360	3.360	4.249B/2.395A	4.249B/2.395A	----	3.832 +	1.312 .4133	----	----	1	----	2 + 1
8200	4.000	4.000	4.181B/2.349A	4.181B/2.349A	----	3.759 +	1.290 .4071	----	----	11	----	169 + 10
8250	----	----	4.024B/2.313A	4.024B/2.313A	----	3.618 +	1.247 .3950	----	----	----	----	147 UNCH
8300	3.670	3.670	3.875B/2.178A	3.875B/2.178A	----	3.484 +	1.206 .3831	----	----	1	----	358 + 1
8325	----	----	3.792B/2.124A	3.792B/2.124A	----	3.418 +	1.185 .3773	----	----	----	----	4 UNCH
8350	3.490	3.490	3.728B/2.086A	3.728B/2.086A	----	3.354 +	1.165 .3716	----	----	1	----	16 + 1
8375	----	----	3.659B/2.042A	3.659B/2.042A	----	3.292 +	1.146 .3660	----	----	----	----	48 UNCH
8400	3.350	3.350	3.590B/2.003A	3.590B/2.003A	----	3.231 +	1.126 .3604	----	----	3	----	21 UNCH
8425	----	----	3.519B/1.967A	3.519B/1.967A	----	3.171 +	1.107 .3549	----	----	----	----	12 UNCH
8450	----	----	3.458B/1.936A	3.458B/1.936A	----	3.112 +	1.088 .3495	----	----	----	----	11 UNCH
8500	2.089	2.089	3.335B/1.856A	3.335B/1.856A	----	2.999 +	1.052 .3389	----	----	59	----	793 - 25
8550	3.057	3.057	3.217B/1.799A	3.217B/1.799A	----	2.890 +	1.017 .3286	----	----	1	----	245 - 1
8600	----	----	3.100B/1.727A	3.100B/1.727A	----	2.786 +	0.983 .3186	----	----	----	----	103 UNCH
8625	----	----	3.041B/1.702A	3.041B/1.702A	----	2.735 +	0.965 .3137	----	----	----	----	1 UNCH
8650	2.850	2.850	2.984B/1.663A	2.984B/1.663A	----	2.686 +	0.949 .3089	----	----	6	----	21 + 3
8675	----	----	2.931B/1.642A	2.931B/1.642A	----	2.638 +	0.934 .3042	----	----	----	----	9 UNCH
8700	2.780	2.780	2.886B/1.606A	2.886B/1.606A	----	2.590 +	0.917 .2995	----	----	2	----	117 + 2
8750	----	----	2.784B/1.557A	2.784B/1.557A	----	2.499 +	0.887 .2904	----	----	4	----	70 + 4
8775	----	----	2.728B/1.527A	2.728B/1.527A	----	2.455 +	0.872 .2860	----	----	----	----	1 UNCH
8800	----	----	2.684B/1.495A	2.684B/1.495A	----	2.411 +	0.857 .2816	----	----	----	----	14 UNCH
8825	1.989	1.989	2.635B/1.477A	2.635B/1.477A	----	2.369 +	0.843 .2773	----	----	3	----	3 + 1
8850	2.255	2.255	2.590B/1.445A	2.590B/1.445A	----	2.327 +	0.828 .2730	----	----	3	----	4 + 3
8900	2.226	2.226	2.506B/1.404A	2.506B/1.404A	----	2.247 +	0.801 .2648	----	----	7	----	117 - 1
8925	----	----	2.459B/1.373A	2.459B/1.373A	----	2.208 +	0.788 .2608	----	----	----	----	7 UNCH
8950	----	----	2.417B/1.357A	2.417B/1.357A	----	2.170 +	0.775 .2568	----	----	----	----	5 UNCH
9000	1.315	1.315	2.341B/1.309A	2.341B/1.309A	----	2.097 +	0.750 .2491	----	----	191	----	976 + 38
9050	----	----	2.257B/----	2.257B/1.307A	----	2.026 +	0.725 .2416	----	----	----	----	6 UNCH
9075	----	----	2.219B/1.243A	2.219B/1.243A	----	1.992 +	0.713 .2380	----	----	----	----	1 UNCH
9100	----	----	2.187B/1.223A	2.187B/1.223A	----	1.959 +	0.702 .2344	----	----	----	----	32 UNCH
9200	----	----	2.047B/1.146A	2.047B/1.146A	----	1.832 +	0.657 .2207	----	----	----	----	83 UNCH
9225	----	----	2.006B/1.134A	2.006B/1.134A	----	1.802 +	0.647 .2174	----	----	----	----	3 UNCH
9250	----	----	1.974B/1.114A	1.974B/1.114A	----	1.773 +	0.637 .2142	----	----	----	----	8 UNCH
9300	1.847	1.847	1.916B/1.075A	1.916B/1.075A	----	1.716 +	0.616 .2079	----	----	2	----	273 - 1
9350	----	----	1.851B/1.052A	1.851B/1.052A	----	1.662 +	0.597 .2019	----	----	----	----	9 UNCH
9375	----	----	1.819B/1.026A	1.819B/1.026A	----	1.636 +	0.588 .1990	----	----	----	----	1 UNCH
9400	----	----	1.791B/1.011A	1.791B/1.011A	----	1.610 +	0.579 .1961	----	----	1	----	23 + 1
9425	----	----	1.761B/0.994A	1.761B/0.994A	----	1.585 +	0.570 .1932	----	----	----	----	2 UNCH
9450	----	----	1.740B/0.980A	1.740B/0.980A	----	1.560 +	0.560 .1904	----	----	----	----	33 UNCH
9475	----	----	1.706B/0.964A	1.706B/0.964A	----	1.536 +	0.552 .1877	----	----	----	----	5 UNCH
9500	1.555	1.555	1.688B/0.950A	1.688B/0.950A	----	1.512 +	0.543 .1850	----	----	60	----	761 - 29
9525	----	----	1.660B/0.935A	1.660B/0.935A	----	1.489 +	0.535 .1824	----	----	1	----	27 + 1
9550	----	----	1.625B/0.921A	1.625B/0.921A	----	1.466 +	0.526 .1797	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
9600	----	----	1.585B/0.894A	1.585B/0.894A	----	1.421 + 0.509	.1746	----	----	----	----	107 UNCH
9650	----	----	1.528B/0.867A	1.528B/0.867A	----	1.379 + 0.493	.1697	----	----	----	----	1 UNCH
9675	1.444	1.444	1.502B/0.854A	1.502B/0.854A	----	1.358 NEW	.1673	----	----	8	----	8 + 8
9700	----	----	1.482B/0.841A	1.482B/0.841A	----	1.338 + 0.477	.1650	----	----	----	----	10 UNCH
9725	----	----	1.456B/0.829A	1.456B/0.829A	----	1.318 + 0.469	.1627	----	----	----	----	1 UNCH
9750	----	----	1.447B/0.817A	1.447B/0.817A	----	1.298 + 0.461	.1603	----	----	1	----	98 UNCH
9775	----	----	1.417B/0.805A	1.417B/0.805A	----	1.279 + 0.454	.1581	----	----	----	----	31 UNCH
9800	1.335	1.335	1.407B/0.792A	1.407B/0.792A	----	1.260 + 0.447	.1559	----	----	2	----	130 + 2
9825	----	----	1.378B/0.781A	1.378B/0.781A	----	1.242 + 0.440	.1538	----	----	----	----	5 UNCH
9850	----	----	1.354B/0.770A	1.354B/0.770A	----	1.223 + 0.432	.1516	----	----	----	----	38 UNCH
9900	----	----	1.320B/0.747A	1.320B/0.747A	----	1.187 + 0.418	.1474	----	----	50	----	24 - 50
9925	----	----	1.290B/0.737A	1.290B/0.737A	----	1.170 + 0.412	.1454	----	----	----	----	15 UNCH
9950	----	----	1.271B/0.726A	1.271B/0.726A	----	1.153 + 0.405	.1433	----	----	----	----	1 UNCH
9975	----	----	1.253B/0.716A	1.253B/0.716A	----	1.136 + 0.399	.1413	----	----	----	----	3 UNCH
10000	1.170	1.170	1.238B/0.710A	1.238B/0.710A	----	1.119 + 0.392	.1394	----	----	408	----	1631 - 174
10025	----	----	1.202B/0.696A	1.202B/0.696A	----	1.102 + 0.385	.1374	----	----	----	----	1 UNCH
10100	----	----	1.164B/0.667A	1.164B/0.667A	----	1.054 + 0.367	.1317	----	----	----	----	18 UNCH
10125	----	----	1.144B/0.659A	1.144B/0.659A	----	1.038 + 0.360	.1299	----	----	----	----	5 UNCH
10200	0.980	0.980	1.097B/0.631A	1.097B/0.631A	----	0.993 + 0.343	.1245	----	----	16	----	117 + 16
10250	----	----	1.069B/0.614A	1.069B/0.614A	----	0.965 + 0.333	.1212	----	----	1	----	21 + 1
10275	----	----	1.060B/0.606A	1.060B/0.606A	----	0.951 + 0.328	.1195	----	----	----	----	5 UNCH
10300	----	----	1.040B/0.598A	1.040B/0.598A	----	0.938 + 0.323	.1179	----	----	----	----	1 UNCH
10325	----	----	1.028B/0.590A	1.028B/0.590A	----	0.925 + 0.318	.1164	----	----	----	----	1 UNCH
10375	----	----	0.994B/0.574A	0.994B/0.574A	----	0.900 + 0.309	.1133	----	----	----	----	18 UNCH
10400	----	----	0.983B/0.567A	0.983B/0.567A	----	0.888 + 0.305	.1119	----	----	----	----	15 UNCH
10425	0.990	0.990	0.990/0.560A	0.990/0.560A	----	0.877 + 0.302	.1105	----	----	1	----	2 + 1
10450	0.912	0.912	0.957B/0.554A	0.957B/0.554A	----	0.865 NEW	.1090	----	----	25	----	25 + 25
10475	----	----	0.945B/0.547A	0.945B/0.547A	----	0.855 + 0.294	.1077	----	----	----	----	25 UNCH
10500	0.858	0.858	0.927B/0.540A	0.927B/0.540A	----	0.844 + 0.290	.1064	----	----	7	----	611 + 3
10525	0.806	0.806	0.915B/0.534A	0.915B/0.534A	----	0.834 NEW	.1051	----	----	2	----	2 + 2
10550	----	----	0.900B/0.527A	0.900B/0.527A	----	0.824 + 0.284	.1038	----	----	1	----	31 UNCH
10600	----	----	0.814B/----	0.814B/0.612A	----	0.804 + 0.277	.1013	----	----	----	----	3 UNCH
10675	----	----	0.789B/----	0.789B/0.620A	----	0.776 + 0.267	.0978	----	----	----	----	9 UNCH
10775	0.645	0.645	0.768B/0.645	0.768B/0.622A	----	0.740 NEW	.0932	----	----	9	----	9 + 9
10800	----	----	0.734B/----	0.734B/0.596A	----	0.732 + 0.253	.0922	----	----	----	----	35 UNCH
10900	----	----	0.696B/----	0.696B/0.573A	----	0.697 + 0.240	.0878	----	----	----	----	2 UNCH
11000	0.520	0.520	0.725/0.520	0.725/0.516A	----	0.662 + 0.226	.0835	----	----	129	----	1313 - 4
11025	----	----	0.694B/----	0.694B/0.566A	----	0.653 + 0.223	.0824	----	----	----	----	1 UNCH
11100	----	----	0.641B/----	0.641B/0.532A	----	0.627 + 0.212	.0793	----	----	----	----	10 UNCH
11125	0.534	0.534	0.661B/0.534	0.661B/0.534	----	0.618 NEW	.0782	----	----	1	----	1 + 1
11200	----	----	0.607B/----	0.607B/0.513A	----	0.592 + 0.197	.0751	----	----	----	----	8 UNCH
11225	----	----	0.628B/----	0.628B/0.527A	----	0.583 + 0.193	.0740	----	----	----	----	3 UNCH
11300	0.595	0.595	0.595/0.595	0.595/0.495A	----	0.559 + 0.183	.0711	----	----	2	----	51 UNCH
11400	----	----	0.553B/----	0.553B/0.479A	----	0.528 + 0.169	.0674	----	----	----	----	19 UNCH
11425	----	----	0.565B/----	0.565B/0.493A	----	0.520 + 0.165	.0665	----	----	----	----	10 UNCH
11450	----	----	0.531B/----	0.531B/0.489A	----	0.513 + 0.162	.0656	----	----	----	----	3 UNCH
11500	0.380	0.380	0.517B/*0.380	0.517B/0.380	----	0.499 + 0.156	.0639	----	----	1	----	60 + 1
11600	----	----	0.492B/----	0.492B/0.450A	----	0.474 + 0.145	.0608	----	----	----	----	1 UNCH
11625	----	----	0.511B/----	0.511B/0.463A	----	0.468 + 0.142	.0600	----	----	----	----	2 UNCH
11650	----	----	0.480B/----	0.480B/0.460A	----	0.463 + 0.141	.0594	----	----	----	----	24 UNCH
11675	----	----	0.499B/----	0.499B/0.457A	----	0.457 + 0.138	.0587	----	----	----	----	22 UNCH
11700	----	----	0.469B/----	0.469B/0.436A	----	0.452 + 0.136	.0580	----	----	----	----	22 UNCH
11725	----	----	0.487B/----	0.487B/0.450A	----	0.447 + 0.134	.0574	----	----	----	----	22 UNCH
11750	----	----	0.463B/----	0.463B/0.447A	----	0.442 + 0.132	.0567	----	----	----	----	22 UNCH
11775	----	----	0.475B/----	0.475B/0.443A	----	0.437 + 0.130	.0561	----	----	----	----	22 UNCH
11800	----	----	0.446B/----	0.446B/0.423A	----	0.432 + 0.128	.0554	----	----	----	----	1 UNCH
11900	----	----	0.423B/----	0.423B/0.411A	----	0.414 + 0.121	.0531	----	----	----	----	1 UNCH
11950	----	----	0.399B/----	0.399B/0.422A	----	0.406 + 0.118	.0520	----	----	----	----	1 UNCH
12000	0.340	0.340	0.410/0.340	0.410/0.300A	----	0.398 + 0.116	.0510	----	----	177	----	391 - 35
12200	----	----	0.329B/----	0.329B/0.377A	----	0.369 + 0.109	.0471	----	----	----	----	1 UNCH
12225	----	----	0.325B/----	0.325B/0.391A	----	0.366 + 0.109	.0467	----	----	----	----	16 UNCH
12250	----	----	0.321B/----	0.321B/0.388A	----	0.363 + 0.108	.0463	----	----	----	----	6 UNCH
12300	----	----	0.312B/----	0.312B/0.367A	----	0.356 + 0.107	.0454	----	----	----	----	9 UNCH
12375	----	----	0.300B/----	0.300B/0.376A	----	0.347 + 0.106	.0441	----	----	----	----	1 UNCH
12425	----	----	0.292B/----	0.292B/0.371A	----	0.340 + 0.104	.0432	----	----	----	----	1 UNCH
12450	----	----	0.288B/----	0.288B/0.368A	----	0.337 + 0.103	.0428	----	----	----	----	1 UNCH
12475	----	----	0.284B/----	0.284B/0.366A	----	0.334 + 0.103	.0424	----	----	----	----	3 UNCH
12500	----	----	0.281B/----	0.281B/0.359A	----	0.331 + 0.102	.0420	----	----	----	----	104 UNCH
12600	----	----	0.262B/----	0.262B/0.339A	----	0.319 + 0.100	.0405	----	----	----	----	6 UNCH
12725	----	----	0.246B/----	0.246B/0.344A	----	0.304 + 0.097	.0385	----	----	----	----	1 UNCH
12800	----	----	0.235B/----	0.235B/0.322A	----	0.295 + 0.094	.0374	----	----	----	----	1 UNCH
13000	----	----	0.212B/----	0.212B/0.317A	----	0.272 + 0.088	.0344	----	----	2	----	572 UNCH
14000	0.120	0.120	0.210/0.120	0.210/0.120	----	0.179 + 0.050	.0228	----	----	48	----	851 + 32
14700	----	----	----	0.093B/0.198A	----	0.136 + 0.024	.0173	----	----	----	----	1 UNCH
15000	----	----	0.117B/----	0.117B/0.151A	----	0.121 + 0.013	.0154	----	----	10	----	700 - 10
16000	0.102	0.102	0.112/0.102	0.112/0.102	----	0.087 - 0.013	.0110	----	----	2	----	748 - 1
17000	----	----	----	0.016B/0.119A	----	0.067 - 0.024	.0084	----	----	----	----	23 UNCH
18000	0.077	0.077	0.077/0.077	0.077/0.077	----	0.057 - 0.017	.0070	----	----	3	----	256 UNCH
19000	----	----	----	0.001B/0.110A	----	0.052 - 0.004	.0062	----	----	----	----	78 UNCH
20000	0.040	0.040	0.050/0.040	0.050/0.040	----	0.048 + 0.008	.0055	----	----	21	----	1168 - 19
21000	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.044 + 0.011	.0049	----	----	1	----	428 + 1
24000	----	----	----	0.001B/0.050A	----	0.034 + 0.014	.0036	----	----	----	----	130 UNCH
25000	0.037	0.037	0.037/0.037	0.037/0.020A	----	0.031 + 0.014	.0032	----	----	19	----	383 + 19
27000	----	----	----	----/0.126A	----	0.025 + 0.011	.0026	----	----	----	----	4 UNCH
30000	----	----	----	----/0.034A	----	0.018 + 0.006	.0018	----	----	----	----	23 UNCH
32000	----	----	----	----/0.155A	----	0.014 + 0.003	.0014	----	----	----	----	4 UNCH
35000	----	----	----	0.007B/0.011A	----	0.010 UNCH	.0010	----	----	----	----	78 UNCH
TOTAL										1440	0	21015 - 188
AUG26												
5000	----	----	27.799B/----	27.799B/27.154A	----	27.982 + 3.672	.9725	----	----	----	----	2 UNCH
5400	----	----	24.974B/----	24.974B/23.359A	----	24.152 + 3.599	.9530	----	----	----	----	2 UNCH
5500	----	----	24.033B/----	24.033B/22.433A	----	23.214 + 3.575	.9464	----	----	----	----	1 UNCH
6300	----	----	16.897B/----	16.897B/15.503A	----	16.157 + 3.253	.8591	----	----	----	----	7 UNCH
6450	----	----	15.673B/----	15.673B/14.317A	----	14.966 + 3.156	.8344	----	----	----	----	1 UNCH
6500	----	----	15.282B/----	15.282B/13.937A	----	14.580 + 3.122	.8257	----	----	----	----	2 UNCH
6600	----	----	14.494B/----	14.494B/13.192A	----	13.822 + 3.048	.8075	----	----	----	----	4 UNCH
6800	----	----	12.999B/----	12.999B/11.767A	----	12.379 + 2.884	.7683	----	----	----	----	7 UNCH
6875	----	----	12.451B/----	12.451B/11.303A	----	11.864 + 2.815	.7527	----	----	----	----	5 UNCH
7000	----	----	11.603B/----	11.603B/10.513A	----	11.040 + 2.693	.7258	----	----	----	----	3 UNCH
7025	----	----	11.436B/----	11.436B/10.413A	----	10.880 + 2.667	.7202	----	----	----	----	5 UNCH
7050	----	----	11.310B/----	11.310B/10.184A	----	10.723 + 2.641	.7147	----	----	----	----	4 UNCH
7100	----	----	10.987B/----	10.987B/9.914A	----	10.413 + 2.587	.7034	----	----	----	----	2 UNCH
7200	----	----	10.337B/----	10.337B/9.301A	----	9.818 + 2.475	.6806	----	----	----	----	1 UNCH
7250	----	----	10.041B/----	10.041B/7.918A	----	9.532 + 2.416	.6690	----	----	3	----	3 UNCH
7300	----	----	9.750B/----	9.750B/7.635A	----	9.254 + 2.356	.6573	----	----	----	----	1 UNCH
7400	----	----	9.193B/----	9.193B/7.144A	----	8.722 + 2.235	.6339	----	----	----	----	2 UNCH
7425	----	----	9.105B/----	9.105B/7.165A	----	8.594 + 2.205	.6280	----	----	----	----	14 UNCH
7475	----	----	8.843B/----	8.843B/6.958A	----	8.344 + 2.147	.6163	----	----	----	----	6 UNCH
7500	----	----	8.730B/----	8.730B/6.782A	----	8.222 + 2.118	.6104	----	----	3	----	37 + 3
7550	----	----	8.412B/----	8.412B/6.677A	----	7.983 + 2.062	.5987	----	----	----	----	4 UNCH
7600	----	----	8.230B/----	8.230B/6.415A	----	7.752 + 2.008	.5871	----	----	----	----	28 UNCH
7625	----	----	8.117B/----	8.117B/6.404A	----	7.640 + 1.984	.5813	----	----	----	----	18 UNCH
7700	----	----	7.843B/----	7.843B/6.078A	----	7.313 + 1.912	.5640	----	----	1	----	8 + 1
7750	7.150	7.150	7.627B/7.150	7.627B/5.980A	----	7.104 NEW	.5526	----	----	1	----	1 + 1
7800	6.284	6.284	7.412B/6.284	7.412B/5.753A	----	6.900 + 1.826	.5413	----	----	5	----	11 - 2
7850	6.158	6.158	7.197B/6.092	7.197B/5.667A	----	6.703 NEW	.5301	----	----	3	----	3 + 3
7900	----	----	6.995B/----	6.995B/5.450A	----	6.511 + 1.747	.5191	----	----	----	----	1 UNCH
7950	----	----	6.791B/----	6.791B/5.324A	----	6.325 + 1.709	.5082	----	----	----	----	9 UNCH
7975	----	----	6.693B/----	6.693B/5.306A	----	6.234 + 1.690	.5028	----	----	----	----	1 UNCH
8000	6.377	6.377	6.605B/6.286	6.605B/5.168A	----	6.144 + 1.671	.4975	----	----	3	----	38 + 2
8100	----	----	6.236B/----	6.236B/4.906A	----	5.800 + 1.600	.4765	----	----	4	----	17 - 4
8200	----	----	5.891B/----	5.891B/4.624A	----	5.476 + 1.528	.4561	----	----	3	----	4 + 3
8250	----	----	5.737B/----	5.737B/4.300A	----	5.322 + 1.492	.4462	----	----	----	----	141 UNCH
8300	----	----	5.569B/----	5.569B/4.434A	----	5.173 + 1.456	.4365	----	----	----	----	3 UNCH
8350	----	----	5.413B/----	5.413B/4.417A	----	5.029 + 1.421	.4269	----	----	----	----	1 UNCH
8400	----	----	5.265B/----	5.265B/4.226A	----	4.890 + 1.387	.4175	----	----	1	----	3 + 1
8450	----	----	5.116B/----	5.116B/4.216A	----	4.756 + 1.354	.4084	----	----	----	----	2 UNCH
8500	4.900	4.900	4.964B/4.900	4.964B/4.030A	----	4.626 + 1.320	.3994	----	----	4	----	17 + 1
8600	4.752	4.752	4.752/4.605	4.752/3.554A	----	4.379 + 1.257	.3820	----	----	18	----	210 - 16
8650	----	----	4.591B/----	4.591B/3.851A	----	4.262 + 1.227	.3736	----	----	----	----	1 UNCH
8775	----	----	4.292B/----	4.292B/3.645A	----	3.986 + 1.156	.3534	----	----	----	----	2 UNCH
8825	----	----	4.178B/----	4.178B/3.567A	----	3.882 + 1.130	.3456	----	----	----	----	1 UNCH
8850	----	----	4.129B/----	4.129B/3.529A	----	3.832 + 1.118	.3418	----	----	----	----	1 UNCH
8900	----	----	4.023B/----	4.023B/3.366A	----	3.734 + 1.094	.3344	----	----	----	----	7 UNCH
8950	----	----	3.916B/----	3.916B/3.382A	----	3.639 + 1.072	.3271	----	----	----	----	6 UNCH
8975	3.799	3.799	3.799/3.799	3.799/3.347A	----	3.593 NEW	.3235	----	----	1	----	1 + 1
9000	----	----	3.793B/----	3.793B/3.224A	----	3.548 + 1.051	.3200	----	----	3	----	18 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS											
AUG26													
9075	----	----	3.672B/----	3.672B/3.211A	----	3.418	+ 1.022	.3098	----	----	----	----	1 UNCH
9100	3.167	3.167	3.662/3.167	3.662/2.810A	----	3.377	+ 1.013	.3065	----	----	7	----	89 + 2
9125	3.524	3.524	3.524/3.524	3.524/3.145A	----	3.336	NEW	.3032	----	----	1	----	1 + 1
9200	3.107	3.107	3.440B/3.107	3.440B/2.965A	----	3.219	+ 0.979	.2937	----	----	2	----	6 + 2
9225	----	----	3.401B/----	3.401B/3.021A	----	3.182	+ 0.971	.2906	----	----	----	----	1 UNCH
9250	----	----	3.363B/----	3.363B/2.990A	----	3.145	+ 0.963	.2876	----	----	----	----	10 UNCH
9275	3.274	3.274	3.274/3.274	3.274/2.961A	----	3.110	NEW	.2846	----	----	1	----	1 + 1
9400	3.100	3.100	3.134B/3.100	3.134B/2.465A	----	2.945	+ 0.921	.2705	----	----	23	----	131 + 23
9450	----	----	3.046B/----	3.046B/2.763A	----	2.884	+ 0.907	.2652	----	----	----	----	19 UNCH
9500	----	----	2.968B/----	2.968B/2.627A	----	2.826	+ 0.894	.2601	----	----	----	----	7 UNCH
9575	----	----	2.868B/----	2.868B/2.628A	----	2.737	+ 0.867	.2524	----	----	----	----	1 UNCH
9700	2.457	2.457	2.701B/2.456	2.701B/2.429A	----	2.585	+ 0.806	.2397	----	----	4	----	5 + 4
10000	2.250	2.250	2.376B/2.250	2.376B/1.925A	----	2.241	+ 0.665	.2111	----	----	108	----	219 + 36
10200	----	----	2.161B/----	2.161B/2.015A	----	2.058	+ 0.629	.1950	----	----	----	----	4 UNCH
10325	----	----	2.048B/----	2.048B/1.925A	----	1.958	+ 0.618	.1860	----	----	----	----	1 UNCH
10350	----	----	2.027B/----	2.027B/1.905A	----	1.939	+ 0.616	.1843	----	----	----	----	1 UNCH
10375	----	----	2.006B/----	2.006B/1.887A	----	1.921	+ 0.614	.1826	----	----	----	----	1 UNCH
10400	----	----	1.986B/----	1.986B/1.869A	----	1.902	+ 0.610	.1809	----	----	----	----	2 UNCH
10475	1.890	1.890	1.900/1.890	1.900/1.890	----	1.847	NEW	.1759	----	----	4	----	3 + 3
10500	1.790	1.790	1.904B/1.790	1.904B/1.790	----	1.830	+ 0.595	.1743	----	----	2	----	8 + 1
10775	1.700	1.700	1.703B/1.700	1.703B/1.619A	----	1.644	+ 0.530	.1574	----	----	3	----	3 + 2
10800	----	----	1.684B/----	1.684B/1.608A	----	1.628	+ 0.524	.1559	----	----	----	----	8 UNCH
10825	----	----	1.669B/----	1.669B/1.588A	----	1.612	+ 0.517	.1545	----	----	----	----	1 UNCH
11000	----	----	1.576B/----	1.576B/1.427A	----	1.507	+ 0.472	.1449	----	----	103	----	115 + 62
11100	----	----	1.364B/----	1.364B/1.535A	----	1.450	+ 0.449	.1397	----	----	----	----	20 UNCH
11200	----	----	1.311B/----	1.311B/1.478A	----	1.396	+ 0.428	.1347	----	----	----	----	1 UNCH
11400	----	----	1.237B/----	1.237B/1.374A	----	1.294	+ 0.393	.1254	----	----	----	----	2 UNCH
11500	----	----	1.188B/----	1.188B/1.303A	----	1.247	+ 0.379	.1210	----	----	----	----	48 UNCH
11700	----	----	1.090B/----	1.090B/1.208A	----	1.158	+ 0.353	.1128	----	----	----	----	2 UNCH
11850	----	----	1.023B/----	1.023B/1.123A	----	1.097	+ 0.337	.1071	----	----	----	----	1 UNCH
12000	----	----	0.980B/----	0.980B/1.059A	----	1.039	+ 0.321	.1017	----	----	4	----	6 + 3
12050	----	----	0.955B/----	0.955B/1.042A	----	1.021	+ 0.316	.1000	----	----	----	----	141 UNCH
12500	----	----	0.824B/----	0.824B/0.915A	----	0.873	+ 0.273	.0860	----	----	----	----	3 UNCH
12725	----	----	0.839B/----	0.839B/0.811A	----	0.809	+ 0.253	.0799	----	----	----	----	1 UNCH
12800	----	----	0.788B/----	0.788B/0.836A	----	0.789	+ 0.246	.0780	----	----	----	----	1 UNCH
13000	0.840	0.840	0.840/0.782A	0.840/0.782A	----	0.738	+ 0.229	.0731	----	----	11	518	2291 + 518
14000	----	----	0.482B/----	0.482B/0.615A	----	0.539	+ 0.159	.0539	----	----	----	----	15 UNCH
15000	----	----	0.346B/----	0.346B/0.480A	----	0.403	+ 0.108	.0405	----	----	----	----	37 UNCH
16000	----	----	0.255B/----	0.255B/0.388A	----	0.308	+ 0.074	.0311	----	----	----	----	1 UNCH
17000	----	----	0.200B/----	0.200B/0.300A	----	0.241	+ 0.054	.0244	----	----	10	518	2287 + 518
18000	----	----	----	0.139B/0.267A	----	0.193	+ 0.043	.0195	----	----	----	----	4 UNCH
19000	----	----	----	0.103B/0.228A	----	0.158	+ 0.036	.0159	----	----	----	----	2 UNCH
20000	----	----	----	0.074B/0.198A	----	0.132	+ 0.031	.0132	----	----	----	----	220 UNCH
25000	----	----	----	0.001B/2.588A	----	0.067	+ 0.014	.0065	----	----	----	----	3 UNCH
30000	----	----	----	0.001B/2.478A	----	0.040	+ 0.008	.0038	----	----	----	----	13 UNCH
32000	----	----	----	0.001B/0.051A	----	0.031	+ 0.006	.0029	----	----	----	----	1 UNCH
35000	----	----	----	0.001B/0.036A	----	0.022	+ 0.004	.0021	----	----	----	----	2 UNCH
TOTAL											336	1036	6406 + 1170
SEP26													
5100	----	----	#27.129B/----	#27.129B/27.247A	----	27.181	+ 3.614	.9525	----	----	----	----	1 UNCH
5900	----	----	#19.793B/----	#19.793B/20.275A	----	20.054	+ 3.263	.8829	----	----	----	----	2 UNCH
6000	----	----	#18.920B/----	#18.920B/19.483A	----	19.222	+ 3.206	.8708	----	----	----	----	7 UNCH
6700	----	----	13.414B/----	13.414B/14.444A	----	13.851	+ 2.815	.7655	----	----	----	----	1 UNCH
7000	----	----	11.853B/----	11.853B/12.245A	----	11.903	+ 2.624	.7090	----	----	20	----	141 + 20
7125	----	----	11.110B/----	11.110B/11.572A	----	11.179	+ 2.535	.6841	----	----	----	----	75 UNCH
7300	----	----	10.107B/----	10.107B/10.424A	----	10.221	+ 2.379	.6487	----	----	----	----	145 UNCH
7400	----	----	9.653B/----	9.653B/9.940A	----	9.697	+ 2.276	.6284	----	----	----	----	104 UNCH
7500	----	----	9.662B/----	9.662B/9.483A	----	9.207	+ 2.179	.6081	----	----	----	----	4 UNCH
7550	----	----	8.917B/----	8.917B/9.263A	----	8.974	+ 2.132	.5980	----	----	----	----	2 UNCH
7700	----	----	8.244B/----	8.244B/8.628A	----	8.322	+ 1.999	.5679	----	----	----	----	1 UNCH
7800	8.000	8.000	8.000/8.000	8.000/8.000	----	7.924	NEW	.5482	----	----	3	----	3 + 3
8000	7.500	7.500	7.500/7.350	7.500/7.350	----	7.203	+ 1.765	.5105	----	----	43	----	148 + 40
8200	----	----	6.335B/----	6.335B/6.943A	----	6.568	+ 1.628	.4751	----	----	----	----	24 UNCH
8400	----	----	5.716B/----	5.716B/6.402A	----	5.998	+ 1.498	.4419	----	----	----	----	10 UNCH
8500	----	----	5.549B/----	5.549B/6.108A	----	5.735	+ 1.437	.4261	----	----	----	----	201 UNCH
8600	----	----	5.291B/----	5.291B/5.879A	----	5.485	+ 1.377	.4109	----	----	----	----	72 UNCH
8675	----	----	4.951B/----	4.951B/5.778A	----	5.306	+ 1.333	.3998	----	----	----	----	5 UNCH
8700	----	----	5.046B/----	5.046B/5.506A	----	5.248	+ 1.319	.3962	----	----	----	----	100 UNCH
8800	----	----	4.675B/----	4.675B/5.446A	----	5.023	+ 1.264	.3820	----	----	----	----	5 UNCH
9000	----	----	4.377B/----	4.377B/4.987A	----	4.607	+ 1.160	.3553	----	----	20	----	198 + 7
9100	----	----	4.082B/----	4.082B/4.878A	----	4.415	+ 1.111	.3427	----	----	----	----	12 UNCH
9500	----	----	3.501B/----	3.501B/4.147A	----	3.739	+ 0.936	.2969	----	----	----	----	183 UNCH
9600	----	----	3.284B/----	3.284B/4.053A	----	3.591	+ 0.898	.2866	----	----	----	----	25 UNCH
9750	----	----	3.083B/----	3.083B/3.843A	----	3.383	+ 0.844	.2720	----	----	----	----	23 UNCH
9800	----	----	3.077B/----	3.077B/3.727A	----	3.317	+ 0.827	.2673	----	----	----	----	132 UNCH
9900	----	----	2.967B/----	2.967B/3.633A	----	3.191	+ 0.796	.2582	----	----	69	----	93 + 34
10000	2.965	2.965	2.965/2.965	2.965/2.965	----	3.070	+ 0.765	.2494	----	----	103	75	435 + 131
10100	----	----	2.677B/----	2.677B/3.414A	----	2.957	+ 0.737	.2411	----	----	54	----	56 + 54
10200	----	----	2.572B/----	2.572B/3.302A	----	2.848	+ 0.710	.2331	----	----	27	----	28 + 27
10500	----	----	2.326B/----	2.326B/2.972A	----	2.555	+ 0.640	.2111	----	----	----	----	119 UNCH
10800	----	----	2.030B/----	2.030B/2.717A	----	2.302	+ 0.581	.1917	----	----	----	----	2 UNCH
11000	----	----	1.911B/----	1.911B/2.543A	----	2.153	+ 0.548	.1801	----	----	----	----	190 UNCH
11300	----	----	1.718B/----	1.718B/2.332A	----	1.954	+ 0.503	.1643	----	----	----	----	60 UNCH
11500	----	----	1.604B/----	1.604B/2.197A	----	1.834	+ 0.475	.1548	----	----	----	----	70 UNCH
12000	1.320	1.320	1.620/1.320	1.620/1.320	----	1.577	+ 0.414	.1340	----	----	6	----	119 UNCH
12500	----	----	1.074B/----	1.074B/1.724A	----	1.365	+ 0.359	.1167	----	----	----	----	40 UNCH
13000	----	----	1.130B/----	1.130B/1.288A	----	1.188	+ 0.309	.1021	----	----	----	----	201 UNCH
14000	----	----	0.859B/----	0.859B/1.017A	----	0.916	+ 0.228	.0794	----	----	----	----	276 UNCH
15000	----	----	0.668B/----	0.668B/0.824A	----	0.720	+ 0.169	.0628	----	----	----	----	226 UNCH
16000	----	----	0.516B/----	0.516B/0.678A	----	0.577	+ 0.131	.0505	----	----	----	----	18 UNCH
17000	----	----	0.408B/----	0.408B/0.573A	----	0.470	+ 0.103	.0412	----	----	----	----	27 UNCH
18000	----	----	0.326B/----	0.326B/0.487A	----	0.388	+ 0.081	.0341	----	----	----	----	2 UNCH
19000	----	----	0.263B/----	0.263B/0.420A	----	0.325	+ 0.063	.0286	----	----	----	----	14 UNCH
20000	----	----	----	0.212B/0.367A	----	0.275	+ 0.048	.0242	----	----	----	----	307 UNCH
21000	----	----	----	0.172B/0.324A	----	0.235	+ 0.035	.0207	----	----	----	----	1 UNCH
23000	----	----	----	0.116B/0.261A	----	0.177	+ 0.015	.0155	----	----	----	----	32 UNCH
25000	----	----	----	0.077B/0.185A	----	0.140	+ 0.002	.0122	----	----	----	----	27 UNCH
30000	----	----	----	0.022B/*0.165A	----	0.094	- 0.001	.0079	----	----	----	----	18 UNCH
35000	----	----	----	0.001B/2.558A	----	0.046	- 0.002	.0040	----	----	----	----	27 UNCH
TOTAL											345	75	4012 + 316
OCT26													
3800	----	----	----	----	----	40.679	+ 3.779	.9862	----	----	----	----	0 UNCH
7000	----	----	12.018B/----	12.018B/13.778A	----	13.175	+ 2.567	.7121	----	----	----	----	2 UNCH
7100	----	----	12.259B/----	12.259B/13.209A	----	12.603	+ 2.494	.6942	----	----	----	----	1 UNCH
7500	----	----	10.379B/----	10.379B/10.879A	----	10.557	+ 2.210	.6217	----	----	----	----	2 UNCH
7650	----	----	9.678B/----	9.678B/10.250A	----	9.885	+ 2.107	.5948	----	----	----	----	1 UNCH
7875	----	----	8.582B/----	8.582B/9.571A	----	8.969	+ 1.959	.5555	----	----	----	----	2 UNCH
8000	----	----	8.230B/----	8.230B/8.940A	----	8.504	+ 1.880	.5344	----	----	----	----	4 UNCH
8075	----	----	7.843B/----	7.843B/8.835A	----	8.239	+ 1.833	.5220	----	----	----	----	1 UNCH
8500	----	----	6.570B/----	6.570B/7.426A	----	6.922	+ 1.586	.4564	----	----	----	----	1 UNCH
8700	----	----	6.019B/----	6.019B/6.922A	----	6.397	+ 1.480	.4284	----	----	----	----	4 UNCH
9000	----	----	5.322B/----	5.322B/6.286A	----	5.707	+ 1.334	.3899	----	----	----	----	1 UNCH
9100	----	----	5.117B/----	5.117B/6.079A	----	5.500	+ 1.289	.3779	----	----	----	----	73 UNCH
9500	----	----	4.391B/----	4.391B/5.329A	----	4.772	+ 1.131	.3344	----	----	----	----	120 UNCH
10000	----	----	3.664B/----	3.664B/4.572A	----	4.044	+ 0.977	.2886	----	----	----	----	96 UNCH
11000	----	----	2.593B/----	2.593B/3.430A	----	3.004	+ 0.768	.2194	----	----	----	----	3 UNCH
11100	----	----	2.511B/----	2.511B/3.336A	----	2.922	+ 0.752	.2138	----	----	----	----	2 UNCH
11700	----	----	2.080B/----	2.080B/2.854A	----	2.487	+ 0.661	.1837	----	----	----	----	2 UNCH
12000	----	----	1.900B/----	1.900B/2.651A	----	2.299	+ 0.618	.1706	----	----	10	----	75 UNCH
13000	----	----	1.392B/----	1.392B/2.145A	----	1.776	+ 0.476	.1339	----	----	----	----	145 UNCH
14000	----	----	1.198B/----	1.198B/1.468A	----	1.381	+ 0.349	.1059	----	----	----	----	2 UNCH
15000	----	----	1.024B/----	1.024B/1.217A	----	1.090	+ 0.248	.0848	----	----	----	----	178 UNCH
16000	----	----	0.825B/----	0.825B/1.018A	----	0.929	+ 0.208	.0719	----	----	20	----	40 + 16
18000	----	----	0.550B/----	0.550B/0.742A	----	0.610	+ 0.138	.0483	----	----	----	----	340 UNCH
20000	----	----	0.384B/----	0.384B/0.566A	----	0.427	+ 0.095	.0343	----	----	10	----	245 + 10
TOTAL											40	0	1340 + 26
NOV26													
6500	----	----	----	----/43.375A	----	16.953	+ 2.952	.7831	----	----	----	----	1 UNCH
7000	----	----	13.202B/----	13.202B/14.567A	----	13.855	+ 2.602	.7041	----	----	----	----	14 UNCH
7100	----	----	12.903B/----	12.903B/14.023A	----	13.304	+ 2.529	.6876	----	----	----	----	14 UNCH
7500	----	----	11.066B/----	11.066B/11.523A	----	11.324	+ 2.234	.6212	----	----	----	----	1 UNCH
7900	----	----	9.354B/----	9.354B/10.233A	----	9.678	+ 1.955	.5568	----	----	----	----	16 UNCH
8000	----	----	8.974B/----	8.974B/9.878A	----	9.315	+ 1.890	.5414	----	----	----	----	10 UNCH
8200	----	----	8.268B/----	8.268B/9.257A	----	8.639	+ 1.766	.5117	----	----	----	----	6 UNCH
9000	----	----	6.095B/----	6.095B/7.228A	----	6.520	+ 1.371	.4084	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 48

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
NOV26												
9550	----	----	5.048B/----	5.048B/6.153A	----	5.473 + 1.175	.3516	----	----	----	----	3 UNCH
9800	----	----	4.651B/----	4.651B/5.741A	----	5.076 + 1.100	.3291	----	----	----	----	3 UNCH
10000	----	----	4.365B/----	4.365B/5.439A	----	4.786 + 1.044	.3124	----	----	4	----	24 + 4
11000	----	----	3.203B/----	3.203B/4.207A	----	3.630 NEW	.2434	----	----	4	----	4 + 4
12000	----	----	2.425B/----	2.425B/3.329A	----	2.823 + 0.636	.1930	----	----	----	----	13 UNCH
12500	----	----	2.127B/----	2.127B/2.989A	----	2.510 + 0.566	.1730	----	----	----	----	10 UNCH
13000	----	----	1.876B/----	1.876B/2.697A	----	2.241 + 0.504	.1555	----	----	----	----	2 UNCH
14000	----	----	1.424B/----	1.424B/2.288A	----	1.810 + 0.402	.1271	----	----	----	----	3 UNCH
15000	----	----	----	1.071B/1.973A	----	1.483 + 0.322	.1052	----	----	----	----	6 UNCH
16000	----	----	1.150B/----	1.150B/1.384A	----	1.233 + 0.261	.0881	----	----	----	----	14 UNCH
17000	----	----	0.956B/----	0.956B/1.184A	----	1.039 + 0.213	.0747	----	----	----	----	2 UNCH
20000	----	----	0.580B/----	0.580B/0.800A	----	0.664 + 0.123	.0483	----	----	----	----	32 UNCH
21000	----	----	0.498B/----	0.498B/0.714A	----	0.582 + 0.104	.0424	----	----	----	----	2 UNCH
TOTAL										8	0	181 + 8
DEC26												
3875	----	----	----	----	----	39.960 + 3.756	.9775	----	----	----	----	1 UNCH
5250	----	----	----	----/60.323A	----	27.073 + 3.486	.9144	----	----	----	----	50 UNCH
5500	----	----	----	----/58.231A	----	24.932 + 3.389	.8934	----	----	----	----	1 UNCH
6500	----	----	----	----/50.428A	----	17.443 + 2.882	.7735	----	----	----	----	564 UNCH
6900	----	----	13.563B/----	13.563B/15.947A	----	15.016 + 2.677	.7140	----	----	----	----	1 UNCH
6950	----	----	13.796B/----	13.796B/15.675A	----	14.736 + 2.650	.7063	----	----	----	----	200 UNCH
7000	----	----	13.882B/----	13.882B/15.403A	----	14.462 + 2.625	.6986	----	----	----	----	120 UNCH
7025	----	----	13.709B/----	13.709B/15.270A	----	14.327 + 2.612	.6947	----	----	----	----	1 UNCH
7075	----	----	13.439B/----	13.439B/15.008A	----	14.061 + 2.586	.6870	----	----	----	----	5 UNCH
7100	----	----	13.306B/----	13.306B/14.874A	----	13.930 + 2.573	.6832	----	----	----	----	15 UNCH
7375	----	----	11.930B/----	11.930B/13.530A	----	12.571 + 2.423	.6406	----	----	----	----	2 UNCH
7500	----	----	11.713B/----	11.713B/12.537A	----	12.003 + 2.352	.6214	----	----	----	----	18 UNCH
7575	----	----	11.750B/----	11.750B/12.646A	----	11.677 + 2.310	.6099	----	----	----	----	1 UNCH
7750	----	----	10.856B/----	10.856B/11.522A	----	10.956 + 2.209	.5836	----	----	----	----	2 UNCH
7800	----	----	10.366B/----	10.366B/11.333A	----	10.760 + 2.180	.5762	----	----	----	----	1 UNCH
7925	----	----	9.635B/----	9.635B/11.270A	----	10.289 + 2.108	.5580	----	----	----	----	2 UNCH
8000	----	----	10.000B/----	10.000B/10.652A	----	10.020 + 2.065	.5473	----	----	----	----	132 UNCH
8100	----	----	9.243B/----	9.243B/10.312A	----	9.675 + 2.008	.5333	----	----	----	----	1 UNCH
8200	----	----	8.901B/----	8.901B/9.996A	----	9.345 + 1.951	.5196	----	----	----	----	21 UNCH
8400	----	----	8.264B/----	8.264B/9.403A	----	8.731 + 1.840	.4932	----	----	----	----	50 UNCH
8500	----	----	7.967B/----	7.967B/9.174A	----	8.444 + 1.784	.4805	----	----	----	----	150 UNCH
8550	----	----	7.823B/----	7.823B/9.039A	----	8.306 + 1.757	.4743	----	----	----	----	25 UNCH
8600	----	----	7.683B/----	7.683B/8.904A	----	8.171 + 1.731	.4682	----	----	----	----	7 UNCH
8800	----	----	7.153B/----	7.153B/8.410A	----	7.662 + 1.627	.4446	----	----	----	----	5 UNCH
8900	----	----	6.905B/----	6.905B/8.175A	----	7.425 + 1.577	.4333	----	----	----	----	2 UNCH
8950	----	----	6.785B/----	6.785B/8.066A	----	7.310 + 1.552	.4278	----	----	----	----	1 UNCH
9000	----	----	6.668B/----	6.668B/7.955A	----	7.198 + 1.527	.4223	----	----	----	----	229 UNCH
9050	----	----	6.553B/----	6.553B/7.851A	----	7.089 + 1.504	.4170	----	----	----	----	100 UNCH
9300	----	----	6.016B/----	6.016B/7.395A	----	6.577 + 1.389	.3915	----	----	----	----	1 UNCH
9500	----	----	5.626B/----	5.626B/7.030A	----	6.206 + 1.304	.3725	----	----	----	----	10 UNCH
9700	----	----	5.266B/----	5.266B/6.694A	----	5.866 + 1.226	.3547	----	----	----	----	1 UNCH
9800	----	----	5.096B/----	5.096B/6.538A	----	5.706 + 1.189	.3463	----	----	20	----	46 + 20
9900	----	----	4.933B/----	4.933B/6.387A	----	5.552 + 1.153	.3381	----	----	----	----	4 UNCH
10000	5.500	5.500	5.500/5.500	5.500/5.500	----	5.404 + 1.120	.3301	----	----	27	----	823 + 20
10025	----	----	4.700B/----	4.700B/6.306A	----	5.368 + 1.112	.3281	----	----	----	----	3 UNCH
10500	----	----	4.089B/----	4.089B/5.584A	----	4.739 + 0.973	.2937	----	----	----	----	2 UNCH
10600	----	----	3.973B/----	3.973B/5.461A	----	4.620 + 0.948	.2871	----	----	----	----	6 UNCH
10800	----	----	3.758B/----	3.758B/5.253A	----	4.393 + 0.900	.2744	----	----	----	----	5 UNCH
11000	----	----	3.554B/----	3.554B/4.990A	----	4.182 + 0.857	.2624	----	----	----	----	93 UNCH
11350	----	----	3.230B/----	3.230B/4.622A	----	3.844 + 0.790	.2430	----	----	----	----	5 UNCH
11800	----	----	2.869B/----	2.869B/4.207A	----	3.463 + 0.718	.2209	----	----	----	----	25 UNCH
12000	----	----	2.725B/----	2.725B/4.071A	----	3.311 + 0.690	.2119	----	----	6	----	494 + 6
12200	----	----	2.591B/----	2.591B/3.914A	----	3.167 + 0.663	.2034	----	----	----	----	1 UNCH
12500	----	----	2.403B/----	2.403B/3.661A	----	2.968 + 0.627	.1915	----	----	----	----	45 UNCH
13000	----	----	2.126B/----	2.126B/3.368A	----	2.673 + 0.572	.1737	----	----	----	----	386 UNCH
14000	----	----	----	1.677B/2.827A	----	2.196 + 0.477	.1444	----	----	----	----	56 UNCH
14200	----	----	----	1.582B/2.774A	----	2.115 + 0.460	.1393	----	----	----	----	1 UNCH
15000	----	----	----	1.259B/2.492A	----	1.830 + 0.396	.1214	----	----	----	----	1829 UNCH
16000	----	----	----	0.926B/2.250A	----	1.545 + 0.330	.1033	----	----	----	----	1616 UNCH
17000	----	----	1.175B/----	1.175B/1.535A	----	1.317 + 0.273	.0886	----	----	----	----	50 UNCH
18000	----	----	0.992B/----	0.992B/1.330A	----	1.134 + 0.227	.0767	----	----	----	----	4 UNCH
19000	----	----	0.843B/----	0.843B/1.180A	----	0.985 + 0.190	.0670	----	----	----	----	1 UNCH
20000	----	----	0.722B/----	0.722B/1.056A	----	0.862 + 0.159	.0588	----	----	----	----	260 UNCH
21000	----	----	----	0.624B/0.952A	----	0.761 + 0.135	.0521	----	----	----	----	4 UNCH
22000	----	----	----	0.541B/0.865A	----	0.676 + 0.116	.0464	----	----	----	----	1 UNCH
23000	----	----	----	0.469B/0.790A	----	0.605 + 0.101	.0416	----	----	----	----	4 UNCH
25000	----	----	----	0.358B/0.671A	----	0.493 + 0.079	.0340	----	----	----	----	239 UNCH
30000	----	----	----	0.190B/0.482A	----	0.321 + 0.049	.0221	----	----	----	----	110 UNCH
40000	----	----	----	0.052B/0.311A	----	0.176 + 0.024	.0120	----	----	----	----	23 UNCH
90000	----	----	----	0.003B/0.400A	----	0.058 + 0.006	.0036	----	----	----	----	2 UNCH
TOTAL										53	0	7857 + 46
JAN27												
7550	----	----	12.519B/----	12.519B/13.511A	----	12.864 + 2.299	.6257	----	----	----	----	2 UNCH
7650	----	----	12.246B/----	12.246B/13.078A	----	12.432 + 2.244	.6115	----	----	----	----	6 UNCH
10000	----	----	5.627B/----	5.627B/7.161A	----	6.140 + 1.236	.3516	----	----	----	----	6 UNCH
11000	----	----	4.236B/----	4.236B/5.904A	----	4.874 + 0.980	.2853	----	----	----	----	6 UNCH
12500	----	----	----	2.827B/4.588A	----	3.629 + 0.724	.2162	----	----	----	----	1 UNCH
13000	----	----	----	2.477B/4.253A	----	3.306 + 0.662	.1981	----	----	----	----	7 UNCH
14000	----	----	----	1.902B/3.704A	----	2.752 + 0.558	.1670	----	----	----	----	1 UNCH
14500	----	----	----	1.665B/3.477A	----	2.519 + 0.516	.1538	----	----	----	----	400 UNCH
15000	----	----	----	1.454B/3.276A	----	2.314 + 0.478	.1421	----	----	----	----	400 UNCH
TOTAL											0	829 0
FEB27												
7500	----	----	13.252B/----	13.252B/14.183A	----	13.665 + 2.344	.6332	----	----	----	----	1 UNCH
9000	----	----	8.191B/----	8.191B/9.627A	----	8.834 + 1.554	.4556	----	----	----	----	1 UNCH
30000	----	----	----	0.288B/0.866A	----	0.460 + 0.075	.0295	----	----	----	----	1 UNCH
TOTAL											0	3 0
MAR27												
8000	----	----	10.911B/----	10.911B/14.066A	----	12.209 + 1.999	.5710	----	----	----	----	200 UNCH
9000	----	----	8.002B/----	8.002B/11.058A	----	9.325 + 1.581	.4632	----	----	----	----	35 UNCH
9200	----	----	7.551B/----	7.551B/10.667A	----	8.875 + 1.512	.4447	----	----	----	----	25 UNCH
13000	----	----	----	#2.947B/5.442A	----	4.157 + 0.792	.2268	----	----	----	----	105 UNCH
14000	----	----	----	#2.393B/4.739A	----	3.528 + 0.690	.1949	----	----	----	----	105 UNCH
30000	----	----	----	0.382B/1.014A	----	0.888 + 0.134	.0496	----	----	----	----	2 UNCH
TOTAL											0	472 0
MAY27												
11000	----	----	----	----	----	8.572 + 1.335	.3748	----	----	----	----	1 UNCH
TOTAL											0	1 0
JUL27												
2000	----	----	----	----	----	60.566 + 3.853	.9957	----	----	----	----	1 UNCH
10000	----	----	----	----	----	11.559 + 1.646	.4562	----	----	----	----	1 UNCH
10300	----	----	----	----	----	11.050 + 1.583	.4388	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	43.050 + 3.535	.9248	----	----	----	----	1 UNCH
20000	----	----	----	----	----	6.872 + 0.891	.2457	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
JUN26												
2100	----	----	----	----/0.009A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
2350	----	----	----	----/0.240A	----	0.001 UNCH	.0000	----	----	----	----	2 UNCH
2500	----	----	----	0.001B/0.015A	----	0.002 UNCH	.0002	----	----	----	----	141 UNCH
2650	----	----	----	----/0.239A	----	0.002 UNCH	.0002	----	----	----	----	1 UNCH
3000	----	----	----	----/0.033A	----	0.005 + 0.001	.0005	----	----	----	----	246 UNCH
3075	----	----	----	----/0.033A	----	0.005 UNCH	.0005	----	----	----	----	4 UNCH
3100	----	----	----	----/0.033A	----	0.006 + 0.001	.0006	----	----	----	----	3 UNCH
3150	----	----	----	----/*0.033A	----	0.006 UNCH	.0006	----	----	----	----	9 UNCH
3200	----	----	----	----/0.033A	----	0.007 + 0.001	.0008	----	----	----	----	4 UNCH
3325	----	----	----	----/*0.029A	----	0.008 UNCH	.0009	----	----	----	----	2 UNCH
3350	----	----	----	----/*0.029A	----	0.008 UNCH	.0009	----	----	----	----	1 UNCH
3375	----	----	----	----/0.030A	----	0.009 UNCH	.0010	----	----	----	----	1 UNCH
3400	----	----	----	----/0.030A	----	0.009 UNCH	.0010	----	----	----	----	17 UNCH
3500	----	----	----	----/0.030A	----	0.011 + 0.001	.0013	----	----	----	----	100 UNCH
3550	----	----	----	----/*0.031A	----	0.011 UNCH	.0013	----	----	----	----	5 UNCH
3575	----	----	----	----/*0.031A	----	0.012 + 0.001	.0014	----	----	----	----	22 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
3600	----	----	----	----/0.031A	----	0.012	UNCH .0014	----	----	----	----	6 UNCH
3650	----	----	----	----/*0.032A	----	0.013	UNCH .0015	----	----	----	----	22 UNCH
3675	----	----	----	----/*0.032A	----	0.013	UNCH .0016	----	----	----	----	1 UNCH
3700	----	----	----	----/*0.032A	----	0.014	UNCH .0017	----	----	----	----	6 UNCH
3725	----	----	----	----/*0.014A	----	0.014	UNCH .0017	----	----	----	----	15 UNCH
3800	----	----	----	----/*0.033A	----	0.017	UNCH .0021	----	----	----	----	14 UNCH
3850	----	----	----	----/*0.034A	----	0.019	UNCH .0023	----	----	----	----	2 UNCH
3900	----	----	----	----/*0.035A	----	0.021	UNCH .0026	----	----	----	----	6 UNCH
3925	----	----	----	----/*0.036A	----	0.022	UNCH .0027	----	----	----	----	3 UNCH
4000	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.025	UNCH .0031	----	----	1	----	153 UNCH
4075	----	----	----	----/*0.039A	----	0.025 -	0.003 .0032	----	----	----	----	1 UNCH
4100	0.020	0.020	0.020/*0.020	0.020/*0.020	----	0.026 -	0.003 .0033	----	----	1	----	31 - 1
4125	----	----	----	----/*0.040A	----	0.026 -	0.004 .0033	----	----	----	----	5 UNCH
4150	----	----	----	----/*0.041A	----	0.026 -	0.005 .0034	----	----	----	----	4 UNCH
4200	----	----	----	----/*0.042A	----	0.026 -	0.007 .0034	----	----	----	----	26 UNCH
4225	----	----	----	----/*0.042A	----	0.026 -	0.008 .0035	----	----	----	----	7 UNCH
4250	----	----	----	----/*0.042A	----	0.026 -	0.008 .0035	----	----	----	----	5 UNCH
4275	----	----	----	----/*0.043A	----	0.027 -	0.008 .0036	----	----	----	----	13 UNCH
4300	----	----	----	----/*0.043A	----	0.027 -	0.009 .0037	----	----	----	----	7 UNCH
4350	----	----	----	----/*0.044A	----	0.027 -	0.010 .0038	----	----	----	----	2 UNCH
4375	----	----	----	----/*0.044A	----	0.027 -	0.011 .0038	----	----	----	----	3 UNCH
4400	----	----	----	----/*0.045A	----	0.027 -	0.012 .0038	----	----	----	----	8 UNCH
4425	----	----	----	----/*0.045A	----	0.027 -	0.012 .0039	----	----	----	----	1 UNCH
4500	----	----	----	----/0.046A	----	0.028 -	0.013 .0041	----	----	----	----	166 UNCH
4550	----	----	----	0.001B/*0.048A	----	0.028 -	0.014 .0042	----	----	----	----	2 UNCH
4600	----	----	----	0.001B/*0.049A	----	0.029 -	0.013 .0044	----	----	----	----	7 UNCH
4625	----	----	----	0.001B/*0.050A	----	0.029 -	0.014 .0044	----	----	----	----	12 UNCH
4650	----	----	----	0.001B/*0.050A	----	0.029 -	0.014 .0045	----	----	----	----	1 UNCH
4700	----	----	----	0.001B/*0.052A	----	0.030 -	0.014 .0047	----	----	----	----	2 UNCH
4725	----	----	----	0.001B/*0.052A	----	0.030 -	0.014 .0047	----	----	----	----	10 UNCH
4750	----	----	----	0.001B/*0.053A	----	0.030 -	0.014 .0048	----	----	----	----	3 UNCH
4800	----	----	----	0.001B/*0.055A	----	0.031 -	0.014 .0050	----	----	----	----	29 UNCH
4850	----	----	----	0.001B/*0.056A	----	0.032 -	0.013 .0052	----	----	----	----	3 UNCH
4875	----	----	----	0.001B/*0.058A	----	0.032 -	0.013 .0053	----	----	----	----	15 UNCH
4900	----	----	----	0.001B/*0.058A	----	0.033 -	0.012 .0055	----	----	----	----	171 UNCH
4975	----	----	----	0.001B/*0.062A	----	0.034 -	0.012 .0058	----	----	----	----	1 UNCH
5000	0.030	0.030	0.030/*0.007	0.030/*0.007	----	0.035 -	0.011 .0060	----	----	9	----	1006 - 4
5025	----	----	----	0.001B/*0.065A	----	0.035 -	0.011 .0061	----	----	----	----	8 UNCH
5050	----	----	----	0.001B/*0.066A	----	0.036 -	0.011 .0063	----	----	----	----	3 UNCH
5075	----	----	----	0.001B/*0.068A	----	0.037 -	0.010 .0065	----	----	----	----	2 UNCH
5100	----	----	----	0.001B/0.070A	----	0.037 -	0.010 .0066	----	----	----	----	34 UNCH
5125	----	----	----	0.001B/0.072A	----	0.038 -	0.010 .0068	----	----	----	----	1 UNCH
5150	----	----	----	0.001B/*0.073A	----	0.039 -	0.009 .0070	----	----	----	----	16 UNCH
5175	----	----	----	0.001B/*0.075A	----	0.040 -	0.009 .0072	----	----	----	----	12 UNCH
5200	----	----	----	0.001B/*0.076A	----	0.041 -	0.008 .0074	----	----	----	----	7 UNCH
5225	----	----	----	0.003B/*0.078A	----	0.041 -	0.009 .0075	----	----	----	----	1 UNCH
5250	----	----	----	0.008B/0.080A	----	0.042 -	0.008 .0078	----	----	----	----	14 UNCH
5275	----	----	----	0.006B/0.081A	----	0.043 -	0.008 .0080	----	----	----	----	17 UNCH
5300	0.091	0.091	0.091/*0.065A	0.091/*0.065A	----	0.044 -	0.008 .0082	----	----	3	----	14 UNCH
5325	----	----	----	0.008B/*0.085A	----	0.045 -	0.008 .0085	----	----	----	----	10 UNCH
5350	----	----	----	0.010B/0.085A	----	0.046 -	0.008 .0087	----	----	----	----	12 UNCH
5375	----	----	----	0.013B/*0.084A	----	0.047 -	0.008 .0090	----	----	----	----	10 UNCH
5400	----	----	----	0.013B/*0.084A	----	0.048 -	0.008 .0092	----	----	----	----	24 UNCH
5425	----	----	----	0.012B/*0.085A	----	0.049 -	0.008 .0095	----	----	----	----	4 UNCH
5450	----	----	----	0.013B/*0.087A	----	0.050 -	0.009 .0098	----	----	----	----	2 UNCH
5475	----	----	----	0.012B/*0.088A	----	0.051 -	0.009 .0100	----	----	----	----	13 UNCH
5500	0.057	0.057	0.057/*0.056A	0.057/*0.056A	----	0.053 -	0.009 .0105	----	----	7	----	646 + 5
5525	----	----	----	0.012B/0.091A	----	0.054 -	0.010 .0108	----	----	----	----	16 UNCH
5550	----	----	----	0.012B/*0.093A	----	0.055 -	0.012 .0110	----	----	----	----	10 UNCH
5575	----	----	----	0.012B/*0.095A	----	0.057 -	0.012 .0115	----	----	----	----	2 UNCH
5600	----	----	----	0.012B/*0.096A	----	0.058 -	0.014 .0118	----	----	----	----	19 UNCH
5625	----	----	----	0.013B/*0.098A	----	0.060 -	0.016 .0123	----	----	----	----	2 UNCH
5650	----	----	----/*0.069A	0.049B/*0.069A	----	0.061 -	0.018 .0126	----	----	----	----	51 UNCH
5675	----	----	----/*0.073A	0.053B/*0.073A	----	0.063 -	0.020 .0131	----	----	----	----	21 UNCH
5700	----	----	----/*0.073A	0.053B/*0.073A	----	0.065 -	0.023 .0135	----	----	----	----	243 UNCH
5725	----	----	----/*0.076A	0.057B/*0.076A	----	0.067 -	0.026 .0140	----	----	----	----	4 UNCH
5750	----	----	----/*0.079A	0.062B/*0.079A	----	0.069 -	0.030 .0145	----	----	----	----	226 UNCH
5775	----	----	----/*0.083A	0.064B/*0.083A	----	0.071 -	0.034 .0151	----	----	----	----	9 UNCH
5800	0.090	0.090	0.090/*0.080	0.090/*0.080	----	0.074 -	0.038 .0158	----	----	13	----	80 - 5
5825	----	----	----/*0.087A	0.071B/*0.087A	----	0.076 -	0.044 .0163	----	----	----	----	9 UNCH
5850	----	----	----/*0.093A	0.079B/*0.093A	----	0.079 -	0.050 .0170	----	----	10	----	6 - 10
5875	----	----	----/*0.096A	0.077B/*0.096A	----	0.082 -	0.056 .0177	----	----	2	----	14 UNCH
5900	0.083	0.083	0.083/*0.083	0.083/*0.083	----	0.085 -	0.062 .0185	----	----	2	----	45 UNCH
5925	----	----	----/*0.102A	0.083B/*0.102A	----	0.088 -	0.069 .0192	----	----	----	----	21 UNCH
5950	----	----	----/*0.105A	0.091B/*0.105A	----	0.092 -	0.074 .0201	----	----	10	----	6 - 10
5975	----	----	----/*0.108A	0.095B/*0.108A	----	0.096 -	0.079 .0211	----	----	----	----	3 UNCH
6000	0.190	0.190	0.190/*0.100	0.190/*0.100	----	0.100 -	0.085 .0220	----	----	339	----	1213 + 135
6025	----	----	----/*0.119A	0.103B/*0.119A	----	0.104 -	0.090 .0230	----	----	----	----	31 UNCH
6050	----	----	----/*0.125A	0.111B/*0.125A	----	0.109 -	0.094 .0241	----	----	18	----	142 UNCH
6075	----	----	----/*0.125A	0.114B/*0.125A	----	0.114 -	0.098 .0253	----	----	----	----	31 UNCH
6100	0.131	0.131	0.131/*0.131	0.131/*0.131	----	0.118 -	0.103 .0263	----	----	6	----	112 - 5
6125	----	----	----/*0.138A	0.127B/*0.138A	----	0.124 -	0.107 .0277	----	----	----	----	3 UNCH
6150	----	----	----/*0.145A	0.132B/*0.145A	----	0.129 -	0.112 .0289	----	----	13	----	14 - 1
6175	----	----	----/*0.152A	0.137B/*0.152A	----	0.134 -	0.118 .0302	----	----	----	----	307 UNCH
6200	0.211	0.211	0.211/*0.157A	0.211/*0.157A	----	0.140 -	0.124 .0316	----	----	11	----	269 - 2
6225	----	----	----/*0.164A	0.264B/*0.164A	----	0.146 -	0.133 .0331	----	----	----	----	8 UNCH
6250	----	----	----/*0.171A	0.281B/*0.171A	----	0.152 -	0.143 .0346	----	----	43	----	69 - 30
6275	----	----	----/*0.178A	0.300B/*0.178A	----	0.159 -	0.154 .0362	----	----	----	----	3 UNCH
6300	0.173	0.173	0.173/*0.170	0.319B/*0.170	----	0.166 -	0.165 .0379	----	----	24	----	153 - 2
6325	----	----	----/*0.193A	0.339B/*0.193A	----	0.174 -	0.177 .0398	----	----	----	----	19 UNCH
6350	----	----	----/*0.200A	0.361B/*0.200A	----	0.183 -	0.189 .0419	----	----	5	----	32 + 1
6375	----	----	----/*0.207A	0.385B/*0.207A	----	0.192 -	0.202 .0440	----	----	1	----	15 UNCH
6400	----	----	----/*0.217A	0.409B/*0.217A	----	0.203 -	0.214 .0464	----	----	5	----	187 - 1
6425	0.225	0.225	0.225/*0.225	0.436B/*0.225	----	0.214 -	0.228 .0489	----	----	1	----	47 UNCH
6450	0.231	0.231	0.231/*0.231	0.463B/*0.231	----	0.226 -	0.241 .0516	----	----	1	----	63 UNCH
6475	----	----	----/*0.242A	0.493B/*0.242A	----	0.239 -	0.256 .0545	----	----	----	----	89 UNCH
6500	0.325	0.325	0.325/*0.235	0.524B/*0.235	----	0.253 -	0.272 .0575	----	----	339	----	643 - 40
6525	----	----	----/*0.265A	0.554B/*0.265A	----	0.267 -	0.289 .0606	----	----	----	----	38 UNCH
6550	----	----	----/*0.278A	0.589B/*0.278A	----	0.283 -	0.307 .0640	----	----	----	----	78 UNCH
6575	0.393	0.393	0.626B/*0.291A	0.626B/*0.291A	----	0.299 -	0.326 .0675	----	----	2	----	8 UNCH
6600	0.483	0.483	0.665B/*0.306A	0.665B/*0.306A	----	0.316 -	0.347 .0712	----	----	23	----	187 - 1
6625	0.509	0.509	0.711B/*0.323A	0.711B/*0.323A	----	0.335 -	0.366 .0751	----	----	2	----	20 - 2
6650	0.368	0.368	0.751B/*0.342A	0.751B/*0.342A	----	0.354 -	0.387 .0792	----	----	11	----	32 + 10
6675	0.564	0.564	0.801B/*0.358A	0.801B/*0.358A	----	0.374 -	0.409 .0834	----	----	2	----	28 + 2
6700	0.424	0.424	0.850B/*0.366	0.850B/*0.366	----	0.396 -	0.431 .0879	----	----	34	----	147 + 3
6725	0.415	0.415	0.900B/*0.395A	0.900B/*0.395A	----	0.419 -	0.455 .0926	----	----	3	----	40 + 1
6750	0.659	0.659	0.949B/*0.414A	0.949B/*0.414A	----	0.444 -	0.480 .0976	----	----	5	----	65 + 4
6775	----	----	1.005B/*0.437A	1.005B/*0.437A	----	0.470 -	0.506 .1028	----	----	----	----	8 UNCH
6800	1.000	1.000	1.067B/*0.460A	1.067B/*0.460A	----	0.498 -	0.534 .1083	----	----	22	----	90 + 3
6825	----	----	1.126B/*0.486A	1.126B/*0.486A	----	0.528 -	0.563 .1141	----	----	----	----	2 UNCH
6850	0.563	0.563	1.198B/*0.512A	1.198B/*0.512A	----	0.559 -	0.595 .1201	----	----	8	----	83 + 2
6875	0.571	0.571	1.266B/*0.541A	1.266B/*0.541A	----	0.593 -	0.626 .1265	----	----	2	----	5 + 2
6900	0.589	0.589	1.328B/*0.570A	1.328B/*0.570A	----	0.628 -	0.660 .1330	----	----	19	----	98 - 6
6925	----	----	1.409B/*0.602A	1.409B/*0.602A	----	0.665 -	0.695 .1398	----	----	----	----	13 UNCH
6950	0.697	0.697	1.483B/*0.635A	1.483B/*0.635A	----	0.704 -	0.731 .1469	----	----	32	----	55 - 30
6975	----	----	1.559B/*0.671A	1.559B/*0.671A	----	0.746 -	0.767 .1544	----	----	----	----	10 UNCH
7000	1.379	1.379	1.645B/*0.665	1.645B/*0.665	----	0.789 -	0.806 .1620	----	----	45	----	774 - 25
7025	----	----	1.725B/*0.747A	1.725B/*0.747A	----	0.835 -	0.844 .1699	----	----	----	----	20 UNCH
7050	----	----	1.824B/*0.789A	1.824B/*0.789A	----	0.883 -	0.884 .1781	----	----	----	----	52 UNCH
7075	1.102	1.102	1.906B/*0.833A	1.906B/*0.833A	----	0.934 -	0.924 .1866	----	----	6	----	41 - 6
7100	1.353	1.353	1.999B/*0.878A	1.999B/*0.878A	----	0.987 -	0.966 .1953	----	----	17	----	94 - 8
7125	----	----	2.107B/*0.926A	2.107B/*0.926A	----	1.042 -	1.008 .2043	----	----	1	----	10 - 1
7150	----	----	2.215B/*0.978A	2.215B/*0.978A	----	1.100 -	1.051 .2136	----	----	1	----	32 UNCH
7175	----	----	2.323B/*1.031A	2.323B/*1.031A	----	1.161 -	1.095 .2231	----	----	----	----	68 UNCH
7200	1.659	1.659	2.405B/*1.086A	2.405B/*1.086A	----	1.224 -	1.139 .2328	----	----	17	----	316 - 10
7225	1.641	1.641	2.529B/*1.147A	2.529B/*1.147A	----	1.290 -	1.185 .2428	----	----	3	----	10 - 3
7250	----	----	2.658B/*1.208A	2.658B/*1.208A	----	1.359 -	1.230 .2530	----	----	----	----	21 UNCH
7275	----	----	2.782B/*1.271A	2.782B/*1.271A	----	1.431 -	1.276 .2635	----	----	----	----	10 UNCH
7300	1.900	1.900	2.913B/*1.338A	2.913B/*1.338A	----	1.506 -	1.322 .2741	----	----	20	75	175 + 67
7325	----	----	3.035B/*1.410A	3.035B/*1.410A	----	1.584 -	1.369 .2850	----	----	1	----	18 UNCH
7350	----	----	3.139B/*1.484A	3.139B/*1.484A	----	1.665 -	1.416 .2961	----	----	1	----	40 - 1
7375	1.614	1.614	3.277B/*1.560A	3.277B/*1.560A	----	1.749 -	1.464 .3073	----	----	5	----	33 UNCH
7400	1.882	1.882	3.445B/*1.636A	3.445B/*1.636A	----	1.836 -	1.511 .3187	----	----	10	----	61 + 2
7425	----	----	3.592B/*1.719A	3.592B/*1.719A	----	1.927 -	1.559 .3304	----	----	----	----	37 UNCH
7450	----	----	3.727B/*1.803A	3.727B/*1.803A	----	2.020 -	1.607 .3421	----	----	2	----	57 - 1
7475	2.833	2.833	2.833/*1.895A	3.769B/*1.895A	----	2.117 -	1.655 .3539	----	----	1	----	18 UNCH
7500	3.117	3.117	4.002B/*1.979	4.002B/*1.979	----	2.217 -	1.703 .3659	----	----	32	----	421 - 1
7525	3.050	3.050	4.138B/*2.082A	4.138B/*2.082A	----	2.321 -	1.750 .3780	----	----	4	----	8 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
7550	----	----	----/*2.175A	4.091B/*2.175A	----	2.428 - 1.798	.3902	----	----	----	----	21 UNCH
7575	3.326	3.326	3.385/*2.277A	4.225B/*2.277A	----	2.538 - 1.845	.4024	----	----	4	----	7 + 2
7600	3.469	3.469	3.469/*2.375A	4.132B/*2.375A	----	2.651 - 1.893	.4147	----	----	13	----	84 - 1
7625	----	----	----/*2.482A	4.261B/*2.482A	----	2.768 - 1.940	.4270	----	----	1	----	3 UNCH
7650	2.650	2.650	3.125/*2.598A	4.349B/*2.598A	----	2.888 - 1.987	.4394	----	----	12	----	12 + 2
7675	2.870	2.870	2.870/2.702A	4.382B/2.702A	----	3.012 - 2.032	.4518	----	----	1	----	2 UNCH
7700	3.550	3.550	3.550/2.819A	4.380B/2.819A	----	3.139 - 2.078	.4642	----	----	16	----	72 + 5
7725	3.250	3.250	3.250/2.927A	4.294B/2.927A	----	3.269 - 2.124	.4765	----	----	1	----	24 + 1
7750	----	----	----/3.049A	4.281B/3.049A	----	3.402 - 2.169	.4888	----	----	----	----	5 UNCH
7775	----	----	----/3.174A	4.385B/3.174A	----	3.539 - 2.213	.5011	----	----	----	----	30 UNCH
7800	4.240	4.240	4.240/3.301A	4.269B/3.301A	----	3.679 - 2.256	.5133	----	----	13	----	46 + 4
7825	----	----	----/3.435A	4.387B/3.435A	----	3.822 - 2.300	.5254	----	----	----	----	5 UNCH
7850	3.540	3.540	3.540/3.540	4.496B/3.540	----	3.969 - 2.341	.5374	----	----	1	----	11 + 1
7875	3.676	3.676	3.676/3.676	4.640B/3.676	----	4.118 - 2.383	.5493	----	----	1	----	21 UNCH
7900	----	----	----/3.838A	4.741B/3.838A	----	4.271 - 2.424	.5611	----	----	----	----	120 UNCH
7925	----	----	----/3.993A	4.849B/3.993A	----	4.426 - 2.465	.5728	----	----	----	----	11 UNCH
7950	----	----	----/4.137A	5.015B/4.137A	----	4.585 - 2.504	.5843	----	----	----	----	23 UNCH
7975	----	----	----/4.338A	5.067B/4.338A	----	4.746 - 2.543	.5957	----	----	----	----	2 UNCH
8000	4.400	4.400	5.422B/4.400	5.422B/4.400	----	4.911 - 2.581	.6069	----	----	3	----	183 + 3
8025	5.259	5.259	5.406B/4.644A	5.406B/4.644A	----	5.078 - 2.618	.6179	----	----	1	----	2 + 1
8050	5.431	5.431	5.679B/4.800A	5.679B/4.800A	----	5.248 - 2.655	.6288	----	----	1	----	5 + 1
8075	----	----	----/4.962A	5.860B/4.962A	----	5.421 - 2.690	.6395	----	----	----	----	1 UNCH
8100	5.783	5.783	6.097B/5.129A	6.097B/5.129A	----	5.596 - 2.725	.6500	----	----	1	----	8 + 1
8125	5.963	5.963	6.228B/5.320A	6.228B/5.320A	----	5.774 - 2.759	.6603	----	----	1	----	3 + 1
8150	----	----	----/5.470A	6.462B/5.470A	----	5.955 - 2.792	.6704	----	----	----	----	6 UNCH
8175	----	----	----/5.711A	6.675B/5.711A	----	6.138 - 2.824	.6802	----	----	----	----	43 UNCH
8200	6.106	6.106	6.106/5.891A	6.835B/5.891A	----	6.324 - 2.855	.6899	----	----	13	----	14 - 10
8225	----	----	----/6.049A	7.030B/6.049A	----	6.511 - 2.887	.6994	----	----	----	----	6 UNCH
8250	----	----	----/6.254A	7.226B/6.254A	----	6.702 - 2.915	.7087	----	----	----	----	18 UNCH
8275	----	----	----/6.429A	7.443B/6.429A	----	6.894 - 2.945	.7177	----	----	----	----	41 UNCH
8300	----	----	----/6.628A	7.618B/6.628A	----	7.089 - 2.972	.7265	----	----	----	----	8 UNCH
8350	----	----	----/7.010A	8.029B/7.010A	----	7.484 - 3.026	.7435	----	----	----	----	18 UNCH
8375	----	----	----/7.289A	8.094B/7.289A	----	7.684 - 3.053	.7516	----	----	----	----	1 UNCH
8400	----	----	----/7.420A	8.300B/7.420A	----	7.887 - 3.077	.7595	----	----	----	----	3 UNCH
8425	----	----	----/7.548A	8.695B/7.548A	----	8.091 - 3.102	.7672	----	----	----	----	63 UNCH
8450	----	----	----/7.804A	8.843B/7.804A	----	8.298 - 3.125	.7748	----	----	----	----	18 UNCH
8475	----	----	----/8.012A	8.930B/8.012A	----	8.505 - 3.148	.7820	----	----	----	----	2 UNCH
8500	----	----	----/8.154A	9.331B/8.154A	----	8.715 - 3.170	.7890	----	----	----	----	70 UNCH
8525	----	----	----/8.460A	9.357B/8.460A	----	8.926 - 3.191	.7959	----	----	----	----	1 UNCH
8550	----	----	----/8.623A	9.573B/8.623A	----	9.139 - 3.211	.8026	----	----	----	----	1 UNCH
8575	----	----	----/8.873A	9.790B/8.873A	----	9.353 - 3.232	.8090	----	----	----	----	1 UNCH
8600	----	----	----/9.081A	10.009B/9.081A	----	9.569 - 3.250	.8152	----	----	----	----	5 UNCH
8625	----	----	----/9.240A	10.361B/9.240A	----	9.786 - 3.269	.8213	----	----	----	----	10 UNCH
8650	----	----	----/9.508A	10.451B/9.508A	----	10.004 - 3.287	.8271	----	----	----	----	2 UNCH
8675	----	----	----/9.720A	10.673B/9.720A	----	10.224 - 3.304	.8328	----	----	----	----	2 UNCH
8700	----	----	----/9.872A	11.029B/9.872A	----	10.445 - 3.320	.8383	----	----	----	----	14 UNCH
8750	----	----	----/10.285A	11.501B/10.285A	----	10.890 - 3.352	.8485	----	----	----	----	26 UNCH
8775	----	----	----/10.589A	11.576B/10.589A	----	11.115 - 3.366	.8536	----	----	----	----	1 UNCH
8800	----	----	----/10.762A	14.440B/10.762A	----	11.340 - 3.380	.8583	----	----	----	----	14 UNCH
8825	----	----	----/10.988A	13.377B/10.988A	----	11.566 - 3.394	.8629	----	----	----	----	15 UNCH
8850	----	----	----/11.206A	12.368B/11.206A	----	11.794 - 3.406	.8673	----	----	----	----	6 UNCH
8925	----	----	----/11.881A	15.018B/11.881A	----	12.482 - 3.442	.8796	----	----	----	----	4 UNCH
8975	----	----	----/12.382A	13.426B/12.382A	----	12.945 - 3.463	.8872	----	----	----	----	2 UNCH
9000	13.140	13.140	13.150/12.496A	15.338B/12.496A	----	13.177 - 3.473	.8907	----	----	2	----	136 + 2
9050	----	----	----/13.022A	14.131B/13.022A	----	13.645 - 3.491	.8974	----	----	----	----	3 UNCH
9075	----	----	----/13.251A	14.367B/13.251A	----	13.879 - 3.500	.9006	----	----	----	----	2 UNCH
9100	----	----	----/13.462A	15.727B/13.462A	----	14.115 - 3.507	.9036	----	----	----	----	6 UNCH
9125	----	----	----/13.714A	15.802B/13.714A	----	14.351 - 3.515	.9066	----	----	----	----	1 UNCH
9150	----	----	----/13.948A	15.080B/13.948A	----	14.587 - 3.523	.9093	----	----	----	----	1 UNCH
9175	----	----	----/14.181A	15.318B/14.181A	----	14.824 - 3.530	.9121	----	----	----	----	1 UNCH
9200	----	----	----/14.312A	15.768B/14.312A	----	15.062 - 3.536	.9147	----	----	----	----	80 UNCH
9325	----	----	----/15.608A	16.757B/15.608A	----	16.257 - 3.565	.9265	----	----	----	----	1 UNCH
9450	----	----	----/16.799A	18.068B/16.799A	----	17.461 - 3.590	.9363	----	----	----	----	6 UNCH
9500	----	----	----/17.162A	18.664B/17.162A	----	17.945 - 3.598	.9398	----	----	----	----	138 UNCH
9525	----	----	----/17.519A	18.695B/17.519A	----	18.187 - 3.603	.9414	----	----	----	----	1 UNCH
9550	----	----	----/17.760A	18.938B/17.760A	----	18.430 - 3.606	.9430	----	----	----	----	1 UNCH
9575	----	----	----/18.001A	19.182B/18.001A	----	18.673 - 3.610	.9446	----	----	----	----	2 UNCH
9725	----	----	----/19.454A	20.647B/19.454A	----	20.135 - 3.629	.9527	----	----	----	----	1 UNCH
9825	----	----	----/20.395A	21.628B/20.395A	----	21.114 - 3.640	.9574	----	----	----	----	1 UNCH
9850	----	----	----/20.671A	21.874B/20.671A	----	21.359 - 3.642	.9585	----	----	----	----	1 UNCH
9900	----	----	----/21.167A	22.465B/21.167A	----	21.849 - 3.647	.9606	----	----	----	----	17 UNCH
9925	----	----	----/21.372A	22.611B/21.372A	----	22.094 - 3.650	.9617	----	----	----	----	1 UNCH
9950	----	----	----/21.616A	22.857B/21.616A	----	22.340 - 3.652	.9626	----	----	----	----	1 UNCH
10000	----	----	----/22.020A	23.484B/22.020A	----	22.831 - 3.657	.9644	----	----	----	----	97 UNCH
10025	----	----	----/22.351A	23.596B/22.351A	----	23.077 - 3.659	.9653	----	----	----	----	2 UNCH
10075	----	----	----/22.842A	24.089B/22.842A	----	23.569 - 3.663	.9671	----	----	----	----	1 UNCH
10100	----	----	----/23.119A	24.436B/23.119A	----	23.815 - 3.665	.9679	----	----	----	----	6 UNCH
10125	----	----	----/23.334A	24.583B/23.334A	----	24.061 - 3.667	.9688	----	----	----	----	1 UNCH
10150	----	----	----/23.611A	24.930B/23.611A	----	24.307 - 3.670	.9695	----	----	----	----	8 UNCH
10175	----	----	----/23.826A	25.077B/23.826A	----	24.554 - 3.671	.9704	----	----	----	----	2 UNCH
10200	----	----	----/23.986A	25.458B/23.986A	----	24.800 - 3.673	.9711	----	----	----	----	120 UNCH
10225	----	----	----/24.318A	25.571B/24.318A	----	25.047 - 3.675	.9717	----	----	----	----	1 UNCH
10325	----	----	----/25.305A	26.560B/25.305A	----	26.036 - 3.680	.9741	----	----	----	----	1 UNCH
10350	----	----	----/25.552A	26.807B/25.552A	----	26.284 - 3.681	.9746	----	----	----	----	1 UNCH
10375	----	----	----/25.799A	27.055B/25.799A	----	26.532 - 3.682	.9750	----	----	----	----	1 UNCH
10400	----	----	----/26.046A	27.303B/26.046A	----	26.780 - 3.683	.9755	----	----	----	----	1 UNCH
10500	----	----	----/27.053A	28.399B/27.053A	----	27.776 - 3.683	.9767	----	----	----	----	9 UNCH
10600	----	----	----/28.026A	29.286B/28.026A	----	28.774 - 3.682	.9772	----	----	----	----	5 UNCH
10825	----	----	----/30.272A	31.632B/30.272A	----	31.018 - 3.682	.9791	----	----	----	----	6 UNCH
10850	----	----	----/30.508A	31.770B/30.508A	----	31.267 - 3.682	.9793	----	----	----	----	4 UNCH
10875	----	----	----/30.756A	32.019B/30.756A	----	31.516 - 3.682	.9796	----	----	----	----	2 UNCH
10950	----	----	----/31.502A	32.765B/31.502A	----	32.262 - 3.684	.9803	----	----	----	----	3 UNCH
11000	----	----	----/32.032A	33.368B/32.032A	----	32.760 - 3.685	.9808	----	----	----	----	7 UNCH
11325	----	----	----/35.289A	36.500B/35.289A	----	35.992 - 3.695	.9845	----	----	----	----	1 UNCH
11500	----	----	----/37.009A	38.350B/37.009A	----	37.734 - 3.700	.9861	----	----	----	----	10 UNCH
11525	----	----	----/37.226A	38.493B/37.226A	----	37.983 - 3.700	.9863	----	----	----	----	1 UNCH
11675	----	----	----/38.721A	39.990B/38.721A	----	39.477 - 3.704	.9874	----	----	----	----	1 UNCH
11700	----	----	----/38.971A	40.239B/38.971A	----	39.727 - 3.703	.9876	----	----	----	----	1 UNCH
12000	----	----	----/41.919A	43.455B/41.919A	----	42.717 - 3.708	.9897	----	----	4	----	50 UNCH
12025	----	----	----/42.213A	43.444B/42.213A	----	42.966 - 3.709	.9898	----	----	----	----	1 UNCH
13000	----	----	----/51.953A	53.238B/51.953A	----	52.700 - 3.719	.9940	----	----	----	----	5 UNCH
TOTAL										1284	75	12603 + 46
JUL26												
2000	----	----	----	0.001B/0.020A	----	0.003 UNCH	.0002	----	----	----	----	6 UNCH
2400	----	----	----	----/0.184A	----	0.007 - 0.001	.0006	----	----	----	----	10 UNCH
2650	----	----	----	----/0.042A	----	0.011 UNCH	.0011	----	----	----	----	6 UNCH
3000	----	----	----	----/0.047A	----	0.017 - 0.001	.0018	----	----	----	----	5 UNCH
3025	----	----	----	----/0.048A	----	0.017 - 0.001	.0018	----	----	----	----	1 UNCH
3350	----	----	----	0.001B/0.057A	----	0.026 - 0.002	.0028	----	----	----	----	1 UNCH
3400	----	----	----	0.001B/0.058A	----	0.027 - 0.002	.0030	----	----	----	----	55 UNCH
3475	----	----	----	0.001B/0.061A	----	0.030 - 0.002	.0033	----	----	----	----	5 UNCH
3500	----	----	----	0.001B/0.062A	----	0.031 - 0.002	.0035	----	----	----	----	4 UNCH
3600	----	----	----	0.001B/0.067A	----	0.035 - 0.003	.0040	----	----	----	----	12 UNCH
3700	----	----	----	0.001B/0.072A	----	0.038 - 0.003	.0044	----	----	1	----	94 UNCH
3800	----	----	----	0.001B/0.078A	----	0.040 - 0.005	.0047	----	----	----	----	25 UNCH
3825	----	----	----	0.001B/0.079A	----	0.041 - 0.005	.0049	----	----	----	----	8 UNCH
3850	----	----	----	0.001B/0.081A	----	0.042 - 0.005	.0050	----	----	----	----	3 UNCH
3900	----	----	----	0.001B/0.084A	----	0.043 - 0.005	.0052	----	----	----	----	11 UNCH
3950	----	----	----	0.001B/0.087A	----	0.044 - 0.006	.0054	----	----	----	----	1 UNCH
4000	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.045 - 0.007	.0056	----	----	1	----	69 UNCH
4075	----	----	----	0.001B/0.094A	----	0.047 - 0.007	.0059	----	----	----	----	16 UNCH
4100	----	----	----	0.001B/0.095A	----	0.048 - 0.007	.0061	----	----	----	----	6 UNCH
4175	----	----	----	0.001B/0.098A	----	0.050 - 0.007	.0064	----	----	----	----	9 UNCH
4200	----	----	----	0.001B/0.100A	----	0.050 - 0.008	.0065	----	----	1	----	27 UNCH
4225	----	----	----	0.001B/0.101A	----	0.051 - 0.008	.0067	----	----	----	----	1 UNCH
4250	----	----	----	0.001B/0.102A	----	0.051 - 0.009	.0067	----	----	----	----	21 UNCH
4300	----	----	----	0.001B/0.104A	----	0.053 - 0.008	.0071	----	----	----	----	98 UNCH
4325	----	----	----	0.001B/0.106A	----	0.053 - 0.009	.0071	----	----	----	----	17 UNCH
4375	----	----	----	0.005B/0.105A	----	0.055 - 0.009	.0075	----	----	----	----	32 UNCH
4400	----	----	----	0.006B/0.104A	----	0.056 - 0.010	.0076	----	----	----	----	29 UNCH
4450	----	----	----	0.011B/*0.105A	----	0.058 - 0.010	.0080	----	----	----	----	4 UNCH
4475	----	----	----	0.011B/*0.107A	----	0.059 - 0.011	.0082	----	----	----	----	16 UNCH
4500	----	----	----	0.012B/0.109A	----	0.060 - 0.012	.0084	----	----	----	----	300 UNCH
4575	----	----	----	0.011B/*0.114A	----	0.065 - 0.013	.0092	----	----	----	----	75 UNCH
4600	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.066 - 0.014	.0094	----	----	1	----	102 + 1
4650	----	----	----	0.016B/*0.121A	----	0.070 - 0.016	.0100	----	----	----	----	40 UNCH
4675	----	----	----	0.020B/*0.125A	----	0.072 - 0.017	.0103	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
4700	----	----	----	0.023B/*0.127A	----	0.074 -	0.018 .0106	----	----	----	----	152 UNCH
4725	----	----	----	0.021B/*0.130A	----	0.077 -	0.018 .0111	----	----	----	----	3 UNCH
4750	----	----	----	0.027B/*0.133A	----	0.079 -	0.020 .0114	----	----	----	----	54 UNCH
4775	----	----	----	0.029B/*0.136A	----	0.082 -	0.020 .0118	----	----	----	----	8 UNCH
4800	----	----	----	0.030B/0.139A	----	0.085 -	0.021 .0123	----	----	----	----	15 UNCH
4825	----	----	----	0.033B/*0.144A	----	0.088 -	0.022 .0127	----	----	----	----	26 UNCH
4850	----	----	----	0.036B/*0.146A	----	0.091 -	0.023 .0132	----	----	----	----	2 UNCH
4875	----	----	----	0.039B/*0.150A	----	0.094 -	0.024 .0137	----	----	----	----	23 UNCH
4900	0.120	0.120	0.120/*0.112A	0.120/*0.112A	----	0.097 -	0.026 .0141	----	----	30	----	168 - 4
5000	----	----	----	0.101B/0.171A	----	0.112 -	0.030 .0164	----	----	4	----	891 - 2
5025	----	----	----	0.057B/*0.177A	----	0.116 -	0.032 .0170	----	----	----	----	1 UNCH
5050	----	----	----	0.060B/*0.183A	----	0.120 -	0.033 .0176	----	----	----	----	16 UNCH
5075	----	----	----	0.066B/*0.187A	----	0.125 -	0.034 .0183	----	----	----	----	11 UNCH
5100	----	----	----	0.070B/*0.193A	----	0.130 -	0.035 .0190	----	----	----	----	178 UNCH
5150	----	----	----	0.079B/*0.203A	----	0.140 -	0.038 .0205	----	----	----	----	5 UNCH
5175	----	----	----	0.083B/*0.208A	----	0.145 -	0.040 .0212	----	----	----	----	5 UNCH
5200	0.132	0.132	0.132/*0.127	0.132/*0.127	----	0.151 -	0.041 .0221	----	----	8	----	109 + 3
5225	----	----	----	0.092B/*0.219A	----	0.156 -	0.043 .0229	----	----	----	----	9 UNCH
5250	----	----	----	0.098B/*0.215A	----	0.162 -	0.045 .0237	----	----	----	----	225 UNCH
5275	----	----	----	0.103B/*0.231A	----	0.168 -	0.047 .0246	----	----	----	----	2 UNCH
5300	----	----	----	0.111B/0.235A	----	0.175 -	0.048 .0256	----	----	----	----	126 UNCH
5325	----	----	----	0.117B/*0.242A	----	0.181 -	0.051 .0265	----	----	----	----	11 UNCH
5350	----	----	----	0.122B/*0.250A	----	0.188 -	0.053 .0275	----	----	----	----	26 UNCH
5375	----	----	----	0.127B/*0.256A	----	0.195 -	0.055 .0286	----	----	----	----	17 UNCH
5400	----	----	----	0.141B/*0.263A	----	0.202 -	0.058 .0296	----	----	----	----	75 UNCH
5425	----	----	----	0.140B/*0.270A	----	0.209 -	0.061 .0306	----	----	----	----	49 UNCH
5450	----	----	----/*0.278A	0.147B/*0.278A	----	0.216 -	0.065 .0317	----	----	----	----	38 UNCH
5475	----	----	----/*0.280A	0.155B/*0.280A	----	0.224 -	0.069 .0329	----	----	----	----	53 UNCH
5500	0.260	0.260	0.260/0.250	0.260/0.250	----	0.231 -	0.073 .0339	----	----	11	----	1058 - 4
5525	----	----	----/0.298A	0.171B/0.298A	----	0.239 -	0.078 .0351	----	----	----	----	87 UNCH
5550	----	----	----/0.311A	0.179B/0.311A	----	0.248 -	0.082 .0364	----	----	----	----	18 UNCH
5575	----	----	----/0.320A	0.192B/0.320A	----	0.256 -	0.087 .0376	----	----	----	----	3 UNCH
5600	----	----	----/0.325A	0.202B/0.325A	----	0.265 -	0.093 .0390	----	----	----	----	31 UNCH
5625	----	----	----/0.335A	0.208B/0.335A	----	0.274 -	0.099 .0403	----	----	----	----	3 UNCH
5650	----	----	----/*0.283A	0.271B/*0.283A	----	0.284 -	0.104 .0417	----	----	----	----	29 UNCH
5675	----	----	----/*0.293A	0.283B/*0.293A	----	0.293 -	0.112 .0431	----	----	----	----	45 UNCH
5700	----	----	----/*0.301A	0.297B/*0.301A	----	0.303 -	0.119 .0446	----	----	5	----	302 UNCH
5725	----	----	----/*0.314A	0.308B/*0.314A	----	0.314 -	0.127 .0462	----	----	----	----	3 UNCH
5750	----	----	----/*0.325A	0.328B/*0.325A	----	0.325 -	0.135 .0478	----	----	----	----	52 UNCH
5775	----	----	----/*0.337A	0.334B/*0.337A	----	0.337 -	0.143 .0495	----	----	----	----	2 UNCH
5800	----	----	----/*0.347A	0.413B/*0.347A	----	0.349 -	0.152 .0512	----	----	1	----	30 UNCH
5825	----	----	----/*0.362A	0.511B/*0.362A	----	0.361 -	0.162 .0530	----	----	----	----	4 UNCH
5850	----	----	----/*0.375A	0.535B/*0.375A	----	0.374 -	0.172 .0548	----	----	----	----	114 UNCH
5875	----	----	----/*0.387A	0.560B/*0.387A	----	0.388 -	0.182 .0568	----	----	----	----	3 UNCH
5900	----	----	----/*0.402A	0.586B/*0.402A	----	0.402 -	0.193 .0588	----	----	----	----	6 UNCH
5925	----	----	----/*0.419A	0.613B/*0.419A	----	0.417 -	0.204 .0609	----	----	----	----	2 UNCH
5950	----	----	----/*0.434A	0.641B/*0.434A	----	0.433 -	0.215 .0631	----	----	----	----	2 UNCH
5975	----	----	----/*0.452A	0.670B/*0.452A	----	0.449 -	0.227 .0654	----	----	----	----	9 UNCH
6000	0.580	0.580	0.580/*0.455	0.701B/*0.455	----	0.466 -	0.240 .0677	----	----	98	----	601 - 35
6050	----	----	----/*0.505A	0.766B/*0.505A	----	0.503 -	0.265 .0727	----	----	2	----	17 + 1
6100	0.522	0.522	0.522/*0.522	0.836B/*0.522	----	0.544 -	0.292 .0782	----	----	3	----	293 + 3
6125	----	----	0.873B/*0.565A	0.873B/*0.565A	----	0.566 -	0.306 .0810	----	----	----	----	2 UNCH
6150	----	----	----/*0.571A	0.863B/*0.571A	----	0.589 -	0.320 .0840	----	----	----	----	15 UNCH
6175	----	----	0.951B/*0.588A	0.951B/*0.588A	----	0.612 -	0.336 .0870	----	----	----	----	2 UNCH
6200	0.644	0.644	0.992B/*0.611A	0.992B/*0.611A	----	0.637 -	0.351 .0902	----	----	2	----	43 + 2
6225	----	----	1.035B/*0.636A	1.035B/*0.636A	----	0.664 -	0.366 .0936	----	----	----	----	1 UNCH
6250	----	----	1.079B/*0.661A	1.079B/*0.661A	----	0.691 -	0.382 .0970	----	----	----	----	27 UNCH
6275	----	----	1.121B/*0.687A	1.121B/*0.687A	----	0.719 -	0.399 .1005	----	----	----	----	1 UNCH
6300	0.753	0.753	1.166B/*0.715A	1.166B/*0.715A	----	0.749 -	0.415 .1041	----	----	10	----	252 - 1
6325	----	----	1.221B/*0.744A	1.221B/*0.744A	----	0.780 -	0.432 .1079	----	----	----	----	20 UNCH
6350	----	----	1.272B/*0.773A	1.272B/*0.773A	----	0.812 -	0.449 .1117	----	----	----	----	1 UNCH
6375	----	----	1.320B/*0.804A	1.320B/*0.804A	----	0.846 -	0.466 .1158	----	----	----	----	7 UNCH
6400	0.860	0.860	1.375B/*0.836A	1.375B/*0.836A	----	0.881 -	0.484 .1199	----	----	2	----	84 - 1
6425	0.887	0.887	1.435B/*0.869A	1.435B/*0.869A	----	0.918 -	0.502 .1241	----	----	1	----	2 + 1
6450	----	----	1.493B/*0.904A	1.493B/*0.904A	----	0.955 -	0.521 .1284	----	----	----	----	2 UNCH
6475	----	----	1.553B/*0.940A	1.553B/*0.940A	----	0.995 -	0.539 .1329	----	----	----	----	2 UNCH
6500	1.037	1.037	1.610B/*0.977A	1.610B/*0.977A	----	1.036 -	0.558 .1375	----	----	33	----	751 - 30
6550	----	----	1.745B/*1.056A	1.745B/*1.056A	----	1.122 -	0.597 .1470	----	----	----	----	52 UNCH
6575	----	----	1.814B/*1.097A	1.814B/*1.097A	----	1.168 -	0.616 .1520	----	----	----	----	7 UNCH
6600	----	----	1.875B/*1.139A	1.875B/*1.139A	----	1.215 -	0.637 .1570	----	----	2	----	34 - 1
6650	----	----	2.032B/*1.228A	2.032B/*1.228A	----	1.314 -	0.678 .1674	----	----	1	----	130 + 1
6675	----	----	2.100B/*1.272A	2.100B/*1.272A	----	1.366	NEW .1728	----	----	1	----	1 + 1
6700	----	----	2.177B/*1.324A	2.177B/*1.324A	----	1.420 -	0.722 .1783	----	----	----	----	36 UNCH
6725	----	----	2.271B/*1.370A	2.271B/*1.370A	----	1.476 -	0.744 .1839	----	----	----	----	1 UNCH
6750	----	----	2.355B/*1.425A	2.355B/*1.425A	----	1.533 -	0.767 .1896	----	----	7	----	36 + 5
6775	----	----	2.410B/*1.476A	2.410B/*1.476A	----	1.593	NEW .1955	----	----	2	----	2 + 2
6800	1.674	1.674	2.522B/*1.530A	2.522B/*1.530A	----	1.654 -	0.815 .2014	----	----	11	----	344 + 11
6825	----	----	2.612B/*1.587A	2.612B/*1.587A	----	1.716 -	0.841 .2073	----	----	----	----	2 UNCH
6850	----	----	2.716B/*1.648A	2.716B/*1.648A	----	1.781 -	0.866 .2135	----	----	13	----	10 + 5
6875	----	----	2.810B/*1.708A	2.810B/*1.708A	----	1.847	NEW .2196	----	----	1	----	1 + 1
6900	1.830	1.830	2.909B/*1.768A	2.909B/*1.768A	----	1.916 -	0.920 .2259	----	----	14	----	120 + 1
6925	1.935	1.935	3.011B/*1.833A	3.011B/*1.833A	----	1.986 -	0.949 .2323	----	----	45	----	45 + 45
6950	----	----	3.115B/*1.899A	3.115B/*1.899A	----	2.058 -	0.979 .2388	----	----	1	----	28 + 1
6975	----	----	3.195B/*1.967A	3.195B/*1.967A	----	2.132 -	1.010 .2453	----	----	----	----	1 UNCH
7000	2.570	2.570	3.322B/2.037A	3.322B/2.037A	----	2.208 -	1.041 .2519	----	----	40	----	727 + 5
7025	----	----	3.430B/*2.109A	3.430B/*2.109A	----	2.286 -	1.073 .2586	----	----	----	----	135 UNCH
7050	----	----	3.538B/*2.184A	3.538B/*2.184A	----	2.366 -	1.106 .2654	----	----	1	----	2 UNCH
7075	----	----	3.649B/*2.261A	3.649B/*2.261A	----	2.449 -	1.137 .2723	----	----	1	----	2 + 1
7100	----	----	3.781B/*2.339A	3.781B/*2.339A	----	2.534 -	1.169 .2792	----	----	1	----	24 + 1
7125	2.521	2.521	3.900B/*2.422A	3.900B/*2.422A	----	2.621 -	1.200 .2862	----	----	2	----	10 UNCH
7150	2.864	2.864	4.024B/*2.504A	4.024B/*2.504A	----	2.712 -	1.229 .2934	----	----	2	----	104 + 1
7175	2.693	2.693	4.134B/*2.589A	4.134B/*2.589A	----	2.805 -	1.258 .3005	----	----	1	----	32 + 1
7200	2.720	2.720	4.285B/*2.677A	4.285B/*2.677A	----	2.901 -	1.285 .3078	----	----	22	----	93 - 1
7225	2.994	2.994	2.994/*2.768A	4.268B/*2.768A	----	2.998	NEW .3150	----	----	2	----	2 + 2
7250	2.994	2.994	4.547B/2.861A	4.547B/2.861A	----	3.097 -	1.347 .3223	----	----	4	----	186 - 2
7300	3.453	3.453	4.817B/*3.067A	4.817B/*3.067A	----	3.297 -	1.421 .3369	----	----	1	----	39 UNCH
7350	----	----	5.006B/*3.269A	5.006B/*3.269A	----	3.505 -	1.496 .3517	----	----	----	----	7 UNCH
7375	----	----	5.213B/3.363A	5.213B/3.363A	----	3.613 -	1.531 .3591	----	----	----	----	114 UNCH
7400	3.490	3.490	5.331B/3.480A	5.331B/3.480A	----	3.725 -	1.562 .3666	----	----	5	----	24 - 1
7425	----	----	5.545B/3.589A	5.545B/3.589A	----	3.840 -	1.590 .3741	----	----	----	----	8 UNCH
7450	----	----	5.589B/3.701A	5.589B/3.701A	----	3.957 -	1.619 .3816	----	----	1	----	2 + 1
7500	----	----	5.993B/3.913A	5.993B/3.913A	----	4.200 -	1.672 .3966	----	----	1	----	59 - 1
7525	----	----	6.132B/4.043A	6.132B/4.043A	----	4.324 -	1.699 .4041	----	----	----	----	26 UNCH
7550	----	----	6.312B/4.168A	6.312B/4.168A	----	4.451 -	1.727 .4116	----	----	----	----	8 UNCH
7600	----	----	6.637B/4.414A	6.637B/4.414A	----	4.709 -	1.786 .4266	----	----	1	----	4 UNCH
7625	4.674	4.674	6.792B/4.542A	6.792B/4.542A	----	4.842 -	1.814 .4341	----	----	2	----	4 + 2
7650	----	----	6.973B/4.661A	6.973B/4.661A	----	4.976 -	1.844 .4415	----	----	----	----	25 UNCH
7675	----	----	7.125B/4.799A	7.125B/4.799A	----	5.112 -	1.874 .4489	----	----	----	----	15 UNCH
7700	----	----	----/4.912A	7.144B/4.912A	----	5.251 -	1.903 .4563	----	----	----	----	104 UNCH
7775	----	----	----/5.347A	7.264B/5.347A	----	5.679	NEW .4782	----	----	7	----	5 + 5
7800	5.612	5.612	5.612/5.464A	7.541B/5.464A	----	5.826 -	2.018 .4854	----	----	2	----	77 + 1
7825	----	----	----/5.628A	7.419B/5.628A	----	5.975 -	2.046 .4926	----	----	----	----	6 UNCH
7850	----	----	----/5.778A	7.770B/5.778A	----	6.126 -	2.074 .4997	----	----	----	----	8 UNCH
7875	6.074	6.074	6.074/5.913A	7.766B/5.913A	----	6.279 -	2.101 .5067	----	----	1	----	25 UNCH
7900	----	----	----/6.071A	7.925B/6.071A	----	6.435 -	2.126 .5137	----	----	----	----	11 UNCH
7950	6.513	6.513	6.513/6.378A	7.844B/6.378A	----	6.750 -	2.179 .5276	----	----	2	----	2 + 2
7975	----	----	----/6.531A	7.752B/6.531A	----	6.911 -	2.204 .5344	----	----	----	----	5 UNCH
8000	----	----	----/6.665A	7.833B/6.665A	----	7.074 -	2.229 .5411	----	----	----	----	286 UNCH
8075	7.174	7.174	7.174/7.152A	8.133B/7.152A	----	7.572 -	2.303 .5610	----	----	1	----	1 + 1
8100	----	----	----/7.327A	8.282B/7.327A	----	7.742 -	2.326 .5675	----	----	----	----	44 UNCH
8125	----	----	----/7.504A	8.331B/7.504A	----	7.913 -	2.350 .5739	----	----	----	----	7 UNCH
8150	----	----	----/7.672A	8.422B/7.672A	----	8.086 -	2.372 .5802	----	----	----	----	1 UNCH
8175	----	----	----/7.842A	8.597B/7.842A	----	8.261 -	2.395 .5865	----	----	----	----	2 UNCH
8225	----	----	----/8.186A	8.897B/8.186A	----	8.615 -	2.438 .5988	----	----	----	----	1 UNCH
8250	8.361	8.361	8.361/8.350A	9.243B/8.350A	----	8.794 -	2.460 .6048	----	----	1	----	47 + 1
8275	8.537	8.537	8.537/8.536A	8.738B/8.536A	----	8.975	NEW .6108	----	----	1	----	1 + 1
8300	----	----	----/8.713A	9.641B/8.713A	----	9.158 -	2.501 .6166	----	----	----	----	126 UNCH
8375	----	----	----/9.255A	10.072B/9.255A	----	9.713 -	2.562 .6338	----	----	----	----	2 UNCH
8400	----	----	----/9.439A	10.336B/9.439A	----	9.901 -	2.581 .6394	----	----	----	----	7 UNCH
8500	----	----	----/10.213A	11.179B/10.213A	----	10.665 -	2.655 .6609	----	----	----	----	57 UNCH
8600	----	----	----/10.978A	11.960B/10.978A	----	11.448 -	2.725 .6812	----	----	----	----	56 UNCH
8700	----	----	----/11.776A	12.642B/11.776A	----	12.249 -	2.790 .7003	----	----	----	----	4 UNCH
9000	----	----	----/14.231A	15.307B/14.231A	----	14.744 -	2.959 .7507	----	----	----	----	311 UNCH
9200	----	----	----/15.993A	16.982B/15.993A	----	16.473 -	3.051 .7791	----	----	----	----	11 UNCH
9400	----	----	----/17.814A	18.686B/17.814A	----	18.244 -	3.131 .8037	----	----	----	----	1 UNCH
9450	----	----	----/18.176A	19.205B/18.176A	----	18.692 -	3.150 .8094	----	----	----	----	12 UNCH
9500	----	----	----/18.573A	19.738B/18.573A	----	19.142 -	3.168 .8148	----	----	----	----	219 UNCH
9600	----	----	----/19.464A	20.649B/19.464A	----	20.049 -	3.201 .8252	----	----	----	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
9900	----	----	----/22.263A	23.336B/22.263A	----	22.805 - 3.294	.8524	----	----	----	----	6 UNCH
9950	----	----	----/22.738A	23.739B/22.738A	----	23.269 - 3.307	.8565	----	----	----	----	5 UNCH
10000	----	----	----/23.114A	24.359B/23.114A	----	23.734 - 3.320	.8604	----	----	20	----	225 + 20
10275	----	----	----/25.714A	26.845B/25.714A	----	26.309 - 3.385	.8803	----	----	----	----	7 UNCH
10500	----	----	----/27.879A	30.419B/27.879A	----	28.446 - 3.424	.8934	----	----	----	----	3 UNCH
10600	----	----	----/28.808A	29.947B/28.808A	----	29.403 - 3.438	.8985	----	----	----	----	9 UNCH
10800	----	----	----/30.723A	32.170B/30.723A	----	31.326 - 3.464	.9076	----	----	----	----	1 UNCH
11000	----	----	----/32.528A	33.911B/32.528A	----	33.252 - 3.491	.9163	----	----	----	----	217 UNCH
11300	----	----	----/35.513A	36.706B/35.513A	----	36.143 - 3.536	.9287	----	----	----	----	10 UNCH
11500	----	----	----/37.463A	38.615B/37.463A	----	38.080 - 3.564	.9359	----	----	----	----	1 UNCH
12000	----	----	----/42.338A	43.540B/42.338A	----	42.972 - 3.606	.9489	----	----	----	----	15 UNCH
13000	----	----	----/52.154A	53.397B/52.154A	----	52.838 - 3.643	.9654	----	----	----	----	6 UNCH
TOTAL										434	0	11841 + 46
AUG26												
3300	----	----	----	0.001B/2.470A	----	0.017 - 0.006	.0020	----	----	----	----	2 UNCH
3900	----	----	----	0.014B/0.151A	----	0.049 - 0.017	.0058	----	----	----	----	2 UNCH
4000	----	----	----	0.018B/0.144A	----	0.057 - 0.019	.0068	----	----	----	----	1 UNCH
4175	----	----	----	0.031B/*0.158A	----	0.072 - 0.026	.0087	----	----	----	----	1 UNCH
4300	----	----	----	0.046B/*0.175A	----	0.086 - 0.031	.0104	----	----	----	----	1 UNCH
4350	----	----	----	0.049B/*0.182A	----	0.092 - 0.034	.0111	----	----	----	----	1 UNCH
4375	----	----	----	0.051B/*0.186A	----	0.095 - 0.035	.0115	----	----	----	----	160 UNCH
4400	----	----	----	0.058B/*0.190A	----	0.099 - 0.036	.0120	----	----	----	----	1 UNCH
4500	----	----	----	0.071B/*0.207A	----	0.113 - 0.042	.0137	----	----	----	----	2 UNCH
4600	----	----	----	0.089B/*0.226A	----	0.130 - 0.048	.0158	----	----	----	----	4 UNCH
4625	----	----	----	0.093B/*0.231A	----	0.134 - 0.050	.0163	----	----	----	----	1 UNCH
4700	----	----	----	0.107B/*0.248A	----	0.149 - 0.056	.0181	----	----	----	----	1 UNCH
4775	----	----	----	0.122B/*0.266A	----	0.165 - 0.062	.0200	----	----	----	----	1 UNCH
4800	----	----	----	0.128B/0.272A	----	0.171 - 0.065	.0207	----	----	----	----	16 UNCH
4825	----	----	----	0.133B/*0.279A	----	0.177 - 0.067	.0214	----	----	----	----	1 UNCH
5000	----	----	----	0.180B/*0.332A	----	0.226 - 0.086	.0272	----	----	----	----	14 UNCH
5275	----	----	----/*0.443A	0.281B/*0.443A	----	0.333 - 0.128	.0395	----	----	----	----	1 UNCH
5300	----	----	----/*0.455A	0.294B/*0.455A	----	0.345 - 0.132	.0409	----	----	----	----	1 UNCH
5425	----	----	----/*0.520A	0.357B/*0.520A	----	0.412 - 0.158	.0483	----	----	----	----	1 UNCH
5500	----	----	----/*0.564A	0.403B/*0.564A	----	0.459 - 0.175	.0534	----	----	31	----	78 + 20
5675	----	----	----/*0.682A	0.542B/*0.682A	----	0.587 - 0.223	.0669	----	----	----	----	9 UNCH
5700	----	----	----/*0.702A	0.570B/*0.702A	----	0.608 - 0.231	.0690	----	----	----	----	2 UNCH
5750	----	----	----/*0.735A	0.631B/*0.735A	----	0.653 - 0.246	.0736	----	----	----	----	1 UNCH
5800	----	----	----/*0.758A	0.687B/*0.758A	----	0.700 - 0.263	.0783	----	----	----	----	5 UNCH
5850	----	----	----/*0.756A	0.733B/*0.756A	----	0.750 - 0.281	.0833	----	----	----	----	2 UNCH
5875	----	----	----/*0.780A	0.785B/*0.780A	----	0.777 - 0.290	.0859	----	----	----	----	4 UNCH
5900	----	----	----/*0.812A	0.785B/*0.812A	----	0.804 - 0.300	.0886	----	----	----	----	5 UNCH
5950	----	----	----/*0.858A	0.844B/*0.858A	----	0.862 - 0.319	.0942	----	----	----	----	10 UNCH
6000	----	----	----/*0.919A	0.906B/*0.919A	----	0.923 - 0.340	.1000	----	----	----	----	177 UNCH
6050	----	----	----/*0.985A	0.968B/*0.985A	----	0.988 - 0.362	.1060	----	----	----	----	1 UNCH
6100	----	----	----/*1.077A	1.028B/*1.077A	----	1.057 - 0.385	.1124	----	----	----	----	10 UNCH
6150	----	----	----/*1.172A	1.136B/*1.172A	----	1.130 - 0.409	.1190	----	----	----	----	1 UNCH
6200	----	----	----/*1.205A	1.193B/*1.205A	----	1.208 - 0.434	.1260	----	----	----	----	1 UNCH
6225	----	----	----/*1.244A	1.235B/*1.244A	----	1.248 - 0.447	.1295	----	----	----	----	8 UNCH
6300	1.341	1.341	1.341/*1.341	1.378B/*1.341	----	1.377 - 0.487	.1407	----	----	50	----	52 + 38
6400	----	----	----/*1.548A	1.573B/*1.548A	----	1.573 - 0.551	.1568	----	----	----	----	1 UNCH
6425	----	----	----/*1.597A	1.623B/*1.597A	----	1.625 - 0.567	.1610	----	----	----	----	6 UNCH
6500	----	----	----/1.751A	1.963B/1.751A	----	1.789 - 0.618	.1740	----	----	31	----	217 - 10
6575	1.917	1.917	1.917/*1.895A	2.018B/*1.895A	----	1.965 NEW	.1875	----	----	1	----	1 + 1
6600	1.975	1.975	1.975/*1.938A	2.119B/*1.938A	----	2.027 - 0.691	.1922	----	----	1	----	16 UNCH
6650	----	----	----/*2.057A	2.248B/*2.057A	----	2.154 - 0.729	.2016	----	----	----	----	9 UNCH
6675	----	----	----/*2.117A	2.317B/*2.117A	----	2.220 - 0.749	.2065	----	----	----	----	1 UNCH
6700	----	----	----/*2.179A	2.433B/*2.179A	----	2.287 - 0.770	.2113	----	----	----	----	3 UNCH
6725	2.290	2.290	2.290/*2.241A	2.457B/*2.241A	----	2.356 - 0.790	.2163	----	----	1	----	9 + 1
6750	2.358	2.358	2.358/*2.306A	2.530B/*2.306A	----	2.426 NEW	.2212	----	----	1	----	1 + 1
6800	----	----	----/*2.442A	2.802B/*2.442A	----	2.572 - 0.854	.2314	----	----	----	----	3 UNCH
6825	----	----	----/*2.513A	2.814B/*2.513A	----	2.647 - 0.877	.2365	----	----	----	----	8 UNCH
6850	----	----	----/*2.585A	2.913B/*2.585A	----	2.724 - 0.899	.2417	----	----	----	----	1 UNCH
6900	----	----	----/*2.733A	3.202B/*2.733A	----	2.883 - 0.945	.2523	----	----	----	----	6 UNCH
6950	----	----	----/*2.888A	3.316B/*2.888A	----	3.048 - 0.994	.2630	----	----	----	----	24 UNCH
6975	----	----	----/*2.968A	3.419B/*2.968A	----	3.134 - 1.019	.2685	----	----	----	----	1 UNCH
7000	3.200	3.200	3.200/*3.052A	3.616B/*3.052A	----	3.221 - 1.044	.2739	----	----	2	----	8 + 1
7050	----	----	----/3.223A	3.757B/3.223A	----	3.401 - 1.096	.2850	----	----	----	----	2 UNCH
7100	----	----	----/3.401A	4.079B/3.401A	----	3.589 - 1.149	.2963	----	----	----	----	7 UNCH
7150	----	----	----/3.587A	4.233B/3.587A	----	3.784 - 1.204	.3076	----	----	----	----	1 UNCH
7200	----	----	----/3.780A	4.571B/3.780A	----	3.987 - 1.261	.3191	----	----	1	----	2 UNCH
7225	----	----	----/*3.881A	4.628B/*3.881A	----	4.091 - 1.291	.3249	----	----	----	----	2 UNCH
7300	4.412	4.412	4.412/4.169A	5.346B/4.169A	----	4.417 - 1.380	.3424	----	----	16	----	112 + 1
7350	----	----	----/4.409A	5.297B/4.409A	----	4.644 - 1.440	.3541	----	----	----	----	6 UNCH
7400	----	----	----/4.633A	5.671B/4.633A	----	4.878 - 1.501	.3658	----	----	----	----	4 UNCH
7425	----	----	----/4.749A	5.721B/4.749A	----	4.999 - 1.530	.3717	----	----	10	----	0 - 10
7500	----	----	----/5.095A	6.258B/5.095A	----	5.372 - 1.617	.3893	----	----	----	60	88 + 60
7550	----	----	----/5.351A	6.469B/5.351A	----	5.630 - 1.673	.4010	----	----	----	----	5 UNCH
7600	----	----	----/5.607A	6.877B/5.607A	----	5.896 - 1.726	.4126	----	----	----	----	4 UNCH
7700	6.867	6.867	6.867/6.130A	7.770B/6.130A	----	6.450 - 1.823	.4357	----	----	1	----	40 UNCH
7950	----	----	----/7.582A	9.146B/7.582A	----	7.945 - 2.027	.4915	----	----	----	----	4 UNCH
7975	----	----	----/7.732A	9.247B/7.732A	----	8.103 - 2.045	.4969	----	----	----	----	1 UNCH
8000	----	----	----/7.886A	9.637B/7.886A	----	8.261 - 2.064	.5022	----	----	----	----	162 UNCH
8100	----	----	----/8.531A	9.636B/8.531A	----	8.910 - 2.136	.5232	----	----	----	----	1 UNCH
8150	----	----	----/8.859A	9.615B/8.859A	----	9.243 - 2.172	.5335	----	----	----	----	10 UNCH
8200	----	----	----/9.186A	11.388B/9.186A	----	9.580 - 2.208	.5436	----	----	----	----	10 UNCH
8250	----	----	----/9.520A	10.330B/9.520A	----	9.923 - 2.244	.5535	----	----	----	----	5 UNCH
8325	----	----	----/10.021A	10.834B/10.021A	----	10.447 - 2.296	.5680	----	----	----	----	1 UNCH
8425	----	----	----/10.723A	11.545B/10.723A	----	11.162 - 2.366	.5868	----	----	----	----	1 UNCH
8475	----	----	----/11.077A	12.391B/11.077A	----	11.527 - 2.399	.5959	----	----	----	----	1 UNCH
8500	----	----	----/11.257A	12.459B/11.257A	----	11.711 - 2.416	.6003	----	----	----	----	20 UNCH
9000	----	----	----/15.159A	16.133B/15.159A	----	15.602 - 2.687	.6797	----	----	----	----	35 UNCH
9300	----	----	----/17.613A	18.542B/17.613A	----	18.112 - 2.790	.7180	----	----	----	----	1 UNCH
9500	----	----	----/19.259A	20.328B/19.259A	----	19.851 - 2.846	.7396	----	----	----	----	30 UNCH
10000	----	----	----/23.663A	24.818B/23.663A	----	24.239 - 3.078	.7886	----	----	----	----	6 UNCH
10025	----	----	----/23.936A	24.961B/23.936A	----	24.463 - 3.084	.7907	----	----	----	----	1 UNCH
10175	----	----	----/25.233A	26.410B/25.233A	----	25.818 - 3.112	.8028	----	----	----	----	15 UNCH
TOTAL										146	60	1470 + 103
SEP26												
2500	----	----	----	0.001B/2.466A	----	0.007 UNCH	.0007	----	----	----	----	60 UNCH
3000	----	----	----	0.001B/2.510A	----	0.022 - 0.001	.0023	----	----	----	----	22 UNCH
3500	----	----	----	0.001B/2.616A	----	0.057 - 0.007	.0058	----	----	----	----	74 UNCH
4000	----	----	----	0.061B/0.202A	----	0.137 - 0.020	.0134	----	----	----	----	44 UNCH
4500	----	----	----	0.151B/0.311A	----	0.237 - 0.046	.0237	----	----	----	----	10 UNCH
4525	----	----	----	0.160B/*0.318A	----	0.243 - 0.049	.0243	----	----	----	----	3 UNCH
5000	----	----	----/*0.507A	0.326B/*0.507A	----	0.421 - 0.113	.0419	----	----	----	----	233 UNCH
5100	----	----	----/*0.563A	0.382B/*0.563A	----	0.477 - 0.136	.0472	----	----	----	----	1 UNCH
5400	----	----	----/*0.773A	0.589B/*0.773A	----	0.706 - 0.232	.0674	----	----	----	----	1 UNCH
5475	----	----	----/*0.833A	0.663B/*0.833A	----	0.779 - 0.263	.0736	----	----	----	----	3 UNCH
5500	----	----	----/*0.856A	0.687B/*0.856A	----	0.805 - 0.274	.0757	----	----	----	----	233 UNCH
5600	----	----	----/*0.953A	0.768B/*0.953A	----	0.916 - 0.320	.0848	----	----	----	----	1 UNCH
5700	----	----	----/*1.054A	0.867B/*1.054A	----	1.040 - 0.369	.0947	----	----	----	----	7 UNCH
5800	----	----	----/*1.172A	0.993B/*1.172A	----	1.177 - 0.422	.1054	----	----	----	----	8 UNCH
5900	----	----	----/*1.298A	1.107B/*1.298A	----	1.328 - 0.475	.1168	----	----	----	----	50 UNCH
6000	1.400	1.400	1.400/*1.340	1.400/*1.340	----	1.491 - 0.530	.1289	----	----	16	----	389 + 15
6050	----	----	----/1.794A	1.164B/1.794A	----	1.577 - 0.558	.1352	----	----	----	----	15 UNCH
6200	----	----	----/2.050A	1.577B/2.050A	----	1.856 - 0.639	.1552	----	----	----	----	40 UNCH
6300	----	----	----/2.259A	1.671B/2.259A	----	2.060 - 0.694	.1694	----	----	----	----	5 UNCH
6400	----	----	----/2.499A	1.902B/2.499A	----	2.282 - 0.748	.1844	----	----	----	----	3 UNCH
6425	----	----	----/*2.563A	1.963B/*2.563A	----	2.341 - 0.761	.1883	----	----	----	----	3 UNCH
6500	----	----	----/2.750A	2.157B/2.750A	----	2.523 - 0.802	.2002	----	----	----	75	76 + 21
6550	----	----	----/2.901A	2.291B/2.901A	----	2.652 - 0.830	.2084	----	----	----	----	15 UNCH
6800	3.250	3.250	3.255/3.250	3.255/3.250	----	3.385 - 0.975	.2523	----	----	2	----	8 + 1
6900	----	----	----/4.056A	3.410B/4.056A	----	3.727 - 1.038	.2712	----	----	----	----	1 UNCH
7000	----	----	----/4.433A	3.788B/4.433A	----	4.100 - 1.105	.2906	----	----	----	----	16 UNCH
7025	----	----	----/*4.502A	3.885B/4.502A	----	4.199 - 1.122	.2955	----	----	----	----	1 UNCH
7100	----	----	----/4.835A	4.189B/4.835A	----	4.509 - 1.175	.3105	----	----	----	----	16 UNCH
7125	----	----	----/*4.939A	4.295B/4.939A	----	4.616 - 1.194	.3156	----	----	----	----	25 UNCH
7175	----	----	----/5.153A	4.508B/5.153A	----	4.835 - 1.233	.3257	----	----	----	----	20 UNCH
7200	----	----	----/5.262A	4.650B/5.262A	----	4.946 - 1.254	.3307	----	----	----	----	51 UNCH
7400	----	----	----/6.193A	5.615B/6.193A	----	5.861 - 1.452	.3712	----	----	----	----	25 UNCH
7500	----	----	----/6.697A	6.174B/6.697A	----	6.362 - 1.549	.3915	----	----	----	----	3 UNCH
7550	----	----	----/6.959A	6.449B/6.959A	----	6.625 - 1.596	.4017	----	----	----	----	2 UNCH
7700	----	----	----/7.742A	7.284B/7.742A	----	7.461 - 1.728	.4318	----	----	----	----	1 UNCH
7800	----	----	----/8.315A	7.894B/8.315A	----	8.054 - 1.810	.4514	----	----	----	----	4 UNCH
7900	----	----	----/8.897A	8.521B/8.897A	----	8.673 - 1.888	.4705	----	----	----	----	1 UNCH
8000	----	----	----/9.502A	9.172B/9.502A	----	9.316 - 1.962	.4891	----	----	----	----	40 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
SEP26												
8100	----	----	----/10.129A	9.867B/10.129A	----	9.980 -	2.033 .5071	----	----	----	----	1 UNCH
8200	----	----	----/10.778A	10.542B/10.778A	----	10.663 -	2.101 .5246	----	----	----	----	1 UNCH
8500	----	----	----/12.841A	12.732B/12.841A	----	12.805 -	2.292 .5735	----	----	----	----	225 UNCH
8700	----	----	----/14.291A	15.126B/14.291A	----	14.302 -	2.409 .6035	----	----	----	----	100 UNCH
9000	----	----	----/16.606A	16.535B/16.606A	----	16.636 -	2.571 .6444	----	----	----	----	74 UNCH
9300	----	----	----/19.308A	18.714B/19.308A	----	19.065 -	2.712 .6808	----	----	----	----	1 UNCH
9400	----	----	----/20.143A	19.539B/20.143A	----	19.893 -	2.755 .6919	----	----	----	----	1 UNCH
10150	----	----	----/27.323A	25.442B/27.323A	----	26.346 -	3.012 .7626	----	----	----	----	1 UNCH
10300	----	----	----/28.650A	26.784B/28.650A	----	27.679 -	3.052 .7742	----	----	----	----	1 UNCH
TOTAL										18	75	1915 + 37
OCT26												
2675	----	----	----	0.001B/2.547A	----	0.037 -	0.005 .0031	----	----	----	----	8 UNCH
3250	----	----	----	0.001B/0.500A	----	0.080 -	0.012 .0068	----	----	----	----	1 UNCH
4000	----	----	----	0.100B/*0.266A	----	0.192 -	0.033 .0169	----	----	----	----	3 UNCH
4500	----	----	----	0.225B/0.411A	----	0.329 -	0.063 .0292	----	----	----	----	3 UNCH
5000	----	----	----/*0.663A	0.454B/*0.663A	----	0.576 -	0.126 .0502	----	----	----	----	6 UNCH
5050	----	----	----/*0.697A	0.485B/*0.697A	----	0.608 -	0.137 .0529	----	----	----	----	1 UNCH
5150	----	----	----/*0.770A	0.554B/*0.770A	----	0.678 -	0.161 .0586	----	----	----	----	5 UNCH
6500	----	----	----/3.246A	2.537B/3.246A	----	2.864 -	0.833 .2032	----	----	----	----	120 UNCH
7000	----	----	----/4.984A	4.239B/4.984A	----	4.590 -	1.186 .2875	----	----	----	----	85 UNCH
7225	----	----	----/5.903A	5.198B/5.903A	----	5.564 -	1.348 .3280	----	----	----	----	87 UNCH
7500	----	----	----/7.226A	6.584B/7.226A	----	6.919 -	1.543 .3778	----	----	----	----	33 UNCH
7950	----	----	----/9.760A	9.223B/9.760A	----	9.502 -	1.840 .4568	----	----	----	----	10 UNCH
8200	----	----	----/11.339A	10.863B/11.339A	----	11.110 -	1.994 .4977	----	----	----	----	6 UNCH
8375	----	----	----/12.533A	11.930B/12.533A	----	12.300 -	2.096 .5247	----	----	----	----	1 UNCH
9100	----	----	----/17.793A	17.571B/17.793A	----	17.697 -	2.465 .6216	----	----	----	----	1 UNCH
10000	----	----	----/25.443A	23.845B/25.443A	----	25.156 -	2.782 .7110	----	----	----	----	40 UNCH
TOTAL											0	410 0
NOV26												
4500	0.450	0.450	0.450/*0.450	0.450/*0.450	----	0.445 -	0.120 .0359	----	----	1	----	1 - 1
4550	----	----	----/*0.571A	0.342B/*0.571A	----	0.471 -	0.126 .0379	----	----	----	----	1 UNCH
4800	----	----	----/*0.721A	0.482B/*0.721A	----	0.619 -	0.161 .0491	----	----	----	----	1 UNCH
5000	----	----	----/*0.873A	0.624B/*0.873A	----	0.765 -	0.194 .0600	----	----	----	----	12 UNCH
5200	----	----	----/*1.061A	0.819B/*1.061A	----	0.942 -	0.235 .0727	----	----	----	----	1 UNCH
5950	----	----	----/2.462A	1.634B/2.462A	----	2.033 -	0.491 .1424	----	----	----	----	1 UNCH
6700	----	----	----/4.565A	3.735B/4.565A	----	4.114 -	0.930 .2470	----	----	----	----	50 UNCH
7000	----	----	----/5.728A	4.897B/5.728A	----	5.288 -	1.143 .2954	----	----	----	----	40 UNCH
7025	----	----	----/*5.834A	5.004B/5.834A	----	5.395 -	1.162 .2995	----	----	----	----	6 UNCH
7400	----	----	----/7.578A	6.758B/7.578A	----	7.170 -	1.436 .3618	----	----	----	----	24 UNCH
7500	----	----	----/8.135A	7.284B/8.135A	----	7.694 -	1.510 .3783	----	----	----	----	7 UNCH
7700	----	----	----/9.187A	8.408B/9.187A	----	8.807 -	1.652 .4110	----	----	----	----	50 UNCH
8500	----	----	----/14.319A	13.721B/14.319A	----	13.988 -	2.144 .5295	----	----	----	----	60 UNCH
9000	----	----	----/17.961A	17.466B/17.961A	----	17.702 -	2.374 .5911	----	----	----	----	5 UNCH
9050	----	----	----/18.342A	17.857B/18.342A	----	18.089 -	2.395 .5967	----	----	----	----	3 UNCH
10000	----	----	----/26.218A	25.420B/26.218A	----	25.852 -	2.708 .6871	----	----	----	----	1 UNCH
11000	----	----	----	15.247B/53.681A	----	34.592 -	2.950 .7561	----	----	----	----	1 UNCH
TOTAL										1	0	264 - 1
DEC26												
1500	----	----	----	----/0.050A	----	0.004 -	0.001 .0003	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/0.150A	----	0.017 -	0.002 .0013	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/3.040A	----	0.034 -	0.003 .0027	----	----	----	----	32 UNCH
3000	----	----	----	0.001B/0.400A	----	0.066 -	0.008 .0054	----	----	----	----	93 UNCH
3100	----	----	----	0.006B/0.260A	----	0.076 -	0.009 .0063	----	----	----	----	1 UNCH
3150	----	----	----	0.011B/0.267A	----	0.085 -	0.010 .0070	----	----	----	----	1 UNCH
3500	----	----	----	0.056B/*0.317A	----	0.171 -	0.023 .0132	----	----	----	----	45 UNCH
3850	----	----	----	0.128B/*0.414A	----	0.287 -	0.042 .0215	----	----	----	----	1 UNCH
3925	----	----	----	0.147B/*0.439A	----	0.312 -	0.047 .0234	----	----	----	----	1 UNCH
4000	----	----	----	0.168B/0.467A	----	0.338 -	0.053 .0253	----	----	----	----	75 UNCH
4500	----	----	----	0.374B/0.711A	----	0.567 -	0.107 .0421	----	----	----	----	35 UNCH
4600	----	----	----	0.431B/0.777A	----	0.627 -	0.123 .0464	----	----	----	----	4 UNCH
4800	----	----	----	0.568B/0.928A	----	0.765 -	0.160 .0561	----	----	----	----	241 UNCH
5000	----	----	----/1.111A	0.738B/1.111A	----	0.935 -	0.205 .0676	----	----	----	----	358 UNCH
5250	----	----	----/*1.392A	1.012B/*1.392A	----	1.203 -	0.278 .0850	----	----	----	----	50 UNCH
5300	----	----	----/*1.454A	1.075B/*1.454A	----	1.266 -	0.295 .0890	----	----	----	----	250 UNCH
5400	----	----	----/*1.586A	1.212B/1.586A	----	1.400 -	0.331 .0972	----	----	----	----	100 UNCH
5500	----	----	----/*1.731A	1.365B/1.731A	----	1.548 -	0.370 .1061	----	----	----	----	229 UNCH
5600	----	----	----	1.058B/2.356A	----	1.710 -	0.412 .1156	----	----	----	----	8 UNCH
5650	----	----	----	1.410B/2.437A	----	1.797 -	0.434 .1205	----	----	----	----	12 UNCH
5800	----	----	----	1.826B/2.695A	----	2.082 -	0.503 .1363	----	----	----	----	1 UNCH
5950	----	----	----/*2.981A	1.799B/2.981A	----	2.406 -	0.576 .1534	----	----	----	----	5 UNCH
6000	----	----	----/3.103A	1.957B/3.103A	----	2.523 -	0.602 .1594	----	----	----	----	167 UNCH
6200	----	----	----/*3.642A	2.399B/3.642A	----	3.037 -	0.706 .1846	----	----	----	----	13 UNCH
6300	----	----	----/*3.936A	2.675B/3.936A	----	3.324 -	0.758 .1980	----	----	----	----	25 UNCH
6500	----	----	----/4.577A	3.303B/4.577A	----	3.958 -	0.861 .2259	----	----	----	----	701 UNCH
6650	----	----	----/5.109A	3.855B/5.109A	----	4.489 -	0.936 .2478	----	----	----	----	5 UNCH
6725	----	----	----/*5.426A	4.129B/5.426A	----	4.772 -	0.974 .2589	----	----	----	----	4 UNCH
6750	----	----	----/5.487A	4.237B/5.487A	----	4.869 -	0.987 .2627	----	----	----	----	6 UNCH
6800	----	----	----/5.684A	4.435B/5.684A	----	5.067 -	1.012 .2702	----	----	----	----	79 UNCH
6850	----	----	----/5.885A	4.643B/5.885A	----	5.270 -	1.037 .2778	----	----	----	----	78 UNCH
6900	----	----	----/6.136A	4.854B/6.136A	----	5.479 -	1.062 .2855	----	----	----	----	1 UNCH
6950	----	----	----/6.303A	5.074B/6.303A	----	5.692 -	1.088 .2931	----	----	----	----	101 UNCH
7000	6.000	6.000	6.000/6.000	6.000/6.000	----	5.911 -	1.114 .3008	----	----	1	----	230 + 1
7075	----	----	----/*6.854A	5.579B/6.854A	----	6.249 -	1.153 .3124	----	----	----	----	20 UNCH
7100	----	----	----/7.015A	5.803B/7.015A	----	6.365 -	1.165 .3163	----	----	----	----	2 UNCH
7200	----	----	----/7.435A	6.277B/7.435A	----	6.839 -	1.218 .3318	----	----	----	----	14 UNCH
7250	----	----	----/7.677A	6.530B/7.677A	----	7.083 -	1.246 .3395	----	----	----	----	48 UNCH
7500	----	----	----/8.957A	7.883B/8.957A	----	8.381 -	1.384 .3780	----	----	----	----	22 UNCH
7550	----	----	----/9.224A	8.171B/9.224A	----	8.655 -	1.412 .3857	----	----	----	----	1 UNCH
7800	----	----	----/10.606A	9.625B/10.606A	----	10.094 -	1.556 .4232	----	----	----	----	20 UNCH
7850	----	----	----/10.897A	9.934B/10.897A	----	10.395 -	1.585 .4306	----	----	----	----	10 UNCH
7875	----	----	----/11.102A	9.831B/11.102A	----	10.547 -	1.600 .4342	----	----	----	----	1 UNCH
7900	----	----	----/11.192A	10.246B/11.192A	----	10.701 -	1.613 .4379	----	----	----	----	19 UNCH
8000	----	----	----/11.796A	10.885B/11.796A	----	11.324 -	1.672 .4522	----	----	----	----	50 UNCH
8100	----	----	----/12.417A	11.562B/12.417A	----	11.965 -	1.728 .4662	----	----	----	----	1 UNCH
8200	----	----	----/13.055A	12.219B/13.055A	----	12.620 -	1.786 .4798	----	----	----	----	35 UNCH
8350	----	----	----/14.042A	13.267B/14.042A	----	13.632 -	1.871 .4998	----	----	----	----	9 UNCH
8400	----	----	----/14.379A	13.604B/14.379A	----	13.977 -	1.898 .5062	----	----	----	----	50 UNCH
8500	----	----	----/15.064A	14.349B/15.064A	----	14.676 -	1.953 .5189	----	----	----	----	166 UNCH
8550	----	----	----/15.412A	14.711B/15.412A	----	15.031 -	1.980 .5251	----	----	----	----	25 UNCH
8600	----	----	----/15.763A	15.072B/15.763A	----	15.389 -	2.007 .5312	----	----	----	----	2 UNCH
8800	----	----	----/17.200A	16.557B/17.200A	----	16.851 -	2.112 .5549	----	----	----	----	12 UNCH
8900	----	----	----/17.936A	17.309B/17.936A	----	17.600 -	2.162 .5661	----	----	----	----	30 UNCH
9000	----	----	----/18.684A	18.063B/18.684A	----	18.359 -	2.212 .5771	----	----	----	----	3 UNCH
9050	----	----	----/19.062A	18.442B/19.062A	----	18.743 -	2.236 .5824	----	----	----	----	100 UNCH
9500	----	----	----/22.573A	22.455B/22.573A	----	22.299 -	2.438 .6269	----	----	----	----	2 UNCH
9850	----	----	----/25.418A	24.649B/25.418A	----	25.175 -	2.574 .6573	----	----	----	----	8 UNCH
9950	----	----	----/26.246A	25.268B/26.246A	----	26.011 -	2.609 .6654	----	----	----	----	1 UNCH
10025	----	----	----/27.153A	25.898B/27.153A	----	26.642 -	2.635 .6713	----	----	----	----	3 UNCH
10125	----	----	----/27.982A	26.746B/27.982A	----	27.488 -	2.667 .6790	----	----	----	----	1 UNCH
10700	----	----	----/33.039A	30.547B/33.039A	----	32.447 -	2.828 .7188	----	----	----	----	5 UNCH
10800	----	----	----	10.980B/55.292A	----	33.324 -	2.852 .7251	----	----	----	----	2 UNCH
11000	----	----	----	12.208B/57.627A	----	35.090 -	2.896 .7371	----	----	----	----	2 UNCH
11500	----	----	----	15.750B/63.101A	----	39.565 -	2.994 .7641	----	----	----	----	1 UNCH
12000	----	----	----	19.535B/68.314A	----	44.114 -	3.074 .7876	----	----	----	----	1 UNCH
12100	----	----	----	20.360B/69.389A	----	45.032 -	3.088 .7919	----	----	----	----	1 UNCH
12300	----	----	----	21.614B/71.434A	----	46.874 -	3.117 .8002	----	----	----	----	1 UNCH
15000	----	----	----	48.039B/97.848A	----	72.416 -	3.410 .8782	----	----	----	----	1 UNCH
19000	----	----	----	89.406B/133.873A	----	111.511 -	3.678 .9328	----	----	----	----	1 UNCH
TOTAL										1	0	3812 + 1
JAN27												
3800	----	----	----	0.064B/0.561A	----	0.215 -	0.049 .0169	----	----	----	----	1 UNCH
6500	----	----	----	3.562B/*5.184A	----	4.298 -	0.875 .2251	----	----	----	----	1 UNCH
7125	----	----	----/*7.914A	5.615B/*7.914A	----	6.818 -	1.221 .3126	----	----	----	----	1 UNCH
8600	----	----	----/16.079A	15.210B/16.079A	----	15.527 -	1.992 .5119	----	----	----	----	1 UNCH
TOTAL											0	4 0
FEB27												
8150	----	----	----/13.748A	12.654B/13.748A	----	13.207 -	1.801 .4501	----	----	----	----	10 UNCH
8225	----	----	----/*14.788A	12.269B/14.788A	----	13.699 -	1.843 .4591	----	----	----	----	10 UNCH
8250	----	----	----/14.384A	13.316B/14.384A	----	13.865 -	1.856 .4621	----	----	----	----	10 UNCH
TOTAL											0	30 0
MAR27												
6500	----	----	----	3.868B/*6.397A	----	5.146 -	0.943 .2361	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 54

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAR27												
6825	----	----	----	5.130B/*7.709A	----	6.444 -	1.119 .2774	----	----	----	----	2 UNCH
8300	----	----	----/15.922A	13.122B/15.922A	----	14.678 -	1.881 .4631	----	----	----	----	50 UNCH
TOTAL											0	72 0
APR27												
4000	----	----	----	----	----	0.968 -	0.210 .0483	----	----	----	----	1 UNCH
TOTAL											0	1 0
DEC27												
7175	----	----	----	----	----	13.176 -	1.189 .3017	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO2 CALL		SILVER OPTIONS										
MAY26												
7350	----	----	----	0.958B/1.481A	----	4.015 +	2.652 .9211	----	----	----	----	1 UNCH
7400	----	----	----	0.974B/1.220A	----	3.573 +	2.457 .8944	----	----	----	----	2 UNCH
7490	----	----	0.922B/----	0.922B/0.911A	----	2.829 +	2.074 .8239	----	----	----	----	2 UNCH
7500	----	----	1.417B/----	1.417B/0.852A	----	2.751 +	2.029 .8141	----	----	----	----	13 UNCH
7600	----	----	1.559B/----	1.559B/0.610A	----	2.034 +	1.584 .6967	----	----	3	----	72 - 1
7700	----	----	1.619B/----	1.619B/0.384A	----	1.446 +	1.169 .5524	----	----	----	----	13 UNCH
7720	----	----	#1.559B/----	#1.559B/0.354A	----	1.344 +	1.093 .5223	----	----	----	----	2 UNCH
7750	----	----	1.503B/----	1.503B/0.311A	----	1.202 +	0.984 .4772	----	----	3	----	6 UNCH
7800	1.240	1.240	1.338B/1.055	1.338B/0.250A	----	0.991 +	0.818 .4041	----	----	3	----	4 + 2
7850	0.400	0.400	1.090B/0.400	1.090B/0.305A	----	0.810 +	0.671 .3355	----	----	4	----	10 + 3
7900	----	----	0.853B/----	0.853B/0.245A	----	0.657 +	0.544 .2735	----	----	----	----	4 UNCH
7950	0.820	0.820	0.900/0.820	0.900/0.225A	----	0.529 +	0.435 .2190	----	----	6	----	1 - 2
8000	0.100	0.100	0.640/0.100	0.640/0.100	----	0.423 +	0.344 .1724	----	----	8	----	23 - 3
8100	0.290	0.290	0.290/0.290	0.290/0.172A	----	0.265 +	0.206 .1020	----	----	6	----	7 + 5
8200	0.100	0.100	0.251B/0.100	0.251B/0.100	----	0.163 +	0.117 .0573	----	----	2	----	6 + 1
8300	----	----	0.117B/----	0.117B/0.149A	----	0.114 +	0.077 .0353	----	----	----	----	5 UNCH
8400	----	----	0.046B/----	0.046B/0.126A	----	0.084 +	0.053 .0228	----	----	----	----	1 UNCH
8500	0.100	0.100	0.100/0.053	0.100/0.053	----	0.065 +	0.038 .0154	----	----	9	----	24 - 3
8750	----	----	----	0.003B/0.096A	----	0.039 +	0.016 .0068	----	----	----	----	3 UNCH
8850	----	----	----	0.001B/0.092A	----	0.030	NEW .0046	----	----	1	----	1 + 1
9000	0.020	0.020	0.030/*0.020	0.030/*0.020	----	0.016 +	0.004 .0020	----	----	4	----	6 + 4
9200	----	----	----	----/0.113A	----	0.007 +	0.001 .0006	----	----	----	----	4 UNCH
9300	----	----	----	----/0.111A	----	0.005	UNCH .0004	----	----	----	----	4 UNCH
9700	----	----	----	----/0.122A	----	0.001 -	0.001 .0000	----	----	----	----	4 UNCH
10000	----	----	----	----/0.137A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
TOTAL										49	0	219 + 7
SO2 PUT		SILVER OPTIONS										
MAY26												
5250	----	----	----	----/0.203A	----	0.001	UNCH ----	----	----	----	----	3 UNCH
6000	----	----	----	0.001B/0.137A	----	0.001	UNCH ----	----	----	----	----	22 UNCH
6100	----	----	----	----/0.130A	----	0.001 -	0.001 ----	----	----	3	----	5 UNCH
6200	----	----	----	----/0.125A	----	0.001 -	0.002 .0000	----	----	----	----	1 UNCH
6400	----	----	----	0.001B/0.113A	----	0.002 -	0.009 .0001	----	----	----	----	1 UNCH
6500	0.067	0.067	0.067/*0.050	0.067/*0.050	----	0.003 -	0.017 .0002	----	----	23	----	74 + 19
6600	----	----	----	0.001B/*0.104A	----	0.006 -	0.030 .0006	----	----	----	----	15 UNCH
6700	----	----	----	0.001B/*0.101A	----	0.012 -	0.052 .0015	----	----	----	----	8 UNCH
6750	----	----	----	0.001B/*0.095A	----	0.016 -	0.068 .0023	----	----	----	----	1 UNCH
6800	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.022 -	0.089 .0035	----	----	1	----	9 + 1
6850	----	----	----/*0.098A	0.002B/*0.098A	----	0.029 -	0.116 .0050	----	----	----	----	1 UNCH
6900	----	----	----/*0.094A	0.045B/*0.094A	----	0.039 -	0.150 .0074	----	----	----	----	3 UNCH
7000	0.350	0.350	0.350/*0.108A	0.350/*0.108A	----	0.059 -	0.246 .0132	----	----	2	----	18 UNCH
7100	0.160	0.160	0.160/*0.129A	0.305B/*0.129A	----	0.079 -	0.392 .0206	----	----	2	----	8 - 1
7190	----	----	----/*0.157A	0.522B/*0.157A	----	0.108	NEW .0323	----	----	1	----	1 + 1
7200	0.150	0.150	0.150/*0.150	0.595B/*0.150	----	0.112 -	0.603 .0340	----	----	2	----	20 - 2
7250	----	----	----/*0.189A	0.742B/*0.189A	----	0.136 -	0.738 .0444	----	----	----	----	5 UNCH
7280	----	----	----/*0.183A	0.863B/*0.183A	----	0.154 -	0.829 .0525	----	----	----	----	1 UNCH
7300	----	----	----/*0.186A	0.976B/*0.186A	----	0.169 -	0.893 .0591	----	----	1	----	70 UNCH
7350	----	----	----/*0.203A	1.011B/*0.203A	----	0.212 -	1.070 .0788	----	----	1	----	4 + 1
7400	0.750	0.750	0.750/*0.242A	1.238B/*0.242A	----	0.270 -	1.265 .1055	----	----	1	----	3 + 1
7470	0.300	0.300	#0.300/*0.300	1.119B/*0.300	----	0.385	NEW .1578	----	----	1	----	1 + 1
7500	----	----	----/*0.418A	1.081B/*0.418A	----	0.448 -	1.692 .1858	----	----	2	----	12 + 1
7550	----	----	----/*0.531A	1.101B/*0.531A	----	0.574 -	1.916 .2400	----	----	----	----	2 UNCH
7600	0.700	0.700	0.700/*0.630A	1.137B/*0.630A	----	0.731 -	2.137 .3032	----	----	1	----	57 + 1
7650	1.050	1.050	1.150/*0.796A	1.196B/*0.796A	----	0.920 -	2.351 .3732	----	----	6	----	4 + 3
7750	1.030	1.030	1.030/*1.030	1.706B/*1.030	----	1.399	NEW .5227	----	----	1	----	1 + 1
7800	----	----	----/*1.326A	1.756B/*1.326A	----	1.688 -	2.903 .5958	----	----	----	----	2 UNCH
8000	----	----	----/3.606A	4.937B/3.606A	----	3.120 -	3.377 .8275	----	----	----	----	9 UNCH
TOTAL										48	0	361 + 27
SO3 CALL		SILVER OPTIONS										
MAY26												
7150	----	----	----	----/27.520A	----	6.367 +	2.963 .8495	----	----	----	----	3 UNCH
7200	----	----	----	2.652B/3.208A	----	5.948 +	2.858 .8298	----	----	----	----	2 UNCH
7250	----	----	----	2.494B/2.944A	----	5.540 +	2.744 .8084	----	----	----	----	2 UNCH
7400	----	----	2.583B/----	2.583B/2.128A	----	4.389 +	2.357 .7322	----	----	----	----	5 UNCH
7450	----	----	2.921B/----	2.921B/1.966A	----	4.034	NEW .7030	----	----	1	----	1 + 1
7500	----	----	3.047B/----	3.047B/1.761A	----	3.694 +	2.073 .6721	----	----	1	----	3 + 1
7600	----	----	3.038B/----	3.038B/1.423A	----	3.066 +	1.784 .6059	----	----	----	----	13 UNCH
7700	1.000	1.000	2.832B/1.000	2.832B/1.000	----	2.509 +	1.501 .5360	----	----	1	----	51 + 1
7750	0.943	0.943	2.572B/*0.943	2.572B/*0.943	----	2.260	NEW .5004	----	----	1	----	1 + 1
7800	----	----	2.345B/----	2.345B/0.936A	----	2.029 +	1.240 .4649	----	----	----	----	2 UNCH
7850	----	----	2.061B/----	2.061B/0.875A	----	1.817 +	1.120 .4299	----	----	----	----	2 UNCH
7900	----	----	1.870B/----	1.870B/0.765A	----	1.623 +	1.006 .3958	----	----	----	----	3 UNCH
8000	0.983	0.983	1.500/0.983	1.500/0.630A	----	1.287 +	0.804 .3312	----	----	13	----	13 + 12
8100	----	----	1.145B/----	1.145B/0.516A	----	1.015 +	0.635 .2731	----	----	----	----	7 UNCH
8200	----	----	0.872B/----	0.872B/0.427A	----	0.799 +	0.497 .2227	----	----	----	----	11 UNCH
8250	0.950	0.950	0.950/0.950	0.950/0.408A	----	0.709	NEW .2004	----	----	3	----	3 + 3
8300	0.410	0.410	0.657B/0.410	0.657B/0.355A	----	0.629	NEW .1801	----	----	12	----	12 + 12
8500	0.450	0.450	0.480/0.420	0.480/0.257A	----	0.396 +	0.234 .1168	----	----	11	----	15 + 8
8750	0.300	0.300	0.300/0.300	0.300/0.227A	----	0.236	NEW .0695	----	----	3	----	3 + 3
9000	----	----	0.096B/----	0.096B/0.208A	----	0.154 +	0.074 .0440	----	----	----	----	5 UNCH
9100	----	----	0.077B/----	0.077B/0.196A	----	0.133 +	0.060 .0373	----	----	----	----	2 UNCH
TOTAL										46	0	159 + 42
SO3 PUT		SILVER OPTIONS										
MAY26												
6500	0.105	0.105	0.105/*0.095	0.105/*0.095	----	0.097 -	0.134 .0259	----	----	9	----	13 + 9
6600	----	----	----/*0.186A	0.114B/*0.186A	----	0.122 -	0.172 .0333	----	----	----	----	16 UNCH
6700	----	----	----/*0.214A	0.202B/*0.214A	----	0.163 -	0.217 .0446	----	----	1	----	2 + 1
6750	----	----	----/*0.239A	0.228B/*0.239A	----	0.188 -	0.248 .0515	----	----	----	----	1 UNCH
6800	0.170	0.170	0.170/*0.170	0.322B/*0.170	----	0.217 -	0.283 .0594	----	----	2	----	5 + 2
6900	----	----	----/*0.320A	0.496B/*0.320A	----	0.287 -	0.376 .0783	----	----	----	----	2 UNCH
7000	----	----	----/*0.402A	0.698B/*0.402A	----	0.378 -	0.501 .1024	----	----	----	----	1 UNCH
7150	----	----	----/*0.567A	1.183B/*0.567A	----	0.568 -	0.757 .1504	----	----	----	----	1 UNCH
7200	----	----	----/*0.616A	1.414B/*0.616A	----	0.650 -	0.861 .1701	----	----	----	----	12 UNCH
7250	----	----	----/*0.665A	1.592B/*0.665A	----	0.741	NEW .1915	----	----	1	----	1 + 1
7350	----	----	----/*0.938A	2.078B/*0.938A	----	0.960 -	1.226 .2404	----	----	----	----	1 UNCH
7450	1.150	1.150	1.150/*1.150	2.638B/*1.150	----	1.233 -	1.502 .2969	----	----	2	----	12 + 2
7500	----	----	----/*1.308A	2.812B/*1.308A	----	1.393 -	1.645 .3278	----	----	10	----	12 + 10
7700	----	----	----/*2.068A	2.942B/*2.068A	----	2.207 -	2.217 .4639	----	----	----	----	45 UNCH
7850	----	----	----/*2.835A	3.165B/*2.835A	----	3.013 -	2.599 .5700	----	----	----	----	2 UNCH
TOTAL										25	0	126 + 25
SO4 CALL		SILVER OPTIONS										
MAY26												
7500	----	----	4.002B/----	4.002B/2.452A	----	4.339 +	2.016 .6401	----	----	----	----	1 UNCH
7700	----	----	#3.594B/----	#3.594B/1.795A	----	3.275 +	1.619 .5354	----	----	----	----	1 UNCH
8000	0.995	0.995	#2.221B/*0.995	#2.221B/*0.995	----	2.086	NEW .3859	----	----	1	----	1 + 1
8100	----	----	#1.864B/----	#1.864B/0.990A	----	1.786	NEW .3416	----	----	1	----	1 + 1
8200	----	----	#1.549B/----	#1.549B/0.859A	----	1.528 +	0.826 .3009	----	----	1	----	2 + 1
8300	----	----	1.290B/----	1.290B/0.748A	----	1.306	NEW .2639	----	----	1	----	1 + 1
8700	0.450	0.450	0.610B/0.450	0.610B/0.438A	----	0.705	NEW .1529	----	----	1	----	1 + 1
TOTAL										5	0	8 + 5
SO4 PUT		SILVER OPTIONS										
MAY26												
6900	----	----	----/*0.620A	0.954B/*0.620A	----	0.516 -	0.622 .1180	----	----	----	----	1 UNCH
7350	----	----	----/*1.528A	2.727B/*1.528A	----	1.488	NEW .2853	----	----	1	----	1 + 1
7450	----	----	----/*1.848A	2.886B/*1.848A	----	1.841	NEW .3343	----	----	1	----	1 + 1
TOTAL										2	0	3 + 2
SO5 PUT		SILVER OPTIONS										
MAY26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO5 PUT		SILVER OPTIONS										
MAY26												
7000	----	----	----/*1.059A	1.651B/*1.059A	----	1.048 -	0.886 .1862	----	----	----	----	2 UNCH
TOTAL											0	2 0
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
6000	----	----	----	----/*0.053A	----	0.000 -	0.001 ----	----	----	----	----	0 - 15
6000	----	----	----	0.001B/*0.103A	----	0.024 -	0.011 .0053	----	----	----	----	6 UNCH
6200	----	----	----	----/0.055A	----	0.000 -	0.001 ----	----	----	----	----	0 - 1
6400	----	----	----/*0.202A	0.099B/*0.202A	----	0.113 -	0.149 .0293	----	----	----	----	1 UNCH
6500	----	----	----/*0.129A	0.006B/*0.129A	----	0.073 -	0.087 .0193	----	----	----	----	8 UNCH
6700	----	----	----	----/*0.056A	----	0.000 -	0.008 ----	----	----	----	----	0 - 1
6800	0.350	0.350	0.350/*0.350	0.557B/*0.350	----	0.350 -	0.451 .0856	----	----	2	----	0 - 2
6850	0.587	0.587	0.587/*0.587	0.980B/*0.587	----	0.649	NEW .1307	----	----	1	----	1 + 1
6900	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 -	0.026 ----	----	----	2	----	0 - 5
6950	----	----	----	0.001B/*0.058A	----	0.000 -	0.035 ----	----	----	----	----	0 - 1
7000	----	----	----	0.001B/0.060A	----	0.000 -	0.048 ----	----	----	----	----	0 - 7
7100	----	----	----/*0.060A	0.001B/*0.060A	----	0.000 -	0.098 ----	----	----	----	----	0 - 7
7150	0.321	0.321	0.321/*0.321	0.931B/*0.321	----	0.314	NEW .1038	----	----	1	----	1 + 1
7150	----	----	----/*0.058A	0.001B/*0.058A	----	0.000 -	0.145 ----	----	----	----	----	0 - 3
7170	0.210	0.210	0.210/*0.059A	0.210/*0.059A	----	0.000	NEW ----	----	----	2	----	0 UNCH
7200	0.139	0.139	0.250B/*0.058A	0.250B/*0.058A	----	0.000 -	0.215 ----	----	----	1	----	0 - 59
7200	----	----	----/*0.447A	1.150B/*0.447A	----	0.368 -	0.902 .1214	----	----	----	----	4 UNCH
7250	----	----	----/*0.060A	0.158B/*0.060A	----	0.000 -	0.321 ----	----	----	----	----	0 - 1
7300	----	----	----/*0.058A	0.362B/*0.058A	----	0.000 -	0.472 ----	----	----	----	----	0 - 1
7330	----	----	----/*0.060A	0.286B/*0.060A	----	0.000 -	0.590 ----	----	----	----	----	0 - 6
7350	----	----	----/*0.058A	0.339B/*0.058A	----	0.000 -	0.680 ----	----	----	----	----	0 - 1
7350	2.000	2.000	#2.000/2.000	2.000/0.823A	----	3.803 +	3.042 ----	----	----	1	----	0 - 1
7390	----	----	----	0.348B/0.648A	----	3.403 +	2.831 ----	----	----	----	----	0 - 2
7390	----	----	----/*0.058A	0.378B/*0.058A	----	0.000 -	0.891 ----	----	----	----	----	0 - 20
7400	----	----	----	1.654B/1.844A	----	4.012 +	2.244 .7763	----	----	----	----	4 UNCH
7400	----	----	----	0.374B/0.585A	----	3.303 +	2.772 ----	----	----	----	----	0 - 3
7400	0.180	0.180	0.200/*0.020	0.401B/*0.020	----	0.000 -	0.950 ----	----	----	5	----	0 - 2
7400	----	----	----/*0.778A	1.801B/*0.778A	----	0.711 -	1.476 .2236	----	----	----	----	22 UNCH
7425	----	----	----	0.360B/0.536A	----	3.053 +	2.614 ----	----	----	----	----	0 - 20
7440	0.690	0.690	0.690/0.690	0.690/0.510A	----	2.903	NEW ----	----	----	1	----	0 UNCH
7450	0.122	0.122	0.122/*0.006	0.368B/*0.006	----	0.000	NEW ----	----	----	2	----	0 UNCH
7450	0.600	0.600	0.640/0.500	0.640/0.440A	----	2.803 +	2.443 ----	----	----	63	----	0 - 35
7500	0.389	0.389	0.691/0.389	0.691/0.355A	----	2.303 +	2.063 ----	----	----	73	----	0 - 6
7500	----	----	2.439B/----	2.439B/1.451A	----	3.284 +	1.921 .7059	----	----	----	----	1 UNCH
7500	0.655	0.655	0.655/*0.055A	0.655/*0.055A	----	0.000 -	1.659 ----	----	----	1	----	0 - 1
7525	----	----	0.440B/----	0.440B/0.343A	----	2.053	NEW ----	----	----	8	----	0 UNCH
7550	0.461	0.461	0.461/0.461	0.461/0.299A	----	1.803	NEW ----	----	----	1	----	0 UNCH
7550	0.090	0.090	0.090/*0.060A	0.302B/*0.060A	----	0.000	NEW ----	----	----	10	----	0 UNCH
7570	0.330	0.330	0.330/*0.058A	0.330/*0.058A	----	0.000	NEW ----	----	----	1	----	0 UNCH
7575	----	----	0.266B/----	0.266B/0.259A	----	1.553	NEW ----	----	----	70	----	0 UNCH
7580	0.470	0.470	0.470/*0.060A	0.470/*0.060A	----	0.000	NEW ----	----	----	2	----	0 UNCH
7600	0.455	0.455	0.455/*0.058A	0.455/*0.058A	----	0.000	NEW ----	----	----	32	----	0 UNCH
7600	0.150	0.150	0.378B/0.150	0.378B/0.150	----	1.303 +	1.198 ----	----	----	2	----	0 - 4
7600	3.180	3.180	#3.200/3.150	3.200/1.138A	----	2.638 +	1.597 .6251	----	----	4	----	0 - 4
7650	0.348	0.348	0.348/*0.078A	0.493B/*0.078A	----	0.000	NEW ----	----	----	10	----	0 UNCH
7650	0.301	0.301	0.930B/0.301	0.930B/0.149A	----	0.803	NEW ----	----	----	6	----	0 UNCH
7675	0.435	0.435	0.435/*0.117A	0.544B/*0.117A	----	0.000	NEW ----	----	----	10	----	0 UNCH
7680	0.090	0.090	0.584B/*0.090	0.584B/*0.090	----	0.503	NEW ----	----	----	6	----	0 UNCH
7700	0.400	0.400	0.600B/*0.055	0.600B/*0.055	----	0.000 -	3.468 ----	----	----	19	----	0 - 5
7700	0.300	0.300	1.550/0.300	1.550/*0.070A	----	0.303 +	0.254 ----	----	----	41	----	0 - 1
7710	----	----	----/*0.141A	0.625B/*0.141A	----	0.000 -	3.565 ----	----	----	----	----	0 - 3
7710	0.351	0.351	0.570B/0.351	0.570B/0.135A	----	0.203	NEW ----	----	----	1	----	0 UNCH
7725	0.785	0.785	0.785/*0.285A	0.785/*0.285A	----	0.000	NEW ----	----	----	9	----	0 UNCH
7730	0.469	0.469	0.590B/0.469	0.590B/0.132A	----	0.003	NEW ----	----	----	8	----	0 UNCH
7750	0.500	0.500	0.655/*0.055	0.655/*0.055	----	0.000 -	0.035 ----	----	----	13	----	0 - 3
7750	0.400	0.400	0.755/*0.205A	0.755/*0.205A	----	0.197	NEW ----	----	----	17	----	0 UNCH
7760	0.162	0.162	0.967/0.162	0.967/0.130A	----	0.000	NEW ----	----	----	4	----	0 UNCH
7775	----	----	0.423B/----	0.423B/0.129A	----	0.000 -	0.030 ----	----	----	----	50	0 UNCH
7780	0.425	0.425	0.470/0.425	0.470/0.129A	----	0.000	NEW ----	----	----	12	----	0 UNCH
7800	0.054	0.054	0.500B/*0.054	0.500B/*0.054	----	0.000 -	0.026 ----	----	----	20	50	0 - 61
7800	----	----	1.992B/----	1.992B/0.701A	----	1.621 +	1.019 .4510	----	----	----	----	4 UNCH
7800	0.600	0.600	0.940B/*0.384	0.940B/*0.384	----	0.697	NEW ----	----	----	2	----	0 UNCH
7820	0.584	0.584	0.584/*0.006	0.584/*0.006	----	0.000	NEW ----	----	----	2	----	0 UNCH
7825	0.213	0.213	0.380B/*0.078A	0.380B/*0.078A	----	0.000 -	0.022 ----	----	----	1	----	0 - 1
7830	0.700	0.700	0.700/*0.072A	0.700/*0.072A	----	0.000	NEW ----	----	----	10	----	0 UNCH
7875	----	----	0.191B/----	0.191B/0.060A	----	0.000 -	0.017 ----	----	----	----	----	0 - 1
7900	----	----	0.231B/*0.010A	0.231B/*0.010A	----	0.000 -	0.015 ----	----	----	1	----	0 - 1
7950	----	----	----	0.006B/*0.059A	----	0.000 -	0.012 ----	----	----	----	----	0 - 1
8000	0.100	0.100	0.100/0.020	0.100/0.020	----	0.000 -	0.008 ----	----	----	5	----	0 - 8
8100	0.860	0.860	0.860/0.860	0.860/0.354A	----	0.726	NEW .2324	----	----	5	----	5 + 5
8175	----	----	----	0.001B/*0.061A	----	0.000 -	0.002 ----	----	----	----	----	0 UNCH
8200	----	----	----	0.001B/0.058A	----	0.000 -	0.001 ----	----	----	----	----	0 - 3
8500	----	----	----	----/*0.061A	----	0.000 -	0.001 ----	----	----	----	----	0 - 6
8700	----	----	----	----/*0.055A	----	0.000 -	0.001 ----	----	----	----	----	0 - 1
8800	----	----	----/*11.740A	10.397B/*11.740A	----	10.823 -	3.666 .9583	----	----	----	----	1 UNCH
10000	----	----	----	----/*0.055A	----	0.000 -	0.001 ----	----	----	----	----	0 - 5
TOTAL										487	100	58 - 301
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week2										
MAY26												
6600	----	----	----/*0.120A	0.004B/*0.120A	----	0.061 -	0.091 .0171	----	----	----	----	1 UNCH
6800	----	----	----/*0.148A	0.112B/*0.148A	----	0.105 -	0.171 .0318	----	----	----	----	1 UNCH
6900	0.499	0.499	0.499/*0.443A	0.673B/*0.443A	----	0.437 -	0.528 .1057	----	----	1	----	0 - 1
6900	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6900	----	----	----/*0.178A	0.216B/*0.178A	----	0.140 -	0.249 .0438	----	----	----	----	1 UNCH
7090	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7100	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7290	----	----	----	----	----	0.681	UNCH ----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.581	UNCH ----	----	----	----	----	0 UNCH
7310	----	----	----	----	----	0.481	UNCH ----	----	----	----	----	0 UNCH
7320	----	----	----	----	----	0.381	UNCH ----	----	----	----	----	0 UNCH
7320	0.509	0.509	#0.509/*0.509	#0.509/*0.509	----	0.513	NEW .1686	----	----	1	----	1 + 1
7350	----	----	----	----	----	0.081	UNCH ----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7400	----	----	----/*0.643A	1.597B/*0.643A	----	0.663 -	1.340 .2146	----	----	----	----	2 UNCH
7400	----	----	----	----	----	0.419	UNCH ----	----	----	----	----	0 UNCH
7425	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	0.919	UNCH ----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7460	----	----	----	----	----	1.019	UNCH ----	----	----	----	----	0 UNCH
7475	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	1.419	UNCH ----	----	----	----	----	0 UNCH
7530	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	1.919	UNCH ----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	2.919	UNCH ----	----	----	----	----	0 UNCH
7660	----	----	----	----	----	3.019	UNCH ----	----	----	----	----	0 UNCH
7700	----	----	2.198B/----	2.198B/0.767A	----	1.969 +	1.357 .5395	----	----	----	----	1 UNCH
7700	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	3.419	UNCH ----	----	----	----	----	0 UNCH
7800	----	----	1.794B/----	1.794B/0.595A	----	1.495 +	1.052 .4452	----	----	----	----	5 UNCH
7800	----	----	#2.635B/----	#2.635B/1.200A	----	2.342 +	1.315 .4736	----	----	----	----	3 UNCH
7825	----	----	----	----	----	4.669	UNCH ----	----	----	----	----	0 UNCH
7850	----	----	1.520B/----	1.520B/0.551A	----	1.295 +	0.917 .3996	----	----	----	----	6 UNCH
8000	----	----	----	----	----	6.419	UNCH ----	----	----	----	----	0 UNCH
8000	----	----	0.949B/----	0.949B/0.369A	----	0.829 +	0.592 .2771	----	----	----	----	1 UNCH
8100	0.660	0.660	0.660/0.660	0.660/0.296A	----	0.613	NEW .2116	----	----	1	----	1 + 1
8200	0.750	0.750	1.143B/0.750	1.143B/0.607A	----	1.076 +	0.634 .2593	----	----	1	----	1 UNCH
8300	----	----	0.271B/----	0.271B/0.216A	----	0.339 +	0.235 .1197	----	----	----	----	5 UNCH
8400	0.521	0.521	0.718B/0.521	0.718B/0.437A	----	0.730	NEW .1846	----	----	1	----	1 + 1
8600	0.350	0.350	#0.500/0.350	0.500/0.330A	----	0.504	NEW .1309	----	----	2	----	2 + 2
8950	----	----	----	0.007B/0.129A	----	0.076 +	0.042 .0231	----	----	----	----	1 UNCH
9200	----	----	----	0.005B/*0.080A	----	0.053 +	0.026 .0148	----	----	----	----	2 UNCH
10500	----	----	----	----/0.123A	----	0.011 +	0.003 .0021	----	----	----	----	1 UNCH
TOTAL										7	0	36 + 4
JUN26												
7100	1.550	1.550	1.550/*1.411A	2.201B/*1.411A	----	1.339	NEW .2235	----	----	2	----	2 + 2
8000	2.650	2.650	#2.969B/2.650	#2.969B/1.767A	----	2.805	NEW .4167	----	----	4	----	4 + 4
8800	1.150	1.150	#1.150/1.150	#1.150/0.781A	----	1.088	NEW .1895	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week1										
TOTAL										7	0	7 + 7

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
MAY26												
450	----	----	----	----/0.0070A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
490	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
565	----	----	----	----/*0.0075A	----	0.0005 - 0.0020	.0001	----	----	----	----	2 UNCH
566	----	----	----	----/*0.0075A	----	0.0005 - 0.0020	.0001	----	----	----	----	1 UNCH
570	----	----	----	----/*0.0075A	----	0.0005 - 0.0035	.0004	----	----	1	----	1 UNCH
576	----	----	----/*0.0080A	0.0035B/*0.0080	----	0.0005 - 0.0080	.0020	----	----	----	----	1 UNCH
585	----	----	----/*0.0085A	0.0125B/*0.0085	----	0.0015 - 0.0205	.0143	----	----	----	----	1 UNCH
586	----	----	----/*0.0090A	0.0150B/*0.0090	----	0.0015 - 0.0230	.0147	----	----	----	----	1 UNCH
587	0.0060	0.0060	0.0060/*0.0060	0.0170B/*0.0060	----	0.0020 - 0.0245	.0194	----	----	3	----	0 - 3
590	----	----	----/*0.0105A	0.0240B/*0.0105	----	0.0030 - 0.0315	.0297	----	----	1	----	1 UNCH
595	0.1790	0.1790	0.2595B/0.1790	0.2595B/0.1010A	----	0.2420 + 0.1475	.9403	----	----	1	----	0 - 1
595	----	----	----/*0.0125A	0.0405B/*0.0125	----	0.0060 - 0.0455	.0595	----	----	----	----	1 UNCH
600	0.1520	0.1520	0.2170B/0.1520	0.2170B/0.1100A	----	0.2300 + 0.1235	.7588	----	----	17	----	17 UNCH
600	----	----	0.2120B/----	0.2120B/0.0745A	----	0.1970 + 0.1300	.8953	----	----	----	----	1 UNCH
600	----	----	----/*0.0425A	0.1080B/*0.0425	----	0.0440 - 0.0695	.2408	----	----	----	----	1 UNCH
606	----	----	0.1125B/----	0.1125B/0.0495A	----	0.1470 + 0.1050	.8029	----	----	----	----	4 UNCH
606	----	----	----/*0.0235A	0.0935B/*0.0235	----	0.0210 - 0.0880	.1969	----	----	----	----	4 UNCH
610	----	----	0.1645B/----	0.1645B/0.0695A	----	0.1630 + 0.0975	.6313	----	----	----	----	5 UNCH
610	0.0600	0.0600	0.1255B/0.0600	0.1255B/0.0370A	----	0.1175 NEW	.7225	----	----	5	----	5 + 5
615	----	----	0.1350B/----	0.1350B/0.0555A	----	0.1355 + 0.0850	.5606	----	----	----	----	4 UNCH
615	----	----	0.0890B/----	0.0890B/0.0255A	----	0.0850 + 0.0665	.6013	----	----	----	----	4 UNCH
615	----	----	----/*0.0930A	0.1975B/*0.0930	----	0.0990 - 0.1080	.4390	----	----	----	----	4 UNCH
615	----	----	----/*0.0480A	0.1655B/*0.0480	----	0.0485 - 0.1265	.3985	----	----	----	----	4 UNCH
620	0.0990	0.0990	0.1130B/0.0875	0.1130B/0.0430A	----	0.1110 NEW	.4899	----	----	2	----	1 + 1
620	----	----	0.0625B/----	0.0625B/0.0190A	----	0.0590 + 0.0475	.4688	----	----	----	----	4 UNCH
625	----	----	0.0405B/----	0.0405B/0.0145A	----	0.0395 + 0.0325	.3426	----	----	----	----	1 UNCH
630	----	----	0.0725B/----	0.0725B/0.0275A	----	0.0720 + 0.0505	.3561	----	----	----	----	15 UNCH
630	0.0095	0.0095	0.0240B/*0.0095	0.0240B/0.0095	----	0.0255 NEW	.2354	----	----	30	----	30 + 30
635	----	----	0.0120B/----	0.0120B/0.0085A	----	0.0165 + 0.0140	.1560	----	----	----	----	1 UNCH
TOTAL										60		132 + 32
JUN26												
450	----	----	----	----/0.0070A	----	0.0005 UNCH	.0019	----	----	----	----	14 UNCH
500	----	----	----	----/*0.0105A	----	0.0030 UNCH	.0122	----	----	----	----	5 UNCH
600	0.2870	0.2870	0.2870/0.2870	0.2870/0.1620A	----	0.2790 NEW	.6838	----	----	1	----	1 + 1
630	----	----	0.1290B/----	0.1290B/0.0620A	----	0.1270 + 0.0695	.4110	----	----	----	----	1 UNCH
640	0.0950	0.0950	0.0970B/0.0950	0.0970B/0.0445A	----	0.0945 + 0.0550	.3289	----	----	2	----	3 UNCH
665	----	----	0.0425B/----	0.0425B/0.0195A	----	0.0445 + 0.0295	.1755	----	----	----	----	5 UNCH
675	----	----	0.0300B/----	0.0300B/0.0155A	----	0.0320 + 0.0215	.1321	----	----	1	----	2 - 1
725	----	----	#0.0040B/----	0.0040B/0.0070A	----	0.0080 + 0.0055	.0352	----	----	----	----	14 UNCH
TOTAL										4		45
HWR THU		COPPER WEEKLY THURSDAY OPT Week3										
MAY26												
450	----	----	----	----/0.0075A	----	0.0005 UNCH	.0002	----	----	----	----	4 UNCH
570	----	----	----/*0.0160A	0.0250B/*0.0160	----	0.0155 - 0.0145	.0798	----	----	----	----	1 UNCH
575	----	----	----	----/*0.0060A	----	0.0005 - 0.0005	----	----	----	----	----	10 UNCH
576	----	----	----	----/*0.0080A	----	0.0005 - 0.0005	----	----	----	----	----	1 UNCH
578	----	----	----	----/*0.0080A	----	0.0005 - 0.0010	----	----	----	----	----	30 UNCH
590	----	----	0.3050B/----	0.3050B/0.1140A	----	0.2870 + 0.1790	.0000	----	----	----	----	4 UNCH
593	----	----	----/*0.0090A	0.0085B/*0.0090	----	0.0005 - 0.0220	.0000	----	----	----	----	6 UNCH
595	----	----	#0.2630B/----	#0.2630B/0.1520	----	0.2840 + 0.1355	.7735	----	----	----	----	1 UNCH
597	----	----	0.2355B/----	0.2355B/0.0665A	----	0.2170 + 0.1575	.9999	----	----	1	----	0 - 1
598	----	----	0.2255B/----	0.2255B/0.0610A	----	0.2070 + 0.1535	.9998	----	----	----	----	1 UNCH
599	----	----	----/*0.0100A	0.0315B/*0.0100	----	0.0005 - 0.0450	.0003	----	----	----	----	2 UNCH
599	----	----	0.2155B/----	0.2155B/0.0560A	----	0.1970 + 0.1485	.9996	----	----	----	----	1 UNCH
600	----	----	0.2255B/----	0.2255B/0.0955A	----	0.2170 + 0.1260	.7986	----	----	----	----	0 UNCH
600	0.0300	0.0300	0.0300/*0.0040	0.0365B/*0.0040	----	0.0005 NEW	.0007	----	----	10	----	0 UNCH
600	----	----	0.2055B/----	0.2055B/0.0510A	----	0.1870 + 0.1435	.9993	----	----	----	----	1 UNCH
605	----	----	----/*0.0420A	0.1155B/*0.0420	----	0.0425 - 0.0835	.2668	----	----	----	----	5 UNCH
605	0.0030	0.0030	0.0030/*0.0030	0.0680B/*0.0030	----	0.0020 NEW	.0118	----	----	2	----	2 + 2
606	----	----	0.1470B/----	0.1470B/0.0275A	----	0.1290 + 0.1085	.9830	----	----	----	----	2 UNCH
610	0.0080	0.0080	0.0080/*0.0065A	0.1085B/*0.0065	----	0.0070 NEW	.0758	----	----	10	----	10 + 10
613	0.0525	0.0525	0.0530/*0.0150	0.1355B/*0.0150	----	0.0135 NEW	.1776	----	----	34	----	30 + 30
615	----	----	0.0665B/----	0.0665B/0.0135A	----	0.0560 + 0.0510	.7249	----	----	----	----	30 UNCH
617	0.0290	0.0290	#0.0290/*0.0290	0.1735B/*0.0290	----	0.0275 NEW	.3935	----	----	40	----	40 + 40
618	0.0320	0.0320	#0.0465B/*0.032	#0.0465B/0.0125	----	0.0390 NEW	.5429	----	----	3	----	3 + 3
620	0.0095	0.0095	0.0375B/*0.0095	0.0375B/0.0095	----	0.0295 + 0.0275	.4178	----	----	17	----	21 + 17
622	0.0180	0.0180	#0.0280B/*0.018	#0.0280B/0.0110	----	0.0220 NEW	.3031	----	----	1	----	1 + 1
625	0.0110	0.0110	0.0165B/*0.0110	0.0165B/0.0105A	----	0.0140 NEW	.1710	----	----	12	----	12 + 12
635	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0015 NEW	.0067	----	----	1	----	1 + 1
725	----	----	----	----/0.0065A	----	0.0010 + 0.0005	.0061	----	----	----	----	14 UNCH
TOTAL										131		233 + 115
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week3										
MAY26												
450	----	----	----	----/0.0075A	----	0.0005 UNCH	.0000	----	----	----	----	4 UNCH
580	----	----	----/*0.0120A	0.0115B/*0.0120	----	0.0025 - 0.0165	.0211	----	----	----	----	1 UNCH
583	----	----	----	----	----	0.1630 UNCH	----	----	----	----	----	0 UNCH
586	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
586	----	----	----	----	----	0.1330 UNCH	----	----	----	----	----	0 UNCH
588	----	----	----	----	----	0.1130 UNCH	----	----	----	----	----	0 UNCH
590	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
590	----	----	----	----	----	0.0930 UNCH	----	----	----	----	----	0 UNCH
592	----	----	----	----	----	0.0730 UNCH	----	----	----	----	----	0 UNCH
595	----	----	----/*0.0375A	0.0890B/*0.0375	----	0.0380 - 0.0565	.2028	----	----	----	----	1 UNCH
595	----	----	0.2625B/----	0.2625B/0.1085A	----	0.2485 + 0.1460	.8970	----	----	----	----	3 UNCH
595	----	----	----	----	----	0.0430 UNCH	----	----	----	----	----	0 UNCH
596	----	----	----	----	----	0.0330 UNCH	----	----	----	----	----	0 UNCH
597	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
597	----	----	----	----	----	0.0230 UNCH	----	----	----	----	----	0 UNCH
598	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
598	----	----	----	----	----	0.0130 UNCH	----	----	----	----	----	0 UNCH
599	----	----	----	----	----	0.0030 UNCH	----	----	----	----	----	0 UNCH
600	----	----	----	----	----	0.0070 UNCH	----	----	----	----	----	0 UNCH
600	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
601	----	----	----	----	----	0.0170 UNCH	----	----	----	----	----	0 UNCH
610	----	----	0.1105B/----	0.1105B/0.0445A	----	0.1305 + 0.0930	.6848	----	----	----	----	1 UNCH
620	0.0635	0.0635	0.0780B/0.0635	0.0780B/0.0240A	----	0.0735 + 0.0565	.4769	----	----	8	----	6 + 5
630	0.0300	0.0300	0.0385B/0.0300	0.0385B/0.0140A	----	0.0380 NEW	.2821	----	----	1	----	1 + 1
725	----	----	----	----/0.0070A	----	0.0005 UNCH	.0032	----	----	----	----	4 UNCH
TOTAL										9		21 + 6
JUN26												
450	----	----	----	----/0.0075A	----	0.0010 UNCH	.0035	----	----	----	----	14 UNCH
750	0.0010	0.0010	0.0010/*0.0010	0.0010/0.0010	----	0.0045 + 0.0035	.0197	----	----	10	----	14 + 10
TOTAL										10		28 + 10
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
450	----	----	----	----/0.0075A	----	0.0005 UNCH	.0000	----	----	----	----	4 UNCH
455	----	----	----	----/0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 21
465	----	----	----	----/0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
475	----	----	----	----/0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
485	----	----	----	----/0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
500	----	----	----	----/0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
510	----	----	----	----/0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 8
520	----	----	----	----/*0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
530	----	----	----	----/*0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
540	----	----	----	----/*0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
550	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 27
550	----	----	0.7050B/----	0.7050B/0.4985A	----	0.6865 + 0.1930	----	----	----	----	----	0 - 2
555	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 16
556	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
560	----	----	----	----/*0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
562	----	----	----	----/*0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 20
565	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
568	----	----	0.5250B/----	0.5250B/0.3190A	----	0.5065 + 0.1930	----	----	----	----	----	0 - 1
570	----	----	----	----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 22
570	0.0175	0.0175	0.0175/*0.0145A	0.0215B/*0.0145	----	0.0135 NEW	.0725	----	----	1	----	1 + 1
575	0.0250	0.0250	0.0250/*0.0250	0.0480B/*0.0250	----	0.0265 - 0.0265	.1214	----	----	3	----	8 + 3
575	----	----	----	----/*0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 11
579	----	----	0.4150B/----	0.4150B/0.2100A	----	0.3965 + 0.1930	----	----	----	----	----	0 - 1
580	----	----	----	----/*0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 50
584	----	----	----	----/*0.0055A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 24
585	----	----	----	----/*0.0055A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 1
585	0.0240	0.0240	0.0240/*0.0240	0.0565B/*0.0240	----	0.0260 NEW	.1382	----	----	13	----	13 + 13
588	----	----	0.3250B/----	0.3250B/0.1230A	----	0.3065 + 0.1900	----	----	----	----	----	0 - 1
589	----	----	0.3150B/----	0.3150B/0.1140A	----	0.2965 + 0.1895	----	----	----	----	----	0 - 2
590	0.0045	0.0045	0.0045/*0.0045	0.0045/*0.0045	----	0.0000 - 0.0055	----	----	----	1	----	0 - 28
590	----	----	0.3050B/----	0.3050B/0.1050A	----	0.2865 + 0.1880	----	----	----	----	----	0 - 5
591	----	----	----/*0.0050A	0.0010B/*0.0050	----	0.0000 - 0.0070	----	----	----	----	----	0 - 1
593	0.0020	0.0020	0.0020/*0.0020	0.0030B/*0.0020	----	0.0000 - 0.0105	----	----	----	2	----	0 - 2
593	----	----	0.2750B/----	0.2750B/0.0800A	----	0.2565 + 0.1830	----	----	----	----	----	0 - 2
595	----	----	0.2550B/----	0.2550B/0.0655A	----	0.2365 + 0.1780	----	----	----	----	----	0 - 2
595	0.0165	0.0165	0.0165/*0.0165	0.0590B/*0.0165	----	0.0175 NEW	.1291	----	----	1	----	1 + 1
596	----	----	0.2450B/----	0.2450B/0.0590A	----	0.2265 + 0.1750	----	----	----	----	----	0 - 1
597	----	----	----/*0.0060A	0.0090B/*0.0060	----	0.0000 - 0.0215	----	----	----	----	----	0 - 1
598	----	----	----/*0.0060A	0.0135B/*0.0060	----	0.0000 - 0.0255	----	----	----	----	----	0 - 30
598	----	----	0.2250B/----	0.2250B/0.0470A	----	0.2065 + 0.1680	----	----	----	----	----	0 - 2
599	----	----	----/*0.0060A	0.0180B/*0.0060	----	0.0000 - 0.0300	----	----	----	----	----	0 - 1
600	----	----	----/*0.0005A	0.0235B/*0.0005	----	0.0000 - 0.0350	----	----	----	----	----	0 - 2
600	----	----	0.2050B/----	0.2050B/0.0365A	----	0.1865 + 0.1585	----	----	----	----	----	0 - 8
602	0.0080	0.0080	0.0080/*0.0060A	0.0355B/*0.0060	----	0.0000 NEW	----	----	----	5	----	0 UNCH
605	0.0075	0.0075	0.0075/*0.0050	0.0585B/*0.0050	----	0.0000 NEW	----	----	----	30	----	0 UNCH
605	0.0100	0.0100	0.1550B/0.0100	0.1550B/0.0100	----	0.1365 + 0.1260	----	----	----	10	----	0 - 26
606	0.0100	0.0100	0.0100/*0.0050A	0.0670B/*0.0050	----	0.0000 NEW	----	----	----	10	----	0 UNCH
607	0.0060	0.0060	0.0060/*0.0050A	0.0760B/*0.0050	----	0.0000 NEW	----	----	----	20	----	0 UNCH
607	----	----	0.1350B/----	0.1350B/0.0155A	----	0.1165 + 0.1100	----	----	----	----	----	0 - 1
608	0.0080	0.0080	0.0080/*0.0055A	0.0845B/*0.0055	----	0.0000 NEW	----	----	----	10	----	0 UNCH
608	----	----	0.1250B/----	0.1250B/0.0140A	----	0.1065 + 0.1015	----	----	----	----	----	0 - 50
610	0.0010	0.0010	0.1050B/*0.0010	0.1050B/*0.0010	----	0.0865 + 0.0835	----	----	----	2	----	0 - 14
612	0.0080	0.0080	0.0855B/0.0080	0.0855B/0.0080	----	0.0665 NEW	----	----	----	2	----	0 UNCH
614	0.0105	0.0105	0.0665B/0.0105	0.0665B/0.0095A	----	0.0465 + 0.0455	----	----	----	1	----	0 - 10
615	0.0160	0.0160	0.0160/*0.0070A	0.1520B/*0.0070	----	0.0000 NEW	----	----	----	54	----	0 UNCH
615	0.0050	0.0050	0.0575/*0.0050	0.0575/0.0050	----	0.0365 NEW	----	----	----	6	----	0 UNCH
616	0.0135	0.0135	0.0135/*0.0070A	0.1620B/*0.0070	----	0.0000 NEW	----	----	----	40	----	0 UNCH
617	0.0140	0.0140	0.0140/*0.0005	0.1720B/*0.0005	----	0.0000 NEW	----	----	----	13	----	0 UNCH
617	----	----	0.0395B/----	0.0395B/0.0095A	----	0.0165 + 0.0160	----	----	----	----	----	0 - 1
618	0.0170	0.0170	0.0170/*0.0080A	0.1815B/*0.0080	----	0.0000 NEW	----	----	----	30	----	0 UNCH
620	0.0150	0.0150	0.0200B/*0.0005	0.0200B/*0.0005	----	0.0000 NEW	----	----	----	3	----	0 UNCH
623	0.0085	0.0085	0.0090B/*0.0005	0.0090B/*0.0005	----	0.0000 NEW	----	----	----	4	----	0 UNCH
624	----	----	0.0060B/----	0.0060B/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 16
625	0.0065	0.0065	0.0070/*0.0005	0.0070/*0.0005	----	0.0000 - 0.0005	----	----	----	4	----	0 - 20
635	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 50
660	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
675	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
695	----	----	----	----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 20
700	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 21
710	----	----	----	----/0.0135A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
TOTAL										265		27 - 534
JUN26												
465	----	----	----	----/0.0085A	----	0.0010 + 0.0005	.0039	----	----	----	----	10 UNCH
470	----	----	----	----/0.0090A	----	0.0010 UNCH	.0040	----	----	----	----	4 UNCH
500	----	----	----	0.0010B/*0.0115	----	0.0045 UNCH	.0169	----	----	----	----	1 UNCH
555	----	----	----/*0.0210A	0.0285B/*0.0210	----	0.0205 - 0.0130	.0818	----	----	----	----	2 UNCH
579	----	----	----/*0.0445A	0.0790B/*0.0445	----	0.0470 - 0.0370	.1755	----	----	----	----	1 UNCH
595	----	----	----/*0.0795A	0.1425B/*0.0795	----	0.0850 - 0.0630	.2831	----	----	----	----	5 UNCH
595	----	----	0.3255B/----	0.3255B/0.1970A	----	0.3210 + 0.1305	.7161	----	----	----	----	5 UNCH
600	----	----	0.2905B/----	0.2905B/0.1720A	----	0.2875 + 0.1210	.6760	----	----	----	----	1 UNCH
606	0.1220	0.1220	0.1220/*0.1165A	0.2010B/*0.1165	----	0.1245 - 0.0825	.3740	----	----	1	----	3 + 1
610	----	----	0.2280B/----	0.2280B/0.1300A	----	0.2280 + 0.1035	.5905	----	----	----	----	8 UNCH
620	----	----	0.1800B/----	0.1800B/0.0970A	----	0.1780 + 0.0870	.5024	----	----	----	----	1 UNCH
650	----	----	0.0800B/----	0.0800B/0.0370A	----	0.0800 + 0.0480	.2733	----	----	----	----	6 UNCH
660	----	----	0.0590B/----	0.0590B/0.0280A	----	0.0600 + 0.0375	.2156	----	----	----	----	8 UNCH
700	----	----	0.0145B/----	0.0145B/0.0110A	----	0.0185 + 0.0130	.0760	----	----	----	----	1 UNCH
705	----	----	0.0115B/----	0.0115B/0.0100A	----	0.0160 + 0.0110	.0664	----	----	----	----	7 UNCH
725	----	----	0.0050B/----	0.0050B/0.0080A	----	0.0090 + 0.0065	.0386	----	----	----	----	14 UNCH
TOTAL										1		77 + 1
JUL26												
460	----	----	----	0.0010B/0.0135A	----	0.0035 - 0.0015	.0107	----	----	----	----	23 UNCH
585	----	----	----/*0.1055A	0.1430B/*0.1055	----	0.1025 - 0.0515	.2473	----	----	2	----	6 - 7
585	----	----	0.4950B/----	0.4950B/0.3650A	----	0.4955 + 0.1410	.7513	----	----	10	----	6 - 4
600	----	----	0.3970B/----	0.3970B/0.2810A	----	0.3940 + 0.1240	.6690	----	----	----	----	12 UNCH
605	----	----	0.3650B/----	0.3650B/0.2570A	----	0.3635 + 0.1180	.6393	----	----	----	----	1 UNCH
611	----	----	----/*0.1920A	0.2665B/*0.1920	----	0.1950 - 0.0825	.3956	----	----	----	----	22 UNCH
612	----	----	----/*0.1965A	0.2725B/*0.1965	----	0.1995 - 0.0835	.4018	----	----	----	----	5 UNCH
612	----	----	0.3180B/----	0.3180B/0.2260A	----	0.3240 + 0.1095	.5968	----	----	----	----	5 UNCH
613	0.1930	0.1930	0.1930/*0.1930	0.2780B/*0.1930	----	0.2040 NEW	.4079	----	----	2	----	2 + 2
621	----	----	0.2755B/----	0.2755B/0.1915A	----	0.2780 + 0.0985	.5415	----	----	----	----	1 UNCH
625	----	----	0.2565B/----	0.2565B/0.1775A	----	0.2595 + 0.0935	.5170	----	----	----	----	22 UNCH
630	----	----	0.2345B/----	0.2345B/0.1615A	----	0.2380 + 0.0880	.4869	----	----	----	----	5 UNCH
650	0.1500	0.1500	0.1630B/0.1500	0.1630B/0.1100A	----	0.1675 NEW	.3750	----	----	5	----	5 + 5
TOTAL										27		115 - 4
AUG26												
599	----	----	0.3975B/----	0.3975B/0.3650A	----	0.4750 + 0.1220	.6444	----	----	----	----	10 UNCH
630	----	----	0.3160B/----	0.3160B/0.2390A	----	0.3205 + 0.0940	.5011	----	----	----	----	1 UNCH
640	----	----	0.2765B/----	0.2765B/0.2080A	----	0.2810 + 0.0850	.4567	----	----	----	----	1 UNCH
650	----	----	0.2420B/----	0.2420B/0.1815A	----	0.2470 + 0.0775	.4146	----	----	----	----	16 UNCH
TOTAL												28
HX CALL		COMEX COPPER OPTIONS										
JUN26												
500	1.0300	1.0300	1.0300/1.0300	1.0300/1.0300	----	1.1895 + 0.1935	.9836	----	----	1	----	3 UNCH
510	----	----	----	----	----	1.0905 + 0.1940	.9807	----	----	----	----	1 UNCH
525	----	----	----	----	----	0.9420 + 0.1935	.9717	----	----	----	----	1 UNCH
535	----	----	----	----	----	0.8440 + 0.1930	.9641	----	----	----	----	2 UNCH
540	----	----	0.7845B/----	0.7845B/0.7995A	----	0.7950 + 0.1925	.9592	----	----	----	----	24 UNCH
545	----	----	----	----	----	0.7460 + 0.1915	.9523	----	----	----	----	2 UNCH
549	----	----	----	0.4945B/0.5410A	----	0.7075 + 0.1905	.9471	----	----	----	----	1 UNCH
550	----	----	0.6865B/----	0.6865B/0.5315A	----	0.6975 + 0.1900	.9465	----	----	----	----	5 UNCH
555	----	----	0.4700B/----	0.4700B/0.4750A	----	0.6495 + 0.1885	.9371	----	----	----	----	1 UNCH
556	----	----	0.4855B/----	0.4855B/0.4660A	----	0.6400 + 0.1880	.9349	----	----	----	----	1 UNCH
557	----	----	0.6185B/----	0.6185B/0.4570A	----	0.6305 + 0.1875	.9341	----	----	----	----	63 UNCH
559	----	----	0.4850B/----	0.4850B/0.4390A	----	0.6110 + 0.1860	.9294	----	----	----	----	4 UNCH
560	----	----	0.5895B/----	0.5895B/0.4300A	----	0.6015 + 0.1855	.9271	----	----	----	----	106 UNCH
562	----	----	0.4880B/----	0.4880B/0.4225A	----	0.5825 + 0.1840	.9223	----	----	----	----	1 UNCH
563	----	----	0.4900B/----	0.4900B/0.4135A	----	0.5730 + 0.1830	.9198	----	----	----	----	1 UNCH
565	----	----	0.5175B/----	0.5175B/0.3865A	----	0.5540 + 0.1810	.9148	----	----	----	----	2 UNCH
568	----	----	0.5095B/----	0.5095B/0.3615A	----	0.5260 + 0.1780	.9069	----	----	----	----	3 UNCH
569	----	----	0.5160B/----	0.5160B/0.3630A	----	0.5165 + 0.1770	.9028	----	----	----	----	2 UNCH
570	----	----	0.5095B/----	0.5095B/0.3545A	----	0.5075 + 0.1760	.9000	----	----	----	----	19 UNCH
574	----	----	0.4725B/----	0.4725B/0.3225A	----	0.4710 + 0.1710	.8844	----	----	----	----	3 UNCH
575	----	----	0.4645B/----	0.4645B/0.3150A	----	0.4620 + 0.1700	.8800	----	----	----	----	149 UNCH
579	----	----	0.4180B/----	0.4180B/0.2755A	----	0.4265 + 0.1640	.8608	----	----	----	----	3 UNCH
580	----	----	0.4090B/----	0.4090B/0.2630A	----	0.4180 + 0.1625	.8549	----	----	----	----	45 UNCH
581	----	----	0.4005B/----	0.4005B/0.2610A	----	0.4095 + 0.1615	.8490	----	----	----	----	1 UNCH
582	----	----	0.3920B/----	0.3920B/0.2540A	----	0.4010 + 0.1600	.8431	----	----	----	----	11 UNCH
583	----	----	0.3830B/----	0.3830B/0.2470A	----	0.3925 + 0.1580	.8372	----	----	1	----	1 - 1
584	----	----	0.3845B/----	0.3845B/0.2495A	----	0.3840 + 0.1565	.8312	----	----	----	----	3 UNCH
585	----	----	0.3660B/----	0.3660B/0.2295A	----	0.3760 + 0.1550	.8240	----	----	2	----	12 - 1
586	----	----	0.3580B/----	0.3580B/0.2270A	----	0.3675 + 0.1530	.8179	----	----	----	----	1 UNCH
587	----	----	0.3495B/----	0.3495B/0.2205A	----	0.3595 + 0.1515	.8107	----	----	----	----	3 UNCH
588	----	----	0.3510B/----	0.3510B/0.2235A	----	0.3515 + 0.1495	.8035	----	----	----	----	4 UNCH
589	----	----	0.3330B/----	0.3330B/0.2080A	----	0.3435 + 0.1480	.7963	----	----	----	----	1 UNCH
590	----	----	0.3250B/----	0.3250B/0.1975A	----	0.3355 + 0.1460	.7890	----	----	----	----	84 UNCH
591	----	----	0.3170B/0.1830A	0.3170B/0.1830A	----	0.3280 + 0.1440	.7807	----	----	----	----	10 UNCH
592	----	----	0.3190B/----	0.3190B/0.1805A	----	0.3200 + 0.1420	.7733	----	----	----	----	1 UNCH
593	----	----	0.3015B/----	0.3015B/0.1745A	----	0.3125 + 0.1400	.7650	----	----	----	----	2 UNCH
594	----	----	0.2940B/----	0.2940B/0.1690A	----	0.3050 + 0.1380	.7567	----	----	----	----	4 UNCH
595	----	----	0.2985B/----	0.2985B/0.1635A	----	0.2975 + 0.1360	.7484	----	----	13	----	129 - 13
596	----	----	0.2790B/----	0.2790B/0.1585A	----	0.2905 + 0.1340	.7400	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUN26												
597	----	----	0.2810B/----	0.2810B/0.1535A	----	0.2830 + 0.1320	.7308	----	----	----	----	1 UNCH
598	0.2825	0.2825	0.2825/0.2825	0.2825/0.1485A	----	0.2760 + 0.1300	.7217	----	----	1	----	7 + 1
599	----	----	0.2575B/----	0.2575B/0.1435A	----	0.2690 + 0.1275	.7125	----	----	----	----	4 UNCH
600	0.1475	0.1475	0.2675B/0.1475	0.2675B/0.1380A	----	0.2620 + 0.1255	.7033	----	----	5	----	472 - 3
601	----	----	0.2530B/----	0.2530B/0.1335A	----	0.2555 + 0.1235	.6941	----	----	----	----	1 UNCH
602	----	----	0.2365B/----	0.2365B/0.1290A	----	0.2485 + 0.1210	.6842	----	----	----	----	4 UNCH
603	----	----	0.2305B/----	0.2305B/0.1250A	----	0.2420 + 0.1190	.6744	----	----	----	----	10 UNCH
604	----	----	0.2325B/----	0.2325B/0.1205A	----	0.2360 + 0.1175	.6646	----	----	----	----	15 UNCH
605	----	----	0.2310B/----	0.2310B/0.1165A	----	0.2295 + 0.1150	.6548	----	----	1	----	213 - 1
606	----	----	0.2165B/----	0.2165B/0.1130A	----	0.2235 + 0.1130	.6445	----	----	----	----	23 UNCH
607	----	----	0.2180B/----	0.2180B/0.1090A	----	0.2170 + 0.1105	.6342	----	----	6	----	133 + 6
608	0.1050	0.1050	0.2125B/0.1050	0.2125B/0.1050	----	0.2115 + 0.1090	.6240	----	----	2	----	7 UNCH
609	0.1380	0.1380	0.2030B/0.1380	0.2030B/0.1015A	----	0.2055 + 0.1065	.6137	----	----	1	----	13 UNCH
610	0.1345	0.1345	0.2040B/0.1335	0.2040B/0.0980A	----	0.1995 + 0.1040	.6032	----	----	11	----	784 + 2
611	----	----	0.1975B/----	0.1975B/0.0945A	----	0.1940 + 0.1025	.5926	----	----	----	----	9 UNCH
612	0.1235	0.1235	0.1925B/0.1235	0.1925B/0.0905A	----	0.1885 + 0.1000	.5822	----	----	1	----	29 + 1
613	0.1210	0.1210	0.1880B/0.1195	0.1880B/0.0870A	----	0.1835 + 0.0985	.5717	----	----	3	----	56 + 3
614	0.1155	0.1155	0.1825B/0.1150	0.1825B/0.0845A	----	0.1780 + 0.0965	.5612	----	----	2	----	13 + 2
615	0.1650	0.1650	0.1780B/0.1650	0.1780B/0.0815A	----	0.1730 + 0.0945	.5506	----	----	19	----	868 UNCH
616	0.0810	0.0810	0.1725B/0.0810	0.1725B/0.0775A	----	0.1680 + 0.0925	.5401	----	----	48	----	39 + 6
617	0.1540	0.1540	0.1675B/0.1540	0.1675B/0.0750A	----	0.1630 + 0.0905	.5295	----	----	22	----	34 + 12
618	----	----	0.1640B/----	0.1640B/0.0725A	----	0.1580 + 0.0885	.5190	----	----	----	----	37 UNCH
619	----	----	0.1610B/----	0.1610B/0.0690A	----	0.1535 + 0.0865	.5085	----	----	----	----	17 UNCH
620	0.0835	0.0835	0.1585/0.0835	0.1585/0.0665A	----	0.1490 + 0.0850	.4981	----	----	174	----	685 + 57
621	0.1365	0.1365	0.1515B/0.1365	0.1515B/0.0635A	----	0.1445 + 0.0830	.4876	----	----	20	----	24 + 7
622	0.1325	0.1325	0.1465B/0.1315	0.1465B/0.0615A	----	0.1400 + 0.0810	.4773	----	----	73	----	86 + 66
623	----	----	0.1420B/----	0.1420B/0.0590A	----	0.1355 + 0.0790	.4669	----	----	----	----	31 UNCH
624	----	----	0.1375B/----	0.1375B/0.0570A	----	0.1315 + 0.0775	.4567	----	----	----	----	11 UNCH
625	0.0850	0.0850	0.1330B/0.0850	0.1330B/0.0545A	----	0.1275 + 0.0755	.4466	----	----	99	----	204 + 15
626	----	----	0.1290B/----	0.1290B/0.0515A	----	0.1235 + 0.0740	.4365	----	----	----	----	10 UNCH
627	----	----	0.1250B/----	0.1250B/0.0500A	----	0.1195 + 0.0720	.4264	----	----	----	----	34 UNCH
628	----	----	0.1210B/----	0.1210B/0.0480A	----	0.1155 + 0.0700	.4163	----	----	----	----	27 UNCH
629	0.1010	0.1010	0.1165B/0.1010	0.1165B/0.0450A	----	0.1120 + 0.0685	.4066	----	----	17	----	101 - 12
630	0.0670	0.0670	0.1145/0.0670	0.1145/0.0440A	----	0.1080 + 0.0665	.3966	----	----	75	----	1571 - 44
631	0.0985	0.0985	0.1100B/0.0985	0.1100B/0.0425A	----	0.1045 + 0.0645	.3870	----	----	2	----	145 UNCH
632	----	----	0.1060B/----	0.1060B/0.0400A	----	0.1015 + 0.0635	.3778	----	----	----	----	124 UNCH
635	0.0410	0.0410	0.0965/0.0410	0.0965/0.0345A	----	0.0915 + 0.0580	.3497	----	----	194	----	375 + 77
639	----	----	#0.0835B/----	#0.0835B/0.0295	----	0.0800 + 0.0520	.3146	----	----	----	----	60 UNCH
640	0.0530	0.0530	0.0820/0.0530	0.0820/0.0275A	----	0.0770 + 0.0505	.3058	----	----	124	----	994 + 1
641	----	----	#0.0780B/----	#0.0780B/0.0265	----	0.0745 + 0.0490	.2976	----	----	----	----	53 UNCH
644	----	----	#0.0700B/----	#0.0700B/0.0240	----	0.0670 + 0.0450	.2734	----	----	----	----	18 UNCH
645	0.0350	0.0350	0.0675B/0.0350	0.0675B/0.0225A	----	0.0645 + 0.0435	.2654	----	----	9	----	116 + 6
646	0.0660	0.0660	#0.0660/0.0660	#0.0660/0.0210A	----	0.0625 + 0.0420	.2582	----	----	1	----	20 + 1
650	0.0285	0.0285	0.0585/0.0275	0.0585/0.0180A	----	0.0540 + 0.0370	.2291	----	----	188	----	961 + 38
651	----	----	----	#0.0500B/*0.049	----	0.0520 NEW	----	----	----	17	----	17 + 17
655	0.0225	0.0225	0.0480B/0.0225	0.0480B/0.0145A	----	0.0450 + 0.0315	.1965	----	----	19	----	405 + 13
660	0.0345	0.0345	0.0395B/0.0340	0.0395B/0.0120A	----	0.0375 + 0.0265	.1679	----	----	44	----	685 + 18
665	0.0325	0.0325	0.0325/0.0325	0.0325/0.0095A	----	0.0310 + 0.0220	.1424	----	----	3	----	54 + 1
670	0.0270	0.0270	0.0270/0.0215	0.0270/0.0080A	----	0.0260 + 0.0185	.1214	----	----	45	----	1323 + 21
675	0.0205	0.0205	0.0220B/0.0190	0.0220B/0.0080A	----	0.0215 + 0.0155	.1023	----	----	20	----	97 + 17
680	0.0180	0.0180	0.0180/0.0150	0.0180/0.0075A	----	0.0175 + 0.0125	.0852	----	----	120	----	372 - 50
685	0.0145	0.0145	0.0155B/0.0130	0.0155B/0.0070A	----	0.0145 + 0.0100	.0716	----	----	28	----	65 + 6
690	0.0110	0.0110	0.0130B/0.0110	0.0130B/0.0065A	----	0.0120 + 0.0080	.0600	----	----	53	----	118 - 6
695	0.0105	0.0105	0.0115/0.0095	0.0115/0.0065A	----	0.0100 + 0.0065	.0505	----	----	29	----	70 + 23
700	0.0095	0.0095	0.0095/0.0095	0.0095/0.0060A	----	0.0085 + 0.0055	.0430	----	----	54	----	691 - 3
705	----	----	0.0080B/----	0.0080B/0.0055A	----	0.0070 + 0.0045	.0358	----	----	----	----	17 UNCH
710	----	----	0.0065B/----	0.0065B/0.0050A	----	0.0060 + 0.0035	.0307	----	----	----	----	83 UNCH
715	----	----	0.0055B/----	0.0055B/0.0040A	----	0.0055 + 0.0030	.0277	----	----	----	----	12 UNCH
720	----	----	0.0045B/----	0.0045B/0.0035A	----	0.0045 + 0.0025	.0229	----	----	----	----	28 UNCH
725	0.0030	0.0030	0.0040B/0.0030	0.0040B/0.0030	----	0.0040 + 0.0020	.0201	----	----	1	----	85 + 1
730	----	----	----	----/0.0025A	----	0.0035 + 0.0015	.0175	----	----	----	----	19 UNCH
735	----	----	----	----/0.0025A	----	0.0030 + 0.0010	.0150	----	----	----	----	40 UNCH
740	0.0020	0.0020	0.0020/0.0020	0.0020/0.0020	----	0.0030 + 0.0010	.0146	----	----	1	----	8 UNCH
745	----	----	----/0.0015A	----/0.0015A	----	0.0025 + 0.0005	.0122	----	----	----	----	1526 UNCH
750	0.0015	0.0015	0.0015/0.0015	0.0015/0.0015	----	0.0025 + 0.0010	.0119	----	----	1	----	165 UNCH
755	----	----	----	----/0.0015A	----	0.0020 + 0.0005	.0096	----	----	----	----	1 UNCH
765	----	----	----	----/0.0010A	----	0.0015 + 0.0005	.0072	----	----	----	----	1506 UNCH
770	----	----	----	----/0.0010A	----	0.0015 + 0.0005	.0070	----	----	----	----	7 UNCH
775	----	----	----	----/*0.0010A	----	0.0015 + 0.0005	.0068	----	----	----	----	1 UNCH
780	----	----	----	----/0.0020A	----	0.0015 + 0.0005	.0067	----	----	----	----	8 UNCH
795	----	----	----	----/0.0015A	----	0.0005 UNCH	.0024	----	----	----	----	33 UNCH
800	----	----	----	----/0.0015A	----	0.0005 UNCH	.0019	----	----	----	----	7 UNCH
810	----	----	----	----/0.0015A	----	0.0005 UNCH	.0012	----	----	----	----	3 UNCH
825	----	----	----	----/0.0015A	----	0.0005 UNCH	.0006	----	----	----	----	1 UNCH
840	----	----	----	----/0.0015A	----	0.0005 UNCH	.0002	----	----	----	----	6 UNCH
850	----	----	----	----/0.0015A	----	0.0005 UNCH	.0001	----	----	----	----	4 UNCH
880	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
900	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	11 UNCH
910	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	11 UNCH
950	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
975	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
TOTAL										1550		16638 + 284
JUL26												
500	----	----	1.1855B/----	1.1855B/1.2040A	----	1.1980 + 0.1900	.9577	----	----	----	----	10 UNCH
520	----	----	----	0.8090B/0.8570A	----	1.0055 + 0.1865	.9366	----	----	----	----	2 UNCH
525	----	----	0.8170B/----	0.8170B/0.8105A	----	0.9580 + 0.1850	.9293	----	----	----	----	1 UNCH
530	----	----	0.8980B/----	0.8980B/0.7650A	----	0.9110 + 0.1835	.9208	----	----	----	----	6 UNCH
540	----	----	0.8050B/----	0.8050B/0.6620A	----	0.8180 + 0.1785	.9020	----	----	----	----	16 UNCH
545	----	----	0.7670B/----	0.7670B/0.6330A	----	0.7720 + 0.1750	.8898	----	----	----	----	1 UNCH
550	----	----	0.7075B/----	0.7075B/0.5775A	----	0.7275 + 0.1725	.8765	----	----	----	----	2 UNCH
555	----	----	0.6700B/----	0.6700B/0.5370A	----	0.6830 + 0.1685	.8619	----	----	----	----	116 UNCH
560	----	----	0.6205B/----	0.6205B/0.4975A	----	0.6400 + 0.1645	.8446	----	----	----	----	1 UNCH
570	----	----	0.5575B/----	0.5575B/0.4115A	----	0.5580 + 0.1560	.8040	----	----	----	----	157 UNCH
574	----	----	0.5125B/----	0.5125B/0.3965A	----	0.5265 + 0.1520	.7856	----	----	----	----	5 UNCH
575	----	----	0.5115B/----	0.5115B/0.3775A	----	0.5190 + 0.1510	.7810	----	----	----	----	19 UNCH
580	----	----	0.4725B/----	0.4725B/0.3460A	----	0.4815 + 0.1460	.7556	----	----	----	----	123 UNCH
585	----	----	0.4510B/----	0.4510B/0.3155A	----	0.4450 + 0.1395	.7290	----	----	----	----	324 UNCH
590	----	----	0.4150B/----	0.4150B/0.2810A	----	0.4105 + 0.1330	.7004	----	----	----	----	106 UNCH
591	----	----	0.3825B/----	0.3825B/0.2750A	----	0.4040 + 0.1320	.6948	----	----	----	----	3 UNCH
593	----	----	0.3690B/----	0.3690B/0.2645A	----	0.3910 + 0.1295	.6827	----	----	----	----	1 UNCH
594	----	----	0.3625B/----	0.3625B/0.2595A	----	0.3845 + 0.1280	.6767	----	----	----	----	2 UNCH
595	----	----	0.3810B/----	0.3810B/0.2550A	----	0.3780 + 0.1265	.6707	----	----	----	----	29 UNCH
597	----	----	0.3435B/----	0.3435B/0.2445A	----	0.3655 + 0.1240	.6584	----	----	----	----	1 UNCH
598	----	----	0.3390B/----	0.3390B/0.2395A	----	0.3595 + 0.1230	.6523	----	----	----	----	1 UNCH
599	----	----	0.3410B/----	0.3410B/0.2355A	----	0.3535 + 0.1215	.6460	----	----	----	----	2 UNCH
600	----	----	0.3500B/----	0.3500B/0.2310A	----	0.3475 + 0.1200	.6397	----	----	12	----	536 + 3
602	----	----	0.3330B/----	0.3330B/0.2220A	----	0.3355 + 0.1170	.6270	----	----	----	----	83 UNCH
603	----	----	0.3260B/----	0.3260B/0.2175A	----	0.3300 + 0.1160	.6207	----	----	----	----	3 UNCH
605	0.3070	0.3070	0.3210B/0.3070	0.3210B/0.2090A	----	0.3185 + 0.1130	.6078	----	----	2	----	42 UNCH
610	----	----	0.2970B/----	0.2970B/0.1885A	----	0.2920 + 0.1070	.5756	----	----	8	----	302 + 8
615	0.2660	0.2660	0.2715B/0.2555	0.2715B/0.1700A	----	0.2675 + 0.1010	.5433	----	----	5	----	1651 + 1
620	0.2435	0.2435	0.2485/0.2400	0.2485/0.1535A	----	0.2445 + 0.0945	.5113	----	----	4	----	207 + 2
625	0.2110	0.2110	0.2280B/0.2110	0.2280B/0.1380A	----	0.2230 + 0.0880	.4798	----	----	10	----	369 - 2
630	0.1960	0.1960	0.2070B/0.1960	0.2070B/0.1245A	----	0.2030 + 0.0820	.4490	----	----	33	----	412 UNCH
635	0.1805	0.1805	0.1885B/0.1805	0.1885B/0.1110A	----	0.1850 + 0.0760	.4193	----	----	3	----	85 + 2
640	0.0980	0.0980	0.1730B/0.0980	0.1730B/0.0980	----	0.1680 + 0.0705	.3904	----	----	125	----	1645 + 67
645	----	----	0.1565B/----	0.1565B/0.0895A	----	0.1525 + 0.0650	.3628	----	----	----	----	410 UNCH
650	0.1000	0.1000	0.1450/0.1000	0.1450/0.0805A	----	0.1380 + 0.0595	.3361	----	----	111	----	750 + 78
655	0.1065	0.1065	0.1295B/0.1065	0.1295B/0.0715A	----	0.1250 + 0.0550	.3110	----	----	24	----	683 UNCH
660	0.1160	0.1160	0.1165B/0.1160	0.1165B/0.0645A	----	0.1135 + 0.0505	.2876	----	----	5	----	244 + 1
665	----	----	0.1050B/----	0.1050B/0.0575A	----	0.1025 + 0.0460	.2650	----	----	----	----	4 UNCH
670	0.0675	0.0675	0.0945/0.0675	0.0945/0.0515A	----	0.0925 + 0.0420	.2438	----	----	32	----	140 + 21
675	0.0540	0.0540	0.0865B/0.0540	0.0865B/0.0460A	----	0.0840 + 0.0390	.2246	----	----	172	----	2301 + 10
680	0.0765	0.0765	0.0775B/0.0765	0.0775B/0.0420A	----	0.0755 + 0.0350	.2057	----	----	7	----	239 + 5
685	----	----	0.0695B/----	0.0695B/0.0380A	----	0.0685 + 0.0320	.1892	----	----	2	----	18 + 2
690	0.0560	0.0560	0.0635B/0.0560	0.0635B/0.0340A	----	0.0615 + 0.0290	.1728	----	----	106	----	336 + 43
695	0.0580	0.0580	0.0580/0.0580	0.0580/0.0310A	----	0.0555 + 0.0260	.1581	----	----	1	----	54 - 1
700	0.0320	0.0320	0.0515B/0.0320	0.0515B/0.0280A	----	0.0505 + 0.0240	.1453	----	----	142	----	286 - 67
705	----	----	0.0470B/----	0.0470B/0.0255A	----	0.0455 + 0.0215	.1327	----	----	----	----	4 UNCH
710	----	----	0.0425B/----	0.0425B/0.0235A	----	0.0410 + 0.0195	.1211	----	----	27	----	892 + 27
715	----	----	0.0380B/----	0.0380B/0.0215A	----	0.0370 + 0.0175	.1105	----	----	----	----	37 UNCH
720	0.0345	0.0345	0.0355/0.0345	0.0355/0.0195A	----	0.0335 + 0.0155	.1010	----	----	66	----	68 + 53
725	0.0310	0.0310	0.0315B/0.0280	0.0315B/0.0175A	----	0.0305 + 0.0140	.0926	----	----	168	----	1565 + 2
730	0.0265	0.0265	0.0305/0.0260	0.0305/0.0165A	----	0.0275 + 0.0125	.0844	----	----	38	----	133 + 20
750	0.0125	0.0125	0.0195B/0.0125	0.0195B/0.0120A	----	0.0190 + 0.0085	.0597	----	----	151	----	380 + 136
775	0.0110	0.0110	0.0140/0.0110	0.0140/0.0090A	----	0.0120 + 0.0045	.0387	----	----	14	----	41 + 7

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUL26												
780	----	----	0.0115B/----	0.0115B/0.0085A	----	0.0115 + 0.0045	.0367	----	----	----	----	3 UNCH
800	----	----	0.0080B/----	0.0080B/0.0075A	----	0.0085 + 0.0030	.0272	----	----	1	----	2202 UNCH
825	----	----	0.0050B/----	0.0050B/0.0065A	----	0.0060 + 0.0020	.0192	----	----	----	----	4 UNCH
850	----	----	----	0.0020B/0.0065A	----	0.0050 + 0.0020	.0155	----	----	----	----	7 UNCH
875	----	----	----	----/0.0055A	----	0.0040 + 0.0015	.0121	----	----	----	----	2 UNCH
900	----	----	----	----/0.0040A	----	0.0035 + 0.0010	.0102	----	----	1	----	2341 UNCH
950	----	----	----	----/0.0030A	----	0.0015 + 0.0005	.0046	----	----	----	----	61 UNCH
975	----	----	----	----/0.0025A	----	0.0010 UNCH	.0031	----	----	----	----	2 UNCH
1000	----	----	----	----/0.0025A	----	0.0005 UNCH	.0016	----	----	----	----	4 UNCH
TOTAL										1270		19474 + 418
AUG26												
500	----	----	----	----	----	1.2665 + 0.1860	.9382	----	----	----	----	3 UNCH
550	----	----	----	----	----	0.8145 + 0.1630	.8440	----	----	----	----	3 UNCH
580	----	----	0.5890B/----	0.5890B/0.4520A	----	0.5815 + 0.1390	.7374	----	----	1	----	253 UNCH
585	----	----	0.5535B/----	0.5535B/0.4225A	----	0.5470 + 0.1345	.7156	----	----	----	----	11 UNCH
590	----	----	0.5190B/----	0.5190B/0.3940A	----	0.5140 + 0.1300	.6932	----	----	1	----	17 UNCH
595	----	----	0.4860B/----	0.4860B/0.3635A	----	0.4825 + 0.1255	.6698	----	----	----	----	1 UNCH
600	----	----	0.4550B/----	0.4550B/0.3370A	----	0.4525 + 0.1210	.6459	----	----	----	----	4 UNCH
610	----	----	0.3965B/----	0.3965B/0.2920A	----	0.3970 + 0.1115	.5971	----	----	----	----	1 UNCH
620	----	----	0.3495B/----	0.3495B/0.2515A	----	0.3475 + 0.1025	.5479	----	----	----	----	37 UNCH
625	----	----	0.3260B/----	0.3260B/0.2335A	----	0.3250 + 0.0980	.5235	----	----	----	----	91 UNCH
630	----	----	0.3040B/----	0.3040B/0.2165A	----	0.3035 + 0.0935	.4994	----	----	----	----	2 UNCH
635	----	----	0.2840B/----	0.2840B/0.2005A	----	0.2835 + 0.0890	.4758	----	----	----	----	2 UNCH
640	0.2605	0.2605	0.2665B/0.2605	0.2665B/0.1850A	----	0.2645 + 0.0845	.4527	----	----	10	----	166 UNCH
650	----	----	0.2305B/----	0.2305B/0.1595A	----	0.2300 + 0.0760	.4083	----	----	----	----	76 UNCH
660	----	----	0.2000B/----	0.2000B/0.1370A	----	0.2005 + 0.0690	.3671	----	----	----	----	1 UNCH
670	0.1355	0.1355	0.1760/0.1355	0.1760/0.1185A	----	0.1745 + 0.0625	.3289	----	----	2	----	50 UNCH
675	----	----	0.1625B/----	0.1625B/0.1090A	----	0.1630 + 0.0595	.3111	----	----	----	----	184 UNCH
680	----	----	0.1510B/----	0.1510B/0.1020A	----	0.1525 + 0.0565	.2944	----	----	----	----	1 UNCH
690	----	----	0.1270B/----	0.1270B/0.0930A	----	0.1330 + 0.0510	.2628	----	----	----	----	3 UNCH
700	0.1215	0.1215	0.1215/0.1195	0.1215/0.0810A	----	0.1160 + 0.0460	.2341	----	----	5	----	964 + 5
710	----	----	0.0955B/----	0.0955B/0.0715A	----	0.1010 + 0.0405	.2081	----	----	----	----	1 UNCH
720	----	----	0.0830B/----	0.0830B/0.0630A	----	0.0875 + 0.0355	.1842	----	----	----	----	2 UNCH
725	----	----	0.0780B/----	0.0780B/0.0595A	----	0.0815 + 0.0330	.1733	----	----	----	----	86 UNCH
730	----	----	0.0735B/----	0.0735B/0.0505A	----	0.0760 + 0.0310	.1631	----	----	----	----	2 UNCH
750	----	----	0.0555B/----	0.0555B/0.0390A	----	0.0570 + 0.0230	.1269	----	----	----	----	106 UNCH
775	----	----	0.0400B/----	0.0400B/0.0290A	----	0.0415 + 0.0175	.0948	----	----	----	----	1 UNCH
800	----	----	0.0275B/----	0.0275B/0.0230A	----	0.0300 + 0.0130	.0703	----	----	----	----	6 UNCH
850	----	----	0.0130B/----	0.0130B/0.0150A	----	0.0165 + 0.0075	.0399	----	----	----	----	1 UNCH
900	----	----	----	0.0055B/0.0105A	----	0.0100 + 0.0045	.0244	----	----	----	----	57 UNCH
950	----	----	----	----/0.0090A	----	0.0055 + 0.0025	.0138	----	----	----	----	2 UNCH
975	----	----	----	----/0.0035A	----	0.0040 + 0.0015	.0102	----	----	----	----	4 UNCH
TOTAL										19		2138 + 5
SEP26												
495	----	----	----	----	----	1.3260 + 0.1810	.9239	----	----	----	----	2 UNCH
500	----	----	1.2435B/----	1.2435B/1.3085A	----	1.2795 + 0.1795	.9175	----	----	----	----	5 UNCH
510	----	----	----	----	----	1.1880 + 0.1760	.9030	----	----	----	----	2 UNCH
535	----	----	----	----	----	0.9690 + 0.1640	.8538	----	----	----	----	1 UNCH
565	----	----	0.6975B/----	0.6975B/0.5970A	----	0.7330 + 0.1455	.7663	----	----	----	----	1 UNCH
575	----	----	0.6690B/----	0.6690B/0.5340A	----	0.6630 + 0.1390	.7307	----	----	----	----	100 UNCH
595	----	----	0.5375B/----	0.5375B/0.4190A	----	0.5360 + 0.1245	.6527	----	----	----	----	5 UNCH
600	----	----	0.5100B/----	0.5100B/0.3940A	----	0.5075 + 0.1205	.6322	----	----	----	----	232 UNCH
610	----	----	0.4540B/----	0.4540B/0.3490A	----	0.4535 + 0.1125	.5908	----	----	----	----	31 UNCH
615	0.4310	0.4310	0.4310/0.4310	0.4310/0.3280A	----	0.4285 + 0.1080	.5699	----	----	1	----	10 + 1
620	----	----	0.4075B/----	0.4075B/0.3080A	----	0.4050 + 0.1040	.5491	----	----	----	----	185 UNCH
625	0.3960	0.3960	0.3960/0.3960	0.3960/0.2895A	----	0.3825 + 0.1000	.5284	----	----	10	----	632 + 10
630	----	----	0.3620B/----	0.3620B/0.2720A	----	0.3610 + 0.0960	.5080	----	----	51	----	52 + 49
635	----	----	0.3415B/----	0.3415B/0.2555A	----	0.3410 + 0.0920	.4879	----	----	----	----	1 UNCH
640	----	----	0.3230B/----	0.3230B/0.2400A	----	0.3220 + 0.0885	.4682	----	----	----	----	12 UNCH
650	0.2980	0.2980	0.2980/0.2980	0.2980/0.2120A	----	0.2870 + 0.0810	.4302	----	----	61	----	156 + 13
655	----	----	0.2705B/----	0.2705B/0.1995A	----	0.2715 + 0.0780	.4122	----	----	----	----	4 UNCH
660	----	----	0.2550B/----	0.2550B/0.1875A	----	0.2560 + 0.0745	.3943	----	----	----	----	1 UNCH
670	----	----	0.2270B/----	0.2270B/0.1660A	----	0.2285 + 0.0685	.3607	----	----	----	----	1 UNCH
675	----	----	0.2160B/----	0.2160B/0.1560A	----	0.2160 + 0.0660	.3448	----	----	----	200	525 + 200
680	0.2040	0.2040	0.2070B/0.2040	0.2070B/0.1465A	----	0.2040 + 0.0630	.3294	----	----	60	----	395 + 44
690	----	----	0.1805B/----	0.1805B/0.1305A	----	0.1820 + 0.0580	.3003	----	----	----	400	406 + 394
700	0.1630	0.1630	0.1630/0.1630	0.1630/0.1165A	----	0.1625 + 0.0530	.2734	----	----	106	----	1244 + 105
710	----	----	0.1425B/----	0.1425B/0.1040A	----	0.1450 NEW	.2486	----	----	----	120	120 + 120
715	----	----	0.1345B/----	0.1345B/0.0980A	----	0.1375 + 0.0465	.2374	----	----	----	----	1 UNCH
720	----	----	0.1270B/----	0.1270B/0.0930A	----	0.1300 + 0.0445	.2264	----	----	----	----	5 UNCH
725	----	----	0.1210B/----	0.1210B/0.0880A	----	0.1225 + 0.0420	.2154	----	----	----	----	200 UNCH
750	----	----	0.0910B/----	0.0910B/0.0670A	----	0.0930 + 0.0330	.1695	----	----	10	----	143 UNCH
775	----	----	0.0670B/----	0.0670B/0.0520A	----	0.0710 + 0.0255	.1333	----	----	----	----	3 UNCH
800	----	----	0.0500B/----	0.0500B/0.0420A	----	0.0545 + 0.0195	.1049	----	----	5	----	56 - 5
875	----	----	0.0215B/----	0.0215B/0.0235A	----	0.0255 + 0.0100	.0520	----	----	----	----	1 UNCH
900	----	----	0.0165B/----	0.0165B/0.0205A	----	0.0200 + 0.0080	.0414	----	----	----	----	75 UNCH
975	----	----	----	0.0060B/0.0155A	----	0.0100 + 0.0040	.0214	----	----	----	----	8 UNCH
TOTAL									720	304		4615 + 931
OCT26												
500	----	----	----	----	----	1.3755 + 0.1785	.9096	----	----	----	----	1 UNCH
600	----	----	0.6115B/----	0.6115B/0.4960A	----	0.6105 + 0.1235	.6541	----	----	----	----	18 UNCH
605	----	----	0.5825B/----	0.5825B/0.4705A	----	0.5825 + 0.1205	.6362	----	----	----	----	2 UNCH
615	----	----	0.5275B/----	0.5275B/0.4240A	----	0.5285 + 0.1125	.6003	----	----	----	----	10 UNCH
620	----	----	0.5015B/----	0.5015B/0.4025A	----	0.5035 + 0.1095	.5822	----	----	----	----	1 UNCH
625	----	----	0.4795B/----	0.4795B/0.3825A	----	0.4795 + 0.1060	.5641	----	----	----	----	10 UNCH
630	----	----	0.4565B/----	0.4565B/0.3630A	----	0.4560 + 0.1025	.5460	----	----	----	----	1 UNCH
650	----	----	0.3705B/----	0.3705B/0.2935A	----	0.3735 + 0.0895	.4758	----	----	----	----	106 UNCH
675	----	----	0.2865B/----	0.2865B/0.2260A	----	0.2910 + 0.0750	.3953	----	----	----	----	30 UNCH
700	0.1900	0.1900	0.2200B/0.1900	0.2200B/0.1800A	----	0.2275 + 0.0625	.3255	----	----	1	----	146 + 1
750	----	----	0.1310B/----	0.1310B/0.1105A	----	0.1400 + 0.0440	.2173	----	----	----	----	15 UNCH
775	0.0900	0.0900	0.1010B/0.0900	0.1010B/0.0890A	----	0.1100 + 0.0370	.1766	----	----	1	----	71 UNCH
800	----	----	0.0795B/----	0.0795B/0.0700A	----	0.0870 + 0.0295	.1436	----	----	----	----	1 UNCH
850	----	----	0.0490B/----	0.0490B/0.0485A	----	0.0560 + 0.0200	.0963	----	----	----	----	30 UNCH
875	----	----	0.0390B/----	0.0390B/0.0410A	----	0.0455 + 0.0165	.0794	----	----	----	----	2 UNCH
900	----	----	0.0310B/----	0.0310B/0.0355A	----	0.0375 + 0.0135	.0661	----	----	----	----	3 UNCH
975	----	----	0.0155B/----	0.0155B/0.0245A	----	0.0230 + 0.0085	.0409	----	----	----	----	7 UNCH
TOTAL										2		454 + 1
NOV26												
535	----	----	----	----	----	1.0960 + 0.1595	.8295	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.0185 + 0.1540	.8060	----	----	----	----	1 UNCH
580	----	----	0.7735B/----	0.7735B/0.6580A	----	0.7750 + 0.1345	.7085	----	----	----	----	2 UNCH
585	----	----	0.7415B/----	0.7415B/0.6300A	----	0.7440 + 0.1320	.6933	----	----	----	----	1 UNCH
595	----	----	0.6805B/----	0.6805B/0.5775A	----	0.6850 + 0.1260	.6619	----	----	----	----	2 UNCH
600	----	----	0.6515B/----	0.6515B/0.5520A	----	0.6565 + 0.1230	.6458	----	----	----	----	2 UNCH
610	----	----	0.5960B/----	0.5960B/0.5050A	----	0.6030 + 0.1165	.6136	----	----	----	----	14 UNCH
640	----	----	0.4545B/----	0.4545B/0.3840A	----	0.4645 + 0.0985	.5170	----	----	----	----	1 UNCH
655	----	----	0.3950B/----	0.3950B/0.3345A	----	0.4065 + 0.0895	.4708	----	----	----	----	1 UNCH
670	----	----	0.3440B/----	0.3440B/0.2910A	----	0.3555 + 0.0815	.4269	----	----	----	----	14 UNCH
675	0.3515	0.3515	0.3515/0.3440	0.3515/0.2780A	----	0.3400 + 0.0790	.4129	----	----	11	48	60 + 59
695	----	----	0.2725B/----	0.2725B/0.2315A	----	0.2840 + 0.0700	.3600	----	----	----	----	1 UNCH
700	----	----	0.2600B/----	0.2600B/0.2215A	----	0.2715 + 0.0675	.3476	----	----	----	----	21 UNCH
705	----	----	0.2480B/----	0.2480B/0.2115A	----	0.2595 + 0.0655	.3355	----	----	----	----	1 UNCH
725	----	----	0.2050B/----	0.2050B/0.1770A	----	0.2175 NEW	.2910	----	----	----	48	48 + 48
750	----	----	0.1620B/----	0.1620B/0.1425A	----	0.1740 + 0.0480	.2423	----	----	----	----	22 UNCH
850	----	----	0.0640B/----	0.0640B/0.0680A	----	0.0740 + 0.0225	.1155	----	----	----	----	1 UNCH
900	0.0430	0.0430	0.0430/*0.0430	0.0430/0.0430	----	0.0490 + 0.0155	.0797	----	----	1	----	1 UNCH
975	----	----	0.0225B/----	0.0225B/0.0360A	----	0.0260 + 0.0090	.0449	----	----	----	----	1 UNCH
TOTAL									96	12		195 + 107
DEC26												
520	----	----	----	----	----	1.2345 + 0.1625	.8485	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.1945 + 0.1600	.8384	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.1170 + 0.1555	.8168	----	----	----	----	1 UNCH
550	----	----	0.9010B/----	0.9010B/0.8780A	----	1.0060 + 0.1480	.7810	----	----	----	----	2 UNCH
555	----	----	0.9125B/----	0.9125B/0.8455A	----	0.9710 + 0.1455	.7681	----	----	----	----	1 UNCH
565	----	----	0.8990B/----	0.8990B/0.7830A	----	0.9030 + 0.1405	.7417	----	----	----	----	45 UNCH
575	----	----	0.8325B/----	0.8325B/0.7240A	----	0.8380 + 0.1345	.7140	----	----	----	----	123 UNCH
585	----	----	0.7695B/----	0.7695B/0.6690A	----	0.7770 + 0.1295	.6854	----	----	----	----	1 UNCH
590	----	----	0.7395B/----	0.7395B/0.6425A	----	0.7480 + 0.1270	.6708	----	----	----	----	200 UNCH
595	----	----	0.7105B/----	0.7105B/0.6175A	----	0.7195 + 0.1240	.6560	----	----	----	----	163 UNCH
600	----	----	0.6820B/----	0.6820B/0.5925A	----	0.6920 + 0.1215	.6411	----	----	----	----	602 UNCH
610	----	----	0.6285B/----	0.6285B/0.5460A	----	0.6395 + 0.1160	.6111	----	----	----	----	291 UNCH
620	----	----	0.5780B/----	0.5780B/0.5030A	----	0.5905 + 0.1105	.5810	----	----	----	----	414 UNCH
625	----	----	0.5540B/----	0.5540B/0.4825A	----	0.5675 + 0.1080	.5660	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
DEC26												
630	----	----	0.5310B/----	0.5310B/0.4630A	----	0.5450 + 0.1055	.5510	----	----	----	----	391 UNCH
640	----	----	0.4875B/----	0.4875B/0.4255A	----	0.5025 + 0.1000	.5215	----	----	----	----	29 UNCH
650	----	----	0.4475B/----	0.4475B/0.3915A	----	0.4630 + 0.0950	.4927	----	----	1	----	529 + 1
660	----	----	0.4110B/----	0.4110B/0.3600A	----	0.4265 + 0.0895	.4647	----	----	----	----	300 UNCH
670	----	----	0.3770B/----	0.3770B/0.3310A	----	0.3930 + 0.0850	.4377	----	----	----	----	4 UNCH
675	----	----	0.3610B/----	0.3610B/0.3170A	----	0.3770 + 0.0825	.4245	----	----	----	----	17 UNCH
680	----	----	0.3455B/----	0.3455B/0.3040A	----	0.3615 + 0.0795	.4116	----	----	----	----	3 UNCH
700	----	----	0.2905B/----	0.2905B/0.2575A	----	0.3065 + 0.0705	.3628	----	----	----	----	844 UNCH
705	----	----	0.2780B/----	0.2780B/0.2475A	----	0.2940 + 0.0685	.3513	----	----	----	----	2 UNCH
725	----	----	0.2335B/----	0.2335B/0.2105A	----	0.2495 + 0.0605	.3085	----	----	2	----	7 + 2
730	----	----	0.2235B/----	0.2235B/0.2025A	----	0.2395 + 0.0585	.2985	----	----	----	----	4 UNCH
750	----	----	0.1875B/----	0.1875B/0.1735A	----	0.2035 + 0.0515	.2613	----	----	1	----	25 + 1
775	----	----	0.1510B/----	0.1510B/0.1440A	----	0.1670 NEW	.2213	----	----	1	----	1 + 1
800	----	----	0.1220B/----	0.1220B/0.1205A	----	0.1375 + 0.0350	.1873	----	----	1	----	105 + 1
850	----	----	0.0800B/----	0.0800B/0.0885A	----	0.1005 + 0.0260	.1398	----	----	----	----	4 UNCH
900	----	----	0.0600B/----	0.0600B/0.0675A	----	0.0780 + 0.0205	.1087	----	----	----	----	213 UNCH
925	----	----	----	0.0415B/0.0600A	----	0.0685 + 0.0180	.0959	----	----	----	----	6 UNCH
950	----	----	----	0.0340B/0.0540A	----	0.0610 + 0.0160	.0854	----	----	----	----	78 UNCH
975	----	----	----	0.0275B/0.0485A	----	0.0550 + 0.0145	.0768	----	----	----	----	13 UNCH
TOTAL										6		4545 + 6
JAN27												
500	----	----	----	----	----	1.5090 + 0.1645	.8719	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.1100 UNCH	.1369	----	----	----	----	1 UNCH
TOTAL												2
FEB27												
620	----	----	----	----	----	0.7490 + 0.1100	.6030	----	----	----	----	1 UNCH
625	----	----	----	----	----	0.7250 + 0.1075	.5907	----	----	----	----	1 UNCH
TOTAL												2
MAR27												
680	----	----	----	----	----	0.5455 + 0.0850	.4698	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.1145 + 0.0230	.1305	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
JUN26												
330	----	----	----	----/0.0040A	----	0.0005 UNCH	.0000	----	----	----	----	8 UNCH
355	----	----	----	----/0.0040A	----	0.0005 UNCH	.0002	----	----	----	----	10 UNCH
370	----	----	----	----/0.0040A	----	0.0005 UNCH	.0005	----	----	----	----	1 UNCH
380	----	----	----	----/0.0040A	----	0.0005 UNCH	.0009	----	----	----	----	1 UNCH
400	----	----	----	----/0.0040A	----	0.0010 UNCH	.0025	----	----	----	----	33 UNCH
405	----	----	----	----/0.0040A	----	0.0010 UNCH	.0026	----	----	----	----	1 UNCH
410	----	----	----	----/0.0040A	----	0.0015 + 0.0005	.0037	----	----	----	----	53 UNCH
420	----	----	----	----/0.0045A	----	0.0015 + 0.0005	.0040	----	----	----	----	9 UNCH
430	----	----	----	----/0.0040A	----	0.0015 UNCH	.0042	----	----	----	----	3 UNCH
435	----	----	----	----/0.0045A	----	0.0020 + 0.0005	.0055	----	----	----	----	2 UNCH
440	----	----	----	----/*0.0035A	----	0.0020 UNCH	.0057	----	----	----	----	8 UNCH
445	----	----	----	----/*0.0040A	----	0.0025 + 0.0005	.0070	----	----	----	----	8 UNCH
450	----	----	----	----/*0.0040A	----	0.0025 UNCH	.0072	----	----	----	----	450 UNCH
455	----	----	----	----/0.0045A	----	0.0030 + 0.0005	.0087	----	----	----	----	42 UNCH
460	----	----	----	----/0.0045A	----	0.0030 UNCH	.0089	----	----	----	----	54 UNCH
465	----	----	----	0.0015B/0.0045A	----	0.0035 + 0.0005	.0104	----	----	----	----	881 UNCH
470	----	----	----	0.0010B/*0.0045	----	0.0035 UNCH	.0108	----	----	----	----	666 UNCH
475	----	----	----	----/0.0045A	----	0.0040 + 0.0005	.0124	----	----	----	----	155 UNCH
480	----	----	----	0.0010B/0.0050A	----	0.0040 + 0.0005	.0128	----	----	----	----	953 UNCH
485	----	----	----	----/*0.0050A	----	0.0040 + 0.0005	.0133	----	----	----	----	63 UNCH
490	----	----	----	0.0005B/0.0050A	----	0.0040 + 0.0005	.0138	----	----	----	----	52 UNCH
495	----	----	----/*0.0025A	0.0030B/*0.0025	----	0.0045 + 0.0005	.0157	----	----	----	----	35 UNCH
500	----	----	----/*0.0025A	0.0020B/*0.0025	----	0.0045 + 0.0005	.0163	----	----	----	----	538 UNCH
505	0.0040	0.0040	0.0045B/*0.0025	0.0045B/*0.0025	----	0.0050 + 0.0005	.0184	----	----	1	----	518 - 1
510	0.0035	0.0035	0.0040/*0.0025A	0.0045B/*0.0025	----	0.0050 + 0.0005	.0192	----	----	8	----	160 + 2
515	----	----	----/*0.0030A	0.0050B/*0.0030	----	0.0055 + 0.0005	.0215	----	----	----	----	37 UNCH
520	0.0055	0.0055	0.0055/*0.0035A	0.0055/*0.0035A	----	0.0060 + 0.0005	.0240	----	----	6	----	167 + 5
523	----	----	0.0065B/*0.0035	0.0065B/*0.0035	----	0.0065 + 0.0005	.0262	----	----	59	----	71 UNCH
524	0.0055	0.0055	0.0065B/*0.0035	0.0065B/*0.0035	----	0.0065 + 0.0005	.0264	----	----	3	----	8 - 1
525	0.0055	0.0055	0.0070B/*0.0035	0.0070B/*0.0035	----	0.0070 + 0.0005	.0282	----	----	3	----	2157 UNCH
526	----	----	0.0070B/*0.0035	0.0070B/*0.0035	----	0.0070 + 0.0005	.0284	----	----	----	----	5 UNCH
527	----	----	----/*0.0040A	0.0070B/*0.0040	----	0.0070 UNCH	.0287	----	----	----	----	3 UNCH
528	----	----	0.0075B/*0.0040	0.0075B/*0.0040	----	0.0075 + 0.0005	.0305	----	----	----	----	5 UNCH
529	0.0070	0.0070	0.0075B/*0.0040	0.0075B/*0.0040	----	0.0075 + 0.0005	.0308	----	----	1	----	6 + 1
530	----	----	0.0080B/*0.0040	0.0080B/*0.0040	----	0.0075 UNCH	.0311	----	----	3	----	138 UNCH
531	0.0040	0.0040	0.0080B/*0.0040	0.0080B/*0.0040	----	0.0080 + 0.0005	.0329	----	----	9	----	5 + 1
532	----	----	----/*0.0045A	0.0080B/*0.0045	----	0.0080 UNCH	.0332	----	----	----	----	14 UNCH
533	0.0085	0.0085	0.0085/*0.0045A	0.0085/*0.0045A	----	0.0080 UNCH	.0335	----	----	3	----	4 UNCH
534	0.0070	0.0070	0.0085B/*0.0045	0.0085B/*0.0045	----	0.0085 UNCH	.0354	----	----	5	----	11 + 5
535	----	----	----/*0.0045A	0.0085B/*0.0045	----	0.0085 UNCH	.0357	----	----	----	----	90 UNCH
536	----	----	----/*0.0050A	0.0085B/*0.0050	----	0.0085 - 0.0005	.0361	----	----	----	----	1 UNCH
537	0.0075	0.0075	0.0090B/*0.0050	0.0090B/*0.0050	----	0.0090 - 0.0005	.0380	----	----	3	----	159 + 3
538	0.0050	0.0050	0.0050/*0.0050	0.0090B/*0.0050	----	0.0090 - 0.0005	.0384	----	----	3	----	10 + 3
539	0.0075	0.0075	0.0090/*0.0060A	0.0090/*0.0060A	----	0.0095 - 0.0005	.0403	----	----	9	----	34 + 3
540	0.0080	0.0080	0.0080/*0.0055A	0.0095B/*0.0055	----	0.0095 - 0.0010	.0407	----	----	33	----	163 + 2
541	0.0095	0.0095	0.0095/*0.0055A	0.0100B/*0.0055	----	0.0100 - 0.0010	.0426	----	----	1	----	18 UNCH
542	----	----	----/*0.0060A	0.0105B/*0.0060	----	0.0100 - 0.0010	.0431	----	----	1	----	25 UNCH
543	----	----	----/*0.0060A	0.0105B/*0.0060	----	0.0105 - 0.0010	.0451	----	----	----	----	26 UNCH
544	0.0100	0.0100	0.0100/*0.0060A	0.0110B/*0.0060	----	0.0105 - 0.0015	.0456	----	----	4	----	30 UNCH
545	0.0060	0.0060	0.0105/*0.0060	0.0115B/*0.0060	----	0.0110 - 0.0015	.0476	----	----	22	----	86 - 11
546	----	----	----/*0.0065A	0.0120B/*0.0065	----	0.0110 - 0.0020	.0481	----	----	----	----	29 UNCH
547	----	----	----/*0.0065A	0.0125B/*0.0065	----	0.0115 - 0.0020	.0501	----	----	----	----	46 UNCH
548	0.0065	0.0065	0.0065/*0.0065	0.0130B/*0.0065	----	0.0115 - 0.0025	.0507	----	----	4	----	56 + 4
549	----	----	----/*0.0070A	0.0140B/*0.0070	----	0.0120 - 0.0025	.0528	----	----	----	----	40 UNCH
550	0.0070	0.0070	0.0095/*0.0070	0.0145B/*0.0070	----	0.0120 - 0.0030	.0534	----	----	21	----	1269 + 13
551	----	----	----/*0.0075A	0.0150B/*0.0075	----	0.0125 - 0.0035	.0555	----	----	3	----	117 UNCH
552	----	----	----/*0.0075A	0.0160B/*0.0075	----	0.0130 - 0.0035	.0577	----	----	59	----	97 UNCH
553	0.0080	0.0080	0.0080/*0.0080	0.0165B/*0.0080	----	0.0130 - 0.0040	.0583	----	----	3	----	26 + 3
554	0.0115	0.0115	0.0115/*0.0080A	0.0170B/*0.0080	----	0.0135 - 0.0045	.0605	----	----	2	----	29 + 2
555	0.0155	0.0155	0.0155/*0.0085A	0.0180B/*0.0085	----	0.0140 - 0.0050	.0627	----	----	1	----	59 UNCH
556	----	----	----/*0.0085A	0.0190B/*0.0085	----	0.0145 - 0.0050	.0650	----	----	----	----	9 UNCH
557	0.0125	0.0125	0.0125/*0.0090A	0.0200B/*0.0090	----	0.0145 - 0.0060	.0658	----	----	4	----	69 + 4
558	----	----	----/*0.0095A	0.0210B/*0.0095	----	0.0150 - 0.0065	.0681	----	----	----	----	10 UNCH
559	0.0105	0.0105	0.0115/*0.0100A	0.0220B/*0.0100	----	0.0155 - 0.0070	.0704	----	----	6	----	7 - 1
560	0.0120	0.0120	0.0125/*0.0100A	0.0230B/*0.0100	----	0.0160 - 0.0075	.0728	----	----	18	----	430 - 1
561	----	----	----/*0.0105A	0.0240B/*0.0105	----	0.0165 - 0.0085	.0752	----	----	----	----	3 UNCH
562	----	----	----/*0.0110A	0.0255B/*0.0110	----	0.0170 - 0.0090	.0776	----	----	59	----	64 + 59
563	----	----	----/*0.0115A	0.0270B/*0.0115	----	0.0175 - 0.0100	.0801	----	----	1	----	1 UNCH
564	----	----	----/*0.0115A	0.0285B/*0.0115	----	0.0180 - 0.0110	.0826	----	----	----	----	3 UNCH
565	----	----	----/*0.0120A	0.0300B/*0.0120	----	0.0185 - 0.0120	.0851	----	----	----	----	225 UNCH
566	----	----	----/*0.0130A	0.0315B/*0.0130	----	0.0190 - 0.0130	.0877	----	----	----	----	4 UNCH
567	0.0175	0.0175	0.0175/*0.0135A	0.0330B/*0.0135	----	0.0195 - 0.0140	.0903	----	----	3	----	13 + 1
568	----	----	----/*0.0140A	0.0340B/*0.0140	----	0.0200 - 0.0155	.0930	----	----	----	----	1 UNCH
569	----	----	----/*0.0145A	0.0365B/*0.0145	----	0.0210 - 0.0160	.0971	----	----	17	----	27 + 15
570	0.0180	0.0180	0.0200/*0.0150A	0.0380B/*0.0150	----	0.0215 - 0.0175	.0998	----	----	82	----	212 + 16
571	----	----	----/*0.0160A	0.0400B/*0.0160	----	0.0225 - 0.0185	.1040	----	----	2	----	32 UNCH
572	----	----	----/*0.0175A	0.0415B/*0.0175	----	0.0230 - 0.0200	.1069	----	----	1	----	1 UNCH
573	0.0195	0.0195	0.0205/*0.0175A	0.0440B/*0.0175	----	0.0240 - 0.0210	.1112	----	----	27	----	26 + 24
574	----	----	----/*0.0185A	0.0460B/*0.0185	----	0.0250 - 0.0225	.1155	----	----	----	----	17 UNCH
575	0.0230	0.0230	0.0230/*0.0195A	0.0485B/*0.0195	----	0.0260 - 0.0235	.1199	----	----	5	----	131 + 3
576	----	----	----/*0.0205A	0.0510B/*0.0205	----	0.0270 - 0.0250	.1243	----	----	----	----	5 UNCH
577	----	----	----/*0.0215A	0.0530B/*0.0215	----	0.0280 - 0.0265	.1287	----	----	----	----	10 UNCH
578	----	----	----/*0.0230A	0.0555B/*0.0230	----	0.0295 - 0.0275	.1345	----	----	----	----	2 UNCH
579	0.0250	0.0250	0.0305/*0.0240A	0.0580B/*0.0240	----	0.0305 - 0.0295	.1391	----	----	6	----	8 + 3
580	0.0380	0.0380	0.0380/*0.0245	0.0615B/*0.0245	----	0.0320 - 0.0305	.1449	----	----	262	150	955 + 16
581	0.0335	0.0335	0.0335/*0.0265A	0.0635B/*0.0265	----	0.0335 - 0.0320	.1508	----	----	20	----	42 + 15
582	0.0305	0.0305	0.0305/*0.0275A	0.0650B/*0.0275	----	0.0350 - 0.0335	.1567	----	----	6	----	14 + 1
583	0.0320	0.0320	0.0320/*0.0290A	0.0690B/*0.0290	----	0.0365 - 0.0350	.1627	----	----	6	----	14 + 5
584	----	----	----/*0.0305A	0.0710B/*0.0305	----	0.0380 - 0.0370	.1687	----	----	----	----	17 UNCH
585	0.0360	0.0360	0.0360/*0.0320A	0.0745B/*0.0320	----	0.0400 - 0.0385	.1758	----	----	75	----	140 + 37
586	----	----	----/*0.0340A	0.0780B/*0.0340	----	0.0415 - 0.0400	.1819	----	----	1	----	4 UNCH
587	----	----	----/*0.0355A	0.0825B/*0.0355	----	0.0435 - 0.0420	.1891	----	----	----	----	13 UNCH
588	----	----	----/*0.0375A	0.0865B/*0.0375	----	0.0455 - 0.0435	.1963	----	----	1	----	2 UNCH
590	0.0985	0.0985	0.0985/*0.0400A	0.0985/*0.0400A	----	0.0495 - 0.0475	.2109	----	----	23	----	234 + 13
591	----	----	----/*0.0430A	0.0975B/*0.0430	----	0.0520 - 0.0490	.2191	----	----	1	----	5 + 1
592	0.0490	0.0490	0.0530/*0.0455A	0.1030B/*0.0455	----	0.0540 - 0.0510	.2265	----	----	12	----	14 + 12
593	----	----	----/*0.0480A	0.1075B/*0.0480	----	0.0565 - 0.0530	.2348	----	----	1	----	33 - 1
594	0.0515	0.0515	0.0515/*0.0500A	0.1125B/*0.0500	----	0.0590 - 0.0550	.2431	----	----	3	----	6 - 2
595	----	----	----/*0.0530A	0.1160B/*0.0530	----	0.0615 - 0.0570	.2515	----	----	14	----	110 - 3
596	0.0610	0.0610	0.0610/*0.0555A	0.1210B/*0.0555	----	0.0640 - 0.0595	.2599	----	----	11	----	22 + 10

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 61

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
597	0.0570	0.0570	0.0570/*0.0570	0.1260B/*0.0570	----	0.0670 - 0.0610	.2690	----	----	2	----	155 - 1
598	----	----	----/*0.0610A	0.1310B/*0.0610	----	0.0700 - 0.0630	.2782	----	----	59	----	68 + 59
599	0.0700	0.0700	0.0715/*0.0635A	0.1360B/*0.0635	----	0.0730 - 0.0655	.2874	----	----	12	----	24 + 8
600	0.0670	0.0670	0.0710/*0.0655	0.1415B/*0.0655	----	0.0760 - 0.0675	.2966	----	----	63	----	167 + 38
601	0.0760	0.0760	0.0760/*0.0695A	0.1460B/*0.0695	----	0.0790 - 0.0700	.3058	----	----	25	----	26 + 20
602	0.0795	0.0795	0.0795/*0.0725A	0.1525B/*0.0725	----	0.0825 - 0.0720	.3156	----	----	1	----	15 UNCH
603	----	----	----/*0.0760A	0.1570B/*0.0760	----	0.0860 - 0.0740	.3254	----	----	----	----	20 UNCH
604	----	----	----/*0.0790A	0.1630B/*0.0790	----	0.0895 - 0.0760	.3353	----	----	----	----	11 UNCH
605	0.1100	0.1100	0.1100/*0.0830	0.1690B/*0.0830	----	0.0930 - 0.0785	.3451	----	----	16	----	207 UNCH
606	0.0970	0.0970	0.0970/*0.0865A	0.1750B/*0.0865	----	0.0970 - 0.0805	.3554	----	----	12	----	24 + 10
607	----	----	----/*0.0900A	0.1805B/*0.0900	----	0.1010 - 0.0825	.3657	----	----	----	----	76 UNCH
608	----	----	----/*0.0940A	0.1865B/*0.0940	----	0.1050 - 0.0845	.3759	----	----	----	----	43 UNCH
609	----	----	----/*0.0975A	0.1870B/*0.0975	----	0.1090 - 0.0865	.3862	----	----	----	----	41 UNCH
610	0.1600	0.1600	0.1600/*0.1025A	0.1935B/*0.1025	----	0.1135 - 0.0885	.3967	----	----	8	----	61 + 4
611	0.1490	0.1490	0.1490/*0.1065A	0.1935B/*0.1065	----	0.1180 - 0.0905	.4072	----	----	1	----	16 + 1
612	0.1205	0.1205	0.1220/*0.1105A	0.1910B/*0.1105	----	0.1225 - 0.0925	.4177	----	----	20	----	29 + 20
613	----	----	----/*0.1155A	0.1975B/*0.1155	----	0.1270 - 0.0945	.4282	----	----	----	----	10 UNCH
614	0.1310	0.1310	0.1325/*0.1195A	0.2135B/*0.1195	----	0.1315 - 0.0970	.4387	----	----	23	----	23 + 15
615	0.1360	0.1360	0.1360/*0.1235A	0.2265B/*0.1235	----	0.1365 - 0.0990	.4492	----	----	3	----	36 UNCH
616	----	----	----/*0.1295A	0.2180B/*0.1295	----	0.1415 - 0.1005	.4598	----	----	1	----	10 UNCH
617	0.1460	0.1460	0.1460/*0.1340A	0.2250B/*0.1340	----	0.1465 - 0.1025	.4703	----	----	39	----	51 + 27
618	----	----	----/*0.1390A	0.2415B/*0.1390	----	0.1515 - 0.1050	.4809	----	----	----	----	10 UNCH
619	0.1570	0.1570	0.1570/*0.1435A	0.2490B/*0.1435	----	0.1570 - 0.1065	.4914	----	----	1	----	10 + 1
620	----	----	----/*0.1485A	0.2625B/*0.1485	----	0.1625 - 0.1080	.5018	----	----	----	----	14 UNCH
621	----	----	----/*0.1540A	0.2640B/*0.1540	----	0.1680 - 0.1100	.5122	----	----	----	----	6 UNCH
622	----	----	----/*0.1595A	0.2620B/*0.1595	----	0.1735 - 0.1120	.5226	----	----	----	----	1 UNCH
623	----	----	----/*0.1655A	0.2695B/*0.1655	----	0.1790 - 0.1140	.5330	----	----	----	----	4 UNCH
630	----	----	----/*0.2075A	0.3250B/*0.2075	----	0.2215 - 0.1265	.6033	----	----	----	----	10 UNCH
640	----	----	----/*0.2790A	0.4200B/*0.2790	----	0.2900 - 0.1430	.6941	----	----	----	----	2 UNCH
645	----	----	----/*0.3155A	0.4550B/*0.3155	----	0.3275 - 0.1500	.7345	----	----	----	----	1 UNCH
650	----	----	----/*0.3535A	0.5005B/*0.3535	----	0.3670 - 0.1560	.7707	----	----	----	----	3 UNCH
655	----	----	----/*0.4125A	0.5575B/*0.4125	----	0.4080 - 0.1615	.8033	----	----	----	----	10 UNCH
700	----	----	----	----	----	0.8210 - 0.1880	.9569	----	----	----	----	1 UNCH
TOTAL									150	1223		13865 + 463
JUL26												
330	----	----	----	----/0.0045A	----	0.0005 UNCH	.0007	----	----	----	----	80 UNCH
350	----	----	----	----/0.0045A	----	0.0010 UNCH	.0022	----	----	----	----	5 UNCH
360	----	----	----	----/0.0025A	----	0.0010 UNCH	.0023	----	----	----	----	1 UNCH
380	----	----	----	----/0.0050A	----	0.0020 UNCH	.0045	----	----	----	----	2 UNCH
390	----	----	----	----/0.0055A	----	0.0025 UNCH	.0057	----	----	----	----	6 UNCH
395	----	----	----	----/0.0055A	----	0.0030 UNCH	.0068	----	----	----	----	1 UNCH
400	----	----	----	0.0010B/0.0040A	----	0.0030 - 0.0005	.0070	----	----	----	----	586 UNCH
405	----	----	----	----/0.0060A	----	0.0035 UNCH	.0081	----	----	----	----	1 UNCH
415	0.0030	0.0030	0.0030/*0.0025A	0.0030/*0.0025A	----	0.0040 UNCH	.0095	----	----	1	----	52 - 1
420	----	----	----/*0.0025A	----/*0.0025A	----	0.0040 - 0.0005	.0097	----	----	----	----	4 UNCH
425	----	----	----	0.0010B/0.0070A	----	0.0040 - 0.0005	.0100	----	----	----	----	51 UNCH
430	0.0035	0.0035	0.0035/*0.0030A	0.0035/*0.0030A	----	0.0045 - 0.0005	.0113	----	----	4	----	9 + 1
435	----	----	----	----/*0.0075A	----	0.0045 - 0.0010	.0116	----	----	----	----	5 UNCH
440	----	----	----	----/*0.0080A	----	0.0050 - 0.0005	.0129	----	----	----	----	4 UNCH
445	----	----	----	0.0005B/*0.0085	----	0.0055 - 0.0005	.0143	----	----	----	----	3 UNCH
450	----	----	----	0.0020B/0.0090A	----	0.0060 - 0.0005	.0157	----	----	----	----	1910 UNCH
455	----	----	----/*0.0055A	0.0040B/*0.0055	----	0.0060 - 0.0010	.0162	----	----	----	----	13 UNCH
460	----	----	----/*0.0070A	0.0055B/*0.0070	----	0.0065 - 0.0010	.0177	----	----	----	----	6 UNCH
470	----	----	----	0.0055B/*0.0100	----	0.0080 - 0.0010	.0220	----	----	----	----	2 UNCH
475	0.0090	0.0090	0.0090/*0.0090	0.0090/*0.0090	----	0.0085 - 0.0015	.0237	----	----	1	----	513 - 1
480	----	----	----/*0.0095A	0.0105B/*0.0095	----	0.0095 - 0.0020	.0266	----	----	----	----	76 UNCH
485	----	----	----/*0.0105A	0.0120B/*0.0105	----	0.0105 - 0.0020	.0296	----	----	----	----	1 UNCH
490	----	----	----/*0.0115A	0.0135B/*0.0115	----	0.0120 - 0.0025	.0336	----	----	6	----	547 + 5
495	----	----	----/*0.0120A	0.0150B/*0.0120	----	0.0135 - 0.0025	.0378	----	----	2	----	105 UNCH
500	0.0150	0.0150	0.0150/*0.0120	0.0175B/*0.0120	----	0.0150 - 0.0030	.0421	----	----	31	----	2693 + 5
505	----	----	----/*0.0140A	0.0190B/*0.0140	----	0.0165 - 0.0040	.0466	----	----	----	----	2 UNCH
510	0.0165	0.0165	0.0165/*0.0160A	0.0220B/*0.0160	----	0.0180 - 0.0050	.0513	----	----	10	----	214 + 10
515	0.0200	0.0200	0.0200/*0.0175A	0.0245B/*0.0175	----	0.0200 - 0.0060	.0572	----	----	3	----	3 + 1
520	----	----	----/*0.0195A	0.0275B/*0.0195	----	0.0220 - 0.0070	.0632	----	----	2	----	599 UNCH
525	0.0245	0.0245	0.0245/*0.0220A	0.0315B/*0.0220	----	0.0245 - 0.0085	.0705	----	----	4	----	532 + 2
530	0.0240	0.0240	0.0240/*0.0240	0.0360B/*0.0240	----	0.0275 - 0.0100	.0790	----	----	10	----	3198 - 2
533	----	----	----/*0.0260A	0.0390B/*0.0260	----	0.0295 - 0.0110	.0846	----	----	----	----	1 UNCH
534	----	----	----/*0.0265A	0.0400B/*0.0265	----	0.0300 - 0.0115	.0862	----	----	----	----	2 UNCH
535	----	----	----/*0.0275A	0.0415B/*0.0275	----	0.0305 - 0.0120	.0878	----	----	----	----	4 UNCH
536	----	----	----/*0.0280A	0.0425B/*0.0280	----	0.0315 - 0.0120	.0903	----	----	----	----	5 UNCH
538	----	----	----/*0.0295A	0.0445B/*0.0295	----	0.0325 - 0.0135	.0936	----	----	2	----	2 + 1
539	----	----	----/*0.0300A	0.0460B/*0.0300	----	0.0335 - 0.0140	.0961	----	----	1	----	2 UNCH
540	----	----	----/*0.0305A	0.0470B/*0.0305	----	0.0340 - 0.0145	.0978	----	----	87	----	953 + 80
541	----	----	----/*0.0315A	0.0485B/*0.0315	----	0.0350 - 0.0150	.1004	----	----	----	----	2 UNCH
542	----	----	----/*0.0320A	0.0505B/*0.0320	----	0.0360 - 0.0155	.1030	----	----	----	----	2 UNCH
543	----	----	----/*0.0330A	0.0515B/*0.0330	----	0.0365 - 0.0165	.1047	----	----	----	----	3 UNCH
545	----	----	----/*0.0350A	0.0545B/*0.0350	----	0.0385 - 0.0175	.1100	----	----	1	----	4 UNCH
547	----	----	----/*0.0365A	0.0575B/*0.0365	----	0.0405 - 0.0185	.1153	----	----	----	----	1 UNCH
548	----	----	----/*0.0375A	0.0595B/*0.0375	----	0.0415 - 0.0190	.1179	----	----	----	----	10 UNCH
549	----	----	----/*0.0385A	0.0610B/*0.0385	----	0.0425 - 0.0200	.1206	----	----	----	----	1 UNCH
550	0.0400	0.0400	0.0400/*0.0395A	0.0625B/*0.0395	----	0.0435 - 0.0205	.1233	----	----	255	----	1115 - 70
552	----	----	----/*0.0415A	0.0660B/*0.0415	----	0.0455 - 0.0220	.1288	----	----	----	----	2 UNCH
553	----	----	----/*0.0430A	0.0680B/*0.0430	----	0.0465 - 0.0230	.1316	----	----	----	----	1 UNCH
554	0.0450	0.0450	0.0450/*0.0435A	0.0700B/*0.0435	----	0.0480 - 0.0235	.1351	----	----	6	----	15 + 5
555	0.0500	0.0500	0.0500/*0.0450A	0.0715B/*0.0450	----	0.0490 - 0.0245	.1379	----	----	11	----	55 - 2
556	----	----	----/*0.0460A	0.0740B/*0.0460	----	0.0505 - 0.0250	.1415	----	----	----	----	1 UNCH
558	0.0480	0.0480	0.0490/*0.0470	0.0780B/*0.0470	----	0.0530 - 0.0265	.1480	----	----	91	----	93 + 91
559	----	----	----/*0.0505A	0.0800B/*0.0505	----	0.0545 - 0.0275	.1516	----	----	----	----	2 UNCH
560	0.0600	0.0600	0.0600/*0.0510	0.0825B/*0.0510	----	0.0560 - 0.0280	.1552	----	----	128	----	261 + 38
561	----	----	----/*0.0535A	0.0845B/*0.0535	----	0.0575 - 0.0290	.1589	----	----	----	----	3 UNCH
562	----	----	----/*0.0550A	0.0870B/*0.0550	----	0.0590 - 0.0300	.1625	----	----	----	----	2 UNCH
563	----	----	----/*0.0565A	0.0895B/*0.0565	----	0.0605 - 0.0310	.1662	----	----	----	----	12 UNCH
565	----	----	----/*0.0595A	0.0945B/*0.0595	----	0.0640 - 0.0325	.1743	----	----	1	----	13 - 1
567	----	----	----/*0.0630A	0.1000B/*0.0630	----	0.0675 - 0.0340	.1825	----	----	----	----	5 UNCH
568	----	----	----/*0.0650A	0.1030B/*0.0650	----	0.0695 - 0.0350	.1869	----	----	----	----	4 UNCH
569	----	----	----/*0.0665A	0.1060B/*0.0665	----	0.0715 - 0.0355	.1913	----	----	1	----	5 + 1
570	0.0710	0.0710	0.0710/*0.0670	0.1090B/*0.0670	----	0.0735 - 0.0365	.1958	----	----	84	----	139 + 37
571	0.0720	0.0720	0.0720/*0.0705A	0.1120B/*0.0705	----	0.0755 - 0.0375	.2002	----	----	3	----	17 UNCH
572	----	----	----/*0.0720A	0.1150B/*0.0720	----	0.0775 - 0.0385	.2047	----	----	----	----	4 UNCH
573	0.0720	0.0720	0.0720/*0.0720	0.1185B/*0.0720	----	0.0795 - 0.0400	.2092	----	----	1	----	1 UNCH
574	----	----	----/*0.0765A	0.1200B/*0.0765	----	0.0820 - 0.0405	.2142	----	----	1	----	5 UNCH
575	----	----	----/*0.0780A	0.1230B/*0.0780	----	0.0840 - 0.0420	.2187	----	----	3	----	212 + 1
576	----	----	----/*0.0805A	0.1275B/*0.0805	----	0.0865 - 0.0425	.2238	----	----	----	----	1 UNCH
577	0.0815	0.0815	0.0815/*0.0815	0.1310B/*0.0815	----	0.0890 - 0.0435	.2289	----	----	2	----	2 - 1
578	----	----	----/*0.0850A	0.1335B/*0.0850	----	0.0915 - 0.0445	.2340	----	----	----	----	1 UNCH
579	----	----	----/*0.0870A	0.1375B/*0.0870	----	0.0940 - 0.0455	.2391	----	----	----	----	2 UNCH
580	0.1000	0.1000	0.1000/*0.0895A	0.1410B/*0.0895	----	0.0965 - 0.0470	.2442	----	----	25	----	1815 + 6
581	----	----	----/*0.0920A	0.1445B/*0.0920	----	0.0990 - 0.0480	.2493	----	----	----	----	1 UNCH
582	----	----	----/*0.0945A	0.1485B/*0.0945	----	0.1015 - 0.0495	.2544	----	----	----	----	1 UNCH
583	----	----	----/*0.0970A	0.1525B/*0.0970	----	0.1045 - 0.0505	.2600	----	----	----	----	1 UNCH
584	0.0985	0.0985	0.0985/*0.0985	0.1565B/*0.0985	----	0.1070 - 0.0520	.2652	----	----	1	----	1 UNCH
585	----	----	----/*0.1020A	0.1605B/*0.1020	----	0.1100 - 0.0530	.2708	----	----	2	----	124 + 1
586	----	----	----/*0.1050A	0.1645B/*0.1050	----	0.1130 - 0.0540	.2764	----	----	----	----	9 UNCH
587	----	----	----/*0.1080A	0.1700B/*0.1080	----	0.1160 - 0.0555	.2821	----	----	----	----	7 UNCH
588	----	----	----/*0.1110A	0.1730B/*0.1110	----	0.1190 - 0.0570	.2877	----	----	----	----	2 UNCH
589	----	----	----/*0.1140A	0.1775B/*0.1140	----	0.1220 - 0.0580	.2933	----	----	----	----	7 UNCH
590	0.1150	0.1150	0.1220/*0.1150	0.1820B/*0.1150	----	0.1255 - 0.0590	.2993	----	----	3	----	553 UNCH
592	----	----	----/*0.1230A	0.1920B/*0.1230	----	0.1320 - 0.0620	.3110	----	----	----	----	1 UNCH
595	0.1700	0.1700	0.1700/*0.1330A	0.2070B/*0.1330	----	0.1425 - 0.0660	.3291	----	----	1	----	117 UNCH
596	----	----	----/*0.1365A	0.2120B/*0.1365	----	0.1460 - 0.0675	.3351	----	----	----	----	1 UNCH
597	0.1530	0.1530	0.1530/*0.1400A	0.2165B/*0.1400	----	0.1500 NEW	.3414	----	----	30	----	30 + 30
598	----	----	----/*0.1435A	0.2210B/*0.1435	----	0.1535 - 0.0700	.3475	----	----	----	----	10 UNCH
599	----	----	----/*0.1465A	0.2265B/*0.1465	----	0.1575 - 0.0715	.3537	----	----	----	----	5 UNCH
600	----	----	----/*0.1505A	0.2320B/*0.1505	----	0.1615 - 0.0730	.3600	----	----	3	----	199 + 1
605	----	----	----/*0.1705A	0.2600B/*0.1705	----	0.1830 - 0.0790	.3920	----	----	36	----	101 + 36
610	0.2040	0.2040	0.2040/*0.1920A	0.2905B/*0.1920	----	0.2060 - 0.0855	.4242	----	----	1	----	58 UNCH
615	----	----	----/*0.2155A	0.3225B/*0.2155	----	0.2310 - 0.0920	.4564	----	----	----	----	16 UNCH
700	----	----	----/*0.8625A	0.9945B/*0.8625	----	0.8610 - 0.1690	.8545	----	----	----	----	1 UNCH
705	----	----	----/*0.9080A	1.0415B/*0.9080	----	0.9060 - 0.1715	.8671	----	----	----	----	1 UNCH
TOTAL										854		17250 + 274
AUG26												
330	----	----	----	----/*0.0030A	----	0.0015 UNCH	.0029	----	----	----	----	3 UNCH
405	----	----	----	0.0015B/*0.0135	----	0.0070 - 0.0005	.0138	----	----	----	----	3 UNCH
420	----	----	----	0.0020B/*0.0150	----	0.0085 - 0.0005	.0172	----	----	----	----	1 UNCH
440	----	----	----	0.0040B/0.0175A	----	0.0105 - 0.0015	.0223	----	----	----	----	5 UNCH
450	----	----	----	0.0060B/0.0190A	----	0.0120 - 0.0020	.0259	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 62

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
AUG26												
460	----	----	----	0.0115B/0.0210A	----	0.0140 - 0.0025	.0306	----	----	----	----	1 UNCH
465	----	----	----	0.0125B/*0.0215	----	0.0150 - 0.0030	.0331	----	----	----	----	1 UNCH
475	----	----	----	0.0160B/*0.0215	----	0.0175 - 0.0040	.0390	----	----	----	----	5 UNCH
480	----	----	----/*0.0225A	0.0180B/*0.0225	----	0.0190 - 0.0050	.0425	----	----	----	----	4 UNCH
485	0.0225	0.0225	0.0225/*0.0225	0.0225/*0.0225	----	0.0210 NEW	.0469	----	----	1	----	1 + 1
500	----	----	----/*0.0295A	0.0310B/*0.0295	----	0.0275 - 0.0080	.0615	----	----	----	----	3 UNCH
505	----	----	----/*0.0320A	0.0345B/*0.0320	----	0.0305 - 0.0090	.0679	----	----	----	----	1 UNCH
510	----	----	----/*0.0350A	0.0395B/*0.0350	----	0.0335 - 0.0105	.0745	----	----	----	----	1 UNCH
520	----	----	----/*0.0415A	0.0495B/*0.0415	----	0.0405 - 0.0140	.0895	----	----	----	----	300 UNCH
530	----	----	----/*0.0500A	0.0620B/*0.0500	----	0.0490 - 0.0185	.1074	----	----	----	----	51 UNCH
540	----	----	----/*0.0610A	0.0785B/*0.0610	----	0.0600 - 0.0240	.1293	----	----	----	----	2 UNCH
545	----	----	----/*0.0675A	0.0875B/*0.0675	----	0.0665 - 0.0270	.1419	----	----	----	----	1 UNCH
550	----	----	----/*0.0750A	0.0980B/*0.0750	----	0.0740 - 0.0300	.1557	----	----	----	----	22 UNCH
565	----	----	----/*0.1025A	0.1365B/*0.1025	----	0.1015 - 0.0410	.2038	----	----	----	----	1 UNCH
570	----	----	----/*0.1135A	0.1520B/*0.1135	----	0.1125 - 0.0455	.2220	----	----	1	----	1 UNCH
575	----	----	----/*0.1255A	0.1695B/*0.1255	----	0.1255 - 0.0495	.2419	----	----	----	----	1 UNCH
580	----	----	----/*0.1390A	0.1875B/*0.1390	----	0.1390 - 0.0540	.2623	----	----	1	----	251 UNCH
585	----	----	----/*0.1535A	0.2070B/*0.1535	----	0.1545 - 0.0585	.2841	----	----	----	----	7 UNCH
590	----	----	----/*0.1695A	0.2285B/*0.1695	----	0.1710 - 0.0630	.3065	----	----	----	----	14 UNCH
620	0.3060	0.3060	0.3060/*0.2935A	0.3890B/*0.2935	----	0.3030 - 0.0900	.4518	----	----	25	----	26 + 25
625	----	----	----/*0.3200A	0.4205B/*0.3200	----	0.3295 - 0.0950	.4762	----	----	----	----	5 UNCH
TOTAL										28		718 + 26
SEP26												
400	----	----	----	0.0040B/*0.0185	----	0.0110 - 0.0010	.0190	----	----	----	----	1 UNCH
440	----	----	----	0.0145B/0.0250A	----	0.0175 - 0.0035	.0324	----	----	----	----	2 UNCH
450	----	----	----	0.0175B/0.0250A	----	0.0200 - 0.0045	.0374	----	----	----	----	649 UNCH
470	----	----	----/*0.0310A	0.0265B/*0.0310	----	0.0270 - 0.0070	.0510	----	----	----	----	3 UNCH
475	----	----	----/*0.0335A	0.0295B/*0.0335	----	0.0290 - 0.0080	.0550	----	----	----	----	73 UNCH
480	----	----	----/*0.0355A	0.0330B/*0.0355	----	0.0315 - 0.0085	.0597	----	----	----	----	7 UNCH
485	----	----	----/*0.0385A	0.0365B/*0.0385	----	0.0340 - 0.0095	.0645	----	----	----	----	1 UNCH
490	----	----	----/*0.0435A	0.0350B/*0.0435	----	0.0370 - 0.0105	.0700	----	----	----	----	9 UNCH
500	----	----	----/*0.0500A	0.0445B/*0.0500	----	0.0435 - 0.0130	.0822	----	----	----	----	427 UNCH
510	----	----	----/*0.0585A	0.0560B/*0.0585	----	0.0515 - 0.0165	.0966	----	----	----	----	2 UNCH
515	----	----	----/*0.0630A	0.0635B/*0.0630	----	0.0560 - 0.0190	.1047	----	----	----	----	1 UNCH
520	----	----	----/*0.0675A	0.0705B/*0.0675	----	0.0615 - 0.0205	.1139	----	----	1	----	4 + 1
525	----	----	----/*0.0745A	0.0790B/*0.0745	----	0.0670 - 0.0235	.1234	----	----	----	----	327 UNCH
530	----	----	----/*0.0810A	0.0875B/*0.0810	----	0.0735 - 0.0260	.1341	----	----	----	----	2 UNCH
535	----	----	----/*0.0885A	0.0975B/*0.0885	----	0.0810 - 0.0285	.1458	----	----	----	----	350 UNCH
540	----	----	----/*0.0930A	0.1135B/*0.0930	----	0.0890 - 0.0315	.1582	----	----	----	400	401 + 400
550	----	----	----/*0.1090A	0.1380B/*0.1090	----	0.1075 - 0.0375	.1855	----	----	1	----	220 UNCH
560	----	----	----/*0.1335A	0.1670B/*0.1335	----	0.1300 - 0.0440	.2165	----	----	----	----	3 UNCH
570	----	----	----/*0.1590A	0.2000B/*0.1590	----	0.1570 - 0.0500	.2509	----	----	----	120	123 + 120
575	----	----	----/*0.1730A	0.2185B/*0.1730	----	0.1720 - 0.0535	.2690	----	----	----	----	102 UNCH
580	----	----	----/*0.1860A	0.2390B/*0.1860	----	0.1880 - 0.0570	.2877	----	----	2	----	552 - 2
585	----	----	----/*0.2045A	0.2600B/*0.2045	----	0.2055 - 0.0605	.3070	----	----	----	----	7 UNCH
590	----	----	----/*0.2220A	0.2820B/*0.2220	----	0.2240 - 0.0640	.3268	----	----	----	----	335 UNCH
595	----	----	----/*0.2410A	0.3060B/*0.2410	----	0.2435 - 0.0680	.3469	----	----	2	----	7 + 2
600	----	----	----/*0.2610A	0.3305B/*0.2610	----	0.2645 - 0.0715	.3674	----	----	----	----	10 UNCH
610	----	----	----/*0.3045A	0.3850B/*0.3045	----	0.3100 - 0.0800	.4089	----	----	----	----	11 UNCH
615	----	----	----/*0.3280A	0.4120B/*0.3280	----	0.3345 - 0.0840	.4297	----	----	----	----	1 UNCH
620	----	----	----/*0.3530A	0.4425B/*0.3530	----	0.3605 - 0.0880	.4505	----	----	----	----	1 UNCH
625	----	----	----/*0.3795A	0.4730B/*0.3795	----	0.3875 - 0.0920	.4712	----	----	----	----	147 UNCH
695	----	----	----/*0.8550A	0.9260B/*0.8550	----	0.8710 - 0.1375	.7130	----	----	2	----	2 UNCH
TOTAL									520	6		3780 + 521
OCT26												
375	----	----	----	0.0055B/0.0195A	----	0.0110 - 0.0010	.0165	----	----	----	----	2 UNCH
400	----	----	----	0.0055B/*0.0230	----	0.0145 - 0.0015	.0225	----	----	----	----	1 UNCH
450	----	----	----	0.0230B/*0.0335	----	0.0255 - 0.0045	.0424	----	----	----	----	1 UNCH
470	----	----	----	0.0345B/*0.0415	----	0.0345 - 0.0065	.0573	----	----	----	----	1 UNCH
475	----	----	----	0.0320B/*0.0465	----	0.0370 - 0.0075	.0616	----	----	----	----	3 UNCH
500	----	----	----/*0.0645A	0.0570B/*0.0645	----	0.0550 - 0.0145	.0900	----	----	----	----	60 UNCH
570	----	----	----/*0.1845A	0.2110B/*0.1845	----	0.1775 - 0.0480	.2453	----	----	----	----	4 UNCH
TOTAL												72
NOV26												
400	----	----	----	0.0060B/*0.0310	----	0.0155 - 0.0050	.0237	----	----	----	----	10 UNCH
475	----	----	----	0.0435B/*0.0590	----	0.0470 - 0.0120	.0715	----	----	----	----	2 UNCH
500	----	----	----/*0.0820A	0.0740B/*0.0820	----	0.0710 - 0.0185	.1041	----	----	----	----	10 UNCH
550	----	----	----/*0.1705A	0.1825B/*0.1705	----	0.1590 - 0.0405	.2061	----	----	----	----	1 UNCH
560	----	----	----/*0.1960A	0.2150B/*0.1960	----	0.1860 - 0.0455	.2328	----	----	----	----	1 UNCH
590	0.2800	0.2800	0.2800/*0.2800	0.3355B/*0.2800	----	0.2875 - 0.0625	.3218	----	----	1	----	0 - 1
735	----	----	----/*1.1955A	1.2385B/*1.1955	----	1.2045 - 0.1385	.7288	----	----	----	----	2 UNCH
TOTAL										1		26 - 1
DEC26												
380	----	----	----	0.0020B/0.0335A	----	0.0180 - 0.0010	.0242	----	----	----	----	2 UNCH
385	----	----	----	0.0030B/*0.0345	----	0.0190 - 0.0010	.0257	----	----	----	----	1 UNCH
395	----	----	----	0.0050B/0.0365A	----	0.0210 - 0.0015	.0288	----	----	----	----	1 UNCH
400	----	----	----	0.0060B/0.0375A	----	0.0220 - 0.0020	.0304	----	----	----	----	18 UNCH
420	----	----	----	0.0130B/*0.0430	----	0.0275 - 0.0035	.0387	----	----	----	----	2 UNCH
475	----	----	----	0.0530B/*0.0730	----	0.0580 - 0.0135	.0812	----	----	----	----	76 UNCH
480	----	----	----	0.0590B/0.0775A	----	0.0625 - 0.0150	.0870	----	----	----	----	16 UNCH
490	----	----	----/*0.0885A	0.0725B/*0.0885	----	0.0730 - 0.0180	.1002	----	----	----	----	5 UNCH
500	----	----	----/*0.1010A	0.0880B/*0.1010	----	0.0855 - 0.0215	.1152	----	----	----	----	103 UNCH
525	----	----	----/*0.1425A	0.1380B/*0.1425	----	0.1270 - 0.0315	.1611	----	----	----	----	1 UNCH
540	----	----	----/*0.1750A	0.1770B/*0.1750	----	0.1600 - 0.0385	.1943	----	----	----	----	3 UNCH
550	----	----	----/*0.2000A	0.2070B/*0.2000	----	0.1855 - 0.0435	.2184	----	----	----	----	152 UNCH
560	----	----	----/*0.2285A	0.2405B/*0.2285	----	0.2145 - 0.0490	.2442	----	----	----	----	300 UNCH
570	----	----	----/*0.2600A	0.2780B/*0.2600	----	0.2470 - 0.0540	.2714	----	----	----	----	1 UNCH
580	----	----	----/*0.2945A	0.3190B/*0.2945	----	0.2830 - 0.0590	.2996	----	----	----	----	22 UNCH
600	----	----	----/*0.3745A	0.4115B/*0.3745	----	0.3650 - 0.0695	.3583	----	----	----	----	31 UNCH
630	----	----	----/*0.5200A	0.5765B/*0.5200	----	0.5135 - 0.0855	.4484	----	----	----	----	18 UNCH
TOTAL												752
JAN27												
400	----	----	----	----	----	0.0180 - 0.0060	.0256	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0235 - 0.0070	.0308	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0125 - 0.0030	.0118	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
MAY26												
580	----	----	#0.3935B/----	#0.3935B/0.2565	----	0.4125 + 0.1645	.8703	----	----	----	----	1 UNCH
595	0.1560	0.1560	0.2570B/0.1560	0.2570B/0.0900A	----	0.2385 + 0.1550	.9856	----	----	2	----	96 UNCH
600	----	----	0.2080B/----	0.2080B/0.0635A	----	0.1915 + 0.1355	.9566	----	----	----	----	1 UNCH
600	----	----	0.2070B/----	0.2070B/0.1015A	----	0.2230 + 0.1270	.7798	----	----	----	----	1 UNCH
601	----	----	#0.1690B/----	#0.1690B/0.0585	----	0.1820 + 0.1305	.9466	----	----	----	----	1 UNCH
605	----	----	0.1610B/----	0.1610B/0.0420A	----	0.1470 + 0.1120	.8974	----	----	1	----	2 UNCH
610	----	----	0.1165B/----	0.1165B/0.0270A	----	0.1070 + 0.0865	.7904	----	----	----	----	2 UNCH
610	----	----	0.1565B/----	0.1565B/0.0630A	----	0.1540 + 0.0975	.6427	----	----	----	----	2 UNCH
610	----	----	#0.1900B/----	#0.1900B/0.0910	----	0.1905 + 0.1030	.6088	----	----	----	----	5 UNCH
610	0.2040	0.2040	#0.2140B/0.2040	#0.2140B/0.1150	----	0.2140 + 0.1040	.5959	----	----	1	----	5 - 1
615	----	----	0.0720B/----	0.0720B/0.0185A	----	0.0730 + 0.0615	.6356	----	----	----	----	60 UNCH
615	0.1205	0.1205	0.1265B/0.1205	0.1265B/0.0480A	----	0.1255 + 0.0830	.5653	----	----	2	----	1 UNCH
615	----	----	#0.1885B/----	#0.1885B/0.0980	----	0.1880 + 0.0950	.5480	----	----	----	----	1 UNCH
620	----	----	0.1045B/----	0.1045B/0.0375A	----	0.1010 + 0.0695	.4870	----	----	----	----	1 UNCH
620	0.0850	0.0850	#0.1400B/0.0845	#0.1400B/0.0610	----	0.1390 NEW	.4960	----	----	10	----	10 + 10
623	----	----	#0.0385B/----	#0.0385B/0.0125	----	0.0345 NEW	.3487	----	----	1	----	1 + 1
625	0.0085	0.0085	0.0375/0.0085	0.0375/0.0085	----	0.0275 + 0.0245	.2833	----	----	45	----	58 + 8
625	----	----	0.0830B/----	0.0830B/0.0295A	----	0.0805 + 0.0570	.4115	----	----	----	----	5 UNCH
630	0.1250	0.1250	#0.1250/*0.1250	#0.1250/0.0580A	----	0.1225 NEW	.4077	----	----	3	----	3 + 3
635	----	----	0.0040B/----	0.0040B/0.0080A	----	0.0075 + 0.0070	.0709	----	----	1	----	49 - 1
635	----	----	0.0485B/----	0.0485B/0.0180A	----	0.0490 NEW	.2772	----	----	1	----	1 + 1
640	0.0320	0.0320	0.0365B/0.0320	0.0365B/0.0150A	----	0.0380 NEW	.2227	----	----	1	----	1 + 1
645	----	----	----	----/0.0070A	----	0.0015 + 0.0010	.0099	----	----	1	----	49 - 1
645	----	----	0.0265B/----	0.0265B/0.0120A	----	0.0290 NEW	.1757	----	----	1	----	1 + 1
TOTAL										70		357 + 22
HXE PUT		COPPER OPTIONS										
MAY26												
450	----	----	----	----/0.0070A	----	0.0005 UNCH	.0002	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 63

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HXE PUT		COPPER OPTIONS										
MAY26												
560	----	----	----	----/*0.0065A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
565	----	----	----	----/*0.0065A	----	0.0005 - 0.0005	----	----	----	----	----	636 UNCH
570	----	----	----	----/0.0070A	----	0.0005 - 0.0015	----	----	----	1	----	53 - 1
570	----	----	----/*0.0115A	0.0115B/*0.0115	----	0.0080 NEW	.0477	----	----	1	----	1 + 1
575	----	----	----	----/*0.0065A	----	0.0005 - 0.0030	.0000	----	----	----	----	32 UNCH
580	0.0045	0.0045	0.0045/*0.0035	0.0045/*0.0035	----	0.0005 - 0.0070	.0001	----	----	5	----	552 - 1
580	----	----	----/*0.0150A	0.0270B/*0.0150	----	0.0130 NEW	.0795	----	----	1	----	1 + 1
580	----	----	----/*0.0370A	0.0705B/*0.0370	----	0.0395 - 0.0355	.1625	----	----	----	----	1 UNCH
585	----	----	----/*0.0075A	0.0035B/*0.0075	----	0.0005 NEW	.0007	----	----	50	----	50 + 50
590	----	----	----/*0.0075A	0.0120B/*0.0075	----	0.0010 - 0.0240	.0056	----	----	----	----	5 UNCH
590	----	----	----/*0.0225A	0.0545B/*0.0225	----	0.0205 - 0.0390	.1290	----	----	1	----	0 - 1
595	----	----	----/*0.0095A	0.0270B/*0.0095	----	0.0020 - 0.0385	.0143	----	----	----	----	1 UNCH
595	0.0260	0.0260	0.0260/*0.0260	0.0750B/*0.0260	----	0.0270 NEW	.1681	----	----	2	----	2 + 2
596	----	----	----/*0.0090A	0.0310B/*0.0090	----	0.0025 - 0.0420	.0187	----	----	----	----	2 UNCH
600	0.0135	0.0135	0.0135/*0.0110A	0.0500B/*0.0110	----	0.0050 - 0.0580	.0432	----	----	101	----	102 + 101
600	0.0460	0.0460	0.0460/*0.0340	0.0990B/*0.0340	----	0.0365 NEW	.2198	----	----	4	----	2 + 2
605	0.0085	0.0085	0.0090/*0.0085	0.0760B/*0.0085	----	0.0105 NEW	.1025	----	----	32	----	31 + 31
605	0.0485	0.0485	0.0485/*0.0430	0.1240B/*0.0430	----	0.0500 NEW	.2841	----	----	2	----	1 + 1
607	0.0150	0.0150	#0.0150/*0.0110	0.0750B/*0.0110	----	0.0140 NEW	.1399	----	----	2	----	0 UNCH
608	0.0140	0.0140	#0.0140/*0.0140	0.0705B/*0.0140	----	0.0160 NEW	.1614	----	----	2	----	2 + 2
610	0.0700	0.0700	0.0700/*0.0215A	0.1165B/*0.0215	----	0.0205 NEW	.2094	----	----	5	----	5 + 5
615	----	----	----/*0.0350A	0.1595B/*0.0350	----	0.0365 NEW	.3643	----	----	26	----	26 + 26
620	0.1280	0.1280	0.1280/*0.0520	0.2055B/*0.0520	----	0.0600 NEW	.5460	----	----	9	----	9 + 9
TOTAL										244		1528 + 228

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUN26												
1400	----	----	172.10B/124.30A	172.10B/124.30A	----	160.20 + 32.70	.8913	----	----	----	----	75 UNCH
1440	----	----	----	----	----	126.00 + 29.60	.8248	----	----	----	----	1 UNCH
1460	----	----	----	----	----	110.10 + 27.50	.7824	----	----	----	----	25 UNCH
1500	----	----	89.50B/----	89.50B/59.80A	----	81.40 + 22.20	.6777	----	----	----	----	110 UNCH
1525	----	----	72.70B/----	72.70B/49.00A	----	66.30 + 18.80	.6019	----	----	----	----	5 UNCH
1550	----	----	58.20B/----	58.20B/40.10A	----	53.40 + 15.50	.5231	----	----	----	----	94 UNCH
1575	----	----	45.90B/----	45.90B/32.80A	----	42.60 + 12.50	.4460	----	----	----	----	15 UNCH
1600	----	----	35.80B/----	35.80B/27.00A	----	33.80 + 9.90	.3741	----	----	----	----	49 UNCH
1650	----	----	20.90B/----	20.90B/18.80A	----	21.30 + 6.00	.2547	----	----	----	----	67 UNCH
1700	----	----	11.60B/----	11.60B/14.10A	----	13.60 + 3.50	.1700	----	----	----	----	32 UNCH
1750	----	----	----	6.10B/*11.40A	----	9.00 + 2.20	.1144	----	----	----	----	142 UNCH
1800	----	----	----	2.80B/*9.80A	----	6.00 + 1.30	.0769	----	----	----	----	112 UNCH
1850	----	----	----	0.80B/*8.70A	----	4.30 + 0.90	.0543	----	----	----	----	67 UNCH
1900	----	----	----	----/*8.00A	----	3.00 + 0.50	.0376	----	----	----	----	64 UNCH
1925	----	----	----	----/*7.70A	----	2.60 + 0.50	.0322	----	----	----	----	40 UNCH
1950	----	----	----	----/*7.40A	----	2.20 + 0.40	.0271	----	----	----	----	10 UNCH
2000	----	----	----	----/*7.00A	----	1.50 + 0.20	.0184	----	----	----	----	108 UNCH
2100	----	----	----	----/6.40A	----	0.60 UNCH	.0075	----	----	----	----	52 UNCH
2200	----	----	----	----/5.90A	----	0.30 UNCH	.0036	----	----	----	----	8 UNCH
2300	----	----	----	----/5.50A	----	0.10 UNCH	.0012	----	----	----	----	30 UNCH
2400	----	----	----	----/5.30A	----	0.10 UNCH	.0003	----	----	----	----	7 UNCH
2500	----	----	----	----/5.10A	----	0.10 UNCH	.0001	----	----	----	----	25 UNCH
2700	----	----	----	----/4.90A	----	0.10 UNCH	.0000	----	----	----	----	50 UNCH
3000	----	----	----	----/4.70A	----	0.10 UNCH	----	----	----	----	----	30 UNCH
3500	----	----	----	----/4.60A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
TOTAL												1243 0
JUL26												
1550	----	----	106.30B/----	106.30B/83.50A	----	101.60 + 19.80	.5765	----	----	----	----	50 UNCH
1600	----	----	81.30B/----	81.30B/64.60A	----	78.20 + 16.20	.4861	----	----	----	----	50 UNCH
1800	----	----	24.00B/----	24.00B/25.40A	----	26.30 + 5.40	.2070	----	----	----	----	49 UNCH
TOTAL												149 0
AUG26												
1600	----	----	106.90B/----	106.90B/90.40A	----	104.50 + 17.50	.5041	----	----	----	----	100 UNCH
1800	----	----	#43.80B/----	43.80B/42.80A	----	45.80 + 7.80	.2716	----	----	----	----	100 UNCH
TOTAL												200 0
SEP26												
1400	----	----	241.70B/----	241.70B/209.50A	----	235.40 + 27.50	.7435	----	----	----	----	75 UNCH
1575	----	----	142.70B/----	142.70B/125.80A	----	141.00 + 19.30	.5462	----	----	----	----	25 UNCH
1625	----	----	121.50B/----	121.50B/107.80A	----	120.60 + 17.40	.4909	----	----	----	----	20 UNCH
1665	----	----	106.20B/----	106.20B/95.10A	----	106.00 + 15.80	.4485	----	----	----	----	9 UNCH
1700	----	----	94.10B/----	94.10B/85.20A	----	94.50 + 14.40	.4129	----	----	----	----	55 UNCH
1800	----	----	65.80B/----	65.80B/63.10A	----	68.10 + 10.70	.3219	----	----	----	----	6 UNCH
1875	----	----	50.40B/----	50.40B/51.60A	----	54.00 + 8.30	.2664	----	----	----	----	25 UNCH
1900	----	----	46.20B/----	46.20B/48.60A	----	50.10 + 7.50	.2501	----	----	5	----	10 + 5
2000	----	----	33.40B/----	33.40B/38.90A	----	37.90 + 5.20	.1960	----	----	----	----	25 UNCH
2100	----	----	----	24.80B/32.30A	----	29.30 + 3.90	.1552	----	----	----	----	25 UNCH
2200	----	----	----	18.80B/27.70A	----	23.60 + 3.10	.1261	----	----	----	----	5 UNCH
2400	----	----	----	11.00B/21.70A	----	16.80 + 2.00	.0891	----	----	----	----	15 UNCH
2550	----	----	----	7.40B/18.90A	----	13.50 + 1.60	.0709	----	----	----	----	50 UNCH
TOTAL										5		345 + 5
DEC26												
1800	----	----	----	----	----	127.30 + 15.00	.4121	----	----	----	----	25 UNCH
2000	----	----	----	----	----	92.40 + 11.30	.3111	----	----	----	----	1 UNCH
3000	----	----	----	----	----	30.30 + 3.70	.1070	----	----	----	----	1 UNCH
TOTAL												27 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
JUN26												
1195	----	----	----	----/5.00A	----	0.20 - 0.20	.0030	----	----	----	----	113 UNCH
1200	----	----	----	----/*5.00A	----	0.20 - 0.30	.0031	----	----	----	----	15 UNCH
1250	----	----	----	----/*5.60A	----	0.70 - 0.70	.0104	----	----	----	----	1 UNCH
1300	----	----	----	----/*6.60A	----	1.80 - 1.60	.0259	----	----	----	----	135 UNCH
1325	----	----	----	0.20B/*7.30A	----	2.70 - 2.30	.0383	----	----	----	----	18 UNCH
1335	----	----	----	1.00B/*7.70A	----	3.10 - 2.60	.0439	----	----	----	----	1 UNCH
1350	----	----	----	2.60B/*8.40A	----	3.90 - 3.10	.0546	----	----	----	----	12 UNCH
1400	----	----	----/*12.10A	9.70B/*12.10A	----	8.20 - 5.70	.1085	----	----	----	----	236 UNCH
1440	----	----	----/*17.40A	19.00B/*17.40A	----	14.00 - 8.80	.1750	----	----	----	----	4 UNCH
1450	----	----	----/*19.20A	22.20B/*19.20A	----	15.90 - 9.80	.1955	----	----	----	----	101 UNCH
1460	----	----	----/*21.10A	25.70B/*21.10A	----	18.00 - 11.00	.2175	----	----	----	----	100 UNCH
1475	----	----	----/*24.40A	31.70B/*24.40A	----	21.70 - 12.80	.2539	----	----	----	----	10 UNCH
1500	----	----	----/*31.00A	43.60B/*31.00A	----	29.30 - 16.30	.3222	----	----	----	----	54 UNCH
1550	----	----	----/50.40A	74.10B/50.40A	----	51.20 - 22.90	.4767	----	----	----	----	1 UNCH
1750	----	----	247.30B/196.00A	247.30B/196.00A	----	206.50 - 36.30	.8855	----	----	----	----	1 UNCH
1900	----	----	394.00B/339.00A	394.00B/339.00A	----	350.50 - 37.90	.9623	----	----	----	----	50 UNCH
TOTAL												852 0
JUL26												
1285	----	----	----	8.00B/*13.90A	----	9.20 - 3.40	.0768	----	----	----	----	9 UNCH
1300	----	----	----	9.80B/*15.20A	----	10.50 - 3.90	.0866	----	----	----	----	125 UNCH
1400	----	----	----/*28.20A	28.50B/*28.20A	----	24.60 - 8.10	.1824	----	----	----	----	20 UNCH
1450	----	----	----/*39.20A	44.30B/*39.20A	----	36.50 - 11.40	.2515	----	----	----	----	30 UNCH
TOTAL												184 0
SEP26												
1300	----	----	----/*32.00A	34.00B/*32.00A	----	33.70 - 6.80	.1626	----	----	5	----	15 + 5
1460	----	----	----/*86.10A	91.50B/*86.10A	----	82.30 - 14.40	.3220	----	----	----	----	75 UNCH
1465	----	----	----/*88.20A	93.90B/*88.20A	----	84.40 - 14.60	.3276	----	----	----	----	150 UNCH
1550	----	----	----/*127.50A	139.50B/*127.50	----	125.40 - 18.40	.4251	----	----	----	----	100 UNCH
1575	----	----	----/*140.80A	154.50B/*140.80	----	139.10 - 19.30	.4535	----	----	----	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO PUT	NYMEX PALLADIUM OPTIONS										
SEP26											
1650 ----	----	----/*184.40A	203.00B/*184.40	----	183.80 - 22.30	.5355	----	----	----	----	50 UNCH
1925 ----	----	424.10B/386.50A	424.10B/386.50A	----	392.10 - 31.90	.7646	----	----	----	----	75 UNCH
TOTAL									5		490 + 5
DEC26											
1500 ----	----	----	----	----	142.80 - 15.00	.3608	----	----	----	----	40 UNCH
TOTAL											40 0
PLW OOF	PLATINUM WEEKLY FRIDAY OPTION Week3										
MAY26											
1800 ----	----	----/*4.70A	3.40B/*4.70A	----	1.70 - 4.70	.0227	----	----	----	----	7 UNCH
1900 ----	----	180.50B/93.90A	180.50B/93.90A	----	169.60 + 71.90	.9059	----	----	----	----	30 UNCH
2000 ----	----	95.10B/41.60A	95.10B/41.60A	----	87.70 + 45.10	.7092	----	----	----	----	20 UNCH
2025 ----	----	58.80B/----	58.80B/15.80A	----	51.10 + 36.50	.7454	----	----	----	----	20 UNCH
2075 ----	----	48.60B/----	48.60B/20.90A	----	45.00 + 25.70	.4708	----	----	----	----	40 UNCH
2150 19.60	19.60	20.70B/19.60	20.70B/11.80A	----	19.70 NEW	.2498	----	----	30	----	30 + 30
TOTAL									30		147 + 30
PO CALL	PLATINUM OPTIONS										
JUN26											
1900 ----	----	185.10B/102.10A	185.10B/102.10A	----	174.20 + 68.80	.8690	----	----	----	----	1 UNCH
1950 ----	----	142.40B/73.60A	142.40B/73.60A	----	132.50 + 57.00	.7897	----	----	1	----	5 - 1
2000 ----	----	104.40B/51.40A	104.40B/51.40A	----	97.00 + 44.90	.6778	----	----	----	----	20 UNCH
2025 ----	----	87.90B/42.40A	87.90B/42.40A	----	82.00 + 39.50	.6138	----	----	----	----	27 UNCH
2050 ----	----	73.40B/----	73.40B/34.80A	----	68.60 + 34.20	.5478	----	----	1	----	66 UNCH
2055 ----	----	69.30B/----	69.30B/33.50A	----	66.10 + 33.20	.5346	----	----	----	----	100 UNCH
2075 ----	----	60.50B/----	60.50B/28.60A	----	56.70 + 29.00	.4820	----	----	----	----	15 UNCH
2085 ----	----	55.70B/----	55.70B/26.50A	----	52.30 + 26.90	.4560	----	----	----	----	15 UNCH
2090 45.10	45.10	53.50B/45.10	53.50B/25.60A	----	50.20 + 25.90	.4431	----	----	2	----	15 UNCH
2095 ----	----	51.20B/----	51.20B/24.60A	----	48.20 + 24.90	.4304	----	----	----	----	15 UNCH
2100 ----	----	49.10B/----	49.10B/23.70A	----	46.20 + 23.90	.4176	----	----	----	----	16 UNCH
2120 ----	----	41.00B/----	41.00B/20.50A	----	38.80 + 20.00	.3680	----	----	----	----	15 UNCH
2130 ----	----	37.50B/----	37.50B/19.10A	----	35.50 + 18.20	.3442	----	----	----	----	55 UNCH
2140 ----	----	34.20B/----	34.20B/17.90A	----	32.40 + 16.40	.3211	----	----	----	----	15 UNCH
2145 ----	----	32.70B/----	32.70B/17.30A	----	31.00 + 15.70	.3101	----	----	----	----	15 UNCH
2150 ----	----	31.20B/----	31.20B/16.70A	----	29.60 + 14.90	.2992	----	----	----	----	21 UNCH
2165 ----	----	27.10B/----	27.10B/15.30A	----	25.90 + 12.80	.2684	----	----	----	----	1 UNCH
2175 ----	----	24.60B/----	24.60B/14.40A	----	23.60 + 11.50	.2489	----	----	----	----	12 UNCH
2180 ----	----	23.50B/----	23.50B/14.00A	----	22.60 + 11.00	.2398	----	----	----	----	12 UNCH
2185 ----	----	22.40B/----	22.40B/13.60A	----	21.60 + 10.40	.2309	----	----	----	----	12 UNCH
2190 ----	----	21.30B/----	21.30B/13.30A	----	20.70 + 9.90	.2225	----	----	----	----	16 UNCH
2195 ----	----	20.30B/----	20.30B/12.90A	----	19.80 + 9.40	.2141	----	----	----	----	12 UNCH
2200 ----	----	19.40B/----	19.40B/12.60A	----	18.90 + 8.90	.2058	----	----	----	----	364 UNCH
2205 ----	----	18.40B/----	18.40B/12.30A	----	18.10 + 8.40	.1981	----	----	----	----	12 UNCH
2210 ----	----	17.60B/----	17.60B/12.00A	----	17.30 + 8.00	.1905	----	----	----	----	24 UNCH
2220 ----	----	15.90B/----	15.90B/11.40A	----	15.90 + 7.20	.1766	----	----	----	----	6 UNCH
2225 ----	----	15.20B/----	15.20B/11.20A	----	15.20 + 6.80	.1697	----	----	----	----	44 UNCH
2230 ----	----	14.50B/----	14.50B/10.90A	----	14.60 + 6.50	.1634	----	----	----	----	24 UNCH
2235 ----	----	13.80B/----	13.80B/10.70A	----	14.00 + 6.10	.1573	----	----	----	----	12 UNCH
2240 ----	----	13.10B/----	13.10B/10.50A	----	13.40 + 5.80	.1512	----	----	----	----	27 UNCH
2250 ----	----	11.90B/----	11.90B/10.10A	----	12.40 + 5.30	.1404	----	----	----	----	113 UNCH
2255 ----	----	11.30B/----	11.30B/9.90A	----	11.90 + 5.00	.1351	----	----	----	----	15 UNCH
2270 ----	----	9.80B/----	9.80B/9.30A	----	10.50 + 4.20	.1202	----	----	----	----	72 UNCH
2280 ----	----	8.90B/----	8.90B/9.00A	----	9.80 + 3.90	.1122	----	----	----	----	60 UNCH
2300 ----	----	7.30B/----	7.30B/8.40A	----	8.40 + 3.10	.0966	----	----	----	----	423 UNCH
2320 ----	----	5.90B/----	5.90B/8.00A	----	7.30 + 2.50	.0839	----	----	----	----	78 UNCH
2340 ----	----	4.80B/----	4.80B/7.50A	----	6.40 + 2.10	.0733	----	----	----	----	30 UNCH
2345 ----	----	4.60B/----	4.60B/7.50A	----	6.20 + 2.00	.0709	----	----	----	----	15 UNCH
2350 ----	----	4.40B/----	4.40B/7.40A	----	6.00 + 2.00	.0686	----	----	----	----	55 UNCH
2355 ----	----	4.10B/----	4.10B/7.30A	----	5.80 + 1.90	.0662	----	----	----	----	17 UNCH
2400 ----	----	----	2.50B/6.60A	----	4.50 + 1.50	.0504	----	----	----	----	1 UNCH
2420 ----	----	----	2.50B/6.40A	----	4.00 + 1.30	.0445	----	----	----	----	4 UNCH
2450 ----	----	----	1.30B/5.90A	----	3.30 + 0.90	.0366	----	----	----	----	1 UNCH
2500 ----	----	----	0.40B/5.30A	----	2.20 + 0.50	.0246	----	----	----	----	100 UNCH
2650 ----	----	----	----/4.30A	----	0.60 + 0.10	.0068	----	----	----	----	17 UNCH
2750 ----	----	----	----/3.90A	----	0.20 UNCH	.0023	----	----	----	----	2 UNCH
TOTAL									4		1997 - 1
JUL26											
1500 ----	----	576.10B/470.90A	576.10B/470.90A	----	563.20 + 85.80	.9861	----	----	----	----	50 UNCH
1680 ----	----	----	----	----	390.50 + 80.10	.9360	----	----	----	----	50 UNCH
1700 ----	----	383.40B/287.20A	383.40B/287.20A	----	372.10 + 79.00	.9260	----	----	----	----	1 UNCH
1800 ----	----	294.80B/209.30A	294.80B/209.30A	----	284.60 + 71.00	.8564	----	----	----	----	118 UNCH
1850 ----	----	253.80B/175.60A	253.80B/175.60A	----	244.40 + 65.40	.8079	----	----	----	----	1 UNCH
1960 ----	----	----/115.80A	114.50B/115.80A	----	168.10 + 51.10	.6718	----	----	----	----	23 UNCH
2000 ----	----	150.50B/98.60A	150.50B/98.60A	----	144.90 + 45.80	.6160	----	----	1	----	161 + 1
2050 ----	----	123.70B/----	123.70B/79.90A	----	119.20 + 39.30	.5449	----	----	----	----	1 UNCH
2085 ----	----	107.10B/----	107.10B/68.70A	----	103.30 + 35.00	.4955	----	----	----	----	1 UNCH
2100 83.00	83.00	100.50B/83.00	100.50B/64.40A	----	97.00 + 33.10	.4747	----	----	36	----	455 UNCH
2150 ----	----	80.60B/----	80.60B/51.80A	----	78.20 + 27.40	.4077	----	----	----	----	17 UNCH
2160 75.00	75.00	77.10B/75.00	77.10B/49.60A	----	74.80 + 26.30	.3948	----	----	1	----	1 + 1
2170 ----	----	73.70B/----	73.70B/47.50A	----	71.50 + 25.20	.3820	----	----	----	----	4 UNCH
2200 ----	----	64.30B/----	64.30B/41.80A	----	62.40 + 22.00	.3452	----	----	----	----	456 UNCH
2250 ----	----	50.90B/----	50.90B/34.00A	----	49.60 + 17.40	.2891	----	----	----	----	110 UNCH
2300 40.00	40.00	40.10B/34.00	40.10B/28.10A	----	39.40 + 13.50	.2402	----	----	11	----	168 UNCH
2350 ----	----	31.70B/----	31.70B/23.60A	----	31.50 + 10.40	.1990	----	----	----	----	131 UNCH
2375 ----	----	28.20B/----	28.20B/21.80A	----	28.30 + 9.10	.1813	----	----	----	----	50 UNCH
2400 ----	----	25.10B/----	25.10B/20.30A	----	25.40 + 7.90	.1650	----	----	----	----	867 UNCH
2450 ----	----	20.10B/----	20.10B/17.70A	----	20.80 + 6.00	.1377	----	----	----	----	50 UNCH
2480 ----	----	17.60B/----	17.60B/16.50A	----	18.60 + 5.10	.1240	----	----	----	----	50 UNCH
2500 ----	----	16.20B/----	16.20B/15.80A	----	17.40 + 4.70	.1162	----	----	----	----	429 UNCH
2600 ----	----	10.90B/----	10.90B/13.10A	----	12.60 + 2.80	.0847	----	----	----	----	363 UNCH
2650 ----	----	9.10B/----	9.10B/12.10A	----	11.00 + 2.30	.0737	----	----	----	----	2 UNCH
2700 ----	----	----	7.70B/11.30A	----	9.70 + 1.90	.0646	----	----	----	----	114 UNCH
2800 ----	----	----	5.60B/10.00A	----	7.70 + 1.40	.0505	----	----	----	----	348 UNCH
2850 ----	----	----	4.80B/9.40A	----	6.80 + 1.20	.0445	----	----	----	----	91 UNCH
2900 ----	----	----	4.10B/9.00A	----	6.10 + 1.00	.0396	----	----	----	----	190 UNCH
3000 ----	----	----	3.00B/8.10A	----	5.00 + 0.70	.0320	----	----	----	----	583 UNCH
3100 ----	----	----	2.20B/7.40A	----	4.30 + 0.60	.0269	----	----	----	----	159 UNCH
3200 ----	----	----	----/9.10A	----	3.70 + 0.40	.0227	----	----	----	----	18 UNCH
3300 ----	----	----	----/8.60A	----	3.30 + 0.30	.0198	----	----	----	----	31 UNCH
3400 ----	----	----	----/8.20A	----	2.60 + 0.30	.0157	----	----	----	----	32 UNCH
3500 ----	----	----	----/7.80A	----	2.00 + 0.10	.0122	----	----	----	----	274 UNCH
3600 ----	----	----	----/7.50A	----	1.60 + 0.10	.0097	----	----	----	----	300 UNCH
3800 ----	----	----	----/4.90A	----	1.10 UNCH	.0066	----	----	----	----	12 UNCH
3900 ----	----	----	----/4.70A	----	0.90 UNCH	.0054	----	----	----	----	8 UNCH
4000 ----	----	----	----/4.50A	----	0.80 UNCH	.0048	----	----	----	----	221 UNCH
TOTAL									49		5940 + 2
AUG26											
2300 66.00	66.00	#77.20B/66.00	77.20B/56.70A	----	76.50 + 22.00	.3284	----	----	5	----	15 + 5
TOTAL									5		15 + 5
OCT26											
1720 ----	----	----	----	----	417.40 + 68.80	.8158	----	----	----	----	1 UNCH
1800 ----	----	366.50B/295.70A	366.50B/295.70A	----	360.60 + 63.40	.7632	----	----	----	----	1 UNCH
1900 ----	----	302.20B/241.60A	302.20B/241.60A	----	297.60 + 55.80	.6900	----	----	----	----	2 UNCH
2000 232.00	232.00	247.20B/232.00	247.20B/196.80A	----	244.00 + 48.10	.6127	----	----	2	----	2 - 2
2125 ----	----	191.00B/----	191.00B/152.20A	----	189.40 + 38.50	.5173	----	----	----	----	12 UNCH
2135 ----	----	187.00B/----	187.00B/149.10A	----	185.60 + 37.80	.5100	----	----	----	----	12 UNCH
2200 ----	----	163.20B/----	163.20B/130.60A	----	162.50 + 33.70	.4636	----	----	----	----	135 UNCH
2400 ----	----	106.90B/----	106.90B/87.50A	----	108.00 + 24.10	.3395	----	----	----	----	245 UNCH
2500 ----	----	86.70B/----	86.70B/72.20A	----	88.20 + 19.80	.2886	----	----	----	----	281 UNCH
2600 ----	----	70.40B/----	70.40B/60.00A	----	72.40 + 16.30	.2450	----	----	----	----	10 UNCH
2700 ----	----	57.40B/----	57.40B/50.40A	----	59.70 + 13.30	.2081	----	----	----	----	360 UNCH
2800 ----	----	47.00B/----	47.00B/43.00A	----	49.50 + 11.10	.1769	----	----	----	----	31 UNCH
2850 ----	----	42.70B/----	42.70B/40.00A	----	45.10 + 10.10	.1631	----	----	----	----	100 UNCH
2900 ----	----	38.90B/----	38.90B/37.30A	----	41.30 + 9.30	.1508	----	----	----	----	210 UNCH
3000 ----	----	32.40B/----	32.40B/32.90A	----	35.20 + 7.90	.1302	----	----	----	----	121 UNCH
3200 ----	----	23.20B/----	23.20B/26.50A	----	26.80 + 5.90	.1002	----	----	----	----	10 UNCH
3500 ----	----	15.00B/----	15.00B/20.80A	----	18.60 + 4.00	.0701	----	----	----	----	10 UNCH
4000 ----	----	----	8.20B/15.80A	----	11.70 + 2.40	.0437	----	----	----	----	5 UNCH
TOTAL									2		1548 - 2
JAN27											
2360 ----	----	----	----	----	182.50 + 33.50	.4248	----	----	----	----	100 UNCH
TOTAL											100 0
PO PUT	PLATINUM OPTIONS										

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO PUT		PLATINUM OPTIONS										
JUN26												
1780	----	----	----/*5.60A	5.40B/*5.60A	----	3.00 - 5.30	.0355	----	----	----	----	2 UNCH
1800	----	----	----/*6.30A	7.70B/*6.30A	----	3.80 - 6.50	.0447	----	----	----	----	3 UNCH
1825	----	----	----/*7.40A	11.20B/*7.40A	----	5.00 - 8.40	.0586	----	----	----	----	103 UNCH
1850	10.00	10.00	10.00/*9.00A	15.70B/*9.00A	----	6.80 - 10.70	.0782	----	----	1	----	44 UNCH
1865	----	----	----/*10.10A	19.10B/*10.10A	----	8.10 - 12.50	.0920	----	----	----	----	15 UNCH
1870	----	----	----/*10.50A	20.30B/*10.50A	----	8.70 - 13.00	.0979	----	----	----	----	15 UNCH
1875	----	----	----/*11.00A	21.60B/*11.00A	----	9.10 - 13.90	.1025	----	----	----	----	39 UNCH
1880	----	----	----/*11.50A	23.00B/*11.50A	----	9.60 - 14.60	.1078	----	----	----	----	73 UNCH
1885	----	----	----/*12.00A	24.40B/*12.00A	----	10.10 - 15.50	.1131	----	----	----	----	42 UNCH
1890	----	----	----/*12.50A	26.00B/*12.50A	----	10.70 - 16.30	.1192	----	----	----	----	28 UNCH
1895	----	----	----/*13.00A	27.60B/*13.00A	----	11.20 - 17.40	.1247	----	----	----	----	12 UNCH
1900	14.20	14.20	14.20/*13.60A	29.20B/*13.60A	----	11.80 - 18.40	.1309	----	----	2	----	403 UNCH
1905	----	----	----/*14.20A	31.00B/*14.20A	----	12.40 - 19.40	.1372	----	----	----	----	39 UNCH
1910	----	----	----/*14.90A	32.90B/*14.90A	----	13.10 - 20.50	.1441	----	----	----	----	39 UNCH
1915	----	----	----/*15.50A	34.80B/*15.50A	----	13.80 - 21.60	.1512	----	----	----	----	54 UNCH
1920	----	----	----/*16.20A	36.80B/*16.20A	----	14.60 - 22.70	.1589	----	----	----	----	44 UNCH
1925	----	----	----/*17.00A	38.80B/*17.00A	----	15.40 - 23.90	.1666	----	----	----	----	27 UNCH
1930	----	----	----/*17.70A	41.00B/*17.70A	----	16.20 - 25.10	.1744	----	----	----	----	42 UNCH
1935	----	----	----/*18.60A	43.20B/*18.60A	----	17.10 - 26.30	.1829	----	----	----	----	42 UNCH
1940	----	----	----/*19.40A	45.50B/*19.40A	----	18.00 - 27.60	.1914	----	----	----	----	30 UNCH
1950	22.00	22.00	50.30B/*21.30A	50.30B/*21.30A	----	20.10 - 30.10	.2102	----	----	2	----	137 - 2
1955	----	----	52.80B/*22.20A	52.80B/*22.20A	----	21.20 - 31.40	.2198	----	----	----	----	30 UNCH
1960	----	----	55.40B/*23.30A	55.40B/*23.30A	----	22.30 - 32.70	.2296	----	----	----	----	15 UNCH
1965	----	----	58.00B/*24.40A	58.00B/*24.40A	----	23.60 - 34.00	.2403	----	----	----	----	15 UNCH
1970	----	----	60.70B/*25.50A	60.70B/*25.50A	----	24.90 - 35.20	.2510	----	----	----	----	15 UNCH
1975	----	----	63.50B/*26.70A	63.50B/*26.70A	----	26.30 - 36.50	.2622	----	----	----	----	15 UNCH
1980	----	----	66.30B/*28.00A	66.30B/*28.00A	----	27.80 - 37.60	.2737	----	----	----	----	15 UNCH
1985	----	----	69.10B/*29.30A	69.10B/*29.30A	----	29.40 - 38.80	.2856	----	----	----	----	15 UNCH
1990	----	----	72.10B/*30.70A	72.10B/*30.70A	----	31.00 - 40.00	.2974	----	----	----	----	15 UNCH
1995	----	----	----/*32.20A	71.50B/*32.20A	----	32.70 - 41.10	.3096	----	----	----	----	15 UNCH
2000	----	----	78.10B/*33.70A	78.10B/*33.70A	----	34.50 - 42.20	.3221	----	----	----	----	24 UNCH
2020	----	----	----/*40.50A	75.40B/*40.50A	----	42.30 - 46.60	.3731	----	----	----	----	30 UNCH
2050	75.00	75.00	111.80B/*53.00A	111.80B/*53.00A	----	56.10 - 52.90	.4521	----	----	2	----	5 + 2
2100	----	----	151.20B/*78.70A	151.20B/*78.70A	----	83.50 - 63.40	.5822	----	----	----	----	101 UNCH
2140	----	----	----	----	----	109.70 - 70.70	.6787	----	----	----	----	1 UNCH
2200	----	----	240.70B/*147.20	240.70B/*147.20	----	156.10 - 78.40	.7940	----	----	----	----	10 UNCH
TOTAL										7		1554 0
JUL26												
1400	----	----	----	----/*4.10A	----	0.60 - 0.60	.0050	----	----	----	----	150 UNCH
1500	----	----	----	0.10B/5.20A	----	1.70 - 1.60	.0137	----	----	----	----	153 UNCH
1550	----	----	----	2.00B/*6.10A	----	2.80 - 2.40	.0219	----	----	----	----	200 UNCH
1600	----	----	----/7.50A	5.00B/7.50A	----	4.50 - 3.80	.0340	----	----	----	80	324 - 80
1650	----	----	----/*9.60A	9.50B/*9.60A	----	7.00 - 5.60	.0509	----	----	----	----	1 UNCH
1680	----	----	----/*11.30A	13.10B/*11.30A	----	9.00 - 7.00	.0638	----	----	----	----	50 UNCH
1700	11.20	11.20	11.20/*11.20	16.00B/*11.20	----	10.60 - 8.10	.0738	----	----	1	80	312 + 79
1710	----	----	----/*13.60A	17.60B/*13.60A	----	11.50 - 8.70	.0793	----	----	----	----	1 UNCH
1725	----	----	----/*14.90A	20.20B/*14.90A	----	12.90 - 9.80	.0879	----	----	----	----	100 UNCH
1750	----	----	----/*17.50A	25.00B/*17.50A	----	15.70 - 11.60	.1043	----	----	----	----	50 UNCH
1800	----	----	----/*24.20A	37.00B/*24.20A	----	22.80 - 16.10	.1434	----	----	----	----	261 UNCH
1825	----	----	----/*28.40A	44.40B/*28.40A	----	27.30 - 18.80	.1665	----	----	----	----	30 UNCH
1850	----	----	----/*33.40A	52.80B/*33.40A	----	32.50 - 21.70	.1919	----	----	----	----	40 UNCH
1900	----	----	----/*45.50A	72.80B/*45.50A	----	45.50 - 27.90	.2496	----	----	----	----	81 UNCH
2000	----	----	124.80B/80.50A	124.80B/80.50A	----	82.50 - 41.20	.3838	----	----	----	----	1 UNCH
2085	----	----	----/122.00A	147.30B/122.00A	----	125.70 - 52.00	.5043	----	----	----	----	1 UNCH
2100	----	----	190.50B/130.30A	190.50B/130.30A	----	134.30 - 53.80	.5251	----	----	----	----	225 UNCH
2130	144.90	144.90	145.10B/144.90	145.10B/144.90	----	152.50 NEW	.5658	----	----	23	----	23 + 23
2135	----	----	----/150.90A	143.60B/150.90A	----	155.60 - 58.00	.5724	----	----	----	----	190 UNCH
2165	----	----	----	----	----	175.20 - 61.30	.6115	----	----	----	----	20 UNCH
2350	----	----	400.40B/308.90A	400.40B/308.90A	----	318.00 - 76.60	.8008	----	----	----	----	5 UNCH
2400	----	----	447.00B/352.00A	447.00B/352.00A	----	361.80 - 79.10	.8348	----	----	----	----	300 UNCH
TOTAL									160	24		2518 + 22
OCT26												
1300	----	----	----	5.20B/*13.00A	----	8.50 - 2.00	.0331	----	----	----	----	4 UNCH
1500	20.50	20.50	20.50/*20.50	23.10B/*20.50	----	21.60 - 6.20	.0793	----	----	1	----	20 - 1
1600	----	----	----/*38.00A	40.40B/*38.00A	----	34.30 - 10.40	.1188	----	----	----	----	19 UNCH
1720	----	----	----/*61.30A	71.60B/61.30A	----	58.40 - 17.30	.1838	----	----	----	----	2 UNCH
1820	----	----	----/89.50A	108.10B/89.50A	----	87.40 - 24.10	.2505	----	----	----	----	4 UNCH
1950	----	----	----/139.60A	170.20B/139.60A	----	138.60 - 33.90	.3480	----	----	----	----	50 UNCH
2000	----	----	----/162.90A	198.30B/162.90A	----	162.40 - 37.90	.3869	----	----	----	----	1 UNCH
2100	----	----	----/216.00A	260.70B/216.00A	----	216.70 - 45.60	.4637	----	----	----	----	100 UNCH
2130	----	----	----/233.50A	271.50B/233.50A	----	234.60 - 47.80	.4859	----	----	----	----	41 UNCH
2135	----	----	----/236.50A	274.90B/236.50A	----	237.60 - 48.20	.4896	----	----	----	----	12 UNCH
2140	----	----	----/239.50A	277.60B/239.50A	----	240.70 - 48.50	.4933	----	----	----	----	12 UNCH
2400	----	----	485.90B/418.40A	485.90B/418.40A	----	422.50 - 61.90	.6601	----	----	----	----	200 UNCH
2500	----	----	570.20B/496.80A	570.20B/496.80A	----	501.80 - 66.20	.7110	----	----	----	----	1 UNCH
TOTAL										1		466 - 1
JAN27												
1500	----	----	----	----	----	45.80 - 11.40	.1174	----	----	----	----	40 UNCH
1800	----	----	----	----	----	126.00 - 24.50	.2623	----	----	----	----	1 UNCH
TOTAL												41 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 66

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
JUN26 CALL			
OG	4700	0	100
OG	4820	0	102
OG	4950	0	200
OG	4960	0	125
OG	5100	0	500
OG	5150	0	200
OG	5500	0	300
TOTALS		0	1527
JUL26 CALL			
OG	4700	0	40
OG	4800	0	120
OG	5000	0	40
TOTALS		0	200
AUG26 CALL			
OG	5120	0	300
OG	5200	0	50
TOTALS		0	350
SEP26 CALL			
OG	5000	0	226
TOTALS		0	226
OCT26 CALL			
OG	5200	0	450
TOTALS		0	450
DEC26 CALL			
OG	5475	0	400
OG	6000	0	275
OG	7000	0	60
TOTALS		0	735
FEB27 CALL			
OG	5500	0	10
TOTALS		0	10
OG PUT	COMEX GOLD OPTIONS		
JUN26 PUT			
OG	4200	0	325
OG	4350	0	15
OG	4450	0	200
OG	4455	0	15
OG	4500	0	102
OG	4600	0	50
OG	4650	0	300
OG	4700	0	265
TOTALS		0	1272
JUL26 PUT			
OG	4650	0	150
OG	4700	0	225
TOTALS		0	375
AUG26 PUT			
OG	4400	0	150
OG	4410	0	300
TOTALS		0	450
SEP26 PUT			
OG	4000	0	100
OG	4400	0	339
TOTALS		0	439
OCT26 PUT			
OG	4400	0	300
OG	4600	0	150
TOTALS		0	450
DEC26 PUT			
OG	4000	0	275
OG	4325	0	400
OG	4625	0	10
TOTALS		0	685
SO CALL	COMEX SILVER OPTIONS		
JUN26 CALL			
SO	8450	0	75
TOTALS		0	75
AUG26 CALL			
SO	13000	0	518
SO	17000	0	518
TOTALS		0	1036
SEP26 CALL			
SO	10000	0	75
TOTALS		0	75
SO PUT	COMEX SILVER OPTIONS		
JUN26 PUT			
SO	7300	0	75
TOTALS		0	75
AUG26 PUT			
SO	7500	0	60
TOTALS		0	60
SEP26 PUT			
SO	6500	0	75
TOTALS		0	75
HX CALL	COMEX COPPER OPTIONS		
SEP26 CALL			
HX	675	0	200
HX	690	0	400
HX	710	0	120
TOTALS		0	720
NOV26 CALL			
HX	675	0	48
HX	725	0	48
TOTALS		0	96
HX PUT	COMEX COPPER OPTIONS		
JUN26 PUT			
HX	580	0	150
TOTALS		0	150
SEP26 PUT			
HX	540	0	400
HX	570	0	120
TOTALS		0	520
PO PUT	PLATINUM OPTIONS		
JUL26 PUT			
PO	1600	0	80

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

PO		1700	0	80
TOTALS			0	160
SWW WED	SILVER WEEKLY WEDNESDAY OPTION WEEK			
MAY26	CALL			
W1S		7775	0	50
W1S		7800	0	50
TOTALS			0	100
COO OPT	COBALT METAL (FASTMARKETS) APO			
JUL26	CALL			
COO		3000	0	800
TOTALS			0	800
GWR THU	GOLD WEEKLY THURSDAY OPTION Week1			
MAY26	CALL			
G1R		4700	0	100
G1R		4725	0	60
G1R		4750	0	100
TOTALS			0	260
GWR THU	GOLD WEEKLY THURSDAY OPTION Week2			
MAY26	CALL			
G2R		4750	0	100
TOTALS			0	100

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.