METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	MAR26	MAR26	MAR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27
COO OPT	03/31			04/30	05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26
ECG10 OP		03/26	03/27											
ECG11 OP		03/26	03/27											
ECG13 OP		03/26	03/27											
ECG15 OP		03/26	03/27											
ECG16 OP		03/26	03/27											
ECGC OOF		03/26	03/27											
ECHG OOF		03/26	03/27											
ECSI OOF		03/26	03/27											
EHO OPT				04/30	05/29	06/30	07/31	08/28	09/30					
FMG OPT	03/27													
FSO OPT				04/30	05/29	06/30								
GMW MON	03/30			04/20										
GWR THU				04/16										
GWT TUE	03/31			04/21										
GWW WED				04/22										
HMW MON	03/30			04/13										
HRO OPT	03/24			04/28	05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29		
HWR THU				04/23										
HWT TUE	03/31			04/07										
HWW WED				04/15	05/06	06/03	07/01							
HX CALL				03/26	04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	
HX PUT				03/26	04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
HXE CALL	03/27			04/17										
HXE PUT	03/27			04/17										
LHO OPT	03/31			04/30	05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26
OG CALL				03/26	04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
OG PUT				03/26	04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
OG2 CALL				04/10										
OG2 PUT				04/10										
OG3 CALL				04/17										
OG3 PUT				04/17										
OG4 CALL	03/27													
OG4 PUT	03/27			04/24										
OMG OPT				03/26	04/27	05/26	06/25							
PAO CALL					04/15	05/20			08/19			11/18		
PAO PUT					04/15	05/20			08/19					
PAW OOF	03/27			04/17										
PLW OOF	03/27			04/24										
PO CALL					04/15	05/20	06/17			09/16			12/16	
PO PUT					04/15	05/20	06/17			09/16			12/16	
RWS THU				04/23										
SMW MON	03/30			04/13										
SO CALL				03/26	04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
SO PUT				03/26	04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	
SO2 CALL				04/10										
SO2 PUT				04/10										
SO3 CALL				04/17										
SO3 PUT				04/17										
SO4 CALL	03/27			04/24										
SO4 PUT	03/27													
SWW WED				04/08										
TWS TUE	03/31			04/14										
WMG WED				04/01										

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK1										
APR26												
4235	----	----	----	20.00B/80.00A	----	20.10 - 31.70	.1165	----	----	----	----	4 UNCH
4540	----	----	----	----	----	78.20 + 28.10	.4767	----	----	----	----	1 UNCH
4600	----	----	----	----/90.00A	----	50.90 + 17.50	.3534	----	----	----	----	4 UNCH
TOTAL												9 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
APR26												
4250	----	----	----	----	----	126.30 UNCH	----	----	----	----	----	0 UNCH
4275	----	----	----	----	----	101.30 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	----	----	----	76.30 UNCH	----	----	----	----	----	0 UNCH
4325	----	----	----	----	----	51.30 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	----	----	----	23.70 UNCH	----	----	----	----	----	0 UNCH
4445	----	----	----	----	----	68.70 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	----	----	----	98.70 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----	----	----	123.70 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	----	----	----	198.70 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	223.70 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	323.70 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	373.70 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	----	----	----	398.70 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	423.70 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	----	----	----	448.70 UNCH	----	----	----	----	----	0 UNCH
4850	----	----	----	----	----	473.70 UNCH	----	----	----	----	----	0 UNCH
4875	----	----	----	----	----	498.70 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	----	----	----	523.70 UNCH	----	----	----	----	----	0 UNCH
4925	----	----	----	----	----	548.70 UNCH	----	----	----	----	----	0 UNCH
4950	----	----	----	----	----	573.70 UNCH	----	----	----	----	----	0 UNCH
4970	----	----	----	----	----	593.70 UNCH	----	----	----	----	----	0 UNCH
4975	----	----	----	----	----	598.70 UNCH	----	----	----	----	----	0 UNCH
5000	----	----	----	----	----	623.70 UNCH	----	----	----	----	----	0 UNCH
5160	----	----	----	----	----	783.70 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0
MAY26												
3600	20.90	20.90	#21.00/*20.90	#21.00/*20.90	----	17.60 NEW	----	----	----	2	----	2 + 2
3700	30.80	30.80	#30.80/*30.80	#30.80/*30.80	----	23.20 NEW	----	----	----	1	----	1 + 1
3850	----	----	----	----	----	34.80 - 12.10	----	----	----	----	----	2 UNCH
3900	----	----	----	----	----	39.80 - 14.00	----	----	----	----	----	3 UNCH
4000	----	----	----	24.00B/150.00A	----	51.80 - 18.60	----	----	----	----	----	8 UNCH
4200	----	----	----	----/188.00A	----	86.40 - 31.60	----	----	----	----	----	2 UNCH
4250	326.00	326.00	#326.00/326.00	#326.00/326.00	----	371.70 NEW	----	----	----	1	----	1 + 1
4400	233.00	233.00	#280.00B/233.00	#280.00B/233.00	----	267.00 + 64.80	----	----	----	3	----	1 - 1
4450	173.80	173.80	#173.80/*173.80	#173.80/*173.80	----	161.80 NEW	----	----	----	1	----	1 + 1
4450	----	----	----	----	----	235.90 + 59.30	----	----	----	----	----	1 UNCH
4500	----	----	----	105.00B/----	----	207.10 + 53.80	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	231.80 - 72.40	----	----	----	----	----	2 UNCH
4700	120.00	120.00	120.00/*120.00	120.00/*88.00A	----	115.10 + 32.10	----	----	----	1	----	0 - 1
4725	----	----	----	----	----	306.50 - 85.30	----	----	----	----	----	1 UNCH
4800	----	----	----/420.00A	----/420.00A	----	358.10 - 91.90	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	434.00 - 99.20	----	----	----	----	----	1 UNCH
4900	68.00	68.00	#68.00/*68.00	#68.00/*68.00	----	59.30 NEW	----	----	----	1	----	1 + 1
4920	----	----	----	----	----	450.00 - 00.40	----	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
MAY26												
4950	----	----	----	----	----	49.90 + 12.90	----	----	----	----	----	2 UNCH
4970	----	----	----	----	----	46.60 + 11.90	----	----	----	----	----	0 UNCH
5000	----	----	----	----/51.00A	----	42.00 + 10.40	----	----	----	----	----	2 UNCH
5050	----	----	----	----	----	559.90 - 06.70	----	----	----	----	----	3 UNCH
5200	----	----	----	----	----	22.00 + 4.40	----	----	----	----	----	1 UNCH
5875	----	----	----	----	----	4.50 + 0.40	----	----	----	----	----	1 UNCH
TOTAL										10		40+ 4
JUN26												
2500	----	----	----	----	----	2.70 + 0.10	----	----	----	----	----	2 UNCH
4000	----	----	----	----	----	84.10 - 20.40	----	----	----	----	----	1 UNCH
4260	----	----	----	----	----	147.10 - 36.70	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	239.70 - 56.80	----	----	----	----	----	3 UNCH
4700	----	----	----	52.50B/----	----	173.70 + 41.20	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	110.80 + 27.00	----	----	----	----	----	2 UNCH
5200	----	----	----	42.00B/155.20A	----	56.20 + 12.90	----	----	----	----	----	1 UNCH
5400	----	----	----	----	----	37.20 + 8.20	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	16.80 + 3.40	----	----	----	----	----	1 UNCH
TOTAL												14 0
JUL26												
3400	----	----	----	----	----	1181.70 + 11.10	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1126.10 + 10.30	----	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
MAR26												
3500	0.40	0.40	0.40/0.10	0.40/0.10	----	0.00 - 0.10	----	----	----	3	----	0 - 333
3550	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
3600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 74
3650	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	4	----	0 - 75
3700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 17
3750	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 52
3800	0.20	0.20	0.20/*0.10	0.40B/*0.10	----	0.00 - 0.40	----	----	----	9	----	0 - 196
3850	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 187
3900	0.60	0.60	0.60/*0.10	0.80B/*0.10	----	0.00 - 0.90	----	----	----	29	----	0 - 146
3950	1.40	1.40	1.40/*0.10	1.40/*0.10	----	0.00 - 1.30	----	----	----	10	----	0 - 63
4000	3.50	3.50	3.50/*0.10	3.50/*0.10	----	0.00 - 1.70	----	----	----	20	----	0 - 209
4050	1.70	1.70	1.70/*0.10A	1.70/*0.10A	----	0.00 - 2.50	----	----	----	2	----	0 - 102
4075	----	----	----/*0.10A	1.20B/*0.10A	----	0.00 - 3.10	----	----	----	1	----	0 - 1
4100	0.90	0.90	1.10/*0.10	1.60B/*0.10	----	0.00 - 3.80	----	----	----	17	----	0 - 327
4125	----	----	----/*0.10A	3.30B/*0.10A	----	0.00 - 4.60	----	----	----	1	----	0 - 11
4150	5.30	5.30	5.90/*0.10	5.90/*0.10	----	0.00 - 5.60	----	----	----	43	----	0 - 151
4175	0.60	0.60	0.60/*0.10	5.10B/*0.10	----	0.00 - 6.80	----	----	----	22	----	0 - 42
4200	8.80	8.80	8.80/*0.10	8.80/*0.10	----	0.00 - 8.30	----	----	----	75	----	0 - 378
4225	1.60	1.60	1.60/*0.10	7.60B/*0.10	----	0.00 - 10.20	----	----	----	3	----	0 - 41
4235	----	----	----/*0.10A	8.20B/*0.10A	----	0.00 - 11.00	----	----	----	----	----	0 - 1
4240	1.60	1.60	1.60/*0.10A	8.60B/*0.10A	----	0.00 - 11.50	----	----	----	1	----	0 - 2
4245	----	----	----/*0.10A	9.20B/*0.10A	----	0.00 - 12.00	----	----	----	----	----	0 - 15
4250	10.00	10.00	10.60/*0.10A	10.60/*0.10A	----	0.00 - 12.50	----	----	----	88	----	0 - 153
4255	----	----	----/*0.10A	9.90B/*0.10A	----	0.00 - 13.00	----	----	----	1	----	0 - 1
4260	----	----	----/*0.10A	10.30B/*0.10A	----	0.00 - 13.60	----	----	----	----	----	0 - 6
4270	1.20	1.20	1.50/*0.10A	10.90B/*0.10A	----	0.00 - 14.80	----	----	----	5	----	0 - 3
4275	2.00	2.00	2.00/*0.10A	11.60B/*0.10A	----	0.00 - 15.50	----	----	----	3	----	0 - 6
4280	4.40	4.40	4.40/*0.10A	12.10B/*0.10A	----	0.00 - 16.20	----	----	----	4	----	0 - 8
4290	15.60	15.60	15.60/*0.10A	15.60/*0.10A	----	0.00 - 17.60	----	----	----	32	----	0 - 6
4295	4.50	4.50	4.50/*0.10A	14.00B/*0.10A	----	0.00 - 18.40	----	----	----	2	----	0 - 2
4300	14.00	14.00	14.50B/*0.10	14.50B/*0.10	----	0.00 - 19.30	----	----	----	352	----	0 - 190
4305	0.50	0.50	0.50/*0.10	15.10B/*0.10	----	0.00 - 20.10	----	----	----	4	----	0 - 5
4310	3.50	3.50	3.50/*0.10A	16.00B/*0.10A	----	0.00 - 21.00	----	----	----	5	----	0 - 3
4315	----	----	----/*0.10A	16.60B/*0.10A	----	0.00 - 22.00	----	----	----	----	----	0 - 6
4320	0.90	0.90	0.90/*0.10A	17.60B/*0.10A	----	0.00 - 23.00	----	----	----	2	----	0 - 23
4325	9.20	9.20	9.20/*0.20A	18.50B/*0.20A	----	0.00 - 24.10	----	----	----	412	----	0 - 50
4330	21.90	21.90	21.90/*0.10A	21.90/*0.10A	----	0.00 - 25.20	----	----	----	7	----	0 - 150
4335	2.30	2.30	2.30/*0.10A	19.70B/*0.10A	----	0.00 - 26.30	----	----	----	3	----	0 - 3
4340	0.10	0.10	0.10/*0.10	20.80B/*0.10	----	0.00 - 27.50	----	----	----	6	----	0 - 6
4345	7.20	7.20	7.20/*0.20A	22.00B/*0.20A	----	0.00 - 28.80	----	----	----	4	----	0 - 1
4350	21.00	21.00	21.00/*0.10A	23.80B/*0.10A	----	0.00 - 30.10	----	----	----	236	----	0 - 87
4355	22.00	22.00	24.10B/*0.20A	24.10B/*0.20A	----	0.00 - 31.50	----	----	----	2	----	0 - 10
4360	5.50	5.50	5.50/*0.20A	25.70B/*0.20A	----	0.00 - 33.00	----	----	----	8	----	0 - 1
4365	----	----	----/*0.20A	27.10B/*0.20A	----	0.00 - 34.50	----	----	----	2	----	0 - 4
4370	15.00	15.00	15.00/*0.20A	28.60B/*0.20A	----	0.00 - 36.10	----	----	----	35	----	0 - 8
4375	27.00	27.00	27.00/*0.20A	31.00B/*0.20A	----	0.00 - 37.70	----	----	----	96	----	0 - 74
4380	10.20	10.20	14.00/*0.20A	31.80B/*0.20A	----	0.00 - 39.40	----	----	----	63	----	0 - 150
4385	12.50	12.50	14.00/*0.20A	33.50B/*0.20A	----	0.00 - 41.20	----	----	----	6	----	0 - 11
4390	16.00	16.00	16.00/*0.20A	35.20B/*0.20A	----	0.00 - 43.10	----	----	----	4	----	0 - 3
4395	17.90	17.90	17.90/*0.20A	37.10B/*0.20A	----	0.00 - 45.10	----	----	----	2	----	0 - 2
4400	38.00	38.00	38.00/*0.10	39.90B/*0.10	----	0.00 - 47.10	----	----	----	888	----	0 - 208
4405	35.90	35.90	35.90/*0.10	41.00B/*0.10	----	0.00 - 49.20	----	----	----	20	----	0 - 12
4410	10.60	10.60	20.50/*0.20A	43.00B/*0.20A	----	0.00 - 51.50	----	----	----	21	----	0 - 24
4415	24.00	24.00	24.00/*0.20A	46.50B/*0.20A	----	0.00 - 53.70	----	----	----	10	----	0 - 13
4420	15.00	15.00	21.50/*0.20A	45.80B/*0.20A	----	0.00 - 56.10	----	----	----	95	----	0 - 47
4425	44.40	44.40	44.40/*0.20A	46.50B/*0.20A	----	0.00 - 58.60	----	----	----	335	----	0 - 11
4430	18.00	18.00	22.50/*0.20A	48.50B/*0.20A	----	0.00 - 61.20	----	----	----	69	----	0 - 27
4435	50.00	50.00	51.00B/*0.30A	51.00B/*0.30A	----	0.00 - 63.80	----	----	----	39	----	0 - 30
4440	14.00	14.00	31.00/*0.10	54.00B/*0.10	----	0.00 - 66.60	----	----	----	23	----	0 - 25
4445	22.80	22.80	27.00/*0.30A	55.30B/*0.30A	----	0.00 - 69.40	----	----	----	12	----	0 - 2
4450	43.40	43.40	43.40/*0.10	55.80B/*0.10	----	0.00 - 72.30	----	----	----	271	----	0 - 151
4455	35.60	35.60	35.60/*0.20	57.30B/*0.20	----	0.00 - 75.40	----	----	----	16	----	0 - 13
4460	22.00	22.00	36.40/*0.40A	60.30B/*0.40A	----	0.00 - 78.50	----	----	----	45	----	0 - 8
4465	27.00	27.00	34.00/*0.10	63.40B/*0.10	----	0.00 - 81.70	----	----	----	32	----	0 - 13
4470	28.60	28.60	30.00/*0.10	66.80B/*0.10	----	0.00 - 85.00	----	----	----	70	----	0 - 5
4475	48.00	48.00	50.00/*0.40A	70.10B/*0.40A	----	0.00 - 88.40	----	----	----	38	----	0 - 26
4480	33.00	33.00	40.00/*0.30A	73.30B/*0.30A	----	0.00 - 91.90	----	----	----	19	----	0 - 15
4485	45.00	45.00	45.00/*0.50A	76.90B/*0.50A	----	0.00 - 95.50	----	----	----	40	----	0 - 2
4490	20.50	20.50	20.80/*0.20	80.60B/*0.20	----	0.00 - 99.10	----	----	----	24	----	0 - 13
4495	32.60	32.60	32.60/*0.70	84.40B/*0.70	----	0.00 - 02.90	----	----	----	39	----	0 - 1
4500	61.00	61.00	61.00/*0.20A	90.10B/*0.20A	----	0.00 - 06.70	----	----	----	363	----	0 - 274
4505	16.50	16.50	16.50/*0.90A	92.10B/*0.90A	----	0.00 - 10.60	----	----	----	25	----	0 - 4
4510	58.20	58.20	61.00/*0.40	96.20B/*0.40	----	0.00 - 14.60	----	----	----	48	----	0 - 4
4515	4.60	4.60	4.60/*1.20A	100.30B/*1.20A	----	0.00 - 18.60	----	----	----	31	----	0 - 23
4520	11.80	11.80	11.80/*1.00	104.50B/*1.00	----	0.00 - 22.80	----	----	----	30	----	0 - 1
4525	13.60	13.60	16.70/*2.30	108.80B/*2.30	----	0.70 - 26.20	----	----	----	48	----	0 - 2
4530	17.40	17.40	17.90/*3.00A	114.00B/*3.00A	----	5.70 - 25.50	----	----	----	22	----	0 - 3
4535	20.20	20.20	20.20/*3.60A	118.60B/*3.60A	----	10.70 - 24.80	----	----	----	44	----	0 - 4
4540	22.80	22.80	22.80/*4.80A	123.00B/*4.80A	----	15.70 - 24.10	----	----	----	151	----	0 - 8
4545	21.30	21.30	21.30/*6.80A	127.50B/*6.80A	----	20.70 - 23.50	----	----	----	19	----	0 - 2
4550	115.00	115.00	115.00/7.90A	132.10B/7.90A	----	25.70 - 23.00	----	----	----	86	----	0 - 83
4555	18.30	18.30	19.70/*9.90A	136.60B/*9.90A	----	30.70 NEW	----	----	----	10	----	0 UNCH
4560	16.30	16.30	20.00/*11.50A	141.20B/*11.50A	----	35.70 NEW	----	----	----	16	----	0 UNCH
4565	18.60	18.60	19.40/*13.00A	145.80B/*13.00A	----	40.70 NEW	----	----	----	8	----	0 UNCH
4570	18.00	18.00	30.40/*14.80A	150.40B/*14.80A	----	45.70 - 21.10	----	----	----	16	----	0 - 5
4575	17.40	17.40	19.10/*16.90A	155.10B/*16.90A	----	50.70 - 20.70	----	----	----	5	----	0 - 12
4580	19.80	19.80	19.80/*19.10A	159.90B/*19.10A	----	55.70 - 20.40	----	----	----	5	----	0 - 20
4585	21.30	21.30	25.00/*21.10A	164.50B/*21.10A	----	60.70 - 20.00	----	----	----	9	----	0 - 4
4590	----	----	----/*24.10A	169.40B/*24.10A	----	65.70 - 19.70	----	----	----	2	----	0 - 42
4595	----	----	----/*27.00A	173.90B/*27.00A	----	70.70 - 19.40	----	----	----	----	----	0 - 14
4600	143.00	143.00	144.80/31.40A	178.80B/31.40A	----	75.70 - 19.20	----	----	----	148	----	0 - 284
4605	60.50	60.50	60.50/*34.90A	183.70B/*34.90A	----	80.70 NEW	----	----	----	1	----	0 UNCH
4610	----	----	----/*38.50A	188.30B/38.50A	----	85.70 - 18.60	----	----	----	----	----	0 - 2
4615	----	----	----/*42.20A	193.40B/42.20A	----	90.70 - 18.40	----	----	----	----	----	0 - 1
4625	----	----	----/49.80A	202.90B/49.80A	----	100.70 - 18.00	----	----	----	----	----	0 - 1
4635	----	----	----/*58.10A	212.70B/58.10A	----	110.70 - 17.70	----	----	----	----	----	0 - 1
4650	----	----	----/71.10A	227.70B/71.10A	----	125.70 - 17.50	----	----	----	4	----	0 - 40
4670	----	----	----/89.90A	247.30B/89.90A	----	145.70 - 17.20	----	----	----	----	----	0 - 5
4675	190.00	190.00	190.00/94.70A	252.20B/94.70A	----	150.70 - 17.10	----	----	----	1	----	0 - 2
4700	227.00	227.00	253.50/118.80A	277.10B/118.80A	----	175.70 - 17.00	----	----	----	17	----	0 - 171
4725	----	----	----/143.30A	301.90B/143.30A	----	200.70 - 16.80	----	----	----	----	----	0 - 16
4750	----	----	----/168.30A	326.80B/168.30A	----	225.70 - 16.40	----	----	----	----	----	0 - 34
4775	----	----	----/193.60A	351.60B/193.60A	----	250.70 - 16.00	----	----	----	1	----	0 - 15
4800	----	----	----/218.10A	376.30B/218.10A	----	275.70 - 16.00	----	----	----	----	----	0 - 127
4825	----	----	----/243.50A	401.20B/243.50A	----	300.70 - 16.00	----	----	----	----	----	0 - 11
4850	----	----	----/268.10A	426.50B/268.10A	----	325.70 - 15.90	----	----	----	1	----	0 - 21

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG4 PUT — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAR26												
4855	----	----	----/273.20A	431.50B/273.20A	----	330.70 - 15.90	----	----	----	----	----	0 - 2
4875	----	----	----/293.20A	451.50B/293.20A	----	350.70 - 15.90	----	----	----	----	----	0 - 10
4880	----	----	----/298.60A	456.50B/298.60A	----	355.70 - 15.90	----	----	----	1	----	0 - 13
4895	----	----	----/313.20A	471.20B/313.20A	----	370.70 - 15.90	----	----	----	----	----	0 - 2
4900	----	----	----/318.40A	476.20B/318.40A	----	375.70 - 15.80	----	----	----	----	----	0 - 46
4910	----	----	----/328.20A	486.20B/328.20A	----	385.70 - 15.80	----	----	----	----	----	0 - 20
4915	----	----	----/333.30A	491.20B/333.30A	----	390.70 - 15.80	----	----	----	----	----	0 - 22
4920	----	----	----/338.40A	496.20B/338.40A	----	395.70 - 15.80	----	----	----	----	----	0 - 11
4925	----	----	----/343.40A	501.20B/343.40A	----	400.70 - 15.80	----	----	----	----	----	0 - 1
4930	----	----	----/348.40A	506.20B/348.40A	----	405.70 - 15.80	----	----	----	----	----	0 - 10
4940	----	----	----/358.40A	516.20B/358.40A	----	415.70 - 15.80	----	----	----	----	----	0 - 14
4945	----	----	----/363.40A	521.20B/363.40A	----	420.70 - 15.80	----	----	----	1	----	0 - 1
4950	----	----	----/368.40A	526.20B/368.40A	----	425.70 - 15.80	----	----	----	----	----	0 - 19
4955	----	----	----/373.40A	531.20B/373.40A	----	430.70 - 15.80	----	----	----	----	----	0 - 50
4960	----	----	----/378.40A	536.20B/378.40A	----	435.70 - 15.70	----	----	----	----	----	0 - 39
4970	----	----	----/388.40A	546.20B/388.40A	----	445.70 - 15.70	----	----	----	----	----	0 - 15
4975	----	----	----/393.40A	551.20B/393.40A	----	450.70 - 15.70	----	----	----	----	----	0 - 12
4980	----	----	----/398.40A	556.20B/398.40A	----	455.70 - 15.70	----	----	----	----	----	0 - 7
4985	----	----	----/403.40A	561.20B/403.40A	----	460.70 - 15.70	----	----	----	----	----	0 - 10
5000	----	----	----/418.40A	576.20B/418.40A	----	475.70 - 15.70	----	----	----	----	----	0 - 1
5005	----	----	----/423.40A	581.20B/423.40A	----	480.70 - 15.70	----	----	----	----	----	0 - 2
5010	----	----	----/428.40A	586.20B/428.40A	----	485.70 - 15.70	----	----	----	----	----	0 UNCH
5015	----	----	----/433.40A	591.20B/433.40A	----	490.70 - 15.60	----	----	----	----	----	0 - 1
5025	----	----	----/443.40A	601.20B/443.40A	----	500.70 - 15.60	----	----	----	----	----	0 - 1
5040	----	----	----/458.40A	616.20B/458.40A	----	515.70 - 15.60	----	----	----	----	----	0 UNCH
5045	----	----	----/463.40A	621.20B/463.40A	----	520.70 - 15.60	----	----	----	----	----	0 - 1
5050	----	----	----/468.40A	626.20B/468.40A	----	525.70 - 15.60	----	----	----	----	----	0 - 8
5055	----	----	----/473.40A	631.20B/473.40A	----	530.70 - 15.60	----	----	----	----	----	0 - 2
5070	----	----	----/488.40A	646.20B/488.40A	----	545.70 - 15.50	----	----	----	----	----	0 UNCH
5090	----	----	----/508.40A	666.20B/508.40A	----	565.70 - 15.50	----	----	----	----	----	0 - 1
5100	----	----	----/518.40A	676.20B/518.40A	----	575.70 - 15.50	----	----	----	----	----	0 - 1
5110	----	----	----/528.40A	686.20B/528.40A	----	585.70 - 15.50	----	----	----	----	----	0 UNCH
5120	----	----	----/538.40A	696.20B/538.40A	----	595.70 - 15.50	----	----	----	----	----	0 - 1
5140	----	----	----/558.40A	716.20B/558.40A	----	615.70 - 15.40	----	----	----	----	----	0 UNCH
5165	----	----	----/583.40A	741.20B/583.40A	----	640.70 - 15.40	----	----	----	----	----	0 UNCH
5190	----	----	----/608.40A	766.20B/608.40A	----	665.70 - 15.40	----	----	----	----	----	0 - 2
5200	----	----	----/618.40A	776.20B/618.40A	----	675.70 - 15.40	----	----	----	----	----	0 - 1
5235	----	----	----/653.40A	811.20B/653.40A	----	710.70 - 15.40	----	----	----	----	----	0 UNCH
5250	----	----	----/668.40A	826.20B/668.40A	----	725.70 - 15.40	----	----	----	----	----	0 - 1
5300	----	----	----/718.40A	876.40B/718.40A	----	775.70 - 15.40	----	----	----	----	----	0 - 1
5310	----	----	----/728.40A	886.40B/728.40A	----	785.70 - 15.40	----	----	----	----	----	0 UNCH
TOTAL										4843		0 - 5609
APR26												
4300	99.00	99.00	132.50B/*99.00	132.50B/*99.00	----	96.60 - 11.60	.2954	----	----	1	----	2 + 1
TOTAL										1		2 + 1

OG4 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAR26												
4000	----	----	581.80B/----	581.80B/426.80A	----	524.30 + 13.60	----	----	----	----	----	0 UNCH
4050	----	----	531.80B/----	531.80B/377.40A	----	474.30 + 12.80	----	----	----	----	----	0 - 1
4100	----	----	481.80B/----	481.80B/328.80A	----	424.30 + 11.50	----	----	----	----	----	0 - 1
4150	----	----	431.80B/----	431.80B/280.40A	----	374.30 + 09.70	----	----	----	----	----	0 - 1
4200	245.00	245.00	381.80B/233.10A	381.80B/233.10A	----	324.30 NEW	----	----	----	4	----	0 UNCH
4275	----	----	306.40B/----	306.40B/164.80A	----	249.30 + 99.80	----	----	----	----	----	0 - 2
4300	254.00	254.00	282.00B/254.00	282.00B/140.50A	----	224.30 + 96.00	----	----	----	8	----	0 - 28
4325	----	----	256.60B/----	256.60B/122.80A	----	199.30 + 91.20	----	----	----	1	----	0 - 15
4350	115.00	115.00	231.70B/95.20A	231.70B/95.20A	----	174.30 + 85.20	----	----	----	31	----	0 - 30
4365	----	----	216.80B/----	216.80B/86.10A	----	159.30 + 80.80	----	----	----	----	----	0 - 2
4370	----	----	211.60B/----	211.60B/81.70A	----	154.30 + 79.20	----	----	----	----	----	0 - 5
4375	95.00	95.00	206.60B/77.40A	206.60B/77.40A	----	149.30 + 77.60	----	----	----	17	----	0 - 10
4380	----	----	201.80B/----	201.80B/73.10A	----	144.30 + 75.90	----	----	----	----	----	0 - 5
4390	168.00	168.00	191.70B/60.90A	191.70B/60.90A	----	134.30 + 72.20	----	----	----	2	----	0 - 11
4400	80.70	80.70	182.10B/55.40A	182.10B/55.40A	----	124.30 + 68.20	----	----	----	57	----	0 - 128
4405	65.00	65.00	176.80B/50.00	176.80B/50.00	----	119.30 + 66.10	----	----	----	5	----	0 - 2
4410	90.80	90.80	172.20B/49.10A	172.20B/49.10A	----	114.30 + 63.80	----	----	----	5	----	0 - 6
4415	53.80	53.80	167.00B/45.10A	167.00B/45.10A	----	109.30 + 61.60	----	----	----	10	----	0 - 8
4420	43.50	43.50	162.10B/41.10A	162.10B/41.10A	----	104.30 + 59.20	----	----	----	4	----	0 - 38
4425	65.00	65.00	157.10B/37.30A	157.10B/37.30A	----	99.30 + 56.70	----	----	----	10	----	0 - 25
4430	44.60	44.60	152.10B/33.00	152.10B/33.00	----	94.30 + 54.10	----	----	----	5	----	0 - 15
4435	50.80	50.80	147.50B/*29.00	147.50B/*29.00	----	89.30 + 51.50	----	----	----	28	----	0 - 33
4440	47.90	47.90	142.00B/*27.40	142.00B/*27.40	----	84.30 + 48.70	----	----	----	11	----	0 - 15
4445	35.10	35.10	137.20B/*24.00	137.20B/*24.00	----	79.30 + 45.90	----	----	----	7	----	0 - 1
4450	28.80	28.80	132.30B/*22.00	132.30B/*22.00	----	74.30 + 43.00	----	----	----	91	----	0 - 88
4455	24.00	24.00	127.10B/*20.10A	127.10B/*20.10A	----	69.30 + 39.90	----	----	----	16	----	0 - 9
4460	27.10	27.10	122.20B/*17.90A	122.20B/*17.90A	----	64.30 + 36.80	----	----	----	17	----	0 - 8
4465	25.70	25.70	117.40B/*15.50A	117.40B/*15.50A	----	59.30 + 33.60	----	----	----	23	----	0 - 13
4470	31.90	31.90	112.30B/*13.70A	112.30B/*13.70A	----	54.30 + 30.30	----	----	----	55	----	0 - 11
4475	29.90	29.90	107.50B/*11.80A	107.50B/*11.80A	----	49.30 + 26.90	----	----	----	69	----	0 - 40
4480	27.00	27.00	102.70B/*10.30A	102.70B/*10.30A	----	44.30 + 23.40	----	----	----	38	----	0 - 27
4485	31.50	31.50	97.80B/*9.10A	97.80B/*9.10A	----	39.30 + 19.80	----	----	----	25	----	0 - 2
4490	23.60	23.60	92.80B/*7.90A	92.80B/*7.90A	----	34.30 + 16.20	----	----	----	62	----	0 - 9
4495	24.20	24.20	88.40B/*6.90A	88.40B/*6.90A	----	29.30 + 12.40	----	----	----	13	----	0 - 3
4500	20.00	20.00	83.70B/*5.00	83.70B/*5.00	----	24.30 + 8.60	----	----	----	410	----	0 - 220
4505	19.00	19.00	78.60B/*5.20A	78.60B/*5.20A	----	19.30 + 4.70	----	----	----	22	----	0 - 16
4510	25.00	25.00	73.60B/*4.50A	73.60B/*4.50A	----	14.30 + 0.70	----	----	----	23	----	0 - 4
4515	9.80	9.80	69.00B/*3.60	69.00B/*3.60	----	9.30 - 3.30	----	----	----	23	----	0 - 5
4520	6.70	6.70	64.40B/*2.30	64.40B/*2.30	----	4.30 - 7.50	----	----	----	58	----	0 - 7
4525	7.20	7.20	60.00/*1.80A	60.00/*1.80A	----	0.00 - 10.90	----	----	----	224	----	0 - 45
4530	12.40	12.40	55.40B/*0.40	55.40B/*0.40	----	0.00 - 10.20	----	----	----	77	----	0 - 6
4535	9.80	9.80	51.20B/*0.50A	51.20B/*0.50A	----	0.00 - 9.50	----	----	----	82	----	0 - 21
4540	11.70	11.70	46.90B/*0.50A	46.90B/*0.50A	----	0.00 - 8.80	----	----	----	31	----	0 - 17
4545	10.00	10.00	43.10B/*0.50A	43.10B/*0.50A	----	0.00 - 8.20	----	----	----	46	----	0 - 17
4550	7.00	7.00	38.60B/*0.10	38.60B/*0.10	----	0.00 - 7.70	----	----	----	93	----	0 - 75
4555	7.20	7.20	34.60B/*0.10	34.60B/*0.10	----	0.00 - 7.10	----	----	----	37	----	0 - 15
4560	6.00	6.00	30.60B/*0.10	30.60B/*0.10	----	0.00 - 6.70	----	----	----	65	----	0 - 4
4565	3.60	3.60	27.30B/*0.10	27.30B/*0.10	----	0.00 - 6.20	----	----	----	17	----	0 - 6
4570	1.60	1.60	24.30B/*0.10A	24.30B/*0.10A	----	0.00 - 5.80	----	----	----	34	----	0 - 4
4575	5.10	5.10	22.10B/*0.10	22.10B/*0.10	----	0.00 - 5.40	----	----	----	144	----	0 - 61
4580	4.30	4.30	19.20B/*0.10A	19.20B/*0.10A	----	0.00 - 5.10	----	----	----	43	----	0 - 15
4585	1.20	1.20	17.40/*0.10A	17.40/*0.10A	----	0.00 - 4.70	----	----	----	36	----	0 - 18
4590	3.60	3.60	14.40B/*0.10A	14.40B/*0.10A	----	0.00 - 4.40	----	----	----	22	----	0 - 45
4595	1.40	1.40	12.30B/*0.10A	12.30B/*0.10A	----	0.00 - 4.10	----	----	----	25	----	0 - 72
4600	4.20	4.20	12.00/*0.10	12.00/*0.10	----	0.00 - 3.90	----	----	----	290	----	0 - 323
4605	8.00	8.00	8.90B/*0.10	8.90B/*0.10	----	0.00 - 3.60	----	----	----	3	----	0 - 9
4610	8.00	8.00	8.10B/*0.10A	8.10B/*0.10A	----	0.00 - 3.30	----	----	----	54	----	0 - 17
4615	4.00	4.00	6.50B/*0.10A	6.50B/*0.10A	----	0.00 - 3.10	----	----	----	4	----	0 - 11
4620	6.10	6.10	6.10/*0.10A	6.10/*0.10A	----	0.00 - 2.90	----	----	----	3	----	0 - 10
4625	2.90	2.90	5.00/*0.10A	5.00/*0.10A	----	0.00 - 2.70	----	----	----	81	----	0 - 135
4630	0.10	0.10	3.80B/*0.10	3.80B/*0.10	----	0.00 - 2.50	----	----	----	6	----	0 - 11
4635	5.50	5.50	5.50/*0.10A	5.50/*0.10A	----	0.00 - 2.40	----	----	----	44	----	0 - 55
4640	1.90	1.90	2.60B/*0.10A	2.60B/*0.10A	----	0.00 - 2.30	----	----	----	9	----	0 - 39
4645	----	----	----/*0.10A	1.90B/*0.10A	----	0.00 - 2.30	----	----	----	----	----	0 - 10
4650	1.70	1.70	2.50/*0.10A	2.50/*0.10A	----	0.00 - 2.20	----	----	----	56	----	0 - 212
4655	5.10	5.10	5.10/*0.30A	5.10/*0.30A	----	0.00 - 2.10	----	----	----	1	----	0 - 17
4660	1.90	1.90	1.90/*0.30A	1.90/*0.30A	----	0.00 - 2.10	----	----	----	2	----	0 - 108
4665	0.60	0.60	0.70B/*0.30A	0.70B/*0.30A	----	0.00 - 2.00	----	----	----	7	----	0 - 13
4670	0.60	0.60	0.60/*0.10A	0.60/*0.10A	----	0.00 - 1.90	----	----	----	17	----	0 - 52
4675	3.50	3.50	3.50/*0.30A	3.50/*0.30A	----	0.00 - 1.80	----	----	----	21	----	0 - 36
4680	----	----	----/*0.10A	1.00B/*0.10A	----	0.00 - 1.80	----	----	----	1	----	0 - 14
4685	----	----	----/*0.30A	----/*0.30A	----	0.00 - 1.70	----	----	----	----	----	0 - 5
4690	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.70	----	----	----	----	----	0 - 5
4695	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.70	----	----	----	----	----	0 - 8
4700	0.20	0.20	0.40/*0.20	0.50B/*0.20	----	0.00 - 1.70	----	----	----	19	----	0 - 336
4705	----	----	----/*0.30A	----/*0.30A	----	0.00 - 1.70	----	----	----	----	----	0 - 43
4710	----	----	----/*0.30A	----/*0.30A	----	0.00 - 1.60	----	----	----	----	----	0 - 8
4715	0.30	0.30	0.30/*0.20A	0.40B/*0.20A	----	0.00 - 1.60	----	----	----	1	----	0 - 3
4720	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.50	----	----	----	----	----	0 - 2
4725	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 1.50	----	----	----	1	----	0 - 14
4730	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 1.40	----	----	----	----	----	0 - 4
4735	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 1.30	----	----	----	4	----	0 - 16
4740	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 1.30	----	----	----	----	----	0 - 4
4745	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 115

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG4 CALL GOLD OPTIONS
MAR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4750	3.10	3.10	3.10/*0.10	3.10/*0.10	----	0.00 - 1.10	----	----	----	16	----	0 - 79
4755	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 1.00	----	----	----	2	----	0 - 18
4760	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 8
4765	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 13
4770	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 10
4775	0.50	0.50	0.50/*0.20A	0.50/*0.20A	----	0.00 - 0.70	----	----	----	1	----	0 - 38
4780	0.50	0.50	0.50/*0.20A	0.50/*0.20A	----	0.00 - 0.70	----	----	----	1	----	0 - 36
4785	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 3
4790	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 16
4795	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 2
4800	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.70	----	----	----	16	----	0 - 128
4805	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.70	----	----	----	2	----	0 - 2
4810	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 40
4820	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.70	----	----	----	10	----	0 - 10
4825	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.70	----	----	----	2	----	0 - 72
4830	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 62
4835	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 59
4840	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.60	----	----	----	2	----	0 - 54
4845	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 43
4850	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 166
4855	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 66
4860	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 9
4865	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 1
4870	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 14
4875	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	1	----	0 - 6
4880	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	2	----	0 - 68
4890	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 5
4895	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 1
4900	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.50	----	----	----	1	----	0 - 229
4905	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 10
4910	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 23
4915	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 8
4920	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 19
4925	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 27
4930	----	----	----/0.10A	----/0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 51
4935	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 5
4940	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 2
4945	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 23
4950	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.50	----	----	----	6	----	0 - 22
4955	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 2
4960	----	----	----/0.10A	----/0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 21
4970	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 1
4975	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 60
4980	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 16
4995	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 20
5000	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 429
5005	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 6
5010	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 22
5015	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.00 - 0.30	----	----	----	3	----	0 - 24
5020	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 3
5025	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 171
5030	----	----	----/0.10A	----/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 15
5035	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 21
5050	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	1	----	0 - 104
5055	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 11
5060	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
5070	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
5075	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 6
5085	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 354
5090	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
5100	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.20	----	----	----	1	----	0 - 36
5105	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 10
5110	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 22
5115	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
5120	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
5125	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 7
5130	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
5145	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5150	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
5160	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5165	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5175	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 36
5180	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5185	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
5190	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
5200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 42
5205	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5210	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5215	----	----	----	0.10B/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
5225	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 22
5230	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5250	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 13
5255	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5260	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 22
5265	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5270	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5275	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 50
5280	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
5285	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 345
5305	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5310	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5315	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5320	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5325	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5335	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5340	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5345	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 29
5360	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5370	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
5375	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5380	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
5385	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
5405	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5410	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5420	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5430	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5440	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5450	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
5490	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
5500	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 41
5525	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5530	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5540	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5550	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
5575	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5600	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
5625	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5675	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
5750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
5900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
6200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
TOTAL										2819		0 - 6605

OG3 PUT GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	----	----	----/9.40A	11.10B/9.40A	----	8.60 - 3.90	.0292	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3550	----	----	----/10.50A	14.00B/10.50A	----	10.00 - 4.50	.0340	----	----	----	----	1 UNCH
3700	18.20	18.20	18.20/15.10A	21.70B/15.10A	----	15.40 NEW	.0531	----	----	1	----	1 + 1
3750	19.80	19.80	19.80/17.60A	25.20B/17.60A	----	17.80 - 8.20	.0616	----	----	1	----	1 - 1
3800	----	----	----/20.30A	29.60B/20.30A	----	20.60 - 9.50	.0713	----	----	1	----	2 + 1
3850	----	----	----/23.50A	34.50B/23.50A	----	23.90 - 11.00	.0827	----	----	----	----	2 UNCH
3900	----	----	----/27.30A	40.30B/27.30A	----	27.60 - 12.80	.0955	----	----	----	----	7 UNCH
3950	----	----	----/31.40A	46.10B/31.40A	----	32.00 - 14.80	.1105	----	----	1	----	6 + 1
4000	35.00	35.00	39.00/35.00	53.80B/35.00	----	37.10 - 17.10	.1275	----	----	15	----	152 + 2
4050	49.20	49.20	50.70/41.30A	62.40B/41.30A	----	42.90 - 19.90	.1468	----	----	2	----	43 UNCH
4100	----	----	----/48.10A	72.50B/48.10A	----	49.80 - 22.90	.1690	----	----	----	----	20 UNCH
4200	----	----	----/63.70A	96.50B/63.70A	----	66.80 - 30.60	.2219	----	----	----	----	17 UNCH
4225	----	----	----/68.30A	103.60B/68.30A	----	71.90 NEW	.2371	----	----	2	----	2 + 2
4250	----	----	----/73.20A	111.10B/73.20A	----	77.40 - 35.10	.2533	----	----	----	----	5 UNCH
4300	84.40	84.40	87.00/84.10	127.90B/84.10	----	89.60 - 40.10	.2880	----	----	6	----	5 + 4
4350	----	----	----/96.50A	146.50B/96.50A	----	103.50 - 45.60	.3260	----	----	----	----	5 UNCH
4375	----	----	----/103.30A	156.70B/103.30A	----	111.30 - 48.40	.3463	----	----	----	----	4 UNCH
4400	----	----	----/110.50A	167.00B/110.50A	----	119.50 - 51.50	.3673	----	----	----	----	2 UNCH
4440	----	----	----/123.20A	185.80B/123.20A	----	133.80 - 56.40	.4024	----	----	----	----	1 UNCH
4450	136.40	136.40	149.00/126.50A	190.50B/126.50A	----	137.60 - 57.70	.4115	----	----	12	----	165 - 9
4500	----	----	----/144.70A	216.40B/144.70A	----	158.00 NEW	.4581	----	----	1	----	1 + 1
4550	----	----	----/165.10A	244.70B/165.10A	----	180.80 - 70.80	.5066	----	----	----	----	170 UNCH
4600	----	----	----/188.10A	276.00B/188.10A	----	206.30 - 77.30	.5561	----	----	----	----	5 UNCH
4625	----	----	----/200.60A	292.40B/200.60A	----	220.00 - 80.50	.5809	----	----	----	----	3 UNCH
4640	----	----	----/208.40A	302.70B/208.40A	----	228.50 - 82.40	.5958	----	----	----	----	1 UNCH
4650	----	----	----/213.70A	309.50B/213.70A	----	234.30 - 83.70	.6057	----	----	----	----	94 UNCH
4675	----	----	----/227.80A	327.40B/227.80A	----	249.40 - 86.70	.6301	----	----	----	----	12 UNCH
4700	----	----	----/242.00A	346.10B/242.00A	----	265.10 - 89.60	.6542	----	----	----	----	9 UNCH
4725	----	----	----/257.30A	364.50B/257.30A	----	281.60 - 92.20	.6775	----	----	----	----	1 UNCH
4750	----	----	----/272.80A	383.70B/272.80A	----	298.80 - 94.70	.7002	----	----	----	----	2 UNCH
4800	----	----	----/306.10A	423.80B/306.10A	----	335.50 - 98.60	.7421	----	----	----	----	2 UNCH
4825	----	----	----/323.40A	444.80B/323.40A	----	355.00 - 00.10	.7610	----	----	----	----	1 UNCH
4850	----	----	----/361.30A	465.90B/361.30A	----	375.00 - 01.50	.7789	----	----	----	----	1 UNCH
4975	----	----	----/463.40A	576.30B/463.40A	----	480.50 - 07.00	.8535	----	----	----	----	1 UNCH
5000	----	----	----/485.00A	598.90B/485.00A	----	502.20 - 08.10	.8665	----	----	----	----	1 UNCH
5050	----	----	----/528.10A	645.60B/528.10A	----	546.70 - 10.00	.8894	----	----	----	----	1 UNCH
5150	----	----	----/620.00A	641.00B/620.00A	----	639.70 - 12.10	.9221	----	----	----	----	1 UNCH
5180	----	----	----/648.40A	664.90B/648.40A	----	668.30 - 12.50	.9288	----	----	----	----	1 UNCH
TOTAL										42		752 + 2

OG3 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4375	----	----	305.40B/----	305.40B/210.30A	----	260.30 + 66.60	.6531	----	----	----	----	74 UNCH
4415	----	----	277.20B/----	277.20B/189.50A	----	233.80 + 61.80	.6191	----	----	----	----	6 UNCH
4435	177.00	177.00	263.60B/177.00	263.60B/177.00	----	221.00 NEW	.6015	----	----	20	----	10 + 10
4500	141.00	141.00	221.70B/141.00	221.70B/141.00	----	182.20 + 50.90	.5413	----	----	4	----	1 UNCH
4550	----	----	192.10B/----	192.10B/125.80A	----	155.20 NEW	.4928	----	----	2	----	1 + 1
4575	----	----	178.10B/----	178.10B/115.80A	----	142.60 + 41.00	.4681	----	----	----	----	3 UNCH
4600	----	----	165.00B/----	165.00B/105.90A	----	130.70 + 37.80	.4433	----	----	2	----	26 + 1
4610	----	----	160.00B/----	160.00B/102.40A	----	126.10 + 36.40	.4334	----	----	----	----	1 UNCH
4625	----	----	152.50B/----	152.50B/96.90A	----	119.40 + 34.50	.4185	----	----	----	----	3 UNCH
4650	98.00	98.00	140.60B/98.00	140.60B/88.30A	----	108.80 + 31.40	.3937	----	----	4	----	7 + 2
4675	117.00	117.00	129.40B/117.00	129.40B/80.60A	----	98.90 + 28.30	.3693	----	----	3	----	5 UNCH
4700	----	----	118.70B/----	118.70B/73.30A	----	89.70 + 25.50	.3452	----	----	----	----	14 UNCH
4750	86.10	86.10	99.60B/86.10	99.60B/60.50A	----	73.50 + 20.40	.2992	----	----	2	----	27 + 2
4765	----	----	94.50B/----	94.50B/57.10A	----	69.30 + 19.20	.2862	----	----	----	----	74 UNCH
4785	----	----	87.90B/----	87.90B/52.80A	----	64.00 + 17.60	.2694	----	----	----	----	2 UNCH
4800	----	----	83.10B/----	83.10B/49.80A	----	60.30 + 16.40	.2573	----	----	2	----	6 + 2
4825	----	----	75.70B/----	75.70B/45.20A	----	54.80 + 14.90	.2384	----	----	----	----	1 UNCH
4850	40.00	40.00	68.90B/40.00	68.90B/40.00	----	49.80 + 13.50	.2205	----	----	1	----	8 + 1
4890	----	----	59.10B/----	59.10B/35.30A	----	42.90 + 11.70	.1946	----	----	----	----	1 UNCH
4900	----	----	56.90B/----	56.90B/*31.80A	----	41.30 + 11.30	.1885	----	----	----	----	6 UNCH
4905	----	----	55.70B/----	55.70B/33.40A	----	40.50 + 11.10	.1854	----	----	----	----	1 UNCH
4955	----	----	45.90B/----	45.90B/27.50A	----	33.20 + 8.90	.1568	----	----	1	----	1 UNCH
4975	----	----	42.60B/----	42.60B/25.50A	----	30.50 + 8.10	.1460	----	----	1	----	1 - 1
5000	----	----	38.70B/----	38.70B/23.10A	----	27.30 + 7.00	.1330	----	----	1	----	24 + 1
5005	----	----	37.80B/----	37.80B/22.70A	----	26.70 + 6.80	.1305	----	----	----	----	1 UNCH
5020	----	----	35.80B/----	35.80B/21.50A	----	25.00 + 6.20	.1234	----	----	----	----	1 UNCH
5025	----	----	35.20B/----	35.20B/21.10A	----	24.40 + 6.00	.1209	----	----	----	----	1 UNCH
5050	----	----	31.80B/----	31.80B/19.50A	----	21.90 + 5.10	.1101	----	----	----	----	2 UNCH
5080	----	----	29.40B/----	29.40B/17.50A	----	19.30 + 4.30	.0985	----	----	----	----	2 UNCH
5100	----	----	27.20B/----	27.20B/17.10A	----	17.80 + 3.70	.0916	----	----	----	----	99 UNCH
5105	----	----	26.70B/----	26.70B/16.90A	----	17.50 + 3.70	.0901	----	----	----	----	1 UNCH
5150	----	----	22.70B/----	22.70B/14.70A	----	14.90 + 2.90	.0775	----	----	----	----	2 UNCH
5160	15.00	15.00	21.90B/14.50A	21.90B/14.50A	----	14.50 + 2.80	.0754	----	----	3	----	3 UNCH
5175	----	----	21.10B/----	21.10B/14.00A	----	13.80 + 2.60	.0718	----	----	----	----	1 UNCH
5200	----	----	19.50B/----	19.50B/13.10A	----	12.80 + 2.40	.0667	----	----	----	----	11 UNCH
5245	----	----	16.80B/----	16.80B/11.60A	----	11.20 + 2.00	.0584	----	----	----	----	6 UNCH
5250	----	----	16.50B/----	16.50B/11.50A	----	11.00 + 1.90	.0574	----	----	----	----	200 UNCH
5265	----	----	15.80B/----	15.80B/11.10A	----	10.40 + 1.80	.0544	----	----	----	----	3 UNCH
5300	9.80	9.80	13.30B/9.80	13.30B/9.80	----	9.30 + 1.50	.0488	----	----	5	----	10 + 5
5325	----	----	12.10B/----	12.10B/9.60A	----	8.60 + 1.40	.0452	----	----	----	----	1 UNCH
5350	----	----	11.10B/----	11.10B/9.10A	----	7.90 + 1.20	.0416	----	----	----	----	10 UNCH
5375	----	----	10.20B/----	10.20B/8.60A	----	7.30 + 1.10	.0385	----	----	----	----	2 UNCH
5400	----	----	9.40B/----	9.40B/8.40A	----	6.80 + 1.00	.0358	----	----	1	----	4 + 1
5425	----	----	8.70B/----	8.70B/8.00A	----	6.30 + 0.90	.0332	----	----	----	----	2 UNCH
5500	10.00	10.00	10.00/10.00	10.00/6.90A	----	5.10 + 0.60	.0268	----	----	1	----	8 + 1
TOTAL										53		673 + 26

OG2 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
2800	1.20	1.20	#1.20/*0.60	#1.20/*0.60	----	0.30 NEW	.0009	----	----	13	----	13 + 13
3300	----	----	----	#3.60B/*3.10A	----	2.30 NEW	.0083	----	----	1	----	1 + 1
3350	----	----	----	#4.30B/*3.30A	----	2.90 NEW	.0104	----	----	15	----	15 + 15
3500	----	----	----/4.90A	7.30B/4.90A	----	5.10 - 3.50	.0187	----	----	----	25	28 + 25
3550	----	----	----/5.60A	8.70B/5.60A	----	5.90 - 4.20	.0219	----	----	----	----	1 UNCH
3600	----	----	----/6.50A	10.50B/6.50A	----	7.00 - 4.80	.0262	----	----	----	----	2 UNCH
3700	----	----	----/8.90A	15.10B/8.90A	----	9.70 - 6.60	.0370	----	----	----	----	4 UNCH
3750	15.60	15.60	15.60/10.50A	17.80B/10.50A	----	11.40 - 7.80	.0438	----	----	50	----	50 + 49
3800	----	----	----/12.30A	21.10B/12.30A	----	13.50 - 9.20	.0521	----	----	----	----	11 UNCH
3850	----	----	----/14.50A	25.50B/14.50A	----	16.00 - 10.80	.0620	----	----	----	----	18 UNCH
3900	21.60	21.60	21.60/17.10A	30.10B/17.10A	----	18.90 - 12.80	.0734	----	----	75	----	76 + 75
3950	25.40	25.40	25.40/20.10A	35.70B/20.10A	----	22.40 - 15.10	.0871	----	----	42	----	41 + 35
4000	29.80	29.80	36.00/23.80A	42.50B/23.80A	----	26.60 - 17.60	.1032	----	----	1057	25	166 + 164
4050	45.00	45.00	45.00/28.00A	49.70B/28.00A	----	31.50 NEW	.1219	----	----	10	----	9 + 9
4075	----	----	----/30.50A	54.10B/30.50A	----	34.30 - 22.30	.1324	----	----	----	----	5 UNCH
4100	----	----	----/33.10A	58.60B/33.10A	----	37.20 - 24.10	.1434	----	----	1008	----	234 + 113
4150	58.10	58.10	62.70/38.80A	68.60B/38.80A	----	43.90 - 27.90	.1682	----	----	23	----	23 + 18
4175	62.50	62.50	68.80/42.20A	74.00B/42.20A	----	47.60 - 30.00	.1818	----	----	29	----	49 + 29
4200	50.20	50.20	50.20/45.90A	80.20B/45.90A	----	51.60 - 32.30	.1964	----	----	1	----	4 + 1
4210	76.10	76.10	#76.10/*47.30A	#82.00B/*47.30A	----	53.30 NEW	.2025	----	----	8	----	8 + 8
4220	76.50	76.50	#76.50/*48.90A	#84.60B/*48.90A	----	55.00 NEW	.2087	----	----	3	----	3 + 3
4225	49.80	49.80	50.60/49.70A	86.60B/49.70A	----	55.90 NEW	.2119	----	----	100	----	100 + 100
4240	----	----	----/52.10A	90.60B/52.10A	----	58.70 NEW	.2219	----	----	2	----	2 + 2
4250	59.00	59.00	59.00/53.80A	93.70B/53.80A	----	60.60 - 37.00	.2286	----	----	2	----	312 UNCH
4260	81.40	81.40	81.40/55.60A	96.20B/55.60A	----	62.60 NEW	.2356	----	----	14	----	14 + 14
4265	83.30	83.30	83.30/56.50A	97.90B/56.50A	----	63.60 NEW	.2391	----	----	2	----	2 + 2
4275	----	----	----/58.30A	100.90B/58.30A	----	65.60 NEW	.2463	----	----	2	----	2 + 2
4295	----	----	----/62.20A	107.20B/62.20A	----	69.90 - 41.80	.2612	----	----	----	----	5 UNCH
4300	62.90	62.90	79.00/62.90	108.50B/62.90	----	71.10 - 42.30	.2651	----	----	22	----	62 + 11
4350	75.00	75.00	75.00/74.30A	126.50B/74.30A	----	83.30 - 48.10	.3062	----	----	2	----	12 UNCH
4375	----	----	----/80.50A	135.70B/80.50A	----	90.20 - 51.10	.3286	----	----	----	----	1 UNCH
4400	127.50	127.50	127.50/85.80	146.60B/85.80	----	97.60 - 54.30	.3520	----	----	9	----	96 + 4
4405	109.00	109.00	109.10/88.30A	148.40B/88.30A	----	99.20 - 54.90	.3569	----	----	20	----	21 + 20
4410	----	----	----/89.90A	150.70B/89.90A	----	100.80 - 55.50	.3618	----	----	----	----	1 UNCH
4415	----	----	----/91.10A	152.90B/91.10A	----	102.40 - 56.20	.3667	----	----	----	----	4 UNCH
4420	142.30	142.30	142.30/92.50A	154.80B/92.50A	----	104.00 NEW	.3717	----	----	2	----	1 + 1
4425	----	----	----/94.30A	157.10B/94.30A	----	105.70 - 57.50	.3767	----	----	----	----	2 UNCH
4450	----	----	----/102.00A	168.90B/102.00A	----	114.30 - 60.90	.4024	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG2 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4465	----	----	----/106.80A	176.40B/106.80A	----	119.90 - 62.90	.4184	----	----	----	----	1 UNCH
4470	----	----	----/108.60A	178.90B/108.60A	----	121.80 - 63.60	.4238	----	----	----	----	26 UNCH
4475	----	----	----/110.10A	181.60B/110.10A	----	123.70 - 64.30	.4292	----	----	----	----	14 UNCH
4480	154.00	154.00	160.00/111.80A	184.20B/111.80A	----	125.70 - 65.00	.4346	----	----	51	----	56 + 43
4500	131.00	131.00	131.00/119.00A	196.50B/119.00A	----	133.80 - 67.80	.4568	----	----	3	----	277 + 2
4540	----	----	----/134.50A	217.90B/134.50A	----	151.60 NEW	.5025	----	----	2	----	2 + 2
4545	----	----	----/136.50A	220.90B/136.50A	----	154.00 - 74.20	.5083	----	----	6	----	7 + 6
4550	158.00	158.00	158.00/138.60A	224.00B/138.60A	----	156.40 - 74.90	.5141	----	----	1	----	6 UNCH
4560	----	----	----/142.90A	229.90B/142.90A	----	161.30 NEW	.5258	----	----	1	----	1 + 1
4570	----	----	----/147.30A	236.40B/147.30A	----	166.30 - 77.80	.5374	----	----	----	----	1 UNCH
4575	194.60	194.60	194.60/149.50A	239.50B/149.50A	----	168.90 NEW	.5433	----	----	5	----	5 + 5
4590	----	----	----/156.50A	249.00B/156.50A	----	176.80 - 80.50	.5609	----	----	----	----	3 UNCH
4595	168.60	168.60	168.60/158.90A	252.90B/158.90A	----	179.50 NEW	.5668	----	----	1	----	1 + 1
4600	----	----	----/161.30A	255.70B/161.30A	----	182.20 - 81.90	.5727	----	----	4	----	12 + 4
4625	181.00	181.00	181.00/173.70A	272.70B/173.70A	----	196.30 - 85.30	.6019	----	----	2	----	2 UNCH
4650	----	----	----/186.60A	292.20B/186.60A	----	211.30 - 88.40	.6307	----	----	----	----	121 UNCH
4675	----	----	----/200.60A	308.80B/200.60A	----	227.10 - 91.40	.6590	----	----	4	----	4 + 3
4700	----	----	----/215.20A	327.90B/215.20A	----	243.70 - 94.20	.6864	----	----	1	----	8 UNCH
4720	----	----	----/228.70A	343.70B/228.70A	----	257.50 - 96.20	.7077	----	----	----	----	4 UNCH
4725	----	----	----/231.80A	347.50B/231.80A	----	261.00 - 96.80	.7128	----	----	1	----	1 UNCH
4750	----	----	----/248.30A	367.60B/248.30A	----	279.10 - 99.10	.7380	----	----	----	----	2 UNCH
4800	----	----	----/282.70A	409.70B/282.70A	----	317.40 - 03.10	.7841	----	----	----	----	4 UNCH
4825	----	----	----/301.00A	431.00B/301.00A	----	337.40 - 04.90	.8049	----	----	----	----	6 UNCH
4840	----	----	----/312.30A	444.10B/312.30A	----	349.70 - 05.90	.8167	----	----	----	----	1 UNCH
4875	----	----	----/339.30A	475.20B/339.30A	----	379.20 - 07.80	.8417	----	----	----	----	4 UNCH
4900	----	----	----/359.30A	498.00B/359.30A	----	400.80 - 09.00	.8575	----	----	----	----	15 UNCH
4925	432.50	432.50	432.50/380.10A	520.90B/380.10A	----	422.80 - 10.00	.8722	----	----	3	----	3 + 3
4945	----	----	----/396.80A	539.40B/396.80A	----	440.70 - 10.70	.8828	----	----	----	----	4 UNCH
4950	----	----	----/401.20A	543.90B/401.20A	----	445.20 - 10.80	.8854	----	----	1	----	2 UNCH
4955	----	----	----/405.40A	548.70B/405.40A	----	449.80 - 10.90	.8879	----	----	----	----	3 UNCH
4975	----	----	----/422.60A	566.40B/422.60A	----	468.00 - 11.40	.8969	----	----	----	----	1 UNCH
4995	----	----	----/440.20A	575.60B/440.20A	----	486.30 - 11.90	.9055	----	----	----	----	1 UNCH
5000	----	----	----/444.20A	578.30B/444.20A	----	491.00 - 12.00	.9076	----	----	----	----	103 UNCH
5015	----	----	----/457.80A	582.10B/457.80A	----	504.90 - 12.30	.9135	----	----	----	----	2 UNCH
5020	----	----	----/462.00A	586.40B/462.00A	----	509.60 - 12.30	.9152	----	----	----	----	8 UNCH
5025	----	----	----/466.80A	591.10B/466.80A	----	514.20 - 12.50	.9169	----	----	----	----	2 UNCH
5050	----	----	----/489.00A	615.00B/489.00A	----	537.70 - 12.80	.9252	----	----	----	----	4 UNCH
5065	----	----	----/503.20A	629.40B/503.20A	----	551.90 - 12.90	.9298	----	----	----	----	20 UNCH
5070	----	----	----/507.30A	634.20B/507.30A	----	556.60 - 13.00	.9314	----	----	----	----	4 UNCH
5075	----	----	----/512.20A	639.10B/512.20A	----	561.40 - 13.00	.9326	----	----	----	----	1 UNCH
5100	----	----	----/535.00A	#663.20B/535.00A	----	585.20 - 13.30	.9395	----	----	----	----	12 UNCH
5120	----	----	----/554.00A	682.60B/554.00A	----	604.40 - 13.40	.9442	----	----	----	----	3 UNCH
5125	----	----	----/558.80A	687.40B/558.80A	----	609.20 - 13.40	.9453	----	----	----	----	3 UNCH
5130	----	----	----/563.50A	692.30B/563.50A	----	614.00 NEW	.9465	----	----	1	----	1 + 1
5200	----	----	----/630.00A	#756.00B/630.00A	----	681.70 - 14.10	.9596	----	----	----	----	20 UNCH
5230	----	----	----/658.70A	#785.40B/658.70A	----	710.90 - 14.40	.9643	----	----	----	----	2 UNCH
5235	----	----	----/663.60A	#790.30B/663.60A	----	715.80 - 14.40	.9650	----	----	----	----	2 UNCH
5260	----	----	----/687.30A	#814.90B/687.30A	----	740.20 - 14.70	.9685	----	----	----	----	31 UNCH
5360	----	----	----/791.20A	#843.90B/791.20A	----	838.60 - 15.10	.9784	----	----	----	----	1 UNCH
5400	----	----	----/859.00A	#875.80B/859.00A	----	878.10 - 15.20	.9810	----	----	----	----	1 UNCH
TOTAL										2599	50	2217 + 785

OG2 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4150	----	----	469.30B/----	469.30B/350.20A	----	417.70 + 87.20	.8314	----	----	----	----	1 UNCH
4200	----	----	426.20B/----	426.20B/311.80A	----	375.50 + 82.90	.8032	----	----	----	----	2 UNCH
4350	208.00	208.00	304.40B/208.00	304.40B/208.00	----	257.40 + 67.10	.6934	----	----	1	----	2 UNCH
4375	----	----	285.50B/----	285.50B/188.40A	----	239.30 + 64.00	.6710	----	----	----	----	3 UNCH
4400	----	----	266.90B/----	266.90B/172.80A	----	221.80 + 60.90	.6475	----	----	----	----	3 UNCH
4415	----	----	256.00B/----	256.00B/166.70A	----	211.50 + 58.90	.6328	----	----	----	----	5 UNCH
4450	----	----	231.80B/----	231.80B/146.10A	----	188.50 + 54.20	.5972	----	----	----	----	2 UNCH
4460	----	----	224.70B/----	224.70B/142.70A	----	182.20 NEW	.5866	----	----	2	----	0 UNCH
4475	----	----	214.40B/----	214.40B/134.00A	----	173.00 + 50.90	.5704	----	----	15	----	20 + 15
4480	----	----	211.50B/----	211.50B/132.90A	----	169.90 + 50.10	.5649	----	----	2	----	16 UNCH
4500	120.00	120.00	198.40B/120.00	198.40B/120.00	----	158.10 + 47.30	.5428	----	----	3	----	151 UNCH
4525	----	----	184.20B/----	184.20B/111.30A	----	144.00 NEW	.5144	----	----	1	----	1 + 1
4530	116.30	116.30	181.20B/116.30	181.20B/109.00A	----	141.30 NEW	.5086	----	----	100	----	100 + 100
4535	----	----	178.40B/----	178.40B/106.80A	----	138.60 NEW	.5029	----	----	2	----	1 + 1
4540	159.40	159.40	175.40B/159.40	175.40B/104.60A	----	135.90 NEW	.4971	----	----	3	----	2 + 2
4545	----	----	172.20B/----	172.20B/102.50A	----	133.30 NEW	.4913	----	----	6	----	6 + 6
4550	----	----	169.50B/----	169.50B/100.40A	----	130.70 + 40.20	.4855	----	----	5	----	104 - 1
4555	----	----	166.60B/----	166.60B/98.30A	----	128.20 NEW	.4797	----	----	2	----	1 + 1
4560	----	----	163.50B/----	163.50B/96.30A	----	125.60 NEW	.4738	----	----	6	----	6 + 6
4600	88.90	88.90	141.80B/81.00A	141.80B/81.00A	----	106.60 + 33.30	.4269	----	----	39	----	385 + 12
4610	----	----	136.40B/----	136.40B/77.60A	----	102.20 + 31.90	.4152	----	----	----	----	2 UNCH
4625	----	----	129.00B/----	129.00B/72.60A	----	95.80 + 29.90	.3977	----	----	----	----	5 UNCH
4650	67.40	67.40	117.10B/64.80A	117.10B/64.80A	----	85.80 + 26.80	.3688	----	----	23	----	124 + 21
4660	----	----	112.50B/----	112.50B/61.40A	----	82.00 + 25.50	.3574	----	----	----	----	1 UNCH
4665	65.00	65.00	110.30B/60.60A	110.30B/60.60A	----	80.20 + 25.00	.3518	----	----	1	----	16 UNCH
4700	73.00	73.00	95.20B/73.00	95.20B/51.50A	----	68.20 + 21.00	.3131	----	----	4	----	136 - 4
4725	49.80	49.80	85.60B/49.80	85.60B/45.70A	----	60.60 + 18.40	.2868	----	----	4	----	5 + 4
4735	68.00	68.00	82.00B/68.00	82.00B/43.60A	----	57.70 NEW	.2764	----	----	1	----	1 + 1
4740	----	----	80.20B/----	80.20B/42.60A	----	56.40 + 17.00	.2716	----	----	----	----	1 UNCH
4745	57.60	57.60	78.50B/57.60	78.50B/41.60A	----	55.00 NEW	.2665	----	----	5	----	5 + 5
4750	----	----	76.80B/----	76.80B/40.60A	----	53.70 + 16.10	.2616	----	----	----	----	1 UNCH
4780	----	----	67.20B/----	67.20B/35.20A	----	46.40 NEW	.2333	----	----	1	----	1 + 1
4800	50.00	50.00	61.40B/44.30	61.40B/32.00A	----	42.00 + 12.00	.2154	----	----	59	----	60 + 51
4805	----	----	60.00B/----	60.00B/31.20A	----	41.00 NEW	.2112	----	----	1	----	1 + 1
4835	----	----	52.30B/----	52.30B/27.00A	----	35.30 + 9.70	.1868	----	----	----	----	2 UNCH
4840	----	----	51.10B/----	51.10B/26.40A	----	34.40 + 9.30	.1829	----	----	----	----	1 UNCH
4850	35.70	35.70	48.70B/35.70	48.70B/25.20A	----	32.70 + 8.70	.1754	----	----	6	----	8 + 6
4860	----	----	46.60B/----	46.60B/23.80A	----	31.20 + 8.20	.1684	----	----	----	----	1 UNCH
4890	40.00	40.00	41.10B/40.00	41.10B/20.90A	----	26.80 NEW	.1480	----	----	3	----	3 + 3
4900	21.10	21.10	40.00/*20.00A	40.00/*20.00A	----	25.60 + 6.30	.1421	----	----	4	----	110 + 2
4915	20.50	20.50	36.90B/20.50	36.90B/*18.60A	----	23.70 NEW	.1329	----	----	1	----	1 + 1
4935	----	----	34.00B/----	34.00B/*17.00A	----	21.50 + 4.80	.1219	----	----	1	----	1 UNCH
4950	----	----	32.00B/----	32.00B/*16.00A	----	20.00 + 4.40	.1142	----	----	----	----	5 UNCH
4955	21.60	21.60	31.30B/21.60	31.30B/*15.60A	----	19.50 + 4.20	.1117	----	----	1	----	1 UNCH
4975	----	----	28.90B/----	28.90B/*14.40A	----	17.80 NEW	.1027	----	----	1	----	1 + 1
4985	26.30	26.30	27.60B/26.30	27.60B/*13.80A	----	16.90 NEW	.0981	----	----	1	----	1 + 1
5000	14.70	14.70	26.10B/*12.50	26.10B/*12.50	----	15.80 + 3.20	.0921	----	----	94	----	144 + 9
5015	----	----	24.50B/----	24.50B/*12.10A	----	14.70 + 2.80	.0862	----	----	----	----	26 UNCH
5025	----	----	23.60B/----	23.60B/*11.70A	----	14.10 + 2.80	.0828	----	----	1	----	2 + 1
5030	16.00	16.00	23.10B/16.00	23.10B/*11.50A	----	13.80 + 2.70	.0811	----	----	18	----	16 + 12
5040	----	----	22.20B/----	22.20B/*11.00A	----	13.20 + 2.60	.0777	----	----	----	----	1 UNCH
5045	----	----	21.80B/----	21.80B/*10.80A	----	12.90 + 2.50	.0761	----	----	----	----	1 UNCH
5050	20.50	20.50	21.50/20.50	21.50/10.60A	----	12.60 + 2.40	.0744	----	----	18	----	76 - 12
5055	19.80	19.80	21.00B/19.80	21.00B/*10.40A	----	12.30 NEW	.0728	----	----	1	----	1 + 1
5060	----	----	20.60B/----	20.60B/*10.20A	----	12.00 + 2.30	.0711	----	----	----	----	2 UNCH
5070	----	----	19.80B/----	19.80B/*9.80A	----	11.50 + 2.20	.0683	----	----	----	----	1 UNCH
5100	----	----	17.70B/----	17.70B/*8.80A	----	10.10 + 1.90	.0602	----	----	----	----	38 UNCH
5120	----	----	16.40B/----	16.40B/*8.20A	----	9.30 + 1.70	.0555	----	----	----	----	1 UNCH
5150	----	----	14.70B/----	14.70B/*7.40A	----	8.20 + 1.50	.0491	----	----	----	----	5 UNCH
5170	----	----	13.70B/----	13.70B/*6.90A	----	7.50 + 1.30	.0450	----	----	----	----	1 UNCH
5185	----	----	13.00B/----	13.00B/*6.60A	----	7.10 + 1.20	.0426	----	----	----	----	1 UNCH
5200	----	----	12.30B/----	12.30B/*6.30A	----	6.70 + 1.10	.0402	----	----	----	----	84 UNCH
5205	10.00	10.00	12.10B/10.00	12.10B/*6.20A	----	6.50 + 1.00	.0391	----	----	1	----	11 + 1
5210	12.40	12.40	12.40/12.00	12.40/*6.10A	----	6.40 NEW	.0384	----	----	3	----	3 + 3
5250	----	----	10.30B/----	10.30B/*5.30A	----	5.40 + 0.60	.0325	----	----	----	----	35 UNCH
5280	----	----	9.30B/----	9.30B/*4.90A	----	4.70 + 0.30	.0284	----	----	----	----	2 UNCH
5300	----	----	8.70B/*4.10A	8.70B/*4.10A	----	4.40 + 0.20	.0265	----	----	----	----	13 UNCH
5330	----	----	7.80B/----	7.80B/*4.30A	----	4.00 + 0.10	.0239	----	----	----	----	1 UNCH
5340	----	----	7.50B/----	7.50B/*4.20A	----	3.90 + 0.10	.0232	----	----	----	----	2 UNCH
5350	----	----	7.40B/----	7.40B/*4.10A	----	3.80 + 0.10	.0226	----	----	----	----	8 UNCH
5395	----	----	6.40B/----	6.40B/*3.70A	----	3.20 UNCH	.0190	----	----	----	----	2 UNCH
5400	5.00	5.00	6.20B/5.00	6.20B/*3.60A	----	3.20 UNCH	.0189	----	----	2	----	148 UNCH
5410	----	----	6.00B/----	6.00B/*3.50A	----	3.10 UNCH	.0183	----	----	----	----	1 UNCH
5420	----	----	5.90B/----	5.90B/*3.40A	----	3.00 - 0.10	.0176	----	----	----	----	1 UNCH
5450	----	----	5.30B/----	5.30B/*3.20A	----	2.80 - 0.10	.0163	----	----	----	----	3 UNCH
5475	----	----	4.90B/----	4.90B/*3.00A	----	2.70 - 0.10	.0155	----	----	----	----	1 UNCH
5500	----	----	4.50B/----	4.50B/*2.90A	----	2.60 - 0.10	.0148	----	----	----	----	44 UNCH
5575	----	----	3.60B/----	3.60B/*2.70A	----	2.00 - 0.10	.0113	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 CALL		GOLD OPTIONS										
APR26												
5600	3.40	3.40	3.40/*2.60A	3.40/*2.60A	----	1.80 - 0.20	.0101	----	----	1	----	9 + 1
6500	0.60	0.60	#0.60/*0.60	#0.60/*0.50A	----	0.20 UNCH	.0009	----	----	12	----	12 + 12
TOTAL										455		2002 + 265

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
APR26												
3550	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3800	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3850	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3935	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3985	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4025	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4045	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4050	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4060	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4070	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4075	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4080	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4095	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4100	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4115	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4120	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4125	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4130	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4140	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4145	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4150	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4155	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4160	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4180	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4185	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4190	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4200	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4215	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4220	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4225	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4230	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4240	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4245	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4255	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4260	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4265	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4270	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4275	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4280	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4285	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4290	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4295	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4305	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4310	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4315	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4320	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4325	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4330	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4335	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4340	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4345	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4355	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4360	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4365	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4370	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4375	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4380	----	----	----	----	----	3.70 UNCH	----	----	----	----	----	0 UNCH
4385	----	----	----	----	----	8.70 UNCH	----	----	----	----	----	0 UNCH
4390	----	----	----	----	----	13.70 UNCH	----	----	----	----	----	0 UNCH
4395	----	----	----	----	----	18.70 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	----	----	----	23.70 UNCH	----	----	----	----	----	0 UNCH
4405	----	----	----	----	----	28.70 UNCH	----	----	----	----	----	0 UNCH
4410	----	----	----	----	----	33.70 UNCH	----	----	----	----	----	0 UNCH
4415	----	----	----	----	----	38.70 UNCH	----	----	----	----	----	0 UNCH
4420	----	----	----	----	----	43.70 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	----	----	----	48.70 UNCH	----	----	----	----	----	0 UNCH
4430	----	----	----	----	----	53.70 UNCH	----	----	----	----	----	0 UNCH
4435	----	----	----	----	----	58.70 UNCH	----	----	----	----	----	0 UNCH
4440	----	----	----	----	----	63.70 UNCH	----	----	----	----	----	0 UNCH
4445	----	----	----	----	----	68.70 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----	----	----	73.70 UNCH	----	----	----	----	----	0 UNCH
4455	----	----	----	----	----	78.70 UNCH	----	----	----	----	----	0 UNCH
4460	----	----	----	----	----	83.70 UNCH	----	----	----	----	----	0 UNCH
4465	----	----	----	----	----	88.70 UNCH	----	----	----	----	----	0 UNCH
4470	----	----	----	----	----	93.70 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	----	----	----	98.70 UNCH	----	----	----	----	----	0 UNCH
4480	----	----	----	----	----	103.70 UNCH	----	----	----	----	----	0 UNCH
4485	----	----	----	----	----	108.70 UNCH	----	----	----	----	----	0 UNCH
4490	----	----	----	----	----	113.70 UNCH	----	----	----	----	----	0 UNCH
4495	----	----	----	----	----	118.70 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----	----	----	123.70 UNCH	----	----	----	----	----	0 UNCH
4505	----	----	----	----	----	128.70 UNCH	----	----	----	----	----	0 UNCH
4510	----	----	----	----	----	133.70 UNCH	----	----	----	----	----	0 UNCH
4515	----	----	----	----	----	138.70 UNCH	----	----	----	----	----	0 UNCH
4520	----	----	----	----	----	143.70 UNCH	----	----	----	----	----	0 UNCH
4525	----	----	----	----	----	148.70 UNCH	----	----	----	----	----	0 UNCH
4530	----	----	----	----	----	153.70 UNCH	----	----	----	----	----	0 UNCH
4535	----	----	----	----	----	158.70 UNCH	----	----	----	----	----	0 UNCH
4540	----	----	----	----	----	163.70 UNCH	----	----	----	----	----	0 UNCH
4545	----	----	----	----	----	168.70 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	173.70 UNCH	----	----	----	----	----	0 UNCH
4555	----	----	----	----	----	178.70 UNCH	----	----	----	----	----	0 UNCH
4560	----	----	----	----	----	183.70 UNCH	----	----	----	----	----	0 UNCH
4565	----	----	----	----	----	188.70 UNCH	----	----	----	----	----	0 UNCH
4570	----	----	----	----	----	193.70 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	----	----	----	198.70 UNCH	----	----	----	----	----	0 UNCH
4580	----	----	----	----	----	203.70 UNCH	----	----	----	----	----	0 UNCH
4585	----	----	----	----	----	208.70 UNCH	----	----	----	----	----	0 UNCH
4590	----	----	----	----	----	213.70 UNCH	----	----	----	----	----	0 UNCH
4595	----	----	----	----	----	218.70 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	223.70 UNCH	----	----	----	----	----	0 UNCH
4605	----	----	----	----	----	228.70 UNCH	----	----	----	----	----	0 UNCH
4610	----	----	----	----	----	233.70 UNCH	----	----	----	----	----	0 UNCH
4615	----	----	----	----	----	238.70 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----	----	----	243.70 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	----	----	----	248.70 UNCH	----	----	----	----	----	0 UNCH
4630	----	----	----	----	----	253.70 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	258.70 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	----	----	----	263.70 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	268.70 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	273.70 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----	----	----	278.70 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	283.70 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	----	----	----	288.70 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----	----	----	293.70 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	298.70 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	303.70 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	308.70 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	313.70 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----	----	----	318.70 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	323.70 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS												
APR26														
4705	----	----	----	----	----	328.70	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	333.70	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	338.70	UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	----	----	343.70	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	348.70	UNCH	----	----	----	----	----	0	UNCH
4730	----	----	----	----	----	353.70	UNCH	----	----	----	----	----	0	UNCH
4735	----	----	----	----	----	358.70	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	363.70	UNCH	----	----	----	----	----	0	UNCH
4745	----	----	----	----	----	368.70	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	373.70	UNCH	----	----	----	----	----	0	UNCH
4755	----	----	----	----	----	378.70	UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	----	----	383.70	UNCH	----	----	----	----	----	0	UNCH
4765	----	----	----	----	----	388.70	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	----	----	----	393.70	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	398.70	UNCH	----	----	----	----	----	0	UNCH
4780	----	----	----	----	----	403.70	UNCH	----	----	----	----	----	0	UNCH
4785	----	----	----	----	----	408.70	UNCH	----	----	----	----	----	0	UNCH
4790	----	----	----	----	----	413.70	UNCH	----	----	----	----	----	0	UNCH
4795	----	----	----	----	----	418.70	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	423.70	UNCH	----	----	----	----	----	0	UNCH
4805	----	----	----	----	----	428.70	UNCH	----	----	----	----	----	0	UNCH
4810	----	----	----	----	----	433.70	UNCH	----	----	----	----	----	0	UNCH
4815	----	----	----	----	----	438.70	UNCH	----	----	----	----	----	0	UNCH
4820	----	----	----	----	----	443.70	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	448.70	UNCH	----	----	----	----	----	0	UNCH
4830	----	----	----	----	----	453.70	UNCH	----	----	----	----	----	0	UNCH
4835	----	----	----	----	----	458.70	UNCH	----	----	----	----	----	0	UNCH
4840	----	----	----	----	----	463.70	UNCH	----	----	----	----	----	0	UNCH
4845	----	----	----	----	----	468.70	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	473.70	UNCH	----	----	----	----	----	0	UNCH
4855	----	----	----	----	----	478.70	UNCH	----	----	----	----	----	0	UNCH
4860	----	----	----	----	----	483.70	UNCH	----	----	----	----	----	0	UNCH
4865	----	----	----	----	----	488.70	UNCH	----	----	----	----	----	0	UNCH
4870	----	----	----	----	----	493.70	UNCH	----	----	----	----	----	0	UNCH
4875	----	----	----	----	----	498.70	UNCH	----	----	----	----	----	0	UNCH
4880	----	----	----	----	----	503.70	UNCH	----	----	----	----	----	0	UNCH
4885	----	----	----	----	----	508.70	UNCH	----	----	----	----	----	0	UNCH
4890	----	----	----	----	----	513.70	UNCH	----	----	----	----	----	0	UNCH
4895	----	----	----	----	----	518.70	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	523.70	UNCH	----	----	----	----	----	0	UNCH
4905	----	----	----	----	----	528.70	UNCH	----	----	----	----	----	0	UNCH
4910	----	----	----	----	----	533.70	UNCH	----	----	----	----	----	0	UNCH
4915	----	----	----	----	----	538.70	UNCH	----	----	----	----	----	0	UNCH
4920	----	----	----	----	----	543.70	UNCH	----	----	----	----	----	0	UNCH
4925	----	----	----	----	----	548.70	UNCH	----	----	----	----	----	0	UNCH
4930	----	----	----	----	----	553.70	UNCH	----	----	----	----	----	0	UNCH
4935	----	----	----	----	----	558.70	UNCH	----	----	----	----	----	0	UNCH
4940	----	----	----	----	----	563.70	UNCH	----	----	----	----	----	0	UNCH
4945	----	----	----	----	----	568.70	UNCH	----	----	----	----	----	0	UNCH
4950	----	----	----	----	----	573.70	UNCH	----	----	----	----	----	0	UNCH
4955	----	----	----	----	----	578.70	UNCH	----	----	----	----	----	0	UNCH
4960	----	----	----	----	----	583.70	UNCH	----	----	----	----	----	0	UNCH
4965	----	----	----	----	----	588.70	UNCH	----	----	----	----	----	0	UNCH
4970	----	----	----	----	----	593.70	UNCH	----	----	----	----	----	0	UNCH
4975	----	----	----	----	----	598.70	UNCH	----	----	----	----	----	0	UNCH
4980	----	----	----	----	----	603.70	UNCH	----	----	----	----	----	0	UNCH
4985	----	----	----	----	----	608.70	UNCH	----	----	----	----	----	0	UNCH
4990	----	----	----	----	----	613.70	UNCH	----	----	----	----	----	0	UNCH
4995	----	----	----	----	----	618.70	UNCH	----	----	----	----	----	0	UNCH
5000	----	----	----	----	----	623.70	UNCH	----	----	----	----	----	0	UNCH
5005	----	----	----	----	----	628.70	UNCH	----	----	----	----	----	0	UNCH
5010	----	----	----	----	----	633.70	UNCH	----	----	----	----	----	0	UNCH
5015	----	----	----	----	----	638.70	UNCH	----	----	----	----	----	0	UNCH
5020	----	----	----	----	----	643.70	UNCH	----	----	----	----	----	0	UNCH
5025	----	----	----	----	----	648.70	UNCH	----	----	----	----	----	0	UNCH
5030	----	----	----	----	----	653.70	UNCH	----	----	----	----	----	0	UNCH
5035	----	----	----	----	----	658.70	UNCH	----	----	----	----	----	0	UNCH
5040	----	----	----	----	----	663.70	UNCH	----	----	----	----	----	0	UNCH
5045	----	----	----	----	----	668.70	UNCH	----	----	----	----	----	0	UNCH
5050	----	----	----	----	----	673.70	UNCH	----	----	----	----	----	0	UNCH
5055	----	----	----	----	----	678.70	UNCH	----	----	----	----	----	0	UNCH
5060	----	----	----	----	----	683.70	UNCH	----	----	----	----	----	0	UNCH
5065	----	----	----	----	----	688.70	UNCH	----	----	----	----	----	0	UNCH
5070	----	----	----	----	----	693.70	UNCH	----	----	----	----	----	0	UNCH
5075	----	----	----	----	----	698.70	UNCH	----	----	----	----	----	0	UNCH
5080	----	----	----	----	----	703.70	UNCH	----	----	----	----	----	0	UNCH
5085	----	----	----	----	----	708.70	UNCH	----	----	----	----	----	0	UNCH
5090	----	----	----	----	----	713.70	UNCH	----	----	----	----	----	0	UNCH
5095	----	----	----	----	----	718.70	UNCH	----	----	----	----	----	0	UNCH
5100	----	----	----	----	----	723.70	UNCH	----	----	----	----	----	0	UNCH
5105	----	----	----	----	----	728.70	UNCH	----	----	----	----	----	0	UNCH
5110	----	----	----	----	----	733.70	UNCH	----	----	----	----	----	0	UNCH
5115	----	----	----	----	----	738.70	UNCH	----	----	----	----	----	0	UNCH
5120	----	----	----	----	----	743.70	UNCH	----	----	----	----	----	0	UNCH
5125	----	----	----	----	----	748.70	UNCH	----	----	----	----	----	0	UNCH
5130	----	----	----	----	----	753.70	UNCH	----	----	----	----	----	0	UNCH
5135	----	----	----	----	----	758.70	UNCH	----	----	----	----	----	0	UNCH
5140	----	----	----	----	----	763.70	UNCH	----	----	----	----	----	0	UNCH
5145	----	----	----	----	----	768.70	UNCH	----	----	----	----	----	0	UNCH
5150	----	----	----	----	----	773.70	UNCH	----	----	----	----	----	0	UNCH
5155	----	----	----	----	----	778.70	UNCH	----	----	----	----	----	0	UNCH
5160	----	----	----	----	----	783.70	UNCH	----	----	----	----	----	0	UNCH
5165	----	----	----	----	----	788.70	UNCH	----	----	----	----	----	0	UNCH
5170	----	----	----	----	----	793.70	UNCH	----	----	----	----	----	0	UNCH
5175	----	----	----	----	----	798.70	UNCH	----	----	----	----	----	0	UNCH
5180	----	----	----	----	----	803.70	UNCH	----	----	----	----	----	0	UNCH
5185	----	----	----	----	----	808.70	UNCH	----	----	----	----	----	0	UNCH
5190	----	----	----	----	----	813.70	UNCH	----	----	----	----	----	0	UNCH
5195	----	----	----	----	----	818.70	UNCH	----	----	----	----	----	0	UNCH
5200	----	----	----	----	----	823.70	UNCH	----	----	----	----	----	0	UNCH
5205	----	----	----	----	----	828.70	UNCH	----	----	----	----	----	0	UNCH
5210	----	----	----	----	----	833.70	UNCH	----	----	----	----	----	0	UNCH
5215	----	----	----	----	----	838.70	UNCH	----	----	----	----	----	0	UNCH
5220	----	----	----	----	----	843.70	UNCH	----	----	----	----	----	0	UNCH
5225	----	----	----	----	----	848.70	UNCH	----	----	----	----	----	0	UNCH
5230	----	----	----	----	----	853.70	UNCH	----	----	----	----	----	0	UNCH
5235	----	----	----	----	----	858.70	UNCH	----	----	----	----	----	0	UNCH
5240	----	----	----	----	----	863.70	UNCH	----	----	----	----	----	0	UNCH
5245	----	----	----	----	----	868.70	UNCH	----	----	----	----	----	0	UNCH
5250	----	----	----	----	----	873.70	UNCH	----	----	----	----	----	0	UNCH
5255	----	----	----	----	----	878.70	UNCH	----	----	----	----	----	0	UNCH
5260	----	----	----	----	----	883.70	UNCH	----	----	----	----	----	0	UNCH
5265	----	----	----	----	----	888.70	UNCH	----	----	----	----	----	0	UNCH
5270	----	----	----	----	----	893.70	UNCH	----	----	----	----	----	0	UNCH
5275	----	----	----	----	----	898.70	UNCH	----	----	----	----	----	0	UNCH
5300	----	----	----	----	----	923.70	UNCH	----	----	----	----	----	0	UNCH
5310	----	----	----	----	----	933.70	UNCH	----	----	----	----	----	0	UNCH
5320	----	----	----	----	----	943.70	UNCH	----	----	----	----	----	0	UNCH
5325	----	----	----	----	----	948.70	UNCH	----	----	----	----	----	0	UNCH
5330	----	----	----	----	----	953.70	UNCH	----	----	----	----	----	0	UNCH
5340	----	----	----	----	----	963.70	UNCH	----	----	----	----	----	0	UNCH
5350	----	----	----	----	----	973.70	UNCH	----	----	----	----	----	0	UNCH
5355	----	----	----	----	----	978.70	UNCH	----	----	----	----	----	0	UNCH
5360	----	----	----	----	----	983.70	UNCH	----	----	----	----	----	0	UNCH
5365	----	----	----	----	----	988.70	UNCH	----	----	----	----	----	0	UNCH
5370	----	----	----	----	----	993.70	UNCH	----	----	----	----	----	0	UNCH
5375	----	----	----	----	----	998.70	UNCH	----	----	----	----	----	0	UNCH
5380	----	----	----	----	----	1003.70	UNCH	----	----	----	----	----	0	UNCH
5400	----	----	----	----	----	1023.70	UNCH	----	----	----	----	----	0	UNCH
5410	----	----	----	----	----	1033.70	UNCH	----	----	----	----	----	0	UNCH
5450	----	----	----	----	----	1073.70	UNCH	----	----	----	----	----	0	UNCH
5470	----	----	----	----	----	1093.70	UNCH	----	----	----	----	----	0	UNCH
5500	----	----	----	----	----	1123.70	UNCH	----	----	----	----	----	0	UNCH
5525	----	----	----	----	----	1148.70	UNCH	----	----	----	----	----	0	UNCH
5600	----	----	----	----	----	1223.70	UNCH	----	----	----	----	----	0	UNCH
5750	----	----	----	----	----	1373.70	UNCH	----	----	----	----	----	0	UNCH
5920	----	----	----	----	----	1543.70	UNCH	----	----	----	----	----	0	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
TOTAL												0 0
MAY26												
1000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	182 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	351 UNCH
1700	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1800	----	----	----	0.10B/0.40A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1900	0.30	0.30	0.30/0.30	0.30/0.30	----	0.10 UNCH	.0001	----	----	1	----	1 UNCH
2000	0.50	0.50	0.50/0.30	0.50/0.30	----	0.10 UNCH	.0002	----	----	112	----	123 + 112
2175	0.50	0.50	0.50/0.50	0.50/0.50	----	0.30 UNCH	.0007	----	----	2	----	25 + 2
2200	----	----	0.60B/----	0.60B/0.80A	----	0.40 + 0.10	.0010	----	----	----	----	87 UNCH
2225	0.50	0.50	0.70B/0.50	0.70B/0.50	----	0.50 + 0.10	.0012	----	----	2	----	269 + 2
2250	----	----	0.70B/----	0.70B/0.90A	----	0.50 + 0.10	.0012	----	----	----	----	8 UNCH
2275	----	----	0.70B/----	0.70B/0.90A	----	0.60 + 0.10	.0015	----	----	----	----	1 UNCH
2300	----	----	0.80B/----	0.80B/0.90A	----	0.70 + 0.10	.0017	----	----	100	----	155 + 100
2325	----	----	0.90B/----	0.90B/1.00A	----	0.70 + 0.10	.0017	----	----	----	----	7 UNCH
2350	----	----	1.00B/----	1.00B/1.00A	----	0.80 + 0.10	.0020	----	----	----	----	122 UNCH
2400	----	----	1.10B/----	1.10B/1.00A	----	0.90 + 0.10	.0023	----	----	----	----	3 UNCH
2420	1.00	1.00	1.10B/1.00	1.10B/1.00	----	1.00 + 0.10	.0025	----	----	5	----	16 + 5
2450	----	----	1.10B/----	1.10B/1.20A	----	1.10 + 0.10	.0028	----	----	----	----	15 UNCH
2485	----	----	1.30B/----	1.30B/1.30A	----	1.20 + 0.20	.0031	----	----	----	----	20 UNCH
2495	----	----	1.30B/----	1.30B/1.30A	----	1.20 + 0.10	.0031	----	----	----	----	75 UNCH
2500	----	----	1.40B/----	1.40B/1.30A	----	1.20 + 0.10	.0031	----	----	1	----	46 + 1
2505	----	----	1.40B/----	1.40B/1.40A	----	1.30 + 0.20	.0033	----	----	----	----	5 UNCH
2520	----	----	1.40B/----	1.40B/1.40A	----	1.30 + 0.20	.0033	----	----	----	----	2 UNCH
2525	1.40	1.40	1.40/1.40	1.40/1.40	----	1.30 + 0.10	.0033	----	----	101	----	101 + 99
2540	----	----	1.50B/----	1.50B/1.50A	----	1.40 + 0.20	.0036	----	----	----	----	5 UNCH
2550	----	----	1.50B/----	1.50B/1.50A	----	1.40 + 0.20	.0036	----	----	----	----	1 UNCH
2560	----	----	1.60B/----	1.60B/1.50A	----	1.40 + 0.20	.0036	----	----	4	----	6 + 4
2580	----	----	1.60B/----	1.60B/1.60A	----	1.50 + 0.20	.0039	----	----	----	----	35 UNCH
2590	----	----	1.70B/----	1.70B/1.60A	----	1.50 + 0.20	.0039	----	----	----	----	1 UNCH
2600	----	----	1.70B/----	1.70B/1.60A	----	1.50 + 0.10	.0040	----	----	----	----	27 UNCH
2615	----	----	1.80B/----	1.80B/1.70A	----	1.60 + 0.20	.0042	----	----	----	----	1 UNCH
2620	----	----	1.80B/----	1.80B/1.70A	----	1.60 + 0.20	.0042	----	----	----	----	1 UNCH
2650	1.80	1.80	2.00B/1.80	2.00B/1.80	----	1.70 + 0.20	.0045	----	----	1	----	1 UNCH
2660	----	----	2.00B/----	2.00B/1.80A	----	1.70 + 0.20	.0046	----	----	----	----	1 UNCH
2700	2.00	2.00	2.30B/1.80	2.30B/1.80	----	1.90 + 0.30	.0051	----	----	2	----	31 + 1
2705	----	----	2.30B/----	2.30B/2.00A	----	1.90 + 0.20	.0051	----	----	----	----	1 UNCH
2715	----	----	2.30B/----	2.30B/2.10A	----	1.90 + 0.20	.0052	----	----	----	----	2 UNCH
2750	2.40	2.40	2.50B/2.20A	2.50B/2.20A	----	2.10 NEW	.0058	----	----	1	----	1 + 1
2755	----	----	2.50B/----	2.50B/2.20A	----	2.10 + 0.20	.0058	----	----	----	----	6 UNCH
2770	----	----	2.60B/----	2.60B/2.30A	----	2.20 + 0.20	.0061	----	----	----	----	4 UNCH
2790	----	----	2.70B/----	2.70B/2.40A	----	2.30 + 0.20	.0064	----	----	----	----	5 UNCH
2800	----	----	2.80B/----	2.80B/2.40A	----	2.30 + 0.10	.0064	----	----	10	----	77 + 7
2815	----	----	2.90B/----	2.90B/2.50A	----	2.40 + 0.10	.0067	----	----	----	----	35 UNCH
2820	----	----	3.10B/----	3.10B/2.50A	----	2.50 + 0.20	.0069	----	----	12	----	73 UNCH
2845	----	----	3.20B/----	3.20B/2.60A	----	2.60 + 0.10	.0073	----	----	----	----	5 UNCH
2870	----	----	3.40B/----	3.40B/2.80A	----	2.80 + 0.10	.0079	----	----	----	----	20 UNCH
2895	----	----	3.60B/----	3.60B/2.90A	----	2.90 + 0.10	.0082	----	----	----	----	39 UNCH
2900	----	----	3.70B/----	3.70B/2.90A	----	3.00 + 0.10	.0085	----	----	4	----	343 UNCH
2905	----	----	3.70B/----	3.70B/3.00A	----	3.00 + 0.10	.0085	----	----	----	----	4 UNCH
2910	----	----	3.80B/----	3.80B/3.00A	----	3.00 UNCH	.0085	----	----	----	----	20 UNCH
2930	----	----	4.00B/----	4.00B/3.20A	----	3.20 + 0.10	.0091	----	----	----	----	28 UNCH
2940	----	----	4.10B/----	4.10B/3.20A	----	3.20 UNCH	.0092	----	----	----	----	8 UNCH
2950	----	----	4.20B/----	4.20B/3.30A	----	3.30 UNCH	.0095	----	----	----	----	298 UNCH
2980	----	----	4.50B/3.30A	4.50B/3.30A	----	3.50 - 0.10	.0101	----	----	----	----	1 UNCH
2995	----	----	4.70B/3.60A	4.70B/3.60A	----	3.70 - 0.10	.0107	----	----	----	----	4 UNCH
3000	4.40	4.40	4.80B/3.70A	4.80B/3.70A	----	3.70 - 0.20	.0107	----	----	11	----	150 + 2
3005	----	----	4.80B/3.70A	4.80B/3.70A	----	3.80 - 0.10	.0110	----	----	----	----	1 UNCH
3010	----	----	4.90B/3.70A	4.90B/3.70A	----	3.80 - 0.20	.0110	----	----	----	----	1 UNCH
3020	----	----	5.00B/3.80A	5.00B/3.80A	----	3.90 - 0.20	.0113	----	----	----	----	1 UNCH
3040	3.70	3.70	5.20B/3.70	5.20B/3.70	----	4.10 - 0.20	.0120	----	----	3	----	52 UNCH
3045	----	----	5.30B/4.00A	5.30B/4.00A	----	4.10 - 0.30	.0120	----	----	----	----	2 UNCH
3050	----	----	5.40B/4.10A	5.40B/4.10A	----	4.20 - 0.30	.0123	----	----	----	----	18 UNCH
3055	----	----	5.40B/4.10A	5.40B/4.10A	----	4.20 - 0.30	.0123	----	----	----	----	5 UNCH
3065	----	----	5.60B/4.20A	5.60B/4.20A	----	4.30 - 0.40	.0126	----	----	----	----	5 UNCH
3070	----	----	5.60B/4.30A	5.60B/4.30A	----	4.40 - 0.30	.0129	----	----	----	----	1 UNCH
3075	----	----	5.70B/4.30A	5.70B/4.30A	----	4.40 - 0.40	.0130	----	----	----	----	66 UNCH
3080	----	----	5.80B/4.40A	5.80B/4.40A	----	4.50 - 0.40	.0132	----	----	----	----	1 UNCH
3090	----	----	5.90B/4.50A	5.90B/4.50A	----	4.60 - 0.40	.0136	----	----	----	----	5 UNCH
3095	----	----	6.00B/4.50A	6.00B/4.50A	----	4.70 - 0.40	.0138	----	----	----	----	3 UNCH
3100	4.60	4.60	6.10B/4.60	6.10B/4.60	----	4.70 - 0.50	.0139	----	----	10	----	306 - 10
3105	----	----	6.20B/4.60A	6.20B/4.60A	----	4.80 - 0.40	.0142	----	----	----	----	5 UNCH
3115	----	----	6.30B/4.70A	6.30B/4.70A	----	4.90 - 0.50	.0145	----	----	----	----	5 UNCH
3120	----	----	6.40B/4.80A	6.40B/4.80A	----	5.00 - 0.50	.0148	----	----	----	----	41 UNCH
3125	----	----	6.50B/4.80A	6.50B/4.80A	----	5.00 - 0.60	.0148	----	----	----	----	1 UNCH
3130	----	----	6.60B/4.90A	6.60B/4.90A	----	5.10 - 0.50	.0151	----	----	----	----	1 UNCH
3135	----	----	6.70B/4.90A	6.70B/4.90A	----	5.10 - 0.60	.0152	----	----	----	----	2 UNCH
3140	----	----	6.80B/5.00A	6.80B/5.00A	----	5.20 - 0.60	.0155	----	----	----	----	3 UNCH
3150	----	----	7.00B/5.10A	7.00B/5.10A	----	5.30 - 0.70	.0158	----	----	----	----	10 UNCH
3155	----	----	7.10B/5.20A	7.10B/5.20A	----	5.40 - 0.70	.0161	----	----	----	----	74 UNCH
3160	----	----	7.10B/5.20A	7.10B/5.20A	----	5.50 - 0.70	.0164	----	----	----	----	15 UNCH
3170	----	----	7.30B/5.30A	7.30B/5.30A	----	5.60 - 0.80	.0167	----	----	----	----	5 UNCH
3175	----	----	7.40B/5.40A	7.40B/5.40A	----	5.70 - 0.70	.0170	----	----	----	----	10 UNCH
3185	----	----	7.60B/5.50A	7.60B/5.50A	----	5.80 - 0.80	.0174	----	----	----	----	16 UNCH
3200	7.00	7.00	8.00B/5.50	8.00B/5.50	----	6.00 - 1.00	.0180	----	----	12	----	233 - 4
3205	----	----	8.10B/5.80A	8.10B/5.80A	----	6.10 - 1.00	.0183	----	----	----	----	10 UNCH
3210	----	----	8.20B/5.80A	8.20B/5.80A	----	6.20 - 1.00	.0186	----	----	----	----	10 UNCH
3220	----	----	8.40B/5.90A	8.40B/5.90A	----	6.40 - 1.00	.0192	----	----	----	----	8 UNCH
3225	----	----	8.50B/6.00A	8.50B/6.00A	----	6.40 - 1.10	.0193	----	----	----	----	6 UNCH
3235	----	----	8.70B/6.20A	8.70B/6.20A	----	6.60 - 1.10	.0199	----	----	----	----	5 UNCH
3245	----	----	8.90B/6.30A	8.90B/6.30A	----	6.80 - 1.20	.0205	----	----	----	----	5 UNCH
3250	8.10	8.10	9.10B/6.40A	9.10B/6.40A	----	6.90 - 1.20	.0208	----	----	2	----	81 UNCH
3255	----	----	9.20B/6.50A	9.20B/6.50A	----	7.00 - 1.20	.0211	----	----	----	----	8 UNCH
3260	8.50	8.50	9.70B/6.50A	9.70B/6.50A	----	7.10 - 1.20	.0214	----	----	1	----	8 + 1
3265	----	----	9.80B/6.60A	9.80B/6.60A	----	7.10 - 1.40	.0215	----	----	----	----	16 UNCH
3270	8.50	8.50	10.00B/6.70A	10.00B/6.70A	----	7.20 NEW	.0218	----	----	2	----	2 + 2
3275	9.80	9.80	10.10B/6.80A	10.10B/6.80A	----	7.30 - 1.40	.0221	----	----	1	----	21 + 1
3295	----	----	10.70B/7.10A	10.70B/7.10A	----	7.70 - 1.60	.0234	----	----	----	----	1 UNCH
3300	9.30	9.30	10.80B/7.20A	10.80B/7.20A	----	7.80 - 1.60	.0237	----	----	21	----	514 + 4
3305	----	----	10.90B/7.30A	10.90B/7.30A	----	7.90 - 1.60	.0240	----	----	----	----	60 UNCH
3310	----	----	11.20B/7.40A	11.20B/7.40A	----	8.00 - 1.70	.0243	----	----	----	----	1 UNCH
3315	----	----	11.40B/7.50A	11.40B/7.50A	----	8.10 - 1.70	.0247	----	----	----	----	3 UNCH
3320	----	----	11.50B/7.60A	11.50B/7.60A	----	8.30 - 1.70	.0252	----	----	----	----	1 UNCH
3325	----	----	11.70B/7.70A	11.70B/7.70A	----	8.40 - 1.70	.0255	----	----	----	----	10 UNCH
3330	----	----	11.90B/7.70A	11.90B/7.70A	----	8.50 - 1.80	.0258	----	----	----	----	2 UNCH
3335	----	----	12.10B/7.80A	12.10B/7.80A	----	8.60 - 1.90	.0262	----	----	----	----	21 UNCH
3340	----	----	12.30B/7.90A	12.30B/7.90A	----	8.70 - 1.90	.0265	----	----	----	----	1 UNCH
3345	----	----	12.50B/8.00A	12.50B/8.00A	----	8.80 - 2.00	.0268	----	----	----	----	1 UNCH
3350	10.00	10.00	12.50B/8.10A	12.50B/8.10A	----	8.90 - 2.00	.0272	----	----	14	----	54 + 11
3360	----	----	12.80B/8.40A	12.80B/8.40A	----	9.20 - 2.10	.0280	----	----	----	----	4 UNCH
3370	----	----	13.30B/8.60A	13.30B/8.60A	----	9.40 - 2.20	.0287	----	----	----	----	13 UNCH
3375	----	----	13.50B/8.70A	13.50B/8.70A	----	9.60 - 2.20	.0293	----	----	----	----	54 UNCH
3380	----	----	13.70B/8.80A	13.70B/8.80A	----	9.70 - 2.30	.0296	----	----	----	----	4 UNCH
3385	----	----	13.80B/8.90A	13.80B/8.90A	----	9.80 - 2.40	.0300	----	----	----	----	5 UNCH
3390	12.60	12.60	14.00B/9.00A	14.00B/9.00A	----	10.00 - 2.30	.0305	----	----	1	----	5 UNCH
3395	----	----	14.20B/9.10A	14.20B/9.10A	----	10.10 - 2.40	.0309	----	----	----	----	29 UNCH
3400	12.40	12.40	14.40B/9.30A	14.40B/9.30A	----	10.20 - 2.50	.0312	----	----	18	----	199 - 1
3405	----	----	14.60B/9.40A	14.60B/9.40A	----	10.40 - 2.50	.0318	----	----	----	----	5 UNCH
3415	12.10	12.10	15.00B/9.60A	15.00B/9.60A	----	10.60 - 2.70	.0325	----	----	35	----	119 + 1
3425	14.70	14.70	15.40B/9.90A	15.40B/9.90A	----	10.90 - 2.80	.0334	----	----	2	----	11 UNCH
3430	----	----	15.60B/10.00A	15.60B/10.00A	----	11.10 - 2.80	.0340	----	----	----	----	5 UNCH
3435	----	----	15.70B/10.10A	15.70B/10.10A	----	11.20 - 2.90	.0343	----	----	1	----	101 - 1
3440	----	----	16.10B/10.30A	16.10B/10.30A	----	11.40 - 3.00	.0349	----	----	----	----	1 UNCH
3445	16.00	16.00	16.30B/10.40A	16.30B/10.40A	----	11.50 - 3.10	.0353	----	----	71	----	33 + 17
3450	16.70	16.70	16.70/10.50A	16.70/10.50A	----	11.70 - 3.10	.0359	----	----	98	----	58 + 20
3455	----	----	16.70B/10.70A	16.70B/10.70A	----	11.90 - 3.10	.0364	----	----	----	----	44 UNCH
3460	10.80	10.80	16.90B/10.40	16.90B/10.40	----	12.00 - 3.20	.0368	----	----	107	----	133 + 62
3465	----	----	17.20B/11.00A	17.20B/11.00A	----	12.20 - 3.30	.0374	----	----	----	----	17 UNCH
3470	16.50	16.50	17.40B/11.10A	17.40B/11.10A	----	12.40 - 3.30	.0380	----	----	1	----	76 + 1
3475	16.70	16.70	17.60B/11.20A	17.60B/11.20A	----	12.50 - 3.40	.0384	----	----	2	----	94 + 2
3480	16.80	16.80	17.90B/11.40A	17.90B/11.40A	----	12.70 - 3.50	.0390	----	----	4	----	74 UNCH
3485	----	----	18.20B/11.50A	18.20B/11.50A	----	12.90 - 3.50	.0396	----	----	----	----	61 UNCH
3490	17.40	17.40	18.40B/11.70A	18.40B/11.70A	----	13.00 - 3.70	.0399	----	----	1	----	52 + 1
3495	17.60	17.60	18.70B/11.80A	18.70B/11.80A	----	13.20 - 3.70	.0405	----	----	4	----	54 + 4
3500	18.00	18.00	18.90B/12.00A	18.90B/12.00A	----	13.40 - 3.80	.0411	----	----	256	----	1399 + 76
3505	16.80	16.80	18.90B/12.20A	18.90B/12.20A	----	13.60 - 3.80	.0417	----	----	5	----	15 + 2
3510	15.70	15.70	19.30B/12.30A	19.30B/12.30A	----	13.80 - 3.90	.0423	----	----	7	----	34 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3515	15.70	15.70	19.70B/12.50A	19.70B/12.50A	----	14.00 - 4.00	.0429	----	----	1	----	84 + 1
3520	17.50	17.50	19.70B/12.70A	19.70B/12.70A	----	14.20 - 4.00	.0436	----	----	4	----	8 + 4
3525	19.10	19.10	19.90B/12.80A	19.90B/12.80A	----	14.40 - 4.10	.0442	----	----	2	----	119 + 2
3530	18.30	18.30	20.30B/13.00A	20.30B/13.00A	----	14.60 - 4.20	.0448	----	----	17	----	102 UNCH
3535	----	----	20.70B/13.20A	20.70B/13.20A	----	14.80 - 4.30	.0454	----	----	----	----	160 UNCH
3540	----	----	20.80B/13.30A	20.80B/13.30A	----	15.00 - 4.40	.0460	----	----	----	----	10 UNCH
3545	17.20	17.20	21.20B/13.50A	21.20B/13.50A	----	15.20 - 4.40	.0466	----	----	9	----	57 + 9
3550	----	----	21.50B/13.60A	21.50B/13.60A	----	15.40 - 4.50	.0473	----	----	1	----	336 UNCH
3555	17.50	17.50	21.80B/13.80A	21.80B/13.80A	----	15.60 - 4.60	.0479	----	----	7	----	45 UNCH
3560	17.30	17.30	21.90B/14.00A	21.90B/14.00A	----	15.80 - 4.70	.0485	----	----	3	----	8 + 1
3565	----	----	22.50B/14.20A	22.50B/14.20A	----	16.00 - 4.80	.0491	----	----	----	----	7 UNCH
3570	----	----	22.70B/14.40A	22.70B/14.40A	----	16.20 - 4.90	.0498	----	----	----	----	11 UNCH
3575	21.70	21.70	23.00B/14.60A	23.00B/14.60A	----	16.50 - 5.00	.0506	----	----	6	----	95 UNCH
3580	----	----	23.20B/14.80A	23.20B/14.80A	----	16.70 - 5.10	.0513	----	----	----	----	13 UNCH
3585	23.30	23.30	23.60B/15.00A	23.60B/15.00A	----	16.90 - 5.20	.0519	----	----	1	----	8 - 1
3590	15.20	15.20	23.90B/15.20	23.90B/15.20	----	17.10 - 5.30	.0525	----	----	7	----	33 + 7
3595	17.30	17.30	24.20B/15.40A	24.20B/15.40A	----	17.40 - 5.40	.0534	----	----	5	----	39 + 5
3600	26.00	26.00	26.00/15.60A	26.00/15.60A	----	17.60 - 5.50	.0540	----	----	629	----	972 + 560
3605	----	----	24.90B/15.80A	24.90B/15.80A	----	17.90 - 5.50	.0549	----	----	----	----	56 UNCH
3610	18.00	18.00	25.20B/16.00A	25.20B/16.00A	----	18.10 - 5.70	.0556	----	----	10	----	21 + 10
3615	----	----	25.60B/16.20A	25.60B/16.20A	----	18.40 - 5.70	.0564	----	----	----	----	119 UNCH
3620	17.00	17.00	26.00B/16.40A	26.00B/16.40A	----	18.60 - 5.90	.0571	----	----	6	----	128 + 3
3625	----	----	26.40B/16.60A	26.40B/16.60A	----	18.90 - 5.90	.0580	----	----	----	----	13 UNCH
3630	----	----	26.60B/16.90A	26.60B/16.90A	----	19.10 - 6.10	.0586	----	----	----	----	6 UNCH
3635	17.70	17.70	27.00B/17.10A	27.00B/17.10A	----	19.40 - 6.20	.0595	----	----	3	----	21 + 3
3640	----	----	27.30B/17.30A	27.30B/17.30A	----	19.70 - 6.30	.0604	----	----	----	----	35 UNCH
3645	----	----	27.60B/17.60A	27.60B/17.60A	----	19.90 - 6.40	.0611	----	----	----	----	3 UNCH
3650	28.00	28.00	28.80/17.80A	28.80/17.80A	----	20.20 - 6.50	.0619	----	----	77	----	256 - 20
3655	----	----	28.30B/18.00A	28.30B/18.00A	----	20.50 - 6.60	.0628	----	----	----	----	1 UNCH
3660	----	----	28.70B/18.30A	28.70B/18.30A	----	20.80 - 6.70	.0637	----	----	----	----	41 UNCH
3665	----	----	29.00B/18.60A	29.00B/18.60A	----	21.10 - 6.80	.0646	----	----	----	----	28 UNCH
3670	----	----	29.40B/18.80A	29.40B/18.80A	----	21.40 - 6.90	.0655	----	----	1	----	36 - 1
3675	----	----	30.00B/19.10A	30.00B/19.10A	----	21.70 - 7.00	.0664	----	----	----	----	62 UNCH
3680	----	----	30.30B/19.30A	30.30B/19.30A	----	22.00 - 7.10	.0673	----	----	----	----	69 UNCH
3685	----	----	30.70B/19.60A	30.70B/19.60A	----	22.30 - 7.20	.0682	----	----	----	----	18 UNCH
3690	----	----	31.10B/19.90A	31.10B/19.90A	----	22.60 - 7.40	.0691	----	----	----	----	18 UNCH
3695	----	----	31.50B/20.10A	31.50B/20.10A	----	22.90 - 7.50	.0700	----	----	----	----	73 UNCH
3700	32.70	32.70	32.70/20.40A	32.70/20.40A	----	23.20 - 7.60	.0709	----	----	159	----	527 + 87
3705	----	----	32.50B/20.70A	32.50B/20.70A	----	23.50 - 7.80	.0719	----	----	----	----	44 UNCH
3710	----	----	32.90B/20.90A	32.90B/20.90A	----	23.80 - 7.90	.0728	----	----	----	----	20 UNCH
3715	----	----	33.30B/21.20A	33.30B/21.20A	----	24.20 - 8.00	.0739	----	----	----	----	33 UNCH
3720	----	----	33.90B/21.50A	33.90B/21.50A	----	24.50 - 8.20	.0748	----	----	----	----	21 UNCH
3725	----	----	34.40B/21.80A	34.40B/21.80A	----	24.80 - 8.30	.0758	----	----	1	----	38 + 1
3730	----	----	34.70B/22.10A	34.70B/22.10A	----	25.20 - 8.40	.0769	----	----	----	----	66 UNCH
3735	----	----	35.20B/22.40A	35.20B/22.40A	----	25.50 - 8.60	.0778	----	----	----	----	21 UNCH
3740	37.10	37.10	37.10/22.70A	37.10/22.70A	----	25.90 - 8.70	.0790	----	----	1	----	13 UNCH
3745	28.70	28.70	36.20B/23.00A	36.20B/23.00A	----	26.20 - 8.80	.0799	----	----	25	----	39 - 7
3750	28.10	28.10	36.70B/23.30A	36.70B/23.30A	----	26.60 - 8.90	.0811	----	----	59	----	288 + 37
3755	----	----	37.60B/23.60A	37.60B/23.60A	----	26.90 - 9.10	.0820	----	----	----	----	10 UNCH
3760	----	----	38.00B/24.00A	38.00B/24.00A	----	27.30 - 9.30	.0832	----	----	----	----	49 UNCH
3765	----	----	38.40B/24.30A	38.40B/24.30A	----	27.70 - 9.40	.0843	----	----	----	----	105 UNCH
3770	----	----	38.90B/24.60A	38.90B/24.60A	----	28.10 - 9.50	.0855	----	----	----	----	25 UNCH
3775	----	----	39.40B/25.00A	39.40B/25.00A	----	28.50 - 9.60	.0867	----	----	----	----	279 UNCH
3780	----	----	39.80B/25.30A	39.80B/25.30A	----	28.80 - 9.90	.0877	----	----	----	----	33 UNCH
3785	----	----	40.60B/25.60A	40.60B/25.60A	----	29.20 - 10.00	.0888	----	----	----	----	27 UNCH
3790	----	----	41.00B/26.00A	41.00B/26.00A	----	29.60 - 10.20	.0900	----	----	----	----	29 UNCH
3795	----	----	41.40B/26.40A	41.40B/26.40A	----	30.00 - 10.30	.0912	----	----	----	----	18 UNCH
3800	34.50	34.50	42.30B/26.70A	42.30B/26.70A	----	30.40 - 10.50	.0924	----	----	312	----	1139 + 76
3805	29.90	29.90	42.60B/27.10A	42.60B/27.10A	----	30.90 - 10.60	.0937	----	----	15	----	75 + 14
3810	----	----	43.10B/27.40A	43.10B/27.40A	----	31.30 - 10.70	.0949	----	----	----	----	20 UNCH
3815	----	----	43.80B/27.80A	43.80B/27.80A	----	31.70 - 10.90	.0961	----	----	1	----	40 UNCH
3820	40.00	40.00	44.30B/28.20A	44.30B/28.20A	----	32.10 - 11.10	.0973	----	----	2	----	789 - 1
3825	----	----	45.30B/28.60A	45.30B/28.60A	----	32.60 - 11.20	.0987	----	----	3	----	97 + 1
3830	----	----	45.60B/29.00A	45.60B/29.00A	----	33.00 - 11.40	.1000	----	----	----	----	18 UNCH
3835	----	----	46.20B/29.40A	46.20B/29.40A	----	33.50 - 11.50	.1014	----	----	----	----	32 UNCH
3840	32.90	32.90	46.80B/29.80A	46.80B/29.80A	----	33.90 - 11.80	.1026	----	----	17	----	40 + 2
3845	30.90	30.90	47.40B/30.20A	47.40B/30.20A	----	34.40 - 11.90	.1040	----	----	2	----	30 UNCH
3850	39.20	39.20	48.20B/30.60A	48.20B/30.60A	----	34.80 - 12.10	.1052	----	----	12	----	720 - 6
3855	----	----	48.70B/31.10A	48.70B/31.10A	----	35.30 - 12.30	.1066	----	----	----	----	34 UNCH
3860	----	----	49.40B/31.50A	49.40B/31.50A	----	35.80 - 12.40	.1081	----	----	----	----	38 UNCH
3865	----	----	50.00B/31.90A	50.00B/31.90A	----	36.30 - 12.60	.1095	----	----	----	----	16 UNCH
3870	----	----	50.70B/32.30A	50.70B/32.30A	----	36.70 - 12.90	.1108	----	----	----	----	42 UNCH
3875	----	----	51.80B/32.80A	51.80B/32.80A	----	37.20 - 13.10	.1122	----	----	1	----	35 UNCH
3880	----	----	52.10B/33.20A	52.10B/33.20A	----	37.70 - 13.30	.1136	----	----	1	----	39 + 1
3885	----	----	52.70B/33.70A	52.70B/33.70A	----	38.20 - 13.50	.1151	----	----	----	----	78 UNCH
3890	----	----	53.50B/34.10A	53.50B/34.10A	----	38.80 - 13.60	.1167	----	----	----	----	5 UNCH
3895	----	----	54.30B/34.60A	54.30B/34.60A	----	39.30 - 13.80	.1182	----	----	----	----	73 UNCH
3900	44.00	44.00	54.90B/35.10A	54.90B/35.10A	----	39.80 - 14.00	.1197	----	----	222	----	1411 + 42
3905	44.00	44.00	55.70B/35.60A	55.70B/35.60A	----	40.30 - 14.20	.1211	----	----	2	----	25 UNCH
3910	----	----	56.40B/36.00A	56.40B/36.00A	----	40.90 - 14.40	.1228	----	----	----	----	30 UNCH
3915	37.80	37.80	57.20B/36.50A	57.20B/36.50A	----	41.40 - 14.60	.1243	----	----	1	----	34 + 1
3920	57.00	57.00	58.00B/37.00A	58.00B/37.00A	----	42.00 - 14.80	.1259	----	----	2	----	10 UNCH
3925	----	----	58.70B/37.50A	58.70B/37.50A	----	42.50 - 15.10	.1274	----	----	----	----	56 UNCH
3930	39.40	39.40	59.40B/38.00A	59.40B/38.00A	----	43.10 - 15.30	.1291	----	----	1	----	57 + 1
3935	----	----	60.30B/38.60A	60.30B/38.60A	----	43.70 - 15.50	.1308	----	----	----	----	16 UNCH
3940	57.50	57.50	61.10B/39.10A	61.10B/39.10A	----	44.20 - 15.80	.1323	----	----	2	----	21 UNCH
3945	----	----	61.80B/39.60A	61.80B/39.60A	----	44.80 - 16.00	.1340	----	----	4	----	22 UNCH
3950	50.00	50.00	62.80B/40.10A	62.80B/40.10A	----	45.40 - 16.20	.1357	----	----	27	----	140 + 4
3955	----	----	63.40B/40.70A	63.40B/40.70A	----	46.00 - 16.40	.1374	----	----	----	----	58 UNCH
3960	----	----	64.30B/41.30A	64.30B/41.30A	----	46.60 - 16.70	.1391	----	----	----	----	9 UNCH
3965	----	----	65.30B/41.80A	65.30B/41.80A	----	47.20 - 16.90	.1408	----	----	----	----	8 UNCH
3970	44.00	44.00	66.30B/42.40A	66.30B/42.40A	----	47.90 - 17.10	.1427	----	----	7	----	38 + 5
3975	62.10	62.10	67.00B/42.90A	67.00B/42.90A	----	48.50 - 17.40	.1444	----	----	9	----	42 + 6
3980	63.10	63.10	67.70B/43.50A	67.70B/43.50A	----	49.10 - 17.60	.1461	----	----	1	----	118 + 1
3985	62.90	62.90	68.70B/44.10A	68.70B/44.10A	----	49.80 - 17.80	.1480	----	----	1	----	42 + 1
3990	66.00	66.00	69.60B/44.70A	69.60B/44.70A	----	50.40 - 18.10	.1498	----	----	1	----	8 UNCH
3995	63.60	63.60	70.60B/45.30A	70.60B/45.30A	----	51.10 - 18.40	.1517	----	----	6	----	27 + 4
4000	60.00	60.00	71.50B/45.80A	71.50B/45.80A	----	51.80 - 18.60	.1536	----	----	1642	----	3650 + 803
4005	67.80	67.80	72.40B/46.60A	72.40B/46.60A	----	52.40 - 18.90	.1554	----	----	4	----	207 UNCH
4010	49.60	49.60	73.30B/47.20A	73.30B/47.20A	----	53.10 - 19.20	.1573	----	----	22	----	28 + 7
4015	48.00	48.00	74.40B/47.50	74.40B/47.50	----	53.80 - 19.40	.1593	----	----	3	----	35 + 1
4020	48.70	48.70	75.30B/48.10	75.30B/48.10	----	54.50 - 19.70	.1612	----	----	23	----	69 + 22
4025	55.60	55.60	76.60B/49.10A	76.60B/49.10A	----	55.20 - 20.00	.1632	----	----	1	----	57 UNCH
4030	----	----	77.30B/49.70A	77.30B/49.70A	----	55.90 - 20.30	.1652	----	----	----	----	12 UNCH
4035	----	----	78.30B/50.40A	78.30B/50.40A	----	56.70 - 20.50	.1673	----	----	----	----	6 UNCH
4040	----	----	79.40B/51.10A	79.40B/51.10A	----	57.40 - 20.80	.1693	----	----	----	----	37 UNCH
4045	----	----	80.30B/51.80A	80.30B/51.80A	----	58.10 - 21.10	.1712	----	----	----	----	171 UNCH
4050	73.50	73.50	81.80B/52.40A	81.80B/52.40A	----	58.90 - 21.40	.1734	----	----	130	----	1529 - 34
4055	----	----	82.40B/53.20A	82.40B/53.20A	----	59.70 - 21.60	.1755	----	----	----	----	136 UNCH
4060	67.20	67.20	83.50B/53.90A	83.50B/53.90A	----	60.40 - 22.00	.1776	----	----	3	----	35 UNCH
4065	----	----	84.60B/54.60A	84.60B/54.60A	----	61.20 - 22.30	.1797	----	----	----	----	15 UNCH
4070	----	----	85.70B/55.30A	85.70B/55.30A	----	62.00 - 22.60	.1819	----	----	----	----	114 UNCH
4075	67.70	67.70	86.80B/56.00A	86.80B/56.00A	----	62.80 - 22.90	.1841	----	----	5	----	126 + 1
4080	----	----	88.30B/56.80A	88.30B/56.80A	----	63.60 - 23.20	.1863	----	----	----	----	90 UNCH
4085	67.00	67.00	89.20B/57.50A	89.20B/57.50A	----	64.40 - 23.50	.1885	----	----	183	----	664 + 120
4090	68.30	68.30	90.20B/58.30A	90.20B/58.30A	----	65.30 - 23.80	.1908	----	----	2	----	104 + 2
4095	----	----	91.60B/59.00A	91.60B/59.00A	----	66.10 - 24.10	.1930	----	----	1	----	158 + 1
4100	75.00	75.00	92.60B/59.70A	92.60B/59.70A	----	67.00 - 24.40	.1954	----	----	474	----	928 + 141
4105	----	----	93.80B/60.60A	93.80B/60.60A	----	67.80 - 24.80	.1976	----	----	----	----	208 UNCH
4110	----	----	95.40B/61.40A	95.40B/61.40A	----	68.70 - 25.10	.2000	----	----	----	----	56 UNCH
4115	----	----	96.60B/62.20A	96.60B/62.20A	----	69.60 - 25.40	.2024	----	----	----	----	54 UNCH
4120	91.90	91.90	97.60B/63.10A	97.60B/63.10A	----	70.50 - 25.80	.2048	----	----	2	----	131 - 1
4125	88.20	88.20	99.20B/63.90A	99.20B/63.90A	----	71.40 - 26.10	.2072	----	----	10	----	78 - 4
4130	90.60	90.60	100.10B/64.70A	100.10B/64.70A	----	72.30 - 26.50	.2096	----	----	5	----	29 UNCH
4135	87.40	87.40	101.70B/65.60A	101.70B/65.60A	----	73.20 - 26.80	.2121	----	----	20	----	40 + 12
4140	95.20	95.20	102.70B/66.40A	102.70B/66.40A	----	74.20 - 27.10	.2146	----	----	2	----	30 + 1
4145	97.90	97.90	104.30B/67.30A	104.30B/67.30A	----	75.10 - 27.50	.2171	----	----	6	----	127 + 1
4150	90.00	90.00	105.30B/68.10A	105.30B/68.10A	----	76.10 - 27.90	.2196	----	----	102	----	474 - 6
4155	----	----	106.70B/69.10A	106.70B/69.10A	----	77.10 - 28.20	.2222	----	----	----	----	41 UNCH
4160	96.10	96.10	108.30B/70.00A	108.30B/70.00A	----	78.10 - 28.50	.2248	----	----	10	----	24 + 2
4165	109.00	109.00	109.60/70.90A	109.60/70.90A	----	79.10 - 28.90	.2274	----	----	116	----	68 + 45
4170	98.50	98.50	110.90B/71.80A	110.90B/71.80A	----	80.10 - 29.30	.2301	----	----	10	----	69 + 9
4175	96.80	96.80	112.30B/72.80A	112.30B/72.80A	----	81.10 - 29.70	.2327	----	----	37	----	194 UNCH
4180	101.00	101.00	113.50B/73.70A	113.50B/73.70A	----	82.10 - 30.10	.2353	----	----	14	----	291 - 7
4185	106.80	106.80	115.40B/74.70A	115.40B/74.70A	----	83.20 - 30.40	.2381	----	----	10	----	355 UNCH
4190	113.00	113.00	116.90B/75.60A	116.90B/75.60A	----	84.30 - 30.80	.2409	----	----	73	----	86 - 15
4195	----	----	118.50B/76.60A	118.50B/76.60A	----	85.30 - 31.30	.2435	----	----	----	----	110 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4200	118.30	118.30	119.60B/77.50A	119.60B/77.50A	----	86.40 - 31.60	.2463	----	----	182	----	1763 + 42
4205	81.20	81.20	121.40B/78.60A	121.40B/78.60A	----	87.50 - 32.10	.2491	----	----	1	----	208 UNCH
4210	83.20	83.20	122.70B/79.60A	122.70B/79.60A	----	88.60 - 32.50	.2520	----	----	1	----	77 + 1
4215	84.30	84.30	124.20B/80.70A	124.20B/80.70A	----	89.80 - 32.80	.2549	----	----	2	----	208 + 1
4220	111.00	111.00	126.20B/81.70A	126.20B/81.70A	----	90.90 - 33.30	.2577	----	----	8	----	19 - 3
4225	118.10	118.10	127.30B/82.80A	127.30B/82.80A	----	92.10 - 33.60	.2607	----	----	27	----	239 - 5
4230	87.50	87.50	128.90B/83.90A	128.90B/83.90A	----	93.30 - 34.00	.2637	----	----	1	----	144 + 1
4235	88.70	88.70	130.70B/85.00A	130.70B/85.00A	----	94.40 - 34.50	.2665	----	----	2	----	53 + 1
4240	89.80	89.80	132.10B/86.10A	132.10B/86.10A	----	95.70 - 34.90	.2696	----	----	7	----	43 - 3
4245	107.10	107.10	133.80B/87.20A	133.80B/87.20A	----	96.90 - 35.30	.2726	----	----	3	----	49 + 3
4250	113.00	113.00	135.50B/88.30A	135.50B/88.30A	----	98.10 - 35.80	.2756	----	----	174	----	1355 + 4
4255	93.40	93.40	137.30B/89.50A	137.30B/89.50A	----	99.40 - 36.20	.2787	----	----	1	----	28 + 1
4260	94.60	94.60	138.90B/90.70A	138.90B/90.70A	----	100.60 - 36.70	.2818	----	----	8	----	108 + 7
4265	95.80	95.80	140.60B/91.80A	140.60B/91.80A	----	101.90 - 37.10	.2849	----	----	1	----	68 + 1
4270	97.10	97.10	142.50B/93.00A	142.50B/93.00A	----	103.20 - 37.50	.2881	----	----	8	----	109 + 7
4275	129.20	129.20	144.10B/94.30A	144.10B/94.30A	----	104.50 - 38.00	.2912	----	----	2	----	143 - 1
4280	99.60	99.60	146.10B/95.50A	146.10B/95.50A	----	105.80 - 38.50	.2944	----	----	8	----	144 - 3
4285	132.40	132.40	147.90B/96.70A	147.90B/96.70A	----	107.20 - 38.90	.2977	----	----	11	----	30 + 6
4290	131.40	131.40	149.70B/98.00A	149.70B/98.00A	----	108.50 - 39.40	.3009	----	----	79	----	126 + 50
4295	103.40	103.40	151.60B/99.30A	151.60B/99.30A	----	109.90 - 39.80	.3042	----	----	1	----	28 UNCH
4300	117.50	117.50	153.40B/100.40A	153.40B/100.40A	----	111.30 - 40.30	.3075	----	----	163	50	2067 + 50
4305	----	----	155.20B/101.90A	155.20B/101.90A	----	112.70 - 40.80	.3108	----	----	----	----	49 UNCH
4310	115.60	115.60	156.50B/103.20A	156.50B/103.20A	----	114.20 - 41.20	.3142	----	----	1	----	53 UNCH
4315	----	----	158.20B/104.50A	158.20B/104.50A	----	115.60 - 41.70	.3175	----	----	----	----	19 UNCH
4320	----	----	160.20B/105.90A	160.20B/105.90A	----	117.10 - 42.10	.3210	----	----	1	----	71 UNCH
4325	----	----	162.30B/107.20A	162.30B/107.20A	----	118.50 - 42.70	.3243	----	----	----	----	157 UNCH
4330	----	----	163.90B/108.60A	163.90B/108.60A	----	120.00 - 43.20	.3278	----	----	----	----	275 UNCH
4335	----	----	166.20B/110.00A	166.20B/110.00A	----	121.60 - 43.60	.3313	----	----	----	----	40 UNCH
4340	----	----	168.20B/111.40A	168.20B/111.40A	----	123.10 - 44.10	.3348	----	----	----	----	142 UNCH
4345	156.80	156.80	169.90B/112.80A	169.90B/112.80A	----	124.60 - 44.70	.3383	----	----	15	----	335 - 15
4350	145.00	145.00	173.40B/114.20A	173.40B/114.20A	----	126.20 - 45.10	.3419	----	----	38	----	834 + 7
4355	----	----	174.10B/115.80A	174.10B/115.80A	----	127.80 - 45.60	.3454	----	----	----	----	91 UNCH
4360	----	----	176.20B/117.20A	176.20B/117.20A	----	129.40 - 46.10	.3490	----	----	10	----	378 UNCH
4365	----	----	178.40B/118.80A	178.40B/118.80A	----	131.00 - 46.70	.3527	----	----	----	----	40 UNCH
4370	178.40	178.40	180.80B/120.30A	180.80B/120.30A	----	132.70 - 47.10	.3563	----	----	66	----	202 - 3
4375	125.40	125.40	183.90B/121.80A	183.90B/121.80A	----	134.40 - 47.60	.3600	----	----	25	----	107 + 4
4380	----	----	185.10B/123.40A	185.10B/123.40A	----	136.10 - 48.10	.3637	----	----	1	----	80 + 1
4385	165.20	165.20	187.40B/124.90A	187.40B/124.90A	----	137.80 - 48.70	.3674	----	----	1	----	391 - 1
4390	----	----	189.30B/126.50A	189.30B/126.50A	----	139.50 - 49.20	.3711	----	----	1	----	58 - 1
4395	----	----	191.50B/128.10A	191.50B/128.10A	----	141.20 - 49.80	.3749	----	----	----	----	23 UNCH
4400	190.00	190.00	193.60B/129.60A	193.60B/129.60A	----	143.00 - 50.30	.3787	----	----	188	24	2462 + 96
4405	----	----	196.00B/131.30A	196.00B/131.30A	----	144.80 - 50.80	.3825	----	----	----	----	25 UNCH
4410	166.80	166.80	198.30B/133.00A	198.30B/133.00A	----	146.60 - 51.30	.3863	----	----	101	----	72 + 26
4415	----	----	200.70B/134.70A	200.70B/134.70A	----	148.40 - 51.90	.3901	----	----	1	----	168 - 1
4420	186.00	186.00	203.70B/136.40A	203.70B/136.40A	----	150.30 - 52.40	.3940	----	----	2	----	86 UNCH
4425	183.70	183.70	206.10B/138.00A	206.10B/138.00A	----	152.10 - 53.00	.3979	----	----	9	----	312 + 8
4430	----	----	208.00B/139.80A	208.00B/139.80A	----	154.00 - 53.50	.4018	----	----	----	----	100 UNCH
4435	188.20	188.20	210.50B/141.60A	210.50B/141.60A	----	156.00 - 54.00	.4057	----	----	30	----	101 + 29
4440	----	----	----/143.30A	212.10B/143.30A	----	157.90 - 54.60	.4097	----	----	----	----	296 UNCH
4445	----	----	----/145.20A	214.60B/145.20A	----	159.80 - 55.20	.4136	----	----	----	----	120 UNCH
4450	195.10	195.10	195.10/146.90A	215.60B/146.90A	----	161.80 - 55.70	.4176	----	----	47	----	917 + 6
4455	194.00	194.00	194.00/148.70A	218.10B/148.70A	----	163.80 - 56.20	.4216	----	----	2	----	260 UNCH
4460	152.00	152.00	167.00/150.50A	221.60B/150.50A	----	165.90 - 56.70	.4256	----	----	2	----	55 UNCH
4465	----	----	----/152.40A	223.20B/152.40A	----	167.90 - 57.30	.4296	----	----	----	----	37 UNCH
4470	----	----	----/154.20A	225.70B/154.20A	----	170.00 - 57.80	.4337	----	----	----	----	62 UNCH
4475	193.00	193.00	193.00/156.00A	228.50B/156.00A	----	172.10 - 58.40	.4377	----	----	4	----	934 UNCH
4480	----	----	----/158.00A	231.00B/158.00A	----	174.20 - 59.00	.4418	----	----	----	----	176 UNCH
4485	----	----	----/159.90A	233.60B/159.90A	----	176.30 - 59.50	.4459	----	----	----	----	35 UNCH
4490	201.90	201.90	201.90/161.90A	236.20B/161.90A	----	178.50 - 60.10	.4500	----	----	1	----	245 UNCH
4495	----	----	----/164.00A	238.90B/164.00A	----	180.60 - 60.70	.4541	----	----	----	----	25 UNCH
4500	210.00	210.00	217.60/165.90A	241.70B/165.90A	----	182.80 - 61.30	.4583	----	----	216	----	2173 - 16
4505	----	----	----/168.00A	243.80B/168.00A	----	185.10 - 61.80	.4624	----	----	----	----	26 UNCH
4510	----	----	----/170.00A	249.00B/170.00A	----	187.30 - 62.40	.4666	----	----	1	----	97 + 1
4515	224.60	224.60	224.60/172.00A	251.70B/172.00A	----	189.60 - 62.90	.4707	----	----	2	----	57 UNCH
4520	----	----	----/174.10A	254.60B/174.10A	----	191.90 - 63.50	.4749	----	----	2	----	160 UNCH
4525	----	----	----/176.20A	257.00B/176.20A	----	194.20 - 64.00	.4791	----	----	2	----	83 - 1
4530	218.00	218.00	218.00/178.30A	259.20B/178.30A	----	196.50 - 64.60	.4833	----	----	2	----	47 UNCH
4535	----	----	----/180.50A	262.10B/180.50A	----	198.90 - 65.20	.4875	----	----	----	----	218 UNCH
4540	----	----	----/182.50A	265.10B/182.50A	----	201.30 - 65.70	.4917	----	----	----	----	46 UNCH
4545	----	----	272.30B/184.90A	272.30B/184.90A	----	203.70 - 66.30	.4959	----	----	1	----	88 - 1
4550	199.10	199.10	199.10/187.10A	272.10B/187.10A	----	206.20 - 66.80	.5001	----	----	46	----	633 - 37
4555	----	----	----/189.30A	271.40B/189.30A	----	208.60 - 67.40	.5044	----	----	----	----	12 UNCH
4560	----	----	----/191.50A	273.30B/191.50A	----	211.10 - 68.00	.5086	----	----	----	----	93 UNCH
4565	216.20	216.20	216.30/193.50A	276.40B/193.50A	----	213.60 - 68.50	.5128	----	----	9	----	133 UNCH
4570	255.10	255.10	255.10/195.80A	279.20B/195.80A	----	216.10 - 69.10	.5171	----	----	3	----	179 UNCH
4575	204.50	204.50	221.70/198.10A	282.10B/198.10A	----	218.70 - 69.60	.5213	----	----	3	----	38 UNCH
4580	259.70	259.70	259.70/200.40A	285.40B/200.40A	----	221.30 - 70.20	.5256	----	----	12	----	121 + 2
4585	----	----	----/203.00A	289.20B/203.00A	----	223.90 - 70.70	.5298	----	----	----	----	18 UNCH
4590	229.10	229.10	229.30/205.30A	291.60B/205.30A	----	226.50 - 71.30	.5340	----	----	10	----	96 + 6
4595	----	----	----/207.50A	294.70B/207.50A	----	229.20 - 71.80	.5383	----	----	----	----	62 UNCH
4600	223.80	223.80	223.80/210.10A	298.10B/210.10A	----	231.80 - 72.40	.5426	----	----	6	----	1939 - 32
4605	----	----	----/212.60A	301.10B/212.60A	----	234.50 - 73.00	.5468	----	----	----	----	38 UNCH
4610	----	----	----/215.00A	304.40B/215.00A	----	237.30 - 73.40	.5510	----	----	----	----	154 UNCH
4615	----	----	----/217.30A	307.60B/217.30A	----	240.00 - 74.00	.5553	----	----	----	----	104 UNCH
4620	----	----	----/219.80A	310.90B/219.80A	----	242.80 - 74.50	.5595	----	----	----	----	112 UNCH
4625	269.90	269.90	269.90/222.50A	314.20B/222.50A	----	245.60 - 75.10	.5638	----	----	11	----	235 - 9
4630	----	----	----/225.10A	317.40B/225.10A	----	248.40 - 75.60	.5680	----	----	1	----	31 + 1
4635	----	----	----/227.70A	321.80B/227.70A	----	251.20 - 76.20	.5722	----	----	----	----	501 UNCH
4640	----	----	----/230.30A	324.00B/230.30A	----	254.10 - 76.70	.5764	----	----	1	----	138 + 1
4645	----	----	----/232.90A	327.30B/232.90A	----	257.00 - 77.20	.5806	----	----	----	----	59 UNCH
4650	----	----	----/235.50A	330.80B/235.50A	----	259.90 - 77.80	.5849	----	----	3	----	590 UNCH
4655	----	----	----/238.20A	334.30B/238.20A	----	262.90 - 78.20	.5890	----	----	1	----	32 UNCH
4660	----	----	----/240.90A	336.90B/240.90A	----	265.80 - 78.80	.5932	----	----	----	----	205 UNCH
4665	----	----	----/243.60A	340.20B/243.60A	----	268.80 - 79.30	.5974	----	----	----	----	44 UNCH
4670	----	----	----/246.30A	343.70B/246.30A	----	271.80 - 79.90	.6015	----	----	----	----	122 UNCH
4675	----	----	----/249.10A	347.20B/249.10A	----	274.90 - 80.30	.6057	----	----	----	----	322 UNCH
4680	----	----	----/251.90A	350.70B/251.90A	----	277.90 - 80.90	.6099	----	----	36	----	210 + 20
4685	----	----	----/254.70A	354.20B/254.70A	----	281.00 - 81.40	.6140	----	----	----	----	163 UNCH
4690	----	----	----/257.50A	357.70B/257.50A	----	284.10 - 81.90	.6181	----	----	----	----	220 UNCH
4695	----	----	----/260.40A	360.80B/260.40A	----	287.20 - 82.40	.6222	----	----	----	----	80 UNCH
4700	----	----	----/263.20A	364.90B/263.20A	----	290.40 - 82.80	.6263	----	----	56	----	1821 + 26
4705	----	----	----/266.10A	368.50B/266.10A	----	293.60 - 83.30	.6304	----	----	----	----	39 UNCH
4710	283.20	283.20	283.20/269.10A	372.10B/269.10A	----	296.80 - 83.80	.6344	----	----	1	----	206 + 1
4715	----	----	----/272.00A	375.80B/272.00A	----	300.00 - 84.30	.6384	----	----	----	----	75 UNCH
4720	----	----	----/275.00A	379.40B/275.00A	----	303.20 - 84.80	.6425	----	----	----	----	528 UNCH
4725	----	----	----/278.00A	383.10B/278.00A	----	306.50 - 85.30	.6465	----	----	----	----	65 UNCH
4730	289.80	289.80	307.80/281.00A	386.80B/281.00A	----	309.80 - 85.70	.6505	----	----	10	----	103 + 2
4735	----	----	----/284.00A	390.50B/284.00A	----	313.10 - 86.20	.6544	----	----	2	----	22 UNCH
4740	296.40	296.40	296.40/288.50A	394.20B/288.50A	----	316.40 - 86.70	.6583	----	----	1	----	54 + 1
4745	----	----	----/291.40A	398.00B/291.40A	----	319.80 - 87.10	.6622	----	----	1	----	38 UNCH
4750	----	----	----/294.70A	401.70B/294.70A	----	323.20 - 87.50	.6662	----	----	----	----	437 UNCH
4755	----	----	----/297.80A	405.50B/297.80A	----	326.60 - 88.00	.6700	----	----	1	----	144 - 1
4760	312.80	312.80	312.80/300.70A	409.30B/300.70A	----	330.00 - 88.50	.6739	----	----	45	----	93 - 12
4765	----	----	----/303.90A	413.20B/303.90A	----	333.40 - 89.00	.6778	----	----	----	----	63 UNCH
4770	----	----	----/307.00A	417.00B/307.00A	----	336.90 - 89.40	.6816	----	----	----	----	71 UNCH
4775	----	----	----/310.30A	420.90B/310.30A	----	340.40 - 89.80	.6854	----	----	----	----	253 UNCH
4780	----	----	----/313.60A	424.70B/313.60A	----	343.90 - 90.20	.6892	----	----	----	----	107 UNCH
4785	----	----	----/316.70A	428.60B/316.70A	----	347.40 - 90.70	.6929	----	----	----	----	89 UNCH
4790	----	----	----/320.10A	432.50B/320.10A	----	351.00 - 91.00	.6966	----	----	----	----	329 UNCH
4795	----	----	----/323.50A	436.50B/323.50A	----	354.50 - 91.50	.7004	----	----	----	----	37 UNCH
4800	400.00	400.00	400.00/326.80A	440.40B/326.80A	----	358.10 - 91.90	.7041	----	----	7	----	1421 + 2
4805	----	----	----/330.20A	444.40B/330.20A	----	361.70 - 92.30	.7076	----	----	----	----	51 UNCH
4810	----	----	----/333.50A	447.90B/333.50A	----	365.40 - 92.70	.7113	----	----	----	----	262 UNCH
4815	----	----	----/336.90A	451.90B/336.90A	----	369.00 - 93.10	.7148	----	----	----	----	22 UNCH
4820	----	----	----/340.40A	456.20B/340.40A	----	372.70 - 93.50	.7184	----	----	----	----	274 UNCH
4825	----	----	----/343.80A	460.20B/343.80A	----	376.40 - 93.90	.7219	----	----	----	----	196 UNCH
4830	----	----	----/347.20A	464.40B/347.20A	----	380.10 - 94.30	.7255	----	----	----	----	129 UNCH
4835	----	----	----/350.70A	468.40B/350.70A	----	383.80 - 94.70	.7290	----	----	----	----	153 UNCH
4840	----	----	----/354.20A	472.50B/354.20A	----	387.60 - 95.00	.7324	----	----	----	----	57 UNCH
4845	----	----	----/357.80A	476.50B/357.80A	----	391.30 - 95.40	.7358	----	----	----	----	39 UNCH
4850	----	----	----/361.40A	480.40B/361.40A	----	395.10 - 95.80	.7392	----	----	4	100	1070 - 14
4855	----	----	----/364.90A	484.50B/364.90A	----	398.90 - 96.20	.7426	----	----	----	----	35 UNCH
4860	----	----	----/368.60A	488.90B/368.60A	----	402.80 - 96.40	.7460	----	----	----	----	38 UNCH
4865	----	----	----/372.20A	493.10B/372.20A	----	406.60 - 96.80	.7492	----	----	----	----	20 UNCH
4870	----	----	----/375.80A	497.20B/375.80A	----	410.50 - 97.10	.7527	----	----	----	----	357 UNCH
4875	----	----	----/379.40A	501.20B/379.40A	----	414.30 - 97.60	.7559	----	----	1	----	150 UNCH
4880	----	----	----/383.10A	505.60B/383.10A	----	418.20 - 97.90	.7591	----	----	----	----	99 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4885	----	----	----/386.70A	509.90B/386.70A	----	422.20 - 98.10	.7622	----	----	----	----	21 UNCH
4890	----	----	----/390.40A	514.00B/390.40A	----	426.10 - 98.50	.7654	----	----	----	----	66 UNCH
4895	----	----	----/394.10A	518.30B/394.10A	----	430.00 - 98.90	.7685	----	----	----	----	98 UNCH
4900	438.70	438.70	438.70/397.40A	522.50B/397.40A	----	434.00 - 99.20	.7715	----	----	2	250	1077 - 157
4905	----	----	----/401.50A	526.60B/401.50A	----	438.00 - 99.50	.7748	----	----	----	----	54 UNCH
4910	----	----	----/404.90A	531.10B/404.90A	----	442.00 - 99.80	.7776	----	----	----	----	90 UNCH
4915	----	----	----/409.00A	535.40B/409.00A	----	446.00 - 00.10	.7807	----	----	----	----	27 UNCH
4920	----	----	----/412.50A	539.60B/412.50A	----	450.00 - 00.40	.7838	----	----	1	----	140 + 1
4925	----	----	----/416.60A	544.00B/416.60A	----	454.10 - 00.70	.7866	----	----	----	----	47 UNCH
4930	----	----	----/420.60A	548.00B/420.60A	----	458.10 - 01.00	.7895	----	----	----	----	52 UNCH
4935	----	----	----/424.40A	552.70B/424.40A	----	462.20 - 01.30	.7925	----	----	----	----	54 UNCH
4940	----	----	----/428.30A	557.00B/428.30A	----	466.30 - 01.60	.7952	----	----	----	----	16 UNCH
4945	----	----	----/432.20A	561.10B/432.20A	----	470.40 - 01.80	.7981	----	----	----	----	48 UNCH
4950	510.90	510.90	510.90/436.10A	565.40B/436.10A	----	474.50 - 02.10	.8009	----	----	3	----	754 UNCH
4955	----	----	----/439.90A	570.10B/439.90A	----	478.70 - 02.40	.8036	----	----	----	----	86 UNCH
4960	----	----	----/443.90A	574.20B/443.90A	----	482.80 - 02.70	.8064	----	----	----	----	132 UNCH
4965	----	----	----/447.80A	578.90B/447.80A	----	487.00 - 02.90	.8091	----	----	----	----	25 UNCH
4970	----	----	----/451.80A	583.30B/451.80A	----	491.20 - 03.10	.8117	----	----	----	----	4 UNCH
4975	----	----	----/455.90A	587.70B/455.90A	----	495.40 - 03.40	.8144	----	----	----	----	89 UNCH
4980	----	----	----/459.80A	592.10B/459.80A	----	499.60 - 03.60	.8170	----	----	----	----	56 UNCH
4985	----	----	----/463.80A	596.60B/463.80A	----	503.80 - 03.90	.8194	----	----	----	----	124 UNCH
4990	----	----	----/468.00A	600.70B/468.00A	----	508.10 - 04.10	.8221	----	----	----	----	36 UNCH
4995	----	----	----/472.00A	605.40B/472.00A	----	512.30 - 04.40	.8245	----	----	----	----	222 UNCH
5000	----	----	----/476.10A	610.00B/476.10A	----	516.60 - 04.60	.8271	----	----	2	----	1110 UNCH
5005	----	----	----/480.20A	614.10B/480.20A	----	520.80 - 04.90	.8295	----	----	----	----	43 UNCH
5010	----	----	----/484.30A	618.80B/484.30A	----	525.10 - 05.10	.8320	----	----	----	----	14 UNCH
5015	----	----	----/488.40A	623.40B/488.40A	----	529.40 - 05.30	.8344	----	----	----	----	23 UNCH
5020	----	----	----/492.40A	627.80B/492.40A	----	533.70 - 05.50	.8365	----	----	----	----	23 UNCH
5025	----	----	----/496.60A	632.30B/496.60A	----	538.10 - 05.70	.8389	----	----	----	----	154 UNCH
5030	----	----	----/500.70A	636.60B/500.70A	----	542.40 - 05.90	.8413	----	----	----	----	24 UNCH
5035	----	----	----/504.90A	641.40B/504.90A	----	546.80 - 06.10	.8435	----	----	----	----	13 UNCH
5040	----	----	----/509.00A	645.90B/509.00A	----	551.10 - 06.30	.8457	----	----	----	----	135 UNCH
5045	----	----	----/513.20A	650.30B/513.20A	----	555.50 - 06.50	.8478	----	----	----	----	28 UNCH
5050	----	----	----/517.40A	654.80B/517.40A	----	559.90 - 06.70	.8500	----	----	1	----	440 UNCH
5055	----	----	----/521.70A	659.60B/521.70A	----	564.30 - 06.90	.8521	----	----	----	----	107 UNCH
5060	----	----	----/526.00A	663.90B/526.00A	----	568.70 - 07.10	.8543	----	----	----	----	84 UNCH
5065	----	----	----/530.20A	668.50B/530.20A	----	573.10 - 07.30	.8564	----	----	----	----	54 UNCH
5070	----	----	----/534.40A	673.40B/534.40A	----	577.50 - 07.50	.8583	----	----	----	----	175 UNCH
5075	----	----	----/538.80A	677.70B/538.80A	----	582.00 - 07.60	.8605	----	----	----	----	47 UNCH
5080	----	----	----/543.10A	682.30B/543.10A	----	586.40 - 07.80	.8624	----	----	----	----	85 UNCH
5085	----	----	----/547.40A	686.90B/547.40A	----	590.90 - 07.90	.8643	----	----	----	----	116 UNCH
5090	----	----	----/551.70A	691.50B/551.70A	----	595.40 - 08.10	.8664	----	----	----	----	23 UNCH
5095	----	----	----/556.00A	696.40B/556.00A	----	599.90 - 08.20	.8683	----	----	----	----	17 UNCH
5100	----	----	----/560.30A	700.70B/560.30A	----	604.40 - 08.40	.8702	----	----	----	----	393 UNCH
5105	----	----	----/564.70A	705.60B/564.70A	----	608.90 - 08.50	.8718	----	----	----	----	58 UNCH
5110	----	----	----/569.00A	710.40B/569.00A	----	613.40 - 08.70	.8736	----	----	----	----	286 UNCH
5115	----	----	----/573.40A	714.90B/573.40A	----	617.90 - 08.80	.8755	----	----	----	----	24 UNCH
5120	----	----	----/577.80A	719.30B/577.80A	----	622.50 - 08.90	.8771	----	----	----	----	18 UNCH
5125	----	----	----/582.10A	724.20B/582.10A	----	627.00 - 09.10	.8790	----	----	----	----	89 UNCH
5130	----	----	----/586.50A	728.60B/586.50A	----	631.60 - 09.10	.8806	----	----	----	----	120 UNCH
5135	----	----	----/591.00A	733.50B/591.00A	----	636.10 - 09.30	.8824	----	----	----	----	95 UNCH
5140	----	----	----/595.40A	738.00B/595.40A	----	640.70 - 09.40	.8840	----	----	----	----	23 UNCH
5145	----	----	----/599.80A	742.90B/599.80A	----	645.30 - 09.50	.8856	----	----	----	----	44 UNCH
5150	----	----	----/604.30A	747.70B/604.30A	----	649.90 - 09.60	.8872	----	----	----	----	374 UNCH
5155	----	----	----/608.70A	752.30B/608.70A	----	654.40 - 09.80	.8888	----	----	----	----	9 UNCH
5160	----	----	----/613.20A	756.70B/613.20A	----	659.10 - 09.80	.8903	----	----	----	----	31 UNCH
5165	----	----	----/617.60A	761.80B/617.60A	----	663.70 - 09.90	.8916	----	----	----	----	49 UNCH
5170	----	----	----/622.20A	765.50B/622.20A	----	668.30 - 10.10	.8932	----	----	----	----	155 UNCH
5175	----	----	----/626.60A	769.50B/626.60A	----	672.90 - 10.20	.8948	----	----	----	----	31 UNCH
5180	----	----	----/631.10A	774.20B/631.10A	----	677.50 - 10.30	.8960	----	----	----	----	76 UNCH
5185	----	----	----/635.60A	778.90B/635.60A	----	682.20 - 10.30	.8976	----	----	----	----	2 UNCH
5190	----	----	----/640.20A	783.60B/640.20A	----	686.80 - 10.50	.8989	----	----	----	----	10 UNCH
5195	----	----	----/644.70A	788.30B/644.70A	----	691.50 - 10.50	.9004	----	----	----	----	25 UNCH
5200	----	----	----/649.20A	793.10B/649.20A	----	696.10 - 10.70	.9017	----	----	----	----	270 UNCH
5205	----	----	----/653.70A	797.80B/653.70A	----	700.80 - 10.70	.9029	----	----	----	----	19 UNCH
5210	----	----	----/658.30A	802.50B/658.30A	----	705.50 - 10.80	.9045	----	----	----	----	9 UNCH
5215	----	----	----/662.80A	807.30B/662.80A	----	710.20 - 10.80	.9057	----	----	----	----	6 UNCH
5220	----	----	----/667.40A	812.00B/667.40A	----	714.80 - 11.00	.9070	----	----	----	----	9 UNCH
5225	----	----	----/672.00A	816.70B/672.00A	----	719.50 - 11.10	.9082	----	----	----	----	59 UNCH
5230	----	----	----/676.50A	821.50B/676.50A	----	724.20 - 11.10	.9095	----	----	----	----	10 UNCH
5235	----	----	----/681.10A	826.30B/681.10A	----	728.90 - 11.20	.9107	----	----	----	----	71 UNCH
5240	----	----	----/685.70A	831.00B/685.70A	----	733.60 - 11.30	.9117	----	----	----	----	43 UNCH
5245	----	----	----/690.30A	835.80B/690.30A	----	738.30 - 11.40	.9129	----	----	----	----	15 UNCH
5250	783.60	783.60	783.60/694.80A	840.60B/694.80A	----	743.10 - 11.30	.9141	----	----	5	----	433 UNCH
5255	----	----	----/699.50A	845.30B/699.50A	----	747.80 - 11.40	.9153	----	----	----	----	4 UNCH
5260	----	----	----/704.20A	850.10B/704.20A	----	752.50 - 11.50	.9163	----	----	----	----	11 UNCH
5265	831.50	831.50	831.50/708.80A	854.90B/708.80A	----	757.20 - 11.60	.9175	----	----	1	----	7 + 1
5270	----	----	----/713.40A	859.70B/713.40A	----	762.00 - 11.60	.9187	----	----	----	----	30 UNCH
5275	----	----	----/718.10A	864.50B/718.10A	----	766.70 - 11.70	.9196	----	----	----	----	205 UNCH
5280	----	----	----/722.70A	869.20B/722.70A	----	771.50 - 11.70	.9208	----	----	----	----	33 UNCH
5290	----	----	----/732.00A	878.80B/732.00A	----	781.00 - 11.80	.9227	----	----	----	----	2 UNCH
5295	----	----	----/736.70A	883.60B/736.70A	----	785.70 - 12.00	.9239	----	----	----	----	5 UNCH
5300	759.20	759.20	759.30/741.30A	888.40B/741.30A	----	790.50 - 12.00	.9248	----	----	3	----	110 - 1
5305	----	----	----/746.00A	893.20B/746.00A	----	795.20 - 12.10	.9257	----	----	----	----	40 UNCH
5310	----	----	----/750.70A	898.10B/750.70A	----	800.00 - 12.10	.9269	----	----	----	----	32 UNCH
5315	----	----	----/755.40A	902.90B/755.40A	----	804.80 - 12.20	.9277	----	----	----	----	1 UNCH
5320	----	----	----/760.10A	907.70B/760.10A	----	809.60 - 12.20	.9286	----	----	----	----	26 UNCH
5325	----	----	----/764.80A	912.50B/764.80A	----	814.30 - 12.30	.9295	----	----	1	----	51 UNCH
5330	----	----	----/769.50A	917.30B/769.50A	----	819.10 - 12.40	.9304	----	----	----	----	27 UNCH
5335	----	----	----/774.20A	922.20B/774.20A	----	823.90 - 12.40	.9313	----	----	----	----	1 UNCH
5340	----	----	----/778.90A	927.00B/778.90A	----	828.70 - 12.40	.9322	----	----	----	----	14 UNCH
5350	----	----	----/788.30A	926.40B/788.30A	----	838.30 - 12.50	.9339	----	----	----	----	43 UNCH
5360	----	----	----/797.80A	936.10B/797.80A	----	847.90 - 12.60	.9356	----	----	----	----	11 UNCH
5365	----	----	----/802.50A	941.00B/802.50A	----	852.70 - 12.70	.9365	----	----	----	----	11 UNCH
5370	----	----	----/807.30A	945.80B/807.30A	----	857.50 - 12.70	.9374	----	----	----	----	32 UNCH
5375	----	----	----/812.00A	950.60B/812.00A	----	862.30 - 12.80	.9382	----	----	----	----	32 UNCH
5380	----	----	----/816.70A	955.50B/816.70A	----	867.10 - 12.80	.9388	----	----	----	----	4 UNCH
5385	----	----	----/821.50A	960.80B/821.50A	----	872.00 - 12.80	.9396	----	----	----	----	15 UNCH
5390	----	----	----/826.30A	965.20B/826.30A	----	876.80 - 12.90	.9405	----	----	----	----	1 UNCH
5400	854.00	854.00	854.00/835.80A	975.40B/835.80A	----	886.40 - 13.00	.9418	----	----	1	----	96 - 1
5410	----	----	----/845.30A	985.10B/845.30A	----	896.10 - 13.10	.9432	----	----	----	----	55 UNCH
5420	----	----	----/854.90A	994.40B/854.90A	----	905.80 - 13.10	.9449	----	----	----	----	7 UNCH
5425	----	----	----/859.70A	999.80B/859.70A	----	910.60 - 13.20	.9454	----	----	----	----	32 UNCH
5435	----	----	----/869.20A	1009.00B/869.20A	----	920.30 - 13.20	.9468	----	----	----	----	2 UNCH
5445	----	----	----/878.80A	1019.30B/878.80A	----	930.00 - 13.30	.9481	----	----	----	----	1 UNCH
5450	----	----	----/883.60A	1024.10B/883.60A	----	934.90 - 13.30	.9486	----	----	----	----	20 UNCH
5475	----	----	----/907.70A	1048.60B/907.70A	----	959.20 - 13.50	.9518	----	----	----	----	1 UNCH
5490	----	----	----/922.10A	1063.30B/922.10A	----	973.80 - 13.60	.9536	----	----	----	----	3 UNCH
5500	962.00	962.00	962.00/931.80A	1072.60B/931.80A	----	983.50 - 13.70	.9545	----	----	1	----	35 UNCH
5515	----	----	----/946.30A	1087.30B/946.30A	----	998.20 - 13.70	.9563	----	----	----	----	10 UNCH
5520	----	----	----/951.20A	1092.20B/951.20A	----	1003.10 - 13.70	.9568	----	----	----	----	1 UNCH
5530	----	----	----/960.80A	1102.50B/960.80A	----	1012.80 - 13.80	.9577	----	----	----	----	10 UNCH
5535	----	----	----/965.70A	1107.40B/965.70A	----	1017.70 - 13.80	.9582	----	----	----	----	10 UNCH
5540	----	----	----/970.50A	1112.30B/970.50A	----	1022.60 - 13.90	.9587	----	----	----	----	5 UNCH
5550	----	----	----/980.30A	1111.60B/980.30A	----	1032.40 - 13.90	.9596	----	----	----	----	5 UNCH
5565	----	----	----/994.80A	1126.30B/994.80A	----	1047.10 - 13.90	.9610	----	----	----	----	10 UNCH
5575	----	----	----/1,004.60A	1136.20B/1004.60A	----	1056.90 - 14.00	.9619	----	----	----	----	12 UNCH
5590	----	----	----/1,019.20A	1150.90B/1019.20A	----	1071.60 - 14.10	.9633	----	----	----	----	25 UNCH
5600	----	----	----/1,028.90A	1160.80B/1028.90A	----	1081.40 - 14.10	.9639	----	----	----	----	11 UNCH
5625	----	----	----/1,053.40A	1185.40B/1053.40A	----	1106.00 - 14.20	.9661	----	----	----	----	6 UNCH
5640	----	----	----/1,073.60A	1195.60B/1073.60A	----	1120.70 - 14.30	.9671	----	----	----	----	1 UNCH
5890	----	----	----/1,319.70A	1447.60B/1319.70A	----	1368.00 - 14.70	.9802	----	----	----	----	4 UNCH
5910	----	----	----/1,339.50A	1463.00B/1339.50A	----	1387.90 - 14.70	.9808	----	----	----	----	1 UNCH
5960	----	----	----	----	----	1437.50 - 14.80	.9823	----	----	----	----	1 UNCH
5980	----	----	----	----	----	1457.40 - 14.80	.9828	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1477.30 - 14.90	.9834	----	----	----	----	2 UNCH
6025	----	----	----/1,453.60A	1581.70B/1453.60A	----	1502.20 - 14.90	.9843	----	----	----	----	3 UNCH
6100	----	----	----/1,529.00A	1656.40B/1529.00A	----	1576.80 - 15.00	.9863	----	----	----	----	7 UNCH
TOTAL										7398	424	73734 + 2578
JUN26												
1325	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1375	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1400	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1425	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1475	----	----	----	----/0.50A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
1500	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
1525	----	----	----	----/0.50A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
1575	----	----	----	0.10B/0.60A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1580	----	----	----	0.10B/0.60A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1590	----	----	----	0.10B/0.60A	----	0.10 UNCH	.0001	----	----	----	----	175 UNCH
1600	----	----	0.20B/----	0.20B/0.40A	----	0.10 UNCH	.0001	----	----	----	----	18 UNCH
1610	----	----	----	0.10B/0.60A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1615	----	----	----	0.10B/0.60A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1620	----	----	0.20B/----	0.20B/0.60A	----	0.10 UNCH	.0001	----	----	----	----	31 UNCH
1625	----	----	0.20B/----	0.20B/0.60A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1650	0.50	0.50	#0.50/0.50	0.50/0.50	----	0.10 UNCH	.0002	----	----	1	----	2 + 1
1670	----	----	0.20B/----	0.20B/0.70A	----	0.20 + 0.10	.0004	----	----	----	----	10 UNCH
1675	----	----	0.20B/----	0.20B/0.50A	----	0.20 + 0.10	.0004	----	----	----	----	10 UNCH
1685	----	----	0.30B/----	0.30B/0.50A	----	0.20 UNCH	.0004	----	----	----	----	5 UNCH
1690	----	----	0.30B/----	0.30B/0.50A	----	0.20 UNCH	.0004	----	----	----	----	1 UNCH
1695	----	----	0.30B/----	0.30B/0.50A	----	0.20 UNCH	.0004	----	----	----	----	1 UNCH
1700	0.50	0.50	0.50/*0.50	0.50/0.50	----	0.20 UNCH	.0004	----	----	1	----	2 + 1
1725	0.50	0.50	0.50/*0.50	0.50/0.50	----	0.20 UNCH	.0004	----	----	1	----	1 + 1
1735	0.50	0.50	0.50/*0.50	0.50/0.50	----	0.30 NEW	.0006	----	----	1	----	1 + 1
1740	0.50	0.50	0.50/*0.50	0.50/0.50	----	0.30 NEW	.0006	----	----	1	----	1 + 1
1745	0.50	0.50	0.50/*0.50	0.50/0.50	----	0.30 NEW	.0006	----	----	1	----	1 + 1
1750	0.50	0.50	0.50/*0.50	0.50/0.50	----	0.30 UNCH	.0006	----	----	2	----	4 + 2
1755	----	----	----	0.30B/0.80A	----	0.30 UNCH	.0006	----	----	----	----	1 UNCH
1775	----	----	0.40B/----	0.40B/0.90A	----	0.30 UNCH	.0006	----	----	----	----	1 UNCH
1780	0.50	0.50	0.50/*0.50	0.50/0.50	----	0.30 UNCH	.0006	----	----	2	----	2 + 2
1785	----	----	0.40B/----	0.40B/0.80A	----	0.40 + 0.10	.0008	----	----	----	----	2 UNCH
1795	----	----	0.40B/----	0.40B/0.90A	----	0.40 + 0.10	.0008	----	----	----	----	11 UNCH
1800	----	----	----	0.40B/0.90A	----	0.40 UNCH	.0008	----	----	----	----	6 UNCH
1815	----	----	----	0.40B/0.90A	----	0.40 UNCH	.0008	----	----	----	----	1 UNCH
1820	----	----	----	0.40B/0.90A	----	0.50 + 0.10	.0010	----	----	----	----	2 UNCH
1855	----	----	----	0.50B/1.00A	----	0.60 + 0.10	.0012	----	----	----	----	1 UNCH
1875	----	----	----	0.50B/1.10A	----	0.60 UNCH	.0012	----	----	----	----	3 UNCH
1900	----	----	----	0.60B/1.10A	----	0.70 UNCH	.0014	----	----	----	----	3 UNCH
1905	----	----	----	0.60B/1.10A	----	0.80 + 0.10	.0016	----	----	----	----	7 UNCH
1915	----	----	----	0.60B/1.20A	----	0.80 + 0.10	.0016	----	----	----	----	10 UNCH
1920	----	----	----	0.60B/1.20A	----	0.80 UNCH	.0016	----	----	----	----	2 UNCH
1950	----	----	----	0.70B/1.20A	----	1.00 + 0.10	.0020	----	----	----	----	1 UNCH
1955	----	----	----	0.70B/1.30A	----	1.00 + 0.10	.0020	----	----	----	----	2 UNCH
1965	----	----	----	0.70B/1.30A	----	1.00 + 0.10	.0020	----	----	----	----	10 UNCH
2000	1.20	1.20	1.20/1.20	1.20/1.20	----	1.10 + 0.10	.0022	----	----	1	----	601 + 1
2005	----	----	----	0.80B/1.30A	----	1.10 + 0.10	.0023	----	----	----	----	1 UNCH
2010	----	----	----	0.80B/1.30A	----	1.10 + 0.10	.0023	----	----	----	----	1 UNCH
2015	----	----	----	0.80B/1.30A	----	1.10 UNCH	.0023	----	----	----	----	7 UNCH
2020	----	----	----	0.80B/1.40A	----	1.20 + 0.10	.0024	----	----	----	----	1 UNCH
2025	----	----	----	0.80B/1.40A	----	1.20 + 0.10	.0024	----	----	----	----	10 UNCH
2030	----	----	----	0.80B/1.40A	----	1.20 + 0.10	.0025	----	----	----	----	13 UNCH
2050	----	----	----	0.90B/1.50A	----	1.20 + 0.10	.0025	----	----	----	----	20 UNCH
2085	----	----	----	1.00B/1.50A	----	1.30 + 0.10	.0027	----	----	----	----	15 UNCH
2100	----	----	----	1.00B/1.50A	----	1.30 + 0.10	.0027	----	----	----	----	90 UNCH
2105	----	----	----	1.00B/1.50A	----	1.30 + 0.10	.0027	----	----	----	----	1 UNCH
2170	----	----	----	1.20B/1.60A	----	1.50 + 0.10	.0032	----	----	----	----	5 UNCH
2180	----	----	----	1.30B/1.70A	----	1.50 + 0.10	.0032	----	----	----	----	6 UNCH
2195	----	----	----	1.30B/1.70A	----	1.50 + 0.10	.0033	----	----	----	----	5 UNCH
2200	----	----	----	1.40B/1.70A	----	1.60 + 0.20	.0035	----	----	----	----	7 UNCH
2205	----	----	----	1.40B/1.70A	----	1.60 + 0.10	.0035	----	----	----	----	7 UNCH
2220	----	----	----	1.50B/1.80A	----	1.60 + 0.10	.0035	----	----	----	----	1 UNCH
2230	2.00	2.00	2.00/1.80A	2.00/1.80A	----	1.60 + 0.10	.0035	----	----	5	----	25 + 5
2235	----	----	1.60B/----	1.60B/1.80A	----	1.60 + 0.10	.0035	----	----	----	----	21 UNCH
2240	----	----	1.60B/----	1.60B/1.80A	----	1.70 + 0.20	.0037	----	----	----	----	6 UNCH
2250	----	----	1.70B/----	1.70B/1.80A	----	1.70 + 0.10	.0037	----	----	----	----	5 UNCH
2300	2.10	2.10	2.10/1.90A	2.10/1.90A	----	1.80 + 0.10	.0040	----	----	5	----	9 + 5
2315	----	----	1.90B/----	1.90B/2.00A	----	1.90 + 0.20	.0043	----	----	----	----	40 UNCH
2330	----	----	1.90B/----	1.90B/2.10A	----	1.90 + 0.10	.0043	----	----	----	----	1 UNCH
2350	----	----	2.10B/----	2.10B/2.10A	----	2.00 + 0.20	.0045	----	----	----	----	1 UNCH
2380	----	----	2.20B/----	2.20B/2.20A	----	2.10 + 0.20	.0048	----	----	----	----	1 UNCH
2385	----	----	2.20B/----	2.20B/2.30A	----	2.10 + 0.20	.0048	----	----	----	----	1 UNCH
2390	----	----	2.30B/----	2.30B/2.30A	----	2.10 + 0.10	.0048	----	----	----	----	1 UNCH
2395	----	----	2.30B/----	2.30B/2.30A	----	2.10 + 0.10	.0048	----	----	----	----	1 UNCH
2400	----	----	2.30B/----	2.30B/2.30A	----	2.10 + 0.10	.0049	----	----	----	----	72 UNCH
2405	----	----	2.40B/----	2.40B/2.40A	----	2.20 + 0.20	.0051	----	----	----	----	1 UNCH
2410	2.60	2.60	2.60/2.40A	2.60/2.40A	----	2.20 + 0.20	.0051	----	----	5	----	6 + 5
2415	----	----	2.40B/----	2.40B/2.40A	----	2.20 + 0.10	.0051	----	----	----	----	1 UNCH
2420	2.70	2.70	2.70/2.40A	2.70/2.40A	----	2.20 + 0.10	.0051	----	----	5	----	5 + 4
2425	----	----	2.50B/----	2.50B/2.50A	----	2.30 + 0.20	.0053	----	----	----	----	2 UNCH
2430	----	----	2.50B/----	2.50B/2.50A	----	2.30 + 0.20	.0053	----	----	----	----	1 UNCH
2445	2.80	2.80	2.80/2.60A	2.80/2.60A	----	2.40 NEW	.0056	----	----	5	----	5 + 5
2450	----	----	2.60B/----	2.60B/2.60A	----	2.40 + 0.10	.0056	----	----	----	----	2 UNCH
2460	----	----	2.70B/----	2.70B/2.60A	----	2.40 + 0.10	.0056	----	----	----	----	1 UNCH
2465	----	----	2.70B/----	2.70B/2.70A	----	2.50 + 0.20	.0058	----	----	----	----	7 UNCH
2475	----	----	2.80B/----	2.80B/2.70A	----	2.50 + 0.10	.0059	----	----	----	----	1 UNCH
2495	----	----	2.90B/----	2.90B/2.80A	----	2.60 + 0.10	.0061	----	----	----	----	1 UNCH
2500	----	----	2.90B/----	2.90B/2.80A	----	2.70 + 0.10	.0063	----	----	----	----	1818 UNCH
2535	3.00	3.00	3.20B/3.00	3.20B/3.00	----	2.90 NEW	.0068	----	----	5	----	5 + 5
2540	3.40	3.40	3.40/3.10A	3.40/3.10A	----	2.90 NEW	.0069	----	----	5	----	5 + 5
2550	----	----	3.30B/----	3.30B/3.10A	----	3.00 + 0.10	.0071	----	----	----	----	50 UNCH
2565	3.20	3.20	3.40B/3.20	3.40B/3.20	----	3.10 NEW	.0073	----	----	5	----	5 + 5
2580	3.30	3.30	3.60B/3.30	3.60B/3.30	----	3.20 NEW	.0076	----	----	5	----	5 + 5
2590	----	----	3.70B/----	3.70B/3.40A	----	3.20 UNCH	.0076	----	----	----	----	8 UNCH
2600	----	----	3.70B/----	3.70B/3.50A	----	3.30 UNCH	.0079	----	----	----	----	157 UNCH
2650	----	----	4.20B/----	4.20B/3.80A	----	3.70 UNCH	.0089	----	----	----	----	1 UNCH
2700	4.50	4.50	4.90B/4.20	4.90B/4.20	----	4.10 - 0.10	.0099	----	----	9	----	433 + 3
2730	4.50	4.50	5.20B/4.50	5.20B/4.50	----	4.40 NEW	.0107	----	----	5	----	5 + 5
2750	----	----	5.50B/4.70A	5.50B/4.70A	----	4.60 - 0.20	.0112	----	----	----	----	1 UNCH
2800	5.00	5.00	6.10B/4.90	6.10B/4.90	----	5.10 - 0.30	.0125	----	----	52	----	509 - 50
2805	----	----	6.20B/5.20A	6.20B/5.20A	----	5.20 - 0.30	.0128	----	----	----	----	223 UNCH
2810	----	----	6.30B/5.30A	6.30B/5.30A	----	5.30 - 0.30	.0130	----	----	----	----	39 UNCH
2825	----	----	6.60B/5.50A	6.60B/5.50A	----	5.40 - 0.40	.0133	----	----	----	----	48 UNCH
2830	----	----	6.70B/5.50A	6.70B/5.50A	----	5.50 - 0.40	.0135	----	----	----	----	25 UNCH
2850	5.50	5.50	7.00B/5.50	7.00B/5.50	----	5.80 - 0.40	.0143	----	----	3	----	17 + 3
2875	----	----	7.40B/6.10A	7.40B/6.10A	----	6.10 - 0.50	.0151	----	----	----	----	7 UNCH
2900	----	----	7.90B/6.50A	7.90B/6.50A	----	6.50 - 0.50	.0161	----	----	6	----	160 UNCH
2905	----	----	8.00B/6.50A	8.00B/6.50A	----	6.50 - 0.60	.0161	----	----	----	----	5 UNCH
2915	----	----	8.20B/6.60A	8.20B/6.60A	----	6.70 - 0.60	.0166	----	----	----	----	1 UNCH
2935	----	----	8.60B/6.90A	8.60B/6.90A	----	7.00 - 0.60	.0174	----	----	----	----	3 UNCH
2950	----	----	8.90B/7.20A	8.90B/7.20A	----	7.30 - 0.60	.0181	----	----	----	----	24 UNCH
2975	----	----	9.40B/7.60A	9.40B/7.60A	----	7.70 - 0.80	.0192	----	----	----	----	9 UNCH
2990	----	----	9.80B/7.80A	9.80B/7.80A	----	8.00 - 0.80	.0199	----	----	----	----	5 UNCH
2995	----	----	9.90B/7.90A	9.90B/7.90A	----	8.10 - 0.80	.0202	----	----	----	----	6 UNCH
3000	9.80	9.80	10.00B/8.00	10.00B/8.00	----	8.20 - 0.80	.0204	----	----	13	----	1528 - 6
3005	----	----	10.20B/8.10A	10.20B/8.10A	----	8.30 - 0.80	.0207	----	----	----	----	10 UNCH
3010	----	----	10.30B/8.20A	10.30B/8.20A	----	8.40 - 0.90	.0209	----	----	----	----	8 UNCH
3015	----	----	10.40B/8.30A	10.40B/8.30A	----	8.50 - 0.90	.0212	----	----	----	----	215 UNCH
3020	----	----	10.50B/8.40A	10.50B/8.40A	----	8.60 - 0.90	.0215	----	----	----	----	35 UNCH
3035	----	----	10.90B/8.70A	10.90B/8.70A	----	8.90 - 1.00	.0222	----	----	----	----	1 UNCH
3050	----	----	11.30B/8.90A	11.30B/8.90A	----	9.20 - 1.10	.0230	----	----	----	----	389 UNCH
3065	----	----	11.80B/9.20A	11.80B/9.20A	----	9.50 - 1.20	.0238	----	----	----	----	7 UNCH
3070	----	----	11.90B/9.30A	11.90B/9.30A	----	9.70 - 1.10	.0242	----	----	----	----	6 UNCH
3075	----	----	12.00B/9.40A	12.00B/9.40A	----	9.80 - 1.10	.0245	----	----	----	----	10 UNCH
3080	----	----	12.20B/9.60A	12.20B/9.60A	----	9.90 - 1.20	.0248	----	----	----	----	8 UNCH
3095	----	----	12.60B/9.90A	12.60B/9.90A	----	10.30 - 1.20	.0257	----	----	----	----	41 UNCH
3100	10.00	10.00	12.80B/9.70	12.80B/9.70	----	10.40 - 1.30	.0260	----	----	13	----	365 + 1
3105	----	----	13.00B/10.10A	13.00B/10.10A	----	10.50 - 1.30	.0263	----	----	----	----	11 UNCH
3110	----	----	13.10B/10.20A	13.10B/10.20A	----	10.60 - 1.40	.0266	----	----	----	----	10 UNCH
3120	----	----	13.40B/10.40A	13.40B/10.40A	----	10.90 - 1.40	.0273	----	----	----	----	6 UNCH
3125	----	----	13.60B/10.60A	13.60B/10.60A	----	11.00 - 1.40	.0276	----	----	----	----	10 UNCH
3130	----	----	13.80B/10.60A	13.80B/10.60A	----	11.10 - 1.50	.0278	----	----	----	----	25 UNCH
3140	----	----	14.10B/10.90A	14.10B/10.90A	----	11.40 - 1.50	.0286	----	----	----	----	5 UNCH
3150	----	----	14.40B/11.20A	14.40B/11.20A	----	11.70 - 1.60	.0293	----	----	----	----	142 UNCH
3155	----	----	14.60B/11.30A	14.60B/11.30A	----	11.80 - 1.60	.0296	----	----	----	----	16 UNCH
3160	----	----	14.80B/11.40A	14.80B/11.40A	----	12.00 - 1.60	.0301	----	----	----	----	5 UNCH
3170	----	----	15.20B/11.70A	15.20B/11.70A	----	12.30 - 1.70	.0308	----	----	----	----	6 UNCH
3175	----	----	15.30B/11.80A	15.30B/11.80A	----	12.40 - 1.70	.0311	----	----	----	----	12 UNCH
3180	----	----	15.50B/11.90A	15.50B/11.90A	----	12.60 - 1.70	.0315	----	----	----	----	5 UNCH
3185	----	----	15.70B/12.10A	15.70B/12.10A	----	12.70 - 1.80	.0318	----	----	----	----	6 UNCH
3190	----	----	15.90B/12.20A	15.90B/12.20A	----	12.90 - 1.80	.0323	----	----	----	----	18 UNCH
3200	----	----	16.30B/12.50A	16.30B/12.50A	----	13.20 - 1.90	.0331	----	----	----	----	288 UNCH
3205	----	----	16.50B/12.60A	16.50B/12.60A	----	13.30 - 2.00	.0334	----	----	----	----	42 UNCH
3210	----	----	16.70B/12.80A	16.70B/12.80A	----	13.50 - 2.00	.0338	----	----	----	----	15 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3215	----	----	16.90B/12.90A	16.90B/12.90A	----	13.70 - 2.00	.0343	----	----	----	----	22 UNCH
3220	----	----	17.10B/13.10A	17.10B/13.10A	----	13.80 - 2.10	.0346	----	----	----	----	7 UNCH
3225	----	----	17.30B/13.20A	17.30B/13.20A	----	14.00 - 2.10	.0351	----	----	----	----	41 UNCH
3235	----	----	17.70B/13.50A	17.70B/13.50A	----	14.30 - 2.20	.0359	----	----	----	----	24 UNCH
3250	----	----	18.40B/14.00A	18.40B/14.00A	----	14.90 - 2.20	.0373	----	----	----	----	148 UNCH
3255	----	----	18.60B/14.10A	18.60B/14.10A	----	15.00 - 2.30	.0376	----	----	----	----	110 UNCH
3260	----	----	18.80B/14.20A	18.80B/14.20A	----	15.20 - 2.40	.0381	----	----	----	----	1 UNCH
3265	----	----	19.10B/14.40A	19.10B/14.40A	----	15.40 - 2.40	.0386	----	----	----	----	20 UNCH
3270	----	----	19.30B/14.50A	19.30B/14.50A	----	15.60 - 2.40	.0391	----	----	----	----	7 UNCH
3280	----	----	19.80B/14.90A	19.80B/14.90A	----	16.00 - 2.50	.0400	----	----	----	----	9 UNCH
3290	----	----	20.20B/15.20A	20.20B/15.20A	----	16.40 - 2.50	.0410	----	----	----	----	37 UNCH
3300	18.10	18.10	20.70B/15.60A	20.70B/15.60A	----	16.80 - 2.60	.0420	----	----	1	----	371 UNCH
3305	----	----	21.00B/15.80A	21.00B/15.80A	----	17.00 - 2.70	.0425	----	----	----	----	1 UNCH
3310	----	----	21.20B/15.90A	21.20B/15.90A	----	17.20 - 2.70	.0430	----	----	----	----	5 UNCH
3320	----	----	21.70B/16.30A	21.70B/16.30A	----	17.60 - 2.80	.0440	----	----	----	----	3 UNCH
3325	----	----	22.00B/16.50A	22.00B/16.50A	----	17.80 - 2.90	.0445	----	----	----	----	46 UNCH
3335	----	----	22.50B/16.90A	22.50B/16.90A	----	18.20 - 3.00	.0455	----	----	----	----	46 UNCH
3340	----	----	22.80B/17.00A	22.80B/17.00A	----	18.40 - 3.10	.0460	----	----	----	----	22 UNCH
3345	----	----	23.10B/17.30A	23.10B/17.30A	----	18.60 - 3.20	.0465	----	----	----	----	11 UNCH
3350	----	----	23.30B/17.40A	23.30B/17.40A	----	18.90 - 3.10	.0472	----	----	8	----	371 + 5
3355	----	----	23.60B/17.60A	23.60B/17.60A	----	19.10 - 3.20	.0477	----	----	----	----	1 UNCH
3360	----	----	23.90B/17.90A	23.90B/17.90A	----	19.30 - 3.30	.0482	----	----	----	----	7 UNCH
3365	----	----	24.20B/18.00A	24.20B/18.00A	----	19.60 - 3.30	.0489	----	----	----	----	29 UNCH
3370	23.70	23.70	24.50B/18.30A	24.50B/18.30A	----	19.80 - 3.40	.0494	----	----	4	----	25 UNCH
3375	----	----	24.80B/18.50A	24.80B/18.50A	----	20.00 - 3.50	.0500	----	----	----	----	98 UNCH
3380	----	----	25.10B/18.70A	25.10B/18.70A	----	20.30 - 3.50	.0506	----	----	----	----	48 UNCH
3385	24.90	24.90	25.40B/18.90A	25.40B/18.90A	----	20.50 NEW	.0512	----	----	5	----	5 + 5
3390	----	----	25.70B/19.10A	25.70B/19.10A	----	20.70 - 3.70	.0517	----	----	----	----	40 UNCH
3395	----	----	26.00B/19.30A	26.00B/19.30A	----	21.00 - 3.70	.0524	----	----	----	----	1 UNCH
3400	22.80	22.80	26.30B/19.60A	26.30B/19.60A	----	21.20 - 3.80	.0529	----	----	1	----	730 UNCH
3405	----	----	26.70B/19.80A	26.70B/19.80A	----	21.50 NEW	.0536	----	----	66	----	66 + 66
3410	----	----	27.00B/20.00A	27.00B/20.00A	----	21.70 - 3.90	.0541	----	----	----	----	7 UNCH
3415	----	----	27.30B/20.30A	27.30B/20.30A	----	22.00 - 3.90	.0548	----	----	----	----	1 UNCH
3420	----	----	27.60B/20.50A	27.60B/20.50A	----	22.30 - 4.00	.0555	----	----	----	----	18 UNCH
3425	27.70	27.70	27.90B/20.70A	27.90B/20.70A	----	22.50 - 4.10	.0561	----	----	1	----	25 UNCH
3430	25.30	25.30	28.30B/21.00A	28.30B/21.00A	----	22.80 - 4.10	.0568	----	----	2	----	4 + 2
3435	----	----	28.60B/21.20A	28.60B/21.20A	----	23.10 - 4.20	.0575	----	----	----	----	20 UNCH
3450	----	----	29.60B/22.00A	29.60B/22.00A	----	23.90 - 4.40	.0595	----	----	2	----	429 + 1
3455	23.00	23.00	30.00B/22.30A	30.00B/22.30A	----	24.20 - 4.40	.0602	----	----	2	----	51 + 1
3460	----	----	30.30B/22.50A	30.30B/22.50A	----	24.50 - 4.50	.0609	----	----	----	----	50 UNCH
3465	----	----	30.70B/22.70A	30.70B/22.70A	----	24.70 - 4.70	.0614	----	----	----	----	89 UNCH
3470	27.20	27.20	31.00B/23.00A	31.00B/23.00A	----	25.00 NEW	.0622	----	----	28	----	28 + 28
3475	----	----	31.40B/23.30A	31.40B/23.30A	----	25.30 - 4.80	.0629	----	----	----	----	241 UNCH
3480	----	----	31.80B/23.60A	31.80B/23.60A	----	25.60 - 4.90	.0636	----	----	----	----	170 UNCH
3490	----	----	32.50B/24.10A	32.50B/24.10A	----	26.20 - 5.00	.0651	----	----	----	----	20 UNCH
3500	27.80	27.80	33.30B/24.60A	33.30B/24.60A	----	26.90 - 5.10	.0667	----	----	101	----	1603 + 72
3505	----	----	33.70B/24.90A	33.70B/24.90A	----	27.20 - 5.20	.0674	----	----	----	----	50 UNCH
3510	----	----	34.10B/25.20A	34.10B/25.20A	----	27.50 - 5.30	.0682	----	----	----	----	61 UNCH
3515	----	----	34.50B/25.40A	34.50B/25.40A	----	27.80 - 5.40	.0689	----	----	----	----	10 UNCH
3520	----	----	34.90B/25.70A	34.90B/25.70A	----	28.10 - 5.50	.0696	----	----	----	----	248 UNCH
3525	----	----	35.30B/26.00A	35.30B/26.00A	----	28.50 - 5.60	.0705	----	----	----	----	301 UNCH
3530	----	----	35.70B/26.30A	35.70B/26.30A	----	28.80 - 5.70	.0713	----	----	----	----	5 UNCH
3535	----	----	36.10B/26.60A	36.10B/26.60A	----	29.10 - 5.80	.0720	----	----	----	----	100 UNCH
3540	----	----	36.50B/26.90A	36.50B/26.90A	----	29.50 - 5.80	.0730	----	----	----	----	5 UNCH
3545	----	----	36.90B/27.20A	36.90B/27.20A	----	29.80 - 6.00	.0737	----	----	----	----	20 UNCH
3550	----	----	37.40B/27.50A	37.40B/27.50A	----	30.20 - 6.00	.0746	----	----	2	----	416 UNCH
3555	28.50	28.50	37.80B/27.90A	37.80B/27.90A	----	30.50 NEW	.0754	----	----	2	----	2 + 2
3560	----	----	38.20B/28.10A	38.20B/28.10A	----	30.90 - 6.20	.0763	----	----	----	----	86 UNCH
3565	----	----	38.70B/28.50A	38.70B/28.50A	----	31.30 - 6.30	.0772	----	----	----	----	41 UNCH
3570	----	----	39.10B/28.80A	39.10B/28.80A	----	31.60 - 6.40	.0780	----	----	1	----	58 UNCH
3575	----	----	39.70B/29.20A	39.70B/29.20A	----	32.00 - 6.50	.0789	----	----	----	----	38 UNCH
3580	----	----	40.10B/29.50A	40.10B/29.50A	----	32.40 - 6.60	.0798	----	----	----	----	77 UNCH
3585	----	----	40.50B/29.80A	40.50B/29.80A	----	32.70 - 6.80	.0806	----	----	----	----	1 UNCH
3595	----	----	41.50B/30.60A	41.50B/30.60A	----	33.50 - 6.90	.0825	----	----	----	----	23 UNCH
3600	----	----	42.10B/31.00A	42.10B/31.00A	----	33.90 - 7.00	.0834	----	----	100	----	1664 + 83
3615	----	----	43.50B/32.00A	43.50B/32.00A	----	35.10 - 7.30	.0862	----	----	----	----	37 UNCH
3620	----	----	44.00B/32.40A	44.00B/32.40A	----	35.50 - 7.50	.0872	----	----	----	----	7 UNCH
3625	----	----	44.60B/32.70A	44.60B/32.70A	----	35.90 - 7.60	.0881	----	----	----	----	36 UNCH
3630	----	----	45.00B/33.20A	45.00B/33.20A	----	36.30 - 7.70	.0891	----	----	----	----	86 UNCH
3635	----	----	45.60B/33.60A	45.60B/33.60A	----	36.80 - 7.80	.0902	----	----	----	----	105 UNCH
3640	----	----	46.10B/34.00A	46.10B/34.00A	----	37.20 - 7.90	.0912	----	----	----	----	26 UNCH
3645	----	----	46.80B/34.40A	46.80B/34.40A	----	37.60 - 8.00	.0921	----	----	----	----	8 UNCH
3650	----	----	47.40B/34.70A	47.40B/34.70A	----	38.10 - 8.10	.0932	----	----	1	----	498 - 1
3660	----	----	48.50B/35.60A	48.50B/35.60A	----	39.00 - 8.30	.0953	----	----	----	----	1 UNCH
3665	42.10	42.10	49.10B/36.00A	49.10B/36.00A	----	39.40 - 8.50	.0963	----	----	1	----	14 + 1
3670	----	----	49.80B/36.40A	49.80B/36.40A	----	39.90 - 8.60	.0974	----	----	----	----	30 UNCH
3675	38.60	38.60	50.30B/36.80A	50.30B/36.80A	----	40.30 - 8.80	.0984	----	----	9	----	55 - 5
3680	----	----	51.10B/37.30A	51.10B/37.30A	----	40.80 - 8.90	.0995	----	----	1	----	17 UNCH
3685	----	----	51.60B/37.70A	51.60B/37.70A	----	41.30 - 9.00	.1007	----	----	----	----	51 UNCH
3690	----	----	52.20B/38.10A	52.20B/38.10A	----	41.80 - 9.10	.1018	----	----	----	----	5 UNCH
3695	----	----	52.70B/38.60A	52.70B/38.60A	----	42.20 - 9.30	.1028	----	----	----	----	19 UNCH
3700	47.50	47.50	53.50B/39.00A	53.50B/39.00A	----	42.70 - 9.40	.1039	----	----	57	----	752 + 28
3705	----	----	54.00B/39.50A	54.00B/39.50A	----	43.20 - 9.60	.1051	----	----	----	----	119 UNCH
3710	----	----	54.70B/39.90A	54.70B/39.90A	----	43.70 - 9.70	.1062	----	----	66	----	80 + 65
3715	----	----	55.30B/40.40A	55.30B/40.40A	----	44.20 - 9.80	.1074	----	----	----	----	46 UNCH
3725	----	----	56.80B/41.30A	56.80B/41.30A	----	45.30 - 10.00	.1098	----	----	10	----	80 - 6
3730	----	----	57.40B/41.80A	57.40B/41.80A	----	45.80 - 10.20	.1110	----	----	1	----	19 + 1
3740	----	----	58.60B/42.80A	58.60B/42.80A	----	46.90 - 10.50	.1134	----	----	----	----	64 UNCH
3745	51.00	51.00	59.30B/43.30A	59.30B/43.30A	----	47.40 - 10.60	.1146	----	----	3	----	24 + 1
3750	54.20	54.20	60.10B/43.70A	60.10B/43.70A	----	48.00 - 10.70	.1159	----	----	116	----	1307 - 61
3755	----	----	60.90B/44.30A	60.90B/44.30A	----	48.50 - 10.90	.1171	----	----	----	----	2 UNCH
3760	----	----	61.60B/44.70A	61.60B/44.70A	----	49.10 - 11.10	.1184	----	----	----	----	13 UNCH
3765	----	----	62.30B/45.30A	62.30B/45.30A	----	49.60 - 11.30	.1196	----	----	----	----	46 UNCH
3770	----	----	63.00B/45.80A	63.00B/45.80A	----	50.20 - 11.40	.1209	----	----	----	----	10 UNCH
3775	----	----	63.80B/46.40A	63.80B/46.40A	----	50.80 - 11.50	.1223	----	----	----	----	39 UNCH
3780	----	----	64.50B/46.80A	64.50B/46.80A	----	51.40 - 11.70	.1236	----	----	----	----	12 UNCH
3785	----	----	65.20B/47.40A	65.20B/47.40A	----	52.00 - 11.80	.1249	----	----	----	----	6 UNCH
3790	61.30	61.30	66.10B/47.90A	66.10B/47.90A	----	52.60 - 12.00	.1263	----	----	6	----	257 + 5
3795	----	----	66.60B/48.50A	66.60B/48.50A	----	53.20 - 12.10	.1276	----	----	----	----	55 UNCH
3800	67.00	67.00	67.50B/49.10A	67.50B/49.10A	----	53.80 - 12.30	.1289	----	----	81	----	1364 + 15
3805	----	----	68.30B/49.60A	68.30B/49.60A	----	54.40 - 12.50	.1303	----	----	----	----	67 UNCH
3810	----	----	68.70B/50.20A	68.70B/50.20A	----	55.00 - 12.70	.1316	----	----	----	----	11 UNCH
3815	----	----	69.90B/50.80A	69.90B/50.80A	----	55.60 - 12.90	.1330	----	----	----	----	38 UNCH
3820	----	----	70.70B/51.30A	70.70B/51.30A	----	56.30 - 13.00	.1345	----	----	----	----	11 UNCH
3825	----	----	71.60B/51.90A	71.60B/51.90A	----	56.90 - 13.20	.1359	----	----	----	----	40 UNCH
3830	----	----	72.30B/52.60A	72.30B/52.60A	----	57.60 - 13.30	.1373	----	----	----	----	184 UNCH
3835	----	----	73.20B/53.10A	73.20B/53.10A	----	58.20 - 13.60	.1387	----	----	----	----	55 UNCH
3840	----	----	74.00B/53.70A	74.00B/53.70A	----	58.90 - 13.70	.1402	----	----	----	----	2 UNCH
3850	75.70	75.70	75.80/55.00A	75.80/55.00A	----	60.20 - 14.10	.1431	----	----	11	----	676 + 7
3855	----	----	76.60B/55.60A	76.60B/55.60A	----	60.90 - 14.30	.1446	----	----	----	----	71 UNCH
3860	----	----	77.50B/56.30A	77.50B/56.30A	----	61.60 - 14.50	.1462	----	----	----	----	17 UNCH
3865	----	----	78.40B/56.90A	78.40B/56.90A	----	62.30 - 14.60	.1477	----	----	----	----	12 UNCH
3870	----	----	79.30B/57.50A	79.30B/57.50A	----	63.00 - 14.80	.1492	----	----	----	----	17 UNCH
3875	----	----	80.20B/58.20A	80.20B/58.20A	----	63.70 - 15.00	.1507	----	----	----	----	163 UNCH
3880	----	----	81.10B/58.90A	81.10B/58.90A	----	64.40 - 15.20	.1523	----	----	----	----	14 UNCH
3885	----	----	82.00B/59.50A	82.00B/59.50A	----	65.20 - 15.40	.1539	----	----	----	----	12 UNCH
3890	----	----	83.00B/60.20A	83.00B/60.20A	----	65.90 - 15.60	.1555	----	----	----	----	43 UNCH
3895	----	----	83.90B/60.90A	83.90B/60.90A	----	66.70 - 15.70	.1571	----	----	----	----	15 UNCH
3900	77.80	77.80	84.80B/61.10	84.80B/61.10	----	67.40 - 16.00	.1587	----	----	27	----	605 + 1
3905	----	----	85.60B/62.30A	85.60B/62.30A	----	68.20 - 16.10	.1604	----	----	----	----	38 UNCH
3910	----	----	86.80B/63.00A	86.80B/63.00A	----	68.90 - 16.40	.1619	----	----	----	----	4 UNCH
3915	----	----	87.80B/63.70A	87.80B/63.70A	----	69.70 - 16.60	.1636	----	----	----	----	7 UNCH
3920	----	----	88.30B/64.50A	88.30B/64.50A	----	70.50 - 16.80	.1653	----	----	----	----	23 UNCH
3925	----	----	89.20B/65.20A	89.20B/65.20A	----	71.30 - 17.00	.1670	----	----	1	----	48 UNCH
3930	----	----	89.80B/65.90A	89.80B/65.90A	----	72.10 - 17.20	.1687	----	----	----	----	18 UNCH
3935	----	----	90.80B/66.70A	90.80B/66.70A	----	72.90 - 17.40	.1704	----	----	----	----	18 UNCH
3940	----	----	----/67.40A	91.10B/67.40A	----	73.70 - 17.60	.1721	----	----	----	----	104 UNCH
3945	----	----	----/68.20A	92.20B/68.20A	----	74.50 - 17.90	.1738	----	----	----	----	5 UNCH
3950	87.80	87.80	94.10B/69.00A	94.10B/69.00A	----	75.30 - 18.10	.1755	----	----	3	----	236 + 3
3955	----	----	----/69.70A	94.30B/69.70A	----	76.20 - 18.30	.1774	----	----	----	----	6 UNCH
3960	----	----	----/70.50A	95.30B/70.50A	----	77.00 - 18.60	.1791	----	----	----	----	29 UNCH
3965	----	----	----/71.30A	96.40B/71.30A	----	77.90 - 18.80	.1809	----	----	----	----	14 UNCH
3970	----	----	----/72.10A	97.50B/72.10A	----	78.70 - 19.00	.1827	----	----	----	----	61 UNCH
3975	----	----	----/72.90A	98.60B/72.90A	----	79.60 - 19.30	.1845	----	----	1	----	337 - 1
3980	----	----	100.30B/73.80A	100.30B/73.80A	----	80.50 - 19.50	.1864	----	----	----	----	31 UNCH
3985	----	----	101.40B/74.60A	101.40B/74.60A	----	81.40 - 19.70	.1882	----	----	----	----	27 UNCH
3990	----	----	102.60B/75.40A	102.60B/75.40A	----	82.30 - 19.90	.1901	----	----	1	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3995	----	----	103.80B/76.30A	103.80B/76.30A	----	83.20 - 20.20	.1920	----	----	1	----	146 UNCH
4000	105.00	105.00	108.00/76.70	108.00/76.70	----	84.10 - 20.40	.1939	----	----	227	862	3708 + 720
4005	----	----	106.10B/78.00A	106.10B/78.00A	----	85.00 - 20.70	.1957	----	----	----	----	17 UNCH
4010	----	----	108.10B/78.90A	108.10B/78.90A	----	86.00 - 20.90	.1977	----	----	----	----	44 UNCH
4015	----	----	108.50B/79.80A	108.50B/79.80A	----	86.90 - 21.20	.1996	----	----	----	----	2 UNCH
4020	85.60	85.60	110.50B/80.60A	110.50B/80.60A	----	87.90 - 21.40	.2016	----	----	52	----	62 + 52
4025	----	----	112.20B/81.50A	112.20B/81.50A	----	88.90 - 21.60	.2036	----	----	1	----	100 + 1
4030	----	----	112.30B/82.50A	112.30B/82.50A	----	89.80 - 22.00	.2055	----	----	----	----	8 UNCH
4035	----	----	114.00B/83.40A	114.00B/83.40A	----	90.80 - 22.20	.2075	----	----	1	----	47 UNCH
4040	----	----	115.70B/84.30A	115.70B/84.30A	----	91.80 - 22.50	.2096	----	----	2	----	68 + 1
4045	----	----	117.10B/85.30A	117.10B/85.30A	----	92.80 - 22.80	.2116	----	----	----	----	1 UNCH
4050	----	----	118.60B/86.10A	118.60B/86.10A	----	93.80 - 23.00	.2136	----	----	6	----	1269 + 1
4055	101.50	101.50	119.40B/87.10A	119.40B/87.10A	----	94.90 - 23.20	.2157	----	----	1	----	9 + 1
4060	----	----	120.20B/88.10A	120.20B/88.10A	----	95.90 - 23.50	.2178	----	----	----	----	88 UNCH
4065	112.60	112.60	122.30B/89.10A	122.30B/89.10A	----	96.90 - 23.90	.2198	----	----	2	----	118 + 2
4070	----	----	123.80B/90.10A	123.80B/90.10A	----	98.00 - 24.10	.2220	----	----	----	----	58 UNCH
4075	----	----	124.50B/91.10A	124.50B/91.10A	----	99.10 - 24.40	.2241	----	----	----	----	239 UNCH
4080	----	----	126.40B/92.10A	126.40B/92.10A	----	100.20 - 24.60	.2263	----	----	2	----	95 UNCH
4085	----	----	127.70B/93.10A	127.70B/93.10A	----	101.20 - 25.00	.2283	----	----	----	----	22 UNCH
4090	----	----	128.60B/94.20A	128.60B/94.20A	----	102.40 - 25.20	.2306	----	----	----	----	111 UNCH
4095	----	----	130.10B/95.20A	130.10B/95.20A	----	103.50 - 25.50	.2328	----	----	----	----	46 UNCH
4100	123.00	123.00	131.10B/96.10A	131.10B/96.10A	----	104.60 - 25.80	.2349	----	----	163	----	1289 + 14
4105	----	----	132.60B/97.30A	132.60B/97.30A	----	105.70 - 26.20	.2371	----	----	6	----	112 - 1
4110	----	----	133.90B/98.40A	133.90B/98.40A	----	106.90 - 26.40	.2394	----	----	----	----	142 UNCH
4115	----	----	----/99.40A	134.20B/99.40A	----	108.00 - 26.80	.2416	----	----	----	----	456 UNCH
4120	----	----	----/100.50A	135.80B/100.50A	----	109.20 - 27.00	.2439	----	----	1	----	29 UNCH
4125	----	----	138.60B/101.60A	138.60B/101.60A	----	110.40 - 27.30	.2462	----	----	1	----	361 UNCH
4130	----	----	----/102.70A	138.90B/102.70A	----	111.60 - 27.60	.2485	----	----	----	----	19 UNCH
4135	----	----	141.50B/103.90A	141.50B/103.90A	----	112.80 - 28.00	.2508	----	----	----	----	23 UNCH
4140	----	----	142.50B/105.10A	142.50B/105.10A	----	114.00 - 28.30	.2531	----	----	----	----	14 UNCH
4145	----	----	144.00B/106.20A	144.00B/106.20A	----	115.20 - 28.60	.2554	----	----	----	----	211 UNCH
4150	139.70	139.70	145.70B/107.30A	145.70B/107.30A	----	116.50 - 28.90	.2578	----	----	83	----	476 + 60
4155	----	----	----/108.50A	146.30B/108.50A	----	117.70 - 29.30	.2601	----	----	----	----	19 UNCH
4160	----	----	----/109.70A	147.90B/109.70A	----	119.00 - 29.60	.2625	----	----	----	----	59 UNCH
4165	----	----	----/110.90A	149.50B/110.90A	----	120.30 - 29.90	.2649	----	----	----	----	27 UNCH
4170	136.00	136.00	136.00/112.10A	151.10B/112.10A	----	121.60 - 30.20	.2674	----	----	7	----	44 UNCH
4175	----	----	----/113.20A	152.60B/113.20A	----	122.90 - 30.60	.2698	----	----	----	----	901 UNCH
4180	----	----	----/114.60A	154.30B/114.60A	----	124.20 - 30.90	.2722	----	----	1	----	114 + 1
4185	----	----	----/115.80A	155.90B/115.80A	----	125.50 - 31.30	.2747	----	----	----	----	14 UNCH
4190	----	----	----/117.10A	157.60B/117.10A	----	126.90 - 31.60	.2772	----	----	----	----	23 UNCH
4195	----	----	----/118.40A	160.00B/118.40A	----	128.20 - 32.00	.2796	----	----	----	----	45 UNCH
4200	140.90	140.90	162.30B/119.50A	162.30B/119.50A	----	129.60 - 32.30	.2822	----	----	22	----	2720 UNCH
4205	150.50	150.50	150.50/121.00A	162.80B/121.00A	----	131.00 - 32.60	.2847	----	----	6	----	36 UNCH
4210	154.60	154.60	165.80B/122.20A	165.80B/122.20A	----	132.40 - 33.00	.2872	----	----	13	----	385 + 5
4215	----	----	----/123.60A	166.40B/123.60A	----	133.80 - 33.30	.2898	----	----	----	----	8 UNCH
4220	----	----	----/124.90A	168.30B/124.90A	----	135.20 - 33.70	.2923	----	----	----	----	178 UNCH
4225	----	----	171.20B/126.30A	171.20B/126.30A	----	136.60 - 34.10	.2949	----	----	----	----	111 UNCH
4230	----	----	173.30B/127.70A	173.30B/127.70A	----	138.10 - 34.40	.2975	----	----	----	----	28 UNCH
4235	140.00	140.00	145.00/129.00A	173.80B/129.00A	----	139.50 - 34.90	.3001	----	----	2	----	44 UNCH
4240	----	----	----/130.40A	175.00B/130.40A	----	141.00 - 35.20	.3027	----	----	----	----	53 UNCH
4245	162.50	162.50	162.50/131.80A	176.90B/131.80A	----	142.50 - 35.60	.3054	----	----	6	----	37 - 1
4250	147.30	147.30	147.30/133.20A	179.00B/133.20A	----	144.00 - 36.00	.3080	----	----	21	----	279 UNCH
4255	----	----	182.50B/134.70A	182.50B/134.70A	----	145.50 - 36.40	.3107	----	----	----	----	10 UNCH
4260	----	----	----/136.10A	182.80B/136.10A	----	147.10 - 36.70	.3134	----	----	1	----	20 UNCH
4265	----	----	----/137.60A	184.70B/137.60A	----	148.60 - 37.10	.3161	----	----	----	----	16 UNCH
4270	----	----	----/139.10A	186.30B/139.10A	----	150.20 - 37.50	.3188	----	----	----	----	47 UNCH
4275	142.00	142.00	189.70B/140.60A	189.70B/140.60A	----	151.80 - 37.80	.3215	----	----	25	----	89 - 9
4280	----	----	----/142.10A	190.30B/142.10A	----	153.40 - 38.20	.3243	----	----	5	----	76 - 4
4285	----	----	----/143.60A	193.40B/143.60A	----	155.00 - 38.60	.3270	----	----	----	----	14 UNCH
4290	----	----	195.80B/145.20A	195.80B/145.20A	----	156.60 - 39.00	.3298	----	----	----	----	70 UNCH
4295	151.50	151.50	151.50/146.70A	196.10B/146.70A	----	158.30 - 39.40	.3326	----	----	3	----	20 + 2
4300	190.00	190.00	190.00/148.00A	198.50B/148.00A	----	159.90 - 39.80	.3354	----	----	32	25	2303 + 29
4305	----	----	----/149.80A	200.40B/149.80A	----	161.60 - 40.20	.3382	----	----	----	----	72 UNCH
4310	----	----	204.30B/151.40A	204.30B/151.40A	----	163.30 - 40.60	.3410	----	----	----	----	53 UNCH
4315	----	----	----/153.00A	204.60B/153.00A	----	165.00 - 41.00	.3438	----	----	----	----	43 UNCH
4320	178.20	178.20	208.70B/154.70A	208.70B/154.70A	----	166.70 - 41.40	.3467	----	----	2	----	96 + 2
4325	209.00	209.00	209.60B/156.30A	209.60B/156.30A	----	168.40 - 41.80	.3495	----	----	5	----	58 - 1
4330	168.50	168.50	168.50/157.90A	210.50B/157.90A	----	170.20 - 42.20	.3524	----	----	6	----	194 - 5
4335	----	----	----/159.60A	212.70B/159.60A	----	171.90 - 42.70	.3553	----	----	----	----	38 UNCH
4340	----	----	----/161.30A	215.10B/161.30A	----	173.70 - 43.10	.3582	----	----	----	----	52 UNCH
4345	180.90	180.90	180.90/163.00A	217.10B/163.00A	----	175.50 - 43.50	.3611	----	----	13	----	45 UNCH
4350	----	----	----/164.60A	220.90B/164.60A	----	177.30 - 43.90	.3640	----	----	79	----	499 + 11
4355	----	----	----/166.40A	221.90B/166.40A	----	179.20 - 44.20	.3670	----	----	----	----	78 UNCH
4360	----	----	----/168.10A	223.60B/168.10A	----	181.00 - 44.70	.3699	----	----	----	----	83 UNCH
4365	----	----	228.60B/169.90A	228.60B/169.90A	----	182.90 - 45.10	.3729	----	----	6	----	66 - 4
4370	----	----	----/171.60A	229.10B/171.60A	----	184.80 - 45.50	.3758	----	----	----	----	6 UNCH
4375	179.10	179.10	179.10/173.40A	231.30B/173.40A	----	186.70 - 45.90	.3788	----	----	2	----	452 UNCH
4380	----	----	----/175.20A	232.90B/175.20A	----	188.60 - 46.30	.3818	----	----	----	----	251 UNCH
4385	----	----	----/177.10A	235.60B/177.10A	----	190.50 - 46.80	.3848	----	----	----	----	22 UNCH
4390	----	----	----/178.90A	237.30B/178.90A	----	192.40 - 47.30	.3878	----	----	----	----	57 UNCH
4395	----	----	----/180.80A	239.60B/180.80A	----	194.40 - 47.70	.3908	----	----	----	----	70 UNCH
4400	225.00	225.00	225.00/182.50A	241.90B/182.50A	----	196.40 - 48.10	.3939	----	----	36	1072	3990 + 599
4405	----	----	----/184.60A	244.40B/184.60A	----	198.40 - 48.50	.3969	----	----	----	----	130 UNCH
4410	----	----	----/186.50A	249.20B/186.50A	----	200.40 - 48.90	.4000	----	----	----	----	55 UNCH
4415	----	----	----/188.40A	250.60B/188.40A	----	202.40 - 49.40	.4030	----	----	----	----	85 UNCH
4420	245.20	245.20	245.20/190.30A	251.70B/190.30A	----	204.50 - 49.80	.4061	----	----	1	----	6 UNCH
4425	----	----	----/192.20A	254.10B/192.20A	----	206.60 - 50.20	.4092	----	----	2	----	64 + 1
4430	----	----	----/194.40A	256.60B/194.40A	----	208.60 - 50.70	.4122	----	----	----	----	94 UNCH
4435	230.70	230.70	232.00/196.00A	259.10B/196.00A	----	210.80 - 51.00	.4154	----	----	2	----	70 UNCH
4440	233.30	233.30	246.00/198.30A	261.60B/198.30A	----	212.90 - 51.50	.4185	----	----	4	----	34 - 4
4445	237.90	237.90	237.90/200.00A	264.10B/200.00A	----	215.00 - 52.00	.4216	----	----	3	----	45 - 2
4450	240.20	240.20	240.20/201.90A	266.90B/201.90A	----	217.20 - 52.40	.4247	----	----	41	----	869 + 11
4455	242.70	242.70	242.70/203.90A	269.20B/203.90A	----	219.30 - 52.90	.4278	----	----	10	----	41 + 7
4460	214.70	214.70	214.70/206.00A	271.80B/206.00A	----	221.50 - 53.30	.4309	----	----	4	----	36 + 2
4465	----	----	----/208.00A	274.40B/208.00A	----	223.80 - 53.60	.4341	----	----	----	----	26 UNCH
4470	----	----	----/210.00A	277.00B/210.00A	----	226.00 - 54.10	.4372	----	----	----	----	29 UNCH
4475	250.20	250.20	250.20/212.10A	280.10B/212.10A	----	228.20 - 54.60	.4404	----	----	49	----	156 + 31
4480	----	----	----/214.20A	282.20B/214.20A	----	230.50 - 55.00	.4435	----	----	7	----	134 UNCH
4485	233.40	233.40	233.40/216.30A	285.40B/216.30A	----	232.80 - 55.40	.4467	----	----	3	----	24 + 3
4490	280.90	280.90	280.90/218.40A	288.10B/218.40A	----	235.10 - 55.80	.4499	----	----	1	----	80 UNCH
4495	----	----	----/220.60A	290.80B/220.60A	----	237.40 - 56.30	.4530	----	----	----	----	80 UNCH
4500	290.00	290.00	300.40/222.00	300.40/222.00	----	239.70 - 56.80	.4562	----	----	83	----	2372 - 9
4505	289.00	289.00	289.00/224.90A	296.30B/224.90A	----	242.10 - 57.20	.4594	----	----	1	----	28 + 1
4510	274.90	274.90	274.90/227.10A	298.30B/227.10A	----	244.50 - 57.60	.4626	----	----	31	----	16 - 27
4515	278.70	278.70	278.70/229.30A	299.40B/229.30A	----	246.90 - 58.00	.4658	----	----	16	----	243 - 10
4520	----	----	----/231.70A	302.00B/231.70A	----	249.30 - 58.50	.4690	----	----	----	----	155 UNCH
4525	248.70	248.70	253.70/234.10A	305.10B/234.10A	----	251.70 - 58.90	.4722	----	----	5	----	122 - 2
4530	----	----	----/236.00A	310.20B/236.00A	----	254.20 - 59.30	.4754	----	----	----	----	6 UNCH
4535	----	----	----/238.40A	313.10B/238.40A	----	256.60 - 59.80	.4786	----	----	----	----	24 UNCH
4540	----	----	----/240.70A	316.10B/240.70A	----	259.10 - 60.20	.4818	----	----	----	----	154 UNCH
4545	----	----	----/243.10A	318.40B/243.10A	----	261.60 - 60.70	.4850	----	----	----	----	80 UNCH
4550	306.80	306.80	306.80/245.20A	322.30B/245.20A	----	264.20 - 61.00	.4882	----	----	73	----	593 - 6
4555	265.80	265.80	265.80/247.80A	325.20B/247.80A	----	266.70 - 61.50	.4914	----	----	4	----	29 - 1
4560	252.90	252.90	256.80/249.90A	327.40B/249.90A	----	269.30 - 61.90	.4946	----	----	8	----	28 + 7
4565	----	----	----/252.30A	330.60B/252.30A	----	271.80 - 62.40	.4978	----	----	----	----	200 UNCH
4570	----	----	----/254.70A	333.40B/254.70A	----	274.40 - 62.80	.5010	----	----	2	----	46 UNCH
4575	----	----	----/257.30A	336.50B/257.30A	----	277.10 - 63.20	.5042	----	----	2	----	90 + 1
4580	----	----	----/259.60A	339.70B/259.60A	----	279.70 - 63.60	.5074	----	----	4	----	28 + 1
4585	----	----	----/262.20A	338.90B/262.20A	----	282.40 - 64.00	.5106	----	----	----	----	18 UNCH
4590	----	----	----/264.50A	341.40B/264.50A	----	285.00 - 64.50	.5138	----	----	----	----	17 UNCH
4595	----	----	----/267.00A	344.20B/267.00A	----	287.70 - 64.90	.5170	----	----	----	----	9 UNCH
4600	277.70	277.70	296.20/269.80A	347.40B/269.80A	----	290.40 - 65.40	.5202	----	----	97	----	1613 + 9
4605	----	----	----/272.20A	350.50B/272.20A	----	293.20 - 65.70	.5234	----	----	----	----	9 UNCH
4610	----	----	----/274.80A	353.50B/274.80A	----	295.90 - 66.20	.5266	----	----	----	----	3 UNCH
4615	----	----	----/277.40A	356.60B/277.40A	----	298.70 - 66.60	.5298	----	----	1	----	52 + 1
4620	----	----	----/280.00A	359.90B/280.00A	----	301.50 - 67.00	.5330	----	----	----	----	183 UNCH
4625	----	----	----/282.60A	363.00B/282.60A	----	304.30 - 67.40	.5362	----	----	----	----	176 UNCH
4630	----	----	----/285.20A	366.10B/285.20A	----	307.10 - 67.90	.5394	----	----	----	----	119 UNCH
4635	----	----	----/287.80A	369.40B/287.80A	----	310.00 - 68.20	.5425	----	----	----	----	6 UNCH
4640	----	----	----/290.50A	372.60B/290.50A	----	312.80 - 68.70	.5457	----	----	----	----	32 UNCH
4645	----	----	----/293.20A	375.80B/293.20A	----	315.70 - 69.10	.5488	----	----	----	----	31 UNCH
4650	----	----	----/295.90A	379.10B/295.90A	----	318.60 - 69.50	.5520	----	----	----	----	1135 UNCH
4655	----	----	----/298.60A	382.40B/298.60A	----	321.50 - 69.90	.5551	----	----	----	----	49 UNCH
4660	----	----	----/301.30A	385.60B/301.30A	----	324.50 - 70.30	.5583	----	----	----	----	107 UNCH
4665	----	----	----/304.00A	389.00B/304.00A	----	327.40 - 70.70	.5614	----	----	----	----	11 UNCH
4670	----	----	----/306.80A	393.10B/306.80A	----	330.40 - 71.10	.5646	----	----	----	----	153 UNCH
4675	----	----	----/309.60A	396.40B/309.60A	----	333.40 - 71.50	.5677	----	----	----	----	298 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4680	----	----	----/312.40A	399.80B/312.40A	----	336.40 - 71.90	.5709	----	----	----	----	53 UNCH
4685	----	----	----/315.20A	403.10B/315.20A	----	339.40 - 72.30	.5739	----	----	----	----	9 UNCH
4690	----	----	----/318.00A	406.50B/318.00A	----	342.50 - 72.60	.5770	----	----	----	----	11 UNCH
4695	----	----	----/320.90A	409.90B/320.90A	----	345.50 - 73.10	.5802	----	----	----	----	31 UNCH
4700	341.30	341.30	341.30/323.70A	412.60B/323.70A	----	348.60 - 73.50	.5833	----	----	11	----	1323 - 5
4705	----	----	----/326.60A	416.80B/326.60A	----	351.70 - 73.90	.5863	----	----	----	----	39 UNCH
4710	----	----	----/329.50A	420.30B/329.50A	----	354.80 - 74.30	.5894	----	----	----	----	14 UNCH
4715	----	----	----/332.40A	423.70B/332.40A	----	357.90 - 74.70	.5925	----	----	----	----	34 UNCH
4720	----	----	----/335.30A	427.20B/335.30A	----	361.10 - 75.00	.5955	----	----	----	----	102 UNCH
4725	----	----	----/338.30A	430.70B/338.30A	----	364.20 - 75.50	.5986	----	----	----	----	17 UNCH
4730	----	----	----/341.30A	434.20B/341.30A	----	367.40 - 75.80	.6016	----	----	----	----	51 UNCH
4735	----	----	----/344.20A	437.80B/344.20A	----	370.60 - 76.20	.6047	----	----	----	----	51 UNCH
4740	----	----	----/347.20A	441.30B/347.20A	----	373.80 - 76.60	.6077	----	----	----	----	85 UNCH
4745	----	----	----/350.30A	444.90B/350.30A	----	377.00 - 77.00	.6107	----	----	1	----	1 + 1
4750	375.40	375.40	375.40/353.30A	448.50B/353.30A	----	380.30 - 77.30	.6137	----	----	2	----	796 UNCH
4755	----	----	----/356.40A	452.10B/356.40A	----	383.50 - 77.70	.6167	----	----	1	----	18 + 1
4760	----	----	----/359.40A	455.70B/359.40A	----	386.80 - 78.10	.6196	----	----	----	----	54 UNCH
4765	----	----	----/362.50A	459.30B/362.50A	----	390.10 - 78.50	.6226	----	----	----	----	40 UNCH
4770	----	----	----/365.60A	462.90B/365.60A	----	393.40 - 78.80	.6256	----	----	----	----	47 UNCH
4775	----	----	----/368.70A	466.60B/368.70A	----	396.70 - 79.20	.6285	----	----	----	----	110 UNCH
4780	----	----	----/371.90A	470.20B/371.90A	----	400.10 - 79.50	.6315	----	----	----	----	10 UNCH
4785	----	----	----/375.00A	473.90B/375.00A	----	403.40 - 80.00	.6344	----	----	----	----	47 UNCH
4790	----	----	----/378.20A	477.60B/378.20A	----	406.80 - 80.30	.6373	----	----	----	----	44 UNCH
4795	----	----	----/381.40A	481.30B/381.40A	----	410.20 - 80.60	.6402	----	----	----	----	13 UNCH
4800	----	----	----/384.60A	485.00B/384.60A	----	413.60 - 81.00	.6432	----	----	9	----	2147 + 7
4805	----	----	----/387.80A	488.80B/387.80A	----	417.00 - 81.40	.6460	----	----	----	----	84 UNCH
4810	----	----	----/392.50A	492.50B/392.50A	----	420.40 - 81.80	.6489	----	----	----	----	16 UNCH
4815	----	----	----/395.50A	496.30B/395.50A	----	423.90 - 82.10	.6517	----	----	----	----	35 UNCH
4820	----	----	----/399.00A	500.00B/399.00A	----	427.40 - 82.40	.6546	----	----	----	----	19 UNCH
4825	----	----	----/401.90A	503.80B/401.90A	----	430.80 - 82.80	.6574	----	----	----	----	166 UNCH
4830	----	----	----/405.40A	507.60B/405.40A	----	434.30 - 83.10	.6602	----	----	----	----	136 UNCH
4835	----	----	----/408.80A	511.50B/408.80A	----	437.80 - 83.50	.6631	----	----	----	----	29 UNCH
4840	----	----	----/412.20A	515.30B/412.20A	----	441.40 - 83.80	.6658	----	----	----	----	16 UNCH
4850	----	----	----/418.90A	523.00B/418.90A	----	448.40 - 84.50	.6714	----	----	----	----	534 UNCH
4855	----	----	----/422.00A	526.80B/422.00A	----	452.00 - 84.80	.6741	----	----	----	----	359 UNCH
4860	----	----	----/425.80A	530.30B/425.80A	----	455.60 - 85.20	.6769	----	----	----	----	44 UNCH
4865	----	----	----/429.10A	534.60B/429.10A	----	459.20 - 85.50	.6796	----	----	----	----	17 UNCH
4870	----	----	----/432.60A	538.50B/432.60A	----	462.80 - 85.80	.6824	----	----	----	----	42 UNCH
4875	----	----	----/435.90A	542.00B/435.90A	----	466.40 - 86.20	.6850	----	----	----	----	74 UNCH
4880	----	----	----/439.30A	546.30B/439.30A	----	470.10 - 86.40	.6876	----	----	----	----	3 UNCH
4885	----	----	----/442.90A	550.30B/442.90A	----	473.70 - 86.80	.6904	----	----	----	----	6 UNCH
4890	484.60	484.60	484.60/446.40A	553.80B/446.40A	----	477.40 - 87.10	.6930	----	----	2	----	46 - 1
4895	----	----	----/449.60A	558.20B/449.60A	----	481.10 - 87.40	.6957	----	----	----	----	211 UNCH
4900	----	----	----/453.20A	562.20B/453.20A	----	484.80 - 87.70	.6983	----	----	----	----	1803 UNCH
4905	----	----	----/456.90A	566.20B/456.90A	----	488.50 - 88.00	.7009	----	----	----	----	10 UNCH
4910	----	----	----/460.50A	570.20B/460.50A	----	492.20 - 88.40	.7035	----	----	----	----	57 UNCH
4915	----	----	----/464.00A	574.20B/464.00A	----	495.90 - 88.70	.7060	----	----	----	----	37 UNCH
4920	----	----	----/467.60A	578.20B/467.60A	----	499.70 - 89.00	.7086	----	----	----	----	91 UNCH
4925	----	----	----/470.90A	581.80B/470.90A	----	503.50 - 89.20	.7111	----	----	----	----	73 UNCH
4930	----	----	----/474.80A	585.90B/474.80A	----	507.30 - 89.50	.7136	----	----	----	----	199 UNCH
4940	----	----	----/481.90A	594.40B/481.90A	----	514.90 - 90.10	.7187	----	----	----	----	64 UNCH
4945	----	----	----/485.60A	598.00B/485.60A	----	518.70 - 90.40	.7211	----	----	----	----	2 UNCH
4950	----	----	----/489.30A	602.10B/489.30A	----	522.50 - 90.80	.7235	----	----	----	----	287 UNCH
4955	----	----	----/493.00A	606.20B/493.00A	----	526.40 - 91.00	.7260	----	----	----	----	31 UNCH
4960	----	----	----/496.60A	610.30B/496.60A	----	530.30 - 91.20	.7284	----	----	----	----	23 UNCH
4965	----	----	----/500.50A	614.40B/500.50A	----	534.20 - 91.50	.7308	----	----	----	----	24 UNCH
4970	----	----	----/504.00A	619.00B/504.00A	----	538.10 - 91.80	.7331	----	----	----	----	44 UNCH
4975	----	----	----/507.80A	622.70B/507.80A	----	542.00 - 92.00	.7355	----	----	----	----	153 UNCH
4980	----	----	----/511.20A	626.90B/511.20A	----	545.90 - 92.30	.7379	----	----	----	----	28 UNCH
4985	----	----	----/515.30A	631.00B/515.30A	----	549.80 - 92.60	.7402	----	----	----	----	9 UNCH
4990	----	----	----/519.20A	635.20B/519.20A	----	553.80 - 92.80	.7425	----	----	----	----	290 UNCH
4995	----	----	----/522.90A	639.40B/522.90A	----	557.80 - 93.00	.7447	----	----	----	----	11 UNCH
5000	553.70	553.70	553.70/526.70A	643.50B/526.70A	----	561.70 - 93.40	.7470	----	----	15	----	1910 + 14
5005	----	----	----/530.40A	647.70B/530.40A	----	565.70 - 93.60	.7493	----	----	----	----	304 UNCH
5010	----	----	----/533.90A	651.90B/533.90A	----	569.80 - 93.70	.7516	----	----	----	----	11 UNCH
5015	----	----	----/538.20A	656.20B/538.20A	----	573.80 - 94.00	.7537	----	----	----	----	49 UNCH
5020	----	----	----/541.90A	660.40B/541.90A	----	577.80 - 94.20	.7560	----	----	----	----	31 UNCH
5025	----	----	----/545.90A	664.60B/545.90A	----	581.80 - 94.50	.7581	----	----	----	----	55 UNCH
5030	----	----	----/549.60A	668.90B/549.60A	----	585.90 - 94.70	.7602	----	----	----	----	68 UNCH
5035	----	----	----/553.60A	673.10B/553.60A	----	590.00 - 94.90	.7625	----	----	----	----	13 UNCH
5040	----	----	----/557.50A	677.40B/557.50A	----	594.00 - 95.20	.7646	----	----	----	----	18 UNCH
5045	----	----	----/561.40A	681.60B/561.40A	----	598.10 - 95.40	.7667	----	----	----	----	6 UNCH
5050	----	----	----/565.10A	685.90B/565.10A	----	602.20 - 95.60	.7688	----	----	----	----	805 UNCH
5055	----	----	----/569.10A	690.20B/569.10A	----	606.30 - 95.80	.7708	----	----	----	----	63 UNCH
5060	----	----	----/573.10A	694.50B/573.10A	----	610.40 - 96.10	.7729	----	----	----	----	64 UNCH
5065	----	----	----/577.00A	698.80B/577.00A	----	614.50 - 96.30	.7750	----	----	----	----	9 UNCH
5070	----	----	----/581.00A	703.10B/581.00A	----	618.60 - 96.60	.7770	----	----	----	----	52 UNCH
5075	----	----	----/585.10A	707.50B/585.10A	----	622.80 - 96.70	.7791	----	----	----	----	27 UNCH
5080	----	----	----/588.90A	711.80B/588.90A	----	626.90 - 97.00	.7811	----	----	----	----	29 UNCH
5085	----	----	----/592.90A	716.20B/592.90A	----	631.00 - 97.30	.7832	----	----	----	----	123 UNCH
5090	----	----	----/596.90A	720.50B/596.90A	----	635.20 - 97.50	.7852	----	----	----	----	109 UNCH
5095	----	----	----/600.90A	724.90B/600.90A	----	639.40 - 97.70	.7871	----	----	----	----	111 UNCH
5100	----	----	----/605.00A	729.20B/605.00A	----	643.50 - 98.00	.7891	----	----	----	----	457 UNCH
5105	----	----	----/609.10A	733.60B/609.10A	----	647.70 - 98.20	.7910	----	----	----	----	38 UNCH
5110	----	----	----/613.10A	738.00B/613.10A	----	651.90 - 98.40	.7930	----	----	----	----	74 UNCH
5115	----	----	----/617.20A	742.40B/617.20A	----	656.10 - 98.60	.7949	----	----	----	----	14 UNCH
5120	----	----	----/620.90A	746.80B/620.90A	----	660.30 - 98.80	.7969	----	----	----	----	22 UNCH
5125	----	----	----/625.30A	751.20B/625.30A	----	664.50 - 99.10	.7987	----	----	----	----	192 UNCH
5130	----	----	----/629.40A	755.60B/629.40A	----	668.80 - 99.20	.8006	----	----	----	----	26 UNCH
5135	----	----	----/633.50A	760.00B/633.50A	----	673.00 - 99.40	.8024	----	----	----	----	37 UNCH
5140	----	----	----/637.60A	764.40B/637.60A	----	677.20 - 99.70	.8044	----	----	----	----	14 UNCH
5145	----	----	----/641.70A	768.80B/641.70A	----	681.50 - 99.90	.8062	----	----	----	----	39 UNCH
5150	----	----	----/645.90A	773.30B/645.90A	----	685.70 - 00.10	.8079	----	----	----	----	390 UNCH
5155	----	----	----/649.90A	777.70B/649.90A	----	690.00 - 00.30	.8097	----	----	----	----	38 UNCH
5160	----	----	----/654.10A	782.20B/654.10A	----	694.30 - 00.50	.8115	----	----	----	----	71 UNCH
5165	----	----	----/658.20A	786.60B/658.20A	----	698.60 - 00.70	.8133	----	----	----	----	47 UNCH
5170	----	----	----/662.40A	791.10B/662.40A	----	702.90 - 00.90	.8151	----	----	----	----	504 UNCH
5175	----	----	----/666.60A	795.60B/666.60A	----	707.20 - 01.00	.8168	----	----	----	----	15 UNCH
5180	----	----	----/670.80A	800.10B/670.80A	----	711.50 - 01.30	.8184	----	----	----	----	20 UNCH
5185	----	----	----/675.10A	804.50B/675.10A	----	715.80 - 01.50	.8202	----	----	----	----	22 UNCH
5190	----	----	----/679.30A	809.00B/679.30A	----	720.20 - 01.60	.8218	----	----	----	----	5 UNCH
5195	----	----	----/683.40A	813.50B/683.40A	----	724.50 - 01.80	.8236	----	----	----	----	8 UNCH
5200	796.80	796.80	796.80/687.70A	818.00B/687.70A	----	728.90 - 01.90	.8252	----	----	2	----	611 UNCH
5205	----	----	----/691.50A	822.50B/691.50A	----	733.30 - 02.00	.8268	----	----	----	----	36 UNCH
5210	----	----	----/696.10A	827.00B/696.10A	----	737.60 - 02.30	.8284	----	----	----	----	69 UNCH
5215	----	----	----/700.00A	831.60B/700.00A	----	742.00 - 02.40	.8300	----	----	----	----	42 UNCH
5220	----	----	----/704.60A	836.10B/704.60A	----	746.40 - 02.60	.8316	----	----	----	----	188 UNCH
5225	----	----	----/708.90A	840.60B/708.90A	----	750.80 - 02.70	.8332	----	----	----	----	200 UNCH
5230	----	----	----/713.20A	845.10B/713.20A	----	755.20 - 02.90	.8346	----	----	----	----	7 UNCH
5235	----	----	----/717.50A	849.70B/717.50A	----	759.60 - 03.00	.8362	----	----	----	----	160 UNCH
5245	----	----	----/726.10A	858.80B/726.10A	----	768.50 - 03.30	.8391	----	----	----	----	9 UNCH
5250	----	----	----/730.40A	863.30B/730.40A	----	772.90 - 03.40	.8407	----	----	----	----	331 UNCH
5255	----	----	----/734.80A	867.90B/734.80A	----	777.40 - 03.50	.8421	----	----	----	----	9 UNCH
5260	----	----	----/739.00A	872.50B/739.00A	----	781.80 - 03.70	.8435	----	----	----	----	11 UNCH
5265	----	----	----/743.40A	877.00B/743.40A	----	786.30 - 03.80	.8449	----	----	----	----	5 UNCH
5270	----	----	----/747.70A	881.60B/747.70A	----	790.80 - 03.90	.8463	----	----	----	----	20 UNCH
5275	----	----	----/752.10A	886.20B/752.10A	----	795.30 - 04.00	.8477	----	----	----	----	170 UNCH
5280	----	----	----/756.10A	890.80B/756.10A	----	799.70 - 04.20	.8491	----	----	----	----	67 UNCH
5285	----	----	----/760.90A	895.40B/760.90A	----	804.20 - 04.30	.8505	----	----	----	----	27 UNCH
5290	----	----	----/765.20A	900.00B/765.20A	----	808.70 - 04.40	.8519	----	----	----	----	2 UNCH
5300	----	----	----/774.00A	909.20B/774.00A	----	817.80 - 04.60	.8546	----	----	----	----	161 UNCH
5305	----	----	----/778.40A	913.80B/778.40A	----	822.30 - 04.70	.8558	----	----	----	----	104 UNCH
5320	----	----	----/791.80A	927.70B/791.80A	----	835.90 - 05.10	.8598	----	----	----	----	108 UNCH
5325	----	----	----/796.10A	932.30B/796.10A	----	840.40 - 05.20	.8609	----	----	----	----	1 UNCH
5335	----	----	----/805.00A	941.60B/805.00A	----	849.50 - 05.40	.8635	----	----	----	----	5 UNCH
5340	----	----	----/809.50A	946.30B/809.50A	----	854.10 - 05.50	.8647	----	----	----	----	52 UNCH
5350	----	----	----/818.30A	955.60B/818.30A	----	863.20 - 05.80	.8672	----	----	----	----	108 UNCH
5365	----	----	----/831.80A	969.60B/831.80A	----	876.90 - 06.10	.8707	----	----	----	----	4 UNCH
5370	----	----	----/835.90A	974.30B/835.90A	----	881.50 - 06.20	.8718	----	----	----	----	37 UNCH
5375	----	----	----/840.70A	978.90B/840.70A	----	886.10 - 06.30	.8730	----	----	----	----	1 UNCH
5380	----	----	----/845.20A	983.60B/845.20A	----	890.70 - 06.40	.8742	----	----	----	----	2 UNCH
5385	----	----	----/849.80A	988.30B/849.80A	----	895.30 - 06.50	.8751	----	----	----	----	10 UNCH
5390	----	----	----/854.30A	993.00B/854.30A	----	899.90 - 06.60	.8763	----	----	----	----	1 UNCH
5395	----	----	----/858.90A	997.70B/858.90A	----	904.50 - 06.70	.8774	----	----	----	----	227 UNCH
5400	----	----	----/863.40A	1002.40B/863.40A	----	909.10 - 06.80	.8784	----	----	----	----	442 UNCH
5420	----	----	----/881.50A	1021.20B/881.50A	----	927.70 - 07.10	.8828	----	----	----	----	10 UNCH
5425	----	----	----/886.10A	1025.90B/886.10A	----	932.30 - 07.20	.8837	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
5430	----	----	----/890.60A	1030.70B/890.60A	----	936.90 - 07.30	.8848	----	----	----	----	30 UNCH
5435	----	----	----/895.20A	1035.40B/895.20A	----	941.60 - 07.40	.8858	----	----	----	----	10 UNCH
5440	----	----	----/899.80A	1040.10B/899.80A	----	946.20 - 07.50	.8867	----	----	----	----	20 UNCH
5470	----	----	----/927.30A	1068.50B/927.30A	----	974.20 - 08.00	.8927	----	----	----	----	1 UNCH
5490	----	----	----/945.80A	1087.50B/945.80A	----	993.00 - 08.20	.8961	----	----	----	----	166 UNCH
5500	----	----	----/955.00A	1097.00B/955.00A	----	1002.40 - 08.40	.8980	----	----	----	----	51 UNCH
5525	----	----	----/978.20A	1120.90B/978.20A	----	1025.90 - 08.80	.9023	----	----	----	----	2 UNCH
5575	----	----	----/1,024.90A	1168.80B/1024.90A	----	1073.30 - 09.40	.9101	----	----	----	----	2 UNCH
5590	----	----	----/1,039.00A	1183.20B/1039.00A	----	1087.60 - 09.60	.9123	----	----	----	----	77 UNCH
5595	----	----	----/1,043.80A	1188.00B/1043.80A	----	1092.40 - 09.60	.9130	----	----	----	----	1 UNCH
5600	----	----	----/1,048.50A	1192.80B/1048.50A	----	1097.10 - 09.70	.9137	----	----	----	----	8 UNCH
5640	----	----	----/1,086.30A	1231.40B/1086.30A	----	1135.40 - 10.10	.9191	----	----	----	----	9 UNCH
5700	----	----	----/1,143.30A	1278.10B/1143.30A	----	1193.00 - 10.70	.9263	----	----	----	----	3 UNCH
5800	----	----	----/1,239.20A	1376.70B/1239.20A	----	1289.70 - 11.40	.9367	----	----	----	----	6 UNCH
6000	----	----	----/1,433.20A	1559.00B/1433.20A	----	1484.90 - 12.40	.9524	----	----	----	----	4 UNCH
6675	----	----	----	----	----	2152.20 - 14.60	.9793	----	----	----	----	2 UNCH
TOTAL										2218	1,959	78310 + 1836
JUL26												
2275	2.70	2.70	#2.70/2.70	#2.70/2.70	----	2.70 + 0.70	.0055	----	----	3	----	35 + 2
2300	----	----	2.50B/----	2.50B/3.10A	----	3.00 + 0.80	.0061	----	----	32	----	94 + 26
2400	----	----	3.20B/----	3.20B/3.70A	----	3.80 + 0.90	.0078	----	----	----	----	2 UNCH
2500	3.90	3.90	3.90/3.90	3.90/3.90	----	4.50 + 0.60	.0094	----	----	17	----	191 + 13
2575	----	----	----	4.70B/5.20A	----	5.20 + 0.50	.0110	----	----	----	----	1 UNCH
2600	----	----	----	5.00B/5.30A	----	5.40 + 0.40	.0115	----	----	----	----	12 UNCH
2620	----	----	5.40B/----	5.40B/5.60A	----	5.60 + 0.30	.0120	----	----	----	----	1 UNCH
2650	5.00	5.00	5.90B/5.00	5.90B/5.00	----	5.90 + 0.20	.0127	----	----	3	----	52 - 1
2670	----	----	----	6.00B/6.10A	----	6.10 + 0.10	.0132	----	----	----	----	2 UNCH
2700	----	----	----	6.40B/6.50A	----	6.50 UNCH	.0141	----	----	----	----	3 UNCH
2730	----	----	----	6.80B/7.00A	----	6.90 - 0.10	.0150	----	----	----	----	1 UNCH
2750	----	----	----/7.20A	7.40B/7.20A	----	7.10 - 0.30	.0155	----	----	----	----	1 UNCH
2785	----	----	----/7.80A	8.10B/7.80A	----	7.60 - 0.50	.0167	----	----	----	----	2 UNCH
2800	----	----	8.50B/8.10A	8.50B/8.10A	----	7.80 - 0.60	.0172	----	----	----	----	5 UNCH
2850	----	----	----/8.70A	9.40B/8.70A	----	8.70 - 0.80	.0192	----	----	----	----	1 UNCH
2860	----	----	----/9.00A	9.50B/9.00A	----	8.80 NEW	.0195	----	----	3	----	3 + 3
2890	9.90	9.90	10.10B/9.70A	10.10B/9.70A	----	9.40 NEW	.0208	----	----	60	----	60 + 60
2895	----	----	----/9.80A	10.10B/9.80A	----	9.50 - 1.10	.0211	----	----	17	----	18 + 17
2900	----	----	----/9.90A	10.50B/9.90A	----	9.60 - 1.10	.0213	----	----	----	----	6 UNCH
2905	----	----	----/9.90A	10.40B/9.90A	----	9.70 - 1.10	.0215	----	----	18	----	19 + 18
2950	----	----	----/10.80A	11.80B/10.80A	----	10.60 - 1.50	.0236	----	----	----	----	32 UNCH
2995	----	----	----/12.00A	13.30B/12.00A	----	11.70 - 1.80	.0261	----	----	1	----	16 + 1
3000	----	----	----/12.20A	13.40B/12.20A	----	11.80 - 1.80	.0263	----	----	----	----	55 UNCH
3015	----	----	----/12.50A	13.90B/12.50A	----	12.20 - 1.90	.0272	----	----	----	----	5 UNCH
3035	----	----	----/12.90A	14.40B/12.90A	----	12.70 - 2.10	.0284	----	----	----	----	5 UNCH
3100	----	----	----/15.00A	16.80B/15.00A	----	14.70 - 2.60	.0328	----	----	----	----	43 UNCH
3105	----	----	----/15.20A	17.20B/15.20A	----	14.90 - 2.60	.0333	----	----	----	----	1 UNCH
3125	----	----	----/15.80A	17.70B/15.80A	----	15.60 - 2.70	.0348	----	----	----	----	42 UNCH
3140	----	----	----/16.40A	18.60B/16.40A	----	16.10 - 2.90	.0359	----	----	----	----	1 UNCH
3150	----	----	----/16.60A	18.90B/16.60A	----	16.50 - 2.90	.0368	----	----	----	----	12 UNCH
3155	----	----	----/16.90A	19.20B/16.90A	----	16.70 - 2.90	.0372	----	----	----	----	1 UNCH
3200	----	----	----/18.60A	21.70B/18.60A	----	18.50 - 3.30	.0411	----	----	----	----	111 UNCH
3210	----	----	----/19.00A	21.70B/19.00A	----	19.00 - 3.30	.0422	----	----	----	----	1 UNCH
3220	----	----	----/19.50A	22.10B/19.50A	----	19.40 - 3.40	.0431	----	----	----	----	1 UNCH
3225	----	----	----/19.60A	22.80B/19.60A	----	19.70 - 3.30	.0437	----	----	----	----	70 UNCH
3250	20.00	20.00	20.90/20.00	23.90B/20.00	----	20.80 - 3.60	.0461	----	----	67	----	65 + 48
3275	----	----	26.30B/21.20A	26.30B/21.20A	----	22.10 - 3.70	.0488	----	----	----	----	10 UNCH
3290	----	----	27.30B/21.90A	27.30B/21.90A	----	22.90 - 3.80	.0505	----	----	----	----	10 UNCH
3300	----	----	27.90B/22.40A	27.90B/22.40A	----	23.40 - 3.90	.0516	----	----	----	----	55 UNCH
3320	----	----	29.20B/23.40A	29.20B/23.40A	----	24.60 NEW	.0540	----	----	1	----	1 + 1
3325	----	----	29.50B/23.70A	29.50B/23.70A	----	24.90 - 4.00	.0546	----	----	----	----	147 UNCH
3335	----	----	30.10B/24.20A	30.10B/24.20A	----	25.40 - 4.10	.0557	----	----	----	----	86 UNCH
3340	----	----	30.60B/24.40A	30.60B/24.40A	----	25.70 - 4.20	.0564	----	----	----	----	1 UNCH
3350	----	----	31.20B/25.00A	31.20B/25.00A	----	26.40 - 4.10	.0578	----	----	2	----	20 - 2
3355	----	----	31.60B/25.20A	31.60B/25.20A	----	26.70 - 4.20	.0584	----	----	----	----	69 UNCH
3360	----	----	32.00B/25.50A	32.00B/25.50A	----	27.00 - 4.20	.0590	----	----	----	----	5 UNCH
3370	----	----	32.80B/26.10A	32.80B/26.10A	----	27.60 - 4.30	.0603	----	----	----	----	9 UNCH
3380	----	----	33.50B/26.60A	33.50B/26.60A	----	28.20 - 4.50	.0616	----	----	----	----	2 UNCH
3385	----	----	33.80B/26.90A	33.80B/26.90A	----	28.60 - 4.40	.0623	----	----	----	----	1 UNCH
3390	----	----	34.20B/27.20A	34.20B/27.20A	----	28.90 - 4.50	.0630	----	----	----	----	1 UNCH
3395	31.30	31.30	34.50B/27.50A	34.50B/27.50A	----	29.20 - 4.60	.0636	----	----	1	----	30 + 1
3400	30.00	30.00	35.00B/27.80A	35.00B/27.80A	----	29.60 - 4.60	.0644	----	----	5	----	48 UNCH
3410	----	----	35.80B/28.40A	35.80B/28.40A	----	30.20 - 4.80	.0657	----	----	----	----	5 UNCH
3425	----	----	37.00B/29.30A	37.00B/29.30A	----	31.30 - 4.90	.0679	----	----	----	----	56 UNCH
3435	----	----	37.80B/29.90A	37.80B/29.90A	----	32.00 - 5.00	.0693	----	----	----	----	5 UNCH
3445	----	----	38.70B/30.40A	38.70B/30.40A	----	32.70 - 5.10	.0708	----	----	----	----	1 UNCH
3450	33.70	33.70	39.10B/30.80A	39.10B/30.80A	----	33.10 - 5.20	.0716	----	----	15	----	137 UNCH
3455	----	----	39.60B/31.10A	39.60B/31.10A	----	33.50 - 5.20	.0724	----	----	----	----	10 UNCH
3460	----	----	40.00B/31.40A	40.00B/31.40A	----	33.80 - 5.30	.0731	----	----	----	----	10 UNCH
3465	----	----	40.50B/31.70A	40.50B/31.70A	----	34.20 - 5.40	.0739	----	----	----	----	142 UNCH
3475	32.90	32.90	41.40B/32.40A	41.40B/32.40A	----	35.00 - 5.50	.0755	----	----	11	----	132 UNCH
3480	40.20	40.20	41.70B/32.80A	41.70B/32.80A	----	35.40 NEW	.0763	----	----	32	----	30 + 30
3495	----	----	43.10B/33.80A	43.10B/33.80A	----	36.60 - 5.70	.0787	----	----	----	----	5 UNCH
3500	40.50	40.50	43.70B/34.10A	43.70B/34.10A	----	37.00 - 5.80	.0795	----	----	52	----	567 + 51
3505	42.50	42.50	44.20B/34.50A	44.20B/34.50A	----	37.40 - 5.90	.0803	----	----	4	----	6 + 4
3510	----	----	44.60B/34.90A	44.60B/34.90A	----	37.80 - 6.00	.0812	----	----	----	----	5 UNCH
3515	----	----	45.20B/35.30A	45.20B/35.30A	----	38.20 - 6.10	.0820	----	----	----	----	6 UNCH
3525	----	----	46.10B/36.10A	46.10B/36.10A	----	39.00 - 6.30	.0836	----	----	----	----	3 UNCH
3530	----	----	46.60B/36.40A	46.60B/36.40A	----	39.50 - 6.30	.0846	----	----	----	----	168 UNCH
3535	----	----	47.10B/36.80A	47.10B/36.80A	----	39.90 - 6.40	.0854	----	----	----	----	31 UNCH
3545	----	----	48.10B/37.60A	48.10B/37.60A	----	40.80 - 6.60	.0872	----	----	88	----	100 + 76
3550	----	----	48.60B/38.00A	48.60B/38.00A	----	41.20 - 6.70	.0880	----	----	8	----	149 + 8
3580	----	----	51.90B/40.50A	51.90B/40.50A	----	44.00 - 7.20	.0936	----	----	----	----	5 UNCH
3600	48.20	48.20	54.10B/42.30A	54.10B/42.30A	----	45.90 - 7.70	.0974	----	----	2	----	41 + 1
3605	----	----	54.70B/42.70A	54.70B/42.70A	----	46.40 - 7.80	.0984	----	----	----	----	5 UNCH
3620	----	----	56.50B/44.10A	56.50B/44.10A	----	47.90 - 8.10	.1014	----	----	1	----	12 + 1
3625	----	----	57.00B/44.60A	57.00B/44.60A	----	48.40 - 8.20	.1024	----	----	----	----	11 UNCH
3630	----	----	57.90B/45.00A	57.90B/45.00A	----	48.90 - 8.40	.1034	----	----	----	----	3 UNCH
3640	----	----	59.10B/46.00A	59.10B/46.00A	----	50.00 - 8.60	.1055	----	----	----	----	5 UNCH
3645	----	----	59.70B/46.50A	59.70B/46.50A	----	50.50 - 8.70	.1065	----	----	----	----	1 UNCH
3650	----	----	60.40B/47.00A	60.40B/47.00A	----	51.00 - 8.90	.1075	----	----	8	----	94 + 8
3655	----	----	61.10B/47.50A	61.10B/47.50A	----	51.60 - 8.90	.1086	----	----	----	----	6 UNCH
3660	----	----	61.70B/48.00A	61.70B/48.00A	----	52.10 - 9.10	.1096	----	----	----	----	22 UNCH
3665	----	----	62.50B/48.50A	62.50B/48.50A	----	52.70 - 9.20	.1108	----	----	----	----	2 UNCH
3670	----	----	63.10B/49.00A	63.10B/49.00A	----	53.20 - 9.40	.1118	----	----	----	----	110 UNCH
3675	----	----	63.80B/49.50A	63.80B/49.50A	----	53.80 - 9.50	.1129	----	----	----	----	2 UNCH
3680	----	----	64.50B/50.00A	64.50B/50.00A	----	54.40 - 9.60	.1141	----	----	----	----	5 UNCH
3685	----	----	65.20B/50.50A	65.20B/50.50A	----	54.90 - 9.80	.1151	----	----	----	----	10 UNCH
3690	----	----	65.90B/51.10A	65.90B/51.10A	----	55.50 - 9.90	.1162	----	----	----	----	50 UNCH
3695	----	----	66.60B/51.60A	66.60B/51.60A	----	56.10 - 10.00	.1174	----	----	----	----	140 UNCH
3700	66.30	66.30	67.40B/52.10A	67.40B/52.10A	----	56.70 - 10.20	.1185	----	----	2	100	415 + 84
3705	60.30	60.30	68.20B/52.70A	68.20B/52.70A	----	57.30 - 10.30	.1197	----	----	10	----	20 + 10
3715	----	----	69.60B/53.80A	69.60B/53.80A	----	58.50 - 10.60	.1220	----	----	----	----	30 UNCH
3720	56.00	56.00	70.40B/54.30A	70.40B/54.30A	----	59.10 - 10.80	.1232	----	----	1	----	18 + 1
3725	----	----	71.10B/54.90A	71.10B/54.90A	----	59.70 - 10.90	.1243	----	----	----	----	5 UNCH
3730	----	----	71.90B/55.50A	71.90B/55.50A	----	60.40 - 11.00	.1256	----	----	----	----	3 UNCH
3735	----	----	72.70B/56.10A	72.70B/56.10A	----	61.00 - 11.20	.1268	----	----	----	----	30 UNCH
3740	----	----	73.60B/56.60A	73.60B/56.60A	----	61.60 - 11.40	.1280	----	----	----	----	20 UNCH
3750	66.30	66.30	75.00B/57.90A	75.00B/57.90A	----	62.90 - 11.70	.1304	----	----	5	200	549 - 8
3760	----	----	76.80B/59.10A	76.80B/59.10A	----	64.20 - 12.00	.1329	----	----	----	----	2 UNCH
3765	----	----	77.60B/59.70A	77.60B/59.70A	----	64.90 - 12.20	.1342	----	----	----	----	32 UNCH
3770	----	----	78.40B/60.30A	78.40B/60.30A	----	65.60 - 12.30	.1355	----	----	----	----	120 UNCH
3775	73.90	73.90	79.20B/61.00A	79.20B/61.00A	----	66.30 - 12.50	.1368	----	----	51	----	61 + 36
3780	----	----	80.00B/61.60A	80.00B/61.60A	----	67.00 - 12.60	.1381	----	----	----	----	1 UNCH
3785	----	----	80.90B/62.20A	80.90B/62.20A	----	67.70 - 12.80	.1394	----	----	----	----	5 UNCH
3790	----	----	81.70B/62.90A	81.70B/62.90A	----	68.40 - 13.00	.1408	----	----	1	----	40 - 1
3795	----	----	82.60B/63.50A	82.60B/63.50A	----	69.10 - 13.10	.1421	----	----	----	----	12 UNCH
3800	76.60	76.60	83.50B/64.20A	83.50B/64.20A	----	69.80 - 13.30	.1434	----	----	83	----	619 + 47
3810	79.00	79.00	85.20B/65.50A	85.20B/65.50A	----	71.20 - 13.70	.1460	----	----	3	----	16 UNCH
3815	----	----	86.00B/66.20A	86.00B/66.20A	----	72.00 - 13.90	.1475	----	----	----	----	14 UNCH
3820	----	----	87.00B/66.90A	87.00B/66.90A	----	72.70 - 14.10	.1488	----	----	----	----	4 UNCH
3825	----	----	87.90B/67.60A	87.90B/67.60A	----	73.40 - 14.30	.1501	----	----	----	----	6 UNCH
3835	85.30	85.30	89.80B/69.00A	89.80B/69.00A	----	75.00 NEW	.1530	----	----	1	----	1 + 1
3840	----	----	90.70B/69.70A	90.70B/69.70A	----	75.70 - 14.90	.1544	----	----	----	----	33 UNCH
3845	----	----	----/70.40A	91.50B/70.40A	----	76.50 - 15.10	.1558	----	----	----	----	14 UNCH
3850	----	----	----/71.10A	92.50B/71.10A	----	77.30 - 15.20	.1573	----	----	----	----	216 UNCH
3860	----	----	----/72.60A	93.80B/72.60A	----	78.90 - 15.60	.1602	----	----	3	----	27 + 1
3875	----	----	----/74.90A	97.10B/74.90A	----	81.30 - 16.30	.1646	----	----	----	----	102 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT COMEX GOLD OPTIONS
JUL26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3880	----	----	----/75.60A	98.10B/75.60A	----	82.10 - 16.50	.1661	----	----	----	----	13 UNCH
3885	----	----	----/76.40A	99.10B/76.40A	----	83.00 - 16.60	.1676	----	----	----	----	5 UNCH
3890	----	----	----/77.20A	100.10B/77.20A	----	83.80 - 16.90	.1691	----	----	----	----	4 UNCH
3895	----	----	----/78.00A	101.10B/78.00A	----	84.60 - 17.20	.1706	----	----	----	----	1 UNCH
3900	79.50	79.50	87.80/78.80A	102.20B/78.80A	----	85.50 - 17.30	.1722	----	----	2	----	313 UNCH
3905	----	----	----/79.70A	103.30B/79.70A	----	86.40 - 17.50	.1738	----	----	----	----	10 UNCH
3910	----	----	----/80.50A	104.30B/80.50A	----	87.20 - 17.80	.1753	----	----	----	----	50 UNCH
3920	----	----	----/82.10A	106.50B/82.10A	----	89.00 NEW	.1785	----	----	2	----	1 + 1
3925	----	----	----/83.00A	107.60B/83.00A	----	89.90 - 18.40	.1801	----	----	----	----	48 UNCH
3930	----	----	----/83.80A	108.70B/83.80A	----	90.80 - 18.70	.1817	----	----	1	----	28 UNCH
3935	----	----	----/84.70A	109.60B/84.70A	----	91.70 - 18.90	.1833	----	----	----	----	7 UNCH
3940	----	----	----/85.60A	110.70B/85.60A	----	92.60 - 19.20	.1849	----	----	----	----	20 UNCH
3945	----	----	----/86.40A	111.90B/86.40A	----	93.50 - 19.40	.1865	----	----	----	----	20 UNCH
3950	91.40	91.40	91.40/87.10A	113.10B/87.10A	----	94.40 - 19.70	.1881	----	----	2	----	603 UNCH
3955	----	----	----/88.20A	114.30B/88.20A	----	95.40 - 19.90	.1898	----	----	----	----	22 UNCH
3960	----	----	----/89.00A	115.30B/89.00A	----	96.30 - 20.20	.1915	----	----	----	----	16 UNCH
3965	----	----	----/89.90A	116.70B/89.90A	----	97.30 - 20.40	.1932	----	----	----	----	5 UNCH
3970	----	----	----/91.00A	117.90B/91.00A	----	98.20 - 20.70	.1948	----	----	2	----	1 + 1
3975	----	----	----/91.80A	118.90B/91.80A	----	99.20 - 20.90	.1965	----	----	----	----	21 UNCH
3980	----	----	----/92.70A	120.10B/92.70A	----	100.20 - 21.20	.1983	----	----	----	----	3 UNCH
3985	----	----	----/93.70A	121.50B/93.70A	----	101.20 - 21.40	.2000	----	----	----	----	136 UNCH
3990	----	----	----/94.70A	122.70B/94.70A	----	102.10 - 21.80	.2017	----	----	----	----	40 UNCH
3995	----	----	----/95.60A	123.80B/95.60A	----	103.10 - 22.00	.2034	----	----	----	----	4 UNCH
4000	120.30	120.30	120.30/96.30A	125.10B/96.30A	----	104.20 - 22.20	.2052	----	----	10	----	513 + 3
4005	106.00	106.00	106.00/97.60A	126.30B/97.60A	----	105.20 - 22.50	.2070	----	----	79	----	53 + 43
4010	----	----	----/98.50A	127.70B/98.50A	----	106.20 - 22.80	.2087	----	----	----	----	3 UNCH
4015	----	----	----/99.50A	129.10B/99.50A	----	107.30 - 23.00	.2106	----	----	----	----	34 UNCH
4020	----	----	----/100.50A	130.30B/100.50A	----	108.30 - 23.30	.2123	----	----	----	----	20 UNCH
4025	----	----	----/101.60A	131.80B/101.60A	----	109.40 - 23.60	.2142	----	----	----	----	17 UNCH
4030	----	----	----/102.50A	132.90B/102.50A	----	110.40 - 23.90	.2160	----	----	----	----	32 UNCH
4035	----	----	----/103.60A	134.40B/103.60A	----	111.50 - 24.20	.2178	----	----	----	----	2 UNCH
4040	----	----	----/104.60A	135.90B/104.60A	----	112.60 - 24.40	.2197	----	----	----	----	1 UNCH
4045	----	----	----/105.70A	137.00B/105.70A	----	113.70 - 24.70	.2215	----	----	----	----	20 UNCH
4050	----	----	----/106.70A	138.40B/106.70A	----	114.80 - 25.00	.2234	----	----	1	----	46 UNCH
4055	----	----	----/107.80A	139.80B/107.80A	----	115.90 - 25.30	.2253	----	----	----	----	31 UNCH
4065	----	----	----/110.00A	142.90B/110.00A	----	118.20 - 25.80	.2291	----	----	----	----	3 UNCH
4070	----	----	----/111.10A	144.30B/111.10A	----	119.40 - 26.10	.2310	----	----	----	----	12 UNCH
4075	139.00	139.00	139.00/112.20A	145.70B/112.20A	----	120.50 - 26.40	.2329	----	----	3	----	7 + 1
4080	----	----	----/113.30A	147.20B/113.30A	----	121.70 - 26.70	.2349	----	----	----	----	5 UNCH
4095	----	----	----/116.80A	151.90B/116.80A	----	125.30 - 27.50	.2408	----	----	----	----	1 UNCH
4100	133.80	133.80	133.80/118.00A	153.40B/118.00A	----	126.50 - 27.80	.2428	----	----	19	----	141 + 12
4105	----	----	----/119.10A	154.50B/119.10A	----	127.80 - 28.10	.2448	----	----	----	----	9 UNCH
4110	----	----	----/120.30A	156.40B/120.30A	----	129.00 - 28.40	.2468	----	----	----	----	1 UNCH
4115	----	----	----/121.50A	157.90B/121.50A	----	130.30 - 28.60	.2489	----	----	----	----	6 UNCH
4120	----	----	----/122.70A	159.30B/122.70A	----	131.60 - 28.90	.2510	----	----	----	----	5 UNCH
4125	127.90	127.90	127.90/123.90A	160.90B/123.90A	----	132.80 - 29.30	.2530	----	----	2	----	72 + 1
4130	----	----	----/125.20A	162.40B/125.20A	----	134.10 - 29.50	.2550	----	----	----	----	65 UNCH
4140	----	----	----/127.60A	165.70B/127.60A	----	136.80 - 30.00	.2593	----	----	1	----	4 + 1
4145	159.00	159.00	159.00/128.70A	167.50B/128.70A	----	138.10 - 30.40	.2613	----	----	4	----	258 + 4
4150	130.30	130.30	130.30/130.20A	169.00B/130.20A	----	139.50 - 30.60	.2635	----	----	2	----	132 - 1
4155	----	----	----/131.40A	170.70B/131.40A	----	140.80 - 30.90	.2656	----	----	----	----	4 UNCH
4160	----	----	----/132.70A	172.30B/132.70A	----	142.20 - 31.20	.2677	----	----	----	----	3 UNCH
4165	156.60	156.60	156.60/134.00A	174.00B/134.00A	----	143.60 - 31.50	.2699	----	----	1	----	51 UNCH
4170	----	----	----/135.50A	175.70B/135.50A	----	145.00 - 31.70	.2721	----	----	----	----	1 UNCH
4175	----	----	----/136.60A	177.40B/136.60A	----	146.50 - 31.90	.2743	----	----	----	----	40 UNCH
4190	----	----	----/140.70A	182.70B/140.70A	----	150.80 - 32.80	.2809	----	----	----	----	129 UNCH
4195	----	----	----/142.00A	184.10B/142.00A	----	152.30 - 33.10	.2831	----	----	----	----	65 UNCH
4200	145.50	145.50	155.50/143.10A	186.30B/143.10A	----	153.80 - 33.30	.2854	----	----	70	----	333 + 39
4205	----	----	----/144.80A	188.00B/144.80A	----	155.30 - 33.60	.2876	----	----	----	----	4 UNCH
4215	----	----	----/147.60A	191.60B/147.60A	----	158.30 - 34.20	.2921	----	----	----	----	33 UNCH
4220	----	----	----/149.10A	193.40B/149.10A	----	159.80 - 34.50	.2944	----	----	----	----	75 UNCH
4225	----	----	----/150.50A	195.30B/150.50A	----	161.40 - 34.80	.2967	----	----	----	----	33 UNCH
4230	----	----	----/152.00A	197.00B/152.00A	----	163.00 - 35.00	.2990	----	----	----	----	8 UNCH
4235	----	----	----/153.50A	199.00B/153.50A	----	164.50 - 35.40	.3013	----	----	----	----	42 UNCH
4240	----	----	----/154.90A	200.80B/154.90A	----	166.10 - 35.70	.3036	----	----	----	----	33 UNCH
4245	----	----	----/156.60A	202.70B/156.60A	----	167.70 - 36.00	.3059	----	----	----	----	1 UNCH
4250	166.40	166.40	171.60/158.30A	205.00B/158.30A	----	169.30 - 36.30	.3083	----	----	102	----	809 + 50
4255	----	----	----/159.80A	206.60B/159.80A	----	171.00 - 36.50	.3106	----	----	----	----	2 UNCH
4260	----	----	----/160.90A	208.60B/160.90A	----	172.60 - 36.90	.3130	----	----	----	----	4 UNCH
4265	----	----	----/162.50A	210.50B/162.50A	----	174.30 - 37.10	.3154	----	----	----	----	12 UNCH
4270	----	----	----/164.40A	212.50B/164.40A	----	175.90 - 37.50	.3177	----	----	----	----	1 UNCH
4275	----	----	----/165.60A	214.40B/165.60A	----	177.60 - 37.80	.3201	----	----	----	----	74 UNCH
4280	199.80	199.80	199.90/167.30A	216.50B/167.30A	----	179.30 - 38.10	.3225	----	----	30	----	38 + 30
4285	----	----	----/168.80A	218.50B/168.80A	----	181.00 - 38.40	.3249	----	----	----	----	101 UNCH
4290	----	----	----/170.40A	220.60B/170.40A	----	182.70 - 38.70	.3273	----	----	----	----	33 UNCH
4295	----	----	----/172.10A	222.60B/172.10A	----	184.40 - 39.10	.3297	----	----	----	----	20 UNCH
4300	205.00	205.00	205.00/173.40A	224.60B/173.40A	----	186.20 - 39.30	.3322	----	----	7	----	2193 UNCH
4305	----	----	----/175.70A	226.80B/175.70A	----	187.90 - 39.70	.3346	----	----	----	----	2 UNCH
4310	183.00	183.00	183.00/177.30A	228.90B/177.30A	----	189.70 - 40.00	.3370	----	----	3	----	4 + 3
4315	----	----	----/178.70A	230.90B/178.70A	----	191.50 - 40.30	.3395	----	----	----	----	23 UNCH
4320	----	----	----/180.70A	232.90B/180.70A	----	193.30 - 40.60	.3420	----	----	----	----	2 UNCH
4325	207.50	207.50	207.50/182.10A	235.00B/182.10A	----	195.10 - 41.00	.3444	----	----	4	----	67 UNCH
4330	----	----	----/184.10A	237.10B/184.10A	----	196.90 - 41.30	.3469	----	----	----	----	1 UNCH
4335	----	----	----/185.40A	239.30B/185.40A	----	198.80 - 41.60	.3494	----	----	----	----	111 UNCH
4340	----	----	----/187.30A	241.70B/187.30A	----	200.60 - 42.00	.3519	----	----	----	----	114 UNCH
4345	----	----	----/189.40A	244.00B/189.40A	----	202.50 - 42.30	.3544	----	----	----	----	2 UNCH
4350	227.50	227.50	227.50/190.50A	246.00B/190.50A	----	204.40 - 42.60	.3569	----	----	1	----	303 + 1
4355	207.20	207.20	207.20/192.60A	248.10B/192.60A	----	206.30 - 42.90	.3594	----	----	110	----	123 + 95
4360	----	----	----/194.40A	250.50B/194.40A	----	208.20 - 43.30	.3619	----	----	----	----	104 UNCH
4365	----	----	----/196.40A	252.60B/196.40A	----	210.10 - 43.70	.3645	----	----	----	----	1 UNCH
4370	----	----	----/198.00A	255.10B/198.00A	----	212.00 - 44.00	.3670	----	----	----	----	140 UNCH
4375	208.80	208.80	208.80/199.80A	257.40B/199.80A	----	214.00 - 44.30	.3696	----	----	2	----	26 UNCH
4380	----	----	----/202.20A	259.60B/202.20A	----	215.90 - 44.70	.3721	----	----	----	----	2 UNCH
4385	----	----	----/203.50A	262.30B/203.50A	----	217.90 - 45.10	.3747	----	----	----	----	52 UNCH
4390	----	----	----/205.80A	264.20B/205.80A	----	219.90 - 45.40	.3772	----	----	----	----	2 UNCH
4395	----	----	----/207.50A	266.60B/207.50A	----	221.90 - 45.80	.3798	----	----	----	----	11 UNCH
4400	228.30	228.30	250.20/208.90A	268.70B/208.90A	----	223.90 - 46.20	.3824	----	----	21	----	2262 - 5
4405	----	----	----/211.70A	271.40B/211.70A	----	226.00 - 46.40	.3850	----	----	----	----	1 UNCH
4410	----	----	----/213.10A	273.80B/213.10A	----	228.00 - 46.90	.3876	----	----	----	----	14 UNCH
4415	----	----	----/215.10A	276.10B/215.10A	----	230.10 - 47.20	.3902	----	----	----	----	4 UNCH
4420	----	----	----/217.10A	278.60B/217.10A	----	232.20 - 47.50	.3928	----	----	----	----	15 UNCH
4425	----	----	----/219.10A	280.90B/219.10A	----	234.30 - 47.90	.3954	----	----	----	----	36 UNCH
4430	----	----	----/221.10A	283.30B/221.10A	----	236.40 - 48.20	.3980	----	----	150	----	156 + 134
4435	----	----	----/223.70A	285.60B/223.70A	----	238.50 - 48.60	.4006	----	----	----	----	1 UNCH
4440	----	----	----/225.20A	288.40B/225.20A	----	240.70 - 48.90	.4033	----	----	----	----	3 UNCH
4445	----	----	----/227.20A	290.60B/227.20A	----	242.80 - 49.40	.4059	----	----	----	----	152 UNCH
4450	250.10	250.10	273.50/229.10A	292.80B/229.10A	----	245.00 - 49.70	.4085	----	----	12	----	576 + 3
4455	----	----	----/231.40A	296.20B/231.40A	----	247.20 - 50.00	.4112	----	----	1	----	18 UNCH
4460	----	----	----/233.50A	298.40B/233.50A	----	249.40 - 50.40	.4138	----	----	----	----	93 UNCH
4465	----	----	----/235.70A	301.00B/235.70A	----	251.60 - 50.80	.4165	----	----	----	----	11 UNCH
4475	----	----	----/239.90A	306.10B/239.90A	----	256.10 - 51.50	.4218	----	----	----	----	27 UNCH
4480	----	----	----/242.10A	308.80B/242.10A	----	258.30 - 51.90	.4244	----	----	----	----	87 UNCH
4485	----	----	----/244.70A	311.60B/244.70A	----	260.60 NEW	.4271	----	----	----	50	50 + 50
4490	----	----	----/246.50A	314.10B/246.50A	----	262.90 - 52.70	.4298	----	----	----	----	16 UNCH
4495	----	----	----/249.00A	316.90B/249.00A	----	265.20 - 53.00	.4324	----	----	----	----	2 UNCH
4500	274.10	274.10	293.00/250.70A	319.30B/250.70A	----	267.60 - 53.30	.4351	----	----	21	----	366 + 2
4505	----	----	----/253.60A	322.10B/253.60A	----	269.90 - 53.70	.4378	----	----	----	----	1 UNCH
4510	----	----	----/255.40A	324.30B/255.40A	----	272.30 - 54.10	.4405	----	----	----	----	7 UNCH
4515	----	----	----/257.60A	325.50B/257.60A	----	274.60 - 54.50	.4432	----	----	----	----	3 UNCH
4520	----	----	----/259.80A	324.10B/259.80A	----	277.00 - 54.90	.4459	----	----	----	----	4 UNCH
4525	273.90	273.90	273.90/262.20A	326.60B/262.20A	----	279.40 - 55.20	.4486	----	----	2	----	74 + 2
4535	----	----	----/267.20A	333.20B/267.20A	----	284.30 - 55.90	.4539	----	----	----	----	1 UNCH
4540	----	----	----/269.10A	333.20B/269.10A	----	286.80 - 56.30	.4566	----	----	----	----	88 UNCH
4545	----	----	----/271.50A	342.10B/271.50A	----	289.20 - 56.70	.4593	----	----	----	----	20 UNCH
4550	----	----	----/274.00A	342.00B/274.00A	----	291.70 - 57.00	.4620	----	----	----	----	72 UNCH
4555	----	----	----/276.30A	346.70B/276.30A	----	294.20 - 57.40	.4647	----	----	----	----	6 UNCH
4560	----	----	----/278.70A	351.30B/278.70A	----	296.70 - 57.80	.4674	----	----	----	----	17 UNCH
4565	291.80	291.80	291.80/281.10A	354.20B/281.10A	----	299.30 - 58.10	.4701	----	----	100	----	104 + 100
4570	----	----	----/283.50A	357.10B/283.50A	----	301.80 - 58.50	.4728	----	----	----	----	8 UNCH
4575	----	----	----/286.10A	360.00B/286.10A	----	304.40 - 58.80	.4755	----	----	----	----	11 UNCH
4580	----	----	----/288.70A	358.30B/288.70A	----	307.00 - 59.20	.4782	----	----	----	----	1 UNCH
4585	----	----	----/291.00A	365.80B/291.00A	----	309.60 - 59.50	.4809	----	----	----	----	4 UNCH
4590	----	----	----/293.60A	368.70B/293.60A	----	312.20 - 59.90	.4836	----	----	----	----	5 UNCH
4595	----	----	----/296.10A	371.60B/296.10A	----	314.80 - 60.30	.4863	----	----	----	----	28 UNCH
4600	----	----	----/298.50A	374.50B/298.50A	----	317.40 - 60.70	.4890	----	----	4	----	1065 UNCH
4605	----	----	----/301.20A	372.90B/301.20A	----	320.10 - 61.00	.4917	----	----	----	----	1 UNCH
4610	325.90	325.90	325.90/303.60A	380.40B/303.60A	----	322.80 - 61.40	.4944	----	----	165	----	143 + 132

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4615	----	----	----/306.40A	383.50B/306.40A	----	325.50 - 61.70	.4971	----	----	----	----	1 UNCH
4620	----	----	----/308.90A	386.40B/308.90A	----	328.20 - 62.10	.4998	----	----	----	----	42 UNCH
4625	----	----	----/311.50A	389.40B/311.50A	----	330.90 - 62.50	.5024	----	----	----	----	25 UNCH
4630	----	----	----/314.30A	387.90B/314.30A	----	333.60 - 62.80	.5051	----	----	----	----	0 UNCH
4635	----	----	----/316.90A	390.90B/316.90A	----	336.40 - 63.20	.5078	----	----	----	----	127 UNCH
4640	----	----	----/319.40A	394.00B/319.40A	----	339.10 - 63.60	.5105	----	----	----	----	51 UNCH
4645	----	----	----/322.20A	397.30B/322.20A	----	341.90 - 63.90	.5132	----	----	----	----	10 UNCH
4650	330.90	330.90	330.90/324.90A	403.90B/324.90A	----	344.70 - 64.30	.5158	----	----	1	----	58 UNCH
4655	----	----	----/327.60A	408.20B/327.60A	----	347.50 - 64.60	.5185	----	----	----	----	2 UNCH
4660	352.50	352.50	352.50/330.30A	407.70B/330.30A	----	350.30 - 65.00	.5212	----	----	8	----	58 + 4
4665	----	----	----/333.10A	408.90B/333.10A	----	353.20 - 65.30	.5239	----	----	----	----	20 UNCH
4670	----	----	----/335.80A	409.60B/335.80A	----	356.00 - 65.70	.5265	----	----	----	----	100 UNCH
4675	----	----	----/338.60A	412.90B/338.60A	----	358.90 - 66.00	.5292	----	----	----	----	69 UNCH
4680	----	----	----/341.30A	416.20B/341.30A	----	361.80 - 66.40	.5318	----	----	----	----	8 UNCH
4695	----	----	----/349.70A	425.10B/349.70A	----	370.50 - 67.50	.5398	----	----	----	----	162 UNCH
4700	386.10	386.10	386.10/352.40A	428.50B/352.40A	----	373.50 - 67.80	.5424	----	----	1	----	502 UNCH
4705	----	----	----/355.30A	431.90B/355.30A	----	376.40 - 68.20	.5450	----	----	----	----	6 UNCH
4710	----	----	----/357.90A	435.10B/357.90A	----	379.40 - 68.50	.5476	----	----	----	----	120 UNCH
4715	----	----	----/361.00A	438.40B/361.00A	----	382.40 - 68.80	.5503	----	----	----	----	1 UNCH
4720	----	----	----/363.70A	441.50B/363.70A	----	385.40 - 69.20	.5529	----	----	----	----	8 UNCH
4725	----	----	----/366.50A	445.00B/366.50A	----	388.40 - 69.60	.5555	----	----	----	----	205 UNCH
4730	----	----	----/369.20A	447.80B/369.20A	----	391.50 - 69.80	.5581	----	----	----	----	288 UNCH
4735	----	----	----/372.10A	449.10B/372.10A	----	394.50 - 70.20	.5607	----	----	----	----	11 UNCH
4740	383.70	383.70	384.30/375.00A	450.10B/375.00A	----	397.60 - 70.50	.5633	----	----	22	----	196 - 6
4745	----	----	----/377.90A	453.40B/377.90A	----	400.70 - 70.80	.5659	----	----	----	----	115 UNCH
4750	----	----	----/380.80A	456.00B/380.80A	----	403.70 - 71.30	.5685	----	----	----	----	398 UNCH
4755	----	----	----/383.90A	459.00B/383.90A	----	406.80 - 71.60	.5711	----	----	----	----	6 UNCH
4760	----	----	----/386.80A	461.00B/386.80A	----	410.00 - 71.90	.5736	----	----	----	----	29 UNCH
4765	----	----	----/389.70A	461.60B/389.70A	----	413.10 - 72.20	.5762	----	----	----	----	31 UNCH
4770	----	----	----/393.10A	465.00B/393.10A	----	416.20 - 72.60	.5788	----	----	----	----	1 UNCH
4775	----	----	----/395.70A	468.50B/395.70A	----	419.40 - 72.90	.5813	----	----	----	----	40 UNCH
4780	----	----	----/398.70A	471.80B/398.70A	----	422.60 - 73.20	.5838	----	----	----	----	30 UNCH
4785	----	----	----/401.70A	475.20B/401.70A	----	425.80 - 73.50	.5863	----	----	----	----	15 UNCH
4790	----	----	----/405.10A	478.60B/405.10A	----	429.00 - 73.90	.5889	----	----	----	----	1 UNCH
4795	----	----	----/407.90A	482.00B/407.90A	----	432.20 - 74.20	.5914	----	----	----	----	6 UNCH
4800	426.70	426.70	426.70/410.70A	485.50B/410.70A	----	435.40 - 74.60	.5939	----	----	2	----	1277 - 2
4810	----	----	----/416.90A	492.30B/416.90A	----	441.90 - 75.20	.5989	----	----	----	----	6 UNCH
4815	----	----	----/420.20A	495.80B/420.20A	----	445.20 - 75.50	.6014	----	----	----	----	1 UNCH
4820	----	----	----/423.20A	499.30B/423.20A	----	448.50 - 75.80	.6039	----	----	----	----	101 UNCH
4825	----	----	----/426.50A	502.80B/426.50A	----	451.80 - 76.10	.6064	----	----	----	----	1 UNCH
4840	----	----	----/435.70A	513.50B/435.70A	----	461.80 - 77.10	.6138	----	----	----	----	8 UNCH
4845	----	----	----/438.90A	516.90B/438.90A	----	465.10 - 77.40	.6162	----	----	----	----	69 UNCH
4850	----	----	----/442.10A	520.50B/442.10A	----	468.50 - 77.70	.6187	----	----	----	----	211 UNCH
4860	----	----	----/448.70A	527.60B/448.70A	----	475.20 - 78.40	.6235	----	----	----	----	1 UNCH
4870	----	----	----/455.00A	535.10B/455.00A	----	482.10 - 78.90	.6284	----	----	----	----	318 UNCH
4875	----	----	----/458.20A	538.50B/458.20A	----	485.50 - 79.30	.6307	----	----	----	----	70 UNCH
4880	----	----	----/461.40A	542.20B/461.40A	----	488.90 - 79.60	.6331	----	----	----	----	11 UNCH
4890	----	----	----/468.10A	549.50B/468.10A	----	495.90 - 80.10	.6378	----	----	----	----	3 UNCH
4895	----	----	----/471.50A	553.20B/471.50A	----	499.30 - 80.50	.6402	----	----	----	----	61 UNCH
4900	----	----	----/474.90A	556.80B/474.90A	----	502.80 - 80.80	.6426	----	----	----	----	261 UNCH
4905	----	----	----/478.20A	560.50B/478.20A	----	506.30 - 81.10	.6449	----	----	----	----	5 UNCH
4910	----	----	----/481.60A	564.20B/481.60A	----	509.90 - 81.30	.6472	----	----	----	----	2 UNCH
4915	----	----	----/485.00A	568.00B/485.00A	----	513.40 - 81.60	.6495	----	----	----	----	6 UNCH
4920	----	----	----/488.40A	571.70B/488.40A	----	516.90 - 82.00	.6518	----	----	----	----	22 UNCH
4925	----	----	----/491.50A	575.50B/491.50A	----	520.50 - 82.20	.6542	----	----	----	----	11 UNCH
4930	----	----	----/495.00A	579.40B/495.00A	----	524.10 - 82.50	.6565	----	----	----	----	272 UNCH
4935	----	----	----/498.40A	583.00B/498.40A	----	527.60 - 82.80	.6587	----	----	----	----	4 UNCH
4940	----	----	----/501.70A	586.80B/501.70A	----	531.20 - 83.10	.6610	----	----	----	----	11 UNCH
4950	----	----	----/508.80A	594.40B/508.80A	----	538.40 - 83.70	.6655	----	----	----	----	106 UNCH
4975	----	----	----/526.30A	600.90B/526.30A	----	556.70 - 85.00	.6766	----	----	----	----	2 UNCH
4980	----	----	----/529.80A	616.00B/529.80A	----	560.40 - 85.30	.6788	----	----	----	----	6 UNCH
4985	----	----	----/533.30A	619.90B/533.30A	----	564.10 - 85.50	.6810	----	----	----	----	104 UNCH
4990	----	----	----/536.90A	602.60B/536.90A	----	567.80 - 85.80	.6831	----	----	----	----	2 UNCH
4995	----	----	----/540.40A	627.80B/540.40A	----	571.50 - 86.10	.6853	----	----	----	----	8 UNCH
5000	602.00	602.00	602.00/543.90A	634.30B/543.90A	----	575.20 - 86.40	.6874	----	----	6	----	553 UNCH
5005	----	----	----/547.60A	635.70B/547.60A	----	579.00 - 86.60	.6895	----	----	----	----	12 UNCH
5010	----	----	----/551.20A	639.60B/551.20A	----	582.70 - 86.90	.6916	----	----	----	----	9 UNCH
5015	----	----	----/554.80A	643.60B/554.80A	----	586.50 - 87.10	.6937	----	----	----	----	20 UNCH
5020	----	----	----/558.40A	647.60B/558.40A	----	590.30 - 87.30	.6958	----	----	----	----	5 UNCH
5025	----	----	----/562.00A	651.60B/562.00A	----	594.10 - 87.60	.6980	----	----	----	----	150 UNCH
5030	----	----	----/565.60A	655.60B/565.60A	----	597.90 - 87.80	.7001	----	----	----	----	8 UNCH
5035	----	----	----/569.20A	659.60B/569.20A	----	601.70 - 88.10	.7021	----	----	----	----	37 UNCH
5045	----	----	----/576.70A	667.60B/576.70A	----	609.30 - 88.60	.7062	----	----	----	----	5 UNCH
5050	----	----	----/580.20A	671.70B/580.20A	----	613.20 - 88.80	.7083	----	----	----	----	79 UNCH
5055	----	----	----/584.00A	675.70B/584.00A	----	617.00 - 89.10	.7103	----	----	----	----	3 UNCH
5065	----	----	----/591.50A	683.80B/591.50A	----	624.80 - 89.50	.7143	----	----	----	----	10 UNCH
5075	----	----	----/598.80A	692.00B/598.80A	----	632.50 - 90.00	.7182	----	----	----	----	6 UNCH
5080	----	----	----/602.60A	632.30B/602.60A	----	636.40 - 90.20	.7202	----	----	----	----	2 UNCH
5085	----	----	----/606.20A	700.20B/606.20A	----	640.30 - 90.50	.7222	----	----	----	----	21 UNCH
5090	----	----	----/610.20A	704.30B/610.20A	----	644.30 - 90.60	.7241	----	----	----	----	6 UNCH
5095	----	----	----/613.90A	708.40B/613.90A	----	648.20 - 90.90	.7260	----	----	----	----	42 UNCH
5100	----	----	----/617.70A	712.50B/617.70A	----	652.10 - 91.10	.7280	----	----	----	----	106 UNCH
5105	----	----	----/621.40A	716.60B/621.40A	----	656.10 - 91.30	.7299	----	----	----	----	22 UNCH
5110	----	----	----/625.40A	720.80B/625.40A	----	660.10 - 91.50	.7318	----	----	----	----	16 UNCH
5115	----	----	----/629.20A	724.90B/629.20A	----	664.00 - 91.80	.7337	----	----	----	----	37 UNCH
5120	----	----	----/632.90A	729.10B/632.90A	----	668.00 - 92.00	.7356	----	----	----	----	14 UNCH
5125	----	----	----/643.20A	733.20B/643.20A	----	672.00 - 92.20	.7374	----	----	----	----	37 UNCH
5130	----	----	----/647.00A	737.40B/647.00A	----	676.00 - 92.40	.7392	----	----	----	----	24 UNCH
5135	----	----	----/650.70A	741.60B/650.70A	----	680.00 - 92.60	.7411	----	----	----	----	11 UNCH
5140	----	----	----/654.80A	745.80B/654.80A	----	684.00 - 92.80	.7429	----	----	----	----	19 UNCH
5145	----	----	----	437.10B/918.80A	----	688.00 - 93.10	.7448	----	----	----	----	2 UNCH
5150	----	----	----/662.60A	754.20B/662.60A	----	692.10 - 93.20	.7465	----	----	----	----	233 UNCH
5155	----	----	----/666.30A	758.40B/666.30A	----	696.10 - 93.40	.7483	----	----	----	----	43 UNCH
5160	----	----	----/670.50A	762.60B/670.50A	----	700.20 - 93.60	.7502	----	----	----	----	42 UNCH
5170	----	----	----/678.40A	771.00B/678.40A	----	708.30 - 94.00	.7537	----	----	----	----	55 UNCH
5175	----	----	----/682.40A	775.30B/682.40A	----	712.40 - 94.20	.7554	----	----	----	----	61 UNCH
5180	----	----	----/686.30A	779.50B/686.30A	----	716.50 - 94.40	.7571	----	----	----	----	10 UNCH
5185	----	----	----/690.10A	783.80B/690.10A	----	720.60 - 94.60	.7589	----	----	----	----	103 UNCH
5190	709.60	709.60	712.10/694.30A	788.00B/694.30A	----	724.70 - 94.80	.7606	----	----	6	----	19 UNCH
5200	----	----	----/702.30A	796.60B/702.30A	----	732.90 - 95.20	.7640	----	----	----	----	65 UNCH
5225	----	----	----/722.40A	818.00B/722.40A	----	753.70 - 96.00	.7723	----	----	----	----	42 UNCH
5230	----	----	----	510.30B/984.50A	----	757.90 - 96.10	.7740	----	----	----	----	2 UNCH
5235	791.50	791.50	793.30/730.60A	826.60B/730.60A	----	762.00 - 96.40	.7756	----	----	6	----	23 - 4
5245	----	----	----	523.50B/996.30A	----	770.40 - 96.70	.7787	----	----	----	----	2 UNCH
5250	----	----	----/742.90A	839.00B/742.90A	----	774.60 - 96.90	.7803	----	----	----	----	14 UNCH
5255	----	----	----/747.00A	843.40B/747.00A	----	778.80 - 97.10	.7818	----	----	----	----	14 UNCH
5285	----	----	----	559.10B/1028.00A	----	804.30 - 97.90	.7910	----	----	----	----	2 UNCH
5290	----	----	----/775.90A	873.90B/775.90A	----	808.50 - 98.10	.7925	----	----	----	----	4 UNCH
5295	----	----	----	568.00B/1036.00A	----	812.80 - 98.30	.7940	----	----	----	----	2 UNCH
5300	----	----	----/784.30A	882.70B/784.30A	----	817.10 - 98.40	.7955	----	----	----	----	67 UNCH
5315	----	----	----/796.70A	895.90B/796.70A	----	830.00 - 98.80	.7999	----	----	----	----	10 UNCH
5325	----	----	----	595.10B/1059.90A	----	838.60 - 99.10	.8027	----	----	----	----	1 UNCH
5350	----	----	----/826.60A	927.00B/826.60A	----	860.30 - 99.70	.8097	----	----	----	----	8 UNCH
5375	----	----	----/847.70A	949.50B/847.70A	----	882.10 - 00.40	.8163	----	----	----	----	7 UNCH
5390	----	----	----/860.60A	962.70B/860.60A	----	895.30 - 00.80	.8202	----	----	----	----	5 UNCH
5400	----	----	----/865.90A	974.50B/865.90A	----	904.10 - 01.00	.8227	----	----	----	----	602 UNCH
5410	----	----	----	673.20B/1129.80A	----	912.90 - 01.30	.8252	----	----	----	----	1 UNCH
5440	----	----	----	701.20B/1154.80A	----	939.50 - 02.00	.8326	----	----	----	----	1 UNCH
5475	----	----	----/934.20A	1039.70B/934.20A	----	970.90 - 02.70	.8407	----	----	----	----	6 UNCH
5500	----	----	----/956.30A	1062.60B/956.30A	----	993.40 - 03.20	.8461	----	----	----	----	3 UNCH
5505	----	----	----	762.70B/1209.60A	----	997.90 - 03.30	.8472	----	----	----	----	1 UNCH
5510	----	----	----	767.40B/1213.90A	----	1002.40 - 03.40	.8482	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1558.40 - 11.40	.9295	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1582.60 - 11.50	.9315	----	----	----	----	2 UNCH
TOTAL										1599	350	28032 + 1231
AUG26												
2300	4.00	4.00	#4.00/4.00	#4.00/4.00	----	3.90 - 0.80	.0076	----	----	1	----	30 UNCH
2325	----	----	----/5.30A	2.80B/5.30A	----	4.50 - 0.90	.0086	----	----	----	----	1 UNCH
2350	----	----	----	3.30B/5.50A	----	4.60 - 0.90	.0088	----	----	----	----	2 UNCH
2375	----	----	----	3.30B/5.60A	----	4.60 - 1.00	.0090	----	----	----	----	7 UNCH
2400	----	----	----/5.80A	3.40B/5.80A	----	4.90 - 1.00	.0096	----	----	----	----	5 UNCH
2425	----	----	----	4.00B/6.30A	----	5.00 - 1.00	.0098	----	----	----	----	1 UNCH
2475	----	----	----/6.60A	4.30B/6.60A	----	5.50 - 1.20	.0109	----	----	----	----	5 UNCH
2500	----	----	----	4.60B/6.80A	----	5.60 - 1.20	.0112	----	----	----	----	2 UNCH
2570	----	----	----/7.60A	5.30B/7.60A	----	6.50 - 1.40	.0131	----	----	----	----	9 UNCH
2580	----	----	----/7.70A	5.50B/7.70A	----	6.50 - 1.40	.0132	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 20

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
2590	----	----	----	5.70B/8.00A	----	6.60 - 1.40	.0134	----	----	----	----	2 UNCH
2600	----	----	----	5.80B/8.00A	----	6.60 - 1.40	.0135	----	----	----	----	2 UNCH
2615	----	----	----/8.20A	6.00B/8.20A	----	6.90 - 1.50	.0141	----	----	----	----	1 UNCH
2625	----	----	----	6.20B/8.50A	----	6.90 - 1.50	.0142	----	----	----	----	2 UNCH
2640	----	----	----/8.70A	6.60B/8.70A	----	7.20 - 1.60	.0147	----	----	----	----	1 UNCH
2685	----	----	----	7.30B/9.30A	----	7.60 - 1.70	.0158	----	----	----	----	1 UNCH
2690	----	----	----	7.50B/9.30A	----	7.70 - 1.60	.0160	----	----	----	----	1 UNCH
2730	----	----	----/9.70A	8.20B/9.70A	----	8.30 - 1.80	.0173	----	----	----	----	1 UNCH
2745	----	----	----/10.20A	8.40B/10.20A	----	8.50 - 1.90	.0178	----	----	----	----	1 UNCH
2750	----	----	----/10.20A	8.60B/10.20A	----	8.60 - 1.90	.0180	----	----	----	----	4 UNCH
2800	----	----	----/11.20A	9.70B/11.20A	----	9.80 - 2.10	.0204	----	----	----	----	30 UNCH
2860	----	----	----/12.40A	11.30B/12.40A	----	11.40 - 2.20	.0236	----	----	----	----	1 UNCH
2950	----	----	----/14.80A	14.20B/14.80A	----	14.00 - 2.60	.0289	----	----	----	----	8 UNCH
3000	17.10	17.10	17.10/16.60A	17.10/16.60A	----	15.60 - 2.70	.0322	----	----	1	----	262 UNCH
3010	----	----	----/17.20A	16.80B/17.20A	----	15.90 - 2.80	.0328	----	----	----	----	1 UNCH
3015	----	----	----/17.30A	16.70B/17.30A	----	16.10 - 2.80	.0332	----	----	----	----	1 UNCH
3025	----	----	----/17.50A	17.10B/17.50A	----	16.40 - 2.90	.0339	----	----	----	----	5 UNCH
3065	----	----	----/19.00A	19.40B/19.00A	----	17.90 - 3.00	.0369	----	----	----	----	1 UNCH
3090	----	----	----/19.60A	21.00B/19.60A	----	18.80 - 3.20	.0388	----	----	----	----	1 UNCH
3095	----	----	----/20.20A	21.10B/20.20A	----	19.00 - 3.20	.0392	----	----	----	----	1 UNCH
3100	----	----	----/20.60A	20.90B/20.60A	----	19.20 - 3.20	.0396	----	----	----	----	137 UNCH
3110	----	----	----/20.90A	21.80B/20.90A	----	19.60 - 3.30	.0404	----	----	----	----	15 UNCH
3120	----	----	----/21.20A	22.30B/21.20A	----	20.00 - 3.40	.0412	----	----	----	----	30 UNCH
3130	----	----	----/21.60A	22.70B/21.60A	----	20.40 - 3.40	.0421	----	----	----	----	5 UNCH
3150	----	----	----/22.50A	24.00B/22.50A	----	21.30 - 3.50	.0439	----	----	----	----	10 UNCH
3155	----	----	----/23.10A	24.30B/23.10A	----	21.50 - 3.60	.0443	----	----	----	----	3 UNCH
3160	----	----	----/23.10A	24.10B/23.10A	----	21.70 - 3.70	.0447	----	----	----	----	1 UNCH
3180	----	----	----/24.10A	25.60B/24.10A	----	22.70 - 3.80	.0467	----	----	----	----	25 UNCH
3185	----	----	----/24.60A	25.90B/24.60A	----	22.90 - 3.80	.0471	----	----	----	----	1 UNCH
3190	----	----	----/24.80A	26.10B/24.80A	----	23.20 - 3.80	.0477	----	----	----	----	20 UNCH
3195	----	----	----/24.80A	26.10B/24.80A	----	23.40 - 3.90	.0481	----	----	----	----	1 UNCH
3200	27.50	27.50	27.50/25.00A	27.50/25.00A	----	23.70 - 3.90	.0487	----	----	1	----	405 UNCH
3250	----	----	31.10B/27.90A	31.10B/27.90A	----	26.40 - 4.40	.0540	----	----	30	----	405 + 5
3260	32.40	32.40	32.50/27.20A	32.50/27.20A	----	27.00 NEW	.0552	----	----	30	----	30 + 30
3300	----	----	35.10B/29.50A	35.10B/29.50A	----	29.60 - 4.80	.0601	----	----	----	----	157 UNCH
3350	----	----	39.10B/32.60A	39.10B/32.60A	----	33.10 - 5.50	.0668	----	----	----	----	334 UNCH
3370	----	----	40.90B/34.00A	40.90B/34.00A	----	34.60 - 5.80	.0696	----	----	----	----	1 UNCH
3380	----	----	41.70B/34.70A	41.70B/34.70A	----	35.40 - 5.90	.0711	----	----	----	----	1 UNCH
3390	----	----	42.70B/35.50A	42.70B/35.50A	----	36.20 - 6.00	.0726	----	----	----	----	1 UNCH
3400	36.90	36.90	43.70B/36.20A	43.70B/36.20A	----	37.00 - 6.20	.0741	----	----	1	----	23 UNCH
3405	----	----	44.00B/36.60A	44.00B/36.60A	----	37.40 - 6.30	.0748	----	----	----	----	4 UNCH
3450	----	----	----/40.20A	48.30B/40.20A	----	41.40 - 7.00	.0821	----	----	----	----	1 UNCH
3470	----	----	----/41.90A	50.60B/41.90A	----	43.30 - 7.40	.0855	----	----	----	----	1 UNCH
3495	----	----	----/44.20A	53.50B/44.20A	----	45.80 - 7.80	.0900	----	----	----	----	1 UNCH
3500	----	----	----/44.60A	54.10B/44.60A	----	46.30 - 7.90	.0909	----	----	----	----	524 UNCH
3510	----	----	----/45.60A	55.30B/45.60A	----	47.40 - 8.10	.0928	----	----	----	----	50 UNCH
3520	----	----	----/46.50A	56.40B/46.50A	----	48.40 - 8.30	.0946	----	----	----	----	210 UNCH
3525	----	----	----/47.00A	57.00B/47.00A	----	49.00 - 8.40	.0956	----	----	----	----	60 UNCH
3545	----	----	----/49.00A	59.50B/49.00A	----	51.20 - 8.80	.0995	----	----	----	----	9 UNCH
3550	----	----	----/49.50A	60.20B/49.50A	----	51.70 - 9.00	.1004	----	----	----	----	90 UNCH
3570	----	----	----/51.60A	62.80B/51.60A	----	54.10 - 9.30	.1045	----	----	----	----	32 UNCH
3575	----	----	----/52.10A	63.50B/52.10A	----	54.70 - 9.40	.1055	----	----	----	----	20 UNCH
3585	----	----	----/53.10A	64.90B/53.10A	----	55.90 - 9.70	.1076	----	----	----	----	50 UNCH
3600	----	----	----/54.80A	67.00B/54.80A	----	57.70 - 10.10	.1107	----	----	----	----	662 UNCH
3610	----	----	----/55.90A	68.40B/55.90A	----	58.90 - 10.40	.1128	----	----	----	----	1 UNCH
3630	----	----	----/58.30A	71.40B/58.30A	----	61.50 - 10.90	.1172	----	----	----	----	8 UNCH
3645	----	----	----/60.10A	73.70B/60.10A	----	63.50 - 11.20	.1206	----	----	----	----	22 UNCH
3650	----	----	----/60.70A	74.50B/60.70A	----	64.20 - 11.30	.1218	----	----	----	----	27 UNCH
3655	----	----	----/61.30A	75.30B/61.30A	----	64.90 - 11.50	.1229	----	----	----	----	26 UNCH
3660	----	----	----/61.90A	76.10B/61.90A	----	65.50 - 11.70	.1240	----	----	----	----	9 UNCH
3665	----	----	----/62.50A	76.50B/62.50A	----	66.20 - 11.80	.1252	----	----	----	----	1 UNCH
3675	----	----	----/63.80A	78.20B/63.80A	----	67.60 - 12.10	.1275	----	----	----	----	24 UNCH
3690	----	----	----/65.80A	80.50B/65.80A	----	69.80 - 12.50	.1312	----	----	----	----	10 UNCH
3700	----	----	----/67.10A	82.40B/67.10A	----	71.20 - 12.80	.1335	----	----	----	----	221 UNCH
3705	----	----	----/67.80A	83.00B/67.80A	----	72.00 - 12.90	.1348	----	----	----	----	20 UNCH
3715	----	----	----/69.10A	84.80B/69.10A	----	73.50 - 13.20	.1373	----	----	----	----	30 UNCH
3725	----	----	----/70.50A	86.60B/70.50A	----	75.00 - 13.50	.1398	----	----	----	----	4 UNCH
3730	----	----	----/71.20A	87.40B/71.20A	----	75.70 - 13.70	.1410	----	----	----	----	10 UNCH
3750	----	----	----/74.10A	91.20B/74.10A	----	78.90 - 14.30	.1462	----	----	----	----	90 UNCH
3765	----	----	----/76.40A	93.80B/76.40A	----	81.30 - 14.80	.1501	----	----	----	----	100 UNCH
3775	----	----	----/77.90A	95.80B/77.90A	----	82.90 - 15.20	.1527	----	----	----	----	12 UNCH
3795	82.10	82.10	82.10/81.00A	99.60B/81.00A	----	86.30 - 15.80	.1582	----	----	1	----	81 UNCH
3800	----	----	----/81.80A	100.60B/81.80A	----	87.10 - 16.10	.1595	----	----	----	----	317 UNCH
3805	----	----	----/82.60A	101.60B/82.60A	----	88.00 - 16.20	.1609	----	----	----	----	4 UNCH
3810	----	----	----/83.40A	102.70B/83.40A	----	88.90 - 16.40	.1623	----	----	----	----	50 UNCH
3815	----	----	----/84.20A	103.70B/84.20A	----	89.80 - 16.50	.1638	----	----	----	----	150 UNCH
3820	----	----	----/85.10A	104.70B/85.10A	----	90.60 - 16.80	.1651	----	----	----	----	52 UNCH
3825	----	----	----/86.00A	105.80B/86.00A	----	91.50 - 17.00	.1665	----	----	----	----	51 UNCH
3850	----	----	----/90.20A	111.10B/90.20A	----	96.10 - 17.90	.1738	----	----	----	----	5 UNCH
3855	----	----	----/91.10A	112.20B/91.10A	----	97.00 - 18.10	.1752	----	----	----	----	3 UNCH
3875	----	----	----/94.60A	116.70B/94.60A	----	100.90 - 18.80	.1813	----	----	----	----	10 UNCH
3880	----	----	----/95.50A	117.80B/95.50A	----	101.80 - 19.10	.1827	----	----	----	----	297 UNCH
3890	----	----	----/97.40A	120.00B/97.40A	----	103.80 - 19.50	.1858	----	----	----	----	73 UNCH
3900	105.70	105.70	105.70/99.20A	122.70B/99.20A	----	105.80 - 19.90	.1889	----	----	2	----	90 - 1
3910	----	----	----/101.30A	124.90B/101.30A	----	107.90 - 20.20	.1921	----	----	----	----	1 UNCH
3925	----	----	----/104.20A	128.80B/104.20A	----	111.00 - 20.90	.1968	----	----	----	----	10 UNCH
3930	----	----	----/105.20A	129.90B/105.20A	----	112.00 - 21.20	.1984	----	----	----	----	38 UNCH
3950	----	----	----/109.30A	135.30B/109.30A	----	116.30 - 22.00	.2049	----	----	----	----	246 UNCH
3965	----	----	----/112.40A	139.10B/112.40A	----	119.60 - 22.70	.2098	----	----	----	----	14 UNCH
3975	----	----	----/114.50A	141.90B/114.50A	----	121.90 - 23.10	.2132	----	----	----	----	267 UNCH
3980	----	----	----/115.70A	143.20B/115.70A	----	123.00 - 23.40	.2149	----	----	----	----	84 UNCH
3985	----	----	----/116.70A	144.50B/116.70A	----	124.20 - 23.60	.2166	----	----	----	----	2 UNCH
3990	----	----	----/117.80A	145.90B/117.80A	----	125.30 - 23.90	.2183	----	----	----	----	14 UNCH
3995	----	----	----/119.00A	147.30B/119.00A	----	126.50 - 24.10	.2200	----	----	----	----	4 UNCH
4000	129.60	129.60	129.60/120.00A	148.90B/120.00A	----	127.70 - 24.30	.2218	----	----	106	----	1359 + 55
4005	----	----	----/121.20A	150.20B/121.20A	----	128.90 - 24.50	.2235	----	----	----	----	3 UNCH
4010	----	----	----/122.30A	151.60B/122.30A	----	130.10 - 24.80	.2253	----	----	----	----	78 UNCH
4025	----	----	----/125.80A	156.00B/125.80A	----	133.70 - 25.50	.2306	----	----	----	----	90 UNCH
4030	----	----	----/127.00A	157.30B/127.00A	----	134.90 - 25.80	.2323	----	----	----	----	50 UNCH
4040	----	----	----/129.30A	160.30B/129.30A	----	137.40 - 26.30	.2359	----	----	----	----	15 UNCH
4045	----	----	----/130.60A	161.90B/130.60A	----	138.70 - 26.50	.2378	----	----	----	----	30 UNCH
4050	----	----	----/131.90A	163.50B/131.90A	----	140.00 - 26.70	.2396	----	----	----	----	168 UNCH
4075	----	----	----/138.20A	171.20B/138.20A	----	146.50 - 28.00	.2488	----	----	----	----	5 UNCH
4095	----	----	----/143.20A	177.80B/143.20A	----	151.90 - 29.10	.2564	----	----	----	----	4 UNCH
4100	----	----	----/144.50A	179.50B/144.50A	----	153.20 - 29.40	.2582	----	----	----	----	79 UNCH
4110	----	----	----/147.30A	182.80B/147.30A	----	156.00 - 29.90	.2621	----	----	----	----	1 UNCH
4120	----	----	----/149.90A	186.10B/149.90A	----	158.80 - 30.50	.2660	----	----	----	----	1 UNCH
4130	----	----	----/152.80A	189.60B/152.80A	----	161.70 - 31.00	.2699	----	----	----	----	5 UNCH
4135	----	----	----/154.20A	191.30B/154.20A	----	163.20 - 31.20	.2719	----	----	----	----	20 UNCH
4140	----	----	----/155.60A	193.10B/155.60A	----	164.60 - 31.50	.2738	----	----	----	----	1 UNCH
4145	----	----	----/157.10A	194.80B/157.10A	----	166.10 - 31.80	.2758	----	----	----	----	20 UNCH
4150	----	----	----/158.40A	196.40B/158.40A	----	167.60 - 32.00	.2778	----	----	----	----	328 UNCH
4160	179.90	179.90	179.90/161.50A	200.20B/161.50A	----	170.60 - 32.60	.2818	----	----	2	----	46 UNCH
4165	----	----	----/162.90A	202.00B/162.90A	----	172.10 - 32.90	.2839	----	----	----	----	100 UNCH
4170	----	----	----/164.40A	203.80B/164.40A	----	173.60 - 33.20	.2859	----	----	----	----	77 UNCH
4175	----	----	----/165.70A	205.70B/165.70A	----	175.10 - 33.50	.2879	----	----	----	----	25 UNCH
4180	----	----	----/167.40A	207.30B/167.40A	----	176.70 - 33.80	.2900	----	----	----	----	91 UNCH
4185	----	----	----/168.80A	209.20B/168.80A	----	178.30 - 34.00	.2920	----	----	----	----	40 UNCH
4190	177.00	177.00	177.00/170.50A	211.20B/170.50A	----	179.80 - 34.40	.2941	----	----	100	----	140 + 100
4195	----	----	----/172.00A	212.90B/172.00A	----	181.40 - 34.60	.2961	----	----	----	----	43 UNCH
4200	----	----	----/173.50A	214.80B/173.50A	----	183.00 - 34.90	.2982	----	----	----	----	173 UNCH
4205	----	----	----/175.10A	216.90B/175.10A	----	184.60 - 35.20	.3003	----	----	----	----	13 UNCH
4215	----	----	----/178.20A	220.80B/178.20A	----	187.90 - 35.80	.3045	----	----	----	----	1 UNCH
4220	----	----	----/179.70A	222.30B/179.70A	----	189.50 - 36.10	.3066	----	----	----	----	9 UNCH
4225	----	----	----/181.50A	224.60B/181.50A	----	191.20 - 36.30	.3087	----	----	----	----	1 UNCH
4230	----	----	----/183.00A	226.40B/183.00A	----	192.90 - 36.60	.3109	----	----	----	----	10 UNCH
4245	----	----	----/187.90A	232.40B/187.90A	----	197.90 - 37.60	.3172	----	----	----	----	33 UNCH
4250	----	----	----/189.60A	234.50B/189.60A	----	199.70 - 37.80	.3194	----	----	----	----	155 UNCH
4255	----	----	----/191.00A	236.80B/191.00A	----	201.40 - 38.10	.3216	----	----	----	----	2 UNCH
4260	----	----	----/193.00A	238.90B/193.00A	----	203.10 - 38.50	.3237	----	----	----	----	8 UNCH
4285	----	----	----/201.70A	249.10B/201.70A	----	212.00 - 40.00	.3347	----	----	----	----	170 UNCH
4290	----	----	----/203.30A	251.50B/203.30A	----	213.90 - 40.20	.3369	----	----	----	----	2 UNCH
4295	208.30	208.30	208.30/205.30A	253.20B/205.30A	----	215.70 NEW	.3391	----	----	2	----	2 + 2
4300	----	----	----/206.70A	255.60B/206.70A	----	217.50 - 40.90	.3413	----	----	90	----	405 - 15
4305	----	----	----/208.60A	257.80B/208.60A	----	219.40 - 41.20	.3436	----	----	----	----	100 UNCH
4310	----	----	----/210.60A	259.70B/210.60A	----	221.30 - 41.40	.3458	----	----	----	----	1 UNCH
4320	----	----	----/214.00A	264.40B/214.00A	----	225.10 - 42.00	.3503	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4325	----	----	----/215.80A	266.60B/215.80A	----	227.00 - 42.40	.3525	----	----	----	----	275 UNCH
4330	----	----	----/217.70A	268.70B/217.70A	----	228.90 - 42.70	.3548	----	----	----	----	102 UNCH
4350	----	----	----/225.00A	278.00B/225.00A	----	236.70 - 44.00	.3639	----	----	----	----	630 UNCH
4355	----	----	----/227.20A	280.20B/227.20A	----	238.70 - 44.30	.3662	----	----	----	----	2 UNCH
4360	----	----	----/229.20A	282.50B/229.20A	----	240.70 - 44.60	.3685	----	----	----	----	50 UNCH
4365	----	----	----/231.30A	284.90B/231.30A	----	242.80 - 44.80	.3708	----	----	----	----	100 UNCH
4380	----	----	----/237.30A	292.00B/237.30A	----	248.90 - 45.80	.3777	----	----	----	----	1 UNCH
4390	----	----	----/241.00A	296.90B/241.00A	----	253.10 - 46.40	.3823	----	----	----	----	6 UNCH
4395	----	----	----/243.30A	299.30B/243.30A	----	255.20 - 46.70	.3846	----	----	----	----	1 UNCH
4400	----	----	----/245.20A	301.80B/245.20A	----	257.30 - 47.00	.3870	----	----	----	450	812 + 350
4410	----	----	----/249.40A	306.70B/249.40A	----	261.60 - 47.60	.3917	----	----	----	----	1 UNCH
4420	----	----	----/253.50A	311.60B/253.50A	----	265.90 - 48.30	.3963	----	----	----	----	1 UNCH
4425	----	----	----/255.50A	314.00B/255.50A	----	268.10 - 48.60	.3987	----	----	----	----	3 UNCH
4440	----	----	----/262.10A	321.80B/262.10A	----	274.80 - 49.50	.4058	----	----	----	----	22 UNCH
4450	----	----	----/266.20A	327.40B/266.20A	----	279.30 - 50.10	.4105	----	----	----	----	320 UNCH
4460	----	----	----/270.70A	332.20B/270.70A	----	283.80 - 50.80	.4152	----	----	----	----	4 UNCH
4465	----	----	----/272.90A	334.80B/272.90A	----	286.10 - 51.10	.4176	----	----	----	----	10 UNCH
4470	----	----	----/275.20A	337.60B/275.20A	----	288.50 - 51.30	.4200	----	----	----	----	12 UNCH
4475	----	----	----/277.40A	340.00B/277.40A	----	290.80 - 51.60	.4224	----	----	----	----	15 UNCH
4480	----	----	----/279.80A	342.80B/279.80A	----	293.20 - 51.90	.4247	----	----	----	----	4 UNCH
4485	----	----	----/281.70A	343.90B/281.70A	----	295.50 - 52.30	.4271	----	----	----	----	9 UNCH
4490	----	----	----/284.30A	344.80B/284.30A	----	297.90 - 52.50	.4295	----	----	----	----	3 UNCH
4500	----	----	----/288.80A	350.40B/288.80A	----	302.70 - 53.10	.4343	----	----	87	----	728 + 74
4505	296.00	296.00	296.00/291.10A	351.60B/291.10A	----	305.10 - 53.40	.4367	----	----	2	----	3 + 2
4535	----	----	----/305.20A	366.70B/305.20A	----	320.00 - 55.20	.4511	----	----	----	----	10 UNCH
4545	----	----	----/310.10A	373.70B/310.10A	----	325.00 - 55.80	.4559	----	----	----	----	20 UNCH
4550	----	----	----/312.50A	376.50B/312.50A	----	327.60 - 56.00	.4582	----	----	----	----	2 UNCH
4575	----	----	----/324.80A	393.00B/324.80A	----	340.60 - 57.50	.4702	----	----	----	----	1 UNCH
4580	----	----	----/327.30A	393.60B/327.30A	----	343.20 - 57.80	.4726	----	----	----	----	149 UNCH
4590	----	----	----/332.40A	401.80B/332.40A	----	348.50 - 58.40	.4774	----	----	----	----	1 UNCH
4600	----	----	----/337.50A	407.60B/337.50A	----	353.90 - 58.90	.4821	----	----	4	----	353 + 4
4620	----	----	----/347.90A	419.50B/347.90A	----	364.80 - 60.10	.4917	----	----	----	----	3 UNCH
4625	----	----	----/350.50A	422.50B/350.50A	----	367.60 - 60.30	.4940	----	----	----	----	100 UNCH
4640	----	----	----/358.90A	431.50B/358.90A	----	375.90 - 61.20	.5011	----	----	----	----	101 UNCH
4645	----	----	----/361.20A	434.50B/361.20A	----	378.80 - 61.40	.5035	----	----	----	----	127 UNCH
4650	----	----	----/363.80A	437.60B/363.80A	----	381.60 - 61.80	.5058	----	----	----	----	282 UNCH
4665	----	----	----/372.20A	446.90B/372.20A	----	390.20 - 62.60	.5129	----	----	----	----	1 UNCH
4700	405.00	405.00	405.00/391.20A	467.30B/391.20A	----	410.60 - 64.60	.5292	----	----	1	----	427 UNCH
4705	----	----	----/393.90A	467.50B/393.90A	----	413.60 - 64.90	.5316	----	----	----	----	50 UNCH
4715	----	----	----/399.60A	470.80B/399.60A	----	419.60 - 65.40	.5362	----	----	----	----	1 UNCH
4725	----	----	----/405.30A	476.50B/405.30A	----	425.70 - 65.90	.5408	----	----	----	----	10 UNCH
4730	----	----	----/408.10A	479.80B/408.10A	----	428.70 - 66.30	.5431	----	----	----	----	1 UNCH
4740	----	----	----/413.90A	486.30B/413.90A	----	434.80 - 66.80	.5477	----	----	----	----	15 UNCH
4750	----	----	----/419.70A	493.10B/419.70A	----	441.00 - 67.40	.5522	----	----	----	----	25 UNCH
4760	----	----	----/425.50A	499.70B/425.50A	----	447.20 - 67.90	.5568	----	----	----	----	1 UNCH
4775	----	----	----/434.50A	509.90B/434.50A	----	456.60 - 68.80	.5635	----	----	----	----	56 UNCH
4800	----	----	----/449.90A	522.50B/449.90A	----	472.60 - 70.20	.5747	----	----	----	----	617 UNCH
4805	----	----	----/452.60A	526.10B/452.60A	----	475.80 - 70.50	.5769	----	----	----	----	1 UNCH
4875	----	----	----/496.90A	570.20B/496.90A	----	522.20 - 74.30	.6073	----	----	----	----	11 UNCH
4900	----	----	----/512.90A	588.10B/512.90A	----	539.20 - 75.70	.6179	----	----	----	----	348 UNCH
4905	----	----	----/516.20A	591.80B/516.20A	----	542.70 - 75.90	.6200	----	----	----	----	17 UNCH
4925	----	----	----/529.50A	606.30B/529.50A	----	556.50 - 77.10	.6283	----	----	----	----	50 UNCH
4950	----	----	----/546.30A	624.70B/546.30A	----	574.10 - 78.30	.6385	----	----	----	----	31 UNCH
4955	----	----	----/549.70A	628.40B/549.70A	----	577.60 - 78.60	.6406	----	----	----	----	1 UNCH
4980	----	----	----/567.00A	647.20B/567.00A	----	595.50 - 79.90	.6506	----	----	----	----	1 UNCH
5000	----	----	----/580.80A	662.30B/580.80A	----	610.00 - 80.80	.6584	----	----	----	----	318 UNCH
5010	----	----	----/587.90A	669.90B/587.90A	----	617.30 - 81.30	.6623	----	----	----	----	1 UNCH
5025	----	----	----/598.80A	681.50B/598.80A	----	628.30 - 82.10	.6681	----	----	----	----	25 UNCH
5030	----	----	----/602.10A	#685.30B/602.10A	----	632.00 - 82.30	.6700	----	----	----	----	1 UNCH
5045	----	----	----/612.80A	#693.40B/612.80A	----	643.10 - 83.00	.6757	----	----	----	----	31 UNCH
5050	----	----	----/616.70A	692.80B/616.70A	----	646.90 - 83.20	.6775	----	----	----	----	351 UNCH
5070	----	----	----/630.90A	697.00B/630.90A	----	661.90 - 84.20	.6849	----	----	----	----	17 UNCH
5080	----	----	----/638.20A	698.80B/638.20A	----	669.50 - 84.60	.6887	----	----	----	----	3 UNCH
5100	----	----	----/653.00A	699.10B/653.00A	----	684.70 - 85.60	.6958	----	----	----	----	81 UNCH
5120	----	----	----/668.10A	#698.00B/668.10A	----	700.10 - 86.50	.7029	----	----	----	----	2 UNCH
5180	----	----	----/713.40A	#730.80B/713.40A	----	747.30 - 88.90	.7232	----	----	----	----	1 UNCH
5195	----	----	----/725.00A	#730.10B/725.00A	----	759.30 - 89.50	.7281	----	----	----	----	2 UNCH
5200	----	----	----/728.80A	727.80B/728.80A	----	763.30 - 89.70	.7296	----	----	----	----	112 UNCH
5265	----	----	----	562.80B/1048.10A	----	816.10 - 92.10	.7498	----	----	----	----	1 UNCH
5300	----	----	----	592.80B/1075.60A	----	845.10 - 93.30	.7599	----	----	----	----	3 UNCH
5355	----	----	----	640.80B/1119.20A	----	891.40 - 94.80	.7752	----	----	----	----	1 UNCH
5400	----	----	----	680.70B/1155.60A	----	929.70 - 96.10	.7868	----	----	----	----	76 UNCH
5425	----	----	----	703.10B/1176.00A	----	951.30 - 96.60	.7930	----	----	----	----	1 UNCH
5460	----	----	----	734.70B/1204.70A	----	981.60 - 97.50	.8014	----	----	----	----	1 UNCH
5500	----	----	----	771.20B/1237.90A	----	1016.60 - 98.50	.8107	----	----	----	----	3 UNCH
5530	----	----	----	798.80B/1263.00A	----	1043.10 - 99.10	.8172	----	----	----	----	1 UNCH
5575	----	----	----	840.50B/1300.90A	----	1083.00 - 00.20	.8267	----	----	----	----	2 UNCH
TOTAL										461	450	17057 + 606
SEP26												
2350	----	----	----/5.00A	3.20B/5.00A	----	6.10 + 0.10	.0108	----	----	----	----	52 UNCH
2375	----	----	----	3.40B/7.20A	----	6.40 UNCH	.0114	----	----	----	----	1 UNCH
2400	----	----	----	3.70B/7.30A	----	6.70 UNCH	.0120	----	----	----	----	1 UNCH
2500	----	----	----	5.10B/8.70A	----	8.20 - 0.10	.0148	----	----	----	----	4 UNCH
2600	----	----	----	#6.70B/10.30A	----	10.00 - 0.10	.0181	----	----	----	----	2 UNCH
3000	----	----	----/21.60A	19.00B/21.60A	----	20.80 - 0.90	.0385	----	----	----	----	2 UNCH
3145	----	----	----/28.20A	#27.10B/28.20A	----	27.30 - 2.60	.0505	----	----	----	----	15 UNCH
3150	----	----	----/28.50A	#27.30B/28.50A	----	27.60 NEW	.0510	----	----	2	----	2 + 2
3200	----	----	----/31.40A	30.70B/31.40A	----	30.20 - 3.40	.0559	----	----	----	----	1 UNCH
3270	----	----	----/35.70A	36.60B/35.70A	----	34.30 - 4.70	.0634	----	----	----	----	15 UNCH
3300	----	----	----/37.80A	39.10B/37.80A	----	36.30 - 5.20	.0669	----	----	----	----	1 UNCH
3475	----	----	----/51.10A	57.40B/51.10A	----	50.20 - 9.20	.0915	----	----	----	----	2 UNCH
3480	----	----	----/51.70A	58.10B/51.70A	----	50.70 - 9.30	.0923	----	----	----	----	780 UNCH
3500	----	----	----/53.80A	60.60B/53.80A	----	52.70 - 9.80	.0957	----	----	----	----	19 UNCH
3525	----	----	----/57.40A	64.00B/57.40A	----	55.20 NEW	.1000	----	----	2	----	2 + 2
3610	----	----	----/67.10A	76.50B/67.10A	----	65.00 - 12.90	.1162	----	----	----	----	1 UNCH
3625	----	----	----/68.90A	78.90B/68.90A	----	67.00 - 13.20	.1194	----	----	----	----	1 UNCH
3650	----	----	----/72.10A	83.10B/72.10A	----	70.30 - 14.00	.1247	----	----	----	----	66 UNCH
3700	----	----	----/79.00A	91.20B/79.00A	----	77.50 - 15.50	.1360	----	----	----	----	2 UNCH
3720	----	----	----/81.90A	94.70B/81.90A	----	80.60 - 16.10	.1408	----	----	----	----	50 UNCH
3755	----	----	----/87.20A	101.20B/87.20A	----	86.30 - 17.20	.1495	----	----	----	----	90 UNCH
3800	----	----	----/95.10A	110.10B/95.10A	----	94.30 - 18.60	.1613	----	----	----	----	1 UNCH
3850	----	----	----/104.30A	120.70B/104.30A	----	103.90 - 20.30	.1753	----	----	----	----	20 UNCH
3880	----	----	----/110.30A	127.50B/110.30A	----	110.00 - 21.40	.1840	----	----	----	----	26 UNCH
3900	----	----	----/114.30A	132.20B/114.30A	----	114.30 - 22.10	.1900	----	----	----	----	211 UNCH
3910	----	----	----/116.40A	134.60B/116.40A	----	116.50 - 22.50	.1930	----	----	----	----	2 UNCH
3930	----	----	----/120.70A	139.60B/120.70A	----	121.00 - 23.20	.1992	----	----	----	----	2 UNCH
3945	----	----	----/124.00A	143.30B/124.00A	----	124.50 - 23.80	.2039	----	----	----	----	230 UNCH
3950	----	----	----/125.20A	144.60B/125.20A	----	125.70 - 23.90	.2055	----	----	----	----	324 UNCH
4000	137.20	137.20	137.20/135.70	158.00B/135.70	----	138.00 - 25.90	.2219	----	----	2	----	716 + 2
4005	----	----	----/138.00A	159.30B/138.00A	----	139.30 - 26.10	.2236	----	----	----	----	1 UNCH
4030	----	----	----/144.20A	166.40B/144.20A	----	145.80 - 27.20	.2321	----	----	----	----	1 UNCH
4050	----	----	----/149.40A	172.30B/149.40A	----	151.20 - 28.00	.2390	----	----	----	----	17 UNCH
4080	----	----	----/157.40A	181.40B/157.40A	----	159.60 - 29.40	.2496	----	----	----	----	4 UNCH
4085	----	----	----/158.70A	182.90B/158.70A	----	161.00 - 29.60	.2513	----	----	----	----	76 UNCH
4100	----	----	----/162.90A	187.60B/162.90A	----	165.40 - 30.30	.2568	----	----	----	----	20 UNCH
4130	----	----	----/171.40A	197.40B/171.40A	----	174.30 - 31.80	.2677	----	----	----	----	20 UNCH
4135	----	----	----/172.80A	199.00B/172.80A	----	175.90 - 32.00	.2696	----	----	----	----	3 UNCH
4150	----	----	----/177.30A	204.10B/177.30A	----	180.50 - 32.80	.2752	----	----	----	----	3 UNCH
4185	----	----	----/187.90A	216.20B/187.90A	----	191.70 - 34.60	.2885	----	----	----	----	76 UNCH
4200	----	----	----/192.50A	221.60B/192.50A	----	196.60 - 35.40	.2943	----	----	----	----	106 UNCH
4220	----	----	----/198.70A	229.00B/198.70A	----	203.30 - 36.50	.3021	----	----	----	----	113 UNCH
4225	----	----	----/200.60A	230.80B/200.60A	----	205.10 - 36.70	.3041	----	----	----	----	3 UNCH
4230	----	----	----/202.00A	232.70B/202.00A	----	206.80 - 37.00	.3060	----	----	----	----	1 UNCH
4240	----	----	----/205.20A	236.50B/205.20A	----	210.20 - 37.70	.3100	----	----	----	----	56 UNCH
4250	----	----	----/208.80A	240.30B/208.80A	----	213.80 - 38.10	.3140	----	----	----	----	62 UNCH
4300	----	----	----/226.10A	260.20B/226.10A	----	232.00 - 41.10	.3342	----	----	18	50	84 + 68
4320	----	----	----/233.30A	268.50B/233.30A	----	239.60 - 42.30	.3424	----	----	----	----	152 UNCH
4350	----	----	----/244.50A	281.40B/244.50A	----	251.30 - 44.20	.3549	----	----	----	----	20 UNCH
4365	----	----	----/250.20A	287.90B/250.20A	----	257.30 - 45.10	.3611	----	----	----	----	5 UNCH
4390	----	----	----/259.70A	299.20B/259.70A	----	267.60 - 46.70	.3717	----	----	----	----	15 UNCH
4400	----	----	----/264.00A	303.70B/264.00A	----	271.70 - 47.40	.3760	----	----	----	----	21 UNCH
4410	----	----	----/267.80A	308.40B/267.80A	----	276.00 - 48.00	.3802	----	----	----	----	7 UNCH
4420	----	----	----/271.90A	313.10B/271.90A	----	280.30 - 48.60	.3845	----	----	----	----	1 UNCH
4440	----	----	----/280.20A	322.60B/280.20A	----	289.00 - 49.90	.3931	----	----	----	----	7 UNCH
4450	----	----	----/284.40A	327.40B/284.40A	----	293.40 - 50.60	.3974	----	----	----	----	430 UNCH
4475	----	----	----/295.40A	339.70B/295.40A	----	304.70 - 52.20	.4083	----	----	2	----	3 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 22

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4500	----	----	----/306.30A	352.30B/306.30A	----	316.30 - 53.80	.4192	----	----	----	----	462 UNCH
4550	----	----	----/329.30A	378.50B/329.30A	----	340.40 - 57.00	.4411	----	----	----	----	350 UNCH
4560	----	----	----/334.30A	383.90B/334.30A	----	345.30 - 57.70	.4455	----	----	----	----	7 UNCH
4580	----	----	----/343.70A	394.90B/343.70A	----	355.40 - 59.00	.4543	----	----	----	----	1 UNCH
4600	----	----	----/353.80A	406.00B/353.80A	----	365.70 - 60.30	.4631	----	----	----	----	2 UNCH
4620	----	----	----/363.90A	417.30B/363.90A	----	376.20 - 61.50	.4719	----	----	----	----	500 UNCH
4650	----	----	----/379.00A	434.70B/379.00A	----	392.40 - 63.30	.4850	----	----	----	----	4 UNCH
4700	----	----	----/405.70A	464.60B/405.70A	----	420.30 - 66.40	.5067	----	----	----	----	8 UNCH
4725	----	----	----/419.50A	480.00B/419.50A	----	434.70 - 67.90	.5175	----	----	----	----	1 UNCH
4730	----	----	----/422.60A	483.10B/422.60A	----	437.70 NEW	.5196	----	----	6	----	5 + 5
4750	----	----	----/433.90A	495.70B/433.90A	----	449.50 - 69.20	.5282	----	----	----	----	150 UNCH
4760	----	----	----/439.30A	502.10B/439.30A	----	455.50 - 69.80	.5324	----	----	----	----	100 UNCH
4775	----	----	----/447.90A	511.70B/447.90A	----	464.60 - 70.60	.5388	----	----	----	----	18 UNCH
4800	----	----	----/462.60A	527.90B/462.60A	----	480.00 - 71.90	.5492	----	----	----	----	27 UNCH
4825	----	----	----/477.50A	544.50B/477.50A	----	495.80 NEW	.5596	----	----	2	----	2 + 2
4835	----	----	----/483.60A	551.10B/483.60A	----	502.10 - 73.70	.5637	----	----	----	----	30 UNCH
4900	----	----	----/524.00A	595.60B/524.00A	----	544.80 - 76.70	.5897	----	----	----	----	3 UNCH
4930	----	----	----/543.30A	616.70B/543.30A	----	565.10 - 78.10	.6014	----	----	----	----	20 UNCH
4950	----	----	----/556.40A	630.90B/556.40A	----	578.90 - 78.90	.6091	----	----	----	----	1 UNCH
4975	----	----	----/573.30A	649.00B/573.30A	----	596.40 - 79.90	.6185	----	----	----	----	210 UNCH
5000	----	----	----/590.10A	667.20B/590.10A	----	614.10 - 80.90	.6278	----	----	----	----	10 UNCH
5005	----	----	----/593.20A	670.90B/593.20A	----	617.70 - 81.10	.6296	----	----	----	----	3 UNCH
5020	----	----	----/603.40A	682.00B/603.40A	----	628.50 - 81.60	.6350	----	----	----	----	3 UNCH
5100	----	----	----/659.40A	742.40B/659.40A	----	687.50 - 84.40	.6629	----	----	----	----	28 UNCH
5105	----	----	----/663.00A	746.30B/663.00A	----	691.20 - 84.60	.6646	----	----	----	----	2 UNCH
5200	----	----	----/733.00A	787.40B/733.00A	----	764.30 - 87.50	.6953	----	----	----	----	47 UNCH
5230	----	----	----/755.30A	#786.50B/755.30A	----	787.90 - 88.50	.7044	----	----	----	----	400 UNCH
5300	----	----	----/809.20A	817.10B/809.20A	----	844.00 - 90.40	.7249	----	----	----	----	300 UNCH
5400	----	----	----	661.50B/1166.10A	----	926.30 - 93.00	.7517	----	----	----	----	100 UNCH
5420	----	----	----	678.70B/1182.00A	----	943.00 - 93.60	.7568	----	----	----	----	80 UNCH
5450	----	----	----	704.80B/1206.20A	----	968.30 - 94.30	.7642	----	----	----	----	1 UNCH
5500	----	----	----	748.70B/1246.60A	----	1010.70 - 95.60	.7761	----	----	----	----	3 UNCH
6000	----	----	----	1209.80B/1676.60A	----	1458.60 - 04.70	.8644	----	----	----	----	2 UNCH
TOTAL										34	50	6828 + 83
OCT26												
2700	----	----	----	9.30B/16.20A	----	16.30 + 3.40	.0272	----	----	----	----	1 UNCH
2800	----	----	----	12.40B/19.20A	----	19.30 + 3.80	.0324	----	----	----	----	3 UNCH
3100	----	----	----	#27.30B/32.60A	----	28.80 - 1.70	.0508	----	----	----	----	1 UNCH
3200	----	----	----	35.90B/38.90A	----	33.40 - 4.80	.0595	----	----	----	----	414 UNCH
3240	----	----	----	39.30B/41.70A	----	35.80 - 5.80	.0638	----	----	----	----	5 UNCH
3300	----	----	----/43.40A	44.60B/43.40A	----	40.10 - 7.30	.0712	----	----	----	----	415 UNCH
3340	----	----	----/46.70A	48.70B/46.70A	----	43.50 - 8.00	.0767	----	----	----	----	9 UNCH
3360	----	----	----/48.50A	50.90B/48.50A	----	45.30 - 8.40	.0796	----	----	----	----	1 UNCH
3380	----	----	----/50.70A	53.40B/50.70A	----	47.20 - 8.80	.0827	----	----	----	----	1 UNCH
3390	----	----	----/51.70A	54.50B/51.70A	----	48.20 - 9.00	.0843	----	----	----	----	4 UNCH
3400	----	----	----/52.60A	55.80B/52.60A	----	49.20 - 9.20	.0859	----	----	----	----	150 UNCH
3480	----	----	----/61.70A	66.20B/61.70A	----	57.70 - 11.00	.0993	----	----	----	----	12 UNCH
3500	----	----	----/64.00A	69.40B/64.00A	----	60.10 - 11.40	.1030	----	----	----	----	10 UNCH
3520	----	----	----/66.50A	72.20B/66.50A	----	62.50 - 11.90	.1067	----	----	----	----	12 UNCH
3550	----	----	----/70.30A	77.20B/70.30A	----	66.30 - 12.70	.1124	----	----	----	----	25 UNCH
3600	----	----	----/77.00A	85.50B/77.00A	----	73.20 - 14.00	.1227	----	----	----	----	177 UNCH
3615	----	----	----/79.20A	88.40B/79.20A	----	75.50 - 14.30	.1260	----	----	----	----	1 UNCH
3700	----	----	----/92.40A	103.30B/92.40A	----	89.30 - 16.50	.1457	----	----	----	----	40 UNCH
3750	----	----	----/100.90A	113.20B/100.90A	----	98.30 - 18.00	.1581	----	----	----	----	19 UNCH
3785	----	----	----/107.40A	120.40B/107.40A	----	105.00 - 19.10	.1673	----	----	----	----	1 UNCH
3800	104.00	104.00	104.00/104.00	123.70B/104.00	----	108.00 - 19.60	.1713	----	----	1	----	19 UNCH
3805	----	----	----/111.20A	124.80B/111.20A	----	109.00 - 19.80	.1726	----	----	----	----	1 UNCH
3865	----	----	----/123.50A	139.00B/123.50A	----	121.50 - 22.20	.1893	----	----	----	----	2 UNCH
3875	----	----	----/125.90A	141.20B/125.90A	----	123.70 - 22.60	.1921	----	----	----	----	12 UNCH
3885	----	----	----/128.10A	143.70B/128.10A	----	125.90 - 23.00	.1950	----	----	----	----	5 UNCH
3890	----	----	----/129.20A	145.00B/129.20A	----	127.00 - 23.20	.1965	----	----	----	----	2 UNCH
3895	----	----	----/130.10A	146.20B/130.10A	----	128.10 - 23.50	.1979	----	----	----	----	2 UNCH
3900	----	----	----/131.30A	147.80B/131.30A	----	129.30 - 23.60	.1994	----	----	----	----	22 UNCH
3920	----	----	----/136.10A	152.70B/136.10A	----	133.90 - 24.60	.2054	----	----	----	----	28 UNCH
3940	----	----	----/140.50A	158.30B/140.50A	----	138.60 - 25.50	.2114	----	----	----	----	65 UNCH
3950	----	----	----/143.20A	160.80B/143.20A	----	141.10 - 25.90	.2145	----	----	----	----	2 UNCH
3975	----	----	----/149.40A	168.00B/149.40A	----	147.30 - 27.10	.2223	----	----	----	----	5 UNCH
4000	155.00	155.00	155.00/152.00	175.20B/152.00	----	153.70 - 28.40	.2303	----	----	50	----	255 - 5
4050	----	----	----/169.40A	190.40B/169.40A	----	167.30 - 30.80	.2467	----	----	----	----	5 UNCH
4070	----	----	----/175.00A	196.70B/175.00A	----	173.00 - 31.80	.2535	----	----	----	----	24 UNCH
4075	----	----	----/176.50A	198.00B/176.50A	----	174.50 NEW	.2552	----	----	1	----	1 + 1
4100	----	----	----/183.60A	206.20B/183.60A	----	181.90 - 33.30	.2638	----	----	1	----	40 - 1
4125	----	----	----/191.30A	215.00B/191.30A	----	189.70 - 34.50	.2727	----	----	----	----	0 UNCH
4130	----	----	----/192.80A	216.70B/192.80A	----	191.20 - 34.80	.2744	----	----	----	----	1 UNCH
4150	----	----	----/198.80A	223.70B/198.80A	----	197.70 - 35.80	.2817	----	----	----	----	5 UNCH
4200	227.00	227.00	227.00/214.90A	242.00B/214.90A	----	214.50 - 38.30	.3000	----	----	5	----	121 + 5
4220	----	----	----/221.60A	249.70B/221.60A	----	221.60 - 39.30	.3075	----	----	----	----	5 UNCH
4235	----	----	----/226.80A	255.50B/226.80A	----	227.00 - 40.10	.3132	----	----	----	----	1 UNCH
4250	----	----	----/232.00A	261.10B/232.00A	----	232.60 - 40.80	.3190	----	----	----	----	57 UNCH
4265	----	----	----/237.50A	267.50B/237.50A	----	238.20 - 41.60	.3247	----	----	----	----	200 UNCH
4270	----	----	----/239.20A	269.50B/239.20A	----	240.10 - 41.90	.3267	----	----	----	----	226 UNCH
4300	----	----	----/250.20A	281.70B/250.20A	----	251.80 - 43.40	.3383	----	----	----	----	476 UNCH
4355	----	----	----/271.30A	305.90B/271.30A	----	274.50 - 46.00	.3601	----	----	----	----	11 UNCH
4375	----	----	----/279.70A	314.80B/279.70A	----	283.10 - 47.00	.3681	----	----	----	----	10 UNCH
4400	----	----	----/289.70A	326.60B/289.70A	----	294.10 - 48.20	.3782	----	----	----	----	301 UNCH
4430	----	----	----/302.60A	340.50B/302.60A	----	307.80 - 49.60	.3903	----	----	----	----	3 UNCH
4450	----	----	----/311.20A	350.60B/311.20A	----	317.00 - 50.70	.3984	----	----	----	----	26 UNCH
4500	----	----	----/333.60A	376.00B/333.60A	----	341.00 - 53.30	.4188	----	----	----	----	56 UNCH
4600	----	----	----/382.00A	430.00B/382.00A	----	391.80 - 58.90	.4597	----	----	----	----	350 UNCH
4610	----	----	----/386.50A	435.60B/386.50A	----	397.00 - 59.60	.4638	----	----	----	----	5 UNCH
4675	----	----	----/420.40A	473.40B/420.40A	----	432.10 - 63.60	.4903	----	----	----	----	1 UNCH
4700	----	----	----/434.10A	488.80B/434.10A	----	446.00 - 65.30	.5004	----	----	----	----	64 UNCH
4750	----	----	----/462.60A	519.60B/462.60A	----	474.60 - 68.60	.5205	----	----	----	----	174 UNCH
4800	----	----	----/491.80A	551.60B/491.80A	----	504.20 - 71.90	.5404	----	----	----	----	126 UNCH
4845	----	----	----/518.80A	581.20B/518.80A	----	532.00 - 74.70	.5580	----	----	----	----	17 UNCH
4850	----	----	----/522.00A	584.50B/522.00A	----	535.10 - 75.10	.5599	----	----	----	----	2 UNCH
4875	----	----	----/537.10A	601.90B/537.10A	----	551.00 - 76.60	.5695	----	----	----	----	1 UNCH
4900	----	----	----/553.10A	618.60B/553.10A	----	567.30 - 77.90	.5789	----	----	----	----	110 UNCH
4910	----	----	----/559.40A	625.90B/559.40A	----	573.90 - 78.50	.5826	----	----	----	----	1 UNCH
4920	----	----	----/565.90A	632.50B/565.90A	----	580.50 - 79.00	.5864	----	----	----	----	1 UNCH
4925	----	----	----/569.00A	636.00B/569.00A	----	583.90 - 79.20	.5882	----	----	----	----	25 UNCH
4980	----	----	----/605.00A	675.40B/605.00A	----	621.60 - 81.60	.6080	----	----	----	----	1 UNCH
5000	----	----	----/618.10A	689.40B/618.10A	----	635.80 - 82.20	.6150	----	----	----	----	47 UNCH
5010	----	----	----/625.10A	696.70B/625.10A	----	642.90 - 82.60	.6184	----	----	----	----	1 UNCH
5050	----	----	----/652.40A	726.60B/652.40A	----	672.20 - 83.40	.6317	----	----	----	----	25 UNCH
5200	----	----	----/759.30A	841.40B/759.30A	----	787.20 - 85.20	.6773	----	----	----	----	100 UNCH
5230	----	----	----/782.10A	#855.50B/782.10A	----	810.70 - 85.80	.6859	----	----	----	----	2 UNCH
5250	----	----	----/796.60A	858.80B/796.60A	----	826.40 - 86.30	.6916	----	----	----	----	75 UNCH
5300	----	----	----/835.20A	861.10B/835.20A	----	866.10 - 87.40	.7054	----	----	----	----	6 UNCH
5425	----	----	----	679.70B/1229.30A	----	967.40 - 90.80	.7379	----	----	----	----	1 UNCH
5455	----	----	----	705.30B/1253.10A	----	992.20 - 91.70	.7452	----	----	----	----	40 UNCH
5600	----	----	----	831.80B/1370.00A	----	1114.70 - 95.50	.7777	----	----	----	----	1 UNCH
5700	----	----	----	921.80B/1452.80A	----	1201.50 - 97.60	.7975	----	----	----	----	1 UNCH
TOTAL										58		4467 0
NOV26												
2750	----	----	11.20B/----	11.20B/21.70A	----	9.20 + 0.10	.0184	----	----	----	----	1 UNCH
2800	----	----	13.10B/----	13.10B/19.90A	----	10.30 + 0.10	.0205	----	----	----	----	6 UNCH
2900	----	----	#17.50B/----	#17.50B/27.90A	----	14.80 - 0.50	.0282	----	----	----	----	1 UNCH
3000	----	----	#23.10B/----	#23.10B/32.90A	----	20.70 - 1.40	.0378	----	----	----	----	95 UNCH
3120	----	----	----	31.30B/40.10A	----	29.80 - 2.90	.0516	----	----	----	----	10 UNCH
3180	----	----	----	38.00B/44.30A	----	35.20 - 3.80	.0596	----	----	----	----	10 UNCH
3200	----	----	----	39.70B/45.50A	----	37.20 - 4.10	.0624	----	----	----	----	93 UNCH
3215	----	----	----	41.50B/46.40A	----	38.70 - 4.40	.0646	----	----	----	----	1 UNCH
3220	----	----	----	41.50B/45.20A	----	39.20 - 4.50	.0653	----	----	----	----	1 UNCH
3225	----	----	----	42.00B/44.80A	----	39.70 - 4.60	.0660	----	----	----	----	1 UNCH
3235	----	----	----/44.70A	43.40B/44.70A	----	40.70 - 4.80	.0674	----	----	----	----	2 UNCH
3250	----	----	----/45.60A	44.90B/45.60A	----	42.30 - 5.00	.0697	----	----	----	----	18 UNCH
3255	----	----	----/45.90A	45.10B/45.90A	----	42.80 - 5.20	.0704	----	----	----	----	18 UNCH
3300	----	----	----/49.90A	49.00B/49.90A	----	47.80 - 6.00	.0774	----	----	----	----	18 UNCH
3310	----	----	----/50.80A	50.10B/50.80A	----	49.00 - 6.20	.0790	----	----	----	----	1 UNCH
3320	----	----	----/51.80A	51.20B/51.80A	----	50.10 - 6.40	.0806	----	----	----	----	16 UNCH
3350	----	----	----/54.80A	54.50B/54.80A	----	53.70 - 7.00	.0855	----	----	----	----	180 UNCH
3455	----	----	----/68.00A	68.80B/68.00A	----	67.30 - 9.30	.1038	----	----	----	----	1 UNCH
3475	----	----	----/70.80A	71.60B/70.80A	----	70.10 - 9.70	.1076	----	----	----	----	1 UNCH
3535	----	----	----/78.40A	81.60B/78.40A	----	78.80 - 11.10	.1190	----	----	----	----	1 UNCH
3690	----	----	----/101.00A	109.80B/101.00A	----	104.20 - 15.10	.1517	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 23

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
3725	----	----	----/107.20A	116.50B/107.20A	----	110.60 - 16.10	.1598	----	----	----	----	1 UNCH
3740	----	----	----/110.40A	119.70B/110.40A	----	113.40 - 16.60	.1633	----	----	----	----	20 UNCH
3750	----	----	----/112.30A	121.80B/112.30A	----	115.30 - 16.90	.1657	----	----	----	----	150 UNCH
3780	----	----	----/118.20A	128.30B/118.20A	----	121.20 - 17.70	.1730	----	----	----	----	1 UNCH
3795	----	----	----/121.00A	132.10B/121.00A	----	124.20 - 18.20	.1767	----	----	----	----	1 UNCH
3800	----	----	----/122.30A	132.90B/122.30A	----	125.20 - 18.40	.1779	----	----	----	----	25 UNCH
3820	----	----	----/126.50A	137.90B/126.50A	----	129.30 - 19.10	.1829	----	----	----	----	20 UNCH
3875	----	----	----/138.60A	151.20B/138.60A	----	141.20 - 20.90	.1973	----	----	----	----	24 UNCH
4000	----	----	----/169.00A	185.80B/169.00A	----	171.60 - 25.70	.2325	----	----	----	----	1 UNCH
4100	----	----	----/197.20A	217.60B/197.20A	----	199.80 - 30.30	.2634	----	----	----	----	1 UNCH
4160	----	----	----/216.20A	238.50B/216.20A	----	218.50 - 33.40	.2830	----	----	----	----	1 UNCH
4170	----	----	----/219.30A	242.10B/219.30A	----	221.80 - 33.90	.2863	----	----	----	----	1 UNCH
4200	----	----	----/229.30A	253.30B/229.30A	----	231.80 - 35.60	.2965	----	----	----	----	4 UNCH
4205	----	----	----/230.90A	255.20B/230.90A	----	233.50 - 35.90	.2982	----	----	----	----	1 UNCH
4215	----	----	----/233.90A	259.00B/233.90A	----	237.00 - 36.40	.3016	----	----	----	----	5 UNCH
4275	----	----	----/255.30A	282.80B/255.30A	----	258.60 - 39.90	.3226	----	----	3	----	3 UNCH
4320	----	----	----/272.10A	301.60B/272.10A	----	275.80 - 42.60	.3387	----	----	6	----	43 + 3
4350	----	----	----/283.80A	314.70B/283.80A	----	287.80 - 44.40	.3496	----	----	----	----	3 UNCH
4400	----	----	----/303.70A	337.10B/303.70A	----	308.70 - 47.50	.3680	----	----	----	----	3 UNCH
4425	----	----	----/314.20A	349.10B/314.20A	----	319.50 NEW	.3773	----	----	3	----	3 + 3
4500	----	----	----/347.10A	385.50B/347.10A	----	353.90 - 53.60	.4055	----	----	----	----	40 UNCH
4580	----	----	----/384.90A	427.70B/384.90A	----	393.40 - 58.30	.4358	----	----	----	----	10 UNCH
4640	----	----	----/414.80A	461.30B/414.80A	----	425.00 - 61.70	.4586	----	----	----	----	90 UNCH
4725	----	----	----/460.20A	512.00B/460.20A	----	472.50 - 66.20	.4903	----	----	----	----	2 UNCH
4840	----	----	----/526.40A	585.40B/526.40A	----	542.10 - 71.30	.5319	----	----	----	----	2 UNCH
4900	----	----	----/561.80A	625.70B/561.80A	----	580.70 - 73.50	.5528	----	----	----	----	2 UNCH
4915	----	----	----/572.00A	635.90B/572.00A	----	590.60 - 74.00	.5579	----	----	----	----	3 UNCH
4950	----	----	----/594.00A	660.20B/594.00A	----	614.00 - 75.00	.5696	----	----	----	----	11 UNCH
4960	----	----	----/600.60A	667.20B/600.60A	----	620.80 - 75.30	.5730	----	----	----	----	2 UNCH
5000	----	----	----/626.30A	691.50B/626.30A	----	648.20 - 76.50	.5860	----	----	----	----	253 UNCH
5055	----	----	----/661.80A	730.90B/661.80A	----	686.80 - 78.00	.6036	----	----	----	----	8 UNCH
5200	----	----	----/763.70A	839.30B/763.70A	----	792.30 - 82.20	.6472	----	----	----	----	81 UNCH
5395	----	----	----/909.10A	938.90B/909.10A	----	940.90 - 89.80	.7010	----	----	----	----	6 UNCH
5400	----	----	----/913.00A	942.20B/913.00A	----	944.80 - 90.00	.7024	----	----	----	----	6 UNCH
5760	----	----	----	934.30B/1524.90A	----	1243.70 - 99.80	.7811	----	----	----	----	1 UNCH
5975	----	----	----	1130.00B/1706.60A	----	1434.20 - 02.70	.8160	----	----	----	----	1 UNCH
6000	----	----	----	1153.30B/1728.20A	----	1456.70 - 03.00	.8196	----	----	----	----	1 UNCH
TOTAL										12		1306 + 6
DEC26												
1350	----	----	----	----/30.50A	----	0.60 UNCH	.0009	----	----	----	----	16 UNCH
1500	----	----	----	0.10B/32.10A	----	1.50 - 0.10	.0022	----	----	----	----	1 UNCH
1600	----	----	----	0.10B/33.20A	----	2.10 - 0.20	.0030	----	----	----	----	190 UNCH
1700	----	----	----	0.10B/34.30A	----	2.80 - 0.30	.0041	----	----	----	----	200 UNCH
1845	----	----	----	0.30B/7.80A	----	4.00 - 0.40	.0058	----	----	----	----	36 UNCH
1900	----	----	----	0.40B/8.10A	----	4.50 - 0.40	.0066	----	----	----	----	4 UNCH
2000	----	----	----	0.60B/8.80A	----	5.40 - 0.60	.0080	----	----	----	----	2 UNCH
2400	----	----	----	2.30B/15.40A	----	9.50 - 1.10	.0153	----	----	----	----	1 UNCH
2490	----	----	----	4.10B/17.40A	----	10.60 - 1.30	.0175	----	----	----	----	1 UNCH
2750	----	----	----	#11.70B/26.30A	----	17.50 - 2.20	.0290	----	----	----	----	1 UNCH
2800	----	----	----	13.80B/23.80A	----	19.40 - 2.40	.0320	----	----	----	----	6 UNCH
2900	----	----	----	#18.80B/33.50A	----	23.70 - 3.00	.0389	----	----	----	----	19 UNCH
2925	----	----	----	#20.30B/34.80A	----	24.90 - 3.20	.0408	----	----	----	----	300 UNCH
3000	31.00	31.00	31.00/28.00	31.00/28.00	----	28.90 - 3.80	.0470	----	----	1237	----	1276 + 1059
3160	----	----	----	41.50B/47.70A	----	40.30 - 5.30	.0639	----	----	----	----	2 UNCH
3175	----	----	----	42.90B/47.90A	----	41.50 - 5.60	.0657	----	----	----	----	1 UNCH
3190	----	----	----/47.50A	44.40B/47.50A	----	42.80 - 5.80	.0676	----	----	----	----	5 UNCH
3250	----	----	----/51.40A	49.70B/51.40A	----	48.10 - 6.90	.0752	----	----	----	----	15 UNCH
3300	----	----	----/56.30A	54.90B/56.30A	----	53.00 - 7.80	.0821	----	----	----	----	6 UNCH
3400	----	----	----/67.50A	67.80B/67.50A	----	63.90 - 10.10	.0973	----	----	----	----	743 UNCH
3425	----	----	----/70.50A	71.00B/70.50A	----	67.00 - 10.60	.1015	----	----	----	----	150 UNCH
3450	----	----	----/73.80A	75.00B/73.80A	----	70.10 - 11.30	.1057	----	----	----	----	201 UNCH
3460	----	----	----/75.10A	76.70B/75.10A	----	71.40 - 11.50	.1075	----	----	----	----	20 UNCH
3475	----	----	----/77.10A	79.70B/77.10A	----	73.40 - 11.90	.1102	----	----	----	----	152 UNCH
3500	----	----	----/80.60A	83.80B/80.60A	----	76.80 - 12.50	.1147	----	----	----	----	855 UNCH
3550	----	----	----/88.00A	93.00B/88.00A	----	83.90 - 14.00	.1241	----	----	----	----	18 UNCH
3565	----	----	----/90.30A	95.80B/90.30A	----	86.20 - 14.40	.1271	----	----	----	----	2 UNCH
3590	----	----	----/94.30A	100.20B/94.30A	----	90.10 - 15.20	.1321	----	----	----	----	1 UNCH
3600	----	----	----/95.90A	102.40B/95.90A	----	91.70 - 15.50	.1342	----	----	----	----	342 UNCH
3610	96.00	96.00	98.00/96.00	104.20B/96.00	----	93.30 NEW	.1362	----	----	3	----	3 + 3
3650	----	----	----/104.50A	111.90B/104.50A	----	100.00 - 17.20	.1447	----	----	----	----	201 UNCH
3660	106.00	106.00	107.00/106.00	113.90B/106.00	----	101.80 NEW	.1469	----	----	5	----	5 + 5
3670	----	----	----/108.10A	115.60B/108.10A	----	103.60 - 17.70	.1492	----	----	----	----	1 UNCH
3690	----	----	----/111.80A	120.00B/111.80A	----	107.20 - 18.50	.1537	----	----	----	----	1 UNCH
3700	115.00	115.00	117.00/113.70A	122.10B/113.70A	----	109.00 - 18.90	.1559	----	----	6	----	29 + 6
3710	----	----	----/115.60A	124.30B/115.60A	----	110.90 - 19.20	.1582	----	----	----	----	37 UNCH
3720	----	----	----/117.60A	126.10B/117.60A	----	112.80 - 19.60	.1606	----	----	----	----	1 UNCH
3725	117.00	117.00	122.00/117.00	127.50B/117.00	----	113.80 NEW	.1618	----	----	6	----	6 + 6
3750	----	----	----/123.60A	132.70B/123.60A	----	118.70 - 20.60	.1677	----	----	5	----	166 UNCH
3760	----	----	----/125.80A	135.40B/125.80A	----	120.80 - 20.90	.1702	----	----	----	----	184 UNCH
3780	----	----	----/130.00A	139.70B/130.00A	----	124.90 - 21.70	.1751	----	----	----	----	1 UNCH
3800	135.00	135.00	135.00/134.30A	144.40B/134.30A	----	129.10 - 22.60	.1801	----	----	1	----	78 - 1
3810	----	----	----/136.50A	147.10B/136.50A	----	131.30 - 22.90	.1826	----	----	----	----	56 UNCH
3850	----	----	----/145.70A	156.90B/145.70A	----	140.30 - 24.50	.1931	----	----	----	----	18 UNCH
3880	----	----	----/153.00A	164.80B/153.00A	----	147.40 - 25.80	.2012	----	----	----	----	1 UNCH
3900	----	----	----/157.90A	170.30B/157.90A	----	152.30 - 26.60	.2067	----	----	----	----	805 UNCH
3925	----	----	----/164.30A	177.70B/164.30A	----	158.70 - 27.60	.2137	----	----	----	----	209 UNCH
3930	----	----	----/165.70A	178.70B/165.70A	----	159.90 - 27.90	.2151	----	----	----	----	2 UNCH
3950	----	----	----/170.90A	184.50B/170.90A	----	165.20 - 28.70	.2208	----	----	5	----	25 UNCH
3980	186.00	186.00	186.00/179.10A	193.80B/179.10A	----	173.30 - 30.10	.2296	----	----	14	----	115 + 7
4000	184.00	184.00	184.00/183.00	199.60B/183.00	----	179.00 - 30.90	.2356	----	----	120	25	1629 + 141
4025	----	----	----/192.00A	207.90B/192.00A	----	186.20 - 32.10	.2431	----	----	----	----	220 UNCH
4070	----	----	----/205.60A	222.70B/205.60A	----	199.80 - 34.20	.2570	----	----	----	----	5 UNCH
4090	----	----	----/211.80A	229.20B/211.80A	----	206.10 - 35.20	.2634	----	----	----	----	1 UNCH
4100	----	----	----/214.90A	232.60B/214.90A	----	209.30 - 35.60	.2666	----	----	----	----	381 UNCH
4130	----	----	----/224.50A	243.60B/224.50A	----	219.10 - 37.10	.2762	----	----	----	----	2 UNCH
4160	----	----	----/234.30A	254.10B/234.30A	----	229.30 - 38.60	.2860	----	----	----	----	252 UNCH
4170	----	----	----/237.90A	258.30B/237.90A	----	232.80 - 39.10	.2894	----	----	----	----	2 UNCH
4175	----	----	----/239.40A	260.10B/239.40A	----	234.60 NEW	.2910	----	----	----	60	60 + 60
4200	----	----	----/248.00A	269.90B/248.00A	----	243.50 - 40.60	.2994	----	----	----	----	682 UNCH
4250	----	----	----/265.80A	289.60B/265.80A	----	262.20 - 43.00	.3164	----	----	----	----	202 UNCH
4300	----	----	----/284.90A	310.10B/284.90A	----	281.90 - 45.50	.3337	----	----	----	----	1351 UNCH
4320	----	----	----/292.70A	318.80B/292.70A	----	290.00 - 46.50	.3408	----	----	----	----	100 UNCH
4325	----	----	----/294.60A	321.60B/294.60A	----	292.10 - 46.80	.3425	----	----	----	----	300 UNCH
4350	----	----	----/304.40A	332.20B/304.40A	----	302.60 - 48.00	.3514	----	----	----	----	101 UNCH
4375	----	----	----/314.90A	343.80B/314.90A	----	313.40 NEW	.3602	----	----	2	----	2 + 2
4400	357.00	357.00	357.00/325.30A	357.00/325.30A	----	324.40 - 50.50	.3692	----	----	1	----	86 UNCH
4415	----	----	----/331.60A	362.60B/331.60A	----	331.10 - 51.20	.3746	----	----	----	----	0 UNCH
4425	----	----	----/336.00A	367.40B/336.00A	----	335.70 - 51.70	.3782	----	----	----	----	1 UNCH
4450	----	----	----/346.90A	379.50B/346.90A	----	347.20 - 52.90	.3872	----	----	----	----	60 UNCH
4475	----	----	----/357.60A	392.00B/357.60A	----	359.00 - 54.20	.3962	----	----	----	----	8 UNCH
4500	----	----	----/369.60A	404.60B/369.60A	----	371.10 - 55.30	.4053	----	----	2	----	187 + 2
4510	----	----	----/373.70A	410.00B/373.70A	----	376.00 - 55.80	.4089	----	----	----	----	2 UNCH
4515	----	----	----/376.10A	412.40B/376.10A	----	378.50 - 56.00	.4107	----	----	----	----	242 UNCH
4520	----	----	----/378.50A	414.50B/378.50A	----	381.00 - 56.30	.4125	----	----	----	----	25 UNCH
4530	----	----	----/383.10A	420.20B/383.10A	----	386.00 - 56.70	.4162	----	----	----	----	20 UNCH
4535	----	----	----/386.00A	422.80B/386.00A	----	388.50 - 57.00	.4180	----	----	----	----	102 UNCH
4540	----	----	----/387.90A	425.10B/387.90A	----	391.00 - 57.20	.4198	----	----	----	----	1 UNCH
4550	----	----	----/393.20A	430.50B/393.20A	----	396.10 - 57.70	.4234	----	----	----	----	4 UNCH
4580	----	----	----/407.90A	447.10B/407.90A	----	411.60 - 59.00	.4343	----	----	----	----	50 UNCH
4585	----	----	----/410.40A	449.90B/410.40A	----	414.20 - 59.30	.4361	----	----	----	----	325 UNCH
4600	437.00	437.00	437.00/417.90A	458.20B/417.90A	----	422.10 - 59.90	.4416	----	----	3	----	418 - 3
4620	----	----	----/427.50A	468.80B/427.50A	----	432.80 - 60.80	.4488	----	----	----	----	50 UNCH
4625	----	----	----/430.60A	471.60B/430.60A	----	435.50 - 61.10	.4506	----	----	----	----	20 UNCH
4640	----	----	----/437.80A	480.70B/437.80A	----	443.60 - 61.80	.4560	----	----	----	----	100 UNCH
4650	----	----	----/443.00A	486.20B/443.00A	----	449.10 - 62.20	.4596	----	----	----	----	106 UNCH
4680	----	----	----/459.30A	503.30B/459.30A	----	465.80 - 63.50	.4703	----	----	----	----	60 UNCH
4700	----	----	----/470.10A	515.60B/470.10A	----	477.10 - 64.40	.4774	----	----	----	----	520 UNCH
4790	----	----	----/519.90A	570.40B/519.90A	----	530.10 - 68.00	.5090	----	----	----	----	60 UNCH
4800	----	----	----/525.70A	577.50B/525.70A	----	536.20 - 68.40	.5124	----	----	----	----	152 UNCH
4810	----	----	----/531.50A	583.30B/531.50A	----	542.30 - 68.80	.5158	----	----	----	----	56 UNCH
4815	----	----	----/534.50A	585.90B/534.50A	----	545.30 - 69.10	.5175	----	----	----	----	10 UNCH
4820	----	----	----/538.00A	589.00B/538.00A	----	548.40 - 69.20	.5193	----	----	----	----	20 UNCH
4825	----	----	----/540.90A	592.80B/540.90A	----	551.50 - 69.40	.5210	----	----	----	----	100 UNCH
4850	----	----	----/555.70A	608.40B/555.70A	----	567.10 - 70.40	.5295	----	----	----	----	6 UNCH
4900	----	----	----/586.20A	641.70B/586.20A	----	598.90 - 72.20	.5462	----	----	----	----	11 UNCH
4925	----	----	----/601.00A	658.70B/601.00A	----	615.20 - 73.10	.5544	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 24

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
4950	----	----	----/617.40A	675.10B/617.40A	----	631.60 - 74.10	.5625	----	----	----	----	1 UNCH
4975	----	----	----/633.40A	693.00B/633.40A	----	648.30 - 74.90	.5705	----	----	----	----	43 UNCH
4980	----	----	----/636.60A	696.10B/636.60A	----	651.70 - 75.00	.5721	----	----	----	----	12 UNCH
4995	----	----	----/645.60A	706.30B/645.60A	----	661.80 - 75.60	.5769	----	----	----	----	32 UNCH
5000	----	----	----/649.40A	710.10B/649.40A	----	665.20 - 75.70	.5784	----	----	----	----	392 UNCH
5020	----	----	----/662.60A	724.40B/662.60A	----	678.90 - 76.40	.5847	----	----	----	----	8 UNCH
5025	----	----	----/665.20A	727.60B/665.20A	----	682.30 - 76.60	.5863	----	----	----	----	15 UNCH
5035	----	----	----/672.50A	734.70B/672.50A	----	689.20 - 76.90	.5894	----	----	----	----	8 UNCH
5050	----	----	----/682.40A	745.40B/682.40A	----	699.60 - 77.40	.5940	----	----	----	----	201 UNCH
5070	----	----	----/695.50A	759.50B/695.50A	----	713.60 - 78.00	.6001	----	----	----	----	1 UNCH
5075	----	----	----/699.30A	763.40B/699.30A	----	717.10 - 78.10	.6016	----	----	----	----	100 UNCH
5095	----	----	----/712.80A	777.90B/712.80A	----	731.20 - 78.80	.6076	----	----	----	----	6 UNCH
5100	----	----	----/716.20A	781.90B/716.20A	----	734.70 - 79.00	.6091	----	----	----	----	6 UNCH
5195	----	----	----/782.10A	852.20B/782.10A	----	803.60 - 81.80	.6366	----	----	----	----	5 UNCH
5200	----	----	----/786.00A	856.40B/786.00A	----	807.30 - 81.90	.6380	----	----	----	----	38 UNCH
5250	----	----	----/822.10A	894.00B/822.10A	----	844.60 - 83.30	.6518	----	----	----	----	126 UNCH
5290	----	----	----/851.40A	925.20B/851.40A	----	874.90 - 84.50	.6625	----	----	----	----	1 UNCH
5295	----	----	----/854.40A	929.60B/854.40A	----	878.70 - 84.60	.6638	----	----	----	----	1 UNCH
5360	----	----	----/903.30A	980.40B/903.30A	----	928.90 - 86.30	.6805	----	----	----	----	100 UNCH
5370	----	----	----/910.90A	988.20B/910.90A	----	936.80 - 86.50	.6830	----	----	----	----	20 UNCH
5375	----	----	----/914.90A	#992.40B/914.90A	----	940.70 - 86.60	.6843	----	----	----	----	34 UNCH
5400	----	----	----/934.10A	1003.80B/934.10A	----	960.30 - 87.30	.6904	----	----	----	----	102 UNCH
5460	----	----	----/980.40A	1005.70B/980.40A	----	1008.10 - 88.80	.7047	----	----	----	----	200 UNCH
5465	----	----	----/984.30A	#1006.80B/984.30A	----	1012.10 - 88.90	.7059	----	----	----	----	50 UNCH
5480	----	----	----/995.80A	#1013.30B/995.80A	----	1024.20 - 89.20	.7093	----	----	----	----	50 UNCH
5500	----	----	----/1,011.70A	1025.40B/1011.70A	----	1040.30 - 89.80	.7139	----	----	----	----	31 UNCH
5525	----	----	----/1,031.70A	#1044.70B/1031.70A	----	1060.70 - 90.30	.7195	----	----	----	----	80 UNCH
5600	----	----	----	786.60B/1435.30A	----	1122.40 - 92.00	.7357	----	----	----	----	252 UNCH
5900	----	----	----	1050.40B/1680.90A	----	1378.50 - 98.40	.7914	----	----	----	----	125 UNCH
6000	----	----	----	1141.40B/1765.90A	----	1466.80 - 00.30	.8071	----	----	----	----	40 UNCH
6500	----	----	----	1608.00B/2210.80A	----	1925.00 - 07.00	.8663	----	----	----	----	4 UNCH
TOTAL										1410	85	16687+ 1287
JAN27												
2800	----	----	----	15.50B/28.00A	----	15.60 - 0.60	.0271	----	----	----	----	10 UNCH
3000	----	----	----	#27.60B/43.10A	----	29.30 - 1.60	.0466	----	----	----	----	3 UNCH
3520	----	----	----/93.70A	93.40B/93.70A	----	90.00 - 11.30	.1232	----	----	----	----	1 UNCH
3800	----	----	----/143.80A	152.30B/143.80A	----	143.30 - 20.20	.1833	----	----	----	----	1 UNCH
3825	----	----	----/149.10A	158.60B/149.10A	----	149.20 - 21.00	.1895	----	----	----	----	1 UNCH
3900	----	----	----/167.10A	178.50B/167.10A	----	167.90 - 23.60	.2088	----	----	----	----	1 UNCH
3980	190.00	190.00	190.00/188.10A	201.40B/188.10A	----	190.00 NEW	.2305	----	----	1	----	1 + 1
4000	----	----	----/193.60A	208.00B/193.60A	----	195.90 - 27.10	.2362	----	----	----	----	1 UNCH
4350	----	----	----/312.60A	340.40B/312.60A	----	320.90 - 43.10	.3436	----	----	----	----	1 UNCH
4400	----	----	----/333.10A	363.30B/333.10A	----	342.30 - 45.70	.3601	----	----	----	----	1 UNCH
4585	----	----	----/417.10A	456.00B/417.10A	----	429.20 - 55.80	.4220	----	----	----	----	1 UNCH
4600	----	----	----/424.50A	464.00B/424.50A	----	436.90 - 56.50	.4270	----	----	----	----	3 UNCH
4605	----	----	----/427.00A	466.80B/427.00A	----	439.40 - 56.80	.4287	----	----	----	----	0 UNCH
4630	----	----	----/439.60A	480.40B/439.60A	----	452.30 - 58.20	.4372	----	----	----	----	1 UNCH
4660	----	----	----/454.80A	497.20B/454.80A	----	468.10 - 59.80	.4473	----	----	----	----	4 UNCH
4665	----	----	----/457.40A	500.00B/457.40A	----	470.80 - 60.00	.4490	----	----	----	----	4 UNCH
4760	----	----	----/508.40A	556.30B/508.40A	----	523.30 - 64.90	.4806	----	----	----	----	100 UNCH
4800	----	----	----/530.80A	581.10B/530.80A	----	546.40 - 66.80	.4937	----	----	----	----	6 UNCH
4820	----	----	----/541.60A	593.70B/541.60A	----	558.20 - 67.80	.5002	----	----	----	----	6 UNCH
4860	----	----	----/564.90A	618.50B/564.90A	----	582.20 - 69.60	.5131	----	----	----	----	1 UNCH
4990	----	----	----/644.90A	705.90B/644.90A	----	664.40 - 75.00	.5537	----	----	----	----	1 UNCH
5000	----	----	----/650.70A	712.80B/650.70A	----	670.90 - 75.50	.5567	----	----	----	----	3 UNCH
5050	----	----	----/683.00A	747.70B/683.00A	----	704.20 - 77.40	.5717	----	----	----	----	100 UNCH
TOTAL										1		251+ 1
FEB27												
4000	----	----	----	45.50B/369.50A	----	159.60 - 28.80	.2209	----	----	----	----	1 UNCH
4600	----	----	----	128.50B/770.00A	----	386.50 - 54.10	.4297	----	----	----	----	17 UNCH
4650	----	----	----	141.90B/812.30A	----	411.90 - 56.30	.4487	----	----	----	----	1 UNCH
4655	----	----	----	141.50B/816.70A	----	414.50 - 56.50	.4506	----	----	----	----	1 UNCH
4660	----	----	----	137.60B/820.90A	----	417.10 - 56.70	.4525	----	----	----	----	435 UNCH
4665	----	----	----	141.70B/825.20A	----	419.70 - 57.00	.4544	----	----	----	----	3 UNCH
5000	----	----	----	134.40B/1134.40A	----	619.40 - 71.10	.5752	----	----	----	----	10 UNCH
5005	----	----	----	----	----	622.70 - 71.30	.5768	----	----	----	----	2 UNCH
5100	----	----	----	----	----	688.30 - 74.90	.6076	----	----	----	----	2 UNCH
5150	----	----	----	----	----	724.50 - 76.70	.6228	----	----	----	----	1 UNCH
5175	----	----	----	----	----	743.00 - 77.60	.6301	----	----	----	----	125 UNCH
5200	----	----	----	----	----	761.90 - 78.40	.6372	----	----	----	----	1 UNCH
5355	----	----	----	----	----	885.70 - 83.00	.6761	----	----	----	----	1 UNCH
5520	----	----	----	----	----	1028.40 - 86.70	.7079	----	----	----	----	300 UNCH
5530	----	----	----	----	----	1037.30 - 86.80	.7096	----	----	----	----	100 UNCH
5550	----	----	----	----	----	1055.00 - 87.30	.7129	----	----	----	----	65 UNCH
5565	----	----	----	----	----	1068.40 - 87.50	.7154	----	----	----	----	50 UNCH
TOTAL												1115 0
DEC27												
3700	----	----	----	----	----	50.90 - 14.00	.0921	----	----	----	----	100 UNCH
3715	----	----	----	----	----	53.00 - 14.50	.0952	----	----	----	----	150 UNCH
3820	----	----	----	----	----	70.10 - 18.00	.1191	----	----	----	----	50 UNCH
4130	----	----	----	----	----	153.20 - 31.00	.2115	----	----	----	----	168 UNCH
4500	----	----	----	----	----	324.80 - 48.10	.3387	----	----	----	----	270 UNCH
4630	----	----	----	----	----	398.60 - 53.60	.3808	----	----	----	----	284 UNCH
4860	----	----	----	----	----	543.60 - 62.50	.4496	----	----	----	----	100 UNCH
5000	----	----	----	----	----	640.50 - 67.40	.4865	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1130.80 - 85.50	.6213	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1309.20 - 91.10	.6618	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	615.70 - 87.40	.4785	----	----	----	----	1 UNCH
5100	----	----	----	----	----	664.30 - 91.00	.5085	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
APR26												
3200	----	----	----	----	----	1176.30 UNCH	----	----	----	----	----	0 UNCH
3300	----	----	----	----	----	1076.30 UNCH	----	----	----	----	----	0 UNCH
3425	----	----	----	----	----	951.30 UNCH	----	----	----	----	----	0 UNCH
3435	----	----	----	----	----	941.30 UNCH	----	----	----	----	----	0 UNCH
3450	----	----	----	----	----	926.30 UNCH	----	----	----	----	----	0 UNCH
3460	----	----	----	----	----	916.30 UNCH	----	----	----	----	----	0 UNCH
3485	----	----	----	----	----	891.30 UNCH	----	----	----	----	----	0 UNCH
3500	----	----	----	----	----	876.30 UNCH	----	----	----	----	----	0 UNCH
3550	----	----	----	----	----	826.30 UNCH	----	----	----	----	----	0 UNCH
3575	----	----	----	----	----	801.30 UNCH	----	----	----	----	----	0 UNCH
3585	----	----	----	----	----	791.30 UNCH	----	----	----	----	----	0 UNCH
3600	----	----	----	----	----	776.30 UNCH	----	----	----	----	----	0 UNCH
3650	----	----	----	----	----	726.30 UNCH	----	----	----	----	----	0 UNCH
3695	----	----	----	----	----	681.30 UNCH	----	----	----	----	----	0 UNCH
3700	----	----	----	----	----	676.30 UNCH	----	----	----	----	----	0 UNCH
3720	----	----	----	----	----	656.30 UNCH	----	----	----	----	----	0 UNCH
3730	----	----	----	----	----	646.30 UNCH	----	----	----	----	----	0 UNCH
3750	----	----	----	----	----	626.30 UNCH	----	----	----	----	----	0 UNCH
3755	----	----	----	----	----	621.30 UNCH	----	----	----	----	----	0 UNCH
3780	----	----	----	----	----	596.30 UNCH	----	----	----	----	----	0 UNCH
3800	----	----	----	----	----	576.30 UNCH	----	----	----	----	----	0 UNCH
3805	----	----	----	----	----	571.30 UNCH	----	----	----	----	----	0 UNCH
3820	----	----	----	----	----	556.30 UNCH	----	----	----	----	----	0 UNCH
3825	----	----	----	----	----	551.30 UNCH	----	----	----	----	----	0 UNCH
3835	----	----	----	----	----	541.30 UNCH	----	----	----	----	----	0 UNCH
3850	----	----	----	----	----	526.30 UNCH	----	----	----	----	----	0 UNCH
3875	----	----	----	----	----	501.30 UNCH	----	----	----	----	----	0 UNCH
3885	----	----	----	----	----	491.30 UNCH	----	----	----	----	----	0 UNCH
3895	----	----	----	----	----	481.30 UNCH	----	----	----	----	----	0 UNCH
3900	----	----	----	----	----	476.30 UNCH	----	----	----	----	----	0 UNCH
3905	----	----	----	----	----	471.30 UNCH	----	----	----	----	----	0 UNCH
3910	----	----	----	----	----	466.30 UNCH	----	----	----	----	----	0 UNCH
3925	----	----	----	----	----	451.30 UNCH	----	----	----	----	----	0 UNCH
3940	----	----	----	----	----	436.30 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
APR26														
3945	----	----	----	----	----	431.30	UNCH	----	----	----	----	----	0	UNCH
3950	----	----	----	----	----	426.30	UNCH	----	----	----	----	----	0	UNCH
3960	----	----	----	----	----	416.30	UNCH	----	----	----	----	----	0	UNCH
3970	----	----	----	----	----	406.30	UNCH	----	----	----	----	----	0	UNCH
3975	----	----	----	----	----	401.30	UNCH	----	----	----	----	----	0	UNCH
3990	----	----	----	----	----	386.30	UNCH	----	----	----	----	----	0	UNCH
4000	----	----	----	----	----	376.30	UNCH	----	----	----	----	----	0	UNCH
4005	----	----	----	----	----	371.30	UNCH	----	----	----	----	----	0	UNCH
4020	----	----	----	----	----	356.30	UNCH	----	----	----	----	----	0	UNCH
4025	----	----	----	----	----	351.30	UNCH	----	----	----	----	----	0	UNCH
4030	----	----	----	----	----	346.30	UNCH	----	----	----	----	----	0	UNCH
4040	----	----	----	----	----	336.30	UNCH	----	----	----	----	----	0	UNCH
4045	----	----	----	----	----	331.30	UNCH	----	----	----	----	----	0	UNCH
4050	----	----	----	----	----	326.30	UNCH	----	----	----	----	----	0	UNCH
4055	----	----	----	----	----	321.30	UNCH	----	----	----	----	----	0	UNCH
4060	----	----	----	----	----	316.30	UNCH	----	----	----	----	----	0	UNCH
4065	----	----	----	----	----	311.30	UNCH	----	----	----	----	----	0	UNCH
4070	----	----	----	----	----	306.30	UNCH	----	----	----	----	----	0	UNCH
4075	----	----	----	----	----	301.30	UNCH	----	----	----	----	----	0	UNCH
4080	----	----	----	----	----	296.30	UNCH	----	----	----	----	----	0	UNCH
4085	----	----	----	----	----	291.30	UNCH	----	----	----	----	----	0	UNCH
4090	----	----	----	----	----	286.30	UNCH	----	----	----	----	----	0	UNCH
4095	----	----	----	----	----	281.30	UNCH	----	----	----	----	----	0	UNCH
4100	----	----	----	----	----	276.30	UNCH	----	----	----	----	----	0	UNCH
4105	----	----	----	----	----	271.30	UNCH	----	----	----	----	----	0	UNCH
4110	----	----	----	----	----	266.30	UNCH	----	----	----	----	----	0	UNCH
4120	----	----	----	----	----	256.30	UNCH	----	----	----	----	----	0	UNCH
4125	----	----	----	----	----	251.30	UNCH	----	----	----	----	----	0	UNCH
4130	----	----	----	----	----	246.30	UNCH	----	----	----	----	----	0	UNCH
4135	----	----	----	----	----	241.30	UNCH	----	----	----	----	----	0	UNCH
4140	----	----	----	----	----	236.30	UNCH	----	----	----	----	----	0	UNCH
4145	----	----	----	----	----	231.30	UNCH	----	----	----	----	----	0	UNCH
4150	----	----	----	----	----	226.30	UNCH	----	----	----	----	----	0	UNCH
4155	----	----	----	----	----	221.30	UNCH	----	----	----	----	----	0	UNCH
4160	----	----	----	----	----	216.30	UNCH	----	----	----	----	----	0	UNCH
4165	----	----	----	----	----	211.30	UNCH	----	----	----	----	----	0	UNCH
4170	----	----	----	----	----	206.30	UNCH	----	----	----	----	----	0	UNCH
4175	----	----	----	----	----	201.30	UNCH	----	----	----	----	----	0	UNCH
4180	----	----	----	----	----	196.30	UNCH	----	----	----	----	----	0	UNCH
4185	----	----	----	----	----	191.30	UNCH	----	----	----	----	----	0	UNCH
4190	----	----	----	----	----	186.30	UNCH	----	----	----	----	----	0	UNCH
4195	----	----	----	----	----	181.30	UNCH	----	----	----	----	----	0	UNCH
4200	----	----	----	----	----	176.30	UNCH	----	----	----	----	----	0	UNCH
4205	----	----	----	----	----	171.30	UNCH	----	----	----	----	----	0	UNCH
4210	----	----	----	----	----	166.30	UNCH	----	----	----	----	----	0	UNCH
4215	----	----	----	----	----	161.30	UNCH	----	----	----	----	----	0	UNCH
4220	----	----	----	----	----	156.30	UNCH	----	----	----	----	----	0	UNCH
4225	----	----	----	----	----	151.30	UNCH	----	----	----	----	----	0	UNCH
4230	----	----	----	----	----	146.30	UNCH	----	----	----	----	----	0	UNCH
4235	----	----	----	----	----	141.30	UNCH	----	----	----	----	----	0	UNCH
4240	----	----	----	----	----	136.30	UNCH	----	----	----	----	----	0	UNCH
4245	----	----	----	----	----	131.30	UNCH	----	----	----	----	----	0	UNCH
4250	----	----	----	----	----	126.30	UNCH	----	----	----	----	----	0	UNCH
4255	----	----	----	----	----	121.30	UNCH	----	----	----	----	----	0	UNCH
4260	----	----	----	----	----	116.30	UNCH	----	----	----	----	----	0	UNCH
4265	----	----	----	----	----	111.30	UNCH	----	----	----	----	----	0	UNCH
4270	----	----	----	----	----	106.30	UNCH	----	----	----	----	----	0	UNCH
4275	----	----	----	----	----	101.30	UNCH	----	----	----	----	----	0	UNCH
4280	----	----	----	----	----	96.30	UNCH	----	----	----	----	----	0	UNCH
4285	----	----	----	----	----	91.30	UNCH	----	----	----	----	----	0	UNCH
4290	----	----	----	----	----	86.30	UNCH	----	----	----	----	----	0	UNCH
4295	----	----	----	----	----	81.30	UNCH	----	----	----	----	----	0	UNCH
4300	----	----	----	----	----	76.30	UNCH	----	----	----	----	----	0	UNCH
4305	----	----	----	----	----	71.30	UNCH	----	----	----	----	----	0	UNCH
4310	----	----	----	----	----	66.30	UNCH	----	----	----	----	----	0	UNCH
4320	----	----	----	----	----	56.30	UNCH	----	----	----	----	----	0	UNCH
4325	----	----	----	----	----	51.30	UNCH	----	----	----	----	----	0	UNCH
4330	----	----	----	----	----	46.30	UNCH	----	----	----	----	----	0	UNCH
4335	----	----	----	----	----	41.30	UNCH	----	----	----	----	----	0	UNCH
4340	----	----	----	----	----	36.30	UNCH	----	----	----	----	----	0	UNCH
4345	----	----	----	----	----	31.30	UNCH	----	----	----	----	----	0	UNCH
4350	----	----	----	----	----	26.30	UNCH	----	----	----	----	----	0	UNCH
4355	----	----	----	----	----	21.30	UNCH	----	----	----	----	----	0	UNCH
4360	----	----	----	----	----	16.30	UNCH	----	----	----	----	----	0	UNCH
4365	----	----	----	----	----	11.30	UNCH	----	----	----	----	----	0	UNCH
4370	----	----	----	----	----	6.30	UNCH	----	----	----	----	----	0	UNCH
4375	----	----	----	----	----	1.30	UNCH	----	----	----	----	----	0	UNCH
4380	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4385	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4390	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4395	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4400	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4405	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4410	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4415	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4420	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4425	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4430	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4435	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4440	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4445	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4455	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4460	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4465	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4470	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4475	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4480	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4485	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4490	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4495	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4505	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4510	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4515	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4520	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4525	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4530	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4535	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4540	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4545	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4555	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4560	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4565	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4645	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4685	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4690	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 26

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS												
APR26														
4695	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4730	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4735	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4765	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4780	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4805	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4820	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4830	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4840	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4870	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4885	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4950	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4970	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5000	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5100	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5110	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5115	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5140	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5145	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5155	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5170	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5200	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5205	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5250	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5255	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5275	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
TOTAL													0	0
MAY26														
3400	----	----	1,188.40B/----	1188.40B/1038.60A	----	1132.30	+ 12.70	.9684	----	----	----	----	1	UNCH
3500	1060.00	1060.00	1,091.20B/1,060	1091.20B/942.40A	----	1035.60	+ 11.50	.9584	----	----	1	----	1	+ 1
3600	----	----	995.00B/----	995.00B/848.50A	----	939.90	+ 09.70	.9454	----	----	----	----	10	UNCH
3675	----	----	923.70B/----	923.70B/779.90A	----	869.10	+ 08.20	.9330	----	----	----	----	8	UNCH
3685	----	----	914.20B/----	914.20B/770.80A	----	859.70	+ 07.90	.9312	----	----	----	----	8	UNCH
3700	----	----	900.10B/----	900.10B/757.20A	----	845.60	+ 07.50	.9284	----	----	----	----	31	UNCH
3720	----	----	881.20B/----	881.20B/739.00A	----	827.00	+ 07.00	.9245	----	----	----	----	6	UNCH
3725	----	----	876.60B/----	876.60B/734.60A	----	822.30	+ 06.90	.9236	----	----	----	----	8	UNCH
3735	----	----	867.20B/----	867.20B/725.40A	----	813.00	+ 06.60	.9215	----	----	----	----	15	UNCH
3750	----	----	853.20B/----	853.20B/712.10A	----	799.10	+ 06.20	.9183	----	----	----	----	56	UNCH
3800	----	----	806.70B/----	806.70B/667.40A	----	753.10	+ 04.70	.9070	----	----	----	----	44	UNCH
3820	----	----	788.30B/----	788.30B/649.80A	----	734.80	+ 04.10	.9020	----	----	----	----	4	UNCH
3840	----	----	769.90B/----	769.90B/632.30A	----	716.60	+ 03.40	.8967	----	----	----	----	20	UNCH
3855	----	----	756.20B/----	756.20B/619.30A	----	703.00	+ 02.80	.8927	----	----	----	----	2	UNCH
3875	----	----	738.00B/----	738.00B/602.00A	----	685.00	+ 02.10	.8871	----	----	----	----	41	UNCH
3890	----	----	724.40B/----	724.40B/589.20A	----	671.50	+ 01.50	.8826	----	----	----	----	1	UNCH
3895	----	----	719.80B/----	719.80B/584.90A	----	667.10	+ 01.30	.8811	----	----	----	----	9	UNCH
3900	----	----	715.30B/----	715.30B/580.30A	----	662.60	+ 01.10	.8796	----	----	----	----	112	UNCH
3950	----	----	670.60B/----	670.60B/538.60A	----	618.30	+ 98.90	.8636	----	----	----	----	223	UNCH
3960	----	----	661.70B/----	661.70B/529.90A	----	609.50	+ 98.40	.8602	----	----	----	----	16	UNCH
3975	----	----	648.40B/----	648.40B/517.60A	----	596.40	+ 97.70	.8548	----	----	----	----	13	UNCH
3980	----	----	644.00B/----	644.00B/513.90A	----	592.10	+ 97.50	.8531	----	----	----	----	97	UNCH
3995	----	----	630.90B/----	630.90B/501.30A	----	579.10	+ 96.70	.8475	----	----	----	----	62	UNCH
4000	----	----	626.50B/----	626.50B/497.60A	----	574.80	+ 96.50	.8456	----	----	----	----	143	UNCH
4005	----	----	622.10B/----	622.10B/493.20A	----	570.40	+ 96.10	.8438	----	----	----	----	30	UNCH
4015	----	----	613.40B/----	613.40B/485.10A	----	561.80	+ 95.60	.8400	----	----	----	----	5	UNCH
4020	----	----	609.10B/----	609.10B/481.10A	----	557.60	+ 95.40	.8380	----	----	----	----	15	UNCH
4025	----	----	604.70B/----	604.70B/477.10A	----	553.30	+ 95.10	.8360	----	----	----	----	1	UNCH
4050	----	----	583.20B/----	583.20B/457.30A	----	532.00	+ 93.70	.8258	----	----	----	----	176	UNCH
4070	----	----	566.00B/----	566.00B/441.70A	----	515.20	+ 92.50	.8173	----	----	----	----	25	UNCH
4075	----	----	561.80B/----	561.80B/438.20A	----	511.00	+ 92.20	.8151	----	----	----	----	22	UNCH
4090	----	----	549.10B/----	549.10B/426.30A	----	498.50	+ 91.30	.8084	----	----	----	----	1	UNCH
4100	----	----	540.60B/----	540.60B/418.70A	----	490.20	+ 90.60	.8038	----	----	----	----	48	UNCH
4105	----	----	536.90B/----	536.90B/415.10A	----	486.10	+ 90.30	.8016	----	----	----	----	10	UNCH
4115	----	----	528.10B/----	528.10B/407.20A	----	477.90	+ 89.70	.7968	----	----	----	----	4	UNCH
4120	----	----	523.80B/----	523.80B/403.50A	----	473.80	+ 89.30	.7944	----	----	----	----	372	UNCH
4125	----	----	520.20B/----	520.20B/399.80A	----	469.70	+ 89.00	.7920	----	----	----	----	1	UNCH
4130	----	----	515.70B/----	515.70B/396.00A	----	465.60	+ 88.60	.7896	----	----	----	----	11	UNCH
4135	----	----	511.60B/----	511.60B/392.30A	----	461.60	+ 88.30	.7871	----	----	----	----	3	UNCH
4145	----	----	503.30B/----	503.30B/384.90A	----	453.50	+ 87.60	.7821	----	----	----	----	1	UNCH
4150	----	----	499.00B/----	499.00B/381.40A	----	449.40	+ 87.10	.7796	----	----	----	----	255	UNCH
4155	----	----	495.10B/----	495.10B/377.60A	----	445.40	+ 86.80	.7770	----	----	----	----	1	UNCH
4165	----	----	486.90B/----	486.90B/370.20A	----	437.40	+ 86.00	.7718	----	----	----	----	3	UNCH
4170	----	----	482.80B/----	482.80B/365.00A	----	433.50	+ 85.70	.7691	----	----	----	----	24	UNCH
4175	----	----	478.80B/----	478.80B/363.20A	----	429.50	+ 85.30	.7665	----	----	----	----	3	UNCH
4180	----	----	474.70B/----	474.70B/357.90A	----	425.60	+ 85.00	.7639	----	----	----	----	123	UNCH
4185	----	----	470.60B/----	470.60B/356.10A	----	421.60	+ 84.60	.7611	----	----	----	----	3	UNCH
4190	----	----	466.60B/----	466.60B/350.70A	----	417.70	+ 84.20	.7583	----	----	----	----	18	UNCH
4200	----	----	458.70B/----	458.70B/343.50A	----	409.90	+ 83.40	.7528	----	----	----	----	644	UNCH
4205	----	----	454.60B/----	454.60B/341.80A	----	406.00	+ 83.00	.7500	----	----	----	----	4	UNCH
4210	----	----	450.60B/----	450.60B/336.40A	----	402.10	+ 82.60	.7472	----	----	----	----	23	UNCH
4220	----	----	442.80B/----	442.80B/331.50A	----	394.40	+ 81.70	.7414	----	----	----	----	7	UNCH
4240	----	----	427.10B/----	427.10B/316.30A	----	379.20	+ 80.10	.7296	----	----	----	----	21	UNCH
4245	----	----	423.20B/----	423.20B/314.50A	----	375.50	+ 79.70	.7266	----	----	----	----	2	UNCH
4250	----	----	419.40B/----	419.40B/309.30A	----	371.70	+ 79.30	.7235	----	----	----	----	277	UNCH
4255	----	----	415.40B/----	415.40B/306.80A	----	368.00	+ 78.90	.7204	----	----	----	----	103	UNCH
4260	----	----	411.60B/----	411.60B/304.50A	----	364.20	+ 78.30	.7174	----	----	----	----	8	UNCH
4265	----	----	407.90B/----	407.90B/301.20A	----	360.50	+ 77.90	.7143	----	----	----	----	13	UNCH
4270	----	----	403.90B/----	403.90B/292.00A	----	356.80	+ 77.50	.7111	----	----	----	----	29	UNCH
4275	----	----	400.20B/----	400.20B/291.70A	----	353.20	+ 77.10	.7079	----	----	----	----	14	UNCH
4280	----	----	396.40B/----	396.40B/288.50A	----	349.50	+ 76.60	.7048	----	----	----	----	1	UNCH
4285	----	----	392.50B/----	392.50B/285.20A	----	345.90	+ 76.20	.7015	----	----	----	----	4	UNCH
4290	----	----	388.90B/----	388.90B/279.00A	----	342.20	+ 75.60	.6983	----	----	----	----	44	UNCH
4295	----	----	385.10B/----	385.10B/278.90A	----	338.60	+ 75.20	.6950	----	----	----	----	2	UNCH
4300	284.00	284.00	381.70B/284.00	381.70B/270.80A	----	335.00	+ 74.70	.6917	----	----	3	----	1074	- 2
4305	----	----	377.60B/----	377.60B/268.70A	----	331.50	+ 74.30	.6884	----	----	----	----	2	UNCH
4315	----	----	370.20B/----	370.20B/258.60A	----	324.40	+ 73.40	.6816	----	----	----	----	3	UNCH
4325	----	----	362.80B/----	362.80B/253.50A	----	317.30	+ 72.30	.6748	----	----	----	----	560	UNCH
4330	----	----	359.20B/----	359.20B/252.90A	----	313.80	+ 71.80	.6714	----	----	----	----	26	UNCH
4335	----	----	355.60B/----	355.60B/252.20A	----	310.40	+ 71.40	.6678	----	----	----	----	2	UNCH
4340	----	----	351.80B/----	351.80B/245.60A	----	306.90	+ 70.90	.6644	----	----	----	----	4	UNCH
4345	261.60	261.60	348.20B/261.60	348.20B/245.70A	----	303.50	+ 70.40	.6609	----	----	1	----	2	UNCH
4350	----	----	344.70B/----	344.70B/242.50A	----	300.10	+ 69.90	.6573	----	----	----	----	251	UNCH
4355	----	----	341.30B/----	341.30B/240.50A	----	296.70	+ 69.40	.6537	----	----	----	----	40	UNCH
4360	----	----	337.60B/----	337.60B/236.50A	----	293.30	+ 68.90	.6501	----	----	----	----	349	UNCH
4365	----	----	333.90B/----	333.90B/232.20A	----	289.90	+ 68.30	.6465	----	----	----	----	5	UNCH
4370	----	----	330.70B/----	330.70B/227.60A	----	286.60	+ 67.90	.6428	----	----	----	----	75	UNCH
4375	----	----	327.20B/----	327.20B/224.10A	----	283.30	+ 67.40	.6392	----	----	----	----	34	UNCH
4380	----	----	323.50B/----	323.50B/221.20A	----	280.00	+ 66.90	.6355	----	----	----	----	12	UNCH
4385	----	----	320.00B/----	320.00B/218.90A	----	276.70	+ 66.30	.6317	----	----	----	----	4	UNCH
4390	----	----	316.70B/----	316.70B/216.10A	----	273.40	+ 65.80	.6280	----	----	1	----	10	UNCH
4395	230.00	230.00	313.20B/230.00	313.20B/212.90A	----	270.20	+ 65.30	.6243	----	----	4	----	5	UNCH
4400	210.70	210.70	309.80B/203.30	309.80B/203.30	----	267.00	+ 64.80	.6205	----	----	15	----	1652	+ 11
4405	----	----	306.40B/----	306.40B/207.10A	----	263.80	+ 64.20	.6167	----	----	----	----	16	UNCH
4410	225.70	225.70	303.00B/225.70	303.00B/206.60A	----	260.60	+ 63.70	.6129	----	----	1	----	44	UNCH
4415	----	----	299.60B/----	299.60B/201.70A	----	257.40	+ 63.10	.6090	----	----	----	----	36	UNCH
4420	199.10	199.10	296.30B/199.10	296.30B/199.10	----	254.30	+ 62.60	.6051	----	----	7	----	51	- 2
4425	217.80	217.80	293.00B/217.80	293.00B/196.90A	----	251.20	+ 62.10	.6013	----	----	3	----	68	- 1
4430	----	----	289.90B/----	289.90B/196.30A	----	248.10	+ 61.50	.5974	----	----	----	----	16	UNCH
4435	204.90	204.90	286.30B/192.10A	286.30B/192.10A	----	245.00	+ 60.90	.5934	----	----	2	----	6	UNCH
4440	----	----	283.20B/----	283.20B/189.00A	----	242.00	+ 60.50	.5895	----	----	----	----	62	UNCH
4445	----	----	279.90B/----	279.90B/186.70A	----	238.90	+ 59.80	.5855	----	----	----	----	7	UNCH
4450	185.20	185.20	276.80B/185.20	276.80B/182.50A	----	235.90	+ 59.30	.5816	----	----	7	----	222	+ 2
4455	241.90	241.90	273.50B/241.90	273.50B/181.70A	----	232.90	+ 58.70	.5776	----	----	1	----	43	UNCH
4460	193.00	193.00	270.30B/188.40	270.30B/178.50A	----	230.00	+ 58.20	.5735	----	----	8	----	27	UNCH
4465	193.00	193.00	267.20B/193.00	267.20B/176.60A	----	227.00	+ 57.60	.5695	----	----	1	----	20	+ 1
4470	----	----	264.00B/----	264.00B/174.60A	----	224.10	+ 57.10	.5655	----	----	----	----	53	UNCH
4475	191.00	191.00	261.10B/191.00	261.10B/171.00A	----	221.20	+ 56.50	.5614	----	----	3	----	38	+ 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
4480	187.40	187.40	257.80B/187.40	257.80B/169.40A	----	218.40 + 56.10	.5573	----	----	22	----	119 + 6
4485	182.60	182.60	255.10B/182.60	255.10B/167.40A	----	215.50 + 55.40	.5532	----	----	2	----	23 UNCH
4490	----	----	251.70B/----	251.70B/165.00A	----	212.70 + 54.90	.5491	----	----	----	----	19 UNCH
4495	191.20	191.20	248.80B/191.20	248.80B/162.90A	----	209.90 + 54.40	.5450	----	----	1	----	16 - 1
4500	155.00	155.00	245.90B/155.00	245.90B/155.00	----	207.10 + 53.80	.5409	----	----	231	50	1350 - 117
4505	185.40	185.40	242.70B/169.80	242.70B/158.50A	----	204.30 + 53.20	.5367	----	----	8	----	29 + 3
4510	----	----	240.80B/----	240.80B/155.70A	----	201.60 + 52.70	.5326	----	----	----	----	46 UNCH
4515	177.50	177.50	237.90B/177.50	237.90B/153.20A	----	198.90 + 52.10	.5284	----	----	11	----	19 + 8
4520	----	----	234.90B/----	234.90B/150.30A	----	196.20 + 51.50	.5242	----	----	4	----	20 UNCH
4525	157.00	157.00	232.00B/148.50A	232.00B/148.50A	----	193.50 + 50.90	.5201	----	----	8	----	28 UNCH
4530	----	----	229.10B/----	229.10B/146.50A	----	190.90 + 50.40	.5159	----	----	----	----	47 UNCH
4535	155.80	155.80	226.20B/155.80	226.20B/144.20A	----	188.20 + 49.80	.5117	----	----	4	----	17 + 4
4540	----	----	223.40B/----	223.40B/142.10A	----	185.60 + 49.20	.5074	----	----	----	----	5 UNCH
4545	191.10	191.10	220.60B/188.90	220.60B/140.20A	----	183.10 + 48.70	.5032	----	----	3	----	4 + 2
4550	137.20	137.20	217.80B/137.20	217.80B/137.20	----	180.50 + 48.10	.4990	----	----	63	----	268 - 17
4555	----	----	215.00B/----	215.00B/135.50A	----	178.00 + 47.60	.4948	----	----	----	----	28 UNCH
4560	173.10	173.10	212.20B/173.10	212.20B/134.50A	----	175.50 + 47.00	.4906	----	----	2	----	31 + 1
4565	181.30	181.30	209.50B/181.30	209.50B/131.50A	----	173.00 + 46.50	.4863	----	----	6	----	47 + 6
4570	202.60	202.60	206.80B/178.50	206.80B/129.60A	----	170.60 + 46.00	.4821	----	----	8	----	199 + 7
4575	176.50	176.50	204.10B/176.50	204.10B/128.50A	----	168.10 + 45.30	.4778	----	----	1	----	70 UNCH
4580	----	----	201.40B/----	201.40B/126.70A	----	165.70 + 44.80	.4736	----	----	----	----	4 UNCH
4585	131.40	131.40	198.80B/131.40	198.80B/124.20A	----	163.30 + 44.20	.4693	----	----	32	----	79 + 16
4590	----	----	196.10B/----	196.10B/122.70A	----	161.00 + 43.70	.4651	----	----	----	----	125 UNCH
4595	----	----	193.50B/----	193.50B/120.60A	----	158.60 + 43.10	.4608	----	----	----	----	21 UNCH
4600	116.30	116.30	191.50/116.30	191.50/116.30	----	156.30 + 42.60	.4566	----	----	547	74	2938 - 42
4605	124.00	124.00	188.40B/124.00	188.40B/117.10A	----	154.00 + 42.00	.4523	----	----	26	----	302 + 1
4610	----	----	185.90B/----	185.90B/115.40A	----	151.80 + 41.50	.4481	----	----	----	----	80 UNCH
4615	----	----	183.40B/----	183.40B/113.50A	----	149.50 + 40.90	.4438	----	----	----	----	16 UNCH
4620	----	----	180.90B/----	180.90B/112.00A	----	147.30 + 40.40	.4396	----	----	4	----	20 - 1
4625	----	----	178.40B/----	178.40B/111.10A	----	145.10 + 39.80	.4354	----	----	2	----	28 UNCH
4630	141.50	141.50	176.00B/141.50	176.00B/108.40A	----	143.00 + 39.40	.4312	----	----	2	----	38 + 1
4635	----	----	173.60B/----	173.60B/107.00A	----	140.80 + 38.80	.4269	----	----	----	----	230 UNCH
4640	----	----	171.40B/----	171.40B/105.90A	----	138.70 + 38.30	.4227	----	----	----	----	29 UNCH
4645	----	----	168.90B/----	168.90B/104.30A	----	136.60 + 37.70	.4185	----	----	----	----	6 UNCH
4650	104.80	104.80	166.70B/104.80	166.70B/102.60A	----	134.50 + 37.20	.4143	----	----	33	----	492 + 6
4655	----	----	164.30B/----	164.30B/100.50A	----	132.50 + 36.70	.4101	----	----	----	----	31 UNCH
4660	150.10	150.10	161.90B/150.10	161.90B/99.00A	----	130.50 + 36.20	.4060	----	----	5	----	121 UNCH
4665	148.00	148.00	159.70B/148.00	159.70B/97.50A	----	128.50 + 35.70	.4018	----	----	4	----	21 UNCH
4670	145.80	145.80	157.30B/125.20	157.30B/96.10A	----	126.50 + 35.10	.3976	----	----	2	----	39 - 2
4675	----	----	155.10B/----	155.10B/94.70A	----	124.50 + 34.60	.3934	----	----	2	----	84 UNCH
4680	143.80	143.80	152.90B/141.20	152.90B/93.10A	----	122.60 + 34.10	.3893	----	----	10	----	162 + 7
4685	----	----	150.80B/----	150.80B/91.70A	----	120.70 + 33.60	.3852	----	----	----	----	150 UNCH
4690	----	----	148.80B/----	148.80B/90.30A	----	118.80 + 33.10	.3811	----	----	----	----	42 UNCH
4695	89.10	89.10	146.60B/85.70	146.60B/85.70	----	117.00 + 32.70	.3770	----	----	75	----	50 + 22
4700	93.50	93.50	144.70B/87.70A	144.70B/87.70A	----	115.10 + 32.10	.3729	----	----	219	50	2343 - 52
4705	95.10	95.10	142.60B/95.10	142.60B/86.20A	----	113.30 + 31.60	.3688	----	----	72	----	300 - 7
4710	120.80	120.80	140.40B/120.80	140.40B/85.00A	----	111.50 + 31.10	.3647	----	----	12	----	195 + 9
4715	----	----	138.40B/----	138.40B/84.10A	----	109.80 + 30.70	.3608	----	----	----	----	50 UNCH
4720	----	----	136.30B/----	136.30B/82.70A	----	108.00 + 30.20	.3567	----	----	----	----	101 UNCH
4725	79.90	79.90	134.30B/79.90	134.30B/79.90	----	106.30 + 29.70	.3527	----	----	68	----	140 + 19
4730	----	----	132.50B/----	132.50B/80.30A	----	104.60 + 29.20	.3487	----	----	----	----	43 UNCH
4735	----	----	130.30B/----	130.30B/78.80A	----	102.90 + 28.70	.3447	----	----	19	----	31 + 16
4740	----	----	128.60B/----	128.60B/77.60A	----	101.30 + 28.30	.3408	----	----	----	----	136 UNCH
4745	----	----	126.70B/----	126.70B/76.40A	----	99.70 + 27.90	.3369	----	----	----	----	4 UNCH
4750	80.00	80.00	124.70B/77.00	124.70B/75.50A	----	98.00 + 27.40	.3329	----	----	648	50	1367 + 466
4755	----	----	122.80B/----	122.80B/74.50A	----	96.50 + 27.00	.3291	----	----	----	----	24 UNCH
4760	84.80	84.80	121.10B/84.80	121.10B/72.80A	----	94.90 + 26.50	.3252	----	----	2	----	68 + 1
4765	119.10	119.10	119.20B/96.10	119.20B/71.60A	----	93.30 + 26.00	.3213	----	----	5	----	9 UNCH
4770	106.40	106.40	117.20B/106.40	117.20B/70.50A	----	91.80 + 25.60	.3175	----	----	4	----	73 + 2
4775	----	----	115.50B/----	115.50B/69.50A	----	90.30 + 25.20	.3138	----	----	----	----	189 UNCH
4780	----	----	113.80B/----	113.80B/68.40A	----	88.80 + 24.70	.3100	----	----	8	----	34 + 8
4785	69.70	69.70	112.00B/69.70	112.00B/67.20A	----	87.40 + 24.40	.3063	----	----	1	----	9 + 1
4790	----	----	110.50B/----	110.50B/66.30A	----	86.00 + 24.00	.3026	----	----	----	----	28 UNCH
4795	----	----	108.50B/----	108.50B/65.40A	----	84.50 + 23.50	.2988	----	----	----	----	13 UNCH
4800	65.70	65.70	107.50B/65.50	107.50B/64.30A	----	83.10 + 23.10	.2951	----	----	572	----	1471 - 112
4805	----	----	105.40B/----	105.40B/63.30A	----	81.80 + 22.70	.2916	----	----	----	----	15 UNCH
4810	64.50	64.50	104.00B/64.50	104.00B/62.30A	----	80.40 + 22.30	.2879	----	----	24	----	531 UNCH
4815	----	----	102.10B/----	102.10B/61.40A	----	79.10 + 21.90	.2844	----	----	----	----	5 UNCH
4820	----	----	100.50B/----	100.50B/60.30A	----	77.80 + 21.50	.2808	----	----	1	----	195 + 1
4825	----	----	99.20B/----	99.20B/59.60A	----	76.50 + 21.20	.2773	----	----	----	----	113 UNCH
4830	----	----	97.50B/----	97.50B/58.50A	----	75.20 + 20.70	.2737	----	----	----	----	40 UNCH
4835	----	----	96.20B/----	96.20B/57.60A	----	73.90 + 20.30	.2702	----	----	1	----	5 + 1
4840	75.80	75.80	94.70B/75.80	94.70B/56.70A	----	72.70 + 20.00	.2668	----	----	5	----	22 + 5
4845	----	----	93.10B/----	93.10B/55.90A	----	71.50 + 19.60	.2634	----	----	1	----	18 UNCH
4850	60.90	60.90	91.80B/55.00	91.80B/55.00	----	70.30 + 19.30	.2600	----	----	133	100	587 + 116
4855	----	----	90.20B/----	90.20B/54.30A	----	69.10 + 18.90	.2566	----	----	----	----	15 UNCH
4860	----	----	88.80B/----	88.80B/53.30A	----	67.90 + 18.50	.2532	----	----	----	----	19 UNCH
4865	57.60	57.60	87.60B/57.60	87.60B/52.50A	----	66.80 + 18.20	.2500	----	----	33	----	60 - 18
4870	----	----	86.10B/----	86.10B/51.90A	----	65.60 + 17.80	.2466	----	----	25	----	27 + 14
4875	50.70	50.70	84.90B/50.70	84.90B/50.70	----	64.50 + 17.40	.2433	----	----	11	----	184 + 3
4880	----	----	83.50B/----	83.50B/50.30A	----	63.40 + 17.10	.2401	----	----	----	----	49 UNCH
4885	61.00	61.00	82.20B/61.00	82.20B/49.40A	----	62.40 + 16.80	.2370	----	----	53	----	59 + 33
4890	----	----	80.90B/----	80.90B/48.80A	----	61.30 + 16.50	.2338	----	----	1	----	17 + 1
4895	49.70	49.70	79.70B/49.70	79.70B/48.00A	----	60.30 + 16.20	.2307	----	----	37	----	72 + 33
4900	50.20	50.20	78.80B/47.20A	78.80B/47.20A	----	59.30 + 15.90	.2277	----	----	219	400	1781 + 30
4905	----	----	77.20B/----	77.20B/46.50A	----	58.20 + 15.50	.2244	----	----	1	----	37 UNCH
4910	50.70	50.70	76.00/50.70	76.00/45.80A	----	57.30 + 15.30	.2216	----	----	55	----	114 + 47
4915	49.80	49.80	74.80B/49.80	74.80B/45.10A	----	56.30 + 14.90	.2185	----	----	36	----	73 + 36
4920	----	----	73.70B/----	73.70B/44.40A	----	55.30 + 14.60	.2155	----	----	1	----	137 - 1
4925	----	----	72.50B/----	72.50B/43.40A	----	54.40 + 14.30	.2126	----	----	2	----	358 + 2
4930	----	----	71.40B/----	71.40B/42.90A	----	53.50 + 14.10	.2097	----	----	----	----	196 UNCH
4935	----	----	70.30B/----	70.30B/42.20A	----	52.50 + 13.70	.2067	----	----	----	----	49 UNCH
4940	49.70	49.70	69.20B/49.70	69.20B/41.50A	----	51.70 + 13.50	.2040	----	----	2	----	26 - 1
4945	----	----	68.20B/----	68.20B/41.00A	----	50.80 + 13.20	.2012	----	----	----	----	32 UNCH
4950	42.70	42.70	67.30B/40.30A	67.30B/40.30A	----	49.90 + 12.90	.1983	----	----	34	----	688 + 13
4955	----	----	66.10B/----	66.10B/39.40A	----	49.10 + 12.70	.1957	----	----	----	----	8 UNCH
4960	55.70	55.70	65.10B/55.70	65.10B/38.90A	----	48.20 + 12.40	.1928	----	----	5	----	31 + 1
4965	----	----	64.20B/----	64.20B/38.50A	----	47.40 + 12.10	.1902	----	----	----	----	38 UNCH
4970	----	----	63.30B/----	63.30B/37.70A	----	46.60 + 11.90	.1875	----	----	----	----	4 UNCH
4975	----	----	62.40B/----	62.40B/37.30A	----	45.80 + 11.60	.1849	----	----	2	----	212 UNCH
4980	----	----	61.50B/----	61.50B/36.80A	----	45.00 + 11.30	.1822	----	----	----	----	224 UNCH
4985	----	----	60.60B/----	60.60B/36.20A	----	44.30 + 11.20	.1798	----	----	1	----	150 + 1
4990	----	----	59.80B/----	59.80B/35.60A	----	43.50 + 10.90	.1772	----	----	----	----	41 UNCH
4995	----	----	58.90B/----	58.90B/35.00A	----	42.80 + 10.70	.1748	----	----	----	----	15 UNCH
5000	36.50	36.50	58.10B/34.40A	58.10B/34.40A	----	42.00 + 10.40	.1721	----	----	651	24	3974 + 82
5005	----	----	57.30B/----	57.30B/34.00A	----	41.30 + 10.20	.1697	----	----	1	----	18 + 1
5010	----	----	56.50B/----	56.50B/33.40A	----	40.60 + 9.90	.1673	----	----	----	----	102 UNCH
5015	42.90	42.90	55.70B/42.90	55.70B/32.80A	----	39.90 + 9.70	.1649	----	----	2	----	41 + 1
5020	----	----	54.90B/----	54.90B/32.40A	----	39.30 + 9.60	.1627	----	----	----	----	38 UNCH
5025	----	----	54.10B/----	54.10B/31.90A	----	38.60 + 9.30	.1603	----	----	27	----	211 - 2
5030	33.20	33.20	53.30B/31.40A	53.30B/31.40A	----	37.90 + 9.10	.1579	----	----	2	----	150 + 2
5035	----	----	52.60B/----	52.60B/30.90A	----	37.30 + 8.90	.1558	----	----	1	----	16 UNCH
5040	----	----	51.90B/----	51.90B/30.40A	----	36.70 + 8.70	.1536	----	----	----	----	137 UNCH
5045	----	----	51.20B/----	51.20B/29.90A	----	36.10 + 8.50	.1514	----	----	1	----	21 UNCH
5050	30.00	30.00	50.40B/30.00	50.40B/29.50A	----	35.50 + 8.40	.1493	----	----	74	----	982 + 41
5055	----	----	49.70B/----	49.70B/29.00A	----	34.90 + 8.20	.1471	----	----	1	----	107 UNCH
5060	----	----	49.10B/----	49.10B/28.60A	----	34.30 + 8.00	.1450	----	----	2	----	91 + 2
5065	----	----	48.40B/----	48.40B/28.10A	----	33.70 + 7.70	.1429	----	----	1	----	10 + 1
5070	----	----	47.70B/----	47.70B/27.70A	----	33.20 + 7.60	.1410	----	----	----	----	45 UNCH
5075	----	----	47.10B/----	47.10B/27.20A	----	32.60 + 7.40	.1388	----	----	----	----	51 UNCH
5080	----	----	46.50B/----	46.50B/27.00A	----	32.10 + 7.30	.1369	----	----	----	----	121 UNCH
5085	----	----	45.80B/----	45.80B/26.40A	----	31.60 + 7.20	.1350	----	----	----	----	300 UNCH
5090	29.00	29.00	45.20B/29.00	45.20B/26.00A	----	31.00 + 6.90	.1329	----	----	2	----	210 - 1
5095	33.80	33.80	44.70/33.80	44.70/25.60A	----	30.50 + 6.80	.1310	----	----	3	----	17 + 3
5100	26.90	26.90	44.00B/25.20	44.00B/25.20	----	30.00 + 6.60	.1292	----	----	309	----	1813 - 7
5105	----	----	43.40B/----	43.40B/25.00A	----	29.60 + 6.60	.1275	----	----	----	----	9 UNCH
5110	38.10	38.10	42.80B/38.10	42.80B/24.50A	----	29.10 + 6.40	.1257	----	----	6	----	413 + 5
5115	----	----	42.20B/----	42.20B/24.10A	----	28.60 + 6.20	.1238	----	----	----	----	18 UNCH
5120	37.00	37.00	41.70B/37.00	41.70B/23.90A	----	28.20 + 6.10	.1222	----	----	7	----	19 + 6
5125	----	----	41.10B/----	41.10B/23.40A	----	27.70 + 6.00	.1203	----	----	1	----	373 - 1
5130	----	----	40.60B/----	40.60B/23.10A	----	27.30 + 5.90	.1188	----	----	----	----	87 UNCH
5135	----	----	40.00B/----	40.00B/22.70A	----	26.80 + 5.70	.1169	----	----	----	----	100 UNCH
5140	----	----	39.50B/----	39.50B/22.50A	----	26.40 + 5.60	.1153	----	----	----	----	113 UNCH
5145	----	----	39.00B/----	39.00B/22.20A	----	26.00 + 5.50	.1137	----	----	----	----	38 UNCH
5150	23.10	23.10	38.50B/21.70A	38.50B/21.70A	----	25.60 + 5.40	.1122	----	----	71	----	662 + 31
5155	----	----	38.00B/----	38.00B/21.40A	----	25.20 + 5.30	.1106	----	----	----	----	70 UNCH
5160	----	----	37.50B/----	37.50B/21.10A	----	24.80 + 5.10	.1090	----	----	----	----	103 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL COMEX GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5165	----	----	37.00B/----	37.00B/20.80A	----	24.50 + 5.10	.1077	----	----	----	----	47 UNCH
5170	26.10	26.10	36.50B/26.10	36.50B/20.60A	----	24.10 + 5.00	.1062	----	----	7	----	177 + 4
5175	21.40	21.40	36.10B/21.40	36.10B/20.20A	----	23.70 + 4.90	.1046	----	----	10	----	234 + 8
5180	31.50	31.50	35.60B/31.50	35.60B/19.90A	----	23.40 + 4.80	.1033	----	----	3	----	25 + 3
5185	24.40	24.40	35.20B/24.40	35.20B/19.70A	----	23.00 + 4.70	.1018	----	----	8	----	16 + 7
5190	33.90	33.90	34.70B/33.90	34.70B/19.40A	----	22.70 + 4.60	.1005	----	----	2	----	346 UNCH
5195	----	----	34.30B/----	34.30B/19.20A	----	22.30 + 4.50	.0990	----	----	----	----	19 UNCH
5200	20.50	20.50	34.10B/18.50	34.10B/18.50	----	22.00 + 4.40	.0977	----	----	1361	----	2950 + 509
5205	----	----	33.40B/----	33.40B/18.60A	----	21.70 + 4.40	.0965	----	----	----	----	19 UNCH
5210	20.20	20.20	33.00B/20.20	33.00B/18.30A	----	21.30 + 4.20	.0949	----	----	16	----	35 + 16
5215	18.00	18.00	32.50B/18.00	32.50B/18.00	----	21.00 + 4.20	.0937	----	----	5	----	42 + 5
5220	22.50	22.50	32.10B/22.50	32.10B/17.90A	----	20.70 + 4.10	.0924	----	----	3	----	257 + 3
5225	19.50	19.50	31.80B/19.50	31.80B/17.50A	----	20.40 + 4.00	.0912	----	----	24	----	161 + 24
5230	28.10	28.10	31.30B/28.10	31.30B/17.40A	----	20.10 + 3.90	.0899	----	----	18	----	31 + 7
5235	17.30	17.30	31.00B/17.10A	31.00B/17.10A	----	19.80 + 3.90	.0887	----	----	12	----	67 - 4
5240	19.80	19.80	30.60B/19.80	30.60B/16.90A	----	19.60 + 3.90	.0878	----	----	1	----	52 + 1
5245	----	----	30.20B/----	30.20B/16.70A	----	19.30 + 3.80	.0865	----	----	----	----	51 UNCH
5250	16.50	16.50	29.80B/16.50	29.80B/16.30A	----	19.00 + 3.70	.0853	----	----	205	----	2043 - 6
5255	----	----	29.50B/----	29.50B/16.20A	----	18.70 + 3.60	.0841	----	----	----	----	7 UNCH
5260	18.40	18.40	29.10B/18.40	29.10B/16.00A	----	18.50 + 3.60	.0832	----	----	6	----	22 + 1
5265	18.50	18.50	28.80B/18.50	28.80B/15.80A	----	18.20 + 3.50	.0819	----	----	24	----	54 + 23
5270	16.70	16.70	28.40B/15.60A	28.40B/15.60A	----	17.90 + 3.40	.0807	----	----	18	----	90 + 17
5275	18.00	18.00	28.10B/18.00	28.10B/15.40A	----	17.70 + 3.40	.0798	----	----	1	----	188 UNCH
5280	17.70	17.70	27.80B/17.70	27.80B/15.10A	----	17.40 + 3.30	.0786	----	----	2	----	272 + 2
5285	17.50	17.50	27.40B/17.50	27.40B/14.90A	----	17.20 + 3.20	.0777	----	----	3	----	4 + 3
5290	17.40	17.40	27.10B/17.40	27.10B/14.60A	----	17.00 + 3.20	.0768	----	----	32	----	57 + 31
5295	18.20	18.20	26.70B/18.20	26.70B/14.30A	----	16.70 + 3.10	.0756	----	----	9	----	38 + 6
5300	15.80	15.80	26.40B/14.10	26.40B/14.10	----	16.50 + 3.10	.0747	----	----	48	----	2124 + 11
5305	21.10	21.10	26.10B/21.10	26.10B/13.90A	----	16.30 + 3.10	.0738	----	----	10	----	37 + 10
5310	----	----	25.80B/----	25.80B/13.70A	----	16.00 + 2.90	.0726	----	----	----	----	27 UNCH
5315	20.70	20.70	25.50B/20.70	25.50B/13.50A	----	15.80 + 2.90	.0717	----	----	3	----	22 + 3
5320	19.70	19.70	25.20B/19.70	25.20B/13.30A	----	15.60 + 2.90	.0708	----	----	5	----	440 + 5
5325	----	----	24.90B/----	24.90B/13.20A	----	15.40 + 2.80	.0700	----	----	----	----	104 UNCH
5330	21.70	21.70	24.60B/21.70	24.60B/13.00A	----	15.20 + 2.80	.0691	----	----	8	----	36 + 7
5335	21.10	21.10	24.30B/21.10	24.30B/12.80A	----	15.00 + 2.70	.0682	----	----	9	----	235 + 9
5340	21.10	21.10	24.10B/21.10	24.10B/12.70A	----	14.80 + 2.70	.0673	----	----	15	----	128 + 15
5345	----	----	23.80B/----	23.80B/12.60A	----	14.60 + 2.60	.0665	----	----	----	----	35 UNCH
5350	13.50	13.50	23.50B/13.50	23.50B/12.40A	----	14.40 + 2.60	.0656	----	----	23	----	745 + 12
5355	20.30	20.30	23.30B/20.30	23.30B/12.20A	----	14.20 + 2.50	.0647	----	----	16	----	25 + 16
5360	20.00	20.00	23.00B/20.00	23.00B/12.10A	----	14.00 + 2.50	.0639	----	----	5	----	120 + 4
5365	19.80	19.80	22.70B/19.80	22.70B/12.00A	----	13.80 + 2.40	.0630	----	----	13	----	14 + 13
5370	19.50	19.50	22.50B/19.50	22.50B/11.80A	----	13.60 + 2.40	.0622	----	----	6	----	117 UNCH
5375	11.90	11.90	22.20/11.70A	22.20/11.70A	----	13.40 + 2.30	.0613	----	----	11	----	437 + 7
5380	----	----	22.00B/----	22.00B/11.50A	----	13.30 + 2.30	.0608	----	----	----	----	51 UNCH
5385	18.80	18.80	21.80B/18.80	21.80B/11.40A	----	13.10 + 2.30	.0599	----	----	7	----	94 + 6
5390	----	----	21.50B/----	21.50B/11.30A	----	12.90 + 2.20	.0591	----	----	----	----	80 UNCH
5395	----	----	21.40B/----	21.40B/11.10A	----	12.70 + 2.10	.0582	----	----	----	----	31 UNCH
5400	13.20	13.20	21.10B/13.20	21.10B/11.00A	----	12.60 + 2.10	.0577	----	----	107	----	2244 + 1
5405	----	----	20.80B/----	20.80B/10.90A	----	12.40 + 2.10	.0568	----	----	----	----	30 UNCH
5410	14.60	14.60	20.70B/14.60	20.70B/10.80A	----	12.30 + 2.10	.0563	----	----	1	----	135 + 1
5415	----	----	20.50B/----	20.50B/10.80A	----	12.10 + 2.00	.0555	----	----	----	----	33 UNCH
5420	12.90	12.90	20.20B/12.90	20.20B/10.70A	----	11.90 + 1.90	.0547	----	----	33	----	137 - 1
5425	----	----	20.00B/----	20.00B/10.60A	----	11.80 + 1.90	.0541	----	----	----	----	108 UNCH
5430	----	----	19.80B/----	19.80B/10.50A	----	11.60 + 1.90	.0533	----	----	----	----	14 UNCH
5435	----	----	19.60B/----	19.60B/10.40A	----	11.50 + 1.90	.0528	----	----	----	----	4 UNCH
5440	----	----	19.40B/----	19.40B/10.30A	----	11.40 + 1.90	.0523	----	----	----	----	56 UNCH
5445	----	----	19.10B/----	19.10B/10.20A	----	11.20 + 1.80	.0515	----	----	----	----	113 UNCH
5450	10.70	10.70	19.00B/10.70	19.00B/10.10A	----	11.10 + 1.80	.0510	----	----	13	----	436 - 5
5455	10.30	10.30	18.80B/10.30	18.80B/9.90A	----	10.90 + 1.70	.0501	----	----	27	----	152 + 21
5460	----	----	18.60B/----	18.60B/9.90A	----	10.80 + 1.70	.0497	----	----	----	----	37 UNCH
5465	----	----	18.40B/----	18.40B/9.80A	----	10.70 + 1.70	.0492	----	----	----	----	40 UNCH
5470	----	----	18.10B/----	18.10B/9.70A	----	10.50 + 1.60	.0483	----	----	----	----	71 UNCH
5475	----	----	18.00B/----	18.00B/9.50A	----	10.40 + 1.60	.0479	----	----	----	----	37 UNCH
5480	----	----	17.80B/----	17.80B/9.40A	----	10.30 + 1.60	.0474	----	----	----	----	23 UNCH
5485	----	----	17.60B/----	17.60B/9.30A	----	10.20 + 1.60	.0469	----	----	----	----	40 UNCH
5490	9.00	9.00	17.40B/9.00	17.40B/9.00	----	10.00 + 1.50	.0461	----	----	2	----	34 UNCH
5495	----	----	17.20B/----	17.20B/9.10A	----	9.90 + 1.50	.0456	----	----	----	----	52 UNCH
5500	9.00	9.00	17.40/8.70	17.40/8.70	----	9.80 + 1.50	.0451	----	----	1890	----	5231 + 1138
5505	----	----	16.90B/----	16.90B/8.80A	----	9.70 + 1.50	.0446	----	----	----	----	73 UNCH
5510	----	----	16.70B/----	16.70B/8.80A	----	9.60 + 1.50	.0442	----	----	----	----	46 UNCH
5515	----	----	16.50B/----	16.50B/8.80A	----	9.40 + 1.40	.0433	----	----	----	----	12 UNCH
5520	----	----	16.40B/----	16.40B/8.70A	----	9.30 + 1.30	.0429	----	----	----	----	234 UNCH
5525	----	----	16.20B/----	16.20B/8.50A	----	9.20 + 1.30	.0424	----	----	1	----	57 + 1
5530	----	----	16.00B/----	16.00B/8.50A	----	9.10 + 1.30	.0419	----	----	----	----	55 UNCH
5535	----	----	15.90B/----	15.90B/8.40A	----	9.00 + 1.30	.0415	----	----	----	----	14 UNCH
5540	----	----	15.70B/----	15.70B/8.30A	----	8.90 + 1.30	.0410	----	----	----	----	28 UNCH
5545	----	----	15.60B/----	15.60B/8.20A	----	8.80 + 1.30	.0405	----	----	----	----	2 UNCH
5550	15.50	15.50	15.50/15.50	15.50/8.10A	----	8.70 + 1.20	.0401	----	----	2	----	830 + 1
5555	----	----	15.30B/----	15.30B/8.00A	----	8.60 + 1.20	.0396	----	----	----	----	8 UNCH
5560	----	----	15.10B/----	15.10B/8.00A	----	8.50 + 1.20	.0392	----	----	----	----	28 UNCH
5565	----	----	15.00B/----	15.00B/7.90A	----	8.40 + 1.20	.0387	----	----	----	----	34 UNCH
5570	----	----	14.80B/----	14.80B/7.70A	----	8.30 + 1.20	.0382	----	----	----	----	558 UNCH
5575	----	----	14.60B/----	14.60B/7.60A	----	8.20 + 1.10	.0378	----	----	----	----	359 UNCH
5580	----	----	14.50B/----	14.50B/7.60A	----	8.10 + 1.10	.0373	----	----	----	----	120 UNCH
5585	----	----	14.40B/----	14.40B/7.50A	----	8.00 + 1.10	.0369	----	----	----	----	20 UNCH
5590	9.40	9.40	14.20B/9.40	14.20B/7.40A	----	7.90 + 1.00	.0364	----	----	33	----	96 - 20
5595	7.00	7.00	14.10B/7.00	14.10B/7.00	----	7.80 + 1.00	.0360	----	----	1	----	11 - 1
5600	7.20	7.20	14.20/7.20	14.20/7.10A	----	7.80 + 1.10	.0359	----	----	138	----	3279 + 87
5610	----	----	13.70B/----	13.70B/7.10A	----	7.60 + 1.00	.0350	----	----	----	----	105 UNCH
5620	----	----	13.40B/----	13.40B/7.00A	----	7.40 + 0.90	.0341	----	----	----	----	137 UNCH
5625	----	----	13.30B/----	13.30B/6.90A	----	7.30 + 0.90	.0336	----	----	----	----	256 UNCH
5630	----	----	13.10B/----	13.10B/6.90A	----	7.30 + 1.00	.0335	----	----	----	----	119 UNCH
5640	----	----	12.90B/----	12.90B/6.70A	----	7.10 + 0.90	.0327	----	----	2	----	551 + 1
5650	7.10	7.10	12.70B/6.60A	12.70B/6.60A	----	6.90 + 0.80	.0318	----	----	12	----	744 + 12
5660	----	----	12.50B/----	12.50B/6.60A	----	6.80 + 0.80	.0313	----	----	----	----	265 UNCH
5670	----	----	12.20B/----	12.20B/6.40A	----	6.70 + 0.90	.0307	----	----	----	----	41 UNCH
5675	----	----	12.10B/----	12.10B/6.30A	----	6.60 + 0.80	.0303	----	----	----	----	6 UNCH
5680	----	----	12.00B/----	12.00B/6.30A	----	6.50 + 0.80	.0299	----	----	----	----	94 UNCH
5690	----	----	11.80B/----	11.80B/6.20A	----	6.40 + 0.80	.0294	----	----	----	----	180 UNCH
5700	8.10	8.10	12.10/5.90	12.10/5.90	----	6.20 + 0.70	.0285	----	----	49	----	1888 + 2
5710	----	----	11.40B/----	11.40B/5.90A	----	6.10 + 0.70	.0280	----	----	----	----	49 UNCH
5720	----	----	11.10B/----	11.10B/5.80A	----	6.00 + 0.70	.0275	----	----	----	----	35 UNCH
5725	----	----	11.00B/----	11.00B/5.80A	----	5.90 + 0.60	.0271	----	----	----	----	432 UNCH
5730	----	----	10.90B/----	10.90B/5.70A	----	5.90 + 0.70	.0270	----	----	----	----	113 UNCH
5740	----	----	10.70B/----	10.70B/5.60A	----	5.80 + 0.70	.0265	----	----	----	----	56 UNCH
5750	----	----	10.50B/----	10.50B/5.50A	----	5.60 + 0.60	.0257	----	----	33	----	336 UNCH
5760	----	----	10.40B/----	10.40B/5.40A	----	5.50 + 0.60	.0252	----	----	----	----	61 UNCH
5770	----	----	10.20B/----	10.20B/5.40A	----	5.40 + 0.50	.0247	----	----	----	----	16 UNCH
5775	----	----	10.10B/----	10.10B/5.30A	----	5.40 + 0.60	.0246	----	----	9	----	69 + 9
5780	----	----	10.10B/----	10.10B/5.30A	----	5.30 + 0.50	.0242	----	----	----	----	22 UNCH
5790	----	----	9.90B/----	9.90B/5.20A	----	5.20 + 0.50	.0237	----	----	----	----	41 UNCH
5800	7.30	7.30	9.70B/6.90	9.70B/5.10A	----	5.10 + 0.50	.0233	----	----	11	----	827 + 9
5810	----	----	9.50B/----	9.50B/5.00A	----	5.00 + 0.50	.0228	----	----	----	----	36 UNCH
5820	----	----	9.40B/----	9.40B/5.00A	----	5.00 + 0.60	.0227	----	----	----	----	47 UNCH
5825	----	----	9.30B/----	9.30B/5.00A	----	4.90 + 0.50	.0223	----	----	----	----	114 UNCH
5830	----	----	9.20B/----	9.20B/4.90A	----	4.90 + 0.50	.0222	----	----	----	----	52 UNCH
5840	----	----	9.10B/----	9.10B/4.80A	----	4.80 + 0.50	.0218	----	----	----	----	86 UNCH
5850	----	----	8.90B/----	8.90B/4.70A	----	4.70 + 0.50	.0213	----	----	1	----	329 UNCH
5860	8.60	8.60	8.80B/8.60	8.80B/4.70A	----	4.60 + 0.40	.0208	----	----	3	----	68 UNCH
5870	----	----	8.60B/----	8.60B/4.60A	----	4.60 + 0.50	.0207	----	----	----	----	17 UNCH
5875	----	----	8.60B/----	8.60B/4.60A	----	4.50 + 0.40	.0203	----	----	2	----	31 UNCH
5880	4.50	4.50	8.50B/4.20	8.50B/4.20	----	4.50 + 0.50	.0203	----	----	5	----	25 - 2
5890	----	----	8.40B/----	8.40B/4.50A	----	4.40 + 0.40	.0198	----	----	----	----	23 UNCH
5900	6.60	6.60	8.30B/6.60	8.30B/4.40A	----	4.40 + 0.50	.0197	----	----	1	----	858 UNCH
5910	----	----	8.10B/----	8.10B/4.30A	----	4.30 + 0.50	.0193	----	----	----	----	61 UNCH
5920	----	----	8.00B/----	8.00B/4.30A	----	4.20 + 0.40	.0189	----	----	----	----	64 UNCH
5930	----	----	7.90B/----	7.90B/4.20A	----	4.20 + 0.50	.0188	----	----	----	----	133 UNCH
5940	----	----	7.80B/----	7.80B/4.10A	----	4.10 + 0.40	.0183	----	----	----	----	50 UNCH
5950	5.60	5.60	7.70B/5.60	7.70B/4.00A	----	4.00 + 0.40	.0179	----	----	1	----	431 UNCH
5960	----	----	7.50B/----	7.50B/4.00A	----	4.00 + 0.40	.0178	----	----	----	----	45 UNCH
5970	7.30	7.30	7.40B/7.30	7.40B/3.90A	----	3.90 + 0.40	.0174	----	----	2	----	35 UNCH
5980	----	----	7.30B/----	7.30B/3.90A	----	3.90 + 0.40	.0173	----	----	----	----	118 UNCH
5990	6.00	6.00	7.20B/6.00	7.20B/3.90A	----	3.80 + 0.40	.0169	----	----	1	----	56 UNCH
6000	3.70	3.70	7.20/3.70	7.20/3.70	----	3.80 + 0.40	.0168	----	----	107	----	2993 + 52
6025	----	----	6.90B/----	6.90B/3.60A	----	3.60 + 0.30	.0159	----	----	----	----	94 UNCH
6050	----	----	6.60B/----	6.60B/3.50A	----	3.50 + 0.30	.0154	----	----	1	----	106 UNCH
6075	3.30	3.30	6.40B/3.30	6.40B/3.30	----	3.40 + 0.30	.0149	----	----	1	----	23 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
6100	3.30	3.30	6.20B/3.30	6.20B/3.30	----	3.20 + 0.20	.0140	----	----	51	----	601 - 6
6125	5.80	5.80	5.90B/5.80	5.90B/3.20A	----	3.10 + 0.20	.0135	----	----	1	----	48 - 1
6150	----	----	5.70B/----	5.70B/3.00A	----	3.00 + 0.20	.0130	----	----	----	----	134 UNCH
6175	----	----	5.50B/----	5.50B/3.00A	----	2.90 + 0.20	.0126	----	----	----	----	131 UNCH
6200	3.20	3.20	5.60/3.20	5.60/2.80A	----	2.80 + 0.20	.0121	----	----	106	----	449 + 80
6225	----	----	5.10B/----	5.10B/2.80A	----	2.70 + 0.20	.0116	----	----	----	----	138 UNCH
6250	----	----	5.10B/----	5.10B/2.70A	----	2.60 + 0.10	.0112	----	----	1	----	261 UNCH
6275	----	----	4.80B/----	4.80B/2.60A	----	2.60 + 0.20	.0111	----	----	----	----	32 UNCH
6300	----	----	4.70B/----	4.70B/2.50A	----	2.50 + 0.20	.0106	----	----	----	----	254 UNCH
6325	3.20	3.20	4.50B/3.20	4.50B/2.50A	----	2.40 + 0.10	.0102	----	----	1	----	148 - 1
6350	----	----	4.30B/----	4.30B/2.30A	----	2.30 + 0.10	.0097	----	----	----	----	205 UNCH
6375	----	----	4.20B/----	4.20B/2.40A	----	2.30 + 0.20	.0096	----	----	----	----	9 UNCH
6400	----	----	4.10B/----	4.10B/2.20A	----	2.20 + 0.10	.0092	----	----	----	----	345 UNCH
6425	----	----	3.90B/----	3.90B/2.20A	----	2.10 + 0.10	.0088	----	----	----	----	42 UNCH
6450	----	----	3.80B/----	3.80B/2.10A	----	2.10 + 0.20	.0087	----	----	----	----	76 UNCH
6475	----	----	3.60B/----	3.60B/2.00A	----	2.00 + 0.10	.0083	----	----	----	----	69 UNCH
6500	2.00	2.00	3.80/2.00	3.80/2.00	----	1.90 + 0.10	.0079	----	----	22	----	1038 - 1
6525	----	----	3.40B/----	3.40B/1.90A	----	1.90 + 0.10	.0078	----	----	----	----	20 UNCH
6550	----	----	3.30B/----	3.30B/2.00A	----	1.80 + 0.10	.0074	----	----	----	----	75 UNCH
6575	----	----	3.30B/----	3.30B/1.90A	----	1.80 + 0.10	.0074	----	----	----	----	10 UNCH
6600	----	----	3.10B/----	3.10B/1.90A	----	1.70 + 0.10	.0070	----	----	----	----	74 UNCH
6625	----	----	3.00B/----	3.00B/1.70A	----	1.70 + 0.10	.0069	----	----	----	----	38 UNCH
6650	----	----	2.90B/----	2.90B/1.80A	----	1.70 + 0.20	.0069	----	----	----	----	57 UNCH
6675	----	----	2.80B/----	2.80B/1.70A	----	1.60 + 0.10	.0065	----	----	----	----	21 UNCH
6700	2.40	2.40	2.80B/2.40	2.80B/1.70A	----	1.60 + 0.10	.0064	----	----	8	----	375 + 8
6725	----	----	2.70B/----	2.70B/1.70A	----	1.50 + 0.10	.0060	----	----	----	----	101 UNCH
6750	----	----	2.60B/----	2.60B/1.50A	----	1.50 + 0.10	.0060	----	----	----	----	64 UNCH
6775	----	----	2.50B/----	2.50B/1.50A	----	1.50 + 0.10	.0059	----	----	----	----	8 UNCH
6800	----	----	2.40B/----	2.40B/1.60A	----	1.40 + 0.10	.0056	----	----	----	----	466 UNCH
6825	----	----	2.30B/----	2.30B/1.50A	----	1.40 + 0.10	.0055	----	----	----	----	8 UNCH
6850	----	----	2.30B/----	2.30B/1.50A	----	1.40 + 0.10	.0055	----	----	----	----	32 UNCH
6875	----	----	2.20B/----	2.20B/1.50A	----	1.40 + 0.20	.0054	----	----	----	----	13 UNCH
6900	1.00	1.00	2.10B/1.00	2.10B/1.00	----	1.30 + 0.10	.0051	----	----	1	----	553 UNCH
6925	----	----	2.10B/----	2.10B/*1.40A	----	1.30 + 0.10	.0050	----	----	----	----	1 UNCH
6950	----	----	2.00B/----	2.00B/1.40A	----	1.30 + 0.10	.0050	----	----	----	----	33 UNCH
6975	----	----	1.90B/----	1.90B/*1.40A	----	1.20 + 0.10	.0047	----	----	----	----	7 UNCH
7000	----	----	2.20B/----	2.20B/1.40A	----	1.20 + 0.10	.0046	----	----	11	----	816 + 9
7025	----	----	1.90B/----	1.90B/*1.30A	----	1.20 + 0.10	.0046	----	----	----	----	402 UNCH
7050	----	----	1.70B/----	1.70B/*1.30A	----	1.20 + 0.10	.0046	----	----	----	----	33 UNCH
7075	----	----	1.70B/----	1.70B/*1.30A	----	1.20 + 0.20	.0045	----	----	4	----	86 + 4
7100	----	----	1.60B/----	1.60B/1.30A	----	1.10 + 0.10	.0042	----	----	----	----	100 UNCH
7125	----	----	1.60B/----	1.60B/*1.20A	----	1.10 + 0.10	.0042	----	----	----	----	14 UNCH
7150	----	----	1.50B/----	1.50B/*1.20A	----	1.10 + 0.10	.0041	----	----	----	----	19 UNCH
7175	----	----	1.50B/----	1.50B/*1.20A	----	1.10 + 0.10	.0041	----	----	----	----	37 UNCH
7200	----	----	1.50B/----	1.50B/1.20A	----	1.10 + 0.20	.0041	----	----	----	----	97 UNCH
7225	1.60	1.60	1.60/1.60	1.60/*1.20A	----	1.10 + 0.20	.0041	----	----	1	----	6 + 1
7250	----	----	1.30B/----	1.30B/*1.10A	----	1.00 + 0.10	.0037	----	----	----	----	40 UNCH
7275	1.40	1.40	1.40/1.40	1.40/*1.10A	----	1.00 + 0.10	.0037	----	----	9	----	15 + 9
7300	----	----	1.20B/----	1.20B/1.10A	----	1.00 + 0.10	.0037	----	----	----	----	10 UNCH
7325	----	----	1.40B/----	1.40B/*1.10A	----	1.00 + 0.10	.0036	----	----	----	----	1 UNCH
7350	----	----	1.20B/----	1.20B/*1.10A	----	1.00 + 0.20	.0036	----	----	----	----	1 UNCH
7375	----	----	1.10B/----	1.10B/*1.10A	----	1.00 + 0.20	.0036	----	----	----	----	10 UNCH
7400	----	----	1.20B/----	1.20B/1.10A	----	1.00 + 0.20	.0036	----	----	----	----	16 UNCH
7450	----	----	1.20B/----	1.20B/*1.00A	----	0.90 + 0.10	.0032	----	----	----	----	20 UNCH
7475	----	----	1.10B/----	1.10B/*1.00A	----	0.90 + 0.10	.0032	----	----	----	----	11 UNCH
7500	1.00	1.00	1.00/1.00	1.00/1.00	----	0.90 + 0.10	.0032	----	----	2	----	348 + 2
7525	----	----	1.00B/----	1.00B/*1.00A	----	0.90 + 0.10	.0032	----	----	----	----	42 UNCH
7575	----	----	0.90B/----	0.90B/*0.90A	----	0.90 + 0.20	.0032	----	----	----	----	6 UNCH
7600	----	----	0.90B/----	0.90B/*0.90A	----	0.80 + 0.10	.0028	----	----	----	----	89 UNCH
7625	----	----	0.90B/----	0.90B/*0.90A	----	0.80 + 0.10	.0028	----	----	----	----	2 UNCH
7650	----	----	0.80B/----	0.80B/*0.90A	----	0.80 + 0.10	.0028	----	----	----	----	2 UNCH
7675	----	----	0.80B/----	0.80B/*0.90A	----	0.80 + 0.10	.0028	----	----	----	----	36 UNCH
7700	----	----	0.80B/----	0.80B/*0.90A	----	0.80 + 0.10	.0028	----	----	----	----	77 UNCH
7725	----	----	0.80B/----	0.80B/0.90A	----	0.80 + 0.10	.0028	----	----	----	----	1 UNCH
7750	----	----	0.70B/----	0.70B/*0.80A	----	0.70 + 0.10	.0024	----	----	----	----	20 UNCH
7775	----	----	0.70B/----	0.70B/0.90A	----	0.70 + 0.10	.0024	----	----	----	----	5 UNCH
7800	----	----	0.70B/----	0.70B/0.90A	----	0.70 + 0.10	.0024	----	----	----	----	23 UNCH
7825	----	----	0.70B/----	0.70B/0.90A	----	0.70 + 0.10	.0024	----	----	----	----	6 UNCH
7850	----	----	----	0.60B/0.90A	----	0.70 + 0.10	.0024	----	----	----	----	6 UNCH
7875	----	----	----	0.60B/1.00A	----	0.70 + 0.10	.0024	----	----	----	----	5 UNCH
7900	----	----	----	0.60B/1.00A	----	0.70 + 0.10	.0024	----	----	----	----	5 UNCH
7950	----	----	----/*0.40A	0.50B/*0.40A	----	0.60 UNCH	.0020	----	----	----	----	39 UNCH
7975	----	----	----/*0.40A	0.50B/*0.40A	----	0.60 UNCH	.0020	----	----	----	----	5 UNCH
8000	0.50	0.50	0.50/0.40A	0.50/0.40A	----	0.60 + 0.10	.0020	----	----	1	----	997 UNCH
8100	----	----	----/*0.40A	0.40B/*0.40A	----	0.60 + 0.10	.0020	----	----	----	----	54 UNCH
8200	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.50 UNCH	.0017	----	----	1	----	980 + 1
8300	0.40	0.40	0.50/*0.40	0.50/*0.40	----	0.50 + 0.10	.0016	----	----	26	----	27 + 26
8400	----	----	----	0.40B/*0.40A	----	0.50 + 0.10	.0016	----	----	----	----	1 UNCH
8500	----	----	----	0.30B/0.70A	----	0.40 UNCH	.0013	----	----	----	----	59 UNCH
8600	----	----	----	0.30B/0.70A	----	0.40 UNCH	.0013	----	----	----	----	1 UNCH
8700	----	----	----	0.30B/0.70A	----	0.40 UNCH	.0013	----	----	----	----	13 UNCH
8800	----	----	----	0.30B/0.60A	----	0.40 + 0.10	.0012	----	----	----	----	1 UNCH
8900	----	----	----	0.20B/0.60A	----	0.30 UNCH	.0009	----	----	----	----	14 UNCH
9000	----	----	0.40B/----	0.40B/*0.40A	----	0.30 UNCH	.0009	----	----	----	----	311 UNCH
9100	----	----	----	0.20B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	2 UNCH
9300	----	----	----	0.20B/*0.40A	----	0.30 UNCH	.0009	----	----	----	----	3 UNCH
9400	----	----	----	0.20B/*0.40A	----	0.30 + 0.10	.0009	----	----	----	----	1 UNCH
9500	----	----	----	0.10B/*0.40A	----	0.20 UNCH	.0006	----	----	----	----	53 UNCH
9600	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	7 UNCH
9800	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	5 UNCH
9900	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	31 UNCH
10000	0.30	0.30	0.30/0.30	0.30/0.30	----	0.20 UNCH	.0006	----	----	1	----	606 UNCH
15000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0002	----	----	1	----	128 UNCH
TOTAL										9337	748	90045 + 2969
JUN26												
1995	----	----	2,539.20B/----	2539.20B/2535.50A	----	2529.30 + 15.30	.9996	----	----	200	----	0 UNCH
2000	----	----	2,571.90B/----	2571.90B/2447.40A	----	2524.30 + 15.30	.9996	----	----	689	----	412 UNCH
2005	----	----	2,529.20B/----	2529.20B/2525.40A	----	2519.30 + 15.30	.9996	----	----	200	----	0 UNCH
2100	----	----	----	----	----	2424.30 + 15.30	.9989	----	----	----	----	0 UNCH
2800	1724.60	1724.60	1,777.10B/1,724	1777.10B/1638.00A	----	1725.50 + 15.00	.9876	----	----	66	----	566 + 66
3000	1463.30	1463.30	1,583.40B/1,463	1583.40B/1432.10A	----	1528.10 + 14.40	.9793	----	----	21	----	538 - 21
3100	----	----	1,486.90B/----	1486.90B/1334.80A	----	1430.20 + 13.90	.9735	----	----	----	----	8 UNCH
3200	----	----	1,389.40B/----	1389.40B/1238.60A	----	1333.00 + 13.30	.9663	----	----	----	----	17 UNCH
3300	----	----	1,292.70B/----	1292.70B/1143.20A	----	1236.60 + 12.40	.9572	----	----	----	----	4 UNCH
3400	1173.60	1173.60	1,196.90B/1,173	1196.90B/1049.10A	----	1141.20 + 11.30	.9462	----	----	1	----	892 + 1
3500	----	----	1,102.20B/----	1102.20B/956.20A	----	1047.10 + 09.90	.9323	----	----	----	----	57 UNCH
3525	----	----	1,078.80B/----	1078.80B/933.60A	----	1023.70 + 09.40	.9284	----	----	----	----	1 UNCH
3550	----	----	1,055.40B/----	1055.40B/911.10A	----	1000.50 + 09.00	.9243	----	----	----	----	1 UNCH
3580	----	----	1,027.50B/----	1027.50B/883.80A	----	972.80 + 08.40	.9191	----	----	----	----	18 UNCH
3585	----	----	1,022.90B/----	1022.90B/879.30A	----	968.10 + 08.20	.9183	----	----	----	----	100 UNCH
3600	----	----	1,008.90B/----	1008.90B/865.60A	----	954.30 + 07.90	.9155	----	----	----	----	214 UNCH
3635	----	----	976.70B/----	976.70B/834.70A	----	922.30 + 07.20	.9087	----	----	----	----	60 UNCH
3650	----	----	962.90B/----	962.90B/821.20A	----	908.70 + 06.90	.9056	----	----	----	----	143 UNCH
3665	----	----	949.20B/----	949.20B/808.20A	----	895.10 + 06.50	.9026	----	----	----	----	3 UNCH
3700	----	----	917.40B/----	917.40B/777.40A	----	863.50 + 05.60	.8949	----	----	----	----	395 UNCH
3715	----	----	903.80B/----	903.80B/764.40A	----	850.00 + 05.10	.8914	----	----	----	----	25 UNCH
3725	----	----	894.80B/----	894.80B/756.00A	----	841.10 + 04.90	.8890	----	----	----	----	212 UNCH
3750	----	----	872.30B/----	872.30B/734.70A	----	818.90 + 04.20	.8829	----	----	----	----	1112 UNCH
3755	----	----	867.90B/----	867.90B/730.30A	----	814.40 + 04.00	.8817	----	----	----	----	15 UNCH
3785	----	----	841.20B/----	841.20B/704.80A	----	788.00 + 03.10	.8738	----	----	----	----	170 UNCH
3790	----	----	836.70B/----	836.70B/700.60A	----	783.60 + 02.90	.8725	----	----	----	----	1 UNCH
3800	----	----	827.90B/----	827.90B/692.20A	----	774.90 + 02.60	.8698	----	----	----	----	545 UNCH
3835	----	----	797.10B/----	797.10B/662.70A	----	744.40 + 01.30	.8600	----	----	----	----	1 UNCH
3840	----	----	792.70B/----	792.70B/658.90A	----	740.10 + 01.20	.8585	----	----	----	----	21 UNCH
3850	----	----	784.10B/----	784.10B/650.70A	----	731.50 + 00.80	.8556	----	----	----	----	322 UNCH
3875	----	----	762.30B/----	762.30B/629.90A	----	710.10 + 99.90	.8480	----	----	----	----	60 UNCH
3895	----	----	745.10B/----	745.10B/614.10A	----	693.10 + 99.10	.8415	----	----	----	----	1 UNCH
3900	----	----	740.80B/----	740.80B/610.10A	----	688.90 + 98.90	.8400	----	----	----	----	364 UNCH
3925	----	----	719.60B/----	719.60B/589.80A	----	667.80 + 97.80	.8317	----	----	----	----	4 UNCH
3950	----	----	698.30B/----	698.30B/570.20A	----	647.00 + 96.80	.8231	----	----	----	----	14 UNCH
3975	----	----	677.40B/----	677.40B/550.80A	----	626.40 + 95.60	.8141	----	----	----	----	106 UNCH
3990	----	----	665.00B/----	665.00B/539.30A	----	614.10 + 94.90	.8085	----	----	----	----	1 UNCH
3995	----	----	660.90B/----	660.90B/535.50A	----	610.00 + 94.60	.8066	----	----	----	----	5 UNCH
4000	----	----	656.70B/----	656.70B/531.70A	----	606.00 + 94.40	.8048	----	----	10	----	830 + 10
4005	----	----	652.60B/----	652.60B/527.90A	----	601.90 + 94.10	.8029	----	----	----	----	10 UNCH
4010	----	----	648.50B/----	648.50B/524.90A	----	597.90 + 93.90	.8009	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4020	----	----	640.30B/----	640.30B/516.60A	----	589.80 + 93.40	.7970	----	----	----	----	2 UNCH
4025	----	----	636.20B/----	636.20B/513.60A	----	585.80 + 93.10	.7950	----	----	----	----	51 UNCH
4040	----	----	624.00B/----	624.00B/502.50A	----	573.80 + 92.30	.7890	----	----	----	----	1 UNCH
4050	----	----	615.90B/----	615.90B/495.10A	----	565.90 + 91.80	.7850	----	----	----	----	185 UNCH
4060	----	----	607.80B/----	607.80B/487.80A	----	558.00 + 91.20	.7808	----	----	----	----	25 UNCH
4070	----	----	599.90B/----	599.90B/480.50A	----	550.20 + 90.70	.7766	----	----	----	----	10 UNCH
4075	----	----	595.80B/----	595.80B/476.90A	----	546.30 + 90.50	.7745	----	----	----	----	64 UNCH
4090	----	----	583.90B/----	583.90B/466.10A	----	534.60 + 89.60	.7680	----	----	----	----	34 UNCH
4100	----	----	576.00B/----	576.00B/459.00A	----	526.90 + 89.00	.7636	----	----	----	----	682 UNCH
4105	----	----	572.00B/----	572.00B/455.40A	----	523.00 + 88.60	.7614	----	----	----	----	50 UNCH
4110	----	----	568.00B/----	568.00B/451.90A	----	519.20 + 88.40	.7592	----	----	----	----	2 UNCH
4115	----	----	564.10B/----	564.10B/448.40A	----	515.40 + 88.10	.7570	----	----	----	----	5 UNCH
4125	----	----	556.30B/----	556.30B/441.40A	----	507.80 + 87.50	.7524	----	----	----	----	95 UNCH
4135	----	----	548.70B/----	548.70B/434.80A	----	500.20 + 86.80	.7478	----	----	----	----	16 UNCH
4150	----	----	537.20B/----	537.20B/424.20A	----	489.00 + 85.90	.7408	----	----	----	----	263 UNCH
4170	----	----	521.90B/----	521.90B/410.70A	----	474.20 + 84.60	.7312	----	----	----	----	51 UNCH
4175	----	----	518.10B/----	518.10B/407.30A	----	470.50 + 84.20	.7287	----	----	----	----	61 UNCH
4195	----	----	503.20B/----	503.20B/394.10A	----	455.90 + 82.80	.7189	----	----	----	----	1 UNCH
4200	423.00	423.00	499.50B/423.00	499.50B/390.80A	----	452.30 + 82.40	.7164	----	----	7	----	2079 - 5
4210	----	----	491.90B/----	491.90B/384.40A	----	445.10 + 81.70	.7113	----	----	----	----	1582 UNCH
4220	----	----	484.60B/----	484.60B/373.50A	----	438.00 + 81.00	.7062	----	----	----	----	84 UNCH
4225	----	----	481.00B/----	481.00B/370.30A	----	434.50 + 80.70	.7036	----	----	----	----	15 UNCH
4235	----	----	473.70B/----	473.70B/364.60A	----	427.50 + 80.00	.6984	----	----	----	----	6 UNCH
4240	----	----	470.20B/----	470.20B/360.80A	----	424.00 + 79.60	.6958	----	----	----	----	53 UNCH
4245	----	----	466.60B/----	466.60B/358.30A	----	420.50 + 79.20	.6931	----	----	----	----	263 UNCH
4250	----	----	463.00B/----	463.00B/355.10A	----	417.00 + 78.80	.6905	----	----	----	----	922 UNCH
4255	----	----	459.40B/----	459.40B/352.10A	----	413.50 + 78.40	.6878	----	----	----	----	6 UNCH
4260	----	----	455.80B/----	455.80B/349.00A	----	410.10 + 78.10	.6851	----	----	----	----	1 UNCH
4265	----	----	452.50B/----	452.50B/345.80A	----	406.70 + 77.70	.6824	----	----	----	----	87 UNCH
4270	----	----	448.70B/----	448.70B/342.90A	----	403.30 + 77.30	.6797	----	----	----	----	11 UNCH
4280	351.00	351.00	441.60B/351.00	441.60B/336.80A	----	396.50 NEW	.6742	----	----	1	----	1 + 1
4285	----	----	438.20B/----	438.20B/333.80A	----	393.10 + 76.10	.6715	----	----	----	----	1 UNCH
4300	----	----	428.00B/----	428.00B/322.30A	----	383.10 + 74.90	.6631	----	----	82	----	2116 + 82
4305	----	----	424.20B/----	424.20B/318.50A	----	379.80 + 74.50	.6603	----	----	----	----	1 UNCH
4310	----	----	420.70B/----	420.70B/315.50A	----	376.50 + 74.10	.6575	----	----	----	----	23 UNCH
4315	----	----	417.30B/----	417.30B/312.70A	----	373.30 + 73.80	.6547	----	----	----	----	1 UNCH
4320	----	----	413.90B/----	413.90B/310.20A	----	370.00 + 73.30	.6518	----	----	----	----	62 UNCH
4325	----	----	410.50B/----	410.50B/307.40A	----	366.80 + 73.00	.6490	----	----	----	----	72 UNCH
4335	----	----	404.00B/----	404.00B/304.30A	----	360.30 + 72.10	.6432	----	----	----	----	13 UNCH
4340	----	----	400.50B/----	400.50B/298.50A	----	357.10 + 71.70	.6403	----	----	----	----	17 UNCH
4345	----	----	397.10B/----	397.10B/295.70A	----	353.90 + 71.20	.6374	----	----	----	----	2 UNCH
4350	----	----	393.80B/----	393.80B/295.70A	----	350.80 + 70.90	.6345	----	----	2	----	1451 UNCH
4355	----	----	390.50B/----	390.50B/292.90A	----	347.60 + 70.40	.6315	----	----	----	----	129 UNCH
4360	----	----	387.70B/----	387.70B/288.50A	----	344.50 + 70.00	.6286	----	----	----	----	42 UNCH
4365	----	----	384.10B/----	384.10B/287.60A	----	341.40 + 69.60	.6256	----	----	----	----	3 UNCH
4370	----	----	380.70B/----	380.70B/284.90A	----	338.30 + 69.20	.6226	----	----	----	----	3 UNCH
4375	----	----	377.70B/----	377.70B/282.20A	----	335.20 + 68.80	.6197	----	----	----	----	102 UNCH
4380	309.00	309.00	374.30B/309.00	374.30B/277.70A	----	332.20 + 68.40	.6167	----	----	6	----	341 UNCH
4385	----	----	371.10B/----	371.10B/275.30A	----	329.10 + 67.90	.6137	----	----	----	----	3 UNCH
4390	305.80	305.80	368.00B/305.80	368.00B/274.20A	----	326.10 + 67.50	.6107	----	----	3	----	16 + 3
4395	----	----	364.90B/----	364.90B/271.60A	----	323.10 + 67.10	.6077	----	----	----	----	10 UNCH
4400	294.50	294.50	361.70B/294.20	361.70B/268.50A	----	320.10 + 66.70	.6046	----	----	10	----	1462 - 8
4410	----	----	355.30B/----	355.30B/263.70A	----	314.20 + 65.90	.5985	----	----	----	----	39 UNCH
4415	266.00	266.00	352.40B/266.00	352.40B/261.10A	----	311.20 + 65.40	.5955	----	----	4	----	176 - 3
4420	260.30	260.30	349.10B/258.70A	349.10B/258.70A	----	308.30 + 65.00	.5924	----	----	1	----	3 - 1
4425	259.80	259.80	346.30B/256.00A	346.30B/256.00A	----	305.40 + 64.50	.5893	----	----	6	----	274 - 2
4430	----	----	343.10B/----	343.10B/253.20A	----	302.50 + 64.10	.5862	----	----	----	----	20 UNCH
4435	253.80	253.80	339.90B/246.20A	339.90B/246.20A	----	299.60 + 63.60	.5831	----	----	3	----	20 + 1
4440	254.10	254.10	337.30B/254.10	337.30B/248.70A	----	296.80 + 63.30	.5800	----	----	2	----	20 UNCH
4445	----	----	334.10B/----	334.10B/242.00A	----	293.90 + 62.80	.5769	----	----	----	----	5 UNCH
4450	253.00	253.00	331.40B/253.00	331.40B/239.50A	----	291.10 + 62.30	.5738	----	----	9	----	513 + 3
4455	302.70	302.70	328.00B/302.70	328.00B/237.00A	----	288.30 + 61.90	.5707	----	----	5	----	6 + 5
4460	235.90	235.90	325.50B/235.90	325.50B/232.50A	----	285.50 + 61.50	.5675	----	----	4	----	20 UNCH
4465	----	----	322.30B/----	322.30B/229.40A	----	282.80 + 61.10	.5644	----	----	----	----	19 UNCH
4470	----	----	319.30B/----	319.30B/227.40A	----	280.00 + 60.60	.5613	----	----	----	----	23 UNCH
4475	----	----	316.30B/----	316.30B/224.50A	----	277.30 + 60.20	.5581	----	----	----	----	22 UNCH
4480	225.30	225.30	313.40B/225.30	313.40B/222.80A	----	274.60 + 59.80	.5549	----	----	8	----	59 - 2
4485	282.50	282.50	310.50B/282.50	310.50B/221.40A	----	271.90 + 59.30	.5518	----	----	2	----	6 + 2
4490	----	----	307.60B/----	307.60B/218.80A	----	269.20 + 58.90	.5486	----	----	----	----	51 UNCH
4495	----	----	304.80B/----	304.80B/215.50A	----	266.60 + 58.50	.5454	----	----	----	----	6 UNCH
4500	216.10	216.10	302.40B/216.10	302.40B/213.30A	----	263.90 + 58.00	.5423	----	----	186	----	4531 - 11
4505	218.90	218.90	300.60B/217.50	300.60B/212.80A	----	261.30 + 57.60	.5391	----	----	13	----	48 - 4
4510	215.00	215.00	298.00B/214.80	298.00B/210.20A	----	258.70 + 57.10	.5359	----	----	62	----	1475 + 17
4515	226.30	226.30	295.00B/224.90	295.00B/207.30A	----	256.10 + 56.70	.5327	----	----	18	----	93 - 2
4520	222.30	222.30	292.30B/222.30	292.30B/206.40A	----	253.60 + 56.30	.5295	----	----	6	----	51 - 1
4525	215.80	215.80	289.50B/215.80	289.50B/203.00A	----	251.00 + 55.80	.5263	----	----	23	----	232 UNCH
4530	202.60	202.60	286.80B/202.60	286.80B/202.10A	----	248.50 + 55.40	.5231	----	----	5	----	13 + 2
4535	207.10	207.10	284.10B/207.10	284.10B/199.60A	----	246.00 + 55.00	.5199	----	----	1	----	13 - 1
4540	198.40	198.40	281.40B/198.40	281.40B/196.20A	----	243.50 + 54.50	.5167	----	----	2	----	78 + 1
4545	----	----	279.00B/----	279.00B/194.30A	----	241.00 + 54.10	.5135	----	----	----	----	32 UNCH
4550	220.60	220.60	276.10B/218.10	276.10B/192.20A	----	238.60 + 53.70	.5103	----	----	27	----	205 + 6
4555	241.60	241.60	273.50B/241.60	273.50B/190.50A	----	236.10 + 53.20	.5071	----	----	4	----	6 + 2
4560	247.00	247.00	270.90B/241.50	270.90B/188.30A	----	233.70 + 52.80	.5039	----	----	31	----	160 + 25
4565	199.50	199.50	268.30B/199.50	268.30B/186.00A	----	231.30 + 52.30	.5007	----	----	2	----	108 + 2
4570	248.20	248.20	265.80B/248.20	265.80B/184.20A	----	229.00 + 52.00	.4975	----	----	3	----	32 + 3
4575	----	----	263.10B/----	263.10B/182.30A	----	226.60 + 51.50	.4943	----	----	33	----	72 + 33
4580	249.10	249.10	260.60B/249.10	260.60B/180.30A	----	224.30 + 51.10	.4911	----	----	1	----	4 UNCH
4585	----	----	258.20B/----	258.20B/178.30A	----	222.00 + 50.70	.4879	----	----	----	----	15 UNCH
4590	----	----	255.60B/----	255.60B/176.60A	----	219.70 + 50.30	.4847	----	----	----	----	5 UNCH
4595	----	----	253.20B/----	253.20B/174.70A	----	217.40 + 49.80	.4815	----	----	----	----	2 UNCH
4600	182.00	182.00	250.90B/179.70	250.90B/172.90A	----	215.10 + 49.40	.4783	----	----	437	150	5294 + 329
4605	----	----	248.10B/----	248.10B/171.10A	----	212.90 + 49.00	.4751	----	----	----	----	153 UNCH
4610	----	----	245.70B/----	245.70B/169.30A	----	210.70 + 48.60	.4719	----	----	----	----	1 UNCH
4615	217.20	217.20	243.30B/217.20	243.30B/167.30A	----	208.40 + 48.10	.4687	----	----	3	----	3 + 2
4620	----	----	241.30B/----	241.30B/165.60A	----	206.30 + 47.80	.4655	----	----	----	----	9 UNCH
4625	204.00	204.00	238.50B/204.00	238.50B/164.90A	----	204.10 + 47.30	.4623	----	----	3	----	190 + 3
4630	----	----	236.50B/----	236.50B/162.20A	----	201.90 + 46.80	.4591	----	----	----	----	67 UNCH
4635	----	----	234.20B/----	234.20B/160.40A	----	199.80 + 46.50	.4560	----	----	----	----	5 UNCH
4640	197.50	197.50	231.90B/197.50	231.90B/158.70A	----	197.70 + 46.10	.4528	----	----	7	----	16 + 2
4645	----	----	229.60B/----	229.60B/157.00A	----	195.60 + 45.60	.4496	----	----	----	----	7 UNCH
4650	177.50	177.50	227.20B/163.90	227.20B/156.20A	----	193.50 + 45.20	.4465	----	----	20	----	1026 - 1
4655	----	----	225.10B/----	225.10B/153.60A	----	191.50 + 44.90	.4433	----	----	1	----	22 + 1
4660	----	----	222.60B/----	222.60B/152.00A	----	189.40 + 44.40	.4402	----	----	----	----	4 UNCH
4665	----	----	220.40B/----	220.40B/150.40A	----	187.40 + 44.00	.4370	----	----	----	----	1 UNCH
4670	184.10	184.10	218.20B/184.10	218.20B/148.70A	----	185.40 + 43.60	.4339	----	----	3	----	151 UNCH
4675	188.50	188.50	216.30B/188.50	216.30B/147.00A	----	183.40 + 43.20	.4308	----	----	39	----	474 UNCH
4680	153.20	153.20	213.90B/153.20	213.90B/145.50A	----	181.40 + 42.80	.4276	----	----	1	----	223 UNCH
4685	----	----	212.00B/----	212.00B/143.70A	----	179.50 + 42.40	.4245	----	----	----	----	30 UNCH
4690	----	----	209.60B/----	209.60B/142.50A	----	177.60 + 42.10	.4215	----	----	----	----	19 UNCH
4695	----	----	207.50B/----	207.50B/140.90A	----	175.60 + 41.60	.4183	----	----	----	----	19 UNCH
4700	149.00	149.00	205.60B/149.00	205.60B/139.30A	----	173.70 + 41.20	.4152	----	----	41	----	3290 - 11
4705	----	----	203.60B/----	203.60B/137.90A	----	171.90 + 40.90	.4122	----	----	----	----	1 UNCH
4710	----	----	201.30B/----	201.30B/136.40A	----	170.00 + 40.50	.4091	----	----	----	----	11 UNCH
4715	----	----	199.50B/----	199.50B/134.80A	----	168.10 + 40.00	.4060	----	----	----	----	8 UNCH
4720	----	----	197.20B/----	197.20B/133.40A	----	166.30 + 39.70	.4030	----	----	----	----	209 UNCH
4725	----	----	195.20B/----	195.20B/131.80A	----	164.50 + 39.30	.3999	----	----	----	----	292 UNCH
4730	----	----	193.50B/----	193.50B/130.40A	----	162.70 + 38.90	.3969	----	----	----	----	1 UNCH
4735	----	----	191.30B/----	191.30B/129.00A	----	160.90 + 38.50	.3938	----	----	----	----	86 UNCH
4740	----	----	189.30B/----	189.30B/127.70A	----	159.20 + 38.20	.3909	----	----	----	----	9 UNCH
4745	----	----	187.40B/----	187.40B/126.20A	----	157.40 + 37.80	.3878	----	----	----	----	12 UNCH
4750	127.70	127.70	185.70B/127.70	185.70B/124.90A	----	155.70 + 37.40	.3848	----	----	8	----	1404 UNCH
4755	----	----	183.80B/----	183.80B/123.40A	----	154.00 + 37.10	.3818	----	----	----	----	100 UNCH
4760	156.00	156.00	181.90B/156.00	181.90B/122.20A	----	152.30 + 36.70	.3789	----	----	2	----	50 - 2
4765	----	----	179.80B/----	179.80B/120.80A	----	150.60 + 36.30	.3759	----	----	----	----	33 UNCH
4770	----	----	177.90B/----	177.90B/119.50A	----	148.90 + 35.90	.3729	----	----	----	----	35 UNCH
4775	----	----	176.10B/----	176.10B/118.10A	----	147.30 + 35.60	.3700	----	----	----	----	178 UNCH
4780	152.00	152.00	174.50B/152.00	174.50B/116.80A	----	145.60 + 35.20	.3670	----	----	1	----	95 UNCH
4785	144.60	144.60	172.70B/144.00	172.70B/115.50A	----	144.00 + 34.80	.3641	----	----	10	----	20 + 10
4790	----	----	170.70B/----	170.70B/114.30A	----	142.40 + 34.50	.3612	----	----	----	----	3 UNCH
4795	147.30	147.30	168.90B/147.30	168.90B/113.20A	----	140.80 + 34.10	.3583	----	----	3	----	33 + 3
4800	114.10	114.10	167.50B/114.10	167.50B/111.80A	----	139.20 + 33.70	.3554	----	----	41	----	2502 + 19
4805	----	----	165.40B/----	165.40B/111.60A	----	137.70 + 33.40	.3525	----	----	----	----	4 UNCH
4810	----	----	163.70B/----	163.70B/110.40A	----	136.10 + 33.00	.3496	----	----	----	----	18 UNCH
4815	----	----	162.20B/----	162.20B/109.00A	----	134.60 + 32.70	.3468	----	----	----	----	4 UNCH
4820	----	----	160.50B/----	160.50B/108.00A	----	133.10 + 32.30	.3440	----	----	----	----	27 UNCH
4825	----	----	158.60B/----	158.60B/106.70A	----	131.60 + 32.00	.3411	----	----	----	----	85 UNCH
4830	----	----	156.90B/----	156.90B/106.30A	----	130.10 + 31.60	.3383	----	----	----	----	101 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4835	----	----	155.40B/----	155.40B/105.60A	----	128.60 + 31.30	.3355	----	----	----	----	2 UNCH
4840	148.50	148.50	153.70B/148.50	153.70B/104.40A	----	127.20 + 31.00	.3327	----	----	11	----	36 + 11
4845	----	----	152.20B/----	152.20B/103.30A	----	125.70 + 30.60	.3299	----	----	----	----	7 UNCH
4850	141.50	141.50	150.60B/141.50	150.60B/102.10A	----	124.30 + 30.20	.3271	----	----	20	----	411 + 3
4855	----	----	148.90B/----	148.90B/100.90A	----	122.90 + 29.90	.3244	----	----	----	----	135 UNCH
4860	140.00	140.00	147.40B/140.00	147.40B/99.90A	----	121.50 + 29.60	.3217	----	----	16	----	48 + 16
4865	----	----	145.80B/----	145.80B/98.70A	----	120.10 + 29.20	.3189	----	----	----	----	13 UNCH
4870	135.00	135.00	144.30B/135.00	144.30B/97.70A	----	118.70 NEW	.3162	----	----	10	----	10 + 10
4875	----	----	142.60B/----	142.60B/96.50A	----	117.40 + 28.60	.3135	----	----	----	----	120 UNCH
4880	132.80	132.80	141.10B/132.80	141.10B/95.40A	----	116.10 + 28.30	.3109	----	----	13	----	32 + 11
4885	----	----	139.60B/----	139.60B/94.30A	----	114.70 + 27.90	.3082	----	----	----	----	38 UNCH
4890	----	----	138.30B/----	138.30B/93.10A	----	113.40 + 27.60	.3055	----	----	42	----	57 + 39
4895	----	----	136.70B/----	136.70B/89.60A	----	112.10 + 27.30	.3029	----	----	6	----	195 - 2
4900	101.10	101.10	135.60B/101.10	135.60B/88.50A	----	110.80 + 27.00	.3002	----	----	342	----	2885 + 111
4905	125.00	125.00	133.80B/125.00	133.80B/88.40A	----	109.60 + 26.70	.2977	----	----	8	----	6 - 8
4910	----	----	132.60B/----	132.60B/86.60A	----	108.30 + 26.30	.2951	----	----	----	----	20 UNCH
4915	122.60	122.60	131.20B/122.60	131.20B/86.20A	----	107.10 + 26.10	.2925	----	----	5	----	35 + 5
4920	----	----	129.60B/----	129.60B/84.80A	----	105.90 + 25.80	.2900	----	----	----	----	51 UNCH
4925	----	----	128.40B/----	128.40B/83.70A	----	104.70 + 25.50	.2875	----	----	----	----	37 UNCH
4930	118.80	118.80	126.80B/118.80	126.80B/83.00A	----	103.50 + 25.20	.2850	----	----	14	----	177 + 14
4940	114.00	114.00	124.30B/114.00	124.30B/81.10A	----	101.10 + 24.60	.2799	----	----	13	----	31 + 13
4945	----	----	122.80B/----	122.80B/80.80A	----	100.00 + 24.30	.2775	----	----	1	----	5 + 1
4950	84.60	84.60	122.00B/84.60	122.00B/79.30A	----	98.90 + 24.10	.2751	----	----	30	----	715 + 25
4955	----	----	120.20B/----	120.20B/79.00A	----	97.70 + 23.70	.2726	----	----	----	----	33 UNCH
4960	96.90	96.90	119.10B/96.90	119.10B/77.60A	----	96.60 + 23.50	.2702	----	----	3	----	187 UNCH
4965	----	----	117.80B/----	117.80B/76.80A	----	95.50 + 23.20	.2678	----	----	----	----	37 UNCH
4970	105.50	105.50	116.60B/105.50	116.60B/75.90A	----	94.50 + 23.00	.2655	----	----	12	----	43 + 12
4975	100.80	100.80	115.30B/100.80	115.30B/75.00A	----	93.40 + 22.70	.2631	----	----	1	----	156 UNCH
4980	----	----	114.20B/----	114.20B/74.30A	----	92.30 + 22.40	.2607	----	----	----	----	2 UNCH
4985	----	----	112.70B/----	112.70B/73.60A	----	91.30 + 22.20	.2584	----	----	----	----	113 UNCH
4990	101.30	101.30	111.70B/101.30	111.70B/72.70A	----	90.30 + 22.00	.2561	----	----	706	----	949 + 681
4995	----	----	110.40B/----	110.40B/72.30A	----	89.30 + 21.70	.2539	----	----	1	----	15 UNCH
5000	75.00	75.00	111.50/71.00	111.50/70.50A	----	88.30 + 21.50	.2516	----	----	1641	----	7116 + 314
5005	----	----	108.30B/----	108.30B/70.50A	----	87.30 + 21.20	.2493	----	----	1	----	303 UNCH
5010	----	----	106.90B/----	106.90B/69.70A	----	86.30 + 21.00	.2471	----	----	1	----	88 UNCH
5015	----	----	105.70B/----	105.70B/68.90A	----	85.40 + 20.80	.2449	----	----	----	----	67 UNCH
5020	89.00	89.00	104.80B/89.00	104.80B/68.20A	----	84.40 + 20.50	.2427	----	----	4	----	458 + 2
5025	----	----	103.50B/----	103.50B/67.80A	----	83.50 + 20.30	.2405	----	----	----	----	45 UNCH
5030	----	----	102.40B/----	102.40B/66.70A	----	82.60 + 20.10	.2384	----	----	----	----	111 UNCH
5035	----	----	101.50B/----	101.50B/66.30A	----	81.60 + 19.80	.2362	----	----	----	----	22 UNCH
5040	----	----	100.40B/----	100.40B/65.30A	----	80.70 + 19.60	.2340	----	----	----	----	50 UNCH
5045	----	----	99.10B/----	99.10B/64.90A	----	79.80 + 19.40	.2319	----	----	1	----	17 UNCH
5050	----	----	98.50B/----	98.50B/63.90A	----	78.90 + 19.10	.2298	----	----	3	----	925 + 2
5055	----	----	97.10B/----	97.10B/63.30A	----	78.10 + 19.00	.2278	----	----	1	----	2 UNCH
5060	----	----	96.00B/----	96.00B/62.70A	----	77.20 + 18.70	.2257	----	----	58	----	84 + 48
5065	----	----	95.10B/----	95.10B/62.00A	----	76.30 + 18.50	.2236	----	----	----	----	8 UNCH
5070	----	----	94.00B/----	94.00B/61.30A	----	75.50 + 18.30	.2216	----	----	----	----	75 UNCH
5075	75.30	75.30	93.40B/75.00	93.40B/60.70A	----	74.60 + 18.00	.2195	----	----	6	----	706 + 3
5080	----	----	92.10B/----	92.10B/60.00A	----	73.80 + 17.80	.2176	----	----	----	----	153 UNCH
5085	----	----	91.00B/----	91.00B/59.40A	----	72.90 + 17.50	.2155	----	----	----	----	128 UNCH
5090	----	----	90.20B/----	90.20B/58.70A	----	72.10 + 17.30	.2135	----	----	----	----	36 UNCH
5095	75.20	75.20	89.20B/74.10	89.20B/58.10A	----	71.30 + 17.10	.2116	----	----	3	----	56 + 1
5100	61.60	61.60	88.50B/60.40	88.50B/57.50A	----	70.50 + 16.90	.2096	----	----	236	----	4461 + 39
5105	----	----	87.20B/----	87.20B/56.90A	----	69.70 + 16.70	.2076	----	----	----	----	40 UNCH
5110	----	----	86.30B/----	86.30B/56.30A	----	68.90 + 16.50	.2057	----	----	----	----	102 UNCH
5115	----	----	85.50B/----	85.50B/55.90A	----	68.10 + 16.20	.2037	----	----	----	----	64 UNCH
5120	----	----	84.60B/----	84.60B/55.30A	----	67.30 + 16.00	.2018	----	----	----	----	47 UNCH
5125	78.20	78.20	83.70B/78.20	83.70B/54.60A	----	66.60 + 15.80	.2000	----	----	21	----	211 + 21
5130	----	----	82.70B/----	82.70B/54.20A	----	65.80 + 15.60	.1981	----	----	----	----	29 UNCH
5135	65.20	65.20	81.80B/65.20	81.80B/53.60A	----	65.10 + 15.40	.1963	----	----	3	----	45 + 2
5140	60.50	60.50	81.10B/60.50	81.10B/53.00A	----	64.30 + 15.10	.1943	----	----	3	----	31 + 2
5145	----	----	80.10B/----	80.10B/52.50A	----	63.60 + 14.90	.1925	----	----	----	----	6 UNCH
5150	----	----	79.60B/----	79.60B/52.00A	----	62.90 + 14.80	.1908	----	----	14	----	1020 - 4
5155	----	----	78.50B/----	78.50B/51.40A	----	62.20 + 14.60	.1890	----	----	----	----	21 UNCH
5160	----	----	77.60B/----	77.60B/50.90A	----	61.50 + 14.40	.1872	----	----	----	----	85 UNCH
5165	61.10	61.10	76.90B/61.10	76.90B/50.30A	----	60.80 + 14.20	.1854	----	----	3	----	110 - 2
5170	----	----	76.00B/----	76.00B/49.90A	----	60.10 + 14.00	.1837	----	----	----	----	45 UNCH
5175	----	----	75.20B/----	75.20B/49.40A	----	59.40 + 13.70	.1819	----	----	----	----	56 UNCH
5180	----	----	74.50B/----	74.50B/48.80A	----	58.80 + 13.60	.1803	----	----	1	----	53 UNCH
5185	59.20	59.20	73.50B/59.20	73.50B/48.30A	----	58.10 + 13.40	.1785	----	----	2	----	69 UNCH
5190	52.00	52.00	72.80B/52.00	72.80B/47.90A	----	57.50 + 13.30	.1769	----	----	5	----	27 UNCH
5195	----	----	72.10B/----	72.10B/47.40A	----	56.80 + 13.00	.1752	----	----	1	----	16 UNCH
5200	50.00	50.00	71.70B/49.50	71.70B/46.90A	----	56.20 + 12.90	.1736	----	----	151	----	6292 + 79
5205	----	----	70.60B/----	70.60B/46.40A	----	55.60 + 12.80	.1720	----	----	----	----	15 UNCH
5210	----	----	70.20B/----	70.20B/46.10A	----	55.00 + 12.60	.1704	----	----	----	----	3045 UNCH
5215	54.80	54.80	69.10B/54.80	69.10B/45.50A	----	54.40 + 12.40	.1688	----	----	3	----	48 UNCH
5220	54.20	54.20	68.40B/54.20	68.40B/45.10A	----	53.80 + 12.30	.1672	----	----	2	----	149 UNCH
5225	----	----	67.70B/----	67.70B/44.60A	----	53.20 + 12.10	.1656	----	----	----	----	166 UNCH
5230	----	----	67.00B/----	67.00B/44.20A	----	52.70 + 12.00	.1642	----	----	----	----	105 UNCH
5235	----	----	66.20B/----	66.20B/43.70A	----	52.10 + 11.90	.1626	----	----	----	----	139 UNCH
5240	----	----	65.60B/----	65.60B/43.30A	----	51.50 + 11.70	.1610	----	----	----	----	58 UNCH
5245	51.50	51.50	64.90B/51.50	64.90B/42.90A	----	51.00 + 11.60	.1596	----	----	3	----	12 + 1
5250	45.80	45.80	64.20B/45.80	64.20B/42.50A	----	50.40 + 11.40	.1581	----	----	24	----	3499 - 1
5255	----	----	63.60B/----	63.60B/42.10A	----	49.90 + 11.30	.1567	----	----	----	----	62 UNCH
5260	49.90	49.90	63.00B/49.90	63.00B/41.70A	----	49.40 + 11.20	.1553	----	----	3	----	366 + 1
5265	----	----	62.20B/----	62.20B/41.30A	----	48.90 + 11.10	.1539	----	----	----	----	28 UNCH
5270	48.90	48.90	61.60B/48.90	61.60B/40.90A	----	48.40 + 11.00	.1525	----	----	2	----	46 + 2
5275	----	----	61.00B/----	61.00B/40.50A	----	47.90 + 10.90	.1511	----	----	3	----	40 + 1
5280	48.00	48.00	60.40B/48.00	60.40B/40.10A	----	47.40 + 10.70	.1497	----	----	3	----	67 - 2
5285	----	----	59.80B/----	59.80B/39.70A	----	46.90 + 10.60	.1483	----	----	----	----	168 UNCH
5290	----	----	59.10B/----	59.10B/39.30A	----	46.40 + 10.50	.1470	----	----	----	----	35 UNCH
5295	----	----	58.60B/----	58.60B/38.90A	----	45.90 + 10.30	.1456	----	----	----	----	83 UNCH
5300	38.00	38.00	58.10B/37.60	58.10B/37.60	----	45.40 + 10.20	.1442	----	----	136	----	4166 - 27
5305	----	----	57.40B/----	57.40B/38.10A	----	45.00 + 10.10	.1430	----	----	----	----	162 UNCH
5310	----	----	56.90B/----	56.90B/37.70A	----	44.50 + 10.00	.1416	----	----	----	----	100 UNCH
5315	----	----	56.40B/----	56.40B/37.40A	----	44.10 + 9.90	.1405	----	----	----	----	62 UNCH
5320	44.20	44.20	55.80B/44.20	55.80B/37.00A	----	43.60 + 9.80	.1391	----	----	3	----	126 + 3
5325	50.50	50.50	55.30B/43.80	55.30B/36.60A	----	43.20 + 9.70	.1379	----	----	6	----	61 + 3
5330	----	----	54.70B/----	54.70B/36.30A	----	42.70 + 9.50	.1366	----	----	----	----	26 UNCH
5335	42.90	42.90	54.20B/42.90	54.20B/35.60A	----	42.30 + 9.50	.1354	----	----	3	----	3 - 1
5340	----	----	53.70B/----	53.70B/35.10A	----	41.90 + 9.40	.1342	----	----	----	----	64 UNCH
5345	44.30	44.30	53.20B/44.30	53.20B/35.00A	----	41.50 + 9.30	.1330	----	----	4	----	12 + 3
5350	----	----	52.70B/----	52.70B/34.50A	----	41.00 + 9.10	.1317	----	----	----	----	1193 UNCH
5355	34.60	34.60	52.30B/34.60	52.30B/34.10A	----	40.60 + 9.00	.1305	----	----	4	----	12 UNCH
5360	----	----	51.80B/----	51.80B/33.90A	----	40.20 + 8.90	.1294	----	----	----	----	48 UNCH
5365	----	----	51.30B/----	51.30B/33.50A	----	39.80 + 8.80	.1282	----	----	----	----	6 UNCH
5370	33.70	33.70	50.80B/33.70	50.80B/33.30A	----	39.40 + 8.70	.1270	----	----	4	----	65 UNCH
5375	----	----	50.30B/----	50.30B/32.90A	----	39.00 + 8.60	.1259	----	----	31	----	47 + 31
5380	----	----	49.90B/----	49.90B/32.60A	----	38.60 + 8.50	.1247	----	----	----	----	92 UNCH
5385	----	----	49.50B/----	49.50B/32.30A	----	38.30 + 8.50	.1238	----	----	----	----	4 UNCH
5390	----	----	49.00B/----	49.00B/32.00A	----	37.90 + 8.40	.1226	----	----	----	----	57 UNCH
5395	37.50	37.50	48.60B/37.50	48.60B/31.70A	----	37.50 + 8.20	.1215	----	----	8	----	24 + 8
5400	35.00	35.00	48.20B/35.00	48.20B/31.40A	----	37.20 + 8.20	.1205	----	----	84	----	4985 - 9
5405	----	----	47.70B/----	47.70B/31.20A	----	36.80 + 8.10	.1194	----	----	----	----	67 UNCH
5410	----	----	47.30B/----	47.30B/31.00A	----	36.40 + 8.00	.1183	----	----	----	----	14 UNCH
5415	----	----	46.90B/----	46.90B/30.50A	----	36.10 + 7.90	.1173	----	----	----	----	13 UNCH
5420	35.90	35.90	46.40B/35.90	46.40B/30.40A	----	35.70 + 7.80	.1162	----	----	11	----	34 + 7
5425	----	----	46.00B/----	46.00B/30.00A	----	35.40 + 7.70	.1152	----	----	----	----	124 UNCH
5430	35.10	35.10	45.60B/35.10	45.60B/30.10A	----	35.00 + 7.60	.1141	----	----	8	----	76 + 8
5435	----	----	45.20B/----	45.20B/29.80A	----	34.70 + 7.60	.1132	----	----	----	----	12 UNCH
5440	36.60	36.60	44.80B/36.50	44.80B/29.50A	----	34.40 + 7.50	.1123	----	----	4	----	86 + 4
5445	----	----	44.40B/----	44.40B/29.20A	----	34.00 + 7.30	.1111	----	----	----	----	22 UNCH
5450	----	----	44.00B/----	44.00B/29.00A	----	33.70 + 7.30	.1102	----	----	10	----	1394 + 10
5455	42.50	42.50	43.60B/42.50	43.60B/28.70A	----	33.40 NEW	.1093	----	----	1	----	1 + 1
5460	----	----	43.30B/----	43.30B/28.50A	----	33.10 + 7.20	.1084	----	----	----	----	91 UNCH
5465	----	----	42.90B/----	42.90B/28.20A	----	32.80 + 7.10	.1074	----	----	----	----	28 UNCH
5470	32.40	32.40	42.50B/32.40	42.50B/28.00A	----	32.40 + 6.90	.1063	----	----	8	----	28 + 7
5475	----	----	42.10B/----	42.10B/27.70A	----	32.10 + 6.90	.1054	----	----	7	----	56 - 5
5480	----	----	41.80B/----	41.80B/27.60A	----	31.80 + 6.80	.1045	----	----	----	----	37 UNCH
5485	----	----	41.40B/----	41.40B/27.30A	----	31.50 + 6.70	.1036	----	----	----	----	5 UNCH
5490	----	----	41.00B/----	41.00B/27.00A	----	31.30 + 6.70	.1029	----	----	----	----	172 UNCH
5495	----	----	40.70B/----	40.70B/26.90A	----	31.00 + 6.70	.1020	----	----	----	----	50 UNCH
5500	26.90	26.90	40.80/25.90	40.80/25.90	----	30.70 + 6.60	.1011	----	----	243	----	4697 + 125
5505	28.10	28.10	40.00B/26.30A	40.00B/26.30A	----	30.40 + 6.50	.1002	----	----	10	----	11 + 4
5510	----	----	39.70B/----	39.70B/26.10A	----	30.10 + 6.40	.0993	----	----	----	----	185 UNCH
5515	----	----	39.30B/----	39.30B/25.90A	----	29.80 + 6.30	.0984	----	----	----	----	24 UNCH
5520	----	----	39.00B/----	39.00B/25.70A	----	29.60 + 6.30	.0977	----	----	----	----	16 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5525	29.20	29.20	38.70B/29.20	38.70B/25.50A	----	29.30 + 6.20	.0968	----	----	8	----	159 + 4
5530	----	----	38.30B/----	38.30B/25.40A	----	29.00 + 6.10	.0959	----	----	----	----	38 UNCH
5535	----	----	38.00B/----	38.00B/25.20A	----	28.80 + 6.10	.0952	----	----	----	----	3 UNCH
5540	----	----	37.70B/----	37.70B/25.00A	----	28.50 + 6.00	.0943	----	----	----	----	260 UNCH
5545	----	----	37.40B/----	37.40B/24.80A	----	28.30 + 6.00	.0937	----	----	----	----	16 UNCH
5550	----	----	37.10B/----	37.10B/24.60A	----	28.00 + 5.90	.0928	----	----	10	----	769 + 10
5555	----	----	36.80B/----	36.80B/24.40A	----	27.80 + 5.90	.0921	----	----	----	----	1 UNCH
5560	----	----	36.50B/----	36.50B/24.20A	----	27.50 + 5.70	.0912	----	----	----	----	31 UNCH
5570	27.10	27.10	35.90B/26.90	35.90B/23.80A	----	27.00 + 5.60	.0897	----	----	8	----	17 + 8
5575	----	----	35.50B/----	35.50B/23.60A	----	26.80 + 5.60	.0890	----	----	----	----	19 UNCH
5580	----	----	35.30B/----	35.30B/23.40A	----	26.60 + 5.60	.0883	----	----	----	----	11 UNCH
5585	----	----	35.00B/----	35.00B/23.20A	----	26.30 + 5.40	.0874	----	----	----	----	4 UNCH
5590	----	----	34.70B/----	34.70B/23.10A	----	26.10 + 5.40	.0868	----	----	----	----	94 UNCH
5595	----	----	34.40B/----	34.40B/22.90A	----	25.90 + 5.40	.0861	----	----	----	----	30 UNCH
5600	23.50	23.50	34.10B/23.50	34.10B/22.70A	----	25.70 + 5.30	.0855	----	----	32	----	2565 + 18
5610	23.40	23.40	33.60B/22.40A	33.60B/22.40A	----	25.20 + 5.20	.0840	----	----	9	----	69 UNCH
5620	22.50	22.50	33.00B/22.00A	33.00B/22.00A	----	24.80 + 5.10	.0827	----	----	1	----	49 + 1
5625	----	----	32.80B/----	32.80B/21.80A	----	24.60 + 5.00	.0820	----	----	----	----	402 UNCH
5630	----	----	32.50B/----	32.50B/21.70A	----	24.40 + 5.00	.0814	----	----	----	----	203 UNCH
5640	----	----	32.00B/----	32.00B/21.40A	----	24.00 + 4.90	.0801	----	----	----	----	70 UNCH
5650	21.40	21.40	31.50B/21.00A	31.50B/21.00A	----	23.60 + 4.80	.0788	----	----	1	----	712 + 1
5660	----	----	31.00B/----	31.00B/20.70A	----	23.20 + 4.70	.0775	----	----	----	----	41 UNCH
5670	20.60	20.60	30.60B/20.60	30.60B/20.40A	----	22.90 + 4.70	.0765	----	----	5	----	121 + 4
5675	----	----	30.30B/----	30.30B/20.30A	----	22.70 + 4.60	.0758	----	----	----	----	20 UNCH
5680	----	----	30.10B/----	30.10B/20.10A	----	22.50 + 4.60	.0752	----	----	----	----	55 UNCH
5690	----	----	29.70B/----	29.70B/19.80A	----	22.10 + 4.40	.0739	----	----	----	----	148 UNCH
5700	19.80	19.80	29.20B/19.50A	29.20B/19.50A	----	21.80 + 4.40	.0729	----	----	54	----	1717 - 20
5710	22.40	22.40	28.80B/22.40	28.80B/19.20A	----	21.40 + 4.30	.0717	----	----	1	----	40 + 1
5720	----	----	28.40B/----	28.40B/19.00A	----	21.10 + 4.20	.0707	----	----	----	----	17 UNCH
5725	----	----	28.20B/----	28.20B/18.80A	----	20.90 + 4.20	.0700	----	----	----	----	2 UNCH
5730	18.80	18.80	28.00B/18.70A	28.00B/18.70A	----	20.80 + 4.20	.0696	----	----	1	----	58 UNCH
5740	18.50	18.50	27.60B/18.40A	27.60B/18.40A	----	20.50 + 4.10	.0686	----	----	3	----	51 + 1
5750	----	----	27.20B/----	27.20B/18.10A	----	20.20 + 4.10	.0676	----	----	----	----	1587 UNCH
5760	23.50	23.50	26.80B/23.50	26.80B/17.90A	----	19.80 + 3.90	.0664	----	----	7	----	12 + 2
5770	20.40	20.40	26.40B/20.40	26.40B/17.60A	----	19.50 + 3.90	.0654	----	----	5	----	29 - 3
5775	----	----	26.20B/----	26.20B/17.50A	----	19.40 + 3.90	.0650	----	----	----	----	77 UNCH
5780	----	----	26.00B/----	26.00B/17.30A	----	19.30 + 3.90	.0647	----	----	----	----	219 UNCH
5790	----	----	25.70B/----	25.70B/17.10A	----	19.00 + 3.80	.0637	----	----	----	----	11 UNCH
5800	16.50	16.50	25.30B/16.50	25.30B/16.50	----	18.70 + 3.70	.0627	----	----	20	60	3009 + 27
5810	18.70	18.70	25.00B/18.60	25.00B/16.60A	----	18.40 + 3.70	.0617	----	----	8	----	254 UNCH
5820	----	----	24.60B/----	24.60B/16.40A	----	18.10 + 3.60	.0608	----	----	----	----	18 UNCH
5825	----	----	24.30B/----	24.30B/16.40A	----	18.00 + 3.60	.0604	----	----	----	----	9 UNCH
5830	----	----	24.10B/----	24.10B/16.30A	----	17.90 + 3.60	.0600	----	----	----	----	14 UNCH
5840	----	----	23.80B/----	23.80B/16.10A	----	17.60 + 3.50	.0591	----	----	----	----	21 UNCH
5850	----	----	23.50B/----	23.50B/15.70A	----	17.40 + 3.50	.0583	----	----	----	----	437 UNCH
5860	----	----	23.20B/----	23.20B/15.60A	----	17.10 + 3.40	.0574	----	----	----	----	20 UNCH
5870	----	----	22.90B/----	22.90B/15.40A	----	16.90 + 3.40	.0567	----	----	----	----	30 UNCH
5875	18.00	18.00	22.70B/18.00	22.70B/15.30A	----	16.80 + 3.40	.0563	----	----	33	----	191 UNCH
5880	----	----	22.50B/----	22.50B/15.10A	----	16.70 + 3.40	.0560	----	----	----	----	17 UNCH
5890	----	----	22.20B/----	22.20B/15.00A	----	16.40 + 3.20	.0550	----	----	----	----	127 UNCH
5900	----	----	22.00B/----	22.00B/14.80A	----	16.20 + 3.20	.0543	----	----	17	----	1581 - 6
5910	----	----	21.60B/----	21.60B/14.60A	----	16.00 + 3.20	.0536	----	----	----	----	10 UNCH
5920	----	----	21.50B/----	21.50B/14.40A	----	15.80 + 3.20	.0529	----	----	----	----	40 UNCH
5930	----	----	21.10B/----	21.10B/14.20A	----	15.50 + 3.00	.0520	----	----	----	----	58 UNCH
5940	----	----	20.80B/----	20.80B/14.10A	----	15.30 + 3.00	.0513	----	----	----	----	3 UNCH
5950	----	----	20.60B/----	20.60B/13.90A	----	15.10 + 3.00	.0506	----	----	----	----	177 UNCH
5960	14.60	14.60	20.30B/14.50	20.30B/13.70A	----	14.90 + 2.90	.0499	----	----	7	----	23 + 5
5970	----	----	20.00B/----	20.00B/13.50A	----	14.70 + 2.90	.0493	----	----	----	----	34 UNCH
5980	----	----	19.80B/----	19.80B/13.30A	----	14.50 + 2.80	.0486	----	----	----	----	5 UNCH
5990	----	----	19.50B/----	19.50B/13.20A	----	14.30 + 2.80	.0479	----	----	----	----	4 UNCH
6000	13.00	13.00	19.30B/13.00	19.30B/13.00	----	14.10 + 2.70	.0472	----	----	1351	----	7046 + 1083
6010	----	----	19.10B/----	19.10B/12.90A	----	14.00 + 2.80	.0468	----	----	----	----	9 UNCH
6020	----	----	18.80B/----	18.80B/12.70A	----	13.80 + 2.70	.0462	----	----	----	----	23 UNCH
6030	13.20	13.20	18.60B/13.20	18.60B/12.50A	----	13.60 + 2.70	.0455	----	----	8	----	26 + 8
6040	----	----	18.40B/----	18.40B/12.40A	----	13.40 + 2.60	.0448	----	----	----	----	26 UNCH
6050	15.30	15.30	18.10B/15.10	18.10B/12.20A	----	13.30 + 2.70	.0444	----	----	2	----	276 + 2
6060	----	----	17.90B/----	17.90B/12.00A	----	13.10 + 2.60	.0438	----	----	----	----	31 UNCH
6070	----	----	17.70B/----	17.70B/12.00A	----	12.90 + 2.50	.0431	----	----	----	----	34 UNCH
6080	13.20	13.20	17.50B/13.20	17.50B/11.60A	----	12.70 + 2.40	.0425	----	----	2	----	9 + 1
6090	----	----	17.20B/----	17.20B/11.70A	----	12.60 + 2.50	.0421	----	----	----	----	17 UNCH
6100	----	----	17.10B/----	17.10B/11.40A	----	12.40 + 2.40	.0414	----	----	41	----	2402 - 1
6110	----	----	16.90B/----	16.90B/11.40A	----	12.30 + 2.40	.0410	----	----	----	----	65 UNCH
6120	----	----	16.60B/----	16.60B/11.30A	----	12.10 + 2.30	.0404	----	----	----	----	10 UNCH
6125	----	----	16.60B/----	16.60B/11.00A	----	12.00 + 2.30	.0401	----	----	----	----	9 UNCH
6130	----	----	16.40B/----	16.40B/11.20A	----	12.00 + 2.40	.0400	----	----	----	----	10 UNCH
6140	12.20	12.20	16.20B/12.20	16.20B/10.80A	----	11.80 + 2.30	.0394	----	----	1	----	8 UNCH
6150	11.40	11.40	16.10B/11.30	16.10B/10.90A	----	11.70 + 2.30	.0390	----	----	13	----	506 + 9
6160	----	----	15.90B/----	15.90B/10.80A	----	11.50 + 2.20	.0384	----	----	----	----	130 UNCH
6170	----	----	15.70B/----	15.70B/10.50A	----	11.40 + 2.20	.0380	----	----	----	----	17 UNCH
6180	----	----	15.50B/----	15.50B/10.30A	----	11.20 + 2.10	.0374	----	----	----	----	71 UNCH
6190	----	----	15.30B/----	15.30B/10.40A	----	11.10 + 2.10	.0370	----	----	----	----	2 UNCH
6200	----	----	15.20B/----	15.20B/10.30A	----	11.00 + 2.10	.0366	----	----	36	----	4041 + 36
6210	----	----	15.00B/----	15.00B/10.20A	----	10.80 + 2.00	.0360	----	----	----	----	53 UNCH
6220	----	----	14.80B/----	14.80B/10.10A	----	10.70 + 2.00	.0356	----	----	----	----	7 UNCH
6230	10.20	10.20	14.70B/10.20	14.70B/10.00A	----	10.60 + 2.00	.0352	----	----	8	----	62 UNCH
6240	9.80	9.80	14.40B/9.80	14.40B/9.80	----	10.40 + 1.90	.0346	----	----	18	----	20 + 13
6250	----	----	14.30B/----	14.30B/9.80A	----	10.30 + 1.90	.0343	----	----	4	----	1303 - 1
6260	----	----	14.10B/----	14.10B/9.70A	----	10.20 + 1.90	.0339	----	----	----	----	8 UNCH
6270	----	----	14.10B/----	14.10B/9.50A	----	10.10 + 1.90	.0335	----	----	----	----	146 UNCH
6280	----	----	13.80B/----	13.80B/9.20A	----	10.00 + 1.90	.0332	----	----	----	----	12 UNCH
6290	----	----	13.70B/----	13.70B/9.10A	----	9.80 + 1.80	.0326	----	----	----	----	19 UNCH
6300	8.00	8.00	13.50B/8.00	13.50B/8.00	----	9.70 + 1.80	.0322	----	----	85	----	2533 - 35
6310	----	----	13.30B/----	13.30B/9.00A	----	9.60 + 1.80	.0319	----	----	----	----	2 UNCH
6320	----	----	13.20B/----	13.20B/8.90A	----	9.50 + 1.70	.0315	----	----	----	----	24 UNCH
6330	9.10	9.10	13.20B/9.10	13.20B/9.00A	----	9.40 + 1.70	.0311	----	----	7	----	27 UNCH
6340	9.50	9.50	12.90B/8.00	12.90B/8.00	----	9.30 + 1.70	.0308	----	----	8	----	31 + 7
6350	9.50	9.50	12.80B/8.20	12.80B/8.20	----	9.20 + 1.70	.0304	----	----	7	----	17 + 5
6360	----	----	12.60B/----	12.60B/8.70A	----	9.10 + 1.70	.0301	----	----	----	----	2 UNCH
6370	12.70	12.70	12.70/12.70	12.70/8.60A	----	9.00 + 1.60	.0298	----	----	2	----	4 UNCH
6380	----	----	12.40B/----	12.40B/8.50A	----	8.90 + 1.60	.0294	----	----	----	----	9 UNCH
6390	----	----	12.20B/----	12.20B/8.40A	----	8.80 + 1.60	.0291	----	----	----	----	1 UNCH
6400	11.40	11.40	12.30B/11.40	12.30B/8.30A	----	8.70 + 1.60	.0287	----	----	20	----	414 UNCH
6410	----	----	12.00B/----	12.00B/8.10A	----	8.60 + 1.50	.0284	----	----	----	----	8 UNCH
6420	----	----	11.80B/----	11.80B/8.00A	----	8.50 + 1.50	.0280	----	----	----	----	3 UNCH
6430	----	----	11.70B/----	11.70B/7.90A	----	8.40 + 1.50	.0277	----	----	----	----	30 UNCH
6440	----	----	11.60B/----	11.60B/8.00A	----	8.30 + 1.40	.0274	----	----	----	----	2 UNCH
6450	8.50	8.50	11.50B/7.00	11.50B/7.00	----	8.20 + 1.40	.0270	----	----	8	----	58 + 7
6460	8.00	8.00	11.40B/8.00	11.40B/7.90A	----	8.10 + 1.40	.0267	----	----	14	----	19 + 12
6470	----	----	11.20B/----	11.20B/7.80A	----	8.00 + 1.30	.0264	----	----	----	----	9 UNCH
6480	8.30	8.30	11.10B/7.10	11.10B/7.10	----	8.00 + 1.40	.0263	----	----	7	----	17 + 4
6490	----	----	11.00B/----	11.00B/7.60A	----	7.90 + 1.30	.0260	----	----	----	----	18 UNCH
6500	9.50	9.50	10.90B/9.50	10.90B/7.60A	----	7.80 + 1.30	.0256	----	----	42	----	1043 + 12
6525	8.00	8.00	10.60B/6.90	10.60B/6.90	----	7.60 + 1.20	.0249	----	----	8	----	14 + 7
6550	----	----	10.30B/----	10.30B/7.10A	----	7.40 + 1.20	.0243	----	----	----	----	209 UNCH
6575	----	----	10.10B/----	10.10B/7.00A	----	7.20 + 1.10	.0236	----	----	----	----	7 UNCH
6600	9.60	9.60	9.90B/6.30	9.90B/6.30	----	7.10 + 1.10	.0232	----	----	10	----	849 + 2
6625	7.20	7.20	9.60B/6.30	9.60B/6.30	----	6.90 + 1.10	.0225	----	----	7	----	110 + 5
6650	----	----	9.40B/----	9.40B/6.50A	----	6.70 + 1.00	.0218	----	----	----	----	38 UNCH
6675	6.70	6.70	9.20B/6.50	9.20B/6.40A	----	6.60 + 1.00	.0214	----	----	14	----	29 + 13
6700	----	----	9.00B/----	9.00B/6.20A	----	6.40 + 0.90	.0208	----	----	23	----	1207 + 23
6725	----	----	8.80B/----	8.80B/6.10A	----	6.30 + 0.90	.0204	----	----	----	----	111 UNCH
6750	----	----	8.60B/----	8.60B/5.90A	----	6.20 + 0.90	.0200	----	----	----	----	134 UNCH
6775	----	----	8.30B/----	8.30B/5.80A	----	6.00 + 0.80	.0194	----	----	----	----	2 UNCH
6800	8.00	8.00	8.20B/5.50	8.20B/5.50	----	5.90 + 0.80	.0190	----	----	8	----	243 + 6
6825	----	----	8.00B/----	8.00B/5.60A	----	5.80 + 0.80	.0186	----	----	----	----	10 UNCH
6850	----	----	7.90B/----	7.90B/5.40A	----	5.70 + 0.70	.0182	----	----	----	----	25 UNCH
6875	----	----	7.70B/----	7.70B/5.40A	----	5.60 + 0.70	.0179	----	----	----	----	1 UNCH
6900	----	----	7.50B/----	7.50B/5.20A	----	5.50 + 0.70	.0175	----	----	----	----	157 UNCH
6925	----	----	7.30B/----	7.30B/5.10A	----	5.40 + 0.70	.0172	----	----	----	----	51 UNCH
6950	----	----	7.20B/----	7.20B/5.00A	----	5.30 + 0.70	.0168	----	----	----	----	27 UNCH
6975	----	----	7.00B/----	7.00B/4.90A	----	5.20 + 0.60	.0165	----	----	----	----	17 UNCH
7000	----	----	6.90B/----	6.90B/4.80A	----	5.10 + 0.60	.0161	----	----	66	----	1785 + 24
7025	----	----	6.70B/----	6.70B/4.70A	----	5.00 + 0.60	.0158	----	----	----	----	31 UNCH
7050	----	----	6.60B/----	6.60B/4.60A	----	4.90 + 0.60	.0154	----	----	----	----	5 UNCH
7075	5.40	5.40	6.50B/5.40	6.50B/4.60A	----	4.80 + 0.50	.0151	----	----	2	----	8 UNCH
7100	4.00	4.00	6.40B/4.00	6.40B/4.00	----	4.70 + 0.50	.0147	----	----	7	----	147 - 1
7125	5.20	5.20	6.20B/5.20	6.20B/4.40A	----	4.70 + 0.60	.0147	----	----	2	----	52 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
7150	5.00	5.00	6.20B/5.00	6.20B/4.30A	----	4.60 + 0.50	.0143	----	----	7	----	59 + 7
7200	----	----	5.90B/----	5.90B/4.20A	----	4.40 + 0.50	.0137	----	----	----	----	129 UNCH
7250	----	----	5.70B/----	5.70B/4.00A	----	4.30 + 0.50	.0133	----	----	----	----	91 UNCH
7275	----	----	5.60B/----	5.60B/4.00A	----	4.20 + 0.50	.0130	----	----	----	----	1 UNCH
7300	----	----	5.50B/----	5.50B/3.90A	----	4.20 + 0.50	.0129	----	----	----	----	150 UNCH
7325	----	----	5.40B/----	5.40B/3.90A	----	4.10 + 0.50	.0126	----	----	----	----	14 UNCH
7350	----	----	5.30B/----	5.30B/3.80A	----	4.00 + 0.40	.0123	----	----	----	----	3 UNCH
7375	----	----	5.20B/----	5.20B/3.80A	----	4.00 + 0.50	.0122	----	----	----	----	11 UNCH
7400	----	----	5.20B/----	5.20B/3.70A	----	3.90 + 0.50	.0119	----	----	----	----	46 UNCH
7425	----	----	5.10B/----	5.10B/3.70A	----	3.90 + 0.50	.0118	----	----	----	----	20 UNCH
7450	----	----	5.00B/----	5.00B/3.60A	----	3.80 + 0.50	.0115	----	----	----	----	5 UNCH
7475	----	----	4.90B/----	4.90B/3.50A	----	3.80 + 0.50	.0115	----	----	----	----	8 UNCH
7500	----	----	4.80B/----	4.80B/3.50A	----	3.70 + 0.50	.0112	----	----	20	----	1328 + 20
7525	----	----	4.70B/----	4.70B/3.40A	----	3.70 + 0.50	.0111	----	----	----	----	20 UNCH
7575	----	----	4.60B/----	4.60B/3.30A	----	3.60 + 0.50	.0108	----	----	----	----	8 UNCH
7600	----	----	4.60B/----	4.60B/3.30A	----	3.50 + 0.50	.0105	----	----	----	----	46 UNCH
7700	----	----	4.30B/----	4.30B/3.10A	----	3.40 + 0.50	.0100	----	----	----	----	45 UNCH
7750	----	----	4.20B/----	4.20B/3.00A	----	3.30 + 0.50	.0097	----	----	----	----	12 UNCH
7800	----	----	4.10B/----	4.10B/2.90A	----	3.20 + 0.50	.0094	----	----	----	----	39 UNCH
7875	----	----	3.90B/----	3.90B/2.80A	----	3.10 + 0.50	.0090	----	----	----	----	31 UNCH
7900	----	----	3.80B/----	3.80B/2.90A	----	3.10 + 0.60	.0090	----	----	----	----	3 UNCH
7950	----	----	3.70B/----	3.70B/2.80A	----	3.00 + 0.50	.0087	----	----	----	----	2 UNCH
8000	----	----	3.60B/----	3.60B/2.70A	----	3.00 + 0.60	.0086	----	----	----	----	971 UNCH
8100	----	----	3.50B/----	3.50B/2.70A	----	2.90 + 0.60	.0082	----	----	----	----	3 UNCH
8200	----	----	3.30B/----	3.30B/2.60A	----	2.80 + 0.60	.0079	----	----	----	----	89 UNCH
8300	3.20	3.20	3.20/3.20	3.20/2.50A	----	2.70 + 0.60	.0075	----	----	1	----	64 UNCH
8500	2.90	2.90	2.90/2.90	2.90/2.40A	----	2.60 + 0.70	.0071	----	----	2	----	111 + 2
8600	----	----	2.70B/----	2.70B/2.30A	----	2.50 + 0.70	.0068	----	----	----	----	50 UNCH
8800	----	----	2.40B/----	2.40B/2.20A	----	2.30 + 0.60	.0061	----	----	----	----	31 UNCH
8900	----	----	2.30B/----	2.30B/2.10A	----	2.20 + 0.60	.0058	----	----	----	----	15 UNCH
9000	----	----	2.30B/----	2.30B/2.10A	----	2.10 + 0.50	.0056	----	----	----	----	239 UNCH
9100	----	----	2.10B/----	2.10B/2.00A	----	2.10 + 0.60	.0055	----	----	----	----	1 UNCH
9200	----	----	2.00B/----	2.00B/2.00A	----	2.00 + 0.50	.0052	----	----	----	----	51 UNCH
9300	----	----	1.90B/----	1.90B/1.90A	----	2.00 + 0.60	.0051	----	----	----	----	3 UNCH
9400	----	----	1.90B/----	1.90B/1.90A	----	1.90 + 0.50	.0049	----	----	----	----	25 UNCH
9500	----	----	1.80B/----	1.80B/1.90A	----	1.90 + 0.50	.0048	----	----	----	----	25 UNCH
9600	----	----	1.70B/----	1.70B/1.80A	----	1.80 + 0.50	.0046	----	----	----	----	26 UNCH
9700	----	----	1.70B/----	1.70B/1.80A	----	1.80 + 0.50	.0045	----	----	----	----	20 UNCH
9800	----	----	1.60B/----	1.60B/1.70A	----	1.70 + 0.40	.0042	----	----	----	----	17 UNCH
9900	----	----	1.50B/----	1.50B/1.70A	----	1.70 + 0.40	.0042	----	----	----	----	24 UNCH
10000	2.00	2.00	2.00/2.00	2.00/1.60A	----	1.70 + 0.50	.0042	----	----	1	----	236 + 1
10100	----	----	1.40B/----	1.40B/1.60A	----	1.60 + 0.40	.0039	----	----	----	----	2 UNCH
10300	----	----	1.30B/----	1.30B/1.60A	----	1.50 + 0.30	.0036	----	----	----	----	3 UNCH
10400	----	----	1.20B/----	1.20B/1.50A	----	1.50 + 0.40	.0036	----	----	----	----	2 UNCH
10500	----	----	1.20B/----	1.20B/1.50A	----	1.50 + 0.40	.0036	----	----	----	----	1 UNCH
10700	----	----	----	1.10B/1.40A	----	1.40 + 0.30	.0033	----	----	----	----	4 UNCH
11000	----	----	----	0.90B/1.40A	----	1.40 + 0.30	.0032	----	----	----	----	71 UNCH
11300	----	----	----	0.80B/1.30A	----	1.40 + 0.30	.0032	----	----	----	----	11 UNCH
11500	----	----	----	0.70B/1.20A	----	1.30 + 0.30	.0029	----	----	----	----	1 UNCH
11600	----	----	----	0.70B/1.20A	----	1.20 + 0.30	.0027	----	----	----	----	5 UNCH
11700	----	----	----	0.70B/1.10A	----	1.10 + 0.30	.0025	----	----	----	----	15 UNCH
11900	----	----	----	0.60B/1.10A	----	0.80 + 0.10	.0018	----	----	----	----	1 UNCH
12000	----	----	----	0.50B/1.00A	----	0.70 + 0.10	.0016	----	----	----	----	269 UNCH
TOTAL										8512	210	147383 + 3506
JUL26												
3500	----	----	----	573.40B/1416.50A	----	1089.30 + 09.70	.9190	----	----	----	----	1 UNCH
3600	----	----	1,042.10B/----	1042.10B/923.90A	----	998.60 + 07.80	.9010	----	----	----	----	24 UNCH
3650	----	----	998.20B/----	998.20B/879.80A	----	954.00 + 06.60	.8908	----	----	----	----	10 UNCH
3670	----	----	979.90B/----	979.90B/862.70A	----	936.30 + 06.10	.8865	----	----	----	----	3 UNCH
3700	----	----	953.10B/----	953.10B/836.90A	----	909.90 + 05.30	.8797	----	----	----	----	111 UNCH
3735	----	----	----	672.80B/1111.80A	----	879.30 + 04.20	.8714	----	----	----	----	1 UNCH
3775	----	----	887.80B/----	887.80B/773.50A	----	844.80 + 02.90	.8614	----	----	----	----	4 UNCH
3800	----	----	870.20B/----	870.20B/750.00A	----	823.50 + 02.10	.8548	----	----	----	----	2045 UNCH
3825	----	----	844.80B/----	844.80B/732.10A	----	802.30 + 01.20	.8480	----	----	----	----	5 UNCH
3850	----	----	824.30B/----	824.30B/711.80A	----	781.20 + 00.10	.8408	----	----	----	----	66 UNCH
3860	----	----	----	563.20B/1009.40A	----	772.90 + 99.80	.8379	----	----	----	----	1 UNCH
3865	----	----	811.10B/----	811.10B/699.70A	----	768.70 + 99.50	.8365	----	----	----	----	7 UNCH
3875	----	----	802.70B/----	802.70B/691.70A	----	760.40 + 99.10	.8335	----	----	----	----	25 UNCH
3900	----	----	782.50B/----	782.50B/671.90A	----	739.70 + 98.00	.8259	----	----	----	----	18 UNCH
3925	----	----	761.90B/----	761.90B/652.20A	----	719.20 + 96.80	.8180	----	----	----	----	35 UNCH
3950	----	----	744.70B/----	744.70B/630.10A	----	698.90 + 95.60	.8099	----	----	----	----	820 UNCH
3960	----	----	----	474.10B/933.70A	----	690.90 + 95.20	.8066	----	----	----	----	1 UNCH
4000	----	----	701.00B/----	701.00B/594.20A	----	659.00 + 93.10	.7928	----	----	----	----	17 UNCH
4020	----	----	----	423.00B/889.80A	----	643.20 + 91.90	.7857	----	----	----	----	1 UNCH
4030	----	----	----	414.60B/882.50A	----	635.40 + 91.40	.7820	----	----	----	----	2 UNCH
4040	----	----	----	406.20B/875.30A	----	627.70 + 90.90	.7783	----	----	----	----	1 UNCH
4075	----	----	642.50B/----	642.50B/539.40A	----	600.80 + 88.90	.7650	----	----	----	----	6 UNCH
4095	----	----	627.70B/----	627.70B/525.10A	----	585.70 + 87.70	.7571	----	----	----	----	4 UNCH
4100	----	----	623.50B/----	623.50B/521.50A	----	582.00 + 87.50	.7551	----	----	----	----	194 UNCH
4105	----	----	----	353.20B/829.40A	----	578.20 + 87.10	.7531	----	----	----	----	1 UNCH
4110	----	----	615.70B/----	615.70B/514.20A	----	574.50 + 86.90	.7511	----	----	----	----	3 UNCH
4145	----	----	589.80B/----	589.80B/490.20A	----	548.90 + 85.00	.7366	----	----	----	----	28 UNCH
4150	----	----	586.20B/----	586.20B/486.50A	----	545.20 + 84.60	.7344	----	----	----	----	37 UNCH
4155	490.00	490.00	565.00B/487.90A	565.00B/487.90A	----	541.60 NEW	.7323	----	----	2	----	1 + 1
4160	----	----	497.80B/----	497.80B/484.50A	----	538.10 + 84.10	.7302	----	----	----	----	1 UNCH
4190	----	----	496.90B/----	496.90B/464.40A	----	516.80 + 82.40	.7170	----	----	----	----	1 UNCH
4200	----	----	549.90B/----	549.90B/453.10A	----	509.90 + 81.90	.7125	----	----	----	----	8 UNCH
4215	----	----	539.10B/----	539.10B/443.40A	----	499.50 + 81.00	.7058	----	----	----	----	25 UNCH
4220	----	----	510.60B/----	510.60B/441.70A	----	496.10 + 80.70	.7035	----	----	----	----	1 UNCH
4225	----	----	513.10B/----	513.10B/433.70A	----	492.60 + 80.40	.7012	----	----	----	----	2 UNCH
4235	----	----	#512.50B/----	512.50B/427.40A	----	485.90 + 79.90	.6966	----	----	----	----	1 UNCH
4240	----	----	521.70B/----	521.70B/424.10A	----	482.50 + 79.60	.6943	----	----	----	----	39 UNCH
4245	----	----	506.10B/----	506.10B/421.00A	----	479.10 + 79.20	.6919	----	----	----	----	1 UNCH
4250	----	----	516.50B/----	516.50B/418.20A	----	475.80 + 79.00	.6896	----	----	----	----	316 UNCH
4255	----	----	#507.80B/----	507.80B/415.00A	----	472.40 + 78.60	.6872	----	----	----	----	1 UNCH
4265	----	----	511.40B/----	511.40B/409.10A	----	465.80 + 78.10	.6825	----	----	----	----	2 UNCH
4270	----	----	507.80B/----	507.80B/405.90A	----	462.50 + 77.80	.6801	----	----	----	----	38 UNCH
4275	----	----	504.50B/----	504.50B/402.90A	----	459.20 + 77.40	.6778	----	----	----	----	76 UNCH
4280	----	----	501.10B/----	501.10B/400.10A	----	455.90 + 77.10	.6754	----	----	----	----	3 UNCH
4300	----	----	487.70B/----	487.70B/388.20A	----	443.00 + 75.90	.6657	----	----	----	----	63 UNCH
4315	----	----	477.70B/----	477.70B/379.70A	----	433.40 + 74.90	.6583	----	----	----	----	21 UNCH
4325	----	----	471.40B/----	471.40B/372.80A	----	427.00 + 74.20	.6534	----	----	----	----	22 UNCH
4335	----	----	#464.80B/----	464.80B/357.70A	----	420.80 + 73.60	.6484	----	----	----	----	1 UNCH
4350	----	----	455.00B/----	455.00B/351.60A	----	411.50 + 72.60	.6409	----	----	----	----	10 UNCH
4360	----	----	448.60B/----	448.60B/344.90A	----	405.40 + 71.90	.6359	----	----	----	----	53 UNCH
4365	----	----	445.40B/----	445.40B/340.10A	----	402.30 + 71.50	.6334	----	----	----	----	45 UNCH
4370	----	----	442.40B/----	442.40B/339.40A	----	399.30 + 71.20	.6308	----	----	----	----	20 UNCH
4375	----	----	439.10B/----	439.10B/337.20A	----	396.30 + 70.90	.6283	----	----	----	----	5 UNCH
4400	----	----	423.50B/----	423.50B/324.60A	----	381.40 + 69.10	.6154	----	----	----	----	2267 UNCH
4410	----	----	417.40B/----	417.40B/318.40A	----	375.60 + 68.40	.6102	----	----	----	----	4 UNCH
4415	----	----	414.30B/----	414.30B/312.90A	----	372.70 + 68.00	.6076	----	----	----	----	39 UNCH
4420	----	----	411.50B/----	411.50B/310.30A	----	369.80 + 67.60	.6050	----	----	----	----	5 UNCH
4425	347.60	347.60	408.50B/347.60	408.50B/311.00A	----	366.90 + 67.30	.6024	----	----	2	----	16 - 2
4430	----	----	405.50B/----	405.50B/304.50A	----	364.10 + 66.90	.5998	----	----	----	----	1 UNCH
4445	----	----	396.40B/----	396.40B/297.80A	----	355.60 + 65.80	.5919	----	----	----	----	30 UNCH
4450	293.50	293.50	393.70B/293.50	393.70B/293.50	----	352.80 + 65.50	.5893	----	----	9	----	255 UNCH
4455	301.80	301.80	390.50B/296.40A	390.50B/296.40A	----	350.00 + 65.10	.5866	----	----	2	----	2 - 1
4460	298.80	298.80	387.70B/291.60A	387.70B/291.60A	----	347.30 + 64.80	.5840	----	----	1	----	2 - 1
4475	----	----	378.90B/----	378.90B/285.30A	----	339.10 + 63.70	.5760	----	----	----	----	2 UNCH
4480	----	----	376.10B/----	376.10B/280.90A	----	336.40 + 63.30	.5734	----	----	----	----	25 UNCH
4485	311.40	311.40	373.20B/292.20	373.20B/282.40A	----	333.70 + 62.90	.5707	----	----	2	----	0 UNCH
4490	----	----	370.60B/----	370.60B/279.10A	----	331.00 + 62.50	.5680	----	----	----	----	9 UNCH
4500	343.10	343.10	365.10B/343.10	365.10B/275.90A	----	325.70 + 61.80	.5627	----	----	1	----	968 UNCH
4505	----	----	362.20B/----	362.20B/272.90A	----	323.10 + 61.40	.5600	----	----	----	----	2 UNCH
4510	----	----	359.50B/----	359.50B/267.10A	----	320.50 + 61.10	.5573	----	----	----	----	47 UNCH
4515	----	----	356.60B/----	356.60B/262.70A	----	317.90 + 60.70	.5546	----	----	----	----	200 UNCH
4520	----	----	354.00B/----	354.00B/260.70A	----	315.40 + 60.40	.5519	----	----	----	----	188 UNCH
4525	----	----	351.10B/----	351.10B/258.20A	----	312.80 + 60.00	.5492	----	----	100	----	129 + 100
4530	280.00	280.00	348.40B/273.00	348.40B/256.10A	----	310.30 + 59.60	.5466	----	----	4	----	5 + 2
4535	----	----	345.50B/----	345.50B/254.60A	----	307.70 + 59.20	.5439	----	----	----	----	14 UNCH
4540	----	----	343.10B/----	343.10B/252.40A	----	305.20 + 58.80	.5412	----	----	----	----	53 UNCH
4550	299.50	299.50	337.70B/299.50	337.70B/248.00A	----	300.30 + 58.20	.5358	----	----	12	----	9 - 3
4560	----	----	332.50B/----	332.50B/243.30A	----	295.30 + 57.40	.5304	----	----	----	----	1 UNCH
4565	----	----	329.80B/----	329.80B/241.80A	----	292.90 + 57.00	.5277	----	----	----	----	1 UNCH
4570	----	----	327.30B/----	327.30B/239.20A	----	290.50 + 56.70	.5250	----	----	----	----	2 UNCH
4575	----	----	324.80B/----	324.80B/237.70A	----	288.10 + 56.30	.5223	----	----	----	----	128 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 34

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4600	250.60	250.60	312.20B/233.80	312.20B/227.20A	----	276.30 + 54.50	.5088	----	----	107	----	351 + 22
4605	----	----	309.60B/----	309.60B/225.30A	----	274.00 + 54.10	.5061	----	----	----	----	10 UNCH
4610	----	----	307.10B/----	307.10B/223.40A	----	271.70 + 53.70	.5034	----	----	----	----	6 UNCH
4635	277.60	277.60	295.10B/277.60	295.10B/214.20A	----	260.50 + 52.00	.4900	----	----	1	----	86 UNCH
4640	----	----	292.70B/----	292.70B/212.20A	----	258.30 + 51.60	.4873	----	----	----	----	242 UNCH
4645	----	----	290.40B/----	290.40B/210.40A	----	256.10 + 51.20	.4846	----	----	----	----	14 UNCH
4650	265.50	265.50	288.10B/265.50	288.10B/208.50A	----	254.00 + 50.90	.4820	----	----	2	----	212 + 2
4655	----	----	285.70B/----	285.70B/206.80A	----	251.80 + 50.50	.4793	----	----	----	----	18 UNCH
4660	----	----	283.40B/----	283.40B/204.90A	----	249.70 + 50.20	.4766	----	----	----	----	10 UNCH
4665	----	----	281.10B/----	281.10B/203.10A	----	247.50 + 49.80	.4740	----	----	----	----	268 UNCH
4670	----	----	278.90B/----	278.90B/201.40A	----	245.40 + 49.40	.4713	----	----	----	----	62 UNCH
4675	----	----	276.80B/----	276.80B/199.50A	----	243.30 + 49.10	.4686	----	----	----	----	129 UNCH
4685	----	----	272.40B/----	272.40B/196.40A	----	239.20 + 48.40	.4633	----	----	----	----	10 UNCH
4695	----	----	268.00B/----	268.00B/193.00A	----	235.10 + 47.70	.4581	----	----	----	----	22 UNCH
4700	218.00	218.00	266.50B/215.50	266.50B/191.10A	----	233.10 + 47.40	.4554	----	----	16	----	550 - 2
4710	----	----	261.60B/----	261.60B/187.40A	----	229.10 + 46.70	.4502	----	----	----	----	100 UNCH
4725	----	----	254.80B/----	254.80B/182.70A	----	223.20 + 45.60	.4423	----	----	----	----	2 UNCH
4730	----	----	252.50B/----	252.50B/181.00A	----	221.30 + 45.30	.4397	----	----	----	----	1 UNCH
4745	----	----	247.00B/----	247.00B/176.60A	----	215.60 + 44.30	.4320	----	----	----	----	177 UNCH
4750	----	----	245.50B/----	245.50B/175.00A	----	213.70 + 43.90	.4294	----	----	----	----	1064 UNCH
4755	----	----	242.90B/----	242.90B/173.10A	----	211.80 + 43.60	.4268	----	----	----	----	12 UNCH
4760	----	----	241.00B/----	241.00B/171.90A	----	210.00 + 43.30	.4242	----	----	----	----	47 UNCH
4770	----	----	237.00B/----	237.00B/168.60A	----	206.30 + 42.60	.4191	----	----	----	----	68 UNCH
4775	----	----	234.50B/----	234.50B/167.50A	----	204.50 + 42.20	.4165	----	----	150	----	150 + 150
4780	----	----	233.20B/----	233.20B/166.20A	----	202.80 + 42.00	.4140	----	----	----	----	30 UNCH
4785	----	----	231.20B/----	231.20B/164.70A	----	201.00 + 41.60	.4115	----	----	----	----	11 UNCH
4790	----	----	228.40B/----	228.40B/163.30A	----	199.20 + 41.30	.4089	----	----	----	----	1 UNCH
4800	175.00	175.00	226.00B/162.70	226.00B/160.10A	----	195.70 + 40.60	.4039	----	----	142	----	2006 + 62
4805	----	----	222.90B/----	222.90B/158.80A	----	194.00 + 40.30	.4014	----	----	----	----	0 UNCH
4810	----	----	221.30B/----	221.30B/157.10A	----	192.30 + 40.00	.3989	----	----	----	----	2 UNCH
4815	----	----	219.50B/----	219.50B/155.70A	----	190.60 + 39.70	.3964	----	----	----	----	0 UNCH
4825	----	----	216.40B/----	216.40B/153.30A	----	187.30 + 39.10	.3915	----	----	----	----	41 UNCH
4830	----	----	214.50B/----	214.50B/151.60A	----	185.60 + 38.70	.3890	----	----	----	----	3 UNCH
4835	----	----	212.80B/----	212.80B/150.50A	----	184.00 + 38.40	.3865	----	----	----	----	6 UNCH
4840	----	----	210.30B/----	210.30B/148.80A	----	182.30 + 38.00	.3840	----	----	----	----	1 UNCH
4845	190.20	190.20	209.10B/190.20	209.10B/148.00A	----	180.70 + 37.70	.3816	----	----	20	----	59 UNCH
4850	186.00	186.00	207.70B/186.00	207.70B/146.70A	----	179.10 + 37.40	.3792	----	----	164	----	332 + 17
4855	----	----	205.30B/----	205.30B/145.20A	----	177.50 + 37.10	.3767	----	----	----	----	1 UNCH
4860	----	----	203.50B/----	203.50B/143.90A	----	176.00 + 36.90	.3744	----	----	----	----	1 UNCH
4870	----	----	200.60B/----	200.60B/141.10A	----	172.80 + 36.20	.3695	----	----	----	----	60 UNCH
4875	----	----	198.80B/----	198.80B/140.20A	----	171.30 + 35.90	.3671	----	----	----	----	12 UNCH
4880	----	----	197.20B/----	197.20B/139.10A	----	169.80 + 35.60	.3648	----	----	----	----	12 UNCH
4885	----	----	194.90B/----	194.90B/137.70A	----	168.30 + 35.30	.3624	----	----	----	----	2 UNCH
4890	----	----	193.40B/----	193.40B/136.50A	----	166.80 + 35.00	.3600	----	----	----	----	1 UNCH
4900	143.90	143.90	191.20B/143.90	191.20B/134.10A	----	163.80 + 34.40	.3553	----	----	25	----	525 - 9
4905	----	----	188.40B/----	188.40B/132.70A	----	162.40 + 34.20	.3530	----	----	----	----	2 UNCH
4910	----	----	186.70B/----	186.70B/131.60A	----	160.90 + 33.80	.3507	----	----	----	----	2 UNCH
4915	----	----	185.90B/----	185.90B/130.40A	----	159.50 + 33.60	.3484	----	----	----	----	3 UNCH
4920	----	----	184.30B/----	184.30B/129.30A	----	158.10 + 33.30	.3461	----	----	----	----	6 UNCH
4925	----	----	182.80B/----	182.80B/128.50A	----	156.60 + 32.90	.3437	----	----	----	----	4 UNCH
4930	----	----	181.30B/----	181.30B/127.00A	----	155.20 + 32.60	.3414	----	----	----	----	3 UNCH
4940	----	----	178.30B/----	178.30B/124.80A	----	152.50 + 32.10	.3369	----	----	----	----	163 UNCH
4950	----	----	175.20B/----	175.20B/122.50A	----	149.80 + 31.60	.3324	----	----	----	----	111 UNCH
4955	----	----	173.70B/----	173.70B/121.40A	----	148.40 + 31.30	.3302	----	----	----	----	62 UNCH
4960	----	----	171.60B/----	171.60B/120.50A	----	147.10 + 31.00	.3279	----	----	----	----	1 UNCH
4965	----	----	170.80B/----	170.80B/119.30A	----	145.80 + 30.80	.3257	----	----	----	----	150 UNCH
4970	----	----	169.40B/----	169.40B/118.80A	----	144.50 + 30.50	.3235	----	----	----	----	13 UNCH
4975	----	----	167.90B/----	167.90B/117.20A	----	143.20 + 30.20	.3213	----	----	----	----	42 UNCH
4980	----	----	166.50B/----	166.50B/116.70A	----	141.90 + 29.90	.3191	----	----	----	----	3 UNCH
4985	----	----	165.10B/----	165.10B/115.70A	----	140.60 + 29.60	.3169	----	----	----	----	27 UNCH
4990	----	----	163.70B/----	163.70B/114.70A	----	139.40 + 29.40	.3148	----	----	----	----	13 UNCH
4995	----	----	162.30B/----	162.30B/113.70A	----	138.10 + 29.10	.3126	----	----	----	----	20 UNCH
5000	117.00	117.00	161.50B/113.40	161.50B/112.60A	----	136.90 + 28.90	.3105	----	----	323	100	1543 + 126
5005	----	----	159.60B/----	159.60B/111.70A	----	135.70 + 28.70	.3084	----	----	----	----	12 UNCH
5010	----	----	158.20B/----	158.20B/110.70A	----	134.50 + 28.40	.3063	----	----	----	----	12 UNCH
5020	----	----	155.70B/----	155.70B/108.80A	----	132.10 + 27.90	.3021	----	----	----	----	7 UNCH
5025	----	----	154.20B/----	154.20B/107.90A	----	130.90 + 27.70	.3000	----	----	----	----	5 UNCH
5030	----	----	153.00B/----	153.00B/107.00A	----	129.70 + 27.40	.2979	----	----	----	----	20 UNCH
5035	----	----	150.80B/----	150.80B/105.90A	----	128.60 + 27.20	.2959	----	----	72	----	54 + 52
5040	----	----	149.70B/----	149.70B/105.00A	----	127.40 + 26.90	.2938	----	----	----	----	2 UNCH
5045	----	----	148.40B/----	148.40B/104.10A	----	126.30 + 26.70	.2918	----	----	----	----	2 UNCH
5050	131.70	131.70	147.90B/131.70	147.90B/103.30A	----	125.10 + 26.40	.2897	----	----	2	----	17 + 2
5055	----	----	146.60B/----	146.60B/102.30A	----	124.00 + 26.20	.2877	----	----	----	----	8 UNCH
5060	----	----	145.40B/----	145.40B/101.40A	----	122.90 + 25.90	.2857	----	----	----	----	4 UNCH
5065	----	----	144.20B/----	144.20B/100.60A	----	121.80 + 25.70	.2837	----	----	----	----	25 UNCH
5070	----	----	142.00B/----	142.00B/99.40A	----	120.70 + 25.50	.2817	----	----	----	----	1 UNCH
5075	----	----	141.80B/----	141.80B/98.40A	----	119.70 + 25.30	.2798	----	----	----	----	14 UNCH
5080	----	----	140.60B/----	140.60B/97.50A	----	118.60 + 25.00	.2778	----	----	----	----	65 UNCH
5085	----	----	138.60B/----	138.60B/96.60A	----	117.50 + 24.80	.2758	----	----	----	----	2 UNCH
5090	----	----	137.30B/----	137.30B/95.80A	----	116.50 + 24.60	.2739	----	----	----	----	1 UNCH
5095	----	----	137.00B/----	137.00B/95.00A	----	115.50 + 24.40	.2720	----	----	----	----	45 UNCH
5100	97.40	97.40	136.40B/97.40	136.40B/94.40A	----	114.40 + 24.10	.2700	----	----	10	----	559 UNCH
5105	----	----	134.60B/----	134.60B/93.40A	----	113.40 + 23.90	.2681	----	----	----	----	61 UNCH
5110	----	----	133.50B/----	133.50B/92.80A	----	112.40 + 23.70	.2662	----	----	----	----	3 UNCH
5115	----	----	132.50B/----	132.50B/92.00A	----	111.40 + 23.50	.2643	----	----	----	----	36 UNCH
5120	----	----	131.30B/----	131.30B/91.00A	----	110.40 + 23.30	.2625	----	----	----	----	7 UNCH
5125	----	----	130.10B/----	130.10B/90.30A	----	109.40 + 23.00	.2606	----	----	----	----	15 UNCH
5130	----	----	129.10B/----	129.10B/89.70A	----	108.50 + 22.90	.2588	----	----	----	----	12 UNCH
5135	----	----	127.90B/----	127.90B/88.90A	----	107.50 + 22.70	.2569	----	----	----	----	163 UNCH
5140	----	----	126.80B/----	126.80B/88.00A	----	106.60 + 22.50	.2551	----	----	10	----	43 UNCH
5145	----	----	125.90B/----	125.90B/87.20A	----	105.60 + 22.20	.2533	----	----	----	----	16 UNCH
5150	113.70	113.70	125.30B/107.00	125.30B/86.50A	----	104.70 + 22.10	.2515	----	----	4	----	704 UNCH
5155	----	----	122.70B/----	122.70B/85.80A	----	103.80 + 21.90	.2497	----	----	----	----	1 UNCH
5160	----	----	122.60B/----	122.60B/85.00A	----	102.80 + 21.60	.2479	----	----	----	----	9 UNCH
5165	----	----	120.80B/----	120.80B/84.30A	----	101.90 + 21.40	.2461	----	----	----	----	2 UNCH
5170	104.70	104.70	120.60B/103.60	120.60B/83.60A	----	101.00 + 21.20	.2443	----	----	6	----	7 - 1
5175	----	----	119.60B/----	119.60B/83.00A	----	100.20 + 21.10	.2427	----	----	----	----	50 UNCH
5180	----	----	118.70B/----	118.70B/82.40A	----	99.30 + 20.90	.2409	----	----	----	----	12 UNCH
5185	----	----	117.50B/----	117.50B/81.70A	----	98.40 + 20.70	.2392	----	----	----	----	32 UNCH
5190	----	----	116.10B/----	116.10B/80.90A	----	97.50 + 20.50	.2374	----	----	----	----	2 UNCH
5195	----	----	115.50B/----	115.50B/80.30A	----	96.70 + 20.40	.2358	----	----	----	----	7 UNCH
5200	102.00	102.00	115.20B/102.00	115.20B/79.60A	----	95.80 + 20.10	.2340	----	----	29	----	836 + 11
5205	----	----	113.60B/----	113.60B/78.90A	----	95.00 + 20.00	.2324	----	----	----	----	4 UNCH
5210	----	----	112.80B/----	112.80B/78.80A	----	94.20 + 19.80	.2308	----	----	----	----	12 UNCH
5215	----	----	111.70B/----	111.70B/78.10A	----	93.40 + 19.70	.2291	----	----	----	----	9 UNCH
5220	----	----	110.80B/----	110.80B/77.00A	----	92.50 + 19.40	.2274	----	----	----	----	18 UNCH
5225	----	----	109.20B/----	109.20B/76.30A	----	91.70 + 19.30	.2258	----	----	----	----	2 UNCH
5230	----	----	108.90B/----	108.90B/75.80A	----	90.90 + 19.10	.2241	----	----	----	----	9 UNCH
5240	----	----	106.60B/----	106.60B/74.40A	----	89.40 + 18.80	.2210	----	----	----	----	1 UNCH
5245	----	----	106.30B/----	106.30B/73.80A	----	88.60 + 18.60	.2194	----	----	----	----	61 UNCH
5250	----	----	105.40B/----	105.40B/73.30A	----	87.80 + 18.50	.2178	----	----	463	----	364 + 208
5255	----	----	104.50B/----	104.50B/72.60A	----	87.10 + 18.30	.2163	----	----	----	----	13 UNCH
5260	----	----	103.60B/----	103.60B/72.10A	----	86.30 + 18.10	.2147	----	----	----	----	150 UNCH
5265	89.50	89.50	102.30B/89.50	102.30B/71.50A	----	85.60 + 18.00	.2132	----	----	2	----	3 + 2
5270	----	----	101.80B/----	101.80B/70.90A	----	84.80 + 17.80	.2116	----	----	----	----	10 UNCH
5275	----	----	101.00B/----	101.00B/70.40A	----	84.10 + 17.70	.2101	----	----	----	----	17 UNCH
5280	----	----	100.20B/----	100.20B/69.70A	----	83.40 + 17.60	.2086	----	----	----	----	4 UNCH
5285	----	----	99.80B/----	99.80B/69.20A	----	82.70 + 17.40	.2071	----	----	----	----	13 UNCH
5290	----	----	99.00B/----	99.00B/68.50A	----	82.00 + 17.30	.2056	----	----	----	----	33 UNCH
5295	----	----	98.10B/----	98.10B/68.10A	----	81.30 + 17.10	.2042	----	----	----	----	1 UNCH
5300	85.40	85.40	97.40B/82.20	97.40B/67.60A	----	80.60 + 17.00	.2027	----	----	5	----	519 + 2
5305	75.50	75.50	96.50B/75.50	96.50B/66.90A	----	79.90 + 16.80	.2012	----	----	2	----	29 + 2
5310	----	----	95.70B/----	95.70B/66.40A	----	79.20 + 16.70	.1997	----	----	----	----	3 UNCH
5315	----	----	94.90B/----	94.90B/65.80A	----	78.50 + 16.50	.1983	----	----	----	----	13 UNCH
5320	----	----	94.20B/----	94.20B/65.40A	----	77.90 + 16.40	.1969	----	----	----	----	7 UNCH
5325	----	----	93.40B/----	93.40B/65.00A	----	77.20 + 16.20	.1955	----	----	----	----	156 UNCH
5330	----	----	92.60B/----	92.60B/64.20A	----	76.60 + 16.20	.1941	----	----	----	----	1 UNCH
5345	----	----	90.40B/----	90.40B/62.70A	----	74.60 + 15.70	.1899	----	----	----	----	8 UNCH
5350	----	----	89.60B/----	89.60B/62.40A	----	74.00 + 15.60	.1885	----	----	10	----	421 - 8
5355	----	----	88.90B/----	88.90B/61.80A	----	73.40 + 15.50	.1872	----	----	----	----	4 UNCH
5360	----	----	88.20B/----	88.20B/61.30A	----	72.80 + 15.40	.1859	----	----	----	----	333 UNCH
5365	----	----	87.40B/----	87.40B/60.90A	----	72.20 + 15.20	.1846	----	----	----	----	6 UNCH
5370	----	----	86.70B/----	86.70B/60.30A	----	71.60 + 15.10	.1833	----	----	----	----	10 UNCH
5375	----	----	86.00B/----	86.00B/59.90A	----	71.00 + 15.00	.1819	----	----	----	----	3 UNCH
5380	----	----	85.30B/----	85.30B/59.30A	----	70.40 + 14.90	.1806	----	----	----	----	5 UNCH
5385	----	----	84.60B/----	84.60B/59.00A	----	69.80 + 14.70	.1793	----	----	----	----	16 UNCH
5390	79.70	79.70	84.00B/79.70	84.00B/58.60A	----	69.20 + 14.60	.1780	----	----	1	----	11 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 35

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5395	79.30	79.30	83.30B/79.30	83.30B/58.10A	----	68.60 + 14.40	.1767	----	----	4	----	22 UNCH
5400	78.50	78.50	82.60B/77.10	82.60B/57.80A	----	68.10 + 14.40	.1755	----	----	57	----	4296 UNCH
5405	----	----	81.90B/----	81.90B/57.20A	----	67.50 + 14.20	.1742	----	----	----	----	7 UNCH
5410	----	----	81.30B/----	81.30B/56.80A	----	67.00 + 14.20	.1731	----	----	----	----	26 UNCH
5415	----	----	80.60B/----	80.60B/56.20A	----	66.40 + 14.00	.1718	----	----	----	----	17 UNCH
5420	----	----	80.00B/----	80.00B/55.80A	----	65.90 + 13.90	.1706	----	----	----	----	10 UNCH
5425	----	----	79.30B/----	79.30B/55.40A	----	65.30 + 13.80	.1693	----	----	----	----	3 UNCH
5430	----	----	78.70B/----	78.70B/55.00A	----	64.80 + 13.70	.1681	----	----	----	----	5 UNCH
5435	----	----	78.10B/----	78.10B/54.60A	----	64.30 + 13.60	.1670	----	----	----	----	2 UNCH
5440	----	----	77.40B/----	77.40B/54.20A	----	63.70 + 13.40	.1657	----	----	----	----	2 UNCH
5445	----	----	76.80B/----	76.80B/53.80A	----	63.20 + 13.30	.1645	----	----	----	----	8 UNCH
5450	----	----	76.20B/----	76.20B/53.40A	----	62.70 + 13.20	.1634	----	----	----	----	1186 UNCH
5455	----	----	75.60B/----	75.60B/53.00A	----	62.20 + 13.10	.1622	----	----	----	----	11 UNCH
5460	----	----	75.00B/----	75.00B/52.70A	----	61.70 + 13.00	.1611	----	----	----	----	12 UNCH
5465	----	----	74.50B/----	74.50B/52.30A	----	61.20 + 12.90	.1599	----	----	----	----	16 UNCH
5470	----	----	73.90B/----	73.90B/51.80A	----	60.70 + 12.80	.1588	----	----	----	----	17 UNCH
5475	----	----	73.30B/----	73.30B/51.40A	----	60.20 + 12.70	.1577	----	----	----	----	206 UNCH
5480	----	----	72.70B/----	72.70B/51.00A	----	59.80 + 12.70	.1567	----	----	----	----	5 UNCH
5485	----	----	72.10B/----	72.10B/50.60A	----	59.30 + 12.60	.1555	----	----	----	----	3 UNCH
5490	----	----	71.50B/----	71.50B/50.20A	----	58.80 + 12.40	.1544	----	----	----	----	17 UNCH
5495	----	----	70.90B/----	70.90B/49.90A	----	58.30 + 12.30	.1533	----	----	----	----	1 UNCH
5500	49.40	49.40	70.30B/49.40	70.30B/49.40	----	57.90 + 12.30	.1523	----	----	193	100	3045 + 128
5510	57.40	57.40	69.20B/57.40	69.20B/48.70A	----	57.00 + 12.10	.1502	----	----	6	----	2 - 3
5515	----	----	68.70B/----	68.70B/48.40A	----	56.50 + 11.90	.1490	----	----	----	----	9 UNCH
5520	----	----	68.10B/----	68.10B/48.00A	----	56.10 + 11.90	.1481	----	----	----	----	11 UNCH
5530	----	----	67.00B/----	67.00B/47.30A	----	55.20 + 11.70	.1460	----	----	----	----	24 UNCH
5535	----	----	66.50B/----	66.50B/46.90A	----	54.80 + 11.60	.1450	----	----	----	----	1 UNCH
5540	----	----	66.00B/----	66.00B/46.60A	----	54.30 + 11.50	.1439	----	----	----	----	16 UNCH
5545	----	----	65.40B/----	65.40B/46.20A	----	53.90 + 11.40	.1429	----	----	----	----	8 UNCH
5550	----	----	64.90B/----	64.90B/45.80A	----	53.50 + 11.30	.1419	----	----	----	----	162 UNCH
5555	----	----	64.40B/----	64.40B/45.50A	----	53.10 + 11.20	.1410	----	----	----	----	23 UNCH
5560	----	----	63.90B/----	63.90B/45.20A	----	52.70 + 11.20	.1400	----	----	----	----	21 UNCH
5565	----	----	63.40B/----	63.40B/44.80A	----	52.30 + 11.10	.1391	----	----	----	----	1 UNCH
5570	----	----	63.00B/----	63.00B/44.50A	----	51.90 + 11.00	.1381	----	----	----	----	2 UNCH
5575	----	----	62.50B/----	62.50B/44.10A	----	51.50 + 10.90	.1372	----	----	----	----	14 UNCH
5580	----	----	61.90B/----	61.90B/43.80A	----	51.10 + 10.80	.1362	----	----	----	----	2 UNCH
5585	----	----	61.50B/----	61.50B/43.50A	----	50.70 + 10.70	.1352	----	----	----	----	9 UNCH
5590	----	----	61.10B/----	61.10B/43.20A	----	50.30 + 10.60	.1343	----	----	----	----	1 UNCH
5595	----	----	60.50B/----	60.50B/42.80A	----	49.90 + 10.50	.1333	----	----	----	----	16 UNCH
5600	45.00	45.00	60.20B/45.00	60.20B/42.50A	----	49.50 + 10.40	.1324	----	----	1	----	2800 UNCH
5605	----	----	59.70B/----	59.70B/42.20A	----	49.10 + 10.30	.1314	----	----	----	----	26 UNCH
5610	----	----	59.20B/----	59.20B/41.90A	----	48.80 + 10.30	.1307	----	----	----	----	1 UNCH
5615	----	----	58.70B/----	58.70B/41.60A	----	48.40 + 10.20	.1297	----	----	----	----	1 UNCH
5625	----	----	57.80B/----	57.80B/41.00A	----	47.70 + 10.00	.1280	----	----	----	----	10 UNCH
5630	----	----	57.40B/----	57.40B/40.70A	----	47.30 + 9.90	.1270	----	----	----	----	5 UNCH
5635	----	----	57.00B/----	57.00B/40.40A	----	47.00 + 9.90	.1263	----	----	----	----	8 UNCH
5640	----	----	56.60B/----	56.60B/40.10A	----	46.60 + 9.80	.1253	----	----	----	----	4 UNCH
5650	39.90	39.90	55.80B/39.50A	55.80B/39.50A	----	45.90 + 9.60	.1236	----	----	1	----	303 - 1
5660	----	----	54.80B/----	54.80B/38.90A	----	45.30 + 9.50	.1221	----	----	----	----	1 UNCH
5670	46.90	46.90	54.00B/46.90	54.00B/38.40A	----	44.60 + 9.30	.1204	----	----	3	----	11 + 3
5675	----	----	53.60B/----	53.60B/38.10A	----	44.30 + 9.30	.1196	----	----	----	----	6 UNCH
5680	----	----	53.20B/----	53.20B/37.80A	----	43.90 + 9.10	.1187	----	----	----	----	3 UNCH
5690	----	----	52.40B/----	52.40B/37.30A	----	43.30 + 9.00	.1172	----	----	----	----	2 UNCH
5700	----	----	51.70B/----	51.70B/36.80A	----	42.70 + 8.90	.1156	----	----	----	200	898 + 194
5710	----	----	50.90B/----	50.90B/36.30A	----	42.10 + 8.80	.1141	----	----	----	----	2 UNCH
5720	----	----	50.20B/----	50.20B/35.80A	----	41.50 + 8.60	.1126	----	----	----	----	280 UNCH
5725	----	----	49.80B/----	49.80B/35.60A	----	41.20 + 8.50	.1119	----	----	10	----	51 + 9
5730	----	----	49.50B/----	49.50B/35.30A	----	40.90 + 8.50	.1111	----	----	----	----	3 UNCH
5740	----	----	48.80B/----	48.80B/34.90A	----	40.30 + 8.30	.1096	----	----	----	----	3 UNCH
5750	----	----	48.10B/----	48.10B/34.40A	----	39.70 + 8.10	.1081	----	----	----	----	1715 UNCH
5760	34.30	34.30	47.40B/33.90A	47.40B/33.90A	----	39.20 + 8.00	.1068	----	----	2	----	168 + 2
5770	----	----	46.70B/----	46.70B/33.50A	----	38.60 + 7.80	.1053	----	----	----	----	4 UNCH
5775	35.80	35.80	46.40B/35.80	46.40B/33.20A	----	38.30 + 7.70	.1046	----	----	12	----	214 - 2
5780	----	----	46.10B/----	46.10B/33.00A	----	38.10 + 7.70	.1040	----	----	----	----	2 UNCH
5790	33.00	33.00	45.40B/32.50A	45.40B/32.50A	----	37.50 + 7.50	.1026	----	----	3	----	10 + 3
5800	----	----	44.80B/----	44.80B/32.10A	----	37.00 + 7.40	.1013	----	----	----	100	909 + 23
5810	32.20	32.20	44.20B/31.80A	44.20B/31.80A	----	36.50 + 7.30	.1000	----	----	1	----	6 + 1
5820	----	----	43.60B/----	43.60B/31.40A	----	36.00 + 7.10	.0987	----	----	----	----	376 UNCH
5825	----	----	43.20B/----	43.20B/31.70A	----	35.80 + 7.10	.0981	----	----	10	----	15 + 10
5830	----	----	42.90B/----	42.90B/31.60A	----	35.50 + 7.00	.0974	----	----	----	----	1 UNCH
5840	----	----	42.30B/----	42.30B/30.80A	----	35.00 + 6.80	.0961	----	----	----	----	102 UNCH
5850	----	----	41.60B/----	41.60B/30.40A	----	34.60 + 6.80	.0950	----	----	----	----	108 UNCH
5860	----	----	41.10B/----	41.10B/30.50A	----	34.10 + 6.60	.0938	----	----	----	----	67 UNCH
5870	----	----	40.60B/----	40.60B/30.10A	----	33.60 + 6.40	.0925	----	----	----	----	10 UNCH
5875	----	----	40.30B/----	40.30B/30.10A	----	33.40 + 6.40	.0920	----	----	----	----	22 UNCH
5880	----	----	40.00B/----	40.00B/29.70A	----	33.20 + 6.30	.0914	----	----	----	----	9 UNCH
5890	----	----	39.30B/----	39.30B/29.30A	----	32.80 + 6.30	.0904	----	----	----	----	6 UNCH
5900	39.40	39.40	39.80/39.40	39.80/29.00A	----	32.30 + 6.10	.0891	----	----	2	----	433 - 2
5910	----	----	38.40B/----	38.40B/28.70A	----	31.90 + 6.00	.0880	----	----	----	----	6 UNCH
5920	----	----	37.90B/----	37.90B/27.80A	----	31.50 + 5.90	.0870	----	----	----	----	23 UNCH
5925	----	----	37.50B/----	37.50B/28.30A	----	31.30 + 5.80	.0864	----	----	----	----	6 UNCH
5940	----	----	36.80B/----	36.80B/27.70A	----	30.60 + 5.60	.0847	----	----	----	----	2 UNCH
5950	----	----	36.50B/----	36.50B/27.50A	----	30.20 + 5.50	.0836	----	----	----	----	3 UNCH
5960	----	----	36.00B/----	36.00B/26.90A	----	29.90 + 5.50	.0827	----	----	----	----	14 UNCH
5970	----	----	35.50B/----	35.50B/26.70A	----	29.50 + 5.40	.0817	----	----	----	----	54 UNCH
5980	----	----	35.10B/----	35.10B/26.30A	----	29.10 + 5.30	.0807	----	----	----	----	3 UNCH
5990	----	----	34.60B/----	34.60B/25.60A	----	28.70 + 5.20	.0796	----	----	----	----	70 UNCH
6000	35.70	35.70	35.70/35.70	35.70/25.20A	----	28.30 + 5.10	.0786	----	----	220	----	2327 + 177
6025	----	----	33.20B/----	33.20B/25.00A	----	27.50 + 5.00	.0764	----	----	----	----	14 UNCH
6050	----	----	32.10B/----	32.10B/24.30A	----	26.60 + 4.80	.0740	----	----	----	----	42 UNCH
6075	----	----	31.20B/----	31.20B/23.10A	----	25.80 + 4.70	.0719	----	----	----	----	63 UNCH
6100	----	----	30.30B/----	30.30B/23.00A	----	25.00 + 4.50	.0697	----	----	----	----	231 UNCH
6125	22.20	22.20	29.30B/22.20	29.30B/22.20	----	24.30 + 4.40	.0678	----	----	2	----	48 + 2
6150	----	----	28.60B/----	28.60B/21.20A	----	23.50 + 4.20	.0657	----	----	----	----	854 UNCH
6175	----	----	27.60B/----	27.60B/20.60A	----	22.90 + 4.20	.0640	----	----	----	----	38 UNCH
6200	19.60	19.60	26.90B/19.60	26.90B/19.60	----	22.20 + 4.00	.0621	----	----	9	----	529 UNCH
6225	----	----	26.10B/----	26.10B/20.00A	----	21.60 + 3.90	.0604	----	----	----	----	18 UNCH
6250	----	----	24.50B/----	24.50B/19.50A	----	21.00 + 3.80	.0587	----	----	----	----	2014 UNCH
6275	----	----	23.40B/----	23.40B/19.20A	----	20.50 + 3.70	.0573	----	----	----	----	2 UNCH
6300	21.30	21.30	23.30B/21.30	23.30B/18.60A	----	19.90 + 3.50	.0557	----	----	9	----	325 UNCH
6325	----	----	22.40B/----	22.40B/18.20A	----	19.40 + 3.40	.0542	----	----	----	----	29 UNCH
6350	----	----	22.40B/----	22.40B/17.70A	----	19.00 + 3.40	.0530	----	----	----	----	32 UNCH
6375	----	----	21.20B/----	21.20B/17.90A	----	18.50 + 3.30	.0517	----	----	----	----	37 UNCH
6400	----	----	21.90B/----	21.90B/16.90A	----	18.00 + 3.20	.0503	----	----	----	----	177 UNCH
6425	----	----	20.90B/----	20.90B/16.50A	----	17.60 + 3.10	.0491	----	----	----	----	12 UNCH
6450	----	----	20.90B/----	20.90B/15.90A	----	17.20 + 3.00	.0479	----	----	----	----	33 UNCH
6475	----	----	19.70B/----	19.70B/15.80A	----	16.80 + 2.90	.0468	----	----	----	----	14 UNCH
6500	19.40	19.40	19.40/19.40	19.40/15.60A	----	16.40 + 2.80	.0457	----	----	46	----	1626 + 5
6525	----	----	18.40B/----	18.40B/15.40A	----	16.00 + 2.70	.0445	----	----	----	----	132 UNCH
6575	----	----	17.60B/----	17.60B/14.50A	----	15.30 + 2.60	.0425	----	----	----	----	4 UNCH
6600	13.80	13.80	17.20B/13.80	17.20B/13.80	----	15.00 + 2.50	.0416	----	----	1	----	29 UNCH
6650	----	----	16.50B/----	16.50B/13.50A	----	14.30 + 2.30	.0396	----	----	1	----	16 - 1
6675	----	----	16.80B/----	16.80B/13.30A	----	14.00 + 2.30	.0388	----	----	----	----	1 UNCH
6700	----	----	15.80B/----	15.80B/13.10A	----	13.70 + 2.20	.0379	----	----	----	----	87 UNCH
6800	----	----	14.30B/----	14.30B/12.00A	----	12.60 + 1.90	.0347	----	----	----	----	199 UNCH
6850	----	----	13.80B/----	13.80B/11.50A	----	12.10 + 1.80	.0333	----	----	----	----	201 UNCH
6875	----	----	13.50B/----	13.50B/11.30A	----	11.90 + 1.80	.0327	----	----	----	----	22 UNCH
6900	----	----	13.30B/----	13.30B/11.10A	----	11.60 + 1.70	.0319	----	----	----	----	19 UNCH
6925	----	----	12.90B/----	12.90B/10.90A	----	11.40 + 1.70	.0313	----	----	----	----	1 UNCH
6950	----	----	12.60B/----	12.60B/10.70A	----	11.20 + 1.60	.0307	----	----	----	----	22 UNCH
6975	----	----	13.20B/----	13.20B/10.50A	----	11.00 + 1.60	.0301	----	----	----	----	1 UNCH
7000	9.80	9.80	12.00B/9.80	12.00B/9.80	----	10.70 + 1.50	.0293	----	----	25	----	789 - 19
7050	----	----	11.80B/----	11.80B/10.00A	----	10.30 NEW	.0281	----	----	17	----	17 + 17
7075	----	----	11.50B/----	11.50B/9.90A	----	10.10 + 1.30	.0276	----	----	----	----	13 UNCH
7100	----	----	11.20B/----	11.20B/9.60A	----	10.00 + 1.40	.0272	----	----	19	----	21 + 19
7125	----	----	11.20B/----	11.20B/9.50A	----	9.80 + 1.30	.0266	----	----	----	----	1 UNCH
7175	----	----	10.80B/----	10.80B/9.20A	----	9.40 + 1.20	.0255	----	----	----	----	1 UNCH
7200	----	----	10.60B/----	10.60B/9.00A	----	9.20 + 1.10	.0250	----	----	----	----	3 UNCH
7225	----	----	11.00B/----	11.00B/8.90A	----	9.10 + 1.10	.0246	----	----	----	----	17 UNCH
7250	----	----	10.30B/----	10.30B/8.80A	----	8.90 + 1.00	.0241	----	----	----	----	2 UNCH
7275	----	----	10.10B/----	10.10B/8.60A	----	8.80 + 1.10	.0238	----	----	----	----	14 UNCH
7300	----	----	9.90B/----	9.90B/8.50A	----	8.60 + 1.00	.0232	----	----	----	----	7 UNCH
7350	----	----	9.40B/----	9.40B/8.30A	----	8.30 + 0.90	.0224	----	----	----	----	6 UNCH
7400	----	----	9.30B/----	9.30B/8.00A	----	8.10 + 0.90	.0217	----	----	----	----	1 UNCH
7425	----	----	9.00B/----	9.00B/7.90A	----	7.90 + 0.80	.0212	----	----	----	----	19 UNCH
7450	----	----	9.00B/----	9.00B/7.80A	----	7.80 + 0.80	.0209	----	----	----	----	16 UNCH
7475	----	----	8.80B/----	8.80B/7.70A	----	7.70 + 0.80	.0206	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
7500	----	----	8.70B/----	8.70B/7.50A	----	7.60 + 0.80	.0203	----	----	1	----	291 UNCH
7525	----	----	8.50B/----	8.50B/7.50A	----	7.40 + 0.70	.0198	----	----	----	----	33 UNCH
7550	----	----	8.30B/----	8.30B/7.30A	----	7.30 + 0.60	.0195	----	----	----	----	50 UNCH
7575	----	----	8.20B/----	8.20B/7.20A	----	7.20 + 0.60	.0192	----	----	----	----	1 UNCH
7600	----	----	8.10B/----	8.10B/7.10A	----	7.10 + 0.60	.0189	----	----	----	----	10 UNCH
7625	----	----	7.80B/----	7.80B/7.10A	----	7.00 + 0.60	.0186	----	----	----	----	12 UNCH
7700	----	----	7.70B/----	7.70B/6.70A	----	6.70 + 0.50	.0177	----	----	----	----	11 UNCH
7725	----	----	7.40B/----	7.40B/6.70A	----	6.60 + 0.50	.0174	----	----	----	----	11 UNCH
7775	----	----	7.20B/----	7.20B/6.50A	----	6.40 + 0.40	.0169	----	----	----	----	5 UNCH
7800	----	----	7.30B/----	7.30B/6.30A	----	6.30 + 0.40	.0166	----	----	1	----	3 UNCH
7825	----	----	6.80B/----	6.80B/6.30A	----	6.30 + 0.50	.0165	----	----	----	----	10 UNCH
7875	----	----	6.70B/----	6.70B/6.10A	----	6.10 + 0.40	.0160	----	----	----	----	140 UNCH
8000	----	----	6.30B/----	6.30B/5.70A	----	5.70 + 0.30	.0148	----	----	----	----	591 UNCH
8300	----	----	5.50B/----	5.50B/5.00A	----	5.00 + 0.20	.0128	----	----	----	----	4 UNCH
8500	----	----	5.00B/----	5.00B/4.60A	----	4.50 + 0.10	.0114	----	----	----	----	6 UNCH
8600	----	----	4.80B/----	4.80B/4.40A	----	4.40 + 0.20	.0110	----	----	----	----	1 UNCH
8800	----	----	4.30B/----	4.30B/4.10A	----	4.00 + 0.20	.0100	----	----	----	----	7 UNCH
9000	----	----	3.90B/----	3.90B/3.80A	----	3.70 + 0.30	.0091	----	----	----	----	224 UNCH
9200	----	----	3.70B/----	3.70B/3.60A	----	3.50 + 0.40	.0085	----	----	----	----	11 UNCH
9300	----	----	3.50B/----	3.50B/3.50A	----	3.40 + 0.50	.0082	----	----	----	----	4 UNCH
9400	----	----	3.40B/----	3.40B/3.40A	----	3.30 + 0.60	.0079	----	----	----	----	141 UNCH
9500	----	----	3.20B/----	3.20B/3.30A	----	3.20 + 0.60	.0076	----	----	----	----	66 UNCH
9900	----	----	2.80B/----	2.80B/2.90A	----	2.80 + 0.70	.0066	----	----	----	----	5 UNCH
10000	2.60	2.60	3.50/2.60	3.50/2.60	----	2.70 + 0.70	.0063	----	----	2	----	174 UNCH
10100	2.80	2.80	2.80/2.80	2.80/2.80	----	2.60 + 0.60	.0061	----	----	1	----	12 + 1
11000	1.80	1.80	2.00B/1.80	2.00B/1.80	----	2.00 + 0.30	.0045	----	----	1	----	86 UNCH
11200	----	----	1.90B/----	1.90B/2.10A	----	1.80 + 0.20	.0040	----	----	----	----	13 UNCH
11500	1.90	1.90	1.90/1.90	1.90/1.70A	----	1.50 + 0.20	.0034	----	----	1	----	47 + 1
11600	1.50	1.50	1.80/1.50	1.80/1.50	----	1.50 + 0.20	.0034	----	----	2	----	50 + 2
12000	1.50	1.50	1.50/1.50	1.50/1.40A	----	1.30 + 0.20	.0029	----	----	1	----	216 + 1
TOTAL										2365	500	53043 + 1303
AUG26												
3400	----	----	----	----	----	1186.90 + 09.30	.9242	----	----	----	----	1 UNCH
3500	----	----	----	733.80B/1379.40A	----	1096.60 + 07.50	.9071	----	----	----	----	46 UNCH
3505	----	----	----	734.90B/1375.00A	----	1092.10 + 07.40	.9061	----	----	----	----	4 UNCH
3520	----	----	----	870.90B/1313.40A	----	1078.80 + 07.10	.9034	----	----	----	----	65 UNCH
3550	----	----	----	846.10B/1285.80A	----	1052.20 + 06.40	.8975	----	----	----	----	310 UNCH
3600	----	----	----	801.00B/1242.50A	----	1008.40 + 05.20	.8871	----	----	----	----	1045 UNCH
3610	----	----	----	792.50B/1233.90A	----	999.80 + 05.00	.8850	----	----	----	----	6 UNCH
3650	----	----	----	756.50B/1199.70A	----	965.20 + 03.90	.8760	----	----	----	----	4 UNCH
3660	----	----	----	747.70B/1191.20A	----	956.60 + 03.60	.8737	----	----	----	----	2 UNCH
3685	----	----	----	725.70B/1170.10A	----	935.30 + 02.90	.8677	----	----	----	----	1 UNCH
3700	----	----	----	712.60B/1157.50A	----	922.60 + 02.50	.8641	----	----	----	----	40 UNCH
3715	----	----	----	699.50B/1145.00A	----	909.90 + 02.00	.8604	----	----	----	----	30 UNCH
3720	----	----	----	695.20B/1140.80A	----	905.70 + 01.90	.8592	----	----	----	----	1 UNCH
3735	----	----	----	682.20B/1128.40A	----	893.10 + 01.40	.8553	----	----	----	----	1 UNCH
3750	----	----	----	669.30B/1116.00A	----	880.50 + 00.80	.8514	----	----	----	----	8 UNCH
3775	----	----	----	647.90B/1096.30A	----	859.70 + 00.00	.8448	----	----	----	----	4 UNCH
3780	----	----	----	643.60B/1092.40A	----	855.60 + 99.80	.8434	----	----	----	----	10 UNCH
3790	----	----	----	635.50B/1084.80A	----	847.40 + 99.50	.8408	----	----	----	----	67 UNCH
3800	----	----	----	626.90B/1077.10A	----	839.10 + 99.10	.8380	----	----	----	----	303 UNCH
3820	----	----	----	609.10B/1061.90A	----	822.80 + 98.40	.8324	----	----	----	----	3 UNCH
3840	----	----	----	591.40B/1046.80A	----	806.50 + 97.60	.8266	----	----	----	----	1 UNCH
3850	----	----	----	582.60B/1039.30A	----	798.50 + 97.30	.8237	----	----	----	----	12 UNCH
3885	----	----	----	552.00B/1013.20A	----	770.40 + 95.80	.8132	----	----	----	----	2 UNCH
3890	----	----	----	547.60B/1009.50A	----	766.50 + 95.70	.8116	----	----	----	----	2 UNCH
3900	----	----	----	538.70B/1002.20A	----	758.50 + 95.20	.8085	----	----	----	----	146 UNCH
3920	----	----	----	521.80B/987.50A	----	742.80 + 94.40	.8022	----	----	----	----	1 UNCH
3925	----	----	----	517.70B/983.90A	----	738.90 + 94.20	.8006	----	----	----	----	10 UNCH
3950	----	----	----	496.40B/965.80A	----	719.40 + 93.00	.7925	----	----	----	----	106 UNCH
3955	----	----	----	492.20B/962.10A	----	715.60 + 92.80	.7908	----	----	----	----	7 UNCH
3975	----	----	----	476.00B/947.80A	----	700.20 + 91.90	.7841	----	----	----	----	200 UNCH
3995	----	----	----	459.80B/933.60A	----	685.00 + 91.00	.7773	----	----	----	----	30 UNCH
4000	----	----	----	455.20B/930.10A	----	681.20 + 90.70	.7755	----	----	----	----	714 UNCH
4005	----	----	----	451.10B/926.60A	----	677.40 + 90.40	.7738	----	----	----	----	1 UNCH
4015	----	----	----	443.10B/919.60A	----	669.90 + 90.00	.7703	----	----	----	----	12 UNCH
4025	----	----	----	435.60B/912.60A	----	662.40 + 89.50	.7667	----	----	----	----	174 UNCH
4045	----	----	----	419.20B/898.70A	----	647.60 + 88.50	.7595	----	----	----	----	30 UNCH
4050	----	----	----	415.70B/895.20A	----	643.90 + 88.20	.7577	----	----	----	----	100 UNCH
4055	----	----	----	411.70B/891.80A	----	640.20 + 88.00	.7559	----	----	----	----	100 UNCH
4075	----	----	----	396.10B/878.10A	----	625.60 + 86.90	.7484	----	----	----	----	3 UNCH
4080	----	----	----	392.20B/874.70A	----	622.00 + 86.70	.7466	----	----	----	----	1 UNCH
4100	----	----	----	376.90B/861.20A	----	607.60 + 85.60	.7390	----	----	----	----	73 UNCH
4110	----	----	541.00B/----	541.00B/546.40A	----	600.50 + 85.10	.7351	----	----	----	----	19 UNCH
4135	----	----	545.90B/----	545.90B/529.80A	----	582.80 + 83.70	.7253	----	----	----	----	20 UNCH
4140	----	----	546.00B/----	546.00B/526.50A	----	579.30 + 83.40	.7234	----	----	----	----	1 UNCH
4150	----	----	545.90B/----	545.90B/519.90A	----	572.40 + 82.90	.7194	----	----	----	----	40 UNCH
4165	----	----	541.90B/----	541.90B/510.10A	----	562.00 + 82.00	.7133	----	----	----	----	1 UNCH
4195	----	----	558.50B/----	558.50B/490.90A	----	541.60 + 80.30	.7010	----	----	----	----	3 UNCH
4200	----	----	559.10B/----	559.10B/487.80A	----	538.30 + 80.10	.6990	----	----	----	----	75 UNCH
4215	----	----	557.20B/----	557.20B/472.70A	----	528.30 + 79.20	.6927	----	----	----	----	1 UNCH
4220	----	----	557.00B/----	557.00B/469.90A	----	525.00 + 78.90	.6906	----	----	----	----	16 UNCH
4225	----	----	558.20B/----	558.20B/466.90A	----	521.70 + 78.60	.6884	----	----	----	----	102 UNCH
4235	----	----	558.20B/----	558.20B/460.90A	----	515.10 + 78.00	.6842	----	----	----	----	1 UNCH
4250	----	----	548.50B/----	548.50B/452.00A	----	505.40 + 77.10	.6777	----	----	----	----	71 UNCH
4265	----	----	538.60B/----	538.60B/443.30A	----	495.70 + 76.20	.6712	----	----	----	----	77 UNCH
4285	----	----	525.30B/----	525.30B/431.80A	----	483.10 + 75.00	.6625	----	----	----	----	8 UNCH
4300	----	----	515.90B/----	515.90B/423.20A	----	473.70 + 74.10	.6558	----	----	----	----	42 UNCH
4320	----	----	503.20B/----	503.20B/411.50A	----	461.40 + 72.80	.6468	----	----	----	----	2 UNCH
4325	----	----	500.00B/----	500.00B/407.10A	----	458.40 + 72.60	.6446	----	----	----	----	6 UNCH
4330	----	----	497.00B/----	497.00B/402.70A	----	455.30 + 72.20	.6423	----	----	----	----	201 UNCH
4350	----	----	484.20B/----	484.20B/388.60A	----	443.40 + 71.00	.6332	----	----	----	----	774 UNCH
4360	----	----	478.10B/----	478.10B/383.00A	----	437.50 + 70.40	.6287	----	----	----	----	1 UNCH
4375	----	----	469.30B/----	469.30B/375.40A	----	428.70 + 69.40	.6217	----	----	----	----	3 UNCH
4385	----	----	463.20B/----	463.20B/370.00A	----	422.90 + 68.80	.6171	----	----	----	----	100 UNCH
4390	----	----	460.30B/----	460.30B/366.10A	----	420.10 + 68.50	.6148	----	----	----	----	1 UNCH
4400	389.00	389.00	454.00B/389.00	454.00B/359.90A	----	414.40 + 67.90	.6101	----	----	3	----	325 + 1
4420	----	----	442.60B/----	442.60B/348.70A	----	403.20 + 66.60	.6008	----	----	----	----	50 UNCH
4425	----	----	439.70B/----	439.70B/346.50A	----	400.40 + 66.30	.5984	----	----	----	----	5 UNCH
4440	----	----	431.10B/----	431.10B/338.50A	----	392.20 + 65.40	.5913	----	----	----	----	1 UNCH
4450	----	----	425.40B/----	425.40B/333.40A	----	386.80 + 64.70	.5866	----	----	----	----	6 UNCH
4455	----	----	422.60B/----	422.60B/331.30A	----	384.20 + 64.50	.5842	----	----	----	----	2 UNCH
4460	----	----	419.80B/----	419.80B/327.70A	----	381.50 + 64.20	.5819	----	----	----	----	5 UNCH
4465	----	----	417.00B/----	417.00B/329.60A	----	378.90 + 63.90	.5795	----	----	----	----	9 UNCH
4470	----	----	414.30B/----	414.30B/325.80A	----	376.20 + 63.50	.5771	----	----	----	----	7 UNCH
4475	----	----	411.20B/----	411.20B/321.30A	----	373.60 + 63.30	.5747	----	----	----	----	29 UNCH
4485	----	----	406.10B/----	406.10B/316.60A	----	368.40 + 62.60	.5699	----	----	----	----	5 UNCH
4490	----	----	403.30B/----	403.30B/315.70A	----	365.80 NEW	.5676	----	----	1	----	1 + 1
4500	----	----	397.90B/----	397.90B/312.70A	----	360.70 + 61.70	.5628	----	----	----	----	845 UNCH
4535	----	----	379.40B/----	379.40B/289.60A	----	343.30 + 59.70	.5460	----	----	----	----	10 UNCH
4540	----	----	#376.80B/----	376.80B/287.60A	----	340.90 NEW	.5436	----	----	5	----	5 + 5
4545	----	----	374.20B/----	374.20B/285.20A	----	338.50 + 59.10	.5412	----	----	----	----	1 UNCH
4550	----	----	371.60B/----	371.60B/283.10A	----	336.10 + 58.80	.5388	----	----	----	----	22 UNCH
4555	----	----	368.80B/----	368.80B/281.30A	----	333.70 + 58.50	.5364	----	----	----	----	1 UNCH
4560	336.80	336.80	366.60B/336.80	366.60B/279.30A	----	331.30 NEW	.5340	----	----	3	----	3 + 3
4565	----	----	364.00B/----	364.00B/277.30A	----	329.00 + 58.00	.5316	----	----	----	----	1 UNCH
4575	337.20	337.20	359.00B/337.20	359.00B/273.10A	----	324.30 + 57.40	.5269	----	----	7	----	41 + 7
4580	----	----	356.60B/----	356.60B/271.10A	----	322.00 + 57.10	.5245	----	----	----	----	200 UNCH
4590	----	----	351.60B/----	351.60B/267.10A	----	317.40 + 56.50	.5197	----	----	----	----	11 UNCH
4595	----	----	349.20B/----	349.20B/265.20A	----	315.10 + 56.20	.5173	----	----	----	----	2 UNCH
4600	----	----	346.80B/----	346.80B/263.30A	----	312.90 + 56.00	.5149	----	----	10	----	101 + 9
4605	----	----	344.40B/----	344.40B/261.30A	----	310.60 + 55.60	.5125	----	----	----	----	1 UNCH
4620	----	----	337.40B/----	337.40B/255.60A	----	304.00 + 54.80	.5054	----	----	----	----	4 UNCH
4640	----	----	327.90B/----	327.90B/248.10A	----	295.30 + 53.70	.4960	----	----	----	----	1 UNCH
4650	----	----	323.40B/----	323.40B/244.40A	----	291.10 + 53.20	.4912	----	----	----	----	144 UNCH
4670	----	----	314.60B/----	314.60B/237.10A	----	282.70 + 52.00	.4818	----	----	----	----	3 UNCH
4675	----	----	312.00B/----	312.00B/235.40A	----	280.70 + 51.80	.4795	----	----	----	----	36 UNCH
4700	275.30	275.30	302.70B/275.30	302.70B/226.60A	----	270.60 + 50.30	.4679	----	----	4	----	1616 + 3
4705	----	----	300.30B/----	300.30B/225.00A	----	268.60 + 50.00	.4655	----	----	----	----	20 UNCH
4710	----	----	298.10B/----	298.10B/223.40A	----	266.60 + 49.70	.4632	----	----	----	----	14 UNCH
4720	----	----	294.00B/----	294.00B/220.00A	----	262.80 + 49.20	.4586	----	----	----	----	23 UNCH
4730	----	----	290.00B/----	290.00B/216.70A	----	258.90 + 48.60	.4540	----	----	----	----	3 UNCH
4750	----	----	281.70B/----	281.70B/210.30A	----	251.40 + 47.50	.4449	----	----	----	----	12 UNCH
4760	----	----	277.40B/----	277.40B/207.20A	----	247.70 + 47.00	.4403	----	----	----	----	10 UNCH
4770	----	----	273.60B/----	273.60B/204.10A	----	244.10 + 46.40	.4358	----	----	----	----	14 UNCH
4775	----	----	271.80B/----	271.80B/202.50A	----	242.30 + 46.20	.4336	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4780	----	----	270.00B/----	270.00B/201.10A	----	240.50 + 45.90	.4313	----	----	----	----	2 UNCH
4800	222.00	222.00	262.20B/222.00	262.20B/195.00A	----	233.50 + 44.80	.4224	----	----	13	----	1511 - 9
4815	----	----	256.10B/----	256.10B/190.70A	----	228.30 + 43.90	.4158	----	----	----	----	1 UNCH
4825	----	----	252.70B/----	252.70B/187.80A	----	225.00 + 43.40	.4114	----	----	----	----	1 UNCH
4830	230.60	230.60	251.10B/230.60	251.10B/186.10A	----	223.30 NEW	.4092	----	----	3	----	3 + 3
4850	----	----	243.50B/----	243.50B/180.70A	----	216.70 + 42.00	.4005	----	----	----	----	4 UNCH
4860	----	----	240.50B/----	240.50B/177.90A	----	213.50 + 41.40	.3962	----	----	----	----	4 UNCH
4865	----	----	238.70B/----	238.70B/176.60A	----	211.90 + 41.20	.3941	----	----	----	----	0 UNCH
4875	----	----	235.50B/----	235.50B/174.00A	----	208.70 + 40.60	.3898	----	----	----	----	4 UNCH
4880	----	----	233.50B/----	233.50B/172.80A	----	207.20 + 40.40	.3877	----	----	----	----	1 UNCH
4900	195.20	195.20	226.90B/195.20	226.90B/167.60A	----	201.00 + 39.20	.3793	----	----	5	----	408 + 3
4905	----	----	225.40B/----	225.40B/166.30A	----	199.50 + 39.00	.3772	----	----	----	----	3 UNCH
4925	210.50	210.50	218.70B/210.50	218.70B/161.30A	----	193.60 + 38.00	.3689	----	----	2	----	123 - 2
4940	----	----	214.00B/----	214.00B/157.90A	----	189.20 + 37.10	.3628	----	----	----	----	1 UNCH
4950	203.30	203.30	211.10B/203.30	211.10B/155.30A	----	186.30 + 36.60	.3587	----	----	12	----	50 UNCH
4955	----	----	209.60B/----	209.60B/154.30A	----	184.90 + 36.30	.3566	----	----	----	----	1 UNCH
4975	197.60	197.60	203.50B/197.60	203.50B/149.60A	----	179.40 + 35.40	.3487	----	----	2	----	2 UNCH
4995	----	----	197.70B/----	197.70B/145.30A	----	174.00 + 34.40	.3408	----	----	----	----	3 UNCH
5000	154.20	154.20	198.00/154.20	198.00/144.10A	----	172.70 + 34.20	.3388	----	----	11	----	1068 - 1
5005	----	----	195.00B/----	195.00B/143.10A	----	171.40 + 33.90	.3369	----	----	----	----	4 UNCH
5015	----	----	192.00B/----	192.00B/141.20A	----	168.80 + 33.40	.3330	----	----	----	----	3 UNCH
5030	----	----	187.90B/----	187.90B/138.00A	----	164.90 + 32.60	.3272	----	----	----	----	2 UNCH
5045	----	----	183.80B/----	183.80B/134.90A	----	161.20 + 32.00	.3216	----	----	----	----	1 UNCH
5050	----	----	182.40B/----	182.40B/133.90A	----	160.00 + 31.80	.3197	----	----	----	----	2 UNCH
5075	----	----	175.90B/----	175.90B/129.00A	----	154.00 + 30.60	.3105	----	----	----	----	200 UNCH
5100	----	----	169.40B/----	169.40B/124.30A	----	148.30 + 29.50	.3015	----	----	----	----	1612 UNCH
5105	----	----	168.30B/----	168.30B/123.50A	----	147.20 + 29.30	.2997	----	----	----	----	2 UNCH
5110	----	----	167.40B/----	167.40B/122.50A	----	146.10 + 29.10	.2980	----	----	----	----	4 UNCH
5130	----	----	162.70B/----	162.70B/119.00A	----	141.70 + 28.20	.2909	----	----	----	----	1 UNCH
5145	----	----	158.80B/----	158.80B/116.40A	----	138.60 + 27.60	.2859	----	----	----	----	2 UNCH
5150	----	----	157.90B/----	157.90B/115.60A	----	137.50 + 27.30	.2841	----	----	----	----	17 UNCH
5200	----	----	146.80B/----	146.80B/107.50A	----	127.70 + 25.40	.2677	----	----	2	----	3282 UNCH
5205	----	----	145.80B/----	145.80B/106.70A	----	126.70 + 25.10	.2661	----	----	----	----	1 UNCH
5230	----	----	140.90B/----	140.90B/104.80A	----	122.10 + 24.20	.2583	----	----	----	----	2 UNCH
5250	----	----	136.80B/----	136.80B/101.80A	----	118.60 + 23.50	.2522	----	----	2	----	400 + 2
5255	----	----	135.80B/----	135.80B/101.10A	----	117.80 + 23.40	.2507	----	----	----	----	3 UNCH
5265	----	----	133.80B/----	133.80B/98.00A	----	116.00 + 23.00	.2477	----	----	1	----	1 UNCH
5275	----	----	131.90B/----	131.90B/98.20A	----	114.40 + 22.70	.2448	----	----	----	----	1 UNCH
5300	----	----	127.50B/----	127.50B/94.80A	----	110.30 + 21.90	.2375	----	----	----	150	535 - 150
5320	----	----	123.80B/----	123.80B/90.60A	----	107.20 + 21.30	.2320	----	----	----	----	4 UNCH
5325	----	----	123.00B/----	123.00B/90.00A	----	106.40 + 21.10	.2305	----	----	----	----	8 UNCH
5330	----	----	121.80B/----	121.80B/89.40A	----	105.60 + 20.90	.2291	----	----	----	----	6 UNCH
5350	----	----	118.70B/----	118.70B/87.10A	----	102.70 + 20.50	.2238	----	----	----	----	1 UNCH
5355	----	----	117.90B/----	117.90B/86.30A	----	101.90 + 20.30	.2224	----	----	----	----	1 UNCH
5370	----	----	115.50B/----	115.50B/84.60A	----	99.80 + 19.90	.2185	----	----	----	----	2 UNCH
5375	103.00	103.00	114.60B/103.00	114.60B/84.00A	----	99.10 + 19.80	.2172	----	----	3	----	4 + 3
5400	----	----	110.70B/----	110.70B/81.20A	----	95.70 + 19.20	.2108	----	----	----	----	3794 UNCH
5410	----	----	109.20B/----	109.20B/80.20A	----	94.30 + 18.90	.2082	----	----	----	----	2 UNCH
5420	----	----	107.70B/----	107.70B/79.10A	----	93.00 + 18.60	.2058	----	----	----	----	5 UNCH
5445	----	----	104.00B/----	104.00B/76.50A	----	89.80 + 18.00	.1997	----	----	----	----	3 UNCH
5450	----	----	103.40B/----	103.40B/76.00A	----	89.20 + 17.90	.1986	----	----	----	----	2 UNCH
5470	----	----	100.50B/----	100.50B/73.90A	----	86.70 + 17.40	.1938	----	----	----	----	1 UNCH
5485	----	----	98.50B/----	98.50B/72.60A	----	85.00 + 17.20	.1905	----	----	----	----	1 UNCH
5490	----	----	97.70B/----	97.70B/72.00A	----	84.40 + 17.00	.1893	----	----	----	----	2 UNCH
5495	----	----	97.10B/----	97.10B/71.50A	----	83.80 + 16.90	.1882	----	----	----	----	2 UNCH
5500	----	----	96.40B/----	96.40B/71.10A	----	83.20 + 16.80	.1871	----	----	57	----	636 + 13
5515	----	----	94.60B/----	94.60B/69.70A	----	81.50 + 16.40	.1837	----	----	----	----	2 UNCH
5525	----	----	93.10B/----	93.10B/68.80A	----	80.40 + 16.20	.1816	----	----	----	----	2 UNCH
5545	----	----	90.70B/----	90.70B/67.10A	----	78.30 + 15.80	.1774	----	----	----	----	2 UNCH
5550	----	----	90.10B/----	90.10B/66.50A	----	77.70 + 15.70	.1763	----	----	----	----	2 UNCH
5565	----	----	88.10B/----	88.10B/65.30A	----	76.20 + 15.40	.1732	----	----	----	----	2 UNCH
5575	78.20	78.20	87.30B/78.20	87.30B/64.40A	----	75.10 + 15.10	.1711	----	----	3	----	3 + 3
5580	----	----	86.60B/----	86.60B/64.10A	----	74.60 + 15.00	.1701	----	----	----	----	17 UNCH
5595	----	----	85.00B/----	85.00B/63.00A	----	73.10 + 14.70	.1671	----	----	----	----	2 UNCH
5600	----	----	84.40B/----	84.40B/62.40A	----	72.60 + 14.60	.1661	----	----	----	----	1767 UNCH
5615	----	----	82.80B/----	82.80B/61.50A	----	71.20 + 14.30	.1633	----	----	----	----	1 UNCH
5640	----	----	80.10B/----	80.10B/59.40A	----	68.80 + 13.80	.1584	----	----	----	----	1 UNCH
5650	----	----	79.10B/----	79.10B/58.60A	----	67.90 + 13.60	.1566	----	----	----	----	88 UNCH
5660	62.30	62.30	78.10B/62.30	78.10B/58.00A	----	67.00 NEW	.1548	----	----	10	----	10 + 10
5675	----	----	76.60B/----	76.60B/56.90A	----	65.70 + 13.10	.1521	----	----	----	----	3 UNCH
5700	----	----	74.40B/----	74.40B/55.20A	----	63.50 + 12.50	.1476	----	----	27	----	2135 + 2
5730	64.10	64.10	71.50B/64.10	71.50B/53.40A	----	61.10 NEW	.1426	----	----	2	----	2 + 2
5750	----	----	69.80B/----	69.80B/51.80A	----	59.50 + 11.60	.1393	----	----	----	----	5 UNCH
5800	----	----	65.60B/----	65.60B/48.90A	----	55.70 + 10.70	.1313	----	----	----	----	790 UNCH
5850	----	----	60.50B/----	60.50B/47.50A	----	52.30 + 9.90	.1240	----	----	----	----	15 UNCH
5875	----	----	59.20B/----	59.20B/46.10A	----	50.60 + 9.40	.1204	----	----	----	----	7 UNCH
5900	58.50	58.50	58.50/58.50	58.50/44.90A	----	49.00 + 9.00	.1170	----	----	1	----	1811 + 1
5950	----	----	53.60B/----	53.60B/42.40A	----	46.10 + 8.40	.1106	----	----	----	----	1 UNCH
6000	45.50	45.50	51.00B/45.50	51.00B/40.10A	----	43.30 + 7.80	.1044	----	----	24	----	1083 + 22
6100	----	----	44.10B/----	44.10B/35.80A	----	38.50 + 6.90	.0936	----	----	----	----	329 UNCH
6200	32.00	32.00	39.90B/32.00	39.90B/32.00	----	34.60 + 6.30	.0845	----	----	2	----	1295 + 2
6300	----	----	36.10B/----	36.10B/30.00A	----	31.30 + 5.80	.0767	----	----	1	----	64 + 1
6400	----	----	32.50B/----	32.50B/28.00A	----	28.60 + 5.40	.0701	----	----	----	----	25 UNCH
6500	----	----	28.20B/----	28.20B/25.40A	----	26.30 + 5.10	.0643	----	----	65	----	705 UNCH
6600	----	----	25.20B/----	25.20B/23.60A	----	24.20 + 4.70	.0591	----	----	5	----	130 + 5
6700	22.60	22.60	25.90/22.60	25.90/22.40A	----	22.30 + 4.30	.0544	----	----	4	----	254 + 2
6800	----	----	20.80B/----	20.80B/20.60A	----	20.70 + 4.00	.0504	----	----	----	----	49 UNCH
6900	----	----	19.50B/----	19.50B/19.10A	----	19.20 + 3.70	.0466	----	----	----	----	1 UNCH
7000	22.00	22.00	22.00/21.50	22.00/18.20A	----	17.80 + 3.30	.0432	----	----	20	----	398 UNCH
7500	----	----	13.00B/----	13.00B/13.30A	----	12.90 + 2.10	.0308	----	----	----	----	737 UNCH
8000	11.00	11.00	11.60/11.00	11.60/10.60A	----	9.90 + 1.30	.0231	----	----	7	----	120 - 4
8500	9.00	9.00	9.00/9.00	9.00/8.60A	----	8.00 + 1.00	.0183	----	----	2	----	73 - 2
9000	----	----	6.10B/----	6.10B/7.10A	----	6.70 + 0.90	.0149	----	----	----	----	8 UNCH
9500	----	----	----	4.90B/6.10A	----	5.70 + 0.80	.0124	----	----	----	----	66 UNCH
10000	----	----	----	4.20B/5.30A	----	4.90 + 0.60	.0105	----	----	----	----	98 UNCH
TOTAL										319	150	34679 - 65
SEP26												
3875	----	----	----	592.90B/1073.60A	----	817.30 + 94.70	.8144	----	----	----	----	1 UNCH
3995	----	----	----	493.20B/987.90A	----	726.20 + 90.20	.7766	----	----	----	----	10 UNCH
4085	----	----	----	422.70B/926.50A	----	661.40 + 86.20	.7453	----	----	----	----	37 UNCH
4130	----	----	589.10B/----	589.10B/579.00A	----	630.20 + 84.00	.7289	----	----	----	----	10 UNCH
4185	----	----	598.00B/----	598.00B/543.60A	----	593.10 + 81.20	.7081	----	----	----	----	37 UNCH
4200	----	----	602.60B/----	602.60B/534.20A	----	583.20 + 80.30	.7023	----	----	----	----	1 UNCH
4220	----	----	601.60B/----	601.60B/521.90A	----	570.10 + 79.20	.6945	----	----	----	----	162 UNCH
4290	----	----	570.20B/----	570.20B/468.60A	----	525.80 + 75.20	.6665	----	----	----	----	6 UNCH
4295	----	----	567.00B/----	567.00B/465.80A	----	522.70 + 74.80	.6644	----	----	----	----	50 UNCH
4300	494.40	494.40	563.80B/494.40	563.80B/463.00A	----	519.60 + 74.50	.6624	----	----	11	----	11 + 6
4320	----	----	550.90B/----	550.90B/452.00A	----	507.50 + 73.40	.6541	----	----	----	----	162 UNCH
4375	----	----	517.60B/----	517.60B/422.70A	----	474.90 + 69.90	.6311	----	----	----	----	1 UNCH
4390	----	----	508.30B/----	508.30B/415.00A	----	466.30 + 69.00	.6248	----	----	----	----	200 UNCH
4425	----	----	488.20B/----	488.20B/397.40A	----	446.50 + 66.70	.6098	----	----	----	----	1 UNCH
4495	----	----	449.10B/----	449.10B/364.10A	----	408.80 + 62.20	.5795	----	----	----	----	17 UNCH
4500	----	----	446.40B/----	446.40B/361.80A	----	406.20 + 61.80	.5773	----	----	----	----	4 UNCH
4505	----	----	443.40B/----	443.40B/359.50A	----	403.60 + 61.50	.5751	----	----	----	----	2 UNCH
4510	----	----	440.70B/----	440.70B/357.20A	----	401.00 + 61.10	.5729	----	----	----	----	2 UNCH
4515	422.90	422.90	#438.00B/421.60	438.00B/355.00A	----	398.50 NEW	.5707	----	----	3	----	2 + 2
4545	----	----	422.60B/----	422.60B/341.70A	----	383.40 + 59.00	.5575	----	----	----	----	15 UNCH
4550	----	----	420.00B/----	420.00B/339.60A	----	380.90 + 58.60	.5553	----	----	----	----	222 UNCH
4560	----	----	#414.90B/----	414.90B/335.30A	----	376.00 + 58.00	.5509	----	----	----	----	2 UNCH
4565	----	----	#412.30B/----	412.30B/333.20A	----	373.50 + 57.60	.5487	----	----	----	----	2 UNCH
4570	----	----	409.80B/----	409.80B/331.00A	----	371.10 + 57.30	.5465	----	----	----	----	2 UNCH
4575	----	----	407.30B/----	407.30B/328.60A	----	368.70 + 57.00	.5443	----	----	----	----	2 UNCH
4580	----	----	404.80B/----	404.80B/326.50A	----	366.30 + 56.70	.5421	----	----	----	----	2 UNCH
4585	----	----	402.30B/----	402.30B/324.80A	----	363.90 + 56.30	.5399	----	----	----	----	2 UNCH
4590	----	----	399.80B/----	399.80B/322.70A	----	361.50 + 56.00	.5377	----	----	----	----	2 UNCH
4600	----	----	394.50B/----	394.50B/318.50A	----	356.80 + 55.40	.5333	----	----	----	----	53 UNCH
4650	----	----	370.90B/----	370.90B/298.50A	----	334.00 + 52.20	.5114	----	----	----	----	1 UNCH
4675	----	----	359.40B/----	359.40B/289.00A	----	323.10 + 50.70	.5005	----	----	----	----	1 UNCH
4680	----	----	357.20B/----	357.20B/287.50A	----	321.00 + 50.50	.4984	----	----	----	----	1 UNCH
4700	----	----	348.20B/----	348.20B/280.00A	----	312.60 + 49.30	.4897	----	----	----	----	117 UNCH
4705	----	----	346.00B/----	346.00B/278.40A	----	310.50 + 49.00	.4876	----	----	----	----	10 UNCH
4720	341.30	341.30	341.30/341.30	341.30/273.00A	----	304.30 + 48.10	.4811	----	----	1	----	46 + 1
4725	----	----	337.30B/----	337.30B/271.00A	----	302.30 + 47.90	.4790	----	----	----	----	2 UNCH
4730	----	----	334.90B/----	334.90B/269.20A	----	300.30 NEW	.4768	----	----	6	----	5 + 5
4750	----	----	326.70B/----	326.70B/262.40A	----	292.30 + 46.40	.4683	----	----	----	----	60 UNCH
4775	----	----	316.40B/----	316.40B/254.00A	----	282.70 + 45.00	.4577	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
4780	----	----	314.10B/----	314.10B/252.70A	----	280.80 + 44.80	.4556	----	----	----	----	7 UNCH
4800	----	----	306.40B/----	306.40B/246.20A	----	273.40 + 43.70	.4473	----	----	----	----	612 UNCH
4850	----	----	287.20B/----	287.20B/230.80A	----	255.80 + 41.30	.4268	----	----	----	----	20 UNCH
4875	----	----	277.90B/----	277.90B/223.30A	----	247.40 + 40.10	.4167	----	----	----	----	30 UNCH
4900	----	----	268.80B/----	268.80B/216.50A	----	239.30 + 38.90	.4068	----	----	----	110	260 + 110
4925	----	----	260.50B/----	260.50B/209.70A	----	231.50 + 37.90	.3971	----	----	----	----	1 UNCH
4975	----	----	244.10B/----	244.10B/196.60A	----	216.70 + 35.80	.3781	----	----	----	----	234 UNCH
5000	----	----	236.00B/----	236.00B/190.10A	----	209.70 + 34.80	.3688	----	----	----	----	651 UNCH
5005	----	----	234.50B/----	234.50B/188.80A	----	208.40 + 34.70	.3670	----	----	----	----	1 UNCH
5050	----	----	221.40B/----	221.40B/177.80A	----	196.50 + 33.00	.3509	----	----	----	----	2 UNCH
5075	----	----	214.30B/----	214.30B/172.00A	----	190.20 + 32.10	.3422	----	----	----	----	1 UNCH
5100	----	----	207.20B/----	207.20B/166.30A	----	184.20 + 31.40	.3337	----	----	----	----	241 UNCH
5150	----	----	194.40B/----	194.40B/155.70A	----	172.70 + 29.70	.3172	----	----	----	----	3 UNCH
5200	----	----	181.90B/----	181.90B/145.80A	----	162.00 + 28.20	.3014	----	----	----	220	373 + 220
5230	----	----	175.20B/----	175.20B/140.20A	----	156.00 + 27.50	.2924	----	----	----	----	400 UNCH
5235	----	----	174.10B/----	174.10B/139.30A	----	155.00 + 27.30	.2909	----	----	----	----	1 UNCH
5250	----	----	170.70B/----	170.70B/136.60A	----	152.00 + 26.80	.2863	----	----	----	----	10 UNCH
5300	----	----	160.10B/----	160.10B/128.00A	----	142.70 + 25.50	.2720	----	----	----	----	885 UNCH
5335	----	----	153.00B/----	153.00B/122.30A	----	136.60 NEW	.2623	----	----	1	----	1 + 1
5350	----	----	150.10B/----	150.10B/120.00A	----	134.10 + 24.20	.2583	----	----	----	----	1 UNCH
5375	----	----	145.40B/----	145.40B/116.30A	----	129.90 + 23.50	.2516	----	----	----	----	2 UNCH
5400	----	----	140.90B/----	140.90B/112.60A	----	126.00 + 23.00	.2453	----	----	----	110	430 + 98
5420	----	----	137.30B/----	137.30B/109.80A	----	122.90 + 22.50	.2402	----	----	----	----	80 UNCH
5450	----	----	132.20B/----	132.20B/105.80A	----	118.40 + 21.70	.2328	----	----	----	----	3 UNCH
5460	----	----	130.50B/----	130.50B/104.40A	----	116.90 + 21.40	.2304	----	----	----	----	1 UNCH
5475	----	----	128.10B/----	128.10B/102.50A	----	114.80 + 21.10	.2268	----	----	----	----	2 UNCH
5500	----	----	124.20B/----	124.20B/99.40A	----	111.30 + 20.40	.2210	----	----	----	----	1251 UNCH
5505	----	----	123.40B/----	123.40B/98.80A	----	110.60 + 20.30	.2198	----	----	----	----	3 UNCH
5520	----	----	121.10B/----	121.10B/97.00A	----	108.60 + 19.90	.2164	----	----	----	----	1 UNCH
5525	----	----	120.40B/----	120.40B/96.40A	----	107.90 + 19.80	.2153	----	----	----	----	2 UNCH
5600	----	----	109.70B/----	109.70B/88.00A	----	98.60 + 18.20	.1992	----	----	----	----	557 UNCH
5625	----	----	106.40B/----	106.40B/85.40A	----	95.70 + 17.60	.1941	----	----	----	----	2 UNCH
5650	----	----	103.20B/----	103.20B/82.90A	----	92.90 + 17.20	.1892	----	----	----	----	559 UNCH
5700	81.40	81.40	97.20B/81.40	97.20B/78.20A	----	87.60 + 16.30	.1797	----	----	16	----	1049 - 16
5750	----	----	91.60B/----	91.60B/73.80A	----	82.70 + 15.40	.1708	----	----	----	----	237 UNCH
5800	----	----	86.30B/----	86.30B/69.50A	----	78.20 + 14.70	.1625	----	----	----	----	826 UNCH
5850	----	----	81.50B/----	81.50B/66.00A	----	74.00 + 14.00	.1547	----	----	2	----	582 + 2
5900	----	----	77.00B/----	77.00B/62.70A	----	70.10 + 13.30	.1473	----	----	----	----	503 UNCH
5950	----	----	72.70B/----	72.70B/59.70A	----	66.40 + 12.60	.1402	----	----	----	----	49 UNCH
6000	----	----	69.10B/----	69.10B/56.90A	----	62.90 + 11.80	.1335	----	----	----	----	1046 UNCH
6100	----	----	61.50B/----	61.50B/51.50A	----	56.50 + 10.40	.1211	----	----	----	----	363 UNCH
6200	----	----	55.00B/----	55.00B/46.90A	----	50.70 + 8.90	.1097	----	----	----	----	226 UNCH
6300	----	----	49.30B/----	49.30B/42.90A	----	45.70 + 7.70	.0997	----	----	----	----	105 UNCH
6400	----	----	45.50B/----	45.50B/39.50A	----	41.60 + 6.80	.0912	----	----	10	----	220 - 10
6500	----	----	41.40B/----	41.40B/37.20A	----	38.30 + 6.40	.0841	----	----	----	----	344 UNCH
6600	----	----	37.80B/----	37.80B/34.30A	----	35.70 + 6.40	.0782	----	----	----	----	45 UNCH
6650	----	----	36.10B/----	36.10B/33.40A	----	34.50 + 6.30	.0755	----	----	----	----	5 UNCH
6750	----	----	33.80B/----	33.80B/31.10A	----	31.80 + 6.10	.0697	----	----	----	----	10 UNCH
6800	----	----	29.80B/----	29.80B/30.10A	----	30.20 + 5.70	.0665	----	----	12	----	127 - 2
TOTAL										62	440	13636 + 417
OCT26												
3600	----	----	----	819.20B/1115.20A	----	1052.70 + 02.10	.8742	----	----	----	----	12 UNCH
4300	----	----	582.40B/----	582.40B/487.40A	----	539.00 + 72.20	.6576	----	----	----	----	102 UNCH
4400	----	----	522.90B/----	522.90B/435.50A	----	482.60 + 67.30	.6177	----	----	----	----	8 UNCH
4405	----	----	#519.90B/----	519.90B/433.10A	----	479.90 + 67.00	.6157	----	----	----	----	2 UNCH
4480	----	----	#478.60B/----	478.60B/397.40A	----	440.80 + 63.20	.5852	----	----	----	----	1 UNCH
4500	----	----	467.90B/----	467.90B/388.30A	----	430.80 + 62.10	.5771	----	----	----	----	5 UNCH
4515	449.80	449.80	#460.30B/449.80	460.30B/381.70A	----	423.40 NEW	.5709	----	----	1	----	1 + 1
4550	----	----	442.20B/----	442.20B/366.50A	----	406.40 + 59.40	.5566	----	----	----	----	1 UNCH
4580	----	----	#427.50B/----	427.50B/353.90A	----	392.20 + 57.70	.5443	----	----	----	----	70 UNCH
4600	----	----	417.80B/----	417.80B/345.50A	----	382.90 + 56.50	.5361	----	----	----	----	134 UNCH
4610	----	----	#413.10B/----	413.10B/341.60A	----	378.30 + 55.90	.5320	----	----	----	----	5 UNCH
4620	----	----	408.30B/----	408.30B/337.60A	----	373.70 + 55.30	.5279	----	----	----	----	1 UNCH
4630	----	----	403.60B/----	403.60B/333.70A	----	369.20 + 54.70	.5239	----	----	----	----	3 UNCH
4650	----	----	394.40B/----	394.40B/326.00A	----	360.20 + 53.40	.5157	----	----	----	----	1 UNCH
4670	----	----	385.10B/----	385.10B/318.40A	----	351.40 + 52.10	.5076	----	----	----	----	1 UNCH
4675	----	----	383.10B/----	383.10B/316.60A	----	349.20 + 51.80	.5056	----	----	----	----	1 UNCH
4690	----	----	376.50B/----	376.50B/311.00A	----	342.70 + 50.80	.4995	----	----	----	----	1 UNCH
4700	----	----	372.10B/----	372.10B/307.40A	----	338.40 + 50.10	.4954	----	----	----	----	5 UNCH
4710	----	----	367.80B/----	367.80B/303.50A	----	334.20 + 49.40	.4914	----	----	----	----	1 UNCH
4715	----	----	365.40B/----	365.40B/302.10A	----	332.10 + 49.10	.4894	----	----	----	----	2 UNCH
4750	----	----	351.00B/----	351.00B/289.60A	----	317.70 + 46.80	.4753	----	----	----	----	1 UNCH
4800	----	----	330.90B/----	330.90B/273.20A	----	298.10 + 43.60	.4555	----	----	----	----	14 UNCH
4865	----	----	306.40B/----	306.40B/253.00A	----	274.30 + 39.50	.4302	----	----	----	----	2 UNCH
4880	----	----	301.00B/----	301.00B/248.60A	----	269.10 + 38.60	.4245	----	----	----	----	1 UNCH
4900	----	----	293.90B/----	293.90B/243.00A	----	262.40 + 37.50	.4170	----	----	----	550	958 + 550
4910	----	----	290.40B/----	290.40B/240.00A	----	259.20 + 37.00	.4133	----	----	----	----	1 UNCH
4925	----	----	285.30B/----	285.30B/236.00A	----	254.30 + 36.20	.4077	----	----	----	----	18 UNCH
4950	----	----	276.90B/----	276.90B/229.30A	----	246.60 + 35.10	.3986	----	----	----	----	7 UNCH
5000	210.00	210.00	260.60B/210.00	260.60B/210.00	----	232.20 + 33.30	.3810	----	----	2	550	1428 + 476
5025	----	----	253.00B/----	253.00B/210.30A	----	225.60 + 32.70	.3726	----	----	----	----	2 UNCH
5050	----	----	245.80B/----	245.80B/204.30A	----	219.20 + 32.10	.3643	----	----	----	----	57 UNCH
5075	----	----	238.30B/----	238.30B/198.30A	----	213.20 + 31.70	.3563	----	----	----	----	1 UNCH
5080	----	----	236.90B/----	236.90B/197.10A	----	212.10 + 31.70	.3548	----	----	----	----	3 UNCH
5085	----	----	235.50B/----	235.50B/195.90A	----	210.90 + 31.60	.3532	----	----	----	----	3 UNCH
5100	----	----	231.30B/----	231.30B/192.40A	----	207.50 + 31.50	.3485	----	----	----	----	30 UNCH
5125	----	----	224.50B/----	224.50B/186.70A	----	201.90 + 31.20	.3409	----	----	----	----	1 UNCH
5200	----	----	205.30B/----	205.30B/170.70A	----	186.10 + 30.40	.3188	----	----	----	----	437 UNCH
5250	180.00	180.00	193.70B/180.00	193.70B/161.00A	----	176.00 + 29.50	.3046	----	----	1	----	522 + 1
5255	----	----	192.30B/----	192.30B/160.00A	----	175.00 + 29.40	.3032	----	----	----	----	2 UNCH
5300	----	----	182.30B/----	182.30B/151.80A	----	166.20 + 28.30	.2908	----	----	----	----	232 UNCH
5325	----	----	177.00B/----	177.00B/147.40A	----	161.50 + 27.70	.2841	----	----	----	----	1 UNCH
5400	----	----	162.10B/----	162.10B/134.00A	----	148.10 + 25.60	.2647	----	----	----	----	168 UNCH
5435	----	----	155.80B/----	155.80B/129.80A	----	142.30 + 24.70	.2561	----	----	----	----	226 UNCH
5450	----	----	153.10B/----	153.10B/127.60A	----	139.80 + 24.20	.2524	----	----	----	----	66 UNCH
5455	----	----	152.30B/----	152.30B/126.90A	----	139.00 + 24.10	.2512	----	----	----	----	175 UNCH
5475	----	----	148.90B/----	148.90B/124.00A	----	135.90 + 23.60	.2465	----	----	----	----	1 UNCH
5500	118.00	118.00	144.60B/118.00	144.60B/118.00	----	132.10 + 22.90	.2408	----	----	105	----	176 + 103
5545	----	----	137.40B/----	137.40B/114.70A	----	125.50 + 21.70	.2307	----	----	----	----	5 UNCH
5550	131.40	131.40	136.50B/131.30	136.50B/114.10A	----	124.80 NEW	.2296	----	----	100	----	100 + 100
5590	----	----	130.40B/----	130.40B/109.20A	----	119.40 + 20.70	.2211	----	----	----	----	4 UNCH
5600	----	----	128.90B/----	128.90B/108.00A	----	118.00 + 20.40	.2190	----	----	----	----	110 UNCH
5610	----	----	127.50B/----	127.50B/106.80A	----	116.70 + 20.20	.2169	----	----	----	----	1 UNCH
5615	----	----	126.90B/----	126.90B/106.20A	----	116.10 + 20.10	.2159	----	----	----	----	5 UNCH
5650	115.60	115.60	121.90B/115.10	121.90B/102.20A	----	111.70 NEW	.2089	----	----	200	----	200 + 200
5655	----	----	121.30B/----	121.30B/101.70A	----	111.10 + 19.30	.2080	----	----	----	----	2 UNCH
5660	----	----	120.50B/----	120.50B/101.20A	----	110.50 + 19.20	.2070	----	----	----	----	1 UNCH
5700	----	----	115.40B/----	115.40B/96.90A	----	105.80 + 18.40	.1994	----	----	----	----	20 UNCH
5710	----	----	114.20B/----	114.20B/95.90A	----	104.70 + 18.30	.1976	----	----	----	----	5 UNCH
5720	----	----	113.00B/----	113.00B/94.90A	----	103.60 + 18.10	.1957	----	----	----	----	75 UNCH
5750	----	----	109.20B/----	109.20B/92.00A	----	100.30 + 17.60	.1903	----	----	----	----	1 UNCH
5775	----	----	106.40B/----	106.40B/89.50A	----	97.70 + 17.20	.1860	----	----	----	----	50 UNCH
5800	----	----	103.50B/----	103.50B/87.30A	----	95.20 + 16.80	.1818	----	----	2	----	414 - 1
5875	----	----	95.50B/----	95.50B/80.80A	----	88.20 + 15.70	.1699	----	----	----	----	1 UNCH
5900	----	----	92.90B/----	92.90B/78.50A	----	86.00 + 15.30	.1661	----	----	----	----	35 UNCH
6000	67.50	67.50	83.80B/67.50	83.80B/67.50	----	77.90 + 13.90	.1519	----	----	1	----	3066 + 1
6100	----	----	75.80B/----	75.80B/65.50A	----	70.80 + 12.70	.1393	----	----	----	----	66 UNCH
6200	----	----	68.50B/----	68.50B/60.70A	----	64.60 + 11.70	.1280	----	----	----	----	38 UNCH
6300	----	----	61.60B/----	61.60B/54.40A	----	59.20 + 10.80	.1179	----	----	4	----	632 - 2
6400	----	----	55.40B/----	55.40B/50.30A	----	54.50 + 10.00	.1090	----	----	----	----	1911 UNCH
6500	41.30	41.30	50.00B/41.30	50.00B/41.30	----	50.30 + 9.20	.1009	----	----	6	----	6940 + 5
6800	----	----	40.30B/----	40.30B/40.20A	----	40.40 + 7.20	.0814	----	----	2	----	1385 - 1
6900	----	----	37.60B/----	37.60B/37.90A	----	37.60 + 6.60	.0759	----	----	----	----	1 UNCH
7000	----	----	34.70B/----	34.70B/35.60A	----	35.20 + 6.20	.0710	----	----	----	----	2262 UNCH
8000	----	----	----	15.20B/23.10A	----	20.70 + 3.50	.0410	----	----	----	----	210 UNCH
8500	----	----	----	11.40B/19.80A	----	17.10 + 2.70	.0332	----	----	----	----	200 UNCH
9000	----	----	----	9.10B/17.20A	----	14.80 + 2.30	.0281	----	----	----	----	68 UNCH
9500	----	----	----	7.20B/*15.30A	----	12.70 + 1.90	.0237	----	----	----	----	10 UNCH
TOTAL										424	1,100	22708 + 1433
NOV26												
4000	----	----	----	502.60B/1089.60A	----	787.00 + 90.70	.7630	----	----	----	----	1 UNCH
4100	----	----	657.70B/----	657.70B/666.00A	----	716.60 + 86.10	.7320	----	----	----	----	1 UNCH
4275	----	----	642.20B/----	642.20B/558.90A	----	602.90 + 76.30	.6727	----	----	----	----	38 UNCH
4300	----	----	626.80B/----	626.80B/545.00A	----	587.80 + 74.90	.6638	----	----	----	----	1 UNCH
4375	----	----	#582.10B/----	582.10B/504.80A	----	544.00 + 70.30	.6365	----	----	----	----	38 UNCH
4400	----	----	#567.30B/----	567.30B/491.80A	----	530.00 + 68.80	.6272	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
4440	----	----	#544.70B/----	544.70B/471.40A	----	508.10 + 66.30	.6123	----	----	----	----	1 UNCH
4500	----	----	#517.30B/----	517.30B/442.30A	----	476.70 + 62.60	.5897	----	----	----	----	25 UNCH
4600	----	----	466.30B/----	466.30B/397.20A	----	428.10 + 56.70	.5517	----	----	----	----	1 UNCH
4750	----	----	398.80B/----	398.80B/337.20A	----	363.90 + 48.80	.4957	----	----	----	----	1 UNCH
4775	----	----	388.80B/----	388.80B/328.00A	----	354.20 + 47.70	.4866	----	----	----	----	30 UNCH
4800	----	----	378.20B/----	378.20B/319.20A	----	344.80 + 46.60	.4775	----	----	----	----	2 UNCH
4850	----	----	358.80B/----	358.80B/302.10A	----	326.80 + 44.60	.4598	----	----	----	----	25 UNCH
4900	----	----	340.30B/----	340.30B/286.00A	----	309.80 + 42.80	.4425	----	----	----	----	1 UNCH
4915	----	----	334.90B/----	334.90B/281.30A	----	304.90 + 42.30	.4373	----	----	----	----	1 UNCH
4925	----	----	331.30B/----	331.30B/278.30A	----	301.70 + 42.00	.4340	----	----	----	----	1 UNCH
4950	----	----	322.40B/----	322.40B/270.70A	----	293.90 + 41.30	.4256	----	----	----	----	150 UNCH
5000	----	----	305.60B/----	305.60B/256.30A	----	278.90 + 39.90	.4092	----	----	----	----	29 UNCH
5080	----	----	280.40B/----	280.40B/234.90A	----	256.50 + 37.80	.3840	----	----	----	----	4 UNCH
5085	----	----	278.90B/----	278.90B/233.60A	----	255.10 + 37.60	.3824	----	----	----	----	4 UNCH
5175	----	----	253.10B/----	253.10B/211.90A	----	232.00 + 35.00	.3555	----	----	----	----	2 UNCH
5200	----	----	246.40B/----	246.40B/206.20A	----	225.90 + 34.20	.3482	----	----	----	----	26 UNCH
5250	----	----	233.50B/----	233.50B/195.40A	----	214.00 + 32.50	.3339	----	----	----	----	9 UNCH
5300	----	----	221.20B/----	221.20B/185.20A	----	202.50 + 30.50	.3200	----	----	----	----	27 UNCH
5370	----	----	205.30B/----	205.30B/172.10A	----	187.30 + 27.70	.3012	----	----	----	----	5 UNCH
5400	----	----	199.00B/----	199.00B/166.70A	----	181.10 + 26.50	.2933	----	----	----	----	17 UNCH
5450	----	----	188.70B/----	188.70B/158.30A	----	171.40 + 24.70	.2808	----	----	----	----	925 UNCH
5500	----	----	179.10B/----	179.10B/150.30A	----	162.20 + 23.00	.2687	----	----	----	----	79 UNCH
5550	----	----	170.00B/----	170.00B/142.90A	----	153.70 + 21.40	.2572	----	----	----	----	1 UNCH
5600	----	----	161.30B/----	161.30B/135.50A	----	145.90 + 20.20	.2463	----	----	----	----	43 UNCH
5700	----	----	145.60B/----	145.60B/122.80A	----	131.90 + 18.10	.2262	----	----	----	----	35 UNCH
5710	----	----	144.10B/----	144.10B/121.80A	----	130.60 + 17.90	.2243	----	----	----	----	1 UNCH
5800	----	----	131.60B/----	131.60B/111.60A	----	119.80 + 16.50	.2082	----	----	----	----	25 UNCH
5825	----	----	128.30B/----	128.30B/108.90A	----	117.00 + 16.10	.2039	----	----	----	----	2 UNCH
5900	----	----	119.10B/----	119.10B/101.50A	----	109.20 + 15.20	.1919	----	----	----	----	1 UNCH
5925	----	----	116.10B/----	116.10B/98.80A	----	106.80 + 15.00	.1881	----	----	----	----	4 UNCH
6000	----	----	108.10B/----	108.10B/92.50A	----	99.90 + 14.10	.1772	----	----	----	----	217 UNCH
6100	----	----	98.30B/----	98.30B/84.50A	----	91.60 + 13.10	.1638	----	----	----	----	1 UNCH
6200	----	----	89.60B/----	89.60B/78.00A	----	84.20 + 12.10	.1516	----	----	----	----	3 UNCH
6400	76.70	76.70	76.70/75.20	76.70/67.70A	----	71.60 + 10.20	.1305	----	----	2	----	13 + 1
6500	72.20	72.20	72.60B/72.00	72.60B/60.80A	----	66.30 + 9.30	.1214	----	----	100	----	511 + 70
8000	----	----	----	19.60B/31.50A	----	28.60 - 1.60	.0522	----	----	----	----	11 UNCH
9000	----	----	----	11.40B/23.80A	----	19.80 - 2.60	.0352	----	----	----	----	3 UNCH
20000	2.50	2.50	2.90/*2.20A	2.90/*2.20A	----	2.70 - 1.00	.0041	----	----	79	----	137 + 79
TOTAL										181		2472 + 150
DEC26												
3550	----	----	----	865.20B/1447.80A	----	1142.60 + 02.70	.8719	----	----	----	----	2 UNCH
3570	----	----	----	848.60B/1431.40A	----	1125.90 + 02.20	.8679	----	----	----	----	1 UNCH
3600	----	----	----	823.00B/1407.20A	----	1100.90 + 01.20	.8617	----	----	----	----	1 UNCH
3800	----	----	----	654.60B/1259.10A	----	940.70 + 94.00	.8153	----	----	----	----	4 UNCH
3900	----	----	----	572.80B/1190.40A	----	865.20 + 89.80	.7885	----	----	----	----	2 UNCH
4060	----	----	----	450.50B/1085.90A	----	751.90 + 82.40	.7410	----	----	----	----	100 UNCH
4100	----	----	687.70B/----	687.70B/684.40A	----	725.10 + 80.50	.7283	----	----	----	----	48 UNCH
4160	----	----	#698.10B/----	698.10B/647.70A	----	686.20 + 77.60	.7088	----	----	----	----	100 UNCH
4175	----	----	696.30B/----	696.30B/638.30A	----	676.70 + 76.90	.7038	----	----	----	----	37 UNCH
4200	----	----	701.90B/----	701.90B/623.40A	----	661.00 + 75.60	.6954	----	----	----	----	150 UNCH
4250	----	----	672.60B/----	672.60B/594.50A	----	630.50 + 73.10	.6783	----	----	----	----	293 UNCH
4255	----	----	#669.50B/----	669.50B/579.30A	----	627.50 + 72.80	.6766	----	----	----	----	50 UNCH
4300	----	----	#642.10B/----	642.10B/555.00A	----	601.00 + 70.50	.6609	----	----	----	----	436 UNCH
4315	631.60	631.60	#633.60B/631.60	633.60B/547.10A	----	592.40 + 69.80	.6557	----	----	1	----	1 UNCH
4320	----	----	#630.40B/----	630.40B/544.50A	----	589.50 + 69.50	.6539	----	----	----	----	100 UNCH
4350	----	----	#612.30B/----	612.30B/529.00A	----	572.60 + 68.10	.6433	----	----	----	----	206 UNCH
4375	----	----	#598.00B/----	598.00B/516.40A	----	558.80 + 66.80	.6344	----	----	----	----	61 UNCH
4400	----	----	584.30B/----	584.30B/504.00A	----	545.20 + 65.50	.6255	----	----	----	----	2 UNCH
4425	----	----	#570.40B/----	570.40B/491.90A	----	532.00 + 64.40	.6165	----	----	----	----	8 UNCH
4450	----	----	557.00B/----	557.00B/480.00A	----	519.00 + 63.20	.6074	----	----	----	----	87 UNCH
4465	----	----	#552.00B/----	552.00B/473.00A	----	511.30 + 62.40	.6020	----	----	----	----	93 UNCH
4500	476.90	476.90	532.30B/476.90	532.30B/457.10A	----	493.70 + 60.70	.5893	----	----	5	----	754 + 2
4525	----	----	519.70B/----	519.70B/445.90A	----	481.50 + 59.50	.5802	----	----	----	----	5 UNCH
4565	----	----	#500.40B/----	500.40B/428.70A	----	462.50 + 57.60	.5657	----	----	----	----	93 UNCH
4580	----	----	#493.00B/----	493.00B/422.40A	----	455.60 + 57.00	.5603	----	----	----	----	150 UNCH
4585	----	----	#491.60B/----	491.60B/420.30A	----	453.30 + 56.80	.5584	----	----	----	----	325 UNCH
4590	479.00	479.00	#487.90B/474.00	487.90B/418.20A	----	451.00 NEW	.5566	----	----	14	----	14 + 14
4600	470.00	470.00	484.20B/465.00	484.20B/414.10A	----	446.40 + 56.00	.5530	----	----	3	----	104 + 3
4615	----	----	#476.10B/----	476.10B/408.00A	----	439.70 + 55.40	.5476	----	----	----	----	41 UNCH
4625	417.80	417.80	472.70B/417.80	472.70B/403.90A	----	435.30 + 55.00	.5439	----	----	1	----	67 UNCH
4640	----	----	465.00B/----	465.00B/397.90A	----	428.70 + 54.30	.5385	----	----	----	----	100 UNCH
4650	447.00	447.00	460.40B/447.00	460.40B/394.00A	----	424.40 + 53.90	.5350	----	----	2	----	236 UNCH
4700	443.30	443.30	443.30/438.00	443.30/374.90A	----	403.30 + 51.70	.5171	----	----	2	----	98 - 1
4750	----	----	417.70B/----	417.70B/356.70A	----	383.20 + 49.70	.4995	----	----	----	----	147 UNCH
4780	----	----	404.60B/----	404.60B/346.10A	----	371.60 + 48.40	.4891	----	----	----	----	2 UNCH
4800	----	----	397.00B/----	397.00B/339.00A	----	364.00 + 47.60	.4822	----	----	5	----	100 UNCH
4810	----	----	392.60B/----	392.60B/335.90A	----	360.30 + 47.20	.4788	----	----	----	----	56 UNCH
4820	342.00	342.00	389.20B/342.00	389.20B/332.30A	----	356.60 + 46.80	.4753	----	----	2	----	49 UNCH
4825	----	----	387.10B/----	387.10B/330.70A	----	354.80 + 46.70	.4736	----	----	----	----	100 UNCH
4850	330.50	330.50	377.60B/330.00	377.60B/322.80A	----	345.80 + 45.70	.4652	----	----	5	----	289 UNCH
4875	----	----	368.30B/----	368.30B/314.90A	----	337.10 + 44.80	.4568	----	----	----	----	1 UNCH
4880	----	----	366.40B/----	366.40B/313.10A	----	335.30 + 44.60	.4551	----	----	----	----	1 UNCH
4900	----	----	359.10B/----	359.10B/307.10A	----	328.50 + 43.80	.4485	----	----	5	----	48 UNCH
4925	----	----	350.10B/----	350.10B/299.70A	----	320.20 + 43.00	.4403	----	----	----	----	1 UNCH
4975	----	----	332.70B/----	332.70B/285.30A	----	304.20 + 41.30	.4242	----	----	----	----	50 UNCH
5000	----	----	324.40B/----	324.40B/278.30A	----	296.50 + 40.40	.4163	----	----	102	----	2002 - 79
5025	----	----	316.20B/----	316.20B/271.30A	----	289.00 + 39.60	.4085	----	----	----	----	32 UNCH
5050	----	----	308.30B/----	308.30B/265.00A	----	281.70 + 38.80	.4008	----	----	----	----	100 UNCH
5070	----	----	302.10B/----	302.10B/259.60A	----	276.00 + 38.10	.3947	----	----	----	----	13 UNCH
5075	----	----	300.40B/----	300.40B/258.40A	----	274.60 + 38.00	.3932	----	----	----	----	30 UNCH
5090	----	----	296.10B/----	296.10B/254.90A	----	270.50 + 37.60	.3887	----	----	----	----	13 UNCH
5100	285.00	285.00	293.20B/285.00	293.20B/252.30A	----	267.70 + 37.20	.3857	----	----	1	----	67 + 1
5150	----	----	278.50B/----	278.50B/240.20A	----	254.50 + 35.80	.3711	----	----	----	----	1 UNCH
5175	----	----	271.20B/----	271.20B/234.30A	----	248.10 + 35.10	.3639	----	----	----	----	100 UNCH
5195	----	----	266.00B/----	266.00B/229.60A	----	243.10 + 34.50	.3583	----	----	----	----	5 UNCH
5200	----	----	264.40B/----	264.40B/228.40A	----	241.90 + 34.30	.3569	----	----	----	----	787 UNCH
5250	----	----	251.50B/----	251.50B/217.30A	----	230.00 + 33.00	.3431	----	----	----	----	158 UNCH
5275	----	----	245.30B/----	245.30B/212.00A	----	224.30 + 32.30	.3365	----	----	----	----	20 UNCH
5300	198.00	198.00	238.90B/198.00	238.90B/198.00	----	218.80 + 31.70	.3299	----	----	1	----	139 UNCH
5350	----	----	227.40B/----	227.40B/196.70A	----	208.10 + 30.40	.3171	----	----	----	----	457 UNCH
5360	----	----	224.90B/----	224.90B/195.00A	----	206.10 + 30.20	.3146	----	----	----	----	100 UNCH
5370	----	----	222.80B/----	222.80B/192.60A	----	204.00 + 29.90	.3121	----	----	----	----	20 UNCH
5400	191.00	191.00	216.00B/191.00	216.00B/187.40A	----	198.10 + 29.20	.3048	----	----	2	----	350 - 2
5460	----	----	203.40B/----	203.40B/176.80A	----	186.70 + 27.70	.2905	----	----	----	----	200 UNCH
5465	----	----	202.60B/----	202.60B/175.60A	----	185.80 + 27.60	.2894	----	----	----	----	50 UNCH
5480	----	----	199.50B/----	199.50B/173.20A	----	183.10 + 27.30	.2859	----	----	----	----	50 UNCH
5500	166.60	166.60	197.00B/166.60	197.00B/166.60	----	179.50 + 26.80	.2814	----	----	5	----	1371 UNCH
5525	----	----	190.60B/----	190.60B/165.90A	----	175.20 + 26.20	.2758	----	----	----	----	80 UNCH
5550	----	----	186.00B/----	186.00B/161.90A	----	171.00 NEW	.2704	----	----	1	----	1 + 1
5600	----	----	177.10B/----	177.10B/154.90A	----	162.90 + 24.50	.2597	----	----	----	----	1121 UNCH
5650	168.00	168.00	170.00/166.00	170.00/147.80A	----	155.30 + 23.50	.2496	----	----	3	----	5 UNCH
5660	----	----	167.00B/----	167.00B/146.40A	----	153.80 + 23.30	.2476	----	----	----	----	1 UNCH
5675	----	----	164.60B/----	164.60B/144.50A	----	151.70 + 23.00	.2447	----	----	----	----	8 UNCH
5680	----	----	163.70B/----	163.70B/143.30A	----	150.90 + 22.90	.2437	----	----	----	----	1 UNCH
5685	----	----	163.00B/----	163.00B/142.60A	----	150.20 + 22.80	.2427	----	----	----	----	18 UNCH
5690	----	----	162.10B/----	162.10B/142.20A	----	149.50 + 22.70	.2418	----	----	----	----	7 UNCH
5700	----	----	160.60B/----	160.60B/141.10A	----	148.10 + 22.50	.2398	----	----	----	----	202 UNCH
5705	----	----	159.90B/----	159.90B/140.00A	----	147.40 + 22.40	.2389	----	----	----	----	5 UNCH
5710	----	----	159.10B/----	159.10B/139.90A	----	146.70 + 22.30	.2379	----	----	----	----	5 UNCH
5750	----	----	152.80B/----	152.80B/134.70A	----	141.30 + 21.50	.2305	----	----	----	----	576 UNCH
5770	----	----	150.10B/----	150.10B/132.20A	----	138.60 + 21.00	.2268	----	----	----	----	5 UNCH
5775	----	----	149.40B/----	149.40B/131.40A	----	138.00 + 21.00	.2259	----	----	----	----	2 UNCH
5800	----	----	145.80B/----	145.80B/128.60A	----	134.80 + 20.50	.2215	----	----	----	----	220 UNCH
5810	----	----	144.20B/----	144.20B/127.50A	----	133.50 + 20.20	.2197	----	----	----	----	56 UNCH
5825	----	----	142.20B/----	142.20B/126.10A	----	131.70 + 20.00	.2171	----	----	----	----	4 UNCH
5875	----	----	135.70B/----	135.70B/120.50A	----	125.70 + 19.00	.2086	----	----	----	----	9 UNCH
5900	116.00	116.00	132.40B/116.00	132.40B/116.00	----	122.90 + 18.60	.2046	----	----	114	----	726 + 103
5950	----	----	126.50B/----	126.50B/112.90A	----	117.40 + 17.60	.1967	----	----	4	----	25 + 4
6000	111.00	111.00	124.00/111.00	124.00/108.00A	----	112.30 + 16.80	.1892	----	----	108	----	5015 + 104
6100	111.00	111.00	116.00/111.00	116.00/99.60A	----	102.90 + 15.20	.1752	----	----	11	----	40 + 2
6150	----	----	105.30B/----	105.30B/95.60A	----	98.60 + 14.50	.1686	----	----	----	----	1 UNCH
6200	103.00	103.00	103.50/103.00	103.50/91.60A	----	94.50 + 13.80	.1624	----	----	104	----	3345 UNCH
6300	----	----	92.20B/----	92.20B/85.30A	----	87.10 + 12.60	.1508	----	----	----	----	1046 UNCH
6400	----	----	84.70B/----	84.70B/80.10A	----	80.70 + 11.60	.1405	----	----	2	----	449 - 1
6500	79.30	79.30	79.50/79.00	79.50/75.50A	----	75.00 + 10.80	.1312	----	----	201	----	4090 UNCH
6750	----	----	64.00B/----	64.00B/60.90A	----	63.80 + 9.60	.1122	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 40

FINAL

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
DEC26												
6775	----	----	62.70B/----	62.70B/59.90A	----	62.90 + 9.50	.1106	----	----	----	----	163 UNCH
6800	----	----	61.70B/----	61.70B/59.00A	----	62.00 + 9.40	.1090	----	----	----	----	1664 UNCH
6900	----	----	57.30B/----	57.30B/56.20A	----	58.60 + 9.10	.1030	----	----	----	----	2 UNCH
7000	----	----	55.80B/----	55.80B/53.20A	----	55.70 + 9.00	.0977	----	----	6	----	3998 + 5
7250	----	----	50.10B/----	50.10B/46.60A	----	49.80 + 8.90	.0867	----	----	----	----	107 UNCH
7500	42.20	42.20	42.20/42.20	42.20/42.20	----	45.20 + 8.80	.0778	----	----	1	----	56 + 1
8000	29.70	29.70	30.00B/29.70	30.00B/29.70	----	38.20 + 8.50	.0644	----	----	8	----	411 + 5
8125	----	----	----	21.00B/37.50A	----	36.70 + 8.30	.0615	----	----	----	----	801 UNCH
8500	----	----	----	16.80B/33.70A	----	32.10 + 7.20	.0534	----	----	----	----	170 UNCH
9000	----	----	----	13.00B/29.90A	----	26.40 + 5.10	.0438	----	----	----	----	102 UNCH
9500	----	----	----	10.30B/27.10A	----	21.60 + 3.10	.0359	----	----	----	----	283 UNCH
9900	----	----	----	8.80B/25.20A	----	18.60 + 1.70	.0309	----	----	----	----	4 UNCH
10000	18.30	18.30	19.40B/18.30	19.40B/18.30	----	18.00 + 1.50	.0299	----	----	33	----	6079 + 2
11000	14.80	14.80	15.00/*14.80	15.00/*14.80	----	13.60 - 0.30	.0223	----	----	2	----	379 UNCH
13000	----	----	----	9.50B/16.70A	----	10.00 - 1.00	.0156	----	----	----	----	365 UNCH
15000	7.50	7.50	8.00/7.00A	8.00/7.00A	----	8.10 + 0.60	.0120	----	----	586	----	17309 + 429
17000	----	----	----	0.80B/11.40A	----	5.90 + 2.10	.0087	----	----	----	----	20 UNCH
19000	----	----	----	2.00B/9.70A	----	4.00 + 1.70	.0059	----	----	----	----	7 UNCH
20000	3.00	3.00	3.00/3.00	3.00/2.50A	----	3.20 + 1.20	.0048	----	----	1300	----	17853 + 1224
24000	1.50	1.50	2.20B/*1.50	2.20B/*1.50	----	2.30 + 0.90	.0033	----	----	1	----	6 + 1
TOTAL										2641		77620 + 1818
JAN27												
4190	731.50	731.50	#731.50/731.50	#731.50/670.10A	----	718.90 NEW	.7015	----	----	1	----	1 + 1
4290	----	----	#689.60B/----	#689.60B/613.00A	----	658.80 NEW	.6698	----	----	1	----	1 + 1
4300	----	----	683.60B/----	683.60B/607.40A	----	652.90 + 77.20	.6666	----	----	----	----	1 UNCH
4335	655.00	655.00	#663.00B/655.00	#663.00B/588.00A	----	632.80 NEW	.6552	----	----	1	----	1 + 1
4400	----	----	#625.50B/----	#625.50B/554.00A	----	596.70 + 72.00	.6339	----	----	----	----	1 UNCH
4500	460.00	460.00	#580.70B/460.00	#580.70B/460.00	----	544.10 + 66.60	.6005	----	----	1	----	0 - 1
4550	455.00	455.00	#555.30B/455.00	555.30B/455.00	----	519.20 + 63.90	.5837	----	----	1	----	0 - 1
4650	----	----	#508.40B/----	508.40B/438.30A	----	472.10 + 58.40	.5500	----	----	----	----	1 UNCH
4750	456.70	456.70	463.20B/456.70	463.20B/398.50A	----	428.90 NEW	.5166	----	----	5	----	5 + 5
4760	----	----	458.90B/----	458.90B/394.80A	----	424.80 + 52.80	.5133	----	----	----	----	100 UNCH
4850	----	----	422.20B/----	422.20B/362.40A	----	389.40 + 48.50	.4841	----	----	----	----	1 UNCH
4875	----	----	411.90B/----	411.90B/353.90A	----	380.10 + 47.40	.4761	----	----	----	----	4 UNCH
4900	----	----	403.20B/----	403.20B/345.60A	----	371.10 + 46.30	.4682	----	----	----	----	9 UNCH
5000	----	----	366.50B/----	366.50B/314.20A	----	337.10 + 42.30	.4373	----	----	----	----	3 UNCH
5050	----	----	350.30B/----	350.30B/299.70A	----	321.30 + 40.40	.4223	----	----	----	----	100 UNCH
5100	----	----	333.70B/----	333.70B/286.00A	----	306.40 + 38.70	.4078	----	----	----	----	1 UNCH
5250	241.10	241.10	289.70B/241.10	289.70B/241.10	----	265.90 + 33.90	.3664	----	----	7	----	7 + 4
5300	----	----	276.50B/----	276.50B/237.30A	----	253.70 + 32.40	.3534	----	----	----	----	1 UNCH
5400	----	----	252.40B/----	252.40B/216.30A	----	231.10 + 29.60	.3285	----	----	----	----	2 UNCH
5500	----	----	230.20B/----	230.20B/198.10A	----	210.80 + 27.00	.3053	----	----	----	----	3 UNCH
5550	----	----	219.70B/----	219.70B/189.50A	----	201.50 + 25.90	.2943	----	----	----	----	1 UNCH
5820	----	----	172.30B/----	172.30B/149.60A	----	159.00 + 20.50	.2417	----	----	----	----	6 UNCH
5850	----	----	167.60B/----	167.60B/145.90A	----	155.10 + 20.10	.2366	----	----	----	----	3 UNCH
5900	----	----	160.10B/----	160.10B/140.40A	----	148.70 + 19.30	.2282	----	----	----	----	5 UNCH
6000	----	----	146.90B/----	146.90B/129.00A	----	136.90 + 17.90	.2125	----	----	----	----	202 UNCH
6025	----	----	144.00B/----	144.00B/126.90A	----	134.10 + 17.50	.2088	----	----	----	----	1 UNCH
6300	----	----	114.80B/----	114.80B/103.00A	----	107.60 + 14.20	.1721	----	----	----	----	2 UNCH
20000	4.00	4.00	4.00/4.00	4.00/*3.50A	----	4.00 + 0.50	.0058	----	----	1	----	21 + 1
TOTAL										18		483 + 11
FEB27												
5000	----	----	----	----	----	286.10 + 46.50	.4183	----	----	----	----	1 UNCH
5100	----	----	----	----	----	257.10 + 42.80	.3860	----	----	----	----	1 UNCH
5175	----	----	----	----	----	238.40 + 40.30	.3636	----	----	----	----	125 UNCH
5300	----	----	----	----	----	213.20 + 36.50	.3305	----	----	----	----	50 UNCH
5375	----	----	----	----	----	201.70 + 34.50	.3136	----	----	----	----	1 UNCH
5520	----	----	----	----	----	185.20 + 31.50	.2863	----	----	----	----	300 UNCH
5530	----	----	----	----	----	184.30 + 31.40	.2846	----	----	----	----	100 UNCH
5550	----	----	----	----	----	182.40 + 31.00	.2813	----	----	----	----	65 UNCH
5600	----	----	----	----	----	177.90 + 30.10	.2734	----	----	----	----	1 UNCH
6000	----	----	----	----	----	135.60 + 23.10	.2114	----	----	----	----	5 UNCH
6025	----	----	----	----	----	131.90 + 22.70	.2068	----	----	----	----	4 UNCH
6300	----	----	----	----	----	101.30 + 18.10	.1661	----	----	----	----	1 UNCH
6500	----	----	----	----	----	87.00 + 15.70	.1447	----	----	----	----	110 UNCH
6900	----	----	----	----	----	62.10 + 11.60	.1075	----	----	----	----	800 UNCH
7000	----	----	----	----/90.00A	----	55.20 + 10.50	.0976	----	----	----	----	833 UNCH
7100	----	----	----	----	----	51.00 + 9.70	.0908	----	----	----	----	8 UNCH
7900	----	----	----	----	----	28.50 + 5.60	.0530	----	----	----	----	500 UNCH
8000	----	----	----	----	----	26.70 + 5.30	.0498	----	----	----	----	500 UNCH
TOTAL												3405 0
APR27												
5600	----	----	----	----	----	194.80 + 32.40	.2876	----	----	----	----	300 UNCH
TOTAL												300 0
JUN27												
9500	----	----	----	----	----	37.70 + 6.10	.0546	----	----	----	----	1 UNCH
TOTAL												1 0
DEC27												
4860	----	----	----	----	----	512.30 + 68.00	.5380	----	----	----	----	100 UNCH
5000	----	----	----	----	----	474.60 + 63.30	.5011	----	----	----	----	50 UNCH
5650	----	----	----	----	----	338.60 + 46.40	.3674	----	----	----	----	200 UNCH
5700	----	----	----	----	----	328.20 + 45.20	.3583	----	----	----	----	150 UNCH
5800	----	----	----	----	----	308.50 + 42.90	.3406	----	----	----	----	200 UNCH
5880	----	----	----	----	----	294.40 + 41.20	.3275	----	----	----	----	50 UNCH
6300	----	----	----	----	----	241.20 + 34.20	.2722	----	----	----	----	18 UNCH
7500	----	----	----	----	----	193.20 + 25.30	.2004	----	----	----	----	270 UNCH
7800	----	----	----	----	----	189.60 + 24.20	.1915	----	----	----	----	284 UNCH
10000	----	----	----	6.00B/----	----	140.20 + 16.60	.1322	----	----	----	----	109 UNCH
10500	----	----	----	----	----	125.60 + 14.90	.1191	----	----	----	----	10 UNCH
TOTAL												1441 0

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
3500	----	----	----/*1.00A	1.00B/*1.00A	----	0.50 - 1.30	.0016	----	----	----	----	28 UNCH
3500	----	----	4.90B/4.10A	4.90B/4.10A	----	3.70 - 0.90	.0141	----	----	----	----	7 UNCH
3550	----	----	----/*1.20A	1.30B/*1.20A	----	0.60 NEW	.0021	----	----	1	----	1 + 1
3700	----	----	----/7.20A	11.50B/7.20A	----	7.20 - 4.30	.0290	----	----	----	----	2 UNCH
3700	----	----	----/1.80A	2.80B/1.80A	----	1.40 - 3.50	.0055	----	----	----	----	3 UNCH
3700	----	----	----/13.40A	18.70B/13.40A	----	13.80 - 5.20	.0489	----	----	----	----	1 UNCH
3750	----	----	----/*2.00A	3.60B/*2.00A	----	1.90 - 4.30	.0078	----	----	----	----	2 UNCH
3750	----	----	----/15.50A	22.20B/15.50A	----	16.30 - 6.60	.0577	----	----	----	----	2 UNCH
3750	----	----	----/8.60A	14.00B/8.60A	----	8.50 - 5.70	.0347	----	----	----	----	2 UNCH
3800	----	----	----/17.70A	26.10B/17.70A	----	19.20 - 8.20	.0678	----	----	----	----	3 UNCH
3800	3.20	3.20	3.20/*2.40A	5.30B/*2.40A	----	2.40 NEW	.0103	----	----	13	----	13 + 13
3800	----	----	----/10.00A	16.80B/10.00A	----	10.10 - 7.40	.0417	----	----	----	----	1 UNCH
3850	----	----	----/11.90A	19.90B/11.90A	----	12.00 - 9.40	.0500	----	----	----	----	2 UNCH
3850	----	----	----/*2.90A	7.10B/*2.90A	----	3.00 - 6.80	.0135	----	----	----	----	1 UNCH
3900	----	----	----/13.50A	24.00B/13.50A	----	14.30 - 11.70	.0601	----	----	----	----	4 UNCH
3900	4.50	4.50	4.50/*3.50A	9.70B/*3.50A	----	3.80 - 8.50	.0178	----	----	3	----	3 + 2
3950	----	----	----/*4.30A	12.00B/4.30A	----	4.90 - 10.50	.0238	----	----	----	----	28 UNCH
4000	8.20	8.20	8.20/*5.40A	16.70B/5.40A	----	6.20 - 13.00	.0313	----	----	2	----	14 + 1
4000	----	----	----/18.90A	34.80B/18.90A	----	20.50 - 17.20	.0869	----	----	----	----	102 UNCH
4000	----	----	592.00B/----	592.00B/467.20A	----	544.30 + 98.00	.9128	----	----	----	----	0 UNCH
4000	52.00	52.00	52.00/32.00	52.00/32.00	----	35.50 - 17.60	.1240	----	----	5	----	4 + 1
4025	----	----	----	#15.90B/*6.10A	----	7.00 NEW	.0360	----	----	1	----	1 + 1
4050	9.50	9.50	9.50/*6.80A	20.50B/6.80A	----	7.90 NEW	.0414	----	----	2	----	1 + 1
4050	----	----	----/23.20A	41.80B/23.20A	----	24.50 - 20.60	.1041	----	----	----	----	2 UNCH
4075	----	----	----/*7.70A	23.80B/*7.70A	----	9.00 - 17.40	.0478	----	----	----	----	7 UNCH
4075	23.20	23.20	23.20/23.20	45.80B/23.20	----	26.90 NEW	.1141	----	----	1	----	1 + 1
4100	19.00	19.00	19.00/*8.70A	25.80B/8.70A	----	10.20 - 19.20	.0551	----	----	86	----	66 + 63
4100	----	----	----/26.80A	50.00B/26.80A	----	29.50 - 24.10	.1250	----	----	----	----	2 UNCH
4125	----	----	----/46.40A	70.30B/46.40A	----	51.00 NEW	.1764	----	----	2	----	2 + 2
4125	22.50	22.50	22.50/*9.90A	29.10B/*9.90A	----	11.50 - 21.10	.0631	----	----	9	----	10 + 9
4150	12.10	12.10	12.10/*11.20A	32.70B/11.20A	----	13.10 - 23.10	.0729	----	----	2	----	88 + 2
4175	----	----	----/*12.70A	36.80B/*12.70A	----	14.80 NEW	.0835	----	----	1	----	1 + 1
4175	----	----	----/34.90A	64.80B/34.90A	----	38.90 - 29.90	.1634	----	----	----	----	18 UNCH
4200	----	----	413.70B/----	413.70B/303.10A	----	366.60 + 83.30	.8213	----	----	----	----	0 UNCH
4200	----	----	----/38.20A	70.50B/38.20A	----	42.60 - 32.00	.1783	----	----	1	----	19 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
4200	----	----	428.30B/----	428.30B/316.90A	----	387.00 + 82.00	.7830	----	----	----	----	1 UNCH
4200	30.70	30.70	31.20/*14.50A	41.20B/14.50A	----	16.80 - 27.90	.0960	----	----	84	----	87 + 81
4220	----	----	----	#75.40B/*41.60A	----	45.90 NEW	.1912	----	----	2	----	2 + 2
4225	16.50	16.50	16.50/*16.40A	46.20B/*16.40A	----	19.10 - 30.50	.1103	----	----	1	----	20 + 1
4245	----	----	----/65.90A	99.90B/65.90A	----	71.80 NEW	.2440	----	----	2	----	2 + 2
4245	----	----	----/*18.10A	49.70B/*18.10A	----	21.10 - 32.90	.1229	----	----	----	----	1 UNCH
4250	37.80	37.80	37.80/*18.50A	51.80B/18.50A	----	21.60 - 33.60	.1261	----	----	12	----	35 + 7
4260	----	----	----/*19.40A	53.20B/*19.40A	----	22.80 - 34.70	.1334	----	----	----	----	1 UNCH
4275	----	----	----/50.40A	90.20B/50.40A	----	56.20 NEW	.2307	----	----	2	----	2 + 2
4275	42.50	42.50	42.50/20.90A	57.90B/20.90A	----	24.50 - 36.80	.1444	----	----	2	----	52 + 2
4280	----	----	----/21.50A	58.30B/21.50A	----	25.20 - 37.40	.1485	----	----	----	----	1 UNCH
4300	47.00	47.00	52.30/23.70A	64.60B/23.70A	----	27.80 - 40.30	.1650	----	----	93	----	152 + 20
4335	----	----	----/*28.20A	74.60B/*28.20A	----	33.10 - 45.90	.1983	----	----	----	----	100 UNCH
4340	----	----	----/86.60A	132.50B/86.60A	----	94.10 - 48.30	.3123	----	----	----	----	1 UNCH
4345	----	----	----/*29.60A	78.00B/*29.60A	----	34.80 NEW	.2088	----	----	2	----	1 + 1
4350	----	----	260.70B/----	260.70B/153.60A	----	210.00 + 66.90	.7854	----	----	----	----	11 UNCH
4350	----	----	----/89.10A	138.60B/89.10A	----	96.90 - 49.40	.3203	----	----	----	----	2 UNCH
4350	40.50	40.50	40.50/*30.30A	80.60B/30.30A	----	35.70 NEW	.2144	----	----	6	----	5 + 5
4355	64.70	64.70	64.70/*31.10A	81.40B/*31.10A	----	36.60 - 49.30	.2199	----	----	3	----	3 + 1
4360	----	----	----/*31.90A	83.20B/*31.90A	----	37.60 - 50.20	.2258	----	----	----	----	4 UNCH
4365	43.00	43.00	43.00/*32.70A	85.00B/*32.70A	----	38.50 NEW	.2316	----	----	1	----	1 + 1
4375	----	----	----/70.50A	124.50B/70.50A	----	80.30 NEW	.3180	----	----	1	----	1 + 1
4385	----	----	----/*36.10A	92.60B/*36.10A	----	42.60 - 54.90	.2564	----	----	----	----	1 UNCH
4390	----	----	----/*37.00A	94.60B/*37.00A	----	43.70 - 55.80	.2630	----	----	----	----	1 UNCH
4400	125.00	125.00	145.00/102.70A	157.40B/102.70A	----	111.70 NEW	.3626	----	----	3	----	1 + 1
4400	39.00	39.00	44.00/*38.80A	97.70B/38.80A	----	45.90 - 57.90	.2763	----	----	27	----	53 - 22
4400	----	----	219.10B/----	219.10B/121.40A	----	170.20 + 57.40	.7234	----	----	----	----	3 UNCH
4410	43.00	43.00	56.50/*40.70A	98.50B/*40.70A	----	48.30 - 59.90	.2905	----	----	5	----	9 + 4
4410	----	----	210.90B/----	210.90B/116.50A	----	162.60 + 55.40	.7093	----	----	----	----	4 UNCH
4410	----	----	----/79.60A	139.10B/79.60A	----	90.40 - 53.70	.3532	----	----	----	----	5 UNCH
4415	----	----	207.10B/----	207.10B/114.20A	----	158.80 + 54.40	.7019	----	----	----	----	14 UNCH
4415	----	----	243.90B/----	243.90B/154.70A	----	201.20 + 60.90	.6411	----	----	----	----	9 UNCH
4415	57.90	57.90	57.90/*41.70A	100.70B/*41.70A	----	49.60 - 60.80	.2978	----	----	1	----	6 + 1
4415	----	----	----/80.90A	141.70B/80.90A	----	92.00 - 54.30	.3585	----	----	----	----	4 UNCH
4420	59.30	59.30	59.30/*42.80A	102.90B/*42.80A	----	50.80 - 61.90	.3051	----	----	2	----	10 + 1
4420	----	----	240.20B/----	240.20B/151.20A	----	197.70 + 60.00	.6358	----	----	----	----	5 UNCH
4420	----	----	203.20B/----	203.20B/111.70A	----	155.10 + 53.40	.6947	----	----	1	----	10 + 1
4425	----	----	----/83.40A	146.10B/83.40A	----	95.10 NEW	.3691	----	----	1	----	1 + 1
4425	46.50	46.50	46.50/*43.90A	105.20B/43.90A	----	52.20 - 62.90	.3128	----	----	3	----	16 UNCH
4430	90.40	90.40	90.40/*45.00A	107.50B/*45.00A	----	53.50 - 63.90	.3205	----	----	2	----	4 UNCH
4435	----	----	191.70B/----	191.70B/103.60A	----	144.10 NEW	.6714	----	----	1	----	1 + 1
4435	68.80	68.80	68.80/*46.00A	109.80B/*46.00A	----	54.90 - 65.00	.3284	----	----	2	----	3 + 2
4440	----	----	187.20B/----	187.20B/100.90A	----	140.60 + 49.20	.6635	----	----	----	----	1 UNCH
4440	59.50	59.50	59.50/*47.20A	112.20B/47.20A	----	56.30 - 66.00	.3363	----	----	2	----	2 + 2
4440	----	----	----/114.90A	175.50B/114.90A	----	125.10 - 60.90	.3990	----	----	----	----	1 UNCH
4450	112.00	112.00	179.80B/94.90A	179.80B/94.90A	----	133.50 + 47.10	.6471	----	----	11	----	6 + 4
4450	55.20	55.20	60.00/*49.50A	117.10B/49.50A	----	59.20 - 68.20	.3527	----	----	52	----	52 + 50
4455	----	----	----/*50.70A	119.60B/50.70A	----	60.80 - 69.20	.3612	----	----	----	----	1 UNCH
4455	101.00	101.00	176.00B/92.60A	176.00B/92.60A	----	130.10 NEW	.6386	----	----	2	----	1 + 1
4465	184.80	184.80	#249.30B/*184.8	#249.30B/171.60A	----	212.30 NEW	.5720	----	----	5	----	5 + 5
4470	96.50	96.50	109.90/*54.60A	127.40B/54.60A	----	65.60 NEW	.3873	----	----	6	----	5 + 5
4470	----	----	164.50B/----	164.50B/84.60A	----	119.90 + 42.80	.6125	----	----	----	----	1 UNCH
4475	56.10	56.10	57.30/*55.90A	130.10B/55.90A	----	67.30 - 73.60	.3963	----	----	50	----	51 + 49
4480	82.10	82.10	157.20B/79.60A	157.20B/79.60A	----	113.40 NEW	.5943	----	----	3	----	3 + 3
4480	78.70	78.70	78.70/*57.30A	131.80B/57.30A	----	69.10 NEW	.4055	----	----	1	----	1 + 1
4485	----	----	----/*58.80A	131.20B/58.80A	----	70.90 - 75.70	.4147	----	----	----	----	30 UNCH
4490	90.90	90.90	90.90/*60.20A	133.60B/60.20A	----	72.70 NEW	.4240	----	----	19	----	19 + 19
4490	132.10	132.10	150.10B/129.20	150.10B/74.60A	----	107.00 NEW	.5757	----	----	10	----	10 + 10
4495	65.20	65.20	65.20/*61.70A	134.90B/61.70A	----	74.60 - 77.80	.4335	----	----	1	----	16 + 1
4495	87.10	87.10	146.70B/87.10	146.70B/72.40A	----	103.90 NEW	.5663	----	----	7	----	7 + 7
4500	----	----	213.30B/----	213.30B/136.50A	----	172.60 + 46.50	.5417	----	----	----	----	1 UNCH
4500	----	----	----/136.00A	202.00B/136.00A	----	148.30 - 68.70	.4577	----	----	----	----	1 UNCH
4500	120.00	120.00	120.00/*63.20A	137.90B/63.20A	----	76.60 - 78.80	.4431	----	----	15	----	30 + 9
4500	110.00	110.00	143.10B/110.00	143.10B/69.80A	----	100.90 + 36.40	.5566	----	----	13	----	89 + 9
4500	----	----	184.70B/----	184.70B/111.60A	----	145.70 + 46.30	.5441	----	----	----	----	2 UNCH
4505	87.60	87.60	139.70B/87.60	139.70B/67.60A	----	97.80 + 35.30	.5469	----	----	1	----	6 + 1
4510	----	----	----/*66.30A	143.60B/66.30A	----	80.60 - 81.00	.4626	----	----	----	----	2 UNCH
4525	90.00	90.00	90.00/*71.30A	153.30B/71.30A	----	87.00 - 84.10	.4926	----	----	10	----	10 + 7
4525	72.00	72.00	126.10B/72.00	126.10B/59.30A	----	86.30 + 31.20	.5072	----	----	16	----	15 + 9
4525	138.00	138.00	138.00/116.80A	197.80B/116.80A	----	131.70 NEW	.4867	----	----	1	----	1 + 1
4525	----	----	169.60B/----	169.60B/101.10A	----	131.00 NEW	.5129	----	----	50	----	50 + 50
4530	----	----	166.40B/----	166.40B/98.80A	----	128.10 + 40.80	.5065	----	----	----	----	2 UNCH
4530	----	----	----/*73.10A	156.10B/73.10A	----	89.30 - 85.00	.5027	----	----	----	----	1 UNCH
4540	69.60	69.60	116.30B/69.60	116.30B/52.60A	----	78.20 NEW	.4767	----	----	1	----	1 + 1
4540	----	----	----/122.70A	207.00B/122.70A	----	138.20 - 76.20	.5060	----	----	----	----	10 UNCH
4545	128.40	128.40	128.40/*78.50A	166.20B/78.50A	----	96.30 NEW	.5334	----	----	3	----	3 + 3
4550	177.00	177.00	#199.00B/*177.0	#199.00B/133.60A	----	164.70 NEW	.4953	----	----	1	----	1 + 1
4550	----	----	111.30B/----	111.30B/49.00A	----	73.10 + 26.20	.4561	----	----	3	----	121 UNCH
4550	----	----	154.60B/----	154.60B/90.10A	----	117.10 + 37.20	.4807	----	----	----	----	100 UNCH
4550	----	----	----/156.20A	230.30B/156.20A	----	170.70 - 75.10	.5094	----	----	----	----	1 UNCH
4550	122.70	122.70	122.70/122.70	213.20B/122.70	----	142.80 - 78.00	.5189	----	----	3	----	90 - 3
4550	----	----	----/80.30A	169.10B/80.30A	----	98.80 - 89.00	.5437	----	----	----	----	116 UNCH
4555	107.70	107.70	107.70/*82.40A	172.30B/82.40A	----	101.30 - 90.00	.5541	----	----	12	----	11 + 10
4560	----	----	----/84.40A	176.30B/84.40A	----	103.90 - 90.90	.5644	----	----	----	----	2 UNCH
4560	----	----	105.30B/----	105.30B/45.70A	----	68.20 NEW	.4354	----	----	8	----	6 + 6
4565	----	----	----/133.20A	222.50B/133.20A	----	149.90 - 80.60	.5385	----	----	----	----	5 UNCH
4570	----	----	----/*88.60A	182.70B/88.60A	----	109.20 - 92.80	.5850	----	----	----	----	2 UNCH
4570	----	----	142.90B/----	142.90B/82.20A	----	106.80 + 33.80	.4545	----	----	----	----	2 UNCH
4575	----	----	96.40B/----	96.40B/41.00A	----	61.30 + 21.60	.4044	----	----	----	----	1 UNCH
4580	----	----	137.30B/----	137.30B/78.40A	----	101.80 + 32.10	.4413	----	----	----	----	2 UNCH
4580	49.00	49.00	93.50B/49.00	93.50B/40.00A	----	59.10 NEW	.3940	----	----	2	----	1 + 1
4590	----	----	88.20B/----	88.20B/*36.80A	----	54.90 + 19.10	.3736	----	----	----	----	5 UNCH
4590	----	----	----/*97.50A	197.30B/97.50A	----	120.60 - 96.10	.6262	----	----	----	----	5 UNCH
4595	129.90	129.90	129.90/*99.80A	200.80B/99.80A	----	123.50 NEW	.6363	----	----	8	----	8 + 8
4600	----	----	82.90B/----	82.90B/*34.20A	----	50.90 + 17.50	.3534	----	----	40	----	143 UNCH
4600	----	----	126.40B/----	126.40B/71.10A	----	92.50 + 29.00	.4149	----	----	----	----	1 UNCH
4600	----	----	----/102.20A	204.70B/102.20A	----	126.60 NEW	.6464	----	----	7	----	1 + 1
4610	----	----	----/107.30A	212.40B/107.30A	----	132.80 - 99.30	.6664	----	----	----	----	1 UNCH
4615	37.10	37.10	75.50B/*30.80A	75.50B/*30.80A	----	45.30 NEW	.3236	----	----	40	----	40 + 40
4620	----	----	73.10B/----	73.10B/*29.60A	----	43.60 + 14.50	.3140	----	----	4	----	4 UNCH
4625	29.60	29.60	70.60B/29.60	70.60B/*28.50A	----	41.90 NEW	.3044	----	----	184	----	137 + 137
4625	----	----	114.00B/----	114.00B/63.00A	----	81.80 + 25.50	.3822	----	----	1	----	2 + 1
4635	----	----	109.10B/----	109.10B/59.80A	----	77.90 + 24.30	.3694	----	----	----	----	5 UNCH
4640	55.00	55.00	64.00B/52.70	64.00B/*25.50A	----	37.10 NEW	.2764	----	----	2	----	0 UNCH
4640	----	----	----/123.20A	236.30B/123.20A	----	152.80 - 03.40	.7234	----	----	----	----	1 UNCH
4650	25.10	25.10	59.40B/*23.60A	59.40B/*23.60A	----	34.20 + 10.60	.2585	----	----	15	----	14 + 13
4650	----	----	----/130.40A	244.60B/130.40A	----	159.90 - 04.50	.7412	----	----	----	----	12 UNCH
4650	----	----	102.40B/----	102.40B/55.50A	----	72.20 + 22.50	.3503	----	----	----	----	16 UNCH
4650	----	----	131.70B/----	131.70B/80.40A	----	99.00 + 27.90	.3843	----	----	----	----	1 UNCH
4675	----	----	----/189.30A	300.20B/189.30A	----	214.00 - 95.50	.6804	----	----	----	----	1 UNCH
4675	----	----	91.40B/----	91.40B/48.90A	----	63.50 + 19.70	.3193	----	----	----	----	16 UNCH
4675	25.10	25.10	50.00B/*18.70	50.00B/*18.70	----	27.80 + 8.00	.2170	----	----	85	----	84 + 70
4675	----	----	----/145.70A	265.50B/145.70A	----	178.40 - 07.20	.7828	----	----	----	----	2 UNCH
4680	----	----	48.10B/18.30A	48.10B/18.30A	----	26.70 + 7.60	.2094	----	----	----	----	100 UNCH
4685	----	----	46.10B/*17.70A	46.10B/*17.70A	----	25.50 + 7.10	.2015	----	----	----	----	4 UNCH
4695	23.80	23.80	42.80B/*16.60A	42.80B/*16.60A	----	23.50 NEW	.1872	----	----	1	----	1 + 1
4700	----	----	81.50B/----	81.50B/42.90A	----	55.50 + 17.00	.2891	----	----	----	----	4 UNCH
4700	20.20	20.20	41.20B/*14.50	41.20B/*14.50	----	22.50 + 5.90	.1802	----	----	256	----	283 + 93
4700	----	----	110.10B/----	110.10B/65.80A	----	80.70 + 22.70	.3333	----	----	----	----	0 UNCH
4700	----	----	----/204.40A	319.40B/204.40A	----	231.00 - 98.20	.7105	----	----	----	----	2 UNCH
4700	----	----	----/162.10A	287.10B/162.10A	----	198.10 - 09.30	.8196	----	----	----	----	13 UNCH
4710	----	----	----/169.10A	296.00B/169.10A	----	206.30 - 10.00	.8328	----	----	----	----	0 UNCH
4715	23.40	23.40	36.80B/*14.10A	36.80B/*14.10A	----	19.80 NEW	.1605	----	----	100	----	100 + 100
4720	----	----	----/176.30A	304.90B/176.30A	----	214.60 - 10.70	.8454	----	----	----	----	1 UNCH
4720	----	----	35.30B/*13.60A	35.30B/*13.60A	----	19.00 + 4.60	.1544	----	----	----	----	1 UNCH
4725	----	----	34.00B/*12.80A	34.00B/*12.80A	----	18.20 + 4.30	.1484	----	----	1	----	2 + 1
4725	----	----	----/179.90A	309.40B/179.90A	----	218.80 - 11.00	.8514	----	----	----	----	5 UNCH
4730	18.00	18.00	32.70B/*12.60A	32.70B/*12.60A	----	17.40 + 3.90	.1424	----	----	2	----	1 - 1
4730	----	----	70.60B/----	70.60B/36.70A	----	47.10 + 14.10	.2551	----	----	----	----	4 UNCH
4735	----	----	31.50B/*11.80A	31.50B/*11.80A	----	16.70 NEW	.1370	----	----	2	----	1 + 1
4735	----	----	69.00B/----	69.00B/35.80A	----	45.80 + 13.70	.2496	----	----	----	----	4 UNCH
4740	10.20	10.20	30.40B/*10.20	30.40B/*10.20	----	16.00 NEW	.1315	----	----	1	----	1 + 1
4745	----	----	29.20B/*11.50A	29.20B/*11.50A	----	15.40 + 3.20	.1267	----	----	----	----	1 UNCH
4750	----	----	----/237.00A	360.80B/237.00A	----	267.60 - 02.70	.7660	----	----	----	----	2 UNCH
4750	----	----	64.00B/----	64.00B/33.00A	----	42.10 + 12.40	.2336	----	----	----	----	2 UNCH
4750	----	----	----/198.60A	332.10B/198.60A	----	240.30 - 12.30	.8785	----	----	----	----	1 UNCH
4750	----	----	27.90B/*10.00A	27.90B/*10.00A	----	14.70 + 2.90	.1213	----	----	5	----	13 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4750	86.80	86.80	91.20B/86.80	91.20B/53.50A	----	65.40 NEW	.2856	----	----	2	----	2 + 2
4755	----	----	26.90B/*10.40A	26.90B/*10.40A	----	14.10 + 2.70	.1165	----	----	1	----	2 + 1
4765	----	----	24.80B/*9.90A	24.80B/*9.90A	----	13.00 NEW	.1076	----	----	1	----	1 + 1
4770	----	----	84.30B/----	84.30B/49.30A	----	60.00 + 16.40	.2675	----	----	----	----	3 UNCH
4775	----	----	----/274.90A	381.60B/274.90A	----	287.10 - 04.50	.7909	----	----	----	----	1 UNCH
4775	----	----	56.50B/----	56.50B/29.00A	----	36.60 NEW	.2087	----	----	1	----	1 + 1
4775	----	----	----/218.50A	355.30B/218.50A	----	262.60 - 13.20	.9004	----	----	----	----	3 UNCH
4775	----	----	23.00B/*9.20A	23.00B/*9.20A	----	12.00 + 2.00	.0994	----	----	----	----	4 UNCH
4780	----	----	55.10B/----	55.10B/28.20A	----	35.60 + 10.30	.2040	----	----	1	----	0 - 1
4780	----	----	----/222.60A	360.00B/222.60A	----	267.10 - 13.40	.9045	----	----	----	----	2 UNCH
4780	----	----	22.10B/*8.90A	22.10B/*8.90A	----	11.50 + 1.80	.0953	----	----	----	----	1 UNCH
4785	----	----	53.60B/----	53.60B/27.60A	----	34.60 + 9.90	.1993	----	----	----	----	5 UNCH
4795	----	----	19.70B/*8.00A	19.70B/*8.00A	----	10.20 + 1.40	.0844	----	----	----	----	5 UNCH
4800	10.60	10.60	18.90B/*7.70A	18.90B/*7.70A	----	9.80 + 1.30	.0811	----	----	23	----	109 + 3
4800	----	----	75.00B/----	75.00B/43.60A	----	52.70 + 14.20	.2419	----	----	----	----	3 UNCH
4800	----	----	49.70B/----	49.70B/25.00A	----	31.90 + 9.10	.1862	----	----	1	----	4 + 1
4800	----	----	----/239.10A	378.90B/239.10A	----	285.40 - 13.90	.9187	----	----	----	----	1 UNCH
4805	----	----	18.20B/*7.50A	18.20B/*7.50A	----	9.40 + 1.20	.0777	----	----	----	----	1 UNCH
4805	----	----	48.40B/----	48.40B/24.40A	----	31.00 + 8.80	.1818	----	----	1	----	0 - 1
4815	----	----	17.00B/*7.00A	17.00B/*7.00A	----	8.70 + 1.00	.0718	----	----	----	----	10 UNCH
4815	----	----	46.00B/----	46.00B/23.20A	----	29.30 + 8.20	.1733	----	----	----	----	5 UNCH
4820	9.70	9.70	16.50B/*6.80A	16.50B/*6.80A	----	8.40 NEW	.0691	----	----	1	----	1 + 1
4820	----	----	44.80B/----	44.80B/22.70A	----	28.60 + 8.10	.1696	----	----	----	----	5 UNCH
4825	----	----	----/313.90A	425.10B/313.90A	----	328.20 - 07.40	.8341	----	----	----	----	1 UNCH
4825	9.30	9.30	15.70B/*6.60A	15.70B/*6.60A	----	8.00 NEW	.0659	----	----	10	----	10 + 10
4840	----	----	----/273.90A	417.30B/273.90A	----	322.80 - 14.60	.9410	----	----	----	----	11 UNCH
4845	----	----	13.60B/*5.80A	13.60B/*5.80A	----	6.90 + 0.50	.0563	----	----	----	----	1 UNCH
4845	32.20	32.20	62.60B/*32.20	62.60B/*32.20	----	43.30 NEW	.2068	----	----	8	----	4 + 4
4850	----	----	38.30B/----	38.30B/*19.30A	----	24.40 + 6.80	.1476	----	----	----	----	225 UNCH
4850	----	----	----/334.50A	447.40B/334.50A	----	349.80 - 08.30	.8521	----	----	----	----	1 UNCH
4850	8.80	8.80	13.20B/*5.60A	13.20B/*5.60A	----	6.70 + 0.50	.0545	----	----	2	----	7 + 2
4860	9.00	9.00	12.30B/*5.00A	12.30B/*5.00A	----	6.20 + 0.30	.0502	----	----	1	----	2 UNCH
4870	----	----	12.00B/*4.90A	12.00B/*4.90A	----	5.80 + 0.20	.0466	----	----	----	----	4 UNCH
4875	----	----	55.30B/----	55.30B/32.00A	----	37.80 + 9.40	.1852	----	----	----	----	1 UNCH
4875	11.50	11.50	11.50/*4.60A	11.50/*4.60A	----	5.60 NEW	.0449	----	----	1	----	1 + 1
4880	----	----	10.90B/*4.50A	10.90B/*4.50A	----	5.40 + 0.20	.0432	----	----	----	----	5 UNCH
4885	----	----	10.70B/*4.30A	10.70B/*4.30A	----	5.20 + 0.10	.0415	----	----	----	----	2 UNCH
4900	----	----	29.80B/----	29.80B/*15.20A	----	19.00 + 5.30	.1174	----	----	----	----	25 UNCH
4900	----	----	----/376.00A	493.20B/376.00A	----	394.40 - 09.80	.8823	----	----	----	----	1 UNCH
4900	----	----	49.80B/----	49.80B/28.50A	----	33.80 + 8.20	.1687	----	----	----	----	2 UNCH
4900	----	----	9.80B/*4.10A	9.80B/*4.10A	----	4.70 UNCH	.0371	----	----	----	----	6 UNCH
4900	----	----	----/328.40A	465.30B/328.40A	----	380.30 - 15.20	.9628	----	----	----	----	3 UNCH
4905	----	----	9.60B/*4.00A	9.60B/*4.00A	----	4.60 UNCH	.0361	----	----	----	----	1 UNCH
4910	5.20	5.20	9.10B/*3.90A	9.10B/*3.90A	----	4.40 UNCH	.0344	----	----	1	----	2 + 1
4910	----	----	----/337.70A	475.20B/337.70A	----	390.00 - 15.20	.9654	----	----	----	----	22 UNCH
4915	----	----	8.80B/*3.70A	8.80B/*3.70A	----	4.30 UNCH	.0335	----	----	----	----	1 UNCH
4920	3.00	3.00	8.50B/*3.00	8.50B/*3.00	----	4.20 UNCH	.0325	----	----	1	----	1 + 1
4925	----	----	26.30B/----	26.30B/*13.40A	----	16.90 + 4.70	.1050	----	----	50	----	51 + 50
4925	----	----	8.30B/*3.70A	8.30B/*3.70A	----	4.00 - 0.10	.0309	----	----	----	----	3 UNCH
4925	----	----	----/399.00A	517.90B/399.00A	----	417.20 - 10.50	.8946	----	----	----	----	1 UNCH
4930	----	----	8.20B/*3.50A	8.20B/*3.50A	----	3.90 - 0.10	.0300	----	----	----	----	3 UNCH
4935	8.00	8.00	8.00/*3.20A	8.00/*3.20A	----	3.80 NEW	.0291	----	----	6	----	6 + 6
4950	3.70	3.70	7.10B/*3.10A	7.10B/*3.10A	----	3.50 - 0.10	.0264	----	----	1	----	3 UNCH
4950	----	----	----/375.40A	514.80B/375.40A	----	429.00 - 15.30	.9734	----	----	----	----	1 UNCH
4955	----	----	23.20B/----	23.20B/*12.00A	----	14.60 + 4.10	.0915	----	----	----	----	1 UNCH
4955	----	----	----/425.80A	534.30B/425.80A	----	444.90 - 11.10	.9082	----	----	----	----	1 UNCH
4975	----	----	6.20B/*2.80A	6.20B/*2.80A	----	3.00 - 0.10	.0221	----	----	----	----	1 UNCH
4980	----	----	6.10B/*2.60A	6.10B/*2.60A	----	3.00 - 0.10	.0220	----	----	----	----	5 UNCH
4990	----	----	----/457.90A	521.10B/457.90A	----	477.50 - 11.90	.9224	----	----	----	----	1 UNCH
4990	----	----	19.60B/----	19.60B/*10.30A	----	12.20 + 3.30	.0773	----	----	----	----	1 UNCH
5000	----	----	----/467.20A	505.50B/467.20A	----	486.80 - 12.20	.9260	----	----	----	----	1 UNCH
5000	----	----	18.50B/----	18.50B/*9.80A	----	11.60 + 3.10	.0737	----	----	----	----	2 UNCH
5000	----	----	33.00B/----	33.00B/19.30A	----	21.70 + 4.60	.1151	----	----	----	----	1 UNCH
5000	----	----	----/423.70A	482.70B/423.70A	----	478.20 - 15.30	.9805	----	----	----	----	50 UNCH
5000	4.80	4.80	5.40B/*2.50A	5.40B/*2.50A	----	2.70 - 0.10	.0194	----	----	104	----	106 + 91
5010	----	----	----/475.40A	493.60B/475.40A	----	496.20 - 12.40	.9296	----	----	----	----	1 UNCH
5015	3.80	3.80	5.00B/*2.30A	5.00B/*2.30A	----	2.50 NEW	.0177	----	----	1	----	1 + 1
5025	----	----	----/447.90A	506.80B/447.90A	----	502.90 NEW	.9831	----	----	1	----	1 + 1
5025	----	----	4.70B/*2.30A	4.70B/*2.30A	----	2.40 UNCH	.0168	----	----	----	----	2 UNCH
5030	----	----	4.60B/*2.30A	4.60B/*2.30A	----	2.30 - 0.10	.0160	----	----	----	----	2 UNCH
5030	----	----	----/452.50A	511.80B/452.50A	----	507.80 - 15.30	.9838	----	----	----	----	2 UNCH
5040	----	----	4.40B/*2.10A	4.40B/*2.10A	----	2.20 - 0.10	.0152	----	----	----	----	2 UNCH
5045	----	----	----/470.80A	526.60B/470.80A	----	522.70 - 15.20	.9848	----	----	----	----	4 UNCH
5050	10.00	10.00	15.10B/10.00	15.10B/*8.10A	----	8.90 + 2.10	.0573	----	----	1	----	1 + 1
5050	----	----	4.00B/----	4.00B/*2.20A	----	2.10 - 0.10	.0143	----	----	----	----	4 UNCH
5050	----	----	----/502.60A	527.20B/502.60A	----	527.60 - 15.30	.9855	----	----	----	----	4 UNCH
5055	----	----	3.90B/----	3.90B/*2.10A	----	2.10 UNCH	.0142	----	----	----	----	5 UNCH
5065	----	----	----/517.70A	541.90B/517.70A	----	542.50 - 15.20	.9865	----	----	----	----	1 UNCH
5070	----	----	----/522.60A	546.90B/522.60A	----	547.40 - 15.30	.9872	----	----	----	----	13 UNCH
5075	----	----	13.60B/----	13.60B/*7.30A	----	7.90 + 1.70	.0510	----	----	----	----	20 UNCH
5075	----	----	3.20B/----	3.20B/*2.10A	----	1.90 UNCH	.0126	----	----	----	----	6 UNCH
5100	----	----	----/560.40A	563.20B/560.40A	----	582.20 - 13.80	.9545	----	----	----	----	30 UNCH
5100	----	----	2.90B/----	2.90B/*2.00A	----	1.60 - 0.10	.0104	----	----	----	----	6 UNCH
5120	----	----	----/571.90A	585.30B/571.90A	----	596.90 - 15.30	.9909	----	----	----	----	1 UNCH
5125	1.20	1.20	2.60B/*1.20	2.60B/*1.20	----	1.30 NEW	.0083	----	----	3	----	3 + 3
5135	----	----	2.40B/----	2.40B/*1.80A	----	1.30 - 0.10	.0082	----	----	----	----	120 UNCH
5150	----	----	2.20B/----	2.20B/*1.70A	----	1.10 - 0.20	.0069	----	----	----	----	1 UNCH
5165	----	----	1.80B/----	1.80B/*1.80A	----	1.00 - 0.20	.0062	----	----	----	----	1 UNCH
5170	1.50	1.50	1.70B/*1.50	1.70B/*1.50	----	1.00 - 0.10	.0061	----	----	1	----	5 + 1
5175	----	----	----/626.30A	639.70B/626.30A	----	651.50 - 15.30	.9938	----	----	----	----	1 UNCH
5185	----	----	1.60B/----	1.60B/*1.70A	----	0.90 - 0.20	.0054	----	----	----	----	4 UNCH
5190	----	----	1.50B/----	1.50B/*1.70A	----	0.90 - 0.10	.0054	----	----	----	----	2 UNCH
5200	----	----	7.60B/----	7.60B/*4.80A	----	4.70 + 0.30	.0299	----	----	----	----	2 UNCH
5210	----	----	1.40B/----	1.40B/*1.60A	----	0.80 - 0.10	.0047	----	----	----	----	2 UNCH
5215	----	----	1.30B/----	1.30B/*1.60A	----	0.80 - 0.10	.0047	----	----	----	----	1 UNCH
5225	----	----	----/675.90A	689.10B/675.90A	----	701.20 - 15.40	.9959	----	----	----	----	1 UNCH
5225	----	----	1.20B/----	1.20B/*1.60A	----	0.70 - 0.20	.0041	----	----	----	----	12 UNCH
5240	----	----	1.10B/----	1.10B/*1.50A	----	0.70 - 0.10	.0040	----	----	----	----	2 UNCH
5245	----	----	6.10B/----	6.10B/*4.40A	----	4.00 UNCH	.0252	----	----	----	----	20 UNCH
5250	----	----	1.10B/----	1.10B/*1.50A	----	0.60 - 0.20	.0034	----	----	----	----	4 UNCH
5250	----	----	6.10B/----	6.10B/*4.20A	----	3.90 - 0.10	.0246	----	----	----	----	1 UNCH
5260	----	----	1.00B/----	1.00B/*1.50A	----	0.60 - 0.10	.0034	----	----	----	----	1 UNCH
5275	----	----	0.90B/----	0.90B/*1.50A	----	0.50 - 0.20	.0028	----	----	----	----	1 UNCH
5290	----	----	4.90B/----	4.90B/*3.70A	----	3.40 - 0.20	.0212	----	----	----	----	1 UNCH
5290	----	----	0.80B/----	0.80B/*1.50A	----	0.50 - 0.20	.0027	----	----	----	----	4 UNCH
5300	----	----	4.70B/----	4.70B/*3.70A	----	3.30 - 0.30	.0205	----	----	----	----	2 UNCH
5300	----	----	0.90B/----	0.90B/*1.50A	----	0.50 - 0.10	.0027	----	----	----	----	1 UNCH
5305	----	----	4.60B/----	4.60B/*3.70A	----	3.20 - 0.30	.0199	----	----	----	----	1 UNCH
5325	----	----	0.70B/----	0.70B/*1.60A	----	0.40 - 0.20	.0021	----	----	----	----	1 UNCH
5350	----	----	4.40B/----	4.40B/*3.20A	----	2.80 - 0.40	.0172	----	----	----	----	1 UNCH
5360	----	----	0.60B/----	0.60B/*1.50A	----	0.30 - 0.20	.0015	----	----	----	----	3 UNCH
5375	----	----	----	0.50B/*1.50A	----	0.30 - 0.20	.0015	----	----	----	----	1 UNCH
5380	----	----	----	0.50B/*1.50A	----	0.30 - 0.20	.0015	----	----	----	----	10 UNCH
5400	----	----	0.50B/----	0.50B/*1.50A	----	0.30 - 0.10	.0015	----	----	----	----	1 UNCH
5435	----	----	----	0.40B/*1.40A	----	0.20 - 0.20	.0009	----	----	----	----	15 UNCH
5500	----	----	----	1.80B/3.40A	----	2.50 + 0.30	.0138	----	----	----	----	2 UNCH
5500	----	----	----	----/*1.20A	----	0.20 - 0.10	.0009	----	----	----	----	2 UNCH
5550	----	----	----	----/*1.10A	----	0.10 - 0.10	.0004	----	----	----	----	1 UNCH
5600	----	----	----	----/1.10A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
5650	----	----	----	----/*1.00A	----	0.10 - 0.10	.0001	----	----	1	----	16 + 1
5675	----	----	----	----/*1.00A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
TOTAL										1675		4128 + 1126

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week5

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAR26												
3500	----	----	----	0.60B/*0.90A	----	0.10 - 0.60	.0001	----	----	----	----	11 UNCH
3600	----	----	----/*0.90A	0.60B/*0.90A	----	0.20 - 1.40	.0006	----	----	----	----	1 UNCH
3650	----	----	----/*1.00A	0.80B/*1.00A	----	0.30 - 2.10	.0009	----	----	----	----	1 UNCH
3750	----	----	----/*1.40A	1.80B/*1.40A	----	0.70 - 3.40	.0026	----	----	----	----	2 UNCH
3800	2.40	2.40	2.80B/*1.00A	2.80B/*1.00A	----	1.00 - 4.40	.0040	----	----	11	----	8 + 5
3850	----	----	----/*1.80A	4.20B/*1.80A	----	1.40 - 5.70	.0059	----	----	----	----	2 UNCH
3900	----	----	----/*2.00A	6.00B/*2.00A	----	2.00 - 7.30	.0090	----	----	9	----	9 + 7

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE MAR26 — GOLD WEEKLY TUESDAY OPTION Week5

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3950	3.00	3.00	3.00/*2.50A	8.50B/*2.50A	----	2.70 - 9.40	.0128	----	----	3	----	4 + 2
4000	10.00	10.00	10.00/*2.90	11.20B/*2.90	----	3.70 - 12.00	.0185	----	----	44	----	64 + 38
4050	5.00	5.00	5.00/*3.80A	14.50B/*3.80A	----	4.90 - 14.80	.0259	----	----	2	----	2 + 1
4075	4.60	4.60	4.60/*4.40A	16.80B/*4.40A	----	5.60 NEW	.0304	----	----	1	----	1 + 1
4100	11.60	11.60	12.90/*5.10A	19.30B/*5.10A	----	6.50 - 18.10	.0362	----	----	5	----	34 + 1
4125	----	----	----/*5.90A	22.20B/*5.90A	----	7.40 NEW	.0423	----	----	1	----	1 + 1
4150	----	----	----/*6.80A	25.40B/*6.80A	----	8.50 - 22.20	.0498	----	----	1	----	20 UNCH
4200	12.70	12.70	12.70/*9.00A	33.00B/9.00A	----	11.20 - 27.20	.0688	----	----	1	----	43 + 1
4220	9.70	9.70	#9.70/*9.70	#29.20B/*9.70	----	12.50 NEW	.0782	----	----	1	----	1 + 1
4235	----	----	----/*10.90A	38.70B/*10.90A	----	13.60 NEW	.0862	----	----	1	----	1 + 1
4250	28.80	28.80	28.80/*11.50	42.70B/11.50	----	14.80 - 33.30	.0950	----	----	6	----	10 + 4
4275	----	----	----/*13.70A	48.50B/13.70A	----	17.10 - 36.70	.1118	----	----	----	----	70 UNCH
4290	299.00	299.00	305.80B/299.00	305.80B/185.40A	----	252.90 NEW	.8764	----	----	5	----	5 + 5
4300	23.00	23.00	23.00/*15.80A	54.90B/15.80A	----	19.80 - 40.40	.1315	----	----	14	----	50 + 14
4305	----	----	----/*16.30A	55.30B/*16.30A	----	20.40 - 41.10	.1359	----	----	----	----	1 UNCH
4325	20.50	20.50	20.50/*18.30A	62.10B/18.30A	----	23.00 - 44.20	.1547	----	----	1	----	2 + 1
4350	42.80	42.80	42.80/*20.90A	70.10B/20.90A	----	26.70 - 48.40	.1815	----	----	205	----	290 + 69
4355	----	----	----/*21.80A	70.90B/*21.80A	----	27.60 - 49.20	.1877	----	----	----	----	75 UNCH
4360	----	----	----/*22.40A	72.60B/*22.40A	----	28.40 - 50.10	.1935	----	----	----	----	2 UNCH
4370	60.00	60.00	60.00/*23.80A	76.20B/*23.80A	----	30.20 NEW	.2062	----	----	2	----	1 + 1
4375	56.80	56.80	56.80/*23.80A	79.00B/23.80A	----	31.10 - 52.80	.2127	----	----	175	----	255 + 105
4380	57.10	57.10	57.10/*25.20A	79.90B/*25.20A	----	32.00 NEW	.2192	----	----	100	----	100 + 100
4400	180.60	180.60	208.70B/180.60	208.70B/108.90A	----	160.30 + 57.60	.7522	----	----	1	----	4 UNCH
4400	30.00	30.00	42.20/*28.40A	87.70B/28.40A	----	36.00 - 57.70	.2476	----	----	70	----	84 + 52
4405	----	----	204.50B/----	204.50B/107.20A	----	156.40 + 56.60	.7446	----	----	----	----	1 UNCH
4410	50.00	50.00	50.00/*30.10A	86.30B/*30.10A	----	38.20 - 59.80	.2630	----	----	1	----	1 UNCH
4410	----	----	200.40B/----	200.40B/104.20A	----	152.50 + 55.50	.7368	----	----	----	----	6 UNCH
4420	68.00	68.00	68.00/*32.00A	92.40B/*32.00A	----	40.50 NEW	.2790	----	----	2	----	2 + 2
4425	95.10	95.10	187.90B/95.10	187.90B/95.10	----	141.00 + 52.30	.7125	----	----	3	----	4 + 3
4425	38.00	38.00	38.00/*33.00A	94.40B/33.00A	----	41.70 NEW	.2874	----	----	1	----	1 + 1
4430	----	----	183.90B/----	183.90B/93.60A	----	137.20 + 51.20	.7038	----	----	----	----	1 UNCH
4435	----	----	180.00B/----	180.00B/91.20A	----	133.50 + 50.10	.6952	----	----	----	----	5 UNCH
4440	88.00	88.00	88.00/*36.20A	96.90B/36.20A	----	45.50 NEW	.3135	----	----	6	----	4 + 4
4440	87.00	87.00	176.00B/85.30	176.00B/85.30	----	129.80 NEW	.6863	----	----	5	----	3 + 3
4445	----	----	----/*37.30A	99.70B/37.30A	----	46.90 - 67.40	.3227	----	----	----	----	4 UNCH
4445	82.40	82.40	171.80B/82.40	171.80B/82.40	----	126.20 NEW	.6771	----	----	7	----	7 + 7
4450	86.70	86.70	86.80/*38.40A	101.90B/38.40A	----	48.30 - 68.50	.3320	----	----	49	----	52 + 43
4450	79.80	79.80	167.90B/79.80	167.90B/79.80	----	122.50 + 46.70	.6678	----	----	12	----	19 + 8
4455	81.00	81.00	81.00/*39.50A	104.90B/39.50A	----	49.70 NEW	.3415	----	----	24	----	24 + 24
4455	95.20	95.20	163.90B/95.20	163.90B/79.90A	----	119.00 + 45.60	.6583	----	----	13	----	14 + 9
4460	72.30	72.30	72.30/*40.70A	105.50B/40.70A	----	51.20 NEW	.3513	----	----	10	----	10 + 10
4460	78.50	78.50	160.00B/76.70A	160.00B/76.70A	----	115.40 NEW	.6486	----	----	9	----	9 + 9
4465	81.90	81.90	156.20B/74.50A	156.20B/74.50A	----	112.00 NEW	.6387	----	----	4	----	4 + 4
4470	56.00	56.00	56.00/*43.20A	110.30B/43.20A	----	54.20 NEW	.3712	----	----	3	----	3 + 3
4470	----	----	152.80B/----	152.80B/72.00A	----	108.50 + 42.10	.6286	----	----	----	----	2 UNCH
4475	----	----	----/*44.50A	112.90B/44.50A	----	55.80 NEW	.3815	----	----	1	----	1 + 1
4480	----	----	----/*45.70A	115.80B/45.70A	----	57.50 - 75.50	.3920	----	----	----	----	5 UNCH
4490	49.50	49.50	49.50/*47.80	121.40B/47.80	----	61.00 - 77.80	.4136	----	----	9	----	9 + 9
4490	117.80	117.80	137.30B/117.80	137.30B/62.30A	----	95.30 + 37.50	.5862	----	----	5	----	6 + 5
4495	74.90	74.90	133.80B/74.90	133.80B/60.00A	----	92.10 NEW	.5751	----	----	10	----	10 + 10
4495	80.10	80.10	80.10/*49.60	124.10B/49.60	----	62.80 - 79.00	.4247	----	----	9	----	18 + 9
4500	117.10	117.10	130.30B/100.70	130.30B/57.80A	----	88.90 + 35.10	.5640	----	----	30	----	142 - 3
4500	75.20	75.20	75.20/*51.10A	127.30B/51.10A	----	64.60 - 80.20	.4359	----	----	67	----	66 + 57
4505	----	----	----/*52.50A	130.10B/52.50A	----	66.60 - 81.30	.4473	----	----	----	----	6 UNCH
4505	82.80	82.80	126.50B/82.80	126.50B/55.60A	----	85.80 NEW	.5525	----	----	10	----	10 + 10
4510	109.90	109.90	123.00B/109.90	123.00B/53.50A	----	82.80 + 32.70	.5410	----	----	1	----	1 UNCH
4510	----	----	----/*54.30A	133.30B/54.30A	----	68.50 - 82.50	.4588	----	----	----	----	1 UNCH
4515	----	----	----/*55.90A	136.40B/55.90A	----	70.60 - 83.60	.4705	----	----	----	----	5 UNCH
4525	77.20	77.20	112.80B/77.10	112.80B/47.30A	----	74.10 NEW	.5056	----	----	79	----	79 + 79
4525	61.90	61.90	77.70/*59.10A	142.70B/59.10A	----	74.80 NEW	.4942	----	----	83	----	50 + 50
4530	94.70	94.70	94.70/*60.70A	146.00B/60.70A	----	77.00 NEW	.5063	----	----	3	----	2 + 2
4535	43.70	43.70	106.00B/43.70	106.00B/43.60A	----	68.60 NEW	.4814	----	----	18	----	18 + 18
4540	----	----	----/*64.20A	153.00B/64.20A	----	81.70 - 89.20	.5306	----	----	----	----	8 UNCH
4540	----	----	102.90B/----	102.90B/41.90A	----	66.00 + 26.00	.4692	----	----	4	----	0 - 4
4545	49.70	49.70	99.70B/40.20A	99.70B/40.20A	----	63.40 NEW	.4570	----	----	7	----	5 + 5
4550	86.00	86.00	86.00/67.90A	159.30B/67.90A	----	86.60 - 91.40	.5551	----	----	37	----	39 + 36
4550	36.20	36.20	97.80B/*36.20	97.80B/*36.20	----	60.90 + 23.90	.4447	----	----	50	----	40 + 38
4555	77.00	77.00	77.00/*69.80A	163.40B/69.80A	----	89.10 NEW	.5675	----	----	8	----	8 + 8
4560	35.40	35.40	91.60B/35.40	91.60B/35.40	----	56.00 + 21.70	.4199	----	----	2	----	7 + 2
4565	----	----	88.80B/----	88.80B/*34.00A	----	53.70 + 20.70	.4076	----	----	----	----	1 UNCH
4570	----	----	85.80B/----	85.80B/*32.60A	----	51.50 + 19.80	.3954	----	----	----	----	1 UNCH
4575	----	----	----/77.60A	177.20B/77.60A	----	100.00 NEW	.6167	----	----	8	----	8 + 8
4575	80.00	80.00	82.90B/80.00	82.90B/31.20A	----	49.30 + 18.80	.3831	----	----	67	----	71 + 28
4590	----	----	----/*84.60A	188.80B/84.60A	----	108.90 - 99.10	.6529	----	----	----	----	5 UNCH
4600	28.40	28.40	68.70B/*23.00	68.70B/*23.00	----	39.50 + 14.40	.3234	----	----	106	----	78 + 19
4600	105.00	105.00	105.00/89.10A	196.60B/89.10A	----	115.10 - 00.90	.6764	----	----	2	----	43 + 1
4605	115.50	115.50	115.50/*91.60A	200.90B/91.60A	----	118.40 NEW	.6880	----	----	3	----	3 + 3
4620	----	----	59.10B/*20.80A	59.10B/*20.80A	----	32.80 + 11.40	.2783	----	----	----	----	3 UNCH
4625	50.80	50.80	56.80B/*19.90A	56.80B/*19.90A	----	31.30 + 10.80	.2676	----	----	5	----	26 + 1
4630	20.40	20.40	54.50B/*19.10A	54.50B/*19.10A	----	29.80 + 10.10	.2569	----	----	5	----	27 UNCH
4635	----	----	52.40B/*18.30A	52.40B/*18.30A	----	28.40 + 9.40	.2466	----	----	----	----	2 UNCH
4640	22.00	22.00	50.30B/*17.50A	50.30B/*17.50A	----	27.10 + 8.90	.2367	----	----	2	----	3 + 1
4650	15.50	15.50	46.20B/*15.50	46.20B/*15.50	----	24.60 + 7.80	.2175	----	----	30	----	39 + 24
4650	----	----	----/118.10A	237.30B/118.10A	----	150.20 - 07.50	.7823	----	----	----	----	2 UNCH
4655	34.00	34.00	44.40B/*15.40A	44.40B/*15.40A	----	23.40 NEW	.2081	----	----	2	----	2 + 2
4660	----	----	42.40B/*14.70A	42.40B/*14.70A	----	22.30 NEW	.1992	----	----	2	----	2 + 2
4665	----	----	40.60B/*14.10A	40.60B/*14.10A	----	21.20 + 6.40	.1904	----	----	----	----	1 UNCH
4670	----	----	38.80B/*13.50A	38.80B/*13.50A	----	20.10 + 5.90	.1816	----	----	----	----	1 UNCH
4675	----	----	37.30B/*13.00A	37.30B/*13.00A	----	19.20 + 5.60	.1738	----	----	36	----	43 + 30
4675	----	----	----/133.90A	259.20B/133.90A	----	169.80 - 09.60	.8260	----	----	----	----	1 UNCH
4680	13.10	13.10	35.70B/*12.50A	35.70B/*12.50A	----	18.20 + 5.20	.1656	----	----	51	----	52 + 51
4685	12.80	12.80	34.20B/*12.00A	34.20B/*12.00A	----	17.30 + 4.90	.1579	----	----	100	----	100 + 98
4690	20.20	20.20	32.60B/*11.50A	32.60B/*11.50A	----	16.50 + 4.60	.1509	----	----	11	----	12 + 11
4695	----	----	31.30B/*11.00A	31.30B/*11.00A	----	15.70 NEW	.1439	----	----	4	----	4 + 4
4700	----	----	----/151.20A	281.30B/151.20A	----	190.60 - 11.20	.8629	----	----	----	----	6 UNCH
4700	15.00	15.00	30.10B/*10.60A	30.10B/*10.60A	----	14.90 + 4.00	.1369	----	----	75	----	74 + 46
4705	----	----	28.60B/*10.20A	28.60B/*10.20A	----	14.20 + 3.70	.1306	----	----	----	----	2 UNCH
4710	18.00	18.00	27.30B/*9.80A	27.30B/*9.80A	----	13.50 NEW	.1243	----	----	2	----	1 + 1
4720	15.80	15.80	24.90B/*9.00A	24.90B/*9.00A	----	12.30 NEW	.1132	----	----	10	----	10 + 10
4725	----	----	----/169.80A	304.40B/169.80A	----	212.40 - 12.50	.8915	----	----	----	----	11 UNCH
4725	----	----	23.80B/*8.70A	23.80B/*8.70A	----	11.80 + 2.80	.1083	----	----	1	----	10 UNCH
4730	10.20	10.20	22.80B/*8.40A	22.80B/*8.40A	----	11.20 + 2.50	.1029	----	----	1	----	3 + 1
4740	10.20	10.20	20.60B/*7.80A	20.60B/*7.80A	----	10.30 + 2.10	.0941	----	----	3	----	4 + 3
4745	----	----	19.70B/*7.50A	19.70B/*7.50A	----	9.80 NEW	.0894	----	----	4	----	4 + 4
4750	----	----	----/189.80A	318.60B/189.80A	----	235.00 - 13.60	.9143	----	----	1	----	328 UNCH
4750	10.20	10.20	18.90B/*7.20A	18.90B/*7.20A	----	9.40 + 1.70	.0855	----	----	3	----	10 + 2
4755	11.10	11.10	17.90B/*7.00A	17.90B/*7.00A	----	9.00 NEW	.0816	----	----	2	----	1 + 1
4775	----	----	14.80B/*5.90A	14.80B/*5.90A	----	7.60 + 0.90	.0679	----	----	5	----	7 + 5
4775	----	----	----/210.40A	335.70B/210.40A	----	258.20 - 14.30	.9319	----	----	1	----	3 UNCH
4785	----	----	----/219.00A	345.40B/219.00A	----	267.60 - 14.60	.9378	----	----	----	----	2 UNCH
4800	----	----	----/232.20A	359.80B/232.20A	----	281.70 - 15.00	.9463	----	----	1	----	13 - 1
4800	11.10	11.10	11.80B/*5.00A	11.80B/*5.00A	----	6.10 + 0.20	.0535	----	----	11	----	34 + 11
4805	----	----	----/236.60A	364.70B/236.60A	----	286.50 - 15.10	.9491	----	----	----	----	2 UNCH
4810	----	----	10.80B/*4.70A	10.80B/*4.70A	----	5.60 UNCH	.0487	----	----	----	----	4 UNCH
4820	10.00	10.00	10.10B/*4.40A	10.10B/*4.40A	----	5.10 NEW	.0440	----	----	1	----	1 + 1
4825	----	----	----/254.50A	384.10B/254.50A	----	305.50 - 15.50	.9578	----	----	----	----	1 UNCH
4825	----	----	9.70B/*4.20A	9.70B/*4.20A	----	4.90 - 0.30	.0420	----	----	----	----	2 UNCH
4830	----	----	9.20B/*4.10A	9.20B/*4.10A	----	4.70 - 0.40	.0401	----	----	----	----	2 UNCH
4845	2.80	2.80	8.20B/*2.80	8.20B/*2.80	----	4.10 NEW	.0345	----	----	1	----	1 + 1
4850	----	----	----/277.50A	408.50B/277.50A	----	329.50 - 15.90	.9672	----	----	----	----	7 UNCH
4850	2.60	2.60	8.00B/*2.60	8.00B/*2.60	----	3.90 - 0.70	.0327	----	----	1	----	53 + 1
4870	----	----	6.80B/*3.10A	6.80B/*3.10A	----	3.30 - 0.80	.0270	----	----	----	----	2 UNCH
4875	----	----	----/300.90A	433.10B/300.90A	----	353.80 - 16.00	.9738	----	----	----	----	2 UNCH
4890	2.60	2.60	5.90B/*2.60	5.90B/*2.60	----	2.80 NEW	.0224	----	----	1	----	1 + 1
4895	----	----	5.70B/*2.60A	5.70B/*2.60A	----	2.80 - 0.80	.0221	----	----	----	----	1 UNCH
4900	----	----	----/324.60A	454.30B/324.60A	----	378.30 - 16.10	.9787	----	----	----	----	12 UNCH
4900	5.30	5.30	5.50/*2.50A	5.50/*2.50A	----	2.70 - 0.90	.0212	----	----	3	----	9 + 2
4910	----	----	----/334.20A	463.90B/334.20A	----	388.10 - 16.10	.9798	----	----	----	----	15 UNCH
4940	----	----	----/363.20A	493.40B/363.20A	----	417.90 - 15.80	.9830	----	----	----	----	3 UNCH
4945	----	----	----/368.00A	498.30B/368.00A	----	422.80 - 15.90	.9831	----	----	10	----	10 UNCH
4950	----	----	----/372.90A	503.60B/372.90A	----	427.80 - 15.80	.9840	----	----	----	----	2 UNCH
4950	----	----	3.90B/*2.10A	3.90B/*2.10A	----	2.20 - 0.60	.0159	----	----	----	----	8 UNCH
4955	----	----	----/377.30A	508.30B/377.30A	----	432.70 - 15.80	.9848	----	----	10	----	10 UNCH
4960	----	----	----/382.60A	513.20B/382.60A	----	437.60 - 15.80	.9849	----	----	----	----	4 UNCH
4965	----	----	----/387.50A	518.10B/387.50A	----	442.50 - 15.80	.9857	----	----	----	----	1 UNCH
4970	----	----	3.40B/*2.00A	3.40B/*2.00A	----	1.90 - 0.60	.0134	----	----	----	----	2 UNCH
4970	----	----	----/392.40A	523.10B/392.40A	----	447.50 - 15.80	.9865	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week5										
MAR26												
4975	----	----	3.30B/*2.00A	3.30B/*2.00A	----	1.80 - 0.60	.0126	----	----	----	----	1 UNCH
4990	----	----	----/416.80A	542.90B/416.80A	----	467.20 - 15.80	.9889	----	----	----	----	8 UNCH
5000	----	----	----/426.20A	553.10B/426.20A	----	477.10 - 15.80	.9897	----	----	----	----	169 UNCH
5000	3.00	3.00	3.00/*1.50A	3.00/*1.50A	----	1.50 - 0.60	.0102	----	----	1	----	8 UNCH
5010	----	----	----/436.40A	562.70B/436.40A	----	487.00 - 15.80	.9905	----	----	----	----	25 UNCH
5015	----	----	2.50B/----	2.50B/*1.90A	----	1.30 - 0.60	.0087	----	----	----	----	2 UNCH
5015	----	----	----/441.30A	567.70B/441.30A	----	491.90 - 15.80	.9912	----	----	----	----	1 UNCH
5020	----	----	----/446.20A	572.60B/446.20A	----	496.90 - 15.80	.9913	----	----	----	----	1 UNCH
5020	----	----	2.40B/*1.80A	2.40B/*1.80A	----	1.30 - 0.60	.0086	----	----	----	----	1 UNCH
5025	----	----	2.30B/----	2.30B/*1.80A	----	1.20 - 0.60	.0079	----	----	----	----	1 UNCH
5030	----	----	----/456.10A	582.60B/456.10A	----	506.80 - 15.80	.9921	----	----	1	----	1 UNCH
5040	----	----	----/465.90A	592.50B/465.90A	----	516.70 - 15.80	.9928	----	----	----	----	1 UNCH
5045	----	----	----/470.80A	597.20B/470.80A	----	521.60 - 15.80	.9929	----	----	----	----	1 UNCH
5050	----	----	----/475.40A	602.80B/475.40A	----	526.60 - 15.80	.9936	----	----	----	----	6 UNCH
5075	----	----	----	1.30B/*1.70A	----	0.90 - 0.50	.0055	----	----	----	----	6 UNCH
5090	----	----	----/515.30A	642.30B/515.30A	----	566.30 - 15.80	.9952	----	----	----	----	5 UNCH
5095	----	----	----/520.30A	647.00B/520.30A	----	571.30 - 15.70	.9958	----	----	----	----	5 UNCH
5100	----	----	----	1.20B/*1.60A	----	0.70 - 0.50	.0041	----	----	----	----	5 UNCH
5100	----	----	----/524.90A	652.50B/524.90A	----	576.30 - 15.70	.9958	----	----	----	----	11 UNCH
5110	----	----	----	1.00B/*1.50A	----	0.70 - 0.40	.0041	----	----	----	----	176 UNCH
5115	----	----	----/540.10A	667.20B/540.10A	----	591.20 - 15.70	.9965	----	----	----	----	1 UNCH
5125	----	----	----/550.00A	676.90B/550.00A	----	601.10 - 15.70	.9966	----	----	----	----	1 UNCH
5145	----	----	----	0.80B/*1.40A	----	0.50 - 0.40	.0028	----	----	----	----	1 UNCH
5150	1.10	1.10	1.10/*1.10	1.10/*1.10	----	0.50 - 0.40	.0027	----	----	1	----	1 + 1
5160	----	----	----	0.70B/*1.40A	----	0.40 - 0.50	.0021	----	----	----	----	1 UNCH
5165	----	----	----	0.70B/*1.30A	----	0.40 - 0.40	.0021	----	----	----	----	1 UNCH
5175	----	----	----/599.70A	726.90B/599.70A	----	651.00 - 15.60	.9979	----	----	----	----	1 UNCH
5175	----	----	----	0.60B/*1.30A	----	0.40 - 0.40	.0021	----	----	----	----	1 UNCH
5190	----	----	----	0.60B/*1.20A	----	0.40 - 0.30	.0021	----	----	----	----	50 UNCH
5200	----	----	----	0.60B/*1.20A	----	0.30 - 0.40	.0015	----	----	----	----	14 UNCH
5205	----	----	----	0.50B/*1.20A	----	0.30 - 0.40	.0015	----	----	----	----	1 UNCH
5210	----	----	----	0.50B/*1.20A	----	0.30 - 0.40	.0015	----	----	----	----	1 UNCH
5215	----	----	----/639.60A	766.80B/639.60A	----	690.90 - 15.50	.9986	----	----	----	----	1 UNCH
5225	----	----	----	0.40B/*1.10A	----	0.30 - 0.30	.0015	----	----	----	----	1 UNCH
5235	----	----	----	0.40B/*1.10A	----	0.30 - 0.30	.0014	----	----	----	----	1 UNCH
5240	----	----	----	0.40B/*1.10A	----	0.30 - 0.30	.0014	----	----	----	----	2 UNCH
5250	----	----	----	0.40B/1.00A	----	0.20 - 0.30	.0009	----	----	----	----	5 UNCH
5260	----	----	----	0.30B/*1.00A	----	0.20 - 0.30	.0009	----	----	----	----	1 UNCH
5285	----	----	----	0.30B/*1.00A	----	0.20 - 0.30	.0009	----	----	----	----	3 UNCH
5290	----	----	----	0.30B/*1.00A	----	0.20 - 0.20	.0009	----	----	----	----	1 UNCH
5300	----	----	----	0.30B/*1.00A	----	0.20 - 0.20	.0009	----	----	1	----	260 - 1
5310	----	----	----	0.20B/*0.90A	----	0.20 - 0.20	.0008	----	----	----	----	100 UNCH
5350	----	----	----	----/*0.90A	----	0.10 - 0.20	.0002	----	----	1	----	1 - 1
5380	----	----	----	----/*0.90A	----	0.10 - 0.20	.0001	----	----	----	----	2 UNCH
5400	----	----	----	----/*0.80A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
5420	----	----	----	----/*0.90A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
5425	----	----	----	----/*0.90A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
5575	----	----	----	----/*0.80A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
5625	----	----	----	----/*0.70A	----	0.10 UNCH	----	----	----	----	----	24 UNCH
5675	----	----	----	----/*0.70A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL										1827		3990 + 1243
APR26												
3500	----	----	----/7.40A	8.40B/7.40A	----	5.90 - 3.00	.0217	----	----	----	----	1 UNCH
3800	----	----	----/8.70A	14.60B/8.70A	----	9.40 - 7.20	.0391	----	----	1	----	1 - 1
3900	14.30	14.30	14.30/11.80A	21.30B/11.80A	----	13.40 - 10.50	.0569	----	----	4	----	48 UNCH
3950	----	----	----/13.80A	25.90B/13.80A	----	16.00 - 12.60	.0685	----	----	1	----	2 UNCH
4000	----	----	----/16.50A	31.40B/16.50A	----	19.10 - 15.10	.0824	----	----	----	----	1 UNCH
4000	----	----	----/29.90A	46.90B/29.90A	----	32.20 - 18.40	.1170	----	----	----	----	1 UNCH
4075	----	----	----/21.80A	41.80B/21.80A	----	25.00 - 19.70	.1086	----	----	----	----	1 UNCH
4100	21.00	21.00	21.00/21.00	45.90B/21.00	----	27.30 - 21.60	.1188	----	----	1	----	17 UNCH
4125	----	----	----/26.30A	50.10B/26.30A	----	29.80 - 23.60	.1299	----	----	----	----	1 UNCH
4175	32.20	32.20	32.20/31.30A	60.10B/31.30A	----	35.70 NEW	.1556	----	----	1	----	1 + 1
4200	78.70	78.70	78.70/54.60A	87.50B/54.60A	----	58.50 NEW	.2092	----	----	2	----	1 + 1
4200	----	----	----/34.10A	65.60B/34.10A	----	39.00 - 30.50	.1700	----	----	1	----	2 UNCH
4225	----	----	----/37.40A	71.60B/37.40A	----	42.60 - 33.20	.1855	----	----	----	----	5 UNCH
4240	----	----	----/39.50A	75.20B/39.50A	----	44.90 - 34.90	.1954	----	----	----	----	23 UNCH
4250	----	----	----/63.40A	101.40B/63.40A	----	67.70 - 38.00	.2403	----	----	----	----	60 UNCH
4250	----	----	----/41.20A	78.00B/41.20A	----	46.60 - 36.00	.2025	----	----	----	----	40 UNCH
4300	----	----	----/49.00A	92.50B/49.00A	----	55.60 - 42.30	.2403	----	----	----	----	2 UNCH
4325	----	----	----/54.20A	100.60B/54.20A	----	60.80 - 45.60	.2615	----	----	----	----	26 UNCH
4325	----	----	328.90B/----	328.90B/233.40A	----	283.50 + 68.90	.7048	----	----	----	----	1 UNCH
4360	----	----	----/61.10A	113.10B/61.10A	----	68.80 - 50.70	.2937	----	----	----	----	5 UNCH
4365	----	----	----/62.60A	115.00B/62.60A	----	70.00 - 51.50	.2986	----	----	----	----	5 UNCH
4400	186.00	186.00	275.90B/186.00	275.90B/183.80A	----	229.90 NEW	.6408	----	----	2	----	1 + 1
4400	----	----	----/98.50A	155.60B/98.50A	----	105.80 - 55.40	.3587	----	----	----	----	13 UNCH
4400	----	----	246.20B/----	246.20B/154.50A	----	203.50 + 58.40	.6651	----	----	----	----	3 UNCH
4400	----	----	----/71.00A	129.10B/71.00A	----	79.30 - 56.80	.3345	----	----	----	----	38 UNCH
4405	----	----	----/71.80A	131.00B/71.80A	----	80.80 - 57.50	.3400	----	----	----	----	20 UNCH
4410	----	----	----/73.20A	133.40B/73.20A	----	82.20 - 58.40	.3454	----	----	----	----	4 UNCH
4410	----	----	241.30B/----	241.30B/151.10A	----	196.40 + 56.80	.6542	----	----	----	----	9 UNCH
4415	----	----	238.10B/----	238.10B/148.40A	----	192.90 + 56.00	.6487	----	----	----	----	14 UNCH
4420	----	----	----/76.20A	137.60B/76.20A	----	85.20 - 60.00	.3565	----	----	----	----	19 UNCH
4425	167.50	167.50	230.10B/167.50	230.10B/140.60A	----	185.90 + 54.40	.6375	----	----	1	----	0 - 1
4440	----	----	----/81.60A	146.80B/81.60A	----	91.50 - 63.20	.3796	----	----	----	----	8 UNCH
4450	----	----	----/84.50A	151.90B/84.50A	----	94.90 - 64.70	.3915	----	----	----	----	3 UNCH
4470	135.10	135.10	135.10/90.80A	161.90B/90.80A	----	101.90 NEW	.4160	----	----	5	----	5 + 5
4475	180.90	180.90	#243.40B/180.90	#243.40B/168.30A	----	206.20 NEW	.5633	----	----	5	----	5 + 5
4475	131.00	131.00	195.20B/124.00	195.20B/116.90A	----	153.00 NEW	.5774	----	----	4	----	4 + 4
4495	----	----	182.00B/----	182.00B/108.30A	----	140.70 + 43.10	.5518	----	----	----	----	14 UNCH
4500	131.50	131.50	208.70B/131.50	208.70B/131.50	----	167.00 NEW	.5420	----	----	1	----	1 + 1
4500	----	----	178.30B/----	178.30B/105.40A	----	137.80 + 42.40	.5452	----	----	----	----	18 UNCH
4500	----	----	----/100.80A	177.70B/100.80A	----	113.50 - 72.80	.4544	----	----	----	----	1 UNCH
4500	----	----	----/131.30A	205.00B/131.30A	----	142.80 - 68.40	.4575	----	----	----	----	1 UNCH
4515	----	----	169.00B/----	169.00B/99.00A	----	129.00 + 39.90	.5254	----	----	----	----	11 UNCH
4530	----	----	159.70B/----	159.70B/92.30A	----	120.60 + 37.50	.5052	----	----	----	----	6 UNCH
4535	114.00	114.00	114.00/113.90A	198.10B/113.90A	----	128.60 NEW	.5012	----	----	5	----	5 + 5
4540	117.00	117.00	131.90/115.90A	200.90B/115.90A	----	130.90 NEW	.5081	----	----	11	----	11 + 11
4545	----	----	150.70B/----	150.70B/85.60A	----	112.60 + 35.30	.4847	----	----	----	----	1 UNCH
4550	----	----	147.80B/----	147.80B/83.80A	----	110.00 + 34.50	.4779	----	----	----	----	1 UNCH
4550	117.30	117.30	178.60B/113.30A	178.60B/113.30A	----	140.00 + 40.20	.4886	----	----	1	----	2 UNCH
4555	----	----	144.70B/----	144.70B/81.70A	----	107.40 + 33.70	.4710	----	----	----	----	5 UNCH
4570	----	----	136.00B/----	136.00B/75.80A	----	99.90 + 31.50	.4502	----	----	----	----	15 UNCH
4575	----	----	----/130.70A	223.40B/130.70A	----	148.20 - 84.40	.5564	----	----	----	----	1 UNCH
4585	----	----	----/135.30A	230.00B/135.30A	----	153.50 - 85.80	.5703	----	----	----	----	2 UNCH
4595	----	----	----/140.00A	236.60B/140.00A	----	158.90 - 87.20	.5841	----	----	----	----	2 UNCH
4600	----	----	151.40B/----	151.40B/93.30A	----	116.10 + 34.10	.4342	----	----	----	----	1 UNCH
4600	----	----	----/174.10A	264.90B/174.10A	----	191.70 - 81.00	.5653	----	----	----	----	1 UNCH
4600	78.10	78.10	120.70B/65.00A	120.70B/65.00A	----	86.10 + 27.30	.4086	----	----	11	----	54 UNCH
4605	----	----	#169.10B/----	#169.10B/114.10A	----	138.60 + 37.40	.4444	----	----	----	----	0 UNCH
4625	----	----	107.40B/----	107.40B/57.00A	----	75.70 + 24.00	.3743	----	----	----	----	5 UNCH
4640	----	----	100.30B/----	100.30B/52.70A	----	69.90 + 22.20	.3540	----	----	----	----	11 UNCH
4650	86.30	86.30	95.60B/86.30	95.60B/49.90A	----	66.30 + 21.00	.3407	----	----	50	----	50 + 45
4650	----	----	----/168.30A	276.80B/168.30A	----	191.90 - 94.10	.6589	----	----	----	----	3 UNCH
4660	----	----	91.30B/----	91.30B/47.30A	----	62.80 + 19.90	.3276	----	----	----	----	54 UNCH
4670	----	----	87.00B/----	87.00B/44.80A	----	59.50 + 18.90	.3148	----	----	----	----	4 UNCH
4675	----	----	85.00B/----	85.00B/43.60A	----	57.90 + 18.30	.3084	----	----	----	----	36 UNCH
4680	----	----	83.10B/----	83.10B/42.50A	----	56.30 + 17.80	.3021	----	----	----	----	5 UNCH
4700	45.00	45.00	75.10B/45.00	75.10B/38.00A	----	50.40 + 15.90	.2777	----	----	1	----	11 + 1
4700	----	----	----/197.90A	315.70B/197.90A	----	226.00 - 99.20	.7220	----	----	----	----	20 UNCH
4700	59.00	59.00	105.40B/57.30	105.40B/57.30	----	77.70 + 23.20	.3289	----	----	6	----	4 + 2
4700	----	----	----/228.20A	335.80B/228.20A	----	253.10 - 91.90	.6706	----	----	----	----	1 UNCH
4715	----	----	----/237.30A	347.30B/237.30A	----	263.40 - 93.30	.6853	----	----	----	----	12 UNCH
4725	----	----	66.20B/----	66.20B/32.90A	----	43.90 + 13.80	.2490	----	----	----	----	21 UNCH
4750	----	----	58.20B/----	58.20B/28.80A	----	38.10 + 11.90	.2221	----	----	----	----	3 UNCH
4750	45.40	45.40	86.50B/*45.40	86.50B/*45.40	----	62.90 NEW	.2809	----	----	2	----	2 + 2
4755	----	----	56.60B/----	56.60B/28.00A	----	37.00 + 11.50	.2169	----	----	----	----	5 UNCH
4775	----	----	50.90B/----	50.90B/25.00A	----	33.00 + 10.20	.1973	----	----	----	----	1 UNCH
4780	----	----	49.60B/----	49.60B/24.10A	----	32.10 + 9.90	.1927	----	----	----	----	10 UNCH
4790	----	----	46.90B/----	46.90B/22.90A	----	30.30 + 9.30	.1836	----	----	----	----	5 UNCH
4800	----	----	44.40B/----	44.40B/*21.60A	----	28.60 + 8.80	.1748	----	----	----	----	6 UNCH
4800	----	----	----/289.10A	400.30B/289.10A	----	304.10 - 06.40	.8249	----	----	----	----	2 UNCH
4815	----	----	66.50B/----	66.50B/37.80A	----	47.30 + 13.60	.2248	----	----	----	----	13 UNCH
4815	----	----	40.90B/----	40.90B/*20.00A	----	26.30 + 8.00	.1625	----	----	----	----	5 UNCH
4825	----	----	----/309.40A	422.20B/309.40A	----	325.20 - 07.70	.8452	----	----	----	----	356 UNCH
4835	----	----	36.50B/----	36.50B/*17.80A	----	23.40 + 7.10	.1468	----	----	----	----	15 UNCH
4840	----	----	35.70B/----	35.70B/*17.50A	----	22.80 + 6.90	.1434	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week1
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4850	----	----	----/330.00A	445.20B/330.00A	----	346.90 - 08.70	.8635	----	----	----	----	1 UNCH
4875	----	----	29.30B/----	29.30B/*14.70A	----	18.60 + 5.50	.1196	----	----	----	----	1 UNCH
4900	----	----	25.60B/----	25.60B/*12.80A	----	16.10 + 4.60	.1049	----	----	----	----	12 UNCH
4915	27.90	27.90	43.40B/27.90	43.40B/24.60A	----	30.30 NEW	.1554	----	----	20	----	20 + 20
4925	----	----	----/*427.60A	535.30B/427.60A	----	442.90 NEW	.8116	----	----	1	----	1 + 1
4925	----	----	23.20B/----	23.20B/*11.40A	----	14.00 + 3.90	.0922	----	----	----	----	26 UNCH
4935	----	----	22.10B/----	22.10B/*10.90A	----	13.20 + 3.60	.0873	----	----	----	----	1 UNCH
4950	----	----	----/418.40A	514.30B/418.40A	----	437.40 - 12.00	.9192	----	----	----	----	1 UNCH
4950	----	----	37.20B/----	37.20B/21.40A	----	26.00 + 6.60	.1360	----	----	----	----	1 UNCH
4950	----	----	----/433.90A	547.80B/433.90A	----	451.10 - 08.50	.8635	----	----	1	----	0 - 1
4960	21.30	21.30	21.50/21.30	21.50/*9.80A	----	11.50 NEW	.0766	----	----	100	----	100 + 100
4965	----	----	18.60B/----	18.60B/*9.40A	----	11.20 + 2.90	.0747	----	----	----	----	20 UNCH
4970	29.00	29.00	34.30B/29.00	34.30B/19.60A	----	23.90 NEW	.1262	----	----	20	----	20 + 20
4980	29.30	29.30	32.80B/29.30	32.80B/19.00A	----	22.90 NEW	.1215	----	----	20	----	20 + 20
4985	7.90	7.90	16.70B/*7.90	16.70B/*7.90	----	10.00 NEW	.0671	----	----	1	----	1 + 1
4985	28.40	28.40	33.00/28.40	33.00/18.50A	----	22.40 NEW	.1191	----	----	306	----	305 + 305
4995	28.20	28.20	30.80B/28.20	30.80B/17.90A	----	21.40 NEW	.1145	----	----	1	----	1 + 1
5000	----	----	----/464.60A	479.30B/464.60A	----	484.60 - 13.00	.9373	----	----	----	----	7 UNCH
5000	----	----	30.00B/----	30.00B/17.40A	----	21.00 + 5.00	.1125	----	----	----	----	4 UNCH
5000	16.00	16.00	16.00/16.00	16.00/*8.30A	----	9.30 + 2.10	.0624	----	----	1	----	382 + 1
5025	----	----	13.50B/----	13.50B/*7.40A	----	8.20 + 1.70	.0551	----	----	----	----	1 UNCH
5065	----	----	----/525.10A	527.70B/525.10A	----	547.00 - 14.20	.9541	----	----	----	----	1 UNCH
5080	12.20	12.20	12.20/12.20	12.20/6.00A	----	6.30 + 0.70	.0423	----	----	1	----	1 UNCH
5085	----	----	----/544.70A	549.10B/544.70A	----	566.40 - 14.50	.9582	----	----	----	----	1 UNCH
5090	----	----	----/552.20A	552.40B/552.20A	----	571.30 - 14.50	.9590	----	----	----	----	21 UNCH
5120	----	----	----	----	----	600.60 - 14.80	.9644	----	----	----	----	35 UNCH
5140	----	----	----	----	----	620.10 - 15.00	.9673	----	----	----	----	1 UNCH
5160	----	----	7.00B/----	7.00B/*4.60A	----	4.50 + 0.20	.0297	----	----	----	----	100 UNCH
5185	----	----	6.30B/----	6.30B/*4.30A	----	4.10 + 0.10	.0269	----	----	----	----	40 UNCH
5190	----	----	6.30B/----	6.30B/*4.30A	----	4.10 + 0.20	.0267	----	----	----	----	1 UNCH
5210	3.50	3.50	5.90B/*3.50	5.90B/*3.50	----	3.80 NEW	.0247	----	----	1	----	1 + 1
5260	----	----	4.50B/----	4.50B/*3.50A	----	3.20 - 0.10	.0204	----	----	----	----	20 UNCH
5305	----	----	3.70B/----	3.70B/*3.10A	----	2.90 - 0.20	.0180	----	----	----	----	1 UNCH
5335	----	----	3.30B/*2.90A	3.30B/*2.90A	----	2.70 - 0.30	.0166	----	----	----	----	1 UNCH
5350	4.80	4.80	4.80/4.80	4.80/3.80A	----	2.60 - 0.40	.0158	----	----	1	----	4 - 1
5400	3.10	3.10	3.10/*3.10	3.10/*3.10	----	2.30 NEW	.0137	----	----	2	----	2 + 2
TOTAL										592		2362 + 552

GWR THU — GOLD WEEKLY THURSDAY OPTION Week2
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	----	----	----/4.50A	5.80B/4.50A	----	4.50 - 2.10	.0167	----	----	----	----	1 UNCH
3500	2.30	2.30	2.30/*1.40A	2.30/*1.40A	----	1.10 - 1.60	.0039	----	----	31	----	31 - 10
3600	2.00	2.00	2.00/*1.90A	2.70B/*1.90A	----	1.60 - 2.60	.0061	----	----	6	----	18 + 4
3650	2.40	2.40	2.40/*2.10A	3.40B/*2.10A	----	2.00 - 3.30	.0079	----	----	30	----	32 + 30
3700	1.90	1.90	2.60/*1.90	4.30B/*1.90	----	2.50 - 4.10	.0102	----	----	5	----	8 + 4
3700	----	----	----/8.50A	13.20B/8.50A	----	8.50 - 6.60	.0333	----	----	----	----	1 UNCH
3750	----	----	----/2.90A	6.60B/2.90A	----	3.10 - 5.10	.0131	----	----	2	----	5 + 2
3800	3.40	3.40	3.40/3.40	8.20B/3.40	----	3.90 - 6.30	.0169	----	----	1	----	6 + 1
3850	4.20	4.20	5.60/4.10A	10.40B/4.10A	----	4.80 - 7.90	.0215	----	----	15	----	15 + 11
3900	9.00	9.00	9.00/5.10A	13.20B/5.10A	----	6.00 - 9.70	.0277	----	----	3	----	20 + 2
3950	14.50	14.50	14.50/6.30A	16.30B/6.30A	----	7.50 - 11.80	.0355	----	----	18	----	20 + 15
3950	----	----	----/18.10A	31.80B/18.10A	----	19.80 - 16.90	.0801	----	----	----	----	1 UNCH
4000	----	----	----/21.50A	38.10B/21.50A	----	23.60 - 19.50	.0955	----	----	----	----	1 UNCH
4000	14.20	14.20	14.20/7.50	20.70B/7.50	----	9.30 - 14.40	.0452	----	----	77	----	359 + 56
4000	----	----	588.90B/----	588.90B/451.00A	----	533.40 + 00.90	.9546	----	----	----	----	1 UNCH
4025	----	----	----	#21.20B/*8.90A	----	10.40 NEW	.0512	----	----	1	----	1 + 1
4050	----	----	----/39.10A	60.20B/39.10A	----	40.30 - 23.20	.1418	----	----	----	----	2 UNCH
4050	13.00	13.00	13.00/9.80A	25.80B/9.80A	----	11.60 - 17.50	.0578	----	----	1	----	14 + 1
4075	----	----	----/11.00A	28.90B/11.00A	----	13.00 - 19.20	.0654	----	----	----	----	2 UNCH
4100	----	----	----/45.60A	69.90B/45.60A	----	46.70 - 26.50	.1635	----	----	----	----	1 UNCH
4100	19.70	19.70	25.70/12.40A	32.10B/12.40A	----	14.50 - 21.10	.0738	----	----	16	----	34 + 10
4125	15.60	15.60	15.60/13.80A	35.80B/13.80A	----	16.20 - 23.10	.0833	----	----	3	----	4 + 2
4150	31.80	31.80	31.80/15.50A	39.80B/15.50A	----	18.10 - 25.20	.0939	----	----	64	----	71 + 61
4150	----	----	----/35.70A	63.70B/35.70A	----	39.50 - 29.70	.1589	----	----	----	----	1 UNCH
4175	----	----	----/17.40A	44.20B/17.40A	----	20.20 - 27.60	.1057	----	----	2	----	2 UNCH
4200	62.30	62.30	64.40/42.40A	74.90B/42.40A	----	46.90 - 33.80	.1874	----	----	100	----	101 + 100
4200	31.50	31.50	39.10/19.40A	49.00B/19.40A	----	22.60 - 30.10	.1192	----	----	118	----	168 + 79
4225	----	----	----/46.00A	81.30B/46.00A	----	51.10 - 36.00	.2032	----	----	----	----	5 UNCH
4225	----	----	----/21.70A	54.30B/21.70A	----	25.30 - 32.90	.1342	----	----	1	----	2 + 1
4235	----	----	----/*66.20A	103.70B/66.20A	----	69.70 - 37.60	.2377	----	----	----	----	1 UNCH
4235	45.10	45.10	45.10/*22.60A	55.80B/22.60A	----	26.40 NEW	.1405	----	----	1	----	1 + 1
4240	----	----	----/23.10A	57.00B/23.10A	----	27.00 - 34.70	.1439	----	----	1	----	6 + 1
4250	----	----	----/50.20A	88.10B/50.20A	----	55.70 - 38.40	.2203	----	----	1	----	1 UNCH
4250	----	----	----/70.10A	108.20B/70.10A	----	72.90 - 39.10	.2476	----	----	----	----	1 UNCH
4250	42.00	42.00	45.00/24.10A	60.20B/24.10A	----	28.30 - 35.80	.1510	----	----	156	----	208 - 49
4250	----	----	355.20B/----	355.20B/239.80A	----	302.40 + 79.40	.8488	----	----	----	----	1 UNCH
4255	46.10	46.10	46.10/24.70A	60.70B/24.70A	----	28.90 - 36.50	.1544	----	----	1	----	2 + 1
4260	51.00	51.00	51.00/25.20A	61.90B/25.20A	----	29.50 NEW	.1579	----	----	2	----	2 + 2
4265	52.00	52.00	52.00/25.80A	63.20B/25.80A	----	30.20 NEW	.1617	----	----	2	----	2 + 2
4270	----	----	----/53.90A	93.90B/53.90A	----	59.70 NEW	.2348	----	----	2	----	2 + 2
4275	----	----	----/27.00A	66.50B/27.00A	----	31.60 - 39.10	.1695	----	----	----	----	18 UNCH
4285	----	----	----/77.40A	119.40B/77.40A	----	80.90 - 42.70	.2718	----	----	----	----	1 UNCH
4285	55.40	55.40	55.40/28.20A	68.60B/28.20A	----	33.10 NEW	.1776	----	----	8	----	8 + 8
4290	----	----	----/28.80A	70.00B/28.80A	----	33.80 - 41.10	.1816	----	----	----	----	2 UNCH
4295	----	----	----/29.50A	71.40B/29.50A	----	34.60 - 41.80	.1860	----	----	----	----	22 UNCH
4300	73.60	73.60	75.00/29.00	75.00/29.00	----	35.40 - 42.50	.1903	----	----	83	----	76 + 50
4300	----	----	----/59.40A	103.10B/59.40A	----	66.20 - 43.30	.2580	----	----	2	----	14 + 2
4300	----	----	----/80.70A	124.20B/80.70A	----	84.60 - 44.30	.2827	----	----	----	----	1 UNCH
4305	49.00	49.00	49.00/30.80A	74.60B/30.80A	----	36.20 - 43.20	.1947	----	----	11	----	12 + 11
4310	----	----	----/31.50A	76.10B/31.50A	----	37.00 - 44.00	.1992	----	----	----	----	1 UNCH
4325	----	----	----/33.70A	81.20B/33.70A	----	39.60 - 46.20	.2133	----	----	----	----	7 UNCH
4330	----	----	----/34.40A	82.50B/34.40A	----	40.50 - 47.00	.2182	----	----	4	----	5 + 4
4330	71.20	71.20	75.80/65.60A	113.20B/65.60A	----	73.30 NEW	.2829	----	----	10	----	10 + 10
4335	77.50	77.50	77.50/67.10A	115.30B/67.10A	----	74.60 NEW	.2873	----	----	5	----	5 + 5
4335	43.90	43.90	43.90/35.20A	84.10B/35.20A	----	41.40 NEW	.2231	----	----	1	----	1 + 1
4350	----	----	268.60B/----	268.60B/168.30A	----	218.50 + 65.10	.7610	----	----	----	----	4 UNCH
4350	91.00	91.00	110.00/70.20A	120.90B/70.20A	----	78.50 - 48.90	.3006	----	----	3	----	65 + 3
4350	58.00	58.00	58.00/37.60A	89.70B/37.60A	----	44.30 - 50.20	.2387	----	----	6	----	15 + 5
4355	----	----	----/38.50A	91.10B/38.50A	----	45.30 NEW	.2441	----	----	2	----	1 + 1
4360	----	----	----/39.30A	92.90B/39.30A	----	46.30 - 51.90	.2495	----	----	----	----	1 UNCH
4365	42.10	42.10	42.10/40.20A	94.80B/40.20A	----	47.40 NEW	.2552	----	----	3	----	2 + 2
4375	----	----	----/42.20A	98.90B/42.20A	----	49.50 - 54.50	.2666	----	----	----	----	3 UNCH
4380	----	----	----/43.20A	100.40B/43.20A	----	50.70 NEW	.2726	----	----	1	----	1 + 1
4385	58.50	58.50	58.90/44.20A	102.40B/44.20A	----	51.80 NEW	.2786	----	----	20	----	20 + 20
4395	51.00	51.00	51.00/46.20A	106.40B/46.20A	----	54.20 NEW	.2910	----	----	1	----	1 + 1
4400	----	----	227.80B/----	227.80B/132.70A	----	179.70 + 56.40	.7023	----	----	----	----	7 UNCH
4400	92.00	92.00	92.00/47.20A	108.40B/47.20A	----	55.50 - 58.80	.2974	----	----	63	----	77 + 32
4400	----	----	----/82.70A	140.80B/82.70A	----	92.90 - 55.00	.3480	----	----	----	----	1 UNCH
4410	----	----	219.90B/----	219.90B/128.10A	----	172.30 + 54.60	.6894	----	----	----	----	4 UNCH
4410	----	----	----/85.40A	145.00B/85.40A	----	96.00 - 56.30	.3580	----	----	----	----	4 UNCH
4410	----	----	----/49.30A	109.00B/49.30A	----	58.00 - 60.70	.3104	----	----	----	----	1 UNCH
4410	----	----	----/109.70A	167.90B/109.70A	----	117.30 - 57.00	.3729	----	----	----	----	4 UNCH
4415	120.00	120.00	120.00/50.40A	120.00/50.40A	----	59.40 - 61.60	.3172	----	----	1	----	5 + 1
4415	----	----	249.80B/----	249.80B/160.90A	----	206.70 + 58.10	.6365	----	----	----	----	8 UNCH
4415	----	----	273.40B/----	273.40B/185.20A	----	228.20 + 57.50	.6220	----	----	----	----	5 UNCH
4415	----	----	216.00B/----	216.00B/124.80A	----	168.60 + 53.60	.6825	----	----	----	----	10 UNCH
4415	----	----	----/86.90A	147.10B/86.90A	----	97.60 - 57.00	.3631	----	----	----	----	9 UNCH
4420	----	----	270.00B/----	270.00B/182.60A	----	225.00 + 56.90	.6175	----	----	----	----	5 UNCH
4420	----	----	212.10B/----	212.10B/122.40A	----	165.00 + 52.70	.6758	----	----	----	----	4 UNCH
4420	----	----	246.20B/----	246.20B/156.80A	----	203.30 + 57.40	.6314	----	----	----	----	5 UNCH
4420	----	----	----/51.70A	113.50B/51.70A	----	60.70 - 62.60	.3240	----	----	----	----	8 UNCH
4425	114.00	114.00	208.20B/114.00	208.20B/114.00	----	161.40 NEW	.6689	----	----	1	----	1 + 1
4425	----	----	----/52.90A	115.70B/52.90A	----	62.10 - 63.50	.3309	----	----	----	----	5 UNCH
4435	----	----	200.70B/----	200.70B/114.20A	----	154.30 + 49.90	.6546	----	----	----	----	1 UNCH
4440	60.00	60.00	60.00/56.60A	122.80B/56.60A	----	66.50 - 66.30	.3524	----	----	1	----	18 + 1
4440	158.00	158.00	232.00B/158.00	232.00B/146.80A	----	189.90 + 54.50	.6105	----	----	1	----	1 UNCH
4450	115.00	115.00	189.40B/115.00	189.40B/105.60A	----	143.90 + 47.10	.6325	----	----	2	----	101 + 2
4450	97.00	97.00	97.00/59.20A	127.60B/59.20A	----	69.60 - 68.20	.3673	----	----	16	----	24 + 9
4450	----	----	----/97.10A	163.30B/97.10A	----	109.10 - 62.20	.3998	----	----	----	----	3 UNCH
4460	----	----	----/61.70A	132.70B/61.70A	----	72.80 - 70.20	.3825	----	----	----	----	24 UNCH
4460	----	----	182.00B/----	182.00B/100.20A	----	137.10 + 45.10	.6172	----	----	----	----	20 UNCH
4460	----	----	----/125.90A	191.60B/125.90A	----	135.80 - 63.40	.4191	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week3										
APR26												
4465	----	----	----/127.60A	194.50B/127.60A	----	137.80 - 64.00	.4239	----	----	----	----	3 UNCH
4465	----	----	178.10B/----	178.10B/97.50A	----	133.80 + 44.20	.6094	----	----	----	----	5 UNCH
4465	----	----	----/101.90A	171.20B/101.90A	----	114.20 - 64.80	.4162	----	----	----	----	1 UNCH
4465	63.80	63.80	63.80/63.30A	135.30B/63.30A	----	74.50 - 71.10	.3903	----	----	1	----	7 + 1
4470	103.80	103.80	174.80B/94.90A	174.80B/94.90A	----	130.50 + 43.20	.6015	----	----	5	----	47 UNCH
4470	141.00	141.00	211.40B/141.00	211.40B/133.00A	----	170.20 NEW	.5778	----	----	5	----	5 + 5
4470	----	----	----/64.60A	137.90B/64.60A	----	76.20 - 72.10	.3982	----	----	----	----	12 UNCH
4475	----	----	----/131.20A	199.30B/131.20A	----	141.90 NEW	.4335	----	----	1	----	1 + 1
4475	----	----	171.10B/----	171.10B/92.40A	----	127.30 + 42.30	.5935	----	----	----	----	18 UNCH
4475	85.70	85.70	85.70/66.00A	140.60B/66.00A	----	78.00 - 73.00	.4063	----	----	9	----	37 + 4
4480	----	----	----/133.00A	201.90B/133.00A	----	143.90 NEW	.4383	----	----	1	----	1 + 1
4480	----	----	167.30B/----	167.30B/89.80A	----	124.10 + 41.30	.5854	----	----	----	----	4 UNCH
4480	----	----	----/67.50A	142.80B/67.50A	----	79.80 - 73.90	.4144	----	----	----	----	26 UNCH
4485	----	----	164.00B/----	164.00B/87.30A	----	120.90 + 40.30	.5772	----	----	----	----	1 UNCH
4490	73.80	73.80	73.80/70.30A	148.40B/70.30A	----	83.50 NEW	.4309	----	----	5	----	4 + 4
4490	86.40	86.40	160.50B/84.90A	160.50B/84.90A	----	117.80 + 39.40	.5689	----	----	14	----	13 + 12
4495	97.20	97.20	156.80B/97.20	156.80B/82.50A	----	114.70 NEW	.5605	----	----	19	----	19 + 19
4495	72.20	72.20	72.20/71.90A	151.00B/71.90A	----	85.40 NEW	.4392	----	----	1	----	1 + 1
4500	111.90	111.90	111.90/73.50A	154.00B/73.50A	----	87.40 - 77.80	.4477	----	----	301	----	189 + 181
4500	102.00	102.00	153.50B/79.80	153.50B/79.80	----	111.70 + 37.50	.5520	----	----	21	----	21 + 12
4500	----	----	----/113.90A	189.70B/113.90A	----	127.10 - 70.80	.4562	----	----	----	----	1 UNCH
4500	----	----	191.80B/----	191.80B/117.70A	----	151.30 + 44.30	.5434	----	----	----	----	5 UNCH
4510	71.70	71.70	146.80B/71.70	146.80B/71.70	----	105.70 NEW	.5349	----	----	1	----	1 + 1
4515	----	----	143.50B/----	143.50B/73.40A	----	102.80 + 34.60	.5262	----	----	2	----	2 UNCH
4515	----	----	----/78.50A	163.00B/78.50A	----	93.50 - 80.70	.4736	----	----	----	----	38 UNCH
4520	----	----	140.20B/----	140.20B/71.20A	----	100.00 + 33.70	.5174	----	----	----	----	1 UNCH
4520	----	----	----/80.30A	166.00B/80.30A	----	95.70 - 81.50	.4823	----	----	----	----	66 UNCH
4525	----	----	----/82.00A	169.00B/82.00A	----	97.90 - 82.50	.4911	----	----	13	----	104 + 7
4525	74.00	74.00	137.00B/69.20A	137.00B/69.20A	----	97.20 + 32.80	.5086	----	----	107	----	67 - 3
4530	65.00	65.00	134.00B/65.00	134.00B/65.00	----	94.40 NEW	.4997	----	----	4	----	4 + 4
4530	----	----	----/83.80A	172.20B/83.80A	----	100.10 - 83.40	.5000	----	----	----	----	5 UNCH
4535	109.20	109.20	131.80B/109.20	131.80B/65.10A	----	91.70 + 30.90	.4908	----	----	1	----	1 + 1
4540	109.00	109.00	128.60B/109.00	128.60B/63.10A	----	89.00 NEW	.4818	----	----	25	----	25 + 25
4545	92.20	92.20	92.20/89.30A	181.70B/89.30A	----	107.10 NEW	.5269	----	----	1	----	1 + 1
4550	137.60	137.60	187.90B/137.60	187.90B/122.00A	----	149.90 NEW	.4914	----	----	4	----	1 + 1
4550	----	----	----/133.40A	218.50B/133.40A	----	148.20 - 79.50	.5169	----	----	----	----	7 UNCH
4550	----	----	161.50B/----	161.50B/96.50A	----	122.50 + 35.60	.4827	----	----	----	----	1 UNCH
4550	68.00	68.00	122.50B/57.00	122.50B/57.00	----	83.80 + 28.20	.4638	----	----	67	----	51 + 50
4550	154.00	154.00	154.00/91.30A	185.40B/91.30A	----	109.50 - 87.00	.5360	----	----	5	----	6 + 2
4560	104.50	104.50	104.50/95.40A	191.50B/95.40A	----	114.50 NEW	.5542	----	----	2	----	2 + 2
4560	----	----	116.50B/----	116.50B/54.90A	----	78.80 + 26.40	.4456	----	----	----	----	6 UNCH
4565	----	----	----/97.50A	195.10B/97.50A	----	117.10 - 89.60	.5632	----	----	----	----	1 UNCH
4565	----	----	113.50B/----	113.50B/53.20A	----	76.40 + 25.60	.4365	----	----	2	----	2 UNCH
4570	----	----	----/99.60A	198.40B/99.60A	----	119.70 NEW	.5724	----	----	2	----	2 + 2
4575	----	----	107.80B/----	107.80B/49.80A	----	71.70 + 23.90	.4183	----	----	----	----	11 UNCH
4575	----	----	----/101.80A	202.10B/101.80A	----	122.30 - 91.40	.5815	----	----	2	----	19 + 2
4580	----	----	----/146.60A	237.60B/146.60A	----	162.90 - 84.30	.5546	----	----	----	----	1 UNCH
4580	81.00	81.00	105.00B/81.00	105.00B/48.60A	----	69.40 + 23.10	.4092	----	----	6	----	6 + 2
4590	----	----	----/108.60A	212.50B/108.60A	----	130.70 - 93.70	.6087	----	----	----	----	8 UNCH
4595	----	----	----/153.60A	247.80B/153.60A	----	170.80 - 86.60	.5734	----	----	----	----	2 UNCH
4595	----	----	----/111.00A	216.80B/111.00A	----	133.50 - 94.50	.6178	----	----	----	----	5 UNCH
4600	45.00	45.00	94.30B/42.80A	94.30B/42.80A	----	60.80 + 20.00	.3730	----	----	191	----	532 + 76
4600	----	----	----/183.90A	272.80B/183.90A	----	201.50 - 81.40	.5589	----	----	----	----	1 UNCH
4600	----	----	133.40B/----	133.40B/77.10A	----	98.00 + 28.00	.4200	----	----	----	----	15 UNCH
4600	----	----	----/113.40A	220.00B/113.40A	----	136.40 - 95.30	.6268	----	----	20	----	70 + 20
4605	----	----	91.80B/----	91.80B/41.20A	----	58.80 + 19.20	.3641	----	----	----	----	1 UNCH
4610	----	----	89.30B/----	89.30B/40.00A	----	56.80 + 18.50	.3551	----	----	----	----	1 UNCH
4620	----	----	84.40B/----	84.40B/37.40A	----	53.00 + 17.10	.3375	----	----	8	----	8 + 4
4625	----	----	120.80B/----	120.80B/68.50A	----	87.40 + 24.60	.3889	----	----	----	----	1 UNCH
4625	----	----	81.90B/----	81.90B/35.90A	----	51.10 + 16.30	.3286	----	----	13	----	23 + 5
4630	----	----	----/128.50A	242.80B/128.50A	----	155.00 - 99.60	.6796	----	----	----	----	5 UNCH
4635	----	----	116.30B/----	116.30B/65.30A	----	83.40 + 23.40	.3766	----	----	----	----	15 UNCH
4640	----	----	75.00B/----	75.00B/32.40A	----	46.00 + 14.40	.3032	----	----	----	----	11 UNCH
4645	----	----	72.80B/----	72.80B/31.30A	----	44.30 + 13.70	.2947	----	----	----	----	1 UNCH
4650	----	----	----/141.40A	259.10B/141.40A	----	168.40 - 02.00	.7134	----	----	----	----	100 UNCH
4650	50.70	50.70	70.40B/46.50	70.40B/30.10A	----	42.70 + 13.10	.2864	----	----	5	----	161 + 3
4650	----	----	109.40B/----	109.40B/59.10A	----	77.80 + 21.60	.3585	----	----	----	----	1 UNCH
4650	----	----	----/181.60A	286.00B/181.60A	----	203.40 - 93.50	.6411	----	----	----	----	41 UNCH
4665	----	----	102.70B/----	102.70B/56.90A	----	72.60 + 20.00	.3409	----	----	----	----	5 UNCH
4675	----	----	----/196.00A	304.40B/196.00A	----	219.80 - 96.20	.6703	----	----	----	----	101 UNCH
4675	----	----	----/156.30A	278.90B/156.30A	----	186.20 - 04.70	.7528	----	----	----	----	26 UNCH
4675	----	----	60.20B/----	60.20B/*25.40A	----	35.50 + 10.40	.2470	----	----	15	----	54 UNCH
4680	30.80	30.80	58.30B/*24.50A	58.30B/*24.50A	----	34.20 NEW	.2395	----	----	20	----	10 + 10
4690	----	----	54.70B/----	54.70B/*22.90A	----	31.70 NEW	.2249	----	----	1	----	1 + 1
4690	----	----	92.30B/----	92.30B/50.20A	----	64.60 + 17.70	.3124	----	----	----	----	4 UNCH
4700	22.10	22.10	51.40B/*20.70	51.40B/*20.70	----	29.40 + 8.10	.2110	----	----	52	----	139 - 7
4700	----	----	----/172.60A	300.40B/172.60A	----	205.00 - 07.10	.7887	----	----	----	----	89 UNCH
4700	----	----	----/237.60A	342.30B/237.60A	----	261.80 - 92.90	.6585	----	----	1	----	1 UNCH
4700	----	----	114.60B/----	114.60B/69.60A	----	86.40 + 22.20	.3410	----	----	----	----	1 UNCH
4700	----	----	88.10B/----	88.10B/47.90A	----	61.60 NEW	.3013	----	----	1	----	1 + 1
4700	----	----	----/210.60A	323.60B/210.60A	----	237.10 - 98.30	.6983	----	----	----	----	3 UNCH
4705	44.70	44.70	49.60B/*20.40A	49.60B/*20.40A	----	28.30 NEW	.2043	----	----	4	----	4 + 4
4710	----	----	48.20B/----	48.20B/*19.90A	----	27.30 NEW	.1979	----	----	1	----	1 + 1
4715	55.30	55.30	82.60B/55.30	82.60B/44.40A	----	57.40 NEW	.2853	----	----	5	----	5 + 5
4720	----	----	44.90B/*18.60A	44.90B/*18.60A	----	25.30 + 6.60	.1853	----	----	----	----	1 UNCH
4725	----	----	----/189.40A	321.80B/189.40A	----	224.90 - 09.00	.8204	----	----	----	----	7 UNCH
4725	----	----	79.00B/----	79.00B/42.30A	----	54.70 NEW	.2748	----	----	1	----	1 + 1
4725	25.20	25.20	43.40B/*18.00A	43.40B/*18.00A	----	24.40 + 6.30	.1793	----	----	2	----	12 + 2
4730	----	----	42.00B/*17.40A	42.00B/*17.40A	----	23.40 + 5.90	.1730	----	----	----	----	14 UNCH
4735	51.90	51.90	75.40B/51.90	75.40B/40.30A	----	52.10 NEW	.2645	----	----	10	----	10 + 10
4745	15.90	15.90	37.90B/*15.60A	37.90B/*15.60A	----	20.90 + 5.00	.1563	----	----	1	----	11 + 1
4750	----	----	----/207.50A	344.40B/207.50A	----	245.70 - 10.50	.8484	----	----	----	----	23 UNCH
4750	----	----	70.40B/----	70.40B/37.40A	----	48.50 + 13.60	.2497	----	----	1	----	4 UNCH
4750	----	----	----/242.80A	364.50B/242.80A	----	273.90 - 01.60	.7499	----	----	----	----	1 UNCH
4750	20.20	20.20	36.60B/*13.90	36.60B/*13.90	----	20.20 + 4.80	.1514	----	----	80	----	111 + 63
4750	----	----	95.60B/----	95.60B/57.10A	----	70.80 + 17.70	.2948	----	----	----	----	1 UNCH
4755	----	----	35.40B/*14.60A	35.40B/*14.60A	----	19.40 + 4.50	.1460	----	----	----	----	5 UNCH
4760	20.20	20.20	34.20B/*14.10A	34.20B/*14.10A	----	18.70 + 4.30	.1411	----	----	3	----	33 + 3
4765	----	----	33.00B/*13.60A	33.00B/*13.60A	----	18.00 + 4.00	.1362	----	----	1	----	2 UNCH
4765	----	----	----/253.00A	377.00B/253.00A	----	285.50 - 02.30	.7644	----	----	----	----	1 UNCH
4770	----	----	31.90B/*13.10A	31.90B/*13.10A	----	17.40 NEW	.1318	----	----	1	----	1 + 1
4775	----	----	30.90B/*12.70A	30.90B/*12.70A	----	16.70 + 3.60	.1270	----	----	----	----	6 UNCH
4775	----	----	----/260.00A	385.10B/260.00A	----	293.30 - 02.90	.7735	----	----	----	----	2 UNCH
4775	----	----	----/226.80A	366.70B/226.80A	----	267.30 - 11.60	.8728	----	----	----	----	2 UNCH
4775	----	----	87.00B/----	87.00B/51.60A	----	63.90 + 15.80	.2729	----	----	----	----	6 UNCH
4780	----	----	----/230.60A	372.00B/230.60A	----	271.70 - 11.80	.8771	----	----	----	----	15 UNCH
4780	----	----	29.80B/*12.30A	29.80B/*12.30A	----	16.10 + 3.40	.1227	----	----	----	----	3 UNCH
4785	----	----	28.80B/*11.90A	28.80B/*11.90A	----	15.50 + 3.20	.1184	----	----	----	----	1 UNCH
4790	----	----	27.80B/*11.50A	27.80B/*11.50A	----	15.00 + 3.10	.1146	----	----	----	----	5 UNCH
4800	----	----	----/299.00A	406.30B/299.00A	----	313.10 - 04.40	.7960	----	----	----	----	11 UNCH
4800	----	----	----/246.30A	390.00B/246.30A	----	289.50 - 12.50	.8932	----	----	----	----	19 UNCH
4800	12.50	12.50	26.30B/*10.80A	26.30B/*10.80A	----	13.90 + 2.70	.1066	----	----	145	----	165 + 119
4800	----	----	79.10B/----	79.10B/46.70A	----	57.70 + 14.20	.2522	----	----	----	----	1 UNCH
4805	----	----	25.00B/*10.40A	25.00B/*10.40A	----	13.40 + 2.50	.1029	----	----	----	----	6 UNCH
4810	----	----	24.20B/*10.10A	24.20B/*10.10A	----	13.00 + 2.50	.0997	----	----	1	----	24 UNCH
4815	----	----	23.40B/*9.80A	23.40B/*9.80A	----	12.50 + 2.30	.0961	----	----	----	----	18 UNCH
4820	10.00	10.00	22.60B/*9.50A	22.60B/*9.50A	----	12.10 + 2.20	.0930	----	----	1	----	32 + 1
4825	10.80	10.80	21.70B/*9.20A	21.70B/*9.20A	----	11.70 + 2.10	.0899	----	----	9	----	22 + 7
4825	----	----	----/267.40A	406.80B/267.40A	----	312.20 - 13.20	.9099	----	----	----	----	315 UNCH
4830	----	----	20.90B/*8.90A	20.90B/*8.90A	----	11.30 + 2.00	.0868	----	----	----	----	1 UNCH
4830	----	----	----/271.30A	411.50B/271.30A	----	316.80 - 13.30	.9130	----	----	2	----	0 - 2
4835	----	----	20.30B/*8.60A	20.30B/*8.60A	----	10.90 + 1.90	.0838	----	----	----	----	3 UNCH
4835	----	----	----/275.90A	417.20B/275.90A	----	321.40 - 13.40	.9160	----	----	----	----	2 UNCH
4845	----	----	18.90B/*8.00A	18.90B/*8.00A	----	10.20 NEW	.0783	----	----	1	----	1 + 1
4850	----	----	65.20B/----	65.20B/38.20A	----	47.00 + 11.80	.2142	----	----	----	----	1 UNCH
4850	----	----	----/338.90A	450.00B/338.90A	----	354.30 - 07.30	.8364	----	----	----	----	1 UNCH
4850	8.30	8.30	18.40B/*7.90A	18.40B/*7.90A	----	9.80 + 1.50	.0753	----	----	16	----	33 + 11
4850	----	----	----/288.80A	430.40B/288.80A	----	335.40 - 13.60	.9245	----	----	----	----	5 UNCH
4860	----	----	17.40B/*7.40A	17.40B/*7.40A	----	9.20 + 1.40	.0706	----	----	1	----	6 + 1
4865	----	----	16.70B/*7.10A	16.70B/*7.10A	----	8.90 NEW	.0682	----	----	2	----	2 + 2
4870	----	----	16.20B/*7.00A	16.20B/*7.00A	----	8.60 + 1.30	.0658	----	----	1	----	0 - 1
4870	----	----	39.50B/----	39.50B/*20.60A	----	25.90 + 6.70	.1488	----	----	----	----	0 UNCH
4875	10.40	10.40	15.80B/*6.80A	15.80B/*6.80A	----	8.30 NEW	.0635	----	----	25	----	25 + 25
4880	----	----	15.30B/*6.50A	15.30B/*6.50A	----	8.10 + 1.20	.0618	----	----	----	----	1 UNCH
4885	6.50	6.50	14.80B/*6.30A	14.80B/*6.30A	----	7.80 + 1.10	.0595	----	----	2	----	3 UNCH
4890	----	----	----/372.20A	486.40B/372.20A	----	388.50 - 09.50	.8643	----	----	----	----	10 UNCH
4890	----	----	14.50B/*6.20A	14.50B/*6.20A	----	7.60 + 1.10	.0578	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU APR26 — GOLD WEEKLY THURSDAY OPTION Week3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4900	40.80	40.80	53.50B/40.80	53.50B/30.90A	----	38.30 NEW	.1808	----	----	1	----	1 + 1
4900	----	----	34.10B/*16.60A	34.10B/*16.60A	----	21.90 + 5.10	.1288	----	----	1	----	2 + 1
4900	----	----	----/333.20A	479.50B/333.20A	----	382.60 - 14.30	.9459	----	----	----	----	2 UNCH
4900	6.10	6.10	13.60B/*5.60A	13.60B/*5.60A	----	7.10 + 1.00	.0539	----	----	134	----	139 + 110
4900	----	----	----/397.60A	507.40B/397.60A	----	413.40 - 05.10	.8186	----	----	----	----	1 UNCH
4905	----	----	----/337.70A	484.30B/337.70A	----	387.40 - 14.30	.9476	----	----	----	----	5 UNCH
4910	----	----	12.90B/*5.40A	12.90B/*5.40A	----	6.70 + 0.90	.0506	----	----	----	----	2 UNCH
4915	----	----	----/346.40A	494.00B/346.40A	----	397.00 - 14.40	.9508	----	----	----	----	1 UNCH
4920	----	----	----/351.40A	498.90B/351.40A	----	401.80 - 14.40	.9524	----	----	----	----	4 UNCH
4925	----	----	----/356.00A	503.70B/356.00A	----	406.60 - 14.50	.9540	----	----	----	----	1 UNCH
4940	----	----	----/369.90A	507.30B/369.90A	----	421.00 - 14.60	.9587	----	----	----	----	2 UNCH
4950	----	----	----/379.20A	517.10B/379.20A	----	430.70 - 14.70	.9611	----	----	----	----	3 UNCH
4950	4.80	4.80	10.50B/*4.50A	10.50B/*4.50A	----	5.20 + 0.50	.0387	----	----	22	----	30 + 19
4955	----	----	----/383.90A	525.60B/383.90A	----	435.60 - 14.70	.9620	----	----	----	----	32 UNCH
4960	----	----	10.00B/*4.30A	10.00B/*4.30A	----	4.90 + 0.50	.0363	----	----	----	----	9 UNCH
4965	----	----	----/437.90A	548.40B/437.90A	----	455.50 - 12.80	.9059	----	----	----	----	1 UNCH
4975	----	----	9.10B/*3.90A	9.10B/*3.90A	----	4.50 + 0.40	.0331	----	----	----	----	4 UNCH
4985	----	----	----/412.20A	555.20B/412.20A	----	464.70 - 14.90	.9685	----	----	----	----	1 UNCH
4990	----	----	----/460.60A	560.00B/460.60A	----	478.60 - 13.50	.9166	----	----	----	----	1 UNCH
4990	----	----	22.90B/----	22.90B/*12.30A	----	13.40 + 1.70	.0830	----	----	----	----	1 UNCH
4990	----	----	----/417.00A	560.10B/417.00A	----	469.60 - 14.90	.9699	----	----	----	----	5 UNCH
4995	----	----	8.20B/*3.60A	8.20B/*3.60A	----	4.00 + 0.30	.0291	----	----	----	----	1 UNCH
5000	----	----	----/482.40A	597.60B/482.40A	----	500.10 - 08.70	.8730	----	----	----	----	1 UNCH
5000	----	----	21.50B/----	21.50B/*11.80A	----	12.80 NEW	.0795	----	----	1	----	1 + 1
5000	----	----	----/426.60A	570.00B/426.60A	----	479.40 - 14.90	.9716	----	----	1	----	277 UNCH
5000	3.50	3.50	8.00B/*3.50	8.00B/*3.50	----	3.90 + 0.30	.0282	----	----	4	----	8 - 1
5010	----	----	34.30B/----	34.30B/20.40A	----	24.10 NEW	.1217	----	----	1	----	1 + 1
5020	----	----	----/445.70A	589.70B/445.70A	----	499.00 - 15.00	.9748	----	----	----	----	1 UNCH
5020	----	----	7.20B/*3.20A	7.20B/*3.20A	----	3.50 + 0.20	.0250	----	----	----	----	5 UNCH
5025	5.40	5.40	6.90B/*3.10A	6.90B/*3.10A	----	3.40 NEW	.0243	----	----	60	----	60 + 60
5030	4.90	4.90	6.70B/*3.00A	6.70B/*3.00A	----	3.30 + 0.20	.0235	----	----	1	----	2 UNCH
5030	----	----	----/455.40A	514.30B/455.40A	----	508.80 - 15.00	.9764	----	----	----	----	6 UNCH
5035	----	----	6.70B/----	6.70B/*3.10A	----	3.20 + 0.10	.0227	----	----	----	----	1 UNCH
5040	----	----	6.40B/----	6.40B/*3.00A	----	3.10 + 0.10	.0219	----	----	----	----	7 UNCH
5045	----	----	----/469.90A	528.80B/469.90A	----	523.50 - 15.10	.9787	----	----	----	----	2 UNCH
5050	2.10	2.10	6.20B/*2.10	6.20B/*2.10	----	3.00 NEW	.0210	----	----	1	----	1 + 1
5050	----	----	----/474.70A	533.60B/474.70A	----	528.40 - 15.20	.9788	----	----	----	----	1 UNCH
5065	----	----	28.60B/----	28.60B/16.80A	----	19.00 NEW	.0988	----	----	1	----	1 + 1
5065	----	----	16.60B/----	16.60B/*9.20A	----	9.30 + 0.50	.0586	----	----	----	----	1 UNCH
5070	----	----	5.50B/----	5.50B/*2.70A	----	2.70 UNCH	.0187	----	----	----	----	17 UNCH
5080	----	----	15.70B/----	15.70B/*8.50A	----	8.70 + 0.40	.0549	----	----	1	----	0 - 1
5080	----	----	----/507.40A	562.80B/507.40A	----	558.00 - 15.20	.9820	----	----	----	----	2 UNCH
5080	5.00	5.00	5.20B/5.00	5.20B/*2.60A	----	2.60 + 0.10	.0178	----	----	2	----	1 UNCH
5085	----	----	15.20B/----	15.20B/*8.30A	----	8.50 + 0.40	.0537	----	----	----	----	1 UNCH
5095	----	----	14.60B/----	14.60B/*8.00A	----	8.20 + 0.40	.0517	----	----	----	----	1 UNCH
5100	----	----	25.00B/----	25.00B/15.70A	----	16.40 + 3.40	.0865	----	----	----	----	1 UNCH
5100	2.00	2.00	4.70B/*2.00	4.70B/*2.00	----	2.30 - 0.10	.0156	----	----	1	----	14 + 1
5100	----	----	----/526.90A	581.10B/526.90A	----	577.80 - 15.20	.9843	----	----	----	----	21 UNCH
5105	----	----	----/536.40A	586.10B/536.40A	----	582.70 - 15.30	.9844	----	----	----	----	4 UNCH
5110	----	----	----/541.30A	591.00B/541.30A	----	587.70 - 15.20	.9851	----	----	----	----	1 UNCH
5110	----	----	4.50B/----	4.50B/*2.40A	----	2.20 - 0.10	.0148	----	----	----	----	5 UNCH
5115	----	----	13.50B/----	13.50B/*7.50A	----	7.50 + 0.30	.0473	----	----	----	----	1 UNCH
5120	----	----	4.20B/----	4.20B/*2.20A	----	2.10 - 0.10	.0140	----	----	13	----	13 + 12
5130	----	----	4.00B/----	4.00B/*2.20A	----	2.00 - 0.10	.0133	----	----	----	----	15 UNCH
5150	----	----	20.80B/----	20.80B/13.70A	----	13.60 + 2.60	.0726	----	----	----	----	1 UNCH
5150	----	----	3.60B/----	3.60B/*2.10A	----	1.90 - 0.10	.0124	----	----	----	----	1 UNCH
5155	9.20	9.20	11.20B/9.20	11.20B/*6.50A	----	6.40 NEW	.0402	----	----	4	----	4 + 4
5160	----	----	3.40B/----	3.40B/*2.00A	----	1.80 - 0.10	.0116	----	----	----	----	2 UNCH
5160	----	----	----/613.30A	636.50B/613.30A	----	637.30 - 15.30	.9883	----	----	----	----	2 UNCH
5165	----	----	3.30B/----	3.30B/*2.20A	----	1.80 - 0.10	.0116	----	----	----	----	3 UNCH
5190	----	----	----/642.90A	654.80B/642.90A	----	667.10 - 15.30	.9898	----	----	----	----	2 UNCH
5190	----	----	2.90B/----	2.90B/*2.00A	----	1.60 - 0.10	.0101	----	----	----	----	1 UNCH
5200	15.50	15.50	17.50B/15.50	17.50B/11.90A	----	11.40 NEW	.0613	----	----	1	----	1 + 1
5200	----	----	9.20B/----	9.20B/*5.70A	----	5.50 + 0.50	.0342	----	----	----	----	10 UNCH
5200	2.50	2.50	3.10/2.50	3.10/*1.90A	----	1.60 - 0.10	.0100	----	----	10	----	14 + 1
5210	----	----	2.50B/----	2.50B/*2.00A	----	1.50 - 0.10	.0093	----	----	----	----	1 UNCH
5215	----	----	2.50B/----	2.50B/2.00A	----	1.50 NEW	.0093	----	----	2	----	2 + 2
5220	----	----	2.40B/----	2.40B/2.00A	----	1.50 NEW	.0092	----	----	13	----	13 + 13
5235	----	----	2.20B/----	2.20B/2.00A	----	1.40 - 0.10	.0085	----	----	----	----	4 UNCH
5300	779.10	779.10	#781.50/751.50A	781.50/751.50A	----	776.50 NEW	.9936	----	----	2	----	2 + 2
5300	----	----	1.50B/----	1.50B/*1.70A	----	1.10 - 0.20	.0064	----	----	----	----	3 UNCH
5305	11.80	11.80	11.80/11.80	11.80/9.20A	----	7.10 + 1.10	.0397	----	----	1	----	2 + 1
5320	----	----	10.90B/----	10.90B/8.90A	----	6.60 + 1.10	.0371	----	----	----	----	1 UNCH
5330	----	----	1.30B/----	1.30B/*1.60A	----	1.00 - 0.20	.0056	----	----	----	----	3 UNCH
5340	----	----	----	1.20B/*1.60A	----	1.00 - 0.20	.0056	----	----	----	----	3 UNCH
5350	----	----	----	1.10B/*1.60A	----	1.00 - 0.20	.0055	----	----	----	----	3 UNCH
5360	----	----	----	1.10B/*1.60A	----	0.90 NEW	.0050	----	----	1	----	1 + 1
5400	----	----	4.30B/----	4.30B/*3.50A	----	3.30 + 0.40	.0191	----	----	----	----	250 UNCH
5400	----	----	----	0.90B/*1.70A	----	0.80 - 0.20	.0043	----	----	2	----	7 + 1
5410	----	----	----	0.80B/*1.70A	----	0.80 NEW	.0042	----	----	4	----	4 + 4
5425	----	----	----	0.80B/*1.70A	----	0.70 - 0.20	.0037	----	----	----	----	3 UNCH
5430	----	----	----/881.10A	#892.70B/881.10A	----	906.10 - 15.40	.9964	----	----	----	----	3 UNCH
5435	----	----	----	0.70B/*1.60A	----	0.70 - 0.20	.0036	----	----	----	----	1 UNCH
5440	----	----	----	0.70B/*1.60A	----	0.70 - 0.20	.0036	----	----	----	----	1 UNCH
5450	1.30	1.30	1.30/*1.00A	1.30/*1.00A	----	0.60 NEW	.0031	----	----	10	----	10 + 10
5500	----	----	----	0.60B/1.00A	----	0.50 - 0.20	.0025	----	----	----	----	8 UNCH
5540	----	----	----	0.40B/*1.40A	----	0.40 - 0.20	.0019	----	----	----	----	1 UNCH
5600	----	----	----	0.30B/*1.30A	----	0.30 - 0.20	.0014	----	----	----	----	1 UNCH
5650	----	----	----	----/*1.20A	----	0.30 - 0.10	.0013	----	----	----	----	1 UNCH
5750	----	----	----	----/*1.00A	----	0.20 - 0.10	.0008	----	----	3	----	4 + 3
TOTAL										2473		6188 + 1455

GMW MON MAR26 — GOLD WEEKLY MONDAY OPTION WEEK5

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	0.40	0.40	0.40/*0.10	0.40/*0.10	----	0.10 - 0.30	----	----	----	21	----	34 + 14
3550	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.50	.0000	----	----	----	----	35 UNCH
3600	0.50	0.50	0.80/*0.10	0.80/*0.10	----	0.10 NEW	.0000	----	----	64	----	62 + 62
3650	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.90	.0000	----	----	----	----	3 UNCH
3700	1.10	1.10	1.10/*0.10A	1.20B/*0.10A	----	0.10 - 1.30	.0002	----	----	8	----	18 + 6
3750	1.20	1.20	2.00B/*0.20	2.00B/*0.20	----	0.20 - 1.70	.0005	----	----	6	----	10 + 4
3800	----	----	781.60B/----	781.60B/629.80A	----	724.50 + 13.10	.9992	----	----	----	----	1 UNCH
3800	0.60	0.60	2.80B/*0.30	2.80B/*0.30	----	0.30 - 2.30	.0008	----	----	26	----	29 + 22
3850	2.00	2.00	4.30B/*0.50	4.30B/*0.50	----	0.50 - 3.00	.0016	----	----	8	----	8 + 4
3900	2.10	2.10	5.00B/*0.50A	5.00B/*0.50A	----	0.70 - 4.10	.0025	----	----	26	----	37 + 22
3950	1.90	1.90	6.60B/*0.80	6.60B/*0.80	----	1.00 - 5.40	.0040	----	----	17	----	16 + 10
4000	7.70	7.70	8.60B/*0.80	8.60B/*0.80	----	1.30 - 7.20	.0057	----	----	127	----	256 + 22
4025	4.10	4.10	#4.10/*1.60A	#8.50B/*1.60A	----	1.60 NEW	.0074	----	----	1	----	1 + 1
4050	5.20	5.20	5.20/*1.60	11.20B/*1.60	----	1.80 - 9.60	.0088	----	----	46	----	35 + 23
4075	12.60	12.60	12.60/*2.00A	12.60/*2.00A	----	2.10 - 11.00	.0108	----	----	2	----	23 + 1
4100	15.20	15.20	16.20/*1.80	16.20/*1.80	----	2.50 - 12.60	.0135	----	----	75	----	266 UNCH
4125	18.30	18.30	18.30/*2.60A	18.30/*2.60A	----	2.90 - 14.50	.0164	----	----	6	----	42 + 4
4150	10.00	10.00	10.00/*2.90A	19.10B/*2.90A	----	3.50 - 16.50	.0208	----	----	11	----	17 + 6
4175	7.60	7.60	7.60/*3.40A	21.60B/*3.40A	----	4.10 - 18.90	.0255	----	----	3	----	21 + 3
4200	24.90	24.90	25.70/*3.80A	25.70/*3.80A	----	4.90 - 21.60	.0319	----	----	175	----	120 + 75
4215	----	----	----	#26.30B/*4.50A	----	5.50 NEW	.0368	----	----	1	----	1 + 1
4225	16.30	16.30	16.30/*4.50A	29.10B/*4.50A	----	5.90 - 24.50	.0402	----	----	10	----	24 + 5
4235	4.70	4.70	4.90/*4.70	30.70B/*4.70	----	6.30 NEW	.0437	----	----	2	----	2 + 2
4240	----	----	----/*4.90A	31.60B/*4.90A	----	6.60 - 26.50	.0461	----	----	2	----	17 + 2
4245	216.20	216.20	341.10B/215.30A	341.10B/215.30A	----	286.10 NEW	.9519	----	----	1	----	1 + 1
4245	----	----	----/*5.10A	32.50B/*5.10A	----	6.80 - 27.20	.0479	----	----	----	----	5 UNCH
4250	6.00	6.00	9.50/*5.30A	33.50B/*5.30A	----	7.10 - 27.80	.0504	----	----	19	----	59 + 7
4255	----	----	----/*5.50A	34.30B/*5.50A	----	7.40 NEW	.0529	----	----	6	----	4 + 4
4260	----	----	----/*5.70A	35.10B/*5.70A	----	7.70 - 29.20	.0555	----	----	1	----	1 UNCH
4270	10.10	10.10	10.10/*6.10A	37.30B/*6.10A	----	8.30 - 30.70	.0608	----	----	2	----	3 + 2
4275	6.90	6.90	6.90/*6.10	38.30B/*6.10	----	8.60 - 31.50	.0635	----	----	6	----	16 + 6
4280	23.90	23.90	23.90/*6.60A	39.50B/*6.60A	----	8.90 NEW	.0662	----	----	22	----	18 + 18
4285	24.80	24.80	24.80/*6.80A	40.70B/*6.80A	----	9.30 NEW	.0696	----	----	5	----	5 + 5
4290	----	----	----/*7.10A	41.80B/*7.10A	----	9.70 NEW	.0731	----	----	1	----	1 + 1
4300	46.00	46.00	48.60/*7.60A	48.60/*7.60A	----	10.40 - 35.60	.0796	----	----	224	----	347 + 48
4300	220.00	220.00	288.50B/220.00	288.50B/171.20A	----	234.70 + 79.80	.9202	----	----	20	----	11 UNCH
4305	27.50	27.50	27.50/*7.90A	45.20B/*7.90A	----	10.80 NEW	.0833	----	----	2	----	2 + 2
4310	----	----	----/*8.20A	46.80B/*8.20A	----	11.30 NEW	.0876	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 48

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK5										
MAR26												
4320	----	----	----/*8.90A	49.20B/*8.90A	----	12.20 - 39.10	.0958	----	----	1	----	2 + 1
4325	31.80	31.80	31.80/*9.30A	50.80B/*9.30A	----	12.60 - 40.20	.0998	----	----	137	----	116 + 112
4325	----	----	265.00B/----	265.00B/152.20A	----	211.90 + 75.20	.9001	----	----	----	----	17 UNCH
4330	32.60	32.60	35.10/*9.60A	51.90B/*9.60A	----	13.10 - 41.20	.1044	----	----	175	----	311 + 161
4335	----	----	----/*9.90A	53.70B/*9.90A	----	13.60 NEW	.1091	----	----	17	----	17 + 17
4340	35.60	35.60	35.60/*10.30A	55.00B/*10.30A	----	14.10 - 43.30	.1138	----	----	4	----	3 + 2
4345	24.50	24.50	24.50/*10.70A	56.70B/*10.70A	----	14.70 NEW	.1193	----	----	1	----	1 + 1
4350	146.80	146.80	241.80B/139.70	241.80B/134.10A	----	189.50 + 69.80	.8756	----	----	4	----	39 - 1
4350	32.30	32.30	32.30/*10.90	57.80B/*10.90	----	15.20 - 45.50	.1242	----	----	192	----	232 + 114
4355	12.80	12.80	21.00/*11.60A	59.20B/*11.60A	----	15.80 NEW	.1299	----	----	18	----	18 + 18
4360	----	----	232.70B/----	232.70B/125.40A	----	180.60 + 67.40	.8648	----	----	----	----	1 UNCH
4360	12.30	12.30	18.40/*12.00A	60.30B/*12.00A	----	16.30 - 47.90	.1351	----	----	10	----	10 + 8
4365	64.30	64.30	64.30/*12.50A	64.30/*12.50A	----	16.90 - 49.10	.1409	----	----	1	----	7 UNCH
4370	16.00	16.00	16.00/*13.00A	62.80B/*13.00A	----	17.50 - 50.40	.1469	----	----	3	----	4 + 2
4375	48.00	48.00	48.00/*13.10	65.30B/13.10	----	18.20 - 51.60	.1535	----	----	42	----	42 + 27
4375	150.20	150.20	219.10B/138.10	219.10B/107.30A	----	167.50 + 63.70	.8463	----	----	2	----	36 UNCH
4380	----	----	----/*14.10A	66.40B/*14.10A	----	18.90 - 52.90	.1602	----	----	1	----	3 UNCH
4385	24.80	24.80	24.80/*14.60A	68.30B/*14.60A	----	19.70 - 54.00	.1676	----	----	3	----	3 + 2
4390	40.40	40.40	50.70/*15.10A	70.30B/*15.10A	----	20.60 - 55.00	.1755	----	----	27	----	14 + 13
4400	43.80	43.80	52.90/*15.50	75.00B/15.50	----	22.40 - 57.40	.1918	----	----	307	----	205 + 156
4400	170.00	170.00	196.80B/149.40	196.80B/92.80A	----	146.60 + 57.80	.8080	----	----	23	----	17 - 2
4405	39.70	39.70	56.00/*16.30	76.30B/*16.30	----	23.20 - 59.00	.1997	----	----	31	----	31 + 29
4405	----	----	192.40B/----	192.40B/90.00A	----	142.50 + 56.30	.8001	----	----	----	----	1 UNCH
4410	24.50	24.50	24.50/*17.70A	77.50B/*17.70A	----	24.00 - 60.60	.2078	----	----	21	----	41 + 21
4410	----	----	188.00B/----	188.00B/85.90A	----	138.30 + 54.70	.7920	----	----	2	----	6 UNCH
4415	152.80	152.80	183.50B/152.80	183.50B/83.00A	----	134.20 + 53.20	.7833	----	----	1	----	2 UNCH
4420	27.00	27.00	27.00/*19.10A	79.20B/*19.10A	----	25.90 - 63.50	.2258	----	----	5	----	5 + 2
4420	----	----	179.40B/----	179.40B/80.20A	----	130.10 + 51.70	.7741	----	----	6	----	19 + 6
4425	114.20	114.20	175.00B/114.20	175.00B/77.70A	----	126.10 + 50.40	.7646	----	----	2	----	5 + 1
4425	----	----	----/*19.90A	83.60B/19.90A	----	26.90 - 64.80	.2352	----	----	1	----	3 UNCH
4430	----	----	----/*20.70A	85.30B/*20.70A	----	27.90 - 66.20	.2449	----	----	----	----	1 UNCH
4430	----	----	170.60B/----	170.60B/74.80A	----	122.20 + 49.10	.7550	----	----	1	----	1 UNCH
4435	37.90	37.90	37.90/*21.50A	88.20B/*21.50A	----	29.10 - 67.30	.2554	----	----	8	----	6 + 3
4435	77.20	77.20	166.80B/77.20	166.80B/72.20A	----	118.30 NEW	.7444	----	----	1	----	1 + 1
4440	25.60	25.60	38.00/*22.30A	88.60B/22.30A	----	30.20 - 68.60	.2658	----	----	6	----	12 + 3
4445	79.80	79.80	80.50/*23.20A	92.90B/23.20A	----	31.50 - 69.80	.2771	----	----	5	----	6 + 4
4445	71.00	71.00	157.90B/71.00	157.90B/67.30A	----	110.70 + 45.40	.7228	----	----	1	----	6 + 1
4450	80.00	80.00	153.70B/69.80	153.70B/63.20A	----	107.00 + 44.20	.7116	----	----	35	----	26 + 12
4450	51.50	51.50	67.60/*22.50	95.80B/22.50	----	32.70 - 71.10	.2882	----	----	106	----	82 + 73
4455	60.20	60.20	60.20/*25.10A	98.40B/25.10A	----	34.00 - 72.50	.2998	----	----	9	----	9 + 8
4455	75.00	75.00	149.60B/63.70	149.60B/60.60A	----	103.30 NEW	.7000	----	----	13	----	9 + 9
4460	72.00	72.00	145.50B/72.00	145.50B/58.50A	----	99.60 + 41.40	.6882	----	----	10	----	10 + 6
4460	69.30	69.30	69.30/*26.10A	99.40B/26.10A	----	35.30 - 73.90	.3117	----	----	16	----	30 + 12
4465	52.00	52.00	52.00/*27.20A	100.80B/27.20A	----	36.70 - 75.20	.3240	----	----	21	----	13 + 10
4465	61.50	61.50	141.60B/61.50	141.60B/56.30A	----	95.90 + 39.90	.6758	----	----	1	----	6 UNCH
4470	----	----	137.60B/----	137.60B/53.90A	----	92.40 + 38.60	.6633	----	----	----	----	1 UNCH
4470	31.00	31.00	39.00/*28.20A	102.60B/28.20A	----	38.10 - 76.70	.3365	----	----	8	----	11 + 1
4475	51.50	51.50	133.40B/50.10	133.40B/50.10	----	88.80 NEW	.6505	----	----	56	----	50 + 50
4475	39.80	39.80	42.40/*29.00	104.70B/29.00	----	39.50 - 78.20	.3493	----	----	41	----	36 + 34
4480	69.00	69.00	129.40B/56.50	129.40B/50.00A	----	85.30 NEW	.6373	----	----	6	----	2 + 2
4480	36.00	36.00	41.20/*30.40A	107.10B/30.40A	----	41.00 - 79.70	.3626	----	----	361	----	139 + 138
4485	76.00	76.00	125.70B/47.30A	125.70B/47.30A	----	81.90 + 34.10	.6236	----	----	18	----	10 + 6
4485	49.70	49.70	49.70/*31.50A	110.20B/31.50A	----	42.60 - 81.20	.3763	----	----	4	----	2 + 1
4490	61.30	61.30	64.70/*32.60A	113.10B/32.60A	----	44.20 - 82.70	.3902	----	----	13	----	11 + 10
4490	87.00	87.00	121.60B/45.20A	121.60B/45.20A	----	78.50 + 32.60	.6097	----	----	9	----	9 + 8
4495	62.80	62.80	62.80/*33.90A	116.20B/33.90A	----	45.90 NEW	.4045	----	----	4	----	2 + 2
4495	----	----	117.70B/43.30A	117.70B/43.30A	----	75.20 + 31.10	.5953	----	----	----	----	1 UNCH
4500	88.00	88.00	88.00/*33.70	119.50B/33.70	----	47.70 - 85.60	.4192	----	----	120	----	108 + 64
4500	43.00	43.00	114.40B/39.70A	114.40B/39.70A	----	72.00 + 29.70	.5806	----	----	108	----	140 + 77
4505	51.80	51.80	53.10/*36.40A	122.80B/36.40A	----	49.50 NEW	.4341	----	----	2	----	1 + 1
4505	80.80	80.80	110.40B/39.40A	110.40B/39.40A	----	68.80 + 28.20	.5657	----	----	3	----	3 + 2
4510	51.10	51.10	106.70B/*37.20A	106.70B/*37.20A	----	65.70 + 26.70	.5505	----	----	10	----	3 - 2
4510	----	----	----/*37.80A	126.00B/37.80A	----	51.40 - 88.60	.4494	----	----	----	----	6 UNCH
4515	44.10	44.10	60.50/*39.20A	129.20B/39.20A	----	53.40 - 90.00	.4649	----	----	11	----	5 + 4
4515	----	----	103.60B/*35.30A	103.60B/*35.30A	----	62.70 + 25.30	.5349	----	----	1	----	2 + 1
4520	33.40	33.40	100.10B/*33.40	100.10B/*33.40	----	59.70 + 23.80	.5192	----	----	20	----	19 + 13
4520	49.40	49.40	50.80/*40.70A	132.60B/40.70A	----	55.40 NEW	.4807	----	----	15	----	7 + 7
4525	55.20	55.20	60.00/*42.10A	136.60B/42.10A	----	57.60 - 92.70	.4967	----	----	73	----	74 + 69
4525	35.50	35.50	96.50B/*32.30A	96.50B/*32.30A	----	56.90 + 22.50	.5031	----	----	51	----	80 + 32
4530	----	----	----/*43.90A	139.50B/43.90A	----	59.80 NEW	.5129	----	----	253	----	117 + 117
4530	67.10	67.10	93.10B/*30.60A	93.10B/*30.60A	----	54.10 + 21.20	.4870	----	----	34	----	25 + 24
4535	----	----	----/*45.50A	143.10B/45.50A	----	62.20 NEW	.5292	----	----	1	----	1 + 1
4535	55.10	55.10	89.60B/*29.20A	89.60B/*29.20A	----	51.50 + 20.00	.4707	----	----	6	----	9 + 2
4540	28.00	28.00	86.30B/*27.50A	86.30B/*27.50A	----	48.90 + 18.70	.4543	----	----	20	----	22 + 18
4540	66.60	66.60	75.00/*47.00A	146.90B/47.00A	----	64.60 NEW	.5456	----	----	13	----	12 + 12
4545	59.20	59.20	83.00B/*26.10A	83.00B/*26.10A	----	46.40 + 17.50	.4378	----	----	8	----	10 + 7
4545	62.00	62.00	62.00/*48.90A	151.00B/48.90A	----	67.10 NEW	.5621	----	----	4	----	4 + 4
4550	30.00	30.00	79.90B/*24.50A	79.90B/*24.50A	----	44.00 + 16.40	.4213	----	----	114	----	81 + 29
4550	52.00	52.00	78.00/49.90	154.30B/49.90	----	69.70 - 98.90	.5785	----	----	9	----	78 UNCH
4555	26.20	26.20	76.60B/*23.60A	76.60B/*23.60A	----	41.60 NEW	.4047	----	----	6	----	6 + 6
4555	61.30	61.30	65.10/*52.30A	157.90B/52.30A	----	72.30 NEW	.5951	----	----	4	----	2 + 2
4560	56.40	56.40	73.50B/*22.20A	73.50B/*22.20A	----	39.40 + 14.20	.3883	----	----	12	----	21 + 11
4560	62.10	62.10	62.20/*53.30	161.80B/53.30	----	75.10 NEW	.6115	----	----	14	----	8 + 8
4565	57.10	57.10	59.40/*56.30A	166.30B/56.30A	----	77.90 NEW	.6277	----	----	2	----	0 UNCH
4565	62.00	62.00	71.30B/*21.00A	71.30B/*21.00A	----	37.30 + 13.20	.3722	----	----	2	----	13 + 2
4570	45.00	45.00	68.30B/*19.90A	68.30B/*19.90A	----	35.20 + 12.20	.3559	----	----	10	----	7 + 5
4570	60.00	60.00	85.00/*58.40A	170.20B/58.40A	----	80.90 NEW	.6439	----	----	9	----	5 + 5
4575	80.00	80.00	80.00/60.50A	173.80B/60.50A	----	83.90 NEW	.6600	----	----	2	----	1 + 1
4575	25.10	25.10	65.40B/*18.70A	65.40B/*18.70A	----	33.20 + 11.20	.3399	----	----	65	----	52 + 9
4580	----	----	----/*62.70A	177.80B/62.70A	----	87.00 - 04.90	.6757	----	----	----	----	1 UNCH
4580	61.10	61.10	62.60B/*17.60A	62.60B/*17.60A	----	31.30 + 10.30	.3241	----	----	15	----	8 + 6
4585	32.00	32.00	59.90B/*16.70A	59.90B/*16.70A	----	29.50 + 9.50	.3087	----	----	6	----	5 + 2
4585	----	----	----/*64.70A	181.60B/64.70A	----	90.20 - 05.70	.6912	----	----	2	----	12 UNCH
4590	----	----	----/*66.70A	186.00B/66.70A	----	93.50 - 06.50	.7062	----	----	----	----	7 UNCH
4590	24.40	24.40	56.80B/*15.80A	56.80B/*15.80A	----	27.80 + 8.70	.2936	----	----	37	----	32 + 28
4595	----	----	54.70B/*14.90A	54.70B/*14.90A	----	26.20 NEW	.2790	----	----	3	----	3 + 3
4600	77.20	77.20	96.00/71.60A	194.10B/71.60A	----	100.30 - 08.00	.7355	----	----	60	----	54 + 52
4600	18.50	18.50	51.80B/*14.10A	51.80B/*14.10A	----	24.60 + 7.30	.2643	----	----	236	----	150 + 80
4605	15.90	15.90	49.20B/*13.30A	49.20B/*13.30A	----	23.10 NEW	.2502	----	----	1	----	1 + 1
4610	40.10	40.10	47.10B/*12.60A	47.10B/*12.60A	----	21.70 + 5.90	.2366	----	----	15	----	13 + 6
4610	----	----	----/*76.70A	202.80B/76.70A	----	107.40 - 09.30	.7632	----	----	3	----	4 + 3
4615	31.50	31.50	44.80B/*11.90A	44.80B/*11.90A	----	20.40 + 5.40	.2236	----	----	3	----	3 UNCH
4620	21.40	21.40	42.60B/*11.30A	42.60B/*11.30A	----	19.10 + 4.80	.2107	----	----	9	----	11 + 3
4620	----	----	----/*81.90A	211.90B/81.90A	----	114.80 - 10.40	.7891	----	----	----	----	2 UNCH
4625	----	----	40.50B/*10.70A	40.50B/*10.70A	----	17.90 + 4.30	.1984	----	----	32	----	126 - 4
4630	----	----	38.40B/*10.20A	38.40B/*10.20A	----	16.80 + 3.80	.1868	----	----	3	----	4 + 3
4635	12.60	12.60	36.30B/*9.70A	36.30B/*9.70A	----	15.80 + 3.40	.1760	----	----	15	----	11 + 10
4640	15.00	15.00	34.40B/*8.60	34.40B/*8.60	----	14.80 NEW	.1652	----	----	5	----	3 + 3
4645	12.50	12.50	32.50B/*8.70A	32.50B/*8.70A	----	13.80 + 2.60	.1545	----	----	5	----	9 + 4
4650	175.00	175.00	175.00/102.30A	237.80B/102.30A	----	138.60 - 13.00	.8545	----	----	2	----	54 + 2
4650	10.00	10.00	30.60B/*8.20A	30.60B/*8.20A	----	13.00 + 2.30	.1454	----	----	36	----	30 + 25
4655	----	----	28.90B/*7.80A	28.90B/*7.80A	----	12.10 NEW	.1356	----	----	1	----	1 + 1
4660	9.50	9.50	27.20B/*7.60A	27.20B/*7.60A	----	11.40 + 1.70	.1274	----	----	6	----	8 + 1
4665	8.60	8.60	25.60B/*7.20A	25.60B/*7.20A	----	10.60 NEW	.1186	----	----	2	----	2 + 2
4670	8.00	8.00	24.10B/*6.80A	24.10B/*6.80A	----	10.00 + 1.20	.1114	----	----	6	----	6 - 1
4675	5.50	5.50	22.70B/*5.50	22.70B/*5.50	----	9.30 + 0.90	.1035	----	----	39	----	31 + 12
4675	----	----	----/119.50A	260.70B/119.50A	----	160.00 - 14.30	.8963	----	----	----	----	80 UNCH
4680	----	----	21.30B/*6.30A	21.30B/*6.30A	----	8.70 + 0.70	.0965	----	----	----	----	19 UNCH
4685	----	----	20.00B/*5.90A	20.00B/*5.90A	----	8.20 + 0.60	.0905	----	----	----	----	7 UNCH
4690	----	----	18.90B/*5.70A	18.90B/*5.70A	----	7.70 + 0.40	.0845	----	----	----	----	1 UNCH
4695	7.40	7.40	17.80B/*5.30A	17.80B/*5.30A	----	7.20 + 0.30	.0787	----	----	2	----	1 UNCH
4700	----	----	----/138.00A	280.60B/138.00A	----	182.40 - 15.10	.9269	----	----	1	----	117 UNCH
4700	8.00	8.00	16.90B/*5.00	16.90B/*5.00	----	6.70 + 0.10	.0729	----	----	54	----	103 + 28
4710	5.40	5.40	14.80B/*4.60A	14.80B/*4.60A	----	5.90 NEW	.0634	----	----	9	----	9 + 9
4715	----	----	14.10B/*4.40A	14.10B/*4.40A	----	5.60 - 0.10	.0596	----	----	1	----	2 + 1
4720	5.30	5.30	13.10B/*4.30A	13.10B/*4.30A	----	5.20 NEW	.0550	----	----	2	----	2 + 2
4725	5.00	5.00	12.40B/*3.90A	12.40B/*3.90A	----	4.90 - 0.30	.0514	----	----	24	----	23 + 20
4730	6.00	6.00	11.60B/*3.80A	11.60B/*3.80A	----	4.60 NEW	.0478	----	----	3	----	3 + 3
4735	5.10	5.10	11.00B/*3.60A	11.00B/*3.60A	----	4.40 - 0.40	.0452	----	----	2	----	3 + 2
4740	----	----	10.40B/*3.50A	10.40B/*3.50A	----	4.10 - 0.50	.0418	----	----	----	----	4 UNCH
4745	----	----	9.70B/*3.50A	9.70B/*3.50A	----	3.90 - 0.50	.0393	----	----	----	----	5 UNCH
4750	----	----	----/179.70A	328.00B/179.70A	----	229.30 - 15.80	.9629	----	----	----	----	1 UNCH
4750	4.40	4.40	9.20B/*3.10	9.20B/*3.10	----	3.70 - 0.50	.0369	----	----	81	----	163 + 42
4755	----	----	8.70B/*3.20A	8.70B/*3.20A	----	3.50 NEW	.0346	----	----	4	----	4 + 4
4760	3.00	3.00	8.30B/*3.00	8.30B/*3.00	----	3.30 - 0.60	.0322	----	----	3	----	3 + 2
4765	2.70	2.70	7.60B/*2.70	7.60B/*2.70	----	3.10 NEW	.0300	----	----	1	----	1 + 1
4770	----	----	7.10B/*2.80A	7.10B/*2.80A	----	2.90 - 0.70	.0278	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK5										
MAR26												
4775	----	----	6.70B/*2.70A	6.70B/*2.70A	----	2.80 - 0.60	.0265	----	----	2	----	6 + 2
4780	----	----	6.40B/*2.60A	6.40B/*2.60A	----	2.70 - 0.60	.0252	----	----	----	----	6 UNCH
4785	----	----	6.10B/*2.50A	6.10B/*2.50A	----	2.50 - 0.70	.0231	----	----	----	----	1 UNCH
4795	----	----	5.60B/*2.30A	5.60B/*2.30A	----	2.30 - 0.60	.0207	----	----	----	----	1 UNCH
4800	1.90	1.90	6.00/*1.70	6.00/*1.70	----	2.20 - 0.60	.0196	----	----	117	----	106 + 79
4800	----	----	----/225.10A	377.00B/225.10A	----	277.80 - 15.90	.9803	----	----	----	----	102 UNCH
4820	1.20	1.20	4.70B/*1.20	4.70B/*1.20	----	1.80 NEW	.0152	----	----	2	----	2 + 2
4825	----	----	----/248.60A	401.10B/248.60A	----	302.40 - 15.80	.9857	----	----	----	----	1 UNCH
4825	3.00	3.00	4.60B/*1.90A	4.60B/*1.90A	----	1.70 - 0.60	.0142	----	----	80	----	83 + 80
4830	----	----	4.40B/*1.80A	4.40B/*1.80A	----	1.70 - 0.50	.0140	----	----	----	----	1 UNCH
4845	----	----	----/267.80A	420.90B/267.80A	----	322.10 - 15.80	.9880	----	----	----	----	9 UNCH
4845	2.60	2.60	4.00B/*1.70A	4.00B/*1.70A	----	1.50 - 0.50	.0119	----	----	2	----	4 + 2
4850	1.00	1.00	3.90B/*1.00	3.90B/*1.00	----	1.40 - 0.50	.0110	----	----	4	----	11 + 2
4850	----	----	----/272.60A	404.90B/272.60A	----	327.10 - 15.70	.9889	----	----	----	----	1 UNCH
4860	3.20	3.20	3.60B/*1.00A	3.60B/*1.00A	----	1.30 - 0.50	.0099	----	----	2	----	9 + 2
4870	----	----	----/292.00A	424.50B/292.00A	----	346.90 - 15.60	.9910	----	----	----	----	2 UNCH
4875	----	----	3.30B/*1.40A	3.30B/*1.40A	----	1.20 - 0.40	.0088	----	----	----	----	2 UNCH
4880	----	----	----/301.70A	434.40B/301.70A	----	356.80 NEW	.9912	----	----	1	----	1 + 1
4885	2.70	2.70	3.60/*1.30A	3.60/*1.30A	----	1.10 NEW	.0079	----	----	138	----	138 + 138
4900	----	----	----/323.80A	454.50B/323.80A	----	376.70 - 15.50	.9930	----	----	----	----	6 UNCH
4900	1.00	1.00	3.00/*1.00	3.00/*1.00	----	1.00 - 0.40	.0069	----	----	14	----	28 + 8
4905	1.00	1.00	2.60B/*1.00	2.60B/*1.00	----	1.00 NEW	.0068	----	----	2	----	2 + 2
4910	1.00	1.00	2.50B/*1.00	2.50B/*1.00	----	1.00 NEW	.0067	----	----	2	----	2 + 2
4915	1.00	1.00	2.40B/*1.00	2.40B/*1.00	----	0.90 NEW	.0060	----	----	2	----	2 + 2
4920	1.00	1.00	2.30B/*1.00	2.30B/*1.00	----	0.90 - 0.30	.0059	----	----	1	----	2 + 1
4925	----	----	----/348.50A	479.10B/348.50A	----	401.50 - 15.50	.9941	----	----	----	----	2 UNCH
4925	1.00	1.00	2.10B/*0.90A	2.10B/*0.90A	----	0.90 - 0.30	.0058	----	----	1	----	2 + 1
4935	0.80	0.80	1.90B/*0.80	1.90B/*0.80	----	0.90 - 0.20	.0057	----	----	1	----	2 + 1
4940	----	----	----/363.30A	494.00B/363.30A	----	416.40 - 15.50	.9949	----	----	----	----	2 UNCH
4945	----	----	1.70B/*0.80A	1.70B/*0.80A	----	0.80 - 0.20	.0049	----	----	----	----	1 UNCH
4945	----	----	----/368.30A	499.00B/368.30A	----	421.40 - 15.50	.9950	----	----	----	----	2 UNCH
4950	1.50	1.50	1.60B/*0.70A	1.60B/*0.70A	----	0.80 - 0.20	.0049	----	----	5	----	6 + 5
4950	----	----	----/372.90A	504.20B/372.90A	----	426.40 - 15.50	.9950	----	----	----	----	1 UNCH
4955	1.10	1.10	1.60B/*0.80A	1.60B/*0.80A	----	0.70 - 0.30	.0042	----	----	1	----	2 + 1
4960	1.80	1.80	1.80/*0.80A	1.80/*0.80A	----	0.70 - 0.20	.0042	----	----	1	----	1 + 1
4970	1.00	1.00	1.30B/*0.70A	1.30B/*0.70A	----	0.60 NEW	.0035	----	----	3	----	3 + 3
4975	1.00	1.00	1.30B/*0.70A	1.30B/*0.70A	----	0.60 NEW	.0034	----	----	2	----	2 + 2
4980	----	----	1.20B/----	1.20B/*0.80A	----	0.60 - 0.20	.0034	----	----	----	----	1 UNCH
4985	0.50	0.50	1.20B/*0.50	1.20B/*0.50	----	0.50 NEW	.0028	----	----	1	----	1 + 1
4990	----	----	1.10B/----	1.10B/*0.90A	----	0.50 - 0.20	.0027	----	----	----	----	1 UNCH
4995	----	----	1.10B/----	1.10B/*0.90A	----	0.50 - 0.20	.0027	----	----	----	----	4 UNCH
5000	0.70	0.70	1.20/*0.60A	1.20/*0.60A	----	0.40 - 0.20	.0021	----	----	15	----	22 + 10
5000	----	----	----/422.50A	554.00B/422.50A	----	476.10 - 15.40	.9978	----	----	----	----	2 UNCH
5005	----	----	1.00B/----	1.00B/*0.60A	----	0.40 - 0.20	.0021	----	----	----	----	1 UNCH
5025	----	----	----/447.50A	578.70B/447.50A	----	500.90 - 15.50	.9985	----	----	----	----	1 UNCH
5025	0.70	0.70	1.00/*0.70	1.00/*0.70	----	0.30 NEW	.0015	----	----	2	----	2 + 2
5030	----	----	0.90B/----	0.90B/*0.70A	----	0.30 NEW	.0015	----	----	1	----	1 + 1
5035	----	----	----/457.50A	588.70B/457.50A	----	510.90 - 15.40	.9985	----	----	----	----	11 UNCH
5040	----	----	----/462.50A	593.70B/462.50A	----	515.90 - 15.40	.9986	----	----	----	----	1 UNCH
5050	----	----	0.80B/----	0.80B/*0.90A	----	0.30 - 0.10	.0014	----	----	1	----	2 + 1
5060	----	----	----/482.40A	613.60B/482.40A	----	535.80 - 15.50	.9992	----	----	----	----	5 UNCH
5060	----	----	0.70B/----	0.70B/*0.90A	----	0.20 - 0.20	.0009	----	----	----	----	1 UNCH
5090	----	----	0.60B/----	0.60B/*0.70A	----	0.20 - 0.10	.0008	----	----	----	----	1 UNCH
5095	----	----	----/517.20A	648.60B/517.20A	----	570.80 - 15.40	.9992	----	----	----	----	5 UNCH
5100	----	----	----/522.00A	653.80B/522.00A	----	575.80 - 15.40	.9998	----	----	----	----	2 UNCH
5100	0.40	0.40	0.90/*0.20	0.90/*0.20	----	0.10 - 0.20	.0004	----	----	15	----	23 + 14
5125	----	----	0.40B/----	0.40B/*0.70A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
5150	----	----	----	0.20B/*0.50A	----	0.10 - 0.10	.0001	----	----	----	----	41 UNCH
5160	----	----	----	0.10B/*0.50A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
5175	----	----	----	0.20B/*0.50A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
5180	----	----	----/602.00A	733.50B/602.00A	----	655.70 - 15.30	1.0000	----	----	----	----	1 UNCH
5195	0.20	0.20	0.30B/*0.20	0.30B/*0.20	----	0.10 NEW	.0000	----	----	4	----	4 + 4
5200	0.20	0.20	0.30/*0.20	0.30/*0.20	----	0.10 - 0.10	.0000	----	----	59	----	104 + 51
5205	----	----	0.20B/----	0.20B/*0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
5210	----	----	0.20B/----	0.20B/*0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
5220	----	----	0.20B/----	0.20B/*0.50A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
5225	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 UNCH	.0000	----	----	13	----	18 + 13
5230	----	----	----	----/*0.40A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
5235	----	----	----	----/*0.40A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
5240	----	----	----	----/*0.40A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
5245	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	5	----	10 + 5
5250	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 UNCH	.0000	----	----	8	----	10 + 8
5275	----	----	----	----/*0.40A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
5290	----	----	----	----/*0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
5300	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 UNCH	----	----	----	5	----	5 + 5
5350	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 UNCH	----	----	----	3	----	3 + 3
5360	----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5370	----	----	----	----/*0.40A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5390	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	2	----	2 + 2
5450	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5500	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
5750	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL										4985		6213 + 2812
APR26												
3500	3.70	3.70	3.70/2.60	3.70/2.60	----	3.20 - 1.50	.0120	----	----	6	----	9 + 4
3600	----	----	----/3.80A	4.50B/3.80A	----	4.30 - 2.60	.0169	----	----	----	----	1 UNCH
3750	----	----	----/13.00A	18.80B/13.00A	----	13.20 NEW	.0495	----	----	1	----	1 + 1
3800	10.00	10.00	10.00/7.00	12.00B/7.00	----	8.10 - 6.60	.0345	----	----	52	----	54 + 52
3850	----	----	----/8.30A	14.70B/8.30A	----	9.50 NEW	.0412	----	----	1	----	1 + 1
3900	12.10	12.10	12.10/10.00A	18.20B/10.00A	----	11.20 - 10.10	.0495	----	----	1	----	2 + 1
3900	----	----	----/20.40A	31.50B/20.40A	----	21.40 - 15.50	.0807	----	----	----	----	1 UNCH
3950	----	----	----/23.90A	37.20B/23.90A	----	25.20 - 17.80	.0949	----	----	1	----	4 UNCH
3950	17.40	17.40	17.40/10.00	22.40B/10.00	----	13.30 - 12.30	.0597	----	----	2	----	29 + 2
4000	21.00	21.00	21.00/13.50A	27.40B/13.50A	----	15.80 - 14.90	.0720	----	----	19	----	246 + 2
4000	30.00	30.00	30.00/27.70A	42.80B/27.70A	----	29.50 - 20.50	.1110	----	----	1	----	21 UNCH
4050	----	----	----/16.30A	33.40B/16.30A	----	18.90 - 17.80	.0871	----	----	----	----	36 UNCH
4050	49.00	49.00	50.00/45.00	65.10B/45.00	----	49.70 NEW	.1588	----	----	16	----	10 + 10
4050	----	----	----/32.20A	50.60B/32.20A	----	34.60 - 23.40	.1297	----	----	----	----	1 UNCH
4100	32.30	32.30	36.10/20.40A	40.50B/20.40A	----	22.60 - 21.30	.1053	----	----	3	----	5 - 2
4100	48.00	48.00	50.00/48.00	75.30B/48.00	----	56.60 - 24.90	.1802	----	----	4	----	4 + 4
4100	----	----	----/37.30A	59.30B/37.30A	----	40.60 - 26.50	.1514	----	----	----	----	3 UNCH
4125	----	----	----/21.80A	44.50B/21.80A	----	24.80 - 23.20	.1160	----	----	----	----	35 UNCH
4150	----	----	----/24.20A	48.90B/24.20A	----	27.20 - 25.20	.1276	----	----	8	----	10 + 2
4175	----	----	----/47.60A	75.50B/47.60A	----	51.40 NEW	.1897	----	----	1	----	1 + 1
4200	----	----	----/29.00A	59.10B/29.00A	----	32.70 - 29.70	.1543	----	----	100	----	384 - 73
4200	----	----	----/51.30A	81.80B/51.30A	----	55.50 - 34.20	.2041	----	----	----	----	4 UNCH
4225	----	----	----/31.90A	65.00B/31.90A	----	36.00 - 32.10	.1699	----	----	2	----	22 UNCH
4250	----	----	----/59.80A	96.00B/59.80A	----	64.90 - 38.60	.2361	----	----	----	----	100 UNCH
4250	----	----	----/35.50A	71.20B/35.50A	----	39.60 - 34.70	.1868	----	----	----	----	11 UNCH
4250	----	----	380.70B/----	380.70B/274.20A	----	338.80 + 76.50	.7634	----	----	----	----	1 UNCH
4275	----	----	----/38.80A	78.40B/38.80A	----	43.50 - 37.60	.2051	----	----	----	----	10 UNCH
4300	----	----	----/43.30A	86.00B/43.30A	----	47.90 - 40.60	.2253	----	----	101	----	209 - 91
4320	----	----	----/47.10A	90.80B/47.10A	----	51.70 - 43.20	.2425	----	----	----	----	1 UNCH
4335	----	----	----/49.60A	95.90B/49.60A	----	54.80 - 45.20	.2563	----	----	----	----	10 UNCH
4350	----	----	276.80B/----	276.80B/183.00A	----	232.20 + 67.90	.7288	----	----	----	----	1 UNCH
4350	----	----	----/52.20A	103.10B/52.20A	----	58.10 - 47.30	.2708	----	----	8	----	10 + 2
4380	----	----	----/58.40A	112.60B/58.40A	----	65.20 - 51.80	.3017	----	----	----	----	5 UNCH
4385	----	----	----/59.30A	116.20B/59.30A	----	66.50 - 52.50	.3071	----	----	2	----	3 UNCH
4400	----	----	237.70B/----	237.70B/147.10A	----	194.70 + 60.40	.6758	----	----	----	----	51 UNCH
4400	94.00	94.00	94.00/63.90A	121.80B/63.90A	----	70.50 - 54.80	.3239	----	----	5	----	20 + 1
4400	120.90	120.90	121.90/94.00A	149.70B/94.00A	----	103.70 - 55.30	.3571	----	----	28	----	20 + 20
4400	----	----	----/120.80A	171.20B/120.80A	----	125.30 - 54.30	.3705	----	----	----	----	150 UNCH
4410	----	----	----/66.30A	124.50B/66.30A	----	73.30 - 56.40	.3355	----	----	----	----	4 UNCH
4410	----	----	229.90B/----	229.90B/143.60A	----	187.50 + 58.80	.6642	----	----	----	----	4 UNCH
4415	----	----	260.90B/----	260.90B/170.70A	----	217.80 + 57.80	.6282	----	----	----	----	10 UNCH
4415	----	----	----/67.80A	126.70B/67.80A	----	74.80 - 57.20	.3414	----	----	----	----	4 UNCH
4420	----	----	225.20B/----	225.20B/137.40A	----	180.40 + 57.10	.6523	----	----	----	----	4 UNCH
4420	124.00	124.00	124.00/69.00A	128.50B/69.00A	----	76.20 - 58.10	.3473	----	----	3	----	3 UNCH
4425	----	----	----/70.20A	130.80B/70.20A	----	77.70 - 58.90	.3534	----	----	----	----	5 UNCH
4440	----	----	----/105.90A	167.40B/105.90A	----	117.50 - 60.60	.3956	----	----	----	----	1 UNCH
4440	----	----	211.70B/----	211.70B/127.30A	----	166.70 + 53.90	.6277	----	----	----	----	10 UNCH
4440	----	----	----/74.40A	138.20B/74.40A	----	82.40 - 61.40	.3720	----	----	----	----	32 UNCH
4440	----	----	243.50B/----	243.50B/157.10A	----	201.70 + 54.60	.6039	----	----	----	----	1 UNCH
4445	96.00	96.00	96.00/75.90A	140.60B/75.90A	----	84.10 - 62.20	.3784	----	----	15	----	25 + 15
4450	----	----	204.20B/----	204.20B/121.10A	----	160.00 + 52.20	.6149	----	----	----	----	1 UNCH
4455	84.00	84.00	84.00/78.80A	145.20B/78.80A	----	87.40 NEW	.3913	----	----	4	----	4 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1										
APR26												
4460	----	----	197.50B/----	197.50B/117.80A	----	153.40 + 50.50	.6018	----	----	----	----	5 UNCH
4465	----	----	----/81.70A	150.20B/81.70A	----	90.90 - 65.60	.4045	----	----	----	----	10 UNCH
4475	129.00	129.00	129.00/84.70A	155.50B/84.70A	----	94.50 NEW	.4180	----	----	4	----	4 + 4
4480	----	----	----/86.30A	158.40B/86.30A	----	96.40 - 68.20	.4248	----	----	----	----	10 UNCH
4485	----	----	----/88.00A	161.10B/88.00A	----	98.30 - 69.10	.4317	----	----	----	----	10 UNCH
4500	94.00	94.00	112.20/93.10A	169.10B/93.10A	----	104.30 - 71.60	.4527	----	----	6	----	4 + 4
4500	----	----	203.90B/----	203.90B/128.30A	----	165.60 + 46.30	.5421	----	----	2	----	300 UNCH
4500	----	----	----/126.40A	193.60B/126.40A	----	141.40 NEW	.4574	----	----	1	----	1 + 1
4500	147.60	147.60	170.00B/147.60	170.00B/98.00A	----	128.50 + 43.50	.5469	----	----	1	----	5 - 1
4505	97.00	97.00	107.00/94.80A	171.70B/94.80A	----	106.30 - 72.60	.4598	----	----	5	----	9 + 5
4535	----	----	----/105.90A	189.50B/105.90A	----	119.50 - 77.70	.5035	----	----	----	----	4 UNCH
4535	----	----	182.50B/----	182.50B/113.00A	----	146.50 + 41.50	.5045	----	----	----	----	4 UNCH
4545	----	----	----/109.90A	195.80B/109.90A	----	124.20 - 79.50	.5183	----	----	----	----	1 UNCH
4550	----	----	173.60B/----	173.60B/107.00A	----	138.70 + 39.40	.4881	----	----	----	----	1 UNCH
4550	----	----	138.80B/----	138.80B/75.80A	----	100.90 + 34.80	.4739	----	----	----	----	50 UNCH
4550	----	----	----/111.90A	198.90B/111.90A	----	126.60 - 80.30	.5258	----	----	----	----	25 UNCH
4555	----	----	----/113.90A	202.10B/113.90A	----	129.00 - 81.20	.5332	----	----	----	----	14 UNCH
4560	----	----	----/115.90A	205.50B/115.90A	----	131.50 - 82.10	.5407	----	----	1	----	20 + 1
4575	----	----	159.70B/----	159.70B/97.60A	----	126.30 + 35.90	.4606	----	----	----	----	5 UNCH
4580	----	----	121.80B/----	121.80B/64.50A	----	86.30 + 29.80	.4289	----	----	----	----	5 UNCH
4580	----	----	----/124.90A	218.70B/124.90A	----	142.00 - 85.30	.5707	----	----	----	----	2 UNCH
4585	----	----	119.10B/----	119.10B/62.80A	----	84.00 NEW	.4214	----	----	2	----	2 + 2
4595	----	----	113.50B/----	113.50B/59.50A	----	79.60 + 27.40	.4064	----	----	----	----	5 UNCH
4600	----	----	111.00B/----	111.00B/57.80A	----	77.40 + 26.60	.3989	----	----	2	----	155 + 2
4600	101.00	101.00	146.40B/88.70A	146.40B/88.70A	----	114.60 + 32.60	.4330	----	----	2	----	0 - 1
4600	142.70	142.70	167.20B/142.70	167.20B/112.50A	----	136.80 NEW	.4469	----	----	10	----	10 + 10
4610	----	----	105.70B/----	105.70B/54.70A	----	73.20 + 25.00	.3840	----	----	----	----	20 UNCH
4610	----	----	----/173.90A	260.00B/173.90A	----	195.70 - 83.90	.5774	----	----	----	----	14 UNCH
4615	74.20	74.20	103.30B/74.20	103.30B/53.10A	----	71.20 + 24.30	.3767	----	----	11	----	13 UNCH
4620	----	----	101.10B/----	101.10B/51.70A	----	69.20 + 23.50	.3693	----	----	----	----	5 UNCH
4625	----	----	98.60B/----	98.60B/50.30A	----	67.30 NEW	.3620	----	----	1	----	1 + 1
4635	----	----	93.40B/----	93.40B/47.50A	----	63.50 + 21.30	.3474	----	----	----	----	5 UNCH
4640	----	----	91.50B/----	91.50B/46.20A	----	61.70 + 20.60	.3403	----	----	----	----	20 UNCH
4645	----	----	89.00B/----	89.00B/44.90A	----	60.00 + 20.00	.3333	----	----	----	----	5 UNCH
4650	----	----	----/194.60A	287.80B/194.60A	----	219.00 - 88.90	.6212	----	----	----	----	70 UNCH
4650	70.70	70.70	87.10B/70.70	87.10B/43.60A	----	58.20 + 19.20	.3261	----	----	10	----	46 - 4
4675	----	----	----/174.90A	289.60B/174.90A	----	200.80 - 99.20	.7078	----	----	----	----	1 UNCH
4690	32.90	32.90	70.50B/*32.90	70.50B/*32.90	----	45.90 + 14.20	.2723	----	----	1	----	5 - 1
4700	39.20	39.20	66.90B/39.20	66.90B/32.50A	----	43.20 + 13.10	.2597	----	----	1	----	76 + 1
4700	80.00	80.00	120.70B/79.80A	120.70B/79.80A	----	96.90 NEW	.3540	----	----	20	75	50 + 50
4705	----	----	65.10B/----	65.10B/31.60A	----	41.90 + 12.60	.2535	----	----	----	----	15 UNCH
4715	58.40	58.40	61.50B/58.40	61.50B/29.80A	----	39.40 + 11.60	.2413	----	----	1	----	3 UNCH
4725	----	----	58.10B/----	58.10B/28.00A	----	37.10 + 10.70	.2298	----	----	----	----	4 UNCH
4730	----	----	----/241.70A	348.20B/241.70A	----	271.00 - 97.70	.7050	----	----	----	----	2 UNCH
4730	----	----	56.70B/----	56.70B/27.20A	----	36.00 + 10.30	.2241	----	----	----	----	5 UNCH
4740	----	----	53.40B/----	53.40B/25.70A	----	33.80 + 9.40	.2129	----	----	----	----	20 UNCH
4750	----	----	101.40B/----	101.40B/68.60A	----	80.80 + 21.70	.3104	----	----	----	----	10 UNCH
4750	----	----	----/243.00A	351.60B/243.00A	----	257.30 - 06.60	.7974	----	----	----	----	1 UNCH
4750	32.00	32.00	50.50B/32.00	50.50B/24.20A	----	31.80 + 8.60	.2023	----	----	12	----	28 + 4
4770	----	----	45.00B/----	45.00B/*21.10A	----	28.20 + 7.40	.1825	----	----	----	----	525 UNCH
4785	----	----	41.10B/----	41.10B/*19.60A	----	25.70 + 6.50	.1685	----	----	----	----	5 UNCH
4790	----	----	39.80B/----	39.80B/*19.00A	----	25.00 + 6.30	.1643	----	----	----	----	5 UNCH
4795	----	----	67.80B/----	67.80B/37.80A	----	47.90 + 11.80	.2326	----	----	----	----	10 UNCH
4795	----	----	----/285.40A	400.80B/285.40A	----	318.20 - 03.30	.7669	----	----	4	----	4 UNCH
4795	----	----	38.80B/----	38.80B/*18.50A	----	24.20 + 6.00	.1598	----	----	----	----	5 UNCH
4800	----	----	66.30B/----	66.30B/37.00A	----	46.70 + 11.40	.2281	----	----	----	----	1 UNCH
4800	20.00	20.00	37.70B/*17.80A	37.70B/*17.80A	----	23.50 + 5.80	.1557	----	----	13	----	15 + 10
4800	----	----	----/281.80A	395.50B/281.80A	----	299.00 - 09.30	.8440	----	----	2	----	2 + 2
4800	----	----	----/289.00A	404.90B/289.00A	----	322.00 - 03.70	.7714	----	----	----	----	1 UNCH
4810	----	----	----/309.80A	413.40B/309.80A	----	329.70 - 04.40	.7801	----	----	----	----	4 UNCH
4815	----	----	34.40B/----	34.40B/*16.20A	----	21.50 + 5.30	.1438	----	----	----	----	15 UNCH
4820	----	----	60.60B/----	60.60B/33.80A	----	42.10 + 9.90	.2106	----	----	----	----	6 UNCH
4830	----	----	31.60B/----	31.60B/*14.90A	----	19.70 + 4.90	.1328	----	----	----	----	29 UNCH
4835	----	----	30.50B/----	30.50B/*14.50A	----	19.10 + 4.70	.1291	----	----	----	----	5 UNCH
4840	20.50	20.50	29.80B/20.50	29.80B/*14.10A	----	18.60 NEW	.1259	----	----	11	----	11 + 11
4840	----	----	----/332.30A	439.10B/332.30A	----	353.20 - 06.50	.8053	----	----	----	----	1 UNCH
4850	----	----	----/339.80A	447.60B/339.80A	----	361.30 - 07.00	.8131	----	----	4	----	4 UNCH
4850	----	----	----/324.90A	441.10B/324.90A	----	343.00 - 10.70	.8802	----	----	----	----	24 UNCH
4850	12.60	12.60	27.80B/*12.60	27.80B/*12.60	----	17.60 + 4.50	.1195	----	----	7	----	13 + 6
4855	----	----	----/344.10A	452.00B/344.10A	----	365.40 - 07.20	.8172	----	----	----	----	1 UNCH
4865	13.90	13.90	25.70B/13.90	25.70B/*12.30A	----	16.10 NEW	.1101	----	----	1	----	1 + 1
4875	----	----	24.40B/----	24.40B/*11.70A	----	15.20 + 4.00	.1043	----	----	----	----	5 UNCH
4880	----	----	23.40B/----	23.40B/*11.40A	----	14.80 + 3.90	.1017	----	----	----	----	525 UNCH
4880	----	----	46.40B/----	46.40B/25.60A	----	30.80 + 6.60	.1640	----	----	----	----	2 UNCH
4885	----	----	----/367.90A	479.20B/367.90A	----	390.20 - 08.70	.8391	----	----	----	----	1 UNCH
4885	----	----	45.60B/----	45.60B/25.10A	----	30.00 + 6.40	.1605	----	----	----	----	2 UNCH
4900	----	----	----/380.00A	492.20B/380.00A	----	402.90 - 09.30	.8493	----	----	----	----	1 UNCH
4900	20.00	20.00	21.60B/20.00	21.60B/10.60A	----	13.30 + 3.60	.0917	----	----	7	----	23 + 2
4900	----	----	----/368.90A	477.70B/368.90A	----	388.70 - 11.50	.9080	----	----	----	----	14 UNCH
4900	----	----	42.60B/----	42.60B/23.60A	----	27.70 + 5.80	.1502	----	----	----	----	2 UNCH
4905	----	----	----/383.70A	496.40B/383.70A	----	407.20 - 09.40	.8525	----	----	----	----	1 UNCH
4905	----	----	----/373.60A	478.20B/373.60A	----	393.30 - 11.70	.9106	----	----	----	----	14 UNCH
4920	----	----	39.00B/----	39.00B/21.80A	----	25.10 + 5.30	.1381	----	----	----	----	2 UNCH
4940	----	----	17.30B/----	17.30B/*8.50A	----	10.60 + 2.90	.0737	----	----	----	----	6 UNCH
4950	----	----	----/414.90A	435.00B/414.90A	----	435.40 - 12.50	.9300	----	----	----	----	3 UNCH
4950	----	----	16.40B/----	16.40B/*8.30A	----	10.00 + 2.70	.0697	----	----	----	----	76 UNCH
4950	----	----	34.00B/----	34.00B/19.20A	----	21.60 + 4.70	.1213	----	----	----	----	2 UNCH
4970	----	----	14.70B/----	14.70B/*7.50A	----	8.90 NEW	.0623	----	----	1	----	1 + 1
4975	28.90	28.90	#44.50B/*28.90	#44.50B/28.90	----	33.60 NEW	.1550	----	----	3	----	3 + 3
4980	----	----	13.80B/----	13.80B/*7.30A	----	8.40 + 2.00	.0589	----	----	----	----	4 UNCH
4990	----	----	----/451.30A	463.60B/451.30A	----	473.30 - 13.40	.9442	----	----	----	----	1 UNCH
5000	----	----	27.70B/----	27.70B/*15.80A	----	17.20 + 4.20	.0987	----	----	----	----	3 UNCH
5000	9.90	9.90	12.40B/9.90	12.40B/*6.50A	----	7.50 + 1.60	.0527	----	----	29	----	30 + 29
5000	----	----	----/460.80A	472.60B/460.80A	----	482.80 - 13.70	.9470	----	----	----	----	277 UNCH
5010	----	----	11.80B/----	11.80B/*6.30A	----	7.10 + 1.40	.0499	----	----	----	----	2 UNCH
5030	----	----	----/489.40A	491.60B/489.40A	----	511.60 - 14.20	.9554	----	----	----	----	10 UNCH
5040	----	----	----/499.90A	501.10B/499.90A	----	521.30 - 14.30	.9575	----	----	----	----	1 UNCH
5045	----	----	----/506.70A	508.20B/506.70A	----	526.10 - 14.50	.9589	----	----	----	----	1 UNCH
5055	17.50	17.50	22.10B/17.50	22.10B/*13.40A	----	13.70 NEW	.0796	----	----	1	----	1 + 1
5060	----	----	----/521.00A	517.40B/521.00A	----	540.70 - 14.60	.9618	----	----	----	----	48 UNCH
5095	----	----	----	----	----	574.90 - 14.80	.9677	----	----	----	----	85 UNCH
5100	----	----	7.00B/----	7.00B/*4.60A	----	4.50 + 0.40	.0313	----	----	----	----	3 UNCH
5100	----	----	----	----	----	579.80 - 14.80	.9685	----	----	----	----	1 UNCH
5125	----	----	17.30B/----	17.30B/10.80A	----	10.50 + 3.30	.0614	----	----	----	----	1 UNCH
5140	----	----	5.60B/----	5.60B/*4.10A	----	3.80 + 0.30	.0261	----	----	----	----	1 UNCH
5155	----	----	5.30B/----	5.30B/*3.90A	----	3.70 + 0.50	.0251	----	----	----	----	38 UNCH
5205	----	----	4.20B/----	4.20B/*3.40A	----	3.20 + 0.60	.0212	----	----	----	----	1 UNCH
5220	----	----	10.80B/----	10.80B/8.40A	----	7.30 + 1.90	.0430	----	----	----	----	1 UNCH
5250	10.10	10.10	#12.50/9.90	12.50/7.90A	----	6.60 NEW	.0388	----	----	14	----	12 + 12
5250	----	----	3.30B/----	3.30B/*2.90A	----	2.80 + 0.70	.0181	----	----	----	----	1 UNCH
5275	----	----	----	----	----	752.70 - 14.70	.9838	----	----	----	----	2 UNCH
5295	----	----	2.10B/----	2.10B/3.90A	----	2.40 + 0.60	.0152	----	----	----	----	100 UNCH
5300	----	----	2.20B/----	2.20B/4.00A	----	2.30 + 0.50	.0146	----	----	----	----	1 UNCH
5305	----	----	2.10B/----	2.10B/3.80A	----	2.30 + 0.50	.0146	----	----	----	----	1 UNCH
5345	----	----	----	1.60B/3.60A	----	2.00 + 0.40	.0125	----	----	----	----	20 UNCH
5350	----	----	----	1.50B/3.60A	----	1.90 + 0.30	.0119	----	----	----	----	1 UNCH
5350	8.00	8.00	#8.00/8.00	8.00/6.20A	----	4.60 + 0.30	.0270	----	----	1	----	2 UNCH
5370	----	----	----	1.50B/3.40A	----	1.80 + 0.30	.0112	----	----	----	----	10 UNCH
5380	----	----	----	1.30B/3.40A	----	1.80 + 0.40	.0111	----	----	----	----	1 UNCH
5400	----	----	5.40B/----	5.40B/5.70A	----	3.80 + 0.10	.0223	----	----	----	----	1 UNCH
5600	----	----	----	----	----	1076.10 - 15.20	.9950	----	----	----	----	1 UNCH
5600	----	----	----	0.30B/2.50A	----	0.90 + 0.10	.0051	----	----	----	----	1 UNCH
5675	----	----	----	0.20B/2.20A	----	0.80 + 0.10	.0043	----	----	----	----	1 UNCH
TOTAL										575	75	4708 + 112

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK4										
MAR26												
4250	----	----	----/5.50A	----/5.50A	----	0.00 - 12.50	----	----	----	----	----	0 - 1
4300	----	----	----	----	----	0.00 - 19.30	----	----	----	----	----	0 - 1
4500	5.00	5.00	#7.00B/*5.00	#7.00B/*5.00	----	24.30 NEW	----	----	----	1	----	0 UNCH
TOTAL										1		0 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 51

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week1										
APR26												
5300	----	----	----	0.006B/0.256A	----	0.170 -	0.053 .0268	----	----	----	----	3 UNCH
5700	----	----	----/0.344A	0.098B/0.344A	----	0.229 -	0.137 .0434	----	----	----	----	3 UNCH
6000	----	----	----/1.602A	1.348B/1.602A	----	1.596 -	0.412 .1876	----	----	----	----	1 UNCH
6000	0.149	0.149	0.390B/*0.149	0.390B/*0.149	----	0.346 -	0.287 .0729	----	----	1	----	2 + 1
6000	----	----	----/1.090A	0.848B/1.090A	----	1.020 -	0.228 .1500	----	----	----	----	1 UNCH
6200	0.500	0.500	0.500/*0.500	0.628B/*0.500	----	0.500	NEW .1098	----	----	1	----	1 + 1
6300	----	----	----/0.866A	0.829B/0.866A	----	0.616 -	0.560 .1362	----	----	----	----	2 UNCH
6500	----	----	----/2.822A	2.856B/2.822A	----	2.998 -	0.765 .3155	----	----	----	----	1 UNCH
6500	----	----	----/1.186A	1.362B/1.186A	----	0.957 -	0.794 .2089	----	----	----	----	3 UNCH
6600	----	----	----/1.411A	1.707B/1.411A	----	1.200 -	0.912 .2560	----	----	----	----	4 UNCH
6645	1.950	1.950	#1.950/*1.350	#1.950/*1.350	----	1.328	NEW .2794	----	----	2	----	1 + 1
6700	----	----	----/1.651A	2.091B/1.651A	----	1.502 -	1.021 .3098	----	----	----	----	3 UNCH
6800	----	----	5.346B/----	5.346B/3.855A	----	5.029 +	1.178 .6002	----	----	----	----	50 UNCH
6850	2.129	2.129	2.129/2.129	2.513B/2.129	----	2.081	NEW .4000	----	----	2	----	2 + 2
6900	----	----	3.820B/2.390A	3.820B/2.390A	----	3.105 +	0.679 .5684	----	----	----	----	1 UNCH
6995	----	----	----/2.649A	3.226B/2.649A	----	2.794 -	1.225 .4917	----	----	----	----	2 UNCH
7000	----	----	----	0.070B/14.896A	----	7.943 -	0.036 .5524	----	----	----	----	1 UNCH
7000	2.500	2.500	2.500/2.300	3.221B/2.300	----	2.821 -	1.227 .4948	----	----	2	----	2 + 1
7000	----	----	3.168B/1.947A	3.168B/1.947A	----	2.618 +	0.635 .5051	----	----	----	----	6 UNCH
7000	----	----	----/3.723A	4.141B/3.723A	----	4.151 -	0.838 .4803	----	----	----	----	1 UNCH
7010	----	----	3.108B/----	3.108B/1.942A	----	2.573 +	0.632 .4988	----	----	----	----	4 UNCH
7025	----	----	----/3.889A	4.291B/3.889A	----	4.277 -	0.858 .4906	----	----	----	----	1 UNCH
7030	----	----	2.993B/----	2.993B/1.874A	----	2.485 +	0.626 .4863	----	----	----	----	4 UNCH
7045	----	----	2.901B/----	2.901B/1.837A	----	2.421 +	0.622 .4769	----	----	----	----	4 UNCH
7100	----	----	2.596B/----	2.596B/1.594A	----	2.199	NEW .4433	----	----	2	----	1 + 1
7175	2.750	2.750	2.750/2.750	2.750/*1.405A	----	1.927	NEW .3993	----	----	1	----	1 + 1
7200	1.500	1.500	2.170B/1.500	2.170B/*1.295A	----	1.843 +	0.589 .3851	----	----	1	----	3 + 1
7260	----	----	1.827B/----	1.827B/*1.185A	----	1.655 +	0.573 .3523	----	----	----	----	1 UNCH
7300	----	----	1.700B/----	1.700B/1.058A	----	1.540 +	0.560 .3314	----	----	2	----	3 + 1
7350	1.500	1.500	1.500/1.500	1.500/*1.003A	----	1.405	NEW .3064	----	----	1	----	1 + 1
7400	----	----	1.301B/----	1.301B/*0.944A	----	1.280 +	0.513 .2827	----	----	----	----	3 UNCH
7400	----	----	2.331B/----	2.331B/1.632A	----	2.287 +	0.702 .3587	----	----	----	----	2 UNCH
7475	1.000	1.000	1.002B/*0.798A	1.002B/*0.798A	----	1.109	NEW .2493	----	----	1	----	1 + 1
7500	0.600	0.600	0.950/*0.597A	0.950/*0.597A	----	1.057 +	0.449 .2388	----	----	3	----	8 + 3
7600	1.250	1.250	1.250/1.250	1.250/*0.596A	----	0.866	NEW .1997	----	----	1	----	1 + 1
7700	----	----	0.493B/----	0.493B/*0.499A	----	0.705 +	0.300 .1655	----	----	----	----	3 UNCH
7700	----	----	----	----	----	7.905 -	1.560 .8344	----	----	----	----	1 UNCH
7775	0.690	0.690	0.690/0.690	0.690/*0.467A	----	0.602	NEW .1429	----	----	1	----	1 + 1
7800	----	----	1.080B/----	1.080B/*0.944A	----	1.247 +	0.428 .2241	----	----	----	----	3 UNCH
8000	0.200	0.200	0.320/*0.200	0.320/*0.200	----	0.366 +	0.111 .0892	----	----	6	----	4 + 2
8000	----	----	----	10.409B/12.355A	----	10.565 -	1.749 .9107	----	----	----	----	5 UNCH
8000	----	----	0.686B/----	0.686B/*0.721A	----	0.914 +	0.323 .1726	----	----	----	----	4 UNCH
8250	----	----	----	----	----	13.910 -	1.572 .8119	----	----	----	----	4 UNCH
8275	----	----	----	----	----	14.123 -	1.576 .8166	----	----	----	----	4 UNCH
8500	----	----	----	0.002B/*0.207A	----	0.129 +	0.030 .0308	----	----	----	----	1 UNCH
8600	----	----	----	0.141B/*0.357A	----	0.389 +	0.129 .0789	----	----	----	----	1 UNCH
8700	----	----	----	0.002B/*0.195A	----	0.092 +	0.019 .0213	----	----	----	----	1 UNCH
8750	----	----	----	----	----	17.782 -	1.843 .9804	----	----	----	----	20 UNCH
8775	----	----	----	----	----	18.029 -	1.843 .9812	----	----	----	----	10 UNCH
TOTAL										27	0	190 + 19
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK5										
MAR26												
4000	0.022	0.022	#0.022/*0.022	#0.022/*0.022	----	0.023	NEW .0014	----	----	1	----	1 + 1
5700	----	----	----/*0.145A	0.001B/*0.145A	----	0.156	NEW .0246	----	----	1	----	1 + 1
5800	0.103	0.103	0.103/*0.103	0.103/*0.103	----	0.156	NEW .0266	----	----	2	----	2 + 2
5900	----	----	----/*0.190A	0.002B/*0.190A	----	0.157 -	0.049 .0292	----	----	----	----	2 UNCH
6000	0.100	0.100	0.150/*0.100	0.150/*0.100	----	0.157 -	0.097 .0321	----	----	30	----	34 + 30
6100	0.190	0.190	0.190/0.189A	0.190/0.189A	----	0.161 -	0.163 .0363	----	----	1	----	2 + 1
6175	----	----	----/*0.226A	0.216B/*0.226A	----	0.164 -	0.231 .0400	----	----	----	----	1 UNCH
6200	0.148	0.148	0.148/*0.145	0.226B/*0.145	----	0.171	NEW .0426	----	----	6	----	6 + 6
6300	0.140	0.140	0.170/*0.140	0.329B/*0.140	----	0.206	NEW .0557	----	----	2	----	2 + 2
6450	0.250	0.250	0.250/*0.250	0.539B/*0.250	----	0.300 -	0.549 .0903	----	----	10	----	20 + 10
6500	----	----	----/0.404A	0.623B/0.404A	----	0.347 -	0.627 .1074	----	----	1	----	13 + 1
6600	----	----	----/0.497A	0.888B/0.497A	----	0.475 -	0.797 .1532	----	----	----	----	5 UNCH
6650	----	----	----/0.564A	0.995B/0.564A	----	0.560 -	0.887 .1828	----	----	----	----	1 UNCH
6700	----	----	----/*0.571A	1.227B/*0.571A	----	0.661 -	0.981 .2172	----	----	----	----	2 UNCH
6800	----	----	----/0.784A	1.535B/0.784A	----	0.922 -	1.168 .3008	----	----	----	----	1 UNCH
6800	----	----	----/1.793A	1.456B/1.793A	----	2.717	NEW .6991	----	----	2	----	1 + 1
6805	1.500	1.500	1.500/*0.718A	1.500/*0.718A	----	0.937	NEW .3054	----	----	2	----	2 + 2
6850	0.900	0.900	0.900/0.900	1.612B/0.900	----	1.085	NEW .3493	----	----	1	----	1 + 1
6875	----	----	----/*1.457A	1.558B/*1.457A	----	2.222 +	0.557 .6249	----	----	----	----	1 UNCH
6900	0.794	0.794	0.794/*0.794	1.650B/*0.794	----	1.273 -	1.347 .4016	----	----	1	----	1 + 1
6900	----	----	1.648B/*1.311A	1.648B/*1.311A	----	2.069 +	0.514 .5983	----	----	1	----	2 + 1
7000	1.150	1.150	1.400/*1.030	2.323B/*1.030	----	1.725 -	1.506 .5130	----	----	3	----	3 + 2
7000	1.100	1.100	1.282B/*0.844A	1.282B/*0.844A	----	1.521 +	0.355 .4869	----	----	15	----	30 + 15
7045	1.562	1.562	1.562/*0.722A	1.562/*0.722A	----	1.310	NEW .4358	----	----	1	----	1 + 1
7045	1.486	1.486	1.486/1.486	1.518B/1.486	----	1.964	NEW .5641	----	----	5	----	5 + 5
7100	0.549	0.549	1.246B/*0.535A	1.246B/*0.535A	----	1.079 +	0.225 .3746	----	----	8	----	14 + 7
7125	2.977	2.977	2.977/1.903A	2.977/1.903A	----	2.438	NEW .6523	----	----	1	----	1 + 1
7150	0.841	0.841	1.149B/*0.439A	1.149B/*0.439A	----	0.896 +	0.172 .3213	----	----	2	----	9 + 2
7200	1.199	1.199	1.200/*0.362A	1.200/*0.362A	----	0.737 +	0.126 .2714	----	----	5	----	12 + 5
7250	0.500	0.500	0.731B/*0.335A	0.731B/*0.335A	----	0.600 +	0.088 .2257	----	----	1	----	2 + 1
7300	0.435	0.435	0.631B/*0.284A	0.631B/*0.284A	----	0.484 +	0.057 .1847	----	----	1	----	5 + 1
7350	0.420	0.420	0.551B/*0.243A	0.551B/*0.243A	----	0.387	NEW .1490	----	----	3	----	3 + 3
7475	----	----	0.338B/----	0.338B/0.219A	----	0.213 -	0.004 .0815	----	----	----	----	2 UNCH
7500	----	----	0.234B/----	0.234B/0.247A	----	0.188 -	0.008 .0715	----	----	----	----	2 UNCH
7600	----	----	----	0.116B/0.218A	----	0.112 -	0.017 .0410	----	----	----	----	2 UNCH
7700	0.092	0.092	0.092/*0.092	0.092/*0.092	----	0.064	NEW .0221	----	----	7	----	7 + 7
7725	----	----	----	0.034B/*0.176A	----	0.056 -	0.019 .0190	----	----	----	----	2 UNCH
7900	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.020 -	0.014 .0058	----	----	1	----	3 + 1
8000	----	----	----	0.001B/0.159A	----	0.010 -	0.011 .0025	----	----	2	----	2 - 1
8200	----	----	----	----/0.154A	----	0.003 -	0.005 .0006	----	----	----	----	1 UNCH
8500	----	----	----	----/0.159A	----	0.001 -	0.002 .0000	----	----	----	----	2 UNCH
8750	----	----	----	----/0.166A	----	0.001 -	0.001 ----	----	----	----	----	1 UNCH
9000	----	----	----	----/0.161A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
9025	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.001	UNCH ----	----	----	1	----	1 + 1
9250	----	----	----	----/0.177A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
TOTAL										117	0	213 + 111
APR26												
4400	0.157	0.157	#0.157/*0.157	#0.157/*0.157	----	0.081	NEW .0108	----	----	1	----	1 + 1
5500	0.290	0.290	0.290/*0.290	0.290/*0.290	----	0.299	NEW .0509	----	----	5	----	5 + 5
5800	----	----	----	0.308B/0.551A	----	0.498 +	0.061 .0859	----	----	----	----	1 UNCH
6000	0.540	0.540	0.540/0.540	0.546B/0.540	----	0.698 +	0.074 .1204	----	----	5	----	10 + 5
6700	----	----	2.448B/2.003A	2.448B/2.003A	----	2.195 -	0.213 .3437	----	----	----	----	1 UNCH
6815	2.477	2.477	2.477/2.396A	2.913B/2.396A	----	2.619	NEW .3965	----	----	4	----	4 + 4
6825	2.459	2.459	2.461/2.430A	2.926B/2.430A	----	2.659	NEW .4012	----	----	8	----	8 + 8
6845	2.531	2.531	2.531/2.496A	2.936B/2.496A	----	2.740	NEW .4108	----	----	4	----	4 + 4
6870	2.486	2.486	2.486/2.486	2.951B/2.486	----	2.845	NEW .4229	----	----	4	----	4 + 4
6900	----	----	4.104B/----	4.104B/2.740A	----	3.770 +	1.421 .5623	----	----	----	----	1 UNCH
6900	2.549	2.549	2.549/2.549	3.025B/2.549	----	2.975	NEW .4376	----	----	4	----	4 + 4
6950	----	----	----/2.876A	3.222B/2.876A	----	3.201 -	0.504 .4623	----	----	----	----	20 UNCH
6990	2.654	2.654	2.677/2.654	3.462B/2.654	----	3.392	NEW .4823	----	----	8	----	8 + 8
7000	2.268	2.268	3.498B/2.254	3.498B/2.254	----	3.237 +	1.289 .5125	----	----	8	----	8 + 6
7050	----	----	----/3.159A	3.349B/3.159A	----	4.162	NEW .5056	----	----	2	----	1 + 1
7100	----	----	----/3.466A	4.162B/3.466A	----	3.959	NEW .5378	----	----	1	----	1 + 1
7100	----	----	2.917B/----	2.917B/1.923A	----	2.757	NEW .4621	----	----	1	----	1 + 1
7200	----	----	2.581B/----	2.581B/1.597A	----	2.330 +	1.010 .4121	----	----	1	----	3 + 1
7300	2.000	2.000	2.153B/2.000	2.153B/*1.342A	----	1.956	NEW .3636	----	----	1	----	1 + 1
7400	----	----	1.737B/----	1.737B/*1.125A	----	1.633 +	0.744 .3176	----	----	----	----	1 UNCH
7700	----	----	0.810B/----	0.810B/*0.675A	----	0.932 +	0.425 .2016	----	----	----	----	1 UNCH
7750	0.820	0.820	0.820/0.820	0.820/*0.646A	----	0.849	NEW .1860	----	----	3	----	3 + 3
7800	----	----	0.630B/----	0.630B/*0.573A	----	0.774	NEW .1715	----	----	1	----	1 + 1
7825	0.728	0.728	0.728/0.728	0.728/*0.575A	----	0.740	NEW .1647	----	----	1	----	1 + 1
8075	----	----	----	12.384B/15.123A	----	11.424 -	1.666 .8897	----	----	----	----	3 UNCH
8325	----	----	----	0.065B/*0.300A	----	0.330 +	0.115 .0760	----	----	----	----	10 UNCH
8700	----	----	----	0.017B/*0.242A	----	0.210 +	0.050 .0470	----	----	----	----	2 UNCH
9000	0.150	0.150	0.200/0.150	0.200/0.150	----	0.154 +	0.066 .0334	----	----	98	----	136 + 76
TOTAL										160	0	244 + 135
SO CALL		COMEX SILVER OPTIONS										
APR26												
3750	----	----	----	----	----	30.434	UNCH ----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS												
APR26														
3900	----	----	----	----	----	28.934	UNCH	----	----	----	----	----	0	UNCH
4000	----	----	----	----	----	27.934	UNCH	----	----	----	----	----	0	UNCH
4025	----	----	----	----	----	27.684	UNCH	----	----	----	----	----	0	UNCH
4400	----	----	----	----	----	23.934	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	20.434	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	19.934	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	19.434	UNCH	----	----	----	----	----	0	UNCH
4875	----	----	----	----	----	19.184	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	18.934	UNCH	----	----	----	----	----	0	UNCH
4925	----	----	----	----	----	18.684	UNCH	----	----	----	----	----	0	UNCH
4950	----	----	----	----	----	18.434	UNCH	----	----	----	----	----	0	UNCH
4975	----	----	----	----	----	18.184	UNCH	----	----	----	----	----	0	UNCH
5000	----	----	----	----	----	17.934	UNCH	----	----	----	----	----	0	UNCH
5050	----	----	----	----	----	17.434	UNCH	----	----	----	----	----	0	UNCH
5075	----	----	----	----	----	17.184	UNCH	----	----	----	----	----	0	UNCH
5100	----	----	----	----	----	16.934	UNCH	----	----	----	----	----	0	UNCH
5125	----	----	----	----	----	16.684	UNCH	----	----	----	----	----	0	UNCH
5150	----	----	----	----	----	16.434	UNCH	----	----	----	----	----	0	UNCH
5175	----	----	----	----	----	16.184	UNCH	----	----	----	----	----	0	UNCH
5200	----	----	----	----	----	15.934	UNCH	----	----	----	----	----	0	UNCH
5225	----	----	----	----	----	15.684	UNCH	----	----	----	----	----	0	UNCH
5250	----	----	----	----	----	15.434	UNCH	----	----	----	----	----	0	UNCH
5275	----	----	----	----	----	15.184	UNCH	----	----	----	----	----	0	UNCH
5300	----	----	----	----	----	14.934	UNCH	----	----	----	----	----	0	UNCH
5325	----	----	----	----	----	14.684	UNCH	----	----	----	----	----	0	UNCH
5350	----	----	----	----	----	14.434	UNCH	----	----	----	----	----	0	UNCH
5375	----	----	----	----	----	14.184	UNCH	----	----	----	----	----	0	UNCH
5400	----	----	----	----	----	13.934	UNCH	----	----	----	----	----	0	UNCH
5425	----	----	----	----	----	13.684	UNCH	----	----	----	----	----	0	UNCH
5450	----	----	----	----	----	13.434	UNCH	----	----	----	----	----	0	UNCH
5475	----	----	----	----	----	13.184	UNCH	----	----	----	----	----	0	UNCH
5500	----	----	----	----	----	12.934	UNCH	----	----	----	----	----	0	UNCH
5525	----	----	----	----	----	12.684	UNCH	----	----	----	----	----	0	UNCH
5550	----	----	----	----	----	12.434	UNCH	----	----	----	----	----	0	UNCH
5575	----	----	----	----	----	12.184	UNCH	----	----	----	----	----	0	UNCH
5600	----	----	----	----	----	11.934	UNCH	----	----	----	----	----	0	UNCH
5625	----	----	----	----	----	11.684	UNCH	----	----	----	----	----	0	UNCH
5650	----	----	----	----	----	11.434	UNCH	----	----	----	----	----	0	UNCH
5675	----	----	----	----	----	11.184	UNCH	----	----	----	----	----	0	UNCH
5700	----	----	----	----	----	10.934	UNCH	----	----	----	----	----	0	UNCH
5775	----	----	----	----	----	10.184	UNCH	----	----	----	----	----	0	UNCH
5800	----	----	----	----	----	9.934	UNCH	----	----	----	----	----	0	UNCH
5825	----	----	----	----	----	9.684	UNCH	----	----	----	----	----	0	UNCH
5850	----	----	----	----	----	9.434	UNCH	----	----	----	----	----	0	UNCH
5875	----	----	----	----	----	9.184	UNCH	----	----	----	----	----	0	UNCH
5900	----	----	----	----	----	8.934	UNCH	----	----	----	----	----	0	UNCH
5925	----	----	----	----	----	8.684	UNCH	----	----	----	----	----	0	UNCH
5950	----	----	----	----	----	8.434	UNCH	----	----	----	----	----	0	UNCH
6000	----	----	----	----	----	7.934	UNCH	----	----	----	----	----	0	UNCH
6025	----	----	----	----	----	7.684	UNCH	----	----	----	----	----	0	UNCH
6050	----	----	----	----	----	7.434	UNCH	----	----	----	----	----	0	UNCH
6075	----	----	----	----	----	7.184	UNCH	----	----	----	----	----	0	UNCH
6100	----	----	----	----	----	6.934	UNCH	----	----	----	----	----	0	UNCH
6150	----	----	----	----	----	6.434	UNCH	----	----	----	----	----	0	UNCH
6175	----	----	----	----	----	6.184	UNCH	----	----	----	----	----	0	UNCH
6200	----	----	----	----	----	5.934	UNCH	----	----	----	----	----	0	UNCH
6225	----	----	----	----	----	5.684	UNCH	----	----	----	----	----	0	UNCH
6250	----	----	----	----	----	5.434	UNCH	----	----	----	----	----	0	UNCH
6275	----	----	----	----	----	5.184	UNCH	----	----	----	----	----	0	UNCH
6300	----	----	----	----	----	4.934	UNCH	----	----	----	----	----	0	UNCH
6325	----	----	----	----	----	4.684	UNCH	----	----	----	----	----	0	UNCH
6375	----	----	----	----	----	4.184	UNCH	----	----	----	----	----	0	UNCH
6400	----	----	----	----	----	3.934	UNCH	----	----	----	----	----	0	UNCH
6425	----	----	----	----	----	3.684	UNCH	----	----	----	----	----	0	UNCH
6475	----	----	----	----	----	3.184	UNCH	----	----	----	----	----	0	UNCH
6500	----	----	----	----	----	2.934	UNCH	----	----	----	----	----	0	UNCH
6525	----	----	----	----	----	2.684	UNCH	----	----	----	----	----	0	UNCH
6550	----	----	----	----	----	2.434	UNCH	----	----	----	----	----	0	UNCH
6575	----	----	----	----	----	2.184	UNCH	----	----	----	----	----	0	UNCH
6600	----	----	----	----	----	1.934	UNCH	----	----	----	----	----	0	UNCH
6650	----	----	----	----	----	1.434	UNCH	----	----	----	----	----	0	UNCH
6675	----	----	----	----	----	1.184	UNCH	----	----	----	----	----	0	UNCH
6700	----	----	----	----	----	0.934	UNCH	----	----	----	----	----	0	UNCH
6750	----	----	----	----	----	0.434	UNCH	----	----	----	----	----	0	UNCH
6765	----	----	----	----	----	0.284	UNCH	----	----	----	----	----	0	UNCH
6775	----	----	----	----	----	0.184	UNCH	----	----	----	----	----	0	UNCH
6785	----	----	----	----	----	0.084	UNCH	----	----	----	----	----	0	UNCH
6790	----	----	----	----	----	0.034	UNCH	----	----	----	----	----	0	UNCH
6800	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6825	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6850	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6860	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6875	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6880	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6895	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6900	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6910	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6925	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6950	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6955	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6960	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6965	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6970	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6995	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7000	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7025	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7030	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7050	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7075	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7080	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7085	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7095	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7100	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7105	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7135	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7150	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7170	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7175	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7200	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7225	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7250	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7275	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7300	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7330	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7350	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7400	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7440	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7500	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7600	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7650	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7700	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7750	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7785	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7800	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7900	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7905	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
8000	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
8150	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
8280	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
8400	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
8700	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
9000	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
TOTAL												0	0	0
MAY26														
3750	----	----	33.716B/----	33.716B/31.097A	----	32.368	+ 1.853	.9862	----	----	----	----	1	UNCH
3875	----	----	32.686B/----	32.686B/29.302A	----	31.141	+ 1.851	.9835	----	----	----	----	50	UNCH
3900	----	----	32.234B/----	32.234B/29.621A	----	30.896	+ 1.850	.9830	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL — COMEX SILVER OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.			DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
4000	----	----	31.416B/----	31.416B/28.100A	----	29.917	+	1.848	.9805	----	----	----	----	53	UNCH
4100	----	----	30.435B/----	30.435B/27.104A	----	28.944	+	1.852	.9774	----	----	----	----	50	UNCH
4200	----	----	29.460B/----	29.460B/26.125A	----	27.975	+	1.858	.9740	----	----	----	----	116	UNCH
4400	----	----	27.434B/----	27.434B/24.190A	----	26.049	+	1.874	.9660	----	----	----	----	43	UNCH
4450	----	----	26.867B/----	26.867B/24.273A	----	25.570	+	1.878	.9637	----	----	----	----	2	UNCH
4500	----	----	26.592B/----	26.592B/23.226A	----	25.093	+	1.883	.9613	----	----	----	----	120	UNCH
4550	----	----	25.897B/----	25.897B/23.316A	----	24.617	+	1.888	.9586	----	----	----	----	1	UNCH
4600	----	----	25.504B/----	25.504B/22.261A	----	24.142	+	1.893	.9559	----	----	----	----	43	UNCH
4650	----	----	25.150B/----	25.150B/21.785A	----	23.669	+	1.898	.9530	----	----	----	----	77	UNCH
4675	----	----	24.733B/----	24.733B/21.548A	----	23.433	+	1.900	.9515	----	----	----	----	15	UNCH
4700	----	----	24.457B/----	24.457B/21.892A	----	23.197	+	1.902	.9500	----	----	----	----	2	UNCH
4725	----	----	24.218B/----	24.218B/21.655A	----	22.962	+	1.905	.9484	----	----	----	----	2	UNCH
4750	----	----	24.020B/----	24.020B/20.840A	----	22.727	+	1.907	.9468	----	----	----	----	7	UNCH
4800	----	----	23.554B/----	23.554B/20.370A	----	22.259	+	1.911	.9434	----	----	----	----	7	UNCH
4825	----	----	23.315B/----	23.315B/20.144A	----	22.026	+	1.914	.9416	----	----	----	----	22	UNCH
4850	----	----	23.080B/----	23.080B/19.979A	----	21.793	+	1.916	.9398	----	----	----	----	10	UNCH
4900	----	----	22.607B/----	22.607B/19.439A	----	21.329	+	1.920	.9360	----	----	----	----	14	UNCH
4925	----	----	22.375B/----	22.375B/19.215A	----	21.097	+	1.921	.9341	----	----	----	----	12	UNCH
4950	----	----	22.093B/----	22.093B/19.556A	----	20.866	+	1.922	.9321	----	----	----	----	4	UNCH
5000	----	----	21.801B/----	21.801B/18.524A	----	20.406	+	1.925	.9279	----	----	----	----	99	UNCH
5025	----	----	21.394B/----	21.394B/18.867A	----	20.177	+	1.926	.9258	----	----	----	----	3	UNCH
5050	----	----	21.219B/----	21.219B/18.067A	----	19.949	+	1.927	.9236	----	----	----	----	6	UNCH
5075	----	----	20.989B/----	20.989B/17.832A	----	19.721	+	1.927	.9213	----	----	----	----	6	UNCH
5100	----	----	20.763B/----	20.763B/17.613A	----	19.494	+	1.928	.9190	----	----	----	----	9	UNCH
5125	----	----	20.468B/----	20.468B/17.958A	----	19.267	+	1.927	.9166	----	----	----	----	1	UNCH
5150	----	----	20.313B/----	20.313B/17.154A	----	19.041	+	1.927	.9141	----	----	----	----	15	UNCH
5200	----	----	19.839B/----	19.839B/16.713A	----	18.591	+	1.926	.9090	----	----	----	----	11	UNCH
5225	----	----	19.548B/----	19.548B/17.062A	----	18.368	+	1.925	.9063	----	----	----	----	1	UNCH
5250	----	----	19.401B/----	19.401B/16.263A	----	18.144	+	1.923	.9036	----	----	----	----	21	UNCH
5275	----	----	19.170B/----	19.170B/16.046A	----	17.922	+	1.922	.9008	----	----	----	----	6	UNCH
5300	----	----	19.097B/----	19.097B/15.818A	----	17.700	+	1.919	.8980	----	----	----	----	126	UNCH
5325	----	----	18.785B/----	18.785B/15.598A	----	17.480	+	1.918	.8951	----	----	----	----	29	UNCH
5350	----	----	18.559B/----	18.559B/15.388A	----	17.260	+	1.915	.8921	----	----	----	----	25	UNCH
5400	----	----	18.196B/----	18.196B/14.943A	----	16.822	+	1.908	.8860	----	----	----	----	146	UNCH
5425	----	----	17.829B/----	17.829B/14.728A	----	16.605	+	1.905	.8828	----	----	----	----	12	UNCH
5450	----	----	17.749B/----	17.749B/14.511A	----	16.388	+	1.901	.8795	----	----	----	----	50	UNCH
5475	----	----	17.296B/----	17.296B/14.886A	----	16.172	+	1.896	.8762	----	----	----	----	2	UNCH
5500	----	----	17.307B/----	17.307B/14.085A	----	15.958	+	1.892	.8727	----	----	----	----	185	UNCH
5525	----	----	17.000B/----	17.000B/13.876A	----	15.744	+	1.887	.8693	----	----	----	----	35	UNCH
5550	----	----	16.733B/----	16.733B/13.666A	----	15.531	+	1.882	.8657	----	----	----	----	8	UNCH
5600	----	----	16.429B/----	16.429B/13.251A	----	15.108	+	1.870	.8584	----	----	----	----	110	UNCH
5625	----	----	16.083B/----	16.083B/13.044A	----	14.898	+	1.863	.8546	----	----	----	----	8	UNCH
5650	----	----	15.886B/----	15.886B/12.839A	----	14.689	+	1.857	.8508	----	----	----	----	31	UNCH
5675	----	----	15.627B/----	15.627B/12.635A	----	14.482	+	1.850	.8468	----	----	----	----	6	UNCH
5700	----	----	15.442B/----	15.442B/12.433A	----	14.275	+	1.843	.8428	----	----	----	----	9	UNCH
5750	----	----	15.016B/12.032A	15.016B/12.032A	----	13.865	+	1.827	.8345	----	----	----	----	16	UNCH
5775	----	----	14.700B/----	14.700B/12.404A	----	13.662	+	1.820	.8302	----	----	----	----	1	UNCH
5800	----	----	14.491B/----	14.491B/12.205A	----	13.460	+	1.811	.8259	----	----	----	----	1	UNCH
5825	----	----	14.389B/11.441A	14.389B/11.441A	----	13.259	+	1.803	.8215	----	----	----	----	11	UNCH
5850	----	----	14.078B/----	14.078B/11.813A	----	13.059	+	1.794	.8169	----	----	----	----	2	UNCH
5900	----	----	13.900B/10.864A	13.900B/10.864A	----	12.664	+	1.776	.8077	----	----	----	----	124	UNCH
5925	----	----	13.465B/----	13.465B/11.235A	----	12.468	+	1.766	.8030	----	----	----	----	1	UNCH
5950	----	----	13.374B/10.491A	13.374B/10.491A	----	12.273	+	1.756	.7981	----	----	----	----	16	UNCH
6000	10.400	10.400	13.046B/10.122A	13.046B/10.122A	----	11.888	+	1.736	.7882	----	----	5	----	254	- 1
6050	----	----	12.468B/----	12.468B/10.304A	----	11.508	+	1.715	.7780	----	----	----	----	2	UNCH
6075	----	----	12.496B/9.580A	12.496B/9.580A	----	11.321	+	1.705	.7728	----	----	----	----	122	UNCH
6100	----	----	12.192B/9.405A	12.192B/9.405A	----	11.134	+	1.693	.7675	----	----	----	----	9	UNCH
6125	----	----	11.882B/----	11.882B/9.766A	----	10.950	+	1.683	.7621	----	----	----	----	1	UNCH
6150	----	----	11.689B/----	11.689B/9.590A	----	10.766	+	1.671	.7566	----	----	----	----	3	UNCH
6175	----	----	11.497B/----	11.497B/9.417A	----	10.585	+	1.660	.7511	----	----	----	----	1	UNCH
6200	----	----	11.534B/8.702A	11.534B/8.702A	----	10.404	+	1.647	.7454	----	----	----	----	59	UNCH
6225	----	----	11.345B/8.529A	11.345B/8.529A	----	10.226	+	1.636	.7397	----	----	----	----	69	UNCH
6250	----	----	10.936B/----	10.936B/8.904A	----	10.049	+	1.624	.7340	----	----	----	----	3	UNCH
6275	----	----	10.752B/----	10.752B/8.736A	----	9.873	+	1.611	.7281	----	----	----	----	4	UNCH
6300	----	----	10.696B/8.090A	10.696B/8.090A	----	9.699	+	1.598	.7222	----	----	----	----	24	UNCH
6325	----	----	10.385B/----	10.385B/8.408A	----	9.527	+	1.585	.7162	----	----	----	----	3	UNCH
6350	----	----	10.341B/7.767A	10.341B/7.767A	----	9.357	+	1.573	.7101	----	----	----	----	7	UNCH
6375	----	----	10.205B/7.578A	10.205B/7.578A	----	9.188	+	1.560	.7039	----	----	----	----	48	UNCH
6400	7.600	7.600	10.064B/7.396A	10.064B/7.396A	----	9.021	+	1.547	.6977	----	----	5	----	65	UNCH
6425	----	----	9.819B/7.296A	9.819B/7.296A	----	8.855	+	1.532	.6915	----	----	----	----	6	UNCH
6450	----	----	9.496B/----	9.496B/7.195A	----	8.692	+	1.519	.6851	----	----	----	----	4	UNCH
6475	----	----	9.479B/6.993A	9.479B/6.993A	----	8.530	+	1.506	.6787	----	----	----	----	6	UNCH
6500	9.210	9.210	9.350B/6.790A	9.350B/6.790A	----	8.370	+	1.492	.6723	----	----	3	----	177	- 2
6525	8.620	8.620	9.175B/6.675A	9.175B/6.675A	----	8.212	+	1.478	.6657	----	----	2	----	28	UNCH
6550	----	----	9.020B/6.504A	9.020B/6.504A	----	8.055	+	1.463	.6592	----	----	----	----	8	UNCH
6575	----	----	8.646B/6.426A	8.646B/6.426A	----	7.901	+	1.449	.6525	----	----	----	----	3	UNCH
6600	----	----	8.699B/6.221A	8.699B/6.221A	----	7.748	+	1.434	.6459	----	----	----	----	10	UNCH
6625	----	----	8.540B/6.149A	8.540B/6.149A	----	7.597	+	1.420	.6391	----	----	----	----	7	UNCH
6650	----	----	8.387B/6.015A	8.387B/6.015A	----	7.448	+	1.405	.6324	----	----	----	----	6	UNCH
6675	----	----	8.008B/5.882A	8.008B/5.882A	----	7.301	+	1.390	.6255	----	----	----	----	1	UNCH
6700	----	----	8.086B/5.731A	8.086B/5.731A	----	7.156	+	1.375	.6187	----	----	----	----	175	UNCH
6750	----	----	7.780B/5.450A	7.780B/5.450A	----	6.871	+	1.344	.6048	----	----	----	----	13	UNCH
6800	7.401	7.401	7.497B/5.181A	7.497B/5.181A	----	6.594	+	1.313	.5908	----	----	4	----	56	- 2
6825	5.160	5.160	7.348B/5.076A	7.348B/5.076A	----	6.459	+	1.298	.5838	----	----	1	----	107	+ 1
6850	5.200	5.200	6.959B/4.988A	6.959B/4.988A	----	6.326	+	1.283	.5767	----	----	1	----	1	UNCH
6900	4.947	4.947	6.929B/4.700A	6.929B/4.700A	----	6.064	+	1.251	.5626	----	----	2	----	195	+ 2
6925	----	----	6.801B/4.613A	6.801B/4.613A	----	5.937	+	1.236	.5554	----	----	----	----	12	UNCH
6950	----	----	6.574B/4.509A	6.574B/4.509A	----	5.811	+	1.219	.5483	----	----	2	----	4	+ 2
7000	5.029	5.029	6.411B/4.282A	6.411B/4.282A	----	5.566	+	1.188	.5340	----	----	15	----	420	+ 10
7025	4.833	4.833	6.281B/4.203A	6.281B/4.203A	----	5.447	+	1.173	.5269	----	----	2	----	11	+ 1
7050	4.996	4.996	6.158B/4.101A	6.158B/4.101A	----	5.329	+	1.156	.5198	----	----	2	----	7	+ 1
7075	4.680	4.680	6.026B/4.009A	6.026B/4.009A	----	5.213	+	1.140	.5126	----	----	2	----	7	+ 1
7100	5.019	5.019	5.909B/3.888A	5.909B/3.888A	----	5.100	+	1.124	.5055	----	----	10	----	71	UNCH
7125	4.410	4.410	5.738B/3.811A	5.738B/3.811A	----	4.988	+	1.108	.4984	----	----	1	----	3	+ 1
7150	4.370	4.370	5.616B/3.723A	5.616B/3.723A	----	4.878	+	1.092	.4913	----	----	2	----	3	+ 1
7175	4.210	4.210	5.508B/3.624A	5.508B/3.624A	----	4.771	+	1.076	.4842	----	----	1	----	3	+ 1
7200	4.620	4.620	5.480/3.548A	5.480/3.548A	----	4.665	+	1.060	.4771	----	----	11	----	15	+ 2
7225	4.014	4.014	5.260B/3.468A	5.260B/3.468A	----	4.561	+	1.044	.4701	----	----	2	----	2	+ 1
7250	----	----	5.190B/3.378A	5.190B/3.378A	----	4.460	+	1.029	.4631	----	----	1	----	35	+ 1
7275	----	----	5.099B/3.306A	5.099B/3.306A	----	4.360	+	1.013	.4561	----	----	----	----	1	UNCH
7300	3.250	3.250	5.024B/3.195A	5.024B/3.195A	----	4.262	+	0.997	.4492	----	----	20	----	116	+ 1
7325	----	----	4.888B/3.138A	4.888B/3.138A	----	4.166	+	0.981	.4423	----	----	----	----	2	UNCH
7350	4.714	4.714	4.794B/3.060A	4.794B/3.060A	----	4.072	+	0.965	.4354	----	----	1	----	32	- 1
7375	----	----	4.710B/2.959A	4.710B/2.959A	----	3.980	+	0.950	.4286	----	----	----	----	79	UNCH
7400	3.000	3.000	4.573B/2.913A	4.573B/2.913A	----	3.890	+	0.935	.4218	----	----	11	----	21	+ 3
7425	----	----	4.478B/2.834A	4.478B/2.834A	----	3.801	+	0.918	.4151	----	----	----	----	1	UNCH
7450	----	----	4.379B/2.743A	4.379B/2.743A	----	3.715	+	0.904	.4084	----	----	----	----	11	UNCH
7475	----	----	4.281B/2.698A	4.281B/2.698A	----	3.630	+	0.888	.4018	----	----	----	----	2	UNCH
7500	3.080	3.080	4.227B/2.560	4.227B/2.560	----	3.547	+	0.873	.3952	----	----	50	----	406	+ 1
7525	----	----	4.095B/2.560A	4.095B/2.560A	----	3.466	+	0.858	.3887	----	----	----	----	1	UNCH
7530	----	----	4.078B/2.531A	4.078B/2.531A	----	3.450	+	0.855	.3874	----	----	----	----	1	UNCH
7535	----	----	4.056B/2.533A	4.056B/2.533A	----	3.434	+	0.852	.3861	----	----	----	----	1	UNCH
7540	----	----	4.039B/2.524A	4.039B/2.524A	----	3.419	+	0.849	.3848	----	----	----	----	1	UNCH
7545	----	----	4.021B/2.492A	4.021B/2.492A	----	3.403	+	0.846	.3835	----	----	----	----	2	UNCH
7550	----	----	4.002B/2.498A	4.002B/2.498A	----	3.387	+	0.843	.3822	----	----	----	----	6	UNCH
7555	2.599	2.599	3.987B/2.490A	3.987B/2.490A	----	3.371		NEW	.3809	----	----	1	----	1	+ 1
7560	----	----	3.966B/2.467A	3.966B/2.467A	----	3.356	+	0.837	.3797	----	----	----	----	1	UNCH
7570	----	----	3.932B/2.432A	3.932B/2.432A	----	3.325	+	0.831	.3771	----	----	----	----	1	UNCH
7575	----	----	3.912B/2.438A	3.912B/2.438A	----	3.310	+	0.829	.3759	----	----	----	----	1	UNCH
7595	----	----	3.843B/2.371A	3.843B/2.371A	----	3.249	+	0.817	.3708	----	----	----	----	1	UNCH
7600	3.892	3.892	3.892/2.362A	3.892/2.362A	----	3.234	+	0.814	.3695	----	----	4	----	85	- 3
7615	----	----	3.774B/2.325A	3.774B/2.325A	----	3.189	+	0.805	.3658	----	----	----	----	1	UNCH
7625	----	----	3.743B/2.302A	3.743B/2.302A	----	3.160	+	0.799	.3633	----	----	----	----	7	UNCH
7630	----	----	3.724B/2.291A	3.724B/2.291A	----	3.145	+	0.796	.3620	----	----	----	----	1	UNCH
7635	2.454	2.454	3.706B/2.280A	3.706B/2.280A	----	3.130	+	0.793	.3608	----	----	1	----	2	+ 1
7640	----	----	3.686B/2.283A	3.686B/2.283A	----	3.116	+	0.790	.3595	----	----	----	----	1	UNCH
7645	----	----	3.675B/2.274A	3.675B/2.274A	----	3.102	+	0.788	.3583	----	----	----	----	10	UNCH
7650	----	----	3.656B/2.263A	3.656B/2.263A	----	3.087	+	0.784	.3571	----	----	----	----	17	UNCH
7655	----	----	3.642B/2.236A	3.642B/2.236A	----	3.073	+	0.782	.3559	----	----	----	----	2	UNCH
7660	----	----	3.622B/2.226A	3.622B/2.226A	----	3.059	+	0.779	.3546	----	----	----	----	1	UNCH
7665	----	----	3.604B/2.212A	3.604B/2.212A	----	3.045	+	0.777	.3534	----	----	----	----	10	UNCH
7675	----	----	3.575B/2.192A	3.575B/2.192A	----	3.016	+	0.770	.3509	----	----	----	----	1	UNCH
7685	----	----	3.543B/2.170A	3.543B/2.170A	----	2.989	+	0.765	.3485	----	----	----	----	1	UNCH
7700	----	----	3.529B/2.141A	3.529B/2.141A	----	2.947	+	0.756	.3449	----	----	8	----	184	UNCH
7725	----	----	3.416B/2.089A	3.416B/2.089A	----	2.880	+	0.743	.3389	----	----	----	----	1	UNCH
7750	----	----	3.339B/2.039A	3.339B/2.039A	----	2.814	+	0.729	.3330	----	----	2	----	6	+ 1
7760	----	----	3.305B/2.029A	3.305B/2.029A	----	2.788	+	0.724	.3307	----	----	----	----	1	UNCH
7775	----	----	3.267B/1.989A	3.267B/1.989A	----	2.749	+	0.715	.3272	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
7785	----	----	3.233B/1.970A	3.233B/1.970A	----	2.724 +	0.710 .3249	----	----	----	----	1 UNCH
7800	2.500	2.500	3.224B/1.939A	3.224B/1.939A	----	2.686 +	0.702 .3214	----	----	9	----	66 + 7
7805	----	----	3.175B/1.932A	3.175B/1.932A	----	2.674 +	0.700 .3203	----	----	----	----	1 UNCH
7810	----	----	3.164B/1.923A	3.164B/1.923A	----	2.662 +	0.697 .3192	----	----	----	----	1 UNCH
7815	----	----	3.148B/1.925A	3.148B/1.925A	----	2.649 +	0.694 .3180	----	----	----	----	2 UNCH
7825	----	----	3.120B/1.899A	3.120B/1.899A	----	2.625 +	0.689 .3158	----	----	----	----	1 UNCH
7845	----	----	3.058B/1.861A	3.058B/1.861A	----	2.577 +	0.679 .3113	----	----	----	----	1 UNCH
7850	----	----	3.049B/1.860A	3.049B/1.860A	----	2.565 +	0.676 .3102	----	----	----	----	14 UNCH
7855	----	----	3.031B/1.841A	3.031B/1.841A	----	2.553 +	0.673 .3090	----	----	----	----	8 UNCH
7875	----	----	2.990B/1.807A	2.990B/1.807A	----	2.506 +	0.663 .3046	----	----	----	----	43 UNCH
7900	1.880	1.880	2.909B/1.714	2.909B/1.714	----	2.449 +	0.651 .2992	----	----	12	----	22 + 5
7925	----	----	2.844B/1.725A	2.844B/1.725A	----	2.394 +	0.639 .2938	----	----	----	----	5 UNCH
7940	----	----	2.804B/1.701A	2.804B/1.701A	----	2.361 +	0.632 .2906	----	----	----	----	2 UNCH
7945	----	----	2.791B/1.691A	2.791B/1.691A	----	2.350 +	0.629 .2896	----	----	----	----	1 UNCH
7950	2.386	2.386	2.776B/1.685A	2.776B/1.685A	----	2.339 +	0.626 .2885	----	----	1	----	5 UNCH
7980	----	----	2.703B/1.633A	2.703B/1.633A	----	2.276 +	0.613 .2823	----	----	----	----	2 UNCH
7985	----	----	2.691B/1.624A	2.691B/1.624A	----	2.265 +	0.610 .2812	----	----	----	----	4 UNCH
7990	----	----	2.678B/1.620A	2.678B/1.620A	----	2.255 +	0.608 .2802	----	----	----	----	4 UNCH
7995	1.859	1.859	2.669B/1.610A	2.669B/1.610A	----	2.245 +	0.606 .2792	----	----	9	----	19 + 9
8000	1.930	1.930	2.744B/1.520	2.744B/1.520	----	2.234 +	0.603 .2782	----	----	56	25	1354 + 7
8005	----	----	2.639B/1.597A	2.639B/1.597A	----	2.224 +	0.600 .2772	----	----	----	----	23 UNCH
8010	----	----	2.641B/1.591A	2.641B/1.591A	----	2.214 +	0.598 .2762	----	----	----	----	30 UNCH
8015	----	----	2.615B/1.585A	2.615B/1.585A	----	2.204 +	0.596 .2752	----	----	----	----	22 UNCH
8020	1.909	1.909	2.605B/1.582A	2.605B/1.582A	----	2.194 +	0.594 .2742	----	----	1	----	13 + 1
8025	----	----	2.595B/1.571A	2.595B/1.571A	----	2.184 +	0.592 .2732	----	----	----	----	13 UNCH
8030	----	----	2.579B/1.558A	2.579B/1.558A	----	2.174 +	0.589 .2721	----	----	----	----	3 UNCH
8035	----	----	2.568B/1.555A	2.568B/1.555A	----	2.164 +	0.587 .2711	----	----	----	----	1 UNCH
8040	----	----	2.555B/1.547A	2.555B/1.547A	----	2.154 +	0.584 .2701	----	----	----	----	1 UNCH
8050	1.725	1.725	2.529B/1.533A	2.529B/1.533A	----	2.135 +	0.581 .2682	----	----	4	----	9 - 1
8065	----	----	2.499B/1.512A	2.499B/1.512A	----	2.106 +	0.574 .2653	----	----	----	----	5 UNCH
8070	----	----	2.485B/1.506A	2.485B/1.506A	----	2.096 +	0.571 .2643	----	----	----	----	1 UNCH
8075	----	----	2.476B/1.494A	2.476B/1.494A	----	2.087 +	0.569 .2633	----	----	----	----	5 UNCH
8080	----	----	2.465B/1.492A	2.465B/1.492A	----	2.077 +	0.567 .2623	----	----	----	----	1 UNCH
8090	----	----	2.442B/1.475A	2.442B/1.475A	----	2.058 +	0.562 .2604	----	----	----	----	20 UNCH
8095	----	----	2.431B/1.464A	2.431B/1.464A	----	2.049 +	0.560 .2594	----	----	----	----	15 UNCH
8100	----	----	2.456B/1.461A	2.456B/1.461A	----	2.040 +	0.558 .2585	----	----	----	----	236 UNCH
8105	----	----	2.408B/1.452A	2.408B/1.452A	----	2.031 +	0.556 .2576	----	----	----	----	7 UNCH
8110	----	----	2.399B/1.449A	2.399B/1.449A	----	2.022 +	0.555 .2566	----	----	----	----	1 UNCH
8115	----	----	2.386B/1.445A	2.386B/1.445A	----	2.012 +	0.552 .2556	----	----	----	----	1 UNCH
8125	----	----	2.364B/1.430A	2.364B/1.430A	----	1.994 +	0.547 .2537	----	----	----	----	3 UNCH
8150	1.699	1.699	2.311B/1.370	2.311B/1.370	----	1.950 +	0.538 .2491	----	----	5	----	12 + 1
8175	----	----	2.258B/1.360A	2.258B/1.360A	----	1.906 +	0.527 .2445	----	----	----	----	15 UNCH
8200	----	----	2.243B/1.326A	2.243B/1.326A	----	1.864 +	0.517 .2401	----	----	2	----	61 - 2
8210	----	----	2.189B/1.320A	2.189B/1.320A	----	1.848 +	0.514 .2383	----	----	----	----	4 UNCH
8225	----	----	2.158B/1.303A	2.158B/1.303A	----	1.823 +	0.507 .2357	----	----	----	----	4 UNCH
8230	----	----	2.150B/1.295A	2.150B/1.295A	----	1.815 +	0.506 .2348	----	----	----	----	1 UNCH
8235	----	----	2.142B/1.287A	2.142B/1.287A	----	1.807 +	0.504 .2339	----	----	----	----	1 UNCH
8240	----	----	2.130B/1.285A	2.130B/1.285A	----	1.799 +	0.502 .2331	----	----	----	----	1 UNCH
8250	----	----	2.125B/1.268A	2.125B/1.268A	----	1.783 +	0.498 .2313	----	----	1	----	48 UNCH
8255	----	----	2.105B/1.266A	2.105B/1.266A	----	1.775 +	0.496 .2305	----	----	----	----	3 UNCH
8270	----	----	2.075B/1.245A	2.075B/1.245A	----	1.751 +	0.490 .2279	----	----	----	----	6 UNCH
8275	----	----	2.070B/1.241A	2.070B/1.241A	----	1.744 +	0.489 .2271	----	----	----	----	5 UNCH
8280	----	----	2.055B/1.233A	2.055B/1.233A	----	1.736 +	0.487 .2262	----	----	----	----	3 UNCH
8290	1.787	1.787	2.030B/1.221A	2.030B/1.221A	----	1.721	NEW .2246	----	----	10	----	10 + 10
8300	----	----	2.051B/1.209A	2.051B/1.209A	----	1.706 +	0.480 .2229	----	----	----	----	102 UNCH
8310	----	----	2.005B/1.204A	2.005B/1.204A	----	1.691 +	0.476 .2213	----	----	----	----	2 UNCH
8325	----	----	1.973B/1.182A	1.973B/1.182A	----	1.668 +	0.470 .2188	----	----	----	----	4 UNCH
8340	----	----	1.962B/1.169A	1.962B/1.169A	----	1.646 +	0.465 .2163	----	----	----	----	30 UNCH
8345	----	----	1.945B/1.160A	1.945B/1.160A	----	1.639 +	0.463 .2156	----	----	----	----	16 UNCH
8350	----	----	1.944B/1.156A	1.944B/1.156A	----	1.632 +	0.462 .2148	----	----	----	----	26 UNCH
8360	----	----	1.921B/1.149A	1.921B/1.149A	----	1.618 +	0.458 .2132	----	----	----	----	1 UNCH
8370	----	----	1.899B/1.136A	1.899B/1.136A	----	1.604 +	0.455 .2116	----	----	----	----	1 UNCH
8375	----	----	1.895B/1.129A	1.895B/1.129A	----	1.597 +	0.453 .2108	----	----	----	----	4 UNCH
8400	----	----	1.858B/1.106A	1.858B/1.106A	----	1.562 +	0.445 .2069	----	----	----	----	31 UNCH
8420	----	----	1.823B/1.083A	1.823B/1.083A	----	1.536 +	0.439 .2039	----	----	----	----	3 UNCH
8425	----	----	1.812B/1.080A	1.812B/1.080A	----	1.529 +	0.437 .2032	----	----	----	----	6 UNCH
8435	----	----	1.800B/1.070A	1.800B/1.070A	----	1.516 +	0.434 .2017	----	----	----	----	1 UNCH
8440	----	----	1.784B/1.063A	1.784B/1.063A	----	1.509 +	0.432 .2009	----	----	----	----	1 UNCH
8450	----	----	1.797B/1.054A	1.797B/1.054A	----	1.496 +	0.429 .1994	----	----	----	----	138 UNCH
8460	----	----	1.758B/1.045A	1.758B/1.045A	----	1.483 +	0.425 .1979	----	----	----	----	1 UNCH
8465	----	----	1.751B/1.040A	1.751B/1.040A	----	1.477 +	0.424 .1972	----	----	----	----	1 UNCH
8490	----	----	1.713B/1.015A	1.713B/1.015A	----	1.446 +	0.417 .1936	----	----	----	----	2 UNCH
8500	1.141	1.141	1.718B/1.007A	1.718B/1.007A	----	1.433 +	0.413 .1922	----	----	66	----	654 - 19
8505	----	----	1.690B/1.003A	1.690B/1.003A	----	1.427 +	0.412 .1915	----	----	----	----	4 UNCH
8510	----	----	1.684B/0.998A	1.684B/0.998A	----	1.421 +	0.411 .1907	----	----	----	----	1 UNCH
8515	----	----	1.676B/0.994A	1.676B/0.994A	----	1.415 +	0.409 .1900	----	----	----	----	1 UNCH
8525	----	----	1.662B/0.986A	1.662B/0.986A	----	1.403 +	0.406 .1887	----	----	----	----	7 UNCH
8535	----	----	1.647B/0.976A	1.647B/0.976A	----	1.391 +	0.403 .1873	----	----	----	----	1 UNCH
8540	----	----	1.643B/0.973A	1.643B/0.973A	----	1.385 +	0.402 .1866	----	----	----	----	6 UNCH
8545	----	----	1.635B/0.968A	1.635B/0.968A	----	1.380 +	0.401 .1859	----	----	----	----	2 UNCH
8550	----	----	1.627B/0.964A	1.627B/0.964A	----	1.374 +	0.400 .1852	----	----	----	----	6 UNCH
8565	----	----	1.607B/0.952A	1.607B/0.952A	----	1.357 +	0.396 .1832	----	----	----	----	10 UNCH
8570	----	----	1.601B/0.949A	1.601B/0.949A	----	1.351 +	0.394 .1825	----	----	----	----	4 UNCH
8575	----	----	1.594B/0.944A	1.594B/0.944A	----	1.345 +	0.392 .1818	----	----	----	----	34 UNCH
8590	----	----	1.573B/0.931A	1.573B/0.931A	----	1.328 +	0.388 .1798	----	----	----	----	1 UNCH
8600	0.936	0.936	1.576B/0.923A	1.576B/0.923A	----	1.317 +	0.385 .1785	----	----	3	----	253 UNCH
8605	----	----	1.554B/0.918A	1.554B/0.918A	----	1.312 +	0.385 .1779	----	----	----	----	3 UNCH
8615	----	----	1.542B/0.912A	1.542B/0.912A	----	1.301 +	0.382 .1766	----	----	----	----	1 UNCH
8640	----	----	1.510B/0.893A	1.510B/0.893A	----	1.274 +	0.375 .1734	----	----	----	----	1 UNCH
8650	----	----	1.497B/0.886A	1.497B/0.886A	----	1.263 +	0.372 .1721	----	----	----	----	8 UNCH
8660	----	----	1.486B/0.878A	1.486B/0.878A	----	1.253 +	0.370 .1709	----	----	----	----	2 UNCH
8670	----	----	1.474B/0.870A	1.474B/0.870A	----	1.243 +	0.368 .1696	----	----	----	----	1 UNCH
8675	----	----	1.466B/0.867A	1.466B/0.867A	----	1.238 +	0.367 .1690	----	----	----	----	1 UNCH
8695	----	----	1.442B/0.852A	1.442B/0.852A	----	1.217 +	0.361 .1665	----	----	----	----	2 UNCH
8700	0.818	0.818	1.446B/*0.818	1.446B/*0.818	----	1.212 +	0.360 .1659	----	----	1	----	62 UNCH
8705	----	----	1.430B/----	1.430B/0.848A	----	1.207 +	0.359 .1653	----	----	----	----	16 UNCH
8750	----	----	1.379B/----	1.379B/0.819A	----	1.164 +	0.349 .1600	----	----	----	----	31 UNCH
8775	----	----	1.355B/----	1.355B/0.802A	----	1.140 +	0.343 .1571	----	----	----	----	26 UNCH
8800	0.920	0.920	1.330B/0.786A	1.330B/0.786A	----	1.118 +	0.338 .1544	----	----	3	----	626 + 1
8850	----	----	1.264B/----	1.264B/0.755A	----	1.074 +	0.328 .1489	----	----	----	----	3 UNCH
8875	----	----	1.241B/----	1.241B/0.738A	----	1.053 +	0.323 .1463	----	----	----	----	3 UNCH
8900	1.130	1.130	1.225B/1.130	1.225B/0.724A	----	1.032 +	0.318 .1436	----	----	10	----	116 + 10
8925	----	----	1.190B/----	1.190B/0.709A	----	1.012 +	0.313 .1411	----	----	----	----	4 UNCH
8950	----	----	1.168B/----	1.168B/0.694A	----	0.993 +	0.309 .1387	----	----	----	----	45 UNCH
8975	----	----	1.148B/----	1.148B/0.682A	----	0.974 +	0.305 .1362	----	----	----	----	23 UNCH
9000	0.684	0.684	1.200/0.684	1.200/0.665A	----	0.955 +	0.301 .1338	----	----	16	----	1218 + 8
9025	----	----	1.102B/----	1.102B/0.652A	----	0.937 +	0.297 .1315	----	----	----	----	6 UNCH
9050	----	----	1.076B/----	1.076B/0.638A	----	0.919 +	0.292 .1292	----	----	----	----	12 UNCH
9075	----	----	1.056B/----	1.056B/0.626A	----	0.902 +	0.289 .1270	----	----	----	----	6 UNCH
9100	0.989	0.989	1.040B/0.989	1.040B/0.611A	----	0.885 +	0.285 .1248	----	----	7	----	78 + 1
9125	----	----	1.015B/----	1.015B/0.600A	----	0.869 +	0.282 .1227	----	----	----	----	5 UNCH
9150	----	----	0.993B/----	0.993B/0.590A	----	0.853 +	0.278 .1206	----	----	----	----	23 UNCH
9175	----	----	0.974B/----	0.974B/0.576A	----	0.837 +	0.275 .1185	----	----	----	----	8 UNCH
9200	----	----	0.962B/----	0.962B/0.564A	----	0.822 +	0.272 .1165	----	----	----	----	162 UNCH
9225	----	----	0.936B/----	0.936B/0.555A	----	0.807 +	0.268 .1145	----	----	----	----	5 UNCH
9250	0.910	0.910	0.923B/0.908	0.923B/0.546A	----	0.792 +	0.265 .1125	----	----	24	----	87 - 15
9275	----	----	0.903B/----	0.903B/0.535A	----	0.778 +	0.262 .1107	----	----	----	----	28 UNCH
9300	0.605	0.605	0.886B/0.526A	0.886B/0.526A	----	0.764 +	0.259 .1088	----	----	9	----	196 - 1
9325	----	----	0.869B/----	0.869B/0.516A	----	0.751 +	0.257 .1070	----	----	----	----	5 UNCH
9350	----	----	0.851B/----	0.851B/0.506A	----	0.738 +	0.254 .1053	----	----	----	----	29 UNCH
9375	----	----	0.833B/----	0.833B/0.496A	----	0.725 +	0.251 .1035	----	----	----	----	12 UNCH
9400	----	----	0.819B/----	0.819B/0.488A	----	0.712 +	0.248 .1018	----	----	1	----	35 UNCH
9425	0.408	0.408	0.801B/*0.408	0.801B/*0.408	----	0.700 +	0.246 .1001	----	----	3	----	8 + 2
9450	----	----	0.784B/----	0.784B/0.473A	----	0.688 +	0.243 .0985	----	----	----	----	23 UNCH
9475	----	----	0.769B/----	0.769B/0.466A	----	0.676 +	0.240 .0969	----	----	----	----	3 UNCH
9500	0.510	0.510	0.740B/0.510	0.740B/0.463A	----	0.665 +	0.238 .0954	----	----	31	----	870 - 19
9525	----	----	0.727B/----	0.727B/0.475A	----	0.654 +	0.236 .0938	----	----	----	----	23 UNCH
9550	----	----	0.712B/----	0.712B/0.476A	----	0.643 +	0.234 .0923	----	----	----	----	32 UNCH
9575	0.625	0.625	0.698B/0.625	0.698B/0.458A	----	0.632 +	0.231 .0908	----	----	2	----	4 UNCH
9600	0.634	0.634	0.686B/0.634	0.686B/0.454A	----	0.622 +	0.229 .0894	----	----	4	----	126 + 2
9625	----	----	0.676B/----	0.676B/0.443A	----	0.612 +	0.227 .0880	----	----	----	----	5 UNCH
9650	----	----	0.658B/----	0.658B/0.449A	----	0.602 +	0.224 .0866	----	----	1	----	14 + 1
9675	----	----	0.652B/----	0.652B/0.440A	----	0.592 +	0.222 .0853	----	----	----	----	13 UNCH
9700	----	----	0.640B/----	0.640B/0.400A	----	0.583 +	0.220 .0840	----	----	----	----	28 UNCH
9725	----	----	0.623B/----	0.623B/0.396A	----	0.573 +	0.217 .0826	----	----	----	----	9 UNCH
9750	----	----	0.612B/----	0.612B/0.421A	----	0.564 +	0.215 .0814	----	----	----	----	28 UNCH
9775	----	----	0.598B/----	0.598B/0.408A	----	0.556 +	0.214 .0802	----	----	----	----	2 UNCH
9800	----	----	0.587B/----	0.587B/0.375A	----	0.547 +	0.211 .0789	----	----	1	----	101 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
9825	----	----	0.578B/----	0.578B/0.397A	----	0.539 + 0.210	.0778	----	----	----	----	4 UNCH
9850	----	----	0.566B/----	0.566B/0.363A	----	0.530 + 0.207	.0765	----	----	----	----	20 UNCH
9875	----	----	0.556B/----	0.556B/0.385A	----	0.522 + 0.205	.0754	----	----	----	----	10 UNCH
9900	----	----	0.547B/----	0.547B/0.384A	----	0.514 + 0.202	.0743	----	----	----	----	243 UNCH
9925	----	----	0.535B/----	0.535B/0.372A	----	0.507 + 0.201	.0733	----	----	----	----	2 UNCH
9950	----	----	0.526B/----	0.526B/0.381A	----	0.499 + 0.199	.0721	----	----	----	----	26 UNCH
9975	----	----	0.514B/----	0.514B/0.360A	----	0.492 + 0.197	.0711	----	----	----	----	2 UNCH
10000	0.370	0.370	0.540/0.333A	0.540/0.333A	----	0.484 + 0.194	.0700	----	----	11	----	1053 + 2
10025	0.498	0.498	0.498/0.498	0.498/0.387A	----	0.477 + 0.192	.0690	----	----	1	----	2 + 1
10050	----	----	0.489B/----	0.489B/0.386A	----	0.471 + 0.191	.0681	----	----	----	----	22 UNCH
10075	----	----	0.484B/----	0.484B/0.450A	----	0.464 + 0.188	.0671	----	----	----	----	4 UNCH
10100	0.472	0.472	0.474B/0.472	0.474B/0.355A	----	0.457 + 0.186	.0661	----	----	2	----	76 UNCH
10125	----	----	0.465B/----	0.465B/0.402A	----	0.451 + 0.184	.0652	----	----	----	----	1 UNCH
10150	----	----	0.457B/----	0.457B/0.431A	----	0.444 + 0.182	.0642	----	----	----	----	1 UNCH
10175	----	----	0.449B/----	0.449B/*0.373A	----	0.438 + 0.180	.0634	----	----	----	----	1 UNCH
10200	----	----	0.442B/----	0.442B/0.378A	----	0.432 + 0.178	.0625	----	----	2	----	34 UNCH
10225	----	----	0.435B/----	0.435B/0.426A	----	0.426 + 0.176	.0616	----	----	----	----	1 UNCH
10250	0.409	0.409	0.428B/0.409	0.428B/0.389A	----	0.420 + 0.174	.0607	----	----	1	----	5 UNCH
10275	----	----	0.421B/----	0.421B/0.414A	----	0.415 + 0.172	.0600	----	----	----	----	4 UNCH
10300	0.265	0.265	0.414B/*0.265	0.414B/*0.265	----	0.409 + 0.170	.0591	----	----	1	----	208 UNCH
10305	----	----	0.413B/----	0.413B/0.413A	----	0.408 + 0.169	.0590	----	----	----	----	2 UNCH
10325	----	----	0.408B/----	0.408B/0.410A	----	0.404 + 0.168	.0584	----	----	----	----	1 UNCH
10350	----	----	0.401B/----	0.401B/0.406A	----	0.398 + 0.166	.0575	----	----	----	----	3 UNCH
10375	----	----	0.384B/----	0.384B/0.402A	----	0.393 + 0.164	.0568	----	----	----	----	1 UNCH
10400	----	----	0.339B/----	0.339B/0.377A	----	0.388 + 0.162	.0560	----	----	----	----	27 UNCH
10425	----	----	0.373B/----	0.373B/0.394A	----	0.383 + 0.160	.0553	----	----	----	----	19 UNCH
10450	----	----	0.327B/----	0.327B/0.391A	----	0.378 + 0.158	.0546	----	----	----	----	4 UNCH
10480	----	----	0.314B/----	0.314B/0.386A	----	0.372 + 0.155	.0537	----	----	----	----	2 UNCH
10485	----	----	0.320B/----	0.320B/*0.240A	----	0.371 + 0.155	.0536	----	----	----	----	2 UNCH
10490	----	----	0.314B/----	0.314B/0.385A	----	0.370 + 0.154	.0534	----	----	----	----	1 UNCH
10500	----	----	0.343B/----	0.343B/0.368A	----	0.368 + 0.154	.0531	----	----	40	----	436 - 21
10515	----	----	0.309B/----	0.309B/0.382A	----	0.366 + 0.153	.0528	----	----	----	----	7 UNCH
10520	----	----	0.308B/----	0.308B/*0.334A	----	0.365 + 0.153	.0526	----	----	----	----	2 UNCH
10550	----	----	0.301B/----	0.301B/0.376A	----	0.359 + 0.150	.0518	----	----	----	----	2 UNCH
10555	----	----	0.256B/----	0.256B/0.376A	----	0.358 + 0.149	.0516	----	----	----	----	1 UNCH
10560	----	----	0.299B/----	0.299B/0.375A	----	0.357 + 0.149	.0515	----	----	----	----	9 UNCH
10570	----	----	0.297B/----	0.297B/0.374A	----	0.356 + 0.149	.0513	----	----	----	----	1 UNCH
10575	----	----	0.281B/----	0.281B/0.373A	----	0.355 + 0.148	.0512	----	----	----	----	1 UNCH
10580	----	----	0.271B/----	0.271B/0.372A	----	0.354 + 0.148	.0510	----	----	----	----	1 UNCH
10595	----	----	0.292B/----	0.292B/0.370A	----	0.351 + 0.146	.0506	----	----	----	----	2 UNCH
10600	----	----	0.329B/----	0.329B/0.349A	----	0.350 + 0.146	.0505	----	----	----	----	23 UNCH
10605	----	----	0.291B/----	0.291B/0.369A	----	0.349 + 0.145	.0503	----	----	----	----	5 UNCH
10610	----	----	0.274B/----	0.274B/*0.312A	----	0.349 + 0.146	.0503	----	----	----	----	1 UNCH
10615	----	----	0.289B/----	0.289B/0.368A	----	0.348 + 0.145	.0501	----	----	----	----	1 UNCH
10625	----	----	0.287B/----	0.287B/0.367A	----	0.346 + 0.144	.0499	----	----	----	----	1 UNCH
10630	----	----	0.286B/----	0.286B/0.366A	----	0.345 + 0.144	.0497	----	----	----	----	1 UNCH
10650	----	----	0.269B/----	0.269B/0.364A	----	0.342 + 0.143	.0493	----	----	----	----	1 UNCH
10655	----	----	0.315B/----	0.315B/0.358A	----	0.341 + 0.142	.0491	----	----	----	----	1 UNCH
10670	----	----	0.258B/----	0.258B/0.361A	----	0.338 + 0.140	.0487	----	----	----	----	1 UNCH
10675	----	----	0.267B/----	0.267B/0.360A	----	0.338 + 0.141	.0487	----	----	----	----	3 UNCH
10680	----	----	0.246B/----	0.246B/0.368A	----	0.337 + 0.140	.0485	----	----	----	----	7 UNCH
10685	----	----	0.271B/----	0.271B/0.359A	----	0.336 + 0.140	.0484	----	----	----	----	1 UNCH
10690	----	----	0.231B/----	0.231B/0.359A	----	0.335 + 0.139	.0482	----	----	----	----	1 UNCH
10700	----	----	0.270B/----	0.270B/*0.341A	----	0.334 + 0.139	.0481	----	----	----	----	119 UNCH
10720	----	----	0.205B/----	0.205B/*0.319A	----	0.330 + 0.137	.0475	----	----	----	----	1 UNCH
10725	----	----	----	0.186B/0.362A	----	0.330 + 0.137	.0475	----	----	----	----	3 UNCH
10750	----	----	----	0.163B/0.359A	----	0.326 + 0.135	.0469	----	----	----	----	1 UNCH
10755	----	----	----	0.156B/0.359A	----	0.325 + 0.135	.0467	----	----	----	----	1 UNCH
10760	----	----	----	0.155B/0.358A	----	0.324 + 0.134	.0466	----	----	----	----	10 UNCH
10765	----	----	----	0.154B/0.357A	----	0.323 + 0.133	.0465	----	----	----	----	10 UNCH
10770	----	----	----	0.153B/0.357A	----	0.323 + 0.134	.0464	----	----	----	----	1 UNCH
10800	----	----	0.189B/----	0.189B/0.327A	----	0.318 + 0.131	.0457	----	----	----	----	21 UNCH
10825	----	----	----	0.153B/0.350A	----	0.314 + 0.129	.0451	----	----	----	----	1 UNCH
10835	----	----	----	0.142B/0.349A	----	0.313 + 0.129	.0449	----	----	----	----	1 UNCH
10850	----	----	----	0.142B/0.347A	----	0.311 + 0.128	.0446	----	----	----	----	12 UNCH
10855	----	----	----	0.140B/0.339A	----	0.310 + 0.127	.0445	----	----	----	----	3 UNCH
10875	----	----	----	0.138B/0.344A	----	0.307 + 0.126	.0441	----	----	----	----	2 UNCH
10900	----	----	----	0.155B/*0.318A	----	0.304 + 0.124	.0436	----	----	----	----	40 UNCH
10925	----	----	----	0.159B/0.340A	----	0.300 + 0.122	.0430	----	----	----	----	5 UNCH
10950	----	----	----	0.129B/0.337A	----	0.297 + 0.121	.0426	----	----	----	----	2 UNCH
10975	----	----	----	0.126B/0.334A	----	0.293 + 0.118	.0420	----	----	----	----	9 UNCH
11000	----	----	0.293B/----	0.293B/0.292A	----	0.290 + 0.117	.0415	----	----	2	----	735 - 2
11025	----	----	----	0.121B/0.329A	----	0.287 + 0.115	.0411	----	----	----	----	5 UNCH
11050	----	----	----	0.119B/0.327A	----	0.284 + 0.114	.0406	----	----	----	----	2 UNCH
11075	----	----	----	0.116B/0.324A	----	0.280 + 0.111	.0401	----	----	----	----	1 UNCH
11100	----	----	----	0.132B/0.302A	----	0.277 + 0.109	.0396	----	----	----	----	59 UNCH
11125	----	----	----	0.111B/0.312A	----	0.274 + 0.108	.0391	----	----	----	----	3 UNCH
11150	----	----	0.194B/----	0.194B/0.310A	----	0.271 + 0.106	.0387	----	----	----	----	2 UNCH
11200	----	----	----	0.122B/*0.293A	----	0.266 + 0.104	.0379	----	----	----	----	262 UNCH
11225	----	----	----	0.103B/0.300A	----	0.263 + 0.102	.0375	----	----	----	----	24 UNCH
11240	----	----	----	0.101B/0.297A	----	0.261 + 0.100	.0372	----	----	----	----	2 UNCH
11245	----	----	----	0.101B/0.297A	----	0.261 + 0.101	.0372	----	----	----	----	2 UNCH
11250	----	----	----	0.100B/0.301A	----	0.260 + 0.100	.0370	----	----	----	----	22 UNCH
11255	----	----	----	0.100B/0.301A	----	0.259 + 0.099	.0369	----	----	----	----	1 UNCH
11260	----	----	----	0.099B/0.300A	----	0.259 + 0.099	.0369	----	----	----	----	1 UNCH
11265	----	----	----	0.099B/0.295A	----	0.258 + 0.099	.0368	----	----	----	----	1 UNCH
11275	----	----	----	0.098B/0.299A	----	0.257 + 0.098	.0366	----	----	----	----	1 UNCH
11290	----	----	----	0.097B/0.298A	----	0.256 + 0.098	.0364	----	----	----	----	1 UNCH
11300	----	----	----	0.112B/0.288A	----	0.254 + 0.096	.0362	----	----	----	----	93 UNCH
11305	----	----	----	0.095B/0.246A	----	0.254 + 0.096	.0361	----	----	----	----	1 UNCH
11315	----	----	----	0.095B/0.290A	----	0.253 + 0.096	.0360	----	----	----	----	1 UNCH
11325	----	----	----	0.094B/0.297A	----	0.252 + 0.095	.0358	----	----	----	----	8 UNCH
11335	----	----	----	0.093B/0.296A	----	0.251 + 0.094	.0357	----	----	----	----	2 UNCH
11345	----	----	----	0.092B/0.295A	----	0.250 + 0.094	.0355	----	----	----	----	1 UNCH
11350	----	----	----	0.092B/0.294A	----	0.249 + 0.093	.0354	----	----	----	----	4 UNCH
11365	----	----	----	0.091B/0.285A	----	0.248 + 0.093	.0352	----	----	----	----	1 UNCH
11370	----	----	----	0.090B/0.285A	----	0.247 + 0.092	.0351	----	----	----	----	1 UNCH
11380	----	----	----	0.089B/0.292A	----	0.246 + 0.091	.0349	----	----	----	----	3 UNCH
11385	----	----	----	0.089B/0.284A	----	0.246 + 0.091	.0349	----	----	----	----	1 UNCH
11400	----	----	----	0.102B/0.282A	----	0.244 + 0.090	.0346	----	----	----	----	10 UNCH
11450	----	----	----	0.080B/0.284A	----	0.239 + 0.087	.0339	----	----	----	----	41 UNCH
11455	----	----	----	0.081B/0.280A	----	0.239 + 0.087	.0339	----	----	----	----	1 UNCH
11465	----	----	----	0.080B/0.279A	----	0.238 + 0.086	.0337	----	----	----	----	1 UNCH
11475	----	----	----	0.081B/0.280A	----	0.237 + 0.086	.0336	----	----	----	----	1 UNCH
11480	----	----	----	0.080B/0.278A	----	0.236 + 0.085	.0335	----	----	----	----	1 UNCH
11485	----	----	----	0.080B/0.279A	----	0.236 + 0.085	.0334	----	----	----	----	2 UNCH
11500	0.156	0.156	0.170B/*0.156	0.170B/*0.156	----	0.234 + 0.084	.0332	----	----	1	----	251 UNCH
11505	----	----	----	0.078B/0.275A	----	0.234 + 0.084	.0331	----	----	----	----	2 UNCH
11515	----	----	----	0.077B/0.275A	----	0.233 + 0.083	.0330	----	----	----	----	2 UNCH
11525	----	----	----	0.076B/0.273A	----	0.232 + 0.083	.0328	----	----	----	----	7 UNCH
11530	----	----	----	0.077B/0.273A	----	0.231 + 0.082	.0327	----	----	----	----	10 UNCH
11540	----	----	----	0.076B/0.273A	----	0.230 + 0.081	.0326	----	----	----	----	10 UNCH
11550	----	----	0.164B/----	0.164B/0.273A	----	0.229 + 0.080	.0324	----	----	----	----	22 UNCH
11570	----	----	----	0.073B/0.270A	----	0.228 + 0.080	.0322	----	----	----	----	1 UNCH
11575	----	----	----	0.073B/0.271A	----	0.227 + 0.079	.0321	----	----	----	----	1 UNCH
11595	----	----	----	0.072B/0.269A	----	0.225 + 0.078	.0318	----	----	----	----	1 UNCH
11600	----	----	----	0.086B/0.267A	----	0.225 + 0.078	.0318	----	----	----	----	43 UNCH
11615	----	----	----	0.071B/0.269A	----	0.223 + 0.076	.0315	----	----	----	----	1 UNCH
11625	----	----	----	0.071B/0.269A	----	0.223 + 0.077	.0315	----	----	----	----	2 UNCH
11630	----	----	----	0.069B/0.269A	----	0.222 + 0.076	.0314	----	----	----	----	1 UNCH
11640	----	----	----	0.068B/0.267A	----	0.221 + 0.075	.0312	----	----	----	----	1 UNCH
11650	----	----	----	0.070B/0.263A	----	0.220 + 0.074	.0311	----	----	----	----	2 UNCH
11665	----	----	----	0.064B/0.266A	----	0.219 + 0.074	.0309	----	----	----	----	1 UNCH
11685	----	----	----	0.067B/0.266A	----	0.217 + 0.072	.0306	----	----	----	----	1 UNCH
11690	----	----	----	0.068B/0.266A	----	0.217 + 0.073	.0306	----	----	----	----	1 UNCH
11700	----	----	----	0.086B/0.266A	----	0.216 + 0.072	.0305	----	----	----	----	85 UNCH
11705	----	----	----	0.067B/0.266A	----	0.216 + 0.072	.0305	----	----	----	----	1 UNCH
11725	----	----	----	0.063B/0.264A	----	0.214 + 0.071	.0302	----	----	----	----	6 UNCH
11730	----	----	----	0.065B/0.264A	----	0.213 + 0.070	.0300	----	----	----	----	1 UNCH
11750	----	----	----	0.064B/0.261A	----	0.212 + 0.069	.0299	----	----	----	----	5 UNCH
11775	----	----	----	0.062B/0.260A	----	0.210 + 0.068	.0296	----	----	----	----	2 UNCH
11800	----	----	----	0.075B/0.223A	----	0.208 + 0.066	.0293	----	----	----	----	64 UNCH
11825	----	----	----	0.059B/0.258A	----	0.206 + 0.065	.0290	----	----	----	----	2 UNCH
11850	----	----	----	0.056B/0.257A	----	0.204 + 0.064	.0287	----	----	----	----	3 UNCH
11900	----	----	----	0.065B/0.216A	----	0.200 + 0.061	.0281	----	----	----	----	86 UNCH
11925	----	----	----	0.052B/0.253A	----	0.198 + 0.059	.0278	----	----	----	----	2 UNCH
11950	----	----	----	0.052B/0.253A	----	0.196 + 0.058	.0275	----	----	----	----	5 UNCH
11975	----	----	----	0.048B/0.250A	----	0.194 + 0.057	.0272	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.			DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS													
MAY26															
12000	0.147	0.147	0.204/0.147	0.204/0.147	----	0.192	+	0.055	.0269	----	----	6	----	843	UNCH
12025	----	----	----	0.047B/0.246A	----	0.191	+	0.055	.0267	----	----	----	----	1	UNCH
12050	----	----	----	0.046B/*0.215A	----	0.189	+	0.053	.0264	----	----	----	----	1	UNCH
12075	----	----	----	0.035B/0.244A	----	0.187	+	0.052	.0262	----	----	----	----	1	UNCH
12100	----	----	----	0.046B/0.240A	----	0.185	+	0.050	.0259	----	----	----	----	17	UNCH
12125	----	----	----	0.033B/0.240A	----	0.184	+	0.050	.0257	----	----	----	----	1	UNCH
12150	----	----	----	0.031B/*0.167A	----	0.182	+	0.048	.0254	----	----	----	----	13	UNCH
12175	----	----	----	0.031B/0.238A	----	0.180	+	0.047	.0251	----	----	----	----	1	UNCH
12200	----	----	----	0.039B/0.236A	----	0.179	+	0.046	.0249	----	----	----	----	4	UNCH
12225	----	----	----	0.028B/0.234A	----	0.177	+	0.045	.0247	----	----	----	----	2	UNCH
12250	----	----	----	0.024B/0.234A	----	0.175	+	0.043	.0244	----	----	----	----	3	UNCH
12300	----	----	----	0.027B/0.230A	----	0.172	+	0.041	.0239	----	----	----	----	140	UNCH
12350	----	----	----	0.032B/0.229A	----	0.169	+	0.039	.0235	----	----	----	----	2	UNCH
12375	----	----	----	0.020B/0.227A	----	0.168	+	0.038	.0233	----	----	----	----	1	UNCH
12400	----	----	----	0.026B/0.226A	----	0.166	+	0.037	.0230	----	----	----	----	12	UNCH
12450	----	----	----	0.017B/0.225A	----	0.163	+	0.035	.0226	----	----	----	----	5	UNCH
12500	----	----	----	0.081B/0.221A	----	0.161	+	0.034	.0223	----	----	----	----	329	UNCH
12525	----	----	----	0.025B/*0.195A	----	0.159	+	0.032	.0220	----	----	----	----	2	UNCH
12550	----	----	----	0.013B/0.218A	----	0.158	+	0.031	.0218	----	----	----	----	3	UNCH
12600	----	----	0.129B/----	0.129B/*0.196A	----	0.155	+	0.029	.0214	----	----	----	----	29	UNCH
12650	----	----	----	0.036B/0.216A	----	0.153	+	0.028	.0211	----	----	----	----	3	UNCH
12675	----	----	----	0.039B/0.216A	----	0.151	+	0.027	.0208	----	----	----	----	3	UNCH
12700	----	----	----	0.009B/0.211A	----	0.150	+	0.026	.0207	----	----	----	----	5	UNCH
12725	----	----	----	0.007B/0.212A	----	0.149	+	0.026	.0205	----	----	----	----	1	UNCH
12775	----	----	----	0.007B/0.210A	----	0.146	+	0.023	.0201	----	----	----	----	2	UNCH
12800	----	----	----	0.037B/0.210A	----	0.145	+	0.023	.0199	----	----	----	----	30	UNCH
12900	----	----	----	0.031B/0.206A	----	0.141	+	0.021	.0193	----	----	----	----	73	UNCH
13000	0.133	0.133	0.143/*0.113	0.143/*0.113	----	0.136	+	0.018	.0186	----	----	4	----	281	UNCH
13100	----	----	----	0.007B/0.198A	----	0.132	+	0.016	.0180	----	----	----	----	3	UNCH
13200	----	----	----	0.007B/0.171A	----	0.128	+	0.014	.0174	----	----	----	----	44	UNCH
13300	----	----	----	0.007B/0.192A	----	0.124	+	0.012	.0168	----	----	----	----	3	UNCH
13400	----	----	----	0.007B/0.188A	----	0.121	+	0.011	.0164	----	----	----	----	3	UNCH
13500	----	----	----	0.007B/0.184A	----	0.117	+	0.009	.0158	----	----	----	----	64	UNCH
13600	----	----	----	0.008B/0.132A	----	0.114	+	0.008	.0153	----	----	----	----	19	UNCH
13700	----	----	----	0.006B/0.180A	----	0.111	+	0.007	.0149	----	----	----	----	76	UNCH
13800	----	----	----	0.011B/*0.166A	----	0.108	+	0.006	.0145	----	----	----	----	39	UNCH
13900	----	----	----	0.008B/0.137A	----	0.105	+	0.005	.0140	----	----	----	----	4	UNCH
14000	0.080	0.080	0.101/0.080	0.101/0.080	----	0.103	+	0.005	.0137	----	----	4	----	399	- 1
14100	----	----	----	0.005B/0.140A	----	0.100	+	0.004	.0133	----	----	----	----	27	UNCH
14200	----	----	----	0.004B/0.178A	----	0.098	+	0.004	.0130	----	----	1	----	41	- 1
14300	----	----	----	0.004B/0.182A	----	0.095	+	0.004	.0125	----	----	----	----	6	UNCH
14400	----	----	----	0.004B/0.187A	----	0.093	+	0.004	.0122	----	----	----	----	13	UNCH
14500	----	----	----	0.004B/0.194A	----	0.091	+	0.004	.0119	----	----	----	----	117	UNCH
14600	----	----	----	0.004B/0.191A	----	0.089	+	0.004	.0116	----	----	----	----	55	UNCH
14700	----	----	----	0.005B/0.195A	----	0.087	+	0.004	.0113	----	----	----	----	9	UNCH
14800	----	----	----	0.004B/0.183A	----	0.085	+	0.004	.0111	----	----	----	----	61	UNCH
14900	----	----	----	0.004B/0.184A	----	0.083	+	0.004	.0108	----	----	----	----	3	UNCH
15000	----	----	----	0.005B/0.103A	----	0.081	+	0.004	.0105	----	----	----	----	449	UNCH
15100	----	----	----	0.005B/0.186A	----	0.079	+	0.004	.0102	----	----	----	----	9	UNCH
15200	----	----	----	0.013B/0.182A	----	0.078	+	0.005	.0100	----	----	----	----	54	UNCH
15300	----	----	----	0.005B/0.188A	----	0.076	+	0.005	.0098	----	----	----	----	11	UNCH
15500	----	----	----	0.003B/0.169A	----	0.073	+	0.005	.0093	----	----	----	----	115	UNCH
15600	----	----	----	0.002B/0.186A	----	0.072	+	0.006	.0092	----	----	----	----	1	UNCH
15700	----	----	----	0.001B/0.186A	----	0.070	+	0.006	.0089	----	----	----	----	19	UNCH
15800	----	----	----	0.001B/0.185A	----	0.069	+	0.006	.0087	----	----	----	----	14	UNCH
15900	----	----	----	0.001B/0.184A	----	0.068	+	0.007	.0086	----	----	----	----	14	UNCH
16000	----	----	----	0.050B/0.183A	----	0.066	+	0.007	.0083	----	----	----	----	721	UNCH
16100	----	----	----	0.001B/*0.183A	----	0.065	+	0.007	.0082	----	----	----	----	6	UNCH
16200	----	----	----	0.001B/0.182A	----	0.064	+	0.008	.0080	----	----	----	----	1	UNCH
16300	----	----	----	0.001B/*0.181A	----	0.063	+	0.008	.0079	----	----	----	----	1	UNCH
16400	----	----	----	0.001B/*0.180A	----	0.062	+	0.009	.0077	----	----	----	----	2	UNCH
16500	----	----	----	0.001B/*0.180A	----	0.061	+	0.009	.0076	----	----	----	----	56	UNCH
16600	----	----	----	0.001B/*0.179A	----	0.060	+	0.010	.0074	----	----	----	----	3	UNCH
16700	----	----	----	0.001B/*0.179A	----	0.059	+	0.010	.0073	----	----	----	----	5	UNCH
16800	----	----	----	0.001B/*0.178A	----	0.058	+	0.010	.0071	----	----	----	----	6	UNCH
16900	----	----	----	0.001B/*0.177A	----	0.057	+	0.010	.0070	----	----	----	----	67	UNCH
17000	----	----	----	0.001B/*0.177A	----	0.056	+	0.011	.0069	----	----	----	----	67	UNCH
17100	----	----	----	0.001B/*0.176A	----	0.055	+	0.011	.0067	----	----	----	----	8	UNCH
17200	----	----	----	0.001B/*0.175A	----	0.054	+	0.011	.0066	----	----	----	----	6	UNCH
17300	----	----	----	0.001B/*0.173A	----	0.053	+	0.011	.0065	----	----	----	----	5	UNCH
17400	----	----	----	0.001B/*0.171A	----	0.052	+	0.011	.0063	----	----	----	----	6	UNCH
17500	----	----	----	0.001B/0.070A	----	0.051	+	0.011	.0062	----	----	----	----	96	UNCH
17600	----	----	----	0.001B/*0.168A	----	0.051	+	0.012	.0062	----	----	----	----	7	UNCH
17700	----	----	----	0.001B/*0.166A	----	0.050	+	0.012	.0060	----	----	----	----	9	UNCH
17800	----	----	----	0.001B/*0.165A	----	0.049	+	0.012	.0059	----	----	----	----	8	UNCH
17900	----	----	----	0.001B/0.131A	----	0.048	+	0.012	.0058	----	----	----	----	3	UNCH
18000	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.048	+	0.012	.0057	----	----	2	----	54	- 2
18100	----	----	----	0.001B/*0.161A	----	0.047	+	0.012	.0056	----	----	----	----	1	UNCH
18200	----	----	----	0.001B/*0.159A	----	0.046	+	0.012	.0055	----	----	----	----	11	UNCH
18300	----	----	----	0.001B/*0.158A	----	0.045	+	0.012	.0054	----	----	----	----	5	UNCH
18400	----	----	----	0.001B/*0.157A	----	0.045	+	0.012	.0053	----	----	----	----	2	UNCH
18500	----	----	----	0.001B/0.156A	----	0.044	+	0.012	.0052	----	----	----	----	11	UNCH
18700	----	----	----	0.001B/*0.153A	----	0.043	+	0.012	.0051	----	----	----	----	8	UNCH
18800	----	----	----	0.001B/*0.152A	----	0.042	+	0.012	.0050	----	----	----	----	6	UNCH
18900	----	----	----	0.001B/*0.151A	----	0.042	+	0.013	.0049	----	----	----	----	3	UNCH
19000	----	----	----	0.001B/*0.150A	----	0.041	+	0.012	.0048	----	----	----	----	51	UNCH
19100	----	----	----	0.001B/*0.148A	----	0.040	+	0.012	.0047	----	----	----	----	74	UNCH
19200	----	----	----	0.001B/*0.148A	----	0.040	+	0.013	.0047	----	----	----	----	130	UNCH
19300	----	----	----	0.001B/*0.147A	----	0.039	+	0.012	.0046	----	----	----	----	6	UNCH
19400	----	----	----	0.001B/*0.145A	----	0.039	+	0.013	.0045	----	----	----	----	66	UNCH
19500	----	----	----	0.001B/*0.144A	----	0.038	+	0.012	.0044	----	----	----	----	96	UNCH
19700	----	----	----	0.001B/*0.142A	----	0.037	+	0.012	.0043	----	----	----	----	2	UNCH
19800	----	----	----	0.001B/*0.141A	----	0.036	+	0.012	.0042	----	----	----	----	10	UNCH
19900	----	----	----	0.001B/0.140A	----	0.036	+	0.012	.0042	----	----	----	----	11	UNCH
20000	0.026	0.026	0.026/*0.026	0.026/*0.026	----	0.035	+	0.012	.0040	----	----	1	----	392	UNCH
21000	----	----	----	----/0.100A	----	0.030	+	0.012	.0034	----	----	----	----	15	UNCH
22000	----	----	----	----/0.161A	----	0.026	+	0.012	.0029	----	----	----	----	10	UNCH
23000	----	----	----	----/0.160A	----	0.022	+	0.011	.0024	----	----	----	----	6	UNCH
24000	----	----	----	0.008B/0.031A	----	0.020	+	0.012	.0022	----	----	----	----	1	UNCH
25000	0.019	0.019	0.020/0.019	0.020/0.019	----	0.017	+	0.011	.0018	----	----	12	----	90	+ 9
TOTAL												555	25	22625	+ 17
JUN26															
4300	----	----	29.211B/----	29.211B/25.884A	----	27.798	+	1.978	.9494	----	----	----	----	20	UNCH
4850	----	----	24.103B/----	24.103B/20.838A	----	22.765	+	2.015	.9119	----	----	----	----	7	UNCH
4900	----	----	23.648B/----	23.648B/20.429A	----	22.325	+	2.018	.9074	----	----	----	----	9	UNCH
5000	----	----	22.891B/----	22.891B/19.525A	----	21.455	+	2.021	.8977	----	----	----	----	350	UNCH
5025	----	----	22.539B/----	22.539B/19.317A	----	21.240	+	2.020	.8952	----	----	----	----	6	UNCH
5050	----	----	22.311B/----	22.311B/19.493A	----	21.025	+	2.019	.8926	----	----	----	----	1	UNCH
5200	----	----	21.142B/----	21.142B/17.846A	----	19.754	+	2.008	.8761	----	----	----	----	77	UNCH
5225	----	----	20.777B/----	20.777B/18.053A	----	19.545	+	2.006	.8732	----	----	----	----	4	UNCH
5275	----	----	20.347B/----	20.347B/17.227A	----	19.130	+	2.001	.8672	----	----	----	----	7	UNCH
5300	----	----	20.137B/----	20.137B/17.448A	----	18.923	+	1.998	.8642	----	----	----	----	3	UNCH
5325	----	----	19.923B/----	19.923B/17.248A	----	18.717	+	1.994	.8611	----	----	----	----	5	UNCH
5350	----	----	19.713B/----	19.713B/16.677A	----	18.512	+	1.991	.8580	----	----	----	----	7	UNCH
5400	----	----	19.297B/----	19.297B/16.650A	----	18.106	+	1.985	.8516	----	----	----	----	2	UNCH
5425	----	----	19.075B/----	19.075B/16.023A	----	17.903	+	1.981	.8483	----	----	----	----	9	UNCH
5500	----	----	18.613B/----	18.613B/15.438A	----	17.303	+	1.969	.8382	----	----	----	----	341	UNCH
5525	----	----	18.242B/----	18.242B/15.675A	----	17.105	+	1.965	.8347	----	----	----	----	2	UNCH
5600	----	----	17.637B/----	17.637B/14.662A	----	16.516	+	1.950	.8240	----	----	----	----	7	UNCH
5625	----	----	17.437B/----	17.437B/14.551A	----	16.322	+	1.945	.8204	----	----	----	----	11	UNCH
5675	----	----	17.043B/----	17.043B/14.545A	----	15.937	+	1.934	.8129	----	----	----	----	1	UNCH
5700	----	----	17.009B/----	17.009B/13.929A	----	15.747	+	1.929	.8091	----	----	----	----	56	UNCH
5725	----	----	16.650B/----	16.650B/13.813A	----	15.557	+	1.922	.8053	----	----	----	----	10	UNCH
5750	----	----	16.463B/----	16.463B/13.557A	----	15.368	+	1.916	.8014	----	----	----	----	13	UNCH
5775	----	----	16.259B/----	16.259B/13.808A	----	15.181	+	1.910	.7974	----	----	----	----	1	UNCH
5800	----	----	16.065B/----	16.065B/13.640A	----	14.995	+	1.903	.7934	----	----	----	----	2	UNCH
5825	----	----	15.873B/----	15.873B/13.464A	----	14.810	+	1.897	.7894	----	----	----	----	1	UNCH
5850	----	----	15.683B/----	15.683B/12.845A	----	14.627	+	1.891	.7853	----	----	----	----	9	UNCH
5900	----	----	15.302B/----	15.302B/12.946A	----	14.263	+	1.876	.7770	----	----	----	----	4	UNCH
5925	----	----	15.127B/----	15.127B/12.395A	----	14.083	+	1.868	.7727	----	----	----	----	17	UNCH
6000	----	----	14.725B/----	14.725B/11.820A	----	13.551	+	1.845	.7598	----	----	----	----	401	UNCH
6025	----	----	14.396B/----	14.396B/11.720A	----	13.377	+	1.837	.7553	----	----	----	----	7	UNCH
6050	----	----	14.190B/----	14.190B/11.945A	----	13.204	+	1.829	.7509	----	----	----	----	4	UNCH
6075	----	----	14.098B/----	14.098B/11.348A	----	13.032	+	1.821	.7464	----	----	----	----	30	UNCH
6100	----	----	13.861B/----	13.861B/11.229A	----	12.862	+	1.812	.7419	----	----	----	----	16	UNCH
6200	----	----	13.305B/----	13.305B/10.531A	----	12.195	+	1.776	.7233	----	----	----	----	101	UNCH
6225	----	----	12.959B/----	12.959B/10.842A	----	12.032	+	1.767	.7185	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
6250	----	----	12.788B/----	12.788B/10.690A	----	11.870 + 1.757	.7138	----	----	----	----	4 UNCH
6300	----	----	12.452B/----	12.452B/10.378A	----	11.552 + 1.737	.7041	----	----	----	----	4 UNCH
6400	----	----	11.978B/----	11.978B/9.342A	----	10.934 + 1.696	.6844	----	----	----	----	110 UNCH
6425	----	----	11.724B/----	11.724B/9.213A	----	10.784 + 1.686	.6794	----	----	----	----	25 UNCH
6450	----	----	11.578B/----	11.578B/9.090A	----	10.635 + 1.675	.6744	----	----	----	----	6 UNCH
6475	----	----	11.302B/----	11.302B/9.391A	----	10.488 + 1.665	.6693	----	----	----	----	5 UNCH
6500	----	----	11.252B/----	11.252B/8.815A	----	10.342 + 1.654	.6643	----	----	----	----	11 UNCH
6625	----	----	10.527B/----	10.527B/8.123A	----	9.638 + 1.598	.6386	----	----	----	----	10 UNCH
6700	----	----	9.979B/----	9.979B/7.952A	----	9.235 + 1.564	.6230	----	----	----	----	1 UNCH
6725	----	----	9.816B/----	9.816B/7.862A	----	9.104 + 1.552	.6178	----	----	----	----	1 UNCH
6750	----	----	9.676B/----	9.676B/7.749A	----	8.975 + 1.541	.6126	----	----	----	----	3 UNCH
6800	----	----	9.555B/----	9.555B/7.270A	----	8.721 + 1.517	.6021	----	----	----	----	6 UNCH
6850	----	----	9.149B/----	9.149B/7.039A	----	8.473 + 1.493	.5917	----	----	----	----	5 UNCH
6900	----	----	9.032B/----	9.032B/6.823A	----	8.231 + 1.469	.5812	----	----	4	----	16 + 4
6925	----	----	8.926B/----	8.926B/6.756A	----	8.113 + 1.457	.5760	----	----	----	----	9 UNCH
6975	----	----	8.709B/----	8.709B/6.518A	----	7.881 + 1.433	.5655	----	----	----	----	7 UNCH
7000	7.688	7.688	8.617B/6.336A	8.617B/6.336A	----	7.767 + 1.420	.5603	----	----	5	----	131 + 5
7025	----	----	8.410B/----	8.410B/6.270A	----	7.655 + 1.408	.5551	----	----	----	----	1 UNCH
7050	----	----	8.269B/----	8.269B/6.191A	----	7.545 + 1.397	.5499	----	----	----	----	1 UNCH
7100	----	----	8.019B/----	8.019B/5.985A	----	7.328 + 1.372	.5395	----	----	2	----	7 + 2
7250	6.041	6.041	7.463B/6.041	7.463B/5.448A	----	6.714 + 1.299	.5089	----	----	1	----	4 + 1
7275	----	----	7.358B/----	7.358B/5.365A	----	6.617 + 1.287	.5039	----	----	----	----	1 UNCH
7300	----	----	7.247B/----	7.247B/5.280A	----	6.521 + 1.275	.4989	----	----	----	----	3 UNCH
7375	----	----	6.956B/----	6.956B/5.028A	----	6.242 + 1.238	.4840	----	----	----	----	3 UNCH
7400	----	----	6.845B/----	6.845B/4.961A	----	6.151 + 1.226	.4791	----	----	----	----	3 UNCH
7425	----	----	6.779B/----	6.779B/4.879A	----	6.062 + 1.214	.4742	----	----	----	----	11 UNCH
7450	----	----	6.688B/----	6.688B/4.808A	----	5.975 + 1.202	.4694	----	----	----	----	1 UNCH
7475	----	----	6.602B/----	6.602B/4.736A	----	5.889 + 1.191	.4645	----	----	----	----	1 UNCH
7500	6.060	6.060	6.555B/4.615A	6.555B/4.615A	----	5.804 + 1.179	.4597	----	----	1	----	133 + 1
7525	----	----	6.413B/----	6.413B/4.594A	----	5.720 + 1.167	.4550	----	----	----	----	4 UNCH
7550	----	----	6.323B/----	6.323B/4.520A	----	5.638 + 1.155	.4503	----	----	----	----	22 UNCH
7575	----	----	6.233B/----	6.233B/4.453A	----	5.557 + 1.144	.4456	----	----	----	----	1 UNCH
7600	----	----	6.143B/----	6.143B/4.377A	----	5.477 + 1.132	.4409	----	----	----	----	18 UNCH
7675	----	----	5.885B/----	5.885B/4.180A	----	5.245 + 1.097	.4271	----	----	----	----	2 UNCH
7700	4.556	4.556	5.859B/4.079A	5.859B/4.079A	----	5.170 + 1.086	.4226	----	----	2	----	53 + 2
7725	----	----	5.721B/----	5.721B/4.052A	----	5.096 + 1.074	.4181	----	----	----	----	4 UNCH
7750	----	----	5.639B/----	5.639B/3.989A	----	5.023 + 1.063	.4136	----	----	----	----	9 UNCH
7775	----	----	5.559B/----	5.559B/3.935A	----	4.952 + 1.052	.4092	----	----	----	----	1 UNCH
7800	----	----	5.477B/----	5.477B/3.864A	----	4.881 + 1.040	.4048	----	----	1	----	6 + 1
7825	----	----	5.404B/----	5.404B/3.814A	----	4.812 + 1.030	.4005	----	----	----	----	1 UNCH
7850	----	----	5.328B/----	5.328B/3.743A	----	4.744 + 1.019	.3962	----	----	----	----	1 UNCH
7900	----	----	5.228B/----	5.228B/3.615A	----	4.611 + 0.997	.3877	----	----	----	----	66 UNCH
7925	----	----	5.107B/----	5.107B/3.583A	----	4.546 + 0.987	.3835	----	----	----	----	1 UNCH
7975	----	----	4.966B/----	4.966B/3.477A	----	4.419 + 0.965	.3752	----	----	----	----	1 UNCH
8000	3.570	3.570	5.045B/3.409A	5.045B/3.409A	----	4.357 + 0.955	.3711	----	----	68	----	176 + 27
8025	----	----	4.829B/----	4.829B/*3.369A	----	4.296 + 0.944	.3671	----	----	----	----	3 UNCH
8050	----	----	4.804B/----	4.804B/3.313A	----	4.236 + 0.934	.3631	----	----	----	----	57 UNCH
8075	----	----	4.695B/----	4.695B/3.279A	----	4.177 + 0.924	.3591	----	----	----	----	2 UNCH
8100	----	----	4.630B/----	4.630B/3.225A	----	4.119 + 0.913	.3552	----	----	3	----	9 + 2
8125	----	----	4.566B/----	4.566B/*3.178A	----	4.062 + 0.903	.3513	----	----	----	----	2 UNCH
8150	----	----	4.504B/----	4.504B/3.131A	----	4.006 + 0.894	.3475	----	----	----	----	10 UNCH
8200	----	----	4.379B/----	4.379B/3.050A	----	3.896 + 0.874	.3399	----	----	1	----	3 + 1
8225	----	----	4.319B/----	4.319B/*3.001A	----	3.843 + 0.864	.3362	----	----	----	----	2 UNCH
8250	----	----	4.260B/----	4.260B/2.959A	----	3.790 + 0.854	.3325	----	----	----	----	15 UNCH
8275	----	----	4.203B/----	4.203B/2.923A	----	3.739 + 0.846	.3289	----	----	----	----	19 UNCH
8300	----	----	4.181B/----	4.181B/2.876A	----	3.688 + 0.836	.3253	----	----	----	----	85 UNCH
8350	----	----	4.033B/----	4.033B/*2.796A	----	3.588 + 0.817	.3181	----	----	----	----	8 UNCH
8375	----	----	3.977B/----	3.977B/2.779A	----	3.540 + 0.808	.3147	----	----	----	----	4 UNCH
8400	----	----	3.922B/----	3.922B/2.731A	----	3.492 + 0.799	.3112	----	----	----	----	7 UNCH
8425	----	----	3.923B/----	3.923B/2.683A	----	3.445 + 0.790	.3078	----	----	----	----	50 UNCH
8450	----	----	3.818B/----	3.818B/2.654A	----	3.399 + 0.781	.3044	----	----	----	----	18 UNCH
8475	----	----	3.768B/----	3.768B/*2.610A	----	3.354 + 0.773	.3011	----	----	----	----	6 UNCH
8500	2.725	2.725	3.767B/2.576A	3.767B/2.576A	----	3.309 + 0.764	.2978	----	----	41	----	217 + 40
8550	----	----	3.615B/----	3.615B/*2.513A	----	3.222 + 0.747	.2913	----	----	----	----	4 UNCH
8575	----	----	3.567B/----	3.567B/2.474A	----	3.180 + 0.739	.2881	----	----	----	----	4 UNCH
8600	----	----	3.520B/----	3.520B/2.451A	----	3.138 + 0.731	.2849	----	----	----	----	5 UNCH
8625	----	----	3.478B/----	3.478B/2.407A	----	3.097 + 0.723	.2818	----	----	----	----	3 UNCH
8675	----	----	3.387B/----	3.387B/2.357A	----	3.017 + 0.707	.2757	----	----	----	----	5 UNCH
8700	----	----	3.357B/----	3.357B/*2.309A	----	2.978 + 0.699	.2727	----	----	----	----	28 UNCH
8725	----	----	3.299B/----	3.299B/2.279A	----	2.939 + 0.691	.2697	----	----	----	----	2 UNCH
8750	----	----	3.257B/----	3.257B/*2.248A	----	2.902 + 0.684	.2668	----	----	----	----	13 UNCH
8775	----	----	3.212B/----	3.212B/2.234A	----	2.864 + 0.675	.2639	----	----	----	----	1 UNCH
8800	----	----	3.175B/----	3.175B/2.205A	----	2.828 + 0.669	.2610	----	----	3	----	24 + 3
8825	----	----	3.132B/----	3.132B/*2.165A	----	2.792 + 0.661	.2582	----	----	----	----	2 UNCH
8850	----	----	3.089B/----	3.089B/2.131A	----	2.756 + 0.653	.2554	----	----	----	----	11 UNCH
8875	2.754	2.754	3.052B/2.754	3.052B/*2.121A	----	2.722 NEW	.2527	----	----	1	----	1 + 1
8900	----	----	3.011B/----	3.011B/2.077A	----	2.687 + 0.639	.2499	----	----	----	----	9 UNCH
8950	----	----	2.938B/----	2.938B/*2.022A	----	2.620 + 0.625	.2446	----	----	----	----	2 UNCH
8975	----	----	2.900B/----	2.900B/1.997A	----	2.588 + 0.619	.2420	----	----	----	----	4 UNCH
9000	2.891	2.891	2.902B/2.891	2.902B/1.970A	----	2.556 + 0.613	.2394	----	----	18	----	427 + 3
9025	----	----	2.822B/----	2.822B/1.958A	----	2.524 + 0.606	.2368	----	----	----	----	2 UNCH
9050	----	----	2.788B/----	2.788B/1.910A	----	2.493 + 0.599	.2343	----	----	----	----	12 UNCH
9100	1.850	1.850	2.754B/1.850	2.754B/1.850	----	2.432 + 0.586	.2293	----	----	1	----	326 - 1
9125	----	----	2.683B/----	2.683B/*1.836A	----	2.403 + 0.581	.2269	----	----	----	----	2 UNCH
9150	----	----	2.682B/----	2.682B/1.813A	----	2.373 + 0.574	.2244	----	----	----	----	100 UNCH
9175	----	----	2.617B/----	2.617B/*1.788A	----	2.345 + 0.568	.2221	----	----	----	----	1 UNCH
9200	1.890	1.890	2.622B/1.765A	2.622B/1.765A	----	2.316 + 0.562	.2197	----	----	3	----	98 + 2
9225	----	----	2.556B/----	2.556B/*1.751A	----	2.289 + 0.557	.2174	----	----	----	----	2 UNCH
9250	----	----	2.521B/----	2.521B/*1.726A	----	2.261 + 0.550	.2151	----	----	----	----	3 UNCH
9275	----	----	2.490B/----	2.490B/*1.704A	----	2.234 + 0.544	.2128	----	----	----	----	7 UNCH
9300	----	----	2.470B/----	2.470B/*1.678A	----	2.208 + 0.539	.2106	----	----	3	----	31 + 3
9350	----	----	2.407B/----	2.407B/1.650A	----	2.156 + 0.528	.2063	----	----	----	----	16 UNCH
9375	----	----	2.371B/----	2.371B/*1.628A	----	2.131 + 0.523	.2041	----	----	----	----	16 UNCH
9400	----	----	2.346B/----	2.346B/1.620A	----	2.106 + 0.517	.2020	----	----	----	----	21 UNCH
9425	----	----	2.313B/----	2.313B/1.600A	----	2.081 + 0.512	.1999	----	----	----	----	22 UNCH
9450	----	----	2.288B/----	2.288B/1.582A	----	2.057 + 0.507	.1978	----	----	----	----	4 UNCH
9475	----	----	2.258B/----	2.258B/1.584A	----	2.033 + 0.501	.1958	----	----	----	----	17 UNCH
9500	----	----	2.233B/----	2.233B/1.589A	----	2.010 + 0.497	.1938	----	----	1	----	229 UNCH
9600	----	----	2.116B/----	2.116B/1.516A	----	1.919 + 0.477	.1859	----	----	----	----	16 UNCH
9625	----	----	2.072B/----	2.072B/1.501A	----	1.898 + 0.473	.1840	----	----	----	----	4 UNCH
9650	----	----	2.053B/----	2.053B/*1.478A	----	1.876 + 0.468	.1821	----	----	----	----	1 UNCH
9675	----	----	2.029B/----	2.029B/1.460A	----	1.855 + 0.463	.1803	----	----	----	----	2 UNCH
9700	----	----	2.022B/----	2.022B/1.442A	----	1.834 + 0.459	.1785	----	----	----	----	36 UNCH
9750	----	----	1.977B/----	1.977B/1.409A	----	1.794 + 0.451	.1749	----	----	----	----	28 UNCH
9800	----	----	1.911B/----	1.911B/1.377A	----	1.754 + 0.442	.1714	----	----	----	----	4 UNCH
9850	----	----	1.868B/----	1.868B/1.346A	----	1.716 + 0.434	.1680	----	----	1	----	2 + 1
9875	----	----	1.846B/----	1.846B/1.331A	----	1.697 + 0.430	.1663	----	----	----	----	10 UNCH
9900	----	----	1.825B/----	1.825B/1.313A	----	1.678 + 0.426	.1646	----	----	1	----	12 + 1
9925	----	----	1.804B/----	1.804B/*1.296A	----	1.660 + 0.422	.1630	----	----	----	----	1 UNCH
9950	----	----	1.776B/----	1.776B/1.282A	----	1.642 + 0.418	.1614	----	----	----	----	2 UNCH
9975	----	----	1.761B/----	1.761B/1.268A	----	1.624 + 0.414	.1598	----	----	----	----	4 UNCH
10000	1.650	1.650	1.775B/1.650	1.775B/1.252A	----	1.607 + 0.411	.1582	----	----	40	----	619 + 33
10025	----	----	1.719B/----	1.719B/*1.237A	----	1.590 + 0.408	.1567	----	----	----	----	4 UNCH
10050	----	----	1.700B/----	1.700B/1.223A	----	1.573 + 0.404	.1551	----	----	----	----	3 UNCH
10075	----	----	1.683B/----	1.683B/1.208A	----	1.556 + 0.401	.1536	----	----	----	----	4 UNCH
10100	----	----	1.663B/----	1.663B/1.196A	----	1.539 + 0.397	.1521	----	----	----	----	13 UNCH
10175	----	----	1.600B/----	1.600B/*1.153A	----	1.491 + 0.388	.1477	----	----	----	----	1 UNCH
10200	----	----	1.585B/----	1.585B/*1.141A	----	1.475 + 0.384	.1462	----	----	----	----	5 UNCH
10300	1.395	1.395	1.520B/1.395	1.520B/*1.091A	----	1.414 + 0.372	.1406	----	----	1	----	7 UNCH
10375	----	----	1.476B/----	1.476B/*1.055A	----	1.370 + 0.362	.1366	----	----	----	----	1 UNCH
10400	----	----	1.460B/----	1.460B/1.044A	----	1.356 + 0.360	.1353	----	----	----	----	4 UNCH
10425	----	----	1.444B/----	1.444B/*1.032A	----	1.342 + 0.357	.1340	----	----	----	----	1 UNCH
10450	----	----	1.428B/----	1.428B/1.021A	----	1.328 + 0.354	.1327	----	----	----	----	3 UNCH
10475	----	----	1.414B/----	1.414B/1.010A	----	1.315 + 0.352	.1315	----	----	----	----	2 UNCH
10500	----	----	1.400B/----	1.400B/0.998A	----	1.301 + 0.348	.1302	----	----	10	----	330 + 10
10525	----	----	1.383B/----	1.383B/*0.989A	----	1.288 + 0.346	.1290	----	----	----	----	12 UNCH
10550	----	----	1.370B/----	1.370B/0.978A	----	1.275 + 0.343	.1278	----	----	----	----	2 UNCH
10600	----	----	1.340B/----	1.340B/0.959A	----	1.249 + 0.338	.1254	----	----	10	----	37 + 10
10625	----	----	1.326B/----	1.326B/*0.952A	----	1.237 + 0.336	.1242	----	----	----	----	1 UNCH
10650	----	----	1.313B/----	1.313B/0.951A	----	1.224 + 0.333	.1230	----	----	----	----	3 UNCH
10700	----	----	1.284B/----	1.284B/0.968A	----	1.200 + 0.328	.1207	----	----	----	----	9 UNCH
10750	----	----	1.281B/----	1.281B/0.976A	----	1.176 + 0.323	.1185	----	----	----	----	4 UNCH
10800	----	----	1.251B/----	1.251B/0.949A	----	1.153 + 0.319	.1163	----	----	----	----	2 UNCH
10850	----	----	1.142B/----	1.142B/0.936A	----	1.131 + 0.315	.1142	----	----	----	----	12 UNCH
10875	0.979	0.979	1.215B/0.979	1.215B/*0.918A	----	1.119 + 0.312	.1131	----	----	6	----	6 - 1
10900	----	----	1.204B/----	1.204B/0.919A	----	1.109 + 0.310	.1121	----	----	----	----	20 UNCH
10925	----	----	1.192B/----	1.192B/*0.901A	----	1.098 + 0.308	.1111	----	----	----	----	1 UNCH
10950	----	----	1.176B/----	1.176B/*0.897A	----	1.087 + 0.305	.1101	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS											
JUN26													
11000	0.950	0.950	1.154B/0.950	1.154B/0.855A	----	1.066	+ 0.301	.1081	----	----	171	----	493 + 16
11025	----	----	1.146B/----	1.146B/0.806A	----	1.056	+ 0.299	.1071	----	----	----	----	1 UNCH
11050	----	----	1.135B/----	1.135B/0.836A	----	1.046	+ 0.297	.1061	----	----	----	----	4 UNCH
11075	----	----	1.123B/----	1.123B/0.791A	----	1.036	+ 0.295	.1052	----	----	----	----	5 UNCH
11100	----	----	1.112B/----	1.112B/*0.799A	----	1.026	+ 0.293	.1042	----	----	----	----	1 UNCH
11125	----	----	1.056B/----	1.056B/0.777A	----	1.017	+ 0.292	.1033	----	----	----	----	5 UNCH
11175	----	----	1.074B/----	1.074B/0.761A	----	0.997	+ 0.287	.1014	----	----	----	----	2 UNCH
11200	----	----	1.027B/----	1.027B/*0.779A	----	0.988	+ 0.285	.1006	----	----	----	----	2 UNCH
11225	----	----	1.058B/----	1.058B/0.749A	----	0.979	+ 0.284	.0997	----	----	----	----	3 UNCH
11300	----	----	0.969B/----	0.969B/0.752A	----	0.952	+ 0.278	.0971	----	----	----	----	2 UNCH
11325	0.833	0.833	0.976B/0.833	0.976B/0.724A	----	0.943	+ 0.276	.0962	----	----	1	----	6 + 1
11350	----	----	0.969B/----	0.969B/0.738A	----	0.935	+ 0.275	.0954	----	----	----	----	3 UNCH
11375	0.817	0.817	0.994B/0.817	0.994B/0.711A	----	0.926	NEW	.0945	----	----	1	----	1 + 1
11400	----	----	0.983B/----	0.983B/0.750A	----	0.918	+ 0.271	.0938	----	----	----	----	163 UNCH
11425	0.801	0.801	0.973B/0.801	0.973B/0.696A	----	0.909	+ 0.269	.0929	----	----	1	----	12 + 1
11450	0.793	0.793	0.967B/0.793	0.967B/0.745A	----	0.901	+ 0.267	.0921	----	----	1	----	13 + 1
11475	----	----	0.955B/----	0.955B/0.685A	----	0.893	+ 0.265	.0913	----	----	----	----	2 UNCH
11500	----	----	0.945B/----	0.945B/0.724A	----	0.885	+ 0.264	.0905	----	----	----	----	152 UNCH
11525	----	----	0.941B/----	0.941B/0.674A	----	0.877	+ 0.262	.0898	----	----	----	----	4 UNCH
11550	----	----	0.927B/----	0.927B/0.730A	----	0.869	+ 0.260	.0890	----	----	----	----	1 UNCH
11625	----	----	0.888B/----	0.888B/0.653A	----	0.846	+ 0.255	.0867	----	----	----	----	1 UNCH
11675	----	----	0.872B/----	0.872B/0.641A	----	0.831	+ 0.251	.0853	----	----	----	----	2 UNCH
11700	----	----	0.868B/----	0.868B/0.671A	----	0.824	+ 0.250	.0846	----	----	----	----	3 UNCH
11725	----	----	0.851B/----	0.851B/0.630A	----	0.817	+ 0.248	.0839	----	----	----	----	2 UNCH
11750	----	----	0.844B/----	0.844B/0.674A	----	0.810	+ 0.247	.0832	----	----	----	----	21 UNCH
11775	----	----	0.841B/----	0.841B/0.623A	----	0.803	+ 0.245	.0825	----	----	----	----	2 UNCH
11800	----	----	0.834B/----	0.834B/*0.620A	----	0.796	+ 0.243	.0818	----	----	----	----	4 UNCH
11850	----	----	0.813B/----	0.813B/0.634A	----	0.783	+ 0.241	.0805	----	----	----	----	5 UNCH
11900	----	----	0.802B/----	0.802B/*0.604A	----	0.769	+ 0.237	.0791	----	----	----	----	1 UNCH
11925	----	----	0.794B/----	0.794B/0.589A	----	0.763	+ 0.236	.0785	----	----	----	----	8 UNCH
11950	----	----	0.786B/----	0.786B/*0.627A	----	0.757	+ 0.234	.0779	----	----	----	----	1 UNCH
12000	0.600	0.600	0.773B/0.550	0.773B/0.550	----	0.744	+ 0.231	.0766	----	----	15	----	419 UNCH
12025	----	----	0.764B/----	0.764B/*0.574A	----	0.738	+ 0.229	.0760	----	----	----	----	11 UNCH
12125	----	----	0.735B/----	0.735B/0.581A	----	0.714	+ 0.223	.0736	----	----	----	----	1 UNCH
12200	----	----	0.717B/----	0.717B/*0.572A	----	0.697	+ 0.219	.0719	----	----	----	----	13 UNCH
12225	----	----	0.711B/----	0.711B/0.562A	----	0.692	+ 0.218	.0714	----	----	----	----	7 UNCH
12275	----	----	0.700B/----	0.700B/0.556A	----	0.681	+ 0.215	.0703	----	----	----	----	1 UNCH
12325	----	----	0.686B/----	0.686B/0.548A	----	0.670	+ 0.212	.0692	----	----	----	----	3 UNCH
12350	----	----	0.678B/----	0.678B/*0.578A	----	0.665	+ 0.211	.0686	----	----	----	----	5 UNCH
12400	----	----	0.667B/----	0.667B/*0.564A	----	0.654	+ 0.207	.0675	----	----	----	----	23 UNCH
12425	----	----	0.660B/----	0.660B/0.534A	----	0.649	+ 0.206	.0670	----	----	----	----	1 UNCH
12450	----	----	0.651B/----	0.651B/*0.573A	----	0.644	+ 0.204	.0665	----	----	----	----	9 UNCH
12475	----	----	0.647B/----	0.647B/0.523A	----	0.640	+ 0.204	.0661	----	----	----	----	1 UNCH
12500	----	----	0.643B/----	0.643B/*0.537A	----	0.635	+ 0.202	.0656	----	----	----	----	99 UNCH
12525	----	----	0.638B/----	0.638B/0.518A	----	0.630	+ 0.201	.0651	----	----	----	----	37 UNCH
12550	----	----	0.632B/----	0.632B/*0.532A	----	0.625	+ 0.199	.0646	----	----	----	----	6 UNCH
12575	----	----	0.629B/----	0.629B/0.510A	----	0.620	+ 0.197	.0641	----	----	----	----	2 UNCH
12600	----	----	0.618B/----	0.618B/0.592A	----	0.616	+ 0.197	.0637	----	----	----	----	5 UNCH
12650	----	----	0.609B/----	0.609B/0.590A	----	0.607	+ 0.194	.0627	----	----	----	----	2 UNCH
12675	----	----	0.603B/----	0.603B/*0.537A	----	0.602	+ 0.192	.0622	----	----	----	----	2 UNCH
12700	----	----	0.599B/----	0.599B/0.603A	----	0.598	+ 0.191	.0618	----	----	----	----	11 UNCH
12725	----	----	0.592B/----	0.592B/0.599A	----	0.594	+ 0.190	.0614	----	----	----	----	2 UNCH
12750	----	----	0.587B/----	0.587B/0.596A	----	0.589	+ 0.188	.0609	----	----	----	----	2 UNCH
12775	----	----	0.583B/----	0.583B/0.593A	----	0.585	+ 0.187	.0605	----	----	----	----	7 UNCH
12800	----	----	0.578B/----	0.578B/0.590A	----	0.581	+ 0.186	.0601	----	----	----	----	34 UNCH
12900	----	----	0.558B/----	0.558B/0.577A	----	0.564	+ 0.180	.0583	----	----	----	----	6 UNCH
13000	----	----	0.538B/----	0.538B/0.565A	----	0.549	+ 0.176	.0568	----	----	----	----	273 UNCH
13100	----	----	0.522B/----	0.522B/0.554A	----	0.534	+ 0.171	.0552	----	----	----	----	4 UNCH
13200	----	----	0.506B/----	0.506B/0.542A	----	0.520	+ 0.167	.0537	----	----	----	----	3 UNCH
13300	----	----	0.485B/----	0.485B/0.532A	----	0.506	+ 0.162	.0523	----	----	----	----	3 UNCH
13400	----	----	0.418B/----	0.418B/0.522A	----	0.493	+ 0.157	.0509	----	----	----	----	5 UNCH
13500	----	----	----	0.317B/0.511A	----	0.481	+ 0.154	.0497	----	----	----	----	23 UNCH
13600	----	----	----	0.307B/0.502A	----	0.469	+ 0.149	.0484	----	----	----	----	7 UNCH
13700	----	----	----	0.294B/0.492A	----	0.458	+ 0.146	.0472	----	----	----	----	5 UNCH
13800	----	----	----	0.281B/0.483A	----	0.447	+ 0.142	.0461	----	----	----	----	1 UNCH
13900	----	----	----	0.268B/0.473A	----	0.437	+ 0.138	.0450	----	----	----	----	3 UNCH
14000	----	----	0.324B/----	0.324B/0.466A	----	0.427	+ 0.134	.0439	----	----	----	----	292 UNCH
14200	----	----	----	0.238B/0.449A	----	0.408	+ 0.127	.0419	----	----	----	----	60 UNCH
14300	----	----	----	0.228B/0.441A	----	0.399	+ 0.124	.0410	----	----	----	----	1 UNCH
14400	----	----	----	0.220B/0.434A	----	0.391	+ 0.121	.0401	----	----	----	----	65 UNCH
14500	----	----	0.368B/----	0.368B/0.427A	----	0.383	+ 0.118	.0392	----	----	----	----	31 UNCH
14600	----	----	----	0.199B/0.419A	----	0.375	+ 0.114	.0384	----	----	----	----	6 UNCH
14700	----	----	----	0.191B/0.413A	----	0.368	+ 0.112	.0376	----	----	----	----	11 UNCH
14800	----	----	----	0.183B/0.406A	----	0.360	+ 0.110	.0368	----	----	----	----	10 UNCH
14900	----	----	0.355B/----	0.355B/0.400A	----	0.352	+ 0.107	.0359	----	----	----	----	6 UNCH
15000	----	----	0.350B/----	0.350B/0.394A	----	0.344	+ 0.105	.0351	----	----	10	----	181 - 10
15300	----	----	----	0.149B/0.376A	----	0.322	+ 0.098	.0328	----	----	----	----	2 UNCH
15400	----	----	----	0.141B/0.366A	----	0.315	+ 0.096	.0321	----	----	----	----	1 UNCH
15500	----	----	----	0.135B/0.368A	----	0.308	+ 0.094	.0314	----	----	----	----	7 UNCH
15600	----	----	----	0.131B/0.362A	----	0.302	+ 0.092	.0308	----	----	----	----	1 UNCH
15700	----	----	----	0.126B/0.357A	----	0.296	+ 0.091	.0301	----	----	----	----	1 UNCH
15800	----	----	----	0.120B/0.352A	----	0.290	+ 0.089	.0295	----	----	----	----	6 UNCH
15900	----	----	----	0.113B/0.347A	----	0.284	+ 0.087	.0289	----	----	----	----	8 UNCH
16000	----	----	----	0.157B/0.342A	----	0.278	+ 0.085	.0283	----	----	----	----	202 UNCH
16200	----	----	----	0.100B/0.334A	----	0.267	+ 0.082	.0271	----	----	----	----	36 UNCH
16400	----	----	----	0.091B/0.325A	----	0.257	+ 0.079	.0261	----	----	----	----	1 UNCH
16500	----	----	----	0.084B/0.321A	----	0.252	+ 0.078	.0255	----	----	----	----	30 UNCH
16600	----	----	----	0.082B/0.316A	----	0.247	+ 0.076	.0250	----	----	----	----	2 UNCH
16700	----	----	----	0.080B/0.314A	----	0.242	+ 0.074	.0245	----	----	----	----	6 UNCH
16800	----	----	----	0.075B/0.309A	----	0.238	+ 0.073	.0241	----	----	----	----	3 UNCH
17000	----	----	----	0.067B/0.302A	----	0.229	+ 0.071	.0232	----	----	----	----	21 UNCH
17100	----	----	----	0.063B/0.298A	----	0.225	+ 0.069	.0227	----	----	----	----	5 UNCH
17200	----	----	----	0.060B/0.295A	----	0.221	+ 0.068	.0223	----	----	----	----	5 UNCH
17300	----	----	----	0.056B/0.293A	----	0.217	+ 0.067	.0219	----	----	----	----	11 UNCH
17400	----	----	----	0.053B/0.289A	----	0.213	+ 0.066	.0215	----	----	----	----	3 UNCH
17500	----	----	----	0.145B/0.199A	----	0.209	+ 0.064	.0211	----	----	----	----	63 UNCH
17700	----	----	----	0.044B/0.279A	----	0.202	+ 0.063	.0203	----	----	----	----	3 UNCH
17800	----	----	----	0.042B/0.275A	----	0.198	+ 0.061	.0199	----	----	----	----	3 UNCH
18000	0.154	0.154	0.154/0.154	0.154/0.154	----	0.192	+ 0.060	.0193	----	----	3	----	44 + 3
18100	----	----	----	0.035B/0.267A	----	0.188	+ 0.058	.0189	----	----	----	----	2 UNCH
18300	----	----	----	0.029B/0.261A	----	0.182	+ 0.056	.0183	----	----	----	----	1 UNCH
18900	----	----	----	0.015B/0.247A	----	0.165	+ 0.051	.0165	----	----	----	----	1 UNCH
19000	----	----	----	0.013B/0.245A	----	0.162	+ 0.050	.0162	----	----	----	----	229 UNCH
19500	----	----	----	0.007B/0.235A	----	0.150	+ 0.046	.0150	----	----	----	----	126 UNCH
19600	----	----	----	0.007B/0.233A	----	0.148	+ 0.046	.0147	----	----	----	----	2 UNCH
19900	----	----	----	0.007B/0.225A	----	0.141	+ 0.044	.0140	----	----	----	----	26 UNCH
20000	----	----	----	0.073B/0.129A	----	0.139	+ 0.043	.0138	----	----	----	----	236 UNCH
21000	----	----	----	0.004B/0.247A	----	0.121	+ 0.038	.0119	----	----	----	----	20 UNCH
23000	0.115	0.115	0.115/*0.115	0.115/0.115	----	0.094	+ 0.029	.0092	----	----	1	----	15 UNCH
25000	----	----	----	0.001B/0.251A	----	0.076	+ 0.023	.0073	----	----	----	----	298 UNCH
27000	----	----	----	0.001B/0.276A	----	0.056	+ 0.018	.0054	----	----	----	----	3 UNCH
30000	----	----	----	0.001B/0.207A	----	0.036	+ 0.011	.0035	----	----	----	----	29 UNCH
32000	----	----	----	0.001B/*0.167A	----	0.028	+ 0.009	.0027	----	----	----	----	1 UNCH
35000	----	----	----	0.001B/0.079A	----	0.021	+ 0.007	.0020	----	----	----	----	8 UNCH
TOTAL											432	0	9716 + 164
JUL26													
2700	----	----	----	----	----	43.324	+ 1.892	.9908	----	----	----	----	1 UNCH
3900	----	----	----	12.533B/48.517A	----	31.696	+ 1.968	.9582	----	----	----	----	1 UNCH
4000	----	----	----	11.743B/47.941A	----	30.759	+ 1.972	.9536	----	----	----	----	1 UNCH
4200	----	----	----	9.983B/45.979A	----	28.904	+ 1.981	.9431	----	----	----	----	2 UNCH
4500	----	----	----	7.484B/43.026A	----	26.180	+ 1.994	.9238	----	----	----	----	28 UNCH
4600	----	----	----	6.709B/42.042A	----	25.291	+ 1.998	.9163	----	----	----	----	101 UNCH
4700	----	----	----	6.430B/40.647A	----	24.412	+ 2.000	.9082	----	----	----	----	1 UNCH
4750	----	----	----	6.068B/39.881A	----	23.978	+ 2.002	.9039	----	----	----	----	1 UNCH
4825	----	----	----	5.484B/39.308A	----	23.331	+ 2.002	.8971	----	----	----	----	3 UNCH
4900	----	----	----	4.563B/39.135A	----	22.693	+ 2.003	.8900	----	----	----	----	1 UNCH
4925	----	----	----	0.041B/52.820A	----	22.482	+ 2.003	.8876	----	----	----	----	16 UNCH
5000	----	----	----	0.014B/67.643A	----	21.854	+ 2.002	.8799	----	----	----	----	307 UNCH
5025	----	----	----	1.361B/57.205A	----	21.646	+ 2.001	.8773	----	----	----	----	4 UNCH
5050	----	----	----	1.231B/56.868A	----	21.440	+ 2.000	.8746	----	----	----	----	2 UNCH
5100	----	----	----	----	----	21.030	+ 1.998	.8692	----	----	----	----	130 UNCH
5150	----	----	----	----	----	20.625	+ 1.996	.8635	----	----	----	----	6 UNCH
5200	----	----	----	0.364B/49.075A	----	20.224	+ 1.993	.8577	----	----	----	----	40 UNCH
5225	----	----	----	0.413B/54.385A	----	20.025	+ 1.991	.8547	----	----	----	----	9 UNCH
5250	----	----	----	----	----	19.827	+ 1.989	.8517	----	----	----	----	2 UNCH
5275	----	----	----	0.031B/39.478A	----	19.630	+ 1.986	.8486	----	----	----	----	1 UNCH
5300	----	----	----	----	----	19.434	+ 1.983	.8455	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS												
JUL26														
5350	----	----	----	----	----	19.047	+ 1.979	.8391	----	----	----	----	155	UNCH
5375	----	----	----	----	----	18.855	+ 1.976	.8359	----	----	----	----	1	UNCH
5400	----	----	----	----	----	18.664	+ 1.973	.8326	----	----	----	----	21	UNCH
5425	----	----	----	----	----	18.474	+ 1.969	.8293	----	----	----	----	42	UNCH
5450	----	----	----	----	----	18.286	+ 1.966	.8259	----	----	----	----	1	UNCH
5500	----	----	----	----	----	17.912	+ 1.958	.8191	----	----	----	----	492	UNCH
5550	----	----	----	----	----	17.544	+ 1.950	.8121	----	----	----	----	3	UNCH
5600	----	----	----	----	----	17.181	+ 1.941	.8049	----	----	----	----	102	UNCH
5650	----	----	----	----	----	16.823	+ 1.932	.7976	----	----	----	----	43	UNCH
5675	----	----	----	----	----	16.646	+ 1.926	.7939	----	----	----	----	25	UNCH
5700	----	----	----	----	----	16.470	+ 1.921	.7902	----	----	----	----	26	UNCH
5750	----	----	----	----	----	16.123	+ 1.910	.7826	----	----	----	----	158	UNCH
5775	----	----	----	----	----	15.951	+ 1.904	.7788	----	----	----	----	1	UNCH
5800	----	----	----	----	----	15.780	+ 1.897	.7749	----	----	----	----	16	UNCH
5900	----	----	----	----	----	15.113	+ 1.872	.7591	----	----	----	----	10	UNCH
5925	----	----	----	----	----	14.949	+ 1.864	.7551	----	----	----	----	10	UNCH
5950	----	----	----	----	----	14.787	+ 1.857	.7510	----	----	----	----	6	UNCH
5975	----	----	----	----	----	14.626	+ 1.850	.7469	----	----	----	----	20	UNCH
6000	----	----	----	----	----	14.467	+ 1.843	.7428	----	----	----	----	550	UNCH
6050	----	----	----	11.056B/13.266A	----	14.152	+ 1.827	.7346	----	----	----	----	58	UNCH
6075	----	----	----	11.272B/13.186A	----	13.997	+ 1.819	.7304	----	----	----	----	1	UNCH
6100	----	----	----	11.349B/13.031A	----	13.843	+ 1.811	.7262	----	----	----	----	10	UNCH
6200	----	----	12.008B/----	12.008B/12.456A	----	13.242	+ 1.777	.7093	----	----	----	----	99	UNCH
6250	----	----	12.115B/----	12.115B/12.180A	----	12.950	+ 1.759	.7007	----	----	----	----	1	UNCH
6300	----	----	12.109B/----	12.109B/11.910A	----	12.663	+ 1.741	.6921	----	----	----	----	3	UNCH
6350	----	----	12.307B/----	12.307B/11.598A	----	12.382	+ 1.722	.6834	----	----	----	----	2	UNCH
6450	----	----	12.021B/----	12.021B/11.138A	----	11.837	+ 1.685	.6660	----	----	----	----	1	UNCH
6500	----	----	11.736B/----	11.736B/10.892A	----	11.572	+ 1.665	.6572	----	----	----	----	195	UNCH
6600	----	----	11.198B/----	11.198B/10.414A	----	11.060	+ 1.626	.6396	----	----	----	----	51	UNCH
6650	----	----	10.909B/----	10.909B/10.163A	----	10.811	+ 1.605	.6308	----	----	----	----	100	UNCH
6750	----	----	10.388B/----	10.388B/9.738A	----	10.330	+ 1.564	.6132	----	----	----	----	24	UNCH
6800	----	----	10.157B/----	10.157B/9.204A	----	10.098	+ 1.544	.6044	----	----	----	----	250	UNCH
6825	----	----	10.011B/----	10.011B/9.374A	----	9.983	+ 1.533	.6000	----	----	----	----	6	UNCH
6850	----	----	9.890B/----	9.890B/9.271A	----	9.870	+ 1.523	.5956	----	----	----	----	1	UNCH
6875	----	----	9.787B/----	9.787B/9.213A	----	9.758	+ 1.512	.5913	----	----	----	----	16	UNCH
6900	----	----	9.649B/----	9.649B/9.070A	----	9.648	+ 1.503	.5869	----	----	4	----	97 +	4
6950	----	----	9.843B/----	9.843B/8.926A	----	9.430	+ 1.481	.5782	----	----	----	----	1	UNCH
7000	----	----	9.181B/----	9.181B/8.642A	----	9.218	+ 1.461	.5696	----	----	----	----	161	UNCH
7025	----	----	9.070B/----	9.070B/8.642A	----	9.114	+ 1.451	.5653	----	----	----	----	125	UNCH
7050	----	----	8.955B/----	8.955B/8.550A	----	9.011	+ 1.441	.5610	----	----	----	----	1	UNCH
7100	----	----	8.735B/----	8.735B/8.370A	----	8.808	+ 1.420	.5524	----	----	----	----	5	UNCH
7200	----	----	8.311B/----	8.311B/7.972A	----	8.417	+ 1.379	.5356	----	----	----	----	11	UNCH
7225	----	----	8.208B/----	8.208B/7.929A	----	8.322	+ 1.369	.5314	----	----	----	----	1	UNCH
7250	----	----	8.106B/----	8.106B/7.800A	----	8.228	+ 1.359	.5273	----	----	----	----	160	UNCH
7300	----	----	7.907B/----	7.907B/7.639A	----	8.044	+ 1.338	.5190	----	----	----	----	3	UNCH
7350	----	----	7.712B/----	7.712B/7.502A	----	7.865	+ 1.319	.5108	----	----	----	----	1	UNCH
7400	----	----	7.522B/----	7.522B/7.340A	----	7.689	+ 1.298	.5027	----	----	----	----	22	UNCH
7450	----	----	7.337B/----	7.337B/7.183A	----	7.518	+ 1.279	.4947	----	----	----	----	12	UNCH
7500	----	----	7.167B/----	7.167B/6.730A	----	7.351	+ 1.259	.4868	----	----	----	----	315	UNCH
7600	----	----	6.807B/----	6.807B/6.694A	----	7.030	+ 1.220	.4712	----	----	----	----	19	UNCH
7700	----	----	6.492B/----	6.492B/6.463A	----	6.724	+ 1.182	.4561	----	----	----	----	19	UNCH
7800	----	----	6.162B/----	6.162B/6.195A	----	6.434	+ 1.146	.4413	----	----	----	----	15	UNCH
7900	----	----	5.863B/----	5.863B/5.943A	----	6.157	+ 1.109	.4269	----	----	----	----	7	UNCH
8000	----	----	5.568B/----	5.568B/5.469A	----	5.895	+ 1.074	.4129	----	----	----	----	510	UNCH
8025	----	----	5.511B/----	5.511B/5.634A	----	5.831	+ 1.065	.4094	----	----	----	----	8	UNCH
8100	----	----	5.293B/----	5.293B/5.476A	----	5.645	+ 1.040	.3993	----	----	----	----	21	UNCH
8200	----	----	5.036B/----	5.036B/5.261A	----	5.408	+ 1.007	.3861	----	----	----	----	2	UNCH
8250	----	----	4.930B/----	4.930B/5.158A	----	5.293	+ 0.990	.3797	----	----	----	----	45	UNCH
8300	----	----	4.810B/----	4.810B/5.057A	----	5.182	+ 0.974	.3734	----	----	----	----	215	UNCH
8350	----	----	4.674B/----	4.674B/4.958A	----	5.074	+ 0.959	.3672	----	----	----	----	2	UNCH
8375	----	----	4.635B/----	4.635B/4.910A	----	5.020	+ 0.950	.3641	----	----	----	----	1	UNCH
8400	----	----	4.579B/----	4.579B/4.862A	----	4.968	+ 0.943	.3611	----	----	----	----	3	UNCH
8500	----	----	4.385B/----	4.385B/4.520A	----	4.764	+ 0.912	.3491	----	----	----	----	684	UNCH
8550	----	----	4.232B/----	4.232B/4.533A	----	4.666	+ 0.897	.3433	----	----	----	----	329	UNCH
8600	----	----	4.149B/----	4.149B/4.502A	----	4.571	+ 0.883	.3376	----	----	----	----	10	UNCH
8650	----	----	4.048B/----	4.048B/4.418A	----	4.478	+ 0.869	.3320	----	----	----	----	1	UNCH
8700	----	----	3.950B/----	3.950B/4.336A	----	4.387	+ 0.855	.3265	----	----	----	----	63	UNCH
8750	----	----	3.863B/----	3.863B/4.256A	----	4.299	+ 0.841	.3211	----	----	----	----	8	UNCH
8800	----	----	3.777B/----	3.777B/4.178A	----	4.213	+ 0.828	.3158	----	----	----	----	12	UNCH
8900	----	----	3.613B/----	3.613B/4.028A	----	4.048	+ 0.802	.3055	----	----	----	----	102	UNCH
9000	----	----	3.455B/----	3.455B/3.884A	----	3.890	+ 0.776	.2955	----	----	----	----	214	UNCH
9100	----	----	3.308B/----	3.308B/3.749A	----	3.741	+ 0.752	.2859	----	----	----	----	9	UNCH
9200	----	----	3.169B/----	3.169B/3.613A	----	3.599	+ 0.728	.2767	----	----	----	----	75	UNCH
9250	----	----	3.103B/----	3.103B/3.557A	----	3.531	+ 0.717	.2723	----	----	----	----	7	UNCH
9300	----	----	3.037B/----	3.037B/3.433A	----	3.465	+ 0.706	.2679	----	----	----	----	255	UNCH
9350	----	----	2.973B/----	2.973B/3.437A	----	3.400	+ 0.695	.2636	----	----	----	----	7	UNCH
9400	----	----	2.910B/----	2.910B/3.379A	----	3.337	+ 0.685	.2594	----	----	----	----	25	UNCH
9450	----	----	2.849B/----	2.849B/3.322A	----	3.275	+ 0.674	.2552	----	----	----	----	33	UNCH
9500	----	----	2.942B/----	2.942B/3.218A	----	3.215	+ 0.664	.2512	----	----	----	----	517	UNCH
9600	----	----	2.675B/----	2.675B/3.160A	----	3.100	+ 0.644	.2433	----	----	----	----	51	UNCH
9700	----	----	2.566B/----	2.566B/3.058A	----	2.990	+ 0.625	.2357	----	----	----	----	4	UNCH
9725	----	----	2.540B/----	2.540B/3.033A	----	2.963	+ 0.620	.2339	----	----	----	----	1	UNCH
9800	----	----	2.463B/----	2.463B/2.939A	----	2.886	+ 0.607	.2285	----	----	----	----	109	UNCH
9900	----	----	2.364B/----	2.364B/2.867A	----	2.786	+ 0.589	.2215	----	----	----	----	70	UNCH
10000	2.780	2.780	3.000/2.780	3.000/2.780	----	2.692	+ 0.572	.2148	----	----	7	----	1487 -	5
10100	----	----	2.180B/----	2.180B/2.693A	----	2.602	+ 0.556	.2084	----	----	----	----	1	UNCH
10125	----	----	2.158B/----	2.158B/2.673A	----	2.580	+ 0.552	.2068	----	----	----	----	1	UNCH
10200	----	----	2.094B/----	2.094B/2.612A	----	2.516	+ 0.540	.2022	----	----	----	----	81	UNCH
10250	----	----	2.053B/----	2.053B/2.572A	----	2.475	+ 0.533	.1992	----	----	----	----	20	UNCH
10375	----	----	1.952B/----	1.952B/2.478A	----	2.376	+ 0.515	.1920	----	----	----	----	18	UNCH
10400	----	----	1.932B/----	1.932B/2.460A	----	2.357	+ 0.511	.1906	----	----	----	----	1	UNCH
10475	----	----	1.877B/----	1.877B/2.406A	----	2.301	+ 0.501	.1865	----	----	----	----	25	UNCH
10500	----	----	1.858B/----	1.858B/2.388A	----	2.283	+ 0.497	.1851	----	----	----	----	599	UNCH
10600	----	----	1.787B/----	1.787B/2.320A	----	2.212	+ 0.484	.1799	----	----	----	----	1	UNCH
10800	----	----	1.655B/----	1.655B/2.244A	----	2.080	+ 0.458	.1699	----	----	----	----	28	UNCH
11000	2.100	2.100	2.100/2.100	2.100/2.076A	----	1.960	+ 0.435	.1608	----	----	10	----	1045	UNCH
11200	----	----	----	1.418B/2.094A	----	1.850	+ 0.414	.1523	----	----	----	----	8	UNCH
11225	----	----	----	1.405B/2.085A	----	1.837	+ 0.411	.1513	----	----	----	----	3	UNCH
11300	----	----	----	1.366B/2.059A	----	1.799	+ 0.404	.1484	----	----	----	----	62	UNCH
11400	----	----	----	1.316B/2.000A	----	1.750	+ 0.394	.1446	----	----	----	----	19	UNCH
11500	----	----	----	1.270B/1.967A	----	1.702	+ 0.384	.1408	----	----	----	----	129	UNCH
11600	----	----	----	1.207B/1.935A	----	1.657	+ 0.375	.1373	----	----	----	----	1	UNCH
11625	----	----	----	1.190B/1.879A	----	1.646	+ 0.373	.1364	----	----	----	----	2	UNCH
11650	----	----	----	1.175B/1.873A	----	1.635	+ 0.370	.1355	----	----	----	----	24	UNCH
11675	----	----	----	1.158B/1.868A	----	1.624	+ 0.368	.1347	----	----	----	----	22	UNCH
11700	----	----	----	1.143B/1.868A	----	1.613	+ 0.365	.1338	----	----	----	----	22	UNCH
11725	----	----	----	1.128B/1.872A	----	1.603	+ 0.364	.1330	----	----	----	----	22	UNCH
11750	----	----	----	1.115B/1.865A	----	1.592	+ 0.361	.1321	----	----	----	----	22	UNCH
11775	----	----	----	1.116B/1.865A	----	1.582	+ 0.359	.1313	----	----	----	----	22	UNCH
11800	----	----	----	1.077B/1.870A	----	1.572	+ 0.357	.1305	----	----	----	----	1	UNCH
11900	----	----	----	1.016B/1.841A	----	1.531	+ 0.348	.1273	----	----	----	----	1	UNCH
11950	----	----	----	0.989B/1.827A	----	1.512	+ 0.344	.1258	----	----	----	----	1	UNCH
12000	----	----	1.350B/----	1.350B/1.607A	----	1.493	+ 0.340	.1243	----	----	5	----	547	UNCH
12200	----	----	----	1.080B/1.757A	----	1.420	+ 0.325	.1184	----	----	----	----	1	UNCH
12300	----	----	1.091B/----	1.091B/1.730A	----	1.385	+ 0.316	.1156	----	----	----	----	8	UNCH
12375	----	----	1.113B/----	1.113B/1.711A	----	1.360	+ 0.311	.1136	----	----	----	----	1	UNCH
12425	----	----	1.170B/----	1.170B/1.726A	----	1.344	+ 0.308	.1123	----	----	----	----	1	UNCH
12450	----	----	1.099B/----	1.099B/1.714A	----	1.336	+ 0.306	.1116	----	----	----	----	1	UNCH
12475	----	----	1.171B/----	1.171B/1.685A	----	1.328	+ 0.304	.1110	----	----	----	----	3	UNCH
12500	----	----	1.201B/----	1.201B/1.400A	----	1.320	+ 0.302	.1103	----	----	5	----	141 -	5
12600	----	----	1.072B/----	1.072B/1.647A	----	1.289	+ 0.295	.1078	----	----	----	----	1	UNCH
12800	----	----	----	0.585B/1.606A	----	1.229	+ 0.280	.1030	----	----	----	----	1	UNCH
13000	----	----	0.935B/----	0.935B/1.076A	----	1.174	+ 0.268	.0985	----	----	----	----	699	UNCH
14000	----	----	0.792B/----	0.792B/0.900A	----	0.942	+ 0.209	.0795	----	----	----	----	793	UNCH
14700	----	----	----	0.638B/0.797A	----	0.816	+ 0.177	.0690	----	----	----	----	1	UNCH
15000	----	----	0.700B/----	0.700B/0.760A	----	0.769	+ 0.166	.0651	----	----	----	----	599	UNCH
16000	----	----	----	0.440B/0.657A	----	0.638	+ 0.139	.0542	----	----	----	----	767	UNCH
17000	----	----	----	0.339B/0.575A	----	0.536	+ 0.124	.0456	----	----	----	----	23	UNCH
18000	----	----	----	0.263B/0.511A	----	0.456	+ 0.121	.0388	----	----	----	----	253	UNCH
19000	----	----	----	0.204B/0.468A	----	0.393	+ 0.126	.0334	----	----	----	----	77	UNCH
20000	----	----	----	0.207B/0.275A	----	0.345	+ 0.132	.0293	----	----	----	----	1210	UNCH
21000	----	----	----	0.124B/0.390A	----	0.304	+ 0.131	.0257	----	----	----	----	427	UNCH
24000	0.202	0.202	0.202/0.202	0.202/0.202	----	0.168	+ 0.081	.0148	----	----	1	----	125	UNCH
25000	0.189	0.189	0.189/0.189	0.189/0.168A	----	0.131	+ 0.063	.0118	----	----	1	----	355	UNCH
27000	0.155	0.155	0.155/0.155	0.155/0.155	----	0.102	+ 0.050	.0092	----	----	1	----	4 +	1
30000	----	----	----	0.002B/0.129A	----	0.074	+ 0.037	.0067	----	----	----	----	23	UNCH
32000	----	----	----	0.001B/0.111A	----	0.063	+ 0.031	.0056	----	----	----	----	4	UNCH
35000	----	----	----	0.005B/*0.099A	----	0.052	+ 0.026	.0046	----	----	----	----	72	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 60

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
TOTAL										34	0	17337 - 5
AUG26												
5000	----	----	----	----	----	22.779 + 1.970	.8681	----	----	----	----	2 UNCH
5400	----	----	----	----	----	19.801 + 1.941	.8202	----	----	----	----	2 UNCH
5500	----	----	----	----	----	19.097 + 1.929	.8072	----	----	----	----	1 UNCH
6300	----	----	13.216B/----	13.216B/13.451A	----	14.101 + 1.783	.6925	----	----	----	----	5 UNCH
6450	----	----	13.059B/----	13.059B/12.722A	----	13.296 + 1.744	.6696	----	----	----	----	1 UNCH
6500	----	----	12.787B/----	12.787B/12.484A	----	13.037 + 1.730	.6619	----	----	----	----	2 UNCH
6600	----	----	12.259B/----	12.259B/11.959A	----	12.533 + 1.701	.6465	----	----	----	----	4 UNCH
6800	----	----	11.263B/----	11.263B/11.112A	----	11.584 + 1.639	.6158	----	----	----	----	7 UNCH
6875	----	----	10.927B/----	10.927B/10.807A	----	11.248 + 1.615	.6043	----	----	----	----	5 UNCH
7000	11.200	11.200	11.300/11.200	11.300/10.293A	----	10.711 + 1.571	.5854	----	----	2	----	3 + 2
7025	----	----	10.249B/----	10.249B/10.193A	----	10.608 + 1.563	.5816	----	----	----	----	5 UNCH
7050	----	----	10.665B/----	10.665B/10.114A	----	10.505 + 1.554	.5778	----	----	----	----	2 UNCH
7100	----	----	10.299B/----	10.299B/9.925A	----	10.304 + 1.537	.5704	----	----	----	----	2 UNCH
7350	----	----	8.886B/----	8.886B/9.036A	----	9.366 + 1.444	.5340	----	----	----	----	4 UNCH
7400	8.380	8.380	8.966/8.374	8.966/8.374	----	9.192 + 1.425	.5269	----	----	6	----	8 + 6
7425	----	----	8.630B/----	8.630B/8.802A	----	9.106 + 1.415	.5234	----	----	----	----	14 UNCH
7475	----	----	8.450B/----	8.450B/8.649A	----	8.939 + 1.396	.5164	----	----	----	----	6 UNCH
7500	----	----	8.361B/----	8.361B/8.572A	----	8.856 + 1.386	.5130	----	----	----	----	1 UNCH
7550	----	----	8.186B/----	8.186B/8.419A	----	8.695 + 1.368	.5061	----	----	----	----	4 UNCH
7700	----	----	7.684B/----	7.684B/7.986A	----	8.233 + 1.310	.4861	----	----	----	----	1 UNCH
7800	----	----	7.369B/----	7.369B/7.713A	----	7.943 + 1.271	.4731	----	----	----	----	1 UNCH
7900	----	----	7.067B/----	7.067B/7.452A	----	7.667 + 1.234	.4605	----	----	----	----	1 UNCH
8000	----	----	6.780B/----	6.780B/7.204A	----	7.403 + 1.197	.4482	----	----	----	----	11 UNCH
8300	----	----	5.991B/----	5.991B/6.524A	----	6.677 + 1.090	.4133	----	----	----	----	1 UNCH
8450	----	----	5.654B/----	5.654B/6.217A	----	6.347 + 1.040	.3969	----	----	----	----	1 UNCH
8500	----	----	5.548B/----	5.548B/6.119A	----	6.242 + 1.025	.3916	----	----	----	----	12 UNCH
8900	----	----	4.785B/----	4.785B/5.410A	----	5.473 + 0.905	.3518	----	----	----	----	7 UNCH
9000	----	----	4.616B/----	4.616B/5.251A	----	5.300 + 0.878	.3426	----	----	----	----	20 UNCH
9100	----	----	4.469B/----	4.469B/5.092A	----	5.134 + 0.852	.3337	----	----	----	----	84 UNCH
9400	----	----	4.071B/----	4.071B/4.645A	----	4.674 + 0.778	.3084	----	----	----	----	102 UNCH
10000	----	----	3.339B/----	3.339B/3.966A	----	3.906 + 0.654	.2644	----	----	----	----	33 UNCH
10200	----	----	3.128B/----	3.128B/3.764A	----	3.688 + 0.620	.2515	----	----	----	----	3 UNCH
10400	----	----	2.939B/----	2.939B/3.578A	----	3.487 + 0.588	.2394	----	----	----	----	2 UNCH
10500	----	----	2.845B/----	2.845B/3.488A	----	3.391 + 0.573	.2336	----	----	----	----	7 UNCH
11100	----	----	----	2.328B/3.020A	----	2.890 + 0.495	.2025	----	----	----	----	1 UNCH
11200	----	----	----	2.263B/2.952A	----	2.816 + 0.484	.1979	----	----	----	----	1 UNCH
11300	----	----	----	2.198B/2.885A	----	2.746 + 0.474	.1934	----	----	----	----	10 UNCH
11500	----	----	----	2.071B/2.758A	----	2.612 + 0.453	.1848	----	----	----	----	9 UNCH
11850	----	----	----	1.872B/2.574A	----	2.399 + 0.422	.1710	----	----	----	----	1 UNCH
12000	----	----	----	1.801B/2.524A	----	2.315 + 0.409	.1655	----	----	----	----	2 UNCH
12500	----	----	----	1.562B/2.359A	----	2.066 + 0.374	.1490	----	----	----	----	1 UNCH
13000	----	----	----	1.314B/2.208A	----	1.854 + 0.345	.1346	----	----	----	----	53 UNCH
14000	1.500	1.500	1.500/1.500	1.500/1.389A	----	1.517 + 0.298	.1114	----	----	1	----	6 UNCH
15000	----	----	1.206B/----	1.206B/1.199A	----	1.265 + 0.263	.0936	----	----	----	----	36 UNCH
16000	----	----	0.999B/----	0.999B/0.971A	----	1.072 + 0.233	.0797	----	----	----	----	1 UNCH
17000	----	----	0.824B/----	0.824B/0.836A	----	0.921 + 0.208	.0687	----	----	----	----	2 UNCH
18000	----	----	0.689B/----	0.689B/0.731A	----	0.800 + 0.186	.0598	----	----	----	----	1 UNCH
19000	----	----	0.587B/----	0.587B/0.752A	----	0.702 + 0.167	.0526	----	----	----	----	2 UNCH
20000	----	----	----	0.384B/0.682A	----	0.621 + 0.150	.0465	----	----	----	----	21 UNCH
25000	----	----	----	0.149B/0.476A	----	0.368 + 0.092	.0276	----	----	----	----	2 UNCH
30000	----	----	----	0.047B/0.365A	----	0.246 + 0.061	.0184	----	----	----	----	13 UNCH
35000	----	----	----	0.002B/0.303A	----	0.172 + 0.044	.0128	----	----	----	----	2 UNCH
TOTAL										9	0	528 + 8
SEP26												
5100	----	----	----	----	----	22.382 + 1.938	.8468	----	----	----	----	1 UNCH
5900	----	----	----	----	----	17.068 + 1.826	.7450	----	----	----	----	2 UNCH
6000	----	----	----	12.913B/15.942A	----	16.480 + 1.805	.7313	----	----	----	----	7 UNCH
6700	----	----	12.300B/----	12.300B/12.270A	----	12.860 + 1.628	.6325	----	----	----	----	1 UNCH
7000	----	----	10.956B/----	10.956B/11.291A	----	11.571 + 1.536	.5904	----	----	----	----	118 UNCH
7125	----	----	10.438B/----	10.438B/10.829A	----	11.080 + 1.496	.5733	----	----	----	----	75 UNCH
7500	----	----	9.036B/----	9.036B/9.600A	----	9.764 + 1.371	.5243	----	----	----	----	1 UNCH
7700	----	----	8.376B/----	8.376B/9.019A	----	9.151 + 1.303	.4997	----	----	----	----	1 UNCH
8000	----	----	7.522B/----	7.522B/8.243A	----	8.329 + 1.203	.4649	----	----	----	----	105 UNCH
8200	----	----	7.019B/----	7.019B/7.776A	----	7.837 + 1.141	.4432	----	----	----	----	20 UNCH
8500	----	----	6.344B/----	6.344B/7.145A	----	7.169 + 1.055	.4128	----	----	----	----	100 UNCH
8675	----	----	5.990B/----	5.990B/6.814A	----	6.813 + 1.008	.3961	----	----	----	----	5 UNCH
8700	----	----	5.940B/----	5.940B/6.768A	----	6.765 + 1.002	.3938	----	----	----	----	100 UNCH
9000	----	----	5.394B/----	5.394B/6.250A	----	6.213 + 0.930	.3671	----	----	----	----	65 UNCH
9500	----	----	4.619B/----	4.619B/5.508A	----	5.423 + 0.829	.3275	----	----	----	----	2 UNCH
9750	----	----	----	4.289B/5.184A	----	5.079 + 0.785	.3097	----	----	----	----	23 UNCH
9800	----	----	----	4.226B/5.123A	----	5.014 + 0.777	.3063	----	----	----	----	7 UNCH
10000	5.050	5.050	5.090B/5.050	5.090B/4.888A	----	4.765 + 0.746	.2931	----	----	8	----	128 + 8
10500	----	----	4.505B/----	4.505B/4.365A	----	4.216 + 0.679	.2633	----	----	----	----	50 UNCH
10800	----	----	----	3.176B/4.090A	----	3.930 + 0.645	.2474	----	----	----	----	2 UNCH
11000	----	----	3.990B/----	3.990B/3.921A	----	3.754 + 0.624	.2375	----	----	----	----	59 UNCH
12000	----	----	----	2.287B/3.214A	----	3.030 + 0.536	.1956	----	----	----	----	47 UNCH
12500	----	----	----	2.011B/2.931A	----	2.745 + 0.500	.1786	----	----	----	----	92 UNCH
13000	----	----	----	1.773B/2.742A	----	2.498 + 0.466	.1636	----	----	----	----	2 UNCH
14000	----	----	----	1.333B/2.505A	----	2.098 + 0.409	.1388	----	----	----	----	41 UNCH
15000	----	----	----	0.916B/2.049A	----	1.790 + 0.361	.1193	----	----	----	----	131 UNCH
16000	----	----	----	1.185B/1.724A	----	1.549 + 0.321	.1038	----	----	----	----	18 UNCH
17000	----	----	----	1.058B/1.278A	----	1.356 + 0.287	.0912	----	----	----	----	27 UNCH
18000	----	----	----	0.877B/1.144A	----	1.200 + 0.257	.0809	----	----	----	----	2 UNCH
19000	0.980	0.980	0.980/0.980	0.980/0.980	----	1.071 + 0.231	.0723	----	----	1	----	14 UNCH
20000	----	----	----	0.611B/0.941A	----	0.963 + 0.208	.0651	----	----	----	----	305 UNCH
21000	----	----	----	0.517B/0.863A	----	0.873 + 0.189	.0590	----	----	----	----	1 UNCH
23000	----	----	----	0.375B/0.751A	----	0.730 + 0.155	.0493	----	----	----	----	31 UNCH
25000	----	----	----	0.273B/0.657A	----	0.624 + 0.129	.0421	----	----	----	----	10 UNCH
30000	----	----	----	0.300B/0.503A	----	0.460 + 0.083	.0306	----	----	----	----	19 UNCH
35000	----	----	----	0.041B/0.411A	----	0.291 + 0.055	.0199	----	----	----	----	27 UNCH
TOTAL										9	0	1639 + 8
OCT26												
3800	----	----	----	----	----	33.958 + 1.919	.9547	----	----	----	----	1 UNCH
7000	----	----	11.854B/----	11.854B/12.427A	----	12.799 + 1.439	.6046	----	----	----	----	2 UNCH
7100	----	----	11.449B/----	11.449B/12.118A	----	12.405 + 1.417	.5919	----	----	----	----	1 UNCH
7500	----	----	9.981B/----	9.981B/10.786A	----	10.964 + 1.330	.5431	----	----	----	----	1 UNCH
7650	----	----	9.499B/----	9.499B/10.340A	----	10.475 + 1.297	.5256	----	----	----	----	1 UNCH
7875	----	----	8.825B/----	8.825B/9.720A	----	9.791 + 1.247	.5003	----	----	----	----	2 UNCH
7975	----	----	8.546B/----	8.546B/9.459A	----	9.506 + 1.225	.4894	----	----	----	----	1 UNCH
8000	----	----	8.479B/----	8.479B/9.349A	----	9.436 + 1.220	.4867	----	----	----	----	4 UNCH
8075	----	----	8.279B/----	8.279B/9.213A	----	9.231 + 1.203	.4788	----	----	----	----	1 UNCH
8500	----	----	7.260B/----	7.260B/8.262A	----	8.177 + 1.112	.4362	----	----	----	----	1 UNCH
8700	----	----	6.838B/----	6.838B/7.863A	----	7.739 + 1.071	.4176	----	----	----	----	4 UNCH
9000	----	----	6.263B/----	6.263B/7.318A	----	7.144 + 1.010	.3915	----	----	----	----	1 UNCH
9100	----	----	6.086B/----	6.086B/7.149A	----	6.961 + 0.991	.3833	----	----	----	----	73 UNCH
10000	----	----	----	4.762B/5.862A	----	5.594 + 0.829	.3188	----	----	----	----	96 UNCH
11000	----	----	----	3.669B/4.797A	----	4.517 + 0.683	.2640	----	----	----	----	3 UNCH
12000	----	----	----	2.879B/3.977A	----	3.726 + 0.571	.2218	----	----	----	----	71 UNCH
13000	----	----	----	2.290B/3.388A	----	3.112 + 0.489	.1881	----	----	----	----	145 UNCH
14000	----	----	----	1.835B/2.974A	----	2.626 + 0.427	.1610	----	----	----	----	2 UNCH
15000	----	----	----	1.427B/2.762A	----	2.240 + 0.379	.1389	----	----	----	----	178 UNCH
16000	----	----	----	1.018B/2.511A	----	1.934 + 0.342	.1211	----	----	----	----	1 UNCH
18000	----	----	1.236B/----	1.236B/1.758A	----	1.465 + 0.269	.0934	----	----	----	----	290 UNCH
20000	----	----	----	0.886B/1.230A	----	1.160 + 0.218	.0747	----	----	----	----	225 UNCH
TOTAL											0	1104 0
NOV26												
6500	----	----	14.586B/----	14.586B/15.360A	----	15.737 + 1.615	.6695	----	----	----	----	1 UNCH
7000	----	----	12.384B/----	12.384B/13.331A	----	13.549 + 1.475	.6087	----	----	----	----	14 UNCH
7100	----	----	12.109B/----	12.109B/12.970A	----	13.154 + 1.448	.5967	----	----	----	----	14 UNCH
7900	----	----	9.321B/----	9.321B/10.543A	----	10.456 + 1.233	.5077	----	----	----	----	10 UNCH
8000	----	----	9.048B/----	9.048B/10.286A	----	10.173 + 1.207	.4975	----	----	----	----	10 UNCH
10000	----	----	----	5.311B/6.710A	----	6.395 + 0.837	.3401	----	----	----	----	26 UNCH
12000	----	----	----	3.351B/4.748A	----	4.384 + 0.594	.2438	----	----	----	----	24 UNCH
12500	----	----	----	3.001B/4.395A	----	4.018 + 0.546	.2255	----	----	----	----	10 UNCH
14000	----	----	----	2.207B/3.554A	----	3.142 + 0.435	.1807	----	----	----	----	1 UNCH
15000	----	----	----	1.845B/3.205A	----	2.702 + 0.383	.1575	----	----	----	----	5 UNCH
16000	----	----	----	1.456B/2.976A	----	2.351 + 0.349	.1384	----	----	----	----	2 UNCH
17000	----	----	----	1.062B/2.789A	----	2.074 + 0.331	.1230	----	----	----	----	1 UNCH
20000	----	----	----	1.179B/1.553A	----	1.510 + 0.303	.0907	----	----	----	----	31 UNCH
TOTAL											0	149 0
DEC26												
3875	----	----	----	----	----	33.474 + 1.912	.9394	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
DEC26												
5250	----	----	----	----	----	22.900 + 1.770	.8171	----	----	----	----	50 UNCH
5500	----	----	----	----	----	21.296 + 1.731	.7891	----	----	----	----	1 UNCH
6500	----	----	15.011B/----	15.011B/16.004A	----	15.894 + 1.531	.6696	----	----	----	----	564 UNCH
6900	----	----	13.223B/----	13.223B/14.385A	----	14.191 + 1.415	.6217	----	----	----	----	1 UNCH
6950	----	----	12.982B/----	12.982B/14.197A	----	13.994 + 1.400	.6159	----	----	----	----	200 UNCH
7000	----	----	12.779B/----	12.779B/14.018A	----	13.801 + 1.386	.6100	----	----	----	----	120 UNCH
7025	----	----	12.714B/----	12.714B/13.928A	----	13.705 + 1.379	.6071	----	----	----	----	1 UNCH
7075	----	----	12.516B/----	12.516B/13.685A	----	13.517 + 1.365	.6013	----	----	----	----	5 UNCH
7100	----	----	12.363B/----	12.363B/13.661A	----	13.425 + 1.359	.5984	----	----	----	----	15 UNCH
7375	----	----	11.405B/----	11.405B/12.756A	----	12.462 + 1.285	.5677	----	----	----	----	4 UNCH
7500	----	----	10.978B/----	10.978B/12.375A	----	12.057 + 1.254	.5542	----	----	----	----	18 UNCH
7575	----	----	10.730B/----	10.730B/12.154A	----	11.824 + 1.236	.5463	----	----	----	----	1 UNCH
7800	----	----	10.048B/----	10.048B/11.529A	----	11.164 + 1.184	.5233	----	----	----	----	1 UNCH
7925	----	----	9.697B/----	9.697B/11.204A	----	10.822 + 1.157	.5110	----	----	----	----	2 UNCH
8000	----	----	9.495B/----	9.495B/11.015A	----	10.625 + 1.141	.5038	----	----	----	----	127 UNCH
8100	----	----	----	9.235B/10.772A	----	10.371 + 1.121	.4943	----	----	----	----	1 UNCH
8200	9.500	9.500	9.500/9.500	9.500/9.500	----	10.127 + 1.102	.4852	----	----	25	----	26 + 25
8400	----	----	----	8.515B/10.092A	----	9.666 + 1.064	.4674	----	----	----	----	25 UNCH
8500	----	----	----	8.298B/9.881A	----	9.449 + 1.047	.4589	----	----	----	----	150 UNCH
8550	----	----	----	8.190B/9.778A	----	9.343 + 1.038	.4547	----	----	----	----	1 UNCH
8800	----	----	----	7.677B/9.289A	----	8.844 + 0.998	.4346	----	----	----	----	5 UNCH
8900	----	----	----	7.486B/9.104A	----	8.657 + 0.983	.4269	----	----	----	----	2 UNCH
8950	----	----	----	7.392B/9.014A	----	8.566 + 0.976	.4232	----	----	----	----	1 UNCH
9000	----	----	----	7.297B/8.923A	----	8.477 + 0.969	.4195	----	----	----	----	183 UNCH
9050	----	----	----	7.206B/8.838A	----	8.389 + 0.962	.4158	----	----	----	----	100 UNCH
9300	----	----	----	6.777B/8.421A	----	7.971 + 0.927	.3981	----	----	----	----	1 UNCH
9500	----	----	----	6.459B/8.110A	----	7.660 + 0.901	.3848	----	----	----	----	3 UNCH
9700	----	----	----	6.159B/7.817A	----	7.368 + 0.876	.3720	----	----	----	----	1 UNCH
9800	----	----	----	5.993B/7.676A	----	7.229 + 0.864	.3659	----	----	14	----	17 + 6
9900	----	----	----	5.855B/7.540A	----	7.093 + 0.852	.3599	----	----	----	----	2 UNCH
10000	----	----	----	5.720B/7.407A	----	6.960 + 0.840	.3541	----	----	14	----	772 + 14
10025	----	----	----	5.687B/7.375A	----	6.927 + 0.837	.3526	----	----	----	----	3 UNCH
10500	----	----	----	5.107B/6.798A	----	6.343 + 0.781	.3265	----	----	----	----	2 UNCH
10600	----	----	----	4.991B/6.686A	----	6.229 + 0.770	.3214	----	----	----	----	1 UNCH
11000	----	----	----	4.591B/6.263A	----	5.796 + 0.725	.3017	----	----	----	----	91 UNCH
11350	----	----	----	4.265B/5.928A	----	5.448 + 0.686	.2858	----	----	----	----	5 UNCH
11800	----	----	----	3.862B/5.536A	----	5.040 + 0.640	.2669	----	----	----	----	25 UNCH
12000	----	----	----	3.709B/5.375A	----	4.872 + 0.620	.2590	----	----	----	----	438 UNCH
12200	----	----	----	3.590B/5.222A	----	4.711 + 0.601	.2514	----	----	----	----	1 UNCH
12500	----	----	----	3.359B/5.004A	----	4.484 + 0.575	.2406	----	----	----	----	43 UNCH
13000	----	----	----	3.049B/4.670A	----	4.138 + 0.533	.2240	----	----	----	----	338 UNCH
14000	----	----	----	2.551B/4.103A	----	3.559 + 0.465	.1955	----	----	----	----	56 UNCH
14200	----	----	----	2.424B/4.003A	----	3.458 + 0.453	.1905	----	----	----	----	1 UNCH
15000	----	----	----	2.091B/3.643A	----	3.097 + 0.412	.1722	----	----	----	----	1821 UNCH
16000	----	----	----	1.789B/3.366A	----	2.723 + 0.371	.1529	----	----	----	----	1608 UNCH
17000	----	----	----	1.408B/3.170A	----	2.416 + 0.339	.1367	----	----	----	----	50 UNCH
18000	----	----	----	1.046B/2.993A	----	2.161 + 0.313	.1231	----	----	----	----	5 UNCH
19000	----	----	----	0.782B/2.837A	----	1.946 + 0.290	.1115	----	----	----	----	1 UNCH
20000	----	----	----	0.538B/2.695A	----	1.763 + 0.271	.1015	----	----	----	----	262 UNCH
23000	----	----	----	0.970B/1.478A	----	1.351 + 0.223	.0786	----	----	----	----	4 UNCH
25000	----	----	----	0.760B/1.324A	----	1.154 + 0.198	.0675	----	----	----	----	231 UNCH
30000	----	----	----	0.424B/1.026A	----	0.816 + 0.149	.0483	----	----	----	----	105 UNCH
40000	----	----	----	0.124B/0.400A	----	0.478 + 0.094	.0286	----	----	----	----	23 UNCH
TOTAL										53	0	7515 + 45
JAN27												
7550	----	----	----	----	----	12.319 + 1.045	.5574	----	----	----	----	1 UNCH
7650	----	----	----	----	----	12.021 + 1.025	.5472	----	----	----	----	6 UNCH
10000	----	----	----	----	----	7.111 + 0.662	.3587	----	----	----	----	1 UNCH
11000	----	----	----	----	----	5.889 + 0.560	.3048	----	----	----	----	1 UNCH
13000	----	----	----	----	----	4.720 + 0.442	.2422	----	----	----	----	1 UNCH
14000	----	----	----	----	----	4.379 + 0.403	.2221	----	----	----	----	1 UNCH
14500	----	----	----	----	----	4.250 + 0.388	.2141	----	----	----	----	400 UNCH
15000	----	----	----	----	----	4.143 + 0.375	.2071	----	----	----	----	400 UNCH
TOTAL											0	811 0
FEB27												
9000	----	----	----	----	----	8.821 + 0.017	.4280	----	----	----	----	1 UNCH
TOTAL											0	1 0
MAR27												
9200	----	----	----	----	----	12.706 + 0.905	.4847	----	----	----	----	25 UNCH
TOTAL											0	25 0
JUL27												
2000	----	----	----	----	----	53.263 + 2.008	.9852	----	----	----	----	1 UNCH
10000	----	----	----	----	----	14.941 + 0.936	.4966	----	----	----	----	1 UNCH
10300	----	----	----	----	----	14.559 + 0.914	.4851	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	38.669 + 1.684	.8778	----	----	----	----	1 UNCH
20000	----	----	----	----	----	11.570 + 0.651	.3492	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
APR26												
4500	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
4700	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
4900	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5000	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5200	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5400	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5500	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5700	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
5850	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6000	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6175	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6200	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6250	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6300	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6400	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6450	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6475	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6500	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6525	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6550	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6575	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6600	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6625	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6650	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6675	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6700	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6725	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6750	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6765	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6770	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6775	----	----	----	----	----	0.000	UNCH	----	----	----	----	0 UNCH
6800	----	----	----	----	----	0.066	UNCH	----	----	----	----	0 UNCH
6820	----	----	----	----	----	0.266	UNCH	----	----	----	----	0 UNCH
6825	----	----	----	----	----	0.316	UNCH	----	----	----	----	0 UNCH
6830	----	----	----	----	----	0.366	UNCH	----	----	----	----	0 UNCH
6835	----	----	----	----	----	0.416	UNCH	----	----	----	----	0 UNCH
6850	----	----	----	----	----	0.566	UNCH	----	----	----	----	0 UNCH
6875	----	----	----	----	----	0.816	UNCH	----	----	----	----	0 UNCH
6895	----	----	----	----	----	1.016	UNCH	----	----	----	----	0 UNCH
6900	----	----	----	----	----	1.066	UNCH	----	----	----	----	0 UNCH
6905	----	----	----	----	----	1.116	UNCH	----	----	----	----	0 UNCH
6910	----	----	----	----	----	1.166	UNCH	----	----	----	----	0 UNCH
6915	----	----	----	----	----	1.216	UNCH	----	----	----	----	0 UNCH
6920	----	----	----	----	----	1.266	UNCH	----	----	----	----	0 UNCH
6925	----	----	----	----	----	1.316	UNCH	----	----	----	----	0 UNCH
6930	----	----	----	----	----	1.366	UNCH	----	----	----	----	0 UNCH
6935	----	----	----	----	----	1.416	UNCH	----	----	----	----	0 UNCH
6940	----	----	----	----	----	1.466	UNCH	----	----	----	----	0 UNCH
6945	----	----	----	----	----	1.516	UNCH	----	----	----	----	0 UNCH
6950	----	----	----	----	----	1.566	UNCH	----	----	----	----	0 UNCH
6955	----	----	----	----	----	1.616	UNCH	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT		COMEX SILVER OPTIONS												
APR26														
6960	----	----	----	----	----	1.666	UNCH	----	----	----	----	----	0	UNCH
6965	----	----	----	----	----	1.716	UNCH	----	----	----	----	----	0	UNCH
6970	----	----	----	----	----	1.766	UNCH	----	----	----	----	----	0	UNCH
6975	----	----	----	----	----	1.816	UNCH	----	----	----	----	----	0	UNCH
6980	----	----	----	----	----	1.866	UNCH	----	----	----	----	----	0	UNCH
6985	----	----	----	----	----	1.916	UNCH	----	----	----	----	----	0	UNCH
6990	----	----	----	----	----	1.966	UNCH	----	----	----	----	----	0	UNCH
6995	----	----	----	----	----	2.016	UNCH	----	----	----	----	----	0	UNCH
7000	----	----	----	----	----	2.066	UNCH	----	----	----	----	----	0	UNCH
7005	----	----	----	----	----	2.116	UNCH	----	----	----	----	----	0	UNCH
7010	----	----	----	----	----	2.166	UNCH	----	----	----	----	----	0	UNCH
7015	----	----	----	----	----	2.216	UNCH	----	----	----	----	----	0	UNCH
7020	----	----	----	----	----	2.266	UNCH	----	----	----	----	----	0	UNCH
7025	----	----	----	----	----	2.316	UNCH	----	----	----	----	----	0	UNCH
7030	----	----	----	----	----	2.366	UNCH	----	----	----	----	----	0	UNCH
7035	----	----	----	----	----	2.416	UNCH	----	----	----	----	----	0	UNCH
7040	----	----	----	----	----	2.466	UNCH	----	----	----	----	----	0	UNCH
7050	----	----	----	----	----	2.566	UNCH	----	----	----	----	----	0	UNCH
7060	----	----	----	----	----	2.666	UNCH	----	----	----	----	----	0	UNCH
7065	----	----	----	----	----	2.716	UNCH	----	----	----	----	----	0	UNCH
7070	----	----	----	----	----	2.766	UNCH	----	----	----	----	----	0	UNCH
7075	----	----	----	----	----	2.816	UNCH	----	----	----	----	----	0	UNCH
7080	----	----	----	----	----	2.866	UNCH	----	----	----	----	----	0	UNCH
7085	----	----	----	----	----	2.916	UNCH	----	----	----	----	----	0	UNCH
7090	----	----	----	----	----	2.966	UNCH	----	----	----	----	----	0	UNCH
7095	----	----	----	----	----	3.016	UNCH	----	----	----	----	----	0	UNCH
7100	----	----	----	----	----	3.066	UNCH	----	----	----	----	----	0	UNCH
7105	----	----	----	----	----	3.116	UNCH	----	----	----	----	----	0	UNCH
7110	----	----	----	----	----	3.166	UNCH	----	----	----	----	----	0	UNCH
7115	----	----	----	----	----	3.216	UNCH	----	----	----	----	----	0	UNCH
7120	----	----	----	----	----	3.266	UNCH	----	----	----	----	----	0	UNCH
7125	----	----	----	----	----	3.316	UNCH	----	----	----	----	----	0	UNCH
7130	----	----	----	----	----	3.366	UNCH	----	----	----	----	----	0	UNCH
7135	----	----	----	----	----	3.416	UNCH	----	----	----	----	----	0	UNCH
7140	----	----	----	----	----	3.466	UNCH	----	----	----	----	----	0	UNCH
7145	----	----	----	----	----	3.516	UNCH	----	----	----	----	----	0	UNCH
7150	----	----	----	----	----	3.566	UNCH	----	----	----	----	----	0	UNCH
7155	----	----	----	----	----	3.616	UNCH	----	----	----	----	----	0	UNCH
7160	----	----	----	----	----	3.666	UNCH	----	----	----	----	----	0	UNCH
7165	----	----	----	----	----	3.716	UNCH	----	----	----	----	----	0	UNCH
7170	----	----	----	----	----	3.766	UNCH	----	----	----	----	----	0	UNCH
7175	----	----	----	----	----	3.816	UNCH	----	----	----	----	----	0	UNCH
7180	----	----	----	----	----	3.866	UNCH	----	----	----	----	----	0	UNCH
7185	----	----	----	----	----	3.916	UNCH	----	----	----	----	----	0	UNCH
7190	----	----	----	----	----	3.966	UNCH	----	----	----	----	----	0	UNCH
7195	----	----	----	----	----	4.016	UNCH	----	----	----	----	----	0	UNCH
7200	----	----	----	----	----	4.066	UNCH	----	----	----	----	----	0	UNCH
7205	----	----	----	----	----	4.116	UNCH	----	----	----	----	----	0	UNCH
7210	----	----	----	----	----	4.166	UNCH	----	----	----	----	----	0	UNCH
7220	----	----	----	----	----	4.266	UNCH	----	----	----	----	----	0	UNCH
7225	----	----	----	----	----	4.316	UNCH	----	----	----	----	----	0	UNCH
7230	----	----	----	----	----	4.366	UNCH	----	----	----	----	----	0	UNCH
7235	----	----	----	----	----	4.416	UNCH	----	----	----	----	----	0	UNCH
7240	----	----	----	----	----	4.466	UNCH	----	----	----	----	----	0	UNCH
7245	----	----	----	----	----	4.516	UNCH	----	----	----	----	----	0	UNCH
7250	----	----	----	----	----	4.566	UNCH	----	----	----	----	----	0	UNCH
7255	----	----	----	----	----	4.616	UNCH	----	----	----	----	----	0	UNCH
7260	----	----	----	----	----	4.666	UNCH	----	----	----	----	----	0	UNCH
7265	----	----	----	----	----	4.716	UNCH	----	----	----	----	----	0	UNCH
7270	----	----	----	----	----	4.766	UNCH	----	----	----	----	----	0	UNCH
7275	----	----	----	----	----	4.816	UNCH	----	----	----	----	----	0	UNCH
7280	----	----	----	----	----	4.866	UNCH	----	----	----	----	----	0	UNCH
7285	----	----	----	----	----	4.916	UNCH	----	----	----	----	----	0	UNCH
7290	----	----	----	----	----	4.966	UNCH	----	----	----	----	----	0	UNCH
7295	----	----	----	----	----	5.016	UNCH	----	----	----	----	----	0	UNCH
7300	----	----	----	----	----	5.066	UNCH	----	----	----	----	----	0	UNCH
7305	----	----	----	----	----	5.116	UNCH	----	----	----	----	----	0	UNCH
7310	----	----	----	----	----	5.166	UNCH	----	----	----	----	----	0	UNCH
7315	----	----	----	----	----	5.216	UNCH	----	----	----	----	----	0	UNCH
7320	----	----	----	----	----	5.266	UNCH	----	----	----	----	----	0	UNCH
7325	----	----	----	----	----	5.316	UNCH	----	----	----	----	----	0	UNCH
7330	----	----	----	----	----	5.366	UNCH	----	----	----	----	----	0	UNCH
7335	----	----	----	----	----	5.416	UNCH	----	----	----	----	----	0	UNCH
7340	----	----	----	----	----	5.466	UNCH	----	----	----	----	----	0	UNCH
7345	----	----	----	----	----	5.516	UNCH	----	----	----	----	----	0	UNCH
7350	----	----	----	----	----	5.566	UNCH	----	----	----	----	----	0	UNCH
7355	----	----	----	----	----	5.616	UNCH	----	----	----	----	----	0	UNCH
7360	----	----	----	----	----	5.666	UNCH	----	----	----	----	----	0	UNCH
7365	----	----	----	----	----	5.716	UNCH	----	----	----	----	----	0	UNCH
7370	----	----	----	----	----	5.766	UNCH	----	----	----	----	----	0	UNCH
7375	----	----	----	----	----	5.816	UNCH	----	----	----	----	----	0	UNCH
7380	----	----	----	----	----	5.866	UNCH	----	----	----	----	----	0	UNCH
7385	----	----	----	----	----	5.916	UNCH	----	----	----	----	----	0	UNCH
7390	----	----	----	----	----	5.966	UNCH	----	----	----	----	----	0	UNCH
7395	----	----	----	----	----	6.016	UNCH	----	----	----	----	----	0	UNCH
7400	----	----	----	----	----	6.066	UNCH	----	----	----	----	----	0	UNCH
7405	----	----	----	----	----	6.116	UNCH	----	----	----	----	----	0	UNCH
7410	----	----	----	----	----	6.166	UNCH	----	----	----	----	----	0	UNCH
7415	----	----	----	----	----	6.216	UNCH	----	----	----	----	----	0	UNCH
7420	----	----	----	----	----	6.266	UNCH	----	----	----	----	----	0	UNCH
7430	----	----	----	----	----	6.366	UNCH	----	----	----	----	----	0	UNCH
7435	----	----	----	----	----	6.416	UNCH	----	----	----	----	----	0	UNCH
7440	----	----	----	----	----	6.466	UNCH	----	----	----	----	----	0	UNCH
7445	----	----	----	----	----	6.516	UNCH	----	----	----	----	----	0	UNCH
7450	----	----	----	----	----	6.566	UNCH	----	----	----	----	----	0	UNCH
7455	----	----	----	----	----	6.616	UNCH	----	----	----	----	----	0	UNCH
7460	----	----	----	----	----	6.666	UNCH	----	----	----	----	----	0	UNCH
7465	----	----	----	----	----	6.716	UNCH	----	----	----	----	----	0	UNCH
7470	----	----	----	----	----	6.766	UNCH	----	----	----	----	----	0	UNCH
7475	----	----	----	----	----	6.816	UNCH	----	----	----	----	----	0	UNCH
7480	----	----	----	----	----	6.866	UNCH	----	----	----	----	----	0	UNCH
7485	----	----	----	----	----	6.916	UNCH	----	----	----	----	----	0	UNCH
7490	----	----	----	----	----	6.966	UNCH	----	----	----	----	----	0	UNCH
7495	----	----	----	----	----	7.016	UNCH	----	----	----	----	----	0	UNCH
7500	----	----	----	----	----	7.066	UNCH	----	----	----	----	----	0	UNCH
7505	----	----	----	----	----	7.116	UNCH	----	----	----	----	----	0	UNCH
7510	----	----	----	----	----	7.166	UNCH	----	----	----	----	----	0	UNCH
7515	----	----	----	----	----	7.216	UNCH	----	----	----	----	----	0	UNCH
7520	----	----	----	----	----	7.266	UNCH	----	----	----	----	----	0	UNCH
7525	----	----	----	----	----	7.316	UNCH	----	----	----	----	----	0	UNCH
7530	----	----	----	----	----	7.366	UNCH	----	----	----	----	----	0	UNCH
7535	----	----	----	----	----	7.416	UNCH	----	----	----	----	----	0	UNCH
7545	----	----	----	----	----	7.516	UNCH	----	----	----	----	----	0	UNCH
7550	----	----	----	----	----	7.566	UNCH	----	----	----	----	----	0	UNCH
7555	----	----	----	----	----	7.616	UNCH	----	----	----	----	----	0	UNCH
7560	----	----	----	----	----	7.666	UNCH	----	----	----	----	----	0	UNCH
7565	----	----	----	----	----	7.716	UNCH	----	----	----	----	----	0	UNCH
7570	----	----	----	----	----	7.766	UNCH	----	----	----	----	----	0	UNCH
7575	----	----	----	----	----	7.816	UNCH	----	----	----	----	----	0	UNCH
7580	----	----	----	----	----	7.866	UNCH	----	----	----	----	----	0	UNCH
7585	----	----	----	----	----	7.916	UNCH	----	----	----	----	----	0	UNCH
7590	----	----	----	----	----	7.966	UNCH	----	----	----	----	----	0	UNCH
7595	----	----	----	----	----	8.016	UNCH	----	----	----	----	----	0	UNCH
7600	----	----	----	----	----	8.066	UNCH	----	----	----	----	----	0	UNCH
7605	----	----	----	----	----	8.116	UNCH	----	----	----	----	----	0	UNCH
7610	----	----	----	----	----	8.166	UNCH	----	----	----	----	----	0	UNCH
7615	----	----	----	----	----	8.216	UNCH	----	----	----	----	----	0	UNCH
7620	----	----	----	----	----	8.266	UNCH	----	----	----	----	----	0	UNCH
7625	----	----	----	----	----	8.316	UNCH	----	----	----	----	----	0	UNCH
7630	----	----	----	----	----	8.366	UNCH	----	----	----	----	----	0	UNCH
7635	----	----	----	----	----	8.416	UNCH	----	----	----	----	----	0	UNCH
7640	----	----	----	----	----	8.466	UNCH	----	----	----	----	----	0	UNCH
7645	----	----	----	----	----	8.516	UNCH	----	----	----	----	----	0	UNCH
7650	----	----	----	----	----	8.566	UNCH	----	----	----	----	----	0	UNCH
7655	----	----	----	----	----	8.616	UNCH	----	----	----	----	----	0	UNCH
7660	----	----	----	----	----	8.666	UNCH	----	----	----	----	----	0	UNCH
7670	----	----	----	----	----	8.766	UNCH	----	----	----	----	----	0	UNCH
7675	----	----	----	----	----	8.816	UNCH	----	----	----	----	----	0	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT		COMEX SILVER OPTIONS												
APR26														
7690	----	----	----	----	----	8.966	UNCH	----	----	----	----	----	0	UNCH
7700	----	----	----	----	----	9.066	UNCH	----	----	----	----	----	0	UNCH
7705	----	----	----	----	----	9.116	UNCH	----	----	----	----	----	0	UNCH
7710	----	----	----	----	----	9.166	UNCH	----	----	----	----	----	0	UNCH
7715	----	----	----	----	----	9.216	UNCH	----	----	----	----	----	0	UNCH
7720	----	----	----	----	----	9.266	UNCH	----	----	----	----	----	0	UNCH
7725	----	----	----	----	----	9.316	UNCH	----	----	----	----	----	0	UNCH
7730	----	----	----	----	----	9.366	UNCH	----	----	----	----	----	0	UNCH
7735	----	----	----	----	----	9.416	UNCH	----	----	----	----	----	0	UNCH
7740	----	----	----	----	----	9.466	UNCH	----	----	----	----	----	0	UNCH
7745	----	----	----	----	----	9.516	UNCH	----	----	----	----	----	0	UNCH
7750	----	----	----	----	----	9.566	UNCH	----	----	----	----	----	0	UNCH
7755	----	----	----	----	----	9.616	UNCH	----	----	----	----	----	0	UNCH
7765	----	----	----	----	----	9.716	UNCH	----	----	----	----	----	0	UNCH
7770	----	----	----	----	----	9.766	UNCH	----	----	----	----	----	0	UNCH
7775	----	----	----	----	----	9.816	UNCH	----	----	----	----	----	0	UNCH
7780	----	----	----	----	----	9.866	UNCH	----	----	----	----	----	0	UNCH
7785	----	----	----	----	----	9.916	UNCH	----	----	----	----	----	0	UNCH
7790	----	----	----	----	----	9.966	UNCH	----	----	----	----	----	0	UNCH
7795	----	----	----	----	----	10.016	UNCH	----	----	----	----	----	0	UNCH
7800	----	----	----	----	----	10.066	UNCH	----	----	----	----	----	0	UNCH
7805	----	----	----	----	----	10.116	UNCH	----	----	----	----	----	0	UNCH
7810	----	----	----	----	----	10.166	UNCH	----	----	----	----	----	0	UNCH
7815	----	----	----	----	----	10.216	UNCH	----	----	----	----	----	0	UNCH
7820	----	----	----	----	----	10.266	UNCH	----	----	----	----	----	0	UNCH
7825	----	----	----	----	----	10.316	UNCH	----	----	----	----	----	0	UNCH
7830	----	----	----	----	----	10.366	UNCH	----	----	----	----	----	0	UNCH
7835	----	----	----	----	----	10.416	UNCH	----	----	----	----	----	0	UNCH
7840	----	----	----	----	----	10.466	UNCH	----	----	----	----	----	0	UNCH
7845	----	----	----	----	----	10.516	UNCH	----	----	----	----	----	0	UNCH
7850	----	----	----	----	----	10.566	UNCH	----	----	----	----	----	0	UNCH
7855	----	----	----	----	----	10.616	UNCH	----	----	----	----	----	0	UNCH
7860	----	----	----	----	----	10.666	UNCH	----	----	----	----	----	0	UNCH
7865	----	----	----	----	----	10.716	UNCH	----	----	----	----	----	0	UNCH
7870	----	----	----	----	----	10.766	UNCH	----	----	----	----	----	0	UNCH
7875	----	----	----	----	----	10.816	UNCH	----	----	----	----	----	0	UNCH
7880	----	----	----	----	----	10.866	UNCH	----	----	----	----	----	0	UNCH
7885	----	----	----	----	----	10.916	UNCH	----	----	----	----	----	0	UNCH
7890	----	----	----	----	----	10.966	UNCH	----	----	----	----	----	0	UNCH
7895	----	----	----	----	----	11.016	UNCH	----	----	----	----	----	0	UNCH
7900	----	----	----	----	----	11.066	UNCH	----	----	----	----	----	0	UNCH
7905	----	----	----	----	----	11.116	UNCH	----	----	----	----	----	0	UNCH
7910	----	----	----	----	----	11.166	UNCH	----	----	----	----	----	0	UNCH
7915	----	----	----	----	----	11.216	UNCH	----	----	----	----	----	0	UNCH
7920	----	----	----	----	----	11.266	UNCH	----	----	----	----	----	0	UNCH
7925	----	----	----	----	----	11.316	UNCH	----	----	----	----	----	0	UNCH
7930	----	----	----	----	----	11.366	UNCH	----	----	----	----	----	0	UNCH
7935	----	----	----	----	----	11.416	UNCH	----	----	----	----	----	0	UNCH
7940	----	----	----	----	----	11.466	UNCH	----	----	----	----	----	0	UNCH
7945	----	----	----	----	----	11.516	UNCH	----	----	----	----	----	0	UNCH
7950	----	----	----	----	----	11.566	UNCH	----	----	----	----	----	0	UNCH
7955	----	----	----	----	----	11.616	UNCH	----	----	----	----	----	0	UNCH
7960	----	----	----	----	----	11.666	UNCH	----	----	----	----	----	0	UNCH
7965	----	----	----	----	----	11.716	UNCH	----	----	----	----	----	0	UNCH
7970	----	----	----	----	----	11.766	UNCH	----	----	----	----	----	0	UNCH
7975	----	----	----	----	----	11.816	UNCH	----	----	----	----	----	0	UNCH
7980	----	----	----	----	----	11.866	UNCH	----	----	----	----	----	0	UNCH
7985	----	----	----	----	----	11.916	UNCH	----	----	----	----	----	0	UNCH
7990	----	----	----	----	----	11.966	UNCH	----	----	----	----	----	0	UNCH
7995	----	----	----	----	----	12.016	UNCH	----	----	----	----	----	0	UNCH
8000	----	----	----	----	----	12.066	UNCH	----	----	----	----	----	0	UNCH
8005	----	----	----	----	----	12.116	UNCH	----	----	----	----	----	0	UNCH
8010	----	----	----	----	----	12.166	UNCH	----	----	----	----	----	0	UNCH
8015	----	----	----	----	----	12.216	UNCH	----	----	----	----	----	0	UNCH
8020	----	----	----	----	----	12.266	UNCH	----	----	----	----	----	0	UNCH
8025	----	----	----	----	----	12.316	UNCH	----	----	----	----	----	0	UNCH
8030	----	----	----	----	----	12.366	UNCH	----	----	----	----	----	0	UNCH
8035	----	----	----	----	----	12.416	UNCH	----	----	----	----	----	0	UNCH
8040	----	----	----	----	----	12.466	UNCH	----	----	----	----	----	0	UNCH
8045	----	----	----	----	----	12.516	UNCH	----	----	----	----	----	0	UNCH
8050	----	----	----	----	----	12.566	UNCH	----	----	----	----	----	0	UNCH
8055	----	----	----	----	----	12.616	UNCH	----	----	----	----	----	0	UNCH
8060	----	----	----	----	----	12.666	UNCH	----	----	----	----	----	0	UNCH
8065	----	----	----	----	----	12.716	UNCH	----	----	----	----	----	0	UNCH
8070	----	----	----	----	----	12.766	UNCH	----	----	----	----	----	0	UNCH
8075	----	----	----	----	----	12.816	UNCH	----	----	----	----	----	0	UNCH
8080	----	----	----	----	----	12.866	UNCH	----	----	----	----	----	0	UNCH
8085	----	----	----	----	----	12.916	UNCH	----	----	----	----	----	0	UNCH
8090	----	----	----	----	----	12.966	UNCH	----	----	----	----	----	0	UNCH
8095	----	----	----	----	----	13.016	UNCH	----	----	----	----	----	0	UNCH
8100	----	----	----	----	----	13.066	UNCH	----	----	----	----	----	0	UNCH
8105	----	----	----	----	----	13.116	UNCH	----	----	----	----	----	0	UNCH
8110	----	----	----	----	----	13.166	UNCH	----	----	----	----	----	0	UNCH
8115	----	----	----	----	----	13.216	UNCH	----	----	----	----	----	0	UNCH
8120	----	----	----	----	----	13.266	UNCH	----	----	----	----	----	0	UNCH
8125	----	----	----	----	----	13.316	UNCH	----	----	----	----	----	0	UNCH
8130	----	----	----	----	----	13.366	UNCH	----	----	----	----	----	0	UNCH
8135	----	----	----	----	----	13.416	UNCH	----	----	----	----	----	0	UNCH
8140	----	----	----	----	----	13.466	UNCH	----	----	----	----	----	0	UNCH
8145	----	----	----	----	----	13.516	UNCH	----	----	----	----	----	0	UNCH
8150	----	----	----	----	----	13.566	UNCH	----	----	----	----	----	0	UNCH
8155	----	----	----	----	----	13.616	UNCH	----	----	----	----	----	0	UNCH
8160	----	----	----	----	----	13.666	UNCH	----	----	----	----	----	0	UNCH
8165	----	----	----	----	----	13.716	UNCH	----	----	----	----	----	0	UNCH
8170	----	----	----	----	----	13.766	UNCH	----	----	----	----	----	0	UNCH
8175	----	----	----	----	----	13.816	UNCH	----	----	----	----	----	0	UNCH
8180	----	----	----	----	----	13.866	UNCH	----	----	----	----	----	0	UNCH
8185	----	----	----	----	----	13.916	UNCH	----	----	----	----	----	0	UNCH
8190	----	----	----	----	----	13.966	UNCH	----	----	----	----	----	0	UNCH
8195	----	----	----	----	----	14.016	UNCH	----	----	----	----	----	0	UNCH
8200	----	----	----	----	----	14.066	UNCH	----	----	----	----	----	0	UNCH
8205	----	----	----	----	----	14.116	UNCH	----	----	----	----	----	0	UNCH
8215	----	----	----	----	----	14.216	UNCH	----	----	----	----	----	0	UNCH
8220	----	----	----	----	----	14.266	UNCH	----	----	----	----	----	0	UNCH
8225	----	----	----	----	----	14.316	UNCH	----	----	----	----	----	0	UNCH
8230	----	----	----	----	----	14.366	UNCH	----	----	----	----	----	0	UNCH
8240	----	----	----	----	----	14.466	UNCH	----	----	----	----	----	0	UNCH
8250	----	----	----	----	----	14.566	UNCH	----	----	----	----	----	0	UNCH
8255	----	----	----	----	----	14.616	UNCH	----	----	----	----	----	0	UNCH
8260	----	----	----	----	----	14.666	UNCH	----	----	----	----	----	0	UNCH
8265	----	----	----	----	----	14.716	UNCH	----	----	----	----	----	0	UNCH
8270	----	----	----	----	----	14.766	UNCH	----	----	----	----	----	0	UNCH
8275	----	----	----	----	----	14.816	UNCH	----	----	----	----	----	0	UNCH
8280	----	----	----	----	----	14.866	UNCH	----	----	----	----	----	0	UNCH
8285	----	----	----	----	----	14.916	UNCH	----	----	----	----	----	0	UNCH
8290	----	----	----	----	----	14.966	UNCH	----	----	----	----	----	0	UNCH
8295	----	----	----	----	----	15.016	UNCH	----	----	----	----	----	0	UNCH
8300	----	----	----	----	----	15.066	UNCH	----	----	----	----	----	0	UNCH
8305	----	----	----	----	----	15.116	UNCH	----	----	----	----	----	0	UNCH
8310	----	----	----	----	----	15.166	UNCH	----	----	----	----	----	0	UNCH
8315	----	----	----	----	----	15.216	UNCH	----	----	----	----	----	0	UNCH
8320	----	----	----	----	----	15.266	UNCH	----	----	----	----	----	0	UNCH
8325	----	----	----	----	----	15.316	UNCH	----	----	----	----	----	0	UNCH
8330	----	----	----	----	----	15.366	UNCH	----	----	----	----	----	0	UNCH
8340	----	----	----	----	----	15.466	UNCH	----	----	----	----	----	0	UNCH
8345	----	----	----	----	----	15.516	UNCH	----	----	----	----	----	0	UNCH
8350	----	----	----	----	----	15.566	UNCH	----	----	----	----	----	0	UNCH
8355	----	----	----	----	----	15.616	UNCH	----	----	----	----	----	0	UNCH
8360	----	----	----	----	----	15.666	UNCH	----	----	----	----	----	0	UNCH
8365	----	----	----	----	----	15.716	UNCH	----	----	----	----	----	0	UNCH
8370	----	----	----	----	----	15.766	UNCH	----	----	----	----	----	0	UNCH
8375	----	----	----	----	----	15.816	UNCH	----	----	----	----	----	0	UNCH
8380	----	----	----	----	----	15.866	UNCH	----	----	----	----	----	0	UNCH
8385	----	----	----	----	----	15.916	UNCH	----	----	----	----	----	0	UNCH
8390	----	----	----	----	----	15.966	UNCH	----	----	----	----	----	0	UNCH
8400	----	----	----	----	----	16.066	UNCH	----	----	----	----	----	0	UNCH
8405	----	----	----	----	----	16.116	UNCH	----	----	----	----	----	0	UNCH
8410	----	----	----	----	----	16.166	UNCH	----	----	----	----	----	0	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT		COMEX SILVER OPTIONS												
APR26														
8415	----	----	----	----	----	16.216	UNCH	----	----	----	----	----	0	UNCH
8420	----	----	----	----	----	16.266	UNCH	----	----	----	----	----	0	UNCH
8425	----	----	----	----	----	16.316	UNCH	----	----	----	----	----	0	UNCH
8440	----	----	----	----	----	16.466	UNCH	----	----	----	----	----	0	UNCH
8450	----	----	----	----	----	16.566	UNCH	----	----	----	----	----	0	UNCH
8460	----	----	----	----	----	16.666	UNCH	----	----	----	----	----	0	UNCH
8465	----	----	----	----	----	16.716	UNCH	----	----	----	----	----	0	UNCH
8470	----	----	----	----	----	16.766	UNCH	----	----	----	----	----	0	UNCH
8480	----	----	----	----	----	16.866	UNCH	----	----	----	----	----	0	UNCH
8485	----	----	----	----	----	16.916	UNCH	----	----	----	----	----	0	UNCH
8490	----	----	----	----	----	16.966	UNCH	----	----	----	----	----	0	UNCH
8495	----	----	----	----	----	17.016	UNCH	----	----	----	----	----	0	UNCH
8500	----	----	----	----	----	17.066	UNCH	----	----	----	----	----	0	UNCH
8505	----	----	----	----	----	17.116	UNCH	----	----	----	----	----	0	UNCH
8510	----	----	----	----	----	17.166	UNCH	----	----	----	----	----	0	UNCH
8515	----	----	----	----	----	17.216	UNCH	----	----	----	----	----	0	UNCH
8520	----	----	----	----	----	17.266	UNCH	----	----	----	----	----	0	UNCH
8525	----	----	----	----	----	17.316	UNCH	----	----	----	----	----	0	UNCH
8530	----	----	----	----	----	17.366	UNCH	----	----	----	----	----	0	UNCH
8535	----	----	----	----	----	17.416	UNCH	----	----	----	----	----	0	UNCH
8540	----	----	----	----	----	17.466	UNCH	----	----	----	----	----	0	UNCH
8550	----	----	----	----	----	17.566	UNCH	----	----	----	----	----	0	UNCH
8560	----	----	----	----	----	17.666	UNCH	----	----	----	----	----	0	UNCH
8565	----	----	----	----	----	17.716	UNCH	----	----	----	----	----	0	UNCH
8570	----	----	----	----	----	17.766	UNCH	----	----	----	----	----	0	UNCH
8580	----	----	----	----	----	17.866	UNCH	----	----	----	----	----	0	UNCH
8585	----	----	----	----	----	17.916	UNCH	----	----	----	----	----	0	UNCH
8595	----	----	----	----	----	18.016	UNCH	----	----	----	----	----	0	UNCH
8600	----	----	----	----	----	18.066	UNCH	----	----	----	----	----	0	UNCH
8610	----	----	----	----	----	18.166	UNCH	----	----	----	----	----	0	UNCH
8620	----	----	----	----	----	18.266	UNCH	----	----	----	----	----	0	UNCH
8625	----	----	----	----	----	18.316	UNCH	----	----	----	----	----	0	UNCH
8630	----	----	----	----	----	18.366	UNCH	----	----	----	----	----	0	UNCH
8640	----	----	----	----	----	18.466	UNCH	----	----	----	----	----	0	UNCH
8645	----	----	----	----	----	18.516	UNCH	----	----	----	----	----	0	UNCH
8650	----	----	----	----	----	18.566	UNCH	----	----	----	----	----	0	UNCH
8655	----	----	----	----	----	18.616	UNCH	----	----	----	----	----	0	UNCH
8660	----	----	----	----	----	18.666	UNCH	----	----	----	----	----	0	UNCH
8665	----	----	----	----	----	18.716	UNCH	----	----	----	----	----	0	UNCH
8670	----	----	----	----	----	18.766	UNCH	----	----	----	----	----	0	UNCH
8675	----	----	----	----	----	18.816	UNCH	----	----	----	----	----	0	UNCH
8680	----	----	----	----	----	18.866	UNCH	----	----	----	----	----	0	UNCH
8685	----	----	----	----	----	18.916	UNCH	----	----	----	----	----	0	UNCH
8690	----	----	----	----	----	18.966	UNCH	----	----	----	----	----	0	UNCH
8700	----	----	----	----	----	19.066	UNCH	----	----	----	----	----	0	UNCH
8705	----	----	----	----	----	19.116	UNCH	----	----	----	----	----	0	UNCH
8710	----	----	----	----	----	19.166	UNCH	----	----	----	----	----	0	UNCH
8715	----	----	----	----	----	19.216	UNCH	----	----	----	----	----	0	UNCH
8720	----	----	----	----	----	19.266	UNCH	----	----	----	----	----	0	UNCH
8730	----	----	----	----	----	19.366	UNCH	----	----	----	----	----	0	UNCH
8740	----	----	----	----	----	19.466	UNCH	----	----	----	----	----	0	UNCH
8745	----	----	----	----	----	19.516	UNCH	----	----	----	----	----	0	UNCH
8750	----	----	----	----	----	19.566	UNCH	----	----	----	----	----	0	UNCH
8770	----	----	----	----	----	19.766	UNCH	----	----	----	----	----	0	UNCH
8775	----	----	----	----	----	19.816	UNCH	----	----	----	----	----	0	UNCH
8780	----	----	----	----	----	19.866	UNCH	----	----	----	----	----	0	UNCH
8785	----	----	----	----	----	19.916	UNCH	----	----	----	----	----	0	UNCH
8790	----	----	----	----	----	19.966	UNCH	----	----	----	----	----	0	UNCH
8795	----	----	----	----	----	20.016	UNCH	----	----	----	----	----	0	UNCH
8800	----	----	----	----	----	20.066	UNCH	----	----	----	----	----	0	UNCH
8810	----	----	----	----	----	20.166	UNCH	----	----	----	----	----	0	UNCH
8815	----	----	----	----	----	20.216	UNCH	----	----	----	----	----	0	UNCH
8820	----	----	----	----	----	20.266	UNCH	----	----	----	----	----	0	UNCH
8825	----	----	----	----	----	20.316	UNCH	----	----	----	----	----	0	UNCH
8830	----	----	----	----	----	20.366	UNCH	----	----	----	----	----	0	UNCH
8835	----	----	----	----	----	20.416	UNCH	----	----	----	----	----	0	UNCH
8845	----	----	----	----	----	20.516	UNCH	----	----	----	----	----	0	UNCH
8850	----	----	----	----	----	20.566	UNCH	----	----	----	----	----	0	UNCH
8865	----	----	----	----	----	20.716	UNCH	----	----	----	----	----	0	UNCH
8875	----	----	----	----	----	20.816	UNCH	----	----	----	----	----	0	UNCH
8880	----	----	----	----	----	20.866	UNCH	----	----	----	----	----	0	UNCH
8885	----	----	----	----	----	20.916	UNCH	----	----	----	----	----	0	UNCH
8890	----	----	----	----	----	20.966	UNCH	----	----	----	----	----	0	UNCH
8900	----	----	----	----	----	21.066	UNCH	----	----	----	----	----	0	UNCH
8905	----	----	----	----	----	21.116	UNCH	----	----	----	----	----	0	UNCH
8910	----	----	----	----	----	21.166	UNCH	----	----	----	----	----	0	UNCH
8915	----	----	----	----	----	21.216	UNCH	----	----	----	----	----	0	UNCH
8920	----	----	----	----	----	21.266	UNCH	----	----	----	----	----	0	UNCH
8925	----	----	----	----	----	21.316	UNCH	----	----	----	----	----	0	UNCH
8930	----	----	----	----	----	21.366	UNCH	----	----	----	----	----	0	UNCH
8940	----	----	----	----	----	21.466	UNCH	----	----	----	----	----	0	UNCH
8950	----	----	----	----	----	21.566	UNCH	----	----	----	----	----	0	UNCH
8955	----	----	----	----	----	21.616	UNCH	----	----	----	----	----	0	UNCH
8960	----	----	----	----	----	21.666	UNCH	----	----	----	----	----	0	UNCH
8970	----	----	----	----	----	21.766	UNCH	----	----	----	----	----	0	UNCH
8975	----	----	----	----	----	21.816	UNCH	----	----	----	----	----	0	UNCH
8980	----	----	----	----	----	21.866	UNCH	----	----	----	----	----	0	UNCH
8985	----	----	----	----	----	21.916	UNCH	----	----	----	----	----	0	UNCH
8990	----	----	----	----	----	21.966	UNCH	----	----	----	----	----	0	UNCH
8995	----	----	----	----	----	22.016	UNCH	----	----	----	----	----	0	UNCH
9000	----	----	----	----	----	22.066	UNCH	----	----	----	----	----	0	UNCH
9010	----	----	----	----	----	22.166	UNCH	----	----	----	----	----	0	UNCH
9015	----	----	----	----	----	22.216	UNCH	----	----	----	----	----	0	UNCH
9020	----	----	----	----	----	22.266	UNCH	----	----	----	----	----	0	UNCH
9025	----	----	----	----	----	22.316	UNCH	----	----	----	----	----	0	UNCH
9030	----	----	----	----	----	22.366	UNCH	----	----	----	----	----	0	UNCH
9035	----	----	----	----	----	22.416	UNCH	----	----	----	----	----	0	UNCH
9040	----	----	----	----	----	22.466	UNCH	----	----	----	----	----	0	UNCH
9045	----	----	----	----	----	22.516	UNCH	----	----	----	----	----	0	UNCH
9050	----	----	----	----	----	22.566	UNCH	----	----	----	----	----	0	UNCH
9055	----	----	----	----	----	22.616	UNCH	----	----	----	----	----	0	UNCH
9060	----	----	----	----	----	22.666	UNCH	----	----	----	----	----	0	UNCH
9070	----	----	----	----	----	22.766	UNCH	----	----	----	----	----	0	UNCH
9075	----	----	----	----	----	22.816	UNCH	----	----	----	----	----	0	UNCH
9080	----	----	----	----	----	22.866	UNCH	----	----	----	----	----	0	UNCH
9100	----	----	----	----	----	23.066	UNCH	----	----	----	----	----	0	UNCH
9105	----	----	----	----	----	23.116	UNCH	----	----	----	----	----	0	UNCH
9110	----	----	----	----	----	23.166	UNCH	----	----	----	----	----	0	UNCH
9120	----	----	----	----	----	23.266	UNCH	----	----	----	----	----	0	UNCH
9125	----	----	----	----	----	23.316	UNCH	----	----	----	----	----	0	UNCH
9130	----	----	----	----	----	23.366	UNCH	----	----	----	----	----	0	UNCH
9135	----	----	----	----	----	23.416	UNCH	----	----	----	----	----	0	UNCH
9150	----	----	----	----	----	23.566	UNCH	----	----	----	----	----	0	UNCH
9160	----	----	----	----	----	23.666	UNCH	----	----	----	----	----	0	UNCH
9165	----	----	----	----	----	23.716	UNCH	----	----	----	----	----	0	UNCH
9170	----	----	----	----	----	23.766	UNCH	----	----	----	----	----	0	UNCH
9175	----	----	----	----	----	23.816	UNCH	----	----	----	----	----	0	UNCH
9180	----	----	----	----	----	23.866	UNCH	----	----	----	----	----	0	UNCH
9185	----	----	----	----	----	23.916	UNCH	----	----	----	----	----	0	UNCH
9190	----	----	----	----	----	23.966	UNCH	----	----	----	----	----	0	UNCH
9195	----	----	----	----	----	24.016	UNCH	----	----	----	----	----	0	UNCH
9200	----	----	----	----	----	24.066	UNCH	----	----	----	----	----	0	UNCH
9205	----	----	----	----	----	24.116	UNCH	----	----	----	----	----	0	UNCH
9210	----	----	----	----	----	24.166	UNCH	----	----	----	----	----	0	UNCH
9215	----	----	----	----	----	24.216	UNCH	----	----	----	----	----	0	UNCH
9220	----	----	----	----	----	24.266	UNCH	----	----	----	----	----	0	UNCH
9225	----	----	----	----	----	24.316	UNCH	----	----	----	----	----	0	UNCH
9235	----	----	----	----	----	24.416	UNCH	----	----	----	----	----	0	UNCH
9240	----	----	----	----	----	24.466	UNCH	----	----	----	----	----	0	UNCH
9250	----	----	----	----	----	24.566	UNCH	----	----	----	----	----	0	UNCH
9295	----	----	----	----	----	25.016	UNCH	----	----	----	----	----	0	UNCH
9300	----	----	----	----	----	25.066	UNCH	----	----	----	----	----	0	UNCH
9305	----	----	----	----	----	25.116	UNCH	----	----	----	----	----	0	UNCH
9315	----	----	----	----	----	25.216	UNCH	----	----	----	----	----	0	UNCH
9320	----	----	----	----	----	25.266	UNCH	----	----	----	----	----	0	UNCH
9335	----	----	----	----	----	25.416	UNCH	----	----	----	----	----	0	UNCH
9350	----	----	----	----	----	25.566	UNCH	----	----	----	----	----	0	UNCH
9360	----	----	----	----	----	25.666	UNCH	----	----	----	----	----	0	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 65

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT		COMEX SILVER OPTIONS												
APR26														
9400	----	----	----	----	----	26.066	UNCH	----	----	----	----	----	0	UNCH
9410	----	----	----	----	----	26.166	UNCH	----	----	----	----	----	0	UNCH
9480	----	----	----	----	----	26.866	UNCH	----	----	----	----	----	0	UNCH
9485	----	----	----	----	----	26.916	UNCH	----	----	----	----	----	0	UNCH
9490	----	----	----	----	----	26.966	UNCH	----	----	----	----	----	0	UNCH
9500	----	----	----	----	----	27.066	UNCH	----	----	----	----	----	0	UNCH
9515	----	----	----	----	----	27.216	UNCH	----	----	----	----	----	0	UNCH
9540	----	----	----	----	----	27.466	UNCH	----	----	----	----	----	0	UNCH
9545	----	----	----	----	----	27.516	UNCH	----	----	----	----	----	0	UNCH
9550	----	----	----	----	----	27.566	UNCH	----	----	----	----	----	0	UNCH
9600	----	----	----	----	----	28.066	UNCH	----	----	----	----	----	0	UNCH
9640	----	----	----	----	----	28.466	UNCH	----	----	----	----	----	0	UNCH
9700	----	----	----	----	----	29.066	UNCH	----	----	----	----	----	0	UNCH
9725	----	----	----	----	----	29.316	UNCH	----	----	----	----	----	0	UNCH
9750	----	----	----	----	----	29.566	UNCH	----	----	----	----	----	0	UNCH
9800	----	----	----	----	----	30.066	UNCH	----	----	----	----	----	0	UNCH
9850	----	----	----	----	----	30.566	UNCH	----	----	----	----	----	0	UNCH
9860	----	----	----	----	----	30.666	UNCH	----	----	----	----	----	0	UNCH
9870	----	----	----	----	----	30.766	UNCH	----	----	----	----	----	0	UNCH
9900	----	----	----	----	----	31.066	UNCH	----	----	----	----	----	0	UNCH
10000	----	----	----	----	----	32.066	UNCH	----	----	----	----	----	0	UNCH
10040	----	----	----	----	----	32.466	UNCH	----	----	----	----	----	0	UNCH
10100	----	----	----	----	----	33.066	UNCH	----	----	----	----	----	0	UNCH
10145	----	----	----	----	----	33.516	UNCH	----	----	----	----	----	0	UNCH
10160	----	----	----	----	----	33.666	UNCH	----	----	----	----	----	0	UNCH
10175	----	----	----	----	----	33.816	UNCH	----	----	----	----	----	0	UNCH
10200	----	----	----	----	----	34.066	UNCH	----	----	----	----	----	0	UNCH
10280	----	----	----	----	----	34.866	UNCH	----	----	----	----	----	0	UNCH
10285	----	----	----	----	----	34.916	UNCH	----	----	----	----	----	0	UNCH
10290	----	----	----	----	----	34.966	UNCH	----	----	----	----	----	0	UNCH
10295	----	----	----	----	----	35.016	UNCH	----	----	----	----	----	0	UNCH
10300	----	----	----	----	----	35.066	UNCH	----	----	----	----	----	0	UNCH
10325	----	----	----	----	----	35.316	UNCH	----	----	----	----	----	0	UNCH
10350	----	----	----	----	----	35.566	UNCH	----	----	----	----	----	0	UNCH
10375	----	----	----	----	----	35.816	UNCH	----	----	----	----	----	0	UNCH
10500	----	----	----	----	----	37.066	UNCH	----	----	----	----	----	0	UNCH
10550	----	----	----	----	----	37.566	UNCH	----	----	----	----	----	0	UNCH
10600	----	----	----	----	----	38.066	UNCH	----	----	----	----	----	0	UNCH
10800	----	----	----	----	----	40.066	UNCH	----	----	----	----	----	0	UNCH
11000	----	----	----	----	----	42.066	UNCH	----	----	----	----	----	0	UNCH
11025	----	----	----	----	----	42.316	UNCH	----	----	----	----	----	0	UNCH
11275	----	----	----	----	----	44.816	UNCH	----	----	----	----	----	0	UNCH
11500	----	----	----	----	----	47.066	UNCH	----	----	----	----	----	0	UNCH
11600	----	----	----	----	----	48.066	UNCH	----	----	----	----	----	0	UNCH
13300	----	----	----	----	----	65.066	UNCH	----	----	----	----	----	0	UNCH
TOTAL												0	0	0
MAY26														
2075	----	----	----	----/0.022A	----	0.007	UNCH	.0006	----	----	----	----	30	UNCH
2100	----	----	----	----/0.088A	----	0.007	UNCH	.0007	----	----	----	----	1	UNCH
2150	----	----	----	----/0.029A	----	0.008	UNCH	.0008	----	----	----	----	1	UNCH
2175	----	----	----	----/0.090A	----	0.008	- 0.001	.0008	----	----	----	----	1	UNCH
2650	0.023	0.023	0.023/*0.023	0.023/*0.023	----	0.022	- 0.001	.0022	----	----	1	----	2	+ 1
2700	----	----	----	0.015B/0.120A	----	0.024	- 0.001	.0024	----	----	----	----	50	UNCH
2800	----	----	----	----/0.130A	----	0.028	- 0.002	.0029	----	----	----	----	12	UNCH
2850	----	----	----	0.001B/0.136A	----	0.030	- 0.002	.0031	----	----	----	----	3	UNCH
2875	----	----	----	0.001B/0.139A	----	0.032	- 0.002	.0033	----	----	----	----	1	UNCH
2950	----	----	----	0.001B/0.149A	----	0.035	- 0.003	.0037	----	----	----	----	1	UNCH
3000	----	----	----	0.001B/0.155A	----	0.038	- 0.003	.0040	----	----	----	----	19	UNCH
3075	----	----	----	0.001B/0.168A	----	0.044	- 0.002	.0047	----	----	----	----	16	UNCH
3100	----	----	----	0.001B/0.172A	----	0.046	- 0.003	.0049	----	----	----	----	5	UNCH
3125	----	----	----	0.001B/0.176A	----	0.048	- 0.003	.0051	----	----	----	----	14	UNCH
3175	----	----	----	0.001B/0.187A	----	0.052	- 0.003	.0055	----	----	----	----	14	UNCH
3200	----	----	----	0.001B/0.191A	----	0.054	- 0.004	.0058	----	----	----	----	13	UNCH
3225	----	----	----	0.001B/0.195A	----	0.056	- 0.004	.0060	----	----	----	----	10	UNCH
3275	----	----	----	0.001B/0.202A	----	0.061	- 0.004	.0065	----	----	----	----	54	UNCH
3300	----	----	----	0.001B/0.206A	----	0.064	- 0.004	.0069	----	----	----	----	79	UNCH
3325	----	----	----	0.003B/0.210A	----	0.066	- 0.005	.0071	----	----	----	----	2	UNCH
3350	----	----	----	0.003B/0.214A	----	0.069	- 0.005	.0074	----	----	----	----	14	UNCH
3375	----	----	----	0.016B/0.201A	----	0.072	- 0.005	.0077	----	----	----	----	12	UNCH
3400	----	----	----	0.009B/0.199A	----	0.075	- 0.005	.0081	----	----	----	----	39	UNCH
3450	----	----	----	0.012B/0.208A	----	0.081	- 0.005	.0087	----	----	----	----	5	UNCH
3475	----	----	----	0.010B/0.213A	----	0.084	- 0.006	.0091	----	----	----	----	13	UNCH
3500	----	----	----	0.080B/0.123A	----	0.087	- 0.006	.0094	----	----	----	----	56	UNCH
3550	----	----	----	0.007B/0.223A	----	0.094	- 0.006	.0102	----	----	----	----	1	UNCH
3575	----	----	----	0.011B/0.224A	----	0.097	- 0.007	.0105	----	----	----	----	28	UNCH
3600	----	----	----	0.013B/0.222A	----	0.101	- 0.007	.0110	----	----	----	----	6	UNCH
3625	----	----	----	0.013B/0.234A	----	0.104	- 0.008	.0113	----	----	----	----	12	UNCH
3675	----	----	----	0.007B/0.238A	----	0.112	- 0.008	.0122	----	----	----	----	105	UNCH
3700	----	----	----	0.013B/0.243A	----	0.116	- 0.009	.0127	----	----	----	----	264	UNCH
3750	----	----	----	0.009B/0.247A	----	0.125	- 0.009	.0137	----	----	----	----	10	UNCH
3775	----	----	----	0.012B/0.254A	----	0.129	- 0.010	.0142	----	----	----	----	10	UNCH
3800	----	----	----	0.017B/0.253A	----	0.134	- 0.010	.0147	----	----	----	----	355	UNCH
3850	----	----	----	0.029B/0.271A	----	0.143	- 0.011	.0157	----	----	----	----	1	UNCH
3900	----	----	----	0.035B/0.280A	----	0.153	- 0.012	.0169	----	----	----	----	52	UNCH
3925	----	----	----	0.039B/0.286A	----	0.158	- 0.012	.0175	----	----	----	----	9	UNCH
3950	----	----	----	0.044B/0.291A	----	0.164	- 0.012	.0181	----	----	----	----	11	UNCH
3975	----	----	----	0.049B/0.296A	----	0.169	- 0.013	.0187	----	----	----	----	5	UNCH
4000	0.161	0.161	0.200/0.161	0.200/0.161	----	0.175	- 0.013	.0194	----	----	3	----	262	UNCH
4025	----	----	----	0.059B/0.306A	----	0.181	- 0.013	.0201	----	----	----	----	3	UNCH
4050	----	----	----	0.064B/0.311A	----	0.188	- 0.011	.0208	----	----	----	----	21	UNCH
4075	----	----	----	0.070B/0.317A	----	0.195	- 0.010	.0216	----	----	----	----	15	UNCH
4100	----	----	----	0.073B/0.330A	----	0.202	- 0.008	.0224	----	----	----	----	190	UNCH
4125	----	----	----	0.078B/0.338A	----	0.209	- 0.007	.0232	----	----	----	----	10	UNCH
4150	----	----	----	0.081B/0.341A	----	0.217	- 0.005	.0241	----	----	----	----	9	UNCH
4175	----	----	----	0.089B/0.335A	----	0.225	- 0.003	.0249	----	----	----	----	1	UNCH
4200	0.245	0.245	0.245/0.235A	0.245/0.235A	----	0.233	- 0.002	.0258	----	----	8	----	100	+ 2
4225	----	----	----	0.100B/0.360A	----	0.241	UNCH	.0267	----	----	----	----	20	UNCH
4250	----	----	----	0.211B/0.367A	----	0.249	+ 0.001	.0276	----	----	----	----	10	UNCH
4275	----	----	----	0.122B/0.369A	----	0.258	+ 0.004	.0286	----	----	----	----	7	UNCH
4300	----	----	----	0.129B/0.376A	----	0.267	+ 0.006	.0296	----	----	----	----	270	UNCH
4325	----	----	----	0.220B/0.382A	----	0.276	+ 0.007	.0306	----	----	----	----	1	UNCH
4350	----	----	----	0.146B/0.388A	----	0.286	+ 0.010	.0317	----	----	----	----	27	UNCH
4375	----	----	----	0.151B/0.395A	----	0.295	+ 0.011	.0327	----	----	----	----	12	UNCH
4400	----	----	----	0.160B/0.403A	----	0.305	+ 0.014	.0338	----	----	----	----	314	UNCH
4425	----	----	----	0.168B/0.411A	----	0.316	+ 0.017	.0350	----	----	----	----	14	UNCH
4450	----	----	----	0.177B/0.419A	----	0.326	+ 0.018	.0362	----	----	----	----	7	UNCH
4475	----	----	----	0.187B/0.427A	----	0.337	+ 0.021	.0374	----	----	----	----	81	UNCH
4500	0.300	0.300	0.300/0.285	0.300/0.285	----	0.348	+ 0.023	.0386	----	----	8	----	787	- 5
4525	----	----	----	0.211B/0.435A	----	0.360	+ 0.026	.0399	----	----	----	----	19	UNCH
4550	----	----	----	0.222B/0.457A	----	0.372	+ 0.028	.0412	----	----	----	----	4	UNCH
4575	----	----	----	0.234B/0.463A	----	0.384	+ 0.031	.0425	----	----	----	----	11	UNCH
4600	----	----	----	0.269B/0.462A	----	0.397	+ 0.033	.0440	----	----	----	----	14	UNCH
4625	----	----	----	0.321B/0.472A	----	0.410	+ 0.036	.0454	----	----	----	----	66	UNCH
4650	----	----	0.394B/----	0.394B/0.449A	----	0.423	+ 0.038	.0468	----	----	3	----	10	+ 3
4675	----	----	----	0.372B/0.459A	----	0.437	+ 0.041	.0483	----	----	----	----	17	UNCH
4700	----	----	----	0.383B/0.472A	----	0.451	+ 0.043	.0499	----	----	----	----	116	UNCH
4725	----	----	----	0.404B/0.483A	----	0.465	+ 0.045	.0514	----	----	----	----	7	UNCH
4750	----	----	----	0.400B/0.503A	----	0.480	+ 0.047	.0530	----	----	----	----	18	UNCH
4775	----	----	0.484B/----	0.484B/0.448A	----	0.496	+ 0.050	.0547	----	----	----	----	4	UNCH
4800	0.500	0.500	0.501B/0.455A	0.501B/0.455A	----	0.511	+ 0.052	.0564	----	----	66	----	320	+ 50
4825	----	----	0.519B/----	0.519B/0.476A	----	0.528	+ 0.055	.0582	----	----	----	----	3	UNCH
4850	----	----	0.537B/----	0.537B/0.489A	----	0.545	+ 0.057	.0600	----	----	----	----	75	UNCH
4875	----	----	0.556B/0.502A	0.556B/0.502A	----	0.562	+ 0.059	.0619	----	----	----	----	1	UNCH
4900	0.675	0.675	0.675/0.517A	0.675/0.517A	----	0.580	+ 0.061	.0638	----	----	3	----	163	+ 3
4925	----	----	0.597B/----	0.597B/0.538A	----	0.598	+ 0.062	.0657	----	----	----	----	9	UNCH
4950	----	----	0.617B/0.550A	0.617B/0.550A	----	0.617	+ 0.064	.0677	----	----	----	----	12	UNCH
4975	0.530	0.530	0.638B/0.530	0.638B/0.530	----	0.636	+ 0.065	.0698	----	----	1	----	52	UNCH
5000	0.501	0.501	0.684/0.450	0.684/0.450	----	0.656	+ 0.066	.0719	----	----	100	----	878	- 8
5025	----	----	0.683B/0.584A	0.683B/0.584A	----	0.676	+ 0.067	.0740	----	----	----	----	1	UNCH
5050	0.731	0.731	0.731/0.588A	0.731/0.588A	----	0.697	+ 0.067	.0763	----	----	2	----	24	UNCH
5075	----	----	0.732B/0.594A	0.732B/0.594A	----	0.719	+ 0.068	.0786	----	----	----	----	7	UNCH
5100	0.700	0.700	0.792B/0.616A	0.792B/0.616A	----	0.741	+ 0.068	.0809	----	----	2	----	163	UNCH
5125	----	----	0.817B/0.632A	0.817B/0.632A	----	0.764	+ 0.068	.0833	----	----	----	----	50	UNCH
5150	----	----	0.845B/0.655A	0.845B/0.655A	----	0.788	+ 0.068	.0858	----	----	----	----	50	UNCH
5175	----	----	0.870B/0.675A	0.870B/0.675A	----	0.812	+ 0.067	.0883	----	----	----	----	2	UNCH
5200	0.800	0.800	0.899B/0.697A	0.899B/0.697A	----	0.837	+ 0.067	.0908	----	----	2	----	173	+ 1
5225	----	----	0.926B/0.722A	0.926B/0.722A	----	0.863	+ 0.066	.0935	----	----	----	----	5	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS											
MAY26													
5250	----	----	0.966B/0.742A	0.966B/0.742A	----	0.889	+ 0.064	.0962	----	----	----	----	33 UNCH
5275	----	----	1.003B/0.769A	1.003B/0.769A	----	0.917	+ 0.063	.0990	----	----	----	----	8 UNCH
5300	1.000	1.000	1.033B/0.790A	1.033B/0.790A	----	0.945	+ 0.061	.1019	----	----	5	----	172 - 2
5325	----	----	1.050B/0.818A	1.050B/0.818A	----	0.973	+ 0.058	.1047	----	----	----	----	23 UNCH
5350	----	----	1.089B/0.842A	1.089B/0.842A	----	1.003	+ 0.056	.1077	----	----	----	----	28 UNCH
5375	----	----	1.162B/0.873A	1.162B/0.873A	----	1.033	+ 0.053	.1108	----	----	----	----	14 UNCH
5400	0.936	0.936	1.199B/0.896A	1.199B/0.896A	----	1.064	+ 0.049	.1139	----	----	4	----	99 - 3
5425	----	----	1.196B/0.926A	1.196B/0.926A	----	1.096	+ 0.046	.1171	----	----	----	----	13 UNCH
5450	----	----	1.277B/0.958A	1.277B/0.958A	----	1.129	+ 0.042	.1203	----	----	----	----	9 UNCH
5475	----	----	1.318B/0.979A	1.318B/0.979A	----	1.163	+ 0.038	.1237	----	----	----	----	13 UNCH
5500	1.081	1.081	1.500/1.007A	1.500/1.007A	----	1.198	+ 0.033	.1271	----	----	70	----	542 + 33
5525	----	----	1.384B/1.042A	1.384B/1.042A	----	1.233	+ 0.028	.1305	----	----	----	----	37 UNCH
5550	----	----	1.418B/1.061A	1.418B/1.061A	----	1.270	+ 0.023	.1341	----	----	3	----	32 - 3
5575	----	----	1.462B/1.095A	1.462B/1.095A	----	1.308	+ 0.018	.1378	----	----	----	----	4 UNCH
5600	----	----	1.493B/1.131A	1.493B/1.131A	----	1.346	+ 0.011	.1414	----	----	40	----	70 - 40
5625	----	----	1.539B/1.178A	1.539B/1.178A	----	1.386	+ 0.005	.1452	----	----	----	----	7 UNCH
5650	----	----	1.587B/1.206A	1.587B/1.206A	----	1.426	- 0.002	.1491	----	----	----	----	40 UNCH
5675	----	----	1.634B/1.238A	1.634B/1.238A	----	1.468	- 0.008	.1530	----	----	----	----	48 UNCH
5700	----	----	1.676B/1.273A	1.676B/1.273A	----	1.511	- 0.015	.1571	----	----	----	----	124 UNCH
5725	1.728	1.728	1.728/1.318A	1.728/1.318A	----	1.555	- 0.023	.1612	----	----	4	----	22 + 2
5750	1.650	1.650	1.786/1.359A	1.786/1.359A	----	1.600	- 0.031	.1654	----	----	106	----	126 + 96
5775	1.831	1.831	1.831/1.409A	1.831/1.409A	----	1.646	- 0.039	.1696	----	----	3	----	15 + 2
5800	1.450	1.450	1.888B/1.448A	1.888B/1.448A	----	1.693	- 0.048	.1739	----	----	86	----	375 + 26
5825	----	----	1.950B/1.492A	1.950B/1.492A	----	1.742	- 0.056	.1784	----	----	----	----	50 UNCH
5850	----	----	2.005B/1.541A	2.005B/1.541A	----	1.792	- 0.064	.1829	----	----	----	----	6 UNCH
5875	2.073	2.073	2.073/1.584A	2.073/1.584A	----	1.843	- 0.073	.1875	----	----	1	----	4 - 1
5900	1.917	1.917	2.126B/1.628A	2.126B/1.628A	----	1.895	- 0.083	.1921	----	----	11	----	110 - 6
5925	----	----	2.191B/1.680A	2.191B/1.680A	----	1.948	- 0.093	.1969	----	----	----	----	12 UNCH
5950	----	----	2.263B/1.731A	2.263B/1.731A	----	2.003	- 0.102	.2017	----	----	----	----	9 UNCH
5975	----	----	2.329B/1.778A	2.329B/1.778A	----	2.059	- 0.112	.2066	----	----	----	----	19 UNCH
6000	2.100	2.100	2.391B/1.780	2.391B/1.780	----	2.117	- 0.122	.2116	----	----	97	----	997 - 1
6025	1.895	1.895	2.462B/1.848A	2.462B/1.848A	----	2.176	- 0.132	.2167	----	----	19	----	24 + 18
6050	2.301	2.301	2.533B/1.930A	2.533B/1.930A	----	2.236	- 0.143	.2218	----	----	323	----	336 + 278
6075	----	----	2.601B/1.982A	2.601B/1.982A	----	2.298	- 0.153	.2271	----	----	----	----	165 UNCH
6100	2.250	2.250	2.670B/2.010	2.670B/2.010	----	2.361	- 0.164	.2324	----	----	105	----	190 + 96
6125	----	----	2.741B/2.102A	2.741B/2.102A	----	2.426	- 0.175	.2378	----	----	----	----	7 UNCH
6150	----	----	2.813B/2.161A	2.813B/2.161A	----	2.492	- 0.187	.2432	----	----	----	----	33 UNCH
6175	2.550	2.550	2.886B/2.221A	2.886B/2.221A	----	2.559	- 0.199	.2488	----	----	1	----	13 + 1
6200	2.251	2.251	2.961B/2.251	2.961B/2.251	----	2.628	- 0.211	.2544	----	----	3	----	57 - 1
6225	----	----	3.037B/2.342A	3.037B/2.342A	----	2.699	- 0.222	.2601	----	----	----	----	32 UNCH
6250	2.490	2.490	3.116B/2.390A	3.116B/2.390A	----	2.771	- 0.235	.2659	----	----	21	----	67 - 9
6275	----	----	3.195B/2.471A	3.195B/2.471A	----	2.845	- 0.247	.2717	----	----	----	----	13 UNCH
6300	3.194	3.194	3.500/2.520A	3.500/2.520A	----	2.921	- 0.259	.2777	----	----	41	----	183 + 32
6325	3.284	3.284	3.359B/2.588A	3.359B/2.588A	----	2.998	- 0.272	.2837	----	----	1	----	126 + 1
6350	3.372	3.372	3.444B/2.656A	3.444B/2.656A	----	3.077	- 0.285	.2897	----	----	3	----	75 + 1
6375	3.506	3.506	3.531B/2.754A	3.531B/2.754A	----	3.158	- 0.298	.2959	----	----	4	----	17 + 1
6400	3.556	3.556	3.587B/2.800A	3.587B/2.800A	----	3.240	- 0.311	.3021	----	----	26	----	81 - 6
6425	----	----	3.698B/2.895A	3.698B/2.895A	----	3.324	- 0.324	.3084	----	----	----	----	10 UNCH
6450	----	----	3.777B/2.979A	3.777B/2.979A	----	3.410	- 0.338	.3147	----	----	----	----	36 UNCH
6475	----	----	3.888B/3.059A	3.888B/3.059A	----	3.497	- 0.352	.3211	----	----	----	----	8 UNCH
6500	3.500	3.500	4.000/3.101	4.000/3.101	----	3.586	- 0.366	.3276	----	----	14	----	733 - 4
6525	----	----	4.086B/3.221A	4.086B/3.221A	----	3.678	- 0.379	.3341	----	----	----	----	18 UNCH
6550	3.370	3.370	4.193B/3.250	4.193B/3.250	----	3.771	- 0.394	.3407	----	----	20	----	169 - 3
6575	----	----	4.298B/3.376A	4.298B/3.376A	----	3.865	- 0.409	.3473	----	----	----	----	44 UNCH
6600	4.070	4.070	4.416B/3.439A	4.416B/3.439A	----	3.962	- 0.423	.3540	----	----	11	----	416 + 6
6625	----	----	4.525B/3.569A	4.525B/3.569A	----	4.060	- 0.438	.3607	----	----	----	----	7 UNCH
6650	----	----	4.639B/3.615A	4.639B/3.615A	----	4.161	- 0.452	.3675	----	----	5	----	79 + 5
6675	----	----	4.755B/3.706A	4.755B/3.706A	----	4.263	- 0.467	.3743	----	----	----	----	63 UNCH
6700	----	----	4.880B/3.803A	4.880B/3.803A	----	4.367	- 0.482	.3812	----	----	2	----	450 UNCH
6725	----	----	4.998B/3.947A	4.998B/3.947A	----	4.473	- 0.498	.3881	----	----	----	----	7 UNCH
6750	4.973	4.973	5.121B/3.993A	5.121B/3.993A	----	4.581	- 0.513	.3950	----	----	6	----	55 + 5
6775	----	----	5.247B/4.139A	5.247B/4.139A	----	4.691	- 0.528	.4020	----	----	----	----	14 UNCH
6800	5.273	5.273	5.401B/4.201	5.401B/4.201	----	4.803	- 0.543	.4090	----	----	18	----	61 - 3
6825	----	----	5.499B/4.354A	5.499B/4.354A	----	4.917	- 0.559	.4160	----	----	1	----	14 + 1
6850	----	----	5.621B/4.463A	5.621B/4.463A	----	5.033	- 0.574	.4231	----	----	----	----	10 UNCH
6875	----	----	5.760B/4.566A	5.760B/4.566A	----	5.151	- 0.590	.4302	----	----	----	----	5 UNCH
6900	5.000	5.000	5.866B/4.619A	5.866B/4.619A	----	5.271	- 0.605	.4373	----	----	28	----	389 - 6
6925	5.169	5.169	5.991B/4.742A	5.991B/4.742A	----	5.392	- 0.622	.4444	----	----	1	----	164 - 1
6950	5.279	5.279	6.091B/4.894A	6.091B/4.894A	----	5.516	- 0.637	.4515	----	----	5	----	7 + 2
6975	5.493	5.493	6.228B/5.010A	6.228B/5.010A	----	5.642	- 0.653	.4587	----	----	2	----	14 - 1
7000	6.343	6.343	6.434B/5.084A	6.434B/5.084A	----	5.770	- 0.669	.4658	----	----	73	----	873 + 3
7025	6.109	6.109	6.109/5.243A	6.514B/5.243A	----	5.899	- 0.685	.4729	----	----	4	----	10 + 3
7050	6.000	6.000	6.000/5.368A	6.659B/5.368A	----	6.031	- 0.701	.4801	----	----	1	----	7 + 1
7075	5.596	5.596	6.771B/5.485A	6.771B/5.485A	----	6.165	- 0.717	.4872	----	----	2	----	11 + 2
7100	5.736	5.736	7.001B/5.572A	7.001B/5.572A	----	6.301	- 0.732	.4943	----	----	10	----	60 + 5
7125	----	----	----/5.735A	7.065B/5.735A	----	6.438	- 0.749	.5015	----	----	1	----	11 - 1
7150	----	----	----/5.841A	7.262B/5.841A	----	6.578	- 0.765	.5086	----	----	----	----	28 UNCH
7175	----	----	----/5.993A	7.368B/5.993A	----	6.720	- 0.780	.5156	----	----	----	----	13 UNCH
7200	6.366	6.366	7.587B/6.093A	7.587B/6.093A	----	6.863	- 0.797	.5227	----	----	4	----	286 - 2
7225	6.436	6.436	7.760B/6.264A	7.760B/6.264A	----	7.009	- 0.812	.5297	----	----	1	----	19 + 1
7250	6.800	6.800	6.800/6.364A	7.975B/6.364A	----	7.157	- 0.828	.5367	----	----	1	----	80 UNCH
7275	----	----	----/6.589A	8.068B/6.589A	----	7.306	- 0.844	.5437	----	----	----	----	6 UNCH
7300	----	----	----/6.703A	8.284B/6.703A	----	7.458	- 0.860	.5507	----	----	----	----	41 UNCH
7325	----	----	----/6.869A	8.404B/6.869A	----	7.611	- 0.876	.5576	----	----	----	----	14 UNCH
7350	----	----	----/7.013A	8.608B/7.013A	----	7.766	- 0.892	.5644	----	----	----	----	30 UNCH
7375	----	----	----/7.175A	8.583B/7.175A	----	7.924	- 0.907	.5712	----	----	1	----	4 - 1
7400	----	----	----/7.282A	8.963B/7.282A	----	8.083	- 0.922	.5780	----	----	----	----	36 UNCH
7425	----	----	----/7.458A	9.106B/7.458A	----	8.244	- 0.938	.5848	----	----	----	----	6 UNCH
7450	----	----	----/7.628A	9.284B/7.628A	----	8.407	- 0.953	.5914	----	----	----	----	6 UNCH
7475	----	----	----/7.797A	9.168B/7.797A	----	8.571	- 0.969	.5981	----	----	----	----	3 UNCH
7500	7.794	7.794	7.794/7.794	9.719B/7.794	----	8.738	- 0.984	.6046	----	----	2	----	412 - 1
7525	----	----	----/8.085A	9.861B/8.085A	----	8.906	- 0.999	.6112	----	----	----	----	28 UNCH
7530	----	----	----/8.128A	9.484B/8.128A	----	8.940	- 1.002	.6124	----	----	----	----	2 UNCH
7535	----	----	----/8.170A	9.891B/8.170A	----	8.974	- 1.005	.6137	----	----	----	----	9 UNCH
7540	----	----	----/8.192A	9.556B/8.192A	----	9.008	- 1.008	.6150	----	----	----	----	1 UNCH
7545	----	----	----/8.231A	9.592B/8.231A	----	9.042	- 1.011	.6163	----	----	----	----	2 UNCH
7550	----	----	----/8.243A	10.015B/8.243A	----	9.076	- 1.014	.6176	----	----	----	----	18 UNCH
7555	----	----	----/8.275A	9.666B/8.275A	----	9.110	- 1.017	.6189	----	----	----	----	1 UNCH
7560	----	----	----/8.318A	9.702B/8.318A	----	9.145	- 1.019	.6201	----	----	----	----	2 UNCH
7565	----	----	----/8.355A	9.738B/8.355A	----	9.179	- 1.023	.6214	----	----	----	----	1 UNCH
7570	----	----	----/8.391A	9.775B/8.391A	----	9.214	- 1.025	.6227	----	----	----	----	1 UNCH
7575	----	----	----/8.421A	9.812B/8.421A	----	9.248	- 1.029	.6240	----	----	----	----	1 UNCH
7580	----	----	----/8.434A	10.259B/8.434A	----	9.283	- 1.031	.6253	----	----	----	----	25 UNCH
7585	----	----	----/8.486A	10.263B/8.486A	----	9.317	- 1.035	.6265	----	----	----	----	6 UNCH
7590	----	----	----/8.530A	9.922B/8.530A	----	9.352	- 1.037	.6278	----	----	----	----	1 UNCH
7595	----	----	----/8.557A	9.959B/8.557A	----	9.387	- 1.040	.6290	----	----	----	----	1 UNCH
7600	----	----	----/8.561A	10.412B/8.561A	----	9.422	- 1.043	.6303	----	----	----	----	42 UNCH
7605	----	----	----/8.618A	10.032B/8.618A	----	9.457	- 1.046	.6316	----	----	----	----	2 UNCH
7610	----	----	----/8.669A	10.069B/8.669A	----	9.492	- 1.049	.6328	----	----	----	----	1 UNCH
7620	----	----	----/8.693A	10.555B/8.693A	----	9.562	- 1.054	.6353	----	----	----	----	31 UNCH
7625	----	----	----/8.758A	10.181B/8.758A	----	9.597	- 1.058	.6365	----	----	----	----	3 UNCH
7630	----	----	----/8.791A	10.218B/8.791A	----	9.632	- 1.061	.6378	----	----	----	----	1 UNCH
7635	----	----	----/8.798A	10.671B/8.798A	----	9.667	- 1.064	.6391	----	----	----	----	36 UNCH
7645	----	----	----/8.880A	10.330B/8.880A	----	9.738	- 1.069	.6415	----	----	----	----	2 UNCH
7650	----	----	----/8.911A	10.770B/8.911A	----	9.774	- 1.072	.6428	----	----	1	----	7 UNCH
7655	----	----	----/8.975A	10.289B/8.975A	----	9.809	- 1.075	.6440	----	----	----	----	1 UNCH
7660	----	----	----/8.982A	10.328B/8.982A	----	9.845	- 1.078	.6452	----	----	----	----	1 UNCH
7665	----	----	----/9.024A	10.366B/9.024A	----	9.881	- 1.080	.6464	----	----	----	----	3 UNCH
7670	----	----	----/9.091A	10.405B/9.091A	----	9.917	- 1.083	.6477	----	----	----	----	1 UNCH
7675	----	----	----/9.133A	10.444B/9.133A	----	9.952	- 1.087	.6489	----	----	----	----	2 UNCH
7685	----	----	----/9.245A	11.022B/9.245A	----	10.024	- 1.092	.6513	----	----	----	----	10 UNCH
7700	----	----	----/9.321A	11.215B/9.321A	----	10.133	- 1.100	.6549	----	----	----	----	272 UNCH
7710	----	----	----/9.452A	10.711B/9.452A	----	10.205	- 1.106	.6573	----	----	----	----	2 UNCH
7715	----	----	----/9.487A	10.755B/9.487A	----	10.242	- 1.108	.6585	----	----	----	----	1 UNCH
7720	----	----	----/9.519A	10.794B/9.519A	----	10.278	- 1.111	.6597	----	----	----	----	2 UNCH
7725	----	----	----/9.637A	10.828B/9.637A	----	10.314	- 1.115	.6609	----	----	----	----	2 UNCH
7730	----	----	----/9.587A	10.868B/9.587A	----	10.351	- 1.117	.6621	----	----	----	----	1 UNCH
7735	----	----	----/9.623A	10.912B/9.623A	----	10.388	- 1.119	.6633	----	----	----	----	1 UNCH
7745	----	----	----/9.691A	10.986B/9.691A	----	10.461	- 1.125	.6656	----	----	----	----	3 UNCH
7750	----	----	----/9.651A	11.591B/9.651A	----	10.498	- 1.128	.6668	----	----	1	----	61 - 1
7755	----	----	----/9.760A	11.065B/9.760A	----	10.535	- 1.130	.6680	----	----	----	----	4 UNCH
7760	----	----	----/9.794A	11.110B/9.794A	----	10.572	- 1.133	.6691	----	----	----	----	4 UNCH
7770	----	----	----/9.980A	11.184B/9.980A	----	10.646	- 1.138	.6715	----	----	----	----	1 UNCH
7775	----	----	----/9.915A	11.224B/9.915A	----	10.683	- 1.141	.6727	----	----	----	----	2 UNCH
7780	----	----	----/10.048A	11.264B/10.048A	----	10.720	- 1.144	.6738	----	----	----	----	1 UNCH
7785	----	----	----/10.082A	11.304B/10.082A	----	10.757	- 1.147	.6750	----	----	----	----	1 UNCH
7790	----	----	----/10.104A	11.344B/10.104A	----	10.795	- 1.149	.6761	----	----	----	----	2 UNCH
7800	----	----	----/10.000A	11.952B/10.000A	----	10.869	- 1.155	.6784	----	----	----	----	24 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
7805	----	----	----/10.252A	11.464B/10.252A	----	10.907 - 1.157	.6795	----	----	----	----	1 UNCH
7815	----	----	----/10.313A	11.545B/10.313A	----	10.982 - 1.162	.6818	----	----	----	----	1 UNCH
7825	----	----	----/10.372A	11.625B/10.372A	----	11.057 - 1.168	.6841	----	----	----	----	1 UNCH
7830	----	----	----/10.257A	12.195B/10.257A	----	11.095 - 1.170	.6852	----	----	----	----	11 UNCH
7840	----	----	----/10.500A	11.747B/10.500A	----	11.171 - 1.175	.6874	----	----	----	----	2 UNCH
7850	----	----	----/10.371A	12.356B/10.371A	----	11.247 - 1.180	.6897	----	----	----	----	44 UNCH
7865	----	----	----/10.679A	11.950B/10.679A	----	11.361 - 1.188	.6930	----	----	----	----	1 UNCH
7875	----	----	----/10.554A	12.557B/10.554A	----	11.437 - 1.194	.6952	----	----	----	----	7 UNCH
7880	----	----	----/10.786A	12.073B/10.786A	----	11.476 - 1.196	.6963	----	----	----	----	1 UNCH
7885	----	----	----/10.823A	12.114B/10.823A	----	11.514 - 1.199	.6974	----	----	----	----	1 UNCH
7890	----	----	----/10.850A	12.154B/10.850A	----	11.553 - 1.201	.6985	----	----	----	----	1 UNCH
7895	----	----	----/10.895A	12.195B/10.895A	----	11.591 - 1.204	.6995	----	----	----	----	1 UNCH
7900	----	----	----/10.738A	12.762B/10.738A	----	11.630 - 1.206	.7007	----	----	----	----	33 UNCH
7910	----	----	----/10.995A	12.319B/10.995A	----	11.707 - 1.211	.7028	----	----	----	----	3 UNCH
7915	----	----	----/11.040A	12.360B/11.040A	----	11.746 - 1.213	.7039	----	----	----	----	1 UNCH
7925	----	----	----/11.091A	12.443B/11.091A	----	11.823 - 1.219	.7060	----	----	----	----	1 UNCH
7930	----	----	----/11.141A	12.484B/11.141A	----	11.862 - 1.221	.7071	----	----	----	----	1 UNCH
7935	----	----	----/11.190A	12.526B/11.190A	----	11.901 - 1.223	.7081	----	----	----	----	2 UNCH
7940	----	----	----/11.226A	12.567B/11.226A	----	11.940 - 1.226	.7092	----	----	----	----	3 UNCH
7950	----	----	----/11.108A	13.169B/11.108A	----	12.018 - 1.231	.7113	----	----	----	----	24 UNCH
7955	----	----	----/11.328A	12.692B/11.328A	----	12.058 - 1.232	.7124	----	----	----	----	1 UNCH
7965	----	----	----/11.249A	13.293B/11.249A	----	12.136 - 1.237	.7144	----	----	----	----	6 UNCH
7970	----	----	----/11.447A	12.817B/11.447A	----	12.175 - 1.240	.7155	----	----	----	----	3 UNCH
7975	----	----	----/11.463A	12.858B/11.463A	----	12.215 - 1.242	.7165	----	----	----	----	1 UNCH
7980	----	----	----/11.522A	12.900B/11.522A	----	12.254 - 1.245	.7175	----	----	----	----	1 UNCH
7985	----	----	----/11.551A	12.942B/11.551A	----	12.294 - 1.247	.7186	----	----	----	----	1 UNCH
7990	----	----	----/11.587A	12.984B/11.587A	----	12.333 - 1.249	.7196	----	----	----	----	2 UNCH
8000	13.833	13.833	13.833/11.104	13.833/11.104	----	12.412 - 1.254	.7217	----	----	7	----	483 - 2
8005	----	----	----/11.708A	13.110B/11.708A	----	12.452 - 1.256	.7227	----	----	----	----	2 UNCH
8010	----	----	----/11.746A	13.152B/11.746A	----	12.492 - 1.258	.7237	----	----	----	----	2 UNCH
8025	----	----	----/11.683A	13.856B/11.683A	----	12.611 - 1.266	.7267	----	----	----	----	7 UNCH
8030	----	----	----/11.896A	13.320B/11.896A	----	12.651 - 1.268	.7277	----	----	----	----	1 UNCH
8035	----	----	----/11.934A	13.363B/11.934A	----	12.691 - 1.270	.7287	----	----	----	----	1 UNCH
8040	----	----	----/11.975A	13.405B/11.975A	----	12.731 - 1.272	.7297	----	----	----	----	1 UNCH
8050	----	----	----/12.028A	13.489B/12.028A	----	12.812 - 1.276	.7316	----	----	----	----	4 UNCH
8065	----	----	----/12.165A	13.617B/12.165A	----	12.932 - 1.284	.7346	----	----	----	----	1 UNCH
8070	----	----	----/12.203A	13.659B/12.203A	----	12.973 - 1.285	.7356	----	----	----	----	2 UNCH
8075	----	----	----/12.218A	13.702B/12.218A	----	13.013 - 1.288	.7365	----	----	----	----	4 UNCH
8080	----	----	----/12.279A	13.744B/12.279A	----	13.053 - 1.290	.7375	----	----	----	----	3 UNCH
8085	----	----	----/12.169A	14.364B/12.169A	----	13.094 - 1.292	.7385	----	----	----	----	7 UNCH
8090	----	----	----/12.203A	14.408B/12.203A	----	13.134 - 1.295	.7395	----	----	----	----	20 UNCH
8095	----	----	----/12.394A	13.872B/12.394A	----	13.175 - 1.296	.7404	----	----	----	----	2 UNCH
8100	----	----	----/12.267A	14.484B/12.267A	----	13.216 - 1.298	.7413	----	----	----	----	34 UNCH
8105	----	----	----/12.464A	13.958B/12.464A	----	13.256 - 1.301	.7423	----	----	----	----	1 UNCH
8110	----	----	----/12.509A	14.001B/12.509A	----	13.297 - 1.303	.7432	----	----	----	----	1 UNCH
8125	----	----	----/12.628A	14.129B/12.628A	----	13.419 - 1.309	.7461	----	----	----	----	1 UNCH
8150	----	----	----/12.827A	14.344B/12.827A	----	13.624 - 1.320	.7507	----	----	----	----	4 UNCH
8175	----	----	----/13.019A	14.560B/13.019A	----	13.830 - 1.330	.7553	----	----	----	----	2 UNCH
8195	----	----	----/13.177A	14.734B/13.177A	----	13.996 - 1.338	.7589	----	----	----	----	2 UNCH
8200	----	----	----/13.083A	15.321B/13.083A	----	14.037 - 1.340	.7598	----	----	----	----	37 UNCH
8205	----	----	----/13.256A	14.821B/13.256A	----	14.079 - 1.342	.7606	----	----	----	----	1 UNCH
8210	----	----	----/13.296A	14.864B/13.296A	----	14.121 - 1.343	.7615	----	----	----	----	1 UNCH
8215	----	----	----/13.335A	14.908B/13.335A	----	14.162 - 1.346	.7624	----	----	----	----	1 UNCH
8225	----	----	----/13.415A	14.995B/13.415A	----	14.246 - 1.349	.7642	----	----	----	----	5 UNCH
8230	----	----	----/13.455A	15.038B/13.455A	----	14.287 - 1.352	.7650	----	----	----	----	1 UNCH
8240	----	----	----/13.525A	15.126B/13.525A	----	14.371 - 1.355	.7668	----	----	----	----	2 UNCH
8250	----	----	----/13.428A	15.794B/13.428A	----	14.455 - 1.359	.7685	----	----	----	----	73 UNCH
8255	----	----	----/13.655A	15.257B/13.655A	----	14.497 - 1.361	.7694	----	----	----	----	3 UNCH
8265	----	----	----/13.735A	15.344B/13.735A	----	14.581 - 1.365	.7711	----	----	----	----	1 UNCH
8270	----	----	----/13.775A	15.388B/13.775A	----	14.623 - 1.367	.7719	----	----	----	----	1 UNCH
8275	----	----	----/13.816A	15.432B/13.816A	----	14.665 - 1.369	.7727	----	----	----	----	1 UNCH
8280	----	----	----/13.856A	15.476B/13.856A	----	14.707 - 1.371	.7736	----	----	----	----	3 UNCH
8285	----	----	----/13.896A	15.520B/13.896A	----	14.750 - 1.372	.7745	----	----	----	----	1 UNCH
8290	----	----	----/13.937A	15.564B/13.937A	----	14.792 - 1.374	.7753	----	----	----	----	2 UNCH
8295	----	----	----/13.977A	15.608B/13.977A	----	14.834 - 1.376	.7761	----	----	----	----	1 UNCH
8300	----	----	----/13.832A	16.232B/13.832A	----	14.877 - 1.377	.7769	----	----	----	----	64 UNCH
8305	----	----	----/14.058A	15.696B/14.058A	----	14.919 - 1.379	.7778	----	----	----	----	1 UNCH
8315	----	----	----/14.139A	15.784B/14.139A	----	15.004 - 1.383	.7794	----	----	----	----	1 UNCH
8320	----	----	----/14.181A	15.828B/14.181A	----	15.046 - 1.385	.7802	----	----	----	----	2 UNCH
8325	----	----	----/14.212A	15.872B/14.212A	----	15.089 - 1.386	.7811	----	----	----	----	1 UNCH
8330	----	----	----/14.262A	15.917B/14.262A	----	15.131 - 1.389	.7819	----	----	----	----	1 UNCH
8335	----	----	----/14.303A	15.961B/14.303A	----	15.174 - 1.390	.7826	----	----	----	----	1 UNCH
8340	----	----	----/14.205A	16.586B/14.205A	----	15.217 - 1.391	.7835	----	----	----	----	19 UNCH
8350	----	----	----/14.281A	16.676B/14.281A	----	15.302 - 1.395	.7851	----	----	----	----	19 UNCH
8355	----	----	----/14.467A	16.138B/14.467A	----	15.345 - 1.397	.7859	----	----	----	----	3 UNCH
8360	----	----	----/14.508A	16.182B/14.508A	----	15.388 - 1.398	.7866	----	----	----	----	4 UNCH
8375	----	----	----/14.517A	16.899B/14.517A	----	15.516 - 1.404	.7890	----	----	----	----	8 UNCH
8385	----	----	----/14.714A	16.404B/14.714A	----	15.602 - 1.407	.7906	----	----	----	----	1 UNCH
8395	----	----	----/14.797A	16.494B/14.797A	----	15.688 - 1.411	.7921	----	----	----	----	2 UNCH
8400	----	----	----/14.719A	17.122B/14.719A	----	15.731 - 1.412	.7929	----	----	----	----	31 UNCH
8405	----	----	----/14.879A	16.583B/14.879A	----	15.774 - 1.414	.7936	----	----	----	----	2 UNCH
8410	----	----	----/14.921A	16.627B/14.921A	----	15.817 - 1.416	.7944	----	----	----	----	3 UNCH
8415	----	----	----/14.962A	16.672B/14.962A	----	15.861 - 1.417	.7952	----	----	----	----	3 UNCH
8420	----	----	----/15.004A	16.717B/15.004A	----	15.904 - 1.419	.7959	----	----	----	----	2 UNCH
8425	----	----	----/15.046A	16.761B/15.046A	----	15.947 - 1.420	.7967	----	----	----	----	5 UNCH
8430	----	----	----/15.087A	16.806B/15.087A	----	15.990 - 1.422	.7975	----	----	----	----	1 UNCH
8450	----	----	----/15.119A	17.572B/15.119A	----	16.164 - 1.428	.8004	----	----	----	----	30 UNCH
8460	----	----	----/15.339A	17.075B/15.339A	----	16.251 - 1.431	.8019	----	----	----	----	1 UNCH
8475	----	----	----/15.464A	17.210B/15.464A	----	16.382 - 1.435	.8041	----	----	----	----	5 UNCH
8480	----	----	----/15.507A	17.255B/15.507A	----	16.425 - 1.438	.8048	----	----	----	----	1 UNCH
8490	----	----	----/15.591A	17.345B/15.591A	----	16.513 - 1.440	.8062	----	----	----	----	1 UNCH
8495	----	----	----/15.633A	17.390B/15.633A	----	16.556 - 1.442	.8069	----	----	----	----	1 UNCH
8500	----	----	----/15.460A	18.024B/15.460A	----	16.600 - 1.443	.8077	----	----	----	----	372 UNCH
8515	----	----	----/15.803A	17.570B/15.803A	----	16.731 - 1.448	.8098	----	----	----	----	1 UNCH
8535	----	----	----/15.972A	17.752B/15.972A	----	16.907 - 1.454	.8126	----	----	----	----	2 UNCH
8545	----	----	----/16.057A	17.843B/16.057A	----	16.995 - 1.457	.8139	----	----	----	----	1 UNCH
8550	----	----	----/16.091A	17.888B/16.091A	----	17.039 - 1.458	.8146	----	----	----	----	3 UNCH
8555	----	----	----/16.142A	17.934B/16.142A	----	17.083 - 1.460	.8153	----	----	----	----	1 UNCH
8560	----	----	----/16.185A	17.979B/16.185A	----	17.128 - 1.460	.8160	----	----	----	----	1 UNCH
8565	----	----	----/16.228A	18.025B/16.228A	----	17.172 - 1.462	.8166	----	----	----	----	1 UNCH
8570	----	----	----/16.270A	18.070B/16.270A	----	17.216 - 1.463	.8173	----	----	----	----	1 UNCH
8575	----	----	----/16.313A	18.116B/16.313A	----	17.260 - 1.465	.8180	----	----	----	----	3 UNCH
8580	----	----	----/16.356A	18.162B/16.356A	----	17.304 - 1.467	.8187	----	----	----	----	1 UNCH
8585	----	----	----/16.399A	18.207B/16.399A	----	17.349 - 1.467	.8193	----	----	----	----	1 UNCH
8590	----	----	----/16.439A	18.253B/16.439A	----	17.393 - 1.469	.8200	----	----	----	----	4 UNCH
8600	----	----	----/16.312A	18.928B/16.312A	----	17.482 - 1.471	.8213	----	----	----	----	85 UNCH
8605	----	----	----/16.568A	18.390B/16.568A	----	17.526 - 1.473	.8219	----	----	----	----	3 UNCH
8620	----	----	----/16.697A	18.527B/16.697A	----	17.659 - 1.477	.8239	----	----	----	----	1 UNCH
8630	----	----	----/16.783A	18.619B/16.783A	----	17.748 - 1.480	.8252	----	----	----	----	1 UNCH
8640	----	----	----/16.870A	18.711B/16.870A	----	17.838 - 1.482	.8265	----	----	----	----	2 UNCH
8645	----	----	----/16.913A	18.757B/16.913A	----	17.882 - 1.484	.8271	----	----	----	----	1 UNCH
8650	----	----	----/16.956A	18.803B/16.956A	----	17.927 - 1.484	.8278	----	----	----	----	5 UNCH
8655	----	----	----/16.999A	18.849B/16.999A	----	17.971 - 1.486	.8284	----	----	----	----	3 UNCH
8665	----	----	----/17.086A	18.941B/17.086A	----	18.061 - 1.488	.8296	----	----	----	----	1 UNCH
8670	----	----	----/17.130A	18.987B/17.130A	----	18.106 - 1.489	.8302	----	----	----	----	1 UNCH
8675	----	----	----/17.067A	19.618B/17.067A	----	18.150 - 1.491	.8308	----	----	----	----	9 UNCH
8685	----	----	----/17.260A	19.125B/17.260A	----	18.240 - 1.493	.8321	----	----	----	----	1 UNCH
8695	----	----	----/17.347A	19.217B/17.347A	----	18.330 - 1.496	.8333	----	----	----	----	1 UNCH
8700	----	----	----/17.265A	19.849B/17.265A	----	18.375 - 1.497	.8339	----	----	----	----	32 UNCH
8705	----	----	----/17.321A	19.903B/17.321A	----	18.420 - 1.498	.8345	----	----	----	----	10 UNCH
8725	----	----	----/17.609A	19.494B/17.609A	----	18.600 - 1.502	.8369	----	----	----	----	2 UNCH
8750	----	----	----/17.820A	19.726B/17.820A	----	18.825 - 1.509	.8398	----	----	----	----	1 UNCH
8775	----	----	----/17.947A	20.545B/17.947A	----	19.051 - 1.514	.8427	----	----	----	----	9 UNCH
8800	----	----	----/18.051A	20.786B/18.051A	----	19.278 - 1.520	.8455	----	----	----	----	220 UNCH
8825	----	----	----/18.489A	20.423B/18.489A	----	19.505 - 1.525	.8482	----	----	----	----	3 UNCH
8850	----	----	----/18.617A	21.253B/18.617A	----	19.733 - 1.530	.8509	----	----	----	----	13 UNCH
8875	----	----	----/18.843A	21.486B/18.843A	----	19.962 - 1.535	.8536	----	----	----	----	8 UNCH
8900	----	----	----/19.068A	21.721B/19.068A	----	20.191 - 1.539	.8562	----	----	----	----	8 UNCH
8925	----	----	----/19.293A	21.891B/19.293A	----	20.420 - 1.544	.8587	----	----	----	----	6 UNCH
8950	----	----	----/19.606A	21.593B/19.606A	----	20.650 - 1.549	.8612	----	----	----	----	3 UNCH
8975	----	----	----/19.741A	22.419B/19.741A	----	20.881 - 1.553	.8636	----	----	----	----	9 UNCH
9000	----	----	----/19.871A	22.597B/19.871A	----	21.111 - 1.558	.8660	----	----	----	----	168 UNCH
9025	----	----	----/20.202A	22.891B/20.202A	----	21.343 - 1.561	.8683	----	----	----	----	11 UNCH
9050	----	----	----/20.489A	22.537B/20.489A	----	21.575 - 1.565	.8707	----	----	----	----	2 UNCH
9075	----	----	----/20.734A	22.774B/20.734A	----	21.807 - 1.569	.8729	----	----	----	----	4 UNCH
9100	----	----	----/20.966A	23.011B/20.966A	----	22.040 - 1.573	.8751	----	----	----	----	4 UNCH
9150	----	----	----/21.347A	24.076B/21.347A	----	22.506 - 1.580	.8793	----	----	----	----	7 UNCH
9175	----	----	----/21.579A	24.321B/21.579A	----	22.740 - 1.584	.8814	----	----	----	----	19 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
9200	----	----	----/21.810A	24.552B/21.810A	----	22.974 - 1.587	.8834	----	----	----	----	7 UNCH
9225	----	----	----/22.042A	24.798B/22.042A	----	23.209 - 1.590	.8853	----	----	----	----	7 UNCH
9250	----	----	----/22.334A	24.440B/22.334A	----	23.444 - 1.593	.8873	----	----	----	----	2 UNCH
9275	----	----	----/22.561A	24.680B/22.561A	----	23.680 - 1.596	.8892	----	----	----	----	1 UNCH
9300	----	----	----/22.736A	25.515B/22.736A	----	23.915 - 1.600	.8911	----	----	----	----	6 UNCH
9375	----	----	26.236B/23.438A	26.236B/23.438A	----	24.624 - 1.608	.8963	----	----	----	----	10 UNCH
9400	----	----	----/23.679A	26.471B/23.679A	----	24.861 - 1.611	.8981	----	----	----	----	6 UNCH
9450	----	----	----/24.182A	26.362B/24.182A	----	25.336 - 1.616	.9013	----	----	----	----	3 UNCH
9475	----	----	----/24.411A	26.603B/24.411A	----	25.574 - 1.619	.9030	----	----	----	----	4 UNCH
9500	----	----	27.437B/24.470A	27.437B/24.470A	----	25.812 - 1.622	.9045	----	----	----	----	110 UNCH
9525	----	----	----/24.880A	27.086B/24.880A	----	26.051 - 1.624	.9060	----	----	----	----	1 UNCH
9550	----	----	----/25.114A	27.328B/25.114A	----	26.290 - 1.626	.9075	----	----	----	----	3 UNCH
9575	----	----	----/25.348A	27.567B/25.348A	----	26.529 - 1.628	.9090	----	----	----	----	1 UNCH
9600	----	----	----/25.488A	28.336B/25.488A	----	26.768 - 1.631	.9104	----	----	----	----	26 UNCH
9650	----	----	----/25.992A	28.824B/25.992A	----	27.247 - 1.636	.9132	----	----	----	----	11 UNCH
9675	----	----	----/26.283A	28.539B/26.283A	----	27.487 - 1.638	.9146	----	----	----	----	2 UNCH
9700	----	----	----/26.347A	29.349B/26.347A	----	27.727 - 1.640	.9159	----	----	----	----	182 UNCH
9725	----	----	----/26.764A	29.026B/26.764A	----	27.967 - 1.643	.9172	----	----	----	----	1 UNCH
9750	----	----	----/26.990A	29.270B/26.990A	----	28.208 - 1.645	.9185	----	----	----	----	3 UNCH
9775	----	----	----/27.229A	29.510B/27.229A	----	28.449 - 1.647	.9197	----	----	----	----	3 UNCH
9800	----	----	----/27.435A	30.273B/27.435A	----	28.690 - 1.649	.9209	----	----	----	----	7 UNCH
9825	----	----	----/27.706A	29.997B/27.706A	----	28.931 - 1.652	.9221	----	----	----	----	2 UNCH
9850	----	----	----/27.769A	30.804B/27.769A	----	29.172 - 1.654	.9233	----	----	----	----	179 UNCH
9900	----	----	----/28.408A	31.253B/28.408A	----	29.656 - 1.658	.9256	----	----	----	----	8 UNCH
10000	----	----	----/29.197A	32.274B/29.197A	----	30.624 - 1.668	.9299	----	----	----	----	134 UNCH
10050	----	----	----/29.847A	32.196B/29.847A	----	31.110 - 1.671	.9318	----	----	----	----	2 UNCH
10100	----	----	----/30.325A	32.690B/30.325A	----	31.596 - 1.676	.9338	----	----	----	----	2 UNCH
10225	----	----	----/31.527A	33.917B/31.527A	----	32.813 - 1.687	.9382	----	----	----	----	2 UNCH
10250	----	----	----/31.764A	34.162B/31.764A	----	33.057 - 1.689	.9391	----	----	----	----	4 UNCH
10300	----	----	----/32.249A	34.651B/32.249A	----	33.545 - 1.693	.9407	----	----	----	----	4 UNCH
10325	----	----	----/32.488A	34.901B/32.488A	----	33.789 - 1.696	.9415	----	----	----	----	1 UNCH
10350	----	----	----/32.733A	35.147B/32.733A	----	34.034 - 1.697	.9423	----	----	----	----	1 UNCH
10400	----	----	----/33.216A	35.636B/33.216A	----	34.523 - 1.701	.9438	----	----	----	----	2 UNCH
10450	----	----	----/33.700A	36.132B/33.700A	----	35.012 - 1.706	.9453	----	----	----	----	2 UNCH
10475	----	----	----/33.940A	36.379B/33.940A	----	35.257 - 1.708	.9460	----	----	----	----	1 UNCH
10500	----	----	----/34.174A	37.144B/34.174A	----	35.502 - 1.710	.9467	----	----	----	----	10 UNCH
10505	----	----	----/34.232A	36.675B/34.232A	----	35.551 - 1.710	.9469	----	----	----	----	1 UNCH
10510	----	----	----/34.281A	36.723B/34.281A	----	35.600 - 1.711	.9470	----	----	----	----	1 UNCH
10545	----	----	----/34.621A	37.068B/34.621A	----	35.943 - 1.714	.9479	----	----	----	----	1 UNCH
10550	----	----	----/34.670A	37.637B/34.670A	----	35.992 - 1.714	.9481	----	----	----	----	22 UNCH
10585	----	----	----/35.010A	37.463B/35.010A	----	36.336 - 1.717	.9490	----	----	----	----	1 UNCH
10590	----	----	----/35.055A	37.509B/35.055A	----	36.385 - 1.717	.9491	----	----	----	----	1 UNCH
10595	----	----	----/35.104A	37.559B/35.104A	----	36.434 - 1.717	.9493	----	----	----	----	3 UNCH
10600	----	----	----/35.153A	37.608B/35.153A	----	36.483 - 1.718	.9494	----	----	----	----	5 UNCH
10670	----	----	----/35.838A	38.303B/35.838A	----	37.170 - 1.724	.9512	----	----	----	----	3 UNCH
10675	----	----	----/35.883A	38.349B/35.883A	----	37.219 - 1.724	.9512	----	----	----	----	1 UNCH
10700	----	----	----/36.130A	39.119B/36.130A	----	37.465 - 1.726	.9518	----	----	----	----	9 UNCH
10800	----	----	----/37.106A	39.588B/37.106A	----	38.448 - 1.734	.9542	----	----	----	----	1 UNCH
10820	----	----	----/37.308A	39.782B/37.308A	----	38.645 - 1.736	.9546	----	----	----	----	1 UNCH
10825	----	----	----/37.349A	39.835B/37.349A	----	38.694 - 1.736	.9547	----	----	----	----	1 UNCH
10835	----	----	----/37.449A	39.930B/37.449A	----	38.793 - 1.736	.9549	----	----	----	----	2 UNCH
10845	----	----	----/37.546A	40.033B/37.546A	----	38.891 - 1.738	.9552	----	----	----	----	1 UNCH
10875	----	----	----/37.838A	40.329B/37.838A	----	39.187 - 1.739	.9558	----	----	----	----	2 UNCH
10900	----	----	----/38.083A	40.573B/38.083A	----	39.433 - 1.741	.9563	----	----	----	----	1 UNCH
10950	----	----	----/38.573A	41.068B/38.573A	----	39.926 - 1.745	.9573	----	----	----	----	1 UNCH
10975	----	----	----/38.818A	41.319B/38.818A	----	40.172 - 1.747	.9579	----	----	----	----	3 UNCH
11000	----	----	----/38.894A	42.137B/38.894A	----	40.419 - 1.748	.9583	----	----	----	----	58 UNCH
11025	----	----	----/39.313A	41.815B/39.313A	----	40.665 - 1.751	.9588	----	----	----	----	1 UNCH
11075	----	----	----/39.798A	42.306B/39.798A	----	41.158 - 1.755	.9598	----	----	----	----	1 UNCH
11100	----	----	----/40.043A	42.554B/40.043A	----	41.405 - 1.756	.9603	----	----	----	----	1 UNCH
11125	----	----	----/40.285A	42.802B/40.285A	----	41.652 - 1.758	.9607	----	----	----	----	1 UNCH
11175	----	----	----/40.777A	43.297B/40.777A	----	42.146 - 1.761	.9616	----	----	----	----	1 UNCH
11200	----	----	----/41.025A	43.549B/41.025A	----	42.392 - 1.763	.9619	----	----	----	----	4 UNCH
11225	----	----	----/41.270A	43.793B/41.270A	----	42.639 - 1.765	.9624	----	----	----	----	3 UNCH
11250	----	----	----/41.518A	44.045B/41.518A	----	42.886 - 1.767	.9628	----	----	----	----	1 UNCH
11500	----	----	----/43.818A	47.104B/43.818A	----	45.359 - 1.782	.9667	----	----	----	----	78 UNCH
11550	----	----	----/44.477A	47.019B/44.477A	----	45.854 - 1.785	.9674	----	----	----	----	1 UNCH
11650	----	----	----/45.466A	48.017B/45.466A	----	46.844 - 1.792	.9688	----	----	----	----	1 UNCH
11800	----	----	----/46.951A	49.508B/46.951A	----	48.331 - 1.800	.9706	----	----	----	----	1 UNCH
11875	----	----	----/47.695A	50.255B/47.695A	----	49.074 - 1.804	.9715	----	----	----	----	1 UNCH
12250	----	----	----/51.412A	53.988B/51.412A	----	52.797 - 1.822	.9755	----	----	----	----	3 UNCH
12300	----	----	----/51.912A	54.486B/51.912A	----	53.293 - 1.824	.9760	----	----	----	----	1 UNCH
12500	----	----	----/53.897A	57.084B/53.897A	----	55.281 - 1.832	.9776	----	----	----	----	20 UNCH
12700	----	----	----/55.887A	58.473B/55.887A	----	57.270 - 1.838	.9792	----	----	----	----	1 UNCH
13000	----	----	----/58.869A	61.466B/58.869A	----	60.257 - 1.845	.9813	----	----	----	----	1 UNCH
13600	----	----	----	----	----	66.236 - 1.853	.9846	----	----	----	----	0 UNCH
TOTAL										1398	0	18728 + 570
JUN26												
2100	----	----	----	----/0.100A	----	0.013 + 0.004	.0012	----	----	----	----	1 UNCH
2500	----	----	----	0.001B/0.168A	----	0.049 + 0.014	.0042	----	----	----	----	141 UNCH
3000	----	----	----	0.056B/0.169A	----	0.152 + 0.034	.0122	----	----	----	----	245 UNCH
3075	----	----	----	0.007B/0.242A	----	0.167 + 0.037	.0135	----	----	----	----	4 UNCH
3100	----	----	----	0.007B/0.245A	----	0.172 + 0.038	.0139	----	----	----	----	3 UNCH
3150	----	----	----	0.010B/0.253A	----	0.182 + 0.040	.0148	----	----	----	----	8 UNCH
3200	----	----	----	0.017B/0.262A	----	0.192 + 0.041	.0156	----	----	----	----	4 UNCH
3325	----	----	----	0.042B/0.289A	----	0.220 + 0.046	.0181	----	----	----	----	2 UNCH
3350	----	----	----	0.047B/0.295A	----	0.226 + 0.048	.0186	----	----	----	----	1 UNCH
3400	----	----	----	0.054B/0.307A	----	0.238 + 0.049	.0196	----	----	----	----	12 UNCH
3500	----	----	----	0.073B/0.331A	----	0.264 + 0.054	.0219	----	----	----	----	100 UNCH
3550	----	----	----	0.084B/0.345A	----	0.278 + 0.056	.0232	----	----	----	----	5 UNCH
3575	----	----	----	0.089B/0.349A	----	0.285 + 0.058	.0238	----	----	----	----	22 UNCH
3600	0.245	0.245	0.245/0.245	0.245/0.245	----	0.292 + 0.058	.0244	----	----	2	----	4 + 2
3650	----	----	----	0.117B/0.376A	----	0.307 + 0.061	.0258	----	----	----	----	22 UNCH
3675	----	----	----	0.124B/0.384A	----	0.315 + 0.062	.0265	----	----	----	----	2 UNCH
3700	----	----	----	0.128B/0.392A	----	0.323 + 0.064	.0272	----	----	----	----	6 UNCH
3800	----	----	----	0.158B/0.413A	----	0.357 + 0.069	.0302	----	----	----	----	14 UNCH
3850	----	----	----	0.174B/0.455A	----	0.375 + 0.072	.0318	----	----	----	----	2 UNCH
3900	----	----	----	0.192B/0.496A	----	0.394 + 0.075	.0335	----	----	----	----	5 UNCH
3925	----	----	----	0.202B/0.491A	----	0.403 + 0.075	.0343	----	----	----	----	3 UNCH
4000	----	----	----	0.237B/0.400A	----	0.434 + 0.080	.0371	----	----	----	----	50 UNCH
4075	----	----	----	0.270B/0.577A	----	0.468 + 0.085	.0401	----	----	----	----	1 UNCH
4100	----	----	----	0.282B/0.589A	----	0.479 + 0.086	.0411	----	----	----	----	2 UNCH
4125	----	----	----	0.294B/0.602A	----	0.491 + 0.087	.0421	----	----	----	----	5 UNCH
4150	----	----	----	0.307B/0.616A	----	0.504 + 0.089	.0433	----	----	----	----	4 UNCH
4200	----	----	----	0.333B/0.644A	----	0.529 + 0.092	.0455	----	----	----	----	26 UNCH
4225	----	----	----	0.347B/0.646A	----	0.543 + 0.094	.0467	----	----	----	----	7 UNCH
4250	----	----	----	0.361B/0.666A	----	0.556 + 0.095	.0478	----	----	----	----	5 UNCH
4275	----	----	----	0.371B/0.681A	----	0.571 + 0.097	.0491	----	----	----	----	13 UNCH
4300	----	----	----	0.386B/0.697A	----	0.585 + 0.098	.0504	----	----	----	----	5 UNCH
4350	0.536	0.536	0.536/0.536	0.536/0.536	----	0.615 + 0.101	.0530	----	----	2	----	2 + 2
4375	----	----	----	0.432B/0.745A	----	0.631 + 0.103	.0543	----	----	----	----	1 UNCH
4400	----	----	----	0.457B/0.762A	----	0.648 + 0.105	.0558	----	----	----	----	8 UNCH
4425	----	----	----	0.474B/0.780A	----	0.664 + 0.106	.0572	----	----	----	----	1 UNCH
4500	----	----	----	0.531B/0.802A	----	0.717 + 0.111	.0617	----	----	1	----	166 + 1
4550	----	----	----	0.569B/0.871A	----	0.756 + 0.115	.0649	----	----	----	----	2 UNCH
4600	----	----	----	0.612B/0.918A	----	0.796 + 0.118	.0683	----	----	----	----	7 UNCH
4625	----	----	----	0.633B/0.939A	----	0.817 + 0.120	.0700	----	----	----	----	12 UNCH
4650	----	----	----	0.655B/0.961A	----	0.839 + 0.122	.0718	----	----	----	----	1 UNCH
4725	----	----	----	0.727B/0.972A	----	0.908 + 0.126	.0775	----	----	----	----	10 UNCH
4750	----	----	----	0.752B/0.916A	----	0.933 + 0.128	.0795	----	----	----	----	2 UNCH
4800	----	----	0.919B/0.833A	0.919B/0.833A	----	0.984 + 0.131	.0835	----	----	----	----	22 UNCH
4850	----	----	0.984B/0.878A	0.984B/0.878A	----	1.039 + 0.135	.0879	----	----	----	----	3 UNCH
4875	----	----	1.013B/0.903A	1.013B/0.903A	----	1.068 + 0.137	.0901	----	----	----	----	15 UNCH
4900	----	----	1.067B/0.934A	1.067B/0.934A	----	1.097 + 0.138	.0924	----	----	----	----	124 UNCH
5000	----	----	1.203B/1.044A	1.203B/1.044A	----	1.224 + 0.141	.1021	----	----	----	----	761 UNCH
5025	----	----	1.237B/1.074A	1.237B/1.074A	----	1.258 + 0.140	.1046	----	----	----	----	8 UNCH
5075	----	----	1.307B/1.133A	1.307B/1.133A	----	1.329 + 0.138	.1099	----	----	----	----	1 UNCH
5100	----	----	1.346B/1.167A	1.346B/1.167A	----	1.365 + 0.136	.1125	----	----	----	----	30 UNCH
5125	----	----	1.382B/1.196A	1.382B/1.196A	----	1.402 + 0.135	.1153	----	----	----	----	1 UNCH
5150	----	----	1.419B/1.233A	1.419B/1.233A	----	1.439 + 0.132	.1180	----	----	----	----	16 UNCH
5175	----	----	1.459B/1.265A	1.459B/1.265A	----	1.478 + 0.131	.1208	----	----	----	----	12 UNCH
5250	----	----	1.582B/1.383A	1.582B/1.383A	----	1.598 + 0.123	.1295	----	----	----	----	13 UNCH
5275	----	----	1.624B/1.408A	1.624B/1.408A	----	1.640 + 0.121	.1325	----	----	----	----	23 UNCH
5300	----	----	1.669B/1.446A	1.669B/1.446A	----	1.682 + 0.118	.1356	----	----	1	----	14 + 1
5325	----	----	1.713B/1.487A	1.713B/1.487A	----	1.726 + 0.115	.1387	----	----	----	----	10 UNCH
5350	----	----	1.746B/1.525A	1.746B/1.525A	----	1.770 + 0.112	.1418	----	----	----	----	2 UNCH
5375	----	----	1.810B/1.565A	1.810B/1.565A	----	1.815 + 0.109	.1450	----	----	1	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
5400	----	----	1.862B/1.610A	1.862B/1.610A	----	1.861 + 0.105	.1482	----	----	----	----	9 UNCH
5425	----	----	1.912B/1.653A	1.912B/1.653A	----	1.908 + 0.101	.1515	----	----	----	----	4 UNCH
5450	----	----	1.964B/1.708A	1.964B/1.708A	----	1.956 + 0.098	.1548	----	----	----	----	2 UNCH
5475	----	----	2.018B/1.745A	2.018B/1.745A	----	2.005 + 0.094	.1582	----	----	----	----	14 UNCH
5500	2.100	2.100	2.100/1.792A	2.100/1.792A	----	2.054 + 0.089	.1615	----	----	6	----	221 UNCH
5525	----	----	2.129B/1.839A	2.129B/1.839A	----	2.105 + 0.085	.1650	----	----	----	----	16 UNCH
5550	----	----	2.186B/1.891A	2.186B/1.891A	----	2.157 + 0.080	.1685	----	----	----	----	10 UNCH
5600	----	----	2.302B/1.993A	2.302B/1.993A	----	2.264 + 0.071	.1757	----	----	----	----	16 UNCH
5625	----	----	2.363B/2.054A	2.363B/2.054A	----	2.319 + 0.066	.1794	----	----	----	----	2 UNCH
5650	----	----	2.429B/2.102A	2.429B/2.102A	----	2.375 + 0.060	.1831	----	----	----	----	51 UNCH
5675	----	----	2.486B/2.162A	2.486B/2.162A	----	2.432 + 0.055	.1868	----	----	----	----	21 UNCH
5700	----	----	2.556B/2.210A	2.556B/2.210A	----	2.490 + 0.049	.1906	----	----	----	----	221 UNCH
5750	----	----	2.689B/2.328A	2.689B/2.328A	----	2.610 + 0.037	.1984	----	----	----	----	226 UNCH
5775	----	----	2.748B/2.392A	2.748B/2.392A	----	2.671 + 0.030	.2023	----	----	1	----	5 UNCH
5800	----	----	2.827B/2.445A	2.827B/2.445A	----	2.734 + 0.024	.2063	----	----	----	----	73 UNCH
5825	----	----	2.887B/2.517A	2.887B/2.517A	----	2.798 + 0.018	.2104	----	----	----	----	9 UNCH
5850	----	----	2.960B/2.575A	2.960B/2.575A	----	2.863 + 0.011	.2145	----	----	----	----	5 UNCH
5875	----	----	3.032B/2.647A	3.032B/2.647A	----	2.930 + 0.004	.2186	----	----	----	----	12 UNCH
5900	3.098	3.098	3.108B/2.701A	3.108B/2.701A	----	2.997 - 0.004	.2228	----	----	2	----	35 UNCH
5925	----	----	3.185B/2.782A	3.185B/2.782A	----	3.067 - 0.010	.2270	----	----	----	----	11 UNCH
5950	3.271	3.271	3.271/2.843A	3.271/2.843A	----	3.137 - 0.018	.2313	----	----	2	----	4 + 2
5975	----	----	3.340B/2.919A	3.340B/2.919A	----	3.208 - 0.026	.2356	----	----	----	----	2 UNCH
6000	3.150	3.150	3.434B/2.978A	3.434B/2.978A	----	3.281 - 0.034	.2400	----	----	56	----	452 + 6
6025	----	----	3.505B/3.061A	3.505B/3.061A	----	3.356 - 0.042	.2444	----	----	----	----	31 UNCH
6050	----	----	3.600B/3.132A	3.600B/3.132A	----	3.431 - 0.050	.2489	----	----	----	----	146 UNCH
6075	----	----	3.683B/3.206A	3.683B/3.206A	----	3.509 - 0.058	.2534	----	----	----	----	31 UNCH
6100	----	----	3.773B/3.272A	3.773B/3.272A	----	3.587 - 0.067	.2579	----	----	----	----	72 UNCH
6125	----	----	3.852B/3.364A	3.852B/3.364A	----	3.667 - 0.076	.2625	----	----	----	----	2 UNCH
6150	----	----	3.942B/3.437A	3.942B/3.437A	----	3.748 - 0.085	.2671	----	----	----	----	5 UNCH
6175	----	----	4.047B/3.522A	4.047B/3.522A	----	3.831 - 0.094	.2718	----	----	----	----	24 UNCH
6200	----	----	4.173B/3.585A	4.173B/3.585A	----	3.916 - 0.102	.2765	----	----	----	----	152 UNCH
6225	----	----	4.256B/3.685A	4.256B/3.685A	----	4.002 - 0.112	.2812	----	----	----	----	2 UNCH
6250	----	----	4.328B/3.742A	4.328B/3.742A	----	4.089 - 0.122	.2860	----	----	1	----	89 - 1
6275	----	----	4.428B/3.852A	4.428B/3.852A	----	4.178 - 0.131	.2908	----	----	----	----	2 UNCH
6300	4.462	4.462	4.528B/3.907A	4.528B/3.907A	----	4.268 - 0.141	.2956	----	----	4	----	118 - 1
6325	----	----	4.644B/4.022A	4.644B/4.022A	----	4.360 - 0.151	.3005	----	----	----	----	6 UNCH
6350	----	----	4.728B/4.103A	4.728B/4.103A	----	4.454 - 0.161	.3054	----	----	----	----	27 UNCH
6375	4.766	4.766	4.841B/4.163A	4.841B/4.163A	----	4.549 - 0.171	.3104	----	----	1	----	101 UNCH
6400	----	----	4.941B/4.281A	4.941B/4.281A	----	4.646 - 0.182	.3153	----	----	2	----	24 - 2
6425	----	----	5.047B/4.366A	5.047B/4.366A	----	4.744 - 0.192	.3203	----	----	----	----	45 UNCH
6450	----	----	5.151B/4.468A	5.151B/4.468A	----	4.844 - 0.203	.3254	----	----	----	----	9 UNCH
6475	----	----	5.255B/4.564A	5.255B/4.564A	----	4.946 - 0.213	.3304	----	----	----	----	2 UNCH
6500	4.729	4.729	5.396B/4.616A	5.396B/4.616A	----	5.049 - 0.224	.3355	----	----	2	----	158 + 1
6525	----	----	5.495B/4.740A	5.495B/4.740A	----	5.154 - 0.235	.3406	----	----	----	----	35 UNCH
6550	----	----	5.604B/4.858A	5.604B/4.858A	----	5.260 - 0.246	.3457	----	----	----	----	6 UNCH
6575	----	----	5.713B/4.955A	5.713B/4.955A	----	5.368 - 0.257	.3508	----	----	1	----	2 + 1
6600	5.581	5.581	5.868B/5.007A	5.868B/5.007A	----	5.478 - 0.268	.3560	----	----	2	----	143 + 1
6625	5.430	5.430	5.955B/5.157A	5.955B/5.157A	----	5.589 - 0.280	.3611	----	----	1	----	9 UNCH
6675	----	----	6.203B/5.369A	6.203B/5.369A	----	5.817 - 0.302	.3715	----	----	----	----	1 UNCH
6700	----	----	6.348B/5.448A	6.348B/5.448A	----	5.933 - 0.314	.3767	----	----	1	----	41 + 1
6725	5.878	5.878	6.475B/5.556A	6.475B/5.556A	----	6.050 - 0.326	.3819	----	----	2	----	26 UNCH
6750	----	----	6.597B/5.690A	6.597B/5.690A	----	6.170 - 0.337	.3872	----	----	----	----	20 UNCH
6775	----	----	6.719B/5.799A	6.719B/5.799A	----	6.291 - 0.349	.3924	----	----	----	----	2 UNCH
6800	----	----	6.854B/5.915A	6.854B/5.915A	----	6.413 - 0.361	.3976	----	----	1	----	16 UNCH
6825	----	----	6.989B/6.025A	6.989B/6.025A	----	6.537 - 0.373	.4029	----	----	1	----	2 UNCH
6850	----	----	7.125B/6.141A	7.125B/6.141A	----	6.663 - 0.384	.4081	----	----	----	----	16 UNCH
6900	6.959	6.959	7.445B/6.340A	7.445B/6.340A	----	6.919 - 0.408	.4186	----	----	9	----	87 + 4
6925	----	----	7.545B/6.491A	7.545B/6.491A	----	7.049 - 0.421	.4238	----	----	----	----	9 UNCH
6950	----	----	7.686B/6.611A	7.686B/6.611A	----	7.181 - 0.433	.4290	----	----	1	----	5 + 1
6975	----	----	7.830B/6.736A	7.830B/6.736A	----	7.315 - 0.445	.4343	----	----	----	----	6 UNCH
7000	----	----	8.018B/6.840A	8.018B/6.840A	----	7.450 - 0.457	.4395	----	----	----	----	291 UNCH
7025	----	----	8.126B/7.002A	8.126B/7.002A	----	7.587 - 0.469	.4447	----	----	----	----	4 UNCH
7050	----	----	8.257B/7.131A	8.257B/7.131A	----	7.725 - 0.481	.4499	----	----	----	----	20 UNCH
7075	----	----	8.410B/7.248A	8.410B/7.248A	----	7.864 - 0.494	.4550	----	----	----	----	41 UNCH
7100	----	----	8.546B/7.407A	8.546B/7.407A	----	8.006 - 0.505	.4602	----	----	----	----	14 UNCH
7125	----	----	8.698B/7.542A	8.698B/7.542A	----	8.148 - 0.518	.4654	----	----	----	----	3 UNCH
7150	----	----	8.853B/7.673A	8.853B/7.673A	----	8.293 - 0.530	.4705	----	----	----	----	2 UNCH
7175	----	----	9.038B/7.786A	9.038B/7.786A	----	8.438 - 0.543	.4756	----	----	----	----	31 UNCH
7200	----	----	9.207B/7.896A	9.207B/7.896A	----	8.586 - 0.554	.4807	----	----	----	----	226 UNCH
7225	----	----	9.323B/8.088A	9.323B/8.088A	----	8.734 - 0.567	.4858	----	----	----	----	6 UNCH
7250	----	----	9.490B/8.226A	9.490B/8.226A	----	8.884 - 0.579	.4908	----	----	----	----	10 UNCH
7275	----	----	9.632B/8.368A	9.632B/8.368A	----	9.036 - 0.591	.4959	----	----	----	----	3 UNCH
7300	----	----	9.832B/8.459A	9.832B/8.459A	----	9.189 - 0.603	.5009	----	----	----	----	59 UNCH
7325	----	----	----/8.656A	9.939B/8.656A	----	9.343 - 0.615	.5059	----	----	----	----	1 UNCH
7350	----	----	10.132B/8.802A	10.132B/8.802A	----	9.499 - 0.627	.5108	----	----	----	----	2 UNCH
7375	----	----	----/8.950A	10.269B/8.950A	----	9.656 - 0.639	.5158	----	----	----	----	2 UNCH
7400	----	----	10.484B/9.076A	10.484B/9.076A	----	9.814 - 0.652	.5207	----	----	----	----	47 UNCH
7425	----	----	----/9.249A	10.616B/9.249A	----	9.974 - 0.664	.5256	----	----	----	----	2 UNCH
7450	----	----	----/9.454A	10.790B/9.454A	----	10.136 - 0.675	.5304	----	----	----	----	2 UNCH
7475	----	----	----/9.593A	10.972B/9.593A	----	10.298 - 0.687	.5352	----	----	----	----	4 UNCH
7500	----	----	11.185B/9.738A	11.185B/9.738A	----	10.462 - 0.699	.5400	----	----	----	----	334 UNCH
7550	----	----	----/10.074A	11.493B/10.074A	----	10.794 - 0.722	.5495	----	----	----	----	3 UNCH
7575	----	----	----/10.237A	11.669B/10.237A	----	10.961 - 0.734	.5542	----	----	----	----	9 UNCH
7600	----	----	----/10.365A	11.862B/10.365A	----	11.130 - 0.746	.5589	----	----	----	----	78 UNCH
7625	----	----	----/10.566A	11.977B/10.566A	----	11.300 - 0.758	.5635	----	----	----	----	3 UNCH
7650	----	----	----/10.748A	12.084B/10.748A	----	11.472 - 0.769	.5681	----	----	----	----	3 UNCH
7675	----	----	----/10.930A	12.362B/10.930A	----	11.645 - 0.780	.5726	----	----	----	----	1 UNCH
7700	----	----	----/11.086A	12.554B/11.086A	----	11.818 - 0.792	.5772	----	----	----	----	19 UNCH
7725	----	----	----/11.258A	12.625B/11.258A	----	11.993 - 0.803	.5817	----	----	----	----	1 UNCH
7750	----	----	----/11.426A	12.740B/11.426A	----	12.170 - 0.814	.5861	----	----	----	----	1 UNCH
7775	----	----	----/11.523A	13.156B/11.523A	----	12.347 - 0.825	.5905	----	----	----	----	25 UNCH
7800	----	----	----/11.736A	13.120B/11.736A	----	12.525 - 0.837	.5949	----	----	----	----	4 UNCH
7850	----	----	----/12.102A	13.719B/12.102A	----	12.886 - 0.858	.6036	----	----	----	----	8 UNCH
7875	----	----	----/12.287A	13.912B/12.287A	----	13.067 - 0.870	.6078	----	----	----	----	19 UNCH
7900	----	----	----/12.370A	14.122B/12.370A	----	13.250 - 0.880	.6121	----	----	----	----	107 UNCH
7925	----	----	----/12.595A	14.299B/12.595A	----	13.434 - 0.891	.6163	----	----	----	----	10 UNCH
7950	----	----	----/12.797A	14.493B/12.797A	----	13.619 - 0.902	.6204	----	----	----	----	21 UNCH
8000	----	----	----/13.098A	14.908B/13.098A	----	13.992 - 0.922	.6286	----	----	----	----	145 UNCH
8025	----	----	----/13.335A	14.617B/13.335A	----	14.180 - 0.933	.6327	----	----	----	----	1 UNCH
8050	----	----	----/13.594A	14.817B/13.594A	----	14.368 - 0.944	.6367	----	----	----	----	1 UNCH
8075	----	----	----/13.849A	15.018B/13.849A	----	14.558 - 0.954	.6406	----	----	----	----	1 UNCH
8100	----	----	----/14.017A	15.220B/14.017A	----	14.749 - 0.964	.6446	----	----	----	----	2 UNCH
8125	----	----	----/14.228A	15.423B/14.228A	----	14.941 - 0.974	.6484	----	----	----	----	2 UNCH
8150	----	----	----/14.380A	15.641B/14.380A	----	15.134 - 0.984	.6523	----	----	----	----	4 UNCH
8175	----	----	----/14.498A	16.301B/14.498A	----	15.327 - 0.994	.6561	----	----	----	----	42 UNCH
8200	----	----	----/14.748A	16.524B/14.748A	----	15.522 - 1.003	.6599	----	----	----	----	14 UNCH
8225	----	----	----/14.876A	16.684B/14.876A	----	15.717 - 1.014	.6636	----	----	----	----	6 UNCH
8250	----	----	----/15.076A	16.928B/15.076A	----	15.913 - 1.023	.6673	----	----	----	----	15 UNCH
8275	----	----	----/15.267A	17.097B/15.267A	----	16.111 - 1.032	.6709	----	----	----	----	23 UNCH
8300	----	----	----/15.637A	16.864B/15.637A	----	16.309 - 1.041	.6745	----	----	----	----	5 UNCH
8350	----	----	----/15.843A	17.719B/15.843A	----	16.707 - 1.060	.6816	----	----	----	----	17 UNCH
8400	----	----	----/16.407A	17.710B/16.407A	----	17.109 - 1.078	.6886	----	----	----	----	3 UNCH
8425	----	----	----/16.401A	18.398B/16.401A	----	17.311 - 1.087	.6920	----	----	----	----	62 UNCH
8450	----	----	----/16.631A	18.558B/16.631A	----	17.513 - 1.097	.6954	----	----	----	----	21 UNCH
8475	----	----	----/17.005A	18.349B/17.005A	----	17.717 - 1.105	.6987	----	----	----	----	2 UNCH
8500	----	----	19.036B/16.992A	19.036B/16.992A	----	17.921 - 1.114	.7020	----	----	----	----	60 UNCH
8525	----	----	----/17.398A	18.778B/17.398A	----	18.126 - 1.123	.7053	----	----	----	----	1 UNCH
8550	----	----	----/17.597A	18.994B/17.597A	----	18.332 - 1.131	.7085	----	----	----	----	1 UNCH
8625	----	----	----/18.033A	20.048B/18.033A	----	18.954 - 1.155	.7179	----	----	----	----	11 UNCH
8675	----	----	----/18.607A	20.079B/18.607A	----	19.371 - 1.172	.7241	----	----	----	----	1 UNCH
8700	20.061	20.061	20.061/18.642A	20.701B/18.642A	----	19.581 - 1.180	.7271	----	----	3	----	14 - 3
8750	----	----	----/19.077A	21.177B/19.077A	----	20.003 - 1.195	.7329	----	----	----	----	26 UNCH
8775	----	----	----/19.411A	20.955B/19.411A	----	20.214 - 1.203	.7359	----	----	----	----	1 UNCH
8800	----	----	----/19.510A	21.574B/19.510A	----	20.427 - 1.210	.7387	----	----	----	----	14 UNCH
8825	----	----	----/19.718A	21.792B/19.718A	----	20.640 - 1.217	.7415	----	----	----	----	15 UNCH
8850	----	----	----/19.910A	22.020B/19.910A	----	20.853 - 1.225	.7444	----	----	----	----	6 UNCH
8925	----	----	----/20.654A	22.286B/20.654A	----	21.497 - 1.246	.7525	----	----	----	----	4 UNCH
8975	----	----	----/21.074A	22.736B/21.074A	----	21.929 - 1.260	.7578	----	----	----	----	2 UNCH
9000	----	----	23.418B/21.104A	23.418B/21.104A	----	22.146 - 1.267	.7604	----	----	----	----	93 UNCH
9050	----	----	----/21.708A	23.409B/21.708A	----	22.581 - 1.280	.7655	----	----	----	----	3 UNCH
9075	----	----	----/21.921A	23.633B/21.921A	----	22.800 - 1.286	.7680	----	----	----	----	2 UNCH
9100	----	----	----/22.032A	24.242B/22.032A	----	23.019 - 1.292	.7705	----	----	----	----	6 UNCH
9125	----	----	----/22.352A	24.083B/22.352A	----	23.238 - 1.299	.7729	----	----	----	----	1 UNCH
9150	----	----	----/22.557A	24.311B/22.557A	----	23.458 - 1.305	.7753	----	----	----	----	1 UNCH
9175	----	----	----/22.780A	24.550B/22.780A	----	23.678 - 1.311	.7777	----	----	----	----	1 UNCH
9200	----	----	25.219B/22.815A	25.219B/22.815A	----	23.899 - 1.317	.7801	----	----	----	----	80 UNCH
9325	----	----	----/24.073A	25.900B/24.073A	----	25.009 - 1.346	.7913	----	----	----	----	1 UNCH
9450	----	----	----/25.097A	27.423B/25.097A	----	26.130 - 1.373	.8020	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
9500	----	----	----/25.439A	27.952B/25.439A	----	26.581 - 1.383	.8060	----	----	----	----	138 UNCH
9525	----	----	----/25.840A	27.739B/25.840A	----	26.807 - 1.388	.8080	----	----	----	----	1 UNCH
9550	----	----	----/26.062A	27.969B/26.062A	----	27.033 - 1.393	.8100	----	----	----	----	1 UNCH
9575	----	----	----/26.284A	28.200B/26.284A	----	27.260 - 1.398	.8119	----	----	----	----	1 UNCH
9725	----	----	----/27.624A	29.591B/27.624A	----	28.627 - 1.425	.8231	----	----	----	----	1 UNCH
9825	----	----	----/28.525A	30.531B/28.525A	----	29.544 - 1.443	.8301	----	----	----	----	1 UNCH
9850	----	----	----/28.751A	30.766B/28.751A	----	29.774 - 1.447	.8318	----	----	----	----	1 UNCH
9900	----	----	----/29.153A	31.609B/29.153A	----	30.235 - 1.455	.8352	----	----	----	----	17 UNCH
9925	----	----	----/29.431A	31.472B/29.431A	----	30.466 - 1.459	.8368	----	----	----	----	1 UNCH
9950	----	----	----/29.659A	31.708B/29.659A	----	30.697 - 1.462	.8384	----	----	----	----	1 UNCH
10000	----	----	----/29.938A	32.591B/29.938A	----	31.160 - 1.470	.8416	----	----	----	----	97 UNCH
10025	----	----	----/30.337A	32.418B/30.337A	----	31.392 - 1.474	.8431	----	----	----	----	2 UNCH
10075	----	----	----/30.797A	32.891B/30.797A	----	31.856 - 1.481	.8462	----	----	----	----	1 UNCH
10100	----	----	----/31.025A	33.128B/31.025A	----	32.089 - 1.484	.8477	----	----	----	----	1 UNCH
10125	----	----	----/31.258A	33.362B/31.258A	----	32.321 - 1.488	.8492	----	----	----	----	1 UNCH
10150	----	----	----/31.451A	33.966B/31.451A	----	32.554 - 1.492	.8506	----	----	----	----	8 UNCH
10175	----	----	----/31.714A	33.841B/31.714A	----	32.788 - 1.494	.8521	----	----	----	----	2 UNCH
10200	----	----	----/31.771A	34.480B/31.771A	----	33.021 - 1.498	.8535	----	----	----	----	117 UNCH
10225	----	----	----/32.178A	34.316B/32.178A	----	33.255 - 1.501	.8550	----	----	----	----	1 UNCH
10325	----	----	----/33.101A	35.265B/33.101A	----	34.191 - 1.514	.8605	----	----	----	----	1 UNCH
10350	----	----	----/33.331A	35.505B/33.331A	----	34.426 - 1.517	.8618	----	----	----	----	1 UNCH
10375	----	----	----/33.560A	35.742B/33.560A	----	34.661 - 1.520	.8632	----	----	----	----	1 UNCH
10400	----	----	----/33.796A	35.983B/33.796A	----	34.896 - 1.523	.8645	----	----	----	----	1 UNCH
10500	----	----	----/34.711A	37.290B/34.711A	----	35.838 - 1.535	.8696	----	----	----	----	9 UNCH
10600	----	----	----/35.655A	37.900B/35.655A	----	36.783 - 1.545	.8744	----	----	----	----	5 UNCH
10825	----	----	----/37.752A	40.404B/37.752A	----	38.919 - 1.568	.8845	----	----	----	----	6 UNCH
10850	----	----	----/37.989A	40.310B/37.989A	----	39.157 - 1.570	.8856	----	----	----	----	4 UNCH
10875	----	----	----/38.223A	40.552B/38.223A	----	39.395 - 1.573	.8867	----	----	----	----	2 UNCH
10950	----	----	----/38.928A	41.277B/38.928A	----	40.111 - 1.580	.8897	----	----	----	----	3 UNCH
11000	----	----	----/39.399A	41.761B/39.399A	----	40.589 - 1.584	.8917	----	----	----	----	2 UNCH
11325	----	----	----/42.470A	44.917B/42.470A	----	43.707 - 1.612	.9036	----	----	----	----	1 UNCH
11500	----	----	----/44.114A	46.930B/44.114A	----	45.395 - 1.625	.9093	----	----	----	----	10 UNCH
11525	----	----	----/44.373A	46.869B/44.373A	----	45.636 - 1.627	.9100	----	----	----	----	1 UNCH
11675	----	----	----/45.806A	48.335B/45.806A	----	47.087 - 1.638	.9146	----	----	----	----	1 UNCH
11700	----	----	----/46.045A	48.580B/46.045A	----	47.330 - 1.639	.9153	----	----	----	----	1 UNCH
12000	----	----	----/48.777A	51.871B/48.777A	----	50.243 - 1.661	.9232	----	----	----	----	50 UNCH
12025	----	----	----/49.167A	51.765B/49.167A	----	50.487 - 1.662	.9238	----	----	----	----	1 UNCH
13000	----	----	----/58.622A	61.385B/58.622A	----	60.032 - 1.723	.9431	----	----	----	----	5 UNCH
TOTAL										106	0	7524 + 16
JUL26												
2000	----	----	----	0.014B/0.046A	----	0.030 + 0.016	.0024	----	----	----	----	5 UNCH
2400	----	----	----	0.001B/0.569A	----	0.069 + 0.030	.0054	----	----	----	----	10 UNCH
2650	----	----	----	0.002B/0.278A	----	0.106 + 0.041	.0083	----	----	----	----	6 UNCH
3000	----	----	----	0.031B/0.324A	----	0.179 + 0.056	.0140	----	----	----	----	4 UNCH
3350	----	----	----	0.116B/0.427A	----	0.285 + 0.071	.0221	----	----	----	----	1 UNCH
3400	----	----	----	0.131B/0.445A	----	0.303 + 0.073	.0235	----	----	----	----	55 UNCH
3475	----	----	----	0.150B/0.473A	----	0.332 + 0.076	.0257	----	----	----	----	5 UNCH
3500	----	----	----	0.158B/0.483A	----	0.342 + 0.077	.0265	----	----	----	----	3 UNCH
3600	----	----	----	0.191B/0.524A	----	0.385 + 0.081	.0298	----	----	----	----	12 UNCH
3700	----	----	----	0.239B/0.570A	----	0.432 + 0.085	.0334	----	----	----	----	92 UNCH
3800	----	----	----	0.282B/0.621A	----	0.483 + 0.089	.0372	----	----	----	----	25 UNCH
3825	----	----	----	0.295B/0.634A	----	0.497 + 0.090	.0383	----	----	----	----	8 UNCH
3850	----	----	----	0.307B/0.648A	----	0.511 + 0.091	.0393	----	----	----	----	3 UNCH
3900	----	----	----	0.334B/0.677A	----	0.540 + 0.093	.0415	----	----	----	----	11 UNCH
3950	----	----	----	0.366B/0.550A	----	0.570 + 0.095	.0438	----	----	----	----	1 UNCH
4000	----	----	----	0.440B/0.600A	----	0.602 + 0.097	.0462	----	----	----	----	67 UNCH
4075	----	----	----	0.440B/0.788A	----	0.652 + 0.100	.0499	----	----	----	----	16 UNCH
4100	----	----	----	0.457B/0.806A	----	0.669 + 0.100	.0512	----	----	----	----	6 UNCH
4175	----	----	----	0.508B/0.853A	----	0.724 + 0.104	.0552	----	----	----	----	9 UNCH
4200	----	----	----	0.537B/0.873A	----	0.744 + 0.106	.0567	----	----	----	----	27 UNCH
4225	----	----	----	0.557B/0.893A	----	0.763 + 0.106	.0581	----	----	----	----	1 UNCH
4250	----	----	----	0.577B/0.913A	----	0.783 + 0.107	.0595	----	----	----	----	21 UNCH
4300	----	----	----	0.618B/0.955A	----	0.825 + 0.110	.0626	----	----	----	----	96 UNCH
4325	----	----	----	0.641B/0.976A	----	0.846 + 0.110	.0641	----	----	----	----	17 UNCH
4375	----	----	----	0.686B/1.021A	----	0.891 + 0.113	.0673	----	----	----	----	32 UNCH
4400	----	----	----	0.709B/1.045A	----	0.914 + 0.114	.0690	----	----	----	----	28 UNCH
4450	----	----	----	0.759B/1.094A	----	0.962 + 0.116	.0724	----	----	----	----	3 UNCH
4475	----	----	----	0.785B/1.119A	----	0.986 + 0.116	.0741	----	----	----	----	16 UNCH
4500	----	----	----	0.811B/1.144A	----	1.012 + 0.118	.0759	----	----	----	----	301 UNCH
4575	----	----	----	0.895B/1.223A	----	1.091 + 0.120	.0815	----	----	----	----	75 UNCH
4600	----	----	----	0.928B/1.249A	----	1.119 + 0.121	.0834	----	----	----	----	101 UNCH
4650	----	----	----	0.989B/1.296A	----	1.176 + 0.122	.0874	----	----	----	----	40 UNCH
4675	----	----	----	1.020B/1.325A	----	1.206 + 0.123	.0894	----	----	----	----	12 UNCH
4700	----	----	----	1.052B/1.354A	----	1.237 + 0.124	.0916	----	----	----	----	152 UNCH
4725	----	----	----	1.085B/1.384A	----	1.268 + 0.124	.0937	----	----	----	----	3 UNCH
4750	----	----	----	1.100B/1.414A	----	1.300 + 0.125	.0958	----	----	----	----	54 UNCH
4775	----	----	----	1.123B/1.446A	----	1.333 + 0.126	.0980	----	----	----	----	8 UNCH
4800	----	----	----	1.161B/1.470A	----	1.366 + 0.125	.1003	----	----	----	----	15 UNCH
4825	----	----	----	1.199B/1.498A	----	1.401 + 0.126	.1026	----	----	----	----	26 UNCH
4850	----	----	----	1.235B/1.529A	----	1.436 + 0.126	.1049	----	----	----	----	2 UNCH
4875	----	----	----	1.256B/1.598A	----	1.472 + 0.127	.1073	----	----	----	----	23 UNCH
4900	----	----	----	1.278B/1.659A	----	1.509 + 0.127	.1097	----	----	----	----	172 UNCH
5000	----	----	----	1.178B/2.042A	----	1.665 + 0.125	.1198	----	----	----	----	806 UNCH
5025	----	----	----	1.104B/2.243A	----	1.706 + 0.124	.1224	----	----	----	----	1 UNCH
5050	----	----	----	1.147B/2.276A	----	1.749 + 0.124	.1251	----	----	----	----	16 UNCH
5075	----	----	----	1.352B/2.311A	----	1.792 + 0.123	.1278	----	----	----	----	11 UNCH
5100	----	----	----	1.661B/2.347A	----	1.837 + 0.122	.1305	----	----	----	----	175 UNCH
5150	----	----	1.817B/----	1.817B/2.420A	----	1.929 + 0.120	.1362	----	----	----	----	5 UNCH
5175	----	----	----	1.845B/2.462A	----	1.976 + 0.118	.1391	----	----	----	----	5 UNCH
5200	----	----	----	1.861B/2.525A	----	2.025 + 0.116	.1420	----	----	----	----	52 UNCH
5225	----	----	----	1.762B/2.535A	----	2.074 + 0.114	.1450	----	----	----	----	9 UNCH
5250	----	----	2.031B/----	2.031B/2.583A	----	2.125 + 0.112	.1480	----	----	----	----	250 UNCH
5275	----	----	----	1.960B/2.614A	----	2.177 + 0.110	.1511	----	----	----	----	2 UNCH
5300	----	----	----	1.969B/2.660A	----	2.230 + 0.108	.1542	----	----	----	----	125 UNCH
5325	----	----	----	1.994B/2.726A	----	2.284 + 0.105	.1574	----	----	----	----	11 UNCH
5350	2.236	2.236	2.236/2.236	2.236/2.236	----	2.340 + 0.103	.1606	----	----	1	----	26 + 1
5375	----	----	----	2.034B/2.793A	----	2.396 + 0.100	.1638	----	----	----	----	16 UNCH
5400	----	----	----	2.038B/2.852A	----	2.454 + 0.097	.1671	----	----	----	----	75 UNCH
5425	----	----	----	1.941B/2.939A	----	2.513 + 0.094	.1704	----	----	----	----	49 UNCH
5450	----	----	----	1.998B/2.973A	----	2.573 + 0.090	.1738	----	----	----	----	38 UNCH
5475	----	----	----	2.057B/3.035A	----	2.634 + 0.086	.1772	----	----	----	----	52 UNCH
5500	2.587	2.587	2.587/2.587	2.587/2.587	----	2.696 + 0.082	.1806	----	----	1	----	887 + 1
5525	2.585	2.585	2.585/2.585	2.585/2.585	----	2.760 + 0.078	.1841	----	----	1	----	71 + 1
5550	----	----	----	2.256B/3.228A	----	2.825 + 0.074	.1876	----	----	----	----	13 UNCH
5575	----	----	----	2.320B/3.294A	----	2.891 + 0.070	.1912	----	----	----	----	3 UNCH
5600	----	----	----	2.385B/3.362A	----	2.959 + 0.066	.1948	----	----	----	----	13 UNCH
5625	----	----	----	2.437B/3.432A	----	3.028 + 0.061	.1984	----	----	----	----	3 UNCH
5650	----	----	----	2.520B/3.498A	----	3.098 + 0.056	.2021	----	----	----	----	29 UNCH
5675	----	----	----	2.574B/3.574A	----	3.169 + 0.050	.2058	----	----	----	----	45 UNCH
5700	----	----	----	2.769B/3.644A	----	3.242 + 0.045	.2095	----	----	----	----	297 UNCH
5725	----	----	----	2.716B/3.717A	----	3.316 + 0.040	.2133	----	----	----	----	3 UNCH
5750	----	----	----	2.789B/3.792A	----	3.391 + 0.034	.2171	----	----	----	----	52 UNCH
5775	----	----	----	2.864B/3.867A	----	3.468 + 0.028	.2209	----	----	----	----	2 UNCH
5800	----	----	----	2.940B/3.945A	----	3.546 + 0.022	.2248	----	----	----	----	20 UNCH
5825	----	----	----	3.017B/4.026A	----	3.626 + 0.016	.2287	----	----	----	----	2 UNCH
5850	----	----	----	3.114B/4.105A	----	3.706 + 0.009	.2326	----	----	----	----	114 UNCH
5875	----	----	----	3.176B/4.186A	----	3.788 + 0.003	.2366	----	----	----	----	3 UNCH
5900	----	----	----	3.275B/4.269A	----	3.872 - 0.004	.2406	----	----	----	----	6 UNCH
5950	----	----	----	3.443B/4.437A	----	4.043 - 0.018	.2487	----	----	----	----	2 UNCH
5975	----	----	----	3.531B/4.523A	----	4.131 - 0.025	.2527	----	----	----	----	1 UNCH
6000	----	----	4.300B/----	4.300B/4.594A	----	4.220 - 0.032	.2568	----	----	----	----	567 UNCH
6100	----	----	----	4.155B/4.939A	----	4.589 - 0.064	.2734	----	----	----	----	285 UNCH
6200	----	----	----	4.351B/5.351A	----	4.981 - 0.098	.2904	----	----	----	----	9 UNCH
6250	----	----	----	4.557B/5.555A	----	5.186 - 0.115	.2990	----	----	----	----	13 UNCH
6275	----	----	----	4.661B/5.656A	----	5.290 - 0.124	.3033	----	----	----	----	1 UNCH
6300	----	----	----	4.768B/5.759A	----	5.396 - 0.133	.3076	----	----	----	----	31 UNCH
6375	----	----	----	5.095B/6.075A	----	5.721 - 0.161	.3206	----	----	----	----	1 UNCH
6400	----	----	----	5.209B/6.183A	----	5.832 - 0.171	.3250	----	----	----	----	55 UNCH
6500	----	----	----	5.917B/6.542A	----	6.291 - 0.209	.3425	----	----	----	----	681 UNCH
6650	----	----	----	6.416B/7.345A	----	7.019 - 0.269	.3689	----	----	----	----	100 UNCH
6700	----	----	----	6.676B/7.593A	----	7.273 - 0.289	.3777	----	----	----	----	81 UNCH
6750	----	----	----	6.941B/7.849A	----	7.531 - 0.310	.3865	----	----	----	----	24 UNCH
6800	----	----	----/7.918A	7.701B/7.918A	----	7.795 - 0.330	.3953	----	----	----	----	257 UNCH
6900	8.000	8.000	8.348B/8.000	8.348B/8.000	----	8.338 - 0.371	.4128	----	----	7	----	8 + 3
7000	9.000	9.000	9.000/8.984A	9.000/8.984A	----	8.901 - 0.413	.4301	----	----	10	----	507 - 10
7025	----	----	----/9.315A	8.530B/9.315A	----	9.045 - 0.423	.4344	----	----	----	----	125 UNCH
7150	----	----	----/10.009A	9.273B/10.009A	----	9.783 - 0.473	.4557	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
7200	----	----	----/10.296A	9.649B/10.296A	----	10.086 - 0.494	.4641	----	----	----	----	39 UNCH
7250	----	----	----/10.624A	9.955B/10.624A	----	10.394 - 0.514	.4724	----	----	----	----	169 UNCH
7300	----	----	----/10.920A	10.262B/10.920A	----	10.706 - 0.535	.4807	----	----	----	----	25 UNCH
7325	----	----	----/11.034A	10.483B/11.034A	----	10.864 - 0.545	.4848	----	----	----	----	1 UNCH
7375	10.555	10.555	10.555/10.555	10.825B/10.555	----	11.183 - 0.565	.4929	----	----	1	----	147 + 1
7400	----	----	----/11.492A	10.945B/11.492A	----	11.344 - 0.575	.4969	----	----	----	----	25 UNCH
7450	----	----	----/11.803A	11.293B/11.803A	----	11.670 - 0.594	.5050	----	----	----	----	1 UNCH
7500	----	----	----/12.118A	11.698B/12.118A	----	11.999 - 0.614	.5129	----	----	----	----	38 UNCH
7525	----	----	----/12.277A	11.876B/12.277A	----	12.166 - 0.624	.5168	----	----	----	----	1 UNCH
7550	----	----	----/12.438A	12.055B/12.438A	----	12.333 - 0.634	.5207	----	----	----	----	1 UNCH
7600	----	----	----/12.763A	12.362B/12.763A	----	12.671 - 0.653	.5284	----	----	----	----	1 UNCH
7700	----	----	----/13.424A	13.147B/13.424A	----	13.358 - 0.691	.5436	----	----	----	----	1 UNCH
7850	----	----	----/14.449A	14.221B/14.449A	----	14.417 - 0.746	.5657	----	----	----	----	1 UNCH
7900	----	----	----/14.797A	14.653B/14.797A	----	14.777 - 0.765	.5728	----	----	----	----	8 UNCH
8000	----	----	----/15.507A	15.372B/15.507A	----	15.508 - 0.799	.5868	----	----	----	----	291 UNCH
8100	----	----	----/16.231A	16.638B/16.231A	----	16.251 - 0.834	.6004	----	----	----	----	25 UNCH
8125	----	----	----/16.414A	16.928B/16.414A	----	16.439 - 0.842	.6037	----	----	----	----	4 UNCH
8250	----	----	----/17.341A	17.408B/17.341A	----	17.390 - 0.883	.6200	----	----	----	----	46 UNCH
8300	----	----	----/17.718A	17.758B/17.718A	----	17.775 - 0.900	.6263	----	----	----	----	120 UNCH
8375	----	----	----/18.289A	18.426B/18.289A	----	18.358 - 0.924	.6356	----	----	----	----	1 UNCH
8400	----	----	----/18.480A	18.628B/18.480A	----	18.554 - 0.931	.6386	----	----	----	----	7 UNCH
8500	----	----	----/19.257A	19.401B/19.257A	----	19.344 - 0.961	.6506	----	----	----	----	53 UNCH
8600	----	----	----/20.039A	20.297B/20.039A	----	20.144 - 0.991	.6621	----	----	----	----	56 UNCH
8700	----	----	----/20.834A	20.885B/20.834A	----	20.954 - 1.019	.6732	----	----	----	----	4 UNCH
9000	----	----	----/23.298A	22.466B/23.298A	----	23.438 - 1.099	.7042	----	----	----	----	308 UNCH
9200	----	----	----/24.941A	23.068B/24.941A	----	25.135 - 1.147	.7230	----	----	----	----	11 UNCH
9400	----	----	----	12.753B/40.998A	----	26.860 - 1.192	.7403	----	----	----	----	1 UNCH
9450	----	----	----	13.060B/42.015A	----	27.296 - 1.202	.7445	----	----	----	----	12 UNCH
9500	----	----	----	13.389B/42.708A	----	27.733 - 1.212	.7485	----	----	----	----	218 UNCH
9600	----	----	----	14.094B/43.648A	----	28.612 - 1.232	.7564	----	----	----	----	50 UNCH
9900	----	----	----	16.735B/46.364A	----	31.281 - 1.289	.7782	----	----	----	----	6 UNCH
9950	----	----	----	16.733B/46.356A	----	31.731 - 1.297	.7816	----	----	----	----	5 UNCH
10000	----	----	----	17.089B/47.272A	----	32.181 - 1.306	.7849	----	----	----	----	205 UNCH
10275	----	----	----	19.202B/50.374A	----	34.680 - 1.349	.8020	----	----	----	----	7 UNCH
10500	----	----	----	21.066B/52.578A	----	36.746 - 1.383	.8146	----	----	----	----	3 UNCH
10600	----	----	----	21.948B/53.620A	----	37.671 - 1.396	.8199	----	----	----	----	9 UNCH
11000	----	----	----	25.684B/57.720A	----	41.400 - 1.446	.8389	----	----	----	----	217 UNCH
11300	----	----	----	27.987B/60.807A	----	44.225 - 1.479	.8513	----	----	----	----	10 UNCH
11500	----	----	----	29.683B/62.628A	----	46.120 - 1.500	.8589	----	----	----	----	1 UNCH
12000	----	----	----	34.491B/67.796A	----	50.890 - 1.547	.8755	----	----	----	----	15 UNCH
13000	----	----	----	44.397B/77.718A	----	60.537 - 1.625	.9013	----	----	----	----	2 UNCH
TOTAL										21	0	9745 - 3
AUG26												
3300	----	----	----	0.151B/0.530A	----	0.226 + 0.033	.0183	----	----	----	----	2 UNCH
3900	----	----	----	0.450B/0.869A	----	0.576 + 0.057	.0428	----	----	----	----	2 UNCH
4175	----	----	----	0.674B/1.091A	----	0.832 + 0.068	.0593	----	----	----	----	1 UNCH
4300	----	----	----	0.809B/1.215A	----	0.972 + 0.071	.0680	----	----	----	----	1 UNCH
4375	----	----	----	0.890B/1.285A	----	1.065 + 0.074	.0736	----	----	----	----	160 UNCH
4500	----	----	----	1.039B/1.428A	----	1.233 + 0.076	.0835	----	----	----	----	2 UNCH
4600	----	----	----	1.150B/1.543A	----	1.382 + 0.078	.0921	----	----	----	----	2 UNCH
4700	----	----	----	1.321B/1.714A	----	1.543 + 0.078	.1012	----	----	----	----	1 UNCH
4800	----	----	----	1.426B/1.887A	----	1.718 + 0.078	.1108	----	----	----	----	15 UNCH
5000	----	----	----	1.498B/2.654A	----	2.110 + 0.075	.1316	----	----	----	----	14 UNCH
5275	----	----	----	2.215B/3.126A	----	2.767 + 0.058	.1637	----	----	----	----	1 UNCH
5300	----	----	----	2.277B/3.184A	----	2.832 + 0.056	.1668	----	----	----	----	1 UNCH
5500	----	----	----	2.605B/3.727A	----	3.393 + 0.036	.1924	----	----	----	----	22 UNCH
5675	----	----	----	3.108B/4.248A	----	3.938 + 0.014	.2160	----	----	----	----	9 UNCH
5800	----	----	----	3.518B/4.657A	----	4.360 - 0.005	.2334	----	----	----	----	4 UNCH
5850	----	----	----	3.690B/4.830A	----	4.536 - 0.014	.2405	----	----	----	----	2 UNCH
5875	4.856	4.856	4.856/4.412	4.856/4.412	----	4.626 NEW	.2441	----	----	12	----	12 + 12
5900	----	----	----	3.868B/5.006A	----	4.717 - 0.023	.2477	----	----	----	----	16 UNCH
5950	----	----	----	4.053B/5.191A	----	4.902 - 0.032	.2550	----	----	----	----	20 UNCH
6000	----	----	----	4.241B/5.378A	----	5.092 - 0.042	.2623	----	----	----	----	131 UNCH
6050	----	----	----	4.437B/5.571A	----	5.286 - 0.052	.2696	----	----	----	----	8 UNCH
6100	----	----	----	4.637B/5.769A	----	5.485 - 0.063	.2770	----	----	----	----	9 UNCH
6300	----	----	----	5.494B/6.605A	----	6.328 - 0.108	.3071	----	----	----	----	1 UNCH
6500	----	----	----	6.433B/7.514A	----	7.245 - 0.161	.3377	----	----	----	----	127 UNCH
6600	----	----	----	6.939B/8.001A	----	7.732 - 0.190	.3531	----	----	----	----	13 UNCH
6725	----	----	----	7.600B/8.639A	----	8.368 - 0.228	.3723	----	----	----	----	7 UNCH
6825	----	----	----	8.153B/9.188A	----	8.898 - 0.260	.3876	----	----	----	----	7 UNCH
7000	----	----	----/10.168A	9.168B/10.168A	----	9.872 - 0.319	.4142	----	----	----	----	1 UNCH
7050	----	----	----/10.456A	9.469B/10.456A	----	10.161 - 0.337	.4218	----	----	----	----	1 UNCH
7100	----	----	----/10.750A	9.775B/10.750A	----	10.455 - 0.355	.4292	----	----	----	----	2 UNCH
7350	----	----	----/12.287A	11.370B/12.287A	----	11.994 - 0.447	.4656	----	----	----	----	6 UNCH
7500	----	----	----/13.259A	12.377B/13.259A	----	12.970 - 0.504	.4866	----	----	----	----	1 UNCH
7550	----	----	----/13.594A	12.721B/13.594A	----	13.304 - 0.523	.4935	----	----	----	----	5 UNCH
7700	----	----	----/14.590A	13.776B/14.590A	----	14.328 - 0.581	.5135	----	----	----	----	25 UNCH
8000	----	----	----/16.656A	15.973B/16.656A	----	16.470 - 0.694	.5514	----	----	----	----	20 UNCH
8150	----	----	----/17.769A	17.155B/17.769A	----	17.582 - 0.749	.5692	----	----	----	----	10 UNCH
8200	----	----	----/18.155A	17.497B/18.155A	----	17.958 - 0.766	.5749	----	----	----	----	10 UNCH
8250	----	----	----/18.467A	17.885B/18.467A	----	18.336 - 0.784	.5806	----	----	----	----	5 UNCH
8500	----	----	----/20.350A	20.380B/20.350A	----	20.264 - 0.867	.6080	----	----	----	----	20 UNCH
9000	----	----	----/24.295A	24.102B/24.295A	----	24.278 - 1.015	.6570	----	----	----	----	29 UNCH
9300	----	----	----/26.756A	26.075B/26.756A	----	26.775 - 1.092	.6831	----	----	----	----	1 UNCH
9500	----	----	----/28.431A	#27.168B/28.431A	----	28.470 - 1.139	.6992	----	----	----	----	30 UNCH
10000	----	----	----	12.180B/53.803A	----	32.804 - 1.241	.7352	----	----	----	----	6 UNCH
10175	----	----	----	13.164B/56.107A	----	34.349 - 1.272	.7466	----	----	----	----	15 UNCH
TOTAL										12	0	777 + 12
SEP26												
2500	----	----	----	0.004B/0.352A	----	0.090 + 0.014	.0069	----	----	----	----	60 UNCH
3000	----	----	----	0.088B/0.514A	----	0.207 + 0.026	.0155	----	----	----	----	22 UNCH
3500	----	----	----	0.292B/0.764A	----	0.416 + 0.041	.0300	----	----	----	----	74 UNCH
4000	----	----	----	0.653B/1.156A	----	0.772 + 0.057	.0533	----	----	----	----	42 UNCH
4500	----	----	----	1.261B/1.701A	----	1.453 + 0.064	.0912	----	----	----	----	8 UNCH
4650	----	----	----	1.442B/1.996A	----	1.726 + 0.064	.1052	----	----	----	----	1 UNCH
5000	----	----	----	2.001B/3.126A	----	2.492 + 0.055	.1415	----	----	----	----	232 UNCH
5100	----	----	----	1.987B/3.300A	----	2.745 + 0.047	.1528	----	----	----	----	1 UNCH
5500	----	----	----	3.052B/4.357A	----	3.917 + 0.003	.2014	----	----	----	----	228 UNCH
5600	----	----	----	3.368B/4.649A	----	4.251 - 0.011	.2144	----	----	----	----	1 UNCH
5700	----	----	----	3.705B/4.992A	----	4.601 - 0.028	.2275	----	----	----	----	2 UNCH
5800	----	----	----	4.062B/5.341A	----	4.969 - 0.045	.2409	----	----	----	----	7 UNCH
6000	----	----	----	4.838B/6.116A	----	5.755 - 0.084	.2683	----	----	----	----	128 UNCH
6050	----	----	----	5.046B/6.323A	----	5.963 - 0.094	.2752	----	----	----	----	15 UNCH
6300	----	----	----	6.160B/7.419A	----	7.065 - 0.152	.3103	----	----	----	----	3 UNCH
6400	----	----	----	6.645B/7.896A	----	7.537 - 0.177	.3245	----	----	----	----	1 UNCH
6425	----	----	----	6.769B/8.018A	----	7.657 - 0.184	.3281	----	----	----	----	1 UNCH
6500	----	----	----	7.148B/8.387A	----	8.026 - 0.203	.3387	----	----	----	----	55 UNCH
6900	----	----	----	9.355B/10.527A	----	10.158 - 0.319	.3952	----	----	----	----	1 UNCH
7000	----	----	----	9.954B/11.105A	----	10.734 - 0.351	.4091	----	----	----	----	15 UNCH
7025	----	----	----	10.106B/11.252A	----	10.881 - 0.359	.4126	----	----	----	----	1 UNCH
7100	----	----	----/11.704A	10.570B/11.704A	----	11.328 - 0.382	.4228	----	----	----	----	16 UNCH
7125	----	----	----/11.855A	10.768B/11.855A	----	11.479 - 0.391	.4262	----	----	----	----	25 UNCH
7175	----	----	----/12.161A	11.044B/12.161A	----	11.784 - 0.407	.4330	----	----	----	----	20 UNCH
7200	----	----	----/12.315A	11.242B/12.315A	----	11.938 - 0.416	.4363	----	----	----	----	50 UNCH
7500	----	----	----/14.250A	13.169B/14.250A	----	13.869 - 0.517	.4753	----	----	----	----	3 UNCH
7550	----	----	----/14.584A	13.537B/14.584A	----	14.205 - 0.533	.4815	----	----	----	----	2 UNCH
7700	----	----	----/15.604A	14.592B/15.604A	----	15.233 - 0.585	.4999	----	----	----	----	1 UNCH
7800	----	----	----/16.301A	15.315B/16.301A	----	15.936 - 0.618	.5117	----	----	----	----	4 UNCH
7900	----	----	----/17.015A	16.046B/17.015A	----	16.651 - 0.651	.5233	----	----	----	----	1 UNCH
8000	----	----	----/17.736A	16.788B/17.736A	----	17.378 - 0.684	.5346	----	----	----	----	40 UNCH
8100	----	----	----/18.469A	17.541B/18.469A	----	18.116 - 0.716	.5456	----	----	----	----	1 UNCH
8200	----	----	----/19.217A	18.305B/19.217A	----	18.864 - 0.747	.5563	----	----	----	----	1 UNCH
8500	----	----	----/21.496A	20.650B/21.496A	----	21.163 - 0.834	.5868	----	----	----	----	225 UNCH
8700	----	----	----/23.038A	22.256B/23.038A	----	22.737 - 0.887	.6058	----	----	----	----	100 UNCH
9000	----	----	----/25.414A	24.720B/25.414A	----	25.154 - 0.959	.6324	----	----	----	----	74 UNCH
9300	----	----	----/27.856A	27.244B/27.856A	----	27.631 - 1.024	.6569	----	----	----	----	1 UNCH
9400	----	----	----/28.597A	28.095B/28.597A	----	28.469 - 1.043	.6646	----	----	----	----	1 UNCH
10150	----	----	----/35.146A	#32.347B/35.146A	----	34.918 - 1.169	.7159	----	----	----	----	1 UNCH
10300	----	----	----	9.977B/62.975A	----	36.238 - 1.190	.7248	----	----	----	----	1 UNCH
TOTAL											0	1465 0
OCT26												
2675	----	----	----	0.022B/0.467A	----	0.166 - 0.004	.0115	----	----	----	----	8 UNCH
3250	----	----	----	0.200B/0.725A	----	0.349 - 0.011	.0240	----	----	----	----	1 UNCH
4000	----	----	----	0.753B/1.313A	----	0.849 - 0.038	.0553	----	----	----	----	3 UNCH
4500	----	----	----	1.424B/1.978A	----	1.494 - 0.075	.0906	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 72

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
OCT26												
5000	----	----	----	1.969B/3.245A	----	2.619 -	0.130 .1412	----	----	----	----	6 UNCH
5050	----	----	----	2.083B/3.544A	----	2.754 -	0.137 .1467	----	----	----	----	1 UNCH
5150	----	----	----	2.325B/3.660A	----	3.036 -	0.150 .1581	----	----	----	----	5 UNCH
6500	----	----	----	7.483B/8.871A	----	8.481 -	0.386 .3299	----	----	----	----	6 UNCH
7000	----	----	----/11.601A	10.279B/11.601A	----	11.231 -	0.491 .3948	----	----	----	----	85 UNCH
7225	----	----	----/12.962A	11.677B/12.962A	----	12.584 -	0.540 .4231	----	----	----	----	87 UNCH
7500	----	----	----/14.718A	13.488B/14.718A	----	14.329 -	0.600 .4563	----	----	----	----	1 UNCH
7950	----	----	----/17.815A	16.667B/17.815A	----	17.382 -	0.699 .5073	----	----	----	----	10 UNCH
8200	----	----	----/19.631A	18.530B/19.631A	----	19.175 -	0.754 .5337	----	----	----	----	6 UNCH
8375	----	----	----/20.942A	19.870B/20.942A	----	20.469 -	0.792 .5512	----	----	----	----	1 UNCH
9100	----	----	----/26.636A	25.677B/26.636A	----	26.119 -	0.943 .6162	----	----	----	----	1 UNCH
10000	----	----	----/34.136A	33.290B/34.136A	----	33.647 -	1.107 .6807	----	----	----	----	40 UNCH
TOTAL											0	265 0
NOV26												
4500	----	----	----	1.342B/2.416A	----	2.029 +	0.059 .1054	----	----	----	----	2 UNCH
4550	----	----	----	1.039B/3.114A	----	2.137 +	0.056 .1099	----	----	----	----	1 UNCH
4800	----	----	----	1.695B/3.516A	----	2.730 +	0.034 .1337	----	----	----	----	1 UNCH
5200	----	----	----	2.756B/4.312A	----	3.870 -	0.019 .1754	----	----	----	----	1 UNCH
5950	----	----	----	5.396B/7.090A	----	6.662 -	0.170 .2625	----	----	----	----	1 UNCH
6700	----	----	----	9.098B/10.697A	----	10.302 -	0.366 .3544	----	----	----	----	50 UNCH
7000	----	----	----/12.414A	10.852B/12.414A	----	11.985 -	0.450 .3907	----	----	----	----	40 UNCH
7025	----	----	----/12.564A	11.005B/12.564A	----	12.131 -	0.457 .3937	----	----	----	----	6 UNCH
7700	----	----	----/16.916A	15.467B/16.916A	----	16.382 -	0.642 .4706	----	----	----	----	50 UNCH
8500	----	----	----/22.752A	21.425B/22.752A	----	22.131 -	0.834 .5495	----	----	----	----	60 UNCH
9000	----	----	----/26.667A	25.416B/26.667A	----	26.050 -	0.933 .5912	----	----	----	----	5 UNCH
9050	----	----	----/27.072A	25.824B/27.072A	----	26.453 -	0.942 .5950	----	----	----	----	3 UNCH
10000	----	----	----/34.939A	33.831B/34.939A	----	34.388 -	1.096 .6593	----	----	----	----	1 UNCH
11000	----	----	----/43.579A	40.329B/43.579A	----	43.128 -	1.234 .7128	----	----	----	----	1 UNCH
TOTAL											0	222 0
DEC26												
1500	----	----	----	----/4.000A	----	0.031 +	0.001 .0020	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/6.894A	----	0.097 +	0.002 .0060	----	----	----	----	10 UNCH
2500	----	----	----	0.004B/0.558A	----	0.175 +	0.001 .0112	----	----	----	----	32 UNCH
3000	----	----	----	0.141B/0.809A	----	0.310 -	0.001 .0203	----	----	----	----	93 UNCH
3100	----	----	----	0.186B/0.873A	----	0.346 -	0.002 .0226	----	----	----	----	1 UNCH
3150	----	----	----	0.211B/0.907A	----	0.376 -	0.003 .0244	----	----	----	----	1 UNCH
3500	----	----	----	0.451B/1.185A	----	0.642 -	0.012 .0391	----	----	----	----	45 UNCH
3850	----	----	----	0.786B/1.522A	----	1.020 -	0.024 .0585	----	----	----	----	1 UNCH
3900	----	----	----	0.847B/1.580A	----	1.084 -	0.027 .0616	----	----	----	----	1 UNCH
3925	----	----	----	0.885B/1.611A	----	1.117 -	0.029 .0632	----	----	----	----	1 UNCH
4000	----	----	----	0.980B/1.705A	----	1.221 -	0.032 .0682	----	----	----	----	74 UNCH
4500	----	----	----	1.082B/3.299A	----	2.104 -	0.068 .1073	----	----	----	----	32 UNCH
4600	----	----	----	1.328B/3.520A	----	2.326 -	0.078 .1163	----	----	----	----	4 UNCH
4800	----	----	----	1.919B/3.805A	----	2.813 -	0.099 .1353	----	----	----	----	241 UNCH
5000	----	----	----	2.449B/4.000A	----	3.358 -	0.123 .1555	----	----	----	----	357 UNCH
5250	----	----	----	3.158B/4.903A	----	4.124 -	0.156 .1822	----	----	----	----	50 UNCH
5300	----	----	----	3.313B/5.081A	----	4.288 -	0.164 .1877	----	----	----	----	250 UNCH
5400	----	----	----	3.637B/5.410A	----	4.629 -	0.178 .1989	----	----	----	----	100 UNCH
5500	----	----	----	3.981B/5.826A	----	4.984 -	0.194 .2103	----	----	----	----	86 UNCH
5600	----	----	----	4.343B/6.206A	----	5.356 -	0.209 .2218	----	----	----	----	4 UNCH
5800	----	----	----	5.124B/6.960A	----	6.145 -	0.243 .2453	----	----	----	----	1 UNCH
5950	----	----	----	5.758B/7.613A	----	6.778 -	0.269 .2632	----	----	----	----	5 UNCH
6000	----	----	----	5.979B/7.811A	----	6.996 -	0.278 .2692	----	----	----	----	147 UNCH
6200	----	----	----	6.907B/8.805A	----	7.910 -	0.315 .2934	----	----	----	----	13 UNCH
6300	----	----	----	7.398B/9.228A	----	8.391 -	0.334 .3055	----	----	----	----	25 UNCH
6500	----	----	----	8.456B/10.254A	----	9.419 -	0.392 .3298	----	----	----	----	626 UNCH
6650	----	----	----	9.254B/11.064A	----	10.228 -	0.435 .3478	----	----	----	----	5 UNCH
6725	----	----	----	9.676B/11.481A	----	10.645 -	0.456 .3568	----	----	----	----	4 UNCH
6750	----	----	----	9.820B/11.623A	----	10.785 -	0.464 .3598	----	----	----	----	6 UNCH
6800	----	----	----	10.109B/11.908A	----	11.069 -	0.479 .3658	----	----	----	----	52 UNCH
6850	----	----	----	10.403B/12.196A	----	11.356 -	0.493 .3717	----	----	----	----	65 UNCH
6900	----	----	----	10.700B/12.493A	----	11.647 -	0.508 .3776	----	----	----	----	1 UNCH
6950	----	----	----	11.001B/12.789A	----	11.942 -	0.521 .3834	----	----	----	----	101 UNCH
7000	----	----	----	11.308B/13.087A	----	12.239 -	0.536 .3893	----	----	----	----	179 UNCH
7075	----	----	----	11.769B/13.541A	----	12.693 -	0.557 .3980	----	----	----	----	20 UNCH
7100	----	----	----	11.930B/13.694A	----	12.846 -	0.564 .4009	----	----	----	----	2 UNCH
7200	----	----	----	12.562B/14.315A	----	13.466 -	0.591 .4123	----	----	----	----	10 UNCH
7500	----	----	----	14.550B/16.256A	----	15.409 -	0.668 .4451	----	----	----	----	16 UNCH
7550	----	----	----	14.892B/16.590A	----	15.744 -	0.680 .4504	----	----	----	----	1 UNCH
7800	----	----	----	16.646B/18.311A	----	17.463 -	0.740 .4760	----	----	----	----	20 UNCH
7850	----	----	----	17.004B/18.662A	----	17.816 -	0.750 .4810	----	----	----	----	10 UNCH
7875	----	----	----	17.185B/18.838A	----	17.993 -	0.756 .4835	----	----	----	----	4 UNCH
7900	----	----	----	17.366B/19.015A	----	18.171 -	0.761 .4859	----	----	----	----	19 UNCH
8000	----	----	----	18.096B/19.730A	----	18.890 -	0.782 .4956	----	----	----	----	50 UNCH
8100	----	----	----	18.836B/20.453A	----	19.619 -	0.803 .5050	----	----	----	----	1 UNCH
8200	----	----	----	19.629B/21.185A	----	20.358 -	0.822 .5142	----	----	----	----	35 UNCH
8350	----	----	----/22.309A	20.770B/22.309A	----	21.484 -	0.851 .5275	----	----	----	----	9 UNCH
8400	----	----	----/22.686A	21.109B/22.686A	----	21.864 -	0.859 .5319	----	----	----	----	25 UNCH
8500	----	----	----/23.444A	21.881B/23.444A	----	22.630 -	0.877 .5404	----	----	----	----	150 UNCH
8600	----	----	----/24.210A	22.663B/24.210A	----	23.404 -	0.894 .5487	----	----	----	----	2 UNCH
8800	----	----	----/25.764A	24.247B/25.764A	----	24.975 -	0.928 .5647	----	----	----	----	10 UNCH
8900	----	----	----/26.558A	25.050B/26.558A	----	25.772 -	0.943 .5724	----	----	----	----	30 UNCH
9000	----	----	----/27.354A	25.858B/27.354A	----	26.575 -	0.958 .5799	----	----	----	----	3 UNCH
9050	----	----	----/27.744A	26.263B/27.744A	----	26.979 -	0.965 .5835	----	----	----	----	100 UNCH
9500	----	----	----/31.405A	29.983B/31.405A	----	30.680 -	1.027 .6146	----	----	----	----	2 UNCH
9850	----	----	----/34.332A	32.945B/34.332A	----	33.626 -	1.072 .6364	----	----	----	----	8 UNCH
9950	----	----	----/35.169A	33.801B/35.169A	----	34.477 -	1.085 .6424	----	----	----	----	1 UNCH
10025	----	----	----/35.798A	34.446B/35.798A	----	35.117 -	1.094 .6468	----	----	----	----	3 UNCH
10125	----	----	----/36.641A	35.309B/36.641A	----	35.974 -	1.106 .6524	----	----	----	----	1 UNCH
10700	----	----	----/41.566A	40.322B/41.566A	----	40.959 -	1.177 .6831	----	----	----	----	5 UNCH
10800	----	----	----/42.438A	40.960B/42.438A	----	41.836 -	1.189 .6880	----	----	----	----	2 UNCH
11000	----	----	----/44.181A	41.674B/44.181A	----	43.597 -	1.212 .6977	----	----	----	----	2 UNCH
11500	----	----	----/48.615A	#44.587B/48.615A	----	48.043 -	1.269 .7201	----	----	----	----	1 UNCH
12000	----	----	----	----	----	52.545 -	1.323 .7404	----	----	----	----	1 UNCH
12100	----	----	----	----	----	53.452 -	1.333 .7442	----	----	----	----	1 UNCH
12300	----	----	----	----	----	55.272 -	1.353 .7517	----	----	----	----	1 UNCH
15000	----	----	----	28.150B/133.803A	----	80.476 -	1.556 .8273	----	----	----	----	1 UNCH
19000	----	----	----	68.258B/170.860A	----	119.131 -	1.728 .8882	----	----	----	----	1 UNCH
TOTAL											0	3340 0
JAN27												
3800	----	----	----	----	----	0.882 -	0.116 .0518	----	----	----	----	1 UNCH
7125	13.488	13.488	#13.488/*13.488	#13.488/*13.488	----	12.673	NEW .3957	----	----	1	----	1 + 1
8600	----	----	----	----	----	23.050 -	1.097 .5398	----	----	----	----	1 UNCH
TOTAL										1	0	3 + 1
DEC27												
7175	----	----	----	----	----	21.733 -	0.666 .3258	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO2 CALL		SILVER OPTIONS										
APR26												
6200	----	----	----	----	----	9.057 +	1.371 .8088	----	----	----	----	1 UNCH
6800	5.500	5.500	#5.500/5.500	5.500/4.066A	----	4.847 +	0.916 .6021	----	----	2	----	2 + 1
7000	----	----	4.265B/----	4.265B/3.108A	----	3.793 +	0.763 .5182	----	----	----	----	1 UNCH
7050	----	----	3.975B/----	3.975B/2.969A	----	3.560 +	0.727 .4971	----	----	----	----	2 UNCH
7150	----	----	3.447B/----	3.447B/2.581A	----	3.127	NEW .4553	----	----	2	----	2 + 2
7200	----	----	3.390B/----	3.390B/2.373A	----	2.928 +	0.626 .4348	----	----	2	----	2 UNCH
7300	2.650	2.650	2.953B/2.055A	2.953B/2.055A	----	2.562 +	0.564 .3948	----	----	2	----	0 UNCH
7400	----	----	2.568B/----	2.568B/1.791A	----	2.238 +	0.507 .3567	----	----	----	----	100 UNCH
7475	2.100	2.100	2.215B/2.100	2.215B/1.665A	----	2.021	NEW .3296	----	----	1	----	1 + 1
7500	2.000	2.000	2.186B/1.570A	2.186B/1.570A	----	1.953 +	0.457 .3209	----	----	2	----	5 + 2
7550	2.000	2.000	2.000/2.000	2.000/1.508A	----	1.824	NEW .3039	----	----	2	----	2 + 2
7700	----	----	1.542B/----	1.542B/*1.200A	----	1.485 +	0.370 .2570	----	----	----	----	2 UNCH
7775	1.364	1.364	1.364/1.364	1.364/*1.122A	----	1.341	NEW .2358	----	----	1	----	1 + 1
7800	0.900	0.900	1.400/*0.898A	1.400/*0.898A	----	1.296 +	0.334 .2291	----	----	3	----	17 + 3
8000	1.000	1.000	1.000/1.000	1.000/*0.844A	----	0.991 +	0.274 .1813	----	----	2	----	14 + 2
8100	----	----	0.703B/----	0.703B/*0.731A	----	0.868 +	0.248 .1611	----	----	----	----	20 UNCH
8150	0.580	0.580	0.592B/*0.580	0.592B/*0.580	----	0.814	NEW .1519	----	----	1	----	1 + 1
8250	0.715	0.715	0.715/*0.715	0.715/*0.645A	----	0.716 +	0.217 .1350	----	----	7	----	7 + 7
8400	----	----	----	0.375B/*0.510A	----	0.593 +	0.190 .1132	----	----	----	----	5 UNCH
8500	----	----	----	0.299B/0.503A	----	0.524 +	0.174 .1007	----	----	----	----	1 UNCH
8800	----	----	----	0.153B/*0.341A	----	0.355 +	0.131 .0698	----	----	----	----	6 UNCH
9000	----	----	----	0.103B/*0.339A	----	0.255 +	0.098 .0517	----	----	----	----	11 UNCH
9500	----	----	----	0.017B/0.270A	----	0.107 +	0.045 .0231	----	----	----	----	2 UNCH
9700	0.080	0.080	0.080/*0.080	0.080/*0.080	----	0.075	NEW .0164	----	----	3	----	3 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 73

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO2 CALL		SILVER OPTIONS										
TOTAL										30	0	208 + 25
SO2 PUT		SILVER OPTIONS										
APR26												
5500	0.520	0.520	0.600/0.500A	0.600/0.500A	----	0.453 NEW	.0697	----	----	10	----	10 + 10
5800	----	----	----/0.938A	0.678B/0.938A	----	0.702 - 0.267	.1085	----	----	----	----	4 UNCH
6000	1.150	1.150	1.150/0.950	1.150/0.950	----	0.943 - 0.367	.1446	----	----	4	----	10 UNCH
6100	1.298	1.298	1.298/1.203A	1.298/1.203A	----	1.094 NEW	.1664	----	----	10	----	10 + 10
6200	1.353	1.353	1.353/1.353	1.441B/1.353	----	1.270 NEW	.1911	----	----	1	----	1 + 1
6250	1.397	1.397	1.397/1.397	1.521B/1.397	----	1.368 NEW	.2045	----	----	2	----	2 + 2
6400	----	----	----/1.954A	2.024B/1.954A	----	1.711 - 0.631	.2492	----	----	----	----	10 UNCH
6500	----	----	----/2.207A	2.370B/2.207A	----	1.983 - 0.707	.2826	----	----	----	----	0 UNCH
6650	----	----	----/2.684A	2.903B/2.684A	----	2.468 - 0.825	.3378	----	----	----	----	3 UNCH
6800	3.300	3.300	3.300/3.147A	3.620B/3.147A	----	3.053 NEW	.3977	----	----	1	----	1 + 1
7025	----	----	----/4.078A	4.476B/4.078A	----	4.128 - 1.115	.4922	----	----	----	----	1 UNCH
7050	----	----	----/4.189A	4.657B/4.189A	----	4.263 - 1.132	.5027	----	----	----	----	1 UNCH
TOTAL										28	0	53 + 24
SO3 CALL		SILVER OPTIONS										
APR26												
7000	----	----	5.328B/----	5.328B/3.928A	----	4.740 + 0.999	.5269	----	----	----	----	6 UNCH
7100	----	----	4.801B/----	4.801B/3.527A	----	4.285 + 0.940	.4934	----	----	----	----	1 UNCH
7600	----	----	2.643B/----	2.643B/2.034A	----	2.541 + 0.676	.3386	----	----	----	----	3 UNCH
7975	----	----	1.547B/----	1.547B/1.429A	----	1.705 + 0.521	.2458	----	----	----	----	2 UNCH
8000	----	----	1.545B/----	1.545B/1.354A	----	1.660 + 0.512	.2405	----	----	----	----	1 UNCH
TOTAL											0	13 0
SO3 PUT		SILVER OPTIONS										
APR26												
4000	----	----	----	0.007B/0.276A	----	0.040 + 0.001	.0059	----	----	----	----	20 UNCH
5500	0.720	0.720	0.720/0.720	0.720/0.720	----	0.787 NEW	.1000	----	----	1	----	1 + 1
6400	2.450	2.450	2.450/2.450	2.620B/2.450	----	2.486 NEW	.2819	----	----	6	----	6 + 6
6500	----	----	----/2.887A	2.994B/2.887A	----	2.805 NEW	.3110	----	----	2	----	2 + 2
6825	----	----	----/4.066A	4.381B/4.066A	----	4.086 - 0.753	.4143	----	----	----	----	20 UNCH
7000	----	----	----/4.762A	5.369B/4.762A	----	4.944 - 0.859	.4729	----	----	----	----	5 UNCH
7300	----	----	----/6.280A	7.011B/6.280A	----	6.685 - 1.031	.5717	----	----	----	----	10 UNCH
TOTAL										9	0	64 + 9
SO4 CALL		SILVER OPTIONS										
MAR26												
6000	----	----	----	----	----	9.796 + 1.799	----	----	----	1	----	0 - 1
6750	1.100	1.100	1.100/*0.900	1.100/*0.900	----	2.296 + 0.724	----	----	----	2	----	0 - 6
6800	1.000	1.000	#2.600B/*0.868A	2.600B/*0.868A	----	1.796 + 0.500	----	----	----	2	----	0 - 2
6850	----	----	#1.602B/*0.651A	1.602B/*0.651A	----	1.296 + 0.245	----	----	----	----	----	0 - 2
6880	1.600	1.600	#1.600/*0.463A	1.600/*0.463A	----	0.996 + 0.077	----	----	----	1	----	0 - 1
6885	----	----	----/*0.516A	0.558B/*0.516A	----	0.946 NEW	----	----	----	2	----	0 UNCH
6900	1.100	1.100	1.100/*0.409A	1.100/*0.409A	----	0.796 - 0.041	----	----	----	20	----	0 - 9
6930	0.593	0.593	#1.022/*0.320A	1.022/*0.320A	----	0.496 - 0.228	----	----	----	2	----	0 - 1
6945	0.850	0.850	#0.930/*0.264A	0.930/*0.264A	----	0.346 NEW	----	----	----	2	----	0 UNCH
6950	0.220	0.220	#0.800/*0.207A	0.800/*0.207A	----	0.296 - 0.358	----	----	----	26	----	0 - 3
6965	0.250	0.250	0.250/*0.199A	0.456B/*0.199A	----	0.146 NEW	----	----	----	1	----	0 UNCH
7000	0.300	0.300	1.000/*0.010	1.000/*0.010	----	0.000 - 0.500	----	----	----	54	----	0 - 22
7010	----	----	----/*0.131A	0.409B/*0.131A	----	0.000 - 0.472	----	----	----	----	----	0 - 4
7050	0.401	0.401	0.401/*0.043	0.401/*0.043	----	0.000 NEW	----	----	----	4	----	0 UNCH
7075	----	----	----/*0.117A	0.256B/*0.117A	----	0.000 - 0.319	----	----	----	----	----	0 - 4
7100	0.401	0.401	0.420/*0.137A	0.420/*0.137A	----	0.000 - 0.271	----	----	----	2	----	0 - 1
7105	----	----	----/*0.134A	0.144B/*0.134A	----	0.000 - 0.262	----	----	----	----	----	0 - 8
7125	0.020	0.020	0.136B/*0.020	0.136B/*0.020	----	0.000 - 0.229	----	----	----	2	----	0 - 1
7150	0.401	0.401	0.401/*0.005	0.401/*0.005	----	0.000 - 0.192	----	----	----	4	----	0 - 5
7200	0.200	0.200	0.244/*0.153A	0.244/*0.153A	----	0.000 - 0.132	----	----	----	13	----	0 - 5
7250	----	----	----	0.005B/*0.148A	----	0.000 - 0.088	----	----	----	----	----	0 - 1
7300	0.001	0.001	0.001/*0.001	0.004B/*0.001	----	0.000 - 0.056	----	----	----	2	----	0 - 6
7350	----	----	----	0.035B/0.156A	----	0.000 - 0.035	----	----	----	----	----	0 - 13
7400	----	----	----	0.001B/*0.021A	----	0.000 - 0.021	----	----	----	----	----	0 - 3
7425	----	----	----	----/*0.169A	----	0.000 - 0.016	----	----	----	----	----	0 - 1
7475	----	----	----	----/*0.169A	----	0.000 - 0.009	----	----	----	----	----	0 - 1
7500	----	----	----	----/*0.021A	----	0.000 - 0.007	----	----	----	1	----	0 - 35
7525	----	----	----	----/0.169A	----	0.000 - 0.005	----	----	----	----	----	0 - 3
7550	----	----	----	----/0.169A	----	0.000 - 0.004	----	----	----	----	----	0 - 6
7600	----	----	----	0.002B/0.169A	----	0.000 - 0.002	----	----	----	----	----	0 - 7
7650	----	----	----	----/0.168A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
7700	----	----	----	----/0.174A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
7725	----	----	----	----/0.176A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
7750	----	----	----	----/0.178A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
7850	----	----	----	----/0.181A	----	0.000 - 0.001	----	----	----	----	----	0 - 15
7975	----	----	----	----/0.181A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
8000	----	----	----	----/0.182A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
8100	----	----	----	----/0.187A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
8200	----	----	----	----/0.191A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
8400	----	----	----	----/0.196A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
8500	----	----	0.002B/----	0.002B/0.190A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
8600	----	----	----	----/0.164A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
8700	----	----	----	----/*0.144A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
8950	----	----	----	----/*0.127A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
9100	----	----	----	----/*0.132A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
9200	----	----	----	----/*0.129A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
9500	----	----	----	----/*0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
TOTAL										141	0	0 - 199
APR26												
7800	2.745	2.745	#2.780/*2.211A	#2.780/*2.211A	----	2.748 NEW	.3239	----	----	8	----	8 + 8
TOTAL										8	0	8 + 8
SO4 PUT		SILVER OPTIONS										
MAR26												
4000	----	----	----	----/0.120A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
4100	----	----	----	----/0.121A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
4500	----	----	----	----/0.120A	----	0.000 - 0.001	----	----	----	----	----	0 - 50
6000	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.063	----	----	----	2	----	0 - 27
6100	0.152	0.152	0.152/*0.068A	0.152/*0.068A	----	0.000 - 0.088	----	----	----	2	----	0 - 1
6200	----	----	----	0.001B/0.164A	----	0.000 - 0.126	----	----	----	----	----	0 - 5
6250	----	----	----	0.002B/0.169A	----	0.000 - 0.153	----	----	----	----	----	0 - 1
6300	----	----	----/*0.099A	0.004B/*0.099A	----	0.000 - 0.185	----	----	----	----	----	0 - 10
6350	0.203	0.203	0.250/*0.115	0.250/*0.115	----	0.000 NEW	----	----	----	6	----	0 UNCH
6400	0.100	0.100	0.100/*0.001	0.100/*0.001	----	0.000 - 0.278	----	----	----	8	----	0 - 2
6500	0.289	0.289	0.312B/*0.093A	0.312B/*0.093A	----	0.000 - 0.421	----	----	----	42	----	0 - 25
6525	----	----	----/*0.189A	0.134B/*0.189A	----	0.000 - 0.467	----	----	----	----	----	0 - 1
6550	0.175	0.175	0.175/*0.150	0.175/*0.150	----	0.000 NEW	----	----	----	8	----	0 UNCH
6600	0.415	0.415	0.415/*0.001A	0.415/*0.001A	----	0.000 - 0.635	----	----	----	48	----	0 - 27
6625	0.300	0.300	0.300/*0.208A	0.300/*0.208A	----	0.000 - 0.703	----	----	----	1	----	0 - 5
6650	----	----	----/*0.211A	0.373B/*0.211A	----	0.000 - 0.776	----	----	----	----	----	0 - 10
6675	0.223	0.223	0.223/*0.006	0.448B/*0.006	----	0.000 NEW	----	----	----	2	----	0 UNCH
6700	----	----	----/*0.219A	0.527B/*0.219A	----	0.000 - 0.943	----	----	----	----	----	0 - 2
6725	0.400	0.400	0.400/*0.220A	0.602B/*0.220A	----	0.000 NEW	----	----	----	1	----	0 UNCH
6750	0.600	0.600	0.700/*0.221A	0.700/*0.221A	----	0.000 - 1.138	----	----	----	12	----	0 - 11
6775	----	----	----/*0.223A	0.786B/*0.223A	----	0.000 - 1.246	----	----	----	----	----	0 - 1
6785	1.280	1.280	1.280/*0.223A	1.280/*0.223A	----	0.000 NEW	----	----	----	1	----	0 UNCH
6800	----	----	----/*0.224A	0.797B/*0.224A	----	0.000 - 1.362	----	----	----	----	----	0 - 2
6810	0.080	0.080	0.080/*0.080	0.786B/*0.080	----	0.000 NEW	----	----	----	2	----	0 UNCH
6850	0.730	0.730	0.868B/*0.110A	0.868B/*0.110A	----	0.000 NEW	----	----	----	1	----	0 UNCH
6900	1.280	1.280	1.280/*0.234A	1.280/*0.234A	----	0.000 - 1.903	----	----	----	3	----	0 - 2
6950	1.650	1.650	1.650/*0.150	1.650/*0.150	----	0.000 - 2.220	----	----	----	2	----	0 - 10
7000	0.500	0.500	0.500/*0.220	0.604B/*0.220	----	0.204 - 2.362	----	----	----	4	----	0 - 40
7030	0.150	0.150	0.150/*0.150	0.548B/*0.150	----	0.504 NEW	----	----	----	1	----	0 UNCH
7050	0.850	0.850	0.850/*0.220	0.850/*0.220	----	0.704 - 2.235	----	----	----	2	----	0 - 1
7100	----	----	----/*0.482A	0.304B/*0.482A	----	1.204 - 2.133	----	----	----	----	----	0 - 4
7105	----	----	----/*0.523A	0.365B/*0.523A	----	1.254 - 2.124	----	----	----	----	----	0 - 2
7150	2.566	2.566	2.566/*0.680	2.566/*0.680	----	1.704 - 2.054	----	----	----	4	----	0 - 1
7200	----	----	----/1.509A	0.045B/1.509A	----	2.204 - 1.994	----	----	----	----	----	0 - 1
7240	----	----	----/3.396A	----/3.396A	----	2.604 - 1.957	----	----	----	----	----	0 - 1
7250	----	----	----/3.398A	----/3.398A	----	2.704 - 1.950	----	----	----	----	----	0 - 3
7325	----	----	----/3.970A	----/3.970A	----	3.454 - 1.906	----	----	----	----	----	0 - 20
7400	----	----	----	----	----	4.204 - 1.883	----	----	----	----	----	0 - 2
7500	----	----	----	----	----	5.204 - 1.869	----	----	----	----	----	0 - 2
7600	----	----	----	----	----	6.204 - 1.864	----	----	----	----	----	0 - 2
7800	----	----	----	----	----	8.204 - 1.863	----	----	----	----	----	0 - 1
8500	----	----	----	----	----	15.204 - 1.863	----	----	----	----	----	0 - 1
8800	----	----	----	----	----	18.204 - 1.863	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 74

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO4 PUT		SILVER OPTIONS										
TOTAL										152	0	0 - 276
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
5700	0.230	0.230	0.230/*0.201	0.230/*0.201	----	0.209	NEW .0385	----	----	55	----	25 + 25
6000	----	----	----/0.406A	0.230B/0.406A	----	0.290	NEW .0620	----	----	15	----	15 + 15
6000	----	----	----	7.140B/11.621A	----	10.082	NEW .9379	----	----	1	----	1 + 1
6200	----	----	----/*0.500A	0.525B/*0.500A	----	0.400 -	0.489 .0925	----	----	40	----	40 + 40
6500	1.049	1.049	1.049/*0.478	1.156B/*0.478	----	0.752 -	0.763 .1835	----	----	17	----	19 + 10
6900	2.800	2.800	2.800/1.913A	2.800/1.913A	----	1.957 -	1.174 .4256	----	----	3	----	1 - 1
6950	----	----	----/2.125A	2.654B/2.125A	----	2.192 -	1.219 .4626	----	----	----	----	2 UNCH
7000	2.100	2.100	3.000/2.100	3.000/1.647A	----	2.243 +	0.599 .5001	----	----	12	----	3 - 8
7000	3.308	3.308	3.308/2.000	3.352B/2.000	----	2.447 -	1.262 .4998	----	----	9	----	4 - 4
7025	2.497	2.497	2.710B/2.497	2.710B/1.608A	----	2.128	NEW .4816	----	----	1	----	1 + 1
7030	----	----	2.678B/----	2.678B/1.580A	----	2.106 +	0.574 .4779	----	----	----	----	4 UNCH
7100	4.015	4.015	4.015/2.679A	4.015/2.679A	----	3.017 -	1.340 .5729	----	----	8	----	0 - 8
7100	1.394	1.394	2.292B/*1.303A	2.292B/*1.303A	----	1.813 +	0.520 .4270	----	----	7	----	3 - 7
7150	----	----	2.012B/----	2.012B/*1.201A	----	1.628	NEW .3921	----	----	2	----	2 + 2
7200	1.562	1.562	1.876B/1.400	1.876B/1.040A	----	1.460 +	0.453 .3587	----	----	3	----	3 + 1
7350	----	----	----/4.438A	3.924B/4.438A	----	4.757 -	1.492 .7300	----	----	----	----	1 UNCH
7350	----	----	1.165B/----	1.165B/*0.787A	----	1.055 +	0.369 .2699	----	----	----	----	1 UNCH
7500	----	----	0.732B/----	0.732B/*0.549A	----	0.764 +	0.292 .1993	----	----	----	----	10 UNCH
7850	----	----	----	0.105B/*0.308A	----	0.352 +	0.121 .0923	----	----	----	----	2 UNCH
7925	----	----	----	0.045B/*0.276A	----	0.297 +	0.092 .0776	----	----	----	----	1 UNCH
8000	----	----	----	0.029B/*0.246A	----	0.250 +	0.067 .0649	----	----	----	----	2 UNCH
8100	----	----	----	0.012B/*0.231A	----	0.195 +	0.050 .0503	----	----	----	----	1 UNCH
8125	----	----	----	0.010B/*0.229A	----	0.184 +	0.047 .0473	----	----	----	----	1 UNCH
8200	----	----	----	0.004B/*0.223A	----	0.155 +	0.038 .0395	----	----	----	----	1 UNCH
8725	----	----	----	0.040B/*0.297A	----	0.281 +	0.085 .0594	----	----	----	----	1 UNCH
8800	----	----	----	----	----	18.246 -	1.854 .9891	----	----	----	----	1 UNCH
TOTAL										173	0	145 + 67
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week5										
MAR26												
4000	0.018	0.018	#0.018/*0.018	#0.018/*0.018	----	0.030	NEW .0024	----	----	1	----	1 + 1
6300	----	----	----/0.430A	0.530B/0.430A	----	0.267	NEW .0742	----	----	1	----	1 + 1
6500	----	----	----/*0.635A	0.899B/*0.635A	----	0.449 -	0.776 .1343	----	----	10	----	1 - 7
6575	0.550	0.550	0.550/*0.550	1.088B/*0.550	----	0.562	NEW .1695	----	----	1	----	1 + 1
6600	----	----	----/0.793A	1.205B/0.793A	----	0.607 -	0.920 .1831	----	----	----	----	2 UNCH
6700	----	----	----/0.993A	1.575B/0.993A	----	0.834 -	1.060 .2475	----	----	----	----	10 UNCH
6725	0.850	0.850	0.850/0.850	1.627B/0.850	----	0.903	NEW .2659	----	----	5	----	5 + 5
6750	----	----	----/1.162A	1.734B/1.162A	----	0.978	NEW .2853	----	----	5	----	5 + 5
6770	1.971	1.971	#1.971/*1.183A	#1.971/*1.183A	----	1.043	NEW .3014	----	----	2	----	1 + 1
6800	----	----	----/1.207A	2.013B/1.207A	----	1.147	NEW .3263	----	----	1	----	1 + 1
6825	----	----	#3.089B/2.115A	3.089B/2.115A	----	2.785 +	0.647 .6521	----	----	----	----	22 UNCH
6845	----	----	3.273B/*2.011A	3.273B/2.011A	----	2.666 +	0.628 .6345	----	----	----	----	22 UNCH
6850	----	----	----/1.433A	2.201B/1.433A	----	1.340	NEW .3698	----	----	2	----	2 + 2
6885	1.997	1.997	1.997/1.496A	2.390B/1.496A	----	1.491	NEW .4012	----	----	1	----	1 + 1
6900	----	----	3.160B/1.718A	3.160B/1.718A	----	2.355 +	0.575 .5851	----	----	14	----	1 - 5
6975	----	----	2.655B/*1.446A	2.655B/*1.446A	----	1.984 +	0.517 .5167	----	----	----	----	4 UNCH
6985	1.978	1.978	1.978/1.879A	2.564B/1.879A	----	1.992	NEW .4923	----	----	1	----	1 + 1
6995	----	----	----/1.877A	2.622B/1.877A	----	2.048 -	1.358 .5012	----	----	----	----	2 UNCH
7000	1.630	1.630	1.630/1.630	2.593B/1.630	----	2.077	NEW .5057	----	----	1	----	1 + 1
7100	----	----	2.033B/*0.879A	2.033B/*0.879A	----	1.485 +	0.444 .4082	----	----	10	----	1 - 5
7100	----	----	----/2.284A	3.079B/2.284A	----	2.689 -	1.417 .5917	----	----	----	----	1 UNCH
7150	2.021	2.021	2.021/*0.814A	2.021/*0.814A	----	1.323	NEW .3686	----	----	2	----	2 + 2
7225	----	----	----/2.993A	2.809B/2.993A	----	3.569 -	1.472 .6852	----	----	----	----	4 UNCH
7250	----	----	----/3.092A	2.933B/3.092A	----	3.758 -	1.482 .7017	----	----	----	----	1 UNCH
7250	1.155	1.155	1.173B/1.155	1.173B/*0.685A	----	1.055	NEW .2982	----	----	10	----	10 + 10
7325	----	----	----/3.916A	3.173B/3.916A	----	4.344 -	1.515 .7471	----	----	----	----	1 UNCH
7350	----	----	0.812B/----	0.812B/*0.549A	----	0.844 +	0.336 .2393	----	----	----	----	1 UNCH
7375	1.248	1.248	1.314/1.248	1.314/*0.507A	----	0.798	NEW .2261	----	----	3	----	3 + 3
7400	----	----	0.730B/*0.438A	0.730B/*0.438A	----	0.755 +	0.312 .2137	----	----	----	----	1 UNCH
7425	----	----	0.583B/----	0.583B/*0.437A	----	0.715 +	0.301 .2020	----	----	----	----	50 UNCH
7475	----	----	----/4.945A	3.464B/4.945A	----	5.593 -	1.584 .8196	----	----	----	----	1 UNCH
7600	----	----	0.288B/----	0.288B/0.295A	----	0.488 +	0.217 .1351	----	----	----	----	6 UNCH
7825	----	----	----	0.098B/*0.232A	----	0.302 +	0.124 .0799	----	----	----	----	2 UNCH
7900	----	----	----	0.085B/*0.220A	----	0.258 +	0.098 .0670	----	----	----	----	1 UNCH
8000	----	----	----	0.009B/0.184A	----	0.211 +	0.070 .0533	----	----	----	----	5 UNCH
8000	----	----	----/9.976A	4.498B/9.976A	----	10.412 -	1.790 .9466	----	----	----	----	1 UNCH
8200	----	----	----	----	----	12.340 -	1.826 .9666	----	----	----	----	1 UNCH
8600	----	----	----	0.001B/*0.155A	----	0.067 +	0.010 .0139	----	----	----	----	6 UNCH
TOTAL										70	0	182 + 18
APR26												
4200	0.167	0.167	#0.167/*0.167	#0.167/*0.167	----	0.072	NEW .0092	----	----	1	----	1 + 1
7400	----	----	----/7.560A	4.580B/7.560A	----	7.164 -	1.297 .6098	----	----	----	----	2 UNCH
7475	----	----	2.545B/1.988A	2.545B/1.988A	----	2.714 +	0.524 .3659	----	----	----	----	2 UNCH
7600	2.500	2.500	2.500/1.671A	2.500/1.671A	----	2.333 +	0.468 .3273	----	----	1	----	5 + 1
8000	----	----	1.122B/*1.048A	1.122B/*1.048A	----	1.401 +	0.322 .2201	----	----	----	----	4 UNCH
8000	----	----	0.435B/----	0.435B/*0.527A	----	0.638 +	0.216 .1383	----	----	----	----	1 UNCH
8100	0.298	0.298	0.329/*0.298	0.329/*0.298	----	0.548	NEW .1198	----	----	2	----	0 UNCH
8400	----	----	----	0.107B/*0.318A	----	0.357 +	0.106 .0788	----	----	----	----	1 UNCH
9500	----	----	----	0.003B/*0.206A	----	0.060 +	0.014 .0136	----	----	----	----	1 UNCH
TOTAL										4	0	17 + 2

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK5										
MAR26												
500	----	----	----	----/0.0100A	----	0.0005	UNCH .0004	----	----	----	----	3 UNCH
505	0.0030	0.0030	0.0030/*0.0030	0.0030/*0.0030	----	0.0005	NEW .0014	----	----	1	----	1 + 1
515	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0035	----	0.0020 -	0.0015 .0135	----	----	1	----	11 + 1
520	0.0050	0.0050	0.0050/*0.0040A	0.0050/*0.0040A	----	0.0035	NEW .0262	----	----	2	----	2 + 2
530	----	----	----/0.0150A	0.0055B/0.0150A	----	0.0105 -	0.0050 .0898	----	----	----	----	20 UNCH
535	----	----	----/*0.0180A	0.0135B/*0.0180	----	0.0170 -	0.0065 .1511	----	----	----	----	10 UNCH
536	----	----	----/*0.0200A	0.0155B/*0.0200	----	0.0190 -	0.0065 .1683	----	----	----	----	5 UNCH
540	0.0330	0.0330	0.0330/0.0265A	0.0330/0.0265A	----	0.0280	NEW .2459	----	----	1	----	1 + 1
547	0.0460	0.0460	0.0640/*0.0385A	0.0640/0.0385A	----	0.0525	NEW .4250	----	----	9	----	9 + 9
548	0.0610	0.0610	0.0770/*0.0410A	0.0770/0.0410A	----	0.0565 -	0.0115 .4530	----	----	50	----	125 + 50
549	----	----	----/*0.0435A	0.0640B/0.0435A	----	0.0610 -	0.0125 .4819	----	----	----	----	1 UNCH
549	0.0625	0.0625	0.0820B/0.0530A	0.0820B/0.0530A	----	0.0655	NEW .5180	----	----	1	----	1 + 1
550	0.0670	0.0670	0.0680B/0.0465A	0.0680B/0.0465A	----	0.0660 -	0.0125 .5109	----	----	2	----	2 UNCH
550	0.0380	0.0380	0.0745B/0.0380	0.0745B/0.0380	----	0.0605	NEW .4889	----	----	1	----	1 + 1
551	0.0640	0.0640	0.0740B/0.0495A	0.0740B/0.0495A	----	0.0710	NEW .5401	----	----	5	----	5 + 5
552	0.0620	0.0620	0.0620/0.0405A	0.0620/0.0405A	----	0.0510	NEW .4308	----	----	4	----	4 + 4
553	0.0460	0.0460	0.0535B/0.0370A	0.0535B/0.0370A	----	0.0465	NEW .4017	----	----	20	----	20 + 20
554	----	----	----/0.0610A	0.0930B/0.0610A	----	0.0875 -	0.0155 .6274	----	----	----	----	9 UNCH
554	0.0420	0.0420	0.0475B/0.0335A	0.0475B/0.0335A	----	0.0420 +	0.0020 .3724	----	----	48	----	58 + 48
555	----	----	----/0.0650A	0.1000B/0.0650A	----	0.0935 -	0.0160 .6558	----	----	----	----	9 UNCH
555	0.0375	0.0375	0.0425B/0.0310A	0.0425B/0.0310A	----	0.0380 +	0.0015 .3440	----	----	76	----	84 + 76
558	----	----	0.0380B/0.0245A	0.0380B/0.0245A	----	0.0275	UNCH .2629	----	----	----	----	5 UNCH
560	----	----	----/0.0895A	0.1385B/0.0895A	----	0.1275 -	0.0180 .7847	----	----	----	----	2 UNCH
560	0.0295	0.0295	0.0320B/*0.0220	0.0320B/*0.0220	----	0.0220	NEW .2151	----	----	6	----	5 + 5
562	0.0200	0.0200	0.0200/*0.0195A	0.0200/*0.0195A	----	0.0175	NEW .1734	----	----	10	----	10 + 10
563	----	----	----/0.1075A	0.1645B/0.1075A	----	0.1510 -	0.0185 .8455	----	----	----	----	1 UNCH
565	0.0170	0.0170	0.0175/*0.0085	0.0175/*0.0085	----	0.0125 -	0.0010 .1236	----	----	12	----	13 + 11
568	----	----	----	0.0020B/*0.0130	----	0.0085 -	0.0015 .0835	----	----	----	----	1 UNCH
570	----	----	----/0.1615A	0.2295B/0.1615A	----	0.2120 -	0.0190 .9331	----	----	----	----	1 UNCH
574	0.0045	0.0045	0.0045/*0.0045	0.0045/*0.0045	----	0.0040	NEW .0366	----	----	5	----	5 + 5
575	----	----	----	----/0.0130A	----	0.0035 -	0.0010 .0315	----	----	----	----	10 UNCH
590	----	----	----	----/0.0120A	----	0.0005	UNCH .0017	----	----	----	----	1 UNCH
592	----	----	0.4450B/0.3740A	0.4450B/0.3740A	----	0.4260 -	0.0175 .9989	----	----	----	----	1 UNCH
TOTAL										254		436 + 250
APR26												
525	----	----	0.0645B/0.0525A	0.0645B/0.0525A	----	0.0645 +	0.0055 .2503	----	----	----	----	1 UNCH
530	----	----	0.2775B/----	0.2775B/0.2505A	----	0.2715 +	0.0215 .7082	----	----	----	----	9 UNCH
540	0.0580	0.0580	0.0760B/0.0580	0.0760B/0.0580	----	0.0750	UNCH .3571	----	----	2	----	2 + 2
543	0.1330	0.1330	0.1505B/0.1320A	0.1505B/0.1320A	----	0.1505 +	0.0170 .6020	----	----	1	----	0 - 1
545	----	----	0.1380B/0.1210A	0.1380B/0.1210A	----	0.1385 +	0.0170 .5740	----	----	----	----	4 UNCH
555	0.1000	0.1000	0.1460B/0.1000	0.1460B/0.1000	----	0.1435	NEW .5712	----	----	4	----	4 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 75

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK1										
APR26												
560	----	----	0.0705B/----	0.0705B/0.0580A	----	0.0685 + 0.0130	.3577	----	----	----	----	1 UNCH
565	----	----	0.0500B/----	0.0500B/0.0455A	----	0.0525 + 0.0105	.2919	----	----	----	----	3 UNCH
580	0.0200	0.0200	0.0200/0.0200	0.0200/0.0200	----	0.0250 NEW	.1515	----	----	1	----	1 + 1
645	----	----	----	----/0.0150A	----	0.0010 UNCH	.0060	----	----	----	----	2 UNCH
TOTAL										8		27 + 6
HWR THU		COPPER WEEKLY THURSDAY OPT Week1										
APR26												
485	----	----	----	0.0010B/0.0150A	----	0.0025 UNCH	.0132	----	----	----	----	1 UNCH
510	----	----	0.0605B/----	0.0605B/0.0620A	----	0.0630 NEW	.2001	----	----	----	10	10 + 10
510	----	----	----	0.0105B/0.0190A	----	0.0130 + 0.0010	.0731	----	----	----	----	1 UNCH
525	----	----	----	0.0280B/0.0285A	----	0.0295 + 0.0015	.1666	----	----	----	----	20 UNCH
529	----	----	----/0.0325A	0.0340B/0.0325A	----	0.0360 + 0.0010	.2029	----	----	----	----	1 UNCH
530	----	----	0.0985B/0.0740A	0.0985B/0.0740A	----	0.0910 + 0.0055	.3070	----	----	----	----	2 UNCH
535	----	----	----/0.0425A	0.0485B/0.0425A	----	0.0480 NEW	.2687	----	----	1	----	1 + 1
537	----	----	----	0.1475B/0.1770A	----	0.1775 + 0.0150	.7053	----	----	----	----	2 UNCH
539	----	----	----/0.1480A	0.1415B/0.1480A	----	0.1630 + 0.0140	.6777	----	----	----	----	1 UNCH
545	----	----	0.0870B/0.0650A	0.0870B/0.0650A	----	0.0790 - 0.0065	.4154	----	----	1	----	0 - 1
548	----	----	0.1010B/0.0740A	0.1010B/0.0740A	----	0.0920 NEW	.4664	----	----	1	----	1 + 1
548	----	----	0.1205B/0.0920A	0.1205B/0.0920A	----	0.1065 NEW	.5333	----	----	1	----	1 + 1
550	----	----	0.1100B/0.0820A	0.1100B/0.0820A	----	0.0960 + 0.0100	.4986	----	----	----	----	1 UNCH
552	0.1400	0.1400	0.1580B/0.1220A	0.1580B/0.1220A	----	0.1505 UNCH	.5184	----	----	4	----	4 + 4
553	----	----	0.0885B/0.0690A	0.0885B/0.0690A	----	0.0815 + 0.0095	.4462	----	----	----	----	1 UNCH
554	----	----	----/0.0970A	0.1290B/0.0970A	----	0.1230 - 0.0075	.5706	----	----	----	----	1 UNCH
560	----	----	----/0.1260A	0.1450B/0.1260A	----	0.1610 - 0.0075	.6685	----	----	----	----	1 UNCH
560	----	----	0.0525B/----	0.0525B/0.0455A	----	0.0555 + 0.0100	.3313	----	----	2	----	18 UNCH
565	----	----	0.0345B/----	0.0345B/0.0340A	----	0.0415 + 0.0090	.2596	----	----	1	----	2 + 1
566	----	----	0.0320B/----	0.0320B/0.0320A	----	0.0390 + 0.0080	.2463	----	----	----	----	1 UNCH
575	0.0240	0.0240	0.0240/0.0240	0.0240/0.0205A	----	0.0235 NEW	.1534	----	----	2	----	2 + 2
584	----	----	----	0.0060B/0.0160A	----	0.0155 + 0.0030	.0988	----	----	----	----	1 UNCH
585	----	----	----	0.0055B/0.0155A	----	0.0145 + 0.0025	.0927	----	----	----	----	1 UNCH
590	----	----	0.0395B/----	0.0395B/0.0365A	----	0.0450 + 0.0090	.1878	----	----	----	----	2 UNCH
590	----	----	----/0.3625A	0.4320B/0.3625A	----	0.4165 - 0.0155	.9275	----	----	----	----	15 UNCH
591	----	----	----	0.0025B/0.0140A	----	0.0110 + 0.0020	.0689	----	----	----	----	1 UNCH
600	----	----	----	0.0110B/0.0175A	----	0.0185 + 0.0030	.0967	----	----	----	----	1 UNCH
620	----	----	----	0.0115B/0.0185A	----	0.0165 + 0.0010	.0759	----	----	----	----	4 UNCH
650	----	----	----	0.0030B/0.0125A	----	0.0055 + 0.0005	.0271	----	----	----	----	2 UNCH
TOTAL									10	13		99 + 19
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week5										
MAR26												
508	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0040 NEW	.0249	----	----	10	----	10 + 10
520	0.0100	0.0100	0.0100/*0.0100	0.0100/*0.0100	----	0.0110 UNCH	.0738	----	----	10	----	10 + 10
525	----	----	----	0.0125B/0.0215A	----	0.0155 - 0.0005	.1070	----	----	----	----	20 UNCH
530	----	----	----	0.0185B/0.0250A	----	0.0220 - 0.0015	.1540	----	----	----	----	10 UNCH
532	----	----	----/0.0265A	0.0215B/0.0265A	----	0.0250 - 0.0020	.1762	----	----	----	----	5 UNCH
535	----	----	----/0.0290A	0.0275B/0.0290A	----	0.0305 - 0.0030	.2153	----	----	----	----	4 UNCH
550	----	----	----/0.0605A	0.0875B/0.0605A	----	0.0805 - 0.0105	.5062	----	----	----	----	1 UNCH
551	0.0785	0.0785	0.0885B/0.0590A	0.0885B/0.0590A	----	0.0700 NEW	.4706	----	----	4	----	4 + 4
552	0.0850	0.0850	0.0955B/0.0675A	0.0955B/0.0675A	----	0.0910 NEW	.5519	----	----	17	----	17 + 17
560	----	----	----/0.1040A	0.1500B/0.1040A	----	0.1425 - 0.0130	.7194	----	----	----	----	1 UNCH
560	----	----	----/0.0315A	0.0305B/0.0315A	----	0.0370 + 0.0045	.2804	----	----	----	----	19 UNCH
563	----	----	----	0.0215B/0.0270A	----	0.0300 + 0.0045	.2303	----	----	----	----	18 UNCH
565	0.0265	0.0265	0.0265/0.0265	0.0265/0.0230A	----	0.0255 + 0.0040	.1987	----	----	2	----	7 + 2
570	0.0105	0.0105	0.0105/*0.0105	0.0105/*0.0105	----	0.0175 NEW	.1371	----	----	10	----	10 + 10
580	----	----	----	0.0005B/0.0140A	----	0.0085 + 0.0010	.0637	----	----	----	----	10 UNCH
TOTAL										53		146 + 53
APR26												
527	----	----	----/0.0410A	0.0450B/0.0410A	----	0.0475 + 0.0025	.2271	----	----	----	----	1 UNCH
TOTAL												1
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
440	----	----	----	----/0.0120A	----	0.0005 UNCH	.0000	----	----	----	----	16 UNCH
495	----	----	----	0.0025B/0.0140A	----	0.0035 + 0.0010	.0191	----	----	----	----	11 UNCH
500	0.0085	0.0085	0.0120/*0.0080	0.0120/*0.0080	----	0.0050 NEW	.0281	----	----	200	----	200 + 200
510	----	----	----	0.0045B/0.0185A	----	0.0100 + 0.0020	.0582	----	----	----	----	6 UNCH
520	----	----	----	0.0115B/0.0225A	----	0.0190 + 0.0025	.1121	----	----	----	----	10 UNCH
520	----	----	0.0375B/----	0.0375B/0.0355A	----	0.0405 + 0.0050	.1853	----	----	----	----	2 UNCH
525	----	----	----	0.0175B/0.0260A	----	0.0255 + 0.0025	.1506	----	----	----	----	30 UNCH
531	----	----	----/0.0315A	0.0250B/0.0315A	----	0.0340 + 0.0005	.2049	----	----	----	----	3 UNCH
532	----	----	----/0.0325A	0.0270B/0.0325A	----	0.0360 + 0.0005	.2164	----	----	----	----	15 UNCH
533	----	----	----/0.0335A	0.0295B/0.0335A	----	0.0380 UNCH	.2281	----	----	----	----	38 UNCH
534	----	----	----/0.0345A	0.0320B/0.0345A	----	0.0400 - 0.0005	.2401	----	----	----	----	8 UNCH
535	----	----	----/0.0360A	0.0345B/0.0360A	----	0.0420 - 0.0010	.2524	----	----	----	----	4 UNCH
535	----	----	0.0740B/0.0605A	0.0740B/0.0605A	----	0.0740 + 0.0015	.3164	----	----	----	----	1 UNCH
540	----	----	----/0.0440A	0.0500B/0.0440A	----	0.0540 - 0.0035	.3226	----	----	----	----	10 UNCH
546	0.1395	0.1395	0.1480B/0.1290A	0.1480B/0.1290A	----	0.1495 NEW	.5546	----	----	1	----	1 + 1
548	----	----	----/0.0640A	0.0855B/0.0640A	----	0.0825 - 0.0070	.4643	----	----	----	----	3 UNCH
549	----	----	----/0.0675A	0.0905B/0.0675A	----	0.0865 - 0.0080	.4837	----	----	----	----	4 UNCH
550	----	----	----/0.0710A	0.0960B/0.0710A	----	0.0915 - 0.0080	.5033	----	----	----	----	1 UNCH
550	0.1230	0.1230	0.1385B/0.1065A	0.1385B/0.1065A	----	0.1335 - 0.0010	.4953	----	----	5	----	7 + 5
550	----	----	0.1050B/0.0755A	0.1050B/0.0755A	----	0.0860 + 0.0095	.4965	----	----	----	----	18 UNCH
555	----	----	----/0.0905A	0.1250B/0.0905A	----	0.1180 - 0.0100	.6021	----	----	----	----	1 UNCH
555	----	----	0.0665B/0.0545A	0.0665B/0.0545A	----	0.0625 + 0.0075	.3977	----	----	----	----	5 UNCH
565	----	----	----	0.0235B/0.0305A	----	0.0305 + 0.0030	.2227	----	----	----	----	15 UNCH
569	----	----	----	0.0135B/0.0260A	----	0.0225 + 0.0005	.1694	----	----	----	----	8 UNCH
570	----	----	----/0.1795A	0.2410B/0.1795A	----	0.2270 - 0.0165	.8392	----	----	----	----	1 UNCH
570	----	----	----	0.0110B/0.0250A	----	0.0215 + 0.0010	.1606	----	----	----	----	38 UNCH
575	----	----	----/0.2200A	0.2865B/0.2200A	----	0.2725 - 0.0175	.8771	----	----	----	----	1 UNCH
575	----	----	----	0.0040B/0.0205A	----	0.0170 UNCH	.1227	----	----	----	----	18 UNCH
576	----	----	----	0.2515B/0.3150A	----	0.2820 - 0.0175	.8822	----	----	----	----	1 UNCH
580	0.0100	0.0100	0.0100/*0.0100	0.0100/*0.0100	----	0.0145 NEW	.0988	----	----	10	----	10 + 10
585	----	----	----/0.3105A	0.3810B/0.3105A	----	0.3685 - 0.0180	.9169	----	----	----	----	1 UNCH
585	----	----	----	0.0010B/0.0155A	----	0.0130 - 0.0010	.0829	----	----	----	----	5 UNCH
586	----	----	----	0.2730B/0.4155A	----	0.3775 - 0.0185	.9207	----	----	----	----	24 UNCH
588	----	----	0.0385B/0.0355A	0.0385B/0.0355A	----	0.0425 + 0.0055	.1864	----	----	----	----	1 UNCH
595	----	----	----	----/0.0130A	----	0.0070 - 0.0010	.0437	----	----	----	----	1 UNCH
596	----	----	----	----/0.0130A	----	0.0065 - 0.0010	.0405	----	----	----	----	3 UNCH
597	----	----	----	----	----	0.4815 - 0.0180	.9624	----	----	----	----	16 UNCH
600	----	----	----	----/0.0120A	----	0.0050 - 0.0010	.0308	----	----	----	----	3 UNCH
600	----	----	----	0.0230B/0.0255A	----	0.0280 + 0.0040	.1285	----	----	----	----	1 UNCH
604	----	----	----	----	----	0.5490 - 0.0185	.9758	----	----	----	----	1 UNCH
625	----	----	----	----/0.0115A	----	0.0010 UNCH	.0053	----	----	----	----	1 UNCH
641	----	----	----	----/0.0110A	----	0.0005 UNCH	.0005	----	----	----	----	18 UNCH
645	----	----	----	----/0.0110A	----	0.0005 UNCH	.0003	----	----	----	----	17 UNCH
650	----	----	----	----/0.0105A	----	0.0005 UNCH	.0001	----	----	----	----	3 UNCH
655	----	----	----	----/0.0105A	----	0.0005 UNCH	.0001	----	----	----	----	1 UNCH
685	----	----	----	----/0.0100A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
700	----	----	----	----/0.0095A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
TOTAL										216		584 + 216
MAY26												
485	----	----	0.0400B/----	0.0400B/0.0505A	----	0.0410 + 0.0085	.1163	----	----	----	----	1 UNCH
500	----	----	0.0630B/----	0.0630B/0.0670A	----	0.0640 + 0.0110	.1701	----	----	----	----	1 UNCH
510	----	----	0.0835B/----	0.0835B/0.0820A	----	0.0850 + 0.0125	.2147	----	----	----	----	4 UNCH
520	----	----	0.1090B/----	0.1090B/0.1005A	----	0.1095 + 0.0150	.2644	----	----	----	----	1 UNCH
540	----	----	0.1770B/0.1540A	0.1770B/0.1540A	----	0.1745 + 0.0145	.3811	----	----	----	----	10 UNCH
550	----	----	0.2210B/0.1910A	0.2210B/0.1910A	----	0.2170 + 0.0120	.4463	----	----	----	----	28 UNCH
550	----	----	0.2690B/----	0.2690B/0.2445A	----	0.2640 + 0.0285	.5526	----	----	----	----	3 UNCH
555	----	----	0.2460B/0.2125A	0.2460B/0.2125A	----	0.2405 + 0.0105	.4799	----	----	----	----	16 UNCH
556	----	----	0.2515B/0.2170A	0.2515B/0.2170A	----	0.2455 + 0.0100	.4866	----	----	----	----	1 UNCH
560	----	----	0.2730B/0.2360A	0.2730B/0.2360A	----	0.2665 + 0.0090	.5135	----	----	----	----	1 UNCH
561	----	----	0.2790B/0.2405A	0.2790B/0.2405A	----	0.2720 + 0.0085	.5201	----	----	----	----	1 UNCH
562	----	----	0.2845B/0.2455A	0.2845B/0.2455A	----	0.2775 + 0.0085	.5268	----	----	----	----	20 UNCH
565	----	----	0.3020B/0.2610A	0.3020B/0.2610A	----	0.2945 + 0.0075	.5468	----	----	----	----	1 UNCH
568	----	----	0.1760B/----	0.1760B/0.1650A	----	0.1805 + 0.0235	.4325	----	----	----	----	1 UNCH
575	----	----	0.3650B/0.3180A	0.3650B/0.3180A	----	0.3560 + 0.0050	.6112	----	----	----	----	1 UNCH
579	----	----	0.1335B/----	0.1335B/0.1285A	----	0.1410 + 0.0205	.3630	----	----	----	----	1 UNCH
584	----	----	----	----	----	0.4175 + 0.0030	.6653	----	----	----	----	24 UNCH
585	----	----	0.4350B/0.3820A	0.4350B/0.3820A	----	0.4245 + 0.0030	.6711	----	----	----	----	1 UNCH
590	----	----	0.4715B/0.4170A	0.4715B/0.4170A	----	0.4605 + 0.0010	.6990	----	----	----	----	17 UNCH
600	----	----	#0.5495B/0.4910	0.5495B/0.4910A	----	0.5375 - 0.0010	.7498	----	----	----	----	1 UNCH
600	----	----	0.0770B/----	0.0770B/0.0795A	----	0.0865 + 0.0155	.2492	----	----	----	----	1 UNCH
607	----	----	0.0630B/----	0.0630B/0.0685A	----	0.0730 + 0.0130	.2174	----	----	----	----	1 UNCH
617	----	----	0.0475B/----	0.0475B/0.0555A	----	0.0575 + 0.0105	.1782	----	----	----	----	1 UNCH
624	----	----	----	0.0385B/0.0490A	----	0.0490 + 0.0090	.1551	----	----	----	----	16 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
645	----	----	----	----	----	0.9310 - 0.0110	.8965	----	----	----	----	6 UNCH
660	----	----	----	0.0110B/0.0295A	----	0.0225 + 0.0040	.0765	----	----	----	----	1 UNCH
675	----	----	----	0.0055B/0.0255A	----	0.0155 + 0.0025	.0547	----	----	----	----	2 UNCH
695	----	----	----	0.0010B/0.0220A	----	0.0095 + 0.0020	.0349	----	----	----	----	20 UNCH
710	----	----	----	----/0.0325A	----	0.0070 + 0.0015	.0260	----	----	----	----	2 UNCH
TOTAL												184
JUN26												
579	----	----	#0.4610B/0.4145	#0.4610B/0.4145	----	0.4525 + 0.0075	.5924	----	----	----	----	1 UNCH
610	----	----	0.1135B/----	0.1135B/0.1165A	----	0.1240 + 0.0175	.2725	----	----	----	----	7 UNCH
630	----	----	0.0760B/----	0.0760B/0.0840A	----	0.0875 + 0.0130	.2056	----	----	----	----	8 UNCH
650	----	----	----	0.0505B/0.0625A	----	0.0615 + 0.0100	.1529	----	----	----	----	6 UNCH
660	----	----	----	0.0405B/0.0545A	----	0.0515 + 0.0090	.1313	----	----	----	----	7 UNCH
TOTAL												29
JUL26												
600	----	----	0.1985B/----	0.1985B/0.1970A	----	0.2075 + 0.0215	.3637	----	----	----	----	12 UNCH
TOTAL												12
HX CALL		COMEX COPPER OPTIONS										
APR26												
485	----	----	----	----	----	0.6270 UNCH	----	----	----	----	----	0 UNCH
500	----	----	----	----	----	0.4770 UNCH	----	----	----	----	----	0 UNCH
505	----	----	----	----	----	0.4270 UNCH	----	----	----	----	----	0 UNCH
510	----	----	----	----	----	0.3770 UNCH	----	----	----	----	----	0 UNCH
515	----	----	----	----	----	0.3270 UNCH	----	----	----	----	----	0 UNCH
520	----	----	----	----	----	0.2770 UNCH	----	----	----	----	----	0 UNCH
525	----	----	----	----	----	0.2270 UNCH	----	----	----	----	----	0 UNCH
527	----	----	----	----	----	0.2070 UNCH	----	----	----	----	----	0 UNCH
528	----	----	----	----	----	0.1970 UNCH	----	----	----	----	----	0 UNCH
529	----	----	----	----	----	0.1870 UNCH	----	----	----	----	----	0 UNCH
530	----	----	----	----	----	0.1770 UNCH	----	----	----	----	----	0 UNCH
531	----	----	----	----	----	0.1670 UNCH	----	----	----	----	----	0 UNCH
532	----	----	----	----	----	0.1570 UNCH	----	----	----	----	----	0 UNCH
533	----	----	----	----	----	0.1470 UNCH	----	----	----	----	----	0 UNCH
534	----	----	----	----	----	0.1370 UNCH	----	----	----	----	----	0 UNCH
535	----	----	----	----	----	0.1270 UNCH	----	----	----	----	----	0 UNCH
536	----	----	----	----	----	0.1170 UNCH	----	----	----	----	----	0 UNCH
537	----	----	----	----	----	0.1070 UNCH	----	----	----	----	----	0 UNCH
539	----	----	----	----	----	0.0870 UNCH	----	----	----	----	----	0 UNCH
540	----	----	----	----	----	0.0770 UNCH	----	----	----	----	----	0 UNCH
542	----	----	----	----	----	0.0570 UNCH	----	----	----	----	----	0 UNCH
543	----	----	----	----	----	0.0470 UNCH	----	----	----	----	----	0 UNCH
544	----	----	----	----	----	0.0370 UNCH	----	----	----	----	----	0 UNCH
545	----	----	----	----	----	0.0270 UNCH	----	----	----	----	----	0 UNCH
546	----	----	----	----	----	0.0170 UNCH	----	----	----	----	----	0 UNCH
547	----	----	----	----	----	0.0070 UNCH	----	----	----	----	----	0 UNCH
550	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
551	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
554	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
555	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
557	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
560	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
570	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
585	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
605	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
610	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
640	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
675	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
680	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0
MAY26												
490	----	----	0.6385B/----	0.6385B/0.6595A	----	0.6325 + 0.0250	.8742	----	----	----	----	1 UNCH
500	----	----	0.5510B/----	0.5510B/0.5715A	----	0.5455 + 0.0275	.8368	----	----	----	----	3 UNCH
505	----	----	0.5085B/----	0.5085B/0.5285A	----	0.5040 + 0.0285	.8147	----	----	----	----	3 UNCH
525	----	----	0.3745B/----	0.3745B/0.3215A	----	0.3515 + 0.0325	.7004	----	----	----	----	14 UNCH
530	----	----	0.3365B/----	0.3365B/0.2860A	----	0.3170 + 0.0325	.6663	----	----	1	----	276 - 1
531	----	----	0.3120B/----	0.3120B/0.2895A	----	0.3105 + 0.0325	.6591	----	----	----	----	1 UNCH
532	----	----	0.3055B/----	0.3055B/0.2825A	----	0.3040 + 0.0325	.6519	----	----	----	----	1 UNCH
533	----	----	0.3045B/----	0.3045B/0.2765A	----	0.2980 + 0.0330	.6445	----	----	----	----	3 UNCH
534	----	----	0.2970B/----	0.2970B/0.2700A	----	0.2920 + 0.0330	.6370	----	----	----	----	4 UNCH
535	0.2680	0.2680	0.3000B/0.2570A	0.3000B/0.2570A	----	0.2860 + 0.0330	.6297	----	----	1	----	1 - 1
536	----	----	0.2840B/----	0.2840B/0.2575A	----	0.2795 + 0.0325	.6222	----	----	----	----	2 UNCH
537	----	----	0.2785B/----	0.2785B/0.2435A	----	0.2735 + 0.0325	.6147	----	----	----	----	1 UNCH
539	----	----	0.2650B/0.2290A	0.2650B/0.2290A	----	0.2610 + 0.0315	.5998	----	----	----	----	3 UNCH
540	----	----	0.2670B/0.2235A	0.2670B/0.2235A	----	0.2550 + 0.0310	.5922	----	----	----	----	44 UNCH
541	----	----	0.2590B/0.2180A	0.2590B/0.2180A	----	0.2495 + 0.0310	.5845	----	----	----	----	10 UNCH
542	----	----	0.2530B/0.2120A	0.2530B/0.2120A	----	0.2435 + 0.0305	.5768	----	----	----	----	9 UNCH
543	----	----	0.2465B/0.2045A	0.2465B/0.2045A	----	0.2375 + 0.0300	.5690	----	----	----	----	1 UNCH
544	----	----	0.2420B/0.1990A	0.2420B/0.1990A	----	0.2320 + 0.0295	.5613	----	----	----	----	3 UNCH
545	----	----	0.2370B/0.1935A	0.2370B/0.1935A	----	0.2265 + 0.0290	.5534	----	----	----	----	19 UNCH
546	----	----	0.2310B/0.1885A	0.2310B/0.1885A	----	0.2210 + 0.0285	.5455	----	----	----	----	6 UNCH
547	----	----	0.2275B/0.1835A	0.2275B/0.1835A	----	0.2155 + 0.0275	.5376	----	----	----	----	1 UNCH
548	----	----	0.2235B/0.1780A	0.2235B/0.1780A	----	0.2100 + 0.0270	.5296	----	----	----	----	12 UNCH
549	----	----	0.2175B/0.1735A	0.2175B/0.1735A	----	0.2050 + 0.0265	.5217	----	----	----	----	7 UNCH
550	0.1700	0.1700	0.2140B/0.1660A	0.2140B/0.1660A	----	0.2000 + 0.0260	.5137	----	----	47	----	521 + 30
551	----	----	0.2085B/0.1640A	0.2085B/0.1640A	----	0.1950 + 0.0255	.5057	----	----	3	----	14 + 3
552	0.1870	0.1870	0.2025B/0.1590A	0.2025B/0.1590A	----	0.1900 + 0.0250	.4977	----	----	8	----	20 + 5
553	0.1750	0.1750	0.1970B/0.1545A	0.1970B/0.1545A	----	0.1850 + 0.0240	.4896	----	----	1	----	13 UNCH
554	----	----	0.1920B/0.1500A	0.1920B/0.1500A	----	0.1805 + 0.0240	.4817	----	----	----	----	7 UNCH
555	0.1865	0.1865	0.1865/0.1455A	0.1865/0.1455A	----	0.1755 + 0.0230	.4735	----	----	4	----	86 + 2
556	0.1720	0.1720	0.1810B/0.1410A	0.1810B/0.1410A	----	0.1710 + 0.0225	.4656	----	----	1	----	22 UNCH
557	----	----	0.1765B/0.1370A	0.1765B/0.1370A	----	0.1670 + 0.0225	.4578	----	----	----	----	13 UNCH
558	0.1725	0.1725	0.1725/0.1330A	0.1725/0.1330A	----	0.1625 + 0.0215	.4498	----	----	2	----	6 + 1
559	----	----	0.1670B/0.1295A	0.1670B/0.1295A	----	0.1585 + 0.0215	.4420	----	----	----	----	9 UNCH
560	0.1700	0.1700	0.1700/0.1235A	0.1700/0.1235A	----	0.1545 + 0.0210	.4342	----	----	10	----	748 + 5
561	0.1655	0.1655	0.1655/0.1215A	0.1655/0.1215A	----	0.1510 + 0.0210	.4267	----	----	1	----	4 + 1
563	0.1565	0.1565	0.1565/0.1145A	0.1565/0.1145A	----	0.1435 + 0.0205	.4114	----	----	1	----	8 + 1
564	----	----	0.1475B/0.1110A	0.1475B/0.1110A	----	0.1400 + 0.0205	.4040	----	----	----	----	4 UNCH
565	----	----	0.1445B/0.1070A	0.1445B/0.1070A	----	0.1370 + 0.0210	.3969	----	----	60	----	151 + 36
569	----	----	0.1290B/0.0955A	0.1290B/0.0955A	----	0.1235 + 0.0200	.3678	----	----	----	----	93 UNCH
570	0.1065	0.1065	0.1285B/0.0910A	0.1285B/0.0910A	----	0.1200 + 0.0195	.3604	----	----	1	----	383 UNCH
571	----	----	0.1230B/0.0895A	0.1230B/0.0895A	----	0.1165 + 0.0190	.3530	----	----	----	----	5 UNCH
572	----	----	0.1195B/0.0865A	0.1195B/0.0865A	----	0.1135 + 0.0185	.3460	----	----	----	----	12 UNCH
573	----	----	0.1170B/0.0840A	0.1170B/0.0840A	----	0.1100 + 0.0180	.3386	----	----	----	----	35 UNCH
575	0.0915	0.0915	0.1125B/0.0780A	0.1125B/0.0780A	----	0.1040 + 0.0170	.3248	----	----	71	----	605 + 66
576	----	----	0.1080B/0.0765A	0.1080B/0.0765A	----	0.1015 + 0.0170	.3184	----	----	----	----	1 UNCH
577	----	----	0.1045B/0.0740A	0.1045B/0.0740A	----	0.0985 + 0.0165	.3115	----	----	----	----	2 UNCH
578	----	----	0.1020B/0.0720A	0.1020B/0.0720A	----	0.0960 + 0.0165	.3051	----	----	----	----	8 UNCH
579	----	----	0.1000B/0.0700A	0.1000B/0.0700A	----	0.0935 + 0.0160	.2988	----	----	----	----	12 UNCH
580	0.0790	0.0790	0.0990B/0.0665A	0.0990B/0.0665A	----	0.0910 + 0.0160	.2925	----	----	29	200	590 + 181
581	----	----	0.0945B/0.0655A	0.0945B/0.0655A	----	0.0890 + 0.0160	.2868	----	----	----	----	4 UNCH
582	----	----	0.0920B/0.0635A	0.0920B/0.0635A	----	0.0865 + 0.0155	.2806	----	----	----	----	4 UNCH
583	----	----	0.0895B/0.0615A	0.0895B/0.0615A	----	0.0845 + 0.0155	.2750	----	----	----	----	28 UNCH
584	----	----	0.0870B/0.0590A	0.0870B/0.0590A	----	0.0825 + 0.0155	.2694	----	----	----	----	45 UNCH
585	0.0800	0.0800	0.0865B/0.0565A	0.0865B/0.0565A	----	0.0805 + 0.0150	.2639	----	----	15	----	404 + 4
586	----	----	0.0820B/0.0555A	0.0820B/0.0555A	----	0.0785 + 0.0150	.2584	----	----	----	----	7 UNCH
587	----	----	0.0805B/0.0540A	0.0805B/0.0540A	----	0.0765 + 0.0145	.2529	----	----	----	----	4 UNCH
588	----	----	0.0780B/0.0525A	0.0780B/0.0525A	----	0.0745 + 0.0145	.2475	----	----	----	----	4 UNCH
589	----	----	0.0750B/0.0505A	0.0750B/0.0505A	----	0.0725 + 0.0140	.2420	----	----	----	----	12 UNCH
590	0.0540	0.0540	0.0765/0.0485	0.0765/0.0485	----	0.0705 + 0.0135	.2366	----	----	212	----	1560 + 15
591	----	----	0.0725B/0.0475A	0.0725B/0.0475A	----	0.0690 + 0.0135	.2320	----	----	----	----	115 UNCH
592	----	----	0.0695B/0.0460A	0.0695B/0.0460A	----	0.0670 + 0.0130	.2266	----	----	----	----	2 UNCH
593	0.0700	0.0700	0.0710B/0.0445A	0.0710B/0.0445A	----	0.0650 + 0.0125	.2212	----	----	15	----	16 + 15
594	----	----	0.0655B/0.0435A	0.0655B/0.0435A	----	0.0635 + 0.0125	.2166	----	----	----	----	4 UNCH
595	0.0650	0.0650	0.0650/0.0420A	0.0650/0.0420A	----	0.0615 + 0.0120	.2113	----	----	1	----	150 - 1
598	----	----	0.0585B/0.0380A	0.0585B/0.0380A	----	0.0565 + 0.0115	.1969	----	----	----	----	2 UNCH
599	----	----	0.0560B/0.0370A	0.0560B/0.0370A	----	0.0550 + 0.0110	.1924	----	----	----	----	3 UNCH
600	0.0475	0.0475	0.0565B/0.0350	0.0565B/0.0350	----	0.0535 + 0.0110	.1880	----	----	125	----	1456 + 63
601	----	----	0.0530B/0.0350A	0.0530B/0.0350A	----	0.0520 + 0.0105	.1835	----	----	----	----	2 UNCH
602	----	----	0.0515B/0.0340A	0.0515B/0.0340A	----	0.0505 + 0.0100	.1791	----	----	1	----	4 UNCH
603	----	----	0.0500B/0.0330A	0.0500B/0.0330A	----	0.0490 + 0.0100	.1747	----	----	1	----	3 UNCH
604	----	----	0.0485B/0.0315A	0.0485B/0.0315A	----	0.0475 + 0.0095	.1703	----	----	----	----	6 UNCH
605	----	----	0.0485B/0.0305A	0.0485B/0.0305A	----	0.0460 + 0.0090	.1659	----	----	7	----	181 + 7
606	----	----	0.0460B/0.0295A	0.0460B/0.0295A	----	0.0445 + 0.0080	.1614	----	----	----	----	4 UNCH
607	----	----	0.0450B/0.0285A	0.0450B/0.0285A	----	0.0435 + 0.0080	.1581	----	----	----	----	5 UNCH
608	----	----	0.0435B/0.0280A	0.0435B/0.0280A	----	0.0420 + 0.0075	.1537	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
609	----	----	0.0420B/0.0270A	0.0420B/0.0270A	----	0.0405 + 0.0070	.1492	----	----	----	----	2 UNCH
610	----	----	0.0415B/0.0260A	0.0415B/0.0260A	----	0.0395 + 0.0070	.1459	----	----	36	----	1194 + 2
611	----	----	0.0400B/0.0255A	0.0400B/0.0255A	----	0.0380 + 0.0060	.1415	----	----	----	----	3 UNCH
612	0.0275	0.0275	0.0390B/0.0245A	0.0390B/0.0245A	----	0.0370 + 0.0060	.1382	----	----	4	----	9 + 4
613	0.0270	0.0270	0.0375B/0.0240A	0.0375B/0.0240A	----	0.0360 + 0.0060	.1348	----	----	11	----	12 + 11
614	0.0260	0.0260	0.0365B/0.0235A	0.0365B/0.0235A	----	0.0350 + 0.0055	.1315	----	----	4	----	12 + 4
615	0.0250	0.0250	0.0360B/0.0225	0.0360B/0.0225	----	0.0340 + 0.0055	.1282	----	----	15	----	439 + 12
616	0.0225	0.0225	0.0345B/0.0220A	0.0345B/0.0220A	----	0.0330 + 0.0055	.1250	----	----	12	----	17 + 8
617	0.0240	0.0240	0.0335B/0.0215A	0.0335B/0.0215A	----	0.0320 + 0.0050	.1217	----	----	7	----	32 + 7
618	0.0230	0.0230	0.0330B/0.0210A	0.0330B/0.0210A	----	0.0310 + 0.0045	.1184	----	----	4	----	12 + 4
619	0.0225	0.0225	0.0320B/0.0200A	0.0320B/0.0200A	----	0.0300 + 0.0045	.1152	----	----	14	----	27 + 14
620	0.0235	0.0235	0.0320/0.0195A	0.0320/0.0195A	----	0.0290 + 0.0040	.1119	----	----	13	----	1040 + 8
621	0.0205	0.0205	0.0305B/0.0190A	0.0305B/0.0190A	----	0.0285 + 0.0040	.1098	----	----	5	----	9 + 5
622	0.0225	0.0225	0.0295B/0.0185A	0.0295B/0.0185A	----	0.0275 + 0.0035	.1066	----	----	7	----	26 + 7
623	0.0230	0.0230	0.0285B/0.0180A	0.0285B/0.0180A	----	0.0265 + 0.0030	.1034	----	----	3	----	25 + 3
624	0.0225	0.0225	0.0275B/0.0180A	0.0275B/0.0180A	----	0.0260 + 0.0030	.1013	----	----	7	----	14 + 7
625	0.0230	0.0230	0.0270B/0.0170A	0.0270B/0.0170A	----	0.0255 + 0.0030	.0994	----	----	5	----	1200 + 1
626	0.0225	0.0225	0.0260B/0.0165A	0.0260B/0.0165A	----	0.0245 + 0.0025	.0961	----	----	3	----	17 + 3
627	0.0230	0.0230	0.0250B/0.0160A	0.0250B/0.0160A	----	0.0240 + 0.0025	.0942	----	----	1	----	15 + 1
628	----	----	0.0245B/0.0160A	0.0245B/0.0160A	----	0.0235 + 0.0025	.0922	----	----	----	----	3 UNCH
629	0.0225	0.0225	0.0240B/0.0155A	0.0240B/0.0155A	----	0.0230 + 0.0025	.0903	----	----	1	----	91 + 1
630	----	----	0.0235B/0.0150A	0.0235B/0.0150A	----	0.0220 + 0.0020	.0871	----	----	----	----	519 UNCH
631	----	----	0.0230B/0.0150A	0.0230B/0.0150A	----	0.0215 + 0.0020	.0852	----	----	----	----	5 UNCH
633	----	----	0.0215B/0.0140A	0.0215B/0.0140A	----	0.0205 + 0.0020	.0814	----	----	----	----	7 UNCH
634	0.0155	0.0155	0.0210B/0.0135A	0.0210B/0.0135A	----	0.0200 + 0.0020	.0795	----	----	2	----	3 + 2
635	0.0190	0.0190	0.0205B/0.0135A	0.0205B/0.0135A	----	0.0195 + 0.0020	.0776	----	----	126	----	206 + 95
636	0.0155	0.0155	0.0200B/0.0130A	0.0200B/0.0130A	----	0.0195 NEW	.0771	----	----	7	----	7 + 7
637	----	----	0.0195B/0.0125A	0.0195B/0.0125A	----	0.0190 + 0.0025	.0753	----	----	----	----	3 UNCH
639	----	----	0.0185B/0.0120A	0.0185B/0.0120A	----	0.0180 + 0.0020	.0716	----	----	----	----	1 UNCH
640	0.0140	0.0140	0.0180B/0.0120A	0.0180B/0.0120A	----	0.0175 + 0.0020	.0698	----	----	3	----	1193 + 3
641	----	----	0.0175B/0.0115A	0.0175B/0.0115A	----	0.0170 + 0.0015	.0679	----	----	----	----	3 UNCH
642	----	----	0.0175B/0.0115A	0.0175B/0.0115A	----	0.0170 + 0.0020	.0675	----	----	----	----	3 UNCH
643	----	----	0.0170B/0.0110A	0.0170B/0.0110A	----	0.0165 + 0.0015	.0657	----	----	----	----	9 UNCH
644	----	----	0.0165B/0.0110A	0.0165B/0.0110A	----	0.0160 + 0.0015	.0639	----	----	----	----	1 UNCH
645	0.0125	0.0125	0.0160B/0.0105A	0.0160B/0.0105A	----	0.0155 + 0.0010	.0621	----	----	3	----	85 UNCH
646	----	----	0.0155B/0.0105A	0.0155B/0.0105A	----	0.0155 + 0.0015	.0617	----	----	----	----	1 UNCH
650	0.0120	0.0120	0.0140B/0.0095A	0.0140B/0.0095A	----	0.0140 + 0.0005	.0561	----	----	3	----	4079 UNCH
655	----	----	0.0130B/0.0090A	0.0130B/0.0090A	----	0.0125 + 0.0005	.0502	----	----	----	----	71 UNCH
660	----	----	0.0115B/0.0080A	0.0115B/0.0080A	----	0.0110 UNCH	.0445	----	----	----	----	148 UNCH
665	----	----	0.0105B/0.0075A	0.0105B/0.0075A	----	0.0100 UNCH	.0404	----	----	----	----	12 UNCH
670	----	----	0.0095B/0.0070A	0.0095B/0.0070A	----	0.0090 UNCH	.0363	----	----	----	----	525 UNCH
675	----	----	0.0085B/0.0065A	0.0085B/0.0065A	----	0.0080 UNCH	.0324	----	----	----	----	126 UNCH
680	0.0070	0.0070	0.0075B/0.0065A	0.0075B/0.0065A	----	0.0075 UNCH	.0301	----	----	7	----	1084 - 5
685	----	----	----	0.0070B/0.0080A	----	0.0070 UNCH	.0279	----	----	----	----	12 UNCH
690	----	----	----	0.0065B/0.0075A	----	0.0065 UNCH	.0257	----	----	----	----	175 UNCH
695	----	----	----/0.0055A	0.0055B/0.0055A	----	0.0060 - 0.0005	.0237	----	----	----	----	25 UNCH
700	----	----	----/0.0050A	0.0055B/0.0050A	----	0.0055 - 0.0010	.0216	----	----	----	----	546 UNCH
705	----	----	----	----/0.0110A	----	0.0055 - 0.0005	.0212	----	----	----	----	2 UNCH
710	----	----	----	----/0.0110A	----	0.0055 - 0.0005	.0207	----	----	----	----	59 UNCH
715	----	----	----/0.0050A	----/0.0050A	----	0.0055 - 0.0005	.0203	----	----	----	----	16 UNCH
720	----	----	----	----/0.0105A	----	0.0055 - 0.0005	.0199	----	----	----	----	13 UNCH
725	----	----	----	----/0.0105A	----	0.0055 - 0.0005	.0196	----	----	----	----	93 UNCH
730	----	----	----	----/0.0100A	----	0.0055 - 0.0005	.0192	----	----	----	----	15 UNCH
735	----	----	----	----/0.0100A	----	0.0055 - 0.0005	.0189	----	----	----	----	5 UNCH
740	----	----	----	----/0.0095A	----	0.0055 - 0.0005	.0186	----	----	----	----	93 UNCH
745	----	----	----	----/0.0095A	----	0.0055 - 0.0005	.0183	----	----	----	----	34 UNCH
750	----	----	----/0.0045A	0.0020B/0.0045A	----	0.0055 - 0.0005	.0180	----	----	----	----	500 UNCH
755	----	----	----/0.0040A	----/0.0040A	----	0.0055 - 0.0005	.0177	----	----	----	----	2 UNCH
760	----	----	----/0.0045A	0.0010B/0.0045A	----	0.0055 - 0.0005	.0174	----	----	----	----	78 UNCH
765	----	----	----	----/0.0090A	----	0.0055 - 0.0005	.0172	----	----	----	----	2 UNCH
770	----	----	----	----/0.0090A	----	0.0055 - 0.0005	.0169	----	----	----	----	3 UNCH
775	----	----	----	----/0.0090A	----	0.0055 - 0.0005	.0167	----	----	----	----	47 UNCH
780	----	----	----	----/0.0090A	----	0.0055 UNCH	.0165	----	----	----	----	8 UNCH
785	----	----	----	----/0.0085A	----	0.0055 UNCH	.0163	----	----	----	----	3 UNCH
790	----	----	----	----/0.0085A	----	0.0055 UNCH	.0160	----	----	----	----	3 UNCH
795	----	----	----	----/0.0085A	----	0.0055 UNCH	.0158	----	----	----	----	5 UNCH
800	----	----	----	0.0020B/0.0085A	----	0.0055 UNCH	.0156	----	----	----	----	4121 UNCH
810	----	----	----	----/0.0080A	----	0.0055 + 0.0005	.0153	----	----	----	----	4040 UNCH
820	----	----	----/*0.0040A	----/0.0040A	----	0.0050 UNCH	.0138	----	----	----	----	28 UNCH
825	----	----	----	----/0.0080A	----	0.0050 + 0.0005	.0137	----	----	----	----	91 UNCH
835	----	----	----	----/0.0075A	----	0.0045 UNCH	.0123	----	----	----	----	1 UNCH
840	----	----	----	----/0.0075A	----	0.0045 UNCH	.0121	----	----	----	----	4 UNCH
850	----	----	----	----/0.0040A	----	0.0040 UNCH	.0108	----	----	----	----	69 UNCH
855	----	----	----	----/0.0070A	----	0.0040 UNCH	.0107	----	----	----	----	30 UNCH
860	----	----	----	----/0.0070A	----	0.0040 UNCH	.0106	----	----	----	----	4 UNCH
865	----	----	----	----/0.0070A	----	0.0040 + 0.0005	.0105	----	----	----	----	3 UNCH
870	----	----	----	----/0.0065A	----	0.0035 UNCH	.0093	----	----	----	----	4 UNCH
875	----	----	----	----/0.0065A	----	0.0035 UNCH	.0092	----	----	----	----	1 UNCH
880	----	----	----	----/0.0065A	----	0.0035 UNCH	.0091	----	----	----	----	12 UNCH
890	----	----	----	----/0.0060A	----	0.0035 UNCH	.0090	----	----	----	----	1 UNCH
900	----	----	----	----/0.0055A	----	0.0030 UNCH	.0077	----	----	----	----	73 UNCH
915	----	----	----	----/0.0050A	----	0.0025 UNCH	.0065	----	----	----	----	1 UNCH
920	----	----	----	----/0.0050A	----	0.0025 UNCH	.0064	----	----	----	----	4 UNCH
925	----	----	----	----/0.0050A	----	0.0020 UNCH	.0053	----	----	----	----	10 UNCH
930	----	----	----	----/0.0050A	----	0.0020 UNCH	.0052	----	----	----	----	1 UNCH
935	----	----	----	----/0.0045A	----	0.0020 UNCH	.0052	----	----	----	----	1 UNCH
940	----	----	----	----/0.0045A	----	0.0015 UNCH	.0040	----	----	----	----	4 UNCH
945	----	----	----	----/0.0045A	----	0.0015 UNCH	.0040	----	----	----	----	10 UNCH
950	----	----	----	----/0.0015A	----	0.0015 UNCH	.0040	----	----	----	----	40 UNCH
TOTAL									200	921		30406 + 636
JUN26												
500	----	----	----	----	----	0.6520 + 0.0340	.7855	----	----	----	----	4 UNCH
525	----	----	0.4830B/----	0.4830B/0.4430A	----	0.4705 + 0.0365	.6800	----	----	----	----	1 UNCH
535	----	----	0.4135B/----	0.4135B/0.3730A	----	0.4050 + 0.0340	.6313	----	----	----	----	2 UNCH
540	----	----	0.3870B/----	0.3870B/0.3425A	----	0.3750 + 0.0325	.6053	----	----	----	----	22 UNCH
545	----	----	0.3590B/0.3145A	0.3590B/0.3145A	----	0.3480 + 0.0330	.5788	----	----	----	----	2 UNCH
549	----	----	0.3385B/0.2900A	0.3385B/0.2900A	----	0.3280 + 0.0335	.5574	----	----	----	----	1 UNCH
550	----	----	0.3305B/0.2855A	0.3305B/0.2855A	----	0.3230 + 0.0335	.5521	----	----	----	----	3 UNCH
555	----	----	0.3040B/0.2610A	0.3040B/0.2610A	----	0.2985 + 0.0335	.5253	----	----	----	----	1 UNCH
557	0.2880	0.2880	0.2945B/0.2515A	0.2945B/0.2515A	----	0.2890 + 0.0335	.5146	----	----	60	----	62 + 60
559	0.2570	0.2570	0.2850B/0.2420A	0.2850B/0.2420A	----	0.2795 NEW	.5039	----	----	4	----	4 + 4
565	----	----	0.2570B/0.2160A	0.2570B/0.2160A	----	0.2515 + 0.0315	.4717	----	----	----	----	2 UNCH
569	0.2150	0.2150	0.2390B/0.2000A	0.2390B/0.2000A	----	0.2335 NEW	.4501	----	----	2	----	2 + 2
570	----	----	0.2345B/0.1960A	0.2345B/0.1960A	----	0.2295 + 0.0295	.4449	----	----	----	----	16 UNCH
574	0.1940	0.1940	0.2185B/0.1825A	0.2185B/0.1825A	----	0.2130 NEW	.4236	----	----	3	----	3 + 3
575	----	----	0.2180B/0.1775A	0.2180B/0.1775A	----	0.2090 + 0.0270	.4183	----	----	10	----	136 UNCH
579	----	----	0.2010B/0.1625A	0.2010B/0.1625A	----	0.1940 + 0.0250	.3976	----	----	----	----	2 UNCH
580	0.1740	0.1740	0.1980B/0.1595A	0.1980B/0.1595A	----	0.1905 + 0.0245	.3925	----	----	3	----	41 + 3
585	----	----	0.1805B/0.1445A	0.1805B/0.1445A	----	0.1740 + 0.0225	.3677	----	----	----	----	26 UNCH
587	----	----	0.1740B/0.1385A	0.1740B/0.1385A	----	0.1680 + 0.0220	.3582	----	----	----	----	2 UNCH
588	0.1485	0.1485	0.1705B/0.1365A	0.1705B/0.1365A	----	0.1650 NEW	.3535	----	----	2	----	2 + 2
590	----	----	0.1655B/0.1315A	0.1655B/0.1315A	----	0.1590 + 0.0210	.3440	----	----	----	----	19 UNCH
595	----	----	0.1505B/0.1190A	0.1505B/0.1190A	----	0.1455 + 0.0200	.3214	----	----	----	----	4 UNCH
600	0.1155	0.1155	0.1400B/0.1060A	0.1400B/0.1060A	----	0.1330 + 0.0190	.2998	----	----	21	----	289 + 2
604	----	----	0.1280B/0.0990A	0.1280B/0.0990A	----	0.1235 + 0.0185	.2831	----	----	----	----	2 UNCH
605	----	----	0.1250B/0.0970A	0.1250B/0.0970A	----	0.1215 + 0.0185	.2793	----	----	----	----	3 UNCH
607	----	----	0.1205B/0.0925A	0.1205B/0.0925A	----	0.1170 + 0.0180	.2712	----	----	----	----	20 UNCH
610	0.0885	0.0885	0.1160B/0.0865A	0.1160B/0.0865A	----	0.1105 + 0.0175	.2593	----	----	14	----	528 + 1
613	----	----	0.1075B/0.0820A	0.1075B/0.0820A	----	0.1045 + 0.0170	.2480	----	----	----	----	2 UNCH
615	----	----	0.1045B/0.0790A	0.1045B/0.0790A	----	0.1000 + 0.0160	.2399	----	----	----	----	16 UNCH
616	----	----	0.1025B/0.0790A	0.1025B/0.0790A	----	0.0980 + 0.0155	.2362	----	----	----	----	3 UNCH
620	----	----	0.0945B/0.0715A	0.0945B/0.0715A	----	0.0905 + 0.0140	.2217	----	----	----	----	19 UNCH
622	----	----	0.0905B/0.0680A	0.0905B/0.0680A	----	0.0870 + 0.0135	.2148	----	----	----	----	3 UNCH
625	----	----	0.0865B/0.0650A	0.0865B/0.0650A	----	0.0820 + 0.0125	.2047	----	----	----	----	151 UNCH
630	----	----	0.0800B/0.0580A	0.0800B/0.0580A	----	0.0740 + 0.0110	.1885	----	----	----	----	424 UNCH
635	----	----	0.0715B/0.0525A	0.0715B/0.0525A	----	0.0670 + 0.0095	.1736	----	----	----	----	10 UNCH
640	----	----	0.0645B/0.0475A	0.0645B/0.0475A	----	0.0610 + 0.0085	.1603	----	----	----	----	58 UNCH
645	----	----	0.0590B/0.0430A	0.0590B/0.0430A	----	0.0555 + 0.0075	.1478	----	----	----	----	7 UNCH
650	0.0470	0.0470	0.0540B/0.0390A	0.0540B/0.0390A	----	0.0505 + 0.0070	.1362	----	----	1	----	465 - 1
655	----	----	0.0490B/*0.0355	0.0490B/*0.0355	----	0.0465 + 0.0065	.1264	----	----	----	----	6 UNCH
660	0.0355	0.0355	0.0450B/*0.0330	0.0450B/*0.0330	----	0.0425 + 0.0060	.1167	----	----	1	----	266 + 1
665	----	----	0.0410B/*0.0295	0.0410B/*0.0295	----	0.0390 + 0.0055	.1080	----	----	----	----	18 UNCH
670	----	----	0.0370B/*0.0275	0.0370B/*0.0275	----	0.0355 + 0.0045	.0994	----	----	1	----	3 + 1
675	----	----	0.0340B/*0.0255	0.0340B/*0.0255	----	0.0330 + 0.0045	.0927	----	----	----	----	34 UNCH
680	----	----	0.0305B/*0.0240	0.0305B/*0.0240	----	0.0300 + 0.0035	.0852	----	----	----	----	201 UNCH
690	----	----	0.0260B/*0.0205	0.0260B/*0.0205	----	0.0255 + 0.0030	.0732	----	----	----	----	21 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUN26												
695	----	----	0.0230B/*0.0185	0.0230B/*0.0185	----	0.0235 + 0.0025	.0679	----	----	----	----	1 UNCH
700	----	----	0.0215B/*0.0175	0.0215B/*0.0175	----	0.0220 + 0.0025	.0636	----	----	----	----	315 UNCH
715	----	----	0.0170B/*0.0140	0.0170B/*0.0140	----	0.0165 + 0.0010	.0490	----	----	----	----	6 UNCH
720	----	----	0.0150B/*0.0130	0.0150B/*0.0130	----	0.0150 + 0.0005	.0450	----	----	----	----	4 UNCH
725	----	----	0.0140B/*0.0125	0.0140B/*0.0125	----	0.0130 - 0.0005	.0398	----	----	1	----	71 + 1
740	----	----	0.0115B/----	0.0115B/*0.0105	----	0.0110 + 0.0005	.0334	----	----	----	----	1 UNCH
745	----	----	----/*0.0095A	0.0100B/*0.0095	----	0.0105 + 0.0005	.0318	----	----	----	----	1500 UNCH
750	----	----	0.0100B/*0.0085	0.0100B/*0.0085	----	0.0105 + 0.0015	.0313	----	----	----	----	157 UNCH
755	----	----	0.0090B/----	0.0090B/*0.0085	----	0.0095 + 0.0010	.0286	----	----	----	----	1 UNCH
765	----	----	0.0080B/----	0.0080B/*0.0075	----	0.0085 + 0.0010	.0255	----	----	----	----	1503 UNCH
780	----	----	0.0065B/----	0.0065B/*0.0075	----	0.0065 + 0.0005	.0199	----	----	----	----	1 UNCH
795	----	----	----	0.0045B/*0.0065	----	0.0055 + 0.0005	.0167	----	----	----	----	33 UNCH
800	0.0055	0.0055	0.0055/*0.0055	0.0055/*0.0055	----	0.0055 + 0.0010	.0165	----	----	1	----	8 UNCH
825	----	----	----	----/0.0115A	----	0.0040 + 0.0005	.0121	----	----	----	----	1 UNCH
840	----	----	----	----/0.0110A	----	0.0035 + 0.0005	.0105	----	----	----	----	6 UNCH
850	----	----	----	----/0.0105A	----	0.0030 + 0.0005	.0091	----	----	----	----	5 UNCH
880	----	----	----	----/0.0090A	----	0.0025 + 0.0005	.0073	----	----	----	----	2 UNCH
900	----	----	----	----/0.0080A	----	0.0020 + 0.0005	.0059	----	----	----	----	9 UNCH
910	----	----	----	----/0.0075A	----	0.0015 UNCH	.0045	----	----	----	----	11 UNCH
950	----	----	----	----/0.0060A	----	0.0010 UNCH	.0030	----	----	----	----	1 UNCH
975	----	----	----	----/0.0050A	----	0.0010 + 0.0005	.0029	----	----	----	----	1 UNCH
TOTAL										124		6543 + 79
JUL26												
500	----	----	0.6765B/----	0.6765B/0.6885A	----	0.6970 + 0.0395	.7548	----	----	----	----	2 UNCH
520	----	----	0.5635B/----	0.5635B/0.5270A	----	0.5545 + 0.0370	.6818	----	----	----	----	1 UNCH
525	----	----	0.5290B/----	0.5290B/0.4935A	----	0.5230 + 0.0370	.6613	----	----	----	----	1 UNCH
530	----	----	0.4980B/----	0.4980B/0.4565A	----	0.4935 + 0.0380	.6402	----	----	----	----	6 UNCH
540	----	----	0.4430B/----	0.4430B/0.4000A	----	0.4370 + 0.0380	.5971	----	----	----	----	16 UNCH
545	----	----	0.4090B/----	0.4090B/0.3755A	----	0.4090 + 0.0360	.5753	----	----	----	----	1 UNCH
550	----	----	0.3825B/----	0.3825B/0.3480A	----	0.3820 + 0.0340	.5532	----	----	----	----	2 UNCH
555	----	----	0.3670B/0.3170A	0.3670B/0.3170A	----	0.3565 + 0.0320	.5308	----	----	10	----	146 UNCH
560	----	----	0.3340B/----	0.3340B/0.3025A	----	0.3335 + 0.0315	.5085	----	----	----	----	1 UNCH
570	0.2895	0.2895	0.2985B/0.2535A	0.2985B/0.2535A	----	0.2915 + 0.0305	.4648	----	----	1	----	157 + 1
575	----	----	0.2740B/0.2400A	0.2740B/0.2400A	----	0.2715 + 0.0290	.4431	----	----	----	----	17 UNCH
580	----	----	0.2580B/0.2165A	0.2580B/0.2165A	----	0.2525 + 0.0280	.4218	----	----	----	----	176 UNCH
585	0.2170	0.2170	0.2410B/0.1980A	0.2410B/0.1980A	----	0.2345 + 0.0265	.4008	----	----	5	----	271 + 1
590	----	----	0.2180B/0.1885A	0.2180B/0.1885A	----	0.2175 + 0.0250	.3802	----	----	2	----	8 + 2
595	----	----	0.2010B/----	0.2010B/0.1780A	----	0.2015 + 0.0235	.3601	----	----	----	----	2 UNCH
600	----	----	0.1900B/0.1560A	0.1900B/0.1560A	----	0.1865 + 0.0220	.3405	----	----	10	----	185 UNCH
605	----	----	0.1720B/----	0.1720B/0.1520A	----	0.1730 + 0.0210	.3219	----	----	----	----	2 UNCH
610	0.1585	0.1585	0.1605B/0.1370A	0.1605B/0.1370A	----	0.1605 + 0.0205	.3040	----	----	1	----	5 UNCH
615	----	----	0.1495B/0.1275A	0.1495B/0.1275A	----	0.1490 + 0.0200	.2870	----	----	----	----	101 UNCH
620	----	----	0.1385B/0.1185A	0.1385B/0.1185A	----	0.1385 + 0.0195	.2708	----	----	----	----	18 UNCH
625	----	----	0.1305B/0.1055A	0.1305B/0.1055A	----	0.1290 + 0.0190	.2556	----	----	----	----	182 UNCH
630	----	----	0.1185B/----	0.1185B/0.1025A	----	0.1200 + 0.0190	.2410	----	----	----	----	5 UNCH
635	----	----	0.1105B/----	0.1105B/0.0950A	----	0.1115 + 0.0180	.2270	----	----	----	----	11 UNCH
640	0.1030	0.1030	0.1050B/0.0830A	0.1050B/0.0830A	----	0.1040 + 0.0175	.2141	----	----	1	----	754 + 1
645	0.0965	0.0965	0.0980B/0.0775A	0.0980B/0.0775A	----	0.0965 + 0.0165	.2013	----	----	1	----	309 - 1
650	----	----	0.0910B/----	0.0910B/0.0760A	----	0.0900 + 0.0160	.1897	----	----	----	----	287 UNCH
660	----	----	0.0750B/----	0.0750B/0.0675A	----	0.0780 + 0.0140	.1680	----	----	----	----	258 UNCH
665	----	----	0.0700B/----	0.0700B/0.0630A	----	0.0725 + 0.0130	.1578	----	----	----	----	1 UNCH
670	----	----	0.0640B/----	0.0640B/0.0585A	----	0.0675 + 0.0120	.1484	----	----	----	----	22 UNCH
675	0.0500	0.0500	0.0600B/*0.0500	0.0600B/*0.0500	----	0.0625 + 0.0105	.1390	----	----	25	----	437 UNCH
680	----	----	0.0530B/----	0.0530B/0.0525A	----	0.0585 + 0.0100	.1310	----	----	----	----	4 UNCH
685	----	----	0.0490B/----	0.0490B/0.0485A	----	0.0540 + 0.0085	.1225	----	----	----	----	2 UNCH
690	----	----	0.0465B/----	0.0465B/0.0455A	----	0.0505 + 0.0080	.1153	----	----	----	----	245 UNCH
695	----	----	0.0425B/----	0.0425B/0.0435A	----	0.0470 + 0.0070	.1082	----	----	----	----	40 UNCH
700	0.0410	0.0410	0.0410/0.0410	0.0410/0.0395A	----	0.0435 + 0.0060	.1012	----	----	1	----	139 UNCH
725	----	----	----	0.0275B/0.0305A	----	0.0320 + 0.0040	.0761	----	----	----	----	1523 UNCH
730	----	----	----	0.0255B/0.0290A	----	0.0300 + 0.0040	.0717	----	----	----	----	3 UNCH
750	----	----	----	0.0195B/*0.0235	----	0.0245 + 0.0035	.0588	----	----	----	----	183 UNCH
775	----	----	----	0.0135B/0.0200A	----	0.0190 + 0.0025	.0459	----	----	----	----	24 UNCH
800	----	----	----	0.0095B/*0.0160	----	0.0150 + 0.0020	.0363	----	----	----	----	58 UNCH
850	----	----	----	0.0055B/0.0130A	----	0.0095 + 0.0015	.0231	----	----	----	----	3 UNCH
875	----	----	----	----/*0.0120A	----	0.0080 + 0.0015	.0193	----	----	----	----	2 UNCH
900	----	----	----	----/0.0100A	----	0.0070 + 0.0010	.0166	----	----	----	----	271 UNCH
950	----	----	----	----/*0.0075A	----	0.0045 + 0.0005	.0108	----	----	----	----	56 UNCH
975	----	----	----	----/*0.0070A	----	0.0040 + 0.0010	.0095	----	----	----	----	2 UNCH
1000	----	----	----	----/0.0060A	----	0.0030 + 0.0005	.0072	----	----	----	----	4 UNCH
TOTAL										57		5943 + 4
AUG26												
500	----	----	0.7570B/----	0.7570B/0.7525A	----	0.7745 + 0.0320	.7531	----	----	----	----	2 UNCH
550	----	----	0.4615B/----	0.4615B/0.4365A	----	0.4620 + 0.0335	.5762	----	----	----	----	3 UNCH
575	----	----	0.3445B/----	0.3445B/0.3215A	----	0.3450 + 0.0315	.4796	----	----	----	----	1 UNCH
580	----	----	0.3240B/----	0.3240B/0.3015A	----	0.3245 + 0.0305	.4606	----	----	----	----	252 UNCH
585	----	----	0.3035B/----	0.3035B/0.2825A	----	0.3055 + 0.0300	.4420	----	----	----	----	11 UNCH
590	----	----	0.2840B/----	0.2840B/0.2650A	----	0.2870 + 0.0290	.4235	----	----	----	----	16 UNCH
600	----	----	0.2485B/----	0.2485B/0.2325A	----	0.2530 + 0.0275	.3876	----	----	----	----	4 UNCH
620	----	----	0.1900B/----	0.1900B/0.1795A	----	0.1945 + 0.0220	.3203	----	----	----	----	6 UNCH
625	----	----	0.1770B/----	0.1770B/0.1680A	----	0.1820 + 0.0205	.3047	----	----	----	----	86 UNCH
640	----	----	0.1455B/----	0.1455B/0.1390A	----	0.1500 + 0.0185	.2620	----	----	----	----	165 UNCH
650	----	----	0.1270B/----	0.1270B/0.1230A	----	0.1325 + 0.0180	.2369	----	----	----	----	4 UNCH
675	----	----	0.0925B/----	0.0925B/0.0920A	----	0.1010 + 0.0210	.1870	----	----	----	----	168 UNCH
680	----	----	0.0865B/----	0.0865B/0.0870A	----	0.0960 + 0.0215	.1786	----	----	----	----	1 UNCH
690	----	----	0.0685B/----	0.0685B/0.0850A	----	0.0865 + 0.0215	.1627	----	----	----	----	3 UNCH
700	----	----	0.0595B/----	0.0595B/0.0775A	----	0.0770 + 0.0200	.1471	----	----	----	----	4 UNCH
725	----	----	----	0.0410B/0.0620A	----	0.0565 + 0.0135	.1127	----	----	----	----	86 UNCH
730	----	----	0.0455B/----	0.0455B/*0.0520	----	0.0530 + 0.0120	.1066	----	----	----	----	1 UNCH
750	----	----	0.0355B/----	0.0355B/*0.0435	----	0.0435 + 0.0100	.0887	----	----	----	----	66 UNCH
800	----	----	0.0185B/----	0.0185B/*0.0305	----	0.0235 + 0.0060	.0513	----	----	----	----	1 UNCH
850	----	----	----	0.0090B/*0.0235	----	0.0135 + 0.0040	.0307	----	----	----	----	1 UNCH
900	----	----	----	0.0040B/*0.0190	----	0.0095 + 0.0030	.0215	----	----	----	----	57 UNCH
950	----	----	----	----/*0.0155A	----	0.0065 + 0.0020	.0148	----	----	----	----	2 UNCH
975	----	----	----	----/0.0190A	----	0.0055 + 0.0020	.0125	----	----	----	----	4 UNCH
TOTAL												944
SEP26												
495	----	----	----	0.7985B/0.8540A	----	0.8365 + 0.0290	.7559	----	----	----	----	2 UNCH
500	----	----	0.7850B/----	0.7850B/0.8025A	----	0.8010 + 0.0290	.7415	----	----	----	----	5 UNCH
535	0.5350	0.5350	0.5620B/0.5350	0.5620B/0.5350	----	0.5790 + 0.0290	.6287	----	----	2	----	1 - 1
565	----	----	0.4275B/----	0.4275B/0.4125A	----	0.4265 + 0.0275	.5230	----	----	----	----	1 UNCH
575	----	----	0.3830B/----	0.3830B/0.3690A	----	0.3830 + 0.0265	.4878	----	----	----	----	100 UNCH
595	----	----	0.3030B/----	0.3030B/0.2955A	----	0.3060 + 0.0235	.4194	----	----	----	----	2 UNCH
600	----	----	0.2860B/----	0.2860B/0.2785A	----	0.2890 + 0.0230	.4030	----	----	----	----	210 UNCH
610	----	----	0.2530B/----	0.2530B/0.2490A	----	0.2575 + 0.0210	.3711	----	----	----	----	31 UNCH
615	----	----	0.2385B/----	0.2385B/0.2360A	----	0.2430 + 0.0205	.3558	----	----	----	----	9 UNCH
620	----	----	0.2235B/----	0.2235B/0.2225A	----	0.2290 + 0.0195	.3407	----	----	----	----	35 UNCH
625	----	----	0.2100B/----	0.2100B/0.2105A	----	0.2165 + 0.0190	.3264	----	----	----	----	142 UNCH
630	----	----	0.1975B/----	0.1975B/0.1990A	----	0.2040 + 0.0180	.3122	----	----	----	----	2 UNCH
650	----	----	0.1555B/----	0.1555B/0.1605A	----	0.1625 + 0.0155	.2612	----	----	----	----	181 UNCH
655	----	----	0.1465B/----	0.1465B/0.1520A	----	0.1540 + 0.0155	.2499	----	----	----	----	4 UNCH
670	----	----	0.1220B/----	0.1220B/0.1305A	----	0.1305 + 0.0135	.2181	----	----	----	----	1 UNCH
690	----	----	0.0965B/----	0.0965B/0.1075A	----	0.1055 + 0.0115	.1822	----	----	----	----	11 UNCH
700	----	----	0.0855B/----	0.0855B/0.0980A	----	0.0955 + 0.0110	.1670	----	----	----	----	55 UNCH
750	----	----	----	0.0475B/0.0655A	----	0.0585 + 0.0070	.1079	----	----	----	----	10 UNCH
800	----	----	----	0.0265B/0.0465A	----	0.0370 + 0.0045	.0709	----	----	----	----	12 UNCH
875	----	----	----	0.0110B/*0.0320	----	0.0200 + 0.0025	.0396	----	----	----	----	1 UNCH
975	----	----	----	0.0010B/0.0245A	----	0.0100 + 0.0015	.0202	----	----	----	----	1 UNCH
TOTAL										2		816 - 1
OCT26												
650	----	----	----	0.2040B/0.2235A	----	0.2225 + 0.0165	.3084	----	----	----	----	100 UNCH
700	----	----	----	0.1135B/0.1470A	----	0.1360 + 0.0160	.2076	----	----	----	----	145 UNCH
775	----	----	----	0.0490B/0.0890A	----	0.0705 + 0.0110	.1167	----	----	----	----	71 UNCH
800	----	----	----	0.0380B/0.0700A	----	0.0590 + 0.0095	.0987	----	----	----	----	1 UNCH
850	----	----	----	0.0215B/0.0540A	----	0.0430 + 0.0075	.0726	----	----	----	----	30 UNCH
875	----	----	----	0.0160B/0.0485A	----	0.0375 + 0.0065	.0633	----	----	----	----	2 UNCH
975	----	----	----	0.0010B/0.0350A	----	0.0185 + 0.0035	.0327	----	----	----	----	4 UNCH
TOTAL												353
NOV26												
535	----	----	0.7025B/----	0.7025B/0.7035A	----	0.7085 + 0.0285	.6446	----	----	----	----	1 UNCH
545	----	----	0.6455B/----	0.6455B/0.6500A	----	0.6540 + 0.0275	.6157	----	----	----	----	1 UNCH
580	----	----	0.4725B/----	0.4725B/0.4880A	----	0.4885 + 0.0245	.5132	----	----	----	----	2 UNCH
585	----	----	0.4510B/----	0.4510B/0.4675A	----	0.4675 + 0.0240	.4987	----	----	----	----	1 UNCH
595	----	----	0.4105B/----	0.4105B/0.4295A	----	0.4285 + 0.0230	.4703	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 79

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
HX CALL		COMEX COPPER OPTIONS											
NOV26													
600	----	----	0.3910B/----	0.3910B/0.4115A	----	0.4095 + 0.0225	.4562	----	----	----	----	2	UNCH
610	----	----	0.3545B/----	0.3545B/0.3770A	----	0.3745 + 0.0215	.4288	----	----	----	----	14	UNCH
640	----	----	----	0.2615B/0.2900A	----	0.2845 + 0.0185	.3518	----	----	----	----	1	UNCH
670	----	----	----	0.1920B/0.2240A	----	0.2155 + 0.0150	.2848	----	----	----	----	14	UNCH
675	----	----	----	0.1820B/0.2150A	----	0.2060 + 0.0145	.2748	----	----	----	----	1	UNCH
750	----	----	----	0.0860B/0.1225A	----	0.1090 + 0.0080	.1613	----	----	----	----	1	UNCH
900	----	----	----	0.0150B/0.0575A	----	0.0355 + 0.0035	.0587	----	----	----	----	1	UNCH
975	----	----	----	0.0035B/0.0455A	----	0.0205 + 0.0020	.0355	----	----	----	----	1	UNCH
TOTAL												42	
DEC26													
520	----	----	0.8170B/----	0.8170B/0.8215A	----	0.8230 + 0.0285	.6822	----	----	----	----	1	UNCH
535	----	----	0.7275B/----	0.7275B/0.7375A	----	0.7370 + 0.0275	.6421	----	----	----	----	1	UNCH
550	----	----	0.6450B/----	0.6450B/0.6600A	----	0.6585 + 0.0265	.6008	----	----	----	----	2	UNCH
555	----	----	0.6195B/----	0.6195B/0.6360A	----	0.6335 + 0.0260	.5870	----	----	----	----	1	UNCH
565	----	----	0.5700B/----	0.5700B/0.5895A	----	0.5865 + 0.0250	.5592	----	----	----	----	45	UNCH
575	----	----	0.5240B/----	0.5240B/0.5460A	----	0.5420 + 0.0245	.5316	----	----	----	----	1	UNCH
585	----	----	0.4805B/----	0.4805B/0.5050A	----	0.5000 + 0.0235	.5043	----	----	----	----	1	UNCH
590	----	----	0.4600B/----	0.4600B/0.4855A	----	0.4800 + 0.0230	.4908	----	----	----	----	1	UNCH
595	----	----	0.4400B/----	0.4400B/0.4670A	----	0.4610 + 0.0225	.4775	----	----	----	----	163	UNCH
600	----	----	----	0.4205B/0.4485A	----	0.4420 + 0.0215	.4643	----	----	----	----	551	UNCH
610	----	----	----	0.3840B/0.4140A	----	0.4070 + 0.0210	.4384	----	----	----	----	156	UNCH
620	----	----	----	0.3500B/0.3820A	----	0.3740 + 0.0200	.4132	----	----	----	----	408	UNCH
625	----	----	----	0.3340B/0.3670A	----	0.3585 + 0.0195	.4009	----	----	----	----	3	UNCH
630	----	----	----	0.3185B/0.3525A	----	0.3435 + 0.0190	.3887	----	----	----	----	456	UNCH
640	----	----	----	0.2900B/0.3255A	----	0.3155 + 0.0180	.3653	----	----	----	----	29	UNCH
650	----	----	----	0.2635B/0.3005A	----	0.2895 + 0.0165	.3427	----	----	----	----	371	UNCH
660	----	----	----	0.2395B/0.2780A	----	0.2660 + 0.0160	.3214	----	----	----	----	300	UNCH
670	----	----	----	0.2180B/0.2570A	----	0.2450 + 0.0150	.3014	----	----	----	----	4	UNCH
675	----	----	----	0.2075B/0.2475A	----	0.2350 + 0.0145	.2917	----	----	----	----	17	UNCH
700	0.2055	0.2055	0.2055/0.1890	0.2055/0.1890	----	0.1920 + 0.0125	.2479	----	----	5	----	843 -	1
705	----	----	----	0.1565B/0.1990A	----	0.1845 + 0.0120	.2399	----	----	----	----	2	UNCH
725	----	----	----	0.1305B/0.1735A	----	0.1585 + 0.0110	.2111	----	----	----	----	5	UNCH
730	----	----	----	0.1245B/0.1680A	----	0.1525 + 0.0105	.2043	----	----	----	----	2	UNCH
750	----	----	----	0.1045B/0.1480A	----	0.1315 + 0.0090	.1799	----	----	----	----	24	UNCH
800	----	----	----	0.0665B/0.1115A	----	0.0935 + 0.0070	.1328	----	----	----	----	54	UNCH
850	----	----	----	0.0410B/0.0880A	----	0.0700 + 0.0060	.1012	----	----	----	----	4	UNCH
900	----	----	----	0.0240B/0.0695A	----	0.0550 + 0.0045	.0799	----	----	----	----	150	UNCH
925	----	----	----	0.0175B/0.0660A	----	0.0500 + 0.0045	.0724	----	----	----	----	6	UNCH
950	----	----	----/*0.0400A	0.0300B/*0.0400	----	0.0455 + 0.0040	.0657	----	----	----	----	78	UNCH
975	----	----	----	0.0075B/0.0570A	----	0.0420 + 0.0040	.0602	----	----	----	----	13	UNCH
TOTAL										5		3692 -	1
JAN27													
500	----	----	----	----	----	1.0435 + 0.0095	.7395	----	----	----	----	1	UNCH
900	----	----	----	----	----	0.0955 + 0.0010	.1167	----	----	----	----	1	UNCH
TOTAL												2	
MAR27													
680	----	----	----	----	----	0.3855 + 0.0045	.3604	----	----	----	----	30	UNCH
950	----	----	----	----	----	0.1965 + 0.0015	.1747	----	----	----	----	3	UNCH
TOTAL												33	
HX PUT		COMEX COPPER OPTIONS											
APR26													
495	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
510	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
515	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
520	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
525	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
530	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
535	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
538	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
540	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
543	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
544	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
545	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
546	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
548	----	----	----	----	----	0.0030	UNCH	----	----	----	----	0	UNCH
549	----	----	----	----	----	0.0130	UNCH	----	----	----	----	0	UNCH
550	----	----	----	----	----	0.0230	UNCH	----	----	----	----	0	UNCH
551	----	----	----	----	----	0.0330	UNCH	----	----	----	----	0	UNCH
552	----	----	----	----	----	0.0430	UNCH	----	----	----	----	0	UNCH
553	----	----	----	----	----	0.0530	UNCH	----	----	----	----	0	UNCH
554	----	----	----	----	----	0.0630	UNCH	----	----	----	----	0	UNCH
555	----	----	----	----	----	0.0730	UNCH	----	----	----	----	0	UNCH
556	----	----	----	----	----	0.0830	UNCH	----	----	----	----	0	UNCH
557	----	----	----	----	----	0.0930	UNCH	----	----	----	----	0	UNCH
558	----	----	----	----	----	0.1030	UNCH	----	----	----	----	0	UNCH
559	----	----	----	----	----	0.1130	UNCH	----	----	----	----	0	UNCH
560	----	----	----	----	----	0.1230	UNCH	----	----	----	----	0	UNCH
561	----	----	----	----	----	0.1330	UNCH	----	----	----	----	0	UNCH
562	----	----	----	----	----	0.1430	UNCH	----	----	----	----	0	UNCH
563	----	----	----	----	----	0.1530	UNCH	----	----	----	----	0	UNCH
564	----	----	----	----	----	0.1630	UNCH	----	----	----	----	0	UNCH
565	----	----	----	----	----	0.1730	UNCH	----	----	----	----	0	UNCH
566	----	----	----	----	----	0.1830	UNCH	----	----	----	----	0	UNCH
567	----	----	----	----	----	0.1930	UNCH	----	----	----	----	0	UNCH
568	----	----	----	----	----	0.2030	UNCH	----	----	----	----	0	UNCH
569	----	----	----	----	----	0.2130	UNCH	----	----	----	----	0	UNCH
570	----	----	----	----	----	0.2230	UNCH	----	----	----	----	0	UNCH
571	----	----	----	----	----	0.2330	UNCH	----	----	----	----	0	UNCH
572	----	----	----	----	----	0.2430	UNCH	----	----	----	----	0	UNCH
573	----	----	----	----	----	0.2530	UNCH	----	----	----	----	0	UNCH
574	----	----	----	----	----	0.2630	UNCH	----	----	----	----	0	UNCH
575	----	----	----	----	----	0.2730	UNCH	----	----	----	----	0	UNCH
576	----	----	----	----	----	0.2830	UNCH	----	----	----	----	0	UNCH
577	----	----	----	----	----	0.2930	UNCH	----	----	----	----	0	UNCH
578	----	----	----	----	----	0.3030	UNCH	----	----	----	----	0	UNCH
579	----	----	----	----	----	0.3130	UNCH	----	----	----	----	0	UNCH
580	----	----	----	----	----	0.3230	UNCH	----	----	----	----	0	UNCH
581	----	----	----	----	----	0.3330	UNCH	----	----	----	----	0	UNCH
582	----	----	----	----	----	0.3430	UNCH	----	----	----	----	0	UNCH
583	----	----	----	----	----	0.3530	UNCH	----	----	----	----	0	UNCH
584	----	----	----	----	----	0.3630	UNCH	----	----	----	----	0	UNCH
585	----	----	----	----	----	0.3730	UNCH	----	----	----	----	0	UNCH
586	----	----	----	----	----	0.3830	UNCH	----	----	----	----	0	UNCH
587	----	----	----	----	----	0.3930	UNCH	----	----	----	----	0	UNCH
588	----	----	----	----	----	0.4030	UNCH	----	----	----	----	0	UNCH
590	----	----	----	----	----	0.4230	UNCH	----	----	----	----	0	UNCH
592	----	----	----	----	----	0.4430	UNCH	----	----	----	----	0	UNCH
593	----	----	----	----	----	0.4530	UNCH	----	----	----	----	0	UNCH
595	----	----	----	----	----	0.4730	UNCH	----	----	----	----	0	UNCH
596	----	----	----	----	----	0.4830	UNCH	----	----	----	----	0	UNCH
597	----	----	----	----	----	0.4930	UNCH	----	----	----	----	0	UNCH
598	----	----	----	----	----	0.5030	UNCH	----	----	----	----	0	UNCH
599	----	----	----	----	----	0.5130	UNCH	----	----	----	----	0	UNCH
600	----	----	----	----	----	0.5230	UNCH	----	----	----	----	0	UNCH
602	----	----	----	----	----	0.5430	UNCH	----	----	----	----	0	UNCH
603	----	----	----	----	----	0.5530	UNCH	----	----	----	----	0	UNCH
604	----	----	----	----	----	0.5630	UNCH	----	----	----	----	0	UNCH
605	----	----	----	----	----	0.5730	UNCH	.0000	----	----	----	0	UNCH
606	----	----	----	----	----	0.5830	UNCH	----	----	----	----	0	UNCH
607	----	----	----	----	----	0.5930	UNCH	----	----	----	----	0	UNCH
608	----	----	----	----	----	0.6030	UNCH	----	----	----	----	0	UNCH
609	----	----	----	----	----	0.6130	UNCH	----	----	----	----	0	UNCH
610	----	----	----	----	----	0.6230	UNCH	----	----	----	----	0	UNCH
611	----	----	----	----	----	0.6330	UNCH	----	----	----	----	0	UNCH
612	----	----	----	----	----	0.6430	UNCH	----	----	----	----	0	UNCH
613	----	----	----	----	----	0.6530	UNCH	----	----	----	----	0	UNCH
615	----	----	----	----	----	0.6730	UNCH	----	----	----	----	0	UNCH
620	----	----	----	----	----	0.7230	UNCH	----	----	----	----	0	UNCH
625	----	----	----	----	----	0.7730	UNCH	----	----	----	----	0	UNCH
628	----	----	----	----	----	0.8030	UNCH	----	----	----	----	0	UNCH
630	----	----	----	----	----	0.8230	UNCH	----	----	----	----	0	UNCH
650	----	----	----	----	----	1.0230	UNCH	----	----	----	----	0	UNCH
TOTAL												0	

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
MAY26												
125	----	----	----	----/0.0110A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
300	----	----	----	----/0.0020A	----	0.0005 UNCH	.0003	----	----	----	----	22 UNCH
330	----	----	----	----/0.0045A	----	0.0010 UNCH	.0026	----	----	----	----	1 UNCH
340	----	----	----	----/0.0040A	----	0.0010 UNCH	.0027	----	----	----	----	6 UNCH
350	----	----	----	----/0.0040A	----	0.0015 UNCH	.0041	----	----	----	----	5 UNCH
370	----	----	----	----/0.0075A	----	0.0030 UNCH	.0081	----	----	----	----	1 UNCH
375	0.0025	0.0025	0.0025/*0.0025	0.0025/*0.0025	----	0.0035 UNCH	.0094	----	----	1	----	1 + 1
390	----	----	----	----/0.0095A	----	0.0050 UNCH	.0136	----	----	----	----	2 UNCH
395	----	----	----	0.0005B/0.0105A	----	0.0055 UNCH	.0152	----	----	----	----	6 UNCH
400	0.0065	0.0065	0.0065/0.0065	0.0065/0.0065	----	0.0065 UNCH	.0178	----	----	1	----	112 UNCH
405	----	----	----	0.0060B/0.0120A	----	0.0065 - 0.0005	.0184	----	----	----	----	125 UNCH
410	----	----	----	0.0060B/0.0085A	----	0.0065 - 0.0005	.0190	----	----	----	----	23 UNCH
420	0.0090	0.0090	0.0090/0.0080A	0.0090/0.0080A	----	0.0070 - 0.0010	.0216	----	----	5	----	63 UNCH
425	0.0120	0.0120	0.0120/*0.0085A	0.0120/0.0085A	----	0.0075 - 0.0015	.0236	----	----	10	----	38 - 10
430	----	----	0.0105B/----	0.0105B/0.0100A	----	0.0085 - 0.0010	.0268	----	----	----	----	13 UNCH
435	----	----	0.0120B/----	0.0120B/0.0105A	----	0.0100 UNCH	.0314	----	----	----	----	13 UNCH
440	0.0110	0.0110	0.0135B/0.0105A	0.0135B/0.0105A	----	0.0110 UNCH	.0349	----	----	1	----	137 - 1
445	----	----	0.0155B/0.0115A	0.0155B/0.0115A	----	0.0125 + 0.0005	.0398	----	----	----	----	6 UNCH
450	----	----	0.0190B/0.0125A	0.0190B/0.0125A	----	0.0135 UNCH	.0438	----	----	----	----	827 UNCH
455	----	----	0.0210B/0.0140A	0.0210B/0.0140A	----	0.0150 UNCH	.0491	----	----	----	----	20 UNCH
460	----	----	0.0235B/0.0155A	0.0235B/0.0155A	----	0.0170 + 0.0005	.0558	----	----	4	----	591 - 4
465	----	----	0.0265B/0.0175A	0.0265B/0.0175A	----	0.0195 + 0.0010	.0639	----	----	----	----	27 UNCH
470	----	----	0.0300B/0.0190A	0.0300B/0.0190A	----	0.0230 + 0.0025	.0745	----	----	1	----	39 + 1
475	0.0245	0.0245	0.0340B/0.0215A	0.0340B/0.0215A	----	0.0270 + 0.0040	.0863	----	----	4	----	186 + 1
480	0.0225	0.0225	0.0395/0.0225	0.0395/0.0225	----	0.0305 + 0.0050	.0976	----	----	310	----	498 + 55
485	0.0340	0.0340	0.0425B/0.0280A	0.0425B/0.0280A	----	0.0345 + 0.0060	.1104	----	----	20	----	88 + 18
490	0.0340	0.0340	0.0480B/0.0315A	0.0480B/0.0315A	----	0.0395 + 0.0075	.1256	----	----	68	----	300 + 43
495	0.0445	0.0445	0.0545B/0.0355A	0.0545B/0.0355A	----	0.0450 + 0.0085	.1423	----	----	27	----	89 + 27
500	0.0500	0.0500	0.0630B/0.0340	0.0630B/0.0340	----	0.0525 + 0.0100	.1630	----	----	65	----	1980 + 9
505	0.0580	0.0580	0.0720B/0.0475A	0.0720B/0.0475A	----	0.0605 + 0.0110	.1851	----	----	16	----	184 + 8
510	0.0665	0.0665	0.0820B/0.0555A	0.0820B/0.0555A	----	0.0700 + 0.0120	.2100	----	----	33	----	334 + 9
515	0.0765	0.0765	0.0940B/0.0640A	0.0940B/0.0640A	----	0.0805 + 0.0125	.2370	----	----	52	----	114 + 38
516	----	----	----	#0.0880B/*0.100	----	0.0830 NEW	----	----	----	40	----	40 + 40
517	0.0805	0.0805	0.1000B/0.0675A	0.1000B/0.0675A	----	0.0850 + 0.0125	.2483	----	----	26	----	62 + 26
518	0.0830	0.0830	0.1020B/0.0690A	0.1020B/0.0690A	----	0.0875 + 0.0125	.2543	----	----	34	----	65 + 32
519	0.0855	0.0855	0.1045B/0.0720A	0.1045B/0.0720A	----	0.0900 + 0.0130	.2604	----	----	24	----	49 + 24
520	0.0875	0.0875	0.1075B/0.0720A	0.1075B/0.0720A	----	0.0930 + 0.0135	.2669	----	----	26	----	698 + 25
521	----	----	0.1110B/0.0755A	0.1110B/0.0755A	----	0.0955 + 0.0135	.2730	----	----	----	----	22 UNCH
522	0.0995	0.0995	0.1140B/0.0780A	0.1140B/0.0780A	----	0.0985 + 0.0140	.2796	----	----	33	----	34 + 33
523	0.1015	0.1015	0.1170B/0.0805A	0.1170B/0.0805A	----	0.1015 NEW	.2862	----	----	18	----	18 + 18
524	0.1050	0.1050	0.1195B/0.0830A	0.1195B/0.0830A	----	0.1045 + 0.0145	.2928	----	----	21	----	19 + 14
525	0.0850	0.0850	0.1230B/0.0845A	0.1230B/0.0845A	----	0.1075 + 0.0145	.2995	----	----	82	----	517 + 13
526	----	----	0.1260B/0.0880A	0.1260B/0.0880A	----	0.1105 + 0.0150	.3062	----	----	----	----	15 UNCH
527	0.1095	0.1095	0.1295B/0.0905A	0.1295B/0.0905A	----	0.1135 + 0.0150	.3129	----	----	8	----	12 + 8
530	0.1190	0.1190	0.1400B/0.0980A	0.1400B/0.0980A	----	0.1230 + 0.0150	.3335	----	----	8	----	552 UNCH
531	----	----	0.1435B/0.1010A	0.1435B/0.1010A	----	0.1265 + 0.0150	.3407	----	----	----	----	3 UNCH
532	----	----	0.1465B/0.1035A	0.1465B/0.1035A	----	0.1300 + 0.0150	.3479	----	----	----	----	6 UNCH
533	----	----	0.1510B/0.1070A	0.1510B/0.1070A	----	0.1340 + 0.0155	.3554	----	----	----	----	1 UNCH
535	0.1350	0.1350	0.1585B/0.1130A	0.1585B/0.1130A	----	0.1415 + 0.0155	.3701	----	----	128	----	201 + 73
536	----	----	0.1630B/0.1160A	0.1630B/0.1160A	----	0.1455 + 0.0155	.3776	----	----	----	----	1 UNCH
539	----	----	0.1755B/0.1265A	0.1755B/0.1265A	----	0.1570 + 0.0145	.4001	----	----	----	----	4 UNCH
540	0.1545	0.1545	0.1795B/0.1300A	0.1795B/0.1300A	----	0.1610 + 0.0140	.4077	----	----	81	----	362 + 26
541	----	----	0.1840B/0.1325A	0.1840B/0.1325A	----	0.1650 + 0.0135	.4153	----	----	----	----	10 UNCH
542	----	----	0.1890B/0.1365A	0.1890B/0.1365A	----	0.1690 + 0.0130	.4230	----	----	----	----	7 UNCH
544	----	----	0.1980B/0.1435A	0.1980B/0.1435A	----	0.1775 + 0.0120	.4386	----	----	----	----	1 UNCH
545	0.1760	0.1760	0.2025B/0.1470A	0.2025B/0.1470A	----	0.1820 + 0.0115	.4464	----	----	2	----	169 UNCH
546	----	----	0.2075B/0.1510A	0.2075B/0.1510A	----	0.1865 + 0.0110	.4543	----	----	----	----	8 UNCH
547	0.1670	0.1670	0.2125B/0.1550A	0.2125B/0.1550A	----	0.1910 + 0.0100	.4622	----	----	1	----	4 + 1
548	0.1735	0.1735	0.2170B/0.1595A	0.2170B/0.1595A	----	0.1960 + 0.0100	.4702	----	----	2	----	15 + 2
549	0.1695	0.1695	0.2205B/0.1640A	0.2205B/0.1640A	----	0.2005 + 0.0090	.4782	----	----	2	----	10 + 2
550	0.2040	0.2040	0.2270B/0.1680A	0.2270B/0.1680A	----	0.2055 + 0.0085	.4861	----	----	125	----	1274 + 56
551	0.1885	0.1885	0.2315B/0.1710A	0.2315B/0.1710A	----	0.2105 + 0.0080	.4941	----	----	5	----	29 + 2
552	0.1935	0.1935	0.2375B/0.1705A	0.2375B/0.1705A	----	0.2155 + 0.0075	.5022	----	----	6	----	16 + 2
553	0.1970	0.1970	0.2420B/0.1720A	0.2420B/0.1720A	----	0.2205 + 0.0070	.5102	----	----	4	----	15 + 4
554	0.1910	0.1910	0.2460B/0.1750A	0.2460B/0.1750A	----	0.2255 + 0.0060	.5182	----	----	2	----	18 + 1
555	0.1960	0.1960	0.2485B/0.1795A	0.2485B/0.1795A	----	0.2310 + 0.0055	.5263	----	----	3	----	108 - 3
556	0.1980	0.1980	0.2545B/0.1845A	0.2545B/0.1845A	----	0.2365 + 0.0050	.5343	----	----	2	----	14 + 1
557	----	----	0.2615B/0.1895A	0.2615B/0.1895A	----	0.2420 + 0.0045	.5421	----	----	----	----	12 UNCH
558	0.2075	0.2075	0.2665B/0.1945A	0.2665B/0.1945A	----	0.2480 + 0.0045	.5501	----	----	1	----	74 + 1
559	----	----	0.2760B/0.2010A	0.2760B/0.2010A	----	0.2540 + 0.0040	.5579	----	----	----	----	12 UNCH
560	0.2810	0.2810	0.2830B/0.2050A	0.2830B/0.2050A	----	0.2600 + 0.0040	.5657	----	----	12	----	510 + 12
561	----	----	0.2860B/0.2120A	0.2860B/0.2120A	----	0.2660 + 0.0035	.5732	----	----	----	----	5 UNCH
562	----	----	0.2900B/0.2265A	0.2900B/0.2265A	----	0.2725 + 0.0035	.5809	----	----	----	----	11 UNCH
563	----	----	0.2935B/0.2330A	0.2935B/0.2330A	----	0.2790 + 0.0035	.5884	----	----	----	----	4 UNCH
564	----	----	0.2970B/0.2380A	0.2970B/0.2380A	----	0.2855 + 0.0035	.5958	----	----	----	----	4 UNCH
565	----	----	0.3080B/0.2440A	0.3080B/0.2440A	----	0.2920 + 0.0035	.6029	----	----	----	----	200 UNCH
567	----	----	0.3160B/0.2570A	0.3160B/0.2570A	----	0.3050 + 0.0030	.6177	----	----	----	----	1 UNCH
568	----	----	0.3260B/0.2660A	0.3260B/0.2660A	----	0.3115 + 0.0025	.6251	----	----	----	----	6 UNCH
569	----	----	0.3295B/0.2690A	0.3295B/0.2690A	----	0.3185 + 0.0025	.6321	----	----	----	----	7 UNCH
570	0.2900	0.2900	0.3415B/0.2830A	0.3415B/0.2830A	----	0.3250 + 0.0020	.6395	----	----	10	----	579 + 2
571	----	----	0.3430B/0.3165A	0.3430B/0.3165A	----	0.3315 + 0.0015	.6468	----	----	----	----	5 UNCH
572	----	----	0.3500B/0.3230A	0.3500B/0.3230A	----	0.3385 + 0.0010	.6538	----	----	----	----	5 UNCH
573	----	----	0.3570B/----	0.3570B/0.3615A	----	0.3450 + 0.0005	.6612	----	----	----	----	4 UNCH
575	----	----	0.3745B/0.3160A	0.3745B/0.3160A	----	0.3590 UNCH	.6751	----	----	----	----	294 UNCH
576	----	----	0.3785B/----	0.3785B/0.3830A	----	0.3660 - 0.0005	.6815	----	----	----	----	3 UNCH
577	----	----	0.3860B/----	0.3860B/0.3900A	----	0.3735 - 0.0005	.6884	----	----	----	----	3 UNCH
578	----	----	0.3930B/0.3810A	0.3930B/0.3810A	----	0.3805 - 0.0015	.6947	----	----	----	----	25 UNCH
579	----	----	0.4005B/0.3880A	0.4005B/0.3880A	----	0.3880 - 0.0015	.7010	----	----	----	----	8 UNCH
580	0.3860	0.3860	0.4120B/0.3505A	0.4120B/0.3505A	----	0.3960 - 0.0015	.7073	----	----	1	----	284 + 1
581	----	----	0.4155B/0.4025A	0.4155B/0.4025A	----	0.4035 - 0.0015	.7130	----	----	----	----	20 UNCH
582	----	----	0.4230B/0.4100A	0.4230B/0.4100A	----	0.4115 - 0.0015	.7193	----	----	----	----	8 UNCH
583	----	----	0.4305B/----	0.4305B/0.4345A	----	0.4190 - 0.0020	.7248	----	----	----	----	1 UNCH
584	----	----	0.4385B/----	0.4385B/0.4420A	----	0.4270 - 0.0020	.7304	----	----	----	----	4 UNCH
585	----	----	0.4510B/0.3865A	0.4510B/0.3865A	----	0.4350 - 0.0025	.7359	----	----	----	----	188 UNCH
586	----	----	0.4540B/----	0.4540B/0.4575A	----	0.4430 - 0.0025	.7414	----	----	----	----	3 UNCH
587	----	----	0.4620B/----	0.4620B/0.4655A	----	0.4510 - 0.0030	.7469	----	----	----	----	3 UNCH
588	----	----	0.4695B/----	0.4695B/0.4735A	----	0.4590 - 0.0030	.7524	----	----	----	----	2 UNCH
589	----	----	0.4775B/----	0.4775B/0.4815A	----	0.4670 - 0.0035	.7578	----	----	----	----	2 UNCH
590	----	----	0.4855B/0.4250A	0.4855B/0.4250A	----	0.4750 - 0.0040	.7632	----	----	----	----	144 UNCH
591	----	----	0.4940B/----	0.4940B/0.4975A	----	0.4830 - 0.0045	.7679	----	----	----	----	1 UNCH
592	----	----	0.5020B/0.4855A	0.5020B/0.4855A	----	0.4915 - 0.0040	.7733	----	----	----	----	50 UNCH
594	----	----	0.5180B/----	0.5180B/0.5220A	----	0.5080 - 0.0045	.7832	----	----	----	----	1 UNCH
595	----	----	0.5265B/0.5105A	0.5265B/0.5105A	----	0.5160 - 0.0050	.7886	----	----	----	----	32 UNCH
597	----	----	0.5435B/----	0.5435B/0.5465A	----	0.5325 - 0.0055	.7984	----	----	----	----	1 UNCH
598	----	----	0.5520B/----	0.5520B/0.5555A	----	0.5410 - 0.0060	.8029	----	----	----	----	1 UNCH
600	----	----	0.5740B/0.5325A	0.5740B/0.5325A	----	0.5575 - 0.0065	.8119	----	----	----	----	505 UNCH
602	----	----	0.5855B/----	0.5855B/0.5890A	----	0.5745 - 0.0075	.8207	----	----	----	----	1 UNCH
603	----	----	0.5950B/----	0.5950B/0.5980A	----	0.5830 - 0.0080	.8251	----	----	----	----	1 UNCH
604	----	----	0.6035B/----	0.6035B/0.6065A	----	0.5915 - 0.0085	.8296	----	----	----	----	2 UNCH
605	----	----	0.6125B/0.5940A	0.6125B/0.5940A	----	0.6000 - 0.0090	.8340	----	----	----	----	37 UNCH
610	----	----	0.6555B/0.6370A	0.6555B/0.6370A	----	0.6435 - 0.0105	.8539	----	----	----	----	42 UNCH
615	----	----	0.7020B/----	0.7020B/0.7040A	----	0.6875 - 0.0125	.8716	----	----	----	----	1 UNCH
619	----	----	0.7380B/----	0.7380B/0.7400A	----	0.7240 - 0.0130	.8847	----	----	----	----	1 UNCH
620	----	----	----	0.7465B/0.7490A	----	0.7330 - 0.0135	.8879	----	----	----	----	3 UNCH
645	----	----	----	----	----	0.9690 - 0.0165	.9377	----	----	----	----	1 UNCH
TOTAL										1325		13351+ 611
JUN26												
355	----	----	----	0.0005B/0.0140A	----	0.0075 + 0.0030	.0153	----	----	----	----	10 UNCH
370	----	----	----	0.0020B/0.0155A	----	0.0100 + 0.0035	.0206	----	----	----	----	1 UNCH
400	----	----	0.0125B/----	0.0125B/0.0140A	----	0.0160 + 0.0050	.0344	----	----	----	----	2 UNCH
420	----	----	0.0200B/----	0.0200B/0.0195A	----	0.0210 + 0.0040	.0469	----	----	----	----	3 UNCH
430	----	----	0.0250B/----	0.0250B/0.0240A	----	0.0245 + 0.0040	.0555	----	----	----	----	1 UNCH
435	----	----	0.0275B/----	0.0275B/0.0260A	----	0.0265 + 0.0035	.0604	----	----	----	----	2 UNCH
440	----	----	0.0310B/----	0.0310B/0.0285A	----	0.0290 + 0.0035	.0663	----	----	----	----	3 UNCH
445	----	----	0.0340B/----	0.0340B/0.0310A	----	0.0320 + 0.0035	.0730	----	----	----	----	2 UNCH
450	----	----	0.0390B/0.0305A	0.0390B/0.0305A	----	0.0350 + 0.0035	.0800	----	----	----	----	409 UNCH
455	----	----	0.0440B/0.0335A	0.0440B/0.0335A	----	0.0390 + 0.0040	.0886	----	----	----	----	2 UNCH
460	----	----	0.0490B/0.0370A	0.0490B/0.0370A	----	0.0435 + 0.0050	.0981	----	----	4	----	32 + 4
465	0.0455	0.0455	0.0545B/0.0410A	0.0545B/0.0410A	----	0.0490 + 0.0065	.1091	----	----	3	----	18 + 2
470	0.0550	0.0550	0.0605B/0.0455A	0.0605B/0.0455A	----	0.0550 + 0.0075	.1209	----	----	651	----	657 + 650
475	----	----	0.0680B/0.0500A	0.0680B/0.0500A	----	0.0615 + 0.0090	.1336	----	----	6	----	103 UNCH
480	0.0665	0.0665	0.0755B/0.0555A	0.0755B/0.0555A	----	0.0690 + 0.0105	.1476	----	----	2734	----	1227 - 835
485	----	----	0.0845B/0.0635A	0.0845B/0.0635A	----	0.0770 + 0.0120	.1625	----	----	----	----	5 UNCH
490	----	----	0.0940B/0.0695A	0.0940B/0.0695A	----	0.0860 + 0.0135	.1785	----	----	----	----	41 UNCH
495	----	----	0.1050B/0.0775A	0.1050B/0.0775A	----	0.0960 + 0.0155	.1958	----	----	----	----	8 UNCH
500	0.1155	0.1155	0.1155/0.0875A	0.1155/0.0875A	----	0.1070 + 0.0175	.2143	----	----	7	----	560 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
505	0.1095	0.1095	0.1275B/0.0970A	0.1275B/0.0970A	----	0.1185 + 0.0185	.2334	----	----	5	----	513 - 3
510	----	----	0.1410B/0.1070A	0.1410B/0.1070A	----	0.1315 + 0.0200	.2539	----	----	25	----	83 + 12
515	----	----	0.1555B/0.1185A	0.1555B/0.1185A	----	0.1450 + 0.0205	.2750	----	----	----	----	26 UNCH
520	----	----	0.1710B/0.1300A	0.1710B/0.1300A	----	0.1590 + 0.0205	.2969	----	----	----	----	25 UNCH
523	0.1670	0.1670	0.1810B/0.1390A	0.1810B/0.1390A	----	0.1680 NEW	.3105	----	----	3	----	3 + 3
525	0.1715	0.1715	0.1880B/0.1445A	0.1880B/0.1445A	----	0.1740 + 0.0195	.3197	----	----	2070	----	2252 + 2000
530	----	----	0.2065B/0.1590A	0.2065B/0.1590A	----	0.1905 + 0.0185	.3437	----	----	----	----	128 UNCH
535	----	----	0.2260B/0.1755A	0.2260B/0.1755A	----	0.2080 + 0.0170	.3685	----	----	----	----	21 UNCH
540	0.2305	0.2305	0.2475B/0.1935A	0.2475B/0.1935A	----	0.2285 + 0.0165	.3945	----	----	1	----	44 UNCH
542	----	----	0.2560B/0.2005A	0.2560B/0.2005A	----	0.2370 + 0.0160	.4050	----	----	----	----	1 UNCH
543	----	----	0.2605B/0.2050A	0.2605B/0.2050A	----	0.2415 + 0.0160	.4103	----	----	10	----	10 UNCH
545	----	----	0.2695B/0.2125A	0.2695B/0.2125A	----	0.2510 + 0.0165	.4210	----	----	----	----	34 UNCH
550	0.2700	0.2700	0.2920B/0.2335A	0.2920B/0.2335A	----	0.2755 + 0.0170	.4477	----	----	2	----	137 UNCH
551	----	----	0.2965B/0.2380A	0.2965B/0.2380A	----	0.2805 + 0.0170	.4530	----	----	----	----	90 UNCH
555	----	----	0.3175B/0.2555A	0.3175B/0.2555A	----	0.3010 + 0.0170	.4744	----	----	----	----	10 UNCH
557	0.2915	0.2915	0.3280B/0.2655A	0.3280B/0.2655A	----	0.3115 + 0.0175	.4851	----	----	50	----	50 + 48
565	----	----	0.3720B/0.3050A	0.3720B/0.3050A	----	0.3535 + 0.0150	.5281	----	----	----	----	140 UNCH
570	----	----	0.3980B/0.3325A	0.3980B/0.3325A	----	0.3810 + 0.0130	.5549	----	----	----	----	5 UNCH
575	----	----	0.4285B/0.3620A	0.4285B/0.3620A	----	0.4105 + 0.0105	.5814	----	----	----	----	60 UNCH
580	----	----	0.4595B/0.3925A	0.4595B/0.3925A	----	0.4420 + 0.0080	.6073	----	----	----	----	15 UNCH
585	----	----	0.4855B/0.4335A	0.4855B/0.4335A	----	0.4750 + 0.0060	.6320	----	----	----	----	1 UNCH
590	----	----	0.5205B/0.4670A	0.5205B/0.4670A	----	0.5100 + 0.0045	.6558	----	----	----	----	2 UNCH
600	----	----	0.6010B/0.5375A	0.6010B/0.5375A	----	0.5835 + 0.0030	.6999	----	----	----	----	15 UNCH
605	----	----	0.6395B/0.5745A	0.6395B/0.5745A	----	0.6215 + 0.0020	.7205	----	----	----	----	48 UNCH
610	----	----	0.6790B/0.6125A	0.6790B/0.6125A	----	0.6605 + 0.0010	.7404	----	----	----	----	20 UNCH
615	----	----	----/0.6515A	0.6940B/0.6515A	----	0.7000 - 0.0005	.7598	----	----	----	----	31 UNCH
620	----	----	----/0.7410A	0.7350B/0.7410A	----	0.7400 - 0.0025	.7781	----	----	----	----	9 UNCH
630	----	----	----/0.8225A	0.8200B/0.8225A	----	0.8230 - 0.0055	.8113	----	----	----	----	9 UNCH
645	----	----	----	----	----	0.9540 - 0.0085	.8520	----	----	----	----	1 UNCH
650	----	----	----	----	----	0.9990 - 0.0095	.8635	----	----	----	----	3 UNCH
655	----	----	----	----	----	1.0445 - 0.0100	.8734	----	----	----	----	1 UNCH
700	----	----	----	----	----	1.4690 - 0.0140	.9362	----	----	----	----	1 UNCH
TOTAL										5571		6874 + 1881
JUL26												
350	----	----	----	0.0030B/0.0170A	----	0.0110 + 0.0015	.0201	----	----	----	----	5 UNCH
380	----	----	----	0.0110B/0.0210A	----	0.0170 + 0.0020	.0322	----	----	----	----	2 UNCH
390	----	----	----	0.0135B/0.0240A	----	0.0200 + 0.0025	.0382	----	----	----	----	6 UNCH
400	----	----	0.0215B/----	0.0215B/0.0250A	----	0.0235 + 0.0030	.0451	----	----	397	----	406 + 373
415	----	----	0.0265B/----	0.0265B/0.0325A	----	0.0305 + 0.0045	.0585	----	----	----	----	47 UNCH
420	----	----	0.0300B/----	0.0300B/0.0345A	----	0.0335 + 0.0050	.0640	----	----	----	----	2 UNCH
425	----	----	0.0340B/----	0.0340B/0.0370A	----	0.0370 + 0.0055	.0703	----	----	----	----	45 UNCH
430	----	----	0.0380B/----	0.0380B/0.0400A	----	0.0405 + 0.0060	.0767	----	----	----	----	2 UNCH
435	----	----	0.0425B/----	0.0425B/0.0435A	----	0.0445 + 0.0065	.0838	----	----	----	----	1 UNCH
450	----	----	0.0640B/----	0.0640B/0.0540A	----	0.0595 + 0.0085	.1094	----	----	397	----	1825 + 175
455	----	----	0.0700B/----	0.0700B/0.0595A	----	0.0655 + 0.0095	.1193	----	----	----	----	6 UNCH
460	----	----	0.0775B/----	0.0775B/0.0650A	----	0.0725 + 0.0110	.1304	----	----	----	----	1 UNCH
470	----	----	0.0940B/----	0.0940B/0.0770A	----	0.0890 + 0.0145	.1552	----	----	----	----	2 UNCH
475	----	----	0.1040B/----	0.1040B/0.0840A	----	0.0985 + 0.0170	.1688	----	----	----	----	177 UNCH
480	----	----	0.1120B/----	0.1120B/0.0920A	----	0.1085 + 0.0190	.1830	----	----	----	----	68 UNCH
490	----	----	0.1360B/----	0.1360B/0.1090A	----	0.1300 + 0.0220	.2130	----	----	----	----	510 UNCH
495	----	----	0.1460B/----	0.1460B/0.1185A	----	0.1415 + 0.0230	.2288	----	----	----	----	96 UNCH
500	0.1440	0.1440	0.1615B/0.1290A	0.1615B/0.1290A	----	0.1530 + 0.0225	.2449	----	----	3	----	2502 + 2
505	----	----	0.1730B/0.1400A	0.1730B/0.1400A	----	0.1655 + 0.0225	.2619	----	----	----	----	2 UNCH
510	----	----	0.1880B/0.1525A	0.1880B/0.1525A	----	0.1785 + 0.0215	.2795	----	----	----	----	31 UNCH
520	0.2015	0.2015	0.2230B/0.1795A	0.2230B/0.1795A	----	0.2095 + 0.0205	.3179	----	----	10	----	635 + 5
525	0.2170	0.2170	0.2420B/0.1950A	0.2420B/0.1950A	----	0.2275 + 0.0205	.3383	----	----	7	----	503 + 7
530	0.2335	0.2335	0.2615B/0.2115A	0.2615B/0.2115A	----	0.2475 + 0.0210	.3595	----	----	1	----	3209 UNCH
535	----	----	0.2785B/0.2305A	0.2785B/0.2305A	----	0.2685 + 0.0215	.3809	----	----	----	----	1 UNCH
540	0.2895	0.2895	0.3055B/0.2495A	0.3055B/0.2495A	----	0.2905 + 0.0215	.4026	----	----	9	----	423 - 6
545	0.3100	0.3100	0.3235B/0.2705A	0.3235B/0.2705A	----	0.3125 NEW	.4244	----	----	1	----	1 + 1
550	----	----	0.3510B/0.2925A	0.3510B/0.2925A	----	0.3350 + 0.0175	.4465	----	----	----	----	156 UNCH
560	----	----	0.3950B/0.3405A	0.3950B/0.3405A	----	0.3855 + 0.0150	.4911	----	----	----	----	10 UNCH
565	----	----	0.4240B/0.3670A	0.4240B/0.3670A	----	0.4135 + 0.0145	.5131	----	----	----	----	7 UNCH
570	----	----	0.4540B/0.3940A	0.4540B/0.3940A	----	0.4430 + 0.0140	.5349	----	----	----	----	30 UNCH
580	----	----	0.5200B/0.4520A	0.5200B/0.4520A	----	0.5030 + 0.0110	.5779	----	----	----	----	1735 UNCH
585	----	----	0.5465B/0.4825A	0.5465B/0.4825A	----	0.5345 + 0.0095	.5989	----	----	----	----	21 UNCH
590	----	----	0.5800B/0.5235A	0.5800B/0.5235A	----	0.5675 + 0.0085	.6195	----	----	----	----	21 UNCH
595	----	----	0.6065B/0.5565A	0.6065B/0.5565A	----	0.6010 + 0.0070	.6396	----	----	----	----	1 UNCH
600	----	----	0.6500B/0.5905A	0.6500B/0.5905A	----	0.6360 + 0.0055	.6592	----	----	----	----	10 UNCH
610	----	----	0.7245B/0.6620A	0.7245B/0.6620A	----	0.7095 + 0.0045	.6957	----	----	----	----	47 UNCH
615	----	----	0.7630B/0.6995A	0.7630B/0.6995A	----	0.7475 + 0.0035	.7127	----	----	----	----	10 UNCH
700	----	----	----	----	----	1.4875 - 0.0105	.8985	----	----	----	----	1 UNCH
705	----	----	----	----	----	1.5345 - 0.0115	.9048	----	----	----	----	1 UNCH
TOTAL										825		12558 + 557
AUG26												
405	----	----	----	0.0240B/0.0415A	----	0.0310 - 0.0015	.0543	----	----	----	----	3 UNCH
420	----	----	----	0.0355B/0.0510A	----	0.0410 UNCH	.0706	----	----	----	----	1 UNCH
440	----	----	----	0.0580B/0.0675A	----	0.0615 + 0.0030	.1011	----	----	----	----	7 UNCH
450	----	----	0.0730B/----	0.0730B/0.0775A	----	0.0750 + 0.0045	.1200	----	----	----	----	4 UNCH
480	----	----	0.1285B/----	0.1285B/0.1185A	----	0.1285 + 0.0115	.1893	----	----	----	----	4 UNCH
500	----	----	0.1780B/0.1600A	0.1780B/0.1600A	----	0.1770 + 0.0160	.2465	----	----	----	----	3 UNCH
510	----	----	0.2080B/0.1860A	0.2080B/0.1860A	----	0.2060 + 0.0175	.2784	----	----	----	----	1 UNCH
520	----	----	0.2415B/0.2150A	0.2415B/0.2150A	----	0.2385 + 0.0185	.3123	----	----	----	----	300 UNCH
530	----	----	0.2790B/0.2480A	0.2790B/0.2480A	----	0.2750 + 0.0190	.3480	----	----	----	----	1 UNCH
580	----	----	0.5280B/0.4785A	0.5280B/0.4785A	----	0.5195 + 0.0145	.5390	----	----	----	----	250 UNCH
585	----	----	0.5585B/0.5075A	0.5585B/0.5075A	----	0.5500 + 0.0140	.5577	----	----	----	----	5 UNCH
590	----	----	0.5860B/0.5380A	0.5860B/0.5380A	----	0.5810 + 0.0130	.5761	----	----	----	----	14 UNCH
TOTAL												593
SEP26												
400	----	----	----	0.0280B/0.0480A	----	0.0345 + 0.0005	.0566	----	----	----	----	1 UNCH
450	----	----	0.0905B/----	0.0905B/0.0970A	----	0.0920 + 0.0075	.1333	----	----	----	----	578 UNCH
470	----	----	0.1300B/----	0.1300B/0.1295A	----	0.1310 + 0.0115	.1784	----	----	----	----	3 UNCH
475	----	----	0.1410B/----	0.1410B/0.1395A	----	0.1420 + 0.0120	.1907	----	----	----	----	70 UNCH
480	----	----	0.1530B/----	0.1530B/0.1495A	----	0.1530 + 0.0120	.2031	----	----	----	----	7 UNCH
490	----	----	0.1690B/----	0.1690B/0.1765A	----	0.1775 + 0.0130	.2296	----	----	----	----	9 UNCH
500	0.1900	0.1900	0.1970B/0.1900	0.1970B/0.1900	----	0.2050 + 0.0135	.2581	----	----	8	----	504 UNCH
520	----	----	0.2640B/----	0.2640B/0.2590A	----	0.2700 + 0.0135	.3203	----	----	----	----	8 UNCH
540	----	----	0.3565B/0.3315A	0.3565B/0.3315A	----	0.3505 + 0.0130	.3882	----	----	----	----	1 UNCH
550	----	----	0.4025B/0.3735A	0.4025B/0.3735A	----	0.3970 + 0.0130	.4233	----	----	----	----	20 UNCH
575	----	----	0.5355B/0.4965A	0.5355B/0.4965A	----	0.5280 + 0.0105	.5117	----	----	----	----	102 UNCH
590	----	----	0.6255B/0.5820A	0.6255B/0.5820A	----	0.6175 + 0.0085	.5633	----	----	----	----	2 UNCH
600	----	----	0.6835B/0.6440A	0.6835B/0.6440A	----	0.6815 + 0.0070	.5965	----	----	----	----	9 UNCH
610	----	----	0.7520B/0.7140A	0.7520B/0.7140A	----	0.7490 + 0.0055	.6284	----	----	----	----	6 UNCH
615	0.8140	0.8140	0.8140/0.7480A	0.8140/0.7480A	----	0.7835 NEW	.6438	----	----	1	----	1 + 1
625	----	----	0.8605B/0.8185A	0.8605B/0.8185A	----	0.8560 + 0.0030	.6731	----	----	----	----	147 UNCH
695	----	----	----	----	----	1.4340 - 0.0045	.8251	----	----	----	----	2 UNCH
TOTAL										9		1470 + 1
OCT26												
375	----	----	----	0.0180B/0.0460A	----	0.0285 UNCH	.0422	----	----	----	----	2 UNCH
400	----	----	----	0.0340B/0.0600A	----	0.0430 + 0.0010	.0625	----	----	----	----	1 UNCH
450	----	----	0.1005B/----	0.1005B/0.1135A	----	0.1045 + 0.0075	.1356	----	----	----	----	1 UNCH
470	----	----	0.1400B/----	0.1400B/0.1480A	----	0.1445 + 0.0110	.1772	----	----	----	----	1 UNCH
500	----	----	0.2060B/----	0.2060B/0.2265A	----	0.2200 + 0.0150	.2498	----	----	----	----	110 UNCH
TOTAL												115
NOV26												
400	----	----	----	0.0435B/0.0745A	----	0.0545 + 0.0020	.0722	----	----	----	----	10 UNCH
475	----	----	0.1705B/----	0.1705B/0.1870A	----	0.1810 + 0.0120	.1998	----	----	----	----	2 UNCH
735	----	----	----	----	----	1.7670 - 0.0060	.8199	----	----	----	----	2 UNCH
TOTAL												14
DEC26												
385	----	----	----	0.0375B/0.0745A	----	0.0510 + 0.0015	.0643	----	----	----	----	1 UNCH
400	----	----	----	0.0525B/0.0875A	----	0.0650 + 0.0025	.0801	----	----	2	----	16 + 2
420	----	----	----	0.0790B/0.1100A	----	0.0895 + 0.0040	.1061	----	----	2	----	2 + 2
455	----	----	----	0.1395B/0.1670A	----	0.1530 + 0.0085	.1663	----	----	----	----	1 UNCH
475	----	----	----	0.1870B/0.2115A	----	0.2020 + 0.0115	.2080	----	----	----	----	77 UNCH
490	----	----	----	0.2290B/0.2510A	----	0.2445 + 0.0125	.2421	----	----	----	----	5 UNCH
500	----	----	----	0.2610B/0.2805A	----	0.2760 + 0.0130	.2662	----	----	----	----	53 UNCH
550	----	----	----	0.4660B/0.4735A	----	0.4775 + 0.0110	.3985	----	----	----	----	2 UNCH
560	----	----	----	0.5135B/0.5215A	----	0.5270 + 0.0100	.4262	----	----	----	----	300 UNCH
570	----	----	----	0.5660B/0.5720A	----	0.5795 + 0.0095	.4540	----	----	----	----	1 UNCH
580	----	----	----	0.6210B/0.6260A	----	0.6345 + 0.0085	.4814	----	----	----	----	2 UNCH
600	----	----	----/0.7405A	0.7400B/0.7405A	----	0.7525 + 0.0065	.5351	----	----	----	----	26 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
DEC26												
630	----	----	----/0.9335A	0.9360B/0.9335A	----	0.9490 + 0.0040	.6106	----	----	----	----	18 UNCH
TOTAL										4		504 + 4
JAN27												
400	----	----	----	----	----	0.0735 - 0.0015	.0830	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0635 - 0.0015	.0764	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0195 - 0.0005	.0199	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
MAR26												
500	----	----	0.5495B/0.4760A	0.5495B/0.4760A	----	0.4945 + 0.0170	----	----	----	----	----	0 - 1
546	----	----	0.0925B/0.0385A	0.0925B/0.0385A	----	0.0345 - 0.0205	----	----	----	1	----	0 - 21
547	----	----	0.0830B/*0.0330	0.0830B/*0.0330	----	0.0245 - 0.0250	----	----	----	----	----	0 - 10
549	----	----	0.0645B/*0.0235	0.0645B/*0.0235	----	0.0045 - 0.0345	----	----	----	----	----	0 - 10
550	0.0085	0.0085	0.0550B/*0.0085	0.0550B/*0.0085	----	0.0000 - 0.0345	----	----	----	1	----	0 - 12
552	----	----	0.0370B/*0.0125	0.0370B/*0.0125	----	0.0000 - 0.0270	----	----	----	----	----	0 - 1
553	----	----	0.0285B/*0.0120	0.0285B/*0.0120	----	0.0000 - 0.0235	----	----	----	----	----	0 - 1
555	0.0220	0.0220	0.0220/*0.0120A	0.0220/*0.0120A	----	0.0000 NEW	----	----	----	1	----	0 UNCH
556	0.0150	0.0150	0.0150/*0.0120A	0.0150/*0.0120A	----	0.0000 NEW	----	----	----	10	----	0 UNCH
558	0.0125	0.0125	0.0125/*0.0080A	0.0125/*0.0080A	----	0.0000 NEW	----	----	----	7	----	0 UNCH
560	----	----	----/*0.0060A	----/*0.0060A	----	0.0000 - 0.0080	----	----	----	----	----	0 - 25
562	----	----	----	----/*0.0115A	----	0.0000 - 0.0055	----	----	----	----	----	0 - 5
565	----	----	----	----/*0.0115A	----	0.0000 - 0.0030	----	----	----	----	----	0 - 150
567	----	----	----	----/*0.0095A	----	0.0000 - 0.0020	----	----	----	----	----	0 UNCH
570	0.0005	0.0005	0.0005/*0.0005	0.0005/*0.0005	----	0.0000 - 0.0010	----	----	----	1	----	0 - 35
580	----	----	----	----/*0.0095A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 26
590	----	----	----	----/0.0095A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
594	----	----	----	----/0.0095A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
600	----	----	----	----/0.0090A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
620	----	----	----	----/0.0085A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 7
TOTAL										21		0 - 316
APR26												
555	----	----	0.1265B/0.0975A	0.1265B/0.0975A	----	0.1185 + 0.0190	.4493	----	----	----	----	1 UNCH
567	0.0830	0.0830	0.0830/0.0800	0.0830/0.0585A	----	0.0740 + 0.0160	.3199	----	----	2	----	5 + 2
574	0.0495	0.0495	0.0780B/0.0495	0.0780B/0.0495	----	0.0825 + 0.0190	.3012	----	----	1	----	1 UNCH
575	----	----	0.0485B/----	0.0485B/0.0425A	----	0.0535 + 0.0110	.2468	----	----	----	----	5 UNCH
580	----	----	0.0625B/----	0.0625B/0.0535A	----	0.0665 + 0.0130	.2556	----	----	----	----	5 UNCH
589	----	----	----	0.0240B/0.0255A	----	0.0315 + 0.0070	.1543	----	----	----	----	2 UNCH
630	----	----	----	0.0030B/0.0135A	----	0.0070 + 0.0005	.0363	----	----	----	----	2 UNCH
640	----	----	----	0.0065B/0.0145A	----	0.0110 + 0.0010	.0491	----	----	----	----	3 UNCH
670	----	----	----	----/0.0125A	----	0.0050 + 0.0005	.0224	----	----	----	----	3 UNCH
TOTAL										3		27 + 2
HXE PUT		COPPER OPTIONS										
MAR26												
518	----	----	----	----/0.0100A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
520	----	----	----	----/0.0095A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 73
525	----	----	----	----/0.0095A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 11
530	----	----	----/*0.0005A	----/*0.0005A	----	0.0000 - 0.0045	----	----	----	----	----	0 - 123
534	----	----	----	----/0.0110A	----	0.0000 - 0.0085	----	----	----	----	----	0 - 1
535	----	----	----	----/*0.0105A	----	0.0000 - 0.0095	----	----	----	----	----	0 - 3
540	0.0005	0.0005	0.0005/*0.0005	0.0020B/*0.0005	----	0.0000 - 0.0190	----	----	----	1	----	0 - 95
542	----	----	----/*0.0120A	0.0010B/*0.0120	----	0.0000 - 0.0240	----	----	----	----	----	0 - 1
544	0.0135	0.0135	0.0135/*0.0120A	0.0135/*0.0120A	----	0.0000 NEW	----	----	----	1	----	0 UNCH
545	0.0015	0.0015	0.0015/*0.0015	0.0095B/*0.0015	----	0.0000 - 0.0340	----	----	----	1	----	0 - 1
547	----	----	----/*0.0125A	0.0180B/*0.0125	----	0.0000 - 0.0425	----	----	----	----	----	0 - 3
550	----	----	----/*0.0160A	0.0350B/*0.0160	----	0.0055 - 0.0520	----	----	----	----	----	0 - 7
551	0.0250	0.0250	0.0250/*0.0180A	0.0415B/*0.0180	----	0.0155 NEW	----	----	----	2	----	0 UNCH
552	0.0085	0.0085	0.0085/*0.0085	0.0490B/*0.0085	----	0.0255 NEW	----	----	----	1	----	0 UNCH
554	----	----	----/*0.0315A	0.0665B/*0.0315	----	0.0455 - 0.0380	----	----	----	----	----	0 - 2
556	----	----	----/0.0405A	0.0855B/0.0405A	----	0.0655 - 0.0325	----	----	----	----	----	0 - 2
563	----	----	----/0.0850A	0.1550B/0.0850A	----	0.1355 - 0.0220	----	----	----	----	----	0 - 1
568	----	----	----/0.1325A	0.2045B/0.1325A	----	0.1855 - 0.0190	----	----	----	----	----	0 - 1
575	----	----	0.2745B/0.2020A	0.2745B/0.2020A	----	0.2555 - 0.0180	----	----	----	1	----	0 - 3
585	----	----	0.3745B/0.3010A	0.3745B/0.3010A	----	0.3555 - 0.0180	----	----	----	----	----	0 - 1
TOTAL										7		0 - 329
APR26												
470	----	----	0.0065B/----	0.0065B/0.0150A	----	0.0060 + 0.0020	.0273	----	----	----	----	2 UNCH
490	----	----	0.0265B/----	0.0265B/0.0270A	----	0.0255 + 0.0045	.0960	----	----	----	----	2 UNCH
510	----	----	0.0525B/----	0.0525B/0.0430A	----	0.0495 + 0.0070	.1780	----	----	----	----	25 UNCH
535	0.0900	0.0900	0.0900/0.0700A	0.0900/0.0700A	----	0.0860 NEW	.3304	----	----	7	----	7 + 7
550	0.0995	0.0995	0.1540B/0.0995	0.1540B/0.0995	----	0.1475 + 0.0005	.4933	----	----	1	----	3 + 1
551	----	----	0.1590B/0.1235A	0.1590B/0.1235A	----	0.1525 + 0.0005	.5047	----	----	----	----	1 UNCH
555	----	----	0.1815B/0.1410A	0.1815B/0.1410A	----	0.1740 + 0.0015	.5502	----	----	----	----	1 UNCH
570	----	----	0.2800B/0.2270A	0.2800B/0.2270A	----	0.2710 - 0.0035	.7087	----	----	----	----	1 UNCH
TOTAL										8		42 + 8

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
MAY26												
1575	----	----	20.80B/----	20.80B/29.80A	----	26.70 + 7.10	.2320	----	----	----	----	5 UNCH
1585	----	----	19.20B/----	19.20B/28.60A	----	25.10 + 6.50	.2199	----	----	----	----	1 UNCH
1600	----	----	----	17.00B/26.90A	----	22.90 + 5.70	.2028	----	----	----	----	31 UNCH
1800	----	----	----	1.70B/15.80A	----	7.20 + 1.50	.0692	----	----	----	----	4 UNCH
1900	----	----	----	----/13.50A	----	4.20 + 0.70	.0410	----	----	----	----	20 UNCH
1925	----	----	----	----/13.10A	----	3.70 + 0.60	.0362	----	----	----	----	10 UNCH
1950	----	----	----	----/12.70A	----	3.30 + 0.60	.0322	----	----	----	----	40 UNCH
2475	----	----	----	----/9.10A	----	0.60 UNCH	.0052	----	----	----	----	100 UNCH
TOTAL												211 0
JUN26												
1400	----	----	120.40B/----	120.40B/117.90A	----	121.60 + 20.40	.5499	----	----	----	----	75 UNCH
1460	----	----	95.40B/----	95.40B/96.10A	----	98.00 + 17.80	.4723	----	----	----	----	25 UNCH
1500	----	----	80.90B/----	80.90B/83.60A	----	84.70 + 16.20	.4241	----	----	----	----	60 UNCH
1525	----	----	72.80B/----	72.80B/76.70A	----	77.40 + 15.30	.3958	----	----	----	----	5 UNCH
1550	----	----	65.30B/----	65.30B/70.50A	----	70.70 + 14.30	.3689	----	----	----	----	10 UNCH
1575	----	----	58.50B/----	58.50B/64.90A	----	64.50 + 13.20	.3433	----	----	----	----	15 UNCH
1655	----	----	41.20B/----	41.20B/51.00A	----	48.50 + 9.80	.2719	----	----	----	----	1 UNCH
1750	----	----	----	27.80B/40.10A	----	35.00 + 6.10	.2057	----	----	----	----	10 UNCH
1800	----	----	----	22.90B/36.00A	----	29.70 + 4.50	.1780	----	----	----	----	110 UNCH
1850	----	----	----	19.00B/32.60A	----	25.30 + 3.10	.1542	----	----	----	----	2 UNCH
1900	----	----	----	15.80B/30.00A	----	21.80 + 2.10	.1344	----	----	----	----	64 UNCH
1925	----	----	----	14.40B/28.80A	----	20.30 + 1.70	.1258	----	----	----	----	40 UNCH
1950	----	----	----	13.00B/27.70A	----	18.90 + 1.30	.1176	----	----	----	----	10 UNCH
2000	----	----	----	10.70B/25.90A	----	16.60 + 0.90	.1039	----	----	----	----	106 UNCH
2100	----	----	----	7.10B/22.90A	----	13.00 + 0.60	.0819	----	----	----	----	52 UNCH
2200	----	----	----	4.40B/20.60A	----	10.50 + 0.40	.0661	----	----	----	----	7 UNCH
2300	----	----	----	2.30B/18.90A	----	8.70 + 0.30	.0545	----	----	----	----	30 UNCH
2400	----	----	----	0.70B/17.50A	----	7.30 + 0.10	.0455	----	----	----	----	7 UNCH
2500	----	----	----	----/16.30A	----	5.80 UNCH	.0365	----	----	----	----	25 UNCH
2700	----	----	----	----/14.60A	----	3.80 - 0.10	.0242	----	----	----	----	50 UNCH
3000	----	----	----	----/12.90A	----	2.20 - 0.10	.0141	----	----	----	----	30 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 83

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUN26												
3500	----	----	----	----/11.20A	----	0.90 - 0.10	.0059	----	----	----	----	25 UNCH
TOTAL												759 0
SEP26												
1400	----	----	#174.60B/----	#174.60B/*198.8	----	189.80 + 17.10	.5869	----	----	----	----	75 UNCH
1575	----	----	----	#115.00B/*140.9	----	127.80 + 10.60	.4429	----	----	----	----	25 UNCH
1700	80.00	80.00	#85.10B/80.00	#85.10B/80.00	----	97.40 NEW	.3584	----	----	5	----	5 + 5
2100	----	----	----	#36.90B/*62.20A	----	48.90 + 7.70	.1949	----	----	----	----	25 UNCH
2400	35.00	35.00	#35.00/*35.00	35.00/*35.00	----	35.70 + 9.00	.1408	----	----	5	----	15 + 5
2550	----	----	----	#16.80B/*41.10A	----	31.40 + 8.70	.1229	----	----	----	----	50 UNCH
TOTAL										10		195 + 10
DEC26												
2000	----	----	----	----	----	132.50 + 15.90	.3473	----	----	----	----	1 UNCH
3000	----	----	----	----	----	85.10 + 9.40	.2104	----	----	----	----	1 UNCH
TOTAL												2 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
MAY26												
1250	----	----	----/*25.60A	16.50B/25.60A	----	17.40 - 11.20	.1618	----	----	----	----	40 UNCH
1300	----	----	----/37.60A	30.00B/37.60A	----	29.70 - 16.20	.2482	----	----	----	----	1 UNCH
1400	----	----	----/79.20A	80.60B/79.20A	----	72.30 - 26.90	.4606	----	----	----	----	35 UNCH
1450	----	----	----/108.00A	114.00B/108.00A	----	102.10 - 31.40	.5644	----	----	----	----	2 UNCH
1500	----	----	----/141.20A	152.20B/141.20A	----	136.60 - 35.70	.6569	----	----	----	----	2 UNCH
1550	----	----	----/178.70A	194.30B/178.70A	----	175.00 - 39.40	.7345	----	----	----	----	100 UNCH
1675	----	----	----/285.20A	308.50B/285.20A	----	283.00 - 45.30	.8654	----	----	----	----	100 UNCH
1820	----	----	----	----	----	419.80 - 46.90	.9380	----	----	----	----	25 UNCH
TOTAL												305 0
JUN26												
1200	----	----	----/43.60A	32.40B/43.60A	----	34.00 - 12.70	.1901	----	----	----	----	15 UNCH
1300	----	----	----/78.10A	71.30B/78.10A	----	66.80 - 21.30	.3141	----	----	----	15	65 + 15
1335	----	----	----/93.80A	88.60B/93.80A	----	82.10 - 23.90	.3616	----	----	----	----	1 UNCH
1400	----	----	----/127.00A	125.00B/127.00A	----	115.50 - 27.70	.4498	----	----	----	10	185 UNCH
1440	----	----	----/149.90A	149.80B/149.90A	----	139.00 - 29.50	.5022	----	----	----	----	4 UNCH
1450	----	----	----/155.80A	156.30B/155.80A	----	145.30 - 29.90	.5149	----	----	----	----	76 UNCH
1460	----	----	----/161.90A	163.00B/161.90A	----	151.60 - 30.30	.5274	----	----	----	----	25 UNCH
1750	----	----	----/380.90A	398.80B/380.90A	----	377.40 - 42.10	.7941	----	----	----	----	1 UNCH
1900	----	----	----/517.10A	539.10B/517.10A	----	513.80 - 46.00	.8654	----	----	----	----	50 UNCH
TOTAL									25			422 + 15
SEP26												
1465	----	----	----/*221.20A	#195.40B/*221.2	----	200.10 - 34.70	.4691	----	----	----	----	150 UNCH
1575	----	----	----/*295.10A	#270.40B/*295.1	----	272.80 - 38.60	.5567	----	----	----	----	25 UNCH
1650	----	----	----/*350.00A	#326.30B/*350.0	----	327.50 - 40.70	.6095	----	----	----	----	50 UNCH
1925	----	----	----/*576.00A	#556.30B/*576.0	----	555.60 - 42.20	.7495	----	----	----	----	75 UNCH
TOTAL												300 0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
MAR26												
1395	----	----	----/*7.90A	21.60B/*7.90A	----	0.00 - 47.90	----	----	----	----	----	0 - 7
1400	3.90	3.90	21.30B/*3.90	21.30B/*3.90	----	6.10 - 3.40	----	----	----	4	----	0 - 4
1410	----	----	----/*15.80A	21.00B/15.80A	----	3.90 - 55.60	----	----	----	----	----	0 - 7
1450	----	----	----/*0.10A	1.80B/*0.10A	----	0.00 - 2.30	----	----	----	----	----	0 - 4
1500	----	----	----	----/*7.90A	----	0.00 - 0.50	----	----	----	----	----	0 - 4
1650	----	----	----	----/7.90A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
TOTAL										4		0 - 38
APR26												
1600	----	----	19.90B/----	19.90B/30.10A	----	26.40 + 6.70	.2189	----	----	----	----	1 UNCH
TOTAL												1 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4										
MAR26												
1800	18.10	18.10	22.50/*4.60A	22.50/*4.60A	----	0.00 NEW	----	----	----	40	----	0 UNCH
1830	----	----	30.50B/*4.60A	30.50B/*4.60A	----	0.00 - 17.20	----	----	----	----	----	0 - 25
1835	----	----	31.00B/*4.60A	31.00B/*4.60A	----	0.00 - 19.00	----	----	----	----	----	0 - 25
1860	----	----	31.40B/*4.60A	31.40B/*4.60A	----	0.00 - 30.20	----	----	----	----	----	0 - 25
1895	----	----	----/*12.80A	22.70B/*12.80A	----	7.90 - 44.20	----	----	----	----	----	0 - 12
1910	----	----	----/34.20A	20.90B/34.20A	----	22.90 - 40.40	----	----	----	----	----	0 - 24
1920	----	----	13.00B/*4.60A	13.00B/*4.60A	----	0.00 - 8.50	----	----	----	----	----	0 - 25
1940	----	----	----/*4.60A	3.60B/*4.60A	----	0.00 - 5.20	----	----	----	----	----	0 - 25
1945	----	----	----	----	----	57.90 - 34.40	----	----	----	----	----	0 - 25
1945	----	----	----	2.50B/*4.60A	----	0.00 - 4.60	----	----	----	----	----	0 - 25
2000	----	----	----	----/*4.60A	----	0.00 - 1.00	----	----	----	----	----	0 - 20
2045	----	----	----	----/*4.60A	----	0.00 - 0.20	----	----	----	----	----	0 - 4
2150	----	----	----	----/*4.60A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
2150	----	----	335.20B/251.40A	335.20B/251.40A	----	262.90 - 29.90	----	----	----	----	----	0 - 13
2155	----	----	----	----/*4.60A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
2155	----	----	----	----	----	267.90 - 29.90	----	----	----	----	----	0 - 13
2160	----	----	----	----/*4.60A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
2160	----	----	----	----	----	272.90 - 29.90	----	----	----	----	----	0 - 32
2350	----	----	----	----/*4.60A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
TOTAL										40		0 - 318
APR26												
1755	58.20	58.20	#72.30B/56.20A	#72.30B/56.20A	----	52.80 NEW	.2818	----	----	27	----	27 + 27
1765	----	----	#63.80B/47.70A	63.80B/47.70A	----	44.60 - 11.00	.2751	----	----	----	----	27 UNCH
1790	----	----	#75.40B/55.70A	75.40B/55.70A	----	53.10 - 12.20	.3137	----	----	----	----	27 UNCH
1840	----	----	102.30B/75.10A	102.30B/75.10A	----	73.20 - 14.70	.3955	----	----	----	----	27 UNCH
1940	----	----	----/109.00A	96.20B/109.00A	----	109.20 - 20.80	.5878	----	----	----	----	35 UNCH
1955	51.00	51.00	52.80B/34.50A	52.80B/34.50A	----	51.10 NEW	.3831	----	----	10	----	10 + 10
2050	23.00	23.00	25.90B/20.70A	25.90B/20.70A	----	27.70 NEW	.2318	----	----	20	----	20 + 20
2090	----	----	----	----	----	224.40 - 26.30	.8138	----	----	----	----	18 UNCH
2100	----	----	17.30B/*16.70A	17.30B/*16.70A	----	20.50 + 3.30	.1765	----	----	----	----	12 UNCH
2120	34.90	34.90	38.00B/*31.20A	38.00B/*31.20A	----	39.40 NEW	.2424	----	----	27	----	27 + 27
2150	----	----	348.90B/279.60A	348.90B/279.60A	----	287.30 - 26.10	.8188	----	----	----	----	12 UNCH
2155	----	----	----	----	----	291.70 - 26.20	.8227	----	----	----	----	12 UNCH
2160	----	----	----	----	----	296.20 - 26.20	.8266	----	----	----	----	12 UNCH
2160	----	----	----/19.60A	20.00B/19.60A	----	23.70 + 3.50	.1733	----	----	----	----	12 UNCH
2345	----	----	----	0.70B/*8.70A	----	5.70 + 0.70	.0500	----	----	----	----	1 UNCH
TOTAL										84		279 + 84
PO CALL		PLATINUM OPTIONS										
MAY26												
1750	129.20	129.20	179.30B/122.20A	179.30B/122.20A	----	172.40 NEW	.7577	----	----	80	----	19 + 19
1800	108.00	108.00	143.30B/95.40A	143.30B/95.40A	----	138.50 + 19.30	.6778	----	----	3	----	16 + 3
1850	85.00	85.00	112.10B/73.40A	112.10B/73.40A	----	109.10 + 16.50	.5902	----	----	2	----	2 + 2
1875	----	----	98.50B/64.10A	98.50B/64.10A	----	96.20 NEW	.5451	----	----	1	----	1 + 1
1925	----	----	74.60B/48.70A	74.60B/48.70A	----	73.90 + 13.00	.4559	----	----	1	----	0 - 1
1950	65.00	65.00	65.00/42.50A	65.00/42.50A	----	64.40 + 11.90	.4131	----	----	3	----	3 UNCH
2000	----	----	46.80B/32.60A	46.80B/32.60A	----	48.70 + 9.70	.3341	----	----	----	----	283 UNCH
2025	----	----	39.70B/28.70A	39.70B/28.70A	----	42.30 + 8.70	.2986	----	----	----	----	50 UNCH
2040	----	----	36.00B/26.70A	36.00B/26.70A	----	38.80 + 8.00	.2785	----	----	----	----	50 UNCH
2045	----	----	34.80B/26.10A	34.80B/26.10A	----	37.70 + 7.70	.2720	----	----	----	----	50 UNCH
2050	----	----	33.60B/25.40A	33.60B/25.40A	----	36.60 + 7.50	.2656	----	----	----	----	57 UNCH
2055	----	----	32.50B/24.80A	32.50B/24.80A	----	35.60 + 7.30	.2595	----	----	----	----	57 UNCH
2060	----	----	31.40B/24.30A	31.40B/24.30A	----	34.60 + 7.10	.2534	----	----	----	----	7 UNCH
2065	----	----	30.30B/23.70A	30.30B/23.70A	----	33.60 + 6.80	.2473	----	----	----	----	14 UNCH
2070	----	----	29.20B/23.20A	29.20B/23.20A	----	32.60 + 6.60	.2413	----	----	----	----	14 UNCH
2075	----	----	28.20B/22.70A	28.20B/22.70A	----	31.70 + 6.40	.2356	----	----	----	----	21 UNCH
2080	----	----	27.30B/22.20A	27.30B/22.20A	----	30.80 + 6.20	.2300	----	----	----	----	20 UNCH
2090	----	----	25.50B/21.20A	25.50B/21.20A	----	29.00 + 5.70	.2187	----	----	----	----	7 UNCH
2095	----	----	24.60B/20.80A	24.60B/20.80A	----	28.20 + 5.50	.2135	----	----	----	----	7 UNCH
2100	25.00	25.00	25.00/20.30A	25.00/20.30A	----	27.40 + 5.30	.2083	----	----	1	----	177 UNCH
2105	----	----	22.90B/19.90A	22.90B/19.90A	----	26.60 + 5.10	.2031	----	----	----	----	7 UNCH
2110	----	----	22.10B/19.50A	22.10B/19.50A	----	25.80 + 4.80	.1980	----	----	----	----	37 UNCH
2115	----	----	21.40B/19.10A	21.40B/19.10A	----	25.10 + 4.70	.1932	----	----	----	----	22 UNCH
2120	----	----	20.60B/18.80A	20.60B/18.80A	----	24.30 + 4.40	.1881	----	----	----	----	14 UNCH
2125	----	----	19.80B/*18.40A	19.80B/*18.40A	----	23.60 + 4.20	.1834	----	----	----	----	14 UNCH
2130	----	----	19.10B/*18.10A	19.10B/*18.10A	----	22.90 + 4.00	.1787	----	----	----	----	107 UNCH
2135	----	----	18.50B/*17.70A	18.50B/*17.70A	----	22.30 + 3.90	.1745	----	----	----	----	7 UNCH
2140	----	----	----/*17.40A	17.90B/*17.40A	----	21.60 + 3.60	.1698	----	----	----	----	7 UNCH
2145	----	----	----/*17.10A	17.20B/*17.10A	----	21.00 + 3.50	.1656	----	----	----	----	7 UNCH
2150	----	----	----/*16.80A	16.60B/*16.80A	----	20.30 + 3.20	.1610	----	----	----	----	119 UNCH
2155	----	----	----/*16.50A	16.00B/*16.50A	----	19.70 + 3.00	.1568	----	----	----	----	7 UNCH
2160	----	----	----/*16.20A	15.50B/*16.20A	----	19.20 + 2.90	.1531	----	----	----	----	13 UNCH
2170	----	----	----	14.40B/*15.70A	----	18.00 + 2.50	.1449	----	----	----	----	75 UNCH
2175	----	----	----	13.90B/*15.40A	----	17.50 + 2.40	.1412	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
MAY26												
2200	----	----	----	11.50B/*14.20A	----	15.00 + 1.60	.1233	----	----	----	----	20 UNCH
2215	----	----	----	10.20B/*13.60A	----	13.70 + 1.20	.1136	----	----	----	----	20 UNCH
2220	----	----	----	9.80B/*13.40A	----	13.30 + 1.10	.1106	----	----	----	----	21 UNCH
2245	----	----	----	8.00B/*12.50A	----	11.40 + 0.50	.0963	----	----	----	----	10 UNCH
2250	----	----	----	7.70B/*12.40A	----	11.00 + 0.30	.0933	----	----	----	----	29 UNCH
2260	----	----	----	7.10B/*12.10A	----	10.30 + 0.10	.0880	----	----	----	----	10 UNCH
2265	----	----	----	6.80B/*11.90A	----	10.00 UNCH	.0856	----	----	----	----	10 UNCH
2270	----	----	----	6.50B/*11.80A	----	9.70 - 0.10	.0832	----	----	----	----	183 UNCH
2275	----	----	----	6.20B/*11.60A	----	9.40 - 0.20	.0809	----	----	----	----	10 UNCH
2280	----	----	----	5.90B/*11.50A	----	9.10 - 0.30	.0786	----	----	----	----	10 UNCH
2285	----	----	----	5.70B/*11.40A	----	8.80 - 0.40	.0762	----	----	----	----	10 UNCH
2300	----	----	----	4.90B/*11.00A	----	8.00 - 0.60	.0698	----	----	----	----	14 UNCH
2315	----	----	----	4.20B/*10.60A	----	7.30 - 0.80	.0642	----	----	----	----	10 UNCH
2320	----	----	----	4.00B/*10.50A	----	7.10 - 0.90	.0625	----	----	----	----	4 UNCH
2330	----	----	----	3.70B/*10.30A	----	6.70 - 0.90	.0591	----	----	----	----	10 UNCH
2350	----	----	----	3.00B/*9.90A	----	6.10 - 1.00	.0538	----	----	----	----	1 UNCH
2360	----	----	----	2.70B/*9.70A	----	5.70 - 1.00	.0506	----	----	----	----	10 UNCH
2390	----	----	----	1.80B/*9.20A	----	4.80 - 0.80	.0429	----	----	----	----	21 UNCH
2400	----	----	----	2.00B/9.10A	----	4.50 - 0.80	.0404	----	----	----	----	5 UNCH
2450	----	----	----	0.50B/*8.40A	----	3.30 - 0.70	.0301	----	----	----	----	160 UNCH
2500	----	----	----	----/*7.90A	----	2.50 - 0.60	.0230	----	----	----	----	170 UNCH
2700	----	----	----	----/*6.60A	----	1.00 - 0.40	.0090	----	----	----	----	110 UNCH
2730	----	----	----	----/*6.50A	----	0.90 - 0.30	.0081	----	----	----	----	1 UNCH
2750	----	----	----	----/*6.40A	----	0.80 - 0.30	.0072	----	----	----	----	2 UNCH
2800	----	----	----	----/*6.20A	----	0.60 - 0.30	.0054	----	----	----	----	1 UNCH
2880	----	----	----	----/5.90A	----	0.40 - 0.20	.0036	----	----	----	----	1 UNCH
3000	----	----	----	----/*5.60A	----	0.20 - 0.20	.0018	----	----	----	----	2 UNCH
3050	----	----	----	----/*5.50A	----	0.20 - 0.10	.0017	----	----	----	----	2 UNCH
3150	----	----	----	----/5.40A	----	0.10 - 0.10	.0009	----	----	----	----	121 UNCH
TOTAL										91		2279 + 24
JUN26												
1900	151.70	151.70	151.70/116.20A	151.70/116.20A	----	144.70 NEW	.5258	----	----	1	----	1 + 1
2000	----	----	109.00B/86.10A	109.00B/86.10A	----	106.90 + 11.20	.4251	----	----	----	----	20 UNCH
2200	----	----	55.90B/47.90A	55.90B/47.90A	----	57.20 + 6.30	.2618	----	----	----	----	200 UNCH
2300	----	----	39.30B/36.40A	39.30B/36.40A	----	42.00 + 4.00	.2024	----	----	----	100	260 UNCH
2500	----	----	----	19.70B/22.80A	----	23.20 + 0.90	.1204	----	----	----	----	100 UNCH
2650	----	----	----	11.70B/*17.50A	----	15.20 - 1.00	.0821	----	----	----	----	17 UNCH
TOTAL									100	1		598 + 1
JUL26												
1500	----	----	427.60B/361.50A	427.60B/361.50A	----	419.80 + 25.60	.8624	----	----	----	----	50 UNCH
1680	----	----	----	----	----	290.70 + 19.10	.7289	----	----	----	----	50 UNCH
1700	----	----	284.80B/235.20A	284.80B/235.20A	----	278.30 + 18.50	.7119	----	----	----	----	1 UNCH
1800	----	----	226.80B/184.80A	226.80B/184.80A	----	222.40 + 16.80	.6244	----	----	----	----	113 UNCH
1850	----	----	201.00B/163.20A	201.00B/163.20A	----	197.90 NEW	.5801	----	----	1	----	1 + 1
2000	----	----	136.60B/112.70A	136.60B/112.70A	----	137.30 + 14.00	.4526	----	----	----	----	110 UNCH
2100	90.00	90.00	104.40B/88.70A	104.40B/88.70A	----	106.60 + 11.60	.3761	----	----	27	----	277 + 27
2150	83.50	83.50	91.40B/78.90A	91.40B/78.90A	----	93.80 + 10.30	.3413	----	----	14	----	12 - 13
2200	----	----	79.80B/70.20A	79.80B/70.20A	----	82.60 + 9.10	.3092	----	----	----	----	403 UNCH
2300	56.00	56.00	60.70B/56.00	60.70B/56.00	----	64.00 + 6.50	.2521	----	----	43	----	170 - 32
2375	----	----	49.70B/47.80A	49.70B/47.80A	----	52.90 + 4.70	.2156	----	----	----	----	50 UNCH
2400	----	----	46.70B/45.30A	46.70B/45.30A	----	49.60 + 4.10	.2044	----	----	----	----	766 UNCH
2500	----	----	----	36.10B/37.20A	----	38.50 + 1.90	.1651	----	----	----	----	321 UNCH
2600	----	----	----	27.90B/31.00A	----	29.90 + 0.20	.1329	----	----	----	----	411 UNCH
2700	----	----	----	21.60B/*26.10A	----	23.30 - 0.80	.1069	----	----	----	----	13 UNCH
2800	----	----	----	16.70B/*22.50A	----	18.30 - 1.30	.0862	----	----	----	----	149 UNCH
2850	----	----	----	14.70B/*21.10A	----	16.20 - 1.50	.0773	----	----	----	----	158 UNCH
2900	----	----	----	12.90B/*19.80A	----	14.50 - 1.50	.0699	----	----	----	----	133 UNCH
3000	----	----	----	10.00B/*17.70A	----	11.60 - 1.50	.0569	----	----	----	----	683 UNCH
3100	----	----	----	7.70B/*16.00A	----	9.40 - 1.50	.0468	----	----	----	----	101 UNCH
3200	----	----	----	1.60B/19.10A	----	7.80 - 1.30	.0392	----	----	----	----	14 UNCH
3300	----	----	----	0.20B/18.00A	----	6.60 - 1.10	.0333	----	----	----	----	31 UNCH
3400	----	----	----	----/17.10A	----	5.60 - 1.00	.0284	----	----	----	----	32 UNCH
3500	----	----	----	----/16.40A	----	4.90 - 0.70	.0248	----	----	----	----	274 UNCH
3600	----	----	----	----/15.80A	----	4.30 - 0.40	.0217	----	----	----	----	300 UNCH
3800	----	----	----	0.30B/*10.60A	----	3.40 - 0.10	.0170	----	----	----	----	12 UNCH
3900	----	----	----	----/*10.20A	----	3.10 UNCH	.0154	----	----	----	----	8 UNCH
4000	----	----	----	2.80B/*9.90A	----	2.90 + 0.10	.0143	----	----	----	----	221 UNCH
TOTAL										85		4864 - 17
OCT26												
1720	----	----	----	----	----	333.40 + 19.10	.6820	----	----	----	----	1 UNCH
1800	----	----	294.50B/257.70A	294.50B/257.70A	----	293.20 + 17.70	.6303	----	----	----	----	1 UNCH
2200	----	----	151.20B/138.30A	151.20B/138.30A	----	154.30 + 11.00	.3991	----	----	----	----	130 UNCH
2400	----	----	110.60B/105.40A	110.60B/105.40A	----	114.10 + 7.50	.3134	----	----	----	----	100 UNCH
2500	----	----	95.50B/----	95.50B/92.90A	----	98.80 + 6.00	.2780	----	----	----	----	175 UNCH
2600	----	----	82.80B/----	82.80B/82.30A	----	86.20 + 4.90	.2474	----	----	----	----	10 UNCH
2700	----	----	72.00B/----	72.00B/73.30A	----	75.60 + 4.00	.2207	----	----	----	----	100 UNCH
2800	----	----	----	63.10B/65.70A	----	66.70 + 3.40	.1976	----	----	----	----	30 UNCH
2900	----	----	----	55.40B/59.20A	----	59.30 + 3.00	.1777	----	----	----	----	10 UNCH
3000	----	----	----	48.80B/53.60A	----	52.90 + 2.50	.1601	----	----	----	----	21 UNCH
3200	----	----	----	38.10B/44.90A	----	42.80 + 1.90	.1316	----	----	----	----	10 UNCH
3500	----	----	----	26.80B/35.80A	----	32.10 + 1.20	.1004	----	----	----	----	10 UNCH
TOTAL												598 0
JAN27												
2360	----	----	----	----	----	163.90 + 10.10	.3751	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
MAY26												
1700	----	----	32.70B/25.90A	32.70B/25.90A	----	23.70 - 6.10	.1740	----	----	----	----	1 UNCH
1725	32.50	32.50	40.80B/31.00A	40.80B/31.00A	----	29.20 NEW	.2065	----	----	13	----	13 + 13
1745	----	----	#48.20B/35.50A	48.20B/35.50A	----	34.20 - 8.00	.2347	----	----	----	----	15 UNCH
1750	39.10	39.10	50.20B/36.30	50.20B/36.30	----	35.60 - 8.20	.2422	----	----	60	----	76 + 60
1780	40.00	40.00	#63.30B/40.00	63.30B/40.00	----	44.60 NEW	.2888	----	----	1	----	1 + 1
1800	----	----	73.00B/51.90A	73.00B/51.90A	----	51.60 - 10.40	.3221	----	----	----	----	108 UNCH
1820	----	----	83.60B/58.90A	83.60B/58.90A	----	59.20 - 11.60	.3564	----	----	----	----	100 UNCH
1825	----	----	86.40B/61.10A	86.40B/61.10A	----	61.20 - 11.90	.3652	----	----	----	----	14 UNCH
1850	----	----	100.90B/71.60A	100.90B/71.60A	----	72.10 - 13.20	.4097	----	----	----	----	63 UNCH
1855	----	----	104.00B/73.80A	104.00B/73.80A	----	74.40 - 13.50	.4187	----	----	----	----	15 UNCH
1860	----	----	102.40B/76.10A	102.40B/76.10A	----	76.80 - 13.70	.4277	----	----	----	----	100 UNCH
1875	----	----	116.70B/83.30A	116.70B/83.30A	----	84.10 - 14.50	.4548	----	----	----	----	121 UNCH
1890	----	----	----/90.60A	104.50B/90.60A	----	91.90 - 15.20	.4818	----	----	----	----	22 UNCH
1895	----	----	----/93.40A	105.50B/93.40A	----	94.60 - 15.40	.4908	----	----	----	----	29 UNCH
1900	----	----	133.50B/96.00A	133.50B/96.00A	----	97.30 - 15.70	.4997	----	----	----	----	135 UNCH
1905	----	----	----/98.40A	105.90B/98.40A	----	100.10 - 15.90	.5086	----	----	----	----	46 UNCH
1910	----	----	----/101.10A	105.80B/101.10A	----	103.00 - 16.00	.5176	----	----	----	----	46 UNCH
1915	----	----	----/104.10A	107.50B/104.10A	----	105.80 - 16.30	.5264	----	----	----	----	67 UNCH
1920	----	----	----/106.60A	107.60B/106.60A	----	108.80 - 16.50	.5352	----	----	----	----	49 UNCH
1925	----	----	151.50B/109.70A	151.50B/109.70A	----	111.70 - 16.80	.5439	----	----	----	----	20 UNCH
1930	----	----	----/112.20A	107.50B/112.20A	----	114.70 - 17.00	.5526	----	----	----	----	20 UNCH
1935	----	----	----/115.10A	108.30B/115.10A	----	117.80 - 17.20	.5612	----	----	----	----	20 UNCH
1945	----	----	----/121.00A	108.60B/121.00A	----	124.00 - 17.60	.5783	----	----	----	----	30 UNCH
1950	----	----	170.40B/124.00A	170.40B/124.00A	----	127.20 - 17.90	.5867	----	----	----	----	78 UNCH
1970	----	----	----	----	----	140.40 - 18.70	.6196	----	----	----	----	9 UNCH
1990	----	----	----	----	----	154.30 - 19.50	.6508	----	----	----	----	10 UNCH
2000	----	----	211.00B/156.30A	211.00B/156.30A	----	161.40 - 20.00	.6658	----	----	----	----	335 UNCH
2030	----	----	----	----	----	183.70 - 21.40	.7081	----	----	----	----	75 UNCH
2050	----	----	254.20B/192.60A	254.20B/192.60A	----	199.30 - 22.20	.7343	----	----	----	----	200 UNCH
2100	----	----	299.40B/232.00A	299.40B/232.00A	----	240.00 - 24.40	.7916	----	----	----	----	70 UNCH
2155	----	----	----	----	----	287.20 - 26.70	.8430	----	----	----	----	13 UNCH
2160	----	----	----	----	----	291.60 - 26.90	.8467	----	----	----	----	38 UNCH
2175	----	----	369.50B/296.30A	369.50B/296.30A	----	305.00 - 27.30	.8586	----	----	----	----	10 UNCH
2195	----	----	----	----	----	322.90 - 28.00	.8730	----	----	----	----	23 UNCH
2200	----	----	393.30B/318.70A	393.30B/318.70A	----	327.40 - 28.20	.8766	----	----	----	----	10 UNCH
2215	----	----	----	----	----	341.10 - 28.60	.8862	----	----	----	----	60 UNCH
2450	----	----	637.40B/557.00A	637.40B/557.00A	----	565.50 - 30.50	.9698	----	----	----	----	50 UNCH
2500	----	----	686.80B/606.00A	686.80B/606.00A	----	614.70 - 30.40	.9769	----	----	----	----	100 UNCH
TOTAL										74		2192 + 74
JUN26												
1825	----	----	147.00B/122.80A	147.00B/122.80A	----	118.40 - 14.70	.3942	----	----	----	----	25 UNCH
1850	----	----	161.40B/134.60A	161.40B/134.60A	----	130.70 - 15.40	.4209	----	----	----	----	1 UNCH
1900	----	----	192.40B/160.50A	192.40B/160.50A	----	157.60 - 16.40	.4740	----	----	----	----	200 UNCH
2100	----	----	340.10B/288.40A	340.10B/288.40A	----	290.40 - 20.70	.6634	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 85

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PO PUT		PLATINUM OPTIONS											
TOTAL												326	0
JUL26													
1400	----	----	----	20.00B/24.30A	----	19.20 - 3.00	.0834	----	----	----	----	150	UNCH
1500	----	----	40.50B/38.70A	40.50B/38.70A	----	35.10 - 4.00	.1373	----	----	----	----	153	UNCH
1550	----	----	54.70B/49.40A	54.70B/49.40A	----	45.90 - 5.30	.1700	----	----	----	----	200	UNCH
1600	----	----	71.50B/62.90A	71.50B/62.90A	----	59.00 - 7.20	.2065	----	----	150	----	460 +	150
1650	----	----	90.50B/79.10A	90.50B/79.10A	----	74.40 - 9.40	.2459	----	----	----	----	1	UNCH
1680	----	----	102.80B/89.60A	102.80B/89.60A	----	84.90 - 10.50	.2708	----	----	----	----	50	UNCH
1700	----	----	111.50B/97.20A	111.50B/97.20A	----	92.40 - 11.20	.2878	----	----	----	----	261	UNCH
1710	----	----	115.90B/101.30A	115.90B/101.30A	----	96.30 - 11.40	.2964	----	----	----	----	1	UNCH
1750	----	----	134.60B/117.40A	134.60B/117.40A	----	112.90 - 12.30	.3312	----	----	----	----	50	UNCH
1800	----	----	160.00B/139.40A	160.00B/139.40A	----	135.80 - 12.90	.3753	----	----	150	----	318 +	117
1900	----	----	218.50B/189.70A	218.50B/189.70A	----	188.40 - 13.90	.4634	----	----	----	----	1	UNCH
2100	----	----	362.40B/315.70A	362.40B/315.70A	----	318.10 - 18.00	.6236	----	----	----	----	225	UNCH
2165	----	----	----	----	----	366.40 - 19.70	.6683	----	----	----	----	20	UNCH
2350	----	----	573.90B/511.60A	573.90B/511.60A	----	516.40 - 24.40	.7727	----	----	----	----	5	UNCH
2400	----	----	618.80B/554.30A	618.80B/554.30A	----	559.40 - 25.60	.7953	----	----	----	----	300	UNCH
4000	----	----	2,181.90B/2,105	2,181.90B/2,105	----	2112.90 - 29.80	.9857	----	----	----	----	10	UNCH
TOTAL										300		2205 +	267
OCT26													
1500	----	----	77.80B/----	77.80B/77.70A	----	71.50 - 5.30	.1829	----	----	----	----	80	UNCH
1600	----	----	115.60B/110.80A	115.60B/110.80A	----	103.80 - 8.00	.2416	----	----	----	----	17	UNCH
1720	----	----	170.70B/160.30A	170.70B/160.30A	----	152.80 - 11.30	.3174	----	----	----	----	2	UNCH
1800	----	----	213.00B/198.80A	213.00B/198.80A	----	191.60 - 12.70	.3692	----	----	----	----	20	UNCH
2000	----	----	338.90B/312.70A	338.90B/312.70A	----	307.90 - 15.60	.4935	----	----	----	----	1	UNCH
2100	----	----	411.30B/379.00A	411.30B/379.00A	----	375.20 - 17.40	.5495	----	----	----	----	100	UNCH
2400	----	----	654.10B/607.30A	654.10B/607.30A	----	605.10 - 22.80	.6861	----	----	----	----	200	UNCH
2500	----	----	740.80B/690.40A	740.80B/690.40A	----	688.80 - 24.30	.7215	----	----	----	----	1	UNCH
TOTAL												421	0
JAN27													
1500	----	----	----	----	----	89.20 - 8.20	.1958	----	----	----	----	40	UNCH
1800	----	----	----	----	----	221.20 - 11.50	.3644	----	----	----	----	1	UNCH
TOTAL												41	0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 86

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL		COMEX GOLD OPTIONS		
MAY26	CALL			
OG		4500	0	50
OG		4600	0	74
OG		4700	0	50
OG		4750	0	50
OG		4850	0	100
OG		4900	0	400
OG		5000	0	24
TOTALS			0	748
JUN26	CALL			
OG		4600	0	150
OG		5800	0	60
TOTALS			0	210
JUL26	CALL			
OG		5000	0	100
OG		5500	0	100
OG		5700	0	200
OG		5800	0	100
TOTALS			0	500
AUG26	CALL			
OG		5300	0	150
TOTALS			0	150
SEP26	CALL			
OG		4900	0	110
OG		5200	0	220
OG		5400	0	110
TOTALS			0	440
OCT26	CALL			
OG		4900	0	550
OG		5000	0	550
TOTALS			0	1100
OG PUT		COMEX GOLD OPTIONS		
MAY26	PUT			
OG		4300	0	50
OG		4400	0	24
OG		4850	0	100
OG		4900	0	250
TOTALS			0	424
JUN26	PUT			
OG		4000	0	862
OG		4300	0	25
OG		4400	0	1072
TOTALS			0	1959
JUL26	PUT			
OG		3700	0	100
OG		3750	0	200
OG		4485	0	50
TOTALS			0	350
AUG26	PUT			
OG		4400	0	450
TOTALS			0	450
SEP26	PUT			
OG		4300	0	50
TOTALS			0	50
DEC26	PUT			
OG		4000	0	25
OG		4175	0	60
TOTALS			0	85
SO CALL		COMEX SILVER OPTIONS		
MAY26	CALL			
SO		8000	0	25
TOTALS			0	25
HX CALL		COMEX COPPER OPTIONS		
MAY26	CALL			
HX		580	0	200
TOTALS			0	200
PO CALL		PLATINUM OPTIONS		
JUN26	CALL			
PO		2300	0	100
TOTALS			0	100
PAO PUT		NYMEX PALLADIUM OPTIONS		
JUN26	PUT			
PAO		1300	0	15
PAO		1400	0	10
TOTALS			0	25
OG2 PUT		GOLD OPTIONS		
APR26	PUT			
OG2		3500	0	25
OG2		4000	0	25
TOTALS			0	50
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3		
APR26	CALL			
G3M		4700	0	75
TOTALS			0	75
HWR THU		COPPER WEEKLY THURSDAY OPT Week4		
APR26	PUT			
H4R		510	0	10
TOTALS			0	10

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.