METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	MAY26	MAY26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27
COO OPT	05/29			06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
ECG10 OP		05/18	05/19											
ECG11 OP		05/18	05/19											
ECG13 OP		05/18	05/19											
ECG15 OP		05/18	05/19											
ECG16 OP		05/18	05/19											
ECGC OOF		05/18	05/19											
ECHG OOF		05/18	05/19											
ECSI OOF		05/18	05/19											
EHO OPT	05/29			06/30	07/31	08/28	09/30							
FMG OPT	05/22													
FSO OPT	05/29			06/30										
GMW MON	05/18			06/22										
GWR THU	05/28			06/11										
GWT TUE	05/19			06/16										
GWW WED	05/27			06/10										
HMW MON	05/18			06/15										
HRO OPT	05/26			06/23	07/28	08/25	09/29	10/27	11/24	12/29				
HWR THU	05/28			06/04										
HWT TUE	05/19			06/16										
HWW WED	05/27			06/10	07/01	08/05								
HX CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HX PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HXE CALL	05/29			06/12										
HXE PUT	05/29			06/05										
LHO OPT	05/29			06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
MMG MON				06/01										
OG CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG1 CALL				06/05										
OG1 PUT				06/05										
OG2 CALL				06/12										
OG2 PUT				06/12										
OG4 CALL	05/22													
OG4 PUT	05/22													
OG5 CALL	05/29													
OG5 PUT	05/29													
OMG OPT				05/26	06/25	07/28								
PAO CALL				05/20	06/17	07/15	08/19			11/18				
PAO PUT				05/20	06/17	07/15	08/19			11/18				
PLW OOF	05/29			06/05										
PO CALL				05/20	06/17	07/15		09/16			12/16			
PO PUT				05/20	06/17	07/15		09/16			12/16			
RWS THU	05/28			06/11										
SMW MON	05/18			06/15										
SO CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
SO PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO1 CALL				06/05										
SO1 PUT				06/05										
SO4 CALL	05/22													
SO4 PUT	05/22													
SO5 CALL	05/29													
SO5 PUT	05/29													
SWW WED	05/27			06/03										
TWS TUE	05/19			06/16										
WMG WED	05/20													

GOLD OPTIONS ON FUTURES

WMG WED — MICRO GOLD WEEKLY WED OPTION WEEK3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
4400	----	----	----	----	----	2.90 UNCH	.0792	----	----	----	----	1 UNCH
4555	----	----	----	----/63.70A	----	8.00 - 26.00	.2329	----	----	----	----	1 UNCH
4850	----	----	----	----	----	0.10 UNCH	.0028	----	----	----	----	3 UNCH
TOTAL												5 0

OMG OPT — MICRO GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
2500	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3950	----	----	----	----	----	1.60 + 0.60	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	4.40 + 1.50	----	----	----	----	----	1 UNCH
4260	----	----	----	----	----	6.30 + 2.10	----	----	----	----	----	1 UNCH
4300	----	----	----	----/*10.00A	----	8.30 + 2.70	----	----	----	----	----	4 UNCH
4500	----	----	----	----	----	48.60 + 14.90	----	----	----	----	----	6 UNCH
4600	----	----	----	----/*45.00A	----	19.50 - 18.40	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	108.30 + 28.40	----	----	----	----	----	1 UNCH
4625	----	----	----	----	----	127.90 + 31.80	----	----	----	----	----	1 UNCH
4645	151.30	151.30	151.30/151.30	151.30/151.30	----	144.60 + 34.30	----	----	----	3	----	3 - 3
4700	----	----	----	----	----	5.30 - 7.10	----	----	----	----	----	1 UNCH
4720	----	----	----	----	----	212.80 + 41.10	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	1.80 - 2.30	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	0.90 - 0.70	----	----	----	----	----	1 UNCH
5100	----	----	----	----	----	0.50 UNCH	----	----	----	----	----	0 UNCH
5875	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL										3		25 - 3
JUL26												
3400	----	----	----	----	----	1145.60 - 46.90	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1086.00 - 46.80	----	----	----	----	----	1 UNCH
4150	----	----	#21.50B/----	#21.50B/----	----	25.80 + 4.80	----	----	----	----	----	1 UNCH
4200	----	----	----	----/50.00A	----	31.70 + 5.80	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	48.40 + 8.40	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	111.70 + 16.90	----	----	----	----	----	3 UNCH
4600	----	----	----/121.00A	----/121.00A	----	106.60 - 25.00	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	161.90 + 22.10	----	----	----	----	----	2 UNCH
4700	----	----	----	----	----	70.20 - 19.40	----	----	----	----	----	1 UNCH
5000	----	----	----	----	----	19.10 - 6.50	----	----	----	----	----	3 UNCH
5050	----	----	----	----	----	15.60 - 5.30	----	----	----	----	----	0 UNCH
5100	----	----	----	----	----	12.80 - 4.30	----	----	----	----	----	1 UNCH
5300	----	----	----	----	----	6.40 - 2.10	----	----	----	----	----	3 UNCH
5500	----	----	----	----	----	3.70 - 1.20	----	----	----	----	----	2 UNCH
TOTAL												21 0
AUG26												
4400	----	----	----	----	----	117.90 + 14.60	----	----	----	----	----	5 UNCH
TOTAL												5 0

OG5 PUT — GOLD OPTIONS

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG5 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3700	1.30	1.30	#1.40/1.30	1.40/1.00A	----	1.20 + 0.30	.0087	----	----	4	----	8 + 4
3800	1.80	1.80	1.80/1.80	1.80/1.30A	----	1.60 + 0.40	.0122	----	----	2	----	11 + 2
3900	----	----	2.40B/----	2.40B/1.60A	----	2.10 + 0.50	.0170	----	----	----	----	7 UNCH
4000	3.30	3.30	3.40B/2.50	3.40B/2.20A	----	2.80 + 0.60	.0243	----	----	68	----	98 + 45
4100	6.00	6.00	6.00/4.80	6.00/3.10A	----	4.10 + 1.00	.0375	----	----	2	----	11 + 1
4150	6.60	6.60	7.10B/6.00	7.10B/3.80A	----	5.00 + 1.20	.0471	----	----	31	----	25 - 20
4175	4.70	4.70	8.20B/4.70	8.20B/4.20A	----	5.70 + 1.50	.0540	----	----	2	----	3 + 2
4200	5.70	5.70	9.50B/4.70A	9.50B/4.70A	----	6.40 + 1.60	.0614	----	----	5	----	13 - 2
4225	10.50	10.50	11.10B/5.20A	11.10B/5.20A	----	7.40 NEW	.0711	----	----	4	----	4 + 4
4250	9.00	9.00	13.10B/5.80A	13.10B/5.80A	----	8.50 + 2.20	.0820	----	----	6	----	9 + 2
4275	10.80	10.80	15.50B/6.40A	15.50B/6.40A	----	9.90 + 2.60	.0955	----	----	12	----	18 + 11
4300	15.00	15.00	18.40B/7.30A	18.40B/7.30A	----	11.60 + 3.10	.1115	----	----	18	----	27 + 10
4325	----	----	21.90B/8.40A	21.90B/8.40A	----	13.70 + 3.60	.1308	----	----	----	----	10 UNCH
4350	----	----	26.20B/10.00A	26.20B/10.00A	----	16.30 + 4.40	.1538	----	----	2	----	66 UNCH
4375	----	----	31.20B/11.80A	31.20B/11.80A	----	19.50 + 5.20	.1811	----	----	----	----	15 UNCH
4400	19.50	19.50	37.30B/14.00A	37.30B/14.00A	----	23.50 + 6.30	.2133	----	----	7	----	134 - 1
4425	----	----	44.40B/16.80A	44.40B/16.80A	----	28.30 + 7.60	.2503	----	----	----	----	22 UNCH
4450	24.50	24.50	52.70B/20.20A	52.70B/20.20A	----	34.20 + 9.10	.2927	----	----	32	----	67 - 2
4475	----	----	62.30B/24.40A	62.30B/24.40A	----	41.30 + 10.90	.3401	----	----	8	----	111 + 3
4500	37.00	37.00	73.30B/29.50A	73.30B/29.50A	----	49.80 + 13.00	.3920	----	----	37	----	303 - 6
4525	75.20	75.20	#85.90B/35.60A	85.90B/35.60A	----	59.70 + 15.20	.4474	----	----	24	----	32 + 6
4550	53.60	53.60	#101.30B/42.90A	101.30B/42.90A	----	71.20 + 17.70	.5051	----	----	13	----	147 + 7
4575	70.50	70.50	#116.80B/51.70A	116.80B/51.70A	----	84.30 + 20.30	.5634	----	----	28	----	38 + 12
4600	101.30	101.30	#133.70B/62.20A	133.70B/62.20A	----	99.10 + 23.20	.6208	----	----	3	----	65 - 2
4625	----	----	#152.00B/73.70A	#152.00B/73.70A	----	115.40 + 26.00	.6753	----	----	----	----	17 UNCH
4650	----	----	#171.50B/86.80A	#171.50B/86.80A	----	133.30 + 28.90	.7256	----	----	----	----	10 UNCH
4675	----	----	#191.90B/100.70	#191.90B/100.70A	----	152.40 + 31.50	.7712	----	----	----	----	34 UNCH
4700	----	----	#213.10B/117.60	#213.10B/117.60A	----	172.80 + 34.10	.8104	----	----	----	----	4 UNCH
4725	----	----	#234.90B/134.60	#234.90B/134.60A	----	194.10 + 36.30	.8437	----	----	----	----	1 UNCH
4750	227.00	227.00	#257.50B/153.30	#257.50B/153.30A	----	216.20 + 38.20	.8720	----	----	1	----	3 UNCH
4775	----	----	#280.70B/172.90	#280.70B/172.90A	----	239.00 + 40.00	.8950	----	----	----	----	14 UNCH
4800	----	----	#304.20B/193.60	#304.20B/193.60A	----	262.20 + 41.30	.9144	----	----	----	----	1 UNCH
4950	----	----	#435.70B/331.80	#435.70B/331.80A	----	407.40 + 45.50	.9711	----	----	----	----	1 UNCH
TOTAL										309		1329 + 76

OG5 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4550	68.90	68.90	114.50B/*53.80A	114.50B/*53.80A	----	65.70 - 29.60	.4946	----	----	11	----	11 + 11
4575	----	----	97.80B/*43.60A	97.80B/*43.60A	----	53.90 - 26.80	.4363	----	----	2	----	12 + 2
4600	58.00	58.00	83.60B/*35.00A	83.60B/*35.00A	----	43.60 - 24.10	.3788	----	----	66	----	123 + 61
4625	42.00	42.00	69.90B/*27.90A	69.90B/*27.90A	----	35.00 - 21.30	.3243	----	----	8	----	7 + 3
4650	57.60	57.60	58.10B/*22.10A	58.10B/*22.10A	----	27.90 - 18.40	.2741	----	----	7	----	7 + 2
4675	----	----	48.30B/*17.50A	48.30B/*17.50A	----	22.00 - 15.80	.2285	----	----	----	----	12 UNCH
4700	36.40	36.40	39.30B/*13.80A	39.30B/*13.80A	----	17.40 - 13.30	.1893	----	----	24	----	151 + 1
4725	22.00	22.00	31.30B/*11.00A	31.30B/*11.00A	----	13.80 - 10.90	.1560	----	----	34	----	60 + 34
4750	10.50	10.50	25.50B/*8.80A	25.50B/*8.80A	----	10.90 - 9.00	.1277	----	----	24	----	51 + 14
4775	8.60	8.60	20.10B/*7.00A	20.10B/*7.00A	----	8.70 - 7.30	.1047	----	----	41	----	36 - 18
4800	15.50	15.50	16.00B/*5.60A	16.00B/*5.60A	----	6.90 - 6.00	.0853	----	----	6	----	19 + 4
4825	----	----	12.60B/*4.60A	12.60B/*4.60A	----	5.60 - 4.80	.0704	----	----	1	----	42 - 1
4850	4.50	4.50	10.30B/*3.90A	10.30B/*3.90A	----	4.60 - 3.90	.0585	----	----	14	----	32 + 11
4875	----	----	8.10B/*3.30A	8.10B/*3.30A	----	3.70 - 3.20	.0478	----	----	1	----	28 UNCH
4900	----	----	6.60B/*2.80A	6.60B/*2.80A	----	3.10 - 2.60	.0402	----	----	2	----	342 UNCH
4925	----	----	5.00B/*2.40A	5.00B/*2.40A	----	2.60 - 2.10	.0338	----	----	----	----	175 UNCH
4950	2.30	2.30	4.20B/*2.10A	4.20B/*2.10A	----	2.20 - 1.80	.0287	----	----	2	----	33 + 1
4975	----	----	----/*1.80A	3.30B/*1.80A	----	1.90 - 1.40	.0247	----	----	----	----	14 UNCH
5000	----	----	----/*1.60A	2.70B/*1.60A	----	1.60 - 1.30	.0208	----	----	----	----	390 UNCH
5025	----	----	----/*1.50A	2.10B/*1.50A	----	1.40 - 1.10	.0181	----	----	----	----	11 UNCH
5050	----	----	----/*1.30A	1.80B/*1.30A	----	1.30 - 0.80	.0165	----	----	----	----	14 UNCH
5075	----	----	----/*1.20A	1.40B/*1.20A	----	1.10 - 0.80	.0140	----	----	----	----	6 UNCH
5100	----	----	----/*1.10A	1.20B/*1.10A	----	1.00 - 0.70	.0126	----	----	1	----	338 UNCH
5125	----	----	----/*1.00A	1.00B/*1.00A	----	0.80 - 0.70	.0102	----	----	----	----	6 UNCH
5200	----	----	----/*0.90A	0.60B/*0.90A	----	0.60 - 0.40	.0074	----	----	3	----	5 - 3
5225	----	----	----/*0.80A	0.50B/*0.80A	----	0.50 - 0.40	.0062	----	----	----	----	1 UNCH
5250	----	----	----/*0.80A	0.50B/*0.80A	----	0.50 - 0.40	.0061	----	----	3	----	0 - 3
5300	----	----	----	0.30B/1.00A	----	0.40 - 0.30	.0048	----	----	----	----	11 UNCH
5400	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.20 - 0.20	.0024	----	----	14	----	28 - 8
5500	----	----	----	----/2.10A	----	0.20 - 0.10	.0022	----	----	----	----	1 UNCH
5600	----	----	----	----/2.10A	----	0.10 - 0.10	.0011	----	----	----	----	1 UNCH
5750	----	----	----	----/2.00A	----	0.10 UNCH	.0010	----	----	----	----	3 UNCH
TOTAL										264		1970 + 111

OG4 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	----	----	----	----/0.70A	----	0.10 UNCH	.0009	----	----	----	----	17 UNCH
3700	----	----	----	0.10B/*0.30A	----	0.10 UNCH	.0011	----	----	----	----	4 UNCH
3750	----	----	----	0.20B/*0.40A	----	0.20 UNCH	.0022	----	----	----	----	1 UNCH
3800	----	----	0.40B/----	0.40B/*0.40A	----	0.30 + 0.10	.0033	----	----	----	----	34 UNCH
3900	----	----	0.70B/----	0.70B/*0.50A	----	0.60 + 0.20	.0067	----	----	----	----	61 UNCH
4000	----	----	1.20B/----	1.20B/*0.70A	----	0.90 + 0.30	.0108	----	----	2	----	23 + 2
4075	----	----	1.80B/----	1.80B/1.00A	----	1.30 + 0.40	.0164	----	----	----	----	24 UNCH
4100	----	----	2.00B/----	2.00B/1.10A	----	1.50 + 0.50	.0191	----	----	----	----	6 UNCH
4120	1.60	1.60	#2.30B/*1.60	2.30B/1.20A	----	1.60 NEW	.0209	----	----	1	----	1 + 1
4125	----	----	2.30B/----	2.30B/1.20A	----	1.60 + 0.50	.0211	----	----	----	----	33 UNCH
4130	----	----	#2.40B/----	2.40B/1.20A	----	1.70 + 0.60	.0224	----	----	----	----	2 UNCH
4150	1.90	1.90	2.80B/1.90	2.80B/1.30A	----	1.80 + 0.60	.0243	----	----	4	----	28 - 2
4175	----	----	3.30B/----	3.30B/1.50A	----	2.10 + 0.70	.0288	----	----	----	----	5 UNCH
4200	1.80	1.80	4.10B/1.70	4.10B/1.70	----	2.30 + 0.70	.0327	----	----	68	----	79 + 49
4210	2.60	2.60	#4.40B/*2.60	4.40B/1.80A	----	2.50 NEW	.0355	----	----	1	----	1 + 1
4225	----	----	5.00B/----	5.00B/1.90A	----	2.70 + 0.80	.0390	----	----	----	----	6 UNCH
4235	2.70	2.70	#5.50B/2.70	5.50B/2.00A	----	2.90 + 0.90	.0421	----	----	1	----	4 + 1
4250	2.50	2.50	6.10B/2.10	6.10B/2.10	----	3.10 + 0.90	.0459	----	----	35	----	30 - 4
4270	----	----	#7.30B/*2.30A	7.30B/*2.30A	----	3.60 + 1.10	.0539	----	----	----	----	1 UNCH
4275	----	----	7.60B/2.40A	7.60B/2.40A	----	3.70 + 1.10	.0557	----	----	----	----	49 UNCH
4285	----	----	#8.30B/*2.50A	8.30B/*2.50A	----	4.00 + 1.20	.0605	----	----	----	----	1 UNCH
4300	5.40	5.40	9.50B/2.70A	9.50B/2.70A	----	4.50 + 1.40	.0685	----	----	6	----	113 + 2
4325	----	----	12.10B/3.40A	12.10B/3.40A	----	5.60 + 1.80	.0856	----	----	2	----	22 UNCH
4340	----	----	#14.10B/*3.80A	14.10B/*3.80A	----	6.40 + 2.00	.0980	----	----	----	----	1 UNCH
4345	5.40	5.40	#16.00/*4.00A	16.00/*4.00A	----	6.70 + 2.10	.1027	----	----	16	----	10 + 9
4350	17.00	17.00	17.00/4.00A	17.00/4.00A	----	7.00 + 2.20	.1074	----	----	6	----	68 + 3
4355	17.60	17.60	#17.60/*4.20A	17.60/*4.20A	----	7.30 NEW	.1122	----	----	2	----	2 + 2
4370	20.30	20.30	#20.30/*4.70A	20.30/*4.70A	----	8.50 NEW	.1299	----	----	5	----	3 + 3
4375	12.00	12.00	19.90B/4.90A	19.90B/4.90A	----	8.90 + 2.80	.1360	----	----	16	----	71 + 9
4380	----	----	#21.00B/*5.10A	21.00B/*5.10A	----	9.30 NEW	.1423	----	----	4	----	4 + 4
4390	10.30	10.30	#23.20B/*5.60A	23.20B/*5.60A	----	10.40 NEW	.1577	----	----	2	----	2 + 2
4395	----	----	#24.40B/*5.80A	24.40B/*5.80A	----	10.90 + 3.60	.1653	----	----	----	----	2 UNCH
4400	9.20	9.20	25.90B/6.10A	25.90B/6.10A	----	11.50 + 3.80	.1737	----	----	23	----	186 + 7
4410	----	----	#28.40B/*6.80A	28.40B/*6.80A	----	12.90 + 4.30	.1926	----	----	----	----	1 UNCH
4415	10.20	10.20	#29.70B/*7.20A	29.70B/*7.20A	----	13.60 NEW	.2022	----	----	4	----	3 + 3
4420	----	----	#31.30B/*7.60A	31.30B/*7.60A	----	14.40 NEW	.2128	----	----	2	----	2 + 2
4425	11.00	11.00	33.00/8.00A	33.00/8.00A	----	15.30 + 5.10	.2241	----	----	5	----	37 + 1
4430	34.50	34.50	#34.50/*8.30A	34.50/*8.30A	----	16.20 + 5.40	.2357	----	----	5	----	9 + 1
4435	15.20	15.20	#36.20B/*8.90A	36.20B/*8.90A	----	17.20 NEW	.2480	----	----	2	----	2 + 2
4440	39.00	39.00	#39.00/*9.30A	39.00/*9.30A	----	18.20 NEW	.2604	----	----	3	----	3 + 3
4445	39.70	39.70	#39.80B/*9.90A	39.80B/*9.90A	----	19.30 + 6.40	.2737	----	----	1	----	2 + 1
4450	15.90	15.90	41.90B/10.40A	41.90B/10.40A	----	20.50 + 6.80	.2876	----	----	12	----	153 + 3
4465	----	----	#48.00B/*12.20A	48.00B/*12.20A	----	24.50 NEW	.3323	----	----	2	----	2 + 2
4470	14.90	14.90	#50.30B/*12.90A	50.30B/*12.90A	----	26.00 + 8.70	.3483	----	----	5	----	8 + 2
4475	21.00	21.00	52.80B/13.50A	52.80B/13.50A	----	27.60 + 9.20	.3648	----	----	7	----	21 + 3
4480	20.20	20.20	#55.20B/*14.50A	55.20B/*14.50A	----	29.30 + 9.80	.3817	----	----	2	----	2 + 1
4485	48.00	48.00	#57.80B/*15.20A	57.80B/*15.20A	----	31.10 + 10.50	.3991	----	----	1	----	2 UNCH
4490	45.50	45.50	#60.40B/*16.20A	60.40B/*16.20A	----	32.90 NEW	.4167	----	----	7	----	5 + 5
4500	26.20	26.20	67.20B/17.80A	67.20B/17.80A	----	37.00 + 12.50	.4533	----	----	84	----	178 - 36
4505	40.00	40.00	#69.90B/*18.70A	#69.90B/*18.70A	----	39.10 NEW	.4718	----	----	6	----	4 + 4
4510	43.90	43.90	#73.00B/*19.80A	#73.00B/*19.80A	----	41.40 NEW	.4907	----	----	2	----	1 + 1
4515	----	----	#76.10B/*21.10A	#76.10B/*21.10A	----	43.80 + 14.80	.5097	----	----	----	----	8 UNCH
4520	57.30	57.30	#79.20B/*22.30A	#79.20B/*22.30A	----	46.20 NEW	.5289	----	----	3	----	2 + 2
4525	65.30	65.30	82.60B/23.50A	82.60B/23.50A	----	48.80 + 16.30	.5481	----	----	2	----	58 - 1
4530	44.40	44.40	#85.80B/*25.00A	#85.80B/*25.00A	----	51.50 + 17.20	.5672	----	----	2	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG4 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4540	----	----	#92.70B/*28.00A	#92.70B/*28.00A	----	57.20 + 18.90	.6053	----	----	2	----	5 UNCH
4550	32.10	32.10	100.00B/31.10A	100.00B/31.10A	----	63.30 + 20.70	.6427	----	----	9	----	200 - 1
4555	----	----	#103.90B/*32.80	#103.90B/*32.80A	----	66.50 + 21.60	.6606	----	----	----	----	30 UNCH
4560	----	----	#107.70B/*34.60	#107.70B/*34.60A	----	69.90 + 22.60	.6786	----	----	2	----	3 + 2
4565	----	----	#111.30B/*36.70	#111.30B/*36.70A	----	73.30 + 23.50	.6961	----	----	----	----	1 UNCH
4570	----	----	#115.50B/*38.70	#115.50B/*38.70A	----	76.80 + 24.50	.7132	----	----	----	----	13 UNCH
4575	----	----	119.50B/41.00A	119.50B/41.00A	----	80.40 + 25.40	.7298	----	----	----	----	15 UNCH
4580	----	----	#123.30B/*43.30	#123.30B/*43.30A	----	84.10 + 26.30	.7457	----	----	85	----	85 + 77
4585	----	----	#127.70B/*45.80	#127.70B/*45.80A	----	87.90 NEW	.7610	----	----	1	----	1 + 1
4600	73.00	73.00	140.40B/53.30A	140.40B/53.30A	----	99.80 + 30.00	.8032	----	----	4	----	128 UNCH
4620	----	----	#157.70B/*63.90	#157.70B/*63.90A	----	116.60 + 33.30	.8508	----	----	----	----	1 UNCH
4625	----	----	162.40B/66.90A	162.40B/66.90A	----	120.90 + 34.10	.8606	----	----	----	----	26 UNCH
4640	----	----	#176.20B/*76.40	#176.20B/*76.40A	----	134.30 + 36.30	.8887	----	----	----	----	2 UNCH
4650	----	----	#185.50B/83.10A	#185.50B/83.10A	----	143.40 + 37.60	.9031	----	----	----	----	6 UNCH
4675	----	----	#209.00B/101.40	#209.00B/101.40A	----	166.90 + 40.40	.9330	----	----	----	----	57 UNCH
4700	----	----	#233.30B/121.30	#233.30B/121.30A	----	190.90 + 42.40	.9516	----	----	86	----	88 - 12
4725	----	----	#244.40B/143.30	#244.40B/143.30A	----	215.30 + 43.90	.9661	----	----	1	----	12 UNCH
4750	----	----	222.70B/165.60A	222.70B/165.60A	----	239.80 + 44.80	.9750	----	----	1	----	2 + 1
4775	----	----	#293.60B/189.10	#293.60B/189.10A	----	264.50 + 45.40	.9817	----	----	----	----	4 UNCH
4800	----	----	271.10B/212.90A	271.10B/212.90A	----	289.30 + 45.80	.9862	----	----	----	----	1 UNCH
4850	----	----	----	260.00B/402.10A	----	339.10 + 46.20	.9929	----	----	----	----	2 UNCH
4875	----	----	----	285.60B/425.40A	----	364.00 + 46.30	.9933	----	----	----	----	1 UNCH
4900	----	----	#418.00B/----	#418.00B/359.20A	----	388.90 + 46.40	.9954	----	----	----	----	3 UNCH
5000	----	----	----	412.20B/541.60A	----	488.80 + 46.70	.9979	1	----	----	----	0 - 1
TOTAL										542		2086 + 155

OG4 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4400	122.10	122.10	195.30B/*96.40A	195.30B/*96.40A	----	122.70 NEW	.8261	----	----	1	----	1 + 1
4420	177.00	177.00	#177.00/*82.20A	#177.00/*82.20A	----	105.60 NEW	.7871	----	----	1	----	1 + 1
4425	172.00	172.00	172.00/*78.90A	172.00/*78.90A	----	101.50 NEW	.7757	----	----	2	----	2 + 2
4435	74.80	74.80	#162.30B/*72.90	162.30B/*72.90A	----	93.40 NEW	.7519	----	----	1	----	1 + 1
4450	71.40	71.40	149.50B/*63.60A	149.50B/*63.60A	----	81.70 NEW	.7122	----	----	1	----	1 + 1
4455	79.20	79.20	#144.30B/*60.40	144.30B/*60.40A	----	78.00 NEW	.6976	----	----	1	----	1 + 1
4460	66.60	66.60	#140.20B/*57.10	#140.20B/*57.10A	----	74.30 NEW	.6829	----	----	1	----	1 + 1
4465	62.90	62.90	#136.00B/*54.00	136.00B/*54.00A	----	70.70 NEW	.6675	----	----	1	----	1 + 1
4475	50.00	50.00	126.90B/*48.00A	126.90B/*48.00A	----	63.80 NEW	.6350	----	----	4	----	3 + 3
4480	54.00	54.00	#123.10B/*45.10	123.10B/*45.10A	----	60.50 NEW	.6181	----	----	1	----	1 + 1
4490	48.10	48.10	#114.60B/*39.80	114.60B/*39.80A	----	54.10 NEW	.5831	----	----	1	----	1 + 1
4500	42.00	42.00	106.30B/*34.80A	106.30B/*34.80A	----	48.20 - 34.30	.5466	----	----	155	----	27 + 26
4505	42.00	42.00	#102.50B/*32.50	102.50B/*32.50A	----	45.30 NEW	.5280	----	----	10	----	10 + 10
4510	60.30	60.30	#98.40B/*30.40A	98.40B/*30.40A	----	42.60 NEW	.5091	----	----	13	----	12 + 12
4515	60.00	60.00	#95.00B/*28.20A	95.00B/*28.20A	----	40.00 - 32.00	.4901	----	----	1	----	1 UNCH
4525	35.10	35.10	87.30B/*24.40A	87.30B/*24.40A	----	35.00 - 30.50	.4518	----	----	4	----	16 - 1
4530	29.00	29.00	#83.30B/*22.70A	83.30B/*22.70A	----	32.70 NEW	.4326	----	----	1	----	1 + 1
4540	25.30	25.30	#76.50B/*19.20A	76.50B/*19.20A	----	28.40 NEW	.3945	----	----	5	----	4 + 4
4545	22.80	22.80	#72.80B/*17.70A	72.80B/*17.70A	----	26.40 NEW	.3757	----	----	6	----	4 + 4
4550	31.90	31.90	70.20B/*16.30A	70.20B/*16.30A	----	24.50 - 26.10	.3571	----	----	23	----	113 + 5
4555	19.80	19.80	66.60B/*15.10A	66.60B/*15.10A	----	22.80 - 25.10	.3392	----	----	19	----	21 + 19
4560	20.30	20.30	#63.40B/*13.90A	63.40B/*13.90A	----	21.10 NEW	.3213	----	----	2	----	2 + 2
4565	46.80	46.80	#60.80B/*12.70A	60.80B/*12.70A	----	19.50 NEW	.3037	----	----	10	----	5 + 5
4570	19.00	19.00	#57.80B/*11.70A	57.80B/*11.70A	----	18.00 NEW	.2866	----	----	2	----	2 + 2
4575	27.10	27.10	55.00B/*10.60	55.00B/*10.60	----	16.60 - 21.40	.2701	----	----	20	----	17 + 2
4580	13.90	13.90	#51.80B/*9.90A	51.80B/*9.90A	----	15.30 - 20.50	.2541	----	----	38	----	30 + 29
4585	15.00	15.00	#49.20B/*9.10A	49.20B/*9.10A	----	14.10 NEW	.2388	----	----	1	----	1 + 1
4590	11.30	11.30	#46.70B/*8.30A	46.70B/*8.30A	----	13.00 NEW	.2242	----	----	6	----	4 + 4
4595	30.50	30.50	#44.10B/*7.00	44.10B/*7.00	----	11.90 NEW	.2096	----	----	3	----	3 + 3
4600	26.50	26.50	41.70B/*7.00A	41.70B/*7.00A	----	11.00 - 16.80	.1967	----	----	61	----	101 + 20
4605	----	----	#39.50B/*6.50A	39.50B/*6.50A	----	10.10 NEW	.1838	----	----	4	----	2 + 2
4610	----	----	#37.10B/*5.90A	37.10B/*5.90A	----	9.30 - 15.10	.1718	----	----	1	----	1 UNCH
4615	20.30	20.30	#34.90B/*5.40A	34.90B/*5.40A	----	8.50 NEW	.1599	----	----	2	----	1 + 1
4620	----	----	#32.60B/*4.90A	32.60B/*4.90A	----	7.80 NEW	.1490	----	----	2	----	2 + 2
4625	7.20	7.20	30.40B/*4.50A	30.40B/*4.50A	----	7.20 - 12.70	.1392	----	----	3	----	46 - 3
4630	4.10	4.10	#28.70B/*4.10	28.70B/*4.10	----	6.60 - 11.90	.1294	----	----	3	----	22 + 2
4635	5.50	5.50	#26.90B/*3.80A	26.90B/*3.80A	----	6.00 NEW	.1197	----	----	1	----	1 + 1
4650	17.80	17.80	22.60/*3.10A	22.60/*3.10A	----	4.70 - 9.20	.0967	----	----	23	----	90 + 12
4660	10.70	10.70	#19.20B/*2.60A	19.20B/*2.60A	----	4.00 - 8.00	.0838	----	----	13	----	12 + 11
4665	----	----	#17.60B/*2.50A	17.60B/*2.50A	----	3.70 - 7.40	.0781	----	----	----	----	3 UNCH
4670	2.10	2.10	#16.90B/*2.10	16.90B/*2.10	----	3.40 NEW	.0725	----	----	3	----	2 + 2
4675	----	----	15.30B/*2.20A	15.30B/*2.20A	----	3.10 - 6.40	.0669	----	----	----	----	52 UNCH
4680	----	----	#14.20B/*2.00A	14.20B/*2.00A	----	2.90 - 5.90	.0628	----	----	3	----	2 + 1
4685	----	----	#13.30B/*1.80A	13.30B/*1.80A	----	2.70 - 5.50	.0587	----	----	----	----	1 UNCH
4690	3.70	3.70	#12.00B/*1.70A	12.00B/*1.70A	----	2.50 NEW	.0547	----	----	1	----	1 + 1
4695	----	----	#11.10B/*1.60A	11.10B/*1.60A	----	2.30 - 4.70	.0507	----	----	----	----	2 UNCH
4700	11.10	11.10	11.10/*1.50A	11.10/*1.50A	----	2.20 - 4.30	.0483	----	----	4	----	285 UNCH
4705	----	----	#9.60B/*1.50A	9.60B/*1.50A	----	2.00 NEW	.0444	----	----	1	----	1 + 1
4710	4.20	4.20	#9.20B/*1.30A	9.20B/*1.30A	----	1.90 - 3.70	.0421	----	----	6	----	3 UNCH
4715	----	----	#8.20B/*1.20A	8.20B/*1.20A	----	1.70 - 3.50	.0382	----	----	2	----	2 UNCH
4720	----	----	#7.40B/*1.20A	7.40B/*1.20A	----	1.60 NEW	.0360	----	----	1	----	1 + 1
4725	1.70	1.70	6.60B/*1.10A	6.60B/*1.10A	----	1.50 - 2.90	.0338	----	----	3	----	55 - 2
4745	----	----	#5.10B/*0.90A	5.10B/*0.90A	----	1.20 - 2.10	.0269	----	----	----	----	2 UNCH
4750	1.40	1.40	4.60B/*0.80A	4.60B/*0.80A	----	1.10 - 2.00	.0249	----	----	2	----	47 - 1
4755	----	----	#4.20B/*0.80A	4.20B/*0.80A	----	1.00 - 1.90	.0228	----	----	----	----	1 UNCH
4765	4.00	4.00	#4.00/*0.70A	4.00/*0.70A	----	0.90 - 1.60	.0205	----	----	8	----	9 + 8
4770	----	----	3.30B/*0.70A	3.30B/*0.70A	----	0.90 - 1.40	.0202	----	----	----	----	2 UNCH
4775	3.00	3.00	3.10B/*0.70A	3.10B/*0.70A	----	0.80 - 1.40	.0182	----	----	2	----	58 UNCH
4780	----	----	#2.90B/*0.60A	2.90B/*0.60A	----	0.80 - 1.30	.0180	----	----	----	----	23 UNCH
4785	3.00	3.00	3.00/*0.60A	3.00/*0.60A	----	0.70 - 1.20	.0160	----	----	6	----	10 + 6
4790	----	----	2.40B/*0.60A	2.40B/*0.60A	----	0.70 - 1.10	.0158	----	----	----	----	3 UNCH
4795	----	----	2.00B/*0.60A	2.00B/*0.60A	----	0.60 - 1.10	.0138	----	----	2	----	7 + 2
4800	0.90	0.90	1.90B/*0.60A	1.90B/*0.60A	----	0.60 - 1.00	.0136	----	----	3	----	217 - 1
4805	----	----	1.70B/*0.50A	1.70B/*0.50A	----	0.60 - 0.90	.0135	----	----	----	----	1 UNCH
4815	0.40	0.40	#1.50B/*0.40	1.50B/*0.40	----	0.50 NEW	.0114	----	----	1	----	1 + 1
4825	----	----	----/*0.50A	1.10B/*0.50A	----	0.40 - 0.80	.0093	----	----	----	----	502 UNCH
4830	----	----	----/*0.50A	1.10B/*0.50A	----	0.40 - 0.70	.0092	----	----	----	----	1 UNCH
4840	0.90	0.90	#0.90/*0.40A	0.90/*0.40A	----	0.40 NEW	.0090	----	----	1	----	1 + 1
4850	----	----	----/*0.50A	0.70B/*0.50A	----	0.30 - 0.60	.0070	----	----	----	----	53 UNCH
4875	----	----	----/*0.40A	0.60B/*0.40A	----	0.30 - 0.40	.0066	----	----	----	----	36 UNCH
4900	----	----	----/*0.40A	0.30B/*0.40A	----	0.20 - 0.40	.0045	----	----	1	----	136 UNCH
4920	0.20	0.20	#0.20/*0.20	0.20/*0.20	----	0.20 NEW	.0043	----	----	1	----	1 + 1
4925	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.40	.0024	----	----	----	----	18 UNCH
4950	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0023	----	----	----	----	230 UNCH
4975	----	----	----	----/0.60A	----	0.10 - 0.20	.0022	----	----	----	----	78 UNCH
5000	----	----	----	----/0.50A	----	0.10 - 0.10	.0021	----	----	----	----	58 UNCH
5025	----	----	----	----/0.70A	----	0.10 - 0.10	.0020	----	----	----	----	506 UNCH
5050	----	----	----	----/0.30A	----	0.10 UNCH	.0019	----	----	----	----	23 UNCH
5075	----	----	----	----/0.70A	----	0.10 UNCH	.0019	----	----	----	----	4 UNCH
5100	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0018	----	----	2	----	17 UNCH
5125	----	----	----	----/0.60A	----	0.10 UNCH	.0017	----	----	----	----	3 UNCH
5150	----	----	----	----/0.60A	----	0.10 UNCH	.0017	----	----	----	----	9 UNCH
5175	----	----	----	----/0.60A	----	0.10 UNCH	.0016	----	----	----	----	2 UNCH
5200	----	----	----	0.10B/0.50A	----	0.10 UNCH	.0016	----	----	----	----	26 UNCH
5225	----	----	----	----/0.50A	----	0.10 UNCH	.0015	----	----	----	----	2 UNCH
5300	----	----	----	----/0.80A	----	0.10 UNCH	.0014	----	----	----	----	2 UNCH
5400	----	----	----	----/0.70A	----	0.10 UNCH	.0013	----	----	----	----	2 UNCH
5500	----	----	----	----/0.70A	----	0.10 UNCH	.0012	----	----	2	----	18 + 2
5600	----	----	----	----/0.70A	----	0.10 UNCH	.0011	----	----	----	----	15 UNCH
6000	----	----	----	----/8.90A	----	0.10 UNCH	.0009	----	----	----	----	1 UNCH
TOTAL										502		3100 + 213

OG2 PUT — GOLD OPTIONS — JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	2.00	2.00	#2.10B/*2.00	#2.10B/*2.00	----	2.40 NEW	.0122	----	----	2	----	2 + 2
4000	10.00	10.00	#10.00/*10.00	#10.00/7.00A	----	8.40 NEW	.0526	----	----	500	----	500 + 500
4200	16.00	16.00	#25.00B/*13.70A	#25.00B/*13.70A	----	19.40 NEW	.1209	----	----	5	----	5 + 5
4250	----	----	#32.10B/*17.10A	#32.10B/*17.10A	----	24.80 NEW	.1514	----	----	1	----	1 + 1
4300	35.50	35.50	#41.40B/*22.50A	#41.40B/*22.50A	----	31.80 NEW	.1891	----	----	11	----	11 + 11
4325	----	----	#47.10B/*25.00A	#47.10B/*25.00A	----	36.10 + 6.80	.2111	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 PUT		GOLD OPTIONS										
JUN26												
4400	59.80	59.80	#68.60B/*36.90A	#68.60B/*36.90A	----	53.10 + 9.10	.2903	----	----	3	----	73 + 3
4450	----	----	#87.20B/*47.90A	#87.20B/*47.90A	----	68.50 NEW	.3535	----	----	1	----	1 + 1
4500	----	----	#109.70B/*61.90	#109.70B/*61.90A	----	87.40 + 16.60	.4228	----	----	----	----	25 UNCH
4525	----	----	#122.30B/*70.30	#122.30B/*70.30A	----	98.30 + 18.00	.4591	----	----	----	----	1 UNCH
4550	----	----	#136.00B/*79.40	#136.00B/*79.40A	----	110.20 NEW	.4960	----	----	1	----	1 + 1
4575	----	----	#150.60B/*89.80	#150.60B/*89.80A	----	123.20 NEW	.5331	----	----	1	----	1 + 1
TOTAL										525		623 + 525

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 CALL		GOLD OPTIONS										
JUN26												
4725	36.20	36.20	#64.30B/*36.20	64.30B/*36.20	----	41.60 NEW	.2635	----	----	10	----	10 + 10
4850	20.50	20.50	#32.80B/*18.20A	32.80B/*18.20A	----	20.70 NEW	.1488	----	----	1	----	1 + 1
4900	25.00	25.00	#25.50B/*14.00A	#25.50B/*14.00A	----	15.80 NEW	.1176	----	----	3	----	3 + 3
4975	17.40	17.40	#17.40/*9.60A	#17.40/*9.60A	----	10.60 NEW	.0823	----	----	3	----	3 + 3
5025	----	----	#11.90B/*7.60A	11.90B/*7.60A	----	8.20 NEW	.0651	----	----	1	----	1 + 1
TOTAL										18		18 + 18

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 PUT		GOLD OPTIONS										
JUN26												
3500	----	----	1.20B/----	1.20B/1.30A	----	1.40 + 0.30	.0080	----	----	2	----	25 + 2
3750	----	----	2.30B/----	2.30B/2.30A	----	2.50 + 0.50	.0162	----	----	1	----	9 UNCH
3800	----	----	2.70B/----	2.70B/2.60A	----	2.80 + 0.60	.0187	----	----	----	----	2 UNCH
3900	----	----	3.90B/----	3.90B/3.30A	----	3.80 NEW	.0264	----	----	2	----	2 + 2
4000	----	----	5.90B/----	5.90B/4.40A	----	5.30 + 1.20	.0384	----	----	2	----	2 + 1
4100	----	----	9.90B/----	9.90B/6.20A	----	7.90 + 1.80	.0587	----	----	----	----	2 UNCH
4200	----	----	16.90B/9.30A	16.90B/9.30A	----	12.60 + 3.00	.0941	----	----	----	----	3 UNCH
4250	----	----	22.40B/11.00A	22.40B/11.00A	----	16.30 + 3.90	.1208	----	----	1	----	10 + 1
4275	20.00	20.00	#26.00B/12.50A	#26.00B/12.50A	----	18.70 + 4.40	.1374	----	----	13	----	27 + 12
4300	30.20	30.20	#30.20/14.20A	#30.20/14.20A	----	21.50 + 5.00	.1563	----	----	1	----	10 UNCH
4325	----	----	#34.80B/16.40A	#34.80B/16.40A	----	24.80 + 5.80	.1778	----	----	----	----	15 UNCH
4350	----	----	#40.20B/20.00A	#40.20B/20.00A	----	28.70 + 6.60	.2023	----	----	2	----	15 + 2
4375	----	----	46.30B/22.70A	46.30B/22.70A	----	33.40 + 7.70	.2301	----	----	----	----	4 UNCH
4400	----	----	53.50B/25.90A	53.50B/25.90A	----	38.80 + 8.80	.2608	----	----	----	----	52 UNCH
4425	53.10	53.10	#61.80B/30.60A	#61.80B/30.60A	----	45.10 + 10.10	.2947	----	----	23	----	33 + 18
4450	46.00	46.00	#71.00B/35.00A	#71.00B/35.00A	----	52.30 + 11.40	.3313	----	----	9	----	28 + 4
4475	----	----	#81.30B/41.60A	#81.30B/41.60A	----	60.60 + 13.00	.3707	----	----	1	----	3 UNCH
4500	----	----	#92.90B/48.20A	#92.90B/48.20A	----	70.00 + 14.70	.4122	----	----	----	----	3 UNCH
4525	----	----	#105.40B/55.10A	#105.40B/55.10A	----	80.70 + 16.60	.4555	----	----	----	----	1 UNCH
4575	----	----	#134.40B/73.00A	#134.40B/73.00A	----	105.60 + 20.60	.5440	----	----	9	----	7 - 9
4600	----	----	#150.30B/83.50A	#150.30B/83.50A	----	119.90 + 22.70	.5880	----	----	10	----	43 + 10
4625	----	----	#167.30B/95.70A	#167.30B/95.70A	----	135.40 NEW	.6305	----	----	10	----	10 + 10
4650	----	----	#178.90B/111.30	#178.90B/111.30A	----	152.00 + 26.90	.6713	----	----	----	----	1 UNCH
4700	----	----	#217.70B/141.60	#217.70B/141.60A	----	188.50 + 31.00	.7454	----	----	----	----	22 UNCH
4750	----	----	#259.00B/176.10	#259.00B/176.10A	----	228.70 + 34.70	.8066	----	----	----	----	28 UNCH
4775	----	----	#281.30B/195.20	#281.30B/195.20A	----	249.90 + 36.40	.8327	----	----	----	----	11 UNCH
TOTAL										86		368 + 53

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 CALL		GOLD OPTIONS										
JUN26												
4500	111.50	111.50	164.80B/*100.20	164.80B/*100.20A	----	114.50 NEW	.5872	----	----	1	----	1 + 1
4525	98.00	98.00	147.40B/*87.00A	147.40B/*87.00A	----	100.10 NEW	.5440	----	----	2	----	2 + 2
4550	87.90	87.90	130.70B/*75.10A	130.70B/*75.10A	----	87.00 NEW	.4999	----	----	50	----	50 + 50
4575	----	----	115.60B/*64.50A	115.60B/*64.50A	----	75.10 - 26.60	.4555	----	----	19	----	12 - 1
4600	----	----	101.30B/*55.10A	101.30B/*55.10A	----	64.40 - 24.60	.4115	----	----	----	----	31 UNCH
4625	----	----	89.00B/*46.80A	89.00B/*46.80A	----	55.00 - 22.40	.3690	----	----	29	----	34 + 26
4650	----	----	79.10B/*39.60A	79.10B/*39.60A	----	46.70 - 20.30	.3282	----	----	----	----	1 UNCH
4675	----	----	68.30B/*33.50A	68.30B/*33.50A	----	39.50 - 18.20	.2899	----	----	----	----	2 UNCH
4700	32.50	32.50	57.10B/*28.30A	57.10B/*28.30A	----	33.20 - 16.20	.2541	----	----	16	----	27 - 1
4725	----	----	49.00B/*23.80A	49.00B/*23.80A	----	28.00 - 14.20	.2221	----	----	38	----	40 + 38
4750	23.40	23.40	41.80B/*20.20A	41.80B/*20.20A	----	23.50 - 12.50	.1929	----	----	22	----	43 + 21
4775	19.00	19.00	35.50B/*16.90A	35.50B/*16.90A	----	19.70 - 10.90	.1669	----	----	1	----	21 UNCH
4800	----	----	29.70B/*14.40A	29.70B/*14.40A	----	16.60 - 9.40	.1443	----	----	----	----	2 UNCH
4825	----	----	25.10B/*12.20A	25.10B/*12.20A	----	14.00 - 8.10	.1246	----	----	----	----	5 UNCH
4850	----	----	21.00B/*10.20A	21.00B/*10.20A	----	11.90 - 6.80	.1079	----	----	19	----	281 + 18
4875	----	----	17.80B/*8.70A	17.80B/*8.70A	----	10.10 - 5.80	.0932	----	----	----	----	1 UNCH
4900	12.00	12.00	15.30B/*7.60A	15.30B/*7.60A	----	8.60 - 5.00	.0806	----	----	1	----	7 UNCH
4950	----	----	10.30B/*5.70A	10.30B/*5.70A	----	6.40 - 3.50	.0611	----	----	----	----	3 UNCH
5000	----	----	7.50B/*4.50A	7.50B/*4.50A	----	4.80 - 2.60	.0465	----	----	1	----	2 + 1
5050	----	----	----/*3.60A	4.40B/*3.60A	----	3.70 NEW	.0361	----	----	1	----	1 + 1
5100	2.80	2.80	2.80/*2.80	3.10B/*2.80	----	2.90 NEW	.0284	----	----	1	----	1 + 1
5200	----	----	----/*2.10A	1.60B/*2.10A	----	1.90 - 1.00	.0184	----	----	----	----	1 UNCH
5225	----	----	----/*2.00A	1.50B/*2.00A	----	1.70 - 0.90	.0165	----	----	----	----	1 UNCH
5250	----	----	----/*1.90A	1.30B/*1.90A	----	1.60 - 0.80	.0153	----	----	----	----	1 UNCH
5300	----	----	----/*1.60A	1.10B/*1.60A	----	1.30 - 0.80	.0124	----	----	----	----	3 UNCH
5400	----	----	----/*1.30A	0.80B/*1.30A	----	1.10 - 0.50	.0100	----	----	----	----	1 UNCH
5600	----	----	----	0.40B/*1.20A	----	0.70 - 0.30	.0060	----	----	----	----	1 UNCH
TOTAL										201		575 + 157

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
1325	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	15 UNCH
1375	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1400	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1425	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1475	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	11 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	3 UNCH
1525	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	8 UNCH
1575	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1580	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1590	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	175 UNCH
1600	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	18 UNCH
1610	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1615	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1620	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	31 UNCH
1625	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1650	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
1670	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	10 UNCH
1675	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	10 UNCH
1685	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	5 UNCH
1690	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1695	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1700	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
1725	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1735	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1740	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1745	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1750	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	3 UNCH
1755	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1775	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1780	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
1785	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
1795	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	11 UNCH
1800	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	6 UNCH
1815	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1820	----	----	----	----/0.30A	----	0.10 UNCH	.0003	----	----	----	----	2 UNCH
1855	----	----	----	----/0.30A	----	0.10 UNCH	.0003	----	----	----	----	1 UNCH
1875	----	----	----	----/0.30A	----	0.10 UNCH	.0003	----	----	----	----	3 UNCH
1900	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS												
JUN26														
1905	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	7	UNCH
1915	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	10	UNCH
1920	----	----	----	----/0.30A	----	0.10	UNCH	.0003	----	----	----	----	2	UNCH
1950	----	----	----	----/0.30A	----	0.10	UNCH	.0003	----	----	----	----	1	UNCH
1955	----	----	----	----/0.30A	----	0.10	UNCH	.0003	----	----	----	----	2	UNCH
1965	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	10	UNCH
1975	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	85	UNCH
2000	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	607	UNCH
2005	----	----	----	----/0.30A	----	0.10	UNCH	.0003	----	----	----	----	1	UNCH
2010	----	----	----	----/0.30A	----	0.10	UNCH	.0003	----	----	----	----	1	UNCH
2015	----	----	----	----/0.30A	----	0.10	UNCH	.0003	----	----	----	----	7	UNCH
2020	----	----	----	----/0.30A	----	0.10	UNCH	.0003	----	----	----	----	1	UNCH
2025	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	40	UNCH
2030	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	13	UNCH
2050	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	20	UNCH
2085	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	15	UNCH
2100	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	101	UNCH
2105	----	----	----	----/0.30A	----	0.10	UNCH	.0003	----	----	----	----	1	UNCH
2110	----	----	----	----/0.30A	----	0.10	UNCH	.0003	----	----	----	----	1	UNCH
2130	----	----	----	----/0.30A	----	0.10	UNCH	.0003	----	----	----	----	1	UNCH
2170	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	5	UNCH
2180	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	6	UNCH
2195	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	5	UNCH
2200	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	9	UNCH
2205	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	7	UNCH
2220	----	----	----	----/0.30A	----	0.10	UNCH	.0003	----	----	----	----	1	UNCH
2230	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	25	UNCH
2235	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	21	UNCH
2240	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	6	UNCH
2250	----	----	----	----/0.30A	----	0.10	UNCH	.0003	----	----	----	----	5	UNCH
2300	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	13	UNCH
2315	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	40	UNCH
2330	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	9	UNCH
2350	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	1	UNCH
2380	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	14	UNCH
2385	----	----	----	----/0.30A	----	0.10	UNCH	.0004	----	----	----	----	1	UNCH
2390	----	----	----	----/0.30A	----	0.10	UNCH	.0004	----	----	----	----	1	UNCH
2395	----	----	----	----/0.30A	----	0.10	UNCH	.0004	----	----	----	----	1	UNCH
2400	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	72	UNCH
2405	----	----	----	----/0.30A	----	0.10	UNCH	.0004	----	----	----	----	1	UNCH
2410	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	6	UNCH
2415	----	----	----	----/0.30A	----	0.10	UNCH	.0004	----	----	----	----	1	UNCH
2420	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	5	UNCH
2425	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	23	UNCH
2430	----	----	----	----/0.30A	----	0.10	UNCH	.0004	----	----	----	----	1	UNCH
2445	----	----	----	----/0.30A	----	0.10	UNCH	.0004	----	----	----	----	5	UNCH
2450	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	51	UNCH
2460	----	----	----	----/0.30A	----	0.10	UNCH	.0004	----	----	----	----	1	UNCH
2465	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	7	UNCH
2475	----	----	----	----/0.30A	----	0.10	UNCH	.0004	----	----	----	----	3	UNCH
2495	----	----	----	----/0.30A	----	0.10	UNCH	.0004	----	----	----	----	1	UNCH
2500	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	1928	UNCH
2510	----	----	----	----/0.30A	----	0.10	UNCH	.0004	----	----	----	----	2	UNCH
2525	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	25	UNCH
2535	----	----	----	----/0.30A	----	0.10	UNCH	.0004	----	----	----	----	5	UNCH
2540	----	----	----	----/0.30A	----	0.10	UNCH	.0004	----	----	----	----	5	UNCH
2550	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	50	UNCH
2565	----	----	----	----/0.30A	----	0.10	UNCH	.0004	----	----	----	----	5	UNCH
2580	----	----	----	----/0.30A	----	0.10	UNCH	.0004	----	----	----	----	5	UNCH
2590	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	13	UNCH
2600	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	189	UNCH
2645	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	10	UNCH
2650	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	1	UNCH
2685	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	26	UNCH
2695	----	----	----	----/0.30A	----	0.10	UNCH	.0005	----	----	----	----	2	UNCH
2700	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	427	UNCH
2730	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	35	UNCH
2750	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	6	UNCH
2800	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	768	UNCH
2805	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	223	UNCH
2810	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	18	UNCH
2825	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	56	UNCH
2830	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	25	UNCH
2850	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	32	UNCH
2865	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	2	UNCH
2875	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	7	UNCH
2900	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	157	UNCH
2905	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	5	UNCH
2915	----	----	----	----/0.30A	----	0.10	UNCH	.0005	----	----	----	----	1	UNCH
2930	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	1	UNCH
2935	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	5	UNCH
2950	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	24	UNCH
2955	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	8	UNCH
2970	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	2	UNCH
2975	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	10	UNCH
2990	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	5	UNCH
2995	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	6	UNCH
3000	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	1894	UNCH
3005	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	30	UNCH
3010	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	8	UNCH
3015	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	216	UNCH
3020	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	35	UNCH
3035	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	1	UNCH
3045	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	56	UNCH
3050	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	407	UNCH
3065	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	7	UNCH
3070	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	7	UNCH
3075	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	30	UNCH
3080	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	8	UNCH
3085	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	1	UNCH
3095	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	42	UNCH
3100	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	512	UNCH
3105	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	13	UNCH
3110	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	11	UNCH
3120	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	13	UNCH
3125	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	13	UNCH
3130	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	26	UNCH
3140	----	----	----	----/0.30A	----	0.10	UNCH	.0006	----	----	----	----	5	UNCH
3150	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	147	UNCH
3155	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	16	UNCH
3160	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	16	UNCH
3170	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	6	UNCH
3175	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	13	UNCH
3180	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	5	UNCH
3185	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	6	UNCH
3190	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	18	UNCH
3195	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	12	UNCH
3200	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10	UNCH	.0007	----	----	1	----	1206	UNCH
3205	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	42	UNCH
3210	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	25	UNCH
3215	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	22	UNCH
3220	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	37	UNCH
3225	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10	UNCH	.0007	----	----	5	----	80 +	5
3230	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	8	UNCH
3235	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	26	UNCH
3240	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	2	UNCH
3245	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	4	UNCH
3250	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10	UNCH	.0007	----	----	9	----	156 +	8
3255	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10	UNCH	.0007	----	----	5	----	128 +	4
3260	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	45	UNCH
3265	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	30	UNCH
3270	----	----	----	----/0.40A	----	0.10	UNCH	.0007	----	----	----	----	7	UNCH
3275	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	10	UNCH
3280	----	----	----	----/0.20A	----	0.10	UNCH	.0007	----	----	----	----	12	UNCH
3290	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	37	UNCH
3295	----	----	----	----/0.40A	----	0.10	UNCH	.0007	----	----	----	----	2	UNCH
3300	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10	UNCH	.0007	----	----	25	----	422	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3305	----	----	----	----/0.40A	----	0.10 UNCH	.0007	----	----	----	----	1 UNCH
3310	----	----	----	----/0.30A	----	0.10 UNCH	.0008	----	----	----	----	7 UNCH
3315	----	----	----	----/0.40A	----	0.10 UNCH	.0008	----	----	----	----	7 UNCH
3320	----	----	----	----/0.20A	----	0.10 UNCH	.0008	----	----	----	----	4 UNCH
3325	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0008	----	----	10	----	47 UNCH
3335	----	----	----	----/0.10A	----	0.10 UNCH	.0008	----	----	----	----	46 UNCH
3340	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0008	----	----	----	----	22 UNCH
3345	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0008	----	----	----	----	12 UNCH
3350	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0008	----	----	31	----	447 + 13
3355	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0008	----	----	----	----	17 UNCH
3360	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0008	----	----	----	----	7 UNCH
3365	----	----	----	0.10B/0.10A	----	0.10 UNCH	.0008	----	----	----	----	31 UNCH
3370	----	----	----	0.10B/0.10A	----	0.10 UNCH	.0008	----	----	----	----	26 UNCH
3375	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0008	----	----	5	----	98 UNCH
3380	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0008	----	----	5	----	51 + 5
3385	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0008	----	----	----	----	6 UNCH
3390	----	----	----	0.10B/0.10A	----	0.10 UNCH	.0008	----	----	----	----	59 UNCH
3395	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0008	----	----	----	----	2 UNCH
3400	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0008	----	----	25	----	719 UNCH
3405	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0008	----	----	5	----	71 + 5
3410	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0008	----	----	----	----	7 UNCH
3415	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0008	----	----	----	----	3 UNCH
3420	----	----	----	0.10B/0.40A	----	0.10 UNCH	.0008	----	----	----	----	18 UNCH
3425	0.10	0.10	0.20B/*0.10	0.20B/*0.10	----	0.10 UNCH	.0008	----	----	5	----	30 + 5
3430	0.10	0.10	0.20B/0.10	0.20B/0.10	----	0.10 UNCH	.0008	----	----	5	----	45 + 5
3435	----	----	0.20B/----	0.20B/0.40A	----	0.10 UNCH	.0008	----	----	----	----	20 UNCH
3450	0.20	0.20	0.20/0.20	0.20/*0.10A	----	0.10 UNCH	.0009	----	----	15	----	385 UNCH
3455	----	----	0.20B/----	0.20B/*0.10A	----	0.10 UNCH	.0009	----	----	----	----	51 UNCH
3460	0.10	0.10	0.20B/*0.10	0.20B/*0.10	----	0.20 + 0.10	.0016	----	----	10	----	227 UNCH
3465	----	----	0.20B/----	0.20B/*0.10A	----	0.20 + 0.10	.0016	----	----	----	----	89 UNCH
3470	----	----	0.20B/----	0.20B/0.30A	----	0.20 + 0.10	.0016	----	----	----	----	28 UNCH
3475	----	----	0.20B/----	0.20B/*0.10A	----	0.20 + 0.10	.0016	----	----	----	----	106 UNCH
3480	----	----	0.30B/----	0.30B/*0.10A	----	0.20 + 0.10	.0016	----	----	----	----	171 UNCH
3485	0.20	0.20	0.30B/*0.20	0.30B/*0.20	----	0.20 + 0.10	.0016	----	----	1	----	3 UNCH
3490	----	----	0.30B/----	0.30B/*0.20A	----	0.20 UNCH	.0016	----	----	----	----	21 UNCH
3500	0.10	0.10	0.50/*0.10	0.50/*0.10	----	0.20 UNCH	.0017	----	----	73	----	1761 - 46
3505	----	----	0.30B/----	0.30B/0.30A	----	0.20 UNCH	.0017	----	----	----	----	65 UNCH
3510	----	----	0.30B/----	0.30B/0.30A	----	0.20 UNCH	.0017	----	----	----	----	86 UNCH
3515	----	----	0.30B/----	0.30B/0.40A	----	0.30 + 0.10	.0024	----	----	----	----	16 UNCH
3520	----	----	0.30B/----	0.30B/0.40A	----	0.30 + 0.10	.0024	----	----	----	----	138 UNCH
3525	----	----	0.30B/----	0.30B/0.40A	----	0.30 + 0.10	.0024	----	----	----	----	301 UNCH
3530	----	----	0.30B/----	0.30B/0.40A	----	0.30 + 0.10	.0024	----	----	----	----	7 UNCH
3535	----	----	0.30B/----	0.30B/0.40A	----	0.30 + 0.10	.0024	----	----	----	----	100 UNCH
3540	----	----	0.30B/----	0.30B/0.40A	----	0.30 + 0.10	.0024	----	----	----	----	5 UNCH
3545	----	----	0.30B/----	0.30B/0.40A	----	0.30 + 0.10	.0025	----	----	----	----	22 UNCH
3550	----	----	0.30B/----	0.30B/0.40A	----	0.30 + 0.10	.0025	----	----	----	----	417 UNCH
3555	----	----	0.30B/----	0.30B/0.40A	----	0.30 + 0.10	.0025	----	----	----	----	2 UNCH
3560	----	----	0.40B/----	0.40B/0.40A	----	0.30 + 0.10	.0025	----	----	----	----	89 UNCH
3565	----	----	0.40B/----	0.40B/0.40A	----	0.40 + 0.20	.0032	----	----	----	----	41 UNCH
3570	----	----	0.40B/----	0.40B/0.40A	----	0.40 + 0.10	.0032	----	----	----	----	60 UNCH
3575	----	----	0.40B/----	0.40B/0.40A	----	0.40 + 0.10	.0032	----	----	----	----	41 UNCH
3580	----	----	0.40B/----	0.40B/0.40A	----	0.40 + 0.10	.0032	----	----	----	----	76 UNCH
3585	----	----	0.40B/----	0.40B/0.40A	----	0.40 + 0.10	.0033	----	----	----	----	4 UNCH
3590	----	----	0.40B/----	0.40B/0.40A	----	0.40 + 0.10	.0033	----	----	----	----	3 UNCH
3595	----	----	0.40B/----	0.40B/0.40A	----	0.40 + 0.10	.0033	----	----	----	----	23 UNCH
3600	0.60	0.60	0.60/0.60	0.60/0.40A	----	0.40 + 0.10	.0033	----	----	5	----	1804 + 5
3610	----	----	0.50B/----	0.50B/0.40A	----	0.50 + 0.20	.0040	----	----	----	----	4 UNCH
3615	----	----	0.50B/----	0.50B/0.40A	----	0.50 + 0.20	.0040	----	----	----	----	37 UNCH
3620	----	----	0.50B/----	0.50B/0.40A	----	0.50 + 0.20	.0041	----	----	----	----	18 UNCH
3625	0.30	0.30	0.50B/*0.30	0.50B/*0.30	----	0.50 + 0.20	.0041	----	----	10	----	67 UNCH
3630	----	----	0.50B/----	0.50B/0.40A	----	0.50 + 0.20	.0041	----	----	----	----	87 UNCH
3635	----	----	0.50B/----	0.50B/0.40A	----	0.50 + 0.10	.0041	----	----	----	----	108 UNCH
3640	----	----	0.60B/----	0.60B/0.40A	----	0.50 + 0.10	.0042	----	----	----	----	24 UNCH
3645	----	----	0.60B/----	0.60B/0.40A	----	0.50 + 0.10	.0042	----	----	----	----	14 UNCH
3650	----	----	0.60B/----	0.60B/0.40A	----	0.60 + 0.20	.0049	----	----	10	----	710 + 10
3655	----	----	0.60B/----	0.60B/0.50A	----	0.60 + 0.20	.0049	----	----	----	----	9 UNCH
3660	----	----	0.60B/----	0.60B/0.50A	----	0.60 + 0.20	.0049	----	----	----	----	1 UNCH
3665	----	----	0.60B/----	0.60B/0.50A	----	0.60 + 0.20	.0050	----	----	----	----	39 UNCH
3670	----	----	0.70B/----	0.70B/0.50A	----	0.60 + 0.20	.0050	----	----	----	----	31 UNCH
3675	----	----	0.70B/----	0.70B/0.50A	----	0.60 + 0.20	.0050	----	----	52	----	98 + 52
3680	----	----	0.70B/----	0.70B/0.50A	----	0.60 + 0.20	.0050	----	----	----	----	18 UNCH
3685	----	----	0.70B/----	0.70B/0.50A	----	0.70 + 0.30	.0058	----	----	----	----	49 UNCH
3690	----	----	0.70B/----	0.70B/0.50A	----	0.70 + 0.30	.0058	----	----	----	----	15 UNCH
3695	----	----	0.80B/----	0.80B/0.50A	----	0.70 + 0.20	.0058	----	----	----	----	19 UNCH
3700	----	----	0.80B/0.40A	0.80B/0.40A	----	0.70 + 0.20	.0059	----	----	34	----	758 + 34
3705	----	----	0.80B/----	0.80B/0.50A	----	0.70 + 0.20	.0059	----	----	----	----	164 UNCH
3710	----	----	0.80B/----	0.80B/0.60A	----	0.70 + 0.20	.0059	----	----	----	----	80 UNCH
3715	----	----	0.80B/----	0.80B/0.60A	----	0.80 + 0.30	.0066	----	----	----	----	50 UNCH
3720	0.70	0.70	0.80B/0.70	0.80B/0.60A	----	0.80 + 0.30	.0067	----	----	1	----	4 UNCH
3725	----	----	0.80B/----	0.80B/0.60A	----	0.80 + 0.30	.0067	----	----	----	----	121 UNCH
3730	----	----	0.90B/----	0.90B/0.60A	----	0.80 + 0.30	.0067	----	----	----	----	20 UNCH
3735	----	----	0.90B/----	0.90B/0.60A	----	0.80 + 0.30	.0068	----	----	----	----	1 UNCH
3740	0.40	0.40	1.10B/*0.40	1.10B/*0.40	----	0.80 + 0.30	.0068	----	----	1	----	70 UNCH
3745	----	----	1.10B/----	1.10B/0.60A	----	0.90 + 0.40	.0075	----	----	----	----	20 UNCH
3750	0.40	0.40	1.10B/*0.40	1.10B/*0.40	----	0.90 + 0.30	.0076	----	----	91	----	1330 + 1
3755	----	----	1.10B/----	1.10B/0.70A	----	0.90 + 0.30	.0076	----	----	----	----	14 UNCH
3760	0.40	0.40	1.10B/*0.40	1.10B/*0.40	----	0.90 + 0.30	.0077	----	----	1	----	34 + 1
3765	----	----	1.20B/----	1.20B/0.60A	----	0.90 + 0.30	.0077	----	----	----	----	48 UNCH
3770	----	----	1.20B/----	1.20B/0.70A	----	1.00 + 0.40	.0085	----	----	----	----	17 UNCH
3775	----	----	1.20B/----	1.20B/0.70A	----	1.00 + 0.40	.0085	----	----	74	----	145 + 74
3780	----	----	1.20B/----	1.20B/0.70A	----	1.00 + 0.40	.0086	----	----	----	----	15 UNCH
3785	----	----	1.20B/----	1.20B/0.70A	----	1.00 + 0.40	.0086	----	----	----	----	7 UNCH
3790	----	----	1.20B/----	1.20B/0.70A	----	1.00 + 0.40	.0087	----	----	----	----	259 UNCH
3795	----	----	1.30B/----	1.30B/0.70A	----	1.00 + 0.40	.0087	----	----	----	----	83 UNCH
3800	1.30	1.30	1.40B/1.10	1.40B/0.60A	----	1.00 + 0.40	.0088	----	----	6	----	2809 + 4
3805	----	----	1.30B/----	1.30B/0.80A	----	1.10 + 0.50	.0095	----	----	----	----	71 UNCH
3810	----	----	1.40B/----	1.40B/0.80A	----	1.10 + 0.50	.0096	----	----	----	----	45 UNCH
3815	----	----	1.40B/----	1.40B/0.80A	----	1.10 + 0.40	.0096	----	----	----	----	40 UNCH
3820	----	----	1.40B/----	1.40B/0.80A	----	1.10 + 0.40	.0097	----	----	----	----	18 UNCH
3825	----	----	1.40B/----	1.40B/0.80A	----	1.10 + 0.40	.0098	----	----	----	----	40 UNCH
3830	----	----	1.50B/----	1.50B/0.80A	----	1.10 + 0.40	.0098	----	----	----	----	189 UNCH
3835	----	----	1.50B/----	1.50B/0.80A	----	1.20 + 0.50	.0106	----	----	----	----	55 UNCH
3840	----	----	1.50B/----	1.50B/0.80A	----	1.20 + 0.50	.0107	----	----	----	----	4 UNCH
3845	----	----	1.50B/----	1.50B/0.90A	----	1.20 + 0.50	.0107	----	----	----	----	1 UNCH
3850	0.40	0.40	1.60/*0.40	1.60/*0.40	----	1.20 + 0.50	.0108	----	----	69	----	717 - 4
3855	----	----	1.60B/----	1.60B/0.90A	----	1.20 + 0.50	.0109	----	----	----	----	73 UNCH
3860	----	----	1.60B/----	1.60B/0.90A	----	1.20 + 0.50	.0110	----	----	----	----	29 UNCH
3865	----	----	1.60B/----	1.60B/0.90A	----	1.30 + 0.50	.0117	----	----	----	----	19 UNCH
3870	----	----	1.70B/----	1.70B/0.90A	----	1.30 + 0.50	.0118	----	----	----	----	16 UNCH
3875	----	----	1.70B/----	1.70B/0.90A	----	1.30 + 0.50	.0119	----	----	----	----	161 UNCH
3880	----	----	1.70B/----	1.70B/0.90A	----	1.30 + 0.50	.0120	----	----	----	----	25 UNCH
3885	----	----	1.80B/----	1.80B/0.90A	----	1.30 + 0.50	.0121	----	----	----	----	13 UNCH
3890	0.90	0.90	2.00/0.90	2.00/0.90	----	1.40 + 0.50	.0129	----	----	8	----	52 + 2
3895	----	----	1.80B/----	1.80B/0.90A	----	1.40 + 0.50	.0130	----	----	----	----	16 UNCH
3900	0.90	0.90	1.90/0.90	1.90/0.90	----	1.40 + 0.50	.0130	----	----	90	----	1249 + 9
3905	----	----	1.90B/----	1.90B/0.90A	----	1.40 + 0.50	.0131	----	----	----	----	45 UNCH
3910	----	----	1.90B/----	1.90B/1.00A	----	1.40 + 0.50	.0132	----	----	----	----	10 UNCH
3915	----	----	2.00B/----	2.00B/1.00A	----	1.50 + 0.60	.0141	----	----	10	----	34 UNCH
3920	----	----	2.00B/----	2.00B/1.00A	----	1.50 + 0.60	.0142	----	----	----	----	34 UNCH
3925	----	----	2.10B/----	2.10B/1.00A	----	1.50 + 0.50	.0143	----	----	----	----	54 UNCH
3930	----	----	2.10B/0.90A	2.10B/0.90A	----	1.50 + 0.50	.0144	----	----	----	----	23 UNCH
3935	1.20	1.20	2.10B/1.20	2.10B/1.00A	----	1.50 + 0.50	.0145	----	----	12	----	28 - 11
3940	----	----	2.20B/----	2.20B/1.00A	----	1.60 + 0.60	.0153	----	----	----	----	102 UNCH
3945	----	----	2.20B/----	2.20B/1.00A	----	1.60 + 0.60	.0154	----	----	----	----	18 UNCH
3950	----	----	2.20B/----	2.20B/1.10A	----	1.60 + 0.60	.0155	----	----	37	----	322 - 28
3955	----	----	2.20B/----	2.20B/1.10A	----	1.70 + 0.70	.0164	----	----	4	----	9 - 4
3960	----	----	2.30B/----	2.30B/1.10A	----	1.70 + 0.60	.0165	----	----	----	----	40 UNCH
3965	----	----	2.40B/----	2.40B/1.10A	----	1.70 + 0.60	.0167	----	----	----	----	26 UNCH
3970	----	----	2.40B/----	2.40B/1.10A	----	1.70 + 0.60	.0168	----	----	----	----	69 UNCH
3975	----	----	2.40B/----	2.40B/1.20A	----	1.80 + 0.70	.0177	----	----	----	----	358 UNCH
3980	1.10	1.10	2.50B/1.10	2.50B/1.10	----	1.80 + 0.70	.0178	----	----	1	----	108 + 1
3985	----	----	2.50B/----	2.50B/1.20A	----	1.80 + 0.60	.0179	----	----	----	----	60 UNCH
3990	----	----	2.60B/----	2.60B/1.20A	----	1.90 + 0.70	.0188	----	----	----	----	58 UNCH
3995	1.90	1.90	2.60B/1.70	2.60B/1.20A	----	1.90 + 0.70	.0190	----	----	63	----	175 UNCH
4000	0.60	0.60	2.60/*0.60	2.60/*0.60	----	1.90 + 0.70	.0191	----	----	1048	----	4744 + 767
4005	1.10	1.10	2.80B/1.10	2.80B/1.10	----	2.00 + 0.70	.0201	----	----	4	----	64 UNCH
4010	2.60	2.60	2.80B/1.70	2.80B/1.30A	----	2.00 + 0.70	.0202	----	----	14	----	75 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4015	----	----	2.90B/----	2.90B/1.30A	----	2.00 + 0.70	.0204	----	----	----	----	58 UNCH
4020	2.10	2.10	2.90B/2.10	2.90B/1.30A	----	2.10 + 0.80	.0213	----	----	2	----	122 - 2
4025	----	----	3.00B/----	3.00B/1.40A	----	2.10 + 0.70	.0215	----	----	----	----	249 UNCH
4030	----	----	3.00B/----	3.00B/1.40A	----	2.10 + 0.70	.0217	----	----	----	----	51 UNCH
4035	1.90	1.90	2.90B/1.90	2.90B/1.40A	----	2.20 + 0.80	.0226	----	----	7	----	59 + 1
4040	2.30	2.30	3.20B/2.30	3.20B/1.40A	----	2.20 + 0.80	.0228	----	----	1	----	95 + 1
4045	----	----	3.20B/----	3.20B/1.50A	----	2.20 + 0.70	.0230	----	----	----	----	42 UNCH
4050	----	----	3.30B/----	3.30B/1.50A	----	2.30 + 0.80	.0240	----	----	----	----	1185 UNCH
4055	----	----	3.40B/----	3.40B/1.50A	----	2.30 + 0.80	.0242	----	----	----	----	37 UNCH
4060	----	----	3.40B/----	3.40B/1.60A	----	2.30 + 0.80	.0244	----	----	----	----	92 UNCH
4065	2.40	2.40	3.50B/2.40	3.50B/1.60A	----	2.40 + 0.90	.0254	----	----	4	----	150 - 1
4070	2.50	2.50	3.60B/2.50	3.60B/1.60A	----	2.40 + 0.80	.0257	----	----	4	----	67 + 3
4075	----	----	3.70B/----	3.70B/1.70A	----	2.40 + 0.80	.0259	----	----	----	----	264 UNCH
4080	2.30	2.30	3.90B/2.30	3.90B/1.70A	----	2.50 + 0.90	.0269	----	----	12	----	160 + 5
4085	2.50	2.50	3.90B/2.50	3.90B/1.70A	----	2.50 + 0.90	.0272	----	----	32	----	289 + 28
4090	----	----	4.10B/----	4.10B/1.80A	----	2.60 + 0.90	.0282	----	----	----	----	107 UNCH
4095	3.70	3.70	4.00B/3.00	4.00B/1.80A	----	2.60 + 0.90	.0285	----	----	11	----	2073 - 9
4100	3.50	3.50	4.10B/2.80	4.10B/1.80A	----	2.70 + 1.00	.0296	----	----	1015	----	2875 - 214
4105	----	----	4.30B/----	4.30B/1.90A	----	2.80 + 1.00	.0306	----	----	----	----	2067 UNCH
4110	3.80	3.80	4.40B/2.70	4.40B/1.90A	----	2.80 + 1.00	.0309	----	----	9	----	162 + 8
4115	3.00	3.00	4.50B/3.00	4.50B/1.90A	----	2.90 + 1.10	.0320	----	----	57	----	490 - 16
4120	----	----	4.80B/----	4.80B/2.00A	----	3.00 + 1.10	.0331	----	----	----	----	85 UNCH
4125	3.20	3.20	4.80B/3.20	4.80B/2.00A	----	3.10 + 1.20	.0343	----	----	33	----	387 - 3
4130	3.60	3.60	5.00B/3.20	5.00B/2.00A	----	3.10 + 1.10	.0346	----	----	6	----	58 + 5
4135	3.50	3.50	5.10B/3.50	5.10B/2.10A	----	3.20 + 1.20	.0358	----	----	4	----	52 + 3
4140	4.20	4.20	5.30B/3.50	5.30B/2.10A	----	3.30 + 1.20	.0369	----	----	7	----	58 + 7
4145	3.40	3.40	5.40B/3.40	5.40B/2.10A	----	3.30 + 1.20	.0373	----	----	4	----	162 UNCH
4150	----	----	5.20B/----	5.20B/2.20A	----	3.40 + 1.20	.0385	----	----	40	----	1667 + 13
4155	4.00	4.00	5.70B/3.50	5.70B/2.20A	----	3.50 + 1.30	.0397	----	----	2	----	56 - 1
4160	3.30	3.30	5.90B/3.30	5.90B/2.30A	----	3.50 + 1.20	.0401	----	----	1	----	230 + 1
4165	----	----	6.00B/----	6.00B/2.30A	----	3.60 + 1.30	.0414	----	----	----	----	39 UNCH
4170	----	----	6.20B/----	6.20B/2.40A	----	3.70 + 1.30	.0426	----	----	5	----	62 - 3
4175	----	----	6.40B/2.40A	6.40B/2.40A	----	3.80 + 1.30	.0439	----	----	250	----	863 - 73
4180	4.80	4.80	6.60B/2.40A	6.60B/2.40A	----	3.90 + 1.40	.0452	----	----	12	----	122 - 4
4185	----	----	6.90B/2.50A	6.90B/2.50A	----	4.00 + 1.40	.0465	----	----	----	----	27 UNCH
4190	5.20	5.20	7.10B/2.50A	7.10B/2.50A	----	4.10 + 1.40	.0478	----	----	6	----	46 - 1
4195	----	----	7.10B/2.60A	7.10B/2.60A	----	4.20 + 1.40	.0492	----	----	----	----	46 UNCH
4200	2.50	2.50	7.40B/2.50	7.40B/2.50	----	4.40 + 1.50	.0514	----	----	560	----	3318 - 142
4205	4.50	4.50	7.70B/2.70A	7.70B/2.70A	----	4.50 + 1.60	.0528	----	----	5	----	58 - 5
4210	6.60	6.60	8.00B/2.70A	8.00B/2.70A	----	4.70 + 1.70	.0550	----	----	27	----	465 - 5
4215	6.60	6.60	8.30B/2.80A	8.30B/2.80A	----	4.80 + 1.70	.0564	----	----	8	----	57 + 2
4220	3.10	3.10	8.50B/2.90A	8.50B/2.90A	----	4.90 + 1.70	.0579	----	----	12	----	189 - 3
4225	6.20	6.20	8.90B/2.90A	8.90B/2.90A	----	5.10 + 1.80	.0602	----	----	214	----	219 - 97
4230	6.40	6.40	9.20B/3.00A	9.20B/3.00A	----	5.20 + 1.80	.0618	----	----	23	----	120 + 10
4235	7.10	7.10	9.60B/3.10A	9.60B/3.10A	----	5.40 + 1.80	.0641	----	----	11	----	74 + 2
4240	6.30	6.30	10.00B/3.20A	10.00B/3.20A	----	5.60 + 1.90	.0665	----	----	13	----	112 + 7
4245	7.10	7.10	10.30B/3.30A	10.30B/3.30A	----	5.70 + 1.90	.0681	----	----	16	----	88 - 2
4250	6.60	6.60	10.70B/3.40A	10.70B/3.40A	----	5.90 + 2.00	.0706	----	----	245	300	1673 + 318
4255	----	----	11.00B/3.50A	11.00B/3.50A	----	6.10 + 2.00	.0731	----	----	----	----	277 UNCH
4260	8.00	8.00	11.60B/3.60A	11.60B/3.60A	----	6.30 + 2.10	.0756	----	----	33	----	134 + 16
4265	8.00	8.00	12.00B/3.70A	12.00B/3.70A	----	6.50 + 2.20	.0781	----	----	38	----	110 + 29
4270	7.30	7.30	12.50B/3.90A	12.50B/3.90A	----	6.70 + 2.20	.0808	----	----	5	----	94 + 5
4275	4.70	4.70	13.20/4.00A	13.20/4.00A	----	7.00 + 2.30	.0842	----	----	34	----	175 + 10
4280	9.30	9.30	13.50B/4.10A	13.50B/4.10A	----	7.20 + 2.40	.0868	----	----	2	----	90 + 1
4285	11.00	11.00	14.20B/4.20A	14.20B/4.20A	----	7.50 + 2.50	.0903	----	----	7	----	55 - 2
4290	----	----	14.70B/4.40A	14.70B/4.40A	----	7.70 + 2.50	.0931	----	----	2	----	129 UNCH
4295	7.00	7.00	15.30B/4.50A	15.30B/4.50A	----	8.00 + 2.60	.0967	----	----	7	----	115 + 2
4300	5.00	5.00	16.60/4.80A	16.60/4.80A	----	8.30 + 2.70	.1004	----	----	976	----	3820 + 211
4305	14.60	14.60	16.60B/4.80A	16.60B/4.80A	----	8.70 + 2.90	.1048	----	----	8	----	103 - 5
4310	14.40	14.40	17.30B/5.00A	17.30B/5.00A	----	9.00 + 3.00	.1085	----	----	11	----	101 + 6
4315	12.10	12.10	18.00B/5.10A	18.00B/5.10A	----	9.40 + 3.20	.1131	----	----	24	----	65 + 4
4320	6.70	6.70	18.60B/5.30A	18.60B/5.30A	----	9.70 + 3.20	.1169	----	----	9	----	116 + 4
4325	16.30	16.30	19.30B/5.50A	19.30B/5.50A	----	10.10 + 3.30	.1216	----	----	26	----	177 + 13
4330	16.10	16.10	20.20B/5.70A	20.20B/5.70A	----	10.60 + 3.60	.1270	----	----	62	----	385 - 18
4335	6.50	6.50	21.00B/5.90A	21.00B/5.90A	----	11.00 + 3.70	.1318	----	----	23	----	93 + 5
4340	9.30	9.30	22.00B/6.20A	22.00B/6.20A	----	11.50 + 3.80	.1373	----	----	35	----	158 + 6
4345	7.20	7.20	23.00B/6.40A	23.00B/6.40A	----	12.00 + 4.00	.1429	----	----	19	----	90 + 2
4350	7.80	7.80	24.10B/6.70A	24.10B/6.70A	----	12.50 + 4.20	.1485	----	----	489	----	1049 - 16
4355	10.80	10.80	24.90B/6.90A	24.90B/6.90A	----	13.00 + 4.30	.1543	----	----	88	----	170 + 46
4360	11.10	11.10	26.00B/7.20A	26.00B/7.20A	----	13.60 + 4.50	.1607	----	----	60	----	143 + 17
4365	11.50	11.50	27.10B/7.50A	27.10B/7.50A	----	14.20 + 4.70	.1673	----	----	37	----	133 + 15
4370	11.60	11.60	28.20B/7.80A	28.20B/7.80A	----	14.80 + 4.90	.1739	----	----	27	----	71 + 10
4375	12.00	12.00	29.60B/8.10A	29.60B/8.10A	----	15.50 + 5.10	.1812	----	----	159	----	487 - 30
4380	15.50	15.50	30.80B/8.50A	30.80B/8.50A	----	16.20 + 5.30	.1886	----	----	250	----	696 + 174
4385	13.50	13.50	31.90B/8.80A	31.90B/8.80A	----	16.90 + 5.50	.1961	----	----	15	----	96 - 2
4390	12.40	12.40	33.10B/9.20A	33.10B/9.20A	----	17.70 + 5.80	.2042	----	----	33	----	114 + 4
4395	15.70	15.70	34.70B/9.60A	34.70B/9.60A	----	18.50 + 6.00	.2125	----	----	17	----	112 + 14
4400	9.50	9.50	36.40B/9.50	36.40B/9.50	----	19.40 + 6.40	.2213	----	----	635	----	2327 + 14
4405	17.00	17.00	37.70B/10.60A	37.70B/10.60A	----	20.30 + 6.60	.2303	----	----	16	----	139 + 1
4410	35.50	35.50	39.40B/11.00A	39.40B/11.00A	----	21.20 + 6.90	.2394	----	----	23	300	127 - 301
4415	17.70	17.70	40.90B/11.50A	40.90B/11.50A	----	22.20 + 7.20	.2490	----	----	162	----	354 - 32
4420	37.00	37.00	42.50B/12.00A	42.50B/12.00A	----	23.30 + 7.60	.2592	----	----	49	----	154 + 41
4425	23.50	23.50	44.40B/12.50A	44.40B/12.50A	----	24.40 + 7.90	.2695	----	----	53	----	412 + 43
4430	15.50	15.50	46.00B/13.10A	46.00B/13.10A	----	25.50 + 8.20	.2799	----	----	5	----	102 + 2
4435	20.70	20.70	47.70B/13.70A	47.70B/13.70A	----	26.80 + 8.60	.2912	----	----	10	----	107 + 3
4440	42.70	42.70	49.70B/14.30A	49.70B/14.30A	----	28.00 + 9.00	.3023	----	----	5	----	87 - 1
4445	22.70	22.70	51.80B/15.00A	51.80B/15.00A	----	29.40 + 9.40	.3142	----	----	9	----	70 - 5
4450	21.20	21.20	53.90B/15.70A	53.90B/15.70A	----	30.80 + 9.80	.3261	----	----	298	----	2656 - 186
4455	----	----	55.80B/16.50A	55.80B/16.50A	----	32.20 + 10.20	.3382	----	----	12	----	186 - 5
4460	25.00	25.00	58.10B/17.30A	58.10B/17.30A	----	33.80 + 10.70	.3510	----	----	40	150	127 - 110
4465	29.00	29.00	60.30B/18.00A	60.30B/18.00A	----	35.40 + 11.20	.3639	----	----	24	----	1485 - 20
4470	----	----	62.80B/19.00A	62.80B/19.00A	----	37.00 + 11.60	.3769	----	----	10	----	270 - 2
4475	31.80	31.80	64.90B/20.00A	64.90B/20.00A	----	38.80 + 12.20	.3905	----	----	398	----	235 + 30
4480	28.30	28.30	66.40B/21.10A	66.40B/21.10A	----	40.60 + 12.70	.4041	----	----	3	----	175 + 1
4485	23.10	23.10	69.00B/22.00A	69.00B/22.00A	----	42.40 + 13.10	.4179	----	----	13	----	106 + 3
4490	33.10	33.10	72.60B/23.00A	72.60B/23.00A	----	44.40 + 13.70	.4321	----	----	18	----	277 - 9
4495	47.90	47.90	75.10B/24.20A	75.10B/24.20A	----	46.40 + 14.20	.4464	----	----	8	----	243 UNCH
4500	30.10	30.10	78.40B/25.30A	78.40B/25.30A	----	48.60 + 14.90	.4609	----	----	942	----	6464 - 139
4505	----	----	81.20B/26.60A	81.20B/26.60A	----	50.70 + 15.30	.4756	----	----	52	----	333 + 33
4510	46.90	46.90	84.30B/27.90A	84.30B/27.90A	----	53.00 + 16.00	.4904	----	----	7	----	133 - 2
4515	33.90	33.90	87.10B/29.30A	87.10B/29.30A	----	55.40 + 16.60	.5052	----	----	15	----	588 + 7
4520	45.00	45.00	90.20B/30.70A	90.20B/30.70A	----	57.80 + 17.20	.5202	----	----	10	----	212 + 7
4525	51.70	51.70	93.40B/31.80A	93.40B/31.80A	----	60.30 + 17.80	.5353	----	----	178	----	540 - 46
4530	49.00	49.00	96.60B/33.70A	96.60B/33.70A	----	62.90 + 18.40	.5502	----	----	4	----	353 + 2
4535	51.10	51.10	100.00B/35.30A	100.00B/35.30A	----	65.60 + 19.10	.5652	----	----	463	----	268 + 64
4540	54.70	54.70	103.20B/36.90A	103.20B/36.90A	----	68.40 + 19.80	.5804	----	----	20	----	281 + 6
4545	49.90	49.90	106.50B/38.60A	106.50B/38.60A	----	71.30 + 20.50	.5952	----	----	18	----	139 + 1
4550	40.00	40.00	110.00B/40.00	110.00B/40.00	----	74.20 + 21.20	.6099	----	----	93	----	1326 - 39
4555	----	----	113.50B/42.40A	113.50B/42.40A	----	77.30 + 21.90	.6247	----	----	7	----	112 + 1
4560	52.40	52.40	117.10B/44.40A	117.10B/44.40A	----	80.40 + 22.60	.6392	----	----	5	----	133 - 1
4565	54.30	54.30	120.90B/46.40A	120.90B/46.40A	----	83.60 + 23.30	.6536	----	----	3	----	247 UNCH
4570	----	----	124.60B/48.50A	124.60B/48.50A	----	86.90 + 24.00	.6676	----	----	----	----	194 UNCH
4575	59.50	59.50	128.30B/50.70A	128.30B/50.70A	----	90.30 + 24.80	.6814	----	----	8	----	321 UNCH
4580	62.10	62.10	132.00B/53.00A	132.00B/53.00A	----	93.70 + 25.50	.6947	----	----	3	----	251 - 1
4585	----	----	135.80B/55.30A	135.80B/55.30A	----	97.30 + 26.30	.7081	----	----	1	----	218 + 1
4590	125.80	125.80	139.80B/57.80A	139.80B/57.80A	----	100.90 + 27.00	.7210	----	----	1	----	240 UNCH
4595	----	----	143.70B/60.20A	143.70B/60.20A	----	104.50 + 27.60	.7335	----	----	1	----	76 UNCH
4600	100.00	100.00	147.80B/63.00A	147.80B/63.00A	----	108.30 + 28.40	.7459	----	----	157	----	3696 - 32
4605	----	----	152.00B/65.40A	152.00B/65.40A	----	112.10 + 29.10	.7579	----	----	----	----	128 UNCH
4610	127.00	127.00	156.00B/68.00A	156.00B/68.00A	----	116.00 + 29.80	.7693	----	----	7	----	212 - 4
4615	----	----	160.10B/70.80A	160.10B/70.80A	----	119.90 + 30.50	.7801	----	----	----	----	61 UNCH
4620	108.00	108.00	164.30B/73.60A	164.30B/73.60A	----	123.90 + 31.20	.7908	----	----	13	----	297 - 6
4625	121.00	121.00	168.60B/76.00A	168.60B/76.00A	----	127.90 + 31.80	.8015	----	----	3	----	915 - 1
4630	83.00	83.00	172.90B/79.60A	172.90B/79.60A	----	132.00 + 32.40	.8116	----	----	4	----	202 UNCH
4635	----	----	177.20B/82.40A	177.20B/82.40A	----	136.20 + 33.10	.8209	----	----	----	----	119 UNCH
4640	----	----	181.80B/85.50A	181.80B/85.50A	----	140.40 + 33.70	.8302	----	----	----	----	85 UNCH
4645	----	----	186.20B/88.80A	186.20B/88.80A	----	144.60 + 34.30	.8395	----	----	----	----	91 UNCH
4650	120.00	120.00	190.40B/92.00A	190.40B/92.00A	----	148.90 + 34.80	.8480	----	----	12	150	1371 - 151
4655	----	----	195.00B/95.30A	195.00B/95.30A	----	153.30 + 35.50	.8557	----	----	----	----	124 UNCH
4660	178.60	178.60	199.60B/98.70A	199.60B/98.70A	----	157.70 + 36.00	.8642	----	----	4	----	123 - 2
4665	----	----	203.90B/102.20A	203.90B/102.20A	----	162.10 + 36.50	.8709	----	----	1	----	27 - 1
4670	----	----	208.60B/105.70A	208.60B/105.70A	----	166.50 + 37.00	.8785	----	----	----	----	264 UNCH
4675	----	----	213.10B/109.30A	213.10B/109.30A	----	171.00 + 37.50	.8851	----	----	1	----	528 - 1
4680	144.00	144.00	217.70B/113.70A	217.70B/113.70A	----	175.60 + 38.00	.8918	----	----	1	----	140 UNCH
4685	----	----	222.50B/117.40A	222.50B/117.40A	----	180.10 + 38.40	.8974	----	----	----	----	72 UNCH
4690	----	----	227.10B/121.00A	227.10B/121.00A	----	184.70 + 38.90	.9030	----	----	----	----	208 UNCH
4695	----	----	231.60B/124.50A	231.60B/124.50A	----	189.30 + 39.30	.9086	----	----	----	----	80 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4700	----	----	236.30B/128.90A	236.30B/128.90A	----	194.00 + 39.70	.9131	----	----	14	----	2480 - 6
4705	----	----	241.10B/132.10A	241.10B/132.10A	----	198.60 + 40.00	.9186	----	----	----	----	98 UNCH
4710	----	----	246.00B/136.10A	246.00B/136.10A	----	203.30 + 40.40	.9231	----	----	----	----	71 UNCH
4715	----	----	250.50B/140.40A	250.50B/140.40A	----	208.10 + 40.80	.9264	----	----	----	----	83 UNCH
4720	----	----	255.30B/145.00A	255.30B/145.00A	----	212.80 + 41.10	.9308	----	----	1	----	168 - 1
4725	----	----	260.30B/148.40A	260.30B/148.40A	----	217.60 + 41.50	.9341	----	----	1	----	201 UNCH
4730	232.30	232.30	265.10B/152.60A	265.10B/152.60A	----	222.30 + 41.70	.9384	----	----	1	----	89 - 1
4735	----	----	269.90B/157.10A	269.90B/157.10A	----	227.10 + 42.00	.9416	----	----	----	----	358 UNCH
4740	----	----	274.70B/161.80A	274.70B/161.80A	----	231.90 + 42.20	.9436	----	----	----	----	141 UNCH
4745	----	----	279.60B/166.10A	279.60B/166.10A	----	236.80 + 42.60	.9467	----	----	----	----	86 UNCH
4750	251.70	251.70	284.20B/170.50A	284.20B/170.50A	----	241.60 + 42.80	.9498	----	----	3	----	1053 - 1
4755	----	----	289.30B/174.90A	289.30B/174.90A	----	246.40 + 42.90	.9516	----	----	----	----	27 UNCH
4760	----	----	294.00B/179.30A	294.00B/179.30A	----	251.30 + 43.20	.9547	----	----	----	----	94 UNCH
4765	----	----	298.80B/183.80A	298.80B/183.80A	----	256.20 + 43.40	.9565	----	----	2	----	68 - 2
4770	----	----	303.70B/188.30A	303.70B/188.30A	----	261.00 + 43.50	.9583	----	----	----	----	117 UNCH
4775	----	----	308.80B/192.80A	308.80B/192.80A	----	265.90 + 43.70	.9601	----	----	----	----	205 UNCH
4780	273.00	273.00	313.70B/197.40A	313.70B/197.40A	----	270.80 + 43.90	.9630	----	----	1	----	83 - 1
4785	283.70	283.70	318.60B/201.90A	318.60B/201.90A	----	275.70 + 44.10	.9648	----	----	4	----	84 - 3
4790	----	----	323.30B/206.20A	323.30B/206.20A	----	280.60 + 44.20	.9665	----	----	----	----	92 UNCH
4795	----	----	318.90B/211.20A	318.90B/211.20A	----	285.50 + 44.40	.9669	----	----	----	----	50 UNCH
4800	259.00	259.00	331.00/215.50A	331.00/215.50A	----	290.40 + 44.50	.9685	----	----	8	----	2804 - 2
4805	----	----	332.10B/220.50A	332.10B/220.50A	----	295.30 + 44.60	.9702	----	----	----	----	82 UNCH
4810	----	----	333.80B/225.20A	333.80B/225.20A	----	300.30 + 44.80	.9718	----	----	----	----	48 UNCH
4815	----	----	342.30B/229.90A	342.30B/229.90A	----	305.20 + 44.90	.9734	----	----	----	----	119 UNCH
4820	----	----	343.50B/234.30A	343.50B/234.30A	----	310.10 + 44.90	.9737	----	----	----	----	44 UNCH
4825	----	----	347.90B/239.40A	347.90B/239.40A	----	315.10 + 45.10	.9753	----	----	----	----	201 UNCH
4830	----	----	352.50B/243.80A	352.50B/243.80A	----	320.00 + 45.20	.9756	----	----	1	----	121 - 1
4835	----	----	355.80B/248.90A	355.80B/248.90A	----	324.90 + 45.20	.9772	----	----	----	----	30 UNCH
4840	----	----	360.70B/253.70A	360.70B/253.70A	----	329.90 + 45.30	.9774	----	----	----	----	46 UNCH
4845	----	----	365.60B/258.50A	365.60B/258.50A	----	334.80 + 45.40	.9789	----	----	----	----	23 UNCH
4850	355.80	355.80	373.50B/263.00A	373.50B/263.00A	----	339.80 + 45.50	.9792	----	----	3	----	573 - 1
4855	----	----	379.30B/268.00A	379.30B/268.00A	----	344.80 + 45.60	.9807	----	----	----	----	316 UNCH
4860	----	----	382.10B/273.00A	382.10B/273.00A	----	349.70 + 45.60	.9809	----	----	----	----	90 UNCH
4865	----	----	385.50B/277.70A	385.50B/277.70A	----	354.70 + 45.70	.9811	----	----	----	----	50 UNCH
4870	----	----	390.40B/----	390.40B/327.00A	----	359.70 + 45.80	.9826	----	----	----	----	44 UNCH
4875	----	----	395.30B/----	395.30B/332.10A	----	364.60 + 45.80	.9828	----	----	----	----	71 UNCH
4880	----	----	400.40B/----	400.40B/340.30A	----	369.60 + 45.90	.9829	----	----	----	----	9 UNCH
4885	----	----	405.20B/----	405.20B/345.30A	----	374.60 + 46.00	.9844	----	----	----	----	7 UNCH
4890	----	----	410.20B/----	410.20B/346.80A	----	379.50 + 45.90	.9846	----	----	----	----	47 UNCH
4895	----	----	416.80B/----	416.80B/352.80A	----	384.50 + 46.00	.9847	----	----	----	----	228 UNCH
4900	----	----	423.20B/----	423.20B/357.00A	----	389.50 + 46.10	.9849	----	----	2	----	1704 UNCH
4905	----	----	425.10B/----	425.10B/365.10A	----	394.50 + 46.10	.9863	----	----	----	----	11 UNCH
4910	----	----	430.20B/----	430.20B/370.10A	----	399.50 + 46.20	.9864	----	----	----	----	59 UNCH
4915	----	----	435.10B/----	435.10B/374.60A	----	404.40 + 46.20	.9866	----	----	----	----	36 UNCH
4920	----	----	441.60B/----	441.60B/379.10A	----	409.40 + 46.20	.9867	----	----	----	----	92 UNCH
4925	----	----	444.90B/----	444.90B/385.00A	----	414.40 + 46.30	.9868	----	----	----	----	74 UNCH
4930	----	----	451.60B/----	451.60B/389.00A	----	419.40 + 46.30	.9869	----	----	----	----	198 UNCH
4940	----	----	459.90B/----	459.90B/399.90A	----	429.30 + 46.30	.9884	----	----	----	----	64 UNCH
4945	----	----	465.00B/----	465.00B/404.90A	----	434.30 + 46.30	.9885	----	----	----	----	13 UNCH
4950	----	----	473.70B/----	473.70B/408.00A	----	439.30 + 46.40	.9886	----	----	----	----	291 UNCH
4955	----	----	474.90B/----	474.90B/414.40A	----	444.30 + 46.40	.9887	----	----	----	----	32 UNCH
4960	----	----	479.90B/----	479.90B/419.40A	----	449.30 + 46.40	.9901	----	----	----	----	23 UNCH
4965	----	----	484.80B/----	484.80B/424.80A	----	454.30 + 46.50	.9902	----	----	----	----	29 UNCH
4970	----	----	489.90B/----	489.90B/429.80A	----	459.20 + 46.40	.9903	----	----	----	----	44 UNCH
4975	----	----	496.40B/----	496.40B/433.80A	----	464.20 + 46.40	.9903	----	----	----	----	156 UNCH
4980	----	----	499.80B/----	499.80B/439.80A	----	469.20 + 46.50	.9904	----	----	----	----	29 UNCH
4985	----	----	504.80B/----	504.80B/444.30A	----	474.20 + 46.50	.9905	----	----	----	----	10 UNCH
4990	----	----	513.50B/----	513.50B/447.90A	----	479.20 + 46.50	.9906	----	----	1	----	293 UNCH
4995	----	----	514.80B/----	514.80B/454.70A	----	484.20 + 46.50	.9906	----	----	----	----	12 UNCH
5000	----	----	522.70B/----	522.70B/456.30A	----	489.20 + 46.60	.9907	----	----	1	----	1844 UNCH
5005	----	----	528.50B/----	528.50B/462.80A	----	494.20 + 46.60	.9920	----	----	----	----	300 UNCH
5010	----	----	529.60B/----	529.60B/469.70A	----	499.10 + 46.50	.9921	----	----	----	----	13 UNCH
5015	----	----	534.70B/----	534.70B/474.60A	----	504.10 + 46.50	.9922	----	----	----	----	49 UNCH
5020	----	----	539.60B/----	539.60B/479.20A	----	509.10 + 46.60	.9922	----	----	----	----	33 UNCH
5025	----	----	544.60B/----	544.60B/484.20A	----	514.10 + 46.60	.9923	----	----	----	----	53 UNCH
5030	----	----	549.60B/----	549.60B/489.60A	----	519.10 + 46.60	.9923	----	----	1	----	66 UNCH
5035	----	----	554.70B/----	554.70B/494.10A	----	524.10 + 46.60	.9924	----	----	----	----	13 UNCH
5040	----	----	559.70B/----	559.70B/499.60A	----	529.10 + 46.70	.9924	----	----	----	----	18 UNCH
5045	----	----	564.60B/----	564.60B/504.60A	----	534.10 + 46.70	.9925	----	----	----	----	5 UNCH
5050	----	----	572.70B/----	572.70B/506.10A	----	539.10 + 46.70	.9925	15	----	1	----	788 - 15
5055	----	----	574.60B/----	574.60B/514.60A	----	544.10 + 46.70	.9926	2	----	----	----	61 - 2
5060	----	----	579.60B/----	579.60B/519.60A	----	549.10 + 46.70	.9926	----	----	----	----	64 UNCH
5065	----	----	584.60B/----	584.60B/524.60A	----	554.10 + 46.80	.9927	----	----	----	----	17 UNCH
5070	----	----	589.60B/----	589.60B/529.60A	----	559.10 + 46.80	.9927	5	----	----	----	47 - 5
5075	----	----	594.60B/----	594.60B/534.60A	----	564.10 + 46.80	.9928	----	----	----	----	29 UNCH
5080	----	----	599.50B/----	599.50B/539.50A	----	569.10 + 46.80	.9928	5	----	----	----	26 - 5
5085	----	----	606.10B/----	606.10B/543.60A	----	574.10 + 46.80	.9929	----	----	----	----	123 UNCH
5090	----	----	611.10B/----	611.10B/548.60A	----	579.10 + 46.80	.9929	2	----	----	----	108 - 2
5095	----	----	616.10B/----	616.10B/553.60A	----	584.10 + 46.90	.9930	35	----	----	----	72 - 35
5100	----	----	622.60B/----	622.60B/556.00A	----	589.10 + 46.90	.9930	19	----	----	----	440 - 19
5105	----	----	624.50B/----	624.50B/564.10A	----	594.10 + 46.90	.9931	3	----	----	----	34 - 3
5110	----	----	629.40B/----	629.40B/569.10A	----	599.10 + 46.90	.9931	----	----	----	----	74 UNCH
5115	----	----	634.50B/----	634.50B/574.10A	----	604.10 + 46.90	.9932	----	----	----	----	14 UNCH
5120	----	----	639.40B/----	639.40B/579.10A	----	609.10 + 46.90	.9932	----	----	----	----	25 UNCH
5125	----	----	646.00B/----	646.00B/583.60A	----	614.10 + 46.90	.9932	----	----	----	----	192 UNCH
5130	----	----	649.40B/----	649.40B/589.10A	----	619.10 + 46.90	.9933	1	----	1	----	24 - 1
5135	----	----	654.40B/----	654.40B/594.10A	----	624.10 + 47.00	.9933	----	----	----	----	37 UNCH
5140	----	----	659.40B/----	659.40B/599.10A	----	629.10 + 47.00	.9934	----	----	----	----	11 UNCH
5145	----	----	664.30B/----	664.30B/604.10A	----	634.00 + 46.90	.9934	----	----	----	----	39 UNCH
5150	----	----	673.20B/----	673.20B/607.60A	----	639.00 + 46.90	.9934	14	----	1	----	373 - 15
5155	----	----	674.40B/----	674.40B/614.10A	----	644.00 + 46.90	.9935	1	----	1	----	36 - 1
5160	----	----	679.30B/----	679.30B/619.10A	----	649.00 + 46.90	.9935	18	----	----	----	52 - 18
5165	----	----	684.40B/----	684.40B/624.10A	----	654.00 + 46.90	.9936	----	----	----	----	47 UNCH
5170	----	----	692.40B/----	692.40B/625.90A	----	659.00 + 46.90	.9936	3	----	----	----	503 - 3
5175	----	----	694.40B/----	694.40B/634.10A	----	664.00 + 46.90	.9936	----	----	1	----	15 UNCH
5180	----	----	699.30B/----	699.30B/639.10A	----	669.00 + 46.90	.9937	2	----	1	----	10 - 3
5185	----	----	704.40B/----	704.40B/644.10A	----	674.00 + 46.90	.9937	20	----	----	----	2 - 20
5190	----	----	709.20B/----	709.20B/649.10A	----	679.00 + 46.90	.9948	----	----	----	----	3 UNCH
5195	----	----	714.20B/----	714.20B/654.10A	----	684.00 + 46.90	.9948	----	----	----	----	5 UNCH
5200	----	----	722.40B/----	722.40B/655.90A	----	689.00 + 46.90	.9949	149	----	1	----	328 - 149
5205	----	----	724.20B/----	724.20B/664.10A	----	694.00 + 46.90	.9949	7	----	----	----	11 - 7
5210	----	----	729.30B/----	729.30B/669.10A	----	699.00 + 46.90	.9949	----	----	----	----	67 UNCH
5215	----	----	734.20B/----	734.20B/674.10A	----	704.00 + 46.90	.9949	29	----	----	----	12 - 29
5220	----	----	740.80B/----	740.80B/678.10A	----	709.00 + 47.00	.9950	142	----	----	----	18 - 142
5225	----	----	745.80B/----	745.80B/683.10A	----	714.00 + 47.00	.9950	79	----	----	----	116 - 79
5230	----	----	749.20B/----	749.20B/689.10A	----	719.00 + 47.00	.9950	----	----	----	----	4 UNCH
5235	----	----	755.80B/----	755.80B/693.10A	----	724.00 + 47.00	.9951	15	----	----	----	145 - 15
5245	----	----	764.30B/----	764.30B/704.10A	----	734.00 + 47.00	.9951	----	----	----	----	4 UNCH
5250	----	----	773.00B/----	773.00B/707.60A	----	739.00 + 47.00	.9951	120	----	----	----	186 - 120
5255	----	----	774.20B/----	774.20B/714.10A	----	744.00 + 47.00	.9952	----	----	----	----	9 UNCH
5260	----	----	779.20B/----	779.20B/719.10A	----	749.00 + 47.00	.9952	----	----	----	----	9 UNCH
5265	----	----	784.20B/----	784.20B/724.10A	----	754.00 + 47.00	.9952	----	----	----	----	5 UNCH
5270	----	----	789.10B/----	789.10B/729.10A	----	759.00 + 47.00	.9952	----	----	----	----	19 UNCH
5275	----	----	795.70B/----	795.70B/733.10A	----	764.00 + 47.00	.9953	18	----	----	----	121 - 18
5280	----	----	799.20B/----	799.20B/739.10A	----	769.00 + 47.00	.9953	----	----	----	----	65 UNCH
5285	----	----	804.20B/----	804.20B/744.10A	----	774.00 + 47.00	.9953	8	----	----	----	7 - 8
5290	----	----	----	703.70B/879.80A	----	779.00 + 47.00	.9953	2	----	----	----	0 - 2
5300	812.50	812.50	822.30B/812.50	822.30B/756.50A	----	789.00 + 47.00	.9954	37	----	1	----	365 - 37
5305	----	----	825.70B/----	825.70B/763.10A	----	794.00 + 47.00	.9954	100	----	----	----	3 - 100
5320	----	----	839.10B/----	839.10B/779.10A	----	808.90 + 46.90	.9955	----	----	----	----	64 UNCH
5325	----	----	----	738.50B/914.70A	----	813.90 + 46.90	.9955	----	----	----	----	0 UNCH
5335	----	----	854.20B/----	854.20B/794.10A	----	823.90 + 46.90	.9955	----	----	----	----	5 UNCH
5340	----	----	859.10B/----	859.10B/799.10A	----	828.90 + 46.90	.9955	----	----	----	----	12 UNCH
5345	----	----	----	758.50B/934.80A	----	833.90 + 46.90	.9966	----	----	----	----	0 UNCH
5350	----	----	869.20B/----	869.20B/809.10A	----	838.90 + 46.90	.9966	10	----	----	----	58 - 10
5365	----	----	----	778.40B/954.80A	----	853.90 + 46.90	.9966	----	----	----	----	0 UNCH
5370	----	----	889.20B/----	889.20B/829.10A	----	858.90 + 46.90	.9966	----	----	----	----	3 UNCH
5375	----	----	----	788.40B/964.90A	----	863.80 + 46.80	.9967	----	----	----	----	0 UNCH
5380	----	----	----	793.40B/969.90A	----	868.80 + 46.80	.9977	----	----	----	----	0 UNCH
5385	----	----	904.20B/----	904.20B/844.10A	----	873.80 + 46.80	.9977	----	----	----	----	10 UNCH
5395	----	----	914.10B/----	914.10B/854.10A	----	883.80 + 46.80	.9977	41	----	50	----	35 UNCH
5400	----	----	919.20B/----	919.20B/859.10A	----	888.80 + 46.80	.9978	98	----	100	----	60 UNCH
5425	----	----	----	838.20B/1015.00A	----	913.80 + 46.80	.9978	----	----	----	----	0 UNCH
5430	----	----	949.10B/----	949.10B/889.10A	----	918.80 + 46.80	.9990	50	----	50	----	24 UNCH
5490	----	----	1,009.30B/----	1009.30B/949.60A	----	978.80 + 46.80	.9991	----	----	----	----	57 UNCH
5500	----	----	----	913.00B/1090.20A	----	988.80 + 46.80	.9991	----	----	----	----	1 UNCH
5525	----	----	----	937.90B/1115.20A	----	1013.80 + 46.80	.9991	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
5590	----	----	1,109.40B/----	1109.40B/1049.60A	----	1078.80 + 46.80	.9992	----	----	----	----	36 UNCH
5600	----	----	----	1012.70B/1190.40A	----	1088.80 + 46.80	.9992	----	----	----	----	0 UNCH
TOTAL										11111	900	118701 - 449
JUL26												
2000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0003	----	----	4	----	8 + 3
2275	----	----	----	----/0.30A	----	0.10 UNCH	.0003	----	----	----	----	23 UNCH
2300	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0003	----	----	----	----	101 UNCH
2400	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0007	----	----	----	----	2 UNCH
2500	----	----	----	0.20B/0.50A	----	0.30 + 0.10	.0011	----	----	----	----	192 UNCH
2550	0.30	0.30	0.30/0.30	0.30/0.30	----	0.30 UNCH	.0011	----	----	1	----	11 + 1
2575	----	----	----	0.20B/0.60A	----	0.30 UNCH	.0011	----	----	----	----	1 UNCH
2600	----	----	----	0.20B/0.60A	----	0.30 UNCH	.0011	----	----	----	----	13 UNCH
2620	----	----	----	0.30B/0.70A	----	0.40 + 0.10	.0015	----	----	----	----	1 UNCH
2650	0.40	0.40	0.40/0.40	0.40/0.40	----	0.40 UNCH	.0015	----	----	10	----	138 + 10
2670	----	----	----	0.30B/0.80A	----	0.40 UNCH	.0015	----	----	----	----	10 UNCH
2675	----	----	----	0.30B/0.80A	----	0.40 UNCH	.0015	----	----	----	----	66 UNCH
2680	----	----	----	0.40B/0.80A	----	0.50 + 0.10	.0019	----	----	----	----	10 UNCH
2700	----	----	----	0.40B/0.70A	----	0.50 + 0.10	.0019	----	----	----	----	7 UNCH
2705	----	----	----	0.40B/0.80A	----	0.50 UNCH	.0019	----	----	----	----	1 UNCH
2710	----	----	----	0.40B/0.80A	----	0.50 UNCH	.0019	----	----	----	----	7 UNCH
2730	----	----	----	0.50B/0.90A	----	0.50 UNCH	.0019	----	----	----	----	1 UNCH
2750	0.50	0.50	0.50/*0.50	0.50/*0.50	----	0.60 + 0.10	.0023	----	----	20	----	41 + 20
2775	----	----	----	0.60B/0.90A	----	0.60 UNCH	.0023	----	----	----	----	1 UNCH
2785	----	----	----	0.60B/0.90A	----	0.60 UNCH	.0023	----	----	----	----	2 UNCH
2800	----	----	----	0.60B/0.80A	----	0.70 + 0.10	.0027	----	----	----	----	9 UNCH
2850	----	----	0.80B/----	0.80B/1.00A	----	0.80 + 0.10	.0031	----	----	----	----	4 UNCH
2860	----	----	0.80B/----	0.80B/1.00A	----	0.80 + 0.10	.0031	----	----	----	----	6 UNCH
2885	----	----	----	0.80B/1.10A	----	0.90 + 0.10	.0035	----	----	----	----	14 UNCH
2890	----	----	----	0.80B/1.10A	----	0.90 + 0.10	.0035	----	----	----	----	60 UNCH
2895	----	----	0.90B/----	0.90B/1.10A	----	0.90 + 0.10	.0035	----	----	----	----	18 UNCH
2900	----	----	0.90B/----	0.90B/1.10A	----	0.90 + 0.10	.0035	----	----	----	----	19 UNCH
2905	----	----	0.90B/----	0.90B/1.10A	----	0.90 + 0.10	.0035	----	----	----	----	19 UNCH
2915	----	----	----	0.90B/1.10A	----	1.00 + 0.10	.0039	----	----	----	----	1 UNCH
2920	----	----	----	0.90B/1.10A	----	1.00 + 0.10	.0039	----	----	----	----	3 UNCH
2950	----	----	----	1.00B/1.20A	----	1.10 + 0.10	.0043	----	----	----	----	35 UNCH
2985	----	----	1.10B/----	1.10B/1.30A	----	1.20 + 0.20	.0047	----	----	----	----	21 UNCH
2995	----	----	1.20B/----	1.20B/1.30A	----	1.20 + 0.10	.0047	----	----	----	----	16 UNCH
3000	----	----	1.20B/----	1.20B/1.30A	----	1.20 + 0.10	.0048	----	----	----	----	67 UNCH
3010	----	----	1.20B/----	1.20B/1.30A	----	1.20 + 0.10	.0048	----	----	----	----	1 UNCH
3015	----	----	1.20B/----	1.20B/1.30A	----	1.30 + 0.20	.0051	----	----	----	----	5 UNCH
3025	----	----	1.30B/----	1.30B/1.40A	----	1.30 + 0.10	.0052	----	----	----	----	1 UNCH
3035	----	----	1.30B/----	1.30B/1.40A	----	1.30 + 0.10	.0052	----	----	----	----	5 UNCH
3050	----	----	1.40B/----	1.40B/1.40A	----	1.40 + 0.20	.0056	----	----	----	----	2 UNCH
3100	1.30	1.30	1.60B/1.30	1.60B/1.30	----	1.60 + 0.20	.0065	----	----	1	----	45 + 1
3105	----	----	1.60B/----	1.60B/1.50A	----	1.60 + 0.20	.0065	----	----	----	----	1 UNCH
3125	----	----	1.70B/----	1.70B/1.60A	----	1.70 + 0.20	.0069	----	----	----	----	42 UNCH
3140	----	----	1.70B/----	1.70B/1.70A	----	1.70 + 0.20	.0070	----	----	----	----	1 UNCH
3150	----	----	1.80B/----	1.80B/1.70A	----	1.80 + 0.20	.0073	----	----	----	----	12 UNCH
3155	----	----	1.80B/----	1.80B/1.70A	----	1.80 + 0.20	.0074	----	----	----	----	1 UNCH
3165	----	----	1.80B/----	1.80B/1.70A	----	1.80 + 0.20	.0074	----	----	----	----	1 UNCH
3180	----	----	1.90B/----	1.90B/1.80A	----	1.90 + 0.20	.0078	----	----	----	----	2 UNCH
3185	----	----	1.90B/----	1.90B/1.80A	----	1.90 + 0.20	.0079	----	----	----	----	20 UNCH
3200	----	----	2.00B/----	2.00B/1.90A	----	2.00 + 0.30	.0083	----	----	----	----	220 UNCH
3210	----	----	2.00B/----	2.00B/1.90A	----	2.00 + 0.20	.0084	----	----	----	----	1 UNCH
3220	----	----	2.10B/----	2.10B/1.90A	----	2.10 + 0.30	.0087	----	----	----	----	1 UNCH
3225	----	----	2.10B/----	2.10B/1.90A	----	2.10 + 0.30	.0088	----	----	----	----	71 UNCH
3250	----	----	2.20B/----	2.20B/2.00A	----	2.20 + 0.30	.0093	----	----	----	----	61 UNCH
3275	----	----	2.30B/----	2.30B/2.10A	----	2.30 + 0.30	.0098	----	----	----	----	10 UNCH
3280	----	----	2.40B/----	2.40B/2.10A	----	2.30 + 0.30	.0098	----	----	----	----	24 UNCH
3285	----	----	2.40B/----	2.40B/2.20A	----	2.40 + 0.40	.0102	----	----	----	----	1 UNCH
3290	----	----	2.40B/----	2.40B/2.20A	----	2.40 + 0.30	.0102	----	----	----	----	12 UNCH
3300	----	----	2.50B/----	2.50B/2.20A	----	2.40 + 0.30	.0103	----	----	----	----	83 UNCH
3320	----	----	2.60B/----	2.60B/2.30A	----	2.50 + 0.30	.0108	----	----	----	----	28 UNCH
3325	----	----	2.60B/----	2.60B/2.30A	----	2.60 + 0.40	.0112	----	----	----	----	147 UNCH
3335	----	----	2.60B/----	2.60B/2.40A	----	2.60 + 0.40	.0113	----	----	----	----	87 UNCH
3340	----	----	2.70B/----	2.70B/2.40A	----	2.60 + 0.30	.0113	----	----	----	----	1 UNCH
3350	----	----	2.70B/----	2.70B/2.40A	----	2.70 + 0.40	.0118	----	----	----	----	25 UNCH
3355	----	----	2.80B/----	2.80B/2.50A	----	2.70 + 0.40	.0118	----	----	----	----	69 UNCH
3360	----	----	2.80B/----	2.80B/2.50A	----	2.80 + 0.50	.0122	----	----	----	----	5 UNCH
3370	----	----	2.80B/----	2.80B/2.50A	----	2.80 + 0.40	.0123	----	----	----	----	9 UNCH
3380	----	----	2.90B/----	2.90B/2.60A	----	2.90 + 0.50	.0128	----	----	----	----	4 UNCH
3385	----	----	2.90B/----	2.90B/2.60A	----	2.90 + 0.40	.0128	----	----	----	----	6 UNCH
3390	----	----	3.00B/----	3.00B/2.60A	----	2.90 + 0.40	.0129	----	----	----	----	1 UNCH
3395	----	----	3.00B/----	3.00B/2.70A	----	3.00 + 0.50	.0133	----	----	----	----	32 UNCH
3400	----	----	3.00B/----	3.00B/2.70A	----	3.00 + 0.50	.0133	----	----	7	----	57 UNCH
3405	----	----	3.10B/----	3.10B/2.70A	----	3.00 + 0.50	.0134	----	----	----	----	1 UNCH
3410	----	----	3.10B/----	3.10B/2.70A	----	3.10 + 0.50	.0138	----	----	----	----	5 UNCH
3415	----	----	3.10B/----	3.10B/2.80A	----	3.10 + 0.50	.0138	----	----	----	----	1 UNCH
3425	----	----	3.20B/----	3.20B/2.80A	----	3.10 + 0.50	.0139	----	----	----	----	57 UNCH
3435	----	----	3.30B/----	3.30B/2.90A	----	3.20 + 0.50	.0144	----	----	----	----	5 UNCH
3440	----	----	3.30B/----	3.30B/2.90A	----	3.20 + 0.50	.0145	----	----	----	----	1 UNCH
3445	----	----	3.40B/----	3.40B/2.90A	----	3.30 + 0.60	.0149	----	----	----	----	2 UNCH
3450	----	----	3.40B/----	3.40B/3.00A	----	3.30 + 0.50	.0149	----	----	----	----	132 UNCH
3455	----	----	3.40B/----	3.40B/3.00A	----	3.30 + 0.50	.0150	----	----	----	----	10 UNCH
3460	----	----	3.50B/----	3.50B/3.00A	----	3.40 + 0.60	.0154	----	----	----	----	10 UNCH
3465	----	----	3.50B/----	3.50B/3.00A	----	3.40 + 0.60	.0155	----	----	----	----	142 UNCH
3475	----	----	3.60B/----	3.60B/3.10A	----	3.50 + 0.60	.0159	----	----	----	----	128 UNCH
3480	----	----	3.70B/----	3.70B/3.10A	----	3.50 + 0.60	.0160	----	----	----	----	36 UNCH
3495	----	----	3.80B/----	3.80B/3.20A	----	3.60 + 0.60	.0166	----	----	----	----	5 UNCH
3500	3.40	3.40	3.90/3.40	3.90/3.30A	----	3.70 + 0.70	.0170	----	----	14	----	588 - 10
3505	----	----	3.90B/----	3.90B/3.30A	----	3.70 + 0.60	.0171	----	----	----	----	9 UNCH
3510	----	----	3.90B/----	3.90B/3.30A	----	3.80 + 0.70	.0175	----	----	----	----	5 UNCH
3515	----	----	3.90B/----	3.90B/3.40A	----	3.80 + 0.70	.0176	----	----	----	----	8 UNCH
3520	----	----	4.00B/----	4.00B/3.40A	----	3.80 + 0.70	.0176	----	----	----	----	5 UNCH
3525	----	----	4.00B/----	4.00B/3.40A	----	3.90 + 0.70	.0181	----	----	----	----	3 UNCH
3530	----	----	4.10B/----	4.10B/3.50A	----	3.90 + 0.70	.0182	----	----	----	----	168 UNCH
3535	----	----	4.10B/----	4.10B/3.50A	----	4.00 + 0.80	.0186	----	----	----	----	31 UNCH
3545	----	----	4.20B/----	4.20B/3.60A	----	4.10 + 0.80	.0191	----	----	----	----	256 UNCH
3550	----	----	4.30B/----	4.30B/3.60A	----	4.10 + 0.80	.0192	----	----	----	----	165 UNCH
3555	----	----	4.30B/----	4.30B/3.60A	----	4.20 + 0.80	.0196	----	----	----	----	1 UNCH
3565	----	----	4.40B/----	4.40B/3.70A	----	4.30 + 0.80	.0202	----	----	----	----	2 UNCH
3575	----	----	4.60B/----	4.60B/3.80A	----	4.30 + 0.80	.0203	----	----	----	----	1 UNCH
3580	----	----	4.60B/----	4.60B/3.80A	----	4.40 + 0.80	.0208	----	----	----	----	6 UNCH
3585	----	----	4.80B/----	4.80B/3.90A	----	4.40 + 0.80	.0209	----	----	----	----	1 UNCH
3590	----	----	4.70B/----	4.70B/3.90A	----	4.50 + 0.90	.0213	----	----	----	----	16 UNCH
3600	4.50	4.50	4.90B/4.50	4.90B/4.00A	----	4.60 + 0.90	.0219	----	----	4	----	824 + 4
3605	----	----	4.90B/----	4.90B/4.00A	----	4.70 + 0.90	.0223	----	----	----	----	7 UNCH
3610	----	----	5.10B/----	5.10B/4.10A	----	4.70 + 0.90	.0224	----	----	----	----	2 UNCH
3615	----	----	5.10B/----	5.10B/4.10A	----	4.80 + 0.90	.0229	----	----	----	----	2 UNCH
3620	----	----	5.10B/----	5.10B/4.20A	----	4.80 + 0.90	.0230	----	----	----	----	12 UNCH
3625	4.10	4.10	5.20B/4.10	5.20B/4.10	----	4.90 + 0.90	.0235	----	----	1	----	41 UNCH
3630	----	----	5.30B/----	5.30B/4.30A	----	4.90 + 0.90	.0236	----	----	----	----	11 UNCH
3635	----	----	5.30B/----	5.30B/4.30A	----	5.00 + 0.90	.0241	----	----	----	----	3 UNCH
3640	----	----	5.50B/----	5.50B/4.40A	----	5.10 + 1.00	.0245	----	----	----	----	6 UNCH
3645	----	----	5.60B/----	5.60B/4.40A	----	5.10 + 0.90	.0246	----	----	----	----	1 UNCH
3650	5.90	5.90	5.90/5.40	5.90/4.50A	----	5.20 + 1.00	.0251	----	----	2	----	88 + 1
3655	----	----	5.70B/----	5.70B/4.50A	----	5.30 + 1.00	.0256	----	----	----	----	6 UNCH
3660	----	----	5.80B/----	5.80B/4.60A	----	5.30 + 1.00	.0257	----	----	----	----	22 UNCH
3665	----	----	5.80B/----	5.80B/4.60A	----	5.40 + 1.00	.0262	----	----	----	----	2 UNCH
3670	----	----	5.90B/----	5.90B/4.70A	----	5.50 + 1.10	.0267	----	----	----	----	111 UNCH
3675	----	----	6.00B/----	6.00B/4.70A	----	5.50 + 1.00	.0268	----	----	----	----	4 UNCH
3680	----	----	6.10B/----	6.10B/4.80A	----	5.60 + 1.10	.0273	----	----	----	----	5 UNCH
3685	----	----	6.20B/----	6.20B/4.90A	----	5.70 + 1.10	.0278	----	----	----	----	12 UNCH
3690	----	----	6.20B/----	6.20B/4.90A	----	5.70 + 1.00	.0279	----	----	----	----	50 UNCH
3695	----	----	6.30B/----	6.30B/5.00A	----	5.80 + 1.10	.0284	----	----	----	----	142 UNCH
3700	5.10	5.10	6.40B/5.10	6.40B/5.00A	----	5.90 + 1.10	.0289	----	----	8	----	468 + 2
3705	----	----	6.50B/----	6.50B/5.10A	----	6.00 + 1.10	.0294	----	----	----	----	21 UNCH
3715	----	----	6.70B/----	6.70B/5.20A	----	6.10 + 1.10	.0301	----	----	----	----	30 UNCH
3720	----	----	6.80B/----	6.80B/5.30A	----	6.20 + 1.20	.0306	----	----	----	----	18 UNCH
3725	----	----	6.90B/----	6.90B/5.40A	----	6.30 + 1.20	.0311	----	----	----	----	7 UNCH
3730	----	----	7.00B/----	7.00B/5.40A	----	6.40 + 1.20	.0316	----	----	----	----	3 UNCH
3735	----	----	7.10B/----	7.10B/5.50A	----	6.50 + 1.20	.0321	----	----	----	----	30 UNCH
3740	----	----	7.20B/----	7.20B/5.60A	----	6.50 + 1.20	.0323	----	----	----	----	20 UNCH
3750	5.40	5.40	7.50B/5.40	7.50B/5.40	----	6.70 + 1.20	.0333	----	----	1	----	534 + 1
3760	----	----	7.70B/----	7.70B/5.80A	----	6.90 + 1.30	.0344	----	----	----	----	3 UNCH
3765	----	----	7.80B/----	7.80B/5.90A	----	7.00 + 1.30	.0349	----	----	----	----	32 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3770	----	----	7.90B/----	7.90B/6.00A	----	7.10 + 1.30	.0354	----	----	----	----	120 UNCH
3775	----	----	8.10B/----	8.10B/6.10A	----	7.20 + 1.30	.0360	----	----	25	----	86 + 25
3780	----	----	8.20B/----	8.20B/6.20A	----	7.30 + 1.40	.0365	----	----	----	----	11 UNCH
3785	----	----	8.30B/----	8.30B/6.20A	----	7.40 + 1.40	.0371	----	----	----	----	6 UNCH
3790	----	----	8.50B/----	8.50B/6.20A	----	7.50 + 1.40	.0376	----	----	----	----	40 UNCH
3795	----	----	8.60B/----	8.60B/6.40A	----	7.60 + 1.40	.0382	----	----	----	----	37 UNCH
3800	8.10	8.10	8.80B/8.10	8.80B/6.50A	----	7.70 + 1.40	.0387	----	----	1	----	681 - 1
3810	----	----	9.00B/----	9.00B/6.50A	----	7.90 + 1.50	.0399	----	----	----	----	16 UNCH
3815	----	----	9.20B/----	9.20B/6.60A	----	8.10 + 1.60	.0408	----	----	----	----	14 UNCH
3820	----	----	9.30B/----	9.30B/6.80A	----	8.20 + 1.60	.0414	----	----	----	----	10 UNCH
3825	----	----	9.50B/----	9.50B/6.90A	----	8.30 + 1.60	.0420	----	----	----	----	11 UNCH
3830	----	----	9.60B/----	9.60B/7.00A	----	8.40 + 1.60	.0425	----	----	----	----	24 UNCH
3835	----	----	9.80B/----	9.80B/7.10A	----	8.60 + 1.70	.0435	----	----	----	----	1 UNCH
3840	----	----	10.00B/----	10.00B/7.20A	----	8.70 + 1.70	.0441	----	----	----	----	33 UNCH
3845	8.00	8.00	10.20B/7.90	10.20B/7.10A	----	8.80 + 1.70	.0447	----	----	2	----	14 + 2
3850	----	----	10.30B/----	10.30B/7.20A	----	8.90 + 1.70	.0453	----	----	27	----	235 UNCH
3860	----	----	10.70B/----	10.70B/7.40A	----	9.20 + 1.80	.0468	----	----	----	----	42 UNCH
3865	----	----	10.90B/7.50A	10.90B/7.50A	----	9.40 + 1.80	.0478	----	----	7	----	84 + 6
3870	----	----	11.10B/7.60A	11.10B/7.60A	----	9.50 + 1.80	.0484	----	----	----	----	4 UNCH
3875	9.70	9.70	11.30B/7.70A	11.30B/7.70A	----	9.70 + 1.90	.0494	----	----	9	----	123 + 9
3880	----	----	11.50B/7.80A	11.50B/7.80A	----	9.80 + 1.90	.0500	----	----	----	----	14 UNCH
3885	9.70	9.70	11.70B/9.70	11.70B/8.10A	----	10.00 + 2.00	.0510	----	----	4	----	41 + 2
3890	----	----	11.90B/----	11.90B/8.20A	----	10.10 + 1.90	.0516	----	----	----	----	4 UNCH
3895	----	----	12.10B/----	12.10B/8.30A	----	10.30 + 2.00	.0526	----	----	----	----	3 UNCH
3900	10.80	10.80	12.30B/10.80	12.30B/8.40A	----	10.40 + 2.00	.0533	----	----	18	----	327 - 4
3905	10.90	10.90	12.50B/8.40A	12.50B/8.40A	----	10.60 + 2.10	.0543	----	----	5	----	28 UNCH
3910	11.90	11.90	12.70B/8.50A	12.70B/8.50A	----	10.80 + 2.10	.0553	----	----	26	----	69 + 15
3920	11.20	11.20	13.20B/8.80A	13.20B/8.80A	----	11.10 + 2.10	.0570	----	----	24	----	37 + 23
3925	11.10	11.10	13.40B/9.00A	13.40B/9.00A	----	11.30 + 2.20	.0580	----	----	17	----	73 + 16
3930	----	----	13.70B/8.80A	13.70B/8.80A	----	11.50 + 2.30	.0590	----	----	----	----	26 UNCH
3935	----	----	13.90B/8.90A	13.90B/8.90A	----	11.70 + 2.30	.0601	----	----	----	----	26 UNCH
3940	----	----	14.20B/9.10A	14.20B/9.10A	----	11.90 + 2.30	.0611	----	----	----	----	27 UNCH
3945	----	----	14.50B/9.20A	14.50B/9.20A	----	12.10 + 2.40	.0622	----	----	----	----	27 UNCH
3950	11.00	11.00	14.70B/9.40A	14.70B/9.40A	----	12.30 + 2.40	.0632	----	----	2	----	614 + 1
3955	----	----	15.00B/9.50A	15.00B/9.50A	----	12.50 + 2.50	.0643	----	----	----	----	65 UNCH
3960	----	----	15.30B/9.70A	15.30B/9.70A	----	12.70 + 2.50	.0654	----	----	----	----	35 UNCH
3965	----	----	15.60B/9.80A	15.60B/9.80A	----	12.90 + 2.50	.0664	----	----	----	----	94 UNCH
3970	----	----	15.90B/10.00A	15.90B/10.00A	----	13.20 + 2.60	.0679	----	----	----	----	15 UNCH
3975	----	----	16.00B/10.10A	16.00B/10.10A	----	13.40 + 2.70	.0690	----	----	----	----	25 UNCH
3980	----	----	16.30B/10.30A	16.30B/10.30A	----	13.60 + 2.70	.0701	----	----	----	----	236 UNCH
3985	----	----	16.70B/10.50A	16.70B/10.50A	----	13.90 + 2.80	.0715	----	----	----	----	136 UNCH
3990	----	----	17.00B/10.70A	17.00B/10.70A	----	14.10 + 2.80	.0726	----	----	----	----	40 UNCH
3995	----	----	17.30B/10.90A	17.30B/10.90A	----	14.40 + 2.90	.0741	----	----	----	----	21 UNCH
4000	12.50	12.50	18.60/11.10A	18.60/11.10A	----	14.60 + 2.90	.0752	----	----	1319	950	3489 + 1171
4005	----	----	18.00B/11.20A	18.00B/11.20A	----	14.90 + 3.00	.0767	----	----	----	----	154 UNCH
4010	16.40	16.40	18.40B/11.40A	18.40B/11.40A	----	15.10 + 2.90	.0778	----	----	2	----	7 + 1
4015	----	----	18.70B/11.50A	18.70B/11.50A	----	15.40 + 3.00	.0793	----	----	----	----	63 UNCH
4020	----	----	19.00B/11.80A	19.00B/11.80A	----	15.70 + 3.10	.0808	----	----	----	----	120 UNCH
4025	----	----	19.40B/11.90A	19.40B/11.90A	----	16.00 + 3.20	.0823	----	----	----	----	22 UNCH
4030	----	----	19.80B/12.00A	19.80B/12.00A	----	16.30 + 3.20	.0838	----	----	----	----	52 UNCH
4035	----	----	20.10B/12.30A	20.10B/12.30A	----	16.60 + 3.30	.0853	----	----	----	----	3 UNCH
4040	----	----	20.60B/12.50A	20.60B/12.50A	----	16.90 + 3.30	.0868	----	----	----	----	9 UNCH
4045	----	----	21.00B/12.70A	21.00B/12.70A	----	17.20 + 3.40	.0884	----	----	----	----	22 UNCH
4050	17.20	17.20	21.40B/13.00A	21.40B/13.00A	----	17.50 + 3.40	.0899	----	----	11	----	448 + 9
4055	----	----	21.90B/13.10A	21.90B/13.10A	----	17.80 + 3.40	.0915	----	----	----	----	32 UNCH
4060	----	----	22.30B/13.40A	22.30B/13.40A	----	18.20 + 3.60	.0934	----	----	----	----	2 UNCH
4065	----	----	22.70B/13.60A	22.70B/13.60A	----	18.50 + 3.60	.0949	----	----	----	----	131 UNCH
4070	----	----	23.30B/13.90A	23.30B/13.90A	----	18.90 + 3.70	.0968	----	----	----	----	12 UNCH
4075	----	----	23.70B/14.10A	23.70B/14.10A	----	19.20 + 3.70	.0984	----	----	----	----	24 UNCH
4080	----	----	24.00B/14.40A	24.00B/14.40A	----	19.60 + 3.80	.1003	----	----	----	----	14 UNCH
4085	----	----	24.50B/14.60A	24.50B/14.60A	----	20.00 + 3.90	.1023	----	----	1	----	16 + 1
4090	----	----	25.00B/14.90A	25.00B/14.90A	----	20.40 + 4.00	.1042	----	----	----	----	5 UNCH
4095	21.90	21.90	25.60B/15.20A	25.60B/15.20A	----	20.80 + 4.00	.1062	----	----	1	----	22 + 1
4100	16.40	16.40	27.00B/15.50A	27.00B/15.50A	----	21.20 + 4.10	.1081	----	----	109	----	1286 - 13
4105	----	----	26.60B/15.80A	26.60B/15.80A	----	21.60 + 4.20	.1101	----	----	----	----	12 UNCH
4110	----	----	27.10B/16.10A	27.10B/16.10A	----	22.00 + 4.20	.1121	----	----	2	----	17 UNCH
4115	----	----	27.70B/16.40A	27.70B/16.40A	----	22.40 + 4.20	.1141	----	----	----	----	7 UNCH
4120	----	----	28.30B/16.70A	28.30B/16.70A	----	22.90 + 4.40	.1164	----	----	2	----	83 + 1
4125	----	----	28.90B/17.00A	28.90B/17.00A	----	23.40 + 4.50	.1187	----	----	----	----	89 UNCH
4130	----	----	29.50B/17.40A	29.50B/17.40A	----	23.80 + 4.50	.1207	----	----	1	----	92 + 1
4135	----	----	30.10B/17.70A	30.10B/17.70A	----	24.30 + 4.60	.1230	----	----	----	----	29 UNCH
4140	----	----	30.80B/18.00A	30.80B/18.00A	----	24.80 + 4.70	.1254	----	----	4	----	37 + 1
4145	----	----	31.40B/18.40A	31.40B/18.40A	----	25.30 + 4.80	.1277	----	----	----	----	239 UNCH
4150	22.00	22.00	32.10B/18.70A	32.10B/18.70A	----	25.80 + 4.80	.1301	----	----	13	----	147 + 4
4155	----	----	32.80B/19.20A	32.80B/19.20A	----	26.30 + 4.90	.1325	----	----	----	----	42 UNCH
4160	----	----	33.50B/19.50A	33.50B/19.50A	----	26.90 + 5.00	.1351	----	----	----	----	10 UNCH
4165	----	----	34.20B/19.90A	34.20B/19.90A	----	27.40 + 5.10	.1375	----	----	2	----	95 UNCH
4170	24.10	24.10	34.90B/20.40A	34.90B/20.40A	----	28.00 + 5.20	.1402	----	----	15	----	68 + 9
4175	----	----	35.60B/20.70A	35.60B/20.70A	----	28.60 + 5.30	.1429	----	----	1	----	48 + 1
4180	----	----	36.40B/21.10A	36.40B/21.10A	----	29.20 + 5.40	.1457	----	----	----	----	32 UNCH
4185	----	----	37.20B/21.60A	37.20B/21.60A	----	29.80 + 5.50	.1484	----	----	1	----	17 + 1
4190	----	----	38.00B/22.00A	38.00B/22.00A	----	30.40 + 5.60	.1511	----	----	2	----	143 + 2
4195	----	----	38.80B/22.50A	38.80B/22.50A	----	31.00 + 5.70	.1539	----	----	----	----	70 UNCH
4200	23.10	23.10	39.70B/22.90A	39.70B/22.90A	----	31.70 + 5.80	.1569	----	----	214	----	919 UNCH
4205	----	----	40.50B/23.50A	40.50B/23.50A	----	32.40 + 6.00	.1600	----	----	----	----	64 UNCH
4210	----	----	41.30B/24.00A	41.30B/24.00A	----	33.00 + 6.00	.1628	----	----	----	----	94 UNCH
4215	32.10	32.10	42.20B/24.50A	42.20B/24.50A	----	33.70 + 6.10	.1658	----	----	1	----	57 UNCH
4220	----	----	43.10B/25.00A	43.10B/25.00A	----	34.50 + 6.30	.1692	----	----	71	----	210 + 12
4225	----	----	44.10B/25.60A	44.10B/25.60A	----	35.20 + 6.40	.1723	----	----	20	----	114 - 9
4230	34.30	34.30	45.00B/26.10A	45.00B/26.10A	----	35.90 + 6.40	.1754	----	----	61	----	57 + 22
4235	30.40	30.40	46.00B/26.60A	46.00B/26.60A	----	36.70 + 6.60	.1788	----	----	1	----	54 + 1
4240	----	----	47.00B/27.20A	47.00B/27.20A	----	37.50 + 6.70	.1821	----	----	----	----	101 UNCH
4245	36.60	36.60	48.00B/27.70A	48.00B/27.70A	----	38.30 + 6.90	.1855	----	----	4	----	12 + 4
4250	32.40	32.40	49.10B/28.30A	49.10B/28.30A	----	39.10 + 7.00	.1890	----	----	504	----	1448 - 174
4255	----	----	50.10B/29.00A	50.10B/29.00A	----	40.00 + 7.10	.1926	----	----	----	----	36 UNCH
4260	39.10	39.10	51.20B/29.60A	51.20B/29.60A	----	40.80 + 7.20	.1961	----	----	2	----	43 + 2
4265	----	----	52.30B/30.20A	52.30B/30.20A	----	41.70 + 7.40	.1997	----	----	----	----	209 UNCH
4270	----	----	53.40B/30.90A	53.40B/30.90A	----	42.60 + 7.50	.2034	----	----	----	----	94 UNCH
4275	44.50	44.50	54.60B/31.60A	54.60B/31.60A	----	43.50 + 7.60	.2072	----	----	10	----	139 UNCH
4280	----	----	55.70B/32.30A	55.70B/32.30A	----	44.50 + 7.80	.2111	----	----	----	----	189 UNCH
4285	----	----	56.90B/32.90A	56.90B/32.90A	----	45.40 + 7.90	.2148	----	----	1	----	117 + 1
4290	----	----	58.20B/33.70A	58.20B/33.70A	----	46.40 + 8.10	.2188	----	----	----	----	155 UNCH
4295	----	----	59.40B/34.40A	59.40B/34.40A	----	47.40 + 8.20	.2228	----	----	1	----	25 + 1
4300	50.50	50.50	60.70B/35.20A	60.70B/35.20A	----	48.40 + 8.40	.2268	----	----	100	----	2186 + 31
4305	----	----	62.00B/36.00A	62.00B/36.00A	----	49.50 + 8.60	.2310	----	----	----	----	64 UNCH
4310	57.30	57.30	63.30B/36.80A	63.30B/36.80A	----	50.60 + 8.80	.2352	----	----	69	----	85 + 54
4315	----	----	64.60B/37.60A	64.60B/37.60A	----	51.70 + 8.90	.2394	----	----	1	----	85 UNCH
4320	60.00	60.00	66.00B/38.50A	66.00B/38.50A	----	52.80 + 9.10	.2437	----	----	12	----	75 - 2
4325	45.60	45.60	67.40B/39.30A	67.40B/39.30A	----	53.90 + 9.20	.2480	----	----	2	----	157 - 1
4330	60.60	60.60	68.90B/40.10A	68.90B/40.10A	----	55.10 + 9.40	.2524	----	----	1	----	41 + 1
4335	----	----	70.30B/41.00A	70.30B/41.00A	----	56.30 + 9.60	.2569	----	----	----	----	156 UNCH
4340	----	----	71.80B/41.90A	71.80B/41.90A	----	57.50 + 9.80	.2614	----	----	----	----	161 UNCH
4345	----	----	73.30B/42.90A	73.30B/42.90A	----	58.80 + 10.00	.2661	----	----	----	----	14 UNCH
4350	----	----	74.80B/43.80A	74.80B/43.80A	----	60.00 + 10.10	.2706	----	----	59	----	846 + 46
4355	----	----	76.40B/44.80A	76.40B/44.80A	----	61.30 + 10.30	.2753	----	----	----	----	124 UNCH
4360	----	----	78.00B/45.90A	78.00B/45.90A	----	62.70 + 10.60	.2801	----	----	----	----	155 UNCH
4365	----	----	79.60B/46.80A	79.60B/46.80A	----	64.00 + 10.70	.2849	----	----	----	----	36 UNCH
4370	72.20	72.20	81.30B/47.90A	81.30B/47.90A	----	65.40 + 10.90	.2898	----	----	2	----	142 + 2
4375	----	----	82.90B/48.90A	82.90B/48.90A	----	66.80 + 11.10	.2947	----	----	1	----	36 UNCH
4380	68.80	68.80	84.70B/50.00A	84.70B/50.00A	----	68.20 + 11.30	.2996	----	----	3	----	20 + 1
4385	82.00	82.00	86.40B/51.20A	86.40B/51.20A	----	69.70 + 11.50	.3047	----	----	2	----	68 UNCH
4390	----	----	88.20B/52.30A	88.20B/52.30A	----	71.20 + 11.70	.3097	----	----	----	----	68 UNCH
4395	73.30	73.30	90.00B/53.40A	90.00B/53.40A	----	72.70 + 11.90	.3148	----	----	1	----	47 UNCH
4400	----	----	91.80B/54.60A	91.80B/54.60A	----	74.30 + 12.20	.3201	----	----	94	200	1538 + 193
4405	----	----	93.60B/55.90A	93.60B/55.90A	----	75.80 + 12.30	.3252	----	----	----	----	30 UNCH
4410	----	----	95.50B/57.10A	95.50B/57.10A	----	77.40 + 12.50	.3304	----	----	----	----	51 UNCH
4415	----	----	97.30B/58.30A	97.30B/58.30A	----	79.10 + 12.80	.3358	----	----	----	----	180 UNCH
4420	----	----	99.40B/59.70A	99.40B/59.70A	----	80.70 + 13.00	.3411	----	----	4	----	108 + 3
4425	----	----	101.40B/60.80A	101.40B/60.80A	----	82.40 + 13.20	.3465	----	----	----	----	47 UNCH
4430	----	----	103.40B/62.20A	103.40B/62.20A	----	84.20 + 13.50	.3520	----	----	----	----	287 UNCH
4435	----	----	105.40B/63.50A	105.40B/63.50A	----	85.90 + 13.70	.3575	----	----	----	----	11 UNCH
4440	90.40	90.40	107.50B/65.00A	107.50B/65.00A	----	87.70 + 13.90	.3630	----	----	26	----	257 - 7
4445	92.30	92.30	109.60B/66.40A	109.60B/66.40A	----	89.50 + 14.10	.3685	----	----	1	----	153 - 1
4450	79.60	79.60	111.80B/67.90A	111.80B/67.90A	----	91.40 + 14.40	.3742	----	----	87	----	1061 + 45
4455	81.90	81.90	114.80B/69.30A	114.80B/69.30A	----	93.30 + 14.70	.3798	----	----	76	----	86 + 67
4460	98.00	98.00	116.10B/70.80A	116.10B/70.80A	----	95.20 + 14.90	.3855	----	----	13	----	256 UNCH
4465	106.60	106.60	118.30B/72.40A	118.30B/72.40A	----	97.10 + 15.10	.3911	----	----	13	----	105 + 11

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4470	----	----	120.60B/73.90A	120.60B/73.90A	----	99.10 + 15.30	.3969	----	----	2	----	221 UNCH
4475	104.00	104.00	122.90B/75.50A	122.90B/75.50A	----	101.10 + 15.60	.4026	----	----	1	----	57 UNCH
4480	----	----	125.20B/77.10A	125.20B/77.10A	----	103.20 + 15.90	.4085	----	----	----	----	354 UNCH
4485	----	----	127.40B/78.80A	127.40B/78.80A	----	105.20 + 16.10	.4143	----	----	----	----	106 UNCH
4490	----	----	129.80B/80.40A	129.80B/80.40A	----	107.30 + 16.30	.4201	----	----	----	----	48 UNCH
4495	122.50	122.50	132.30B/82.10A	132.30B/82.10A	----	109.50 + 16.60	.4260	----	----	8	----	123 + 2
4500	97.50	97.50	135.40B/83.70A	135.40B/83.70A	----	111.70 + 16.90	.4319	----	----	399	140	4048 + 74
4505	----	----	137.30B/85.60A	137.30B/85.60A	----	113.80 + 17.00	.4378	----	----	----	----	12 UNCH
4510	101.50	101.50	140.00B/87.40A	140.00B/87.40A	----	116.10 + 17.40	.4437	----	----	1	----	40 + 1
4515	----	----	142.20B/89.20A	142.20B/89.20A	----	118.30 + 17.60	.4496	----	----	----	----	4 UNCH
4520	----	----	144.80B/91.00A	144.80B/91.00A	----	120.60 + 17.80	.4556	----	----	68	----	30 + 16
4525	----	----	147.40B/93.00A	147.40B/93.00A	----	123.00 + 18.10	.4616	----	----	25	100	467 - 99
4530	----	----	149.90B/94.90A	149.90B/94.90A	----	125.30 + 18.30	.4675	----	----	59	----	46 + 15
4535	----	----	152.60B/96.80A	152.60B/96.80A	----	127.70 + 18.60	.4735	----	----	4	----	14 + 3
4540	----	----	155.30B/98.70A	155.30B/98.70A	----	130.10 + 18.80	.4795	----	----	11	----	93 + 2
4545	----	----	158.00B/100.60A	158.00B/100.60A	----	132.60 + 19.10	.4856	----	----	----	----	21 UNCH
4550	126.40	126.40	162.20B/102.40A	162.20B/102.40A	----	135.10 + 19.40	.4916	----	----	60	----	460 + 5
4555	----	----	165.40B/104.70A	165.40B/104.70A	----	137.60 + 19.60	.4976	----	----	----	----	24 UNCH
4560	141.40	141.40	167.90B/106.90A	167.90B/106.90A	----	140.20 + 19.90	.5036	----	----	14	----	86 + 8
4565	----	----	171.10B/109.00A	171.10B/109.00A	----	142.80 + 20.20	.5096	----	----	1	----	117 + 1
4570	----	----	174.00B/111.30A	174.00B/111.30A	----	145.40 + 20.40	.5156	----	----	11	----	35 + 7
4575	----	----	176.60B/113.40A	176.60B/113.40A	----	148.10 + 20.70	.5216	----	----	2	----	40 + 1
4580	142.90	142.90	179.70B/115.80A	179.70B/115.80A	----	150.80 + 21.00	.5276	----	----	3	----	19 - 1
4585	130.00	130.00	182.70B/117.80A	182.70B/117.80A	----	153.50 + 21.30	.5336	----	----	2	----	18 UNCH
4590	----	----	185.90B/120.10A	185.90B/120.10A	----	156.30 + 21.60	.5396	----	----	----	----	24 UNCH
4595	----	----	188.80B/122.60A	188.80B/122.60A	----	159.10 + 21.90	.5455	----	----	1	----	63 + 1
4600	165.00	165.00	192.00B/124.80A	192.00B/124.80A	----	161.90 + 22.10	.5515	----	----	20	----	1597 + 6
4605	----	----	194.90B/127.20A	194.90B/127.20A	----	164.80 + 22.40	.5574	----	----	----	----	85 UNCH
4610	----	----	198.30B/129.70A	198.30B/129.70A	----	167.70 + 22.70	.5633	----	----	----	----	136 UNCH
4615	----	----	201.30B/132.00A	201.30B/132.00A	----	170.70 + 23.10	.5692	----	----	----	----	23 UNCH
4620	----	----	204.50B/134.60A	204.50B/134.60A	----	173.60 + 23.30	.5750	----	----	----	----	49 UNCH
4625	----	----	207.90B/137.10A	207.90B/137.10A	----	176.60 + 23.60	.5809	----	----	----	----	188 UNCH
4630	----	----	211.00B/139.90A	211.00B/139.90A	----	179.70 + 23.90	.5867	----	----	----	----	17 UNCH
4635	----	----	214.40B/142.10A	214.40B/142.10A	----	182.70 + 24.20	.5925	----	----	----	----	169 UNCH
4640	----	----	217.60B/145.10A	217.60B/145.10A	----	185.80 + 24.50	.5982	----	----	----	----	156 UNCH
4645	----	----	220.90B/147.70A	220.90B/147.70A	----	189.00 + 24.80	.6039	----	----	4	----	28 + 4
4650	----	----	224.30B/150.20A	224.30B/150.20A	----	192.10 + 25.00	.6096	----	----	3	----	423 - 1
4655	----	----	227.90B/153.00A	227.90B/153.00A	----	195.30 + 25.30	.6152	----	----	----	----	12 UNCH
4660	----	----	231.30B/155.80A	231.30B/155.80A	----	198.50 + 25.60	.6209	----	----	----	----	105 UNCH
4665	----	----	234.80B/158.60A	234.80B/158.60A	----	201.80 + 26.00	.6265	----	----	----	----	24 UNCH
4670	----	----	238.00B/161.30A	238.00B/161.30A	----	205.10 + 26.30	.6321	----	----	----	----	101 UNCH
4675	----	----	241.50B/164.10A	241.50B/164.10A	----	208.40 + 26.50	.6375	----	----	----	----	226 UNCH
4680	----	----	245.10B/166.90A	245.10B/166.90A	----	211.70 + 26.80	.6431	----	----	----	----	132 UNCH
4685	----	----	248.60B/169.90A	248.60B/169.90A	----	215.10 + 27.10	.6485	----	----	----	----	8 UNCH
4690	----	----	252.50B/172.70A	252.50B/172.70A	----	218.40 + 27.30	.6539	----	----	----	----	60 UNCH
4695	----	----	255.80B/175.90A	255.80B/175.90A	----	221.80 + 27.50	.6593	----	----	----	----	201 UNCH
4700	----	----	259.60B/178.70A	259.60B/178.70A	----	225.30 + 27.80	.6648	----	----	1	----	734 UNCH
4705	----	----	263.40B/181.70A	263.40B/181.70A	----	228.70 + 28.00	.6700	----	----	----	----	32 UNCH
4710	----	----	267.10B/184.70A	267.10B/184.70A	----	232.20 + 28.30	.6753	----	----	----	----	128 UNCH
4715	----	----	270.80B/187.90A	270.80B/187.90A	----	235.70 + 28.50	.6804	----	----	----	----	122 UNCH
4720	----	----	274.60B/190.90A	274.60B/190.90A	----	239.30 + 28.80	.6857	----	----	----	----	61 UNCH
4725	----	----	278.30B/194.40A	278.30B/194.40A	----	242.80 + 29.00	.6908	----	----	----	----	227 UNCH
4730	----	----	282.10B/197.60A	282.10B/197.60A	----	246.50 + 29.30	.6958	----	----	----	----	73 UNCH
4735	----	----	285.90B/200.60A	285.90B/200.60A	----	250.10 + 29.50	.7008	----	----	----	----	40 UNCH
4740	----	----	289.60B/204.20A	289.60B/204.20A	----	253.80 + 29.80	.7059	----	----	----	----	123 UNCH
4745	----	----	293.40B/207.40A	293.40B/207.40A	----	257.50 + 30.10	.7106	----	----	----	----	138 UNCH
4750	----	----	297.50B/210.40A	297.50B/210.40A	----	261.20 + 30.30	.7155	----	----	----	----	780 UNCH
4755	----	----	301.40B/214.00A	301.40B/214.00A	----	265.00 + 30.60	.7202	----	----	----	----	14 UNCH
4760	----	----	305.10B/217.00A	305.10B/217.00A	----	268.80 + 30.90	.7249	----	----	----	----	81 UNCH
4765	----	----	309.10B/220.60A	309.10B/220.60A	----	272.60 + 31.10	.7294	----	----	1	----	305 UNCH
4770	----	----	313.00B/224.20A	313.00B/224.20A	----	276.50 + 31.50	.7340	----	----	----	----	12 UNCH
4775	----	----	317.00B/227.50A	317.00B/227.50A	----	280.30 + 31.70	.7385	----	----	----	----	55 UNCH
4780	----	----	321.00B/230.90A	321.00B/230.90A	----	284.20 + 31.90	.7430	----	----	----	----	39 UNCH
4785	----	----	325.10B/234.30A	325.10B/234.30A	----	288.20 + 32.30	.7472	----	----	----	----	119 UNCH
4790	----	----	329.20B/238.00A	329.20B/238.00A	----	292.10 + 32.50	.7517	----	----	----	----	3 UNCH
4795	----	----	333.30B/241.20A	333.30B/241.20A	----	296.10 + 32.80	.7559	----	----	----	----	80 UNCH
4800	----	----	337.50B/245.00A	337.50B/245.00A	----	300.10 + 33.10	.7601	----	----	----	----	1238 UNCH
4805	----	----	341.60B/248.10A	341.60B/248.10A	----	304.10 + 33.30	.7643	----	----	----	----	22 UNCH
4810	----	----	345.60B/252.10A	345.60B/252.10A	----	308.10 + 33.60	.7682	----	----	----	----	11 UNCH
4815	----	----	349.90B/255.80A	349.90B/255.80A	----	312.10 + 33.80	.7724	----	----	----	----	28 UNCH
4820	----	----	353.90B/259.40A	353.90B/259.40A	----	316.20 + 34.00	.7764	----	----	----	----	207 UNCH
4825	----	----	358.10B/262.50A	358.10B/262.50A	----	320.30 + 34.30	.7803	----	----	----	----	33 UNCH
4830	----	----	362.30B/266.50A	362.30B/266.50A	----	324.40 + 34.50	.7842	----	----	----	----	5 UNCH
4835	----	----	366.60B/270.50A	366.60B/270.50A	----	328.50 + 34.70	.7881	----	----	----	----	24 UNCH
4840	----	----	370.60B/274.00A	370.60B/274.00A	----	332.60 + 34.90	.7918	----	----	----	----	10 UNCH
4845	----	----	374.90B/278.00A	374.90B/278.00A	----	336.80 + 35.20	.7954	----	----	----	----	63 UNCH
4850	----	----	379.30B/281.80A	379.30B/281.80A	----	340.90 + 35.40	.7993	----	----	----	----	298 UNCH
4855	----	----	383.50B/285.90A	383.50B/285.90A	----	345.10 + 35.60	.8029	----	----	----	----	11 UNCH
4860	----	----	387.80B/289.30A	387.80B/289.30A	----	349.30 + 35.80	.8063	----	----	----	----	8 UNCH
4865	----	----	392.30B/293.40A	392.30B/293.40A	----	353.60 + 36.10	.8099	----	----	----	----	30 UNCH
4870	----	----	396.60B/297.50A	396.60B/297.50A	----	357.80 + 36.20	.8132	----	----	----	----	319 UNCH
4875	----	----	400.80B/301.20A	400.80B/301.20A	----	362.10 + 36.50	.8168	----	----	----	----	71 UNCH
4880	----	----	405.30B/305.20A	405.30B/305.20A	----	366.40 + 36.70	.8201	----	----	----	----	51 UNCH
4885	----	----	409.50B/309.10A	409.50B/309.10A	----	370.70 + 36.90	.8234	----	----	----	----	12 UNCH
4890	----	----	413.90B/313.00A	413.90B/313.00A	----	375.00 + 37.10	.8264	----	----	----	----	9 UNCH
4895	----	----	418.40B/317.20A	418.40B/317.20A	----	379.30 + 37.30	.8297	----	----	----	----	48 UNCH
4900	----	----	422.70B/320.70A	422.70B/320.70A	----	383.70 + 37.50	.8326	----	----	----	----	254 UNCH
4905	----	----	427.10B/325.30A	427.10B/325.30A	----	388.00 + 37.60	.8356	----	----	----	----	53 UNCH
4910	----	----	431.70B/329.40A	431.70B/329.40A	----	392.40 + 37.90	.8388	----	----	----	----	2 UNCH
4915	----	----	436.10B/332.90A	436.10B/332.90A	----	396.80 + 38.10	.8418	----	----	----	----	118 UNCH
4920	----	----	440.60B/337.00A	440.60B/337.00A	----	401.20 + 38.20	.8444	----	----	----	----	22 UNCH
4925	----	----	444.80B/341.30A	444.80B/341.30A	----	405.60 + 38.40	.8473	----	----	----	----	11 UNCH
4930	----	----	449.60B/345.90A	449.60B/345.90A	----	410.10 + 38.60	.8503	----	----	----	----	52 UNCH
4935	----	----	454.00B/349.60A	454.00B/349.60A	----	414.50 + 38.80	.8529	----	----	----	----	4 UNCH
4940	----	----	458.60B/354.30A	458.60B/354.30A	----	419.00 + 39.00	.8554	----	----	----	----	11 UNCH
4950	----	----	467.60B/362.20A	467.60B/362.20A	----	427.90 + 39.30	.8606	----	----	----	----	106 UNCH
4975	----	----	490.10B/384.10A	490.10B/384.10A	----	450.50 + 40.10	.8729	----	----	----	----	2 UNCH
4980	----	----	495.00B/388.60A	495.00B/388.60A	----	455.10 + 40.30	.8751	----	----	----	----	6 UNCH
4985	----	----	499.60B/392.80A	499.60B/392.80A	----	459.60 + 40.30	.8776	----	----	----	----	104 UNCH
4990	----	----	503.90B/396.60A	503.90B/396.60A	----	464.20 + 40.50	.8798	----	----	----	----	2 UNCH
4995	----	----	508.40B/401.00A	508.40B/401.00A	----	468.80 + 40.70	.8819	----	----	----	----	12 UNCH
5000	----	----	513.20B/405.40A	513.20B/405.40A	----	473.40 + 40.80	.8841	----	----	----	----	545 UNCH
5005	----	----	518.00B/409.70A	518.00B/409.70A	----	478.00 + 40.90	.8862	----	----	----	----	12 UNCH
5010	----	----	522.40B/414.10A	522.40B/414.10A	----	482.60 + 41.10	.8884	----	----	----	----	9 UNCH
5015	----	----	527.30B/418.60A	527.30B/418.60A	----	487.20 + 41.20	.8905	----	----	----	----	20 UNCH
5020	----	----	531.70B/423.00A	531.70B/423.00A	----	491.80 + 41.30	.8922	----	----	----	----	5 UNCH
5025	----	----	536.70B/427.50A	536.70B/427.50A	----	496.40 + 41.30	.8943	----	----	----	----	150 UNCH
5030	----	----	541.30B/431.90A	541.30B/431.90A	----	501.10 + 41.50	.8961	----	----	----	----	8 UNCH
5035	----	----	546.00B/436.40A	546.00B/436.40A	----	505.70 + 41.60	.8982	----	----	----	----	37 UNCH
5040	----	----	#550.40B/440.80	550.40B/440.80A	----	510.40 + 41.70	.8999	----	----	----	----	10 UNCH
5045	----	----	555.10B/445.50A	555.10B/445.50A	----	515.00 + 41.80	.9016	----	----	----	----	5 UNCH
5050	----	----	559.90B/449.80A	559.90B/449.80A	----	519.70 + 41.90	.9033	----	----	----	----	79 UNCH
5055	----	----	564.50B/454.30A	564.50B/454.30A	----	524.40 + 42.00	.9050	----	----	----	----	3 UNCH
5065	----	----	574.20B/463.40A	574.20B/463.40A	----	533.80 + 42.30	.9084	----	----	----	----	11 UNCH
5075	----	----	583.50B/473.00A	583.50B/473.00A	----	543.20 + 42.40	.9117	----	----	----	----	6 UNCH
5080	----	----	#588.10B/477.60	588.10B/477.60A	----	547.90 + 42.50	.9134	----	----	----	----	2 UNCH
5085	----	----	593.00B/481.60A	593.00B/481.60A	----	552.70 + 42.70	.9147	----	----	----	----	21 UNCH
5090	----	----	597.60B/486.40A	597.60B/486.40A	----	557.40 + 42.80	.9163	----	----	----	----	6 UNCH
5095	----	----	602.50B/491.50A	602.50B/491.50A	----	562.10 + 42.80	.9180	----	----	----	----	42 UNCH
5100	----	----	607.20B/495.60A	607.20B/495.60A	----	566.90 + 43.00	.9192	----	----	----	----	106 UNCH
5105	----	----	611.90B/500.00A	611.90B/500.00A	----	571.60 + 43.00	.9205	----	----	----	----	22 UNCH
5110	----	----	616.80B/505.30A	616.80B/505.30A	----	576.40 + 43.10	.9221	----	----	----	----	16 UNCH
5115	----	----	621.80B/509.30A	621.80B/509.30A	----	581.20 + 43.20	.9233	----	----	----	----	37 UNCH
5120	----	----	626.30B/514.30A	626.30B/514.30A	----	585.90 + 43.30	.9246	----	----	----	----	13 UNCH
5125	----	----	631.00B/518.40A	631.00B/518.40A	----	590.70 + 43.40	.9258	----	----	----	----	37 UNCH
5130	----	----	635.80B/523.90A	635.80B/523.90A	----	595.50 + 43.50	.9274	----	----	----	----	23 UNCH
5135	----	----	641.00B/527.90A	641.00B/527.90A	----	600.30 + 43.60	.9286	----	----	----	----	9 UNCH
5140	----	----	645.80B/532.50A	645.80B/532.50A	----	605.00 + 43.60	.9298	----	----	----	----	19 UNCH
5145	----	----	#650.20B/538.10	#650.20B/538.10A	----	609.80 + 43.60	.9310	----	----	----	----	3 UNCH
5150	----	----	654.90B/542.50A	654.90B/542.50A	----	614.60 + 43.70	.9322	----	----	----	----	233 UNCH
5155	----	----	659.70B/547.20A	659.70B/547.20A	----	619.40 + 43.80	.9330	----	----	----	----	43 UNCH
5160	----	----	665.00B/552.00A	665.00B/552.00A	----	624.20 + 43.90	.9341	----	----	----	----	42 UNCH
5170	----	----	674.70B/561.00A	674.70B/561.00A	----	633.90 + 44.10	.9365	----	----	----	----	51 UNCH
5175	----	----	679.00B/566.20A	679.00B/566.20A	----	638.70 + 44.10	.9377	----	----	----	----	61 UNCH
5180	----	----	684.30B/570.90A	684.30B/570.90A	----	643.50 + 44.10	.9384	----	----	2	----	12 + 2
5185	----	----	689.10B/575.20A	689.10B/575.20A	----	648.30 + 44.20	.9396	----	----	----	----	103 UNCH
5190	----	----	693.50B/579.80A	693.50B/579.80A	----	653.20 + 44.30	.9407	----	----	2	----	19 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
5200	----	----	703.20B/589.40A	703.20B/589.40A	----	662.80 + 44.40	.9426	----	----	----	----	54 UNCH
5225	----	----	728.00B/613.40A	728.00B/613.40A	----	687.10 + 44.70	.9470	----	----	----	----	42 UNCH
5230	----	----	732.80B/618.50A	732.80B/618.50A	----	691.90 + 44.70	.9481	----	----	----	----	2 UNCH
5235	----	----	737.20B/622.80A	737.20B/622.80A	----	696.80 + 44.80	.9488	----	----	----	----	23 UNCH
5245	----	----	747.40B/632.70A	747.40B/632.70A	----	706.50 + 44.80	.9506	----	----	----	----	2 UNCH
5250	----	----	752.10B/637.20A	752.10B/637.20A	----	711.40 + 44.90	.9513	----	----	----	----	14 UNCH
5255	----	----	756.70B/642.00A	756.70B/642.00A	----	716.30 + 45.00	.9520	----	----	----	----	14 UNCH
5285	----	----	#786.50B/671.30	#786.50B/671.30A	----	745.50 + 45.10	.9564	----	----	----	----	2 UNCH
5290	----	----	790.90B/676.20A	790.90B/676.20A	----	750.40 + 45.20	.9570	----	----	----	----	4 UNCH
5295	----	----	#795.80B/681.10	#795.80B/681.10A	----	755.30 + 45.20	.9577	----	----	----	----	2 UNCH
5300	----	----	800.70B/686.10A	800.70B/686.10A	----	760.20 + 45.30	.9583	----	----	----	----	68 UNCH
5315	----	----	815.70B/700.40A	815.70B/700.40A	----	774.90 + 45.40	.9602	----	----	----	----	10 UNCH
5325	----	----	#825.70B/709.50	#825.70B/709.50A	----	784.70 + 45.40	.9615	----	----	----	----	2 UNCH
5350	----	----	849.80B/734.50A	849.80B/734.50A	----	809.30 + 45.60	.9642	----	----	----	----	8 UNCH
5375	----	----	862.60B/758.30A	862.60B/758.30A	----	833.90 + 45.70	.9668	----	----	----	----	8 UNCH
5390	----	----	877.40B/773.60A	877.40B/773.60A	----	848.70 + 45.80	.9681	----	----	----	----	5 UNCH
5400	----	----	890.70B/----	890.70B/826.90A	----	858.60 + 45.90	.9688	----	----	----	----	602 UNCH
5410	----	----	----	----	----	868.40 + 45.90	.9696	----	----	----	----	1 UNCH
5440	----	----	----	----	----	898.10 + 46.10	.9722	----	----	----	----	1 UNCH
5475	----	----	961.40B/----	961.40B/903.40A	----	932.70 + 46.20	.9743	----	----	----	----	7 UNCH
5500	----	----	986.20B/----	986.20B/928.20A	----	957.50 + 46.30	.9762	----	----	----	----	4 UNCH
5505	----	----	----	----	----	962.40 + 46.30	.9763	----	----	----	----	1 UNCH
5510	----	----	----	----	----	967.40 + 46.30	.9764	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1555.50 + 47.20	.9929	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1580.50 + 47.20	.9930	----	----	----	----	2 UNCH
TOTAL										3888	1,390	49431+ 1665
AUG26												
2300	----	----	----	0.50B/0.80A	----	0.70 + 0.10	.0019	----	----	----	----	38 UNCH
2325	----	----	----	0.50B/0.80A	----	0.70 UNCH	.0020	----	----	----	----	1 UNCH
2350	0.70	0.70	0.70/0.70	0.70/0.70	----	0.80 + 0.10	.0022	----	----	10	----	22 + 10
2375	----	----	----	0.50B/0.90A	----	0.80 UNCH	.0023	----	----	----	----	7 UNCH
2400	----	----	----	0.60B/0.90A	----	0.80 UNCH	.0023	----	----	----	----	5 UNCH
2425	----	----	----	0.60B/1.00A	----	0.90 UNCH	.0026	----	----	----	----	1 UNCH
2475	----	----	----	0.80B/1.10A	----	1.00 UNCH	.0029	----	----	----	----	5 UNCH
2500	----	----	----	0.90B/1.10A	----	1.10 + 0.10	.0032	----	----	----	----	112 UNCH
2570	----	----	----	1.10B/1.30A	----	1.30 + 0.10	.0038	----	----	----	----	9 UNCH
2580	----	----	----	1.10B/1.30A	----	1.30 + 0.10	.0039	----	----	----	----	1 UNCH
2590	----	----	----	1.10B/1.30A	----	1.30 + 0.10	.0039	----	----	----	----	2 UNCH
2600	----	----	----	1.10B/1.30A	----	1.30 UNCH	.0039	----	----	----	----	6 UNCH
2615	----	----	----	1.30B/1.40A	----	1.40 + 0.10	.0042	----	----	----	----	1 UNCH
2625	----	----	----	1.30B/1.40A	----	1.40 + 0.10	.0042	----	----	----	----	2 UNCH
2640	----	----	----	1.40B/1.50A	----	1.50 + 0.10	.0045	----	----	----	----	1 UNCH
2665	----	----	----	1.50B/1.50A	----	1.50 UNCH	.0046	----	----	----	----	1 UNCH
2685	----	----	----	1.50B/1.60A	----	1.60 + 0.10	.0049	----	----	----	----	1 UNCH
2690	----	----	1.60B/----	1.60B/1.60A	----	1.60 + 0.10	.0049	----	----	----	----	1 UNCH
2730	----	----	----	1.70B/1.70A	----	1.80 + 0.10	.0055	----	----	----	----	1 UNCH
2740	----	----	----	1.70B/1.80A	----	1.80 + 0.10	.0055	----	----	----	----	2 UNCH
2745	----	----	1.80B/----	1.80B/1.80A	----	1.80 + 0.10	.0056	----	----	----	----	1 UNCH
2750	----	----	1.80B/----	1.80B/1.80A	----	1.90 + 0.20	.0058	----	----	----	----	4 UNCH
2800	----	----	2.00B/----	2.00B/1.90A	----	2.00 + 0.10	.0063	----	----	----	----	36 UNCH
2860	----	----	2.20B/----	2.20B/2.20A	----	2.30 + 0.20	.0073	----	----	----	----	1 UNCH
2900	----	----	2.40B/----	2.40B/2.30A	----	2.50 + 0.20	.0080	----	----	----	----	2 UNCH
2950	----	----	2.70B/----	2.70B/2.60A	----	2.70 + 0.20	.0088	----	----	----	----	8 UNCH
2975	----	----	2.80B/----	2.80B/2.70A	----	2.80 + 0.20	.0092	----	----	----	----	1 UNCH
2980	----	----	2.80B/----	2.80B/2.70A	----	2.90 + 0.30	.0095	----	----	----	----	1 UNCH
3000	2.80	2.80	2.90B/2.80	2.90B/2.80	----	3.00 + 0.30	.0098	----	----	1	----	271 + 1
3005	----	----	3.00B/----	3.00B/2.80A	----	3.00 + 0.30	.0099	----	----	----	----	5 UNCH
3010	----	----	3.00B/----	3.00B/2.90A	----	3.00 + 0.30	.0099	----	----	----	----	1 UNCH
3015	----	----	3.00B/----	3.00B/2.90A	----	3.00 + 0.30	.0099	----	----	----	----	1 UNCH
3025	----	----	3.10B/----	3.10B/2.90A	----	3.10 + 0.30	.0103	----	----	----	----	5 UNCH
3040	----	----	3.10B/----	3.10B/3.00A	----	3.20 + 0.40	.0106	----	----	----	----	1 UNCH
3065	----	----	3.30B/----	3.30B/3.10A	----	3.30 + 0.40	.0111	----	----	----	----	1 UNCH
3090	----	----	3.40B/----	3.40B/3.30A	----	3.50 + 0.50	.0118	----	----	----	----	1 UNCH
3095	----	----	3.50B/----	3.50B/3.30A	----	3.50 + 0.40	.0118	----	----	----	----	1 UNCH
3100	----	----	3.50B/----	3.50B/3.30A	----	3.60 + 0.50	.0121	----	----	----	----	264 UNCH
3110	----	----	3.50B/----	3.50B/3.40A	----	3.60 + 0.40	.0122	----	----	----	----	15 UNCH
3115	----	----	3.60B/----	3.60B/3.40A	----	3.60 + 0.40	.0123	----	----	----	----	1 UNCH
3120	----	----	3.60B/----	3.60B/3.50A	----	3.70 + 0.50	.0126	----	----	----	----	29 UNCH
3130	----	----	3.70B/----	3.70B/3.50A	----	3.70 + 0.40	.0127	----	----	----	----	5 UNCH
3145	----	----	3.80B/----	3.80B/3.60A	----	3.90 + 0.50	.0133	----	----	----	----	1 UNCH
3150	----	----	3.80B/----	3.80B/3.70A	----	3.90 + 0.50	.0134	----	----	----	----	10 UNCH
3155	----	----	3.80B/----	3.80B/3.70A	----	3.90 + 0.50	.0134	----	----	----	----	3 UNCH
3160	----	----	3.90B/----	3.90B/3.70A	----	4.00 + 0.50	.0137	----	----	----	----	1 UNCH
3165	----	----	3.90B/----	3.90B/3.80A	----	4.00 + 0.50	.0138	----	----	----	----	141 UNCH
3170	----	----	4.00B/----	4.00B/3.80A	----	4.00 + 0.50	.0138	----	----	----	----	2 UNCH
3175	----	----	4.00B/----	4.00B/3.80A	----	4.10 + 0.50	.0141	----	----	----	----	1 UNCH
3180	----	----	4.00B/----	4.00B/3.90A	----	4.10 + 0.50	.0142	----	----	----	----	26 UNCH
3185	----	----	4.10B/----	4.10B/3.90A	----	4.10 + 0.50	.0142	----	----	----	----	1 UNCH
3190	----	----	4.20B/----	4.20B/3.90A	----	4.20 + 0.50	.0146	----	----	----	----	883 UNCH
3195	----	----	4.20B/----	4.20B/4.00A	----	4.20 + 0.50	.0146	----	----	----	----	1 UNCH
3200	4.20	4.20	4.20/4.20	4.20/4.00A	----	4.30 + 0.60	.0149	----	----	1	----	532 UNCH
3235	----	----	4.50B/----	4.50B/4.20A	----	4.50 + 0.50	.0159	----	----	----	----	20 UNCH
3250	----	----	4.60B/----	4.60B/4.30A	----	4.60 + 0.50	.0163	----	----	----	----	530 UNCH
3260	----	----	5.00B/----	5.00B/4.40A	----	4.70 + 0.50	.0167	----	----	----	----	30 UNCH
3295	----	----	5.10B/----	5.10B/4.70A	----	5.00 + 0.60	.0180	----	----	----	----	2 UNCH
3300	----	----	5.10B/----	5.10B/4.80A	----	5.10 + 0.60	.0183	----	----	----	----	263 UNCH
3310	----	----	5.30B/----	5.30B/4.90A	----	5.20 + 0.60	.0187	----	----	----	----	20 UNCH
3330	----	----	5.50B/----	5.50B/5.00A	----	5.40 + 0.70	.0195	----	----	----	----	2 UNCH
3350	----	----	5.70B/----	5.70B/5.30A	----	5.60 + 0.70	.0204	----	----	----	----	375 UNCH
3370	----	----	6.00B/----	6.00B/5.50A	----	5.80 + 0.70	.0213	----	----	----	----	1 UNCH
3375	----	----	6.10B/----	6.10B/5.50A	----	5.90 + 0.70	.0216	----	----	----	----	15 UNCH
3380	----	----	6.20B/----	6.20B/5.60A	----	6.00 + 0.80	.0220	----	----	----	----	1 UNCH
3390	----	----	6.30B/----	6.30B/5.70A	----	6.10 + 0.80	.0224	----	----	----	----	1 UNCH
3395	----	----	6.40B/----	6.40B/5.70A	----	6.20 + 0.80	.0228	----	----	----	----	7 UNCH
3400	----	----	6.50B/----	6.50B/5.80A	----	6.20 + 0.70	.0229	----	----	20	----	64 + 17
3405	----	----	6.50B/----	6.50B/5.90A	----	6.30 + 0.80	.0232	----	----	----	----	4 UNCH
3410	----	----	6.60B/----	6.60B/5.90A	----	6.40 + 0.80	.0236	----	----	----	----	1 UNCH
3450	----	----	7.30B/----	7.30B/6.40A	----	7.00 + 0.90	.0260	----	----	----	----	1 UNCH
3460	----	----	7.50B/----	7.50B/6.60A	----	7.10 + 0.90	.0265	----	----	----	----	1 UNCH
3465	----	----	7.60B/----	7.60B/6.60A	----	7.20 + 0.90	.0269	----	----	----	----	6 UNCH
3470	----	----	7.60B/----	7.60B/6.70A	----	7.30 + 1.00	.0272	----	----	----	----	1 UNCH
3485	----	----	8.00B/----	8.00B/6.90A	----	7.60 + 1.10	.0284	----	----	----	----	1 UNCH
3495	----	----	8.20B/----	8.20B/7.10A	----	7.70 + 1.00	.0289	----	----	----	----	1 UNCH
3500	----	----	8.30B/----	8.30B/7.10A	----	7.80 + 1.00	.0293	----	----	----	----	820 UNCH
3505	----	----	8.40B/----	8.40B/7.20A	----	7.90 + 1.10	.0297	----	----	----	----	1 UNCH
3510	----	----	8.50B/----	8.50B/7.30A	----	8.00 + 1.10	.0301	----	----	----	----	50 UNCH
3520	----	----	8.70B/----	8.70B/7.50A	----	8.20 + 1.10	.0309	----	----	----	----	210 UNCH
3525	----	----	8.80B/----	8.80B/7.60A	----	8.30 + 1.10	.0313	----	----	----	----	60 UNCH
3535	----	----	9.10B/----	9.10B/7.70A	----	8.50 + 1.20	.0321	----	----	----	----	1 UNCH
3545	----	----	9.30B/----	9.30B/7.90A	----	8.70 + 1.20	.0329	----	----	----	----	9 UNCH
3550	----	----	9.40B/----	9.40B/8.00A	----	8.90 + 1.30	.0336	----	----	----	----	119 UNCH
3560	----	----	9.70B/----	9.70B/8.20A	----	9.10 + 1.30	.0344	----	----	----	----	1 UNCH
3570	----	----	9.90B/----	9.90B/8.40A	----	9.30 + 1.30	.0352	----	----	----	----	32 UNCH
3575	----	----	10.10B/----	10.10B/8.50A	----	9.40 + 1.30	.0357	----	----	----	----	20 UNCH
3585	----	----	10.30B/----	10.30B/8.60A	----	9.70 + 1.40	.0368	----	----	----	----	50 UNCH
3600	----	----	10.80B/----	10.80B/8.90A	----	10.10 + 1.50	.0383	----	----	1	----	696 UNCH
3605	----	----	10.90B/----	10.90B/9.00A	----	10.20 + 1.50	.0388	----	----	----	----	1 UNCH
3610	----	----	11.00B/----	11.00B/9.10A	----	10.30 + 1.50	.0392	----	----	----	----	1 UNCH
3630	----	----	11.70B/----	11.70B/9.50A	----	10.90 + 1.60	.0415	----	----	----	----	8 UNCH
3640	----	----	12.00B/----	12.00B/9.90A	----	11.20 + 1.70	.0427	----	----	----	----	1 UNCH
3645	----	----	12.20B/----	12.20B/9.90A	----	11.30 + 1.70	.0431	----	----	----	----	22 UNCH
3650	----	----	12.30B/----	12.30B/10.00A	----	11.50 + 1.80	.0438	----	----	----	----	42 UNCH
3655	----	----	12.50B/----	12.50B/10.10A	----	11.60 + 1.70	.0443	----	----	----	----	55 UNCH
3660	----	----	12.70B/----	12.70B/10.20A	----	11.80 + 1.80	.0450	----	----	----	----	9 UNCH
3665	----	----	12.90B/----	12.90B/10.30A	----	12.00 + 1.90	.0458	----	----	----	----	1 UNCH
3675	----	----	13.30B/----	13.30B/10.60A	----	12.30 + 1.90	.0470	----	----	----	----	24 UNCH
3690	----	----	13.80B/----	13.80B/11.00A	----	12.80 + 2.00	.0489	----	----	----	----	12 UNCH
3700	----	----	14.30B/----	14.30B/11.30A	----	13.20 + 2.10	.0504	----	----	----	----	251 UNCH
3705	----	----	14.40B/----	14.40B/11.40A	----	13.30 + 2.00	.0509	----	----	----	----	21 UNCH
3715	----	----	14.90B/----	14.90B/11.70A	----	13.70 + 2.10	.0524	----	----	----	----	30 UNCH
3725	14.40	14.40	15.30B/14.40	15.30B/11.90A	----	14.10 + 2.20	.0540	----	----	1	----	5 + 1
3730	----	----	15.60B/----	15.60B/12.10A	----	14.30 + 2.20	.0547	----	----	----	----	11 UNCH
3735	----	----	15.80B/----	15.80B/12.30A	----	14.50 + 2.30	.0555	----	----	----	----	1 UNCH
3740	----	----	16.00B/----	16.00B/12.40A	----	14.70 + 2.30	.0563	----	----	----	----	8 UNCH
3745	----	----	16.30B/----	16.30B/12.60A	----	14.90 + 2.30	.0570	----	----	----	----	1 UNCH
3750	----	----	16.50B/12.70A	16.50B/12.70A	----	15.10 + 2.30	.0578	----	----	----	----	79 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3755	----	----	16.80B/----	16.80B/12.90A	----	15.30 + 2.40	.0586	----	----	----	----	1 UNCH
3760	----	----	17.00B/----	17.00B/13.10A	----	15.50 + 2.40	.0594	----	----	----	----	1 UNCH
3765	----	----	17.30B/13.20A	17.30B/13.20A	----	15.80 + 2.50	.0604	----	----	----	----	100 UNCH
3770	----	----	17.50B/13.30A	17.50B/13.30A	----	16.00 + 2.50	.0612	----	----	----	----	4 UNCH
3775	----	----	17.80B/13.60A	17.80B/13.60A	----	16.20 + 2.50	.0620	----	----	----	----	13 UNCH
3790	----	----	18.60B/14.20A	18.60B/14.20A	----	16.90 + 2.60	.0647	----	----	----	----	6 UNCH
3795	----	----	18.90B/14.30A	18.90B/14.30A	----	17.20 + 2.70	.0658	----	----	----	----	83 UNCH
3800	13.70	13.70	19.10B/13.70	19.10B/13.70	----	17.40 + 2.70	.0666	----	----	12	----	402 + 1
3805	----	----	19.40B/14.70A	19.40B/14.70A	----	17.70 + 2.80	.0677	----	----	----	----	4 UNCH
3810	----	----	19.70B/14.80A	19.70B/14.80A	----	17.90 + 2.70	.0685	----	----	----	----	50 UNCH
3815	----	----	20.00B/14.70A	20.00B/14.70A	----	18.20 + 2.80	.0696	----	----	----	----	150 UNCH
3820	----	----	20.20B/15.20A	20.20B/15.20A	----	18.50 + 2.90	.0707	----	----	----	----	52 UNCH
3825	----	----	20.60B/15.50A	20.60B/15.50A	----	18.70 + 2.90	.0715	----	----	----	----	53 UNCH
3830	----	----	21.00B/15.70A	21.00B/15.70A	----	19.00 + 2.90	.0726	----	----	----	----	1 UNCH
3835	----	----	21.20B/15.80A	21.20B/15.80A	----	19.30 + 3.00	.0737	----	----	----	----	10 UNCH
3845	----	----	22.00B/16.20A	22.00B/16.20A	----	19.90 + 3.10	.0759	----	----	----	----	1 UNCH
3850	22.30	22.30	22.30/16.40A	22.30/16.40A	----	20.20 + 3.10	.0770	----	----	2	----	124 UNCH
3855	----	----	22.70B/16.80A	22.70B/16.80A	----	20.50 + 3.20	.0782	----	----	----	----	7 UNCH
3870	----	----	23.80B/17.50A	23.80B/17.50A	----	21.40 + 3.30	.0815	----	----	----	----	17 UNCH
3875	----	----	24.20B/17.80A	24.20B/17.80A	----	21.80 + 3.40	.0829	----	----	----	----	10 UNCH
3880	----	----	24.50B/18.00A	24.50B/18.00A	----	22.10 + 3.40	.0841	----	----	----	----	340 UNCH
3885	----	----	24.90B/18.20A	24.90B/18.20A	----	22.40 + 3.40	.0852	----	----	----	----	89 UNCH
3890	----	----	25.30B/18.50A	25.30B/18.50A	----	22.80 + 3.50	.0866	----	----	----	----	73 UNCH
3895	----	----	25.80B/18.70A	25.80B/18.70A	----	23.10 + 3.50	.0878	----	----	----	----	1 UNCH
3900	18.40	18.40	26.20B/18.40	26.20B/18.40	----	23.50 + 3.60	.0891	----	----	21	----	684 + 5
3910	----	----	27.00B/19.50A	27.00B/19.50A	----	24.20 + 3.70	.0917	----	----	----	----	37 UNCH
3915	----	----	27.50B/19.70A	27.50B/19.70A	----	24.60 + 3.80	.0931	----	----	----	----	35 UNCH
3920	----	----	27.90B/20.00A	27.90B/20.00A	----	25.00 + 3.90	.0946	----	----	----	----	49 UNCH
3925	----	----	28.40B/20.30A	28.40B/20.30A	----	25.40 + 3.90	.0960	----	----	----	----	11 UNCH
3930	----	----	28.90B/20.50A	28.90B/20.50A	----	25.70 + 3.90	.0972	----	----	----	----	49 UNCH
3935	----	----	29.30B/20.80A	29.30B/20.80A	----	26.20 + 4.00	.0988	----	----	----	----	11 UNCH
3940	----	----	29.80B/21.10A	29.80B/21.10A	----	26.60 + 4.10	.1003	----	----	----	----	17 UNCH
3950	----	----	30.80B/21.80A	30.80B/21.80A	----	27.40 + 4.20	.1032	----	----	16	----	254 + 1
3955	----	----	31.30B/22.20A	31.30B/22.20A	----	27.80 + 4.20	.1046	----	----	----	----	12 UNCH
3960	----	----	31.90B/22.50A	31.90B/22.50A	----	28.30 + 4.30	.1063	----	----	----	----	3 UNCH
3965	----	----	32.30B/22.80A	32.30B/22.80A	----	28.70 + 4.30	.1078	----	----	----	----	29 UNCH
3970	----	----	32.80B/23.20A	32.80B/23.20A	----	29.20 + 4.40	.1095	----	----	----	----	11 UNCH
3975	----	----	33.40B/23.50A	33.40B/23.50A	----	29.70 + 4.60	.1112	----	----	----	----	267 UNCH
3980	----	----	33.90B/23.90A	33.90B/23.90A	----	30.10 + 4.50	.1127	----	----	----	----	2251 UNCH
3985	----	----	34.50B/24.30A	34.50B/24.30A	----	30.60 + 4.60	.1144	----	----	3	----	4 + 2
3990	----	----	35.10B/24.60A	35.10B/24.60A	----	31.10 + 4.70	.1161	----	----	----	----	45 UNCH
3995	----	----	35.60B/25.00A	35.60B/25.00A	----	31.60 + 4.80	.1178	----	----	----	----	5 UNCH
4000	26.20	26.20	36.80/25.40A	36.80/25.40A	----	32.10 + 4.80	.1195	----	----	369	400	1191 - 248
4005	----	----	36.90B/25.80A	36.90B/25.80A	----	32.70 + 5.00	.1215	----	----	----	----	6 UNCH
4010	34.30	34.30	37.50B/26.20A	37.50B/26.20A	----	33.20 + 5.00	.1232	----	----	3	----	85 + 3
4015	----	----	38.20B/26.60A	38.20B/26.60A	----	33.70 + 5.10	.1250	----	----	----	----	2 UNCH
4020	----	----	38.80B/27.00A	38.80B/27.00A	----	34.30 + 5.20	.1269	----	----	----	----	3 UNCH
4025	----	----	39.50B/27.50A	39.50B/27.50A	----	34.80 + 5.20	.1287	----	----	2	----	102 + 1
4030	----	----	40.20B/27.90A	40.20B/27.90A	----	35.40 + 5.30	.1307	----	----	----	----	52 UNCH
4035	----	----	40.80B/28.40A	40.80B/28.40A	----	36.00 + 5.50	.1327	----	----	----	----	19 UNCH
4040	----	----	41.40B/28.80A	41.40B/28.80A	----	36.60 + 5.50	.1347	----	----	----	----	25 UNCH
4045	----	----	42.20B/29.30A	42.20B/29.30A	----	37.20 + 5.60	.1366	----	----	----	----	30 UNCH
4050	----	----	42.90B/29.70A	42.90B/29.70A	----	37.80 + 5.70	.1387	----	----	15	----	315 UNCH
4055	----	----	43.60B/30.20A	43.60B/30.20A	----	38.40 + 5.80	.1407	----	----	----	----	16 UNCH
4065	----	----	45.10B/31.20A	45.10B/31.20A	----	39.70 + 6.00	.1449	----	----	1	----	6 + 1
4070	----	----	45.90B/31.80A	45.90B/31.80A	----	40.40 + 6.10	.1471	----	----	----	----	5 UNCH
4075	----	----	46.70B/32.20A	46.70B/32.20A	----	41.00 + 6.10	.1492	----	----	1	----	13 + 1
4080	----	----	47.50B/32.80A	47.50B/32.80A	----	41.70 + 6.30	.1514	----	----	----	----	10 UNCH
4085	----	----	48.30B/33.20A	48.30B/33.20A	----	42.40 + 6.40	.1536	----	----	3	320	339 + 297
4090	----	----	49.10B/33.90A	49.10B/33.90A	----	43.10 + 6.40	.1559	----	----	----	----	204 UNCH
4095	----	----	50.00B/34.30A	50.00B/34.30A	----	43.80 + 6.50	.1581	----	----	----	----	83 UNCH
4100	40.50	40.50	51.10B/34.90A	51.10B/34.90A	----	44.50 + 6.60	.1604	----	----	22	----	503 + 10
4105	----	----	51.70B/35.60A	51.70B/35.60A	----	45.30 + 6.80	.1629	----	----	----	----	15 UNCH
4110	----	----	52.60B/36.10A	52.60B/36.10A	----	46.00 + 6.80	.1651	----	----	----	----	8 UNCH
4115	----	----	53.40B/36.70A	53.40B/36.70A	----	46.80 + 6.90	.1676	----	----	----	----	17 UNCH
4120	----	----	54.40B/37.30A	54.40B/37.30A	----	47.60 + 7.10	.1701	----	----	----	----	123 UNCH
4125	----	----	55.30B/37.90A	55.30B/37.90A	----	48.40 + 7.20	.1726	----	----	----	----	6 UNCH
4130	----	----	56.20B/38.50A	56.20B/38.50A	----	49.20 + 7.30	.1750	----	----	----	----	16 UNCH
4135	50.00	50.00	57.20B/39.20A	57.20B/39.20A	----	50.00 + 7.40	.1775	----	----	5	----	62 + 5
4140	----	----	58.10B/39.80A	58.10B/39.80A	----	50.80 + 7.40	.1801	----	----	----	----	2 UNCH
4145	----	----	59.10B/40.50A	59.10B/40.50A	----	51.70 + 7.60	.1827	----	----	----	----	27 UNCH
4150	----	----	60.50B/41.20A	60.50B/41.20A	----	52.50 + 7.60	.1853	----	----	----	----	1087 UNCH
4155	55.00	55.00	61.10B/41.90A	61.10B/41.90A	----	53.40 + 7.80	.1879	----	----	12	----	23 + 12
4160	----	----	62.20B/42.60A	62.20B/42.60A	----	54.30 + 7.90	.1906	----	----	----	----	50 UNCH
4165	----	----	63.20B/43.20A	63.20B/43.20A	----	55.20 + 8.00	.1934	----	----	1	----	105 + 1
4170	----	----	64.10B/44.00A	64.10B/44.00A	----	56.10 + 8.10	.1961	----	----	----	----	80 UNCH
4175	----	----	65.40B/44.70A	65.40B/44.70A	----	57.10 + 8.30	.1990	----	----	----	----	36 UNCH
4180	----	----	66.50B/45.40A	66.50B/45.40A	----	58.00 + 8.30	.2017	----	----	----	----	115 UNCH
4185	----	----	67.60B/46.20A	67.60B/46.20A	----	59.00 + 8.50	.2046	----	----	----	----	50 UNCH
4190	----	----	68.60B/47.00A	68.60B/47.00A	----	60.00 + 8.60	.2075	----	----	----	----	140 UNCH
4195	----	----	70.00B/47.70A	70.00B/47.70A	----	61.00 + 8.70	.2104	----	----	----	----	218 UNCH
4200	----	----	71.20B/48.60A	71.20B/48.60A	----	62.00 + 8.80	.2133	----	----	14	----	393 + 5
4205	----	----	72.50B/49.40A	72.50B/49.40A	----	63.00 + 8.90	.2162	----	----	----	----	350 UNCH
4210	----	----	73.50B/50.20A	73.50B/50.20A	----	64.10 + 9.10	.2193	----	----	1	----	4 + 1
4215	----	----	74.70B/51.10A	74.70B/51.10A	----	65.10 + 9.20	.2223	----	----	----	----	18 UNCH
4220	66.30	66.30	75.90B/51.90A	75.90B/51.90A	----	66.20 + 9.30	.2254	----	----	2	----	15 + 2
4225	----	----	77.20B/52.80A	77.20B/52.80A	----	67.30 + 9.40	.2285	----	----	----	----	18 UNCH
4230	----	----	78.40B/53.80A	78.40B/53.80A	----	68.40 + 9.60	.2316	----	----	----	----	12 UNCH
4235	----	----	79.80B/54.60A	79.80B/54.60A	----	69.50 + 9.70	.2347	----	----	----	----	8 UNCH
4240	----	----	81.10B/55.50A	81.10B/55.50A	----	70.70 + 9.80	.2380	----	----	----	----	37 UNCH
4245	----	----	82.40B/56.40A	82.40B/56.40A	----	71.90 + 10.00	.2412	----	----	1	----	53 - 1
4250	73.20	73.20	84.30B/57.40A	84.30B/57.40A	----	73.00 + 10.00	.2444	----	----	11	----	1214 + 3
4255	----	----	85.50B/58.40A	85.50B/58.40A	----	74.30 + 10.30	.2478	----	----	----	----	890 UNCH
4260	----	----	86.60B/59.30A	86.60B/59.30A	----	75.50 + 10.40	.2511	----	----	----	----	30 UNCH
4270	----	----	89.40B/61.30A	89.40B/61.30A	----	78.00 + 10.70	.2578	----	----	----	----	16 UNCH
4275	----	----	90.90B/62.40A	90.90B/62.40A	----	79.30 + 10.80	.2612	----	----	----	----	27 UNCH
4280	----	----	92.40B/63.50A	92.40B/63.50A	----	80.60 + 10.90	.2647	----	----	2	----	70 + 2
4285	----	----	93.80B/64.60A	93.80B/64.60A	----	81.90 + 11.10	.2681	----	----	----	----	173 UNCH
4290	----	----	95.40B/65.60A	95.40B/65.60A	----	83.20 + 11.20	.2716	----	----	----	----	62 UNCH
4295	----	----	96.80B/66.70A	96.80B/66.70A	----	84.60 + 11.40	.2751	----	----	----	----	2 UNCH
4300	76.00	76.00	99.00B/67.90A	99.00B/67.90A	----	85.90 + 11.40	.2786	----	----	147	----	1134 + 102
4305	----	----	100.60B/69.00A	100.60B/69.00A	----	87.30 + 11.60	.2822	----	----	----	----	507 UNCH
4310	----	----	101.70B/70.10A	101.70B/70.10A	----	88.80 + 11.80	.2859	----	----	----	----	3 UNCH
4315	----	----	103.30B/71.30A	103.30B/71.30A	----	90.20 + 11.90	.2895	----	----	----	----	8 UNCH
4320	----	----	105.00B/72.50A	105.00B/72.50A	----	91.60 + 12.00	.2931	----	----	1	----	13 + 1
4325	----	----	106.90B/73.70A	106.90B/73.70A	----	93.10 + 12.20	.2968	----	----	----	----	310 UNCH
4330	----	----	108.40B/74.80A	108.40B/74.80A	----	94.60 + 12.30	.3006	----	----	----	----	105 UNCH
4335	----	----	110.10B/76.10A	110.10B/76.10A	----	96.20 + 12.60	.3044	----	----	----	----	10 UNCH
4340	----	----	111.90B/77.40A	111.90B/77.40A	----	97.70 + 12.70	.3081	----	----	----	----	8 UNCH
4345	----	----	113.60B/78.70A	113.60B/78.70A	----	99.30 + 12.90	.3120	----	----	----	----	5 UNCH
4350	95.80	95.80	115.80/80.00A	115.80/80.00A	----	100.80 + 12.90	.3157	----	----	22	----	1114 + 5
4355	----	----	117.20B/81.30A	117.20B/81.30A	----	102.50 + 13.20	.3197	----	----	----	----	104 UNCH
4360	----	----	119.10B/82.60A	119.10B/82.60A	----	104.10 + 13.30	.3235	----	----	----	----	72 UNCH
4365	111.60	111.60	120.90B/84.00A	120.90B/84.00A	----	105.70 + 13.40	.3274	----	----	4	----	116 + 1
4375	----	----	124.70B/86.80A	124.70B/86.80A	----	109.10 + 13.80	.3353	----	----	----	----	14 UNCH
4380	----	----	126.60B/88.10A	126.60B/88.10A	----	110.80 + 13.90	.3393	----	----	1	----	4 UNCH
4385	----	----	128.60B/89.60A	128.60B/89.60A	----	112.60 + 14.20	.3433	----	----	----	----	10 UNCH
4390	----	----	130.60B/91.10A	130.60B/91.10A	----	114.30 + 14.30	.3473	----	----	----	----	17 UNCH
4395	----	----	132.60B/92.50A	132.60B/92.50A	----	116.10 + 14.50	.3513	----	----	----	----	6 UNCH
4400	104.70	104.70	135.20B/94.00A	135.20B/94.00A	----	117.90 + 14.60	.3554	----	----	144	----	1929 - 29
4405	----	----	136.70B/95.60A	136.70B/95.60A	----	119.80 + 14.90	.3595	----	----	----	----	64 UNCH
4410	----	----	139.00B/97.10A	139.00B/97.10A	----	121.60 + 15.00	.3636	----	----	----	----	321 UNCH
4415	----	----	140.70B/98.70A	140.70B/98.70A	----	123.50 + 15.20	.3677	----	----	----	----	149 UNCH
4420	----	----	143.00B/100.30A	143.00B/100.30A	----	125.40 + 15.30	.3719	----	----	----	----	13 UNCH
4425	----	----	145.00B/101.90A	145.00B/101.90A	----	127.30 + 15.50	.3760	----	----	----	----	20 UNCH
4430	----	----	147.30B/103.60A	147.30B/103.60A	----	129.30 + 15.70	.3802	----	----	----	----	35 UNCH
4435	130.70	130.70	149.40B/105.10A	149.40B/105.10A	----	131.30 + 15.90	.3844	----	----	3	----	11 + 3
4440	140.50	140.50	151.80B/106.80A	151.80B/106.80A	----	133.30 + 16.10	.3887	----	----	11	----	86 + 10
4445	----	----	153.90B/108.50A	153.90B/108.50A	----	135.30 + 16.30	.3929	----	----	----	----	4 UNCH
4450	131.20	131.20	156.10B/110.20A	156.10B/110.20A	----	137.30 + 16.40	.3971	----	----	14	----	372 + 2
4455	----	----	158.90B/111.90A	158.90B/111.90A	----	139.40 + 16.60	.4014	----	----	28	----	283 + 24
4460	----	----	160.80B/113.90A	160.80B/113.90A	----	141.50 + 16.80	.4057	----	----	----	----	14 UNCH
4465	----	----	163.00B/115.60A	163.00B/115.60A	----	143.60 + 17.00	.4099	----	----	----	----	19 UNCH
4470	----	----	165.60B/117.50A	165.60B/117.50A	----	145.80 + 17.20	.4142	----	----	----	----	112 UNCH
4475	----	----	167.90B/119.10A	167.90B/119.10A	----	147.90 + 17.40	.4185	----	----	1	----	84 - 1
4480	----	----	170.30B/121.00A	170.30B/121.00A	----	150.10 + 17.60	.4229	----	----	1	----	144 UNCH
4485	----	----	172.80B/122.80A	172.80B/122.80A	----	152.30 + 17.80	.4272	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4490	----	----	175.10B/124.70A	175.10B/124.70A	----	154.60 + 18.00	.4315	----	----	----	----	7 UNCH
4495	----	----	177.60B/126.80A	177.60B/126.80A	----	156.80 + 18.10	.4359	----	----	----	----	33 UNCH
4500	144.00	144.00	180.40B/128.60A	180.40B/128.60A	----	159.10 + 18.30	.4402	----	----	9	----	1893 UNCH
4505	161.50	161.50	182.70B/130.60A	182.70B/130.60A	----	161.40 + 18.50	.4446	----	----	3	----	45 UNCH
4510	----	----	185.50B/132.60A	185.50B/132.60A	----	163.80 + 18.80	.4490	----	----	1	----	49 + 1
4515	182.00	182.00	187.80B/134.60A	187.80B/134.60A	----	166.10 + 18.90	.4534	----	----	3	----	7 + 3
4520	----	----	190.30B/136.60A	190.30B/136.60A	----	168.50 + 19.10	.4578	----	----	----	----	21 UNCH
4525	----	----	193.20B/138.80A	193.20B/138.80A	----	170.90 + 19.30	.4621	----	----	----	----	8 UNCH
4530	----	----	195.60B/140.80A	195.60B/140.80A	----	173.40 + 19.60	.4665	----	----	----	----	8 UNCH
4535	----	----	198.30B/143.00A	198.30B/143.00A	----	175.90 + 19.80	.4709	----	----	20	----	111 + 20
4540	178.90	178.90	201.00B/145.00A	201.00B/145.00A	----	178.30 + 20.00	.4753	----	----	1	----	39 + 1
4545	----	----	203.70B/147.30A	203.70B/147.30A	----	180.90 + 20.20	.4797	----	----	----	----	21 UNCH
4550	150.70	150.70	206.70B/149.40A	206.70B/149.40A	----	183.40 + 20.40	.4841	----	----	11	----	244 + 7
4555	----	----	209.40B/151.60A	209.40B/151.60A	----	185.90 + 20.60	.4885	----	----	----	----	115 UNCH
4560	----	----	212.10B/153.80A	212.10B/153.80A	----	188.50 + 20.80	.4929	----	----	----	160	222 + 125
4565	----	----	214.90B/156.30A	214.90B/156.30A	----	191.10 + 21.00	.4973	----	----	----	----	4 UNCH
4570	----	----	217.80B/158.60A	217.80B/158.60A	----	193.80 + 21.30	.5017	----	----	----	----	74 UNCH
4575	----	----	220.30B/160.90A	220.30B/160.90A	----	196.40 + 21.40	.5061	----	----	6	----	64 + 6
4580	----	----	223.40B/163.30A	223.40B/163.30A	----	199.10 + 21.60	.5105	----	----	----	----	195 UNCH
4585	----	----	226.20B/165.30A	226.20B/165.30A	----	201.80 + 21.80	.5148	----	----	----	----	4 UNCH
4590	----	----	229.30B/167.70A	229.30B/167.70A	----	204.60 + 22.10	.5192	----	----	3	----	38 + 3
4595	----	----	232.40B/170.10A	232.40B/170.10A	----	207.30 + 22.30	.5236	----	----	----	----	169 UNCH
4600	173.00	173.00	235.60B/172.50A	235.60B/172.50A	----	210.10 + 22.50	.5279	----	----	26	----	608 UNCH
4605	----	----	238.30B/175.20A	238.30B/175.20A	----	212.90 + 22.70	.5323	----	----	----	----	126 UNCH
4610	198.80	198.80	241.30B/177.70A	241.30B/177.70A	----	215.70 + 22.90	.5366	----	----	50	----	50 + 41
4615	189.00	189.00	244.30B/180.20A	244.30B/180.20A	----	218.60 + 23.10	.5409	----	----	1	----	3 + 1
4620	----	----	247.40B/182.70A	247.40B/182.70A	----	221.50 + 23.40	.5453	----	----	----	----	41 UNCH
4625	----	----	251.50B/185.00A	251.50B/185.00A	----	224.40 + 23.60	.5496	----	----	----	----	270 UNCH
4630	----	----	254.10B/187.80A	254.10B/187.80A	----	227.30 + 23.80	.5538	----	----	----	----	53 UNCH
4635	----	----	257.20B/190.40A	257.20B/190.40A	----	230.20 + 23.90	.5582	----	----	----	----	128 UNCH
4640	----	----	260.80B/193.10A	260.80B/193.10A	----	233.20 + 24.20	.5624	----	----	7	----	315 - 3
4645	----	----	263.40B/195.90A	263.40B/195.90A	----	236.20 + 24.40	.5667	----	----	----	----	135 UNCH
4650	----	----	267.10B/198.40A	267.10B/198.40A	----	239.20 + 24.60	.5709	----	----	7	----	450 - 5
4655	----	----	269.90B/200.90A	269.90B/200.90A	----	242.30 + 24.90	.5751	----	----	----	----	25 UNCH
4660	----	----	273.10B/203.70A	273.10B/203.70A	----	245.30 + 25.00	.5793	----	----	----	----	28 UNCH
4665	----	----	275.60B/206.50A	275.60B/206.50A	----	248.40 + 25.20	.5836	----	----	----	----	4 UNCH
4670	----	----	279.70B/209.30A	279.70B/209.30A	----	251.50 + 25.40	.5878	----	----	----	----	53 UNCH
4675	----	----	282.40B/212.10A	282.40B/212.10A	----	254.60 + 25.60	.5919	----	----	----	----	15 UNCH
4680	----	----	286.00B/214.80A	286.00B/214.80A	----	257.80 + 25.80	.5960	----	----	----	----	34 UNCH
4685	----	----	289.80B/217.70A	289.80B/217.70A	----	261.00 + 26.10	.6002	----	----	----	----	224 UNCH
4690	----	----	292.40B/220.50A	292.40B/220.50A	----	264.20 + 26.30	.6043	----	----	----	----	9 UNCH
4695	----	----	295.80B/223.40A	295.80B/223.40A	----	267.40 + 26.40	.6084	----	----	----	----	5 UNCH
4700	246.00	246.00	300.70B/226.30A	300.70B/226.30A	----	270.70 + 26.70	.6125	----	----	5	----	1035 UNCH
4705	----	----	303.20B/229.00A	303.20B/229.00A	----	273.90 + 26.80	.6165	----	----	----	----	141 UNCH
4710	----	----	306.10B/232.00A	306.10B/232.00A	----	277.20 + 27.00	.6206	----	----	----	----	10 UNCH
4715	----	----	309.50B/235.10A	309.50B/235.10A	----	280.50 + 27.20	.6245	----	----	----	----	1 UNCH
4720	----	----	313.10B/238.20A	313.10B/238.20A	----	283.90 + 27.50	.6286	----	----	----	----	13 UNCH
4725	----	----	316.90B/241.10A	316.90B/241.10A	----	287.20 + 27.60	.6325	----	----	----	----	60 UNCH
4730	----	----	320.70B/244.10A	320.70B/244.10A	----	290.60 + 27.80	.6365	----	----	----	----	57 UNCH
4735	308.50	308.50	324.30B/247.20A	324.30B/247.20A	----	294.00 + 28.00	.6404	----	----	3	----	60 UNCH
4740	312.30	312.30	327.80B/250.30A	327.80B/250.30A	----	297.40 + 28.20	.6443	----	----	1	----	48 UNCH
4745	----	----	331.30B/253.30A	331.30B/253.30A	----	300.90 + 28.40	.6481	----	----	----	----	35 UNCH
4750	----	----	334.90B/256.50A	334.90B/256.50A	----	304.30 + 28.60	.6519	----	----	----	----	181 UNCH
4755	----	----	338.20B/259.60A	338.20B/259.60A	----	307.80 + 28.80	.6558	----	----	----	----	27 UNCH
4760	----	----	341.80B/265.80A	341.80B/265.80A	----	311.30 + 28.90	.6596	----	----	----	----	8 UNCH
4765	----	----	345.50B/268.30A	345.50B/268.30A	----	314.80 + 29.10	.6633	----	----	----	----	7 UNCH
4770	----	----	349.10B/272.20A	349.10B/272.20A	----	318.40 + 29.30	.6671	----	----	----	----	263 UNCH
4775	----	----	353.00B/275.40A	353.00B/275.40A	----	322.00 + 29.50	.6708	----	----	----	----	172 UNCH
4780	----	----	356.50B/278.70A	356.50B/278.70A	----	325.50 + 29.60	.6745	----	----	----	----	19 UNCH
4785	----	----	359.60B/281.50A	359.60B/281.50A	----	329.20 + 29.90	.6781	----	----	----	----	18 UNCH
4790	----	----	359.20B/284.80A	359.20B/284.80A	----	332.80 + 30.10	.6818	----	----	----	----	54 UNCH
4795	----	----	359.10B/288.10A	359.10B/288.10A	----	336.40 + 30.20	.6854	----	----	----	----	128 UNCH
4800	----	----	366.30B/291.40A	366.30B/291.40A	----	340.10 + 30.40	.6890	----	----	----	----	968 UNCH
4805	----	----	366.70B/295.30A	366.70B/295.30A	----	343.80 + 30.60	.6925	----	----	----	----	9 UNCH
4810	----	----	370.50B/298.60A	370.50B/298.60A	----	347.50 + 30.80	.6961	----	----	----	----	5 UNCH
4815	----	----	374.30B/----	374.30B/325.40A	----	351.20 + 30.90	.6995	----	----	----	----	3 UNCH
4820	----	----	378.10B/----	378.10B/329.00A	----	354.90 + 31.10	.7031	----	----	----	----	4 UNCH
4825	----	----	382.10B/----	382.10B/332.40A	----	358.70 + 31.30	.7065	----	----	----	----	30 UNCH
4830	----	----	385.80B/----	385.80B/336.30A	----	362.50 + 31.50	.7099	----	----	----	----	4 UNCH
4835	----	----	389.60B/----	389.60B/339.70A	----	366.20 + 31.60	.7133	----	----	----	----	36 UNCH
4840	----	----	393.60B/----	393.60B/343.60A	----	370.10 + 31.80	.7167	----	----	----	----	5 UNCH
4850	----	----	401.50B/----	401.50B/350.80A	----	377.70 + 32.10	.7232	----	----	----	----	155 UNCH
4855	----	----	405.40B/----	405.40B/354.70A	----	381.60 + 32.30	.7266	----	----	----	----	11 UNCH
4860	----	----	409.40B/----	409.40B/358.40A	----	385.40 + 32.40	.7298	----	----	----	----	9 UNCH
4865	----	----	413.30B/----	413.30B/367.80A	----	389.30 + 32.60	.7329	----	----	----	----	12 UNCH
4870	----	----	417.30B/----	417.30B/371.50A	----	393.20 + 32.80	.7361	----	----	----	----	29 UNCH
4875	----	----	421.40B/----	421.40B/375.30A	----	397.20 + 33.00	.7393	----	----	----	----	82 UNCH
4880	----	----	425.40B/----	425.40B/379.20A	----	401.10 + 33.20	.7424	----	----	----	----	126 UNCH
4885	----	----	429.40B/----	429.40B/383.00A	----	405.10 + 33.40	.7455	----	----	----	----	8 UNCH
4890	----	----	433.50B/----	433.50B/386.90A	----	409.00 + 33.50	.7485	----	----	----	----	6 UNCH
4895	----	----	437.50B/----	437.50B/390.80A	----	413.00 + 33.70	.7516	----	----	----	----	6 UNCH
4900	420.00	420.00	443.20B/420.00	443.20B/392.90A	----	417.00 + 33.80	.7546	----	----	8	----	430 + 8
4905	----	----	445.70B/----	445.70B/398.60A	----	421.10 + 34.10	.7575	----	----	----	----	29 UNCH
4910	----	----	449.80B/----	449.80B/402.50A	----	425.10 + 34.20	.7605	----	----	----	----	23 UNCH
4920	----	----	458.10B/----	458.10B/410.40A	----	433.20 + 34.50	.7662	----	----	----	----	3 UNCH
4925	----	----	462.20B/----	462.20B/414.40A	----	437.30 + 34.70	.7691	----	----	----	----	53 UNCH
4930	----	----	----	341.50B/524.20A	----	441.40 + 34.90	.7719	----	----	----	----	1 UNCH
4950	----	----	483.20B/----	483.20B/434.60A	----	457.90 + 35.50	.7829	----	----	----	----	31 UNCH
4955	----	----	----	363.30B/543.90A	----	462.10 + 35.70	.7855	----	----	----	----	1 UNCH
4980	----	----	----	385.20B/564.00A	----	483.10 + 36.40	.7982	----	----	----	----	1 UNCH
5000	----	----	527.50B/----	527.50B/474.60A	----	500.10 + 36.90	.8080	----	----	----	----	327 UNCH
5010	----	----	----	412.20B/588.40A	----	508.70 + 37.20	.8128	----	----	----	----	1 UNCH
5025	----	----	547.60B/----	547.60B/497.10A	----	521.70 + 37.60	.8195	----	----	----	----	25 UNCH
5030	----	----	----	430.20B/604.90A	----	526.10 + 37.80	.8218	----	----	----	----	1 UNCH
5040	----	----	560.90B/----	560.90B/509.90A	----	534.80 + 38.10	.8261	----	----	----	----	4 UNCH
5045	----	----	565.30B/----	565.30B/514.30A	----	539.20 + 38.20	.8283	----	----	----	----	31 UNCH
5050	----	----	571.30B/----	571.30B/517.20A	----	543.50 + 38.30	.8304	----	----	----	----	351 UNCH
5070	----	----	587.40B/----	587.40B/535.90A	----	561.20 + 38.80	.8386	----	----	----	----	17 UNCH
5080	----	----	596.30B/----	596.30B/544.70A	----	570.10 + 39.10	.8424	----	----	----	----	3 UNCH
5100	----	----	614.20B/----	614.20B/562.30A	----	587.90 + 39.50	.8501	----	----	----	----	84 UNCH
5120	611.20	611.20	611.20/611.20	611.20/611.20	----	605.90 + 40.00	.8572	----	----	1	----	2 UNCH
5180	----	----	----	567.40B/734.60A	----	660.60 + 41.20	.8767	----	----	----	----	1 UNCH
5200	----	----	705.80B/----	705.80B/652.40A	----	679.00 + 41.50	.8826	----	----	----	----	113 UNCH
5265	----	----	----	647.00B/812.90A	----	739.60 + 42.40	.8998	----	----	----	----	1 UNCH
5300	----	----	799.70B/----	799.70B/745.40A	----	772.60 + 42.80	.9077	----	----	----	----	3 UNCH
5355	----	----	----	639.60B/897.70A	----	824.90 + 43.40	.9187	----	----	----	----	1 UNCH
5400	----	----	895.10B/----	895.10B/840.20A	----	868.00 + 43.90	.9265	----	----	----	----	76 UNCH
5460	----	----	----	----	----	925.80 + 44.30	.9353	----	----	----	----	1 UNCH
5500	----	----	991.80B/----	991.80B/936.60A	----	964.60 + 44.60	.9404	----	----	----	----	3 UNCH
5530	----	----	----	----	----	993.80 + 44.80	.9437	----	----	----	----	1 UNCH
5575	----	----	----	----	----	1037.80 + 45.10	.9483	----	----	----	----	2 UNCH
TOTAL										1096	880	39068 + 459
SEP26												
2000	----	----	----	0.20B/0.90A	----	0.50 - 0.10	.0012	----	----	----	----	1 UNCH
2350	----	----	----	0.80B/1.70A	----	1.30 UNCH	.0033	----	----	----	----	37 UNCH
2375	----	----	----	0.80B/1.80A	----	1.40 + 0.10	.0036	----	----	----	----	5 UNCH
2400	----	----	----	0.90B/1.80A	----	1.40 UNCH	.0036	----	----	----	----	1 UNCH
2500	----	----	----	1.30B/2.00A	----	1.80 + 0.10	.0047	----	----	----	----	4 UNCH
2600	----	----	----	1.70B/2.40A	----	2.10 + 0.10	.0056	----	----	----	----	2 UNCH
2860	----	----	----	3.00B/3.40A	----	3.40 + 0.30	.0097	----	----	----	----	1 UNCH
2900	----	----	----	3.20B/3.60A	----	3.70 + 0.40	.0106	----	----	1	----	4 + 1
2915	----	----	----	3.30B/3.70A	----	3.80 + 0.40	.0109	----	----	----	----	2 UNCH
3000	----	----	4.00B/----	4.00B/4.30A	----	4.40 + 0.50	.0129	----	----	----	----	3 UNCH
3145	----	----	5.40B/----	5.40B/5.50A	----	5.80 + 0.70	.0176	----	----	----	----	15 UNCH
3150	----	----	5.50B/----	5.50B/5.60A	----	5.90 + 0.70	.0179	----	----	----	----	2 UNCH
3200	----	----	6.10B/----	6.10B/6.10A	----	6.50 + 0.80	.0199	----	----	----	----	1 UNCH
3270	----	----	7.20B/----	7.20B/7.00A	----	7.50 + 0.90	.0232	----	----	----	----	15 UNCH
3300	----	----	7.90B/----	7.90B/7.40A	----	8.00 + 1.00	.0248	----	----	----	----	1 UNCH
3400	----	----	9.60B/----	9.60B/9.00A	----	9.90 + 1.20	.0312	----	----	----	----	1 UNCH
3475	----	----	11.60B/----	11.60B/10.60A	----	11.70 + 1.40	.0372	----	----	----	----	2 UNCH
3480	----	----	11.60B/----	11.60B/10.70A	----	11.80 + 1.40	.0375	----	----	----	----	780 UNCH
3500	----	----	12.20B/----	12.20B/11.20A	----	12.30 + 1.40	.0392	----	----	----	----	26 UNCH
3525	----	----	12.90B/----	12.90B/11.90A	----	13.10 + 1.60	.0418	----	----	----	----	2 UNCH
3550	----	----	13.90B/----	13.90B/12.70A	----	13.90 + 1.70	.0444	----	----	----	----	5 UNCH
3565	----	----	14.30B/----	14.30B/13.10A	----	14.40 + 1.70	.0460	----	----	----	----	1 UNCH
3590	----	----	15.40B/----	15.40B/13.90A	----	15.30 + 1.80	.0490	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
3600	----	----	15.80B/----	15.80B/14.20A	----	15.60 + 1.80	.0500	----	----	----	----	37 UNCH
3610	----	----	16.20B/----	16.20B/14.60A	----	16.00 + 1.90	.0513	----	----	----	----	7 UNCH
3625	----	----	16.80B/----	16.80B/15.10A	----	16.70 + 2.00	.0535	----	----	----	----	1 UNCH
3650	----	----	17.90B/----	17.90B/16.10A	----	17.70 + 2.10	.0567	----	----	2	----	68 + 2
3680	----	----	19.40B/----	19.40B/17.30A	----	19.20 NEW	.0614	----	----	3	----	3 + 3
3690	----	----	19.90B/----	19.90B/17.80A	----	19.70 + 2.40	.0630	----	----	----	----	60 UNCH
3700	----	----	21.10B/----	21.10B/18.20A	----	20.20 + 2.40	.0646	----	----	4	----	153 + 4
3720	----	----	22.10B/----	22.10B/19.20A	----	21.30 + 2.60	.0680	----	----	----	----	50 UNCH
3740	----	----	23.50B/----	23.50B/20.20A	----	22.50 NEW	.0716	----	----	1	----	1 + 1
3750	----	----	24.50B/----	24.50B/20.60A	----	23.10 + 2.90	.0735	----	----	----	----	101 UNCH
3755	----	----	24.60B/----	24.60B/21.00A	----	23.40 + 2.90	.0744	----	----	----	----	312 UNCH
3775	----	----	26.20B/----	26.20B/22.20A	----	24.70 + 3.10	.0784	----	----	----	----	1 UNCH
3800	25.00	25.00	28.30B/25.00	28.30B/23.30A	----	26.50 + 3.40	.0837	----	----	4	----	85 UNCH
3825	----	----	29.80B/23.80A	29.80B/23.80A	----	28.30 + 3.50	.0892	----	----	2	----	13 UNCH
3850	----	----	32.20B/25.40A	32.20B/25.40A	----	30.40 + 3.90	.0953	----	----	3	----	25 + 3
3860	----	----	33.10B/25.90A	33.10B/25.90A	----	31.20 + 3.90	.0977	----	----	----	----	1 UNCH
3880	----	----	35.20B/27.40A	35.20B/27.40A	----	33.00 + 4.20	.1029	----	----	----	----	26 UNCH
3900	----	----	37.50B/28.90A	37.50B/28.90A	----	34.90 + 4.40	.1084	----	----	2	----	215 + 2
3910	----	----	38.70B/29.80A	38.70B/29.80A	----	35.90 + 4.60	.1112	----	----	----	----	2 UNCH
3915	----	----	39.30B/30.40A	39.30B/30.40A	----	36.40 + 4.60	.1127	----	----	----	----	4 UNCH
3920	----	----	40.00B/30.70A	40.00B/30.70A	----	37.00 + 4.80	.1143	----	----	----	----	14 UNCH
3930	----	----	41.20B/31.50A	41.20B/31.50A	----	38.00 + 4.90	.1172	----	----	----	----	2 UNCH
3945	----	----	43.10B/32.90A	43.10B/32.90A	----	39.70 + 5.10	.1219	----	----	----	----	380 UNCH
3950	----	----	43.70B/33.30A	43.70B/33.30A	----	40.20 + 5.10	.1233	----	----	----	----	324 UNCH
3975	----	----	47.10B/35.70A	47.10B/35.70A	----	43.20 + 5.60	.1316	----	----	----	----	4 UNCH
3980	----	----	47.70B/36.20A	47.70B/36.20A	----	43.80 + 5.60	.1332	----	----	----	----	2 UNCH
3990	----	----	49.30B/37.10A	49.30B/37.10A	----	45.00 + 5.70	.1366	----	----	----	----	1 UNCH
4000	48.80	48.80	50.30B/38.00A	50.30B/38.00A	----	46.30 + 5.90	.1401	----	----	80	----	1175 - 29
4005	----	----	51.10B/38.80A	51.10B/38.80A	----	47.00 + 6.00	.1419	----	----	----	----	1 UNCH
4020	----	----	53.40B/40.50A	53.40B/40.50A	----	49.00 + 6.20	.1473	----	----	----	----	14 UNCH
4030	50.00	50.00	55.00B/41.50A	55.00B/41.50A	----	50.50 + 6.50	.1512	----	----	10	----	13 + 10
4040	----	----	56.70B/43.10A	56.70B/43.10A	----	51.90 + 6.60	.1550	----	----	----	----	10 UNCH
4050	----	----	58.30B/44.50A	58.30B/44.50A	----	53.40 + 6.80	.1589	----	----	----	----	44 UNCH
4055	----	----	59.20B/44.90A	59.20B/44.90A	----	54.20 + 6.90	.1609	----	----	----	----	1 UNCH
4065	----	----	61.00B/45.80A	61.00B/45.80A	----	55.70 + 7.00	.1649	----	----	----	----	5 UNCH
4070	----	----	61.90B/46.50A	61.90B/46.50A	----	56.50 + 7.10	.1669	----	----	----	----	10 UNCH
4080	----	----	63.70B/47.80A	63.70B/47.80A	----	58.20 + 7.40	.1712	----	----	----	----	6 UNCH
4085	----	----	64.60B/48.50A	64.60B/48.50A	----	59.00 + 7.40	.1733	----	----	----	----	76 UNCH
4090	----	----	65.60B/49.30A	65.60B/49.30A	----	59.80 + 7.50	.1754	----	----	----	----	2 UNCH
4100	----	----	67.70B/50.50A	67.70B/50.50A	----	61.50 + 7.70	.1797	----	----	----	----	154 UNCH
4110	----	----	69.50B/51.80A	69.50B/51.80A	----	63.30 + 7.90	.1842	----	----	----	----	1 UNCH
4115	----	----	70.50B/53.00A	70.50B/53.00A	----	64.20 + 8.00	.1864	----	----	----	----	28 UNCH
4130	----	----	73.80B/55.00A	73.80B/55.00A	----	67.00 + 8.30	.1933	----	----	----	----	20 UNCH
4135	----	----	74.60B/56.10A	74.60B/56.10A	----	68.00 + 8.40	.1957	----	----	----	----	3 UNCH
4150	----	----	78.20B/58.60A	78.20B/58.60A	----	70.90 + 8.70	.2028	----	----	3	----	24 + 3
4165	----	----	81.50B/61.00A	81.50B/61.00A	----	74.00 + 9.10	.2102	----	----	----	----	1 UNCH
4175	----	----	83.90B/62.90A	83.90B/62.90A	----	76.10 + 9.30	.2152	----	----	----	----	1 UNCH
4185	----	----	86.30B/64.60A	86.30B/64.60A	----	78.20 + 9.40	.2202	----	----	----	----	79 UNCH
4190	----	----	87.70B/65.50A	87.70B/65.50A	----	79.30 + 9.50	.2228	----	----	----	----	1 UNCH
4200	----	----	90.20B/67.40A	90.20B/67.40A	----	81.60 + 9.80	.2281	----	----	12	----	227 UNCH
4205	----	----	91.70B/68.50A	91.70B/68.50A	----	82.80 + 9.90	.2308	----	----	----	----	10 UNCH
4210	----	----	92.90B/69.60A	92.90B/69.60A	----	83.90 + 10.00	.2334	----	----	----	----	3 UNCH
4220	----	----	95.40B/71.30A	95.40B/71.30A	----	86.30 + 10.20	.2388	----	----	----	----	113 UNCH
4225	----	----	96.90B/72.60A	96.90B/72.60A	----	87.50 + 10.30	.2415	----	----	----	----	2 UNCH
4230	----	----	98.10B/73.40A	98.10B/73.40A	----	88.70 + 10.40	.2442	----	----	----	----	29 UNCH
4240	----	----	100.90B/75.50A	100.90B/75.50A	----	91.20 + 10.70	.2498	----	----	----	----	106 UNCH
4245	----	----	102.50B/76.80A	102.50B/76.80A	----	92.50 + 10.80	.2527	----	----	----	----	1 UNCH
4250	----	----	103.90B/77.60A	103.90B/77.60A	----	93.80 + 10.90	.2555	----	----	1	----	393 UNCH
4275	----	----	111.20B/83.60A	111.20B/83.60A	----	100.50 + 11.50	.2700	----	----	----	----	30 UNCH
4290	----	----	115.90B/87.00A	115.90B/87.00A	----	104.70 + 11.90	.2789	----	----	----	----	1 UNCH
4295	----	----	117.50B/88.20A	117.50B/88.20A	----	106.20 + 12.10	.2820	----	----	----	----	1 UNCH
4300	----	----	119.10B/89.50A	119.10B/89.50A	----	107.60 + 12.10	.2850	----	----	14	----	306 - 13
4310	----	----	122.50B/92.10A	122.50B/92.10A	----	110.60 + 12.40	.2912	----	----	----	----	1 UNCH
4320	----	----	125.90B/94.60A	125.90B/94.60A	----	113.60 + 12.70	.2974	----	----	----	----	168 UNCH
4325	----	----	127.60B/96.00A	127.60B/96.00A	----	115.20 + 12.80	.3005	----	----	----	----	12 UNCH
4345	----	----	134.70B/101.20A	134.70B/101.20A	----	121.50 + 13.30	.3132	----	----	----	----	17 UNCH
4350	----	----	136.50B/102.70A	136.50B/102.70A	----	123.20 + 13.50	.3165	----	----	1	----	105 UNCH
4360	----	----	140.00B/105.50A	140.00B/105.50A	----	126.50 + 13.80	.3230	----	----	----	----	1 UNCH
4365	----	----	142.00B/106.80A	142.00B/106.80A	----	128.20 + 13.90	.3263	----	----	----	----	6 UNCH
4375	----	----	145.80B/110.10A	145.80B/110.10A	----	131.70 + 14.20	.3329	----	----	----	----	55 UNCH
4380	----	----	147.70B/111.40A	147.70B/111.40A	----	133.40 + 14.30	.3362	----	----	----	----	95 UNCH
4390	----	----	151.60B/114.70A	151.60B/114.70A	----	137.00 + 14.60	.3429	----	----	----	----	41 UNCH
4395	----	----	153.80B/116.20A	153.80B/116.20A	----	138.80 + 14.80	.3463	----	----	1	----	42 + 1
4400	111.40	111.40	156.00B/111.40	156.00B/111.40	----	140.60 + 14.90	.3496	----	----	10	----	856 - 1
4405	----	----	157.70B/119.30A	157.70B/119.30A	----	142.40 + 15.00	.3530	----	----	----	----	40 UNCH
4410	----	----	159.70B/120.70A	159.70B/120.70A	----	144.30 + 15.20	.3564	----	----	----	----	6 UNCH
4420	----	----	163.80B/124.10A	163.80B/124.10A	----	148.10 + 15.50	.3633	----	----	----	----	1 UNCH
4425	----	----	165.80B/125.90A	165.80B/125.90A	----	150.00 + 15.60	.3667	----	----	----	----	200 UNCH
4430	----	----	168.00B/127.20A	168.00B/127.20A	----	152.00 + 15.80	.3702	----	----	----	----	2 UNCH
4440	----	----	172.30B/131.20A	172.30B/131.20A	----	155.90 + 16.10	.3771	----	----	----	----	8 UNCH
4445	----	----	174.50B/132.60A	174.50B/132.60A	----	157.90 + 16.20	.3806	----	----	1	----	2 + 1
4450	166.50	166.50	176.90B/134.30A	176.90B/134.30A	----	160.00 + 16.40	.3842	----	----	25	----	448 - 12
4455	162.30	162.30	179.00B/136.20A	179.00B/136.20A	----	162.00 NEW	.3877	----	----	2	----	2 + 2
4470	----	----	185.90B/141.70A	185.90B/141.70A	----	168.30 + 17.10	.3983	----	----	----	----	2 UNCH
4475	----	----	188.30B/143.40A	188.30B/143.40A	----	170.40 + 17.20	.4018	----	----	----	----	3 UNCH
4485	----	----	192.60B/147.30A	192.60B/147.30A	----	174.70 + 17.50	.4089	----	----	1	----	2 + 1
4490	----	----	195.40B/149.40A	195.40B/149.40A	----	176.90 + 17.70	.4125	----	----	----	----	50 UNCH
4495	----	----	197.60B/150.80A	197.60B/150.80A	----	179.10 + 17.80	.4161	----	----	----	----	2 UNCH
4500	----	----	200.00B/153.00A	200.00B/153.00A	----	181.30 + 17.90	.4197	----	----	----	----	504 UNCH
4510	----	----	205.10B/157.00A	205.10B/157.00A	----	185.80 + 18.20	.4269	----	----	1	----	11 UNCH
4515	----	----	207.30B/158.90A	207.30B/158.90A	----	188.10 + 18.40	.4305	----	----	----	----	3 UNCH
4520	----	----	210.00B/160.90A	210.00B/160.90A	----	190.40 + 18.60	.4341	----	----	----	----	91 UNCH
4525	----	----	212.60B/163.10A	212.60B/163.10A	----	192.80 + 18.80	.4377	----	----	----	----	2 UNCH
4530	----	----	214.90B/164.90A	214.90B/164.90A	----	195.10 + 18.90	.4414	----	----	----	----	4 UNCH
4540	----	----	220.20B/171.00A	220.20B/171.00A	----	199.90 + 19.30	.4486	----	----	----	----	3 UNCH
4550	----	----	225.50B/173.50A	225.50B/173.50A	----	204.80 + 19.70	.4559	----	----	----	----	352 UNCH
4555	----	----	227.80B/175.60A	227.80B/175.60A	----	207.20 NEW	.4595	----	----	----	50	50 + 50
4560	----	----	230.50B/177.60A	230.50B/177.60A	----	209.70 + 20.00	.4632	----	----	----	----	30 UNCH
4565	----	----	233.50B/179.60A	233.50B/179.60A	----	212.20 + 20.10	.4668	----	----	----	----	75 UNCH
4570	----	----	235.90B/181.60A	235.90B/181.60A	----	214.70 + 20.30	.4705	----	----	7	----	11 + 7
4575	----	----	238.40B/184.00A	238.40B/184.00A	----	217.20 + 20.40	.4741	----	----	5	----	16 UNCH
4580	----	----	241.50B/186.30A	241.50B/186.30A	----	219.80 + 20.60	.4777	----	----	----	----	1 UNCH
4585	----	----	243.90B/188.40A	243.90B/188.40A	----	222.40 + 20.80	.4814	----	----	----	----	7 UNCH
4595	----	----	249.70B/193.10A	249.70B/193.10A	----	227.60 + 21.20	.4886	----	----	----	----	2 UNCH
4600	----	----	252.40B/195.20A	252.40B/195.20A	----	230.30 + 21.40	.4923	----	----	7	----	60 + 2
4605	----	----	255.20B/197.60A	255.20B/197.60A	----	232.90 + 21.50	.4959	----	----	----	----	27 UNCH
4610	----	----	258.30B/199.90A	258.30B/199.90A	----	235.60 + 21.70	.4995	----	----	----	----	5 UNCH
4615	----	----	261.20B/202.40A	261.20B/202.40A	----	238.30 + 21.90	.5031	----	----	7	----	11 + 7
4620	----	----	264.00B/204.80A	264.00B/204.80A	----	241.00 + 22.00	.5067	----	----	----	----	428 UNCH
4625	----	----	266.90B/207.10A	266.90B/207.10A	----	243.80 + 22.20	.5104	----	----	----	----	14 UNCH
4630	----	----	270.00B/209.70A	270.00B/209.70A	----	246.50 + 22.40	.5140	----	----	----	----	2 UNCH
4635	----	----	272.80B/212.10A	272.80B/212.10A	----	249.30 + 22.60	.5175	----	----	----	----	1 UNCH
4645	----	----	278.70B/217.10A	278.70B/217.10A	----	255.00 + 23.00	.5247	----	----	----	----	1 UNCH
4650	----	----	281.40B/219.70A	281.40B/219.70A	----	257.80 + 23.10	.5283	----	----	----	----	8 UNCH
4655	----	----	284.50B/222.20A	284.50B/222.20A	----	260.70 + 23.30	.5319	----	----	----	----	16 UNCH
4660	----	----	287.40B/224.80A	287.40B/224.80A	----	263.50 + 23.40	.5354	----	----	----	----	8 UNCH
4665	----	----	290.80B/227.50A	290.80B/227.50A	----	266.40 + 23.60	.5390	----	----	----	----	2 UNCH
4670	----	----	293.60B/230.10A	293.60B/230.10A	----	269.40 + 23.80	.5425	----	----	----	----	26 UNCH
4675	----	----	297.30B/232.60A	297.30B/232.60A	----	272.30 + 24.00	.5461	----	----	----	----	7 UNCH
4695	----	----	309.30B/246.50A	309.30B/246.50A	----	284.30 + 24.70	.5601	----	----	----	----	2 UNCH
4700	----	----	313.50B/249.00A	313.50B/249.00A	----	287.30 + 24.90	.5636	----	----	----	----	138 UNCH
4705	----	----	315.60B/252.20A	315.60B/252.20A	----	290.40 + 25.10	.5671	----	----	----	----	2 UNCH
4710	----	----	318.70B/254.80A	318.70B/254.80A	----	293.40 + 25.20	.5706	----	----	----	----	1 UNCH
4720	----	----	325.20B/260.40A	325.20B/260.40A	----	299.60 + 25.50	.5775	----	----	----	----	4 UNCH
4725	----	----	328.50B/262.80A	328.50B/262.80A	----	302.80 + 25.80	.5809	----	----	----	----	7 UNCH
4730	----	----	331.70B/266.30A	331.70B/266.30A	----	305.90 + 25.90	.5843	----	----	----	----	7 UNCH
4735	----	----	336.40B/269.00A	336.40B/269.00A	----	309.10 + 26.10	.5878	----	----	----	----	100 UNCH
4740	----	----	338.40B/271.80A	338.40B/271.80A	----	312.30 + 26.30	.5912	----	----	----	----	2 UNCH
4750	----	----	346.30B/277.30A	346.30B/277.30A	----	318.70 + 26.60	.5979	----	----	----	----	175 UNCH
4755	----	----	348.50B/280.50A	348.50B/280.50A	----	321.90 + 26.70	.6013	----	----	----	----	10 UNCH
4760	----	----	352.10B/283.50A	352.10B/283.50A	----	325.20 + 26.90	.6046	----	----	----	----	109 UNCH
4770	----	----	358.70B/289.40A	358.70B/289.40A	----	331.70 + 27.20	.6113	----	----	----	----	1 UNCH
4775	----	----	362.20B/292.20A	362.20B/292.20A	----	335.10 + 27.50	.6145	----	----	----	----	130 UNCH
4780	----	----	365.70B/295.40A	365.70B/295.40A	----	338.40 + 27.60	.6179	----	----	----	----	3 UNCH
4795	----	----	376.40B/304.60A	376.40B/304.60A	----	348.40 + 28.00	.6277	----	----	----	----	6 UNCH
4800	----	----	379.70B/307.70A	379.70B/307.70A	----	351.80 + 28.20	.6309	----	----	----	----	471 UNCH
4805	----	----	383.30B/311.30A	383.30B/311.30A	----	355.30 + 28.40	.6341	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4825	----	----	397.60B/324.10A	397.60B/324.10A	----	369.10 + 29.00	.6468	----	----	----	----	2 UNCH
4830	----	----	401.20B/327.40A	401.20B/327.40A	----	372.50 + 29.10	.6499	----	----	----	----	10 UNCH
4835	----	----	404.90B/330.60A	404.90B/330.60A	----	376.10 + 29.30	.6530	----	----	----	----	30 UNCH
4855	----	----	419.70B/343.70A	419.70B/343.70A	----	390.30 + 30.00	.6654	----	----	----	----	14 UNCH
4860	----	----	423.30B/347.10A	423.30B/347.10A	----	393.80 + 30.00	.6683	----	----	----	----	11 UNCH
4875	----	----	434.70B/357.10A	434.70B/357.10A	----	404.70 + 30.50	.6774	----	----	----	----	8 UNCH
4885	----	----	439.70B/363.10A	439.70B/363.10A	----	412.00 + 30.80	.6833	----	----	----	----	4 UNCH
4895	----	----	436.80B/----	436.80B/393.70A	----	419.40 + 31.10	.6890	----	----	----	----	1 UNCH
4900	----	----	446.40B/----	446.40B/397.30A	----	423.10 + 31.20	.6919	----	----	----	----	25 UNCH
4915	----	----	441.90B/----	441.90B/408.20A	----	434.30 + 31.60	.7004	----	----	----	----	1 UNCH
4930	----	----	469.70B/----	469.70B/419.30A	----	445.70 + 32.10	.7088	----	----	----	----	20 UNCH
4950	----	----	438.40B/----	438.40B/434.20A	----	461.10 + 32.70	.7196	----	----	----	----	1 UNCH
4955	----	----	438.10B/----	438.10B/438.00A	----	464.90 + 32.70	.7223	----	----	----	----	1 UNCH
4975	----	----	505.40B/----	505.40B/458.20A	----	480.60 + 33.40	.7327	----	----	----	----	220 UNCH
5000	----	----	525.70B/----	525.70B/477.50A	----	500.50 + 34.10	.7451	----	----	----	----	10 UNCH
5005	----	----	529.80B/----	529.80B/481.50A	----	504.50 + 34.20	.7476	----	----	----	----	3 UNCH
5020	----	----	542.10B/----	542.10B/493.30A	----	516.60 + 34.60	.7547	----	----	----	----	3 UNCH
5060	----	----	575.40B/----	575.40B/525.50A	----	549.50 + 35.70	.7730	----	----	----	----	4 UNCH
5100	----	----	609.40B/----	609.40B/558.30A	----	583.00 + 36.70	.7901	----	----	----	----	28 UNCH
5105	----	----	----	485.30B/670.90A	----	587.20 + 36.80	.7921	----	----	----	----	2 UNCH
5150	----	----	----	525.20B/708.00A	----	625.50 + 37.60	.8100	----	----	----	----	2 UNCH
5200	----	----	696.90B/----	696.90B/642.90A	----	669.10 + 38.40	.8279	----	----	----	----	45 UNCH
5230	----	----	#724.80B/----	724.80B/668.30A	----	695.80 + 39.00	.8374	----	----	----	----	400 UNCH
5300	----	----	788.00B/----	788.00B/730.90A	----	758.80 + 40.60	.8581	----	----	----	----	300 UNCH
5400	----	----	879.50B/----	879.50B/822.70A	----	850.70 + 41.70	.8826	----	----	----	----	100 UNCH
5420	----	----	#898.30B/----	#898.30B/841.20A	----	869.40 + 41.90	.8869	----	----	----	----	80 UNCH
5450	----	----	----	800.80B/974.00A	----	897.50 + 42.10	.8930	----	----	----	----	1 UNCH
5500	----	----	973.70B/----	973.70B/915.90A	----	944.60 + 42.50	.9020	----	----	----	----	3 UNCH
6000	----	----	----	----	----	1429.50 + 45.70	.9543	----	----	----	----	2 UNCH
TOTAL										210	50	12150+ 45
OCT26												
2700	----	----	----	3.10B/3.70A	----	3.60 + 0.30	.0091	----	----	----	----	1 UNCH
2800	----	----	----	3.80B/4.30A	----	4.20 + 0.40	.0110	----	----	----	----	8 UNCH
2900	----	----	----	4.50B/5.00A	----	5.10 + 0.60	.0135	----	----	----	----	1 UNCH
3100	----	----	6.90B/----	6.90B/7.20A	----	7.40 + 0.90	.0204	----	----	----	----	1 UNCH
3155	----	----	7.90B/----	7.90B/8.00A	----	8.30 + 1.00	.0230	----	----	----	----	1 UNCH
3200	----	----	8.70B/----	8.70B/8.70A	----	9.10 + 1.10	.0253	----	----	----	----	414 UNCH
3240	----	----	9.40B/----	9.40B/9.30A	----	9.90 + 1.20	.0277	----	----	----	----	5 UNCH
3300	----	----	10.70B/----	10.70B/10.50A	----	11.30 + 1.40	.0317	----	----	----	----	416 UNCH
3340	----	----	11.80B/----	11.80B/11.40A	----	12.40 + 1.60	.0348	----	----	----	----	9 UNCH
3360	----	----	12.40B/----	12.40B/11.90A	----	13.00 + 1.70	.0365	----	----	----	----	1 UNCH
3380	----	----	13.10B/----	13.10B/12.50A	----	13.60 + 1.80	.0382	----	----	----	----	1 UNCH
3390	----	----	13.30B/----	13.30B/12.80A	----	13.90 + 1.90	.0391	----	----	----	----	4 UNCH
3400	----	----	13.60B/----	13.60B/13.00A	----	14.20 + 1.90	.0400	----	----	----	----	150 UNCH
3480	----	----	16.80B/----	16.80B/15.80A	----	17.10 + 2.30	.0482	----	----	----	----	12 UNCH
3500	----	----	17.50B/----	17.50B/16.50A	----	18.00 + 2.50	.0506	----	----	----	----	18 UNCH
3520	----	----	18.40B/----	18.40B/17.30A	----	18.90 + 2.60	.0531	----	----	----	----	12 UNCH
3550	----	----	19.70B/----	19.70B/18.50A	----	20.30 + 2.80	.0570	----	----	----	----	25 UNCH
3600	----	----	22.50B/----	22.50B/20.80A	----	22.90 + 3.10	.0641	----	----	----	----	183 UNCH
3615	----	----	23.40B/----	23.40B/21.60A	----	23.70 + 3.10	.0663	----	----	----	----	1 UNCH
3700	----	----	29.90B/----	29.90B/26.40A	----	29.30 + 3.80	.0812	----	----	----	----	213 UNCH
3715	----	----	31.00B/----	31.00B/27.00A	----	30.40 + 3.90	.0841	----	----	----	----	196 UNCH
3750	----	----	34.00B/28.70A	34.00B/28.70A	----	33.20 + 4.20	.0913	----	----	----	----	19 UNCH
3770	----	----	36.00B/30.20A	36.00B/30.20A	----	34.90 + 4.30	.0957	----	----	----	----	1 UNCH
3785	----	----	37.50B/31.30A	37.50B/31.30A	----	36.20 + 4.40	.0991	----	----	----	----	1 UNCH
3800	----	----	38.90B/32.40A	38.90B/32.40A	----	37.60 + 4.50	.1026	----	----	----	----	18 UNCH
3805	----	----	39.30B/32.80A	39.30B/32.80A	----	38.10 + 4.60	.1038	----	----	----	----	1 UNCH
3820	----	----	41.20B/33.90A	41.20B/33.90A	----	39.60 + 4.70	.1076	----	----	----	----	1 UNCH
3865	----	----	47.00B/37.90A	47.00B/37.90A	----	44.40 + 5.10	.1195	----	----	----	----	2 UNCH
3870	----	----	47.60B/38.40A	47.60B/38.40A	----	44.90 + 5.10	.1208	----	----	----	----	1 UNCH
3875	----	----	48.20B/38.80A	48.20B/38.80A	----	45.50 + 5.10	.1222	----	----	----	----	12 UNCH
3885	----	----	49.60B/39.80A	49.60B/39.80A	----	46.70 + 5.20	.1251	----	----	----	----	5 UNCH
3890	----	----	50.30B/40.30A	50.30B/40.30A	----	47.30 + 5.30	.1265	----	----	----	----	2 UNCH
3895	----	----	50.80B/41.20A	50.80B/41.20A	----	47.90 + 5.30	.1280	----	----	----	----	2 UNCH
3900	----	----	51.80B/41.70A	51.80B/41.70A	----	48.50 + 5.40	.1295	----	----	----	----	23 UNCH
3920	----	----	54.40B/43.60A	54.40B/43.60A	----	51.00 + 5.50	.1355	----	----	----	----	28 UNCH
3930	----	----	56.00B/44.50A	56.00B/44.50A	----	52.40 + 5.70	.1387	----	----	----	----	2 UNCH
3940	----	----	57.30B/45.90A	57.30B/45.90A	----	53.70 + 5.80	.1419	----	----	----	----	65 UNCH
3950	----	----	58.80B/46.90A	58.80B/46.90A	----	55.10 + 5.90	.1451	----	----	----	----	2 UNCH
3965	----	----	61.20B/49.00A	61.20B/49.00A	----	57.30 + 6.20	.1502	----	----	----	----	1 UNCH
3975	----	----	63.10B/50.00A	63.10B/50.00A	----	58.80 + 6.30	.1536	----	----	----	----	5 UNCH
4000	----	----	67.20B/53.20A	67.20B/53.20A	----	62.70 + 6.70	.1625	----	----	----	----	447 UNCH
4025	----	----	71.70B/56.70A	71.70B/56.70A	----	66.90 + 7.20	.1719	----	----	----	----	10 UNCH
4030	----	----	72.70B/57.40A	72.70B/57.40A	----	67.70 + 7.20	.1737	----	----	----	----	2 UNCH
4050	----	----	76.60B/60.50A	76.60B/60.50A	----	71.30 + 7.60	.1816	----	----	----	----	5 UNCH
4065	----	----	79.80B/62.90A	79.80B/62.90A	----	74.10 + 7.80	.1876	----	----	----	----	1 UNCH
4070	----	----	80.90B/63.70A	80.90B/63.70A	----	75.10 + 8.00	.1897	----	----	----	----	31 UNCH
4075	----	----	81.90B/64.40A	81.90B/64.40A	----	76.10 + 8.10	.1918	----	----	----	----	1 UNCH
4090	----	----	85.00B/67.00A	85.00B/67.00A	----	79.00 + 8.30	.1981	----	----	----	----	10 UNCH
4095	----	----	86.50B/67.90A	86.50B/67.90A	----	80.10 + 8.50	.2003	----	----	----	----	20 UNCH
4100	87.20	87.20	87.60B/68.70A	87.60B/68.70A	----	81.10 + 8.60	.2024	----	----	10	----	464 - 2
4130	----	----	94.60B/74.20A	94.60B/74.20A	----	87.50 + 9.10	.2157	----	----	----	----	2 UNCH
4150	----	----	99.40B/78.20A	99.40B/78.20A	----	92.00 + 9.50	.2249	----	----	----	----	5 UNCH
4180	----	----	107.30B/84.40A	107.30B/84.40A	----	99.30 + 10.20	.2393	----	----	----	----	1 UNCH
4200	----	----	113.10B/88.70A	113.10B/88.70A	----	104.40 + 10.70	.2492	----	----	----	----	386 UNCH
4220	----	----	119.00B/93.40A	119.00B/93.40A	----	109.70 + 11.10	.2593	----	----	----	----	5 UNCH
4235	----	----	123.10B/96.90A	123.10B/96.90A	----	113.90 + 11.50	.2671	----	----	----	----	1 UNCH
4250	----	----	128.00B/100.70A	128.00B/100.70A	----	118.20 + 11.90	.2750	----	----	----	----	72 UNCH
4265	----	----	132.90B/104.40A	132.90B/104.40A	----	122.70 + 12.40	.2831	----	----	----	----	200 UNCH
4270	----	----	134.40B/105.60A	134.40B/105.60A	----	124.20 + 12.50	.2858	----	----	----	----	229 UNCH
4280	----	----	138.00B/108.60A	138.00B/108.60A	----	127.30 + 12.80	.2913	----	----	----	----	196 UNCH
4300	----	----	145.40B/114.00A	145.40B/114.00A	----	133.60 + 13.30	.3024	----	----	----	----	617 UNCH
4330	----	----	155.50B/122.70A	155.50B/122.70A	----	143.60 + 14.10	.3194	----	----	----	----	1 UNCH
4350	138.50	138.50	162.90B/128.90A	162.90B/128.90A	----	150.50 + 14.50	.3310	----	----	20	----	236 UNCH
4355	----	----	164.70B/130.50A	164.70B/130.50A	----	152.30 + 14.70	.3340	----	----	----	----	11 UNCH
4375	----	----	172.90B/136.90A	172.90B/136.90A	----	159.60 + 15.20	.3458	----	----	----	----	11 UNCH
4400	----	----	183.60B/145.00A	183.60B/145.00A	----	169.00 + 15.80	.3608	----	----	----	----	606 UNCH
4425	----	----	193.60B/154.10A	193.60B/154.10A	----	178.90 + 16.40	.3760	----	----	----	----	15 UNCH
4430	----	----	195.70B/155.90A	195.70B/155.90A	----	181.00 + 16.70	.3791	----	----	----	----	3 UNCH
4440	----	----	200.20B/159.10A	200.20B/159.10A	----	185.10 + 16.90	.3853	----	----	----	----	2 UNCH
4450	----	----	204.70B/163.20A	204.70B/163.20A	----	189.30 + 17.20	.3915	----	----	1	----	37 + 1
4475	----	----	216.60B/172.60A	216.60B/172.60A	----	200.10 + 17.90	.4071	----	----	----	----	2 UNCH
4500	----	----	228.40B/182.80A	228.40B/182.80A	----	211.30 + 18.70	.4228	----	----	----	----	92 UNCH
4520	----	----	238.20B/191.20A	238.20B/191.20A	----	220.70 + 19.30	.4355	----	----	----	----	2 UNCH
4550	240.90	240.90	253.90B/203.40A	253.90B/203.40A	----	235.20 + 20.30	.4546	----	----	1	----	2 + 1
4560	----	----	259.00B/207.50A	259.00B/207.50A	----	240.20 + 20.60	.4610	----	----	----	----	78 UNCH
4570	----	----	264.30B/212.10A	264.30B/212.10A	----	245.30 + 20.90	.4674	----	----	----	----	2 UNCH
4600	----	----	281.50B/226.00A	281.50B/226.00A	----	260.90 + 21.90	.4865	----	----	----	----	329 UNCH
4605	----	----	283.60B/228.40A	283.60B/228.40A	----	263.60 + 22.10	.4897	----	----	----	----	2 UNCH
4610	----	----	286.70B/230.80A	286.70B/230.80A	----	266.30 + 22.20	.4928	----	----	----	----	5 UNCH
4625	----	----	295.50B/238.10A	295.50B/238.10A	----	274.50 + 22.80	.5023	----	----	----	----	41 UNCH
4630	----	----	298.20B/240.60A	298.20B/240.60A	----	277.20 + 22.90	.5055	----	----	6	----	7 + 6
4635	----	----	301.10B/243.10A	301.10B/243.10A	----	280.00 + 23.10	.5086	----	----	----	----	1 UNCH
4640	----	----	303.70B/245.60A	303.70B/245.60A	----	282.80 + 23.20	.5118	----	----	----	----	13 UNCH
4645	----	----	307.10B/248.20A	307.10B/248.20A	----	285.60 + 23.40	.5149	----	----	----	----	2 UNCH
4650	----	----	310.00B/250.70A	310.00B/250.70A	----	288.40 + 23.50	.5180	----	----	----	----	133 UNCH
4660	----	----	315.70B/255.90A	315.70B/255.90A	----	294.20 + 23.90	.5243	----	----	----	----	3 UNCH
4670	----	----	322.20B/261.10A	322.20B/261.10A	----	299.90 + 24.10	.5305	----	----	----	----	3 UNCH
4675	----	----	324.90B/263.70A	324.90B/263.70A	----	302.90 + 24.40	.5336	----	----	----	----	5 UNCH
4680	----	----	327.90B/266.40A	327.90B/266.40A	----	305.80 + 24.50	.5367	----	----	----	----	1 UNCH
4690	----	----	334.30B/271.80A	334.30B/271.80A	----	311.70 + 24.80	.5429	----	----	----	----	3 UNCH
4700	----	----	341.00B/280.60A	341.00B/280.60A	----	317.70 + 25.10	.5490	----	----	----	----	84 UNCH
4715	347.00	347.00	349.70B/288.80A	349.70B/288.80A	----	326.80 + 25.60	.5582	----	----	3	----	3 UNCH
4750	----	----	372.50B/308.70A	372.50B/308.70A	----	348.60 + 26.60	.5792	----	----	----	----	175 UNCH
4755	----	----	375.70B/311.80A	375.70B/311.80A	----	351.80 + 26.80	.5822	----	----	----	----	168 UNCH
4775	----	----	389.00B/323.80A	389.00B/323.80A	----	364.60 + 27.30	.5940	----	----	----	----	26 UNCH
4780	----	----	392.30B/326.50A	392.30B/326.50A	----	367.90 + 27.50	.5969	----	----	----	----	1 UNCH
4800	----	----	406.00B/338.80A	406.00B/338.80A	----	381.00 + 28.00	.6085	----	----	----	----	101 UNCH
4805	----	----	409.50B/341.80A	409.50B/341.80A	----	384.40 + 28.20	.6113	----	----	----	----	1 UNCH
4810	----	----	412.80B/344.90A	412.80B/344.90A	----	387.70 + 28.30	.6143	----	----	----	----	9 UNCH
4815	----	----	416.40B/348.30A	416.40B/348.30A	----	391.00 + 28.30	.6171	----	----	----	----	42 UNCH
4820	----	----	419.90B/351.20A	419.90B/351.20A	----	394.40 + 28.50	.6199	----	----	----	----	3 UNCH
4835	----	----	430.50B/360.80A	430.50B/360.80A	----	404.60 + 28.90	.6283	----	----	----	----	3 UNCH
4845	----	----	437.60B/367.00A	437.60B/367.00A	----	411.50 + 29.20	.6339	----	----	----	----	20 UNCH
4850	----	----	441.30B/370.60A	441.30B/370.60A	----	414.90 + 29.20	.6367	----	----	----	----	80 UNCH
4875	----	----	459.30B/386.70A	459.30B/386.70A	----	432.40 + 29.80	.6504	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 17

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
4900	----	----	477.70B/403.40A	477.70B/403.40A	----	450.30 + 30.50	.6636	----	----	----	----	81 UNCH
4910	----	----	485.20B/410.30A	485.20B/410.30A	----	457.50 + 30.70	.6688	----	----	----	----	1 UNCH
4920	----	----	492.70B/417.10A	492.70B/417.10A	----	464.80 + 31.00	.6739	----	----	----	----	1 UNCH
4925	----	----	496.60B/420.40A	496.60B/420.40A	----	468.50 + 31.10	.6765	----	----	----	----	25 UNCH
4935	----	----	504.10B/----	504.10B/450.30A	----	475.90 + 31.40	.6815	----	----	----	----	5 UNCH
4965	----	----	519.80B/----	519.80B/472.10A	----	498.40 + 32.20	.6964	----	----	----	----	13 UNCH
4980	----	----	512.90B/----	512.90B/483.20A	----	509.80 + 32.60	.7035	----	----	----	----	1 UNCH
5000	----	----	547.20B/----	547.20B/498.20A	----	525.20 + 33.10	.7130	----	----	----	----	47 UNCH
5010	----	----	509.50B/----	509.50B/505.80A	----	532.90 + 33.30	.7175	----	----	----	----	1 UNCH
5050	----	----	587.10B/----	587.10B/542.20A	----	564.40 + 34.30	.7354	----	----	----	----	25 UNCH
5150	----	----	----	540.40B/732.60A	----	646.10 + 36.20	.7756	----	----	----	----	1 UNCH
5200	----	----	712.80B/----	712.80B/664.20A	----	688.30 + 37.10	.7935	----	----	----	----	100 UNCH
5230	----	----	----	610.30B/798.60A	----	714.10 + 37.60	.8036	----	----	----	----	1 UNCH
5250	----	----	756.30B/----	756.30B/706.80A	----	731.40 + 37.90	.8100	----	----	----	----	75 UNCH
5300	----	----	800.60B/----	800.60B/750.30A	----	775.10 + 38.60	.8251	----	----	----	----	9 UNCH
5425	----	----	----	787.40B/967.30A	----	887.40 + 40.60	.8574	----	----	----	----	1 UNCH
5455	----	----	#941.10B/----	#941.10B/889.10A	----	914.90 + 41.00	.8640	----	----	----	----	40 UNCH
5495	----	----	----	851.60B/1031.20A	----	951.80 + 41.30	.8723	----	----	----	----	1 UNCH
5500	----	----	----	856.60B/1035.80A	----	956.40 + 41.30	.8734	----	----	----	----	1 UNCH
5600	----	----	----	950.00B/1129.00A	----	1049.80 + 42.30	.8913	----	----	----	----	1 UNCH
5700	----	----	----	1008.60B/1223.50A	----	1144.50 + 43.20	.9062	----	----	----	----	1 UNCH
TOTAL										41		7364 + 6
NOV26												
2750	----	----	----	4.20B/5.20A	----	5.00 + 0.50	.0119	----	----	----	----	1 UNCH
2800	----	----	----	4.70B/5.60A	----	5.40 + 0.50	.0130	----	----	----	----	8 UNCH
2900	----	----	----	5.70B/6.80A	----	6.60 + 0.70	.0161	----	----	----	----	1 UNCH
3000	----	----	7.20B/----	7.20B/8.10A	----	7.90 + 0.80	.0196	----	----	----	----	95 UNCH
3120	----	----	9.30B/----	9.30B/9.90A	----	10.10 + 1.20	.0253	----	----	----	----	10 UNCH
3180	----	----	10.70B/----	10.70B/11.10A	----	11.40 + 1.30	.0287	----	----	----	----	10 UNCH
3200	----	----	11.20B/----	11.20B/11.40A	----	11.90 + 1.40	.0299	----	----	----	----	93 UNCH
3215	----	----	11.60B/----	11.60B/11.80A	----	12.30 + 1.40	.0310	----	----	----	----	1 UNCH
3220	----	----	11.70B/----	11.70B/12.00A	----	12.40 + 1.40	.0312	----	----	----	----	1 UNCH
3225	----	----	11.90B/----	11.90B/12.00A	----	12.50 + 1.40	.0315	----	----	----	----	1 UNCH
3235	----	----	12.10B/----	12.10B/12.30A	----	12.80 + 1.40	.0323	----	----	----	----	2 UNCH
3250	----	----	12.60B/----	12.60B/12.70A	----	13.20 + 1.50	.0333	----	----	----	----	18 UNCH
3255	----	----	12.70B/----	12.70B/12.80A	----	13.40 + 1.50	.0338	----	----	----	----	18 UNCH
3300	----	----	14.30B/----	14.30B/14.00A	----	14.70 + 1.60	.0371	----	----	----	----	20 UNCH
3310	----	----	14.60B/----	14.60B/14.30A	----	15.10 + 1.70	.0381	----	----	----	----	1 UNCH
3320	----	----	14.90B/----	14.90B/14.60A	----	15.40 + 1.70	.0389	----	----	----	----	16 UNCH
3350	----	----	15.90B/----	15.90B/15.60A	----	16.50 + 1.90	.0416	----	----	----	----	180 UNCH
3455	----	----	20.30B/----	20.30B/19.60A	----	20.90 + 2.30	.0525	----	----	----	----	1 UNCH
3475	----	----	21.30B/----	21.30B/20.50A	----	21.90 + 2.40	.0550	----	----	----	----	2 UNCH
3500	----	----	22.60B/----	22.60B/21.70A	----	23.20 + 2.50	.0581	----	----	----	----	675 UNCH
3535	----	----	24.70B/----	24.70B/23.50A	----	25.20 + 2.70	.0629	----	----	----	----	1 UNCH
3605	----	----	30.40B/----	30.40B/27.50A	----	29.70 + 3.10	.0736	----	----	----	----	1 UNCH
3690	----	----	37.20B/32.20A	37.20B/32.20A	----	36.40 + 3.70	.0890	----	----	----	----	1 UNCH
3700	----	----	38.00B/33.30A	38.00B/33.30A	----	37.30 + 3.80	.0910	----	----	----	----	1 UNCH
3725	----	----	40.40B/35.30A	40.40B/35.30A	----	39.60 + 4.00	.0961	----	----	----	----	1 UNCH
3740	----	----	41.90B/36.50A	41.90B/36.50A	----	41.00 + 4.10	.0993	----	----	----	----	21 UNCH
3750	----	----	42.90B/36.90A	42.90B/36.90A	----	42.00 + 4.20	.1015	----	----	----	----	347 UNCH
3780	----	----	46.70B/39.60A	46.70B/39.60A	----	45.10 + 4.50	.1083	----	----	----	----	1 UNCH
3800	----	----	49.50B/41.50A	49.50B/41.50A	----	47.40 + 4.80	.1132	----	----	----	----	29 UNCH
3820	----	----	52.10B/43.90A	52.10B/43.90A	----	49.70 + 5.00	.1182	----	----	----	----	22 UNCH
3875	----	----	59.40B/49.40A	59.40B/49.40A	----	56.60 + 5.60	.1328	----	----	----	----	24 UNCH
3900	60.50	60.50	62.80B/52.90A	62.80B/52.90A	----	60.10 + 5.90	.1400	----	----	5	----	7 + 5
3920	----	----	66.00B/55.10A	66.00B/55.10A	----	63.00 + 6.20	.1460	----	----	----	----	2 UNCH
3925	----	----	66.80B/56.20A	66.80B/56.20A	----	63.80 + 6.30	.1475	----	----	----	----	2 UNCH
3945	----	----	70.20B/59.10A	70.20B/59.10A	----	66.90 + 6.60	.1538	----	----	----	----	1 UNCH
3980	----	----	76.40B/63.80A	76.40B/63.80A	----	72.60 + 7.10	.1651	----	----	----	----	1 UNCH
4000	----	----	80.20B/66.50A	80.20B/66.50A	----	76.10 + 7.40	.1719	----	----	----	----	7 UNCH
4025	----	----	85.30B/70.30A	85.30B/70.30A	----	80.80 + 7.90	.1809	----	----	----	----	2 UNCH
4070	----	----	94.90B/78.40A	94.90B/78.40A	----	89.70 + 8.70	.1976	----	----	----	----	25 UNCH
4100	----	----	101.80B/84.40A	101.80B/84.40A	----	96.30 + 9.40	.2095	----	----	----	----	5 UNCH
4135	----	----	110.50B/90.80A	110.50B/90.80A	----	104.40 + 10.10	.2239	----	----	----	----	22 UNCH
4160	----	----	117.00B/96.00A	117.00B/96.00A	----	110.60 + 10.70	.2345	----	----	----	----	1 UNCH
4170	----	----	119.70B/98.20A	119.70B/98.20A	----	113.10 + 10.80	.2389	----	----	----	----	1 UNCH
4180	----	----	122.50B/100.70A	122.50B/100.70A	----	115.70 + 11.10	.2433	----	----	----	----	1 UNCH
4200	----	----	128.20B/105.30A	128.20B/105.30A	----	121.10 + 11.60	.2523	----	----	----	----	6 UNCH
4205	----	----	129.70B/106.60A	129.70B/106.60A	----	122.50 + 11.70	.2546	----	----	----	----	1 UNCH
4215	----	----	132.80B/109.10A	132.80B/109.10A	----	125.30 + 11.90	.2591	----	----	----	----	5 UNCH
4250	----	----	143.50B/117.60A	143.50B/117.60A	----	135.50 + 12.80	.2756	----	----	----	----	567 UNCH
4275	142.30	142.30	152.00B/124.50A	152.00B/124.50A	----	143.20 + 13.50	.2876	----	----	20	----	23 + 20
4305	----	----	161.90B/133.40A	161.90B/133.40A	----	152.80 + 14.10	.3024	----	----	----	----	1 UNCH
4320	----	----	167.40B/138.00A	167.40B/138.00A	----	157.80 + 14.50	.3099	----	----	----	----	43 UNCH
4330	----	----	170.70B/140.60A	170.70B/140.60A	----	161.30 + 14.80	.3150	----	----	----	----	2 UNCH
4340	----	----	174.40B/144.30A	174.40B/144.30A	----	164.70 NEW	.3201	----	----	6	----	6 + 6
4350	----	----	178.30B/146.80A	178.30B/146.80A	----	168.30 + 15.30	.3253	----	----	----	----	3 UNCH
4390	----	----	194.30B/160.70A	194.30B/160.70A	----	183.00 + 16.30	.3462	----	----	----	----	1 UNCH
4395	----	----	196.40B/161.60A	196.40B/161.60A	----	184.80 + 16.40	.3488	----	----	----	----	1 UNCH
4400	----	----	198.10B/163.50A	198.10B/163.50A	----	186.80 + 16.60	.3515	----	----	----	----	5 UNCH
4425	----	----	208.40B/173.50A	208.40B/173.50A	----	196.50 + 17.10	.3649	----	----	----	----	72 UNCH
4430	----	----	210.70B/175.10A	210.70B/175.10A	----	198.50 + 17.20	.3676	----	----	----	----	10 UNCH
4450	----	----	219.20B/182.80A	219.20B/182.80A	----	206.70 + 17.70	.3784	----	----	----	----	39 UNCH
4485	----	----	235.10B/196.30A	235.10B/196.30A	----	221.50 + 18.50	.3977	----	----	----	----	1 UNCH
4490	----	----	237.50B/198.10A	237.50B/198.10A	----	223.60 + 18.60	.4004	----	----	----	----	1 UNCH
4500	----	----	242.10B/202.00A	242.10B/202.00A	----	228.00 + 18.80	.4060	----	----	----	----	45 UNCH
4510	----	----	247.00B/206.30A	247.00B/206.30A	----	232.40 + 19.00	.4115	----	----	----	----	11 UNCH
4535	----	----	259.30B/216.70A	259.30B/216.70A	----	243.80 + 19.60	.4255	----	----	----	----	10 UNCH
4540	----	----	261.70B/219.00A	261.70B/219.00A	----	246.10 + 19.60	.4283	----	----	----	----	6 UNCH
4580	----	----	282.10B/234.60A	282.10B/234.60A	----	265.10 + 20.40	.4508	----	----	----	----	10 UNCH
4600	----	----	292.70B/242.40A	292.70B/242.40A	----	275.00 + 20.80	.4621	----	----	70	----	71 + 70
4610	279.10	279.10	298.00B/247.10A	298.00B/247.10A	----	280.10 NEW	.4678	----	----	4	----	4 + 4
4640	----	----	314.70B/261.30A	314.70B/261.30A	----	295.70 + 21.70	.4847	----	----	----	----	90 UNCH
4650	----	----	320.10B/266.30A	320.10B/266.30A	----	301.10 + 22.00	.4904	----	----	----	----	52 UNCH
4700	----	----	349.40B/291.60A	349.40B/291.60A	----	329.10 + 23.50	.5182	----	----	----	----	53 UNCH
4710	----	----	355.40B/296.80A	355.40B/296.80A	----	334.90 + 23.80	.5237	----	----	----	----	1 UNCH
4725	----	----	364.50B/304.80A	364.50B/304.80A	----	343.90 + 24.50	.5319	----	----	----	----	2 UNCH
4750	----	----	380.00B/325.30A	380.00B/325.30A	----	359.10 + 25.40	.5453	----	----	----	----	10 UNCH
4755	----	----	383.20B/327.90A	383.20B/327.90A	----	362.20 + 25.60	.5480	----	----	----	----	1 UNCH
4800	----	----	412.10B/353.80A	412.10B/353.80A	----	390.40 + 27.10	.5718	----	----	----	----	12 UNCH
4820	----	----	425.30B/365.60A	425.30B/365.60A	----	403.10 + 27.60	.5823	----	----	----	----	1 UNCH
4840	----	----	438.80B/377.70A	438.80B/377.70A	----	415.90 + 27.90	.5927	----	----	----	----	2 UNCH
4845	----	----	442.30B/380.70A	442.30B/380.70A	----	419.20 + 28.10	.5953	----	----	----	----	10 UNCH
4850	----	----	445.60B/383.80A	445.60B/383.80A	----	422.40 + 28.10	.5978	----	----	----	----	8 UNCH
4900	----	----	480.40B/415.40A	480.40B/415.40A	----	455.90 + 29.20	.6230	----	----	----	----	12 UNCH
4915	----	----	491.00B/425.00A	491.00B/425.00A	----	466.20 + 29.60	.6303	----	----	----	----	3 UNCH
4935	----	----	505.40B/438.20A	505.40B/438.20A	----	480.20 + 30.10	.6400	----	----	----	----	25 UNCH
4950	----	----	516.30B/448.20A	516.30B/448.20A	----	490.80 + 30.40	.6471	----	----	----	----	11 UNCH
4960	----	----	523.70B/455.30A	523.70B/455.30A	----	498.00 + 30.70	.6517	----	----	----	----	2 UNCH
5000	----	----	553.70B/----	553.70B/501.40A	----	527.00 + 31.60	.6700	----	----	----	----	255 UNCH
5020	----	----	568.90B/----	568.90B/515.90A	----	541.80 + 32.00	.6789	----	----	----	----	30 UNCH
5055	----	----	582.60B/----	582.60B/541.60A	----	568.10 + 32.80	.6940	----	----	----	----	8 UNCH
5200	----	----	----	562.40B/781.60A	----	682.40 + 35.60	.7506	----	----	----	----	81 UNCH
5395	----	----	----	731.40B/942.60A	----	847.50 + 38.70	.8111	----	----	----	----	6 UNCH
5400	----	----	----	735.90B/946.90A	----	851.90 + 38.80	.8124	----	----	----	----	6 UNCH
5760	----	----	----	1066.70B/1270.90A	----	1179.80 + 42.50	.8851	----	----	----	----	1 UNCH
5975	----	----	----	1234.30B/1475.00A	----	1384.10 + 43.70	.9117	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1408.10 + 43.80	.9142	----	----	----	----	1 UNCH
TOTAL										105		3308 + 105
DEC26												
1350	----	----	----	----/0.50A	----	0.10 UNCH	.0002	----	----	----	----	16 UNCH
1375	----	----	----	----/18.10A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1500	----	----	----	----/0.90A	----	0.20 UNCH	.0004	----	----	----	----	1 UNCH
1600	----	----	----	0.20B/1.30A	----	0.30 UNCH	.0006	----	----	----	----	190 UNCH
1700	----	----	----	0.30B/1.50A	----	0.40 UNCH	.0008	----	----	----	----	200 UNCH
1845	----	----	----	0.40B/2.60A	----	0.80 + 0.10	.0016	----	----	----	----	55 UNCH
1900	----	----	----	0.60B/2.20A	----	0.90 UNCH	.0018	----	----	----	----	4 UNCH
2000	----	----	----	0.70B/2.50A	----	1.30 + 0.10	.0026	----	----	----	----	2 UNCH
2400	----	----	----	2.60B/3.80A	----	3.10 + 0.20	.0067	----	----	----	----	1 UNCH
2490	----	----	----	3.10B/4.40A	----	3.70 + 0.20	.0081	----	----	----	----	1 UNCH
2750	----	----	----	5.20B/6.70A	----	6.20 + 0.50	.0140	----	----	----	----	1 UNCH
2800	----	----	----	5.80B/7.20A	----	6.80 + 0.50	.0154	----	----	----	----	18 UNCH
2900	----	----	----	7.10B/8.60A	----	8.20 + 0.50	.0189	----	----	----	----	24 UNCH
2925	----	----	----	7.50B/9.00A	----	8.60 + 0.60	.0198	----	----	----	----	300 UNCH
2975	----	----	----	8.40B/9.80A	----	9.50 + 0.70	.0220	----	----	----	----	400 UNCH
3000	----	----	----	8.90B/10.30A	----	10.00 + 0.70	.0232	----	----	----	----	1356 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
3160	----	----	----	12.70B/13.80A	----	14.00 + 1.30	.0326	----	----	----	----	2 UNCH
3175	----	----	13.20B/----	13.20B/14.20A	----	14.40 + 1.30	.0336	----	----	----	----	1 UNCH
3250	----	----	15.80B/----	15.80B/16.40A	----	16.90 + 1.50	.0394	----	----	----	----	20 UNCH
3300	----	----	17.60B/----	17.60B/18.10A	----	18.80 + 1.60	.0438	----	----	----	----	7 UNCH
3400	----	----	22.30B/----	22.30B/22.30A	----	23.60 + 2.20	.0546	----	----	----	----	1251 UNCH
3425	----	----	23.60B/----	23.60B/23.50A	----	25.00 + 2.40	.0576	----	----	----	----	350 UNCH
3450	----	----	25.10B/----	25.10B/24.90A	----	26.50 + 2.50	.0609	----	----	----	----	201 UNCH
3460	----	----	25.80B/----	25.80B/25.40A	----	27.10 + 2.60	.0622	----	----	----	----	20 UNCH
3475	----	----	26.60B/----	26.60B/26.20A	----	28.00 + 2.70	.0642	----	----	----	----	152 UNCH
3500	----	----	29.30B/----	29.30B/27.70A	----	29.70 + 2.90	.0678	----	----	----	----	1468 UNCH
3550	----	----	33.10B/----	33.10B/30.90A	----	33.30 + 3.30	.0755	----	----	----	----	18 UNCH
3565	----	----	34.10B/----	34.10B/32.00A	----	34.50 + 3.40	.0780	----	----	----	----	2 UNCH
3590	----	----	36.30B/----	36.30B/33.80A	----	36.50 + 3.60	.0822	----	----	----	----	1 UNCH
3600	----	----	37.10B/----	37.10B/34.30A	----	37.40 + 3.70	.0841	----	----	1	----	465 + 1
3610	----	----	38.40B/----	38.40B/34.60A	----	38.20 + 3.70	.0858	----	----	----	----	3 UNCH
3650	----	----	41.70B/37.40A	41.70B/37.40A	----	41.80 + 4.00	.0932	----	----	----	----	201 UNCH
3660	----	----	42.70B/38.10A	42.70B/38.10A	----	42.80 + 4.20	.0953	----	----	----	----	5 UNCH
3670	----	----	43.70B/38.90A	43.70B/38.90A	----	43.70 + 4.20	.0972	----	----	----	----	1 UNCH
3690	----	----	45.90B/40.70A	45.90B/40.70A	----	45.70 + 4.30	.1012	----	----	----	----	1 UNCH
3700	----	----	47.00B/41.60A	47.00B/41.60A	----	46.80 + 4.50	.1034	----	----	1	90	280 + 1
3710	----	----	48.10B/42.50A	48.10B/42.50A	----	47.80 + 4.50	.1055	----	----	----	----	37 UNCH
3720	----	----	49.30B/43.60A	49.30B/43.60A	----	48.90 + 4.60	.1077	----	----	----	----	1 UNCH
3725	----	----	50.30B/44.30A	50.30B/44.30A	----	49.50 + 4.70	.1088	----	----	----	----	6 UNCH
3750	----	----	53.70B/46.70A	53.70B/46.70A	----	52.30 + 4.90	.1144	----	----	----	----	166 UNCH
3760	----	----	55.00B/47.90A	55.00B/47.90A	----	53.50 + 5.00	.1168	----	----	----	----	184 UNCH
3780	----	----	57.70B/49.50A	57.70B/49.50A	----	55.90 + 5.20	.1215	----	----	----	----	1 UNCH
3800	----	----	60.40B/52.20A	60.40B/52.20A	----	58.50 + 5.40	.1265	----	----	11	----	151 + 2
3810	----	----	61.90B/53.20A	61.90B/53.20A	----	59.80 + 5.50	.1290	----	----	1	----	56 UNCH
3850	----	----	67.90B/58.50A	67.90B/58.50A	----	65.40 + 6.00	.1397	----	----	----	----	24 UNCH
3880	----	----	72.80B/61.80A	72.80B/61.80A	----	69.80 + 6.20	.1480	----	----	----	----	1 UNCH
3900	----	----	76.10B/65.00A	76.10B/65.00A	----	73.00 + 6.50	.1539	----	----	23	----	1206 + 2
3920	----	----	80.00B/68.10A	80.00B/68.10A	----	76.30 + 6.80	.1599	----	----	----	----	50 UNCH
3925	----	----	81.00B/68.90A	81.00B/68.90A	----	77.10 + 6.80	.1614	----	----	----	----	252 UNCH
3930	----	----	81.60B/68.90A	81.60B/68.90A	----	78.00 + 6.90	.1630	----	----	----	----	2 UNCH
3950	----	----	85.50B/72.10A	85.50B/72.10A	----	81.50 + 7.20	.1692	----	----	----	----	27 UNCH
3965	----	----	88.60B/75.30A	88.60B/75.30A	----	84.30 + 7.50	.1742	----	----	----	----	50 UNCH
3975	----	----	90.70B/77.00A	90.70B/77.00A	----	86.10 + 7.50	.1774	----	----	----	----	192 UNCH
3980	89.40	89.40	91.60B/77.70A	91.60B/77.70A	----	87.10 + 7.60	.1791	----	----	5	----	247 + 5
4000	83.40	83.40	96.00B/81.20A	96.00B/81.20A	----	91.00 + 7.90	.1859	----	----	284	350	2463 + 228
4025	----	----	101.00B/85.80A	101.00B/85.80A	----	96.10 + 8.30	.1946	----	----	----	----	220 UNCH
4050	----	----	106.80B/90.30A	106.80B/90.30A	----	101.50 + 8.80	.2036	----	----	----	----	204 UNCH
4070	----	----	111.60B/94.60A	111.60B/94.60A	----	105.90 + 9.00	.2110	----	----	----	----	8 UNCH
4090	----	----	116.40B/98.70A	116.40B/98.70A	----	110.60 + 9.40	.2187	----	----	----	----	1 UNCH
4100	----	----	119.30B/100.30A	119.30B/100.30A	----	113.00 + 9.60	.2225	----	----	1	----	385 - 1
4130	----	----	127.10B/107.50A	127.10B/107.50A	----	120.50 + 10.10	.2344	----	----	----	----	2 UNCH
4150	----	----	133.00B/112.30A	133.00B/112.30A	----	125.70 + 10.50	.2426	----	----	----	----	21 UNCH
4160	----	----	135.70B/114.40A	135.70B/114.40A	----	128.40 + 10.70	.2467	----	----	----	----	252 UNCH
4170	----	----	138.50B/116.90A	138.50B/116.90A	----	131.10 + 10.80	.2509	----	----	----	----	2 UNCH
4175	----	----	140.00B/118.10A	140.00B/118.10A	----	132.50 + 10.90	.2530	----	----	----	----	60 UNCH
4200	----	----	147.90B/124.80A	147.90B/124.80A	----	139.60 + 11.40	.2637	----	----	1	----	1306 - 1
4215	----	----	152.30B/128.50A	152.30B/128.50A	----	144.00 + 11.70	.2702	----	----	----	----	14 UNCH
4230	----	----	157.20B/132.30A	157.20B/132.30A	----	148.50 + 12.00	.2768	----	----	----	----	150 UNCH
4250	----	----	163.80B/137.70A	163.80B/137.70A	----	154.70 + 12.40	.2858	----	----	----	----	344 UNCH
4300	----	----	181.90B/152.80A	181.90B/152.80A	----	171.20 + 13.50	.3088	----	----	----	----	2344 UNCH
4320	----	----	188.70B/158.90A	188.70B/158.90A	----	178.20 + 14.00	.3183	----	----	----	----	100 UNCH
4325	181.30	181.30	191.00B/160.30A	191.00B/160.30A	----	179.90 + 14.00	.3207	----	----	15	----	559 - 15
4340	----	----	196.80B/165.20A	196.80B/165.20A	----	185.30 + 14.40	.3279	----	----	----	----	82 UNCH
4350	----	----	200.20B/167.80A	200.20B/167.80A	----	189.00 + 14.60	.3327	----	----	----	----	151 UNCH
4365	----	----	206.60B/173.50A	206.60B/173.50A	----	194.60 + 15.00	.3400	----	----	----	----	390 UNCH
4375	----	----	210.50B/177.50A	210.50B/177.50A	----	198.40 + 15.20	.3449	----	----	----	----	5 UNCH
4385	----	----	214.70B/180.70A	214.70B/180.70A	----	202.30 + 15.50	.3498	----	----	----	----	75 UNCH
4390	----	----	216.80B/183.00A	216.80B/183.00A	----	204.20 + 15.50	.3523	----	----	----	----	200 UNCH
4400	200.00	200.00	220.60B/186.50A	220.60B/186.50A	----	208.20 + 15.80	.3572	----	----	30	----	290 UNCH
4425	----	----	231.10B/195.60A	231.10B/195.60A	----	218.30 + 16.40	.3697	----	----	----	----	9 UNCH
4430	----	----	233.80B/197.10A	233.80B/197.10A	----	220.40 + 16.60	.3722	----	----	----	----	10 UNCH
4435	----	----	235.40B/199.20A	235.40B/199.20A	----	222.50 + 16.70	.3748	----	----	----	----	14 UNCH
4450	----	----	242.10B/204.70A	242.10B/204.70A	----	228.80 + 17.10	.3823	----	----	----	----	260 UNCH
4470	----	----	251.00B/212.20A	251.00B/212.20A	----	237.40 + 17.50	.3925	----	----	----	----	1 UNCH
4475	----	----	253.50B/215.00A	253.50B/215.00A	----	239.60 + 17.70	.3951	----	----	----	----	8 UNCH
4500	240.00	240.00	265.70B/224.50A	265.70B/224.50A	----	250.80 + 18.30	.4079	----	----	2	----	1199 + 2
4510	----	----	270.10B/229.40A	270.10B/229.40A	----	255.40 + 18.60	.4130	----	----	----	----	2 UNCH
4515	----	----	272.40B/231.50A	272.40B/231.50A	----	257.70 + 18.70	.4156	----	----	----	----	242 UNCH
4520	----	----	275.30B/233.10A	275.30B/233.10A	----	260.00 + 18.80	.4182	----	----	----	----	25 UNCH
4525	----	----	278.00B/235.30A	278.00B/235.30A	----	262.40 + 19.00	.4208	----	----	4	----	206 + 4
4530	----	----	280.20B/238.00A	280.20B/238.00A	----	264.70 + 19.10	.4234	----	----	----	----	20 UNCH
4535	----	----	282.80B/240.00A	282.80B/240.00A	----	267.10 + 19.30	.4259	----	----	----	----	102 UNCH
4540	----	----	285.00B/240.90A	285.00B/240.90A	----	269.40 + 19.30	.4285	----	----	----	----	1 UNCH
4550	----	----	290.00B/246.80A	290.00B/246.80A	----	274.30 + 19.70	.4337	----	----	----	----	9 UNCH
4555	----	----	292.40B/247.80A	292.40B/247.80A	----	276.70 + 19.80	.4363	----	----	----	----	50 UNCH
4580	----	----	305.60B/258.10A	305.60B/258.10A	----	289.00 + 20.50	.4493	----	----	----	----	50 UNCH
4585	----	----	308.40B/259.70A	308.40B/259.70A	----	291.50 + 20.60	.4519	----	----	----	----	325 UNCH
4600	----	----	316.60B/266.80A	316.60B/266.80A	----	299.10 + 21.00	.4597	----	----	----	----	705 UNCH
4620	----	----	327.00B/276.10A	327.00B/276.10A	----	309.50 + 21.60	.4701	----	----	----	----	50 UNCH
4625	----	----	330.20B/278.60A	330.20B/278.60A	----	312.10 + 21.70	.4727	----	----	4	----	32 - 2
4640	----	----	338.30B/285.80A	338.30B/285.80A	----	320.10 + 22.10	.4805	----	----	----	----	101 UNCH
4650	----	----	344.10B/290.60A	344.10B/290.60A	----	325.50 + 22.30	.4856	----	----	----	----	116 UNCH
4655	330.70	330.70	346.10B/293.10A	346.10B/293.10A	----	328.20 NEW	.4882	----	----	1	----	1 + 1
4660	333.60	333.60	349.00B/295.80A	349.00B/295.80A	----	331.00 NEW	.4907	----	----	2	----	2 + 2
4665	336.00	336.00	352.20B/298.20A	352.20B/298.20A	----	333.70 NEW	.4933	----	----	46	----	46 + 46
4675	----	----	358.00B/303.30A	358.00B/303.30A	----	339.30 + 23.00	.4984	----	----	10	----	10 + 10
4680	----	----	360.60B/305.80A	360.60B/305.80A	----	342.10 + 23.10	.5010	----	----	----	----	60 UNCH
4700	----	----	372.70B/316.10A	372.70B/316.10A	----	353.40 + 23.60	.5112	----	----	----	----	511 UNCH
4710	----	----	378.60B/321.50A	378.60B/321.50A	----	359.10 + 23.80	.5163	----	----	----	----	1 UNCH
4715	----	----	381.30B/324.00A	381.30B/324.00A	----	362.00 + 23.90	.5188	----	----	----	----	15 UNCH
4725	----	----	387.30B/329.80A	387.30B/329.80A	----	367.90 + 24.30	.5238	----	----	----	----	127 UNCH
4750	----	----	402.90B/349.90A	402.90B/349.90A	----	382.80 + 25.00	.5363	----	----	----	----	63 UNCH
4790	----	----	428.20B/372.70A	428.20B/372.70A	----	407.20 + 26.10	.5561	----	----	----	----	60 UNCH
4795	----	----	431.40B/375.60A	431.40B/375.60A	----	410.30 + 26.20	.5585	----	----	----	----	1 UNCH
4800	----	----	434.80B/378.50A	434.80B/378.50A	----	413.40 + 26.30	.5610	----	----	----	----	348 UNCH
4810	----	----	441.20B/384.50A	441.20B/384.50A	----	419.70 + 26.60	.5659	----	----	----	----	56 UNCH
4815	----	----	444.50B/387.30A	444.50B/387.30A	----	422.80 + 26.60	.5683	----	----	----	----	10 UNCH
4820	----	----	447.80B/390.30A	447.80B/390.30A	----	426.00 + 26.80	.5707	----	----	----	----	20 UNCH
4825	----	----	451.00B/393.20A	451.00B/393.20A	----	429.10 + 26.80	.5731	----	----	----	----	112 UNCH
4830	----	----	454.40B/396.30A	454.40B/396.30A	----	432.30 + 26.90	.5755	----	----	----	----	6 UNCH
4835	----	----	457.70B/399.60A	457.70B/399.60A	----	435.50 + 27.00	.5779	----	----	----	----	125 UNCH
4850	----	----	467.60B/408.30A	467.60B/408.30A	----	445.00 + 27.20	.5851	----	----	----	----	13 UNCH
4875	----	----	484.60B/423.80A	484.60B/423.80A	----	461.30 + 27.60	.5970	----	----	----	----	16 UNCH
4880	----	----	488.00B/427.00A	488.00B/427.00A	----	464.60 + 27.70	.5993	----	----	----	----	12 UNCH
4900	----	----	501.80B/439.80A	501.80B/439.80A	----	477.90 + 28.00	.6086	----	----	----	----	110 UNCH
4925	----	----	519.40B/455.60A	519.40B/455.60A	----	494.90 + 28.60	.6200	----	----	----	----	237 UNCH
4930	----	----	523.00B/458.80A	523.00B/458.80A	----	498.40 + 28.80	.6222	----	----	----	----	1 UNCH
4935	----	----	526.40B/462.20A	526.40B/462.20A	----	501.90 + 28.90	.6245	----	----	----	----	2 UNCH
4940	----	----	530.00B/465.40A	530.00B/465.40A	----	505.40 + 29.10	.6267	----	----	----	----	29 UNCH
4950	----	----	537.20B/472.00A	537.20B/472.00A	----	512.40 + 29.40	.6311	----	----	----	----	24 UNCH
4975	----	----	555.30B/488.70A	555.30B/488.70A	----	530.10 + 30.10	.6419	----	----	----	----	43 UNCH
4980	----	----	559.00B/492.00A	559.00B/492.00A	----	533.70 + 30.30	.6440	----	----	----	----	5 UNCH
4995	----	----	570.00B/502.50A	570.00B/502.50A	----	544.60 + 30.80	.6504	----	----	----	----	32 UNCH
5000	----	----	573.90B/505.70A	573.90B/505.70A	----	548.20 + 30.90	.6525	----	----	----	----	445 UNCH
5020	----	----	588.80B/519.50A	588.80B/519.50A	----	562.80 + 31.50	.6608	----	----	----	----	8 UNCH
5025	----	----	592.30B/522.90A	592.30B/522.90A	----	566.50 + 31.60	.6629	----	----	----	----	210 UNCH
5035	----	----	599.90B/----	599.90B/548.50A	----	573.90 + 31.90	.6670	----	----	----	----	8 UNCH
5050	----	----	611.20B/----	611.20B/559.40A	----	585.00 + 32.30	.6731	----	----	----	----	201 UNCH
5070	----	----	626.40B/----	626.40B/574.00A	----	600.00 + 32.80	.6810	----	----	----	----	1 UNCH
5075	----	----	630.40B/----	630.40B/577.70A	----	603.80 + 32.90	.6830	----	----	----	----	100 UNCH
5095	----	----	645.00B/----	645.00B/592.50A	----	618.90 + 33.30	.6908	----	----	----	----	6 UNCH
5100	----	----	645.80B/----	645.80B/596.20A	----	622.80 + 33.50	.6927	----	----	----	----	6 UNCH
5195	----	----	717.30B/----	717.30B/675.10A	----	696.80 + 35.00	.7275	----	----	----	----	5 UNCH
5200	----	----	721.40B/----	721.40B/679.10A	----	700.80 + 35.10	.7292	----	----	----	----	38 UNCH
5250	----	----	762.10B/----	762.10B/719.00A	----	741.10 + 35.80	.7461	----	----	----	----	126 UNCH
5290	----	----	----	640.10B/885.50A	----	774.00 + 36.40	.7588	----	----	----	----	1 UNCH
5295	----	----	----	644.30B/889.40A	----	778.10 + 36.40	.7603	----	----	----	----	1 UNCH
5360	----	----	854.40B/----	854.40B/810.10A	----	832.70 + 37.40	.7795	----	----	----	----	100 UNCH
5370	----	----	862.90B/----	862.90B/818.60A	----	841.20 + 37.50	.7823	----	----	----	----	20 UNCH
5375	----	----	867.20B/----	867.20B/822.80A	----	845.40 + 37.50	.7836	----	----	----	----	34 UNCH
5400	----	----	888.70B/----	888.70B/844.10A	----	866.80 + 37.90	.7905	----	----	----	----	102 UNCH
5415	----	----	901.70B/----	901.70B/857.00A	----	879.80 + 38.20	.7944	----	----	----	----	4 UNCH
5460	----	----	940.80B/----	940.80B/895.50A	----	918.80 + 38.70	.8058	----	----	----	----	200 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
5465	----	----	#945.30B/----	945.30B/900.30A	----	923.20 + 38.80	.8070	----	----	----	----	50 UNCH
5480	----	----	#958.50B/----	958.50B/913.40A	----	936.30 + 38.90	.8106	----	----	----	----	50 UNCH
5500	----	----	976.30B/----	976.30B/931.00A	----	953.90 + 39.20	.8155	----	----	----	----	31 UNCH
5525	----	----	#998.30B/----	998.30B/953.10A	----	976.00 + 39.50	.8211	----	----	----	----	80 UNCH
5600	----	----	1,067.10B/----	1067.10B/1018.70A	----	1043.00 + 40.20	.8374	----	----	----	----	252 UNCH
5900	----	----	#1,341.80B/----	#1341.80B/1298.10A	----	1320.10 + 42.40	.8860	----	----	----	----	125 UNCH
6000	----	----	#1,436.10B/----	#1436.10B/1393.40A	----	1414.90 + 43.00	.8979	----	----	----	----	40 UNCH
6500	----	----	#1,916.90B/----	#1916.90B/1882.00A	----	1899.00 + 45.10	.9369	----	----	----	----	4 UNCH
TOTAL										442	440	27183 + 285
JAN27												
2700	----	----	----	5.30B/7.20A	----	6.70 + 0.50	.0141	----	----	----	----	10 UNCH
2800	----	----	----	6.70B/9.20A	----	7.90 + 0.60	.0169	----	----	----	----	10 UNCH
3000	10.50	10.50	12.90/10.50	12.90/10.50	----	12.40 + 0.90	.0264	----	----	3	----	26 + 3
3500	----	----	34.70B/----	34.70B/33.60A	----	35.00 + 3.00	.0731	----	----	----	----	1 UNCH
3520	----	----	36.30B/----	36.30B/35.70A	----	36.60 + 3.10	.0762	----	----	----	----	1 UNCH
3680	----	----	51.50B/46.70A	51.50B/46.70A	----	52.20 + 4.90	.1052	----	----	----	----	1 UNCH
3800	----	----	68.50B/59.90A	68.50B/59.90A	----	67.30 + 6.20	.1321	----	----	----	----	1 UNCH
3825	----	----	72.30B/63.10A	72.30B/63.10A	----	70.90 + 6.40	.1383	----	----	----	----	1 UNCH
3900	----	----	84.90B/74.20A	84.90B/74.20A	----	82.70 + 7.10	.1583	----	----	----	----	1 UNCH
3980	----	----	100.60B/86.90A	100.60B/86.90A	----	97.30 + 7.90	.1821	----	----	----	----	1 UNCH
4000	106.50	106.50	106.50/91.20A	106.50/91.20A	----	101.40 + 8.20	.1885	----	----	2	----	3 + 2
4025	112.50	112.50	112.50/96.00A	112.50/96.00A	----	106.70 NEW	.1967	----	----	2	----	2 + 2
4070	----	----	121.50B/105.00A	121.50B/105.00A	----	116.90 + 9.30	.2121	----	----	----	----	1 UNCH
4100	----	----	129.10B/111.60A	129.10B/111.60A	----	124.20 + 9.80	.2229	----	----	----	----	8 UNCH
4200	----	----	157.10B/135.70A	157.10B/135.70A	----	151.60 + 12.00	.2611	----	----	----	----	3 UNCH
4350	----	----	208.60B/179.70A	208.60B/179.70A	----	201.20 + 15.60	.3244	----	----	----	----	1 UNCH
4400	----	----	228.40B/197.20A	228.40B/197.20A	----	220.00 + 16.70	.3467	----	----	----	----	1 UNCH
4425	----	----	239.00B/206.10A	239.00B/206.10A	----	229.90 + 17.20	.3580	----	----	----	----	1500 UNCH
4500	----	----	272.00B/235.20A	272.00B/235.20A	----	261.50 + 19.00	.3928	----	----	----	----	3 UNCH
4585	----	----	313.20B/271.50A	313.20B/271.50A	----	300.80 + 20.90	.4330	----	----	----	----	1 UNCH
4600	----	----	321.10B/278.30A	321.10B/278.30A	----	308.10 + 21.20	.4401	----	----	----	----	3 UNCH
4610	325.00	325.00	326.50B/281.90A	326.50B/281.90A	----	313.10 NEW	.4449	----	----	1	----	1 + 1
4620	330.00	330.00	331.60B/285.30A	331.60B/285.30A	----	318.10 NEW	.4497	----	----	1	----	1 + 1
4630	----	----	337.00B/290.20A	337.00B/290.20A	----	323.20 + 21.90	.4545	----	----	----	----	1 UNCH
4660	----	----	352.50B/304.30A	352.50B/304.30A	----	338.70 + 22.60	.4688	----	----	----	----	4 UNCH
4665	----	----	355.30B/306.80A	355.30B/306.80A	----	341.30 + 22.70	.4711	----	----	----	----	4 UNCH
4710	----	----	380.70B/329.60A	380.70B/329.60A	----	365.60 + 23.70	.4924	----	----	----	----	4 UNCH
4760	----	----	410.20B/360.10A	410.20B/360.10A	----	393.90 + 24.80	.5158	----	----	----	----	100 UNCH
4800	----	----	434.70B/382.20A	434.70B/382.20A	----	417.50 + 25.70	.5343	----	----	----	----	6 UNCH
4820	----	----	447.20B/393.50A	447.20B/393.50A	----	429.60 + 26.20	.5433	----	----	----	----	6 UNCH
4860	----	----	472.80B/416.80A	472.80B/416.80A	----	454.40 + 27.00	.5613	----	----	----	----	1 UNCH
4960	----	----	540.50B/478.20A	540.50B/478.20A	----	519.80 + 29.10	.6045	----	----	----	----	42 UNCH
4980	----	----	554.10B/491.10A	554.10B/491.10A	----	533.40 + 29.40	.6129	----	----	----	----	10 UNCH
4990	----	----	561.20B/497.60A	561.20B/497.60A	----	540.30 + 29.60	.6169	----	----	----	----	1 UNCH
4995	----	----	565.00B/500.90A	565.00B/500.90A	----	543.80 + 29.80	.6190	----	----	----	----	1 UNCH
5000	----	----	568.30B/504.10A	568.30B/504.10A	----	547.20 + 29.80	.6210	----	----	----	----	2 UNCH
5050	----	----	604.80B/537.60A	604.80B/537.60A	----	582.50 + 30.70	.6410	----	----	----	----	100 UNCH
5085	----	----	630.40B/561.60A	630.40B/561.60A	----	607.70 + 31.20	.6546	----	----	----	----	2 UNCH
5150	----	----	679.80B/----	679.80B/631.40A	----	655.90 + 32.30	.6787	----	----	----	----	2 UNCH
5235	----	----	714.70B/----	714.70B/695.50A	----	721.20 + 33.50	.7081	----	----	----	----	2 UNCH
5245	----	----	714.10B/----	714.10B/703.20A	----	729.10 + 33.70	.7115	----	----	----	----	2 UNCH
5300	----	----	----	616.60B/905.00A	----	772.80 + 34.40	.7290	----	----	----	----	44 UNCH
TOTAL										9		1915 + 9
FEB27												
2800	----	----	----	5.80B/10.70A	----	7.00 + 0.60	.0155	----	----	----	----	4 UNCH
4000	----	----	117.40B/104.00A	117.40B/104.00A	----	114.20 + 8.30	.1977	----	----	----	----	1 UNCH
4070	----	----	135.00B/118.60A	135.00B/118.60A	----	130.90 + 9.40	.2210	----	----	----	----	2 UNCH
4200	----	----	171.60B/151.80A	171.60B/151.80A	----	167.10 + 11.60	.2685	----	----	----	----	50 UNCH
4300	----	----	206.30B/180.90A	206.30B/180.90A	----	199.80 + 13.30	.3082	----	----	----	----	1 UNCH
4500	----	----	289.50B/253.60A	289.50B/253.60A	----	279.20 + 17.30	.3942	----	----	----	----	1 UNCH
4600	----	----	337.90B/299.50A	337.90B/299.50A	----	326.60 + 19.70	.4390	----	----	----	----	17 UNCH
4650	----	----	363.80B/320.50A	363.80B/320.50A	----	352.40 + 21.20	.4616	----	----	----	----	1 UNCH
4655	----	----	366.70B/322.90A	366.70B/322.90A	----	355.00 + 21.30	.4638	----	----	----	----	1 UNCH
4660	----	----	369.40B/325.50A	369.40B/325.50A	----	357.70 + 21.50	.4661	----	----	----	----	435 UNCH
4665	----	----	372.20B/328.50A	372.20B/328.50A	----	360.40 + 21.70	.4683	----	----	----	----	3 UNCH
4750	----	----	420.70B/378.40A	420.70B/378.40A	----	407.90 + 24.40	.5059	----	----	----	----	1 UNCH
4755	----	----	423.70B/381.10A	423.70B/381.10A	----	410.90 + 24.60	.5081	----	----	----	----	1 UNCH
4775	----	----	435.70B/392.00A	435.70B/392.00A	----	422.60 + 25.20	.5168	----	----	----	----	1 UNCH
4785	----	----	441.80B/397.50A	441.80B/397.50A	----	428.60 + 25.60	.5211	----	----	----	----	100 UNCH
4800	----	----	451.00B/405.80A	451.00B/405.80A	----	437.60 + 26.00	.5276	----	----	----	----	60 UNCH
4805	----	----	454.10B/408.70A	454.10B/408.70A	----	440.60 + 26.20	.5297	----	----	----	----	2 UNCH
4835	----	----	473.00B/425.80A	473.00B/425.80A	----	458.90 + 26.90	.5425	----	----	----	----	1 UNCH
4840	----	----	476.10B/428.90A	476.10B/428.90A	----	462.00 + 27.10	.5446	----	----	----	----	1 UNCH
4845	----	----	479.40B/431.50A	479.40B/431.50A	----	465.10 + 27.20	.5467	----	----	1	----	3 + 1
4850	----	----	482.50B/434.40A	482.50B/434.40A	----	468.20 + 27.30	.5488	----	----	1	----	0 - 1
4855	----	----	485.70B/437.30A	485.70B/437.30A	----	471.40 + 27.50	.5509	----	----	----	----	3 UNCH
4900	----	----	515.10B/464.20A	515.10B/464.20A	----	499.90 + 28.50	.5696	----	----	----	----	4 UNCH
4905	----	----	518.40B/467.30A	518.40B/467.30A	----	503.10 + 28.60	.5717	----	----	----	----	4 UNCH
4950	----	----	548.80B/495.20A	548.80B/495.20A	----	532.50 + 29.40	.5899	----	----	----	----	1 UNCH
4955	----	----	552.20B/498.30A	552.20B/498.30A	----	535.90 + 29.50	.5919	----	----	----	----	1 UNCH
5000	----	----	583.50B/527.50A	583.50B/527.50A	----	566.20 + 30.30	.6097	----	----	----	----	10 UNCH
5005	----	----	587.10B/530.50A	587.10B/530.50A	----	569.70 + 30.40	.6116	----	----	----	----	2 UNCH
5050	----	----	619.30B/560.70A	619.30B/560.70A	----	601.00 + 31.20	.6288	----	----	----	----	4 UNCH
5055	----	----	622.90B/564.00A	622.90B/564.00A	----	604.50 + 31.20	.6306	----	----	----	----	4 UNCH
5100	----	----	655.90B/594.60A	655.90B/594.60A	----	636.80 + 32.10	.6471	----	----	----	----	2 UNCH
5150	----	----	693.50B/----	693.50B/650.50A	----	673.60 + 33.00	.6647	----	----	----	----	1 UNCH
5175	----	----	712.90B/----	712.90B/668.80A	----	692.30 + 33.50	.6733	----	----	----	----	125 UNCH
5200	----	----	731.90B/----	731.90B/687.50A	----	711.30 + 34.00	.6816	----	----	----	----	1 UNCH
5250	----	----	763.60B/----	763.60B/725.20A	----	749.80 + 34.90	.6977	----	----	----	----	10 UNCH
5355	----	----	----	650.80B/988.00A	----	833.20 + 36.60	.7293	----	----	----	----	1 UNCH
5520	----	----	----	787.60B/1125.70A	----	970.00 + 38.80	.7725	----	----	----	----	300 UNCH
5530	----	----	----	796.50B/1134.10A	----	978.50 + 38.90	.7748	----	----	----	----	100 UNCH
5550	----	----	----	813.50B/1151.00A	----	995.60 + 39.20	.7795	----	----	----	----	65 UNCH
5565	----	----	----	826.60B/1163.70A	----	1008.40 + 39.30	.7830	----	----	----	----	50 UNCH
TOTAL										2		1374 0
MAR27												
3600	----	----	#55.20B/----	#55.20B/51.60A	----	56.90 NEW	.1014	----	----	----	225	225 + 225
3750	----	----	#75.30B/69.00A	#75.30B/69.00A	----	77.30 + 6.80	.1326	----	----	----	----	10 UNCH
3850	----	----	91.90B/83.90A	91.90B/83.90A	----	93.60 + 7.60	.1566	----	----	----	----	21 UNCH
3900	----	----	#101.30B/91.80A	#101.30B/91.80A	----	102.80 + 8.10	.1697	----	----	----	----	11 UNCH
4000	----	----	#122.90B/110.60	#122.90B/110.60A	----	123.60 + 9.40	.1983	----	----	----	----	6 UNCH
4070	----	----	#140.00B/126.40	#140.00B/126.40A	----	140.20 + 10.50	.2200	----	----	----	----	2 UNCH
4200	----	----	#177.60B/159.10	#177.60B/159.10A	----	176.30 NEW	.2644	----	----	----	225	225 + 225
4325	----	----	#220.00B/197.00	#220.00B/197.00A	----	217.90 + 16.80	.3111	----	----	----	----	10 UNCH
4370	----	----	#237.20B/212.70	#237.20B/212.70A	----	234.50 + 18.10	.3287	----	----	----	----	250 UNCH
4525	----	----	#303.30B/272.40	#303.30B/272.40A	----	298.20 + 22.00	.3917	----	----	----	----	11 UNCH
4650	----	----	365.30B/327.60A	365.30B/327.60A	----	357.60 + 24.40	.4443	----	----	----	----	2 UNCH
4660	----	----	#370.60B/332.10	#370.60B/332.10A	----	362.70 + 24.60	.4485	----	----	----	----	24 UNCH
4680	373.00	373.00	#381.10B/342.30	#381.10B/342.30A	----	373.00 NEW	.4570	----	----	1	----	1 + 1
4710	----	----	#397.50B/361.00	#397.50B/361.00A	----	388.80 + 25.30	.4696	----	----	----	----	4 UNCH
4720	----	----	#402.50B/366.00	#402.50B/366.00A	----	394.20 + 25.50	.4738	----	----	----	----	2 UNCH
4740	----	----	#414.30B/376.20	#414.30B/376.20A	----	405.10 + 25.70	.4821	----	----	----	----	3 UNCH
4750	----	----	#420.10B/381.40	#420.10B/381.40A	----	410.60 + 25.80	.4863	----	----	----	----	15 UNCH
4810	----	----	#455.10B/413.50	#455.10B/413.50A	----	444.70 + 26.50	.5111	----	----	----	----	21 UNCH
4850	----	----	#479.20B/435.70	#479.20B/435.70A	----	468.30 + 26.90	.5273	----	----	----	----	4 UNCH
4900	----	----	#510.80B/464.70	#510.80B/464.70A	----	498.90 + 27.70	.5473	----	----	----	----	2 UNCH
4905	----	----	#513.70B/467.60	#513.70B/467.60A	----	502.10 + 27.80	.5493	----	----	----	----	2 UNCH
5000	----	----	#576.80B/525.70	#576.80B/525.70A	----	563.40 + 29.80	.5859	----	----	----	----	75 UNCH
TOTAL										1	450	926 + 451
APR27												
4300	----	----	----	86.80B/331.40A	----	253.10 + 33.50	.3131	----	----	----	----	150 UNCH
4900	----	----	----	261.30B/820.80A	----	538.90 + 46.60	.5339	----	----	----	----	2 UNCH
4905	----	----	----	264.00B/827.90A	----	541.90 + 46.70	.5358	----	----	----	----	2 UNCH
5000	----	----	----	305.40B/901.10A	----	599.10 + 48.10	.5703	----	----	----	----	100 UNCH
5060	----	----	----	333.10B/929.00A	----	642.50 + 48.90	.5892	----	----	----	----	25 UNCH
5200	----	----	----	409.30B/1045.20A	----	744.50 + 50.40	.6317	----	----	----	----	15 UNCH
TOTAL												294 0
JUN27												
3625	----	----	----	----	----	107.80 + 6.20	.1391	----	----	----	----	450 UNCH
4900	----	----	----	----	----	582.10 + 23.00	.5043	----	----	----	----	1 UNCH
4905	----	----	----	----	----	585.10 + 23.10	.5059	----	----	----	----	1 UNCH
5085	----	----	----	----	----	697.00 + 25.80	.5609	----	----	----	----	150 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG PUT — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
TOTAL												602 0
DEC27												
3700	----	----	----	----	----	178.20 + 7.50	.1691	----	----	----	----	100 UNCH
3715	----	----	----	----	----	181.60 + 7.60	.1718	----	----	----	----	150 UNCH
3820	----	----	----	----	----	206.70 + 8.50	.1917	----	----	----	----	50 UNCH
4130	----	----	----	----	----	293.30 + 11.50	.2572	----	----	----	----	168 UNCH
4500	----	----	----	----	----	429.80 + 15.70	.3478	----	----	----	----	270 UNCH
4630	----	----	----	----	----	488.80 + 17.10	.3819	----	----	----	----	284 UNCH
4860	----	----	----	----	----	607.70 + 20.00	.4429	----	----	----	----	100 UNCH
5000	----	----	----	----	----	687.60 + 21.60	.4789	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1115.30 + 28.80	.6297	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1287.80 + 31.10	.6747	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	688.80 + 20.90	.4664	----	----	----	----	1 UNCH
5100	----	----	----	----	----	747.40 + 22.10	.4908	----	----	----	----	1 UNCH
TOTAL												2 0

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
2000	----	----	----	2406.00B/2590.70A	----	2511.20 - 46.80	1.0000	2890	----	2950	----	422 UNCH
2800	----	----	----/1,676.80A	1683.10B/1676.80A	----	1711.20 - 46.80	.9997	1549	----	1649	----	500 UNCH
3000	----	----	----	1408.50B/1588.20A	----	1511.20 - 46.80	.9997	60	----	90	----	20 + 20
3400	----	----	----/1,077.50A	1143.40B/1077.50A	----	1111.20 - 46.80	.9994	1509	----	1509	----	615 UNCH
3500	----	----	----/980.60A	1040.70B/980.60A	----	1011.20 - 46.80	.9984	----	----	2	----	31 + 1
3525	----	----	----	885.00B/1062.30A	----	986.20 - 46.80	.9976	----	----	----	----	1 UNCH
3550	----	----	----	859.90B/1037.50A	----	961.30 - 46.70	.9976	----	----	----	----	1 UNCH
3585	----	----	----/894.00A	956.70B/894.00A	----	926.30 - 46.70	.9967	----	----	----	----	100 UNCH
3600	----	----	----/879.00A	941.20B/879.00A	----	911.40 - 46.60	.9967	----	----	----	----	80 UNCH
3635	----	----	----/845.70A	905.80B/845.70A	----	876.40 - 46.70	.9958	----	----	----	----	55 UNCH
3650	----	----	----/829.10A	891.30B/829.10A	----	861.50 - 46.60	.9951	----	----	----	----	89 UNCH
3700	----	----	----/777.00A	842.30B/777.00A	----	811.60 - 46.60	.9941	----	----	20	----	310 + 20
3715	----	----	----/766.00A	825.40B/766.00A	----	796.70 - 46.50	.9933	----	----	----	----	25 UNCH
3725	----	----	----/756.00A	815.40B/756.00A	----	786.70 - 46.50	.9932	----	----	8	----	13 + 8
3750	----	----	----/728.10A	792.40B/728.10A	----	761.80 - 46.50	.9923	----	----	----	----	1051 UNCH
3755	----	----	----/726.10A	785.50B/726.10A	----	756.80 - 46.50	.9923	----	----	----	----	15 UNCH
3785	----	----	----/696.30A	755.60B/696.30A	----	726.90 - 46.40	.9913	----	----	----	----	9 UNCH
3790	----	----	----	618.10B/800.50A	----	721.90 - 46.40	.9912	----	----	----	----	1 UNCH
3800	----	----	----/678.40A	742.50B/678.40A	----	712.00 - 46.30	.9911	----	----	----	----	519 UNCH
3835	----	----	----	572.50B/756.50A	----	677.10 - 46.30	.9893	----	----	----	----	1 UNCH
3840	----	----	----	567.40B/751.70A	----	672.10 - 46.30	.9892	----	----	----	----	1 UNCH
3850	----	----	----/627.70A	692.60B/627.70A	----	662.10 - 46.30	.9891	----	----	8	----	298 + 8
3875	----	----	----/606.70A	666.30B/606.70A	----	637.20 - 46.30	.9880	----	----	----	----	60 UNCH
3895	----	----	----	511.50B/698.20A	----	617.30 - 46.30	.9869	----	----	----	----	1 UNCH
3900	----	----	----/578.00A	642.80B/578.00A	----	612.30 - 46.30	.9868	----	----	----	----	363 UNCH
3925	----	----	----/556.90A	616.10B/556.90A	----	587.40 - 46.30	.9856	----	----	----	----	4 UNCH
3950	----	----	----/532.10A	591.10B/532.10A	----	562.60 - 46.10	.9843	----	----	----	----	14 UNCH
3975	----	----	----/505.70A	567.20B/505.70A	----	537.70 - 46.10	.9822	----	----	----	----	106 UNCH
3990	----	----	----	414.30B/606.80A	----	522.80 - 46.10	.9810	----	----	----	----	1 UNCH
3995	----	----	----/487.60A	546.30B/487.60A	----	517.90 - 46.00	.9808	----	----	----	----	5 UNCH
4000	542.00	542.00	543.20B/479.70A	543.20B/479.70A	----	512.90 - 46.10	.9807	----	----	3	----	860 + 1
4005	----	----	----/477.50A	536.40B/477.50A	----	507.90 - 46.10	.9798	----	----	----	----	10 UNCH
4010	----	----	----	393.80B/587.10A	----	503.00 - 46.00	.9796	----	----	----	----	1 UNCH
4020	----	----	----	383.40B/577.20A	----	493.00 - 46.10	.9785	----	----	----	----	2 UNCH
4025	----	----	----/457.70A	516.50B/457.70A	----	488.10 - 46.00	.9783	----	----	----	----	51 UNCH
4030	----	----	----	373.30B/567.30A	----	483.10 - 46.00	.9782	----	----	----	----	1 UNCH
4040	----	----	----/431.40A	472.70B/431.40A	----	473.20 - 46.00	.9770	----	----	----	----	1 UNCH
4050	----	----	----/421.60A	492.60B/421.60A	----	463.20 - 46.00	.9758	----	----	----	----	184 UNCH
4060	----	----	----/411.70A	481.70B/411.70A	----	453.30 - 46.00	.9754	----	----	----	----	25 UNCH
4070	----	----	----/401.70A	471.80B/401.70A	----	443.40 - 45.90	.9742	----	----	----	----	10 UNCH
4075	----	----	----/396.80A	466.80B/396.80A	----	438.40 - 45.90	.9739	----	----	----	----	64 UNCH
4090	----	----	----/382.10A	451.90B/382.10A	----	423.60 - 45.80	.9716	----	----	----	----	34 UNCH
4100	----	----	----/372.40A	443.80B/372.40A	----	413.70 - 45.80	.9703	----	----	----	----	682 UNCH
4105	----	----	----/367.60A	437.50B/367.60A	----	408.80 - 45.70	.9692	----	----	----	----	50 UNCH
4110	----	----	----/362.80A	406.50B/362.80A	----	403.80 - 45.80	.9689	----	----	----	----	2 UNCH
4115	----	----	----/357.70A	427.20B/357.70A	----	398.90 - 45.70	.9678	----	----	----	----	5 UNCH
4125	----	----	----/348.20A	418.20B/348.20A	----	389.10 - 45.60	.9655	----	----	----	----	95 UNCH
4135	----	----	----/338.50A	407.40B/338.50A	----	379.20 - 45.60	.9640	----	----	----	----	16 UNCH
4150	349.80	349.80	349.80/324.00A	394.30B/324.00A	----	364.40 - 45.50	.9613	----	----	1	----	263 UNCH
4155	----	----	----/319.10A	387.60B/319.10A	----	359.50 - 45.50	.9601	----	----	----	----	5 UNCH
4170	----	----	----/304.60A	373.30B/304.60A	----	344.70 - 45.50	.9572	----	----	----	----	51 UNCH
4175	----	----	----/300.00A	367.90B/300.00A	----	339.80 - 45.40	.9559	----	----	----	----	61 UNCH
4195	----	----	----/280.90A	336.00B/280.90A	----	320.30 - 45.30	.9506	----	----	----	----	1 UNCH
4200	346.90	346.90	346.90/276.30A	346.90/276.30A	----	315.40 - 45.20	.9484	----	----	8	----	2043 - 6
4210	286.90	286.90	286.90/266.70A	337.00B/266.70A	----	305.70 - 45.10	.9448	----	----	1	----	1533 UNCH
4220	----	----	----/257.40A	327.30B/257.40A	----	296.00 - 45.00	.9419	----	----	----	----	84 UNCH
4225	----	----	----/252.80A	328.00B/252.80A	----	291.10 - 45.00	.9396	----	----	----	----	15 UNCH
4235	----	----	357.50B/243.50A	357.50B/243.50A	----	281.40 - 45.00	.9357	----	----	----	----	6 UNCH
4240	----	----	352.90B/238.90A	352.90B/238.90A	----	276.60 - 44.90	.9333	----	----	----	----	53 UNCH
4245	----	----	347.80B/234.30A	347.80B/234.30A	----	271.80 - 44.80	.9316	----	----	----	----	263 UNCH
4250	----	----	342.90B/229.70A	342.90B/229.70A	----	267.00 - 44.70	.9292	----	----	----	----	921 UNCH
4255	----	----	337.80B/225.10A	337.80B/225.10A	----	262.20 - 44.70	.9267	----	----	----	----	6 UNCH
4260	----	----	332.90B/220.60A	332.90B/220.60A	----	257.40 - 44.60	.9242	----	----	----	----	1 UNCH
4265	----	----	328.20B/216.10A	328.20B/216.10A	----	252.60 - 44.60	.9216	----	----	----	----	87 UNCH
4270	----	----	323.10B/211.60A	323.10B/211.60A	----	247.80 - 44.50	.9190	----	----	----	----	10 UNCH
4280	----	----	313.40B/202.60A	313.40B/202.60A	----	238.30 - 44.30	.9129	----	----	----	----	1 UNCH
4285	----	----	308.50B/198.20A	308.50B/198.20A	----	233.50 - 44.30	.9094	----	----	----	----	1 UNCH
4300	205.30	205.30	294.00B/185.10A	294.00B/185.10A	----	219.40 - 44.00	.8994	----	----	20	----	2187 + 18
4305	----	----	289.10B/180.70A	289.10B/180.70A	----	214.70 - 43.90	.8950	----	----	----	----	1 UNCH
4310	----	----	284.40B/176.40A	284.40B/176.40A	----	210.10 - 43.80	.8912	----	----	----	----	23 UNCH
4315	----	----	279.40B/172.20A	279.40B/172.20A	----	205.40 - 43.70	.8867	----	----	----	----	1 UNCH
4320	----	----	274.70B/167.80A	274.70B/167.80A	----	200.80 - 43.50	.8828	----	----	----	----	63 UNCH
4325	----	----	269.90B/163.60A	269.90B/163.60A	----	196.20 - 43.40	.8782	----	----	----	----	73 UNCH
4335	----	----	260.50B/155.30A	260.50B/155.30A	----	187.10 - 43.10	.8680	----	----	----	----	13 UNCH
4340	----	----	255.50B/151.40A	255.50B/151.40A	----	182.60 - 42.90	.8625	----	----	----	----	17 UNCH
4345	----	----	250.60B/147.40A	250.60B/147.40A	----	178.10 - 42.80	.8569	----	----	----	----	2 UNCH
4350	----	----	246.00B/143.40A	246.00B/143.40A	----	173.60 - 42.60	.8512	----	----	1	----	1457 + 1
4355	----	----	241.20B/139.40A	241.20B/139.40A	----	169.10 - 42.50	.8455	----	----	----	----	129 UNCH
4360	----	----	236.50B/135.50A	236.50B/135.50A	----	164.70 - 42.30	.8390	----	----	----	----	42 UNCH
4365	----	----	231.70B/131.50A	231.70B/131.50A	----	160.30 - 42.10	.8325	----	----	----	----	4 UNCH
4370	----	----	226.90B/127.70A	226.90B/127.70A	----	155.90 - 41.90	.8258	----	----	----	----	3 UNCH
4375	----	----	222.40B/123.90A	222.40B/123.90A	----	151.60 - 41.70	.8185	----	----	1	----	106 - 1
4380	----	----	217.70B/120.00A	217.70B/120.00A	----	147.30 - 41.50	.8111	----	----	----	----	341 UNCH
4385	----	----	213.00B/116.40A	213.00B/116.40A	----	143.00 - 41.30	.8036	----	----	----	----	3 UNCH
4390	----	----	208.50B/112.90A	208.50B/112.90A	----	138.80 - 41.00	.7955	----	----	----	----	16 UNCH
4395	----	----	203.70B/109.10A	203.70B/109.10A	----	134.60 - 40.80	.7873	----	----	----	----	10 UNCH
4400	142.10	142.10	199.50B/105.70A	199.50B/105.70A	----	130.50 - 40.40	.7784	----	----	35	----	1485 + 3
4405	113.30	113.30	194.60B/102.30A	194.60B/102.30A	----	126.40 - 40.20	.7694	----	----	1	----	1 + 1
4410	----	----	190.10B/98.80A	190.10B/98.80A	----	122.40 - 39.80	.7604	----	----	----	----	39 UNCH
4415	----	----	185.60B/95.40A	185.60B/95.40A	----	118.40 - 39.50	.7507	----	----	----	----	176 UNCH
4420	----	----	181.10B/*92.00A	181.10B/*92.00A	----	114.40 - 39.20	.7405	----	----	----	----	3 UNCH
4425	----	----	176.70B/89.20A	176.70B/89.20A	----	110.50 - 38.90	.7302	----	----	----	----	274 UNCH
4430	131.60	131.60	172.30B/*85.90A	172.30B/*85.90A	----	106.70 - 38.50	.7198	----	----	1	----	24 UNCH
4435	----	----	167.90B/*83.30A	167.90B/*83.30A	----	102.90 - 38.20	.7085	----	----	----	----	21 UNCH
4440	----	----	163.70B/*80.10A	163.70B/*80.10A	----	99.20 - 37.80	.6974	----	----	----	----	20 UNCH
4445	----	----	159.30B/*77.40A	159.30B/*77.40A	----	95.50 - 37.40	.6856	----	----	----	----	5 UNCH
4450	74.10	74.10	155.00B/74.00A	155.00B/74.00A	----	91.90 - 37.00	.6736	----	----	50	----	485 - 7
4455	----	----	150.70B/*71.40A	150.70B/*71.40A	----	88.40 - 36.50	.6615	----	----	----	----	6 UNCH
4460	----	----	146.40B/*68.50A	146.40B/*68.50A	----	84.90 - 36.10	.6487	----	----	----	----	20 UNCH
4465	----	----	142.30B/*65.50A	142.30B/*65.50A	----	81.50 - 35.60	.6358	----	----	----	----	28 UNCH
4470	----	----	138.10B/*62.60A	138.10B/*62.60A	----	78.20 - 35.10	.6228	----	----	2	----	24 UNCH
4475	----	----	134.20B/*59.50A	134.20B/*59.50A	----	74.90 - 34.70	.6093	----	----	----	----	21 UNCH
4480	----	----	130.10B/*56.70A	130.10B/*56.70A	----	71.70 - 34.20	.5956	----	----	----	----	59 UNCH
4485	----	----	125.90B/*54.00A	125.90B/*54.00A	----	68.60 - 33.60	.5818	----	----	10	----	14 + 3
4490	52.00	52.00	122.10B/*51.40A	122.10B/*51.40A	----	65.60 - 33.10	.5676	----	----	25	----	89 + 9
4495	61.40	61.40	118.10B/*48.80A	118.10B/*48.80A	----	62.60 - 32.60	.5533	----	----	45	----	41 + 29
4500	68.30	68.30	114.60B/46.30A	114.60B/46.30A	----	59.70 - 32.00	.5388	----	----	262	----	5545 + 65
4505	49.50	49.50	110.60B/*44.10A	110.60B/*44.10A	----	56.90 - 31.40	.5242	----	----	59	----	81 + 28
4510	56.50	56.50	107.10B/*41.60A	107.10B/*41.60A	----	54.20 - 30.80	.5094	----	----	12	----	1481 + 4
4515	72.30	72.30	103.30B/*39.50A	103.30B/*39.50A	----	51.60 - 30.20	.4945	----	----	120	----	161 + 62
4520	49.00	49.00	99.70B/*37.30A	99.70B/*37.30A	----	49.00 - 29.60	.4795	----	----	2	----	104 + 1
4525	54.90	54.90	96.20B/*35.20A	96.20B/*35.20A	----	46.50 - 29.00	.4644	----	----	26	----	420 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4530	52.30	52.30	92.90B/*33.40A	92.90B/*33.40A	----	44.20 - 28.20	.4495	----	----	54	----	134 + 9
4535	46.70	46.70	89.30B/*31.50A	89.30B/*31.50A	----	41.90 - 27.60	.4345	----	----	43	----	79 - 24
4540	35.50	35.50	86.00B/*29.60A	86.00B/*29.60A	----	39.60 - 27.00	.4194	----	----	10	----	129 + 6
4545	53.60	53.60	82.50B/*28.00A	82.50B/*28.00A	----	37.50 - 26.30	.4045	----	----	4	----	46 + 2
4550	74.00	74.00	80.00/26.30A	80.00/26.30A	----	35.50 - 25.50	.3898	----	----	291	250	780 + 181
4555	56.50	56.50	76.50B/*24.70A	76.50B/*24.70A	----	33.50 - 24.90	.3751	----	----	2	----	75 + 1
4560	54.00	54.00	73.80B/*23.20A	73.80B/*23.20A	----	31.60 - 24.20	.3605	----	----	27	----	185 - 1
4565	62.00	62.00	70.90B/*21.80A	70.90B/*21.80A	----	29.80 - 23.50	.3462	----	----	6	----	158 UNCH
4570	56.00	56.00	68.10B/*20.50A	68.10B/*20.50A	----	28.10 - 22.80	.3321	----	----	12	----	67 + 3
4575	54.10	54.10	65.20B/*19.20A	65.20B/*19.20A	----	26.50 - 22.00	.3184	----	----	31	----	187 + 11
4580	51.40	51.40	62.30B/*18.00A	62.30B/*18.00A	----	25.00 - 21.20	.3050	----	----	37	----	73 - 3
4585	50.90	50.90	59.80B/*16.90A	59.80B/*16.90A	----	23.50 - 20.50	.2917	----	----	12	----	241 - 4
4590	19.30	19.30	57.30B/*15.80A	57.30B/*15.80A	----	22.10 - 19.80	.2787	----	----	17	----	242 + 7
4595	19.20	19.20	54.60B/*14.80A	54.60B/*14.80A	----	20.80 - 19.10	.2663	----	----	23	----	59 + 18
4600	52.00	52.00	52.20B/13.90A	52.20B/13.90A	----	19.50 - 18.40	.2538	----	----	488	----	5386 + 63
4605	17.00	17.00	49.80B/*13.00A	49.80B/*13.00A	----	18.30 - 17.70	.2418	----	----	17	----	162 + 5
4610	22.50	22.50	47.50B/*12.20A	47.50B/*12.20A	----	17.20 - 17.00	.2305	----	----	68	----	117 - 10
4615	15.40	15.40	45.30B/*11.40A	45.30B/*11.40A	----	16.20 - 16.30	.2197	----	----	52	----	53 + 15
4620	22.20	22.20	43.00B/*10.70A	43.00B/*10.70A	----	15.20 - 15.60	.2090	----	----	21	----	99 + 10
4625	23.60	23.60	40.90B/*10.00A	40.90B/*10.00A	----	14.20 - 15.00	.1982	----	----	120	300	677 + 250
4630	22.50	22.50	39.00B/*9.40A	39.00B/*9.40A	----	13.30 - 14.30	.1882	----	----	51	----	62 + 34
4635	14.10	14.10	37.00B/*8.70A	37.00B/*8.70A	----	12.50 - 13.60	.1788	----	----	208	----	180 + 72
4640	12.00	12.00	35.10B/*8.20A	35.10B/*8.20A	----	11.70 - 13.00	.1695	----	----	42	----	73 + 4
4645	10.10	10.10	33.20B/*7.70A	33.20B/*7.70A	----	10.90 - 12.50	.1602	----	----	22	----	27 + 7
4650	31.40	31.40	33.00/*7.20	33.00/*7.20	----	10.20 - 11.90	.1517	----	----	191	300	3039 + 254
4655	10.20	10.20	30.20B/*6.80A	30.20B/*6.80A	----	9.60 - 11.30	.1441	----	----	23	----	96 + 17
4660	25.00	25.00	28.40B/*6.30A	28.40B/*6.30A	----	8.90 - 10.80	.1356	----	----	3	----	139 UNCH
4665	8.70	8.70	26.80B/*5.90A	26.80B/*5.90A	----	8.40 - 10.20	.1289	----	----	17	----	82 + 2
4670	7.40	7.40	25.40B/*5.60A	25.40B/*5.60A	----	7.80 - 9.80	.1213	----	----	7	----	168 - 4
4675	6.70	6.70	23.90B/*5.20A	23.90B/*5.20A	----	7.30 - 9.30	.1146	----	----	19	----	730 + 2
4680	14.10	14.10	22.50B/*4.90A	22.50B/*4.90A	----	6.80 - 8.80	.1080	----	----	25	----	235 + 9
4685	6.90	6.90	21.20B/*4.60A	21.20B/*4.60A	----	6.40 - 8.40	.1024	----	----	19	----	84 + 8
4690	6.50	6.50	20.40B/*4.40A	20.40B/*4.40A	----	6.00 - 7.90	.0968	----	----	15	100	72 - 96
4695	5.90	5.90	19.10B/*4.10A	19.10B/*4.10A	----	5.60 - 7.50	.0912	----	----	16	----	100 - 1
4700	16.50	16.50	18.00B/*3.90A	18.00B/*3.90A	----	5.30 - 7.10	.0867	----	----	978	----	3329 - 221
4705	4.80	4.80	17.00B/*3.60A	17.00B/*3.60A	----	4.90 - 6.80	.0811	----	----	5	----	60 UNCH
4710	8.70	8.70	16.00B/*3.50A	16.00B/*3.50A	----	4.60 - 6.40	.0767	----	----	32	----	91 + 3
4715	4.20	4.20	14.90B/*3.30A	14.90B/*3.30A	----	4.40 - 6.00	.0733	----	----	11	----	70 UNCH
4720	9.20	9.20	14.30B/*3.10A	14.30B/*3.10A	----	4.10 - 5.70	.0690	----	----	2	----	344 + 1
4725	12.00	12.00	13.50B/*2.90A	13.50B/*2.90A	----	3.90 - 5.40	.0657	----	----	130	----	378 - 14
4730	----	----	12.70B/*2.80A	12.70B/*2.80A	----	3.60 - 5.10	.0614	----	----	1	----	82 UNCH
4735	6.90	6.90	11.90B/*2.60A	11.90B/*2.60A	----	3.40 - 4.80	.0582	----	----	16	----	387 UNCH
4740	3.30	3.30	11.30B/*2.50A	11.30B/*2.50A	----	3.30 - 4.50	.0562	----	----	5	----	79 UNCH
4745	7.80	7.80	10.60B/*2.40A	10.60B/*2.40A	----	3.10 - 4.30	.0531	----	----	5	----	74 - 3
4750	7.00	7.00	10.10B/*2.30A	10.10B/*2.30A	----	2.90 - 4.10	.0500	----	----	586	300	2889 + 88
4755	----	----	9.60B/*2.10A	9.60B/*2.10A	----	2.80 - 3.80	.0481	----	----	----	----	136 UNCH
4760	2.70	2.70	9.00B/*2.10A	9.00B/*2.10A	----	2.60 - 3.60	.0451	----	----	349	----	437 + 313
4765	2.60	2.60	8.60B/*2.00A	8.60B/*2.00A	----	2.50 - 3.40	.0433	----	----	8	----	99 - 2
4770	3.50	3.50	7.80B/*1.90A	7.80B/*1.90A	----	2.40 - 3.20	.0415	----	----	2	----	145 UNCH
4775	3.70	3.70	7.50B/*1.80A	7.50B/*1.80A	----	2.30 - 3.00	.0398	----	----	239	----	347 + 74
4780	2.50	2.50	6.80B/*1.70A	6.80B/*1.70A	----	2.10 - 2.90	.0368	----	----	11	----	165 + 3
4785	2.30	2.30	6.40B/*1.60A	6.40B/*1.60A	----	2.00 - 2.80	.0351	----	----	7	----	96 + 3
4790	2.50	2.50	6.10B/*1.60A	6.10B/*1.60A	----	1.90 - 2.60	.0334	----	----	9	----	131 + 5
4795	----	----	5.70B/*1.60A	5.70B/*1.60A	----	1.90 - 2.40	.0330	----	----	----	----	74 UNCH
4800	5.20	5.20	6.00/*1.50A	6.00/*1.50A	----	1.80 - 2.30	.0313	----	----	458	----	5340 + 67
4805	----	----	4.90B/*1.50A	4.90B/*1.50A	----	1.70 - 2.20	.0297	----	----	----	----	78 UNCH
4810	1.70	1.70	4.70B/*1.30	4.70B/*1.30	----	1.60 - 2.10	.0280	----	----	10	----	83 + 1
4815	----	----	4.40B/*1.30A	4.40B/*1.30A	----	1.50 - 2.00	.0264	----	----	----	----	64 UNCH
4820	----	----	4.20B/*1.30A	4.20B/*1.30A	----	1.50 - 1.80	.0261	----	----	16	----	310 - 16
4825	----	----	4.10B/*1.30A	4.10B/*1.30A	----	1.40 - 1.80	.0245	----	----	----	----	720 UNCH
4830	----	----	3.70B/*1.20A	3.70B/*1.20A	----	1.40 - 1.60	.0243	----	----	----	----	298 UNCH
4835	1.40	1.40	3.50B/*1.20	3.50B/*1.20	----	1.30 - 1.60	.0227	----	----	5	----	44 UNCH
4840	----	----	3.40B/*1.10A	3.40B/*1.10A	----	1.30 - 1.40	.0224	----	----	38	----	217 - 19
4845	----	----	3.10B/*1.10A	3.10B/*1.10A	----	1.20 - 1.40	.0209	----	----	----	----	53 UNCH
4850	2.00	2.00	2.90B/*1.00	2.90B/*1.00	----	1.20 - 1.30	.0207	----	----	772	----	1997 - 200
4855	----	----	2.70B/*1.00A	2.70B/*1.00A	----	1.10 - 1.30	.0192	----	----	----	----	434 UNCH
4860	1.20	1.20	2.60B/*0.90A	2.60B/*0.90A	----	1.10 - 1.10	.0190	----	----	16	----	194 - 14
4865	1.10	1.10	2.40B/*0.90A	2.40B/*0.90A	----	1.10 - 1.00	.0188	----	----	10	----	89 + 2
4870	----	----	2.30B/*0.90A	2.30B/*0.90A	----	1.00 - 1.10	.0173	----	----	1	----	58 - 1
4875	1.50	1.50	2.20B/*0.90A	2.20B/*0.90A	----	1.00 - 1.00	.0171	----	----	3	----	346 - 1
4880	----	----	2.10B/*0.80A	2.10B/*0.80A	----	1.00 - 0.90	.0169	----	----	----	----	128 UNCH
4885	----	----	2.00B/*0.80A	2.00B/*0.80A	----	0.90 - 0.90	.0155	----	----	----	----	211 UNCH
4890	----	----	1.90B/*0.80A	1.90B/*0.80A	----	0.90 - 0.80	.0153	----	----	----	----	279 UNCH
4895	0.60	0.60	1.80B/*0.60	1.80B/*0.60	----	0.90 - 0.80	.0152	----	----	3	----	440 UNCH
4900	1.10	1.10	1.70B/0.70	1.70B/0.70	----	0.90 - 0.70	.0150	----	----	134	----	3747 - 50
4905	----	----	1.70B/*0.80A	1.70B/*0.80A	----	0.80 - 0.70	.0136	----	----	----	----	51 UNCH
4910	1.00	1.00	1.60B/*0.80A	1.60B/*0.80A	----	0.80 - 0.70	.0134	----	----	1	----	77 UNCH
4915	----	----	1.50B/0.80A	1.50B/0.80A	----	0.80 - 0.60	.0133	----	----	----	----	334 UNCH
4920	----	----	----/*0.70A	1.40B/*0.70A	----	0.80 - 0.60	.0132	----	----	----	----	259 UNCH
4925	----	----	1.40B/*0.70A	1.40B/*0.70A	----	0.80 - 0.50	.0131	----	----	----	----	233 UNCH
4930	0.70	0.70	0.70/*0.70	1.20B/*0.70	----	0.80 - 0.50	.0130	----	----	2	----	259 - 2
4935	----	----	----/0.70A	1.30B/0.70A	----	0.70 - 0.60	.0116	----	----	----	----	117 UNCH
4940	0.80	0.80	0.80/0.70A	1.20B/0.70A	----	0.70 - 0.50	.0115	----	----	25	----	799 + 1
4945	----	----	----/0.70A	1.10B/0.70A	----	0.70 - 0.50	.0114	----	----	1	----	392 UNCH
4950	0.80	0.80	0.80/0.70A	1.10B/0.70A	----	0.70 - 0.40	.0113	----	----	2	----	1862 UNCH
4955	----	----	----/0.70A	1.00B/0.70A	----	0.70 - 0.40	.0112	----	----	----	----	151 UNCH
4960	----	----	----/0.60A	1.00B/0.60A	----	0.60 - 0.50	.0098	----	----	----	----	399 UNCH
4965	----	----	----/0.70A	0.90B/0.70A	----	0.60 - 0.40	.0097	----	----	----	----	146 UNCH
4970	----	----	----/0.60A	0.90B/0.60A	----	0.60 - 0.40	.0097	----	----	----	----	203 UNCH
4975	----	----	----/0.70A	0.80B/0.70A	----	0.60 - 0.40	.0096	----	----	1	----	511 - 1
4980	----	----	----/0.60A	0.80B/0.60A	----	0.60 - 0.40	.0095	----	----	----	----	231 UNCH
4985	0.60	0.60	0.60/0.60	0.80B/0.60	----	0.60 - 0.30	.0094	----	----	34	----	221 + 34
4990	0.50	0.50	0.50/*0.40A	0.70B/*0.40A	----	0.60 - 0.30	.0094	----	----	11	----	905 - 11
4995	----	----	----/0.60A	0.70B/0.60A	----	0.60 - 0.30	.0093	----	----	----	----	156 UNCH
5000	0.80	0.80	0.80/0.40	0.80/0.40	----	0.60 - 0.20	.0092	----	----	779	----	6275 - 1295
5005	----	----	----/0.60A	0.60B/0.60A	----	0.50 - 0.30	.0079	----	----	----	----	340 UNCH
5010	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.30	.0078	----	----	----	----	206 UNCH
5015	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.30	.0078	----	----	----	----	130 UNCH
5020	----	----	----/0.50A	0.60B/0.50A	----	0.50 - 0.30	.0077	----	----	----	----	569 UNCH
5025	0.50	0.50	0.50/0.50	0.50/0.50	----	0.50 - 0.20	.0077	----	----	1	----	175 UNCH
5030	0.30	0.30	0.50/0.30	0.50/0.30	----	0.50 - 0.20	.0076	----	----	4	----	176 - 3
5035	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0076	----	----	----	----	73 UNCH
5040	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.20	.0075	----	----	----	----	272 UNCH
5045	----	----	----/0.50A	0.50B/0.50A	----	0.50 - 0.10	.0075	----	----	----	----	182 UNCH
5050	----	----	----/0.50A	0.40B/0.50A	----	0.50 - 0.10	.0074	----	----	6	----	1402 - 4
5055	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.10	.0074	----	----	----	----	60 UNCH
5060	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.10	.0073	----	----	----	----	142 UNCH
5065	----	----	----/*0.40A	0.40B/*0.40A	----	0.50 - 0.10	.0073	----	----	----	----	35 UNCH
5070	----	----	----/*0.40A	0.40B/*0.40A	----	0.50 UNCH	.0072	----	----	----	----	147 UNCH
5075	----	----	----/0.40A	0.30B/0.40A	----	0.50 UNCH	.0072	----	----	----	----	798 UNCH
5080	0.50	0.50	0.60/0.40A	0.60/0.40A	----	0.50 UNCH	.0071	----	----	182	----	490 + 65
5085	----	----	----/0.40A	0.30B/0.40A	----	0.50 UNCH	.0071	----	----	----	----	230 UNCH
5090	----	----	----/0.40A	0.30B/0.40A	----	0.50 UNCH	.0070	----	----	----	----	86 UNCH
5095	----	----	----	0.30B/0.50A	----	0.50 UNCH	.0070	----	----	----	----	98 UNCH
5100	0.40	0.40	0.60B/0.30	0.60B/0.30	----	0.50 UNCH	.0069	----	----	41	----	4911 - 5
5105	----	----	----	0.30B/0.50A	----	0.50 + 0.10	.0069	----	----	----	----	55 UNCH
5110	0.40	0.40	0.50/0.40	0.50/0.40	----	0.50 + 0.10	.0068	----	----	35	----	151 + 15
5115	----	----	----	0.30B/0.50A	----	0.50 + 0.10	.0068	----	----	----	----	186 UNCH
5120	----	----	----	0.20B/0.50A	----	0.50 + 0.10	.0068	----	----	----	----	160 UNCH
5125	----	----	----	0.20B/0.50A	----	0.50 + 0.10	.0067	----	----	----	----	319 UNCH
5130	----	----	----	0.20B/0.50A	----	0.50 + 0.10	.0067	----	----	----	----	91 UNCH
5135	----	----	----	0.20B/0.50A	----	0.50 + 0.10	.0066	----	----	----	----	80 UNCH
5140	----	----	----	0.20B/0.50A	----	0.50 + 0.20	.0066	----	----	----	----	144 UNCH
5145	----	----	----	0.20B/0.50A	----	0.50 + 0.20	.0066	----	----	----	----	28 UNCH
5150	0.30	0.30	0.30/0.30	0.30/0.30	----	0.50 + 0.20	.0065	----	----	2	----	2259 UNCH
5155	----	----	----	0.10B/0.50A	----	0.50 + 0.20	.0065	----	----	----	----	41 UNCH
5160	----	----	----	0.10B/0.50A	----	0.50 + 0.20	.0064	----	----	----	----	115 UNCH
5165	----	----	----	0.10B/0.50A	----	0.50 + 0.20	.0064	----	----	----	----	154 UNCH
5170	----	----	----	0.10B/0.50A	----	0.50 + 0.20	.0064	----	----	----	----	360 UNCH
5175	----	----	----	0.10B/0.50A	----	0.50 + 0.20	.0063	----	----	----	----	72 UNCH
5180	----	----	----	0.10B/0.40A	----	0.50 + 0.20	.0063	----	----	----	----	72 UNCH
5185	----	----	----	0.10B/0.40A	----	0.50 + 0.20	.0063	----	----	----	----	120 UNCH
5190	----	----	----	0.10B/0.40A	----	0.40 + 0.10	.0052	----	----	----	----	497 UNCH
5195	----	----	----	0.10B/0.40A	----	0.40 + 0.10	.0052	----	----	----	----	525 UNCH
5200	----	----	----	0.10B/0.40A	----	0.40 + 0.10	.0051	----	----	----	----	5907 - 198
5205	----	----	----	0.10B/0.40A	----	0.40 + 0.10	.0051	----	----	----	----	94 UNCH
5210	0.40	0.40	0.40/0.40	0.40/0.40	----	0.40 + 0.20	.0051	----	----	13	----	3061 - 13

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5215	----	----	----	0.10B/0.40A	----	0.40 + 0.20	.0051	----	----	----	----	90 UNCH
5220	----	----	----	0.10B/0.40A	----	0.40 + 0.20	.0050	----	----	----	----	215 UNCH
5225	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.40 + 0.20	.0050	----	----	1	----	771 UNCH
5230	----	----	----	0.10B/0.40A	----	0.40 + 0.20	.0050	----	----	----	----	124 UNCH
5235	----	----	----	0.10B/0.40A	----	0.40 + 0.20	.0049	----	----	----	----	280 UNCH
5240	----	----	----	0.10B/0.40A	----	0.40 + 0.20	.0049	----	----	----	----	68 UNCH
5245	----	----	----	0.10B/0.40A	----	0.40 + 0.20	.0049	----	----	----	----	30 UNCH
5250	----	----	----	0.20B/0.40A	----	0.40 + 0.20	.0049	----	----	----	----	4371 UNCH
5255	----	----	----	0.10B/0.40A	----	0.40 + 0.20	.0048	----	----	----	----	284 UNCH
5260	----	----	----	0.10B/0.40A	----	0.40 + 0.20	.0048	----	----	----	----	374 UNCH
5265	----	----	----	0.10B/0.40A	----	0.40 + 0.20	.0048	----	----	----	----	53 UNCH
5270	----	----	----	0.10B/0.40A	----	0.40 + 0.20	.0048	----	----	----	----	47 UNCH
5275	----	----	0.30B/----	0.30B/0.40A	----	0.40 + 0.20	.0048	----	----	----	----	128 UNCH
5280	----	----	----	0.10B/0.40A	----	0.40 + 0.20	.0047	----	----	----	----	98 UNCH
5285	----	----	----	0.10B/0.40A	----	0.40 + 0.20	.0047	----	----	----	----	167 UNCH
5290	----	----	0.30B/----	0.30B/0.40A	----	0.40 + 0.20	.0047	----	----	----	----	36 UNCH
5295	----	----	----	0.10B/0.40A	----	0.40 + 0.20	.0047	----	----	----	----	103 UNCH
5300	----	----	----	0.20B/0.40A	----	0.40 + 0.20	.0046	----	----	1	----	3515 - 819
5305	----	----	----	0.10B/0.40A	----	0.40 + 0.20	.0046	----	----	----	----	303 UNCH
5310	0.30	0.30	0.30/0.30	0.30/0.30	----	0.40 + 0.20	.0046	----	----	4	----	126 UNCH
5315	----	----	----	0.10B/0.40A	----	0.40 + 0.20	.0046	----	----	----	----	83 UNCH
5320	----	----	----	0.10B/0.40A	----	0.40 + 0.30	.0046	----	----	----	----	149 UNCH
5325	----	----	----	0.10B/0.40A	----	0.40 + 0.30	.0045	----	----	----	----	179 UNCH
5330	----	----	----	0.10B/0.40A	----	0.40 + 0.30	.0045	----	----	----	----	84 UNCH
5335	----	----	----	0.10B/0.40A	----	0.40 + 0.30	.0045	----	----	----	----	26 UNCH
5340	----	----	----	0.10B/0.40A	----	0.40 + 0.30	.0045	----	----	----	----	80 UNCH
5345	----	----	----	0.10B/0.40A	----	0.30 + 0.20	.0035	----	----	----	----	26 UNCH
5350	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.30 + 0.20	.0035	----	----	3	----	1978 + 3
5355	----	----	----	0.10B/0.30A	----	0.30 + 0.20	.0035	----	----	----	----	20 UNCH
5360	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.30 + 0.20	.0035	----	----	5	----	63 UNCH
5365	----	----	----	----/0.30A	----	0.30 + 0.20	.0034	----	----	----	----	13 UNCH
5370	----	----	----	----/0.30A	----	0.30 + 0.20	.0034	----	----	----	----	79 UNCH
5375	----	----	----	----/0.30A	----	0.30 + 0.20	.0034	----	----	----	----	285 UNCH
5380	----	----	----	----/0.30A	----	0.20 + 0.10	.0024	----	----	----	----	99 UNCH
5385	----	----	----	----/0.30A	----	0.20 + 0.10	.0024	----	----	----	----	11 UNCH
5390	----	----	----	----/0.30A	----	0.20 + 0.10	.0024	----	----	----	----	121 UNCH
5395	----	----	----	----/0.30A	----	0.20 + 0.10	.0024	----	----	----	----	48 UNCH
5400	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.20 + 0.10	.0024	----	----	3	----	5059 - 49
5405	----	----	----	----/0.30A	----	0.20 + 0.10	.0024	----	----	----	----	84 UNCH
5410	----	----	----	----/0.30A	----	0.20 + 0.10	.0023	----	----	----	----	37 UNCH
5415	----	----	----	----/0.30A	----	0.20 + 0.10	.0023	----	----	----	----	14 UNCH
5420	----	----	----	----/0.30A	----	0.20 + 0.10	.0023	----	----	----	----	50 UNCH
5425	----	----	----	----/0.30A	----	0.20 + 0.10	.0023	----	----	----	----	125 UNCH
5430	----	----	----	----/0.30A	----	0.10 UNCH	.0013	----	----	----	----	112 UNCH
5435	----	----	----	----/0.20A	----	0.10 UNCH	.0013	----	----	----	----	29 UNCH
5440	----	----	----	----/0.30A	----	0.10 UNCH	.0013	----	----	----	----	98 UNCH
5445	----	----	----	----/0.30A	----	0.10 UNCH	.0012	----	----	----	----	40 UNCH
5450	----	----	----	----/0.20A	----	0.10 UNCH	.0012	----	----	----	----	1490 UNCH
5455	----	----	----	----/0.30A	----	0.10 UNCH	.0012	----	----	----	----	185 UNCH
5460	----	----	----	----/0.30A	----	0.10 UNCH	.0012	----	----	----	----	130 UNCH
5465	----	----	----	----/0.30A	----	0.10 UNCH	.0012	----	----	----	----	39 UNCH
5470	----	----	----	----/0.30A	----	0.10 UNCH	.0012	----	----	----	----	38 UNCH
5475	----	----	----	----/0.30A	----	0.10 UNCH	.0012	----	----	----	----	79 UNCH
5480	0.20	0.20	0.20/0.20	0.20/0.20	----	0.10 UNCH	.0012	----	----	1	----	128 UNCH
5485	----	----	----	----/0.30A	----	0.10 UNCH	.0012	----	----	----	----	13 UNCH
5490	----	----	----	----/0.20A	----	0.10 UNCH	.0012	----	----	----	----	189 UNCH
5495	----	----	----	----/0.20A	----	0.10 UNCH	.0012	----	----	----	----	80 UNCH
5500	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0012	----	----	25	----	5488 + 20
5505	----	----	----	----/0.20A	----	0.10 UNCH	.0012	----	----	----	----	16 UNCH
5510	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0012	----	----	5	----	190 + 5
5515	0.20	0.20	0.20/0.20	0.20/0.20	----	0.10 UNCH	.0012	----	----	4	----	40 + 2
5520	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0012	----	----	5	----	36 + 5
5525	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0012	----	----	10	----	182 + 9
5530	----	----	----	----/0.20A	----	0.10 UNCH	.0012	----	----	----	----	39 UNCH
5535	----	----	----	----/0.30A	----	0.10 UNCH	.0012	----	----	----	----	13 UNCH
5540	----	----	----	----/*0.10A	----	0.10 UNCH	.0012	----	----	----	----	291 UNCH
5545	----	----	----	----/0.30A	----	0.10 UNCH	.0012	----	----	----	----	19 UNCH
5550	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0011	----	----	10	----	782 + 10
5555	----	----	----	----/0.30A	----	0.10 UNCH	.0011	----	----	----	----	4 UNCH
5560	----	----	----	----/*0.10A	----	0.10 UNCH	.0011	----	----	----	----	52 UNCH
5565	----	----	----	----/0.20A	----	0.10 UNCH	.0011	----	----	----	----	14 UNCH
5570	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0011	----	----	4	----	36 UNCH
5575	----	----	----	----/*0.10A	----	0.10 UNCH	.0011	----	----	----	----	60 UNCH
5580	----	----	----	----/0.30A	----	0.10 UNCH	.0011	----	----	----	----	14 UNCH
5585	----	----	----	----/0.30A	----	0.10 UNCH	.0011	----	----	----	----	11 UNCH
5590	----	----	----	----/*0.10A	----	0.10 UNCH	.0011	----	----	----	----	99 UNCH
5595	----	----	----	----/*0.10A	----	0.10 UNCH	.0011	----	----	----	----	42 UNCH
5600	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0011	----	----	1	----	2366 UNCH
5610	----	----	----	----/*0.10A	----	0.10 UNCH	.0011	----	----	----	----	78 UNCH
5620	----	----	----	----/*0.10A	----	0.10 UNCH	.0011	----	----	----	----	66 UNCH
5625	----	----	----	----/*0.10A	----	0.10 UNCH	.0011	----	----	----	----	405 UNCH
5630	----	----	----	----/0.10A	----	0.10 UNCH	.0011	----	----	----	----	329 UNCH
5640	----	----	----	----/*0.10A	----	0.10 UNCH	.0011	----	----	----	----	74 UNCH
5650	----	----	----	----/*0.10A	----	0.10 UNCH	.0011	----	----	----	----	730 UNCH
5660	----	----	----	----/*0.10A	----	0.10 UNCH	.0011	----	----	----	----	42 UNCH
5665	----	----	----	----/0.30A	----	0.10 UNCH	.0011	----	----	----	----	6 UNCH
5670	----	----	----	----/*0.10A	----	0.10 UNCH	.0011	----	----	----	----	119 UNCH
5675	----	----	----	----/0.30A	----	0.10 UNCH	.0011	----	----	----	----	22 UNCH
5680	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0010	----	----	2	----	47 UNCH
5690	----	----	----	----/*0.10A	----	0.10 UNCH	.0010	----	----	----	----	180 UNCH
5700	----	----	----	----/0.10A	----	0.10 UNCH	.0010	----	----	----	----	1749 - 464
5710	----	----	----	----/*0.10A	----	0.10 UNCH	.0010	----	----	----	----	41 UNCH
5720	----	----	----	----/0.30A	----	0.10 UNCH	.0010	----	----	----	----	18 UNCH
5725	----	----	----	----/*0.10A	----	0.10 UNCH	.0010	----	----	----	----	36 UNCH
5730	----	----	----	----/*0.10A	----	0.10 UNCH	.0010	----	----	----	----	59 UNCH
5740	----	----	----	----/0.10A	----	0.10 UNCH	.0010	----	----	----	----	62 UNCH
5750	----	----	----	----/0.10A	----	0.10 UNCH	.0010	----	----	----	----	1691 UNCH
5760	----	----	----	----/0.10A	----	0.10 UNCH	.0010	----	----	----	----	18 UNCH
5770	----	----	----	----/0.30A	----	0.10 UNCH	.0010	----	----	----	----	32 UNCH
5775	----	----	----	----/0.10A	----	0.10 UNCH	.0010	----	----	----	----	167 UNCH
5780	----	----	----	----/0.10A	----	0.10 UNCH	.0010	----	----	----	----	219 UNCH
5790	----	----	----	----/0.30A	----	0.10 UNCH	.0010	----	----	----	----	11 UNCH
5800	----	----	----	----/0.10A	----	0.10 UNCH	.0010	----	----	----	----	2881 UNCH
5810	----	----	----	----/0.10A	----	0.10 UNCH	.0010	----	----	----	----	264 UNCH
5820	----	----	----	----/0.10A	----	0.10 UNCH	.0010	----	----	----	----	35 UNCH
5825	----	----	----	----/0.30A	----	0.10 UNCH	.0010	----	----	----	----	40 UNCH
5830	----	----	----	----/0.30A	----	0.10 UNCH	.0010	----	----	----	----	17 UNCH
5840	----	----	----	----/0.10A	----	0.10 UNCH	.0009	----	----	----	----	23 UNCH
5850	----	----	----	----/0.10A	----	0.10 UNCH	.0009	----	----	----	----	472 UNCH
5860	----	----	----	----/0.30A	----	0.10 UNCH	.0009	----	----	----	----	24 UNCH
5870	----	----	----	----/0.10A	----	0.10 UNCH	.0009	----	----	----	----	37 UNCH
5875	----	----	----	----/0.10A	----	0.10 UNCH	.0009	----	----	----	----	211 UNCH
5880	----	----	----	----/0.30A	----	0.10 UNCH	.0009	----	----	----	----	17 UNCH
5890	----	----	----	----/0.10A	----	0.10 UNCH	.0009	----	----	----	----	139 UNCH
5900	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0009	----	----	1	----	1095 UNCH
5910	----	----	----	----/0.30A	----	0.10 UNCH	.0009	----	----	----	----	16 UNCH
5920	----	----	----	----/0.10A	----	0.10 UNCH	.0009	----	----	----	----	40 UNCH
5930	----	----	----	----/0.10A	----	0.10 UNCH	.0009	----	----	----	----	57 UNCH
5940	----	----	----	----/0.30A	----	0.10 UNCH	.0009	----	----	----	----	7 UNCH
5950	----	----	----	----/0.10A	----	0.10 UNCH	.0009	----	----	----	----	195 UNCH
5960	----	----	----	----/0.10A	----	0.10 UNCH	.0009	----	----	----	----	51 UNCH
5970	----	----	----	----/0.10A	----	0.10 UNCH	.0009	----	----	----	----	34 UNCH
5980	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	.0009	----	----	4	----	24 + 2
5990	----	----	----	----/0.30A	----	0.10 UNCH	.0009	----	----	----	----	13 UNCH
6000	----	----	----	----/0.10A	----	0.10 UNCH	.0009	----	----	----	----	5636 UNCH
6010	----	----	----	----/0.30A	----	0.10 UNCH	.0009	----	----	----	----	10 UNCH
6020	----	----	----	----/0.30A	----	0.10 UNCH	.0009	----	----	----	----	23 UNCH
6030	----	----	----	----/0.10A	----	0.10 UNCH	.0009	----	----	----	----	36 UNCH
6040	----	----	----	----/0.30A	----	0.10 UNCH	.0009	----	----	----	----	24 UNCH
6050	----	----	----	----/0.10A	----	0.10 UNCH	.0008	----	----	----	----	278 UNCH
6060	----	----	----	----/0.30A	----	0.10 UNCH	.0008	----	----	----	----	32 UNCH
6070	----	----	----	----/0.10A	----	0.10 UNCH	.0008	----	----	----	----	34 UNCH
6080	----	----	----	----/0.30A	----	0.10 UNCH	.0008	----	----	----	----	10 UNCH
6090	----	----	----	----/0.30A	----	0.10 UNCH	.0008	----	----	----	----	27 UNCH
6100	----	----	----	----/0.10A	----	0.10 UNCH	.0008	----	----	----	----	2409 UNCH
6110	----	----	----	----/0.10A	----	0.10 UNCH	.0008	----	----	----	----	67 UNCH
6120	----	----	----	----/0.30A	----	0.10 UNCH	.0008	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS												
JUN26														
6125	----	----	----	----/0.30A	----	0.10	UNCH	.0008	----	----	----	----	16	UNCH
6130	----	----	----	----/0.30A	----	0.10	UNCH	.0008	----	----	----	----	10	UNCH
6140	----	----	----	----/0.30A	----	0.10	UNCH	.0008	----	----	----	----	7	UNCH
6150	----	----	----	----/0.10A	----	0.10	UNCH	.0008	----	----	1	----	519	- 1
6160	----	----	----	----/0.10A	----	0.10	UNCH	.0008	----	----	----	----	134	UNCH
6170	----	----	----	----/0.30A	----	0.10	UNCH	.0008	----	----	----	----	17	UNCH
6180	----	----	----	----/0.10A	----	0.10	UNCH	.0008	----	----	----	----	75	UNCH
6190	----	----	----	----/0.30A	----	0.10	UNCH	.0008	----	----	----	----	2	UNCH
6200	----	----	----	----/0.10A	----	0.10	UNCH	.0008	----	----	----	----	4272	UNCH
6210	----	----	----	----/0.10A	----	0.10	UNCH	.0008	----	----	----	----	53	UNCH
6220	----	----	----	----/0.30A	----	0.10	UNCH	.0008	----	----	----	----	7	UNCH
6230	----	----	----	----/0.10A	----	0.10	UNCH	.0008	----	----	----	----	73	UNCH
6240	----	----	----	----/0.30A	----	0.10	UNCH	.0008	----	----	----	----	23	UNCH
6250	----	----	----	----/0.10A	----	0.10	UNCH	.0008	----	----	----	----	1321	UNCH
6260	----	----	----	----/0.30A	----	0.10	UNCH	.0008	----	----	----	----	8	UNCH
6270	----	----	----	----/0.10A	----	0.10	UNCH	.0008	----	----	----	----	147	UNCH
6280	----	----	----	----/0.30A	----	0.10	UNCH	.0008	----	----	----	----	12	UNCH
6290	----	----	----	----/0.30A	----	0.10	UNCH	.0008	----	----	----	----	19	UNCH
6300	----	----	----	----/0.10A	----	0.10	UNCH	.0008	----	----	----	----	2450	UNCH
6310	----	----	----	----/0.30A	----	0.10	UNCH	.0008	----	----	----	----	2	UNCH
6320	----	----	----	----/0.10A	----	0.10	UNCH	.0008	----	----	----	----	24	UNCH
6330	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	39	UNCH
6340	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	36	UNCH
6350	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	17	UNCH
6360	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	2	UNCH
6370	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	6	UNCH
6380	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	8	UNCH
6390	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	1	UNCH
6400	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	481	UNCH
6410	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	8	UNCH
6420	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	3	UNCH
6430	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	35	UNCH
6440	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	2	UNCH
6450	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	64	UNCH
6460	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	38	UNCH
6470	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	9	UNCH
6480	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	28	UNCH
6490	----	----	----	----/0.30A	----	0.10	UNCH	.0007	----	----	----	----	17	UNCH
6500	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	1049	UNCH
6525	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	24	UNCH
6550	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	245	UNCH
6575	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	7	UNCH
6600	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	884	UNCH
6625	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	105	UNCH
6650	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	40	UNCH
6675	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	48	UNCH
6700	----	----	----	----/0.10A	----	0.10	UNCH	.0007	----	----	----	----	1346	UNCH
6725	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	107	UNCH
6750	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	134	UNCH
6775	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	13	UNCH
6800	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	235	UNCH
6825	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	10	UNCH
6850	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	31	UNCH
6875	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	3	UNCH
6900	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	157	UNCH
6925	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	51	UNCH
6950	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	27	UNCH
6975	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	21	UNCH
7000	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	1840	UNCH
7025	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	53	UNCH
7050	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	120	UNCH
7075	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	30	UNCH
7100	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	145	UNCH
7125	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	52	UNCH
7150	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	59	UNCH
7175	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	3	UNCH
7200	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	134	UNCH
7225	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	2	UNCH
7250	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	91	UNCH
7275	----	----	----	----/0.10A	----	0.10	UNCH	.0006	----	----	----	----	1	UNCH
7300	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	150	UNCH
7325	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	14	UNCH
7350	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	3	UNCH
7375	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	20	UNCH
7400	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	47	UNCH
7425	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	20	UNCH
7450	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	5	UNCH
7475	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	8	UNCH
7500	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	1355	UNCH
7525	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	22	UNCH
7575	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	8	UNCH
7600	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	78	UNCH
7700	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	65	UNCH
7750	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	17	UNCH
7800	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	39	UNCH
7825	----	----	----	----/0.30A	----	0.10	UNCH	.0005	----	----	----	----	1	UNCH
7875	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	31	UNCH
7900	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	2	UNCH
7950	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	2	UNCH
8000	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	1064	UNCH
8100	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	4	UNCH
8200	----	----	----	----/0.10A	----	0.10	UNCH	.0005	----	----	----	----	88	UNCH
8300	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	64	UNCH
8500	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	146	UNCH
8600	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	52	UNCH
8800	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	32	UNCH
8900	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	15	UNCH
9000	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	387	UNCH
9100	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	11	UNCH
9200	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	51	UNCH
9300	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	11	UNCH
9400	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	25	UNCH
9500	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	23	UNCH
9600	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	27	UNCH
9700	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	20	UNCH
9800	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	17	UNCH
9900	----	----	----	----/0.10A	----	0.10	UNCH	.0004	----	----	----	----	27	UNCH
10000	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	363	UNCH
10100	----	----	----	----/0.30A	----	0.10	UNCH	.0003	----	----	----	----	2	UNCH
10300	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	3	UNCH
10400	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	2	UNCH
10500	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	1	UNCH
10700	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	4	UNCH
11000	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	72	UNCH
11300	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	12	UNCH
11500	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	1	UNCH
11600	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	5	UNCH
11700	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	15	UNCH
11900	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	2	UNCH
12000	----	----	----	----/0.10A	----	0.10	UNCH	.0003	----	----	----	----	406	UNCH
TOTAL											14006	1,250	179221	- 1560
JUL26														
3300	----	----	----	----	----	1245.10	- 47.10	.9898	----	----	----	----	2	UNCH
3500	----	----	----	----	----	1046.30	- 46.70	.9829	----	----	----	----	1	UNCH
3600	----	----	----/918.40A	976.00B/918.40A	----	947.20	- 46.50	.9779	----	----	----	----	24	UNCH
3650	----	----	----/869.10A	925.90B/869.10A	----	897.90	- 46.30	.9746	----	----	----	----	10	UNCH
3670	----	----	----/849.40A	906.70B/849.40A	----	878.10	- 46.30	.9730	----	----	----	----	3	UNCH
3700	----	----	----/819.80A	876.50B/819.80A	----	848.60	- 46.20	.9707	----	----	----	----	119	UNCH
3735	----	----	----	----	----	814.20	- 46.00	.9675	----	----	----	----	1	UNCH
3775	----	----	----/735.00A	802.70B/735.00A	----	775.00	- 45.90	.9635	----	----	----	----	4	UNCH
3800	----	----	----/710.80A	780.10B/710.80A	----	750.50	- 45.80	.9608	----	----	----	----	2050	UNCH
3825	----	----	----/686.70A	753.70B/686.70A	----	726.10	- 45.70	.9575	----	----	----	----	3	UNCH
3850	----	----	----/662.70A	729.20B/662.70A	----	701.80	- 45.50	.9542	----	----	----	----	65	UNCH
3860	----	----	766.80B/652.90A	766.80B/652.90A	----	692.10	- 45.40	.9526	----	----	----	----	1	UNCH
3865	----	----	762.00B/647.90A	762.00B/647.90A	----	687.20	- 45.50	.9516	----	----	----	----	7	UNCH
3875	----	----	751.90B/638.70A	751.90B/638.70A	----	677.50	- 45.40	.9500	----	----	----	----	25	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
3900	----	----	727.50B/614.30A	727.50B/614.30A	----	653.40 - 45.10	.9461	----	----	----	----	18 UNCH
3925	----	----	703.80B/590.50A	703.80B/590.50A	----	629.30 - 45.00	.9414	----	----	----	----	35 UNCH
3950	----	----	679.60B/566.80A	679.60B/566.80A	----	605.30 - 44.80	.9361	----	----	----	----	820 UNCH
3960	----	----	669.50B/557.70A	669.50B/557.70A	----	595.70 - 44.70	.9340	----	----	----	----	1 UNCH
4000	----	----	630.90B/520.00A	630.90B/520.00A	----	557.70 - 44.30	.9241	----	----	----	----	15 UNCH
4020	----	----	612.00B/501.40A	612.00B/501.40A	----	538.80 - 44.10	.9185	----	----	----	----	1 UNCH
4030	----	----	602.10B/492.20A	602.10B/492.20A	----	529.40 - 44.00	.9155	----	----	----	----	2 UNCH
4040	----	----	592.90B/483.00A	592.90B/483.00A	----	520.00 - 43.90	.9124	----	----	----	----	1 UNCH
4075	----	----	559.60B/451.50A	559.60B/451.50A	----	487.50 - 43.40	.9008	----	----	----	----	6 UNCH
4095	----	----	540.80B/433.40A	540.80B/433.40A	----	469.00 - 43.20	.8931	----	----	----	----	4 UNCH
4100	----	----	535.40B/428.80A	535.40B/428.80A	----	464.50 - 43.10	.8911	----	----	----	----	194 UNCH
4105	----	----	531.70B/424.50A	531.70B/424.50A	----	459.90 - 43.00	.8891	----	----	----	----	1 UNCH
4110	----	----	526.20B/419.90A	526.20B/419.90A	----	455.30 - 43.00	.8871	----	----	----	----	3 UNCH
4145	----	----	494.40B/389.30A	494.40B/389.30A	----	423.70 - 42.40	.8715	----	----	----	----	28 UNCH
4150	----	----	489.40B/385.10A	489.40B/385.10A	----	419.20 - 42.30	.8691	----	----	----	----	37 UNCH
4155	----	----	484.40B/381.00A	484.40B/381.00A	----	414.70 - 42.30	.8667	----	----	----	----	1 UNCH
4160	----	----	479.90B/376.50A	479.90B/376.50A	----	410.30 - 42.10	.8640	----	----	----	----	1 UNCH
4190	----	----	452.60B/351.30A	452.60B/351.30A	----	383.90 - 41.60	.8480	----	----	----	----	1 UNCH
4200	----	----	443.20B/343.20A	443.20B/343.20A	----	375.20 - 41.40	.8422	----	----	----	----	9 UNCH
4215	----	----	430.30B/330.70A	430.30B/330.70A	----	362.30 - 41.00	.8333	----	----	----	----	25 UNCH
4220	----	----	425.60B/326.50A	425.60B/326.50A	----	358.00 - 40.90	.8299	----	----	----	----	1 UNCH
4225	----	----	421.50B/322.40A	421.50B/322.40A	----	353.80 - 40.80	.8268	----	----	----	----	2 UNCH
4235	----	----	412.00B/314.40A	412.00B/314.40A	----	345.30 - 40.60	.8203	----	----	----	----	1 UNCH
4240	----	----	407.50B/310.60A	407.50B/310.60A	----	341.10 - 40.40	.8170	----	----	----	----	39 UNCH
4245	----	----	403.10B/306.70A	403.10B/306.70A	----	336.90 - 40.30	.8136	----	----	----	----	1 UNCH
4250	----	----	399.20B/302.70A	399.20B/302.70A	----	332.80 - 40.10	.8101	----	----	----	----	318 UNCH
4255	----	----	394.80B/298.80A	394.80B/298.80A	----	328.60 - 40.10	.8065	----	----	----	----	1 UNCH
4265	----	----	386.00B/291.10A	386.00B/291.10A	----	320.40 - 39.80	.7993	----	----	----	----	2 UNCH
4270	----	----	381.70B/287.00A	381.70B/287.00A	----	316.30 - 39.60	.7956	----	----	----	----	38 UNCH
4275	----	----	377.30B/283.40A	377.30B/283.40A	----	312.20 - 39.50	.7919	----	----	----	----	76 UNCH
4280	----	----	372.80B/279.60A	372.80B/279.60A	----	308.20 - 39.30	.7880	----	----	----	----	3 UNCH
4300	281.30	281.30	356.20B/264.80A	356.20B/264.80A	----	292.20 - 38.80	.7723	----	----	5	----	68 + 5
4315	----	----	342.90B/253.50A	342.90B/253.50A	----	280.50 - 38.20	.7596	----	----	----	----	21 UNCH
4325	----	----	335.10B/246.40A	335.10B/246.40A	----	272.80 - 37.90	.7511	----	----	----	----	22 UNCH
4335	----	----	326.80B/239.30A	326.80B/239.30A	----	265.20 - 37.50	.7422	----	----	----	----	1 UNCH
4350	----	----	314.70B/228.90A	314.70B/228.90A	----	254.00 - 37.00	.7285	----	----	----	----	17 UNCH
4360	----	----	306.80B/222.10A	306.80B/222.10A	----	246.60 - 36.60	.7189	----	----	----	----	53 UNCH
4365	----	----	302.40B/219.10A	302.40B/219.10A	----	243.00 - 36.40	.7142	----	----	----	----	45 UNCH
4370	----	----	298.90B/215.50A	298.90B/215.50A	----	239.40 - 36.20	.7093	----	----	----	----	20 UNCH
4375	----	----	294.30B/212.50A	294.30B/212.50A	----	235.80 - 36.00	.7044	----	----	----	----	5 UNCH
4400	207.90	207.90	275.90B/197.20A	275.90B/197.20A	----	218.30 - 35.00	.6790	----	----	3	----	2307 + 2
4410	----	----	267.80B/191.40A	267.80B/191.40A	----	211.50 - 34.60	.6686	----	----	----	----	4 UNCH
4415	----	----	264.60B/188.30A	264.60B/188.30A	----	208.20 - 34.30	.6632	----	----	----	----	39 UNCH
4420	----	----	260.80B/185.30A	260.80B/185.30A	----	204.90 - 34.10	.6579	----	----	----	----	5 UNCH
4425	----	----	257.30B/182.30A	257.30B/182.30A	----	201.60 - 33.90	.6525	----	----	----	----	16 UNCH
4430	----	----	253.00B/179.20A	253.00B/179.20A	----	198.30 - 33.70	.6470	----	----	----	----	2 UNCH
4445	----	----	242.40B/170.30A	242.40B/170.30A	----	188.70 - 33.00	.6305	----	----	----	----	30 UNCH
4450	----	----	239.00B/167.40A	239.00B/167.40A	----	185.60 - 32.70	.6249	----	----	----	----	256 UNCH
4455	----	----	235.30B/164.90A	235.30B/164.90A	----	182.50 - 32.50	.6192	----	----	----	----	2 UNCH
4460	----	----	231.80B/161.80A	231.80B/161.80A	----	179.40 - 32.30	.6135	----	----	----	----	2 UNCH
4475	----	----	221.20B/153.70A	221.20B/153.70A	----	170.40 - 31.60	.5964	----	----	----	----	2 UNCH
4480	----	----	218.10B/151.00A	218.10B/151.00A	----	167.50 - 31.30	.5905	----	----	----	----	36 UNCH
4485	156.30	156.30	214.70B/148.50A	214.70B/148.50A	----	164.60 - 31.00	.5848	----	----	1	----	2 + 1
4490	----	----	211.40B/145.80A	211.40B/145.80A	----	161.70 - 30.80	.5789	----	----	----	----	20 UNCH
4500	150.00	150.00	204.90B/140.60A	204.90B/140.60A	----	156.00 - 30.30	.5671	----	----	2	----	969 UNCH
4505	----	----	201.50B/138.30A	201.50B/138.30A	----	153.20 - 30.10	.5613	----	----	----	----	2 UNCH
4510	----	----	198.50B/135.80A	198.50B/135.80A	----	150.50 - 29.80	.5553	----	----	----	----	75 UNCH
4515	133.30	133.30	195.30B/133.30	195.30B/133.30	----	147.80 - 29.50	.5494	----	----	75	----	285 + 75
4520	----	----	192.10B/130.90A	192.10B/130.90A	----	145.10 - 29.30	.5434	----	----	68	----	189 + 1
4525	----	----	189.10B/128.50A	189.10B/128.50A	----	142.40 - 29.10	.5374	----	----	22	----	130 + 1
4530	----	----	185.60B/126.20A	185.60B/126.20A	----	139.80 - 28.80	.5315	----	----	159	----	131 + 126
4535	136.60	136.60	182.80B/123.80A	182.80B/123.80A	----	137.20 - 28.50	.5255	----	----	122	----	119 + 100
4540	----	----	179.90B/121.50A	179.90B/121.50A	----	134.60 - 28.30	.5195	----	----	10	----	63 + 7
4545	126.90	126.90	176.70B/119.20A	176.70B/119.20A	----	132.10 NEW	.5135	----	----	1	----	1 + 1
4550	----	----	173.70B/117.20A	173.70B/117.20A	----	129.60 - 27.80	.5074	----	----	41	----	48 + 38
4555	132.70	132.70	170.80B/114.70A	170.80B/114.70A	----	127.20 - 27.50	.5014	----	----	6	----	8 + 6
4560	----	----	168.00B/112.60A	168.00B/112.60A	----	124.70 - 27.30	.4954	----	----	12	----	51 UNCH
4565	127.80	127.80	166.80B/110.30A	166.80B/110.30A	----	122.40 - 26.90	.4894	----	----	9	----	33 + 9
4570	----	----	164.50B/108.20A	164.50B/108.20A	----	120.00 - 26.70	.4834	----	----	12	----	16 + 12
4575	----	----	161.50B/106.10A	161.50B/106.10A	----	117.70 - 26.40	.4774	----	----	1	----	132 + 1
4580	115.00	115.00	158.70B/103.90A	158.70B/103.90A	----	115.40 - 26.10	.4714	----	----	1	----	24 + 1
4585	----	----	156.00B/102.00A	156.00B/102.00A	----	113.10 - 25.90	.4654	----	----	----	----	10 UNCH
4590	----	----	153.10B/99.90A	153.10B/99.90A	----	110.90 - 25.60	.4594	----	----	----	----	18 UNCH
4595	134.00	134.00	150.50B/97.70A	150.50B/97.70A	----	108.80 - 25.30	.4535	----	----	3	----	19 + 3
4600	131.00	131.00	147.70B/95.70A	147.70B/95.70A	----	106.60 - 25.00	.4475	----	----	69	----	945 + 26
4605	130.00	130.00	145.30B/93.80A	145.30B/93.80A	----	104.50 - 24.70	.4416	----	----	5	----	83 UNCH
4610	120.00	120.00	142.80B/92.00A	142.80B/92.00A	----	102.40 - 24.40	.4357	----	----	1	----	15 + 1
4615	----	----	140.20B/90.10A	140.20B/90.10A	----	100.40 - 24.10	.4299	----	----	----	----	12 UNCH
4620	----	----	137.60B/88.20A	137.60B/88.20A	----	98.40 - 23.80	.4240	----	----	----	----	35 UNCH
4625	101.40	101.40	134.00B/86.40A	134.00B/86.40A	----	96.40 - 23.50	.4182	----	----	17	----	110 + 7
4630	112.50	112.50	132.70B/84.60A	132.70B/84.60A	----	94.40 - 23.30	.4123	----	----	1	----	5 + 1
4635	----	----	130.10B/82.80A	130.10B/82.80A	----	92.50 - 23.00	.4065	----	----	----	----	123 UNCH
4640	90.70	90.70	127.80B/81.10A	127.80B/81.10A	----	90.60 - 22.70	.4008	----	----	2	----	238 + 2
4645	----	----	125.40B/79.30A	125.40B/79.30A	----	88.80 - 22.40	.3951	----	----	----	----	19 UNCH
4650	102.50	102.50	123.20B/77.60A	123.20B/77.60A	----	87.00 - 22.00	.3894	----	----	42	----	1085 + 2
4655	----	----	120.60B/76.00A	120.60B/76.00A	----	85.20 - 21.80	.3838	----	----	----	----	18 UNCH
4660	----	----	118.30B/74.40A	118.30B/74.40A	----	83.40 - 21.50	.3781	----	----	----	----	61 UNCH
4665	102.00	102.00	116.10B/*72.80A	116.10B/*72.80A	----	81.70 - 21.20	.3726	----	----	2	----	271 + 1
4670	----	----	113.90B/*71.20A	113.90B/*71.20A	----	79.90 - 21.00	.3669	----	----	1	----	107 + 1
4675	96.00	96.00	112.00B/*69.70A	112.00B/*69.70A	----	78.30 - 20.60	.3615	----	----	18	----	126 - 8
4680	----	----	109.90B/*68.20A	109.90B/*68.20A	----	76.60 - 20.40	.3559	----	----	----	----	141 UNCH
4685	----	----	107.40B/*66.70A	107.40B/*66.70A	----	75.00 - 20.10	.3505	----	----	----	----	25 UNCH
4690	73.50	73.50	105.20B/*65.30A	105.20B/*65.30A	----	73.40 - 19.80	.3451	----	----	6	----	10 + 6
4695	----	----	103.30B/*63.80A	103.30B/*63.80A	----	71.80 - 19.60	.3397	----	----	----	----	33 UNCH
4700	101.70	101.70	101.70/62.40A	101.70/62.40A	----	70.20 - 19.40	.3343	----	----	269	275	1381 + 359
4705	----	----	99.20B/*61.10A	99.20B/*61.10A	----	68.70 - 19.10	.3290	----	----	----	----	2 UNCH
4710	----	----	97.70B/*59.70A	97.70B/*59.70A	----	67.20 - 18.90	.3237	----	----	----	----	120 UNCH
4715	----	----	95.30B/*58.40A	95.30B/*58.40A	----	65.80 - 18.60	.3186	----	----	----	----	2 UNCH
4720	----	----	94.10B/*57.10A	94.10B/*57.10A	----	64.30 - 18.40	.3134	----	----	----	----	27 UNCH
4725	----	----	92.30B/*55.90A	92.30B/*55.90A	----	62.90 - 18.10	.3083	----	----	----	----	132 UNCH
4730	----	----	90.40B/*54.60A	90.40B/*54.60A	----	61.50 - 17.90	.3032	----	----	----	----	15 UNCH
4735	57.50	57.50	88.50B/*53.40A	88.50B/*53.40A	----	60.20 - 17.60	.2983	----	----	8	----	43 UNCH
4740	----	----	86.80B/*52.20A	86.80B/*52.20A	----	58.80 - 17.40	.2932	----	----	----	----	9 UNCH
4745	----	----	84.70B/*51.10A	84.70B/*51.10A	----	57.60 - 17.10	.2885	----	----	----	----	178 UNCH
4750	70.00	70.00	83.10B/*50.00A	83.10B/*50.00A	----	56.30 - 16.90	.2836	----	----	92	----	1152 - 15
4755	----	----	81.60B/*48.80A	81.60B/*48.80A	----	55.10 - 16.60	.2789	----	----	----	----	21 UNCH
4760	----	----	79.90B/*47.80A	79.90B/*47.80A	----	53.90 - 16.30	.2742	----	----	----	----	49 UNCH
4765	53.00	53.00	78.30B/*46.80A	78.30B/*46.80A	----	52.80 - 16.00	.2697	----	----	177	----	184 + 177
4770	----	----	76.70B/*45.70A	76.70B/*45.70A	----	51.60 - 15.80	.2650	----	----	----	----	73 UNCH
4775	45.00	45.00	75.20B/*44.50	75.20B/*44.50	----	50.50 - 15.50	.2606	----	----	25	----	159 UNCH
4780	----	----	73.50B/*43.80A	73.50B/*43.80A	----	49.40 - 15.20	.2561	----	----	----	----	34 UNCH
4785	45.10	45.10	72.00B/*42.70A	72.00B/*42.70A	----	48.40 - 14.90	.2519	----	----	1	----	15 + 1
4790	----	----	70.60B/*41.80A	70.60B/*41.80A	----	47.30 - 14.70	.2474	----	----	----	----	14 UNCH
4795	----	----	69.10B/*40.90A	69.10B/*40.90A	----	46.30 - 14.40	.2432	----	----	1	----	89 - 1
4800	55.00	55.00	67.70B/40.00	67.70B/40.00	----	45.30 - 14.20	.2390	----	----	143	----	2119 + 9
4805	48.60	48.60	66.10B/*39.10A	66.10B/*39.10A	----	44.30 - 13.90	.2348	----	----	5	----	61 UNCH
4810	47.00	47.00	64.80B/*38.20A	64.80B/*38.20A	----	43.40 - 13.60	.2308	----	----	5	----	42 + 4
4815	37.20	37.20	63.40B/*37.20	63.40B/*37.20	----	42.40 - 13.40	.2267	----	----	4	----	11 UNCH
4820	----	----	62.10B/*36.50A	62.10B/*36.50A	----	41.50 - 13.20	.2227	----	----	90	----	47 - 4
4825	----	----	60.90B/*35.80A	60.90B/*35.80A	----	40.60 - 12.90	.2188	----	----	21	----	638 - 8
4830	39.50	39.50	59.50B/*34.90A	59.50B/*34.90A	----	39.70 - 12.70	.2149	----	----	76	----	62 + 45
4835	----	----	58.30B/*34.20A	58.30B/*34.20A	----	38.80 - 12.50	.2110	----	----	----	----	21 UNCH
4840	38.00	38.00	57.00B/*33.50A	57.00B/*33.50A	----	38.00 - 12.20	.2073	----	----	5	----	187 UNCH
4845	32.60	32.60	55.90B/*32.60	55.90B/*32.60	----	37.20 - 12.00	.2037	----	----	1	----	69 UNCH
4850	46.00	46.00	54.60B/*32.00A	54.60B/*32.00A	----	36.30 - 11.80	.1998	----	----	351	----	1663 + 106
4855	----	----	53.50B/*31.30A	53.50B/*31.30A	----	35.50 - 11.60	.1962	----	----	----	----	159 UNCH
4860	----	----	52.30B/*30.60A	52.30B/*30.60A	----	34.80 - 11.30	.1929	----	----	1	----	27 UNCH
4865	----	----	51.20B/*29.90A	51.20B/*29.90A	----	34.00 - 11.10	.1893	----	----	----	----	32 UNCH
4870	----	----	50.10B/*29.20A	50.10B/*29.20A	----	33.30 - 10.90	.1859	----	----	8	----	67 - 1
4875	31.60	31.60	49.00B/*28.70A	49.00B/*28.70A	----	32.50 - 10.80	.1823	----	----	8	----	30 - 2
4880	33.00	33.00	48.00B/*28.00	48.00B/*28.00	----	31.80 - 10.60	.1790	----	----	25	----	106 + 15
4885	----	----	47.00B/*27.40A	47.00B/*27.40A	----	31.10 - 10.40	.1758	----	----	1	----	26 + 1
4890	----	----	46.00B/*26.90A	46.00B/*26.90A	----	30.50 - 10.10	.1728	----	----	----	----	57 UNCH
4895	----	----	44.90B/*26.30A	44.90B/*26.30A	----	29.80 - 9.90	.1695	----	----	----	----	51 UNCH
4900	43.90	43.90	44.10B/25.30	44.10B/25.30	----	29.20 - 9.70	.1665	----	----	126	----	1863 + 33
4905	----	----	43.10B/*25.10A	43.10B/*25.10A	----	28.60 - 9.50	.1636	----	----	----	----	10 UNCH
4910	----	----	42.20B/*24.60A	42.20B/*24.60A	----	27.90 - 9.40	.1603	----	----	----	----	147 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4915	----	----	41.20B/*24.00A	41.20B/*24.00A	----	27.30 - 9.20	.1574	----	----	----	----	61 UNCH
4920	----	----	40.40B/*23.60A	40.40B/*23.60A	----	26.80 - 8.90	.1548	----	----	----	----	72 UNCH
4925	----	----	39.50B/*23.10A	39.50B/*23.10A	----	26.20 - 8.80	.1518	----	----	8	----	44 - 6
4930	----	----	38.70B/*22.60A	38.70B/*22.60A	----	25.60 - 8.70	.1489	----	----	2	----	66 UNCH
4935	----	----	37.80B/*22.10A	37.80B/*22.10A	----	25.10 - 8.40	.1463	----	----	----	----	641 UNCH
4940	----	----	37.00B/*21.60A	37.00B/*21.60A	----	24.60 - 8.20	.1437	----	----	1	----	285 UNCH
4945	----	----	36.10B/*21.20A	36.10B/*21.20A	----	24.10 - 8.00	.1412	----	----	----	----	25 UNCH
4950	----	----	35.40B/*20.70A	35.40B/*20.70A	----	23.60 - 7.90	.1386	----	----	24	----	303 - 20
4955	----	----	34.70B/*20.30A	34.70B/*20.30A	----	23.10 - 7.70	.1361	----	----	----	----	88 UNCH
4960	22.70	22.70	33.80B/*19.80A	33.80B/*19.80A	----	22.60 - 7.60	.1335	----	----	5	----	225 UNCH
4965	----	----	33.20B/*19.40A	33.20B/*19.40A	----	22.10 - 7.50	.1310	----	----	----	----	177 UNCH
4970	----	----	32.50B/*19.10A	32.50B/*19.10A	----	21.60 - 7.40	.1285	----	----	----	----	56 UNCH
4975	----	----	31.80B/*18.70A	31.80B/*18.70A	----	21.20 - 7.20	.1263	----	----	----	----	50 UNCH
4980	----	----	31.10B/*18.30A	31.10B/*18.30A	----	20.80 - 7.00	.1241	----	----	----	----	31 UNCH
4985	----	----	30.50B/*17.90A	30.50B/*17.90A	----	20.30 - 6.90	.1216	----	----	----	----	55 UNCH
4990	19.80	19.80	29.80B/*17.50A	29.80B/*17.50A	----	19.90 - 6.70	.1194	----	----	16	----	50 + 13
4995	----	----	29.20B/*17.20A	29.20B/*17.20A	----	19.50 - 6.60	.1173	----	----	----	----	64 UNCH
5000	23.00	23.00	28.50B/16.80A	28.50B/16.80A	----	19.10 - 6.50	.1152	----	----	1162	140	3495 + 536
5005	----	----	28.00B/*16.50A	28.00B/*16.50A	----	18.70 - 6.30	.1130	----	----	----	----	22 UNCH
5010	17.70	17.70	27.40B/*16.10A	27.40B/*16.10A	----	18.30 - 6.20	.1109	----	----	1	----	34 UNCH
5015	----	----	26.70B/*15.80A	26.70B/*15.80A	----	17.90 - 6.10	.1088	----	----	----	----	84 UNCH
5020	17.30	17.30	26.10B/*15.50A	26.10B/*15.50A	----	17.60 - 6.00	.1070	----	----	11	----	15 + 4
5025	19.00	19.00	25.70B/*15.20A	25.70B/*15.20A	----	17.20 - 5.90	.1049	----	----	56	----	310 + 52
5030	----	----	25.00B/*14.90A	25.00B/*14.90A	----	16.90 - 5.70	.1032	----	----	2	----	179 UNCH
5035	----	----	24.60B/*14.60A	24.60B/*14.60A	----	16.50 - 5.70	.1011	----	----	----	----	57 UNCH
5040	----	----	24.10B/*14.30A	24.10B/*14.30A	----	16.20 - 5.50	.0994	----	----	1	----	21 UNCH
5045	----	----	23.60B/*14.10A	23.60B/*14.10A	----	15.90 - 5.40	.0977	----	----	----	----	13 UNCH
5050	19.50	19.50	23.10B/*13.80A	23.10B/*13.80A	----	15.60 - 5.30	.0960	----	----	122	----	231 - 106
5055	14.70	14.70	22.50B/*13.50A	22.50B/*13.50A	----	15.30 - 5.20	.0943	----	----	1	----	21 + 1
5060	----	----	22.00B/*13.20A	22.00B/*13.20A	----	15.00 - 5.00	.0926	----	----	----	----	34 UNCH
5065	14.60	14.60	21.60B/*13.00A	21.60B/*13.00A	----	14.70 - 5.00	.0909	----	----	4	----	216 + 1
5070	----	----	21.10B/*12.70A	21.10B/*12.70A	----	14.40 - 4.90	.0892	----	----	----	----	31 UNCH
5075	20.40	20.40	20.70B/*12.50A	20.70B/*12.50A	----	14.10 - 4.80	.0876	----	----	3	----	156 + 1
5080	----	----	20.20B/*12.20A	20.20B/*12.20A	----	13.80 - 4.70	.0859	----	----	1	----	119 + 1
5085	----	----	19.70B/*12.00A	19.70B/*12.00A	----	13.60 - 4.60	.0847	----	----	----	----	43 UNCH
5090	13.20	13.20	19.40B/*11.60A	19.40B/*11.60A	----	13.30 - 4.50	.0830	----	----	380	----	392 + 353
5095	----	----	19.00B/*11.60A	19.00B/*11.60A	----	13.00 - 4.50	.0814	----	----	----	----	69 UNCH
5100	15.90	15.90	18.70B/*11.30	18.70B/*11.30	----	12.80 - 4.30	.0801	----	----	1022	----	2108 + 464
5105	11.70	11.70	18.20B/*11.10A	18.20B/*11.10A	----	12.60 - 4.20	.0789	----	----	1	----	96 UNCH
5110	----	----	17.80B/*10.90A	17.80B/*10.90A	----	12.30 - 4.20	.0772	----	----	----	----	409 UNCH
5115	----	----	17.40B/*10.70A	17.40B/*10.70A	----	12.10 - 4.10	.0760	----	----	----	----	30 UNCH
5120	----	----	17.10B/*10.50A	17.10B/*10.50A	----	11.90 - 4.00	.0748	----	----	----	----	42 UNCH
5125	14.00	14.00	16.70B/*10.30A	16.70B/*10.30A	----	11.70 - 3.90	.0736	----	----	2	----	248 UNCH
5130	----	----	16.40B/*10.10A	16.40B/*10.10A	----	11.40 - 3.90	.0720	----	----	1	----	43 + 1
5135	----	----	16.10B/*10.00A	16.10B/*10.00A	----	11.20 - 3.80	.0708	----	----	----	----	171 UNCH
5140	----	----	15.70B/*9.80A	15.70B/*9.80A	----	11.00 - 3.70	.0696	----	----	----	----	70 UNCH
5145	----	----	15.40B/*9.60A	15.40B/*9.60A	----	10.80 - 3.60	.0684	----	----	13	----	75 - 4
5150	15.40	15.40	15.40/*9.50A	15.40/*9.50A	----	10.60 - 3.60	.0672	----	----	3	----	2960 + 1
5155	----	----	14.80B/*9.30A	14.80B/*9.30A	----	10.50 - 3.40	.0665	----	----	----	----	17 UNCH
5160	----	----	14.50B/*9.10A	14.50B/*9.10A	----	10.30 - 3.30	.0653	----	----	1	----	23 + 1
5165	----	----	14.30B/*9.00A	14.30B/*9.00A	----	10.10 - 3.30	.0641	----	----	10	----	18 - 3
5170	----	----	14.10B/*8.80A	14.10B/*8.80A	----	9.90 - 3.30	.0629	----	----	----	----	11 UNCH
5175	9.70	9.70	13.70B/*8.70A	13.70B/*8.70A	----	9.70 - 3.20	.0618	----	----	6	----	76 UNCH
5180	----	----	13.50B/*8.50A	13.50B/*8.50A	----	9.60 - 3.10	.0611	----	----	----	----	31 UNCH
5185	----	----	13.20B/*8.40A	13.20B/*8.40A	----	9.40 - 3.10	.0599	----	----	----	----	119 UNCH
5190	----	----	13.00B/*8.30A	13.00B/*8.30A	----	9.20 - 3.00	.0587	----	----	----	----	16 UNCH
5195	----	----	12.80B/*8.10A	12.80B/*8.10A	----	9.10 - 2.90	.0580	----	----	----	----	38 UNCH
5200	8.50	8.50	12.70B/*7.90	12.70B/*7.90	----	8.90 - 2.90	.0569	----	----	33	----	2602 + 1
5205	----	----	12.30B/*7.80A	12.30B/*7.80A	----	8.80 - 2.80	.0562	----	----	----	----	48 UNCH
5210	----	----	12.10B/*7.70A	12.10B/*7.70A	----	8.60 - 2.80	.0550	----	----	----	----	56 UNCH
5215	----	----	11.80B/*7.60A	11.80B/*7.60A	----	8.50 - 2.70	.0544	----	----	----	----	46 UNCH
5220	----	----	11.50B/*7.60A	11.50B/*7.60A	----	8.30 - 2.70	.0532	----	----	----	----	46 UNCH
5225	9.20	9.20	11.40B/*7.50A	11.40B/*7.50A	----	8.20 - 2.60	.0525	----	----	1	----	89 - 1
5230	----	----	11.10B/*7.30A	11.10B/*7.30A	----	8.00 - 2.60	.0514	----	----	----	----	86 UNCH
5235	----	----	11.00B/*7.10A	11.00B/*7.10A	----	7.90 - 2.60	.0507	----	----	----	----	30 UNCH
5240	----	----	10.80B/*7.10A	10.80B/*7.10A	----	7.80 - 2.50	.0501	----	----	----	----	114 UNCH
5245	----	----	10.50B/*7.00A	10.50B/*7.00A	----	7.60 - 2.50	.0489	----	----	----	----	67 UNCH
5250	7.80	7.80	10.30B/*6.70	10.30B/*6.70	----	7.50 - 2.40	.0483	----	----	14	----	821 UNCH
5255	----	----	10.10B/*6.80A	10.10B/*6.80A	----	7.40 - 2.40	.0476	----	----	----	----	21 UNCH
5260	----	----	10.20B/*6.70A	10.20B/*6.70A	----	7.30 - 2.30	.0469	----	----	----	----	150 UNCH
5265	----	----	9.70B/*6.60A	9.70B/*6.60A	----	7.20 - 2.30	.0463	----	----	----	----	13 UNCH
5270	----	----	9.70B/*6.50A	9.70B/*6.50A	----	7.00 - 2.30	.0452	----	----	----	----	30 UNCH
5275	----	----	9.40B/*6.40A	9.40B/*6.40A	----	6.90 - 2.30	.0445	----	----	2	----	27 - 2
5280	----	----	9.40B/*6.30A	9.40B/*6.30A	----	6.80 - 2.20	.0439	----	----	----	----	45 UNCH
5285	----	----	9.20B/*6.20A	9.20B/*6.20A	----	6.70 - 2.20	.0432	----	----	----	----	15 UNCH
5290	----	----	8.80B/*6.10A	8.80B/*6.10A	----	6.60 - 2.10	.0426	----	----	----	----	56 UNCH
5295	----	----	----/*6.00A	8.60B/*6.00A	----	6.50 - 2.10	.0420	----	----	----	----	86 UNCH
5300	6.20	6.20	6.20/*5.90A	8.50B/*5.90A	----	6.40 - 2.10	.0413	----	----	117	----	1188 - 15
5305	6.10	6.10	8.50B/*5.80A	8.50B/*5.80A	----	6.30 - 2.00	.0407	----	----	10	----	65 UNCH
5310	----	----	----/*5.80A	8.10B/*5.80A	----	6.20 - 2.00	.0400	----	----	----	----	21 UNCH
5315	----	----	----/*5.70A	8.10B/*5.70A	----	6.10 - 2.00	.0394	----	----	----	----	28 UNCH
5320	----	----	----/*5.60A	7.90B/*5.60A	----	6.00 - 1.90	.0388	----	----	----	----	57 UNCH
5325	----	----	----/*5.50A	7.80B/*5.50A	----	5.90 - 1.90	.0382	----	----	----	----	162 UNCH
5330	----	----	----/*5.40A	7.50B/*5.40A	----	5.80 - 1.90	.0375	----	----	----	----	13 UNCH
5335	----	----	----/*5.40A	7.40B/*5.40A	----	5.80 - 1.80	.0374	----	----	----	----	11 UNCH
5340	----	----	----/*5.30A	7.30B/*5.30A	----	5.70 - 1.80	.0368	----	----	----	----	30 UNCH
5345	----	----	----/*5.30A	7.20B/*5.30A	----	5.60 - 1.80	.0362	----	----	----	----	35 UNCH
5350	----	----	----/*5.20A	7.20B/*5.20A	----	5.50 - 1.80	.0356	----	----	1	----	1103 - 1
5355	5.40	5.40	5.40/*5.10A	7.10B/*5.10A	----	5.40 - 1.70	.0349	----	----	1	----	106 - 1
5360	----	----	----/*5.00A	7.00B/*5.00A	----	5.40 - 1.60	.0348	----	----	8	----	337 + 7
5365	----	----	----/*5.00A	6.80B/*5.00A	----	5.30 - 1.60	.0342	----	----	----	----	146 UNCH
5370	----	----	----/*4.90A	6.70B/*4.90A	----	5.20 - 1.60	.0336	----	----	----	----	25 UNCH
5375	----	----	----/*4.80A	6.60B/*4.80A	----	5.10 - 1.60	.0330	----	----	2	----	26 - 2
5380	----	----	----/*4.80A	6.50B/*4.80A	----	5.10 - 1.50	.0329	----	----	----	----	18 UNCH
5385	----	----	----/*4.70A	6.40B/*4.70A	----	5.00 - 1.60	.0323	----	----	----	----	18 UNCH
5390	----	----	----/*4.70A	6.30B/*4.70A	----	4.90 - 1.60	.0317	----	----	----	----	14 UNCH
5395	5.00	5.00	5.00/*4.60A	6.20B/*4.60A	----	4.90 - 1.50	.0316	----	----	4	----	24 UNCH
5400	----	----	----/*4.60A	6.10B/*4.60A	----	4.80 - 1.50	.0310	----	----	101	----	3412 - 100
5405	----	----	----/*4.50A	6.00B/*4.50A	----	4.70 - 1.50	.0304	----	----	----	----	19 UNCH
5410	----	----	----/*4.40A	5.90B/*4.40A	----	4.70 - 1.40	.0303	----	----	----	----	24 UNCH
5415	----	----	----/*4.40A	5.90B/*4.40A	----	4.60 - 1.40	.0297	----	----	----	----	18 UNCH
5420	----	----	----/*4.30A	5.80B/*4.30A	----	4.50 - 1.50	.0291	----	----	----	----	29 UNCH
5425	----	----	----/*4.20A	5.60B/*4.20A	----	4.50 - 1.40	.0290	----	----	----	----	34 UNCH
5430	4.50	4.50	4.50/*4.20A	5.50B/*4.20A	----	4.40 - 1.40	.0284	----	----	6	----	11 UNCH
5435	----	----	----/*4.20A	5.50B/*4.20A	----	4.40 - 1.30	.0283	----	----	----	----	7 UNCH
5440	----	----	----/*4.10A	5.50B/*4.10A	----	4.30 - 1.30	.0277	----	----	----	----	20 UNCH
5445	----	----	----/*4.10A	5.30B/*4.10A	----	4.30 - 1.30	.0276	----	----	----	----	24 UNCH
5450	----	----	----/*4.00A	5.30B/*4.00A	----	4.20 - 1.30	.0270	----	----	----	----	1167 UNCH
5455	----	----	----/*4.00A	5.20B/*4.00A	----	4.20 - 1.20	.0269	----	----	----	----	36 UNCH
5460	----	----	----/*3.90A	4.90B/*3.90A	----	4.10 - 1.30	.0264	----	----	----	----	27 UNCH
5465	----	----	----/*3.90A	5.00B/*3.90A	----	4.10 - 1.20	.0263	----	----	----	----	19 UNCH
5470	----	----	----/*3.90A	4.70B/*3.90A	----	4.00 - 1.20	.0257	----	----	----	----	28 UNCH
5475	----	----	----/*3.80A	4.70B/*3.80A	----	4.00 - 1.20	.0256	----	----	----	----	207 UNCH
5480	----	----	----/*3.80A	4.60B/*3.80A	----	3.90 - 1.20	.0250	----	----	----	----	5 UNCH
5485	----	----	----/*3.70A	4.80B/*3.70A	----	3.90 - 1.10	.0249	----	----	----	----	16 UNCH
5490	----	----	----/*3.70A	4.70B/*3.70A	----	3.80 - 1.20	.0244	----	----	----	----	19 UNCH
5495	----	----	----/*3.70A	4.50B/*3.70A	----	3.80 - 1.10	.0243	----	----	----	----	7 UNCH
5500	4.50	4.50	4.50/*3.40	4.70B/*3.40	----	3.70 - 1.20	.0237	----	----	37	----	2250 - 28
5505	----	----	----/*3.60A	4.40B/*3.60A	----	3.70 - 1.10	.0236	----	----	----	----	15 UNCH
5510	----	----	----/*3.50A	4.30B/*3.50A	----	3.70 - 1.00	.0236	----	----	----	----	13 UNCH
5515	----	----	----/*3.50A	4.20B/*3.50A	----	3.60 - 1.10	.0230	----	----	----	----	18 UNCH
5520	----	----	----/*3.50A	4.20B/*3.50A	----	3.60 - 1.00	.0229	----	----	----	----	38 UNCH
5525	----	----	----/*3.40A	4.10B/*3.40A	----	3.50 - 1.10	.0224	----	----	----	----	91 UNCH
5530	3.30	3.30	3.30/*3.30	4.00B/*3.30	----	3.50 - 1.00	.0223	----	----	2	----	25 UNCH
5535	----	----	----/*3.40A	4.00B/*3.40A	----	3.50 - 1.00	.0222	----	----	----	----	12 UNCH
5540	----	----	----/*3.30A	3.90B/*3.30A	----	3.40 - 1.00	.0217	----	----	----	----	16 UNCH
5545	----	----	----/*3.30A	3.90B/*3.30A	----	3.40 - 1.00	.0216	----	----	----	----	16 UNCH
5550	----	----	----/*3.30A	3.90B/*3.30A	----	3.40 - 0.90	.0215	----	----	----	----	204 UNCH
5555	----	----	----/*3.30A	4.00B/*3.30A	----	3.30 - 1.00	.0210	----	----	----	----	35 UNCH
5560	----	----	----/*3.20A	4.00B/*3.20A	----	3.30 - 0.90	.0209	----	----	----	----	23 UNCH
5565	----	----	----/*3.10A	3.80B/*3.10A	----	3.30 - 0.90	.0208	----	----	----	----	12 UNCH
5570	----	----	----/*3.20A	3.60B/*3.20A	----	3.20 - 0.90	.0203	----	----	1	----	4 UNCH
5575	----	----	----/*3.10A	3.60B/*3.10A	----	3.20 - 0.90	.0202	----	----	----	----	31 UNCH
5580	----	----	----/*3.10A	3.60B/*3.10A	----	3.20 - 0.90	.0202	----	----	----	----	7 UNCH
5585	----	----	----/*3.10A	3.80B/*3.10A	----	3.10 - 0.90	.0196	----	----	----	----	19 UNCH
5590	----	----	----/*3.00A	3.50B/*3.00A	----	3.10 - 0.90	.0195	----	----	----	----	5 UNCH
5595	----	----	----/*2.90A	3.70B/*2.90A	----	3.10 - 0.80	.0195	----	----	----	----	19 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5600	----	----	----/*3.00A	3.70B/*3.00A	----	3.00 - 0.90	.0189	----	----	4	----	2141 - 2
5605	----	----	----/*3.00A	3.50B/*3.00A	----	3.00 - 0.80	.0189	----	----	----	----	33 UNCH
5610	----	----	----/*2.90A	3.30B/*2.90A	----	3.00 - 0.80	.0188	----	----	----	----	10 UNCH
5615	----	----	----/*2.80A	3.30B/*2.80A	----	3.00 - 0.80	.0188	----	----	----	----	1 UNCH
5620	----	----	----/*2.80A	3.20B/*2.80A	----	2.90 - 0.80	.0182	----	----	----	----	6 UNCH
5625	----	----	----/*2.90A	3.50B/*2.90A	----	2.90 - 0.80	.0182	----	----	----	----	13 UNCH
5630	----	----	----/*2.80A	3.20B/*2.80A	----	2.90 - 0.80	.0181	----	----	----	----	6 UNCH
5635	----	----	----/*2.70A	3.40B/*2.70A	----	2.80 - 0.80	.0176	----	----	----	----	12 UNCH
5640	----	----	----/*2.70A	3.10B/*2.70A	----	2.80 - 0.80	.0175	----	----	----	----	8 UNCH
5650	----	----	----/*2.70A	3.20B/*2.70A	----	2.80 - 0.70	.0174	----	----	----	----	406 UNCH
5660	----	----	----/*2.60A	3.00B/*2.60A	----	2.70 - 0.70	.0168	----	----	----	----	7 UNCH
5670	----	----	----/*2.70A	3.00B/*2.70A	----	2.70 - 0.70	.0167	----	----	----	----	11 UNCH
5675	----	----	----/*2.60A	3.00B/*2.60A	----	2.60 - 0.70	.0162	----	----	----	----	7 UNCH
5680	----	----	----/*2.60A	3.00B/*2.60A	----	2.60 - 0.70	.0162	----	----	----	----	6 UNCH
5690	----	----	----/*2.50A	2.90B/*2.50A	----	2.60 - 0.70	.0161	----	----	----	----	21 UNCH
5700	2.50	2.50	2.50/*2.30	2.90B/*2.30	----	2.50 - 0.70	.0155	----	----	3	----	996 UNCH
5710	----	----	----/*2.50A	2.80B/*2.50A	----	2.50 - 0.60	.0154	----	----	----	----	22 UNCH
5720	----	----	----/*2.50A	2.70B/*2.50A	----	2.40 - 0.70	.0148	----	----	----	----	17 UNCH
5725	----	----	----/*2.50A	2.70B/*2.50A	----	2.40 - 0.70	.0148	----	----	----	----	56 UNCH
5730	----	----	----/*2.50A	2.70B/*2.50A	----	2.40 - 0.60	.0148	----	----	----	----	10 UNCH
5740	----	----	----/*2.40A	2.80B/*2.40A	----	2.40 - 0.60	.0147	----	----	----	----	9 UNCH
5750	2.40	2.40	2.40/*2.40	2.70B/*2.40	----	2.30 - 0.60	.0141	----	----	25	----	983 - 9
5760	----	----	----/*2.40A	2.40B/*2.40A	----	2.30 - 0.60	.0140	----	----	----	----	168 UNCH
5770	----	----	----/*2.40A	2.50B/*2.40A	----	2.20 - 0.60	.0135	----	----	----	----	4 UNCH
5775	----	----	----/*2.30A	2.60B/*2.30A	----	2.20 - 0.60	.0134	----	----	----	----	215 UNCH
5780	----	----	----/*2.30A	2.40B/*2.30A	----	2.20 - 0.60	.0134	----	----	----	----	2 UNCH
5790	----	----	----/*2.30A	2.50B/*2.30A	----	2.20 - 0.50	.0133	----	----	----	----	9 UNCH
5800	----	----	----/*2.20A	2.50B/*2.20A	----	2.10 - 0.60	.0128	----	----	----	----	805 UNCH
5810	----	----	----/*2.20A	2.40B/*2.20A	----	2.10 - 0.50	.0127	----	----	----	----	11 UNCH
5820	----	----	----/*2.20A	2.40B/*2.20A	----	2.10 - 0.50	.0127	----	----	----	----	208 UNCH
5825	----	----	----/*2.20A	2.10B/*2.20A	----	2.00 - 0.60	.0121	----	----	----	----	19 UNCH
5830	----	----	----/*2.20A	2.20B/*2.20A	----	2.00 - 0.60	.0121	----	----	----	----	1 UNCH
5840	----	----	----/*2.10A	2.20B/*2.10A	----	2.00 - 0.50	.0121	----	----	----	----	103 UNCH
5850	----	----	----/*2.10A	2.10B/*2.10A	----	2.00 - 0.50	.0120	----	----	----	----	109 UNCH
5860	2.40	2.40	2.40/*2.00	2.40/*2.00	----	1.90 - 0.60	.0115	----	----	8	----	127 + 8
5870	----	----	----/*2.00A	2.10B/*2.00A	----	1.90 - 0.50	.0114	----	----	----	----	16 UNCH
5875	----	----	----/*2.00A	1.90B/*2.00A	----	1.90 - 0.50	.0114	----	----	----	----	22 UNCH
5880	----	----	----/*2.00A	2.00B/*2.00A	----	1.90 - 0.50	.0113	----	----	----	----	11 UNCH
5890	----	----	----/*2.00A	2.00B/*2.00A	----	1.80 - 0.50	.0108	----	----	----	----	9 UNCH
5900	----	----	----/*1.90A	1.90B/*1.90A	----	1.80 - 0.50	.0108	----	----	2	----	430 UNCH
5910	----	----	----/*1.90A	1.80B/*1.90A	----	1.80 - 0.50	.0107	----	----	----	----	6 UNCH
5920	----	----	----/*1.90A	1.90B/*1.90A	----	1.80 - 0.40	.0107	----	----	----	----	19 UNCH
5925	----	----	----/*1.90A	2.00B/*1.90A	----	1.70 - 0.50	.0102	----	----	----	----	5 UNCH
5930	----	----	----/*1.90A	1.80B/*1.90A	----	1.70 - 0.50	.0101	----	----	----	----	4 UNCH
5940	----	----	----/*1.80A	1.70B/*1.80A	----	1.70 - 0.50	.0101	----	----	----	----	2 UNCH
5950	----	----	----/*1.80A	1.90B/*1.80A	----	1.70 - 0.50	.0100	----	----	----	----	43 UNCH
5960	----	----	----/*1.80A	1.70B/*1.80A	----	1.70 - 0.40	.0100	----	----	----	----	16 UNCH
5970	----	----	----/*1.80A	1.80B/*1.80A	----	1.60 - 0.50	.0095	----	----	----	----	55 UNCH
5980	----	----	----/*1.80A	1.60B/*1.80A	----	1.60 - 0.50	.0094	----	----	----	----	3 UNCH
5990	----	----	----/*1.80A	1.60B/*1.80A	----	1.60 - 0.50	.0094	----	----	----	----	76 UNCH
6000	1.60	1.60	1.70B/*1.60	1.70B/*1.60	----	1.60 - 0.40	.0093	----	----	52	----	2159 - 46
6025	----	----	----/*1.70A	1.50B/*1.70A	----	1.50 - 0.50	.0088	----	----	----	----	34 UNCH
6050	----	----	----/*1.70A	1.60B/*1.70A	----	1.50 - 0.40	.0087	----	----	----	----	45 UNCH
6075	----	----	----/*1.60A	1.40B/*1.60A	----	1.40 - 0.50	.0081	----	----	----	----	713 UNCH
6100	----	----	----/*1.60A	1.30B/*1.60A	----	1.40 - 0.40	.0080	----	----	3	----	290 - 1
6125	----	----	----/*1.60A	1.30B/*1.60A	----	1.40 - 0.40	.0079	----	----	----	----	59 UNCH
6150	----	----	----/*1.50A	1.30B/*1.50A	----	1.30 - 0.40	.0074	----	----	----	----	881 UNCH
6175	----	----	----/*1.50A	1.20B/*1.50A	----	1.30 - 0.40	.0073	----	----	----	----	37 UNCH
6200	1.50	1.50	1.50/*1.20	1.50/*1.20	----	1.30 - 0.30	.0072	----	----	21	----	562 + 11
6225	----	----	----/*1.40A	1.10B/*1.40A	----	1.20 - 0.30	.0067	----	----	----	----	20 UNCH
6250	----	----	----/*1.40A	1.10B/*1.40A	----	1.20 - 0.30	.0067	----	----	----	----	392 UNCH
6275	----	----	----	1.00B/*1.40A	----	1.20 - 0.20	.0066	----	----	----	----	3 UNCH
6300	----	----	----/*1.30A	1.00B/*1.30A	----	1.10 - 0.30	.0061	----	----	----	----	339 UNCH
6325	----	----	----/*1.30A	0.90B/*1.30A	----	1.10 - 0.30	.0060	----	----	----	----	29 UNCH
6350	----	----	----	0.90B/*1.30A	----	1.10 - 0.20	.0060	----	----	----	----	26 UNCH
6375	----	----	----/*1.20A	0.90B/*1.20A	----	1.10 - 0.20	.0059	----	----	----	----	37 UNCH
6400	----	----	----	0.80B/*1.20A	----	1.00 - 0.20	.0054	----	----	----	----	171 UNCH
6425	----	----	----/*1.10A	0.80B/*1.10A	----	1.00 - 0.20	.0054	----	----	----	----	17 UNCH
6450	----	----	----/*1.10A	0.80B/*1.10A	----	1.00 - 0.20	.0053	----	----	----	----	48 UNCH
6475	----	----	----	0.80B/*1.10A	----	0.90 - 0.20	.0048	----	----	----	----	13 UNCH
6500	----	----	----/*1.00A	0.70B/*1.00A	----	0.90 - 0.20	.0048	----	----	----	----	634 UNCH
6525	----	----	----/*1.00A	0.70B/*1.00A	----	0.90 - 0.20	.0048	----	----	----	----	132 UNCH
6550	----	----	----	0.70B/*1.00A	----	0.90 - 0.10	.0047	----	----	----	----	11 UNCH
6575	----	----	----	0.70B/*1.00A	----	0.90 - 0.10	.0047	----	----	----	----	4 UNCH
6600	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.20	.0042	----	----	----	----	27 UNCH
6650	----	----	----	0.60B/*1.00A	----	0.80 - 0.10	.0041	----	----	----	----	16 UNCH
6675	----	----	----	0.60B/1.00A	----	0.80 - 0.10	.0041	----	----	----	----	1 UNCH
6700	----	----	----	0.50B/*0.90A	----	0.70 - 0.20	.0036	----	----	----	----	127 UNCH
6775	----	----	----	0.50B/*0.90A	----	0.70 - 0.20	.0036	----	----	----	----	1 UNCH
6800	----	----	----	0.50B/*0.90A	----	0.70 - 0.10	.0035	----	----	----	----	201 UNCH
6825	----	----	----	0.50B/*0.80A	----	0.70 - 0.10	.0035	----	----	----	----	19 UNCH
6850	----	----	----	0.40B/*0.80A	----	0.60 - 0.20	.0031	----	----	----	----	201 UNCH
6875	----	----	----	0.40B/*0.80A	----	0.60 - 0.20	.0030	----	----	----	----	22 UNCH
6900	----	----	----	0.40B/*0.80A	----	0.60 - 0.20	.0030	----	----	----	----	19 UNCH
6925	----	----	----	0.40B/*0.80A	----	0.60 - 0.20	.0030	----	----	----	----	1 UNCH
6950	----	----	----/*0.70A	0.40B/*0.70A	----	0.60 - 0.20	.0030	----	----	----	----	22 UNCH
6975	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.20	.0030	----	----	----	----	10 UNCH
7000	----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.30	.0025	----	----	38	----	1471 + 28
7050	----	----	----	0.30B/*0.70A	----	0.50 - 0.20	.0025	----	----	----	----	18 UNCH
7075	----	----	----	0.30B/*0.70A	----	0.50 - 0.20	.0025	----	----	----	----	13 UNCH
7100	----	----	----	0.30B/*0.70A	----	0.50 - 0.20	.0025	----	----	----	----	28 UNCH
7125	----	----	----	0.30B/*0.70A	----	0.50 - 0.20	.0024	----	----	----	----	1 UNCH
7150	----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.20	.0024	----	----	----	----	20 UNCH
7175	----	----	----/*0.60A	0.30B/*0.60A	----	0.40 - 0.30	.0020	----	----	----	----	1 UNCH
7200	----	----	----	0.30B/*0.60A	----	0.40 - 0.20	.0020	----	----	----	----	3 UNCH
7225	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0020	----	----	----	----	22 UNCH
7250	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0019	----	----	----	----	23 UNCH
7275	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0019	----	----	----	----	14 UNCH
7300	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0019	----	----	----	----	50 UNCH
7350	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0019	----	----	----	----	8 UNCH
7400	----	----	----	0.20B/*0.50A	----	0.30 - 0.20	.0015	----	----	----	----	2 UNCH
7425	----	----	----	0.10B/*0.50A	----	0.30 - 0.20	.0015	----	----	----	----	19 UNCH
7450	----	----	----	0.10B/*0.50A	----	0.30 - 0.20	.0014	----	----	----	----	28 UNCH
7475	----	----	----	0.10B/*0.50A	----	0.30 - 0.20	.0014	----	----	----	----	9 UNCH
7500	----	----	----	0.40B/*0.50A	----	0.30 - 0.20	.0014	----	----	----	----	296 UNCH
7525	----	----	----	0.10B/*0.50A	----	0.30 - 0.20	.0014	----	----	----	----	33 UNCH
7550	----	----	----	0.40B/*0.50A	----	0.30 - 0.20	.0014	----	----	----	----	50 UNCH
7575	----	----	----	0.10B/*0.50A	----	0.30 - 0.20	.0014	----	----	----	----	1 UNCH
7600	----	----	----	0.10B/*0.50A	----	0.30 - 0.20	.0014	----	----	----	----	10 UNCH
7625	----	----	----	----/*0.50A	----	0.30 - 0.20	.0014	----	----	----	----	12 UNCH
7700	----	----	----	----/*0.50A	----	0.30 - 0.10	.0014	----	----	----	----	11 UNCH
7725	----	----	----	----/*0.50A	----	0.30 - 0.10	.0014	----	----	----	----	17 UNCH
7750	----	----	----	----/*0.50A	----	0.30 - 0.10	.0014	----	----	----	----	6 UNCH
7775	----	----	----	----/*0.50A	----	0.30 - 0.10	.0014	----	----	----	----	6 UNCH
7800	----	----	----	----/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	5 UNCH
7825	----	----	----	----/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	13 UNCH
7875	----	----	----	----/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	151 UNCH
7900	----	----	----	----/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	1 UNCH
8000	----	----	----	0.40B/*0.40A	----	0.20 - 0.20	.0009	----	----	38	----	1091 + 24
8100	----	----	----	----/*0.40A	----	0.20 - 0.20	.0009	----	----	----	----	7 UNCH
8200	----	----	----	----/0.40A	----	0.20 - 0.10	.0009	----	----	----	----	3 UNCH
8300	----	----	----	----/*0.40A	----	0.20 - 0.10	.0009	----	----	----	----	4 UNCH
8500	----	----	----	0.30B/*0.40A	----	0.20 - 0.10	.0008	----	----	----	----	30 UNCH
8600	----	----	----	----/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	2 UNCH
8700	----	----	----	----/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	24 UNCH
8800	----	----	----	----/*0.30A	----	0.20 - 0.10	.0008	----	----	----	----	7 UNCH
9000	0.30	0.30	0.30/0.30	0.30/0.30	----	0.20 - 0.10	.0008	----	----	65	----	341 + 65
9200	----	----	----	----/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	11 UNCH
9300	----	----	----	----/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	4 UNCH
9400	----	----	----	----/0.30A	----	0.20 - 0.10	.0007	----	----	----	----	141 UNCH
9500	----	----	----	----/0.30A	----	0.20 - 0.10	.0007	----	----	----	----	66 UNCH
9900	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0007	----	----	----	----	5 UNCH
10000	0.20	0.20	0.20/0.20	0.20/0.20	----	0.20 - 0.10	.0007	----	----	72	----	275 + 72
10100	----	----	----	----/*0.20A	----	0.20 UNCH	.0007	----	----	----	----	12 UNCH
10500	----	----	----	----/0.20A	----	0.10 - 0.10	.0003	----	----	----	----	5 UNCH
10700	----	----	----	----/0.20A	----	0.10 - 0.10	.0003	----	----	----	----	5 UNCH
11000	----	----	----	----/0.20A	----	0.10 UNCH	.0003	----	----	----	----	103 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS												
JUL26														
11200	----	----	----	----/0.20A	----	0.10	UNCH	.0003	----	----	----	----	13	UNCH
11500	----	----	----	----/0.20A	----	0.10	UNCH	.0003	----	----	----	----	47	UNCH
11600	----	----	----	----/0.20A	----	0.10	UNCH	.0003	----	----	----	----	50	UNCH
12000	----	----	----	----/0.20A	----	0.10	UNCH	.0003	----	----	----	----	217	UNCH
TOTAL											5690	415	73654 +	2445
AUG26														
3200	----	----	----/1,317.60A	1372.70B/1317.60A	----	1345.30	- 47.00	.9853	----	----	10	----	13 +	10
3350	----	----	----/1,168.80A	1223.80B/1168.80A	----	1196.50	- 46.70	.9795	----	----	----	----	125	UNCH
3400	----	----	----/1,116.30A	1175.50B/1116.30A	----	1147.10	- 46.50	.9769	----	----	20	----	420 +	20
3500	----	----	----/1,021.00A	1075.80B/1021.00A	----	1048.60	- 46.30	.9703	----	----	----	----	46	UNCH
3505	----	----	----/1,016.10A	1070.90B/1016.10A	----	1043.70	- 46.30	.9699	----	----	----	----	4	UNCH
3520	----	----	----/1,001.50A	1056.10B/1001.50A	----	1029.00	- 46.20	.9686	----	----	----	----	65	UNCH
3550	----	----	----/970.40A	1028.20B/970.40A	----	999.70	- 46.00	.9659	----	----	----	----	310	UNCH
3600	----	----	----/918.00A	980.40B/918.00A	----	950.90	- 45.80	.9610	----	----	----	----	1045	UNCH
3610	----	----	----/913.80A	968.10B/913.80A	----	941.20	- 45.70	.9601	----	----	----	----	6	UNCH
3650	----	----	----/875.10A	929.10B/875.10A	----	902.40	- 45.50	.9554	----	----	----	----	4	UNCH
3660	----	----	----	----	----	892.70	- 45.50	.9542	----	----	----	----	1	UNCH
3685	----	----	----	----	----	868.60	- 45.30	.9510	----	----	----	----	1	UNCH
3700	----	----	----/827.00A	880.70B/827.00A	----	854.10	- 45.20	.9487	----	----	----	----	40	UNCH
3715	----	----	----/812.60A	866.20B/812.60A	----	839.70	- 45.10	.9467	----	----	----	----	30	UNCH
3720	----	----	----	----	----	834.90	- 45.10	.9459	----	----	----	----	1	UNCH
3735	----	----	----	----	----	820.50	- 45.00	.9436	----	----	----	----	1	UNCH
3750	----	----	----/779.30A	832.50B/779.30A	----	806.20	- 44.80	.9412	----	----	----	----	8	UNCH
3775	----	----	----/755.50A	808.50B/755.50A	----	782.40	- 44.60	.9369	----	----	----	----	4	UNCH
3780	----	----	----/750.80A	803.70B/750.80A	----	777.60	- 44.60	.9359	----	----	----	----	10	UNCH
3790	----	----	----/741.40A	794.20B/741.40A	----	768.10	- 44.50	.9342	----	----	----	----	67	UNCH
3800	----	----	----/730.40A	786.10B/730.40A	----	758.60	- 44.50	.9323	----	----	----	----	303	UNCH
3820	----	----	----/713.20A	765.60B/713.20A	----	739.70	- 44.30	.9282	----	----	----	----	3	UNCH
3840	----	----	----	----	----	720.90	- 44.10	.9240	----	----	----	----	1	UNCH
3850	----	----	----/685.20A	737.20B/685.20A	----	711.50	- 44.00	.9218	----	----	----	----	12	UNCH
3885	----	----	----	----	----	678.80	- 43.70	.9136	----	----	----	----	2	UNCH
3890	----	----	----	495.60B/801.70A	----	674.20	- 43.60	.9122	----	----	----	----	2	UNCH
3900	----	----	----/639.00A	690.20B/639.00A	----	664.90	- 43.60	.9096	----	----	----	----	146	UNCH
3920	----	----	----	532.80B/738.60A	----	646.50	- 43.30	.9042	----	----	----	----	1	UNCH
3925	----	----	----/616.30A	666.90B/616.30A	----	641.90	- 43.20	.9028	----	----	----	----	10	UNCH
3950	----	----	----/593.70A	643.80B/593.70A	----	619.00	- 43.00	.8955	----	----	----	----	106	UNCH
3955	----	----	----/589.20A	639.20B/589.20A	----	614.50	- 42.90	.8941	----	----	----	----	7	UNCH
3975	----	----	----/571.30A	620.80B/571.30A	----	596.40	- 42.60	.8875	----	----	----	----	200	UNCH
3995	----	----	----/553.60A	602.60B/553.60A	----	578.40	- 42.30	.8808	----	----	----	----	30	UNCH
4000	----	----	----/545.90A	600.60B/545.90A	----	573.90	- 42.30	.8791	----	----	----	----	723	UNCH
4005	----	----	----	494.70B/662.20A	----	569.50	- 42.10	.8771	----	----	----	----	1	UNCH
4015	----	----	----/536.10A	584.50B/536.10A	----	560.60	- 42.00	.8736	----	----	----	----	12	UNCH
4025	----	----	----/527.40A	575.60B/527.40A	----	551.70	- 41.90	.8699	----	----	----	----	174	UNCH
4045	----	----	----/510.10A	557.70B/510.10A	----	534.20	- 41.40	.8619	----	----	----	----	30	UNCH
4050	----	----	----/505.80A	553.30B/505.80A	----	529.80	- 41.40	.8599	----	----	----	----	100	UNCH
4055	----	----	----/501.60A	548.80B/501.60A	----	525.40	- 41.30	.8579	----	----	----	----	100	UNCH
4075	----	----	----/484.50A	531.20B/484.50A	----	508.10	- 40.90	.8494	----	----	----	----	3	UNCH
4080	----	----	----	427.00B/598.30A	----	503.80	- 40.90	.8471	----	----	----	----	1	UNCH
4100	----	----	----/463.60A	509.40B/463.60A	----	486.80	- 40.40	.8381	----	----	----	----	73	UNCH
4110	----	----	----/455.30A	501.00B/455.30A	----	478.30	- 40.20	.8333	----	----	----	----	19	UNCH
4135	----	----	----/434.80A	479.70B/434.80A	----	457.40	- 39.70	.8209	----	----	----	----	20	UNCH
4140	----	----	----	374.60B/550.50A	----	453.20	- 39.60	.8184	----	----	----	----	1	UNCH
4150	----	----	----/422.80A	467.00B/422.80A	----	445.00	- 39.40	.8132	----	----	----	----	40	UNCH
4165	----	----	----	353.00B/531.10A	----	432.70	- 39.10	.8051	----	----	----	----	1	UNCH
4195	----	----	----/387.40A	429.80B/387.40A	----	408.60	- 38.40	.7880	----	----	----	----	3	UNCH
4200	----	----	----/383.50A	425.80B/383.50A	----	404.60	- 38.30	.7851	----	----	----	----	73	UNCH
4215	----	----	----	310.60B/493.40A	----	392.90	- 37.80	.7761	----	----	----	----	1	UNCH
4220	----	----	----/368.30A	409.80B/368.30A	----	389.00	- 37.70	.7730	----	----	----	----	16	UNCH
4225	----	----	----/364.60A	405.80B/364.60A	----	385.10	- 37.60	.7699	----	----	----	----	102	UNCH
4235	----	----	----	294.10B/478.70A	----	377.40	- 37.30	.7637	----	----	----	----	1	UNCH
4250	----	----	----/341.80A	386.20B/341.80A	----	366.00	- 36.90	.7540	----	----	----	----	71	UNCH
4265	----	----	----/330.90A	374.60B/330.90A	----	354.70	- 36.60	.7440	----	----	----	----	77	UNCH
4285	----	----	----/315.10A	359.40B/315.10A	----	340.00	- 36.00	.7302	----	----	----	----	8	UNCH
4300	----	----	----/304.70A	348.80B/304.70A	----	329.10	- 35.60	.7197	----	----	----	----	42	UNCH
4320	----	----	----/291.50A	311.40B/291.50A	----	314.90	- 35.00	.7052	----	----	----	----	2	UNCH
4325	----	----	----/288.20A	330.00B/288.20A	----	311.40	- 34.90	.7015	----	----	----	----	6	UNCH
4330	----	----	----/285.00A	329.40B/285.00A	----	308.00	- 34.60	.6977	----	----	----	----	201	UNCH
4350	----	----	----/271.60A	315.20B/271.60A	----	294.30	- 34.00	.6826	----	----	----	----	774	UNCH
4360	----	----	----/265.30A	309.80B/265.30A	----	287.60	- 33.70	.6748	----	----	----	----	1	UNCH
4375	----	----	----/256.00A	300.50B/256.00A	----	277.70	- 33.20	.6630	----	----	----	----	3	UNCH
4385	----	----	----/249.90A	293.80B/249.90A	----	271.20	- 32.90	.6550	----	----	----	----	100	UNCH
4390	----	----	----/246.90A	290.30B/246.90A	----	268.00	- 32.70	.6510	----	----	----	----	1	UNCH
4400	----	----	----/241.00A	283.80B/241.00A	----	261.60	- 32.40	.6429	----	----	6	----	327	UNCH
4420	----	----	----/229.40A	270.70B/229.40A	----	249.20	- 31.70	.6264	----	----	----	----	50	UNCH
4425	----	----	----/226.50A	267.40B/226.50A	----	246.20	- 31.50	.6222	----	----	----	----	5	UNCH
4440	----	----	----/218.20A	258.00B/218.20A	----	237.20	- 30.90	.6096	----	----	----	----	1	UNCH
4450	----	----	----/212.80A	251.90B/212.80A	----	231.30	- 30.60	.6012	----	----	----	----	7	UNCH
4455	----	----	----/210.00A	251.50B/210.00A	----	228.40	- 30.40	.5969	----	----	----	----	2	UNCH
4460	----	----	----/207.40A	250.20B/207.40A	----	225.50	- 30.20	.5926	----	----	----	----	5	UNCH
4465	----	----	----/204.80A	250.20B/204.80A	----	222.70	- 30.00	.5883	----	----	----	----	9	UNCH
4470	----	----	249.90B/202.10A	249.90B/202.10A	----	219.80	- 29.90	.5840	----	----	----	----	7	UNCH
4475	----	----	250.10B/199.50A	250.10B/199.50A	----	217.00	- 29.70	.5797	----	----	----	----	31	UNCH
4485	----	----	249.90B/194.30A	249.90B/194.30A	----	211.50	- 29.20	.5711	----	----	----	----	5	UNCH
4490	----	----	251.40B/191.80A	251.40B/191.80A	----	208.80	- 29.00	.5667	----	----	1	----	2 +	1
4500	248.00	248.00	248.00/186.70A	248.00/186.70A	----	203.40	- 28.60	.5580	----	----	22	----	816 +	3
4510	----	----	239.70B/182.00A	239.70B/182.00A	----	198.10	NEW	.5493	----	----	1	----	1 +	1
4525	----	----	233.60B/174.70A	233.60B/174.70A	----	190.30	- 27.70	.5361	----	----	5	----	10 -	5
4535	----	----	228.30B/170.20A	228.30B/170.20A	----	185.30	- 27.20	.5273	----	----	----	----	10	UNCH
4540	----	----	225.00B/167.70A	225.00B/167.70A	----	182.80	- 27.10	.5229	----	----	----	----	5	UNCH
4545	----	----	222.60B/165.60A	222.60B/165.60A	----	180.40	- 26.80	.5185	----	----	----	----	1	UNCH
4550	----	----	219.50B/163.40A	219.50B/163.40A	----	177.90	- 26.60	.5141	----	----	1	----	27	UNCH
4555	----	----	216.80B/161.20A	216.80B/161.20A	----	175.50	- 26.40	.5097	----	----	----	----	1	UNCH
4560	171.40	171.40	214.60B/159.00A	214.60B/159.00A	----	173.10	- 26.20	.5053	----	----	3	160	244 +	111
4565	----	----	211.40B/156.90A	211.40B/156.90A	----	170.80	- 26.00	.5009	----	----	----	----	1	UNCH
4570	----	----	208.70B/154.70A	208.70B/154.70A	----	168.40	- 25.80	.4965	----	----	----	----	158	UNCH
4575	----	----	206.00B/152.60A	206.00B/152.60A	----	166.10	- 25.60	.4922	----	----	8	----	51 +	2
4580	157.30	157.30	203.30B/150.50A	203.30B/150.50A	----	163.80	- 25.40	.4878	----	----	3	----	207 +	1
4585	----	----	200.70B/148.50A	200.70B/148.50A	----	161.60	- 25.10	.4834	----	----	----	----	2	UNCH
4590	178.70	178.70	198.20B/146.40A	198.20B/146.40A	----	159.30	- 25.00	.4790	----	----	4	----	72 +	1
4595	----	----	195.50B/144.40A	195.50B/144.40A	----	157.10	- 24.80	.4747	----	----	----	----	31	UNCH
4600	192.80	192.80	193.20B/142.20A	193.20B/142.20A	----	154.90	- 24.50	.4703	----	----	78	----	337 +	8
4605	----	----	190.70B/140.40A	190.70B/140.40A	----	152.70	- 24.40	.4660	----	----	----	----	4	UNCH
4610	150.60	150.60	188.50B/138.50A	188.50B/138.50A	----	150.60	- 24.10	.4616	----	----	3	----	3 -	1
4615	148.80	148.80	185.50B/136.20A	185.50B/136.20A	----	148.50	- 23.90	.4573	----	----	7	----	13 +	6
4620	----	----	183.40B/134.70A	183.40B/134.70A	----	146.40	- 23.70	.4530	----	----	1	----	14 +	1
4625	----	----	181.10B/132.80A	181.10B/132.80A	----	144.30	- 23.50	.4487	----	----	----	----	24	UNCH
4630	142.00	142.00	178.70B/130.90A	178.70B/130.90A	----	142.30	- 23.20	.4444	----	----	7	----	15 -	7
4640	----	----	173.50B/127.30A	173.50B/127.30A	----	138.20	- 22.90	.4358	----	----	7	----	10 -	7
4645	----	----	171.90B/125.50A	171.90B/125.50A	----	136.30	- 22.60	.4316	----	----	----	----	1	UNCH
4650	----	----	169.70B/123.70A	169.70B/123.70A	----	134.30	- 22.40	.4273	----	----	16	150	442 +	162
4655	----	----	167.30B/122.00A	167.30B/122.00A	----	132.40	- 22.20	.4231	----	----	1	----	11	UNCH
4660	135.40	135.40	165.00B/120.20A	165.00B/120.20A	----	130.50	- 22.00	.4189	----	----	3	----	17	UNCH
4665	----	----	163.00B/118.40A	163.00B/118.40A	----	128.60	- 21.80	.4147	----	----	----	----	24	UNCH
4670	----	----	160.60B/116.70A	160.60B/116.70A	----	126.70	- 21.60	.4105	----	----	----	----	70	UNCH
4675	----	----	158.70B/115.20A	158.70B/115.20A	----	124.90	- 21.40	.4064	----	----	6	----	46 +	6
4680	----	----	156.20B/113.40A	156.20B/113.40A	----	123.10	- 21.20	.4022	----	----	28	----	32 +	25
4685	121.30	121.30	154.50B/111.60A	154.50B/111.60A	----	121.30	- 21.00	.3981	----	----	2	----	202 +	2
4690	----	----	152.40B/110.20A	152.40B/110.20A	----	119.50	- 20.80	.3940	----	----	----	----	14	UNCH
4695	----	----	150.30B/*108.50	150.30B/*108.50A	----	117.70	- 20.60	.3898	----	----	----	----	6	UNCH
4700	108.60	108.60	148.20B/106.40A	148.20B/106.40A	----	116.00	- 20.40	.3858	----	----	30	----	3411 -	9
4705	----	----	146.10B/*105.50	146.10B/*105.50A	----	114.30	- 20.20	.3818	----	----	----	----	108	UNCH
4710	----	----	143.80B/104.00A	143.80B/104.00A	----	112.60	- 20.00	.3777	----	----	----	----	79	UNCH
4715	104.80	104.80	142.10B/*102.50	142.10B/*102.50A	----	111.00	- 19.80	.3738	----	----	1	----	2 +	1
4720	----	----	139.50B/100.70A	139.50B/100.70A	----	109.30	- 19.60	.3697	----	----	----	----	62	UNCH
4725	----	----	138.10B/98.90A	138.10B/98.90A	----	107.70	- 19.40	.3658	----	----	----	----	34	UNCH
4730	106.30	106.30	135.80B/97.40A	135.80B/97.40A	----	106.10	- 19.30	.3618	----	----	2	----	63 +	2
4735	101.70	101.70	134.10B/*95.90A	134.10B/*95.90A	----	104.50	- 19.10	.3579	----	----	3	----	12	UNCH
4740	----	----	132.20B/94.60A	132.20B/94.60A	----	103.00	- 18.80	.3540	----	----	----	----	9	UNCH
4745	----	----	129.80B/*93.20A	129.80B/*93.20A	----	101.50	- 18.60	.3502	----	----	----	----	70	UNCH
4750	----	----	128.70B/91.80A	128.70B/91.80A	----	100.00	- 18.40	.3464	----	----	----	----	445	UNCH
4755	----	----	126.70B/*90.50A	126.70B/*90.50A	----	98.50	- 18.30	.3425	----	----	1	----	58 -	1
4760	----	----	124.40B/89.00A	124.40B/89.00A	----	97.00	- 18.10	.3387	----	----	----	----	43	UNCH
4765	----	----	123.20B/*87.90A	123.20B/*87.90A	----	95.60	- 17.90	.3350	----	----	----	----	11	UNCH
4770	91.90	91.90	121.50B/86.40A	121.50B/86.40A	----	94.10	- 17.80	.3312	----	----	1	----	258	UNCH
4775	----	----	119.90B/85.40A	119.90B/85.40A	----	92.70	- 17.60	.3275	----	----	----	----	131	UNCH
4780	----	----	117.40B/84.10A	117.40B/84.10A	----	91.30	- 17.40	.3238	----	----	----	----	22	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4785	----	----	116.20B/*82.80A	116.20B/*82.80A	----	90.00 - 17.20	.3202	----	----	----	----	15 UNCH
4790	----	----	114.00B/*81.50A	114.00B/*81.50A	----	88.60 - 17.00	.3165	----	----	----	----	33 UNCH
4795	----	----	112.80B/*80.40A	112.80B/*80.40A	----	87.30 - 16.80	.3129	----	----	----	----	124 UNCH
4800	110.00	110.00	110.70B/78.90A	110.70B/78.90A	----	86.00 - 16.60	.3094	----	----	91	----	2146 + 42
4805	----	----	109.30B/*78.00A	109.30B/*78.00A	----	84.70 - 16.50	.3058	----	----	----	----	16 UNCH
4810	----	----	108.30B/*76.80A	108.30B/*76.80A	----	83.40 - 16.30	.3023	----	----	----	----	18 UNCH
4815	----	----	106.10B/*75.50A	106.10B/*75.50A	----	82.20 - 16.10	.2988	----	----	----	----	53 UNCH
4820	----	----	104.60B/*74.40A	104.60B/*74.40A	----	80.90 - 16.00	.2953	----	----	----	----	25 UNCH
4825	----	----	103.00B/73.20A	103.00B/73.20A	----	79.70 - 15.80	.2919	----	----	4	----	87 + 4
4830	----	----	101.60B/*72.20A	101.60B/*72.20A	----	78.50 - 15.60	.2885	----	----	----	----	29 UNCH
4835	----	----	100.10B/*71.10A	100.10B/*71.10A	----	77.30 - 15.50	.2851	----	----	----	----	38 UNCH
4840	----	----	98.60B/*70.00A	98.60B/*70.00A	----	76.10 - 15.30	.2817	----	----	----	----	25 UNCH
4845	----	----	97.80B/*68.90A	97.80B/*68.90A	----	75.00 - 15.10	.2784	----	----	----	----	1 UNCH
4850	86.30	86.30	95.60B/67.90A	95.60B/67.90A	----	73.90 - 14.90	.2752	----	----	24	----	269 + 23
4860	----	----	93.00B/*65.80A	93.00B/*65.80A	----	71.60 - 14.60	.2686	----	----	----	----	29 UNCH
4865	----	----	91.70B/*64.80A	91.70B/*64.80A	----	70.60 - 14.40	.2655	----	----	----	----	13 UNCH
4870	----	----	90.30B/*63.80A	90.30B/*63.80A	----	69.50 - 14.20	.2623	----	----	----	----	49 UNCH
4875	----	----	89.00B/62.90A	89.00B/62.90A	----	68.40 - 14.10	.2590	----	----	----	----	173 UNCH
4880	----	----	87.60B/*61.90A	87.60B/*61.90A	----	67.40 - 13.90	.2560	----	----	----	----	142 UNCH
4885	75.00	75.00	86.80B/*61.00A	86.80B/*61.00A	----	66.40 - 13.70	.2529	----	----	1	----	45 + 1
4890	----	----	84.80B/*60.10A	84.80B/*60.10A	----	65.40 - 13.60	.2499	----	----	----	----	9 UNCH
4895	----	----	84.30B/*59.10A	84.30B/*59.10A	----	64.40 - 13.40	.2468	----	----	----	----	63 UNCH
4900	75.00	75.00	82.70B/58.20A	82.70B/58.20A	----	63.40 - 13.30	.2438	----	----	44	----	722 + 18
4905	----	----	81.90B/*57.30A	81.90B/*57.30A	----	62.50 - 13.00	.2409	----	----	----	----	14 UNCH
4910	----	----	80.20B/*56.50A	80.20B/*56.50A	----	61.50 - 12.90	.2379	----	----	----	----	10 UNCH
4915	----	----	79.40B/*55.60A	79.40B/*55.60A	----	60.60 - 12.70	.2351	----	----	----	----	25 UNCH
4920	----	----	77.80B/*54.80A	77.80B/*54.80A	----	59.70 - 12.60	.2322	----	----	----	----	3 UNCH
4925	----	----	76.70B/*53.90A	76.70B/*53.90A	----	58.80 - 12.40	.2294	----	----	----	----	308 UNCH
4930	----	----	76.00B/*53.10A	76.00B/*53.10A	----	57.90 - 12.30	.2265	----	----	----	----	36 UNCH
4935	----	----	74.80B/*52.30A	74.80B/*52.30A	----	57.10 - 12.10	.2239	----	----	----	----	1 UNCH
4940	54.90	54.90	73.60B/*51.50A	73.60B/*51.50A	----	56.20 - 11.90	.2210	----	----	4	----	40 + 4
4945	----	----	72.60B/*50.80A	72.60B/*50.80A	----	55.40 - 11.70	.2184	----	----	----	----	73 UNCH
4950	64.10	64.10	71.50B/*50.00A	71.50B/*50.00A	----	54.50 - 11.70	.2156	----	----	17	----	262 + 16
4955	----	----	70.30B/*49.20A	70.30B/*49.20A	----	53.70 - 11.50	.2130	----	----	----	----	22 UNCH
4960	----	----	69.40B/*48.50A	69.40B/*48.50A	----	52.90 - 11.40	.2103	----	----	----	----	40 UNCH
4965	----	----	68.40B/*47.80A	68.40B/*47.80A	----	52.10 - 11.20	.2077	----	----	----	----	22 UNCH
4970	----	----	67.80B/*47.10A	67.80B/*47.10A	----	51.40 - 11.00	.2053	----	----	----	----	12 UNCH
4975	----	----	66.40B/*46.60A	66.40B/*46.60A	----	50.60 - 10.90	.2027	----	----	----	----	2 UNCH
4980	----	----	65.40B/*45.70A	65.40B/*45.70A	----	49.90 - 10.70	.2003	----	----	----	----	11 UNCH
4985	----	----	64.40B/*45.10A	64.40B/*45.10A	----	49.10 - 10.60	.1977	----	----	----	----	14 UNCH
4990	----	----	63.40B/*44.30A	63.40B/*44.30A	----	48.40 - 10.50	.1953	----	----	1	----	10 UNCH
4995	----	----	62.50B/*43.80A	62.50B/*43.80A	----	47.70 - 10.30	.1929	----	----	1	----	3 - 1
5000	60.30	60.30	61.60B/42.70	61.60B/42.70	----	47.00 - 10.20	.1905	----	----	134	----	2037 + 24
5005	46.50	46.50	60.50B/*42.50A	60.50B/*42.50A	----	46.30 - 10.00	.1881	----	----	3	----	15 + 3
5010	----	----	59.80B/*42.10A	59.80B/*42.10A	----	45.60 - 9.90	.1857	----	----	----	----	3 UNCH
5015	----	----	58.90B/*41.30A	58.90B/*41.30A	----	45.00 - 9.70	.1836	----	----	----	----	11 UNCH
5020	----	----	58.10B/*40.90A	58.10B/*40.90A	----	44.30 - 9.60	.1812	----	----	----	----	32 UNCH
5025	----	----	57.30B/*40.30A	57.30B/*40.30A	----	43.70 - 9.50	.1791	----	----	1	----	232 UNCH
5030	----	----	56.30B/*39.50A	56.30B/*39.50A	----	43.00 - 9.40	.1767	----	----	1	----	228 UNCH
5035	----	----	55.60B/*38.90A	55.60B/*38.90A	----	42.40 - 9.20	.1746	----	----	----	----	125 UNCH
5040	----	----	55.00B/*38.30A	55.00B/*38.30A	----	41.80 - 9.10	.1724	----	----	----	----	33 UNCH
5045	41.40	41.40	54.10B/*37.80A	54.10B/*37.80A	----	41.20 - 9.00	.1703	----	----	10	----	32 + 10
5050	41.10	41.10	53.40B/*37.50A	53.40B/*37.50A	----	40.60 - 8.80	.1682	----	----	3	----	331 + 1
5055	40.30	40.30	52.70B/*36.70A	52.70B/*36.70A	----	40.00 - 8.70	.1661	----	----	1	----	6 + 1
5060	----	----	51.50B/*36.40A	51.50B/*36.40A	----	39.50 - 8.50	.1642	----	----	----	----	32 UNCH
5065	----	----	50.80B/*35.80A	50.80B/*35.80A	----	38.90 - 8.50	.1621	----	----	----	----	43 UNCH
5070	----	----	50.30B/*35.20A	50.30B/*35.20A	----	38.30 - 8.40	.1600	----	----	----	----	58 UNCH
5075	35.60	35.60	49.20B/*34.70A	49.20B/*34.70A	----	37.80 - 8.20	.1581	----	----	3	----	221 + 1
5080	----	----	48.50B/*34.20A	48.50B/*34.20A	----	37.30 - 8.00	.1562	----	----	----	----	21 UNCH
5085	----	----	47.80B/*33.70A	47.80B/*33.70A	----	36.70 - 8.00	.1541	----	----	----	----	160 UNCH
5090	----	----	47.20B/*33.50A	47.20B/*33.50A	----	36.20 - 7.90	.1523	----	----	1	----	2 + 1
5095	----	----	46.50B/*32.70A	46.50B/*32.70A	----	35.70 - 7.70	.1504	----	----	----	----	5 UNCH
5100	40.00	40.00	45.80B/*32.30A	45.80B/*32.30A	----	35.20 - 7.60	.1486	----	----	26	320	3060 + 41
5105	----	----	45.40B/*31.90A	45.40B/*31.90A	----	34.70 - 7.50	.1467	----	----	----	----	7 UNCH
5110	----	----	44.50B/*31.30A	44.50B/*31.30A	----	34.20 - 7.40	.1449	----	----	----	----	11 UNCH
5115	31.80	31.80	43.70B/*31.00A	43.70B/*31.00A	----	33.70 - 7.30	.1430	----	----	1	----	14 + 1
5120	----	----	43.20B/*30.50A	43.20B/*30.50A	----	33.30 - 7.10	.1414	----	----	----	----	359 UNCH
5125	39.30	39.30	42.30B/*30.20A	42.30B/*30.20A	----	32.80 - 7.10	.1396	----	----	202	----	347 + 184
5130	----	----	42.00B/*29.80A	42.00B/*29.80A	----	32.30 - 7.00	.1378	----	----	----	----	1 UNCH
5135	----	----	41.30B/*29.60A	41.30B/*29.60A	----	31.90 - 6.80	.1362	----	----	----	----	21 UNCH
5140	----	----	40.70B/*28.90A	40.70B/*28.90A	----	31.40 - 6.80	.1344	----	----	1	----	25 + 1
5145	----	----	40.20B/*28.70A	40.20B/*28.70A	----	31.00 - 6.70	.1328	----	----	----	----	12 UNCH
5150	----	----	39.60B/*28.20A	39.60B/*28.20A	----	30.60 - 6.50	.1313	----	----	----	----	109 UNCH
5155	----	----	39.10B/*27.80A	39.10B/*27.80A	----	30.20 - 6.40	.1297	----	----	----	----	17 UNCH
5160	----	----	38.50B/*27.50A	38.50B/*27.50A	----	29.70 - 6.40	.1279	----	----	1	----	16 + 1
5165	----	----	38.00B/*27.00A	38.00B/*27.00A	----	29.30 - 6.30	.1264	----	----	----	----	24 UNCH
5170	----	----	37.30B/*26.60A	37.30B/*26.60A	----	28.90 - 6.20	.1248	----	----	----	----	6 UNCH
5175	28.50	28.50	36.90B/*26.20A	36.90B/*26.20A	----	28.50 - 6.10	.1233	----	----	9	----	361 UNCH
5185	----	----	35.80B/*25.50A	35.80B/*25.50A	----	27.80 - 5.90	.1205	----	----	----	----	2 UNCH
5190	----	----	35.40B/*25.20A	35.40B/*25.20A	----	27.40 - 5.80	.1189	----	----	----	----	12 UNCH
5195	----	----	34.90B/*24.80A	34.90B/*24.80A	----	27.00 - 5.80	.1174	----	----	----	----	42 UNCH
5200	30.60	30.60	34.50B/*24.50	34.50B/*24.50	----	26.70 - 5.60	.1162	----	----	78	----	3297 + 57
5205	----	----	33.80B/*24.20A	33.80B/*24.20A	----	26.30 - 5.60	.1146	----	----	----	----	6 UNCH
5210	----	----	33.40B/*23.90A	33.40B/*23.90A	----	25.90 - 5.60	.1131	----	----	----	----	8 UNCH
5215	----	----	32.90B/*23.60A	32.90B/*23.60A	----	25.60 - 5.40	.1119	----	----	----	----	15 UNCH
5220	----	----	32.40B/*23.30A	32.40B/*23.30A	----	25.30 - 5.30	.1106	----	----	55	----	236 + 55
5225	----	----	32.20B/*23.00A	32.20B/*23.00A	----	24.90 - 5.30	.1091	----	----	----	----	55 UNCH
5230	----	----	31.70B/*22.70A	31.70B/*22.70A	----	24.60 - 5.20	.1079	----	----	----	----	11 UNCH
5235	----	----	31.10B/*22.40A	31.10B/*22.40A	----	24.30 - 5.10	.1067	----	----	----	----	20 UNCH
5240	----	----	30.60B/*22.10A	30.60B/*22.10A	----	24.00 - 5.10	.1054	----	----	----	----	17 UNCH
5245	----	----	30.10B/*21.80A	30.10B/*21.80A	----	23.60 - 5.10	.1040	----	----	----	----	17 UNCH
5250	21.30	21.30	29.90B/*21.30	29.90B/*21.30	----	23.30 - 5.00	.1027	----	----	5	----	743 UNCH
5255	----	----	29.50B/*21.30A	29.50B/*21.30A	----	23.00 - 4.90	.1015	----	----	----	----	888 UNCH
5260	----	----	29.10B/*21.00A	29.10B/*21.00A	----	22.70 - 4.90	.1003	----	----	----	----	25 UNCH
5265	----	----	28.80B/*20.70A	28.80B/*20.70A	----	22.40 - 4.80	.0991	----	----	----	----	13 UNCH
5270	----	----	28.20B/*20.50A	28.20B/*20.50A	----	22.20 - 4.70	.0982	----	----	----	----	151 UNCH
5275	----	----	27.90B/*20.20A	27.90B/*20.20A	----	21.90 - 4.70	.0970	----	----	1	----	22 + 1
5280	----	----	27.40B/*20.00A	27.40B/*20.00A	----	21.60 - 4.60	.0958	----	----	----	----	207 UNCH
5285	----	----	27.00B/*19.70A	27.00B/*19.70A	----	21.30 - 4.60	.0946	----	----	----	----	32 UNCH
5290	----	----	26.70B/*19.50A	26.70B/*19.50A	----	21.00 - 4.60	.0934	----	----	----	----	22 UNCH
5295	----	----	26.30B/*19.20A	26.30B/*19.20A	----	20.80 - 4.40	.0925	----	----	----	----	6 UNCH
5300	19.40	19.40	25.90B/*19.00A	25.90B/*19.00A	----	20.50 - 4.40	.0913	----	----	15	----	1070 - 8
5305	----	----	25.60B/*18.80A	25.60B/*18.80A	----	20.30 - 4.30	.0904	----	----	----	----	17 UNCH
5310	----	----	25.40B/*18.50A	25.40B/*18.50A	----	20.00 - 4.30	.0892	----	----	----	----	107 UNCH
5320	----	----	24.60B/*18.10A	24.60B/*18.10A	----	19.50 - 4.20	.0871	----	----	----	----	17 UNCH
5325	----	----	24.30B/*17.90A	24.30B/*17.90A	----	19.30 - 4.10	.0862	----	----	----	----	27 UNCH
5330	19.00	19.00	23.90B/*17.70A	23.90B/*17.70A	----	19.00 - 4.10	.0851	----	----	17	----	18 + 15
5335	----	----	23.60B/*17.50A	23.60B/*17.50A	----	18.80 - 4.10	.0842	----	----	----	----	1 UNCH
5345	----	----	23.20B/*17.10A	23.20B/*17.10A	----	18.40 - 3.90	.0824	----	----	----	----	20 UNCH
5350	----	----	23.00B/*16.90A	23.00B/*16.90A	----	18.10 - 3.90	.0813	----	----	1	----	8001 UNCH
5355	----	----	22.70B/*16.70A	22.70B/*16.70A	----	17.90 - 3.90	.0804	----	----	----	----	1 UNCH
5360	----	----	22.20B/*16.50A	22.20B/*16.50A	----	17.70 - 3.80	.0795	----	----	----	----	114 UNCH
5365	----	----	21.90B/*16.30A	21.90B/*16.30A	----	17.50 - 3.80	.0787	----	----	----	----	6 UNCH
5370	----	----	21.60B/*16.10A	21.60B/*16.10A	----	17.30 - 3.70	.0778	----	----	----	----	8006 UNCH
5375	----	----	21.40B/*15.90A	21.40B/*15.90A	----	17.10 - 3.70	.0769	----	----	1	----	256 UNCH
5380	----	----	21.00B/*15.70A	21.00B/*15.70A	----	16.90 - 3.60	.0761	----	----	----	----	38 UNCH
5395	15.80	15.80	20.40B/*15.20A	20.40B/*15.20A	----	16.30 NEW	.0735	----	----	3	----	3 + 3
5400	----	----	20.20B/*15.10A	20.20B/*15.10A	----	16.10 - 3.50	.0727	----	----	9	----	2411 + 6
5405	----	----	19.80B/*14.90A	19.80B/*14.90A	----	15.90 - 3.50	.0718	----	----	----	----	7 UNCH
5410	----	----	19.50B/*14.70A	19.50B/*14.70A	----	15.80 - 3.30	.0713	----	----	----	----	24 UNCH
5420	----	----	19.00B/*14.40A	19.00B/*14.40A	----	15.40 - 3.30	.0696	----	----	----	----	8 UNCH
5425	----	----	18.90B/*14.30A	18.90B/*14.30A	----	15.20 - 3.30	.0688	----	----	----	----	22 UNCH
5430	----	----	18.60B/*14.20A	18.60B/*14.20A	----	15.10 - 3.20	.0683	----	----	----	----	22 UNCH
5435	----	----	18.40B/*14.00A	18.40B/*14.00A	----	14.90 - 3.20	.0674	----	----	----	----	50 UNCH
5440	----	----	18.20B/*13.90A	18.20B/*13.90A	----	14.80 - 3.10	.0669	----	----	----	----	106 UNCH
5445	14.80	14.80	18.00B/*13.70A	18.00B/*13.70A	----	14.60 - 3.10	.0661	----	----	4	----	10 UNCH
5450	----	----	17.80B/*13.60A	17.80B/*13.60A	----	14.40 - 3.10	.0653	----	----	----	----	187 UNCH
5455	----	----	17.50B/*13.50A	17.50B/*13.50A	----	14.30 - 3.00	.0648	----	----	----	----	21 UNCH
5460	----	----	17.30B/*13.30A	17.30B/*13.30A	----	14.10 - 3.00	.0639	----	----	----	----	12 UNCH
5465	----	----	17.10B/*13.20A	17.10B/*13.20A	----	14.00 - 2.90	.0634	----	----	----	----	42 UNCH
5470	----	----	16.90B/*13.20A	16.90B/*13.20A	----	13.80 - 3.00	.0626	----	----	----	----	14 UNCH
5475	----	----	16.70B/*12.90A	16.70B/*12.90A	----	13.70 - 2.90	.0621	----	----	----	----	7 UNCH
5480	----	----	16.50B/*13.00A	16.50B/*13.00A	----	13.60 - 2.80	.0616	----	----	----	----	14 UNCH
5485	----	----	16.40B/*12.80A	16.40B/*12.80A	----	13.40 - 2.80	.0608	----	----	----	----	19 UNCH
5490	----	----	----/*12.60A	16.00B/*12.60A	----	13.30 - 2.80	.0603	----	----	----	----	2 UNCH
5495	----	----	----/*12.50A	15.70B/*12.50A	----	13.10 - 2.80	.0595	----	----	----	----	4 UNCH
5500	12.80	12.80	12.90/12.50A	15.50B/12.50A	----	13.00 - 2.70	.0590	----	----	23	----	1501 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5505	----	----	----/*12.30A	15.50B/*12.30A	----	12.90 - 2.70	.0585	----	----	----	----	13 UNCH
5510	----	----	----/*12.20A	15.30B/*12.20A	----	12.80 - 2.60	.0580	----	----	----	----	9 UNCH
5515	----	----	----/*12.00A	15.00B/*12.00A	----	12.60 - 2.70	.0572	----	----	----	----	47 UNCH
5520	----	----	----/*12.00A	15.00B/*12.00A	----	12.50 - 2.60	.0567	----	----	----	----	1 UNCH
5525	----	----	----/*11.80A	14.60B/*11.80A	----	12.40 - 2.50	.0562	----	----	----	----	2236 UNCH
5530	----	----	----/*11.70A	14.50B/*11.70A	----	12.30 - 2.50	.0558	----	----	----	----	1 UNCH
5535	----	----	----/*11.60A	14.50B/*11.60A	----	12.10 - 2.60	.0550	----	----	----	----	12 UNCH
5540	----	----	----/*11.50A	14.20B/*11.50A	----	12.00 - 2.50	.0545	----	----	----	----	9 UNCH
5545	----	----	----/*11.20A	14.10B/*11.20A	----	11.90 - 2.50	.0540	----	----	----	----	20 UNCH
5550	----	----	----/*11.30A	13.90B/*11.30A	----	11.80 - 2.40	.0535	----	----	----	----	130 UNCH
5555	----	----	----/*11.20A	13.90B/*11.20A	----	11.70 - 2.40	.0531	----	----	----	----	1 UNCH
5560	----	----	----/*11.10A	13.60B/*11.10A	----	11.60 - 2.40	.0526	----	----	----	----	3 UNCH
5565	----	----	----/*11.00A	13.60B/*11.00A	----	11.50 - 2.30	.0521	----	----	----	----	39 UNCH
5570	----	----	----/*10.70A	13.30B/*10.70A	----	11.40 - 2.30	.0516	----	----	----	----	21 UNCH
5575	----	----	----/*10.80A	13.10B/*10.80A	----	11.30 - 2.30	.0512	----	----	----	----	4 UNCH
5580	----	----	----/*10.70A	13.00B/*10.70A	----	11.20 - 2.20	.0507	----	----	----	----	34 UNCH
5590	----	----	----/*10.50A	12.70B/*10.50A	----	11.00 - 2.20	.0498	----	----	----	----	2 UNCH
5595	----	----	----/*10.30A	12.60B/*10.30A	----	10.90 - 2.20	.0493	----	----	----	----	29 UNCH
5600	12.00	12.00	12.00/*10.30A	12.50B/*10.30A	----	10.80 - 2.10	.0489	----	----	5	----	1200 UNCH
5605	----	----	----/*10.20A	12.30B/*10.20A	----	10.70 - 2.10	.0484	----	----	----	----	7 UNCH
5610	----	----	----/*10.20A	12.20B/*10.20A	----	10.60 - 2.10	.0480	----	----	----	----	11 UNCH
5615	----	----	----/*10.10A	12.10B/*10.10A	----	10.50 - 2.10	.0475	----	----	----	----	2 UNCH
5620	----	----	----/*10.00A	12.00B/*10.00A	----	10.40 - 2.10	.0471	----	----	----	----	37 UNCH
5625	----	----	----/*9.90A	11.90B/*9.90A	----	10.30 - 2.10	.0466	----	----	----	----	5 UNCH
5630	----	----	----/*9.90A	11.80B/*9.90A	----	10.20 - 2.00	.0462	----	----	----	----	17 UNCH
5635	----	----	----/*9.70A	11.60B/*9.70A	----	10.20 - 1.90	.0460	----	----	----	----	2 UNCH
5640	----	----	----/*9.70A	11.50B/*9.70A	----	10.10 - 1.90	.0456	----	----	----	----	10 UNCH
5650	----	----	----/*9.40A	11.30B/*9.40A	----	9.90 - 1.90	.0447	----	----	----	----	601 UNCH
5660	9.10	9.10	9.10/*9.10	11.20B/*9.10	----	9.70 - 1.90	.0438	----	----	1	----	34 + 1
5670	----	----	----/*9.20A	10.90B/*9.20A	----	9.60 - 1.80	.0433	----	----	----	----	10 UNCH
5675	----	----	----/*9.20A	10.80B/*9.20A	----	9.50 - 1.80	.0428	----	----	----	----	4 UNCH
5680	----	----	----/*9.10A	10.70B/*9.10A	----	9.40 - 1.80	.0424	----	----	----	----	4 UNCH
5690	----	----	----/*9.00A	10.50B/*9.00A	----	9.30 - 1.70	.0418	----	----	----	----	16 UNCH
5700	----	----	----/*8.70A	10.30B/*8.70A	----	9.10 - 1.70	.0410	----	----	----	----	1689 UNCH
5710	----	----	----/*8.70A	10.10B/*8.70A	----	9.00 - 1.60	.0404	----	----	----	----	7 UNCH
5720	----	----	----/*8.60A	9.80B/*8.60A	----	8.80 - 1.70	.0396	----	----	----	----	19 UNCH
5725	----	----	----/*8.50A	9.70B/*8.50A	----	8.70 - 1.70	.0392	----	----	----	----	1 UNCH
5730	----	----	----/*8.40A	9.60B/*8.40A	----	8.70 - 1.60	.0391	----	----	----	----	15 UNCH
5750	----	----	----/*8.20A	9.30B/*8.20A	----	8.40 - 1.60	.0377	----	----	----	----	396 UNCH
5775	----	----	----/*7.90A	8.90B/*7.90A	----	8.10 - 1.50	.0363	----	----	----	----	2 UNCH
5800	----	----	----/*7.60A	8.70B/*7.60A	----	7.80 - 1.40	.0348	----	----	----	----	996 UNCH
5825	----	----	----/*7.30A	8.20B/*7.30A	----	7.50 - 1.40	.0334	----	----	----	----	121 UNCH
5850	----	----	----/*7.20A	7.90B/*7.20A	----	7.30 - 1.20	.0324	----	----	----	----	166 UNCH
5875	----	----	----/*6.90A	7.60B/*6.90A	----	7.00 - 1.30	.0311	----	----	----	----	26 UNCH
5900	6.50	6.50	6.50/*6.50	7.40B/*6.50	----	6.80 - 1.20	.0300	----	----	1	----	1495 - 1
5925	----	----	----/*6.60A	7.20B/*6.60A	----	6.60 - 1.10	.0291	----	----	----	----	2 UNCH
5950	----	----	----/*6.40A	6.90B/*6.40A	----	6.40 - 1.10	.0281	----	----	----	----	12 UNCH
6000	7.00	7.00	7.00/*6.10A	7.00/*6.10A	----	6.10 - 1.00	.0265	----	----	19	----	1785 UNCH
6100	----	----	----/*5.60A	5.80B/*5.60A	----	5.60 - 0.80	.0239	----	----	----	----	379 UNCH
6200	----	----	----/*5.20A	5.10B/*5.20A	----	5.10 - 0.70	.0214	----	----	----	----	1428 UNCH
6250	----	----	----/*5.00A	5.00B/*5.00A	----	4.90 - 0.70	.0204	----	----	----	----	3 UNCH
6300	----	----	----/*4.80A	4.70B/*4.80A	----	4.70 - 0.60	.0194	----	----	3	----	82 UNCH
6400	----	----	----/*4.40A	4.40B/*4.40A	----	4.40 - 0.50	.0178	----	----	----	----	54 UNCH
6500	4.00	4.00	4.00/*3.90	4.10B/*3.90	----	4.10 - 0.50	.0163	----	----	6	----	889 - 3
6600	----	----	----/*3.80A	3.70B/*3.80A	----	3.80 - 0.50	.0149	----	----	----	----	152 UNCH
6700	----	----	----/*3.60A	3.40B/*3.60A	----	3.50 - 0.50	.0136	----	----	----	----	241 UNCH
6800	----	----	----/*3.40A	3.20B/*3.40A	----	3.30 - 0.50	.0126	----	----	----	----	38 UNCH
6900	----	----	----/*3.20A	3.00B/*3.20A	----	3.10 - 0.50	.0117	----	----	----	----	31 UNCH
7000	----	----	----/*3.30A	2.80B/3.30A	----	2.90 - 0.50	.0108	----	----	----	----	506 UNCH
7500	----	----	----/2.60A	2.10B/2.60A	----	2.20 - 0.50	.0078	----	----	----	----	801 UNCH
8000	----	----	----/2.00A	1.60B/2.00A	----	1.90 - 0.20	.0063	----	----	----	----	235 UNCH
8500	----	----	----	1.20B/1.70A	----	1.70 UNCH	.0053	----	----	----	----	85 UNCH
9000	----	----	----	0.90B/1.30A	----	1.50 + 0.20	.0045	----	----	----	----	17 UNCH
9500	----	----	----	0.60B/1.10A	----	1.20 + 0.10	.0035	----	----	----	----	124 UNCH
10000	----	----	----	0.50B/0.90A	----	1.00 + 0.10	.0028	----	----	----	----	100 UNCH
TOTAL										1112	630	71544 + 838
SEP26												
3875	----	----	----	612.20B/824.20A	----	729.30 - 43.20	.8966	----	----	----	----	1 UNCH
3995	----	----	----/595.40A	647.00B/595.40A	----	623.00 - 41.40	.8597	----	----	----	----	10 UNCH
4085	----	----	----/520.70A	570.20B/520.70A	----	546.80 - 39.90	.8246	----	----	----	----	37 UNCH
4130	----	----	----/484.90A	532.90B/484.90A	----	510.10 - 39.00	.8046	----	----	----	----	10 UNCH
4185	----	----	----/442.80A	488.60B/442.80A	----	466.70 - 37.80	.7776	----	----	----	----	40 UNCH
4200	----	----	----	368.80B/558.50A	----	455.10 - 37.50	.7697	----	----	----	----	1 UNCH
4220	----	----	----/417.00A	461.20B/417.00A	----	440.00 - 37.00	.7590	----	----	----	----	162 UNCH
4290	----	----	----/363.80A	408.80B/363.80A	----	388.90 - 35.30	.7188	----	----	----	----	6 UNCH
4295	----	----	----/360.50A	405.20B/360.50A	----	385.40 - 35.20	.7157	----	----	----	----	50 UNCH
4300	384.30	384.30	384.30/357.20A	401.60B/357.20A	----	381.80 - 35.10	.7127	----	----	8	----	18 - 2
4320	----	----	----/343.90A	387.40B/343.90A	----	368.00 - 34.60	.7003	----	----	----	----	162 UNCH
4375	----	----	----/309.40A	353.70B/309.40A	----	331.40 - 33.10	.6648	----	----	----	----	1 UNCH
4390	----	----	----/300.50A	343.90B/300.50A	----	321.80 - 32.70	.6548	----	----	----	----	202 UNCH
4425	----	----	----/279.90A	321.20B/279.90A	----	300.20 - 31.60	.6309	----	----	----	----	1 UNCH
4495	----	----	293.60B/242.00A	293.60B/242.00A	----	259.80 - 29.40	.5815	----	----	----	----	18 UNCH
4500	----	----	293.90B/239.40A	293.90B/239.40A	----	257.00 - 29.30	.5779	----	----	1	----	12 UNCH
4505	----	----	295.60B/236.80A	295.60B/236.80A	----	254.30 - 29.10	.5743	----	----	----	----	2 UNCH
4510	----	----	293.50B/234.30A	293.50B/234.30A	----	251.60 - 29.00	.5707	----	----	----	----	2 UNCH
4515	----	----	289.70B/231.90A	289.70B/231.90A	----	249.00 - 28.70	.5671	----	----	----	----	2 UNCH
4520	----	----	287.00B/229.10A	287.00B/229.10A	----	246.30 - 28.60	.5635	----	----	----	----	1 UNCH
4545	----	----	273.30B/217.30A	273.30B/217.30A	----	233.40 - 27.80	.5453	----	----	----	----	16 UNCH
4550	----	----	270.00B/214.80A	270.00B/214.80A	----	230.80 - 27.70	.5417	----	----	----	----	225 UNCH
4560	----	----	264.30B/210.30A	264.30B/210.30A	----	225.90 - 27.20	.5344	----	----	----	----	2 UNCH
4565	----	----	261.60B/208.10A	261.60B/208.10A	----	223.40 - 27.10	.5308	----	----	----	----	2 UNCH
4570	----	----	259.40B/205.70A	259.40B/205.70A	----	221.00 - 26.90	.5271	----	----	7	----	9 + 7
4575	----	----	256.50B/203.40A	256.50B/203.40A	----	218.50 - 26.80	.5235	----	----	----	----	2 UNCH
4580	----	----	253.50B/201.20A	253.50B/201.20A	----	216.10 - 26.60	.5199	----	----	----	----	4 UNCH
4585	----	----	250.70B/199.10A	250.70B/199.10A	----	213.80 - 26.40	.5162	----	----	7	----	10 + 7
4590	----	----	248.40B/196.70A	248.40B/196.70A	----	211.40 - 26.20	.5126	----	----	----	----	1 UNCH
4600	----	----	242.80B/192.30A	242.80B/192.30A	----	206.70 - 25.90	.5053	----	----	10	----	54 UNCH
4605	204.00	204.00	240.50B/190.20A	240.50B/190.20A	----	204.40 - 25.80	.5017	----	----	7	----	41 + 6
4620	----	----	232.60B/183.90A	232.60B/183.90A	----	197.70 - 25.20	.4909	----	----	----	----	1 UNCH
4625	188.60	188.60	230.50B/181.80A	230.50B/181.80A	----	195.40 NEW	.4872	----	----	2	----	2 + 2
4640	----	----	222.90B/175.70A	222.90B/175.70A	----	188.90 - 24.50	.4765	----	----	----	----	15 UNCH
4645	----	----	220.30B/173.70A	220.30B/173.70A	----	186.80 - 24.30	.4729	----	----	----	----	7 UNCH
4650	----	----	218.10B/171.70A	218.10B/171.70A	----	184.70 - 24.10	.4693	----	----	----	----	1 UNCH
4655	----	----	215.40B/169.80A	215.40B/169.80A	----	182.60 - 23.90	.4657	----	----	----	----	2 UNCH
4660	----	----	213.60B/168.10A	213.60B/168.10A	----	180.50 - 23.80	.4622	----	----	----	----	7 UNCH
4675	----	----	207.00B/162.10A	207.00B/162.10A	----	174.40 - 23.20	.4515	----	----	----	----	4 UNCH
4680	----	----	204.70B/160.50A	204.70B/160.50A	----	172.40 - 23.00	.4480	----	----	----	----	1 UNCH
4700	155.80	155.80	197.70B/153.00A	197.70B/153.00A	----	164.60 - 22.30	.4340	----	----	31	----	271 + 31
4705	----	----	195.20B/151.10A	195.20B/151.10A	----	162.60 - 22.20	.4305	----	----	----	----	10 UNCH
4710	----	----	193.30B/149.40A	193.30B/149.40A	----	160.80 - 22.00	.4271	----	----	----	----	1 UNCH
4720	----	----	188.90B/146.10A	188.90B/146.10A	----	157.00 - 21.70	.4201	----	----	----	----	45 UNCH
4725	----	----	186.70B/144.20A	186.70B/144.20A	----	155.20 - 21.50	.4167	----	----	5	----	9 + 5
4730	----	----	184.70B/142.70A	184.70B/142.70A	----	153.40 - 21.30	.4133	----	----	----	----	6 UNCH
4740	----	----	181.50B/139.70A	181.50B/139.70A	----	149.80 - 21.00	.4065	----	----	----	----	2 UNCH
4745	----	----	179.50B/*138.00	179.50B/*138.00A	----	148.10 - 20.80	.4031	----	----	1	----	2 + 1
4750	----	----	176.70B/136.00A	176.70B/136.00A	----	146.30 - 20.70	.3997	----	----	----	----	227 UNCH
4755	----	----	174.70B/*134.40	174.70B/*134.40A	----	144.60 - 20.50	.3964	----	----	----	----	10 UNCH
4760	----	----	171.30B/132.80A	171.30B/132.80A	----	142.90 - 20.30	.3930	----	----	----	----	23 UNCH
4770	----	----	170.10B/129.80A	170.10B/129.80A	----	139.50 - 20.00	.3864	----	----	----	----	3 UNCH
4775	----	----	167.10B/127.90A	167.10B/127.90A	----	137.90 - 19.80	.3831	----	----	----	----	266 UNCH
4780	----	----	165.30B/126.80A	165.30B/126.80A	----	136.20 - 19.70	.3798	----	----	----	----	8 UNCH
4785	----	----	163.40B/*125.50	163.40B/*125.50A	----	134.60 - 19.50	.3765	----	----	1	----	2 + 1
4790	----	----	161.40B/123.80A	161.40B/123.80A	----	133.00 - 19.40	.3733	----	----	----	----	6 UNCH
4795	----	----	159.10B/*122.60	159.10B/*122.60A	----	131.40 - 19.20	.3700	----	----	----	----	2 UNCH
4800	141.20	141.20	157.80B/120.40A	157.80B/120.40A	----	129.80 - 19.10	.3668	----	----	104	----	1548 + 59
4810	----	----	153.70B/117.90A	153.70B/117.90A	----	126.70 - 18.80	.3603	----	----	----	----	4 UNCH
4825	----	----	147.20B/114.10A	147.20B/114.10A	----	122.20 NEW	.3509	----	----	5	----	5 + 5
4835	----	----	143.90B/*111.40	143.90B/*111.40A	----	119.30 - 18.00	.3447	----	----	----	----	1 UNCH
4840	----	----	141.90B/*110.00	141.90B/*110.00A	----	117.90 - 17.80	.3416	----	----	----	----	4 UNCH
4850	----	----	138.80B/107.30A	138.80B/107.30A	----	115.00 - 17.60	.3354	----	----	----	----	64 UNCH
4860	----	----	135.70B/*105.00	135.70B/*105.00A	----	112.30 - 17.20	.3294	----	----	----	----	2 UNCH
4875	----	----	130.60B/100.90A	130.60B/100.90A	----	108.20 - 16.80	.3203	----	----	----	----	30 UNCH
4880	----	----	129.00B/*100.00	129.00B/*100.00A	----	106.90 - 16.70	.3174	----	----	----	----	2 UNCH
4885	----	----	127.60B/*98.80A	127.60B/*98.80A	----	105.60 - 16.50	.3145	----	----	----	----	2 UNCH
4900	102.30	102.30	123.30B/94.80A	123.30B/94.80A	----	101.80 - 16.10	.3058	----	----	211	----	432 + 113
4905	----	----	121.90B/*94.10A	121.90B/*94.10A	----	100.60 - 15.90	.3030	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
4920	----	----	117.90B/*90.50A	117.90B/*90.50A	----	97.00 - 15.50	.2946	----	----	----	----	30 UNCH
4925	----	----	116.20B/89.30A	116.20B/89.30A	----	95.80 - 15.30	.2918	----	----	----	----	3 UNCH
4930	----	----	115.10B/*88.70A	115.10B/*88.70A	----	94.60 - 15.20	.2890	----	----	----	----	2 UNCH
4935	----	----	113.40B/*87.70A	113.40B/*87.70A	----	93.50 - 15.10	.2863	----	----	----	----	1 UNCH
4945	----	----	111.20B/*85.60A	111.20B/*85.60A	----	91.20 - 14.80	.2808	----	----	----	----	1 UNCH
4950	----	----	109.80B/84.10A	109.80B/84.10A	----	90.10 - 14.70	.2781	----	----	----	----	281 UNCH
4955	----	----	108.50B/*83.60A	108.50B/*83.60A	----	89.00 - 14.60	.2755	----	----	----	----	1 UNCH
4960	----	----	107.20B/*82.30A	107.20B/*82.30A	----	88.00 - 14.30	.2730	----	----	----	----	10 UNCH
4965	----	----	105.90B/*81.60A	105.90B/*81.60A	----	86.90 - 14.20	.2703	----	----	----	----	2 UNCH
4970	----	----	105.00B/*80.70A	105.00B/*80.70A	----	85.90 - 14.10	.2678	----	----	----	----	1 UNCH
4975	----	----	102.00B/79.30A	102.00B/79.30A	----	84.80 - 14.00	.2651	----	----	----	----	317 UNCH
5000	96.00	96.00	96.10B/74.70A	96.10B/74.70A	----	79.90 - 13.20	.2527	----	----	10	50	875 + 6
5005	----	----	95.30B/*74.10A	95.30B/*74.10A	----	78.90 - 13.10	.2502	----	----	----	----	1 UNCH
5010	----	----	93.90B/*73.10A	93.90B/*73.10A	----	78.00 - 13.00	.2478	----	----	----	----	10 UNCH
5050	----	----	86.20B/*66.40A	86.20B/*66.40A	----	71.00 - 11.80	.2294	----	----	50	----	336 + 36
5075	----	----	80.90B/*62.80A	80.90B/*62.80A	----	66.90 - 11.20	.2184	----	----	----	----	1 UNCH
5100	----	----	75.30B/*59.10A	75.30B/*59.10A	----	63.00 - 10.70	.2079	----	----	30	----	377 - 30
5110	----	----	73.50B/*57.90A	73.50B/*57.90A	----	61.50 - 10.50	.2037	----	----	----	----	1 UNCH
5130	----	----	70.00B/*55.20A	70.00B/*55.20A	----	58.60 - 10.10	.1957	----	----	----	----	4 UNCH
5150	----	----	66.70B/*52.70A	66.70B/*52.70A	----	55.90 - 9.70	.1881	----	----	----	----	6 UNCH
5155	----	----	66.00B/*52.20A	66.00B/*52.20A	----	55.20 - 9.70	.1861	----	----	----	----	1 UNCH
5165	----	----	64.40B/*50.90A	64.40B/*50.90A	----	53.90 - 9.50	.1824	----	----	----	----	9 UNCH
5170	----	----	63.60B/*50.40A	63.60B/*50.40A	----	53.30 - 9.40	.1807	----	----	----	----	7 UNCH
5175	----	----	62.80B/*49.90A	62.80B/*49.90A	----	52.60 - 9.40	.1787	----	----	----	----	15 UNCH
5200	----	----	59.30B/*47.10A	59.30B/*47.10A	----	49.70 - 9.00	.1702	----	----	----	----	440 UNCH
5230	----	----	55.20B/*44.00A	55.20B/*44.00A	----	46.60 - 8.40	.1607	----	----	----	----	402 UNCH
5235	----	----	54.50B/*43.50A	54.50B/*43.50A	----	46.10 - 8.30	.1592	----	----	----	----	1 UNCH
5240	----	----	54.00B/*43.00A	54.00B/*43.00A	----	45.60 - 8.10	.1577	----	----	----	----	2 UNCH
5245	----	----	53.30B/*42.60A	53.30B/*42.60A	----	45.10 - 8.00	.1562	----	----	----	----	20 UNCH
5250	43.70	43.70	52.70B/*42.10A	52.70B/*42.10A	----	44.60 - 7.90	.1546	----	----	1002	----	1112 + 875
5270	----	----	50.30B/*40.30A	50.30B/*40.30A	----	42.70 - 7.40	.1488	----	----	----	----	5 UNCH
5275	----	----	49.70B/*39.80A	49.70B/*39.80A	----	42.20 - 7.30	.1473	----	----	----	----	200 UNCH
5290	----	----	48.00B/*38.70A	48.00B/*38.70A	----	40.80 - 7.00	.1430	----	----	----	----	9 UNCH
5295	----	----	47.70B/*38.30A	47.70B/*38.30A	----	40.40 - 6.80	.1417	----	----	----	----	8 UNCH
5300	----	----	47.00B/*37.90A	47.00B/*37.90A	----	39.90 - 6.80	.1402	----	----	----	----	1000 UNCH
5315	----	----	45.30B/*36.70A	45.30B/*36.70A	----	38.60 - 6.50	.1361	----	----	----	----	5 UNCH
5330	----	----	43.80B/*35.50A	43.80B/*35.50A	----	37.40 - 6.30	.1323	----	----	----	----	20 UNCH
5335	----	----	43.50B/*35.10A	43.50B/*35.10A	----	37.00 - 6.30	.1310	----	----	----	----	4 UNCH
5340	----	----	----/*34.80A	42.80B/*34.80A	----	36.60 - 6.20	.1298	----	----	----	----	2 UNCH
5350	----	----	42.10B/*34.10A	42.10B/*34.10A	----	35.80 - 6.10	.1273	----	----	100	----	125 + 99
5355	35.30	35.30	41.60B/*33.70A	41.60B/*33.70A	----	35.40 NEW	.1260	----	----	6	----	6 + 6
5365	----	----	----/*33.00A	40.70B/*33.00A	----	34.70 - 6.00	.1237	----	----	----	----	22 UNCH
5370	----	----	----/*32.70A	40.30B/*32.70A	----	34.40 - 5.90	.1227	----	----	----	----	15 UNCH
5375	----	----	----/*32.40A	39.70B/*32.40A	----	34.00 - 5.90	.1214	----	----	----	----	6 UNCH
5380	----	----	----/*32.00A	39.20B/*32.00A	----	33.60 - 5.90	.1202	----	----	----	----	2 UNCH
5395	----	----	----/*31.10A	38.10B/*31.10A	----	32.60 - 5.80	.1169	----	----	----	----	4 UNCH
5400	----	----	----/*30.80A	37.30B/*30.80A	----	32.30 - 5.80	.1159	----	----	3	----	689 - 3
5420	----	----	----/*29.50A	36.00B/*29.50A	----	31.00 - 5.70	.1116	----	----	----	----	83 UNCH
5425	----	----	----/*29.20A	35.70B/*29.20A	----	30.70 - 5.60	.1106	----	----	----	----	50 UNCH
5440	----	----	35.70B/*28.40A	35.70B/*28.40A	----	29.80 - 5.50	.1076	----	----	----	----	1 UNCH
5450	----	----	----/*27.80A	33.70B/*27.80A	----	29.20 - 5.50	.1056	----	----	----	----	29 UNCH
5455	----	----	----/*27.60A	33.40B/*27.60A	----	29.00 - 5.40	.1048	----	----	----	----	18 UNCH
5460	----	----	----/*27.40A	32.70B/*27.40A	----	28.70 - 5.30	.1038	----	----	----	----	1 UNCH
5470	----	----	----/*26.80A	32.10B/*26.80A	----	28.10 - 5.30	.1019	----	----	----	----	3 UNCH
5475	----	----	----/*26.50A	31.60B/*26.50A	----	27.90 - 5.20	.1011	----	----	----	----	26 UNCH
5500	----	----	----/*25.40A	30.20B/*25.40A	----	26.60 - 5.00	.0967	----	----	1003	----	2153 + 755
5505	----	----	----/*25.10A	29.90B/*25.10A	----	26.30 - 5.00	.0957	----	----	----	----	3 UNCH
5515	----	----	----/*24.70A	29.20B/*24.70A	----	25.80 - 4.90	.0940	----	----	----	----	4 UNCH
5520	----	----	----/*24.50A	28.90B/*24.50A	----	25.60 - 4.80	.0933	----	----	----	----	1 UNCH
5525	----	----	----/*24.30A	28.70B/*24.30A	----	25.30 - 4.80	.0923	----	----	----	----	6 UNCH
5540	----	----	----/*23.60A	27.80B/*23.60A	----	24.70 - 4.50	.0901	----	----	----	----	19 UNCH
5550	----	----	----/*23.20A	27.50B/*23.20A	----	24.20 - 4.50	.0884	----	----	----	----	33 UNCH
5555	----	----	----/*23.00A	27.00B/*23.00A	----	24.00 - 4.40	.0877	----	----	----	----	5 UNCH
5595	----	----	----/*21.50A	24.90B/*21.50A	----	22.30 - 4.10	.0818	----	----	----	----	4 UNCH
5600	----	----	----/*21.30A	24.80B/*21.30A	----	22.10 - 4.00	.0811	----	----	----	----	930 UNCH
5605	----	----	----/*21.10A	24.40B/*21.10A	----	21.90 - 4.00	.0804	----	----	----	----	3 UNCH
5620	----	----	----/*20.60A	23.60B/*20.60A	----	21.30 - 3.90	.0783	----	----	----	----	20 UNCH
5625	----	----	----/*20.40A	23.60B/*20.40A	----	21.10 - 3.90	.0776	----	----	----	----	2 UNCH
5645	----	----	----/*19.80A	22.60B/*19.80A	----	20.40 - 3.70	.0751	----	----	----	----	5 UNCH
5650	----	----	----/*19.60A	22.60B/*19.60A	----	20.30 - 3.60	.0747	----	----	----	----	413 UNCH
5655	----	----	----/*19.40A	22.30B/*19.40A	----	20.10 - 3.60	.0740	----	----	----	----	4 UNCH
5665	19.70	19.70	19.70/*19.10A	21.80B/*19.10A	----	19.80 - 3.50	.0729	----	----	2	----	4 + 1
5675	----	----	----/*18.80A	21.50B/*18.80A	----	19.40 - 3.50	.0715	----	----	----	----	8 UNCH
5690	----	----	----/*18.40A	20.90B/*18.40A	----	19.00 - 3.30	.0700	----	----	----	----	3 UNCH
5700	----	----	----/*18.10A	20.90B/*18.10A	----	18.70 - 3.30	.0689	----	----	----	50	1012 - 42
5710	----	----	----/*17.90A	20.10B/*17.90A	----	18.40 - 3.20	.0678	----	----	----	----	2 UNCH
5730	----	----	----/*17.40A	19.50B/*17.40A	----	17.80 - 3.20	.0657	----	----	----	----	2 UNCH
5750	----	----	----/*16.80A	18.60B/*16.80A	----	17.30 - 3.00	.0638	----	----	----	----	192 UNCH
5760	----	----	----/*16.60A	18.30B/*16.60A	----	17.10 - 2.90	.0630	----	----	----	----	1 UNCH
5770	----	----	----/*16.40A	18.00B/*16.40A	----	16.80 - 2.90	.0619	----	----	----	----	2 UNCH
5775	----	----	----/*16.30A	17.80B/*16.30A	----	16.70 - 2.90	.0615	----	----	----	----	162 UNCH
5800	----	----	----/*15.80A	17.20B/*15.80A	----	16.10 - 2.80	.0593	----	----	1	----	651 UNCH
5850	----	----	----/*14.70A	15.70B/*14.70A	----	15.00 - 2.60	.0552	----	----	----	----	439 UNCH
5900	----	----	----/*13.90A	14.50B/*13.90A	----	14.10 - 2.40	.0517	----	----	----	----	939 UNCH
5950	----	----	----/*13.10A	13.50B/*13.10A	----	13.30 - 2.20	.0486	----	----	----	----	51 UNCH
6000	----	----	----/*12.30A	13.50B/*12.30A	----	12.50 - 2.10	.0455	----	----	----	----	1161 UNCH
6075	----	----	----/*11.40A	11.60B/*11.40A	----	11.50 - 1.90	.0416	----	----	----	----	1 UNCH
6100	----	----	----/*11.20A	11.30B/*11.20A	----	11.20 - 1.80	.0404	----	----	----	----	185 UNCH
6200	----	----	----/*10.20A	10.40B/*10.20A	----	10.20 - 1.60	.0364	----	----	----	----	243 UNCH
6300	----	----	----/*9.30A	9.40B/*9.30A	----	9.30 - 1.50	.0329	----	----	----	----	159 UNCH
6400	----	----	----/*8.60A	8.70B/*8.60A	----	8.60 - 1.40	.0300	----	----	----	----	228 UNCH
6500	7.70	7.70	7.70/*7.70	8.10B/*7.70	----	8.10 - 1.20	.0278	----	----	1	----	541 - 1
6600	----	----	----/*8.00A	7.50B/*8.00A	----	7.70 - 1.10	.0260	----	----	----	----	25 UNCH
6650	----	----	----/*7.80A	7.30B/*7.80A	----	7.50 - 1.00	.0251	----	----	----	----	9 UNCH
6750	----	----	----/*7.40A	6.90B/*7.40A	----	7.20 - 0.90	.0237	----	----	----	----	11 UNCH
6775	----	----	----/*7.30A	6.80B/*7.30A	----	7.10 - 0.80	.0233	----	----	----	----	1 UNCH
6800	----	----	----/7.20A	6.70B/7.20A	----	7.00 - 0.80	.0229	----	----	----	----	128 UNCH
7000	----	----	----/6.60A	6.10B/6.60A	----	6.50 - 0.40	.0206	----	----	1	----	94 UNCH
8000	----	----	----/4.70A	4.10B/4.70A	----	4.40 - 0.60	.0125	----	----	----	----	125 UNCH
TOTAL										2609	100	20719+ 1937
OCT26												
3600	----	----	----/961.60A	1016.80B/961.60A	----	992.10 - 44.40	.9344	----	----	----	----	12 UNCH
4300	----	----	----/384.00A	424.40B/384.00A	----	407.30 - 33.80	.6947	----	----	----	----	102 UNCH
4400	----	----	----/323.50A	363.90B/323.50A	----	343.60 - 31.30	.6362	----	----	----	----	8 UNCH
4405	----	----	----/320.70A	360.80B/320.70A	----	340.60 - 31.20	.6332	----	----	----	----	2 UNCH
4480	----	----	330.20B/279.70A	330.20B/279.70A	----	297.60 - 29.10	.5867	----	----	----	----	1 UNCH
4500	271.00	271.00	326.40B/269.50A	326.40B/269.50A	----	286.90 - 28.40	.5741	----	----	1	----	3 UNCH
4515	----	----	317.50B/261.50A	317.50B/261.50A	----	279.00 - 28.00	.5646	----	----	----	----	1 UNCH
4550	----	----	298.20B/244.70A	298.20B/244.70A	----	261.20 - 26.90	.5423	----	----	----	----	1 UNCH
4580	----	----	282.00B/231.20A	282.00B/231.20A	----	246.80 - 25.80	.5232	----	----	----	----	70 UNCH
4600	----	----	271.90B/222.70A	271.90B/222.70A	----	237.50 - 25.20	.5105	----	----	25	----	108 - 25
4610	242.10	242.10	266.50B/218.50A	266.50B/218.50A	----	232.90 - 24.90	.5041	----	----	7	----	12 + 7
4620	----	----	261.80B/213.90A	261.80B/213.90A	----	228.40 - 24.60	.4978	----	----	----	----	1 UNCH
4630	----	----	256.60B/209.90A	256.60B/209.90A	----	224.00 - 24.30	.4915	----	----	----	----	3 UNCH
4640	----	----	252.00B/205.70A	252.00B/205.70A	----	219.70 - 23.90	.4852	----	----	----	----	3 UNCH
4650	----	----	247.00B/201.50A	247.00B/201.50A	----	215.50 - 23.60	.4790	----	----	1	----	297 UNCH
4655	----	----	244.90B/200.00A	244.90B/200.00A	----	213.40 - 23.40	.4758	----	----	----	----	3 UNCH
4670	----	----	237.90B/193.80A	237.90B/193.80A	----	207.20 - 22.90	.4665	----	----	----	----	4 UNCH
4675	----	----	235.40B/192.00A	235.40B/192.00A	----	205.10 - 22.80	.4634	----	----	----	----	1 UNCH
4690	186.30	186.30	230.80B/185.90	230.80B/185.90	----	199.10 - 22.30	.4541	----	----	4	----	4 UNCH
4695	----	----	232.90B/184.50A	232.90B/184.50A	----	197.20 - 22.10	.4511	----	----	----	----	2 UNCH
4700	----	----	229.80B/182.60A	229.80B/182.60A	----	195.20 - 22.00	.4480	----	----	----	----	147 UNCH
4710	----	----	226.20B/179.00A	226.20B/179.00A	----	191.30 - 21.80	.4418	----	----	----	----	1 UNCH
4715	----	----	223.30B/177.30A	223.30B/177.30A	----	189.40 - 21.60	.4388	----	----	----	----	2 UNCH
4730	----	----	217.70B/172.00A	217.70B/172.00A	----	183.80 - 21.10	.4297	----	----	----	----	2 UNCH
4735	----	----	215.40B/*170.30	215.40B/*170.30A	----	182.00 - 20.90	.4267	----	----	----	----	1 UNCH
4750	----	----	208.60B/165.30A	208.60B/165.30A	----	176.60 - 20.50	.4178	----	----	----	----	36 UNCH
4755	----	----	206.60B/*163.60	206.60B/*163.60A	----	174.80 - 20.40	.4148	----	----	----	----	69 UNCH
4775	----	----	199.30B/157.00A	199.30B/157.00A	----	167.80 - 19.90	.4030	----	----	----	----	25 UNCH
4785	----	----	194.70B/*154.10	194.70B/*154.10A	----	164.50 - 19.50	.3972	----	----	----	----	3 UNCH
4790	----	----	193.50B/152.50A	193.50B/152.50A	----	162.80 - 19.40	.3943	----	----	----	----	9 UNCH
4795	----	----	190.90B/*150.90	190.90B/*150.90A	----	161.10 - 19.30	.3914	----	----	----	----	3 UNCH
4800	154.50	154.50	189.00B/149.00A	189.00B/149.00A	----	159.50 - 19.10	.3885	----	----	2	----	494 + 1
4805	----	----	187.90B/*148.40	187.90B/*148.40A	----	157.90 - 19.00	.3857	----	----	----	----	1 UNCH
4810	----	----	185.30B/146.20A	185.30B/146.20A	----	156.20 - 18.90	.3828	----	----	----	----	3 UNCH
4815	----	----	183.50B/*144.70	183.50B/*144.70A	----	154.60 - 18.80	.3799	----	----	----	----	36 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
4820	----	----	182.20B/*143.20	182.20B/*143.20A	----	153.10 - 18.60	.3772	----	----	----	----	3 UNCH
4835	----	----	176.20B/*139.70	176.20B/*139.70A	----	148.40 - 18.30	.3687	----	----	----	----	1 UNCH
4845	----	----	172.70B/*136.70	172.70B/*136.70A	----	145.30 - 18.10	.3631	----	----	----	----	2 UNCH
4850	----	----	171.80B/134.60A	171.80B/134.60A	----	143.80 - 18.00	.3604	----	----	1	----	55 + 1
4860	----	----	164.40B/*132.10	164.40B/*132.10A	----	140.90 - 17.70	.3549	----	----	----	----	100 UNCH
4865	----	----	162.90B/*131.30	162.90B/*131.30A	----	139.40 - 17.60	.3522	----	----	----	----	2 UNCH
4870	----	----	161.40B/*129.90	161.40B/*129.90A	----	138.00 - 17.40	.3495	----	----	----	----	1 UNCH
4880	----	----	158.00B/*127.30	158.00B/*127.30A	----	135.10 - 17.30	.3441	----	----	----	----	1 UNCH
4900	----	----	151.50B/121.50A	151.50B/121.50A	----	129.60 - 16.80	.3335	----	----	----	----	1427 UNCH
4905	----	----	150.00B/*120.20	150.00B/*120.20A	----	128.30 - 16.60	.3309	----	----	----	----	20 UNCH
4910	----	----	148.80B/*119.80	148.80B/*119.80A	----	127.00 - 16.40	.3283	----	----	----	----	1 UNCH
4925	----	----	143.90B/115.50A	143.90B/115.50A	----	123.10 - 16.10	.3207	----	----	----	----	18 UNCH
4935	----	----	141.60B/*113.20	141.60B/*113.20A	----	120.60 - 15.80	.3156	----	----	----	----	5 UNCH
4945	----	----	138.40B/*110.80	138.40B/*110.80A	----	118.10 - 15.50	.3106	----	----	----	----	3 UNCH
4950	----	----	137.10B/109.60A	137.10B/109.60A	----	116.90 - 15.40	.3082	----	----	1	----	869 + 1
5000	----	----	123.60B/98.70A	123.60B/98.70A	----	105.40 - 14.10	.2843	----	----	30	----	1382 - 7
5025	----	----	117.80B/*94.30A	117.80B/*94.30A	----	100.10 - 13.50	.2729	----	----	2	----	2 UNCH
5050	----	----	111.60B/*89.40A	111.60B/*89.40A	----	95.10 - 13.00	.2619	----	----	----	----	59 UNCH
5075	----	----	106.30B/*84.90A	106.30B/*84.90A	----	90.40 - 12.40	.2514	----	----	----	----	4 UNCH
5080	----	----	104.70B/*84.10A	104.70B/*84.10A	----	89.50 - 12.20	.2493	----	----	----	----	4 UNCH
5085	----	----	103.40B/*83.30A	103.40B/*83.30A	----	88.50 - 12.20	.2472	----	----	----	----	3 UNCH
5100	----	----	100.50B/80.70A	100.50B/80.70A	----	85.90 - 11.90	.2412	----	----	----	----	732 UNCH
5125	----	----	95.40B/*77.30A	95.40B/*77.30A	----	81.60 - 11.50	.2313	----	----	----	----	1 UNCH
5150	----	----	90.80B/*73.20A	90.80B/*73.20A	----	77.60 - 11.00	.2218	----	----	----	----	36 UNCH
5160	----	----	88.80B/*72.00A	88.80B/*72.00A	----	76.00 - 10.90	.2181	----	----	----	----	1 UNCH
5170	----	----	87.00B/*70.40A	87.00B/*70.40A	----	74.50 - 10.70	.2145	----	----	----	----	5 UNCH
5195	----	----	83.10B/*67.30A	83.10B/*67.30A	----	70.90 - 10.30	.2057	----	----	----	----	1 UNCH
5200	----	----	81.90B/66.30A	81.90B/66.30A	----	70.20 - 10.20	.2040	----	----	60	----	1582 + 10
5205	----	----	81.40B/*66.00A	81.40B/*66.00A	----	69.50 - 10.10	.2023	----	----	----	----	1 UNCH
5250	----	----	74.40B/*59.90A	74.40B/*59.90A	----	63.60 - 9.40	.1876	----	----	----	----	524 UNCH
5255	----	----	73.20B/*59.90A	73.20B/*59.90A	----	63.00 - 9.30	.1861	----	----	----	----	1 UNCH
5300	55.00	55.00	55.00/*54.80A	66.10B/*54.80A	----	57.70 - 8.60	.1725	----	----	1	----	995 + 1
5325	----	----	----/*52.50A	63.00B/*52.50A	----	55.00 - 8.30	.1655	----	----	----	----	9 UNCH
5350	----	----	----/*50.00A	59.90B/*50.00A	----	52.50 - 7.80	.1589	----	----	----	----	4 UNCH
5365	----	----	----/*48.80A	58.10B/*48.80A	----	51.00 - 7.60	.1549	----	----	----	----	1 UNCH
5395	----	----	----/*46.10A	55.00B/*46.10A	----	48.30 - 7.20	.1476	----	----	----	----	2 UNCH
5400	----	----	----/*45.70A	54.60B/*45.70A	----	47.80 - 7.20	.1463	----	----	----	----	651 UNCH
5410	----	----	----/*45.00A	53.40B/*45.00A	----	47.00 - 7.00	.1440	----	----	----	----	1 UNCH
5420	----	----	----/*44.20A	52.40B/*44.20A	----	46.10 - 6.90	.1416	----	----	----	----	2 UNCH
5435	----	----	----/*43.10A	50.90B/*43.10A	----	44.90 - 6.70	.1383	----	----	----	----	226 UNCH
5450	----	----	----/*42.00A	49.50B/*42.00A	----	43.70 - 6.60	.1350	----	----	----	----	67 UNCH
5455	----	----	----/*41.60A	49.00B/*41.60A	----	43.40 - 6.50	.1340	----	----	----	----	175 UNCH
5460	----	----	----/*41.20A	48.60B/*41.20A	----	43.00 - 6.40	.1329	----	----	----	----	2 UNCH
5475	----	----	----/*40.20A	47.20B/*40.20A	----	41.90 - 6.30	.1298	----	----	----	----	1 UNCH
5480	----	----	----/*39.80A	46.80B/*39.80A	----	41.50 - 6.30	.1287	----	----	----	----	2 UNCH
5500	----	----	----/*38.50A	45.30B/*38.50A	----	40.10 - 6.10	.1248	----	----	28	----	1890 UNCH
5545	----	----	----/*35.80A	41.70B/*35.80A	----	37.20 - 5.70	.1164	----	----	----	----	5 UNCH
5550	----	----	----/*35.50A	41.40B/*35.50A	----	36.90 - 5.70	.1155	----	----	----	----	280 UNCH
5575	----	----	----/*34.10A	39.50B/*34.10A	----	35.40 - 5.50	.1112	----	----	----	----	3 UNCH
5590	----	----	----/*33.30A	38.60B/*33.30A	----	34.60 - 5.30	.1088	----	----	----	----	7 UNCH
5600	----	----	----/*32.80A	37.20B/*32.80A	----	34.00 - 5.20	.1071	----	----	1	----	294 + 1
5610	----	----	----/*32.30A	37.20B/*32.30A	----	33.50 - 5.10	.1055	----	----	----	----	1 UNCH
5615	----	----	----/*32.00A	36.40B/*32.00A	----	33.20 - 5.10	.1047	----	----	----	----	5 UNCH
5640	----	----	----/*30.80A	35.20B/*30.80A	----	31.90 - 4.80	.1008	----	----	----	----	2 UNCH
5650	----	----	----/*30.40A	34.20B/*30.40A	----	31.40 - 4.70	.0993	----	----	----	----	401 UNCH
5655	----	----	----/*30.10A	34.10B/*30.10A	----	31.20 - 4.70	.0987	----	----	----	----	2 UNCH
5660	----	----	----/*29.90A	33.90B/*29.90A	----	30.90 - 4.70	.0979	----	----	----	----	1 UNCH
5675	----	----	----/*29.30A	32.80B/*29.30A	----	30.20 - 4.60	.0958	----	----	----	----	3 UNCH
5700	----	----	----/*28.20A	32.30B/*28.20A	----	29.10 - 4.40	.0924	----	----	----	----	190 UNCH
5710	----	----	----/*27.80A	31.70B/*27.80A	----	28.70 - 4.30	.0912	----	----	----	----	5 UNCH
5720	----	----	----/*27.50A	30.70B/*27.50A	----	28.30 - 4.30	.0899	----	----	----	----	75 UNCH
5750	----	----	----/*26.30A	29.60B/*26.30A	----	27.10 - 4.10	.0862	----	----	----	----	854 UNCH
5775	----	----	----/*25.50A	28.30B/*25.50A	----	26.20 - 4.00	.0834	----	----	----	----	52 UNCH
5800	----	----	----/*24.60A	27.70B/*24.60A	----	25.30 - 3.90	.0806	----	----	----	----	543 UNCH
5825	----	----	----/*23.80A	26.50B/*23.80A	----	24.40 - 3.80	.0778	----	----	----	----	1 UNCH
5850	----	----	----/*23.10A	25.60B/*23.10A	----	23.60 - 3.70	.0753	----	----	----	----	2 UNCH
5875	----	----	----/*22.40A	24.60B/*22.40A	----	22.80 - 3.60	.0728	----	----	----	----	1 UNCH
5900	----	----	----/*21.80A	24.00B/*21.80A	----	22.10 - 3.50	.0706	----	----	----	----	274 UNCH
5925	----	----	----/*21.10A	22.10B/*21.10A	----	21.40 - 3.40	.0684	----	----	----	----	2 UNCH
5950	----	----	----/*20.50A	20.90B/*20.50A	----	20.80 - 3.20	.0664	----	----	----	----	1 UNCH
6000	----	----	----/*19.40A	19.40B/*19.40A	----	19.60 - 3.00	.0625	----	----	----	----	1814 UNCH
6100	----	----	----/*17.50A	17.20B/*17.50A	----	17.60 - 2.70	.0559	----	----	----	----	66 UNCH
6200	----	----	----/*16.00A	15.50B/*16.00A	----	16.10 - 2.30	.0507	----	----	----	----	38 UNCH
6300	----	----	----/*14.80A	14.10B/*14.80A	----	14.90 - 1.90	.0464	----	----	----	----	883 UNCH
6400	----	----	----/*13.70A	13.10B/*13.70A	----	13.80 - 1.70	.0425	----	----	----	----	1910 UNCH
6500	13.40	13.40	13.40/*12.90A	13.40/*12.90A	----	12.90 - 1.50	.0393	----	----	26	----	4029 + 1
6800	----	----	----/*11.20A	10.10B/*11.20A	----	10.80 - 1.30	.0318	----	----	----	----	1373 UNCH
6900	----	----	----/*10.80A	9.60B/*10.80A	----	10.30 - 1.20	.0300	----	----	----	----	1 UNCH
7000	----	----	----/*10.40A	9.30B/*10.40A	----	9.80 - 1.20	.0282	----	----	25	----	1584 UNCH
7500	7.30	7.30	7.80B/*7.30	7.80B/*7.30	----	8.00 - 1.20	.0218	----	----	1	----	1 UNCH
8000	----	----	----/*7.80A	6.90B/*7.80A	----	6.90 - 1.10	.0179	----	----	----	----	210 UNCH
8500	----	----	----/*7.00A	6.00B/*7.00A	----	6.10 - 1.20	.0151	----	----	----	----	208 UNCH
9000	----	----	----/*6.30A	5.40B/*6.30A	----	5.60 - 1.00	.0133	----	----	----	----	86 UNCH
9500	----	----	----/*5.70A	4.80B/*5.70A	----	5.20 - 0.80	.0118	----	----	----	----	10 UNCH
13000	----	----	----	1.40B/3.30A	----	4.50 + 2.10	.0082	----	----	----	----	25 UNCH
TOTAL										216		27586 - 9
NOV26												
4000	----	----	----	583.90B/792.00A	----	679.50 - 40.30	.8249	----	----	----	----	1 UNCH
4100	----	----	----	501.20B/716.30A	----	600.60 - 38.30	.7872	----	----	----	----	1 UNCH
4275	----	----	----/449.70A	466.90B/449.70A	----	474.30 - 34.20	.7088	----	----	----	----	38 UNCH
4300	----	----	----/433.90A	464.00B/433.90A	----	457.60 - 33.50	.6965	----	----	----	----	1 UNCH
4375	----	----	----/387.60A	429.50B/387.60A	----	409.60 - 31.70	.6581	----	----	----	----	38 UNCH
4400	----	----	----/373.20A	413.70B/373.20A	----	394.40 - 31.00	.6448	----	----	----	----	4 UNCH
4440	----	----	----/350.60A	389.20B/350.60A	----	370.60 - 30.10	.6233	----	----	----	----	1 UNCH
4500	----	----	367.90B/318.70A	367.90B/318.70A	----	336.80 - 28.70	.5903	----	----	----	----	28 UNCH
4575	----	----	336.50B/281.90A	336.50B/281.90A	----	297.40 - 27.20	.5483	----	----	----	----	1 UNCH
4585	280.00	280.00	331.20B/277.20A	331.20B/277.20A	----	292.40 NEW	.5426	----	----	1	----	1 + 1
4595	----	----	325.60B/272.70A	325.60B/272.70A	----	287.40 - 26.80	.5369	----	----	----	----	1 UNCH
4600	----	----	323.30B/270.50A	323.30B/270.50A	----	285.00 - 26.70	.5341	----	----	----	----	5 UNCH
4700	----	----	273.80B/228.30A	273.80B/228.30A	----	240.30 - 24.00	.4781	----	----	----	----	5 UNCH
4750	----	----	255.50B/209.30A	255.50B/209.30A	----	220.90 - 22.10	.4510	----	----	----	----	1 UNCH
4775	----	----	245.30B/200.40A	245.30B/200.40A	----	211.70 - 21.20	.4377	----	----	----	----	31 UNCH
4800	----	----	235.00B/191.80A	235.00B/191.80A	----	202.70 - 20.50	.4245	----	----	1	----	4 - 1
4850	----	----	214.90B/175.70A	214.90B/175.70A	----	185.40 - 19.40	.3985	----	----	1	----	26 + 1
4900	----	----	197.70B/160.80A	197.70B/160.80A	----	169.40 - 18.30	.3734	----	----	----	----	451 UNCH
4915	----	----	191.90B/*156.60	191.90B/*156.60A	----	164.90 - 18.00	.3661	----	----	----	----	1 UNCH
4925	----	----	185.80B/153.90A	185.80B/153.90A	----	162.00 - 17.70	.3612	----	----	----	----	1 UNCH
4935	----	----	182.60B/*151.20	182.60B/*151.20A	----	159.10 - 17.50	.3564	----	----	----	----	25 UNCH
4950	----	----	177.70B/147.20A	177.70B/147.20A	----	154.90 - 17.20	.3494	----	----	----	----	150 UNCH
4970	----	----	171.60B/*142.10	171.60B/*142.10A	----	149.50 - 16.70	.3401	----	----	----	----	10 UNCH
5000	----	----	162.70B/134.70A	162.70B/134.70A	----	141.70 - 16.00	.3265	----	----	----	----	94 UNCH
5020	----	----	157.20B/*130.00	157.20B/*130.00A	----	136.70 - 15.50	.3176	----	----	----	----	30 UNCH
5050	----	----	148.70B/*123.40	148.70B/*123.40A	----	129.50 - 14.90	.3046	----	----	----	----	100 UNCH
5060	----	----	146.20B/*121.30	146.20B/*121.30A	----	127.20 - 14.70	.3004	----	----	----	----	2 UNCH
5080	----	----	141.20B/*117.10	141.20B/*117.10A	----	122.70 - 14.30	.2921	----	----	----	----	4 UNCH
5085	----	----	140.00B/*116.10	140.00B/*116.10A	----	121.60 - 14.20	.2900	----	----	----	----	4 UNCH
5120	122.60	122.60	132.00B/*109.20	132.00B/*109.20A	----	114.20 NEW	.2760	----	----	50	----	50 + 50
5150	----	----	124.80B/*103.70	124.80B/*103.70A	----	108.30 - 13.00	.2645	----	----	----	----	100 UNCH
5175	----	----	119.20B/*99.30A	119.20B/*99.30A	----	103.60 - 12.50	.2552	----	----	----	----	12 UNCH
5180	101.00	101.00	118.10B/*98.10A	118.10B/*98.10A	----	102.70 - 12.40	.2534	----	----	3	----	4 + 3
5185	----	----	117.50B/*97.50A	117.50B/*97.50A	----	101.80 - 12.30	.2516	----	----	----	----	1 UNCH
5200	----	----	114.10B/94.80A	114.10B/94.80A	----	99.10 - 12.10	.2462	----	----	----	----	31 UNCH
5230	----	----	108.70B/*90.00A	108.70B/*90.00A	----	94.10 - 11.50	.2359	----	----	----	----	5 UNCH
5250	----	----	104.90B/*87.20A	104.90B/*87.20A	----	90.80 - 11.30	.2291	----	----	----	----	10 UNCH
5275	----	----	100.30B/*83.40A	100.30B/*83.40A	----	87.00 - 10.80	.2211	----	----	----	----	1 UNCH
5285	----	----	98.30B/*81.90A	98.30B/*81.90A	----	85.50 - 10.60	.2179	----	----	----	----	1 UNCH
5300	----	----	97.00B/80.00A	97.00B/80.00A	----	83.30 - 10.40	.2132	----	----	----	----	395 UNCH
5325	----	----	91.70B/*76.70A	91.70B/*76.70A	----	79.90 - 10.00	.2058	----	----	----	----	1 UNCH
5330	----	----	91.00B/*76.00A	91.00B/*76.00A	----	79.20 - 9.90	.2043	----	----	----	----	1 UNCH
5370	----	----	84.60B/*71.10A	84.60B/*71.10A	----	74.00 - 9.40	.1928	----	----	----	----	5 UNCH
5400	----	----	80.50B/67.80A	80.50B/67.80A	----	70.40 - 9.00	.1847	----	----	----	----	17 UNCH
5420	----	----	78.10B/*65.60A	78.10B/*65.60A	----	68.20 - 8.60	.1796	----	----	----	----	14 UNCH
5450	----	----	74.80B/*62.50A	74.80B/*62.50A	----	64.90 - 8.30	.1721	----	----	----	----	454 UNCH
5460	----	----	72.80B/*61.60A	72.80B/*61.60A	----	63.90 - 8.10	.1697	----	----	----	----	10 UNCH
5500	----	----	68.40B/57.90A	68.40B/57.90A	----	59.90 - 7.70	.1604	----	----	----	----	84 UNCH
5530	----	----	----/*55.30A	63.30B/*55.30A	----	57.10 - 7.40	.1538	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
5535	----	----	64.60B/*54.90A	64.60B/*54.90A	----	56.70 - 7.30	.1528	----	----	----	----	1 UNCH
5540	----	----	64.90B/*54.50A	64.90B/*54.50A	----	56.30 - 7.20	.1518	----	----	----	----	1 UNCH
5545	----	----	63.80B/*54.10A	63.80B/*54.10A	----	55.80 - 7.30	.1506	----	----	----	----	1 UNCH
5550	----	----	63.60B/*53.70A	63.60B/*53.70A	----	55.40 - 7.20	.1496	----	----	----	----	3 UNCH
5555	----	----	63.10B/*53.30A	63.10B/*53.30A	----	55.00 - 7.10	.1486	----	----	----	----	3 UNCH
5560	----	----	62.60B/*52.90A	62.60B/*52.90A	----	54.50 - 7.10	.1475	----	----	----	----	4 UNCH
5565	----	----	62.10B/*52.50A	62.10B/*52.50A	----	54.10 - 7.10	.1465	----	----	----	----	8 UNCH
5570	----	----	61.80B/*51.80A	61.80B/*51.80A	----	53.70 - 7.00	.1455	----	----	----	----	20 UNCH
5575	----	----	61.20B/*51.40A	61.20B/*51.40A	----	53.30 - 6.90	.1445	----	----	----	----	84 UNCH
5600	----	----	58.20B/49.50A	58.20B/49.50A	----	51.30 - 6.70	.1397	----	----	----	----	44 UNCH
5650	----	----	54.60B/*46.30A	54.60B/*46.30A	----	47.60 - 6.30	.1305	----	----	----	----	1 UNCH
5655	----	----	53.60B/*45.90A	53.60B/*45.90A	----	47.30 - 6.20	.1297	----	----	----	----	1 UNCH
5660	----	----	53.50B/*45.60A	53.50B/*45.60A	----	46.90 - 6.30	.1287	----	----	----	----	1 UNCH
5665	----	----	53.40B/*45.30A	53.40B/*45.30A	----	46.60 - 6.20	.1279	----	----	----	----	1 UNCH
5670	----	----	53.00B/*44.90A	53.00B/*44.90A	----	46.20 - 6.20	.1270	----	----	----	----	2 UNCH
5675	----	----	52.60B/*44.40A	52.60B/*44.40A	----	45.90 - 6.10	.1262	----	----	----	----	2 UNCH
5680	----	----	52.20B/*44.30A	52.20B/*44.30A	----	45.60 - 6.10	.1254	----	----	----	----	39 UNCH
5685	----	----	----/*44.00A	51.30B/*44.00A	----	45.30 - 6.00	.1246	----	----	----	----	5 UNCH
5690	----	----	----/*43.70A	50.90B/*43.70A	----	44.90 - 6.00	.1237	----	----	----	----	18 UNCH
5695	----	----	----/*43.40A	50.60B/*43.40A	----	44.60 - 6.00	.1229	----	----	----	----	15 UNCH
5700	----	----	50.30B/43.10A	50.30B/43.10A	----	44.30 - 5.90	.1221	----	----	----	----	53 UNCH
5710	----	----	----/*42.50A	49.40B/*42.50A	----	43.70 - 5.80	.1206	----	----	----	----	1 UNCH
5800	----	----	----/*37.50A	43.50B/*37.50A	----	38.60 - 5.30	.1074	----	----	----	----	80 UNCH
5825	----	----	----/*36.40A	41.50B/*36.40A	----	37.30 - 5.20	.1040	----	----	----	----	2 UNCH
5900	----	----	----/*33.30A	38.20B/*33.30A	----	33.90 - 4.80	.0949	----	----	----	----	1 UNCH
5925	----	----	----/*32.30A	36.90B/*32.30A	----	32.90 - 4.70	.0922	----	----	----	----	4 UNCH
5975	----	----	----/*30.60A	34.60B/*30.60A	----	31.00 - 4.40	.0870	----	----	----	----	3 UNCH
6000	----	----	----/*29.80A	33.90B/*29.80A	----	30.10 - 4.40	.0845	----	----	----	----	292 UNCH
6100	----	----	----/*26.90A	30.00B/*26.90A	----	27.00 - 4.00	.0758	----	----	----	----	1 UNCH
6200	----	----	----/*24.40A	24.50B/*24.40A	----	24.40 - 3.70	.0684	----	----	----	----	1 UNCH
6400	20.00	20.00	20.00/*20.00	20.70B/*20.00	----	20.50 - 3.30	.0569	----	----	2	----	14 UNCH
6500	----	----	----/*19.20A	18.40B/*19.20A	----	19.00 - 3.10	.0524	----	----	----	----	1155 UNCH
8000	----	----	----/*11.50A	10.20B/*11.50A	----	11.30 - 1.20	.0263	----	----	----	----	12 UNCH
9000	----	----	----/9.70A	8.50B/9.70A	----	9.70 - 1.00	.0205	----	----	----	----	28 UNCH
20000	----	----	----	0.10B/3.50A	----	1.90 - 0.10	.0031	----	----	----	----	140 UNCH
TOTAL										58		4297+ 54
DEC26												
3550	----	----	----	----	----	1082.40 - 44.60	.9222	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1064.00 - 44.40	.9187	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1036.60 - 44.20	.9134	----	----	----	----	1 UNCH
3800	----	----	----/832.40A	879.60B/832.40A	----	858.90 - 42.30	.8703	----	----	----	----	4 UNCH
3900	----	----	----	667.80B/897.30A	----	774.30 - 41.10	.8427	----	----	----	----	2 UNCH
4060	----	----	----/622.80A	665.80B/622.80A	----	646.60 - 38.70	.7889	----	----	----	----	100 UNCH
4100	----	----	----/593.20A	635.20B/593.20A	----	616.40 - 38.00	.7736	----	----	----	----	48 UNCH
4160	----	----	----/550.10A	590.60B/550.10A	----	572.50 - 36.80	.7493	----	----	----	----	100 UNCH
4175	----	----	----/539.70A	579.60B/539.70A	----	561.80 - 36.50	.7430	----	----	----	----	37 UNCH
4200	----	----	----/522.60A	561.70B/522.60A	----	544.20 - 36.00	.7322	----	----	----	----	150 UNCH
4250	----	----	----/486.50A	527.80B/486.50A	----	510.00 - 35.00	.7101	----	----	----	----	293 UNCH
4255	----	----	----/483.30A	523.40B/483.30A	----	506.60 - 34.90	.7078	----	----	----	----	50 UNCH
4300	----	----	----/454.40A	498.90B/454.40A	----	477.10 - 33.90	.6870	----	----	----	----	436 UNCH
4315	----	----	----/445.60A	489.00B/445.60A	----	467.50 - 33.60	.6799	----	----	----	----	1 UNCH
4320	----	----	----/442.40A	485.70B/442.40A	----	464.30 - 33.50	.6775	----	----	----	----	100 UNCH
4350	----	----	----/424.40A	466.40B/424.40A	----	445.50 - 32.80	.6631	----	----	----	----	206 UNCH
4375	----	----	----/409.70A	450.60B/409.70A	----	430.30 - 32.20	.6509	----	----	----	----	61 UNCH
4400	----	----	----/395.20A	435.20B/395.20A	----	415.40 - 31.60	.6385	----	----	----	----	2 UNCH
4425	----	----	----/381.30A	419.90B/381.30A	----	400.90 - 31.00	.6260	----	----	----	----	8 UNCH
4450	----	----	----/367.90A	405.20B/367.90A	----	386.70 - 30.40	.6134	----	----	----	----	87 UNCH
4465	----	----	----/359.60A	396.70B/359.60A	----	378.30 - 30.00	.6057	----	----	----	----	93 UNCH
4475	----	----	----/354.40A	396.10B/354.40A	----	372.80 - 29.80	.6006	----	----	----	----	4 UNCH
4485	----	----	----/349.50A	396.60B/349.50A	----	367.40 - 29.50	.5955	----	----	----	----	3 UNCH
4490	----	----	396.70B/346.70A	396.70B/346.70A	----	364.70 - 29.40	.5929	----	----	----	----	7 UNCH
4500	----	----	397.10B/340.90A	397.10B/340.90A	----	359.40 - 29.10	.5878	----	----	2	----	759 + 2
4525	----	----	386.30B/329.40A	386.30B/329.40A	----	346.30 - 28.40	.5749	----	----	----	----	10 UNCH
4540	----	----	377.70B/322.20A	377.70B/322.20A	----	338.60 - 28.00	.5671	----	----	----	----	9 UNCH
4550	----	----	372.20B/317.00A	372.20B/317.00A	----	333.50 - 27.80	.5620	----	----	----	----	11 UNCH
4565	----	----	364.40B/310.30A	364.40B/310.30A	----	326.00 - 27.40	.5542	----	----	----	----	93 UNCH
4580	----	----	356.40B/303.20A	356.40B/303.20A	----	318.70 - 26.90	.5464	----	----	----	----	150 UNCH
4585	----	----	353.80B/300.50A	353.80B/300.50A	----	316.30 - 26.80	.5438	----	----	----	----	325 UNCH
4590	309.00	309.00	351.20B/298.70A	351.20B/298.70A	----	313.90 - 26.60	.5412	----	----	2	----	18 + 2
4600	306.00	306.00	345.80B/293.60A	345.80B/293.60A	----	309.10 - 26.40	.5360	----	----	2	----	160 + 2
4615	----	----	338.40B/287.40A	338.40B/287.40A	----	302.10 - 26.00	.5282	----	----	----	----	41 UNCH
4625	----	----	333.30B/282.50A	333.30B/282.50A	----	297.40 - 25.80	.5230	----	----	----	----	71 UNCH
4640	----	----	325.90B/276.80A	325.90B/276.80A	----	290.60 - 25.40	.5152	----	----	----	----	100 UNCH
4650	----	----	320.70B/271.60A	320.70B/271.60A	----	286.20 - 25.00	.5101	----	----	10	----	297 UNCH
4675	----	----	309.00B/261.30A	309.00B/261.30A	----	275.30 - 24.40	.4972	----	----	10	----	58 + 10
4680	----	----	306.60B/259.30A	306.60B/259.30A	----	273.10 - 24.40	.4947	----	----	----	----	42 UNCH
4700	----	----	297.30B/251.20A	297.30B/251.20A	----	264.70 - 23.90	.4845	----	----	2	----	96 UNCH
4725	----	----	286.10B/241.20A	286.10B/241.20A	----	254.60 - 23.20	.4719	----	----	----	----	127 UNCH
4730	----	----	283.90B/239.60A	283.90B/239.60A	----	252.60 - 23.00	.4693	----	----	----	----	2 UNCH
4750	----	----	279.50B/232.40A	279.50B/232.40A	----	244.80 - 22.50	.4593	----	----	----	----	239 UNCH
4775	----	----	268.50B/223.20A	268.50B/223.20A	----	235.30 - 21.80	.4470	----	----	----	----	2 UNCH
4780	----	----	266.40B/221.20A	266.40B/221.20A	----	233.50 - 21.60	.4445	----	----	----	----	2 UNCH
4790	----	----	263.10B/217.80A	263.10B/217.80A	----	229.80 - 21.40	.4396	----	----	----	----	1 UNCH
4795	----	----	260.30B/*216.20	260.30B/*216.20A	----	228.00 - 21.20	.4372	----	----	----	----	9 UNCH
4800	----	----	259.00B/214.30A	259.00B/214.30A	----	226.20 - 21.10	.4348	----	----	2	200	542 + 161
4810	----	----	254.80B/211.00A	254.80B/211.00A	----	222.50 - 20.90	.4299	----	----	----	----	58 UNCH
4820	----	----	250.80B/207.60A	250.80B/207.60A	----	219.00 - 20.70	.4251	----	----	----	----	48 UNCH
4825	----	----	249.10B/206.10A	249.10B/206.10A	----	217.20 - 20.60	.4226	----	----	----	----	104 UNCH
4835	----	----	244.50B/202.60A	244.50B/202.60A	----	213.70 - 20.40	.4178	----	----	----	----	125 UNCH
4850	----	----	238.80B/197.90A	238.80B/197.90A	----	208.50 - 20.20	.4106	----	----	----	----	292 UNCH
4875	----	----	230.00B/191.20A	230.00B/191.20A	----	200.00 - 19.90	.3988	----	----	----	----	1 UNCH
4880	----	----	228.40B/*188.50	228.40B/*188.50A	----	198.40 - 19.80	.3964	----	----	----	----	4 UNCH
4900	----	----	220.50B/182.50A	220.50B/182.50A	----	192.00 - 19.40	.3872	----	----	----	----	357 UNCH
4910	----	----	216.80B/*179.90	216.80B/*179.90A	----	188.90 - 19.20	.3826	----	----	----	----	4 UNCH
4925	----	----	212.00B/175.40A	212.00B/175.40A	----	184.30 - 18.90	.3758	----	----	----	----	240 UNCH
4950	----	----	200.70B/168.50A	200.70B/168.50A	----	177.10 - 18.10	.3647	----	----	----	----	103 UNCH
4955	192.70	192.70	199.10B/*167.20	199.10B/*167.20A	----	175.70 NEW	.3626	----	----	10	----	10 + 10
4960	191.80	191.80	197.40B/*165.60	197.40B/*165.60A	----	174.30 NEW	.3604	----	----	10	----	10 + 10
4975	----	----	192.80B/161.60A	192.80B/161.60A	----	170.20 - 17.30	.3539	----	----	----	----	50 UNCH
5000	176.30	176.30	185.20B/155.20A	185.20B/155.20A	----	163.60 - 16.60	.3434	----	----	14	----	2408 + 2
5005	----	----	183.80B/*154.10	183.80B/*154.10A	----	162.30 - 16.40	.3413	----	----	----	----	4 UNCH
5020	173.60	173.60	179.40B/*151.60	179.40B/*151.60A	----	158.50 NEW	.3351	----	----	1	----	1 + 1
5025	----	----	177.80B/149.10A	177.80B/149.10A	----	157.20 - 15.90	.3330	----	----	----	----	218 UNCH
5045	166.80	166.80	172.40B/*145.30	172.40B/*145.30A	----	152.30 NEW	.3250	----	----	1	----	1 + 1
5050	165.50	165.50	171.00B/*143.20	171.00B/*143.20A	----	151.00 - 15.30	.3229	----	----	1	----	102 + 1
5055	164.20	164.20	169.50B/*142.90	169.50B/*142.90A	----	149.80 - 15.10	.3209	----	----	1	----	1 + 1
5070	----	----	165.70B/*138.70	165.70B/*138.70A	----	146.30 - 14.70	.3150	----	----	----	----	13 UNCH
5075	159.00	159.00	164.10B/*137.60	164.10B/*137.60A	----	145.10 - 14.70	.3130	----	----	1	----	31 + 1
5090	----	----	160.30B/*134.40	160.30B/*134.40A	----	141.60 - 14.40	.3071	----	----	----	----	17 UNCH
5100	132.50	132.50	157.70B/132.20A	157.70B/132.20A	----	139.40 - 14.10	.3033	----	----	4	----	349 UNCH
5125	----	----	151.20B/*127.10	151.20B/*127.10A	----	133.90 - 13.60	.2939	----	----	----	----	70 UNCH
5150	----	----	145.20B/*122.10	145.20B/*122.10A	----	128.60 - 13.20	.2847	----	----	----	----	12 UNCH
5155	----	----	144.00B/*121.20	144.00B/*121.20A	----	127.60 - 13.10	.2829	----	----	----	----	4 UNCH
5160	----	----	143.40B/*120.90	143.40B/*120.90A	----	126.50 - 13.10	.2810	----	----	----	----	2 UNCH
5170	----	----	140.90B/*118.30	140.90B/*118.30A	----	124.50 - 12.90	.2774	----	----	----	----	4 UNCH
5175	----	----	139.80B/*117.50	139.80B/*117.50A	----	123.50 - 12.80	.2757	----	----	----	----	101 UNCH
5195	----	----	135.40B/*113.80	135.40B/*113.80A	----	119.60 - 12.50	.2687	----	----	----	----	5 UNCH
5200	----	----	134.30B/112.80A	134.30B/112.80A	----	118.70 - 12.40	.2670	----	----	----	----	1328 UNCH
5220	----	----	130.20B/*109.50	130.20B/*109.50A	----	114.90 - 12.20	.2601	----	----	----	----	6 UNCH
5245	----	----	125.30B/*105.30	125.30B/*105.30A	----	110.40 - 11.80	.2518	----	----	----	----	10 UNCH
5250	117.40	117.40	124.30B/*104.40	124.30B/*104.40A	----	109.50 - 11.80	.2502	----	----	11	----	335 - 8
5255	----	----	123.30B/*104.70	123.30B/*104.70A	----	108.70 - 11.70	.2486	----	----	----	----	1 UNCH
5265	----	----	121.30B/*102.00	121.30B/*102.00A	----	107.00 - 11.50	.2455	----	----	----	----	5 UNCH
5275	----	----	119.70B/*100.50	119.70B/*100.50A	----	105.30 - 11.40	.2423	----	----	----	----	23 UNCH
5300	----	----	114.90B/96.60A	114.90B/96.60A	----	101.20 - 11.10	.2345	----	----	11	----	743 + 3
5305	98.30	98.30	114.00B/*96.60A	114.00B/*96.60A	----	100.40 - 11.00	.2330	----	----	1	----	3 + 1
5325	96.60	96.60	110.80B/*93.90A	110.80B/*93.90A	----	97.30 NEW	.2270	----	----	1	----	1 + 1
5330	95.90	95.90	109.90B/*93.20A	109.90B/*93.20A	----	96.60 NEW	.2256	----	----	1	----	1 + 1
5335	95.10	95.10	108.70B/*91.80A	108.70B/*91.80A	----	95.80 - 10.70	.2241	----	----	1	----	22 + 1
5340	94.50	94.50	107.90B/*91.60A	107.90B/*91.60A	----	95.10 - 10.60	.2227	----	----	1	----	2 + 1
5345	93.60	93.60	107.30B/*91.10A	107.30B/*91.10A	----	94.40 NEW	.2213	----	----	1	----	1 + 1
5350	93.00	93.00	106.20B/*89.60A	106.20B/*89.60A	----	93.70 - 10.40	.2199	----	----	1	----	462 + 1
5355	92.30	92.30	105.60B/*89.80A	105.60B/*89.80A	----	92.90 NEW	.2184	----	----	1	----	1 + 1
5360	91.60	91.60	104.70B/*88.30A	104.70B/*88.30A	----	92.20 - 10.30	.2170	----	----	1	----	101 + 1
5365	90.90	90.90	103.70B/*88.50A	103.70B/*88.50A	----	91.50 NEW	.2156	----	----	2	----	2 + 2
5370	90.20	90.20	103.10B/*87.00A	103.10B/*87.00A	----	90.80 - 10.20	.2142	----	----	2	----	38 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
5375	89.40	89.40	102.20B/*87.20A	102.20B/*87.20A	----	90.20 NEW	.2129	----	----	2	----	2 + 2
5380	88.80	88.80	101.40B/*86.60A	101.40B/*86.60A	----	89.50 - 10.00	.2115	----	----	2	----	3 + 2
5385	88.10	88.10	100.50B/*86.00A	100.50B/*86.00A	----	88.80 NEW	.2101	----	----	2	----	2 + 2
5390	87.40	87.40	99.80B/*84.40A	99.80B/*84.40A	----	88.10 - 9.90	.2088	----	----	3	----	203 + 3
5395	86.80	86.80	98.90B/*83.80A	98.90B/*83.80A	----	87.50 NEW	.2075	----	----	3	----	3 + 3
5400	----	----	98.30B/83.10A	98.30B/83.10A	----	86.80 - 9.70	.2061	----	----	14	----	548 - 1
5450	----	----	90.90B/*77.30A	90.90B/*77.30A	----	80.60 - 9.10	.1934	----	----	1	----	278 - 1
5460	----	----	89.50B/*76.00A	89.50B/*76.00A	----	79.40 - 9.00	.1909	----	----	----	----	203 UNCH
5465	----	----	88.70B/*75.70A	88.70B/*75.70A	----	78.80 - 8.90	.1897	----	----	----	----	53 UNCH
5475	77.10	77.10	87.40B/*74.50A	87.40B/*74.50A	----	77.60 - 8.80	.1872	----	----	20	----	572 + 20
5480	----	----	86.80B/*73.80A	86.80B/*73.80A	----	77.10 - 8.70	.1861	----	----	----	----	50 UNCH
5500	79.60	79.60	84.10B/71.90A	84.10B/71.90A	----	74.80 - 8.60	.1813	----	----	31	----	2999 + 11
5505	----	----	83.50B/*71.20A	83.50B/*71.20A	----	74.30 - 8.50	.1803	----	----	----	----	3 UNCH
5525	----	----	81.00B/*69.20A	81.00B/*69.20A	----	72.20 - 8.20	.1758	----	----	----	----	80 UNCH
5550	----	----	78.00B/*66.90A	78.00B/*66.90A	----	69.60 - 8.00	.1703	----	----	----	----	13 UNCH
5570	----	----	75.70B/*65.80A	75.70B/*65.80A	----	67.60 - 7.90	.1660	----	----	----	----	198 UNCH
5575	----	----	75.00B/*65.50A	75.00B/*65.50A	----	67.10 - 7.80	.1649	----	----	----	----	10 UNCH
5600	----	----	----/63.10A	72.40B/63.10A	----	64.70 - 7.70	.1597	----	----	----	----	2590 UNCH
5650	----	----	----/*59.00A	67.20B/*59.00A	----	60.30 - 7.30	.1500	----	----	----	----	306 UNCH
5660	----	----	----/*58.20A	66.10B/*58.20A	----	59.50 - 7.20	.1482	----	----	----	----	1 UNCH
5665	----	----	----/*57.80A	65.60B/*57.80A	----	59.10 - 7.20	.1473	----	----	----	----	1 UNCH
5670	----	----	----/*57.50A	65.30B/*57.50A	----	58.70 - 7.10	.1464	----	----	----	----	2 UNCH
5675	----	----	----/*57.10A	64.70B/*57.10A	----	58.30 - 7.10	.1455	----	----	----	----	18 UNCH
5680	----	----	----/*56.70A	64.20B/*56.70A	----	57.90 - 7.00	.1446	----	----	----	----	21 UNCH
5685	----	----	----/*56.50A	63.80B/*56.50A	----	57.50 - 7.00	.1437	----	----	----	----	18 UNCH
5690	----	----	----/*56.10A	63.30B/*56.10A	----	57.10 - 7.00	.1428	----	----	----	----	27 UNCH
5700	----	----	----/55.40A	62.50B/55.40A	----	56.40 - 6.90	.1412	----	----	7	----	375 UNCH
5705	----	----	----/*55.10A	62.00B/*55.10A	----	56.00 - 6.90	.1403	----	----	----	----	5 UNCH
5710	----	----	----/*54.90A	61.50B/*54.90A	----	55.60 - 6.80	.1394	----	----	----	----	5 UNCH
5750	----	----	----/*52.30A	58.10B/*52.30A	----	52.80 - 6.50	.1330	----	----	6	----	316 + 3
5770	----	----	----/*51.10A	56.50B/*51.10A	----	51.40 - 6.50	.1298	----	----	----	----	8 UNCH
5775	----	----	----/*50.60A	56.10B/*50.60A	----	51.10 - 6.40	.1290	----	----	----	----	2 UNCH
5800	----	----	----/49.30A	54.30B/49.30A	----	49.50 - 6.20	.1253	----	----	1	135	2103 UNCH
5810	----	----	----/*48.70A	53.50B/*48.70A	----	48.90 - 6.20	.1239	----	----	----	----	56 UNCH
5825	----	----	----/*47.90A	52.40B/*47.90A	----	48.00 - 6.10	.1218	----	----	----	----	4 UNCH
5850	----	----	----/*46.30A	51.40B/*46.30A	----	46.60 - 5.90	.1184	----	----	----	----	51 UNCH
5875	----	----	----/*44.30A	49.90B/*44.30A	----	45.20 - 5.80	.1151	----	----	----	----	9 UNCH
5900	43.90	43.90	43.90/43.20A	48.40B/43.20A	----	43.90 - 5.60	.1119	----	----	6	----	1334 - 1
5950	----	----	----/*40.90A	45.30B/*40.90A	----	41.50 - 5.30	.1060	----	----	4	----	27 - 2
6000	39.50	39.50	40.00/38.90A	42.70B/38.90A	----	39.20 - 5.10	.1004	----	----	10	400	5297 + 310
6100	----	----	----/*35.80A	38.10B/35.80A	----	35.30 - 4.60	.0906	----	----	----	----	131 UNCH
6150	----	----	----/*34.20A	36.10B/*34.20A	----	33.50 - 4.50	.0861	----	----	4	----	25 + 4
6200	----	----	----/*32.60A	34.30B/32.60A	----	31.90 - 4.30	.0820	----	----	4	----	3210 - 4
6250	----	----	----/*31.20A	32.60B/*31.20A	----	30.40 - 4.20	.0782	----	----	----	----	76 UNCH
6300	----	----	----/*29.90A	31.10B/29.90A	----	29.10 - 4.00	.0747	----	----	----	----	837 UNCH
6400	----	----	----/*27.60A	26.70B/27.60A	----	26.70 - 3.70	.0684	----	----	----	----	686 UNCH
6500	----	----	----/25.70A	24.30B/25.70A	----	24.70 - 3.50	.0631	----	----	----	----	5360 UNCH
6750	----	----	----/*22.00A	20.40B/*22.00A	----	20.90 - 2.90	.0526	----	----	----	----	104 UNCH
6775	----	----	----/*21.70A	20.00B/*21.70A	----	20.60 - 2.80	.0517	----	----	----	----	164 UNCH
6800	----	----	----/*21.40A	19.80B/*21.40A	----	20.30 - 2.80	.0509	----	----	----	----	1817 UNCH
6900	----	----	----/*20.40A	18.70B/*20.40A	----	19.30 - 2.50	.0479	----	----	----	----	81 UNCH
7000	----	----	----/19.40A	17.90B/19.40A	----	18.50 - 2.30	.0455	----	----	----	135	4524 - 135
7130	----	----	----/*18.40A	16.80B/*18.40A	----	17.50 - 2.20	.0425	----	----	----	----	200 UNCH
7175	----	----	----/*18.10A	16.60B/*18.10A	----	17.20 - 2.20	.0416	----	----	----	----	125 UNCH
7250	----	----	----/*17.70A	16.10B/*17.70A	----	16.80 - 2.10	.0403	----	----	----	----	108 UNCH
7500	----	----	----/16.40A	14.80B/16.40A	----	15.70 - 2.00	.0366	----	----	----	----	118 UNCH
8000	14.40	14.40	14.40/13.70A	14.40/13.70A	----	14.10 - 2.00	.0311	----	----	457	----	1393 + 138
8125	----	----	----/*14.40A	13.00B/*14.40A	----	13.80 - 1.90	.0301	----	----	----	----	801 UNCH
8500	----	----	----/13.50A	12.20B/13.50A	----	12.90 - 1.70	.0272	----	----	----	----	170 UNCH
8630	----	----	----/*13.30A	12.00B/*13.30A	----	12.60 - 1.60	.0263	----	----	----	----	400 UNCH
8725	----	----	----/*13.10A	11.90B/*13.10A	----	12.40 - 1.60	.0256	----	----	----	----	250 UNCH
8775	----	----	----/*13.00A	11.70B/*13.00A	----	12.40 - 1.50	.0255	----	----	----	----	33 UNCH
9000	13.40	13.40	13.40/12.60A	13.40/12.60A	----	12.00 - 1.40	.0242	----	----	1	----	274 UNCH
9500	----	----	----/11.80A	10.50B/11.80A	----	11.50 - 1.20	.0223	----	----	----	----	303 UNCH
9900	----	----	----/*11.30A	9.90B/*11.30A	----	11.10 - 1.30	.0209	----	----	----	----	17 UNCH
10000	11.00	11.00	11.00/10.00	11.30B/10.00	----	11.10 - 1.20	.0207	----	----	303	----	9378 + 303
11000	----	----	----/*9.90A	9.50B/*9.90A	----	10.00 - 1.30	.0177	----	----	----	----	486 UNCH
13000	----	----	----/*7.60A	7.40B/*7.60A	----	7.40 - 1.60	.0124	----	----	----	----	642 UNCH
15000	6.20	6.20	6.20/*5.50	6.20/*5.50	----	5.00 - 1.50	.0082	----	----	748	----	23151 + 378
17000	----	----	----	4.00B/4.50A	----	3.40 - 1.10	.0055	----	----	----	----	26 UNCH
19000	----	----	----	2.50B/3.40A	----	2.50 - 0.60	.0040	----	----	----	----	7 UNCH
20000	2.80	2.80	2.80/2.00	2.80/2.00	----	2.10 - 0.60	.0034	----	----	1066	----	25424 + 746
21000	----	----	----	1.70B/2.60A	----	1.80 - 0.40	.0029	----	----	----	----	31 UNCH
24000	----	----	----	0.10B/1.90A	----	1.10 - 0.30	.0018	----	----	----	----	32 UNCH
TOTAL										2803	870	110974 + 1993
JAN27												
4190	----	----	----	462.40B/748.50A	----	597.40 - 36.10	.7381	----	----	----	----	1 UNCH
4290	----	----	----/509.10A	540.40B/509.10A	----	530.30 - 33.70	.6968	----	----	----	----	1 UNCH
4300	----	----	----/502.90A	542.00B/502.90A	----	523.80 - 33.50	.6926	----	----	----	----	1 UNCH
4400	----	----	----/*443.20A	479.10B/*443.20A	----	461.90 - 31.10	.6484	----	----	----	----	1 UNCH
4500	----	----	----/*388.80A	420.60B/*388.80A	----	404.90 - 28.90	.6022	----	----	----	----	1 UNCH
4600	----	----	386.40B/*339.00	386.40B/*339.00A	----	353.20 - 26.60	.5548	----	----	----	----	4 UNCH
4650	----	----	360.80B/*316.20	360.80B/*316.20A	----	329.30 - 25.50	.5310	----	----	----	----	2 UNCH
4700	----	----	336.50B/*294.50	336.50B/*294.50A	----	306.80 - 24.30	.5073	----	----	1	----	3 UNCH
4710	----	----	331.80B/*290.40	331.80B/*290.40A	----	302.40 - 24.20	.5025	----	----	----	----	3 UNCH
4750	----	----	313.50B/*274.60	313.50B/*274.60A	----	285.60 - 23.30	.4838	----	----	----	----	8 UNCH
4760	----	----	309.00B/*270.70	309.00B/*270.70A	----	281.50 - 23.10	.4792	----	----	----	----	101 UNCH
4800	----	----	299.80B/*255.50	299.80B/*255.50A	----	265.70 - 22.20	.4607	----	----	----	----	1 UNCH
4850	----	----	280.00B/*237.80	280.00B/*237.80A	----	247.20 - 21.00	.4382	----	----	----	----	1 UNCH
4875	----	----	269.40B/*230.00	269.40B/*230.00A	----	238.40 - 20.50	.4271	----	----	----	----	4 UNCH
4900	----	----	260.60B/*221.30	260.60B/*221.30A	----	229.90 - 20.00	.4162	----	----	----	----	10 UNCH
5000	----	----	225.60B/*191.80	225.60B/*191.80A	----	198.70 - 18.00	.3741	----	----	----	----	28 UNCH
5050	----	----	202.40B/*178.60	202.40B/*178.60A	----	184.70 - 17.10	.3542	----	----	----	----	100 UNCH
5100	----	----	188.10B/*166.40	188.10B/*166.40A	----	171.60 - 16.40	.3350	----	----	----	----	1 UNCH
5130	----	----	----/*159.40A	180.10B/*159.40A	----	164.30 - 15.90	.3239	----	----	----	----	1 UNCH
5195	----	----	----/*145.00A	163.50B/*145.00A	----	149.50 - 15.00	.3009	----	----	----	----	5 UNCH
5200	----	----	----/*143.90A	162.30B/*143.90A	----	148.40 - 14.90	.2992	----	----	----	----	1100 UNCH
5250	----	----	----/*134.00A	151.10B/*134.00A	----	138.00 - 14.30	.2824	----	----	----	----	7 UNCH
5300	----	----	----/*124.70A	140.20B/*124.70A	----	128.50 - 13.60	.2666	----	----	----	----	1 UNCH
5400	----	----	----/*108.50A	121.20B/*108.50A	----	111.70 - 12.10	.2376	----	----	----	----	2 UNCH
5450	----	----	----/*101.30A	112.70B/*101.30A	----	104.20 - 11.50	.2242	----	----	----	----	6 UNCH
5500	----	----	----/*94.50A	105.00B/*94.50A	----	97.40 - 10.80	.2117	----	----	----	----	60 UNCH
5550	----	----	----/*88.50A	97.90B/*88.50A	----	91.20 - 10.00	.2000	----	----	----	----	4 UNCH
5820	----	----	----/*63.20A	69.20B/*63.20A	----	65.10 - 7.00	.1483	----	----	----	----	6 UNCH
5850	----	----	----/*61.10A	66.40B/*61.10A	----	62.90 - 6.70	.1437	----	----	----	----	3 UNCH
5900	----	----	----/*57.70A	62.00B/*57.70A	----	59.40 - 6.40	.1364	----	----	1	----	6 + 1
6000	----	----	----/*52.00A	55.60B/*52.00A	----	53.10 - 5.80	.1229	----	----	----	----	253 UNCH
6025	----	----	----/*50.80A	54.20B/*50.80A	----	51.70 - 5.70	.1199	----	----	----	----	1 UNCH
6300	----	----	----/*39.40A	41.20B/*39.40A	----	39.30 - 4.90	.0922	----	----	1	----	3 + 1
6500	----	----	----/*33.80A	34.70B/*33.80A	----	32.90 - 4.60	.0774	----	----	----	----	6 UNCH
20000	----	----	----	2.50B/5.80A	----	4.30 - 0.60	.0062	----	----	----	----	126 UNCH
TOTAL										3		1861 + 2
FEB27												
4500	----	----	----/*409.60A	445.90B/*409.60A	----	422.40 - 30.40	.6003	----	----	----	----	1 UNCH
4630	354.00	354.00	392.30B/*345.40	392.30B/*345.40A	----	357.40 NEW	.5418	----	----	1	----	1 + 1
4650	----	----	382.40B/*338.10	382.40B/*338.10A	----	348.20 - 26.60	.5328	----	----	----	----	1 UNCH
4700	----	----	358.20B/*316.30	358.20B/*316.30A	----	326.30 - 24.90	.5105	----	----	----	----	1 UNCH
4750	----	----	335.60B/*294.50	335.60B/*294.50A	----	305.60 - 23.30	.4885	----	----	----	----	36 UNCH
4785	----	----	320.30B/*280.50	320.30B/*280.50A	----	291.90 - 22.20	.4733	----	----	----	----	100 UNCH
4850	----	----	299.30B/*257.80	299.30B/*257.80A	----	267.70 - 20.40	.4456	----	----	----	----	36 UNCH
5000	208.00	208.00	244.70B/*208.00	244.70B/*208.00	----	218.30 - 17.50	.3849	----	----	1	----	150 + 1
5100	----	----	209.30B/*185.50	209.30B/*185.50A	----	190.60 - 15.70	.3476	----	----	----	----	148 UNCH
5175	----	----	189.10B/*167.90	189.10B/*167.90A	----	172.30 - 14.30	.3215	----	----	----	----	125 UNCH
5200	161.00	161.00	182.20B/*161.00	182.20B/*161.00	----	166.70 - 13.80	.3133	----	----	1	----	3 UNCH
5250	----	----	170.10B/*151.50	170.10B/*151.50A	----	156.00 - 13.00	.2972	----	----	----	----	22 UNCH
5300	----	----	160.90B/*142.00	160.90B/*142.00A	----	146.10 - 12.10	.2820	----	----	----	----	50 UNCH
5375	----	----	144.60B/*128.80	144.60B/*128.80A	----	132.40 - 11.00	.2603	----	----	----	----	2 UNCH
5400	----	----	139.80B/*124.80	139.80B/*124.80A	----	128.20 - 10.70	.2535	----	----	----	----	1 UNCH
5500	----	----	122.80B/*110.00	122.80B/*110.00A	----	112.80 - 9.50	.2278	----	----	----	----	13 UNCH
5520	----	----	119.50B/*107.10	119.50B/*107.10A	----	110.00 - 9.20	.2230	----	----	----	----	300 UNCH
5530	----	----	117.90B/*105.80	117.90B/*105.80A	----	108.70 - 9.00	.2208	----	----	----	----	100 UNCH
5550	----	----	115.10B/*103.30	115.10B/*103.30A	----	106.00 - 8.90	.2161	----	----	----	----	82 UNCH
5600	----	----	----/*96.80A	107.90B/*96.80A	----	99.60 - 8.40	.2049	----	----	----	----	8 UNCH
6000	----	----	----/*62.40A	67.30B/*62.40A	----	63.20 - 6.00	.1367	----	----	525	----	1826 + 525
6025	----	----	----/*60.70A	65.50B/*60.70A	----	61.50 - 6.00	.1333	----	----	----	----	4 UNCH
6100	----	----	----/*56.60A	60.50B/*56.60A	----	57.10 - 5.70	.1244	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
FEB27												
6300	----	----	----/*47.50A	49.80B/*47.50A	----	47.40 - 5.20	.1041	----	----	----	----	1 UNCH
6500	----	----	----/*40.60A	42.00B/*40.60A	----	40.30 - 4.60	.0887	----	----	525	----	1745 + 525
6900	----	----	----/*31.70A	27.60B/*31.70A	----	30.90 - 3.30	.0673	----	----	----	----	533 UNCH
7000	----	----	----/30.40A	26.10B/30.40A	----	29.20 - 3.10	.0633	----	----	----	----	550 UNCH
7100	----	----	----/*29.20A	24.80B/*29.20A	----	27.80 - 2.80	.0599	----	----	----	----	9 UNCH
7900	----	----	----/*22.50A	17.60B/*22.50A	----	20.70 - 2.10	.0422	----	----	----	----	500 UNCH
8000	----	----	----/*21.00A	16.90B/*21.00A	----	20.20 - 2.10	.0408	----	----	----	----	695 UNCH
TOTAL										1053		7047 + 1052
MAR27												
4670	365.00	365.00	409.50B/*365.00	409.50B/*365.00	----	378.30 NEW	.5411	----	----	1	----	1 + 1
4680	----	----	404.50B/*369.50	404.50B/*369.50A	----	373.70 - 22.80	.5368	----	----	----	----	2 UNCH
4710	----	----	389.70B/*356.20	389.70B/*356.20A	----	360.10 - 22.40	.5242	----	----	----	----	21 UNCH
4820	322.00	322.00	340.00B/*305.20	340.00B/*305.20A	----	314.00 NEW	.4787	----	----	20	----	20 + 20
4995	----	----	277.90B/*246.10	277.90B/*246.10A	----	251.90 - 18.20	.4100	----	----	----	----	2 UNCH
5000	243.00	243.00	276.70B/*243.00	276.70B/*243.00	----	250.30 - 18.10	.4081	----	----	1	----	102 + 1
5010	----	----	273.20B/*240.20	273.20B/*240.20A	----	247.20 - 17.80	.4044	----	----	----	----	1 UNCH
5200	----	----	210.00B/*189.40	210.00B/*189.40A	----	194.80 - 13.20	.3380	----	----	----	----	3 UNCH
5500	----	----	145.20B/*133.00	145.20B/*133.00A	----	135.60 - 9.00	.2525	----	----	----	225	235 + 167
5600	118.00	118.00	118.00/*114.00	128.70B/*114.00	----	120.80 - 8.20	.2291	----	----	9	----	7 + 6
5650	----	----	----/*112.10A	121.10B/*112.10A	----	114.10 - 7.90	.2182	----	----	----	----	17 UNCH
5700	105.00	105.00	105.00/*102.70A	114.00B/*102.70A	----	107.90 NEW	.2080	----	----	1	----	1 + 1
5790	----	----	----/*96.90A	102.40B/*96.90A	----	97.70 - 7.10	.1908	----	----	----	----	50 UNCH
5820	----	----	----/*94.50A	98.90B/*94.50A	----	94.60 - 6.90	.1854	----	----	----	----	2 UNCH
5850	----	----	----/*91.60A	95.70B/*91.60A	----	91.60 - 6.80	.1803	----	----	----	----	253 UNCH
5900	----	----	----/*84.40A	90.30B/*84.40A	----	86.90 - 6.50	.1720	----	----	----	----	11 UNCH
6000	----	----	----/*76.40A	80.90B/*76.40A	----	78.30 - 6.10	.1567	----	----	----	----	2 UNCH
6500	----	----	----/*49.90A	50.60B/*49.90A	----	48.90 - 4.70	.1014	----	----	----	225	226 + 224
TOTAL										32	450	956 + 420
APR27												
5000	----	----	----	116.20B/*404.50A	----	286.70 + 0.50	.4231	----	----	----	----	100 UNCH
5060	----	----	----	97.60B/*386.50A	----	271.40 + 1.30	.4043	----	----	----	----	25 UNCH
5600	----	----	----	70.70B/*194.20A	----	151.90 + 5.00	.2560	----	----	----	----	300 UNCH
5900	105.00	105.00	#105.00/*104.90	#105.00/*104.90A	----	112.10 NEW	.1980	----	----	1	----	1 + 1
6000	----	----	----	44.70B/*101.00A	----	102.00 + 5.50	.1822	----	----	----	----	151 UNCH
TOTAL										1		577 + 1
JUN27												
5085	----	----	----	----	----	338.20 - 21.80	.4313	----	----	----	----	150 UNCH
7000	----	----	----	----	----	55.30 - 4.30	.0988	----	----	----	----	3 UNCH
7500	----	----	----	----	----	38.60 - 2.60	.0707	----	----	----	----	450 UNCH
8000	----	----	----	----	----	28.90 - 1.40	.0533	----	----	----	----	2 UNCH
9000	----	----	----	----	----	19.50 - 0.20	.0352	----	----	----	----	1 UNCH
10000	----	----	----	----	----	15.90 + 0.50	.0274	----	----	----	----	3 UNCH
TOTAL												609 0
DEC27												
4860	----	----	----	----	----	574.60 - 26.70	.5456	----	----	----	----	100 UNCH
5000	----	----	----	----	----	519.70 - 25.00	.5097	----	----	----	----	50 UNCH
5650	----	----	----	----	----	319.80 - 17.90	.3599	----	----	----	----	200 UNCH
5700	----	----	----	----	----	307.90 - 17.60	.3498	----	----	----	----	150 UNCH
5800	----	----	----	----	----	285.70 - 16.60	.3304	----	----	----	----	200 UNCH
5880	----	----	----	----	----	269.20 - 15.90	.3155	----	----	----	----	125 UNCH
6300	----	----	----	----	----	198.70 - 12.50	.2475	----	----	----	----	18 UNCH
7500	----	----	----	----	----	95.20 - 6.70	.1304	----	----	----	----	170 UNCH
7800	----	----	----	----	----	82.30 - 5.90	.1138	----	----	----	----	284 UNCH
10000	35.00	35.00	35.00/35.00	40.00B/35.00	----	41.30 - 3.00	.0562	----	----	1	----	103 + 1
10500	----	----	----	----	----	37.30 - 2.60	.0503	----	----	----	----	10 UNCH
TOTAL										1		1410 + 1
DEC28												
5750	----	----	----	----	----	530.70 - 21.20	.4352	----	----	----	----	100 UNCH
TOTAL												100 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
JUN26												
4400	----	----	----	----	----	26.90 + 7.00	.2261	----	----	----	----	1 UNCH
TOTAL												1 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
MAY26												
3700	781.80	781.80	#781.80/*773.10	825.00B/*773.10A	----	811.30 NEW	.9988	1	----	1	----	0 UNCH
3750	728.70	728.70	#728.70/*723.10	775.00B/*723.10A	----	761.30 NEW	.9987	1	----	1	----	0 UNCH
3800	----	----	1.20B/----	1.20B/0.90A	----	1.10 + 0.30	.0091	----	----	----	----	1 UNCH
3900	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.10 UNCH	.0015	----	----	41	----	42 + 39
3900	----	----	1.70B/----	1.70B/1.20A	----	1.40 + 0.40	.0125	----	----	----	----	2 UNCH
4000	0.10	0.10	0.20/*0.10	0.20/*0.10	----	0.10 UNCH	.0018	----	----	5	----	8 + 5
4075	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 UNCH	.0021	----	----	1	----	1 + 1
4100	0.30	0.30	0.40B/*0.20	0.40B/*0.20	----	0.10 - 0.10	.0022	----	----	3	----	4 + 3
4105	0.20	0.20	#0.40B/*0.20	0.40B/*0.20	----	0.10 NEW	.0022	----	----	7	----	6 + 6
4120	0.20	0.20	#0.50B/*0.20	0.50B/*0.20	----	0.10 NEW	.0023	----	----	4	----	3 + 3
4125	----	----	4.40B/----	4.40B/2.40A	----	3.00 + 0.90	.0314	----	----	1	----	7 + 1
4135	0.20	0.20	#0.50B/*0.20	0.50B/*0.20	----	0.20 NEW	.0042	----	----	1	----	1 + 1
4150	2.60	2.60	5.10B/2.60	5.10B/2.60	----	3.40 + 1.00	.0360	----	----	7	----	11 UNCH
4150	0.50	0.50	0.60B/*0.50	0.60B/*0.30A	----	0.20 - 0.10	.0043	----	----	1	----	2 + 1
4155	0.30	0.30	#0.90B/*0.30	0.90B/*0.30	----	0.20 NEW	.0044	----	----	1	----	1 + 1
4160	0.40	0.40	#0.90B/*0.30A	0.90B/*0.30A	----	0.30 NEW	.0062	----	----	5	----	5 + 5
4165	0.30	0.30	#0.70B/*0.30	0.70B/*0.30	----	0.30 NEW	.0063	----	----	5	----	5 + 5
4175	----	----	0.80B/----	0.80B/*0.40A	----	0.30 - 0.10	.0064	----	----	----	----	3 UNCH
4180	1.40	1.40	#1.40/*1.40	1.40/*0.40A	----	0.30 NEW	.0065	----	----	1	----	1 + 1
4200	0.30	0.30	1.00B/*0.30	1.00B/*0.30	----	0.40 - 0.10	.0087	----	----	22	----	78 + 20
4200	----	----	6.90B/----	6.90B/3.10A	----	4.40 + 1.30	.0477	----	----	----	----	25 UNCH
4205	0.50	0.50	#1.10B/*0.50	1.10B/*0.50	----	0.40 NEW	.0088	----	----	3	----	3 + 3
4210	0.70	0.70	#1.20B/*0.50	1.20B/*0.50	----	0.40 NEW	.0089	----	----	2	----	2 + 2
4220	1.00	1.00	1.30B/1.00	1.30B/*0.50A	----	0.40 NEW	.0091	----	----	1	----	1 + 1
4225	0.50	0.50	1.40B/*0.40	1.40B/*0.40	----	0.40 - 0.20	.0093	----	----	9	----	16 + 2
4225	----	----	8.00B/3.40A	8.00B/3.40A	----	5.10 + 1.50	.0557	----	----	----	----	2 UNCH
4235	----	----	1.50B/----	1.50B/*0.60A	----	0.50 - 0.10	.0114	----	----	----	----	2 UNCH
4240	1.10	1.10	1.60B/1.10	1.60B/*0.60A	----	0.50 - 0.10	.0116	----	----	1	----	2 + 1
4245	----	----	1.70B/*0.60A	1.70B/*0.60A	----	0.50 - 0.20	.0117	----	----	----	----	2 UNCH
4250	0.80	0.80	1.80B/*0.60A	1.80B/*0.60A	----	0.60 - 0.10	.0137	----	----	1	----	8 + 1
4250	5.10	5.10	9.70B/3.80A	9.70B/3.80A	----	5.90 + 1.80	.0650	----	----	11	----	21 - 3
4260	0.60	0.60	2.00B/*0.60	2.00B/*0.60	----	0.60 - 0.10	.0142	----	----	6	----	7 + 6
4265	0.80	0.80	2.10B/*0.70A	2.10B/*0.70A	----	0.70 - 0.10	.0162	----	----	1	----	1 UNCH
4270	0.80	0.80	2.30B/*0.70A	2.30B/*0.70A	----	0.70 NEW	.0165	----	----	2	----	1 + 1
4275	----	----	11.60B/4.40A	11.60B/4.40A	----	6.90 + 2.10	.0764	----	----	----	----	13 UNCH
4280	1.00	1.00	2.50B/*0.80A	2.50B/*0.80A	----	0.80 NEW	.0189	----	----	1	----	1 + 1
4295	----	----	3.10B/*0.90A	3.10B/*0.90A	----	0.90 - 0.10	.0217	----	----	----	----	1 UNCH
4300	2.00	2.00	3.20B/*0.90	3.20B/*0.90	----	1.00 UNCH	.0239	----	----	17	----	35 + 11
4300	6.30	6.30	14.00B/5.30A	14.00B/5.30A	----	8.20 + 2.50	.0907	----	----	28	----	3 + 2
4305	0.90	0.90	3.40B/*0.90	3.40B/*0.90	----	1.00 - 0.10	.0244	----	----	4	----	4 + 3
4315	1.20	1.20	3.90B/*1.00A	3.90B/*1.00A	----	1.20 UNCH	.0290	----	----	2	----	3 + 2
4320	----	----	4.20B/*1.10A	4.20B/*1.10A	----	1.20 UNCH	.0295	----	----	----	----	1 UNCH
4325	1.00	1.00	4.50B/*1.00	4.50B/*1.00	----	1.30 UNCH	.0319	----	----	2	----	17 + 2
4325	7.80	7.80	17.00B/5.70A	17.00B/5.70A	----	9.80 + 3.00	.1081	----	----	63	----	58 + 38
4330	----	----	4.70B/*1.20A	4.70B/*1.20A	----	1.40 UNCH	.0343	----	----	----	----	1 UNCH
4340	2.20	2.20	5.40B/*1.30A	5.40B/*1.30A	----	1.50 UNCH	.0376	----	----	17	----	12 + 12
4345	----	----	5.90B/*1.40A	5.90B/*1.40A	----	1.60 UNCH	.0402	----	----	----	----	3 UNCH
4350	8.80	8.80	20.60B/7.00A	20.60B/7.00A	----	11.80 + 3.60	.1293	----	----	28	----	63 + 2
4350	1.60	1.60	6.30B/*1.40A	6.30B/*1.40A	----	1.70 + 0.10	.0429	----	----	14	----	113 + 7
4355	3.50	3.50	6.70B/*1.50A	6.70B/*1.50A	----	1.70 UNCH	.0439	----	----	127	----	126 + 125
4360	3.60	3.60	7.30B/*1.60A	7.30B/*1.60A	----	1.80 UNCH	.0468	----	----	41	----	6 + 3
4365	----	----	7.80B/*1.60A	7.80B/*1.60A	----	1.90 UNCH	.0497	----	----	----	----	1 UNCH
4370	7.00	7.00	8.40B/*1.80A	8.40B/1.80A	----	2.00 UNCH	.0528	----	----	1	----	1 + 1
4375	6.40	6.40	8.90B/1.90A	8.90B/1.90A	----	2.10 - 0.10	.0559	----	----	33	----	45 + 30
4375	22.30	22.30	25.10B/8.20A	25.10B/8.20A	----	14.30 + 4.40	.1550	----	----	10	----	12 - 3
4380	2.20	2.20	10.00/*2.00A	10.00/2.00A	----	2.30 UNCH	.0610	----	----	23	----	31 + 20

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED MAY26		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
4385	5.00	5.00	10.40B/*2.10A	10.40B/2.10A	----	2.40 UNCH	.0644	----	----	3	----	4 + 2
4390	11.40	11.40	11.40/*2.20A	11.40/2.20A	----	2.60 UNCH	.0697	----	----	9	----	8 + 7
4395	13.70	13.70	13.70/*2.30A	13.70/2.30A	----	2.70 UNCH	.0735	----	----	6	----	6 + 6
4400	3.10	3.10	12.90B/2.40A	12.90B/2.40A	----	2.90 UNCH	.0792	----	----	82	----	82 + 60
4400	18.20	18.20	30.50B/9.80A	30.50B/9.80A	----	17.50 + 5.40	.1865	----	----	8	----	14 + 4
4405	10.10	10.10	13.90B/*2.60A	13.90B/2.60A	----	3.20 NEW	.0868	----	----	6	----	5 + 5
4410	----	----	14.90B/*2.80A	14.90B/2.80A	----	3.40 + 0.10	.0929	----	----	----	----	3 UNCH
4415	5.20	5.20	16.00B/*2.90A	16.00B/2.90A	----	3.70 + 0.20	.1009	----	----	21	----	26 + 21
4420	3.50	3.50	17.20B/*3.10A	17.20B/3.10A	----	4.00 + 0.20	.1092	----	----	44	----	35 + 34
4425	10.20	10.20	18.60B/3.30A	18.60B/3.30A	----	4.30 + 0.20	.1178	----	----	16	----	19 + 6
4425	27.60	27.60	36.90B/12.10A	36.90B/12.10A	----	21.60 + 6.60	.2244	----	----	131	----	105 + 51
4430	8.20	8.20	19.90B/*3.50A	19.90B/3.50A	----	4.70 + 0.30	.1283	----	----	7	----	8 + 4
4435	11.10	11.10	21.50B/*3.80A	21.50B/3.80A	----	5.20 + 0.50	.1407	----	----	16	----	111 + 11
4440	17.40	17.40	23.00B/*4.00A	23.00B/4.00A	----	5.70 + 0.60	.1534	----	----	7	----	5 + 4
4445	6.20	6.20	24.60B/*4.20A	24.60B/4.20A	----	6.20 + 0.70	.1666	----	----	8	----	11 + 7
4450	6.70	6.70	26.40B/4.60A	26.40B/4.60A	----	6.80 + 0.90	.1816	----	----	112	----	102 + 76
4450	20.00	20.00	44.80B/14.80A	44.80B/14.80A	----	26.80 + 8.20	.2692	----	----	102	----	77 + 72
4450	50.30	50.30	143.20B/*47.30A	143.20B/*47.30A	----	68.00 NEW	.8183	----	----	2	----	2 + 2
4455	20.20	20.20	28.20B/*4.90A	28.20B/4.90A	----	7.50 + 1.10	.1984	----	----	84	----	85 + 84
4460	21.70	21.70	30.10B/*5.20A	30.10B/5.20A	----	8.30 + 1.40	.2170	----	----	75	----	68 + 65
4465	12.30	12.30	32.30B/*5.50A	32.30B/5.50A	----	9.20 + 1.80	.2372	----	----	18	----	10 + 8
4470	34.50	34.50	34.50/*5.80A	34.50/5.80A	----	10.20 + 2.10	.2590	----	----	199	----	184 + 179
4475	24.00	24.00	54.10B/18.20A	54.10B/18.20A	----	33.10 + 10.00	.3204	----	----	19	----	16 - 4
4475	7.20	7.20	37.10B/6.40A	37.10B/6.40A	----	11.30 + 2.60	.2824	----	----	447	----	156 + 48
4480	31.50	31.50	#115.60B/*27.30	115.60B/*27.30A	----	43.80 NEW	.6918	----	----	3	----	1 + 1
4480	14.20	14.20	42.50/*6.90A	42.50/6.90A	----	12.60 + 3.10	.3081	----	----	110	----	80 + 75
4485	----	----	#110.90B/*24.50	110.90B/*24.50A	----	40.10 NEW	.6649	----	----	1	----	1 + 1
4485	17.20	17.20	41.70B/*7.40A	41.70B/7.40A	----	14.00 NEW	.3350	----	----	21	----	15 + 15
4490	20.70	20.70	45.90B/*7.90A	45.90B/7.90A	----	15.50 NEW	.3632	----	----	14	----	5 + 5
4490	28.60	28.60	#106.60B/*21.30	106.60B/*21.30	----	36.70 - 42.40	.6367	----	----	6	----	7 + 6
4495	29.50	29.50	#102.10B/*19.50	102.10B/*19.50A	----	33.40 NEW	.6068	----	----	15	----	6 + 6
4495	19.00	19.00	48.70B/*8.60A	48.70B/8.60A	----	17.20 NEW	.3931	----	----	60	----	56 + 56
4500	36.00	36.00	97.60B/*17.20A	97.60B/*17.20A	----	30.20 NEW	.5759	----	----	105	----	84 + 84
4500	14.70	14.70	51.70B/9.20A	51.70B/9.20A	----	19.00 + 5.90	.4240	----	----	146	----	137 + 25
4500	----	----	144.20B/*69.80A	144.20B/*69.80A	----	85.50 - 35.00	.6213	----	----	----	----	50 UNCH
4500	47.40	47.40	64.60B/22.50A	64.60B/22.50A	----	41.00 + 12.20	.3784	----	----	2	----	4 UNCH
4505	28.00	28.00	#93.50B/*15.30A	93.50B/*15.30A	----	27.30 NEW	.5435	----	----	13	----	11 + 11
4505	23.80	23.80	54.80B/*9.80A	54.80B/9.80A	----	21.10 + 6.90	.4564	----	----	29	----	17 + 16
4510	15.40	15.40	58.30B/*10.70A	58.30B/10.70A	----	23.30 + 7.90	.4893	----	----	546	----	147 + 146
4510	28.30	28.30	#89.00B/*13.40A	89.00B/*13.40A	----	24.50 NEW	.5106	----	----	39	----	29 + 29
4515	15.40	15.40	#84.90B/*11.80A	84.90B/*11.80A	----	21.90 NEW	.4771	----	----	46	----	44 + 44
4515	15.80	15.80	61.40B/*11.60A	61.40B/11.60A	----	25.70 + 9.10	.5228	----	----	17	----	4 + 3
4520	20.30	20.30	64.90B/*12.60A	64.90B/12.60A	----	28.30 + 10.30	.5564	----	----	38	----	28 + 27
4520	13.20	13.20	#81.40B/*10.00	81.40B/*10.00	----	19.50 NEW	.4435	----	----	31	----	19 + 19
4525	32.90	32.90	68.50B/13.50A	68.50B/13.50A	----	31.10 + 11.60	.5898	----	----	9	----	38 + 2
4525	43.80	43.80	76.80B/*9.00A	76.80B/*9.00A	----	17.30 - 35.20	.4101	----	----	21	----	11 + 10
4525	37.50	37.50	76.90B/27.90A	76.90B/27.90A	----	50.50 + 14.80	.4415	----	----	13	----	8 - 9
4530	13.10	13.10	#72.50B/*13.10	#72.50B/13.10	----	34.10 + 13.00	.6226	----	----	17	----	9 + 6
4530	15.00	15.00	#72.70B/*7.80A	72.70B/*7.80A	----	15.30 - 33.80	.3773	----	----	20	----	16 + 15
4535	----	----	#76.30B/*15.80A	#76.30B/15.80A	----	37.30 + 14.40	.6544	----	----	----	----	2 UNCH
4535	13.90	13.90	68.80B/*6.80A	68.80B/*6.80A	----	13.50 - 32.30	.3455	----	----	19	----	14 + 12
4540	----	----	#80.00B/*17.20A	#80.00B/17.20A	----	40.70 + 16.00	.6848	----	----	2	----	6 + 2
4540	31.40	31.40	#65.20B/*5.90A	65.20B/*5.90A	----	11.90 - 30.80	.3151	----	----	31	----	24 + 23
4545	22.60	22.60	#61.70B/*5.10A	61.70B/*5.10A	----	10.40 - 29.30	.2855	----	----	34	----	18 + 13
4545	----	----	#84.30B/*18.50A	#84.30B/18.50A	----	44.20 + 17.50	.7143	----	----	1	----	22 + 1
4550	41.90	41.90	88.40B/19.90A	88.40B/19.90A	----	47.90 + 19.10	.7419	----	----	123	----	153 + 26
4550	31.10	31.10	58.00B/*4.40A	58.00B/*4.40A	----	9.10 - 27.60	.2580	----	----	116	----	87 + 60
4550	76.90	76.90	105.90B/*44.50A	105.90B/*44.50A	----	56.30 NEW	.4915	----	----	22	----	3 + 3
4550	60.00	60.00	92.70B/34.80A	92.70B/34.80A	----	61.80 + 17.60	.5082	----	----	5	----	31 + 1
4555	----	----	#92.50B/*21.40A	#92.50B/21.40A	----	51.80 NEW	.7670	----	----	9	----	9 + 9
4555	7.30	7.30	54.60B/*3.90A	54.60B/*3.90A	----	8.00 NEW	.2329	----	----	12	----	8 + 8
4560	12.50	12.50	51.30B/*3.60A	51.30B/*3.60A	----	7.00 - 24.30	.2093	----	----	50	----	30 + 29
4560	34.00	34.00	#96.90B/*23.10A	#96.90B/23.10A	----	55.80 + 22.50	.7906	----	----	68	----	26 + 21
4565	5.50	5.50	48.10B/*3.00A	48.10B/*3.00A	----	6.10 - 22.70	.1872	----	----	24	----	15 + 14
4565	----	----	#101.20B/*24.80	#101.20B/24.80A	----	59.90 NEW	.8127	----	----	1	----	1 + 1
4570	65.00	65.00	#105.70B/26.70A	#105.70B/26.70A	----	64.10 + 25.70	.8330	----	----	2	----	5 UNCH
4570	16.90	16.90	44.90B/*2.30	44.90B/*2.30	----	5.30 - 21.10	.1669	----	----	244	----	200 + 194
4575	30.10	30.10	42.00B/*2.20A	42.00B/*2.20A	----	4.60 - 19.60	.1484	----	----	27	----	103 + 21
4575	----	----	110.20B/28.60A	110.20B/28.60A	----	68.40 + 27.20	.8515	----	----	44	----	60 UNCH
4575	----	----	108.50B/43.00A	108.50B/43.00A	----	75.00 + 20.70	.5758	----	----	11	----	9 + 5
4575	69.50	69.50	89.10B/*34.60A	89.10B/*34.60A	----	44.60 - 26.50	.4239	----	----	35	----	26 + 11
4580	----	----	#114.60B/*30.80	#114.60B/30.80A	----	72.80 + 28.70	.8662	----	----	----	----	24 UNCH
4580	13.90	13.90	39.10B/*2.00A	39.10B/*2.00A	----	4.10 - 18.00	.1337	----	----	11	----	7 + 3
4585	----	----	#119.30B/*33.00	#119.30B/33.00A	----	77.30 + 30.20	.8826	----	----	----	----	1 UNCH
4585	17.80	17.80	36.30B/*1.50	36.30B/*1.50	----	3.50 - 16.60	.1173	----	----	39	----	36 + 20
4590	16.10	16.10	34.10B/*1.60A	34.10B/*1.60A	----	3.10 - 15.20	.1051	----	----	14	----	24 + 9
4590	----	----	#123.80B/*35.50	#123.80B/35.50A	----	81.90 + 31.60	.8948	----	----	----	----	1 UNCH
4595	14.80	14.80	31.30B/*1.40A	31.30B/*1.40A	----	2.70 - 13.90	.0931	----	----	5	----	23 UNCH
4600	----	----	133.40B/40.60A	133.40B/40.60A	----	91.20 + 34.20	.9165	----	----	36	----	54 - 4
4600	25.70	25.70	29.10B/*1.20A	29.10B/*1.20A	----	2.40 - 12.60	.0834	----	----	140	----	396 + 65
4600	----	----	125.90B/52.50A	125.90B/52.50A	----	90.10 + 24.00	.6418	----	----	4	----	5 UNCH
4600	36.50	36.50	74.60B/*26.50A	74.60B/*26.50A	----	34.70 - 23.20	.3579	----	----	8	----	44 + 2
4605	----	----	#138.00B/*43.20	#138.00B/43.20A	----	95.90 NEW	.9259	----	----	8	----	8 + 8
4605	10.90	10.90	26.60B/*1.10A	26.60B/*1.10A	----	2.10 NEW	.0740	----	----	11	----	11 + 11
4610	1.90	1.90	24.80B/*0.90A	24.80B/*0.90A	----	1.80 - 10.40	.0646	----	----	2	----	3 + 1
4610	----	----	#142.80B/*46.20	#142.80B/46.20A	----	100.60 NEW	.9352	----	----	5	----	5 + 5
4615	8.20	8.20	22.40B/*0.80A	22.40B/*0.80A	----	1.60 - 9.40	.0578	----	----	18	----	12 + 8
4615	71.00	71.00	#147.70B/*48.40	#147.70B/48.40A	----	105.40 NEW	.9421	----	----	2	----	2 + 2
4620	15.10	15.10	20.50B/*0.70A	20.50B/*0.70A	----	1.40 - 8.50	.0512	----	----	16	----	20 + 6
4625	7.70	7.70	18.50B/*0.60A	18.50B/*0.60A	----	1.30 - 7.60	.0471	----	----	29	----	29 + 26
4625	----	----	157.60B/55.00A	157.60B/55.00A	----	115.00 + 39.10	.9527	----	----	1	----	119 + 1
4625	109.30	109.30	144.90B/64.20A	144.90B/64.20A	----	107.00 + 27.30	.7038	----	----	1	----	4 + 1
4625	----	----	60.60B/*20.10A	60.60B/*20.10A	----	26.60 - 20.00	.2959	----	----	2	----	2 + 1
4630	15.10	15.10	17.70/*0.30	17.70/*0.30	----	1.10 - 6.90	.0407	----	----	109	----	91 + 18
4635	----	----	#167.20B/*61.50	#167.20B/61.50A	----	124.80 + 40.70	.9629	----	----	----	----	1 UNCH
4635	10.40	10.40	15.20B/*0.50A	15.20B/*0.50A	----	1.00 - 6.10	.0370	----	----	6	----	11 UNCH
4640	8.30	8.30	13.70B/*0.40A	13.70B/*0.40A	----	0.90 - 5.50	.0333	----	----	47	----	15 + 13
4645	----	----	12.30B/*0.40A	12.30B/*0.40A	----	0.70 - 5.00	.0270	----	----	4	----	6 + 1
4650	----	----	#182.00B/72.30A	#182.00B/72.30A	----	139.40 + 42.30	.9736	----	----	----	----	11 UNCH
4650	38.30	38.30	48.90B/*15.20A	48.90B/*15.20A	----	20.10 - 16.90	.2399	----	----	7	----	7 UNCH
4650	3.90	3.90	11.10B/*0.30	11.10B/*0.30	----	0.70 - 4.40	.0263	----	----	15	----	19 + 3
4650	----	----	#164.90B/77.60A	#164.90B/77.60A	----	125.60 + 30.50	.7598	----	----	2	----	10 UNCH
4655	----	----	10.20B/*0.30A	10.20B/*0.30A	----	0.60 - 4.00	.0228	----	----	4	----	6 + 4
4660	0.50	0.50	#8.70B/*0.30A	8.70B/*0.30A	----	0.50 - 3.60	.0194	----	----	1	----	3 UNCH
4660	----	----	#191.80B/*79.90	#191.80B/79.90A	----	149.30 NEW	.9805	----	----	4	----	4 + 4
4665	0.70	0.70	#7.80B/*0.30A	7.80B/*0.30A	----	0.40 - 3.20	.0160	----	----	9	----	7 + 5
4670	----	----	#6.90B/*0.30A	6.90B/*0.30A	----	0.40 - 2.90	.0156	----	----	3	----	2 UNCH
4675	1.20	1.20	6.60B/*0.20A	6.60B/*0.20A	----	0.30 - 2.60	.0122	----	----	4	----	30 + 1
4675	----	----	#206.80B/92.30A	#206.80B/92.30A	----	164.10 + 44.20	.9877	----	----	----	----	2 UNCH
4675	----	----	#186.00B/92.30A	#186.00B/92.30A	----	145.60 + 33.40	.8081	----	----	----	----	1 UNCH
4675	15.50	15.50	38.90B/*11.40A	38.90B/*11.40A	----	15.10 - 13.90	.1916	----	----	3	----	2 + 1
4680	3.00	3.00	#5.50B/*0.20	5.50B/*0.20	----	0.30 - 2.30	.0119	----	----	6	----	6 + 3
4685	----	----	4.70B/*0.20A	4.70B/*0.20A	----	0.20 - 2.10	.0084	----	----	----	----	3 UNCH
4685	----	----	#216.70B/*100.8	#216.70B/100.80A	----	174.00 + 44.70	.9915	----	----	----	----	1 UNCH
4690	3.30	3.30	4.50B/*0.20A	4.50B/*0.20A	----	0.20 - 1.90	.0082	----	----	3	----	7 + 1
4695	3.10	3.10	#3.80B/*0.20	3.80B/*0.20	----	0.20 - 1.70	.0081	----	----	2	----	2 + 1
4695	----	----	#226.80B/109.60	#226.80B/109.60A	----	184.00 + 45.10	.9918	1	----	----	----	0 - 1
4700	----	----	#207.90B/109.20	#207.90B/109.20A	----	166.70 + 36.00	.8478	----	----	----	----	15 UNCH
4700	----	----	#231.80B/114.70	#231.80B/114.70A	----	188.90 + 45.20	.9920	----	----	----	----	27 UNCH
4700	4.00	4.00	4.20/*0.10	4.20/*0.10	----	0.20 - 1.50	.0079	----	----	11	----	17 + 2
4700	19.40	19.40	30.50B/*8.60A	30.50B/*8.60A	----	11.40 - 11.20	.1519	----	----	33	----	19 + 5
4705	0.20	0.20	#3.20B/*0.20	3.20B/*0.20	----	0.10 NEW	.0044	----	----	1	----	1 + 1
4710	0.20	0.20	#2.60B/*0.20	2.60B/*0.20	----	0.10 NEW	.0043	----	----	8	----	8 + 8
4710	----	----	#241.60B/123.60	#241.60B/123.60A	----	198.90 + 45.60	.9956	6	----	----	----	19 - 6
4715	0.20	0.20	#2.30B/*0.20	2.30B/*0.20	----	0.10 NEW	.0042	----	----	1	----	1 + 1
4720	----	----	#251.70B/*132.5	#251.70B/132.50A	----	208.90 + 45.80	.9958	----	----	----	----	3 UNCH
4720	----	----	2.10B/*0.20A	2.10B/*0.20A	----	0.10 - 1.00	.0041	----	----	----	----	1 UNCH
4725	0.20	0.20	2.00B/*0.10A	2.00B/*0.10A	----	0.10 - 0.90	.0041	----	----	57	----	125 - 19
4725	----	----	#256.70B/137.20	#256.70B/137.20A	----	213.90 + 45.90	.9958	1	----	1	----	1 - 1
4725	----	----	#230.40B/126.50	#230.40B/126.50A	----	188.90 + 38.30	.8810	----	----	----	----	1 UNCH
4725	17.20	17.20	23.60B/*6.40A	23.60B/*6.40A	----	8.50 - 9.00	.1187	----	----	25	----	47 UNCH
4730	----	----	1.80B/*0.20A	1.80B/*0.20A	----	0.10 - 0.80	.0040	----	----	----	----	4 UNCH
4730	----	----	#261.70B/*142.5	#261.70B/142.50A	----	218.90 + 46.00	.9959	----	----	----	----	1 UNCH
4735	----	----	#1.50B/*0.20A	1.50B/*0.20A	----	0.10 - 0.70	.0039	----	----	1	----	4 + 1
4740	----	----	1.40B/*0.20A	1.40B/*0.20A	----	0.10 - 0.60	.0038	----	----	----	----	1 UNCH
4750	0.10	0.10	0.70B/*0.10	0.70B/*0.10	----	0.10 - 0.40	.0037	----	----	61	----	71 - 1
4750	----	----	#281.50B/161.70	#281.50B/161.70A	----	238.90 + 46.40	.9962	----	----	1	----	1 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK4										
MAY26												
4750	7.90	7.90	18.10B/*5.00A	18.10B/*5.00A	----	6.50 - 7.00	.0936	----	----	8	----	34 + 1
4755	----	----	0.70B/*0.20A	0.70B/*0.20A	----	0.10 - 0.40	.0037	----	----	----	----	6 UNCH
4755	----	----	#286.50B/*166.6	#286.50B/166.60A	----	243.90 NEW	.9963	----	----	2	----	2 + 2
4760	----	----	#291.50B/171.4	#291.50B/171.40A	----	248.90 + 46.50	.9963	1	----	----	----	1 - 1
4760	----	----	0.50B/*0.20A	0.50B/*0.20A	----	0.10 - 0.30	.0036	----	----	----	----	5 UNCH
4770	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 NEW	.0035	----	----	1	----	1 + 1
4775	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0034	----	----	1	----	55 UNCH
4775	5.90	5.90	13.70B/*3.90A	13.70B/*3.90A	----	4.90 - 5.50	.0729	----	----	6	----	32 + 2
4790	----	----	----	----/*0.20A	----	0.10 - 0.10	.0033	----	----	----	----	1 UNCH
4800	----	----	#327.60B/----	#327.60B/275.10A	----	288.90 + 46.80	.9967	1	----	----	----	0 - 1
4800	----	----	----	----/*0.20A	----	0.10 - 0.10	.0032	----	----	1	----	29 - 1
4800	4.80	4.80	10.30B/*3.20A	10.30B/*3.20A	----	3.80 - 4.30	.0576	----	----	72	----	79 + 68
4825	----	----	----	----/*0.20A	----	0.10 UNCH	.0030	----	----	1	----	22 UNCH
4825	3.20	3.20	7.90B/*2.60A	7.90B/*2.60A	----	3.00 - 3.30	.0460	----	----	12	----	12 + 1
4825	----	----	#352.40B/----	#352.40B/300.20A	----	313.90 + 46.80	.9969	----	----	----	----	1 UNCH
4850	----	----	----	----/0.20A	----	0.10 UNCH	.0028	----	----	1	----	41 - 1
4850	----	----	6.00B/*2.10A	6.00B/*2.10A	----	2.50 - 2.50	.0382	----	----	1	----	3 UNCH
4875	----	----	4.50B/*1.80A	4.50B/*1.80A	----	2.00 - 2.00	.0308	----	----	----	----	3 UNCH
4875	----	----	----	----/0.20A	----	0.10 UNCH	.0026	----	----	1	----	2 - 1
4900	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0025	----	----	1	----	26 UNCH
4900	----	----	355.10B/281.00A	355.10B/281.00A	----	357.00 + 45.80	.9739	----	----	----	----	1 UNCH
4900	----	----	3.30B/*1.60A	3.30B/*1.60A	----	1.70 - 1.50	.0260	----	----	----	----	6 UNCH
4925	----	----	----	----/0.20A	----	0.10 UNCH	.0024	----	----	----	----	4 UNCH
4925	----	----	----/*1.40A	2.50B/*1.40A	----	1.40 - 1.20	.0214	----	----	----	----	4 UNCH
4930	438.50	438.50	#457.40B/*438.5	#457.40B/405.00A	----	418.90 NEW	.9976	3	----	3	----	0 UNCH
4945	453.30	453.30	#472.30B/*453.3	#472.30B/420.00A	----	433.90 NEW	.9976	1	----	1	----	0 UNCH
4950	----	----	----	----/*0.20A	----	0.10 UNCH	.0023	----	----	----	----	6 UNCH
4950	----	----	----	----	----	406.50 + 46.40	.9817	----	----	----	----	1 UNCH
4950	1.80	1.80	1.80/*1.20A	1.80/*1.20A	----	1.20 - 1.00	.0182	----	----	8	----	33 + 8
4975	483.70	483.70	#502.30B/483.70	#502.30B/450.10A	----	463.90 NEW	.9977	1	----	1	----	0 UNCH
4975	----	----	----	----/0.20A	----	0.10 UNCH	.0022	----	----	----	----	8 UNCH
4975	----	----	----/*1.10A	1.40B/*1.10A	----	1.00 - 0.80	.0151	----	----	----	----	11 UNCH
4980	----	----	----	----/*0.10A	----	0.10 UNCH	.0022	----	----	----	----	1 UNCH
4990	517.80	517.80	#517.80/*517.80	#517.80/465.10A	----	478.90 NEW	.9978	1	----	1	----	0 UNCH
5000	----	----	----	----/*0.10A	----	0.10 UNCH	.0021	----	----	----	----	13 UNCH
5000	----	----	----/*0.90A	1.10B/*0.90A	----	0.90 - 0.60	.0134	----	----	----	----	6 UNCH
5010	532.90	532.90	#536.90B/*532.9	#536.90B/485.10A	----	498.90 NEW	.9979	1	----	1	----	0 UNCH
5025	----	----	----	----/0.20A	----	0.10 UNCH	.0020	----	----	----	----	7 UNCH
5035	557.50	557.50	#561.90B/*557.5	#561.90B/510.10A	----	523.90 NEW	.9979	3	----	3	----	0 UNCH
5050	573.10	573.10	#577.00B/573.10	#577.00B/525.00A	----	538.90 NEW	.9980	1	----	1	----	0 UNCH
5050	----	----	----	----/*0.10A	----	0.10 UNCH	.0019	----	----	----	----	4 UNCH
5055	579.10	579.10	#581.90B/*579.1	#581.90B/530.10A	----	543.90 NEW	.9980	1	----	1	----	0 UNCH
5075	----	----	----	----/*0.10A	----	0.10 UNCH	.0019	----	----	----	----	3 UNCH
5090	610.30	610.30	#616.90B/*610.3	#616.90B/565.10A	----	578.90 NEW	.9981	1	----	1	----	0 UNCH
5095	615.30	615.30	#621.90B/*615.3	#621.90B/570.10A	----	583.90 NEW	.9981	1	----	1	----	0 UNCH
5100	----	----	#627.00B/----	#627.00B/574.90A	----	588.90 + 46.80	.9981	----	----	----	----	0 UNCH
5100	----	----	----	----/*0.10A	----	0.10 UNCH	.0018	----	----	----	----	31 UNCH
5100	----	----	----	0.40B/*0.70A	----	0.40 - 0.30	.0060	----	----	----	----	18 UNCH
5125	----	----	----	----/*0.10A	----	0.10 UNCH	.0017	----	----	----	----	1 UNCH
5125	----	----	----	0.30B/*0.70A	----	0.40 - 0.20	.0058	----	----	----	----	11 UNCH
5150	----	----	----	----/*0.10A	----	0.10 UNCH	.0017	----	----	----	----	7 UNCH
5200	----	----	----	----/*0.10A	----	0.10 UNCH	.0016	----	----	----	----	3 UNCH
5200	----	----	----	----/1.00A	----	0.20 - 0.10	.0030	----	----	----	----	9 UNCH
5225	----	----	----	----/*0.10A	----	0.10 UNCH	.0015	----	----	----	----	3 UNCH
5250	----	----	----	----/*0.10A	----	0.10 UNCH	.0015	----	----	----	----	1 UNCH
5250	----	----	----	----/2.10A	----	0.10 - 0.10	.0016	----	----	----	----	2 UNCH
5300	----	----	----	----/*0.10A	----	0.10 UNCH	.0014	----	----	----	----	40 UNCH
5300	----	----	----	----/2.00A	----	0.10 - 0.10	.0015	----	----	----	----	6 UNCH
5400	----	----	----	----/0.20A	----	0.10 UNCH	.0013	----	----	----	----	6 UNCH
5400	----	----	----	----/3.50A	----	0.10 UNCH	.0013	----	----	----	----	1 UNCH
5500	----	----	----	----/1.30A	----	0.10 UNCH	.0012	----	----	----	----	3 UNCH
5600	----	----	----	----/*0.40A	----	0.10 UNCH	.0011	----	----	----	----	4 UNCH
5600	----	----	----	----/1.80A	----	0.10 UNCH	.0011	----	----	----	----	1 UNCH
TOTAL										5090		5699 + 2448
JUN26												
3900	2.50	2.50	2.90B/2.50	2.90B/2.50	----	2.90 + 0.90	.0216	----	----	17	----	19 + 12
4000	4.70	4.70	4.70/4.70	4.70/3.50A	----	4.20 + 1.30	.0325	----	----	1	----	3 + 1
4200	----	----	#22.20B/*11.90A	#22.20B/*11.90A	----	16.50 + 3.60	.1103	----	----	----	----	1 UNCH
4200	----	----	13.60B/----	13.60B/7.70A	----	10.10 + 2.70	.0822	----	----	----	----	1 UNCH
4250	----	----	#28.60B/*15.20A	#28.60B/15.20A	----	21.30 + 4.80	.1398	----	----	----	----	1 UNCH
4250	----	----	18.80B/9.00A	18.80B/9.00A	----	13.10 + 3.30	.1066	----	----	----	----	2 UNCH
4275	----	----	#32.70B/*17.00A	#32.70B/17.00A	----	24.40 + 5.60	.1579	----	----	1	----	2 + 1
4275	17.20	17.20	21.70B/9.80A	21.70B/9.80A	----	15.10 + 3.80	.1221	----	----	10	----	11 + 10
4300	----	----	#37.00B/*19.70A	#37.00B/19.70A	----	27.80 NEW	.1775	----	----	1	----	1 + 1
4300	----	----	25.00B/11.40A	25.00B/11.40A	----	17.40 + 4.30	.1399	----	----	----	----	2 UNCH
4325	----	----	29.20B/12.90A	29.20B/12.90A	----	20.30 + 5.10	.1611	----	----	----	----	1 UNCH
4350	23.70	23.70	34.50B/15.70A	34.50B/15.70A	----	23.70 NEW	.1852	----	----	10	----	10 + 10
4375	54.50	54.50	#55.20B/*29.20A	#55.20B/29.20A	----	41.80 NEW	.2513	----	----	100	----	100 + 100
4375	----	----	40.20B/18.20A	40.20B/18.20A	----	27.80 + 6.80	.2130	----	----	----	----	8 UNCH
4400	----	----	238.30B/*154.90	238.30B/*154.90A	----	177.00 NEW	.7550	----	----	1	----	1 + 1
4400	----	----	#47.40B/21.30A	#47.40B/21.30A	----	32.70 + 7.90	.2445	----	----	----	----	1 UNCH
4450	----	----	#63.70B/29.50A	#63.70B/29.50A	----	45.30 + 10.60	.3187	----	----	----	----	200 UNCH
4500	----	----	#85.20B/40.70A	#85.20B/40.70A	----	62.40 NEW	.4060	----	----	1	----	1 + 1
4500	----	----	157.60B/*92.40A	157.60B/*92.40A	----	106.90 - 33.10	.5936	----	----	2	----	3 + 1
4550	----	----	#111.70B/57.00A	#111.70B/57.00A	----	84.60 + 18.20	.5015	----	----	----	----	2 UNCH
4550	----	----	123.00B/*67.50A	123.00B/*67.50A	----	79.10 NEW	.4981	----	----	2	----	2 + 2
4575	----	----	#144.40B/*83.60	#144.40B/83.60A	----	116.80 + 20.50	.5367	----	----	----	----	1 UNCH
4575	----	----	126.90B/*76.40A	126.90B/*76.40A	----	86.30 - 26.80	.4627	----	----	----	----	1 UNCH
4575	----	----	#126.70B/66.50A	#126.70B/66.50A	----	97.70 + 20.50	.5501	----	----	----	----	8 UNCH
4600	----	----	#143.10B/75.40A	#143.10B/75.40A	----	112.20 + 22.90	.5981	----	----	----	----	2 UNCH
4625	----	----	#159.80B/87.80A	#159.80B/87.80A	----	127.90 + 25.20	.6447	----	----	----	----	1 UNCH
4650	----	----	70.60B/*33.00A	70.60B/*33.00A	----	39.60 NEW	.3110	----	----	2	----	2 + 2
4675	----	----	#191.30B/118.80	#191.30B/118.80A	----	163.10 + 29.90	.7294	----	----	----	----	1 UNCH
4700	----	----	50.10B/*22.60A	50.10B/*22.60A	----	27.00 - 15.20	.2326	----	----	3	----	3 + 1
4700	----	----	#212.20B/134.70	#212.20B/134.70A	----	182.30 + 32.00	.7670	----	----	1	----	1 UNCH
4775	----	----	#287.70B/*204.0	#287.70B/204.00A	----	257.00 + 34.70	.8038	----	----	----	----	2 UNCH
4800	14.00	14.00	24.00B/*10.60A	24.00B/*10.60A	----	12.40 - 8.20	.1221	----	----	3	----	4 + 3
4825	----	----	20.00B/*8.90A	20.00B/*8.90A	----	10.30 - 6.90	.1037	----	----	----	----	1 UNCH
4850	----	----	16.40B/*7.50A	16.40B/*7.50A	----	8.60 - 5.80	.0882	----	----	----	----	1 UNCH
4875	6.40	6.40	13.80B/*6.30A	13.80B/*6.30A	----	7.20 NEW	.0750	----	----	1	----	1 + 1
4900	----	----	21.30B/*11.50A	21.30B/*11.50A	----	12.80 - 6.50	.1035	----	----	----	----	8 UNCH
4900	----	----	11.70B/*5.40A	11.70B/*5.40A	----	6.10 - 4.00	.0643	----	----	----	----	4 UNCH
4950	----	----	#16.10B/*8.90A	16.10B/*8.90A	----	9.60 - 5.00	.0800	----	----	----	----	1 UNCH
4950	----	----	7.50B/*4.00A	7.50B/*4.00A	----	4.40 - 2.90	.0472	----	----	----	----	1 UNCH
4975	----	----	6.90B/*3.60A	6.90B/*3.60A	----	3.80 - 2.40	.0409	----	----	----	----	1 UNCH
5000	----	----	#11.60B/*6.90A	11.60B/*6.90A	----	7.40 - 3.90	.0627	----	----	----	----	1 UNCH
5025	----	----	----/*6.20A	10.00B/*6.20A	----	6.50 - 3.50	.0555	----	----	----	----	2 UNCH
5050	----	----	----/*2.60A	2.90B/*2.60A	----	2.60 - 1.50	.0279	----	----	----	----	2 UNCH
5075	----	----	----/*4.90A	5.00B/*4.90A	----	5.10 - 3.00	.0440	----	----	----	----	1 UNCH
5150	----	----	----/*1.80A	1.30B/*1.80A	----	1.70 - 0.90	.0179	----	----	----	----	2 UNCH
TOTAL										156		424 + 147

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week3										
MAY26												
3800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
4000	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
4100	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4175	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4200	0.40	0.40	0.40/*0.10A	0.40/*0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 57
4205	0.40	0.40	#0.40/*0.10A	0.40/*0.10A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4230	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4235	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
4240	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
4245	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4250	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
4255	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
4260	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4265	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 4
4270	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 26
4275	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 14
4290	----	----	----	----/*0.30A	----	0.00 - 0.30	----	----	----	----	----	0 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE MAY26		GOLD WEEKLY TUESDAY OPTION Week3										
4295	----	----	----	----/*0.30A	----	0.00 - 0.30	----	----	----	----	----	0 - 5
4300	0.50	0.50	0.50/*0.10	0.50/*0.10	----	0.00 - 0.30	----	----	----	3	----	0 - 32
4300	----	----	289.90B/*169.00	289.90B/*169.00A	----	211.20 - 47.10	----	2	----	----	----	0 - 2
4305	----	----	----	----/*0.30A	----	0.00 - 0.30	----	----	----	----	----	0 - 5
4310	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.00 - 0.40	----	----	----	1	----	0 - 3
4315	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 6
4320	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 1
4325	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 18
4335	----	----	----/*0.20A	0.30B/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 16
4340	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
4345	----	----	0.60B/*0.20A	0.60B/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 3
4350	0.40	0.40	0.70B/*0.10	0.70B/*0.10	----	0.00 - 0.50	----	----	----	13	----	0 - 205
4355	0.10	0.10	0.80B/*0.10	0.80B/*0.10	----	0.00 - 0.50	----	----	----	4	----	0 - 23
4360	0.30	0.30	0.90B/*0.10	0.90B/*0.10	----	0.00 - 0.60	----	----	----	5	----	0 - 9
4365	----	----	1.00B/*0.20A	1.00B/*0.20A	----	0.00 - 0.60	----	----	----	1	----	0 - 2
4370	0.40	0.40	1.20B/*0.20A	1.20B/*0.20A	----	0.00 NEW	----	----	----	4	----	0 UNCH
4375	----	----	1.30B/*0.20A	1.30B/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 22
4380	0.30	0.30	1.50B/*0.20A	1.50B/*0.20A	----	0.00 - 0.70	----	----	----	1	----	0 - 5
4385	1.20	1.20	1.70B/*0.20	1.70B/*0.20	----	0.00 - 0.70	----	----	----	11	----	0 - 1
4390	0.50	0.50	1.80B/*0.20A	1.80B/*0.20A	----	0.00 - 0.80	----	----	----	5	----	0 - 4
4395	----	----	1.80B/*0.20A	1.80B/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 4
4400	0.60	0.60	2.20B/*0.20A	2.20B/*0.20A	----	0.00 - 0.90	----	----	----	54	----	0 - 203
4405	1.00	1.00	2.50B/*0.30A	2.50B/*0.30A	----	0.00 - 1.00	----	----	----	1	----	0 - 4
4410	0.20	0.20	3.10B/*0.20	3.10B/*0.20	----	0.00 - 1.00	----	----	----	13	----	0 - 4
4415	0.30	0.30	3.60B/*0.20A	3.60B/*0.20A	----	0.00 - 1.10	----	----	----	3	----	0 - 3
4420	0.40	0.40	4.20B/*0.20A	4.20B/*0.20A	----	0.00 - 1.20	----	----	----	9	----	0 - 1
4425	1.10	1.10	4.90B/*0.10	4.90B/*0.10	----	0.00 - 1.30	----	----	----	20	----	0 - 376
4430	1.40	1.40	5.70B/*0.20A	5.70B/*0.20A	----	0.00 - 1.40	----	----	----	24	----	0 - 2
4435	3.00	3.00	6.60B/*0.20A	6.60B/*0.20A	----	0.00 - 1.50	----	----	----	3	----	0 - 1
4435	46.60	46.60	155.60B/*42.20A	155.60B/*42.20A	----	76.20 NEW	----	1	----	1	----	0 UNCH
4440	38.90	38.90	151.50B/*38.40A	151.50B/*38.40A	----	71.20 NEW	----	1	----	2	----	0 UNCH
4440	1.90	1.90	7.70B/*0.20A	7.70B/*0.20A	----	0.00 - 1.70	----	----	----	36	----	0 - 45
4445	0.60	0.60	8.80B/*0.20A	8.80B/*0.20A	----	0.00 - 1.90	----	----	----	15	----	0 - 10
4450	2.00	2.00	10.40B/*0.20	10.40B/*0.20	----	0.00 - 2.00	----	----	----	99	----	0 - 118
4455	1.50	1.50	11.80B/*0.20	11.80B/*0.20	----	0.00 NEW	----	----	----	35	----	0 UNCH
4460	1.70	1.70	13.60B/*0.20	13.60B/*0.20	----	0.00 - 2.50	----	----	----	9	----	0 - 8
4465	25.00	25.00	126.30B/*21.90A	126.30B/*21.90A	----	46.20 - 49.60	----	3	----	2	----	0 - 1
4465	3.70	3.70	15.60B/*0.30A	15.60B/*0.30A	----	0.00 - 2.80	----	----	----	17	----	0 - 3
4470	21.40	21.40	121.20B/*18.90A	121.20B/*18.90A	----	41.20 NEW	----	1	----	2	----	0 UNCH
4470	2.00	2.00	17.80B/*0.20A	17.80B/*0.20A	----	0.00 NEW	----	----	----	27	----	0 UNCH
4475	2.00	2.00	20.20B/*0.10	20.20B/*0.10	----	0.00 - 3.40	----	----	----	39	----	0 - 11
4475	----	----	116.80B/*16.40A	116.80B/*16.40A	----	36.20 - 50.20	----	2	----	2	----	0 - 1
4480	2.50	2.50	23.00B/*0.10	23.00B/*0.10	----	0.00 - 3.80	----	----	----	61	----	0 - 22
4480	15.00	15.00	111.80B/*13.60A	111.80B/*13.60A	----	31.20 NEW	----	3	----	10	----	0 UNCH
4485	2.80	2.80	26.00B/*0.20	26.00B/*0.20	----	0.00 - 4.30	----	----	----	109	----	0 - 5
4485	14.70	14.70	106.80B/*11.80A	106.80B/*11.80A	----	26.20 NEW	----	1	----	1	----	0 UNCH
4490	19.40	19.40	102.40B/*9.40	102.40B/*9.40	----	21.20 NEW	----	9	----	26	----	0 UNCH
4490	7.10	7.10	29.30B/*0.20A	29.30B/*0.20A	----	0.00 - 4.80	----	----	----	221	----	0 - 23
4495	10.70	10.70	97.30B/*7.90	97.30B/*7.90	----	16.20 - 52.20	----	21	----	26	----	0 - 2
4495	3.40	3.40	32.90B/*0.20A	32.90B/*0.20A	----	0.00 - 5.40	----	----	----	57	----	0 - 8
4500	3.10	3.10	36.60B/*0.10	36.60B/*0.10	----	0.00 - 6.10	----	----	----	299	----	0 - 87
4500	59.10	59.10	92.60B/*5.80A	92.60B/*5.80A	----	11.20 - 52.90	----	33	----	45	----	0 - 6
4505	10.00	10.00	40.60B/*0.10	40.60B/*0.10	----	0.00 - 6.80	----	----	----	48	----	0 - 4
4505	6.30	6.30	88.10B/*3.70A	88.10B/*3.70A	----	6.20 NEW	----	29	----	79	----	0 UNCH
4510	13.00	13.00	83.30B/*0.60A	83.30B/*0.60A	----	1.20 NEW	----	62	----	112	----	0 UNCH
4510	4.80	4.80	44.70B/*0.20	44.70B/*0.20	----	0.00 - 7.70	----	----	----	127	----	0 - 15
4515	8.20	8.20	49.00B/*2.60	49.00B/*2.60	----	3.80 - 4.80	----	39	----	86	----	0 - 5
4515	11.20	11.20	78.90B/*0.20A	78.90B/*0.20A	----	0.00 - 51.60	----	----	----	37	----	0 - 1
4520	6.00	6.00	53.70B/5.30A	53.70B/5.30A	----	8.80 - 0.90	----	152	----	384	----	0 - 296
4520	60.00	60.00	74.30B/*0.20	74.30B/*0.20	----	0.00 - 47.70	----	----	----	89	----	0 - 3
4525	34.50	34.50	69.90B/*0.10A	69.90B/*0.10A	----	0.00 - 43.90	----	----	----	133	----	0 - 2
4525	5.70	5.70	58.10B/5.70	58.10B/5.70	----	13.80 + 2.90	----	58	----	64	----	0 - 18
4530	15.90	15.90	62.60B/6.70A	62.60B/6.70A	----	18.80 + 6.60	----	47	----	38	----	0 - 52
4530	56.00	56.00	65.50B/*0.10	65.50B/*0.10	----	0.00 - 40.20	----	----	----	57	----	0 - 1
4535	17.50	17.50	67.60B/7.50A	67.60B/7.50A	----	23.80 + 10.10	----	60	----	70	----	0 - 6
4535	15.00	15.00	61.30B/*0.10	61.30B/*0.10	----	0.00 NEW	----	----	----	14	----	0 UNCH
4540	12.80	12.80	57.70B/*0.20	57.70B/*0.20	----	0.00 - 33.30	----	----	----	42	----	0 - 4
4540	9.30	9.30	#72.20B/8.40A	#72.20B/8.40A	----	28.80 + 13.50	----	13	----	40	----	0 - 11
4545	9.30	9.30	#77.00B/9.30	#77.00B/9.30	----	33.80 + 16.60	----	12	----	48	----	0 - 12
4545	29.10	29.10	53.00B/*0.10	53.00B/*0.10	----	0.00 - 30.20	----	----	----	36	----	0 - 6
4550	10.00	10.00	81.80B/10.00	81.80B/10.00	----	38.80 + 19.70	----	100	----	32	----	0 - 93
4550	40.00	40.00	49.40B/*0.10	49.40B/*0.10	----	0.00 - 27.10	----	----	----	92	----	0 - 72
4555	41.50	41.50	#86.90B/11.70A	#86.90B/11.70A	----	43.80 + 22.50	----	12	----	19	----	0 - 15
4555	11.10	11.10	45.70B/*0.20	45.70B/*0.20	----	0.00 - 24.30	----	----	----	39	----	0 - 21
4560	20.00	20.00	41.80B/*0.10	41.80B/*0.10	----	0.00 - 21.70	----	----	----	68	----	0 - 48
4560	14.40	14.40	#91.60B/13.10A	#91.60B/13.10A	----	48.80 + 25.10	----	4	----	15	----	0 - 3
4565	15.80	15.80	#96.60B/14.50A	#96.60B/14.50A	----	53.80 + 27.50	----	2	----	5	----	0 - 4
4565	10.30	10.30	38.30B/*0.10	38.30B/*0.10	----	0.00 - 19.30	----	----	----	36	----	0 - 9
4570	20.20	20.20	34.90B/*0.20	34.90B/*0.20	----	0.00 - 17.00	----	----	----	89	----	0 - 12
4570	15.30	15.30	#101.70B/15.30	#101.70B/15.30	----	58.80 + 29.80	----	7	----	15	----	0 - 4
4575	----	----	106.50B/18.10A	106.50B/18.10A	----	63.80 + 31.80	----	6	----	7	----	0 - 5
4575	32.00	32.00	32.00/*0.20	32.00/*0.20	----	0.00 - 15.00	----	----	----	24	----	0 - 18
4580	23.00	23.00	29.60B/*0.20A	29.60B/*0.20A	----	0.00 - 13.10	----	----	----	83	----	0 - 22
4580	23.20	23.20	#111.50B/20.10A	#111.50B/20.10A	----	68.80 + 33.70	----	7	----	10	----	0 - 8
4585	20.70	20.70	26.10B/*0.20A	26.10B/*0.20A	----	0.00 - 11.40	----	----	----	85	----	0 - 24
4585	21.00	21.00	#116.40B/21.00	#116.40B/21.00	----	73.80 + 35.40	----	28	----	52	----	0 - 3
4590	21.90	21.90	25.70B/*0.20	25.70B/*0.20	----	0.00 - 9.90	----	----	----	29	----	0 - 18
4590	----	----	#121.60B/24.60A	#121.60B/24.60A	----	78.80 + 36.90	----	2	----	1	----	0 - 3
4595	----	----	#126.60B/27.10A	#126.60B/27.10A	----	83.80 + 38.20	----	12	----	----	----	0 - 12
4595	20.60	20.60	21.00/*0.20A	21.00/*0.20A	----	0.00 - 8.60	----	----	----	18	----	0 - 10
4600	10.00	10.00	20.60/*0.10	20.60/*0.10	----	0.00 - 7.40	----	----	----	224	----	0 - 184
4600	44.30	44.30	131.60B/29.80A	131.60B/29.80A	----	88.80 + 39.40	----	36	----	14	----	0 - 27
4605	40.00	40.00	#136.60B/31.60A	#136.60B/31.60A	----	93.80 + 40.40	----	8	----	11	----	0 - 11
4605	16.00	16.00	16.40B/*0.20	16.40B/*0.20	----	0.00 - 6.40	----	----	----	35	----	0 - 43
4610	----	----	#141.40B/35.10A	#141.40B/35.10A	----	98.80 + 41.30	----	3	----	----	----	0 - 3
4610	11.20	11.20	15.10/*0.20	15.10/*0.20	----	0.00 - 5.50	----	----	----	33	----	0 - 10
4615	37.00	37.00	#146.40B/37.00	#146.40B/37.00	----	103.80 + 42.10	----	4	----	6	----	0 - 8
4615	8.30	8.30	12.60B/*0.20A	12.60B/*0.20A	----	0.00 - 4.70	----	----	----	19	----	0 - 8
4620	7.70	7.70	11.50/*0.20A	11.50/*0.20A	----	0.00 - 4.00	----	----	----	18	----	0 - 15
4620	132.00	132.00	#151.40B/42.00A	#151.40B/42.00A	----	108.80 + 42.80	----	2	----	1	----	0 - 2
4625	----	----	#156.40B/45.10A	#156.40B/45.10A	----	113.80 + 43.40	----	50	----	3	----	0 - 51
4625	0.20	0.20	9.20B/*0.20	9.20B/*0.20	----	0.00 - 3.40	----	----	----	7	----	0 - 19
4630	----	----	#161.40B/48.80A	#161.40B/48.80A	----	118.80 + 43.90	----	1	----	----	----	0 - 1
4630	7.00	7.00	9.20/*0.10	9.20/*0.10	----	0.00 - 2.90	----	----	----	13	----	0 - 24
4635	3.80	3.80	8.00/*0.20	8.00/*0.20	----	0.00 - 2.50	----	----	----	14	----	0 - 8
4635	----	----	#166.40B/52.60A	#166.40B/52.60A	----	123.80 + 44.30	----	1	----	----	----	0 - 1
4640	5.50	5.50	5.50/*0.10	5.50/*0.10	----	0.00 - 2.10	----	----	----	3	----	0 - 9
4645	----	----	4.60B/*0.10A	4.60B/*0.10A	----	0.00 - 1.80	----	----	----	1	----	0 - 22
4650	3.00	3.00	4.40B/*0.10	4.40B/*0.10	----	0.00 - 1.50	----	----	----	15	----	0 - 81
4650	----	----	#181.40B/64.70A	#181.40B/64.70A	----	138.80 + 45.30	----	61	----	1	----	0 - 61
4655	----	----	3.20B/*0.20A	3.20B/*0.20A	----	0.00 - 1.30	----	----	----	9	----	0 - 38
4660	----	----	#191.40B/73.40A	#191.40B/73.40A	----	148.80 + 45.70	----	1	----	----	----	0 - 1
4660	1.60	1.60	2.60B/*0.20A	2.60B/*0.20A	----	0.00 - 1.10	----	----	----	2	----	0 - 33
4665	----	----	#196.40B/78.70A	#196.40B/78.70A	----	153.80 + 45.90	----	----	----	4	----	0 - 4
4665	----	----	2.50B/*0.10A	2.50B/*0.10A	----	0.00 - 0.90	----	----	----	4	----	0 - 18
4670	1.60	1.60	2.10B/*0.10A	2.10B/*0.10A	----	0.00 - 0.80	----	----	----	5	----	0 - 37
4675	----	----	#206.40B/87.70A	#206.40B/87.70A	----	163.80 + 46.20	----	1	----	----	----	0 - 1
4675	2.90	2.90	2.90/*0.10A	2.90/*0.10A	----	0.00 - 0.70	----	----	----	8	----	0 - 39
4680	0.60	0.60	1.20B/*0.10A	1.20B/*0.10A	----	0.00 - 0.50	----	----	----	1	----	0 - 13
4685	0.10	0.10	1.10B/*0.10	1.10B/*0.10	----	0.00 - 0.40	----	----	----	1	----	0 - 1
4690	----	----	0.90B/*0.10A	0.90B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 14
4700	0.90	0.90	0.90/0.10	0.90/0.10	----	0.00 - 0.20	----	----	----	19	----	0 - 128
4700	----	----	#231.40B/111.30	#231.40B/111.30A	----	188.80 + 46.60	----	40	----	2	----	0 - 42
4710	----	----	#241.40B/121.00	#241.40B/121.00A	----	198.80 + 46.60	----	25	----	----	----	0 - 25
4715	----	----	#246.40B/125.90	#246.40B/125.90A	----	203.80 + 46.70	----	1	----	----	----	0 - 1
4715	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4720	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4725	----	----	#256.60B/135.80	#256.60B/135.80A	----	213.80 + 46.70	----	1	----	----	----	0 - 1
4725	0.50	0.50	0.50/0.50	0.50/0.20A	----	0.00 - 0.10	----	----	----	2	----	0 - 39
4735	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 22
4740	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	1	----	0 - 8
4745	----	----	#276.60B/155.60	#276.60B/155.60A	----	233.80 + 46.70	----	2	----	----	----	0 - 2
4745	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4750	----	----	#281.50B/160.50	#281.50B/160.50A	----	238.80 + 46.70	----	1	----	----	----	0 - 1
4750	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 40
4755	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4755	----	----	#286.50B/165.50	#286.50B/165.50A	----	243.80 + 46.70	----	----	----	2	----	0 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week3

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26											
4765 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	1	----	0 - 1
4770 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4775 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	1	----	0 - 20
4780 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4795 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
4800 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 74
4800 ----	----	#331.30B/210.00	#331.30B/210.00A	----	288.80 + 46.70	----	1	----	----	----	0 - 1
4820 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4825 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
4845 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
4850 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4875 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4900 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
4905 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4925 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 25
4935 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4950 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 17
4975 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5000 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
5025 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5040 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5075 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5100 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5150 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5200 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
5225 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5250 ----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5300 ----	----	----	----/0.30A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5400 ----	----	----	----/0.30A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
TOTAL									4021		0 - 3770
JUN26											
3250 ----	----	----	0.10B/1.60A	----	0.20 UNCH	.0013	----	----	----	----	2 UNCH
3700 ----	----	2.30B/----	2.30B/2.50A	----	2.70 + 0.50	.0163	----	----	1	----	3 UNCH
4000 ----	----	#7.20B/----	#7.20B/*5.40A	----	6.50 + 1.50	.0442	----	----	----	----	1 UNCH
4000 ----	----	3.90B/----	3.90B/3.10A	----	3.60 + 1.10	.0291	----	----	----	----	1 UNCH
4100 ----	----	6.60B/----	6.60B/4.30A	----	5.50 + 1.60	.0460	----	----	----	----	2 UNCH
4150 ----	----	9.10B/----	9.10B/5.30A	----	6.90 + 2.00	.0585	----	----	----	----	2 UNCH
4175 ----	----	17.70B/----	17.70B/10.40A	----	13.60 + 3.20	.0941	----	----	----	----	1 UNCH
4175 ----	----	10.60B/----	10.60B/5.90A	----	7.80 + 2.20	.0664	----	----	1	----	2 + 1
4175 ----	----	#24.40B/*14.40A	#24.40B/*14.40A	----	20.50 NEW	.1194	----	----	1	----	1 + 1
4200 ----	----	20.40B/*10.70A	20.40B/10.70A	----	15.30 + 3.50	.1056	----	----	1	----	1 UNCH
4200 ----	----	12.20B/----	12.20B/6.60A	----	8.80 + 2.30	.0754	----	----	1	----	2 + 1
4200 ----	----	#27.80B/*15.90A	#27.80B/15.90A	----	22.80 + 5.40	.1321	----	----	1	----	2 UNCH
4225 ----	----	23.00B/*12.30A	23.00B/12.30A	----	17.40 + 4.00	.1192	----	----	----	----	2 UNCH
4225 ----	----	14.40B/----	14.40B/7.40A	----	10.10 + 2.70	.0864	----	----	----	----	2 UNCH
4250 ----	----	26.50B/13.40A	26.50B/13.40A	----	19.80 + 4.60	.1344	----	----	----	----	3 UNCH
4250 ----	----	#35.10B/19.90A	#35.10B/19.90A	----	28.50 + 6.10	.1625	----	----	----	----	1 UNCH
4250 ----	----	#387.70B/*308.8	387.70B/*308.80A	----	322.30 - 41.10	.8368	----	----	----	----	1 UNCH
4275 ----	----	#30.20B/15.70A	#30.20B/15.70A	----	22.60 + 5.20	.1518	----	----	----	----	7 UNCH
4275 15.10	15.10	19.80B/8.70A	19.80B/8.70A	----	13.40 NEW	.1141	----	----	10	----	10 + 10
4275 ----	----	#39.10B/22.70A	#39.10B/22.70A	----	31.90 + 6.60	.1800	----	----	----	----	2 UNCH
4300 ----	----	#34.70B/17.90A	#34.70B/17.90A	----	25.80 + 5.80	.1712	----	----	----	----	4 UNCH
4300 ----	----	23.20B/10.20A	23.20B/10.20A	----	15.50 + 4.00	.1314	----	----	----	----	1 UNCH
4300 ----	----	#44.40B/25.70A	#44.40B/25.70A	----	35.90 + 7.10	.1998	----	----	----	----	1 UNCH
4300 ----	----	343.20B/*267.60	343.20B/*267.60A	----	279.80 - 40.10	.7995	----	----	----	----	1 UNCH
4350 ----	----	#45.60B/23.40A	#45.60B/23.40A	----	33.90 + 7.50	.2175	----	----	----	----	5 UNCH
4350 15.60	15.60	32.00B/14.10A	32.00B/14.10A	----	21.30 + 5.40	.1760	----	----	2	----	4 UNCH
4350 47.00	47.00	#56.50B/32.50A	#56.50B/32.50A	----	46.00 NEW	.2459	----	----	1	----	1 + 1
4375 41.60	41.60	#52.10B/26.90A	#52.10B/26.90A	----	39.10 + 8.50	.2450	----	----	33	----	33 + 31
4375 ----	----	37.10B/16.90A	37.10B/16.90A	----	25.20 + 6.40	.2040	----	----	----	----	1 UNCH
4400 ----	----	#59.80B/31.00A	#59.80B/31.00A	----	45.00 + 9.70	.2749	----	----	----	----	3 UNCH
4400 33.00	33.00	44.30B/18.80A	44.30B/18.80A	----	29.80 + 7.50	.2357	----	----	34	----	34 + 33
4425 ----	----	#68.70B/34.80A	#68.70B/34.80A	----	51.70 + 10.80	.3072	----	----	----	----	1 UNCH
4425 ----	----	51.60B/23.00A	51.60B/23.00A	----	35.40 + 8.80	.2718	----	----	----	----	1 UNCH
4425 ----	----	240.50B/*175.60	240.50B/*175.60A	----	186.30 - 34.60	.6692	----	----	----	----	1 UNCH
4425 ----	----	#80.20B/47.20A	#80.20B/47.20A	----	67.10 + 12.60	.3300	----	----	----	----	20 UNCH
4450 ----	----	#77.70B/41.00A	#77.70B/41.00A	----	59.30 + 12.10	.3419	----	----	----	----	4 UNCH
4450 ----	----	60.30B/27.50A	60.30B/27.50A	----	41.90 + 10.20	.3116	----	----	1	----	2 UNCH
4475 ----	----	#88.30B/47.70A	#88.30B/47.70A	----	68.00 + 13.60	.3789	----	----	----	----	3 UNCH
4500 ----	----	#100.00B/54.50A	#100.00B/54.50A	----	77.60 + 15.10	.4174	----	----	2	----	5 + 2
4500 ----	----	81.60B/37.70A	81.60B/37.70A	----	58.60 + 13.80	.4023	----	----	----	----	1 UNCH
4500 95.00	95.00	111.60B/68.20A	111.60B/68.20A	----	93.70 + 16.30	.4256	----	----	5	----	5 + 5
4525 ----	----	123.90B/77.00A	123.90B/77.00A	----	104.50 + 17.60	.4599	----	----	----	----	3 UNCH
4550 ----	----	119.60B/*63.20A	119.60B/*63.20A	----	75.00 - 29.20	.4971	----	----	----	----	1 UNCH
4550 ----	----	#137.20B/86.50A	#137.20B/86.50A	----	116.50 + 19.00	.4948	----	----	----	----	100 UNCH
4550 ----	----	154.60B/*100.00	154.60B/*100.00A	----	111.00 NEW	.5044	----	----	1	----	1 + 1
4575 ----	----	#141.00B/80.00A	#141.00B/80.00A	----	113.20 + 20.40	.5388	----	----	----	----	9 UNCH
4575 ----	----	103.80B/*53.00A	103.80B/*53.00A	----	63.10 - 26.90	.4457	----	----	----	----	1 UNCH
4575 ----	----	140.00B/*89.00A	140.00B/*89.00A	----	99.00 - 26.80	.4694	----	----	1	----	1 UNCH
4600 ----	----	#156.90B/90.90A	#156.90B/90.90A	----	127.30 NEW	.5794	----	----	1	----	1 + 1
4600 ----	----	139.60B/72.20A	139.60B/72.20A	----	108.10 + 22.80	.6043	----	----	1	----	24 - 1
4600 74.40	74.40	89.50B/*43.80A	89.50B/*43.80A	----	52.70 - 24.40	.3952	----	----	52	----	54 + 50
4600 125.00	125.00	126.10B/*80.10A	126.10B/*80.10A	----	88.10 - 25.20	.4347	----	----	235	----	160 + 100
4600 ----	----	#166.90B/107.30	#166.90B/107.30A	----	143.50 + 22.00	.5645	----	----	----	----	0 UNCH
4625 ----	----	#173.60B/103.10	#173.60B/103.10A	----	142.50 + 24.30	.6190	----	----	1	----	8 - 1
4625 ----	----	97.40B/*53.80A	97.40B/*53.80A	----	62.20 NEW	.3804	----	----	----	150	150 + 150
4650 ----	----	#189.80B/119.40	#189.80B/119.40A	----	158.80 + 26.20	.6573	----	----	----	----	0 UNCH
4650 ----	----	169.10B/99.80A	169.10B/99.80A	----	141.20 + 27.80	.6989	----	----	----	----	1 UNCH
4675 ----	----	75.50B/*39.90A	75.50B/*39.90A	----	45.90 - 19.00	.3059	----	----	----	----	3 UNCH
4675 ----	----	#204.20B/132.20	#204.20B/132.20A	----	176.20 + 28.20	.6935	----	----	----	----	1 UNCH
4675 ----	----	55.10B/*24.40A	55.10B/*24.40A	----	29.30 - 17.00	.2582	----	----	1	----	1 UNCH
4675 ----	----	188.70B/115.20A	188.70B/115.20A	----	159.70 + 30.30	.7414	----	----	----	----	1 UNCH
4700 ----	----	#223.60B/149.30	#223.60B/149.30A	----	194.50 + 30.10	.7276	----	----	----	----	1 UNCH
4700 ----	----	45.70B/*19.90A	45.70B/*19.90A	----	23.90 - 14.70	.2202	----	----	----	----	1 UNCH
4700 ----	----	81.90B/*48.30A	81.90B/*48.30A	----	53.70 - 18.90	.3056	----	----	----	----	16 UNCH
4725 ----	----	37.90B/*16.30A	37.90B/*16.30A	----	19.40 - 12.60	.1863	----	----	----	----	1 UNCH
4750 44.00	44.00	48.50B/*25.20A	48.50B/*25.20A	----	28.50 - 13.80	.2117	----	----	1	----	4 + 1
4750 ----	----	31.20B/*13.30A	31.20B/*13.30A	----	15.80 NEW	.1571	----	----	2	----	1 + 1
4750 ----	----	#252.70B/166.80	#252.70B/166.80A	----	221.10 + 36.60	.8425	----	----	----	----	1 UNCH
4750 52.80	52.80	64.30B/*37.20A	64.30B/*37.20A	----	41.50 NEW	.2506	----	----	21	----	21 + 21
4775 ----	----	42.60B/*21.50A	42.60B/*21.50A	----	24.30 - 12.30	.1860	----	----	----	----	4 UNCH
4775 ----	----	26.50B/*10.90A	26.50B/*10.90A	----	12.90 - 8.90	.1322	----	----	1	----	1 UNCH
4775 ----	----	#274.90B/186.30	#274.90B/186.30A	----	243.10 + 38.30	.8674	----	----	----	----	2 UNCH
4800 ----	----	36.60B/*18.20A	36.60B/*18.20A	----	20.80 - 10.80	.1632	----	----	----	----	5 UNCH
4800 ----	----	21.20B/*9.00A	21.20B/*9.00A	----	10.50 - 7.50	.1107	----	----	1	----	4 + 1
4800 ----	----	50.30B/*28.70A	50.30B/*28.70A	----	31.90 - 13.10	.2031	----	----	----	----	6 UNCH
4825 ----	----	30.70B/*15.70A	30.70B/*15.70A	----	17.80 - 9.50	.1430	----	----	----	----	0 UNCH
4825 ----	----	44.30B/*25.50A	44.30B/*25.50A	----	28.00 NEW	.1823	----	----	1	----	1 + 1
4850 ----	----	26.30B/*13.60A	26.30B/*13.60A	----	15.30 - 8.30	.1253	----	----	----	----	0 UNCH
4850 ----	----	14.20B/*6.20A	14.20B/*6.20A	----	7.20 - 5.20	.0787	----	----	1	----	4 + 1
4850 ----	----	38.80B/*22.30A	38.80B/*22.30A	----	24.50 - 10.70	.1632	----	----	1	----	6 UNCH
4875 ----	----	11.90B/*5.20A	11.90B/*5.20A	----	6.00 - 4.30	.0665	----	----	----	----	1 UNCH
4900 ----	----	19.40B/*10.10A	19.40B/*10.10A	----	11.30 - 6.40	.0958	----	----	2	----	8 + 2
4900 6.10	6.10	9.00B/*4.40A	9.00B/*4.40A	----	5.00 - 3.60	.0562	----	----	1	----	4 + 1
4900 30.00	30.00	30.00/*17.40A	30.00/*17.40A	----	18.90 NEW	.1307	----	----	3	----	3 + 3
4950 ----	----	14.40B/*7.70A	14.40B/*7.70A	----	8.50 - 4.90	.0739	----	----	----	----	1 UNCH
4950 ----	----	23.30B/*13.70A	23.30B/*13.70A	----	14.60 - 6.80	.1042	----	----	----	----	2 UNCH
4975 ----	----	20.80B/*12.20A	20.80B/*12.20A	----	12.90 - 5.90	.0933	----	----	----	----	4 UNCH
5000 ----	----	10.40B/*6.20A	10.40B/*6.20A	----	6.50 - 3.60	.0574	----	----	2	----	3 + 2
5000 4.20	4.20	4.20/*2.60A	4.20/*2.60A	----	2.70 - 1.80	.0308	----	----	3	----	4 - 3
5000 ----	----	18.20B/*11.50A	18.20B/*11.50A	----	11.40 - 5.20	.0834	----	----	----	----	3 UNCH
5050 ----	----	#14.20B/*10.50A	14.20B/*10.50A	----	9.00 - 3.90	.0671	----	----	----	----	4 UNCH
5075 ----	----	----/*1.90A	1.50B/*1.90A	----	1.90 - 1.00	.0213	----	----	----	----	1 UNCH
5100 ----	----	----/*3.90A	4.50B/*3.90A	----	4.00 - 1.80	.0359	----	----	----	----	1 UNCH
5250 ----	----	----/*2.50A	1.70B/*2.50A	----	2.10 - 0.50	.0189	----	----	----	----	2 UNCH
5500 ----	----	----	0.80B/*1.60A	----	0.90 UNCH	.0078	----	----	----	----	1 UNCH
5500 ----	----	----	----/*1.00A	----	0.50 - 0.20	.0048	----	----	----	----	3 UNCH
5600 ----	----	----	----/4.80A	----	0.40 - 0.10	.0037	----	----	----	----	3 UNCH
TOTAL									427	150	826 + 416

GWR THU — GOLD WEEKLY THURSDAY OPTION Week4

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26											

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week4										
MAY26												
3250	----	----	----	----/7.30A	----	0.30 UNCH	.0018	----	----	----	----	1 UNCH
3500	----	----	----	----/*0.10A	----	0.10 UNCH	.0009	----	----	----	----	40 UNCH
3700	0.80	0.80	0.90B/0.60A	0.90B/0.60A	----	0.90 + 0.20	.0069	----	----	1	----	2 + 1
3750	----	----	1.10B/----	1.10B/*0.90A	----	1.00 + 0.20	.0079	----	----	----	----	1 UNCH
3800	----	----	1.40B/----	1.40B/1.10A	----	1.20 + 0.30	.0097	----	----	----	----	2 UNCH
4000	----	----	2.80B/----	2.80B/1.80A	----	2.40 + 0.70	.0216	----	----	----	----	1 UNCH
4000	0.30	0.30	0.60B/*0.30	0.60B/*0.30	----	0.40 UNCH	.0056	----	----	4	----	6 + 2
4100	0.80	0.80	1.20B/0.80	1.20B/*0.70A	----	0.70 NEW	.0107	----	----	1	----	1 + 1
4150	2.00	2.00	2.00/2.00	2.00/*0.80A	----	1.00 + 0.20	.0156	----	----	1	----	5 + 1
4175	----	----	2.00B/----	2.00B/*0.90A	----	1.10 + 0.20	.0178	----	----	----	----	2 UNCH
4175	----	----	7.00B/----	7.00B/3.50A	----	4.90 NEW	.0488	----	----	1	----	1 + 1
4200	----	----	2.50B/----	2.50B/*1.10A	----	1.30 + 0.30	.0215	----	----	----	----	76 UNCH
4200	----	----	8.10B/----	8.10B/3.90A	----	5.50 + 1.60	.0555	----	----	----	----	1 UNCH
4220	----	----	3.00B/----	3.00B/*1.20A	----	1.50 + 0.40	.0252	----	----	----	----	1 UNCH
4225	----	----	3.10B/----	3.10B/1.30A	----	1.50 + 0.30	.0255	----	----	----	----	21 UNCH
4225	----	----	9.60B/4.40A	9.60B/4.40A	----	6.30 + 1.80	.0641	----	----	1	----	2 + 1
4250	----	----	3.90B/----	3.90B/1.50A	----	1.80 + 0.40	.0313	----	----	----	----	26 UNCH
4250	----	----	11.40B/5.00A	11.40B/5.00A	----	7.30 + 2.20	.0745	----	----	----	----	5 UNCH
4275	----	----	5.00B/----	5.00B/1.70A	----	2.20 + 0.50	.0389	----	----	----	----	25 UNCH
4300	2.50	2.50	6.50B/2.40	6.50B/2.10A	----	2.70 + 0.70	.0487	----	----	4	----	9 + 2
4300	----	----	16.30B/6.20A	16.30B/6.20A	----	10.00 + 3.00	.1023	----	----	----	----	1 UNCH
4300	----	----	328.60B/*219.30	328.60B/*219.30A	----	254.30 - 44.30	.8975	----	----	----	----	0 UNCH
4325	----	----	8.50B/2.40A	8.50B/2.40A	----	3.30 + 0.80	.0609	----	----	2	----	19 + 2
4325	14.30	14.30	19.50B/7.20A	19.50B/7.20A	----	11.80 + 3.40	.1203	----	----	20	----	20 + 19
4330	----	----	8.90B/*2.50A	8.90B/*2.50A	----	3.50 + 0.90	.0645	----	----	----	----	13 UNCH
4350	4.20	4.20	11.50B/4.20	11.50B/3.10A	----	4.20 + 1.10	.0785	----	----	204	----	257 + 199
4350	----	----	23.50B/8.40A	23.50B/8.40A	----	14.10 + 4.10	.1425	----	----	----	----	1 UNCH
4355	----	----	11.80B/3.10A	11.80B/3.10A	----	4.40 NEW	.0826	----	----	1	----	1 + 1
4365	7.70	7.70	13.30B/3.40A	13.30B/3.40A	----	4.90 NEW	.0921	----	----	4	----	4 + 4
4370	7.90	7.90	14.00B/*3.50A	14.00B/*3.50A	----	5.10 + 1.30	.0965	----	----	4	----	5 + 4
4375	8.40	8.40	14.90B/3.50A	14.90B/3.50A	----	5.40 + 1.40	.1021	----	----	10	----	26 + 5
4375	----	----	28.30B/10.10A	28.30B/10.10A	----	17.00 + 4.90	.1693	----	----	1	----	5 - 1
4380	8.90	8.90	15.70B/*3.70A	15.70B/*3.70A	----	5.70 NEW	.1079	----	----	9	----	6 + 6
4390	----	----	17.70B/*4.10A	17.70B/*4.10A	----	6.40 + 1.70	.1210	----	----	----	----	20 UNCH
4400	6.70	6.70	19.80B/4.40A	19.80B/4.40A	----	7.20 + 1.90	.1359	----	----	13	----	20 + 2
4400	----	----	33.90B/12.00A	33.90B/12.00A	----	20.60 + 6.00	.2011	----	----	1	----	44 UNCH
4410	----	----	22.20B/*4.80A	22.20B/*4.80A	----	8.20 + 2.30	.1536	----	----	----	----	1 UNCH
4420	----	----	25.00B/*5.50A	25.00B/5.50A	----	9.30 + 2.60	.1731	----	----	1	----	14 - 1
4425	----	----	40.90B/14.40A	40.90B/14.40A	----	25.10 + 7.20	.2387	----	----	----	----	2 UNCH
4425	9.90	9.90	26.50B/5.60A	26.50B/5.60A	----	10.00 + 2.90	.1846	----	----	5	----	9 + 3
4430	8.00	8.00	28.10B/*6.00A	28.10B/6.00A	----	10.70 + 3.10	.1963	----	----	3	----	4 + 3
4435	67.40	67.40	#160.30B/*65.60	160.30B/*65.60A	----	87.60 NEW	.7915	----	----	1	----	1 + 1
4440	----	----	31.50B/*6.50A	31.50B/6.50A	----	12.30 + 3.60	.2222	----	----	2	----	5 + 2
4445	20.40	20.40	33.30B/*7.10A	33.30B/7.10A	----	13.20 + 4.00	.2363	----	----	120	----	121 + 120
4450	10.40	10.40	36.00/7.40A	36.00/7.40A	----	14.20 + 4.30	.2515	----	----	149	----	116 + 44
4450	----	----	48.90B/17.50A	48.90B/17.50A	----	30.70 + 8.80	.2823	----	----	----	----	1 UNCH
4455	23.20	23.20	37.10B/*8.00A	37.10B/8.00A	----	15.20 + 4.70	.2669	----	----	35	----	35 + 34
4460	24.70	24.70	38.80B/*8.50A	38.80B/8.50A	----	16.40 NEW	.2839	----	----	46	----	46 + 46
4465	----	----	41.10B/*9.00A	41.10B/9.00A	----	17.60 NEW	.3012	----	----	2	----	2 + 2
4470	----	----	43.50B/*9.50A	43.50B/9.50A	----	18.90 NEW	.3194	----	----	22	----	12 + 12
4475	43.00	43.00	123.60B/*40.50A	123.60B/*40.50A	----	56.50 - 40.20	.6615	----	----	3	----	4 + 3
4475	18.50	18.50	46.10/10.20A	46.10/10.20A	----	20.30 + 6.60	.3384	----	----	4	----	16 + 3
4475	----	----	58.30B/21.40A	58.30B/21.40A	----	37.40 + 10.50	.3314	----	----	1	----	1 UNCH
4480	33.90	33.90	47.80B/*10.60A	47.80B/10.60A	----	21.90 + 7.20	.3586	----	----	18	----	11 + 9
4485	36.00	36.00	50.70B/*11.40A	50.70B/11.40A	----	23.50 + 7.80	.3790	----	----	5	----	5 + 3
4490	54.60	54.60	54.60/*12.30A	54.60/12.30A	----	25.30 NEW	.4004	----	----	12	----	6 + 6
4495	----	----	57.20B/*12.90A	57.20B/12.90A	----	27.20 + 9.30	.4223	----	----	4	----	4 UNCH
4500	32.20	32.20	102.10B/*27.40A	102.10B/*27.40A	----	40.40 - 36.70	.5552	----	----	8	----	11 + 6
4500	20.00	20.00	60.10B/13.90A	60.10B/13.90A	----	29.20 + 10.00	.4446	----	----	120	----	93 + 8
4500	----	----	147.60B/*74.60A	147.60B/*74.60A	----	90.10 - 34.60	.6137	----	----	----	----	1 UNCH
4500	50.80	50.80	69.10B/26.10A	69.10B/26.10A	----	45.60 + 12.60	.3860	----	----	3	----	8 + 1
4505	40.20	40.20	98.00B/*25.10A	98.00B/*25.10A	----	37.50 - 36.00	.5325	----	----	1	----	2 + 1
4510	27.30	27.30	#94.40B/*23.00A	94.40B/*23.00A	----	34.80 NEW	.5093	----	----	1	----	1 + 1
4510	----	----	#66.20B/*15.50A	#66.20B/15.50A	----	33.60 + 11.70	.4906	----	----	----	----	1 UNCH
4515	----	----	#69.60B/*16.70A	#69.60B/16.70A	----	36.00 + 12.70	.5139	----	----	----	----	11 UNCH
4520	----	----	#72.60B/*17.70A	#72.60B/17.70A	----	38.50 + 13.60	.5374	----	----	1	----	4 + 1
4520	20.60	20.60	86.10B/*19.40A	86.10B/*19.40A	----	29.70 NEW	.4625	----	----	22	----	21 + 21
4525	23.90	23.90	82.00B/*17.60A	82.00B/*17.60A	----	27.30 - 32.20	.4388	----	----	37	----	36 + 35
4525	----	----	76.00B/18.60A	76.00B/18.60A	----	41.10 + 14.60	.5610	----	----	1	----	4 + 1
4525	----	----	81.50B/32.00A	81.50B/32.00A	----	55.40 + 15.10	.4449	----	----	----	----	1 UNCH
4530	----	----	78.50B/*16.10A	78.50B/*16.10A	----	25.10 NEW	.4154	----	----	6	----	6 + 6
4535	----	----	74.80B/*14.60A	74.80B/*14.60A	----	23.10 - 30.00	.3925	----	----	----	----	3 UNCH
4535	----	----	#83.10B/*21.60A	#83.10B/21.60A	----	46.90 + 16.80	.6074	----	----	----	----	1 UNCH
4540	14.50	14.50	71.20B/*13.30A	71.20B/*13.30A	----	21.10 - 29.00	.3694	----	----	6	----	8 + 6
4540	----	----	#87.00B/*23.00A	#87.00B/23.00A	----	49.90 + 17.80	.6304	----	----	----	----	2 UNCH
4545	----	----	67.70B/*12.00A	67.70B/*12.00A	----	19.30 - 27.80	.3471	----	----	----	----	1 UNCH
4545	36.00	36.00	#90.50B/*24.50A	#90.50B/24.50A	----	53.10 + 19.00	.6527	----	----	21	----	11 + 10
4550	42.20	42.20	94.60B/25.90A	94.60B/25.90A	----	56.40 + 20.10	.6746	----	----	4	----	53 - 2
4550	16.70	16.70	64.20B/*10.90A	64.20B/*10.90A	----	17.60 - 26.70	.3252	----	----	34	----	45 + 33
4550	81.90	81.90	110.30B/*49.50A	110.30B/*49.50A	----	61.30 - 29.50	.4932	----	----	2	----	1 UNCH
4550	----	----	97.40B/39.00A	97.40B/39.00A	----	66.80 + 17.70	.5065	----	----	----	----	4 UNCH
4555	----	----	#98.50B/*27.80A	#98.50B/27.80A	----	59.80 + 21.30	.6961	----	----	----	----	24 UNCH
4555	----	----	60.80B/*9.90A	60.80B/*9.90A	----	16.00 - 25.50	.3038	----	----	----	----	18 UNCH
4560	15.10	15.10	57.60B/*9.00A	57.60B/*9.00A	----	14.60 - 24.30	.2836	----	----	6	----	16 + 6
4560	----	----	#102.50B/*29.40	#102.50B/29.40A	----	63.40 + 22.50	.7162	----	----	----	----	1 UNCH
4565	----	----	#106.50B/*31.20	#106.50B/31.20A	----	67.00 + 23.60	.7364	----	----	3	----	17 UNCH
4565	19.00	19.00	54.20B/*8.10A	54.20B/*8.10A	----	13.20 - 23.20	.2634	----	----	6	----	8 UNCH
4575	----	----	114.90B/35.50A	114.90B/35.50A	----	74.70 + 26.10	.7728	----	----	----	----	40 UNCH
4575	30.30	30.30	49.10B/*6.60A	49.10B/*6.60A	----	10.90 - 20.70	.2271	----	----	34	----	36 + 31
4580	10.10	10.10	45.70B/*6.00A	45.70B/*6.00A	----	9.90 - 19.50	.2103	----	----	4	----	17 + 1
4585	9.20	9.20	43.20B/*5.50A	43.20B/*5.50A	----	8.90 NEW	.1936	----	----	5	----	4 + 4
4585	----	----	#123.50B/*39.90	#123.50B/39.90A	----	82.70 + 28.30	.8062	----	----	----	----	1 UNCH
4595	7.40	7.40	37.90B/*4.50A	37.90B/*4.50A	----	7.30 - 16.20	.1647	----	----	6	----	6 + 5
4600	----	----	136.60B/47.30A	136.60B/47.30A	----	95.40 + 31.70	.8484	----	----	1	----	17 + 1
4600	22.70	22.70	35.70B/*4.00A	35.70B/*4.00A	----	6.60 - 15.20	.1515	----	----	36	----	160 - 2
4600	----	----	79.30B/*31.10A	79.30B/*31.10A	----	39.50 - 23.60	.3699	----	----	1	----	11 + 1
4605	----	----	33.10B/*3.60A	33.10B/*3.60A	----	5.90 - 14.20	.1383	----	----	1	----	3 + 1
4610	----	----	#145.70B/*52.70	#145.70B/52.70A	----	104.20 + 33.70	.8720	----	----	1	----	2 - 1
4610	----	----	30.90B/*3.40A	30.90B/*3.40A	----	5.40 - 13.10	.1279	----	----	1	----	1 UNCH
4615	----	----	28.80B/*3.00A	28.80B/*3.00A	----	4.90 - 12.20	.1175	----	----	3	----	11 + 1
4620	9.30	9.30	26.70B/*2.70A	26.70B/*2.70A	----	4.40 - 11.30	.1073	----	----	3	----	4 + 2
4625	----	----	159.80B/61.10A	159.80B/61.10A	----	117.80 + 36.30	.9012	----	----	----	----	4 UNCH
4625	3.60	3.60	24.70B/*2.20A	24.70B/*2.20A	----	4.00 - 10.50	.0986	----	----	5	----	7 + 3
4625	----	----	66.00B/*24.30A	66.00B/*24.30A	----	31.10 NEW	.3122	----	----	1	----	1 + 1
4630	10.70	10.70	22.90B/*2.20A	22.90B/*2.20A	----	3.60 - 9.70	.0900	----	----	15	----	12 + 10
4635	15.70	15.70	21.20B/*2.10A	21.20B/*2.10A	----	3.30 - 8.90	.0831	----	----	6	----	5 + 3
4640	----	----	19.60B/*2.00A	19.60B/*2.00A	----	3.00 - 8.20	.0763	----	----	----	----	20 UNCH
4650	----	----	#183.60B/77.90A	#183.60B/77.90A	----	141.20 + 39.80	.9354	----	----	----	----	3 UNCH
4650	16.00	16.00	16.60B/*1.60A	16.60B/*1.60A	----	2.50 - 6.90	.0645	----	----	7	----	15 - 1
4650	----	----	168.20B/82.40A	168.20B/82.40A	----	129.70 + 29.70	.7401	----	----	----	----	5 UNCH
4660	----	----	14.10B/*1.50A	14.10B/*1.50A	----	2.10 - 5.80	.0548	----	----	----	----	1 UNCH
4665	----	----	12.70B/*1.30A	12.70B/*1.30A	----	1.90 - 5.30	.0500	----	----	----	----	6 UNCH
4670	----	----	11.70B/*1.20A	11.70B/*1.20A	----	1.70 - 4.90	.0453	----	----	----	----	5 UNCH
4675	----	----	10.60B/*1.20A	10.60B/*1.20A	----	1.60 - 4.50	.0425	----	----	4	----	3 UNCH
4675	----	----	#207.90B/96.80A	#207.90B/96.80A	----	165.40 + 42.40	.9573	----	----	----	----	1 UNCH
4675	----	----	43.50B/*14.60A	43.50B/*14.60A	----	18.80 - 14.80	.2128	----	----	----	----	1 UNCH
4675	----	----	#189.00B/96.50A	#189.00B/96.50A	----	149.20 + 32.50	.7869	----	----	----	----	1 UNCH
4680	----	----	9.70B/*1.10A	9.70B/*1.10A	----	1.50 - 4.10	.0398	----	----	----	----	1 UNCH
4685	3.80	3.80	8.70B/*1.00A	8.70B/*1.00A	----	1.30 - 3.80	.0352	----	----	2	----	4 UNCH
4690	----	----	8.00B/*0.90A	8.00B/*0.90A	----	1.20 - 3.50	.0326	----	----	2	----	2 UNCH
4695	----	----	7.20B/*0.90A	7.20B/*0.90A	----	1.20 - 3.10	.0319	----	----	2	----	3 UNCH
4700	----	----	#232.50B/117.70	#232.50B/117.70A	----	189.80 + 43.90	.9705	----	----	1	----	6 UNCH
4700	5.10	5.10	6.50B/*0.80A	6.50B/*0.80A	----	1.10 - 2.80	.0294	----	----	23	----	58 + 3
4700	14.10	14.10	34.80B/*11.30A	34.80B/*11.30A	----	14.60 - 12.20	.1732	----	----	2	----	2 + 1
4700	----	----	#210.40B/113.10	#210.40B/113.10A	----	169.90 + 35.00	.8265	----	----	----	----	1 UNCH
4710	----	----	#5.50B/*0.90A	5.50B/*0.90A	----	0.90 - 2.40	.0244	----	----	----	----	2 UNCH
4715	----	----	4.90B/*0.70A	4.90B/*0.70A	----	0.90 - 2.20	.0240	----	----	----	----	1 UNCH
4720	----	----	#4.60B/*0.80A	4.60B/*0.80A	----	0.80 - 2.00	.0216	----	----	----	----	2 UNCH
4725	----	----	4.10B/*0.60A	4.10B/*0.60A	----	0.80 - 1.80	.0212	----	----	----	----	151 UNCH
4725	----	----	#257.20B/140.30	#257.20B/140.30A	----	214.50 + 44.90	.9787	----	----	1	----	1 - 1
4725	----	----	27.60B/*8.80A	27.60B/*8.80A	----	11.20 + 10.00	.1391	----	----	1	----	8 UNCH
4730	2.10	2.10	#3.60B/*0.60A	3.60B/*0.60A	----	0.70 NEW	.0189	----	----	1	----	1 + 1
4750	----	----	#281.80B/163.60	#281.80B/163.60A	----	239.20 + 45.50	.9862	----	----	1	----	0 - 1
4750	----	----	2.30B/*0.50A	2.30B/*0.50A	----	0.50 - 1.20	.0136	----	----	5	----	35 - 1
4750	----	----	#255.70B/149.60	#255.70B/149.60A	----	214.00 + 39.20	.8879	----	----	----	----	1 UNCH
4750	----	----	21.60B/*6.80A	21.60B/*6.80A	----	8.70 - 8.00	.1118	----	----	----	----	153 UNCH
4760	----	----	1.80B/*0.50A	1.80B/*0.50A	----	0.40 - 1.10	.0111	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWR THU — GOLD WEEKLY THURSDAY OPTION Week3

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26											
4765 ----	----	1.60B/*0.50A	1.60B/*0.50A	----	0.40 - 1.00	.0109	----	----	----	----	20 UNCH
4770 ----	----	1.40B/*0.40A	1.40B/*0.40A	----	0.30 - 1.00	.0086	----	----	----	----	1 UNCH
4770 ----	----	#301.70B/*182.2	#301.70B/182.20A	----	259.10 + 45.90	.9913	----	----	----	----	1 UNCH
4775 ----	----	#306.90B/187.50	#306.90B/187.50A	----	264.10 + 46.00	.9915	----	----	----	----	1 UNCH
4775 ----	----	1.30B/*0.40A	1.30B/*0.40A	----	0.30 - 0.90	.0084	----	----	----	----	6 UNCH
4775 ----	----	#279.00B/169.80	#279.00B/169.80A	----	237.10 + 40.90	.9098	----	----	----	----	50 UNCH
4775 7.00	7.00	16.90B/*5.40A	16.90B/*5.40A	----	6.80 - 6.40	.0899	----	----	1	----	2 + 1
4780 ----	----	1.20B/*0.30A	1.20B/*0.30A	----	0.30 - 0.80	.0083	----	----	----	----	1 UNCH
4800 ----	----	----/*0.40A	0.70B/*0.40A	----	0.20 - 0.60	.0057	----	----	----	----	69 UNCH
4800 ----	----	#331.80B/211.80	#331.80B/211.80A	----	289.00 + 46.20	.9942	1	----	----	----	0 - 1
4800 5.50	5.50	13.10B/*4.40A	13.10B/*4.40A	----	5.30 - 5.10	.0719	----	----	20	----	40 + 20
4800 ----	----	#302.80B/190.80	#302.80B/190.80A	----	260.60 + 42.20	.9278	----	----	----	----	1 UNCH
4825 ----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 0.50	.0030	----	----	----	----	116 UNCH
4825 ----	----	10.40B/*3.60A	10.40B/*3.60A	----	4.20 - 4.00	.0580	----	----	----	----	4 UNCH
4850 ----	----	7.90B/*3.00A	7.90B/*3.00A	----	3.40 - 3.20	.0475	----	----	1	----	34 + 1
4850 ----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.30	.0028	----	----	----	----	35 UNCH
4875 ----	----	----	0.10B/*0.30A	----	0.10 - 0.20	.0026	----	----	----	----	4 UNCH
4875 ----	----	6.20B/*2.40A	6.20B/*2.40A	----	2.70 - 2.60	.0383	----	----	----	----	1 UNCH
4875 ----	----	#375.30B/259.10	#375.30B/259.10A	----	333.00 + 44.70	.9615	----	----	----	----	1 UNCH
4900 ----	----	----	310.10B/446.50A	----	388.90 + 46.80	.9974	----	----	----	----	1 UNCH
4900 ----	----	----	----/0.50A	----	0.10 - 0.10	.0025	----	----	----	----	51 UNCH
4900 ----	----	4.80B/*2.10A	4.80B/*2.10A	----	2.30 - 2.00	.0324	----	----	1	----	9 UNCH
4925 ----	----	----	335.00B/469.70A	----	413.90 + 46.90	.9975	----	----	----	----	0 UNCH
4925 ----	----	3.60B/*1.80A	3.60B/*1.80A	----	1.90 - 1.60	.0269	----	----	----	----	1 UNCH
4925 ----	----	----	----/0.60A	----	0.10 UNCH	.0024	----	----	----	----	19 UNCH
4950 ----	----	----/*1.60A	2.90B/*1.60A	----	1.60 - 1.40	.0226	----	----	----	----	1 UNCH
4975 ----	----	----	----/0.60A	----	0.10 UNCH	.0022	----	----	----	----	3 UNCH
4975 ----	----	----/*1.40A	2.30B/*1.40A	----	1.40 - 1.10	.0196	----	----	----	----	2 UNCH
5000 ----	----	----	----/0.60A	----	0.10 UNCH	.0021	----	----	----	----	21 UNCH
5000 ----	----	----/*1.20A	1.80B/*1.20A	----	1.20 - 0.90	.0167	----	----	----	----	2 UNCH
5025 ----	----	----	----/0.60A	----	0.10 UNCH	.0020	----	----	----	----	3 UNCH
5050 ----	----	----	----/0.60A	----	0.10 UNCH	.0019	----	----	----	----	7 UNCH
5075 ----	----	----	----/0.60A	----	0.10 UNCH	.0019	----	----	----	----	2 UNCH
5100 ----	----	----	----/0.60A	----	0.10 UNCH	.0018	----	----	----	----	2 UNCH
5100 ----	----	----/*0.90A	0.70B/*0.90A	----	0.70 - 0.50	.0095	----	----	----	----	5 UNCH
5125 ----	----	----	----/0.60A	----	0.10 UNCH	.0017	----	----	----	----	1 UNCH
5150 ----	----	----	----/0.60A	----	0.10 UNCH	.0017	----	----	----	----	6 UNCH
5150 ----	----	----/*0.80A	0.50B/*0.80A	----	0.50 - 0.40	.0068	----	----	----	----	1 UNCH
5175 ----	----	----	----/0.60A	----	0.10 UNCH	.0016	----	----	----	----	2 UNCH
5200 ----	----	----	----/0.60A	----	0.10 UNCH	.0016	----	----	----	----	1 UNCH
5250 ----	----	----	----/0.60A	----	0.10 UNCH	.0015	----	----	----	----	1 UNCH
5300 ----	----	----	----/*0.60A	----	0.10 UNCH	.0014	----	----	----	----	3 UNCH
5300 ----	----	----	----/0.90A	----	0.20 - 0.20	.0027	----	----	----	----	1 UNCH
5400 ----	----	----	----/0.70A	----	0.10 UNCH	.0013	----	----	----	----	41 UNCH
5750 ----	----	----	----/3.20A	----	0.10 UNCH	.0010	----	----	----	----	1 UNCH
TOTAL									1195		2911 + 757
JUN26											
4000 ----	----	5.10B/----	5.10B/3.80A	----	4.60 + 1.20	.0347	----	----	----	----	1 UNCH
4275 12.90	12.90	#23.90B/11.20A	#23.90B/11.20A	----	16.50 NEW	.1283	----	----	80	----	80 + 80
4350 25.70	25.70	#37.00B/17.90A	#37.00B/17.90A	----	26.00 NEW	.1934	----	----	10	----	10 + 10
4375 ----	----	42.90B/20.20A	42.90B/20.20A	----	30.40 + 7.20	.2213	----	----	----	----	1 UNCH
4400 ----	----	#50.20B/23.40A	#50.20B/23.40A	----	35.60 + 8.30	.2526	----	----	----	----	1 UNCH
4425 ----	----	#58.10B/27.60A	#58.10B/27.60A	----	41.80 + 9.70	.2876	----	----	----	----	6 UNCH
4450 ----	----	#67.10B/32.30A	#67.10B/32.30A	----	48.80 + 11.00	.3253	----	----	----	----	6 UNCH
4475 ----	----	#77.40B/37.70A	#77.40B/37.70A	----	57.00 + 12.70	.3662	----	----	----	----	2 UNCH
4500 ----	----	#88.90B/44.60A	#88.90B/44.60A	----	66.30 + 14.50	.4093	----	----	4	----	42 + 1
4550 ----	----	#115.20B/60.50A	#115.20B/60.50A	----	88.60 + 18.50	.5005	----	----	----	----	4 UNCH
4575 ----	----	#130.20B/69.90A	#130.20B/69.90A	----	101.70 + 20.70	.5469	----	----	----	----	1 UNCH
4600 ----	----	114.20B/*69.80A	114.20B/*69.80A	----	78.80 - 24.20	.4268	----	----	----	----	4 UNCH
4600 ----	----	#146.30B/79.50A	#146.30B/79.50A	----	116.10 + 23.00	.5927	----	----	2	----	8 + 2
4600 ----	----	97.30B/*51.40A	97.30B/*51.40A	----	60.70 - 24.20	.4068	----	----	----	----	40 UNCH
4625 ----	----	84.90B/*43.20A	84.90B/*43.20A	----	51.30 - 22.00	.3623	----	----	----	----	10 UNCH
4650 ----	----	94.20B/*53.30A	94.20B/*53.30A	----	60.10 - 20.70	.3539	----	----	----	----	14 UNCH
4650 56.30	56.30	74.90B/*36.10A	74.90B/*36.10A	----	43.10 NEW	.3199	----	----	21	----	13 + 13
4700 ----	----	53.00B/*25.30A	53.00B/*25.30A	----	30.10 - 15.50	.2438	----	----	2	----	4 + 2
4750 ----	----	37.80B/*17.70A	37.80B/*17.70A	----	20.80 - 11.80	.1814	----	----	----	----	2 UNCH
4775 ----	----	32.40B/*14.80A	32.40B/*14.80A	----	17.30 - 10.20	.1557	----	----	----	----	150 UNCH
4800 ----	----	26.90B/*12.30A	26.90B/*12.30A	----	14.40 - 8.80	.1332	----	----	2	----	0 - 2
4825 ----	----	22.30B/*10.30A	22.30B/*10.30A	----	12.00 - 7.50	.1138	----	----	----	----	1 UNCH
4850 ----	----	18.60B/*8.80A	18.60B/*8.80A	----	10.10 - 6.40	.0976	----	----	----	----	2 UNCH
4900 ----	----	22.20B/*12.90A	22.20B/*12.90A	----	14.40 - 7.20	.1112	----	----	----	----	3 UNCH
4900 ----	----	13.00B/*6.40A	13.00B/*6.40A	----	7.20 - 4.70	.0718	----	----	----	----	3 UNCH
5000 3.30	3.30	3.30/*3.30	6.10B/*3.30	----	3.90 - 2.50	.0402	----	----	1	----	1 UNCH
5025 ----	----	----/*3.30A	4.20B/*3.30A	----	3.50 - 2.10	.0359	----	----	----	----	1 UNCH
5125 ----	----	----/*2.20A	1.90B/*2.20A	----	2.20 - 1.10	.0224	----	----	----	----	1 UNCH
5400 ----	----	----	0.60B/*1.30A	----	0.60 - 0.30	.0061	----	----	----	----	1 UNCH
TOTAL									122		412 + 106

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK3

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26											
4240 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4255 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4260 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4265 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4270 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4280 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4285 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4290 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4305 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4310 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4315 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4320 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4325 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4335 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4355 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4360 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4365 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4370 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4375 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4380 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4390 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4395 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4400 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4405 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4420 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4425 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4430 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4435 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4440 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4445 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450 ----	----	----	----	----	108.00 UNCH	----	----	----	----	----	0 UNCH
4455 ----	----	----	----	----	103.00 UNCH	----	----	----	----	----	0 UNCH
4455 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4460 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4465 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4470 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4475 ----	----	----	----	----	83.00 UNCH	----	----	----	----	----	0 UNCH
4475 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4480 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4485 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4490 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4495 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4495 ----	----	----	----	----	63.00 UNCH	----	----	----	----	----	0 UNCH
4500 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500 ----	----	----	----	----	58.00 UNCH	----	----	----	----	----	0 UNCH
4505 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4510 ----	----	----	----	----	48.00 UNCH	----	----	----	----	----	0 UNCH
4510 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3												
MAY26														
4515	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4515	----	----	----	----	----	43.00	UNCH	----	----	----	----	----	0	UNCH
4520	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4520	----	----	----	----	----	38.00	UNCH	----	----	----	----	----	0	UNCH
4525	----	----	----	----	----	33.00	UNCH	----	----	----	----	----	0	UNCH
4525	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4530	----	----	----	----	----	28.00	UNCH	----	----	----	----	----	0	UNCH
4530	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4535	----	----	----	----	----	23.00	UNCH	----	----	----	----	----	0	UNCH
4535	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4540	----	----	----	----	----	18.00	UNCH	----	----	----	----	----	0	UNCH
4540	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4545	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4545	----	----	----	----	----	13.00	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	8.00	UNCH	----	----	----	----	----	0	UNCH
4555	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4555	----	----	----	----	----	3.00	UNCH	----	----	----	----	----	0	UNCH
4560	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4560	----	----	----	----	----	2.00	UNCH	----	----	----	----	----	0	UNCH
4565	----	----	----	----	----	7.00	UNCH	----	----	----	----	----	0	UNCH
4565	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	12.00	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	17.00	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	22.00	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	27.00	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	32.00	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	37.00	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	42.00	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	47.00	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	52.00	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	57.00	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	62.00	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	67.00	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	72.00	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	77.00	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	82.00	UNCH	----	----	----	----	----	0	UNCH
4645	----	----	----	----	----	87.00	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	92.00	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	97.00	UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	102.00	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4665	----	----	----	----	----	107.00	UNCH	----	----	----	----	----	0	UNCH
4665	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4670	----	----	----	----	----	112.00	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	117.00	UNCH	----	----	----	----	----	0	UNCH
4680	----	----	----	----	----	122.00	UNCH	----	----	----	----	----	0	UNCH
4680	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4685	----	----	----	----	----	127.00	UNCH	----	----	----	----	----	0	UNCH
4685	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4690	----	----	----	----	----	132.00	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	142.00	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4705	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	152.00	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	----	----	162.00	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	167.00	UNCH	----	----	----	----	----	0	UNCH
4735	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	192.00	UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	----	----	202.00	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	217.00	UNCH	----	----	----	----	----	0	UNCH
4780	----	----	----	----	----	222.00	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	242.00	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	267.00	UNCH	----	----	----	----	----	0	UNCH
4830	----	----	----	----	----	272.00	UNCH	----	----	----	----	----	0	UNCH
4840	----	----	----	----	----	282.00	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	292.00	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4855	----	----	----	----	----	297.00	UNCH	----	----	----	----	----	0	UNCH
4875	----	----	----	----	----	317.00	UNCH	----	----	----	----	----	0	UNCH
4950	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5070	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
TOTAL													0	0
JUN26														
3250	----	----	----	----/1.40A	----	0.10	UNCH	.0007	----	----	----	----	1	UNCH
3500	----	----	----	0.50B/*1.10A	----	0.60	+ 0.10	.0041	----	----	----	----	40	UNCH
3700	----	----	1.10B/----	1.10B/1.40A	----	1.20	+ 0.30	.0087	----	----	----	----	2	UNCH
3750	----	----	#4.00B/----	#4.00B/3.80A	----	4.30	+ 1.00	.0242	----	----	----	----	6	UNCH
3750	----	----	1.40B/----	1.40B/1.50A	----	1.40	+ 0.40	.0104	----	----	----	----	4	UNCH
3800	----	----	#4.70B/----	#4.70B/4.20A	----	4.90	+ 1.10	.0281	----	----	----	----	32	UNCH
3800	----	----	1.60B/----	1.60B/1.60A	----	1.60	+ 0.40	.0122	----	----	----	----	1	UNCH
3900	----	----	2.20B/----	2.20B/2.10A	----	2.50	+ 0.80	.0194	----	----	----	----	2	UNCH
3900	7.00	7.00	#7.00/7.00	#7.00/5.50A	----	6.60	+ 1.50	.0391	----	----	1	----	4	UNCH
3900	3.50	3.50	#4.30B/*3.50	#4.30B/*3.50	----	4.70	NEW	.0308	----	----	1	----	1	+ 1
4000	10.40	10.40	#10.70B/10.40	#10.70B/7.40A	----	9.20	+ 2.00	.0558	----	----	50	----	53	+ 49
4000	3.70	3.70	3.70/3.70	3.70/2.70A	----	3.40	+ 1.00	.0280	----	----	1	----	7	UNCH
4000	----	----	#6.50B/----	#6.50B/*4.90A	----	6.30	NEW	.0432	----	----	25	----	25	+ 25
4100	----	----	#16.80B/10.50A	#16.80B/10.50A	----	13.50	+ 2.90	.0826	----	----	----	----	1	UNCH
4100	----	----	5.70B/----	5.70B/3.80A	----	4.90	+ 1.30	.0425	----	----	----	----	15	UNCH
4150	----	----	#21.30B/*12.00A	#21.30B/*12.00A	----	16.70	+ 3.60	.1018	----	----	----	----	1	UNCH
4150	14.00	14.00	#14.40B/14.00	14.40B/8.60A	----	11.20	+ 3.00	.0799	----	----	4	----	0	- 4
4150	----	----	8.00B/----	8.00B/4.60A	----	6.10	+ 1.70	.0539	----	----	----	----	3	UNCH
4175	----	----	#24.00B/*13.20A	#24.00B/*13.20A	----	18.70	NEW	.1133	----	----	1	----	1	+ 1
4175	----	----	----	#26.40B/*24.60A	----	27.80	NEW	.1408	----	----	1	----	1	+ 1
4175	----	----	9.20B/----	9.20B/5.10A	----	6.90	+ 1.90	.0613	----	----	----	----	7	UNCH
4200	----	----	----	#29.80B/*23.80A	----	30.50	NEW	.1539	----	----	1	----	1	+ 1
4200	----	----	#26.80B/14.80A	#26.80B/14.80A	----	21.00	+ 4.50	.1263	----	----	----	----	2	UNCH
4200	5.50	5.50	10.60B/5.50	10.60B/5.50	----	7.80	+ 2.10	.0698	----	----	1	----	22	+ 1
4225	----	----	#30.50B/*16.50A	#30.50B/*16.50A	----	23.60	+ 5.10	.1408	----	----	----	----	8	UNCH
4225	12.50	12.50	12.70B/12.50	12.70B/6.70A	----	8.80	+ 2.30	.0794	----	----	1	----	6	+ 1
4250	----	----	#34.20B/18.60A	#34.20B/18.60A	----	26.60	+ 5.70	.1569	----	----	----	----	2	UNCH
4250	----	----	14.90B/7.40A	14.90B/7.40A	----	10.10	+ 2.60	.0912	----	----	----	----	4	UNCH
4275	----	----	#38.70B/21.90A	#38.70B/21.90A	----	30.10	+ 6.40	.1751	----	----	----	----	3	UNCH
4275	----	----	17.50B/8.20A	17.50B/8.20A	----	11.70	+ 3.00	.1055	----	----	----	----	12	UNCH
4300	----	----	321.40B/*235.40	321.40B/*235.40A	----	257.90	- 43.70	.8770	----	----	----	----	1	UNCH
4300	----	----	#43.80B/23.70A	#43.80B/23.70A	----	34.10	NEW	.1952	----	----	1	----	1	+ 1
4300	----	----	#32.80B/16.00A	#32.80B/16.00A	----	24.00	+ 5.70	.1652	----	----	----	----	5	UNCH
4300	20.00	20.00	22.00/8.60A	22.00/8.60A	----	13.70	+ 3.50	.1227	----	----	2	----	27	+ 1
4325	----	----	24.40B/10.20A	24.40B/10.20A	----	16.10	+ 4.20	.1428	----	----	----	----	16	UNCH
4325	----	----	#49.50B/27.30A	#49.50B/27.30A	----	38.60	+ 8.10	.2172	----	----	----	----	36	UNCH
4325	----	----	#37.50B/19.40A	#37.50B/19.40A	----	27.50	+ 6.40	.1867	----	----	----	----	1	UNCH
4350	----	----	#56.00B/30.90A	#56.00B/30.90A	----	43.70	+ 8.90	.2411	----	----	1	----	4	+ 1
4350	19.00	19.00	29.40B/11.80A	29.40B/11.80A	----	19.00	+ 5.00	.1663	----	----	10	----	28	+ 10
4350	----	----	#43.10B/21.00A	#43.10B/21.00A	----	31.60	+ 7.10	.2110	----	----	----	----	3	UNCH
4375	----	----	#63.70B/35.10A	#63.70B/35.10A	----	49.40	+ 9.70	.2670	----	----	----	----	1	UNCH
4375	----	----	34.30B/14.10A	34.30B/14.10A	----	22.60	+ 5.90	.1941	----	----	----	----	6	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2										
JUN26												
4375	34.30	34.30	#49.60B/24.60A	#49.60B/24.60A	----	36.50 + 8.20	.2385	----	----	35	----	36 + 35
4400	----	----	40.90B/16.70A	40.90B/16.70A	----	26.90 + 7.00	.2260	----	----	----	----	471 UNCH
4400	----	----	#71.90B/39.80A	#71.90B/39.80A	----	55.80 + 10.50	.2948	----	----	----	----	11 UNCH
4400	35.40	35.40	#56.90B/28.50A	#56.90B/28.50A	----	42.10 + 9.20	.2686	----	----	24	----	29 + 24
4425	----	----	#80.60B/45.40A	#80.60B/45.40A	----	63.10 + 11.60	.3248	----	----	----	----	2 UNCH
4425	----	----	48.20B/19.70A	48.20B/19.70A	----	32.10 + 8.30	.2624	----	----	----	----	5 UNCH
4425	----	----	#65.50B/33.70A	#65.50B/33.70A	----	48.70 + 10.50	.3018	----	----	----	----	32 UNCH
4450	----	----	#90.40B/50.90A	#90.40B/50.90A	----	71.40 + 12.90	.3566	----	----	----	----	7 UNCH
4450	----	----	56.70B/23.60A	56.70B/23.60A	----	38.40 + 9.80	.3036	----	----	2	----	13 + 2
4450	----	----	206.00B/*132.90	206.00B/*132.90A	----	150.50 - 35.40	.6620	----	----	----	----	3 UNCH
4475	----	----	#85.10B/45.00A	#85.10B/45.00A	----	64.70 + 13.40	.3754	----	----	----	----	1 UNCH
4475	----	----	66.40B/28.20A	66.40B/28.20A	----	45.80 + 11.50	.3488	----	----	----	----	48 UNCH
4500	----	----	148.60B/*84.50A	148.60B/*84.50A	----	99.00 - 33.80	.6016	----	----	----	----	1 UNCH
4500	----	----	#112.90B/65.50A	#112.90B/65.50A	----	90.80 + 16.10	.4243	----	----	----	----	2 UNCH
4500	129.00	129.00	183.80B/*121.30	183.80B/*121.30A	----	135.10 NEW	.5749	----	----	10	----	10 + 10
4500	----	----	77.70B/33.90A	77.70B/33.90A	----	54.60 + 13.50	.3980	----	----	----	----	13 UNCH
4500	----	----	#96.60B/52.10A	#96.60B/52.10A	----	74.30 + 15.00	.4153	----	----	----	----	6 UNCH
4525	----	----	130.30B/*71.10A	130.30B/*71.10A	----	84.20 - 31.60	.5497	----	----	----	----	1 UNCH
4525	----	----	#109.30B/59.80A	#109.30B/59.80A	----	85.00 + 16.80	.4565	----	----	----	----	2 UNCH
4525	----	----	90.30B/40.50A	90.30B/40.50A	----	64.70 + 15.60	.4499	----	----	----	----	3 UNCH
4550	----	----	#139.30B/83.60A	#139.30B/83.60A	----	113.80 + 19.30	.4953	----	----	----	----	10 UNCH
4550	----	----	104.20B/48.10A	104.20B/48.10A	----	76.30 + 17.90	.5036	----	----	1	----	9 UNCH
4550	----	----	113.20B/*59.30A	113.20B/*59.30A	----	70.80 - 29.30	.4960	----	----	8	----	10 + 8
4550	----	----	151.70B/*96.90A	151.70B/*96.90A	----	108.30 - 27.90	.5039	----	----	----	----	1 UNCH
4550	----	----	#123.00B/68.70A	#123.00B/68.70A	----	96.80 + 18.50	.4987	----	----	----	----	1 UNCH
4575	----	----	#153.80B/94.10A	#153.80B/94.10A	----	126.80 + 20.90	.5311	----	----	----	----	5 UNCH
4575	----	----	137.10B/*85.90A	137.10B/*85.90A	----	96.40 - 26.20	.4681	----	----	----	----	2 UNCH
4575	----	----	119.50B/56.90A	119.50B/56.90A	----	89.40 + 20.40	.5579	----	----	----	----	7 UNCH
4575	----	----	97.40B/*49.00A	97.40B/*49.00A	----	58.90 - 26.90	.4417	----	----	----	----	18 UNCH
4600	----	----	83.40B/*40.10A	83.40B/*40.10A	----	48.60 - 24.30	.3883	----	----	3	----	84 + 3
4600	----	----	#169.30B/104.70	#169.30B/104.70A	----	140.70 + 22.50	.5667	----	----	----	----	1 UNCH
4600	----	----	136.10B/67.30A	136.10B/67.30A	----	104.00 + 22.90	.6112	----	----	----	----	7 UNCH
4600	78.80	78.80	105.90B/*59.50A	105.90B/*59.50A	----	68.70 NEW	.4165	----	----	35	----	35 + 35
4625	----	----	#170.80B/99.60A	#170.80B/99.60A	----	139.40 + 24.50	.6239	----	----	----	----	1 UNCH
4625	----	----	143.00B/79.20A	143.00B/79.20A	----	120.10 + 25.60	.6625	----	----	----	----	4 UNCH
4625	----	----	72.30B/*32.50A	72.30B/*32.50A	----	39.70 - 21.70	.3371	----	----	----	----	103 UNCH
4650	----	----	162.80B/93.60A	162.80B/93.60A	----	137.60 + 28.20	.7104	----	----	----	----	6 UNCH
4650	----	----	#182.90B/116.10	#182.90B/116.10A	----	155.80 + 26.50	.6632	----	----	----	----	1 UNCH
4650	----	----	61.50B/*26.40A	61.50B/*26.40A	----	32.20 - 19.10	.2892	----	----	----	----	7 UNCH
4675	----	----	182.60B/109.00A	182.60B/109.00A	----	156.40 + 30.70	.7539	----	----	----	----	3 UNCH
4675	28.10	28.10	51.10B/*21.40A	51.10B/*21.40A	----	26.00 - 16.60	.2457	----	----	2	----	5 + 2
4675	----	----	72.20B/*37.10A	72.20B/*37.10A	----	43.10 - 18.60	.2992	----	----	----	----	3 UNCH
4700	----	----	78.50B/*44.90A	78.50B/*44.90A	----	50.90 - 18.20	.2999	----	----	----	----	10 UNCH
4700	----	----	#234.00B/161.90	#234.00B/161.90A	----	206.10 + 29.10	.6994	----	----	----	----	5 UNCH
4700	----	----	#220.90B/146.20	#220.90B/146.20A	----	191.80 + 30.40	.7350	----	----	----	----	2 UNCH
4700	----	----	203.50B/125.20A	203.50B/125.20A	----	176.20 + 33.00	.7928	----	----	----	----	6 UNCH
4700	20.00	20.00	41.50B/*17.30A	41.50B/*17.30A	----	20.90 - 14.30	.2068	----	----	10	----	111 + 10
4700	----	----	62.40B/*31.80A	62.40B/*31.80A	----	36.60 - 16.80	.2645	----	----	5	----	5 + 4
4725	15.80	15.80	33.20B/*13.90A	33.20B/*13.90A	----	16.70 - 12.20	.1726	----	----	54	----	62 + 51
4725	----	----	69.20B/*39.60A	69.20B/*39.60A	----	44.60 - 16.50	.2710	----	----	----	----	2 UNCH
4725	----	----	225.40B/142.50A	225.40B/142.50A	----	197.10 + 35.20	.8271	----	----	----	----	1 UNCH
4725	----	----	#241.40B/162.80	#241.40B/162.80A	----	211.20 + 32.30	.7669	----	----	----	----	1 UNCH
4750	----	----	61.80B/*34.60A	61.80B/*34.60A	----	39.00 - 15.00	.2440	----	----	----	----	1 UNCH
4750	----	----	#247.40B/161.00	#247.40B/161.00A	----	218.70 + 37.00	.8561	----	----	1	----	2 UNCH
4750	----	----	#262.40B/180.20	#262.40B/180.20A	----	231.40 + 34.00	.7957	----	----	----	----	1 UNCH
4750	----	----	27.40B/*11.20A	27.40B/*11.20A	----	13.40 - 10.20	.1435	----	----	----	----	8 UNCH
4750	----	----	46.20B/*22.90A	46.20B/*22.90A	----	26.30 - 13.20	.2038	----	----	----	----	1 UNCH
4775	----	----	20.90B/*8.90A	20.90B/*8.90A	----	10.80 - 8.50	.1192	----	----	----	----	1 UNCH
4800	----	----	----	#38.70B/*38.90A	----	40.50 NEW	.2272	----	----	1	----	1 + 1
4800	----	----	16.90B/*7.40A	16.90B/*7.40A	----	8.70 - 7.00	.0987	----	----	----	----	15 UNCH
4800	----	----	47.60B/*26.40A	47.60B/*26.40A	----	29.70 - 12.20	.1961	----	----	----	----	6 UNCH
4800	----	----	32.90B/*16.50A	32.90B/*16.50A	----	18.80 - 10.30	.1546	----	----	----	----	100 UNCH
4800	----	----	#293.20B/201.30	#293.20B/201.30A	----	263.90 + 40.20	.9010	----	----	----	----	1 UNCH
4825	----	----	13.70B/*6.00A	13.70B/*6.00A	----	7.00 - 5.80	.0814	----	----	----	----	1 UNCH
4850	----	----	36.60B/*20.20A	36.60B/*20.20A	----	22.60 - 9.70	.1562	----	----	1	----	2 + 1
4850	----	----	----	#35.50B/*31.30A	----	32.30 NEW	.1885	----	----	2	----	2 + 2
4850	----	----	11.00B/*5.10A	11.00B/*5.10A	----	5.70 - 4.80	.0675	----	----	----	----	13 UNCH
4850	12.00	12.00	24.00B/*11.90A	24.00B/*11.90A	----	13.60 - 7.80	.1169	----	----	2	----	2 UNCH
4875	----	----	----	#31.40B/*28.10A	----	28.90 NEW	.1715	----	----	1	----	1 + 1
4875	----	----	32.10B/*17.80A	32.10B/*17.80A	----	19.80 - 8.60	.1394	----	----	----	----	1 UNCH
4875	----	----	10.30B/*4.20A	10.30B/*4.20A	----	4.70 - 3.90	.0564	----	----	----	----	104 UNCH
4900	----	----	28.00B/*15.70A	28.00B/*15.70A	----	17.30 - 7.60	.1241	----	----	1	----	4 + 1
4900	----	----	----/*3.60A	6.80B/*3.60A	----	3.90 - 3.20	.0473	----	----	1	----	49 UNCH
4900	----	----	17.40B/*8.90A	17.40B/*8.90A	----	10.00 - 5.70	.0887	----	----	----	----	3 UNCH
4900	----	----	#383.80B/290.70	#383.80B/290.70A	----	359.10 + 44.10	.9524	----	----	----	----	2 UNCH
4925	----	----	6.10B/*3.10A	6.10B/*3.10A	----	3.30 - 2.60	.0402	----	----	----	----	4 UNCH
4950	----	----	21.50B/*12.10A	21.50B/*12.10A	----	13.30 - 6.00	.0984	----	----	----	----	6 UNCH
4950	----	----	12.30B/*6.70A	12.30B/*6.70A	----	7.40 - 4.20	.0674	----	----	5	----	5 UNCH
4950	----	----	----/*2.70A	3.80B/*2.70A	----	2.80 - 2.20	.0342	----	----	----	----	32 UNCH
4975	----	----	----/*2.40A	2.80B/*2.40A	----	2.40 - 1.80	.0293	----	----	----	----	3 UNCH
5000	----	----	----/*2.20A	2.50B/*2.20A	----	2.10 - 1.50	.0256	----	----	----	----	22 UNCH
5000	----	----	16.60B/*9.60A	16.60B/*9.60A	----	10.30 - 4.70	.0781	----	----	----	----	1 UNCH
5000	----	----	9.00B/*5.20A	9.00B/*5.20A	----	5.60 - 3.00	.0518	----	----	----	----	32 UNCH
5025	----	----	13.80B/*8.60A	13.80B/*8.60A	----	9.10 - 4.20	.0697	----	----	----	----	4 UNCH
5025	----	----	----/*1.90A	1.80B/*1.90A	----	1.80 - 1.40	.0219	----	----	----	----	1 UNCH
5050	----	----	12.30B/*7.70A	12.30B/*7.70A	----	8.10 - 3.70	.0625	----	----	----	----	6 UNCH
5050	----	----	----/*1.70A	1.30B/*1.70A	----	1.60 - 1.20	.0194	----	----	----	----	28 UNCH
5050	----	----	----/*4.20A	5.60B/*4.20A	----	4.30 - 2.10	.0402	----	----	5	----	5 UNCH
5075	----	----	----/*1.60A	1.20B/*1.60A	----	1.50 - 0.90	.0178	----	----	----	----	1 UNCH
5100	----	----	9.60B/*6.30A	9.60B/*6.30A	----	6.50 - 3.00	.0507	----	----	----	----	3 UNCH
5100	----	----	----/*1.50A	1.10B/*1.50A	----	1.30 - 0.90	.0154	----	----	----	----	1 UNCH
5125	----	----	----/*1.50A	1.00B/*1.50A	----	1.20 - 0.80	.0141	----	----	----	----	2 UNCH
5150	----	----	----/*1.40A	0.80B/*1.40A	----	1.10 - 0.70	.0127	----	----	----	----	5 UNCH
5150	----	----	----/*2.90A	2.60B/*2.90A	----	2.70 - 0.80	.0254	----	----	----	----	2 UNCH
5175	----	----	----/*1.30A	0.80B/*1.30A	----	1.00 - 0.60	.0115	----	----	----	----	3 UNCH
5200	----	----	----/*1.20A	0.70B/*1.20A	----	1.00 - 0.40	.0112	----	----	----	----	2 UNCH
5225	----	----	----/*1.10A	0.50B/*1.10A	----	0.90 - 0.40	.0100	----	----	----	----	4 UNCH
5250	----	----	----	1.70B/*2.30A	----	1.70 - 0.30	.0161	----	----	----	----	4 UNCH
5250	----	----	----/*1.10A	0.50B/*1.10A	----	0.80 - 0.40	.0089	----	----	----	----	4 UNCH
5275	----	----	----	0.40B/*1.20A	----	0.70 - 0.40	.0078	----	----	----	----	6 UNCH
5300	----	----	----	1.40B/*2.00A	----	1.40 - 0.20	.0132	----	----	----	----	5 UNCH
5300	0.50	0.50	0.50/*0.50	0.50/*0.50	----	0.70 - 0.30	.0076	----	----	3	----	4 UNCH
5325	----	----	----	0.30B/*1.10A	----	0.60 - 0.30	.0065	----	----	----	----	2 UNCH
5350	----	----	----	0.20B/*1.10A	----	0.60 - 0.20	.0064	----	----	----	----	6 UNCH
5400	----	----	----	0.10B/*1.00A	----	0.50 - 0.20	.0053	----	----	----	----	9 UNCH
5500	----	----	----	----/4.70A	----	0.30 - 0.20	.0032	----	----	----	----	2 UNCH
5600	----	----	----	----/4.60A	----	0.30 - 0.10	.0029	----	----	----	----	1 UNCH
5700	----	----	----	----/3.60A	----	0.20 - 0.20	.0019	----	----	----	----	10 UNCH
5750	----	----	----/*1.60A	0.90B/*1.60A	----	1.40 - 0.60	.0095	----	----	----	----	3 UNCH
5750	----	----	----	----/4.40A	----	0.20 - 0.10	.0019	----	----	----	----	12 UNCH
6000	----	----	----	----/6.40A	----	0.20 - 0.10	.0016	----	----	----	----	11 UNCH
TOTAL										313		2192 + 279

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK4										
MAY26												
4400	15.50	15.50	#15.50/*15.50	#15.50/*15.50	----	11.50 NEW	.1737	----	----	1	----	1 + 1
TOTAL										1		1+ 1

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week3										
MAY26												
6700	----	----	0.070B/----	0.070B/0.142A	----	0.055 NEW	.0298	----	----	1	----	1 + 1
6750	----	----	0.079B/----	0.079B/0.151A	----	0.071 + 0.043	.0375	----	----	----	----	1 UNCH
6800	----	----	0.144B/----	0.144B/0.163A	----	0.092 + 0.056	.0473	----	----	1	----	2 + 1
6900	----	----	0.239B/----	0.239B/0.193A	----	0.142 NEW	.0703	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week3										
MAY26												
7000	----	----	0.390B/----	0.390B/0.205A	----	0.208 NEW	.1003	----	----	1	----	1 + 1
7070	0.345	0.345	#0.500B/*0.345	0.500B/*0.231A	----	0.271 NEW	.1278	----	----	2	----	2 + 2
7100	----	----	0.595B/----	0.595B/0.232A	----	0.303 + 0.152	.1415	----	----	----	----	1 UNCH
7200	----	----	0.873B/----	0.873B/0.294A	----	0.443 + 0.207	.1979	----	----	----	----	4 UNCH
7320	----	----	#1.295B/----	1.295B/*0.416A	----	0.695 NEW	.2891	----	----	1	----	1 + 1
7350	0.999	0.999	1.429B/0.999	1.429B/0.454A	----	0.777 NEW	.3162	----	----	1	----	1 + 1
7460	1.591	1.591	#1.961B/*0.589A	1.961B/*0.589A	----	1.154 NEW	.4281	----	----	16	----	15 + 15
7470	1.500	1.500	#1.500/*1.280A	1.770B/*1.280A	----	1.654 NEW	.5608	----	----	15	----	15 + 15
7700	----	----	2.063B/*0.551A	2.063B/*0.551A	----	0.633 - 1.375	.3023	----	----	----	----	2 UNCH
7810	----	----	#2.003B/*0.391A	2.003B/*0.391A	----	0.357 - 1.147	.1978	----	----	----	----	8 UNCH
7820	----	----	#2.946B/*1.519A	2.946B/*1.519A	----	3.379 + 1.159	.8103	----	----	----	----	3 UNCH
7850	----	----	1.847B/*0.346A	1.847B/*0.346A	----	0.284 - 1.066	.1657	----	----	----	----	5 UNCH
7900	1.400	1.400	1.595B/*0.277A	1.595B/*0.277A	----	0.210 - 0.966	.1305	----	----	1	----	0 - 1
8000	----	----	#4.447B/2.313A	4.447B/2.313A	----	4.965 + 1.526	.9170	----	----	----	----	1 UNCH
8150	----	----	----/*0.151A	0.537B/*0.151A	----	0.053 - 0.507	.0392	----	----	----	----	1 UNCH
8200	----	----	----	----	----	6.880 + 1.847	.9701	----	----	----	----	1 UNCH
8200	----	----	1.386B/*0.557A	1.386B/*0.557A	----	0.526 - 0.599	.1623	----	----	----	----	1 UNCH
8250	0.503	0.503	1.197B/*0.503	1.197B/*0.503	----	0.463 NEW	.1460	----	----	1	----	1 + 1
8250	----	----	----/*0.128A	0.300B/*0.128A	----	0.029 - 0.377	.0227	----	----	----	----	1 UNCH
8250	----	----	----	5.014B/6.867A	----	7.370 + 1.909	.9772	----	----	----	----	2 UNCH
8300	----	----	----	5.649B/8.331A	----	8.243 + 1.779	.8685	----	----	----	----	1 UNCH
8350	0.840	0.840	0.934B/*0.438A	0.934B/*0.438A	----	0.359 - 0.463	.1179	----	----	1	----	0 - 1
8400	----	----	----	----/25.607A	----	9.151 + 1.860	.8940	----	----	----	----	2 UNCH
8500	----	----	----	----/25.585A	----	10.082 + 1.928	.9145	----	----	----	----	1 UNCH
8500	----	----	----/*0.117A	0.043B/*0.117A	----	0.006 - 0.165	.0053	----	----	----	----	1 UNCH
8550	0.590	0.590	0.650B/*0.316A	0.650B/*0.316A	----	0.220 - 0.327	.0768	----	----	1	----	0 - 1
8800	----	----	#11.852B/----	#11.852B/13.211A	----	12.960 + 2.071	.9533	----	----	----	----	1 UNCH
9000	0.207	0.207	0.207/*0.189A	0.207/*0.189A	----	0.087 - 0.158	.0322	----	----	2	----	10 + 2
10000	----	----	----	0.001B/*0.132A	----	0.013 - 0.033	.0051	----	----	----	----	1 UNCH
TOTAL										45	0	88 + 38
JUN26												
7700	----	----	----/*2.230A	3.724B/*2.230A	----	2.542 - 1.223	.4359	----	----	----	----	2 UNCH
7750	----	----	#5.514B/3.093A	#5.514B/3.093A	----	4.686 + 1.112	.5868	----	----	----	----	1 UNCH
7850	----	----	#5.581B/3.565A	#5.581B/3.565A	----	5.332 + 1.216	.6312	----	----	----	----	2 UNCH
7900	----	----	#5.957B/3.781A	#5.957B/3.781A	----	5.672 + 1.267	.6525	----	----	----	----	1 UNCH
8000	----	----	2.987B/*1.436A	2.987B/*1.436A	----	1.551 - 0.916	.3068	----	----	----	----	2 UNCH
8300	----	----	----/*1.878A	#1.339B/*1.878A	----	1.494 - 2.494	.2569	----	----	----	----	6 UNCH
9500	----	----	----/*0.635A	0.329B/*0.635A	----	0.445 - 1.120	.0852	----	----	----	----	1 UNCH
TOTAL											0	15 0
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK3										
MAY26												
6850	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7000	----	----	----	----	----	7.444 UNCH	----	----	----	----	----	0 UNCH
7100	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7340	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7440	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	2.444 UNCH	----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	1.944 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	1.444 UNCH	----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	0.944 UNCH	----	----	----	----	----	0 UNCH
7680	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7690	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.444 UNCH	----	----	----	----	----	0 UNCH
7730	----	----	----	----	----	0.144 UNCH	----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	0.056 UNCH	----	----	----	----	----	0 UNCH
7770	----	----	----	----	----	0.256 UNCH	----	----	----	----	----	0 UNCH
7790	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.556 UNCH	----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7810	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7850	----	----	----	----	----	1.056 UNCH	----	----	----	----	----	0 UNCH
7850	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7890	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7900	----	----	----	----	----	1.556 UNCH	----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	2.556 UNCH	----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8050	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8070	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8100	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8250	----	----	----	----	----	5.056 UNCH	----	----	----	----	----	0 UNCH
8400	----	----	----	----	----	6.556 UNCH	----	----	----	----	----	0 UNCH
8450	----	----	----	----	----	7.056 UNCH	----	----	----	----	----	0 UNCH
8500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8500	----	----	----	----	----	7.556 UNCH	----	----	----	----	----	0 UNCH
8550	----	----	----	----	----	8.056 UNCH	----	----	----	----	----	0 UNCH
8600	----	----	----	----	----	8.556 UNCH	----	----	----	----	----	0 UNCH
8800	----	----	----	----	----	10.556 UNCH	----	----	----	----	----	0 UNCH
TOTAL											0	0 0
JUN26												
5250	0.005	0.005	0.005/*0.005	0.005/*0.005	----	0.029 NEW	.0073	----	----	15	----	15 + 15
5750	----	----	----	0.027B/0.155A	----	0.076 + 0.022	.0196	----	----	----	----	1 UNCH
6000	----	----	0.349B/----	0.349B/0.357A	----	0.362 + 0.103	.0656	----	----	----	----	2 UNCH
6000	----	----	----	0.453B/27.211A	----	15.274 - 2.244	.9670	----	----	----	----	1 UNCH
6500	----	----	0.459B/----	0.459B/0.285A	----	0.355 + 0.120	.0875	----	----	3	----	8 + 3
7000	----	----	1.498B/0.680A	1.498B/0.680A	----	1.046 NEW	.2258	----	----	3	----	3 + 3
7050	----	----	1.635B/0.757A	1.635B/0.757A	----	1.165 + 0.389	.2463	----	----	----	----	1 UNCH
7200	----	----	2.210B/0.969A	2.210B/0.969A	----	1.616 + 0.518	.3155	----	----	----	----	1 UNCH
7500	----	----	3.697B/1.687A	3.697B/1.687A	----	2.865 + 0.834	.4718	----	----	----	----	2 UNCH
7700	----	----	3.689B/*1.787A	3.689B/*1.787A	----	2.133 NEW	.4211	----	----	3	----	3 + 3
7750	----	----	4.986B/2.647A	4.986B/2.647A	----	4.283 + 1.129	.6047	----	----	----	----	1 UNCH
7850	----	----	3.241B/*1.394A	3.241B/*1.394A	----	1.606 NEW	.3453	----	----	3	----	3 + 3
7900	----	----	3.016B/*1.252A	3.016B/*1.252A	----	1.456 - 0.978	.3216	----	----	----	----	1 UNCH
7950	----	----	#5.929B/3.617A	#5.929B/3.617A	----	5.654 + 1.361	.7011	----	----	----	----	1 UNCH
8000	----	----	----/*2.235A	2.175B/*2.235A	----	2.439 - 0.989	.3586	----	----	----	----	7 UNCH
8000	----	----	2.546B/*1.052A	2.546B/*1.052A	----	1.191 - 0.866	.2769	----	----	----	----	1 UNCH
8000	----	----	#6.316B/3.854A	#6.316B/3.854A	----	6.027 + 1.417	.7230	----	----	----	----	3 UNCH
8100	----	----	#2.903B/*1.477A	2.903B/*1.477A	----	1.575 - 0.849	.2907	----	----	----	----	1 UNCH
8200	----	----	#7.657B/----	#7.657B/7.856A	----	7.620 + 1.620	.7997	----	----	----	----	1 UNCH
8400	----	----	#10.079B/----	#10.079B/10.152A	----	9.856 + 1.650	.7945	----	----	----	----	20 UNCH
8500	----	----	----/*1.344A	1.173B/*1.344A	----	1.369 - 0.662	.2265	----	----	----	----	16 UNCH
8500	----	----	----	----/25.002A	----	10.251 + 1.855	.8810	----	----	----	----	1 UNCH
8600	----	----	0.786B/*0.404A	0.786B/*0.404A	----	0.344 - 0.369	.0997	----	----	----	----	1 UNCH
8800	----	----	1.091B/*0.648A	1.091B/*0.648A	----	0.594 - 0.418	.1277	----	----	----	----	13 UNCH
9050	----	----	----/*0.247A	0.264B/*0.247A	----	0.153 - 0.195	.0474	----	----	----	----	1 UNCH
9200	----	----	----/*0.714A	0.523B/*0.714A	----	0.650 - 0.370	.1179	----	----	----	----	7 UNCH
9500	----	----	----/*0.187A	0.111B/*0.187A	----	0.083 - 0.114	.0258	----	----	----	----	1 UNCH
10250	----	----	----	0.003B/*0.158A	----	0.037 - 0.054	.0113	----	----	----	----	1 UNCH
TOTAL										27	0	117 + 27
SO CALL		COMEX SILVER OPTIONS										
JUN26												
4300	----	----	----/30.702A	33.224B/30.702A	----	32.159 - 2.285	.9990	----	----	----	----	20 UNCH
4900	----	----	----/24.742A	27.229B/24.742A	----	26.163 - 2.283	.9968	----	----	----	----	9 UNCH
5000	----	----	----/23.661A	26.252B/23.661A	----	25.166 - 2.282	.9960	----	----	----	----	52 UNCH
5025	----	----	----/23.460A	25.984B/23.460A	----	24.916 - 2.282	.9960	----	----	----	----	6 UNCH
5050	----	----	----/23.265A	25.527B/23.265A	----	24.667 - 2.282	.9957	----	----	----	----	1 UNCH
5200	----	----	----/21.688A	24.257B/21.688A	----	23.171 - 2.281	.9944	----	----	----	----	79 UNCH
5225	----	----	----/21.523A	23.781B/21.523A	----	22.922 - 2.280	.9943	----	----	----	----	4 UNCH
5275	----	----	----/20.982A	23.493B/20.982A	----	22.422 - 2.281	.9939	----	----	----	----	7 UNCH
5300	----	----	----/20.722A	23.033B/20.722A	----	22.173 - 2.281	.9939	----	----	----	----	3 UNCH
5325	----	----	----/20.566A	22.784B/20.566A	----	21.923 - 2.282	.9938	----	----	----	----	5 UNCH
5350	----	----	----/20.222A	22.742B/20.222A	----	21.674 - 2.281	.9935	----	----	----	----	7 UNCH
5400	----	----	----/19.728A	22.036B/19.728A	----	21.175 - 2.282	.9931	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
5425	----	----	----/19.479A	21.992B/19.479A	----	20.925 - 2.282	.9930	----	----	----	----	9 UNCH
5500	----	----	----/18.706A	21.261B/18.706A	----	20.177 - 2.283	.9923	----	----	----	----	335 UNCH
5525	----	----	----/18.487A	20.789B/18.487A	----	19.927 - 2.284	.9922	----	----	----	----	1 UNCH
5600	----	----	----/17.765A	20.244B/17.765A	----	19.179 - 2.285	.9915	----	----	----	----	7 UNCH
5675	----	----	----/17.039A	19.334B/17.039A	----	18.431 - 2.286	.9906	----	----	----	----	3 UNCH
5700	----	----	----/16.696A	19.275B/16.696A	----	18.182 - 2.287	.9903	----	----	----	----	56 UNCH
5725	----	----	----/16.530A	18.994B/16.530A	----	17.933 - 2.286	.9901	----	----	----	----	10 UNCH
5750	----	----	----/16.273A	18.747B/16.273A	----	17.684 - 2.287	.9898	----	----	----	----	13 UNCH
5775	----	----	----/16.051A	18.338B/16.051A	----	17.435 - 2.287	.9894	----	----	----	----	1 UNCH
5800	----	----	----/15.804A	18.089B/15.804A	----	17.186 - 2.288	.9890	----	----	----	----	2 UNCH
5825	----	----	----/15.558A	17.841B/15.558A	----	16.937 - 2.288	.9886	----	----	----	----	1 UNCH
5850	----	----	----/15.287A	17.751B/15.287A	----	16.688 - 2.289	.9882	----	----	----	----	9 UNCH
5900	----	----	----/14.820A	17.095B/14.820A	----	16.190 - 2.290	.9870	----	----	----	----	4 UNCH
5925	----	----	----/14.544A	17.004B/14.544A	----	15.942 - 2.291	.9866	----	----	----	----	17 UNCH
6000	----	----	----/13.747A	16.286B/13.747A	----	15.197 - 2.293	.9847	----	----	----	----	399 UNCH
6025	----	----	----/13.572A	16.011B/13.572A	----	14.949 - 2.292	.9842	----	----	----	----	7 UNCH
6050	----	----	----/13.352A	15.604B/13.352A	----	14.701 - 2.292	.9835	----	----	----	----	4 UNCH
6075	----	----	----/13.034A	15.518B/13.034A	----	14.453 - 2.292	.9824	----	----	----	----	30 UNCH
6100	----	----	----/12.842A	15.267B/12.842A	----	14.205 - 2.292	.9816	----	----	----	----	16 UNCH
6200	----	----	----/11.833A	14.301B/11.833A	----	13.217 - 2.289	.9775	----	----	----	----	101 UNCH
6225	----	----	----/11.660A	13.814B/11.660A	----	12.970 - 2.289	.9761	----	----	----	----	1 UNCH
6250	----	----	----/11.420A	13.624B/11.420A	----	12.724 - 2.287	.9749	----	----	----	----	4 UNCH
6300	----	----	----/10.942A	13.074B/10.942A	----	12.232 - 2.285	.9717	----	----	----	----	4 UNCH
6400	----	----	----/9.929A	12.335B/9.929A	----	11.254 - 2.279	.9642	----	----	----	----	110 UNCH
6425	----	----	----/9.739A	12.075B/9.739A	----	11.010 - 2.277	.9620	----	----	----	----	25 UNCH
6450	----	----	----/9.517A	11.658B/9.517A	----	10.767 - 2.274	.9596	----	----	----	----	5 UNCH
6475	----	----	----/9.263A	11.584B/9.263A	----	10.525 - 2.271	.9571	----	----	----	----	7 UNCH
6500	----	----	----/9.047A	11.343B/9.047A	----	10.283 - 2.268	.9543	----	----	----	----	13 UNCH
6625	----	----	----/7.912A	10.134B/7.912A	----	9.085 - 2.248	.9368	----	----	----	----	10 UNCH
6700	----	----	----/7.273A	9.340B/7.273A	----	8.377 - 2.232	.9231	----	----	----	----	1 UNCH
6725	----	----	----/7.064A	9.310B/7.064A	----	8.144 - 2.225	.9179	----	----	----	----	1 UNCH
6750	----	----	----/6.846A	9.255B/6.846A	----	7.911 - 2.219	.9123	----	----	----	----	3 UNCH
6800	----	----	----/6.414A	8.486B/6.414A	----	7.451 - 2.203	.9001	----	----	----	----	9 UNCH
6850	----	----	----/6.027A	8.916B/6.027A	----	6.997 - 2.184	.8862	----	----	----	----	5 UNCH
6900	----	----	9.025B/5.582A	9.025B/5.582A	----	6.550 - 2.163	.8706	----	----	----	----	16 UNCH
6925	----	----	8.833B/5.383A	8.833B/5.383A	----	6.329 - 2.152	.8621	----	----	----	----	9 UNCH
6975	----	----	8.753B/4.921A	8.753B/4.921A	----	5.895 - 2.126	.8437	----	----	----	----	7 UNCH
7000	4.694	4.694	8.781B/4.694	8.781B/4.694	----	5.682 - 2.111	.8336	----	----	1	----	129 UNCH
7025	----	----	8.715B/4.539A	8.715B/4.539A	----	5.471 - 2.095	.8232	----	----	----	----	1 UNCH
7050	----	----	----/4.365A	6.039B/4.365A	----	5.262 - 2.080	.8121	----	----	----	----	2 UNCH
7075	----	----	----/4.194A	5.825B/4.194A	----	5.057 - 2.062	.8005	----	----	----	----	4 UNCH
7100	----	----	----/4.025A	5.826B/4.025A	----	4.854 - 2.044	.7883	----	----	----	----	93 UNCH
7150	----	----	----/3.705A	5.200B/3.705A	----	4.459 - 2.004	.7623	----	----	----	----	1 UNCH
7200	----	----	----/3.389A	4.780B/3.389A	----	4.077 - 1.961	.7342	----	----	----	----	5 UNCH
7225	----	----	----/3.240A	4.582B/3.240A	----	3.891 - 1.938	.7193	----	----	----	----	4 UNCH
7250	----	----	----/*3.033A	4.635B/*3.033A	----	3.710 - 1.913	.7039	----	----	----	----	31 UNCH
7275	----	----	----/*2.809A	4.197B/*2.809A	----	3.532 - 1.888	.6879	----	----	----	----	2 UNCH
7300	----	----	----/2.646A	4.263B/2.646A	----	3.359 - 1.861	.6715	----	----	----	----	18 UNCH
7325	----	----	----/*2.494A	3.826B/*2.494A	----	3.191 - 1.833	.6546	----	----	----	----	1 UNCH
7350	----	----	----/*2.351A	3.905B/*2.351A	----	3.026 - 1.804	.6373	----	----	----	----	23 UNCH
7375	2.476	2.476	2.476/*2.214A	3.733B/*2.214A	----	2.867 - 1.773	.6195	----	----	22	----	25 + 19
7400	2.316	2.316	2.316/*2.093A	3.563B/*2.093A	----	2.712 - 1.742	.6014	----	----	17	----	61 + 14
7425	2.434	2.434	2.434/*1.956A	3.398B/*1.956A	----	2.562 - 1.710	.5829	----	----	2	----	33 + 2
7450	2.100	2.100	2.500/*1.831A	3.237B/*1.831A	----	2.418 - 1.677	.5641	----	----	28	----	26 + 11
7475	2.179	2.179	2.220/*1.714A	2.836B/*1.714A	----	2.278 - 1.643	.5451	----	----	5	----	4 + 3
7500	1.814	1.814	2.189/*1.602A	2.927B/*1.602A	----	2.143 - 1.607	.5259	----	----	21	----	230 + 1
7525	1.803	1.803	1.803/*1.501A	2.779B/*1.501A	----	2.014 - 1.571	.5066	----	----	4	----	10 UNCH
7550	----	----	----/*1.401A	2.773B/*1.401A	----	1.890 - 1.533	.4872	----	----	1	----	31 + 1
7575	1.800	1.800	1.829/*1.303A	2.754B/*1.303A	----	1.772 - 1.495	.4678	----	----	2	----	7 + 1
7600	1.723	1.723	1.723/*1.208A	2.822B/*1.208A	----	1.659 - 1.455	.4485	----	----	16	----	91 + 8
7625	2.138	2.138	2.360/*1.115A	2.807B/*1.115A	----	1.551 - 1.414	.4292	----	----	63	----	20 + 15
7650	2.016	2.016	2.864B/*1.030A	2.864B/*1.030A	----	1.448 - 1.373	.4101	----	----	51	----	22 + 15
7675	2.215	2.215	2.873B/*0.963A	2.873B/*0.963A	----	1.351 - 1.331	.3913	----	----	2	----	25 + 2
7700	2.161	2.161	2.887B/*0.891A	2.887B/*0.891A	----	1.259 - 1.288	.3727	----	----	21	----	142 - 5
7725	2.215	2.215	2.877B/*0.829A	2.877B/*0.829A	----	1.172 - 1.245	.3545	----	----	7	----	17 + 6
7750	2.104	2.104	2.879B/*0.761A	2.879B/*0.761A	----	1.090 - 1.200	.3367	----	----	16	40	117 + 30
7775	2.296	2.296	2.923B/*0.705A	2.923B/*0.705A	----	1.012 - 1.156	.3192	----	----	42	----	33 + 28
7800	2.296	2.296	2.884B/*0.655A	2.884B/*0.655A	----	0.940 - 1.110	.3023	----	----	33	----	194 + 10
7825	2.347	2.347	2.764B/*0.615A	2.764B/*0.615A	----	0.872 - 1.065	.2859	----	----	5	----	20 + 1
7850	2.052	2.052	2.654B/*0.572A	2.654B/*0.572A	----	0.809 - 1.019	.2702	----	----	4	----	3 UNCH
7875	----	----	2.521B/*0.532A	2.521B/*0.532A	----	0.750 - 0.973	.2550	----	----	----	----	5 UNCH
7900	2.201	2.201	2.451/*0.487A	2.451/*0.487A	----	0.695 - 0.928	.2403	----	----	41	----	147 + 2
7925	----	----	2.245B/*0.456A	2.245B/*0.456A	----	0.644 - 0.883	.2264	----	----	----	----	14 UNCH
7950	1.200	1.200	2.128B/*0.425A	2.128B/*0.425A	----	0.596 - 0.841	.2129	----	----	15	----	39 + 2
7975	----	----	1.989B/*0.396A	1.989B/*0.396A	----	0.553 - 0.798	.2004	----	----	----	----	22 UNCH
8000	1.800	1.800	2.196/*0.340	2.196/*0.340	----	0.512 - 0.756	.1883	----	----	185	----	769 + 54
8025	----	----	1.780B/*0.346A	1.780B/*0.346A	----	0.475 - 0.716	.1770	----	----	1	----	24 UNCH
8050	0.440	0.440	1.706B/*0.321A	1.706B/*0.321A	----	0.441 - 0.678	.1663	----	----	3	----	25 - 1
8075	----	----	1.606B/*0.301A	1.606B/*0.301A	----	0.409 - 0.641	.1561	----	----	1	----	6 + 1
8100	0.737	0.737	1.486B/*0.250	1.486B/*0.250	----	0.380 - 0.606	.1466	----	----	13	----	161 - 1
8125	----	----	1.433B/*0.268A	1.433B/*0.268A	----	0.353 - 0.574	.1377	----	----	----	----	14 UNCH
8150	0.710	0.710	1.340B/*0.265A	1.340B/*0.265A	----	0.329 - 0.541	.1294	----	----	7	----	66 + 2
8175	0.665	0.665	1.258B/*0.249A	1.258B/*0.249A	----	0.306 - 0.512	.1215	----	----	2	----	7 UNCH
8200	0.700	0.700	1.199B/*0.239A	1.199B/*0.239A	----	0.286 - 0.483	.1144	----	----	30	----	192 + 2
8225	----	----	1.109B/*0.229A	1.109B/*0.229A	----	0.267 - 0.455	.1076	----	----	----	----	61 UNCH
8250	0.570	0.570	1.058B/*0.216A	1.058B/*0.216A	----	0.250 - 0.430	.1013	----	----	8	----	52 + 4
8275	----	----	0.989B/*0.203A	0.989B/*0.203A	----	0.234 - 0.406	.0954	----	----	----	----	39 UNCH
8300	0.710	0.710	0.928B/*0.136	0.928B/*0.136	----	0.219 - 0.384	.0898	----	----	9	----	142 UNCH
8325	----	----	0.867B/*0.184A	0.867B/*0.184A	----	0.206 - 0.362	.0848	----	----	----	----	11 UNCH
8350	0.850	0.850	0.850/*0.175A	0.850/*0.175A	----	0.193 - 0.342	.0799	----	----	1	----	24 UNCH
8375	----	----	0.764B/*0.167A	0.764B/*0.167A	----	0.182 - 0.323	.0755	----	----	----	----	11 UNCH
8400	0.500	0.500	0.718B/*0.150	0.718B/*0.150	----	0.172 - 0.305	.0715	----	----	8	----	410 - 2
8425	----	----	0.659B/*0.150A	0.659B/*0.150A	----	0.162 - 0.288	.0676	----	----	----	----	60 UNCH
8450	0.340	0.340	0.633B/*0.144A	0.633B/*0.144A	----	0.153 - 0.272	.0640	----	----	2	----	27 + 1
8475	----	----	0.592B/*0.138A	0.592B/*0.138A	----	0.145 - 0.256	.0607	----	----	----	----	7 UNCH
8500	0.275	0.275	0.546B/*0.100	0.546B/*0.100	----	0.138 - 0.242	.0578	----	----	39	----	603 + 2
8525	----	----	0.521B/*0.126A	0.521B/*0.126A	----	0.131 - 0.228	.0549	----	----	----	----	20 UNCH
8550	----	----	0.481B/*0.121A	0.481B/*0.121A	----	0.125 - 0.215	.0523	----	----	----	----	17 UNCH
8575	0.138	0.138	0.452B/*0.116A	0.452B/*0.116A	----	0.119 - 0.202	.0498	----	----	2	----	28 UNCH
8600	0.124	0.124	0.432B/*0.112A	0.432B/*0.112A	----	0.113 - 0.191	.0474	----	----	2	----	277 - 2
8625	0.124	0.124	0.396B/*0.079	0.396B/*0.079	----	0.108 - 0.179	.0452	----	----	2	----	56 + 1
8650	0.112	0.112	0.380B/*0.104A	0.380B/*0.104A	----	0.104 - 0.168	.0434	----	----	2	----	7 - 1
8675	0.106	0.106	0.357B/*0.100A	0.357B/*0.100A	----	0.099 - 0.159	.0413	----	----	14	----	35 UNCH
8700	----	----	0.350B/*0.096A	0.350B/*0.096A	----	0.095 - 0.150	.0396	----	----	13	----	133 - 10
8725	----	----	0.309B/*0.093A	0.309B/*0.093A	----	0.092 - 0.141	.0382	----	----	----	----	28 UNCH
8750	----	----	0.291B/*0.091A	0.291B/*0.091A	----	0.088 - 0.133	.0365	----	----	4	----	47 - 4
8775	----	----	0.270B/*0.088A	0.270B/*0.088A	----	0.085 - 0.125	.0351	----	----	----	----	16 UNCH
8800	----	----	0.257B/*0.084A	0.257B/*0.084A	----	0.082 - 0.118	.0338	----	----	3	----	90 - 3
8825	----	----	0.242B/*0.083A	0.242B/*0.083A	----	0.079 - 0.112	.0325	----	----	----	----	19 UNCH
8850	----	----	0.228B/*0.081A	0.228B/*0.081A	----	0.076 - 0.106	.0312	----	----	----	----	36 UNCH
8875	----	----	0.215B/*0.078A	0.215B/*0.078A	----	0.074 - 0.099	.0302	----	----	----	----	29 UNCH
8900	----	----	0.202B/*0.075A	0.202B/*0.075A	----	0.071 - 0.094	.0289	----	----	1	----	194 UNCH
8925	----	----	0.190B/*0.073A	0.190B/*0.073A	----	0.069 - 0.090	.0280	----	----	----	----	4 UNCH
8950	----	----	0.179B/*0.071A	0.179B/*0.071A	----	0.067 - 0.085	.0271	----	----	----	----	34 UNCH
8975	0.067	0.067	0.067/*0.061A	0.092B/*0.061A	----	0.065 - 0.081	.0262	----	----	2	----	42 UNCH
9000	0.206	0.206	0.206/*0.047	0.206/*0.047	----	0.063 - 0.077	.0253	----	----	24	----	742 - 12
9025	0.040	0.040	0.040/*0.040	0.079B/*0.040	----	0.061 - 0.074	.0244	----	----	1	----	22 UNCH
9050	0.094	0.094	0.094/*0.063A	0.094/*0.063A	----	0.059 - 0.071	.0236	----	----	7	----	27 - 2
9075	0.055	0.055	0.055/*0.055	0.067B/*0.055	----	0.058 - 0.068	.0230	----	----	3	----	15 UNCH
9100	0.082	0.082	0.082/*0.036	0.082/*0.036	----	0.056 - 0.065	.0222	----	----	4	----	407 - 1
9125	----	----	----/*0.057A	0.057B/*0.057A	----	0.055 - 0.062	.0216	----	----	----	----	6 UNCH
9150	0.070	0.070	0.080/*0.056A	0.080/*0.056A	----	0.053 - 0.061	.0208	----	----	19	----	288 - 1
9175	----	----	----/*0.058A	0.048B/*0.058A	----	0.052 - 0.058	.0203	----	----	----	----	28 UNCH
9200	0.025	0.025	0.025/*0.025	0.054B/*0.025	----	0.050 - 0.057	.0195	----	----	1	----	192 UNCH
9225	----	----	----/*0.053A	0.041B/*0.053A	----	0.049 - 0.054	.0190	----	----	----	----	22 UNCH
9250	----	----	----/*0.045A	0.038B/*0.045A	----	0.048 - 0.052	.0186	----	----	----	----	126 UNCH
9275	----	----	----/*0.052A	0.044B/*0.052A	----	0.047 - 0.051	.0181	----	----	----	----	12 UNCH
9300	0.055	0.055	0.055/*0.052A	0.055/*0.052A	----	0.046 - 0.049	.0176	----	----	1	----	102 UNCH
9325	----	----	----/*0.052A	0.031B/*0.052A	----	0.045 - 0.047	.0172	----	----	----	----	4 UNCH
9350	----	----	----/*0.055A	0.032B/*0.055A	----	0.044 - 0.046	.0167	----	----	----	----	24 UNCH
9375	----	----	----/*0.050A	0.026B/*0.050A	----	0.043 - 0.044	.0163	----	----	----	----	25 UNCH
9400	0.026	0.026	0.026/*0.026	0.032B/*0.026	----	0.042 - 0.043	.0158	----	----	2	----	128 + 1
9425	----	----	----/*0.053A	0.032B/*0.053A	----	0.041 - 0.042	.0154	----	----	----	----	57 UNCH
9450	----	----	----/*0.050A	0.040B/*0.050A	----	0.040 - 0.041	.0150	----	----	----	----	16 UNCH
9475	----	----	----/*0.051A	0.027B/*0.051A	----	0.039 - 0.040	.0146	----	----	----	----	19 UNCH
9500	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.038 - 0.039	.0142	----	----	2	----	1403 - 2
9525	----	----	----/*0.050A	0.017B/*0.050A	----	0.037 - 0.038	.0138	----	----	----	----	14 UNCH
9550	0.045	0.045	0.045/*0.035A	0.045/*0.035A	----	0.037 - 0.036	.0136	----	----	2	----	22 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
9575	----	----	----/*0.050A	0.014B/*0.050A	----	0.036 -	0.035 .0132	----	----	----	----	5 UNCH
9600	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.035 -	0.035 .0128	----	----	2	----	55 UNCH
9625	0.030	0.030	0.030/*0.030	0.032B/*0.030	----	0.035 -	0.033 .0127	----	----	1	----	10 UNCH
9650	----	----	----/*0.049A	0.010B/*0.049A	----	0.034 -	0.032 .0124	----	----	----	----	1 UNCH
9675	----	----	----/*0.050A	0.009B/*0.050A	----	0.033 -	0.032 .0120	----	----	----	----	10 UNCH
9700	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.033 -	0.030 .0119	----	----	1	----	50 UNCH
9725	----	----	----/*0.051A	0.010B/*0.051A	----	0.032 -	0.029 .0115	----	----	----	----	7 UNCH
9750	0.030	0.030	0.030/*0.030	0.031B/*0.030	----	0.032 -	0.027 .0114	----	----	16	----	47 + 12
9775	----	----	----/*0.050A	0.009B/*0.050A	----	0.031 -	0.027 .0111	----	----	----	----	1 UNCH
9800	----	----	----/*0.050A	0.008B/*0.050A	----	0.031 -	0.026 .0110	----	----	----	----	60 UNCH
9825	----	----	----/*0.050A	0.009B/*0.050A	----	0.030 -	0.026 .0106	----	----	----	----	6 UNCH
9850	----	----	----/*0.050A	0.008B/*0.050A	----	0.030 -	0.024 .0105	----	----	----	----	3 UNCH
9875	----	----	----/*0.048A	0.008B/*0.048A	----	0.029 -	0.024 .0102	----	----	----	----	18 UNCH
9900	0.040	0.040	0.040/0.040	0.040/0.040	----	0.029 -	0.023 .0101	----	----	1	----	49 UNCH
9925	----	----	----/*0.047A	0.007B/*0.047A	----	0.028 -	0.023 .0098	----	----	----	----	24 UNCH
9950	----	----	----/*0.048A	0.005B/*0.048A	----	0.028 -	0.022 .0097	----	----	----	----	11 UNCH
9975	----	----	----	0.005B/*0.049A	----	0.027 -	0.021 .0094	----	----	----	----	14 UNCH
10000	0.030	0.030	0.050/*0.022	0.050/*0.022	----	0.027 -	0.020 .0093	----	----	38	----	2260 UNCH
10025	----	----	----	0.003B/*0.045A	----	0.027 -	0.018 .0092	----	----	----	----	13 UNCH
10050	----	----	----	0.001B/*0.045A	----	0.026 -	0.017 .0089	----	----	----	----	12 UNCH
10075	----	----	----	----/*0.044A	----	0.026 -	0.016 .0088	----	----	----	----	12 UNCH
10100	----	----	----	----/0.047A	----	0.026 -	0.015 .0088	----	----	----	----	217 UNCH
10125	----	----	----	----/*0.046A	----	0.025 -	0.014 .0085	----	----	----	----	2 UNCH
10150	----	----	----	----/*0.043A	----	0.025 -	0.013 .0084	----	----	----	----	7 UNCH
10175	----	----	----	----/*0.046A	----	0.025 -	0.012 .0084	----	----	----	----	1 UNCH
10200	----	----	----/*0.028A	0.010B/*0.028A	----	0.024 -	0.012 .0080	----	----	----	----	54 UNCH
10225	----	----	----	----/*0.049A	----	0.024 -	0.011 .0080	----	----	----	----	1 UNCH
10250	----	----	----/*0.030A	0.020B/*0.030A	----	0.024 -	0.009 .0079	----	----	----	----	13 UNCH
10275	----	----	----	----/*0.047A	----	0.023 -	0.009 .0076	----	----	----	----	1 UNCH
10300	----	----	----	----/*0.046A	----	0.023 -	0.009 .0076	----	----	----	----	23 UNCH
10350	----	----	----	----/*0.042A	----	0.023 -	0.007 .0075	----	----	----	----	1 UNCH
10375	----	----	----	----/*0.040A	----	0.022 -	0.008 .0072	----	----	----	----	2 UNCH
10400	0.030	0.030	0.030/0.030	0.030/0.030	----	0.022 -	0.008 .0071	----	----	4	----	36 + 3
10425	----	----	----	----/*0.043A	----	0.022 -	0.005 .0071	----	----	----	----	1 UNCH
10450	----	----	----	----/*0.043A	----	0.022 -	0.005 .0071	----	----	----	----	5 UNCH
10475	----	----	----	----/*0.042A	----	0.021 -	0.005 .0068	----	----	----	----	4 UNCH
10500	0.040	0.040	0.040/*0.040	0.040/*0.030A	----	0.021 -	0.004 .0067	----	----	1	----	294 UNCH
10525	----	----	----	----/*0.048A	----	0.021 -	0.004 .0067	----	----	----	----	12 UNCH
10550	----	----	----	----/*0.041A	----	0.021 -	0.003 .0067	----	----	----	----	2 UNCH
10575	----	----	----	----/*0.041A	----	0.020 -	0.003 .0064	----	----	----	----	4 UNCH
10600	----	----	----	----/*0.042A	----	0.020 -	0.003 .0063	----	----	----	----	25 UNCH
10625	----	----	----	----/*0.048A	----	0.020 -	0.002 .0063	----	----	----	----	2 UNCH
10650	----	----	----	----/*0.046A	----	0.020 -	0.002 .0063	----	----	----	----	2 UNCH
10675	----	----	----	----/*0.060A	----	0.020 -	0.001 .0062	----	----	----	----	15 UNCH
10700	----	----	----	----/*0.053A	----	0.019 -	0.002 .0059	----	----	----	----	103 UNCH
10750	----	----	----	----/*0.062A	----	0.019 -	0.001 .0059	----	----	----	----	4 UNCH
10800	----	----	----	----/*0.063A	----	0.019	UNCH .0058	----	----	----	----	20 UNCH
10825	----	----	----	----/*0.065A	----	0.019	UNCH .0058	----	----	----	----	2 UNCH
10850	----	----	----	----/*0.064A	----	0.018	UNCH .0055	----	----	----	----	12 UNCH
10875	----	----	----	----/*0.063A	----	0.018	UNCH .0055	----	----	----	----	6 UNCH
10900	----	----	----	----/*0.062A	----	0.018	UNCH .0055	----	----	----	----	26 UNCH
10925	----	----	----	----/*0.058A	----	0.018 +	0.001 .0054	----	----	----	----	2 UNCH
10950	----	----	----	----/*0.054A	----	0.018 +	0.001 .0054	----	----	----	----	4 UNCH
11000	0.017	0.017	0.021/*0.015	0.021/*0.015	----	0.017	UNCH .0051	----	----	23	----	428 + 1
11025	----	----	----	----/*0.060A	----	0.017 +	0.001 .0051	----	----	----	----	1 UNCH
11050	----	----	----	----/*0.061A	----	0.017 +	0.001 .0051	----	----	----	----	5 UNCH
11075	----	----	----	----/*0.056A	----	0.017 +	0.002 .0050	----	----	----	----	5 UNCH
11100	----	----	----	----/*0.061A	----	0.017 +	0.002 .0050	----	----	----	----	3 UNCH
11125	----	----	----	----/*0.061A	----	0.017 +	0.002 .0050	----	----	----	----	5 UNCH
11175	----	----	----	----/*0.054A	----	0.016 +	0.002 .0047	----	----	----	----	3 UNCH
11200	----	----	----	----/*0.058A	----	0.016 +	0.002 .0047	----	----	1	----	8 UNCH
11225	----	----	----	----/*0.057A	----	0.016 +	0.002 .0047	----	----	----	----	3 UNCH
11250	----	----	----	----/*0.056A	----	0.016 +	0.002 .0046	----	----	----	----	1 UNCH
11300	----	----	----	----/*0.067A	----	0.016 +	0.003 .0046	----	----	----	----	3 UNCH
11325	----	----	----	----/*0.067A	----	0.016 +	0.003 .0046	----	----	----	----	6 UNCH
11350	----	----	----	----/*0.066A	----	0.015 +	0.002 .0043	----	----	----	----	3 UNCH
11375	----	----	----	----/0.066A	----	0.015 +	0.002 .0043	----	----	----	----	2 UNCH
11400	----	----	----	----/*0.065A	----	0.015 +	0.002 .0043	----	----	----	----	163 UNCH
11425	----	----	----	----/0.065A	----	0.015 +	0.003 .0043	----	----	----	----	12 UNCH
11450	----	----	----	----/0.062A	----	0.015 +	0.003 .0043	----	----	----	----	13 UNCH
11475	----	----	----	----/*0.062A	----	0.015 +	0.003 .0042	----	----	----	----	8 UNCH
11500	----	----	----	----/*0.020A	----	0.015 +	0.003 .0042	----	----	----	----	198 UNCH
11525	----	----	----	----/*0.063A	----	0.015 +	0.003 .0042	----	----	----	----	8 UNCH
11550	----	----	----	----/*0.060A	----	0.015 +	0.003 .0042	----	----	----	----	1 UNCH
11575	----	----	----	----/*0.056A	----	0.014 +	0.003 .0039	----	----	----	----	4 UNCH
11600	----	----	----	----/*0.063A	----	0.014 +	0.003 .0039	----	----	----	----	1 UNCH
11625	----	----	----	----/*0.063A	----	0.014 +	0.003 .0039	----	----	----	----	21 UNCH
11675	----	----	----	----/0.066A	----	0.014 +	0.003 .0039	----	----	----	----	2 UNCH
11700	----	----	----	----/0.064A	----	0.014 +	0.003 .0039	----	----	----	----	38 UNCH
11725	----	----	----	----/0.065A	----	0.014 +	0.003 .0038	----	----	----	----	2 UNCH
11750	----	----	----	----/*0.064A	----	0.014 +	0.004 .0038	----	----	----	----	15 UNCH
11775	----	----	----	----/*0.064A	----	0.014 +	0.004 .0038	----	----	----	----	2 UNCH
11800	----	----	----	----/0.065A	----	0.014 +	0.004 .0038	----	----	----	----	38 UNCH
11825	----	----	----	----/*0.064A	----	0.013 +	0.003 .0036	----	----	----	----	9 UNCH
11850	----	----	----	----/0.064A	----	0.013 +	0.003 .0035	----	----	----	----	5 UNCH
11875	----	----	----	----/0.064A	----	0.013 +	0.003 .0035	----	----	----	----	1 UNCH
11900	----	----	----	----/*0.064A	----	0.013 +	0.003 .0035	----	----	----	----	14 UNCH
11925	----	----	----	----/*0.063A	----	0.013 +	0.003 .0035	----	----	----	----	8 UNCH
11950	----	----	----	----/*0.057A	----	0.013 +	0.003 .0035	----	----	----	----	6 UNCH
11975	----	----	----	----/0.064A	----	0.013 +	0.004 .0035	----	----	----	----	1 UNCH
12000	----	----	----	----/0.020A	----	0.013 +	0.004 .0035	----	----	----	----	400 UNCH
12025	----	----	----	----/0.063A	----	0.013 +	0.004 .0035	----	----	----	----	11 UNCH
12050	----	----	----	----/*0.064A	----	0.013 +	0.004 .0034	----	----	----	----	1 UNCH
12075	----	----	----	----/*0.063A	----	0.012 +	0.003 .0032	----	----	----	----	1 UNCH
12100	----	----	----	----/0.063A	----	0.012 +	0.003 .0032	----	----	----	----	31 UNCH
12125	----	----	----	----/*0.061A	----	0.012 +	0.003 .0032	----	----	----	----	1 UNCH
12200	----	----	----	----/*0.062A	----	0.012 +	0.003 .0032	----	----	----	----	22 UNCH
12225	----	----	----	----/*0.062A	----	0.012 +	0.004 .0031	----	----	----	----	7 UNCH
12275	----	----	----	----/*0.062A	----	0.012 +	0.004 .0031	----	----	----	----	1 UNCH
12325	----	----	----	----/*0.060A	----	0.012 +	0.004 .0031	----	----	----	----	4 UNCH
12350	----	----	----	----/*0.061A	----	0.011 +	0.003 .0029	----	----	----	----	5 UNCH
12400	----	----	----	----/*0.069A	----	0.011 +	0.003 .0029	----	----	----	----	23 UNCH
12425	----	----	----	----/*0.069A	----	0.011 +	0.003 .0028	----	----	----	----	1 UNCH
12450	----	----	----	----/*0.069A	----	0.011 +	0.003 .0028	----	----	----	----	9 UNCH
12475	----	----	----	----/*0.069A	----	0.011 +	0.003 .0028	----	----	----	----	1 UNCH
12500	----	----	----	0.005B/0.020A	----	0.011 +	0.004 .0028	----	----	----	----	92 UNCH
12525	----	----	----	----/*0.070A	----	0.011 +	0.004 .0028	----	----	----	----	37 UNCH
12550	----	----	----	----/*0.069A	----	0.011 +	0.004 .0028	----	----	----	----	6 UNCH
12575	----	----	----	----/*0.069A	----	0.011 +	0.004 .0028	----	----	----	----	2 UNCH
12600	----	----	----	----/*0.069A	----	0.011 +	0.004 .0028	----	----	----	----	9 UNCH
12650	----	----	----	----/0.076A	----	0.010 +	0.003 .0026	----	----	----	----	2 UNCH
12675	----	----	----	----/0.075A	----	0.010 +	0.003 .0025	----	----	----	----	2 UNCH
12700	----	----	----	----/0.074A	----	0.010 +	0.003 .0025	----	----	----	----	11 UNCH
12725	----	----	----	----/0.079A	----	0.010 +	0.003 .0025	----	----	----	----	2 UNCH
12750	----	----	----	----/0.282A	----	0.010 +	0.003 .0025	----	----	----	----	2 UNCH
12775	----	----	----	----/0.282A	----	0.010 +	0.003 .0025	----	----	----	----	9 UNCH
12800	----	----	----	----/0.283A	----	0.010 +	0.003 .0025	----	----	----	----	34 UNCH
12900	----	----	----	----/0.284A	----	0.010 +	0.004 .0025	----	----	----	----	6 UNCH
13000	----	----	----	----/0.020A	----	0.009 +	0.003 .0022	----	----	----	----	519 UNCH
13100	----	----	----	----/0.286A	----	0.009 +	0.003 .0022	----	----	----	----	4 UNCH
13200	----	----	----	----/0.287A	----	0.009 +	0.003 .0022	----	----	----	----	3 UNCH
13300	----	----	----	----/0.288A	----	0.008 +	0.003 .0020	----	----	----	----	4 UNCH
13400	----	----	----	----/0.288A	----	0.008 +	0.003 .0019	----	----	----	----	6 UNCH
13500	----	----	----	----/0.289A	----	0.008 +	0.003 .0019	----	----	----	----	31 UNCH
13600	----	----	----	----/0.290A	----	0.008 +	0.003 .0019	----	----	----	----	7 UNCH
13700	----	----	----	----/0.290A	----	0.007 +	0.003 .0017	----	----	----	----	5 UNCH
13800	----	----	----	----/0.291A	----	0.007 +	0.003 .0017	----	----	----	----	1 UNCH
13900	----	----	----	----/0.291A	----	0.007 +	0.003 .0016	----	----	----	----	3 UNCH
14000	----	----	----	----/0.020A	----	0.007 +	0.003 .0016	----	----	----	----	337 UNCH
14200	----	----	----	----/0.293A	----	0.006 +	0.002 .0014	----	----	----	----	60 UNCH
14300	----	----	----	----/0.293A	----	0.006 +	0.003 .0014	----	----	----	----	1 UNCH
14400	----	----	----	----/0.292A	----	0.006 +	0.003 .0014	----	----	----	----	65 UNCH
14500	----	----	----	----/0.296A	----	0.006 +	0.003 .0014	----	----	----	----	31 UNCH
14600	----	----	----	----/0.294A	----	0.005 +	0.002 .0011	----	----	----	----	7 UNCH
14700	----	----	----	----/0.294A	----	0.005 +	0.002 .0011	----	----	----	----	11 UNCH
14800	----	----	----	----/0.295A	----	0.005 +	0.002 .0011	----	----	----	----	10 UNCH
14900	----	----	----	----/0.295A	----	0.005 +	0.002 .0011	----	----	----	----	6 UNCH
15000	----	----	----	----/0.017A	----	0.005 +	0.002 .0011	----	----	----	----	144 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
15300	----	----	----	----/0.296A	----	0.004 + 0.002	.0009	----	----	----	----	2 UNCH
15400	----	----	----	----/0.296A	----	0.004 + 0.002	.0009	----	----	----	----	1 UNCH
15500	----	----	----	----/0.296A	----	0.004 + 0.002	.0009	----	----	----	----	6 UNCH
15600	----	----	----	----/0.296A	----	0.004 + 0.002	.0009	----	----	----	----	1 UNCH
15700	----	----	----	----/0.296A	----	0.004 + 0.002	.0009	----	----	----	----	1 UNCH
15800	----	----	----	----/0.297A	----	0.004 + 0.002	.0009	----	----	----	----	6 UNCH
15900	----	----	----	----/0.297A	----	0.004 + 0.002	.0008	----	----	----	----	8 UNCH
16000	----	----	----	----/0.298A	----	0.003 + 0.001	.0006	----	----	----	----	198 UNCH
16200	----	----	----	----/0.299A	----	0.002 + 0.001	.0004	----	----	----	----	36 UNCH
16400	----	----	----	----/0.297A	----	0.002 + 0.001	.0004	----	----	----	----	1 UNCH
16500	----	----	----	----/0.297A	----	0.001 UNCH	.0002	----	----	----	----	30 UNCH
16600	----	----	----	----/0.297A	----	0.001 UNCH	.0002	----	----	----	----	2 UNCH
16700	----	----	----	----/0.298A	----	0.001 UNCH	.0002	----	----	----	----	7 UNCH
16800	----	----	----	----/0.298A	----	0.001 UNCH	.0002	----	----	----	----	3 UNCH
17000	----	----	----	----/0.014A	----	0.001 UNCH	.0002	----	----	----	----	27 UNCH
17100	----	----	----	----/0.298A	----	0.001 UNCH	.0002	----	----	----	----	5 UNCH
17200	----	----	----	----/0.298A	----	0.001 UNCH	.0002	----	----	----	----	5 UNCH
17300	----	----	----	----/0.298A	----	0.001 UNCH	.0002	----	----	----	----	11 UNCH
17400	----	----	----	----/0.298A	----	0.001 UNCH	.0002	----	----	----	----	2 UNCH
17500	----	----	----	----/*0.014A	----	0.001 UNCH	.0002	----	----	----	----	63 UNCH
17700	----	----	----	----/0.298A	----	0.001 UNCH	.0002	----	----	----	----	3 UNCH
17800	----	----	----	----/0.298A	----	0.001 UNCH	.0002	----	----	----	----	3 UNCH
18000	----	----	----	----/0.299A	----	0.001 UNCH	.0002	----	----	----	----	46 UNCH
18100	----	----	----	----/0.298A	----	0.001 UNCH	.0002	----	----	----	----	2 UNCH
18300	----	----	----	----/0.298A	----	0.001 UNCH	.0002	----	----	----	----	1 UNCH
18900	----	----	----	----/0.299A	----	0.001 UNCH	.0002	----	----	----	----	1 UNCH
19000	----	----	----	----/0.160A	----	0.001 UNCH	.0002	----	----	----	----	229 UNCH
19500	----	----	----	----/*0.023A	----	0.001 UNCH	.0002	----	----	----	----	126 UNCH
19600	----	----	----	----/0.299A	----	0.001 UNCH	.0002	----	----	----	----	2 UNCH
19900	----	----	----	----/0.296A	----	0.001 UNCH	.0002	----	----	----	----	28 UNCH
20000	----	----	----	----/0.003A	----	0.001 UNCH	.0002	----	----	----	----	235 UNCH
21000	----	----	----	----/0.283A	----	0.001 UNCH	.0002	----	----	----	----	20 UNCH
23000	----	----	----	----/0.253A	----	0.001 UNCH	.0001	----	----	----	----	14 UNCH
25000	----	----	----	----/0.224A	----	0.001 UNCH	.0001	----	----	----	----	302 UNCH
27000	----	----	----	----/0.216A	----	0.001 UNCH	.0001	----	----	----	----	3 UNCH
30000	----	----	----	----/0.005A	----	0.001 UNCH	.0001	----	----	----	----	31 UNCH
32000	----	----	----	----/0.205A	----	0.001 UNCH	.0001	----	----	----	----	1 UNCH
35000	----	----	----	----/0.002A	----	0.001 UNCH	.0001	----	----	----	----	45 UNCH
TOTAL										927	40	18737 + 208
JUL26												
2700	----	----	----/46.723A	48.988B/46.723A	----	48.159 - 2.285	.9993	----	----	----	----	1 UNCH
4000	----	----	----/33.720A	35.993B/33.720A	----	35.162 - 2.289	.9940	----	----	----	----	1 UNCH
4500	----	----	----/28.735A	31.214B/28.735A	----	30.185 - 2.285	.9887	----	----	----	----	28 UNCH
4600	----	----	----/27.697A	30.252B/27.697A	----	29.194 - 2.281	.9871	----	----	----	----	124 UNCH
4700	----	----	----/26.815A	29.010B/26.815A	----	28.203 - 2.277	.9854	----	----	----	----	1 UNCH
4750	----	----	----/26.323A	28.513B/26.323A	----	27.709 - 2.275	.9844	----	----	----	----	1 UNCH
4825	----	----	----/25.587A	27.769B/25.587A	----	26.968 - 2.272	.9829	----	----	----	----	3 UNCH
4900	----	----	----/24.826A	27.027B/24.826A	----	26.228 - 2.268	.9811	----	----	----	----	1 UNCH
4925	----	----	----/24.614A	26.993B/24.614A	----	25.981 - 2.267	.9806	----	----	----	----	16 UNCH
5000	26.690	26.690	26.690/23.747A	26.750B/23.747A	----	25.243 - 2.263	.9786	----	----	5	----	307 UNCH
5025	----	----	----/23.607A	25.791B/23.607A	----	24.998 - 2.261	.9780	----	----	----	----	4 UNCH
5050	----	----	----/23.364A	25.544B/23.364A	----	24.752 - 2.260	.9772	----	----	----	----	2 UNCH
5100	----	----	----/22.773A	25.300B/22.773A	----	24.262 - 2.256	.9757	----	----	----	----	133 UNCH
5150	----	----	----/22.359A	24.778B/22.359A	----	23.772 - 2.253	.9740	----	----	----	----	6 UNCH
5200	----	----	----/21.832A	24.286B/21.832A	----	23.283 - 2.249	.9722	----	----	----	----	40 UNCH
5225	----	----	----/21.644A	24.041B/21.644A	----	23.038 - 2.248	.9714	----	----	----	----	9 UNCH
5250	----	----	----/21.433A	23.578B/21.433A	----	22.794 - 2.246	.9704	----	----	----	----	2 UNCH
5275	----	----	----/21.194A	23.369B/21.194A	----	22.550 - 2.245	.9694	----	----	----	----	1 UNCH
5300	----	----	----/20.918A	23.306B/20.918A	----	22.307 - 2.242	.9684	----	----	----	----	7 UNCH
5350	----	----	----/20.411A	22.850B/20.411A	----	21.820 - 2.239	.9662	----	----	----	----	157 UNCH
5375	----	----	----/20.220A	22.357B/20.220A	----	21.577 - 2.237	.9651	----	----	----	----	1 UNCH
5400	----	----	----/19.974A	22.330B/19.974A	----	21.334 - 2.236	.9639	----	----	----	----	21 UNCH
5425	----	----	----/19.685A	22.087B/19.685A	----	21.093 - 2.233	.9627	----	----	----	----	42 UNCH
5450	----	----	----/19.515A	21.728B/19.515A	----	20.851 - 2.231	.9614	----	----	----	----	1 UNCH
5500	----	----	----/18.951A	21.394B/18.951A	----	20.368 - 2.227	.9586	----	----	----	----	496 UNCH
5550	----	----	----/18.570A	20.696B/18.570A	----	19.888 - 2.221	.9556	----	----	----	----	3 UNCH
5600	----	----	----/18.053A	20.429B/18.053A	----	19.408 - 2.217	.9525	----	----	----	----	106 UNCH
5650	----	----	----/17.637A	19.927B/17.637A	----	18.930 - 2.212	.9491	----	----	----	----	43 UNCH
5675	----	----	----/17.407A	19.690B/17.407A	----	18.691 - 2.210	.9474	----	----	----	----	25 UNCH
5700	----	----	----/17.156A	19.454B/17.156A	----	18.454 - 2.207	.9455	----	----	----	----	26 UNCH
5750	----	----	----/16.617A	18.993B/16.617A	----	17.980 - 2.202	.9415	----	----	----	----	164 UNCH
5775	----	----	----/16.496A	18.507B/16.496A	----	17.745 - 2.198	.9394	----	----	----	----	1 UNCH
5800	----	----	----/16.275A	18.510B/16.275A	----	17.509 - 2.195	.9372	----	----	----	----	16 UNCH
5900	----	----	----/15.380A	17.574B/15.380A	----	16.573 - 2.182	.9278	----	----	----	----	10 UNCH
5925	----	----	----/15.138A	17.341B/15.138A	----	16.341 - 2.179	.9252	----	----	----	----	10 UNCH
5950	----	----	----/14.911A	17.107B/14.911A	----	16.110 - 2.175	.9225	----	----	----	----	6 UNCH
5975	----	----	----/14.698A	16.876B/14.698A	----	15.880 - 2.170	.9197	----	----	----	----	20 UNCH
6000	----	----	----/14.438A	16.659B/14.438A	----	15.651 - 2.166	.9168	----	----	----	----	547 UNCH
6050	----	----	----/14.005A	16.199B/14.005A	----	15.195 - 2.157	.9106	----	----	----	----	58 UNCH
6075	----	----	----/13.857A	15.718B/13.857A	----	14.966 - 2.155	.9076	----	----	----	----	1 UNCH
6100	----	----	----/13.620A	15.730B/13.620A	----	14.740 - 2.150	.9042	----	----	----	----	10 UNCH
6200	----	----	----/12.753A	14.846B/12.753A	----	13.849 - 2.127	.8897	----	----	----	----	101 UNCH
6250	----	----	----/12.390A	14.142B/12.390A	----	13.409 - 2.117	.8818	----	----	----	----	1 UNCH
6300	----	----	----/11.984A	14.065B/11.984A	----	12.975 - 2.104	.8733	----	----	----	----	3 UNCH
6350	----	----	----/11.590A	14.122B/11.590A	----	12.546 - 2.092	.8643	----	----	----	----	2 UNCH
6450	----	----	----/10.868A	12.409B/10.868A	----	11.706 - 2.061	.8447	----	----	----	----	1 UNCH
6500	10.500	10.500	10.500/10.280	12.256B/10.280	----	11.298 - 2.042	.8340	----	----	2	----	182 - 1
6600	----	----	----/9.636A	11.441B/9.636A	----	10.498 - 2.006	.8112	----	----	----	----	56 UNCH
6650	----	----	----/9.282A	11.044B/9.282A	----	10.111 - 1.984	.7989	----	----	----	----	102 UNCH
6750	----	----	----/8.600A	10.276B/8.600A	----	9.358 - 1.939	.7729	----	----	----	----	24 UNCH
6800	----	----	----/8.233A	9.902B/8.233A	----	8.994 - 1.915	.7593	----	----	----	----	251 UNCH
6825	----	----	----/8.096A	9.718B/8.096A	----	8.815 - 1.903	.7522	----	----	----	----	6 UNCH
6850	----	----	----/8.073A	9.290B/8.073A	----	8.640 - 1.889	.7451	----	----	----	----	1 UNCH
6875	----	----	----/7.759A	9.359B/7.759A	----	8.465 - 1.877	.7379	----	----	----	----	16 UNCH
6900	----	----	----/7.559A	9.180B/7.559A	----	8.294 - 1.862	.7305	----	----	----	----	99 UNCH
6950	----	----	----/7.263A	8.833B/7.263A	----	7.956 - 1.835	.7156	----	----	----	----	26 UNCH
7000	----	----	----/6.929A	8.493B/6.929A	----	7.628 - 1.807	.7003	----	----	----	----	153 UNCH
7025	----	----	----/6.778A	8.328B/6.778A	----	7.469 - 1.791	.6925	----	----	----	----	125 UNCH
7050	----	----	----/6.776A	7.893B/6.776A	----	7.312 - 1.776	.6846	----	----	----	----	1 UNCH
7100	----	----	----/6.341A	7.845B/6.341A	----	7.002 - 1.746	.6688	----	----	----	----	6 UNCH
7150	----	----	----/6.053A	7.536B/6.053A	----	6.704 - 1.714	.6526	----	----	----	----	100 UNCH
7200	----	----	----/5.779A	7.235B/5.779A	----	6.414 - 1.683	.6363	----	----	----	----	12 UNCH
7225	----	----	----/5.767A	6.797B/5.767A	----	6.274 - 1.666	.6281	----	----	----	----	1 UNCH
7250	----	----	----/5.513A	7.155B/5.513A	----	6.135 - 1.650	.6199	----	----	----	----	171 UNCH
7300	5.500	5.500	5.700/5.246A	6.862B/5.246A	----	5.866 - 1.616	.6034	----	----	5	----	104 UNCH
7325	----	----	----/5.119A	6.719B/5.119A	----	5.735 - 1.600	.5951	----	----	----	----	113 UNCH
7350	----	----	----/4.953A	6.578B/4.953A	----	5.606 - 1.583	.5868	----	----	----	----	2 UNCH
7400	5.102	5.102	5.102/4.730A	6.343B/4.730A	----	5.355 - 1.550	.5702	----	----	4	----	16 + 1
7425	----	----	----/4.614A	6.209B/4.614A	----	5.235 - 1.531	.5619	----	----	----	----	6 UNCH
7450	----	----	----/4.515A	6.078B/4.515A	----	5.115 - 1.516	.5536	----	----	4	----	16 + 2
7475	----	----	----/4.413A	5.949B/4.413A	----	4.999 - 1.498	.5454	----	----	3	----	4 + 3
7500	5.843	5.843	5.892/4.292A	5.892/4.292A	----	4.884 - 1.482	.5371	----	----	66	----	304 + 2
7525	----	----	----/4.201A	5.699B/4.201A	----	4.772 - 1.465	.5289	----	----	----	----	1 UNCH
7550	----	----	----/4.102A	5.776B/4.102A	----	4.661 - 1.449	.5208	----	----	----	----	7 UNCH
7575	----	----	----/4.002A	5.861B/4.002A	----	4.554 - 1.432	.5126	----	----	----	----	20 UNCH
7600	5.202	5.202	5.965B/3.907A	5.965B/3.907A	----	4.449 - 1.414	.5046	----	----	3	----	148 UNCH
7625	----	----	----/3.816A	5.743B/3.816A	----	4.345 - 1.398	.4965	----	----	----	----	1 UNCH
7650	----	----	5.945B/3.726A	5.945B/3.726A	----	4.245 - 1.381	.4885	----	----	----	----	20 UNCH
7675	4.070	4.070	6.048B/3.628A	6.048B/3.628A	----	4.145 - 1.365	.4806	----	----	1	----	17 + 1
7700	----	----	6.005B/3.541A	6.005B/3.541A	----	4.049 - 1.349	.4727	----	----	1	----	130 UNCH
7725	----	----	6.026B/3.462A	6.026B/3.462A	----	3.955 - 1.331	.4649	----	----	----	----	13 UNCH
7750	4.594	4.594	6.068B/3.382A	6.068B/3.382A	----	3.862 - 1.316	.4572	----	----	2	----	129 + 1
7775	4.619	4.619	5.830B/3.295A	5.830B/3.295A	----	3.772 - 1.300	.4495	----	----	2	----	7 + 2
7800	3.603	3.603	5.857B/3.215A	5.857B/3.215A	----	3.684 - 1.283	.4419	----	----	2	----	82 UNCH
7850	----	----	5.631B/3.068A	5.631B/3.068A	----	3.514 - 1.251	.4269	----	----	----	----	17 UNCH
7900	----	----	5.463B/2.915A	5.463B/2.915A	----	3.351 - 1.220	.4122	----	----	3	----	103 + 2
7925	----	----	5.305B/2.853A	5.305B/2.853A	----	3.272 - 1.204	.4050	----	----	----	----	3 UNCH
7950	----	----	5.238B/2.785A	5.238B/2.785A	----	3.195 - 1.189	.3979	----	----	----	----	1 UNCH
7975	----	----	5.142B/2.720A	5.142B/2.720A	----	3.121 - 1.173	.3908	----	----	----	----	4 UNCH
8000	3.750	3.750	5.050B/2.631A	5.050B/2.631A	----	3.048 - 1.158	.3839	----	----	104	----	678 + 13
8025	----	----	4.930B/2.593A	4.930B/2.593A	----	2.976 - 1.143	.3770	----	----	----	----	17 UNCH
8050	----	----	4.829B/2.533A	4.829B/2.533A	----	2.907 - 1.128	.3703	----	----	1	----	24 + 1
8075	----	----	4.731B/2.473A	4.731B/2.473A	----	2.840 - 1.112	.3636	----	----	1	----	10 + 1
8100	4.013	4.013	4.658B/2.391A	4.658B/2.391A	----	2.773 - 1.098	.3570	----	----	3	----	86 UNCH
8150	----	----	4.410B/2.307A	4.410B/2.307A	----	2.646 - 1.068	.3441	----	----	----	----	18 UNCH
8175	----	----	4.388B/2.253A	4.388B/2.253A	----	2.584 - 1.055	.3378	----	----	----	----	2 UNCH
8200	3.200	3.200	4.245B/2.175A	4.245B/2.175A	----	2.524 - 1.041	.3316	----	----	10	----	195 - 8

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
8225	2.538	2.538	4.173B/2.152A	4.173B/2.152A	----	2.466 - 1.026	.3255	----	----	1	----	3 + 1
8250	2.737	2.737	4.093B/2.079A	4.093B/2.079A	----	2.410 - 1.011	.3196	----	----	4	----	105 UNCH
8275	2.421	2.421	3.997B/2.056A	3.997B/2.056A	----	2.354 - 0.997	.3136	----	----	2	----	6 + 2
8300	2.292	2.292	3.912B/1.982A	3.912B/1.982A	----	2.300 - 0.984	.3078	----	----	15	----	487 + 6
8325	2.245	2.245	3.879B/1.964A	3.879B/1.964A	----	2.248 - 0.970	.3021	----	----	7	----	11 + 7
8350	2.197	2.197	3.810B/1.917A	3.810B/1.917A	----	2.196 - 0.957	.2965	----	----	8	----	20 - 1
8375	2.220	2.220	3.693B/1.852A	3.693B/1.852A	----	2.146 - 0.943	.2910	----	----	5	----	55 + 5
8400	2.150	2.150	3.640B/1.820A	3.640B/1.820A	----	2.098 - 0.930	.2856	----	----	63	----	63 + 23
8425	2.124	2.124	3.571B/1.794A	3.571B/1.794A	----	2.050 - 0.916	.2802	----	----	2	----	14 + 2
8450	2.110	2.110	3.503B/1.753A	3.503B/1.753A	----	2.003 - 0.904	.2749	----	----	2	----	21 + 2
8475	2.061	2.061	3.403B/1.714A	3.403B/1.714A	----	1.959 - 0.890	.2699	----	----	1	----	2 + 1
8500	2.500	2.500	3.335B/1.652A	3.335B/1.652A	----	1.915 - 0.877	.2648	----	----	67	----	902 + 5
8525	----	----	3.296B/1.642A	3.296B/1.642A	----	1.872 - 0.865	.2598	----	----	12	----	17 + 12
8550	2.090	2.090	3.204B/1.583A	3.204B/1.583A	----	1.820 - 0.862	.2543	----	----	144	----	184 - 65
8575	----	----	3.139B/1.572A	3.139B/1.572A	----	1.790 - 0.839	.2502	----	----	----	----	7 UNCH
8600	1.750	1.750	3.105B/1.511A	3.105B/1.511A	----	1.748 - 0.828	.2454	----	----	5	----	104 + 3
8625	----	----	3.017B/1.506A	3.017B/1.506A	----	1.712 - 0.814	.2410	----	----	----	----	3 UNCH
8650	----	----	3.002B/1.463A	3.002B/1.463A	----	1.675 - 0.801	.2365	----	----	----	----	32 UNCH
8675	----	----	2.919B/1.444A	2.919B/1.444A	----	1.637 - 0.790	.2320	----	----	----	----	14 UNCH
8700	1.746	1.746	2.883B/1.387A	2.883B/1.387A	----	1.602 - 0.778	.2277	----	----	6	----	160 + 3
8725	----	----	2.802B/*1.381A	2.802B/*1.381A	----	1.568 - 0.765	.2235	----	----	----	----	5 UNCH
8750	1.625	1.625	2.745B/1.328A	2.745B/1.328A	----	1.534 - 0.754	.2193	----	----	2	----	93 + 2
8775	2.647	2.647	2.731B/1.326A	2.731B/1.326A	----	1.501 - 0.742	.2153	----	----	1	----	7 UNCH
8800	2.339	2.339	2.673B/1.274A	2.673B/1.274A	----	1.468 - 0.732	.2112	----	----	325	----	240 - 204
8825	2.245	2.245	2.593B/*1.271A	2.593B/*1.271A	----	1.437 - 0.719	.2073	----	----	1	----	5 + 1
8850	2.491	2.491	2.575B/1.247A	2.575B/1.247A	----	1.407 - 0.708	.2035	----	----	1	----	7 UNCH
8875	----	----	2.462B/*1.219A	2.462B/*1.219A	----	1.378 - 0.696	.1998	----	----	----	----	1 UNCH
8900	----	----	2.473B/1.185A	2.473B/1.185A	----	1.349 - 0.685	.1961	----	----	4	----	134 - 3
8925	----	----	2.431B/1.173A	2.431B/1.173A	----	1.320 - 0.675	.1924	----	----	----	----	8 UNCH
8950	----	----	2.385B/1.140A	2.385B/1.140A	----	1.293 - 0.664	.1889	----	----	----	----	28 UNCH
8975	----	----	2.341B/*1.125A	2.341B/*1.125A	----	1.267 - 0.652	.1855	----	----	----	----	1 UNCH
9000	1.700	1.700	2.278B/1.050A	2.278B/1.050A	----	1.241 - 0.642	.1821	----	----	175	50	1453 + 45
9050	2.005	2.005	2.214B/1.072A	2.214B/1.072A	----	1.191 - 0.621	.1756	----	----	1	----	13 + 1
9075	----	----	2.102B/1.063A	2.102B/1.063A	----	1.166 - 0.611	.1723	----	----	----	----	1 UNCH
9100	----	----	2.133B/1.044A	2.133B/1.044A	----	1.143 - 0.601	.1692	----	----	----	----	34 UNCH
9125	----	----	2.095B/1.026A	2.095B/1.026A	----	1.121 - 0.590	.1663	----	----	----	----	1 UNCH
9150	----	----	2.055B/1.007A	2.055B/1.007A	----	1.099 - 0.580	.1633	----	----	----	----	2 UNCH
9175	----	----	2.018B/0.990A	2.018B/0.990A	----	1.077 - 0.571	.1604	----	----	----	----	5 UNCH
9200	1.120	1.120	1.983B/*0.950	1.983B/*0.950	----	1.056 - 0.561	.1575	----	----	22	----	69 - 18
9225	----	----	1.945B/0.946A	1.945B/0.946A	----	1.036 - 0.551	.1548	----	----	1	----	4 + 1
9250	1.090	1.090	1.913B/*0.857	1.913B/*0.857	----	1.015 - 0.543	.1520	----	----	2	----	27 + 2
9275	----	----	1.878B/0.911A	1.878B/0.911A	----	0.996 - 0.534	.1493	----	----	----	----	1 UNCH
9300	1.060	1.060	1.845B/0.897A	1.845B/0.897A	----	0.977 - 0.525	.1467	----	----	308	----	547 - 162
9350	----	----	1.782B/0.865A	1.782B/0.865A	----	0.941 - 0.506	.1417	----	----	----	----	14 UNCH
9375	----	----	1.592B/0.851A	1.592B/0.851A	----	0.923 - 0.497	.1392	----	----	----	----	22 UNCH
9400	1.285	1.285	1.720B/0.832A	1.720B/0.832A	----	0.906 - 0.489	.1368	----	----	9	----	40 + 9
9425	----	----	1.687B/0.815A	1.687B/0.815A	----	0.890 - 0.480	.1346	----	----	----	----	5 UNCH
9450	0.811	0.811	1.639B/0.804A	1.639B/0.804A	----	0.873 - 0.472	.1322	----	----	1	----	77 - 1
9475	----	----	1.630B/*0.788A	1.630B/*0.788A	----	0.857 - 0.464	.1299	----	----	----	----	5 UNCH
9500	1.194	1.194	1.601B/*0.727	1.601B/*0.727	----	0.844 - 0.454	.1280	----	----	166	----	922 - 51
9525	----	----	1.577B/*0.759A	1.577B/*0.759A	----	0.827 - 0.448	.1257	----	----	----	----	26 UNCH
9550	----	----	1.549B/*0.746A	1.549B/*0.746A	----	0.812 - 0.440	.1235	----	----	1	----	6 - 1
9575	----	----	1.437B/0.734A	1.437B/0.734A	----	0.798 - 0.432	.1215	----	----	----	----	1 UNCH
9600	1.107	1.107	1.498B/0.722A	1.498B/0.722A	----	0.784 - 0.425	.1195	----	----	24	----	175 + 18
9625	----	----	1.472B/0.709A	1.472B/0.709A	----	0.770 - 0.418	.1175	----	----	----	----	6 UNCH
9650	----	----	1.440B/*0.698A	1.440B/*0.698A	----	0.757 - 0.410	.1156	----	----	----	----	4 UNCH
9675	----	----	1.413B/0.685A	1.413B/0.685A	----	0.744 - 0.403	.1137	----	----	----	----	10 UNCH
9700	----	----	1.400B/0.678A	1.400B/0.678A	----	0.731 - 0.396	.1118	----	----	3	----	129 - 2
9725	----	----	1.379B/0.663A	1.379B/0.663A	----	0.719 - 0.389	.1101	----	----	----	----	3 UNCH
9750	----	----	1.354B/0.654A	1.354B/0.654A	----	0.712 - 0.377	.1088	----	----	3	----	110 + 3
9775	----	----	1.320B/0.642A	1.320B/0.642A	----	0.695 - 0.374	.1066	----	----	----	----	31 UNCH
9800	----	----	1.311B/0.634A	1.311B/0.634A	----	0.684 - 0.367	.1049	----	----	5	38	223 + 2
9825	----	----	1.289B/0.623A	1.289B/0.623A	----	0.673 - 0.360	.1033	----	----	----	----	6 UNCH
9850	----	----	1.268B/*0.613A	1.268B/*0.613A	----	0.662 - 0.354	.1017	----	----	----	----	38 UNCH
9875	----	----	1.246B/0.602A	1.246B/0.602A	----	0.651 - 0.348	.1001	----	----	----	----	1 UNCH
9900	----	----	1.216B/*0.593A	1.216B/*0.593A	----	0.641 - 0.342	.0985	----	----	----	----	31 UNCH
9925	----	----	1.206B/0.584A	1.206B/0.584A	----	0.631 - 0.335	.0971	----	----	----	----	15 UNCH
9950	0.664	0.664	1.188B/*0.574A	1.188B/*0.574A	----	0.621 - 0.329	.0956	----	----	1	----	9 + 1
9975	----	----	1.168B/0.565A	1.168B/0.565A	----	0.612 - 0.323	.0942	----	----	----	----	4 UNCH
10000	0.790	0.790	1.151B/0.503	1.151B/0.503	----	0.606 - 0.313	.0931	----	----	64	----	1774 - 32
10025	----	----	1.122B/*0.549A	1.122B/*0.549A	----	0.592 - 0.312	.0912	----	----	----	----	2 UNCH
10050	----	----	1.104B/*0.541A	1.104B/*0.541A	----	0.583 - 0.307	.0899	----	----	----	----	2 UNCH
10075	----	----	1.095B/*0.533A	1.095B/*0.533A	----	0.574 - 0.302	.0885	----	----	----	----	21 UNCH
10100	----	----	1.068B/*0.525A	1.068B/*0.525A	----	0.566 - 0.295	.0873	----	----	----	----	113 UNCH
10125	----	----	1.050B/*0.517A	1.050B/*0.517A	----	0.558 - 0.290	.0860	----	----	----	----	4 UNCH
10150	----	----	1.034B/*0.510A	1.034B/*0.510A	----	0.549 - 0.285	.0847	----	----	----	----	32 UNCH
10200	----	----	1.010B/*0.495A	1.010B/*0.495A	----	0.534 - 0.274	.0824	----	----	1	----	119 + 1
10250	----	----	0.979B/*0.481A	0.979B/*0.481A	----	0.519 - 0.264	.0801	----	----	----	----	24 UNCH
10275	1.000	1.000	1.000/*0.471	1.000/*0.471	----	0.511 - 0.260	.0789	----	----	5	----	7 UNCH
10300	----	----	0.948B/*0.467A	0.948B/*0.467A	----	0.504 - 0.255	.0778	----	----	----	----	6 UNCH
10325	----	----	0.923B/*0.461A	0.923B/*0.461A	----	0.497 - 0.249	.0767	----	----	----	----	1 UNCH
10350	0.540	0.540	0.918B/*0.455A	0.918B/*0.455A	----	0.491 - 0.244	.0757	----	----	2	----	2 UNCH
10375	----	----	0.895B/*0.448A	0.895B/*0.448A	----	0.484 - 0.240	.0747	----	----	----	----	18 UNCH
10400	----	----	0.890B/*0.442A	0.890B/*0.442A	----	0.478 - 0.235	.0737	----	----	----	----	16 UNCH
10425	----	----	0.876B/*0.436A	0.876B/*0.436A	----	0.471 - 0.231	.0727	----	----	----	----	2 UNCH
10450	----	----	0.863B/*0.430A	0.863B/*0.430A	----	0.464 - 0.227	.0716	----	----	----	----	25 UNCH
10475	----	----	0.839B/*0.429A	0.839B/*0.429A	----	0.458 - 0.223	.0707	----	----	----	----	26 UNCH
10500	0.670	0.670	0.830B/0.428A	0.830B/0.428A	----	0.452 - 0.219	.0697	----	----	12	----	421 - 10
10525	----	----	0.814B/0.428A	0.814B/0.428A	----	0.446 - 0.215	.0688	----	----	----	----	2 UNCH
10550	----	----	0.810B/0.422A	0.810B/0.422A	----	0.440 - 0.211	.0679	----	----	----	----	10 UNCH
10575	----	----	0.789B/0.417A	0.789B/0.417A	----	0.435 - 0.207	.0671	----	----	----	----	1 UNCH
10600	----	----	0.785B/*0.410A	0.785B/*0.410A	----	0.429 - 0.204	.0661	----	----	----	----	52 UNCH
10625	----	----	0.773B/*0.404A	0.773B/*0.404A	----	0.424 - 0.199	.0653	----	----	----	----	2 UNCH
10675	----	----	0.744B/0.396A	0.744B/0.396A	----	0.414 - 0.192	.0637	----	----	----	----	9 UNCH
10700	----	----	0.739B/0.391A	0.739B/0.391A	----	0.409 - 0.188	.0629	----	----	4	----	69 + 4
10725	----	----	0.722B/0.387A	0.722B/0.387A	----	0.404 - 0.184	.0622	----	----	----	----	4 UNCH
10750	----	----	0.717B/0.381A	0.717B/0.381A	----	0.399 - 0.181	.0614	----	----	117	----	60 - 31
10775	----	----	0.700B/0.383A	0.700B/0.383A	----	0.394 - 0.178	.0606	----	----	----	----	9 UNCH
10800	----	----	0.695B/0.372A	0.695B/0.372A	----	0.390 - 0.174	.0599	----	----	4	----	35 UNCH
10875	----	----	0.665B/0.367A	0.665B/0.367A	----	0.376 - 0.165	.0577	----	----	----	----	15 UNCH
10900	----	----	0.648B/0.365A	0.648B/0.365A	----	0.372 - 0.162	.0571	----	----	----	----	6 UNCH
10925	----	----	0.638B/0.360A	0.638B/0.360A	----	0.368 - 0.158	.0564	----	----	----	----	1 UNCH
10950	----	----	0.637B/0.356A	0.637B/0.356A	----	0.364 - 0.155	.0558	----	----	----	----	1 UNCH
10975	0.320	0.320	0.620B/*0.320	0.620B/*0.320	----	0.359 - 0.153	.0550	----	----	2	----	1 - 1
11000	0.470	0.470	0.617B/0.330	0.617B/0.330	----	0.355 - 0.150	.0544	----	----	104	----	1397 - 70
11025	----	----	0.602B/0.348A	0.602B/0.348A	----	0.352 - 0.147	.0539	----	----	----	----	15 UNCH
11050	----	----	0.595B/*0.342A	0.595B/*0.342A	----	0.348 - 0.144	.0532	----	----	----	----	8 UNCH
11075	----	----	0.586B/*0.337A	0.586B/*0.337A	----	0.344 - 0.141	.0526	----	----	----	----	2 UNCH
11100	----	----	0.582B/*0.335A	0.582B/*0.335A	----	0.340 - 0.139	.0520	----	----	----	----	15 UNCH
11125	----	----	0.568B/*0.334A	0.568B/*0.334A	----	0.337 - 0.136	.0515	----	----	----	----	2 UNCH
11150	----	----	0.560B/*0.329A	0.560B/*0.329A	----	0.332 - 0.135	.0507	----	----	----	----	1 UNCH
11175	----	----	0.550B/*0.323A	0.550B/*0.323A	----	0.329 - 0.132	.0502	----	----	----	----	2 UNCH
11200	----	----	0.549B/*0.321A	0.549B/*0.321A	----	0.325 - 0.130	.0496	----	----	----	----	10 UNCH
11225	----	----	0.538B/*0.317A	0.538B/*0.317A	----	0.322 - 0.127	.0491	----	----	----	----	6 UNCH
11250	----	----	0.530B/*0.314A	0.530B/*0.314A	----	0.318 - 0.125	.0485	----	----	----	----	12 UNCH
11275	----	----	0.511B/*0.311A	0.511B/*0.311A	----	0.315 - 0.122	.0480	----	----	----	----	1 UNCH
11300	----	----	0.515B/*0.309A	0.515B/*0.309A	----	0.312 - 0.119	.0475	----	----	----	----	52 UNCH
11350	----	----	0.489B/*0.304A	0.489B/*0.304A	----	0.306 - 0.114	.0465	----	----	----	----	2 UNCH
11400	----	----	----/*0.297A	0.373B/*0.297A	----	0.300 - 0.110	.0455	----	----	----	----	21 UNCH
11425	----	----	----/*0.294A	0.353B/*0.294A	----	0.297 - 0.108	.0451	----	----	----	----	10 UNCH
11450	----	----	----/*0.291A	0.346B/*0.291A	----	0.294 - 0.106	.0446	----	----	----	----	4 UNCH
11500	----	----	----/*0.285A	0.353B/*0.285A	----	0.288 - 0.102	.0436	----	----	1	----	304 UNCH
11550	----	----	----/*0.280A	0.299B/*0.280A	----	0.282 - 0.099	.0427	----	----	----	----	2 UNCH
11575	----	----	----/*0.277A	0.320B/*0.277A	----	0.280 - 0.096	.0423	----	----	----	----	11 UNCH
11600	----	----	----/*0.274A	0.332B/*0.274A	----	0.277 - 0.095	.0419	----	----	----	----	10 UNCH
11625	----	----	----/*0.272A	0.352B/*0.272A	----	0.274 - 0.094	.0414	----	----	----	----	3 UNCH
11650	----	----	----/*0.269A	0.305B/*0.269A	----	0.272 - 0.091	.0410	----	----	----	----	24 UNCH
11675	----	----	----/*0.266A	0.300B/*0.266A	----	0.269 - 0.090	.0406	----	----	----	----	23 UNCH
11700	----	----	----/*0.263A	0.312B/*0.263A	----	0.267 - 0.088	.0402	----	----	----	----	23 UNCH
11725	----	----	----/*0.261A	0.291B/*0.261A	----	0.264 - 0.087	.0398	----	----	----	----	22 UNCH
11750	----	----	----/*0.258A	0.303B/*0.258A	----	0.262 - 0.085	.0394	----	----	----	----	23 UNCH
11775	----	----	----/*0.256A	0.281B/*0.256A	----	0.259 - 0.084	.0390	----	----	----	----	23 UNCH
11800	----	----	----/*0.255A	0.293B/*0.255A	----	0.257 - 0.082	.0386	----	----	----	----	3 UNCH
11875	----	----	----/*0.247A	0.292B/*0.247A	----	0.250 - 0.078	.0375	----	----	----	----	2 UNCH
11900	----	----	----/*0.245A	0.305B/*0.245A	----	0.248 - 0.076	.0372	----	----	----	----	2 UNCH
11925	----	----	----/*0.243A	0.300B/*0.243A	----	0.246 - 0.074	.0369	----	----	----	----	1 UNCH
11950	----	----	----/*0.241A	0.208B/*0.241A	----	0.244 - 0.073	.0365	----	----	----	----	1 UNCH
12000	----	----	----/0.220A	0.261B/0.220A	----	0.239 - 0.071	.0358	----	----	1	----	548 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
12150	----	----	----/*0.224A	0.191B/*0.224A	----	0.227 - 0.064	.0338	----	----	----	----	1 UNCH
12200	----	----	----/*0.219A	0.232B/*0.219A	----	0.223 - 0.061	.0332	----	----	----	----	14 UNCH
12225	----	----	----/*0.217A	0.214B/*0.217A	----	0.221 - 0.060	.0329	----	----	----	----	16 UNCH
12250	----	----	----/*0.215A	0.211B/*0.215A	----	0.219 - 0.060	.0326	----	----	----	----	8 UNCH
12275	----	----	----/*0.215A	0.181B/*0.215A	----	0.218 - 0.058	.0324	----	----	----	----	1 UNCH
12300	----	----	----/*0.213A	0.231B/*0.213A	----	0.216 - 0.057	.0320	----	----	----	----	13 UNCH
12325	----	----	----/*0.211A	0.178B/*0.211A	----	0.214 - 0.056	.0317	----	----	----	----	1 UNCH
12375	----	----	----/*0.207A	0.184B/*0.207A	----	0.210 - 0.055	.0311	----	----	----	----	2 UNCH
12425	----	----	----/*0.204A	0.183B/*0.204A	----	0.206 - 0.053	.0305	----	----	----	----	3 UNCH
12450	----	----	----/*0.202A	0.170B/*0.202A	----	0.204 - 0.053	.0302	----	----	----	----	1 UNCH
12475	----	----	----/*0.200A	0.168B/*0.200A	----	0.203 - 0.051	.0300	----	----	----	----	3 UNCH
12500	0.245	0.245	0.245/*0.180	0.245/*0.180	----	0.201 - 0.051	.0297	----	----	89	----	100 - 28
12575	----	----	----/*0.194A	0.162B/*0.194A	----	0.196 - 0.048	.0289	----	----	----	----	2 UNCH
12600	----	----	----/*0.191A	0.185B/*0.191A	----	0.195 - 0.047	.0287	----	----	----	----	6 UNCH
12700	----	----	----/*0.186A	0.174B/*0.186A	----	0.188 - 0.045	.0277	----	----	----	----	72 UNCH
12725	----	----	----/*0.185A	0.153B/*0.185A	----	0.187 - 0.043	.0275	----	----	----	----	2 UNCH
12800	----	----	----/*0.180A	0.160B/*0.180A	----	0.183 - 0.041	.0268	----	----	----	----	1 UNCH
13000	0.260	0.260	0.260/*0.165	0.260/*0.165	----	0.172 - 0.039	.0251	----	----	45	----	3776 UNCH
14000	----	----	----/0.134A	0.090B/0.134A	----	0.129 - 0.018	.0184	----	----	----	----	861 UNCH
14700	----	----	----/*0.114A	0.068B/*0.114A	----	0.107 - 0.012	.0151	----	----	----	----	11 UNCH
15000	0.070	0.070	0.070/*0.065	0.070/*0.065	----	0.099 - 0.011	.0139	----	----	14	----	793 + 11
16000	0.066	0.066	0.066/*0.058A	0.066/*0.058A	----	0.078 + 0.008	.0108	----	----	8	----	3798 - 7
17000	----	----	----	0.029B/0.070A	----	0.061 - 0.006	.0083	----	----	----	----	22 UNCH
18000	----	----	----	0.020B/*0.060A	----	0.048 - 0.006	.0065	----	----	----	----	259 UNCH
19000	----	----	----	0.012B/*0.059A	----	0.039 - 0.006	.0052	----	----	----	----	79 UNCH
20000	0.036	0.036	0.036/0.036	0.036/0.036	----	0.031 - 0.006	.0041	----	----	32	----	1186 + 8
21000	----	----	----	----/0.050A	----	0.025 - 0.007	.0033	----	----	----	----	427 UNCH
24000	----	----	----	----/0.050A	----	0.014 - 0.014	.0018	----	----	----	----	131 UNCH
25000	0.010	0.010	0.010/*0.008	0.010/*0.008	----	0.012 - 0.003	.0016	----	----	2	----	408 - 2
27000	----	----	----	----/0.030A	----	0.009 - 0.002	.0011	----	----	----	----	5 UNCH
30000	----	----	----	----/0.030A	----	0.007 - 0.003	.0009	----	----	----	----	53 UNCH
32000	----	----	----	----/0.025A	----	0.006 - 0.004	.0007	----	----	----	----	4 UNCH
35000	----	----	----	0.007B/0.010A	----	0.006 - 0.003	.0007	----	----	----	----	93 UNCH
TOTAL										2129	88	30627 - 488
AUG26												
5000	----	----	----/25.051A	26.500B/25.051A	----	25.928 - 2.293	.9612	----	----	----	----	2 UNCH
5400	----	----	----/21.445A	22.608B/21.445A	----	22.133 - 2.264	.9382	----	----	----	----	2 UNCH
5500	----	----	----/20.566A	21.657B/20.566A	----	21.204 - 2.254	.9306	----	----	----	----	1 UNCH
6300	----	----	----/13.561A	15.143B/13.561A	----	14.311 - 2.109	.8290	----	----	----	----	7 UNCH
6450	----	----	----/12.948A	13.259B/12.948A	----	13.169 - 2.065	.8011	----	----	----	----	1 UNCH
6500	----	----	----/12.586A	12.869B/12.586A	----	12.801 - 2.049	.7913	----	----	----	----	2 UNCH
6600	12.000	12.000	12.000/11.895A	12.341B/11.895A	----	12.085 - 2.014	.7708	----	----	2	----	2 - 2
6800	----	----	----/10.139A	11.420B/10.139A	----	10.736 - 1.936	.7271	----	----	----	----	7 UNCH
6875	----	----	----/10.133A	10.484B/10.133A	----	10.260 - 1.904	.7100	----	----	----	----	5 UNCH
7000	----	----	----/8.768A	10.266B/8.768A	----	9.503 - 1.846	.6807	----	----	----	----	132 UNCH
7025	----	----	----/9.269A	9.568B/9.269A	----	9.357 - 1.834	.6748	----	----	----	----	5 UNCH
7050	----	----	----/8.960A	9.407B/8.960A	----	9.213 - 1.822	.6688	----	----	----	----	4 UNCH
7100	8.890	8.890	8.890/8.493A	9.134B/8.493A	----	8.931 - 1.797	.6568	----	----	2	----	2 UNCH
7200	----	----	----/8.026A	8.582B/8.026A	----	8.387 - 1.748	.6327	----	----	----	----	1 UNCH
7250	----	----	----/7.817A	8.545B/7.817A	----	8.127 - 1.722	.6206	----	----	----	----	3 UNCH
7300	----	----	----/7.511A	8.240B/7.511A	----	7.873 - 1.696	.6085	----	----	----	----	1 UNCH
7400	7.330	7.330	7.380/6.978A	7.861B/6.978A	----	7.388 - 1.643	.5843	----	----	10	----	3 - 7
7425	----	----	----/6.744A	8.048B/6.744A	----	7.271 - 1.630	.5783	----	----	----	----	14 UNCH
7475	----	----	----/6.594A	7.806B/6.594A	----	7.042 - 1.604	.5663	----	----	----	----	6 UNCH
7500	----	----	----/6.430A	7.688B/6.430A	----	6.931 - 1.590	.5603	----	----	64	----	261 + 26
7550	----	----	----/6.323A	7.480B/6.323A	----	6.712 - 1.564	.5484	----	----	----	----	4 UNCH
7600	----	----	----/6.092A	7.261B/6.092A	----	6.501 - 1.536	.5366	----	----	----	----	43 UNCH
7625	----	----	----/6.033A	7.306B/6.033A	----	6.397 - 1.524	.5308	----	----	----	----	18 UNCH
7650	6.282	6.282	6.282/5.932A	7.198B/5.932A	----	6.296 NEW	.5249	----	----	1	----	1 + 1
7700	----	----	----/5.698A	7.263B/5.698A	----	6.097 - 1.483	.5134	----	----	9	----	69 + 9
7725	----	----	----/5.635A	7.214B/5.635A	----	6.000 - 1.470	.5076	----	----	1	----	7 UNCH
7750	5.900	5.900	5.900/5.568A	7.212B/5.568A	----	5.905 - 1.457	.5019	----	----	1	----	5 + 1
7800	----	----	7.408B/5.362A	7.408B/5.362A	----	5.718 - 1.431	.4906	----	----	7	----	127 + 4
7825	6.437	6.437	7.334B/5.281A	7.334B/5.281A	----	5.627 NEW	.4850	----	----	1	----	1 + 1
7850	----	----	7.227B/5.240A	7.227B/5.240A	----	5.538 - 1.405	.4795	----	----	4	----	10 + 4
7900	5.370	5.370	7.084B/5.070A	7.084B/5.070A	----	5.364 - 1.379	.4685	----	----	1	----	42 + 1
7925	5.286	5.286	6.902B/4.957A	6.902B/4.957A	----	5.279 - 1.367	.4631	----	----	1	----	1 + 1
7950	6.120	6.120	6.766B/4.924A	6.766B/4.924A	----	5.196 - 1.354	.4577	----	----	7	----	12 + 3
8000	----	----	6.858B/4.760A	6.858B/4.760A	----	5.033 - 1.329	.4470	----	----	66	----	392 + 53
8050	----	----	6.392B/4.634A	6.392B/4.634A	----	4.876 - 1.304	.4366	----	----	----	----	4 UNCH
8100	----	----	6.272B/4.486A	6.272B/4.486A	----	4.724 - 1.279	.4263	----	----	----	----	21 UNCH
8125	5.536	5.536	6.102B/4.377A	6.102B/4.377A	----	4.651 NEW	.4212	----	----	1	----	1 + 1
8150	----	----	6.009B/4.348A	6.009B/4.348A	----	4.579 - 1.254	.4162	----	----	----	----	35 UNCH
8200	4.450	4.450	5.901B/4.222A	5.901B/4.222A	----	4.437 - 1.230	.4063	----	----	7	----	6 - 2
8225	----	----	5.737B/4.110A	5.737B/4.110A	----	4.369 - 1.218	.4015	----	----	----	----	2 UNCH
8250	----	----	5.877B/4.098A	5.877B/4.098A	----	4.302 - 1.205	.3967	----	----	1	----	215 + 1
8300	----	----	5.758B/3.991A	5.758B/3.991A	----	4.171 - 1.181	.3872	----	----	61	----	84 + 27
8350	----	----	5.312B/3.876A	5.312B/3.876A	----	4.046 - 1.157	.3780	----	----	----	----	3 UNCH
8375	----	----	5.231B/3.740A	5.231B/3.740A	----	3.985 - 1.145	.3734	----	----	----	----	1 UNCH
8400	----	----	5.227B/3.766A	5.227B/3.766A	----	3.926 - 1.132	.3689	----	----	----	----	22 UNCH
8425	----	----	5.074B/3.623A	5.074B/3.623A	----	3.866 - 1.121	.3645	----	----	----	----	1 UNCH
8450	----	----	4.997B/3.641A	4.997B/3.641A	----	3.809 - 1.109	.3601	----	----	----	----	17 UNCH
8475	----	----	4.922B/3.472A	4.922B/3.472A	----	3.753 - 1.096	.3558	----	----	----	----	2 UNCH
8500	----	----	4.924B/3.529A	4.924B/3.529A	----	3.698 - 1.084	.3515	----	----	1	----	71 + 1
8550	----	----	4.702B/3.451A	4.702B/3.451A	----	3.591 - 1.060	.3432	----	----	----	----	16 UNCH
8600	3.600	3.600	4.828B/3.319A	4.828B/3.319A	----	3.488 - 1.036	.3350	----	----	181	----	201 - 91
8650	----	----	4.428B/3.257A	4.428B/3.257A	----	3.391 - 1.011	.3272	----	----	----	----	1 UNCH
8675	----	----	4.364B/3.095A	4.364B/3.095A	----	3.342 - 1.000	.3232	----	----	----	----	1 UNCH
8700	----	----	4.347B/3.067A	4.347B/3.067A	----	3.296 - 0.987	.3194	----	----	----	----	31 UNCH
8750	----	----	----/3.072A	4.147B/3.072A	----	3.206 - 0.963	.3120	----	----	1	----	9 + 1
8775	----	----	----/2.929A	4.085B/2.929A	----	3.162 - 0.951	.3083	----	----	----	----	2 UNCH
8825	----	----	----/2.845A	3.965B/2.845A	----	3.077 - 0.927	.3012	----	----	----	----	1 UNCH
8850	----	----	----/2.910A	3.907B/2.910A	----	3.036 - 0.915	.2977	----	----	----	----	5 UNCH
8875	----	----	----/2.761A	3.850B/2.761A	----	2.995 - 0.904	.2942	----	----	----	----	2 UNCH
8900	----	----	3.863B/2.813A	3.863B/2.813A	----	2.956 - 0.892	.2908	----	----	----	----	17 UNCH
8925	----	----	----/2.687A	3.737B/2.687A	----	2.917 - 0.880	.2875	----	----	----	----	3 UNCH
8950	----	----	----/2.757A	3.699B/2.757A	----	2.879 - 0.869	.2842	----	----	----	----	6 UNCH
8975	----	----	----/2.617A	3.643B/2.617A	----	2.841 - 0.858	.2809	----	----	----	----	1 UNCH
9000	----	----	3.849B/2.665A	3.849B/2.665A	----	2.805 - 0.846	.2777	----	----	59	----	459 + 59
9025	----	----	----/2.538A	3.524B/2.538A	----	2.769 - 0.835	.2746	----	----	----	----	2 UNCH
9050	3.250	3.250	3.250/2.511A	3.487B/2.511A	----	2.734 - 0.823	.2715	----	----	1	----	12 + 1
9075	----	----	----/2.477A	3.436B/2.477A	----	2.700 - 0.812	.2684	----	----	----	----	2 UNCH
9100	----	----	3.643B/2.501A	3.643B/2.501A	----	2.666 - 0.801	.2654	----	----	----	----	91 UNCH
9150	----	----	----/2.475A	3.289B/2.475A	----	2.599 - 0.780	.2595	----	----	----	----	11 UNCH
9175	----	----	----/2.327A	3.242B/2.327A	----	2.567 - 0.770	.2566	----	----	----	----	1 UNCH
9200	----	----	----/2.317A	3.268B/2.317A	----	2.536 - 0.759	.2538	----	----	----	----	9 UNCH
9225	----	----	----/2.290A	3.149B/2.290A	----	2.505 - 0.749	.2510	----	----	----	----	1 UNCH
9250	2.470	2.470	2.480/2.348A	3.103B/2.348A	----	2.475 - 0.738	.2482	----	----	10	----	139 - 9
9275	----	----	----/2.229A	3.059B/2.229A	----	2.445 - 0.728	.2455	----	----	----	----	1 UNCH
9300	----	----	----/2.196A	3.089B/2.196A	----	2.415 - 0.719	.2428	----	----	----	----	6 UNCH
9350	----	----	----/2.236A	2.931B/2.236A	----	2.357 - 0.700	.2374	----	----	----	----	1 UNCH
9375	----	----	----/2.113A	2.890B/2.113A	----	2.329 - 0.691	.2349	----	----	----	----	1 UNCH
9400	2.520	2.520	3.102B/2.180A	3.102B/2.180A	----	2.302 - 0.681	.2323	----	----	1	----	132 - 1
9450	2.213	2.213	2.213/2.129A	2.768B/2.129A	----	2.248 - 0.663	.2273	----	----	25	----	8 - 12
9500	2.319	2.319	2.942B/2.077A	2.942B/2.077A	----	2.195 - 0.646	.2224	----	----	1	----	54 UNCH
9575	----	----	----/1.908A	2.576B/1.908A	----	2.118 - 0.623	.2153	----	----	----	----	1 UNCH
9600	----	----	----/1.982A	2.611B/1.982A	----	2.094 - 0.615	.2130	----	----	----	----	2 UNCH
9625	----	----	----/1.863A	2.503B/1.863A	----	2.069 - 0.608	.2107	----	----	----	----	1 UNCH
9700	----	----	2.648B/1.891A	2.648B/1.891A	----	1.998 - 0.586	.2040	----	----	----	----	97 UNCH
9725	----	----	----/1.767A	2.372B/1.767A	----	1.975 - 0.579	.2019	----	----	----	----	1 UNCH
9775	----	----	----/1.725A	2.317B/1.725A	----	1.929 - 0.566	.1976	----	----	----	----	1 UNCH
9850	1.830	1.830	1.830/1.645A	2.237B/1.645A	----	1.863 NEW	.1913	----	----	1	----	1 + 1
9875	1.809	1.809	1.809/1.661A	2.212B/1.661A	----	1.841 NEW	.1893	----	----	1	----	1 + 1
9900	----	----	----/1.725A	2.209B/1.725A	----	1.820 - 0.536	.1873	----	----	----	----	7 UNCH
9925	1.767	1.767	1.767/1.624A	2.161B/1.624A	----	1.799 NEW	.1853	----	----	1	----	1 + 1
9950	1.747	1.747	1.747/1.688A	2.136B/1.688A	----	1.779 - 0.525	.1834	----	----	1	----	3 UNCH
10000	----	----	2.259B/1.650A	2.259B/1.650A	----	1.738 - 0.515	.1795	----	----	----	----	413 UNCH
10025	1.687	1.687	1.687/1.546A	2.063B/1.546A	----	1.717 NEW	.1776	----	----	1	----	1 + 1
10200	----	----	----/1.514A	1.873B/1.514A	----	1.585 - 0.479	.1649	----	----	----	----	4 UNCH
10250	1.526	1.526	1.526/1.481A	1.757B/1.481A	----	1.550 - 0.470	.1615	----	----	1	----	3 UNCH
10275	1.509	1.509	1.509/1.371A	1.733B/1.371A	----	1.532 - 0.466	.1598	----	----	2	----	22 + 1
10300	1.493	1.493	1.493/1.447A	1.774B/1.447A	----	1.515 - 0.462	.1582	----	----	2	----	22 UNCH
10325	1.477	1.477	1.477/1.344A	1.686B/1.344A	----	1.497 - 0.459	.1565	----	----	3	----	11 + 3
10350	----	----	----/1.319A	1.663B/1.319A	----	1.480 - 0.456	.1548	----	----	----	----	1 UNCH
10375	1.444	1.444	1.444/1.315A	1.640B/1.315A	----	1.463 - 0.453	.1532	----	----	1	----	1 UNCH
10400	----	----	----/1.295A	1.681B/1.295A	----	1.447 - 0.449	.1517	----	----	----	----	2 UNCH
10475	----	----	----/1.257A	1.552B/1.257A	----	1.399 - 0.439	.1470	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
10500	----	----	----/1.246A	1.757B/1.246A	----	1.383 - 0.436	.1455	----	----	----	----	71 UNCH
10650	----	----	----/1.170A	1.413B/1.170A	----	1.293 - 0.419	.1367	----	----	----	----	1 UNCH
10675	----	----	----/1.157A	1.394B/1.157A	----	1.278 - 0.418	.1353	----	----	----	----	1 UNCH
10700	----	----	----/1.146A	1.437B/1.146A	----	1.264 - 0.415	.1339	----	----	----	----	1 UNCH
10725	----	----	----/1.136A	1.357B/1.136A	----	1.250 - 0.413	.1325	----	----	----	----	1 UNCH
10775	----	----	----/1.115A	1.322B/1.115A	----	1.223 - 0.407	.1298	----	----	----	----	3 UNCH
10800	----	----	----/1.106A	1.365B/1.106A	----	1.209 - 0.406	.1285	----	----	----	----	4 UNCH
10825	----	----	----/1.095A	1.286B/1.095A	----	1.196 - 0.403	.1272	----	----	----	----	3 UNCH
10875	----	----	----/1.070A	1.253B/1.070A	----	1.170 - 0.399	.1246	----	----	----	----	5 UNCH
10925	----	----	----/1.049A	1.220B/1.049A	----	1.145 - 0.394	.1221	----	----	----	----	4 UNCH
10975	----	----	----/1.030A	1.188B/1.030A	----	1.124 - 0.387	.1199	----	----	----	----	1 UNCH
11000	----	----	----/1.040A	1.383B/1.040A	----	1.122 - 0.375	.1194	----	----	----	----	424 UNCH
11075	----	----	----/0.992A	1.152B/0.992A	----	1.072 - 0.384	.1149	----	----	----	----	2 UNCH
11100	----	----	----/0.995A	1.169B/0.995A	----	1.060 - 0.383	.1137	----	----	----	----	20 UNCH
11200	----	----	----/0.985A	1.110B/0.985A	----	1.016 - 0.376	.1093	----	----	----	----	2 UNCH
11225	----	----	----/0.936A	1.197B/0.936A	----	1.005 - 0.374	.1082	----	----	----	----	1 UNCH
11275	----	----	----/0.919A	1.174B/0.919A	----	0.984 - 0.371	.1061	----	----	----	----	6 UNCH
11400	----	----	----/0.916A	1.003B/0.916A	----	0.934 - 0.364	.1010	----	----	----	----	2 UNCH
11475	----	----	----/0.851A	0.945B/0.851A	----	0.906 - 0.359	.0982	----	----	----	----	1 UNCH
11500	----	----	----/0.877A	1.091B/0.877A	----	0.890 - 0.364	.0967	----	----	1	----	113 + 1
11575	----	----	----/0.817A	0.926B/0.817A	----	0.869 - 0.354	.0944	----	----	----	----	1 UNCH
11650	----	----	----/0.827A	0.881B/0.827A	----	0.844 - 0.348	.0918	----	----	----	----	2 UNCH
11700	----	----	----/0.809A	0.862B/0.809A	----	0.828 - 0.343	.0902	----	----	----	----	2 UNCH
11850	----	----	----/0.760A	0.793B/0.760A	----	0.780 - 0.326	.0852	----	----	----	----	1 UNCH
12000	----	----	----/0.720A	0.749B/0.720A	----	0.733 - 0.310	.0804	----	----	1	----	37 + 1
12025	----	----	----/0.700A	0.825B/0.700A	----	0.726 - 0.306	.0797	----	----	----	----	52 UNCH
12050	----	----	----/0.694A	0.816B/0.694A	----	0.718 - 0.304	.0789	----	----	----	----	208 UNCH
12100	----	----	----/0.692A	0.732B/0.692A	----	0.703 - 0.298	.0773	----	----	----	----	1 UNCH
12500	----	----	----/0.599A	0.724B/0.599A	----	0.603 - 0.250	.0669	----	----	2	----	155 - 1
12700	----	----	----/*0.561A	0.633B/0.561A	----	0.550 - 0.245	.0615	----	----	----	----	1 UNCH
12725	----	----	----/*0.557A	0.668B/0.557A	----	0.546 - 0.242	.0610	----	----	----	----	1 UNCH
12775	----	----	----/*0.548A	0.656B/0.548A	----	0.535 - 0.239	.0599	----	----	----	----	13 UNCH
12800	----	----	----/*0.545A	0.618B/0.545A	----	0.531 - 0.237	.0594	----	----	----	----	2 UNCH
13000	----	----	----/*0.455A	0.563B/*0.455A	----	0.499 - 0.224	.0559	----	----	----	----	1815 UNCH
14000	----	----	----/0.469A	0.375B/0.469A	----	0.354 - 0.168	.0401	----	----	----	----	17 UNCH
15000	0.338	0.338	0.338/*0.255	0.338/*0.255	----	0.262 - 0.129	.0299	----	----	2	----	96 UNCH
16000	----	----	----	0.179B/0.315A	----	0.201 - 0.102	.0230	----	----	----	----	10 UNCH
17000	----	----	----	0.120B/0.266A	----	0.158 - 0.082	.0180	----	----	----	----	1745 UNCH
18000	----	----	----	0.074B/0.228A	----	0.127 - 0.067	.0145	----	----	----	----	7 UNCH
19000	----	----	----	0.048B/0.199A	----	0.105 - 0.055	.0119	----	----	----	----	2 UNCH
20000	0.120	0.120	0.120/*0.100	0.120/*0.100	----	0.087 - 0.048	.0098	----	----	12	----	232 + 10
25000	0.075	0.075	0.075/*0.075	0.075/*0.075	----	0.045 - 0.026	.0049	----	----	14	----	16 + 12
27000	----	----	----	0.001B/3.184A	----	0.036 - 0.021	.0039	----	----	----	----	6 UNCH
30000	----	----	----	----/0.100A	----	0.029 - 0.016	.0030	----	----	----	----	14 UNCH
32000	----	----	----	0.009B/3.168A	----	0.022 - 0.012	.0023	----	----	----	----	3 UNCH
35000	----	----	----	0.005B/3.163A	----	0.015 - 0.009	.0016	----	----	----	----	4 UNCH
TOTAL										573	0	8612 + 102
SEP26												
5100	----	----	----/24.658A	25.463B/24.658A	----	25.181 - 2.203	.9389	----	----	----	----	1 UNCH
5900	----	----	----/18.064A	18.187B/18.064A	----	18.150 - 2.249	.8614	----	----	----	----	2 UNCH
6000	----	----	----/17.307A	17.323B/17.307A	----	17.347 - 2.243	.8474	----	----	----	----	7 UNCH
6700	----	----	----/12.227A	12.547B/12.227A	----	12.368 - 2.056	.7271	----	----	----	----	1 UNCH
7000	----	----	----/10.355A	10.763B/10.355A	----	10.604 - 1.909	.6673	----	----	----	----	266 UNCH
7125	----	----	----/9.899A	10.097B/9.899A	----	9.959 - 1.816	.6418	----	----	----	----	75 UNCH
7300	----	----	----/8.772A	9.426B/8.772A	----	9.103 - 1.698	.6062	----	----	----	----	145 UNCH
7400	----	----	----/8.510A	8.911B/8.510A	----	8.647 - 1.630	.5860	----	----	----	----	104 UNCH
7500	8.000	8.000	8.000/7.600	8.457B/7.600	----	8.214 - 1.560	.5660	----	----	2	----	3 UNCH
7550	----	----	----/7.949A	8.516B/7.949A	----	8.006 - 1.526	.5561	----	----	----	----	2 UNCH
7700	----	----	----/7.405A	7.638B/7.405A	----	7.416 - 1.421	.5271	----	----	----	----	1 UNCH
7900	7.500	7.500	7.500/6.752A	7.722B/6.752A	----	6.701 - 1.288	.4898	----	----	1	----	1 - 1
8000	----	----	7.946B/6.383A	7.946B/6.383A	----	6.373 - 1.224	.4719	----	----	5	----	201 + 5
8100	----	----	----/6.173A	6.208B/6.173A	----	6.064 - 1.163	.4546	----	----	----	----	9 UNCH
8200	----	----	----/5.907A	5.904B/5.907A	----	5.772 - 1.104	.4377	----	----	----	----	25 UNCH
8300	----	----	----/5.656A	5.610B/5.656A	----	5.496 - 1.048	.4214	----	----	----	----	2 UNCH
8400	----	----	----/5.418A	5.349B/5.418A	----	5.236 - 0.995	.4057	----	----	----	----	10 UNCH
8500	----	----	6.238B/5.123A	6.238B/5.123A	----	4.992 - 0.944	.3906	----	----	----	----	239 UNCH
8600	----	----	5.795B/4.982A	5.795B/4.982A	----	4.762 - 0.894	.3760	----	----	12	----	76 + 12
8675	----	----	----/4.875A	4.684B/4.875A	----	4.597 - 0.861	.3654	----	----	----	----	5 UNCH
8700	----	----	5.676B/4.716A	5.676B/4.716A	----	4.544 - 0.850	.3620	----	----	----	----	104 UNCH
8800	----	----	----/4.590A	4.427B/4.590A	----	4.341 - 0.806	.3486	----	----	----	----	10 UNCH
8900	----	----	----/4.410A	4.235B/4.410A	----	4.148 - 0.765	.3356	----	----	----	----	4 UNCH
8925	----	----	----/4.403A	4.191B/4.403A	----	4.102 - 0.755	.3325	----	----	----	----	2 UNCH
8950	----	----	----/4.324A	4.144B/4.324A	----	4.056 - 0.745	.3294	----	----	----	----	2 UNCH
9000	----	----	4.942B/4.194A	4.942B/4.194A	----	3.966 - 0.727	.3232	----	----	6	----	227 + 4
9025	----	----	----/4.228A	4.010B/4.228A	----	3.923 - 0.718	.3203	----	----	----	----	4 UNCH
9100	----	----	----/4.095A	3.900B/4.095A	----	3.796 - 0.691	.3114	----	----	----	----	12 UNCH
9400	----	----	----/3.609A	3.430B/3.609A	----	3.340 - 0.595	.2789	----	----	----	----	20 UNCH
9500	----	----	3.959B/3.468A	3.959B/3.468A	----	3.206 - 0.566	.2690	----	----	1	----	264 UNCH
9600	----	----	----/3.359A	3.153B/3.359A	----	3.078 - 0.540	.2595	----	----	12	----	37 + 12
9750	----	----	----/3.175A	2.967B/3.175A	----	2.900 - 0.502	.2461	----	----	----	----	23 UNCH
9800	----	----	3.481B/3.092A	3.481B/3.092A	----	2.844 - 0.490	.2419	----	----	----	----	132 UNCH
9900	----	----	----/3.000A	3.191B/3.000A	----	2.736 - 0.468	.2336	----	----	----	----	52 UNCH
10000	3.101	3.101	3.193B/2.300	3.193B/2.300	----	2.634 - 0.447	.2257	----	----	24	50	361 - 13
10100	----	----	----/2.790A	2.923B/2.790A	----	2.537 - 0.427	.2182	----	----	----	----	56 UNCH
10200	----	----	----/2.674A	2.472B/2.674A	----	2.446 - 0.408	.2110	----	----	----	----	28 UNCH
10300	----	----	----/2.602A	2.377B/2.602A	----	2.359 - 0.389	.2041	----	----	----	----	25 UNCH
10500	----	----	2.594B/2.409A	2.594B/2.409A	----	2.197 - 0.355	.1911	----	----	----	----	231 UNCH
10800	----	----	----/2.199A	1.976B/2.199A	----	1.981 - 0.312	.1736	----	----	----	----	2 UNCH
11000	----	----	----/2.043A	2.118B/2.043A	----	1.854 - 0.285	.1631	----	----	----	----	248 UNCH
11100	----	----	----/1.989A	1.775B/1.989A	----	1.795 - 0.271	.1582	----	----	----	----	3 UNCH
11300	----	----	----/*1.923A	1.755B/1.923A	----	1.683 - 0.248	.1489	----	----	----	----	60 UNCH
11500	----	----	----	1.739B/1.828A	----	1.582 - 0.224	.1404	----	----	----	----	100 UNCH
12000	----	----	----	1.436B/1.592A	----	1.363 - 0.169	.1218	----	----	31	----	128 + 7
12500	1.250	1.250	1.250/1.188A	1.252B/1.188A	----	1.187 - 0.115	.1065	----	----	1	----	96 + 1
13000	1.100	1.100	1.100/1.053A	1.101B/1.053A	----	1.044 - 0.071	.0939	----	----	1	----	203 + 1
14000	0.768	0.768	0.768/0.756	0.768/0.756	----	0.833 - 0.004	.0749	----	----	58	----	238 - 37
15000	----	----	----/0.694A	0.605B/0.694A	----	0.652 - 0.099	.0592	----	----	1	----	426 + 1
16000	----	----	----	0.456B/0.581A	----	0.517 + 0.008	.0473	----	----	----	----	17 UNCH
17000	----	----	----	0.352B/0.496A	----	0.420 + 0.010	.0387	----	----	----	----	27 UNCH
18000	----	----	----	0.272B/0.430A	----	0.348 + 0.011	.0321	----	----	----	----	5 UNCH
19000	----	----	----	0.210B/0.377A	----	0.291 + 0.010	.0269	----	----	----	----	14 UNCH
20000	0.280	0.280	0.280/0.279A	0.280/0.279A	----	0.247 + 0.011	.0229	----	----	2	----	310 + 2
21000	----	----	----	0.120B/0.299A	----	0.213 + 0.011	.0197	----	----	----	----	1 UNCH
23000	----	----	----	0.070B/0.247A	----	0.162 + 0.010	.0150	----	----	----	----	44 UNCH
25000	----	----	----	0.031B/0.210A	----	0.127 + 0.009	.0117	----	----	----	----	39 UNCH
26000	----	----	----	0.017B/0.195A	----	0.114 + 0.008	.0105	----	----	----	----	1 UNCH
30000	----	----	----	0.001B/3.342A	----	0.078 + 0.006	.0071	----	----	----	----	18 UNCH
35000	----	----	----	0.001B/3.224A	----	0.044 + 0.004	.0041	----	----	----	----	27 UNCH
TOTAL										157	50	4776 - 6
OCT26												
7000	----	----	----/11.852A	12.083B/11.852A	----	11.943 - 1.787	.6744	----	----	----	----	2 UNCH
7100	----	----	----/11.354A	11.552B/11.354A	----	11.421 - 1.734	.6563	----	----	----	----	1 UNCH
7500	----	----	----/9.663A	9.821B/9.663A	----	9.572 - 1.540	.5845	----	----	----	----	2 UNCH
7650	----	----	----/9.102A	9.206B/9.102A	----	8.971 - 1.478	.5584	----	----	----	----	1 UNCH
7875	----	----	----/8.421A	8.211B/8.421A	----	8.154 - 1.399	.5209	----	----	----	----	2 UNCH
8000	----	----	----/7.973A	8.126B/7.973A	----	7.742 - 1.362	.5009	----	----	----	----	4 UNCH
8075	----	----	----/7.791A	7.547B/7.791A	----	7.507 - 1.344	.4893	----	----	----	----	1 UNCH
8275	----	----	----/7.227A	6.920B/7.227A	----	6.926 - 1.306	.4595	----	----	----	----	2 UNCH
8500	----	----	----/6.631A	6.354B/6.631A	----	6.341 - 1.283	.4282	----	----	----	----	1 UNCH
8700	----	----	----/6.185A	5.846B/6.185A	----	5.877 - 1.277	.4023	----	----	----	----	4 UNCH
9000	----	----	----/5.595A	5.212B/5.595A	----	5.264 - 1.288	.3668	----	----	----	----	1 UNCH
9100	----	----	----/5.411A	5.018B/5.411A	----	5.079 - 1.296	.3558	----	----	----	----	73 UNCH
9500	4.900	4.900	4.900/4.747A	4.900/4.747A	----	4.424 - 1.338	.3157	----	----	1	----	122 + 1
10000	----	----	----/4.056A	3.641B/4.056A	----	3.754 - 1.394	.2730	----	----	----	----	96 UNCH
10500	----	----	----/3.490A	3.075B/3.490A	----	3.211 - 1.439	.2373	----	----	----	----	1 UNCH
11000	----	----	----/3.053A	2.611B/3.053A	----	2.767 - 1.463	.2073	----	----	4	----	12 + 4
11100	----	----	----/2.947A	2.532B/2.947A	----	2.688 - 1.466	.2019	----	----	----	----	2 UNCH
11500	----	----	----/2.650A	2.234B/2.650A	----	2.399 - 1.466	.1819	----	----	----	----	9 UNCH
11700	----	----	----/2.517A	2.101B/2.517A	----	2.270 - 1.459	.1729	----	----	----	----	2 UNCH
12000	----	----	----/2.310A	1.919B/2.310A	----	2.093 - 1.440	.1604	----	----	4	----	79 + 4
13000	----	----	----/2.011A	1.374B/2.011A	----	1.617 - 1.317	.1261	----	----	----	----	92 UNCH
14000	----	----	----/1.326A	1.112B/1.326A	----	1.275 - 1.136	.1008	----	----	----	----	2 UNCH
15000	----	----	----/1.107A	0.855B/1.107A	----	1.025 - 0.944	.0819	----	----	----	----	178 UNCH
16000	----	----	----/0.941A	0.696B/0.941A	----	0.842 - 0.769	.0678	----	----	----	----	27 UNCH
17000	----	----	----/0.811A	0.617B/0.811A	----	0.675 - 0.660	.0552	----	----	----	----	120 UNCH
18000	----	----	----/0.709A	0.494B/0.709A	----	0.550 - 0.570	.0455	----	----	----	----	340 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
OCT26												
20000	----	----	----/0.560A	0.317B/0.560A	----	0.382 -	0.438 .0321	----	----	----	----	182 UNCH
TOTAL										9	0	1358 + 9
NOV26												
6500	----	----	----/15.723A	15.743B/15.723A	----	15.643 -	2.673 .7493	----	----	----	----	1 UNCH
7000	----	----	----/12.825A	12.859B/12.825A	----	12.681 -	2.449 .6696	----	----	----	----	14 UNCH
7100	----	----	----/12.361A	12.360B/12.361A	----	12.153 -	2.389 .6531	----	----	----	----	14 UNCH
7500	----	----	----/10.714A	10.704B/10.714A	----	10.266 -	2.094 .5871	----	----	----	----	1 UNCH
7900	----	----	----/9.354A	10.009B/9.354A	----	8.729 -	1.726 .5240	----	----	----	----	16 UNCH
8000	----	----	10.067B/9.054A	10.067B/9.054A	----	8.396 -	1.626 .5091	----	----	----	----	10 UNCH
8200	----	----	----/8.492A	8.105B/8.492A	----	7.785 -	1.423 .4805	----	----	----	----	6 UNCH
9000	----	----	----	6.103B/6.645A	----	5.946 -	0.640 .3841	----	----	----	----	1 UNCH
9550	----	----	----	5.105B/5.674A	----	5.075 -	0.214 .3330	----	----	----	----	3 UNCH
9800	----	----	----	4.723B/5.299A	----	4.744 -	0.067 .3130	----	----	----	----	3 UNCH
10000	----	----	----	4.446B/5.025A	----	4.500 +	0.028 .2981	----	----	----	----	24 UNCH
11000	----	----	3.315B/----	3.315B/3.944A	----	3.501 +	0.268 .2362	----	----	----	----	4 UNCH
12000	----	----	2.527B/----	2.527B/3.120A	----	2.766 +	0.251 .1898	----	----	----	----	13 UNCH
12500	----	----	----	2.221B/2.809A	----	2.470 +	0.194 .1709	----	----	----	----	10 UNCH
13000	----	----	----	1.959B/2.564A	----	2.213 +	0.123 .1543	----	----	----	----	1 UNCH
14000	----	----	----	1.454B/2.258A	----	1.793 -	0.030 .1268	----	----	----	----	2 UNCH
15000	----	----	----/1.555A	1.192B/1.555A	----	1.474 -	0.163 .1054	----	----	----	----	6 UNCH
16000	----	----	----/1.340A	1.015B/1.340A	----	1.229 -	0.271 .0888	----	----	----	----	14 UNCH
17000	----	----	----/1.168A	0.820B/1.168A	----	1.037 -	0.362 .0755	----	----	----	----	2 UNCH
20000	----	----	----/0.824A	0.532B/0.824A	----	0.659 -	0.567 .0488	----	----	----	----	33 UNCH
21000	----	----	----/0.746A	0.439B/0.746A	----	0.576 -	0.620 .0429	----	----	----	----	1 UNCH
30000	0.285	0.285	0.285/0.285	0.285/0.285	----	0.273 -	0.635 .0199	----	----	1	----	5 UNCH
TOTAL										1	0	184 0
DEC26												
3875	----	----	----	----	----	37.819 -	2.302 .9741	----	----	----	----	1 UNCH
5000	----	----	----	----/50.864A	----	27.343 -	2.220 .9185	----	----	----	----	30 UNCH
5250	----	----	----	----/49.203A	----	25.221 -	2.205 .8968	----	----	----	----	50 UNCH
5500	----	----	----	----/47.381A	----	23.187 -	2.186 .8718	----	----	----	----	1 UNCH
6500	----	----	----/16.455A	16.209B/16.455A	----	16.186 -	2.021 .7417	----	----	----	----	600 UNCH
6900	----	----	----/14.090A	13.949B/14.090A	----	13.941 -	1.934 .6816	----	----	----	----	1 UNCH
6950	----	----	----/13.849A	13.691B/13.849A	----	13.684 -	1.922 .6739	----	----	----	----	220 UNCH
7000	----	----	----/13.621A	13.381B/13.621A	----	13.432 -	1.909 .6663	----	----	----	----	120 UNCH
7025	----	----	----/13.747A	13.308B/13.747A	----	13.308 -	1.902 .6625	----	----	----	----	1 UNCH
7075	----	----	----/13.540A	13.010B/13.540A	----	13.065 -	1.887 .6548	----	----	----	----	5 UNCH
7100	----	----	----/13.172A	12.946B/13.172A	----	12.946 -	1.879 .6510	----	----	----	----	15 UNCH
7375	----	----	----/12.243A	11.695B/12.243A	----	11.735 -	1.767 .6095	----	----	----	----	2 UNCH
7500	----	----	----/11.561A	11.359B/11.561A	----	11.240 -	1.705 .5911	----	----	----	----	18 UNCH
7575	----	----	----/11.470A	10.836B/11.470A	----	10.958 -	1.667 .5802	----	----	----	----	1 UNCH
7750	----	----	----/10.693A	10.406B/10.693A	----	10.337 -	1.577 .5556	----	----	----	----	2 UNCH
7800	----	----	----/10.526A	10.413B/10.526A	----	10.168 -	1.552 .5487	----	----	----	----	1 UNCH
7925	----	----	----/10.268A	10.511B/10.268A	----	9.762 -	1.490 .5319	----	----	----	----	2 UNCH
8000	----	----	----/9.955A	9.480B/9.955A	----	9.527 -	1.457 .5221	----	----	----	----	133 UNCH
8100	----	----	----/9.675A	9.150B/9.675A	----	9.224 -	1.415 .5092	----	----	----	----	1 UNCH
8200	----	----	----/9.401A	8.834B/9.401A	----	8.931 -	1.377 .4966	----	----	----	----	21 UNCH
8400	----	----	----/8.871A	8.275B/8.871A	----	8.377 -	1.312 .4724	----	----	----	----	50 UNCH
8500	8.000	8.000	8.000/8.000	8.000/8.000	----	8.116 -	1.283 .4607	----	----	5	----	150 UNCH
8550	----	----	----/8.501A	7.857B/8.501A	----	7.989 -	1.270 .4550	----	----	----	----	25 UNCH
8600	----	----	----/8.383A	7.726B/8.383A	----	7.864 -	1.258 .4493	----	----	----	----	7 UNCH
8800	----	----	----/7.934A	7.235B/7.934A	----	7.388 -	1.213 .4274	----	----	----	----	5 UNCH
8900	----	----	----/7.723A	7.002B/7.723A	----	7.165 -	1.192 .4169	----	----	----	----	27 UNCH
8950	----	----	----/7.621A	6.889B/7.621A	----	7.056 -	1.183 .4118	----	----	----	----	1 UNCH
9000	----	----	----/7.521A	6.787B/7.521A	----	6.950 -	1.173 .4067	----	----	----	----	250 UNCH
9050	----	----	----/7.422A	6.678B/7.422A	----	6.846 -	1.163 .4017	----	----	----	----	100 UNCH
9100	----	----	----/7.327A	6.570B/7.327A	----	6.744 -	1.154 .3968	----	----	----	----	16 UNCH
9300	----	----	----/6.960A	6.141B/6.960A	----	6.357 -	1.118 .3778	----	----	----	----	15 UNCH
9500	----	----	----/6.621A	5.788B/6.621A	----	6.003 -	1.081 .3600	----	----	----	----	10 UNCH
9700	----	----	----/6.308A	5.461B/6.308A	----	5.678 -	1.042 .3433	----	----	----	----	1 UNCH
9800	----	----	----/*6.156A	5.306B/6.156A	----	5.525 -	1.022 .3353	----	----	3	----	59 + 3
9900	----	----	----/*6.014A	5.160B/6.014A	----	5.379 -	1.001 .3276	----	----	----	----	4 UNCH
10000	----	----	----/5.866A	5.014B/5.866A	----	5.238 -	0.981 .3201	----	----	70	73	840 + 1
10025	----	----	----/*5.836A	4.981B/5.836A	----	5.204 -	0.976 .3183	----	----	----	----	3 UNCH
10500	----	----	----/*5.226A	4.372B/5.226A	----	4.609 -	0.880 .2860	----	----	----	----	100 UNCH
10600	----	----	----/*5.113A	4.255B/5.113A	----	4.496 -	0.861 .2797	----	----	----	----	6 UNCH
10800	----	----	----/4.892A	4.012B/4.892A	----	4.280 -	0.825 .2677	----	----	----	----	5 UNCH
11000	----	----	----/4.718A	3.830B/4.718A	----	4.078 -	0.791 .2564	----	----	----	----	116 UNCH
11350	----	----	----/*4.351A	3.481B/4.351A	----	3.753 -	0.737 .2380	----	----	----	----	5 UNCH
11400	----	----	----/*4.303A	3.441B/4.303A	----	3.710 -	0.729 .2355	----	----	----	----	1 UNCH
11600	----	----	----/*4.129A	3.271B/4.129A	----	3.542 -	0.701 .2259	----	----	----	----	1 UNCH
11800	----	----	----/*3.969A	3.113B/3.969A	----	3.384 -	0.674 .2167	----	----	----	----	25 UNCH
12000	----	----	----/3.815A	2.966B/3.815A	----	3.235 -	0.649 .2081	----	----	67	73	568 - 96
12200	----	----	----/*3.701A	2.824B/3.701A	----	3.094 -	0.626 .1998	----	----	----	----	1 UNCH
12500	----	----	----/*3.465A	2.630B/3.465A	----	2.899 -	0.592 .1883	----	----	----	----	51 UNCH
13000	----	----	----	2.339B/3.161A	----	2.607 -	0.542 .1709	----	----	----	----	383 UNCH
13500	----	----	----	2.086B/*2.923A	----	2.355 -	0.495 .1556	----	----	----	----	6 UNCH
14000	2.400	2.400	2.400/2.400	2.400/2.400	----	2.135 -	0.453 .1421	----	----	5	----	96 UNCH
14200	----	----	----	1.787B/2.678A	----	2.055 -	0.437 .1372	----	----	----	----	1 UNCH
15000	----	----	----	1.388B/2.480A	----	1.774 -	0.376 .1196	----	----	----	----	1854 UNCH
16000	----	----	----/1.716A	1.193B/1.716A	----	1.493 -	0.311 .1017	----	----	----	----	1609 UNCH
17000	----	----	----/1.515A	1.084B/1.515A	----	1.271 -	0.255 .0873	----	----	----	----	50 UNCH
18000	----	----	----/1.249A	0.903B/1.249A	----	1.094 -	0.206 .0757	----	----	----	----	82 UNCH
19000	----	----	----	0.738B/1.204A	----	0.952 -	0.163 .0662	----	----	----	----	1 UNCH
20000	----	----	----	0.720B/1.089A	----	0.839 -	0.123 .0585	----	----	----	38	435 UNCH
21000	----	----	----	0.600B/0.996A	----	0.748 -	0.088 .0523	----	----	----	----	4 UNCH
22000	----	----	----	0.509B/0.908A	----	0.675 -	0.057 .0472	----	----	----	----	1 UNCH
23000	----	----	----	0.429B/0.834A	----	0.616 -	0.031 .0430	----	----	----	----	35 UNCH
25000	----	----	----	0.293B/0.715A	----	0.531 +	0.013 .0368	----	----	----	----	235 UNCH
26000	0.460	0.460	0.460/*0.460	0.460/*0.460	----	0.500 +	0.031 .0344	----	----	1	----	3 + 1
30000	----	----	----	0.114B/0.530A	----	0.367 +	0.025 .0253	----	----	----	----	110 UNCH
40000	0.250	0.250	0.250/0.230	0.250/0.230	----	0.247 +	0.020 .0164	----	----	3	----	24 UNCH
90000	----	----	----	0.003B/0.400A	----	0.104 +	0.009 .0062	----	----	----	----	2 UNCH
100000	----	----	----	0.003B/0.190A	----	0.100 +	0.009 .0059	----	----	----	----	5 UNCH
TOTAL										154	184	8603 - 91
JAN27												
7550	----	----	----/12.553A	12.349B/12.553A	----	12.332 -	1.586 .5985	----	----	1	----	1 - 1
7650	----	----	----/12.241A	11.956B/12.241A	----	11.944 -	1.539 .5853	----	----	----	----	5 UNCH
8300	----	----	----/10.301A	9.687B/10.301A	----	9.789 -	1.440 .5051	----	----	----	----	22 UNCH
9000	----	----	----/8.669A	7.842B/8.669A	----	8.068 -	1.307 .4323	----	----	----	----	1 UNCH
10000	----	----	----/*6.950A	5.895B/6.950A	----	6.271 -	1.040 .3493	----	----	1	----	5 - 1
11000	----	----	----/*5.721A	4.535B/5.721A	----	4.952 -	0.919 .2848	----	----	----	----	21 UNCH
12500	----	----	----/*4.359A	3.167B/4.359A	----	3.674 -	0.755 .2171	----	----	----	----	1 UNCH
13000	----	----	----/4.010A	2.838B/4.010A	----	3.381 -	0.673 .2005	----	----	----	----	7 UNCH
14000	----	----	----	2.293B/3.467A	----	2.870 -	0.542 .1718	----	----	----	----	1 UNCH
14500	----	----	----	2.070B/3.187A	----	2.636 -	0.505 .1589	----	----	----	----	400 UNCH
15000	----	----	----	1.872B/3.061A	----	2.429 -	0.473 .1473	----	----	----	----	401 UNCH
TOTAL										2	0	865 - 2
FEB27												
7500	----	----	----/13.521A	13.155B/13.521A	----	13.225 -	1.640 .6079	----	----	----	----	1 UNCH
8500	----	----	----/10.499A	9.736B/10.499A	----	9.979 -	1.275 .4930	----	----	----	----	4 UNCH
9000	----	----	----/9.377A	8.476B/9.377A	----	8.786 -	1.125 .4449	----	----	----	----	1 UNCH
9500	----	----	----/8.439A	7.380B/8.439A	----	7.799 -	1.021 .4027	----	----	----	----	4 UNCH
10000	----	----	----/*7.648A	6.504B/7.648A	----	6.972 -	0.949 .3658	----	----	----	----	1 UNCH
30000	----	----	----	0.280B/0.893A	----	0.580 -	0.276 .0362	----	----	----	----	1 UNCH
TOTAL											0	12 0
MAR27												
8000	----	----	----/*12.814A	11.492B/12.814A	----	12.088 -	1.294 .5532	----	----	----	----	200 UNCH
9000	----	----	----/10.228A	8.743B/10.228A	----	9.476 -	1.229 .4563	----	----	----	----	36 UNCH
9200	----	----	----/*9.809A	8.315B/9.809A	----	9.063 -	1.236 .4397	----	----	----	----	25 UNCH
13000	----	----	----/*5.122A	3.707B/5.122A	----	4.492 -	2.040 .2369	----	----	----	----	105 UNCH
14000	----	----	----/*4.457A	3.083B/4.457A	----	3.857 -	2.226 .2061	----	----	----	----	105 UNCH
15000	----	----	----/*3.916A	2.583B/3.916A	----	3.351 -	2.366 .1810	----	----	----	----	28 UNCH
16000	----	----	----/*3.491A	2.188B/3.491A	----	2.940 -	2.471 .1602	----	----	----	----	28 UNCH
30000	----	----	----/2.756A	0.041B/2.756A	----	0.817 -	2.691 .0473	----	----	----	----	2 UNCH
TOTAL											0	529 0
MAY27												
11000	----	----	----	----	----	7.493 -	0.850 .3499	----	----	----	----	1 UNCH
TOTAL											0	1 0
JUL27												
2000	----	----	----	----	----	58.335 -	2.330 .9954	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL27												
10000	----	----	----	----	----	10.313 - 1.036	.4326	----	----	----	----	1 UNCH
10300	----	----	----	----	----	9.839 - 0.996	.4153	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	40.947 - 2.142	.9199	----	----	----	----	1 UNCH
20000	----	----	----	----	----	6.119 - 0.560	.2304	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
JUN26												
2100	----	----	----	----/0.001A	----	0.001 UNCH	.0001	----	----	----	----	1 UNCH
2350	----	----	----	----/0.007A	----	0.001 UNCH	.0001	----	----	----	----	2 UNCH
2500	----	----	----	----/0.008A	----	0.001 UNCH	.0001	----	----	----	----	141 UNCH
2650	----	----	----	----/0.299A	----	0.001 UNCH	.0001	----	----	----	----	1 UNCH
3000	----	----	----	----/*0.004A	----	0.001 UNCH	.0001	----	----	----	----	246 UNCH
3075	----	----	----	----/0.035A	----	0.001 UNCH	.0001	----	----	----	----	4 UNCH
3100	----	----	----	----/0.035A	----	0.001 UNCH	.0001	----	----	----	----	3 UNCH
3150	----	----	----	----/0.035A	----	0.001 UNCH	.0002	----	----	----	----	9 UNCH
3200	----	----	----	----/0.011A	----	0.001 UNCH	.0002	----	----	----	----	4 UNCH
3325	----	----	----	----/0.035A	----	0.001 UNCH	.0002	----	----	----	----	2 UNCH
3350	----	----	----	----/0.035A	----	0.001 UNCH	.0002	----	----	----	----	1 UNCH
3375	----	----	----	----/0.035A	----	0.001 UNCH	.0002	----	----	----	----	1 UNCH
3400	----	----	----	----/0.035A	----	0.001 UNCH	.0002	----	----	----	----	17 UNCH
3500	----	----	----	----/0.035A	----	0.001 UNCH	.0002	----	----	----	----	100 UNCH
3550	----	----	----	----/0.035A	----	0.001 UNCH	.0002	----	----	----	----	5 UNCH
3575	----	----	----	----/0.035A	----	0.001 UNCH	.0002	----	----	----	----	22 UNCH
3600	----	----	----	----/0.020A	----	0.001 UNCH	.0002	----	----	----	----	6 UNCH
3650	----	----	----	----/0.035A	----	0.001 UNCH	.0002	----	----	----	----	22 UNCH
3675	----	----	----	----/0.035A	----	0.001 UNCH	.0002	----	----	----	----	1 UNCH
3700	----	----	----	----/0.035A	----	0.001 UNCH	.0002	----	----	----	----	6 UNCH
3725	----	----	----	----/0.035A	----	0.001 UNCH	.0002	----	----	----	----	15 UNCH
3800	----	----	----	----/0.035A	----	0.002 UNCH	.0004	----	----	----	----	14 UNCH
3850	----	----	----	----/0.035A	----	0.002 UNCH	.0004	----	----	----	----	2 UNCH
3900	----	----	----	----/0.035A	----	0.002 UNCH	.0004	----	----	----	----	6 UNCH
3925	----	----	----	----/*0.035A	----	0.002 UNCH	.0004	----	----	----	----	3 UNCH
4000	0.020	0.020	0.020/0.020	0.020/0.020	----	0.002 UNCH	.0004	----	----	2	----	154 + 1
4075	----	----	----	----/*0.036A	----	0.003 UNCH	.0007	----	----	----	----	1 UNCH
4100	----	----	----	----/0.036A	----	0.003 UNCH	.0007	----	----	----	----	31 UNCH
4125	----	----	----	----/*0.036A	----	0.003 UNCH	.0007	----	----	----	----	5 UNCH
4150	----	----	----	----/*0.036A	----	0.003 UNCH	.0007	----	----	----	----	4 UNCH
4200	----	----	----	----/0.036A	----	0.004 UNCH	.0009	----	----	----	----	26 UNCH
4225	----	----	----	----/*0.037A	----	0.004 UNCH	.0009	----	----	----	----	7 UNCH
4250	----	----	----	----/*0.037A	----	0.004 UNCH	.0009	----	----	----	----	5 UNCH
4275	----	----	----	----/*0.037A	----	0.004 UNCH	.0009	----	----	----	----	13 UNCH
4300	----	----	----	----/*0.037A	----	0.004 UNCH	.0009	----	----	----	----	7 UNCH
4350	----	----	----	----/*0.038A	----	0.005 UNCH	.0012	----	----	----	----	2 UNCH
4375	----	----	----	----/*0.038A	----	0.005 UNCH	.0012	----	----	----	----	3 UNCH
4400	----	----	----	----/*0.039A	----	0.005 UNCH	.0012	----	----	----	----	8 UNCH
4425	----	----	----	----/*0.039A	----	0.005 UNCH	.0012	----	----	----	----	1 UNCH
4500	----	----	----	----/0.040A	----	0.006 UNCH	.0015	----	----	----	----	164 UNCH
4550	----	----	----	----/*0.041A	----	0.007 UNCH	.0017	----	----	----	----	2 UNCH
4600	----	----	----	----/*0.043A	----	0.007 UNCH	.0017	----	----	----	----	7 UNCH
4625	----	----	----	----/*0.043A	----	0.007 UNCH	.0017	----	----	----	----	12 UNCH
4650	----	----	----	----/*0.044A	----	0.008 UNCH	.0020	----	----	----	----	1 UNCH
4700	----	----	----	----/*0.045A	----	0.008 UNCH	.0020	----	----	----	----	2 UNCH
4725	----	----	----	----/*0.046A	----	0.009 + 0.001	.0022	----	----	----	----	10 UNCH
4750	----	----	----	----/*0.047A	----	0.010 + 0.001	.0025	----	----	----	----	3 UNCH
4800	----	----	----	----/0.049A	----	0.011 + 0.001	.0027	----	----	----	----	27 UNCH
4850	----	----	----	----/0.051A	----	0.012 + 0.001	.0030	----	----	----	----	3 UNCH
4875	----	----	----	----/0.052A	----	0.012 + 0.001	.0030	----	----	----	----	15 UNCH
4900	----	----	----	----/0.054A	----	0.012 + 0.001	.0031	----	----	----	----	170 UNCH
4975	----	----	----	----/0.058A	----	0.014 + 0.002	.0036	----	----	----	----	1 UNCH
5000	0.010	0.010	0.010/0.010	0.011B/0.010	----	0.015 + 0.002	.0039	----	----	1	----	1077 UNCH
5025	----	----	----	----/0.061A	----	0.015 + 0.002	.0039	----	----	----	----	8 UNCH
5050	----	----	----	----/0.062A	----	0.016 + 0.002	.0042	----	----	----	----	3 UNCH
5075	----	----	----	----/*0.051A	----	0.016 + 0.002	.0042	----	----	----	----	2 UNCH
5100	----	----	----	----/0.051A	----	0.018 + 0.003	.0047	----	----	----	----	34 UNCH
5125	----	----	----	----/*0.049A	----	0.019 + 0.003	.0049	----	----	----	----	1 UNCH
5150	----	----	----	----/*0.049A	----	0.019 + 0.003	.0050	----	----	----	----	16 UNCH
5175	----	----	----	----/*0.050A	----	0.019 + 0.003	.0051	----	----	----	----	12 UNCH
5200	----	----	----	----/0.050A	----	0.021 + 0.004	.0055	----	----	----	----	7 UNCH
5225	----	----	----	----/*0.051A	----	0.021 + 0.003	.0056	----	----	----	----	1 UNCH
5250	----	----	----	----/*0.051A	----	0.021 + 0.003	.0057	----	----	----	----	14 UNCH
5275	----	----	----	----/*0.052A	----	0.022 + 0.003	.0060	----	----	----	----	17 UNCH
5300	----	----	----	0.001B/0.052A	----	0.022 + 0.002	.0060	----	----	----	----	14 UNCH
5325	----	----	----	0.001B/*0.053A	----	0.022 + 0.001	.0061	----	----	----	----	10 UNCH
5350	----	----	----	0.007B/*0.054A	----	0.023 + 0.002	.0064	----	----	----	----	12 UNCH
5375	----	----	----	0.009B/*0.054A	----	0.023 + 0.001	.0065	----	----	----	----	10 UNCH
5400	----	----	----	0.008B/*0.055A	----	0.024 + 0.001	.0068	----	----	----	----	24 UNCH
5425	----	----	----	0.004B/*0.056A	----	0.024 + 0.001	.0069	----	----	----	----	4 UNCH
5450	----	----	----	0.004B/*0.056A	----	0.025 UNCH	.0072	----	----	----	----	2 UNCH
5475	----	----	----	0.010B/*0.057A	----	0.025 UNCH	.0073	----	----	----	----	13 UNCH
5500	0.059	0.059	0.059/0.049A	0.059/0.049A	----	0.026 UNCH	.0076	----	----	1	----	640 - 1
5525	----	----	----	0.012B/*0.059A	----	0.026 - 0.001	.0077	----	----	----	----	16 UNCH
5550	----	----	----	0.010B/*0.060A	----	0.027 - 0.001	.0080	----	----	----	----	10 UNCH
5575	----	----	----	0.006B/*0.061A	----	0.027 - 0.002	.0081	----	----	----	----	2 UNCH
5600	----	----	----	0.008B/0.062A	----	0.028 - 0.002	.0084	----	----	----	----	19 UNCH
5625	----	----	----	0.011B/*0.061A	----	0.028 - 0.004	.0086	----	----	----	----	2 UNCH
5650	----	----	----	0.008B/*0.063A	----	0.029 - 0.003	.0089	----	----	----	----	51 UNCH
5675	----	----	----	0.017B/*0.064A	----	0.030 - 0.003	.0093	----	----	----	----	21 UNCH
5700	----	----	----	0.023B/0.064A	----	0.031 - 0.004	.0096	----	----	----	----	243 UNCH
5725	----	----	----	0.017B/*0.066A	----	0.031 - 0.004	.0098	----	----	----	----	4 UNCH
5750	----	----	----	0.020B/0.066A	----	0.032 - 0.005	.0101	----	----	----	----	225 UNCH
5775	----	----	----	0.023B/*0.067A	----	0.033 - 0.005	.0105	----	----	----	----	9 UNCH
5800	----	----	----	0.024B/0.070A	----	0.034 - 0.006	.0109	----	----	----	----	80 UNCH
5825	----	----	----	0.023B/*0.071A	----	0.035 - 0.006	.0113	----	----	----	----	9 UNCH
5850	----	----	----	0.027B/*0.072A	----	0.036 - 0.007	.0117	----	----	----	----	6 UNCH
5875	----	----	----	0.031B/0.074A	----	0.037 - 0.008	.0122	----	----	----	----	12 UNCH
5900	----	----	----	0.043B/0.075A	----	0.039 - 0.007	.0128	----	----	----	----	44 UNCH
5925	----	----	0.067B/----	0.067B/*0.077A	----	0.040 - 0.009	.0133	----	----	----	----	21 UNCH
5950	----	----	0.071B/----	0.071B/*0.080A	----	0.041 - 0.009	.0137	----	----	----	----	6 UNCH
5975	----	----	0.077B/----	0.077B/0.072A	----	0.043 - 0.009	.0145	----	----	----	----	9 UNCH
6000	0.062	0.062	0.110/0.053	0.110/0.053	----	0.045 - 0.010	.0152	----	----	61	----	955 - 45
6025	----	----	0.062B/----	0.062B/*0.075A	----	0.046 - 0.010	.0157	----	----	----	----	31 UNCH
6050	----	----	0.070B/----	0.070B/0.077A	----	0.048 - 0.010	.0164	----	----	----	----	141 UNCH
6075	----	----	0.077B/----	0.077B/0.080A	----	0.051 - 0.009	.0175	----	----	----	----	31 UNCH
6100	0.080	0.080	0.086B/0.080	0.086B/0.080	----	0.053 - 0.009	.0183	----	----	1	----	87 + 1
6125	----	----	0.095B/----	0.095B/0.086A	----	0.055 - 0.009	.0191	----	----	----	----	3 UNCH
6150	0.081	0.081	0.102B/*0.081	0.102B/*0.081	----	0.058 - 0.008	.0202	----	----	1	----	15 + 1
6175	0.083	0.083	0.151B/0.083	0.151B/0.083	----	0.061 - 0.008	.0213	----	----	2	----	305 - 2
6200	----	----	0.162B/----	0.162B/0.096A	----	0.064 - 0.006	.0224	----	----	----	----	204 UNCH
6225	----	----	0.179B/----	0.179B/0.101A	----	0.068 - 0.005	.0238	----	----	----	----	8 UNCH
6250	----	----	0.191B/----	0.191B/0.104A	----	0.071 - 0.004	.0250	----	----	----	----	69 UNCH
6275	----	----	0.204B/----	0.204B/0.108A	----	0.075 - 0.003	.0265	----	----	----	----	3 UNCH
6300	----	----	0.201B/----	0.201B/0.111A	----	0.080 - 0.001	.0282	----	----	----	----	141 UNCH
6325	----	----	0.232B/----	0.232B/0.116A	----	0.084 - 0.001	.0297	----	----	----	----	18 UNCH
6350	----	----	0.224B/----	0.224B/0.119A	----	0.089 + 0.001	.0315	----	----	----	----	29 UNCH
6375	----	----	0.264B/----	0.264B/0.122A	----	0.095 + 0.003	.0336	----	----	----	----	14 UNCH
6400	0.065	0.065	0.268B/0.065	0.268B/0.065	----	0.101 + 0.005	.0357	----	----	26	----	218 + 10
6425	0.183	0.183	0.300B/0.183	0.300B/0.132A	----	0.107 + 0.007	.0379	----	----	1	----	46 UNCH
6450	0.193	0.193	0.319B/0.193	0.319B/0.134A	----	0.114 + 0.010	.0403	----	----	2	----	62 + 1
6475	0.205	0.205	0.339B/0.205	0.339B/0.137A	----	0.121 + 0.012	.0428	----	----	1	----	71 + 1
6500	0.105	0.105	0.363B/0.105	0.363B/0.105	----	0.129 + 0.015	.0456	----	----	68	----	511 + 21
6525	----	----	0.318B/----	0.318B/0.154A	----	0.138 + 0.018	.0487	----	----	----	----	37 UNCH
6550	----	----	0.351B/----	0.351B/0.162A	----	0.148 + 0.022	.0520	----	----	5	----	130 + 2
6575	0.146	0.146	0.450/0.146	0.450/0.146	----	0.158 + 0.026	.0554	----	----	12	----	11 - 1
6600	0.175	0.175	0.450/0.175	0.450/0.164A	----	0.169 + 0.030	.0591	----	----	40	----	117 - 19
6625	----	----	0.415B/----	0.415B/0.173A	----	0.181 + 0.035	.0631	----	----	----	----	20 UNCH
6650	----	----	0.458B/----	0.458B/0.178A	----	0.194 + 0.040	.0674	----	----	----	----	38 UNCH
6675	----	----	0.541B/----	0.541B/0.188A	----	0.208 + 0.045	.0720	----	----	----	----	28 UNCH
6700	0.180	0.180	0.610B/0.180	0.610B/0.180	----	0.223 + 0.051	.0768	----	----	22	----	144 + 3
6725	----	----	0.624B/----	0.624B/0.199A	----	0.239 + 0.057	.0820	----	----	----	----	39 UNCH
6750	0.130	0.130	0.677B/0.125A	0.677B/0.125A	----	0.257 + 0.064	.0876	----	----	8	----	56 + 4
6775	----	----	0.694B/----	0.694B/0.217A	----	0.276 + 0.073	.0936	----	----	1	----	3 UNCH
6800	0.725	0.725	0.759B/0.315	0.759B/0.216A	----	0.296 + 0.080	.0998	----	----	35	----	99 + 6
6825	----	----	0.786B/----	0.786B/0.235A	----	0.318 + 0.089	.1065	----	----	----	----	1 UNCH
6850	0.750	0.750	0.849B/0.750	0.849B/0.251A	----	0.342 + 0.099	.1137	----	----	7	----	103 + 5

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 52

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
6875	----	----	0.887B/0.251A	0.887B/0.251A	----	0.367 +	0.108 .1212	----	----	----	----	7 UNCH
6900	0.370	0.370	0.962B/0.262A	0.962B/0.262A	----	0.395 +	0.120 .1293	----	----	89	----	122 + 32
6925	----	----	0.992B/0.262A	0.992B/0.262A	----	0.424 +	0.131 .1378	----	----	----	----	13 UNCH
6950	0.943	0.943	1.072B/0.258A	1.072B/0.258A	----	0.456 +	0.144 .1468	----	----	1	----	59 - 1
6975	0.544	0.544	1.101B/0.260A	1.101B/0.260A	----	0.489 +	0.156 .1562	----	----	2	----	11 + 2
7000	0.230	0.230	1.281/0.230	1.281/0.230	----	0.526 +	0.172 .1663	----	----	109	----	1041 + 25
7025	----	----	1.259B/0.274A	1.259B/0.274A	----	0.564 +	0.187 .1767	----	----	----	----	26 UNCH
7050	0.500	0.500	1.344B/0.289A	1.344B/0.289A	----	0.606 +	0.203 .1878	----	----	2	----	54 - 1
7075	----	----	1.402B/0.307A	1.402B/0.307A	----	0.650 +	0.220 .1994	----	----	----	----	50 UNCH
7100	0.512	0.512	1.584/0.326A	1.584/0.326A	----	0.698 +	0.239 .2116	----	----	76	----	122 + 34
7125	1.000	1.000	1.553B/0.347A	1.553B/0.347A	----	0.748 +	0.258 .2243	----	----	13	----	25 + 5
7150	----	----	1.665B/0.368A	1.665B/0.368A	----	0.802 +	0.279 .2376	----	----	3	----	105 - 2
7175	----	----	1.755B/0.391A	1.755B/0.391A	----	0.859 +	0.300 .2514	----	----	1	----	60 UNCH
7200	0.650	0.650	1.930/0.416A	1.930/0.416A	----	0.920 +	0.322 .2657	----	----	68	----	391 + 16
7225	0.692	0.692	1.913B/0.447A	1.913B/0.447A	----	0.984 +	0.345 .2806	----	----	3	----	12 + 2
7250	1.952	1.952	2.089B/0.470A	2.089B/0.470A	----	1.052 +	0.370 .2960	----	----	45	----	85 - 7
7275	----	----	2.097B/0.503A	2.097B/0.503A	----	1.125 +	0.396 .3119	----	----	----	----	13 UNCH
7300	0.985	0.985	2.344/0.534A	2.344/0.534A	----	1.202 +	0.423 .3284	----	----	49	----	133 + 38
7325	----	----	2.317B/0.568A	2.317B/0.568A	----	1.283 +	0.450 .3453	----	----	----	----	18 UNCH
7350	1.020	1.020	2.452B/0.605A	2.452B/0.605A	----	1.368 +	0.480 .3626	----	----	7	----	42 UNCH
7375	2.488	2.488	2.541B/0.650A	2.541B/0.650A	----	1.459 +	0.510 .3804	----	----	18	----	46 + 14
7400	1.257	1.257	2.741B/0.689A	2.741B/0.689A	----	1.554 +	0.541 .3985	----	----	87	----	142 + 34
7425	1.220	1.220	2.778B/0.733A	2.778B/0.733A	----	1.654 +	0.574 .4170	----	----	44	----	56 + 2
7450	2.450	2.450	2.904B/0.781A	2.904B/0.781A	----	1.759 +	0.606 .4358	----	----	7	----	65 + 1
7475	0.752	0.752	3.010B/0.752	3.010B/0.752	----	1.869 +	0.640 .4548	----	----	19	----	24 + 3
7500	1.600	1.600	3.177B/0.881A	3.177B/0.881A	----	1.984 +	0.676 .4740	----	----	32	----	557 - 5
7525	2.103	2.103	3.288B/0.940A	3.288B/0.940A	----	2.105 +	0.712 .4933	----	----	1	----	14 + 1
7550	2.228	2.228	3.523B/1.004A	3.523B/1.004A	----	2.231 +	0.751 .5127	----	----	18	----	33 + 11
7575	2.026	2.026	3.561B/1.068A	3.561B/1.068A	----	2.362 +	0.788 .5321	----	----	1	----	19 + 1
7600	2.136	2.136	3.791B/1.129A	3.791B/1.129A	----	2.499 +	0.828 .5514	----	----	40	----	105 - 16
7625	2.008	2.008	4.100/1.209A	4.100/1.209A	----	2.641 +	0.869 .5707	----	----	11	----	11 + 4
7650	2.040	2.040	4.115B/1.282A	4.115B/1.282A	----	2.788 +	0.910 .5898	----	----	38	----	40 + 14
7675	2.077	2.077	4.259B/1.365A	4.259B/1.365A	----	2.941 +	0.953 .6086	----	----	2	----	44 + 2
7700	1.370	1.370	4.477B/1.370	4.477B/1.370	----	3.098 +	0.995 .6272	----	----	22	----	127 + 10
7725	2.388	2.388	4.613B/1.549A	4.613B/1.549A	----	3.261 +	1.038 .6454	----	----	3	----	34 + 2
7750	1.670	1.670	4.772B/1.636A	4.772B/1.636A	----	3.429 +	1.083 .6632	----	----	8	----	14 + 3
7775	2.300	2.300	4.986B/1.733A	4.986B/1.733A	----	3.602 +	1.128 .6807	----	----	4	----	40 + 3
7800	1.750	1.750	5.235B/1.750	5.235B/1.750	----	3.779 +	1.173 .6976	----	----	21	----	95 - 10
7825	2.495	2.495	5.334B/1.937A	5.334B/1.937A	----	3.961 +	1.219 .7140	----	----	1	----	25 + 1
7850	2.510	2.510	5.580B/2.050A	5.580B/2.050A	----	4.148 +	1.265 .7297	----	----	1	----	37 + 1
7875	----	----	5.727B/2.173A	5.727B/2.173A	----	4.339 +	1.311 .7449	----	----	----	----	19 UNCH
7900	2.375	2.375	6.024B/2.281A	6.024B/2.281A	----	4.534 +	1.356 .7595	----	----	3	----	141 + 3
7925	2.324	2.324	6.157B/2.324	6.157B/2.324	----	4.732 +	1.400 .7735	----	----	3	----	15 + 1
7950	----	----	6.464B/2.544A	6.464B/2.544A	----	4.935 +	1.443 .7870	----	----	----	----	71 UNCH
7975	----	----	6.573B/2.675A	6.573B/2.675A	----	5.141 +	1.486 .7995	----	----	----	----	6 UNCH
8000	5.939	5.939	6.887B/2.818A	6.887B/2.818A	----	5.350 +	1.528 .8116	----	----	36	25	712 - 50
8025	----	----	7.112B/2.966A	7.112B/2.966A	----	5.563 +	1.568 .8229	----	----	----	----	125 UNCH
8050	----	----	7.233B/3.108A	7.233B/3.108A	----	5.778 +	1.606 .8336	----	----	----	----	18 UNCH
8075	----	----	7.466B/3.325A	7.466B/3.325A	----	5.997 +	1.643 .8438	----	----	----	----	2 UNCH
8100	----	----	7.779B/----	7.779B/5.367A	----	6.218 +	1.679 .8533	----	----	----	----	115 UNCH
8125	----	----	7.907B/----	7.907B/5.576A	----	6.441 +	1.711 .8622	----	----	----	----	11 UNCH
8150	----	----	8.141B/----	8.141B/5.787A	----	6.666 +	1.743 .8705	----	----	----	----	14 UNCH
8175	----	----	8.392B/----	8.392B/6.005A	----	6.894 +	1.773 .8784	----	----	----	----	48 UNCH
8200	----	----	8.698B/----	8.698B/6.222A	----	7.123 +	1.802 .8855	----	----	----	----	152 UNCH
8225	----	----	8.830B/----	8.830B/6.450A	----	7.354 +	1.829 .8923	----	----	----	----	12 UNCH
8250	----	----	9.090B/----	9.090B/6.669A	----	7.586 +	1.853 .8986	----	----	----	----	44 UNCH
8275	----	----	9.330B/----	9.330B/6.893A	----	7.820 +	1.878 .9045	----	----	----	----	42 UNCH
8300	----	----	9.565B/----	9.565B/7.121A	----	8.056 +	1.901 .9101	----	----	----	----	29 UNCH
8325	----	----	9.785B/----	9.785B/7.516A	----	8.292 +	1.922 .9151	----	----	----	----	2 UNCH
8350	----	----	10.039B/----	10.039B/7.579A	----	8.530 +	1.943 .9200	----	----	----	----	30 UNCH
8375	----	----	10.262B/----	10.262B/7.816A	----	8.768 +	1.961 .9244	----	----	----	----	19 UNCH
8400	----	----	10.600B/----	10.600B/8.045A	----	9.008 +	1.980 .9284	----	----	----	----	117 UNCH
8425	----	----	10.840B/----	10.840B/8.279A	----	9.248 +	1.997 .9323	----	----	----	----	64 UNCH
8450	----	----	10.945B/----	10.945B/8.515A	----	9.489 +	2.012 .9359	----	----	----	----	22 UNCH
8475	----	----	11.224B/----	11.224B/8.904A	----	9.731 +	2.029 .9392	----	----	----	----	4 UNCH
8500	----	----	11.563B/----	11.563B/8.986A	----	9.974 +	2.043 .9421	----	----	----	----	187 UNCH
8525	----	----	11.706B/----	11.706B/9.376A	----	10.217 +	2.057 .9450	----	----	----	----	3 UNCH
8550	----	----	11.950B/----	11.950B/9.614A	----	10.460 +	2.070 .9476	----	----	----	----	3 UNCH
8575	----	----	12.179B/----	12.179B/9.701A	----	10.704 +	2.083 .9501	----	----	----	----	23 UNCH
8600	----	----	12.399B/----	12.399B/9.942A	----	10.949 +	2.095 .9525	----	----	----	----	19 UNCH
8625	11.600	11.600	12.669B/11.600	12.669B/10.000A	----	11.194 +	2.106 .9547	----	----	2	----	21 UNCH
8650	----	----	12.908B/----	12.908B/10.424A	----	11.439 +	2.117 .9565	----	----	----	----	9 UNCH
8675	----	----	13.153B/----	13.153B/10.665A	----	11.684 +	2.126 .9586	----	----	----	----	22 UNCH
8700	----	----	13.513B/----	13.513B/10.904A	----	11.930 +	2.135 .9603	----	----	----	----	59 UNCH
8725	----	----	13.659B/----	13.659B/11.297A	----	12.176 +	2.143 .9617	----	----	----	----	1 UNCH
8750	----	----	13.918B/----	13.918B/11.393A	----	12.423 +	2.153 .9634	----	----	----	----	37 UNCH
8775	----	----	14.112B/----	14.112B/11.637A	----	12.669 +	2.160 .9648	----	----	----	----	5 UNCH
8800	----	----	14.358B/----	14.358B/11.880A	----	12.916 +	2.167 .9661	----	----	----	----	24 UNCH
8825	----	----	14.627B/----	14.627B/12.125A	----	13.163 +	2.173 .9674	----	----	----	----	15 UNCH
8850	----	----	14.850B/----	14.850B/12.370A	----	13.410 +	2.179 .9687	----	----	----	----	8 UNCH
8875	----	----	15.132B/----	15.132B/12.635A	----	13.658 +	2.186 .9697	----	----	----	----	1 UNCH
8900	----	----	15.379B/----	15.379B/12.746A	----	13.905 +	2.191 .9710	----	----	----	----	2 UNCH
8925	----	----	15.625B/----	15.625B/13.245A	----	14.153 +	2.195 .9719	----	----	----	----	4 UNCH
8950	----	----	15.873B/----	15.873B/13.490A	----	14.401 +	2.200 .9728	----	----	----	----	1 UNCH
8975	----	----	16.101B/----	16.101B/13.375A	----	14.649 +	2.204 .9737	----	----	----	----	2 UNCH
9000	----	----	16.468B/----	16.468B/13.833A	----	14.897 +	2.208 .9746	----	----	----	----	119 UNCH
9050	----	----	16.864B/----	16.864B/13.323A	----	15.393 +	2.215 .9763	----	----	----	----	3 UNCH
9075	----	----	17.111B/13.335A	17.111B/13.335A	----	15.641 +	2.217 .9769	----	----	----	----	2 UNCH
9100	----	----	17.344B/----	17.344B/14.833A	----	15.890 +	2.221 .9777	----	----	----	----	6 UNCH
9125	----	----	17.604B/----	17.604B/15.213A	----	16.138 +	2.223 .9783	----	----	----	----	1 UNCH
9150	----	----	17.852B/----	17.852B/15.460A	----	16.386 +	2.224 .9791	----	----	----	----	1 UNCH
9175	----	----	18.077B/----	18.077B/15.713A	----	16.635 +	2.227 .9796	----	----	----	----	1 UNCH
9200	----	----	18.450B/----	18.450B/15.806A	----	16.884 +	2.230 .9804	----	----	----	----	80 UNCH
9325	----	----	19.502B/----	19.502B/17.193A	----	18.127 +	2.238 .9827	----	----	----	----	1 UNCH
9450	----	----	20.813B/----	20.813B/18.311A	----	19.372 +	2.245 .9849	----	----	----	----	6 UNCH
9500	----	----	21.435B/----	21.435B/18.783A	----	19.871 +	2.248 .9857	----	----	----	----	136 UNCH
9525	----	----	21.581B/----	21.581B/19.188A	----	20.120 +	2.249 .9861	----	----	----	----	1 UNCH
9550	----	----	21.831B/----	21.831B/19.437A	----	20.369 +	2.250 .9863	----	----	----	----	1 UNCH
9575	----	----	22.080B/----	22.080B/19.678A	----	20.618 +	2.251 .9867	----	----	----	----	2 UNCH
9725	----	----	23.576B/----	23.576B/21.208A	----	22.114 +	2.257 .9884	----	----	----	----	1 UNCH
9825	----	----	24.487B/----	24.487B/22.206A	----	23.112 +	2.260 .9893	----	----	----	----	1 UNCH
9850	----	----	24.736B/----	24.736B/22.455A	----	23.361 +	2.261 .9894	----	----	----	----	1 UNCH
9900	----	----	25.323B/----	25.323B/22.954A	----	23.860 +	2.262 .9898	----	----	----	----	2 UNCH
9925	----	----	25.485B/----	25.485B/23.204A	----	24.110 +	2.263 .9901	----	----	----	----	1 UNCH
9950	----	----	25.735B/----	25.735B/23.453A	----	24.359 +	2.264 .9902	----	----	----	----	1 UNCH
10000	----	----	26.425B/----	26.425B/23.771A	----	24.859 +	2.267 .9906	----	----	----	----	97 UNCH
10025	----	----	26.484B/----	26.484B/24.202A	----	25.108 +	2.268 .9907	----	----	----	----	2 UNCH
10075	----	----	26.983B/----	26.983B/24.701A	----	25.607 +	2.270 .9911	----	----	----	----	1 UNCH
10100	----	----	27.285B/----	27.285B/24.799A	----	25.857 +	2.271 .9911	----	----	----	----	6 UNCH
10125	----	----	27.482B/----	27.482B/25.200A	----	26.107 +	2.273 .9914	----	----	----	----	1 UNCH
10150	----	----	27.784B/----	27.784B/25.299A	----	26.356 +	2.273 .9915	----	----	----	----	8 UNCH
10175	----	----	28.068B/----	28.068B/25.699A	----	26.606 +	2.274 .9915	----	----	----	----	2 UNCH
10200	----	----	28.422B/----	28.422B/25.767A	----	26.855 +	2.274 .9919	----	----	----	----	120 UNCH
10225	----	----	28.568B/----	28.568B/26.199A	----	27.105 +	2.275 .9919	----	----	----	----	1 UNCH
10325	----	----	29.480B/----	29.480B/27.237A	----	28.104 +	2.278 .9924	----	----	----	----	1 UNCH
10350	----	----	29.729B/----	29.729B/27.487A	----	28.354 +	2.279 .9924	----	----	----	----	1 UNCH
10375	----	----	29.979B/----	29.979B/27.736A	----	28.603 +	2.278 .9927	----	----	----	----	1 UNCH
10400	----	----	30.229B/----	30.229B/27.986A	----	28.853 +	2.278 .9928	----	----	----	----	1 UNCH
10500	30.500	30.500	31.302B/30.500	31.302B/28.797A	----	29.852 +	2.282 .9932	----	----	2	----	9 UNCH
10600	----	----	32.226B/----	32.226B/29.985A	----	30.851 +	2.283 .9936	----	----	----	----	5 UNCH
10825	----	----	34.549B/----	34.549B/32.036A	----	33.099 +	2.285 .9941	----	----	----	----	6 UNCH
10850	----	----	34.757B/----	34.757B/32.483A	----	33.349 +	2.286 .9944	----	----	----	----	4 UNCH
10875	----	----	35.006B/----	35.006B/32.733A	----	33.599 +	2.286 .9944	----	----	----	----	2 UNCH
10950	----	----	35.755B/----	35.755B/33.482A	----	34.348 +	2.286 .9945	----	----	----	----	3 UNCH
11000	----	----	36.296B/----	36.296B/33.784A	----	34.848 +	2.286 .9948	7	----	----	----	0 - 7
11325	----	----	39.501B/----	39.501B/37.231A	----	38.096 +	2.287 .9953	----	----	----	----	1 UNCH
11500	----	----	41.292B/----	41.292B/38.781A	----	39.845 +	2.287 .9957	----	----	----	----	10 UNCH
11525	----	----	41.499B/----	41.499B/39.230A	----	40.095 +	2.287 .9957	1	----	----	----	0 - 1
11675	----	----	42.998B/----	42.998B/40.730A	----	41.594 +	2.287 .9960	1	----	----	----	0 - 1
11700	----	----	43.248B/----	43.248B/40.980A	----	41.844 +	2.287 .9960	1	----	----	----	0 - 1
12000	----	----	----	----	----	44.843 +	2.287 .9964	----	----	----	----	0 UNCH
12025	----	----	46.495B/----	46.495B/44.229A	----	45.093 +	2.287 .9965	1	----	----	----	0 - 1
13000	----	----	56.280B/----	56.280B/53.979A	----	54.841 +	2.285 .9977	----	----	----	----	5 UNCH
TOTAL										1189	25	14667 + 150
JUL26												
2000	----	----	----	----/0.020A	----	0.001 -	0.003 .0001	----	----	----	----	6 UNCH
2400	----	----	----	----/0.271A	----	0.002 -	0.005 .0002	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
2650	----	----	----	----/0.053A	----	0.004 -	0.007 .0005	----	----	----	----	6 UNCH
2900	----	----	----	----/0.059A	----	0.007 -	0.008 .0009	----	----	----	----	2 UNCH
3000	----	----	----	----/0.062A	----	0.009 -	0.009 .0012	----	----	1	----	6 + 1
3025	----	----	----	----/0.063A	----	0.009 -	0.009 .0012	----	----	----	----	1 UNCH
3350	----	----	----	----/0.073A	----	0.016 -	0.011 .0022	----	----	----	----	1 UNCH
3400	----	----	----	0.001B/0.074A	----	0.018 -	0.011 .0024	----	----	----	----	55 UNCH
3475	----	----	----	0.001B/0.077A	----	0.020 -	0.012 .0027	----	----	----	----	5 UNCH
3500	----	----	----	0.001B/0.077A	----	0.021 -	0.012 .0029	----	----	----	----	4 UNCH
3600	----	----	----	0.001B/0.081A	----	0.024 -	0.012 .0033	----	----	----	----	12 UNCH
3700	----	----	----	0.001B/0.085A	----	0.027 -	0.013 .0038	----	----	----	----	94 UNCH
3800	----	----	----	0.001B/0.090A	----	0.032 -	0.013 .0045	----	----	----	----	25 UNCH
3825	----	----	----	0.001B/0.091A	----	0.033 -	0.013 .0046	----	----	----	----	8 UNCH
3850	----	----	----	0.002B/0.085A	----	0.034 -	0.013 .0048	----	----	----	----	3 UNCH
3900	----	----	----	0.007B/0.080A	----	0.036 -	0.014 .0051	----	----	----	----	11 UNCH
3950	----	----	----	0.011B/0.080A	----	0.038 -	0.014 .0054	----	----	----	----	1 UNCH
4000	----	----	----	0.040B/0.055A	----	0.041 -	0.014 .0059	----	----	----	----	75 UNCH
4075	----	----	----	0.018B/0.083A	----	0.045 -	0.013 .0065	----	----	----	----	16 UNCH
4100	----	----	----	0.019B/0.084A	----	0.046 -	0.013 .0067	----	----	----	----	6 UNCH
4175	----	----	----	0.023B/0.087A	----	0.051 -	0.011 .0074	----	----	----	----	9 UNCH
4200	----	----	----	0.024B/0.089A	----	0.053 -	0.010 .0077	----	----	----	----	27 UNCH
4225	----	----	----	0.025B/0.090A	----	0.054 -	0.010 .0079	----	----	----	----	1 UNCH
4250	----	----	----	0.026B/0.091A	----	0.056 -	0.009 .0082	----	----	----	----	21 UNCH
4300	----	----	----	0.029B/0.094A	----	0.059 -	0.009 .0087	----	----	----	----	98 UNCH
4325	----	----	----	0.030B/0.096A	----	0.061 -	0.008 .0090	----	----	----	----	17 UNCH
4375	----	----	----	0.033B/0.099A	----	0.065 -	0.006 .0096	----	----	----	----	32 UNCH
4400	----	----	----	0.035B/*0.075A	----	0.067 -	0.005 .0100	----	----	----	----	29 UNCH
4450	----	----	----	0.038B/0.102A	----	0.070 -	0.005 .0105	----	----	----	----	4 UNCH
4475	----	----	----	0.040B/0.104A	----	0.072 -	0.004 .0108	----	----	----	----	16 UNCH
4500	----	----	----	0.041B/0.093A	----	0.074 -	0.004 .0112	----	----	----	----	300 UNCH
4575	----	----	----	0.047B/0.112A	----	0.081 -	0.001 .0123	----	----	----	----	75 UNCH
4600	----	----	----	0.049B/0.114A	----	0.084 +	0.001 .0128	----	----	----	----	101 UNCH
4650	----	----	----	0.053B/0.119A	----	0.089 +	0.003 .0136	----	----	----	----	40 UNCH
4675	----	----	----	0.055B/0.121A	----	0.091 +	0.003 .0140	----	----	----	----	12 UNCH
4700	----	----	----	0.058B/0.124A	----	0.094 +	0.005 .0144	----	----	----	----	152 UNCH
4725	----	----	----	0.060B/0.126A	----	0.097 +	0.006 .0149	----	----	----	----	3 UNCH
4750	----	----	----	0.080B/0.129A	----	0.100 +	0.007 .0154	----	----	----	----	54 UNCH
4775	----	----	----	0.065B/0.132A	----	0.103 +	0.008 .0159	----	----	----	----	8 UNCH
4800	----	----	----	0.068B/0.118A	----	0.106 +	0.009 .0164	----	----	----	----	15 UNCH
4825	----	----	----	0.071B/0.138A	----	0.109 +	0.010 .0169	----	----	----	----	26 UNCH
4850	----	----	----	0.088B/0.129A	----	0.113 +	0.012 .0175	----	----	----	----	2 UNCH
4875	----	----	----	0.091B/0.132A	----	0.116 +	0.013 .0181	----	----	----	----	23 UNCH
4900	----	----	----	0.095B/0.135A	----	0.120 +	0.015 .0187	----	----	----	----	168 UNCH
4975	----	----	----	0.106B/0.147A	----	0.131 +	0.019 .0206	----	----	----	----	2 UNCH
5000	0.100	0.100	0.125/0.100	0.125/0.100	----	0.135 +	0.020 .0212	----	----	28	----	914 + 28
5025	----	----	----	0.113B/0.154A	----	0.139 +	0.021 .0219	----	----	----	----	1 UNCH
5050	----	----	----	0.118B/0.159A	----	0.144 +	0.023 .0227	----	----	----	----	16 UNCH
5075	----	----	----	0.122B/0.164A	----	0.148 +	0.024 .0234	----	----	----	----	11 UNCH
5100	----	----	----	0.127B/0.127A	----	0.153 +	0.026 .0242	----	----	----	----	178 UNCH
5150	----	----	0.136B/----	0.136B/0.178A	----	0.163 +	0.029 .0258	----	----	----	----	5 UNCH
5175	----	----	0.141B/----	0.141B/0.183A	----	0.168 +	0.032 .0267	----	----	----	----	5 UNCH
5200	----	----	0.147B/----	0.147B/0.189A	----	0.174 +	0.034 .0276	----	----	----	----	108 UNCH
5225	----	----	0.157B/----	0.157B/0.195A	----	0.179 +	0.035 .0285	----	----	----	----	9 UNCH
5250	----	----	0.164B/----	0.164B/0.200A	----	0.185 +	0.037 .0295	----	----	----	----	225 UNCH
5275	----	----	0.173B/----	0.173B/0.207A	----	0.191 +	0.038 .0305	----	----	----	----	2 UNCH
5300	----	----	0.182B/----	0.182B/0.213A	----	0.197 +	0.040 .0315	----	----	----	----	128 UNCH
5325	----	----	0.194B/----	0.194B/0.220A	----	0.203 +	0.041 .0325	----	----	----	----	11 UNCH
5350	----	----	0.202B/----	0.202B/0.227A	----	0.210 +	0.043 .0336	----	----	----	----	26 UNCH
5375	----	----	0.218B/----	0.218B/0.235A	----	0.217 +	0.045 .0347	----	----	----	----	17 UNCH
5400	----	----	0.229B/----	0.229B/0.242A	----	0.224 +	0.046 .0359	----	----	----	----	75 UNCH
5425	----	----	0.241B/----	0.241B/0.250A	----	0.232 +	0.049 .0372	----	----	----	----	49 UNCH
5450	----	----	0.249B/----	0.249B/0.259A	----	0.240 +	0.051 .0385	----	----	----	----	38 UNCH
5475	----	----	0.323B/----	0.323B/0.268A	----	0.249 +	0.054 .0399	----	----	----	----	53 UNCH
5500	0.370	0.370	0.370/0.277A	0.370/0.277A	----	0.257 +	0.055 .0412	----	----	3	----	1026 UNCH
5525	----	----	0.356B/----	0.356B/0.286A	----	0.266 +	0.057 .0426	----	----	----	----	86 UNCH
5550	----	----	0.334B/----	0.334B/0.296A	----	0.276 +	0.060 .0442	----	----	----	----	18 UNCH
5575	----	----	0.388B/----	0.388B/0.307A	----	0.285 +	0.061 .0457	----	----	----	----	3 UNCH
5600	----	----	0.404B/----	0.404B/0.315A	----	0.296 +	0.065 .0474	----	----	1	----	31 + 1
5625	----	----	0.423B/----	0.423B/0.322A	----	0.306 +	0.066 .0490	----	----	----	----	23 UNCH
5650	----	----	0.442B/----	0.442B/0.329A	----	0.317 +	0.069 .0507	----	----	----	----	29 UNCH
5675	----	----	0.462B/----	0.462B/0.338A	----	0.328 +	0.071 .0525	----	----	----	----	45 UNCH
5700	0.380	0.380	0.466B/0.380	0.466B/0.358A	----	0.340 +	0.073 .0543	----	----	2	----	306 + 2
5725	----	----	0.503B/----	0.503B/0.379A	----	0.353 +	0.077 .0563	----	----	----	----	3 UNCH
5750	----	----	0.524B/----	0.524B/0.372A	----	0.366 +	0.079 .0583	----	----	----	----	52 UNCH
5775	----	----	0.547B/----	0.547B/0.407A	----	0.380 +	0.082 .0605	----	----	----	----	2 UNCH
5800	----	----	0.560B/----	0.560B/0.383A	----	0.394 +	0.085 .0626	----	----	----	----	27 UNCH
5825	----	----	0.594B/----	0.594B/0.409A	----	0.409 +	0.088 .0649	----	----	----	----	4 UNCH
5850	----	----	0.606B/----	0.606B/0.422A	----	0.424 +	0.091 .0672	----	----	----	----	116 UNCH
5875	----	----	0.646B/----	0.646B/0.473A	----	0.440 +	0.094 .0696	----	----	----	----	3 UNCH
5900	----	----	0.633B/----	0.633B/0.436A	----	0.456 +	0.097 .0720	----	----	----	----	6 UNCH
5925	----	----	0.701B/----	0.701B/0.518A	----	0.474 +	0.101 .0746	----	----	----	----	2 UNCH
5950	----	----	0.687B/----	0.687B/0.529A	----	0.492 +	0.104 .0773	----	----	----	----	2 UNCH
5975	0.642	0.642	0.759B/0.642	0.759B/0.492A	----	0.512 +	0.109 .0802	----	----	1	----	10 + 1
6000	0.446	0.446	0.726B/0.446	0.726B/0.446	----	0.532 +	0.114 .0831	----	----	101	----	755 + 30
6025	----	----	0.823B/----	0.823B/0.573A	----	0.553	NEW .0861	----	----	1	----	1 + 1
6050	0.720	0.720	0.790B/0.720	0.790B/0.544A	----	0.575 +	0.122 .0892	----	----	7	----	18 + 6
6075	0.748	0.748	0.822B/0.748	0.822B/0.588A	----	0.596	NEW .0923	----	----	1	----	1 + 1
6100	----	----	0.857B/----	0.857B/0.566A	----	0.620 +	0.130 .0956	----	----	4	----	300 + 4
6125	----	----	0.888B/----	0.888B/0.608A	----	0.645 +	0.135 .0991	----	----	----	----	1 UNCH
6150	0.616	0.616	0.931B/0.616	0.931B/0.616	----	0.671 +	0.140 .1026	----	----	6	----	16 + 5
6175	1.010	1.010	1.070/1.010	1.070/0.639A	----	0.698 +	0.145 .1063	----	----	3	----	14 + 3
6200	----	----	1.004B/----	1.004B/0.648A	----	0.726 +	0.151 .1101	----	----	4	----	119 UNCH
6225	----	----	1.039B/----	1.039B/0.669A	----	0.754 +	0.155 .1139	----	----	----	----	2 UNCH
6250	0.725	0.725	1.080B/0.725	1.080B/0.673A	----	0.785 +	0.161 .1180	----	----	2	----	29 UNCH
6275	0.770	0.770	1.126B/0.770	1.126B/0.683A	----	0.817 +	0.168 .1222	----	----	2	----	4 + 2
6300	----	----	1.171B/----	1.171B/0.701A	----	0.850 +	0.174 .1265	----	----	2	----	283 UNCH
6325	----	----	1.289B/----	1.289B/0.728A	----	0.885 +	0.181 .1310	----	----	----	----	20 UNCH
6350	----	----	1.365B/0.717A	1.365B/0.717A	----	0.920 +	0.187 .1355	----	----	15	----	112 + 10
6375	----	----	1.391B/0.708A	1.391B/0.708A	----	0.957 +	0.195 .1402	----	----	----	----	16 UNCH
6400	0.784	0.784	1.474B/0.732A	1.474B/0.732A	----	0.996 +	0.202 .1451	----	----	1	----	192 - 1
6425	----	----	1.504B/0.760A	1.504B/0.760A	----	1.037 +	0.211 .1501	----	----	----	----	15 UNCH
6450	----	----	1.565B/0.790A	1.565B/0.790A	----	1.078 +	0.218 .1551	----	----	15	----	14 + 4
6475	----	----	1.620B/0.822A	1.620B/0.822A	----	1.122 +	0.226 .1604	----	----	----	----	4 UNCH
6500	0.930	0.930	1.704B/0.851A	1.704B/0.851A	----	1.168 +	0.236 .1658	----	----	37	----	995 + 7
6525	----	----	1.752B/0.885A	1.752B/0.885A	----	1.215 +	0.244 .1713	----	----	1	----	2 + 1
6550	1.535	1.535	1.829B/0.923A	1.829B/0.923A	----	1.263 +	0.253 .1769	----	----	15	----	79 + 13
6575	----	----	1.880B/0.952A	1.880B/0.952A	----	1.314 +	0.263 .1828	----	----	----	----	6 UNCH
6600	1.010	1.010	1.968B/0.988A	1.968B/0.988A	----	1.366 +	0.273 .1886	----	----	2	----	59 - 1
6625	----	----	1.911B/1.026A	1.911B/1.026A	----	1.420	NEW .1947	----	----	1	----	1 + 1
6650	1.051	1.051	2.102B/1.051	2.102B/1.051	----	1.477 +	0.294 .2009	----	----	3	----	132 - 1
6675	----	----	2.171B/1.111A	2.171B/1.111A	----	1.535 +	0.304 .2072	----	----	----	----	6 UNCH
6700	1.943	1.943	2.248B/1.147A	2.248B/1.147A	----	1.596 +	0.316 .2137	----	----	44	----	37 - 5
6725	----	----	2.321B/1.192A	2.321B/1.192A	----	1.657 +	0.326 .2202	----	----	----	----	2 UNCH
6750	----	----	2.412B/1.236A	2.412B/1.236A	----	1.722 +	0.339 .2269	----	----	8	----	36 - 2
6775	----	----	2.483B/1.282A	2.483B/1.282A	----	1.788 +	0.351 .2337	----	----	1	----	5 + 1
6800	2.303	2.303	2.594B/1.324A	2.594B/1.324A	----	1.856 +	0.363 .2406	----	----	33	----	331 + 17
6825	----	----	2.656B/1.376A	2.656B/1.376A	----	1.927 +	0.376 .2476	----	----	3	----	7 + 2
6850	----	----	2.747B/1.426A	2.747B/1.426A	----	2.001 +	0.389 .2548	----	----	----	----	14 UNCH
6875	----	----	2.866B/1.479A	2.866B/1.479A	----	2.075 +	0.401 .2620	----	----	----	----	87 UNCH
6900	2.631	2.631	2.963B/1.535A	2.963B/1.535A	----	2.153 +	0.415 .2693	----	----	14	----	132 UNCH
6925	2.489	2.489	3.051B/1.594A	3.051B/1.594A	----	2.232 +	0.428 .2767	----	----	1	----	45 UNCH
6950	2.695	2.695	3.160B/1.649A	3.160B/1.649A	----	2.314 +	0.443 .2842	----	----	42	----	116 + 30
6975	----	----	3.232B/1.706A	3.232B/1.706A	----	2.399 +	0.458 .2919	----	----	----	----	3 UNCH
7000	2.216	2.216	3.364B/1.767A	3.364B/1.767A	----	2.485 +	0.471 .2996	----	----	82	----	998 + 23
7025	2.289	2.289	3.474B/1.831A	3.474B/1.831A	----	2.575 +	0.487 .3074	----	----	66	----	208 + 35
7050	----	----	3.553B/1.897A	3.553B/1.897A	----	2.667 +	0.502 .3152	----	----	----	----	5 UNCH
7075	----	----	3.666B/1.962A	3.666B/1.962A	----	2.760 +	0.517 .3231	----	----	----	----	3 UNCH
7100	2.530	2.530	3.808B/2.035A	3.808B/2.035A	----	2.856 +	0.533 .3311	----	----	2	----	52 + 1
7125	----	----	3.892B/2.107A	3.892B/2.107A	----	2.954 +	0.547 .3391	----	----	----	----	9 UNCH
7150	2.710	2.710	4.040B/2.176A	4.040B/2.176A	----	3.056 +	0.564 .3472	----	----	1	----	108 UNCH
7175	2.803	2.803	4.146B/2.251A	4.146B/2.251A	----	3.160 +	0.580 .3553	----	----	2	----	33 + 1
7200	2.897	2.897	4.287B/2.327A	4.287B/2.327A	----	3.265 +	0.595 .3635	----	----	6	----	117 + 4
7225	----	----	4.380B/2.403A	4.380B/2.403A	----	3.374 +	0.612 .3717	----	----	----	----	4 UNCH
7250	3.920	3.920	4.532B/2.485A	4.532B/2.485A	----	3.484 +	0.628 .3799	----	----	21	----	213 UNCH
7275	----	----	4.639B/2.567A	4.639B/2.567A	----	3.598 +	0.645 .3882	----	----	----	----	3 UNCH
7300	3.720	3.720	4.794B/2.650A	4.794B/2.650A	----	3.714 +	0.662 .3964	----	----	9	----	54 + 4
7325	----	----	4.904B/2.741A	4.904B/2.741A	----	3.832 +	0.678 .4047	----	----	----	----	3 UNCH
7350	----	----	5.041B/2.826A	5.041B/2.826A	----	3.952 +	0.694 .4130	----	----	----	----	8 UNCH
7375	4.528	4.528	5.204B/2.926A	5.204B/2.926A	----	4.075 +	0.711 .4213	----	----	1	----	117 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
7400	5.479	5.479	5.479/3.023A	5.479/3.023A	----	4.200 +	0.729 .4296	----	----	9	----	104 + 5
7425	----	----	5.462B/3.108A	5.462B/3.108A	----	4.329 +	0.747 .4379	----	----	----	----	8 UNCH
7450	4.459	4.459	5.628B/3.206A	5.628B/3.206A	----	4.458 +	0.762 .4462	----	----	6	----	71 - 2
7475	----	----	5.753B/3.308A	5.753B/3.308A	----	4.591 +	0.779 .4544	----	----	3	----	5 UNCH
7500	3.419	3.419	5.928B/3.410A	5.928B/3.410A	----	4.725 +	0.795 .4627	----	----	22	----	193 UNCH
7525	----	----	6.065B/3.517A	6.065B/3.517A	----	4.863 +	0.814 .4709	----	----	----	----	25 UNCH
7550	6.218	6.218	6.218/3.629A	6.218/3.629A	----	5.001 +	0.829 .4791	----	----	2	----	17 - 2
7575	----	----	6.232B/3.761A	6.232B/3.761A	----	5.143 +	0.846 .4872	----	----	----	----	1 UNCH
7600	----	----	6.464B/3.859A	6.464B/3.859A	----	5.287 +	0.863 .4953	----	----	12	----	24 + 11
7625	----	----	6.625B/3.977A	6.625B/3.977A	----	5.433 +	0.880 .5033	----	----	----	----	5 UNCH
7650	----	----	6.788B/4.086A	6.788B/4.086A	----	5.582 +	0.897 .5113	----	----	----	----	47 UNCH
7675	----	----	6.942B/4.215A	6.942B/4.215A	----	5.731 +	0.913 .5192	----	----	----	----	35 UNCH
7700	5.200	5.200	7.114B/4.322A	7.114B/4.322A	----	5.884 +	0.929 .5271	----	----	2	----	228 + 1
7725	----	----	7.271B/4.453A	7.271B/4.453A	----	6.040 +	0.947 .5349	----	----	----	----	14 UNCH
7750	----	----	7.447B/4.585A	7.447B/4.585A	----	6.196 +	0.962 .5427	----	----	----	----	25 UNCH
7775	----	----	7.512B/4.706A	7.512B/4.706A	----	6.355 +	0.978 .5503	----	----	----	----	5 UNCH
7800	6.057	6.057	7.787B/4.836A	7.787B/4.836A	----	6.516 +	0.994 .5579	----	----	4	----	86 + 1
7825	----	----	7.948B/4.971A	7.948B/4.971A	----	6.679 +	1.010 .5655	----	----	----	----	25 UNCH
7850	----	----	8.133B/5.108A	8.133B/5.108A	----	6.845 +	1.027 .5729	----	----	----	----	34 UNCH
7875	----	----	8.284B/5.249A	8.284B/5.249A	----	7.011 +	1.042 .5803	----	----	----	----	26 UNCH
7900	5.350	5.350	8.460B/5.350	8.460B/5.350	----	7.180 +	1.058 .5876	----	----	2	----	27 - 1
7925	----	----	8.537B/5.537A	8.537B/5.537A	----	7.351 +	1.074 .5948	----	----	----	----	1 UNCH
7950	----	----	8.719B/5.673A	8.719B/5.673A	----	7.523 +	1.089 .6020	----	----	----	----	4 UNCH
7975	----	----	9.001B/5.816A	9.001B/5.816A	----	7.698 +	1.105 .6090	----	----	----	----	6 UNCH
8000	----	----	9.227B/5.979A	9.227B/5.979A	----	7.874 +	1.120 .6159	----	----	----	----	270 UNCH
8050	----	----	9.442B/6.261A	9.442B/6.261A	----	8.232 +	1.151 .6296	----	----	----	----	1 UNCH
8075	----	----	9.747B/6.412A	9.747B/6.412A	----	8.414 +	1.166 .6362	----	----	----	----	10 UNCH
8100	----	----	9.933B/6.567A	9.933B/6.567A	----	8.596 +	1.180 .6428	----	----	----	----	48 UNCH
8125	----	----	10.124B/6.728A	10.124B/6.728A	----	8.782 +	1.196 .6493	----	----	----	----	7 UNCH
8150	----	----	10.227B/6.894A	10.227B/6.894A	----	8.968 +	1.211 .6557	----	----	----	----	2 UNCH
8175	----	----	10.398B/7.037A	10.398B/7.037A	----	9.155 +	1.224 .6620	----	----	----	----	2 UNCH
8200	----	----	10.706B/7.204A	10.706B/7.204A	----	9.344 +	1.238 .6682	----	----	----	----	23 UNCH
8225	----	----	10.904B/7.374A	10.904B/7.374A	----	9.536 +	1.253 .6743	----	----	----	----	17 UNCH
8250	----	----	11.161B/7.541A	11.161B/7.541A	----	9.729 +	1.267 .6803	----	----	----	----	89 UNCH
8275	----	----	11.297B/7.714A	11.297B/7.714A	----	9.922 +	1.281 .6862	----	----	----	----	15 UNCH
8300	----	----	11.562B/7.870A	11.562B/7.870A	----	10.118 +	1.295 .6920	----	----	----	----	130 UNCH
8325	----	----	11.614B/8.047A	11.614B/8.047A	----	10.315 +	1.309 .6977	----	----	----	----	1 UNCH
8350	----	----	11.901B/8.223A	11.901B/8.223A	----	10.512 +	1.322 .7033	----	----	----	----	20 UNCH
8375	----	----	12.020B/8.394A	12.020B/8.394A	----	10.711 +	1.336 .7089	----	----	----	----	4 UNCH
8400	----	----	12.302B/8.572A	12.302B/8.572A	----	10.913 +	1.350 .7142	----	----	----	----	13 UNCH
8425	----	----	12.434B/----	12.434B/10.461A	----	11.114 +	1.363 .7196	----	----	----	----	4 UNCH
8450	----	----	12.743B/----	12.743B/10.603A	----	11.316 +	1.375 .7249	----	----	----	----	33 UNCH
8475	----	----	12.848B/9.635A	12.848B/9.635A	----	11.522 +	1.389 .7300	----	----	----	----	1 UNCH
8500	12.400	12.400	13.196B/9.653A	13.196B/9.653A	----	11.727 +	1.402 .7350	----	----	1	----	166 - 1
8525	----	----	13.270B/9.689A	13.270B/9.689A	----	11.933 +	1.414 .7400	----	----	----	----	4 UNCH
8550	----	----	13.583B/10.458A	13.583B/10.458A	----	12.131 +	1.418 .7455	----	----	----	----	37 UNCH
8575	----	----	13.692B/----	13.692B/11.981A	----	12.350 +	1.441 .7496	----	----	----	----	1 UNCH
8600	----	----	14.042B/----	14.042B/11.854A	----	12.557 +	1.451 .7544	----	----	----	----	77 UNCH
8625	----	----	14.194B/----	14.194B/12.061A	----	12.771 +	1.466 .7588	----	----	----	----	7 UNCH
8650	----	----	14.336B/----	14.336B/12.594A	----	12.983 +	1.478 .7633	----	----	----	----	1 UNCH
8675	----	----	14.550B/----	14.550B/12.800A	----	13.194 +	1.489 .7678	----	----	----	----	1 UNCH
8700	----	----	14.839B/----	14.839B/12.684A	----	13.409 +	1.502 .7721	----	----	----	----	12 UNCH
8725	----	----	14.984B/----	14.984B/13.216A	----	13.624 +	1.515 .7763	----	----	----	----	1 UNCH
8800	----	----	15.799B/----	15.799B/13.528A	----	14.272 +	1.548 .7886	----	----	----	----	59 UNCH
8850	----	----	16.081B/----	16.081B/14.273A	----	14.710 +	1.572 .7963	----	----	----	----	1 UNCH
8900	----	----	16.524B/----	16.524B/14.702A	----	15.150 +	1.595 .8037	----	----	----	----	2 UNCH
8975	----	----	17.194B/----	17.194B/15.351A	----	15.816 +	1.628 .8143	----	----	----	----	2 UNCH
9000	----	----	17.566B/----	17.566B/15.262A	----	16.040 +	1.639 .8177	----	----	----	----	321 UNCH
9025	----	----	17.607B/----	17.607B/15.788A	----	16.264 +	1.650 .8210	----	----	----	----	1 UNCH
9175	----	----	19.006B/----	19.006B/17.133A	----	17.622 +	1.710 .8395	----	----	----	----	1 UNCH
9200	----	----	19.308B/----	19.308B/17.053A	----	17.850 +	1.720 .8423	----	----	----	----	11 UNCH
9250	----	----	19.694B/----	19.694B/17.805A	----	18.308 +	1.739 .8479	----	----	----	----	1 UNCH
9275	----	----	19.924B/----	19.924B/18.031A	----	18.538 +	1.747 .8505	----	----	----	----	1 UNCH
9300	----	----	20.155B/----	20.155B/18.257A	----	18.769 +	1.757 .8531	----	----	----	----	5 UNCH
9400	----	----	21.146B/----	21.146B/19.166A	----	19.695 +	1.792 .8630	----	----	----	----	1 UNCH
9450	----	----	21.607B/----	21.607B/19.332A	----	20.161 +	1.809 .8676	----	----	----	----	12 UNCH
9500	20.865	20.865	22.211B/20.865	22.211B/19.787A	----	20.631 +	1.828 .8718	----	----	1	----	217 UNCH
9600	----	----	23.141B/----	23.141B/20.713A	----	21.569 +	1.857 .8803	----	----	----	----	50 UNCH
9775	----	----	24.677B/----	24.677B/22.597A	----	23.227 +	1.909 .8933	----	----	----	----	5 UNCH
9900	----	----	25.860B/----	25.860B/23.527A	----	24.420 +	1.941 .9013	----	----	----	----	6 UNCH
9950	----	----	26.371B/----	26.371B/24.279A	----	24.899 +	1.954 .9043	----	----	----	----	5 UNCH
10000	----	----	26.962B/----	26.962B/24.471A	----	25.383 +	1.970 .9067	----	----	----	----	225 UNCH
10275	----	----	29.490B/----	29.490B/27.104A	----	28.033 +	2.025 .9210	----	----	----	----	7 UNCH
10500	----	----	31.677B/----	31.677B/29.528A	----	30.221 +	2.066 .9301	----	----	----	----	3 UNCH
10600	----	----	32.619B/----	32.619B/30.228A	----	31.196 +	2.081 .9337	----	----	----	----	9 UNCH
10800	----	----	34.602B/----	34.602B/32.407A	----	33.154 +	2.112 .9399	----	----	----	----	1 UNCH
11000	35.370	35.370	36.673B/35.370	36.673B/34.117A	----	35.117 +	2.137 .9455	----	----	4	----	237 - 2
11300	----	----	39.498B/----	39.498B/36.854A	----	38.070 +	2.168 .9524	----	----	----	----	10 UNCH
11500	----	----	41.476B/----	41.476B/39.251A	----	40.044 +	2.186 .9562	----	----	----	----	1 UNCH
12000	----	----	46.384B/41.569A	46.384B/41.569A	----	44.990 +	2.217 .9641	----	----	----	----	19 UNCH
13000	----	----	56.340B/----	56.340B/54.015A	----	54.918 +	2.251 .9748	----	----	----	----	5 UNCH
TOTAL										663	0	14424 + 238
AUG26												
3300	----	----	----	0.001B/0.235A	----	0.061 -	0.011 .0062	----	----	----	----	2 UNCH
3900	----	----	----	0.080B/0.164A	----	0.102 -	0.016 .0113	----	----	----	----	2 UNCH
4000	----	----	----	0.039B/0.179A	----	0.109 -	0.018 .0123	----	----	----	----	1 UNCH
4175	----	----	----	0.056B/0.201A	----	0.126 -	0.019 .0145	----	----	----	----	1 UNCH
4300	----	----	----	0.075B/0.222A	----	0.145 -	0.018 .0169	----	----	----	----	1 UNCH
4350	----	----	----	0.087B/0.231A	----	0.154 -	0.017 .0179	----	----	----	----	1 UNCH
4375	----	----	----	0.092B/0.236A	----	0.158 -	0.018 .0184	----	----	----	----	160 UNCH
4400	----	----	----	0.097B/0.241A	----	0.163 -	0.017 .0190	----	----	----	----	1 UNCH
4450	----	----	----	0.105B/0.252A	----	0.173	NEW .0202	----	----	1	----	1 + 1
4500	----	----	----	0.121B/0.261A	----	0.184 -	0.015 .0215	----	----	----	----	2 UNCH
4600	----	----	----	0.145B/0.284A	----	0.206 -	0.014 .0242	----	----	----	----	4 UNCH
4625	----	----	----	0.152B/0.290A	----	0.212 -	0.013 .0249	----	----	----	----	1 UNCH
4700	----	----	----	0.175B/0.310A	----	0.232 -	0.010 .0273	----	----	----	----	1 UNCH
4775	----	----	----	0.200B/0.331A	----	0.253 -	0.008 .0298	----	----	1	----	2 + 1
4800	0.245	0.245	0.245/0.245	0.245/0.245	----	0.260 -	0.007 .0306	----	----	2	----	11 UNCH
4825	----	----	----	0.222B/0.346A	----	0.267 -	0.007 .0315	----	----	----	----	1 UNCH
5000	----	----	0.330B/----	0.330B/0.408A	----	0.327 +	0.001 .0386	----	----	9	----	17 - 1
5275	----	----	0.476B/----	0.476B/0.530A	----	0.452 +	0.018 .0531	----	----	----	----	1 UNCH
5300	----	----	0.517B/----	0.517B/0.544A	----	0.466 +	0.020 .0547	----	----	----	----	2 UNCH
5425	----	----	0.653B/----	0.653B/0.619A	----	0.543 +	0.031 .0634	----	----	----	----	1 UNCH
5500	0.680	0.680	0.713B/0.680	0.713B/0.666A	----	0.596 +	0.039 .0692	----	----	37	----	163 + 14
5675	----	----	0.923B/----	0.923B/0.805A	----	0.742 +	0.060 .0848	----	----	----	----	9 UNCH
5700	----	----	0.939B/----	0.939B/0.827A	----	0.767 +	0.064 .0873	----	----	----	----	2 UNCH
5750	----	----	1.008B/----	1.008B/0.851A	----	0.818 +	0.072 .0926	----	----	----	----	2 UNCH
5775	----	----	1.045B/----	1.045B/0.875A	----	0.843 +	0.074 .0952	----	----	----	----	2 UNCH
5800	----	----	1.047B/----	1.047B/0.905A	----	0.871 +	0.078 .0980	----	----	----	----	11 UNCH
5850	----	----	1.126B/----	1.126B/0.907A	----	0.930 +	0.086 .1038	----	----	----	----	3 UNCH
5875	----	----	1.189B/----	1.189B/0.920A	----	0.961 +	0.091 .1069	----	----	----	----	4 UNCH
5900	----	----	1.195B/----	1.195B/0.937A	----	0.993 +	0.095 .1100	----	----	----	----	5 UNCH
5950	----	----	1.270B/----	1.270B/1.001A	----	1.060 +	0.104 .1164	----	----	----	----	10 UNCH
6000	1.482	1.482	1.482/1.482	1.482/1.066A	----	1.132 +	0.113 .1232	----	----	1	----	284 UNCH
6050	----	----	1.450B/----	1.450B/1.134A	----	1.209 +	0.123 .1303	----	----	9	----	14 + 9
6100	----	----	1.545B/----	1.545B/1.324A	----	1.291 +	0.134 .1378	----	----	30	----	41 + 30
6150	----	----	1.644B/----	1.644B/1.314A	----	1.378 +	0.145 .1455	----	----	9	----	18 + 9
6175	1.328	1.328	1.709B/1.323A	1.709B/1.323A	----	1.424 +	0.151 .1495	----	----	10	----	12 + 9
6200	----	----	1.789B/----	1.789B/1.437A	----	1.472 +	0.157 .1536	----	----	87	----	200 + 87
6225	----	----	1.817B/----	1.817B/1.409A	----	1.520 +	0.163 .1578	----	----	----	----	9 UNCH
6250	----	----	1.872B/----	1.872B/1.565A	----	1.570 +	0.169 .1620	----	----	----	----	111 UNCH
6300	1.520	1.520	2.038B/1.515	2.038B/1.515	----	1.675 +	0.182 .1707	----	----	47	----	106 + 47
6350	----	----	2.123B/----	2.123B/1.797A	----	1.785 +	0.195 .1797	----	----	----	----	16 UNCH
6400	----	----	2.308B/----	2.308B/1.848A	----	1.902 +	0.210 .1890	----	----	75	----	76 + 73
6425	----	----	2.307B/----	2.307B/1.802A	----	1.963 +	0.218 .1938	----	----	----	----	6 UNCH
6450	----	----	2.353B/----	2.353B/1.977A	----	2.025 +	0.225 .1986	----	----	----	----	17 UNCH
6500	2.700	2.700	2.700/2.420	2.700/1.970A	----	2.155 +	0.241 .2085	----	----	44	----	210 - 4
6525	----	----	2.568B/----	2.568B/2.060A	----	2.223 +	0.250 .2135	----	----	----	----	2 UNCH
6550	----	----	2.629B/----	2.629B/2.242A	----	2.292 +	0.259 .2186	----	----	----	----	2 UNCH
6575	----	----	2.724B/----	2.724B/2.182A	----	2.362 +	0.267 .2238	----	----	----	----	1 UNCH
6600	----	----	2.865B/2.057A	2.865B/2.057A	----	2.434 +	0.275 .2290	----	----	13	----	66 + 9
6625	----	----	2.881B/2.181A	2.881B/2.181A	----	2.509 +	0.285 .2343	----	----	----	----	1 UNCH
6650	----	----	2.949B/----	2.949B/2.507A	----	2.585 +	0.295 .2396	----	----	----	----	9 UNCH
6675	----	----	3.058B/----	3.058B/2.535A	----	2.661 +	0.303 .2450	----	----	----	----	1 UNCH
6700	----	----	3.124B/----	3.124B/2.580A	----	2.741 +	0.313 .2504	----	----	----	----	3 UNCH
6725	----	----	3.228B/----	3.228B/2.679A	----	2.822 +	0.323 .2559	----	----	----	----	8 UNCH
6750	----	----	3.303B/----	3.303B/2.771A	----	2.904 +	0.332 .2614	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
AUG26												
6775	----	----	3.437B/----	3.437B/2.841A	----	2.989 + 0.343	.2670	----	----	----	----	15 UNCH
6800	2.600	2.600	3.589B/2.598A	3.589B/2.598A	----	3.075 + 0.353	.2726	----	----	2	----	62 + 2
6825	----	----	3.624B/----	3.624B/2.984A	----	3.164 + 0.365	.2783	----	----	----	----	9 UNCH
6850	----	----	3.679B/----	3.679B/3.058A	----	3.253 + 0.374	.2840	----	----	----	----	2 UNCH
6900	----	----	3.876B/----	3.876B/3.152A	----	3.439 + 0.397	.2956	----	----	----	----	6 UNCH
6950	----	----	4.176B/----	4.176B/3.313A	----	3.631 + 0.419	.3072	----	----	----	----	28 UNCH
6975	----	----	4.277B/----	4.277B/3.451A	----	3.731 + 0.432	.3131	----	----	1	----	6 UNCH
7000	3.200	3.200	4.391B/3.198A	4.391B/3.198A	----	3.832 + 0.444	.3191	----	----	11	----	174 UNCH
7050	----	----	4.543B/----	4.543B/3.694A	----	4.039 + 0.467	.3309	----	----	----	----	13 UNCH
7075	----	----	4.721B/----	4.721B/3.795A	----	4.145 + 0.479	.3369	----	----	----	----	1 UNCH
7100	----	----	4.794B/----	4.794B/3.823A	----	4.254 + 0.492	.3429	----	----	5	----	18 + 5
7125	----	----	4.983B/----	4.983B/3.977A	----	4.363 + 0.503	.3489	----	----	----	----	21 UNCH
7150	4.464	4.464	5.033B/4.464	5.033B/4.070A	----	4.475 + 0.516	.3549	----	----	1	----	6 + 1
7175	4.631	4.631	5.223B/4.631	5.223B/4.165A	----	4.590 + 0.529	.3610	----	----	7	----	9 + 7
7200	----	----	5.401B/4.034A	5.401B/4.034A	----	4.704 + 0.541	.3670	----	----	5	----	98 UNCH
7225	4.841	4.841	5.462B/4.841	5.462B/4.359A	----	4.822 + 0.554	.3731	----	----	9	----	11 + 9
7250	4.962	4.962	5.509B/4.962	5.509B/4.459A	----	4.942 NEW	.3791	----	----	8	----	8 + 8
7275	5.084	5.084	5.735B/5.084	5.735B/4.560A	----	5.063 + 0.580	.3852	----	----	1	----	9 + 1
7300	4.000	4.000	5.953B/4.000	5.953B/4.000	----	5.185 + 0.593	.3912	----	----	6	----	112 + 2
7350	----	----	6.085B/----	6.085B/4.875A	----	5.437 + 0.620	.4033	----	----	----	----	7 UNCH
7400	5.724	5.724	6.366B/5.027A	6.366B/5.027A	----	5.694 + 0.645	.4154	----	----	4	----	6 + 2
7425	5.857	5.857	6.570B/5.857	6.570B/5.205A	----	5.826 + 0.659	.4214	----	----	1	----	1 - 1
7450	----	----	6.657B/----	6.657B/5.318A	----	5.960 + 0.673	.4274	----	----	----	----	1 UNCH
7475	----	----	6.823B/----	6.823B/5.434A	----	6.094 + 0.685	.4334	----	----	----	----	1 UNCH
7500	----	----	7.100B/5.314A	7.100B/5.314A	----	6.232 + 0.699	.4394	----	----	11	----	134 + 1
7525	----	----	7.117B/----	7.117B/5.667A	----	6.370 + 0.712	.4454	----	----	----	----	1 UNCH
7550	----	----	7.237B/----	7.237B/5.788A	----	6.510 + 0.725	.4513	----	----	----	----	13 UNCH
7575	----	----	7.431B/5.910A	7.431B/5.910A	----	6.653 + 0.740	.4572	----	----	----	----	1 UNCH
7600	----	----	7.545B/5.967A	7.545B/5.967A	----	6.796 + 0.752	.4631	----	----	----	----	6 UNCH
7625	----	----	7.751B/6.160A	7.751B/6.160A	----	6.941 + 0.766	.4690	----	----	----	----	1 UNCH
7650	----	----	7.879B/6.286A	7.879B/6.286A	----	7.089 + 0.780	.4748	----	----	----	----	10 UNCH
7675	----	----	8.134B/6.223A	8.134B/6.223A	----	7.237 + 0.793	.4806	----	----	----	----	44 UNCH
7700	7.713	7.713	8.343B/6.300A	8.343B/6.300A	----	7.386 + 0.805	.4864	----	----	3	----	112 - 2
7725	6.903	6.903	8.509B/6.677A	8.509B/6.677A	----	7.539 + 0.820	.4921	----	----	51	----	56 + 49
7775	7.292	7.292	8.701B/6.945A	8.701B/6.945A	----	7.846 NEW	.5035	----	----	1	----	1 + 1
7800	7.442	7.442	8.953B/7.013A	8.953B/7.013A	----	8.003 + 0.859	.5091	----	----	1	----	25 - 1
7825	7.594	7.594	9.025B/7.220A	9.025B/7.220A	----	8.160 NEW	.5147	----	----	1	----	1 + 1
7850	----	----	9.203B/7.359A	9.203B/7.359A	----	8.319 + 0.883	.5203	----	----	----	----	18 UNCH
7900	----	----	9.483B/7.572A	9.483B/7.572A	----	8.643 + 0.910	.5312	----	----	----	----	5 UNCH
7950	----	----	10.058B/7.727A	10.058B/7.727A	----	8.972 + 0.936	.5421	----	----	----	----	60 UNCH
7975	----	----	9.724B/8.080A	9.724B/8.080A	----	9.138 + 0.948	.5474	----	----	----	----	1 UNCH
8000	9.500	9.500	10.411B/7.968A	10.411B/7.968A	----	9.307 + 0.961	.5527	----	----	35	----	295 UNCH
8025	----	----	10.082B/8.377A	10.082B/8.377A	----	9.476 + 0.974	.5580	----	----	----	----	1 UNCH
8100	----	----	10.984B/8.757A	10.984B/8.757A	----	9.992 + 1.010	.5735	----	----	----	----	7 UNCH
8150	----	----	11.356B/9.142A	11.356B/9.142A	----	10.344 + 1.036	.5835	----	----	----	----	15 UNCH
8175	----	----	11.099B/9.300A	11.099B/9.300A	----	10.521 + 1.048	.5885	----	----	----	----	1 UNCH
8200	----	----	11.729B/9.384A	11.729B/9.384A	----	10.700 + 1.060	.5934	----	----	----	----	10 UNCH
8225	----	----	11.480B/9.618A	11.480B/9.618A	----	10.880 + 1.072	.5983	----	----	----	----	4 UNCH
8250	----	----	12.114B/9.780A	12.114B/9.780A	----	11.062 + 1.085	.6031	----	----	----	----	10 UNCH
8275	----	----	11.840B/9.943A	11.840B/9.943A	----	11.244 + 1.096	.6078	----	----	----	----	5 UNCH
8300	11.416	11.416	12.224B/10.032A	12.224B/10.032A	----	11.428 + 1.109	.6125	----	----	1	----	1 UNCH
8325	----	----	12.194B/10.272A	12.194B/10.272A	----	11.614 + 1.121	.6172	----	----	----	----	5 UNCH
8400	----	----	12.996B/10.700A	12.996B/10.700A	----	12.177 + 1.158	.6308	----	----	----	----	1 UNCH
8425	----	----	12.983B/10.945A	12.983B/10.945A	----	12.367 + 1.170	.6353	----	----	----	----	1 UNCH
8475	----	----	13.429B/11.290A	13.429B/11.290A	----	12.751 + 1.194	.6439	----	----	----	----	1 UNCH
8500	13.690	13.690	14.069B/11.390A	14.069B/11.390A	----	12.944 + 1.206	.6482	----	----	1	----	22 UNCH
8600	----	----	14.353B/12.095A	14.353B/12.095A	----	13.729 + 1.254	.6647	----	----	----	----	3 UNCH
8650	----	----	14.753B/12.529A	14.753B/12.529A	----	14.129 + 1.280	.6726	----	----	----	----	1 UNCH
8700	----	----	15.133B/12.817A	15.133B/12.817A	----	14.532 + 1.304	.6803	----	----	----	----	2 UNCH
8825	----	----	16.169B/----	16.169B/15.205A	----	15.557 + 1.364	.6986	----	----	----	----	4 UNCH
8850	----	----	16.358B/----	16.358B/15.388A	----	15.765 + 1.377	.7021	----	----	----	----	1 UNCH
8900	----	----	17.345B/----	17.345B/15.606A	----	16.182 + 1.400	.7089	----	----	----	----	24 UNCH
9000	17.382	17.382	18.300B/17.018	18.300B/15.857A	----	17.026 + 1.446	.7220	----	----	45	----	62 - 35
9025	----	----	17.837B/----	17.837B/17.157A	----	17.239 + 1.457	.7252	----	----	----	----	4 UNCH
9150	----	----	18.903B/----	18.903B/18.202A	----	18.313 + 1.512	.7403	----	----	----	----	4 UNCH
9175	----	----	19.123B/16.994A	19.123B/16.994A	----	18.530 + 1.523	.7432	----	----	----	----	1 UNCH
9200	----	----	19.331B/17.152A	19.331B/17.152A	----	18.747 + 1.533	.7460	----	----	----	----	1 UNCH
9225	----	----	19.550B/17.292A	19.550B/17.292A	----	18.965 + 1.544	.7488	----	----	----	----	1 UNCH
9275	----	----	19.976B/----	19.976B/19.271A	----	19.402 + 1.564	.7543	----	----	----	----	5 UNCH
9300	----	----	20.199B/----	20.199B/19.503A	----	19.621 + 1.573	.7570	----	----	----	----	1 UNCH
9325	----	----	21.002B/----	21.002B/19.268A	----	19.842 + 1.584	.7596	----	----	----	----	11 UNCH
9350	----	----	20.634B/----	20.634B/19.936A	----	20.061 + 1.592	.7623	----	----	----	----	4 UNCH
9500	----	----	22.621B/----	22.621B/20.698A	----	21.392 + 1.647	.7773	----	----	----	----	31 UNCH
9975	----	----	25.963B/----	25.963B/25.485A	----	25.684 + 1.774	.8183	----	----	----	----	1 UNCH
10000	----	----	26.966B/----	26.966B/25.203A	----	25.913 + 1.780	.8202	----	----	----	----	7 UNCH
10025	----	----	26.424B/----	26.424B/25.951A	----	26.142 + 1.785	.8222	----	----	----	----	1 UNCH
10175	----	----	28.574B/----	28.574B/26.809A	----	27.521 + 1.812	.8331	----	----	----	----	15 UNCH
TOTAL										586	0	3319 + 334
SEP26												
2500	----	----	----	0.001B/3.223A	----	0.012 + 0.008	.0012	----	----	----	----	60 UNCH
3000	----	----	----	0.001B/3.306A	----	0.039 + 0.024	.0039	----	----	----	----	22 UNCH
3500	----	----	----	0.028B/0.195A	----	0.103 + 0.059	.0099	----	----	----	----	74 UNCH
4000	----	----	----	0.103B/0.278A	----	0.190 + 0.079	.0184	----	----	----	----	45 UNCH
4500	----	----	0.252B/----	0.252B/0.413A	----	0.326 + 0.127	.0320	----	----	----	----	12 UNCH
4525	----	----	0.262B/----	0.262B/0.422A	----	0.335 + 0.127	.0329	----	----	----	----	3 UNCH
5000	----	----	0.542B/----	0.542B/0.641A	----	0.559 + 0.100	.0546	----	----	----	----	237 UNCH
5100	----	----	0.628B/----	0.628B/0.706A	----	0.625 + 0.091	.0608	----	----	----	----	1 UNCH
5400	----	----	0.954B/----	0.954B/0.940A	----	0.876 + 0.059	.0833	----	----	----	----	1 UNCH
5475	0.960	0.960	1.061B/0.958A	1.061B/0.958A	----	0.955 + 0.053	.0901	----	----	1	----	3 UNCH
5500	----	----	1.097B/----	1.097B/1.037A	----	0.983 + 0.051	.0925	----	----	----	----	232 UNCH
5600	----	----	1.198B/----	1.198B/1.148A	----	1.104 + 0.044	.1025	----	----	----	----	1 UNCH
5700	----	----	1.213B/----	1.213B/1.264A	----	1.240 + 0.039	.1135	----	----	----	----	7 UNCH
5750	----	----	----	1.256B/1.330A	----	1.314 NEW	.1193	----	----	1	----	1 + 1
5800	----	----	1.367B/----	1.367B/1.401A	----	1.393 + 0.036	.1255	----	----	----	----	8 UNCH
5850	----	----	1.472B/----	1.472B/1.467A	----	1.476 + 0.036	.1318	----	----	----	----	1 UNCH
5900	----	----	1.570B/----	1.570B/1.833A	----	1.563 + 0.038	.1383	----	----	----	----	50 UNCH
6000	----	----	1.796B/----	1.796B/1.909A	----	1.755 + 0.044	.1522	----	----	----	----	664 UNCH
6050	----	----	1.910B/----	1.910B/1.972A	----	1.857 + 0.048	.1595	----	----	----	----	15 UNCH
6200	----	----	2.289B/----	2.289B/2.188A	----	2.199 + 0.068	.1827	----	----	----	----	40 UNCH
6300	----	----	2.563B/----	2.563B/2.408A	----	2.455 + 0.089	.1993	----	----	----	----	5 UNCH
6400	----	----	2.860B/----	2.860B/2.877A	----	2.737 + 0.116	.2166	----	----	----	----	3 UNCH
6425	----	----	2.943B/2.573A	2.943B/2.573A	----	2.810 + 0.123	.2211	----	----	----	----	3 UNCH
6500	----	----	3.181B/----	3.181B/3.087A	----	3.042 + 0.148	.2347	----	----	----	50	56 - 1
6550	----	----	3.352B/----	3.352B/3.328A	----	3.204 + 0.165	.2440	----	----	----	----	15 UNCH
6800	----	----	4.305B/----	4.305B/4.198A	----	4.113 + 0.277	.2923	----	----	----	----	10 UNCH
6850	----	----	4.521B/----	4.521B/4.394A	----	4.315 + 0.304	.3022	----	----	----	----	2 UNCH
6900	----	----	4.734B/----	4.734B/4.596A	----	4.523 + 0.332	.3123	----	----	----	----	3 UNCH
7000	4.450	4.450	5.400B/4.450	5.400B/4.450	----	4.944 + 0.375	.3323	----	----	10	----	95 + 2
7025	----	----	5.302B/----	5.302B/5.137A	----	5.072 + 0.405	.3375	----	----	----	----	1 UNCH
7100	----	----	5.663B/----	5.663B/5.469A	----	5.421 + 0.452	.3528	----	----	----	----	17 UNCH
7125	----	----	5.786B/----	5.786B/5.585A	----	5.540 + 0.468	.3579	----	----	----	----	25 UNCH
7175	----	----	6.043B/----	6.043B/5.828A	----	5.783 + 0.500	.3681	----	----	----	----	20 UNCH
7200	----	----	6.188B/----	6.188B/5.565A	----	5.908 + 0.518	.3732	----	----	1	----	76 UNCH
7300	----	----	6.707B/----	6.707B/5.870A	----	6.420 + 0.585	.3935	----	----	----	----	171 UNCH
7400	----	----	7.264B/----	7.264B/6.990A	----	6.957 + 0.654	.4137	----	----	----	----	26 UNCH
7500	----	----	7.864B/----	7.864B/7.548A	----	7.516 + 0.724	.4336	----	----	----	----	3 UNCH
7550	----	----	8.175B/----	8.175B/7.826A	----	7.805 + 0.759	.4435	----	----	40	----	40 + 38
7700	----	----	9.136B/----	9.136B/8.721A	----	8.703 + 0.863	.4726	----	----	----	----	9 UNCH
7800	----	----	9.804B/----	9.804B/9.332A	----	9.328 + 0.931	.4914	----	----	----	----	26 UNCH
7900	----	----	10.480B/----	10.480B/9.950A	----	9.973 + 0.997	.5098	----	----	----	----	1 UNCH
8000	----	----	11.188B/----	11.188B/9.595A	----	10.638 + 1.061	.5277	----	----	----	----	93 UNCH
8100	----	----	11.906B/----	11.906B/11.245A	----	11.320 + 1.121	.5451	----	----	----	----	1 UNCH
8200	----	----	12.639B/----	12.639B/11.927A	----	12.021 + 1.181	.5619	----	----	----	----	1 UNCH
8300	----	----	13.398B/----	13.398B/12.654A	----	12.738 + 1.237	.5782	----	----	----	----	1 UNCH
8400	----	----	14.162B/----	14.162B/12.330A	----	13.471 + 1.291	.5939	----	----	----	----	42 UNCH
8500	----	----	14.909B/12.862A	14.909B/12.862A	----	14.218 + 1.341	.6091	----	----	----	----	228 UNCH
8700	----	----	16.493B/14.256A	16.493B/14.256A	----	15.757 + 1.437	.6377	----	----	----	----	101 UNCH
9000	----	----	18.718B/----	18.718B/17.967A	----	18.158 + 1.560	.6764	----	----	----	----	74 UNCH
9300	----	----	21.217B/----	21.217B/20.038A	----	20.654 + 1.663	.7104	----	----	----	----	1 UNCH
9400	----	----	22.061B/----	22.061B/21.475A	----	21.504 + 1.693	.7208	----	----	----	----	15 UNCH
10150	----	----	28.652B/----	28.652B/28.023A	----	28.108 + 1.874	.7852	----	----	----	----	1 UNCH
10300	----	----	30.007B/----	30.007B/29.368A	----	29.467 + 1.902	.7956	----	----	----	----	1 UNCH
TOTAL										53	50	2643 + 40
OCT26												
2675	----	----	----	0.001B/3.331A	----	0.047 - 0.037	.0040	----	----	----	----	8 UNCH
3250	----	----	----	0.006B/0.240A	----	0.105 - 0.071	.0090	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
OCT26												
4000	----	----	----/*0.390A	0.138B/0.390A	----	0.258 -	0.140 .0224	----	----	----	----	3 UNCH
4500	----	----	----/0.573A	0.338B/0.573A	----	0.447 -	0.202 .0386	----	----	----	----	3 UNCH
5000	----	----	----/0.878A	0.718B/0.878A	----	0.766 -	0.184 .0646	----	----	----	----	6 UNCH
5050	----	----	----/0.917A	0.766B/0.917A	----	0.807 -	0.179 .0678	----	----	----	----	1 UNCH
5150	----	----	----/0.996A	0.883B/0.996A	----	0.895 -	0.168 .0747	----	----	----	----	5 UNCH
6300	----	----	2.958B/----	2.958B/3.213A	----	2.914 +	0.154 .2052	----	----	----	----	3 UNCH
6500	3.801	3.801	3.801/3.801	3.801/3.801	----	3.533 +	0.249 .2375	----	----	1	----	124 + 1
6800	----	----	4.799B/----	4.799B/4.942A	----	4.642 +	0.403 .2893	----	----	----	----	2 UNCH
6850	----	----	5.018B/----	5.018B/5.148A	----	4.849 +	0.429 .2982	----	----	----	----	1 UNCH
7000	----	----	5.704B/----	5.704B/5.809A	----	5.506 +	0.509 .3252	----	----	----	----	85 UNCH
7225	----	----	6.834B/----	6.834B/6.852A	----	6.594 +	0.624 .3659	----	----	----	----	87 UNCH
7500	----	----	8.381B/----	8.381B/8.316A	----	8.087 +	0.755 .4151	----	----	----	----	33 UNCH
7600	----	----	9.004B/----	9.004B/8.902A	----	8.671 +	0.797 .4326	----	----	----	----	1 UNCH
7700	----	----	9.639B/----	9.639B/9.501A	----	9.276 +	0.836 .4497	----	----	----	----	1 UNCH
7950	----	----	11.304B/----	11.304B/11.030A	----	10.874 +	0.918 .4908	----	----	----	----	10 UNCH
8000	----	----	11.648B/----	11.648B/11.344A	----	11.208 +	0.932 .4987	----	----	----	----	2 UNCH
8200	----	----	13.070B/----	13.070B/12.669A	----	12.584 +	0.977 .5292	----	----	----	----	6 UNCH
8375	----	----	14.183B/----	14.183B/13.999A	----	13.838 +	1.002 .5543	----	----	----	----	1 UNCH
9100	----	----	19.944B/----	19.944B/19.336A	----	19.443 +	1.002 .6438	----	----	----	----	1 UNCH
10000	----	----	27.401B/----	27.401B/27.059A	----	27.041 +	0.907 .7266	----	----	----	----	40 UNCH
TOTAL										1	0	424 + 1
NOV26												
4500	----	----	----/0.769A	0.479B/0.769A	----	0.554 -	0.314 .0444	----	----	----	----	1 UNCH
4550	----	----	----/0.800A	0.516B/0.800A	----	0.591 -	0.324 .0470	----	----	----	----	1 UNCH
4800	----	----	----/0.981A	0.744B/0.981A	----	0.807 -	0.373 .0621	----	----	----	----	1 UNCH
5000	----	----	----/1.158A	0.980B/1.158A	----	1.019 -	0.409 .0762	----	----	----	----	12 UNCH
5200	----	----	----/1.368A	1.262B/1.368A	----	1.271 -	0.442 .0925	----	----	----	----	1 UNCH
5400	----	----	----/1.618A	1.499B/1.618A	----	1.570	NEW .1109	----	----	6	----	6 + 6
5600	----	----	----/2.366A	1.661B/2.366A	----	1.919	NEW .1315	----	----	6	----	6 + 6
5950	----	----	----/2.972A	2.492B/2.972A	----	2.671 -	0.483 .1728	----	----	----	----	1 UNCH
6425	----	----	----/4.394A	4.008B/4.394A	----	4.024 -	0.405 .2389	----	----	----	----	1 UNCH
6700	----	----	----	5.115B/5.443A	----	5.006 -	0.310 .2813	----	----	----	----	50 UNCH
7000	----	----	6.502B/----	6.502B/6.771A	----	6.258 -	0.160 .3299	----	----	----	----	41 UNCH
7025	----	----	6.631B/----	6.631B/6.888A	----	6.371 -	0.146 .3340	----	----	----	----	6 UNCH
7400	----	----	8.613B/----	8.613B/8.849A	----	8.234 +	0.114 .3960	----	----	----	----	24 UNCH
7500	----	----	9.200B/----	9.200B/9.404A	----	8.784 +	0.196 .4124	----	----	----	----	7 UNCH
7700	----	----	10.453B/----	10.453B/10.604A	----	9.949 +	0.372 .4446	----	----	----	----	50 UNCH
8500	----	----	16.090B/----	16.090B/15.884A	----	15.393 +	1.173 .5585	----	----	----	----	60 UNCH
9000	----	----	19.996B/----	19.996B/19.611A	----	19.288 +	1.652 .6154	----	----	----	----	5 UNCH
9050	----	----	20.398B/----	20.398B/20.031A	----	19.693 +	1.696 .6206	----	----	----	----	3 UNCH
10000	----	----	28.119B/----	28.119B/27.997A	----	27.736 +	2.322 .7014	----	----	----	----	1 UNCH
11000	----	----	36.927B/----	36.927B/36.734A	----	36.641 +	2.562 .7634	----	----	----	----	1 UNCH
TOTAL										12	0	278 + 12
DEC26												
1500	----	----	----	----/0.050A	----	0.005 -	0.001 .0004	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/0.100A	----	0.021	UNCH .0016	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/3.853A	----	0.042 -	0.001 .0034	----	----	----	----	32 UNCH
3000	----	----	----	0.002B/0.337A	----	0.085	UNCH .0071	----	----	----	----	93 UNCH
3100	----	----	----	0.002B/0.359A	----	0.097 +	0.001 .0081	----	----	----	----	1 UNCH
3150	----	----	----	0.004B/0.370A	----	0.109 +	0.001 .0090	----	----	----	----	1 UNCH
3500	----	----	----	0.071B/0.468A	----	0.213 +	0.005 .0165	----	----	----	----	45 UNCH
3850	----	----	----	0.189B/0.599A	----	0.323 +	0.010 .0249	----	----	----	----	1 UNCH
3925	----	----	----	0.221B/0.633A	----	0.351 +	0.011 .0270	----	----	----	----	1 UNCH
4000	----	----	----	0.255B/0.669A	----	0.381 +	0.013 .0293	----	----	----	----	75 UNCH
4500	----	----	----	0.596B/0.962A	----	0.662 +	0.031 .0496	----	----	----	----	35 UNCH
4600	----	----	----	0.688B/1.040A	----	0.735 +	0.035 .0547	----	----	----	----	4 UNCH
4800	----	----	0.922B/----	0.922B/1.223A	----	0.903 +	0.047 .0663	----	----	----	----	241 UNCH
5000	----	----	1.194B/----	1.194B/1.434A	----	1.135 +	0.079 .0810	----	----	----	----	378 UNCH
5250	----	----	1.584B/----	1.584B/1.752A	----	1.501 +	0.091 .1027	----	----	----	----	50 UNCH
5300	----	----	1.591B/----	1.591B/1.824A	----	1.584 +	0.094 .1074	----	----	----	----	250 UNCH
5400	----	----	----	1.580B/1.977A	----	1.760 +	0.101 .1173	----	----	----	----	100 UNCH
5500	----	----	----	1.726B/2.681A	----	1.950 +	0.108 .1277	----	----	----	----	229 UNCH
5600	----	----	2.102B/----	2.102B/2.831A	----	2.155 +	0.116 .1386	----	----	----	----	8 UNCH
5650	----	----	----	2.105B/2.909A	----	2.264 +	0.121 .1442	----	----	----	----	12 UNCH
5800	----	----	----	2.460B/3.174A	----	2.616 +	0.137 .1620	----	----	----	----	2 UNCH
5950	----	----	2.870B/----	2.870B/3.570A	----	3.009 +	0.156 .1808	----	----	----	----	5 UNCH
6000	----	----	3.013B/----	3.013B/3.715A	----	3.150 +	0.164 .1873	----	----	----	----	135 UNCH
6200	----	----	3.650B/----	3.650B/4.354A	----	3.765 +	0.200 .2145	----	----	----	----	13 UNCH
6300	----	----	4.013B/----	4.013B/4.698A	----	4.104 +	0.222 .2286	----	----	----	----	25 UNCH
6500	5.101	5.101	5.101/5.101	5.101/5.101	----	4.842 +	0.267 .2577	----	----	1	----	738 + 1
6650	----	----	5.404B/----	5.404B/6.021A	----	5.444 +	0.298 .2800	----	----	----	----	5 UNCH
6725	----	----	5.736B/----	5.736B/6.344A	----	5.761 +	0.314 .2913	----	----	----	----	4 UNCH
6750	----	----	5.849B/----	5.849B/6.453A	----	5.869 +	0.319 .2951	----	----	----	----	6 UNCH
6800	----	----	6.094B/----	6.094B/6.675A	----	6.089 +	0.329 .3027	----	----	----	----	79 UNCH
6850	----	----	6.315B/----	6.315B/6.901A	----	6.314 +	0.340 .3103	----	----	----	----	78 UNCH
6900	----	----	6.568B/----	6.568B/7.137A	----	6.544 +	0.351 .3179	----	----	----	----	1 UNCH
6950	----	----	6.814B/----	6.814B/7.378A	----	6.780 +	0.364 .3255	----	----	----	----	121 UNCH
7000	----	----	7.054B/----	7.054B/7.621A	----	7.021 +	0.376 .3331	----	----	----	----	230 UNCH
7075	----	----	7.451B/----	7.451B/7.997A	----	7.395 +	0.399 .3446	----	----	----	----	20 UNCH
7100	----	----	7.583B/----	7.583B/8.124A	----	7.522 +	0.407 .3484	----	----	----	----	2 UNCH
7200	----	----	8.119B/----	8.119B/8.646A	----	8.048 +	0.443 .3636	----	----	----	----	14 UNCH
7250	----	----	8.392B/----	8.392B/8.911A	----	8.319 +	0.463 .3712	----	----	----	----	48 UNCH
7500	----	----	9.868B/----	9.868B/10.315A	----	9.761 +	0.580 .4083	----	----	----	----	22 UNCH
7550	----	----	10.178B/----	10.178B/10.608A	----	10.065 +	0.605 .4156	----	----	----	----	1 UNCH
7800	----	----	11.796B/----	11.796B/12.092A	----	11.648 +	0.734 .4507	----	----	----	----	20 UNCH
7850	----	----	12.130B/----	12.130B/12.407A	----	11.976 +	0.759 .4575	----	----	----	----	10 UNCH
7875	----	----	12.198B/----	12.198B/12.644A	----	12.141 +	0.771 .4609	----	----	----	----	1 UNCH
7900	----	----	12.467B/----	12.467B/12.723A	----	12.307 +	0.783 .4642	----	----	----	----	19 UNCH
8000	----	----	13.149B/----	13.149B/13.367A	----	12.979 +	0.829 .4774	----	----	----	----	57 UNCH
8100	----	----	13.844B/----	13.844B/14.028A	----	13.662 +	0.871 .4902	----	----	----	----	1 UNCH
8200	----	----	14.554B/----	14.554B/14.697A	----	14.355 +	0.908 .5028	----	----	----	----	35 UNCH
8350	----	----	15.645B/----	15.645B/15.735A	----	15.416 +	0.959 .5211	----	----	----	----	9 UNCH
8400	----	----	16.014B/----	16.014B/16.087A	----	15.774 +	0.974 .5271	----	----	----	----	50 UNCH
8500	----	----	16.760B/----	16.760B/16.792A	----	16.499 +	1.002 .5387	----	----	----	----	166 UNCH
8550	----	----	17.132B/----	17.132B/17.158A	----	16.865 +	1.016 .5445	----	----	----	----	25 UNCH
8600	----	----	17.510B/----	17.510B/17.481A	----	17.234 +	1.029 .5501	----	----	----	----	2 UNCH
8800	----	----	19.053B/----	19.053B/18.959A	----	18.732 +	1.074 .5720	----	----	----	----	12 UNCH
8900	----	----	19.835B/----	19.835B/19.721A	----	19.495 +	1.095 .5825	----	----	----	----	30 UNCH
9000	----	----	20.634B/----	20.634B/20.483A	----	20.267 +	1.114 .5927	----	----	----	----	3 UNCH
9050	----	----	21.024B/----	21.024B/20.858A	----	20.656 +	1.124 .5977	----	----	----	----	100 UNCH
9500	----	----	24.694B/----	24.694B/24.429A	----	24.256 +	1.208 .6395	----	----	----	----	2 UNCH
9850	----	----	27.450B/----	27.450B/27.272A	----	27.162 +	1.279 .6681	----	----	----	----	8 UNCH
9950	----	----	28.211B/----	28.211B/28.103A	----	28.006 +	1.300 .6756	----	----	----	----	1 UNCH
10025	----	----	28.848B/----	28.848B/29.012A	----	28.643 +	1.315 .6812	----	----	----	----	3 UNCH
10125	----	----	29.705B/----	29.705B/29.860A	----	29.497 +	1.336 .6884	----	----	----	----	1 UNCH
10700	----	----	34.714B/----	34.714B/34.821A	----	34.499 +	1.452 .7259	----	----	----	----	5 UNCH
10800	----	----	35.588B/----	35.588B/35.697A	----	35.382 +	1.471 .7318	----	----	----	----	2 UNCH
11000	----	----	37.363B/----	37.363B/37.460A	----	37.159 +	1.506 .7431	----	----	----	----	2 UNCH
11500	----	----	#41.865B/----	41.865B/41.925A	----	41.655 +	1.586 .7689	----	----	----	----	1 UNCH
12000	----	----	#46.437B/----	46.437B/46.461A	----	46.218 +	1.655 .7915	----	----	----	----	1 UNCH
12100	----	----	#47.302B/----	#47.302B/47.375A	----	47.138 +	1.668 .7956	----	----	----	----	1 UNCH
12300	----	----	#48.992B/----	#48.992B/49.210A	----	48.984 +	1.692 .8037	----	----	----	----	1 UNCH
15000	----	----	----	52.859B/94.420A	----	74.556 +	1.955 .8801	----	----	----	----	1 UNCH
19000	----	----	----	96.882B/130.312A	----	113.683 +	2.204 .9336	----	----	----	----	1 UNCH
TOTAL										1	0	3865 + 1
JAN27												
3800	----	----	----	0.169B/0.727A	----	0.285 -	0.032 .0220	----	----	----	----	1 UNCH
6500	----	----	----	5.026B/6.057A	----	5.333 +	0.152 .2561	----	----	----	----	1 UNCH
7000	----	----	#7.408B/----	7.408B/8.246A	----	7.589 +	0.374 .3254	----	----	----	----	35 UNCH
7100	----	----	#7.939B/----	7.939B/8.731A	----	8.096 +	0.435 .3393	----	----	----	----	20 UNCH
7125	----	----	7.964B/----	7.964B/8.962A	----	8.225 +	0.450 .3428	----	----	----	----	1 UNCH
8600	----	----	17.763B/----	17.763B/17.936A	----	17.570 +	0.884 .5272	----	----	----	----	1 UNCH
8850	----	----	19.659B/----	19.659B/19.762A	----	19.439 +	0.941 .5527	----	----	----	----	9 UNCH
TOTAL											0	68 0
FEB27												
6500	----	----	----	5.524B/6.653A	----	5.932 +	0.367 .2615	----	----	----	----	1 UNCH
8150	----	----	15.110B/----	15.110B/15.542A	----	15.114 +	0.876 .4689	----	----	----	----	10 UNCH
8225	----	----	15.357B/----	15.357B/16.299A	----	15.627 +	0.906 .4771	----	----	----	----	10 UNCH
8250	----	----	15.812B/----	15.812B/16.216A	----	15.799 +	0.915 .4799	----	----	----	----	10 UNCH
TOTAL											0	31 0
MAR27												
6500	----	----	5.976B/----	5.976B/7.225A	----	6.450 +	0.486 .2654	----	----	----	----	20 UNCH
6825	----	----	7.492B/----	7.492B/8.749A	----	7.952 +	0.666 .3058	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAR27												
8100	----	----	#15.058B/----	15.058B/16.145A	----	15.426 + 0.997	.4567	----	----	----	----	6 UNCH
8300	----	----	#16.443B/----	16.443B/17.504A	----	16.804 + 1.021	.4775	----	----	----	----	50 UNCH
8500	----	----	#17.874B/----	17.874B/18.909A	----	18.226 + 1.039	.4974	----	----	----	----	3 UNCH
10500	----	----	#33.735B/----	#33.735B/34.644A	----	34.164 + 0.864	.6493	----	----	----	----	10 UNCH
TOTAL											0	91 0
APR27												
4000	----	----	----	----	----	1.083 + 0.112	.0546	----	----	----	----	1 UNCH
TOTAL											0	1 0
DEC27												
7175	----	----	----	----	----	13.637 + 0.678	.3187	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
JUN26												
7400	3.980	3.980	#3.980/*3.611A	4.399B/*3.611A	----	4.039 NEW	.5762	----	----	1	----	1 + 1
8000	----	----	3.182B/*1.563A	3.182B/*1.563A	----	1.661 - 0.929	.3146	----	----	----	----	10 UNCH
8100	----	----	2.759B/*1.366A	2.759B/*1.366A	----	1.425 - 0.840	.2792	----	----	----	----	110 UNCH
8600	1.400	1.400	1.400/*0.733A	1.400/*0.733A	----	0.678 - 0.494	.1498	----	----	1	----	2 + 1
9000	----	----	----/*0.461A	0.712B/*0.461A	----	0.394 - 0.322	.0917	----	----	----	----	110 UNCH
11500	----	----	----	0.002B/*0.165A	----	0.029 - 0.034	.0073	----	----	----	----	1 UNCH
TOTAL										2	0	234 + 2
SO1 PUT		SILVER OPTIONS										
JUN26												
6500	----	----	0.686B/----	0.686B/0.444A	----	0.541 + 0.168	.1118	----	----	----	----	3 UNCH
TOTAL											0	3 0
SO4 CALL		SILVER OPTIONS										
MAY26												
7490	----	----	----/*1.439A	2.280B/*1.439A	----	1.824 NEW	.5355	----	----	10	----	10 + 10
7500	1.510	1.510	1.510/*1.391A	2.300B/*1.391A	----	1.770 - 1.669	.5262	----	----	1	----	1 - 1
7520	1.634	1.634	#1.634/*1.316A	2.282B/*1.316A	----	1.664 NEW	.5073	----	----	11	----	11 + 11
7600	----	----	----/*1.036A	2.309B/*1.036A	----	1.291 - 1.485	.4316	----	----	----	----	1 UNCH
7700	0.807	0.807	2.395B/*0.736A	2.395B/*0.736A	----	0.917 - 1.284	.3410	----	----	3	----	8 + 3
7750	----	----	2.349B/*0.621A	2.349B/*0.621A	----	0.763 NEW	.2987	----	----	10	----	10 + 10
7800	----	----	2.415B/*0.519A	2.415B/*0.519A	----	0.630 - 1.079	.2591	----	----	----	----	23 UNCH
7830	----	----	#2.233B/*0.440A	#2.233B/*0.440A	----	0.560 - 1.017	.2369	----	----	----	----	3 UNCH
7900	1.000	1.000	1.888B/*0.373A	1.888B/*0.373A	----	0.419 - 0.881	.1893	----	----	9	----	4 UNCH
7950	0.270	0.270	1.602B/*0.270	1.602B/*0.270	----	0.339 - 0.786	.1599	----	----	1	----	3 + 1
8000	0.575	0.575	1.397B/*0.249	1.397B/*0.249	----	0.272 - 0.698	.1337	----	----	3	----	8 UNCH
8100	----	----	0.982B/*0.221A	0.982B/*0.221A	----	0.173 - 0.541	.0917	----	----	----	----	11 UNCH
8200	----	----	0.679B/*0.183A	0.679B/*0.183A	----	0.109 - 0.412	.0616	----	----	----	----	2 UNCH
8300	----	----	0.447B/*0.156A	0.447B/*0.156A	----	0.069 - 0.311	.0411	----	----	----	----	6 UNCH
8320	----	----	#0.383B/*0.153A	0.383B/*0.153A	----	0.063 NEW	.0379	----	----	1	----	1 + 1
8500	----	----	----/*0.131A	0.169B/*0.131A	----	0.030 - 0.180	.0190	----	----	----	----	50 UNCH
8550	----	----	----/*0.127A	0.102B/*0.127A	----	0.025 - 0.159	.0160	----	----	----	----	27 UNCH
8600	0.086	0.086	0.086/*0.086	0.099B/*0.086	----	0.021 - 0.141	.0135	----	----	1	----	57 + 1
8700	----	----	----/*0.119A	0.051B/*0.119A	----	0.016 - 0.115	.0102	----	----	----	----	1 UNCH
8750	----	----	----/*0.119A	0.015B/*0.119A	----	0.014 - 0.106	.0089	----	----	----	----	16 UNCH
8800	----	----	----	0.020B/*0.116A	----	0.013 - 0.097	.0082	----	----	1	----	9 + 1
9000	----	----	----	0.005B/*0.113A	----	0.010 - 0.078	.0059	----	----	----	----	1 UNCH
9100	----	----	----	0.001B/*0.110A	----	0.009 - 0.073	.0052	----	----	----	----	3 UNCH
9200	----	----	----	0.001B/*0.120A	----	0.009 - 0.069	.0050	----	----	----	----	25 UNCH
9250	----	----	----	0.001B/*0.121A	----	0.009 - 0.068	.0049	----	----	----	----	20 UNCH
9300	----	----	----	0.001B/*0.121A	----	0.008 - 0.060	.0043	----	----	----	----	25 UNCH
9400	----	----	----	0.001B/0.130A	----	0.005 - 0.047	.0028	----	----	----	----	10 UNCH
9500	----	----	----	----/0.136A	----	0.004 - 0.037	.0022	----	----	----	----	41 UNCH
9800	----	----	----	----/0.134A	----	0.001 - 0.018	.0006	----	----	----	----	1 UNCH
10000	0.020	0.020	0.020/*0.020	0.020/*0.020	----	0.001 - 0.010	.0005	----	----	3	----	5 UNCH
10500	----	----	----	----/0.120A	----	0.001 - 0.002	.0005	----	----	----	----	3 UNCH
TOTAL										54	0	396 + 37
SO4 PUT		SILVER OPTIONS										
MAY26												
5500	----	----	----	----/0.132A	----	0.001 - 0.001	.0005	----	----	----	----	5 UNCH
6000	----	----	----	0.002B/0.113A	----	0.005 - 0.002	.0026	----	----	----	----	1 UNCH
6600	----	----	0.167B/----	0.167B/0.160A	----	0.067 + 0.009	.0313	----	----	----	----	1 UNCH
6750	----	----	0.257B/----	0.257B/0.199A	----	0.121 + 0.026	.0541	----	----	----	----	1 UNCH
6800	----	----	0.310B/----	0.310B/0.198A	----	0.147 + 0.035	.0646	----	----	----	----	1 UNCH
6900	----	----	0.438B/----	0.438B/0.225A	----	0.214 + 0.059	.0908	----	----	----	----	2 UNCH
7000	0.350	0.350	0.638B/0.350	0.638B/0.252A	----	0.309 + 0.096	.1259	----	----	12	75	95 + 84
7100	0.500	0.500	0.898B/0.500	0.898B/0.315A	----	0.442 NEW	.1716	----	----	2	----	2 + 2
7200	0.330	0.330	1.218B/0.330	1.218B/0.330	----	0.626 + 0.224	.2297	----	----	11	----	15 + 11
7250	0.500	0.500	1.392B/0.460A	1.392B/0.460A	----	0.740 + 0.270	.2634	----	----	1	----	7 + 1
7300	----	----	1.597B/0.495A	1.597B/0.495A	----	0.873 + 0.325	.3003	----	----	----	----	2 UNCH
7350	----	----	1.823B/0.583A	1.823B/0.583A	----	1.024 + 0.385	.3401	----	----	----	----	1 UNCH
7400	0.800	0.800	2.104B/0.635A	2.104B/0.635A	----	1.197 + 0.454	.3826	----	----	4	----	3 + 2
7420	1.635	1.635	#2.107B/*0.688A	2.107B/*0.688A	----	1.272 NEW	.4003	----	----	2	----	1 + 1
7450	----	----	2.264B/0.740A	2.264B/0.740A	----	1.392 + 0.531	.4273	----	----	----	----	1 UNCH
7500	1.200	1.200	2.538B/0.805A	2.538B/0.805A	----	1.611 + 0.615	.4737	----	----	1	75	79 + 76
7520	1.636	1.636	#2.420B/*0.878A	2.420B/*0.878A	----	1.705 NEW	.4926	----	----	12	----	12 + 12
7600	----	----	2.838B/1.044A	2.838B/1.044A	----	2.132 + 0.800	.5683	----	----	----	----	3 UNCH
7700	----	----	3.907B/1.331A	3.907B/1.331A	----	2.758 + 1.001	.6589	----	----	----	----	7 UNCH
7750	----	----	4.307B/1.530A	4.307B/1.530A	----	3.104 + 1.103	.7012	----	----	----	----	10 UNCH
7760	----	----	#3.522B/*1.586A	#3.522B/*1.586A	----	3.176 + 1.124	.7093	----	----	----	----	0 UNCH
7800	----	----	4.193B/1.698A	4.193B/1.698A	----	3.470 + 1.205	.7408	----	----	----	----	4 UNCH
7820	----	----	#4.862B/*1.818A	#4.862B/*1.818A	----	3.623 + 1.247	.7558	----	----	----	----	8 UNCH
7900	----	----	5.043B/2.083A	5.043B/2.083A	----	4.259 + 1.404	.8106	----	----	----	----	5 UNCH
8000	----	----	#5.945B/2.607A	#5.945B/2.607A	----	5.111 + 1.586	.8662	----	----	----	----	1 UNCH
8200	----	----	#8.300B/----	#8.300B/6.975A	----	6.948 + 1.873	.9383	----	----	----	----	3 UNCH
8250	8.455	8.455	#8.455/8.455	#8.455/7.427A	----	7.425 + 1.926	.9498	----	----	1	----	1 UNCH
8480	----	----	#10.554B/----	#10.554B/*8.586A	----	9.671 + 2.096	.9796	----	----	----	----	1 UNCH
8500	----	----	#10.750B/----	#10.750B/8.572A	----	9.869 + 2.106	.9809	----	----	----	----	1 UNCH
8600	----	----	#11.735B/----	#11.735B/9.065A	----	10.860 + 2.144	.9864	----	----	----	----	1 UNCH
8700	----	----	12.727B/----	12.727B/11.738A	----	11.855 + 2.171	.9897	----	----	----	----	1 UNCH
TOTAL										46	150	275 + 189
SO5 CALL		SILVER OPTIONS										
MAY26												
7650	2.820	2.820	3.410B/*1.814A	3.410B/*1.814A	----	2.078 NEW	.4388	----	----	2	----	2 + 2
7700	1.930	1.930	3.471B/*1.622A	3.471B/*1.622A	----	1.888 NEW	.4104	----	----	3	----	3 + 3
7900	----	----	2.819B/*1.107A	2.819B/*1.107A	----	1.261 - 0.971	.3055	----	----	----	----	1 UNCH
8000	1.540	1.540	2.340B/*0.932A	2.340B/*0.932A	----	1.019 NEW	.2595	----	----	5	----	5 + 5
8200	----	----	1.572B/*0.643A	1.572B/*0.643A	----	0.656 - 0.643	.1825	----	----	----	----	1 UNCH
8300	----	----	1.263B/*0.545A	1.263B/*0.545A	----	0.523 - 0.553	.1514	----	----	----	----	1 UNCH
8400	----	----	1.016B/*0.458A	1.016B/*0.458A	----	0.418 - 0.472	.1252	----	----	----	----	2 UNCH
8600	----	----	0.633B/*0.334A	0.633B/*0.334A	----	0.268 - 0.343	.0850	----	----	----	----	3 UNCH
8700	----	----	----/*0.288A	0.495B/*0.288A	----	0.216 - 0.292	.0701	----	----	----	----	2 UNCH
8800	----	----	----/*0.255A	0.386B/*0.255A	----	0.176 - 0.249	.0581	----	----	----	----	2 UNCH
8850	0.220	0.220	0.220/*0.220	0.315B/*0.220	----	0.159 NEW	.0530	----	----	1	----	1 + 1
8900	0.250	0.250	0.250/*0.110	0.300B/*0.110	----	0.145 - 0.214	.0486	----	----	4	----	4 + 4
9500	----	----	----	0.067B/*0.163A	----	0.057 - 0.099	.0194	----	----	----	----	1 UNCH
TOTAL										15	0	28 + 15
SO5 PUT		SILVER OPTIONS										
MAY26												
6700	----	----	0.637B/----	0.637B/0.343A	----	0.440 + 0.153	.1150	----	----	----	----	30 UNCH
6800	0.320	0.320	0.825B/0.320	0.825B/0.320	----	0.566 NEW	.1430	----	----	2	----	2 + 2
6900	1.000	1.000	1.053B/1.000	1.053B/0.493A	----	0.723 + 0.249	.1759	----	----	2	----	4 + 2
7000	----	----	1.331B/0.590A	1.331B/0.590A	----	0.915 + 0.313	.2139	----	----	----	----	2 UNCH
7200	1.015	1.015	2.042B/0.853A	2.042B/0.853A	----	1.427 + 0.475	.3051	----	----	2	----	3 + 2
7300	1.370	1.370	#2.480B/1.036A	2.480B/1.036A	----	1.758 + 0.573	.3577	----	----	4	----	5 + 4
7400	----	----	#2.972B/1.257A	2.972B/1.257A	----	2.146 + 0.684	.4140	----	----	----	----	1 UNCH
7650	3.015	3.015	4.228B/2.037A	4.228B/2.037A	----	3.418 NEW	.5611	----	----	3	----	3 + 3
7700	1.750	1.750	#4.519B/1.750	4.519B/1.750	----	3.727 NEW	.5895	----	----	3	----	3 + 3
8000	----	----	#6.155B/3.610A	#6.155B/3.610A	----	5.856 + 1.430	.7404	----	----	----	----	2 UNCH
8300	----	----	----	6.136B/8.534A	----	8.358 + 1.731	.8485	----	----	----	----	2 UNCH
8400	----	----	----	----/24.213A	----	9.251 + 1.811	.8747	----	----	----	----	5 UNCH
8500	----	----	----	----/26.450A	----	10.167 + 1.881	.8967	----	----	----	----	4 UNCH
TOTAL										16	0	66 + 16
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
6100	----	----	----	----/0.184A	----	0.001 UNCH	.0007	----	----	----	----	5 UNCH
6400	----	----	----	----/0.132A	----	0.001 UNCH	.0009	----	----	----	----	1 UNCH
6750	----	----	0.006B/----	0.006B/*0.114A	----	0.010 + 0.005	.0086	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
6800	0.023	0.023	0.026B/*0.023	0.026B/*0.023	----	0.015 + 0.007	.0125	----	----	1	----	5 + 1
6850	----	----	0.691B/----	0.691B/0.351A	----	0.419 + 0.138	.1273	----	----	----	----	1 UNCH
6850	----	----	0.033B/----	0.033B/*0.113A	----	0.022 + 0.011	.0178	----	----	----	----	1 UNCH
6900	----	----	0.082B/----	0.082B/0.114A	----	0.033 + 0.018	.0256	----	----	----	----	14 UNCH
6950	----	----	0.105B/----	0.105B/*0.125A	----	0.048 + 0.026	.0359	----	----	----	----	1 UNCH
7000	0.081	0.081	0.351/*0.073	0.351/*0.073	----	0.066 + 0.036	.0480	----	----	9	----	23 + 4
7100	0.505	0.505	0.505/0.505	0.505/0.167A	----	0.111 NEW	.0787	----	----	6	----	6 + 6
7200	----	----	1.733B/0.661A	1.733B/0.661A	----	1.084 + 0.368	.2808	----	----	----	----	1 UNCH
7200	0.200	0.200	0.550B/0.200	0.550B/0.187A	----	0.189 + 0.085	.1284	----	----	8	----	10 + 8
7250	----	----	0.688B/----	0.688B/0.215A	----	0.247 + 0.108	.1632	----	----	1	----	0 - 1
7300	0.400	0.400	0.886B/0.400	0.886B/0.228A	----	0.324 + 0.139	.2065	----	----	17	----	19 + 16
7350	0.630	0.630	1.070B/0.630	1.070B/0.281A	----	0.423 + 0.181	.2586	----	----	2	----	1 UNCH
7400	1.500	1.500	1.500/*1.192A	1.613B/*1.192A	----	1.710 NEW	.6797	----	----	1	----	1 + 1
7400	0.300	0.300	1.325B/0.300	1.325B/0.300	----	0.551 + 0.237	.3202	----	----	9	----	6 + 4
7430	1.015	1.015	#1.401B/*0.346A	1.401B/*0.346A	----	0.644 NEW	.3615	----	----	1	----	1 + 1
7450	----	----	1.392B/0.373A	1.392B/0.373A	----	0.714 + 0.311	.3907	----	----	----	----	1 UNCH
7500	0.923	0.923	0.927/*0.737A	1.344B/*0.737A	----	1.074 NEW	.5320	----	----	2	----	2 + 2
7500	1.580	1.580	1.580/0.401A	1.580/0.401A	----	0.915 + 0.403	.4679	----	----	1	----	2 + 1
7550	0.490	0.490	0.490/*0.478	1.482B/*0.478	----	0.819 NEW	.4512	----	----	2	----	2 + 2
7550	1.994	1.994	1.994/*1.833A	2.634B/*1.833A	----	2.145 NEW	.4918	----	----	4	----	4 + 4
7600	0.555	0.555	0.581/*0.300	1.505B/*0.300	----	0.608 NEW	.3709	----	----	6	----	5 + 5
7600	0.900	0.900	1.613B/0.546A	1.613B/0.546A	----	1.449 + 0.640	.6290	----	----	3	----	2 - 2
7610	1.250	1.250	#1.250/*0.400	1.472B/*0.400	----	0.571 NEW	.3553	----	----	2	----	0 UNCH
7650	0.489	0.489	0.489/*0.274	1.505B/*0.274	----	0.439 NEW	.2951	----	----	4	----	2 + 2
7670	1.000	1.000	#1.000/*0.366A	1.540B/*0.366A	----	0.383 NEW	.2670	----	----	1	----	1 + 1
7700	----	----	----/*0.299A	1.533B/*0.299A	----	0.309 - 1.357	.2273	----	----	----	----	5 UNCH
7700	1.298	1.298	2.030B/0.760A	2.030B/0.760A	----	2.150 + 0.928	.7726	----	----	10	----	13 + 10
7750	----	----	1.580B/0.923A	1.580B/0.923A	----	2.553 + 1.084	.8303	----	----	----	----	1 UNCH
7750	0.154	0.154	1.531B/*0.154	1.531B/*0.154	----	0.212 - 1.201	.1696	----	----	1	----	3 + 1
7800	0.180	0.180	1.565B/*0.150A	1.565B/*0.150A	----	0.142 - 1.047	.1228	----	----	3	----	3 + 3
7800	----	----	----/1.058A	1.436B/1.058A	----	2.983 + 1.238	.8771	----	----	----	----	2 UNCH
7850	----	----	----/1.260A	1.468B/1.260A	----	3.434 NEW	.9136	----	----	1	----	1 + 1
7850	0.430	0.430	1.531B/*0.150	1.531B/*0.150	----	0.093 NEW	.0864	----	----	6	----	3 + 3
7880	----	----	#1.336B/*0.145A	1.336B/*0.145A	----	0.071 - 0.813	.0687	----	----	----	----	100 UNCH
7900	----	----	2.339B/*0.823A	2.339B/*0.823A	----	0.917 - 0.943	.2703	----	----	----	----	1 UNCH
7900	----	----	1.275B/*0.100A	1.275B/*0.100A	----	0.059 - 0.759	.0587	----	----	----	----	1 UNCH
7900	----	----	----/1.443A	1.420B/1.443A	----	3.900 + 1.526	.9412	----	----	----	----	2 UNCH
7920	0.065	0.065	#1.113B/*0.065	1.113B/*0.065	----	0.049 NEW	.0500	----	----	1	----	1 + 1
7930	----	----	#1.060B/*0.121A	1.060B/*0.121A	----	0.045 - 0.681	.0464	----	----	----	----	100 UNCH
8000	----	----	0.769B/*0.080A	0.769B/*0.080A	----	0.023 - 0.520	.0256	----	----	1	----	12 + 1
8050	----	----	0.554B/*0.112A	0.554B/*0.112A	----	0.013 NEW	.0155	----	----	1	----	1 + 1
8100	----	----	0.436B/*0.111A	0.436B/*0.111A	----	0.008 - 0.339	.0099	----	----	----	----	2 UNCH
8100	----	----	#4.993B/----	4.993B/6.575A	----	6.379 + 1.617	.8222	----	----	----	----	1 UNCH
8200	----	----	----	----	----	6.843 + 2.074	.9971	----	----	----	----	2 UNCH
8300	----	----	----/*0.111A	0.081B/*0.111A	----	0.001 - 0.125	.0014	----	----	----	----	3 UNCH
8320	0.052	0.052	0.052/*0.052	0.052/*0.052	----	0.001 - 0.112	.0014	----	----	1	----	0 - 1
8400	----	----	----	----	----	8.842 + 2.214	.9987	----	----	----	----	1 UNCH
8400	----	----	0.707B/*0.294A	0.707B/*0.294A	----	0.257 - 0.368	.0929	----	----	----	----	1 UNCH
8500	----	----	----	0.001B/*0.117A	----	0.001 - 0.038	.0011	----	----	----	----	1 UNCH
8650	----	----	----/*0.211A	0.302B/*0.211A	----	0.148 - 0.219	.0556	----	----	----	----	1 UNCH
8700	----	----	----	0.001B/0.131A	----	0.001 - 0.009	.0010	----	----	----	----	1 UNCH
8710	----	----	----	0.001B/0.131A	----	0.001 - 0.008	.0010	----	----	----	----	1 UNCH
8800	----	----	#11.168B/----	#11.168B/12.452A	----	12.943 + 2.125	.9581	----	----	----	----	1 UNCH
8800	----	----	----	0.001B/0.131A	----	0.001 - 0.004	.0009	----	----	----	----	10 UNCH
8850	----	----	----	----/0.134A	----	0.001 - 0.002	.0009	----	----	----	----	40 UNCH
9000	----	----	----	----/0.135A	----	0.001 UNCH	.0008	----	----	----	----	2 UNCH
9050	----	----	----	----/0.143A	----	0.001 UNCH	.0008	----	----	----	----	3 UNCH
9100	----	----	----	----/0.156A	----	0.001 UNCH	.0008	----	----	----	----	8 UNCH
9200	----	----	----	----/0.178A	----	0.001 UNCH	.0007	----	----	----	----	11 UNCH
9300	----	----	----	0.001B/0.199A	----	0.001 UNCH	.0007	----	----	----	----	2 UNCH
9500	----	----	----	----/0.229A	----	0.001 UNCH	.0006	----	----	----	----	1 UNCH
10000	----	----	----	----/0.272A	----	0.001 UNCH	.0005	----	----	----	----	1 UNCH
11000	----	----	----	----/0.292A	----	0.001 UNCH	.0004	----	----	----	----	17 UNCH
11000	----	----	----	----/0.160A	----	0.001 - 0.001	.0004	----	----	----	----	3 UNCH
TOTAL										105	0	480 + 75
JUN26												
8100	----	----	#7.365B/5.216A	#7.365B/5.216A	----	7.027 + 1.480	.7408	----	----	----	----	4 UNCH
8500	----	----	1.252B/*0.642A	1.252B/*0.642A	----	0.589 - 0.491	.1449	----	----	----	----	4 UNCH
9750	----	----	----/*0.210A	0.115B/*0.210A	----	0.105 - 0.120	.0286	----	----	----	----	5 UNCH
TOTAL											0	13 0
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week3										
MAY26												
7000	0.065	0.065	0.065/*0.065	0.065/*0.040A	----	0.000 - 0.011	----	----	----	1	----	0 - 21
7150	----	----	----	0.005B/0.121A	----	0.000 - 0.038	----	----	----	----	----	0 - 1
7200	0.001	0.001	0.001/*0.001	0.049B/*0.001	----	0.000 - 0.056	----	----	----	2	----	0 - 11
7250	----	----	0.101B/----	0.101B/*0.113A	----	0.000 - 0.071	----	----	----	----	----	0 - 2
7300	0.505	0.505	0.505/*0.010	0.505/*0.010	----	0.000 - 0.091	----	----	----	10	----	0 - 1
7370	0.210	0.210	#0.517B/*0.010	0.517B/*0.010	----	0.000 NEW	----	----	----	3	----	0 UNCH
7390	----	----	#0.656B/----	0.656B/*0.155A	----	0.000 - 0.145	----	----	----	1	----	0 - 1
7400	----	----	----/*0.646A	0.627B/*0.646A	----	1.159 NEW	----	1	----	1	----	0 UNCH
7400	0.036	0.036	0.648B/*0.001	0.648B/*0.001	----	0.000 - 0.153	----	----	----	13	----	0 - 5
7450	0.030	0.030	0.573B/*0.029	0.573B/*0.029	----	0.000 - 0.200	----	----	----	8	----	0 - 1
7490	----	----	#0.489B/*0.227A	0.489B/*0.227A	----	0.000 - 0.249	----	----	----	1	----	0 - 1
7500	0.390	0.390	0.390/*0.230	0.495B/*0.230	----	0.159 - 2.548	----	3	----	16	----	0 - 1
7500	0.250	0.250	0.498B/*0.025	0.498B/*0.025	----	0.000 - 0.263	----	----	----	5	----	0 - 1
7550	0.400	0.400	0.411B/0.281A	0.411B/0.281A	----	0.341 NEW	----	1	----	1	----	0 UNCH
7600	0.275	0.275	1.500/0.275	1.500/0.275	----	0.841 + 0.382	----	4	----	7	----	0 - 1
7600	0.865	0.865	0.865/*0.100A	0.865/*0.100A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7640	0.500	0.500	#0.500/*0.099A	0.813B/*0.099A	----	0.000 NEW	----	----	----	5	----	0 UNCH
7650	0.800	0.800	0.800/*0.115A	0.803B/*0.115A	----	0.000 NEW	----	----	----	7	----	0 UNCH
7680	0.400	0.400	#0.400/*0.117A	0.850B/*0.117A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7700	0.505	0.505	0.805/0.425A	0.805/0.425A	----	1.841 + 1.051	----	8	----	3	----	0 - 5
7700	0.200	0.200	0.200/*0.009	0.894B/*0.009	----	0.000 - 1.234	----	----	----	92	----	0 - 122
7730	----	----	----/*0.140A	0.872B/*0.140A	----	0.000 - 1.066	----	----	----	----	----	0 - 1
7740	0.280	0.280	0.790B/*0.280	0.790B/0.280	----	2.241 + 1.271	----	4	----	1	----	0 - 3
7750	----	----	----/0.560A	0.815B/0.560A	----	2.341 + 1.321	----	10	----	----	----	0 - 10
7750	0.900	0.900	1.000B/*0.020	1.000B/*0.020	----	0.000 - 0.964	----	----	----	13	----	0 - 3
7800	1.237	1.237	1.699/*0.040A	1.699/*0.040A	----	0.000 - 0.740	----	----	----	9	----	0 - 5
7800	0.641	0.641	0.937/0.641	0.937/0.641	----	2.841 NEW	----	----	----	2	----	0 UNCH
7850	----	----	0.922B/*0.137A	0.922B/*0.137A	----	0.000 - 0.560	----	----	----	1	----	0 - 12
7850	----	----	----/0.858A	0.884B/0.858A	----	3.341 + 1.725	----	1	----	----	----	0 - 1
7900	0.779	0.779	1.016/*0.123A	1.016/*0.123A	----	0.000 - 0.419	----	----	----	11	----	0 - 15
7900	----	----	----/1.036A	0.868B/1.036A	----	3.841 + 1.866	----	2	----	2	----	0 - 4
7910	0.840	0.840	#3.900/*0.840	#3.900/0.840	----	3.941 NEW	----	----	----	2	----	0 UNCH
7920	0.196	0.196	#0.710B/*0.127A	0.710B/*0.127A	----	0.000 - 0.373	----	----	----	1	----	0 - 1
7950	----	----	----/1.310A	0.930B/1.310A	----	4.341 + 1.973	----	1	----	1	----	0 - 2
7950	----	----	0.556B/*0.124A	0.556B/*0.124A	----	0.000 - 0.312	----	----	----	----	----	0 - 5
8000	----	----	----	1.000B/9.730A	----	4.841 + 2.053	----	1	----	----	----	0 - 1
8000	0.100	0.100	0.381B/*0.035	0.381B/*0.035	----	0.000 - 0.232	----	----	----	3	----	0 - 50
8050	----	----	0.199B/*0.119A	0.199B/*0.119A	----	0.000 - 0.173	----	----	----	----	----	0 - 2
8100	0.200	0.200	0.200/*0.005A	0.200/*0.005A	----	0.000 - 0.130	----	----	----	1	----	0 - 1
8110	----	----	----	0.071B/*0.125A	----	0.000 - 0.123	----	----	----	----	----	0 - 1
8130	----	----	----	0.031B/*0.126A	----	0.000 - 0.109	----	----	----	----	----	0 - 1
8150	----	----	----	0.006B/*0.125A	----	0.000 - 0.098	----	----	----	----	----	0 - 1
8200	----	----	----	0.001B/*0.133A	----	0.000 - 0.074	----	----	----	----	----	0 - 1
8250	----	----	----	0.001B/0.134A	----	0.000 - 0.057	----	----	----	----	----	0 - 1
8300	----	----	----	----	----	7.841 + 2.247	----	1	----	----	----	0 - 1
8400	----	----	----	0.001B/*0.100A	----	0.000 - 0.016	----	----	----	----	----	0 - 2
8500	----	----	----	----/*0.121A	----	0.000 - 0.007	----	----	----	----	----	0 - 1
8560	----	----	----	----/*0.113A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
8630	----	----	----	----/*0.096A	----	0.000 - 0.002	----	----	----	----	----	0 - 2
8660	----	----	----	----/0.092A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
8700	----	----	----	----/*0.089A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
8700	----	----	----	----	----	11.841 + 2.284	----	4	----	----	----	0 - 4
8900	----	----	----	----/*0.064A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
9000	----	----	----	----/*0.058A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
9100	----	----	----	----/*0.060A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
9300	----	----	----	----/*0.060A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
10000	----	----	----	----/0.059A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
TOTAL										226	0	0 - 321
JUN26												
6500	----	----	0.489B/----	0.489B/0.325A	----	0.418 + 0.137	.0964	----	----	----	----	2 UNCH
7100	----	----	1.921B/0.902A	1.921B/0.902A	----	1.468 + 0.455	.2790	----	----	----	----	2 UNCH
7700	----	----	4.632B/*2.650A	4.632B/*2.650A	----	2.915 - 1.220	.4470	----	----	----	----	3 UNCH
7800	----	----	#6.235B/3.726A	#6.235B/3.726A	----	5.395 + 1.153	.5927	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week1										
JUN26												
8000	----	----	2.672B/*1.198A	2.672B/*1.198A	----	1.278 - 0.877	.2848	----	----	----	----	4 UNCH
8000	----	----	#6.451B/4.000A	#6.451B/4.000A	----	6.113 + 1.406	.7151	----	----	----	----	9 UNCH
8100	----	----	#3.019B/*1.600A	3.019B/*1.600A	----	1.709 - 0.871	.3001	----	----	----	----	8 UNCH
8200	----	----	1.899B/*0.882A	1.899B/*0.882A	----	0.868 - 0.683	.2103	----	----	----	----	4 UNCH
8500	----	----	1.792B/*1.003A	1.792B/*1.003A	----	0.988 - 0.592	.1922	----	----	----	----	8 UNCH
8800	0.450	0.450	0.603B/*0.383A	0.603B/*0.383A	----	0.288 - 0.304	.0810	----	----	1	----	0 - 1
9700	----	----	----/*0.334A	0.342B/*0.334A	----	0.243 - 0.191	.0535	----	----	----	----	11 UNCH
10000	----	----	----/*0.435A	0.484B/*0.435A	----	0.373 NEW	.0672	----	----	1	----	1 + 1
TOTAL										2	0	53 0

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
MAY26												
600	----	----	----	----	----	0.3155 UNCH	----	----	----	----	----	0 UNCH
608	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
610	----	----	----	----	----	0.2155 UNCH	----	----	----	----	----	0 UNCH
615	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
615	----	----	----	----	----	0.1655 UNCH	----	----	----	----	----	0 UNCH
618	----	----	----	----	----	0.1355 UNCH	----	----	----	----	----	0 UNCH
620	----	----	----	----	----	0.1155 UNCH	----	----	----	----	----	0 UNCH
622	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
627	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
628	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
628	----	----	----	----	----	0.0355 UNCH	----	----	----	----	----	0 UNCH
629	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
630	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
630	----	----	----	----	----	0.0155 UNCH	----	----	----	----	----	0 UNCH
631	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
632	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
634	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
635	----	----	----	----	----	0.0345 UNCH	----	----	----	----	----	0 UNCH
635	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
637	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
639	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
640	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
642	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
645	----	----	----	----	----	0.1345 UNCH	----	----	----	----	----	0 UNCH
646	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
660	----	----	----	----	----	0.2845 UNCH	----	----	----	----	----	0 UNCH
660	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0
JUN26												
450	----	----	----	----/0.0075A	----	0.0005 UNCH	.0000	----	----	----	----	14 UNCH
500	----	----	----	----/0.0085A	----	0.0005 UNCH	.0023	----	----	----	----	5 UNCH
500	0.0015	0.0015	#0.0015/*0.0015	#0.0015/*0.0015	----	0.0015 UNCH	.0066	----	----	14	----	14 + 14
575	0.0405	0.0405	0.0425B/0.0405	0.0425B/0.0335A	----	0.0390 NEW	.1474	----	----	1	----	1 + 1
580	----	----	0.0345B/----	0.0345B/0.0260A	----	0.0310 + 0.0075	.1382	----	----	----	----	1 UNCH
595	----	----	0.0410B/----	0.0410B/0.0275A	----	0.0370 + 0.0115	.1923	----	----	----	----	1 UNCH
600	----	----	----/0.2335A	0.3240B/0.2335A	----	0.2545 - 0.0930	.7603	----	----	----	----	1 UNCH
630	----	----	0.1510B/0.0810A	0.1510B/0.0810A	----	0.0865 - 0.0605	.3903	----	----	----	----	1 UNCH
630	----	----	0.2165B/*0.1410	0.2165B/*0.1410	----	0.1495 - 0.0620	.4364	----	----	----	----	7 UNCH
635	----	----	#0.2945B/0.2150	#0.2945B/0.2150	----	0.2745 + 0.0500	.6025	----	----	----	----	56 UNCH
635	----	----	0.2670B/0.1865A	0.2670B/0.1865A	----	0.2460 + 0.0530	.6265	----	----	----	----	1 UNCH
640	0.0655	0.0655	0.1065B/0.0540A	0.1065B/0.0540A	----	0.0560 - 0.0485	.2780	----	----	1	----	6 UNCH
640	----	----	0.1730B/*0.1095	0.1730B/*0.1095	----	0.1155 - 0.0545	.3592	----	----	----	----	1 UNCH
650	----	----	#0.4055B/0.3120	#0.4055B/0.3120	----	0.3815 + 0.0615	.7084	----	----	----	----	3 UNCH
665	----	----	----/0.0205A	0.0405B/0.0205A	----	0.0170 - 0.0255	.0984	----	----	----	----	14 UNCH
675	----	----	----/0.0145A	0.0270B/0.0145A	----	0.0105 - 0.0190	.0625	----	----	----	----	1 UNCH
700	0.0215	0.0215	0.0215/*0.0215	0.0420B/*0.0215	----	0.0225 - 0.0220	.0877	----	----	29	----	0 - 29
725	----	----	----	----/0.0085A	----	0.0010 - 0.0040	.0060	----	----	----	----	14 UNCH
775	----	----	----	----/0.0080A	----	0.0010 - 0.0020	.0049	----	----	----	----	1 UNCH
TOTAL										45		142 - 14
HWR THU		COPPER WEEKLY THURSDAY OPT Week3										
MAY26												
450	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
570	----	----	----	----/0.0085A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
595	0.3660	0.3660	0.3875B/0.2315A	0.3875B/0.2315A	----	0.2600 - 0.1070	.9769	----	----	1	----	0 - 1
600	----	----	0.0050B/----	0.0050B/0.0115A	----	0.0065 + 0.0035	.0497	----	----	----	----	10 UNCH
610	0.0100	0.0100	0.0250B/*0.0100	0.0250B/*0.0100	----	0.0215 NEW	.1916	----	----	13	----	10 + 10
615	0.0130	0.0130	0.0435B/*0.0130	0.0435B/0.0130	----	0.0350 NEW	.3164	----	----	20	----	20 + 20
620	----	----	0.1210B/0.0700A	0.1210B/0.0700A	----	0.1065 + 0.0345	.4815	----	----	----	----	2 UNCH
620	0.0545	0.0545	0.0690B/0.0545	0.0690B/0.0300A	----	0.0550 NEW	.4743	----	----	1	----	1 + 1
620	0.0625	0.0625	0.1530B/0.0530A	0.1530B/0.0530A	----	0.0615 NEW	.5255	----	----	1	----	1 + 1
621	0.0635	0.0635	#0.0750B/0.0635	#0.0750B/*0.032	----	0.0595 NEW	.5079	----	----	1	----	1 + 1
622	0.0475	0.0475	#0.0475/*0.0445	0.0815B/*0.0445	----	0.0510 NEW	.4580	----	----	1	----	1 + 1
634	0.0120	0.0120	#0.0120/*0.0120	0.0605B/*0.0120	----	0.0115 NEW	.1147	----	----	2	----	2 + 2
635	----	----	0.1845B/0.0835A	0.1845B/0.0835A	----	0.1535 + 0.0630	.9016	----	----	----	----	1 UNCH
635	0.0065	0.0065	0.0065/*0.0065	0.0555B/*0.0065	----	0.0100 - 0.0460	.0982	----	----	10	----	10 + 9
652	----	----	----/*0.0090A	0.0085B/*0.0090	----	0.0010 - 0.0115	.0054	----	----	----	----	10 UNCH
662	----	----	----	0.0005B/0.0080A	----	0.0005 - 0.0040	.0003	----	----	----	----	3 UNCH
670	----	----	----/*0.0130A	0.0220B/*0.0130	----	0.0085 - 0.0175	.0545	----	----	----	----	5 UNCH
690	----	----	----	----/0.0080A	----	0.0005 UNCH	----	----	----	----	----	25 UNCH
700	----	----	----	0.0030B/0.0090A	----	0.0020 - 0.0055	.0121	----	----	----	----	20 UNCH
725	----	----	----	----/0.0080A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
TOTAL										50		133 + 44
JUN26												
575	0.0205	0.0205	0.0210B/0.0205	0.0210B/0.0180A	----	0.0195 NEW	.0969	----	----	1	----	1 + 1
630	----	----	#0.2185B/0.1465	#0.2185B/0.1465	----	0.1995 + 0.0490	.5910	----	----	----	----	8 UNCH
630	----	----	0.1710B/*0.0985	0.1710B/*0.0985	----	0.1060 - 0.0600	.4085	----	----	----	----	8 UNCH
TOTAL										1		17 + 1
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week3										
MAY26												
450	----	----	----	----/0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
590	----	----	----	----/*0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
610	----	----	----	----/*0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
616	0.0030	0.0030	0.0030/*0.0030	0.0030/*0.0030	----	0.0000 NEW	----	----	----	1	----	0 UNCH
617	0.0010	0.0010	0.0075/*0.0010	0.0075/*0.0010	----	0.0000 NEW	----	----	----	21	----	0 UNCH
618	----	----	0.0125B/----	0.0125B/*0.0080	----	0.0000 - 0.0040	----	----	----	1	----	0 - 1
620	0.0180	0.0180	0.0290B/*0.0080	0.0290B/*0.0080	----	0.0000 - 0.0060	----	----	----	2	----	0 - 1
621	0.0185	0.0185	0.0385B/*0.0060	0.0385B/*0.0060	----	0.0035 NEW	.0000	1	----	1	----	0 UNCH
622	0.0100	0.0100	0.0480B/0.0100	0.0480B/0.0100	----	0.0135 + 0.0050	----	21	----	2	----	0 - 20
624	----	----	#0.0680B/0.0100	#0.0680B/0.0100	----	0.0335 + 0.0215	----	1	----	----	----	0 - 1
624	0.0005	0.0005	#0.1005B/*0.000	0.1005B/*0.0005	----	0.0000 NEW	----	----	----	1	----	0 UNCH
625	0.0100	0.0100	0.0780B/*0.0100	0.0780B/*0.0100	----	0.0435 + 0.0290	----	30	----	24	----	0 - 12
627	0.0040	0.0040	#0.0740B/*0.004	0.0740B/*0.0040	----	0.0000 NEW	----	----	----	2	----	0 UNCH
628	0.0230	0.0230	#0.1080B/*0.023	#0.1080B/0.0230	----	0.0735 NEW	----	2	----	2	----	0 UNCH
629	----	----	#0.1180B/*0.025	#0.1180B/0.0255	----	0.0835 + 0.0560	----	1	----	----	----	0 - 1
630	----	----	0.1280B/0.0285A	0.1280B/0.0285A	----	0.0935 + 0.0620	----	7	----	----	----	0 - 7
630	----	----	0.0495B/*0.0075	0.0495B/*0.0075	----	0.0000 - 0.0470	----	----	----	----	----	0 - 4
632	----	----	#0.1480B/0.0360	#0.1480B/0.0360	----	0.1135 + 0.0725	----	3	----	----	----	0 - 3
635	----	----	----/*0.0005A	0.0195B/*0.0005	----	0.0000 - 0.0230	----	----	----	----	----	0 - 10
637	0.0010	0.0010	0.0020/*0.0010	0.0110B/*0.0010	----	0.0000 - 0.0165	----	----	----	2	----	0 - 2
640	0.0090	0.0090	0.0090/*0.0075A	0.0090/*0.0075A	----	0.0000 - 0.0095	----	----	----	2	----	0 - 14
650	----	----	0.3280B/0.1675A	0.3280B/0.1675A	----	0.2935 + 0.1075	----	1	----	----	----	0 - 1
655	----	----	0.3780B/0.2160A	0.3780B/0.2160A	----	0.3435 + 0.1085	----	----	----	----	----	0 UNCH
665	----	----	----	----/0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
725	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
TOTAL										61		0 - 100
JUN26												
450	----	----	----	----/0.0080A	----	0.0005 UNCH	.0000	----	----	----	----	14 UNCH
500	0.0015	0.0015	#0.0015/*0.0015	#0.0015/*0.0015	----	0.0015 UNCH	.0067	----	----	14	----	14 + 14
550	----	----	0.0160B/----	0.0160B/0.0180A	----	0.0165 + 0.0060	.0660	----	----	----	----	1 UNCH
590	----	----	#0.0810B/----	#0.0810B/0.0570	----	0.0725 + 0.0160	.2409	----	----	----	----	1 UNCH
595	----	----	0.0725B/----	0.0725B/0.0485A	----	0.0640 + 0.0160	.2468	----	----	----	----	1 UNCH
600	----	----	0.0885B/----	0.0885B/0.0585A	----	0.0785 + 0.0200	.2891	----	----	----	----	0 UNCH
610	0.0840	0.0840	0.1290B/0.0840	0.1290B/0.0840	----	0.1150 NEW	.3820	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week2										
JUN26												
615	----	----	0.1535B/0.1015A	0.1535B/0.1015A	----	0.1375 + 0.0340	.4310	----	----	----	----	1 UNCH
620	----	----	0.1805B/0.1205A	0.1805B/0.1205A	----	0.1620 + 0.0385	.4803	----	----	----	----	1 UNCH
625	0.1380	0.1380	0.2170B/*0.1355	0.2170B/*0.1355	----	0.1465 NEW	.4705	----	----	1	----	1 + 1
630	0.1200	0.1200	0.1930B/*0.1180	0.1930B/*0.1180	----	0.1265 NEW	.4234	----	----	1	----	1 + 1
635	----	----	#0.2990B/0.2220	#0.2990B/0.2220	----	0.2805 + 0.0515	.5986	----	----	----	----	31 UNCH
640	----	----	0.3080B/0.2215A	0.3080B/0.2215A	----	0.2860 + 0.0555	.6637	----	----	----	----	5 UNCH
670	----	----	----/*0.0200A	0.0385B/*0.0200	----	0.0170 - 0.0235	.0928	----	----	----	----	5 UNCH
670	0.0355	0.0355	0.0355/*0.0355	0.0660B/*0.0355	----	0.0350 - 0.0325	.1479	----	----	107	----	47 - 60
685	----	----	----/*0.0130A	0.0210B/*0.0130	----	0.0085 - 0.0155	.0484	----	----	----	----	3 UNCH
750	----	----	----	----/0.0085A	----	0.0005 - 0.0020	.0028	----	----	----	----	10 UNCH
TOTAL										124		137 - 43
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
450	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
570	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
575	----	----	----	0.0035B/0.0115A	----	0.0070 + 0.0015	.0445	----	----	----	----	2 UNCH
585	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	13 UNCH
600	0.0150	0.0150	0.0350B/0.0150	0.0350B/0.0150	----	0.0320 NEW	.1954	----	----	5	----	5 + 5
600	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0010 UNCH	.0027	----	----	2	----	2 + 2
605	----	----	----	0.0025B/*0.0060	----	0.0035 + 0.0010	.0195	----	----	----	----	10 UNCH
610	----	----	0.0120B/----	0.0120B/0.0085A	----	0.0085 + 0.0040	.0747	----	----	----	----	1 UNCH
613	0.0100	0.0100	0.0205B/*0.0100	0.0205B/*0.0100	----	0.0135 NEW	.1440	----	----	10	----	10 + 10
615	0.0050	0.0050	0.0280B/*0.0045	0.0280B/*0.0045	----	0.0180 NEW	.2115	----	----	10	----	10 + 10
619	----	----	0.0480B/----	0.0480B/0.0180A	----	0.0305 + 0.0155	.4015	----	----	----	----	3 UNCH
620	0.0120	0.0120	0.0535B/*0.0120	0.0535B/0.0120	----	0.0350 + 0.0180	.4595	----	----	20	----	21 + 20
620	0.0330	0.0330	0.1450B/0.0330	0.1450B/0.0330	----	0.0415 NEW	.5404	----	----	3	----	3 + 3
621	0.0320	0.0320	#0.1365B/*0.032	0.1365B/*0.0320	----	0.0360 NEW	.4812	----	----	6	----	5 + 5
622	0.0300	0.0300	#0.1275B/*0.027	0.1275B/*0.0275	----	0.0315 NEW	.4224	----	----	20	----	20 + 20
625	0.0170	0.0170	0.1025B/*0.0170	0.1025B/*0.0170	----	0.0200 NEW	.2600	----	----	30	----	30 + 30
627	0.0300	0.0300	#0.0870B/*0.016	0.0870B/*0.0160	----	0.0140 NEW	.1710	----	----	4	----	2 + 2
630	----	----	0.0660B/*0.0125	0.0660B/*0.0125	----	0.0080 - 0.0560	.0813	----	----	----	----	35 UNCH
635	----	----	0.1015B/0.0465A	0.1015B/0.0465A	----	0.0470 - 0.0515	.2848	----	----	----	----	1 UNCH
635	----	----	----/*0.0095A	0.0375B/*0.0095	----	0.0025 - 0.0375	.0149	----	----	----	----	3 UNCH
640	0.0055	0.0055	0.0055/*0.0050	0.0175B/*0.0050	----	0.0005 NEW	.0011	----	----	10	----	10 + 10
643	0.0115	0.0115	#0.0115/*0.0070	0.0115/*0.0070A	----	0.0005 NEW	.0002	----	----	2	----	2 + 2
644	0.0145	0.0145	#0.0145/*0.0070	0.0145/*0.0070A	----	0.0005 NEW	.0001	----	----	2	----	2 + 2
645	----	----	----/*0.0070A	0.0060B/*0.0070	----	0.0005 - 0.0115	.0000	----	----	----	----	10 UNCH
650	----	----	0.3285B/0.1735A	0.3285B/0.1735A	----	0.2940 + 0.1030	.0000	----	----	----	----	1 UNCH
650	0.0070	0.0070	0.0070/*0.0065A	0.0070/*0.0065A	----	0.0005 NEW	----	----	----	2	----	2 + 2
655	----	----	----/0.0180A	0.0385B/0.0180A	----	0.0135 - 0.0280	.0940	----	----	----	----	7 UNCH
660	----	----	----	----/*0.0065A	----	0.0005 - 0.0010	----	----	----	----	----	6 UNCH
665	----	----	----/*0.0130A	0.0225B/*0.0130	----	0.0075 - 0.0185	.0524	----	----	----	----	0 UNCH
675	0.0150	0.0150	0.0150/0.0100A	0.0150/0.0100A	----	0.0040 NEW	.0278	----	----	3	----	3 + 3
TOTAL										129		224 + 126
JUN26												
465	----	----	----	----/0.0080A	----	0.0005 UNCH	.0000	----	----	----	----	10 UNCH
470	----	----	----	----/0.0080A	----	0.0005 UNCH	.0001	----	----	----	----	4 UNCH
490	----	----	----	----/0.0080A	----	0.0005 UNCH	.0010	----	----	----	----	7 UNCH
500	----	----	----	----/0.0085A	----	0.0005 UNCH	.0024	----	----	----	----	1 UNCH
555	----	----	----	0.0055B/0.0115A	----	0.0080 + 0.0015	.0404	----	----	----	----	1 UNCH
595	----	----	0.0520B/----	0.0520B/0.0335A	----	0.0455 + 0.0135	.2126	----	----	----	----	5 UNCH
595	----	----	----/0.2790A	0.3955B/0.2790A	----	0.3015 - 0.0955	.7870	----	----	----	----	5 UNCH
600	----	----	----/0.2430A	0.3390B/0.2430A	----	0.2640 - 0.0915	.7418	----	----	----	----	1 UNCH
606	----	----	0.0865B/----	0.0865B/0.0530A	----	0.0760 + 0.0230	.3198	----	----	----	----	1 UNCH
610	----	----	0.2855B/0.1820A	0.2855B/0.1820A	----	0.1965 - 0.0820	.6358	----	----	3	----	8 UNCH
620	----	----	0.2195B/0.1315A	0.2195B/0.1315A	----	0.1410 - 0.0720	.5183	----	----	----	----	1 UNCH
636	----	----	0.2345B/0.1715A	0.2345B/0.1715A	----	0.2325 + 0.0550	.6607	----	----	----	----	1 UNCH
650	----	----	0.0865B/0.0460A	0.0865B/0.0460A	----	0.0460 - 0.0400	.2166	----	----	----	----	15 UNCH
650	----	----	----/*0.0710A	0.1210B/*0.0710	----	0.0740 - 0.0490	.2701	----	----	----	----	0 UNCH
660	----	----	----/0.0320A	0.0620B/0.0320A	----	0.0310 - 0.0310	.1530	----	----	3	----	8 UNCH
705	----	----	----/0.0095A	0.0110B/0.0095A	----	0.0055 - 0.0085	.0293	----	----	----	----	7 UNCH
710	----	----	----/*0.0090A	0.0085B/0.0090A	----	0.0045 - 0.0075	.0240	----	----	----	----	2 UNCH
725	----	----	----	0.0035B/0.0090A	----	0.0025 - 0.0050	.0134	----	----	----	----	7 UNCH
750	----	----	----	----/0.0080A	----	0.0010 - 0.0020	.0053	----	----	----	----	4 UNCH
800	----	----	----	----/0.0080A	----	0.0005 UNCH	.0006	----	----	----	----	2 UNCH
TOTAL										6		90
JUL26												
460	----	----	----	----/0.0100A	----	0.0015 UNCH	.0052	----	----	----	----	23 UNCH
565	----	----	0.0450B/----	0.0450B/0.0450A	----	0.0445 + 0.0065	.1332	----	----	----	----	6 UNCH
568	----	----	0.0500B/----	0.0500B/0.0485A	----	0.0490 + 0.0070	.1446	----	----	----	----	6 UNCH
581	----	----	0.0765B/----	0.0765B/0.0675A	----	0.0735 + 0.0120	.2018	----	----	----	----	1 UNCH
585	----	----	0.0865B/----	0.0865B/0.0745A	----	0.0825 + 0.0135	.2216	----	----	----	----	6 UNCH
585	----	----	----	----	----	0.4985 - 0.0945	.7774	----	----	----	----	6 UNCH
600	----	----	0.4860B/0.3765A	0.4860B/0.3765A	----	0.3930 - 0.0860	.6916	----	----	----	----	12 UNCH
611	----	----	0.1810B/----	0.1810B/0.1420A	----	0.1705 + 0.0310	.3774	----	----	----	----	22 UNCH
612	----	----	0.1855B/----	0.1855B/0.1455A	----	0.1745 + 0.0315	.3838	----	----	----	----	6 UNCH
612	----	----	----/0.3090A	0.3110B/0.3090A	----	0.3210 - 0.0770	.6151	----	----	----	----	5 UNCH
613	----	----	0.1900B/----	0.1900B/0.1490A	----	0.1790 + 0.0320	.3903	----	----	----	----	3 UNCH
621	----	----	----/0.2655A	0.3115B/0.2655A	----	0.2745 - 0.0705	.5560	----	----	----	----	1 UNCH
625	----	----	0.3275B/0.2480A	0.3275B/0.2480A	----	0.2560 - 0.0675	.5300	----	----	----	----	22 UNCH
630	----	----	0.3010B/0.2275A	0.3010B/0.2275A	----	0.2340 - 0.0645	.4979	----	----	----	----	5 UNCH
650	----	----	0.4135B/0.3345A	0.4135B/0.3345A	----	0.3945 + 0.0555	.6201	----	----	----	----	0 UNCH
650	----	----	----/0.1600A	0.2140B/0.1600A	----	0.1620 - 0.0535	.3788	----	----	----	----	5 UNCH
700	----	----	----/0.0660A	0.0890B/0.0660A	----	0.0625 - 0.0320	.1714	----	----	----	----	5 UNCH
710	----	----	----/*0.0560A	0.0745B/*0.0560	----	0.0515 - 0.0280	.1445	----	----	----	----	5 UNCH
TOTAL												139
AUG26												
599	----	----	----	----	----	0.4950 - 0.0790	.6527	----	----	----	----	10 UNCH
630	----	----	0.3885B/0.3305A	0.3885B/0.3305A	----	0.3765 + 0.0450	.4852	----	----	----	----	15 UNCH
630	----	----	0.4080B/0.3365A	0.4080B/0.3365A	----	0.3440 - 0.0630	.5129	----	----	----	----	13 UNCH
640	----	----	----/0.2995A	0.3630B/0.2995A	----	0.3050 - 0.0585	.4701	----	----	----	----	1 UNCH
650	0.2540	0.2540	0.2540/0.2530	0.3230B/0.2530	----	0.2700 - 0.0545	.4293	----	----	6	----	14 - 2
700	----	----	----/0.1475A	0.1790B/0.1475A	----	0.1460 - 0.0385	.2625	----	----	----	----	0 UNCH
750	0.0680	0.0680	0.0680/0.0680	0.0990B/0.0680	----	0.0780 - 0.0255	.1537	----	----	2	----	0 - 2
TOTAL										8		53 - 4
HX CALL		COMEX COPPER OPTIONS										
JUN26												
500	----	----	----	----	----	1.2090 - 0.1080	.9908	----	----	----	----	2 UNCH
510	----	----	----/1.0730A	1.1155B/1.0730A	----	1.1095 - 0.1075	.9886	----	----	----	----	1 UNCH
525	----	----	#1.0870B/0.9240	#1.0870B/0.9240	----	0.9595 - 0.1080	.9869	----	----	----	----	1 UNCH
535	----	----	#0.9875B/0.8245	#0.9875B/0.8245	----	0.8595 - 0.1080	.9855	----	----	----	----	2 UNCH
540	----	----	0.9375B/0.7720A	0.9375B/0.7720A	----	0.8095 - 0.1080	.9847	----	----	----	----	24 UNCH
545	----	----	0.8875B/0.7250A	0.8875B/0.7250A	----	0.7600 - 0.1075	.9837	----	----	----	----	2 UNCH
549	----	----	----	----	----	0.7200 - 0.1075	.9809	----	----	----	----	1 UNCH
550	----	----	0.8380B/0.6725A	0.8380B/0.6725A	----	0.7100 - 0.1075	.9807	----	----	----	----	5 UNCH
555	----	----	0.7880B/0.6260A	0.7880B/0.6260A	----	0.6605 - 0.1075	.9794	----	----	----	----	1 UNCH
556	----	----	----	----	----	0.6505 - 0.1075	.9791	----	----	----	----	1 UNCH
557	----	----	----/0.6300A	0.6430B/0.6300A	----	0.6405 - 0.1075	.9788	----	----	----	----	63 UNCH
559	----	----	----	----	----	0.6205 - 0.1075	.9761	----	----	----	----	4 UNCH
560	----	----	0.7385B/0.5730A	0.7385B/0.5730A	----	0.6105 - 0.1075	.9757	----	----	----	----	106 UNCH
562	----	----	----	----	----	0.5910 - 0.1075	.9750	----	----	----	----	1 UNCH
563	0.6025	0.6025	#0.6025/0.6025	#0.6025/0.6025	----	0.5810 - 0.1075	.9724	----	----	1	----	1 UNCH
565	----	----	0.6885B/0.5275A	0.6885B/0.5275A	----	0.5610 - 0.1075	.9716	----	----	----	----	2 UNCH
568	----	----	----	----	----	0.5315 - 0.1075	.9679	----	----	----	----	3 UNCH
569	----	----	----	----	----	0.5220 - 0.1070	.9674	----	----	----	----	2 UNCH
570	----	----	0.6390B/0.4750A	0.6390B/0.4750A	----	0.5120 - 0.1070	.9669	----	----	----	----	19 UNCH
574	----	----	----	----	----	0.4730 - 0.1070	.9597	----	----	----	----	3 UNCH
575	----	----	0.5895B/0.4260A	0.5895B/0.4260A	----	0.4630 - 0.1070	.9566	----	----	5	----	142 - 5
579	----	----	----	----	----	0.4240 - 0.1065	.9485	----	----	----	----	3 UNCH
580	----	----	0.5400B/0.3790A	0.5400B/0.3790A	----	0.4145 - 0.1065	.9475	----	----	----	----	45 UNCH
581	----	----	----/0.4315A	0.3410B/0.4315A	----	0.4050 - 0.1060	.9441	----	----	----	----	1 UNCH
582	----	----	----/0.3865A	0.3970B/0.3865A	----	0.3955 - 0.1060	.9406	----	----	----	----	11 UNCH
583	----	----	----/0.4120A	0.3360B/0.4120A	----	0.3855 - 0.1065	.9370	----	----	----	----	1 UNCH
584	----	----	----/0.4025A	0.3375B/0.4025A	----	0.3760 - 0.1060	.9334	----	----	----	----	3 UNCH
585	----	----	0.4910B/0.3325A	0.4910B/0.3325A	----	0.3665 - 0.1060	.9297	----	----	----	----	11 UNCH
586	----	----	----/0.3835A	0.3340B/0.3835A	----	0.3570 - 0.1060	.9259	----	----	----	----	1 UNCH
587	----	----	----/0.3745A	0.3385B/0.3745A	----	0.3480 - 0.1050	.9219	----	----	----	----	3 UNCH
588	----	----	----/0.3655A	0.3500B/0.3655A	----	0.3385 - 0.1050	.9179	----	----	----	----	4 UNCH
589	----	----	----/0.3565A	0.3525B/0.3565A	----	0.3290 - 0.1050	.9115	----	----	----	----	1 UNCH
590	----	----	0.4425B/0.2875A	0.4425B/0.2875A	----	0.3200 - 0.1045	.9072	----	----	----	----	84 UNCH
591	----	----	----/0.3040A	0.3670B/0.3040A	----	0.3110 - 0.1040	.9006	----	----	----	----	10 UNCH
592	----	----	----/0.3300A	0.3665B/0.3300A	----	0.3015 - 0.1040	.8939	----	----	----	----	1 UNCH
593	----	----	----/0.3215A	0.3700B/0.3215A	----	0.2925 - 0.1040	.8871	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUN26												
594	----	----	----/0.3130A	0.3690B/0.3130A	----	0.2835 - 0.1035	.8801	----	----	----	----	4 UNCH
595	----	----	0.3945B/0.2445A	0.3945B/0.2445A	----	0.2750 - 0.1025	.8730	----	----	----	----	128 UNCH
596	----	----	----/0.2605A	0.3515B/0.2605A	----	0.2660 - 0.1025	.8657	----	----	----	----	7 UNCH
597	----	----	----/0.2885A	0.3420B/0.2885A	----	0.2575 - 0.1015	.8563	----	----	----	----	1 UNCH
598	----	----	----/0.2440A	0.3330B/0.2440A	----	0.2485 - 0.1015	.8468	----	----	----	----	6 UNCH
599	----	----	----/0.2725A	0.3240B/0.2725A	----	0.2400 - 0.1010	.8371	----	----	----	----	4 UNCH
600	----	----	0.3475B/0.2050A	0.3475B/0.2050A	----	0.2320 - 0.1000	.8273	----	----	1	----	413 - 1
601	----	----	----/0.2570A	0.3055B/0.2570A	----	0.2235 - 0.0995	.8173	----	----	----	----	1 UNCH
602	----	----	----/0.2495A	0.2965B/0.2495A	----	0.2155 - 0.0985	.8054	----	----	----	----	4 UNCH
603	----	----	----/0.2045A	0.2875B/0.2045A	----	0.2075 - 0.0975	.7933	----	----	----	----	10 UNCH
604	----	----	----/0.1975A	0.2565B/0.1975A	----	0.1995 - 0.0970	.7812	----	----	----	----	15 UNCH
605	----	----	0.3020B/0.1755A	0.3020B/0.1755A	----	0.1915 - 0.0960	.7688	----	----	----	----	212 UNCH
606	----	----	----/0.1825A	0.2610B/0.1825A	----	0.1840 - 0.0950	.7548	----	----	----	----	23 UNCH
607	----	----	----/0.1755A	0.2525B/0.1755A	----	0.1765 - 0.0940	.7407	----	----	20	----	61 UNCH
608	----	----	----/0.1485A	0.2440B/0.1485A	----	0.1690 - 0.0935	.7252	----	----	----	----	7 UNCH
609	----	----	----/0.1410A	0.2130B/0.1410A	----	0.1620 - 0.0920	.7108	----	----	----	----	11 UNCH
610	----	----	0.2580B/0.1350A	0.2580B/0.1350A	----	0.1550 - 0.0910	.6951	----	----	2	----	763 - 2
611	----	----	----/0.1285A	0.2185B/0.1285A	----	0.1480 - 0.0895	.6793	----	----	----	----	9 UNCH
612	----	----	----/0.1225A	0.2105B/0.1225A	----	0.1415 - 0.0885	.6624	----	----	----	----	29 UNCH
613	----	----	----/0.1165A	0.2020B/0.1165A	----	0.1350 - 0.0870	.6454	----	----	40	----	53 - 3
614	----	----	----/0.1110A	0.1940B/0.1110A	----	0.1285 - 0.0860	.6283	----	----	----	----	13 UNCH
615	----	----	0.2165B/0.1045A	0.2165B/0.1045A	----	0.1225 - 0.0845	.6105	----	----	1	----	227 - 1
616	----	----	----/0.1005A	0.1785B/0.1005A	----	0.1165 - 0.0830	.5926	----	----	----	----	40 UNCH
617	----	----	----/0.0945A	0.1705B/0.0945A	----	0.1105 - 0.0815	.5746	----	----	----	----	19 UNCH
618	----	----	----/0.0895A	0.1630B/0.0895A	----	0.1050 - 0.0800	.5561	----	----	----	----	18 UNCH
619	0.0900	0.0900	0.0900/0.0845A	0.1560B/0.0845A	----	0.0995 - 0.0785	.5376	----	----	1	----	19 UNCH
620	0.0905	0.0905	0.0930/0.0785A	0.1505B/0.0785A	----	0.0945 - 0.0765	.5189	----	----	63	200	558 - 86
621	----	----	----/0.0760A	0.1500B/0.0760A	----	0.0895 - 0.0750	.5003	----	----	1	----	30 UNCH
622	----	----	----/0.0715A	0.1445B/0.0715A	----	0.0845 - 0.0735	.4816	----	----	1	----	86 UNCH
623	0.0730	0.0730	0.0730/0.0680A	0.1420B/0.0680A	----	0.0800 - 0.0720	.4631	----	----	1	----	31 UNCH
624	----	----	0.1495B/0.0640A	0.1495B/0.0640A	----	0.0755 - 0.0700	.4445	----	----	----	----	13 UNCH
625	0.0935	0.0935	0.1440B/0.0595A	0.1440B/0.0595A	----	0.0715 - 0.0680	.4265	----	----	11	----	208 - 6
626	----	----	0.1395B/0.0570A	0.1395B/0.0570A	----	0.0670 - 0.0670	.4079	----	----	----	----	10 UNCH
627	0.0945	0.0945	0.1330B/0.0540A	0.1330B/0.0540A	----	0.0635 - 0.0650	.3905	----	----	3	----	30 + 1
628	----	----	0.1300B/0.0510A	0.1300B/0.0510A	----	0.0595 - 0.0635	.3725	----	----	----	----	23 UNCH
629	----	----	0.1245B/0.0475A	0.1245B/0.0475A	----	0.0560 - 0.0615	.3553	----	----	----	----	96 UNCH
630	0.1250	0.1250	0.1250/0.0435A	0.1250/0.0435A	----	0.0525 - 0.0600	.3382	----	----	70	----	1061 + 2
631	0.1015	0.1015	0.1145B/0.0410A	0.1145B/0.0410A	----	0.0495 - 0.0580	.3221	----	----	2	----	140 UNCH
632	0.0965	0.0965	0.1090B/0.0395A	0.1090B/0.0395A	----	0.0465 - 0.0565	.3061	----	----	6	----	124 UNCH
635	0.0850	0.0850	0.0945B/0.0315A	0.0945B/0.0315A	----	0.0380 - 0.0515	.2599	----	----	26	----	361 - 19
639	0.0850	0.0850	0.0850/0.0250A	0.0850/0.0250A	----	0.0290 - 0.0450	.2061	----	----	2	----	60 UNCH
640	0.0285	0.0285	0.0745B/0.0225A	0.0745B/0.0225A	----	0.0270 - 0.0435	.1937	----	----	4	----	358 - 4
641	----	----	0.0705B/0.0220A	0.0705B/0.0220A	----	0.0250 - 0.0425	.1814	----	----	----	----	49 UNCH
644	----	----	0.0615B/0.0180A	0.0615B/0.0180A	----	0.0200 - 0.0380	.1488	----	----	----	----	20 UNCH
645	0.0350	0.0350	0.0585B/0.0160	0.0585B/0.0160	----	0.0185 - 0.0370	.1388	----	----	33	----	115 - 23
646	0.0170	0.0170	0.0555B/0.0155A	0.0555B/0.0155A	----	0.0170 - 0.0360	.1288	----	----	5	----	24 + 3
649	----	----	0.0475B/*0.0125	0.0475B/*0.0125	----	0.0135 - 0.0320	.1041	----	----	----	----	10 UNCH
650	0.0455	0.0455	0.0455/0.0100	0.0455/0.0100	----	0.0125 - 0.0310	.0968	----	----	69	----	1147 - 6
651	----	----	----/*0.0105A	0.0415B/*0.0105	----	0.0115 - 0.0300	.0896	----	----	2	----	21 + 2
654	----	----	----/*0.0085A	0.0355B/*0.0085	----	0.0090 - 0.0265	.0710	----	----	----	----	61 UNCH
655	0.0130	0.0130	0.0130/0.0080A	0.0335B/0.0080A	----	0.0085 - 0.0255	.0668	----	----	10	----	1277 UNCH
656	----	----	----/*0.0075A	0.0320B/*0.0075	----	0.0075 - 0.0250	.0598	----	----	----	----	14 UNCH
659	----	----	----/*0.0065A	0.0270B/*0.0065	----	0.0060 - 0.0220	.0478	----	----	----	----	9 UNCH
660	0.0130	0.0130	0.0130/0.0050	0.0255B/0.0050	----	0.0055 - 0.0210	.0439	----	----	13	----	557 - 2
661	0.0050	0.0050	0.0050/*0.0050	0.0245B/*0.0050	----	0.0050 - 0.0200	.0401	----	----	6	----	24 + 5
665	0.0035	0.0035	0.0035/*0.0035	0.0195B/*0.0035	----	0.0035 - 0.0170	.0282	----	----	4	----	270 + 2
666	0.0040	0.0040	0.0040/*0.0040	0.0185B/*0.0040	----	0.0035 - 0.0160	.0277	----	----	15	----	32 - 6
669	----	----	----/*0.0035A	0.0155B/*0.0035	----	0.0025 - 0.0145	.0200	----	----	----	----	19 UNCH
670	0.0035	0.0035	0.0035/0.0030A	0.0145B/0.0030A	----	0.0025 - 0.0135	.0197	----	----	3	----	1021 - 3
671	0.0050	0.0050	0.0050/*0.0030A	0.0145B/0.0030	----	0.0025 - 0.0125	.0194	----	----	5	----	14 + 5
674	0.0055	0.0055	0.0135B/*0.0025	0.0135B/*0.0025	----	0.0020 - 0.0110	.0153	----	----	2	----	14 + 2
675	0.0050	0.0050	0.0130B/0.0025A	0.0130B/0.0025A	----	0.0020 - 0.0105	.0151	----	----	2	----	1233 + 2
676	----	----	----/*0.0025A	0.0120B/*0.0025	----	0.0020 - 0.0100	.0149	----	----	----	----	20 UNCH
680	0.0025	0.0025	0.0105B/0.0020	0.0105B/0.0020	----	0.0015 - 0.0080	.0110	----	----	7	----	220 + 5
684	----	----	0.0085B/*0.0020	0.0085B/*0.0020	----	0.0015 - 0.0065	.0104	----	----	----	----	1 UNCH
685	----	----	0.0085B/*0.0015	0.0085B/*0.0015	----	0.0015 - 0.0060	.0103	----	----	2	----	506 + 2
689	----	----	----/*0.0015A	0.0065B/*0.0015	----	0.0015 - 0.0050	.0098	----	----	----	----	15 UNCH
690	0.0015	0.0015	0.0065B/0.0015	0.0065B/0.0015	----	0.0015 - 0.0045	.0097	----	----	2	----	164 - 2
691	0.0035	0.0035	#0.0035/*0.0015	0.0060B/*0.0015	----	0.0015 NEW	.0095	----	----	3	----	3 + 3
695	0.0015	0.0015	0.0015/0.0015	0.0015/0.0015	----	0.0015 - 0.0035	.0091	----	----	1	----	75 - 1
700	----	----	----/0.0015A	----/0.0015A	----	0.0015 - 0.0025	.0086	----	----	----	----	1202 UNCH
705	----	----	----/0.0015A	----/0.0015A	----	0.0015 - 0.0015	.0082	----	----	----	----	573 UNCH
710	----	----	0.0030B/0.0015A	0.0030B/0.0015A	----	0.0015 - 0.0010	.0078	----	----	----	----	110 UNCH
715	----	----	----/0.0010A	----/0.0010A	----	0.0015 - 0.0005	.0075	----	----	1	----	56 UNCH
720	----	----	----	----/0.0015A	----	0.0010 - 0.0005	.0050	----	----	----	----	126 UNCH
725	----	----	----/0.0010A	----/0.0010A	----	0.0010 - 0.0005	.0048	----	----	----	----	88 UNCH
730	----	----	----	----/0.0010A	----	0.0005 - 0.0005	.0024	----	----	----	----	32 UNCH
735	----	----	----	----/0.0015A	----	0.0005 - 0.0005	.0016	----	----	----	----	41 UNCH
740	----	----	----	----/0.0015A	----	0.0005 UNCH	.0011	----	----	----	----	500 UNCH
745	----	----	----	----/0.0015A	----	0.0005 UNCH	.0007	----	----	----	----	1703 UNCH
750	----	----	----	----/0.0010A	----	0.0005 UNCH	.0005	----	----	----	----	194 UNCH
755	----	----	----	----/0.0010A	----	0.0005 UNCH	.0003	----	----	----	----	1 UNCH
760	----	----	----	----/0.0035A	----	0.0005 UNCH	.0002	----	----	----	----	6 UNCH
765	----	----	----	----/0.0010A	----	0.0005 UNCH	.0001	----	----	----	----	1512 UNCH
770	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	7 UNCH
775	----	----	----	----/0.0025A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
780	----	----	----	----/0.0030A	----	0.0005 UNCH	.0000	----	----	----	----	278 UNCH
785	----	----	----	----/0.0030A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
790	----	----	----	----/0.0030A	----	0.0005 UNCH	.0000	----	----	----	----	8 UNCH
795	----	----	----	----/0.0030A	----	0.0005 UNCH	.0000	----	----	----	----	33 UNCH
800	----	----	----	----/0.0025A	----	0.0005 UNCH	.0000	----	----	----	----	152 UNCH
805	----	----	----	----/0.0025A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
810	----	----	----	----/0.0025A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
825	----	----	----	----/0.0025A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
830	----	----	----	----/0.0025A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
840	----	----	----	----/0.0025A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
850	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	5 UNCH
880	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
900	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	11 UNCH
910	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	11 UNCH
950	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
975	----	----	----	----/0.0005A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
TOTAL									200	446		19462 - 136
JUL26												
500	----	----	----/1.2005A	1.2125B/1.2005A	----	1.2115 - 0.1080	.9749	----	----	----	----	10 UNCH
510	----	----	----	----	----	1.1130 - 0.1080	.9691	----	----	----	----	1 UNCH
520	----	----	----	----	----	1.0160 - 0.1065	.9602	----	----	----	----	2 UNCH
525	----	----	----	----	----	0.9675 - 0.1065	.9536	----	----	----	----	1 UNCH
530	----	----	----/0.9100A	0.9190B/0.9100A	----	0.9200 - 0.1055	.9468	----	----	----	----	6 UNCH
540	----	----	----/0.8110A	0.8240B/0.8110A	----	0.8250 - 0.1050	.9301	----	----	----	----	16 UNCH
545	----	----	----/0.7655A	0.8145B/0.7655A	----	0.7785 - 0.1045	.9191	----	----	----	----	1 UNCH
550	----	----	----/0.7200A	0.8305B/0.7200A	----	0.7325 - 0.1035	.9066	----	----	----	----	2 UNCH
555	----	----	----/0.6745A	0.7840B/0.6745A	----	0.6875 - 0.1025	.8928	----	----	----	----	116 UNCH
560	----	----	----/0.6320A	0.7385B/0.6320A	----	0.6430 - 0.1015	.8767	----	----	----	----	1 UNCH
570	----	----	----/0.5380A	0.6500B/0.5380A	----	0.5570 - 0.0995	.8378	----	----	----	----	157 UNCH
574	----	----	----/0.5165A	0.6155B/0.5165A	----	0.5245 - 0.0980	.8188	----	----	----	----	5 UNCH
575	----	----	----/0.5085A	0.6070B/0.5085A	----	0.5165 - 0.0975	.8138	----	----	----	----	19 UNCH
580	----	----	----/0.4705A	0.5655B/0.4705A	----	0.4775 - 0.0950	.7882	----	----	----	----	123 UNCH
585	----	----	----/0.4135A	0.5255B/0.4135A	----	0.4400 - 0.0925	.7598	----	----	----	----	318 UNCH
590	----	----	----/0.3810A	0.4870B/0.3810A	----	0.4045 - 0.0890	.7296	----	----	----	----	106 UNCH
591	----	----	----/0.3945A	0.4795B/0.3945A	----	0.3975 - 0.0885	.7233	----	----	----	----	3 UNCH
593	----	----	----/0.3810A	0.4645B/0.3810A	----	0.3835 - 0.0880	.7104	----	----	----	----	1 UNCH
594	----	----	----/0.3750A	0.4570B/0.3750A	----	0.3770 - 0.0870	.7037	----	----	----	----	2 UNCH
595	----	----	----/0.3485A	0.4495B/0.3485A	----	0.3705 - 0.0860	.6974	----	----	----	----	29 UNCH
597	----	----	----/0.3560A	0.4355B/0.3560A	----	0.3575 - 0.0850	.6841	----	----	----	----	1 UNCH
598	----	----	----/0.3500A	0.4285B/0.3500A	----	0.3510 - 0.0845	.6774	----	----	----	----	1 UNCH
599	----	----	----/0.3355A	0.4215B/0.3355A	----	0.3445 - 0.0840	.6705	----	----	----	----	2 UNCH
600	----	----	0.4310B/0.3175A	0.4310B/0.3175A	----	0.3385 - 0.0830	.6638	----	----	----	----	544 UNCH
602	----	----	----/0.3130A	0.4005B/0.3130A	----	0.3260 - 0.0820	.6499	----	----	----	----	83 UNCH
603	----	----	----/0.3110A	0.3940B/0.3110A	----	0.3200 - 0.0815	.6430	----	----	----	----	3 UNCH
605	----	----	0.3980B/0.2905A	0.3980B/0.2905A	----	0.3085 - 0.0800	.6291	----	----	----	----	40 UNCH
610	----	----	0.3650B/0.2625A	0.3650B/0.2625A	----	0.2805 - 0.0765	.5937	----	----	1	----	317 UNCH
615	----	----	0.3345B/0.2375A	0.3345B/0.2375A	----	0.2550 - 0.0730	.5581	----	----	----	----	1630 UNCH
620	----	----	0.3060B/0.2150A	0.3060B/0.2150A	----	0.2310 - 0.0695	.5226	----	----	1	----	210 UNCH
625	----	----	0.2840B/0.1940A	0.2840B/0.1940A	----	0.2090 - 0.0665	.4877	----	----	1	----	360 + 1
630	0.2100	0.2100	0.2610B/0.1755A	0.2610B/0.1755A	----	0.1890 - 0.0630	.4536	----	----	3	----	363 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUL26												
635	0.2070	0.2070	0.2375B/0.1560	0.2375B/0.1560	----	0.1705 - 0.0595	.4206	----	----	5	----	96 + 2
640	0.1550	0.1550	0.2170B/0.1430A	0.2170B/0.1430A	----	0.1540 - 0.0560	.3892	----	----	44	----	1584 + 29
645	0.1400	0.1400	0.1980B/0.1270A	0.1980B/0.1270A	----	0.1385 - 0.0530	.3588	----	----	2	----	376 - 1
650	----	----	0.1805B/0.1145A	0.1805B/0.1145A	----	0.1250 - 0.0495	.3306	----	----	109	----	1442 - 107
655	0.1160	0.1160	0.1645B/0.1030A	0.1645B/0.1030A	----	0.1125 - 0.0465	.3037	----	----	6	----	311 + 5
660	0.1175	0.1175	0.1510B/0.0930A	0.1510B/0.0930A	----	0.1015 - 0.0435	.2788	----	----	25	----	1410 + 21
665	0.1080	0.1080	0.1370B/0.0850A	0.1370B/0.0850A	----	0.0910 - 0.0415	.2550	----	----	50	----	80 + 47
670	0.0810	0.0810	0.1265B/0.0760A	0.1265B/0.0760A	----	0.0820 - 0.0385	.2334	----	----	9	----	231 + 1
675	0.0770	0.0770	0.1155B/0.0680A	0.1155B/0.0680A	----	0.0740 - 0.0360	.2135	----	----	15	150	2302 - 20
680	0.0650	0.0650	0.1055B/0.0625A	0.1055B/0.0625A	----	0.0665 - 0.0340	.1948	----	----	4	----	144 + 2
685	0.0580	0.0580	0.0965B/0.0565A	0.0965B/0.0565A	----	0.0595 - 0.0320	.1771	----	----	3	----	44 - 3
690	0.0520	0.0520	0.0880B/0.0500A	0.0880B/0.0500A	----	0.0535 - 0.0300	.1613	----	----	4	----	433 - 3
695	0.0595	0.0595	0.0805B/0.0460A	0.0805B/0.0460A	----	0.0480 - 0.0285	.1466	----	----	14	----	97 + 7
700	0.0440	0.0440	0.0740B/0.0425A	0.0740B/0.0425A	----	0.0430 - 0.0270	.1330	----	----	54	----	926 - 34
705	0.0400	0.0400	0.0675B/0.0380A	0.0675B/0.0380A	----	0.0390 - 0.0250	.1215	----	----	21	----	31 + 19
710	0.0370	0.0370	0.0615B/0.0340A	0.0615B/0.0340A	----	0.0350 - 0.0240	.1102	----	----	74	----	374 + 18
715	0.0315	0.0315	0.0555B/0.0310A	0.0555B/0.0310A	----	0.0315 - 0.0225	.1001	----	----	3	----	41 + 2
720	----	----	0.0505B/0.0280A	0.0505B/0.0280A	----	0.0285 - 0.0215	.0912	----	----	----	----	280 UNCH
725	----	----	----/0.0250A	0.0455B/0.0250A	----	0.0255 - 0.0205	.0825	----	----	----	----	1366 UNCH
730	0.0300	0.0300	0.0300/0.0235A	0.0420B/0.0235A	----	0.0235 - 0.0185	.0760	----	----	7	----	261 + 3
735	----	----	----/*0.0210A	0.0385B/*0.0210	----	0.0210 - 0.0180	.0686	----	----	----	----	6 UNCH
740	----	----	----/*0.0190A	0.0350B/*0.0190	----	0.0195 - 0.0165	.0636	----	----	----	----	118 UNCH
750	----	----	----/0.0160A	0.0295B/0.0160A	----	0.0165 - 0.0140	.0539	----	----	3	----	1480 UNCH
760	----	----	----/*0.0140A	0.0250B/*0.0140	----	0.0140 - 0.0125	.0458	----	----	----	----	65 UNCH
770	0.0160	0.0160	0.0160/*0.0120A	0.0210B/*0.0120	----	0.0120 - 0.0105	.0392	----	----	4	----	21 UNCH
775	----	----	----/0.0115A	0.0195B/0.0115A	----	0.0115 - 0.0095	.0372	----	----	2	----	111 - 1
780	----	----	----/0.0105A	0.0180B/0.0105A	----	0.0110 - 0.0085	.0353	----	----	2	----	42 - 2
800	0.0130	0.0130	0.0130/0.0085A	0.0140B/0.0085A	----	0.0090 - 0.0060	.0282	----	----	9	----	2270 - 3
825	----	----	----/0.0075A	0.0100B/0.0075A	----	0.0075 - 0.0040	.0226	----	----	----	----	12 UNCH
850	0.0060	0.0060	0.0060/0.0060	0.0080B/0.0060	----	0.0065 - 0.0030	.0188	----	----	1	----	328 - 1
875	----	----	----/0.0080A	0.0060B/0.0080A	----	0.0065 - 0.0020	.0176	----	----	----	----	5 UNCH
900	0.0050	0.0050	0.0050/0.0050	0.0050/0.0050	----	0.0060 - 0.0015	.0156	----	----	70	----	2151 - 70
925	----	----	----	----/0.0070A	----	0.0050 - 0.0010	.0127	----	----	----	----	16 UNCH
950	----	----	----	----/0.0065A	----	0.0035 - 0.0010	.0091	----	----	----	----	52 UNCH
975	----	----	----	----/0.0065A	----	0.0025 - 0.0005	.0065	----	----	----	----	3 UNCH
1000	----	----	----	----/0.0060A	----	0.0015 - 0.0005	.0041	----	----	----	----	6 UNCH
TOTAL									150	546		22988 - 89
AUG26												
500	1.3000	1.3000	#1.3000/1.3000	#1.3000/1.3000	----	1.2815 - 0.1065	.9515	----	----	5	----	8 + 5
550	----	----	----	----	----	0.8275 - 0.1005	.8571	----	----	----	----	3 UNCH
580	----	----	----/0.5735A	0.6230B/0.5735A	----	0.6000 - 0.0880	.7450	----	----	----	----	253 UNCH
585	----	----	----/0.5450A	0.6145B/0.5450A	----	0.5660 - 0.0855	.7232	----	----	----	----	11 UNCH
590	----	----	0.6250B/0.5135A	0.6250B/0.5135A	----	0.5335 - 0.0830	.7008	----	----	----	----	17 UNCH
595	----	----	0.5905B/0.4835A	0.5905B/0.4835A	----	0.5025 - 0.0800	.6778	----	----	----	----	1 UNCH
600	----	----	0.5565B/0.4545A	0.5565B/0.4545A	----	0.4725 - 0.0775	.6543	----	----	----	----	4 UNCH
610	----	----	0.4940B/0.4010A	0.4940B/0.4010A	----	0.4165 - 0.0730	.6066	----	----	----	----	1 UNCH
620	----	----	0.4395B/0.3510A	0.4395B/0.3510A	----	0.3660 - 0.0685	.5584	----	----	----	----	28 UNCH
625	----	----	0.4135B/0.3300A	0.4135B/0.3300A	----	0.3430 - 0.0660	.5345	----	----	----	----	87 UNCH
630	0.3400	0.3400	0.3915B/0.3090A	0.3915B/0.3090A	----	0.3210 - 0.0640	.5109	----	----	1	----	7 + 1
635	----	----	0.3685B/0.2890A	0.3685B/0.2890A	----	0.3005 - 0.0620	.4876	----	----	----	----	2 UNCH
640	----	----	0.3475B/0.2715A	0.3475B/0.2715A	----	0.2810 - 0.0600	.4648	----	----	----	----	156 UNCH
650	----	----	0.3065B/0.2360A	0.3065B/0.2360A	----	0.2460 - 0.0555	.4211	----	----	7	----	650 + 7
655	----	----	0.2885B/0.2205A	0.2885B/0.2205A	----	0.2300 - 0.0530	.4002	----	----	----	----	459 UNCH
660	----	----	0.2710B/0.2100A	0.2710B/0.2100A	----	0.2150 - 0.0510	.3800	----	----	----	----	28 UNCH
665	----	----	0.2550B/0.1965A	0.2550B/0.1965A	----	0.2010 - 0.0490	.3605	----	----	----	----	1 UNCH
670	----	----	0.2395B/0.1840A	0.2395B/0.1840A	----	0.1880 - 0.0470	.3418	----	----	----	----	44 UNCH
675	----	----	0.2250B/0.1690A	0.2250B/0.1690A	----	0.1760 - 0.0450	.3240	----	----	7	----	344 UNCH
680	----	----	0.2120B/0.1610A	0.2120B/0.1610A	----	0.1650 - 0.0430	.3072	----	----	----	----	78 UNCH
685	----	----	0.1990B/0.1505A	0.1990B/0.1505A	----	0.1540 - 0.0415	.2906	----	----	----	----	2 UNCH
690	----	----	0.1875B/0.1410A	0.1875B/0.1410A	----	0.1440 - 0.0400	.2749	----	----	100	----	141 + 88
695	----	----	0.1760B/0.1320A	0.1760B/0.1320A	----	0.1350 - 0.0380	.2602	----	----	----	----	2 UNCH
700	----	----	0.1655B/0.1220A	0.1655B/0.1220A	----	0.1260 - 0.0365	.2458	----	----	150	----	1386 - 3
710	----	----	0.1465B/0.1090A	0.1465B/0.1090A	----	0.1100 - 0.0340	.2191	----	----	----	----	3 UNCH
720	----	----	0.1295B/0.0955A	0.1295B/0.0955A	----	0.0960 - 0.0315	.1951	----	----	----	----	4 UNCH
725	----	----	0.1220B/0.0885A	0.1220B/0.0885A	----	0.0900 - 0.0300	.1843	----	----	----	----	326 UNCH
730	----	----	0.1145B/0.0830A	0.1145B/0.0830A	----	0.0840 - 0.0290	.1737	----	----	----	----	3 UNCH
735	----	----	0.1080B/0.0790A	0.1080B/0.0790A	----	0.0785 - 0.0280	.1637	----	----	----	----	1 UNCH
750	----	----	0.0905B/0.0650A	0.0905B/0.0650A	----	0.0650 - 0.0245	.1381	----	----	50	----	538 UNCH
775	----	----	----/0.0485A	0.0665B/0.0485A	----	0.0475 - 0.0195	.1039	----	----	----	----	160 UNCH
800	----	----	----/0.0370A	0.0495B/0.0370A	----	0.0355 - 0.0150	.0791	----	----	----	----	400 UNCH
825	----	----	----/0.0285A	0.0370B/0.0285A	----	0.0270 - 0.0105	.0609	----	----	----	----	2 UNCH
850	----	----	----/0.0225A	0.0280B/0.0225A	----	0.0200 - 0.0080	.0460	----	----	----	----	11 UNCH
875	----	----	----/*0.0190A	0.0200B/0.0190A	----	0.0150 NEW	.0350	----	----	11	----	11 + 11
900	0.0115	0.0115	0.0140/*0.0105	0.0150B/0.0105	----	0.0115 - 0.0050	.0271	----	----	19	----	85 + 14
925	0.0135	0.0135	0.0135/*0.0135	0.0135/0.0135	----	0.0095 NEW	.0222	----	----	1	----	1 + 1
950	----	----	----	0.0080B/0.0130A	----	0.0085 - 0.0035	.0194	----	----	11	----	56 + 11
975	0.0080	0.0080	0.0090/0.0065	0.0090/0.0065	----	0.0065 - 0.0025	.0151	----	----	20	----	21 + 15
TOTAL										382		5335 + 150
SEP26												
495	----	----	----	----	----	1.3415 - 0.1045	.9341	----	----	----	----	2 UNCH
500	----	----	----/1.3240A	1.2555B/1.3240A	----	1.2955 - 0.1035	.9269	----	----	----	----	5 UNCH
510	----	----	----	----	----	1.2045 - 0.1020	.9117	----	----	----	----	2 UNCH
535	----	----	----	----	----	0.9875 - 0.0980	.8602	----	----	----	----	1 UNCH
565	----	----	----	----	----	0.7535 - 0.0910	.7715	----	----	----	----	1 UNCH
575	----	----	----/0.6650A	0.7265B/0.6650A	----	0.6840 - 0.0875	.7359	----	----	----	----	100 UNCH
590	----	----	0.6775B/0.5740A	0.6775B/0.5740A	----	0.5895 - 0.0805	.6784	----	----	----	----	5 UNCH
595	----	----	0.6450B/0.5460A	0.6450B/0.5460A	----	0.5605 - 0.0785	.6586	----	----	----	----	5 UNCH
600	----	----	0.6140B/0.5150A	0.6140B/0.5150A	----	0.5330 - 0.0760	.6386	----	----	----	----	222 UNCH
610	----	----	0.5585B/0.4700A	0.5585B/0.4700A	----	0.4815 - 0.0710	.5983	----	----	----	----	32 UNCH
615	----	----	0.5315B/0.4420A	0.5315B/0.4420A	----	0.4575 - 0.0690	.5782	----	----	----	----	9 UNCH
620	----	----	0.5055B/0.4205A	0.5055B/0.4205A	----	0.4350 - 0.0660	.5583	----	----	----	----	185 UNCH
625	----	----	0.4810B/0.3980A	0.4810B/0.3980A	----	0.4130 - 0.0645	.5387	----	----	----	----	632 UNCH
630	----	----	0.4605B/0.3795A	0.4605B/0.3795A	----	0.3925 - 0.0620	.5193	----	----	----	----	51 UNCH
635	----	----	0.4375B/0.3605A	0.4375B/0.3605A	----	0.3725 - 0.0600	.5003	----	----	----	65	66 + 65
640	----	----	0.4170B/0.3410A	0.4170B/0.3410A	----	0.3535 - 0.0585	.4816	----	----	----	----	1002 UNCH
650	----	----	0.3785B/0.3070A	0.3785B/0.3070A	----	0.3185 - 0.0545	.4455	----	----	----	----	324 UNCH
655	----	----	0.3590B/0.2935A	0.3590B/0.2935A	----	0.3020 - 0.0530	.4281	----	----	----	----	4 UNCH
660	----	----	0.3415B/0.2785A	0.3415B/0.2785A	----	0.2865 - 0.0515	.4112	----	----	1	----	101 UNCH
665	----	----	0.3250B/0.2640A	0.3250B/0.2640A	----	0.2715 - 0.0505	.3946	----	----	----	----	1 UNCH
670	----	----	0.3090B/0.2515A	0.3090B/0.2515A	----	0.2575 - 0.0490	.3786	----	----	----	----	124 UNCH
675	----	----	0.2935B/0.2370A	0.2935B/0.2370A	----	0.2440 - 0.0475	.3630	----	----	----	----	525 UNCH
680	----	----	0.2795B/0.2250A	0.2795B/0.2250A	----	0.2315 - 0.0460	.3481	----	----	----	----	1392 UNCH
690	----	----	0.2525B/0.2025A	0.2525B/0.2025A	----	0.2080 - 0.0435	.3195	----	----	----	----	415 UNCH
700	----	----	0.2285B/0.1825A	0.2285B/0.1825A	----	0.1870 - 0.0405	.2929	----	----	267	----	7159 + 267
710	----	----	0.2065B/0.1645A	0.2065B/0.1645A	----	0.1680 - 0.0380	.2681	----	----	----	----	1000 UNCH
715	----	----	0.1965B/0.1565A	0.1965B/0.1565A	----	0.1590 - 0.0370	.2563	----	----	----	----	1 UNCH
720	----	----	----/0.1485A	0.1865B/0.1485A	----	0.1505 - 0.0360	.2449	----	----	----	----	5 UNCH
725	----	----	----/0.1410A	0.1770B/0.1410A	----	0.1425 - 0.0350	.2340	----	----	----	----	87 UNCH
730	----	----	----/0.1335A	0.1685B/0.1335A	----	0.1350 - 0.0340	.2235	----	----	----	----	1 UNCH
740	----	----	----/*0.1195A	0.1525B/*0.1195	----	0.1215 - 0.0320	.2042	----	----	----	----	950 UNCH
750	0.1020	0.1020	0.1020/0.1020	0.1380B/0.1020	----	0.1085 - 0.0305	.1857	----	----	143	----	121 - 92
775	----	----	----/0.0835A	0.1070B/0.0835A	----	0.0830 - 0.0260	.1471	----	----	50	----	5724 + 23
800	0.0585	0.0585	0.0585/0.0585	0.0835B/0.0585	----	0.0645 - 0.0215	.1173	----	----	259	----	498 + 137
825	0.0500	0.0500	0.0500/0.0500	0.0650B/0.0500	----	0.0500 - 0.0180	.0932	----	----	2	----	131 UNCH
850	----	----	----/*0.0430A	0.0510B/0.0430A	----	0.0395 - 0.0150	.0749	----	----	----	----	1 UNCH
875	----	----	----/*0.0350A	0.0405B/0.0350A	----	0.0320 - 0.0120	.0612	----	----	----	----	1 UNCH
900	----	----	----/*0.0295A	0.0320B/0.0295A	----	0.0250 - 0.0105	.0488	----	----	----	----	79 UNCH
975	----	----	----	0.0155B/0.0195A	----	0.0130 - 0.0055	.0262	----	----	----	----	12 UNCH
TOTAL									65	722		20976 + 400
OCT26												
500	----	----	----	----	----	1.3985 - 0.1040	.9148	----	----	----	----	2 UNCH
575	----	----	----/0.7980A	0.8290B/0.7980A	----	0.8035 - 0.0830	.7399	----	----	----	----	2 UNCH
600	----	----	0.7320B/0.6375A	0.7320B/0.6375A	----	0.6510 - 0.0750	.6581	----	----	----	----	41 UNCH
605	----	----	0.7020B/0.6110A	0.7020B/0.6110A	----	0.6235 - 0.0735	.6411	----	----	----	----	2 UNCH
615	----	----	0.6455B/0.5610A	0.6455B/0.5610A	----	0.5720 - 0.0700	.6071	----	----	----	----	5 UNCH
620	----	----	0.6185B/0.5320A	0.6185B/0.5320A	----	0.5480 - 0.0675	.5901	----	----	----	----	1 UNCH
625	----	----	0.5930B/0.5100A	0.5930B/0.5100A	----	0.5245 - 0.0660	.5732	----	----	----	----	11 UNCH
650	----	----	0.4820B/0.4095A	0.4820B/0.4095A	----	0.4205 - 0.0585	.4913	----	----	----	----	106 UNCH
665	----	----	0.4235B/0.3585A	0.4235B/0.3585A	----	0.3670 - 0.0550	.4450	----	----	----	----	1 UNCH
670	----	----	0.4055B/0.3425A	0.4055B/0.3425A	----	0.3505 - 0.0540	.4302	----	----	----	----	1 UNCH
675	----	----	----/0.3280A	0.3875B/0.3280A	----	0.3350 - 0.0525	.4157	----	----	----	----	77 UNCH
690	----	----	----/0.2865A	0.3395B/0.2865A	----	0.2920 NEW	.3743	----	----	1	----	1 + 1
700	----	----	----/0.2685A	0.3050B/0.2685A	----	0.2660 - 0.0445	.3482	----	----	----	----	151 UNCH
740	----	----	0.2180B/0.1840A	0.2180B/0.1840A	----	0.1835 - 0.0315	.2583	----	----	----	----	10 UNCH
750	0.1510	0.1510	0.1510/0.1510	0.1935B/0.1510	----	0.1675 - 0.0295	.2394	----	----	2	----	62 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
OCT26												
775	----	----	----/0.1380A	0.1535B/0.1380A	----	0.1325 - 0.0270	.1968	----	----	----	----	84 UNCH
800	----	----	----/0.1100A	0.1285B/0.1100A	----	0.1055 - 0.0250	.1618	----	----	----	----	2 UNCH
825	----	----	----/0.0900A	0.1035B/0.0900A	----	0.0835 - 0.0210	.1322	----	----	----	----	1 UNCH
850	----	----	----/0.0745A	0.0835B/0.0745A	----	0.0670 - 0.0175	.1086	----	----	----	----	30 UNCH
875	----	----	----/0.0625A	0.0680B/0.0625A	----	0.0540 - 0.0150	.0895	----	----	----	----	3 UNCH
900	----	----	----/0.0530A	0.0555B/0.0530A	----	0.0440 - 0.0125	.0741	----	----	----	----	3 UNCH
975	----	----	----	0.0310B/0.0350A	----	0.0255 - 0.0080	.0442	----	----	----	----	7 UNCH
TOTAL										3		603 - 1
NOV26												
535	----	----	----	----	----	1.1325 - 0.0950	.8264	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.0575 - 0.0920	.8024	----	----	----	----	1 UNCH
580	----	----	0.9070B/0.8095A	0.9070B/0.8095A	----	0.8225 - 0.0800	.7078	----	----	----	----	2 UNCH
585	----	----	0.8745B/0.7805A	0.8745B/0.7805A	----	0.7925 - 0.0780	.6932	----	----	----	----	1 UNCH
595	----	----	0.8130B/0.7250A	0.8130B/0.7250A	----	0.7350 - 0.0750	.6636	----	----	----	----	2 UNCH
600	----	----	0.7835B/0.6985A	0.7835B/0.6985A	----	0.7080 - 0.0730	.6487	----	----	----	----	2 UNCH
610	----	----	0.7270B/0.6480A	0.7270B/0.6480A	----	0.6560 - 0.0700	.6187	----	----	----	----	14 UNCH
640	----	----	----/0.5115A	0.5790B/0.5115A	----	0.5200 - 0.0615	.5297	----	----	----	----	1 UNCH
650	----	----	----/0.4740A	0.5360B/0.4740A	----	0.4805 - 0.0590	.5011	----	----	----	----	1 UNCH
655	----	----	----/0.4560A	0.5155B/0.4560A	----	0.4615 - 0.0580	.4871	----	----	----	----	1 UNCH
665	----	----	----/0.4225A	0.4765B/0.4225A	----	0.4260 - 0.0555	.4597	----	----	----	----	1 UNCH
670	----	----	----/0.4065A	0.4580B/0.4065A	----	0.4095 - 0.0540	.4465	----	----	----	----	14 UNCH
675	----	----	----/0.3910A	0.4405B/0.3910A	----	0.3930 - 0.0530	.4333	----	----	----	----	61 UNCH
680	----	----	----/0.3765A	0.4230B/0.3765A	----	0.3775 - 0.0515	.4205	----	----	----	----	1 UNCH
695	----	----	----/0.3355A	0.3750B/0.3355A	----	0.3340 - 0.0480	.3834	----	----	----	----	1 UNCH
700	0.3475	0.3475	0.3475/0.3220A	0.3600B/0.3220A	----	0.3205 - 0.0465	.3716	----	----	3	----	27 + 3
705	----	----	----/0.3095A	0.3455B/0.3095A	----	0.3070 - 0.0460	.3598	----	----	----	----	1 UNCH
725	----	----	----/0.2635A	0.2935B/0.2635A	----	0.2600 - 0.0410	.3160	----	----	----	----	48 UNCH
750	----	----	----/0.2155A	0.2390B/0.2155A	----	0.2110 - 0.0360	.2674	----	----	----	----	26 UNCH
800	----	----	----/0.1460A	0.1580B/0.1460A	----	0.1390 - 0.0285	.1893	----	----	----	----	1 UNCH
850	----	----	----/0.1015A	0.1050B/0.1015A	----	0.0940 - 0.0215	.1347	----	----	----	----	2 UNCH
900	----	----	----/0.0740A	0.0710B/0.0740A	----	0.0640 - 0.0155	.0957	----	----	----	----	1 UNCH
975	----	----	----	0.0400B/0.0500A	----	0.0355 - 0.0095	.0564	----	----	----	----	2 UNCH
TOTAL										3		212 + 3
DEC26												
520	----	----	----	----	----	1.2780 - 0.0950	.8410	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.2390 - 0.0940	.8310	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.1640 - 0.0915	.8094	----	----	----	----	1 UNCH
550	----	----	----	----	----	1.0575 - 0.0870	.7743	----	----	----	----	2 UNCH
555	----	----	----	----	----	1.0235 - 0.0855	.7621	----	----	----	----	1 UNCH
565	----	----	----/0.9475A	0.9975B/0.9475A	----	0.9580 - 0.0825	.7369	----	----	----	----	45 UNCH
575	----	----	0.9765B/0.8870A	0.9765B/0.8870A	----	0.8960 - 0.0795	.7107	----	----	----	----	123 UNCH
585	----	----	----/0.8300A	0.9135B/0.8300A	----	0.8375 - 0.0760	.6840	----	----	----	----	1 UNCH
590	----	----	----/0.8030A	0.8835B/0.8030A	----	0.8090 - 0.0750	.6705	----	----	----	----	200 UNCH
595	----	----	----/0.7760A	0.8540B/0.7760A	----	0.7820 - 0.0735	.6569	----	----	----	----	163 UNCH
600	----	----	----/0.7505A	0.8255B/0.7505A	----	0.7555 - 0.0720	.6432	----	----	----	----	598 UNCH
610	----	----	----/0.7010A	0.7710B/0.7010A	----	0.7045 - 0.0695	.6158	----	----	----	----	291 UNCH
620	----	----	----/0.6550A	0.7195B/0.6550A	----	0.6570 - 0.0670	.5885	----	----	----	----	414 UNCH
625	----	----	----/0.6270A	0.6950B/0.6270A	----	0.6345 - 0.0655	.5749	----	----	----	----	3 UNCH
630	----	----	----/0.6065A	0.6710B/0.6065A	----	0.6125 - 0.0645	.5614	----	----	----	----	391 UNCH
640	----	----	----/0.5655A	0.6255B/0.5655A	----	0.5700 - 0.0625	.5346	----	----	----	----	29 UNCH
650	----	----	----/0.5280A	0.5825B/0.5280A	----	0.5305 - 0.0600	.5085	----	----	----	----	744 UNCH
660	----	----	----/0.4925A	0.5425B/0.4925A	----	0.4935 - 0.0570	.4831	----	----	----	----	300 UNCH
670	----	----	----/0.4600A	0.5045B/0.4600A	----	0.4585 - 0.0550	.4582	----	----	----	----	4 UNCH
675	----	----	----/0.4445A	0.4860B/0.4445A	----	0.4415 - 0.0540	.4460	----	----	----	----	17 UNCH
680	----	----	----/0.4295A	0.4685B/0.4295A	----	0.4255 - 0.0525	.4341	----	----	----	----	3 UNCH
690	0.3885	0.3885	0.3885/0.3885	0.4350B/0.3885	----	0.3950 NEW	.4108	----	----	1	----	1 + 1
700	0.3555	0.3555	0.3555/0.3555	0.4035B/0.3555	----	0.3660 - 0.0485	.3882	----	----	1	----	909 UNCH
705	----	----	----/0.3580A	0.3885B/0.3580A	----	0.3525 - 0.0470	.3773	----	----	----	----	2 UNCH
725	----	----	----/0.3095A	0.3340B/0.3095A	----	0.3025 - 0.0435	.3357	----	----	----	----	102 UNCH
730	----	----	----/0.2980A	0.3210B/0.2980A	----	0.2910 - 0.0430	.3258	----	----	----	----	4 UNCH
750	----	----	----/0.2580A	0.2755B/0.2580A	----	0.2500 - 0.0390	.2889	----	----	----	----	426 UNCH
775	----	----	----/0.2155A	0.2270B/0.2155A	----	0.2070 - 0.0345	.2480	----	----	----	----	3 UNCH
800	0.1605	0.1605	0.1650/0.1605	0.1875B/0.1605	----	0.1715 - 0.0305	.2123	----	----	3	----	162 - 3
825	----	----	----/0.1530A	0.1550B/0.1530A	----	0.1425 - 0.0270	.1816	----	----	----	----	13 UNCH
850	----	----	----/0.1305A	0.1285B/0.1305A	----	0.1195 - 0.0235	.1559	----	----	----	----	304 UNCH
900	0.0895	0.0895	0.0895/0.0895	0.0895/0.0895	----	0.0855 - 0.0180	.1157	----	----	1	----	645 + 1
925	----	----	----/0.0855A	0.0740B/0.0855A	----	0.0730 - 0.0155	.1003	----	----	----	----	6 UNCH
950	----	----	----/0.0755A	0.0615B/0.0755A	----	0.0625 - 0.0135	.0870	----	----	----	----	78 UNCH
975	----	----	----	0.0515B/0.0670A	----	0.0540 - 0.0120	.0760	----	----	----	----	13 UNCH
1000	----	----	----	0.0430B/0.0605A	----	0.0485 - 0.0110	.0682	----	----	----	----	2 UNCH
TOTAL										6		6124 - 1
JAN27												
500	----	----	----	----	----	1.5660 - 0.0940	.8604	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.1620 - 0.0205	.1736	----	----	----	----	1 UNCH
TOTAL												2
FEB27												
620	----	----	----	----	----	0.8200 - 0.0680	.6098	----	----	----	----	1 UNCH
TOTAL												1
MAR27												
680	----	----	----	----	----	0.6305 - 0.0550	.4892	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.1855 - 0.0205	.1760	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
JUN26												
330	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	8 UNCH
355	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
370	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
380	----	----	----	----/0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
400	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	33 UNCH
405	----	----	----	----/0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
410	----	----	----	----/0.0065A	----	0.0005 UNCH	.0001	----	----	----	----	53 UNCH
420	----	----	----	----/0.0070A	----	0.0005 UNCH	.0002	----	----	----	----	9 UNCH
430	----	----	----	----/0.0040A	----	0.0005 UNCH	.0005	----	----	----	----	3 UNCH
435	----	----	----	----/0.0070A	----	0.0005 UNCH	.0008	----	----	----	----	2 UNCH
440	----	----	----	----/0.0035A	----	0.0005 UNCH	.0011	----	----	----	----	8 UNCH
445	----	----	----	----/*0.0035A	----	0.0010 + 0.0005	.0023	----	----	----	----	8 UNCH
450	----	----	----	----/0.0035A	----	0.0010 UNCH	.0023	----	----	----	----	450 UNCH
455	----	----	----	----/*0.0040A	----	0.0010 UNCH	.0024	----	----	----	----	42 UNCH
460	----	----	----	----/0.0040A	----	0.0015 + 0.0005	.0036	----	----	----	----	54 UNCH
465	----	----	----	----/0.0045A	----	0.0015 UNCH	.0038	----	----	----	----	878 UNCH
470	----	----	----	----/0.0045A	----	0.0020 + 0.0005	.0050	----	----	----	----	659 UNCH
475	----	----	----	----/0.0045A	----	0.0020 + 0.0005	.0052	----	----	----	----	155 UNCH
480	----	----	----	----/0.0050A	----	0.0020 + 0.0005	.0054	----	----	----	----	951 UNCH
485	----	----	----	----/0.0050A	----	0.0025 + 0.0005	.0069	----	----	----	----	63 UNCH
490	----	----	----	----/0.0050A	----	0.0025 + 0.0005	.0071	----	----	----	----	52 UNCH
495	----	----	----	----/0.0050A	----	0.0030 + 0.0010	.0087	----	----	----	----	35 UNCH
500	----	----	----	----/0.0040A	----	0.0030 + 0.0010	.0091	----	----	----	----	536 UNCH
505	----	----	----	0.0015B/0.0040A	----	0.0035 + 0.0015	.0108	----	----	----	----	517 UNCH
510	----	----	----	----/0.0055A	----	0.0035 + 0.0015	.0113	----	----	----	----	132 UNCH
515	----	----	----	0.0010B/0.0055A	----	0.0035 + 0.0010	.0118	----	----	----	----	37 UNCH
520	----	----	----	----/0.0040A	----	0.0035 + 0.0010	.0124	----	----	----	----	166 UNCH
523	----	----	----	----/0.0045A	----	0.0035 + 0.0010	.0127	----	----	----	----	71 UNCH
524	----	----	----	----/0.0060A	----	0.0035 + 0.0010	.0129	----	----	----	----	11 UNCH
525	----	----	----	----/0.0060A	----	0.0035 + 0.0010	.0130	----	----	----	----	2157 UNCH
526	----	----	----	----/0.0050A	----	0.0035 + 0.0010	.0131	----	----	----	----	5 UNCH
527	----	----	----	----/0.0055A	----	0.0035 + 0.0010	.0132	----	----	----	----	3 UNCH
528	----	----	----	----/0.0055A	----	0.0035 + 0.0010	.0134	----	----	----	----	5 UNCH
529	----	----	----	----/0.0055A	----	0.0035 + 0.0010	.0135	----	----	----	----	9 UNCH
530	----	----	----	----/0.0060A	----	0.0035 + 0.0010	.0137	----	----	----	----	140 UNCH
531	----	----	----	----/0.0060A	----	0.0035 + 0.0010	.0138	----	----	----	----	5 UNCH
532	----	----	----	----/0.0060A	----	0.0035 + 0.0010	.0139	----	----	----	----	15 UNCH
533	----	----	----	----/0.0060A	----	0.0035 + 0.0010	.0141	----	----	----	----	4 UNCH
534	----	----	----	----/0.0060A	----	0.0035 + 0.0010	.0142	----	----	----	----	11 UNCH
535	----	----	----	----/0.0060A	----	0.0035 + 0.0010	.0144	----	----	----	----	90 UNCH
536	----	----	----	----/0.0060A	----	0.0035 + 0.0010	.0146	----	----	----	----	1 UNCH
537	----	----	----	----/0.0065A	----	0.0035 + 0.0010	.0147	----	----	----	----	64 UNCH
538	----	----	----	----/0.0065A	----	0.0035 + 0.0010	.0149	----	----	----	----	10 UNCH
539	----	----	----	----/0.0050A	----	0.0035 + 0.0010	.0151	----	----	----	----	34 UNCH
540	----	----	----	----/*0.0050A	----	0.0035 + 0.0010	.0152	----	----	----	----	158 UNCH
541	----	----	----	----/*0.0045A	----	0.0035 + 0.0010	.0154	----	----	----	----	18 UNCH
542	----	----	----	----/*0.0045A	----	0.0035 + 0.0010	.0156	----	----	----	----	25 UNCH
543	----	----	----	----/*0.0040A	----	0.0035 + 0.0010	.0158	----	----	----	----	27 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
544	----	----	----	----/*0.0035A	----	0.0035 + 0.0010	.0160	----	----	----	----	30 UNCH
545	----	----	----	----/*0.0035A	----	0.0035 + 0.0010	.0162	----	----	----	----	85 UNCH
546	----	----	----	----/*0.0040A	----	0.0035 + 0.0010	.0163	----	----	----	----	29 UNCH
547	----	----	----	----/*0.0040A	----	0.0035 + 0.0010	.0165	----	----	----	----	45 UNCH
548	----	----	----	----/*0.0040A	----	0.0040 + 0.0015	.0187	----	----	----	----	56 UNCH
549	----	----	----	----/*0.0040A	----	0.0040 + 0.0015	.0190	----	----	----	----	40 UNCH
550	0.0025	0.0025	0.0035B/0.0025	0.0035B/0.0025	----	0.0040 + 0.0015	.0192	----	----	3	----	1231 - 3
551	----	----	----	----/*0.0040A	----	0.0040 + 0.0015	.0194	----	----	----	----	117 UNCH
552	----	----	----	----/*0.0040A	----	0.0040 + 0.0015	.0197	----	----	----	----	97 UNCH
553	----	----	----	----/0.0045A	----	0.0040 + 0.0010	.0200	----	----	----	----	26 UNCH
554	----	----	----	----/0.0045A	----	0.0040 + 0.0010	.0202	----	----	----	----	29 UNCH
555	----	----	----	----/0.0050A	----	0.0040 + 0.0010	.0205	----	----	----	----	64 UNCH
556	----	----	0.0040B/----	0.0040B/0.0045A	----	0.0040 + 0.0010	.0208	----	----	----	----	9 UNCH
557	----	----	0.0040B/----	0.0040B/0.0050A	----	0.0040 + 0.0010	.0211	----	----	----	----	68 UNCH
558	----	----	0.0040B/----	0.0040B/0.0050A	----	0.0045 + 0.0015	.0235	----	----	----	----	10 UNCH
559	----	----	0.0045B/----	0.0045B/0.0050A	----	0.0045 + 0.0015	.0238	----	----	----	----	7 UNCH
560	----	----	0.0045B/----	0.0045B/0.0050A	----	0.0045 + 0.0015	.0242	----	----	----	----	413 UNCH
561	----	----	0.0045B/----	0.0045B/0.0050A	----	0.0045 + 0.0015	.0245	----	----	----	----	3 UNCH
562	----	----	0.0050B/----	0.0050B/0.0050A	----	0.0045 + 0.0010	.0249	----	----	----	----	22 UNCH
563	----	----	0.0050B/----	0.0050B/0.0055A	----	0.0050 + 0.0015	.0275	----	----	----	----	1 UNCH
564	----	----	0.0050B/----	0.0050B/0.0055A	----	0.0050 + 0.0015	.0279	----	----	----	----	4 UNCH
565	----	----	0.0055B/----	0.0055B/0.0055A	----	0.0050 + 0.0015	.0283	----	----	----	----	221 UNCH
566	----	----	0.0055B/----	0.0055B/0.0060A	----	0.0050 + 0.0015	.0288	----	----	----	----	4 UNCH
567	0.0045	0.0045	0.0060B/0.0045	0.0060B/0.0045	----	0.0055 + 0.0020	.0315	----	----	2	----	14 + 2
568	----	----	0.0060B/----	0.0060B/0.0055A	----	0.0055 + 0.0015	.0320	----	----	----	----	1 UNCH
569	----	----	0.0065B/----	0.0065B/0.0060A	----	0.0055 + 0.0015	.0325	----	----	----	----	27 UNCH
570	----	----	0.0065B/----	0.0065B/0.0060A	----	0.0055 + 0.0015	.0330	----	----	----	----	421 UNCH
571	----	----	0.0070B/----	0.0070B/0.0065A	----	0.0060 + 0.0020	.0359	----	----	----	----	30 UNCH
572	----	----	0.0070B/----	0.0070B/0.0050A	----	0.0060 + 0.0015	.0365	----	----	----	----	1 UNCH
573	0.0040	0.0040	0.0075B/*0.0040	0.0075B/*0.0040	----	0.0065 + 0.0020	.0395	----	----	2	----	125 UNCH
574	----	----	0.0075B/----	0.0075B/0.0055A	----	0.0065 + 0.0020	.0402	----	----	----	----	14 UNCH
575	0.0045	0.0045	0.0085/0.0045	0.0085/0.0045	----	0.0070 + 0.0020	.0433	----	----	4	----	133 + 2
576	----	----	0.0080B/----	0.0080B/0.0060A	----	0.0070 + 0.0020	.0440	----	----	----	----	5 UNCH
577	----	----	0.0085B/----	0.0085B/0.0065A	----	0.0075 + 0.0025	.0472	----	----	----	----	10 UNCH
578	0.0060	0.0060	0.0090B/0.0060	0.0090B/0.0060	----	0.0075 + 0.0020	.0481	----	----	1	----	2 UNCH
579	----	----	0.0095B/----	0.0095B/0.0070A	----	0.0080 + 0.0025	.0514	----	----	----	----	17 UNCH
580	----	----	0.0100B/----	0.0100B/0.0070A	----	0.0080 + 0.0020	.0524	----	----	1	----	905 - 1
581	----	----	0.0105B/----	0.0105B/0.0070A	----	0.0085 + 0.0025	.0558	----	----	----	----	33 UNCH
582	----	----	0.0115B/----	0.0115B/0.0070A	----	0.0090 + 0.0025	.0593	----	----	----	----	14 UNCH
583	----	----	0.0115B/----	0.0115B/0.0070A	----	0.0095 + 0.0030	.0628	----	----	----	----	13 UNCH
584	----	----	0.0125B/----	0.0125B/0.0070A	----	0.0100 + 0.0030	.0665	----	----	----	----	22 UNCH
585	0.0075	0.0075	0.0135B/0.0070A	0.0135B/0.0070A	----	0.0105 + 0.0030	.0702	----	----	7	----	475 - 3
586	----	----	0.0145B/0.0070A	0.0145B/0.0070A	----	0.0110 + 0.0035	.0740	----	----	----	----	7 UNCH
587	----	----	0.0150B/0.0070A	0.0150B/0.0070A	----	0.0115 + 0.0035	.0780	----	----	----	----	23 UNCH
588	----	----	0.0160B/0.0075A	0.0160B/0.0075A	----	0.0120 + 0.0035	.0820	----	----	----	----	4 UNCH
589	0.0150	0.0150	0.0175B/0.0075A	0.0175B/0.0075A	----	0.0130 NEW	.0884	----	----	4	----	3 + 3
590	0.0160	0.0160	0.0185B/0.0075A	0.0185B/0.0075A	----	0.0135 + 0.0040	.0927	----	----	6	----	225 + 2
591	----	----	0.0195B/0.0080A	0.0195B/0.0080A	----	0.0145 + 0.0045	.0993	----	----	----	----	13 UNCH
592	0.0155	0.0155	0.0205B/0.0085A	0.0205B/0.0085A	----	0.0155 + 0.0050	.1060	----	----	3	----	16 UNCH
593	----	----	0.0220B/0.0090A	0.0220B/0.0090A	----	0.0165 + 0.0055	.1128	----	----	----	----	43 UNCH
594	----	----	0.0235B/0.0095A	0.0235B/0.0095A	----	0.0175 + 0.0060	.1198	----	----	----	----	21 UNCH
595	----	----	0.0250B/0.0105A	0.0250B/0.0105A	----	0.0185 + 0.0060	.1269	----	----	----	----	147 UNCH
596	----	----	0.0265B/0.0110A	0.0265B/0.0110A	----	0.0195 + 0.0065	.1342	----	----	----	----	28 UNCH
597	----	----	0.0285B/0.0120A	0.0285B/0.0120A	----	0.0210 + 0.0070	.1436	----	----	----	----	56 UNCH
598	----	----	0.0305B/0.0125A	0.0305B/0.0125A	----	0.0225 + 0.0080	.1531	----	----	----	----	33 UNCH
599	----	----	0.0325B/0.0135A	0.0325B/0.0135A	----	0.0240 + 0.0085	.1628	----	----	----	----	35 UNCH
600	0.0230	0.0230	0.0350/0.0145A	0.0350/0.0145A	----	0.0255 + 0.0090	.1726	----	----	32	----	330 - 1
601	0.0370	0.0370	0.0370/0.0155A	0.0370/0.0155A	----	0.0270 + 0.0095	.1826	----	----	5	----	58 + 4
602	----	----	0.0390B/0.0170A	0.0390B/0.0170A	----	0.0290 + 0.0105	.1945	----	----	----	----	16 UNCH
603	0.0160	0.0160	0.0415B/0.0160	0.0415B/0.0160	----	0.0310 + 0.0110	.2066	----	----	4	----	21 + 3
604	----	----	0.0440B/0.0195A	0.0440B/0.0195A	----	0.0330 + 0.0120	.2187	----	----	----	----	9 UNCH
605	0.0415	0.0415	0.0470B/0.0205A	0.0470B/0.0205A	----	0.0350 + 0.0125	.2311	----	----	17	----	217 - 5
606	0.0270	0.0270	0.0500B/0.0220A	0.0500B/0.0220A	----	0.0375 + 0.0135	.2451	----	----	2	----	23 UNCH
607	----	----	0.0530B/0.0240A	0.0530B/0.0240A	----	0.0400 + 0.0145	.2592	----	----	1	----	29 UNCH
608	----	----	0.0565B/0.0255A	0.0565B/0.0255A	----	0.0430 + 0.0160	.2747	----	----	----	----	27 UNCH
609	----	----	0.0600B/0.0265A	0.0600B/0.0265A	----	0.0455 + 0.0170	.2891	----	----	3	----	42 UNCH
610	0.0265	0.0265	0.0660/0.0265	0.0660/0.0265	----	0.0485 + 0.0180	.3048	----	----	117	----	204 + 36
611	----	----	0.0680B/0.0295A	0.0680B/0.0295A	----	0.0515 + 0.0190	.3206	----	----	----	----	16 UNCH
612	----	----	0.0720B/0.0315A	0.0720B/0.0315A	----	0.0550 + 0.0205	.3375	----	----	----	----	27 UNCH
613	----	----	0.0760B/0.0335A	0.0760B/0.0335A	----	0.0585 + 0.0220	.3545	----	----	----	----	11 UNCH
614	----	----	0.0805B/0.0355A	0.0805B/0.0355A	----	0.0620 + 0.0230	.3716	----	----	----	----	46 UNCH
615	----	----	0.0855B/0.0375A	0.0855B/0.0375A	----	0.0660 + 0.0245	.3894	----	----	10	----	159 + 10
616	----	----	0.0890B/0.0400A	0.0890B/0.0400A	----	0.0700 + 0.0260	.4073	----	----	----	----	15 UNCH
617	0.0770	0.0770	0.0940B/0.0420A	0.0940B/0.0420A	----	0.0740 + 0.0275	.4253	----	----	1	----	43 + 1
618	----	----	0.0980B/0.0440A	0.0980B/0.0440A	----	0.0785 + 0.0290	.4438	----	----	----	----	12 UNCH
619	----	----	0.1035B/0.0475A	0.1035B/0.0475A	----	0.0830 + 0.0305	.4623	----	----	----	----	27 UNCH
620	0.0800	0.0800	0.1095B/0.0500A	0.1095B/0.0500A	----	0.0880 + 0.0320	.4810	----	----	110	----	236 + 99
621	----	----	0.1145B/0.0530A	0.1145B/0.0530A	----	0.0930 + 0.0340	.4996	----	----	----	----	21 UNCH
622	----	----	0.1200B/0.0560A	0.1200B/0.0560A	----	0.0980 + 0.0355	.5183	----	----	----	----	21 UNCH
623	----	----	0.1260B/0.0590A	0.1260B/0.0590A	----	0.1035 + 0.0370	.5368	----	----	1	----	30 + 1
624	----	----	0.1325B/0.0625A	0.1325B/0.0625A	----	0.1090 + 0.0390	.5553	----	----	----	----	15 UNCH
625	0.0820	0.0820	0.1390B/0.0655A	0.1390B/0.0655A	----	0.1150 + 0.0410	.5734	----	----	21	----	100 - 2
626	0.0860	0.0860	0.1455B/0.0700A	0.1455B/0.0700A	----	0.1205 + 0.0420	.5920	----	----	3	----	40 UNCH
627	0.0905	0.0905	0.1485B/0.0730A	0.1485B/0.0730A	----	0.1270 + 0.0440	.6094	----	----	3	----	27 UNCH
628	0.0885	0.0885	0.1535B/0.0770A	0.1535B/0.0770A	----	0.1330 + 0.0455	.6274	----	----	1	----	17 + 1
629	0.0995	0.0995	0.1530B/0.0815A	0.1530B/0.0815A	----	0.1395 + 0.0475	.6446	----	----	1	----	27 UNCH
630	0.1375	0.1375	0.1640B/0.0860A	0.1640B/0.0860A	----	0.1460 + 0.0490	.6617	----	----	5	----	147 - 1
631	0.0975	0.0975	0.1560B/0.0905A	0.1560B/0.0905A	----	0.1530 + 0.0510	.6778	----	----	2	----	39 + 1
632	0.1065	0.1065	0.1635B/0.0950A	0.1635B/0.0950A	----	0.1600 + 0.0525	.6938	----	----	4	----	23 + 4
635	----	----	0.2115B/0.1110A	0.2115B/0.1110A	----	0.1815 + 0.0575	.7400	----	----	----	----	57 UNCH
639	----	----	0.2190B/0.1350A	0.2190B/0.1350A	----	0.2125 + 0.0640	.7938	----	----	----	----	28 UNCH
640	0.2250	0.2250	0.2530B/0.1415A	0.2530B/0.1415A	----	0.2205 + 0.0655	.8062	----	----	10	----	22 UNCH
641	----	----	0.2355B/0.1470A	0.2355B/0.1470A	----	0.2285 + 0.0665	.8185	----	----	----	----	14 UNCH
644	----	----	0.2775B/0.1715A	0.2775B/0.1715A	----	0.2535 + 0.0710	.8511	----	----	1	----	5 UNCH
645	----	----	0.2960B/0.1780A	0.2960B/0.1780A	----	0.2620 + 0.0720	.8611	----	----	----	----	69 UNCH
646	----	----	0.2795B/----	0.2795B/0.2100A	----	0.2705 + 0.0735	.8711	----	----	----	----	6 UNCH
649	----	----	0.3065B/----	0.3065B/0.2660A	----	0.2970 + 0.0770	.8958	----	----	----	----	6 UNCH
650	----	----	0.3415B/----	0.3415B/0.2330A	----	0.3060 + 0.0780	.9031	----	----	6	----	41 - 1
651	----	----	0.3255B/----	0.3255B/0.2815A	----	0.3150 + 0.0795	.9103	----	----	----	----	6 UNCH
654	----	----	0.3535B/----	0.3535B/0.3055A	----	0.3425 + 0.0825	.9289	----	----	----	----	7 UNCH
655	0.2610	0.2610	0.3885B/0.2535A	0.3885B/0.2535A	----	0.3515 + 0.0830	.9331	----	----	4	----	14 - 4
656	----	----	0.3545B/----	0.3545B/0.3220A	----	0.3610 + 0.0845	.9401	----	----	----	----	2 UNCH
659	----	----	#0.4010B/----	#0.4010B/0.3470	----	0.3890 + 0.0870	.9521	----	----	----	----	7 UNCH
660	----	----	0.4360B/0.2940A	0.4360B/0.2940A	----	0.3985 + 0.0875	.9560	----	----	10	----	26 UNCH
661	----	----	#0.4200B/----	#0.4200B/0.3640	----	0.4085 + 0.0890	.9598	----	----	----	----	10 UNCH
665	----	----	0.4850B/0.3370A	0.4850B/0.3370A	----	0.4470 + 0.0920	.9717	----	----	----	----	46 UNCH
666	----	----	#0.4690B/----	#0.4690B/0.4075	----	0.4565 + 0.0925	.9722	----	----	----	----	6 UNCH
670	0.4750	0.4750	0.5340B/0.3815A	0.5340B/0.3815A	----	0.4960 + 0.0960	.9802	----	----	6	----	20 - 3
675	----	----	0.5805B/0.4275A	0.5805B/0.4275A	----	0.5450 + 0.0985	.9848	----	----	----	----	1 UNCH
700	----	----	0.8290B/0.6685A	0.8290B/0.6685A	----	0.7945 + 0.1065	.9913	----	----	----	----	1 UNCH
TOTAL										413		15723 + 145
JUL26												
330	----	----	----	----/0.0045A	----	0.0005 UNCH	.0001	----	----	----	----	84 UNCH
350	----	----	----	----/0.0045A	----	0.0005 UNCH	.0005	----	----	----	----	5 UNCH
360	----	----	----	----/0.0025A	----	0.0005 UNCH	.0010	----	----	----	----	1 UNCH
380	----	----	----	----/0.0050A	----	0.0010 UNCH	.0025	----	----	----	----	2 UNCH
390	----	----	----	----/0.0050A	----	0.0015 + 0.0005	.0036	----	----	----	----	6 UNCH
395	----	----	----	----/0.0050A	----	0.0020 + 0.0010	.0047	----	----	----	----	1 UNCH
400	----	----	----	----/0.0035A	----	0.0020 + 0.0005	.0049	----	----	----	----	586 UNCH
405	----	----	----	----/0.0050A	----	0.0020 + 0.0005	.0050	----	----	----	----	1 UNCH
415	----	----	----	----/0.0030A	----	0.0025 + 0.0005	.0063	----	----	----	----	52 UNCH
420	----	----	----	----/0.0035A	----	0.0030 + 0.0010	.0075	----	----	----	----	4 UNCH
425	----	----	----	0.0010B/0.0055A	----	0.0035 + 0.0015	.0087	----	----	----	----	51 UNCH
430	----	----	----	----/0.0055A	----	0.0035 + 0.0010	.0090	----	----	----	----	10 UNCH
435	----	----	----	----/0.0060A	----	0.0035 + 0.0010	.0092	----	----	----	----	5 UNCH
440	----	----	----	----/0.0060A	----	0.0040 + 0.0010	.0105	----	----	----	----	4 UNCH
445	----	----	----	----/0.0060A	----	0.0040 + 0.0010	.0108	----	----	----	----	3 UNCH
450	----	----	----	----/0.0060A	----	0.0045 + 0.0010	.0122	----	----	----	----	1905 UNCH
455	----	----	----	----/0.0035A	----	0.0045 + 0.0010	.0126	----	----	----	----	14 UNCH
460	----	----	----	----/0.0040A	----	0.0050 + 0.0010	.0141	----	----	----	----	6 UNCH
465	----	----	----	----/0.0070A	----	0.0050 + 0.0010	.0145	----	----	----	----	1 UNCH
470	----	----	----	----/0.0070A	----	0.0055 + 0.0010	.0161	----	----	----	----	3 UNCH
475	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0060 + 0.0015	.0178	----	----	1	----	512 - 1
480	----	----	----	0.0010B/0.0080A	----	0.0060 + 0.0010	.0184	----	----	1	----	78 - 1
485	----	----	----	0.0005B/0.0085A	----	0.0065 + 0.0010	.0202	----	----	----	----	2 UNCH
490	----	----	----	0.0010B/0.0090A	----	0.0065 + 0.0005	.0209	----	----	----	----	542 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 65

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUL26												
495	----	----	----	0.0020B/0.0095A	----	0.0070 + 0.0010	.0229	----	----	----	----	104 UNCH
500	0.0075	0.0075	0.0075/*0.0070	0.0075/*0.0070	----	0.0075 + 0.0010	.0250	----	----	2	----	3336 + 2
505	----	----	----	0.0065B/0.0100A	----	0.0085 + 0.0015	.0284	----	----	----	----	3 UNCH
510	0.0100	0.0100	0.0100/*0.0085	0.0100/*0.0085	----	0.0090 + 0.0010	.0308	----	----	2	----	213 + 1
515	0.0100	0.0100	0.0100/0.0100	0.0100/0.0090A	----	0.0105 + 0.0020	.0357	----	----	1	----	4 + 1
520	----	----	0.0105B/----	0.0105B/0.0095A	----	0.0115 + 0.0020	.0397	----	----	----	----	377 UNCH
525	----	----	0.0125B/----	0.0125B/0.0135A	----	0.0135 + 0.0025	.0462	----	----	----	----	649 UNCH
530	0.0150	0.0150	0.0150/0.0150	0.0150/0.0125A	----	0.0155 + 0.0030	.0530	----	----	1	----	3200 UNCH
533	----	----	0.0160B/----	0.0160B/0.0155A	----	0.0170 + 0.0035	.0579	----	----	----	----	1 UNCH
534	----	----	0.0165B/----	0.0165B/0.0160A	----	0.0175 + 0.0035	.0596	----	----	----	----	2 UNCH
535	----	----	0.0175B/----	0.0175B/0.0165A	----	0.0180 + 0.0035	.0612	----	----	----	----	4 UNCH
536	----	----	0.0180B/----	0.0180B/0.0165A	----	0.0185 + 0.0035	.0629	----	----	----	----	5 UNCH
538	----	----	0.0195B/----	0.0195B/0.0160A	----	0.0195 + 0.0040	.0663	----	----	----	----	3 UNCH
539	----	----	0.0200B/----	0.0200B/0.0165A	----	0.0200 + 0.0040	.0680	----	----	----	----	2 UNCH
540	0.0210	0.0210	0.0215B/0.0210	0.0215B/0.0170A	----	0.0205 + 0.0040	.0697	----	----	2	----	935 + 2
541	----	----	0.0225B/----	0.0225B/0.0175A	----	0.0210 + 0.0035	.0715	----	----	----	----	2 UNCH
542	----	----	0.0235B/----	0.0235B/0.0180A	----	0.0220 + 0.0040	.0743	----	----	----	----	2 UNCH
543	----	----	0.0240B/----	0.0240B/0.0185A	----	0.0225 + 0.0040	.0761	----	----	----	----	3 UNCH
545	----	----	0.0260B/----	0.0260B/0.0195A	----	0.0240 + 0.0045	.0808	----	----	----	----	4 UNCH
546	----	----	0.0270B/----	0.0270B/0.0200A	----	0.0245 + 0.0045	.0826	----	----	----	----	3 UNCH
547	0.0280	0.0280	0.0280/0.0205A	0.0280/0.0205A	----	0.0255 + 0.0045	.0855	----	----	3	----	9 + 3
548	----	----	0.0290B/0.0210A	0.0290B/0.0210A	----	0.0260 + 0.0045	.0874	----	----	----	----	17 UNCH
549	----	----	0.0300B/----	0.0300B/0.0220A	----	0.0270 + 0.0050	.0903	----	----	----	----	1 UNCH
550	0.0235	0.0235	0.0320/0.0225A	0.0320/0.0225A	----	0.0280 + 0.0055	.0932	----	----	291	----	1042 - 187
551	0.0285	0.0285	0.0325B/0.0285	0.0325B/0.0235A	----	0.0285 + 0.0050	.0951	----	----	2	----	2 + 2
552	----	----	0.0335B/----	0.0335B/0.0240A	----	0.0295 + 0.0055	.0981	----	----	----	----	2 UNCH
553	----	----	0.0345B/----	0.0345B/0.0250A	----	0.0305 + 0.0055	.1010	----	----	----	----	2 UNCH
554	----	----	0.0355B/----	0.0355B/0.0255A	----	0.0315 + 0.0060	.1040	----	----	----	----	82 UNCH
555	----	----	0.0370B/----	0.0370B/0.0265A	----	0.0325 + 0.0060	.1070	----	----	----	----	95 UNCH
556	----	----	0.0380B/----	0.0380B/0.0275A	----	0.0335 + 0.0065	.1100	----	----	----	----	65 UNCH
557	0.0390	0.0390	0.0395B/0.0390	0.0395B/0.0280A	----	0.0350 NEW	.1140	----	----	2	----	2 + 2
558	----	----	0.0410B/----	0.0410B/0.0290A	----	0.0360 + 0.0070	.1170	----	----	----	----	114 UNCH
559	0.0405	0.0405	0.0420B/0.0405	0.0420B/0.0300A	----	0.0370 + 0.0070	.1201	----	----	1	----	10 + 1
560	----	----	0.0435B/----	0.0435B/0.0310A	----	0.0380 + 0.0070	.1232	----	----	----	----	323 UNCH
561	----	----	0.0450B/0.0315A	0.0450B/0.0315A	----	0.0395 + 0.0075	.1272	----	----	----	----	10 UNCH
562	----	----	0.0465B/0.0325A	0.0465B/0.0325A	----	0.0405 + 0.0075	.1303	----	----	----	----	2 UNCH
563	----	----	0.0485B/0.0335A	0.0485B/0.0335A	----	0.0420 + 0.0080	.1343	----	----	----	----	17 UNCH
565	----	----	0.0515B/0.0355A	0.0515B/0.0355A	----	0.0445 + 0.0085	.1416	----	----	----	----	17 UNCH
566	0.0400	0.0400	0.0535B/0.0370A	0.0535B/0.0370A	----	0.0460 + 0.0085	.1456	----	----	3	----	35 + 3
567	----	----	0.0550B/0.0380A	0.0550B/0.0380A	----	0.0475 + 0.0090	.1497	----	----	1	----	13 UNCH
568	----	----	0.0570B/0.0390A	0.0570B/0.0390A	----	0.0490 + 0.0090	.1538	----	----	----	----	7 UNCH
569	----	----	0.0590B/0.0405A	0.0590B/0.0405A	----	0.0505 + 0.0090	.1579	----	----	----	----	11 UNCH
570	----	----	0.0610B/0.0415A	0.0610B/0.0415A	----	0.0520 + 0.0095	.1621	----	----	1	----	397 UNCH
571	----	----	0.0625B/0.0430A	0.0625B/0.0430A	----	0.0540 + 0.0100	.1670	----	----	----	----	16 UNCH
572	----	----	0.0645B/0.0445A	0.0645B/0.0445A	----	0.0555 + 0.0100	.1712	----	----	----	----	4 UNCH
573	----	----	0.0670B/0.0460A	0.0670B/0.0460A	----	0.0575 + 0.0105	.1761	----	----	----	----	2 UNCH
574	----	----	0.0690B/0.0475A	0.0690B/0.0475A	----	0.0595 + 0.0110	.1811	----	----	----	----	7 UNCH
575	0.0670	0.0670	0.0730/0.0490A	0.0730/0.0490A	----	0.0615 + 0.0115	.1860	----	----	60	----	276 + 50
576	0.0710	0.0710	0.0740/0.0505A	0.0740/0.0505A	----	0.0635 + 0.0120	.1910	----	----	75	----	76 + 72
577	----	----	0.0755B/0.0520A	0.0755B/0.0520A	----	0.0655 + 0.0120	.1960	----	----	----	----	2 UNCH
578	----	----	0.0785B/0.0535A	0.0785B/0.0535A	----	0.0675 + 0.0125	.2010	----	----	----	----	75 UNCH
579	----	----	0.0810B/0.0555A	0.0810B/0.0555A	----	0.0700 + 0.0135	.2066	----	----	----	----	2 UNCH
580	0.0610	0.0610	0.0840B/0.0570A	0.0840B/0.0570A	----	0.0720 + 0.0135	.2117	----	----	300	----	2127 + 265
581	----	----	0.0855B/0.0590A	0.0855B/0.0590A	----	0.0745 + 0.0140	.2173	----	----	----	----	5 UNCH
582	----	----	0.0885B/0.0605A	0.0885B/0.0605A	----	0.0770 + 0.0145	.2230	----	----	----	----	30 UNCH
583	----	----	0.0910B/0.0625A	0.0910B/0.0625A	----	0.0795 + 0.0155	.2287	----	----	----	----	1 UNCH
584	----	----	0.0935B/0.0645A	0.0935B/0.0645A	----	0.0820 + 0.0160	.2344	----	----	----	----	2 UNCH
585	----	----	0.0980B/0.0660A	0.0980B/0.0660A	----	0.0845 + 0.0160	.2401	----	----	----	----	868 UNCH
586	0.0900	0.0900	0.0995B/0.0685A	0.0995B/0.0685A	----	0.0875 + 0.0170	.2463	----	----	11	----	19 + 11
587	----	----	0.1025B/0.0710A	0.1025B/0.0710A	----	0.0900 + 0.0175	.2520	----	----	----	----	9 UNCH
588	----	----	0.1055B/0.0725A	0.1055B/0.0725A	----	0.0930 + 0.0180	.2582	----	----	----	----	4 UNCH
589	----	----	0.1090B/0.0750A	0.1090B/0.0750A	----	0.0960 + 0.0190	.2645	----	----	----	----	7 UNCH
590	0.0820	0.0820	0.1135B/0.0765A	0.1135B/0.0765A	----	0.0985 + 0.0190	.2702	----	----	12	----	923 + 12
592	----	----	0.1190B/0.0825A	0.1190B/0.0825A	----	0.1050 + 0.0205	.2832	----	----	----	----	4 UNCH
593	----	----	0.1225B/0.0850A	0.1225B/0.0850A	----	0.1080 + 0.0210	.2894	----	----	----	----	6 UNCH
594	----	----	0.1260B/0.0875A	0.1260B/0.0875A	----	0.1115 + 0.0220	.2961	----	----	----	----	1 UNCH
595	0.1320	0.1320	0.1320/0.0900A	0.1320/0.0900A	----	0.1145 + 0.0220	.3024	----	----	2	----	197 - 2
596	0.1180	0.1180	0.1335B/0.0925A	0.1335B/0.0925A	----	0.1180 + 0.0230	.3090	----	----	1	----	2 + 1
597	0.1215	0.1215	0.1370B/0.0950A	0.1370B/0.0950A	----	0.1215 + 0.0235	.3157	----	----	1	----	34 + 1
598	0.1005	0.1005	0.1415B/0.0985A	0.1415B/0.0985A	----	0.1250 + 0.0240	.3224	----	----	4	----	21 UNCH
599	----	----	0.1450B/0.1005A	0.1450B/0.1005A	----	0.1290 + 0.0250	.3294	----	----	----	----	28 UNCH
600	0.1400	0.1400	0.1505B/0.1040A	0.1505B/0.1040A	----	0.1325 + 0.0255	.3360	----	----	9	----	818 UNCH
601	----	----	0.1535B/0.1060A	0.1535B/0.1060A	----	0.1365 + 0.0265	.3430	----	----	----	----	12 UNCH
602	----	----	0.1580B/0.1090A	0.1580B/0.1090A	----	0.1405 + 0.0270	.3499	----	----	----	----	11 UNCH
603	0.1335	0.1335	0.1620B/0.1120A	0.1620B/0.1120A	----	0.1445 + 0.0275	.3569	----	----	3	----	11 + 1
605	0.1600	0.1600	0.1710B/0.1185A	0.1710B/0.1185A	----	0.1525 + 0.0290	.3707	----	----	2	----	148 UNCH
610	0.1635	0.1635	0.1960B/0.1360A	0.1960B/0.1360A	----	0.1745 + 0.0320	.4061	----	----	137	----	489 + 101
615	0.1995	0.1995	0.2205B/0.1555A	0.2205B/0.1555A	----	0.1985 + 0.0355	.4417	----	----	3	----	158 + 2
620	0.2220	0.2220	0.2490B/0.1770A	0.2490B/0.1770A	----	0.2245 + 0.0390	.4772	----	----	2	----	273 - 1
625	0.2195	0.2195	0.2750B/0.2005A	0.2750B/0.2005A	----	0.2525 + 0.0425	.5122	----	----	3	----	50 UNCH
630	0.2690	0.2690	0.3065B/0.2260A	0.3065B/0.2260A	----	0.2820 + 0.0455	.5462	----	----	4	----	314 - 1
635	----	----	0.3380B/0.2535A	0.3380B/0.2535A	----	0.3135 + 0.0490	.5792	----	----	1	----	35 UNCH
640	----	----	0.3715B/0.2825A	0.3715B/0.2825A	----	0.3470 + 0.0525	.6107	----	----	----	----	54 UNCH
645	----	----	0.4075B/0.3135A	0.4075B/0.3135A	----	0.3815 + 0.0560	.6410	----	----	----	----	44 UNCH
650	----	----	0.4435B/0.3470A	0.4435B/0.3470A	----	0.4175 + 0.0590	.6693	----	----	----	----	122 UNCH
655	----	----	0.4820B/0.3835A	0.4820B/0.3835A	----	0.4550 + 0.0620	.6961	----	----	----	----	49 UNCH
660	----	----	0.5215B/0.4185A	0.5215B/0.4185A	----	0.4935 + 0.0650	.7210	----	----	1	----	11 UNCH
665	----	----	0.5585B/0.4570A	0.5585B/0.4570A	----	0.5335 + 0.0680	.7448	----	----	1	----	2 - 1
670	----	----	0.5905B/0.4945A	0.5905B/0.4945A	----	0.5740 + 0.0700	.7664	----	----	----	----	68 UNCH
675	----	----	0.6185B/0.5330A	0.6185B/0.5330A	----	0.6155 + 0.0725	.7863	----	----	----	----	26 UNCH
700	----	----	0.8380B/0.7520A	0.8380B/0.7520A	----	0.8345 + 0.0820	.8668	----	----	----	----	2 UNCH
705	----	----	0.8840B/0.7955A	0.8840B/0.7955A	----	0.8800 + 0.0835	.8783	----	----	----	----	1 UNCH
TOTAL										946		22451+ 339
AUG26												
330	----	----	----	----/0.0025A	----	0.0005 UNCH	.0009	----	----	----	----	3 UNCH
405	----	----	----	----/*0.0105A	----	0.0040 UNCH	.0088	----	----	----	----	3 UNCH
420	----	----	----	0.0010B/0.0120A	----	0.0045 - 0.0005	.0104	----	----	----	----	1 UNCH
440	----	----	----	0.0020B/0.0140A	----	0.0065 UNCH	.0154	----	----	----	----	5 UNCH
450	----	----	----	0.0020B/0.0150A	----	0.0080 UNCH	.0190	----	----	----	----	8 UNCH
460	----	----	----	0.0035B/0.0165A	----	0.0095 + 0.0005	.0228	----	----	----	----	3 UNCH
465	----	----	----	0.0070B/*0.0140	----	0.0100 UNCH	.0243	----	----	----	----	1 UNCH
470	----	----	----	0.0080B/*0.0145	----	0.0110 + 0.0005	.0268	----	----	----	----	2 UNCH
475	----	----	----	0.0095B/0.0155A	----	0.0120 + 0.0005	.0294	----	----	----	----	5 UNCH
480	----	----	----	0.0105B/0.0165A	----	0.0130 + 0.0005	.0321	----	----	1	----	8 + 1
485	----	----	----	0.0120B/0.0175A	----	0.0145 + 0.0010	.0358	----	----	----	----	1 UNCH
500	----	----	0.0180B/----	0.0180B/0.0220A	----	0.0195 + 0.0020	.0483	----	----	----	----	9 UNCH
505	0.0245	0.0245	0.0245/0.0245	0.0245/0.0240A	----	0.0215 + 0.0020	.0532	----	----	1	----	1 UNCH
510	----	----	0.0235B/----	0.0235B/0.0265A	----	0.0240 + 0.0025	.0592	----	----	----	----	1 UNCH
520	----	----	0.0310B/----	0.0310B/0.0320A	----	0.0305 + 0.0040	.0740	----	----	----	----	308 UNCH
525	----	----	0.0360B/----	0.0360B/0.0350A	----	0.0340 + 0.0045	.0820	----	----	----	----	1 UNCH
530	----	----	0.0410B/----	0.0410B/0.0390A	----	0.0385 + 0.0050	.0917	----	----	50	----	34 - 30
535	----	----	0.0470B/----	0.0470B/0.0435A	----	0.0440 + 0.0060	.1029	----	----	1	----	9 + 1
540	----	----	0.0540B/----	0.0540B/0.0455A	----	0.0500 + 0.0065	.1150	----	----	----	----	8 UNCH
545	----	----	0.0615B/----	0.0615B/0.0510A	----	0.0565 + 0.0070	.1278	----	----	----	----	2 UNCH
550	----	----	0.0705B/----	0.0705B/0.0575A	----	0.0645 + 0.0085	.1426	----	----	----	----	26 UNCH
565	----	----	0.1020B/0.0810A	0.1020B/0.0810A	----	0.0945 + 0.0130	.1938	----	----	----	----	1 UNCH
570	----	----	0.1145B/----	0.1145B/0.0915A	----	0.1070 + 0.0155	.2133	----	----	50	----	54 + 49
575	----	----	0.1280B/0.1020A	0.1280B/0.1020A	----	0.1205 + 0.0175	.2335	----	----	----	----	3 UNCH
580	----	----	0.1445B/0.1135A	0.1445B/0.1135A	----	0.1355 + 0.0205	.2547	----	----	----	----	253 UNCH
585	----	----	0.1605B/0.1270A	0.1605B/0.1270A	----	0.1515 + 0.0230	.2766	----	----	----	----	8 UNCH
590	----	----	0.1785B/0.1415A	0.1785B/0.1415A	----	0.1685 + 0.0255	.2989	----	----	----	----	14 UNCH
600	0.1980	0.1980	0.2190B/0.1725A	0.2190B/0.1725A	----	0.2070 + 0.0310	.3454	----	----	10	----	636 + 9
605	----	----	0.2405B/0.1905A	0.2405B/0.1905A	----	0.2280 + 0.0330	.3692	----	----	----	----	12 UNCH
620	----	----	0.3155B/0.2530A	0.3155B/0.2530A	----	0.2995 + 0.0400	.4413	----	----	----	----	29 UNCH
625	----	----	0.3425B/0.2770A	0.3425B/0.2770A	----	0.3260 + 0.0420	.4652	----	----	----	----	5 UNCH
630	----	----	0.3720B/0.3025A	0.3720B/0.3025A	----	0.3540 + 0.0445	.4889	----	----	----	----	4 UNCH
640	----	----	0.4350B/0.3565A	0.4350B/0.3565A	----	0.4135 + 0.0490	.5349	----	----	----	----	3 UNCH
660	----	----	0.5670B/0.4790A	0.5670B/0.4790A	----	0.5460 + 0.0570	.6198	----	----	----	----	2 UNCH
670	----	----	0.6460B/0.5475A	0.6460B/0.5475A	----	0.6190 + 0.0615	.6579	----	----	----	----	310 UNCH
TOTAL										113		1773+ 30
SEP26												
400	----	----	----	0.0020B/0.0145A	----	0.0065 UNCH	.0127	----	----	----	----	1 UNCH
440	----	----	----	0.0085B/*0.0170	----	0.0120 UNCH	.0244	----	----	----	----	4 UNCH
445	----	----	----	0.0095B/0.0175A	----	0.0130 + 0.0005	.0266	----	----	----	----	5 UNCH
450	----	----	----	0.0110B/0.0180A	----	0.0140 + 0.0005	.0288	----	----	----	----	805 UNCH
460	----	----	----	0.0135B/0.0205A	----	0.0165 + 0.0010	.0341	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
SEP26												
470	----	----	----	0.0170B/0.0230A	----	0.0195 + 0.0010	.0405	----	----	----	----	3 UNCH
475	----	----	----	0.0190B/0.0245A	----	0.0215 + 0.0015	.0445	----	----	----	----	74 UNCH
480	----	----	----	0.0215B/0.0265A	----	0.0240 + 0.0025	.0493	----	----	----	----	7 UNCH
485	----	----	0.0240B/----	0.0240B/0.0285A	----	0.0265 + 0.0030	.0542	----	----	----	----	1 UNCH
490	----	----	----	0.0235B/0.0360A	----	0.0295 + 0.0035	.0599	----	----	----	----	11 UNCH
500	----	----	----	0.0305B/0.0420A	----	0.0365 + 0.0050	.0728	----	----	50	----	627 UNCH
510	----	----	0.0390B/----	0.0390B/0.0490A	----	0.0450 + 0.0065	.0880	----	----	----	----	2 UNCH
515	----	----	0.0445B/----	0.0445B/0.0530A	----	0.0500 + 0.0070	.0967	----	----	----	----	1 UNCH
520	----	----	0.0515B/----	0.0515B/0.0585A	----	0.0560 + 0.0080	.1066	----	----	----	----	6 UNCH
525	----	----	0.0575B/----	0.0575B/0.0630A	----	0.0620 + 0.0085	.1166	----	----	----	----	327 UNCH
530	----	----	0.0660B/----	0.0660B/0.0695A	----	0.0690 + 0.0095	.1277	----	----	----	----	2 UNCH
535	----	----	0.0740B/----	0.0740B/0.0765A	----	0.0765 + 0.0100	.1395	----	----	----	----	350 UNCH
540	----	----	0.0880B/----	0.0880B/0.0775A	----	0.0850 + 0.0110	.1523	----	----	----	----	402 UNCH
550	----	----	0.1085B/----	0.1085B/0.0940A	----	0.1045 + 0.0130	.1803	----	----	----	----	45 UNCH
560	----	----	0.1335B/----	0.1335B/0.1140A	----	0.1275 + 0.0155	.2113	----	----	----	----	3 UNCH
565	----	----	0.1470B/----	0.1470B/0.1250A	----	0.1410 + 0.0175	.2282	----	----	----	----	1 UNCH
570	----	----	0.1615B/----	0.1615B/0.1375A	----	0.1550 + 0.0185	.2454	----	----	----	----	124 UNCH
575	----	----	0.1795B/----	0.1795B/0.1515A	----	0.1710 + 0.0210	.2638	----	----	----	----	162 UNCH
580	----	----	0.1995B/----	0.1995B/0.1660A	----	0.1875 + 0.0225	.2823	----	----	----	----	687 UNCH
585	----	----	0.2150B/----	0.2150B/0.1820A	----	0.2060 + 0.0255	.3017	----	----	----	----	8 UNCH
590	----	----	0.2375B/----	0.2375B/0.1995A	----	0.2255 + 0.0275	.3213	----	----	----	----	360 UNCH
595	----	----	0.2565B/----	0.2565B/0.2175A	----	0.2460 + 0.0300	.3411	----	----	----	----	8 UNCH
600	----	----	0.2830B/----	0.2830B/0.2360A	----	0.2680 + 0.0320	.3611	----	----	----	----	1062 UNCH
610	----	----	0.3315B/0.2780A	0.3315B/0.2780A	----	0.3160 + 0.0370	.4014	----	----	----	----	1100 UNCH
615	----	----	0.3555B/0.3010A	0.3555B/0.3010A	----	0.3415 + 0.0395	.4214	----	----	----	----	1 UNCH
620	----	----	0.3845B/0.3250A	0.3845B/0.3250A	----	0.3685 + 0.0420	.4413	----	----	----	----	1002 UNCH
625	----	----	0.4145B/0.3500A	0.4145B/0.3500A	----	0.3960 + 0.0440	.4610	----	----	----	----	1147 UNCH
630	----	----	0.4410B/0.3755A	0.4410B/0.3755A	----	0.4250 + 0.0460	.4803	----	----	----	----	3 UNCH
635	----	----	0.4735B/0.4030A	0.4735B/0.4030A	----	0.4550 + 0.0480	.4994	----	----	----	65	496 + 65
650	----	----	0.5695B/0.4900A	0.5695B/0.4900A	----	0.5495 + 0.0535	.5541	----	----	----	----	82 UNCH
655	----	----	0.6000B/0.5210A	0.6000B/0.5210A	----	0.5830 + 0.0550	.5716	----	----	----	----	53 UNCH
660	----	----	0.6335B/0.5520A	0.6335B/0.5520A	----	0.6170 + 0.0565	.5885	----	----	----	----	1 UNCH
670	----	----	0.7095B/0.6185A	0.7095B/0.6185A	----	0.6875 + 0.0595	.6210	----	----	----	----	210 UNCH
685	----	----	0.8175B/0.7280A	0.8175B/0.7280A	----	0.7980 + 0.0635	.6661	----	----	----	----	11 UNCH
695	----	----	0.8955B/0.8015A	0.8955B/0.8015A	----	0.8750 + 0.0660	.6939	----	----	----	----	2 UNCH
700	----	----	0.9355B/0.8390A	0.9355B/0.8390A	----	0.9145 + 0.0675	.7068	----	----	----	----	7 UNCH
725	----	----	1.1150B/1.0355A	1.1150B/1.0355A	----	1.1185 + 0.0730	.7657	----	----	----	----	2 UNCH
TOTAL									65	50		9217 + 65
OCT26												
300	----	----	----	----/0.0110A	----	0.0015 - 0.0005	.0025	----	----	----	----	1 UNCH
375	----	----	----	0.0040B/0.0165A	----	0.0085 + 0.0005	.0134	----	----	----	----	2 UNCH
400	----	----	----	0.0030B/0.0190A	----	0.0115 + 0.0005	.0188	----	----	----	----	1 UNCH
450	----	----	----	0.0160B/0.0285A	----	0.0215 + 0.0010	.0373	----	----	----	----	1 UNCH
470	----	----	----	0.0225B/0.0330A	----	0.0295 + 0.0015	.0511	----	----	----	----	1 UNCH
475	----	----	----	0.0240B/0.0405A	----	0.0320 + 0.0015	.0553	----	----	----	----	3 UNCH
500	----	----	----	0.0440B/0.0570A	----	0.0510 + 0.0040	.0848	----	----	----	----	60 UNCH
530	----	----	0.0855B/----	0.0855B/0.0910A	----	0.0915 + 0.0125	.1396	----	----	----	----	1 UNCH
570	----	----	0.1835B/----	0.1835B/0.1730A	----	0.1855 + 0.0240	.2445	----	----	----	----	4 UNCH
600	----	----	0.3005B/----	0.3005B/0.2635A	----	0.2960 + 0.0325	.3415	----	----	----	----	13 UNCH
605	----	----	0.3235B/0.2820A	0.3235B/0.2820A	----	0.3185 + 0.0345	.3585	----	----	----	----	1 UNCH
745	----	----	1.2775B/1.1765A	1.2775B/1.1765A	----	1.2575 + 0.0775	.7511	----	----	----	----	1 UNCH
750	----	----	1.2895B/----	1.2895B/1.2310A	----	1.2990 + 0.0785	.7602	----	----	----	----	5 UNCH
TOTAL												94
NOV26												
400	----	----	----	0.0065B/0.0280A	----	0.0170 + 0.0005	.0250	----	----	----	----	10 UNCH
475	----	----	----	0.0395B/0.0560A	----	0.0480 + 0.0035	.0715	----	----	----	----	2 UNCH
480	----	----	----	0.0445B/0.0595A	----	0.0525 + 0.0040	.0775	----	----	----	----	2 UNCH
500	----	----	----	0.0675B/0.0775A	----	0.0745 + 0.0065	.1054	----	----	----	----	16 UNCH
520	----	----	0.1000B/----	0.1000B/0.1035A	----	0.1055 + 0.0100	.1413	----	----	----	----	2 UNCH
550	----	----	0.1695B/----	0.1695B/0.1620A	----	0.1730 + 0.0175	.2095	----	----	----	----	1 UNCH
560	----	----	0.1995B/----	0.1995B/0.1875A	----	0.2020 + 0.0205	.2356	----	----	----	----	1 UNCH
590	----	----	0.3110B/----	0.3110B/0.2850A	----	0.3105 + 0.0310	.3210	----	----	----	----	1 UNCH
645	----	----	0.5980B/0.5425A	0.5980B/0.5425A	----	0.5905 + 0.0470	.4842	----	----	----	----	1 UNCH
735	----	----	1.2350B/1.1475A	1.2350B/1.1475A	----	1.2195 + 0.0685	.7038	----	----	----	----	2 UNCH
TOTAL												38
DEC26												
380	----	----	----	0.0045B/0.0320A	----	0.0180 + 0.0005	.0239	----	----	----	----	2 UNCH
385	----	----	----	0.0055B/0.0330A	----	0.0190 + 0.0005	.0254	----	----	----	----	1 UNCH
395	----	----	----	0.0075B/0.0355A	----	0.0210 + 0.0005	.0285	----	----	----	----	3 UNCH
400	----	----	----	0.0090B/0.0365A	----	0.0220 + 0.0005	.0301	----	----	----	----	18 UNCH
420	----	----	----	0.0150B/0.0420A	----	0.0280 + 0.0010	.0388	----	----	----	----	2 UNCH
460	----	----	----	0.0385B/0.0620A	----	0.0505 + 0.0035	.0684	----	----	----	----	2 UNCH
475	----	----	----	0.0530B/0.0740A	----	0.0645 + 0.0050	.0853	----	----	----	----	76 UNCH
480	----	----	----	0.0590B/0.0790A	----	0.0700 + 0.0055	.0917	----	----	----	----	16 UNCH
490	----	----	----	0.0720B/0.0900A	----	0.0825 + 0.0070	.1057	----	----	----	----	5 UNCH
500	----	----	----	0.0870B/0.1030A	----	0.0975 + 0.0090	.1217	----	----	----	----	103 UNCH
525	----	----	0.1365B/----	0.1365B/0.1445A	----	0.1450 + 0.0140	.1685	----	----	----	----	1 UNCH
540	----	----	0.1745B/----	0.1745B/0.1765A	----	0.1825 + 0.0180	.2016	----	----	----	----	3 UNCH
550	----	----	0.2040B/----	0.2040B/0.2020A	----	0.2110 + 0.0205	.2251	----	----	----	----	152 UNCH
560	----	----	0.2365B/----	0.2365B/0.2300A	----	0.2425 + 0.0235	.2498	----	----	----	----	300 UNCH
570	----	----	0.2725B/----	0.2725B/0.2615A	----	0.2775 + 0.0265	.2755	----	----	----	----	4 UNCH
580	----	----	0.3120B/----	0.3120B/0.2960A	----	0.3160 + 0.0300	.3020	----	----	----	----	22 UNCH
600	----	----	0.4005B/----	0.4005B/0.3750A	----	0.4025 + 0.0355	.3563	----	----	----	----	118 UNCH
630	----	----	0.5565B/----	0.5565B/0.5170A	----	0.5550 + 0.0430	.4381	----	----	----	----	18 UNCH
650	0.6600	0.6600	0.6745/0.6600	0.6745/0.6260A	----	0.6705 + 0.0475	.4909	----	----	2	----	2 + 1
750	----	----	1.3880B/1.3075A	1.3880B/1.3075A	----	1.3770 + 0.0690	.7105	----	----	----	----	1 UNCH
TOTAL										2		849 + 1
JAN27												
400	----	----	----	----	----	0.0505 + 0.0050	.0504	----	----	----	----	8 UNCH
800	----	----	----	----	----	1.8035 + 0.0755	.7258	----	----	----	----	1 UNCH
TOTAL												9
FEB27												
400	----	----	----	----	----	0.0650 + 0.0060	.0590	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0260 + 0.0015	.0197	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
MAY26												
580	----	----	0.5380B/0.3775A	0.5380B/0.3775A	----	0.4080 - 0.1085	.9883	----	----	----	----	1 UNCH
605	----	----	----/*0.1925A	0.2685B/0.1925A	----	0.2120 - 0.0900	.7188	----	----	----	----	2 UNCH
610	----	----	0.2475B/0.1195A	0.2475B/0.1195A	----	0.1390 - 0.0930	.7508	----	----	----	----	5 UNCH
610	----	----	----/0.1620A	0.2425B/0.1620A	----	0.1780 - 0.0845	.6564	----	----	----	----	5 UNCH
615	----	----	0.2345B/0.1335A	0.2345B/0.1335A	----	0.1475 - 0.0785	.5886	----	----	----	----	1 UNCH
620	0.0605	0.0605	0.1625B/0.0605	0.1625B/0.0605	----	0.0740 - 0.0795	.5217	----	----	3	----	7 + 2
625	0.0490	0.0490	0.0490/0.0460A	0.1120B/0.0460A	----	0.0505 NEW	.3921	----	----	1	----	1 + 1
625	----	----	0.1690B/*0.0905	0.1690B/0.0905A	----	0.0980 - 0.0645	.4478	----	----	----	----	1 UNCH
630	----	----	0.0940B/0.0325A	0.0940B/0.0325A	----	0.0330 - 0.0590	.2733	----	----	1	----	2 + 1
630	0.1000	0.1000	0.1440B/*0.0700	0.1440B/0.0700	----	0.0785 - 0.0575	.3802	----	----	10	----	22 + 10
635	----	----	0.0690B/0.0225A	0.0690B/0.0225A	----	0.0205 - 0.0480	.1759	----	----	----	----	1 UNCH
635	0.0590	0.0590	0.1190B/*0.0585	0.1190B/0.0585A	----	0.0625 - 0.0510	.3179	----	----	1	----	1 - 1
640	0.0130	0.0130	0.0130/0.0130	0.0485B/0.0130	----	0.0125 - 0.0380	.1067	----	----	1	----	5 - 1
640	----	----	0.0980B/*0.0475	0.0980B/0.0475A	----	0.0495 - 0.0450	.2622	----	----	----	----	220 UNCH
645	----	----	----/0.0135A	0.0330B/0.0135A	----	0.0075 - 0.0290	.0618	----	----	----	----	51 UNCH
650	----	----	----/*0.0090A	0.0215B/*0.0090	----	0.0045 - 0.0215	.0348	----	----	----	----	50 UNCH
655	----	----	----/*0.0080A	0.0135B/*0.0080	----	0.0025 - 0.0160	.0179	----	----	----	----	50 UNCH
655	0.0230	0.0230	0.0230/*0.0230	0.0535B/0.0230	----	0.0235 NEW	.1365	----	----	1	----	1 + 1
657	----	----	----/*0.0075A	0.0115B/*0.0075	----	0.0020 - 0.0140	.0138	----	----	----	----	10 UNCH
660	----	----	----/*0.0075A	0.0085B/*0.0075	----	0.0015 - 0.0115	.0097	----	----	----	----	50 UNCH
660	----	----	----/*0.0210A	0.0430B/0.0210A	----	0.0180 - 0.0270	.1070	----	----	----	----	220 UNCH
665	----	----	----/*0.0070A	0.0040B/*0.0070	----	0.0010 - 0.0080	.0058	----	----	----	----	1 UNCH
675	----	----	----	0.0005B/0.0070A	----	0.0005 - 0.0040	.0007	----	----	----	----	1 UNCH
680	----	----	----	----/*0.0065A	----	0.0005 - 0.0025	.0002	----	----	----	----	5 UNCH
680	----	----	----/*0.0115A	0.0170B/*0.0115	----	0.0065 - 0.0140	.0399	----	----	----	----	2 UNCH
690	----	----	----	----/0.0060A	----	0.0005 - 0.0010	.0000	----	----	----	----	2 UNCH
725	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
TOTAL										18		718 + 13
JUN26												
620	----	----	0.2325B/*0.1430	0.2325B/*0.1430	----	0.1550 - 0.0710	.5186	----	----	----	----	1 UNCH
630	----	----	0.1790B/*0.1050	0.1790B/*0.1050	----	0.1130 - 0.0585	.4139	----	----	----	----	2 UNCH
650	----	----	#0.1325B/*0.080	#0.1325B/*0.080	----	0.0840 NEW	.2846	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HXE CALL		COPPER OPTIONS										
JUN26												
675	----	----	----/*0.0245A	0.0465B/*0.0245	----	0.0230 - 0.0265	.1079	----	----	----	----	5 UNCH
690	----	----	----/*0.0165A	0.0290B/*0.0165	----	0.0135 - 0.0190	.0654	----	----	----	----	1 UNCH
690	----	----	#0.0500B/*0.029	0.0500B/*0.0290	----	0.0260 NEW	.1034	----	----	2	----	2 + 2
700	----	----	----/*0.0130A	0.0200B/*0.0130	----	0.0100 - 0.0150	.0485	----	----	----	----	1 UNCH
725	----	----	----/*0.0145A	0.0195B/*0.0145	----	0.0105 NEW	.0433	----	----	1	----	1 + 1
750	0.0040	0.0040	0.0040/*0.0040	0.0050B/*0.0040	----	0.0020 - 0.0045	.0097	----	----	1	----	1 UNCH
TOTAL										5		15 + 4
HXE PUT		COPPER OPTIONS										
MAY26												
450	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
575	----	----	----	----/0.0075A	----	0.0010 + 0.0005	.0052	----	----	----	----	4 UNCH
580	----	----	0.0125B/----	0.0125B/0.0145A	----	0.0145 + 0.0040	.0835	----	----	----	----	1 UNCH
590	----	----	----	0.0025B/*0.0080	----	0.0055 + 0.0025	.0375	----	----	----	----	1 UNCH
595	0.0135	0.0135	0.0135/0.0135	0.0135/0.0090A	----	0.0090 + 0.0040	.0649	----	----	1	----	1 UNCH
600	0.0105	0.0105	0.0165/0.0105	0.0165/0.0105	----	0.0140 + 0.0065	.1055	----	----	18	----	27 + 6
600	0.0450	0.0450	0.0465B/0.0450	0.0465B/0.0295A	----	0.0425 + 0.0135	.2252	----	----	1	----	2 + 1
610	0.0130	0.0130	0.0370B/0.0130	0.0370B/0.0130	----	0.0325 NEW	.2490	----	----	20	----	20 + 20
620	----	----	0.0820B/----	0.0820B/0.0395A	----	0.0675 + 0.0295	.4781	----	----	----	----	35 UNCH
620	----	----	0.1300B/0.0765A	0.1300B/0.0765A	----	0.1145 + 0.0375	.4816	----	----	----	----	2 UNCH
621	0.0765	0.0765	#0.0880B/*0.076	#0.0880B/*0.042	----	0.0725 NEW	.5041	----	----	1	----	1 + 1
625	0.0595	0.0595	0.1080B/0.0535A	0.1080B/0.0535A	----	0.0940 + 0.0395	.6077	----	----	121	----	168 - 4
630	----	----	0.1505B/0.0725A	0.1505B/0.0725A	----	0.1265 + 0.0500	.7266	----	----	----	----	2 UNCH
640	----	----	0.2365B/0.1255A	0.2365B/0.1255A	----	0.2060 + 0.0710	.8931	----	----	----	----	43 UNCH
650	----	----	0.3315B/0.1960A	0.3315B/0.1960A	----	0.2980 + 0.0875	.9651	----	----	1	----	0 - 1
665	----	----	0.4790B/0.3255A	0.4790B/0.3255A	----	0.4445 + 0.1010	.9941	----	----	----	----	1 UNCH
665	----	----	0.4355B/----	0.4355B/0.3870A	----	0.4570 + 0.0855	.9175	----	----	----	----	1 UNCH
TOTAL										163		313 + 23
JUN26												
600	----	----	#0.0770B/0.0490	#0.0770B/0.0490	----	0.0680 + 0.0160	.2746	----	----	----	----	5 UNCH
620	----	----	#0.1665B/0.1075	#0.1665B/0.1075	----	0.1485 + 0.0375	.4809	----	----	----	----	34 UNCH
TOTAL												39

ALUMINIUM OPTIONS ON FUTURES

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUN26												
1385	10.20	10.20	10.70/*10.00A	18.00B/*10.00A	----	8.90 NEW	.3173	----	----	84	----	84 + 84
1400	----	----	35.20B/*7.40A	35.20B/*7.40A	----	5.30 - 27.30	.2125	----	----	----	----	75 UNCH
1425	----	----	18.60B/*5.30A	18.60B/*5.30A	----	1.80 - 16.70	.0889	----	----	----	----	1 UNCH
1440	----	----	----/*4.60A	11.80B/*4.60A	----	1.00 - 11.90	.0526	----	----	----	----	1 UNCH
1460	----	----	----/*4.10A	6.10B/*4.10A	----	0.50 - 7.70	.0274	----	----	----	----	25 UNCH
1500	----	----	----	0.80B/*3.60A	----	0.10 - 2.90	.0060	----	----	----	----	110 UNCH
1525	----	----	----	----/*3.40A	----	0.10 - 1.40	.0053	----	----	----	----	5 UNCH
1530	----	----	----	----/*3.30A	----	0.10 - 1.20	.0052	----	----	----	----	1 UNCH
1550	----	----	----	----/*3.20A	----	0.10 - 0.70	.0048	----	----	----	----	94 UNCH
1575	----	----	----	----/*3.10A	----	0.10 - 0.20	.0043	----	----	----	----	15 UNCH
1600	----	----	----	----/*3.00A	----	0.10 - 0.10	.0040	----	----	----	----	49 UNCH
1650	----	----	----	----/*2.90A	----	0.10 UNCH	.0035	----	----	----	----	67 UNCH
1700	----	----	----	----/*2.80A	----	0.10 UNCH	.0031	----	----	----	----	32 UNCH
1750	----	----	----	----/*2.80A	----	0.10 UNCH	.0028	----	----	----	----	142 UNCH
1800	----	----	----	----/*2.80A	----	0.10 UNCH	.0025	----	----	----	----	112 UNCH
1850	----	----	----	----/*2.80A	----	0.10 UNCH	.0024	----	----	----	----	67 UNCH
1900	----	----	----	----/*2.80A	----	0.10 UNCH	.0022	----	----	----	----	64 UNCH
1925	----	----	----	----/2.80A	----	0.10 UNCH	.0021	----	----	----	----	40 UNCH
1950	----	----	----	----/2.80A	----	0.10 UNCH	.0021	----	----	----	----	10 UNCH
2000	----	----	----	----/2.80A	----	0.10 UNCH	.0020	----	----	----	----	108 UNCH
2100	----	----	----	----/2.80A	----	0.10 UNCH	.0018	----	----	----	----	52 UNCH
2200	----	----	----	----/2.80A	----	0.10 UNCH	.0016	----	----	----	----	8 UNCH
2300	----	----	----	----/2.80A	----	0.10 UNCH	.0015	----	----	----	----	30 UNCH
2400	----	----	----	----/2.80A	----	0.10 UNCH	.0014	----	----	----	----	7 UNCH
2500	----	----	----	----/2.80A	----	0.10 UNCH	.0013	----	----	----	----	25 UNCH
2700	----	----	----	----/2.80A	----	0.10 UNCH	.0012	----	----	----	----	50 UNCH
3000	----	----	----	----/2.80A	----	0.10 UNCH	.0011	----	----	----	----	30 UNCH
3500	----	----	----	----/2.80A	----	0.10 UNCH	.0009	----	----	----	----	25 UNCH
TOTAL										84		1329 + 84
JUL26												
1440	----	----	69.40B/*43.70A	69.40B/*43.70A	----	44.50 - 24.00	.4028	----	----	----	----	1 UNCH
1500	----	----	----/*31.20A	45.30B/*31.20A	----	30.90 - 15.20	.2946	----	----	----	----	10 UNCH
1550	----	----	----/*24.60A	32.30B/*24.60A	----	23.70 - 10.20	.2299	----	----	----	----	70 UNCH
1600	27.30	27.30	27.30/*19.10	27.30/*19.10	----	18.60 - 7.00	.1818	----	----	35	----	85 + 35
1720	----	----	----/*13.20A	12.40B/*13.20A	----	11.30 - 3.50	.1101	----	----	----	----	6 UNCH
1800	----	----	----	8.30B/*10.60A	----	7.80 - 2.10	.0774	----	----	----	----	49 UNCH
TOTAL										35		221 + 35
AUG26												
1600	----	----	----/*38.90A	48.50B/*38.90A	----	37.50 - 13.00	.2581	----	----	----	----	100 UNCH
1700	----	----	----/*29.30A	34.00B/*29.30A	----	27.50 - 9.00	.1908	----	----	----	----	20 UNCH
1800	----	----	----/*22.80A	24.80B/*22.80A	----	20.70 - 6.70	.1442	----	----	----	----	100 UNCH
1900	----	----	----/*18.30A	18.40B/*18.30A	----	15.70 - 4.90	.1101	----	----	----	----	400 UNCH
TOTAL												620 0
SEP26												
1300	171.00	171.00	194.60B/*148.00	194.60B/*148.00	----	150.90 NEW	.6710	----	----	1	----	1 + 1
1400	----	----	----/*103.00A	136.70B/*103.00	----	103.20 - 34.20	.5223	----	----	----	----	75 UNCH
1575	----	----	----/*58.80A	74.70B/*58.80A	----	57.00 - 19.80	.3213	----	----	----	----	25 UNCH
1600	----	----	----/*54.90A	68.90B/*54.90A	----	52.90 - 18.40	.3005	----	----	----	----	150 UNCH
1625	----	----	----/*51.30A	63.60B/*51.30A	----	49.30 - 17.00	.2815	----	----	----	----	20 UNCH
1665	----	----	----/*46.40A	56.20B/*46.40A	----	44.10 - 15.10	.2540	----	----	----	----	9 UNCH
1700	----	----	----/*42.60A	50.70B/*42.60A	----	40.20 - 13.70	.2327	----	----	----	----	55 UNCH
1800	----	----	----/*34.20A	38.50B/*34.20A	----	31.50 - 10.40	.1840	----	----	----	----	6 UNCH
1875	----	----	----/*29.50A	31.90B/*29.50A	----	26.60 - 8.80	.1560	----	----	----	----	25 UNCH
1885	----	----	----/*29.00A	31.10B/*29.00A	----	26.00 - 8.60	.1526	----	----	----	----	100 UNCH
1900	----	----	----/*28.20A	30.00B/*28.20A	----	25.20 - 8.30	.1479	----	----	----	----	10 UNCH
2000	----	----	----/*23.70A	23.90B/*23.70A	----	20.50 - 7.00	.1206	----	----	----	----	30 UNCH
2100	----	----	----/*20.30A	19.10B/*20.30A	----	17.10 - 5.80	.1003	----	----	----	----	25 UNCH
2200	----	----	----/*17.60A	15.30B/*17.60A	----	14.40 - 4.90	.0843	----	----	----	----	5 UNCH
2400	----	----	----/*13.80A	9.90B/*13.80A	----	10.60 - 3.50	.0617	----	----	----	----	15 UNCH
2550	----	----	----	7.10B/*11.90A	----	8.50 - 2.90	.0494	----	----	----	----	50 UNCH
TOTAL										1		601 + 1
DEC26												
1800	----	----	----	----	----	48.30 - 14.80	.2359	----	----	----	----	50 UNCH
2000	----	----	----	----	----	32.10 - 10.30	.1611	----	----	----	----	1 UNCH
3000	----	----	----	----	----	8.50 - 2.80	.0429	----	----	----	----	1 UNCH
TOTAL												52 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
JUN26												
1195	----	----	----	----/2.80A	----	0.10 UNCH	.0045	----	----	----	----	113 UNCH
1200	----	----	----	----/2.80A	----	0.10 UNCH	.0046	----	----	----	----	15 UNCH
1250	----	----	----	----/2.90A	----	0.10 UNCH	.0064	----	----	----	----	1 UNCH
1300	----	----	1.00B/----	1.00B/3.40A	----	1.70 + 1.50	.0795	----	----	----	120	135 UNCH
1325	----	----	3.10B/----	3.10B/4.00A	----	5.00 + 4.20	.1941	----	----	----	----	18 UNCH
1335	----	----	5.30B/----	5.30B/4.30A	----	7.30 + 6.10	.2604	----	----	----	----	1 UNCH
1350	----	----	10.80B/----	10.80B/5.10A	----	11.50 + 9.30	.3743	----	----	----	----	9 UNCH
1400	25.00	25.00	46.70B/20.00	46.70B/12.50A	----	42.10 + 30.50	.7874	----	----	41	40	138 - 11
1440	----	----	----/29.70A	22.70B/29.70A	----	77.80 + 45.90	.9473	----	----	----	----	4 UNCH
1450	----	----	94.00B/36.30A	94.00B/36.30A	----	87.40 + 48.20	.9622	----	----	----	----	100 UNCH
1460	----	----	----	----	----	97.20 + 50.00	.9725	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO PUT		NYMEX PALLADIUM OPTIONS										
JUN26												
1475	----	----	118.60B/55.60A	118.60B/55.60A	----	112.00 + 52.30	.9877	----	----	----	----	11 UNCH
1500	----	----	143.30B/77.40A	143.30B/77.40A	----	136.90 + 55.00	.9939	----	----	----	----	54 UNCH
1550	----	----	193.10B/125.00A	193.10B/125.00A	----	186.90 + 57.20	.9951	----	----	----	----	1 UNCH
1750	----	----	392.90B/323.30A	392.90B/323.30A	----	386.90 + 57.80	.9971	----	----	----	----	1 UNCH
1900	----	----	542.80B/473.10A	542.80B/473.10A	----	536.90 + 57.80	.9977	----	----	----	----	50 UNCH
TOTAL									160	41		751 - 11
JUL26												
1285	----	----	19.90B/----	19.90B/16.00A	----	22.50 + 8.80	.2305	----	----	----	----	9 UNCH
1300	----	----	23.90B/----	23.90B/18.30A	----	26.60 + 10.50	.2621	----	----	----	----	165 UNCH
1400	----	----	69.20B/----	69.20B/45.00A	----	69.80 + 25.40	.5053	----	----	----	----	31 UNCH
1450	----	----	104.10B/68.20A	104.10B/68.20A	----	103.00 + 33.80	.6177	----	----	----	----	30 UNCH
TOTAL												235 0
AUG26												
1200	15.00	15.00	#15.00/*15.00	15.00/15.00	----	18.80 NEW	.1549	----	----	20	----	20 + 20
1400	----	----	#92.30B/----	#92.30B/70.00A	----	93.50 + 24.20	.4890	----	----	----	----	1 UNCH
TOTAL										20		21 + 20
SEP26												
1300	----	----	58.40B/----	58.40B/51.80A	----	63.00 + 12.90	.3286	----	----	----	----	40 UNCH
1375	----	----	97.10B/----	97.10B/81.70A	----	99.90 + 19.30	.4412	----	----	----	----	100 UNCH
1460	----	----	152.80B/----	152.80B/127.60A	----	153.80 + 27.30	.5577	----	----	----	----	75 UNCH
1465	----	----	156.40B/----	156.40B/130.60A	----	157.40 + 27.80	.5638	----	----	----	----	150 UNCH
1550	----	----	221.90B/----	221.90B/187.40A	----	221.80 + 34.50	.6559	----	----	----	----	100 UNCH
1575	----	----	242.40B/205.70A	242.40B/205.70A	----	242.10 + 36.10	.6784	----	----	----	----	25 UNCH
1650	----	----	306.60B/264.10A	306.60B/264.10A	----	305.60 + 40.20	.7357	----	----	----	----	50 UNCH
1925	----	----	560.00B/505.80A	560.00B/505.80A	----	557.00 + 48.10	.8594	----	----	----	----	75 UNCH
TOTAL												615 0
DEC26												
1300	----	----	----	----	----	93.30 NEW	.3282	----	----	----	100	100 + 100
1400	----	----	----	----	----	140.50 + 22.10	.4352	----	----	----	----	150 UNCH
1500	----	----	----	----	----	202.10 + 27.80	.5365	----	----	----	----	40 UNCH
TOTAL									100			290 + 100
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week5										
MAY26												
1850	13.00	13.00	#17.90B/12.80	17.90B/12.80	----	15.00 NEW	.2074	----	----	7	----	7 + 7
2000	----	----	37.90B/*12.20A	37.90B/*12.20A	----	13.90 - 16.40	.2707	----	----	----	----	20 UNCH
2050	----	----	19.80B/*6.50A	19.80B/*6.50A	----	6.30 - 9.90	.1379	----	----	----	----	20 UNCH
2150	----	----	----/*3.20A	4.10B/*3.20A	----	1.30 - 3.30	.0324	----	----	----	----	10 UNCH
TOTAL										7		57 + 7
JUN26												
1925	58.70	58.70	#64.20B/42.80A	#64.20B/42.80A	----	55.40 NEW	.4344	----	----	26	----	26 + 26
1950	59.00	59.00	97.70B/*57.90A	97.70B/*57.90A	----	63.90 NEW	.5050	----	----	2	----	2 + 2
1950	72.70	72.70	#78.40B/52.90A	#78.40B/52.90A	----	68.80 NEW	.4949	----	----	53	----	53 + 53
2100	----	----	36.50B/*19.90A	36.50B/*19.90A	----	20.50 - 11.60	.2127	----	----	----	----	100 UNCH
2200	----	----	17.30B/*10.90A	17.30B/*10.90A	----	10.30 - 5.90	.1148	----	----	----	----	0 UNCH
2300	----	----	----/*7.10A	8.40B/*7.10A	----	5.80 - 3.20	.0660	----	----	----	----	100 UNCH
2400	----	----	----/*5.30A	4.10B/*5.30A	----	3.70 - 2.00	.0416	----	----	----	----	0 UNCH
TOTAL										81		281 + 81
PO CALL		PLATINUM OPTIONS										
JUN26												
1900	----	----	101.70B/*37.20A	101.70B/*37.20A	----	48.60 - 33.30	.8474	----	----	----	----	1 UNCH
1950	12.00	12.00	58.00B/*11.80A	58.00B/*11.80A	----	16.50 - 27.10	.4627	----	----	1	----	6 + 1
2000	----	----	26.50B/*3.90A	26.50B/*3.90A	----	4.00 - 15.40	.1506	----	----	----	----	20 UNCH
2025	----	----	16.90B/*2.90A	16.90B/*2.90A	----	1.80 - 10.70	.0752	----	----	----	----	27 UNCH
2050	----	----	10.20B/*2.40A	10.20B/*2.40A	----	0.80 - 7.20	.0360	----	----	----	----	96 UNCH
2055	----	----	9.10B/*2.40A	9.10B/*2.40A	----	0.70 - 6.70	.0316	----	----	----	----	150 UNCH
2060	----	----	8.10B/*2.30A	8.10B/*2.30A	----	0.60 - 6.10	.0274	----	----	----	----	1 UNCH
2075	----	----	5.70B/*2.20A	5.70B/*2.20A	----	0.30 - 4.80	.0148	----	----	----	----	15 UNCH
2085	----	----	4.40B/*2.10A	4.40B/*2.10A	----	0.20 - 3.90	.0102	----	----	----	----	15 UNCH
2090	----	----	----/*2.10A	3.80B/*2.10A	----	0.20 - 3.60	.0099	----	----	----	----	15 UNCH
2095	----	----	----/*2.00A	3.30B/*2.00A	----	0.10 - 3.30	.0055	----	----	----	----	15 UNCH
2100	----	----	----/*2.00A	2.80B/*2.00A	----	0.10 - 3.00	.0054	----	----	----	----	155 UNCH
2120	----	----	----/*1.90A	1.40B/*1.90A	----	0.10 - 2.00	.0049	----	----	----	----	15 UNCH
2130	----	----	----	0.90B/*1.90A	----	0.10 - 1.60	.0047	----	----	----	----	55 UNCH
2135	----	----	----	0.60B/*1.90A	----	0.10 - 1.40	.0046	----	----	----	----	4 UNCH
2140	----	----	----	0.40B/*1.80A	----	0.10 - 1.30	.0045	----	----	----	----	15 UNCH
2145	----	----	----	0.20B/*1.80A	----	0.10 - 1.20	.0044	----	----	----	----	15 UNCH
2150	----	----	----	0.10B/*1.80A	----	0.10 - 1.00	.0043	----	----	----	----	67 UNCH
2165	----	----	----	----/*1.80A	----	0.10 - 0.70	.0041	----	----	----	----	1 UNCH
2175	----	----	----	----/*1.80A	----	0.10 - 0.50	.0040	----	----	----	----	12 UNCH
2180	----	----	----	----/*1.80A	----	0.10 - 0.50	.0039	----	----	----	----	17 UNCH
2185	----	----	----	----/*1.70A	----	0.10 - 0.40	.0038	----	----	----	----	12 UNCH
2190	----	----	----	----/*1.70A	----	0.10 - 0.40	.0038	----	----	----	----	16 UNCH
2195	----	----	----	----/*1.70A	----	0.10 - 0.30	.0037	----	----	----	----	12 UNCH
2200	----	----	----	----/*1.70A	----	0.10 - 0.30	.0037	----	----	----	----	384 UNCH
2205	----	----	----	----/*1.70A	----	0.10 - 0.20	.0036	----	----	----	----	12 UNCH
2210	----	----	----	----/*1.70A	----	0.10 - 0.20	.0036	----	----	----	----	24 UNCH
2215	----	----	----	----/*1.70A	----	0.10 - 0.20	.0035	----	----	----	----	14 UNCH
2220	----	----	----	----/*1.70A	----	0.10 - 0.10	.0035	----	----	----	----	14 UNCH
2225	----	----	----	----/*1.70A	----	0.10 - 0.10	.0034	----	----	----	----	73 UNCH
2230	----	----	----	----/*1.70A	----	0.10 - 0.10	.0034	----	----	----	----	54 UNCH
2235	----	----	----	----/*1.70A	----	0.10 - 0.10	.0033	----	----	----	----	26 UNCH
2240	----	----	----	----/*1.70A	----	0.10 - 0.10	.0033	----	----	----	----	41 UNCH
2245	----	----	----	----/*1.70A	----	0.10 UNCH	.0032	----	----	----	----	28 UNCH
2250	----	----	----	----/*1.70A	----	0.10 UNCH	.0032	----	----	----	----	113 UNCH
2255	----	----	----	----/*1.70A	----	0.10 UNCH	.0032	----	----	----	----	29 UNCH
2260	----	----	----	----/*1.70A	----	0.10 UNCH	.0031	----	----	----	----	10 UNCH
2270	----	----	----	----/*1.70A	----	0.10 UNCH	.0030	----	----	----	----	72 UNCH
2280	----	----	----	----/*1.70A	----	0.10 UNCH	.0030	----	----	----	----	60 UNCH
2300	----	----	----	----/*1.60A	----	0.10 UNCH	.0028	----	----	----	----	423 UNCH
2320	----	----	----	----/*1.60A	----	0.10 UNCH	.0027	----	----	----	----	78 UNCH
2340	----	----	----	----/*1.60A	----	0.10 UNCH	.0026	----	----	----	----	30 UNCH
2345	----	----	----	----/*1.60A	----	0.10 UNCH	.0026	----	----	----	----	15 UNCH
2350	----	----	----	----/*1.60A	----	0.10 UNCH	.0026	----	----	----	----	55 UNCH
2355	----	----	----	----/*1.60A	----	0.10 UNCH	.0026	----	----	----	----	17 UNCH
2400	----	----	----	----/*1.60A	----	0.10 UNCH	.0024	----	----	----	----	1 UNCH
2420	----	----	----	----/*1.60A	----	0.10 UNCH	.0023	----	----	----	----	4 UNCH
2450	----	----	----	----/*1.60A	----	0.10 UNCH	.0022	----	----	----	----	1 UNCH
2500	----	----	----	----/*1.60A	----	0.10 UNCH	.0020	----	----	----	----	100 UNCH
2650	----	----	----	----/*1.60A	----	0.10 UNCH	.0017	----	----	----	----	17 UNCH
2750	----	----	----	----/1.60A	----	0.10 UNCH	.0016	----	----	----	----	2 UNCH
TOTAL										1		2454 + 1
JUL26												
1500	----	----	499.80B/430.50A	499.80B/430.50A	----	445.30 - 32.50	.9888	----	----	----	----	50 UNCH
1680	----	----	----	----	----	272.90 - 31.80	.9174	----	----	----	----	50 UNCH
1700	----	----	306.50B/241.80A	306.50B/241.80A	----	254.90 - 31.70	.9009	----	----	----	----	1 UNCH
1800	----	----	219.80B/161.70A	219.80B/161.70A	----	172.30 - 29.40	.7806	----	----	----	----	113 UNCH
1850	----	----	180.60B/*127.90	180.60B/*127.90	----	137.70 - 26.80	.6974	----	----	----	----	1 UNCH
1900	----	----	146.00B/*100.10	146.00B/*100.10	----	108.30 - 24.00	.6057	----	----	----	----	3 UNCH
1960	----	----	----/*73.30A	97.80B/*73.30A	----	79.50 - 20.90	.4947	----	----	----	----	23 UNCH
2000	----	----	92.20B/*59.00A	92.20B/*59.00A	----	63.70 - 18.80	.4240	----	----	----	----	137 UNCH
2050	----	----	71.70B/*44.70A	71.70B/*44.70A	----	47.70 - 15.90	.3428	----	----	----	----	1 UNCH
2085	----	----	59.40B/*36.90A	59.40B/*36.90A	----	38.80 - 13.70	.2923	----	----	----	----	1 UNCH
2100	33.00	33.00	54.80B/*33.00	54.80B/*33.00	----	35.60 - 12.80	.2728	----	----	60	----	372 UNCH
2150	----	----	41.30B/*26.20A	41.30B/*26.20A	----	26.70 - 10.10	.2152	----	----	----	----	18 UNCH
2160	----	----	39.10B/*24.90A	39.10B/*24.90A	----	25.30 - 9.60	.2055	----	----	----	----	1 UNCH
2170	----	----	36.90B/*23.70A	36.90B/*23.70A	----	23.90 - 9.20	.1958	----	----	----	----	4 UNCH
2200	----	----	31.20B/*20.50A	31.20B/*20.50A	----	20.40 - 7.90	.1703	----	----	----	----	458 UNCH
2250	----	----	23.70B/*16.30A	23.70B/*16.30A	----	15.90 - 6.20	.1359	----	----	----	----	117 UNCH
2300	13.00	13.00	18.10B/*13.00	18.10B/*13.00	----	12.60 - 4.80	.1093	----	----	11	----	255 - 11
2350	----	----	14.00B/*11.10A	14.00B/*11.10A	----	10.10 - 3.80	.0886	----	----	----	----	160 UNCH
2400	----	----	----/*9.40A	10.90B/*9.40A	----	8.30 - 3.00	.0731	----	----	----	----	974 UNCH
2450	----	----	----/*8.20A	8.50B/*8.20A	----	6.90 - 2.50	.0608	----	----	----	----	50 UNCH
2480	----	----	----/*7.60A	7.40B/*7.60A	----	6.20 - 2.20	.0546	----	----	----	----	50 UNCH
2500	----	----	----/*7.20A	6.70B/*7.20A	----	5.80 - 2.10	.0510	----	----	----	----	649 UNCH
2600	----	----	----	4.20B/*5.90A	----	4.40 - 1.40	.0380	----	----	----	----	361 UNCH
2650	----	----	----	3.40B/*5.40A	----	3.90 - 1.20	.0333	----	----	----	----	1 UNCH
2700	----	----	----	2.70B/*5.00A	----	3.40 - 1.10	.0289	----	----	----	----	112 UNCH
2800	2.50	2.50	2.70/*2.50	2.70/*2.50	----	2.60 - 0.80	.0219	----	----	2	----	350 UNCH
2850	----	----	----	1.30B/*4.20A	----	2.30 - 0.70	.0193	----	----	----	----	58 UNCH
2900	----	----	----	1.00B/*4.00A	----	2.10 - 0.60	.0174	----	----	----	----	183 UNCH
3000	----	----	----	0.50B/*3.60A	----	1.70 - 0.50	.0139	----	----	----	----	574 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
JUL26												
3100	----	----	----	0.20B/*3.30A	----	1.40 - 0.50	.0113	----	----	----	----	159 UNCH
3200	----	----	----	----/*4.50A	----	1.20 - 0.40	.0095	----	----	----	----	18 UNCH
3300	----	----	----	----/*4.30A	----	1.00 - 0.30	.0078	----	----	----	----	30 UNCH
3400	----	----	----	----/*4.10A	----	0.90 - 0.30	.0069	----	----	----	----	32 UNCH
3500	----	----	----	----/*4.00A	----	0.80 - 0.20	.0060	----	----	----	----	274 UNCH
3600	----	----	----	----/*3.80A	----	0.70 - 0.20	.0052	----	----	----	----	300 UNCH
3800	----	----	----	----/*2.20A	----	0.60 - 0.10	.0043	----	----	----	----	12 UNCH
3900	----	----	----	----/*2.20A	----	0.50 - 0.20	.0036	----	----	----	----	9 UNCH
4000	----	----	----	----/2.10A	----	0.50 - 0.10	.0035	----	----	----	----	219 UNCH
TOTAL										73		6180 - 11
AUG26												
1950	----	----	167.40B/*126.00	167.40B/*126.00	----	132.60 - 23.30	.5490	----	----	----	----	1 UNCH
2050	----	----	122.60B/*89.50A	122.60B/*89.50A	----	93.80 - 20.10	.4296	----	----	----	----	25 UNCH
2200	----	----	74.60B/*53.50A	74.60B/*53.50A	----	55.30 - 13.80	.2845	----	----	----	----	15 UNCH
2300	----	----	53.20B/*38.70A	53.20B/*38.70A	----	39.00 - 11.10	.2127	----	----	----	----	331 UNCH
2350	----	----	45.10B/*33.20A	45.10B/*33.20A	----	33.20 - 9.60	.1847	----	----	----	----	15 UNCH
2400	----	----	38.30B/*28.70A	38.30B/*28.70A	----	28.40 - 8.30	.1607	----	----	----	----	34 UNCH
2500	----	----	28.00B/*22.00A	28.00B/*22.00A	----	21.30 - 6.20	.1233	----	----	----	----	184 UNCH
2600	17.00	17.00	17.00/*17.00	20.80B/*17.00	----	16.30 - 4.80	.0958	----	----	2	----	547 + 2
2750	----	----	----/*12.90A	13.70B/*12.90A	----	11.30 - 3.30	.0673	----	----	----	----	105 UNCH
3000	----	----	----	7.40B/*9.00A	----	6.40 - 2.10	.0388	----	----	----	----	54 UNCH
TOTAL										2		1311 + 2
OCT26												
1720	----	----	----	----	----	310.70 - 29.70	.7596	----	----	----	----	1 UNCH
1800	253.50	253.50	301.70B/253.50	301.70B/253.50	----	260.80 - 27.90	.6911	----	----	1	----	1 UNCH
1900	----	----	244.60B/203.50A	244.60B/203.50A	----	209.40 - 24.10	.6016	----	----	----	----	2 UNCH
2000	180.00	180.00	197.80B/162.00A	197.80B/162.00A	----	168.00 - 20.50	.5155	----	----	6	----	8 + 6
2050	----	----	177.70B/145.70A	177.70B/145.70A	----	150.20 - 19.20	.4752	----	----	----	----	6 UNCH
2100	----	----	159.60B/130.40A	159.60B/130.40A	----	134.10 - 18.30	.4369	----	----	----	----	3 UNCH
2125	----	----	151.30B/123.30A	151.30B/123.30A	----	126.70 - 17.80	.4186	----	----	----	----	12 UNCH
2135	----	----	147.90B/*120.60	147.90B/*120.60	----	123.80 - 17.70	.4114	----	----	----	----	12 UNCH
2200	118.00	118.00	128.40B/*104.40	128.40B/*104.40	----	106.60 - 16.60	.3668	----	----	7	----	136 UNCH
2250	----	----	115.20B/*93.60A	115.20B/*93.60A	----	95.10 - 15.60	.3353	----	----	----	----	1 UNCH
2300	----	----	103.20B/*83.90A	103.20B/*83.90A	----	84.80 - 14.60	.3060	----	----	----	----	7 UNCH
2375	----	----	87.50B/*71.40A	87.50B/*71.40A	----	71.60 - 13.00	.2666	----	----	----	----	50 UNCH
2400	----	----	82.90B/67.70A	82.90B/67.70A	----	67.70 - 12.50	.2545	----	----	----	----	256 UNCH
2500	----	----	66.60B/55.00A	66.60B/55.00A	----	54.40 - 10.60	.2117	----	----	10	----	342 + 5
2600	----	----	53.80B/*45.10A	53.80B/*45.10A	----	44.20 - 8.80	.1768	----	----	----	----	23 UNCH
2635	----	----	49.90B/*42.20A	49.90B/*42.20A	----	41.10 - 8.40	.1659	----	----	----	----	200 UNCH
2650	----	----	48.40B/*41.00A	48.40B/*41.00A	----	39.90 - 8.10	.1616	----	----	----	----	25 UNCH
2700	----	----	----/*37.40A	43.60B/*37.40A	----	36.20 - 7.40	.1482	----	----	----	----	371 UNCH
2800	----	----	----/*31.60A	35.70B/*31.60A	----	29.60 - 6.40	.1239	----	----	1	----	39 - 1
2850	----	----	----/*29.20A	32.30B/*29.20A	----	26.90 - 5.90	.1137	----	----	----	----	155 UNCH
2900	----	----	----/*27.10A	29.40B/*27.10A	----	24.50 - 5.40	.1045	----	----	----	----	210 UNCH
2950	----	----	----/*25.20A	26.80B/*25.20A	----	22.30 - 5.10	.0959	----	----	----	----	55 UNCH
3000	----	----	----/*23.50A	24.40B/*23.50A	----	20.30 - 4.70	.0881	----	----	10	----	200 + 10
3200	----	----	----	17.30B/*18.50A	----	14.40 - 3.60	.0640	----	----	----	----	10 UNCH
3500	----	----	----	11.00B/*14.00A	----	9.30 - 2.50	.0421	----	----	----	----	10 UNCH
4000	8.00	8.00	8.00/*8.00	8.00/*8.00	----	6.00 - 1.60	.0265	----	----	5	----	5 UNCH
TOTAL										40		2140 + 20
JAN27												
2360	----	----	----	----	----	128.90 - 12.30	.3508	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
JUN26												
1780	----	----	----	----/*1.70A	----	0.10 UNCH	.0047	----	----	----	----	2 UNCH
1800	----	----	----	----/*1.80A	----	0.10 UNCH	.0052	----	----	----	----	3 UNCH
1825	----	----	----	----/*1.90A	----	0.10 - 0.30	.0061	----	----	----	----	103 UNCH
1850	----	----	----	----/2.30A	----	0.30 - 0.70	.0176	----	----	----	----	44 UNCH
1865	----	----	----	0.60B/2.60A	----	0.70 - 1.00	.0375	----	----	----	----	15 UNCH
1870	----	----	----	1.00B/2.80A	----	0.90 - 1.00	.0469	----	----	----	----	15 UNCH
1875	----	----	----	1.60B/3.00A	----	1.20 - 1.10	.0598	----	----	----	----	39 UNCH
1880	----	----	----	2.20B/3.20A	----	1.50 - 1.10	.0728	----	----	----	----	73 UNCH
1885	----	----	----	3.00B/3.60A	----	1.90 - 1.10	.0890	----	----	----	----	42 UNCH
1890	----	----	3.80B/----	3.80B/3.90A	----	2.40 - 1.10	.1083	----	----	----	----	32 UNCH
1895	----	----	4.80B/----	4.80B/4.40A	----	2.90 - 1.10	.1278	----	----	----	----	12 UNCH
1900	5.00	5.00	6.20B/5.00	6.20B/4.80A	----	3.60 - 1.00	.1525	----	----	31	----	180 - 31
1905	----	----	7.60B/----	7.60B/5.20A	----	4.40 - 0.80	.1797	----	----	----	----	39 UNCH
1910	----	----	9.30B/5.80A	9.30B/5.80A	----	5.40 - 0.50	.2110	----	----	----	----	39 UNCH
1915	----	----	11.30B/6.40A	11.30B/6.40A	----	6.60 - 0.10	.2458	----	----	----	----	54 UNCH
1920	----	----	13.60B/7.00A	13.60B/7.00A	----	8.10 + 0.40	.2846	----	----	----	----	44 UNCH
1925	----	----	16.20B/7.60A	16.20B/7.60A	----	9.80 + 1.00	.3251	----	----	----	----	27 UNCH
1930	----	----	18.90B/8.30A	18.90B/8.30A	----	11.70 + 1.70	.3668	----	----	----	----	42 UNCH
1935	----	----	21.90B/9.10A	21.90B/9.10A	----	13.80 + 2.50	.4094	----	----	----	----	42 UNCH
1940	----	----	22.50B/9.90A	22.50B/9.90A	----	16.20 + 3.40	.4525	----	----	----	----	30 UNCH
1950	----	----	31.90B/12.00A	31.90B/12.00A	----	21.50 + 5.30	.5372	----	----	30	----	117 - 20
1955	----	----	24.00B/13.30A	24.00B/13.30A	----	24.60 + 6.60	.5775	----	----	----	----	30 UNCH
1960	----	----	24.70B/14.60A	24.70B/14.60A	----	27.80 + 7.70	.6164	----	----	----	----	15 UNCH
1965	----	----	25.20B/16.10A	25.20B/16.10A	----	31.20 + 8.90	.6534	----	----	----	----	16 UNCH
1970	----	----	26.40B/17.70A	26.40B/17.70A	----	34.70 + 10.10	.6889	----	----	----	----	15 UNCH
1975	----	----	51.90B/19.60A	51.90B/19.60A	----	38.50 + 11.40	.7206	----	----	----	----	15 UNCH
1980	----	----	----/21.70A	28.80B/21.70A	----	42.40 + 12.60	.7504	----	----	----	----	15 UNCH
1985	----	----	----/23.80A	30.00B/23.80A	----	46.40 + 13.80	.7782	----	----	----	----	15 UNCH
1990	----	----	----/26.20A	30.00B/26.20A	----	50.50 + 14.90	.8040	----	----	----	----	15 UNCH
1995	----	----	----/28.70A	31.20B/28.70A	----	54.70 + 16.00	.8277	----	----	----	----	15 UNCH
2000	----	----	73.70B/31.40A	73.70B/31.40A	----	59.00 + 17.00	.8493	----	----	----	----	24 UNCH
2020	----	----	----	----	----	77.10 + 20.90	.9136	----	----	----	----	30 UNCH
2045	----	----	----	----	----	100.90 + 24.50	.9594	----	----	----	----	50 UNCH
2050	----	----	121.70B/64.60A	121.70B/64.60A	----	105.80 + 25.20	.9639	----	----	----	----	3 UNCH
2075	----	----	146.40B/84.60A	146.40B/84.60A	----	130.30 + 27.70	.9851	----	----	----	----	22 UNCH
2080	----	----	----	----	----	135.30 + 28.10	.9855	----	----	----	----	24 UNCH
2085	----	----	----	----	----	140.20 + 28.50	.9897	----	----	----	----	4 UNCH
2095	----	----	----	----	----	150.10 + 29.10	.9944	----	----	----	----	14 UNCH
2100	----	----	171.20B/106.50A	171.20B/106.50A	----	155.10 + 29.40	.9945	----	----	----	----	102 UNCH
2115	----	----	----	----	----	170.10 + 30.20	.9949	----	----	----	----	23 UNCH
2140	----	----	----	----	----	195.10 + 31.10	.9954	----	----	----	----	2 UNCH
2145	----	----	----	----	----	200.10 + 31.30	.9955	----	----	----	----	14 UNCH
2150	----	----	221.00B/153.60A	221.00B/153.60A	----	205.10 + 31.40	.9956	----	----	----	----	1 UNCH
2200	----	----	270.80B/202.40A	270.80B/202.40A	----	255.10 + 32.20	.9962	10	----	----	----	0 - 10
TOTAL										61		1458 - 61
JUL26												
1400	----	----	----	----/2.30A	----	0.20 - 0.10	.0027	----	----	----	----	150 UNCH
1500	----	----	----	----/3.00A	----	0.90 - 0.10	.0111	----	----	----	----	153 UNCH
1550	----	----	----	0.90B/3.80A	----	1.80 UNCH	.0209	----	----	----	----	200 UNCH
1600	----	----	----	2.70B/5.10A	----	3.40 UNCH	.0371	----	----	----	----	324 UNCH
1650	----	----	5.90B/----	5.90B/7.40A	----	6.00 + 0.20	.0616	----	----	----	----	1 UNCH
1680	----	----	8.80B/----	8.80B/9.10A	----	8.40 + 0.40	.0824	----	----	----	----	50 UNCH
1700	----	----	11.30B/----	11.30B/10.70A	----	10.40 + 0.60	.0989	----	----	----	----	278 UNCH
1710	----	----	12.70B/----	12.70B/11.60A	----	11.60 + 0.80	.1083	----	----	----	----	1 UNCH
1725	----	----	15.00B/----	15.00B/13.10A	----	13.50 + 1.00	.1231	----	----	----	----	100 UNCH
1750	----	----	19.40B/----	19.40B/16.00A	----	17.30 + 1.50	.1510	----	----	----	----	50 UNCH
1800	27.60	27.60	31.30B/24.00A	31.30B/24.00A	----	27.70 + 3.00	.2192	----	----	1	----	388 UNCH
1805	----	----	32.60B/24.90A	32.60B/24.90A	----	29.00 + 3.20	.2270	----	----	----	----	30 UNCH
1825	----	----	38.90B/29.20A	38.90B/29.20A	----	34.60 + 4.10	.2591	----	----	----	----	30 UNCH
1850	----	----	48.00B/35.30A	48.00B/35.30A	----	42.90 + 5.50	.3024	----	----	----	----	40 UNCH
1900	----	----	70.50B/50.90A	70.50B/50.90A	----	63.40 + 8.30	.3941	----	----	----	----	241 UNCH
1950	67.00	67.00	97.70B/67.00	97.70B/67.00	----	88.80 + 10.90	.4870	----	----	3	----	8 UNCH
1980	106.90	106.90	112.10B/86.30A	112.10B/86.30A	----	106.20 NEW	.5410	----	----	48	----	48 + 48
1990	106.60	106.60	113.90B/91.60A	113.90B/91.60A	----	112.30 NEW	.5586	----	----	23	----	23 + 23
2000	98.00	98.00	129.00B/97.00A	129.00B/97.00A	----	118.60 + 13.50	.5759	----	----	4	----	53 UNCH
2030	----	----	----/114.20A	118.20B/114.20A	----	138.50 + 15.30	.6256	----	----	----	----	23 UNCH
2035	----	----	----/117.20A	120.20B/117.20A	----	141.90 + 15.60	.6337	----	----	----	----	46 UNCH
2075	----	----	183.20B/142.30A	183.20B/142.30A	----	170.90 + 18.10	.6936	----	----	----	----	1 UNCH
2085	----	----	----	----	----	178.50 + 18.60	.7075	----	----	----	----	1 UNCH
2100	----	----	203.20B/159.20A	203.20B/159.20A	----	190.20 + 19.50	.7271	----	----	----	----	225 UNCH
2130	----	----	----	----	----	214.50 + 21.30	.7632	----	----	----	----	23 UNCH
2135	----	----	----	----	----	218.60 + 21.50	.7689	----	----	----	----	190 UNCH
2165	----	----	----	----	----	244.10 + 23.00	.7992	----	----	----	----	20 UNCH
2350	----	----	429.70B/366.90A	429.70B/366.90A	----	414.30 + 28.60	.9112	----	----	----	----	5 UNCH
2400	----	----	478.10B/413.60A	478.10B/413.60A	----	462.40 + 29.40	.9268	----	----	----	----	300 UNCH
TOTAL										79		3002 + 71
AUG26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 70

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO PUT		PLATINUM OPTIONS										
AUG26												
1600	----	----	----	13.10B/14.20A	----	13.30 - 0.30	.0863	----	----	----	----	1 UNCH
2000	134.40	134.40	158.50B/130.40A	158.50B/130.40A	----	148.20 NEW	.5121	----	----	1	----	1 + 1
TOTAL										1		2 + 1
OCT26												
1300	----	----	----	5.40B/10.40A	----	7.60 - 0.20	.0360	----	----	----	----	4 UNCH
1500	----	----	----	21.90B/24.50A	----	22.30 + 0.40	.0966	----	----	----	----	21 UNCH
1600	----	----	39.50B/----	39.50B/38.60A	----	38.50 + 1.40	.1520	----	----	----	----	28 UNCH
1720	----	----	73.00B/66.30A	73.00B/66.30A	----	69.40 + 2.90	.2400	----	----	----	----	2 UNCH
1820	----	----	113.00B/100.10A	113.00B/100.10A	----	107.30 + 5.30	.3263	----	----	----	----	5 UNCH
1850	----	----	127.30B/112.40A	127.30B/112.40A	----	121.10 + 6.40	.3533	----	----	----	----	200 UNCH
1950	----	----	181.20B/159.90A	181.20B/159.90A	----	174.30 + 10.50	.4418	----	----	----	----	50 UNCH
1980	186.00	186.00	200.00/176.10A	200.00/176.10A	----	192.00 NEW	.4674	----	----	2	----	0 UNCH
2000	----	----	211.70B/187.20A	211.70B/187.20A	----	204.20 + 12.10	.4841	----	----	----	----	1 UNCH
2100	----	----	278.20B/248.20A	278.20B/248.20A	----	269.40 + 14.40	.5627	----	----	----	----	100 UNCH
2130	----	----	----/267.90A	272.00B/267.90A	----	290.20 + 14.80	.5847	----	----	----	----	41 UNCH
2135	----	----	----/271.20A	273.00B/271.20A	----	293.70 + 14.90	.5883	----	----	----	----	12 UNCH
2140	----	----	----/274.60A	274.50B/274.60A	----	297.30 + 15.00	.5918	----	----	----	----	12 UNCH
2200	----	----	351.20B/316.00A	351.20B/316.00A	----	341.00 + 16.10	.6328	----	----	----	----	0 UNCH
2400	----	----	512.50B/468.30A	512.50B/468.30A	----	500.50 + 20.20	.7451	----	----	----	----	200 UNCH
2500	----	----	599.00B/550.90A	599.00B/550.90A	----	586.50 + 22.20	.7879	----	----	----	----	1 UNCH
3000	----	----	1,065.10B/1,005	1,065.10B/1,005	----	1049.90 + 28.30	.9116	----	----	----	----	0 UNCH
TOTAL										2		677 0
JAN27												
1500	----	----	----	----	----	60.40 + 4.50	.1554	----	----	----	----	40 UNCH
1800	----	----	----	----	----	154.10 + 9.70	.3246	----	----	----	----	1 UNCH
1900	----	----	----	----	----	201.90 + 11.70	.3899	----	----	----	----	100 UNCH
2000	----	----	----	----	----	256.60 + 13.80	.4547	----	----	----	----	200 UNCH
TOTAL												341 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 71

PRELIMINARY

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
JUN26 CALL			
OG	4550	0	250
OG	4625	0	300
OG	4650	0	300
OG	4690	0	100
OG	4750	0	300
TOTALS		0	1250
JUL26 CALL			
OG	4700	0	275
OG	5000	0	140
TOTALS		0	415
AUG26 CALL			
OG	4560	0	160
OG	4650	0	150
OG	5100	0	320
TOTALS		0	630
SEP26 CALL			
OG	5000	0	50
OG	5700	0	50
TOTALS		0	100
DEC26 CALL			
OG	4800	0	200
OG	5800	0	135
OG	6000	0	400
OG	7000	0	135
TOTALS		0	870
MAR27 CALL			
OG	5500	0	225
OG	6500	0	225
TOTALS		0	450
OG PUT	COMEX GOLD OPTIONS		
JUN26 PUT			
OG	4250	0	300
OG	4410	0	300
OG	4460	0	150
OG	4650	0	150
TOTALS		0	900
JUL26 PUT			
OG	4000	0	950
OG	4400	0	200
OG	4500	0	140
OG	4525	0	100
TOTALS		0	1390
AUG26 PUT			
OG	4000	0	400
OG	4085	0	320
OG	4560	0	160
TOTALS		0	880
SEP26 PUT			
OG	4555	0	50
TOTALS		0	50
DEC26 PUT			
OG	3700	0	90
OG	4000	0	350
TOTALS		0	440
MAR27 PUT			
OG	3600	0	225
OG	4200	0	225
TOTALS		0	450
SO CALL	COMEX SILVER OPTIONS		
JUN26 CALL			
SO	7750	0	40
TOTALS		0	40
JUL26 CALL			
SO	9000	0	50
SO	9800	0	38
TOTALS		0	88
SEP26 CALL			
SO	10000	0	50
TOTALS		0	50
DEC26 CALL			
SO	10000	0	73
SO	12000	0	73
SO	20000	0	38
TOTALS		0	184
SO PUT	COMEX SILVER OPTIONS		
JUN26 PUT			
SO	8000	0	25
TOTALS		0	25
SEP26 PUT			
SO	6500	0	50
TOTALS		0	50
HX CALL	COMEX COPPER OPTIONS		
JUN26 CALL			
HX	620	0	200
TOTALS		0	200
JUL26 CALL			
HX	675	0	150
TOTALS		0	150
SEP26 CALL			
HX	635	0	65
TOTALS		0	65
HX PUT	COMEX COPPER OPTIONS		
SEP26 PUT			
HX	635	0	65
TOTALS		0	65
PAO PUT	NYMEX PALLADIUM OPTIONS		
JUN26 PUT			
PAO	1300	0	120
PAO	1400	0	40
TOTALS		0	160
DEC26 PUT			
PAO	1300	0	100
TOTALS		0	100

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY


```
SO4 PUT         SILVER OPTIONS
 MAY26   PUT
  SO4                7000                    0                      75
  SO4                7500                    0                      75
  TOTALS                                     0                     150

COO OPT         COBALT METAL (FASTMARKETS) APO
 AUG26   CALL
  COO                3000                    0                      50
  TOTALS                                     0                      50

GWT TUE         GOLD WEEKLY TUESDAY OPTION Week2
 JUN26   CALL
  G2T                4625                    0                     150
  TOTALS                                     0                     150
```

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.