

PG64

BULLETIN #107@

METALS OPTION PRODUCTS

Fri, Jun 05, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY
R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	JUN26	JUN26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27
COO OPT	06/30			07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
ECG10 OP		06/04	06/05											
ECG11 OP		06/04	06/05											
ECG13 OP		06/04	06/05											
ECG15 OP		06/04	06/05											
ECG16 OP		06/04	06/05											
ECGC OOF		06/04	06/05											
ECHG OOF		06/04	06/05											
ECSI OOF		06/04	06/05											
EHO OPT	06/30			07/31	08/28	09/30								
FMG OPT	06/12													
FSO OPT	06/30													
GMW MON	06/29													
GWR THU	06/18			07/09										
GWT TUE	06/30													
GWV WED	06/24			07/01										
HMW MON	06/22													
HRO OPT	06/23			07/28	08/25	09/29	10/27	11/24	12/29					
HWR THU	06/18			07/02										
HWT TUE	06/23													
HWW WED	06/24													
HX CALL				07/01	08/05	09/02								
HX PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23		
HXE CALL	06/26			06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23		
HXE PUT	06/26			07/10										
LHO OPT	06/30			07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
MMG MON	06/08													
OG CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
OG PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
OG1 CALL	06/05													
OG1 PUT	06/05													
OG2 CALL	06/12			07/10										
OG2 PUT	06/12			07/10										
OG4 CALL	06/26													
OG4 PUT	06/26													
OMG OPT				06/25	07/28		09/24		11/24					
PAO CALL				06/17	07/15	08/19			11/18					
PAO PUT				06/17	07/15	08/19			11/18					
PLW OOF	06/12													
PO CALL				06/17	07/15	08/19	09/16		12/16					
PO PUT				06/17	07/15	08/19	09/16		12/16					
RWS THU	06/18			07/02										
SMW MON	06/22													
SO CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
SO PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
SO1 CALL	06/05													
SO1 PUT	06/05													
SO2 CALL	06/12			07/10										
SO2 PUT	06/12			07/10										
SO4 CALL	06/26													
SO4 PUT	06/26													
SWW WED	06/24													
TWS TUE	06/30													

GOLD OPTIONS ON FUTURES															
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OMG OPT JUL26	MICRO GOLD OPTIONS														
3400	----	----	----	----	----	----	----	966.10 - 39.00	----	----	----	----	----	1	UNCH
3460	----	----	----	----	----	----	----	906.50 - 38.70	----	----	----	----	----	1	UNCH
4200	----	----	----	----	----	----	----	35.90 + 23.00	----	----	----	----	----	2	UNCH
4275	----	----	----	----	----	----	----	54.50 + 34.50	----	----	----	----	----	1	UNCH
4300	----	----	----	----	----	----	----	62.60 + 39.30	----	----	----	----	----	1	UNCH
4400	----	----	----	----	----	----	----	107.00 + 62.60	----	----	----	----	----	1	UNCH
4500	100.00	100.00		128.00/100.00	128.00/100.00	----	----	171.30 + 88.60	----	----	----	2	----	5	-
4550	----	----	----	----	----	----	----	210.20 + 00.70	----	----	----	----	----	1	UNCH
4600	----	----	----	----	----	----	----	252.30 + 10.80	----	----	----	----	----	2	UNCH
4600	----	----	----	-----/41.00A	10.00B/41.00A	----	----	17.90 - 28.80	----	----	----	----	----	3	UNCH
4700	----	----	----	----	----	----	----	9.00 - 14.20	----	----	----	----	----	2	UNCH
4800	----	----	----	----	----	----	----	5.00 - 6.60	----	----	----	----	----	2	UNCH
5000	----	----	----	----	----	----	----	2.30 - 1.60	----	----	----	----	----	3	UNCH
5300	----	----	----	----	----	----	----	1.20 - 0.30	----	----	----	----	----	3	UNCH
5500	----	----	----	----	----	----	----	0.90 - 0.10	----	----	----	----	----	2	UNCH
TOTAL												2		30	-
AUG26															
3700	----	----	----	----	----	----	----	13.90 + 6.50	----	----	----	----	----	2	UNCH
4210	45.00	45.00		45.00/45.00	45.00/45.00	----	----	83.50 NEW	----	----	----	1	----	1	+
4400	125.00	125.00		125.00/125.00	125.00/125.00	----	----	127.70 NEW	----	----	----	1	----	1	+
4400	100.00	100.00		100.00/100.00	100.00/100.00	----	----	162.20 + 66.80	----	----	----	6	----	12	+
4550	----	----	----	236.20B/----	236.20B/----	----	----	255.40 + 90.30	----	----	----	----	----	2	UNCH
4995	----	----	----	----	----	----	----	12.80 - 9.00	----	----	----	----	----	1	UNCH
TOTAL												8		19	+
OCT26															
4680	----	----	----	----	----	----	----	108.00 - 45.90	----	----	----	----	----	1	UNCH
TOTAL														1	0
DEC26															
3250	----	----	----	----	----	----	----	20.40 + 5.60	----	----	----	----	----	1	UNCH
4700	----	----	----	----	----	----	----	165.00 - 52.30	----	----	----	----	----	10	UNCH
TOTAL														11	0
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG4 PUT JUN26	GOLD OPTIONS														
3250	----	----	----	2.00B/----	2.00B/1.00A	----	----	1.10 + 0.50	.0053	----	----	2	----	4	UNCH
3500	1.80	1.80		4.00B/1.80	4.00B/1.60A	----	----	2.30 + 1.20	.0123	----	----	2	----	8	+
3600	3.50	3.50		5.40B/3.50	5.40B/1.80A	----	----	3.10 NEW	.0175	----	----	95	----	95	+
3750	----	----	----	8.70B/----	8.70B/2.60A	----	----	5.10 + 2.90	.0308	----	----	----	----	1	UNCH
3800	----	----	----	10.30B/----	10.30B/3.00A	----	----	6.10 + 3.50	.0376	----	----	----	----	13	UNCH
3900	----	----	----	14.70B/----	14.70B/3.90A	----	----	9.00 + 5.40	.0575	----	----	----	----	1	UNCH
4000	----	----	----	21.30B/----	21.30B/5.90A	----	----	13.90 + 8.50	.0909	----	----	3	----	6	-
4050	----	----	----	26.30B/----	26.30B/7.30A	----	----	17.50 + 10.90	.1151	----	----	----	----	1	UNCH
4075	----	----	----	29.20B/----	29.20B/8.10A	----	----	19.70 + 12.30	.1297	----	----	1	----	1	-
4100	10.00	10.00		32.70/10.00	32.70/9.10A	----	----	22.40 + 14.10	.1469	----	----	5	----	18	+
4125	----	----	----	36.30B/----	36.30B/10.20A	----	----	25.40 + 15.90	.1659	----	----	----	----	1	UNCH
4150	28.30	28.30		40.70B/28.30	40.70B/11.50A	----	----	29.10 + 18.30	.1881	----	----	3	----	11	UNCH
4175	----	----	----	46.00B/----	46.00B/13.10A	----	----	33.30 + 20.90	.2127	----	----	----	----	3	UNCH
4200	----	----	----	51.30B/----	51.30B/15.00A	----	----	38.00 + 23.80	.2399	----	----	6	----	17	+
4225	20.00	20.00		58.20B/17.20A	58.20B/17.20A	----	----	43.50 + 27.10	.2701	----	----	4	----	7	+
4250	46.00	46.00		65.40B/46.00	65.40B/19.90A	----	----	49.70 + 30.80	.3032	----	----	32	----	25	+
4275	24.50	24.50		73.40B/23.20A	73.40B/23.20A	----	----	56.90 + 35.00	.3393	----	----	47	----	44	+
4300	----	----	----	82.80B/----	82.80B/26.90A	----	----	65.20 + 39.70	.3782	----	----	4	----	20	-

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

BULLETIN #107@				METALS OPTION PRODUCTS								Fri, Jun 05, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG4 PUT JUN26	GOLD OPTIONS																
4325	----	----		91.50B/----	91.50B/31.40A	----	----		74.70 + 45.00	.4195	----	----	4	----	2 +	1	
4350	----	----		102.90B/----	102.90B/36.70A	----	----		85.40 + 50.80	.4625	----	----	4	----	17 -	2	
4375	----	----		115.40B/----	115.40B/42.70A	----	----		97.50 + 57.10	.5064	----	----	2	----	17 +	2	
4400	54.60	54.60		129.00B/49.60A	129.00B/49.60A	----	----		110.80 + 63.60	.5503	----	----	3	----	4 +	1	
4425	----	----		144.00B/----	144.00B/57.70A	----	----		125.20 + 70.10	.5937	----	----	1	----	3 +	1	
4450	----	----		160.40B/----	160.40B/66.80A	----	----		140.70 + 76.60	.6359	----	----	3	----	9 +	2	
4475	115.00	115.00		177.10B/115.00	177.10B/77.00A	----	----		157.30 + 82.90	.6764	----	----	2	----	220 -	2	
4500	105.00	105.00		189.40B/105.00	189.40B/88.30A	----	----		175.00 + 89.10	.7145	----	----	2	----	13 -	2	
4525	----	----		208.60B/----	208.60B/101.90A	----	----		193.60 + 94.90	.7498	----	----	----	----	3	UNCH	
4550	----	----		229.60B/----	229.60B/116.20A	----	----		213.10 + 00.30	.7824	----	----	----	----	33	UNCH	
4600	----	----		271.00B/----	271.00B/148.30A	----	----		254.60 + 10.10	.8371	----	----	----	----	7	UNCH	
4700	----	----		362.00B/----	362.00B/226.20A	----	----		344.60 + 24.40	.9104	----	----	----	----	1	UNCH	
4725	----	----		356.30B/----	356.30B/247.30A	----	----		368.10 + 27.00	.9221	----	----	----	----	1	UNCH	
TOTAL													225		606 +	156	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG4 CALL JUN26	GOLD OPTIONS																
4300	----	----		----/121.50A	218.70B/121.50A	----	----		130.40 - 99.70	.6211	----	----	----	----	1	UNCH	
4325	----	----		----/107.00A	198.30B/107.00A	----	----		114.90 - 94.50	.5798	----	----	----	----	1	UNCH	
4350	97.50	97.50		101.00/93.50A	178.70B/93.50A	----	----		100.70 NEW	.5369	----	----	2	----	1 +	1	
4375	----	----		----/81.40A	160.00B/81.40A	----	----		87.80 NEW	.4930	----	----	4	----	2 +	2	
4400	----	----		----/70.50A	147.60B/70.50A	----	----		76.20 - 75.80	.4491	----	----	3	----	2 +	1	
4450	----	----		----/52.00A	115.00B/52.00A	----	----		56.20 - 62.80	.3635	----	----	----	----	1	UNCH	
4475	49.80	49.80		49.80/44.40A	100.90B/44.40A	----	----		47.80 - 56.50	.3230	----	----	2	----	7 -	1	
4500	38.00	38.00		38.00/37.60A	88.10B/37.60A	----	----		40.50 - 50.40	.2849	----	----	1	----	14	UNCH	
4525	----	----		----/31.90A	76.20B/31.90A	----	----		34.20 - 44.60	.2496	----	----	----	----	15	UNCH	
4550	28.60	28.60		29.20/26.90A	65.40B/26.90A	----	----		28.70 - 39.20	.2170	----	----	2	----	4 +	2	
4575	----	----		----/22.60A	55.70B/22.60A	----	----		24.10 - 34.10	.1879	----	----	25	----	28 +	23	
4600	31.50	31.50		32.00/19.20A	47.70B/19.20A	----	----		20.30 - 29.40	.1624	----	----	32	----	32 +	7	
4625	----	----		----/16.20A	40.30B/16.20A	----	----		17.10 - 25.10	.1398	----	----	----	----	2	UNCH	
4650	16.40	16.40		16.80/13.80A	34.00B/13.80A	----	----		14.40 - 21.40	.1201	----	----	2	----	3 +	1	
4675	----	----		----/11.80A	28.70B/11.80A	----	----		12.20 NEW	.1033	----	----	2	----	2 +	2	
4700	19.50	19.50		19.60/9.90	24.10B/9.90	----	----		10.40 - 15.10	.0891	----	----	14	----	93 +	11	
4725	----	----		----/8.80A	20.20B/8.80A	----	----		9.00 - 12.50	.0775	----	----	----	----	4	UNCH	
4750	14.50	14.50		14.50/7.70A	17.10B/7.70A	----	----		7.70 - 10.50	.0669	----	----	10	----	29 +	9	
4775	----	----		----/6.80A	14.40B/6.80A	----	----		6.70 - 8.70	.0583	----	----	----	----	4	UNCH	
4800	12.30	12.30		12.30/5.80	12.30/5.80	----	----		5.90 - 7.20	.0513	----	----	14	----	51 -	2	
4825	----	----		----/5.30A	10.30B/5.30A	----	----		5.20 - 6.00	.0451	----	----	2	----	9 +	1	
4850	4.80	4.80		4.80/4.70	8.70B/4.70	----	----		4.60 - 5.00	.0398	----	----	15	----	20 +	11	
4875	----	----		----/4.30A	7.30B/4.30A	----	----		4.10 - 4.20	.0353	----	----	----	----	4	UNCH	
4900	3.50	3.50		3.50/3.50	6.30B/3.50	----	----		3.70 - 3.50	.0316	----	----	26	----	29 +	25	
4950	----	----		----/3.20A	4.40B/3.20A	----	----		3.00 - 2.60	.0253	----	----	----	----	4	UNCH	
4975	----	----		----/3.00A	3.90B/3.00A	----	----		2.70 - 2.20	.0226	----	----	----	----	1	UNCH	
5000	3.70	3.70		3.70/2.80A	3.80B/2.80A	----	----		2.50 - 1.90	.0207	----	----	2	----	11	UNCH	
5050	----	----		----/2.50A	2.50B/2.50A	----	----		2.10 - 1.50	.0171	----	----	----	----	10	UNCH	
5200	1.90	1.90		1.90/1.80A	1.90/1.80A	----	----		1.40 - 0.70	.0107	----	----	4	----	20 -	3	
5250	----	----		----/1.60A	1.20B/1.60A	----	----		1.30 - 0.50	.0096	----	----	----	----	1	UNCH	
5300	1.40	1.40		1.40/1.00	1.40/1.00	----	----		1.20 - 0.40	.0086	----	----	12	----	10 -	8	
5400	----	----		----	0.80B/1.40A	----	----		1.00 - 0.30	.0069	----	----	----	----	1	UNCH	
5500	----	----		----	0.60B/1.30A	----	----		0.90 - 0.10	.0059	----	----	----	----	1	UNCH	
5750	----	----		----	0.40B/1.00A	----	----		0.70 UNCH	.0041	----	----	----	----	1	UNCH	
TOTAL													174		418 +	82	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG2 PUT JUN26	GOLD OPTIONS																
3250	0.30	0.30		0.30/0.30	0.30/0.30	----	----		0.10 UNCH	.0004	----	----	3	----	10 +	2	
3500	0.50	0.50		0.80B/0.50	0.80B/0.50	----	----		0.50 + 0.20	.0024	----	----	25	----	34 +	25	
3600	0.90	0.90		1.30B/0.90	1.30B/0.60A	----	----		0.60 + 0.30	.0033	----	----	6	----	6 +	5	
3700	0.90	0.90		1.90B/0.90	1.90B/0.50A	----	----		0.90 + 0.50	.0055	----	----	33	----	34 +	33	
3750	0.40	0.40		2.90/0.40	2.90/0.40	----	----		1.10 + 0.60	.0070	----	----	19	----	38 +	18	
3800	0.50	0.50		2.80B/0.50	2.80B/0.50	----	----		1.30 + 0.70	.0088	----	----	57	----	56 +	44	
3900	1.00	1.00		4.20B/1.00	4.20B/0.90A	----	----		2.10 + 1.30	.0160	----	----	49	----	70 +	11	
4000	1.10	1.10		6.30/1.10	6.30/1.10	----	----		3.20 + 2.10	.0279	----	----	97	----	408 +	30	
4050	2.60	2.60		8.10B/2.60	8.10B/1.50A	----	----		4.10 + 2.70	.0382	----	----	88	----	82 +	68	
4075	3.10	3.10		9.40B/3.10	9.40B/1.70A	----	----		4.80 + 3.20	.0460	----	----	34	----	36 +	34	
4100	1.80	1.80		11.40/1.80	11.40/1.80	----	----		5.60 + 3.80	.0553	----	----	132	----	129 +	118	
4125	----	----		12.80B/----	12.80B/2.10A	----	----		6.60 + 4.50	.0670	----	----	----	----	6	UNCH	
4150	2.50	2.50		15.20B/2.40A	15.20B/2.40A	----	----		8.00 + 5.60	.0828	----	----	17	----	73 +	11	
4175	2.80	2.80		17.80B/2.80	17.80B/2.80	----	----		9.70 + 6.90	.1022	----	----	14	----	12 +	10	
4200	3.50	3.50		21.40B/3.30A	21.40B/3.30A	----	----		12.00 + 8.70	.1277	----	----	210	----	235 +	115	
4225	5.50	5.50		25.40B/3.90A	25.40B/3.90A	----	----		14.90 + 10.90	.1594	----	----	181	----	144 +	80	
4250	5.00	5.00		30.80B/4.60A	30.80B/4.60A	----	----		18.70 + 13.90	.1992	----	----	285	----	222 +	161	
4275	11.80	11.80		37.90/5.60A	37.90/5.60A	----	----		23.60 + 17.70	.2479	----	----	52	----	75 +	36	
4300	7.90	7.90		45.90/7.00A	45.90/7.00A	----	----		29.90 + 22.70	.3061	----	----	494	----	367 +	124	
4325	10.80	10.80		54.20B/8.70A	54.20B/8.70A	----	----		37.70 + 28.70	.3727	----	----	2	----	46 +	2	
4350	23.30	23.30		65.40B/11.10A	65.40B/11.10A	----	----		47.40 + 36.00	.4466	----	----	65	----	62 +	46	
4375	18.20	18.20		78.90B/14.20A	78.90B/14.20A	----	----		58.90 + 44.30	.5246	----	----	73	----	124 +	46	
4400	21.30	21.30		94.60/18.40A	94.60/18.40A	----	----		72.50 + 53.70	.6036	----	----	187	----	362 +	35	
4425	40.00	40.00		110.80B/23.50A	110.80B/23.50A	----	----		88.10 + 63.80	.6794	----	----	41	----	135 +	15	
4450	29.00	29.00		130.00B/28.50	130.00B/28.50	----	----		105.70 + 74.40	.7480	----	----	279	----	127 -	135	
4475	46.40	46.40		150.10B/39.00A	150.10B/39.00A	----	----		125.10 + 85.00	.8057	----	----	20	----	81 +	14	
4500	81.00	81.00		171.60B/49.60A	171.60B/49.60A	----	----		146.00 + 95.10	.8527	----	----	86	----	126 +	69	
4525	----	----		193.70B/62.70A	193.70B/62.70A	----	----		168.00 + 04.30	.8895	----	----	4	----	69 +	4	
4550	----	----		216.80B/77.60A	216.80B/77.60A	----	----		190.80 + 12.20	.9177	----	----	5	----	65 +	5	
4575	----	----		240.20B/94.50A	240.20B/94.50A	----	----		214.20 + 18.70	.9388	----	----	1	----	9	UNCH	
4600	----	----		264.20B/113.10A	264.20B/113.10A	----	----		238.00 + 23.90	.9539	----	----	2	----	90	UNCH	
4650	----	----		281.10B/154.70A	281.10B/154.70A	----	----		286.60 + 31.10	.9733	----	----	----	----	1	UNCH	
4675	----	----		305.50B/177.20A	305.50B/177.20A	----	----		311.20 + 33.40	.9789	----	----	1	----	2 +	1	
4700	----	----		358.00B/200.30A	358.00B/200.30A	----	----		335.90 + 35.10	.9831	----	----	----	----	41	UNCH	
4800	----	----		372.10B/----	372.10B/513.40A	----	----		435.10 + 38.10	.9935	----	----	----	----	1	UNCH	
4950	----	----		523.70B/----	523.70B/661.10A	----	----		584.80 NEW	.9975	----	----	1	----	1 +	1	
TOTAL													2565		3379 +	1028	
JUL26	1.90	1.90		3.60B/1.90	3.6												

	BULLETIN #107@										METALS OPTION PRODUCTS										Fri, Jun 05, 2026										PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																		
OG2 CALL	GOLD OPTIONS																																
JUN26																																	
4350	58.00	58.00		58.00/54.70A	165.60B/54.70A	----	62.70	NEW	.5531	----	----	22	----	19 +	19																		
4375	51.30	51.30		51.30/43.00	143.60B/43.00	----	49.30	NEW	.4751	----	----	41	----	33 +	33																		
4400	46.00	46.00		46.00/32.90A	122.60B/32.90A	----	37.80	NEW	.3961	----	----	272	----	146 +	146																		
4425	38.80	38.80		38.80/25.00A	102.90B/25.00A	----	28.40	NEW	.3204	----	----	34	----	29 +	29																		
4450	47.00	47.00		47.00/18.80A	84.80B/18.80A	----	21.00	NEW	.2518	----	----	78	----	56 +	56																		
4475	36.00	36.00		38.40/14.00A	68.40B/14.00A	----	15.50	- 54.60	.1940	----	----	51	----	87 +	34																		
4500	53.10	53.10		53.10/10.40A	54.40B/10.40A	----	11.40	- 44.50	.1470	----	----	300	----	210 +	133																		
4525	36.90	36.90		36.90/7.60A	42.20B/7.60A	----	8.40	- 35.40	.1103	----	----	82	----	169 +	68																		
4550	23.00	23.00		23.00/5.70	32.00B/5.70	----	6.20	- 27.50	.0821	----	----	832	----	777 +	685																		
4575	18.30	18.30		18.30/4.30A	23.90B/4.30A	----	4.60	- 20.90	.0610	----	----	75	----	179 +	59																		
4600	14.70	14.70		16.20/3.20A	17.60B/3.20A	----	3.50	- 15.70	.0459	----	----	217	----	223 +	70																		
4625	3.80	3.80		3.80/2.50A	12.80B/2.50A	----	2.70	- 11.60	.0348	----	----	6	----	81 +	1																		
4650	6.90	6.90		6.90/2.00	9.30B/2.00	----	2.10	- 8.50	.0266	----	----	786	----	806 +	748																		
4675	----	----		----/1.70A	6.70B/1.70A	----	1.70	- 6.20	.0209	----	----	52	----	102 +	39																		
4700	3.00	3.00		3.00/1.40A	5.00B/1.40A	----	1.40	- 4.50	.0167	----	----	4	----	75 -	2																		
4725	----	----		----/1.20A	3.70B/1.20A	----	1.10	- 3.40	.0128	----	----	5	----	73 +	4																		
4750	1.30	1.30		1.30/1.10A	2.80B/1.10A	----	1.00	- 2.50	.0112	----	----	26	----	37 +	26																		
4775	----	----		----/1.00A	2.20B/1.00A	----	0.80	- 2.00	.0087	----	----	1	----	15	UNCH																		
4800	1.00	1.00		1.00/0.90A	1.70B/0.90A	----	0.60	- 1.60	.0064	----	----	3	----	41	UNCH																		
4825	----	----		----/0.80A	1.30B/0.80A	----	0.50	- 1.30	.0052	----	----	---	----	17	UNCH																		
4850	0.70	0.70		0.70/0.70	1.10B/0.70	----	0.40	- 1.10	.0041	----	----	30	----	36 +	22																		
4875	----	----		----/0.70A	0.90B/0.70A	----	0.40	- 0.90	.0039	----	----	---	----	13	UNCH																		
4900	0.80	0.80		0.80/0.70	0.80/0.70	----	0.30	- 0.80	.0028	----	----	10	----	20 +	3																		
4925	----	----		----/0.80A	0.60B/0.80A	----	0.30	- 0.70	.0027	----	----	---	----	2	UNCH																		
4950	----	----		----	0.50B/0.80A	----	0.30	- 0.50	.0026	----	----	----	----	12	UNCH																		
4975	----	----		----	0.40B/0.70A	----	0.20	- 0.50	.0017	----	----	----	----	6	UNCH																		
5000	----	----		----/0.50A	0.40B/0.50A	----	0.20	- 0.40	.0017	----	----	----	----	1	UNCH																		
5025	----	----		----	0.30B/0.70A	----	0.20	- 0.40	.0016	----	----	----	----	3	UNCH																		
5050	----	----		----	0.30B/0.50A	----	0.20	- 0.30	.0016	----	----	----	----	14	UNCH																		
5100	----	----		----	0.20B/0.40A	----	0.10	- 0.30	.0007	----	----	---	----	5	UNCH																		
5300	----	----		----	----/0.50A	----	0.10	- 0.10	.0000	----	----	---	----	6 +	2																		
TOTAL												2929			3293+	2175																	
JUL26																																	
4525	----	----		----/52.50A	101.60B/52.50A	----	55.80	- 48.30	.3048	----	----	----	----	6	UNCH																		
4550	47.60	47.60		47.60/46.70	90.60B/46.70	----	49.10	- 44.00	.2764	----	----	2	----	3 +	2																		
4575	43.20	43.20		43.20/41.10A	80.60B/41.10A	----	43.20	NEW	.2500	----	----	1	----	1 +	1																		
4600	----	----		----/36.30A	71.80B/36.30A	----	38.00	NEW	.2255	----	----	1	----	1 +	1																		
4650	----	----		----/28.30A	55.90B/28.30A	----	29.40	- 28.60	.1823	----	----	1	----	2 +	1																		
4750	----	----		----/17.40A	33.60B/17.40A	----	17.80	NEW	.1177	----	----	1	----	1 +	1																		
4800	----	----		----/13.90A	26.00B/13.90A	----	14.10	- 13.10	.0950	----	----	6	----	10 +	5																		
4825	----	----		----/12.40A	22.90B/12.40A	----	12.60	- 11.40	.0855	----	----	---	----	1	UNCH																		
4850	----	----		----/11.20A	20.20B/11.20A	----	11.30	- 9.90	.0771	----	----	4	----	3 +	1																		
4875	----	----		----/10.20A	17.90B/10.20A	----	10.20	- 8.60	.0698	----	----	1	----	3 +	1																		
4900	----	----		----/9.20A	15.80B/9.20A	----	9.20	- 7.50	.0632	----	----	1	----	6 +	1																		
4925	----	----		----/8.40A	14.10B/8.40A	----	8.30	- 6.60	.0572	----	----	1	----	6 +	1																		
4950	----	----		----/7.70A	12.50B/7.70A	----	7.60	- 5.70	.0523	----	----	1	----	52 +	1															</			

G64			BULLETIN #107@										METALS OPTION PRODUCTS										Fri, Jun 05, 2026										PG64																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW		OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												</

PG64		BULLETIN #107@										METALS OPTION PRODUCTS										Fri, Jun 05, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST				
OG PUT		COMEX GOLD OPTIONS																						
JUL26																								
3640	3.70	3.70			6.00B/3.70	6.00B/1.60A	----			3.50 + 1.90	.0200	----	----	1	----		7 +	1						
3645	3.60	3.60			6.00B/3.60	6.00B/1.60A	----			3.60 + 2.00	.0206	----	----	4	----		5 +	4						
3650	2.60	2.60			6.10B/2.60	6.10B/1.70A	----			3.60 + 1.90	.0207	----	----	64	----		105 +	11						
3655	3.20	3.20			6.20B/3.20	6.20B/1.70A	----			3.70 + 2.00	.0213	----	----	7	----		13 +	7						
3660	3.70	3.70			6.30B/3.70	6.30B/1.70A	----			3.70 + 2.00	.0214	----	----	40	----		46 -	8						
3665	----	----			6.40B/----	6.40B/1.70A	----			3.80 + 2.10	.0220	----	----	----	----		6	UNCH						
3670	----	----			6.50B/----	6.50B/1.70A	----			3.80 + 2.10	.0221	----	----	----	----		112	UNCH						
3675	3.90	3.90			6.60B/1.70A	6.60B/1.70A	----			3.90 + 2.10	.0227	----	----	1	----		20	UNCH						
3680	6.90	6.90			6.90/6.90	6.90/1.80A	----			3.90 + 2.10	.0228	----	----	1	----		6 +	1						
3685	----	----			6.80B/----	6.80B/1.80A	----			4.00 + 2.20	.0234	----	----	----	----		13	UNCH						
3690	----	----			6.90B/----	6.90B/1.80A	----			4.10 + 2.30	.0240	----	----	----	----		55	UNCH						
3695	4.00	4.00			7.00B/4.00	7.00B/1.90A	----			4.10 + 2.20	.0242	----	----	1	----		144 -	1						
3700	2.10	2.10			7.10B/2.10	7.10B/1.90A	----			4.20 + 2.30	.0248	----	----	83	----		676 +	58						
3705	----	----			7.30B/----	7.30B/1.90A	----			4.30 + 2.40	.0254	----	----	----	----		26	UNCH						
3710	3.90	3.90			7.40B/3.90	7.40B/1.90A	----			4.30 NEW	.0256	----	----	1	----		1 +	1						
3715	3.80	3.80			7.50B/3.80	7.50B/2.00A	----			4.40 + 2.40	.0262	----	----	2	----		30	UNCH						
3720	----	----			7.60B/----	7.60B/2.00A	----			4.50 + 2.50	.0268	----	----	----	----		19	UNCH						
3725	4.10	4.10			7.70B/4.00	7.70B/2.00A	----			4.50 + 2.50	.0270	----	----	137	----		144 -	24						
3730	3.50	3.50			7.80B/2.00A	7.80B/2.00A	----			4.60 + 2.50	.0276	----	----	21	----		22 -	8						
3735	3.70	3.70			8.00B/3.70	8.00B/2.10A	----			4.70 + 2.60	.0283	----	----	6	----		36 +	1						
3740	4.00	4.00			8.10B/3.80	8.10B/2.10A	----			4.80 + 2.70	.0289	----	----	6	----		31 +	2						
3745	----	----			8.20B/----	8.20B/2.10A	----			4.80 + 2.70	.0291	----	----	----	----		6	UNCH						
3750	3.80	3.80			8.40B/3.80	8.40B/2.20A	----			4.90 + 2.70	.0297	----	----	5	----		533	UNCH						
3755	4.00	4.00			8.40B/4.00	8.40B/2.20A	----			5.00 + 2.80	.0304	----	----	5	----		10	UNCH						
3760	----	----			8.60B/----	8.60B/2.20A	----			5.10 + 2.90	.0311	----	----	----	----		3	UNCH						
3765	----	----			8.70B/2.20A	8.70B/2.20A	----			5.20 + 2.90	.0317	----	----	----	----		37	UNCH						
3770	4.70	4.70			8.90B/4.60	8.90B/2.30A	----			5.30 + 3.00	.0324	----	----	13	----		133 +	1						
3775	----	----			9.00B/----	9.00B/2.30A	----			5.40 + 3.10	.0331	----	----	6	----		88 -	6						
3780	8.50	8.50			9.30B/2.30A	9.30B/2.30A	----			5.50 + 3.10	.0338	----	----	2	----		16 +	2						
3785	4.00	4.00			9.30B/4.00	9.30B/2.40A	----			5.50 + 3.10	.0340	----	----	5	----		10	UNCH						
3790	4.40	4.40			9.80/4.40	9.80/2.40A	----			5.60 + 3.20	.0347	----	----	8	----		48 +	3						
3795	3.30	3.30			9.60B/3.30	9.60B/2.50A	----			5.70 + 3.20	.0354	----	----	15	----		50 -	3						
3800	2.60	2.60			9.90B/2.50A	9.90B/2.50A	----			5.80 + 3.30	.0361	----	----	445	----		874 +	58						
3805	3.40	3.40			10.20B/3.40	10.20B/2.50A	----			6.00 + 3.50	.0373	----	----	1	----		10 +	1						
3810	8.70	8.70			10.10B/8.70	10.10B/2.60A	----			6.10 + 3.50	.0380	----	----	4	----		29 +	4						
3815	----	----			10.40B/----	10.40B/2.60A	----			6.20 + 3.60	.0387	----	----	----	----		21	UNCH						
3820	3.60	3.60			10.60B/2.60A	10.60B/2.60A	----			6.30 + 3.60	.0395	----	----	9	----		14 -	3						
3825	6.40	6.40			11.00/6.40	11.00/2.70A	----			6.40 + 3.70	.0402	----	----	125	----		71 -	61						
3830	6.30	6.30			10.80B/6.30	10.80B/2.70A	----			6.50 + 3.80	.0410	----	----	11	----		27	UNCH						
3835	6.50	6.50			11.00B/6.50	11.00B/2.80A	----			6.60 + 3.80	.0417	----	----	3	----		12 -	1						
3840	3.90	3.90			11.20B/3.90	11.20B/2.80A	----			6.70 + 3.90	.0425	----	----	1	----		40 +	1						
3845	4.00	4.00			11.40B/4.00	11.40B/2.90A	----			6.90 + 4.00	.0437	----	----	7	----		17 +	2						
3850	6.00	6.00			11.60B/6.00	11.60B/2.90A	----			7.00 + 4.10	.0445	----	----	7	----		231 +	2						
3855	7.80	7.80			11.80B/6.90	11.80B/3.00A	----			7.10 + 4.10	.0453	----	----	9	----		71 +	5						
3860	4.20	4.20			12.00B/4.20	12.00B/3.00A	----			7.20 + 4.20	.0461	----	----	42	----		59 -	2						
3865	4.30	4.30			12.20B/4.30	12.20B/3.00A	----			7.40 + 4.40	.0474	----	----	36	----		107 +	19						
3870	6.90	6.90			12.40B/6.90	12.40B/3.10A	----			7.50 + 4.40	.0482	----	----	21	----		27 +	10						
3875	7.80	7.80			12.70B/7.80	12.70B/3.20A	----			7.60 + 4.50	.0490	----	----	5	----		135 +	3						
3880	6.10	6.10			12.90B/6.10	12.90B/3.20A	----			7.80 + 4.60	.0503	----	----	31	----		46 +	1						
3885	7.20	7.20			13.10B/7.20	13.10B/3.30A	----			7.90 + 4.70	.0512	----	----	12	----		52 +	7						
3890	7.00	7.00			13.30B/7.00	13.30B/3.30A	----			8.10 + 4.80	.0525	----	----	34	----		47 +	24						
3895	9.10	9.10			13.60B/9.10	13.60B/3.40A	----			8.20 + 4.80	.0534	----	----	5	----		25 +	4						
3900	3.60	3.60			14.90/3.40A	14.90/3.40A	----			8.40 + 5.00	.0547	----	----	143	----		449 -	43						
3905	7.70	7.70			14.10B/7.70	14.10B/3.50A	----			8.50 + 5.00	.0556	----	----	28	----		34 +	15						
3910	7.10	7.10			14.50B/7.10	14.50B/3.60A	----			8.70 + 5.20	.0570	----	----	24	----		93 +	18						

GLOBEX				OPEN				OUTCRY				GLOBEX				OPEN				OUTCRY				OPEN				OUTCRY				SETT.PRICE				DELTA				EXER				OPEN				GLOBEX®				PNT				OPEN																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
OPEN				OPEN				RANGE				HIGH/LOW				HIGH/LOW				CLOSE				RANGE				& PT.CHGE.								CISES				VOLUME				VOLUME				VOLUME				INTEREST																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
OG PUT				COMEX				GOLD				OPTIONS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							



PRELIMINARY



PG64		BULLETIN #107@										METALS OPTION PRODUCTS										Fri, Jun 05, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT		COMEX GOLD OPTIONS																						
JUL26																								
5035	----	----			690.40B/----	690.40B/542.10A	----	----	----	671.00 + 38.30	.9833	----	----	----	----	37	UNCH							
5040	----	----			695.40B/----	695.40B/547.10A	----	----	----	676.00 + 38.40	.9834	----	----	----	----	10	UNCH							
5045	----	----			700.30B/----	700.30B/552.00A	----	----	----	680.90 + 38.40	.9835	----	----	----	----	5	UNCH							
5050	----	----			706.30B/----	706.30B/557.00A	----	----	----	685.90 + 38.40	.9843	----	----	----	----	79	UNCH							
5055	----	----			710.30B/----	710.30B/561.90A	----	----	----	690.90 + 38.50	.9844	----	----	----	----	3	UNCH							
5065	----	----			720.20B/----	720.20B/571.80A	----	----	----	700.80 + 38.50	.9852	----	----	----	----	11	UNCH							
5075	----	----			730.20B/----	730.20B/581.70A	----	----	----	710.70 + 38.50	.9853	----	----	----	----	6	UNCH							
5080	----	----			----	----	----	----	----	715.70 + 38.60	.9861	----	----	----	----	2	UNCH							
5085	----	----			740.10B/----	740.10B/591.60A	----	----	----	720.70 + 38.70	.9862	----	----	----	----	11	UNCH							
5090	----	----			745.10B/----	745.10B/596.60A	----	----	----	725.60 + 38.60	.9862	----	----	2	----	8	+							
5095	----	----			750.10B/----	750.10B/601.50A	----	----	----	730.60 + 38.70	.9863	----	----	----	----	42	UNCH							
5100	----	----			756.00B/----	756.00B/606.50A	----	----	----	735.60 + 38.70	.9871	----	----	2	----	107	-							
5105	----	----			760.00B/----	760.00B/611.40A	----	----	----	740.60 + 38.80	.9871	----	----	----	----	22	UNCH							
5110	----	----			765.00B/----	765.00B/616.40A	----	----	----	745.60 + 38.80	.9872	----	----	----	----	16	UNCH							
5115	----	----			770.00B/----	770.00B/621.40A	----	----	----	750.50 + 38.80	.9873	----	----	----	----	37	UNCH							
5120	----	----			774.90B/----	774.90B/626.30A	----	----	----	755.50 + 38.80	.9873	----	----	----	----	13	UNCH							
5125	----	----			779.90B/----	779.90B/631.30A	----	----	----	760.50 + 38.80	.9880	----	----	----	----	37	UNCH							
5130	----	----			784.90B/----	784.90B/636.20A	----	----	----	765.50 + 38.90	.9881	----	----	----	----	25	UNCH							
5135	----	----			789.90B/----	789.90B/641.20A	----	----	----	770.50 + 38.90	.9882	----	----	----	----	19	UNCH							
5140	----	----			794.90B/----	794.90B/646.20A	----	----	----	775.40 + 38.90	.9882	----	----	----	----	21	UNCH							
5145	----	----			799.80B/----	799.80B/651.10A	----	----	----	780.40 + 38.90	.9883	----	----	----	----	3	UNCH							
5150	----	----			805.80B/----	805.80B/656.10A	----	----	----	785.40 + 38.90	.9883	----	----	----	----	235	UNCH							
5155	----	----			809.80B/----	809.80B/661.10A	----	----	----	790.40 + 39.00	.9884	----	----	----	----	43	UNCH							
5160	----	----			814.80B/----	814.80B/666.00A	----	----	----	795.40 + 39.00	.9885	----	----	----	----	44	UNCH							
5170	----	----			824.70B/----	824.70B/676.00A	----	----	----	805.40 + 39.10	.9886	----	----	----	----	53	UNCH							
5175	----	----			829.70B/----	829.70B/681.00A	----	----	----	810.40 + 39.10	.9893	----	----	----	----	61	UNCH							
5180	----	----			834.70B/----	834.70B/685.90A	----	----	----	815.40 + 39.10	.9893	----	----	----	----	12	UNCH							
5185	----	----			840.70B/----	840.70B/690.90A	----	----	----	820.40 + 39.10	.9894	----	----	----	----	103	UNCH							
5190	----	----			844.70B/----	844.70B/695.90A	----	----	----	825.40 + 39.20	.9894	----	----	----	----	19	UNCH							
5200	----	----			854.60B/----	854.60B/705.80A	----	----	----	835.30 + 39.10	.9895	----	----	----	----	54	UNCH							
5225	----	----			879.60B/----	879.60B/730.70A	----	----	----	860.30 + 39.20	.9898	----	----	----	----	42	UNCH							
5230	----	----			----	----	----	----	----	865.30 + 39.30	.9898	----	----	----	----	2	UNCH							
5235	----	----			889.50B/----	889.50B/740.70A	----	----	----	870.30 + 39.30	.9898	----	----	----	----	23	UNCH							
5245	----	----			----	----	----	----	----	880.30 + 39.30	.9906	----	----	----	----	2	UNCH							
5250	----	----			904.50B/----	904.50B/755.60A	----	----	----	885.20 + 39.30	.9906	----	----	----	----	14	UNCH							
5255	----	----			909.50B/----	909.50B/760.60A	----	----	----	890.20 + 39.30	.9907	----	----	----	----	14	UNCH							
5285	----	----			----	----	----	----	----	920.10 + 39.30	.9915	----	----	----	----	2	UNCH							
5290	----	----			944.40B/----	944.40B/795.50A	----	----	----	925.10 + 39.40	.9916	----	----	----	----	4	UNCH							
5295	----	----			----	----	----	----	----	930.10 + 39.40	.9916	----	----	----	----	2	UNCH							
5300	----	----			954.40B/----	954.40B/805.40A	----	----	----	935.10 + 39.40	.9916	----	----	----	----	68	UNCH							
5315	----	----			969.40B/----	969.40B/820.40A	----	----	----	950.10 + 39.50	.9924	----	----	----	----	10	UNCH							
5325	----	----			----	----	----	----	----	960.00 + 39.40	.9924	----	----	----	----	2	UNCH							
5350	----	----			1,004.30B/----	1004.30B/855.30A	----	----	----	985.00 + 39.50	.9926	----	----	----	----	8	UNCH							
5375	----	----			1,029.20B/----	1029.20B/880.20A	----	----	----	1009.90 + 39.40	.9934	----	----	----	----	8	UNCH							
5390	----	----			1,044.20B/----	1044.20B/895.20A	----	----	----	1024.90 + 39.50	.9934	----	----	----	----	5	UNCH							
5400	----	----			1,059.00B/----	1059.00B/902.90A	----	----	----	1034.90 + 39.50	.9935	----	----	----	----	603	UNCH							
5440	----	----			----	----	----	----	----	1074.90 + 39.60	.9943	----	----	----	----	1	UNCH							
5475	----	----			1,129.10B/----	1129.10B/980.10A	----	----	----	1109.80 + 39.50	.9945	----	----	----	----	7	UNCH							
5500	----	----			1,154.10B/----	1154.10B/1005.10A	----	----	----	1134.80 + 39.60	.9946	----	----	----	----	3	UNCH							
5505	----	----			----	----	----	----	----	1139.80 + 39.60	.9946	----	----	----	----	1	UNCH							
5510	----	----			----	----	----	----	----	1144.80 + 39.60	.9946	----	----	----	----	1	UNCH							
7000	----	----			2,656.10B/----	2656.10B/2650.60A	----	----	----	2634.70 NEW	1.0000	202	----	302	----	0	UNCH							
TOTAL														12760	260	61259+	320							
AUG26																								
1995	----	----			----	0.10B/1.00A	----	----	----	0.10 UNCH	.0002	----	----	----	----	10	UNCH							
2000	0.20	0.20			0.30/0.20	0.30/0.20	----	----	----	0.10 UNCH	.0003	----	----	10	----	10	+							
2300	----	----			0.40B/----	0.40B/0.60A	----	----	----	0.40 + 0.10	.0012	----	----	----	----	45	UNCH							
2325	----	----			0.40B/----	0.40B/0.50A	----	----	----	0.40 + 0.10	.0012	----	----	----	----	1	UNCH							
2350	----	----			0.50B/----	0.50B/0.60A	----	----	----	0.50 + 0.20	.0015	----	----	5	----	26	+							
2375	----	----			0.50B/----	0.50B/0.60A	----	----	----	0.50 + 0.20	.0015	----	----	----	----	7	UNCH							
2400	----	----			0.60B/----	0.60B/0.60A	----	----	----	0.50 + 0.10	.0016	----	----	----	----	12	UNCH							
2425	----	----			0.70B/----	0.70B/0.60A	----	----	----	0.60 + 0.20	.0019	----	----	----	----	1	UNCH							
2450	0.60	0.60			0.70B/0.60	0.70B/0.60	----	----	----	0.60 + 0.20	.0019	----	----	2	----	58	+							
2475	----	----			0.80B/----	0.80B/0.70A	----	----	----	0.70 + 0.20	.0022	----	----	----	----	5	UNCH							
2500	----	----			0.90B/----	0.90B/0.70A	----	----	----	0.70 + 0.20	.0022	----	----	----	----	272	UNCH							
2570	----	----			1.10B/----	1.10B/0.80A	----	----	----	0.90 + 0.30	.0029	----	----	----	----	9	UNCH							
2580	----	----			1.10B/----	1.10B/0.90A	----	----	----	0.90 + 0.30	.0029	----	----	----	----	1	UNCH							
2590	----	----			1.20B/----	1.20B/0.90A	----	----	----	0.90 + 0.30	.0029	----	----	----	----	2	UNCH							
2600	1.00	1.00			1.20B/1.00	1.20B/0.90A	----	----	----	1.00 + 0.30	.0032	----	----	2	----	8	+							
2615	----	----			1.30B/----	1.30B/1.00A	----	----	----	1.00 + 0.30	.0033	----	----	----	----	1	UNCH							
2625	----	----			1.50B/----	1.50B/0.80A	----	----	----	1.00 + 0.30	.0033	----	----											

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT	COMEX GOLD OPTIONS														
AUG26	6.50	6.50		9.00B/6.50	9.00B/3.90A	----	6.30	+ 2.70	.0260	----	----	4	----	3	+
3410	----	----		9.50B/----	9.50B/4.00A	----	6.60	+ 2.80	.0274	----	----	----	20	1	UNCH
3430	----	----		10.00B/----	10.00B/4.20A	----	7.00	+ 3.00	.0292	----	----	----	6	1	UNCH
3450	----	----		10.20B/----	10.20B/4.30A	----	7.20	+ 3.20	.0301	----	----	----	6	1	UNCH
3460	----	----		10.30B/----	10.30B/4.40A	----	7.20	+ 3.10	.0302	----	----	----	6	1	UNCH
3465	----	----		10.50B/----	10.50B/4.40A	----	7.30	+ 3.20	.0307	----	----	----	1	1	UNCH
3470	----	----		10.90B/----	10.90B/4.60A	----	7.60	+ 3.30	.0320	----	----	----	1	1	UNCH
3485	----	----		11.20B/----	11.20B/4.70A	----	7.80	+ 3.40	.0329	----	----	----	1	1	UNCH
3495	5.00	5.00		11.30B/5.00	11.30B/4.70A	----	7.90	+ 3.50	.0334	----	----	15	867	+	15
3500	----	----		11.50B/----	11.50B/4.80A	----	8.10	+ 3.60	.0342	----	----	----	50	1	UNCH
3505	----	----		11.60B/----	11.60B/4.80A	----	8.20	+ 3.70	.0346	----	----	----	211	1	UNCH
3510	----	----		12.00B/----	12.00B/5.00A	----	8.40	+ 3.70	.0356	----	----	----	62	1	UNCH
3520	----	----		12.10B/----	12.10B/5.00A	----	8.50	+ 3.80	.0361	----	----	----	1	1	UNCH
3525	----	----		12.50B/----	12.50B/5.10A	----	8.70	+ 3.90	.0371	----	----	----	9	1	UNCH
3535	----	----		12.80B/----	12.80B/5.30A	----	9.00	+ 4.10	.0383	----	----	2	9	-	9
3545	8.90	8.90		12.90B/8.90	12.90B/5.30A	----	9.10	+ 4.10	.0388	----	----	10	152	-	1
3550	----	----		13.30B/----	13.30B/5.50A	----	9.30	+ 4.20	.0398	----	----	1	11	+	10
3560	----	----		13.40B/----	13.40B/5.50A	----	9.50	+ 4.30	.0406	----	----	----	1	1	UNCH
3565	----	----		13.70B/----	13.70B/5.60A	----	9.60	+ 4.40	.0412	----	----	----	32	1	UNCH
3570	13.00	13.00		13.80B/13.00	13.80B/5.70A	----	9.70	+ 4.40	.0417	----	26	----	13	-	8
3575	----	----		13.90B/----	13.90B/5.70A	----	9.90	+ 4.50	.0425	----	----	----	1	1	UNCH
3580	----	----		14.10B/----	14.10B/5.80A	----	10.00	+ 4.60	.0430	----	----	----	50	1	UNCH
3600	10.30	10.30		14.70B/10.30	14.70B/6.00A	----	10.40	+ 4.70	.0449	----	75	----	703	+	31
3605	----	----		14.90B/----	14.90B/6.10A	----	10.60	+ 4.90	.0457	----	----	----	1	1	UNCH
3610	14.30	14.30		15.10B/14.30	15.10B/6.20A	----	10.70	+ 4.90	.0463	----	1	----	2	+	1
3615	14.50	14.50		15.40B/14.50	15.40B/6.20A	----	10.90	NEW	.0471	----	1	----	1	+	1
3620	14.70	14.70		15.50B/14.70	15.50B/6.30A	----	11.00	NEW	.0477	----	1	----	1	+	1
3630	----	----		15.80B/----	15.80B/6.50A	----	11.30	+ 5.20	.0491	----	----	----	8	1	UNCH
3640	----	----		16.40B/----	16.40B/6.60A	----	11.70	+ 5.40	.0508	----	----	----	2	1	UNCH
3645	----	----		16.60B/----	16.60B/6.70A	----	11.80	+ 5.50	.0514	----	----	----	21	1	UNCH
3650	12.30	12.30		16.90B/12.30	16.90B/6.80A	----	12.00	+ 5.60	.0522	----	14	----	59	+	12
3655	12.30	12.30		17.20B/12.30	17.20B/6.90A	----	12.20	+ 5.70	.0531	----	2	----	57	+	2
3660	----	----		17.30B/----	17.30B/7.00A	----	12.40	+ 5.80	.0540	----	----	----	10	3	UNCH
3665	----	----		17.40B/----	17.40B/7.10A	----	12.60	+ 5.90	.0549	----	----	----	3	3	UNCH
3675	----	----		18.20B/----	18.20B/7.30A	----	12.90	+ 6.00	.0564	----	----	----	28	1	UNCH
3690	----	----		18.70B/----	18.70B/7.60A	----	13.50	+ 6.30	.0591	----	----	----	12	1	UNCH
3695	13.90	13.90		19.10B/13.90	19.10B/7.70A	----	13.70	NEW	.0600	----	1	----	1	+	1
3700	13.80	13.80		19.30B/13.80	19.30B/7.80A	----	13.90	+ 6.50	.0610	----	7	----	285	+	2
3705	----	----		19.60B/----	19.60B/7.90A	----	14.20	+ 6.70	.0622	----	----	----	21	1	UNCH
3715	----	----		20.20B/----	20.20B/8.10A	----	14.60	+ 6.90	.0640	----	----	----	30	1	UNCH
3720	18.50	18.50		20.80/18.50	20.80/8.20A	----	14.80	+ 7.00	.0650	----	6	----	7	+	5
3725	----	----		20.80B/----	20.80B/8.30A	----	15.10	+ 7.20	.0662	----	----	----	6	1	UNCH
3730	----	----		21.10B/----	21.10B/8.50A	----	15.30	+ 7.30	.0672	----	----	----	11	1	UNCH
3735	----	----		21.30B/----	21.30B/8.60A	----	15.50	+ 7.40	.0682	----	1	----	1	1	UNCH
3740	----	----		21.70B/----	21.70B/8.70A	----	15.80	+ 7.50	.0694	----	----	----	7	1	UNCH
3745	----	----		22.00B/----	22.00B/8.80A	----	16.00	+ 7.60	.0704	----	1	----	1	1	UNCH
3750	20.10	20.10		22.40B/20.10	22.40B/9.00A	----	16.30	+ 7.80	.0717	----	85	----	146	+	50
3755	----	----		22.60B/----	22.60B/9.10A	----	16.60	+ 8.00	.0729	----	----	----	1	1	UNCH
3760	----	----		23.00B/----	23.00B/9.20A	----	16.80	+ 8.00	.0739	----	----	----	1	1	UNCH
3765	----	----		23.40B/----	23.40B/9.40A	----	17.10	+ 8.20	.0752	----	----	----	108	1	UNCH
3770	15.30	15.30		23.70B/15.30	23.70B/9.50A	----	17.40	+ 8.40	.0765	----	12	----	14	+	10
3775	----	----		24.00B/----	24.00B/9.60A	----	17.60	+ 8.40	.0776	----	----	----	22	1	UNCH
3780	15.20	15.20		24.50B/15.20	24.50B/9.80A	----	17.90	+ 8.60	.0789	----	26	----	27	+	26
3785	18.90	18.90		24.70B/18.60	24.70B/9.90A	----	18.20	+ 8.80	.0802	----	2	----	2	+	1
3790	----	----		25.10B/----	25.10B/10.10A	----	18.50	+ 8.90	.0815	----	----	----	6	1	UNCH
3795	----	----		25.50B/----	25.50B/10.20A	----	18.80	+ 9.10	.0828	----	----	----	84	1	UNCH
3800	10.00	10.00		26.00/10.00	26.00/10.00	----	19.20	+ 9.30	.0845	----	348	----	823	+	224
3805	----	----		26.30B/----	26.30B/10.50A	----	19.50	+ 9.50	.0858	----	----	----	6	1	UNCH
3810	----	----		26.80B/----	26.80B/10.70A	----	19.80	+ 9.60	.0872	----	6	----	56	+	5
3815	----	----		27.20B/----	27.20B/10.90A	----	20.10	+ 9.70	.0885	----	1	----	159	1	UNCH
3820	----	----		27.50B/----	27.50B/11.00A	----	20.50	+ 10.00	.0902	----	----	----	52	1	UNCH
3825	----	----		28.00B/----	28.00B/11.20A	----	20.80	+ 10.10	.0915	----	2	----	69	+	1
3830	----	----		28.50B/----	28.50B/11.40A	----	21.20	+ 10.30	.0932	----	----	----	1	1	UNCH
3835	29.00	29.00		29.20B/29.00	29.20B/11.60A	----	21.50	+ 10.50	.0946	----	4	----	17	+	1
3840	----	----		29.30B/----	29.30B/11.70A	----	21.90	+ 10.70	.0963	----	----	----	13	1	UNCH
3845	----	----		30.10B/----	30.10B/11.90A	----	22.30	+ 10.90	.0980	----	----	----	14	1	UNCH
3850	----	----		30.20B/----	30.20B/12.10A	----	22.60	+ 11.00	.0994	----	8	----	178	+	3
3855	17.70	17.70		30.80B/17.10	30.80B/12.30A	----	23.00	+ 11.20	.1011	----	3	----	7	1	UNCH
3860	----	----		31.20B/----	31.20B/12.50A	----	23.40	+ 11.40	.1028	----	----	----	1	1	UNCH
3870	----	----		32.30B/----	32.30B/12.90A	----	24.30	+ 11.90	.1065	----	----	----	17	1	UNCH
3875	----	----		32.80B/----	32.80B/13.10A	----	24.70	+ 12.10	.1082	----	1	----	43	1	UNCH
3880	16.50	16.50		33.60B/16.50	33.60B/13.40A	----	25.10	+ 12.30	.1100	----	7	----	357	+	7
3885	----	----		34.10B/----	34.10B/13.60A	----	25.50	+ 12.50	.1118	----	----	----	94	1	UNCH
3890	----	----		34.40B/----	34.40B/13.80A	----	26.00	+ 12.80	.1138	----	----	----	73	1	UNCH
3895	----	----		35.00B/----	35.00B/14.00A	----	26.50	+ 13.10	.1158	----	----	----	14	1	UNCH
3900	15.00	15.00		35.50B/15.00	35.50B/14.10A	----	26.90	+ 13.20	.1176	----	419	----	2778	+	165
3905	20.90	20.90		36.30B/20.90	36.30B/14.50A	----	27.40	+ 13.50	.1197	----	2	----	24	+	1
3910	25.40	25.40		36.90B/25.40	36.90B/14.60A	----	27.90	+ 13.80	.1217	----	15	----	101	+	11
3915	----	----		37.50B/----	37.50B/14.80A	----	28.40	+ 14.00	.1238	----	----	----	59	1	UNCH
3920	----	----		38.10B/----	38.10B/15.10A	----	28.90	+ 14.30	.1259	----	2	----	66	+	2
3925	37.50	37.50		38.70B/37.50	38.70B/15.30A	----	29.40	+ 14.50	.1280	----	1	----	65	+	1
3930	----	----		39.30B/----	39.30B/15.60A	----	29.90	+ 14.70	.1301	----	----	----	62	1	UNCH
3935	23.30	23.30		40.00B/23.30	40.00B/15.80A	----	30.50	+ 15.10	.1324	----	13	----	25	+	12
3940	----	----		40.60B/----	40.60B/16.10A	----	31.00	+ 15.30	.1346	----	----	----	23	1	UNCH
3945	28.60	28.60		41.30B/28.60	41.30B/16.40A	----	31.60	+ 15.60	.1369	----	2	----	3	+	1
3950	20.70	20.70		42.00B/20.70	42.00B/16.70A	----	32.10	+ 15.80	.1391	----	21	----	257	+	7
3955	----	----		42.60B/----	42.60B/17.00A	----	32.70	+ 16.20	.1415	----	2	----	15	+	1
3960	----	----		43.30B/----	43.30B/17.30A	----	33.30	+ 16.50	.1439	----	----	----	20	1	UNCH
3965	----	----		44.00B/----	44.00B/17.60A	----	33.90	+ 16.80	.1463	----	----	----	40	1	UNCH
3970	----	----		44.80B/----	44.80B/17.90A	----	34.50	+ 17.00	.1488	----	1	----	12	+	1
3975	43.20	43.20		45.50B/43.20	45.50B/18.20A	----	35.20	+ 17.40	.1514	----	5	----	281	+	1
3980	----	----		46.20B/----	46.20B/18.40A	----	35.80	+ 17.70	.1539	----	4	----	2254	+	1
3985	----	----		47.00B/----	47.00B/18.80A	----	36.50	+ 18.10	.1566	----	1	----	3	-	1
3990	----	----		47.80B/----	47.80B/19.20A	----	37.10	+ 18.30	.1591	----	----	----	46	1	UNCH
3995	----	----		48.60B/----	48.60B/19.50A										

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS														
AUG26															
4210	58.30	58.30		99.40B/44.20A	99.40B/44.20A	----	----	83.50 + 39.20	.3208	----	----	21	----		23 + 18
4215	----	----		101.10B/45.10A	101.10B/45.10A	----	----	85.00 + 39.80	.3254	----	----	----	----		21 UNCH
4220	----	----		102.80B/46.00A	102.80B/46.00A	----	----	86.60 + 40.40	.3302	----	----	----	----		133 UNCH
4225	61.90	61.90		104.50B/47.00A	104.50B/47.00A	----	----	88.20 + 41.10	.3351	----	----	23	----		56 + 6
4230	63.10	63.10		106.30B/48.00A	106.30B/48.00A	----	----	89.80 + 41.70	.3399	----	----	2	----		41 UNCH
4235	93.50	93.50		108.10B/48.90A	108.10B/48.90A	----	----	91.40 + 42.30	.3447	----	----	6	----		8 UNCH
4240	88.20	88.20		109.90B/50.00A	109.90B/50.00A	----	----	93.10 + 43.00	.3497	----	----	1	----		40 + 1
4245	----	----		111.70B/51.00A	111.70B/51.00A	----	----	94.80 + 43.60	.3546	----	----	2	----		253 + 1
4250	77.60	77.60		113.70B/52.00A	113.70B/52.00A	----	----	96.50 + 44.30	.3596	----	----	101	----		1574 - 38
4255	----	----		115.50B/53.20A	115.50B/53.20A	----	----	98.30 + 45.00	.3647	----	----	1	----		892 + 1
4260	----	----		117.40B/54.20A	117.40B/54.20A	----	----	100.10 + 45.70	.3698	----	----	10	----		51 UNCH
4265	91.50	91.50		119.30B/55.30A	119.30B/55.30A	----	----	101.90 + 46.40	.3749	----	----	3	----		5 + 1
4270	100.10	100.10		121.30B/56.50A	121.30B/56.50A	----	----	103.70 + 47.00	.3800	----	----	3	----		228 + 1
4275	86.50	86.50		123.20B/57.50A	123.20B/57.50A	----	----	105.60 + 47.80	.3852	----	----	44	----		70 + 42
4280	103.50	103.50		125.40B/58.80A	125.40B/58.80A	----	----	107.50 + 48.50	.3904	----	----	25	----		375 + 8
4285	105.40	105.40		127.40B/60.00A	127.40B/60.00A	----	----	109.40 + 49.20	.3956	----	----	3	----		175 - 1
4290	81.10	81.10		129.40B/61.20A	129.40B/61.20A	----	----	111.40 + 49.90	.4009	----	----	5	----		71 + 3
4295	----	----		131.50B/62.50A	131.50B/62.50A	----	----	113.40 + 50.70	.4062	----	----	----	----		8 UNCH
4300	76.10	76.10		133.70B/63.70A	133.70B/63.70A	----	----	115.40 + 51.40	.4115	----	----	496	----		1151 - 181
4305	73.30	73.30		135.90B/65.10A	135.90B/65.10A	----	----	117.50 + 52.20	.4169	----	----	3	----		521 + 2
4310	103.20	103.20		138.20B/66.30A	138.20B/66.30A	----	----	119.50 + 52.80	.4222	----	----	12	----		21 + 9
4315	100.50	100.50		140.40B/67.70A	140.40B/67.70A	----	----	121.60 + 53.50	.4276	----	----	4	----		20 + 2
4320	----	----		142.70B/69.00A	142.70B/69.00A	----	----	123.80 + 54.40	.4331	----	----	----	----		58 UNCH
4325	----	----		144.90B/70.40A	144.90B/70.40A	----	----	125.90 + 55.00	.4385	----	----	40	----		340 + 9
4330	94.60	94.60		147.20B/71.90A	147.20B/71.90A	----	----	128.10 + 55.80	.4440	----	----	4	----		134 + 3
4335	----	----		149.60B/73.40A	149.60B/73.40A	----	----	130.40 + 56.60	.4494	----	----	1	----		10 - 1
4340	118.50	118.50		152.00B/74.90A	152.00B/74.90A	----	----	132.60 + 57.30	.4549	----	----	10	----		72 + 10
4345	----	----		154.40B/76.40A	154.40B/76.40A	----	----	134.90 + 58.10	.4604	----	----	2	----		9 + 2
4350	92.60	92.60		156.80B/78.00A	156.80B/78.00A	----	----	137.30 + 59.00	.4660	----	----	159	50		1225 + 104
4355	127.70	127.70		159.30B/79.50A	159.30B/79.50A	----	----	139.60 + 59.70	.4715	----	----	13	----		124 + 13
4360	102.80	102.80		161.60B/81.10A	161.60B/81.10A	----	----	142.00 + 60.50	.4770	----	----	4	----		85 + 2
4365	----	----		164.10B/82.70A	164.10B/82.70A	----	----	144.40 + 61.30	.4826	----	----	2	----		121 UNCH
4370	----	----		166.70B/84.40A	166.70B/84.40A	----	----	146.90 + 62.10	.4882	----	----	----	----		3 UNCH
4375	125.30	125.30		169.30B/86.10A	169.30B/86.10A	----	----	149.30 + 62.80	.4937	----	----	1	----		44 UNCH
4380	98.50	98.50		171.90B/87.80A	171.90B/87.80A	----	----	151.90 + 63.70	.4993	----	----	11	----		21 + 4
4385	----	----		174.60B/89.50A	174.60B/89.50A	----	----	154.40 + 64.40	.5049	----	----	----	----		14 UNCH
4390	140.00	140.00		177.30B/91.30A	177.30B/91.30A	----	----	157.00 + 65.30	.5104	----	----	3	----		41 + 1
4395	----	----		180.00B/93.10A	180.00B/93.10A	----	----	159.60 + 66.10	.5160	----	----	----	----		34 UNCH
4400	112.10	112.10		182.80B/94.90A	182.80B/94.90A	----	----	162.20 + 66.80	.5216	----	----	215	----		2105 + 147
4405	----	----		185.40B/96.70A	185.40B/96.70A	----	----	164.90 + 67.70	.5271	----	----	----	----		66 UNCH
4410	----	----		188.30B/98.80A	188.30B/98.80A	----	----	167.60 + 68.50	.5327	----	----	----	----		355 UNCH
4415	----	----		191.20B/100.50A	191.20B/100.50A	----	----	170.30 + 69.20	.5383	----	----	5	----		151 + 5
4420	----	----		193.90B/102.50A	193.90B/102.50A	----	----	173.10 + 70.10	.5438	----	----	----	----		29 UNCH
4425	----	----		196.90B/104.50A	196.90B/104.50A	----	----	175.90 + 70.90	.5493	----	----	----	----		101 UNCH
4430	----	----		199.70B/106.50A	199.70B/106.50A	----	----	178.70 + 71.70	.5548	----	----	----	----		53 UNCH
4435	163.20	163.20		202.80B/108.50A	202.80B/108.50A	----	----	181.50 + 72.40	.5604	----	----	2	----		33 + 1
4440	----	----		205.80B/110.60A	205.80B/110.60A	----	----	184.40 + 73.20	.5658	----	----	29	----		97 + 17
4445	127.40	127.40		208.80B/112.70A	208.80B/112.70A	----	----	187.30 + 74.00	.5713	----	----	3	----		9 UNCH
4450	148.00	148.00		211.90B/115.10A	211.90B/115.10A	----	----	190.30 + 74.90	.5768	----	----	4	----		1001 - 2
4455	----	----		214.90B/117.00A	214.90B/117.00A	----	----	193.30 + 75.70	.5822	----	----	----	----		274 UNCH
4460	----	----		218.00B/119.20A	218.00B/119.20A	----	----	196.30 + 76.50	.5876	----	----	----	----		37 UNCH
4465	----	----		221.10B/121.70A	221.10B/121.70A	----	----	199.30 + 77.30	.5930	----	----	2	----		59 UNCH
4470	----	----		224.20B/123.70A	224.20B/123.70A	----	----	202.40 + 78.10	.5984	----	----	----	----		118 UNCH
4475	151.60	151.60		227.50B/126.00A	227.50B/126.00A	----	----	205.50 + 78.90	.6037	----	----	133	----		233 - 6
4480	----	----		230.70B/128.30A	230.70B/128.30A	----	----	208.60 + 79.70	.6090	----	----	----	----		141 UNCH
4485	----	----		233.90B/130.70A	233.90B/130.70A	----	----	211.70 + 80.40	.6143	----	----	----	----		43 UNCH
4490	----	----		237.20B/133.30A	237.20B/133.30A	----	----	214.90 + 81.20	.6195	----	----	----	----		21 UNCH
4495	----	----		240.50B/135.50A	240.50B/135.50A	----	----	218.20 + 82.10	.6248	----	----	----	----		46 UNCH
4500	154.80	154.80		244.10B/138.10A	244.10B/138.10A	----	----	221.40 + 82.80	.6300	----	----	69	----		2066 - 9
4505	----	----		247.20B/140.50A	247.20B/140.50A	----	----	224.70 + 83.60	.6351	----	----	----	----		48 UNCH
4510	----	----		250.60B/143.20A	250.60B/143.20A	----	----	228.00 + 84.40	.6403	----	----	1	----		57 UNCH
4515	----	----		254.00B/145.50A	254.00B/145.50A	----	----	231.30 + 85.10	.6455	----	----	2	----		57 - 2
4520	----	----		257.40B/148.30A	257.40B/148.30A	----	----	234.70 + 85.90	.6505	----	----	1	----		267 UNCH
4525	----	----		260.90B/150.70A	260.90B/150.70A	----	----	238.10 + 86.70	.6555	----	----	231	----		255 + 225
4530	----	----		264.40B/153.30A	264.40B/153.30A	----	----	241.50 + 87.40	.6604	----	----	2	----		37 - 1
4535	----	----		267.90B/156.00A	267.90B/156.00A	----	----	244.90 + 88.10	.6653						

BULLETIN #107@				METALS OPTION PRODUCTS										Fri, Jun 05, 2026				PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT		COMEX GOLD OPTIONS																	
AUG26																			
4900	----	----		576.70B/423.50A	576.70B/423.50A	----			550.50 + 26.00	.9004	----	----	----	----		431	UNCH		
4905	----	----		581.40B/428.60A	581.40B/428.60A	----			555.20 + 26.40	.9020	----	----	----	----		29	UNCH		
4910	----	----		586.10B/432.70A	586.10B/432.70A	----			559.80 + 26.50	.9035	----	----	----	----		23	UNCH		
4920	----	----		595.50B/441.50A	595.50B/441.50A	----			569.20 + 27.10	.9067	----	----	----	----		3	UNCH		
4925	----	----		600.30B/446.00A	600.30B/446.00A	----			573.90 + 27.30	.9082	----	----	----	----		57	UNCH		
4930	----	----		604.90B/450.40A	604.90B/450.40A	----			578.60 + 27.60	.9094	----	----	----	----		11	UNCH		
4950	----	----		623.80B/468.80A	623.80B/468.80A	----			597.50 + 28.50	.9152	----	----	----	----		31	UNCH		
4955	----	----		628.60B/472.90A	628.60B/472.90A	----			602.30 + 28.80	.9167	----	----	----	----		1	UNCH		
4965	----	----		638.20B/481.80A	638.20B/481.80A	----			611.80 + 29.30	.9190	----	----	----	----		1	UNCH		
4980	----	----		652.40B/495.70A	652.40B/495.70A	----			626.00 + 29.80	.9228	----	----	----	----		1	UNCH		
5000	----	----		666.70B/514.00A	666.70B/514.00A	----			645.10 + 30.60	.9277	----	----	----	----		331	UNCH		
5010	----	----		671.60B/523.30A	671.60B/523.30A	----			654.70 + 31.00	.9299	----	----	----	----		1	UNCH		
5025	----	----		690.30B/537.50A	690.30B/537.50A	----			669.10 + 31.50	.9332	----	----	----	----		25	UNCH		
5030	----	----		691.10B/541.80A	691.10B/541.80A	----			673.90 + 31.60	.9339	----	----	----	----		1	UNCH		
5040	----	----		704.70B/551.50A	704.70B/551.50A	----			683.60 + 32.00	.9360	----	----	----	----		4	UNCH		
5045	----	----		709.60B/555.80A	709.60B/555.80A	----			688.40 + 32.10	.9371	----	----	----	----		31	UNCH		
5050	----	----		714.40B/560.50A	714.40B/560.50A	----			693.20 + 32.30	.9378	----	----	----	----		351	UNCH		
5070	----	----		733.70B/579.30A	733.70B/579.30A	----			712.60 + 32.90	.9412	----	----	----	----		17	UNCH		
5080	----	----		743.50B/588.70A	743.50B/588.70A	----			722.30 + 33.20	.9429	----	----	----	----		3	UNCH		
5085	----	----		748.40B/593.20A	748.40B/593.20A	----			727.10 + 33.20	.9440	----	----	----	----		10	UNCH		
5100	----	----		763.00B/607.60A	763.00B/607.60A	----			741.70 + 33.60	.9463	----	----	----	----		85	UNCH		
5120	----	----		778.40B/626.70A	778.40B/626.70A	----			761.20 + 34.10	.9492	----	----	----	----		2	UNCH		
5180	----	----		830.00B/684.20A	830.00B/684.20A	----			819.90 + 35.30	.9565	----	----	----	----		1	UNCH		
5200	----	----		860.80B/703.60A	860.80B/703.60A	----			839.50 + 35.60	.9584	----	----	----	----		114	UNCH		
5265	----	----		913.80B/----	913.80B/767.10A	----			903.50 + 36.50	.9644	----	----	----	----		1	UNCH		
5300	----	----		959.40B/800.90A	959.40B/800.90A	----			938.00 + 36.80	.9670	----	----	----	----		3	UNCH		
5355	----	----		986.80B/854.80A	986.80B/854.80A	----			992.40 + 37.30	.9707	----	----	----	----		1	UNCH		
5400	----	----		1,058.40B/899.1	1058.40B/899.10A	----			1037.00 + 37.60	.9733	----	----	----	----		77	UNCH		
5460	----	----				----			1096.50 + 38.00	.9764	----	----	----	----		1	UNCH		
5500	----	----		1,155.00B/----	1155.00B/1008.10A	----			1136.20 + 38.10	.9778	----	----	----	----		4	UNCH		
5530	----	----				----			1166.10 + 38.30	.9791	----	----	----	----		2	UNCH		
5575	----	----				----			1210.90 + 38.50	.9805	----	----	----	----		2	UNCH		
TOTAL																6109	160	52036+	3102
SEP26																			
2000	----	----		----	0.40B/0.80A	----			0.60 + 0.20	.0014	----	----	----	----		1	UNCH		
2350	----	----		1.10B/----	1.10B/1.20A	----			1.20 + 0.30	.0032	----	----	----	----		37	UNCH		
2375	----	----		1.10B/----	1.10B/1.30A	----			1.30 + 0.40	.0035	----	----	----	----		5	UNCH		
2400	----	----		1.20B/----	1.20B/1.30A	----			1.40 + 0.40	.0038	----	----	----	----		1	UNCH		
2500	----	----		1.60B/----	1.60B/1.60A	----			1.70 + 0.50	.0047	----	----	----	----		54	UNCH		
2575	----	----		1.90B/----	1.90B/1.70A	----			2.00 + 0.60	.0057	----	----	----	----		1	UNCH		
2600	2.00	2.00		2.00/2.00	2.00/1.80A	----			2.10 + 0.60	.0060	----	----	1	----		3 +	1		
2800	3.00	3.00		4.00/3.00	4.00/2.40A	----			3.10 + 1.00	.0093	----	----	6	----		10 +	6		
2850	----	----		3.90B/----	3.90B/2.60A	----			3.40 + 1.10	.0104	----	----	1	----		5 +	1		
2855	----	----		3.80B/----	3.80B/2.60A	----			3.50 NEW	.0106	----	----	2	----		1 +	1		
2860	----	----		3.90B/----	3.90B/2.70A	----			3.50 + 1.20	.0107	----	----	1	----		23	UNCH		
2865	----	----		4.00B/----	4.00B/2.70A	----			3.50 + 1.20	.0107	----	----	----	----		15	UNCH		
2900	----	----		4.30B/----	4.30B/2.90A	----			3.80 + 1.30	.0117	----	----	----	----		5	UNCH		
2915	----	----		4.40B/----	4.40B/2.90A	----			3.90 + 1.30	.0121	----	----	----	----		5	UNCH		
2920	----	----		4.40B/----	4.40B/3.00A	----			3.90 + 1.30	.0121	----	----	----	----		5	UNCH		
3000	5.80	5.80		5.80/5.80	5.80/3.40A	----			4.50 + 1.40	.0143	----	----	9	----		12 +	8		
3045	----	----		5.70B/----	5.70B/3.70A	----			4.90 + 1.60	.0158	----	----	----	----		25	UNCH		
3100	----	----		6.40B/----	6.40B/4.10A	----			5.50 + 1.80	.0179	----	----	----	----		25	UNCH		
3145	----	----		7.10B/----	7.10B/4.40A	----			6.00 + 2.00	.0198	----	----	----	----		15	UNCH		
3150	----	----		7.20B/----	7.20B/4.40A	----			6.10 + 2.10	.0201	----	----	----	----		2	UNCH		
3200	----	----		8.00B/----	8.00B/4.90A	----			6.80 + 2.40	.0227	----	----	----	----		16	UNCH		
3270	----	----		9.30B/----	9.30B/5.60A	----			7.90 + 2.80	.0268	----	----	----	----		15	UNCH		
3300	----	----		10.00B/----	10.00B/5.90A	----			8.40 + 3.00	.0287	----	----	----	----		15	UNCH		
3400	----	----		12.80B/----	12.80B/7.20A	----			10.60 + 4.00	.0368	----	----	----	----		51	UNCH		
3450	----	----		14.40B/----	14.40B/8.00A	----			11.90 + 4.50	.0417	----	----	----	----		1	UNCH		
3475	----	----		15.40B/----	15.40B/8.50A	----			12.70 + 4.80	.0446	----	----	----	----		2	UNCH		
3480	----	----		15.60B/----	15.60B/8.60A	----			12.80 + 4.80	.0450	----	----	----	----		780	UNCH		
3495	----	----		16.20B/----	16.20B/8.90A	----			13.30 + 5.10	.0469	----	----	----	----		1	UNCH		
3500	----	----		16.40B/----	16.40B/9.00A	----			13.50 + 5.20	.0476	----	----	14	----		340 +	10		
3515	----	----		17.10B/----	17.10B/9.30A	----			14.00 + 5.40	.0494	----	----	10	----		35 +	10		
3525	----	----		17.50B/----	17.50B/9.50A	----			14.40 + 5.50	.0509	----	----	----	----		2	UNCH		
3530	----	----		17.70B/----	17.70B/9.60A	----			14.50 + 5.50	.0513	----	----	----	----		1	UNCH		
3535	----	----		18.00B/----	18.00B/9.70A	----			14.70 + 5.60	.0520	----	----	----	----		6	UNCH		
3545	----	----		18.40B/----	18.40B/10.00A	----			15.10 + 5.80	.0535	----	----	----	----		6	UNCH		
3550	----	----		18.70B/----	18.70B/10.10A	----			15.30 + 5.90	.0542	----	----	----	----		6	UNCH		
3555	----	----		18.90B/----	18.90B/10.20A	----			15.50 + 6.00	.0549	----	----	----	----		6	UNCH		
3565	----	----		19.40B/----	19.40B/10.40A	----			15.90 + 6.10	.0564	----	----	----	----		3	UNCH		
3570	----	----		19.70B/----	19.70B/10.50A	----			16.10 + 6.20	.0572	----	----	----	----		1	UNCH		
3575	18.10	18.10		20.30/18.10	20.30/10.70A	----			16.30 + 6.30	.0579	----	----	31	----		56 -	8		
3585	----	----		20.50B/----	20.50B/10.90A	----			16.80 + 6.50	.0596	----	----	----	----		1	UNCH		
3590	----	----		20.80B/----	20.80B/11.00A	----			17.00 + 6.60	.0604	----	----	1	----		3 -	1		
3595	----	----		21.00B/----	21.00B/11.20A	----			17.20 + 6.70	.0611	----	----	----	----		5	UNCH		
3600	----	----		22.10B/----	22.10B/11.30A	----			17.40 + 6.70	.0619	----	----	1	----		93	UNCH		
3605	----	----		22.40B/----	22.40B/11.50A	----			17.70 + 6.90	.0629	----	----	----	----		9	UNCH		
3610	----	----		22.70B/----	22.70B/11.60A	----			17.90 + 7.00	.0637	----	----	----	----		8	UNCH		
3625	----	----		23.60B/----	23.60B/12.00A	----			18.70 + 7.40	.0665	----	----	----	----		7	UNCH		
3635	----	----		24.20B/----	24.20B/12.30A	----			19.20 + 7.60	.0683	----	----	----	----		5	UNCH		
3650	25.90	25.90		25.90/25.90	25.90/12.80A	----			20.00 + 7.90	.0712	----	----	40	----		65 +	17		
3665	----	----		26.20B/----	26.20B/13.30A	----			20.80 + 8.20	.0741	----	----	----	----		1	UNCH		
3670	----	----		26.50B/----	26.50B/13.40A	----			21.10 + 8.40	.0751	----	----	2	----		3 +	2		
3675	----	----		26.90B/----	26.90B/13.60A	----			21.40 + 8.50	.0762	----	----	----	----		10	UNCH		
3680	----	----		27.30B/----	27.30B/13.80A	----			21.70 + 8.60	.0772	----	----	----	----		3	UNCH		
3685	----	----		27.60B/----	27.60B/14.00A	----			22.00 + 8.80	.0783	----	----	----	----		1	UNCH		
3690	----	----		28.00B/----	28.00B/14.10A	----			22.30 + 8.90	.0794	----	----	----	----		61	UNCH		
3700	16.70	16.70		28.80B/16.70	28.80B/14.50A	----			22.90 + 9.10	.0815	----	----	5	----		171 +	5		
3715	----	----		30.00B/----	30.00B/15.10A	----			23.90 + 9.60	.0850	----	----	----	----		14	UNCH		
3720	----	----		30.40B/----	30.40B/15.30A	----			24.30 + 9.80	.0863	----	----	----	----		50	UNCH		
3																			

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS													
SEP26	----	----	----	79.50B/----	79.50B/41.10A	----	----	67.90 + 28.00	.2221	----	----	----	----	15	UNCH
4060	----	----	----	80.70B/----	80.70B/41.80A	----	----	68.90 + 28.40	.2250	----	----	1	----	27	+
4065	----	----	----	81.90B/----	81.90B/42.40A	----	----	70.00 + 28.80	.2280	----	----	----	----	13	UNCH
4070	----	----	----	83.00B/----	83.00B/43.10A	----	----	71.10 + 29.20	.2310	----	----	----	----	22	UNCH
4075	----	----	----	84.20B/----	84.20B/43.80A	----	----	72.20 + 29.60	.2341	----	1	----	----	8	+
4080	----	----	----	85.50B/----	85.50B/44.50A	----	----	73.30 + 30.00	.2371	----	----	----	----	76	UNCH
4085	----	----	----	86.70B/----	86.70B/45.20A	----	----	74.50 + 30.50	.2403	----	----	----	----	38	UNCH
4090	----	----	----	87.50B/----	87.50B/45.90A	----	----	75.60 + 30.90	.2434	----	----	----	----	1	UNCH
4095	----	----	----	89.30B/----	89.30B/46.60A	----	----	76.80 + 31.40	.2466	----	3	----	----	189	+
4100	----	----	----	90.10B/----	90.10B/47.40A	----	----	78.00 + 31.80	.2498	----	----	----	----	1	UNCH
4105	----	----	----	91.30B/----	91.30B/48.10A	----	----	79.20 + 32.30	.2530	----	----	----	----	1	UNCH
4110	----	----	----	93.20B/----	93.20B/48.90A	----	----	80.40 + 32.70	.2562	----	----	----	----	28	UNCH
4115	----	----	----	94.00B/----	94.00B/49.70A	----	----	81.70 + 33.20	.2596	----	----	----	----	1	UNCH
4120	----	----	----	96.00B/----	96.00B/50.50A	----	----	83.00 + 33.70	.2629	----	5	----	----	11	-
4125	----	----	----	97.30B/----	97.30B/51.30A	----	----	84.30 + 34.20	.2663	----	----	----	----	21	UNCH
4130	----	----	----	98.70B/----	98.70B/52.10A	----	----	85.60 + 34.60	.2697	----	----	----	----	4	UNCH
4135	----	----	----	99.50B/----	99.50B/53.00A	----	----	86.90 + 35.10	.2730	----	----	----	----	1	UNCH
4140	90.60	90.60		101.70B/90.60	101.70B/53.80A			88.20 + 35.50	.2764		25			28	+
4145	----	----	----	103.10B/----	103.10B/54.70A	----	----	89.60 + 36.10	.2799	----	2	----	----	40	UNCH
4150	----	----	----	103.90B/----	103.90B/55.60A	----	----	91.00 + 36.60	.2835	----	----	----	----	2	UNCH
4155	----	----	----	106.00B/----	106.00B/56.50A	----	----	92.40 + 37.10	.2870	----	----	----	----	27	UNCH
4160	----	----	----	107.70B/----	107.70B/57.40A	----	----	93.80 + 37.50	.2905	----	----	----	----	27	UNCH
4165	----	----	----	108.40B/----	108.40B/58.30A	----	----	95.20 + 38.00	.2941	----	----	----	----	1	UNCH
4170	----	----	----	110.60B/----	110.60B/59.30A	----	----	96.70 + 38.60	.2977	----	1	----	----	3	UNCH
4175	----	----	----	112.30B/----	112.30B/60.20A	----	----	98.20 + 39.10	.3014	----	----	----	----	3	UNCH
4180	----	----	----	113.90B/----	113.90B/61.30A	----	----	99.70 + 39.60	.3050	----	----	----	----	79	UNCH
4185	----	----	----	114.80B/----	114.80B/62.20A	----	----	101.20 + 40.10	.3087	----	----	----	----	1	UNCH
4190	----	----	----	116.40B/----	116.40B/63.20A	----	----	102.70 + 40.60	.3124	----	----	1	----	1	UNCH
4195	93.00	93.00		119.10B/93.00	119.10B/64.30A			104.30 + 41.10	.3161		4			703	-
4200	----	----	----	120.50B/----	120.50B/65.30A	----	----	105.90 + 41.70	.3199	----	----	----	----	10	UNCH
4205	----	----	----	122.20B/----	122.20B/66.40A	----	----	107.50 + 42.20	.3237	----	----	----	----	4	UNCH
4210	----	----	----	124.00B/----	124.00B/67.50A	----	----	109.10 + 42.70	.3275	----	----	----	----	50	UNCH
4215	----	----	----	125.50B/----	125.50B/68.50A	----	----	110.80 + 43.30	.3314	----	----	----	----	114	UNCH
4220	----	----	----	127.40B/----	127.40B/69.70A	----	----	112.40 + 43.80	.3352	----	1	----	----	3	UNCH
4225	----	----	----	129.20B/----	129.20B/70.80A	----	----	114.10 + 44.40	.3391	----	----	----	----	29	UNCH
4230	----	----	----	130.30B/----	130.30B/72.00A	----	----	115.80 + 44.90	.3430	----	----	----	----	1	UNCH
4235	----	----	----	132.90B/----	132.90B/73.10A	----	----	117.60 + 45.50	.3470	----	----	----	----	106	UNCH
4240	----	----	----	134.00B/----	134.00B/74.20A	----	----	119.30 + 46.00	.3509	----	----	----	----	1	UNCH
4245	----	----	----	136.80B/----	136.80B/75.50A	----	----	121.10 + 46.60	.3549	----	134	----	----	696	-
4250	----	----	----	138.50B/----	138.50B/76.70A	----	----	122.90 + 47.20	.3589	----	----	----	----	10	UNCH
4255	----	----	----	140.40B/----	140.40B/77.90A	----	----	124.70 + 47.70	.3629	----	----	----	----	100	UNCH
4260	----	----	----	144.30B/----	144.30B/80.50A	----	----	128.50 + 49.00	.3711	----	----	----	----	42	UNCH
4270	131.80	131.80		146.20B/131.80	146.20B/81.80A			130.30 + 49.50	.3751		3			32	UNCH
4275	----	----	----	148.30B/----	148.30B/83.30A	----	----	132.30 + 50.10	.3792	----	----	----	----	1	UNCH
4280	----	----	----	150.30B/----	150.30B/84.50A	----	----	134.20 + 50.70	.3833	----	----	----	----	13	UNCH
4285	----	----	----	152.40B/----	152.40B/85.90A	----	----	136.20 + 51.30	.3875	----	----	----	----	10	UNCH
4290	----	----	----	154.50B/----	154.50B/87.30A	----	----	138.10 + 51.80	.3916	----	----	----	----	4	UNCH
4295	----	----	----	156.80B/----	156.80B/88.70A	----	----	140.10 + 52.40	.3958	----	40	----	----	735	+
4300	----	----	----	158.80B/----	158.80B/90.10A	----	----	142.20 + 53.10	.4000	----	----	----	----	15	UNCH
4305	----	----	----	160.80B/----	160.80B/91.60A	----	----	144.20 + 53.60	.4042	----	----	----	----	1	UNCH
4310	----	----	----	163.10B/----	163.10B/93.00A	----	----	146.30 + 54.20	.4084	----	1	----	----	70	-
4315	----	----	----	165.30B/----	165.30B/94.60A	----	----	148.40 + 54.80	.4126	----	1	----	----	168	UNCH
4320	----	----	----	167.40B/----	167.40B/96.10A	----	----	150.50 + 55.40	.4169	----	4	----	----	56	UNCH
4325	----	----	----	169.80B/----	169.80B/97.60A	----	----	152.70 + 56.10	.4211	----	----	----	----	1	UNCH
4330	----	----	----	174.30B/----	174.30B/100.70A	----	----	157.00 + 57.20	.4297	----	----	----	----	50	UNCH
4335	----	----	----	176.60B/----	176.60B/102.30A	----	----	159.30 + 57.90	.4340	----	1	----	----	20	+
4340	----	----	----	179.00B/----	179.00B/104.00A	----	----	161.50 + 58.50	.4383	----	9	----	----	143	UNCH
4345	----	----	----	181.40B/----	181.40B/105.60A	----	----	163.80 + 59.10	.4426	----	----	----	----	7	UNCH
4350	----	----	----	183.80B/----	183.80B/107.30A	----	----	166.10 + 59.70	.4469	----	2	----	----	54	UNCH
4355	----	----	----	186.20B/----	186.20B/109.00A	----	----	168.40 + 60.30	.4512	----	----	----	----	6	UNCH
4360	----	----	----	191.10B/----	191.10B/112.50A	----	----	173.10 + 61.60	.4599	----	----	----	----	63	UNCH
4365	----	----	----	193.60B/----	193.60B/114.20A	----	----	175.50 + 62.20	.4643	----	----	----	----	95	UNCH
4370	----	----	----	196.10B/----	196.10B/116.00A	----	----	177.90 + 62.80	.4686	----	----	----	----	2	UNCH
4375	----	----	----	198.60B/----	198.60B/117.80A	----	----	180.30 + 63.40	.4730	----	2	----	----	43	UNCH
4380	----	----	----	201.20B/----	201.20B/119.70A	----	----	182.80 + 64.10	.4773	----	----	----	----	52	UNCH
4385	----	----	----	204.00B/----	204.00B/121.50A	----	----	185.20 + 64.60	.4817	----	46	50		899	+
4390	----	----	----	206.20B/----	206.20B/123.40A	----	----	187.80 + 65.30	.4861	----	----	----	----	42	UNCH
4395	----	----	----	208.90B/----	208.90B/125.20A	----	----	190.30 + 65.90	.4904	----	----	----	----	6	UNCH
4400	----	----	----	211.60B/----	211.60B/127.20A	----	----	192.80 + 66.50	.4948	----	----	----	----	3	UNCH
4405	----	----	----	214.30B/----	214.30B/129.10A	----	----	195.40 + 67.10	.4992	----	----	----	----	4	UNCH
4410	----	----	----	217.00B/----	217.00B/131.20A	----	----	198.00 + 67.70	.5035	----	----	----	----	201	UNCH
4415	198.90	198.90		219.70B/198.90	219.70B/133.20A			200.70 + 68.40	.5079		7			11	+
4420	----	----	----	222.50B/----	222.50B/135.20A	----	----	203.30 + 69.00	.5122	----	----	----	----	2	UNCH
4425	----	----	----	225.30B/----	225.30B/137.30A	----	----	206.00 + 69.60	.5166	----	----	----	----	9	UNCH
4430	----	----	----	228.00B/----	228.00B/139.20A	----	----	208.70 + 70.20	.5210	----	----	----	----	5	UNCH
4435	197.20	197.20		231.00B/195.60	231.00B/141.50A			211.50 + 70.90	.5253		19			458	+
4440	----	----	----	233.50B/----	233.50B/143.60A	----	----	214.20 + 71.50	.5296	----	----	----	----	4	UNCH
4445	----	----	----	239.30B/----	239.30B/147.80A	----	----	219.80 + 72.80	.5382	----	----	----	----	2	UNCH
4450	----	----	----	242.40B/----	242.40B/150.10A	----	----	222.70 + 73.50	.5425	----	----	----	----	5	UNCH
4455	----	----	----	245.50B/----	245.50B/152.20A	----	----	225.60 + 74.10	.5468	----	36	----	----	38	+
4460	----	----	----	248.30B/----	248.30B/154.60A	----	----	228.40 + 74.70	.5511	----	3	----	----	6	+
4465	----	----	----	251.10B/----	251.10B/156.90A	----	----	231.40 + 75.40	.5554	----	----	----	----	6	UNCH
4470	----	----	----	254.40B/----	254.40B/159.20A	----	----	234.30 + 76.00	.5597	----	----	----	----	50	UNCH
4475	186.90	186.90		257.30B/----	257.30B/161.50A			237.20 + 76.60	.5639		----	----	----	4	UNCH
4480	----	----	----	260.80B/186.90	260.80B/163.70A			240.20 + 77.20	.5682	----	35	----	----	636	+
4485	----	----	----	263.30B/----	263.30B/166.10A	----	----	243.20 + 77.80	.5724	----	----	----	----	3	UNCH
4490	----	----	----	266.40B/----	266.40B/168.50A	----	----	246.20 + 78.40	.5767	----	----	----	----	11	UNCH
4495	----	----	----	269.60B/----	269.60B/170.90A	----	----	249.30 + 79.10	.5808	----	----	----	----	3	UNCH
4500	----	----	----	273.00B/----	273.00B/173.30A	----	----	252.30 + 79.70	.5850	----	----	----	----	118	UNCH
4505	----	----	----	276.10B/----	276.10B/175.80A	----	----	255.40 + 80.30	.5892	----	----	----	----	50	UNCH
4510	----	----	----	279.30B/----	279.30B/178.30A	----	----	258.50 + 80.90	.5934	----	3	----	----	24	-
4515	----	----	----	284.30B/----	284.30B/183.40A	----	----	264.80 + 82.10	.6017	----	----	----	----	4	UNCH
4520	----	----	----	289.20B/----	289.20B/185.90A	----	----	267.90 + 82.60	.6058	----	----	----	----	21	UNCH
4525	238.90	238.90		292.80B/----</											

PG64		BULLETIN #107@										METALS OPTION PRODUCTS										Fri, Jun 05, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST					
OG PUT		COMEX GOLD OPTIONS																						
SEP26																								
4805	----	----	----	----	484.10B/----	484.10B/352.50A	----	461.50	+ 10.00	.7836	----	----	----	----	----	----	9	UNCH						
4825	----	----	----	----	500.90B/----	500.90B/367.40A	----	478.20	+ 11.60	.7939	----	----	----	----	----	----	2	UNCH						
4830	----	----	----	----	505.40B/----	505.40B/371.20A	----	482.40	+ 12.00	.7965	----	----	----	----	----	----	10	UNCH						
4835	----	----	----	----	509.50B/----	509.50B/375.10A	----	486.60	+ 12.40	.7991	----	----	----	----	----	----	30	UNCH						
4855	----	----	----	----	526.80B/----	526.80B/390.80A	----	503.60	+ 13.80	.8088	----	----	----	----	----	----	14	UNCH						
4860	----	----	----	----	531.10B/----	531.10B/394.70A	----	507.90	+ 14.20	.8110	----	----	----	----	----	----	11	UNCH						
4875	----	----	----	----	543.90B/----	543.90B/406.40A	----	520.80	+ 15.30	.8181	----	----	----	----	----	----	8	UNCH						
4885	----	----	----	----	552.90B/----	552.90B/414.20A	----	529.50	+ 16.00	.8226	----	----	----	----	----	----	4	UNCH						
4895	----	----	----	----	561.70B/----	561.70B/422.50A	----	538.20	+ 16.70	.8268	----	----	----	----	----	----	1	UNCH						
4900	----	----	----	----	565.80B/----	565.80B/426.50A	----	542.50	+ 16.90	.8290	----	----	----	----	----	----	25	UNCH						
4915	----	----	----	----	579.20B/----	579.20B/438.60A	----	555.70	+ 17.90	.8353	----	----	----	----	----	----	1	UNCH						
4930	----	----	----	----	592.40B/----	592.40B/450.70A	----	569.00	+ 18.90	.8414	----	----	----	----	----	----	20	UNCH						
4950	----	----	----	----	610.50B/----	610.50B/467.40A	----	586.80	+ 20.10	.8490	----	----	----	----	----	----	1	UNCH						
4955	----	----	----	----	615.00B/----	615.00B/471.60A	----	591.20	+ 20.30	.8509	----	----	----	----	----	----	1	UNCH						
4975	----	----	----	----	633.20B/----	633.20B/488.60A	----	609.20	+ 21.50	.8580	----	----	----	----	----	----	220	UNCH						
5000	----	----	----	----	656.10B/----	656.10B/509.80A	----	631.90	+ 22.80	.8663	----	----	----	----	----	----	13	UNCH						
5005	----	----	----	----	660.60B/----	660.60B/514.10A	----	636.50	+ 23.10	.8679	----	----	----	----	----	----	3	UNCH						
5020	----	----	----	----	674.50B/----	674.50B/527.00A	----	650.20	+ 23.90	.8725	----	----	----	----	----	----	3	UNCH						
5060	----	----	----	----	711.30B/----	711.30B/562.20A	----	687.10	+ 25.80	.8842	----	----	----	----	----	----	4	UNCH						
5100	----	----	----	----	748.60B/----	748.60B/597.80A	----	724.20	+ 27.30	.8949	----	----	----	----	----	----	28	UNCH						
5105	----	----	----	----	753.30B/----	753.30B/602.30A	----	728.80	+ 27.40	.8964	----	----	----	----	----	----	2	UNCH						
5150	----	----	----	----	792.40B/----	792.40B/643.20A	----	770.90	+ 28.80	.9075	----	----	----	----	----	----	2	UNCH						
5200	----	----	----	----	840.00B/----	840.00B/689.00A	----	818.30	+ 30.30	.9176	----	----	----	----	----	----	45	UNCH						
5230	----	----	----	----	868.80B/----	868.80B/716.70A	----	847.30	+ 31.50	.9222	----	----	----	----	----	----	400	UNCH						
5300	----	----	----	----	935.80B/----	935.80B/782.60A	----	914.70	+ 33.20	.9328	----	----	----	----	----	----	300	UNCH						
5400	----	----	----	----	1,029.80B/----	1029.80B/878.00A	----	1011.80	+ 35.10	.9449	----	----	----	----	----	----	100	UNCH						
5420	----	----	----	----	1,049.30B/----	1049.30B/897.20A	----	1031.30	+ 35.40	.9468	----	----	----	----	----	----	80	UNCH						
5450	----	----	----	----	1,069.90B/----	1069.90B/926.10A	----	1060.70	+ 35.80	.9497	----	----	----	----	----	----	1	UNCH						
5500	----	----	----	----	1,127.60B/----	1127.60B/974.50A	----	1109.70	+ 36.40	.9539	----	----	----	----	----	----	3	UNCH						
6000	----	----	----	----	----	----	----	1605.00	+ 39.50	.9774	----	----	----	----	----	----	2	UNCH						
TOTAL																877	150	17444+	279					
OCT26																								
1500	0.10	0.10	0.10/0.10	0.10/0.10	0.10/0.10	0.10/0.10	----	0.10	UNCH	.0002	----	----	----	----	1	----	----	2	UNCH					
2000	1.40	1.40	1.40/1.40	1.40/1.30A	----	----	----	1.00	+ 0.20	.0023	----	----	----	----	1	----	----	1	+	1				
2200	1.90	1.90	1.90/1.90	1.90/1.50A	----	----	----	1.50	NEW	.0036	----	----	----	----	1	----	----	2	+	1				
2675	----	----	3.70B/----	3.70B/3.20A	----	----	----	3.70	+ 1.00	.0099	----	----	----	----	----	----	75	UNCH						
2700	----	----	3.90B/----	3.90B/3.30A	----	----	----	3.90	+ 1.10	.0105	----	----	----	----	----	----	2	+	1					
2800	6.00	6.00	6.00/6.00	6.00/3.80A	----	----	----	4.70	+ 1.30	.0129	----	----	----	----	2	----	----	10	+	2				
2900	----	----	6.00B/----	6.00B/4.50A	----	----	----	5.70	+ 1.70	.0160	----	----	----	----	----	----	2	UNCH						
3000	----	----	7.50B/----	7.50B/5.40A	----	----	----	6.90	NEW	.0198	----	----	----	----	1	----	1	+	1					
3050	----	----	8.40B/----	8.40B/5.90A	----	----	----	7.60	+ 2.30	.0221	----	----	----	----	----	----	2	UNCH						
3100	----	----	9.40B/----	9.40B/6.50A	----	----	----	8.40	+ 2.50	.0246	----	----	----	----	----	----	1	UNCH						
3125	----	----	9.90B/----	9.90B/6.80A	----	----	----	8.80	+ 2.60	.0260	----	----	----	----	----	----	100	UNCH						
3155	----	----	10.60B/----	10.60B/7.20A	----	----	----	9.40	+ 2.90	.0278	----	----	----	----	----	----	1	UNCH						
3190	----	----	11.50B/----	11.50B/7.70A	----	----	----	10.10	+ 3.10	.0301	----	----	----	----	----	----	14	UNCH						
3200	----	----	11.70B/----	11.70B/7.80A	----	----	----	10.30	+ 3.10	.0308	----	----	----	----	----	----	414	UNCH						
3240	----	----	12.80B/----	12.80B/8.40A	----	----	----	11.30	+ 3.50	.0339	----	----	----	----	----	----	5	UNCH						
3300	15.20	15.20	15.20/15.20	15.20/9.40A	----	----	----	12.80	+ 4.00	.0387	----	----	----	----	1	----	418	+	1					
3340	----	----	16.20B/----	16.20B/10.20A	----	----	----	14.10	+ 4.50	.0428	----	----	----	----	----	----	9	UNCH						
3360	----	----	17.00B/----	17.00B/10.70A	----	----	----	14.70	+ 4.70	.0447	----	----	----	----	----	----	1	UNCH						
3380	----	----	17.80B/----	17.80B/11.10A	----	----	----	15.40	+ 5.00	.0469	----	----	----	----	----	----	1	UNCH						
3385	----	----	18.00B/----	18.00B/11.20A	----	----	----	15.60	+ 5.10	.0475	----	----	----	----	----	----	1	UNCH						
3390	----	----	18.20B/----	18.20B/11.40A	----	----	----	15.80	+ 5.10	.0481	----	----	----	----	----	----	4	UNCH						
3400	----	----	18.70B/----	18.70B/11.60A	----	----	----	16.10	+ 5.20	.0492	----	----	----	----	----	----	150	UNCH						
3430	----	----	20.10B/----	20.10B/12.40A	----	----	----	17.30	+ 5.70	.0529	----	----	----	----	----	----	1	UNCH						
3480	----	----	22.70B/----	22.70B/13.90A	----	----	----	19.50	+ 6.50	.0598	----	----	----	----	----	----	12	UNCH						
3500	----	----	23.90B/----	23.90B/14.50A	----	----	----	20.50	+ 6.90	.0628	----	----	----	----	----	----	884	UNCH						
3510	----	----	24.50B/----	24.50B/14.80A	----	----	----	21.00	+ 7.10	.0644	----	----	----	----	----	----	1	UNCH						
3520	----	----	25.10B/----	25.10B/15.10A	----	----	----	21.50	+ 7.30	.0659	----	----	----	----	----	----	12	UNCH						
3530	----	----	25.70B/----	25.70B/15.50A	----	----	----	22.00	+ 7.40	.0675	----	----	----	----	----	----	5	UNCH						
3550	----	----	27.00B/----	27.00B/16.20A	----	----	----	23.20	+ 7.90	.0711	----	----	----	----	----	----	25	UNCH						
3560	----	----	27.70B/----	27.70B/16.60A	----	----	----	23.80	+ 8.20	.0729	----	----	----	----	----	----	2	UNCH						
3565	----	----	28.10B/----	28.10B/16.80A	----	----	----	24.00	+ 8.20	.0736	----	----	----	----	----	----	1	UNCH						
3570	----	----	28.40B/----	28.40B/16.90A	----	----	----	24.40	+ 8.40	.0747	----	----	----	----	----	----	1	UNCH						
3585	----	----	29.50B/----	29.50B/17.50A	----	----	----	25.30	+ 8.70	.0775	----	----	----	----	----	----	41	UNCH						

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
COMEX GOLD OPTIONS															
OG PUT															
OCT26															
159.00	159.00		175.10B/159.00	175.10B/110.60A	----			159.10	NEW	.3856	----	----	1	----	1 +
152.20	152.20		177.20B/152.20	177.20B/112.10A	----			161.20	+ 52.10	.3892	----	----	1	----	198 +
4300			186.00B/----	186.00B/118.10A	----			169.50	+ 54.20	.4036	----	242	728	+	10
175.40	175.40		190.10B/175.40	190.10B/121.70A	----			173.70	+ 55.20	.4108	----		2	+	1
181.80	181.80		197.00B/181.80	197.00B/126.70A	----			180.30	NEW	.4218	----	7	7	+	7
4330			199.30B/----	199.30B/128.50A	----			182.60	+ 57.40	.4255	----	1	2	+	1
137.40	137.40		206.50B/133.70A	206.50B/133.70A	----			189.40	+ 59.00	.4365	----	6	26	+	6
4350			209.00B/----	209.00B/135.20A	----			191.80	+ 59.60	.4402	----	----	291		UNCH
4355			211.30B/----	211.30B/137.20A	----			194.10	+ 60.10	.4439	----	----	11		UNCH
4360			213.60B/----	213.60B/139.10A	----			196.50	+ 60.70	.4476	----	----	3		UNCH
4365			216.20B/----	216.20B/141.10A	----			198.90	NEW	.4513	----	1	1	+	1
4370			218.70B/----	218.70B/143.00A	----			201.30	+ 61.80	.4551	----	----	2		UNCH
4375			221.00B/----	221.00B/144.70A	----			203.70	+ 62.30	.4588	----	----	13		UNCH
4380			223.50B/----	223.50B/146.80A	----			206.20	+ 62.90	.4625	----	----	2		UNCH
4385			226.20B/----	226.20B/148.80A	----			208.70	+ 63.50	.4662	----	----	2		UNCH
4390			228.60B/----	228.60B/150.60A	----			211.10	+ 63.90	.4699	----	----	32		UNCH
200.30	200.30		234.10B/200.30	234.10B/154.20A	----			216.20	+ 65.10	.4774	----	35	602	-	5
4405			236.40B/----	236.40B/156.50A	----			218.70	+ 65.60	.4811	----	----	4		UNCH
4410			239.10B/----	239.10B/158.60A	----			221.30	+ 66.20	.4848	----	----	50		UNCH
4415			241.70B/----	241.70B/160.70A	----			223.90	+ 66.70	.4885	----	----	5		UNCH
4420			244.20B/----	244.20B/162.70A	----			226.50	+ 67.20	.4923	----	----	12		UNCH
4425			247.00B/----	247.00B/164.80A	----			229.10	+ 67.80	.4960	----	----	16		UNCH
4430			249.60B/----	249.60B/166.90A	----			231.80	+ 68.30	.4997	----	----	5		UNCH
4440	236.10	236.10	255.40B/236.10	255.40B/171.30A	----			237.10	+ 69.40	.5071	----	3	5	+	3
4445			258.00B/----	258.00B/173.50A	----			239.80	+ 69.90	.5108	----	----	2		UNCH
4450	217.00	217.00	260.80B/217.00	260.80B/175.70A	----			242.50	+ 70.40	.5145	----	17	65		UNCH
4455			263.60B/----	263.60B/177.70A	----			245.30	+ 71.00	.5182	----	----	2		UNCH
4460			266.70B/----	266.70B/180.20A	----			248.00	+ 71.40	.5219	----	----	2		UNCH
4465			269.20B/----	269.20B/182.30A	----			250.80	+ 72.00	.5256	----	3	78	+	3
4475			275.00B/----	275.00B/186.90A	----			256.40	+ 73.00	.5329	----	----	3		UNCH
4480			278.30B/----	278.30B/189.40A	----			259.30	+ 73.60	.5366	----	----	3		UNCH
4485	233.80	233.80	281.00B/233.80	281.00B/191.60A	----			262.10	NEW	.5402	----	3	3	+	3
4490			284.00B/----	284.00B/194.20A	----			265.00	+ 74.60	.5439	----	----	12		UNCH
4495			287.00B/----	287.00B/196.40A	----			267.90	+ 75.10	.5475	----	----	4		UNCH
4500			289.80B/----	289.80B/198.80A	----			270.80	+ 75.60	.5512	----	----	219		UNCH
4510			295.90B/----	295.90B/203.70A	----			276.70	+ 76.60	.5584	----	----	1		UNCH
4520			302.20B/----	302.20B/208.80A	----			282.70	+ 77.60	.5656	----	----	2		UNCH
4525			305.20B/----	305.20B/211.30A	----			285.80	+ 78.20	.5692	----	----	1		UNCH
4530			308.40B/----	308.40B/213.80A	----			288.80	+ 78.70	.5728	----	----	4		UNCH
4535			311.60B/----	311.60B/216.40A	----			291.90	+ 79.20	.5763	----	----	1		UNCH
4540			314.70B/----	314.70B/219.00A	----			295.00	+ 79.70	.5799	----	----	3		UNCH
4545			317.50B/----	317.50B/221.60A	----			298.10	+ 80.20	.5835	----	----	5		UNCH
4550			320.80B/----	320.80B/224.30A	----			301.20	+ 80.70	.5870	----	1	6	+	1
4555			322.90B/----	322.90B/226.90A	----			304.40	+ 81.30	.5905	----	----	12		UNCH
4560			327.30B/----	327.30B/229.50A	----			307.50	+ 81.70	.5940	----	----	78		UNCH
4565			330.60B/----	330.60B/232.20A	----			310.70	+ 82.20	.5974	----	----	16		UNCH
4570			332.70B/----	332.70B/235.10A	----			314.00	+ 82.80	.6009	----	----	9		UNCH
4580			339.30B/----	339.30B/240.60A	----			320.40	+ 83.70	.6078	----	----	6		UNCH
4585			342.50B/----	342.50B/243.20A	----			323.70	+ 84.30	.6112	----	----	13		UNCH
4590			346.00B/----	346.00B/246.00A	----			327.00	+ 84.80	.6146	----	----	3		UNCH
4595			349.20B/----	349.20B/248.80A	----			330.30	+ 85.30	.6180	----	----	8		UNCH
4600			352.60B/----	352.60B/251.70A	----			333.70	+ 85.90	.6213	----	----	333		UNCH
4605			356.00B/----	356.00B/254.50A	----			337.00	+ 86.30	.6247	----	3	5		UNCH
4610			359.60B/----	359.60B/257.40A	----			340.40	+ 86.80	.6280	----	----	13		UNCH
4615			363.00B/----	363.00B/260.30A	----			343.80	+ 87.30	.6314	----	----	12		UNCH
4620			366.50B/----	366.50B/263.40A	----			347.20	+ 87.80	.6346	----	----	9		UNCH
4625			369.80B/----	369.80B/266.10A	----			350.60	+ 88.30	.6379	----	----	46		UNCH
4630	320.70	320.70	373.50B/320.70	373.50B/269.20A	----			354.10	+ 88.90	.6412	----	6	7	-	3
4635			376.80B/----	376.80B/272.20A	----			357.50	+ 89.30	.6445	----	----	7		UNCH
4640	369.50	369.50	380.50B/369.50	380.50B/275.20A	----			361.00	+ 89.80	.6476	----	3	23	-	2
4645			383.90B/----	383.90B/278.20A	----			364.50	+ 90.30	.6509	----	----	7		UNCH
4650			387.60B/----	387.60B/281.30A	----			368.00	+ 90.80	.6540	----	----	135		UNCH
4655			391.20B/----	391.20B/284.20A	----			371.60	+ 91.30	.6572	----	----	3		UNCH
4660			394.80B/----	394.80B/287.40A	----			375.10	+ 91.70	.6604	----	----	3		UNCH
4670			402.00B/----	402.00B/293.50A	----			382.30	+ 92.70	.6666	----	----	6		UNCH
4675			405.50B/----	405.50B/296.60A	----			385.90	+ 93.20	.6697	----	----	9		UNCH
4680			409.20B/----	409.20B/299.70A	----			389.50	+ 93.70	.6728	----	----	1		UNCH
4690			416.60B/----	416.60B/306.10A	----			396.80	+ 94.60	.6788	----	----	3		UNCH
4700			424.10B/----	424.10B/312.70A	----			404.20	+ 95.60	.6848	----	----	84		UNCH
4715			435.40B/----	435.40B/322.70A	----			415.30	+ 96.90	.6936	----	----	3		UNCH
4750			462.20B/----	462.20B/346.40A	----			441.90	+ 00.10	.7135	----	----	175		UNCH
4755			466.10B/----	466.10B/350.20A	----			445.80	+ 00.50	.7163	----	----	168		UNCH
4775			481.80B/----	481.80B/364.30A	----			461.30	+ 02.20	.727					

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS														
NOV26																
3750	----	----	----	56.20B/----	56.20B/36.30A	----	----	----	50.50 + 16.30	.1305	----	----	----	----	347	UNCH
3780	----	----	----	60.30B/----	60.30B/39.00A	----	----	----	54.30 + 17.50	.1395	----	----	----	----	1	UNCH
3800	----	----	----	63.20B/----	63.20B/40.90A	----	----	----	57.00 + 18.40	.1458	----	----	----	----	34	UNCH
3820	----	----	----	66.30B/----	66.30B/42.90A	----	----	----	59.90 + 19.40	.1525	----	----	----	----	20	UNCH
3875	----	----	----	75.70B/----	75.70B/48.80A	----	----	----	68.50 + 22.20	.1718	----	----	----	----	24	UNCH
3900	----	----	----	80.40B/----	80.40B/51.80A	----	----	----	72.80 + 23.60	.1813	----	----	----	----	7	UNCH
3925	----	----	----	85.30B/----	85.30B/54.90A	----	----	----	77.30 + 25.00	.1911	----	----	----	----	2	UNCH
3945	----	----	----	89.40B/----	89.40B/57.40A	----	----	----	81.20 + 26.20	.1994	----	----	----	----	1	UNCH
3980	----	----	----	97.20B/----	97.20B/62.60A	----	----	----	88.40 + 28.40	.2145	----	----	----	----	1	UNCH
4000	----	----	----	102.00B/----	102.00B/65.80A	----	----	----	92.80 + 29.70	.2235	----	----	----	----	5	UNCH
4025	----	----	----	108.20B/----	108.20B/70.10A	----	----	----	98.60 + 31.40	.2351	----	----	----	----	2	UNCH
4050	----	----	----	114.70B/----	114.70B/74.60A	----	----	----	104.70 + 33.10	.2472	----	----	----	----	5	UNCH
4065	----	----	----	118.70B/----	118.70B/77.40A	----	----	----	108.60 + 34.30	.2547	----	----	----	----	1	UNCH
4070	----	----	----	120.10B/----	120.10B/78.40A	----	----	----	109.90 + 34.60	.2572	----	----	----	----	25	UNCH
4100	----	----	----	128.80B/----	128.80B/84.50A	----	----	----	118.20 + 36.90	.2727	----	----	----	----	5	UNCH
4135	----	----	----	139.40B/----	139.40B/92.20A	----	----	----	128.50 + 39.70	.2915	----	----	----	----	22	UNCH
4160	----	----	----	147.50B/----	147.50B/98.10A	----	----	----	136.30 + 41.60	.3053	----	----	----	----	1	UNCH
4170	----	----	----	151.00B/----	151.00B/100.50A	----	----	----	139.60 + 42.50	.3110	----	----	----	----	1	UNCH
4180	----	----	----	154.40B/----	154.40B/103.00A	----	----	----	142.90 + 43.30	.3166	----	----	----	----	1	UNCH
4200	----	----	----	161.50B/----	161.50B/108.20A	----	----	----	149.70 + 45.00	.3282	----	----	----	----	7	UNCH
4205	----	----	----	163.30B/----	163.30B/109.60A	----	----	----	151.40 + 45.40	.3311	----	----	----	----	1	UNCH
4215	----	----	----	166.80B/----	166.80B/112.30A	----	----	----	155.00 + 46.30	.3370	----	----	----	----	5	UNCH
4250	----	----	----	180.20B/----	180.20B/122.30A	----	----	----	167.80 + 49.30	.3578	----	----	----	----	567	UNCH
4265	----	----	----	186.20B/----	186.20B/126.80A	----	----	----	173.60 + 50.60	.3669	----	----	----	----	1	UNCH
4275	----	----	----	190.30B/----	190.30B/129.80A	----	----	----	177.50 + 51.50	.3730	----	----	----	----	23	UNCH
4290	----	----	----	196.50B/----	196.50B/134.50A	----	----	----	183.50 + 52.80	.3823	----	----	----	----	1	UNCH
4300	----	----	----	200.70B/----	200.70B/137.80A	----	----	----	187.60 + 53.80	.3885	----	----	----	----	100	UNCH
4320	----	----	----	209.50B/----	209.50B/144.50A	----	----	----	195.90 + 55.50	.4010	----	----	----	----	43	UNCH
4330	----	----	----	213.90B/----	213.90B/147.90A	----	----	----	200.20 + 56.50	.4073	----	----	----	----	2	UNCH
4335	----	----	----	216.20B/----	216.20B/149.60A	----	----	----	202.40 + 57.00	.4104	----	----	----	----	1	UNCH
4340	----	----	----	218.50B/----	218.50B/151.50A	----	----	----	204.50 + 57.30	.4136	----	----	----	----	6	UNCH
4350	----	----	----	223.10B/----	223.10B/155.10A	----	----	----	208.90 + 58.20	.4199	----	----	----	----	3	UNCH
4375	----	----	----	234.90B/----	234.90B/164.20A	----	----	----	220.30 + 60.60	.4359	----	----	----	----	1	UNCH
4380	----	----	----	237.40B/----	237.40B/166.10A	----	----	----	222.60 + 61.10	.4391	----	----	----	----	20	UNCH
4390	----	----	----	242.30B/----	242.30B/169.90A	----	----	----	227.30 + 62.00	.4455	----	----	----	----	1	UNCH
4395	----	----	----	244.70B/----	244.70B/171.90A	----	----	----	229.60 + 62.40	.4487	----	----	----	----	1	UNCH
4400	----	----	----	247.20B/----	247.20B/173.90A	----	----	----	232.00 + 62.90	.4520	----	----	----	----	6	UNCH
4405	----	----	----	249.70B/----	249.70B/176.00A	----	----	----	234.40 + 63.30	.4552	----	----	----	----	2	UNCH
4425	----	----	----	260.00B/----	260.00B/184.00A	----	----	----	244.20 + 65.10	.4681	----	----	----	----	72	UNCH
4430	----	----	----	262.60B/----	262.60B/186.10A	----	----	----	246.70 + 65.60	.4714	----	----	----	----	10	UNCH
4435	----	----	----	265.20B/----	265.20B/188.20A	----	----	----	249.20 + 66.00	.4746	----	----	----	----	7	UNCH
4450	----	----	----	273.20B/----	273.20B/194.60A	----	----	----	256.90 + 67.40	.4843	----	----	----	----	39	UNCH
4485	----	----	----	292.40B/----	292.40B/210.20A	----	----	----	275.50 + 70.60	.5068	----	----	----	----	1	UNCH
4490	----	----	----	295.20B/----	295.20B/212.50A	----	----	----	278.30 + 71.10	.5100	----	----	----	----	1	UNCH
4500	219.60	----	219.60	300.80B/217.10A	300.80B/217.10A	----	----	----	283.80 + 71.90	.5164	----	----	2	----	96	+
4510	----	----	----	306.50B/----	306.50B/221.80A	----	----	----	289.40 + 72.80	.5228	----	----	----	----	11	UNCH
4530	----	----	----	318.30B/----	318.30B/231.70A	----	----	----	300.90 + 74.50	.5355	----	----	----	----	40	UNCH
4535	----	----	----	321.30B/----	321.30B/234.00A	----	----	----	303.80 + 74.90	.5386	----	----	----	----	10	UNCH
4540	----	----	----	324.20B/----	324.20B/236.50A	----	----	----	306.80 + 75.40	.5417	----	----	----	----	6	UNCH
4555	----	----	----	333.30B/----	333.30B/244.10A	----	----	----	315.70 + 76.70	.5511	----	----	----	----	1	UNCH
4580	----	----	----	347.00B/----	347.00B/257.10A	----	----	----	331.00 + 78.80	.5666	----	----	----	----	10	UNCH
4590	----	----	----	353.30B/----	353.30B/262.20A	----	----	----	337.20 + 79.70	.5727	----	----	----	----	1	UNCH
4600	304.40	----	304.40	359.70B/304.40	359.70B/267.80A	----	----	----	343.50 + 80.60	.5788	----	----	1	----	72	UNCH
4610	----	----	----	366.00B/----	366.00B/273.20A	----	----	----	349.80 + 81.40	.5848	----	----	----	----	4	UNCH
4640	----	----	----	385.80B/----	385.80B/290.00A	----	----	----	369.30 + 84.10	.6027	----	----	----	----	90	UNCH
4645	----	----	----	389.10B/----	389.10B/292.80A	----	----	----	372.60 + 84.50	.6056	----	----	----	----	1	UNCH
4650	----	----	----	392.50B/----	392.50B/295.70A	----	----	----	375.90 + 84.90	.6086	----	----	----	----	78	UNCH
4655	----	----	----	395.90B/----	395.90B/298.60A	----	----	----	379.20 + 85.40	.6115	----	----	----	----	1	UNCH
4700	----	----	----	426.90B/----	426.90B/325.50A	----	----	----	409.80 + 89.30	.6371	----	----	----	----	58	UNCH
4710	----	----	----	434.00B/----	434.00B/331.50A	----	----	----	416.80 + 90.20	.6427	----	----	----	----	1	UNCH
4725	----	----	----	444.80B/----	444.80B/341.00A	----	----	----	427.40 + 91.50	.6509	----	----	----	----	2	UNCH
4750	448.00	----	448.00	462.90B/448.00	462.90B/357.00A	----	----	----	445.30 + 93.60	.6643	----	----	5	----	15	-
4755	----	----	----	466.40B/----	466.40B/360.00A	----	----	----	448.90 + 94.00	.6669	----	----	----	----	1	UNCH
4800	441.40	----	441.40	500.10B/441.40	500.10B/389.90A	----	----	----	482.10 + 97.70	.6901	----	----	7	----	12	-
4820	400.00	----	400.00	510.60B/400.00	510.60B/400.00	----	----	----	497.10 + 99.10	.7000	----	----	1	----	1	-
4840	----	----	----	507.10B/----	507.10B/417.50A	----	----	----	512.40 + 00.50	.7096	----	----	----	----	2	UNCH
4845	----	----	----	510.20B/----	510.20B/421.00A	----	----	----	516.30 + 00.90	.7120	----	----	----	----	10	UNCH
4850	----	----	----	510.50B/----	510.50B/424.40A	----	----	----	520.10 + 01.20	.7144	----	----	----	----	8	UNCH
4900	----	----	----	509.30B/----	509.30B/460.30A	----	----	----	559.60 + 04.70	.7369	----	----	----	----	12	UNCH
4915	----	----	----	511.20B/----	511.20B/471.40A	----	----	----	571.70 + 05.70	.7432	----	----	----	----	3	UNCH
4935	----	----	----	508.60B/----	508.60B/486.30A	----	----	----	588.00 + 07.10	.7515	----	----	----	----	25	UNCH
4950	----	----	----	521.00B/----	521.00B/497.70A	----	----	----	600.30 + 08.00	.7576	----	----	----	----	11	UNCH
4960	----	----	----	529.20B/----	529.20B/505.20A	----	----	----	608.50 + 08.60	.7615	----	----	----	----	2	UNCH
5000	----	----	----	562.70B/----	562.70B/628.60A	----	----	----	641.60 + 10.80	.7770	----	----	----	----	255	UNCH
5020	----	----	----	579.70B/----	579.70B/644.40A	----	----	----	658.40 + 11.90	.7844	----	----	----	----	30	UNCH
5055	----	----	----	609.70B/----	609.70B/672.60A	----	----	----	688.00 + 13.70	.7971	----	----	----	----	8	UNCH
5200	----	----	----	738.40B/----	738.40B/793.70A	----	----	----	814.90 + 20.10	.8413	----	----	----	----	81	UNCH
5395	----	----	----	916.80B/----	916.80B/965.70A	----	----	----	994.20 + 27.00	.8830	----	----	----	----	6	UNCH
5400	----	----	----	921.40B/----	921.40B/970.20A	----	----	----	998.90 + 27.10	.8839	----	----	----	----	6	UNCH
5760	----	----	----	----	----	----	----	----	1343.20 + 34.30	.9295	----	----	----	----	1	UNCH
5975	----	----	----	----	----	----	----	----	1553.10 + 36.40	.9458	----	----	----	----	1	UNCH
6000	----	----	----	----	----	----	----	----	1577.70 + 36.70	.9472	----	----	----	----	1	UNCH
TOTAL													28	----	4232	-
DEC26																
1350	----	----	----	----	----/0.50A	----	----	----	0.10 UNCH	.0001	----	----	----	----	16	UNCH
1375	----	----	----	----	----/1.20A	----	----	----	0.10 UNCH	.0002	----	----	----	----	1	UNCH
1500	----	----	----	----	0.20B/0.90A	----	----	----	0.40 + 0.10	.0008	----	----	----	----	1	UNCH
1600	----	----	----	----	0.40B/1.30A	----	----	----	0.60 + 0.10	.0011	----	----	----	----	190	UNCH
1700	----	----	----	----	0.60B/1.90A	----	----	----	0.90 + 0.10	.0017	----	----	----	----	200	UNCH
1845	----	----	----	----	0.80B/2.20A	----	----	----	1.60 + 0.20	.0030	----	----	----	----	6	UNCH
1900	----	----	----	----	1.00B/2.20A	----	----	----	1.80 + 0.30	.0034	----	----	----	----	4	UNCH
2000	----	----	----	----	1.30B/2.50A	----	----	----	2.10 + 0.30	.0041	----	----	----	----	2	UNCH
2400	----	----	----	----	3.20B/4.20A	----	----	----	4.10 +							

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS													
DEC26	----	----	----	101.20B/----	101.20B/67.60A	----	----	91.90 + 26.60	.2043	----	----	----	----	50	UNCH
3920	----	----	----	102.60B/----	102.60B/68.30A	----	----	93.00 + 26.90	.2063	----	----	----	----	255	UNCH
3925	----	----	----	102.40B/----	102.40B/69.20A	----	----	94.00 + 27.20	.2083	----	----	----	----	2	UNCH
3930	----	----	----	108.50B/----	108.50B/72.10A	----	----	98.40 + 28.40	.2165	----	----	1	----	515	+
3950	----	----	----	111.80B/----	111.80B/75.00A	----	----	101.90 + 29.40	.2228	----	----	----	----	50	UNCH
3965	----	----	----	114.30B/----	114.30B/76.80A	----	----	104.20 + 30.00	.2270	----	----	----	----	193	UNCH
3975	----	----	----	115.80B/----	115.80B/77.50A	----	----	105.40 + 30.30	.2292	----	----	4	----	275	+
3980	----	----	----	118.20B/----	118.20B/80.40A	----	----	109.10 + 31.40	.2358	----	----	----	----	1	UNCH
3995	111.40	111.40	----	121.10B/111.40	121.10B/80.90A	----	----	110.30 + 31.70	.2380	----	----	23	----	2641	-
4000	----	----	----	127.80B/----	127.80B/85.80A	----	----	116.70 + 33.40	.2493	----	----	----	----	801	UNCH
4025	----	----	----	134.60B/----	134.60B/91.30A	----	----	123.50 + 35.20	.2609	----	----	----	----	217	UNCH
4050	----	----	----	137.50B/----	137.50B/93.40A	----	----	126.30 + 35.90	.2656	----	----	----	----	100	UNCH
4060	----	----	----	140.50B/----	140.50B/95.60A	----	----	129.10 + 36.60	.2704	----	----	----	----	8	UNCH
4070	----	----	----	144.90B/----	144.90B/100.10A	----	----	135.00 + 38.10	.2802	----	----	----	----	1	UNCH
4090	----	----	----	149.90B/----	149.90B/102.20A	----	----	138.00 + 38.80	.2851	----	----	----	----	396	UNCH
4100	----	----	----	159.50B/----	159.50B/109.60A	----	----	147.40 + 41.10	.3002	----	----	----	----	30	UNCH
4130	----	----	----	166.30B/----	166.30B/114.60A	----	----	153.90 + 42.50	.3105	----	----	----	----	93	UNCH
4150	----	----	----	170.00B/----	170.00B/117.10A	----	----	157.20 + 43.30	.3157	----	----	----	----	252	UNCH
4160	----	----	----	171.60B/----	171.60B/118.60A	----	----	158.90 + 43.60	.3183	----	----	----	----	28	UNCH
4165	----	----	----	171.80B/----	171.80B/120.10A	----	----	160.60 + 44.00	.3210	----	----	----	----	2	UNCH
4170	----	----	----	175.10B/----	175.10B/121.30A	----	----	162.40 + 44.50	.3236	----	----	----	----	66	UNCH
4175	130.70	130.70	----	184.70B/127.80A	184.70B/127.80A	----	----	171.20 + 46.30	.3370	----	----	53	----	1344	-
4200	----	----	----	186.30B/----	186.30B/129.70A	----	----	173.00 + 46.70	.3397	----	----	----	----	20	UNCH
4205	----	----	----	190.10B/----	190.10B/132.80A	----	----	176.70 + 47.50	.3451	----	----	----	----	14	UNCH
4215	----	----	----	194.00B/----	194.00B/135.70A	----	----	180.40 + 48.30	.3506	----	----	----	----	35	UNCH
4225	----	----	----	195.90B/----	195.90B/137.20A	----	----	182.30 + 48.70	.3533	----	----	----	----	150	UNCH
4230	----	----	----	198.00B/----	198.00B/138.70A	----	----	184.20 + 49.10	.3561	----	----	----	----	10	UNCH
4235	----	----	----	204.30B/----	204.30B/143.30A	----	----	190.00 + 50.20	.3644	----	----	----	----	488	UNCH
4250	----	----	----	210.30B/----	210.30B/148.30A	----	----	195.90 + 51.30	.3728	----	----	----	----	10	UNCH
4265	----	----	----	220.80B/----	220.80B/156.70A	----	----	206.10 + 53.30	.3869	----	----	----	----	1	UNCH
4290	223.10	223.10	----	225.60B/223.10	225.60B/159.50A	----	----	210.30 + 54.10	.3926	----	----	9	400	2333	-
4300	----	----	----	234.10B/----	234.10B/167.00A	----	----	218.90 + 55.70	.4041	----	----	----	----	124	UNCH
4320	----	----	----	236.70B/----	236.70B/168.50A	----	----	221.10 + 56.10	.4069	----	----	----	----	559	UNCH
4325	----	----	----	243.40B/----	243.40B/174.40A	----	----	227.80 + 57.40	.4156	----	----	----	----	82	UNCH
4340	----	----	----	248.10B/----	248.10B/178.10A	----	----	232.40 + 58.30	.4214	----	----	----	----	161	UNCH
4350	----	----	----	255.20B/----	255.20B/183.80A	----	----	239.30 + 59.50	.4302	----	----	----	----	195	UNCH
4365	----	----	----	260.00B/----	260.00B/187.70A	----	----	244.10 + 60.40	.4360	----	----	----	----	106	UNCH
4375	----	----	----	265.00B/----	265.00B/191.70A	----	----	248.80 + 61.20	.4418	----	----	----	----	75	UNCH
4385	----	----	----	267.50B/----	267.50B/193.70A	----	----	251.30 + 61.70	.4448	----	----	4	----	200	UNCH
4390	250.00	250.00	----	272.80B/250.00	272.80B/197.50A	----	----	256.10 + 62.50	.4506	----	----	4	----	445	+
4400	----	----	----	285.50B/----	285.50B/208.10A	----	----	268.60 + 64.70	.4653	----	----	----	----	9	UNCH
4425	----	----	----	288.10B/----	288.10B/210.30A	----	----	271.20 + 65.10	.4682	----	----	----	----	31	UNCH
4430	----	----	----	290.60B/----	290.60B/212.40A	----	----	273.70 + 65.50	.4712	----	----	----	----	14	UNCH
4435	----	----	----	293.20B/----	293.20B/214.60A	----	----	276.30 + 66.00	.4741	----	----	----	----	6	UNCH
4440	----	----	----	298.80B/----	298.80B/218.90A	----	----	281.50 + 66.80	.4800	----	----	----	----	269	UNCH
4450	----	----	----	303.80B/----	303.80B/223.40A	----	----	286.80 + 67.70	.4858	----	----	----	----	17	UNCH
4460	----	----	----	309.00B/----	309.00B/227.90A	----	----	292.10 + 68.60	.4917	----	----	----	----	1	UNCH
4470	----	----	----	311.30B/----	311.30B/230.20A	----	----	294.80 + 69.00	.4946	----	----	----	----	9	UNCH
4475	----	----	----	314.50B/----	314.50B/232.50A	----	----	297.50 + 69.40	.4975	----	----	----	----	1	UNCH
4480	----	----	----	320.00B/----	320.00B/237.30A	----	----	302.90 + 70.20	.5033	----	----	----	----	17	UNCH
4490	----	----	----	324.90B/----	324.90B/241.60A	----	----	308.40 + 71.00	.5091	----	----	----	----	1236	UNCH
4500	----	----	----	331.40B/----	331.40B/246.70A	----	----	314.00 + 71.90	.5149	----	----	----	----	2	UNCH
4510	----	----	----	334.20B/----	334.20B/249.00A	----	----	316.80 + 72.30	.5178	----	----	----	----	247	UNCH
4515	----	----	----	337.40B/----	337.40B/251.50A	----	----	319.70 + 72.80	.5207	----	----	----	----	25	UNCH
4520	----	----	----	340.10B/----	340.10B/253.90A	----	----	322.50 + 73.20	.5236	----	----	----	----	240	UNCH
4525	----	----	----	343.00B/----	343.00B/256.40A	----	----	325.40 + 73.60	.5264	----	----	----	----	23	UNCH
4530	----	----	----	345.90B/----	345.90B/258.90A	----	----	328.30 + 74.10	.5293	----	----	----	----	102	UNCH
4535	----	----	----	348.20B/----	348.20B/261.60A	----	----	331.20 + 74.50	.5322	----	----	----	----	1	UNCH
4540	----	----	----	350.30B/----	350.30B/263.90A	----	----	334.10 + 74.90	.5350	----	----	----	----	45	UNCH
4545	----	----	----	353.20B/----	353.20B/266.50A	----	----	337.00 + 75.30	.5379	----	----	----	----	19	UNCH
4550	----	----	----	356.00B/----	356.00B/269.10A	----	----	340.00 + 75.70	.5407	----	----	----	----	50	UNCH
4555	----	----	----	364.90B/----	364.90B/276.90A	----	----	348.90 + 76.90	.5492	----	----	3	----	11	+
4570	----	----	----	368.00B/----	368.00B/279.50A	----	----	351.90 + 77.30	.5520	----	----	----	----	5	UNCH
4575	----	----	----	371.40B/----	371.40B/282.00A	----	----	355.00 + 77.80	.5548	----	----	----	----	150	UNCH
4580	----	----	----	374.70B/----	374.70B/284.60A	----	----	358.00 + 78.20	.5576	----	----	----	----	325	UNCH
4585	----	----	----	378.00B/----	378.00B/287.30A	----	----	361.10 + 78.60	.5605	----	----	----	----	3	UNCH
4590	365.60	365.60	----	385.50/365.60	385.50/292.40A	----	----	367.30 + 79.40	.5660	----	----	3	----	969	-
4600	----	----	----	387.00B/----	387.00B/295.70A	----	----	370.40 + 79.80	.5688	----	----	----	----	5	UNCH
4605	----	----	----	390.00B/----	390.00B/298.40A	----	----	373.50 + 80.20	.5715	----	----	----	----	3	UNCH
4610	----	----	----	396.60B/----	396.60B/303.70A	----	----	379.80 + 81.00	.5770	----	----	----	----	53	UNCH
4620	----	----	----	400.00B/----	400.00B/306.60A	----	----	383.00 + 81.40	.5798	----	----	----	----	56	UNCH
4625	----	----	----	402.80B/----	402.80B/309.30A	----	----	386.20 + 81.80	.5825	----	----	----	----	3	UNCH
4630	----	----	----	409.10B/----	409.10B/315.00A	----	----	392.60 + 82.60	.5879	----	----	----	----	104	UNCH
4640	----	----	----	415.40B/----	415.40B/320.90A	----	----	399.20 + 83.50	.5933	----	----	----	----	118	UNCH
4650	----	----	----	418.60B/----	418.60B/323.60A	----	----	402.40 + 83.80	.5960	----	----	----	----	7	UNCH
4655	----	----	----	422.00B/----	422.00B/326.50A	----	----	405.70 + 84.20	.5986	----	----	----	----	7	UNCH
4660	----	----	----	425.30B/----	425.30B/329.40A	----	----	409.00 + 84.60	.6013	----	----	----	----	70	UNCH
4665	----	----	----	432.00B/----	432.00B/335.20A	----	----	415.70 + 85.40	.6065	----	----	----	----	10	UNCH
4675	----	----	----	435.40B/----	435.40B/338.40A	----	----	419.00 + 85.80	.6092	----	----	----	----	60	UNCH
4680	----	----	----	449.30B/----	449.30B/350.10A	----	----	432.60 + 87.40	.6196	----	----	----	----	512	UNCH
4700	----	----	----	455.90B/----	455.90B/356.20A	----	----	439.40 + 88.10	.6247	----	----	----	----	1	UNCH
4710	----	----	----	459.50B/----	459.50B/359.30A	----	----	442.90 + 88.50	.6272	----	----	----	----	15	UNCH
4715	----	----	----	466.50B/----	466.50B/365.60A	----	----	449.80 + 89.30	.6323	----	----	----	----	127	UNCH
4725	----	----	----	484.20B/----	484.20B/381.30A	----	----	467.40 + 91.20	.6447	----	----	----	----	63	UNCH
4750	----	----	----	513.30B/----	513.30B/407.00A	----	----	496.10 + 94.00	.6641	----	----	----	----	60	UNCH
4790	510.70	510.70	----	516.90B/510.70	516.90B/410.30A	----	----	499.80 + 94.40	.6665	----	----	4	----	1	UNCH
4800	----	----	----	523.40/510.70	523.40/413.70A	----	----	503.40 + 94.70	.6688	----	----	----	----	332	-
4810	----	----	----	528.10B/----	528.10B/420.40A	----	----	510.80 + 95.40	.6735	----	----	----	----	56	UNCH
4815	429.70	429.70	----	531.80B/----	531.80B/423.80A	----	----	514.50 + 95.80	.6758	----	----	1	----	10	UNCH
4820	----	----	----	535.60B/427.10A	535.60B/427.10A	----	----	518.20 + 96.10	.6781	----	----	----	----	21	UNCH
4825	----	----	----	539.50B/----	539.50B/430.50A	----	----	521.90 + 96.40	.6804	----	----	----	----	112	UNCH
4830	----	----	----	543.10B/----	543.10B/433.90A	----	----	525.60 + 96.70	.6827	----	----	----	----	6	

BULLETIN #107@		METALS OPTION PRODUCTS										Fri, Jun 05, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS													
JAN27	----	----	----	5.20B/----	5.20B/9.00A	----	6.80 + 1.70	.0148	----	----	----	----	4	
2625	7.80	7.80	----	9.50/7.80	9.50/7.80	----	7.70 + 2.00	.0170	----	----	4	----	15 +	
2700	----	----	----	7.80B/----	7.80B/11.40A	----	9.20 + 2.40	.0206	----	----	----	----	12	
2800	----	----	----	12.50B/----	12.50B/15.20A	----	14.80 + 3.80	.0330	----	----	----	----	38	
3000	----	----	----	25.80B/----	25.80B/24.60A	----	27.60 + 7.10	.0614	----	----	----	----	1	
3300	----	----	----	42.60B/----	42.60B/34.70A	----	41.80 + 11.00	.0919	----	----	----	----	2	
3500	----	----	----	44.30B/----	44.30B/35.70A	----	43.60 + 11.50	.0957	----	----	----	----	1	
3520	50.00	50.00	----	55.80B/50.00	55.80B/40.40A	----	51.70 + 13.70	.1122	----	----	3	----	13 +	
3600	----	----	----	66.40B/----	66.40B/47.60A	----	61.50 + 16.50	.1315	----	----	----	----	1	
3680	----	----	----	85.90B/----	85.90B/61.60A	----	79.60 + 21.40	.1656	----	----	1	----	1 -	
3800	----	----	----	90.60B/----	90.60B/64.80A	----	84.00 + 22.70	.1736	----	----	----	----	1	
3825	----	----	----	95.50B/----	95.50B/67.90A	----	88.60 + 23.90	.1818	----	----	----	----	230	
3850	----	----	----	106.10B/----	106.10B/74.80A	----	98.60 + 26.70	.1993	----	----	----	----	1	
3900	----	----	----	125.20B/----	125.20B/88.70A	----	116.70 + 31.30	.2296	----	----	----	----	1	
3980	----	----	----	130.40B/----	130.40B/92.60A	----	121.60 + 32.40	.2376	----	1	----	----	4	
4000	----	----	----	137.20B/----	137.20B/97.90A	----	128.10 + 34.00	.2480	----	----	----	----	2	
4025	----	----	----	150.20B/----	150.20B/107.60A	----	140.60 + 36.90	.2673	----	----	----	----	1	
4070	----	----	----	159.50B/----	159.50B/114.70A	----	149.50 + 38.80	.2807	----	----	----	----	8	
4100	142.00	142.00	----	193.80B/141.70A	193.80B/141.70A	----	182.60 + 45.50	.3278	----	1	----	----	4 +	
4200	209.20	209.20	----	215.10B/209.20	215.10B/158.40A	----	203.20 NEW	.3552	----	19	1	----	19 +	
4255	----	----	----	233.70B/----	233.70B/173.50A	----	221.30 NEW	.3782	----	1	----	----	1 +	
4300	----	----	----	255.80B/----	255.80B/191.30A	----	242.90 + 56.00	.4042	----	----	----	----	1	
4350	----	----	----	267.40B/----	267.40B/200.60A	----	254.30 + 57.90	.4174	----	----	----	----	15	
4375	----	----	----	279.40B/----	279.40B/210.40A	----	266.00 + 59.70	.4306	----	----	----	----	1	
4400	----	----	----	331.10B/----	331.10B/253.50A	----	316.70 + 67.30	.4838	----	----	----	----	4	
4500	----	----	----	369.50B/----	369.50B/289.80A	----	358.60 + 73.10	.5231	----	----	----	----	1	
4575	----	----	----	375.40B/----	375.40B/295.00A	----	364.40 + 73.80	.5283	----	----	----	----	1	
4585	----	----	----	384.40B/----	384.40B/302.60A	----	373.30 + 75.00	.5360	----	----	----	----	3	
4600	----	----	----	390.80B/----	390.80B/307.80A	----	379.20 + 75.70	.5412	----	----	----	----	1	
4610	----	----	----	396.60B/----	396.60B/313.10A	----	385.30 + 76.50	.5463	----	----	----	----	1	
4620	----	----	----	402.80B/----	402.80B/318.50A	----	391.40 + 77.30	.5513	----	----	----	----	1	
4630	----	----	----	415.30B/----	415.30B/329.40A	----	403.70 + 78.80	.5614	----	----	----	----	2	
4650	----	----	----	421.70B/----	421.70B/335.30A	----	410.00 + 79.60	.5664	----	----	----	----	4	
4660	----	----	----	424.90B/----	424.90B/338.10A	----	413.10 + 80.00	.5689	----	----	----	----	4	
4700	----	----	----	447.60B/----	447.60B/357.70A	----	435.50 + 82.60	.5861	----	----	----	----	1	
4710	----	----	----	454.20B/----	454.20B/363.50A	----	442.10 + 83.40	.5910	----	----	----	----	4	
4760	----	----	----	488.10B/----	488.10B/393.50A	----	475.50 + 87.10	.6147	----	----	----	----	100	
4800	----	----	----	516.10B/----	516.10B/418.60A	----	503.10 + 90.00	.6331	----	----	----	----	6	
4820	----	----	----	530.40B/----	530.40B/431.40A	----	517.20 + 91.40	.6420	----	----	----	----	6	
4860	----	----	----	559.50B/----	559.50B/457.50A	----	546.00 + 94.20	.6594	----	----	----	----	1	
4960	----	----	----	635.10B/----	635.10B/526.70A	----	621.00 + 00.70	.7001	----	----	----	----	42	
4980	----	----	----	632.10B/----	632.10B/540.90A	----	636.50 + 01.90	.7077	----	----	----	----	9	
4990	----	----	----	635.50B/----	635.50B/548.30A	----	644.30 + 02.50	.7115	----	----	----	----	1	
4995	----	----	----	636.10B/----	636.10B/551.90A	----	648.20 + 02.80	.7134	----	----	----	----	1	
5000	----	----	----	636.60B/----	636.60B/555.50A	----	652.10 + 03.00	.7152	----	----	----	----	2	
5050	----	----	----	638.10B/----	638.10B/592.40A	----	691.90 + 05.90	.7331	----	----	----	----	100	
5085	----	----	----	636.80B/----	636.80B/619.20A	----	720.30 + 07.80	.7450	----	----	----	----	2	
5150	----	----	----	666.50B/----	666.50B/788.60A	----	774.00 + 11.00	.7658	----	----	----	----	2	
5235	----	----	----	739.10B/----	739.10B/857.50A	----	846.00 + 14.60	.7904	----	----	----	----	2	
5245	----	----	----	747.80B/----	747.80B/865.70A	----	854.60 + 15.00	.7931	----	----	----	----	2	
5300	----	----	----	796.00B/----	796.00B/911.50A	----	902.30 + 17.10	.8073	----	----	----	----	44	
TOTAL											30		724 +	
FEB27	12.00	12.00	----	12.00/12.00	12.00/11.90A	----	11.50 + 1.40	.0242	----	----	2	----	6 +	
2800	----	----	----	40.20B/----	40.20B/35.40A	----	39.40 + 9.00	.0822	----	----	----	----	11	
3400	----	----	----	144.80B/----	144.80B/106.20A	----	136.70 + 33.50	.2470	----	----	----	----	61	
4000	----	----	----	152.00B/----	152.00B/111.70A	----	143.60 + 35.00	.2570	----	----	----	----	35	
4025	----	----	----	165.70B/----	165.70B/122.30A	----	156.70 + 37.80	.2756	----	----	----	----	2	
4070	----	----	----	175.30B/----	175.30B/129.90A	----	166.00 + 39.70	.2885	----	----	----	----	571	
4100	----	----	----	210.80B/----	210.80B/158.10A	----	200.20 + 46.40	.3333	----	----	----	----	50	
4200	----	----	----	265.00B/----	265.00B/202.10A	----	252.70 + 55.60	.3956	----	----	----	----	6	
4330	----	----	----	283.40B/----	283.40B/217.80A	----	270.70 + 58.50	.4153	----	----	----	----	1	
4370	----	----	----	298.10B/----	298.10B/229.80A	----	284.80 + 60.60	.4303	----	----	----	----	3	
4400	----	----	----	318.20B/----	318.20B/246.80A	----	304.40 + 63.60	.4503	----	----	----	----	1	
4440	----	----	----	347.90B/----	347.90B/273.90A	----	335.50 + 67.90	.4803	----	----	----	----	2	
4500	----	----	----	402.20B/----	402.20B/323.50A	----	391.70 + 75.00	.5294	----	----	----	----	17	
4600	----	----	----	420.40B/----	420.40B/339.40A	----	409.70 + 77.20	.5438	----	----	----	----	9	
4630	----	----	----	423.40B/----	423.40B/342.10A	----	412.70 + 77.50	.5462	----	----	----	----	2	
4635	----	----	----	433.10B/----	433.10B/350.20A	----	421.90 + 78.60	.5533	----	----	----	----	1	
4650	----	----	----	436.30B/----	436.30B/353.30A	----	425.00 + 78.90	.5556	----	----	----	----	1	
4655	----	----	----	439.40B/----	439.40B/356.20A	----	428.10 + 79.30	.5580	----	----	----	----	435	
4660	----	----	----	442.70B/----	442.70B/359.00A	----	431.30 + 79.70	.5603	----	----	----	----	3	
4665	----	----	----	452.30B/----	452.30B/367.40A	----	440.70 + 80.70	.5673	----	----	----	----	3	
4680	----	----	----	498.10B/----	498.10B/408.40A	----	486.30 + 85.40	.5992	----	----	----	----	1	
4750	----	----	----	501.40B/----	501.40B/411.30A	----	489.60 + 85.70	.6014	----	----	----	----	1	
4755	----	----	----	515.20B/----	515.20B/423.70A	----	503.10 + 87.00	.6103	----	----	----	----	1	
4775	----	----	----	522.10B/----	522.10B/429.60A	----	510.00 + 87.70	.6146	----	----	----	----	100	
4800	----	----	----	532.40B/----	532.40B/439.00A	----	520.30 + 88.70	.6211	----	----	----	----	60	
4805	----	----	----	536.00B/----	536.00B/442.30A	----	523.80 + 89.00	.6233	----	----	----	----	2	
4835	----	----	----	557.30B/----	557.30B/441.50A	----	544.80 + 90.90	.6359	----	----	----	----	1	
4840	----	----	----	561.10B/----	561.10B/464.50A	----	548.30 + 91.10	.6380	----	----	----	----	1	
4845	----	----	----	564.30B/----	564.30B/468.10A	----	551.90 + 91.50	.6401	----	----	----	----	3	
4855	----	----	----	571.90B/----	571.90B/474.30A	----	559.00 + 92.10	.6442	----	----	----	----	3	
4900	----	----	----	604.50B/----	604.50B/504.40A	----	591.80 + 94.90	.6623	----	----	----	----	4	
4905	----	----	----	608.20B/----	608.20B/507.80A	----	595.40 + 95.10	.6642	----	----	----	----	4	
4950	----	----	----	642.40B/----	642.40B/538.80A	----	629.10 + 97.80	.6815	----	----	----	----	1	
4955	----	----	----	646.10B/----	646.10B/542.30A	----	632.90 + 98.10	.6833	----	----	----	----	1	
5000	----	----	----	680.90B/----	680.90B/574.40A	----	667.40 + 00.60	.6998	----	----	----	----	10	
5005	----	----	----	684.80B/----	684.80B/578.00A	----	671.20 + 00.80	.7016	----	----	----	----	2	
5050	----	----	----	688.30B/----	688.30B/610.90A	----	706.60 + 03.30	.7171	----	----	----	----	4	
5055	----	----	----	689.10B/----	689.10B/614.60A	----	710.50 + 03.50	.7188	----	----	----	----	4	
5100	----	----	----	690.70B/----	690.70B/648.10A	----	746.60 + 05.80	.7336	----	----	----	----	2	
5150	----	----	----	693.30B/----	693.30B/686.50A	----	787.50 + 08.30	.7491	----	----	----	----	1	
5175	----	----	----	----	698.00B/706.00A	----	808.20 + 09.50	.7565	----	----	----	----	125	
5200	----	----	----	----	702.40B/862.50A	----	829.00 + 10.50	.7636	----	----	----	----	1	
5250	----	----	----	----	744.50B/903.20A	----	871.30 + 12.80	.7773	----	----	----	----	10	
5340	----	----	----	----	822.00B/978.20A	----	948.70 + 16.10	.8000	----	----	----	----	1	
5520	----	----	----	----	982.00B/1134.00A	----	1108.60 + 21.40	.8381	----	----	----	----	300	
5530	----	----	----	----	991.10B/1142.80A	----	1117.70 + 21.70	.8399	----	----	----	----	100	
5550	----	----	----	----	1009.30B/1160.60A	----	1135.80 + 22.10	.8435	----	----	----	----	50	
5565	----	----	----	----	1022.90B/1173.90A	----	1149.50 + 22.50	.8462	----	----	----	----	65	
TOTAL											2		2078 +	
MAR27	----	----	----	69.30B/----	69.30B/54.20A	----	64.60 + 14.60	.1230	----	----	----	----	875	
3600	----	----	----	93.40B/----	93.40B/73.10A	----	86.70 + 20.00	.1602	----	----	----	----	10	
3750</														



BULLETIN #107@			METALS OPTION PRODUCTS										Fri, Jun 05, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG PUT	COMEX GOLD OPTIONS																
APR27																	
4000	----	----	165.00B/----	165.00B/127.10A	----	156.70 + 33.60	.2499	----	----	----	----	1	UNCH				
4100	----	----	196.30B/----	196.30B/152.10A	----	187.40 + 39.50	.2878	----	----	----	----	1	UNCH				
4200	----	----	232.30B/----	232.30B/181.50A	----	222.10 + 45.40	.3280	----	----	----	----	1	UNCH				
4300	----	----	272.60B/----	272.60B/215.60A	----	260.90 + 51.10	.3704	----	----	----	----	151	UNCH				
4350	----	----	293.00B/----	293.00B/234.20A	----	282.10 + 54.10	.3922	----	----	----	----	1	UNCH				
4400	----	----	316.70B/----	316.70B/254.10A	----	304.40 + 56.90	.4143	----	----	----	----	1	UNCH				
4500	----	----	357.90B/----	357.90B/297.40A	----	352.70 + 62.60	.4592	----	----	----	----	1	UNCH				
4540	----	----	383.80B/----	383.80B/316.60A	----	373.50 + 64.80	.4772	----	----	----	----	1	UNCH				
4900	----	----	571.70B/----	571.70B/522.90A	----	597.80 + 84.90	.6276	----	----	----	----	2	UNCH				
4905	----	----	573.00B/----	573.00B/526.10A	----	601.30 + 85.10	.6295	----	----	----	----	2	UNCH				
5000	----	----	----	576.60B/589.70A	----	670.50 + 90.00	.6636	----	----	----	----	100	UNCH				
5060	----	----	----	506.00B/854.70A	----	715.90 + 93.00	.6837	----	----	----	----	25	UNCH				
5200	----	----	----	616.00B/959.00A	----	826.30 + 99.40	.7264	----	----	----	----	15	UNCH				
TOTAL												308	0				
JUN27																	
2800	20.00	20.00	20.00/20.00	20.00/20.00	----	16.90 + 6.20	.0306	----	----	2	----	6 +	2				
3625	----	----	----	0.10B/169.90A	----	115.60 + 29.90	.1610	----	----	----	----	450	UNCH				
4900	----	----	----	199.80B/971.20A	----	676.20 + 42.40	.5668	----	----	----	----	1	UNCH				
4905	----	----	----	203.20B/974.40A	----	679.60 + 42.70	.5683	----	----	----	----	1	UNCH				
5085	----	----	----	332.10B/1093.40A	----	806.20 + 51.50	.6198	----	----	----	----	150	UNCH				
TOTAL										2		608 +	2				
DEC27																	
3700	----	----	----	----	----	166.20 + 24.10	.1827	----	----	----	----	100	UNCH				
3715	----	----	----	----	----	169.30 + 24.50	.1858	----	----	----	----	150	UNCH				
3820	----	----	----	----	----	192.50 + 27.50	.2084	----	----	----	----	50	UNCH				
4130	----	----	----	----	----	276.80 + 37.80	.2859	----	----	----	----	168	UNCH				
4500	----	----	----	----	----	419.20 + 52.80	.3971	----	----	----	----	270	UNCH				
4630	----	----	----	----	----	482.00 + 58.50	.4390	----	----	----	----	284	UNCH				
4860	----	----	----	----	----	609.50 + 68.50	.5113	----	----	----	----	100	UNCH				
5000	----	----	----	----	----	696.90 + 74.40	.5529	----	----	----	----	50	UNCH				
5650	----	----	----	----	----	1175.50 + 98.40	.7104	----	----	----	----	200	UNCH				
5880	----	----	----	----	----	1365.40 + 05.40	.7525	----	----	----	----	200	UNCH				
TOTAL												1572	0				
JAN28																	
5000	----	----	----	----	----	691.70 + 72.20	.5369	----	----	----	----	1	UNCH				
5100	----	----	----	----	----	756.80 + 76.20	.5645	----	----	----	----	1	UNCH				
TOTAL												2	0				
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG CALL	COMEX GOLD OPTIONS																
JUL26																	
2000	----	----	----/2,343.80A	2349.60B/2343.80A	----	2365.30 - 39.70	1.0000	238	----	348	----	10 +	10				
2005	----	----	----/2,340.90A	2341.80B/2340.90A	----	2360.30 NEW	1.0000	----	----	10	----	10 +	10				
3300	----	----	----	----	----	1065.70 - 39.30	.9938	----	----	----	----	2	UNCH				
3400	----	----	----/947.40A	948.90B/947.40A	----	966.10 - 39.00	.9914	----	----	20	----	20 +	20				
3500	----	----	----/848.40A	994.90B/848.40A	----	866.70 - 38.60	.9876	5	----	----	----	5	UNCH				
3600	----	----	----/742.80A	895.20B/742.80A	----	767.50 - 38.10	.9825	----	----	----	----	24	UNCH				
3650	----	----	----/693.60A	845.40B/693.60A	----	718.00 - 37.80	.9791	----	----	----	----	10	UNCH				
3670	----	----	----/674.00A	825.50B/674.00A	----	698.30 - 37.60	.9776	----	----	----	----	3	UNCH				
3700	----	----	----/644.70A	795.60B/644.70A	----	668.70 - 37.30	.9749	----	----	----	----	119	UNCH				
3735	----	----	----/610.50A	638.50B/610.50A	----	634.20 - 37.00	.9715	----	----	----	----	1	UNCH				
3775	----	----	----/571.60A	721.10B/571.60A	----	594.90 - 36.60	.9666	----	----	----	----	4	UNCH				
3800	----	----	----/547.30A	700.10B/547.30A	----	570.40 - 36.30	.9636	----	----	----	2055	UNCH					
3825	----	----	----/523.30A	671.50B/523.30A	----	545.90 - 36.00	.9594	----	----	----	----	3	UNCH				
3850	----	----	----/499.30A	646.80B/499.30A	----	521.60 - 35.50	.9551	----	----	----	----	65	UNCH				
3860	----	----	----/489.80A	546.30B/489.80A	----	511.80 - 35.40	.9535	----	----	----	----	1	UNCH				
3865	----	----	----/484.90A	631.90B/484.90A	----	507.00 - 35.20	.9522	----	----	----	----	7	UNCH				
3875	----	----	----/475.40A	622.10B/475.40A	----	497.20 - 35.10	.9506	----	----	----	----	25	UNCH				
3900	----	----	----/451.60A	597.40B/451.60A	----	473.00 - 34.60	.9449	----	----	----	----	18	UNCH				
3925	----	----	----/428.00A	572.70B/428.00A	----	448.90 - 34.10	.9389	----	----	----	----	35	UNCH				
3950	----	----	----/404.40A	551.30B/404.40A	----	425.00 - 33.30	.9312	----	----	----	----	821	UNCH				
3960	----	----	----/395.20A	493.00B/395.20A	----	415.50 - 33.00	.9278	----	----	----	----	1	UNCH				
4000	----	----	509.90B/358.20A	509.90B/358.20A	----	377.70 - 31.50	.9126	----	----	----	29	UNCH					
4020	----	----	490.20B/340.00A	490.20B/340.00A	----	359.00 - 30.70	.9041	----	----	----	----	1	UNCH				
4040	----	----	470.40B/321.90A	470.40B/321.90A	----	340.40 - 29.80	.8943	----	----	----	----	1	UNCH				
4070	----	----	441.60B/295.20A	441.60B/295.20A	----	312.90 - 28.10	.8774	----	----	----	----	1	UNCH				
4075	----	----	436.70B/290.80A	436.70B/290.80A	----	308.40 - 27.80	.8746	----	----	----	----	6	UNCH				
4095	----	----	417.10B/273.50A	417.10B/273.50A	----	290.40 - 26.50	.8613	----	----	----	----	4	UNCH				
4100	----	----	412.30B/269.00A	412.30B/269.00A	----	285.90 - 26.20	.8575	----	----	----	194	UNCH					
4105	----	----	407.50B/264.80A	407.50B/264.80A	----	281.50 - 25.80	.8541	----	----	----	----	1	UNCH				
4110	280.20	280.20	403.00B/260.50A	403.00B/260.50A	----	277.10 - 25.40	.8503	----	1	----	4 +	1					
4115	----	----	398.20B/256.30A	398.20B/256.30A	----	272.70 - 25.00	.8464	----	----	----	----	1	UNCH				
4130	----	----	383.50B/243.60A	383.50B/243.60A	----	259.50 - 23.80	.8346	----	----	----	----	1	UNCH				
4145	----	----	369.50B/231.10A	369.50B/231.10A	----	246.60 - 22.50	.8214	----	----	----	28	UNCH					
4150	----	----	364.50B/227.00A	364.50B/227.00A	----	242.30 - 22.00	.8170	----	----	----	37	UNCH					
4155	----	----	360.40B/223.00A	360.40B/223.00A	----	238.10 - 21.50	.8125	----	----	----	----	1	UNCH				
4160	----	----	355.00B/219.00A	355.00B/219.00A	----	233.80 - 21.10	.8076	----	----	----	----	1	UNCH				
4190	----	----	326.80B/195.30A	326.80B/195.30A	----	209.00 - 17.70	.7765	----	----	----	----	1	UNCH				
4200	----	----	317.50B/187.50A	317.50B/187.50A	----	200.90 - 16.50	.7653	----	30	----	35 +	26					
4215	188.10	188.10	303.70B/176.10A	303.70B/176.10A	----	189.00 - 14.60	.7473	----	1	----	26 +	1					
4220	----	----	299.20B/172.50A	299.20B/172.50A	----	185.10 - 13.90	.7410	----	----	----	----	1	UNCH				
4225	----	----	294.60B/168.80A	294.60B/168.1													

BULLETIN #107@				METALS OPTION PRODUCTS										Fri, Jun 05, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS															
JUL26																
4500	71.70	71.70		71.80/34.10A	86.70B/34.10A	----	----	36.90 - 50.80	.2746	----	----	547	----	1662 +	190	
4505	79.40	79.40		79.40/32.90A	84.20B/32.90A	----	----	35.60 - 49.50	.2671	----	----	90	----	81 +	72	
4510	50.30	50.30		50.30/31.80A	81.60B/31.80A	----	----	34.40 - 48.20	.2598	----	----	57	----	111 +	16	
4515	50.10	50.10		50.10/30.70A	79.20B/30.70A	----	----	33.20 - 47.00	.2526	----	----	36	----	292	UNCH	
4520	71.60	71.60		71.60/29.60A	76.80B/29.60A	----	----	32.00 - 45.80	.2454	----	----	79	----	226 +	37	
4525	43.80	43.80		45.50/28.60A	74.40B/28.60A	----	----	30.90 - 44.60	.2386	----	----	40	----	209	UNCH	
4530	48.20	48.20		50.40/27.60A	72.20B/27.60A	----	----	29.80 - 43.40	.2317	----	106	----	221 +	77		
4535	39.90	39.90		39.90/26.60A	69.90B/26.60A	----	----	28.70 - 42.30	.2249	----	23	----	135 +	8		
4540	47.90	47.90		47.90/25.70A	67.70B/25.70A	----	----	27.70 - 41.10	.2184	----	36	----	84 +	16		
4545	35.60	35.60		35.60/24.80A	65.60B/24.80A	----	----	26.70 - 40.00	.2120	----	86	----	203 +	29		
4550	51.10	51.10		62.50/23.90A	63.50B/23.90A	----	----	25.80 - 38.80	.2059	----	311	----	601 +	95		
4555	58.10	58.10		58.10/23.10A	61.60B/23.10A	----	----	24.80 - 37.70	.1995	----	37	----	39 +	6		
4560	47.20	47.20		55.90/22.20A	59.50B/22.20A	----	----	24.00 - 36.60	.1939	----	194	----	109 +	32		
4565	28.10	28.10		28.10/21.50A	57.60B/21.50A	----	----	23.10 - 35.60	.1879	----	16	----	66	UNCH		
4570	37.90	37.90		37.90/20.80A	55.70B/20.80A	----	----	22.30 - 34.50	.1824	----	60	----	71 +	9		
4575	37.50	37.50		37.50/20.00A	53.80B/20.00A	----	----	21.50 - 33.50	.1768	----	69	----	173 +	11		
4580	42.00	42.00		44.30/19.40A	52.10B/19.40A	----	----	20.70 - 32.60	.1713	----	96	----	98 +	20		
4585	23.40	23.40		24.60/18.70A	50.40B/18.70A	----	----	20.00 - 31.60	.1662	----	39	----	79 +	9		
4590	46.80	46.80		46.80/18.00A	48.60B/18.00A	----	----	19.30 - 30.60	.1612	----	27	----	45 -	3		
4595	28.10	28.10		28.10/17.40A	47.00B/17.40A	----	----	18.60 - 29.70	.1562	----	60	----	40 -	7		
4600	41.00	41.00		45.00/16.80A	45.40B/16.80A	----	----	17.90 - 28.80	.1511	----	818	2053	UNCH			
4605	37.50	37.50		41.00/16.30A	43.80B/16.30A	----	----	17.30 - 27.80	.1466	----	37	----	105 +	5		
4610	20.30	20.30		20.40/15.70A	42.30B/15.70A	----	----	16.70 - 26.90	.1421	----	120	----	115 +	58		
4615	29.30	29.30		29.30/15.20A	40.90B/15.20A	----	----	16.10 - 26.10	.1377	----	77	----	115 +	28		
4620	23.40	23.40		23.40/14.60A	39.50B/14.60A	----	----	15.50 - 25.20	.1332	----	42	----	53 -	4		
4625	22.30	22.30		22.30/14.20A	38.20B/14.20A	----	----	15.00 - 24.40	.1293	----	38	----	192 +	3		
4630	35.50	35.50		35.50/13.70A	36.90B/13.70A	----	----	14.50 - 23.50	.1254	----	62	----	86 +	34		
4635	24.00	24.00		24.00/13.30A	35.70B/13.30A	----	----	14.00 - 22.70	.1215	----	31	----	131 +	4		
4640	33.10	33.10		34.50B/12.80A	34.50B/12.80A	----	----	13.50 - 22.00	.1176	----	28	----	206 -	9		
4645	22.20	22.20		22.20/12.40A	33.10B/12.40A	----	----	13.10 - 21.10	.1143	----	14	----	46 +	2		
4650	26.40	26.40		32.10B/12.00A	32.10B/12.00A	----	----	12.60 - 20.50	.1104	----	253	340	1313 -	79		
4655	20.60	20.60		20.60/11.60A	31.00B/11.60A	----	----	12.20 - 19.70	.1072	----	22	----	42 +	4		
4660	11.80	11.80		11.90/11.20A	29.80B/11.20A	----	----	11.80 - 19.00	.1039	----	19	----	118 -	7		
4665	18.90	18.90		18.90/10.90A	28.80B/10.90A	----	----	11.40 - 18.30	.1007	----	45	----	310 +	16		
4670	16.30	16.30		16.30/10.50A	27.80B/10.50A	----	----	11.00 - 17.70	.0975	----	25	----	136 +	3		
4675	17.80	17.80		17.80/10.20A	26.90B/10.20A	----	----	10.70 - 17.00	.0948	----	55	----	232 +	16		
4680	10.10	10.10		10.40/9.90A	25.90B/9.90A	----	----	10.30 - 16.40	.0916	----	12	----	193 +	9		
4685	10.50	10.50		10.50/9.60A	25.00B/9.60A	----	----	10.00 - 15.80	.0890	----	13	----	58	UNCH		
4690	14.40	14.40		14.40/9.30A	24.10B/9.30A	----	----	9.60 - 15.30	.0859	----	20	----	82 +	5		
4695	15.70	15.70		15.70/9.00A	23.40B/9.00A	----	----	9.30 - 14.70	.0833	----	27	----	56 +	18		
4700	20.90	20.90		22.60B/8.70A	22.60B/8.70A	----	----	9.00 - 14.20	.0808	----	668	2200 +	10			
4705	18.00	18.00		18.00/8.40A	21.70B/8.40A	----	----	8.70 - 13.70	.0783	----	13	----	56	UNCH		
4710	8.50	8.50		8.50/8.20A	20.90B/8.20A	----	----	8.50 - 13.10	.0764	----	4	----	195	UNCH		
4715	15.30	15.30		15.30/7.90A	20.20B/7.90A	----	----	8.20 - 12.60	.0739	----	11	----	23 +	4		
4720	15.90	15.90		19.50B/7.70A	19.50B/7.70A	----	----	8.00 - 12.10	.0720	----	46	----	107 +	24		
4725	14.20	14.20		14.20/7.50A	18.90B/7.50A	----	----	7.70 - 11.70	.0695	----	154	----	257 +	97		
4730	7.60	7.60		7.60/7.30A	18.20B/7.30A	----	----	7.50 - 11.30	.0677	----	135	----	244 +	66		
4735	11.40	11.40		11.40/7.00	17.50B/7.00	----	----	7.30 - 10.80	.0659	----	10	----	88 +	3		
4740	8.80	8.80		8.80/6.90A	16.90B/6.90A	----	----	7.10 - 10.40	.0641	----	2	----	29 +	2		
4745	----	----		----/6.70A	16.30B/6.70A	----	----	6.90 - 10.00	.0623	----	----	----	217	UNCH		
4750	15.20	15.20		15.80B/6.50	15.80B/6.50	----	----	6.60 - 9.70	.0599	----	449	2142 +	154			
4755	----	----		----/6.30A	15.20B/6.30A	----	----	6.40 - 9.30	.0581	----	1	----	85	UNCH		
4760	6.50	6.50		6.50/6.10A	14.70B/6.10A	----	----	6.30 - 8.90	.0570	----	11	----	69 +	3		
4765	8.60	8.60		8.60/6.00A	14.20B/6.00A	----	----	6.10 - 8.60	.0552	----	7	----	196 -	5		
4770	6.50	6.50		6.50/5.80	13.70B/5.80	----	----	5.90 - 8.30	.0535	----	7	----	107 +	2		
4775	10.60	10.60		13.20B/5.70	13.20B/5.70	----	----	5.70 - 8.00	.0518	----	24	----	244 +	2		
4780	7.30	7.30		7.30/5.50A	12.90B/5.50A	----	----	5.60 - 7.70	.0507	----	5	----	53 -	2		
4785	10.50	10.50		12.40B/5.40A	12.40B/5.40A	----	----	5.40 - 7.40	.0490	----	7	----	84 +	1		
4790	5.40	5.40		5.40/5.30A	12.10B/5.30A	----	----	5.30 - 7.10	.0480	----	5	----	79	UNCH		
4795	5.70	5.70		5.70/5.10A	11.60B/5.10A	----	----	5.10 - 6.90	.0463	----	6	----	803 -	2		
4800	11.50	11.50		11.50/5.00	11.50/5.00	----	----	5.00 - 6.60	.0453	----	549	3587 -	149			
4805	7.60	7.60		7.60/4.90A	10.90B/4.90A	----	----	4.90 - 6.30	.0443	----	7	----	308 +	1		
4810	7.30	7.30		7.30/4.80A	10.50B/4.80A	----	----	4.80 - 6.10	.0433	----	4	----	81 -	2		
4815	----	----		----/4.70A	10.20B/4.70A	----	----	4.70 - 5.80	.0423	----	----	----	55 -	UNCH		
4820	----	----		----/4.50A	9.90B/4.50A	----	----	4.60 - 5.60	.0414	----	1	----	65 -	1		
4825	----	----		----/4.50A	9.60B/4.50A	----	----	4.50 - 5.40	.0404	----	88	----	676 +	3		
4830	----	----		----/4.40A	9.20B/4.40A	----	----	4.40 - 5.20	.0394	----	----	----	156	UNCH		
4835	----	----		----/4.20A	9.00B/4.20A	----	----	4.30 - 5.00	.0385	----	----	----	73	UNCH		
4840	7.20	7.20		7.20/4.10A	8.60B/4.10A	----	----	4.20 - 4.80	.0376	----	1	----	224 -	1		
4845	----	----		----/4.10A	8.30B/4.10A	----	----	4.10 - 4.60	.0366	----	1	----	135 -	1		
4850	6.50	6.50		8.00/3.90A	8.10B/3.90A	----	----	4.00 - 4.50	.0357	----	332	1776 -	114			
4855	----	----		----/3.80A	7.90B/3.80A	----	----	3.90 - 4.30	.0348	----	----	----	243	UNCH		
4860	----	----		----/3.70A	7.60B/3.70A	----	----	3.80 - 4.20	.0339	----	----	----	96	UNCH		
4865	3.70	3.70		3.70/3.60A	7.40B/3.60A	----	----	3.70 - 4.00	.0330	----	1	----	109	UNCH		
4870	3.60	3.60		3.60/3.60	7.10B/3.60	----	----	3.60 - 3.90	.0321	----	8	----	143 -	1		
4875	5.00	5.00		5.00/3.50A	6.90B/3.50A	----	----	3.60 - 3.70	.0319	----	157	202 +	92			
4880	6.00	6.00		6.70B/3.40	6.70B/3.40	----	----	3.50 - 3.60	.0310	----	41	162 +	3			
4885	3.40	3.40		3.40/3.40	6.50B/3.40	----	----	3.40 - 3.50	.0301	----	1	----	76	UNCH		
4890	----	----		----/3.30A	6.40B/3.30A	----	----	3.30 - 3.40	.0292	----	----	----	85	UNCH		
4895	----	----		----/3.30A	6.20B/3.30A	----	----	3.20 - 3.30	.0284	----	----	----	71	UNCH		
4900	5.60	5.60		6.00B/3.20	6.00B/3.20	----	----	3.20 - 3.10	.0282	----	145	2469 -	82			
4905	5.40	5.40		5.40/3.10A	5.80B/3.10A	----	----	3.10 - 3.10	.0273	----	7	----	30	UNCH		
4910	----	----		----/3.00A	5.70B/3.00A	----	----	3.00 - 3.00	.0265	----	----	----	185	UNCH		
4915	4.80	4.80		4.80/3.00	5.50B/3.00	----	----	3.00 - 2.80	.0263	----	13	----	88 +	10		
4920	----	----		----/2.90A	5.50B/2.90A	----	----	2.90 - 2.80	.0254	----	----	----	368	UNCH		
4925	----	----		----/2.90A	5.20B/2.90A	----	----	2.80 - 2.70	.0246	----	60	133 +	60			
4930	4.60	4.60		5.10B/2.80A	5.10B/2.80A	----	----	2.80 - 2.60	.0245	----	2	106 -	1			
4935	----	----		----/2.80A	5.00B/2.80A	----	----	2.70 - 2.50	.0236	----	----	----	648</			

BULLETIN #107@				METALS OPTION PRODUCTS										Fri, Jun 05, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG CALL JUL26	COMEX GOLD OPTIONS																		
5185	----	----	----/1.50A	1.90B/1.50A	----	1.40 - 0.60	.0107	----	----	----	----	155	UNCH						
5190	----	----	----/1.50A	1.80B/1.50A	----	1.40 - 0.60	.0107	----	----	----	----	23	UNCH						
5195	----	----	----/1.40A	1.80B/1.40A	----	1.40 - 0.60	.0106	----	----	----	----	36	UNCH						
5200	1.50	1.50	1.60/1.40A	1.80B/1.40A	----	1.40 - 0.60	.0106	----	----	57	----	2321 -	40						
5205	----	----	----/1.40A	1.80B/1.40A	----	1.40 - 0.50	.0105	----	----	----	----	50	UNCH						
5210	----	----	----/1.40A	1.80B/1.40A	----	1.40 - 0.50	.0105	----	----	----	----	48	UNCH						
5215	----	----	----/1.40A	1.70B/1.40A	----	1.40 - 0.50	.0105	----	----	----	----	48	UNCH						
5220	----	----	----/1.40A	1.70B/1.40A	----	1.40 - 0.50	.0104	----	1	----	----	43 -	1						
5225	----	----	----/1.40A	1.70B/1.40A	----	1.40 - 0.40	.0104	----	----	----	----	88	UNCH						
5230	----	----	----/1.40A	1.70B/1.40A	----	1.40 - 0.40	.0103	----	----	----	----	90	UNCH						
5235	----	----	----/1.40A	1.60B/1.40A	----	1.40 - 0.40	.0103	----	----	----	----	35	UNCH						
5240	----	----	----/1.40A	1.60B/1.40A	----	1.40 - 0.40	.0102	----	----	----	----	115	UNCH						
5245	----	----	----/1.40A	1.60B/1.40A	----	1.30 - 0.50	.0096	----	----	----	----	71	UNCH						
5250	----	----	----/1.40A	1.60B/1.40A	----	1.30 - 0.40	.0095	----	4	----	----	890 -	3						
5255	----	----	----/1.30A	1.60B/1.30A	----	1.30 - 0.40	.0095	----	----	----	----	21	UNCH						
5260	----	----	----/1.30A	1.50B/1.30A	----	1.30 - 0.40	.0095	----	1	----	----	150	UNCH						
5265	----	----	----/1.30A	1.50B/1.30A	----	1.30 - 0.40	.0094	----	----	----	----	18	UNCH						
5270	----	----	----/1.30A	1.50B/1.30A	----	1.30 - 0.30	.0094	----	1	----	----	24 -	1						
5275	----	----	----/1.30A	1.50B/1.30A	----	1.30 - 0.30	.0094	----	----	----	----	25	UNCH						
5280	----	----	----/1.30A	1.50B/1.30A	----	1.20 - 0.40	.0087	----	----	----	----	44	UNCH						
5285	----	----	----/1.30A	1.40B/1.30A	----	1.20 - 0.40	.0087	----	----	----	----	15	UNCH						
5290	----	----	----/1.30A	1.40B/1.30A	----	1.20 - 0.30	.0086	----	1	----	----	54 -	1						
5295	----	----	----/1.30A	1.40B/1.30A	----	1.20 - 0.30	.0086	----	----	----	----	86	UNCH						
5300	----	----	----/1.20A	1.40B/1.20A	----	1.20 - 0.30	.0086	----	29	----	----	1205	UNCH						
5305	----	----	----/1.20A	1.40B/1.20A	----	1.20 - 0.30	.0085	----	----	----	----	154	UNCH						
5310	----	----	----/1.20A	1.40B/1.20A	----	1.20 - 0.30	.0085	----	----	----	----	28	UNCH						
5315	----	----	----/1.20A	1.30B/1.20A	----	1.10 - 0.30	.0079	----	----	----	----	35	UNCH						
5320	----	----	----/1.20A	1.30B/1.20A	----	1.10 - 0.30	.0079	----	----	----	----	57	UNCH						
5325	----	----	----/1.20A	1.30B/1.20A	----	1.10 - 0.30	.0078	----	----	----	----	172	UNCH						
5330	----	----	----/1.20A	1.30B/1.20A	----	1.10 - 0.30	.0078	----	----	----	----	23	UNCH						
5335	----	----	----/1.20A	1.30B/1.20A	----	1.10 - 0.30	.0078	----	----	----	----	14	UNCH						
5340	----	----	----/1.20A	1.30B/1.20A	----	1.10 - 0.30	.0077	----	----	----	----	31	UNCH						
5345	----	----	----/1.20A	1.30B/1.20A	----	1.10 - 0.20	.0077	----	----	----	----	35	UNCH						
5350	----	----	----/1.20A	1.20B/1.20A	----	1.10 - 0.20	.0077	----	----	----	----	792	UNCH						
5355	----	----	----/1.20A	1.20B/1.20A	----	1.10 - 0.20	.0076	----	----	1	----	71	UNCH						
5360	----	----	----/1.10A	1.20B/1.10A	----	1.00 - 0.30	.0070	----	----	1	----	337	UNCH						
5365	----	----	----/1.10A	1.20B/1.10A	----	1.00 - 0.30	.0070	----	----	----	----	139	UNCH						
5370	----	----	----/1.10A	1.20B/1.10A	----	1.00 - 0.30	.0070	----	----	----	----	27	UNCH						
5375	----	----	----/1.10A	1.20B/1.10A	----	1.00 - 0.30	.0070	----	----	----	----	23	UNCH						
5380	----	----	----/1.10A	1.20B/1.10A	----	1.00 - 0.20	.0069	----	----	----	----	18	UNCH						
5385	----	----	----/1.10A	1.20B/1.10A	----	1.00 - 0.20	.0069	----	----	----	----	18	UNCH						
5390	----	----	----/1.10A	1.10B/1.10A	----	1.00 - 0.20	.0069	----	----	----	----	33	UNCH						
5395	----	----	----/1.10A	1.10B/1.10A	----	1.00 - 0.20	.0069	----	----	----	----	27	UNCH						
5400	----	----	----/0.90A	1.10B/0.90A	----	1.00 - 0.20	.0068	----	----	----	----	3319	UNCH						
5405	----	----	----/1.10A	1.10B/1.10A	----	1.00 - 0.20	.0068	----	----	----	----	19	UNCH						
5410	----	----	----/1.10A	1.10B/1.10A	----	1.00 - 0.20	.0068	----	----	----	----	23	UNCH						
5415	----	----	----/1.00A	1.10B/1.00A	----	1.00 - 0.20	.0068	----	----	----	----	18	UNCH						
5420	----	----	----/1.10A	1.10B/1.10A	----	1.00 - 0.20	.0067	----	----	----	----	29	UNCH						
5425	----	----	----/1.00A	1.10B/1.00A	----	1.00 - 0.10	.0067	----	----	----	----	34	UNCH						
5430	----	----	----/1.00A	1.10B/1.00A	----	1.00 - 0.10	.0067	----	----	----	----	11	UNCH						
5435	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.10	.0067	----	----	----	----	7	UNCH						
5440	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.20	.0061	----	----	----	----	26	UNCH						
5445	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.20	.0061	----	----	----	----	24	UNCH						
5450	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.20	.0060	----	----	----	----	1171	UNCH						
5455	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.20	.0060	----	----	----	----	36	UNCH						
5460	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.20	.0060	----	----	----	----	27	UNCH						
5465	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.20	.0060	----	----	----	----	20	UNCH						
5470	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.20	.0060	----	----	----	----	28	UNCH						
5475	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.20	.0059	----	----	----	----	207	UNCH						
5480	----	----	----	1.00B/1.00A	----	0.90 - 0.10	.0059	----	----	----	----	5	UNCH						
5485	----	----	----	0.90B/1.00A	----	0.90 - 0.10	.0059	----	----	----	----	16	UNCH						
5490	----	----	----	0.90B/1.00A	----	0.90 - 0.10	.0059	----	----	----	----	19	UNCH						
5495	1.00	1.00	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0059	----	----	24	----	2272 -	1						
5500	----	----	1.00/0.80A	1.00/0.80A	----	0.90 - 0.10	.0058	----	----	----	----	15	UNCH						
5505	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0058	----	----	----	----	27	UNCH						
5510	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0058	----	----	----	----	18	UNCH						
5515	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0058	----	----	----	----	18	UNCH						
5520	----	----	----/0.70A	0.90B/0.70A	----	0.90 - 0.10	.0058	----	----	----	----	38	UNCH						
5525	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0057	----	----	----	----	91	UNCH						
5530	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0057	----	----	----	----	30	UNCH						
5535	----	----	----/0.90A	0.80B/0.90A	----	0.90 - 0.10	.0057	----	----	----	----	15	UNCH						
5540	----	----	----	0.90B/0.90A	----	0.80 - 0.10	.0051	----	----	----	----	16	UNCH						
5545	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0051	----	----	----	----	16	UNCH						
5550	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.10	.0051	----	----	----	----	195	UNCH						
5555	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0051	----	----	----	----	35	UNCH						
5560	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0051	----	----	----	----	18	UNCH						
5565	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.10	.0051	----	----	----	----	12	UNCH						
5570	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0051	----	----	----	----	4	UNCH						
5575	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.10	.0050	----	----	----	----	31	UNCH						
5580	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.10	.0050	----	----	----	----	7	UNCH						
5585	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.10	.0050	----	----	----	----	12	UNCH						
5590	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.10	.0050	----	----	----	----	5	UNCH						
5595	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.10	.0050	----	----	----	----	19	UNCH						
5600	----	----	----/0.80A	0.70B/0.80A	----	0.80 - 0.10	.0050	----	----	----	----	2229	UNCH						
5605	----	----	----	0.70B/0.80A	----	0.80 UNCH	.0049	----	----	----	----	32	UNCH						
5610	----	----	----	0.70B/0.80A	----	0.80 UNCH	.0049	----	----	----	----	11	UNCH						
5615	----	----	----	0.70B/0.80A	----	0.80 UNCH	.0049	----	----	----	----	6	UNCH						
5620	----	----	----	0.70B/0.80A	----	0.80 UNCH	.0049	----	----	----	----	13	UNCH						
5625	----	----	----	0.70B/0.80A	----	0.80 UNCH	.0049	----	----	----	----	4	UNCH						
5630	----	----	----	0.70B/0.80A	----	0.80 UNCH	.0049	----	----	----	----	6	UNCH						
5635	----	----	----	0.70B/0.80A	----	0.70 - 0.10	.0043	----	----	----	----	12	UNCH						
5640	0.60	0.60	----/0.70A	0.70B/0.70A	----	0.70 - 0.10	.0043	----	----	3	----	402 +	2						
5650	----	----	----/0.70A	0.60B/0.70A	----	0.70 - 0.10	.0043	----	----	----	----	7	UNCH						
5660	----	----	----	0.60B/0.80A	----	0.70 - 0.10	.0042	----	----	----	----	11	UNCH						
5670	----	----	----	0.60B/0.80A	----	0.70 - 0.10	.0042	----	----	----	----	7	UNCH						
5675	----	----	----	0.60B/0.80A	----	0.70 - 0.10	.0042	----	----	----	----	6	UNCH						
5680	----	----	----	0.60B/0.80A	----	0.70 - 0.10	.0042	----	----	----	----	21	UNCH						
5690	----	----	----	0.60B/0.70A	----	0.70 UNCH	.0042	----	2	----	----	989 -	2						
5700	----	----	----/0.60A	0.60B/0.60A	----	0.70 UNCH	.0042	----	----	----	----	22	UNCH						
5710	----	----	----	0.60B/0.70A	----	0.70 UNCH	.0041	----	----	----	----	17	UNCH						
5720	----	----	----/0.60A	0.60B/0.60A	----	0.70 UNCH	.0041	----	----	----	----	56	UNCH						
5725	----	----	----	0.60B/0.70A	----	0.70 UNCH	.0041	----	----	----	----	10	UNCH						
5730	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0036	----	----	----	----	9	UNCH						
5740	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0036	----	----	----	----	1059	UNCH						
5750	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.10	.0035	----	----	----	----	168	UNCH						
5760	----	----	----/0.50A	0.60B/0.50A	----	0.60 - 0.10	.0035	----	----	----	----	4	UNCH						
5770	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0035	----	----	----	----	215	UNCH						
5775	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0035	----	----	----	----	6	UNCH						
5780	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0035	----											

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
JUL26																
6100	0.40	0.40		0.40/0.30A	0.40/0.30A	----			0.40	UNCH	.0021	----	----	2	----	293 +
6125	0.50	0.50		0.50/0.50	0.50/0.40A	----			0.40	UNCH	.0021	----	10	----	70	UNCH
6150	0.40	0.40		0.40/0.30A	0.40/0.30A	----			0.40	UNCH	.0021	----	2	----	882 +	1
6175	----	----		----/0.30A	0.20B/0.30A	----			0.30 -	0.10	.0016	----	----	----	37	UNCH
6200	0.30	0.30		0.30/0.20	0.30/0.20	----			0.30 -	0.10	.0016	----	5	----	570 +	3
6225	----	----		----/0.30A	0.20B/0.30A	----			0.30 -	0.10	.0015	----	----	----	20	UNCH
6250	----	----		----/0.30A	0.20B/0.30A	----			0.30 -	0.10	.0015	----	----	----	392	UNCH
6275	----	----		----	0.20B/0.30A	----			0.30	UNCH	.0015	----	----	----	3	UNCH
6300	----	----		----/0.20A	----/0.20A	----			0.30	UNCH	.0015	----	----	----	335	UNCH
6325	----	----		----	----/0.30A	----			0.30	UNCH	.0015	----	----	----	29	UNCH
6350	----	----		----/0.20A	----/0.20A	----			0.30	UNCH	.0015	----	----	----	21	UNCH
6375	----	----		----/0.20A	----/0.20A	----			0.20 -	0.10	.0010	----	----	----	37	UNCH
6400	----	----		----/0.20A	----/0.20A	----			0.20 -	0.10	.0010	----	----	----	111	UNCH
6425	----	----		----	----/0.30A	----			0.20 -	0.10	.0010	----	----	----	17	UNCH
6450	----	----		----	----/0.20A	----			0.20	UNCH	.0010	----	----	----	48	UNCH
6475	----	----		----	----/0.20A	----			0.20	UNCH	.0010	----	----	----	13	UNCH
6500	0.20	0.20		0.20/0.10A	0.20/0.10A	----			0.10 -	0.10	.0005	----	23	----	669	UNCH
6525	0.10	0.10		0.10/0.10	0.10/0.10	----			0.10 -	0.10	.0004	----	10	----	162 +	10
6550	----	----		----/0.10A	----/0.10A	----			0.10 -	0.10	.0004	----	----	----	11	UNCH
6575	----	----		----/0.10A	----/0.10A	----			0.10 -	0.10	.0003	----	----	----	4	UNCH
6600	----	----		----/0.10A	----/0.10A	----			0.10 -	0.10	.0003	----	----	----	27	UNCH
6650	----	----		----/0.10A	----/0.10A	----			0.10 -	0.10	.0002	----	----	----	16	UNCH
6675	----	----		----/0.10A	----/0.10A	----			0.10 -	0.10	.0002	----	----	----	1	UNCH
6700	----	----		----	----/0.10A	----			0.10	UNCH	.0002	----	----	----	137	UNCH
6775	----	----		----	----/0.10A	----			0.10	UNCH	.0001	----	----	----	1	UNCH
6800	----	----		----	----/0.10A	----			0.10	UNCH	.0001	----	----	----	202	UNCH
6825	----	----		----	----/0.10A	----			0.10	UNCH	.0001	----	----	----	19	UNCH
6850	----	----		----	----/0.10A	----			0.10	UNCH	.0001	----	----	----	201	UNCH
6875	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	22	UNCH
6900	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	19	UNCH
6925	----	----		----	----/0.20A	----			0.10	UNCH	.0000	----	----	----	1	UNCH
6950	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	22	UNCH
6975	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	10	UNCH
7000	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	1470	UNCH
7025	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	1	UNCH
7050	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	18	UNCH
7075	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	13	UNCH
7100	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	28	UNCH
7125	----	----		----	----/0.20A	----			0.10	UNCH	.0000	----	----	----	1	UNCH
7150	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	20	UNCH
7175	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	1	UNCH
7200	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	3	UNCH
7225	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	22	UNCH
7250	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	23	UNCH
7275	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	14	UNCH
7300	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	50	UNCH
7350	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	8	UNCH
7400	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	2	UNCH
7425	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	19	UNCH
7450	----	----		----	----/0.10A	----			0.10	UNCH	.0000	----	----	----	28	UNCH
7475	----	----		----	----/0.20A	----			0.10	UNCH		----	----	----	9	UNCH
7500	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	297	UNCH
7525	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	34	UNCH
7550	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	50	UNCH
7575	----	----		----	----/0.20A	----			0.10	UNCH		----	----	----	1	UNCH
7600	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	10	UNCH
7625	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	12	UNCH
7700	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	11	UNCH
7725	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	17	UNCH
7750	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	11	UNCH
7775	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	11	UNCH
7800	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	10	UNCH
7825	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	18	UNCH
7875	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	166	UNCH
7900	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	6	UNCH
8000	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	1116	UNCH
8100	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	7	UNCH
8200	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	3	UNCH
8300	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	4	UNCH
8500	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	40	UNCH
8600	----	----		----	----/0.20A	----			0.10	UNCH		----	----	----	2	UNCH
8700	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	24	UNCH
8800	----	----		----	----/0.20A	----			0.10	UNCH		----	----	----	7	UNCH
9000	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	340	UNCH
9200	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	11	UNCH
9300	----	----		----	----/0.20A	----			0.10	UNCH		----	----	----	4	UNCH
9400	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	141	UNCH
9500	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	66	UNCH
9900	0.10	0.10		0.10/0.10	0.10/0.10	----			0.10	UNCH		----	13	----	5	UNCH
10000	----	----		0.10/0.10	0.10B/0.10A	----			0.10	UNCH		----	----	----	275	UNCH
10100	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	12	UNCH
10500	----	----		----	----/0.10A	----			0.10	UNCH		----	----	----	5	UNCH
10700	----	----		----	----/0.20A	----			0.10	UNCH		----	----	----	5	UNCH
11000	0.10	0.10		0.10/0.10	0.10/0.10	----			0.10	UNCH		----	12	----	103	UNCH
11200	----	----														



PG64 BULLETIN #107@				METALS OPTION PRODUCTS							Fri, Jun 05, 2026		PG64			
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL	COMEX GOLD OPTIONS															
AUG26																
4090	----	----	----	440.90B/313.60A	440.90B/313.60A	----	----	----	327.70 - 13.00	.7775	----	----	----	----	1	UNCH
4100	----	----	----	432.30B/305.60A	432.30B/305.60A	----	----	----	319.80 - 12.10	.7703	----	----	----	----	73	UNCH
4110	----	----	----	423.40B/298.10A	423.40B/298.10A	----	----	----	311.90 - 11.10	.7628	----	----	----	----	19	UNCH
4115	----	----	----	-----/294.50A	418.50B/294.50A	----	----	----	308.00 - 10.60	.7590	----	----	----	----	2	UNCH
4135	----	----	----	-----/279.30A	401.00B/279.30A	----	----	----	292.60 - 08.60	.7434	----	----	----	----	20	UNCH
4140	----	----	----	397.00B/275.90A	397.00B/275.90A	----	----	----	288.80 - 08.10	.7393	----	----	----	----	1	UNCH
4150	----	----	----	-----/268.30A	388.30B/268.30A	----	----	----	281.30 - 07.00	.7311	----	----	----	----	40	UNCH
4165	----	----	----	375.70B/257.80A	375.70B/257.80A	----	----	----	270.20 - 05.30	.7185	----	----	----	----	1	UNCH
4195	----	----	----	-----/236.70A	350.20B/236.70A	----	----	----	248.60 - 01.80	.6918	----	----	----	----	3	UNCH
4200	----	----	----	-----/233.20A	346.00B/233.20A	----	----	----	245.10 - 01.20	.6732	----	----	----	----	73	UNCH
4215	----	----	----	-----/223.40A	333.80B/223.40A	----	----	----	234.70 - 99.30	.6732	----	----	----	----	1	UNCH
4220	----	----	----	-----/219.80A	329.80B/219.80A	----	----	----	231.30 - 98.70	.6684	----	----	----	----	16	UNCH
4225	----	----	----	-----/216.50A	325.80B/216.50A	----	----	----	227.90 - 98.10	.6636	----	----	----	----	102	UNCH
4235	----	----	----	-----/210.60A	317.80B/210.60A	----	----	----	221.20 - 96.80	.6539	----	----	----	----	1	UNCH
4250	----	----	----	-----/200.60A	305.90B/200.60A	----	----	----	211.30 - 94.80	.6390	----	----	1	----	72	+
4255	----	----	----	-----/197.80A	302.00B/197.80A	----	----	----	208.10 - 94.10	.6340	----	----	----	----	1	UNCH
4265	----	----	----	-----/191.40A	294.20B/191.40A	----	----	----	201.80 - 92.70	.6238	----	----	----	----	77	UNCH
4285	----	----	----	-----/179.60A	278.90B/179.60A	----	----	----	189.40 - 89.90	.6030	----	----	----	----	8	UNCH
4300	175.60	175.60	175.60	175.60/171.00A	267.70B/171.00A	----	----	----	180.40 - 87.80	.5871	----	----	146	----	146	+
4310	----	----	----	-----/165.50A	260.30B/165.50A	----	----	----	174.60 - 86.30	.5764	----	----	----	----	1	UNCH
4320	209.90	209.90	209.90	209.90/159.90A	253.10B/159.90A	----	----	----	168.90 - 84.70	.5656	----	----	10	----	10	+
4325	----	----	----	-----/157.10A	249.60B/157.10A	----	----	----	166.10 - 84.00	.5602	----	----	40	----	41	+
4330	----	----	----	-----/154.40A	245.90B/154.40A	----	----	----	163.30 - 83.20	.5547	----	----	----	----	201	UNCH
4340	151.50	151.50	151.50	151.50/149.20A	238.90B/149.20A	----	----	----	157.80 - NEW	.5437	----	----	3	----	3	+
4350	191.00	191.00	191.00	191.00/144.00A	232.00B/144.00A	----	----	----	152.50 - 80.20	.5327	----	----	39	----	810	+
4355	150.50	150.50	150.50	150.50/141.60A	228.60B/141.60A	----	----	----	149.90 - NEW	.5271	----	----	4	----	4	+
4360	----	----	----	-----/139.30A	225.50B/139.30A	----	----	----	147.30 - 78.60	.5216	----	----	----	----	1	UNCH
4370	142.80	142.80	142.80	142.80/134.30A	218.50B/134.30A	----	----	----	142.20 - NEW	.5105	----	----	9	----	9	+
4375	----	----	----	-----/131.90A	215.20B/131.90A	----	----	----	139.70 - 76.20	.5049	----	----	----	----	3	UNCH
4380	136.50	136.50	136.50	136.50/129.70A	211.90B/129.70A	----	----	----	137.20 - NEW	.4993	----	----	1	----	1	+
4385	----	----	----	-----/127.40A	208.80B/127.40A	----	----	----	134.80 - 74.60	.4938	----	----	----	----	100	UNCH
4390	----	----	----	-----/125.10A	205.50B/125.10A	----	----	----	132.40 - 73.80	.4882	----	----	----	----	1	UNCH
4395	191.70	191.70	191.70	191.70/122.90A	202.40B/122.90A	----	----	----	130.00 - NEW	.4826	----	----	10	----	10	+
4400	188.70	188.70	188.70	188.70/120.40A	199.10B/120.40A	----	----	----	127.70 - 72.20	.4771	----	----	231	200	448	+
4405	185.70	185.70	185.70	185.70/118.50A	196.10B/118.50A	----	----	----	125.40 - NEW	.4715	----	----	1	----	1	+
4410	182.70	182.70	182.70	182.70/116.30A	193.00B/116.30A	----	----	----	123.10 - NEW	.4660	----	----	1	----	1	+
4415	179.80	179.80	179.80	179.80/114.00A	189.90B/114.00A	----	----	----	120.80 - NEW	.4604	----	----	7	----	6	+
4420	176.90	176.90	176.90	176.90/112.10A	186.90B/112.10A	----	----	----	118.60 - 69.10	.4549	----	----	1	----	58	UNCH
4425	174.00	174.00	174.00	174.00/110.00A	183.90B/110.00A	----	----	----	116.40 - 68.30	.4493	----	----	3	150	162	+
4430	----	----	----	-----/108.00A	181.00B/108.00A	----	----	----	114.30 - 67.40	.4438	----	----	----	----	2	UNCH
4435	168.30	168.30	168.30	168.30/106.40A	178.30B/106.40A	----	----	----	112.10 - 66.70	.4383	----	----	24	----	24	+
4440	----	----	----	-----/104.40A	175.40B/104.40A	----	----	----	110.00 - 65.90	.4328	----	----	29	----	31	+
4445	107.30	107.30	107.30	107.30/101.90A	172.40B/101.90A	----	----	----	108.00 - 65.00	.4274	----	----	9	----	10	+
4450	139.10	139.10	139.10	139.10/99.90A	169.70B/99.90A	----	----	----	105.90 - 64.30	.4219	----	----	35	----	37	+
4455	----	----	----	-----/98.20A	167.00B/98.20A	----	----	----	103.90 - 63.50	.4164	----	----	----	----	5	UNCH
4460	111.00	111.00	111.00	111.00/96.10A	164.30B/96.10A	----	----	----	102.00 - 62.60	.4111	----	----	4	----	16	+
4465	96.30	96.30	96.30	96.30/94.50A	161.20B/94.50A	----	----	----	100.00 - 61.90	.4056	----	----	1	----	43	UNCH
4470	141.80	141.80	141.80	141.80/92.50A	158.50B/92.50A	----	----	----	98.10 - 61.00	.4003	----	----	34	----	47	+
4475	138.00	138.00	138.00	146.90/90.90A	155.80B/90.90A	----	----	----	96.20 - 60.30	.3949	----	----	27	----	61	UNCH
4480	104.70	104.70	104.70	104.70/89.00A	153.30B/89.00A	----	----	----	94.40 - 59.40	.3896	----	----	5	----	28	+
4485	----	----	----	-----/87.30A	150.60B/87.30A	----	----	----	92.60 - 58.60	.3844	----	----	----	----	21	UNCH
4490	144.70	144.70	144.70	144.70/85.60A	148.10B/85.60A	----	----	----	90.80 - 57.80	.3791	----	----	6	----	21	+
4495	88.40	88.40	88.40	88.40/84.10A	145.40B/84.10A	----	----	----	89.00 - NEW	.3738	----	----	2	----	2	+
4500	132.00	132.00	132.00	140.50/82.30A	142.80B/82.30A	----	----	----	87.30 - 56.30	.3687	----	----	232	1444	43	+
4505	126.40	126.40	126.40	126.40/80.80A	140.50B/80.80A	----	----	----	85.60 - 55.50	.3635	----	----	11	----	28	+
4510	----	----	----	-----/79.10A	138.00B/79.10A	----	----	----	83.90 - 54.70	.3584	----	----	----	----	10	UNCH
4515	87.40	87.40	87.40	87.40/77.60A	135.60B/77.60A	----	----	----	82.20 - 54.00	.3532	----	----	1	----	17	+
4520	80.50	80.50	80.50	81.30/76.10A	133.20B/76.10A	----	----	----	80.60 - 53.30	.3482	----	----	5	----	34	+
4525	----	----	----	-----/74.60A	130.80B/74.60A	----	----	----	79.00 - 52.50	.3431	----	----	49	----	68	+
4530	----	----	----	-----/73.20A	128.50B/73.20A	----	----	----	77.50 - 51.70	.3382	----	----	----	----	30	UNCH
4535	78.90	78.90	78.90	78.90/71.70A	126.10B/71.70A	----	----	----	76.00 - 50.90	.3333	----	----	39	----	55	+
4540	----	----	----	-----/70.30A	123.90B/70.30A	----	----	----	74.40 - 50.30	.3283	----	----	----	----	54	UNCH
4545	----	----	----	-----/69.00A	121.70B/69.00A	----	----	----	73.00 - 49.50	.3236	----	----	----	----	18	UNCH
4550	103.50	103.50	103.50	103.50/67.50A	119.60B/67.50A	----	----	----	71.50 - 48.80	.3187	----	----	79	----	488	-
4555	----	----	----	-----/66.20A	117.30B/66.20A	----	----	----	70.10 - 48.00	.3139	----	----	----	----	29	UNCH
4560	71.30	71.30	71.30	71.30/64.90A	115.00B/64.90A	----	----	----	68.60 - 47.30	.3090	----	----	1	----	377	+
4565	107.60	107.60	107.60	107.60/63.70A	112.90B/63.70A	----	----	----	67.20 - 46.60	.3043	----	----	2	----	20	UNCH
4570	68.50	68.50	68.50	68.50/62.30A	110.80B/62.30A	----	----	----	65.90 - 45.80	.2997	----	----	1	----	168	+
4575	62.60	62.60	62.60	62.60/61.20A	108.90B/61.20A	----	----	----	64.50 - 45.20	.2950	----	----	3	----	50	UNCH
4580	65.80	65.80	65.80	65.80/59.90A	106.90B/59.90A	----	----	----	63.20 - 44.40	.2905	----	----	1	----	222	+
4585	----	----	----	-----/58.70A	104.90B/58.70A	----	----	----	62.00 - 43.70	.2861	----	----	----	----	7	UNCH
4590	81.40	81.40	81.40	81.40/57.60A	102.90B/57.60A	----	----	----	60.70 - 43.00	.2815	----	----	1	----	78	+
4595	----	----	----	-----/56.30A	101.00B/56.30A	----	----	----	59.50 - 42.30	.2772	----	----	----	----	40	UNCH
4600	71.00	71.00	71.00	71.00/55.20A	99.10B/55.20A	----	----	----	58.30 - 41.60	.2728	----	----	665	----	866	+
4605	----	----	----	-----/54.20A	97.30B/54.20A	----	----	----	57.20 - 40.90	.2686	----	----	----	----	6	UNCH
4610	62.40	62.40	62.40	62.40/53.10A	95.40B/53.10A	----	----	----	56.00 - 40.20	.2643	----	----	5	----	20	-
4615	57.10	57.10	57.10	57.10/52.00A	93.70B/52.00A	----	----	----	54.90 - 39.50	.2601	----	----	1	----	39	UNCH
4620	90.30	90.30	90.30	90.30/51.00A	91.90B/51.00A	----	----	----	53.80 - 38.90	.2560	----	----	18	----	30	+
4625	84.10	84.10	84.10	84.10/50.00A	90.10B/50.00A	----	----	----	52.70 - 38.20	.2519	----	----	52	----	79	+
4630	57.60	57.60	57.60	57.60/49.10A	88.30B/49.10A	----	----	----	51.70 - 37.50	.2479	----	----	5	----	20	+
4635	81.50	81.50	81.50	81.50/48.00A	86.60B/48.00A	----	----	----	50.60 - 36.90	.2438	----	----	16	----	16	+
4640	87.10	87.10	87.10	87.10/47.00A	87.10/47.00A	----	----	----	49.60 - 36.30	.2399	----	----	1	----		

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY



G6	BULLETIN #107@										METALS OPTION PRODUCTS										Fri, Jun 05, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG CALL	COMEX GOLD OPTIONS																						
AUG26	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----							
4920	----	----	----	----/16.20A	28.30B/16.20A	----	----	16.50 - 12.30	.0924	----	----	----	----	29	UNCH	7							
4925	26.30	26.30	26.30	27.80B/15.90A	27.80B/15.90A	----	----	16.20 - 12.00	.0909	----	----	25	----	327 +	49	UNCH							
4930	----	----	----	----/15.60A	27.30B/15.60A	----	----	16.00 - 11.70	.0897	----	----	1	----	49	UNCH	21							
4935	----	----	----	----/15.40A	26.80B/15.40A	----	----	15.70 - 11.50	.0882	----	----	----	----	21	UNCH	51							
4940	----	----	----	----/15.10A	26.30B/15.10A	----	----	15.40 - 11.30	.0866	----	----	1	----	51	UNCH	85							
4945	----	----	----	----/14.90A	25.80B/14.90A	----	----	15.20 - 11.00	.0855	----	----	1	----	677 -	36	UNCH							
4950	----	----	----	----/14.60A	25.30B/14.60A	----	----	14.90 - 10.80	.0840	----	59	----	----	27	UNCH	42							
4955	----	----	----	----/14.40A	24.80B/14.40A	----	----	14.60 - 10.60	.0824	----	----	1	----	27	UNCH	27							
4960	----	----	----	----/14.20A	24.40B/14.20A	----	----	14.40 - 10.40	.0813	----	----	1	----	27	UNCH	25							
4965	----	----	----	----/13.90A	23.90B/13.90A	----	----	14.20 - 10.10	.0802	----	----	----	----	27	UNCH	17 +							
4970	----	----	----	----/13.70A	23.50B/13.70A	----	----	13.90 - 10.00	.0786	----	----	2	----	20	UNCH	15							
4975	----	----	----	----/13.50A	23.10B/13.50A	----	----	13.70 - 9.70	.0775	----	----	----	----	20	UNCH	15							
4980	----	----	----	----/13.30A	22.60B/13.30A	----	----	13.50 - 9.50	.0764	----	----	----	----	26	UNCH	10 +							
4985	----	----	----	----/13.10A	22.20B/13.10A	----	----	13.20 - 9.40	.0749	----	----	----	----	3506 -	3308	UNCH							
4990	----	----	----	----/12.90A	21.90B/12.90A	----	----	13.00 - 9.20	.0738	----	5	----	----	19	UNCH	3							
4995	20.80	20.80	20.80	21.50B/12.70A	21.50B/12.70A	----	----	12.80 - 9.00	.0727	----	775	50	3506 -	3308	UNCH	1							
5000	20.40	20.40	20.40	21.10/12.40	21.10/12.40	----	----	12.60 - 8.80	.0716	----	----	----	----	19	UNCH	3							
5005	----	----	----	----/12.30A	20.70B/12.30A	----	----	12.40 - 8.60	.0705	----	2	----	----	33 -	99	UNCH							
5010	----	----	----	----/12.10A	20.40B/12.10A	----	----	12.20 - 8.50	.0694	----	1	----	----	275 +	1	UNCH							
5015	----	----	----	----/11.90A	20.00B/11.90A	----	----	12.00 - 8.30	.0683	----	2	----	----	231	UNCH	73							
5020	11.80	11.80	11.80	11.80/11.70A	19.70B/11.70A	----	----	11.80 - 8.10	.0672	----	1	----	----	34	UNCH	36							
5025	11.60	11.60	11.60	11.60/11.60	19.30B/11.60	----	----	11.60 - 8.00	.0661	----	3	----	----	10	UNCH	40							
5030	11.40	11.40	11.40	11.40/11.40	18.90B/11.40	----	----	11.50 - 7.70	.0655	----	----	59	4563 +	40	UNCH	8							
5035	----	----	----	----/11.20A	18.60B/11.20A	----	----	11.30 - 7.60	.0644	----	9	----	----	16 +	8	UNCH							
5040	----	----	----	----/11.10A	18.30B/11.10A	----	----	11.10 - 7.50	.0633	----	1	----	----	12	UNCH	22							
5045	----	----	----	----/10.90A	18.00B/10.90A	----	----	10.90 - 7.40	.0622	----	----	8	367 +	6	UNCH	1							
5050	17.00	17.00	17.00	17.70B/10.70	17.70B/10.70	----	----	10.80 - 7.20	.0616	----	10	----	----	350 +	1	UNCH							
5055	10.60	10.60	10.60	10.60/10.60	17.40B/10.60	----	----	10.60 - 7.10	.0605	----	13	----	----	31 +	2	UNCH							
5060	----	----	----	----/10.50A	17.10B/10.50A	----	----	10.50 - 6.90	.0599	----	1	----	----	16	UNCH	3							
5065	10.30	10.30	10.30	10.30/10.30	16.80B/10.30	----	----	10.30 - 6.80	.0588	----	1	23	21 -	3	UNCH	6							
5070	----	----	----	----/10.20A	16.50B/10.20A	----	----	10.20 - 6.60	.0582	----	1	----	----	31	UNCH	21							
5075	----	----	----	----/10.10A	16.30B/10.10A	----	----	10.00 - 6.50	.0571	----	----	4	152 +	1	UNCH	2							
5080	----	----	----	----/9.90A	16.00B/9.90A	----	----	9.90 - 6.30	.0565	----	----	2	30 +	2	UNCH	16							
5085	----	----	----	----/9.80A	15.60B/9.80A	----	----	9.70 - 6.30	.0554	----	----	----	----	16	UNCH	10							
5090	----	----	----	----/9.70A	15.50B/9.70A	----	----	9.60 - 6.10	.0548	----	----	----	----	40	UNCH	7							
5095	----	----	----	----/9.60A	15.10B/9.60A	----	----	9.50 - 6.00	.0542	----	59	4563 +	40	UNCH	8								
5100	14.70	14.70	14.70	15.00B/9.40A	15.00B/9.40A	----	----	9.30 - 5.90	.0531	----	9	12	UNCH	22	UNCH	6							
5105	12.80	12.80	12.80	12.80/9.30A	14.70B/9.30A	----	----	9.20 - 5.80	.0525	----	1	8	367 +	6	UNCH	1							
5110	----	----	----	----/9.20A	14.40B/9.20A	----	----	9.10 - 5.60	.0519	----	----	6	350 +	1	UNCH	13							
5115	----	----	----	----/9.10A	14.20B/9.10A	----	----	9.00 - 5.50	.0513	----	----	1	31 +	2	UNCH	6							
5120	11.10	11.10	11.10	11.10/9.00A	14.00B/9.00A	----	----	8.80 - 5.50	.0503	----	8	----	----	31	UNCH	21							
5125	10.10	10.10	10.10	10.10/8.80A	13.80B/8.80A	----	----	8.70 - 5.40	.0497	----	1	6	21	UNCH	4								
5130	----	----	----	----/8.70A	13.50B/8.70A	----	----	8.60 - 5.20	.0491	----	----	4	152 +	1	UNCH	2							
5135	----	----	----	----/8.60A	13.30B/8.60A	----	----	8.50 - 5.10	.0485	----	6	----	----	16	UNCH	3							
5140	----	----	----	----/8.50A	13.10B/8.50A	----	----	8.40 - 5.00	.0479	----	----	23	30 +	2	UNCH	16							
5145	----	----	----	----/8.40A	12.90B/8.40A	----	----	8.30 - 4.90	.0473	----	----	----	----	16	UNCH	10							
5150	11.60	11.60	11.60	12.70B/8.20	12.70B/8.20	----	----	8.20 - 4.80	.0467	----	4	152 +	1	UNCH	2								
5155	11.00	11.00	11.00	11.00/8.20A	12.50B/8.20A	----	----	8.10 - 4.70	.0461	----	2	30 +	2	UNCH	16								
5160	----	----	----	----/8.10A	12.30B/8.10A	----	----	8.00 - 4.60	.0455	----	----	23	21 -	3	UNCH	6							
5165	----	----	----	----/8.00A	12.20B/8.00A	----	----	7.90 - 4.50	.0449	----	----	4	152 +	1	UNCH	2							
5170	----	----	----	----/7.90A	12.00B/7.90A	----	----	7.80 - 4.50	.0443	----	----	1	30 +	2	UNCH	16							
5175	7.70	7.70	7.70	7.70/7.70	11.80B/7.70	----	----	7.70 - 4.40	.0437	----	6	372 +	6	UNCH	1								
5180	----	----	----	----/7.70A	11.60B/7.70A	----	----	7.60 - 4.30	.0432	----	1	1	UNCH	2	UNCH	33							
5185	----	----	----	----/7.70A	11.40B/7.70A	----	----	7.50 - 4.20	.0426	----	----	33	UNCH	42	UNCH	7							
5190	----	----	----	----/7.60A	11.30B/7.60A	----	----	7.40 - 4.20	.0420	----	404	3844 -	7	UNCH	6								
5195	----	----	----	----/7.50A	11.10B/7.50A	----	----	7.40 - 4.00	.0418	----	----	6	UNCH	8	UNCH	15							
5200	9.70	9.70	9.70	11.00B/7.40A	11.00B/7.40A	----	----	7.30 - 4.00	.0413	----	----	291	UNCH	62	UNCH	13 +							
5205	----	----	----	----/7.30A	10.80B/7.30A	----	----	7.20 - 3.90	.0407	----	2	13	2	UNCH	20	UNCH							
5210	----	----	----	----/7.20A	10.60B/7.20A	----	----	7.10 - 3.80	.0402	----	71	730 +	1	UNCH	905	UNCH							
5215	----	----	----	----/7.20A	10.50B/7.20A	----	----	7.00 - 3.80	.0396	----	----	36	UNCH	18	UNCH	160	UNCH						
5220	----	----	----	----/7.10A	10.40B/7.10A	----	----	7.00 - 3.60	.0394	----	----	17	UNCH	17	UNCH	209 +	2						
5225	----	----	----	----/7.00A	10.20B/7.00A	----	----	6.90 - 3.60	.0389	----	----	2	13	2	UNCH	32	UNCH						
5230	----	----	----	----/6.90A	10.10B/6.90A	----	----	6.80 - 3.60	.0383	----	----	4	32	UNCH	24	UNCH							
5235	----	----	----	----/6.90A	9.90B/6.90A	----	----	6.70 - 3.50	.0378	----	----	6	UNCH	6	UNCH	10 +	3						
5240	----	----	----	----/6.80A	9.80B/6.80A	----	----	6.70 - 3.40	.0376	----	----	4	2487 -	2	UNCH	7	UNCH						
5245	----	----	----	----/6.70A	9.70B/6.70A	----	----	6.60 - 3.40	.0371	----	----	7	UNCH	24	UNCH	1	UNCH						
5250	7.30	7.30	7.30	7.30/6.60A	9.50B/6.60A	----	----	6.50 - 3.30	.0366	----	71	730 +	1	UNCH	36	UNCH							
5255	----	----	----	----/6.60A	9.40B/6.60A	----	----	6.50 - 3.20	.0364	----	----	18	UNCH	160	UNCH	17	UNCH						
5260	----	----	----	----/6.50A	9.30B/6.50A	----	----	6.40 - 3.20	.0359	----	----	36	UNCH	18	UNCH	209 +	2						
5265	----	----	----	----/6.40A	9.20B/6.40A	----	----	6.30 - 3.20	.0353	----	----	17	UNCH	32	UNCH	1	UNCH						
5270	----	----	----	----/6.40A	9.00B/6.40A	----	----	6.30 - 3.00	.0352	----	----	2	209 +	2	UNCH	32	UNCH						
5275	----	----	----	----/6.30A	8.90B/6.30A	----	----	6.20 - 3.00	.0347	----	----	4	32	UNCH	24	UNCH	6	UNCH					
5280	----	----	----	----/6.30A	8.80B/6.30A	----	----	6.10 - 3.00	.0341	----	2	209 +	2	UNCH	32	UNCH	24	UNCH					
5285	----	----	----	----/6.20A	8.70B/6.20A	----	----	6.10 - 2.90	.0340	----	----	4	32	UNCH	24	UNCH	6	UNCH					
5290	----	----	----	----/6.10A	8.60B/6.10A	----	----	6.00 - 2.90	.0335	----	----	4	10 +	3	UNCH	2487 -	2	UNCH					
5295	----	----	----	----/6.10A	8.50B/6.10A	----	----	6.00 - 2.80	.0334	----	127	1221 +	24	UNCH	17	UNCH	105	UNCH					
5300	6.20	6.20	6.20	6.20/5.80	8.40B/5.80	----	----	5.90 - 2.80	.0329	----	----	1	24	UNCH	5	UNCH	24	UNCH					
5305	----	----	----	----/6.00A	8.30B/6.00A	----	----	5.90 - 2.70	.0327	----	----	1	32 -	1	UNCH	21	UNCH	2	UNCH				
5310	----	----	----	----/5.90A	8.20B/5.90A	----	----	5.80 - 2.70	.0322	----	----	1	2	UNCH	1	UNCH	27	UNCH					
5315	----	----	----	----/5.90A	8.10B/5.90A	----	----	5.70 - 2.70	.0317	----	----	1	8011	UNCH	27	UNCH	1	UNCH					
5320	----	----	----	----/5.80A	8.00B/5.80A	----	----	5.70 - 2.60	.0316	----	----	1	125	UNCH	9	UNCH	8008	UNCH					
5325	5.90	5.90	5.90	5.90/5.80A	7.90B/5.80A	----	----	5.60 - 2.60	.0311	----	1	32 -	1	UNCH	255	UNCH	43	UNCH					
5330	----	----	----	----/5.70A	7.80B/5.70A	----	----	5.60 - 2.50	.0310	----	----	1	10	UNCH	4	UNCH	2	UNCH					
5335	----	----	----	----/5.60A	7.70B/5.60A	----	----	5.50 - 2.50	.0304	----	----	1	2	UNCH	1	UNCH	27	UNCH					
5340	----	----	----	----/5.60A	7.60B/																		

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
SEP26															
4860	----	----	----	---/45.30A	71.40B/45.30A	----	----	46.80 - 25.70	.1873	----	----	----	----	2	UNCH
4870	----	----	----	---/44.00A	69.50B/44.00A	----	----	45.40 - 25.00	.1826	----	----	1	----	3 +	1
4875	----	----	----	---/43.30A	68.40B/43.30A	----	----	44.70 - 24.70	.1803	----	----	----	----	45	UNCH
4880	----	----	----	---/42.80A	67.40B/42.80A	----	----	44.10 - 24.30	.1781	----	----	3	----	14 -	3
4885	----	----	----	---/42.10A	66.40B/42.10A	----	----	43.40 - 24.10	.1758	----	----	----	----	52	UNCH
4895	----	----	----	---/41.00A	64.50B/41.00A	----	----	42.20 - 23.30	.1715	----	----	----	----	2	UNCH
4900	----	----	----	---/40.40A	63.70B/40.40A	----	----	41.60 - 23.00	.1694	----	----	5	----	513	UNCH
4905	----	----	----	---/39.80A	62.60B/39.80A	----	----	41.00 - 22.70	.1673	----	----	----	----	21	UNCH
4915	----	----	----	---/38.70A	61.00B/38.70A	----	----	39.80 - 22.10	.1631	----	----	----	----	50	UNCH
4920	----	----	----	---/38.20A	60.10B/38.20A	----	----	39.30 - 21.70	.1612	----	----	----	----	66	UNCH
4925	38.20	38.20	38.20	38.20/37.60A	59.20B/37.60A	----	----	38.70 - 21.50	.1591	----	13	----	----	115 +	13
4930	----	----	----	---/37.10A	58.30B/37.10A	----	----	38.10 - 21.20	.1570	----	----	----	----	2	UNCH
4935	----	----	----	---/36.60A	57.40B/36.60A	----	----	37.60 - 20.90	.1552	----	----	----	----	1	UNCH
4945	----	----	----	---/35.60A	55.80B/35.60A	----	----	36.60 - 20.20	.1515	----	----	----	----	5	UNCH
4950	35.00	35.00	35.00	35.00/35.00	55.00B/35.00	----	----	36.00 - 20.00	.1494	----	76	----	----	278 -	75
4955	----	----	----	---/34.60A	54.30B/34.60A	----	----	35.50 - 19.70	.1476	----	----	----	----	1	UNCH
4960	----	----	----	---/34.10A	53.50B/34.10A	----	----	35.00 - 19.50	.1457	----	----	----	----	48	UNCH
4965	33.50	33.50	33.50	33.50/33.30	52.70B/33.30	----	----	34.60 - 19.10	.1442	----	4	----	----	9 +	4
4970	----	----	----	---/33.10A	52.00B/33.10A	----	----	34.10 - 18.80	.1423	----	----	----	----	51	UNCH
4975	----	----	----	---/32.70A	51.30B/32.70A	----	----	33.60 - 18.60	.1405	----	----	----	----	331	UNCH
4980	----	----	----	---/32.20A	50.50B/32.20A	----	----	33.10 - 18.40	.1387	----	----	----	----	7	UNCH
4985	----	----	----	---/31.80A	49.90B/31.80A	----	----	32.70 - 18.00	.1371	----	----	----	----	1	UNCH
5000	43.30	43.30	43.30	47.70B/30.00	47.70B/30.00	----	----	31.40 - 17.30	.1322	----	13	----	----	962 +	7
5005	----	----	----	---/30.10A	47.20B/30.10A	----	----	31.00 - 17.00	.1307	----	----	----	----	3	UNCH
5010	----	----	----	---/29.70A	46.40B/29.70A	----	----	30.60 - 16.70	.1291	----	----	----	----	10	UNCH
5015	----	----	----	---/29.30A	45.80B/29.30A	----	----	30.20 - 16.40	.1276	----	----	----	----	4	UNCH
5045	----	----	----	---/27.10A	42.10B/27.10A	----	----	27.90 - 15.00	.1187	----	----	----	----	3	UNCH
5050	30.70	30.70	30.70	30.70/26.80A	41.60B/26.80A	----	----	27.50 - 14.80	.1172	----	17	----	----	404 +	13
5055	----	----	----	---/26.40A	40.90B/26.40A	----	----	27.10 - 14.60	.1157	----	----	----	----	5	UNCH
5060	----	----	----	---/26.10A	40.40B/26.10A	----	----	26.80 - 14.40	.1144	----	----	----	----	5	UNCH
5070	----	----	----	---/25.40A	39.20B/25.40A	----	----	26.10 - 14.00	.1117	----	----	----	----	8	UNCH
5075	28.00	28.00	28.00	28.00/25.10A	38.80B/25.10A	----	----	25.70 - 13.80	.1102	----	3	----	----	4 +	3
5080	----	----	----	---/24.80A	38.30B/24.80A	----	----	25.40 - 13.60	.1090	----	----	----	----	14	UNCH
5085	----	----	----	---/24.50A	37.80B/24.50A	----	----	25.10 - 13.40	.1078	----	----	----	----	5	UNCH
5090	----	----	----	---/24.20A	37.10B/24.20A	----	----	24.70 - 13.30	.1063	----	----	----	----	3	UNCH
5095	----	----	----	---/23.90A	36.60B/23.90A	----	----	24.40 - 13.00	.1051	----	----	----	----	15	UNCH
5100	26.10	26.10	26.10	26.10/23.60A	36.20B/23.60A	----	----	24.10 - 12.90	.1038	----	2	----	----	447 -	2
5105	----	----	----	---/23.30A	35.60B/23.30A	----	----	23.70 - 12.80	.1024	----	----	----	----	4	UNCH
5110	----	----	----	---/23.00A	35.10B/23.00A	----	----	23.40 - 12.60	.1012	----	----	----	----	1	UNCH
5120	----	----	----	---/22.40A	34.20B/22.40A	----	----	22.70 - 12.30	.0985	----	----	----	----	6	UNCH
5130	----	----	----	---/21.90A	33.30B/21.90A	----	----	22.10 - 12.00	.0961	----	----	----	----	4	UNCH
5140	----	----	----	---/21.40A	32.40B/21.40A	----	----	21.50 - 11.80	.0937	----	----	----	----	4	UNCH
5150	----	----	----	---/20.80A	31.60B/20.80A	----	----	20.90 - 11.50	.0913	----	76	----	----	425 -	32
5155	28.40	28.40	28.40	28.40/20.60A	31.20B/20.60A	----	----	20.60 - 11.40	.0902	----	20	----	----	2	UNCH
5160	----	----	----	---/20.10A	30.80B/20.40A	----	----	20.40 - 11.20	.0893	----	----	----	----	22 +	20
5165	----	----	----	---/20.10A	30.40B/20.10A	----	----	20.10 - 11.10	.0881	----	----	----	----	24	UNCH
5170	----	----	----	---/19.90A	30.00B/19.90A	----	----	19.80 - 11.00	.0869	----	----	----	----	8	UNCH
5175	----	----	----	---/19.70A	29.60B/19.70A	----	----	19.60 - 10.80	.0860	----	----	----	----	15	UNCH
5180	----	----	----	---/19.40A	29.20B/19.40A	----	----	19.40 - 10.60	.0852	----	----	----	----	7	UNCH
5185	----	----	----	---/19.20A	28.80B/19.20A	----	----	19.10 - 10.50	.0840	----	----	----	----	5	UNCH
5190	20.90	20.90	20.90	20.90/19.00A	28.50B/19.00A	----	----	18.90 - 10.30	.0831	----	5	----	10000	UNCH	
5195	----	----	----	---/18.80A	28.10B/18.80A	----	----	18.70 - 10.20	.0823	----	----	----	----	50	UNCH
5200	26.30	26.30	26.30	27.80B/18.60	27.80B/18.60	----	----	18.50 - 10.00	.0814	----	20	----	----	10115 -	1
5205	----	----	----	---/18.40A	27.30B/18.40A	----	----	18.30 - 9.80	.0805	----	----	----	----	1	UNCH
5215	----	----	----	---/18.00A	26.70B/18.00A	----	----	18.00 - 9.40	.0791	----	----	----	----	10	UNCH
5230	----	----	----	---/17.40A	25.80B/17.40A	----	----	17.50 - 8.90	.0768	----	----	----	----	402	UNCH
5235	----	----	----	---/17.20A	25.50B/17.20A	----	----	17.30 - 8.70	.0760	----	----	----	----	1	UNCH
5240	----	----	----	---/17.00A	25.10B/17.00A	----	----	17.20 - 8.50	.0754	----	----	----	----	2	UNCH
5245	----	----	----	---/16.80A	24.80B/16.80A	----	----	17.00 - 8.40	.0746	----	----	----	----	23	UNCH
5250	----	----	----	---/16.60A	24.50B/16.60A	----	----	16.90 - 8.20	.0741	----	----	----	----	650	UNCH
5255	----	----	----	---/16.50A	24.20B/16.50A	----	----	16.70 - 8.10	.0732	----	----	----	----	4	UNCH
5270	----	----	----	---/15.90A	23.40B/15.90A	----	----	16.10 - 7.80	.0707	----	----	----	----	7	UNCH
5275	----	----	----	---/15.80A	23.10B/15.80A	----	----	16.00 - 7.70	.0702	----	----	----	----	201	UNCH
5290	----	----	----	---/15.30A	22.30B/15.30A	----	----	15.40 - 7.50	.0678	----	----	----	----	9	UNCH
5295	----	----	----	---/15.20A	22.00B/15.20A	----	----	15.20 - 7.40	.0669	----	----	----	----	8	UNCH
5300	----	----	----	---/15.00A	21.80B/15.00A	----	----	15.10 - 7.20	.0664	----	3	200	1215 +	203	
5305	----	----	----	---/14.80A	21.50B/14.80A	----	----	14.90 - 7.20	.0656	----	----	----	----	11	UNCH
5310	----	----	----	---/14.70A	21.20B/14.70A	----	----	14.70 - 7.10	.0648	----	----	----	----	6	UNCH
5315	----	----	----	---/14.60A	21.00B/14.60A	----	----	14.60 - 7.00	.0643	----	----	----	----	5	UNCH
5325	----	----	----	---/14.30A	20.50B/14.30A	----	----	14.30 - 6.80	.0630	----	----	----	----	1	UNCH
5330	----	----	----	---/14.10A	20.30B/14.10A	----	----	14.10 - 6.80	.0622	----	----	----	----	20	UNCH
5335	----	----	----	---/14.00A	20.10B/14.00A	----	----	14.00 - 6.60	.0617	----	----	----	----	7	UNCH
5340	----	----	----	---/13.90A	19.80B/13.90A	----	----	13.90 - 6.50	.0612	----	----	----	----	4	UNCH
5350	----	----	----	---/13.60A	19.40B/13.60A	----	----	13.60 - 6.40	.0599	----	2	----	----	316 -	2
5355	----	----	----	---/13.50A	19.20B/13.50A	----	----	13.40 - 6.30	.0591	----	2	----	----	23 +	2
5365	----	----	----	---/13.20A	18.80B/13.20A	----	----	13.20 - 6.10	.0581	----	----	----	----	22	UNCH
5370	----	----	----	---/13.10A	18.50B/13.10A	----	----	13.10 - 6.00	.0577	----	----	----	----	18	UNCH
5375	----	----	----	---/13.00A	18.30B/13.00A	----	----	13.00 - 5.90	.0572	----	----	----	----	5	UNCH
5380	----	----	----	---/12.90A	18.10B/12.90A	----	----	12.80 - 5.90	.0564	----	----	----	----	2	UNCH
5395	----	----	----	---/12.60A	17.60B/12.60A	----	----	12.50 - 5.60	.0550	----	----	----	----	4	UNCH
5400	12.70	12.70	12.70	12.70/12.40A	17.40B/12.40A	----	----	12.40 - 5.50	.0545	----	1	----	----	2275	UNCH
5420	----	----	----	---/12.00A	16.70B/12.00A	----	----	12.00 - 5.10	.0526	----	----	----	----	83	UNCH
5425	----	----	----	---/11.90A	16.50B/11.90A	----	----	11.90 - 5.00	.0522	----	----	----	----	50	UNCH
5435	----	----	----	---/11.70A	16.00B/11.70A	----	----	11.70 - 4.90	.0513	----	----	----	----	3	UNCH
5440	----	----	----	---/11.60A	16.00B/11.60A	----	----	11.60 - 4.80	.0508	----	----	----	----	15	UNCH
5450	----	----	----	---/11.50A	15.60B/11.50A	----	----	11.40 - 4.70	.0499	----	----	----	----	29	UNCH
5455	----	----	----	---/11.40A	15.50B/11.40A	----	----	11.30 - 4.70	.0495	----	1	----	----	39	UNCH
5460	10.50	10.50	10.50	10.50/10.50	15.20B/10.50	----	----	11.20 - 4.60	.0490	----	1	----	----	2	UNCH
5470	----	----	----	---/11.10A	15.00B/11.10A	----	----	11.00 - 4.50	.0481	----	----	----	----	3	UNCH
5475	----	----	----	---/11.00A	14.90B/11.00A	----	----	10.90 - 4.40	.0477	----	----	----	----	27	UNCH
5490	----	----	----	---/10.80A	14.40B/10.80A	----	----	10.70 - 4.20	.0466	----	----	----	----	1	UNCH
5500	11.60	11.60	11.60	11.60/10.50	14.20B/10.50	----	----	10.50 - 4.20	.0458	----	49	----	3101 +	3	
5505	10.10	10.10	10.10	10.10/10.10	14.00B/10.10	----	----	10.40 - 4.10	.0453	----	1	----	5 +	1	
5510</															

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
SEP26																
6500	----	----	----	---/4.60A	4.60B/4.60A		----	----	4.30 - 0.80	.0158	----	----	5	----	537 +	2
6600	----	----	----	---/4.40A	4.40B/4.40A		----	----	4.10 - 0.70	.0148	----	----	----	----	49	UNCH
6650	----	----	----	---/4.30A	4.20B/4.30A		----	----	4.00 - 0.70	.0143	----	----	----	----	9	UNCH
6750	----	----	----	---/4.10A	4.00B/4.10A		----	----	3.90 - 0.60	.0136	----	----	----	----	11	UNCH
6775	----	----	----	---/4.00A	3.90B/4.00A		----	----	3.90 - 0.50	.0136	----	----	----	----	1	UNCH
6800	----	----	----	---/4.00A	3.90B/4.00A		----	----	3.90 - 0.50	.0135	----	----	----	----	169	UNCH
7000	----	----	----	---/3.60A	3.50B/3.60A		----	----	3.70 - 0.30	.0123	----	----	17	----	176 +	15
8000	----	----	----	----	2.10B/2.50A		----	----	2.40 UNCH	.0072	----	----	15	----	146 +	13
TOTAL													646	370	47088 +	506
OCT26																
3600	----	----	----	---/797.60A	941.80B/797.60A		----	----	816.90 - 31.20	.9179	----	----	----	----	12	UNCH
3900	----	----	----	---/534.90A	663.10B/534.90A		----	----	550.60 - 18.70	.8279	----	----	----	----	40	UNCH
4300	----	----	----	---/254.70A	347.60B/254.70A		----	----	264.70 - 85.40	.5938	----	----	----	----	102	UNCH
4350	----	----	----	---/228.10A	313.30B/228.10A		----	----	237.50 NEW	.5571	----	----	1	----	1 +	1
4355	----	----	----	---/225.60A	310.30B/225.60A		----	----	234.90 NEW	.5534	----	----	24	----	24 +	24
4385	----	----	----	---/210.80A	291.90B/210.80A		----	----	219.70 NEW	.5311	----	----	80	----	80 +	80
4400	215.10	215.10		215.10/203.90A	282.90B/203.90A		----	----	212.30 - 74.40	.5200	----	----	127	----	127 +	119
4405	----	----	----	---/201.50A	279.90B/201.50A		----	----	209.90 - 73.90	.5162	----	----	----	----	2	UNCH
4425	214.30	214.30		215.00/192.20A	269.70B/192.20A		----	----	200.50 NEW	.5014	----	----	6	----	4 +	4
4435	----	----	----	---/187.80A	264.20B/187.80A		----	----	195.90 NEW	.4940	----	----	24	----	24 +	24
4450	----	----	----	---/181.30A	255.60B/181.30A		----	----	189.10 - 69.10	.4829	----	----	3	----	8 +	3
4470	----	----	----	---/173.00A	245.20B/173.00A		----	----	180.30 NEW	.4681	----	----	3	----	3 +	3
4480	----	----	----	---/168.90A	239.80B/168.90A		----	----	176.10 - 65.90	.4608	----	----	----	----	2	UNCH
4490	----	----	----	---/164.90A	234.70B/164.90A		----	----	171.90 - 64.90	.4535	----	----	----	----	13	UNCH
4500	216.00	216.00		229.60B/160.90A	229.60B/160.90A		----	----	167.80 - 63.90	.4462	----	----	11	----	37 +	4
4515	----	----	----	---/155.30A	222.10B/155.30A		----	----	161.80 - 62.40	.4353	----	----	----	----	4	UNCH
4520	----	----	----	---/153.50A	219.60B/153.50A		----	----	159.90 - 61.80	.4317	----	----	----	----	2	UNCH
4525	213.10	213.10		217.20B/151.50A	217.20B/151.50A		----	----	158.00 - 61.30	.4282	----	----	1	20	26 +	17
4535	----	----	----	---/148.00A	212.40B/148.00A		----	----	154.20 - 60.30	.4210	----	----	----	----	5	UNCH
4540	----	----	----	---/146.20A	210.00B/146.20A		----	----	152.30 - 59.80	.4175	----	----	----	----	9	UNCH
4545	----	----	----	---/144.80A	207.70B/144.80A		----	----	150.40 - 59.30	.4139	----	----	----	----	2	UNCH
4550	----	----	----	---/142.60A	205.40B/142.60A		----	----	148.60 - 58.80	.4104	----	----	1	----	42 +	1
4560	----	----	----	---/139.30A	200.80B/139.30A		----	----	145.00 - 57.80	.4034	----	----	----	----	7	UNCH
4565	----	----	----	---/137.60A	198.60B/137.60A		----	----	143.30 - 57.20	.4000	----	----	----	----	13	UNCH
4570	----	----	----	---/135.80A	196.30B/135.80A		----	----	141.50 - 56.80	.3965	----	----	----	----	17	UNCH
4575	----	----	----	---/134.20A	194.00B/134.20A		----	----	139.80 - 56.20	.3930	----	----	----	----	5	UNCH
4580	----	----	----	---/132.60A	192.00B/132.60A		----	----	138.10 - 55.70	.3896	----	----	----	----	76	UNCH
4585	----	----	----	---/131.40A	189.60B/131.40A		----	----	136.40 - 55.20	.3862	----	----	----	----	1	UNCH
4590	----	----	----	---/129.50A	187.50B/129.50A		----	----	134.80 - 54.70	.3828	----	----	3	----	9	UNCH
4595	----	----	----	---/127.80A	185.30B/127.80A		----	----	133.10 - 54.20	.3794	----	----	----	----	6	UNCH
4600	170.00	170.00		183.20B/126.20A	183.20B/126.20A		----	----	131.50 - 53.70	.3761	----	----	246	----	372 +	228
4605	----	----	----	---/124.70A	181.10B/124.70A		----	----	129.90 - 53.20	.3727	----	----	----	----	9	UNCH
4610	130.30	130.30		130.30/123.20A	179.00B/123.20A		----	----	128.30 - 52.70	.3694	----	----	3	----	12 -	1
4615	----	----	----	---/121.70A	177.10B/121.70A		----	----	126.70 - 52.20	.3660	----	----	3	----	8	UNCH
4620	121.80	121.80		121.80/120.20A	175.10B/120.20A		----	----	125.20 - 51.70	.3628	----	----	4	----	16 +	1
4625	----	----	----	---/118.70A	173.10B/118.70A		----	----	123.70 - 51.20	.3595	----	----	----	----	32	UNCH
4630	----	----	----	---/117.30A	171.10B/117.30A		----	----	122.10 - 50.70	.3562	----	----	----	----	54	UNCH
4635	----	----	----	---/115.90A	169.00B/115.90A		----	----	120.60 - 50.30	.3529	----	----	----	----	8	UNCH
4640	----	----	----	---/114.50A	167.00B/114.50A		----	----	119.20 - 49.70	.3498	----	----	----	----	5	UNCH
4645	----	----	----	---/113.40A	165.10B/113.40A		----	----	117.70 - 49.20	.3466	----	----	----	----	1	UNCH
4650	113.00	113.00		113.00/111.60A	163.40B/111.60A		----	----	116.30 - 48.70	.3434	----	----	3	----	436 -	1
4655	----	----	----	---/110.30A	161.40B/110.30A		----	----	114.90 - 48.20	.3403	----	----	----	----	5	UNCH
4660	----	----	----	---/109.00A	159.60B/109.00A		----	----	113.40 - 47.80	.3370	----	----	----	----	3	UNCH
4670	----	----	----	---/106.30A	156.00B/106.30A		----	----	110.70 - 46.80	.3309	----	----	----	----	4	UNCH
4675	----	----	----	---/105.00A	153.90B/105.00A		----	----	109.30 - 46.40	.3277	----	----	----	----	3	UNCH
4680	----	----	----	---/104.10A	152.30B/104.10A		----	----	108.00 - 45.90	.3247	----	----	----	----	1	UNCH
4690	----	----	----	---/101.20A	148.80B/101.20A		----	----	105.40 - 44.90	.3187	----	----	----	----	4	UNCH
4695	----	----	----	---/100.40A	147.10B/100.40A		----	----	104.10 - 44.40	.3157	----	----	----	----	2	UNCH
4700	101.60	101.60		101.60/98.70A	145.20B/98.70A		----	----	102.80 - 44.00	.3127	----	----	20	----	189 +	13
4710	----	----	----	---/96.30A	141.80B/96.30A		----	----	100.30 - 43.10	.3068	----	----	----	----	3	UNCH
4715	----	----	----	---/95.50A	140.20B/95.50A		----	----	99.10 - 42.60	.3039	----	----	----	----	2	UNCH
4720	109.50	109.50		109.50/94.20A	138.50B/94.20A		----	----	97.90 NEW	.3010	----	----	1	----	1 +	1
4725	----	----	----	---/93.20A	136.90B/93.20A		----	----	96.70 - 41.70	.2981	----	----	----	----	2	UNCH
4730	----	----	----	---/92.00A	135.20B/92.00A		----	----	95.50 - 41.30	.2952	----	----	----	----	2	UNCH
4735	----	----	----	---/90.90A	133.80B/90.90A		----	----	94.30 - 40.90	.2924	----	----	----	----	1	UNCH
4750	89.10	89.10		89.10/87.10A	129.10B/87.10A		----	----	90.90 - 39.60	.2840	----	----	101	----	698 +	82
4755	90.70	90.70		90.70/86.20A	127.50B/86.20A		----	----	89.80 - 39.10	.2813	----	----	1	----	79	UNCH
4760	----	----	----	---/85.40A	126.10B/85.40A		----	----	88.70 - 38.70	.2785	----	----	----	----	1	UNCH
4765	----	----	----	---/84.10A	124.50B/84.10A		----	----	87.60 - 38.30	.2758	----	----	----	----	22	UNCH
4775	----	----	----	---/82.10A	121.60B/82.10A		----	----	85.50 - 37.50	.2705	----	----	----	----	25	UNCH
4785	----	----	----	---/80.10A	118.80B/80.10A		----	----	83.40 - 36.70	.2652	----	----	----	----	3	UNCH
4790	----	----	----	---/79.10A	117.20B/79.10A		----	----	82.40 - 36.30	.2626	----	----	----	----	7	UNCH
4795	----	----	----	---/78.20A	115.80B/78.20A		----	----	81.40 - 35.90	.2600	----	----	----	----	3	UNCH
4800	89.00	89.00		89.00/77.10A	114.50B/77.10A		----	----	80.40 - 35.50	.2575	----	----	1	----	500 +	1
4805	----	----	----	---/76.30A	113.30B/76.30A		----	----	79.40 - 35.10	.2549	----	----	----	----	11	UNCH
4810	----	----	----	---/75.40A	111.90B/75.40A		----	----	78.50 - 34.60	.2525	----	----	----	----	9	UNCH
4815	----	----	----	---/74.40A	110.40B/74.40A		----	----	77.50 - 34.30	.2499	----	----	----	----	36	UNCH
4820	----	----	----	---/73.60A	109.20B/73.60A		----	----	76.60 - 33.90	.2475	----	----	----	----	4	UNCH
4825	----	----	----	---/72.70A	107.90B/72.70A		----	----	75.60 - 33.60	.2449	----	----	2	----	107 +	2
4830	----	----	----	---/72.10A	106.60B/72.10A		----	----	74.70 - 33.20	.2425	----	----	1	----	1	UNCH
4835	73.80	73.80		73.80/71.20A	105.20B/71.20A		----	----	73.80 - 32.80	.2401	----	----	2	----	3 +	1
4840	----	----	----	---/70.30A	104.00B/70.30A		----	----	72.90 - 32.50	.2377	----	----	----	----	1	UNCH
4845	----	----	----	---/69.50A	102.90B/69.50A		----	----	72.00 - 32.10	.2353	----	----	----	----	2	UNCH
4850	----	----	----	---/68.40A	101.60B/68.40A		----	----	71.10 - 31.80	.2329	----	----	----	----	55	UNCH
4860	----	----	----	---/66.80A	99.20B/66.80A		----	----	69.40 - 31.10	.2283	----	----	----	----	101	UNCH
4865	----	----	----	---/66.20A	97.90B/66.20A		----	----	68.60 - 30.70	.2261	----	----	----	----	2	UNCH
4870	----	----	----	---/65.40A	96.90B/65.40A		----	----	67.70 - 30.40	.2237	----	----	----	----	1	UNCH
4880	66.10	66.10		66.10/63.90A	94.50B/63.90A		----	----	66.10 - 29.70	.2193	----	----	1	----	2 +	1
4885	----	----	----	---/62.90A	93.40B/62.90A		----	----	65.30 - 29.40	.2171	----	----	----	----	50	UNCH
4895	63.70	63.70		63.70/61.70A	91.30B/61.70A		----	----	63.80 - 28.70	.2128	----	----	1	----	1 +	1
4900	83.10	83.10		83.10/60.60A	90.30B/60.60A		----	----	63.00 - 28.40	.2106	----	----	1	----	1432 +	1

BULLETIN #107@										METALS OPTION PRODUCTS										Fri, Jun 05, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG CALL		COMEX GOLD OPTIONS																				
OCT26																						
5400	23.30	23.30		23.30/21.50A	30.10B/21.50A	----			21.60 - 9.20	.0801	----	----		2	----	654 +	2					
5410	----	----		----/21.10A	29.50B/21.10A	----			21.30 - 8.90	.0789	----	----		----	----	1	UNCH					
5420	----	----		----/20.70A	29.00B/20.70A	----			20.90 - 8.80	.0775	----	----		----	----	2	UNCH					
5435	----	----		----/20.30A	28.10B/20.30A	----			20.40 - 8.40	.0757	----	----		----	230	5	UNCH					
5440	----	----		----/20.00A	27.90B/20.00A	----			20.20 - 8.40	.0750	----	----		----	----	5	UNCH					
5450	----	----		----/19.80A	27.40B/19.80A	----			19.90 - 8.20	.0738	----	----		----	----	67	UNCH					
5455	----	----		----/19.60A	27.10B/19.60A	----			19.70 - 8.10	.0731	----	----		----	175	2	UNCH					
5460	----	----		----/19.40A	26.90B/19.40A	----			19.50 - 8.10	.0724	----	----		----	----	1	UNCH					
5475	----	----		----/18.90A	26.10B/18.90A	----			19.10 - 7.70	.0709	----	----		----	----	2	UNCH					
5480	----	----		----/18.80A	25.90B/18.80A	----			18.90 - 7.70	.0702	----	----		----	----	25	UNCH					
5485	----	----		----/18.70A	25.70B/18.70A	----			18.80 - 7.60	.0698	----	----		----	----	2	UNCH					
5500	22.60	22.60		22.60/18.20A	25.00B/18.20A	----			18.30 - 7.40	.0680	----	----		1243	----	2819 -	802					
5545	----	----		----/17.10A	23.10B/17.10A	----			17.10 - 6.70	.0634	----	----		----	----	5	UNCH					
5550	----	----		----/17.00A	22.90B/17.00A	----			17.00 - 6.60	.0630	----	----		----	----	280	UNCH					
5570	----	----		----/16.50A	22.10B/16.50A	----			16.50 - 6.30	.0611	----	----		----	----	1	UNCH					
5575	----	----		----/16.40A	21.90B/16.40A	----			16.40 - 6.20	.0607	----	----		----	----	3	UNCH					
5590	----	----		----/16.00A	21.40B/16.00A	----			16.00 - 6.10	.0593	----	----		----	----	7	UNCH					
5600	----	----		----/15.80A	21.00B/15.80A	----			15.80 - 5.90	.0585	----	----		2	----	233	UNCH					
5610	----	----		----/15.60A	20.70B/15.60A	----			15.60 - 5.80	.0577	----	----		----	----	1	UNCH					
5615	----	----		----/15.50A	20.50B/15.50A	----			15.50 - 5.70	.0573	----	----		----	----	5	UNCH					
5640	----	----		----/15.00A	19.70B/15.00A	----			15.00 - 5.40	.0554	----	----		----	----	2	UNCH					
5650	----	----		----/14.80A	19.40B/14.80A	----			14.80 - 5.30	.0546	----	----		----	401	2	UNCH					
5655	----	----		----/14.70A	19.30B/14.70A	----			14.70 - 5.20	.0542	----	----		----	----	2	UNCH					
5660	----	----		----/14.60A	19.10B/14.60A	----			14.60 - 5.20	.0538	----	----		----	----	1	UNCH					
5675	----	----		----/14.30A	18.70B/14.30A	----			14.30 - 5.10	.0527	----	----		----	----	3	UNCH					
5700	----	----		----/13.90A	18.00B/13.90A	----			13.80 - 4.80	.0508	----	----		----	206	5	UNCH					
5710	----	----		----/13.70A	17.70B/13.70A	----			13.70 - 4.70	.0503	----	----		----	----	87	UNCH					
5720	----	----		----/13.60A	17.40B/13.60A	----			13.50 - 4.60	.0496	----	----		----	----	1604	UNCH					
5750	----	----		----/13.10A	16.70B/13.10A	----			13.00 - 4.30	.0476	----	----		----	----	52	UNCH					
5775	----	----		----/12.80A	16.20B/12.80A	----			12.60 - 4.20	.0461	----	----		----	----	541 -	3					
5800	12.30	12.30		12.30/12.30	15.60B/12.30	----			12.30 - 3.90	.0448	----	----		3	----	2	UNCH					
5825	----	----		----/12.10A	15.10B/12.10A	----			12.00 - 3.70	.0436	----	----		----	----	3	UNCH					
5850	----	----		----/11.90A	14.60B/11.90A	----			11.60 - 3.60	.0421	----	----		----	----	2	UNCH					
5875	----	----		----/11.60A	14.20B/11.60A	----			11.30 - 3.50	.0409	----	----		----	----	2	UNCH					
5900	----	----		----/11.30A	13.70B/11.30A	----			11.10 - 3.30	.0400	----	----		----	260	2	UNCH					
5925	----	----		----/11.10A	13.20B/11.10A	----			10.80 - 3.20	.0388	----	----		----	----	2	UNCH					
5950	----	----		----/10.80A	12.90B/10.80A	----			10.60 - 3.00	.0379	----	----		----	----	2	UNCH					
6000	----	----		----/10.40A	12.20B/10.40A	----			10.10 - 2.80	.0359	----	----		932	----	3194 -	352					
6100	----	----		----/9.60A	11.00B/9.60A	----			9.30 - 2.40	.0326	----	----		----	----	67	UNCH					
6200	----	----		----/8.90A	10.10B/8.90A	----			8.70 - 2.00	.0300	----	----		----	----	38	UNCH					
6300	----	----		----/8.40A	9.30B/8.40A	----			8.10 - 1.80	.0276	----	----		----	----	883	UNCH					
6400	----	----		----/7.90A	8.70B/7.90A	----			7.60 - 1.70	.0255	----	----		----	----	1910	UNCH					
6500	8.30	8.30		8.30/7.00	8.30/7.00	----			7.20 - 1.60	.0238	----	----		6	----	4048 +	6					
6800	----	----		----/6.70A	7.00B/6.70A	----			6.20 - 1.40	.0196	----	----		----	----	1450	UNCH					
6900	----	----		----/6.60A	6.70B/6.60A	----			5.90 - 1.30	.0184	----	----		----	----	1	UNCH					
7000	----	----		----/6.30A	6.50B/6.30A	----			5.70 - 1.20	.0176	----	----		----	----	1671	UNCH					
7500	----	----		----/5.30A	5.30B/5.30A	----			4.90 - 0.80	.0141	----	----		----	----	1	UNCH					
8000	----	----		----/4.60A	4.40B/4.60A	----			4.30 - 0.50	.0117	----	----		8	----	226 +	8					
8500	----	----		----/4.00A	3.70B/4.00A	----			3.70 - 0.40	.0097	----	----		----	----	208	UNCH					
9000	3.10	3.10		3.10/3.10	3.10/3.10	----			3.20 - 0.30	.0081	----	----		9	----	94 +	8					
9500	----	----		----	2.60B/3.00A	----			2.70 - 0.20	.0067	----	----		----	----	296	UNCH					
13000	----	----		----	0.60B/1.70A	----			1.00 - 0.10	.0022	----	----		----	----	431	UNCH					
TOTAL														3067	60	35422 -	572					
NOV26																						
4000	----	----		----/596.80A	529.70B/596.80A	----			517.40 - 10.40	.7735	----	----		----	----	1	UNCH					
4100	----	----		----/432.90A	448.70B/432.90A	----			443.70 - 03.10	.7241	----	----		----	----	1	UNCH					
4275	----	----		----/318.50A	413.30B/318.50A	----			329.90 - 88.30	.6236	----	----		----	----	38	UNCH					
4300	----	----		----/304.50A	396.60B/304.50A	----			315.20 - 86.10	.6082	----	----		----	----	1	UNCH					
4375	----	----		----/264.10A	348.70B/264.10A	----			273.70 - 79.30	.5608	----	----		----	----	38	UNCH					
4400	----	----		----/251.80A	333.70B/251.80A	----			260.70 - 77.00	.5447	----	----		----	----	4	UNCH					
4440	----	----		----/232.80A	310.60B/232.80A	----			240.90 - 73.30	.5188	----	----		----	----	1	UNCH					
4500	----	----		----/206.60A	279.70B/206.60A	----			213.60 - 67.90	.4802	----	----		1	----	29 +	1					
4525	----	----		----/196.30A	266.80B/196.30A	----			203.00 - 65.80	.4643	----	----		----	----	7	UNCH					
4575	----	----		----/177.40A	242.70B/177.40A	----			183.50 - 61.40	.4332	----	----		----	----	1	UNCH					
4585	----	----		----/173.70A	238.10B/173.70A	----			179.80 - 60.60	.4270	----	----		----	----	1	UNCH					
4590	----	----		----/171.90A	235.40B/171.90A	----			177.90 - 60.20	.4239	----	----		----	15	UNCH						
4595	----	----		----/170.10A	233.00B/170.10A	----			176.10 - 59.80	.4209	----	----		----	----	1	UNCH					
4600	----	----		----/168.50A	230.80B/168.50A	----			174.30 - 59.40	.4179	----	----		----	----	5	UNCH					
4650	----	----		----/151.90A	209.80B/151.90A	----			157.20 - 55.00	.3881	----	----		----	----	32	UNCH					
4700	----	----		----/137.00A	190.00B/137.00A	----			141.70 - 50.60	.3596	----	----		----	----	11	UNCH					
4750	----	----		----/123.60A	171.80B/123.60A	----			127.70 - 46.30	.3325	----	----		----	----	1	UNCH					
4775	----	----		----/117.30A	163.60B/117.30A	----			121.20 - 44.30	.3195	----	----		----	----	31	UNCH					
4800	----	----		----/111.40A	155.30B/111.40A	----			115.00 - 42.30	.3068	----	----		2	----	36 -	2					
4850	----	----		----/100.60A	140.70B/100.60A	----			103.50 - 38.80	.2825	----	----		----	----	25	UNCH					
4900	----	----		----/90.80A	127.20B/90.80A	----			93.40 - 35.40	.2601	----	----		----	----	451	UNCH					
4915	----	----		----/88.10A	123.30B/88.10A	----			90.70 - 34.30	.2539	----	----		----	----	1	UNCH					
4925	----	----		----/86.40A	121.00B/86.40A	----			88.90 - 33.70	.2497	----	----		----	----	1	UNCH					
4935	----	----		----/84.60A	118.20B/84.60A	----			87.10 - 33.10	.2456	----	----		----	----	25	UNCH					
4950	----	----		----/82.10A	114.90B/82.10A	----			84.50 - 32.20	.2395	----	----		----	----	150	UNCH					
4970	----	----		----/78.90A	110.40B/78.90A	----			81.20 - 31.00	.2317	----	----		----	----	10	UNCH					
5000	----	----		----/74.40A	104.00B/74.40A	----			76.40 - 29.30	.2202	----	----		----	----	110	UNCH					
5020	----	----		----/71.50A	99.70B/71.50A	----			73.30 - 28.30	.2128	----	----		----	----	30	UNCH					
5050	----	----		----/67.50A	93.70B/67.50A	----			68.80 - 26.90	.2019	----	----		----	----	100	UNCH					
5060	----	----		----/66.20A	92.10B/66.20A	----			67.40 - 26.40	.1984	----	----		----	----	2	UNCH					
5080	----	----		----/63.70A	88.70B/63.70A	----			64.70 - 25.50	.1917	----	----		----	----	4	UNCH					
5085	----	----		----/63.10A	87.40B/63.10A	----			64.10 - 25.20	.1901	----	----		----	----	4	UNCH					
5120	----	----		----/59.00A	81.90B/59.00A	----			59.70 - 23.60	.1790	----	----		----	----	50	UNCH					
5150	----	----		----/55.90A	77.00B/55.90A	----			56.30 - 22.30	.1701	----	----		----	----	100	UNCH					
5175	----	----		----/53.20A	73.80B/53.20A	----			53.60 - 21.40	.1630	----	----		----	----	12	UNCH					
5180	----	----		----/52.90A	73.00B/52.90A	----			53.10 - 21.10	.1616	----	----		----	----	5	UNCH					
5185	----																					



GLOBEX			OPEN OUTCRY		GLOBEX		OPEN OUTCRY		OPEN OUTCRY		SETT.PRICE		DELTA	EXER	OPEN	GLOBEX®	PNT	OPEN
OPEN	OPEN	RANGE	HIGH/LOW	HIGH/LOW	CLOSE	RANGE	& PT.CHGE.	CLOSE	RANGE	PT.CHGE.	VOLUME	VOLUME						
OG CALL																		
DEC26																		
COMEX GOLD OPTIONS																		
5365	----	----	----/51.20A	67.20B/51.20A	----		51.20 - 17.20	.1430	----	----	----	----	22	UNCH				
5370	----	----	----/50.90A	66.70B/50.90A	----		50.80 - 17.10	.1420	----	----	----	----	38	UNCH				
5375	----	----	----/50.50A	66.00B/50.50A	----		50.50 - 16.90	.1412	----	----	----	----	2	UNCH				
5380	----	----	----/50.20A	65.60B/50.20A	----		50.10 - 16.70	.1402	----	----	----	----	3	UNCH				
5385	----	----	----/49.80A	64.90B/49.80A	----		49.70 - 16.60	.1392	----	----	----	----	2	UNCH				
5390	----	----	----/49.50A	64.60B/49.50A	----		49.30 - 16.50	.1382	----	----	----	----	203	UNCH				
5395	----	----	----/49.00A	64.10B/49.00A	----		48.90 - 16.40	.1372	----	----	----	----	3	UNCH				
5400	50.60	50.60	50.60/48.80A	63.70B/48.80A	----		48.60 - 16.20	.1363	----	----	2	----	543 +	1				
5450	----	----	----/45.20A	58.60B/45.20A	----		45.10 - 14.90	.1272	----	----	----	----	288	UNCH				
5460	----	----	----/44.50A	57.80B/44.50A	----		44.40 - 14.70	.1254	----	----	----	----	200	UNCH				
5465	----	----	----/43.80A	57.40B/43.80A	----		44.10 - 14.50	.1246	----	----	----	----	53	UNCH				
5475	----	----	----/43.30A	56.50B/43.30A	----		43.50 - 14.30	.1230	----	----	----	----	572	UNCH				
5480	----	----	----/43.00A	56.10B/43.00A	----		43.10 - 14.20	.1220	----	----	----	----	50	UNCH				
5500	----	----	----/41.80A	54.40B/41.80A	----		41.90 - 13.80	.1188	----	----	1	----	3239 +	1				
5505	----	----	----/41.60A	54.10B/41.60A	----		41.60 - 13.70	.1181	----	----	----	----	3	UNCH				
5525	----	----	----/40.50A	52.50B/40.50A	----		40.50 - 13.20	.1151	----	----	----	----	80	UNCH				
5550	----	----	----/39.00A	50.40B/39.00A	----		39.10 - 12.80	.1113	----	----	----	----	406	UNCH				
5570	----	----	----/38.00A	49.10B/38.00A	----		38.00 - 12.40	.1084	----	----	----	----	198	UNCH				
5575	----	----	----/37.90A	48.80B/37.90A	----		37.80 - 12.30	.1078	----	----	----	----	10	UNCH				
5600	----	----	----/36.70A	47.00B/36.70A	----		36.50 - 11.90	.1043	----	----	----	----	2801	UNCH				
5650	----	----	----/34.50A	43.00B/34.50A	----		34.20 - 11.10	.0979	----	----	----	----	306	UNCH				
5660	----	----	----/34.10A	42.90B/34.10A	----		33.80 - 10.90	.0968	----	----	----	----	1	UNCH				
5665	----	----	----/33.90A	42.60B/33.90A	----		33.60 - 10.80	.0962	----	----	----	----	1	UNCH				
5670	----	----	----/33.70A	42.30B/33.70A	----		33.40 - 10.70	.0957	----	----	----	----	2	UNCH				
5675	----	----	----/33.40A	42.00B/33.40A	----		33.20 - 10.70	.0951	----	----	----	----	18	UNCH				
5680	----	----	----/33.30A	41.80B/33.30A	----		33.00 - 10.60	.0945	----	----	----	----	21	UNCH				
5685	----	----	----/33.20A	41.50B/33.20A	----		32.80 - 10.50	.0940	----	----	----	----	18	UNCH				
5690	----	----	----/33.20A	41.20B/33.20A	----		32.60 - 10.40	.0934	----	----	----	----	27	UNCH				
5695	----	----	----/33.10A	40.90B/33.10A	----		32.40 - 10.30	.0928	----	----	----	----	1	UNCH				
5700	----	----	----/33.00A	40.70B/33.00A	----		32.20 - 10.30	.0923	----	----	----	----	354	UNCH				
5705	----	----	----/33.00A	40.40B/33.00A	----		32.00 - 10.20	.0917	----	----	----	----	5	UNCH				
5710	----	----	----/32.90A	40.30B/32.90A	----		31.80 - 10.10	.0912	----	----	----	----	5	UNCH				
5750	----	----	----/31.60A	38.10B/31.60A	----		30.30 - 9.60	.0869	----	----	----	----	315	UNCH				
5770	----	----	----/30.90A	37.30B/30.90A	----		29.60 - 9.30	.0849	----	----	----	----	8	UNCH				
5775	----	----	----/30.70A	37.20B/30.70A	----		29.50 - 9.20	.0846	----	----	----	----	2	UNCH				
5780	----	----	----/30.60A	36.80B/30.60A	----		29.30 - 9.20	.0840	----	----	----	----	2	UNCH				
5800	----	----	----/29.90A	35.90B/29.90A	----		28.70 - 8.80	.0823	----	----	----	----	2088	UNCH				
5810	----	----	----/29.60A	35.60B/29.60A	----		28.40 - 8.70	.0814	----	----	----	----	56	UNCH				
5825	----	----	----/29.10A	35.00B/29.10A	----		27.90 - 8.60	.0800	----	----	----	----	4	UNCH				
5850	----	----	----/28.40A	33.90B/28.40A	----		27.20 - 8.20	.0779	----	----	----	----	51	UNCH				
5875	----	----	----/27.70A	32.80B/27.70A	----		26.50 - 7.90	.0758	----	----	----	----	9	UNCH				
5900	25.80	25.80	25.80/25.80	31.90B/25.80	----		25.90 - 7.60	.0740	----	----	65	----	1523 -	56				
5950	----	----	----/25.80A	29.90B/25.80A	----		24.60 - 7.10	.0702	----	----	----	----	27	UNCH				
6000	27.00	27.00	27.00/24.60A	28.30B/24.60A	----		23.50 - 6.60	.0669	----	----	627	----	6914 +	389				
6100	----	----	----/22.60A	25.60B/22.60A	----		21.60 - 5.70	.0611	----	----	1	----	148 +	1				
6150	----	----	----/21.80A	24.40B/21.80A	----		20.80 - 5.30	.0585	----	----	1	----	27 -	1				
6200	----	----	----/21.00A	23.30B/21.00A	----		20.00 - 5.00	.0561	----	----	----	----	3207	UNCH				
6250	----	----	----/20.20A	22.40B/20.20A	----		19.30 - 4.70	.0539	----	----	----	----	76	UNCH				
6300	----	----	----/19.60A	21.40B/19.60A	----		18.70 - 4.40	.0519	----	----	----	----	837	UNCH				
6400	----	----	----/18.50A	19.80B/18.50A	----		17.50 - 4.00	.0482	----	----	60	----	971	UNCH				
6500	----	----	----/17.50A	18.50B/17.50A	----		16.50 - 3.70	.0449	----	----	1000	----	7320 +	847				
6750	14.80	14.80	14.80/14.70	16.00B/14.70	----		14.60 - 3.00	.0387	----	----	2	----	105	UNCH				
6775	----	----	----/15.30A	15.80B/15.30A	----		14.40 - 3.00	.0381	----	----	----	----	164	UNCH				
6800	----	----	----/15.20A	15.60B/15.20A	----		14.30 - 2.90	.0376	----	----	----	----	1817	UNCH				
6900	13.90	13.90	13.90/13.70	14.90B/13.70	----		13.70 - 2.80	.0357	----	----	3	----	79 +	3				
7000	13.30	13.30	13.30/13.30	14.30B/13.30	----		13.10 - 2.70	.0338	----	----	631	----	4796 -	221				
7100	12.80	12.80	12.80/12.80	13.70B/12.80	----		12.60 - NEW	.0322	----	----	1	----	1 +	1				
7130	----	----	----/13.60A	13.60B/13.60A	----		12.50 - 2.50	.0318	----	----	----	----	200	UNCH				
7150	----	----	----/13.50A	13.50B/13.50A	----		12.40 - 2.50	.0315	----	----	----	----	1	UNCH				
7175	----	----	----/13.40A	13.30B/13.40A	----		12.30 - 2.50	.0311	----	----	----	----	125	UNCH				
7200	----	----	----/13.30A	13.20B/13.30A	----		12.20 - 2.50	.0308	----	----	----	----	1	UNCH				
7250	----	----	----/13.10A	13.00B/13.10A	----		12.00 - 2.40	.0301	----	----	----	----	108	UNCH				
7500	----	----	----/12.30A	12.00B/12.30A	----		11.00 - 2.30	.0270	----	----	----	----	121	UNCH				
8000	----	----	----/11.10A	10.50B/11.10A	----		9.60 - 2.10	.0225	----	----	125	----	2092 +	108				
8125	----	----	----/10.90A	10.10B/10.90A	----		9.30 - 2.10	.0215	----	----	----	----	801	UNCH				
8500	----	----	----/10.20A	9.40B/10.20A	----		8.60 - 2.10	.0193	----	----	----	----	256	UNCH				
8630	----	----	----/10.00A	9.10B/10.00A	----		8.40 - 2.00	.0186	----	----	----	----	400	UNCH				
8725	----	----	----/9.90A	9.00B/9.90A	----		8.20 - 2.00	.0181	----	----	----	----	250	UNCH				
8775	----	----	----/9.80A	8.90B/9.80A	----		8.10 - 2.00	.0178	----	----	----	----	25	UNCH				
9000	8.50	8.50	8.50/8.50	8.60B/8.50	----		7.80 - 1.90	.0169	----	----	4	----	269 +	4				
9500	----	----	----	7.90B/8.90A	----		7.20 - 1.70	.0150	----	----	----	----	637	UNCH				
9900	----	----	----	7.40B/8.40A	----		6.80 - 1.50	.0139	----	----	----	----	17	UNCH				
10000	8.00	8.00	8.00/6.60	8.00B/6.60	----		6.70 - 1.50	.0136	----	----	1198	----	9813 -	657				
11000	----	----	----/6.50A	6.50B/6.50A	----		5.90 - 1.30	.0114	----	----	110	----	845 -	80				
13000	----	----	----	4.20B/5.40A	----		4.50 - 0.70	.0081	----	----	----	----	625	UNCH				
15000	3.60	3.60	3.60/3.30A	3.60/3.30A	----		3.30 - 0.60	.0057	----	----	700	----	25277 +	587				
17000	----	----	----	1.80B/2.90A	----		2.40 - 0.30	.0041	----	----	----	----	28	UNCH				
19000	----	----	----	1.00B/2.60A	----		1.70 - 0.20	.0028	----	----	----	----	206	UNCH				
20000	1.30	1.30	1.50/1.20	1.50/1.20	----		1.40 - 0.20	.0023	----	----	312	----	26894 +	312				
21000	----	----	----	----/15.80A	----		1.30 - 0.20	.0021	----	----	----	----	31	UNCH				
24000	----	----	----/0.90A	0.70B/0.90A	----		1.00 - 0.20	.0016	----	----	----	----	49	UNCH				
TOTAL													5438	1,260	125212+	2017		
JAN27																		
4190	----	----	----/439.70A	491.70B/439.70A	----		448.60 - 95.50	.6725	----	----	----	----	1	UNCH				
4290	----	----	----/380.30A	468.90B/380.30A	----		388.30 - 88.40	.6223	----	----	----	----	1	UNCH				
4300	----	----	----/374.40A	462.40B/374.40A	----		382.60 - 87.70	.6172	----	----	----	----	1	UNCH				
4400	----	----	----/319.30A	401.10B/319.30A	----		328.70 - 80.40	.5647	----	----	1	----	1	UNCH				
4500	287.50	287.50	287.50/272.80A	345.70B/272.80A	----		280.90 - 72.80	.5115	----	----	2	----	2	UNCH				
4575	----	----	----/241.80A	310.70B/241.80A	----		249.00 - 67.00	.4722	----	----	----	----	1	UNCH				
4600	----	----	----/232.10A	299.00B/232.10A	----		239.00 - 65.10	.4593	----	----	----	----	4	UNCH				
4650	215.50	215.50	215.50/213.90A	276.70B/213.90A	----		220.20 - 61.30	.4340	----	----	1	----	3	UNCH				
4700	----	----	----/197.00A	256.00B/197.00A	----		202.80 - 57.40	.4093	----	----	1	----	3 +	1				
4710	----	----	----/193.80A	252.00B/193.80A	----		199.40 - 56.70	.4045	----	----	----	----	3	UNCH				
4750	----	----	----/181.50A	236.00B/181.50A	----		186.60 - 53.80	.3854	----	----	----	----	8	UNCH				
4760	----	----	----/178.30A	232.90B/178.30A	----		183.60 - 53.00	.3808	----	----	----	----	101	UNCH				
4765	----	----	----/177.00A	231.10B/177.00A	----		182.00 - 52.70	.3784	----	----	----	----	6	UNCH				
4800	----	----	----/167.10A	218.20B/167.10A	----		171.70 - 50.20	.3624	----	----	----	----	13	UNCH				
4805	----	----	----/165.80A	216.40B/165.80A	----		170.30 - 49.80	.3602	----	----	----	----	1	UNCH				
4850	----	----	----/153.90A	201.80B/153.90A	----		158.10 - 46.70	.3405	----	----	----	----	2	UNCH				
4875	----	----	----															

PG64 BULLETIN #107@				METALS OPTION PRODUCTS										Fri, Jun 05, 2026		PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL		COMEX GOLD OPTIONS														
FEB27																
4400	----	----	----/338.30A	419.00B/338.30A	----	347.40	NEW	.5644	----	----	1	----	1 +	1		
4500	----	----	----/292.20A	364.30B/292.20A	----	299.80	- 71.80	.5144	----	----	----	100	100 +	100		
4630	----	----	----/240.20A	305.20B/240.20A	----	246.20	- 62.60	.4510	----	----	----	----	1	UNCH		
4640	----	----	----/236.60A	300.80B/236.60A	----	242.50	- 61.90	.4462	----	----	----	----	5	UNCH		
4650	----	----	----/233.20A	296.40B/233.20A	----	238.80	- 61.20	.4415	----	----	----	----	6	UNCH		
4675	----	----	----/224.40A	285.80B/224.40A	----	229.80	- 59.50	.4298	----	----	----	----	1	UNCH		
4700	----	----	----/216.00A	275.60B/216.00A	----	221.20	- 57.70	.4182	----	----	----	----	1	UNCH		
4750	----	----	----/200.20A	255.90B/200.20A	----	204.80	- 54.40	.3957	----	----	----	----	386	UNCH		
4785	----	----	----/189.80A	242.90B/189.80A	----	194.00	- 52.20	.3803	----	----	----	----	100	UNCH		
4800	----	----	----/185.40A	237.70B/185.40A	----	189.60	- 51.20	.3738	----	----	----	----	1	UNCH		
4850	----	----	----/171.90A	221.00B/171.90A	----	175.60	- 48.10	.3529	----	----	----	----	36	UNCH		
5000	----	----	----/137.10A	176.90B/137.10A	----	139.70	- 39.60	.2954	----	1	----	----	702	UNCH		
5030	----	----	----/131.10A	169.40B/131.10A	----	133.60	- 37.90	.2850	----	----	----	----	1	UNCH		
5100	----	----	----/118.40A	152.70B/118.40A	----	120.40	- 34.40	.2619	----	----	----	----	148	UNCH		
5175	----	----	----/106.30A	136.80B/106.30A	----	107.90	- 30.90	.2392	----	----	----	----	125	UNCH		
5200	----	----	----/102.60A	131.90B/102.60A	----	104.10	- 29.80	.2320	----	----	----	----	537	UNCH		
5250	----	----	----/95.60A	122.80B/95.60A	----	97.00	- 27.70	.2185	----	----	----	----	352	UNCH		
5300	----	----	----/89.30A	114.50B/89.30A	----	90.40	- 25.90	.2057	----	----	----	----	621	UNCH		
5350	----	----	----/83.40A	106.80B/83.40A	----	84.30	- 24.20	.1937	----	----	----	----	10	UNCH		
5375	----	----	----/80.80A	103.00B/80.80A	----	81.50	- 23.40	.1881	----	----	----	----	1	UNCH		
5400	----	----	----/78.10A	99.60B/78.10A	----	78.80	- 22.70	.1826	----	----	----	----	634	UNCH		
5450	----	----	----/73.20A	93.00B/73.20A	----	73.70	- 21.30	.1721	----	----	----	----	10	UNCH		
5500	----	----	----/68.80A	87.00B/68.80A	----	69.00	- 20.00	.1623	----	----	----	----	18	UNCH		
5520	----	----	----/68.40A	84.80B/68.40A	----	67.20	- 19.60	.1585	----	----	----	----	300	UNCH		
5530	----	----	----/67.50A	83.70B/67.50A	----	66.40	- 19.30	.1568	----	----	----	----	100	UNCH		
5550	----	----	----/65.90A	81.60B/65.90A	----	64.70	- 18.90	.1532	----	----	----	----	82	UNCH		
5600	----	----	----/62.00A	76.50B/62.00A	----	60.80	- 17.80	.1448	----	----	----	----	8	UNCH		
5700	----	----	----/54.50A	67.60B/54.50A	----	54.00	- 15.80	.1297	----	----	----	----	1	UNCH		
5800	----	----	----/49.00A	60.10B/49.00A	----	48.40	- 13.90	.1169	----	----	----	----	1	UNCH		
5900	----	----	----/44.30A	53.50B/44.30A	----	43.80	- 12.00	.1060	----	----	----	----	7	UNCH		
6000	41.00	41.00	41.00/40.50A	45.10B/40.50A	----	40.10	- 10.20	.0969	----	----	170	----	2865 -	170		
6025	----	----	----/39.70A	44.50B/39.70A	----	39.20	- 9.90	.0947	----	----	----	----	4	UNCH		
6100	----	----	----/39.70A	42.90B/39.70A	----	36.90	- 8.70	.0890	----	----	----	----	4	UNCH		
6300	----	----	----/34.40A	32.60B/34.40A	----	32.00	- 6.10	.0764	----	----	----	----	1	UNCH		
6500	25.50	25.50	25.50/25.50	27.30B/25.50	----	28.20	- 4.40	.0665	----	1	----	----	2910	UNCH		
6900	----	----	----/24.40A	20.60B/25.60A	----	22.50	- 3.10	.0518	----	----	----	----	533	UNCH		
7000	----	----	----	19.40B/24.40A	----	21.40	- 3.10	.0489	----	----	----	----	497	UNCH		
7100	----	----	----	18.40B/23.60A	----	20.40	- 3.00	.0464	----	----	----	----	9	UNCH		
7700	----	----	----	14.50B/20.20A	----	16.50	- 2.90	.0358	----	----	----	----	1	UNCH		
7900	----	----	----	13.70B/19.50A	----	15.90	- 2.60	.0338	----	----	----	----	500	UNCH		
8000	----	----	----	13.40B/19.40A	----	15.70	- 2.50	.0330	----	----	----	----	695	UNCH		
TOTAL											173	100	12315 -	69		
MAR27																
4610	----	----	----/281.20A	346.20B/281.20A	----	283.60	- 69.40	.4808	----	----	----	----	2	UNCH		
4650	----	----	----/265.70A	329.50B/265.70A	----	267.60	- 67.30	.4624	----	----	----	----	1	UNCH		
4660	----	----	----/262.00A	325.00B/262.00A	----	263.70	- 66.80	.4578	----	----	----	----	2	UNCH		
4670	----	----	----/258.50A	320.60B/258.50A	----	259.90	- 66.30	.4533	----	----	----	----	3	UNCH		
4675	----	----	----/256.50A	317.40B/256.50A	----	258.00	- 66.10	.4510	----	----	----	----	2	UNCH		
4680	----	----	----/254.60A	314.90B/254.60A	----	256.20	- 65.80	.4488	----	----	----	----	2	UNCH		
4710	----	----	----/244.10A	303.90B/244.10A	----	245.30	- 64.30	.4354	----	----	----	----	21	UNCH		
4800	----	----	----/214.70A	269.90B/214.70A	----	215.50	- 59.60	.3966	----	----	----	----	6	UNCH		
4820	----	----	----/208.80A	262.60B/208.80A	----	209.40	- 58.50	.3883	----	----	----	----	20	UNCH		
4995	----	----	----/163.00A	206.20B/163.00A	----	162.70	- 48.40	.3206	----	----	----	----	2	UNCH		
5000	200.00	200.00	204.70B/162.00A	204.70B/162.00A	----	161.60	- 48.00	.3188	----	2	----	----	104 +	2		
5105	----	----	----/140.20A	177.40B/140.20A	----	139.40	- 41.90	.2834	----	----	----	----	1	UNCH		
5200	----	----	----/123.40A	155.90B/123.40A	----	123.30	- 36.60	.2555	----	----	----	----	17	UNCH		
5220	----	----	----/120.00A	151.90B/120.00A	----	120.20	- 35.70	.2500	----	----	----	----	12	UNCH		
5285	----	----	----/110.30A	139.20B/110.30A	----	110.80	- 32.60	.2330	----	----	----	----	2	UNCH		
5300	----	----	----/108.20A	136.40B/108.20A	----	108.70	- 32.00	.2292	----	----	----	----	2	UNCH		
5350	----	----	----/101.40A	127.80B/101.40A	----	102.00	- 30.00	.2170	----	----	----	----	2	UNCH		
5400	----	----	----/95.30A	119.80B/95.30A	----	95.70	- 28.20	.2054	----	----	----	----	11	UNCH		
5450	----	----	----/89.70A	112.40B/89.70A	----	89.80	- 26.60	.1944	----	----	----	----	3	UNCH		
5500	----	----	----/84.50A	105.50B/84.50A	----	84.40	- 24.90	.1840	----	----	----	----	534	UNCH		
5510	----	----	----/83.50A	104.20B/83.50A	----	83.30	- 24.70	.1820	----	----	----	----	2	UNCH		
5550	----	----	----/79.60A	99.20B/79.60A	----	79.30	- 23.60	.1742	----	----	----	----	1	UNCH		
5600	----	----	----/75.30A	93.20B/75.30A	----	74.70	- 22.20	.1652	----	----	----	----	10	UNCH		
5635	----	----	----/74.30A	89.40B/74.30A	----	71.70	- 21.20	.1592	----	----	----	----	2	UNCH		
5650	----	----	----/74.60A	87.80B/74.60A	----	70.50	- 20.80	.1567	----	----	----	----	16	UNCH		
5700	----	----	----/70.70A	82.80B/70.70A	----	66.60	- 19.60	.1488	----	1	----	----	10	UNCH		
5790	----	----	----/64.50A	74.70B/64.50A	----	60.30	- 17.60	.1358	----	----	----	----	50	UNCH		
5820	----	----	----/62.60A	72.50B/62.60A	----	58.40	- 17.00	.1318	----	----	----	----	2	UNCH		
5850	----	----	----/59.00A	70.00B/59.00A	----	56.60	- 16.50	.1279	----	----	----	----	253	UNCH		
5900	----	----	----/56.00A	66.40B/56.00A	----	53.80	- 15.50	.1219	----	----	----	----	11	UNCH		
5950	----	----	----/53.40A	63.00B/53.40A	----	51.30	- 14.50	.1164	----	2	----	----	8 +	2		
5975	----	----	----/52.40A	61.40B/52.40A	----	50.10	- 14.10	.1138	----	1	----	----	4 +	1		
6000	----	----	----/51.20A	59.70B/51.20A	----	48.90	- 13.70	.1112	----	----	----	----	2	UNCH		
6250	----	----	----/44.40A	45.80B/44.40A	----	39.40	- 10.30	.0898	----	----	----	----	10	UNCH		
6300	----	----	----/44.50A	43.70B/44.50A	----	37.90	NEW	.0863	----	----	----	170	170 +	170		
6500	----	----	----/40.10A	32.10B/40.10A	----	32.80	- 7.80	.0743	----	----	6	170	526	175		
TOTAL													1826 +	3		
APR27																
5000	----	----	----/179.60A	223.20B/179.60A	----	177.80	- 50.30	.3305	----	----	----	----	100	UNCH		
5060	----	----	----/166.10A	206.60B/166.10A	----	164.30	- 47.40	.3105	----	----	----	----	25	UNCH		
5130	----	----	----/151.70A	188.90B/151.70A	----	150.00	- 44.20	.2886	----	----	----	----	18	UNCH		
5180	----	----	----/142.30A	177.10B/142.30A	----	140.70	- 42.00	.2739	----	----	----	----	18	UNCH		
5400	117.10	117.10	117.10/108.50A	135.00B/108.50A	----	106.90	NEW	.2174	----	1	----	----	1 +	1		
5550	----	----	----/91.40A	112.70B/91.40A	----	89.60	- 28.20	.1864	----	----	----	----	1	UNCH		
5600	----	----	----/86.70A	106.10B/86.70A	----	84.70	- 26.50	.1773	----	----	----	----	300	UNCH		
5625	----	----	----/84.40A	103.10B/84.40A	----	82.40	- 25.70	.1729	----	----	----	----	2	UNCH		
5700	88.00	88.00	88.00/78.60A	94.80B/78.60A	----	76.00	NEW	.1607	----	2	----	----	2 +	2		
5800	----	----	----/74.30A	84.80B/74.30A	----	68.60	- 20.50	.1462	----	----	----	----	50	UNCH		
5820	----	----	----/72.90A	83.00B/72.90A	----	67.20	- 20.00	.1434	----	----	----	----	1	UNCH		
5900	----	----	----/67.70A	76.30B/67.70A	----	62.30	- 17.80	.1335	----	----	----	----	1	UNCH		
5950	----	----	----/62.80A	72.40B/62.80A	----	59.60	- 16.40	.1279	----	----	----	----	1	UNCH		
6000	----	----	----/59.90A	68.90B/59.90A	----	57.00	- 15.30	.1225	----	----	----	----	150	UNCH		
TOTAL											3		670 +	3		
JUN27																
5085	----	----	----	88.60B/382.30A	----	266.60	+ 11.10	.3730	----	----	----	----	150	UNCH		
7000	----	----	----	0.10B/121.00A	----	48.60	+ 7.80	.0880	----	----	----	----	3	UNCH		
7500	----	----	----	0.10B/303.30A	----	37.50	+ 7.60	.0677	----	----	----	----	450	UNCH		
8000	----	----	----	0.10B/293.												

BULLETIN #107@										METALS OPTION PRODUCTS										Fri, Jun 05, 2026				PG64					
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST											
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2																											
JUN26																													
4575	----	----			233.50B/87.00A	233.50B/87.00A	----	----		211.60	+ 23.90	.9719	----	----	4	----		12	+	4									
4575	----	----			----/1.80A	16.20B/1.80A	----	----		1.90	- 15.90	.0279	----	5	----		15		UNCH										
4575	----	----			----/18.60A	50.20B/18.60A	----	----		19.80	NEW	.1689	----	2	----		2	+	2										
4580	10.00	10.00			10.00/1.70A	15.00B/1.70A	----	----		1.80	- 14.80	.0262	----	8	----		9	+	6										
4580	----	----			235.90B/90.70A	235.90B/90.70A	----	----		216.40	NEW	.9737	----	4	----		4	+	4										
4595	----	----			----/1.40A	11.80B/1.40A	----	----		1.50	- 11.90	.0212	----	----	----		2		UNCH										
4600	17.20	17.20			17.20/7.70A	27.80B/7.70A	----	----		8.20	- 21.10	.0909	----	350	----		536	+	313										
4600	----	----			268.40B/123.70A	268.40B/123.70A	----	----		242.70	+ 18.50	.9087	----	----	----		2		UNCH										
4600	15.50	15.50			15.50/15.40A	42.00B/15.40A	----	----		16.30	NEW	.1430	----	1	----		1	+	1										
4600	6.10	6.10			6.10/1.40A	11.00B/1.40A	----	----		1.40	- 11.00	.0197	----	21	----		127	-	3										
4610	----	----			----/1.20A	9.30B/1.20A	----	----		1.30	- 9.50	.0178	----	----	----		2		UNCH										
4615	----	----			----/1.20A	8.60B/1.20A	----	----		1.20	- 8.80	.0163	----	----	----		2		UNCH										
4625	6.50	6.50			6.60/6.00	21.80B/6.00	----	----		6.60	- 16.70	.0737	----	9	----		13	+	3										
4625	----	----			282.40B/127.60A	282.40B/127.60A	----	----		260.70	+ 32.10	.9852	----	----	----		3		UNCH										
4625	----	----			----/1.10A	7.30B/1.10A	----	----		1.10	- 7.60	.0146	----	4	----		154		UNCH										
4625	13.60	13.60			13.60/13.00A	35.10B/13.00A	----	----		13.50	NEW	.1211	----	1	----		1	+	1										
4645	----	----			231.50B/145.70A	231.50B/145.70A	----	----		280.50	+ 34.10	.9884	----	----	----		1		UNCH										
4650	----	----			----/5.10A	17.10B/5.10A	----	----		5.30	- 13.10	.0595	----	1	----		2	+	1										
4650	11.40	11.40			11.40/10.90A	29.20B/10.90A	----	----		11.30	NEW	.1029	----	1	----		1	+	1										
4650	----	----			----/0.90A	4.80B/0.90A	----	----		0.80	- 5.30	.0102	----	4	----		10	-	1										
4650	300.00	300.00			300.00/150.30A	300.00/150.30A	----	----		285.40	+ 34.40	.9897	----	1	----		2		UNCH										
4675	11.40	11.40			13.40B/4.00A	13.40B/4.00A	----	----		4.30	- 10.30	.0483	----	42	----		42	+	40										
4675	1.00	1.00			1.00/0.70A	3.20B/0.70A	----	----		0.70	- 3.60	.0084	----	1	----		12		UNCH										
4675	9.50	9.50			9.50/9.20A	24.20B/9.20A	----	----		9.40	- 16.10	.0869	----	1	----		1		UNCH										
4700	3.50	3.50			4.00/3.30A	10.60B/3.30A	----	----		3.60	- 8.00	.0401	----	4	----		7	+	1										
4700	----	----			----/8.00A	19.90B/8.00A	----	----		7.90	- 13.30	.0738	----	----	----		9		UNCH										
4700	2.20	2.20			2.20/0.60A	2.20/0.60A	----	----		0.60	- 2.50	.0068	----	5	----		31	+	2										
4710	----	----			----/0.60A	1.90B/0.60A	----	----		0.50	- 2.20	.0056	----	1	----		1		UNCH										
4725	----	----			----/6.70A	16.40B/6.70A	----	----		6.60	- 11.10	.0623	----	----	----		1		UNCH										
4725	2.90	2.90			2.90/2.80A	8.40B/2.80A	----	----		3.00	- 6.20	.0332	----	2	----		3	+	1										
4725	----	----			----/0.50A	1.50B/0.50A	----	----		0.50	- 1.70	.0054	----	----	----		6		UNCH										
4750	----	----			----/2.40A	6.70B/2.40A	----	----		2.50	- 4.90	.0275	----	----	----		14		UNCH										
4750	----	----			----/0.40A	1.10B/0.40A	----	----		0.40	- 1.20	.0041	----	----	----		50		UNCH										
4775	5.40	5.40			5.40/2.10A	5.40/2.10A	----	----		2.10	- 3.80	.0228	----	1	----		50		UNCH										
4775	283.70	283.70			432.10B/280.50A	432.10B/280.50A	----	----		409.90	+ 38.80	.9971	----	1	----		3		UNCH										
4775	----	----			----/0.40A	0.80B/0.40A	----	----		0.30	- 0.90	.0029	----	----	----		3		UNCH										
4800	----	----			----/0.50A	0.60B/0.50A	----	----		0.20	- 0.80	.0019	----	----	----		5		UNCH										
4800	----	----			----/1.80A	4.30B/1.80A	----	----		1.80	- 3.00	.0193	----	----	----		2		UNCH										
4800	4.70	4.70			5.00/4.40A	9.40B/4.40A	----	----		4.20	- 6.10	.0397	----	2	----		3		UNCH										
4800	----	----			372.60B/----	372.60B/386.10A	----	----		434.80	+ 39.00	.9982	----	----	----		2		UNCH										
4825	----	----			----/1.70A	3.50B/1.70A	----	----		1.50	- 2.50	.0160	----	----	----		1		UNCH										
4825	----	----			----/0.40A	0.50B/0.40A	----	----		0.20	- 0.50	.0018	----	----	----		4		UNCH										
4850	----	----			----/3.50A	6.50B/3.50A	----	----		3.20	- 4.20	.0300	----	----	----		1		UNCH										
4850	----	----			----/0.40A	0.30B/0.40A	----	----		0.10	- 0.50	.0008	----	1	----		1		UNCH										
4875	----	----			----/1.40A	2.40B/1.40A	----	----		1.10	- 1.70	.0114	----	----	----		1		UNCH										
4900	----	----			----/1.30A	2.00B/1.30A	----	----		1.00	- 1.40	.0102	----	----	----		3		UNCH										
4900	0.30	0.30			0.40/0.30	0.40/0.30	----	----		0.10	- 0.30	.0002	----	6	----		17		UNCH										
4925	----	----			----/1.20A	1.70B/1.20A	----	----		0.80	- 1.30	.0081	----	----	----		3		UNCH										
4950	----	----			----/1.20A	1.50B/1.20A	----	----		0.70	- 1.10	.0070	----	----	----		1		UNCH										
4950	----	----			----/0.40A	0.50B/0.40A	----	----		0.10	- 0.20	.0000	----	----	----		3		UNCH										

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY TUESDAY OPTION week2															
JUN26															
4245	8.50	8.50		15.40B/1.40A	15.40B/1.40A	----	----	7.10	NEW	----	----	3	----	3	+
4250	-----	-----		----/128.20A	261.80B/128.20A	----	----	141.40	- 20.70	----	----	----	----	1	UNCH
4250	27.10	27.10		39.70B/27.10	39.70B/7.30A	----	----	26.20	+ 18.90	----	----	5	----	15	+
4250	-----	-----		56.40B/-----	56.40B/15.10A	----	----	41.50	+ 27.30	----	----	1	----	2	+
4250	10.80	10.80		16.30B/1.40A	16.30B/1.40A	----	----	7.60	+ 5.90	----	22	----	22	+	17
4250	-----	-----		70.40B/-----	70.40B/24.00A	----	----	55.40	NEW	----	1	----	1	+	1
4260	5.00	5.00		18.00B/1.50A	18.00B/1.50A	----	----	8.60	+ 6.80	----	3	----	3	+	3
4265	4.80	4.80		18.90B/1.60A	18.90B/1.60A	----	----	9.20	NEW	----	3	----	3	+	3
4275	7.10	7.10		20.90B/1.70A	20.90B/1.70A	----	----	10.50	+ 8.40	----	22	----	21	+	3
4275	-----	-----		79.00B/-----	79.00B/27.70A	----	----	63.10	+ 37.60	----	----	----	20	UNCH	
4275	-----	-----		64.10B/-----	64.10B/17.80A	----	----	48.10	+ 31.40	----	----	----	3	UNCH	
4275	28.30	28.30		46.70B/28.30	46.70B/8.80A	----	----	31.70	+ 22.90	----	22	----	20	+	17
4280	6.20	6.20		22.10B/1.80A	22.10B/1.80A	----	----	11.20	NEW	----	5	----	5	+	5
4285	8.00	8.00		23.30B/1.90A	23.30B/1.90A	----	----	12.00	NEW	----	11	----	11	+	11
4290	4.80	4.80		24.50B/2.00A	24.50B/2.00A	----	----	12.80	NEW	----	30	----	17	+	17
4295	9.10	9.10		25.80B/2.10A	25.80B/2.10A	----	----	13.70	NEW	----	4	----	4	+	4
4300	-----	-----		----/66.30A	207.40B/66.30A	----	----	79.90	NEW	----	1	----	1	+	1
4300	10.10	10.10		28.00/2.10A	28.00/2.10A	----	----	14.60	+ 12.00	----	43	----	23	+	8
4300	-----	-----		----/93.40A	215.00B/93.40A	----	----	103.60	- 11.90	----	----	----	1	UNCH	
4300	45.20	45.20		73.20B/45.20	73.20B/21.00A	----	----	55.90	+ 36.20	----	1	----	2	+	1
4300	23.00	23.00		55.20B/23.00	55.20B/10.80A	----	----	38.40	+ 27.70	----	4	----	56	+	1
4305	6.40	6.40		28.70B/2.30A	28.70B/2.30A	----	----	15.60	NEW	----	5	----	5	+	5
4310	3.40	3.40		30.40B/2.40A	30.40B/2.40A	----	----	16.70	NEW	----	4	----	4	+	4
4320	-----	-----		33.80B/2.70A	33.80B/2.70A	----	----	19.10	NEW	----	3	----	2	+	2
4325	-----	-----		81.80B/-----	81.80B/25.00A	----	----	65.10	+ 41.80	----	1	----	2	+	1
4325	53.30	53.30		64.00B/53.30	64.00B/13.20A	----	----	46.70	NEW	----	8	----	7	+	7
4325	13.60	13.60		35.80B/2.80A	35.80B/2.80A	----	----	20.50	+ 17.10	----	63	----	48	+	5
4330	6.50	6.50		37.70B/3.10A	37.70B/3.10A	----	----	21.90	NEW	----	6	----	6	+	6
4335	-----	-----		39.50B/3.30A	39.50B/3.30A	----	----	23.50	NEW	----	9	----	8	+	8
4340	17.30	17.30		41.60B/3.40A	41.60B/3.40A	----	----	25.20	NEW	----	5	----	3	+	3
4345	8.00	8.00		44.00B/3.60A	44.00B/3.60A	----	----	27.00	NEW	----	28	----	28	+	28
4350	-----	-----		108.70B/-----	108.70B/42.10A	----	----	92.30	NEW	----	4	----	4	+	4
4350	-----	-----		----/100.00A	184.30B/100.00A	----	----	107.60	NEW	----	4	----	4	+	4
4350	14.60	14.60		46.60B/3.80A	46.60B/3.80A	----	----	29.00	+ 24.50	----	31	----	55	+	9
4350	43.80	43.80		43.80/35.40A	159.10B/35.40A	----	----	44.20	NEW	----	8	----	3	+	3
4350	65.80	65.80		75.50B/65.80	75.50B/16.40A	----	----	56.70	+ 40.40	----	3	----	2	-	1
4355	35.50	35.50		35.50/32.90A	154.40B/32.90A	----	----	41.40	NEW	----	6	----	6	+	6
4360	-----	-----		51.40B/4.40A	51.40B/4.40A	----	----	33.40	+ 28.30	----	----	----	10	UNCH	
4360	58.00	58.00		58.00/30.60A	149.50B/30.60A	----	----	38.70	NEW	----	16	----	7	+	7
4365	-----	-----		----/28.40A	145.00B/28.40A	----	----	36.20	NEW	----	1	----	1	+	1
4370	7.40	7.40		57.10B/5.00A	57.10B/5.00A	----	----	38.60	+ 32.80	----	10	----	12	+	10
4375	30.50	30.50		30.50/24.30A	135.60B/24.30A	----	----	31.60	- 04.50	----	25	----	13	+	11
4375	-----	-----		88.10B/-----	88.10B/20.20A	----	----	68.90	+ 48.70	----	6	----	13	+	2
4375	75.70	75.70		75.70/71.80A	151.80B/71.80A	----	----	78.30	NEW	----	1	----	1	+	1
4375	60.80	60.80		121.10B/48.60A	121.10B/48.60A	----	----	104.30	NEW	----	17	----	14	+	14
4375	146.00	146.00		165.90B/87.80A	165.90B/87.80A	----	----	94.60	NEW	----	17	----	14	+	14
4375	10.10	10.10		60.10B/5.30A	60.10B/5.30A	----	----	41.30	+ 35.10	----	68	----	151	-	17
4380	38.40	38.40		38.40/22.30A	131.00B/22.30A	----	----	29.40	NEW	----	3	----	3	+	3
4380	-----	-----		63.20B/5.80A	63.20B/5.80A	----	----	44.10	+ 37.50	----	----	----	0	UNCH	
4385	-----	-----		66.50B/6.10A	66.50B/6.10A	----	----	46.90	+ 39.90	----	----	----	11	UNCH	
4390	10.00	10.00		70.00B/6.60A	70.00B/6.60A	----	----	49.80	+ 42.30	----	4	----	10	+	3
4390	41.20	41.20		41.20/19.00A	121.80B/19.00A	----	----	25.10	NEW	----	1	----	1	+	1
4395	-----	-----		73.40B/7.10A	73.40B/7.10A	----	----	52.70	+ 44.70	----	1	----	5	+	1
4400	25.60	25.60		25.60/16.00A	112.70B/16.00A	----	----	21.00	- 92.60	----	45	----	40	+	38
4400	89.30	89.30		129.50B/89.30	129.50B/56.00A	----	----	117.30	NEW	----	1	----	1	+	1
4400	63.60	63.60		103.00B/25.10A	103.00B/25.10A	----	----	82.70	+ 57.50	----	1	----	184	+	1
4400	-----	-----		77.00B/7.80A	77.00B/7.80A	----	----	55.70	+ 47.10	----	10	----	67	-	2
4400	45.30	45.30		45.50/42.80A	129.00B/42.80A	----	----	48.00	NEW	----	3	----	3	+	3
4400	59.00	59.00		119.80B/59.00	119.80B/41.60A	----	----	101.40	+ 62.10	----	1	----	1	UNCH	
4405	10.60	10.60		80.60B/8.30A	80.60B/8.30A	----	----	58.90	+ 49.70	----	1	----	7	+	1
4410	-----	-----		84.40B/9.00A	84.40B/9.00A	----	----	62.20	+ 52.30	----	----	----	5	UNCH	
4415	-----	-----		88.10B/9.80A	88.10B/9.80A	----	----	65.60	NEW	----	1	----	1	+	1
4415	-----	-----		----/12.30A	99.70B/12.30A	----	----	15.90	NEW	----	2	----	2	+	2
4420	18.60	18.60		18.70/11.20A	95.50B/11.20A	----	----	14.50	NEW	----	85	----	81	+	81
4420	-----	-----		92.10B/10.50A	92.10B/10.50A	----	----	69.20	NEW	----	1	----	1	+	1
4425	91.70	91.70		144.30B/91.70	144.30B/64.50A	----	----	131.50	NEW	----	1	----	1	+	1
4425	28.20	28.20		28.20/10.30A	91.30B/10.30A	----	----	13.20	NEW	----	67	----	60	+	60
4425	66.50	66.50		68.90/66.50	132.20B/66.50	----	----	71.90	NEW	----	2	----	2	+	2
4425	34.10	34.10		34.10/34.10	110.10B/34.10	----	----	38.20	- 73.20	----	1	----	2	+	1
4425	12.30	12.30		96.20B/11.10A	96.20B/11.10A	----	----	72.90	+ 60.60	----	18	----	33	-	2
4425	94.50	94.50		119.40B/31.00A	119.40B/31.00A	----	----	97.80	+ 66.30	----	3	----	33	-	2
4430	16.20	16.20		16.20/9.40A	87.20B/9.40A	----	----	12.10	NEW	----					

BULLETIN #107@														METALS OPTION PRODUCTS										Fri, Jun 05, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																
GWR THU JUN26	GOLD WEEKLY THURSDAY OPTION week1																											
4355	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4360	46.80	46.80	65.10B/46.80	65.10B/9.70A	----	46.20 NEW	.4760	----	----	1	----	1 +	1															
4360	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4365	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4375	----	----	----	----	----	130.00 UNCH	----	----	----	----	----	0	UNCH															
4375	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4375	31.90	31.90	98.20B/31.90	98.20B/26.80A	----	78.70 + 52.00	.5134	----	----	7	----	26 +	7															
4375	32.80	32.80	73.40B/11.40A	73.40B/11.40A	----	54.00 + 42.10	.5287	----	----	4	----	10 +	2															
4375	----	----	----/62.90A	155.40B/62.90A	----	69.00 - 87.50	.4862	----	----	----	----	9	UNCH															
4380	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4385	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4390	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4395	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4400	----	----	----	----	----	105.00 UNCH	----	----	----	----	----	0	UNCH															
4400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4400	----	----	88.90B/15.20A	88.90B/15.20A	----	67.80 + 52.10	.6161	----	----	16	----	63 +	16															
4400	32.10	32.10	34.00/28.40A	119.60B/28.40A	----	33.10 NEW	.3837	----	----	5	----	5 +	5															
4400	----	----	----/52.10A	136.00B/52.10A	----	57.30 NEW	.4301	----	----	1	----	1 +	1															
4400	----	----	112.60B/32.20A	112.60B/32.20A	----	92.00 + 59.60	.5695	----	----	1	----	11 +	1															
4405	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4410	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4415	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4420	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4425	----	----	----	----	----	80.00 UNCH	----	----	----	----	----	0	UNCH															
4425	----	----	----/20.90A	99.40B/20.90A	----	24.10 - 76.60	.3010	----	----	1	----	2 +	1															
4425	----	----	106.40B/20.10A	106.40B/20.10A	----	83.80 + 63.10	.6987	----	----	1	----	1	UNCH															
4425	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4425	----	----	----/43.00A	117.80B/43.00A	----	47.20 - 72.00	.3753	----	----	----	----	1	UNCH															
4425	77.70	77.70	128.20B/39.10A	128.20B/39.10A	----	106.80 + 67.50	.6243	----	----	37	----	47 +	37															
4430	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4430	----	----	----	94.60B/19.90A	----	22.60 NEW	.2857	----	----	4	----	4 +	4															
4435	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4440	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4445	19.50	19.50	19.50/16.50A	81.00B/16.50A	----	60.00 UNCH	----	----	----	----	----	0	UNCH															
4445	----	----	----	----	----	18.50 NEW	.2421	----	----	1	----	1 +	1															
4450	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4450	----	----	----	----	----	55.00 UNCH	----	----	----	----	----	0	UNCH															
4450	17.80	17.80	17.80/15.20A	80.90B/15.20A	----	17.40 - 64.90	.2292	----	----	3	----	7 +	3															
4450	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4450	----	----	125.70B/26.50A	125.70B/26.50A	----	102.00 + 74.60	.7705	----	----	1	----	6 +	1															
4450	92.20	92.20	145.40B/47.10A	145.40B/47.10A	----	123.10 + 75.60	.6766	----	----	2	----	18 +	1															
4455	----	----	----	----	----	50.00 UNCH	----	----	----	----	----	0	UNCH															
4455	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4460	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4460	----	----	----	----	----	45.00 UNCH	----	----	----	----	----	0	UNCH															
4465	14.80	14.80	14.80/12.70A	69.70B/12.70A	----	14.20 NEW	.1919	----	----	2	----	2 +	2															
4465	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4465	----	----	----	----	----	40.00 UNCH	----	----	----	----	----	0	UNCH															
4470	----	----	----	----	----	35.00 UNCH	----	----	----	----	----	0	UNCH															
4470	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4475	----	----	----	----	----	30.00 UNCH	----	----	----	----	----	0	UNCH															
4475	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4475	33.00	33.00	33.00/10.90A	64.30B/10.90A	----	12.30 - 53.60	.1691	----	----	10	----	9 +	7															
4475	----	----	146.40B/34.80A	146.40B/34.80A	----	122.00 + 86.10	.8307	----	----	----	----	25	UNCH															
4475	34.00	34.00	34.00/28.50A	85.80B/28.50A	----	31.20 - 56.00	.2745	----	----	3	----	3 +	1															
4475	89.30	89.30	163.80B/56.50A	163.80B/56.50A	----	140.70 + 83.50	.7251	----	----	3	----	13 +	1															
4480	----	----	----	----	----	25.00 UNCH	----	----	----	----	----	0	UNCH															
4480	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4485	----	----	----	----	----	20.00 UNCH	----	----	----	----	----	0	UNCH															
4485	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4490	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4490	----	----	----	54.70B/9.10A	----	10.00 NEW	.1397	----	----	5	----	3 +	3															
4490	----	----	----	----	----	15.00 UNCH	----	----	----	----	----	0	UNCH															
4495	----	----	----	----	----	10.00 UNCH	----	----	----	----	----	0	UNCH															
4495	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4495	16.60	16.60	16.60/8.50A	49.20B/8.50A	----	9.30 NEW	.1306	----	----	5	----	4 +	4															
4500	----	----	----	----	----	5.00 UNCH	----	----	----	----	----	0	UNCH															
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4500	126.00	126.00	183.50B/67.70A	183.50B/67.70A	----	159.70 + 91.30	.7691	----	----	12	----	46 +	8															
4500	----	----	----/7.90A	50.10B/7.90A	----	8.70 - 42.80	.1225	----	----	7	----	10 +	6															
4500	161.00	161.00	168.40B/45.40A	168.40B/45.40A	----	143.30 + 96.80	.8773	----	----	7	----	36 +	5															
4500	45.90	45.90	46.20/23.20A	71.90B/23.20A	----	25.10 - 48.30	.2305	----	----	46	----	51 +	44															
4505	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4505	24.10	24.10	24.10/7.50A	44.90B/7.50A	----	8.10 NEW	.1145	----	----	2	----	2 +	2															
4505	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4510	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4510	----	----	----	----	----	5.00 UNCH	----	----	----	----	----	0	UNCH															
4515	----	----	----	----	----	10.00 UNCH	----	----	----	----	----	0	UNCH															
4515	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4520	----	----	----	----	----	15.00 UNCH	----	----	----	----	----	0	UNCH															
4520	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4520	33.00	33.00	33.00/5.70A	37.90B/5.70A	----	6.20 - 33.30	.0881	----	----	12	----	16 +	9															
4525	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0	UNCH															
4525	----	----	191.60B/58.20A	191.60B/58.20A	----	165.80 + 06.40	.9117	----	----	----	----	41	UNCH															
4525	----	----	----	----	----	20.00 UNCH	----	----	----	----	----	0	UNCH															
4525	----	----	----/18.60A	59.60B/18.60A	----	20.20 - 41.00	.1921	----	----	3	----	36 +	3															
4525	----	----	203.90B/80.40A	203.90B/80.40A	----	179.70 + 98.50	.8075	----	----	----	----	27	UNCH															
4530	----	----	----	----	----	25.00 UNCH	----	----	----	----	----	0																

GLOBEX OPEN				OPEN OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY MONDAY OPTION WEEK2														
JUN26														
4115	1.20	1.20	2.80B/0.30A	2.80B/0.30A	----	1.00	NEW	.0095	----	----	----	8	----	8 +
4125	11.90	11.90	27.30B/11.90	27.30B/6.90A	----	18.00	NEW	.1371	----	----	----	4	----	4 +
4125	1.30	1.30	3.00B/0.30A	3.00B/0.30A	----	1.10	NEW	.0108	----	----	----	18	----	15 +
4130	1.00	1.00	3.10/0.30A	3.10/0.30A	----	1.10	NEW	.0111	----	----	----	95	----	55 +
4135	1.40	1.40	3.20B/0.30A	3.20B/0.30A	----	1.20	NEW	.0123	----	----	----	25	----	24 +
4140	1.60	1.60	3.40B/0.30A	3.40B/0.30A	----	1.20	NEW	.0126	----	----	----	40	----	40 +
4145	1.60	1.60	3.50B/0.30A	3.50B/0.30A	----	1.20	NEW	.0128	----	----	----	22	----	10 +
4150	----	----	31.00B/----	31.00B/7.70A	----	20.90	+ 13.90	.1583	----	----	----	----	7	UNCH
4150	0.80	0.80	3.60B/0.30A	3.60B/0.30A	----	1.30	+ 0.80	.0142	----	----	47	----	46	+
4150	4.80	4.80	18.10B/4.80	18.10B/3.30A	----	10.70	+ 7.50	.1044	----	----	3	----	4	+
4155	0.50	0.50	3.80B/0.30A	3.80B/0.30A	----	1.30	NEW	.0145	----	----	9	----	9	+
4165	1.80	1.80	4.00B/0.30A	4.00B/0.30A	----	1.40	NEW	.0163	----	----	8	----	8	+
4170	0.30	0.30	4.10B/0.30	4.10B/0.30	----	1.50	NEW	.0178	----	----	3	----	3	+
4175	----	----	21.20B/----	21.20B/3.80A	----	12.80	+ 9.10	.1258	----	----	----	----	2	UNCH
4175	17.20	17.20	35.50B/17.10	35.50B/8.70A	----	24.30	+ 16.20	.1828	----	----	2	----	5	+
4175	0.40	0.40	4.40B/0.40	4.40B/0.40	----	1.50	+ 0.90	.0182	----	----	7	----	7	+
4180	0.30	0.30	4.50B/0.30	4.50B/0.30	----	1.60	NEW	.0198	----	----	16	----	16	+
4185	0.50	0.50	4.70B/0.30A	4.70B/0.30A	----	1.70	NEW	.0215	----	----	24	----	19	+
4190	2.20	2.20	5.00B/0.40A	5.00B/0.40A	----	1.70	NEW	.0220	----	----	9	----	9	+
4195	2.60	2.60	5.20B/0.40A	5.20B/0.40A	----	1.80	NEW	.0238	----	----	3	----	2	+
4200	----	----	40.60B/----	40.60B/10.10A	----	28.30	+ 18.90	.2107	----	----	----	----	22	UNCH
4200	6.10	6.10	25.10B/4.50A	25.10B/4.50A	----	15.40	+ 11.00	.1520	----	----	121	----	131	+
4200	1.20	1.20	5.70/0.40A	5.70/0.40A	----	1.90	+ 1.20	.0257	----	----	27	----	21	+
4205	0.50	0.50	5.90B/0.50	5.90B/0.50	----	2.00	NEW	.0276	----	----	4	----	2	+
4210	2.20	2.20	6.20B/0.40A	6.20B/0.40A	----	2.20	NEW	.0309	----	----	3	----	3	+
4215	0.50	0.50	6.50B/0.50	6.50B/0.50	----	2.30	NEW	.0331	----	----	5	----	4	+
4220	2.40	2.40	6.80B/0.50A	6.80B/0.50A	----	2.40	NEW	.0353	----	----	1	----	1	+
4225	150.00	150.00	150.00/143.60A	284.70B/143.60A	----	158.90	NEW	.8156	----	----	10	----	10	+
4225	----	----	46.40B/----	46.40B/11.60A	----	33.00	+ 22.10	.2424	----	----	----	----	1	UNCH
4225	----	----	60.40B/----	60.40B/19.40A	----	46.50	NEW	.2770	----	----	6	----	0	UNCH
4225	2.50	2.50	7.20B/0.50A	7.20B/0.50A	----	2.60	+ 1.80	.0390	----	----	4	----	5	+
4225	9.50	9.50	29.90B/9.50	29.90B/5.30A	----	18.70	+ 13.50	.1841	----	----	1	----	27	+
4230	2.50	2.50	7.60B/0.50A	7.60B/0.50A	----	2.80	+ 2.00	.0428	----	----	12	----	18	+
4235	4.00	4.00	8.00B/0.50A	8.00B/0.50A	----	3.00	NEW	.0468	----	----	2	----	2	+
4240	1.50	1.50	8.40B/0.50A	8.40B/0.50A	----	3.20	NEW	.0509	----	----	8	----	8	+
4245	1.60	1.60	9.00B/0.50A	9.00B/0.50A	----	3.50	NEW	.0566	----	----	11	----	11	+
4250	1.00	1.00	9.60/0.60A	9.60/0.60A	----	3.70	+ 2.70	.0612	----	----	44	----	42	+
4250	17.30	17.30	35.70B/17.30	35.70B/6.30A	----	22.80	+ 16.60	.2227	----	----	63	----	110	+
4250	31.40	31.40	67.90B/30.80	67.90B/22.30A	----	53.10	+ 32.50	.3096	----	----	48	----	30	+
4255	1.40	1.40	10.00B/0.60A	10.00B/0.60A	----	4.00	NEW	.0673	----	----	6	----	4	+
4260	4.20	4.20	10.70/0.60A	10.70/0.60A	----	4.40	NEW	.0750	----	----	17	----	13	+
4265	5.10	5.10	11.40B/0.60A	11.40B/0.60A	----	4.70	NEW	.0817	----	----	6	----	4	+
4270	4.70	4.70	12.80/0.70A	12.80/0.70A	----	5.10	+ 4.00	.0901	----	----	37	----	25	+
4275	42.80	42.80	60.90B/39.60	60.90B/16.00A	----	45.10	NEW	.3181	----	----	50	----	50	+
4275	4.30	4.30	12.80B/0.70A	12.80B/0.70A	----	5.50	+ 4.30	.0988	----	----	121	----	75	+
4275	34.10	34.10	42.70B/34.10	42.70B/7.60A	----	27.90	+ 20.40	.2685	----	----	23	----	14	+
4280	0.90	0.90	14.50/0.80A	14.50/0.80A	----	6.00	NEW	.1093	----	----	34	----	29	+
4285	8.50	8.50	14.70B/0.80A	14.70B/0.80A	----	6.50	+ 5.20	.1201	----	----	32	----	24	+
4290	7.90	7.90	15.80/0.90A	15.80/0.90A	----	7.10	+ 5.80	.1327	----	----	521	----	133	+
4295	8.20	8.20	16.60B/0.90A	16.60B/0.90A	----	7.80	NEW	.1470	----	----	3	----	3	+
4300	9.70	9.70	51.10B/9.30A	51.10B/9.30A	----	34.30	+ 25.10	.3222	----	----	59	----	56	+
4300	----	----	85.80B/----	85.80B/29.90A	----	69.30	+ 41.70	.3827	----	----	----	----	41	UNCH
4300	----	----	70.10B/----	70.10B/19.00A	----	52.80	+ 34.90	.3620	----	----	5	----	10	UNCH
4300	2.00	2.00	18.10B/0.90	18.10B/0.90	----	8.50	+ 7.00	.1618	----	183	----	149	+	
4300	59.50	59.50	62.50/57.30A	206.00B/57.30A	----	73.80	+ 32.60	.8380	----	----	17	----	19	+
4305	1.30	1.30	19.20B/1.10A	19.20B/1.10A	----	9.30	NEW	.1784	----	----	35	----	32	+
4310	2.20	2.20	21.00/1.00A	21.00/1.00A	----	10.20	+ 8.60	.1966	----	----	23	----	21	+
4315	5.00	5.00	22.10B/1.20A	22.10B/1.20A	----	11.20	+ 9.50	.2165	----	----	23	----	13	+
4320	2.20	2.20	23.80B/1.30A	23.80B/1.30A	----	12.30	+ 10.50	.2380	----	----	22	----	18	+
4325	47.90	47.90	47.90/39.40A	181.70B/39.40A	----	53.70	NEW	.7395	----	----	6	----	2	+
4325	6.00	6.00	25.80B/1.40A	25.80B/1.40A	----	13.40	+ 11.50	.2603	----	484	----	325	+	
4325	35.80	35.80	59.50B/35.80	59.50B/11.50A	----	42.30	+ 30.90	.3834	----	83	----	104	+	
4325	37.50	37.50	94.10B/37.50	94.10B/34.50A	----	78.90	NEW	.4222	----	1	----	1	+	
4330	8.40	8.40	27.50B/1.40A	27.50B/1.40A	----	14.70	+ 12.70	.2849	----	14	----	35	+	
4335	54.20	54.20	54.20/33.00A	172.00B/33.00A	----	46.30	NEW	.6895	----	2	----	1	+	
4335	16.40	16.40	29.30B/1.50A	29.30B/1.50A	----	16.00	NEW	.3104	----	27	----	10	+	
4340	3.10	3.10	31.50B/1.60A	31.50B/1.60A	----	17.50	+ 15.20	.3380	----	175	----	38	+	
4340	31.80	31.80	31.80/30.10A	167.00B/30.10A	----	42.80	+ 24.40	.6619	----	1	----	2	+	
4345	15.00	15.00	33.80B/1.70A	33.80B/1.70A	----	19.10	+ 16.70	.3669	----	9	----	31	+	
4345	30.00	30.00	31.50/27.40A	162.10B/27.40A	----	39.40	NEW	.6329	----	14	----	14	+	
4350	72.80	72.80	89.80B/72.80	89.80B/27.30A	----	72.20	+ 46.60	.4595	----	1	----	2	+	
4350	----	----	106.50B/----	106.50B/40.00A	----									

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON GOLD WEEKLY MONDAY OPTION WEEK2															
JUN26															
4470	37.00	37.00		37.00/1.50	51.60B/1.50	----	1.90	- 50.90	.0396	----	----	31	----	20	+
4475	39.50	39.50		39.50/33.10A	88.30B/33.10A	----	36.10	- 56.40	.2920	----	----	9	----	9	+
4475	48.70	48.70		50.40/46.40	103.50B/46.40	----	51.20	NEW	.3308	----	----	12	----	10	+
4475	----	----		----/17.90A	73.60B/17.90A	----	19.90	- 55.10	.2241	----	----	24	135	160	+
4475	31.10	31.10		31.10/1.40	48.00B/1.40	----	1.70	- 47.70	.0347	----	----	40	----	27	+
4475	25.00	25.00		137.60B/17.90A	137.60B/17.90A	----	111.40	+ 92.00	.9652	----	----	23	----	22	+
4475	59.90	59.90		153.20B/44.10A	153.20B/44.10A	----	129.50	+ 84.50	.7756	----	----	7	----	16	UNCH
4475	----	----		159.70B/----	159.70B/64.80A	----	145.70	+ 83.10	.7075	----	----	----	----	1	UNCH
4480	23.90	23.90		142.80B/19.70A	142.80B/19.70A	----	116.20	+ 95.00	.9699	----	----	20	----	12	+
4480	25.50	25.50		25.50/1.40A	44.90B/1.40A	----	1.50	- 44.60	.0299	----	----	80	----	61	+
4485	30.10	30.10		30.10/1.30A	41.50B/1.30A	----	1.30	- 41.70	.0254	----	----	26	----	19	+
4485	40.70	40.70		147.50B/21.70A	147.50B/21.70A	----	121.00	+ 98.00	.9745	----	----	3	----	10	-
4490	35.00	35.00		152.40B/23.60A	152.40B/23.60A	----	125.90	+ 00.90	.9771	----	----	2	----	14	+
4490	4.40	4.40		4.40/1.10	38.70B/1.10	----	1.20	NEW	.0228	----	----	27	----	18	+
4495	30.00	30.00		30.00/1.10	35.70B/1.10	----	1.10	- 36.00	.0203	----	----	21	----	16	+
4495	----	----		157.40B/25.90A	157.40B/25.90A	----	130.70	+ 03.60	.9795	----	----	----	----	9	UNCH
4500	----	----		195.60B/----	195.60B/91.60A	----	178.20	+ 88.60	.7056	----	----	----	----	60	UNCH
4500	60.00	60.00		174.10B/54.90A	174.10B/54.90A	----	149.60	+ 93.70	.8232	----	----	14	----	25	+
4500	33.00	33.00		33.00/13.80A	59.40B/13.80A	----	15.00	- 45.90	.1765	----	----	23	----	33	+
4500	----	----		----/27.30A	74.90B/27.30A	----	29.60	- 49.30	.2499	----	----	6	----	7	+
4500	25.70	25.70		25.70/0.90	32.90B/0.90	----	1.00	- 33.30	.0180	----	224	----	----	102	+
4500	174.00	174.00		178.80B/174.00	178.80B/76.10A	----	164.10	+ 90.20	.7496	----	6	----	----	13	+
4500	120.90	120.90		157.90B/28.10A	157.90B/28.10A	----	135.60	+ 06.30	.9819	----	12	----	----	139	-
4500	50.60	50.60		53.50/40.40	91.00B/40.40	----	43.70	- 50.90	.2938	----	34	----	----	35	+
4505	----	----		160.40B/30.70A	160.40B/30.70A	----	140.50	+ 08.80	.9841	----	1	----	----	2	UNCH
4510	----	----		162.20B/33.20A	162.20B/33.20A	----	145.50	NEW	.9862	----	1	----	----	1	+
4510	4.10	4.10		4.10/0.90A	27.70B/0.90A	----	0.80	- 28.40	.0137	----	2	----	----	6	UNCH
4515	----	----		172.40B/35.90A	172.40B/35.90A	----	150.40	+ 13.50	.9882	----	----	----	----	4	UNCH
4515	0.80	0.80		0.80/0.80	25.30B/0.80	----	0.70	- 26.20	.0117	----	5	----	----	10	+
4520	19.00	19.00		20.00/0.70	23.10B/0.70	----	0.70	- 23.90	.0113	----	8	----	----	25	UNCH
4520	----	----		172.00B/39.00A	172.00B/39.00A	----	155.30	+ 15.70	.9886	----	----	----	----	1	UNCH
4525	9.50	9.50		9.50/0.70A	21.00B/0.70A	----	0.60	- 21.90	.0094	----	9	----	----	10	+
4525	10.70	10.70		10.70/10.50A	47.10B/10.50A	----	11.40	- 37.30	.1381	----	6	----	----	6	-
4525	----	----		198.90B/----	198.90B/89.40A	----	183.50	+ 96.80	.7877	----	----	----	----	1	UNCH
4525	97.00	97.00		182.30B/41.70A	182.30B/41.70A	----	160.30	+ 17.80	.9904	----	3	----	----	11	UNCH
4525	39.30	39.30		39.30/34.80A	78.90B/34.80A	----	37.20	NEW	.2593	----	2	----	----	2	+
4525	----	----		214.60B/----	214.60B/108.00A	----	196.60	+ 94.20	.7400	----	----	----	----	2	UNCH
4530	----	----		182.20B/45.00A	182.20B/45.00A	----	165.20	+ 19.60	.9907	----	----	----	----	1	UNCH
4530	16.00	16.00		17.00/0.60	19.10B/0.60	----	0.60	- 20.00	.0092	----	19	----	----	10	+
4535	6.70	6.70		6.70/0.50A	17.30B/0.50A	----	0.50	- 18.30	.0074	----	33	----	----	37	-
4540	10.20	10.20		10.20/0.50	15.50B/0.50	----	0.50	- 16.60	.0072	----	56	----	----	42	-
4540	----	----		197.40B/51.50A	197.40B/51.50A	----	175.10	+ 23.10	.9927	----	----	----	----	3	UNCH
4545	3.70	3.70		3.70/0.40A	14.00B/0.40A	----	0.40	- 15.10	.0056	----	26	----	----	30	+
4545	----	----		202.10B/54.80A	202.10B/54.80A	----	180.10	+ 24.60	.9943	----	----	----	----	3	UNCH
4550	----	----		----/8.00A	36.80B/8.00A	----	8.60	- 29.80	.1068	----	8	----	----	107	-
4550	----	----		----/18.20A	53.20B/18.20A	----	19.60	- 36.30	.1782	----	----	----	----	1	UNCH
4550	----	----		207.00B/58.30A	207.00B/58.30A	----	185.10	+ 26.10	.9944	----	12	----	----	14	+
4550	9.20	9.20		9.90/0.20	12.50B/0.20	----	0.40	- 13.60	.0055	----	84	----	----	40	-
4550	----	----		218.60B/82.70A	218.60B/82.70A	----	193.20	+ 09.80	.8929	----	8	----	----	24	-
4555	0.40	0.40		0.40/0.30	11.20B/0.30	----	0.40	- 12.30	.0053	----	13	----	----	19	+
4560	4.00	4.00		4.00/0.20A	10.00B/0.20A	----	0.30	- 11.20	.0039	----	11	----	----	13	+
4560	----	----		212.00B/65.90A	212.00B/65.90A	----	195.00	+ 28.60	.9961	----	----	----	----	1	UNCH
4565	5.00	5.00		5.00/0.20	9.00B/0.20	----	0.30	- 10.00	.0038	----	21	----	----	15	+
4570	6.00	6.00		6.00/0.20A	8.00B/0.20A	----	0.20	- 9.10	.0024	----	13	----	----	19	+
4575	28.40	28.40		28.40/14.90A	44.10B/14.90A	----	15.90	NEW	.1490	----	11	----	----	11	+
4575	6.80	6.80		6.80/6.20A	28.40B/6.20A	----	6.60	- 23.30	.0829	----	25	----	----	69	+
4575	----	----		242.10B/99.20A	242.10B/99.20A	----	216.20	+ 16.30	.9168	----	----	----	----	5	UNCH
4575	5.00	5.00		5.70/0.10	7.10B/0.10	----	0.20	- 8.20	.0024	----	110	----	----	608	+
4575	162.90	162.90		229.60B/77.50A	229.60B/77.50A	----	209.80	+ 31.40	.9976	----	1	----	----	2	UNCH
4580	0.60	0.60		0.60/0.10	6.20B/0.10	----	0.20	- 7.40	.0023	----	5	----	----	11	+
4585	----	----		236.60B/86.10A	236.60B/86.10A	----	219.80	+ 33.00	.9990	----	----	----	----	1	UNCH
4590	----	----		241.60B/90.40A	241.60B/90.40A	----	224.80	NEW	.9992	----	1	----	----	1	+
4590	4.10	4.10		4.10/0.20	4.90B/0.20	----	0.10	NEW	.0008	----	14	----	----	14	+
4595	----	----		----/0.20A	4.20B/0.20A	----	0.10	NEW	.0006	----	11	----	----	11	+
4600	----	----		265.80B/117.40A	265.80B/117.40A	----	239.60	+ 21.60	.9353	----	----	----	----	2	UNCH
4600	30.40	30.40		30.40/21.50A	50.90B/21.50A	----	22.90	- 30.10	.1740	----	9	----	----	43	+
4600	12.80	12.80		13.60/12.40A	36.40B/12.40A	----	13.00	- 25.50	.1246	----	2	----	----	64	+
4600	----	----		264.00B/----	264.00B/137.00A	----	247.30	+ 13.90	.8750	----	----	----	----	2	UNCH
4600	5.30	5.30		5.30/4.80A	21.60B/4.80A	----	5.10	- 18.00	.0644	----	40	----	----	198	+
4600	186.00	186.00		257.00B/99.20A	257.00B/99.20A	----	234.80	+ 34.90	.9996	----	13	----	----	16	+
4600	2.60	2.60		2.60/0.10A	3.80B/0.10A	----	0.10	- 4.80	.0005	----	59	----	----	104	+
4605	2.80	2.80		2.80/0.10A	3.20B/0.10A	----	0.10	- 4.30	.0004	----	1	----	----	2	+
4605	----	----		261.90B/103.40A	261.90B/103.40A	----	239.80	+ 35.40	.9997	----	----	----	----	5	UNCH
4610	0.10	0.10		0.20/0.10	2.80B/0.10	----	0.10	- 3.90	.0003	----	10	----	----	11	+
4615	----	----		----/0.20A	2.50B/0.20A	----	0.10	- 3.50	.0002	----	5	----	----	8	+
4620	158.00	158.00		271.50B/117.90A	271.50B/117.90A	----	254.80	NEW	1.0000	----	1	----	----	1	+
4620	0.40	0.40		0.40/0.20A	2.20B/0.20A	----	0.10	- 3.10	.0002	----	12	----	----	32	+
4625	10.50	10.50		10.90/10.10A	29.70B/10.10A	----	10.60	NEW	.1036	----	4	----	----	4	+
4625	----	----		287.10B/----	287.10B/157.40A	----	270.00	+ 18.50	.8959	----	----	----	----	1	UNCH
4625	4.20	4.20		4.30/3.80A	16.30B/3.80A	----	4.00	- 13.70	.0504	----	6	----	----	15	+
4625	222.90	222.90		276.50B/122.30A	276.50B/122.30A	----	259.80	+ 36.90	1.0000	----	1	----	----	1	UNCH
4630	----	----		----/0.20A	2.00B/0.20A	----	0.10	- 2.80	.0001	----	1	----	----	508	UNCH
4640	0.20	0.20		0.20/0.10A	1.70B/0.20A	----	0.10	- 2.50	.0001	----	20	----	----	21	UNCH
4650	8.60	8.60		8.60/3.10	1.10B/0.10A	----	0.10	- 2.00	.0000	----	1	----	----	21	UNCH
4650	30.30	30.30		37.10B/15.60A	37.10B/15.60A	----	3.10	- 10.50	.0391	----	25	----	----	40	+
4650	----	----		301.70B/146.20A	301.70B/146.20A	----	16.60	- 22.20	.1315	----	50	----	----	23	-
4650	8.80	8.80		8.80/8.50A	24.30B/8.50A	----	8.80	- 17.20	.0870	----	4	----	----	4	+
4650	----	----		----/0.20A	0.90B/0.20A	----	0.10	- 1.60	.0000	----	2	----	----	71	-
4670	----	----		----/0.10A	0.50B/0.10A	----	0.10	- 1.10	.0000	----	----	----	----	1	UNCH
4675	29.70	29.70		31.60B/13.40A	31.60B/13.40A	----	14.20	NEW	.1143	----	33	----	----	12	+
4675	----	----		----/0.10A	0.40B/0.10A	----	0.10								

BULLETIN #107@				METALS OPTION PRODUCTS								Fri, Jun 05, 2026				PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST		
GMW MON GOLD WEEKLY MONDAY OPTION WEEK3																	
JUN26																	
4975	----	----	----	---/0.80A	0.70B/0.80A	----	----	0.40 - 0.70	.0039	----	----	----	----		5 UNCH		
5000	----	----	----	---/0.90A	0.60B/0.90A	----	----	0.40 - 0.60	.0038	----	----	----	----		11 UNCH		
5000	----	----	----	----	---/0.20A	----	----	0.10 UNCH	----	----	----	----	----		32 UNCH		
5000	----	----	----	----	---/3.20A	3.30B/3.20A	----	3.10 - 1.90	.0248	----	----	----	----		1 UNCH		
5000	----	----	----	----	---/1.50A	1.60B/1.50A	----	1.40 - 1.10	.0126	----	----	1	----		1 UNCH		
5025	----	----	----	----	---/0.80A	0.50B/0.80A	----	0.30 - 0.60	.0028	----	----	----	----		4 UNCH		
5050	----	----	----	----	---/1.40A	1.30B/1.40A	----	1.20 - 0.80	.0105	----	----	----	----		3 UNCH		
5050	----	----	----	----	----	---/0.20A	----	0.10 UNCH	----	----	----	----	----		5 UNCH		
5050	----	----	----	----	----	0.40B/0.80A	----	0.30 - 0.50	.0027	----	----	----	----		11 UNCH		
5100	----	----	----	----	----	0.30B/0.70A	----	0.30 - 0.30	.0026	----	----	4	----		3 - 3		
5150	----	----	----	----	----	---/8.80A	----	0.10 UNCH	----	----	----	----	----		1 UNCH		
5250	----	----	----	----	----	---/8.90A	----	0.10 UNCH	----	----	----	----	----		4 UNCH		
5250	----	----	----	----	----	0.70B/1.20A	----	0.70 - 0.40	.0055	----	----	----	----		1 UNCH		
5300	----	----	----	----	----	---/8.90A	----	0.10 UNCH	----	----	----	----	----		5 UNCH		
5750	----	----	----	----	----	---/0.60A	----	0.10 UNCH	----	----	----	----	----		3 UNCH		
TOTAL												7228	135	8537+	3998		
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST		
FMG OPT MICRO GOLD WEEKLY FRI OPTION WEEK2																	
JUN26																	
4400	----	----	----	----	----	----	----	72.50 + 53.70	.6036	----	----	----	----		3 UNCH		
4450	----	----	----	----	----	----	----	84.70 + 78.80	----	2	----	----	----		0 - 2		
4530	----	----	----	----	----	----	----	0.00 - 11.70	----	----	----	----	----		0 - 2		
4550	----	----	----	----	----	----	----	0.00 - 6.50	----	----	----	----	----		0 - 2		
4675	----	----	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----		0 - 7		
4675	----	----	----	----	----	----	----	1.70 - 6.20	.0209	----	----	----	----		7 UNCH		
TOTAL															10 - 13		
SILVER OPTIONS ON FUTURES																	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST		
RWS THU SILVER WEEKLY THURSDAY OPTION week3																	
JUN26																	
5500	----	----	----	0.048B/----	0.048B/0.107A	----	----	0.033 + 0.014	.0102	----	----	----	----		5 UNCH		
5750	----	----	----	0.131B/----	0.131B/0.128A	----	----	0.099 NEW	.0292	----	----	3	----		3 + 3		
6250	----	----	----	0.396B/----	0.396B/0.216A	----	----	0.479 NEW	.1285	----	----	3	----		3 + 3		
6400	----	----	----	0.707B/----	0.707B/0.271A	----	----	0.695 + 0.461	.1818	----	----	----	----		10 UNCH		
6500	----	----	----	0.435B/----	0.435B/0.167A	----	----	0.382 + 0.330	.1427	----	----	----	----		1 UNCH		
6600	0.377	0.377	0.377	1.505/0.377	1.505/0.377	----	----	1.130 NEW	.2791	----	----	2	----		1 + 1		
6800	----	----	----	2.111B/----	2.111B/0.659A	----	----	1.799 + 1.275	.4057	----	----	----	----		10 UNCH		
6800	0.250	0.250	0.250	1.329B/0.250	1.329B/0.250	----	----	1.127 + 0.935	.3741	----	----	1	----		2 + 1		
6850	----	----	----	1.416B/----	1.416B/0.380A	----	----	1.317 + 1.085	.4249	----	----	----	----		1 UNCH		
6900	----	----	----	1.704B/----	1.704B/0.413A	----	----	1.532 + 1.251	.4782	----	----	----	----		1 UNCH		
6940	1.377	1.377	1.377	1.377/1.301A	2.916B/1.301A	----	----	1.426 NEW	.4779	----	----	2	----		2 + 2		
6950	----	----	----	2.002B/----	2.002B/0.491A	----	----	1.773 + 1.434	.5330	----	----	----	----		1 UNCH		
7000	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0 UNCH		
7000	----	----	----	3.031B/----	3.031B/1.054A	----	----	2.763 + 1.903	.5487	----	----	----	----		1 UNCH		
7100	----	----	----	3.592B/----	3.592B/1.330A	----	----	3.363 + 2.250	.6190	----	----	----	----		4 UNCH		
7150	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0 UNCH		
7160	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0 UNCH		
7200	3.900	3.900	3.900	4.300B/3.900	4.300B/1.656A	----	----	4.037 + 2.600	.6843	----	----	2	----		4 UNCH		
7200	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0 UNCH		
7250	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0 UNCH		
7250	2.650	2.650	2.650	4.679B/2.650	4.679B/1.892A	----	----	4.400 + 2.773	.7144	----	----	1	----		0 - 1		
7250	1.030	1.030	1.030	1.030/1.030	2.630B/1.030	----	----	1.006 NEW	.2854	----	----	1	----		1 + 1		
7300	----	----	----	3.262B/----	3.262B/1.351A	----	----	4.236 + 3.052	.8498	----	----	----	----		4 UNCH		
7300	1.269	1.269	1.269	1.269/0.964A	2.493B/0.964A	----	----	0.885 NEW	.2574	----	----	4	----		3 + 3		
7300	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0 UNCH		
7300	----	----	----	5.073B/----	5.073B/2.050A	----	----	4.778 + 2.940	.7425	----	----	----	----		1 UNCH		
7330	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0 UNCH		
7330	----	----	----	----	----	----	----	0.671 UNCH	----	----	----	----	----		0 UNCH		
7350	----	----	----	----	----	----	----	0.471 UNCH	----	----	----	----	----		0 UNCH		
7350	----	----	----	5.345B/----	5.345B/2.307A	----	----	5.171 + 3.101	.7684	----	----	----	----		22 UNCH		
7350	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0 UNCH		
7380	----	----	----	----	----	----	----	0.171 UNCH	----	----	----	----	----		0 UNCH		
7400	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0 UNCH		
7400	----	----	----	5.494B/----	5.494B/2.533A	----	----	5.577 + 3.256	.7923	----	----	----	----		1 UNCH		
7400	----	----	----	5.867B/----	5.867B/1.787A	----	----	5.130 + 3.500	.8960	----	----	----	----		20 UNCH		
7400	----	----	----	----	----	----	----	0.029 UNCH	----	----	----	----	----		0 UNCH		
7430	----	----	----	----	----	----	----	0.329 UNCH	----	----	----	----	----		0 UNCH		
7450	----	----	----	5.469B/----	5.469B/2.829A	----	----	5.994 + 3.401	.8140	----	----	2	----		2 + 1		
7450	----	----	----	----	----	----	----	0.529 UNCH	----	----	----	----	----		0 UNCH		
7450	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0 UNCH		
7460	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0 UNCH		
7500	----	----	----	----	----	----	----	1.029 UNCH	----	----	----	----	----		0 UNCH		
7500	----	----	----	---/0.594A	1.618B/0.594A	----	----	0.532 NEW	.1664	----	----	3	----		3 + 3		
7500	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0 UNCH		
7500	0.210	0.210	0.210	0.210/0.210	0.915B/0.210	----	----	0.171 - 0.986	.0740	----	----	1	----		1 UNCH		
7500	----	----	----	5.396B/----	5.396B/3.064A	----	----	6.423 + 3.539	.8335	----	----	----	----		1 UNCH		
7550	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0 UNCH		
7550	----	----	----	5.932B/----	5.932B/3.246A	----	----	6.543 + 4.040	.9365	----	----	----	----		6 UNCH		
7550	----	----	----	---/0.224A	0.689B/0.224A	----	----	0.149 - 0.826	.0634	----	----	----	----		2 UNCH		
7560	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0 UNCH		
7570	----	----	----	----	----	----	----	1.729 UNCH	----	----	----	----	----		0 UNCH		
7580	----	----	----	----	----	----	----	1.829 UNCH	----	----	----	----	----		0 UNCH		
7580	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0 UNCH		
7600	----	----	----														

BULLETIN #107@				METALS OPTION PRODUCTS				Fri, Jun 05, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK2												
JUN26													
6660	0.222	0.222	0.4928/0.222	0.4928/0.050A	----	0.230	NEW	.1287	----	----	1	----	1 +
6700	0.260	0.260	0.5938/0.221	0.5938/0.052A	----	0.286 +	0.257	.1639	----	24	----	15 +	12
6700	1.218	1.218	1.4958/1.218	1.4958/0.254A	----	1.061	NEW	.3124	----	5	----	5 +	5
6720	0.432	0.432	0.6818/0.432	0.6818/0.053A	----	0.319	NEW	.1846	----	2	----	2 +	2
6750	0.796	0.796	1.7138/0.796	1.7138/0.290A	----	1.223	NEW	.3508	----	10	----	10 +	10
6750	0.474	0.474	0.7928/0.474	0.7928/0.057A	----	0.376 +	0.340	.2198	----	5	----	6 +	5
6800	-----	-----	1.9488/-----	1.9488/0.340A	----	1.405	NEW	.3915	----	2	----	1 +	1
6800	2.781	2.781	2.781/2.781	2.781/0.731A	----	1.943	NEW	.4098	----	1	----	1 +	1
6800	1.800	1.800	1.950/0.966A	5.5398/0.966A	----	1.598	NEW	.7093	----	2	----	2 +	2
6800	0.039	0.039	1.0238/0.039	1.0238/0.039	----	0.496	NEW	.2906	----	32	----	21 +	21
6820	0.420	0.420	1.1208/0.420	1.1208/0.067A	----	0.553	NEW	.3230	----	13	----	13 +	13
6820	1.050	1.050	1.050/0.810A	5.3418/0.810A	----	1.456	NEW	.6769	----	3	----	3 +	3
6880	0.969	0.969	1.3808/0.969	1.3808/0.083A	----	0.767	NEW	.4334	----	2	----	2 +	2
6900	-----	-----	-----/1.509A	4.8768/1.509A	----	1.938	NEW	.5221	----	1	----	1 +	1
6900	-----	-----	2.3698/-----	2.3698/0.471A	----	1.835 +	1.393	.4778	----	-----	-----	5	-----
6900	0.576	0.576	1.5138/0.576	1.5138/0.086A	----	0.854	NEW	.4734	----	12	----	8 +	8
6900	0.996	0.996	0.996/0.509A	4.5588/0.509A	----	0.957	NEW	.5265	----	2	----	2 +	2
6940	1.066	1.066	1.066/0.435A	4.1688/0.435A	----	0.754	NEW	.4447	----	3	----	3 +	3
6950	1.000	1.000	1.8708/1.000	1.8708/0.108A	----	1.105 +	1.006	.5757	----	5	----	6 +	5
6990	-----	-----	2.1898/-----	2.1898/0.125A	----	1.342 +	1.219	.6552	----	-----	-----	2	-----
7000	2.533	2.533	3.0108/2.533	3.0108/0.645A	----	2.359	NEW	.5665	----	1	----	1 +	1
7000	0.916	0.916	0.916/0.250A	3.5978/0.250A	----	0.510	NEW	.3256	----	17	----	12 +	12
7000	-----	-----	3.1868/-----	3.1868/1.155A	----	2.916 +	1.961	.5429	----	-----	-----	15	-----
7000	0.160	0.160	2.2778/0.131A	2.2778/0.131A	----	1.407 +	1.277	.6743	----	24	----	20 +	17
7020	-----	-----	2.4488/-----	2.4488/0.144A	----	1.541 +	1.397	.7109	----	-----	-----	1	UNCH
7050	0.420	0.420	0.420/0.232A	3.1298/0.232A	----	0.359	NEW	.2386	----	4	----	3 +	3
7050	-----	-----	3.3648/-----	3.3648/0.758A	----	2.658 +	1.959	.6098	----	-----	-----	10	UNCH
7050	0.505	0.505	2.962/0.168A	2.962/0.168A	----	1.755	NEW	.7613	----	7	----	6 +	6
7060	-----	-----	-----/0.220A	3.0378/0.220A	----	0.334	NEW	.2231	----	1	----	1 +	1
7100	0.505	0.505	3.1618/0.218A	3.1618/0.218A	----	2.144 +	1.921	.8323	----	35	----	19 -	4
7100	0.370	0.370	0.370/0.180	2.6768/0.180	----	0.248	NEW	.1676	----	20	----	18 +	18
7150	0.205	0.205	0.205/0.117	2.2418/0.117	----	0.169	NEW	.1136	----	2	----	1 +	1
7170	0.139	0.139	0.139/0.098	2.0798/0.098	----	0.144	NEW	.0962	----	2	----	1 +	1
7200	1.000	1.000	1.8398/0.096	1.8398/0.096	----	0.114	NEW	.0748	----	87	----	87 +	87
7200	1.900	1.900	2.5988/0.644A	2.5988/0.644A	----	0.797	NEW	.2729	----	1	----	1 +	1
7200	1.000	1.000	4.1128/0.372A	4.1128/0.372A	----	3.010 +	2.626	.9251	----	3	----	5 +	3
7200	-----	-----	4.4488/-----	4.4488/1.794A	----	4.179 +	2.596	.6696	----	-----	-----	5	UNCH
7220	-----	-----	4.3068/0.425A	4.3068/0.425A	----	3.194 +	2.766	.9371	----	-----	-----	10	UNCH
7250	1.005	1.005	4.5998/0.495A	4.5998/0.495A	----	3.473 +	2.971	.9514	----	1	----	11 +	11
7250	0.130	0.130	0.130/0.092A	1.4628/0.092A	----	0.077	NEW	.0485	----	1	----	1 +	1
7300	0.919	0.919	1.1288/0.074A	1.1288/0.074A	----	0.051	NEW	.0305	----	17	----	8 +	8
7300	1.100	1.100	5.0908/0.670A	5.0908/0.670A	----	3.948 +	3.298	.9694	----	18	----	4 +	3
7320	-----	-----	5.2878/-----	5.2878/0.760A	----	4.140 +	3.422	.9743	----	-----	-----	20	UNCH
7340	0.284	0.284	0.284/0.068A	0.9998/0.068A	----	0.037	NEW	.0210	----	1	----	1 +	1
7350	0.052	0.052	0.052/0.052	0.9758/0.052	----	0.034	NEW	.0190	----	1	----	1 +	1
7350	-----	-----	5.5848/-----	5.5848/0.879A	----	4.430 +	3.597	.9809	----	-----	-----	16	UNCH
7400	0.191	0.191	0.191/0.191	1.5898/0.191	----	0.431 -	1.464	.1597	----	1	----	1	UNCH
7400	0.600	0.600	0.600/0.033	0.8668/0.033	----	0.020 -	1.014	.0104	----	101	----	22 +	21
7400	-----	-----	5.8458/-----	5.8458/2.678A	----	5.696 +	3.203	.7729	----	-----	-----	1	UNCH
7450	-----	-----	6.5778/-----	6.5778/1.454A	----	5.407 +	4.074	.9947	----	-----	-----	3	UNCH
7500	-----	-----	7.0758/-----	7.0758/1.659A	----	5.902	NEW	.9973	----	2	----	2 +	2
7500	-----	-----	-----/0.289A	1.2358/0.289A	----	0.321 -	1.126	.1212	----	1	----	1 -	1
7500	0.019	0.019	0.019/0.019	0.4008/0.019	----	0.006 -	0.607	.0026	----	25	----	27 +	23
7520	-----	-----	7.2748/-----	7.2748/2.057A	----	6.101 +	4.325	.9979	----	-----	-----	1	UNCH
7550	-----	-----	-----/0.039A	0.2418/0.039A	----	0.003 -	0.458	.0011	----	-----	-----	1	UNCH
7600	0.017	0.017	0.017/0.017	0.1668/0.017	----	0.002 -	0.341	.0006	----	1	----	4	UNCH
7650	-----	-----	-----/0.209A	0.7438/0.209A	----	0.212 -	0.729	.0807	----	-----	-----	10	UNCH
7700	-----	-----	-----/0.015A	0.0768/0.015A	----	0.001 -	0.190	.0000	----	2	----	0 -	1
7750	-----	-----	-----/0.036A	0.0508/0.036A	----	0.001 -	0.144	.0000	----	-----	-----	1	UNCH
7800	-----	-----	-----/0.167A	0.4648/0.167A	----	0.144 -	0.459	.0545	----	-----	-----	0	UNCH
7800	-----	-----	-----/0.041A	0.0348/0.041A	----	0.001 -	0.111	.0000	----	-----	-----	2	UNCH
7850	-----	-----	-----/0.039A	0.0198/0.039A	----	0.001 -	0.088	.0000	----	-----	-----	1	UNCH
7970	-----	-----	-----	-----	----	10.597 +	4.816	.0000	----	-----	-----	1	UNCH
7980	-----	-----	-----	-----	----	10.697 +	4.818	.0000	----	-----	-----	1	UNCH
8000	-----	-----	-----/0.033A	0.0018/0.033A	----	0.001 -	0.047	-----	----	-----	-----	13	UNCH
8000	0.282	0.282	0.282/0.282	0.4878/0.282	----	0.251 -	0.474	.0755	----	1	----	2 +	1
8000	0.280	0.280	0.280/0.100	0.280/0.100	----	0.092 -	0.247	.0338	----	12	----	23 +	5
8050	-----	-----	-----/0.121A	0.2098/0.121A	----	0.083 -	0.212	.0302	----	-----	-----	1	UNCH
8100	-----	-----	-----/0.040A	-----	----	0.001 -	0.028	-----	----	-----	-----	1	UNCH
8150	-----	-----	-----/0.039A	-----	----	0.001 -	0.022	-----	----	-----	-----	1	UNCH
8150	-----	-----	-----	-----	----	12.397 +	4.847	.0000	----	-----	-----	1	UNCH
8250	-----	-----	-----/0.249A	0.2328/0.249A	----	0.185 -	0.257	.0537	----	-----	-----		

BULLETIN #107@				METALS OPTION PRODUCTS										Fri, Jun 05, 2026				PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
SO CALL		COMEX SILVER OPTIONS																
JUL26																		
6925	2.692	2.692	5.858B/2.147A	5.858B/2.147A	----	2.678	NEW	5106	----	26	----	26	+					
6950	2.606	2.606	5.664B/2.048A	5.664B/2.048A	----	2.559	-	2.987	4958	----	11	----	37	+				
6975	2.912	2.912	5.473B/1.952A	5.473B/1.952A	----	2.444	-	2.918	4810	----	32	----	32	+				
7000	4.893	4.893	5.284B/1.857A	5.284B/1.857A	----	2.333	-	2.848	4663	----	70	----	171	+				
7025	-----	-----	5.101B/1.762A	5.101B/1.762A	----	2.226	-	2.778	4517	----	1	----	126	+				
7050	2.811	2.811	4.920B/1.683A	4.920B/1.683A	----	2.123	-	2.707	4372	----	3	----	4	+				
7075	2.750	2.750	4.743B/1.595A	4.743B/1.595A	----	2.024	-	NEW	4228	----	4	----	4	+				
7100	3.394	3.394	4.569B/1.512A	4.569B/1.512A	----	1.929	-	2.564	4086	----	14	----	18	+				
7125	2.582	2.582	4.400B/1.444A	4.400B/1.444A	----	1.838	-	2.564	4086	----	1	----	1	+				
7150	3.109	3.109	4.234B/1.332	4.234B/1.332	----	1.750	-	2.421	3809	----	14	----	106	+				
7175	3.417	3.417	4.072B/1.278	4.072B/1.278	----	1.666	-	NEW	3673	----	7	----	3	+				
7200	2.875	2.875	3.914B/1.233A	3.914B/1.233A	----	1.586	-	2.278	3540	----	22	----	29	+				
7225	2.761	2.761	3.759B/1.173A	3.759B/1.173A	----	1.509	-	2.207	3410	----	7	----	6	+				
7250	2.952	2.952	3.691B/1.112A	3.691B/1.112A	----	1.436	-	2.136	3283	----	11	----	164	+				
7275	3.105	3.105	3.545B/1.052A	3.545B/1.052A	----	1.366	-	NEW	3158	----	4	----	4	+				
7300	2.853	2.853	3.403B/0.999A	3.403B/0.999A	----	1.299	-	1.998	3037	----	59	----	142	+				
7325	2.779	2.779	3.265B/0.947A	3.265B/0.947A	----	1.236	-	1.929	2919	----	31	----	129	+				
7350	2.645	2.645	3.131B/0.898A	3.131B/0.898A	----	1.175	-	1.862	2804	----	6	----	7	-				
7375	2.551	2.551	3.001B/0.850A	3.001B/0.850A	----	1.118	-	1.796	2693	----	21	----	14	+				
7400	2.331	2.331	2.876B/0.807A	2.876B/0.807A	----	1.063	-	1.731	2585	----	42	----	54	+				
7425	2.313	2.313	2.755B/0.767A	2.755B/0.767A	----	1.011	-	1.667	2481	----	5	----	12	+				
7450	1.480	1.480	2.637B/0.727A	2.637B/0.727A	----	0.962	-	1.604	2380	----	43	----	56	+				
7475	1.522	1.522	2.524B/0.690A	2.524B/0.690A	----	0.915	-	1.543	2283	----	70	42	79	+				
7500	1.860	1.860	2.416B/0.656A	2.416B/0.656A	----	0.870	-	1.484	2188	----	128	----	412	+				
7525	0.725	0.725	2.309B/0.626A	2.309B/0.626A	----	0.828	-	1.425	2098	----	1	----	6	+				
7550	0.850	0.850	2.207B/0.596A	2.207B/0.596A	----	0.789	-	1.367	2012	----	19	----	27	+				
7575	-----	-----	2.110B/0.571A	2.110B/0.571A	----	0.751	-	1.312	1928	----	72	----	55	+				
7600	1.959	1.959	2.015B/0.539A	2.015B/0.539A	----	0.715	-	1.259	1847	----	72	----	245	+				
7625	-----	-----	1.925B/0.513A	1.925B/0.513A	----	0.681	-	1.207	1770	----	-----	-----	18	+				
7650	1.650	1.650	1.838B/0.492A	1.838B/0.492A	----	0.649	-	1.156	1696	----	15	----	53	+				
7675	1.743	1.743	1.755B/0.473A	1.755B/0.473A	----	0.619	-	1.107	1626	----	4	----	20	-				
7700	1.314	1.314	1.675B/0.446A	1.675B/0.446A	----	0.591	-	1.059	1559	----	37	----	345	+				
7725	1.280	1.280	1.599B/0.429A	1.599B/0.429A	----	0.564	-	1.013	1494	----	6	----	19	+				
7750	1.233	1.233	1.526B/0.406A	1.526B/0.406A	----	0.539	-	0.968	1434	----	78	----	152	-				
7775	-----	-----	1.455B/0.390A	1.455B/0.390A	----	0.515	-	0.926	1375	----	-----	-----	10	+				
7800	1.114	1.114	1.387B/0.350	1.387B/0.350	----	0.492	-	0.885	1318	----	42	----	237	+				
7825	-----	-----	1.324B/0.360A	1.324B/0.360A	----	0.471	-	0.845	1265	----	-----	-----	3	+				
7850	0.940	0.940	1.263B/0.348A	1.263B/0.348A	----	0.451	-	0.807	1215	----	6	----	57	+				
7875	0.384	0.384	1.205B/0.333A	1.205B/0.333A	----	0.432	-	0.770	1166	----	3	----	12	+				
7900	0.913	0.913	1.151B/0.321A	1.151B/0.321A	----	0.414	-	0.735	1120	----	108	----	140	-				
7925	0.800	0.800	0.903B/0.309A	0.908B/0.309A	----	0.397	-	0.702	1076	----	6	----	6	-				
7950	1.047	1.047	1.047B/0.297A	1.048B/0.297A	----	0.381	-	0.669	1034	----	12	----	26	+				
7975	-----	-----	-----/0.286A	1.001B/0.286A	----	0.366	-	0.639	0994	----	-----	-----	3	+				
8000	0.760	0.760	0.846B/0.265	0.956B/0.265	----	0.351	-	0.610	0955	----	332	26	889	-				
8025	0.912	0.912	0.912B/0.267A	0.912B/0.267A	----	0.338	-	0.581	0920	----	1	----	19	+				
8050	-----	-----	-----/0.257A	0.871B/0.257A	----	0.325	-	0.554	0885	----	5	----	46	-				
8075	-----	-----	-----/0.249A	0.832B/0.249A	----	0.313	-	0.529	0853	----	-----	-----	11	+				
8100	0.700	0.700	0.721B/0.241A	0.795B/0.241A	----	0.302	-	0.504	0822	----	26	----	164	+				
8125	0.297	0.297	0.297B/0.234A	0.760B/0.234A	----	0.291	-	0.481	0792	----	3	----	2	+				
8150	0.392	0.392	0.392B/0.227A	0.726B/0.227A	----	0.281	-	0.458	0765	----	13	----	37	+				
8175	0.244	0.244	0.244B/0.220A	0.694B/0.220A	----	0.272	-	0.436	0739	----	2	----	6	+				
8200	0.575	0.575	0.606B/0.213A	0.661B/0.213A	----	0.262	-	0.417	0712	----	40	----	246	-				
8225	0.228	0.228	0.228B/0.207A	0.632B/0.207A	----	0.254	-	0.397	0689	----	1	----	5	+				
8250	-----	-----	-----/0.202A	0.605B/0.202A	----	0.246	-	0.379	0666	----	2	----	110	-				
8275	-----	-----	-----/0.196A	0.579B/0.196A	----	0.238	-	0.362	0644	----	-----	-----	8	+				
8300	0.400	0.400	0.508B/0.191A	0.555B/0.191A	----	0.231	-	0.345	0624	----	27	----	521	+				
8325	-----	-----	-----/0.185A	0.531B/0.185A	----	0.224	-	0.329	0604	----	-----	-----	11	+				
8350	-----	-----	-----/0.181A	0.508B/0.181A	----	0.217	-	0.314	0584	----	11	----	20	-				
8375	-----	-----	-----/0.177A	0.487B/0.177A	----	0.211	-	0.300	0567	----	-----	-----	55	+				
8400	0.423	0.423	0.423B/0.173	0.467B/0.173	----	0.205	-	0.286	0550	----	9	----	165	-				
8425	-----	-----	-----/0.168A	0.448B/0.168A	----	0.199	-	0.274	0532	----	-----	-----	44	+				
8450	0.384	0.384	0.384B/0.166A	0.430B/0.166A	----	0.194	-	0.261	0518	----	13	----	35	-				
8475	-----	-----	-----/0.161A	0.413B/0.161A	----	0.189	-	0.250	0503	----	-----	-----	6	+				
8500	0.400	0.400	0.400B/0.130	0.401B/0.130	----	0.184	-	0.239	0488	----	41	100	1134	+				
8525	-----	-----	-----/0.154A	0.381B/0.154A	----	0.179	-	0.229	0474	----	-----	-----	39	+				
8550	-----	-----	-----/0.150A	0.366B/0.150A	----	0.175	-	0.219	0462	----	-----	-----	195	+				
8575	-----	-----	-----/0.148A	0.353B/0.148A	----	0.171	-	0.209	0450	----	-----	-----	8	+				
8600	0.180	0.180	0.180B/0.144A	0.339B/0.144A	----	0.167	-	0.200	0438	----	7	----	472	+				
8625	-----	-----	-----/0.142A	0.326B/0.142A	----	0.163	-	0.192	0426	----	-----	-----	15	+				
8650	0.160	0.160	0.160B/0.139A	0.314B/0.139A	----	0.159	-	0.184	0415	----	6	----	44	-				
8675	-----	-----	-----/0.137A	0.303B/0.137A	----	0.156	-	0.176	0405	----	2	----	23	-				
8700	0.198	0.198	0.198B/0.134A	0.292B/0.134A	----	0.152	-	0.170	0394	----	8	----	241	-				
8725	0.151	0.151	0.151B/0.132A	0.282B/0.132A	----	0.149	-	0.163	0385	----	1	----	4	+				
8750	0.150	0.150	0.150B/0.130A	0.272B/0.130A	----	0.146	-	0.156	0376	----	6	----	108	-				
8775	-----	-----	-----/0.127A	0.262B/0.127A	----	0.143	-	0.150	0367	----	-----	-----	15	+				
8800	0.237	0.237	0.237B/0.125A	0.253B/0.125A	----	0.140	-	0.144	0358	----	16	----	260	+				
8825	-----	-----	-----/0.123A	0.245B/0.123A	----	0.137	-	0.139	0349	----	-----	-----	3	+				
8850	0.215	0.215	0.215B/0.122A	0.238B/0.122A	----	0.134	-	0.134	0341	----	2	----	10	-				
8875	-----	-----	-----/0.120A	0.230B/0.120A	----	0.132	-	0.128	0334	----	-----	-----	13	+				
8900	-----	-----	-----/0.117A	0.223B/0.117A	----	0.129	-	0.124	0326	----	16	----	151	+				
8925	-----	-----	-----/0.117A	0.215B/0.117A	----	0.127	-	0.119	0319	----	-----	-----	11	+				
8950	-----	-----	-----/0.115A	0.211B/0.115A	----	0.124	-	0.115	0311	----	5	----	44	+				
8975	-----	-----	-----/0.113A	0.204B/0.113A	----	0.122	-	0.111	0305	----	-----	-----	17	+				
9000	0.181	0.181	0.200B/0.090	0.200B/0.090	----	0.120	-	0.107	0299	----	86	----	1713	-				
9025	-----	-----	-----/0.111A	0.193B/0.111A	----	0.118	-	0.103	0293	----	-----	-----	14	+				
9050	-----	-----	-----/0.108A	0.188B/0.108A	----	0.115	-	0.100	0285	----	6	----	22	-				
9075	-----	-----	-----/0.106A	0.183B/0.106A	----	0.113	-	0.097	0279	----	1	----	9	-				
9100	0.123	0.123	0.123B/0.105A	0.179B/0.105A	----	0.111	-	0.094	0273	----	2	----	66	+				
9125	0.106	0.106	0.106B/0.104A	0.175B/0.104A	----	0.109	-	0.091	0267	----	1	----	17	+				
9150	-----	-----	-----/0.103A	0.171B/0.103A	----	0.107	-	0.088	0262	----	-----	-----	21	+				
9175	-----	-----	-----/0.102A	0.167B/0.102A	----	0.106	-	0.085	0258	----	-----	-----	14	+				
9200	0.116	0.116	0.116B/0.100A	0.162B/0.100A	----	0.104												

	BULLETIN #107@				METALS OPTION PRODUCTS						Fri, Jun 05, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS														
JUL26															
10425	----	----	----	/0.068A	0.071B/0.068A	----	----	0.058 - 0.032	.0120	----	----	----	----	2	UNCH
10450	----	----	----	/0.061A	0.069B/0.061A	----	----	0.058 - 0.031	.0120	----	----	----	----	25	UNCH
10475	----	----	----	/0.067A	0.069B/0.067A	----	----	0.057 - 0.031	.0117	----	----	----	----	26	UNCH
10500	----	----	----	/0.066A	0.067B/0.066A	----	----	0.057 - 0.030	.0117	----	----	----	----	612	UNCH
10525	----	----	----	/0.066A	0.067B/0.066A	----	----	0.056 - 0.030	.0115	----	----	----	----	2	UNCH
10550	----	----	----	/0.065A	0.065B/0.065A	----	----	0.056 - 0.029	.0114	----	----	----	----	10	UNCH
10575	----	----	----	/0.065A	0.064B/0.065A	----	----	0.055 - 0.029	.0112	----	----	----	----	1	UNCH
10600	----	----	----	/0.064A	0.064B/0.064A	----	----	0.055 - 0.028	.0112	----	----	----	----	53	UNCH
10625	----	----	----	/0.063A	0.063B/0.063A	----	----	0.054 - 0.028	.0109	----	----	----	----	2	UNCH
10650	----	----	----	/0.063A	0.063B/0.063A	----	----	0.054 - 0.027	.0109	----	----	----	----	2	UNCH
10675	----	----	----	/0.062A	0.062B/0.062A	----	----	0.054 - 0.026	.0109	----	----	----	----	10	UNCH
10700	----	----	----	/0.062A	0.060B/0.062A	----	----	0.053 - 0.026	.0106	----	----	----	----	69	UNCH
10725	----	----	----	/0.061A	0.061B/0.061A	----	----	0.053 - 0.026	.0106	----	----	----	----	4	UNCH
10750	----	----	----	/0.055A	0.061B/0.055A	----	----	0.052 - 0.026	.0104	----	----	----	----	60	UNCH
10775	----	----	----	/0.060A	0.059B/0.060A	----	----	0.052 - 0.025	.0103	----	----	----	----	9	UNCH
10800	----	----	----	/0.060A	0.057B/0.060A	----	----	0.051 - 0.025	.0101	----	----	----	----	35	UNCH
10875	----	----	----	/0.059A	0.055B/0.059A	----	----	0.050 - 0.023	.0099	----	----	----	----	15	UNCH
10900	----	----	----	/0.058A	0.055B/0.058A	----	----	0.049 - 0.023	.0097	----	----	----	----	6	UNCH
10925	----	----	----	/0.058A	0.055B/0.058A	----	----	0.049 - 0.022	.0096	----	----	----	----	1	UNCH
10950	----	----	----	/0.057A	0.054B/0.057A	----	----	0.048 - 0.022	.0094	----	----	----	----	2	UNCH
10975	----	----	----	/0.057A	0.053B/0.057A	----	----	0.048 - 0.021	.0094	----	----	----	----	1	UNCH
11000	0.062	0.062		0.062/0.042	0.062/0.042			0.047 - 0.021	.0092			8		1313 - 5	
11025	----	----	----	/0.056A	0.051B/0.056A	----	----	0.047 - 0.020	.0091	----	----	----	----	13	UNCH
11050	----	----	----	/0.055A	0.051B/0.055A	----	----	0.047 - 0.019	.0091	----	----	----	----	8	UNCH
11075	----	----	----	/0.055A	0.051B/0.055A	----	----	0.046 - 0.019	.0089	----	----	----	----	2	UNCH
11100	----	----	----	/0.054A	0.049B/0.054A	----	----	0.046 - 0.018	.0089	----	----	----	----	15	UNCH
11125	----	----	----	/0.054A	0.049B/0.054A	----	----	0.045 - 0.018	.0087	----	----	----	----	7	UNCH
11150	----	----	----	/0.053A	0.048B/0.053A	----	----	0.045 - 0.017	.0087	----	----	----	----	2	UNCH
11175	----	----	----	/0.053A	0.048B/0.053A	----	----	0.044 - 0.017	.0085	----	----	----	----	2	UNCH
11200	----	----	----	/0.052A	0.047B/0.052A	----	----	0.044 - 0.017	.0084	----	----	----	----	15	UNCH
11225	----	----	----	/0.052A	0.046B/0.052A	----	----	0.043 - 0.017	.0082	----	----	----	----	8	UNCH
11250	----	----	----	/0.052A	0.046B/0.052A	----	----	0.043 - 0.016	.0082	----	----	----	----	12	UNCH
11275	----	----	----	/0.048A	0.045B/0.048A	----	----	0.043 - 0.015	.0082	----	----	----	----	2	UNCH
11300	----	----	----	/0.051A	0.045B/0.051A	----	----	0.042 - 0.015	.0080	----	----	----	----	52	UNCH
11325	----	----	----	/0.051A	0.045B/0.051A	----	----	0.042 - 0.015	.0080	----	----	----	----	2	UNCH
11350	----	----	----	/0.048A	0.044B/0.048A	----	----	0.041 - 0.015	.0078	----	----	----	----	2	UNCH
11400	----	----	----	/0.050A	0.043B/0.050A	----	----	0.040 - 0.015	.0076	----	----	----	----	21	UNCH
11425	----	----	----	/0.049A	0.043B/0.049A	----	----	0.040 - 0.014	.0075	----	----	----	----	10	UNCH
11450	----	----	----	/0.048A	0.041B/0.048A	----	----	0.040 - 0.013	.0075	----	----	----	----	4	UNCH
11500	----	----	----	/0.049A	0.040B/0.049A	----	----	0.039 - 0.013	.0073	----	----	----	----	1228	UNCH
11550	0.050	0.050		0.050/0.040	0.050/0.040			0.038 - 0.013	.0071			5		6	UNCH
11575	0.040	0.040		0.040/0.040	0.040/0.040			0.038 - 0.012	.0071			1		12	UNCH
11600	----	----	----	/0.047A	0.038B/0.047A	----	----	0.037 - 0.013	.0069	----	----	----	----	10	UNCH
11625	----	----	----	/0.048A	0.038B/0.048A	----	----	0.037 - 0.012	.0069	----	----	----	----	3	UNCH
11650	----	----	----	/0.047A	0.037B/0.047A	----	----	0.037 - 0.012	.0068	----	----	1		25	UNCH
11675	----	----	----	/0.046A	0.037B/0.046A	----	----	0.036 - 0.012	.0067	----	----	----	----	23	UNCH
11700	----	----	----	/0.046A	0.036B/0.046A	----	----	0.036 - 0.011	.0066	----	----	----	----	23	UNCH
11725	----	----	----	/0.046A	0.036B/0.046A	----	----	0.036 - 0.011	.0066	----	----	----	----	22	UNCH
11750	----	----	----	/0.041A	0.035B/0.041A	----	----	0.035 - 0.011	.0064	----	----	----	----	23	UNCH
11775	----	----	----	/0.040A	0.035B/0.040A	----	----	0.035 - 0.011	.0064	----	----	----	----	23	UNCH
11800	----	----	----	/0.044A	0.034B/0.044A	----	----	0.034 - 0.011	.0062	----	----	----	----	3	UNCH
11875	----	----	----	/0.040A	0.033B/0.040A	----	----	0.034 - 0.010	.0062	----	----	----	----	2	UNCH
11900	----	----	----	/0.043A	0.033B/0.043A	----	----	0.033 - 0.011	.0060	----	----	----	----	2	UNCH
11925	----	----	----	----	0.032B/0.043A	----	----	0.033 - 0.010	.0060	----	----	----	----	2	UNCH
11950	----	----	----	----	0.032B/0.043A	----	----	0.033 - 0.010	.0060	----	----	----	----	1	UNCH
12000	----	----	----	/0.039A	0.031B/0.039A	----	----	0.032 - 0.010	.0058	----	----	1		546	UNCH
12150	----	----	----	----	0.028B/0.039A	----	----	0.030 - 0.009	.0054	----	----	----	----	1	UNCH
12200	----	----	----	----	0.028B/0.040A	----	----	0.030 - 0.008	.0053	----	----	----	----	14	UNCH
12225	----	----	----	----	0.027B/0.039A	----	----	0.029 - 0.009	.0052	----	----	----	----	16	UNCH
12250	----	----	----	----	0.027B/0.039A	----	----	0.029 - 0.009	.0052	----	----	----	----	8	UNCH
12275	----	----	----	----	0.026B/0.039A	----	----	0.029 - 0.008	.0051	----	----	----	----	1	UNCH
12300	----	----	----	----	0.026B/0.039A	----	----	0.028 - 0.009	.0050	----	----	----	----	13	UNCH
12325	----	----	----	----	0.026B/0.039A	----	----	0.028 - 0.008	.0050	----	----	----	----	1	UNCH
12375	----	----	----	----	0.025B/0.038A	----	----	0.028 - 0.008	.0049	----	----	----	----	2	UNCH
12400	0.033	0.033		0.033/0.033	0.033/0.033			0.027 - 0.008	.0048			1		0 - 1	
12425	----	----	----	----	0.025B/0.039A	----	----	0.027 - 0.008	.0048	----	----	----	----	3	UNCH
12450	----	----	----	----	0.024B/0.039A	----	----	0.027 - 0.008	.0047	----	----	----	----	1	UNCH
12475	----	----	----	----	0.024B/0.039A	----	----	0.027 - 0.007	.0047	----	----	----	----	3	UNCH
12500	0.020	0.020		0.020/0.020	0.024B/0.020			0.026 - 0.008	.0046			3		100 - 1	
12575	----	----	----	----	0.022B/0.037A	----	----	0.026 - 0.007	.0045	----	----	----	----	2	UNCH
12600	----	----	----	----	0.022B/0.038A	----	----								

BULLETIN #107@				METALS OPTION PRODUCTS								Fri, Jun 05, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS															
AUG26																
7950	----	----	----	----/1. 367A	2. 965B/1. 367A	----	1. 630	- 1. 339	.2450	----	----	----	----	----	17 UNCH	
7975	----	----	----	----/1. 337A	2. 895B/1. 337A	----	1. 592	- 1. 310	.2401	----	----	----	1	----	2 + 1	
8000	2. 480	2. 480		2. 480/1. 300A	2. 833B/1. 300A	----	1. 554	- 1. 282	.2351	----	----	----	713	----	1220 + 514	
8025	----	----	----	----/1. 269A	2. 720B/1. 269A	----	1. 518	- 1. 254	.2304	----	----	----	----	----	2 UNCH	
8050	----	----	----	----/1. 239A	2. 648B/1. 239A	----	1. 482	- 1. 228	.2256	----	----	----	----	----	8 UNCH	
8075	----	----	----	----/1. 209A	2. 648B/1. 209A	----	1. 448	- 1. 201	.2211	----	----	----	----	----	5 UNCH	
8100	----	----	----	2. 602B/1. 180A	2. 602B/1. 180A	----	1. 414	- 1. 176	.2165	----	----	----	----	----	39 UNCH	
8125	2. 168	2. 168		2. 543B/1. 152A	2. 543B/1. 152A	----	1. 381	- 1. 151	.2121	----	----	10	----	----	11 + 9	
8150	----	----	----	----/1. 134A	2. 437B/1. 134A	----	1. 349	- 1. 127	.2077	----	----	----	----	----	62 UNCH	
8175	2. 074	2. 074		2. 074/1. 118A	2. 382B/1. 118A	----	1. 318	- 1. 103	.2035	----	4	----	----	----	5 + 4	
8200	2. 007	2. 007		2. 375B/1. 073A	2. 375B/1. 073A	----	1. 288	- 1. 079	.1994	----	6	----	----	----	25 UNCH	
8225	1. 177	1. 177		2. 322B/1. 049A	2. 322B/1. 049A	----	1. 259	- 1. 056	.1954	----	1	----	----	----	5 + 1	
8250	----	----	----	2. 270B/1. 025A	2. 270B/1. 025A	----	1. 230	- 1. 034	.1914	----	2	----	----	----	271 + 1	
8275	----	----	----	----/1. 019A	2. 175B/1. 019A	----	1. 202	- 1. 013	.1875	----	----	----	----	----	1 UNCH	
8300	2. 159	2. 159		2. 159/0. 986A	2. 159/0. 986A	----	1. 175	- 0. 992	.1837	----	18	----	----	----	126 + 14	
8325	1. 850	1. 850		2. 121B/0. 975A	2. 121B/0. 975A	----	1. 149	- 0. 971	.1800	----	2	----	----	----	2 + 1	
8350	1. 770	1. 770		1. 770/0. 951A	2. 073B/0. 951A	----	1. 123	- 0. 951	.1764	----	2	----	----	----	30 + 1	
8375	----	----	----	----/0. 925A	2. 027B/0. 925A	----	1. 098	- 0. 931	.1728	----	----	----	54	----	77 + 33	
8400	1. 713	1. 713		1. 713/0. 895A	1. 983B/0. 895A	----	1. 073	- 0. 913	.1693	----	----	----	----	----	1 UNCH	
8425	----	----	----	----/0. 876A	1. 901B/0. 876A	----	1. 049	- 0. 895	.1659	----	----	----	----	----	7 UNCH	
8450	----	----	----	----/0. 858A	1. 858B/0. 858A	----	1. 026	- 0. 877	.1626	----	----	----	----	----	23 UNCH	
8475	1. 602	1. 602		1. 602/0. 840A	1. 818B/0. 840A	----	1. 004	- 0. 858	.1594	----	1	----	----	----	3 + 1	
8500	1. 634	1. 634		1. 634/0. 820	1. 791B/0. 820	----	0. 982	- 0. 841	.1562	----	184	----	----	----	361 + 84	
8550	0. 958	0. 958		0. 958/0. 790A	1. 702B/0. 790A	----	0. 940	- 0. 808	.1500	----	1	----	----	----	24 UNCH	
8575	0. 938	0. 938		0. 938/0. 773A	1. 666B/0. 773A	----	0. 920	- 0. 791	.1471	----	1	----	----	----	51 + 1	
8600	1. 460	1. 460		1. 460/0. 750	1. 649B/0. 750	----	0. 901	- 0. 775	.1443	----	12	----	----	----	210 + 4	
8625	1. 411	1. 411		1. 411/0. 742A	1. 595B/0. 742A	----	0. 882	- 0. 759	.1414	----	1	----	----	----	2 + 1	
8650	1. 382	1. 382		1. 382/0. 729A	1. 561B/0. 729A	----	0. 864	- 0. 744	.1387	----	2	----	----	----	4 UNCH	
8675	----	----	----	----/0. 724A	1. 529B/0. 724A	----	0. 846	- 0. 729	.1360	----	----	----	----	----	41 UNCH	
8700	0. 820	0. 820		0. 820/0. 705A	1. 514B/0. 705A	----	0. 828	- 0. 715	.1334	----	4	----	----	----	48 UNCH	
8725	0. 769	0. 769		0. 769/0. 687A	1. 465B/0. 687A	----	0. 812	- NEW	.1309	----	1	----	----	----	1 + 1	
8750	----	----	----	----/0. 674A	1. 436B/0. 674A	----	0. 795	- 0. 686	.1283	----	----	----	70	----	45 UNCH	
8775	1. 255	1. 255		1. 298/0. 660A	1. 406B/0. 660A	----	0. 780	- 0. 671	.1260	----	----	----	----	----	73 + 70	
8800	----	----	----	----/0. 649A	1. 392B/0. 649A	----	0. 764	- 0. 658	.1236	----	----	----	----	----	21 UNCH	
8825	----	----	----	----/0. 636A	1. 349B/0. 636A	----	0. 749	- 0. 645	.1213	----	----	----	----	----	11 UNCH	
8850	----	----	----	----/0. 624A	1. 321B/0. 624A	----	0. 735	- 0. 631	.1191	----	----	----	----	----	10 UNCH	
8875	----	----	----	----/0. 612A	1. 295B/0. 612A	----	0. 721	- 0. 618	.1169	----	----	----	----	----	2 UNCH	
8900	----	----	----	----/0. 601A	1. 281B/0. 601A	----	0. 707	- 0. 606	.1148	----	----	----	----	----	20 UNCH	
8925	----	----	----	----/0. 589A	1. 245B/0. 589A	----	0. 694	- 0. 593	.1127	----	----	----	----	----	3 UNCH	
8950	----	----	----	----/0. 579A	1. 221B/0. 579A	----	0. 681	- 0. 581	.1107	----	----	----	----	----	8 UNCH	
8975	----	----	----	----/0. 568A	1. 197B/0. 568A	----	0. 669	- 0. 569	.1088	----	----	----	----	----	3 UNCH	
9000	1. 000	1. 000		1. 055/0. 557A	1. 181B/0. 557A	----	0. 657	- 0. 557	.1068	----	251	----	----	----	1181 + 31	
9025	----	----	----	----/0. 548A	1. 151B/0. 548A	----	0. 645	- 0. 546	.1050	----	----	----	----	----	4 UNCH	
9050	----	----	----	----/0. 539A	1. 130B/0. 539A	----	0. 633	- 0. 535	.1031	----	1	----	----	----	14 + 1	
9075	----	----	----	----/0. 529A	1. 108B/0. 529A	----	0. 622	- 0. 524	.1013	----	----	----	----	----	2 UNCH	
9100	----	----	----	----/0. 521A	1. 091B/0. 521A	----	0. 611	- 0. 513	.0995	----	----	----	----	----	35 UNCH	
9150	----	----	----	----/0. 503A	1. 050B/0. 503A	----	0. 591	- 0. 492	.0963	----	1	----	----	----	11 UNCH	
9175	----	----	----	----/0. 496A	1. 030B/0. 496A	----	0. 581	- 0. 482	.0947	----	----	----	----	----	2 UNCH	
9200	0. 580	0. 580		0. 580/0. 486A	1. 010B/0. 486A	----	0. 571	- 0. 472	.0931	----	1	----	----	----	41 UNCH	
9225	----	----	----	----/0. 480A	0. 992B/0. 480A	----	0. 562	- 0. 462	.0916	----	----	----	----	----	1 UNCH	
9250	----	----	----	----/0. 471A	0. 973B/0. 471A	----	0. 553	- 0. 452	.0901	----	----	----	----	----	174 UNCH	
9275	----	----	----	----/0. 464A	0. 954B/0. 464A	----	0. 544	- 0. 443	.0886	----	----	----	----	----	2 UNCH	
9300	0. 496	0. 496		0. 496/0. 456A	0. 941B/0. 456A	----	0. 535	- 0. 434	.0872	----	8	----	----	----	14 + 7	
9325	0. 488	0. 488		0. 488/0. 448A	0. 919B/0. 448A	----	0. 527	- NEW	.0858	----	1	----	----	----	1 + 1	
9350	----	----	----	----/0. 443A	0. 902B/0. 443A	----	0. 518	- 0. 417	.0844	----	----	----	----	----	1 UNCH	
9400	----	----	----	----/0. 429A	0. 873B/0. 429A	----	0. 503	- 0. 399	.0819	----	----	----	----	----	133 UNCH	
9450	----	----	----	----/0. 423A	0. 839B/0. 423A	----	0. 488	- 0. 383	.0794	----	----	----	----	----	8 UNCH	
9475	----	----	----	----/0. 418A	0. 824B/0. 418A	----	0. 481	- 0. 375	.0782	----	----	----	----	----	29 UNCH	
9500	0. 511	0. 511		0. 511/0. 412A	0. 814B/0. 412A	----	0. 474	- 0. 368	.0770	----	155	----	----	----	341 + 102	
9550	----	----	----	----/0. 400A	0. 782B/0. 400A	----	0. 460	- 0. 353	.0747	----	----	----	----	----	18 UNCH	
9575	----	----	----	----/0. 395A	0. 768B/0. 395A	----	0. 454	- 0. 346	.0736	----	----	----	----	----	2 UNCH	
9600	----	----	----	----/0. 388A	0. 758B/0. 388A	----	0. 447	- 0. 340	.0725	----	----	----	----	----	3 UNCH	
9625	----	----	----	----/0. 385A	0. 743B/0. 385A	----	0. 441	- 0. 333	.0715	----	----	----	----	----	27 UNCH	
9700	0. 450	0. 450		0. 450/0. 370A	0. 708B/0. 370A	----	0. 423	- 0. 315	.0684	----	1	----	----			



BULLETIN #107@				METALS OPTION PRODUCTS					Fri, Jun 05, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL		COMEX SILVER OPTIONS												
AUG26														
18000	----	----	----	0.043B/0.064A	----	0.035 - 0.017	.0046	----	----	----	----	8	UNCH	
19000	----	----	----	0.031B/0.050A	----	0.027 - 0.015	.0035	----	----	----	----	2	UNCH	
20000	----	----	----	0.014B/0.040A	----	0.021 - 0.013	.0027	----	----	----	----	245	UNCH	
25000	----	----	----	----/0.041A	----	0.006 - 0.007	.0008	----	----	----	----	21	UNCH	
27000	----	----	----	----/2.358A	----	0.004 - 0.005	.0005	----	----	----	----	6	UNCH	
30000	----	----	----	----/0.023A	----	0.003 - 0.003	.0003	----	----	----	----	14	UNCH	
32000	----	----	----	----/0.021A	----	0.002 - 0.003	.0002	----	----	----	----	3	UNCH	
35000	----	----	----	----/0.009A	----	0.002 - 0.002	.0002	----	----	----	----	5	UNCH	
TOTAL										1811	114	15420 +	1048	
SEP26														
5025	----	----	----	11.397B/29.217A	----	19.725 - 4.680	.9398	----	----	----	----	1	UNCH	
5050	----	----	----	11.210B/28.666A	----	19.491 - 4.672	.9378	----	----	----	----	1	UNCH	
5100	----	----	----	10.600B/28.656A	----	19.024 - 4.656	.9337	----	----	----	----	1	UNCH	
5900	----	----	----/11.742A	10.865B/11.742A	----	12.040 - 4.211	.8227	----	----	----	----	2	UNCH	
6000	----	----	----/10.984A	10.787B/10.984A	----	11.271 - 4.117	.8012	----	----	----	----	7	UNCH	
6700	----	----	----/6.672A	9.117B/6.672A	----	6.772 - 3.207	.6151	----	----	----	----	1	UNCH	
6900	5.800	5.800	6.061/5.768A	7.909B/5.768A	----	5.821 - NEW	.5571	----	2	----	----	2 +	2	
7000	5.653	5.653	5.653/5.299A	7.349B/5.299A	----	5.399 - 2.725	.5287	----	11	----	----	267 +	1	
7100	5.000	5.000	5.040/4.550	6.831B/4.550	----	5.010 - NEW	.5011	----	3	----	----	3 +	3	
7125	----	----	----/4.860A	6.707B/4.860A	----	4.918 - 2.527	.4943	----	----	----	----	75	UNCH	
7300	3.874	3.874	3.874/3.874	6.006B/3.874	----	4.321 - 2.263	.4486	----	1	----	----	146 +	1	
7400	----	----	----/3.987A	5.757B/3.987A	----	4.016 - 2.123	.4239	----	----	----	----	104	UNCH	
7500	5.000	5.000	5.200/3.705A	5.333B/3.705A	----	3.734 - 1.992	.4003	----	6	----	----	26 -	2	
7550	3.806	3.806	3.806/3.590A	5.080B/3.590A	----	3.601 - 1.930	.3889	----	4	----	----	6 +	4	
7575	4.348	4.348	4.348/3.527A	4.982B/3.527A	----	3.537 - 1.899	.3834	----	7	----	----	4 +	1	
7650	----	----	----/3.342A	4.701B/3.342A	----	3.351 - 1.812	.3671	----	5	----	----	15 +	5	
7700	3.190	3.190	3.190/3.188A	4.576B/3.188A	----	3.232 - 1.758	.3565	----	3	----	----	6 +	2	
7750	----	----	----/3.113A	4.351B/3.113A	----	3.119 - NEW	.3462	----	14	----	----	14 +	14	
7800	4.113	4.113	4.113/3.014A	4.240B/3.014A	----	3.009 - 1.655	.3362	----	2	----	----	10 -	2	
7900	----	----	----/2.809A	3.932B/2.809A	----	2.804 - 1.559	.3170	----	----	----	----	12	UNCH	
8000	2.310	2.310	2.310/2.310	3.612B/2.310	----	2.614 - 1.472	.2989	----	94	----	----	308 +	11	
8025	----	----	----/2.599A	3.528B/2.599A	----	2.569 - 1.451	.2945	----	----	----	----	1	UNCH	
8075	----	----	----/2.512A	3.397B/2.512A	----	2.481 - NEW	.2860	----	30	----	----	30 +	30	
8100	----	----	----/2.472A	3.387B/2.472A	----	2.439 - 1.391	.2818	----	----	200	----	225 +	200	
8200	----	----	----/2.315A	3.147B/2.315A	----	2.277 - 1.317	.2657	----	----	----	----	38	UNCH	
8250	----	----	----/2.240A	2.980B/2.240A	----	2.201 - 1.281	.2580	----	----	----	----	1	UNCH	
8300	----	----	----/2.178A	2.925B/2.178A	----	2.128 - 1.247	.2506	----	----	----	----	2	UNCH	
8400	----	----	----/2.046A	2.724B/2.046A	----	1.991 - 1.182	.2364	----	----	----	----	10	UNCH	
8500	2.731	2.731	2.731/1.770	2.731/1.770	----	1.864 - 1.122	.2231	----	40	----	----	265 +	7	
8600	----	----	----/1.824A	2.368B/1.824A	----	1.748 - 1.063	.2107	----	----	----	----	76	UNCH	
8675	----	----	----/1.744A	2.238B/1.744A	----	1.667 - 1.021	.2019	----	----	----	----	5	UNCH	
8700	----	----	----/1.720A	2.210B/1.720A	----	1.641 - 1.008	.1990	----	----	----	----	104	UNCH	
8800	----	----	----/1.623A	2.064B/1.623A	----	1.542 - 0.954	.1881	----	----	----	----	13	UNCH	
8900	----	----	----/1.534A	1.931B/1.534A	----	1.451 - 0.903	.1780	----	----	----	----	4	UNCH	
8925	----	----	----/1.509A	1.901B/1.509A	----	1.429 - 0.891	.1755	----	----	----	----	2	UNCH	
8950	----	----	----/1.506A	1.870B/1.506A	----	1.408 - 0.879	.1731	----	----	----	----	2	UNCH	
8975	1.375	1.375	1.375/1.365	1.841B/1.365	----	1.387 - NEW	.1708	----	2	----	----	2 +	2	
9000	2.000	2.000	2.000/1.456A	2.000/1.456A	----	1.367 - 0.855	.1685	----	66	----	----	231 +	4	
9025	----	----	----/1.446A	1.788B/1.446A	----	1.347 - 0.843	.1662	----	----	----	----	4	UNCH	
9100	1.518	1.518	1.518/1.400A	1.705B/1.400A	----	1.289 - 0.809	.1596	----	1	----	----	11 -	1	
9150	----	----	----/1.380A	1.654B/1.380A	----	1.253 - 0.786	.1554	----	----	----	----	16	UNCH	
9200	----	----	----/1.364A	1.602B/1.364A	----	1.217 - 0.765	.1512	----	----	----	----	4	UNCH	
9300	----	----	----/1.316A	1.504B/1.316A	----	1.151 - 0.723	.1435	----	----	----	----	28	UNCH	
9400	----	----	----/1.042A	1.416B/1.042A	----	1.090 - 0.683	.1363	----	----	----	----	20	UNCH	
9500	----	----	----/1.027A	1.338B/1.027A	----	1.033 - 0.646	.1295	----	----	----	----	422	UNCH	
9600	----	----	----/0.996A	1.261B/0.996A	----	0.980 - 0.611	.1232	----	----	----	----	37	UNCH	
9750	----	----	----/0.864A	1.148B/0.864A	----	0.908 - 0.562	.1144	----	----	----	----	23	UNCH	
9800	----	----	----/0.846A	1.117B/0.846A	----	0.885 - 0.547	.1117	----	----	----	----	130	UNCH	
9900	----	----	----/0.816A	1.052B/0.816A	----	0.843 - 0.518	.1065	----	----	----	----	85	UNCH	
10000	0.800	0.800	0.800/0.700	0.988B/0.700	----	0.803 - 0.492	.1016	----	31	----	----	404 -	24	
10025	----	----	----/0.773A	0.973B/0.773A	----	0.794 - 0.485	.1004	----	----	----	----	1	UNCH	
10050	----	----	----/0.766A	0.964B/0.766A	----	0.784 - 0.480	.0992	----	----	----	----	3	UNCH	
10100	----	----	----/0.750A	0.935B/0.750A	----	0.766 - 0.467	.0970	----	----	----	----	54	UNCH	
10125	----	----	----/0.742A	0.919B/0.742A	----	0.757 - 0.462	.0959	----	----	----	----	1	UNCH	
10200	----	----	----/0.722A	0.878B/0.722A	----	0.731 - 0.445	.0926	----	----	----	----	54	UNCH	
10300	----	----	----/0.695A	0.834B/0.695A	----	0.699 - 0.424	.0886	----	----	----	----	52	UNCH	
10500	----	----	----/0.650A	0.845B/0.650A	----	0.640 - 0.386	.0812	----	1	----	----	233	UNCH	
10800	----	----	----/0.586A	0.780B/0.586A	----	0.565 - 0.340	.0717	----	----	----	----	2	UNCH	
11000	----	----	----/0.555A	0.710B/0.555A	----	0.521 - 0.315	.0661	----	5	----	----	256	UNCH	
11100	----	----	----/0.539A	0.680B/0.539A	----	0.502 - 0.302	.0636	----	----	----	----	3	UNCH	
11300	----	----	----/0.508A	0.624B/0.508A	----	0.465 - 0.282	.0589	----	----	----	----	60	UNCH	
11500	0.580	0.580	0.580/0.400	0.581B/0.400	----	0.432 - 0.264	.0546	----	6	----	----	110 +	1	
12000	----	----	----/0.420A	0.473B/0.420A	----	0.364 - 0.225	.0458	----	----	----	----	128	UNCH	
12500	----	----	----/0.371A	0.395B/0.371A	----	0.310 - 0.194	.0388	----	----	----	----	96	UNCH	
12700	----	----	----/0.358A	0.369B/0.358A	----	0.292 - 0.183	.0365	----	----	----	----	1		

	BULLETIN #107@			METALS OPTION PRODUCTS							Fri, Jun 05, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
OCT26														
10600	----	----	----/0. 970A	1. 541B/0. 970A	----	1. 023 - 0. 696	.1112	----	----	----	----	5	UNCH	
10625	----	----	----/0. 965A	1. 531B/0. 965A	----	1. 013 - 0. 690	.1101	----	----	----	----	5	UNCH	
10650	----	----	----/0. 955A	1. 510B/0. 955A	----	1. 003 - 0. 683	.1091	----	----	----	----	5	UNCH	
10675	----	----	----/0. 946A	1. 497B/0. 946A	----	0. 993 - 0. 678	.1081	----	----	----	----	4	UNCH	
10700	----	----	----/0. 935A	1. 481B/0. 935A	----	0. 984 - 0. 671	.1071	----	----	----	----	3	UNCH	
10725	----	----	----/0. 929A	1. 468B/0. 929A	----	0. 974 - 0. 665	.1061	----	----	----	----	2	UNCH	
10750	----	----	----/0. 921A	1. 454B/0. 921A	----	0. 964 - 0. 660	.1050	----	----	----	----	10	UNCH	
10775	----	----	----/0. 911A	1. 437B/0. 911A	----	0. 955 - 0. 654	.1041	----	----	----	----	1	UNCH	
10800	----	----	----/0. 899A	1. 426B/0. 899A	----	0. 946 - 0. 648	.1031	----	----	----	----	1	UNCH	
10825	----	----	----/0. 895A	1. 410B/0. 895A	----	0. 937 - 0. 642	.1022	----	----	----	----	2	UNCH	
10850	----	----	----/0. 886A	1. 397B/0. 886A	----	0. 928 - 0. 636	.1012	----	----	----	----	1	UNCH	
10875	----	----	----/0. 878A	1. 384B/0. 878A	----	0. 919 - 0. 631	.1003	----	----	----	----	1	UNCH	
10900	----	----	----/0. 869A	1. 372B/0. 869A	----	0. 910 - 0. 625	.0994	----	----	----	----	1	UNCH	
10925	----	----	----/0. 862A	1. 358B/0. 862A	----	0. 901 - 0. 620	.0984	----	----	----	----	3	UNCH	
10950	----	----	----/0. 855A	1. 348B/0. 855A	----	0. 892 - 0. 615	.0975	----	----	----	----	3	UNCH	
10975	----	----	----/0. 847A	1. 334B/0. 847A	----	0. 884 - 0. 609	.0966	----	----	----	----	4	UNCH	
11000	----	----	----/0. 837A	1. 323B/0. 837A	----	0. 876 - 0. 603	.0958	----	----	----	----	11	UNCH	
11025	----	----	----/0. 831A	1. 309B/0. 831A	----	0. 867 - 0. 599	.0948	----	----	----	----	7	UNCH	
11050	----	----	----/0. 824A	1. 298B/0. 824A	----	0. 859 - 0. 594	.0940	----	----	----	----	10	UNCH	
11100	----	----	----/0. 807A	1. 272B/0. 807A	----	0. 843 - 0. 583	.0923	----	----	----	----	2	UNCH	
11300	----	----	----/0. 753A	1. 163B/0. 753A	----	0. 782 - 0. 545	.0858	----	----	----	----	1	UNCH	
11500	----	----	----/0. 707A	1. 104B/0. 707A	----	0. 728 - 0. 510	.0801	----	----	----	----	9	UNCH	
11700	----	----	----/0. 664A	1. 032B/0. 664A	----	0. 680 - 0. 477	.0749	----	----	----	----	2	UNCH	
12000	----	----	----/0. 607A	0. 934B/0. 607A	----	0. 617 - 0. 436	.0680	----	----	----	----	76	UNCH	
12500	----	----	----/0. 585A	0. 799B/0. 585A	----	0. 532 - 0. 377	.0585	----	----	----	----	15	UNCH	
12675	----	----	----/0. 594A	0. 756B/0. 594A	----	0. 506 - 0. 360	.0556	----	----	----	----	7	UNCH	
12700	----	----	----/0. 613A	0. 752B/0. 613A	----	0. 502 - 0. 358	.0552	----	----	----	----	7	UNCH	
12725	----	----	----/0. 608A	0. 748B/0. 608A	----	0. 499 - 0. 355	.0548	----	----	----	----	7	UNCH	
12750	----	----	----/0. 605A	0. 742B/0. 605A	----	0. 495 - 0. 353	.0544	----	----	----	----	7	UNCH	
12775	----	----	----/0. 601A	0. 739B/0. 601A	----	0. 492 - 0. 350	.0541	----	----	----	----	7	UNCH	
12800	----	----	----/0. 598A	0. 730B/0. 598A	----	0. 488 - 0. 348	.0536	----	----	----	----	7	UNCH	
12825	----	----	----/0. 595A	0. 726B/0. 595A	----	0. 485 - 0. 345	.0533	----	----	----	----	7	UNCH	
13000	----	----	----/0. 573A	0. 690B/0. 573A	----	0. 462 - 0. 330	.0507	----	----	----	----	92	UNCH	
14000	----	----	----/0. 473A	0. 460B/0. 473A	----	0. 355 - 0. 256	.0389	----	----	----	----	2	UNCH	
15000	0. 325	0. 325	0. 325/0. 300	0. 352B/0. 300	----	0. 281 - 0. 203	.0306	----	----	6	----	178	UNCH	
16000	----	----	----/0. 339A	0. 272B/0. 339A	----	0. 231 - 0. 165	.0249	----	----	----	----	35	UNCH	
17000	----	----	----/0. 297A	0. 215B/0. 297A	----	0. 195 - 0. 140	.0208	----	----	----	----	120	UNCH	
18000	----	----	----/0. 261A	0. 172B/0. 261A	----	0. 171 - 0. 120	.0180	----	----	----	----	340	UNCH	
20000	----	----	----/0. 209A	0. 109B/0. 209A	----	0. 140 - 0. 097	.0143	----	----	----	----	186	UNCH	
TOTAL										161	0	1731 +	89	
NOV26														
6500	----	----	----/9. 980A	12. 312B/9. 980A	----	10. 162 - 3. 498	.6668	----	----	----	----	1	UNCH	
7000	----	----	----/7. 754A	9. 432B/7. 754A	----	7. 724 - 3. 011	.5613	----	----	----	----	14	UNCH	
7100	----	----	----/7. 382A	8. 953B/7. 382A	----	7. 317 - 2. 914	.5408	----	----	----	----	14	UNCH	
7500	----	----	----/6. 093A	7. 254B/6. 093A	----	5. 921 - 2. 539	.4634	----	----	----	----	1	UNCH	
7900	----	----	----/5. 043A	5. 897B/5. 043A	----	4. 832 - 2. 200	.3954	----	----	----	----	16	UNCH	
8000	----	----	----/4. 807A	5. 617B/4. 807A	----	4. 600 - 2. 122	.3800	----	----	----	----	10	UNCH	
8200	----	----	----/4. 425A	5. 098B/4. 425A	----	4. 177 - 1. 974	.3510	----	----	----	----	6	UNCH	
8600	----	----	----/3. 731A	4. 216B/3. 731A	----	3. 473 - 1. 709	.3002	----	----	----	----	20	UNCH	
9000	----	----	----/3. 196A	3. 495B/3. 196A	----	2. 919 - 1. 484	.2578	----	----	----	----	60	UNCH	
9050	----	----	----/3. 136A	3. 418B/3. 136A	----	2. 858 - 1. 459	.2530	----	----	----	----	0	UNCH	
9550	----	----	----/2. 602A	2. 764B/2. 602A	----	2. 334 - 1. 230	.2108	----	----	----	----	3	UNCH	
9800	----	----	----/2. 386A	2. 501B/2. 386A	----	2. 119 - 1. 132	.1930	----	----	----	----	3	UNCH	
10000	----	----	----/2. 254A	2. 309B/2. 254A	----	1. 966 - 1. 061	.1801	----	----	----	----	24	UNCH	
11000	----	----	----/1. 766A	1. 577B/1. 766A	----	1. 393 - 0. 779	.1303	----	----	----	----	94	UNCH	
12000	----	----	----/1. 076A	1. 064B/1. 076A	----	1. 033 - 0. 591	.0976	----	----	----	----	13	UNCH	
12500	----	----	----/0. 967A	1. 093B/0. 967A	----	0. 901 - 0. 522	.0854	----	----	----	----	10	UNCH	
13000	----	----	----/0. 872A	0. 994B/0. 872A	----	0. 792 - 0. 465	.0753	----	----	----	----	1	UNCH	
14000	----	----	----/0. 737A	0. 763B/0. 737A	----	0. 622 - 0. 377	.0593	----	----	----	----	2	UNCH	
15000	----	----	----/0. 624A	0. 593B/0. 624A	----	0. 500 - 0. 312	.0477	----	----	----	----	6	UNCH	
16000	----	----	----/0. 535A	0. 475B/0. 535A	----	0. 413 - 0. 257	.0393	----	----	----	----	14	UNCH	
17000	----	----	----/0. 464A	0. 382B/0. 464A	----	0. 349 - 0. 210	.0331	----	----	----	----	2	UNCH	
20000	----	----	----/0. 333A	0. 213B/0. 333A	----	0. 231 - 0. 117	.0215	----	----	----	----	33	UNCH	
21000	----	----	----/0. 302A	0. 179B/0. 302A	----	0. 194 - 0. 117	.0182	----	----	----	----	1	UNCH	
25000	----	----	----/0. 222A	0. 092B/0. 222A	----	0. 076 - 0. 165	.0076	----	----	----	----	13	UNCH	
30000	----	----	----/0. 095A	0. 039B/0. 095A	----	0. 070 - 0. 057	.0065	----	----	----	----	6	UNCH	
TOTAL											0	367	0	
DEC26														
3875	----	----	----	----	----	31. 732 - 4. 859	.9707	----	----	----	----	1	UNCH	
5000	----	----	----	1. 883B/42. 552A	----	21. 398 - 4. 501	.8966	----	----	----	----	30	UNCH	
5250	----	----	----	----/40. 874A	----	19. 306 - 4. 376	.8686	----	----	----	----	50	UNCH	
5500	----	----	----	----/40. 369A	----	17. 322 - 4. 230	.8356	----	----	----	----	1	UNCH	
6500	----	----	----/10. 744A	12. 771B/10. 744A	----	10. 771 - 3. 451	.6621	----	----	----	----	600	UNCH	
6900	----	----	----/8. 973A	10. 523B/8. 973A	----	8. 846 - 3. 093	.5847	----	----	----	----	1	UNCH	
6950	----													



	BULLETIN #107@				METALS OPTION PRODUCTS				Fri, Jun 05, 2026				PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
DEC26															
90000	----	----		----	0.003B/0.400A	----			0.033 -	0.015	.0023	----	----	----	2
100000	----	----		----	-----/0.078A	----			0.032 -	0.014	.0022	----	----	----	5
TOTAL													296	0	8798 -
JAN27															
7550	----	----		-----/7.903A	8.679B/7.903A	----			7.541 -	2.657	.4926	----	----	5	4 +
7650	----	----		-----/7.621A	8.317B/7.621A	----			7.237 -	2.582	.4775	----	----	----	5
8000	6.190	6.190	6.190	6.190/6.190	7.190B/6.190	----			6.291 -	2.336	.4280	----	----	1	2 +
8300	----	----		-----/6.121A	6.383B/6.121A	----			5.608 -	2.144	.3900	----	----	----	22
8500	----	----		-----/5.787A	5.916B/5.787A	----			5.208 -	2.025	.3667	----	----	----	1
8700	----	----		-----/5.433A	5.440B/5.433A	----			4.847 -	1.914	.3452	----	----	----	1
9000	----	----		-----/5.009A	4.886B/5.009A	----			4.369 -	1.761	.3157	----	----	----	1
9525	----	----		-----/4.345A	4.051B/4.345A	----			3.681 -	1.528	.2714	----	----	----	1
10000	----	----		-----/3.822A	3.454B/3.822A	----			3.185 -	1.351	.2382	----	5	8 +	3
11000	----	----		-----/2.983A	2.500B/2.983A	----			2.410 -	1.058	.1842	----	----	----	21
12500	----	----		-----/2.234A	1.637B/2.234A	----			1.671 -	0.760	.1304	----	----	----	1
13000	----	----		-----/2.077A	1.379B/2.077A	----			1.498 -	0.687	.1174	----	----	----	7
14000	----	----		-----/1.396A	1.180B/1.396A	----			1.227 -	0.570	.0967	----	----	----	1
14500	----	----		-----/1.297A	1.248B/1.297A	----			1.105 -	0.518	.0876	----	----	----	400
15000	1.008	1.008	1.008	1.008/1.008	1.151B/1.008	----			1.000 -	0.473	.0796	----	1	----	402 +
TOTAL													12	0	877 +
FEB27															
7500	----	----		-----/8.712A	9.464B/8.712A	----			8.304 -	2.716	.5085	----	----	----	1
8500	----	----		-----/6.434A	6.520B/6.434A	----			5.801 -	2.089	.3825	----	----	----	4
9000	----	----		-----/5.593A	5.468B/5.593A	----			4.937 -	1.838	.3335	----	----	----	1
9500	----	----		-----/4.962A	4.642B/4.962A	----			4.246 -	1.622	.2923	----	----	----	4
30000	----	----		----	0.190B/0.454A	----			0.280 -	0.125	.0206	----	----	----	1
TOTAL														0	11
MAR27															
8000	6.409	6.409	6.409	6.710/6.409	7.069B/6.409	----			7.615 -	2.431	.4542	----	----	----	201
8500	----	----		-----/6.669A	6.460B/6.669A	----			6.498 -	NEW	.3994	----	2	----	2 +
8775	----	----		-----/6.185A	6.023B/6.185A	----			5.980 -	2.022	.3726	----	----	----	3
9000	----	----		-----/5.939A	5.664B/5.939A	----			5.600 -	1.919	.3524	----	----	----	56
9200	4.107	4.107	4.107	4.107/4.107	4.486B/4.107	----			5.291 -	1.833	.3356	----	----	----	25
10000	----	----		-----/4.107A	3.401B/3.957A	----			4.281 -	1.535	.2784	----	3	4 +	1
11000	----	----		-----/3.957A	2.093B/2.755A	----			3.378 -	1.250	.2244	----	----	----	1
13000	----	----		-----/2.755A	1.670B/2.441A	----			2.192 -	0.864	.1510	----	4	105	UNCH
14000	----	----		-----/2.441A	1.289B/1.751A	----			3.197 -	0.725	.1254	----	----	105	UNCH
15000	----	----		-----/1.751A	1.384B/1.524A	----			1.792 -	0.607	.1056	----	----	25	UNCH
16000	----	----		-----/1.524A	0.887B/0.795	----			1.490 -	0.504	.0905	----	2	27	UNCH
20000	0.870	0.870	0.870	0.870/0.795	0.650/0.491A	----			0.806 -	0.225	.0572	----	3	4 +	3
25000	0.650	0.650	0.650	0.650/0.491A	0.271B/0.540A	----			0.551 -	0.106	.0384	----	3	6 +	3
30000	----	----		----		----			0.354 -	0.148	.0250	----	----	----	7
TOTAL													17	0	571 +
APR27															
8525	----	----		-----/7.929A	7.777B/7.929A	----			7.236 -	2.242	.4165	----	----	----	9
TOTAL														0	9
MAY27															
11000	----	----		----	0.001B/11.447A	----			4.580 -	1.457	.2664	----	----	----	1
TOTAL														0	1
JUL27															
2000	----	----		----	----	----			52.167 -	5.052	.9963	----	----	----	1
10000	----	----		----	----	----			6.751 -	1.884	.3500	----	----	----	1
10300	----	----		----	----	----			6.399 -	1.798	.3335	----	----	----	1
TOTAL														0	3
DEC27															
4000	----	----		----	----	----			34.614 -	4.688	.9141	----	----	----	1
20000	----	----		----	----	----			4.641 -	1.068	.1968	----	----	----	25
TOTAL														0	26
SO PUT	COMEX SILVER OPTIONS														
JUL26															
2000	----	----		----	0.001B/0.006A	----			0.001	UNCH	----	----	----	----	6
2400	----	----		----	-----/0.298A	----			0.001	UNCH	----	----	----	----	10
2650	----	----		----	-----/0.026A	----			0.001	UNCH	.0000	----	----	----	6
2700	0.002	0.002	0.002	0.002/0.002	0.002/0.002	----			0.001	UNCH	.0000	----	1	1 +	1
2900	----	----		----	-----/0.025A	----			0.001	UNCH	.0001	----	----	----	2
3000	----	----		----	0.001B/0.010A	----			0.002 +	0.001	.0003	----	----	----	6
3025	----	----		----	-----/0.025A	----			0.002 +	0.001	.0003	----	----	----	1
3175	----	----		----	-----/0.026A	----			0.004 +	0.002	.0006	----	----	----	10
3275	----	----		----	-----/0.026A	----			0.005 +	0.003	.0007	----	----	----	1
3350	----	----		----	-----/0.026A	----			0.006 +	0.003	.0009	----	----	----	2
3400	----	----		----	-----/0.026A	----			0.007 +	0.004	.0010	----	----	----	55
3475	----	----		----	-----/0.027A	----			0.008 +	0.004	.0012	----	----	----	5
3500	----	----		----	0.002B/0.021A	----			0.009 +	0.005	.0014	----	1	4	UNCH
3600	----	----		0.006B/----	0.006B/0.028A	----			0.010 +	0.005	.0016	----	----	----	12
3700	----	----		0.008B/----	0.008B/0.029A	----			0.012 +	0.006	.0019	----	----	----	94
3800	----	----		0.011B/----	0.011B/0.030A	----			0.014 +	0.007	.0023	----	----	----	25
3825	----	----		0.011B/----	0.011B/0.030A	----			0.014 +	0.007	.0023	----	----	----	8
3850	----	----		0.012B/----	0.012B/0.031A	----			0.015 +	0.007	.0025	----	----	----	3
3900	----	----		0.013B/----	0.013B/0.031A	----			0.016 +	0.008	.0027	----	----	----	11
3950	----	----		0.015B/----	0.015B/0.030A	----			0.017 +	0.008	.0029	----	----	----	1
4000	0.015	0.015	0.022B/0.015	0.022B/0.015	0.022B/0.015										

	BULLETIN #107@				METALS OPTION PRODUCTS				Fri, Jun 05, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS												
JUL26													
5550	0.191	0.191	0.2318/0.191	0.2318/0.064A	----	0.171 +	0.108 .0398	----	----	1	----	19 +	1
5575	0.112	0.112	0.2438/0.112	0.2438/0.066A	----	0.179 +	0.114 .0417	----	----	2	----	6 +	2
5600	0.290	0.290	0.290/0.068A	0.290/0.068A	----	0.187 +	0.120 .0437	----	----	1	----	47 +	1
5625	-----	-----	0.2708/-----	0.2708/0.071A	----	0.195 +	0.126 .0458	----	----	-----	-----	31	UNCH
5650	-----	-----	0.2838/-----	0.2838/0.074A	----	0.204 +	0.132 .0480	----	----	-----	-----	42	UNCH
5675	-----	-----	0.2988/-----	0.2988/0.077A	----	0.214 +	0.140 .0504	----	----	-----	-----	45	UNCH
5700	0.218	0.218	0.337/0.218	0.337/0.081A	----	0.224 +	0.147 .0529	----	3	-----	-----	310	UNCH
5725	-----	-----	0.3308/-----	0.3308/0.085A	----	0.234 +	0.155 .0554	----	-----	-----	-----	4	UNCH
5750	0.241	0.241	0.3488/0.241	0.3488/0.088A	----	0.246 +	0.164 .0583	----	1	-----	-----	53 +	1
5775	-----	-----	0.3668/-----	0.3668/0.092A	----	0.258 +	0.173 .0613	----	-----	-----	-----	3	UNCH
5800	0.255	0.255	0.3858/0.250	0.3858/0.095A	----	0.271 +	0.182 .0644	----	8	-----	-----	27 -	1
5825	-----	-----	0.4058/-----	0.4058/0.100A	----	0.284 +	0.192 .0676	----	-----	-----	-----	2	UNCH
5850	-----	-----	0.4278/-----	0.4278/0.105A	----	0.299 +	0.203 .0712	----	-----	-----	-----	114	UNCH
5875	-----	-----	0.4628/-----	0.4628/0.108A	----	0.314 +	0.214 .0748	----	-----	-----	-----	4	UNCH
5900	0.353	0.353	0.4868/0.353	0.4868/0.113A	----	0.330 +	0.226 .0786	----	8	-----	-----	14 +	3
5925	0.347	0.347	0.5128/0.347	0.5128/0.119A	----	0.348 +	0.239 .0828	----	3	-----	-----	5	3
5950	0.191	0.191	0.5408/0.191	0.5408/0.125A	----	0.366 +	0.252 .0870	----	4	-----	-----	7 +	4
5975	0.201	0.201	0.5708/0.201	0.5708/0.132A	----	0.385 +	0.266 .0915	----	4	-----	-----	13 +	3
6000	0.140	0.140	0.632/0.136	0.632/0.136	----	0.406 +	0.282 .0963	----	362	150	1020 +	143	
6025	0.486	0.486	0.6298/0.486	0.6298/0.144A	----	0.428 +	0.298 .1014	----	1	-----	-----	1	1
6050	0.235	0.235	0.6628/0.235	0.6628/0.152A	----	0.451 +	0.315 .1067	----	6	-----	-----	23 +	1
6075	-----	-----	0.6998/-----	0.6998/0.159A	----	0.476 +	0.333 .1123	----	-----	-----	-----	1	UNCH
6100	0.488	0.488	0.750/0.488	0.750/0.168A	----	0.503 +	0.353 .1182	----	4	-----	-----	300	UNCH
6125	0.515	0.515	0.7798/0.515	0.7798/0.176A	----	0.530 +	0.372 .1243	----	1	-----	-----	2	1
6150	0.396	0.396	0.8218/0.395	0.8218/0.182A	----	0.560 +	0.394 .1308	----	9	-----	-----	24 -	1
6175	-----	-----	0.8648/-----	0.8648/0.189A	----	0.591 +	0.416 .1376	----	-----	-----	-----	16	UNCH
6200	0.325	0.325	0.9178/0.232	0.9178/0.198A	----	0.625 +	0.441 .1448	----	25	-----	-----	177 +	8
6225	0.210	0.210	0.9598/0.210	0.9598/0.207A	----	0.660 +	0.466 .1522	----	5	-----	-----	10	5
6250	0.420	0.420	1.0118/0.395	1.0118/0.217A	----	0.697 +	0.492 .1599	----	6	-----	-----	32 +	5
6275	-----	-----	1.0668/-----	1.0668/0.228A	----	0.737 +	0.521 .1681	----	-----	-----	-----	10	UNCH
6300	0.480	0.480	1.1278/0.479	1.1278/0.241A	----	0.779 +	0.551 .1766	----	103	-----	-----	331 +	22
6325	0.842	0.842	1.1808/0.842	1.1808/0.253A	----	0.823 +	0.582 .1855	----	2	-----	-----	28	2
6350	0.300	0.300	1.2478/0.300	1.2478/0.265A	----	0.869 +	0.614 .1946	----	23	-----	-----	147 -	1
6375	0.535	0.535	1.3078/0.535	1.3078/0.279A	----	0.918 +	0.648 .2041	----	1	-----	-----	19	1
6400	0.440	0.440	1.3798/0.440	1.3798/0.294A	----	0.970 +	0.684 .2141	----	107	-----	-----	276 +	24
6425	0.575	0.575	1.4468/0.575	1.4468/0.308A	----	1.025 +	0.721 .2244	----	1	-----	-----	28	1
6450	1.169	1.169	1.5218/0.314A	1.5218/0.314A	----	1.082 +	0.760 .2349	----	1	-----	-----	45	UNCH
6475	-----	-----	1.5978/0.340A	1.5978/0.340A	----	1.142 +	0.800 .2459	----	-----	-----	-----	23	UNCH
6500	0.400	0.400	1.6828/0.362A	1.6828/0.362A	----	1.206 +	0.843 .2572	----	666	-----	1168 -	64	
6525	-----	-----	1.7628/0.378A	1.7628/0.378A	----	1.272 +	0.887 .2689	----	1	-----	-----	25	UNCH
6550	0.530	0.530	1.8518/0.401A	1.8518/0.401A	----	1.342 +	0.933 .2808	----	3	-----	-----	101	UNCH
6575	0.575	0.575	1.9388/0.424A	1.9388/0.424A	----	1.415 +	0.980 .2931	----	20	-----	-----	22	12
6600	0.705	0.705	2.040/0.449A	2.040/0.449A	----	1.491 +	1.029 .3057	----	222	-----	190 +	87	
6625	-----	-----	2.1358/0.476A	2.1358/0.476A	----	1.571 +	1.080 .3186	----	3	42	65 +	45	
6650	0.782	0.782	2.2368/0.504A	2.2368/0.504A	----	1.655 +	1.133 .3318	----	11	-----	99	UNCH	
6675	1.687	1.687	2.3378/0.538A	2.3378/0.538A	----	1.742 +	1.187 .3452	----	1	-----	-----	12	1
6700	0.756	0.756	2.4528/0.570A	2.4528/0.570A	----	1.832 +	1.241 .3589	----	160	-----	187 +	49	
6725	-----	-----	2.5598/0.604A	2.5598/0.604A	----	1.927 +	1.299 .3728	----	-----	-----	-----	4	UNCH
6750	0.878	0.878	2.6828/0.641A	2.6828/0.641A	----	2.025 +	1.357 .3869	----	5	-----	-----	51	1
6775	-----	-----	2.7978/0.680A	2.7978/0.680A	----	2.127 +	1.417 .4012	----	-----	-----	-----	14	UNCH
6800	1.150	1.150	2.9268/0.721A	2.9268/0.721A	----	2.234 +	1.479 .4156	----	282	-----	581 +	14	
6825	1.145	1.145	3.0548/0.764A	3.0548/0.764A	----	2.344 +	1.542 .4302	----	52	-----	55	48	
6850	1.258	1.258	3.1748/0.808A	3.1748/0.808A	----	2.458 +	1.605 .4448	----	8	-----	40	UNCH	
6875	1.317	1.317	3.3198/0.857A	3.3198/0.857A	----	2.576 +	1.670 .4596	----	15	-----	177	UNCH	
6900	1.197	1.197	3.4628/0.908A	3.4628/0.908A	----	2.699 +	1.737 .4744	----	107	-----	218 +	51	
6925	1.210	1.210	3.6068/0.963A	3.6068/0.963A	----	2.825 +	1.804 .4892	----	24	-----	67	15	
6950	1.337	1.337	3.7518/1.021A	3.7518/1.021A	----	2.955 +	1.872 .5040	----	56	-----	112 -	25	
6975	1.612	1.612	3.8808/1.081A	3.8808/1.081A	----	3.090 +	1.942 .5188	----	22	-----	28	16	
7000	1.488	1.488	4.0558/1.146A	4.0558/1.146A	----	3.228 +	2.011 .5335	----	187	-----	1376 -	16	
7025	1.792	1.792	4.2168/1.212A	4.2168/1.212A	----	3.371 +	2.082 .5482	----	2	-----	209	UNCH	
7050	1.481	1.481	4.3658/1.283A	4.3658/1.283A	----	3.518 +	2.153 .5627	----	48	-----	14	6	
7075	1.987	1.987	4.5238/1.357A	4.5238/1.357A	----	3.668 +	2.224 .5770	----	1	-----	9	1	
7100	1.857	1.857	4.6968/1.434A	4.6968/1.434A	----	3.823 +	2.296 .5912	----	31	-----	92	12	
7125	-----	-----	4.8658/1.517A	4.8658/1.517A	----	3.981 +	2.367 .6052	----	-----	-----	12	UNCH	
7150	2.726	2.726	5.0568/1.602A	5.0568/1.602A	----	4.143 +	2.439 .6190	----	10	-----	178	3	
7175	2.851	2.851	5.2318/1.689A	5.2318/1.689A	----	4.309 +	2.511 .6326	----	1	-----	34	1	
7200	2.565	2.565	5.4258/1.783A										



PG64	BULLETIN #107@				METALS OPTION PRODUCTS				Fri, Jun 05, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS												
JUL26													
9400	----	----	26.0678/----	26.0678/20.738A	----	24.960 +	4.801 .9783	----	----	----	----	1	UNCH
9450	----	----	26.5698/----	26.5698/21.178A	----	25.457 +	4.805 .9792	----	----	----	----	12	UNCH
9500	----	----	27.1498/----	27.1498/21.616A	----	25.954 +	4.808 .9798	----	----	----	----	217	UNCH
9600	----	----	28.1458/----	28.1458/22.606A	----	26.949 +	4.813 .9812	----	----	----	----	50	UNCH
9775	----	----	29.8028/----	29.8028/24.451A	----	28.691 +	4.821 .9832	----	----	----	----	5	UNCH
9900	----	----	31.0528/----	31.0528/25.713A	----	29.937 +	4.826 .9844	----	----	----	----	6	UNCH
9950	----	----	31.5468/----	31.5468/26.138A	----	30.435 +	4.827 .9847	----	----	----	----	5	UNCH
10000	----	----	32.1088/----	32.1088/26.577A	----	30.934 +	4.829 .9850	----	----	----	----	225	UNCH
10275	----	----	34.7928/----	34.7928/29.371A	----	33.676 +	4.835 .9868	----	----	----	----	7	UNCH
10500	----	----	37.0328/----	37.0328/31.619A	----	35.921 +	4.840 .9882	----	----	----	----	3	UNCH
10600	----	----	38.0358/----	38.0358/32.604A	----	36.919 +	4.842 .9887	----	----	----	----	9	UNCH
10800	----	----	40.0278/----	40.0278/34.607A	----	38.915 +	4.846 .9898	----	----	----	----	1	UNCH
11000	----	----	42.0878/----	42.0878/36.534A	----	40.911 +	4.850 .9907	----	----	2	----	252 +	2
11300	----	----	45.0268/----	45.0268/39.584A	----	43.906 +	4.855 .9919	----	----	----	----	10	UNCH
11500	----	----	47.0208/----	47.0208/41.590A	----	45.904 +	4.859 .9926	----	----	----	----	1	UNCH
12000	----	----	52.0168/----	52.0168/46.584A	----	50.899 +	4.862 .9941	2	----	----	----	1	- 2
13000	----	----	62.0158/----	62.0158/56.585A	----	60.897 +	4.868 .9962	----	----	----	----	3	UNCH
TOTAL										3005	292	17141 +	442
AUG26													
2125	0.002	0.002	0.002/0.002	0.002/0.002	----	0.005	NEW .0005	----	----	1	----	1 +	1
3300	----	----	----	0.0108/0.044A	----	0.027 +	0.009 .0036	----	----	----	----	2	UNCH
3900	----	----	0.0378/----	0.0378/0.047A	----	0.050 +	0.017 .0074	----	----	----	----	1	UNCH
4000	----	----	0.0448/----	0.0448/0.050A	----	0.056 +	0.020 .0085	----	----	----	----	4	UNCH
4175	----	----	0.0598/----	0.0598/0.056A	----	0.068 +	0.025 .0106	----	----	----	----	1	UNCH
4300	----	----	0.0748/----	0.0748/0.061A	----	0.078 +	0.029 .0124	----	----	----	----	1	UNCH
4350	----	----	0.0808/----	0.0808/0.063A	----	0.083 +	0.031 .0133	----	----	----	----	1	UNCH
4375	----	----	0.0848/----	0.0848/0.065A	----	0.085 +	0.032 .0136	----	----	----	----	160	UNCH
4400	----	----	0.0878/----	0.0878/0.066A	----	0.088 +	0.034 .0142	----	1	----	----	0 -	1
4450	----	----	0.0958/----	0.0958/0.069A	----	0.094 +	0.037 .0152	----	----	----	----	1	UNCH
4500	----	----	0.1028/----	0.1028/0.072A	----	0.100 +	0.040 .0163	----	----	----	----	7	UNCH
4600	----	----	0.1198/----	0.1198/0.077A	----	0.113 +	0.046 .0186	----	1	----	----	3 -	1
4625	----	----	0.1248/----	0.1248/0.079A	----	0.117 +	0.048 .0193	----	----	----	----	1	UNCH
4700	----	----	0.1438/----	0.1438/0.084A	----	0.129 +	0.054 .0215	----	----	----	----	9	UNCH
4750	0.120	0.120	0.1528/0.120	0.1528/0.089A	----	0.138	NEW .0231	----	5	----	----	5 +	5
4775	----	----	0.1588/----	0.1588/0.091A	----	0.143 +	0.061 .0240	----	----	----	----	2	UNCH
4800	0.080	0.080	0.1658/0.080	0.1658/0.080	----	0.148 +	0.064 .0249	----	1	----	----	11 +	1
4825	----	----	0.1718/----	0.1718/0.096A	----	0.153 +	0.066 .0257	----	----	----	----	1	UNCH
5000	0.105	0.105	0.2328/0.105	0.2328/0.105	----	0.197 +	0.089 .0335	----	2	----	----	46 +	1
5200	----	----	0.3248/----	0.3248/0.153A	----	0.268 +	0.128 .0456	----	----	----	----	1	UNCH
5250	----	----	0.3538/----	0.3538/0.165A	----	0.291	NEW .0494	----	2	----	----	2 +	2
5275	----	----	0.3698/----	0.3698/0.172A	----	0.303 +	0.148 .0514	----	----	----	----	1	UNCH
5300	----	----	0.3888/----	0.3888/0.176A	----	0.315 +	0.155 .0534	----	----	----	----	2	UNCH
5325	----	----	0.4058/----	0.4058/0.184A	----	0.328	NEW .0556	----	2	----	----	2 +	2
5400	----	----	0.4618/----	0.4618/0.205A	----	0.372 +	0.187 .0627	----	2	----	----	6 +	2
5425	----	----	0.4808/----	0.4808/0.213A	----	0.387 +	0.196 .0652	----	----	----	----	1	UNCH
5500	0.240	0.240	0.5508/0.230	0.5508/0.230	----	0.440 +	0.226 .0735	----	4	----	----	168 +	2
5600	0.600	0.600	0.6528/0.540	0.6528/0.277A	----	0.521 +	0.272 .0861	----	27	----	----	28 +	26
5650	0.710	0.710	0.7118/0.710	0.7118/0.299A	----	0.568	NEW .0932	----	3	----	----	3 +	3
5675	----	----	0.7458/----	0.7458/0.313A	----	0.593 +	0.313 .0969	----	----	----	----	9	UNCH
5700	0.630	0.630	0.7768/0.630	0.7768/0.324A	----	0.619 +	0.328 .1008	----	1	----	----	9 +	1
5750	----	----	0.8528/----	0.8528/0.350A	----	0.675 +	0.360 .1090	----	----	----	----	20	UNCH
5775	----	----	0.8898/----	0.8898/0.366A	----	0.704 +	0.376 .1132	----	----	----	----	3	UNCH
5800	----	----	0.9298/----	0.9298/0.378A	----	0.736 +	0.394 .1177	----	35	----	----	34 +	16
5850	----	----	1.0078/----	1.0078/0.412A	----	0.802 +	0.431 .1270	----	----	----	----	7	UNCH
5875	----	----	1.0638/----	1.0638/0.428A	----	0.837 +	0.451 .1318	----	----	----	----	4	UNCH
5900	0.610	0.610	1.1088/0.610	1.1088/0.443A	----	0.874 +	0.471 .1369	----	6	----	----	11 +	3
5925	----	----	1.1578/----	1.1578/0.461A	----	0.913 +	0.493 .1421	----	----	----	----	6	UNCH
5950	----	----	1.2038/----	1.2038/0.481A	----	0.953 +	0.515 .1475	----	----	----	----	11	UNCH
6000	0.582	0.582	1.343/0.582	1.343/0.491A	----	1.038 +	0.562 .1587	----	25	----	----	218 -	1
6025	----	----	1.3668/----	1.3668/0.508A	----	1.083 +	0.587 .1645	----	----	----	----	2	UNCH
6050	----	----	1.4198/----	1.4198/0.532A	----	1.130 +	0.612 .1705	----	2	----	----	47	UNCH
6100	----	----	1.5418/----	1.5418/0.577A	----	1.229 +	0.665 .1829	----	58	----	----	176 +	57
6125	----	----	1.6048/----	1.6048/0.603A	----	1.282 +	0.693 .1893	----	1	----	----	5	UNCH
6150	0.777	0.777	1.6708/0.777	1.6708/0.629A	----	1.337 +	0.723 .1960	----	2	----	----	51 +	1
6175	----	----	1.7338/----	1.7338/0.655A	----	1.394 +	0.753 .2027	----	----	----	----	17	UNCH
6200	0.840	0.840	1.8058/0.840	1.8058/0.682A	----	1.452 +	0.783 .2096	----	14	----	----	143 +	3
6225	----	----	1.8768/----	1.8768/0.712A	----	1.513 +	0.814 .2167	----	----	----	----	10	UNCH
6250	1.590	1.590	1.9528/1.590	1.9528/0.743A	----	1.576 +	0.846 .2239	----	6	----	----	137 +	6
6275	----	----	2.0268/----	2.0268/0.775A	----	1.642 +	0.880 .2312	----	----	----	----	2	UNCH
6300	1.100	1.100	2.1108/0.993	2.1108/0.807A	----	1.709 +	0.914 .2387	----	519	----	----	568 +	390
6325	----	----	2.1878/----	2.1878/0.843A	----	1.779 +	0.949 .2463	----	1	----	----	3	+
6350	1.805	1.805	2.2748/1.805	2.2748/0.878A	----	1.851 +	0.984 .2541	----	2	----	----	73 +	2
6375	----	----	2.3588/----	2.3588/0.917A	----	1.926 +	1.021 .2620	----	----	----	----	2	UNCH
6400	1.166	1.166	2.4508/1.163	2.4508/0.954A	----	2.003 +	1.058 .2700	----	4	----	----	102 +	3
6425	----	----	2.5378/----	2.5378/0.997A	----	2.083 +	1.097 .2781	----	----	----	----	9	UNCH
6450	1.364	1.364	2.6288/1.36										

	BULLETIN #107@				METALS OPTION PRODUCTS				Fri, Jun 05, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT	COMEX SILVER OPTIONS													
AUG26														
8000	10.716		10.716	12.889B/10.716	12.889B/8.630A	----	----	11.896 + 3.599	.7646	----	----	41	----	301
8025	----	----	----	13.083B/----	13.083B/8.818A	----	----	12.108 + 3.626	.7694	----	----	----	----	1
8050	----	----	----	13.303B/----	13.303B/9.008A	----	----	12.322 + 3.654	.7742	----	----	----	----	1
8100	----	----	----	13.708B/----	13.708B/9.391A	----	----	12.752 + 3.706	.7833	----	----	----	----	10
8125	----	----	----	13.930B/----	13.930B/9.585A	----	----	12.968 + 3.731	.7877	----	----	----	----	1
8150	----	----	----	14.162B/----	14.162B/9.780A	----	----	13.186 + 3.756	.7920	----	----	----	----	14
8175	----	----	----	14.376B/----	14.376B/9.977A	----	----	13.404 + 3.780	.7963	----	----	----	----	1
8200	----	----	----	14.600B/----	14.600B/10.175A	----	----	13.623 + 3.804	.8004	----	----	----	----	10
8225	----	----	----	14.824B/----	14.824B/10.375A	----	----	13.842 + 3.826	.8044	----	----	----	----	4
8250	----	----	----	15.059B/----	15.059B/10.575A	----	----	14.063 + 3.849	.8084	----	----	----	----	10
8275	----	----	----	15.278B/----	15.278B/10.777A	----	----	14.284 + 3.870	.8123	----	----	----	----	5
8300	----	----	----	15.508B/----	15.508B/10.981A	----	----	14.506 + 3.891	.8161	----	----	----	----	1
8325	----	----	----	15.736B/----	15.736B/11.185A	----	----	14.729 + 3.912	.8198	----	----	----	----	5
8400	----	----	----	16.422B/----	16.422B/11.805A	----	----	15.401 + 3.971	.8305	----	----	----	----	1
8425	----	----	----	16.654B/----	16.654B/12.014A	----	----	15.626 + 3.989	.8339	----	----	----	----	1
8475	----	----	----	17.117B/----	17.117B/12.435A	----	----	16.079 + 4.025	.8404	----	----	----	----	1
8500	----	----	----	17.348B/----	17.348B/12.647A	----	----	16.306 + 4.043	.8436	----	----	----	----	21
8600	----	----	----	18.283B/----	18.283B/13.503A	----	----	17.222 + 4.110	.8555	----	----	----	----	3
8650	----	----	----	18.752B/----	18.752B/13.937A	----	----	17.683 + 4.141	.8611	----	----	----	----	1
8700	----	----	----	19.223B/----	19.223B/14.374A	----	----	18.147 + 4.171	.8664	----	----	----	----	2
8825	----	----	----	20.408B/----	20.408B/15.479A	----	----	19.314 + 4.242	.8785	----	----	----	----	4
8850	----	----	----	20.645B/----	20.645B/15.702A	----	----	19.549 + 4.255	.8807	----	----	----	----	1
8900	----	----	----	21.122B/----	21.122B/16.151A	----	----	20.020 + 4.281	.8850	----	----	----	----	24
9000	----	----	----	22.132B/----	22.132B/17.056A	----	----	20.966 + 4.330	.8930	----	----	----	----	63
9025	----	----	----	22.317B/----	22.317B/17.283A	----	----	21.204 + 4.342	.8948	----	----	----	----	4
9150	----	----	----	23.523B/----	23.523B/18.431A	----	----	22.397 + 4.397	.9035	----	----	----	----	4
9175	----	----	----	23.761B/----	23.761B/18.662A	----	----	22.636 + 4.407	.9051	----	----	----	----	1
9200	----	----	----	24.006B/----	24.006B/18.893A	----	----	22.876 + 4.417	.9067	----	----	----	----	1
9225	----	----	----	24.248B/----	24.248B/19.125A	----	----	23.116 + 4.427	.9082	----	----	----	----	1
9275	----	----	----	24.731B/----	24.731B/19.590A	----	----	23.597 + 4.447	.9112	----	----	----	----	5
9300	----	----	----	24.975B/----	24.975B/19.823A	----	----	23.838 + 4.456	.9126	----	----	----	----	1
9325	----	----	----	25.217B/----	25.217B/20.056A	----	----	24.079 + 4.466	.9140	----	----	----	----	11
9350	----	----	----	25.459B/----	25.459B/20.290A	----	----	24.320 + 4.474	.9154	----	----	----	----	4
9500	----	----	----	26.937B/----	26.937B/21.703A	----	----	25.772 + 4.524	.9228	----	----	----	----	32
9975	----	----	----	31.574B/----	31.574B/26.245A	----	----	30.402 + 4.631	.9414	----	----	----	----	1
10000	----	----	----	31.810B/----	31.810B/26.486A	----	----	30.647 + 4.635	.9421	----	----	----	----	7
10025	----	----	----	32.065B/----	32.065B/26.727A	----	----	30.892 + 4.639	.9429	----	----	----	----	1
10175	----	----	----	33.536B/----	33.536B/28.177A	----	----	32.363 + 4.661	.9473	----	----	----	----	15
12000	----	----	----	51.670B/----	51.670B/50.227A	----	----	50.440 + 4.814	.9747	----	----	3	----	4 + 3
TOTAL												1227	0	5461 + 572
SEP26														
2500	----	----	----	----	-----/0.364A	----	----	0.003 + 0.001	.0004	----	----	----	----	60
3000	----	----	----	----	0.001B/0.243A	----	----	0.014 + 0.007	.0019	----	----	----	----	22
3250	----	----	----	----	0.001B/0.233A	----	----	0.026 + 0.012	.0035	----	----	----	----	1
3500	----	----	----	----	0.001B/0.228A	----	----	0.045 + 0.021	.0060	----	----	----	----	74
4000	----	----	----	----	0.053B/0.121A	----	----	0.110 + 0.050	.0145	----	----	----	----	45
4400	----	----	----	0.122B/----	0.122B/0.176A	----	----	0.199	NEW .0262	----	1	----	1 +	1
4500	----	----	----	0.147B/----	0.147B/0.191A	----	----	0.229 + 0.107	.0301	----	----	----	----	12
4525	0.203		0.203	0.203/0.203	0.203/0.195A	----	----	0.236 + 0.110	.0311	----	3	----	2 -	1
4600	----	----	----	0.177B/----	0.177B/0.210A	----	----	0.262	NEW .0345	----	1	----	1 +	1
4800	----	----	----	0.258B/----	0.258B/0.257A	----	----	0.341 + 0.160	.0449	----	1	----	3 +	1
5000	0.300		0.300	0.374B/0.300	0.374B/0.299A	----	----	0.443 + 0.208	.0582	----	28	----	238 +	1
5100	----	----	----	0.450B/----	0.450B/0.351A	----	----	0.504 + 0.236	.0660	----	----	----	1	UNCH
5200	----	----	----	0.536B/----	0.536B/0.395A	----	----	0.575 + 0.269	.0750	----	27	----	28 +	27
5400	----	----	----	0.632B/----	0.632B/0.495A	----	----	0.749 + 0.348	.0963	----	----	----	3	UNCH
5475	----	----	----	0.692B/----	0.692B/0.544A	----	----	0.828 + 0.383	.1058	----	2	----	3	UNCH
5500	----	----	----	0.691B/----	0.691B/0.558A	----	----	0.856 + 0.395	.1091	----	----	----	232	UNCH
5575	----	----	----	0.806B/----	0.806B/0.613A	----	----	0.946 + 0.435	.1195	----	----	----	2	UNCH
5600	----	----	----	0.906B/----	0.906B/0.634A	----	----	0.979 + 0.449	.1233	----	2	----	3	UNCH
5700	----	----	----	1.038B/----	1.038B/0.716A	----	----	1.120 + 0.510	.1391	----	14	----	16 +	9
5725	----	----	----	1.082B/----	1.082B/0.742A	----	----	1.158 + 0.525	.1433	----	----	----	1	UNCH
5750	----	----	----	1.130B/----	1.130B/0.763A	----	----	1.198 + 0.542	.1476	----	----	----	1	UNCH
5800	----	----	----	1.225B/----	1.225B/0.937A	----	----	1.286 + 0.579	.1568	----	16	----	25 +	16
5825	1.358		1.358	1.547B/1.358	1.547B/0.999A	----	----	1.335	NEW .1617	----	2	----	2 +	2
5850	----	----	----	1.324B/----	1.324B/1.030A	----	----	1.385 + 0.622	.1667	----	----	----	1	UNCH
5900	----	----	----	1.434B/----	1.434B/1.060A	----	----	1.489 + 0.665	.1770	----	----	----	50	UNCH
6000	----	----	----	1.731B/----	1.731B/1.000A	----	----	1.714 + 0.758	.1985	----	1	864 +	1	
6050	----	----	----	1.815B/----	1.815B/1.289A	----	----	1.837 + 0.808	.2099	----	----	----	19	UNCH
6100	1.600		1.600	2.050/1.600	2.050/1.313A	----	----	1.966 + 0.860	.2216	----	83	----	82 +	78
6200	----	----	----	2.574B/----	2.574B/1.533A	----	----	2.247 + 0.971	.2461	----	----	36	76 +	36
6300	2.010		2.010	2.595B/2.010	2.595B/1.740A	----	----	2.559 + 1.091	.2719	----	35	----	30 +	25
6400	----	----	----	2.964B/----	2.964B/1.975A	----	----	2.906 + 1.222	.2989	----	----	----	8	UNCH
6425	----	----	----	3.064B/----	3.064B/2.053A									



PG64	BULLETIN #107@				METALS OPTION PRODUCTS					Fri, Jun 05, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
OCT26														
6950	6.530	6.530	6.661B/6.530	6.661B/4.262A	----	6.014	NEW .4322	----	----	1	----	1 +	1	
7000	----	----	6.960B/----	6.960B/4.469A	----	6.293 +	1.870 .4444	----	----	1	----	90 +	1	
7025	----	----	7.078B/----	7.078B/4.615A	----	6.435 +	1.898 .4504	----	----	----	----	1	UNCH	
7050	----	----	7.260B/----	7.260B/4.699A	----	6.579 +	1.926 .4564	----	----	----	----	1	UNCH	
7075	----	----	7.411B/----	7.411B/4.849A	----	6.725 +	1.955 .4624	----	----	----	----	1	UNCH	
7225	----	----	8.330B/----	8.330B/5.601A	----	7.635 +	2.123 .4976	----	----	----	----	88	UNCH	
7250	----	----	8.521B/----	8.521B/5.709A	----	7.792 +	2.150 .5033	----	----	----	----	1	UNCH	
7275	----	----	8.655B/----	8.655B/5.864A	----	7.951 +	2.178 .5090	----	----	----	----	1	UNCH	
7300	----	----	8.856B/----	8.856B/5.957A	----	8.111 +	2.206 .5146	----	----	----	----	9	UNCH	
7350	----	----	9.200B/----	9.200B/6.235A	----	8.435 +	2.260 .5258	----	----	----	----	1	UNCH	
7500	----	----	10.236B/----	10.236B/7.121A	----	9.439 +	2.420 .5582	----	----	----	----	28	UNCH	
7600	----	----	10.876B/----	10.876B/7.689A	----	10.134 +	2.522 .5788	----	----	----	----	13	UNCH	
7650	----	----	11.245B/----	11.245B/8.006A	----	10.490 +	2.573 .5889	----	----	----	----	1	UNCH	
7700	----	----	11.611B/----	11.611B/8.315A	----	10.852 +	2.623 .5986	----	----	----	----	1	UNCH	
7775	----	----	11.945B/----	11.945B/8.865A	----	11.406 +	2.696 .6129	----	----	----	----	2	UNCH	
7950	----	----	13.371B/----	13.371B/9.982A	----	12.737 +	2.857 .6442	----	----	----	----	10	UNCH	
8000	----	----	13.667B/----	13.667B/10.328A	----	13.125 +	2.901 .6527	----	----	----	----	10	UNCH	
8200	----	----	15.332B/----	15.332B/11.805A	----	14.709 +	3.071 .6850	----	----	----	----	6	UNCH	
8375	----	----	16.345B/----	16.345B/13.541A	----	16.139 +	3.208 .7107	----	----	----	----	1	UNCH	
8400	----	----	16.563B/----	16.563B/13.407A	----	16.347 +	3.227 .7141	----	----	----	----	6	UNCH	
9100	----	----	22.551B/----	22.551B/19.558A	----	22.420 +	3.668 .7937	----	----	----	----	1	UNCH	
10000	----	----	----	17.654B/43.489A	----	30.707 +	4.052 .8592	----	----	----	----	40	UNCH	
TOTAL										24	0	741 +	20	
NOV26														
4500	----	----	0.341B/----	0.341B/0.421A	----	0.511 +	0.194 .0505	----	----	----	----	1	UNCH	
4550	----	----	0.373B/----	0.373B/0.441A	----	0.541 +	0.205 .0534	----	----	----	----	1	UNCH	
4800	----	----	0.570B/----	0.570B/0.557A	----	0.720 +	0.271 .0703	----	----	----	----	1	UNCH	
5000	----	----	0.737B/----	0.737B/0.682A	----	0.909 +	0.339 .0873	----	----	----	----	12	UNCH	
5200	----	----	0.800B/----	0.800B/0.835A	----	1.152 +	0.422 .1080	----	----	----	----	1	UNCH	
5400	----	----	1.101B/----	1.101B/1.028A	----	1.465 +	0.524 .1330	----	2	----	----	10 -	1	
5600	----	----	1.511B/----	1.511B/1.541A	----	1.864 +	0.646 .1623	----	4	----	----	13 -	2	
5950	----	----	2.419B/----	2.419B/2.115A	----	2.791 +	0.905 .2228	----	----	----	----	1	UNCH	
6000	----	----	2.573B/----	2.573B/2.229A	----	2.947 +	0.945 .2322	----	2	----	----	3 -	1	
6425	----	----	4.141B/----	4.141B/3.415A	----	4.512 +	1.320 .3171	----	----	----	----	1	UNCH	
6500	5.002	5.002	5.002/5.002	5.002/3.670A	----	4.832 +	1.391 .3328	----	1	----	----	26 +	1	
6700	----	----	5.449B/----	5.449B/4.431A	----	5.754 +	1.583 .3750	----	----	----	----	50	UNCH	
7000	----	----	7.100B/----	7.100B/5.768A	----	7.340 +	1.876 .4382	----	----	----	----	41	UNCH	
7025	----	----	7.226B/----	7.226B/5.879A	----	7.484 +	1.901 .4434	----	----	----	----	6	UNCH	
7400	----	----	9.699B/----	9.699B/7.911A	----	9.811 +	2.256 .5176	----	----	----	----	24	UNCH	
7500	----	----	10.393B/----	10.393B/8.521A	----	10.483 +	2.347 .5362	----	----	----	----	7	UNCH	
7700	----	----	11.840B/----	11.840B/9.757A	----	11.883 +	2.522 .5714	----	----	----	----	50	UNCH	
8500	----	----	18.022B/----	18.022B/15.532A	----	18.094 +	3.121 .6875	----	----	----	----	60	UNCH	
9000	----	----	22.327B/----	22.327B/19.569A	----	22.334 +	3.413 .7418	----	----	----	----	5	UNCH	
9050	----	----	22.766B/----	22.766B/19.984A	----	22.769 +	3.439 .7466	----	----	----	----	3	UNCH	
10000	----	----	29.319B/----	29.319B/28.260A	----	31.301 +	3.849 .8195	----	----	----	----	1	UNCH	
11000	----	----	----	22.482B/58.382A	----	40.666 +	4.146 .8693	----	----	----	----	1	UNCH	
TOTAL										9	0	318 -	3	
DEC26														
1500	----	----	----	-----/0.030A	----	0.002	UNCH .0002	----	----	----	----	180	UNCH	
2000	----	----	----	-----/0.090A	----	0.010 +	0.003 .0010	----	----	----	----	10	UNCH	
2500	----	----	----	0.001B/2.769A	----	0.034 +	0.012 .0033	----	----	----	----	32	UNCH	
3000	----	----	----	0.002B/0.241A	----	0.087 +	0.031 .0082	----	----	----	----	93	UNCH	
3100	----	----	----	0.010B/0.206A	----	0.103 +	0.037 .0097	----	----	----	----	1	UNCH	
3150	----	----	----	0.013B/0.208A	----	0.111 +	0.040 .0105	----	----	----	----	1	UNCH	
3500	----	----	----	0.061B/0.244A	----	0.188 +	0.067 .0176	----	----	----	----	45	UNCH	
3850	----	----	----	0.138B/0.322A	----	0.305 +	0.109 .0281	----	----	----	----	1	UNCH	
3925	----	----	----	0.165B/0.345A	----	0.337 +	0.120 .0309	----	----	----	----	1	UNCH	
4000	----	----	----	0.190B/0.367A	----	0.371 +	0.131 .0339	----	1	----	----	74 -	1	
4500	----	----	----	0.448B/0.557A	----	0.689 +	0.239 .0608	----	1	----	----	34 -	1	
4600	----	----	0.531B/----	0.531B/0.612A	----	0.776 +	0.267 .0679	----	----	----	----	4	UNCH	
4800	----	----	0.737B/----	0.737B/0.732A	----	0.979 +	0.332 .0840	----	----	----	----	241	UNCH	
5000	----	----	0.830B/----	0.830B/0.891A	----	1.229 +	0.410 .1029	----	1	----	----	376 -	1	
5250	----	----	1.284B/----	1.284B/1.134A	----	1.620 +	0.526 .1309	----	----	----	----	50	UNCH	
5300	----	----	1.241B/----	1.241B/1.546A	----	1.710 +	0.552 .1371	----	----	----	----	250	UNCH	
5400	----	----	1.370B/----	1.370B/1.671A	----	1.903 +	0.607 .1501	----	----	----	----	100	UNCH	
5500	----	----	1.576B/----	1.576B/1.813A	----	2.114 +	0.665 .1639	----	----	----	----	229	UNCH	
5600	----	----	1.811B/----	1.811B/1.966A	----	2.345 +	0.727 .1785	----	----	----	----	8	UNCH	
5650	----	----	1.926B/----	1.926B/2.025A	----	2.468 +	0.760 .1861	----	----	----	----	12	UNCH	
5800	----	----	2.336B/----	2.336B/2.298A	----	2.870 +	0.863 .2099	----	----	----	----	2	UNCH	
5950	----	----	2.795B/----	2.795B/2.633A	----	3.322 +	0.973 .2353	----	----	----	----	5	UNCH	
6000	----	----	2.963B/----	2.963B/2.762A	----	3.484 +	1.011 .2440	----	----	----	----	136	UNCH	
6200	----	----	3.709B/----	3.709B/3.347A	----	4.196 +	1.171 .2803	----	----	----	----	13	UNCH	
6300	----	----	4.111B/----	4.111B/3.651A	----	4.589 +	1.255 .2991	----	----	----	----	25	UNCH	
6500	----	----	4.993B/----	4.993B/4.372A	----	5.451 +	1.428 .3374	----	----	----	----	745	UNCH	
6650	----	----	5.727B/----	5.727B/4.974A	----	6.164 +	1.561 .3665	----	----	----	----	5	UNCH	
6725	----	----	6.114B/----	6.114B/5.301A	----	6.541 +	1.627 .3810	----	----	----	----	4	UNCH	
6750	----	----	6.263B/----	6.263B/5.407A	----	6.670 +	1.650 .3859	----	----	----	----	6	UNCH	
6800	----	----	6.540B/----	6.540B/5.632A	----	6.933 +	1.695 .3956	----	----	----	----	79	UNCH	
6850	----	----	6.816B/----	6.816B/5.871A	----	7.201 +	1.739 .4052	----	----	----	----	78	UNCH	
6900	----	----	7.104B/----											

BULLETIN #107@				METALS OPTION PRODUCTS							Fri, Jun 05, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS															
FEB27																
8225	----	----	16.861B/----	16.861B/15.444A	----	17.301 + 2.666	.5861	----	----	----	----	----	10	UNCH		
8250	----	----	17.317B/----	17.317B/15.623A	----	17.492 + 2.681	.5890	----	----	----	----	----	10	UNCH		
TOTAL											1	0	31 -	1		
MAR27																
4500	----	----	----	0.840B/0.974A	----	1.193 + 0.337	.0816	----	----	----	----	----	2	UNCH		
5500	----	----	----	2.324B/2.822A	----	3.133 + 0.787	.1856	----	----	----	----	----	1	UNCH		
6000	----	----	4.013B/----	4.013B/4.158A	----	4.763 + 1.101	.2560	----	----	----	----	----	50	UNCH		
6500	----	----	6.246B/----	6.246B/6.014A	----	6.977 + 1.455	.3332	----	----	----	----	----	20	UNCH		
6825	----	----	7.931B/----	7.931B/7.531A	----	8.689 + 1.689	.3835	----	----	----	----	----	2	UNCH		
7500	----	----	12.331B/----	12.331B/11.252A	----	12.814 + 2.156	.4817	----	----	----	----	----	3	UNCH		
8100	----	----	16.646B/----	16.646B/15.197A	----	17.055 + 2.527	.5567	----	----	----	----	----	6	UNCH		
8300	----	----	18.227B/----	18.227B/16.622A	----	18.563 + 2.639	.5790	----	----	----	----	----	50	UNCH		
8500	----	----	19.789B/----	19.789B/18.095A	----	20.111 + 2.747	.5999	----	----	----	----	----	3	UNCH		
8975	----	----	23.342B/----	23.342B/21.740A	----	23.923 + 2.979	.6447	----	----	----	----	----	1	UNCH		
10500	----	----	36.560B/----	36.560B/34.438A	----	37.097 + 3.551	.7499	----	----	----	----	----	10	UNCH		
TOTAL												0	148	0		
APR27																
4000	----	----	----	0.453B/0.735A	----	0.804 + 0.222	.0535	----	----	----	----	----	1	UNCH		
8725	----	----	21.441B/----	21.441B/20.076A	----	22.133 + 2.777	.6014	----	----	----	----	----	3	UNCH		
TOTAL													0	4	0	
DEC27																
7175	----	----	----	----	----	13.856 + 1.737	.3808	----	----	----	----	----	25	UNCH		
TOTAL												0	25	0	0	
SO1 CALL	SILVER OPTIONS															
JUN26																
6900	0.420	0.420	0.420/0.094A	4.624B/0.094A	----	0.103 NEW	----	----	2	----	2	----	0	UNCH		
6940	0.524	0.524	0.524/0.001	4.225B/0.001	----	0.000 NEW	----	----	----	4	----	----	0	UNCH		
7000	0.118	0.118	0.118/0.015	3.629B/0.015	----	0.000 NEW	----	----	----	31	----	----	0	UNCH		
7100	0.270	0.270	0.270/0.021A	2.642B/0.021A	----	0.000 NEW	----	----	----	7	----	----	0	UNCH		
7150	0.120	0.120	0.120/0.023A	2.157B/0.023A	----	0.000 NEW	----	----	----	10	----	----	0	UNCH		
7200	0.106	0.106	0.120/0.020	1.684B/0.020	----	0.000 NEW	----	----	----	25	----	----	0	UNCH		
7300	----	----	-----/0.024A	0.837B/0.024A	----	0.000 - 1.322	----	----	----	----	----	----	0 -	1		
7330	0.350	0.350	0.630B/0.022A	0.630B/0.022A	----	0.000 NEW	----	----	----	2	----	----	0	UNCH		
7350	0.295	0.295	0.295/0.021A	0.562B/0.021A	----	0.000 - 0.979	----	----	----	15	----	----	0 -	11		
7360	0.410	0.410	0.410/0.021A	0.554B/0.021A	----	0.000 - 0.916	----	----	----	2	----	----	0 -	1		
7370	----	----	-----/0.021A	0.560B/0.021A	----	0.000 - 0.856	----	----	----	----	----	----	0 -	1		
7380	----	----	-----/0.021A	0.574B/0.021A	----	0.000 - 0.799	----	----	----	----	----	----	0 -	10		
7400	0.655	0.655	0.655/0.021	0.655/0.021	----	0.000 - 0.692	----	----	----	16	----	----	0 -	25		
7410	0.555	0.555	0.555/0.021A	0.555/0.021A	----	0.000 NEW	----	----	----	1	----	----	0	UNCH		
7420	0.105	0.105	0.105/0.006	0.386B/0.006	----	0.000 - 0.595	----	----	----	2	----	----	0 -	1		
7430	----	----	-----/0.021A	0.342B/0.021A	----	0.000 - 0.550	----	----	----	----	----	----	0 -	1		
7450	0.080	0.080	0.092/0.021A	0.236B/0.021A	----	0.000 NEW	----	----	----	7	----	----	0	UNCH		
7480	----	----	-----/0.021A	0.133B/0.021A	----	0.000 - 0.365	----	----	----	----	----	----	0 -	5		
7500	0.100	0.100	0.100/0.010	0.101B/0.010	----	0.000 - 0.307	----	----	----	6	----	----	0 -	33		
7540	----	----	-----/0.021A	0.036B/0.021A	----	0.000 - 0.218	----	----	----	----	----	----	0 -	1		
7550	----	----	-----/0.021A	0.030B/0.021A	----	0.000 - 0.200	----	----	----	----	----	----	0 -	27		
7560	----	----	-----/0.021A	0.022B/0.021A	----	0.000 - 0.183	----	----	----	----	----	----	0 -	3		
7570	----	----	-----/0.024A	0.019B/0.024A	----	0.000 - 0.169	----	----	----	----	----	----	0 -	1		
7590	0.022	0.022	0.022/0.022	0.022/0.022	----	0.000 - 0.143	----	----	----	1	----	----	0 -	1		
7600	----	----	-----/0.026A	0.010B/0.026A	----	0.000 - 0.132	----	----	----	----	----	----	0 -	24		
7610	----	----	-----/0.021A	0.007B/0.021A	----	0.000 - 0.122	----	----	----	----	----	----	0 -	2		
7630	0.025	0.025	0.025/0.025	0.025/0.025	----	0.000 NEW	----	----	----	1	----	----	0	UNCH		
7640	----	----	-----/0.025A	0.002B/0.025A	----	0.000 - 0.097	----	----	----	----	----	----	0 -	1		
7650	----	----	-----/0.028A	0.002B/0.028A	----	0.000 - 0.090	----	----	----	----	----	----	0 -	9		
7670	----	----	-----/0.025A	0.002B/0.025A	----	0.000 - 0.078	----	----	----	----	----	----	0 -	1		
7700	----	----	-----/0.024A	0.001B/0.024A	----	0.000 - 0.063	----	----	----	----	----	----	0 -	13		
7730	----	----	-----/0.022A	0.001B/0.022A	----	0.000 - 0.048	----	----	----	----	----	----	0 -	1		
7750	----	----	-----/0.024A	0.001B/0.024A	----	0.000 - 0.039	----	----	----	----	----	----	0 -	1		
7780	----	----	-----/0.022A	-----/0.022A	----	0.000 - 0.030	----	----	----	----	----	----	0 -	1		
7790	----	----	-----/0.022A	-----/0.022A	----	0.000 - 0.027	----	----	----	----	----	----	0 -	2		
7800	0.001	0.001	0.030/0.001	0.030/0.001	----	0.000 - 0.024	----	----	----	3	----	----	0 -	15		
7850	----	----	-----/0.029A	-----/0.029A	----	0.000 - 0.015	----	----	----	----	----	----	0 -	2		
7880	----	----	----	0.010B/0.023A	----	0.000 - 0.011	----	----	----	----	----	----	0 -	1		
7900	----	----	-----/0.027A	-----/0.027A	----	0.000 - 0.009	----	----	----	----	----	----	0 -	1		
7950	0.032	0.032	0.032/0.021A	0.032/0.021A	----	0.000 - 0.006	----	----	----	1	----	----	0 -	11		
8000	----	----	-----/0.021A	-----/0.021A	----	0.000 - 0.003	----	----	----	----	----	----	0 -	26		
8100	----	----	0.007B/----	0.007B/0.023A	----	0.000 - 0.001	----	----	----	----	----	----	0 -	103		
8150	----	----	----	-----/0.023A	----	0.000 - 0.001	----	----	----	----	----	----	0 -	1		
8200	----	----	----	-----/0.023A	----	0.000 - 0.001	----	----	----	----	----	----	0 -	3		
8300	----	----	----	-----/0.024A	----	0.000 - 0.001	----	----	----	----	----	----	0 -	132		
8400	----	----	----	-----/0.044A	----	0.000 - 0.001	----	----	----	----	----	----	0 -	2		
8500	----	----	----	-----/0.044A	----	0.000 - 0.001	----	----	----	----	----	----	0 -	11		
8600	----	----	----	-----/0.044A	----	0.000 - 0.001	----	----	----	----	----	----	0 -	32		
9000	----	----	----	-----/0.043A	----	0.000 - 0.001	----	----	----	----	----	----	0 -	96		
9500	----	----	----	-----/0.042A	----	0.000 - 0.001	----	----	----	----	----	----	0 -	130		
11500	----	----	----	-----/0.040A	----	0.000 - 0.001	----	----	----	----	----	----	0 -	1		
TOTAL											136	0	0 -	744		
SO1 PUT	SILVER OPTIONS															
JUN26																
6100	----	----	----	-----/0.078A	----</											

	BULLETIN #107@				METALS OPTION PRODUCTS				Fri, Jun 05, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
S02 CALL	SILVER OPTIONS												
JUN26													
6900	----	----	----/1.299A	4.839B/1.299A	----	1.773	NEW .5218	----	----	1	----	1 +	1
6950	1.395	1.395	1.455/1.111A	4.404B/1.111A	----	1.524	NEW .4722	----	----	12	----	12 +	12
7000	1.000	1.000	1.000/0.946A	3.987B/0.946A	----	1.302	NEW .4229	----	----	2	----	2 +	2
7050	0.866	0.866	0.916/0.756A	3.584B/0.756A	----	1.105	NEW .3749	----	----	3	----	2 +	2
7100	0.619	0.619	0.619/0.600	3.200B/0.600	----	0.934	NEW .3292	----	----	5	----	5 +	5
7150	1.327	1.327	1.327/0.578A	2.837B/0.578A	----	0.786	NEW .2866	----	----	15	----	15 +	15
7200	0.660	0.660	0.682/0.491A	2.496B/0.491A	----	0.660	NEW .2476	----	----	34	----	31 +	31
7250	0.581	0.581	0.589/0.418A	2.176B/0.418A	----	0.553 -	2.042 .2125	----	----	10	----	9 +	8
7300	0.720	0.720	0.720/0.357A	1.959B/0.357A	----	0.464	NEW .1816	----	----	7	----	7 +	7
7400	----	----	----/0.266A	1.559B/0.266A	----	0.328 -	1.411 .1314	----	----	5	----	6 +	5
7450	----	----	----/0.231A	1.274B/0.231A	----	0.277 -	1.227 .1116	----	----	1	----	1	UNCH
7500	0.979	0.979	1.079/0.207A	1.081B/0.207A	----	0.235 -	1.059 .0948	----	----	10	----	18	UNCH
7600	----	----	----/0.163A	0.745B/0.163A	----	0.173 -	0.774 .0693	----	----	6	----	6	UNCH
7650	0.790	0.790	0.790/0.148A	0.790/0.148A	----	0.149 -	0.657 .0593	----	----	8	----	8 +	8
7700	----	----	----/0.134A	0.531B/0.134A	----	0.130 -	0.556 .0512	----	----	7	----	7	UNCH
7750	----	----	----/0.124A	0.449B/0.124A	----	0.114 -	0.469 .0444	----	----	1	----	1	UNCH
7800	----	----	----/0.111A	0.379B/0.111A	----	0.101 -	0.394 .0388	----	----	11	----	103 +	3
7850	0.132	0.132	0.135/0.105A	0.322B/0.105A	----	0.090 -	0.332 .0341	----	----	4	----	4	UNCH
7900	----	----	----/0.097A	0.272B/0.097A	----	0.081 -	0.279 .0302	----	----	1	----	1	UNCH
8000	0.109	0.109	0.109/0.060	0.198B/0.060	----	0.068 -	0.197 .0244	----	----	12	----	17 +	8
8050	----	----	----/0.079A	0.169B/0.079A	----	0.062 -	0.168 .0218	----	----	2	----	2	UNCH
8100	----	----	----/0.075A	0.146B/0.075A	----	0.058 -	0.142 .0200	----	----	5	----	5	UNCH
8200	----	----	----/0.068A	0.109B/0.068A	----	0.050 -	0.105 .0166	----	----	15	----	15	UNCH
8250	----	----	----/0.065A	0.095B/0.065A	----	0.048 -	0.090 .0156	----	----	6	----	6	UNCH
8300	----	----	----/0.062A	0.086B/0.062A	----	0.045 -	0.079 .0143	----	----	2	----	2	UNCH
8400	----	----	----/0.058A	0.069B/0.058A	----	0.041 -	0.062 .0126	----	----	2	----	2	UNCH
8500	----	----	----/0.055A	0.055B/0.055A	----	0.038 -	0.049 .0112	----	----	10	----	10	UNCH
8700	----	----	----/0.054A	0.039B/0.054A	----	0.034 -	0.034 .0093	----	----	1	----	1	UNCH
9000	0.050	0.050	0.050/0.050	0.050/0.050	----	0.031 -	0.020 .0076	----	----	1	----	5	UNCH
10000	----	----	----	----/0.173A	----	0.016 -	0.008 .0031	----	----	140	----	2	UNCH
TOTAL										140	0	306 +	107
JUL26													
7850	1.100	1.100	1.100/1.100	2.017B/1.100	----	0.859	NEW .1842	----	----	2	----	2 +	2
8000	0.970	0.970	0.970/0.970	1.664B/0.970	----	0.711 -	1.238 .1543	----	----	5	----	13 +	5
TOTAL										7	0	15 +	7
S02 PUT	SILVER OPTIONS												
JUN26													
5250	----	----	0.017B/----	0.017B/0.037A	----	0.026	+ 0.022 .0059	----	----	----	----	2	UNCH
6000	0.138	0.138	0.200/0.138	0.200/0.051A	----	0.123	NEW .0378	----	----	25	----	25 +	25
6250	0.260	0.260	0.336B/0.260	0.336B/0.070A	----	0.236	NEW .0780	----	----	10	----	10 +	10
6400	0.580	0.580	0.620/0.580	0.620/0.093A	----	0.364	+ 0.274 .1229	----	----	5	----	5 +	3
6500	0.430	0.430	0.765/0.112A	0.765/0.112A	----	0.493	NEW .1665	----	----	2	----	2 +	2
6600	0.382	0.382	1.008B/0.146A	1.008B/0.146A	----	0.673	+ 0.524 .2239	----	----	29	----	27 +	25
6650	0.650	0.650	1.171B/0.167A	1.171B/0.167A	----	0.786	NEW .2580	----	----	3	----	3 +	3
6700	0.846	0.846	1.357B/0.191A	1.357B/0.191A	----	0.918	+ 0.722 .2960	----	----	1	----	2 +	1
6750	----	----	1.582B/0.222A	1.582B/0.222A	----	1.071	+ 0.844 .3375	----	----	----	----	1	UNCH
6800	0.330	0.330	1.831B/0.261A	1.831B/0.261A	----	1.246	+ 0.982 .3821	----	----	3	----	5 +	2
6850	1.949	1.949	2.087B/0.305A	2.087B/0.305A	----	1.445	+ 1.137 .4293	----	----	2	----	5	UNCH
6900	0.615	0.615	2.278B/0.615	2.278B/0.363A	----	1.670	+ 1.309 .4781	----	----	29	----	32 +	29
7000	1.700	1.700	3.200/1.700	3.200/0.508A	----	2.198	+ 1.699 .5770	----	----	15	----	107 +	5
7050	0.721	0.721	3.277B/0.609A	3.277B/0.609A	----	2.501	NEW .6250	----	----	10	----	10 +	10
7100	0.791	0.791	3.668B/0.727A	3.668B/0.727A	----	2.830	+ 2.137 .6707	----	----	3	----	5 +	2
7150	1.822	1.822	4.069B/0.793A	4.069B/0.793A	----	3.182	NEW .7133	----	----	1	----	1 +	1
7200	1.353	1.353	4.750/1.018A	4.750/1.018A	----	3.555	+ 2.596 .7523	----	----	2	----	27 +	1
7250	----	----	4.917B/----	4.917B/1.206A	----	3.948	+ 2.823 .7874	----	----	----	----	1	UNCH
7300	5.150	5.150	5.360B/5.150	5.360B/1.415A	----	4.359	+ 3.045 .8183	----	----	2	----	2	UNCH
7350	----	----	5.814B/----	5.814B/1.636A	----	4.784	+ 3.256 .8452	----	----	----	----	2	UNCH
7400	----	----	6.276B/----	6.276B/1.895A	----	5.222	+ 3.455 .8685	----	----	----	----	11	UNCH
7450	----	----	6.745B/----	6.745B/2.185A	----	5.671	+ 3.639 .8883	----	----	----	----	51	UNCH
7500	----	----	7.214B/----	7.214B/2.431A	----	6.129	NEW .9051	----	----	2	----	2 +	2
7700	----	----	9.156B/----	9.156B/4.063A	----	8.023	+ 4.310 .9487	----	----	1	----	1	UNCH
7900	----	----	10.416B/----	10.416B/5.789A	----	9.973	+ 4.588 .9697	----	----	----	----	1	UNCH
8000	----	----	9.102B/----	9.102B/6.711A	----	10.959	NEW .9755	----	----	1	----	1 +	1
8250	14.300	14.300	14.300/14.300	14.300/9.103A	----	13.438	+ 4.776 .9843	----	----	1	----	1	UNCH
TOTAL										146	0	342 +	122
JUL26													
6300	1.150	1.150	1.237B/1.150	1.237B/0.622A	----	1.171	NEW .2054	----	----	5	----	5 +	5
6950	----	----	3.649B/----	3.649B/1.900A	----	3.337	+ 1.615 .4704	----	----	----	----	5	UNCH
TOTAL										5	0	10 +	5
S04 CALL	SILVER OPTIONS												
JUN26													
7350	2.680	2.680	2.680/1.437A	2.680/1.437A	----	1.390	NEW .3118	----	----	2	----	2 +	2
7500	----	----	----/1.106A	2.375B/1.106A	----	1.040	NEW .2471	----	----	10	----	3 +	3
7700	----	----	----/0.805A	1.681B/0.805A	----	0.718	NEW .1796	----	----	10	----	3 +	3
7800	----	----	----/0.680A	1.374B/0.680A	----	0.603 -	1.021 .1533	----	----	----	----	1	UNCH
8000	----	----	----/0.450A	0.909B/0.450A	----	0.438 -	0.709 .1133	----	----	----	----	5	UNCH
8200	0.407	0.407	0.407/0.379A	0.595B/0.379A	----	0.331 -	0.488 .0857	----	----	1	----	1	UNCH
8300	0.159	0.159	0.159/0.159	0.479B/0.159	----	0.292 -	0.405 .0753	----	----	1	----	1	UNCH
9000	----	----	----/0.229A	0.121B/0.229A	----	0.144 -	0.130 .0350	----	----	----	----	1	UNCH
TOTAL										24	0	17 +	8
S04 PUT	SILVER OPTIONS												
JUN>													



PG64	BULLETIN #107@										METALS OPTION PRODUCTS										Fri, Jun 05, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
SWW WED	SILVER WEEKLY WEDNESDAY OPTION WEEK																								
TOTAL											108	0	137 +	45											
TWS TUE	SILVER WEEKLY TUESDAY OPTION Week3																								
JUN26																									
5250	----	----	0.010B/----	0.010B/0.087A	----	0.039	+	0.036	.0096	----	----	----	----	5	UNCH										
6600	0.270	0.270	0.341B/0.270	0.341B/0.140A	----	0.283	+	0.226	.1347	----	----	1	----	1	UNCH										
6700	0.840	0.840	0.840/0.840	0.840/0.147A	----	0.451		NEW	.2161	----	----	1	----	1	+	1	UNCH								
6750	0.081	0.081	0.773B/0.081	0.773B/0.081	----	0.570		NEW	.2700	----	----	2	----	2	+	2	UNCH								
6800	----	----	1.021B/----	1.021B/0.156A	----	0.718		NEW	.3324	----	----	1	----	1	+	1	UNCH								
6900	0.165	0.165	1.388B/0.165	1.388B/0.165	----	1.111	+	0.996	.4767	----	----	2	----	3	+	2	UNCH								
6900	0.740	0.740	0.740/0.740	4.682B/0.740	----	1.214		NEW	.5232	----	----	2	----	2	+	2	UNCH								
6950	----	----	1.601B/----	1.601B/0.245A	----	1.363	+	1.226	.5536	----	----	2	----	5	+	5	UNCH								
7000	0.730	0.730	0.730/0.440A	2.100B/0.440A	----	0.755		NEW	.3707	----	----	2	----	2	+	2	UNCH								
7000	----	----	3.149B/----	3.149B/1.493A	----	3.071	+	1.709	.5014	----	----	----	----	1	UNCH										
7000	0.701	0.701	1.930B/0.591	1.930B/0.325A	----	1.652		NEW	.6292	----	----	5	----	3	+	3	UNCH								
7050	----	----	2.300B/----	2.300B/0.400A	----	1.978	+	1.770	.7001	----	----	----	----	1	UNCH										
7050	----	----	----/0.561A	2.068B/0.561A	----	0.581		NEW	.2998	----	----	2	----	2	+	2	UNCH								
7100	----	----	2.462B/----	2.462B/0.461A	----	2.338	+	2.073	.7633	----	----	----	----	1	UNCH										
7150	0.290	0.290	0.290/0.290	1.854B/0.290	----	0.333		NEW	.1827	----	----	8	----	8	+	8	UNCH								
7200	1.245	1.245	1.531B/0.272A	1.531B/0.272A	----	0.251		NEW	.1391	----	----	1	----	1	+	1	UNCH								
7250	----	----	----/0.250A	1.221B/0.250A	----	0.190		NEW	.1050	----	----	2	----	2	+	2	UNCH								
7250	----	----	4.272B/----	4.272B/1.605A	----	4.216	+	2.831	.7386	----	----	----	----	30	+	30	UNCH								
7270	2.500	2.500	4.395B/2.500	4.395B/0.897A	----	3.766		NEW	.9063	----	----	2	----	1	+	1	UNCH								
7300	1.240	1.240	2.103B/1.240	2.103B/0.970A	----	4.041	+	3.309	.9208	----	----	1	----	1	UNCH										
7300	----	----	4.609B/----	4.609B/1.773A	----	4.605	+	3.017	.7680	----	----	----	----	1	UNCH										
7390	----	----	4.171B/----	4.171B/1.363A	----	4.889	+	3.767	.9515	----	----	----	----	4	UNCH										
7400	----	----	4.224B/----	4.224B/1.372A	----	4.985	+	3.812	.9539	----	----	----	----	4	UNCH										
7450	----	----	----/0.157A	0.714B/0.157A	----	0.072	-	0.852	.0359	----	----	----	----	1	UNCH										
7500	----	----	----/1.236A	2.503B/1.236A	----	1.053	-	1.857	.2494	----	----	----	----	1	UNCH										
7500	----	----	3.728B/----	3.728B/3.568A	----	6.426	+	3.033	.7505	----	----	----	----	1	UNCH										
7550	----	----	3.969B/----	3.969B/2.942A	----	6.445	+	4.322	.9770	----	----	----	----	5	UNCH										
7600	----	----	----/0.131A	0.232B/0.131A	----	0.043	-	0.434	.0189	----	----	----	----	4	UNCH										
7600	----	----	----	2.110B/3.375A	----	6.938	+	4.433	.9810	----	----	----	----	1	UNCH										
7650	----	----	----/0.123A	0.109B/0.123A	----	0.037	-	0.348	.0156	----	----	----	----	2	UNCH										
7650	----	----	8.040B/----	8.040B/4.401A	----	7.647	+	4.054	.9072	----	----	----	----	1	UNCH										
7650	----	----	----/27.346A	4.272B/1.605A	----	7.432	+	4.519	.9843	----	----	----	----	2	UNCH										
7700	----	----	----/0.120A	0.066B/0.120A	----	0.033	-	0.280	.0133	----	----	----	----	9	UNCH										
7750	----	----	----/0.261A	0.518B/0.261A	----	0.193	-	0.624	.0707	----	----	----	----	1	UNCH										
7800	----	----	4.445B/----	4.445B/6.167A	----	8.921	+	4.680	.9900	----	----	----	----	1	UNCH										
7900	----	----	----/0.102A	0.006B/0.102A	----	0.023	-	0.132	.0078	----	----	----	----	6	UNCH										
8000	----	----	----/0.638A	1.072B/0.638A	----	0.505	-	0.816	.1247	----	----	----	----	1	UNCH										
8100	----	----	----/0.090A	0.003B/0.090A	----	0.019	-	0.080	.0055	----	----	----	----	11	UNCH										
8200	----	----	----	0.002B/0.086A	----	0.018	-	0.068	.0049	----	----	----	----	4	UNCH										
8500	----	----	----	----/0.073A	----	0.018	-	0.051	.0040	----	----	----	----	5	UNCH										
8500	----	----	----	----	----	15.911	+	4.817	.9959	----	----	----	----	1	UNCH										
8800	----	----	----	----	----	18.903	+	4.843	.9980	----	----	----	----	1	UNCH										
9000	----	----	----	----/0.072A	----	0.006	-	0.017	.0010	----	----	----	----	3	UNCH										
9700	----	----	----	----/0.256A	----	0.002	-	0.006	.0002	----	----	----	----	11	UNCH										
TOTAL											32	0	154 +	27											

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
HMW MON JUN26	COPPER WEEKLY MONDAY OPTION WEEK2												
500	----	----	----	----/0.0050A	----	0.0005	UNCH	----	----	----	----	14	UNCH
575	----	----	----	0.0005B/0.0060A	----	0.0050 + 0.0040	.0317	----	----	----	----	1	UNCH
580	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	1	UNCH
605	0.0025	0.0025	0.0025/0.0025	0.0025/0.0025	----	0.0005	UNCH	.0052	----	1	----	1 +	1
610	----	----	----/0.1620A	0.4275B/0.1620A	----	0.1865 - 0.2490	.9754	----	----	----	----	1	UNCH
615	----	----	0.0480B/----	0.0480B/0.0120A	----	0.0450 + 0.0380	.2763	----	----	----	----	10	UNCH
620	0.0150	0.0150	0.0150/0.0150	0.0150/0.0045A	----	0.0145	NEW	.1891	----	4	----	4 +	4
622	0.0270	0.0270	0.0270/0.0270	0.0270/0.0050A	----	0.0195	NEW	.2497	----	1	----	1 +	1
625	0.1145	0.1145	0.1250B/0.1145	0.1250B/0.0370A	----	0.1125	NEW	.4461	----	2	----	2 +	2
625	----	----	0.0365B/----	0.0365B/0.0050A	----	0.0295 + 0.0285	.3580	----	----	----	----	10	UNCH
626	0.0375	0.0375	0.0375/0.0375	0.2680B/0.0375	----	0.0580	NEW	.6026	----	3	----	3 +	3
628	0.0165	0.0165	0.0505B/0.0165	0.0505B/0.0055A	----	0.0425	NEW	.4784	----	12	----	10 +	10
628	----	----	----/0.0365A	0.2480B/0.0365A	----	0.0470	NEW	.5215	----	2	----	2 +	2
630	----	----	0.1185B/----	0.1185B/0.0255A	----	0.1045 + 0.0815	.5193	----	----	----	----	12	UNCH
630	0.0100	0.0100	0.0635B/0.0100	0.0635B/0.0070A	----	0.0530 + 0.0505	.5601	----	10	----	----	20 +	10
630	----	----	----/0.0850A	0.2450B/0.0850A	----	0.0890 - 0.1690	.4804	----	----	----	----	7	UNCH
630	0.0310	0.0310	0.0405/0.0260	0.2285B/0.0260	----	0.0375	NEW	.4397	----	52	----	50 +	50
635	----	----	0.1505B/----	0.1505B/0.0350A	----	0.1335 + 0.1005	.6037	----	----	----	----	56	UNCH
635	----	----	0.1015B/----	0.1015B/0.0105A	----	0.0845 + 0.0790	.7498	----	----	----	----	11	UNCH
635	0.0340	0.0340	0.0385/0.0155A	0.1800B/0.0155A	----	0.0190	NEW	.2500	----	35	----	35 +	35
637	----	----	0.1185B/----	0.1185B/0.0115A	----	0.0995 + 0.0925	.8114	----	----	----	----	1	UNCH
640	0.0200	0.0200	0.1460B/0.0200	0.1460B/0.0150A	----	0.1240 + 0.1130	.8842	----	1	----	----	4	UNCH
640	----	----	----/0.0510A	0.1360B/0.0510A	----	0.0510 - 0.1310	.3176	----	----	----	----	1	UNCH
640	0.0130	0.0130	0.0130/0.0095A	0.1340B/0.0095A	----	0.0085	NEW	.1157	----	50	----	50 +	50
641	0.0165	0.0165	0.1555B/0.0165	0.1555B/0.0155A	----	0.1325 + 0.1200	.9044	----	2	----	----	1	UNCH
642	----	----	0.1650B/----	0.1650B/0.0180A	----	0.1410 + 0.1265	.9242	----	----	----	----	16	UNCH
643	----	----	0.1745B/----	0.1745B/0.0200A	----	0.1500 + 0.1335	.9385	----	----	----	----	3	UNCH
645	----	----	0.1940B/----	0.1940B/0.0250A	----	0.1685 + 0.1475	.9602	----	----	----	----	1	UNCH
646	----	----	0.2040B/----	0.2040B/0.0280A	----	0.1780 + 0.1540	.9676	----	----	----	----	1	UNCH
647	----	----	0.2135B/----	0.2135B/0.0315A	----	0.1875 + 0.1605	.9746	----	----	----	----	1	UNCH
650	0.0635	0.0635	0.0635/0.0545A	0.1400B/0.0545A	----	0.0545	NEW	.2659	----	13	----	13 +	13
650	----	----	0.2640B/----	0.2640B/0.0875A	----	0.2425 + 0.1565	.8097	----	----	----	----	3	UNCH
650	----	----	0.2435B/----	0.2435B/0.0425A	----	0.2165 + 0.1790	.9883	----	----	----	----	1	UNCH
650	----	----	----/0.0285A	0.1060B/0.0285A	----	0.0275 - 0.0935	.1900	----	----	----	----	7	UNCH
650	0.0100	0.0100	0.0100/0.0050A	0.0585B/0.0050A	----	0.0010 - 0.0715	.0116	----	30	----	----	32 +	30
651	----	----	----/0.0050A	0.0530B/0.0050A	----	0.0010 - 0.0660	.0111	----	----	----	----	1	UNCH
653	0.0410	0.0410	0.0410/0.0045A	0.0420B/0.0045A	----	0.0005 - 0.0555	.0039	----	6	----	----	8 -	5
655	----	----	0.2935B/----	0.2935B/0.0670A	----	0.2660 + 0.2045	.9979	----	----	----	----	1	UNCH
656	0.0040	0.0040	0.0040/0.0040	0.0285B/0.0040	----	0.0005 - 0.0415	.0014	----	7	----	----	2 -	5
660	----	----	----/0.0045A	0.0140B/0.0045A	----	0.0005 - 0.0270	.0003	----	----	----	----	2	UNCH
665	----	----	0.3935B/----	0.3935B/0.1335A	----	0.3660 + 0.2360	.0000	----	----	----	----	3	UNCH
670	----	----	----/0.0040A	----/0.0040A	----	0.0005 - 0.0075	----	----	----	----	----	20	UNCH
680	----	----	----/0.0170A	0.0365B/0.0170A	----	0.0140 - 0.0355	.0807	----	----	----	----	25	UNCH
685	----	----	----/0.0030A	----/0.0030A	----	0.0005 - 0.0005	----	----	----	----	----	10	UNCH
690	----	----	----	----/0.0030A	----	0.0005	UNCH	----	----	----	----	1	UNCH
705	----	----	----	----/0.0065A	----	0.0005 - 0.0035	.0006	----	----	----	----	1	UNCH
775	----	----	----	----/0.0030A	----	0.0005	UNCH	----	----	----	----	1	UNCH
TOTAL										231		461 +	201
HMW THU JUN26	COPPER WEEKLY THURSDAY OPT week3												
500	----	----	----	----/0.0055A	----	0.0005	UNCH	.0002	----	----	----	1	UNCH
600	0.0295	0.0295	0.0295/0.0295	0.0295/0.0110A	----	0.0280 + 0.0205	.1581	----	----	1	----	1	UNCH
610	----	----	0.0205B/----	0.0205B/0.0080A	----	0.0200 + 0.0180	.1591	----	----	----	----	10	UNCH
615	----	----	0.0690B/----	0.0690B/0.0190A	----	0.0625 + 0.0460	.3099	----	----	----	----	10	UNCH
620	----	----	0.0505B/----	0.0505B/0.0115A	----	0.0435 + 0.0380	.3164	----	----	----	----	11	UNCH
620	0.0850	0.0850	0.0895B/0.0850	0.0895B/0.0240A	----	0.0805 + 0.0585	.3746	----	1	----	----	1	UNCH
624	0.0120	0.0120	0.0685B/0.0120	0.0685B/0.0120	----	0.0580	NEW	.3975	----	10	----	10 +	10
625	----	----	0.0735B/----	0.0735B/0.0140A	----	0.0620 + 0.0535	.4187	----	----	----	----	20	UNCH
625	0.1075	0.1075	0.1140B/0.1075	0.1140B/0.0315A	----	0.1020 + 0.0725	.4428	----	1	----	----	3 +	1
626	0.0675	0.0675	0.0785B/0.0675	0.0785B/0.0210A	----	0.0665	NEW	.4404	----	1	----	1 +	1
630	----	----	0.1015B/----	0.1015B/0.0185A	----	0.0860 + 0.0720	.5283	----	----	----	----	25	UNCH
630	----	----	----/0.0680A	0.2370B/0.0680A	----	0.0705 - 0.1785	.4715	----	----	----	----	1	UNCH
630	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
630	----	----	----	----	----	0.2350	UNCH	----	----	----	----	0	UNCH
635	----	----	0.1265B/----	0.1265B/0.0260A	----	0.1150 + 0.0925	.6359	----	----	----	----	21	UNCH
635	----	----	----/0.0885A	0.2205B/0.0885A	----	0.0905 - 0.1465	.4197	----	----	----	----	1	UNCH
640	----	----	0.1695B/----	0.1695B/0.0375A	----	0.1495 + 0.1155	.7318	----	----	----	----	78	UNCH
640	----	----	----/0.0350A	0.1555B/0.0350A	----	0.0340 - 0.1350	.2680	----	----	----	----	42	UNCH
640	0.0750	0.0750	0.0750/0.0720A	0.1860B/0.0720A	----	0.0725	NEW	.3555	----	15	----	15 +	15
642	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
644	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
645	----	----	----/0.0240A	0.1160B/0.0240A	----	0.0230 - 0.1120	.1900	----	----	----	----	9	UNCH
645	----	----	0.2420B/----	0.2420B/0.0875A	----	0.2225 + 0.1350	.7040	----	----	----	----	1	UNCH
645	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH
648	----	----	----	----	----	0.0550	UNCH	----	----	----	----	0	UNCH
649	----	----	----	----	----	0.0450	UNCH	----	----	----	----	0	UNCH
650	0.1500	0.1500	0.2530B/0.1500	0.2530B/0.0735A	----	0.2300 + 0.1600	.8711	----	----	150	----	62 -	88

BULLETIN #107@				METALS OPTION PRODUCTS										Fri, Jun 05, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
COPPER WEEKLY THURSDAY OPT week1																		
HWR THU JUN26																		
650	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH					
650	----	----	----	----	----	0.0350	UNCH	----	----	----	----	0	UNCH					
651	----	----	----	----	----	0.0250	UNCH	----	----	----	----	0	UNCH					
652	----	----	----	----	----	0.0150	UNCH	----	----	----	----	0	UNCH					
653	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH					
653	----	----	----	----	----	0.0050	UNCH	----	----	----	----	0	UNCH					
654	----	----	----	----	----	0.0050	UNCH	----	----	----	----	0	UNCH					
654	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH					
655	0.0110	0.0110	0.0110/0.0080	0.0660B/0.0080	----	0.0095	NEW .0835	----	----	20	----	20 +	20					
655	----	----	----	----	----	0.0150	UNCH	----	----	----	----	0	UNCH					
655	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH					
656	0.0200	0.0200	0.0200/0.0120A	0.0200/0.0120A	----	0.0085	NEW .0754	----	----	10	----	10 +	10					
656	----	----	----	----	----	0.0250	UNCH	----	----	----	----	0	UNCH					
657	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH					
660	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH					
661	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH					
662	----	----	----	----	----	0.0850	UNCH	----	----	----	----	0	UNCH					
663	----	----	----	----	----	0.0950	UNCH	----	----	----	----	0	UNCH					
667	----	----	----	----	----	0.1350	UNCH	----	----	----	----	0	UNCH					
668	----	----	----	----	----	0.1450	UNCH	----	----	----	----	0	UNCH					
680	----	----	---/0.0065A	0.0025B/0.0065A	----	0.0005 - 0.0110	.0024	----	----	----	----	10	UNCH					
690	----	----	---/0.0105A	0.0140B/0.0105A	----	0.0050 - 0.0180	.0332	----	----	----	----	2	UNCH					
695	----	----	---/0.0095A	0.0095B/0.0095A	----	0.0035 - 0.0140	.0238	----	----	----	----	2	UNCH					
700	----	----	----	---/0.0055A	----	0.0005 - 0.0015	.0000	----	----	----	----	10	UNCH					
700	----	----	---/0.0090A	0.0055B/0.0090A	----	0.0025 - 0.0110	.0172	----	----	----	----	2	UNCH					
710	----	----	---/0.0075A	0.0020B/0.0075A	----	0.0015 - 0.0070	.0102	----	----	----	----	1	UNCH					
TOTAL										209		380 -	31					
COPPER WEEKLY TUESDAY OPTION week2																		
HWT TUE JUN26																		
500	----	----	----	----/0.0050A	----	0.0005	UNCH	----	----	----	----	14	UNCH					
550	----	----	----	---/0.0060A	----	0.0005	UNCH	.0034	----	----	----	1	UNCH					
590	----	----	0.0250B/----	0.0250B/0.0110A	----	0.0260 + 0.0175	.1291	----	----	----	----	1	UNCH					
590	----	----	0.0080B/----	0.0080B/0.0080A	----	0.0105 + 0.0085	.0709	----	----	----	----	1	UNCH					
595	----	----	----	---/0.0055A	----	0.0005	UNCH	.0037	----	----	----	1	UNCH					
610	----	----	0.0685B/----	0.0685B/0.0205A	----	0.0625 + 0.0425	.2788	----	----	----	----	1	UNCH					
610	----	----	0.0065B/----	0.0065B/0.0060A	----	0.0080 + 0.0075	.0835	----	----	----	----	1	UNCH					
615	----	----	0.0545B/----	0.0545B/0.0140A	----	0.0490 + 0.0390	.2854	----	----	----	----	10	UNCH					
615	----	----	0.0145B/----	0.0145B/0.0065A	----	0.0150 + 0.0145	.1545	----	----	----	----	1	UNCH					
620	----	----	0.1070B/0.0320A	0.1070B/0.0320A	----	0.0965 + 0.0635	.3881	----	----	----	----	16	UNCH					
620	----	----	0.0285B/----	0.0285B/0.0070A	----	0.0260 + 0.0245	.2575	----	----	----	----	11	UNCH					
625	0.0910	0.0910	0.0975B/0.0910	0.0975B/0.0225A	----	0.0870	NEW .4367	----	1	----	1 +	1						
625	----	----	---/0.0665A	0.2785B/0.0665A	----	0.0770 - 0.2105	.6083	----	----	----	----	1	UNCH					
627	----	----	0.0600B/----	0.0600B/0.0095A	----	0.0510 + 0.0475	.4514	----	----	----	----	10	UNCH					
628	0.0100	0.0100	0.0660B/0.0100	0.0660B/0.0090A	----	0.0555	NEW .4819	----	10	----	----	10 +	10					
630	----	----	0.0780B/----	0.0780B/0.0110A	----	0.0655 + 0.0605	.5438	----	----	----	----	0	UNCH					
630	----	----	---/0.0445A	0.2300B/0.0445A	----	0.0500 - 0.1900	.4560	----	----	----	----	1	UNCH					
635	----	----	0.1570B/----	0.1570B/0.0410A	----	0.1410 + 0.1020	.5946	----	----	----	----	31	UNCH					
635	----	----	0.1130B/----	0.1130B/0.0145A	----	0.0960 + 0.0865	.6909	----	----	----	----	10	UNCH					
637	0.0250	0.0250	0.0260/0.0235A	0.1110B/0.0235A	----	0.0245	NEW .2564	----	27	----	----	27 +	27					
639	----	----	0.1445B/----	0.1445B/0.0205A	----	0.1250 + 0.1095	.7904	----	----	----	----	15	UNCH					
640	----	----	0.1535B/----	0.1535B/0.0225A	----	0.1325 + 0.1155	.8137	----	----	----	----	5	UNCH					
640	----	----	---/0.0575A	0.1730B/0.0575A	----	0.0580 - 0.1300	.3318	----	----	----	----	20	UNCH					
642	----	----	0.1705B/----	0.1705B/0.0270A	----	0.1490 + 0.1270	.8505	----	----	----	----	2	UNCH					
643	----	----	0.1795B/----	0.1795B/0.0300A	----	0.1575 + 0.1330	.8667	----	----	----	----	1	UNCH					
645	0.0115	0.0115	0.0115/0.0115	0.0840B/0.0115	----	0.0095	NEW .1053	----	20	----	----	20 +	20					
650	----	----	---/0.0335A	0.1120B/0.0335A	----	0.0325 - 0.0955	.2077	----	----	----	----	10	UNCH					
650	0.0115	0.0115	0.0115/0.0050	0.0705B/0.0050	----	0.0050 - 0.0795	.0546	----	20	----	----	20 +	14					
652	----	----	0.2645B/----	0.2645B/0.0645A	----	0.2390 + 0.1800	.9615	----	----	----	----	1	UNCH					
652	0.0145	0.0145	0.0145/0.0080A	0.0595B/0.0080A	----	0.0035 - 0.0705	.0383	----	10	----	----	10 +	9					
670	----	----	---/0.0055A	0.0020B/0.0055A	----	0.0005 - 0.0130	.0007	----	----	----	----	32	UNCH					
672	----	----	---/0.0055A	0.0010B/0.0055A	----	0.0005 - 0.0105	.0004	----	----	----	----	3	UNCH					
675	----	----	---/0.0105A	0.0240B/0.0105A	----	0.0055 - 0.0310	.0424	----	----	----	----	7	UNCH					
675	----	----	---/0.0055A	----/0.0055A	----	0.0005 - 0.0075	.0001	----	----	----	----	10	UNCH					
680	----	----	---/0.0090A	0.0155B/0.0090A	----	0.0035 - 0.0235	.0279	----	----	----	----	4	UNCH					
690	----	----	---/0.0080A	0.0060B/0.0080A	----	0.0015 - 0.0120	.0123	----	----	----	----	51	UNCH					
690	----	----	---/0.0050A	----/0.0050A	----	0.0005 - 0.0005	----	----	----	----	----	10	UNCH					
695	----	----	---/0.0075A	0.0030B/0.0075A	----	0.0010 - 0.0085	.0082	----	----	----	----	48	UNCH					
700	----	----	----	0.0015B/0.0075A	----	0.0005 - 0.0065	.0042	----	----	----	----	33	UNCH					
735	----	----	----	0.0015B/0.0070A	----	0.0030 - 0.0040	.0157	----	----	----	----	1	UNCH					
TOTAL										88		452 +	81					
COPPER WEEKLY WEDNESDAY OPTION WEEK																		
HWW WED JUN26																		
500	----	----	----	----/0.0060A	----	0.0005	UNCH	.0024	----	----	----	26	UNCH					
570	----	----	0.0020B/----	0.0020B/0.0060A	----	0.0040 + 0.0030	.0256	----	----	----	----	1	UNCH					
585	----	----	---/0.0045A	----/0.0045A	----	0.0005	UNCH	.0035	----	----	----	4	UNCH					
600	----	----	0.0020B/----	0.0020B/0.0050A	----	0.0055 + 0.0050	.0483	----	----	----	----	2	UNCH					
605	----	----	0.0060B/----	0.0060B/0.0050A	----	0.0100 + 0.0095	.0863	----	----	----	----	4	UNCH					
615	----	----	0.0240B/----	0.0240B/0.0065A	----	0.0240 + 0.0220	.2039	----	----	----	----	10	UNCH					
615	----	----	0.0605B/----	0.0605B/0.0165A	----	0.0545 + 0.0420	.2964	----	----	----	----	10	UNCH					
624	----	----	0.0575B/----	0.0575B/0.0095A	----	0.0510 + 0.0460	.3871	----	----	----	----	10	UNCH					
625	0.1285	0.1285	0.1380B/0.0450A	0.1380B/0.0450A	----	0.1255	NEW .4492	----	1	----	1 +	1						
625	0.0950	0.0950	0.1040B/0.0950	0.1040B/0.0260A	----	0.0930	NEW .4394	----	1	----	1 +	1						
626	0.0125	0.0125	0.0675B/0.0105	0.0675B/0.0105	----	0.0590	NEW .4345	----	10	----	----	10 +	10					
629	0.0690	0.0690	0.0845B/0.0690	0.0845B/0.0135A	----	0.0730	NEW .5084	----	1	----	----	1 +	1					
630	0.1200	0.1200	0.1320B/0.1200	0.1320B/0.0345A	----	0.1180	NEW .5147	----	1	----	----	1 +	1					
635	0.0500	0.0500	0.1075B/0.0500	0.1075B/0.0200A	----	0.1065 + 0.0900	.6565	----	4	----	----	14	UNCH					
636	----	----	0.1080B/----	0.1080B/0.0215A	----	0.1130 + 0.0950	.6798	----	----	----	----	15	UNCH					
639	----	----	0.1110B/----	0.1110B/0.0280A	----	0.1340 + 0.1095	.7446	----	----	----	----	1	UNCH					
640	----	----	0.1610B/----	0.1610B/0.0305A	----	0.1415 + 0.1150	.7642	----	----	----	----	2	UNCH					
650	0.0115	0.0115	0.0115/0.0095	0.0820B/0.0095	----	0.0095 - 0.0865	.0927	----	20	----	----	20 +	20					
654	0.0210	0.0210	0.0210/0.0095A	0.0615B/0.0095A	----	0.0065	NEW .0628	----	10	----	----	10 +	10					
660	0.0060	0.0060	0.0060/0.0060	0.0370B/0.0060	----	0.0040 - 0.0465	.0368	----	2	----	----	4 -	2					
665	----	----	---/0.0380A	0.0915B/0.0380A	----	0.0360 - 0.0695	.1741	----	----	----	----	22	UNCH					
665	----	----	0.3525B/----	0.3525B/0.1885A	----	0.3810 + 0.1960	.8942	----	----	----	----	4	UNCH					
665	----	----	---/0.0070A	0.0210B/0.0070A	----	0.0025 - 0.0320	.0222	----	----	----	----	6	UNCH					
670	----	----	0.3990B/----	0.3990B/0.2230A	----	0.4270 + 0.2075	.9189	----	----	----	----	65	UNCH					
680	----	----	---/0.0045A	0.0010B/0.0045A	----	0.0015 - 0.0075	.0106	----	----	----	----	21	UNCH					
695	----	----	---/0.0035A	----/0.0035A	----	0.0010 - 0.0010	.0059	----	----	----	----	10	UNCH					
695	----	----	---/0.0065A	0.0050B/0.0065A	----	0.0020 - 0.0110	.0149	----	----	----	----	23	UNCH					
700	----	----	----	0.0010B/0.0040A	----	0.0010 - 0.0005	.0055	----	1	----	----	14	UNCH					
725	----	----	----	---/0.0055A	----	0.0005 - 0.0025	.0015	----	----	----	----	5	UNCH					
TOTAL										51		350 +	46					
COPPER WEEKLY FRIDAY OPTION WEEK																		
HFF FRI JUN26																		
460	----	----	----	----/0.0060A	----	0.0005	UNCH	.0005	----	----	----	23	UNCH					
510	----	----	----	0.0005B/0.0075A	----	0.0025 + 0.0005	.0101	----	----	----	----	19	UNCH					
565	----	----	0.0135B/----	0.0135B/0.0105A	----	0.0140 + 0.0065	.0598	----	----	----	----	6	UNCH					
568	----	----	0.0150B/----	0.0150B/0.0110A	----	0.0155 + 0.0070	.0661	----	----	----	----	6	UNCH					
581	----	----	0.0265B/----	0.0265B/0.0135A	----	0.0255 + 0.0130	.1051	----	----	----	----	1	UNCH					
585	----	----																

2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN #107@				METALS OPTION PRODUCTS								Fri, Jun 05, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
COPPER WEEKLY WEDNESDAY OPTION WEEK																	
HWW WED																	
JUL26	----	----	----/0.0230A	0.0380B/0.0230A	----	0.0185 - 0.0305	.0791	----	----	----	----	5	UNCH				
710										16		276 +	16				
TOTAL																	
AUG26			0.0530B/----	0.0530B/0.0385A	----	0.0535 + 0.0190	.1303	----	----	----	----	1	UNCH				
559	----	----				0.5035 - 0.1935	.7064	----	----	----	----	10	UNCH				
599	----	----	0.1820B/----	0.1820B/0.1155A	----	0.1755 + 0.0625	.3271	----	----	----	----	1	UNCH				
606	----	----	0.2950B/----	0.2950B/0.1965A	----	0.2845 + 0.0905	.4515	----	----	----	----	3	UNCH				
630	----	----	----/0.3235A	0.4700B/0.3235A	----	0.3300 - 0.1575	.5469	----	----	----	----	4	UNCH				
630	----	----	----/0.2810A	0.4130B/0.2810A	----	0.2855 - 0.1450	.4955	----	----	----	----	1	UNCH				
640	----	----	----/0.2430A	0.3610B/0.2430A	----	0.2460 - 0.1330	.4459	----	----	----	----	14	UNCH				
650	----	----	----/0.0560A	0.0770B/0.0560A	----	0.0510 - 0.0430	.1227	----	----	1	----	0 -	1				
750	----	----	----/0.0310A	0.0330B/0.0310A	----	0.0230 - 0.0225	.0598	----	----	1	----	0 -	1				
800	----	----							----	2	----	34 -	2				
TOTAL																	
SEP26			0.0605B/----	0.0605B/0.0500A	----	0.0630 + 0.0170	.1245	----	----	----	----	1	UNCH				
550	----	----	----/0.3100A	0.4310B/0.3100A	----	0.3120 - 0.1370	.4611	----	----	----	----	0	UNCH				
660	----	----	----/0.1070A	0.1500B/0.1070A	----	0.1030 - 0.0630	.1910	----	----	----	----	2	UNCH				
750	----	----										3					
TOTAL																	
COMEX COPPER OPTIONS																	
HX CALL																	
JUL26			----/1.2830A	1.4235B/1.2830A	----	1.2850 - 0.2505	.9937	----	----	----	----	7	UNCH				
500	----	----				1.0855 - 0.2505	.9888	----	----	----	----	0	UNCH				
520	----	----				1.0360 - 0.2505	.9883	----	----	----	----	1	UNCH				
525	----	----	----/0.9850A	1.1255B/0.9850A	----	0.9865 - 0.2500	.9858	----	----	----	----	6	UNCH				
530	----	----	----/0.8865A	1.0260B/0.8865A	----	0.8875 - 0.2495	.9805	----	----	----	----	18	UNCH				
540	----	----				0.8380 - 0.2495	.9776	----	----	----	----	1	UNCH				
545	----	----				0.7890 - 0.2495	.9725	----	----	----	----	2	UNCH				
550	----	----	----/0.7395A	0.8780B/0.7395A	----	0.7400 - 0.2490	.9672	----	----	----	----	116	UNCH				
555	----	----				0.6910 - 0.2480	.9614	----	----	----	----	2	UNCH				
560	----	----	----/0.5865A	0.7480B/0.5865A	----	0.5950 - 0.2450	.9430	----	----	----	----	157	UNCH				
570	----	----	----/0.5590A	0.6910B/0.5590A	----	0.5570 - 0.2430	.9311	----	----	----	----	5	UNCH				
574	----	----	----/0.5495A	0.6815B/0.5495A	----	0.5475 - 0.2430	.9285	----	----	----	----	18	UNCH				
575	----	----	----/0.5040A	0.6330B/0.5040A	----	0.5015 - 0.2400	.9100	----	----	----	----	123	UNCH				
580	----	----	----/0.4400A	0.6120B/0.4400A	----	0.4565 - 0.2365	.8893	----	----	----	----	318	UNCH				
585	----	----	----/0.4170A	0.5675B/0.4170A	----	0.4130 - 0.2320	.8619	----	----	----	----	103	UNCH				
590	----	----	----/0.4165A	0.5700B/0.4165A	----	0.4045 - 0.2310	.8559	----	----	----	----	3	UNCH				
591	----	----	----/0.4000A	0.5710B/0.4000A	----	0.3875 - 0.2290	.8436	----	----	----	----	1	UNCH				
593	----	----	----/0.3920A	0.5695B/0.3920A	----	0.3790 - 0.2280	.8374	----	----	----	----	2	UNCH				
594	----	----	----/0.3760A	0.5660B/0.3760A	----	0.3710 - 0.2265	.8301	----	----	----	----	29	UNCH				
595	----	----	----/0.3680A	0.5555B/0.3680A	----	0.3545 - 0.2240	.8164	----	----	----	----	1	UNCH				
597	----	----	----/0.3600A	0.5460B/0.3600A	----	0.3465 - 0.2230	.8089	----	----	----	----	1	UNCH				
598	----	----	----/0.3525A	0.5365B/0.3525A	----	0.3385 - 0.2215	.8014	----	----	----	----	2	UNCH				
599	----	----	0.4530/0.3210A	0.5170B/0.3210A	----	0.3305 - 0.2200	.7939	----	----	3	----	539 -	3				
600	0.4530	0.4530	0.3210A	0.5085B/0.3210A	----	0.3150 - 0.2170	.7778	----	----	----	----	83	UNCH				
602	----	----	----/0.3220A	0.4990B/0.3220A	----	0.3075 - 0.2150	.7693	----	----	----	----	3	UNCH				
603	----	----	----/0.2775A	0.4810B/0.2775A	----	0.2925 - 0.2120	.7521	----	----	----	----	41	UNCH				
605	----	----	----/0.2415A	0.4355B/0.2415A	----	0.2570 - 0.2025	.7064	----	----	----	----	229	UNCH				
610	----	----	----/0.2110A	0.3915B/0.2110A	----	0.2235 - 0.1925	.6564	----	----	----	----	1408	UNCH				
615	----	----	----/0.1825A	0.3490B/0.1825A	----	0.1935 - 0.1805	.6037	----	----	----	----	182	UNCH				
620	----	----	----/0.1560A	0.3090B/0.1560A	----	0.1660 - 0.1685	.5493	----	----	26	----	382 +	24				
625	----	0.1790	0.1330A	0.2815B/0.1330A	----	0.1415 - 0.1565	.4945	----	----	139	----	415 +	98				
630	0.1790	0.1400	0.1400	0.2465B/0.1140A	----	0.1195 - 0.1440	.4405	----	----	4	----	202 +	1				
635	0.1495	0.1495	0.0950A	0.2145B/0.0950A	----	0.1005 - 0.1315	.3886	----	----	62	----	1421 -	9				
640	0.1495	0.1495	0.0795A	0.1855B/0.0795A	----	0.0840 - 0.1190	.3395	----	----	46	----	530 +	9				
645	0.1270	0.1270	0.0645	0.1620B/0.0645	----	0.0700 - 0.1065	.2942	----	----	410	50	801 -	190				
650	0.0900	0.0900	0.0560	0.1385B/0.0560	----	0.0580 - 0.0940	.2529	----	----	115	----	424 -	18				
655	0.0680	0.0680	0.0465A	0.1180B/0.0465A	----	0.0480 - 0.0820	.2161	----	----	23	500	941 -	194				
660	0.0675	0.0675	0.0395A	0.0990B/0.0395A	----	0.0395 - 0.0710	.1832	----	----	261	----	84 -	86				
665	0.0525	0.0525	0.0325	0.0825B/0.0325	----	0.0325 - 0.0610	.1547	----	----	347	----	492 -	198				
670	0.0555	0.0555	0.0270	0.0675B/0.0270	----	0.0270 - 0.0520	.1309	----	----	586	50	1764 -	134				
675	0.0405	0.0405	0.0235A	0.0575B/0.0235A	----	0.0230 - 0.0455	.1135	----	----	4	----	18 +	2				
680	0.0285	0.0285	0.0225A	0.0540B/0.0225A	----	0.0220 - 0.0440	.1092	----	----	15	----	288 -	4				
681	0.0370	0.0370	0.0220A	0.0520B/0.0220A	----	0.0210 - 0.0425	.1049	----	----	57	----	61 +	49				
684	0.0270	0.0270	0.0195A	0.0455B/0.0195A	----	0.0185 - 0.0385	.0937	----	----	3	----	50 +	3				
685	0.0295	0.0295	0.0175	0.0435B/0.0175	----	0.0180 - 0.0370	.0910	----	----	119	----	378 +	107				
686	0.0250	0.0250	0.0180A	0.0420B/0.0180A	----	0.0175 - 0.0355	.0884	----	----	1	----	83 +	1				
689	----	----	----/0.0165A	0.0365B/0.0165A	----	0.0155 - 0.0320	.0792	----	----	----	----	108	UNCH				
690	0.0210	0.0210	0.0155A	0.0350B/0.0155A	----	0.0150 - 0.0305	.0767	----	----	27	----	642 -	21				
691	0.0225	0.0225	0.0150A	0.0335B/0.0150A	----	0.0140 - 0.0295	.0724	----	----	9	----	122 +	9				
694	----	----	----/0.0140A	0.0290B/0.0140A	----	0.0125 - 0.0265	.0651	----	----	----	----	62	UNCH				
695	0.0170	0.0170	0.0135A	0.0275B/0.0135A	----	0.0125 - 0.0250	.0645	----	----	6	----	171	UNCH				
699	0.0150	0.0150	0.0115A	0.0235B/0.0115A	----	0.0105 - 0.0215	.0549	----	----	6	----	60 +	6				
700	0.0185	0.0185	0.0110	0.0225B/0.0110	----	0.0105 - 0.0200	.0544	----	----	764	----	1298 -	208				
701	----	----	----/0.0110A	0.0215B/0.0110A	----	0.0100 - 0.0195	.0521	----	----	----	----	48	UNCH				
704	0.0135	0.0135	0.0100A	0.0190B/0.0100A	----	0.0090 - 0.0170	.0470	----	----	3	----	89 +	3				
705	----	----	----/0.0100A	0.0180B/0.0100A	----	0.0090 - 0.0160	.0466	----	----	4	----	129 -	1				
709	----	----	----/0.0090A	0.0155B/0.0090A	----	0.0080 - 0.0135											



GLOBEX			OPEN OUTCRY			GLOBEX			OPEN OUTCRY			SETT.PRICE			DELTA			EXER			OPEN			GLOBEX®			PNT			OPEN					
OPEN			OPEN RANGE			HIGH/LOW			HIGH/LOW			CLOSE RANGE			& PT.CHGE.						CISES			OUTCRY VOLUME			VOLUME			VOLUME			INTEREST		
HX CALL			COMEX COPPER OPTIONS																																
AUG26																																			
750	0.0490	0.0490	0.0490/0.0390			0.0625B/0.0390			----				0.0400 - 0.0315			.1053			----	----			29			----	1564 + 9								
775	----	----	----/0.0280A			0.0395B/0.0280A			----				0.0270 - 0.0200			.0731			----	----			1			----	162 UNCH								
800	0.0230	0.0230	0.0230/0.0185			0.0260B/0.0185			----				0.0190 - 0.0130			.0521			----	15			----	15			----	411 UNCH							
825	0.0185	0.0185	0.0185/0.0145A			0.0185/0.0145A			----				0.0140 - 0.0085			.0384			----	5			----	5			----	6 + 4							
850	0.0140	0.0140	0.0140/0.0115A			0.0140/0.0115A			----				0.0105 - 0.0065			.0287			----	4			----	4			----	20 + 2							
875	----	----	----/0.0090A			0.0110B/0.0090A			----				0.0085 - 0.0050			.0229			----	1			----	1			----	31 UNCH							
900	0.0070	0.0070	0.0085B/0.0070			0.0085B/0.0070			----				0.0070 - 0.0040			.0185			----	6			----	6			----	134 + 1							
925	0.0080	0.0080	0.0080/0.0080			0.0080/0.0080			----				0.0060 - 0.0035			.0155			----	3			----	3			----	3 - 1							
950	----	----	----			0.0030B/0.0080A			----				0.0050 - 0.0030			.0127			----	----			----			----			63 UNCH						
975	----	----	----			0.0025B/0.0075A			----				0.0045 - 0.0020			.0112			----	----			1193			----	11550 - 547								
TOTAL																																			
SEP26																																			
495	----	----	----			----			----				1.4070 - 0.2470			.9574			----	----			2			----	2 UNCH								
500	----	----	----/1.3785A			1.4190B/1.3785A			----				1.3595 - 0.2460			.9528			----	2			----	2			----	5 UNCH							
510	----	----	----			----			----				1.2645 - 0.2445			.9418			----	----			----			2			----	2 UNCH					
535	----	----	----			----			----				1.0355 - 0.2370			.9003			----	----			----			1			----	1 UNCH					
565	----	----	----			----			----				0.7855 - 0.2195			.8181			----	----			----			1			----	1 UNCH					
575	----	----	----/0.7365A			0.7615B/0.7365A			----				0.7100 - 0.2120			.7824			----	----			100			----	100 UNCH								
590	----	----	----/0.5940A			0.6885B/0.5940A			----				0.6060 - 0.1985			.7234			----	----			5			----	5 UNCH								
595	----	----	----/0.5625A			0.6980B/0.5625A			----				0.5735 - 0.1940			.7026			----	5			----	5			----	5 UNCH							
600	----	----	----/0.5310A			0.6710B/0.5310A			----				0.5425 - 0.1890			.6811			----	222			----	222			----	222 UNCH							
610	----	----	----/0.4755A			0.6480B/0.4755A			----				0.4840 - 0.1790			.6374			----	31			----	31			----	31 UNCH							
615	----	----	----/0.4490A			0.6155B/0.4490A			----				0.4565 - 0.1740			.6151			----	9			----	9			----	9 UNCH							
620	----	----	----/0.4220A			0.5840B/0.4220A			----				0.4305 - 0.1685			.5928			----	187			----	187			----	187 UNCH							
625	----	----	----/0.3955A			0.5540B/0.3955A			----				0.4055 - 0.1635			.5705			----	632			----	632			----	632 UNCH							
630	----	----	----/0.3755A			0.5250B/0.3755A			----				0.3820 - 0.1580			.5482			----	51			----	51			----	51 UNCH							
635	----	----	----/0.3535A			0.4970B/0.3535A			----				0.3595 - 0.1525			.5262			----	2			----	2			----	78 + 2							
640	----	----	----/0.3300A			0.4700B/0.3300A			----				0.3380 - 0.1470			.5044			----	1052			----	1052			----	1052 UNCH							
645	----	----	----/0.3110A			0.4490B/0.3110A			----				0.3180 - 0.1415			.4830			----	200			----	200			----	200 UNCH							
650	----	----	----/0.2905A			0.4245B/0.2905A			----				0.2990 - 0.1360			.4621			----	2			----	2			----	360 + 2							
655	----	----	----/0.2755A			0.4010B/0.2755A			----				0.2810 - 0.1305			.4416			----	24			----	24			----	24 UNCH							
660	----	----	----/0.2585A			0.3785B/0.2585A			----				0.2640 - 0.1255			.4216			----	104			----	104			----	104 UNCH							
665	----	----	----/0.2430A			0.3580B/0.2430A			----				0.2480 - 0.1205			.4022			----	26			----	26			----	26 UNCH							
670	0.2480	0.2480	0.2480/0.2255A			0.3375B/0.2255A			----				0.2325 - 0.1160			.3832			----	27			----	27			----	292 UNCH							
675	0.2330	0.2330	0.2330/0.2115A			0.3185B/0.2115A			----				0.2185 - 0.1110			.3651			----	1			----	1			----	495 UNCH							
680	----	----	----/0.1985A			0.3000B/0.1985A			----				0.2050 - 0.1060			.3474			----	1400			----	1400			----	1400 UNCH							
685	----	----	----/0.1890A			0.2830B/0.1890A			----				0.1920 - 0.1020			.3302			----	1			----	1			----	56 UNCH							
690	0.2300	0.2300	0.2300/0.1745A			0.2665B/0.1745A			----				0.1800 - 0.0975			.3137			----	2			----	2			----	457 UNCH							
695	----	----	----/0.1665A			0.2510B/0.1665A			----				0.1690 - 0.0930			.2981			----	46			----	46			----	46 UNCH							
700	0.1760	0.1760	0.1760/0.1545A			0.2365B/0.1545A			----				0.1585 - 0.0890			.2830			----	105			----	105			----	11902 + 61							
705	----	----	----/0.1440A			0.2220B/0.1440A			----				0.1485 - 0.0850			.2684			----	402			----	402			----	402 UNCH							
710	0.1650	0.1650	0.1650/0.1350A			0.2090B/0.1350A			----				0.1390 - 0.0810			.2544			----	248			----	248			----	983 - 117							
715	----	----	----/0.1295A			0.1965B/0.1295A			----				0.1300 - 0.0770			.2408			----	96			----	96			----	96 UNCH							
720	0.1600	0.1600	0.1600/0.1210A			0.1845B/0.1210A			----				0.1220 - 0.0730			.2283			----	1			----	1			----	75 + 1							
725	----	----	----/0.1120A			0.1735B/0.1120A			----				0.1145 - 0.0690			.2163			----	231			----	231			----	231 UNCH							
730	----	----	----/0.1065A			0.1625B/0.1065A			----				0.1070 - 0.0660			.2045			----	6			----	6			----	6 UNCH							
735	----	----	----/0.1000A			0.1525B/0.1000A			----				0.1005 - 0.0620			.1937			----	1			----	1			----	1 UNCH							
740	0.0915	0.0915	0.0915/0.0915			0.1435B/0.0915			----				0.0945 - 0.0585			.1836			----	237			----	237			----	1306 - 144							
750	----	----	----/0.0830A			0.1255B/0.0830A			----				0.0830 - 0.0525			.1642			----	1			----	1			----	239 UNCH							
760	----	----	----/0.0735A			0.1100B/0.0735A			----				0.0735 - 0.0460			.1474			----	18			----	18			----	168 + 18							
775	----	----	----/0.0625A			0.0900B/0.0625A			----				0.0610 - 0.0385			.1249			----	1			----	1			----	9192 UNCH							
790	----	----	----/0.0525A			0.0740B/0.0525A			----				0.0510 - 0.0320			.1062			----	76			----	76			----	76 UNCH							
800	----	----	----/0.0470A			0.0650B/0.0470A			----				0.0450 - 0.0285			.0949			----	80			----	80			----	1041 + 40							
810	----	----	----/0.0420A			0.0575B/0.0420A			----				0.0400 - 0.0255			.0852			----	1			----	1			----	1 UNCH							
825	----	----	----/0.0360A			0.0480B/0.0360A			----				0.0335 - 0.0220			.0724			----	131			----	131			----	131 UNCH							
850	----	----	----/0.0290A			0.0360B/0.0290A			----				0.0255 - 0.0170			.0560			----	2			----	2			----	2 UNCH							
875	----	----	----/0.0235A			0.0275B/0.0235A			----				0.0200 - 0.0135			.0442			----	2			----	2			----	3 + 2							
900	----	----	----/0.0205A			0.0200B/0.0205A			----				0.0160 - 0.0110			.0355			----	2			----	2			----	81 + 2							
925	----	----	----/0.0175A			0.0155B/0.0175A			----				0.0130 - 0.0085			.0288			----	1			----	1			----	1 UNCH							
950	----	----	----/0.0150A			0.0120B/0.0150A			----				0.0105 - 0.0070			.0233			----	1			----	1			----	1 UNCH							
975	0.0105	0.0105	0.0105/0.0105			0.0105/0.0105			----				0.0085 - 0.0060			.0189			----	1			----	1			----	17 UNCH							
TOTAL																																			
OCT26																																			
500	----	----	----			----			----				1.4575 - 0.2425			.9400			----	----			----			2			----	2 UNCH					
575	----	----	----			----			----				0.8235 - 0.2110			.7807			----	----			----			2			----	2 UNCH					
600	----	----	----/0.6460A			0.7875B/0.6460A			----				0.6565 - 0.1925			.6952			----	40			----	40			----	40 UNCH							
605	----	----	----/0.6160A			0.7985B/0.6160A			----				0.6265 - 0.1885			.6769			----	2			----	2			----	2 UNCH							
615	----	----	----/0.5600A			0.7325B/0.5600A			----				0.5690 - 0.1805			.6398			----	5			----	5			----	5 UNCH							
620	----	----	----/0.5335A			0.7010B/0.5335A			----				0.5420 - 0.1760			.6211			----	1			----	1			----	1 UNCH							
625	----	----	----/0.5080A			0.6705B/0.5080A			----				0.5160 - 0.1715			.6023			----	14			----	14			----	14 UNCH							
640	----	----	----/0.4375A			0.5855B/0.4375A			----				0.4440 - 0.1580			.5461			----	1			----	1			----	1 UNCH							
650	----	----	----/0.3955A			0.5335B/0.3955A			----				0.4010 - 0.1485			.5093			----	107			----	107			----	107 UNCH							
660	----	----	----/0.3755A			0.5125B/0.3755A			----				0.3810 - 0.1440			.4913			----	1			----	1			----	1 UNCH							
665	----	----	----/0.3575A			0.4885B/0.3575A			----				0.3615 - 0.1395			.4735			----	1			----	1			----	1 UNCH							
670	----	----	----/0.3390A			0.4660B/0.3390A			----				0.3435 - 0.1345			.4562			----	1			----	1			----	1 UNCH							
675	----	----	----/0.3225A			0.4440B/0.3225A			----				0.3260 - 0.1300			.4392			----	1			----	1			----	1 UNCH							
690	----	----	----/0.3060A			0.4235B/0.3060A			----				0.3095 - 0.1255			.4225			----	77			----	77			----	77 UNCH							
700	----	----	----/0.2615A			0.3645B/0.2615A			----				0.2640 - 0.1130			.3749			----	1			----	1			----	1 UNCH							
720	----	----	----/0.2360A			0.3300B/0.2360A			----				0.2370 - 0.1050			.3451			----	151			----	151			----	151 UNCH							
725	----	----	----/0.1915A			0.2685B/0.1915A			----				0.1910 - 0.0900			.2909			----	6			----	6			----	6 UNCH							
730	----	----	----/0.1815A			0.2545B/0.1815A			----				0.1810																						

PG64	BULLETIN #107@										METALS OPTION PRODUCTS										Fri, Jun 05, 2026				PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST													
HX CALL	COMEX COPPER OPTIONS																								
DEC26																									
640	----	----	----/0.5375A	0.6855B/0.5375A	----	0.5400 - 0.1665	.5511	----	----	----	----	29	UNCH												
650	0.5345	0.5345	0.5345/0.4945	0.6360B/0.4945	----	0.4975 - 0.1595	.5212			158		375 -	70												
655	----	----	----/0.4765A	0.6135B/0.4765A	----	0.4770 - 0.1565	.5064					10	UNCH												
660	----	----	----/0.4575A	0.5905B/0.4575A	----	0.4575 - 0.1530	.4919					300	UNCH												
670	----	----	----/0.4215A	0.5465B/0.4215A	----	0.4210 - 0.1455	.4635					4	UNCH												
675	----	----	----/0.4045A	0.5265B/0.4045A	----	0.4035 - 0.1425	.4496					17	UNCH												
680	----	----	----/0.3885A	0.5055B/0.3885A	----	0.3870 - 0.1390	.4360					663	UNCH												
690	----	----	----/0.3580A	0.4670B/0.3580A	----	0.3555 - 0.1320	.4095					1	UNCH												
700	0.4000	0.4000	0.4000/0.3295A	0.4310B/0.3295A	----	0.3265 - 0.1255	.3841			4		1782 -	3												
705	----	----	----/0.3165A	0.4140B/0.3165A	----	0.3130 - 0.1220	.3719					2	UNCH												
710	----	----	----/0.3035A	0.3975B/0.3035A	----	0.3000 - 0.1185	.3599					50	UNCH												
725	----	----	----/0.2685A	0.3520B/0.2685A	----	0.2640 - 0.1090	.3258					124	UNCH												
730	----	----	----/0.2575A	0.3380B/0.2575A	----	0.2525 - 0.1065	.3147					4	UNCH												
750	----	----	----/0.2190A	0.2865B/0.2190A	----	0.2125 - 0.0945	.2742					381	UNCH												
775	----	----	----/0.1800A	0.2330B/0.1800A	----	0.1720 - 0.0810	.2303					211	UNCH												
800	----	----	----/0.1485A	0.1890B/0.1485A	----	0.1400 - 0.0680	.1935					154	UNCH												
825	----	----	----/0.1235A	0.1535B/0.1235A	----	0.1155 - 0.0560	.1634					64	UNCH												
850	----	----	----/0.1040A	0.1250B/0.1040A	----	0.0970 - 0.0455	.1393					239	UNCH												
900	0.0670	0.0670	0.0670/0.0670	0.0835B/0.0670	----	0.0720 - 0.0290	.1047			2		645 -	2												
925	----	----	----/0.0665A	0.0695B/0.0665A	----	0.0610 - 0.0250	.0898					6	UNCH												
950	----	----	----/0.0580A	0.0575B/0.0580A	----	0.0520 - 0.0215	.0774					114	UNCH												
975	----	----	----/0.0515A	0.0480B/0.0515A	----	0.0450 - 0.0185	.0674					13	UNCH												
1000	----	----	----/0.0460A	0.0400B/0.0460A	----	0.0390 - 0.0160	.0588					6	UNCH												
TOTAL										165		7386 -	75												
JAN27																									
500	----	----	----			1.5775 - 0.2380	.9041	----	----	----	----	1	UNCH												
900	----	----	----/0.1105A	0.1180B/0.1105A	----	0.0985 - 0.0445	.1297	----	----	----	----	1	UNCH												
TOTAL												2													
FEB27																									
620	----	----	----/0.7795A	0.9225B/0.7795A	----	0.7750 - 0.1795	.6300	----	----	----	----	1	UNCH												
750	----	----	----/0.3350A	0.3995B/0.3350A	----	0.3220 - 0.1075	.3350	----	----	----	----	118	UNCH												
850	----	----	----/0.1810A	0.2030B/0.1810A	----	0.1675 - 0.0645	.1947	----	----	----	----	60	UNCH												
TOTAL												179													
MAR27																									
680	----	----	----/0.5660A	0.6635B/0.5660A	----	0.5525 - 0.1450	.4865	----	----	----	----	30	UNCH												
950	----	----	----/0.1265A	0.1215B/0.1265A	----	0.1130 - 0.0460	.1308	----	----	----	----	3	UNCH												
TOTAL												33													
HX PUT	COMEX COPPER OPTIONS																								
JUL26																									
330	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	84	UNCH												
350	----	----	----	----/0.0030A	----	0.0005 UNCH	----	----	----	----	----	5	UNCH												
360	----	----	----	----/0.0030A	----	0.0005 UNCH	----	----	----	----	----	1	UNCH												
380	----	----	----	----/0.0030A	----	0.0005 UNCH	----	----	----	----	----	2	UNCH												
390	----	----	----	----/0.0030A	----	0.0005 UNCH	----	----	----	----	----	6	UNCH												
395	----	----	----	----/0.0030A	----	0.0005 UNCH	----	----	----	----	----	1	UNCH												
400	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	566	UNCH												
405	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	1	UNCH												
415	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	52	UNCH												
420	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	4	UNCH												
425	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	51	UNCH												
430	----	----	----	----/0.0020A	----	0.0005 UNCH	.0001	----	----	----	----	10	UNCH												
435	----	----	----	----/0.0010A	----	0.0005 UNCH	.0002	----	----	----	----	5	UNCH												
440	----	----	----	----/0.0005A	----	0.0005 UNCH	.0003	----	----	----	----	4	UNCH												
445	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0004	----	----	----	----	3	UNCH												
450	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0007	----	----	----	----	1906	UNCH												
455	----	----	----	----/0.0010A	----	0.0005 - 0.0005	.0009	----	----	----	----	14	UNCH												
460	----	----	----	----/0.0010A	----	0.0005 - 0.0005	.0014	----	----	----	----	6	UNCH												
465	----	----	----	----/0.0030A	----	0.0005 - 0.0005	.0019	----	----	----	----	1	UNCH												
470	----	----	----	----/0.0030A	----	0.0010 UNCH	.0036	----	----	----	----	3	UNCH												
475	----	----	----	----/0.0030A	----	0.0010 UNCH	.0037	----	----	----	----	512	UNCH												
480	----	----	----	----/0.0030A	----	0.0010 UNCH	.0038	----	----	----	----	78	UNCH												
485	----	----	----	----/0.0030A	----	0.0010 UNCH	.0040	----	----	----	----	2	UNCH												
490	----	----	----	----/0.0035A	----	0.0010 - 0.0005	.0041	----	----	----	----	542	UNCH												
495	----	----	----/0.0010A	----/0.0010A	----	0.0015 UNCH	.0060	----	----	----	----	104	UNCH												
500	----	----	----	----/0.0020A	----	0.0015 UNCH	.0062	----	----	----	----	3302	UNCH												
505	----	----	----	----/0.0045A	----	0.0015 UNCH	.0065	----	----	----	----	3	UNCH												
510	----	----	----	----/0.0045A	----	0.0020 UNCH	.0085	----	----	----	----	213 -	1												
515	----	----	----	0.0005B/0.0030A	----	0.0020 UNCH	.0089	----	----	----	----	6	UNCH												
520	----	----	----	0.0005B/0.0050A	----	0.0025 UNCH	.0111	----	----	----	----	371 -	1												
525	----	----	0.0035B/----	0.0035B/0.0050A	----	0.0025 UNCH	.0116	----	----	----	----	651	UNCH												
530	----	----	0.0045B/----	0.0045B/0.0035A	----	0.0030 UNCH	.0141	----	----	----	----	3198 -	1												
533	----	----	0.0050B/----	0.0050B/0.0055A	----	0.0030 UNCH	.0145	----	----	----	----	1	UNCH												
534	----	----	0.0050B/----	0.0050B/0.0055A	----	0.0035 + 0.0005	.0165	----	----	----	----	2	UNCH												
535	----	----	0.0050B/----	0.0050B/0.0055A	----	0.0035 + 0.0005	.0166	----	----	----	----	4	UNCH												
536	----	----	0.0055B/----	0.0055B/0.0055A	----	0.0035 UNCH	.0168	----	----	----	----	5	UNCH												
538	----	----	0.0055B/----	0.0055B/0.0040A	----	0.0035 UNCH	.0171	----	----	----	----	3	UNCH												
539	----	----	0.0060B/----	0.0060B/0.0040A	----	0.0040 + 0.0005	.0192	----	----	----	----	2	UNCH												
540	----	----	0.0060B/----	0.0060B/0.0045A	----	0.0040 + 0.0005	.0194	----	----	----	----	908 -	1												
541	----	----	0.0065B/----	0.0065B/0.0045A	----	0.0040 + 0.0005	.0196	----	----	----	----	2	UNCH												
542	----	----	0.0070B/----	0.0070B/0.0045A	----	0.0040 + 0.0005	.0198	----	----	----	----	2	UNCH												
543	----	----	0.0070B/----	0.0070B/0.0045A	----	0.0040 UNCH	.0200	----	----	----	----	4	UNCH												
544	0.0045	0.0045	0.0075B/0.0045	0.0075B/0.0045	----	0.0045 NEW	.0221	----	----	5		5 +	5												
545	----	----	0.0075B/----	0.0075B/0.0050A	----	0.0045 + 0.0005	.0223	----	----	----	----	5	UNCH												
546	----	----	0.0080B																						



BULLETIN #107@				METALS OPTION PRODUCTS										Fri, Jun 05, 2026				PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
HX PUT		COMEX COPPER OPTIONS																
JUL26																		
597	0.0280	0.0280		0.0530B/0.0135A	0.0530B/0.0135A	----			0.0405 + 0.0260	.1835	----	----	1	----	52	UNCH		
598	0.0500	0.0500		0.0540B/0.0140A	0.0540B/0.0140A	----			0.0425 + 0.0275	.1909	----	----	2	----	44	+		
599	0.0280	0.0280		0.0570B/0.0145A	0.0570B/0.0145A	----			0.0445 + 0.0285	.1984	----	----	1	----	87	-		
600	0.0185	0.0185		0.0605B/0.0150A	0.0605B/0.0150A	----			0.0465 + 0.0300	.2059	----	210	1438	+	15			
601	0.0335	0.0335		0.0625B/0.0165A	0.0625B/0.0165A	----			0.0485 + 0.0315	.2135	----	----	1	----	48	UNCH		
602	0.0350	0.0350		0.0640B/0.0350	0.0640B/0.0180A	----			0.0510 + 0.0330	.2220	----	----	2	----	30	+		
603	0.0305	0.0305		0.0665B/0.0305	0.0665B/0.0185A	----			0.0535 + 0.0350	.2306	----	----	1	----	41	+		
605	0.0235	0.0235		0.0750B/0.0235	0.0750B/0.0205A	----			0.0585 + 0.0385	.2477	----	64	----	261	+			
610	0.0450	0.0450		0.0905B/0.0430	0.0905B/0.0250A	----			0.0725 + 0.0475	.2934	----	179	612	+	16			
615	0.0570	0.0570		0.1085B/0.0570	0.1085B/0.0315A	----			0.0895 + 0.0580	.3435	----	18	233	+	7			
620	0.0600	0.0600		0.1315B/0.0390A	0.1315B/0.0390A	----			0.1090 + 0.0695	.3961	----	86	436	-	3			
625	0.0700	0.0700		0.1555B/0.0485A	0.1555B/0.0485A	----			0.1315 + 0.0815	.4505	----	170	780	+	116			
630	0.0800	0.0800		0.1775B/0.0605A	0.1775B/0.0605A	----			0.1565 + 0.0935	.5053	----	110	356	UNCH				
635	0.1030	0.1030		0.2070B/0.0750A	0.2070B/0.0750A	----			0.1850 + 0.1060	.5593	----	56	368	+	46			
640	0.1315	0.1315		0.2455/0.0930A	0.2455/0.0930A	----			0.2160 + 0.1185	.6113	----	37	292	+	3			
645	0.1425	0.1425		0.2720B/0.1135A	0.2720B/0.1135A	----			0.2495 + 0.1310	.6604	----	12	188	+	10			
650	0.1845	0.1845		0.3090B/0.1375A	0.3090B/0.1375A	----			0.2850 + 0.1435	.7056	----	10	330	-	4			
655	----	----		0.3480B/0.1640A	0.3480B/0.1640A	----			0.3230 + 0.1565	.7470	----	----	178	UNCH				
660	----	----		0.3790B/0.1930A	0.3790B/0.1930A	----			0.3630 + 0.1685	.7838	----	5	129	UNCH				
665	----	----		0.4105B/----	0.4105B/0.2270A	----			0.4045 + 0.1795	.8166	----	5	27	UNCH				
670	----	----		0.4540B/----	0.4540B/0.2600A	----			0.4475 + 0.1895	.8452	----	12	66	-	11			
675	----	----		0.4990B/----	0.4990B/0.2950A	----			0.4915 + 0.1980	.8689	----	----	26	UNCH				
690	----	----		0.6370B/----	0.6370B/0.4375A	----			0.6295 + 0.2195	.9232	----	----	1	UNCH				
700	----	----		0.6885B/----	0.6885B/0.5240A	----			0.7250 + 0.2300	.9454	----	----	1	UNCH				
705	----	----		0.6405B/----	0.6405B/0.5690A	----			0.7735 + 0.2345	.9532	----	----	1	UNCH				
TOTAL												1081		25629	+	233		
AUG26																		
330	----	----		----	----/0.0035A	----			0.0005 UNCH	.0003	----	----	----	----	3	UNCH		
405	----	----		----	----/0.0050A	----			0.0020 UNCH	.0048	----	----	----	----	1	UNCH		
420	----	----		----	----/0.0055A	----			0.0025 UNCH	.0062	----	----	----	----	3	UNCH		
440	----	----		----	0.0010B/0.0065A	----			0.0035 UNCH	.0090	----	----	----	----	5	UNCH		
450	----	----		----	0.0015B/0.0070A	----			0.0040 UNCH	.0106	----	----	----	11	UNCH			
460	----	----		----	0.0025B/0.0075A	----			0.0050 + 0.0005	.0133	----	----	----	3	UNCH			
465	----	----		----	0.0030B/0.0080A	----			0.0055 + 0.0005	.0147	----	----	----	1	UNCH			
470	----	----		----	0.0035B/0.0085A	----			0.0060 + 0.0005	.0162	----	----	----	3	UNCH			
475	----	----		----	0.0040B/0.0085A	----			0.0065 + 0.0010	.0178	----	----	15	UNCH				
480	----	----		----	0.0045B/0.0090A	----			0.0070 + 0.0010	.0193	----	----	8	UNCH				
485	----	----		----	0.0050B/0.0095A	----			0.0075 + 0.0010	.0210	----	----	1	UNCH				
490	----	----		0.0085B/----	0.0085B/0.0100A	----			0.0080 + 0.0010	.0227	----	----	1	UNCH				
500	----	----		0.0110B/----	0.0110B/0.0100A	----			0.0095 + 0.0015	.0275	----	4	21	UNCH				
505	----	----		0.0125B/----	0.0125B/0.0110A	----			0.0105 + 0.0015	.0306	----	----	1	UNCH				
510	----	----		0.0140B/----	0.0140B/0.0110A	----			0.0120 + 0.0025	.0348	----	2	8	+	1			
520	0.0140	0.0140		0.0155B/0.0140	0.0155B/0.0125A	----			0.0145 + 0.0035	.0426	----	2	309	+	1			
525	----	----		0.0175B/----	0.0175B/0.0140A	----			0.0165 + 0.0045	.0483	----	1	2	+	1			
530	0.0190	0.0190		0.0190/0.0190	0.0190/0.0155A	----			0.0190 + 0.0055	.0551	----	2	45	+	1			
535	----	----		0.0220B/----	0.0220B/0.0165A	----			0.0215 + 0.0070	.0621	----	----	12	UNCH				
540	0.0270	0.0270		0.0295B/0.0270	0.0295B/0.0180A	----			0.0245 + 0.0080	.0703	----	5	21	+	4			
545	----	----		0.0340B/----	0.0340B/0.0200A	----			0.0280 + 0.0100	.0796	----	----	3	UNCH				
550	0.0230	0.0230		0.0390B/0.0230	0.0390B/0.0220A	----			0.0325 + 0.0120	.0909	----	31	268	+	8			
555	----	----		0.0445B/----	0.0445B/0.0245A	----			0.0375 + 0.0145	.1032	----	----	10	UNCH				
560	0.0385	0.0385		0.0510B/0.0385	0.0510B/0.0275A	----			0.0430 + 0.0170	.1165	----	7	145	-	2			
565	0.0530	0.0530		0.0595/0.0530	0.0595/0.0310A	----			0.0500 + 0.0205	.1324	----	3	7	+	1			
570	----	----		0.0670B/----	0.0670B/0.0355A	----			0.0575 + 0.0235	.1491	----	----	163	UNCH				
575	0.0375	0.0375		0.0770B/0.0375	0.0770B/0.0375	----			0.0665 + 0.0275	.1679	----	3	157	+	1			
580	0.0520	0.0520		0.0880B/0.0520	0.0880B/0.0455A	----			0.0765 + 0.0320	.1882	----	120	35	1351	-			
585	0.0610	0.0610		0.1000/0.0610	0.1000/0.0520A	----			0.0880 + 0.0365	.2101	----	39	108	-	32			
590	0.0705	0.0705		0.1135B/0.0705	0.1135B/0.0595A	----			0.1010 + 0.0420	.2336	----	68	149	+	1			
595	----	----		0.1270B/----	0.1270B/0.0680A	----			0.1155 + 0.0475	.2584	----	----	2	UNCH				
600	0.1310	0.1310		0.1460B/0.1310	0.1460B/0.0780A	----			0.1310 + 0.0530	.2840	----	150	1006	+	62			
605	----	----		0.1650B/----	0.1650B/0.0895A	----			0.1485 + 0.0590	.3108	----	----	364	UNCH				
610	----	----		0.1845B/0.1015A	0.1845B/0.1015A	----			0.1670 + 0.0650	.3382	----	1	687	+	1			
615	----	----		0.2040B/0.1150A	0.2040B/0.1150A	----			0.1875 + 0.0710	.3663	----	2	13	UNCH				
620	----	----		0.2285B/0.1305A	0.2285B/0.1305A	----			0.2095 + 0.0775	.3947	----	3	243	+	1			
625	----	----		0.2505B/0.1475A	0.2505B/0.1475A	----			0.2335 + 0.0845	.4234	----	----	27	UNCH				
630	0.2000	0.2000		0.2755B/0.1660A	0.2755B/0.1660A	----			0.2585 + 0.0910	.4520	----	7	27	+	4			
635	----	----		0.3020B/0.1860A	0.3020B/0.1860A	----			0.2850 + 0.0975	.4804	----	1	61	UNCH				
640	----	----		0.3315B/0.2075A	0.3315B/0.2075A	----			0.3135 + 0.1045	.5083	----	----	286	UNCH				
645	----	----		0.3585B/0.2305A	0.3585B/0.2305A	----			0.3430 + 0.1110	.5357	----	----	40	UNCH				
650	0.3200	0.3200		0.3900B/0.2550A	0.3900B/0.2550A	----			0.3740 + 0.1180	.5625	----	1	58	UNCH				
655	----	----		0.4225B/0.2810A	0.4225B/0.2810A	----			0.4060 + 0.1240	.5885	----	----	13	UNCH				
660	----	----		0.4565B/0.3080A	0.4565B/0.3080A	----			0.4395 + 0.1305	.6137	----	----	12	UNCH				
665	----	----		0.4920B/0.3365A	0.4920B/0.3365A	----			0.4745 + 0.1375	.6378	----	----	4	UNCH				
670	----	----		0.5315B/0.3660A	0.5315B/0.3660A	----			0.5100 + 0.1435	.6610	----	----	311	UNCH				
675	----	----		0.5660B/0.3955A	0.5660B/0.3955A	----			0.5470 + 0.1495	.6828	----	----	1	UNCH				
TOTAL												35	453		5991	+	36	
SEP26																		
335	----	----		----	----/0.0050A	----			0.0015 UNCH	.0028	----	----	----	----	3	UNCH		
400	----	----		----	0.0020B/0.0080A	----			0.0045 UNCH	.0092	----	----	----	----	4	UNCH		
440	----	----		----	0.0055B/0.0110A	----			0.0075 UNCH	.0166	----	----	----	----	4	UNCH		
445	----	----		----	0.0060B/0.0115A	----			0.0080 UNCH	.0178	----	----	----	----	5	UNCH		
450	----	----		----	0.0065B/0.0120A	----			0.0085 UNCH	.0192	----	----	805	UNCH				
460	----	----		----	0.0085B/0.0135A	----			0.0095 + 0.0005	.0220	----	----	12	UNCH				
470	----	----		----	0.0100B/0.0140A	----			0.0110 UNCH	.0258	----	----	3	UNCH				
475	----	----		----	0.0115B/0.0150A	----			0.0120 UNCH	.0283	----	----	71	UNCH				
480	----	----		----	0.0125B/0.0155A	----			0.0135 + 0.0005	.0317	----	----	7	UNCH				
485	----	----		----	0.0140B/0.0165A	----			0.0145 + 0.0005	.0343	----	----	1	UNCH				
490	----	----		0.0155B/----	0.0155B/0.0175A	----			0.0165 + 0.0015	.0387	----	----	11	UNCH				
500	----	----		0.0200B/----	0.0200B/0.0195A	----			0.0200 + 0.0025	.0469	----	2	631	+				
510	----	----		0.0245B/----	0.0245B/0.0225A	----			0.0250 + 0.0040	.0580	----	----	7	UNCH				
515	----	----		0.0280B/----	0.0280B/0.0245A	----			0.0285 + 0.0055	.0652	----	----	1	UNCH				
520	----	----		0.0315B/----	0.0315B/0.0265A	----			0.0320 + 0.0065	.0725	----	----	7	UNCH				
525	----	----		0.0365B/----	0.0365B/0.0295A	----			0.0360 + 0.0080	.0807	----	2	329	+				
530	----	----		0.0405B/----	0.0405B/0.0325A	----			0.0405 + 0.0095	.0896	----	----	4	UNCH				
535	----	----		0.0455B/----	0.0455B/0.0355A	----			0.0455 + 0.0115	.0994	----	----	350	UNCH				
540																		

BULLETIN #107@				METALS OPTION PRODUCTS										Fri, Jun 05, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE			SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
HX PUT	COMEX COPPER OPTIONS																	
OCT26																		
530	----		----	0.0580B/----	0.0580B/0.0480A	----				0.0570 + 0.0125	.1035	----	----	----	----		1	
535	----		----	0.0650B/----	0.0650B/0.0525A	----				0.0635 + 0.0145	.1134	----	----	----	----		3	
550	----		----	0.0900B/----	0.0900B/0.0695A	----				0.0870 + 0.0210	.1475	----	----	----	----		1	
570	----		----	0.1350B/----	0.1350B/0.1020A	----				0.1300 + 0.0325	.2031	----	----	----	----		5	
590	----		----	0.1950B/----	0.1950B/0.1470A	----				0.1890 + 0.0465	.2690	----	----	----	----		2	
600	----		----	0.2310B/----	0.2310B/0.1750A	----				0.2245 + 0.0540	.3044	----	----	----	----		13	
605	----		----	0.2505B/----	0.2505B/0.1900A	----				0.2440 + 0.0580	.3227	----	----	----	----		1	
610	----		----	0.2720B/----	0.2720B/0.2065A	----				0.2645 + 0.0625	.3412	----	----	----	----		5	
650	----		----	0.4740B/----	0.4740B/0.3720A	----				0.4650 + 0.0980	.4903	----	----	----	----		10	
655	----		----	0.5040B/----	0.5040B/0.3970A	----				0.4945 + 0.1030	.5083	----	----	----	----		1	
700	----		----	0.8110B/----	0.8110B/0.6600A	----				0.7970 + 0.1420	.6546	----	----	----	----		24	
745	----		----	1.1485B/----	1.1485B/0.9845A	----				1.1525 + 0.1750	.7662	----	----	----	----		1	
750	----		----	1.1700B/----	1.1700B/1.0235A	----				1.1945 + 0.1785	.7764	----	----	----	----		5	
TOTAL														1			123 +	
NOV26																		
400	----		----	----	0.0055B/0.0180A	----				0.0110 - 0.0005	.0177	----	----	----	----		10	
475	----		----	----	0.0265B/0.0350A	----				0.0295 + 0.0020	.0506	----	----	----	----		2	
480	----		----	----	0.0295B/0.0370A	----				0.0325 + 0.0030	.0553	----	----	----	----		2	
500	----		----	0.0445B/----	0.0445B/0.0470A	----				0.0465 + 0.0065	.0771	----	----	----	----		12	
520	----		----	0.0680B/----	0.0680B/0.0625A	----				0.0680 + 0.0120	.1076	----	----	----	----		4	
550	----		----	0.1230B/----	0.1230B/0.1010A	----				0.1205 + 0.0255	.1722	----	----	----	----		1	
560	----		----	0.1480B/----	0.1480B/0.1190A	----				0.1440 + 0.0310	.1980	----	----	----	----		1	
590	----		----	0.2430B/----	0.2430B/0.1930A	----				0.2365 + 0.0495	.2866	----	----	----	----		1	
645	----		----	0.5005B/----	0.5005B/0.4095A	----				0.4920 + 0.0890	.4671	----	----	----	----		1	
700	----		----	0.8585B/----	0.8585B/0.7225A	----				0.8465 + 0.1300	.6307	----	----	----	----		24	
735	----		----	1.1265B/----	1.1265B/0.9640A	----				1.1120 + 0.1540	.7153	----	----	----	----		2	
TOTAL																	60	
DEC26																		
380	----		----	----	0.0035B/0.0215A	----				0.0115 - 0.0005	.0168	----	----	----	----		2	
385	----		----	----	0.0040B/0.0220A	----				0.0120 - 0.0010	.0177	----	----	----	----		1	
395	----		----	----	0.0060B/0.0235A	----				0.0135 - 0.0010	.0202	----	----	----	----		3	
400	----		----	----	0.0065B/0.0245A	----				0.0145 - 0.0005	.0217	----	----	----	----		18	
420	----		----	----	0.0105B/0.0280A	----				0.0180 - 0.0005	.0277	----	----	----	----		2	
460	----		----	----	0.0245B/0.0400A	----				0.0305 + 0.0015	.0480	----	----	----	----		2	
475	----		----	----	0.0340B/0.0460A	----				0.0385 + 0.0030	.0601	----	----	----	----		76	
480	----		----	0.0400B/----	0.0400B/0.0490A	----				0.0420 + 0.0040	.0651	----	----	----	----		12	
490	----		----	0.0470B/----	0.0470B/0.0550A	----				0.0500 + 0.0055	.0764	----	----	----	----		5	
500	----		----	0.0575B/----	0.0575B/0.0625A	----				0.0600 + 0.0080	.0897	----	----	----	----		104	
520	----		----	0.0860B/----	0.0860B/0.0825A	----				0.0860 + 0.0135	.1222	----	----	----	----		2	
525	----		----	0.0950B/----	0.0950B/0.0885A	----				0.0945 + 0.0155	.1320	----	----	----	----		1	
540	----		----	0.1255B/----	0.1255B/0.1110A	----				0.1235 + 0.0220	.1638	----	----	----	----		3	
545	----		----	0.1370B/----	0.1370B/0.1195A	----				0.1345 + 0.0240	.1753	----	----	----	----		1	
550	----		----	0.1500B/----	0.1500B/0.1290A	----				0.1465 + 0.0265	.1874	----	----	----	----		79	
560	----		----	0.1775B/----	0.1775B/0.1505A	----				0.1725 + 0.0315	.2126	----	----	----	----		300	
570	----		----	0.2085B/----	0.2085B/0.1750A	----				0.2025 + 0.0370	.2396	----	----	----	----		5	
575	----		----	0.2250B/----	0.2250B/0.1885A	----				0.2185 + 0.0395	.2535	----	----	----	----		21	
580	----		----	0.2425B/----	0.2425B/0.2030A	----				0.2355 + 0.0425	.2677	----	----	----	----		22	
600	----		----	0.3205B/----	0.3205B/0.2680A	----				0.3120 + 0.0540	.3266	----	----	20	----		241	
630	----		----	0.4610B/----	0.4610B/0.3895A	----				0.4515 + 0.0725	.4180	----	----	----	----		18	
650	----		----	0.5695B/----	0.5695B/0.4855A	----				0.5610 + 0.0860	.4783	----	----	----	----		12	
670	----		----	0.6895B/----	0.6895B/0.5925A	----				0.6820 + 0.1000	.5360	----	----	----	----		1	
750	----		----	1.2765B/----	1.2765B/1.1225A	----				1.2645 + 0.1520	.7253	----	----	----	----		1	
TOTAL														20			932	
JAN27																		
400	----		----	----	0.0075B/0.0320A	----				0.0185 - 0.0005	.0250	----	----	----	----		8	
800	----		----	1.6380B/----	1.6380B/1.4965A	----				1.6495 + 0.1695	.7654	----	----	----	----		1	
TOTAL																	9	
FEB27																		
400	----		----	----	0.0100B/0.0395A	----				0.0235 - UNCH	.0296	----	----	----	----		2	
650	----		----	0.6085B/----	0.6085B/0.5490A	----				0.6115 + 0.0825	.4459	----	----	----	----		60	
TOTAL																	62	
MAR27																		
275	----		----	----	0.0060B/0.0215A	----				0.0075 - 0.0005	.0078	----	----	----	----		1	
TOTAL																	1	
HXE CALL	COPPER OPTIONS																	
JUN26																		
550	----		----	----	0.1975/0.1250A	----				0.8475 - 0.2480	.9836	----	----	----	2	----	1	
620	0.1975	0.1975		0.0240/0.0070A	0.3325B/0.1250A	----				0.1380 - 0.2045	.6616	----	----	2	----		2	
628	0.0240	0.0240		----	0.2475B/0.0070A	----				0.0045 - NEW	----	1	----	1	----		0	
630	----		----	----	0.2275B/0.0050A	----				0.0000 - 0.2355	----	----	----	----	----		0	
630	0.0900	0.0900		0.0900/0.0770A	0.2410B/0.0770A	----				0.0815 - 0.1715	.4769	----	----	6	----		10 +	
635	----		----	----	0.1775B/0.0035A	----				0.0000 - 0.1860	----	----	----	----	----		0	
635	----		----	----	0.1995B/0.0585A	----				0.0600 - NEW	.3829	----	----	10	----		10 +	
640	0.0340	0.0340		0.0340/0.4														

BULLETIN #107@				METALS OPTION PRODUCTS							Fri, Jun 05, 2026		PG64	
	LOBEX OPEN	OPEN OUTCRY OPEN RANGE	LOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
HXE PUT		COPPER OPTIONS												
JUN26														
624	----	----	----	----/0.0020A	----	0.0000 - 0.0005	----	----	----	----	----	0 -		
625	----	----	----	----/0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 -		
625	----	----	0.0830B/----	0.0830B/0.0160A	----	0.0730 + 0.0610	.4278	----	----	----	----	10		
627	0.0015	0.0015	0.0015/0.0015	0.0015/0.0015	----	0.0000 NEW	----	----	----	3	----	0		
630	----	----	0.0245B/----	0.0245B/0.0040A	----	0.0155 + 0.0150	.0000	1	----	----	----	0 -		
630	----	----	0.1110B/----	0.1110B/0.0215A	----	0.0970 + 0.0790	.5228	----	----	----	----	15		
633	0.0060	0.0060	0.0550B/0.0060	0.0550B/0.0040A	----	0.0455 NEW	----	2	----	2	----	0		
635	0.0050	0.0050	0.0750B/0.0050	0.0750B/0.0035A	----	0.0655 + 0.0645	----	32	----	17	----	0 -		
635	0.0650	0.0650	0.1420B/0.0650	0.1420B/0.0310A	----	0.1255 + 0.0985	.6168	----	----	4	----	9 +		
640	0.0800	0.0800	0.1250B/0.0800	0.1250B/0.0080A	----	0.1155 + 0.1125	----	----	----	1	----	0 -		
642	----	----	0.1450B/----	0.1450B/0.0100A	----	0.1355 + 0.1310	----	2	----	----	----	0 -		
644	0.1445	0.1445	0.1650B/0.1445	0.1650B/0.0115A	----	0.1555 + 0.1485	.0000	----	----	3	----	0 -		
645	0.0270	0.0270	0.1750B/0.0270	0.1750B/0.0120A	----	0.1655 + 0.1575	----	36	----	2	----	0 -		
646	0.0150	0.0150	0.1850B/0.0150	0.1850B/0.0135A	----	0.1755 + 0.1655	----	1	----	2	----	0 -		
649	0.2040	0.2040	0.2150B/0.2040	0.2150B/0.0230A	----	0.2055 + 0.1880	----	----	----	1	----	0 -		
650	0.2105	0.2105	0.2250B/0.2105	0.2250B/0.0265A	----	0.2155 + 0.1945	----	26	----	1	----	0 -		
651	0.2285	0.2285	0.2350B/0.2285	0.2350B/0.0305A	----	0.2255 + 0.2005	----	----	----	1	----	0 -		
654	----	----	0.2650B/----	0.2650B/0.0445A	----	0.2555 + 0.2170	----	2	----	----	----	0 -		
655	----	----	0.2750B/----	0.2750B/0.0500A	----	0.2655 + 0.2215	----	2	----	4	----	0 -		
655	----	----	0.3035B/----	0.3035B/0.1055A	----	0.2795 + 0.1765	.8889	----	----	----	----	1		
660	----	----	0.3250B/----	0.3250B/0.0820A	----	0.3155 + 0.2385	----	11	----	4	----	0 -		
675	----	----	0.4750B/----	0.4750B/0.2235A	----	0.4655 + 0.2495	----	1	----	----	----	0 -		
TOTAL										55		136 -		
JUL26														
550	----	----	0.0135B/----	0.0135B/0.0120A	----	0.0160 + 0.0080	.0571	----	----	----	----	30		
575	----	----	0.0350B/----	0.0350B/0.0190A	----	0.0340 + 0.0160	.1170	----	----	----	----	1		
585	----	----	0.0505B/----	0.0505B/0.0250A	----	0.0480 + 0.0235	.1576	----	----	----	----	45		
600	----	----	0.0860B/----	0.0860B/0.0400A	----	0.0805 + 0.0410	.2389	----	----	----	----	1		
625	----	----	0.1820B/0.0900A	0.1820B/0.0900A	----	0.1710 + 0.0795	.4119	----	----	----	----	30		
TOTAL												107		
ALUMINIUM OPTIONS ON FUTURES														
	LOBEX OPEN	OPEN OUTCRY OPEN RANGE	LOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
PLATINUM OPTIONS ON FUTURES														
	LOBEX OPEN	OPEN OUTCRY OPEN RANGE	LOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
PAO CALL		NYMEX PALLADIUM OPTIONS												
JUL26														
1350	----	----	----/10.60A	27.60B/10.60A	27.60B/10.60A	9.10 - 21.90	.1781	----	----	----	----	1		
1390	13.50	13.50	14.00/7.20A	14.80B/7.20A	14.80B/7.20A	5.20 - 13.20	.1041	----	----	6	----	14 +		
1400	----	----	----/6.60A	12.70B/6.60A	12.70B/6.60A	4.50 - 11.70	.0906	----	----	----	----	76		
1440	----	----	----/5.10A	6.70B/5.10A	6.70B/5.10A	2.60 - 7.20	.0525	----	----	----	----	1		
1450	----	----	----/4.80A	5.60B/4.80A	5.60B/4.80A	2.30 - 6.40	.0463	----	----	----	----	5		
1500	----	----	----/4.00A	2.00B/4.00A	2.00B/4.00A	1.30 - 3.70	.0254	----	----	----	----	10		
1550	----	----	----	0.20B/3.50A	0.20B/3.50A	0.70 - 2.20	.0134	----	----	----	----	76		
1600	----	----	----	----/3.20A	----/3.20A	0.40 - 1.40	.0074	----	----	----	----	135		
1720	----	----	----	----/2.70A	----/2.70A	0.20 - 0.40	.0032	----	----	----	----	6		
1800	----	----	----	----/2.60A	----/2.60A	0.10 - 0.20	.0004	----	----	----	----	49		
TOTAL										6		373 +		
AUG26														
1450	----	----	----/15.90A	25.90B/15.90A	25.90B/15.90A	14.30 - 14.70	.1649	----	----	----	----	10		
1500	----	----	----/12.20A	17.90B/12.20A	17.90B/12.20A	10.30 - 10.60	.1211	----	----	----	----	20		
1550	----	----	----/9.80A	12.40B/9.80A	12.40B/9.80A	7.70 - 7.60	.0910	----	----	----	----	10		
1600	----	----	----/8.20A	8.60B/8.20A	8.60B/8.20A	5.90 - 5.50	.0696	----	----	----	----	100		
1700	----	----	----/6.10A	3.90B/6.10A	3.90B/6.10A	3.70 - 3.00	.0431	----	----	----	----	20		
1800	----	----	----	1.50B/4.90A	1.50B/4.90A	2.40 - 1.80	.0276	----	----	----	----	100		
1900	----	----	----	0.20B/4.30A	0.20B/4.30A	1.60 - 1.20	.0181	----	----	----	----	400		
TOTAL												660		
SEP26														
1300	----	----	----/68.20A	103.90B/68.20A	103.90B/68.20A	70.20 - 37.50	.4669	----	----	----	----	1		
1345	----	----	----/54.70A	83.70B/54.70A	83.70B/54.70A	55.10 - 32.00	.3909	----	----	----	----	1		
1400	----	----	----/41.70A	63.80B/41.70A	63.80B/41.70A	40.90 - 26.30	.3099	----	----	----	----	75		
1450	----	----	----/32.50A	49.60B/32.50A	49.60B/32.50A	31.20 - 21.90	.2485	----	----	----	----	50		
1575	----	----	----/18.60A	25.80B/18.60A	25.80B/18.60A	16.50 - 13.10	.1427	----	----	----	----	25		
1600	----	----	----/16.90A	22.50B/16.90A	22.50B/16.90A	14.60 - 11.80	.1279	----	----	7	----	221		
1625	----	----	----/15.60A	19.70B/15.60A	19.70B/15.60A	13.10 - 10.40	.1155	----	----	----	----	20		
1665	----	----	----/13.80A	15.90B/13.80A	15.90B/13.80A	11.00 - 8.50	.0981	----	----	----	----	9		
1700	----	----	----/12.50A	13.10B/12.50A	13.10B/12.50A	9.60 - 7.10	.0860	----	----	----	----	65		
1800	----	----	----/9.70A	7.60B/9.70A	7.60B/9.70A	6.90 - 4.10	.0616	----	----	----	----	87		
1875	----	----	----/8.30A	5.00B/8.30A	5.00B/8.30A	5.70 - 2.70	.0502	----	----	----	----	25		
1885	----	----	----	4.70B/8.10A	4.70B/8.10A	5.60 - 2.50	.0491	----	----	----	----	100		
1900	----	----	----	4.30B/7.90A	4.30B/7.90A	5.40 - 2.30	.0472	----	----	7	----	15 -		
2000	----	----	----	2.30B/6.80A	2.30B/6.80A	4.00 - 1.70	.0350	----	----	----	----	50		
2100	----	----	----	1.00B/6.10A	1.00B/6.10A	3.20 - 1.20	.0276	----	----	----	----	30		
2200	----	----	----	0.10B/5.60A	0.10B/5.60A	2.60 - 0.90	.0221	----	----	----	----	5		
2400	----	----	----	----/4.80A	----/4.80A	1.70 - 0.60	.0143	----	----	----	----	15		
2550	----	----	----	----/4.50A	----/4.50A	1.30 - 0.50	.0108	----	----	----	----	50		
TOTAL										14		844 -		
DEC26														
1775	----	----	----	----	----	35.20 - 15.30	.1847	----	----	----	----	100		
1800	----	----	----	----	----	34.10 - 14.70	.1780	----	----	----	----	50		
2000	----	----	----	----	----	28.90 - 11.80	.1420	----	----	----	----	1		
3000	----	----	----	----	----	8.80 - 3.70	.0435	----	----	----	----	1		
TOTAL												152		
PAO PUT		NYMEX PALLADIUM OPTIONS												
JUL26														
1200	----	----	17.90B/----	17.90B/6.40A	17.90B/6.40A	12.00 + 8.00	.2150	----	----	----	----	4		
1250	20.00	20.00	38.90B/20.00	38.90B/11.80A	38.90B/11.80A	27.60 + 17.30	.4212	----	----	20	----	13 -		
1280	----	----	46.90B/----	46.90B/17.90A	46.90B/17.90A	42.80 + 26.20	.5667	----	----	----	----	1		
1285	----	----	45.00B/----	45.00B/19.20A	45.00B/19.20A	45.90 + 28.00	.5901	----	----	----	----	9		
1300	----	----	72.40B/----	72.40B/23.70A	72.40B/23.70A	55.70 + 33.10	.6569	----	----	----	----	85		
1350	----	----	114.60B/----	114.60B/46.40A	114.60B/46.40A	95.40 + 49.40	.8218	----	----	----	----	10		
1400	----													

BULLETIN #107@				METALS OPTION PRODUCTS							Fri, Jun 05, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
PAO PUT DEC26 1500 TOTAL	----	----		----	----			279.90 + 44.20	.6705	----	----	----	----	40 290	UNCH 0	
NYMEX PALLADIUM OPTIONS																
PLW OOF JUN26																
PLATINUM WEEKLY FRIDAY OPTION week2																
1850	----	----		86.60B/17.50A	86.60B/17.50A	----		68.80 + 49.50	.7168	----	----	----	----	7	UNCH	
1870	----	----		10.50B/2.70A	10.50B/2.70A	----		72.10 + 66.60	----	20	----	----	----	0 -	20	
1875	----	----		----/1.40A	30.10B/1.40A	----		0.00 - 31.70	----	----	----	----	----	0 -	1	
1900	----	----		111.10B/9.80A	111.10B/9.80A	----		102.10 + 85.40	----	2	----	----	----	0 -	2	
1925	----	----		136.10B/25.20A	136.10B/25.20A	----		127.10 + 94.50	----	26	----	----	----	0 -	26	
1925	----	----		----/1.40A	3.00B/1.40A	----		0.00 - 7.50	----	----	----	----	----	0 -	1	
1950	----	----		----/3.70A	19.70B/3.70A	----		3.00 - 18.70	.0576	----	----	----	----	10	UNCH	
1950	----	----		161.10B/47.30A	161.10B/47.30A	----		152.10 + 99.10	----	53	----	----	----	0 -	53	
1950	----	----		----/1.40A	----/1.40A	----		0.00 - 2.90	----	----	----	----	----	0 -	2	
2000	----	----		----	----/1.40A	----		0.00 - 0.20	----	----	----	----	----	0 -	40	
2100	----	----		----	----/1.40A	----		0.00 - 0.10	----	----	----	----	----	0 -	100	
2100	----	----		----/2.10A	1.00B/2.10A	----		0.20 - 2.70	.0034	----	----	----	----	26	UNCH	
2300	----	----		----	----/1.40A	----		0.00 - 0.10	----	----	----	----	----	0 -	100	
TOTAL														43 -	345	
PO CALL JUL26																
1500	----	----		403.90B/275.80A	403.90B/275.80A	----		297.90 - 02.00	.9964	----	----	----	----	50	UNCH	
1680	----	----		----	----	----		126.50 - 94.60	.8676	----	----	----	----	50	UNCH	
1700	----	----		205.30B/92.70A	205.30B/92.70A	----		109.50 - 92.30	.8271	----	----	----	----	1	UNCH	
1800	----	----		114.30B/35.20A	114.30B/35.20A	----		43.90 - 68.40	.5042	----	----	----	----	113	UNCH	
1815	----	----		----/29.60A	47.10B/29.60A	----		37.20 - NEW	.4495	----	----	6	----	6 +	6	
1850	----	----		76.60B/19.40A	76.60B/19.40A	----		24.50 - 51.70	.3297	----	----	----	----	1	UNCH	
1900	10.00	10.00		10.00/9.80A	48.20B/9.80A	----		12.70 - 36.20	.1928	----	----	45	----	46 +	42	
1925	----	----		----/7.80A	37.40B/7.80A	----		9.10 - 29.40	.1436	----	----	----	----	2	UNCH	
1930	----	----		----/7.40A	35.40B/7.40A	----		8.50 - 28.10	.1351	----	----	----	----	26	UNCH	
1935	----	----		----/7.00A	33.60B/7.00A	----		7.90 - 26.90	.1267	----	----	----	----	33	UNCH	
1945	----	----		----/6.30A	30.10B/6.30A	----		6.90 - 24.60	.1119	----	----	----	----	1	UNCH	
1950	----	----		----/6.00A	28.50B/6.00A	----		6.50 - 23.40	.1057	----	----	----	----	2	UNCH	
1960	----	----		----/5.50A	25.50B/5.50A	----		5.70 - 21.20	.0935	----	----	----	----	3	UNCH	
1965	----	----		----/5.20A	24.10B/5.20A	----		5.40 - 20.20	.0885	----	----	----	----	56	UNCH	
1970	----	----		----/5.00A	22.70B/5.00A	----		5.00 - 19.30	.0826	----	----	----	----	2	UNCH	
1975	----	----		----/4.80A	21.40B/4.80A	----		4.70 - 18.30	.0778	----	----	----	----	11	UNCH	
1980	----	----		----/4.60A	20.20B/4.60A	----		4.40 - 17.40	.0730	----	----	----	----	2	UNCH	
1995	----	----		----/4.10A	16.90B/4.10A	----		3.70 - 14.90	.0615	----	----	----	----	15	UNCH	
2000	----	----		----/4.00A	15.90B/4.00A	----		3.50 - 14.10	.0581	----	----	----	----	518	UNCH	
2005	----	----		----/3.90A	14.90B/3.90A	----		3.30 - 13.40	.0548	----	----	----	----	15	UNCH	
2010	----	----		----/3.70A	14.00B/3.70A	----		3.10 - 12.70	.0516	----	----	----	----	15	UNCH	
2015	----	----		----/3.60A	13.20B/3.60A	----		2.90 - 12.10	.0484	----	----	----	----	15	UNCH	
2020	----	----		----/3.50A	12.40B/3.50A	----		2.80 - 11.40	.0464	----	----	----	----	15	UNCH	
2025	----	----		----/3.40A	11.60B/3.40A	----		2.60 - 10.80	.0433	----	----	----	----	37	UNCH	
2030	----	----		----/3.40A	10.90B/3.40A	----		2.40 - 10.30	.0401	----	----	----	----	15	UNCH	
2035	----	----		----/3.30A	10.20B/3.30A	----		2.30 - 9.70	.0383	----	----	----	----	15	UNCH	
2050	----	----		----/3.10A	8.40B/3.10A	----		1.90 - 8.30	.0317	----	----	----	----	6	UNCH	
2065	----	----		----/2.90A	6.90B/2.90A	----		1.50 - 7.10	.0253	----	----	----	----	4	UNCH	
2085	----	----		----/2.70A	5.20B/2.70A	----		1.20 - 5.70	.0201	----	----	----	----	31	UNCH	
2090	----	----		----/2.70A	4.80B/2.70A	----		1.10 - 5.40	.0185	----	----	----	----	34	UNCH	
2095	----	----		----/2.70A	4.50B/2.70A	----		1.00 - 5.20	.0169	----	----	----	----	45	UNCH	
2100	----	----		----/2.60A	4.20B/2.60A	----		1.00 - 4.90	.0167	----	----	----	----	390	UNCH	
2105	----	----		----/2.60A	3.90B/2.60A	----		0.90 - 4.70	.0151	----	----	----	----	30	UNCH	
2110	----	----		----/2.60A	3.60B/2.60A	----		0.90 - 4.40	.0150	----	----	----	----	31	UNCH	
2115	----	----		----/2.50A	3.30B/2.50A	----		0.80 - 4.20	.0134	----	----	----	----	30	UNCH	
2120	----	----		----/2.50A	3.10B/2.50A	----		0.80 - 3.90	.0133	----	----	----	----	15	UNCH	
2125	----	----		----/2.50A	2.80B/2.50A	----		0.70 - 3.80	.0117	----	----	----	----	15	UNCH	
2150	----	----		----/2.30A	1.90B/2.30A	----		0.60 - 3.00	.0097	----	----	----	----	18	UNCH	
2160	----	----		----/2.30A	1.60B/2.30A	----		0.50 - 2.80	.0082	----	----	----	----	1	UNCH	
2170	----	----		----/2.20A	1.40B/2.20A	----		0.50 - 2.50	.0080	----	----	----	----	4	UNCH	
2200	----	----		----/2.10A	0.80B/2.10A	----		0.40 - 2.00	.0062	----	----	----	----	456	UNCH	
2250	----	----		----	0.20B/2.00A	----		0.20 - 1.30	.0031	----	----	----	----	117	UNCH	
2275	----	----		----	----/1.90A	----		0.20 - 1.10	.0029	----	----	----	----	20	UNCH	
2300	----	----		----	----/1.80A	----		0.20 - 0.90	.0028	----	----	----	----	255	UNCH	
2350	----	----		----	----/1.70A	----		0.10 - 0.70	.0009	----	----	----	----	160	UNCH	
2400	----	----		----	----/1.70A	----		0.10 - 0.40	.0003	----	----	----	----	904	UNCH	
2450	----	----		----	----/1.60A	----		0.10 - 0.30	.0001	----	----	----	----	50	UNCH	
2480	----	----		----	----/1.60A	----		0.10 - 0.20	.0000	----	----	----	----	50	UNCH	
2500	----	----		----	----/1.60A	----		0.10 - 0.20	.0000	----	----	----	----	649	UNCH	
2600	----	----		----	----/1.50A	----		0.10 - 0.10	.0000	----	----	----	----	360	UNCH	
2650	----	----		----	----/1.50A	----		0.10	UNCH	----	----	----	----	1	UNCH	
2700	----	----		----	----/1.50A	----		0.10	UNCH	----	----	----	----	111	UNCH	
2800	----	----		----	----/1.40A	----		0.10	UNCH	----	----	----	----	350	UNCH	
2850	----	----		----	----/1.40A	----		0.10	UNCH	----	----	----	----	58	UNCH	
2900	----	----		----	----/1.40A	----		0.10	UNCH	----	----	----	----	183	UNCH	
3000	----	----		----	----/1.40A	----		0.10	UNCH	----	----	----	----	574	UNCH	
3100	----	----		----	----/1.40A	----		0.10	UNCH	----	----	----	----	159	UNCH	
3200	----	----		----	----/2.50A	----		0.10	UNCH	----	----	----	----	18	UNCH	
3300	----	----		----	----/2.50A											

PG64	BULLETIN #107@										METALS OPTION PRODUCTS					Fri, Jun 05, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
PO CALL	PLATINUM OPTIONS																		
OCT26																			
3000	----	----	----/7.50A	6.40B/7.50A	----	4.70 - 3.40	.0286	----	----	----	208	348 -	12						
3200	----	----	----	4.10B/6.30A	----	3.00 - 2.20	.0185	----	----	----	----	10	UNCH						
3500	----	----	----	2.20B/5.30A	----	1.70 - 1.30	.0106	----	----	----	----	10	UNCH						
4000	----	----	----	0.70B/4.20A	----	1.00 - 0.80	.0060	----	----	----	----	5	UNCH						
TOTAL									416	31		2543 -	12						
JAN27																			
2360	----	----	----	----	----	71.10 - 28.50	.2470	----	----	----	----	100	UNCH						
TOTAL												100	0						
PO PUT	PLATINUM OPTIONS																		
JUL26																			
1400	----	----	----	----/1.30A	----	0.10 UNCH	.0000	----	----	----	----	150	UNCH						
1500	----	----	----	----/1.40A	----	0.20 + 0.10	.0035	----	----	----	----	153	UNCH						
1550	----	----	----	0.60B/----	0.60B/1.50A	0.70 + 0.60	.0123	----	----	----	----	200	UNCH						
1590	----	----	----	2.00B/----	2.00B/1.70A	1.90 + 1.70	.0315	----	----	----	----	10	UNCH						
1600	----	----	----	2.60B/----	2.60B/1.70A	2.30 + 2.10	.0378	----	----	----	----	324	UNCH						
1630	----	----	----	4.90B/----	4.90B/1.90A	4.00 + 3.60	.0638	----	----	----	----	25	UNCH						
1635	----	----	----	5.40B/----	5.40B/2.00A	4.30 + 3.80	.0685	----	----	----	----	10	UNCH						
1650	----	----	----	7.20B/----	7.20B/2.10A	5.50 + 4.80	.0863	----	----	----	----	1	UNCH						
1680	----	----	----	11.90B/----	11.90B/2.60A	8.70 + 7.40	.1323	----	----	----	----	50	UNCH						
1690	----	----	----	13.90B/----	13.90B/2.90A	10.10 NEW	.1515	----	----	6	----	6 +	6						
1700	----	----	----	16.30B/----	16.30B/3.10A	11.70 + 9.60	.1728	----	----	----	----	278	UNCH						
1710	----	----	----	18.90B/----	18.90B/3.50A	13.60 + 11.10	.1968	----	----	----	----	1	UNCH						
1725	----	----	----	23.60B/----	23.60B/4.20A	17.00 + 13.60	.2373	----	----	----	----	100	UNCH						
1750	----	----	----	33.20B/----	33.20B/5.80A	24.30 + 18.90	.3155	----	----	----	----	61	UNCH						
1800	----	----	----	59.60B/12.20A	59.60B/12.20A	46.00 + 33.50	.4957	----	----	6	----	391	UNCH						
1805	----	----	----	53.50B/13.10A	53.50B/13.10A	48.70 + 35.10	.5140	----	----	----	----	45	UNCH						
1810	----	----	----	54.00B/14.10A	54.00B/14.10A	51.50 + 36.80	.5322	----	----	----	----	15	UNCH						
1815	----	----	----	54.60B/15.20A	54.60B/15.20A	54.30 + 38.50	.5504	----	----	----	----	45	UNCH						
1820	----	----	----	54.60B/16.30A	54.60B/16.30A	57.30 + 40.20	.5682	----	----	----	----	31	UNCH						
1825	----	----	----	75.70B/17.50A	75.70B/17.50A	60.30 + 41.90	.5859	----	----	----	----	100	UNCH						
1830	----	----	----	50.50B/18.80A	50.50B/18.80A	63.40 + 43.60	.6034	----	----	----	----	15	UNCH						
1835	----	----	----	51.40B/20.10A	51.40B/20.10A	66.50 + 45.20	.6205	----	----	----	----	15	UNCH						
1840	----	----	----	51.40B/21.60A	51.40B/21.60A	69.80 + 46.90	.6376	----	----	----	----	15	UNCH						
1850	50.00	50.00	----	93.90B/24.80A	93.90B/24.80A	76.60 + 50.20	.6702	----	----	35	----	77 +	35						
1860	----	----	----	53.40B/28.30A	53.40B/28.30A	83.60 + 53.40	.7012	----	----	----	----	32	UNCH						
1870	----	----	----	53.30B/32.30A	53.30B/32.30A	91.00 + 56.60	.7305	----	----	----	----	1	UNCH						
1900	----	----	----	135.10B/46.40A	135.10B/46.40A	114.70 + 65.70	.8071	----	----	----	----	595	UNCH						
1920	----	----	----	----/57.60A	59.10B/57.60A	131.70 + 71.20	.8476	----	----	----	----	2	UNCH						
1950	----	----	----	180.20B/76.60A	180.20B/76.60A	158.40 + 78.50	.8942	----	----	----	----	8	UNCH						
1980	----	----	----	----	----	186.40 + 84.60	.9268	----	----	----	----	48	UNCH						
1990	----	----	----	----	----	195.90 + 86.30	.9350	----	----	----	----	23	UNCH						
2000	----	----	227.90B/113.80A	227.90B/113.80A	----	205.40 + 87.80	.9417	----	----	----	----	53	UNCH						
2015	----	----	----	----	----	219.80 + 89.90	.9515	----	----	----	----	25	UNCH						
2030	----	----	----	----	----	234.30 + 91.60	.9598	----	----	----	----	23	UNCH						
2035	----	----	----	----	----	239.20 + 92.20	.9616	----	----	----	----	46	UNCH						
2075	----	----	301.50B/178.60A	301.50B/178.60A	----	278.20 + 95.60	.9779	----	----	----	----	1	UNCH						
2085	----	----	----	----	----	288.10 + 96.30	.9798	----	----	----	----	1	UNCH						
2100	----	----	326.30B/201.80A	326.30B/201.80A	----	302.90 + 97.10	.9832	----	----	----	----	225	UNCH						
2130	----	----	----	----	----	332.60 + 98.40	.9883	----	----	----	----	23	UNCH						
2135	----	----	----	----	----	337.50 + 98.50	.9898	----	----	----	----	190	UNCH						
2165	----	----	----	----	----	367.40 + 99.40	.9918	----	----	----	----	20	UNCH						
2350	----	----	575.40B/447.00A	575.40B/447.00A	----	552.10 + 01.50	.9991	----	----	----	----	5	UNCH						
2400	----	----	625.40B/496.80A	625.40B/496.80A	----	602.10 + 01.80	.9996	----	----	----	----	300	UNCH						
TOTAL										47		3739 +	41						
AUG26																			
1600	----	----	14.90B/----	14.90B/6.60A	----	13.10 + 7.50	.1181	----	----	----	----	1	UNCH						
1725	41.90	41.90	48.60B/41.50	48.60B/20.00A	----	41.40 NEW	.2975	----	----	30	----	30 +	30						
1750	58.70	58.70	60.00B/57.80	60.00B/24.90A	----	50.80 + 25.90	.3441	----	----	20	----	105 +	5						
1800	55.00	55.00	84.60B/37.90A	84.60B/37.90A	----	73.80 + 35.40	.4408	----	----	1	----	2 +	1						
1850	----	----	114.90B/55.70A	114.90B/55.70A	----	101.70 + 45.00	.5355	----	----	----	----	200	UNCH						
2000	----	----	228.50B/137.80A	228.50B/137.80A	----	209.80 + 69.70	.7654	----	----	----	----	1	UNCH						
TOTAL										51		339 +	36						
SEP26																			
1850	----	----	144.00B/87.00A	144.00B/87.00A	----	132.40 + 45.00	.5111	----	----	----	----	16	UNCH						
TOTAL												16	0						
OCT26																			
1300	----	----	3.90B/----	3.90B/6.20A	----	5.60 + 1.80	.0356	----	----	----	----	4	UNCH						
1500	----	----	23.10B/----	23.10B/15.90A	----	22.30 + 8.00	.1240	----	----	----	----	22	UNCH						
1600	----	----	46.40B/----	46.40B/29.00A	----	43.30 + 15.80	.2110	----	----	----	----	28	UNCH						
1700	66.50	66.50	83.20B/66.50	83.20B/51.90A	----	77.40 + 26.40	.3218	----	----	4	----	79 +	4						
1720	----	----	92.30B/----	92.30B/57.90A	----	85.90 + 28.80	.3454	----	----	----	----	2	UNCH						
1750	----	----	107.00B/----	107.00B/67.90A	----	99.60 + 32.40	.3811	----	----	----	----	75	UNCH						
1800	----	----	134.40B/----	134.40B/87.10A	----	125.30 + 38.80	.4406	----	----	----	----	75	UNCH						
1820	----	----	146.10B/----	146.10B/95.70A	----	136.50 + 41.40	.4639	----	----	----	----	5	UNCH						
1850	----	----	164.90B/----	164.90B/109.60A	----	154.20 + 45.20	.4981	----	----	----	----	275	UNCH						
1865	----	----	174.50B/----	174.50B/116.90A	----	163.50 + 47.10	.5148	----	----	----	----	1	UNCH						
1900	----	----	198.20B/----	198.20B/135.20A	----	186.10 + 51.40	.5523	----	----	----	----	225	UNCH						
1950	----	----	233.90B/----	233.90B/163.80A	----	220.50 + 57.00	.6025	----	----	----	----	50	UNCH						
2000	----	----	271.40B/195.20A	271.40B/195.20A	----	257.10 + 61.70	.6483	----	----	----	----	1	UNCH						
2100	----	----	351.90B/265.00A	351.90B/265.00A	----	335.60 + 69.20	.7271	----	----	----	----	100	UNCH						
2130	----	----	----	----	----	360.30 + 71.20	.7477	----	----	----	----	41	UNCH						
2135	----	----	----	----	----	364.40 + 71.50	.7509	----	----	----	----	12	UNCH						
2140	----	----	----	----	----	368.60 + 71.90	.7542	----	----	----	----	12	UNCH						
2400	----	----	619.30B/511.20A	619.30B/511.20A	----	599.40 + 86.00	.8781	----	----	----	----	200	UNCH						
2500	----	----	714.30B/601.20A	714.30B/601.20A	----	693.50 + 89.90	.9059	----	----	----	----	1	UNCH						
TOTAL										4		1208 +	4						
JAN27																			
1500	----	----	----	----	----	59.10 + 16.30	.1893	----	----	----	----	40	UNCH						
1800	----	----	----	----	----	175.30 + 37.70	.4198	----	----	----	----	1	UNCH						
1900	----	----	----	----	----	234.70 + 45.30	.4987	----	----	----	----	100	UNCH						
2000	----	----	----	----	----	302.60 + 52.50	.5696	----	----	----	----	200	UNCH						
TOTAL												341	0						

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
JUL26	CALL			
OG		4400	0	100
OG		4650	0	340
TOTALS			0	440
AUG26 CALL				
OG		4400	0	200
OG		4425	0	150
OG		4900	0	130
OG		5000	0	50
TOTALS			0	530
SEP26 CALL				
OG		4500	0	170
OG		5300	0	200
TOTALS			0	370
OCT26 CALL				
OG		4525	0	20
OG		5100	0	40
TOTALS			0	60
DEC26 CALL				
OG		4600	0	460
OG		4700	0	400
OG		5300	0	400
TOTALS			0	1260
FEB27 CALL				
OG		4500	0	100
TOTALS			0	100
MAR27 CALL				
OG		6300	0	170
TOTALS			0	170
OG PUT COMEX GOLD OPTIONS				
JUL26	PUT	4100		
OG			0	260
TOTALS			0	260
AUG26 PUT				
OG		4000	0	50
OG		4150	0	60
OG		4350	0	50
TOTALS			0	160
SEP26 PUT				
OG		4000	0	100
OG		4400	0	50
TOTALS			0	150
DEC26 PUT				
OG		3400	0	130
OG		4300	0	400
TOTALS			0	530
SO CALL COMEX SILVER OPTIONS				
JUL26	CALL			
SO		7475	0	42
SO		8000	0	26
SO		8500	0	100
TOTALS			0	168
AUG26 CALL				
SO		7200	0	38
SO		10500	0	76
TOTALS			0	114
SEP26 CALL				
SO		8100	0	200
TOTALS			0	200
SO PUT COMEX SILVER OPTIONS				
JUL26	PUT			
SO		5500	0	100
SO		6000	0	150
SO		6625	0	42
TOTALS			0	292
SEP26 PUT				
SO		6200	0	36
SO		6700	0	350
TOTALS			0	386
HX CALL COMEX COPPER OPTIONS				
JUL26	CALL			
HX		650	0	50
HX		660	0	500
HX		675	0	50
TOTALS			0	600
HX PUT COMEX COPPER OPTIONS				
AUG26	PUT	580		
HX			0	35
TOTALS			0	35
SEP26 PUT				
HX		575	0	600
HX		610	0	300
TOTALS			0	900
PO CALL PLATINUM OPTIONS				
AUG26	CALL			
PO		2300	0	194
PO		2500	0	194
TOTALS			0	388
OCT26 CALL				
PO		2500	0	208
PO		3000	0	208
TOTALS			0	416
PAO PUT NYMEX PALLADIUM OPTIONS				
SEP26	PUT	1000		
PAO			0	100
TOTALS			0	100
OG1 PUT GOLD OPTIONS				
JUN26	PUT			
OG1		4450	0	50
OG1		4500	0	50
TOTALS			0	100
OG1 CALL GOLD OPTIONS				
JUN26	CALL			

PRELIMINARY

PG64 BULLETIN #107@		METALS OPTION PRODUCTS		Fri, Jun 05, 2026 PG64	
OG1	4500	0	50		
OG1	4550	0	50		
TOTALS		0	100		
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK3				
JUN26	CALL				
G3M	4475	0	135		
TOTALS		0	135		
GMW WED	GOLD WEEKLY WEDNESDAY OPTION WEEK3				
JUN26	CALL				
G3W	4450	0	125		
TOTALS		0	125		
COO OPT	COBALT METAL (FASTMARKETS) APO				
JUL26	PUT				
COO	2550	0	100		
TOTALS		0	100		