METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	APR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27
COO OPT	04/30		05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
ECG10 OP		04/06												
ECG11 OP		04/06												
ECG13 OP		04/06												
ECG15 OP		04/06												
ECG16 OP		04/06												
ECGC OOF		04/06												
ECHG OOF		04/06												
ECSI OOF		04/06												
EHO OPT	04/30		05/29	06/30	07/31	08/28	09/30							
FMG OPT	04/17													
FSO OPT	04/30		05/29	06/30										
GMW MON	04/20		05/04											
GWR THU	04/23													
GWT TUE	04/28													
GWW WED	04/29													
HMW MON	04/13													
HRO OPT	04/28		05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29				
HWR THU	04/23													
HWT TUE	04/14													
HWW WED	04/22		05/06	06/03	07/01									
HX CALL			04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28		02/23	
HX PUT			04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HXE CALL	04/24													
HXE PUT	04/17		05/01											
LHO OPT	04/30		05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
MMG MON	04/13													
OG CALL			04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26		03/24
OG PUT			04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26		
OG1 CALL			05/01											
OG1 PUT			05/01											
OG2 CALL	04/10													
OG2 PUT	04/10													
OG3 CALL	04/17													
OG3 PUT	04/17													
OG4 CALL	04/24													
OG4 PUT	04/24													
OMG OPT			04/27	05/26	06/25									
PAO CALL			04/15	05/20			08/19			11/18				
PAO PUT			04/15	05/20			08/19							
PAW OOF	04/17													
PLW OOF	04/24		05/01											
PO CALL			04/15	05/20	06/17			09/16			12/16			
PO PUT			04/15	05/20	06/17			09/16			12/16			
RWS THU	04/23													
SMW MON	04/20		05/04											
SO CALL			04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
SO PUT			04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28			
SO2 CALL	04/10													
SO2 PUT	04/10													
SO3 CALL	04/17													
SO3 PUT	04/17													
SO4 CALL	04/24													
SO4 PUT	04/24													
SWW WED	04/22													
TWS TUE	04/14													
WMG WED	04/08													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK2										
APR26												
4500	----	----	----	----	----	10.90 - 19.00	.0829	----	----	----	----	1 UNCH
4700	47.00	47.00	#47.00/*47.00	#47.00/*47.00	----	46.90 NEW	.4498	----	----	1	----	1 + 1
TOTAL										1		2 + 1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
MAY26												
3600	----	----	----	----	----	4.30 - 1.40	----	----	----	----	----	2 UNCH
3700	----	----	----	----	----	5.50 - 2.00	----	----	----	----	----	1 UNCH
3850	----	----	----	----	----	8.20 - 3.50	----	----	----	----	----	2 UNCH
3900	----	----	----	----	----	9.60 - 4.10	----	----	----	----	----	3 UNCH
4000	----	----	----	----	----	13.50 - 5.40	----	----	----	----	----	7 UNCH
4200	----	----	----	----	----	27.80 - 9.10	----	----	----	----	----	2 UNCH
4250	----	----	----	----	----	467.30 - 5.10	----	----	----	----	----	1 UNCH
4400	----	----	----	----	----	341.60 - 8.30	----	----	----	----	----	1 UNCH
4450	----	----	----	----	----	68.60 - 14.20	----	----	----	----	----	1 UNCH
4450	----	----	----	----	----	302.90 - 9.10	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	266.10 - 10.00	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	81.80 - 14.90	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	114.50 - 16.30	----	----	----	----	----	2 UNCH
4725	----	----	----	----	----	170.00 - 17.20	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	211.90 - 17.20	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	96.80 - 12.20	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	63.10 - 11.20	----	----	----	----	----	2 UNCH
4900	----	----	----	----	----	278.00 - 16.10	----	----	----	----	----	1 UNCH
4920	----	----	----	----	----	292.50 - 15.90	----	----	----	----	----	2 UNCH
4950	----	----	----	----	----	50.30 - 10.40	----	----	----	----	----	2 UNCH
5000	----	----	----	----	----	39.80 - 9.40	----	----	----	----	----	2 UNCH
5050	----	----	----	----	----	396.10 - 13.20	----	----	----	----	----	3 UNCH
5200	----	----	----/*19.00A	----/*19.00A	----	15.60 - 5.20	----	----	----	----	----	1 UNCH
5875	----	----	----	----	----	2.10 - 0.60	----	----	----	----	----	1 UNCH
TOTAL												42 0
JUN26												
2500	----	----	----	----	----	1.70 - 1.00	----	----	----	----	----	2 UNCH
4000	----	----	----	----	----	39.30 - 6.20	----	----	----	----	----	1 UNCH
4260	----	----	----	----	----	78.00 - 9.20	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	143.00 - 11.90	----	----	----	----	----	3 UNCH
4645	----	----	----	----	----	201.10 - 12.90	----	----	----	----	----	3 UNCH
4700	----	----	----	----	----	212.20 - 8.10	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	129.00 - 8.90	----	----	----	----	----	2 UNCH
5200	----	----	----	----	----	57.30 - 6.90	----	----	----	----	----	1 UNCH
5400	----	----	----	----	----	33.90 - 4.90	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	12.30 - 1.90	----	----	----	----	----	1 UNCH
TOTAL												17 0
JUL26												
3400	----	----	----	----	----	1329.50 + 3.60	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1271.70 + 3.20	----	----	----	----	----	1 UNCH
TOTAL												2 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

OG4 PUT — GOLD OPTIONS — APR26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4050 ----	----	----/14.80A	20.20B/14.80A	----	15.30 NEW	.0646	----	----	4	----	4 + 4
4100 ----	----	----/17.40A	24.30B/17.40A	----	18.20 - 6.30	.0770	----	----	----	----	1 UNCH
4150 24.70	24.70	29.30B/21.40A	29.30B/21.40A	----	21.60 NEW	.0914	----	----	8	----	8 + 8
4175 ----	----	32.20B/23.20A	32.20B/23.20A	----	23.60 - 8.00	.0998	----	----	----	----	2 UNCH
4300 ----	----	50.40B/34.90A	50.40B/34.90A	----	37.50 - 10.00	.1548	----	----	----	----	3 UNCH
4315 ----	----	53.10B/37.30A	53.10B/37.30A	----	39.60 - 10.30	.1628	----	----	----	----	1 UNCH
4375 ----	----	65.70B/45.90A	65.70B/45.90A	----	49.40 - 11.70	.1992	----	----	----	----	1 UNCH
4400 ----	----	71.50B/50.30A	71.50B/50.30A	----	54.20 - 12.20	.2163	----	----	----	----	7 UNCH
4500 ----	----	99.60B/71.30A	99.60B/71.30A	----	77.70 - 14.90	.2956	----	----	1	----	9 + 1
4525 83.70	83.70	107.40B/77.30A	107.40B/77.30A	----	84.80 NEW	.3182	----	----	125	----	125 + 125
4590 ----	----	132.60B/96.90A	132.60B/96.90A	----	106.30 - 16.70	.3819	----	----	----	----	1 UNCH
4600 ----	----	136.10B/100.20A	136.10B/100.20A	----	109.90 - 16.90	.3923	----	----	----	----	1 UNCH
4625 ----	----	147.70B/108.80A	147.70B/108.80A	----	119.60 NEW	.4188	----	----	4	----	3 + 3
4650 ----	----	158.50B/118.20A	158.50B/118.20A	----	129.90 - 17.50	.4459	----	----	----	----	1 UNCH
4695 ----	----	181.20B/136.60A	181.20B/136.60A	----	150.30 - 17.80	.4963	----	----	----	----	1 UNCH
4700 ----	----	183.90B/138.80A	183.90B/138.80A	----	152.80 - 17.70	.5019	----	----	----	----	50 UNCH
5075 ----	----	458.10B/391.90A	458.10B/391.90A	----	414.80 - 12.10	.8603	----	----	----	----	1 UNCH
TOTAL									142		219 + 141

OG4 CALL — GOLD OPTIONS — APR26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4540 ----	----	259.60B/228.40A	259.60B/228.40A	----	233.90 - 10.80	.6672	----	----	----	----	1 UNCH
4550 ----	----	252.50B/221.50A	252.50B/221.50A	----	227.10 - 11.00	.6575	----	----	----	----	1 UNCH
4600 ----	----	218.20B/189.40A	218.20B/189.40A	----	194.50 - 11.90	.6072	----	----	----	----	1 UNCH
4800 99.90	99.90	107.50B/89.50A	107.50B/89.50A	----	92.30 - 12.40	.3839	----	----	15	----	16 + 15
4820 ----	----	#98.90B/82.00A	98.90B/82.00A	----	84.70 NEW	.3617	----	----	4	----	4 + 4
4890 68.20	68.20	#68.20/*59.90A	72.80B/*59.90A	----	61.80 NEW	.2879	----	----	9	----	9 + 9
4895 66.70	66.70	#66.70/*58.50A	71.10B/*58.50A	----	60.40 NEW	.2829	----	----	14	----	14 + 14
4900 ----	----	----/*57.20A	69.50B/57.20A	----	59.00 - 10.90	.2780	----	----	----	----	20 UNCH
4930 ----	----	----/*49.70A	60.40B/*49.70A	----	51.20 - 10.30	.2494	----	----	----	----	14 UNCH
4995 ----	----	----/*36.50A	43.90B/*36.50A	----	37.30 NEW	.1940	----	----	15	----	15 + 15
5300 ----	----	----/*10.40A	9.00B/*10.40A	----	8.60 - 3.80	.0526	----	----	2	----	5 + 2
TOTAL									59		100 + 59

OG3 PUT — GOLD OPTIONS — APR26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3200 ----	----	----	0.50B/*0.90A	----	0.50 - 0.30	.0017	----	----	----	----	1 UNCH
3350 ----	----	----	1.00B/*1.60A	----	0.90 - 0.50	.0032	----	----	----	----	2 UNCH
3500 1.90	1.90	1.90/*1.90	1.90/*1.90	----	1.80 - 0.70	.0066	----	----	1	----	5 + 1
3550 ----	----	----/2.30A	1.70B/2.30A	----	2.00 - 0.80	.0076	----	----	----	----	2 UNCH
3600 ----	----	----/2.60A	2.00B/2.60A	----	2.30 - 1.00	.0089	----	----	5	----	11 + 5
3650 2.40	2.40	2.40/*2.40	2.70B/*2.40	----	2.50 NEW	.0100	----	----	3	----	3 + 3
3700 ----	----	----/2.90A	3.20B/2.90A	----	2.90 - 1.40	.0119	----	----	2	----	3 + 2
3750 ----	----	----/3.30A	3.60B/3.30A	----	3.30 - 1.70	.0139	----	----	----	----	3 UNCH
3800 ----	----	----/3.60A	4.20B/3.60A	----	3.70 - 2.20	.0160	----	----	----	----	2 UNCH
3850 4.50	4.50	4.50/4.20A	5.00B/4.20A	----	4.30 - 2.60	.0191	----	----	3	----	6 UNCH
3900 4.70	4.70	4.90/4.70	5.80B/4.70	----	5.00 - 3.10	.0227	----	----	21	----	32 + 21
3950 5.20	5.20	5.90/*5.20	7.00B/*5.20	----	5.80 - 3.70	.0270	----	----	54	----	56 + 52
4000 6.60	6.60	6.60/6.50A	9.30B/6.50A	----	6.90 - 4.40	.0327	----	----	1	----	160 + 1
4025 ----	----	----/7.00A	12.30B/7.00A	----	7.60 - 4.80	.0363	----	----	----	----	2 UNCH
4050 ----	----	----/7.70A	12.00B/7.70A	----	8.30 - 5.20	.0400	----	----	5	----	63 + 5
4100 14.50	14.50	14.50/9.30A	14.50/9.30A	----	10.00 - 6.20	.0489	----	----	9	----	42 + 9
4150 11.90	11.90	11.90/11.30A	18.20B/11.30A	----	12.20 - 7.30	.0604	----	----	1	----	3 + 1
4200 15.00	15.00	15.00/13.80A	21.20B/13.80A	----	15.00 - 8.40	.0747	----	----	1	----	20 UNCH
4220 ----	----	----/15.10A	22.50B/15.10A	----	16.30 - 8.90	.0814	----	----	----	----	150 UNCH
4225 ----	----	----/15.40A	23.10B/15.40A	----	16.70 - 9.00	.0833	----	----	----	----	2 UNCH
4250 ----	----	----/17.10A	26.20B/17.10A	----	18.50 - 9.70	.0925	----	----	----	----	142 UNCH
4260 18.10	18.10	18.10/17.90A	27.50B/17.90A	----	19.30 NEW	.0966	----	----	1	----	1 + 1
4275 ----	----	----/19.10A	29.30B/19.10A	----	20.60 NEW	.1030	----	----	1	----	1 + 1
4295 ----	----	----/20.90A	31.40B/20.90A	----	22.40 - 11.00	.1121	----	----	----	----	1 UNCH
4300 21.50	21.50	22.00/20.90	32.50B/20.90	----	22.90 - 11.10	.1145	----	----	11	----	50 + 3
4350 ----	----	----/26.30A	39.80B/26.30A	----	28.50 - 12.50	.1417	----	----	250	----	113 + 104
4375 ----	----	----/28.90A	44.10B/28.90A	----	31.70 - 13.20	.1572	----	----	----	----	26 UNCH
4385 ----	----	----/30.50A	45.90B/30.50A	----	33.20 - 13.40	.1641	----	----	----	----	2 UNCH
4395 ----	----	----/31.70A	47.90B/31.70A	----	34.60 - 13.80	.1708	----	----	----	----	2 UNCH
4400 39.50	39.50	39.50/32.40A	49.30B/32.40A	----	35.40 - 13.90	.1745	----	----	57	----	76 + 53
4425 ----	----	54.60B/36.00A	54.60B/36.00A	----	39.50 - 14.60	.1933	----	----	----	----	1 UNCH
4440 ----	----	57.50B/38.40A	57.50B/38.40A	----	42.20 - 15.00	.2054	----	----	1	----	1 UNCH
4450 ----	----	60.70B/39.80A	60.70B/39.80A	----	44.00 - 15.40	.2137	----	----	----	----	171 UNCH
4480 ----	----	67.10B/45.20A	67.10B/45.20A	----	50.20 - 16.10	.2407	----	----	----	----	10 UNCH
4500 65.00	65.00	80.00/49.00A	80.00/49.00A	----	54.70 - 16.60	.2600	----	----	14	----	106 + 3
4540 ----	----	86.20B/58.10A	86.20B/58.10A	----	64.90 - 17.60	.3020	----	----	2	----	1 - 1
4550 85.00	85.00	90.60B/60.40A	90.60B/60.40A	----	67.70 - 17.80	.3132	----	----	1	----	175 - 1
4580 ----	----	100.90B/68.30A	100.90B/68.30A	----	76.80 - 18.40	.3485	----	----	----	----	1 UNCH
4600 82.50	82.50	109.60B/74.00A	109.60B/74.00A	----	83.50 - 18.70	.3734	----	----	7	----	57 + 3
4625 ----	----	120.50B/81.90A	120.50B/81.90A	----	92.50 - 19.10	.4057	----	----	4	----	11 + 3
4630 ----	----	121.60B/83.50A	121.60B/83.50A	----	94.40 - 19.20	.4123	----	----	----	----	5 UNCH
4635 ----	----	124.30B/85.20A	124.30B/85.20A	----	96.40 - 19.20	.4190	----	----	----	----	10 UNCH
4640 ----	----	125.00B/87.00A	125.00B/87.00A	----	98.30 - 19.30	.4258	----	----	----	----	1 UNCH
4645 96.30	96.30	126.40B/88.60A	126.40B/88.60A	----	100.30 NEW	.4325	----	----	5	----	5 + 5
4650 ----	----	128.00B/90.30A	128.00B/90.30A	----	102.40 - 19.40	.4394	----	----	----	----	92 UNCH
4660 106.20	106.20	133.80B/94.20A	133.80B/94.20A	----	106.50 NEW	.4531	----	----	4	----	4 + 4
4675 112.50	112.50	141.40B/100.00A	141.40B/100.00A	----	113.10 - 19.60	.4741	----	----	95	----	83 + 71
4680 113.40	113.40	144.10B/102.00A	144.10B/102.00A	----	115.30 - 19.60	.4812	----	----	52	----	67 + 52
4690 ----	----	148.10B/106.10A	148.10B/106.10A	----	119.90 - 19.70	.4954	----	----	----	----	1 UNCH
4700 ----	----	153.40B/110.30A	153.40B/110.30A	----	124.60 - 19.70	.5096	----	----	2	----	38 + 1
4710 ----	----	158.10B/114.70A	158.10B/114.70A	----	129.50 - 19.80	.5240	----	----	----	----	1 UNCH
4720 125.60	125.60	163.60B/119.20A	163.60B/119.20A	----	134.60 - 19.70	.5385	----	----	1	----	2 + 1
4725 ----	----	166.40B/121.50A	166.40B/121.50A	----	137.20 - 19.70	.5457	----	----	1	----	2 + 1
4750 ----	----	181.10B/133.60A	181.10B/133.60A	----	150.60 - 19.60	.5818	----	----	1	----	11 UNCH
4775 ----	----	197.70B/146.70A	197.70B/146.70A	----	165.10 NEW	.6176	----	----	1	----	1 + 1
4795 ----	----	210.80B/158.00A	210.80B/158.00A	----	177.30 - 19.20	.6457	----	----	----	----	1 UNCH
4800 ----	----	214.10B/160.90A	214.10B/160.90A	----	180.50 - 19.10	.6528	----	----	----	----	1 UNCH
4825 ----	----	231.60B/175.80A	231.60B/175.80A	----	196.90 - 18.60	.6868	----	----	----	----	1 UNCH
4850 ----	----	248.90B/191.80A	248.90B/191.80A	----	214.20 - 18.10	.7191	----	----	----	----	1 UNCH
4915 ----	----	300.50B/237.00A	300.50B/237.00A	----	263.20 NEW	.7944	----	----	1	----	1 + 1
4975 ----	----	351.00B/283.60A	351.00B/283.60A	----	312.80 - 14.40	.8500	----	----	----	----	1 UNCH
4995 ----	----	368.40B/300.10A	368.40B/300.10A	----	330.20 - 13.60	.8652	----	----	----	----	1 UNCH
5000 ----	----	371.70B/304.30A	371.70B/304.30A	----	334.50 - 13.50	.8692	----	----	----	----	1 UNCH
5050 ----	----	417.90B/347.10A	417.90B/347.10A	----	379.40 - 11.80	.9006	----	----	----	----	1 UNCH
5150 ----	----	482.80B/438.30A	482.80B/438.30A	----	473.10 - 9.20	.9420	----	----	----	----	1 UNCH
5180 ----	----	511.70B/466.60A	511.70B/466.60A	----	501.90 - 8.60	.9504	----	----	----	----	1 UNCH
TOTAL									618		1850 + 406

OG3 CALL — GOLD OPTIONS — APR26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4300 ----	----	441.30B/391.70A	441.30B/391.70A	----	407.30 - 5.90	.8851	----	----	----	----	1 UNCH
4375 ----	----	373.80B/328.70A	373.80B/328.70A	----	341.20 - 8.10	.8425	----	----	----	----	74 UNCH
4415 ----	----	339.00B/295.60A	339.00B/295.60A	----	307.20 - 9.30	.8141	----	----	----	----	6 UNCH
4435 ----	----	321.90B/279.40A	321.90B/279.40A	----	290.70 - 9.80	.7985	----	----	----	----	10 UNCH
4450 ----	----	309.30B/267.30A	309.30B/267.30A	----	278.50 - 10.30	.7860	----	----	----	----	1 UNCH
4500 ----	----	268.50B/228.00A	268.50B/228.00A	----	239.20 - 11.60	.7397	----	----	----	----	1 UNCH
4550 ----	----	229.70B/191.30A	229.70B/191.30A	----	202.30 - 12.80	.6864	----	----	----	----	1 UNCH
4575 ----	----	211.20B/173.80A	211.20B/173.80A	----	184.80 - 13.30	.6571	----	----	----	----	3 UNCH
4600 ----	----	193.40B/157.20A	193.40B/157.20A	----	168.10 - 13.70	.6263	----	----	----	----	25 UNCH
4610 ----	----	186.50B/150.50A	186.50B/150.50A	----	161.70 - 13.80	.6135	----	----	----	----	1 UNCH
4625 ----	----	176.30B/141.30A	176.30B/141.30A	----	152.20 - 14.10	.5939	----	----	----	----	3 UNCH
4650 ----	----	163.50B/126.70A	163.50B/126.70A	----	137.00 - 14.40	.5603	----	----	----	----	7 UNCH
4675 118.70	118.70	152.60B/112.60A	152.60B/112.60A	----	122.70 - 14.70	.5255	----	----	5	----	4 - 1
4680 134.50	134.50	149.60B/110.00A	149.60B/110.00A	----	120.00 - 14.60	.5185	----	----	6	----	26 + 6
4685 112.20	112.20	146.30B/107.50A	146.30B/107.50A	----	117.30 NEW	.5114	----	----	19	----	19 + 19
4690 ----	----	143.20B/105.00A	143.20B/105.00A	----	114.60 - 14.70	.5043	----	----	----	----	1 UNCH
4695 ----	----	140.30B/102.30A	140.30B/102.30A	----	112.00 - 14.70	.4971	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL	GOLD OPTIONS										
APR26											
4700 ----	----	137.70B/99.80A	137.70B/99.80A	----	109.40 - 14.70	.4900	----	----	1	----	43 + 1
4710 ----	----	131.90B/95.00A	131.90B/95.00A	----	104.30 - 14.70	.4756	----	----	----	----	1 UNCH
4725 ----	----	123.20B/88.00A	123.20B/88.00A	----	96.90 - 14.70	.4540	----	----	----	----	1 UNCH
4730 ----	----	120.40B/85.70A	120.40B/85.70A	----	94.50 - 14.70	.4467	----	----	----	----	1 UNCH
4750 ----	----	110.40B/77.10A	110.40B/77.10A	----	85.40 - 14.60	.4178	----	----	----	----	49 UNCH
4755 ----	----	107.60B/75.00A	107.60B/75.00A	----	83.20 - 14.60	.4106	----	----	----	----	2 UNCH
4765 ----	----	102.70B/71.20A	102.70B/71.20A	----	79.00 - 14.50	.3963	----	----	----	----	74 UNCH
4775 87.50	87.50	97.70B/67.40A	97.70B/67.40A	----	74.90 NEW	.3820	----	----	1	----	1 + 1
4785 ----	----	93.10B/63.60A	93.10B/63.60A	----	70.90 - 14.30	.3678	----	----	----	----	2 UNCH
4800 83.00	83.00	86.70B/58.40A	86.70B/58.40A	----	65.30 - 14.10	.3469	----	----	27	----	39 + 24
4805 ----	----	84.10B/56.90A	84.10B/56.90A	----	63.50 - 14.00	.3400	----	----	----	----	1 UNCH
4810 ----	----	82.00B/55.20A	82.00B/55.20A	----	61.80 - 13.90	.3332	----	----	----	----	2 UNCH
4815 67.00	67.00	81.00/53.70A	81.00/53.70A	----	60.00 NEW	.3263	----	----	12	----	6 + 6
4825 ----	----	76.00B/50.50A	76.00B/50.50A	----	56.70 - 13.70	.3129	----	----	----	----	44 UNCH
4830 ----	----	73.90B/49.20A	73.90B/49.20A	----	55.10 - 13.60	.3063	----	----	----	----	1 UNCH
4845 ----	----	68.30B/45.00A	68.30B/45.00A	----	50.50 - 13.30	.2868	----	----	----	----	10 UNCH
4850 ----	----	66.40B/43.60A	66.40B/43.60A	----	49.10 - 13.10	.2806	----	----	251	----	111 + 97
4860 ----	----	62.70B/41.10A	62.70B/41.10A	----	46.20 - 13.00	.2679	----	----	----	----	1 UNCH
4875 41.70	41.70	57.70B/37.50A	57.70B/37.50A	----	42.30 - 12.50	.2499	----	----	4	----	14 + 4
4890 ----	----	53.00B/34.20A	53.00B/34.20A	----	38.60 - 12.10	.2325	----	----	----	----	25 UNCH
4900 ----	----	50.30B/32.20A	50.30B/32.20A	----	36.30 - 11.90	.2213	----	----	1	----	84 + 1
4905 ----	----	48.50B/*31.20A	48.50B/*31.20A	----	35.20 - 11.70	.2158	----	----	----	----	1 UNCH
4925 ----	----	43.10B/*27.50A	43.10B/*27.50A	----	31.10 - 11.10	.1950	----	----	----	----	6 UNCH
4945 ----	----	38.20B/*24.30A	38.20B/*24.30A	----	27.50 - 10.40	.1758	----	----	----	----	3 UNCH
4950 ----	----	37.00B/*23.50A	37.00B/*23.50A	----	26.70 - 10.20	.1714	----	----	----	----	4 UNCH
4955 28.10	28.10	28.10/*22.90A	35.80B/*22.90A	----	25.80 - 10.10	.1666	----	----	8	----	8 + 7
4960 29.50	29.50	29.50/*22.00A	34.60B/*22.00A	----	25.10 NEW	.1625	----	----	10	----	10 + 10
4970 ----	----	----/*20.70A	32.60B/*20.70A	----	23.50 - 9.60	.1537	----	----	----	----	2 UNCH
4975 25.50	25.50	25.50/*20.10A	31.60B/*20.10A	----	22.80 - 9.40	.1497	----	----	4	----	10 + 3
4980 ----	----	----/*19.60A	30.60B/*19.60A	----	22.10 - 9.30	.1457	----	----	2	----	3 + 1
4995 ----	----	----/*17.70A	27.80B/*17.70A	----	20.20 NEW	.1345	----	----	15	----	15 + 15
5000 21.60	21.60	22.10/*17.20A	26.90B/*17.20A	----	19.50 - 8.60	.1305	----	----	24	----	75 + 20
5005 ----	----	----/*16.60A	26.10B/*16.60A	----	18.90 - 8.40	.1269	----	----	----	----	1 UNCH
5010 ----	----	----/*16.10A	25.30B/*16.10A	----	18.40 - 8.20	.1238	----	----	----	----	5 UNCH
5015 ----	----	----/*15.60A	24.50B/*15.60A	----	17.80 - 8.10	.1202	----	----	----	----	17 UNCH
5020 ----	----	----/*15.10A	23.70B/*15.10A	----	17.30 - 7.90	.1171	----	----	----	----	1 UNCH
5025 ----	----	----/*14.60A	23.00B/*14.60A	----	16.80 - 7.70	.1140	----	----	----	----	3 UNCH
5050 ----	----	----/*12.50A	19.60B/*12.50A	----	14.40 - 6.90	.0991	----	----	----	----	4 UNCH
5070 13.00	13.00	13.00/*11.00A	17.20B/*11.00A	----	12.80 NEW	.0888	----	----	1	----	1 + 1
5080 ----	----	----/*10.40A	16.10B/*10.40A	----	12.10 - 6.00	.0841	----	----	----	----	3 UNCH
5085 ----	----	----/*10.10A	15.50B/*10.10A	----	11.70 - 6.00	.0816	----	----	----	----	1 UNCH
5095 ----	----	----/*9.50A	14.60B/*9.50A	----	11.10 - 5.60	.0775	----	----	----	----	2 UNCH
5100 10.00	10.00	10.00/*9.20A	14.10B/*9.20A	----	10.80 - 5.50	.0755	----	----	2	----	100 UNCH
5105 ----	----	----/*9.00A	13.60B/*9.00A	----	10.50 - 5.40	.0735	----	----	----	----	1 UNCH
5150 ----	----	----/*6.90A	10.10B/*6.90A	----	8.20 - 4.40	.0578	----	----	----	----	4 UNCH
5160 ----	----	----/*6.60A	9.50B/*6.60A	----	7.70 - 4.20	.0544	----	----	----	----	3 UNCH
5170 ----	----	----/*6.20A	8.90B/*6.20A	----	7.30 - 4.00	.0516	----	----	----	----	10 UNCH
5175 ----	----	----/*6.00A	8.60B/*6.00A	----	7.20 - 3.90	.0507	----	----	----	----	2 UNCH
5200 7.30	7.30	7.30/*5.30A	7.30/*5.30A	----	6.30 - 3.50	.0444	----	----	1	----	286 + 1
5245 ----	----	----/*4.20A	5.60B/*4.20A	----	5.00 - 2.80	.0352	----	----	----	----	6 UNCH
5250 4.30	4.30	4.30/*4.00A	5.50B/*4.00A	----	4.80 - 2.80	.0339	----	----	3	----	200 UNCH
5265 ----	----	----/*3.80A	5.00B/*3.80A	----	4.50 - 2.60	.0316	----	----	----	----	3 UNCH
5300 ----	----	----/*3.20A	4.20B/*3.20A	----	3.70 - 2.30	.0260	----	----	2	----	10 + 2
5325 ----	----	----/*2.90A	3.80B/*2.90A	----	3.30 - 2.00	.0231	----	----	----	----	1 UNCH
5350 ----	----	----/*2.60A	3.30B/*2.60A	----	2.90 - 1.80	.0202	----	----	----	----	11 UNCH
5375 ----	----	----/*2.40A	3.00B/*2.40A	----	2.50 - 1.70	.0174	----	----	----	----	2 UNCH
5400 2.60	2.60	2.60/*2.20A	2.70B/*2.20A	----	2.20 - 1.60	.0153	----	----	3	----	6 UNCH
5425 ----	----	----/*2.00A	2.40B/*2.00A	----	2.00 - 1.40	.0138	----	----	----	----	2 UNCH
5450 ----	----	----/*1.80A	2.10B/*1.80A	----	1.70 - 1.30	.0117	----	----	----	----	1 UNCH
5500 ----	----	----/*1.70A	1.50B/*1.70A	----	1.30 - 1.20	.0089	----	----	----	----	12 UNCH
5550 ----	----	----/*1.30A	1.20B/*1.30A	----	1.00 - 1.00	.0068	----	----	----	----	1 UNCH
TOTAL									402		1533 + 218

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 PUT	GOLD OPTIONS										
APR26											
2800 ----	----	----	0.20B/0.20A	----	0.10 - 0.10	----	----	----	----	----	19 UNCH
3200 ----	----	----	----/0.60A	----	0.10 - 0.50	.0000	----	----	----	----	1 UNCH
3250 ----	----	----	----/0.60A	----	0.10 - 0.50	.0001	----	----	----	----	15 UNCH
3300 ----	----	----/0.30A	----/0.30A	----	0.10 - 0.70	.0001	----	----	----	----	4 UNCH
3350 ----	----	----/0.40A	----/0.40A	----	0.20 - 0.70	.0004	----	----	----	----	17 UNCH
3400 0.40	0.40	0.40/*0.30A	0.40/*0.30A	----	0.20 - 0.90	.0004	----	----	1	----	13 UNCH
3500 2.50	2.50	2.50/*0.50A	2.50/*0.50A	----	0.40 - 1.10	.0009	----	----	1	----	33 UNCH
3550 ----	----	----/*0.70A	0.50B/*0.70A	----	0.50 - 1.20	.0012	----	----	----	----	9 UNCH
3600 ----	----	----/*0.80A	0.70B/*0.80A	----	0.60 - 1.30	.0015	----	----	----	----	4 UNCH
3650 1.20	1.20	1.30B/*0.80A	1.30B/*0.80A	----	0.70 - 1.30	.0019	----	----	4	----	36 + 4
3700 ----	----	----/*0.90A	1.60B/*0.90A	----	0.80 - 1.30	.0023	----	----	3	----	11 + 1
3750 3.90	3.90	3.90/*0.90	3.90/*0.90	----	0.90 - 1.40	.0027	----	----	7	----	54 + 5
3800 1.70	1.70	1.70/*1.20	2.20B/*1.20	----	1.20 - 1.40	.0038	----	----	14	----	24 + 8
3850 ----	----	----/*1.40A	2.70B/*1.40A	----	1.40 - 1.50	.0047	----	----	2	----	34 + 2
3900 1.60	1.60	3.30B/*1.60	3.30B/*1.60	----	1.70 - 1.50	.0061	----	----	6	----	128 + 2
3950 ----	----	4.00B/*1.80A	4.00B/*1.80A	----	1.90 - 1.90	.0072	----	----	----	----	57 UNCH
4000 2.50	2.50	2.50/*2.10	4.60B/*2.10	----	2.20 - 2.70	.0089	----	----	26	----	244 - 12
4025 ----	----	----/*2.30A	5.40B/*2.30A	----	2.40 - 3.00	.0101	----	----	----	----	11 UNCH
4050 2.90	2.90	6.10B/*2.50A	6.10B/*2.50A	----	2.70 - 3.10	.0116	----	----	2	----	34 UNCH
4075 3.80	3.80	7.00B/*2.70A	7.00B/*2.70A	----	3.00 - 3.40	.0133	----	----	10	----	35 + 1
4100 6.60	6.60	8.20/*2.60	8.20/*2.60	----	3.20 - 4.00	.0147	----	----	8	----	252 + 8
4125 ----	----	8.60B/*3.30A	8.60B/*3.30A	----	3.60 - 4.60	.0170	----	----	----	----	46 UNCH
4150 3.60	3.60	9.50B/*3.60	9.50B/*3.60	----	3.90 - 5.30	.0191	----	----	1	----	49 - 1
4175 8.00	8.00	11.10B/*3.90A	11.10B/*3.90A	----	4.30 - 5.80	.0217	----	----	3	----	243 + 1
4200 7.20	7.20	11.80B/*4.30	11.80B/*4.30	----	4.80 - 6.40	.0250	----	----	11	----	622 + 7
4210 13.20	13.20	13.20/*4.60A	13.20/*4.60A	----	5.00 - 6.70	.0264	----	----	1	----	9 + 1
4215 5.20	5.20	12.50B/*4.70A	12.50B/*4.70A	----	5.10 - 6.80	.0271	----	----	1	----	7 - 1
4220 ----	----	12.70B/*4.80A	12.70B/*4.80A	----	5.20 - 7.00	.0278	----	----	----	----	3 UNCH
4225 7.00	7.00	13.20B/*4.90A	13.20B/*4.90A	----	5.30 - 7.10	.0285	----	----	7	----	173 + 2
4230 ----	----	13.40B/*5.10A	13.40B/*5.10A	----	5.50 - 7.20	.0297	----	----	----	----	45 UNCH
4235 ----	----	13.80B/*5.20A	13.80B/*5.20A	----	5.60 - 7.40	.0305	----	----	----	----	89 UNCH
4240 ----	----	14.10B/*5.30A	14.10B/*5.30A	----	5.70 - 7.60	.0312	----	----	----	----	83 UNCH
4245 ----	----	14.30B/*5.40A	14.30B/*5.40A	----	5.90 - 7.60	.0324	----	----	----	----	19 UNCH
4250 7.80	7.80	14.70B/*5.50A	14.70B/*5.50A	----	6.00 - 7.90	.0332	----	----	5	----	287 UNCH
4255 ----	----	15.00B/*5.70A	15.00B/*5.70A	----	6.20 - 8.00	.0345	----	----	----	----	22 UNCH
4260 6.30	6.30	15.40B/*5.80A	15.40B/*5.80A	----	6.30 - 8.20	.0353	----	----	1	----	70 UNCH
4265 ----	----	15.70B/*5.90A	15.70B/*5.90A	----	6.50 - 8.30	.0366	----	----	----	----	63 UNCH
4275 ----	----	16.50B/*6.20A	16.50B/*6.20A	----	6.80 - 8.70	.0387	----	----	1	----	49 + 1
4280 ----	----	16.90B/*6.40A	16.90B/*6.40A	----	7.00 - 8.90	.0401	----	----	----	----	14 UNCH
4285 ----	----	17.30B/*6.60A	17.30B/*6.60A	----	7.20 - 9.00	.0414	----	----	----	----	24 UNCH
4290 10.00	10.00	17.80B/*6.70A	17.80B/*6.70A	----	7.40 NEW	.0428	----	----	2	----	2 + 2
4295 15.10	15.10	18.20B/*6.90A	18.20B/*6.90A	----	7.60 - 9.40	.0442	----	----	1	----	14 + 1
4300 21.20	21.20	21.20/*7.00A	21.20/*7.00A	----	7.80 - 9.60	.0456	----	----	239	----	509 + 20
4310 ----	----	19.50B/*7.40A	19.50B/*7.40A	----	8.20 - 10.00	.0485	----	----	----	----	12 UNCH
4315 ----	----	20.10B/*7.50A	20.10B/*7.50A	----	8.40 - 10.20	.0500	----	----	----	----	1 UNCH
4325 ----	----	21.00B/*7.90A	21.00B/*7.90A	----	8.90 - 10.60	.0534	----	----	----	----	5 UNCH
4330 ----	----	21.40B/*8.10A	21.40B/*8.10A	----	9.10 - 10.90	.0550	----	----	----	----	11 UNCH
4340 ----	----	22.60B/*8.50A	22.60B/*8.50A	----	9.60 - 11.30	.0586	----	----	1	----	3 - 1
4345 ----	----	23.00B/*8.70A	23.00B/*8.70A	----	9.90 - 11.50	.0607	----	----	----	----	2 UNCH
4350 16.20	16.20	23.70B/*9.00	23.70B/*9.00	----	10.20 - 11.70	.0628	----	----	260	----	382 + 236
4355 10.30	10.30	24.00B/*9.20A	24.00B/*9.20A	----	10.50 - 11.90	.0649	----	----	1	----	51 + 1
4360 ----	----	24.60B/*9.40A	24.60B/*9.40A	----	10.80 NEW	.0671	----	----	1	----	1 + 1
4365 ----	----	25.30B/*9.70A	25.30B/*9.70A	----	11.10 - 12.40	.0693	----	----	----	----	1 UNCH
4375 10.20	10.20	26.40B/*10.20	26.40B/*10.20	----	11.70 - 12.90	.0738	----	----	3	----	4 + 3
4385 18.60	18.60	27.70B/*10.70A	27.70B/*10.70A	----	12.40 NEW	.0788	----	----	5	----	4 + 4
4390 ----	----	28.30B/*11.00A	28.30B/*11.00A	----	12.80 - 13.50	.0816	----	----	----	----	3 UNCH
4395 ----	----	28.90B/*11.20A	28.90B/*11.20A	----	13.10 NEW	.0841	----	----	2	----	2 + 2
4400 20.90	20.90	29.40B/*11.50A	29.40B/11.50A	----	13.50 - 14.10	.0869	----	----	228	----	205 + 155
4405 ----	----	30.50B/*11.80A	30.50B/*11.80A	----	13.90 - 14.30	.0899	----	----	----	----	21 UNCH
4410 ----	----	31.30B/*12.10A	31.30B/*12.10A	----	14.40 - 14.50	.0933	----	----	----	----	10 UNCH
4415 ----	----	32.30B/*12.50A	32.30B/*12.50A	----	14.80 - 14.70	.0963	----	----	----	----	6 UNCH
4420 ----	----	33.10B/*12.90A	33.10B/*12.90A	----	15.20 - 15.00	.0994	----	----	1	----	2 + 1
4425 ----	----	33.90B/*13.10A	33.90B/*13.10A	----	15.70 - 15.20	.1029	----	----	----	----	6 UNCH
4430 16.30	16.30	34.70B/*13.60A	34.70B/*13.60A	----	16.20 NEW	.1065	----	----	3	----	3 + 3
4435 15.90	15.90	35.60B/*13.90A	35.60B/*13.90A	----	16.60 - 15.80	.1097	----	----	2	----	5 + 2
4445 16.80	16.80	37.40B/*14.70A	37.40B/*14.70A	----	17.70 - 16.20	.1176	----	----	4	----	5 + 4
4450 15.20	15.20	38.30B/*15.00	38.30B/*15.00	----	18.20 - 16.50	.1213	----	----	20	----	50 + 9

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG2 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4455	18.10	18.10	39.20B/*15.50A	39.20B/*15.50A	----	18.80 NEW	.1256	----	----	3	----	3 + 3
4460	17.10	17.10	40.20B/*16.00A	40.20B/*16.00A	----	19.30 - 17.00	.1295	----	----	8	----	7 + 5
4465	----	----	41.20B/*16.40A	41.20B/*16.40A	----	19.90 - 17.30	.1339	----	----	----	----	2 UNCH
4470	----	----	42.30B/*16.90A	42.30B/*16.90A	----	20.60 - 17.50	.1387	----	----	1	----	28 + 1
4475	18.90	18.90	43.30B/*17.30A	43.30B/*17.30A	----	21.20 - 17.70	.1432	----	----	7	----	51 - 4
4480	19.00	19.00	44.40B/*17.80A	44.40B/*17.80A	----	21.90 - 18.00	.1482	----	----	7	----	200 UNCH
4485	19.00	19.00	45.50B/*18.40A	45.50B/*18.40A	----	22.50 NEW	.1528	----	----	8	----	8 + 8
4490	----	----	46.70B/*19.00A	46.70B/*19.00A	----	23.20 - 18.50	.1579	----	----	----	----	4 UNCH
4495	21.50	21.50	47.70B/*19.60A	47.70B/*19.60A	----	24.00 NEW	.1634	----	----	1	----	1 + 1
4500	24.40	24.40	48.90B/*20.10A	48.90B/20.10A	----	24.70 - 19.00	.1687	----	----	269	----	253 - 64
4505	21.50	21.50	50.10B/*20.70A	50.10B/*20.70A	----	25.50 NEW	.1743	----	----	5	----	5 + 5
4510	51.00	51.00	51.50B/*21.30A	51.50B/*21.30A	----	26.30 - 19.50	.1801	----	----	103	----	100 + 97
4515	----	----	52.70B/*22.00A	52.70B/*22.00A	----	27.10 - 19.80	.1859	----	----	2	----	11 + 2
4520	----	----	54.10B/*22.60A	54.10B/*22.60A	----	28.00 - 20.00	.1921	----	----	----	----	1 UNCH
4525	----	----	55.40B/*23.30A	55.40B/*23.30A	----	28.90 - 20.20	.1984	----	----	----	----	2 UNCH
4530	----	----	56.90B/24.00A	56.90B/24.00A	----	29.80 - 20.50	.2048	----	----	1	----	2 + 1
4535	30.20	30.20	58.20B/24.80A	58.20B/24.80A	----	30.70 - 20.80	.2113	----	----	1	----	2 + 1
4540	----	----	59.60B/25.50A	59.60B/25.50A	----	31.70 - 21.00	.2182	----	----	----	----	8 UNCH
4545	----	----	61.10B/26.30A	61.10B/26.30A	----	32.70 - 21.20	.2252	----	----	----	----	7 UNCH
4550	48.00	48.00	62.60B/27.10A	62.60B/27.10A	----	33.80 - 21.40	.2325	----	----	118	----	129 + 56
4555	34.20	34.20	64.10B/28.00A	64.10B/28.00A	----	34.80 - 21.70	.2397	----	----	6	----	15 + 5
4560	----	----	65.80B/28.90A	65.80B/28.90A	----	35.90 - 21.90	.2472	----	----	2	----	3 UNCH
4565	40.90	40.90	67.40B/29.80A	67.40B/29.80A	----	37.10 NEW	.2551	----	----	8	----	8 + 8
4570	----	----	69.10B/30.70A	69.10B/30.70A	----	38.30 - 22.30	.2631	----	----	1	----	5 + 1
4575	39.90	39.90	70.70B/31.70A	70.70B/31.70A	----	39.50 - 22.50	.2712	----	----	3	----	16 UNCH
4590	----	----	75.80B/34.80A	75.80B/34.80A	----	43.40 - 23.10	.2967	----	----	----	----	3 UNCH
4595	41.60	41.60	77.90B/35.90A	77.90B/35.90A	----	44.70 - 23.40	.3055	----	----	1	----	3 + 1
4600	78.00	78.00	79.70B/37.10A	79.70B/37.10A	----	46.10 - 23.60	.3145	----	----	109	----	337 + 81
4610	50.50	50.50	83.80B/39.50A	83.80B/39.50A	----	49.10 - 23.90	.3333	----	----	4	----	5 + 2
4620	----	----	88.00B/42.00A	88.00B/42.00A	----	52.30 - 24.20	.3528	----	----	----	----	11 UNCH
4625	----	----	90.20B/43.20A	90.20B/43.20A	----	53.90 - 24.40	.3627	----	----	101	----	125 + 99
4630	54.50	54.50	92.50B/44.70A	92.50B/44.70A	----	55.60 - 24.50	.3728	----	----	2	----	183 UNCH
4645	59.50	59.50	99.30B/49.00A	99.30B/49.00A	----	61.00 - 24.80	.4041	----	----	1	----	3 + 1
4650	93.50	93.50	101.70B/50.50A	101.70B/50.50A	----	62.90 - 24.90	.4149	----	----	15	----	127 - 8
4670	----	----	112.00B/57.30A	112.00B/57.30A	----	71.00 - 25.20	.4590	----	----	----	----	1 UNCH
4675	----	----	114.60B/59.10A	114.60B/59.10A	----	73.10 - 25.30	.4703	----	----	1	----	29 UNCH
4700	108.00	108.00	122.90B/68.70A	122.90B/68.70A	----	84.80 - 25.20	.5279	----	----	102	----	181 + 96
4705	----	----	125.70B/70.80A	125.70B/70.80A	----	87.30 - 25.20	.5396	----	----	----	----	1 UNCH
4720	----	----	133.50B/77.30A	133.50B/77.30A	----	95.10 - 25.10	.5747	----	----	1	----	7 UNCH
4725	----	----	136.60B/79.60A	136.60B/79.60A	----	97.90 - 24.90	.5863	----	----	1	----	1 UNCH
4745	----	----	149.60B/89.10A	149.60B/89.10A	----	109.40 - 24.40	.6324	----	----	----	----	2 UNCH
4750	----	----	153.30B/91.70A	153.30B/91.70A	----	112.50 - 24.20	.6436	----	----	10	----	9 - 10
4760	----	----	159.70B/97.60A	159.70B/97.60A	----	118.70 - 23.90	.6660	----	----	----	----	1 UNCH
4780	----	----	174.10B/109.00A	174.10B/109.00A	----	131.90 - 23.00	.7089	----	----	----	----	20 UNCH
4785	----	----	178.50B/112.00A	178.50B/112.00A	----	135.30 - 22.80	.7191	----	----	----	----	48 UNCH
4790	----	----	181.80B/115.10A	181.80B/115.10A	----	138.80 - 22.60	.7292	----	----	----	----	23 UNCH
4795	----	----	185.70B/118.20A	185.70B/118.20A	----	142.40 - 22.30	.7393	----	----	----	----	30 UNCH
4800	----	----	189.50B/121.40A	189.50B/121.40A	----	146.00 - 22.00	.7490	----	----	----	----	9 UNCH
4805	----	----	193.90B/124.60A	193.90B/124.60A	----	149.70 - 21.70	.7583	----	----	----	----	7 UNCH
4810	----	----	197.90B/127.90A	197.90B/127.90A	----	153.40 - 21.40	.7676	----	----	----	----	1 UNCH
4825	----	----	209.60B/138.20A	209.60B/138.20A	----	164.80 - 20.50	.7937	----	----	2	----	6 UNCH
4840	----	----	222.30B/148.90A	222.30B/148.90A	----	176.70 - 19.50	.8182	----	----	----	----	1 UNCH
4850	183.80	183.80	230.60B/156.30A	230.60B/156.30A	----	184.80 - 18.90	.8327	----	----	2	----	3 UNCH
4875	----	----	252.50B/175.70A	252.50B/175.70A	----	205.80 - 17.20	.8656	----	----	5	----	4 UNCH
4900	----	----	275.10B/196.00A	275.10B/196.00A	----	227.60 - 15.60	.8929	----	----	2	----	17 UNCH
4910	----	----	284.20B/204.40A	284.20B/204.40A	----	236.50 - 15.00	.9025	----	----	----	----	1 UNCH
4925	----	----	298.10B/217.30A	298.10B/217.30A	----	250.10 - 14.10	.9149	----	----	1	----	4 - 1
4935	----	----	307.60B/226.00A	307.60B/226.00A	----	259.20 - 13.60	.9228	----	----	----	----	1 UNCH
4945	----	----	317.00B/234.10A	317.00B/234.10A	----	268.50 - 13.00	.9293	----	----	----	----	3 UNCH
4950	----	----	321.70B/239.30A	321.70B/239.30A	----	273.10 - 12.80	.9328	----	----	----	----	2 UNCH
4955	----	----	326.50B/242.70A	326.50B/242.70A	----	277.80 - 12.50	.9356	----	----	----	----	2 UNCH
4975	----	----	345.40B/260.30A	345.40B/260.30A	----	296.60 - 11.50	.9465	----	----	----	----	2 UNCH
4995	----	----	364.60B/280.50A	364.60B/280.50A	----	315.60 - 10.70	.9555	----	----	----	----	1 UNCH
5000	----	----	369.40B/282.80A	369.40B/282.80A	----	320.40 - 10.50	.9574	----	----	----	----	103 UNCH
5015	----	----	384.00B/296.40A	384.00B/296.40A	----	334.70 - 10.00	.9628	----	----	1	----	3 + 1
5020	----	----	388.90B/300.90A	388.90B/300.90A	----	339.60 - 9.80	.9646	----	----	----	----	8 UNCH
5025	----	----	393.80B/305.70A	393.80B/305.70A	----	344.40 - 9.70	.9663	----	----	----	----	2 UNCH
5050	----	----	418.20B/330.90A	418.20B/330.90A	----	368.60 - 9.00	.9734	----	----	----	----	4 UNCH
5065	----	----	432.90B/345.30A	432.90B/345.30A	----	383.30 - 8.50	.9762	----	----	----	----	20 UNCH
5070	----	----	437.80B/350.10A	437.80B/350.10A	----	388.10 - 8.50	.9771	----	----	----	----	4 UNCH
5075	----	----	442.70B/353.90A	442.70B/353.90A	----	393.00 - 8.30	.9780	----	----	----	----	1 UNCH
5100	----	----	467.50B/377.10A	467.50B/377.10A	----	417.60 - 7.80	.9823	----	----	2	----	14 + 2
5120	----	----	487.30B/397.30A	487.30B/397.30A	----	437.20 - 7.50	.9849	----	----	----	----	3 UNCH
5125	----	----	492.20B/402.20A	492.20B/402.20A	----	442.20 - 7.30	.9857	----	----	----	----	3 UNCH
5130	----	----	497.00B/406.50A	497.00B/406.50A	----	447.10 - 7.30	.9865	----	----	----	----	4 UNCH
5200	----	----	544.60B/480.20A	544.60B/480.20A	----	516.40 - 6.40	.9916	----	----	----	----	20 UNCH
5230	----	----	573.80B/513.10A	573.80B/513.10A	----	546.20 - 6.10	.9932	----	----	----	----	2 UNCH
5235	----	----	578.80B/518.10A	578.80B/518.10A	----	551.20 - 6.00	.9938	----	----	----	----	2 UNCH
5260	----	----	603.60B/540.10A	603.60B/540.10A	----	576.10 - 5.80	.9947	----	----	----	----	31 UNCH
5360	----	----	702.40B/642.50A	702.40B/642.50A	----	675.70 - 5.50	.9969	----	----	----	----	1 UNCH
5400	----	----	742.80B/682.20A	742.80B/682.20A	----	715.70 - 5.40	.9976	----	----	----	----	1 UNCH
TOTAL										1805		6583 + 862

OG2 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4000	----	----	728.20B/641.70A	728.20B/641.70A	----	686.70 + 2.50	.9910	----	----	----	----	1 UNCH
4150	----	----	579.00B/497.10A	579.00B/497.10A	----	538.50 - 0.10	.9808	----	----	----	----	1 UNCH
4200	----	----	530.60B/449.80A	530.60B/449.80A	----	489.30 - 1.30	.9748	----	----	1	----	4 + 1
4350	----	----	383.10B/313.40A	383.10B/313.40A	----	344.80 - 6.60	.9371	----	----	----	----	2 UNCH
4375	----	----	359.90B/291.90A	359.90B/291.90A	----	321.30 - 7.80	.9261	----	----	----	----	3 UNCH
4400	----	----	336.00B/270.70A	336.00B/270.70A	----	298.10 - 9.00	.9129	----	----	126	----	97 + 25
4415	----	----	322.10B/258.30A	322.10B/258.30A	----	284.40 - 9.70	.9035	----	----	----	----	5 UNCH
4450	----	----	289.80B/230.10A	289.80B/230.10A	----	252.80 - 11.40	.8785	----	----	----	----	2 UNCH
4475	----	----	267.30B/210.20A	267.30B/210.20A	----	230.80 - 12.70	.8566	----	----	----	----	20 UNCH
4480	----	----	265.20B/206.80A	265.20B/206.80A	----	226.50 - 12.90	.8516	----	----	----	----	16 UNCH
4500	----	----	245.10B/191.50A	245.10B/191.50A	----	209.40 - 13.90	.8312	----	----	25	----	214 + 25
4505	----	----	240.50B/188.00A	240.50B/188.00A	----	205.10 - 14.20	.8255	----	----	----	----	1 UNCH
4510	----	----	236.10B/184.60A	236.10B/184.60A	----	200.90 - 14.50	.8198	----	----	----	----	1 UNCH
4525	----	----	223.10B/173.80A	223.10B/173.80A	----	188.50 - 15.20	.8014	----	----	----	----	1 UNCH
4530	----	----	219.00B/170.60A	219.00B/170.60A	----	184.40 - 15.50	.7950	----	----	----	----	100 UNCH
4535	----	----	214.60B/166.20A	214.60B/166.20A	----	180.40 - 15.70	.7885	----	----	----	----	1 UNCH
4540	----	----	210.30B/162.70A	210.30B/162.70A	----	176.40 - 15.90	.7816	----	----	----	----	2 UNCH
4545	----	----	206.30B/159.30A	206.30B/159.30A	----	172.40 - 16.10	.7746	----	----	----	----	6 UNCH
4550	----	----	202.10B/155.90A	202.10B/155.90A	----	168.40 - 16.40	.7673	----	----	----	----	106 UNCH
4555	----	----	197.90B/152.70A	197.90B/152.70A	----	164.50 - 16.60	.7601	----	----	----	----	10 UNCH
4560	----	----	193.80B/149.40A	193.80B/149.40A	----	160.60 - 16.90	.7526	----	----	3	----	9 UNCH
4570	----	----	185.60B/135.60A	185.60B/135.60A	----	152.90 - 17.30	.7367	----	----	----	----	4 UNCH
4575	----	----	181.30B/132.70A	181.30B/132.70A	----	149.10 - 17.60	.7286	----	----	----	----	1 UNCH
4580	145.10	145.10	177.20B/129.70A	177.20B/129.70A	----	145.40 - 17.70	.7204	----	----	88	----	103 - 33
4585	----	----	173.30B/126.20A	173.30B/126.20A	----	141.70 NEW	.7119	----	----	1	----	1 + 1
4600	----	----	162.80B/117.30A	162.80B/117.30A	----	130.80 - 18.60	.6853	----	----	1	----	394 + 1
4610	----	----	153.70B/111.20A	153.70B/111.20A	----	123.80 - 18.90	.6665	----	----	----	----	3 UNCH
4625	----	----	142.50B/102.40A	142.50B/102.40A	----	113.60 - 19.30	.6372	----	----	----	----	5 UNCH
4630	----	----	138.80B/99.60A	138.80B/99.60A	----	110.30 - 19.50	.6270	----	----	----	----	174 UNCH
4635	110.20	110.20	135.10B/97.10A	135.10B/97.10A	----	107.00 - 19.70	.6168	----	----	9	----	26 + 4
4640	----	----	131.80B/94.40A	131.80B/94.40A	----	103.80 - 19.80	.6063	----	----	----	----	30 UNCH
4645	----	----	128.00B/91.20A	128.00B/91.20A	----	100.70 NEW	.5957	----	----	1	----	1 + 1
4650	96.00	96.00	124.70B/88.10A	124.70B/88.10A	----	97.50 - 20.00	.5849	----	----	2	----	112 + 2
4655	----	----	120.90B/85.30A	120.90B/85.30A	----	94.50 - 20.00	.5741	----	----	----	----	1 UNCH
4660	----	----	118.10B/82.50A	118.10B/82.50A	----	91.50 - 20.10	.5631	----	----	6	----	8 + 4
4665	----	----	114.80B/79.70A	114.80B/79.70A	----	88.50 - 20.20	.5520	----	----	----	----	14 UNCH
4670	----	----	113.80B/77.00A	113.80B/77.00A	----	85.70 - 20.20	.5408	----	----	----	----	1 UNCH
4675	----	----	113.60B/74.30A	113.60B/74.30A	----	82.80 - 20.30	.5295	----	----	----	----	2 UNCH
4680	90.10	90.10	111.60B/71.40A	111.60B/71.40A	----	80.00 - 20.30	.5181	----	----	9	----	13 + 2
4685	----	----	108.10B/69.00A	108.10B/69.00A	----	77.30 - 20.30	.5066	----	----	----	----	1 UNCH
4695	----	----	101.50B/63.90A	101.50B/63.90A	----	72.00 - 20.30	.4835	----	----	----	----	3 UNCH
4700	77.70	77.70	98.80B/61.20A	98.80B/61.20A	----	69.50 - 20.30	.4719	----	----	56	----	344 + 40
4705	----	----	95.60B/59.30A	95.60B/59.30A	----	67.00 - 20.20	.4602	----	----	----	----	1 UNCH
4710	83.40	83.40	92.50B/56.80A	92.50B/56.80A	----	64.50 - 20.20	.4485	----	----	6	----	11 - 2
4715	----	----	89.50B/54.50A	89.50B/54.50A	----	62.20 - 20.10	.4369	----	----	----	----	3 UNCH
4720	----	----	86.70B/52.40A	86.70B/52.40A	----	59.80 - 20.10	.4251	----	----	----	----	11 UNCH
4725	62.30	62.30	84.50B/50.30A	84.50B/50.30A	----	57.60 - 19.90	.4136	----	----	10	----	9 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG2 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4730	64.20	64.20	81.50B/48.40A	81.50B/48.40A	----	55.40 NEW	.4019	----	----	1	----	1 + 1
4735	53.00	53.00	79.10B/46.20A	79.10B/46.20A	----	53.20 - 19.80	.3903	----	----	24	----	12 + 9
4740	59.70	59.70	75.90B/44.40A	75.90B/44.40A	----	51.20 - 19.60	.3790	----	----	1	----	2 + 1
4745	----	----	73.90B/42.50A	73.90B/42.50A	----	49.10 - 19.50	.3674	----	----	----	----	7 UNCH
4750	51.00	51.00	71.40B/40.60A	71.40B/40.60A	----	47.20 - 19.30	.3562	----	----	18	----	26 - 7
4755	45.90	45.90	68.30B/38.90A	68.30B/38.90A	----	45.30 NEW	.3450	----	----	6	----	6 + 6
4760	43.00	43.00	66.30B/*37.20A	66.30B/*37.20A	----	43.40 - 19.00	.3338	----	----	8	----	22 + 5
4765	50.00	50.00	63.50B/*35.80A	63.50B/*35.80A	----	41.60 - 18.80	.3228	----	----	3	----	3 + 3
4775	46.20	46.20	59.30B/*32.50A	59.30B/*32.50A	----	38.20 - 18.30	.3013	----	----	55	----	47 + 43
4780	----	----	57.00B/*31.10A	57.00B/*31.10A	----	36.60 - 18.10	.2909	----	----	1	----	23 + 1
4785	----	----	54.80B/*29.70A	54.80B/*29.70A	----	35.10 - 17.80	.2808	----	----	----	----	12 UNCH
4790	40.60	40.60	52.60B/*28.30A	52.60B/*28.30A	----	33.60 - 17.50	.2707	----	----	3	----	4 + 3
4795	32.00	32.00	50.40B/*27.10A	50.40B/*27.10A	----	32.10 NEW	.2606	----	----	5	----	5 + 5
4800	36.20	36.20	48.70B/*25.70A	48.70B/*25.70A	----	30.70 - 17.10	.2508	----	----	46	----	179 + 5
4805	35.70	35.70	46.30B/*24.80A	46.30B/*24.80A	----	29.40 - 16.70	.2415	----	----	2	----	2 + 1
4810	----	----	44.90B/*23.50A	44.90B/*23.50A	----	28.10 - 16.50	.2322	----	----	1	----	6 UNCH
4815	----	----	----/*22.50A	42.90B/*22.50A	----	26.90 - 16.10	.2233	----	----	----	----	1 UNCH
4820	----	----	----/*21.40A	41.30B/*21.40A	----	25.70 - 15.90	.2144	----	----	----	----	4 UNCH
4825	22.70	22.70	23.00/*20.50A	39.40B/*20.50A	----	24.60 - 15.50	.2061	----	----	6	----	36 + 6
4830	23.00	23.00	23.00/*19.40A	38.00B/*19.40A	----	23.50 - 15.20	.1977	----	----	101	----	105 + 101
4835	----	----	----/*18.60A	36.20B/*18.60A	----	22.40 - 14.90	.1894	----	----	----	----	53 UNCH
4840	26.40	26.40	34.80B/*17.80A	34.80B/*17.80A	----	21.40 - 14.60	.1816	----	----	33	----	25 + 20
4845	25.00	25.00	25.00/*17.00A	33.00B/*17.00A	----	20.50 NEW	.1743	----	----	11	----	11 + 11
4850	24.00	24.00	31.90B/*16.20A	31.90B/*16.20A	----	19.60 - 13.90	.1671	----	----	433	----	222 + 141
4855	22.20	22.20	22.20/*15.50A	30.30B/*15.50A	----	18.70 - 13.60	.1599	----	----	14	----	13 + 9
4860	----	----	----/*14.70A	28.70B/*14.70A	----	17.90 - 13.20	.1533	----	----	2	----	3 + 2
4865	21.60	21.60	21.60/*14.10A	27.30B/*14.10A	----	17.10 - 12.90	.1467	----	----	6	----	2 UNCH
4870	15.90	15.90	15.90/*13.40A	26.10B/*13.40A	----	16.30 - 12.60	.1401	----	----	28	----	28 + 27
4875	18.00	18.00	18.00/*12.80A	25.20B/*12.80A	----	15.60 - 12.20	.1342	----	----	11	----	66 + 11
4880	15.80	15.80	15.80/*12.20A	23.90B/*12.20A	----	14.90 - 11.90	.1283	----	----	37	----	32 + 30
4885	----	----	----/*11.60A	22.80B/*11.60A	----	14.20 - 11.60	.1225	----	----	2	----	6 + 2
4890	13.00	13.00	13.10/*11.10A	21.80B/*11.10A	----	13.60 - 11.30	.1172	----	----	4	----	4 + 1
4895	21.00	21.00	21.00/*10.60A	21.00/*10.60A	----	13.00 - 10.90	.1120	----	----	13	----	14 + 11
4900	19.60	19.60	20.90/*10.10A	20.90/*10.10A	----	12.40 - 10.70	.1069	----	----	41	----	168 + 15
4905	14.90	14.90	14.90/*9.60A	18.60B/*9.60A	----	11.80 - 10.40	.1018	----	----	4	----	3 + 1
4910	14.80	14.80	14.80/*9.20A	17.70B/*9.20A	----	11.30 - 10.10	.0974	----	----	3	----	8 + 2
4915	----	----	----/*8.70A	16.90B/*8.70A	----	10.80 - 9.80	.0930	----	----	1	----	2 + 1
4920	12.50	12.50	16.00B/*8.40A	16.00B/*8.40A	----	10.30 - 9.50	.0886	----	----	8	----	10 + 7
4925	13.50	13.50	15.30B/*8.00A	15.30B/*8.00A	----	9.90 - 9.20	.0849	----	----	3	----	6 + 3
4930	9.10	9.10	9.10/*7.60A	14.60B/*7.60A	----	9.40 - 8.90	.0806	----	----	6	----	12 + 2
4935	8.70	8.70	8.70/*7.30A	13.80B/*7.30A	----	9.00 - 8.70	.0770	----	----	5	----	6 + 5
4940	8.30	8.30	8.30/*6.90A	13.20B/*6.90A	----	8.60 - 8.40	.0734	----	----	9	----	9 + 8
4945	----	----	----/*6.60A	12.50B/*6.60A	----	8.30 - 8.10	.0705	----	----	----	----	18 UNCH
4950	----	----	----/*6.30A	12.00B/*6.30A	----	7.90 - 7.80	.0671	----	----	54	----	127 + 45
4955	10.10	10.10	10.10/*6.10A	11.50B/*6.10A	----	7.60 - 7.60	.0642	----	----	10	----	10 + 9
4960	----	----	----/*5.80A	10.80B/*5.80A	----	7.20 - 7.40	.0608	----	----	----	----	1 UNCH
4965	----	----	----/*5.60A	10.30B/*5.60A	----	6.90 - 7.10	.0581	----	----	----	----	7 UNCH
4970	6.40	6.40	6.40/*5.10	9.90B/*5.10	----	6.60 - 6.90	.0554	----	----	9	----	12 + 4
4975	7.60	7.60	9.40B/*5.10A	9.40B/*5.10A	----	6.40 - 6.60	.0534	----	----	18	----	14 + 9
4980	7.40	7.40	8.90B/*4.90A	8.90B/*4.90A	----	6.10 - 6.40	.0507	----	----	5	----	12 + 3
4985	5.60	5.60	5.60/*4.60A	8.50B/*4.60A	----	5.80 - 6.30	.0481	----	----	1	----	2 + 1
4990	5.40	5.40	5.40/*4.50A	8.10B/*4.50A	----	5.60 - 6.00	.0462	----	----	4	----	71 + 4
4995	----	----	----/*4.30A	7.80B/*4.30A	----	5.40 - 5.80	.0443	----	----	----	----	14 UNCH
5000	7.30	7.30	7.30/*4.10A	7.50B/*4.10A	----	5.20 - 5.60	.0425	----	----	78	----	338 - 1
5005	6.00	6.00	6.00/*3.90A	7.00B/*3.90A	----	4.90 - 5.50	.0400	----	----	1	----	3 UNCH
5010	----	----	----/*3.80A	6.70B/*3.80A	----	4.70 - 5.30	.0381	----	----	----	----	1 UNCH
5015	----	----	----/*3.60A	6.50B/*3.60A	----	4.60 - 5.10	.0370	----	----	----	----	28 UNCH
5020	----	----	----/*3.50A	6.20B/*3.50A	----	4.40 - 4.90	.0353	----	----	3	----	17 UNCH
5025	3.90	3.90	3.90/*3.30A	6.00B/*3.30A	----	4.20 - 4.80	.0335	----	----	3	----	6 + 3
5030	----	----	----/*3.20A	5.70B/*3.20A	----	4.00 - 4.70	.0318	----	----	2	----	23 + 2
5035	4.70	4.70	4.70/*3.10A	5.50B/*3.10A	----	3.90 NEW	.0308	----	----	8	----	8 + 8
5040	----	----	----/*3.00A	5.30B/*3.00A	----	3.70 - 4.40	.0291	----	----	----	----	20 UNCH
5045	----	----	----/*2.90A	5.10B/*2.90A	----	3.60 - 4.20	.0281	----	----	----	----	5 UNCH
5050	----	----	----/*2.70A	5.00B/*2.70A	----	3.40 - 4.10	.0265	----	----	----	----	66 UNCH
5055	----	----	----/*2.60A	4.70B/*2.60A	----	3.30 - 3.90	.0255	----	----	----	----	1 UNCH
5060	----	----	----/*2.50A	4.50B/*2.50A	----	3.20 - 3.80	.0246	----	----	----	----	4 UNCH
5070	----	----	----/*2.30A	4.10B/*2.30A	----	3.00 - 3.50	.0227	----	----	1	----	1 + 1
5085	2.50	2.50	2.50/*2.10A	3.60B/*2.10A	----	2.70 NEW	.0201	----	----	3	----	3 + 3
5090	----	----	----/*2.00A	3.50B/*2.00A	----	2.60 - 3.10	.0192	----	----	----	----	10 UNCH
5095	----	----	----/*1.90A	3.40B/*1.90A	----	2.50 - 3.00	.0184	----	----	----	----	2 UNCH
5100	3.00	3.00	3.00/*1.80	3.30B/*1.80	----	2.40 - 2.90	.0175	----	----	12	----	45 + 3
5115	----	----	----/*1.70A	2.80B/*1.70A	----	2.10 - 2.70	.0151	----	----	----	----	23 UNCH
5120	----	----	----/*1.60A	2.70B/*1.60A	----	2.10 - 2.50	.0149	----	----	2	----	5 + 2
5135	----	----	----/*1.50A	2.40B/*1.50A	----	1.90 - 2.30	.0132	----	----	----	----	2 UNCH
5145	----	----	----/*1.30A	2.20B/*1.30A	----	1.80 - 2.10	.0124	----	----	----	----	4 UNCH
5150	----	----	----/*1.30A	2.20B/*1.30A	----	1.70 - 2.10	.0116	----	----	1	----	49 + 1
5160	1.60	1.60	1.60/*1.30A	1.90B/*1.30A	----	1.60 - 2.00	.0108	----	----	3	----	2 + 1
5170	----	----	----/*1.20A	1.70B/*1.20A	----	1.50 - 1.90	.0100	----	----	1	----	10 + 1
5175	----	----	----/*1.10A	1.60B/*1.10A	----	1.50 - 1.70	.0099	----	----	----	----	14 UNCH
5185	----	----	----/*1.00A	1.50B/*1.00A	----	1.40 - 1.60	.0091	----	----	----	----	4 UNCH
5190	1.00	1.00	1.00/*0.90A	1.40B/*0.90A	----	1.30 - 1.60	.0084	----	----	9	----	10 + 9
5200	----	----	----/*0.90A	1.50B/*0.90A	----	1.30 - 1.50	.0083	----	----	2	----	70 UNCH
5205	----	----	----/*0.90A	1.30B/*0.90A	----	1.20 - 1.50	.0076	----	----	----	----	11 UNCH
5210	----	----	----/*0.90A	1.20B/*0.90A	----	1.20 - 1.40	.0075	----	----	----	----	4 UNCH
5215	----	----	----/*0.90A	1.20B/*0.90A	----	1.20 - 1.30	.0075	----	----	----	----	1 UNCH
5220	----	----	----/*0.90A	1.10B/*0.90A	----	1.10 - 1.30	.0068	----	----	3	----	16 + 3
5225	----	----	----/*0.90A	1.10B/*0.90A	----	1.10 - 1.20	.0068	----	----	----	----	6 UNCH
5230	----	----	----/*0.80A	1.10B/*0.80A	----	1.10 - 1.20	.0067	----	----	----	----	11 UNCH
5245	----	----	----/*0.80A	1.00B/*0.80A	----	1.00 - 1.10	.0060	----	----	----	----	2 UNCH
5250	----	----	----/*0.80A	0.90B/*0.80A	----	1.00 - 1.00	.0059	----	----	----	----	50 UNCH
5255	----	----	----/*0.70A	0.90B/*0.70A	----	0.90 - 1.00	.0053	----	----	----	----	5 UNCH
5260	----	----	----/*0.70A	0.90B/*0.70A	----	0.90 - 1.00	.0053	----	----	----	----	1 UNCH
5265	----	----	----/*0.70A	0.80B/*0.70A	----	0.90 - 0.90	.0052	----	----	----	----	3 UNCH
5270	----	----	----/*0.70A	0.80B/*0.70A	----	0.90 - 0.90	.0052	----	----	----	----	1 UNCH
5280	----	----	----/*0.60A	0.80B/*0.60A	----	0.80 - 0.90	.0046	----	----	----	----	2 UNCH
5285	----	----	----/*0.60A	0.70B/*0.60A	----	0.80 - 0.90	.0045	----	----	----	----	4 UNCH
5290	----	----	----/*0.70A	0.70B/*0.70A	----	0.80 - 0.90	.0045	----	----	----	----	2 UNCH
5300	0.70	0.70	0.70/*0.60A	0.70/*0.60A	----	0.80 - 0.80	.0044	----	----	1	----	18 + 1
5305	----	----	----/*0.60A	0.60B/*0.60A	----	0.80 - 0.80	.0044	----	----	----	----	1 UNCH
5315	----	----	----/*0.60A	0.60B/*0.60A	----	0.70 - 0.80	.0038	----	----	----	----	1 UNCH
5330	----	----	----/*0.60A	0.50B/*0.60A	----	0.70 - 0.70	.0037	----	----	----	----	1 UNCH
5340	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.70	.0031	----	----	----	----	2 UNCH
5350	----	----	----/*0.50A	0.50B/*0.50A	----	0.60 - 0.70	.0031	----	----	----	----	19 UNCH
5375	----	----	----/*0.50A	0.40B/*0.50A	----	0.60 - 0.60	.0030	----	----	----	----	4 UNCH
5395	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.60	.0024	----	----	----	----	9 UNCH
5400	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.60	.0024	----	----	----	----	160 UNCH
5410	----	----	----/*0.40A	0.30B/*0.40A	----	0.50 - 0.60	.0024	----	----	----	----	1 UNCH
5415	----	----	----/*0.40A	0.30B/*0.40A	----	0.50 - 0.60	.0024	----	----	----	----	1 UNCH
5420	----	----	----/*0.40A	0.30B/*0.40A	----	0.50 - 0.50	.0023	----	----	----	----	1 UNCH
5450	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.50	.0018	----	----	----	----	3 UNCH
5460	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.40	.0018	----	----	----	----	1 UNCH
5475	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.50	.0013	----	----	----	----	1 UNCH
5500	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.30 - 0.40	.0013	----	----	1	----	49 UNCH
5525	----	----	----/*0.30A	----/*0.30A	----	0.20 - 0.40	.0008	----	----	----	----	15 UNCH
5575	----	----	----/*0.30A	----/*0.30A	----	0.20 - 0.40	.0007	----	----	----	----	4 UNCH
5600	----	----	----/*0.30A	----/*0.30A	----	0.20 - 0.40	.0007	----	----	100	----	307 + 100
5625	----	----	----/*0.40A	----/*0.40A	----	0.20 - 0.40	.0007	----	----	----	----	2 UNCH
5675	----	----	----/0.40A	----/0.40A	----	0.20 - 0.40	.0007	----	----	----	----	4 UNCH
5700	0.30	0.30	0.30/0.30	0.30/0.30	----	0.10 - 0.50	.0003	----	----	5	----	42 + 5
5750	----	----	----/0.40A	----/0.40A	----	0.10 - 0.40	.0001	----	----	----	----	256 UNCH
5800	----	----	----	----/0.40A	----	0.10 - 0.30	.0001	----	----	100	----	384 + 100
6300	----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
6500	----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
TOTAL										1739		5569 + 883

OG1 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4125	38.80	38.80	38.80/30.00A	38.80/30.00A	----	28.90 NEW	.1071	----	----	2	----	2 + 2
4150	----	----	----/33.70A	38.00B/33.70A	----	31.50 - 12.00	.1160	----	----	----	----	2 UNCH
4250	----	----	----/45.10A	52.90B/45.10A	----	44.10 - 14.30	.1581	----	----	----	----	4 UNCH
4300	----	----	----/52.60A	62.30B/52.60A	----	52.00 - 15.00	.1834	----	----	----	----	1 UNCH
4325	----	----	----/56.90A	67.60B/56.90A	----	56.50 - 14.60	.1974	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 PUT		GOLD OPTIONS										
MAY26												
4350	----	----	----/61.30A	73.30B/61.30A	----	61.20 - 13.90	.2119	----	----	----	----	5 UNCH
4485	----	----	110.50B/91.40A	110.50B/91.40A	----	93.40 - 13.60	.3048	----	----	----	----	1 UNCH
4500	----	----	116.80B/95.20A	116.80B/95.20A	----	97.80 - 14.00	.3166	----	----	----	----	2 UNCH
4535	----	----	128.40B/106.00A	128.40B/106.00A	----	108.70 - 15.10	.3453	----	----	----	----	1 UNCH
4610	----	----	159.50B/131.30A	159.50B/131.30A	----	135.90 - 16.10	.4114	----	----	----	----	10 UNCH
4630	----	----	168.70B/138.50A	168.70B/138.50A	----	144.20 NEW	.4300	----	----	1	----	1 + 1
4675	----	----	187.80B/156.80A	187.80B/156.80A	----	164.20 - 16.00	.4727	----	----	----	----	1 UNCH
4715	----	----	----/175.50A	180.10B/175.50A	----	183.80 - 15.90	.5113	----	----	----	----	1 UNCH
5200	----	----	----/*516.50A	#539.50B/*516.50A	----	538.40 NEW	.8807	----	----	1	----	1 + 1
TOTAL										4		34 + 4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 CALL		GOLD OPTIONS										
MAY26												
4625	----	----	217.60B/193.60A	217.60B/193.60A	----	201.70 - 11.10	.5740	----	----	----	----	1 UNCH
4665	163.40	163.40	195.30B/163.40	195.30B/163.40	----	179.20 NEW	.5362	----	----	1	----	1 + 1
4715	----	----	168.90B/151.20A	168.90B/151.20A	----	153.50 - 11.00	.4880	----	----	----	----	1 UNCH
4800	----	----	130.00B/114.50A	130.00B/114.50A	----	116.00 - 10.80	.4061	----	----	----	----	1 UNCH
4860	86.50	86.50	#86.50/*86.50	103.50B/*86.50	----	93.90 NEW	.3504	----	----	1	----	1 + 1
4950	----	----	----/67.10A	73.40B/67.10A	----	67.20 - 9.40	.2735	----	----	----	----	21 UNCH
5000	----	----	----/*56.40A	59.40B/*56.40A	----	55.40 - 8.20	.2355	----	----	----	----	1 UNCH
5050	----	----	----/*46.70A	48.30B/*46.70A	----	45.40 - 7.00	.2009	----	----	----	----	1 UNCH
5125	29.20	29.20	#29.20/*29.20	35.60B/*29.20	----	33.30 NEW	.1559	----	----	1	----	1 + 1
5200	----	----	----/*26.90A	26.20B/*26.90A	----	24.10 NEW	.1188	----	----	6	----	6 + 6
TOTAL										9		35 + 9

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
1000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2046 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	761 UNCH
1600	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	40 UNCH
1700	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1800	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1900	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2000	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	.0002	----	----	1	----	149 UNCH
2175	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	25 UNCH
2200	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	129 UNCH
2225	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	271 UNCH
2250	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	8 UNCH
2275	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	1 UNCH
2300	----	----	----	0.10B/0.50A	----	0.20 - 0.20	.0005	----	----	----	----	155 UNCH
2325	----	----	----	0.10B/0.50A	----	0.20 - 0.20	.0005	----	----	----	----	7 UNCH
2350	----	----	----	0.20B/0.50A	----	0.30 - 0.10	.0007	----	----	----	----	122 UNCH
2400	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0007	----	----	----	----	3 UNCH
2420	----	----	----	0.20B/0.50A	----	0.30 - 0.20	.0007	----	----	----	----	16 UNCH
2450	----	----	----	0.30B/0.60A	----	0.30 - 0.20	.0008	----	----	----	----	15 UNCH
2485	----	----	----	0.30B/0.60A	----	0.40 - 0.10	.0010	----	----	----	----	20 UNCH
2495	----	----	----	0.30B/0.60A	----	0.40 - 0.10	.0010	----	----	----	----	75 UNCH
2500	0.40	0.40	0.40/0.40	0.40/0.40	----	0.40 - 0.20	.0010	----	----	1	----	64 + 1
2505	----	----	----	0.30B/0.60A	----	0.40 - 0.20	.0010	----	----	----	----	5 UNCH
2520	----	----	----	0.30B/0.60A	----	0.40 - 0.20	.0010	----	----	----	----	2 UNCH
2525	----	----	----	0.40B/0.60A	----	0.40 - 0.20	.0010	----	----	----	----	102 UNCH
2540	----	----	----	0.40B/0.70A	----	0.40 - 0.20	.0010	----	----	----	----	5 UNCH
2550	----	----	----	0.40B/0.70A	----	0.40 - 0.20	.0010	----	----	----	----	1 UNCH
2560	----	----	----	0.40B/0.70A	----	0.50 - 0.10	.0013	----	----	----	----	6 UNCH
2580	----	----	----	0.40B/0.70A	----	0.50 - 0.20	.0013	----	----	----	----	35 UNCH
2590	----	----	----	0.40B/0.70A	----	0.50 - 0.20	.0013	----	----	----	----	1 UNCH
2600	0.60	0.60	0.60/0.60	0.60/0.60	----	0.50 - 0.20	.0013	----	----	1	----	34 + 1
2615	----	----	----	0.50B/0.70A	----	0.50 - 0.20	.0013	----	----	----	----	1 UNCH
2620	----	----	----	0.50B/0.80A	----	0.50 - 0.20	.0013	----	----	----	----	1 UNCH
2650	----	----	----	0.60B/0.80A	----	0.60 - 0.10	.0016	----	----	----	----	4 UNCH
2660	----	----	----	0.60B/0.80A	----	0.60 - 0.20	.0016	----	----	----	----	1 UNCH
2685	----	----	----	0.70B/0.80A	----	0.60 - 0.20	.0016	----	----	----	----	1 UNCH
2700	----	----	----	0.70B/0.90A	----	0.60 - 0.20	.0017	----	----	1	----	34 + 1
2705	----	----	----	0.70B/0.90A	----	0.60 - 0.20	.0017	----	----	----	----	1 UNCH
2715	----	----	----	0.70B/0.90A	----	0.60 - 0.20	.0017	----	----	----	----	2 UNCH
2725	----	----	----	0.70B/0.90A	----	0.70 - 0.20	.0019	----	----	1	----	1 + 1
2730	----	----	----	0.80B/0.90A	----	0.70 - 0.20	.0019	----	----	----	----	2 UNCH
2750	----	----	----	0.80B/0.90A	----	0.70 - 0.20	.0020	----	----	2	----	3 + 2
2755	----	----	----	0.80B/1.00A	----	0.70 - 0.20	.0020	----	----	----	----	6 UNCH
2770	----	----	----	0.80B/1.00A	----	0.70 - 0.20	.0020	----	----	----	----	4 UNCH
2785	0.70	0.70	0.70/0.70	0.90B/0.70	----	0.80 - 0.20	.0023	----	----	1	----	21 + 1
2790	----	----	----	0.90B/1.00A	----	0.80 - 0.20	.0023	----	----	----	----	5 UNCH
2800	0.90	0.90	0.90/0.80A	0.90/0.80A	----	0.80 - 0.20	.0023	----	----	2	----	83 + 2
2815	----	----	----	0.90B/1.10A	----	0.80 - 0.20	.0023	----	----	----	----	35 UNCH
2820	0.70	0.70	0.70/0.70	0.90B/0.70	----	0.80 - 0.20	.0023	----	----	1	----	74 + 1
2845	----	----	----	1.00B/1.10A	----	0.90 - 0.20	.0026	----	----	----	----	5 UNCH
2870	0.90	0.90	1.00B/0.90	1.00B/0.90	----	0.90 - 0.30	.0026	----	----	1	----	23 + 1
2895	----	----	----	1.10B/1.20A	----	1.00 - 0.20	.0029	----	----	----	----	39 UNCH
2900	----	----	----/1.10A	1.10B/1.10A	----	1.00 - 0.20	.0029	----	----	----	----	348 UNCH
2905	----	----	----	1.10B/1.20A	----	1.00 - 0.20	.0030	----	----	----	----	4 UNCH
2910	----	----	----	1.10B/1.20A	----	1.00 - 0.20	.0030	----	----	----	----	20 UNCH
2930	----	----	----	1.20B/1.30A	----	1.10 - 0.20	.0033	----	----	----	----	28 UNCH
2940	----	----	----	1.20B/1.30A	----	1.10 - 0.20	.0033	----	----	----	----	8 UNCH
2950	----	----	----	1.20B/1.30A	----	1.10 - 0.20	.0033	----	----	----	----	299 UNCH
2980	1.10	1.10	1.10/1.10	1.30B/1.10	----	1.20 - 0.20	.0036	----	----	1	----	2 + 1
2995	----	----	----/1.40A	1.40B/1.40A	----	1.20 - 0.30	.0037	----	----	----	----	4 UNCH
3000	1.30	1.30	1.30/1.20A	1.40B/1.20A	----	1.30 - 0.20	.0039	----	----	1	----	141 UNCH
3005	----	----	----/1.40A	1.40B/1.40A	----	1.30 - 0.20	.0040	----	----	----	----	1 UNCH
3010	----	----	----	1.40B/1.50A	----	1.30 - 0.20	.0040	----	----	----	----	1 UNCH
3020	----	----	----	1.40B/1.50A	----	1.30 - 0.20	.0040	----	----	----	----	1 UNCH
3040	----	----	----/1.50A	1.50B/1.50A	----	1.40 - 0.20	.0043	----	----	----	----	52 UNCH
3045	----	----	----	1.50B/1.60A	----	1.40 - 0.20	.0043	----	----	----	----	2 UNCH
3050	----	----	----	1.50B/1.60A	----	1.40 - 0.20	.0043	----	----	----	----	18 UNCH
3055	----	----	----/1.60A	1.60B/1.60A	----	1.40 - 0.30	.0044	----	----	----	----	5 UNCH
3065	----	----	----/1.60A	1.60B/1.60A	----	1.40 - 0.30	.0044	----	----	----	----	5 UNCH
3070	----	----	----/1.60A	1.60B/1.60A	----	1.50 - 0.20	.0047	----	----	----	----	1 UNCH
3075	----	----	----/1.60A	1.60B/1.60A	----	1.50 - 0.20	.0047	----	----	----	----	66 UNCH
3080	----	----	----/1.60A	1.60B/1.60A	----	1.50 - 0.20	.0047	----	----	----	----	1 UNCH
3090	----	----	----/1.70A	1.70B/1.70A	----	1.50 - 0.30	.0047	----	----	----	----	5 UNCH
3095	----	----	----/1.70A	1.70B/1.70A	----	1.50 - 0.30	.0047	----	----	----	----	3 UNCH
3100	----	----	----/1.70A	1.70B/1.70A	----	1.60 - 0.20	.0050	----	----	----	----	306 UNCH
3105	----	----	----/1.70A	1.70B/1.70A	----	1.60 - 0.20	.0050	----	----	----	----	5 UNCH
3115	----	----	----/1.80A	1.80B/1.80A	----	1.60 - 0.30	.0051	----	----	----	----	5 UNCH
3120	----	----	----/1.80A	1.80B/1.80A	----	1.60 - 0.30	.0051	----	----	----	----	41 UNCH
3125	----	----	----/1.80A	1.80B/1.80A	----	1.60 - 0.30	.0051	----	----	----	----	1 UNCH
3130	----	----	----/1.80A	1.80B/1.80A	----	1.70 - 0.20	.0054	----	----	----	----	8 UNCH
3135	----	----	----/1.80A	1.90B/1.80A	----	1.70 - 0.30	.0054	----	----	----	----	2 UNCH
3140	----	----	----/1.80A	1.90B/1.80A	----	1.70 - 0.30	.0054	----	----	----	----	3 UNCH
3150	----	----	----/1.90A	1.90B/1.90A	----	1.70 - 0.30	.0055	----	----	----	----	10 UNCH
3155	----	----	----/1.90A	1.90B/1.90A	----	1.70 - 0.30	.0055	----	----	----	----	74 UNCH
3160	----	----	----/1.90A	2.00B/1.90A	----	1.80 - 0.30	.0058	----	----	----	----	15 UNCH
3170	----	----	----/1.90A	2.00B/1.90A	----	1.80 - 0.30	.0058	----	----	----	----	5 UNCH
3175	----	----	----/1.90A	2.00B/1.90A	----	1.80 - 0.30	.0058	----	----	----	----	10 UNCH
3185	----	----	----/2.00A	2.10B/2.00A	----	1.90 - 0.30	.0062	----	----	----	----	18 UNCH
3200	----	----	----/2.00A	2.10B/2.00A	----	1.90 - 0.30	.0062	----	----	----	----	253 UNCH
3205	----	----	----/2.00A	2.10B/2.00A	----	1.90 - 0.40	.0062	----	----	----	----	10 UNCH
3210	----	----	----/2.10A	2.20B/2.10A	----	2.00 - 0.30	.0065	----	----	----	----	10 UNCH
3220	----	----	----/2.10A	2.20B/2.10A	----	2.00 - 0.30	.0066	----	----	----	----	8 UNCH
3225	----	----	----/2.10A	2.20B/2.10A	----	2.00 - 0.40	.0066	----	----	----	----	12 UNCH
3235	----	----	----/2.20A	2.30B/2.20A	----	2.10 - 0.30	.0069	----	----	----	----	5 UNCH
3245	----	----	----/2.20A	2.30B/2.20A	----	2.10 - 0.40	.0070	----	----	----	----	5 UNCH
3250	----	----	----/2.20A	2.30B/2.20A	----	2.10 - 0.40	.0070	----	----	2	----	83 + 2
3255	----	----	----/2.20A	2.40B/2.20A	----	2.10 - 0.40	.0070	----	----	----	----	8 UNCH
3260	----	----	----/2.30A	2.40B/2.30A	----	2.20 - 0.30	.0073	----	----	----	----	21 UNCH
3265	----	----	----/2.30A	2.40B/2.30A	----	2.20 - 0.40	.0074	----	----	----	----	16 UNCH
3270	----	----	----/2.30A	2.40B/2.30A	----	2.20 - 0.40	.0074	----	----	----	----	2 UNCH
3275	----	----	----/2.20A	2.50B/2.20A	----	2.20 - 0.40	.0074	----	----	----	----	22 UNCH
3280	----	----	----/2.30A	2.50B/2.30A	----	2.20 - 0.50	.0075	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3290	----	----	----/2.40A	2.60B/2.40A	----	2.30 - 0.40	.0078	----	----	----	----	40 UNCH
3295	----	----	----/2.40A	2.60B/2.40A	----	2.30 - 0.40	.0078	----	----	----	----	1 UNCH
3300	2.40	2.40	2.40/2.40	2.60B/2.40	----	2.30 - 0.50	.0078	----	----	10	----	605 + 9
3305	----	----	3.00B/2.40A	3.00B/2.40A	----	2.40 - 0.40	.0082	----	----	----	----	60 UNCH
3310	----	----	----/2.50A	2.70B/2.50A	----	2.40 - 0.40	.0082	----	----	----	----	1 UNCH
3315	----	----	----/2.50A	2.70B/2.50A	----	2.40 - 0.50	.0082	----	----	----	----	3 UNCH
3320	----	----	----/2.50A	2.70B/2.50A	----	2.40 - 0.50	.0082	----	----	----	----	1 UNCH
3325	----	----	----/2.50A	2.80B/2.50A	----	2.40 - 0.50	.0083	----	----	----	----	10 UNCH
3330	----	----	3.20B/2.60A	3.20B/2.60A	----	2.50 - 0.50	.0086	----	----	----	----	2 UNCH
3335	----	----	----/2.60A	2.80B/2.60A	----	2.50 - 0.50	.0086	----	----	----	----	20 UNCH
3340	----	----	----/2.60A	2.80B/2.60A	----	2.50 - 0.50	.0087	----	----	----	----	1 UNCH
3345	----	----	----/2.60A	2.90B/2.60A	----	2.50 - 0.60	.0087	----	----	----	----	1 UNCH
3350	----	----	3.40B/2.70A	3.40B/2.70A	----	2.60 - 0.50	.0090	----	----	1	----	53 UNCH
3360	----	----	----/2.70A	3.00B/2.70A	----	2.60 - 0.60	.0091	----	----	----	----	4 UNCH
3370	----	----	----/2.70A	3.00B/2.70A	----	2.70 - 0.50	.0094	----	----	----	----	76 UNCH
3375	----	----	----/2.80A	3.10B/2.80A	----	2.70 - 0.60	.0095	----	----	----	----	54 UNCH
3380	----	----	----/2.80A	3.10B/2.80A	----	2.70 - 0.60	.0095	----	----	----	----	5 UNCH
3385	----	----	----/2.80A	3.10B/2.80A	----	2.80 - 0.60	.0098	----	----	----	----	12 UNCH
3390	----	----	----/2.80A	3.20B/2.80A	----	2.80 - 0.60	.0099	----	----	----	----	5 UNCH
3395	----	----	----/2.80A	3.20B/2.80A	----	2.80 - 0.60	.0099	----	----	----	----	35 UNCH
3400	----	----	----/2.90A	3.20B/2.90A	----	2.80 - 0.70	.0099	----	----	14	----	192 UNCH
3405	----	----	----/2.90A	3.30B/2.90A	----	2.90 - 0.60	.0103	----	----	----	----	5 UNCH
3415	----	----	----/2.90A	3.40B/2.90A	----	2.90 - 0.70	.0103	----	----	----	----	118 UNCH
3420	----	----	----/2.90A	3.40B/2.90A	----	3.00 - 0.60	.0107	----	----	----	----	1 UNCH
3425	----	----	----/3.00A	3.50B/3.00A	----	3.00 - 0.70	.0107	----	----	----	----	11 UNCH
3430	----	----	----/3.00A	3.50B/3.00A	----	3.00 - 0.70	.0108	----	----	----	----	21 UNCH
3435	----	----	----/3.10A	3.60B/3.10A	----	3.00 - 0.80	.0108	----	----	----	----	101 UNCH
3440	----	----	----/3.10A	3.60B/3.10A	----	3.10 - 0.70	.0111	----	----	----	----	1 UNCH
3445	----	----	----/3.10A	3.70B/3.10A	----	3.10 - 0.80	.0112	----	----	----	----	33 UNCH
3450	----	----	4.30B/3.10A	4.30B/3.10A	----	3.10 - 0.80	.0112	----	----	----	----	59 UNCH
3455	----	----	4.50B/3.10A	4.50B/3.10A	----	3.20 - 0.80	.0116	----	----	----	----	44 UNCH
3460	3.20	3.20	4.60B/3.10A	4.60B/3.10A	----	3.20 - 0.80	.0116	----	----	7	----	142 - 6
3465	----	----	4.60B/3.20A	4.60B/3.20A	----	3.20 - 0.90	.0117	----	----	----	----	17 UNCH
3470	----	----	4.70B/3.20A	4.70B/3.20A	----	3.30 - 0.80	.0120	----	----	----	----	76 UNCH
3475	----	----	4.70B/3.20A	4.70B/3.20A	----	3.30 - 0.90	.0120	----	----	----	----	94 UNCH
3480	----	----	4.80B/3.20A	4.80B/3.20A	----	3.30 - 0.90	.0121	----	----	----	----	84 UNCH
3485	----	----	4.80B/3.30A	4.80B/3.30A	----	3.40 - 0.90	.0124	----	----	----	----	61 UNCH
3490	----	----	4.90B/3.30A	4.90B/3.30A	----	3.40 - 0.90	.0125	----	----	----	----	52 UNCH
3495	----	----	5.00B/3.40A	5.00B/3.40A	----	3.40 - 1.00	.0125	----	----	----	----	54 UNCH
3500	4.50	4.50	5.00B/3.40A	5.00B/3.40A	----	3.50 - 0.90	.0129	----	----	8	----	1433 - 2
3505	----	----	5.10B/3.40A	5.10B/3.40A	----	3.50 - 1.00	.0129	----	----	----	----	14 UNCH
3510	----	----	5.10B/3.40A	5.10B/3.40A	----	3.60 - 0.90	.0133	----	----	----	----	35 UNCH
3515	----	----	5.20B/3.50A	5.20B/3.50A	----	3.60 - 1.00	.0133	----	----	----	----	82 UNCH
3520	----	----	5.30B/3.50A	5.30B/3.50A	----	3.60 - 1.10	.0134	----	----	----	----	8 UNCH
3525	----	----	5.30B/3.60A	5.30B/3.60A	----	3.70 - 1.00	.0137	----	----	----	----	119 UNCH
3530	----	----	5.40B/3.60A	5.40B/3.60A	----	3.70 - 1.10	.0138	----	----	----	----	102 UNCH
3535	----	----	5.50B/3.60A	5.50B/3.60A	----	3.70 - 1.10	.0139	----	----	----	----	160 UNCH
3540	----	----	5.50B/3.70A	5.50B/3.70A	----	3.80 - 1.10	.0142	----	----	----	----	10 UNCH
3545	----	----	5.60B/3.70A	5.60B/3.70A	----	3.80 - 1.20	.0143	----	----	----	----	66 UNCH
3550	----	----	5.70B/3.70A	5.70B/3.70A	----	3.90 - 1.10	.0146	----	----	6	----	340 UNCH
3555	----	----	5.80B/3.80A	5.80B/3.80A	----	3.90 - 1.20	.0147	----	----	----	----	45 UNCH
3560	----	----	5.90B/3.80A	5.90B/3.80A	----	4.00 - 1.20	.0150	----	----	----	----	8 UNCH
3565	----	----	5.90B/3.90A	5.90B/3.90A	----	4.00 - 1.20	.0151	----	----	----	----	7 UNCH
3570	----	----	6.00B/3.90A	6.00B/3.90A	----	4.00 - 1.30	.0152	----	----	----	----	11 UNCH
3575	----	----	6.10B/4.00A	6.10B/4.00A	----	4.10 - 1.30	.0155	----	----	1	----	96 + 1
3580	----	----	6.20B/4.00A	6.20B/4.00A	----	4.10 - 1.30	.0156	----	----	----	----	12 UNCH
3585	----	----	6.20B/4.00A	6.20B/4.00A	----	4.20 - 1.30	.0160	----	----	----	----	9 UNCH
3590	----	----	6.40B/4.10A	6.40B/4.10A	----	4.20 - 1.40	.0160	----	----	----	----	33 UNCH
3595	----	----	6.40B/4.10A	6.40B/4.10A	----	4.30 - 1.30	.0164	----	----	----	----	39 UNCH
3600	----	----	6.50B/4.20A	6.50B/4.20A	----	4.30 - 1.40	.0165	----	----	6	----	997 - 6
3605	----	----	6.60B/4.20A	6.60B/4.20A	----	4.40 - 1.40	.0168	----	----	----	----	56 UNCH
3610	----	----	6.70B/4.30A	6.70B/4.30A	----	4.40 - 1.50	.0169	----	----	----	----	23 UNCH
3615	----	----	6.80B/4.30A	6.80B/4.30A	----	4.50 - 1.40	.0173	----	----	----	----	120 UNCH
3620	----	----	6.90B/4.40A	6.90B/4.40A	----	4.50 - 1.50	.0174	----	----	----	----	128 UNCH
3625	----	----	7.00B/4.40A	7.00B/4.40A	----	4.60 - 1.50	.0177	----	----	----	----	45 UNCH
3630	----	----	7.10B/4.50A	7.10B/4.50A	----	4.60 - 1.60	.0178	----	----	----	----	13 UNCH
3635	----	----	7.10B/4.50A	7.10B/4.50A	----	4.70 - 1.60	.0182	----	----	----	----	26 UNCH
3640	5.40	5.40	7.30B/4.60A	7.30B/4.60A	----	4.70 - 1.70	.0183	----	----	7	----	42 UNCH
3645	----	----	7.40B/4.60A	7.40B/4.60A	----	4.80 - 1.60	.0187	----	----	----	----	15 UNCH
3650	4.90	4.90	7.50B/4.70A	7.50B/4.70A	----	4.90 - 1.60	.0191	----	----	2	----	419 UNCH
3655	----	----	7.50B/4.70A	7.50B/4.70A	----	4.90 - 1.70	.0191	----	----	----	----	24 UNCH
3660	----	----	7.70B/4.80A	7.70B/4.80A	----	5.00 - 1.70	.0195	----	----	----	----	47 UNCH
3665	----	----	7.80B/4.90A	7.80B/4.90A	----	5.00 - 1.80	.0196	----	----	----	----	35 UNCH
3670	----	----	7.90B/4.90A	7.90B/4.90A	----	5.10 - 1.80	.0200	----	----	----	----	35 UNCH
3675	----	----	8.10B/5.00A	8.10B/5.00A	----	5.20 - 1.80	.0204	----	----	----	----	70 UNCH
3680	----	----	8.10B/5.00A	8.10B/5.00A	----	5.20 - 1.90	.0205	----	----	----	----	119 UNCH
3685	----	----	8.30B/5.10A	8.30B/5.10A	----	5.30 - 1.90	.0209	----	----	----	----	25 UNCH
3690	----	----	8.40B/5.20A	8.40B/5.20A	----	5.30 - 2.00	.0210	----	----	----	----	23 UNCH
3695	----	----	8.40B/5.20A	8.40B/5.20A	----	5.40 - 2.00	.0214	----	----	----	----	73 UNCH
3700	8.80	8.80	8.80/5.30A	8.80/5.30A	----	5.50 - 2.00	.0218	----	----	32	----	1126 UNCH
3705	----	----	8.90B/5.40A	8.90B/5.40A	----	5.50 - 2.10	.0219	----	----	----	----	40 UNCH
3710	----	----	8.90B/5.40A	8.90B/5.40A	----	5.60 - 2.10	.0223	----	----	----	----	27 UNCH
3715	----	----	8.90B/5.50A	8.90B/5.50A	----	5.70 - 2.10	.0227	----	----	----	----	28 UNCH
3720	----	----	9.10B/5.50A	9.10B/5.50A	----	5.80 - 2.10	.0231	----	----	----	----	35 UNCH
3725	----	----	9.40B/5.60A	9.40B/5.60A	----	5.80 - 2.30	.0232	----	----	----	----	37 UNCH
3730	----	----	9.10B/5.70A	9.10B/5.70A	----	5.90 - 2.30	.0236	----	----	----	----	61 UNCH
3735	----	----	9.20B/5.80A	9.20B/5.80A	----	6.00 - 2.30	.0240	----	----	----	----	38 UNCH
3740	----	----	9.60B/5.80A	9.60B/5.80A	----	6.10 - 2.30	.0245	----	----	----	----	13 UNCH
3745	8.80	8.80	9.40B/5.90A	9.40B/5.90A	----	6.10 - 2.40	.0246	----	----	1	----	39 + 1
3750	7.50	7.50	9.70B/6.00A	9.70B/6.00A	----	6.20 - 2.50	.0250	----	----	110	----	392 - 63
3755	----	----	10.00B/6.10A	10.00B/6.10A	----	6.30 - 2.50	.0254	----	----	----	----	10 UNCH
3760	----	----	10.10B/6.20A	10.10B/6.20A	----	6.40 - 2.50	.0258	----	----	----	----	49 UNCH
3765	----	----	10.60B/6.20A	10.60B/6.20A	----	6.50 - 2.50	.0263	----	----	----	----	104 UNCH
3770	----	----	10.70B/6.30A	10.70B/6.30A	----	6.60 - 2.60	.0267	----	----	----	----	25 UNCH
3775	----	----	10.90B/6.40A	10.90B/6.40A	----	6.70 - 2.60	.0271	----	----	----	----	279 UNCH
3780	----	----	11.00B/6.50A	11.00B/6.50A	----	6.70 - 2.70	.0273	----	----	----	----	33 UNCH
3785	----	----	11.20B/6.60A	11.20B/6.60A	----	6.80 - 2.80	.0277	----	----	----	----	27 UNCH
3790	----	----	11.40B/6.70A	11.40B/6.70A	----	6.90 - 2.80	.0281	----	----	----	----	28 UNCH
3795	----	----	11.60B/6.80A	11.60B/6.80A	----	7.00 - 2.90	.0286	----	----	----	----	25 UNCH
3800	11.10	11.10	12.40/6.80A	12.40/6.80A	----	7.10 - 2.90	.0290	----	----	72	----	1276 + 23
3805	----	----	12.00B/6.90A	12.00B/6.90A	----	7.20 - 3.00	.0295	----	----	----	----	75 UNCH
3810	----	----	12.10B/7.00A	12.10B/7.00A	----	7.30 - 3.00	.0299	----	----	----	----	20 UNCH
3815	----	----	12.30B/7.10A	12.30B/7.10A	----	7.40 - 3.10	.0304	----	----	----	----	53 UNCH
3820	----	----	12.50B/7.30A	12.50B/7.30A	----	7.50 - 3.10	.0308	----	----	----	----	788 UNCH
3825	----	----	12.80B/7.30A	12.80B/7.30A	----	7.70 - 3.10	.0316	----	----	----	----	113 UNCH
3830	----	----	12.90B/7.50A	12.90B/7.50A	----	7.80 - 3.20	.0321	----	----	----	----	18 UNCH
3835	----	----	13.10B/7.60A	13.10B/7.60A	----	7.90 - 3.20	.0325	----	----	----	----	31 UNCH
3840	----	----	13.20B/7.70A	13.20B/7.70A	----	8.00 - 3.30	.0330	----	----	----	----	51 UNCH
3845	----	----	13.40B/7.80A	13.40B/7.80A	----	8.10 - 3.40	.0335	----	----	----	----	36 UNCH
3850	9.40	9.40	13.70B/7.90A	13.70B/7.90A	----	8.20 - 3.50	.0339	----	----	2	----	3007 UNCH
3855	----	----	13.90B/8.00A	13.90B/8.00A	----	8.40 - 3.50	.0347	----	----	----	----	41 UNCH
3860	----	----	14.10B/8.10A	14.10B/8.10A	----	8.50 - 3.50	.0352	----	----	----	----	54 UNCH
3865	----	----	14.30B/8.30A	14.30B/8.30A	----	8.60 - 3.60	.0357	----	----	----	----	21 UNCH
3870	----	----	14.50B/8.40A	14.50B/8.40A	----	8.80 - 3.60	.0364	----	----	----	----	48 UNCH
3875	----	----	14.80B/8.50A	14.80B/8.50A	----	8.90 - 3.70	.0369	----	----	----	----	35 UNCH
3880	----	----	14.80B/8.70A	14.80B/8.70A	----	9.00 - 3.80	.0374	----	----	----	----	40 UNCH
3885	----	----	15.20B/8.80A	15.20B/8.80A	----	9.20 - 3.80	.0382	----	----	----	----	82 UNCH
3890	----	----	15.40B/8.90A	15.40B/8.90A	----	9.30 - 3.90	.0387	----	----	----	----	12 UNCH
3895	----	----	15.70B/9.10A	15.70B/9.10A	----	9.50 - 3.90	.0395	----	----	----	----	75 UNCH
3900	14.40	14.40	16.00B/9.10	16.00B/9.10	----	9.60 - 4.10	.0400	----	----	77	----	1935 + 26
3905	----	----	16.20B/9.30A	16.20B/9.30A	----	9.80 - 4.10	.0408	----	----	----	----	24 UNCH
3910	----	----	16.60B/9.50A	16.60B/9.50A	----	9.90 - 4.20	.0414	----	----	----	----	137 UNCH
3915	----	----	16.80B/9.70A	16.80B/9.70A	----	10.10 - 4.20	.0422	----	----	----	----	38 UNCH
3920	----	----	16.90B/9.80A	16.90B/9.80A	----	10.30 - 4.30	.0430	----	----	----	----	14 UNCH
3925	----	----	17.40B/10.00A	17.40B/10.00A	----	10.50 - 4.30	.0438	----	----	1	----	62 - 1
3930	11.40	11.40	17.60B/10.10A	17.60B/10.10A	----	10.60 - 4.40	.0443	----	----	6	----	60 + 3
3935	----	----	17.70B/10.30A	17.70B/10.30A	----	10.80 - 4.50	.0452	----	----	----	----	16 UNCH
3940	11.00	11.00	18.00B/10.50A	18.00B/10.50A	----	11.00 - 4.50	.0460	----	----	6	----	25 + 4
3945	----	----	18.40B/10.60A	18.40B/10.60A	----	11.20 - 4.60	.0468	----	----	----	----	22 UNCH
3950	----	----	18.90B/10.80A	18.90B/10.80A	----	11.40 - 4.70	.0477	----	----	----	----	131 UNCH
3955	----	----	19.00B/10.90A	19.00B/10.90A	----	11.60 - 4.70	.0485	----	----	----	----	60 UNCH
3960	----	----	19.30B/11.10A	19.30B/11.10A	----	11.80 - 4.80	.0494	----	----	----	----	9 UNCH
3965	----	----	19.50B/11.30A	19.50B/11.30A	----	12.00 - 4.90	.0502	----	----	----	----	85 UNCH
3970	----	----	19.90B/11.50A	19.90B/11.50A	----	12.20 - 5.00	.0511	----	----	----	----	37 UNCH
3975	12.60	12.60	20.20B/11.70A	20.20B/11.70A	----	12.40 - 5.00	.0520	----	----	3	----	40 + 2
3980	----	----	20.60B/11.90A	20.60B/11.90A	----	12.60 - 5.10	.0528	----	----	----	----	133 UNCH
3985	12.50	12.50	20.90B/12.10A	20.90B/12.10A	----	12.80 - 5.20	.0537	----	----	2	----	41 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3990	----	----	21.20B/12.30A	21.20B/12.30A	----	13.00 - 5.30	.0546	----	----	1	----	18 UNCH
3995	----	----	21.50B/12.50A	21.50B/12.50A	----	13.30 - 5.30	.0557	----	----	1	----	29 UNCH
4000	19.00	19.00	22.00B/12.80	22.00B/12.80	----	13.50 - 5.40	.0566	----	----	60	----	3534 + 23
4005	----	----	22.20B/13.00A	22.20B/13.00A	----	13.70 - 5.60	.0575	----	----	----	----	228 UNCH
4010	13.20	13.20	22.60B/13.20	22.60B/13.20	----	14.00 - 5.60	.0587	----	----	2	----	59 - 2
4015	----	----	23.00B/13.40A	23.00B/13.40A	----	14.20 - 5.70	.0596	----	----	1	----	50 - 1
4020	16.10	16.10	23.40B/13.70A	23.40B/13.70A	----	14.50 - 5.70	.0608	----	----	6	----	90 - 3
4025	16.80	16.80	23.80B/13.90	23.80B/13.90	----	14.80 - 5.80	.0620	----	----	31	----	103 + 14
4030	17.20	17.20	24.20B/14.10A	24.20B/14.10A	----	15.00 - 5.90	.0629	----	----	1	----	40 UNCH
4035	----	----	24.60B/14.40A	24.60B/14.40A	----	15.30 - 6.00	.0641	----	----	----	----	30 UNCH
4040	----	----	25.00B/14.60A	25.00B/14.60A	----	15.60 - 6.00	.0653	----	----	----	----	63 UNCH
4045	14.80	14.80	25.40B/14.80	25.40B/14.80	----	15.80 - 6.20	.0663	----	----	18	----	193 + 18
4050	17.10	17.10	25.80B/15.20A	25.80B/15.20A	----	16.10 - 6.30	.0675	----	----	183	----	1318 - 112
4055	26.00	26.00	26.90/15.40A	26.90/15.40A	----	16.40 - 6.40	.0687	----	----	7	----	151 + 7
4060	----	----	26.30B/15.70A	26.30B/15.70A	----	16.70 - 6.40	.0700	----	----	12	----	27 - 9
4065	----	----	26.90B/16.00A	26.90B/16.00A	----	17.00 - 6.50	.0712	----	----	----	----	26 UNCH
4070	----	----	27.20B/16.30A	27.20B/16.30A	----	17.30 - 6.60	.0725	----	----	----	----	134 UNCH
4075	----	----	27.70B/16.60A	27.70B/16.60A	----	17.70 - 6.60	.0740	----	----	----	----	125 UNCH
4080	20.30	20.30	28.00B/16.90A	28.00B/16.90A	----	18.00 - 6.70	.0753	----	----	15	----	93 UNCH
4085	----	----	28.60B/17.20A	28.60B/17.20A	----	18.30 - 6.90	.0765	----	----	4	----	697 UNCH
4090	21.00	21.00	29.10B/17.50A	29.10B/17.50A	----	18.60 - 7.00	.0778	----	----	12	----	218 - 1
4095	----	----	29.40B/17.80A	29.40B/17.80A	----	19.00 - 7.00	.0793	----	----	----	----	157 UNCH
4100	----	----	30.10B/18.20A	30.10B/18.20A	----	19.30 - 7.20	.0806	----	----	400	----	1333 + 314
4105	----	----	30.50B/18.50A	30.50B/18.50A	----	19.70 - 7.20	.0822	----	----	----	----	208 UNCH
4110	----	----	30.90B/18.80A	30.90B/18.80A	----	20.00 - 7.40	.0835	----	----	----	----	66 UNCH
4115	----	----	31.60B/19.20A	31.60B/19.20A	----	20.40 - 7.40	.0851	----	----	1	----	54 - 1
4120	----	----	32.20B/19.50A	32.20B/19.50A	----	20.80 - 7.50	.0866	----	----	----	----	127 UNCH
4125	23.70	23.70	32.70B/19.90A	32.70B/19.90A	----	21.20 - 7.60	.0882	----	----	1	----	207 UNCH
4130	22.80	22.80	33.40B/20.20A	33.40B/20.20A	----	21.50 - 7.80	.0896	----	----	2	----	841 UNCH
4135	24.50	24.50	33.80B/20.60A	33.80B/20.60A	----	21.90 - 7.80	.0912	----	----	2	----	79 UNCH
4140	----	----	34.20B/21.00A	34.20B/21.00A	----	22.30 - 7.90	.0928	----	----	----	----	27 UNCH
4145	25.20	25.20	34.90B/21.40A	34.90B/21.40A	----	22.70 - 8.10	.0944	----	----	30	----	108 - 19
4150	35.50	35.50	35.50/21.80A	35.50/21.80A	----	23.20 - 8.10	.0963	----	----	27	----	561 - 8
4155	----	----	36.10B/22.20A	36.10B/22.20A	----	23.60 - 8.20	.0979	----	----	----	----	44 UNCH
4160	----	----	36.70B/22.60A	36.70B/22.60A	----	24.00 - 8.30	.0995	----	----	----	----	29 UNCH
4165	22.90	22.90	37.20B/22.90	37.20B/22.90	----	24.50 - 8.40	.1014	----	----	1	----	68 UNCH
4170	----	----	37.90B/23.40A	37.90B/23.40A	----	24.90 - 8.50	.1031	----	----	----	----	75 UNCH
4175	24.30	24.30	38.60B/23.90A	38.60B/23.90A	----	25.40 - 8.60	.1050	----	----	3	----	196 + 3
4180	24.60	24.60	39.20B/24.30A	39.20B/24.30A	----	25.80 - 8.70	.1067	----	----	1	----	289 UNCH
4185	----	----	39.70B/24.70A	39.70B/24.70A	----	26.30 - 8.80	.1086	----	----	----	----	357 UNCH
4190	29.40	29.40	40.50B/25.20A	40.50B/25.20A	----	26.80 - 8.90	.1106	----	----	6	----	85 UNCH
4195	28.90	28.90	41.10B/25.60A	41.10B/25.60A	----	27.30 - 9.00	.1125	----	----	1	----	112 UNCH
4200	33.30	33.30	41.80B/26.00A	41.80B/26.00A	----	27.80 - 9.10	.1145	----	----	63	----	2144 - 16
4205	----	----	42.60B/26.50A	42.60B/26.50A	----	28.30 - 9.20	.1164	----	----	----	----	200 UNCH
4210	27.90	27.90	43.20B/27.00A	43.20B/27.00A	----	28.80 - 9.40	.1184	----	----	1	----	77 - 1
4215	32.00	32.00	43.90B/27.40A	43.90B/27.40A	----	29.30 - 9.50	.1204	----	----	2	----	204 + 1
4220	----	----	44.60B/27.90A	44.60B/27.90A	----	29.90 - 9.50	.1226	----	----	1	----	22 UNCH
4225	----	----	45.40B/28.40A	45.40B/28.40A	----	30.40 - 9.70	.1246	----	----	3	----	230 - 3
4230	----	----	46.10B/28.90A	46.10B/28.90A	----	31.00 - 9.80	.1269	----	----	----	----	144 UNCH
4235	----	----	46.90B/29.40A	46.90B/29.40A	----	31.60 - 9.80	.1292	----	----	----	----	53 UNCH
4240	31.90	31.90	47.70B/29.90A	47.70B/29.90A	----	32.10 - 10.00	.1312	----	----	1	----	162 - 1
4245	34.70	34.70	48.70B/30.50A	48.70B/30.50A	----	32.70 - 10.10	.1335	----	----	1	----	56 UNCH
4250	----	----	49.30B/31.00A	49.30B/31.00A	----	33.30 - 10.20	.1358	----	----	110	----	1028 + 93
4255	----	----	50.10B/31.60A	50.10B/31.60A	----	33.90 - 10.40	.1381	----	----	----	----	41 UNCH
4260	35.60	35.60	51.00B/32.10A	51.00B/32.10A	----	34.60 - 10.40	.1406	----	----	8	----	107 - 4
4265	----	----	51.80B/32.70A	51.80B/32.70A	----	35.20 - 10.50	.1429	----	----	----	----	83 UNCH
4270	----	----	52.70B/33.30A	52.70B/33.30A	----	35.80 - 10.70	.1452	----	----	----	----	109 UNCH
4275	35.40	35.40	53.50B/33.80A	53.50B/33.80A	----	36.50 - 10.80	.1478	----	----	1	----	141 + 1
4280	37.80	37.80	54.50B/34.40A	54.50B/34.40A	----	37.20 - 10.80	.1504	----	----	9	----	129 + 1
4285	----	----	55.40B/35.00A	55.40B/35.00A	----	37.90 - 10.90	.1530	----	----	----	----	450 UNCH
4290	36.90	36.90	56.30B/35.70A	56.30B/35.70A	----	38.60 - 11.00	.1555	----	----	5	----	113 - 5
4295	----	----	57.30B/36.30A	57.30B/36.30A	----	39.30 - 11.10	.1582	----	----	----	----	34 UNCH
4300	51.00	51.00	58.00B/36.90A	58.00B/36.90A	----	40.00 - 11.30	.1608	----	----	275	----	2039 + 8
4305	----	----	59.00B/37.60A	59.00B/37.60A	----	40.70 - 11.40	.1634	----	----	----	----	48 UNCH
4310	----	----	60.10B/38.20A	60.10B/38.20A	----	41.50 - 11.50	.1662	----	----	----	----	53 UNCH
4315	----	----	61.20B/39.00A	61.20B/39.00A	----	42.20 - 11.60	.1689	----	----	----	----	19 UNCH
4320	----	----	62.00B/39.60A	62.00B/39.60A	----	43.00 - 11.70	.1718	----	----	----	----	68 UNCH
4325	42.30	42.30	63.00B/40.30A	63.00B/40.30A	----	43.80 - 11.80	.1746	----	----	5	----	155 - 1
4330	----	----	64.00B/41.00A	64.00B/41.00A	----	44.60 - 11.90	.1775	----	----	----	----	276 UNCH
4335	----	----	65.00B/41.80A	65.00B/41.80A	----	45.40 - 12.00	.1804	----	----	2	----	41 + 1
4340	49.60	49.60	66.30B/42.50A	66.30B/42.50A	----	46.20 - 12.20	.1834	----	----	5	----	147 + 5
4345	47.60	47.60	67.20B/43.30A	67.20B/43.30A	----	47.10 - 12.20	.1865	----	----	1	----	337 + 1
4350	47.80	47.80	68.20B/44.00	68.20B/44.00	----	47.90 - 12.40	.1894	----	----	116	----	978 - 60
4355	49.90	49.90	69.60B/44.80A	69.60B/44.80A	----	48.80 - 12.50	.1926	----	----	5	----	73 - 5
4360	----	----	70.40B/45.60A	70.40B/45.60A	----	49.70 - 12.60	.1957	----	----	2	----	362 - 1
4365	64.00	64.00	71.70B/46.40A	71.70B/46.40A	----	50.60 - 12.70	.1989	----	----	2	----	39 UNCH
4370	----	----	72.80B/47.20A	72.80B/47.20A	----	51.50 - 12.80	.2021	----	----	----	----	202 UNCH
4375	53.60	53.60	74.00B/48.10A	74.00B/48.10A	----	52.50 - 12.80	.2054	----	----	15	----	100 - 12
4380	----	----	75.10B/48.90A	75.10B/48.90A	----	53.40 - 13.00	.2087	----	----	----	----	97 UNCH
4385	54.30	54.30	76.40B/49.80A	76.40B/49.80A	----	54.40 - 13.10	.2121	----	----	4	----	399 - 1
4390	58.00	58.00	77.60B/50.70A	77.60B/50.70A	----	55.40 - 13.10	.2155	----	----	5	----	83 - 5
4395	59.50	59.50	78.90B/51.50A	78.90B/51.50A	----	56.40 - 13.20	.2189	----	----	5	----	54 + 5
4400	69.10	69.10	81.00/52.50A	81.00/52.50A	----	57.40 - 13.30	.2223	----	----	211	----	2729 - 77
4405	57.10	57.10	81.60B/53.40A	81.60B/53.40A	----	58.40 - 13.50	.2258	----	----	5	----	24 UNCH
4410	62.80	62.80	82.70B/54.30A	82.70B/54.30A	----	59.50 - 13.50	.2294	----	----	10	----	118 + 5
4415	60.60	60.60	84.30B/55.30A	84.30B/55.30A	----	60.60 - 13.60	.2331	----	----	80	----	122 - 47
4420	62.30	62.30	85.40B/56.20A	85.40B/56.20A	----	61.70 - 13.70	.2367	----	----	44	----	150 + 40
4425	65.40	65.40	87.00B/57.20A	87.00B/57.20A	----	62.80 - 13.80	.2404	----	----	6	----	577 UNCH
4430	----	----	88.50B/58.20A	88.50B/58.20A	----	63.90 - 13.90	.2441	----	----	2	----	98 - 2
4435	64.70	64.70	89.60B/59.20A	89.60B/59.20A	----	65.10 - 13.90	.2479	----	----	12	----	280 + 12
4440	65.60	65.60	91.10B/60.20A	91.10B/60.20A	----	66.20 - 14.10	.2516	----	----	13	----	296 + 1
4445	67.50	67.50	92.40B/61.30A	92.40B/61.30A	----	67.40 - 14.10	.2555	----	----	1	----	120 UNCH
4450	87.70	87.70	93.80B/62.40A	93.80B/62.40A	----	68.60 - 14.20	.2594	----	----	35	----	645 + 4
4455	72.90	72.90	95.40B/63.40A	95.40B/63.40A	----	69.90 - 14.20	.2635	----	----	12	----	269 + 3
4460	70.00	70.00	96.90B/64.50A	96.90B/64.50A	----	71.10 - 14.40	.2674	----	----	2	----	58 + 1
4465	75.90	75.90	98.60B/65.70A	98.60B/65.70A	----	72.40 - 14.40	.2715	----	----	5	----	38 UNCH
4470	92.90	92.90	100.40B/66.80A	100.40B/66.80A	----	73.60 - 14.60	.2754	----	----	121	----	103 + 18
4475	77.60	77.60	101.70B/67.80A	101.70B/67.80A	----	74.90 - 14.60	.2795	----	----	19	----	967 - 1
4480	77.70	77.70	103.10B/69.10A	103.10B/69.10A	----	76.30 - 14.60	.2838	----	----	19	----	175 UNCH
4485	----	----	104.60B/70.30A	104.60B/70.30A	----	77.60 - 14.80	.2879	----	----	----	----	44 UNCH
4490	81.60	81.60	106.60B/71.50A	106.60B/71.50A	----	79.00 - 14.80	.2922	----	----	2	----	241 - 1
4495	----	----	108.20B/72.70A	108.20B/72.70A	----	80.40 - 14.90	.2965	----	----	----	----	25 UNCH
4500	103.00	103.00	109.70B/73.80A	109.70B/73.80A	----	81.80 - 14.90	.3008	----	----	283	----	2462 + 34
4505	----	----	111.80B/75.20A	111.80B/75.20A	----	83.20 - 15.00	.3051	----	----	----	----	32 UNCH
4510	84.20	84.20	113.50B/76.40A	113.50B/76.40A	----	84.60 - 15.20	.3094	----	----	5	----	101 UNCH
4515	----	----	115.30B/77.70A	115.30B/77.70A	----	86.10 - 15.20	.3139	----	----	----	----	57 UNCH
4520	----	----	117.10B/79.10A	117.10B/79.10A	----	87.60 - 15.30	.3184	----	----	2	----	166 - 2
4525	91.10	91.10	118.90B/80.40A	118.90B/80.40A	----	89.10 - 15.30	.3229	----	----	14	----	787 + 7
4530	----	----	120.70B/81.70A	120.70B/81.70A	----	90.60 - 15.40	.3274	----	----	----	----	46 UNCH
4535	----	----	122.50B/83.20A	122.50B/83.20A	----	92.20 - 15.50	.3320	----	----	----	----	218 UNCH
4540	----	----	124.40B/84.60A	124.40B/84.60A	----	93.70 - 15.60	.3366	----	----	----	----	47 UNCH
4545	----	----	126.30B/86.00A	126.30B/86.00A	----	95.30 - 15.70	.3412	----	----	1	----	88 UNCH
4550	----	----	128.20B/87.50A	128.20B/87.50A	----	97.00 - 15.70	.3460	----	----	53	----	658 - 24
4555	----	----	130.20B/89.00A	130.20B/89.00A	----	98.60 - 15.80	.3507	----	----	----	----	15 UNCH
4560	100.90	100.90	132.10B/90.40A	132.10B/90.40A	----	100.30 - 15.80	.3555	----	----	11	----	91 - 1
4565	----	----	134.20B/92.00A	134.20B/92.00A	----	102.00 - 15.90	.3603	----	----	----	----	134 UNCH
4570	----	----	136.10B/93.50A	136.10B/93.50A	----	103.70 - 16.00	.3651	----	----	----	----	180 UNCH
4575	----	----	138.00B/95.10A	138.00B/95.10A	----	105.40 - 16.10	.3699	----	----	1	----	53 UNCH
4580	----	----	140.10B/96.70A	140.10B/96.70A	----	107.20 - 16.10	.3749	----	----	----	----	125 UNCH
4585	133.00	133.00	142.20B/98.30A	142.20B/98.30A	----	109.00 - 16.10	.3798	----	----	3	----	20 + 1
4590	----	----	144.30B/99.80A	144.30B/99.80A	----	110.80 - 16.20	.3848	----	----	----	----	95 UNCH
4595	----	----	146.50B/101.60A	146.50B/101.60A	----	112.60 - 16.30	.3897	----	----	----	----	62 UNCH
4600	146.90	146.90	148.80B/103.20A	148.80B/103.20A	----	114.50 - 16.30	.3948	----	----	242	----	2469 + 29
4605	----	----	150.80B/104.90A	150.80B/104.90A	----	116.40 - 16.40	.3999	----	----	----	----	77 UNCH
4610	113.00	113.00	153.20B/106.70A	153.20B/106.70A	----	118.30 - 16.50	.4050	----	----	44	----	170 + 15
4615	113.50	113.50	155.40B/108.30A	155.40B/108.30A	----	120.20 - 16.60	.4101	----	----	1	----	104 UNCH
4620	124.50	124.50	157.70B/110.20A	157.70B/110.20A	----	122.20 - 16.60	.4152	----	----	42	----	197 - 11
4625	----	----	159.60B/112.00A	159.60B/112.00A	----	124.20 - 16.60	.4204	----	----	----	----	293 UNCH
4630	----	----	162.30B/113.80A	162.30B/113.80A	----	126.20 - 16.70	.4256	----	----	6	----	39 UNCH
4635	120.30	120.30	164.40B/115.60A	164.40B/115.60A	----	128.30 - 16.70	.4309	----	----	8	----	514 - 1
4640	----	----	166.90B/117.50A	166.90B/117.50A	----	130.30 - 16.80	.4361	----	----	----	----	148 UNCH
4645	----	----	169.40B/119.40A	169.40B/119.40A	----	132.50 - 16.80	.4414	----	----	----	----	58 UNCH
4650	134.60	134.60	171.80B/121.20A	171.80B/121.20A	----	134.60 - 16.80	.4467	----	----	21	----	1262 - 19
4655	----	----	174.30B/123.30A	174.30B/123.30A	----	136.70 - 16.90	.4520	----	----	----	----	32 UNCH
4660	----	----	176.80B/125.20A	176.80B/125.20A	----	138.90 - 17.00	.4574	----	----	----	----	203 UNCH
4665	----	----	179.30B/127.30A	179.30B/127.30A	----	141.10 - 17.00	.4627	----	----	----	----	55 UNCH
4670	----	----	181.80B/129.40A	181.80B/129.40A	----	143.40 - 17.00	.4681	----	----	----	----	155 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4675	----	----	184.40B/131.40A	184.40B/131.40A	----	145.70 - 17.00	.4735	----	----	145	----	450 + 100
4680	----	----	186.90B/133.60A	186.90B/133.60A	----	148.00 - 17.00	.4789	----	----	7	----	211 + 5
4685	149.90	149.90	189.60B/135.70A	189.60B/135.70A	----	150.30 - 17.10	.4844	----	----	4	----	170 + 3
4690	----	----	192.20B/137.70A	192.20B/137.70A	----	152.60 - 17.20	.4898	----	----	----	----	221 UNCH
4695	----	----	194.90B/140.00A	194.90B/140.00A	----	155.00 - 17.20	.4953	----	----	2	----	82 UNCH
4700	148.60	148.60	197.60B/142.00A	197.60B/142.00A	----	157.40 - 17.20	.5007	----	----	202	----	1997 + 83
4705	159.50	159.50	200.40B/144.50A	200.40B/144.50A	----	159.90 - 17.20	.5062	----	----	2	----	33 - 1
4710	----	----	203.00B/146.70A	203.00B/146.70A	----	162.40 - 17.20	.5117	----	----	----	----	198 UNCH
4715	192.50	192.50	205.80B/148.80A	205.80B/148.80A	----	164.90 - 17.20	.5172	----	----	1	----	75 UNCH
4720	----	----	207.90B/151.20A	207.90B/151.20A	----	167.40 - 17.30	.5227	----	----	----	----	558 UNCH
4725	----	----	210.80B/153.60A	210.80B/153.60A	----	170.00 - 17.20	.5282	----	----	5	----	69 UNCH
4730	----	----	213.60B/156.10A	213.60B/156.10A	----	172.60 - 17.20	.5337	----	----	----	----	123 UNCH
4735	----	----	216.50B/158.30A	216.50B/158.30A	----	175.20 - 17.30	.5392	----	----	----	----	23 UNCH
4740	----	----	219.40B/160.80A	219.40B/160.80A	----	177.80 - 17.30	.5448	----	----	----	----	111 UNCH
4745	175.00	175.00	222.40B/163.40A	222.40B/163.40A	----	180.50 - 17.30	.5503	----	----	1	----	36 - 1
4750	----	----	225.30B/165.50A	225.30B/165.50A	----	183.20 - 17.30	.5558	----	----	----	----	427 UNCH
4755	----	----	228.30B/168.30A	228.30B/168.30A	----	186.00 - 17.20	.5613	----	----	----	----	144 UNCH
4760	190.40	190.40	231.40B/171.00A	231.40B/171.00A	----	188.70 - 17.30	.5667	----	----	1	----	93 UNCH
4765	----	----	234.40B/173.40A	234.40B/173.40A	----	191.50 - 17.30	.5722	----	----	----	----	63 UNCH
4770	----	----	237.50B/175.80A	237.50B/175.80A	----	194.30 - 17.30	.5778	----	----	----	----	68 UNCH
4775	179.30	179.30	240.60B/178.10A	240.60B/178.10A	----	197.20 - 17.20	.5832	----	----	273	----	438 + 184
4780	195.30	195.30	243.80B/181.20A	243.80B/181.20A	----	200.10 - 17.20	.5887	----	----	2	----	109 UNCH
4785	----	----	246.90B/183.60A	246.90B/183.60A	----	203.00 - 17.20	.5941	----	----	----	----	89 UNCH
4790	----	----	250.10B/185.90A	250.10B/185.90A	----	206.00 - 17.10	.5996	----	----	----	----	365 UNCH
4795	----	----	253.50B/188.90A	253.50B/188.90A	----	208.90 - 17.20	.6050	----	----	2	----	36 - 2
4800	220.00	220.00	256.70B/191.20A	256.70B/191.20A	----	211.90 - 17.20	.6105	----	----	24	----	1639 - 13
4805	----	----	260.00B/194.40A	260.00B/194.40A	----	215.00 - 17.10	.6158	----	----	----	----	53 UNCH
4810	----	----	263.30B/197.00A	263.30B/197.00A	----	218.00 - 17.10	.6211	----	----	2	----	262 - 1
4815	----	----	266.60B/200.70A	266.60B/200.70A	----	221.10 - 17.10	.6265	----	----	----	----	23 UNCH
4820	----	----	269.80B/203.40A	269.80B/203.40A	----	224.20 - 17.10	.6318	----	----	----	----	259 UNCH
4825	----	----	273.30B/207.30A	273.30B/207.30A	----	227.40 - 17.00	.6372	----	----	1	----	195 - 1
4830	----	----	276.70B/210.40A	276.70B/210.40A	----	230.60 - 16.90	.6425	----	----	----	----	67 UNCH
4835	----	----	280.20B/213.00A	280.20B/213.00A	----	233.80 - 16.90	.6478	----	----	----	----	135 UNCH
4840	----	----	283.60B/216.20A	283.60B/216.20A	----	237.00 - 16.90	.6529	----	----	----	----	56 UNCH
4845	----	----	287.10B/218.80A	287.10B/218.80A	----	240.30 - 16.80	.6581	----	----	----	----	39 UNCH
4850	235.90	235.90	290.60B/222.10A	290.60B/222.10A	----	243.60 - 16.70	.6633	----	----	4	----	1061 UNCH
4855	----	----	294.00B/225.00A	294.00B/225.00A	----	246.90 - 16.70	.6684	----	----	----	----	35 UNCH
4860	----	----	297.70B/228.30A	297.70B/228.30A	----	250.20 - 16.70	.6735	----	----	2	----	38 UNCH
4865	----	----	301.30B/231.40A	301.30B/231.40A	----	253.60 - 16.60	.6787	----	----	----	----	26 UNCH
4870	----	----	304.80B/234.40A	304.80B/234.40A	----	257.00 - 16.50	.6836	----	----	----	----	234 UNCH
4875	----	----	308.50B/237.60A	308.50B/237.60A	----	260.50 - 16.40	.6887	----	----	131	----	281 + 131
4880	----	----	312.20B/240.80A	312.20B/240.80A	----	263.90 - 16.40	.6936	----	----	----	----	90 UNCH
4885	----	----	315.80B/243.90A	315.80B/243.90A	----	267.40 - 16.30	.6985	----	----	----	----	21 UNCH
4890	----	----	319.50B/247.20A	319.50B/247.20A	----	270.90 - 16.30	.7034	----	----	1	----	66 UNCH
4895	----	----	323.30B/250.40A	323.30B/250.40A	----	274.50 - 16.10	.7084	----	----	----	----	96 UNCH
4900	----	----	327.00B/253.70A	327.00B/253.70A	----	278.00 - 16.10	.7131	----	----	6	----	1065 - 3
4905	----	----	330.70B/256.90A	330.70B/256.90A	----	281.60 - 16.10	.7179	----	----	----	----	54 UNCH
4910	----	----	334.50B/260.30A	334.50B/260.30A	----	285.20 - 16.00	.7227	----	----	1	----	89 - 1
4915	----	----	338.30B/263.20A	338.30B/263.20A	----	288.90 - 15.90	.7273	----	----	----	----	29 UNCH
4920	----	----	342.20B/266.40A	342.20B/266.40A	----	292.50 - 15.90	.7319	----	----	----	----	150 UNCH
4925	----	----	346.10B/269.80A	346.10B/269.80A	----	296.20 - 15.80	.7365	----	----	----	----	47 UNCH
4930	----	----	349.90B/273.20A	349.90B/273.20A	----	300.00 - 15.60	.7411	----	----	1	----	53 + 1
4935	----	----	353.90B/277.20A	353.90B/277.20A	----	303.70 - 15.60	.7455	----	----	----	----	54 UNCH
4940	----	----	357.80B/280.70A	357.80B/280.70A	----	307.50 - 15.50	.7501	----	----	----	----	15 UNCH
4945	----	----	361.70B/283.50A	361.70B/283.50A	----	311.30 - 15.40	.7545	----	----	----	----	48 UNCH
4950	----	----	365.70B/287.60A	365.70B/287.60A	----	315.10 - 15.30	.7587	----	----	----	----	754 UNCH
4955	----	----	369.70B/290.80A	369.70B/290.80A	----	318.90 - 15.20	.7631	----	----	----	----	86 UNCH
4960	----	----	373.70B/294.70A	373.70B/294.70A	----	322.80 - 15.10	.7673	----	----	----	----	132 UNCH
4965	----	----	377.70B/297.80A	377.70B/297.80A	----	326.70 - 15.00	.7715	----	----	----	----	25 UNCH
4970	----	----	381.80B/301.40A	381.80B/301.40A	----	330.60 - 14.90	.7757	----	----	----	----	4 UNCH
4975	----	----	385.90B/305.50A	385.90B/305.50A	----	334.50 - 14.90	.7799	----	----	----	----	89 UNCH
4980	----	----	389.90B/309.00A	389.90B/309.00A	----	338.50 - 14.70	.7839	----	----	----	----	56 UNCH
4985	----	----	394.10B/312.40A	394.10B/312.40A	----	342.50 - 14.60	.7878	----	----	1	----	124 UNCH
4990	----	----	398.20B/316.20A	398.20B/316.20A	----	346.50 - 14.50	.7918	----	----	1	----	35 - 1
4995	----	----	402.30B/320.20A	402.30B/320.20A	----	350.50 - 14.40	.7958	----	----	----	----	222 UNCH
5000	342.10	342.10	406.50B/322.30A	406.50B/322.30A	----	354.50 - 14.40	.7995	----	----	6	----	1126 - 2
5005	----	----	410.70B/327.70A	410.70B/327.70A	----	358.60 - 14.20	.8032	----	----	----	----	43 UNCH
5010	----	----	414.80B/331.30A	414.80B/331.30A	----	362.70 - 14.10	.8069	----	----	----	----	14 UNCH
5015	----	----	419.00B/335.10A	419.00B/335.10A	----	366.80 - 14.00	.8106	----	----	----	----	23 UNCH
5020	----	----	423.20B/339.10A	423.20B/339.10A	----	370.90 - 13.90	.8143	----	----	----	----	23 UNCH
5025	----	----	427.50B/342.70A	427.50B/342.70A	----	375.10 - 13.80	.8177	----	----	----	----	154 UNCH
5030	----	----	431.70B/346.90A	431.70B/346.90A	----	379.20 - 13.70	.8214	----	----	----	----	24 UNCH
5035	----	----	435.90B/350.70A	435.90B/350.70A	----	383.40 - 13.60	.8249	----	----	----	----	13 UNCH
5040	----	----	440.20B/355.00A	440.20B/355.00A	----	387.60 - 13.50	.8283	----	----	----	----	135 UNCH
5045	----	----	444.50B/359.00A	444.50B/359.00A	----	391.80 - 13.40	.8314	----	----	----	----	28 UNCH
5050	----	----	448.80B/362.80A	448.80B/362.80A	----	396.10 - 13.20	.8349	----	----	----	----	438 UNCH
5055	----	----	453.20B/366.70A	453.20B/366.70A	----	400.30 - 13.20	.8380	----	----	----	----	107 UNCH
5060	----	----	457.50B/371.00A	457.50B/371.00A	----	404.60 - 13.10	.8414	----	----	----	----	84 UNCH
5065	----	----	461.90B/375.00A	461.90B/375.00A	----	408.90 - 12.90	.8445	----	----	----	----	54 UNCH
5070	----	----	466.20B/378.90A	466.20B/378.90A	----	413.20 - 12.80	.8474	----	----	----	----	175 UNCH
5075	----	----	470.60B/383.10A	470.60B/383.10A	----	417.50 - 12.70	.8505	----	----	----	----	47 UNCH
5080	----	----	475.00B/387.00A	475.00B/387.00A	----	421.90 - 12.60	.8536	----	----	----	----	85 UNCH
5085	----	----	479.40B/391.50A	479.40B/391.50A	----	426.20 - 12.50	.8564	----	----	----	----	116 UNCH
5090	----	----	483.90B/395.50A	483.90B/395.50A	----	430.60 - 12.40	.8592	----	----	----	----	23 UNCH
5095	----	----	488.30B/399.60A	488.30B/399.60A	----	435.00 - 12.30	.8620	----	----	----	----	17 UNCH
5100	----	----	492.80B/404.00A	492.80B/404.00A	----	439.40 - 12.10	.8648	----	----	----	----	391 UNCH
5105	----	----	497.20B/408.00A	497.20B/408.00A	----	443.80 - 12.00	.8676	----	----	----	----	58 UNCH
5110	----	----	501.70B/412.20A	501.70B/412.20A	----	448.20 - 12.00	.8700	----	----	----	----	286 UNCH
5115	----	----	506.20B/416.40A	506.20B/416.40A	----	452.70 - 11.80	.8728	----	----	----	----	24 UNCH
5120	----	----	510.70B/420.20A	510.70B/420.20A	----	457.10 - 11.70	.8752	----	----	----	----	18 UNCH
5125	----	----	515.20B/425.10A	515.20B/425.10A	----	461.60 - 11.60	.8780	----	----	----	----	89 UNCH
5130	----	----	519.70B/429.40A	519.70B/429.40A	----	466.10 - 11.50	.8804	----	----	----	----	120 UNCH
5135	----	----	524.20B/433.70A	524.20B/433.70A	----	470.60 - 11.40	.8829	----	----	----	----	95 UNCH
5140	----	----	528.70B/437.90A	528.70B/437.90A	----	475.10 - 11.30	.8850	----	----	----	----	23 UNCH
5145	----	----	533.30B/442.30A	533.30B/442.30A	----	479.60 - 11.20	.8874	----	----	----	----	44 UNCH
5150	----	----	537.80B/446.70A	537.80B/446.70A	----	484.20 - 11.00	.8898	----	----	----	----	372 UNCH
5155	----	----	542.40B/451.30A	542.40B/451.30A	----	488.70 - 11.00	.8918	----	----	----	----	9 UNCH
5160	----	----	547.00B/455.30A	547.00B/455.30A	----	493.30 - 10.80	.8943	----	----	----	----	31 UNCH
5165	----	----	551.60B/459.60A	551.60B/459.60A	----	497.80 - 10.80	.8963	----	----	----	----	47 UNCH
5170	----	----	556.10B/464.00A	556.10B/464.00A	----	502.40 - 10.60	.8984	----	----	----	----	155 UNCH
5175	----	----	560.80B/468.30A	560.80B/468.30A	----	507.00 - 10.50	.9004	----	----	----	----	30 UNCH
5180	----	----	565.40B/472.80A	565.40B/472.80A	----	511.60 - 10.40	.9024	----	----	----	----	76 UNCH
5185	----	----	570.00B/477.30A	570.00B/477.30A	----	516.20 - 10.30	.9045	----	----	----	----	2 UNCH
5190	----	----	574.60B/481.70A	574.60B/481.70A	----	520.80 - 10.30	.9061	----	----	----	----	10 UNCH
5195	----	----	579.30B/486.30A	579.30B/486.30A	----	525.50 - 10.10	.9081	----	----	----	----	25 UNCH
5200	----	----	584.00B/491.00A	584.00B/491.00A	----	530.10 - 10.00	.9101	----	----	----	----	425 UNCH
5205	----	----	588.70B/495.30A	588.70B/495.30A	----	534.80 - 9.90	.9118	----	----	----	----	19 UNCH
5210	----	----	593.40B/499.90A	593.40B/499.90A	----	539.40 - 9.90	.9134	----	----	----	----	9 UNCH
5215	----	----	598.00B/504.30A	598.00B/504.30A	----	544.10 - 9.70	.9154	----	----	----	----	6 UNCH
5220	----	----	602.70B/508.90A	602.70B/508.90A	----	548.80 - 9.60	.9170	----	----	----	----	9 UNCH
5225	----	----	607.50B/512.90A	607.50B/512.90A	----	553.40 - 9.60	.9186	----	----	----	----	59 UNCH
5230	----	----	612.20B/517.70A	612.20B/517.70A	----	558.10 - 9.50	.9202	----	----	----	----	10 UNCH
5235	----	----	616.90B/522.70A	616.90B/522.70A	----	562.80 - 9.40	.9218	----	----	----	----	71 UNCH
5240	----	----	621.60B/526.70A	621.60B/526.70A	----	567.50 - 9.30	.9234	----	----	----	----	43 UNCH
5245	----	----	626.30B/531.90A	626.30B/531.90A	----	572.20 - 9.30	.9250	----	----	----	----	15 UNCH
5250	----	----	631.10B/535.90A	631.10B/535.90A	----	577.00 - 9.10	.9266	----	----	----	----	431 UNCH
5255	----	----	635.90B/540.90A	635.90B/540.90A	----	581.70 - 9.10	.9278	----	----	----	----	4 UNCH
5260	----	----	640.60B/545.60A	640.60B/545.60A	----	586.40 - 9.00	.9294	----	----	----	----	11 UNCH
5265	----	----	645.30B/550.60A	645.30B/550.60A	----	591.20 - 8.90	.9306	----	----	----	----	7 UNCH
5270	----	----	650.10B/554.50A	650.10B/554.50A	----	595.90 - 8.80	.9321	----	----	----	----	30 UNCH
5275	----	----	654.80B/559.20A	654.80B/559.20A	----	600.70 - 8.70	.9333	----	----	----	----	206 UNCH
5280	----	----	659.60B/564.60A	659.60B/564.60A	----	605.40 - 8.70	.9349	----	----	----	----	33 UNCH
5290	----	----	669.20B/573.40A	669.20B/573.40A	----	615.00 - 8.50	.9372	----	----	----	----	2 UNCH
5295	----	----	674.00B/578.60A	674.00B/578.60A	----	619.70 - 8.50	.9383	----	----	----	----	5 UNCH
5300	----	----	678.80B/583.30A	678.80B/583.30A	----	624.50 - 8.40	.9395	----	----	----	----	108 UNCH
5305	----	----	683.60B/588.00A	683.60B/588.00A	----	629.30 - 8.40	.9410	----	----	----	----	40 UNCH
5310	----	----	688.40B/592.50A	688.40B/592.50A	----	634.10 - 8.30	.9422	----	----	----	----	32 UNCH
5315	----	----	693.20B/596.80A	693.20B/596.80A	----	638.90 - 8.20	.9433	----	----	----	----	1 UNCH
5320	----	----	698.00B/602.20A	698.00B/602.20A	----	643.70 - 8.20	.9440	----	----	----	----	26 UNCH
5325	----	----	702.80B/607.00A	702.80B/607.00A	----	648.50 - 8.10	.9451	----	----	----	----	51 UNCH
5330	----	----	707.70B/611.00A	707.70B/611.00A	----	653.30 - 8.10	.9462	----	----	----	----	27 UNCH
5335	----	----	712.50B/615.80A	712.50B/615.80A	----	658.20 - 7.90	.9473	----	----	----	----	1 UNCH
5340	----	----	717.30B/620.50A	717.30B/620.50A	----	663.00 - 7.90	.9485	----	----	----	----	14 UNCH
5350	----	----	727.00B/629.90A	727.00B/629.90A	----	672.60 - 7.90	.9502	----	----	----	----	43 UNCH
5360	----	----	736.70B/639.70A	736.70B/639.70A	----	682.30 - 7.70	.9520	----	----	----	----	11 UNCH
5365	----	----	741.60B/644.80A	741.60B/644.80A	----	687.20 - 7.60	.9531	----	----	----	----	11 UNCH
5370	----	----	746.40B/649.60A	746.40B/649.60A	----	692.00 - 7.60	.9538	----	----	----	----	32 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
5375	----	----	751.30B/654.00A	751.30B/654.00A	----	696.90 - 7.50	.9544	----	----	----	----	32 UNCH
5380	----	----	756.10B/658.80A	756.10B/658.80A	----	701.70 - 7.50	.9555	----	----	----	----	4 UNCH
5385	----	----	761.00B/663.70A	761.00B/663.70A	----	706.60 - 7.50	.9561	----	----	1	----	15 UNCH
5390	----	----	765.90B/669.00A	765.90B/669.00A	----	711.40 - 7.50	.9568	----	----	----	----	1 UNCH
5400	----	----	775.60B/678.40A	775.60B/678.40A	----	721.20 - 7.30	.9585	----	----	----	----	96 UNCH
5410	----	----	785.40B/687.70A	785.40B/687.70A	----	730.90 - 7.30	.9598	----	----	----	----	55 UNCH
5420	----	----	795.10B/697.40A	795.10B/697.40A	----	740.70 - 7.20	.9615	----	----	----	----	7 UNCH
5425	----	----	792.70B/711.70A	792.70B/711.70A	----	745.60 - 7.10	.9621	----	----	----	----	32 UNCH
5435	----	----	802.50B/720.20A	802.50B/720.20A	----	755.40 - 7.00	.9633	----	----	----	----	2 UNCH
5445	----	----	812.20B/730.00A	812.20B/730.00A	----	765.20 - 6.90	.9645	----	----	----	----	1 UNCH
5450	----	----	817.00B/734.70A	817.00B/734.70A	----	770.10 - 6.90	.9651	----	----	----	----	20 UNCH
5475	----	----	841.60B/759.20A	841.60B/759.20A	----	794.60 - 6.70	.9677	----	----	----	----	1 UNCH
5490	----	----	856.20B/775.40A	856.20B/775.40A	----	809.40 - 6.60	.9690	----	----	----	----	3 UNCH
5500	----	----	866.00B/785.20A	866.00B/785.20A	----	819.20 - 6.60	.9701	----	----	----	----	34 UNCH
5515	----	----	881.00B/798.90A	881.00B/798.90A	----	834.00 - 6.40	.9714	----	----	----	----	10 UNCH
5520	----	----	885.90B/804.10A	885.90B/804.10A	----	838.90 - 6.40	.9720	----	----	----	----	1 UNCH
5530	----	----	895.80B/814.40A	895.80B/814.40A	----	848.80 - 6.40	.9727	----	----	----	----	10 UNCH
5535	----	----	900.70B/819.30A	900.70B/819.30A	----	853.70 - 6.40	.9732	----	----	----	----	10 UNCH
5540	----	----	905.40B/824.20A	905.40B/824.20A	----	858.70 - 6.30	.9733	----	----	----	----	5 UNCH
5550	----	----	915.20B/833.60A	915.20B/833.60A	----	868.50 - 6.30	.9740	----	----	----	----	5 UNCH
5565	----	----	----/852.10A	887.40B/852.10A	----	883.40 - 6.10	.9752	----	----	----	----	10 UNCH
5575	----	----	----/862.00A	897.30B/862.00A	----	893.30 - 6.10	.9759	----	----	----	----	12 UNCH
5590	----	----	----/876.80A	912.10B/876.80A	----	908.10 - 6.00	.9771	----	----	----	----	25 UNCH
5600	----	----	----/886.60A	922.00B/886.60A	----	918.00 - 6.00	.9777	----	----	1	----	12 + 1
5625	----	----	----	----	----	942.70 - 6.00	.9790	----	----	----	----	2 UNCH
5640	----	----	----	----	----	957.60 - 5.90	.9797	----	----	----	----	1 UNCH
5890	----	----	----/1,174.80A	1210.50B/1174.80A	----	1206.10 - 5.40	.9892	----	----	----	----	4 UNCH
5910	----	----	----	----	----	1226.10 - 5.30	.9898	----	----	----	----	1 UNCH
5960	----	----	----	----	----	1275.90 - 5.20	.9906	----	----	----	----	1 UNCH
5980	----	----	----	----	----	1295.90 - 5.20	.9912	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1315.80 - 5.20	.9913	----	----	----	----	2 UNCH
6025	----	----	----/1,309.40A	1345.20B/1309.40A	----	1340.70 - 5.20	.9919	----	----	----	----	3 UNCH
6100	----	----	----/1,384.30A	1420.30B/1384.30A	----	1415.60 - 5.10	.9931	----	----	----	----	7 UNCH
TOTAL										4032		87188 + 695
JUN26												
1325	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1375	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1400	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1425	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1475	----	----	----	----/0.40A	----	0.10 - 0.10	.0000	----	----	----	----	11 UNCH
1500	----	----	----	----/0.40A	----	0.10 - 0.10	.0001	----	----	----	----	3 UNCH
1525	----	----	----	----/0.40A	----	0.10 - 0.10	.0001	----	----	----	----	8 UNCH
1575	----	----	----	0.10B/0.40A	----	0.10 - 0.20	.0001	----	----	----	----	1 UNCH
1580	----	----	----	0.10B/0.40A	----	0.10 - 0.20	.0002	----	----	----	----	1 UNCH
1590	----	----	----	0.10B/0.50A	----	0.10 - 0.30	.0002	----	----	----	----	175 UNCH
1600	----	----	----	0.10B/0.50A	----	0.20 - 0.20	.0003	----	----	----	----	18 UNCH
1610	----	----	----	0.10B/0.50A	----	0.20 - 0.20	.0004	----	----	----	----	1 UNCH
1615	----	----	----	0.10B/0.50A	----	0.20 - 0.20	.0004	----	----	----	----	1 UNCH
1620	----	----	----	0.10B/0.50A	----	0.20 - 0.20	.0004	----	----	----	----	31 UNCH
1625	----	----	----	0.10B/0.50A	----	0.20 - 0.20	.0004	----	----	----	----	1 UNCH
1650	----	----	----	0.10B/0.50A	----	0.20 - 0.30	.0004	----	----	----	----	2 UNCH
1670	----	----	----/*0.50A	0.20B/0.50A	----	0.30 - 0.30	.0005	----	----	----	----	10 UNCH
1675	----	----	----/*0.50A	0.20B/0.50A	----	0.30 - 0.30	.0005	----	----	----	----	10 UNCH
1685	----	----	----/*0.50A	0.20B/0.50A	----	0.30 - 0.30	.0005	----	----	----	----	5 UNCH
1690	----	----	----/*0.50A	0.20B/0.50A	----	0.30 - 0.40	.0005	----	----	----	----	1 UNCH
1695	----	----	----/*0.50A	0.20B/0.50A	----	0.30 - 0.40	.0005	----	----	----	----	1 UNCH
1700	----	----	----/0.50A	0.20B/0.50A	----	0.30 - 0.40	.0005	----	----	----	----	2 UNCH
1725	----	----	----/0.50A	0.20B/0.50A	----	0.40 - 0.40	.0007	----	----	----	----	1 UNCH
1735	----	----	----/0.50A	0.20B/0.50A	----	0.40 - 0.40	.0007	----	----	----	----	1 UNCH
1740	----	----	----/0.60A	0.20B/0.60A	----	0.40 - 0.50	.0007	----	----	----	----	1 UNCH
1745	----	----	----/0.60A	0.20B/0.60A	----	0.40 - 0.50	.0007	----	----	----	----	1 UNCH
1750	----	----	----/0.60A	0.20B/0.60A	----	0.40 - 0.50	.0007	----	----	----	----	4 UNCH
1755	----	----	----/*0.60A	0.20B/0.60A	----	0.40 - 0.60	.0007	----	----	----	----	1 UNCH
1775	----	----	----/*0.60A	0.30B/0.60A	----	0.50 - 0.50	.0009	----	----	----	----	1 UNCH
1780	----	----	----/0.60A	0.30B/0.60A	----	0.50 - 0.60	.0009	----	----	----	----	2 UNCH
1785	----	----	----/0.60A	0.30B/0.60A	----	0.50 - 0.60	.0009	----	----	----	----	2 UNCH
1795	----	----	----/*0.60A	0.30B/0.60A	----	0.50 - 0.60	.0009	----	----	----	----	11 UNCH
1800	0.40	0.40	0.40/0.40	0.40/0.40	----	0.50 - 0.60	.0009	----	----	2	----	6 UNCH
1815	----	----	----/*0.60A	0.30B/0.60A	----	0.50 - 0.70	.0009	----	----	----	----	1 UNCH
1820	----	----	----/0.60A	0.40B/0.60A	----	0.50 - 0.70	.0009	----	----	----	----	2 UNCH
1855	----	----	----/0.70A	0.30B/0.70A	----	0.60 - 0.70	.0011	----	----	----	----	1 UNCH
1875	----	----	----/0.70A	0.40B/0.70A	----	0.60 - 0.70	.0011	----	----	----	----	3 UNCH
1900	----	----	----/0.70A	0.40B/0.70A	----	0.70 - 0.70	.0013	----	----	----	----	3 UNCH
1905	----	----	----/0.70A	0.40B/0.70A	----	0.70 - 0.70	.0013	----	----	----	----	7 UNCH
1915	----	----	----/0.70A	0.40B/0.70A	----	0.70 - 0.80	.0013	----	----	----	----	10 UNCH
1920	----	----	----/0.80A	0.40B/0.80A	----	0.70 - 0.80	.0013	----	----	----	----	2 UNCH
1950	----	----	----/0.80A	0.50B/0.80A	----	0.80 - 0.80	.0015	----	----	----	----	1 UNCH
1955	----	----	----/0.80A	0.50B/0.80A	----	0.80 - 0.80	.0015	----	----	----	----	2 UNCH
1965	----	----	----/0.80A	0.60B/0.80A	----	0.80 - 0.80	.0015	----	----	----	----	10 UNCH
1975	0.80	0.80	0.80/0.80	0.80/0.80	----	0.80 NEW	.0016	----	----	20	----	20 + 20
2000	0.80	0.80	0.80/0.80	0.80/0.80	----	0.80 - 0.90	.0016	----	----	1	----	603 UNCH
2005	----	----	----/0.90A	0.60B/0.90A	----	0.80 - 0.90	.0016	----	----	----	----	1 UNCH
2010	----	----	----/0.90A	0.60B/0.90A	----	0.80 - 0.90	.0016	----	----	----	----	1 UNCH
2015	----	----	----/0.90A	0.70B/0.90A	----	0.80 - 0.90	.0016	----	----	----	----	7 UNCH
2020	----	----	----/0.90A	0.70B/0.90A	----	0.80 - 0.90	.0016	----	----	----	----	1 UNCH
2025	0.90	0.90	0.90/0.90	0.90/0.90	----	0.80 - 0.90	.0016	----	----	30	----	40 + 30
2030	----	----	----/0.90A	0.70B/0.90A	----	0.80 - 0.90	.0016	----	----	----	----	13 UNCH
2050	----	----	----/1.00A	0.90B/1.00A	----	0.90 - 0.90	.0018	----	----	----	----	20 UNCH
2085	----	----	----/1.00A	0.70B/1.00A	----	0.90 - 0.90	.0018	----	----	----	----	15 UNCH
2100	----	----	----/1.00A	0.80B/1.00A	----	0.90 - 0.90	.0018	----	----	----	----	90 UNCH
2105	----	----	----/1.10A	0.80B/1.10A	----	0.90 - 0.90	.0018	----	----	----	----	1 UNCH
2170	----	----	----/1.20A	0.90B/1.20A	----	1.00 - 1.00	.0021	----	----	----	----	5 UNCH
2180	----	----	----/1.20A	1.00B/1.20A	----	1.00 - 1.00	.0021	----	----	----	----	6 UNCH
2195	----	----	----/1.20A	1.00B/1.20A	----	1.10 - 0.90	.0023	----	----	----	----	5 UNCH
2200	----	----	----/1.20A	1.00B/1.20A	----	1.10 - 0.90	.0023	----	----	----	----	9 UNCH
2205	----	----	----/1.30A	1.00B/1.30A	----	1.10 - 0.90	.0023	----	----	----	----	7 UNCH
2220	----	----	----/1.30A	1.10B/1.30A	----	1.10 - 1.00	.0023	----	----	----	----	1 UNCH
2230	----	----	----/1.30A	1.10B/1.30A	----	1.10 - 1.00	.0024	----	----	----	----	25 UNCH
2235	----	----	----/1.30A	1.10B/1.30A	----	1.10 - 1.00	.0024	----	----	----	----	21 UNCH
2240	----	----	----/1.30A	1.10B/1.30A	----	1.10 - 1.00	.0024	----	----	----	----	6 UNCH
2250	----	----	----/1.40A	1.10B/1.40A	----	1.10 - 1.00	.0024	----	----	----	----	5 UNCH
2300	----	----	----/1.50A	1.20B/1.50A	----	1.20 - 1.00	.0026	----	----	----	----	13 UNCH
2315	----	----	----/1.50A	1.30B/1.50A	----	1.30 - 0.90	.0028	----	----	----	----	40 UNCH
2330	----	----	----/1.50A	1.30B/1.50A	----	1.30 - 1.00	.0029	----	----	----	----	9 UNCH
2350	----	----	----/1.60A	1.40B/1.60A	----	1.30 - 1.00	.0029	----	----	----	----	1 UNCH
2380	----	----	----/1.60A	1.40B/1.60A	----	1.40 - 1.00	.0031	----	----	----	----	9 UNCH
2385	----	----	----/1.60A	1.50B/1.60A	----	1.40 - 1.00	.0032	----	----	----	----	1 UNCH
2390	----	----	----/1.70A	1.50B/1.70A	----	1.40 - 1.00	.0032	----	----	----	----	1 UNCH
2395	----	----	----/1.70A	1.50B/1.70A	----	1.40 - 1.00	.0032	----	----	----	----	1 UNCH
2400	----	----	----/1.70A	1.50B/1.70A	----	1.50 - 0.90	.0034	----	----	----	----	72 UNCH
2405	----	----	----/1.60A	1.50B/1.60A	----	1.50 - 0.90	.0034	----	----	----	----	1 UNCH
2410	----	----	----/1.70A	1.50B/1.70A	----	1.50 - 0.90	.0034	----	----	----	----	6 UNCH
2415	----	----	----/1.70A	1.50B/1.70A	----	1.50 - 0.90	.0034	----	----	----	----	1 UNCH
2420	----	----	----/1.70A	1.60B/1.70A	----	1.50 - 1.00	.0034	----	----	----	----	5 UNCH
2425	----	----	----/1.70A	1.60B/1.70A	----	1.50 - 1.00	.0034	----	----	----	----	2 UNCH
2430	----	----	----/1.70A	1.60B/1.70A	----	1.50 - 1.00	.0034	----	----	----	----	1 UNCH
2445	----	----	----/1.80A	1.60B/1.80A	----	1.60 - 0.90	.0036	----	----	----	----	5 UNCH
2450	----	----	----/1.80A	1.70B/1.80A	----	1.60 - 0.90	.0037	----	----	----	----	2 UNCH
2460	----	----	----/1.80A	1.70B/1.80A	----	1.60 - 1.00	.0037	----	----	----	----	1 UNCH
2465	----	----	----/1.80A	1.70B/1.80A	----	1.60 - 1.00	.0037	----	----	----	----	7 UNCH
2475	----	----	----/1.90A	1.70B/1.90A	----	1.60 - 1.00	.0037	----	----	----	----	1 UNCH
2495	----	----	----/1.90A	1.80B/1.90A	----	1.70 - 0.90	.0040	----	----	----	----	1 UNCH
2500	1.40	1.40	1.80B/1.40	1.80B/1.40	----	1.70 - 1.00	.0040	----	----	4	----	1821 + 2
2510	2.00	2.00	2.00/2.00	2.00/2.00	----	1.70 NEW	.0040	----	----	4	----	2 + 2
2525	1.80	1.80	1.80/1.80	1.90B/1.80	----	1.80 NEW	.0042	----	----	25	----	25 + 25
2535	----	----	----/2.10A	1.90B/2.10A	----	1.80 - 0.90	.0042	----	----	----	----	5 UNCH
2540	----	----	----/2.10A	1.90B/2.10A	----	1.80 - 1.00	.0043	----	----	----	----	5 UNCH
2550	----	----	----/2.10A	2.00B/2.10A	----	1.90 - 0.90	.0045	----	----	----	----	50 UNCH
2565	----	----	----/2.20A	2.00B/2.20A	----	1.90 - 0.90	.0045	----	----	----	----	5 UNCH
2580	----	----	----/2.20A	2.10B/2.20A	----	2.00 - 0.90	.0047	----	----	----	----	5 UNCH
2590	----	----	----/2.20A	2.10B/2.20A	----	2.00 - 0.90	.0048	----	----	----	----	8 UNCH
2600	----	----	----/2.30A	2.10B/2.30A	----	2.00 - 0.90	.0048	----	----	----	----	157 UNCH
2650	----	----	----/2.40A	2.30B/2.40A	----	2.20 - 0.90	.0053	----	----	----	----	1 UNCH
2700	----	----	----/2.60A	2.50B/2.60A	----	2.40 - 0.80	.0059	----	----	9	----	428 UNCH
2730	----	----	----/2.70A	2.60B/2.70A	----	2.50 - 0.80	.0062	----	----	----	----	5 UNCH
2750	----	----	----/2.80A	2.70B/2.80A	----	2.60 - 0.80	.0065	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
2800	----	----	----/3.00A	2.90B/3.00A	----	2.90 - 0.70	.0073	----	----	----	----	749 UNCH
2805	----	----	----/3.10A	2.90B/3.10A	----	2.90 - 0.70	.0073	----	----	----	----	223 UNCH
2810	----	----	----/3.10A	3.00B/3.10A	----	2.90 - 0.70	.0074	----	----	----	----	39 UNCH
2825	2.90	2.90	2.90/2.90	3.00B/2.90	----	3.00 - 0.70	.0076	----	----	3	----	51 + 3
2830	----	----	----/3.20A	3.10B/3.20A	----	3.00 - 0.70	.0077	----	----	----	----	25 UNCH
2850	----	----	----/3.30A	3.20B/3.30A	----	3.10 - 0.70	.0080	----	----	----	----	22 UNCH
2875	----	----	----/3.40A	3.30B/3.40A	----	3.30 - 0.60	.0085	----	----	----	----	7 UNCH
2900	----	----	----/3.60A	3.50B/3.60A	----	3.40 - 0.60	.0088	----	----	----	----	154 UNCH
2905	----	----	----/3.60A	3.50B/3.60A	----	3.40 - 0.70	.0089	----	----	----	----	5 UNCH
2915	----	----	----/3.70A	3.60B/3.70A	----	3.50 - 0.60	.0091	----	----	----	----	1 UNCH
2930	----	----	----/3.80A	3.70B/3.80A	----	3.60 - 0.60	.0094	----	----	----	----	1 UNCH
2935	----	----	----/3.80A	3.70B/3.80A	----	3.60 - 0.60	.0094	----	----	----	----	3 UNCH
2950	----	----	----/3.90A	3.80B/3.90A	----	3.70 - 0.60	.0097	----	----	----	----	24 UNCH
2970	----	----	----/4.00A	4.00B/4.00A	----	3.90 - 0.50	.0103	----	----	----	----	1 UNCH
2975	----	----	----/4.10A	4.00B/4.10A	----	3.90 - 0.60	.0103	----	----	----	----	9 UNCH
2990	----	----	----/4.20A	4.10B/4.20A	----	4.00 - 0.60	.0106	----	----	----	----	5 UNCH
2995	----	----	----/4.20A	4.20B/4.20A	----	4.00 - 0.60	.0107	----	----	----	----	6 UNCH
3000	4.40	4.40	4.40/4.00	4.40/4.00	----	4.10 - 0.50	.0109	----	----	21	----	1598 + 20
3005	4.10	4.10	4.10/4.10	4.20B/4.10	----	4.10 - 0.60	.0109	----	----	25	----	30 + 20
3010	----	----	----/4.30A	4.30B/4.30A	----	4.10 - 0.60	.0110	----	----	----	----	8 UNCH
3015	----	----	----/4.40A	4.30B/4.40A	----	4.20 - 0.50	.0112	----	----	----	----	215 UNCH
3020	----	----	----/4.40A	4.40B/4.40A	----	4.20 - 0.60	.0113	----	----	----	----	35 UNCH
3035	----	----	----/4.50A	4.50B/4.50A	----	4.30 - 0.60	.0116	----	----	----	----	1 UNCH
3050	----	----	----/4.60A	4.60B/4.60A	----	4.40 - 0.60	.0119	----	----	----	----	389 UNCH
3065	----	----	----/4.70A	4.80B/4.70A	----	4.60 - 0.50	.0124	----	----	----	----	7 UNCH
3070	----	----	----/4.80A	4.80B/4.80A	----	4.60 - 0.60	.0125	----	----	----	----	6 UNCH
3075	----	----	----/4.80A	4.90B/4.80A	----	4.70 - 0.50	.0127	----	----	----	----	10 UNCH
3080	----	----	----/4.80A	4.90B/4.80A	----	4.70 - 0.60	.0128	----	----	----	----	8 UNCH
3095	----	----	----/4.90A	5.10B/4.90A	----	4.80 - 0.60	.0131	----	----	----	----	41 UNCH
3100	----	----	----/5.00A	5.10B/5.00A	----	4.90 - 0.60	.0134	----	----	3	----	365 UNCH
3105	----	----	----/5.00A	5.20B/5.00A	----	4.90 - 0.60	.0134	----	----	2	----	13 UNCH
3110	----	----	----/5.10A	5.20B/5.10A	----	5.00 - 0.60	.0137	----	----	----	----	10 UNCH
3120	4.90	4.90	4.90/4.90	5.30B/4.90	----	5.10 - 0.60	.0140	----	----	7	----	13 + 7
3125	----	----	----/5.20A	5.40B/5.20A	----	5.10 - 0.60	.0140	----	----	----	----	10 UNCH
3130	----	----	----/5.30A	5.40B/5.30A	----	5.10 - 0.70	.0141	----	----	----	----	26 UNCH
3140	----	----	----/5.30A	5.50B/5.30A	----	5.20 - 0.70	.0144	----	----	----	----	5 UNCH
3150	----	----	----/5.40A	5.60B/5.40A	----	5.30 - 0.70	.0147	----	----	----	----	142 UNCH
3155	----	----	----/5.50A	5.70B/5.50A	----	5.40 - 0.70	.0149	----	----	----	----	16 UNCH
3160	----	----	----/5.50A	5.70B/5.50A	----	5.40 - 0.70	.0150	----	----	----	----	5 UNCH
3170	----	----	----/5.60A	5.90B/5.60A	----	5.50 - 0.80	.0153	----	----	----	----	6 UNCH
3175	----	----	----/5.70A	5.90B/5.70A	----	5.60 - 0.70	.0156	----	----	----	----	12 UNCH
3180	----	----	----/5.70A	6.00B/5.70A	----	5.70 - 0.70	.0158	----	----	----	----	5 UNCH
3185	----	----	----/5.80A	6.00B/5.80A	----	5.70 - 0.80	.0159	----	----	----	----	6 UNCH
3190	----	----	----/5.80A	6.10B/5.80A	----	5.80 - 0.70	.0161	----	----	----	----	18 UNCH
3195	----	----	----/5.90A	6.20B/5.90A	----	5.80 - 0.80	.0162	----	----	----	----	12 UNCH
3200	5.60	5.60	6.80B/5.60	6.80B/5.60	----	5.90 - 0.80	.0165	----	----	2	----	289 + 2
3205	----	----	----/6.00A	6.30B/6.00A	----	5.90 - 0.80	.0165	----	----	----	----	42 UNCH
3210	----	----	----/6.00A	6.30B/6.00A	----	6.00 - 0.80	.0168	----	----	----	----	15 UNCH
3215	----	----	----/6.10A	6.40B/6.10A	----	6.00 - 0.90	.0168	----	----	----	----	22 UNCH
3220	----	----	----/6.10A	6.50B/6.10A	----	6.10 - 0.80	.0171	----	----	----	----	7 UNCH
3225	6.00	6.00	6.00/6.00	6.50B/6.00	----	6.20 - 0.80	.0174	----	----	26	----	65 + 24
3235	----	----	----/6.30A	6.70B/6.30A	----	6.30 - 0.90	.0177	----	----	1	----	24 UNCH
3250	6.50	6.50	6.50/6.50	6.90B/6.50	----	6.50 - 0.90	.0183	----	----	2	----	147 - 1
3255	----	----	----/6.60A	7.00B/6.60A	----	6.50 - 1.00	.0184	----	----	----	----	110 UNCH
3260	----	----	----/6.60A	7.00B/6.60A	----	6.60 - 0.90	.0187	----	----	----	----	1 UNCH
3265	----	----	----/6.70A	7.10B/6.70A	----	6.70 - 0.90	.0190	----	----	----	----	20 UNCH
3270	----	----	----/6.70A	7.20B/6.70A	----	6.70 - 1.00	.0190	----	----	----	----	7 UNCH
3280	----	----	----/6.80A	7.30B/6.80A	----	6.90 - 1.00	.0196	----	----	----	----	13 UNCH
3290	----	----	----/7.00A	7.50B/7.00A	----	7.00 - 1.10	.0199	----	----	----	----	37 UNCH
3300	----	----	----/7.10A	7.70B/7.10A	----	7.10 - 1.10	.0203	----	----	----	----	372 UNCH
3305	----	----	----/7.20A	7.70B/7.20A	----	7.20 - 1.10	.0206	----	----	----	----	1 UNCH
3310	----	----	----/7.20A	7.90B/7.20A	----	7.30 - 1.10	.0209	----	----	----	----	7 UNCH
3320	----	----	----/7.30A	8.00B/7.30A	----	7.40 - 1.20	.0212	----	----	----	----	4 UNCH
3325	----	----	----/7.50A	8.10B/7.50A	----	7.50 - 1.20	.0215	----	----	1	----	47 UNCH
3335	----	----	----/7.60A	8.30B/7.60A	----	7.70 - 1.20	.0221	----	----	----	----	46 UNCH
3340	----	----	----/7.70A	8.40B/7.70A	----	7.70 - 1.30	.0222	----	----	----	----	22 UNCH
3345	7.60	7.60	7.60/7.60	8.50B/7.60	----	7.80 - 1.30	.0225	----	----	1	----	12 UNCH
3350	7.70	7.70	7.70/7.70	8.70B/7.70	----	7.90 - 1.30	.0228	----	----	2	----	407 UNCH
3355	----	----	----/7.90A	8.70B/7.90A	----	8.00 - 1.30	.0230	----	----	----	----	1 UNCH
3360	----	----	----/8.00A	8.90B/8.00A	----	8.10 - 1.30	.0233	----	----	----	----	8 UNCH
3365	8.00	8.00	9.60B/8.00	9.60B/8.00	----	8.20 - 1.30	.0236	----	----	2	----	29 UNCH
3370	----	----	----/8.10A	9.10B/8.10A	----	8.20 - 1.40	.0237	----	----	----	----	26 UNCH
3375	----	----	----/8.20A	9.20B/8.20A	----	8.30 - 1.40	.0240	----	----	----	----	98 UNCH
3380	8.20	8.20	8.20/8.20	9.30B/8.20	----	8.40 - 1.40	.0243	----	----	1	----	46 UNCH
3385	----	----	----/8.40A	9.40B/8.40A	----	8.50 - 1.40	.0246	----	----	----	----	6 UNCH
3390	----	----	----/8.50A	9.60B/8.50A	----	8.60 - 1.50	.0249	----	----	----	----	40 UNCH
3395	----	----	----/8.60A	9.70B/8.60A	----	8.70 - 1.50	.0252	----	----	----	----	1 UNCH
3400	8.50	8.50	8.50/8.50	9.90B/8.50	----	8.80 - 1.50	.0255	----	----	1	----	733 UNCH
3405	----	----	----/8.80A	10.10B/8.80A	----	8.90 - 1.50	.0258	----	----	----	----	66 UNCH
3410	----	----	----/8.90A	10.10B/8.90A	----	9.00 - 1.50	.0262	----	----	----	----	7 UNCH
3415	----	----	----/8.90A	10.20B/8.90A	----	9.10 - 1.50	.0265	----	----	----	----	2 UNCH
3420	----	----	----/9.00A	10.30B/9.00A	----	9.20 - 1.60	.0268	----	----	----	----	18 UNCH
3425	----	----	----/9.10A	10.50B/9.10A	----	9.30 - 1.60	.0271	----	----	----	----	25 UNCH
3430	----	----	----/9.20A	10.60B/9.20A	----	9.40 - 1.60	.0274	----	----	----	----	4 UNCH
3435	----	----	----/9.30A	10.70B/9.30A	----	9.50 - 1.60	.0277	----	----	----	----	20 UNCH
3440	----	----	----/9.40A	10.90B/9.40A	----	9.60 - 1.70	.0280	----	----	----	----	1 UNCH
3450	----	----	----/9.60A	11.30B/9.60A	----	9.80 - 1.70	.0287	----	----	1	----	427 + 1
3455	----	----	11.90B/9.70A	11.90B/9.70A	----	9.90 - 1.70	.0290	----	----	----	----	51 UNCH
3460	----	----	12.00B/9.80A	12.00B/9.80A	----	10.00 - 1.80	.0293	----	----	----	----	50 UNCH
3465	----	----	12.20B/9.90A	12.20B/9.90A	----	10.10 - 1.80	.0296	----	----	----	----	89 UNCH
3470	----	----	12.30B/10.10A	12.30B/10.10A	----	10.20 - 1.90	.0299	----	----	----	----	28 UNCH
3475	----	----	----/10.20A	12.20B/10.20A	----	10.40 - 1.80	.0305	----	----	----	----	241 UNCH
3480	----	----	12.70B/10.30A	12.70B/10.30A	----	10.50 - 1.80	.0308	----	----	----	----	171 UNCH
3485	----	----	12.60B/10.40A	12.60B/10.40A	----	10.60 - 1.90	.0311	----	----	----	----	2 UNCH
3490	----	----	13.00B/10.50A	13.00B/10.50A	----	10.70 - 1.90	.0315	----	----	----	----	21 UNCH
3495	----	----	12.90B/10.60A	12.90B/10.60A	----	10.80 - 2.00	.0318	----	----	1	----	0 - 1
3500	11.90	11.90	13.20B/10.60	13.20B/10.60	----	11.00 - 1.90	.0323	----	----	52	----	1703 + 15
3505	----	----	13.40B/10.90A	13.40B/10.90A	----	11.10 - 2.00	.0327	----	----	----	----	65 UNCH
3510	----	----	13.60B/11.00A	13.60B/11.00A	----	11.20 - 2.00	.0330	----	----	----	----	61 UNCH
3515	----	----	13.60B/11.10A	13.60B/11.10A	----	11.40 - 2.00	.0335	----	----	----	----	16 UNCH
3520	----	----	14.40B/11.20A	14.40B/11.20A	----	11.50 - 2.00	.0339	----	----	----	----	248 UNCH
3525	----	----	15.00B/11.40A	15.00B/11.40A	----	11.60 - 2.10	.0342	----	----	----	----	301 UNCH
3530	----	----	15.10B/11.50A	15.10B/11.50A	----	11.80 - 2.10	.0348	----	----	----	----	5 UNCH
3535	----	----	15.20B/11.70A	15.20B/11.70A	----	11.90 - 2.10	.0351	----	----	----	----	100 UNCH
3540	----	----	15.60B/11.80A	15.60B/11.80A	----	12.00 - 2.20	.0355	----	----	----	----	5 UNCH
3545	----	----	15.80B/11.90A	15.80B/11.90A	----	12.20 - 2.20	.0360	----	----	----	----	20 UNCH
3550	----	----	15.80B/12.10A	15.80B/12.10A	----	12.30 - 2.20	.0364	----	----	1	----	418 UNCH
3555	----	----	16.00B/12.20A	16.00B/12.20A	----	12.50 - 2.20	.0369	----	----	----	----	2 UNCH
3560	----	----	16.30B/12.30A	16.30B/12.30A	----	12.60 - 2.30	.0373	----	----	----	----	86 UNCH
3565	----	----	16.50B/12.50A	16.50B/12.50A	----	12.80 - 2.30	.0378	----	----	----	----	41 UNCH
3570	----	----	16.70B/12.60A	16.70B/12.60A	----	12.90 - 2.30	.0382	----	----	----	----	60 UNCH
3575	----	----	16.80B/12.80A	16.80B/12.80A	----	13.10 - 2.30	.0388	----	----	----	----	43 UNCH
3580	----	----	17.10B/12.90A	17.10B/12.90A	----	13.20 - 2.40	.0391	----	----	----	----	77 UNCH
3585	----	----	17.20B/13.10A	17.20B/13.10A	----	13.40 - 2.40	.0397	----	----	----	----	2 UNCH
3590	----	----	17.50B/13.20A	17.50B/13.20A	----	13.50 - 2.50	.0400	----	----	----	----	1 UNCH
3595	----	----	17.70B/13.40A	17.70B/13.40A	----	13.70 - 2.50	.0406	----	----	----	----	23 UNCH
3600	14.20	14.20	18.00B/13.60A	18.00B/13.60A	----	13.90 - 2.50	.0412	----	----	6	----	1660 + 2
3610	----	----	18.20B/13.90A	18.20B/13.90A	----	14.20 - 2.60	.0421	----	----	----	----	5 UNCH
3615	----	----	18.70B/14.10A	18.70B/14.10A	----	14.40 - 2.60	.0427	----	----	----	----	37 UNCH
3620	----	----	19.10B/14.20A	19.10B/14.20A	----	14.60 - 2.60	.0433	----	----	----	----	12 UNCH
3625	----	----	19.10B/14.40A	19.10B/14.40A	----	14.80 - 2.60	.0439	----	----	----	----	68 UNCH
3630	----	----	19.50B/14.60A	19.50B/14.60A	----	14.90 - 2.80	.0443	----	----	----	----	86 UNCH
3635	----	----	19.80B/14.80A	19.80B/14.80A	----	15.10 - 2.80	.0448	----	----	----	----	107 UNCH
3640	----	----	19.90B/14.90A	19.90B/14.90A	----	15.30 - 2.80	.0454	----	----	----	----	25 UNCH
3645	16.80	16.80	20.30B/15.10A	20.30B/15.10A	----	15.50 - 2.80	.0460	----	----	15	----	13 + 5
3650	17.20	17.20	20.50B/15.30A	20.50B/15.30A	----	15.70 - 2.90	.0466	----	----	1	----	521 UNCH
3655	----	----	20.80B/15.50A	20.80B/15.50A	----	15.90 - 2.90	.0472	----	----	----	----	2 UNCH
3660	----	----	21.00B/15.70A	21.00B/15.70A	----	16.10 - 2.90	.0478	----	----	----	----	1 UNCH
3665	16.40	16.40	21.10B/15.90A	21.10B/15.90A	----	16.30 - 3.00	.0484	----	----	2	----	14 UNCH
3670	20.50	20.50	21.60B/16.10A	21.60B/16.10A	----	16.50 - 3.00	.0490	----	----	2	----	31 UNCH
3675	17.60	17.60	21.90B/16.30A	21.90B/16.30A	----	16.70 - 3.10	.0496	----	----	22	----	45 UNCH
3680	----	----	22.10B/16.50A	22.10B/16.50A	----	16.90 - 3.10	.0502	----	----	----	----	18 UNCH
3685	----	----	22.40B/16.70A	22.40B/16.70A	----	17.10 - 3.20	.0508	----	----	----	----	51 UNCH
3690	----	----	22.60B/16.90A	22.60B/16.90A	----	17.40 - 3.10	.0516	----	----	----	----	7 UNCH
3695	----	----	22.90B/17.10A	22.90B/17.10A	----	17.60 - 3.20	.0523	----	----	----	----	19 UNCH
3700	----	----	23.40B/17.40A	23.40B/17.40A	----	17.80 - 3.30	.0529	----	----	2	----	837 - 1
3705	----	----	23.40B/17.60A	23.40B/17.60A	----	18.00 - 3.30	.0535	----	----	----	----	120 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3710	----	----	23.80B/17.80A	23.80B/17.80A	----	18.30 - 3.30	.0543	----	----	----	----	79 UNCH
3715	----	----	24.00B/18.00A	24.00B/18.00A	----	18.50 - 3.40	.0549	----	----	----	----	46 UNCH
3720	----	----	24.30B/18.30A	24.30B/18.30A	----	18.70 - 3.50	.0556	----	----	----	----	1 UNCH
3725	----	----	24.80B/18.50A	24.80B/18.50A	----	19.00 - 3.50	.0564	----	----	----	----	90 UNCH
3730	----	----	25.00B/18.70A	25.00B/18.70A	----	19.20 - 3.50	.0570	----	----	----	----	19 UNCH
3740	----	----	25.60B/19.20A	25.60B/19.20A	----	19.70 - 3.60	.0585	----	----	----	----	67 UNCH
3745	----	----	26.00B/19.50A	26.00B/19.50A	----	20.00 - 3.60	.0593	----	----	----	----	19 UNCH
3750	----	----	26.50B/19.70A	26.50B/19.70A	----	20.30 - 3.70	.0602	----	----	----	----	1291 UNCH
3755	----	----	26.70B/20.00A	26.70B/20.00A	----	20.50 - 3.80	.0608	----	----	----	----	2 UNCH
3760	----	----	27.00B/20.20A	27.00B/20.20A	----	20.80 - 3.80	.0616	----	----	----	----	24 UNCH
3765	----	----	27.50B/20.50A	27.50B/20.50A	----	21.10 - 3.80	.0625	----	----	----	----	48 UNCH
3770	----	----	27.70B/20.70A	27.70B/20.70A	----	21.30 - 3.90	.0631	----	----	----	----	10 UNCH
3775	----	----	28.30B/21.00A	28.30B/21.00A	----	21.60 - 4.00	.0640	----	----	----	----	40 UNCH
3780	----	----	28.40B/21.20A	28.40B/21.20A	----	21.90 - 4.00	.0648	----	----	----	----	14 UNCH
3785	----	----	28.70B/21.50A	28.70B/21.50A	----	22.20 - 4.00	.0657	----	----	----	----	6 UNCH
3790	----	----	29.20B/21.80A	29.20B/21.80A	----	22.50 - 4.10	.0666	----	----	----	----	257 UNCH
3795	----	----	29.50B/22.10A	29.50B/22.10A	----	22.80 - 4.10	.0674	----	----	----	----	55 UNCH
3800	30.00	30.00	30.10B/22.30A	30.10B/22.30A	----	23.10 - 4.20	.0683	----	----	17	----	1251 - 6
3805	----	----	30.30B/22.60A	30.30B/22.60A	----	23.40 - 4.20	.0692	----	----	----	----	67 UNCH
3810	----	----	30.60B/22.90A	30.60B/22.90A	----	23.70 - 4.30	.0700	----	----	----	----	16 UNCH
3815	----	----	31.10B/23.20A	31.10B/23.20A	----	24.00 - 4.30	.0709	----	----	----	----	38 UNCH
3820	----	----	31.60B/23.50A	31.60B/23.50A	----	24.40 - 4.30	.0720	----	----	----	----	11 UNCH
3825	----	----	32.00B/23.80A	32.00B/23.80A	----	24.70 - 4.40	.0728	----	----	4	----	43 + 2
3830	----	----	32.30B/24.10A	32.30B/24.10A	----	25.00 - 4.50	.0737	----	----	----	----	184 UNCH
3835	----	----	32.80B/24.40A	32.80B/24.40A	----	25.30 - 4.60	.0746	----	----	----	----	55 UNCH
3840	----	----	33.20B/24.70A	33.20B/24.70A	----	25.70 - 4.50	.0757	----	----	----	----	3 UNCH
3850	----	----	34.20B/25.30A	34.20B/25.30A	----	26.40 - 4.60	.0777	----	----	----	----	686 UNCH
3855	26.20	26.20	34.50B/25.70A	34.50B/25.70A	----	26.70 - 4.70	.0786	----	----	1	----	72 + 1
3860	----	----	35.00B/26.00A	35.00B/26.00A	----	27.10 - 4.70	.0796	----	----	----	----	29 UNCH
3865	----	----	35.40B/26.30A	35.40B/26.30A	----	27.40 - 4.90	.0806	----	----	----	----	16 UNCH
3870	----	----	36.10B/26.70A	36.10B/26.70A	----	27.80 - 4.90	.0816	----	----	----	----	15 UNCH
3875	----	----	36.40B/27.10A	36.40B/27.10A	----	28.20 - 4.90	.0827	----	----	----	----	163 UNCH
3880	----	----	36.80B/27.40A	36.80B/27.40A	----	28.60 - 4.90	.0838	----	----	----	----	14 UNCH
3885	----	----	37.10B/27.80A	37.10B/27.80A	----	28.90 - 5.10	.0848	----	----	----	----	12 UNCH
3890	----	----	37.70B/28.20A	37.70B/28.20A	----	29.30 - 5.10	.0859	----	----	----	----	43 UNCH
3895	----	----	38.10B/28.50A	38.10B/28.50A	----	29.70 - 5.10	.0870	----	----	----	----	15 UNCH
3900	29.50	29.50	38.80B/28.90A	38.80B/28.90A	----	30.10 - 5.20	.0881	----	----	41	----	595 - 1
3905	----	----	39.20B/29.30A	39.20B/29.30A	----	30.50 - 5.20	.0892	----	----	----	----	44 UNCH
3910	----	----	39.60B/29.70A	39.60B/29.70A	----	30.90 - 5.30	.0903	----	----	----	----	8 UNCH
3915	----	----	40.10B/30.00A	40.10B/30.00A	----	31.30 - 5.40	.0915	----	----	20	----	29 + 20
3920	----	----	40.80B/30.40A	40.80B/30.40A	----	31.80 - 5.30	.0928	----	----	----	----	38 UNCH
3925	----	----	41.40B/30.80A	41.40B/30.80A	----	32.20 - 5.40	.0939	----	----	1	----	50 UNCH
3930	----	----	41.70B/31.20A	41.70B/31.20A	----	32.60 - 5.50	.0950	----	----	----	----	24 UNCH
3935	----	----	42.20B/31.60A	42.20B/31.60A	----	33.00 - 5.60	.0962	----	----	----	----	18 UNCH
3940	----	----	42.80B/32.10A	42.80B/32.10A	----	33.50 - 5.60	.0975	----	----	----	----	105 UNCH
3945	----	----	43.40B/32.50A	43.40B/32.50A	----	33.90 - 5.70	.0986	----	----	20	----	25 + 20
3950	34.90	34.90	44.20B/32.90A	44.20B/32.90A	----	34.40 - 5.70	.1000	----	----	2	----	307 + 1
3955	----	----	44.50B/33.30A	44.50B/33.30A	----	34.90 - 5.70	.1013	----	----	1	----	6 UNCH
3960	----	----	45.00B/33.80A	45.00B/33.80A	----	35.30 - 5.80	.1024	----	----	----	----	32 UNCH
3965	34.80	34.80	45.70B/34.20A	45.70B/34.20A	----	35.80 - 5.80	.1038	----	----	10	----	23 + 10
3970	----	----	46.20B/34.60A	46.20B/34.60A	----	36.30 - 5.90	.1051	----	----	5	----	72 + 5
3975	----	----	47.10B/35.10A	47.10B/35.10A	----	36.80 - 5.90	.1065	----	----	----	----	337 UNCH
3980	----	----	47.50B/35.50A	47.50B/35.50A	----	37.20 - 6.10	.1076	----	----	----	----	32 UNCH
3985	----	----	48.10B/36.00A	48.10B/36.00A	----	37.70 - 6.10	.1090	----	----	----	----	27 UNCH
3990	----	----	48.70B/36.50A	48.70B/36.50A	----	38.30 - 6.10	.1105	----	----	----	----	24 UNCH
3995	----	----	49.30B/36.90A	49.30B/36.90A	----	38.80 - 6.10	.1119	----	----	1	----	151 + 1
4000	39.60	39.60	50.10B/37.40A	50.10B/37.40A	----	39.30 - 6.20	.1132	----	----	132	----	3669 + 54
4005	----	----	50.60B/37.90A	50.60B/37.90A	----	39.80 - 6.30	.1146	----	----	----	----	29 UNCH
4010	----	----	51.30B/38.40A	51.30B/38.40A	----	40.30 - 6.40	.1160	----	----	----	----	45 UNCH
4015	40.10	40.10	52.00B/38.90A	52.00B/38.90A	----	40.90 - 6.40	.1175	----	----	11	----	16 + 11
4020	41.20	41.20	52.70B/39.40A	52.70B/39.40A	----	41.40 - 6.50	.1189	----	----	3	----	83 - 2
4025	43.90	43.90	53.50B/39.90A	53.50B/39.90A	----	42.00 - 6.50	.1205	----	----	5	----	205 UNCH
4030	----	----	54.40B/40.40A	54.40B/40.40A	----	42.50 - 6.60	.1219	----	----	----	----	8 UNCH
4035	----	----	54.70B/41.00A	54.70B/41.00A	----	43.10 - 6.60	.1234	----	----	----	----	46 UNCH
4040	----	----	55.50B/41.50A	55.50B/41.50A	----	43.70 - 6.60	.1250	----	----	4	----	76 + 4
4045	----	----	56.20B/42.10A	56.20B/42.10A	----	44.30 - 6.70	.1265	----	----	----	----	1 UNCH
4050	----	----	57.00B/42.60A	57.00B/42.60A	----	44.90 - 6.70	.1281	----	----	6	----	1253 + 1
4055	----	----	57.70B/43.20A	57.70B/43.20A	----	45.50 - 6.80	.1297	----	----	----	----	9 UNCH
4060	45.60	45.60	58.50B/43.70A	58.50B/43.70A	----	46.10 - 6.80	.1313	----	----	3	----	87 UNCH
4065	----	----	59.20B/44.30A	59.20B/44.30A	----	46.70 - 6.90	.1329	----	----	----	----	119 UNCH
4070	----	----	59.90B/44.90A	59.90B/44.90A	----	47.30 - 7.00	.1344	----	----	----	----	61 UNCH
4075	----	----	60.80B/45.50A	60.80B/45.50A	----	48.00 - 7.00	.1362	----	----	----	----	249 UNCH
4080	----	----	61.50B/46.10A	61.50B/46.10A	----	48.60 - 7.00	.1378	----	----	1	----	97 - 1
4085	----	----	62.40B/46.70A	62.40B/46.70A	----	49.20 - 7.20	.1394	----	----	----	----	22 UNCH
4090	----	----	63.10B/47.30A	63.10B/47.30A	----	49.90 - 7.20	.1412	----	----	----	----	113 UNCH
4095	----	----	64.00B/47.90A	64.00B/47.90A	----	50.60 - 7.20	.1429	----	----	----	----	46 UNCH
4100	49.50	49.50	64.70B/48.50A	64.70B/48.50A	----	51.20 - 7.30	.1446	----	----	13	----	1317 - 8
4105	----	----	65.50B/49.10A	65.50B/49.10A	----	51.90 - 7.40	.1463	----	----	3	----	97 UNCH
4110	----	----	66.60B/49.80A	66.60B/49.80A	----	52.60 - 7.40	.1481	----	----	----	----	143 UNCH
4115	----	----	67.20B/50.40A	67.20B/50.40A	----	53.30 - 7.50	.1499	----	----	----	----	456 UNCH
4120	----	----	68.10B/51.10A	68.10B/51.10A	----	54.00 - 7.50	.1517	----	----	----	----	29 UNCH
4125	54.20	54.20	69.00B/51.80A	69.00B/51.80A	----	54.70 - 7.60	.1535	----	----	9	----	377 + 9
4130	----	----	69.90B/52.50A	69.90B/52.50A	----	55.50 - 7.60	.1554	----	----	----	----	19 UNCH
4135	58.10	58.10	70.70B/53.10A	70.70B/53.10A	----	56.20 - 7.70	.1572	----	----	4	----	24 + 1
4140	----	----	71.80B/53.80A	71.80B/53.80A	----	57.00 - 7.70	.1592	----	----	----	----	15 UNCH
4145	----	----	72.70B/54.50A	72.70B/54.50A	----	57.70 - 7.80	.1610	----	----	----	----	212 UNCH
4150	----	----	73.70B/55.20A	73.70B/55.20A	----	58.50 - 7.80	.1630	----	----	9	----	483 + 5
4155	----	----	74.40B/55.90A	74.40B/55.90A	----	59.30 - 7.90	.1650	----	----	----	----	21 UNCH
4160	----	----	75.30B/56.60A	75.30B/56.60A	----	60.10 - 7.90	.1669	----	----	----	----	61 UNCH
4165	----	----	76.30B/57.40A	76.30B/57.40A	----	60.80 - 8.10	.1688	----	----	----	----	27 UNCH
4170	----	----	77.50B/58.10A	77.50B/58.10A	----	61.70 - 8.00	.1709	----	----	1	----	48 + 1
4175	62.60	62.60	78.30B/58.90A	78.30B/58.90A	----	62.50 - 8.10	.1729	----	----	8	----	914 + 7
4180	63.70	63.70	79.50B/59.60A	79.50B/59.60A	----	63.30 - 8.20	.1749	----	----	10	----	126 + 10
4185	----	----	80.30B/60.50A	80.30B/60.50A	----	64.10 - 8.30	.1769	----	----	----	----	15 UNCH
4190	----	----	81.30B/61.30A	81.30B/61.30A	----	65.00 - 8.30	.1790	----	----	----	----	44 UNCH
4195	----	----	82.30B/62.10A	82.30B/62.10A	----	65.80 - 8.40	.1811	----	----	----	----	33 UNCH
4200	64.90	64.90	83.40B/62.90A	83.40B/62.90A	----	66.70 - 8.40	.1832	----	----	188	----	2902 + 60
4205	----	----	84.40B/63.60A	84.40B/63.60A	----	67.60 - 8.50	.1854	----	----	----	----	58 UNCH
4210	----	----	85.50B/64.40A	85.50B/64.40A	----	68.50 - 8.50	.1875	----	----	4	----	392 + 4
4215	----	----	86.50B/65.30A	86.50B/65.30A	----	69.40 - 8.60	.1897	----	----	3	----	9 - 1
4220	----	----	87.70B/66.10A	87.70B/66.10A	----	70.30 - 8.70	.1919	----	----	----	----	192 UNCH
4225	----	----	88.70B/67.00A	88.70B/67.00A	----	71.20 - 8.70	.1941	----	----	4	----	258 + 3
4230	73.00	73.00	89.60B/67.80A	89.60B/67.80A	----	72.20 - 8.70	.1964	----	----	11	----	69 + 11
4235	----	----	90.90B/68.70A	90.90B/68.70A	----	73.10 - 8.90	.1986	----	----	----	----	47 UNCH
4240	----	----	92.20B/69.60A	92.20B/69.60A	----	74.10 - 8.90	.2009	----	----	----	----	53 UNCH
4245	----	----	93.30B/70.50A	93.30B/70.50A	----	75.10 - 8.90	.2032	----	----	----	----	37 UNCH
4250	86.40	86.40	94.50B/71.50A	94.50B/71.50A	----	76.00 - 9.00	.2054	----	----	30	----	692 - 7
4255	----	----	95.80B/72.40A	95.80B/72.40A	----	77.00 - 9.10	.2078	----	----	----	----	10 UNCH
4260	----	----	96.90B/73.30A	96.90B/73.30A	----	78.00 - 9.20	.2101	----	----	85	----	105 + 85
4265	----	----	97.90B/74.20A	97.90B/74.20A	----	79.10 - 9.20	.2126	----	----	----	----	35 UNCH
4270	----	----	99.20B/75.20A	99.20B/75.20A	----	80.10 - 9.20	.2149	----	----	1	----	50 + 1
4275	----	----	100.40B/76.20A	100.40B/76.20A	----	81.10 - 9.40	.2173	----	----	6	----	113 + 3
4280	----	----	101.70B/77.10A	101.70B/77.10A	----	82.20 - 9.40	.2198	----	----	----	----	76 UNCH
4285	----	----	103.00B/78.10A	103.00B/78.10A	----	83.30 - 9.40	.2223	----	----	----	----	13 UNCH
4290	----	----	104.30B/79.20A	104.30B/79.20A	----	84.40 - 9.40	.2248	----	----	3	----	73 + 3
4295	----	----	105.60B/80.20A	105.60B/80.20A	----	85.50 - 9.50	.2273	----	----	----	----	22 UNCH
4300	97.00	97.00	106.90B/81.20A	106.90B/81.20A	----	86.60 - 9.60	.2298	----	----	56	----	2490 + 5
4305	85.90	85.90	108.40B/82.30A	108.40B/82.30A	----	87.70 - 9.70	.2323	----	----	1	----	73 UNCH
4310	----	----	109.60B/83.30A	109.60B/83.30A	----	88.80 - 9.80	.2348	----	----	----	----	53 UNCH
4315	85.10	85.10	111.00B/84.30A	111.00B/84.30A	----	90.00 - 9.80	.2374	----	----	9	----	49 + 6
4320	----	----	112.30B/85.50A	112.30B/85.50A	----	91.10 - 9.90	.2400	----	----	1	----	81 UNCH
4325	----	----	113.60B/86.60A	113.60B/86.60A	----	92.30 - 9.90	.2426	----	----	3	----	58 UNCH
4330	----	----	115.00B/87.70A	115.00B/87.70A	----	93.50 - 10.00	.2453	----	----	----	----	221 UNCH
4335	----	----	116.50B/88.80A	116.50B/88.80A	----	94.70 - 10.00	.2479	----	----	----	----	38 UNCH
4340	----	----	117.80B/89.90A	117.80B/89.90A	----	95.90 - 10.10	.2506	----	----	1	----	114 UNCH
4345	----	----	119.30B/91.10A	119.30B/91.10A	----	97.20 - 10.10	.2533	----	----	----	----	46 UNCH
4350	----	----	120.70B/92.20A	120.70B/92.20A	----	98.40 - 10.20	.2560	----	----	6	----	532 UNCH
4355	97.70	97.70	122.30B/93.40A	122.30B/93.40A	----	99.70 - 10.20	.2588	----	----	1	----	80 + 1
4360	----	----	123.70B/94.50A	123.70B/94.50A	----	101.00 - 10.30	.2616	----	----	3	----	87 UNCH
4365	----	----	125.10B/95.70A	125.10B/95.70A	----	102.20 - 10.40	.2643	----	----	----	----	66 UNCH
4370	----	----	126.70B/96.90A	126.70B/96.90A	----	103.60 - 10.40	.2672	----	----	----	----	19 UNCH
4375	----	----	128.20B/98.10A	128.20B/98.10A	----	104.90 - 10.50	.2700	----	----	----	----	452 UNCH
4380	----	----	129.70B/99.40A	129.70B/99.40A	----	106.20 - 10.60	.2728	----	----	----	----	419 UNCH
4385	----	----	131.40B/100.60A	131.40B/100.60A	----	107.60 - 10.60	.2757	----	----	----	----	22 UNCH
4390	----	----	132.80B/101.90A	132.80B/101.90A	----	108.90 - 10.70	.2785	----	----	2	----	58 + 1
4395	----	----	134.30B/103.10A	134.30B/103.10A	----	110.30 - 10.70	.2814	----	----	----	----	70 UNCH
4400	108.20	108.20	136.00B/104.40A	136.00B/104.40A	----	111.70 - 10.80	.2843	----	----	101	----	4227 + 15

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4405	----	----	137.60B/105.70A	137.60B/105.70A	----	113.10 - 10.90	.2873	----	----	----	----	130 UNCH
4410	----	----	139.20B/107.00A	139.20B/107.00A	----	114.50 - 10.90	.2902	----	----	2	----	90 UNCH
4415	----	----	140.80B/108.40A	140.80B/108.40A	----	116.00 - 10.90	.2932	----	----	----	----	85 UNCH
4420	----	----	142.50B/109.60A	142.50B/109.60A	----	117.40 - 11.00	.2962	----	----	1	----	29 + 1
4425	----	----	144.00B/111.10A	144.00B/111.10A	----	118.90 - 11.10	.2992	----	----	56	----	121 + 56
4430	----	----	145.70B/112.40A	145.70B/112.40A	----	120.40 - 11.10	.3022	----	----	1	----	97 UNCH
4435	----	----	147.80B/113.80A	147.80B/113.80A	----	121.90 - 11.20	.3053	----	----	----	----	71 UNCH
4440	----	----	149.30B/115.20A	149.30B/115.20A	----	123.40 - 11.30	.3083	----	----	----	----	33 UNCH
4445	----	----	151.30B/116.70A	151.30B/116.70A	----	125.00 - 11.30	.3115	----	----	1	----	45 UNCH
4450	124.80	124.80	152.60B/118.10A	152.60B/118.10A	----	126.50 - 11.40	.3145	----	----	28	----	844 - 19
4455	----	----	154.80B/119.60A	154.80B/119.60A	----	128.10 - 11.40	.3177	----	----	----	----	63 UNCH
4460	----	----	156.60B/121.00A	156.60B/121.00A	----	129.70 - 11.40	.3208	----	----	----	----	34 UNCH
4465	----	----	158.20B/122.50A	158.20B/122.50A	----	131.30 - 11.50	.3240	----	----	----	----	26 UNCH
4470	----	----	160.20B/124.00A	160.20B/124.00A	----	132.90 - 11.60	.3271	----	----	----	----	29 UNCH
4475	----	----	162.10B/125.60A	162.10B/125.60A	----	134.60 - 11.60	.3304	----	----	----	----	152 UNCH
4480	----	----	163.90B/127.10A	163.90B/127.10A	----	136.20 - 11.70	.3335	----	----	----	----	104 UNCH
4485	----	----	165.80B/128.60A	165.80B/128.60A	----	137.90 - 11.70	.3368	----	----	----	----	25 UNCH
4490	----	----	167.70B/130.20A	167.70B/130.20A	----	139.60 - 11.70	.3400	----	----	----	----	81 UNCH
4495	----	----	169.70B/131.80A	169.70B/131.80A	----	141.30 - 11.80	.3433	----	----	2	----	81 - 1
4500	141.00	141.00	171.60B/133.40A	171.60B/133.40A	----	143.00 - 11.90	.3465	----	----	292	----	2522 + 112
4505	145.40	145.40	173.60B/135.00A	173.60B/135.00A	----	144.80 - 11.90	.3498	----	----	1	----	27 - 1
4510	----	----	175.60B/136.70A	175.60B/136.70A	----	146.60 - 11.90	.3532	----	----	1	----	18 + 1
4515	----	----	177.60B/138.30A	177.60B/138.30A	----	148.30 - 12.00	.3564	----	----	1	----	243 UNCH
4520	----	----	179.60B/140.00A	179.60B/140.00A	----	150.10 - 12.00	.3598	----	----	----	----	158 UNCH
4525	----	----	181.60B/141.70A	181.60B/141.70A	----	152.00 - 12.00	.3632	----	----	1	----	132 UNCH
4530	----	----	183.70B/143.30A	183.70B/143.30A	----	153.80 - 12.10	.3665	----	----	----	----	11 UNCH
4535	----	----	185.70B/145.10A	185.70B/145.10A	----	155.60 - 12.20	.3699	----	----	----	----	25 UNCH
4540	----	----	187.90B/146.90A	187.90B/146.90A	----	157.50 - 12.20	.3733	----	----	----	----	157 UNCH
4545	----	----	190.00B/148.50A	190.00B/148.50A	----	159.40 - 12.20	.3767	----	----	1	----	79 + 1
4550	----	----	192.10B/150.40A	192.10B/150.40A	----	161.30 - 12.30	.3801	----	----	1	----	599 + 1
4555	----	----	194.20B/152.20A	194.20B/152.20A	----	163.20 - 12.30	.3835	----	----	1	----	56 UNCH
4560	----	----	196.40B/154.00A	196.40B/154.00A	----	165.20 - 12.30	.3870	----	----	1	----	29 + 1
4565	----	----	198.50B/155.80A	198.50B/155.80A	----	167.10 - 12.40	.3904	----	----	----	----	199 UNCH
4570	----	----	200.70B/157.70A	200.70B/157.70A	----	169.10 - 12.40	.3939	----	----	1	----	72 + 1
4575	----	----	203.00B/159.50A	203.00B/159.50A	----	171.10 - 12.50	.3974	----	----	----	----	167 UNCH
4580	169.10	169.10	205.20B/161.50A	205.20B/161.50A	----	173.10 - 12.50	.4009	----	----	47	----	218 + 9
4585	----	----	207.60B/163.20A	207.60B/163.20A	----	175.20 - 12.50	.4044	----	----	----	----	27 UNCH
4590	----	----	209.80B/165.20A	209.80B/165.20A	----	177.20 - 12.60	.4079	----	----	----	----	79 UNCH
4595	----	----	212.10B/167.20A	212.10B/167.20A	----	179.30 - 12.60	.4114	----	----	----	----	19 UNCH
4600	197.00	197.00	214.50B/169.00A	214.50B/169.00A	----	181.40 - 12.60	.4150	----	----	16	----	1642 + 11
4605	----	----	216.80B/171.10A	216.80B/171.10A	----	183.50 - 12.70	.4185	----	----	4	----	14 + 2
4610	186.10	186.10	219.20B/173.10A	219.20B/173.10A	----	185.70 - 12.60	.4221	----	----	3	----	12 + 2
4615	----	----	221.50B/175.10A	221.50B/175.10A	----	187.80 - 12.70	.4256	----	----	----	----	51 UNCH
4620	----	----	223.90B/177.10A	223.90B/177.10A	----	190.00 - 12.70	.4292	----	----	----	----	186 UNCH
4625	----	----	226.30B/179.10A	226.30B/179.10A	----	192.20 - 12.70	.4328	----	----	7	----	178 - 7
4630	----	----	228.80B/181.30A	228.80B/181.30A	----	194.40 - 12.80	.4364	----	----	----	----	119 UNCH
4635	----	----	231.20B/183.30A	231.20B/183.30A	----	196.60 - 12.80	.4400	----	----	----	----	25 UNCH
4640	----	----	233.70B/185.40A	233.70B/185.40A	----	198.90 - 12.80	.4436	----	----	----	----	45 UNCH
4645	----	----	236.20B/187.60A	236.20B/187.60A	----	201.10 - 12.90	.4472	----	----	----	----	37 UNCH
4650	----	----	238.70B/189.80A	238.70B/189.80A	----	203.40 - 12.90	.4508	----	----	4	----	1147 UNCH
4655	208.60	208.60	241.20B/191.90A	241.20B/191.90A	----	205.70 - 13.00	.4545	----	----	3	----	45 - 3
4660	----	----	243.70B/194.10A	243.70B/194.10A	----	208.10 - 12.90	.4581	----	----	----	----	105 UNCH
4665	----	----	246.30B/196.20A	246.30B/196.20A	----	210.40 - 13.00	.4618	----	----	----	----	14 UNCH
4670	----	----	248.90B/198.60A	248.90B/198.60A	----	212.80 - 13.00	.4654	----	----	----	----	158 UNCH
4675	----	----	251.50B/200.80A	251.50B/200.80A	----	215.20 - 13.00	.4690	----	----	2	----	302 + 1
4680	210.00	210.00	254.10B/202.40	254.10B/202.40	----	217.60 - 13.00	.4727	----	----	7	----	58 + 4
4685	----	----	256.80B/205.30A	256.80B/205.30A	----	220.00 - 13.10	.4764	----	----	----	----	15 UNCH
4690	----	----	259.40B/207.60A	259.40B/207.60A	----	222.50 - 13.10	.4800	----	----	1	----	14 + 1
4695	217.60	217.60	262.10B/210.00A	262.10B/210.00A	----	224.90 - 13.10	.4837	----	----	6	----	31 UNCH
4700	231.60	231.60	264.80B/212.30A	264.80B/212.30A	----	227.40 - 13.20	.4874	----	----	49	----	1383 + 13
4705	229.80	229.80	267.50B/214.60A	267.50B/214.60A	----	229.90 - 13.20	.4910	----	----	2	----	91 - 1
4710	----	----	270.10B/217.00A	270.10B/217.00A	----	232.50 - 13.10	.4947	----	----	----	----	21 UNCH
4715	----	----	272.90B/219.40A	272.90B/219.40A	----	235.00 - 13.20	.4984	----	----	----	----	37 UNCH
4720	----	----	275.90B/221.80A	275.90B/221.80A	----	237.60 - 13.20	.5020	----	----	----	----	101 UNCH
4725	----	----	278.70B/224.30A	278.70B/224.30A	----	240.20 - 13.20	.5057	----	----	2	----	21 + 2
4730	----	----	281.30B/226.70A	281.30B/226.70A	----	242.80 - 13.20	.5094	----	----	----	----	61 UNCH
4735	----	----	284.20B/229.20A	284.20B/229.20A	----	245.40 - 13.30	.5131	----	----	----	----	56 UNCH
4740	----	----	287.00B/231.80A	287.00B/231.80A	----	248.10 - 13.20	.5167	----	----	----	----	86 UNCH
4745	----	----	289.90B/234.30A	289.90B/234.30A	----	250.70 - 13.30	.5204	----	----	----	----	2 UNCH
4750	----	----	288.90B/236.30A	288.90B/236.30A	----	253.40 - 13.30	.5241	----	----	4	----	787 UNCH
4755	----	----	291.90B/239.30A	291.90B/239.30A	----	256.10 - 13.40	.5277	----	----	----	----	19 UNCH
4760	----	----	294.00B/242.00A	294.00B/242.00A	----	258.90 - 13.30	.5314	----	----	----	----	57 UNCH
4765	----	----	297.10B/244.40A	297.10B/244.40A	----	261.60 - 13.40	.5351	----	----	----	----	44 UNCH
4770	----	----	299.30B/247.10A	299.30B/247.10A	----	264.40 - 13.40	.5387	----	----	----	----	49 UNCH
4775	----	----	303.10B/249.70A	303.10B/249.70A	----	267.20 - 13.40	.5424	----	----	----	----	109 UNCH
4780	----	----	302.10B/252.30A	302.10B/252.30A	----	270.00 - 13.40	.5460	----	----	1	----	11 + 1
4785	----	----	309.20B/255.00A	309.20B/255.00A	----	272.80 - 13.50	.5497	----	----	----	----	48 UNCH
4790	----	----	308.00B/257.60A	308.00B/257.60A	----	275.70 - 13.40	.5533	----	----	----	----	44 UNCH
4795	----	----	315.40B/260.20A	315.40B/260.20A	----	278.50 - 13.50	.5569	----	----	----	----	13 UNCH
4800	----	----	318.70B/262.80A	318.70B/262.80A	----	281.40 - 13.50	.5605	----	----	1	----	2225 UNCH
4805	281.20	281.20	321.70B/265.80A	321.70B/265.80A	----	284.30 - 13.60	.5642	----	----	1	----	84 UNCH
4810	----	----	324.90B/268.60A	324.90B/268.60A	----	287.30 - 13.50	.5678	----	----	----	----	9 UNCH
4815	----	----	328.10B/271.30A	328.10B/271.30A	----	290.20 - 13.60	.5713	----	----	----	----	71 UNCH
4820	----	----	331.30B/274.00A	331.30B/274.00A	----	293.20 - 13.60	.5749	----	----	----	----	19 UNCH
4825	----	----	334.40B/277.00A	334.40B/277.00A	----	296.20 - 13.60	.5785	----	----	----	----	164 UNCH
4830	----	----	337.70B/279.60A	337.70B/279.60A	----	299.20 - 13.60	.5821	----	----	----	----	136 UNCH
4835	----	----	340.90B/282.50A	340.90B/282.50A	----	302.20 - 13.70	.5857	----	----	----	----	29 UNCH
4840	----	----	344.10B/285.50A	344.10B/285.50A	----	305.30 - 13.60	.5893	----	----	----	----	18 UNCH
4845	----	----	343.20B/288.50A	343.20B/288.50A	----	308.30 - 13.70	.5928	----	----	----	----	10 UNCH
4850	----	----	345.00B/291.70A	345.00B/291.70A	----	311.40 - 13.70	.5964	----	----	----	----	533 UNCH
4855	----	----	348.60B/294.60A	348.60B/294.60A	----	314.50 - 13.80	.5999	----	----	----	----	359 UNCH
4860	----	----	352.40B/297.90A	352.40B/297.90A	----	317.70 - 13.70	.6034	----	----	----	----	44 UNCH
4865	----	----	355.60B/300.90A	355.60B/300.90A	----	320.80 - 13.80	.6069	----	----	----	----	17 UNCH
4870	----	----	359.10B/303.90A	359.10B/303.90A	----	324.00 - 13.70	.6105	----	----	----	----	42 UNCH
4875	331.40	331.40	362.50B/306.90A	362.50B/306.90A	----	327.20 - 13.70	.6139	----	----	12	----	81 + 7
4880	----	----	365.80B/310.00A	365.80B/310.00A	----	330.40 - 13.80	.6174	----	----	----	----	3 UNCH
4885	----	----	369.20B/313.10A	369.20B/313.10A	----	333.60 - 13.80	.6209	----	----	----	----	6 UNCH
4890	----	----	372.60B/316.20A	372.60B/316.20A	----	336.80 - 13.80	.6243	----	----	----	----	46 UNCH
4895	----	----	375.90B/319.30A	375.90B/319.30A	----	340.10 - 13.80	.6277	----	----	----	----	211 UNCH
4900	347.70	347.70	379.40B/322.40A	379.40B/322.40A	----	343.40 - 13.80	.6311	----	----	7	----	1803 UNCH
4905	----	----	382.30B/325.60A	382.30B/325.60A	----	346.70 - 13.80	.6345	----	----	----	----	10 UNCH
4910	----	----	386.40B/328.80A	386.40B/328.80A	----	350.00 - 13.80	.6380	----	----	----	----	57 UNCH
4915	----	----	389.80B/332.00A	389.80B/332.00A	----	353.30 - 13.80	.6413	----	----	----	----	37 UNCH
4920	----	----	393.30B/335.20A	393.30B/335.20A	----	356.70 - 13.80	.6447	----	----	----	----	91 UNCH
4925	----	----	396.20B/338.40A	396.20B/338.40A	----	360.10 - 13.80	.6481	----	----	----	----	73 UNCH
4930	----	----	399.70B/341.70A	399.70B/341.70A	----	363.50 - 13.70	.6513	----	----	1	----	199 UNCH
4940	----	----	407.30B/348.20A	407.30B/348.20A	----	370.30 - 13.70	.6580	----	----	----	----	64 UNCH
4945	----	----	411.10B/351.50A	411.10B/351.50A	----	373.70 - 13.80	.6613	----	----	----	----	2 UNCH
4950	----	----	414.60B/354.80A	414.60B/354.80A	----	377.20 - 13.70	.6645	----	----	1	----	288 + 1
4955	----	----	418.30B/358.20A	418.30B/358.20A	----	380.70 - 13.70	.6678	----	----	----	----	31 UNCH
4960	----	----	421.90B/361.50A	421.90B/361.50A	----	384.20 - 13.60	.6710	----	----	----	----	23 UNCH
4965	----	----	425.60B/364.90A	425.60B/364.90A	----	387.70 - 13.60	.6743	----	----	----	----	24 UNCH
4970	----	----	429.20B/368.30A	429.20B/368.30A	----	391.20 - 13.60	.6774	----	----	----	----	44 UNCH
4975	----	----	432.90B/371.70A	432.90B/371.70A	----	394.80 - 13.50	.6806	----	----	----	----	153 UNCH
4980	----	----	436.00B/375.20A	436.00B/375.20A	----	398.40 - 13.50	.6837	----	----	----	----	28 UNCH
4985	----	----	440.40B/378.60A	440.40B/378.60A	----	401.90 - 13.50	.6869	----	----	----	----	9 UNCH
4990	----	----	444.00B/382.10A	444.00B/382.10A	----	405.60 - 13.40	.6900	----	----	----	----	292 UNCH
4995	----	----	447.20B/385.60A	447.20B/385.60A	----	409.20 - 13.30	.6932	----	----	----	----	11 UNCH
5000	----	----	451.50B/389.10A	451.50B/389.10A	----	412.80 - 13.30	.6962	----	----	----	----	1892 UNCH
5005	----	----	454.60B/392.60A	454.60B/392.60A	----	416.50 - 13.20	.6994	----	----	----	----	304 UNCH
5010	----	----	458.60B/396.10A	458.60B/396.10A	----	420.10 - 13.20	.7024	----	----	----	----	11 UNCH
5015	----	----	462.90B/399.70A	462.90B/399.70A	----	423.80 - 13.10	.7054	----	----	----	----	49 UNCH
5020	----	----	466.90B/403.30A	466.90B/403.30A	----	427.50 - 13.10	.7083	----	----	----	----	31 UNCH
5025	----	----	470.60B/406.80A	470.60B/406.80A	----	431.20 - 13.00	.7114	----	----	----	----	55 UNCH
5030	----	----	474.40B/410.40A	474.40B/410.40A	----	435.00 - 12.90	.7144	----	----	----	----	68 UNCH
5035	----	----	478.40B/414.10A	478.40B/414.10A	----	438.70 - 12.90	.7173	----	----	----	----	13 UNCH
5040	----	----	482.30B/417.70A	482.30B/417.70A	----	442.50 - 12.90	.7202	----	----	----	----	18 UNCH
5045	----	----	486.10B/421.40A	486.10B/421.40A	----	446.30 - 12.80	.7231	----	----	----	----	6 UNCH
5050	----	----	489.80B/425.00A	489.80B/425.00A	----	450.10 - 12.80	.7260	----	----	----	----	804 UNCH
5055	----	----	494.00B/428.70A	494.00B/428.70A	----	453.90 - 12.80	.7288	----	----	----	----	63 UNCH
5060	----	----	498.00B/432.40A	498.00B/432.40A	----	457.70 - 12.80	.7317	----	----	----	----	64 UNCH
5065	----	----	501.60B/436.10A	501.60B/436.10A	----	461.60 - 12.70	.7345	----	----	----	----	9 UNCH
5070	----	----	505.90B/439.90A	505.90B/439.90A	----	465.40 - 12.80	.7374	----	----	----	----	52 UNCH
5075	----	----	509.50B/443.60A	509.50B/443.60A	----	469.30 - 12.70	.7401	----	----	----	----	27 UNCH
5080	----	----	513.80B/447.40A	513.80B/447.40A	----	473.20 - 12.70	.7429	----	----	----	----	29 UNCH
5085	----	----	517.10B/451.20A	517.10B/451.20A	----	477.10 - 12.70	.7455	----	----	----	----	123 UNCH
5090	----	----	521.60B/455.00A	521.60B/455.00A	----	481.00 - 12.70	.7483	----	----	----	----	109 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
5095	----	----	525.30B/458.80A	525.30B/458.80A	----	484.90 - 12.70	.7509	----	----	----	----	111 UNCH
5100	----	----	529.50B/462.60A	529.50B/462.60A	----	488.90 - 12.70	.7536	----	----	----	----	457 UNCH
5105	----	----	533.60B/466.40A	533.60B/466.40A	----	492.80 - 12.70	.7562	----	----	----	----	38 UNCH
5110	----	----	537.70B/470.30A	537.70B/470.30A	----	496.80 - 12.60	.7589	----	----	----	----	74 UNCH
5115	----	----	541.80B/474.20A	541.80B/474.20A	----	500.80 - 12.60	.7615	----	----	----	----	14 UNCH
5120	----	----	545.90B/478.10A	545.90B/478.10A	----	504.80 - 12.60	.7641	----	----	----	----	25 UNCH
5125	----	----	549.90B/482.00A	549.90B/482.00A	----	508.80 - 12.50	.7665	----	----	----	----	192 UNCH
5130	----	----	554.40B/485.90A	554.40B/485.90A	----	512.90 - 12.40	.7691	----	----	----	----	26 UNCH
5135	----	----	558.00B/489.80A	558.00B/489.80A	----	516.90 - 12.40	.7716	----	----	----	----	37 UNCH
5140	----	----	562.20B/493.70A	562.20B/493.70A	----	521.00 - 12.30	.7740	----	----	----	----	14 UNCH
5145	----	----	566.80B/497.70A	566.80B/497.70A	----	525.10 - 12.20	.7764	----	----	----	----	39 UNCH
5150	----	----	571.00B/501.70A	571.00B/501.70A	----	529.10 - 12.30	.7789	----	----	----	----	390 UNCH
5155	----	----	575.10B/505.70A	575.10B/505.70A	----	533.20 - 12.20	.7813	----	----	----	----	38 UNCH
5160	----	----	579.00B/509.70A	579.00B/509.70A	----	537.30 - 12.20	.7837	----	----	----	----	70 UNCH
5165	----	----	582.70B/513.70A	582.70B/513.70A	----	541.50 - 12.00	.7862	----	----	----	----	47 UNCH
5170	----	----	587.70B/517.50A	587.70B/517.50A	----	545.60 - 12.00	.7884	----	----	----	----	504 UNCH
5175	----	----	591.90B/521.70A	591.90B/521.70A	----	549.70 - 12.00	.7909	----	----	----	----	15 UNCH
5180	----	----	596.00B/525.80A	596.00B/525.80A	----	553.90 - 11.90	.7931	----	----	----	----	19 UNCH
5185	----	----	600.40B/529.80A	600.40B/529.80A	----	558.10 - 11.80	.7954	----	----	----	----	22 UNCH
5190	----	----	604.60B/533.90A	604.60B/533.90A	----	562.20 - 11.80	.7976	----	----	----	----	5 UNCH
5195	----	----	608.70B/538.00A	608.70B/538.00A	----	566.40 - 11.80	.7999	----	----	----	----	8 UNCH
5200	----	----	613.10B/541.60A	613.10B/541.60A	----	570.60 - 11.70	.8021	----	----	----	----	612 UNCH
5205	----	----	617.40B/546.20A	617.40B/546.20A	----	574.90 - 11.60	.8042	----	----	----	----	36 UNCH
5210	----	----	621.60B/550.30A	621.60B/550.30A	----	579.10 - 11.60	.8064	----	----	----	----	68 UNCH
5215	----	----	625.90B/554.50A	625.90B/554.50A	----	583.30 - 11.60	.8087	----	----	----	----	42 UNCH
5220	----	----	630.20B/558.60A	630.20B/558.60A	----	587.60 - 11.50	.8108	----	----	----	----	188 UNCH
5225	----	----	634.50B/562.80A	634.50B/562.80A	----	591.80 - 11.50	.8128	----	----	----	----	200 UNCH
5230	----	----	638.90B/566.90A	638.90B/566.90A	----	596.10 - 11.40	.8149	----	----	----	----	7 UNCH
5235	----	----	643.10B/571.10A	643.10B/571.10A	----	600.30 - 11.50	.8171	----	----	----	----	160 UNCH
5245	----	----	651.90B/579.50A	651.90B/579.50A	----	608.90 - 11.40	.8210	----	----	----	----	9 UNCH
5250	----	----	656.20B/583.70A	656.20B/583.70A	----	613.20 - 11.30	.8231	----	----	----	----	332 UNCH
5255	----	----	660.60B/588.00A	660.60B/588.00A	----	617.50 - 11.30	.8251	----	----	----	----	9 UNCH
5260	----	----	665.00B/592.20A	665.00B/592.20A	----	621.90 - 11.20	.8269	----	----	----	----	11 UNCH
5265	----	----	669.20B/596.40A	669.20B/596.40A	----	626.20 - 11.20	.8290	----	----	----	----	5 UNCH
5270	----	----	673.70B/600.70A	673.70B/600.70A	----	630.60 - 11.10	.8308	----	----	----	----	24 UNCH
5275	----	----	677.80B/605.00A	677.80B/605.00A	----	634.90 - 11.10	.8329	----	----	----	----	170 UNCH
5280	----	----	682.20B/609.20A	682.20B/609.20A	----	639.30 - 11.00	.8347	----	----	----	----	67 UNCH
5285	----	----	686.90B/613.50A	686.90B/613.50A	----	643.60 - 11.10	.8365	----	----	----	----	27 UNCH
5290	----	----	691.40B/617.80A	691.40B/617.80A	----	648.00 - 11.00	.8384	----	----	----	----	2 UNCH
5300	----	----	700.10B/626.40A	700.10B/626.40A	----	656.80 - 10.90	.8420	----	----	----	----	161 UNCH
5305	----	----	704.70B/630.80A	704.70B/630.80A	----	661.20 - 10.80	.8436	----	----	----	----	104 UNCH
5320	----	----	717.70B/643.80A	717.70B/643.80A	----	674.50 - 10.60	.8489	----	----	----	----	108 UNCH
5325	----	----	722.20B/648.20A	722.20B/648.20A	----	679.00 - 10.50	.8505	----	----	----	----	1 UNCH
5335	----	----	731.40B/657.00A	731.40B/657.00A	----	687.90 - 10.40	.8539	----	----	----	----	5 UNCH
5340	----	----	735.90B/661.40A	735.90B/661.40A	----	692.40 - 10.30	.8555	----	----	----	----	52 UNCH
5345	----	----	740.40B/665.80A	740.40B/665.80A	----	696.90 - 10.30	.8571	----	----	----	----	1 UNCH
5350	----	----	744.60B/670.20A	744.60B/670.20A	----	701.30 - 10.30	.8587	----	----	----	----	108 UNCH
5365	----	----	758.50B/683.50A	758.50B/683.50A	----	714.90 - 10.00	.8633	----	----	----	----	4 UNCH
5370	----	----	763.00B/687.90A	763.00B/687.90A	----	719.40 - 10.00	.8649	----	----	----	----	37 UNCH
5375	----	----	767.60B/692.40A	767.60B/692.40A	----	723.90 - 9.90	.8664	----	----	----	----	1 UNCH
5380	----	----	771.80B/696.90A	771.80B/696.90A	----	728.40 - 9.90	.8678	----	----	----	----	2 UNCH
5385	----	----	776.70B/701.30A	776.70B/701.30A	----	733.00 - 9.80	.8694	----	----	----	----	10 UNCH
5390	----	----	780.90B/705.80A	780.90B/705.80A	----	737.50 - 9.80	.8707	----	----	----	----	2 UNCH
5395	----	----	785.40B/710.30A	785.40B/710.30A	----	742.10 - 9.70	.8723	----	----	----	----	156 UNCH
5400	----	----	790.00B/714.80A	790.00B/714.80A	----	746.60 - 9.70	.8737	----	----	----	----	444 UNCH
5420	----	----	808.70B/732.90A	808.70B/732.90A	----	764.90 - 9.50	.8790	----	----	----	----	10 UNCH
5425	----	----	812.90B/737.40A	812.90B/737.40A	----	769.50 - 9.50	.8804	----	----	----	----	1 UNCH
5430	----	----	817.60B/741.90A	817.60B/741.90A	----	774.10 - 9.40	.8817	----	----	----	----	31 UNCH
5435	----	----	822.50B/746.50A	822.50B/746.50A	----	778.70 - 9.40	.8830	----	----	----	----	10 UNCH
5440	----	----	826.80B/751.00A	826.80B/751.00A	----	783.30 - 9.30	.8844	----	----	----	----	20 UNCH
5470	----	----	854.50B/778.50A	854.50B/778.50A	----	811.10 - 9.10	.8918	----	----	----	----	1 UNCH
5490	----	----	873.70B/797.00A	873.70B/797.00A	----	829.70 - 9.00	.8963	----	----	----	----	166 UNCH
5500	----	----	882.60B/806.20A	882.60B/806.20A	----	839.00 - 8.90	.8985	----	----	----	----	52 UNCH
5525	----	----	906.00B/829.50A	906.00B/829.50A	----	862.40 - 8.80	.9040	----	----	----	----	2 UNCH
5575	----	----	953.50B/876.40A	953.50B/876.40A	----	909.60 - 8.60	.9136	----	----	----	----	2 UNCH
5590	----	----	967.70B/890.50A	967.70B/890.50A	----	923.80 - 8.50	.9162	----	----	----	----	77 UNCH
5595	----	----	972.50B/895.20A	972.50B/895.20A	----	928.50 - 8.50	.9172	----	----	----	----	1 UNCH
5600	----	----	977.20B/899.90A	977.20B/899.90A	----	933.30 - 8.50	.9180	----	----	----	----	8 UNCH
5640	----	----	1,015.20B/937.9	1015.20B/937.90A	----	971.50 - 8.10	.9246	----	----	----	----	9 UNCH
5800	----	----	1,168.80B/1,091	1168.80B/1091.90A	----	1126.00 - 7.00	.9445	----	----	----	----	6 UNCH
6000	----	----	1,363.30B/1,292	1363.30B/1292.30A	----	1321.60 - 6.10	.9609	----	----	----	----	4 UNCH
6100	----	----	1,461.40B/1,390	1461.40B/1390.70A	----	1420.20 - 5.60	.9666	----	----	----	----	3 UNCH
6675	----	----	----	----	----	1991.00 - 5.50	.9853	----	----	----	----	2 UNCH
TOTAL										1737		82096 + 706
JUL26												
2275	----	----	----	1.70B/2.40A	----	1.70 - 0.30	.0035	----	----	----	----	20 UNCH
2300	----	----	----	1.80B/2.40A	----	1.90 - 0.30	.0039	----	----	----	----	96 UNCH
2400	----	----	----	2.20B/2.80A	----	2.40 - 0.30	.0050	----	----	----	----	2 UNCH
2500	----	----	----	2.50B/3.20A	----	2.80 - 0.30	.0060	----	----	----	----	192 UNCH
2575	----	----	----	2.80B/3.60A	----	3.20 - 0.20	.0069	----	----	----	----	1 UNCH
2600	----	----	----	3.00B/3.70A	----	3.30 - 0.30	.0072	----	----	----	----	12 UNCH
2620	----	----	----	3.00B/3.80A	----	3.40 - 0.20	.0075	----	----	----	----	1 UNCH
2650	----	----	----	3.20B/4.00A	----	3.60 - 0.20	.0080	----	----	----	----	52 UNCH
2670	----	----	----	3.40B/4.10A	----	3.70 - 0.20	.0082	----	----	----	----	10 UNCH
2675	----	----	----	3.40B/4.10A	----	3.70 - 0.20	.0082	----	----	----	----	10 UNCH
2680	----	----	----	3.40B/4.10A	----	3.70 - 0.20	.0083	----	----	----	----	10 UNCH
2700	----	----	----	3.60B/4.20A	----	3.90 - 0.20	.0087	----	----	----	----	3 UNCH
2730	----	----	----	3.70B/4.40A	----	4.10 - 0.10	.0092	----	----	----	----	1 UNCH
2750	----	----	----	3.90B/4.60A	----	4.20 - 0.20	.0095	----	----	----	----	19 UNCH
2785	----	----	----	4.20B/4.80A	----	4.50 - 0.10	.0103	----	----	----	----	2 UNCH
2800	----	----	----	4.30B/4.90A	----	4.60 - 0.10	.0105	----	----	----	----	5 UNCH
2850	----	----	----	4.70B/5.30A	----	5.00 - 0.10	.0116	----	----	1	----	2 + 1
2860	----	----	----	4.80B/5.40A	----	5.10 UNCH	.0118	----	----	----	----	5 UNCH
2890	----	----	----	5.10B/5.70A	----	5.30 - 0.10	.0124	----	----	----	----	60 UNCH
2895	----	----	----	5.20B/5.70A	----	5.40 UNCH	.0126	----	----	----	----	18 UNCH
2900	----	----	----	5.20B/5.80A	----	5.40 - 0.10	.0126	----	----	----	----	6 UNCH
2905	----	----	----	5.20B/5.80A	----	5.50 UNCH	.0129	----	----	----	----	19 UNCH
2920	----	----	----	5.40B/6.00A	----	5.60 - 0.10	.0132	----	----	----	----	1 UNCH
2950	----	----	----	5.70B/6.30A	----	6.00 UNCH	.0141	----	----	----	----	32 UNCH
2995	----	----	----	6.20B/6.80A	----	6.50 UNCH	.0154	----	----	----	----	16 UNCH
3000	----	----	----	6.30B/6.90A	----	6.50 UNCH	.0155	----	----	----	----	58 UNCH
3015	----	----	----	6.50B/7.10A	----	6.70 UNCH	.0160	----	----	----	----	5 UNCH
3025	----	----	----	6.60B/7.20A	----	6.80 - 0.10	.0163	----	----	----	----	1 UNCH
3035	----	----	----	6.90B/7.30A	----	7.00 UNCH	.0167	----	----	----	----	5 UNCH
3100	----	----	----	8.00B/8.30A	----	7.90 - 0.10	.0191	----	----	----	----	43 UNCH
3105	----	----	----	8.10B/8.30A	----	8.00 - 0.10	.0193	----	----	----	----	1 UNCH
3125	----	----	----	8.40B/8.60A	----	8.30 - 0.10	.0201	----	----	----	----	44 UNCH
3140	----	----	----	8.70B/8.80A	----	8.50 - 0.20	.0206	----	----	----	----	1 UNCH
3150	----	----	----	8.90B/9.00A	----	8.70 - 0.20	.0211	----	----	----	----	12 UNCH
3155	----	----	9.10B/----	9.10B/9.10A	----	8.80 - 0.20	.0214	----	----	----	----	1 UNCH
3200	9.50	9.50	9.50/9.50	10.00B/9.50	----	9.60 - 0.40	.0235	----	----	2	----	111 - 1
3210	----	----	----/10.10A	10.20B/10.10A	----	9.80 - 0.50	.0240	----	----	----	----	1 UNCH
3220	----	----	----/10.30A	10.40B/10.30A	----	10.00 - 0.50	.0245	----	----	----	----	1 UNCH
3225	----	----	----/10.40A	10.50B/10.40A	----	10.10 - 0.60	.0247	----	----	----	----	70 UNCH
3250	----	----	----/11.00A	11.10B/11.00A	----	10.70 - 0.60	.0262	----	----	----	----	65 UNCH
3275	----	----	----/11.60A	11.70B/11.60A	----	11.20 - 0.80	.0276	----	----	----	----	10 UNCH
3290	----	----	----/11.90A	12.00B/11.90A	----	11.60 - 0.90	.0285	----	----	----	----	10 UNCH
3300	----	----	----/12.20A	12.40B/12.20A	----	11.80 - 1.00	.0291	----	----	----	----	55 UNCH
3320	----	----	----/12.70A	12.90B/12.70A	----	12.40 - 1.10	.0305	----	----	----	----	1 UNCH
3325	----	----	----/12.80A	13.10B/12.80A	----	12.50 - 1.10	.0308	----	----	----	----	147 UNCH
3335	----	----	----/13.10A	13.30B/13.10A	----	12.80 - 1.20	.0316	----	----	----	----	86 UNCH
3340	----	----	----/13.30A	13.50B/13.30A	----	12.90 - 1.30	.0318	----	----	----	----	1 UNCH
3350	----	----	----/13.50A	13.80B/13.50A	----	13.20 - 1.30	.0326	----	----	----	----	28 UNCH
3355	----	----	----/13.70A	13.80B/13.70A	----	13.30 - 1.40	.0329	----	----	----	----	69 UNCH
3360	----	----	----/13.80A	14.00B/13.80A	----	13.50 - 1.40	.0333	----	----	----	----	3 UNCH
3370	----	----	----/14.10A	14.40B/14.10A	----	13.80 - 1.40	.0341	----	----	----	----	9 UNCH
3380	----	----	----/14.40A	14.80B/14.40A	----	14.10 - 1.50	.0348	----	----	----	----	2 UNCH
3385	----	----	----/14.50A	14.90B/14.50A	----	14.20 - 1.60	.0351	----	----	----	----	4 UNCH
3390	----	----	----/14.80A	15.00B/14.80A	----	14.40 - 1.60	.0356	----	----	----	----	1 UNCH
3395	----	----	----/14.80A	15.20B/14.80A	----	14.60 - 1.60	.0361	----	----	----	----	31 UNCH
3400	----	----	----/15.00A	15.50B/15.00A	----	14.70 - 1.70	.0364	----	----	----	----	47 UNCH
3410	----	----	----/15.40A	15.70B/15.40A	----	15.10 - 1.70	.0373	----	----	----	----	5 UNCH
3425	----	----	----/15.90A	16.30B/15.90A	----	15.60 - 1.80	.0385	----	----	----	----	56 UNCH
3435	----	----	----/16.20A	16.70B/16.20A	----	15.90 - 1.90	.0393	----	----	----	----	5 UNCH
3445	----	----	----/16.60A	17.10B/16.60A	----	16.30 - 2.00	.0403	----	----	----	----	1 UNCH
3450	----	----	----/16.80A	17.50B/16.80A	----	16.50 - 2.00	.0408	----	----	----	----	140 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3455	----	----	19.50B/16.50A	19.50B/16.50A	----	16.70 - 2.00	.0413	----	----	----	----	10 UNCH
3460	----	----	19.80B/16.70A	19.80B/16.70A	----	16.90 - 2.00	.0417	----	----	----	----	10 UNCH
3465	----	----	20.20B/16.90A	20.20B/16.90A	----	17.10 - 2.00	.0422	----	----	----	----	142 UNCH
3475	17.20	17.20	20.80B/17.20	20.80B/17.20	----	17.50 - 2.10	.0432	----	----	18	----	138 + 5
3480	----	----	21.10B/17.50A	21.10B/17.50A	----	17.70 - 2.10	.0437	----	----	----	----	36 UNCH
3495	----	----	22.00B/18.10A	22.00B/18.10A	----	18.30 - 2.20	.0452	----	----	----	----	5 UNCH
3500	19.80	19.80	22.30B/18.40A	22.30B/18.40A	----	18.50 - 2.30	.0457	----	----	4	----	580 + 4
3505	----	----	22.60B/18.60A	22.60B/18.60A	----	18.70 - 2.30	.0462	----	----	----	----	9 UNCH
3510	----	----	22.90B/18.70A	22.90B/18.70A	----	18.90 - 2.40	.0467	----	----	----	----	5 UNCH
3515	----	----	23.20B/19.00A	23.20B/19.00A	----	19.20 - 2.30	.0473	----	----	----	----	6 UNCH
3525	----	----	23.80B/19.40A	23.80B/19.40A	----	19.60 - 2.40	.0483	----	----	----	----	3 UNCH
3530	----	----	24.10B/19.70A	24.10B/19.70A	----	19.90 - 2.40	.0490	----	----	----	----	168 UNCH
3535	----	----	24.40B/19.90A	24.40B/19.90A	----	20.10 - 2.40	.0495	----	----	----	----	31 UNCH
3545	----	----	24.80B/20.40A	24.80B/20.40A	----	20.60 - 2.50	.0507	----	----	----	----	256 UNCH
3550	20.40	20.40	25.30B/20.40	25.30B/20.40	----	20.80 - 2.50	.0512	----	----	1	----	148 - 1
3580	----	----	27.10B/22.20A	27.10B/22.20A	----	22.30 - 2.70	.0548	----	----	----	----	5 UNCH
3590	----	----	27.80B/22.70A	27.80B/22.70A	----	22.90 - 2.70	.0562	----	----	----	----	16 UNCH
3600	22.80	22.80	28.40B/22.80	28.40B/22.80	----	23.40 - 2.80	.0574	----	----	30	----	82 + 30
3605	----	----	28.70B/23.50A	28.70B/23.50A	----	23.70 - 2.80	.0581	----	----	----	----	5 UNCH
3620	----	----	29.80B/24.30A	29.80B/24.30A	----	24.60 - 2.80	.0602	----	----	----	----	12 UNCH
3625	----	----	30.20B/24.60A	30.20B/24.60A	----	24.90 - 2.80	.0609	----	----	----	----	11 UNCH
3630	----	----	30.40B/24.80A	30.40B/24.80A	----	25.20 - 2.80	.0616	----	----	----	----	3 UNCH
3635	----	----	30.70B/25.10A	30.70B/25.10A	----	25.50 - 2.80	.0623	----	----	----	----	3 UNCH
3640	----	----	31.20B/25.40A	31.20B/25.40A	----	25.80 - 2.90	.0630	----	----	1	----	6 + 1
3645	----	----	31.50B/25.70A	31.50B/25.70A	----	26.10 - 2.90	.0637	----	----	----	----	1 UNCH
3650	----	----	32.00B/26.00A	32.00B/26.00A	----	26.40 - 2.90	.0644	----	----	2	----	100 + 2
3655	----	----	32.30B/26.30A	32.30B/26.30A	----	26.70 - 3.00	.0651	----	----	----	----	6 UNCH
3660	----	----	32.70B/26.60A	32.70B/26.60A	----	27.00 - 3.00	.0658	----	----	----	----	22 UNCH
3665	----	----	33.10B/26.90A	33.10B/26.90A	----	27.30 - 3.10	.0665	----	----	----	----	2 UNCH
3670	----	----	33.40B/27.20A	33.40B/27.20A	----	27.70 - 3.00	.0674	----	----	----	----	110 UNCH
3675	----	----	33.90B/27.50A	33.90B/27.50A	----	28.00 - 3.10	.0681	----	----	----	----	3 UNCH
3680	----	----	34.30B/27.80A	34.30B/27.80A	----	28.30 - 3.10	.0688	----	----	----	----	5 UNCH
3685	----	----	34.70B/28.20A	34.70B/28.20A	----	28.70 - 3.10	.0697	----	----	----	----	10 UNCH
3690	----	----	35.10B/28.50A	35.10B/28.50A	----	29.00 - 3.10	.0704	----	----	----	----	50 UNCH
3695	----	----	35.50B/28.80A	35.50B/28.80A	----	29.30 - 3.20	.0712	----	----	----	----	142 UNCH
3700	29.80	29.80	35.90B/29.10A	35.90B/29.10A	----	29.70 - 3.20	.0721	----	----	1	----	418 - 1
3705	----	----	36.30B/29.50A	36.30B/29.50A	----	30.00 - 3.30	.0728	----	----	----	----	20 UNCH
3715	----	----	37.20B/30.10A	37.20B/30.10A	----	30.80 - 3.20	.0746	----	----	----	----	30 UNCH
3720	----	----	37.60B/30.50A	37.60B/30.50A	----	31.10 - 3.30	.0753	----	----	----	----	18 UNCH
3725	----	----	38.20B/30.80A	38.20B/30.80A	----	31.50 - 3.30	.0762	----	----	----	----	5 UNCH
3730	----	----	38.60B/31.20A	38.60B/31.20A	----	31.90 - 3.30	.0771	----	----	----	----	3 UNCH
3735	----	----	38.90B/31.50A	38.90B/31.50A	----	32.20 - 3.50	.0778	----	----	----	----	30 UNCH
3740	----	----	39.50B/31.90A	39.50B/31.90A	----	32.60 - 3.50	.0787	----	----	----	----	20 UNCH
3750	----	----	40.40B/32.60A	40.40B/32.60A	----	33.40 - 3.50	.0805	----	----	----	----	549 UNCH
3760	----	----	41.30B/33.40A	41.30B/33.40A	----	34.20 - 3.60	.0823	----	----	----	----	2 UNCH
3765	----	----	41.80B/33.70A	41.80B/33.70A	----	34.60 - 3.60	.0833	----	----	----	----	32 UNCH
3770	----	----	42.30B/34.10A	42.30B/34.10A	----	35.00 - 3.70	.0842	----	----	----	----	120 UNCH
3775	35.60	35.60	42.90B/34.50A	42.90B/34.50A	----	35.40 - 3.70	.0851	----	----	1	----	61 UNCH
3780	----	----	43.30B/34.90A	43.30B/34.90A	----	35.80 - 3.80	.0860	----	----	----	----	1 UNCH
3785	----	----	43.70B/35.40A	43.70B/35.40A	----	36.30 - 3.70	.0871	----	----	----	----	5 UNCH
3790	----	----	44.30B/35.70A	44.30B/35.70A	----	36.70 - 3.80	.0880	----	----	----	----	40 UNCH
3795	----	----	44.80B/36.10A	44.80B/36.10A	----	37.10 - 3.90	.0889	----	----	----	----	36 UNCH
3800	----	----	45.30B/36.50A	45.30B/36.50A	----	37.50 - 3.90	.0898	----	----	----	----	685 UNCH
3810	----	----	46.50B/37.40A	46.50B/37.40A	----	38.40 - 4.00	.0918	----	----	----	----	16 UNCH
3815	----	----	46.90B/37.80A	46.90B/37.80A	----	38.90 - 4.00	.0929	----	----	----	----	14 UNCH
3820	----	----	47.50B/38.30A	47.50B/38.30A	----	39.30 - 4.10	.0939	----	----	----	----	6 UNCH
3825	----	----	48.20B/38.70A	48.20B/38.70A	----	39.80 - 4.10	.0949	----	----	----	----	9 UNCH
3830	----	----	48.60B/39.10A	48.60B/39.10A	----	40.30 - 4.10	.0960	----	----	----	----	24 UNCH
3835	----	----	49.20B/39.60A	49.20B/39.60A	----	40.70 - 4.20	.0970	----	----	----	----	1 UNCH
3840	----	----	49.80B/40.10A	49.80B/40.10A	----	41.20 - 4.20	.0981	----	----	----	----	32 UNCH
3845	----	----	50.30B/40.50A	50.30B/40.50A	----	41.70 - 4.30	.0992	----	----	----	----	13 UNCH
3850	----	----	50.90B/41.00A	50.90B/41.00A	----	42.20 - 4.30	.1002	----	----	1	----	206 UNCH
3860	----	----	52.00B/41.90A	52.00B/41.90A	----	43.20 - 4.40	.1024	----	----	----	----	27 UNCH
3875	----	----	54.00B/43.30A	54.00B/43.30A	----	44.70 - 4.50	.1058	----	----	----	----	108 UNCH
3880	----	----	54.60B/43.90A	54.60B/43.90A	----	45.20 - 4.60	.1069	----	----	----	----	13 UNCH
3885	----	----	55.10B/44.40A	55.10B/44.40A	----	45.70 - 4.70	.1080	----	----	----	----	5 UNCH
3890	----	----	55.70B/45.00A	55.70B/45.00A	----	46.30 - 4.70	.1092	----	----	----	----	4 UNCH
3895	----	----	56.40B/45.50A	56.40B/45.50A	----	46.80 - 4.70	.1104	----	----	----	----	1 UNCH
3900	50.40	50.40	57.20B/46.00A	57.20B/46.00A	----	47.40 - 4.70	.1116	----	----	21	----	300 + 21
3905	----	----	57.70B/46.60A	57.70B/46.60A	----	47.90 - 4.80	.1127	----	----	----	----	10 UNCH
3910	----	----	58.40B/47.00A	58.40B/47.00A	----	48.50 - 4.80	.1140	----	----	----	----	54 UNCH
3920	----	----	59.70B/48.10A	59.70B/48.10A	----	49.60 - 5.00	.1164	----	----	----	----	1 UNCH
3925	----	----	60.40B/48.70A	60.40B/48.70A	----	50.20 - 5.00	.1177	----	----	----	----	48 UNCH
3930	----	----	61.00B/49.20A	61.00B/49.20A	----	50.70 - 5.10	.1188	----	----	----	----	34 UNCH
3935	----	----	61.70B/49.80A	61.70B/49.80A	----	51.30 - 5.10	.1201	----	----	----	----	7 UNCH
3940	----	----	62.40B/50.30A	62.40B/50.30A	----	51.90 - 5.20	.1214	----	----	----	----	20 UNCH
3945	----	----	63.20B/50.90A	63.20B/50.90A	----	52.50 - 5.20	.1227	----	----	----	----	20 UNCH
3950	----	----	64.00B/51.40A	64.00B/51.40A	----	53.10 - 5.30	.1239	----	----	----	----	604 UNCH
3955	----	----	64.60B/52.00A	64.60B/52.00A	----	53.70 - 5.30	.1252	----	----	----	----	25 UNCH
3960	----	----	65.40B/52.60A	65.40B/52.60A	----	54.40 - 5.30	.1266	----	----	----	----	16 UNCH
3965	58.00	58.00	66.10B/53.20A	66.10B/53.20A	----	55.00 - 5.40	.1279	----	----	89	----	94 + 89
3970	----	----	66.80B/53.80A	66.80B/53.80A	----	55.60 - 5.50	.1292	----	----	----	----	2 UNCH
3975	----	----	67.70B/54.20A	67.70B/54.20A	----	56.30 - 5.40	.1307	----	----	----	----	21 UNCH
3980	----	----	68.20B/55.00A	68.20B/55.00A	----	56.90 - 5.50	.1320	----	----	----	----	3 UNCH
3985	----	----	69.00B/55.60A	69.00B/55.60A	----	57.60 - 5.50	.1334	----	----	----	----	136 UNCH
3990	----	----	69.80B/56.30A	69.80B/56.30A	----	58.20 - 5.60	.1347	----	----	----	----	40 UNCH
3995	----	----	70.60B/56.90A	70.60B/56.90A	----	58.90 - 5.60	.1362	----	----	----	----	13 UNCH
4000	----	----	71.60B/57.50A	71.60B/57.50A	----	59.60 - 5.70	.1376	----	----	----	----	663 UNCH
4005	----	----	72.30B/58.20A	72.30B/58.20A	----	60.30 - 5.70	.1390	----	----	----	----	85 UNCH
4010	----	----	73.10B/58.80A	73.10B/58.80A	----	60.90 - 5.80	.1404	----	----	----	----	3 UNCH
4015	----	----	73.80B/59.50A	73.80B/59.50A	----	61.60 - 5.90	.1418	----	----	----	----	34 UNCH
4020	----	----	74.60B/60.10A	74.60B/60.10A	----	62.30 - 5.90	.1433	----	----	----	----	90 UNCH
4025	67.10	67.10	75.50B/60.80A	75.50B/60.80A	----	63.10 - 5.90	.1449	----	----	1	----	18 + 1
4030	----	----	76.40B/61.50A	76.40B/61.50A	----	63.80 - 5.90	.1463	----	----	----	----	32 UNCH
4035	----	----	77.30B/62.10A	77.30B/62.10A	----	64.50 - 6.00	.1478	----	----	----	----	2 UNCH
4040	----	----	78.00B/62.80A	78.00B/62.80A	----	65.20 - 6.10	.1492	----	----	----	----	1 UNCH
4045	----	----	78.90B/63.50A	78.90B/63.50A	----	66.00 - 6.10	.1508	----	----	----	----	20 UNCH
4050	----	----	80.00B/64.20A	80.00B/64.20A	----	66.70 - 6.20	.1523	----	----	----	----	46 UNCH
4055	----	----	80.70B/65.00A	80.70B/65.00A	----	67.50 - 6.20	.1539	----	----	----	----	31 UNCH
4065	----	----	82.40B/66.40A	82.40B/66.40A	----	69.00 - 6.30	.1570	----	----	----	----	3 UNCH
4070	----	----	83.40B/67.20A	83.40B/67.20A	----	69.80 - 6.30	.1586	----	----	----	----	12 UNCH
4075	----	----	84.40B/68.00A	84.40B/68.00A	----	70.60 - 6.30	.1602	----	----	----	----	7 UNCH
4080	----	----	85.30B/68.80A	85.30B/68.80A	----	71.40 - 6.40	.1618	----	----	----	----	5 UNCH
4095	----	----	88.10B/71.10A	88.10B/71.10A	----	73.90 - 6.50	.1668	----	----	----	----	1 UNCH
4100	74.10	74.10	89.00B/71.70A	89.00B/71.70A	----	74.70 - 6.50	.1684	----	----	14	----	316 UNCH
4105	----	----	90.00B/72.70A	90.00B/72.70A	----	75.50 - 6.60	.1700	----	----	----	----	9 UNCH
4110	----	----	91.00B/73.50A	91.00B/73.50A	----	76.40 - 6.60	.1718	----	----	----	----	11 UNCH
4115	----	----	92.00B/74.30A	92.00B/74.30A	----	77.20 - 6.70	.1734	----	----	----	----	5 UNCH
4120	----	----	92.90B/75.10A	92.90B/75.10A	----	78.10 - 6.70	.1752	----	----	----	----	6 UNCH
4125	----	----	94.00B/75.80A	94.00B/75.80A	----	79.00 - 6.70	.1769	----	----	----	----	72 UNCH
4130	----	----	95.00B/76.90A	95.00B/76.90A	----	79.90 - 6.70	.1787	----	----	----	----	65 UNCH
4140	----	----	97.00B/78.50A	97.00B/78.50A	----	81.70 - 6.80	.1822	----	----	----	----	4 UNCH
4145	81.80	81.80	98.10B/79.40A	98.10B/79.40A	----	82.60 - 6.90	.1840	----	----	3	----	239 - 3
4150	----	----	99.10B/80.20A	99.10B/80.20A	----	83.50 - 6.90	.1858	----	----	1	----	132 UNCH
4155	----	----	100.20B/81.20A	100.20B/81.20A	----	84.40 - 7.00	.1875	----	----	----	----	5 UNCH
4160	----	----	101.30B/82.00A	101.30B/82.00A	----	85.40 - 7.00	.1894	----	----	----	----	4 UNCH
4165	----	----	102.50B/82.90A	102.50B/82.90A	----	86.30 - 7.10	.1912	----	----	----	----	51 UNCH
4170	----	----	103.60B/83.90A	103.60B/83.90A	----	87.30 - 7.10	.1931	----	----	----	----	1 UNCH
4175	----	----	104.60B/84.70A	104.60B/84.70A	----	88.20 - 7.20	.1949	----	----	1	----	41 UNCH
4190	----	----	108.00B/87.50A	108.00B/87.50A	----	91.20 - 7.30	.2006	----	----	----	----	129 UNCH
4195	----	----	109.20B/88.60A	109.20B/88.60A	----	92.20 - 7.30	.2025	----	----	----	----	65 UNCH
4200	----	----	110.40B/89.40A	110.40B/89.40A	----	93.20 - 7.40	.2044	----	----	102	----	356 - 29
4205	----	----	111.60B/90.50A	111.60B/90.50A	----	94.30 - 7.30	.2064	----	----	----	----	4 UNCH
4210	----	----	112.80B/91.50A	112.80B/91.50A	----	95.30 - 7.40	.2083	----	----	----	----	67 UNCH
4215	----	----	114.00B/92.50A	114.00B/92.50A	----	96.30 - 7.50	.2103	----	----	----	----	33 UNCH
4220	----	----	115.20B/93.50A	115.20B/93.50A	----	97.40 - 7.50	.2123	----	----	----	----	75 UNCH
4225	----	----	116.30B/94.50A	116.30B/94.50A	----	98.50 - 7.50	.2143	----	----	----	----	33 UNCH
4230	----	----	117.60B/95.60A	117.60B/95.60A	----	99.50 - 7.60	.2162	----	----	----	----	8 UNCH
4235	----	----	118.80B/96.70A	118.80B/96.70A	----	100.60 - 7.60	.2183	----	----	----	----	42 UNCH
4240	----	----	120.20B/97.70A	120.20B/97.70A	----	101.70 - 7.70	.2203	----	----	----	----	33 UNCH
4245	----	----	121.30B/98.80A	121.30B/98.80A	----	102.80 - 7.70	.2223	----	----	----	----	1 UNCH
4250	----	----	122.60B/100.20A	122.60B/100.20A	----	103.90 - 7.80	.2244	----	----	10	----	836 + 10
4255	----	----	123.90B/101.20A	123.90B/101.20A	----	105.10 - 7.80	.2265	----	----	----	----	2 UNCH
4260	----	----	125.30B/102.20A	125.30B/102.20A	----	106.20 - 7.80	.2286	----	----	----	----	4 UNCH
4265	----	----	126.60B/103.10A	126.60B/103.10A	----	107.40 - 7.80	.2307	----	----	----	----	12 UNCH
4270	----	----	127.90B/104.40A	127.90B/104.40A	----	108.50 - 7.90	.2328	----	----	----	----	1 UNCH
4275	----	----	129.20B/105.50A	129.20B/105.50A	----	109.70 - 8.00	.2349	----	----	----	----	73 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4280	----	----	130.70B/106.60A	130.70B/106.60A	----	110.90 - 8.00	.2371	----	----	----	----	38 UNCH
4285	----	----	131.90B/107.70A	131.90B/107.70A	----	112.10 - 8.00	.2393	----	----	----	----	101 UNCH
4290	----	----	133.40B/109.00A	133.40B/109.00A	----	113.30 - 8.10	.2414	----	----	----	----	33 UNCH
4295	114.00	114.00	134.80B/110.10A	134.80B/110.10A	----	114.50 - 8.20	.2436	----	----	5	----	20 UNCH
4300	115.30	115.30	136.10B/110.90A	136.10B/110.90A	----	115.70 - 8.20	.2458	----	----	16	----	2193 UNCH
4305	----	----	137.60B/112.40A	137.60B/112.40A	----	117.00 - 8.20	.2480	----	----	----	----	6 UNCH
4310	----	----	138.90B/113.60A	138.90B/113.60A	----	118.20 - 8.30	.2502	----	----	----	----	4 UNCH
4315	----	----	140.40B/114.80A	140.40B/114.80A	----	119.50 - 8.30	.2525	----	----	----	----	24 UNCH
4320	----	----	141.90B/116.00A	141.90B/116.00A	----	120.80 - 8.40	.2547	----	----	----	----	1 UNCH
4325	----	----	143.30B/117.30A	143.30B/117.30A	----	122.10 - 8.40	.2570	----	----	----	----	71 UNCH
4330	122.70	122.70	144.90B/118.50A	144.90B/118.50A	----	123.40 - 8.50	.2593	----	----	20	----	21 + 20
4335	----	----	146.40B/119.80A	146.40B/119.80A	----	124.70 - 8.50	.2616	----	----	----	----	111 UNCH
4340	----	----	147.90B/121.10A	147.90B/121.10A	----	126.00 - 8.60	.2638	----	----	----	----	114 UNCH
4345	----	----	149.30B/122.40A	149.30B/122.40A	----	127.40 - 8.60	.2662	----	----	----	----	2 UNCH
4350	----	----	150.80B/123.60A	150.80B/123.60A	----	128.70 - 8.70	.2685	----	----	----	----	303 UNCH
4355	----	----	152.40B/125.00A	152.40B/125.00A	----	130.10 - 8.70	.2709	----	----	----	----	123 UNCH
4360	----	----	153.90B/126.20A	153.90B/126.20A	----	131.50 - 8.80	.2732	----	----	----	----	104 UNCH
4365	----	----	155.50B/127.50A	155.50B/127.50A	----	132.90 - 8.80	.2756	----	----	----	----	1 UNCH
4370	----	----	157.20B/128.90A	157.20B/128.90A	----	134.30 - 8.90	.2780	----	----	----	----	140 UNCH
4375	----	----	158.70B/130.40A	158.70B/130.40A	----	135.70 - 8.90	.2804	----	----	----	----	27 UNCH
4380	----	----	160.30B/131.70A	160.30B/131.70A	----	137.10 - 9.00	.2828	----	----	----	----	2 UNCH
4385	----	----	162.00B/133.00A	162.00B/133.00A	----	138.60 - 9.00	.2852	----	----	----	----	52 UNCH
4390	----	----	163.60B/134.40A	163.60B/134.40A	----	140.00 - 9.10	.2876	----	----	----	----	2 UNCH
4395	----	----	165.20B/135.80A	165.20B/135.80A	----	141.50 - 9.20	.2901	----	----	----	----	13 UNCH
4400	----	----	166.90B/136.20A	166.90B/136.20A	----	143.00 - 9.20	.2926	----	----	2	----	2611 + 2
4405	----	----	168.70B/138.80A	168.70B/138.80A	----	144.50 - 9.30	.2950	----	----	----	----	1 UNCH
4410	----	----	170.40B/140.20A	170.40B/140.20A	----	146.00 - 9.40	.2975	----	----	----	----	14 UNCH
4415	----	----	172.00B/141.60A	172.00B/141.60A	----	147.60 - 9.30	.3001	----	----	----	----	4 UNCH
4420	----	----	173.70B/143.10A	173.70B/143.10A	----	149.10 - 9.50	.3025	----	----	----	----	15 UNCH
4425	----	----	175.60B/144.50A	175.60B/144.50A	----	150.70 - 9.50	.3051	----	----	----	----	36 UNCH
4430	----	----	177.20B/146.00A	177.20B/146.00A	----	152.20 - 9.60	.3076	----	----	----	----	156 UNCH
4435	----	----	179.00B/147.30A	179.00B/147.30A	----	153.80 - 9.70	.3101	----	----	----	----	1 UNCH
4440	----	----	180.80B/149.00A	180.80B/149.00A	----	155.40 - 9.70	.3127	----	----	----	----	33 UNCH
4445	155.10	155.10	182.70B/150.50A	182.70B/150.50A	----	157.10 - 9.70	.3153	----	----	1	----	152 + 1
4450	159.90	159.90	184.40B/151.70A	184.40B/151.70A	----	158.70 - 9.80	.3179	----	----	6	----	580 + 5
4455	----	----	186.20B/153.60A	186.20B/153.60A	----	160.30 - 9.90	.3205	----	----	----	----	18 UNCH
4460	----	----	188.20B/155.20A	188.20B/155.20A	----	162.00 - 9.90	.3231	----	----	----	----	93 UNCH
4465	----	----	189.90B/156.90A	189.90B/156.90A	----	163.70 - 9.90	.3257	----	----	----	----	14 UNCH
4470	----	----	191.90B/158.50A	191.90B/158.50A	----	165.40 - 10.00	.3283	----	----	----	----	10 UNCH
4475	----	----	193.70B/159.90A	193.70B/159.90A	----	167.10 - 10.10	.3310	----	----	----	----	27 UNCH
4480	----	----	195.60B/161.60A	195.60B/161.60A	----	168.80 - 10.10	.3336	----	----	----	----	136 UNCH
4485	----	----	197.60B/163.30A	197.60B/163.30A	----	170.60 - 10.10	.3363	----	----	----	----	50 UNCH
4490	----	----	199.60B/164.90A	199.60B/164.90A	----	172.30 - 10.20	.3390	----	----	----	----	16 UNCH
4495	171.50	171.50	201.50B/166.60A	201.50B/166.60A	----	174.10 - 10.20	.3417	----	----	1	----	3 + 1
4500	174.30	174.30	203.50B/168.20A	203.50B/168.20A	----	175.90 - 10.30	.3444	----	----	106	----	439 + 4
4505	----	----	205.50B/170.10A	205.50B/170.10A	----	177.70 - 10.30	.3471	----	----	----	----	5 UNCH
4510	----	----	207.40B/171.90A	207.40B/171.90A	----	179.50 - 10.40	.3498	----	----	----	----	7 UNCH
4515	----	----	209.50B/173.40A	209.50B/173.40A	----	181.30 - 10.40	.3525	----	----	----	----	3 UNCH
4520	----	----	211.40B/175.20A	211.40B/175.20A	----	183.20 - 10.40	.3552	----	----	----	----	4 UNCH
4525	183.80	183.80	213.60B/177.00A	213.60B/177.00A	----	185.00 - 10.50	.3580	----	----	2	----	74 UNCH
4535	----	----	217.60B/180.40A	217.60B/180.40A	----	188.80 - 10.60	.3635	----	----	----	----	1 UNCH
4540	----	----	218.10B/182.30A	218.10B/182.30A	----	190.70 - 10.60	.3663	----	----	----	----	89 UNCH
4545	----	----	220.30B/184.10A	220.30B/184.10A	----	192.60 - 10.70	.3690	----	----	----	----	20 UNCH
4550	194.20	194.20	222.40B/185.90A	222.40B/185.90A	----	194.60 - 10.60	.3718	----	----	1	----	63 UNCH
4555	----	----	224.50B/187.70A	224.50B/187.70A	----	196.50 - 10.70	.3746	----	----	----	----	15 UNCH
4560	----	----	226.80B/189.60A	226.80B/189.60A	----	198.50 - 10.70	.3774	----	----	----	----	17 UNCH
4565	----	----	228.90B/191.50A	228.90B/191.50A	----	200.50 - 10.70	.3802	----	----	----	----	104 UNCH
4570	----	----	231.10B/193.20A	231.10B/193.20A	----	202.50 - 10.80	.3831	----	----	----	----	8 UNCH
4575	----	----	233.20B/195.10A	233.20B/195.10A	----	204.50 - 10.80	.3859	----	----	----	----	11 UNCH
4580	----	----	235.50B/197.20A	235.50B/197.20A	----	206.50 - 10.90	.3887	----	----	----	----	2 UNCH
4585	----	----	237.80B/198.90A	237.80B/198.90A	----	208.60 - 10.90	.3916	----	----	----	----	4 UNCH
4590	----	----	240.00B/201.00A	240.00B/201.00A	----	210.70 - 10.80	.3944	----	----	----	----	5 UNCH
4595	----	----	242.20B/202.80A	242.20B/202.80A	----	212.80 - 10.90	.3973	----	----	----	----	33 UNCH
4600	214.20	214.20	244.50B/204.20A	244.50B/204.20A	----	214.90 - 10.90	.4001	----	----	13	----	1122 - 9
4605	----	----	246.70B/207.10A	246.70B/207.10A	----	217.00 - 10.90	.4030	----	----	----	----	1 UNCH
4610	----	----	249.00B/208.70A	249.00B/208.70A	----	219.10 - 11.00	.4059	----	----	----	----	143 UNCH
4615	----	----	251.40B/210.80A	251.40B/210.80A	----	221.20 - 11.10	.4088	----	----	----	----	12 UNCH
4620	----	----	253.70B/212.80A	253.70B/212.80A	----	223.40 - 11.10	.4116	----	----	----	----	45 UNCH
4625	225.20	225.20	256.10B/214.90A	256.10B/214.90A	----	225.60 - 11.10	.4145	----	----	2	----	27 + 2
4635	245.00	245.00	260.90B/219.00A	260.90B/219.00A	----	230.00 - 11.10	.4203	----	----	3	----	127 UNCH
4640	----	----	263.30B/221.10A	263.30B/221.10A	----	232.20 - 11.20	.4233	----	----	----	----	51 UNCH
4645	----	----	265.70B/223.20A	265.70B/223.20A	----	234.50 - 11.20	.4262	----	----	----	----	10 UNCH
4650	234.00	234.00	268.20B/225.30A	268.20B/225.30A	----	236.70 - 11.20	.4291	----	----	2	----	117 + 2
4655	----	----	270.60B/228.00A	270.60B/228.00A	----	239.00 - 11.20	.4320	----	----	----	----	2 UNCH
4660	----	----	273.10B/229.60A	273.10B/229.60A	----	241.30 - 11.30	.4349	----	----	----	----	58 UNCH
4665	----	----	275.50B/231.80A	275.50B/231.80A	----	243.60 - 11.30	.4379	----	----	----	----	20 UNCH
4670	260.00	260.00	278.10B/233.90A	278.10B/233.90A	----	245.90 - 11.40	.4408	----	----	1	----	100 UNCH
4675	----	----	280.60B/236.20A	280.60B/236.20A	----	248.20 - 11.40	.4437	----	----	----	----	69 UNCH
4680	----	----	283.10B/238.40A	283.10B/238.40A	----	250.60 - 11.40	.4467	----	----	----	----	8 UNCH
4685	----	----	285.60B/240.70A	285.60B/240.70A	----	253.00 - 11.40	.4496	----	----	----	----	6 UNCH
4695	----	----	290.90B/245.30A	290.90B/245.30A	----	257.70 - 11.60	.4555	----	----	----	----	162 UNCH
4700	290.80	290.80	294.10B/247.10A	294.10B/247.10A	----	260.10 - 11.60	.4585	----	----	11	----	420 + 6
4705	----	----	296.80B/249.90A	296.80B/249.90A	----	262.60 - 11.60	.4614	----	----	----	----	6 UNCH
4710	----	----	299.30B/252.20A	299.30B/252.20A	----	265.00 - 11.70	.4644	----	----	----	----	120 UNCH
4715	----	----	301.80B/254.90A	301.80B/254.90A	----	267.40 - 11.80	.4674	----	----	----	----	1 UNCH
4720	----	----	304.70B/256.90A	304.70B/256.90A	----	269.90 - 11.80	.4703	----	----	----	----	9 UNCH
4725	----	----	307.40B/259.20A	307.40B/259.20A	----	272.40 - 11.80	.4733	----	----	----	----	205 UNCH
4730	275.40	275.40	305.20B/261.20A	305.20B/261.20A	----	274.90 - 11.90	.4763	----	----	2	----	291 UNCH
4735	----	----	308.20B/263.70A	308.20B/263.70A	----	277.40 - 11.90	.4792	----	----	----	----	11 UNCH
4740	278.70	278.70	310.90B/266.40A	310.90B/266.40A	----	280.00 - 11.90	.4822	----	----	22	----	159 - 4
4745	----	----	313.60B/268.70A	313.60B/268.70A	----	282.60 - 11.90	.4851	----	----	----	----	115 UNCH
4750	285.80	285.80	316.40B/270.70A	316.40B/270.70A	----	285.10 - 12.00	.4881	----	----	30	----	406 + 25
4755	----	----	318.80B/273.50A	318.80B/273.50A	----	287.70 - 12.10	.4911	----	----	----	----	9 UNCH
4760	----	----	321.40B/276.10A	321.40B/276.10A	----	290.40 - 12.00	.4940	----	----	----	----	28 UNCH
4765	----	----	324.30B/278.60A	324.30B/278.60A	----	293.00 - 12.10	.4970	----	----	----	----	30 UNCH
4770	----	----	326.70B/281.70A	326.70B/281.70A	----	295.60 - 12.10	.4999	----	----	----	----	1 UNCH
4775	----	----	330.30B/283.60A	330.30B/283.60A	----	298.30 - 12.10	.5029	----	----	----	----	43 UNCH
4780	----	----	333.00B/286.20A	333.00B/286.20A	----	301.00 - 12.20	.5059	----	----	----	----	30 UNCH
4785	----	----	336.00B/288.70A	336.00B/288.70A	----	303.70 - 12.20	.5088	----	----	----	----	15 UNCH
4790	----	----	339.10B/292.10A	339.10B/292.10A	----	306.40 - 12.20	.5118	----	----	----	----	1 UNCH
4795	----	----	342.50B/293.80A	342.50B/293.80A	----	309.20 - 12.20	.5147	----	----	----	----	7 UNCH
4800	----	----	343.60B/295.90A	343.60B/295.90A	----	311.90 - 12.30	.5177	----	----	1	----	1279 + 1
4805	----	----	345.50B/299.90A	345.50B/299.90A	----	314.70 - 12.30	.5206	----	----	----	----	1 UNCH
4810	----	----	348.50B/301.70A	348.50B/301.70A	----	317.50 - 12.30	.5235	----	----	----	----	6 UNCH
4815	----	----	351.40B/305.50A	351.40B/305.50A	----	320.30 - 12.30	.5265	----	----	----	----	1 UNCH
4820	----	----	354.40B/307.20A	354.40B/307.20A	----	323.10 - 12.30	.5294	----	----	----	----	102 UNCH
4825	----	----	357.30B/310.60A	357.30B/310.60A	----	326.00 - 12.30	.5323	----	----	----	----	1 UNCH
4840	----	----	366.30B/317.90A	366.30B/317.90A	----	334.60 - 12.30	.5411	----	----	----	----	8 UNCH
4845	----	----	369.30B/320.80A	369.30B/320.80A	----	337.50 - 12.40	.5440	----	----	----	----	69 UNCH
4850	----	----	372.70B/323.60A	372.70B/323.60A	----	340.40 - 12.40	.5469	----	----	----	----	214 UNCH
4860	----	----	378.60B/329.90A	378.60B/329.90A	----	346.30 - 12.40	.5527	----	----	----	----	1 UNCH
4865	----	----	381.80B/332.70A	381.80B/332.70A	----	349.30 - 12.40	.5556	----	----	----	----	2 UNCH
4870	----	----	384.90B/334.60A	384.90B/334.60A	----	352.30 - 12.40	.5585	----	----	----	----	318 UNCH
4875	----	----	388.10B/337.40A	388.10B/337.40A	----	355.30 - 12.40	.5613	----	----	----	----	70 UNCH
4880	----	----	390.60B/340.50A	390.60B/340.50A	----	358.30 - 12.40	.5642	----	----	----	----	11 UNCH
4890	----	----	396.60B/346.30A	396.60B/346.30A	----	364.40 - 12.40	.5699	----	----	----	----	3 UNCH
4895	----	----	400.70B/349.40A	400.70B/349.40A	----	367.50 - 12.40	.5728	----	----	----	----	61 UNCH
4900	370.00	370.00	403.90B/352.00A	403.90B/352.00A	----	370.60 - 12.40	.5756	----	----	1	----	261 - 1
4905	----	----	406.60B/355.00A	406.60B/355.00A	----	373.70 - 12.40	.5785	----	----	----	----	5 UNCH
4910	----	----	409.40B/360.30A	409.40B/360.30A	----	376.80 - 12.40	.5813	----	----	----	----	2 UNCH
4915	----	----	412.60B/363.10A	412.60B/363.10A	----	379.90 - 12.40	.5841	----	----	----	----	6 UNCH
4920	----	----	416.90B/366.00A	416.90B/366.00A	----	383.00 - 12.50	.5869	----	----	----	----	22 UNCH
4925	----	----	420.20B/369.00A	420.20B/369.00A	----	386.20 - 12.40	.5897	----	----	----	----	11 UNCH
4930	----	----	422.50B/372.20A	422.50B/372.20A	----	389.40 - 12.40	.5925	----	----	----	----	272 UNCH
4935	----	----	422.00B/375.30A	422.00B/375.30A	----	392.60 - 12.40	.5953	----	----	----	----	4 UNCH
4940	----	----	422.30B/378.30A	422.30B/378.30A	----	395.80 - 12.40	.5981	----	----	----	----	11 UNCH
4950	----	----	423.50B/384.30A	423.50B/384.30A	----	402.20 - 12.50	.6036	----	----	----	----	106 UNCH
4975	----	----	----/400.60A	426.10B/400.60A	----	418.70 - 12.40	.6173	----	----	----	----	2 UNCH
4980	----	----	----/403.60A	427.40B/403.60A	----	422.00 - 12.40	.6200	----	----	----	----	6 UNCH
4985	----	----	----/406.90A	430.70B/406.90A	----	425.30 - 12.40	.6227	----	----	----	----	104 UNCH
4990	----	----	----/410.30A	433.90B/410.30A	----	428.70 - 12.40	.6254	----	----	----	----	2 UNCH
4995	----	----	----/413.50A	437.20B/413.50A	----	432.10 - 12.30	.6280	----	----	----	----	8 UNCH
5000	----	----	----/416.70A	444.60B/416.70A	----	435.50 - 12.30	.6307	----	----	----	----	553 UNCH
5005	----	----	----/419.90A	444.00B/419.90A	----	438.90 - 12.30	.6334	----	----	----	----	12 UNCH
5010	----	----	----/423.10A	447.50B/423.10A	----	442.30 - 12.30	.6360	----	----	----	----	9 UNCH
5015	----	----	----/426.50A	450.60B/426.50A	----	445.70 - 12.30	.6387	----	----	----	----	20 UNCH
5020	----	----	----/429.80A	454.40B/429.80A	----	449.10 - 12.40	.6413	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 17

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
5025	----	----	----/433.30A	457.50B/433.30A	----	452.60 - 12.30	.6439	----	----	----	----	150 UNCH
5030	----	----	----/436.60A	461.00B/436.60A	----	456.10 - 12.30	.6465	----	----	----	----	8 UNCH
5035	----	----	----/439.90A	464.50B/439.90A	----	459.60 - 12.30	.6491	----	----	----	----	37 UNCH
5045	----	----	----/446.70A	471.60B/446.70A	----	466.60 - 12.30	.6542	----	----	----	----	5 UNCH
5050	----	----	----/450.40A	475.10B/450.40A	----	470.10 - 12.30	.6567	----	----	----	----	79 UNCH
5055	----	----	----/453.70A	478.60B/453.70A	----	473.60 - 12.30	.6593	----	----	----	----	3 UNCH
5065	----	----	----/460.50A	485.80B/460.50A	----	480.80 - 12.20	.6644	----	----	----	----	10 UNCH
5075	----	----	----/467.50A	493.00B/467.50A	----	487.90 - 12.20	.6694	----	----	----	----	6 UNCH
5080	----	----	----/471.10A	496.60B/471.10A	----	491.50 - 12.20	.6718	----	----	----	----	2 UNCH
5085	----	----	----/474.50A	500.50B/474.50A	----	495.20 - 12.10	.6743	----	----	----	----	21 UNCH
5090	----	----	----/478.00A	504.20B/478.00A	----	498.80 - 12.10	.6768	----	----	----	----	6 UNCH
5095	----	----	----/481.50A	507.50B/481.50A	----	502.40 - 12.20	.6792	----	----	----	----	42 UNCH
5100	----	----	----/485.10A	511.20B/485.10A	----	506.10 - 12.10	.6816	----	----	----	----	106 UNCH
5105	----	----	----/488.70A	514.90B/488.70A	----	509.80 - 12.10	.6840	----	----	----	----	22 UNCH
5110	----	----	----/492.30A	518.50B/492.30A	----	513.50 - 12.00	.6864	----	----	----	----	16 UNCH
5115	----	----	----/495.80A	522.30B/495.80A	----	517.20 - 12.00	.6889	----	----	----	----	37 UNCH
5120	----	----	----/499.40A	526.00B/499.40A	----	520.90 - 12.00	.6913	----	----	----	----	14 UNCH
5125	----	----	----/503.00A	529.70B/503.00A	----	524.60 - 12.00	.6936	----	----	----	----	37 UNCH
5130	----	----	----/506.70A	533.40B/506.70A	----	528.30 - 12.00	.6959	----	----	----	----	23 UNCH
5135	----	----	----/510.30A	537.20B/510.30A	----	532.10 - 12.00	.6983	----	----	----	----	9 UNCH
5140	----	----	----/514.00A	540.90B/514.00A	----	535.80 - 12.00	.7007	----	----	----	----	19 UNCH
5145	----	----	----/517.70A	544.70B/517.70A	----	539.60 - 11.90	.7030	----	----	----	----	2 UNCH
5150	----	----	----/521.30A	548.50B/521.30A	----	543.40 - 11.90	.7053	----	----	----	----	233 UNCH
5155	----	----	----/525.10A	552.30B/525.10A	----	547.20 - 11.90	.7075	----	----	----	----	42 UNCH
5160	----	----	----/528.70A	552.20B/528.70A	----	551.00 - 11.90	.7098	----	----	----	----	42 UNCH
5170	----	----	----/536.20A	559.80B/536.20A	----	558.60 - 11.90	.7144	----	----	----	----	51 UNCH
5175	----	----	----/539.90A	563.70B/539.90A	----	562.50 - 11.80	.7166	----	----	----	----	61 UNCH
5180	----	----	----/543.60A	567.50B/543.60A	----	566.30 - 11.80	.7188	----	----	----	----	10 UNCH
5185	----	----	----/547.40A	571.30B/547.40A	----	570.20 - 11.80	.7211	----	----	----	----	103 UNCH
5190	----	----	----/551.10A	575.20B/551.10A	----	574.10 - 11.70	.7233	----	----	----	----	19 UNCH
5200	----	----	----/565.50A	582.90B/565.50A	----	581.90 - 11.70	.7276	----	----	----	----	64 UNCH
5225	----	----	----/584.70A	602.40B/584.70A	----	601.50 - 11.60	.7382	----	----	----	----	42 UNCH
5230	----	----	----	422.50B/771.00A	----	605.50 - 11.50	.7403	----	----	----	----	2 UNCH
5235	----	----	----/592.40A	610.30B/592.40A	----	609.50 - 11.50	.7424	----	----	----	----	23 UNCH
5245	----	----	----	434.70B/778.10A	----	617.40 - 11.50	.7465	----	----	----	----	2 UNCH
5250	----	----	----/604.10A	622.20B/604.10A	----	621.40 - 11.50	.7485	----	----	----	----	14 UNCH
5255	----	----	----/608.10A	626.20B/608.10A	----	625.50 - 11.40	.7505	----	----	----	----	14 UNCH
5285	----	----	----	467.90B/815.10A	----	649.80 - 11.20	.7623	----	----	----	----	2 UNCH
5290	----	----	----/635.90A	654.30B/635.90A	----	653.80 - 11.30	.7643	----	----	----	----	4 UNCH
5295	----	----	----	476.30B/825.40A	----	657.90 - 11.20	.7662	----	----	----	----	2 UNCH
5300	----	----	----/643.90A	662.50B/643.90A	----	662.00 - 11.20	.7681	----	----	----	----	67 UNCH
5315	----	----	----/656.00A	674.80B/656.00A	----	674.40 - 11.10	.7737	----	----	----	----	10 UNCH
5325	----	----	----	501.70B/852.10A	----	682.70 - 11.00	.7774	----	----	----	----	1 UNCH
5350	----	----	----/684.60A	703.70B/684.60A	----	703.60 - 10.80	.7864	----	----	----	----	8 UNCH
5375	----	----	----/705.30A	724.60B/705.30A	----	724.70 - 10.70	.7950	----	----	----	----	7 UNCH
5390	----	----	----/717.90A	737.30B/717.90A	----	737.40 - 10.60	.7999	----	----	----	----	5 UNCH
5400	----	----	----/721.90A	752.90B/721.90A	----	746.00 - 10.50	.8032	----	----	----	----	602 UNCH
5410	----	----	----	575.90B/931.60A	----	754.50 - 10.50	.8064	----	----	----	----	1 UNCH
5440	----	----	----	602.60B/956.60A	----	780.40 - 10.30	.8158	----	----	----	----	1 UNCH
5475	----	----	----/790.30A	810.50B/790.30A	----	811.00 - 10.10	.8262	----	----	----	----	6 UNCH
5500	----	----	----/811.90A	832.60B/811.90A	----	833.00 - 9.90	.8331	----	----	----	----	3 UNCH
5505	----	----	----	661.60B/1011.70A	----	837.40 - 9.90	.8346	----	----	----	----	1 UNCH
5510	----	----	----	666.20B/1016.00A	----	841.90 - 9.80	.8359	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1394.30 - 6.70	.9338	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1418.50 - 6.60	.9359	----	----	----	----	2 UNCH
TOTAL										552		29692 + 184
AUG26												
2300	2.70	2.70	2.70/2.70	2.70/2.70	----	2.60 - 0.30	.0051	----	----	1	----	31 + 1
2325	----	----	----	2.30B/3.50A	----	3.00 - 0.40	.0058	----	----	----	----	1 UNCH
2350	----	----	----	2.50B/3.70A	----	3.10 - 0.40	.0060	----	----	----	----	2 UNCH
2375	----	----	----	2.60B/3.80A	----	3.10 - 0.40	.0061	----	----	----	----	7 UNCH
2400	----	----	----	2.70B/3.90A	----	3.30 - 0.40	.0065	----	----	----	----	5 UNCH
2425	----	----	----	2.80B/4.10A	----	3.40 - 0.40	.0068	----	----	----	----	1 UNCH
2475	----	----	----	3.10B/4.40A	----	3.70 - 0.50	.0074	----	----	----	----	5 UNCH
2500	----	----	----	3.30B/4.50A	----	3.80 - 0.50	.0077	----	----	----	----	2 UNCH
2570	----	----	----	3.80B/4.90A	----	4.40 - 0.50	.0090	----	----	----	----	9 UNCH
2580	----	----	----	3.80B/5.00A	----	4.40 - 0.60	.0090	----	----	----	----	1 UNCH
2590	----	----	----	3.90B/5.10A	----	4.50 - 0.50	.0092	----	----	----	----	2 UNCH
2600	----	----	----	3.90B/5.10A	----	4.50 - 0.50	.0093	----	----	----	----	2 UNCH
2615	----	----	----	4.10B/5.20A	----	4.70 - 0.50	.0097	----	----	----	----	1 UNCH
2625	----	----	----	4.10B/5.40A	----	4.70 - 0.60	.0097	----	----	----	----	2 UNCH
2640	----	----	----/5.40A	4.30B/5.40A	----	4.90 - 0.60	.0101	----	----	----	----	1 UNCH
2685	----	----	----	4.70B/5.90A	----	5.20 - 0.60	.0109	----	----	----	----	1 UNCH
2690	----	----	----	4.70B/5.90A	----	5.20 - 0.60	.0109	----	----	----	----	1 UNCH
2730	----	----	----	5.10B/6.30A	----	5.70 - 0.60	.0120	----	----	----	----	1 UNCH
2745	----	----	----	5.20B/6.50A	----	5.80 - 0.60	.0123	----	----	----	----	1 UNCH
2750	----	----	----	5.30B/6.50A	----	5.90 - 0.60	.0125	----	----	----	----	4 UNCH
2800	----	----	----	5.90B/7.10A	----	6.50 - 0.60	.0138	----	----	----	----	30 UNCH
2860	----	----	----	6.80B/7.90A	----	7.30 - 0.60	.0156	----	----	----	----	1 UNCH
2950	----	----	----/9.30A	8.20B/9.30A	----	8.70 - 0.70	.0188	----	----	----	----	8 UNCH
3000	----	----	----/10.20A	9.10B/10.20A	----	9.60 - 0.80	.0208	----	----	----	----	262 UNCH
3005	----	----	----/10.30A	9.20B/10.30A	----	9.70 - 0.80	.0210	----	----	----	----	5 UNCH
3010	----	----	----/10.40A	9.20B/10.40A	----	9.80 - 0.80	.0212	----	----	----	----	1 UNCH
3015	----	----	----/10.50A	9.30B/10.50A	----	9.90 - 0.80	.0215	----	----	----	----	1 UNCH
3025	----	----	----/10.70A	9.60B/10.70A	----	10.10 - 0.90	.0219	----	----	----	----	5 UNCH
3040	----	----	----/11.00A	10.00B/11.00A	----	10.50 - 0.80	.0228	----	----	----	----	1 UNCH
3065	----	----	----/11.60A	10.60B/11.60A	----	11.00 - 0.90	.0239	----	----	----	----	1 UNCH
3090	----	----	----/12.20A	11.20B/12.20A	----	11.60 - 1.00	.0252	----	----	----	----	1 UNCH
3095	----	----	----/12.30A	11.30B/12.30A	----	11.70 - 1.00	.0254	----	----	----	----	1 UNCH
3100	----	----	----/12.40A	11.50B/12.40A	----	11.80 - 1.00	.0257	----	----	----	----	137 UNCH
3110	----	----	----/12.70A	11.70B/12.70A	----	12.10 - 1.00	.0263	----	----	----	----	15 UNCH
3120	12.00	12.00	12.00/12.00	12.10B/12.00	----	12.30 - 1.10	.0268	----	----	1	----	29 - 1
3130	----	----	----/13.10A	12.20B/13.10A	----	12.60 - 1.10	.0274	----	----	----	----	5 UNCH
3150	----	----	----/13.70A	12.90B/13.70A	----	13.10 - 1.20	.0285	----	----	----	----	10 UNCH
3155	----	----	----/13.70A	13.00B/13.70A	----	13.30 - 1.10	.0289	----	----	----	----	3 UNCH
3160	----	----	----/13.90A	13.10B/13.90A	----	13.40 - 1.20	.0292	----	----	----	----	1 UNCH
3170	----	----	----/14.20A	13.40B/14.20A	----	13.70 - 1.20	.0298	----	----	----	----	1 UNCH
3180	----	----	----/14.50A	13.70B/14.50A	----	14.00 - 1.20	.0305	----	----	----	----	25 UNCH
3185	----	----	----/14.60A	13.80B/14.60A	----	14.10 - 1.30	.0307	----	----	----	----	1 UNCH
3190	----	----	----/14.80A	14.00B/14.80A	----	14.30 - 1.30	.0311	----	----	----	----	20 UNCH
3195	----	----	----/14.90A	14.20B/14.90A	----	14.40 - 1.30	.0314	----	----	----	----	1 UNCH
3200	----	----	----/15.10A	14.40B/15.10A	----	14.60 - 1.30	.0318	----	----	----	----	406 UNCH
3250	----	----	----/16.60A	16.10B/16.60A	----	16.20 - 1.50	.0353	----	----	----	----	405 UNCH
3260	----	----	----/17.00A	17.70B/17.00A	----	16.60 - 1.50	.0361	----	----	----	----	30 UNCH
3300	----	----	----/18.40A	18.00B/18.40A	----	18.00 - 1.70	.0392	----	----	----	----	157 UNCH
3350	20.70	20.70	20.70/19.60A	20.70/19.60A	----	20.10 - 1.80	.0437	----	----	57	----	371 + 37
3370	----	----	----/21.50A	20.90B/21.50A	----	21.00 - 1.90	.0456	----	----	----	----	1 UNCH
3375	----	----	----/21.70A	21.30B/21.70A	----	21.20 - 2.00	.0460	----	----	----	----	15 UNCH
3380	----	----	----/21.90A	21.40B/21.90A	----	21.40 - 2.00	.0465	----	----	----	----	1 UNCH
3390	----	----	----/22.40A	21.90B/22.40A	----	21.90 - 2.00	.0475	----	----	----	----	1 UNCH
3400	22.20	22.20	22.20/22.20	23.70B/22.20	----	22.40 - 2.00	.0485	----	----	2	----	23 UNCH
3405	----	----	----/23.10A	24.60B/23.10A	----	22.60 - 2.10	.0490	----	----	----	----	4 UNCH
3450	----	----	27.60B/25.30A	27.60B/25.30A	----	24.90 - 2.30	.0538	----	----	----	----	1 UNCH
3465	----	----	29.80B/25.60A	29.80B/25.60A	----	25.70 - 2.40	.0555	----	----	----	----	6 UNCH
3470	----	----	30.30B/25.90A	30.30B/25.90A	----	26.00 - 2.40	.0561	----	----	----	----	1 UNCH
3495	----	----	32.10B/27.40A	32.10B/27.40A	----	27.50 - 2.50	.0592	----	----	----	----	1 UNCH
3500	28.20	28.20	32.30B/26.90	32.30B/26.90	----	27.80 - 2.50	.0598	----	----	9	----	521 - 5
3505	34.50	34.50	34.50/28.00A	34.50/28.00A	----	28.10 NEW	.0604	----	----	1	----	1 + 1
3510	----	----	33.20B/28.20A	33.20B/28.20A	----	28.40 - 2.50	.0611	----	----	----	----	50 UNCH
3520	----	----	33.80B/28.80A	33.80B/28.80A	----	29.00 - 2.60	.0623	----	----	----	----	210 UNCH
3525	----	----	34.10B/29.10A	34.10B/29.10A	----	29.30 - 2.70	.0629	----	----	----	----	60 UNCH
3545	----	----	35.90B/30.40A	35.90B/30.40A	----	30.60 - 2.80	.0656	----	----	----	----	9 UNCH
3550	----	----	36.40B/30.80A	36.40B/30.80A	----	30.90 - 2.80	.0662	----	----	----	----	115 UNCH
3570	----	----	37.90B/32.10A	37.90B/32.10A	----	32.30 - 2.90	.0691	----	----	----	----	32 UNCH
3575	----	----	38.30B/32.50A	38.30B/32.50A	----	32.70 - 2.90	.0698	----	----	----	----	20 UNCH
3585	----	----	39.10B/33.20A	39.10B/33.20A	----	33.40 - 3.00	.0713	----	----	----	----	50 UNCH
3600	----	----	40.50B/34.20A	40.50B/34.20A	----	34.50 - 3.00	.0735	----	----	1	----	687 UNCH
3610	----	----	41.30B/35.00A	41.30B/35.00A	----	35.20 - 3.20	.0749	----	----	----	----	1 UNCH
3630	----	----	43.10B/36.40A	43.10B/36.40A	----	36.80 - 3.20	.0781	----	----	----	----	8 UNCH
3645	----	----	44.70B/37.70A	44.70B/37.70A	----	38.00 - 3.30	.0805	----	----	----	----	22 UNCH
3650	38.20	38.20	45.10B/38.10A	45.10B/38.10A	----	38.40 - 3.40	.0813	----	----	13	----	40 + 13
3655	----	----	45.70B/38.50A	45.70B/38.50A	----	38.80 - 3.40	.0821	----	----	----	----	55 UNCH
3660	----	----	46.10B/38.90A	46.10B/38.90A	----	39.30 - 3.40	.0830	----	----	----	----	9 UNCH
3665	----	----	46.70B/39.30A	46.70B/39.30A	----	39.70 - 3.50	.0839	----	----	----	----	1 UNCH
3675	----	----	47.60B/40.20A	47.60B/40.20A	----	40.60 - 3.50	.0856	----	----	----	----	24 UNCH
3690	----	----	49.50B/41.50A	49.50B/41.50A	----	41.90 - 3.60	.0882	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3700	----	----	50.30B/42.40A	50.30B/42.40A	----	42.80 - 3.70	.0900	----	----	----	----	221 UNCH
3705	----	----	50.90B/42.90A	50.90B/42.90A	----	43.30 - 3.70	.0909	----	----	----	----	20 UNCH
3715	----	----	52.00B/43.80A	52.00B/43.80A	----	44.20 - 3.80	.0927	----	----	----	----	30 UNCH
3725	----	----	53.20B/44.70A	53.20B/44.70A	----	45.20 - 3.90	.0946	----	----	----	----	4 UNCH
3730	----	----	53.80B/45.20A	53.80B/45.20A	----	45.70 - 3.90	.0956	----	----	----	----	10 UNCH
3750	----	----	56.10B/47.10A	56.10B/47.10A	----	47.70 - 4.00	.0994	----	----	----	----	68 UNCH
3765	----	----	58.00B/48.70A	58.00B/48.70A	----	49.30 - 4.10	.1025	----	----	----	----	100 UNCH
3770	----	----	58.70B/49.20A	58.70B/49.20A	----	49.80 - 4.20	.1034	----	----	----	----	4 UNCH
3775	----	----	59.30B/49.70A	59.30B/49.70A	----	50.30 - 4.30	.1044	----	----	----	----	12 UNCH
3795	----	----	61.90B/51.80A	61.90B/51.80A	----	52.50 - 4.40	.1086	----	----	----	----	80 UNCH
3800	----	----	62.60B/52.40A	62.60B/52.40A	----	53.10 - 4.40	.1097	----	----	----	----	317 UNCH
3805	----	----	63.20B/52.90A	63.20B/52.90A	----	53.70 - 4.40	.1108	----	----	----	----	4 UNCH
3810	----	----	64.00B/53.50A	64.00B/53.50A	----	54.20 - 4.60	.1118	----	----	----	----	50 UNCH
3815	----	----	64.50B/54.10A	64.50B/54.10A	----	54.80 - 4.60	.1129	----	----	----	----	150 UNCH
3820	----	----	65.30B/54.70A	65.30B/54.70A	----	55.40 - 4.60	.1140	----	----	----	----	52 UNCH
3825	----	----	66.00B/55.30A	66.00B/55.30A	----	56.00 - 4.60	.1152	----	----	----	----	51 UNCH
3835	----	----	67.40B/56.40A	67.40B/56.40A	----	57.20 - 4.70	.1174	----	----	----	----	10 UNCH
3850	----	----	69.50B/58.20A	69.50B/58.20A	----	59.10 - 4.80	.1209	----	----	----	----	130 UNCH
3855	----	----	70.40B/58.80A	70.40B/58.80A	----	59.70 - 4.90	.1220	----	----	----	----	3 UNCH
3875	----	----	73.40B/61.30A	73.40B/61.30A	----	62.30 - 5.10	.1268	----	----	----	----	10 UNCH
3880	----	----	74.10B/62.00A	74.10B/62.00A	----	63.00 - 5.10	.1280	----	----	----	----	297 UNCH
3890	----	----	75.60B/63.30A	75.60B/63.30A	----	64.30 - 5.20	.1305	----	----	----	----	73 UNCH
3900	----	----	77.30B/64.60A	77.30B/64.60A	----	65.70 - 5.30	.1330	----	----	----	----	307 UNCH
3910	----	----	78.90B/65.90A	78.90B/65.90A	----	67.10 - 5.30	.1355	----	----	----	----	1 UNCH
3925	----	----	81.10B/67.90A	81.10B/67.90A	----	69.20 - 5.50	.1393	----	----	----	----	10 UNCH
3930	----	----	82.10B/68.60A	82.10B/68.60A	----	70.00 - 5.50	.1407	----	----	----	----	38 UNCH
3950	----	----	85.60B/71.40A	85.60B/71.40A	----	73.00 - 5.70	.1460	----	----	----	----	246 UNCH
3965	----	----	88.20B/73.60A	88.20B/73.60A	----	75.30 - 5.80	.1501	----	----	----	----	14 UNCH
3975	----	----	90.00B/75.00A	90.00B/75.00A	----	76.90 - 5.90	.1529	----	----	----	----	267 UNCH
3980	----	----	90.90B/75.80A	90.90B/75.80A	----	77.70 - 6.00	.1543	----	----	----	----	46 UNCH
3985	----	----	91.70B/76.60A	91.70B/76.60A	----	78.50 - 6.00	.1557	----	----	----	----	1 UNCH
3990	----	----	92.70B/77.50A	92.70B/77.50A	----	79.30 - 6.10	.1572	----	----	----	----	44 UNCH
3995	86.60	86.60	93.60B/78.20A	93.60B/78.20A	----	80.10 - 6.20	.1586	----	----	2	----	4 UNCH
4000	81.70	81.70	94.60B/79.10A	94.60B/79.10A	----	81.00 - 6.10	.1601	----	----	28	----	1247 + 1
4005	----	----	95.40B/79.90A	95.40B/79.90A	----	81.80 - 6.20	.1615	----	----	----	----	3 UNCH
4010	----	----	96.50B/80.60A	96.50B/80.60A	----	82.70 - 6.20	.1630	----	----	----	----	78 UNCH
4025	----	----	99.30B/83.20A	99.30B/83.20A	----	85.30 - 6.40	.1675	----	----	----	----	90 UNCH
4030	----	----	100.40B/83.90A	100.40B/83.90A	----	86.10 - 6.50	.1689	----	----	----	----	50 UNCH
4040	----	----	102.40B/85.60A	102.40B/85.60A	----	87.90 - 6.60	.1720	----	----	----	----	15 UNCH
4045	----	----	103.50B/86.50A	103.50B/86.50A	----	88.80 - 6.60	.1735	----	----	----	----	30 UNCH
4050	----	----	104.40B/87.40A	104.40B/87.40A	----	89.80 - 6.60	.1751	----	----	----	----	302 UNCH
4075	----	----	109.70B/92.00A	109.70B/92.00A	----	94.50 - 6.80	.1831	----	----	----	----	5 UNCH
4095	----	----	114.10B/95.70A	114.10B/95.70A	----	98.40 - 7.00	.1896	----	----	----	----	4 UNCH
4100	----	----	115.20B/96.50A	115.20B/96.50A	----	99.40 - 7.10	.1912	----	----	10	----	90 + 9
4110	----	----	117.50B/98.60A	117.50B/98.60A	----	101.40 - 7.20	.1945	----	----	----	----	1 UNCH
4120	----	----	119.80B/100.70A	119.80B/100.70A	----	103.50 - 7.20	.1979	----	----	----	----	1 UNCH
4130	----	----	122.10B/102.70A	122.10B/102.70A	----	105.60 - 7.30	.2014	----	----	----	----	5 UNCH
4135	----	----	123.30B/103.80A	123.30B/103.80A	----	106.60 - 7.40	.2030	----	----	----	----	20 UNCH
4140	----	----	124.50B/104.80A	124.50B/104.80A	----	107.70 - 7.40	.2048	----	----	----	----	1 UNCH
4145	----	----	125.70B/105.80A	125.70B/105.80A	----	108.80 - 7.50	.2065	----	----	----	----	20 UNCH
4150	----	----	127.00B/106.90A	127.00B/106.90A	----	109.90 - 7.50	.2083	----	----	----	----	329 UNCH
4160	----	----	129.40B/108.80A	129.40B/108.80A	----	112.10 - 7.60	.2118	----	----	----	----	49 UNCH
4165	----	----	130.60B/110.00A	130.60B/110.00A	----	113.20 - 7.70	.2136	----	----	----	----	100 UNCH
4170	----	----	131.80B/111.20A	131.80B/111.20A	----	114.40 - 7.60	.2155	----	----	----	----	77 UNCH
4175	130.20	130.20	133.20B/112.20A	133.20B/112.20A	----	115.50 - 7.70	.2173	----	----	1	----	25 UNCH
4180	----	----	134.40B/113.40A	134.40B/113.40A	----	116.70 - 7.70	.2191	----	----	----	----	91 UNCH
4185	----	----	135.70B/114.40A	135.70B/114.40A	----	117.80 - 7.80	.2209	----	----	----	----	40 UNCH
4190	----	----	137.00B/115.50A	137.00B/115.50A	----	119.00 - 7.80	.2228	----	----	----	----	140 UNCH
4195	----	----	138.30B/116.60A	138.30B/116.60A	----	120.20 - 7.80	.2246	----	----	----	----	143 UNCH
4200	----	----	139.60B/117.90A	139.60B/117.90A	----	121.40 - 7.90	.2265	----	----	----	----	176 UNCH
4205	----	----	141.00B/119.00A	141.00B/119.00A	----	122.60 - 7.90	.2284	----	----	----	----	13 UNCH
4215	----	----	143.60B/121.30A	143.60B/121.30A	----	125.00 - 8.00	.2321	----	----	----	----	1 UNCH
4220	----	----	145.00B/122.40A	145.00B/122.40A	----	126.20 - 8.10	.2340	----	----	----	----	9 UNCH
4225	----	----	146.40B/123.60A	146.40B/123.60A	----	127.50 - 8.00	.2359	----	----	----	----	1 UNCH
4230	----	----	147.70B/124.80A	147.70B/124.80A	----	128.70 - 8.10	.2378	----	----	----	----	10 UNCH
4245	----	----	152.00B/128.40A	152.00B/128.40A	----	132.50 - 8.20	.2436	----	----	----	----	32 UNCH
4250	----	----	153.40B/129.50A	153.40B/129.50A	----	133.80 - 8.30	.2456	----	----	10	----	213 + 10
4255	----	----	154.90B/130.90A	154.90B/130.90A	----	135.10 - 8.30	.2476	----	----	----	----	2 UNCH
4260	----	----	156.30B/132.20A	156.30B/132.20A	----	136.40 - 8.30	.2496	----	----	----	----	8 UNCH
4285	----	----	163.80B/138.70A	163.80B/138.70A	----	143.20 - 8.40	.2597	----	----	----	----	170 UNCH
4290	----	----	165.20B/140.00A	165.20B/140.00A	----	144.50 - 8.50	.2616	----	----	----	----	2 UNCH
4295	----	----	166.90B/141.30A	166.90B/141.30A	----	145.90 - 8.50	.2637	----	----	----	----	2 UNCH
4300	----	----	168.50B/142.80A	168.50B/142.80A	----	147.30 - 8.60	.2658	----	----	----	----	428 UNCH
4305	----	----	169.80B/144.00A	169.80B/144.00A	----	148.70 - 8.60	.2678	----	----	----	----	100 UNCH
4310	----	----	171.50B/145.20A	171.50B/145.20A	----	150.20 - 8.50	.2699	----	----	----	----	1 UNCH
4320	----	----	174.80B/148.10A	174.80B/148.10A	----	153.00 - 8.70	.2741	----	----	----	----	5 UNCH
4325	----	----	176.40B/149.30A	176.40B/149.30A	----	154.50 - 8.70	.2762	----	----	----	----	275 UNCH
4330	----	----	178.00B/151.00A	178.00B/151.00A	----	156.00 - 8.60	.2783	----	----	----	----	101 UNCH
4340	----	----	181.10B/153.70A	181.10B/153.70A	----	158.90 - 8.80	.2826	----	----	----	----	1 UNCH
4350	----	----	184.60B/156.80A	184.60B/156.80A	----	161.90 - 8.80	.2869	----	----	1	----	632 UNCH
4355	----	----	186.20B/158.10A	186.20B/158.10A	----	163.50 - 8.80	.2891	----	----	----	----	2 UNCH
4360	----	----	187.90B/159.50A	187.90B/159.50A	----	165.00 - 8.80	.2912	----	----	----	----	50 UNCH
4365	----	----	189.70B/160.90A	189.70B/160.90A	----	166.60 - 8.80	.2934	----	----	----	----	100 UNCH
4380	----	----	194.90B/165.70A	194.90B/165.70A	----	171.30 - 8.90	.3000	----	----	----	----	1 UNCH
4390	----	----	198.50B/168.50A	198.50B/168.50A	----	174.50 - 9.00	.3044	----	----	----	----	6 UNCH
4395	----	----	200.10B/170.30A	200.10B/170.30A	----	176.10 - 9.00	.3067	----	----	----	----	1 UNCH
4400	----	----	202.00B/171.90A	202.00B/171.90A	----	177.80 - 9.00	.3089	----	----	1	----	814 UNCH
4410	----	----	205.70B/175.20A	205.70B/175.20A	----	181.10 - 9.00	.3134	----	----	----	----	1 UNCH
4420	----	----	209.40B/178.30A	209.40B/178.30A	----	184.50 - 9.10	.3180	----	----	----	----	2 UNCH
4425	----	----	210.70B/179.80A	210.70B/179.80A	----	186.20 - 9.10	.3203	----	----	----	----	3 UNCH
4440	----	----	216.50B/184.90A	216.50B/184.90A	----	191.40 - 9.20	.3272	----	----	----	----	37 UNCH
4450	----	----	220.50B/188.00A	220.50B/188.00A	----	194.90 - 9.30	.3318	----	----	----	----	322 UNCH
4455	----	----	222.70B/190.00A	222.70B/190.00A	----	196.70 - 9.30	.3342	----	----	----	----	1 UNCH
4460	----	----	224.50B/191.60A	224.50B/191.60A	----	198.50 - 9.30	.3365	----	----	----	----	4 UNCH
4465	----	----	226.50B/193.30A	226.50B/193.30A	----	200.30 - 9.40	.3388	----	----	----	----	10 UNCH
4470	----	----	228.40B/195.20A	228.40B/195.20A	----	202.10 - 9.40	.3412	----	----	----	----	14 UNCH
4475	----	----	230.70B/196.80A	230.70B/196.80A	----	204.00 - 9.40	.3436	----	----	----	----	15 UNCH
4480	----	----	232.30B/198.60A	232.30B/198.60A	----	205.80 - 9.50	.3459	----	----	----	----	7 UNCH
4485	----	----	234.50B/200.50A	234.50B/200.50A	----	207.70 - 9.50	.3483	----	----	----	----	9 UNCH
4490	----	----	236.70B/202.10A	236.70B/202.10A	----	209.60 - 9.50	.3507	----	----	----	----	3 UNCH
4500	211.80	211.80	240.60B/205.60A	240.60B/205.60A	----	213.40 - 9.60	.3555	----	----	2	----	841 + 1
4505	----	----	242.70B/207.60A	242.70B/207.60A	----	215.30 - 9.70	.3579	----	----	----	----	3 UNCH
4535	----	----	254.80B/219.10A	254.80B/219.10A	----	227.10 - 10.00	.3724	----	----	----	----	10 UNCH
4545	----	----	259.60B/222.80A	259.60B/222.80A	----	231.20 - 10.10	.3773	----	----	----	----	21 UNCH
4550	----	----	261.40B/224.90A	261.40B/224.90A	----	233.30 - 10.10	.3798	----	----	----	----	2 UNCH
4560	----	----	266.30B/228.80A	266.30B/228.80A	----	237.40 - 10.20	.3847	----	----	----	----	3 UNCH
4570	----	----	270.40B/232.80A	270.40B/232.80A	----	241.60 - 10.40	.3897	----	----	----	----	2 UNCH
4575	----	----	272.90B/234.80A	272.90B/234.80A	----	243.70 - 10.40	.3922	----	----	----	----	1 UNCH
4580	----	----	275.30B/237.00A	275.30B/237.00A	----	245.80 - 10.50	.3947	----	----	----	----	150 UNCH
4585	----	----	277.60B/238.80A	277.60B/238.80A	----	248.00 - 10.50	.3972	----	----	----	----	2 UNCH
4590	----	----	279.60B/240.90A	279.60B/240.90A	----	250.10 - 10.60	.3996	----	----	----	----	6 UNCH
4600	252.50	252.50	284.50B/245.20A	284.50B/245.20A	----	254.50 - 10.70	.4046	----	----	2	----	354 UNCH
4605	----	----	286.90B/247.20A	286.90B/247.20A	----	256.70 - 10.80	.4072	----	----	----	----	2 UNCH
4620	----	----	293.80B/253.50A	293.80B/253.50A	----	263.30 - 11.10	.4147	----	----	----	----	3 UNCH
4625	----	----	296.60B/255.90A	296.60B/255.90A	----	265.60 - 11.10	.4172	----	----	----	----	100 UNCH
4640	----	----	303.70B/262.20A	303.70B/262.20A	----	272.40 - 11.30	.4248	----	----	----	----	100 UNCH
4645	----	----	306.10B/264.20A	306.10B/264.20A	----	274.70 - 11.40	.4273	----	----	----	----	127 UNCH
4650	----	----	308.40B/266.60A	308.40B/266.60A	----	277.00 - 11.50	.4299	----	----	----	----	298 UNCH
4665	----	----	316.20B/273.70A	316.20B/273.70A	----	284.00 - 11.70	.4375	----	----	----	----	1 UNCH
4680	----	----	324.00B/280.30A	324.00B/280.30A	----	291.10 - 12.00	.4452	----	----	----	----	5 UNCH
4700	----	----	334.30B/289.80A	334.30B/289.80A	----	300.80 - 12.30	.4554	----	----	20	----	447 UNCH
4705	----	----	337.10B/292.10A	337.10B/292.10A	----	303.20 - 12.50	.4580	----	----	----	----	50 UNCH
4710	----	----	339.60B/294.90A	339.60B/294.90A	----	305.70 - 12.50	.4606	----	----	----	----	3 UNCH
4715	----	----	342.10B/297.00A	342.10B/297.00A	----	308.20 - 12.60	.4631	----	----	----	----	1 UNCH
4720	----	----	343.60B/299.50A	343.60B/299.50A	----	310.70 NEW	.4657	----	----	3	----	3 + 3
4725	----	----	346.00B/302.10A	346.00B/302.10A	----	313.30 - 12.60	.4682	----	----	----	----	30 UNCH
4730	----	----	348.70B/304.30A	348.70B/304.30A	----	315.80 - 12.70	.4708	----	----	----	----	1 UNCH
4740	----	----	354.20B/309.40A	354.20B/309.40A	----	321.10 - 12.60	.4759	----	----	----	----	15 UNCH
4745	----	----	354.80B/311.90A	354.80B/311.90A	----	323.70 - 12.70	.4785	----	----	----	----	3 UNCH
4750	----	----	357.00B/314.30A	357.00B/314.30A	----	326.30 - 12.70	.4810	----	----	----	----	175 UNCH
4760	----	----	362.80B/319.50A	362.80B/319.50A	----	331.70 - 12.60	.4861	----	----	----	----	1 UNCH
4775	----	----	371.00B/327.00A	371.00B/327.00A	----	339.80 - 12.60	.4938	----	----	----	----	57 UNCH
4785	----	----	376.60B/332.10A	376.60B/332.10A	----	345.20 - 12.60	.4989	----	----	----	----	2 UNCH
4795	----	----	382.40B/337.60A	382.40B/337.60A	----	350.70 - 12.60	.5039	----	----	----	----	2 UNCH
4800	----	----	385.70B/340.30A	385.70B/340.30A	----	353.50 - 12.60	.5065	----	----	----	----	657 UNCH
4805	----	----	388.60B/342.50A	388.60B/342.50A	----	356.30 - 12.50	.5090	----	----	----	----	1 UNCH
4850	----	----	415.50B/368.40A	415.50B/368.40A	----	381.90 - 12.40	.5317	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4855	----	----	418.30B/371.20A	418.30B/371.20A	----	384.80 - 12.40	.5342	----	----	----	----	10 UNCH
4875	----	----	430.50B/382.60A	430.50B/382.60A	----	396.60 - 12.40	.5442	----	----	----	----	76 UNCH
4900	----	----	446.70B/397.20A	446.70B/397.20A	----	411.70 - 12.30	.5565	----	----	----	----	348 UNCH
4905	----	----	449.70B/400.20A	449.70B/400.20A	----	414.80 - 12.20	.5590	----	----	----	----	17 UNCH
4925	----	----	462.70B/412.10A	462.70B/412.10A	----	427.20 - 12.20	.5688	----	----	----	----	50 UNCH
4950	----	----	479.10B/427.40A	479.10B/427.40A	----	442.90 - 12.20	.5808	----	----	----	----	31 UNCH
4955	----	----	482.50B/430.50A	482.50B/430.50A	----	446.10 - 12.20	.5832	----	----	----	----	1 UNCH
4980	----	----	498.60B/446.20A	498.60B/446.20A	----	462.30 - 12.20	.5951	----	----	----	----	1 UNCH
5000	----	----	502.60B/458.90A	502.60B/458.90A	----	475.50 - 12.30	.6044	----	----	----	----	318 UNCH
5010	----	----	504.80B/465.40A	504.80B/465.40A	----	482.20 - 12.20	.6091	----	----	----	----	1 UNCH
5025	----	----	509.90B/475.20A	509.90B/475.20A	----	492.30 - 12.30	.6160	----	----	----	----	25 UNCH
5030	----	----	512.60B/478.50A	512.60B/478.50A	----	495.70 - 12.30	.6182	----	----	----	----	1 UNCH
5045	----	----	----/488.40A	508.90B/488.40A	----	506.00 - 12.20	.6250	----	----	----	----	31 UNCH
5050	----	----	----/491.80A	512.30B/491.80A	----	509.40 - 12.30	.6272	----	----	----	----	351 UNCH
5070	----	----	----/505.20A	526.30B/505.20A	----	523.30 - 12.30	.6362	----	----	----	----	17 UNCH
5080	----	----	----/512.00A	533.40B/512.00A	----	530.30 - 12.30	.6406	----	----	----	----	3 UNCH
5100	----	----	----/525.80A	547.60B/525.80A	----	544.50 - 12.30	.6493	----	----	----	----	81 UNCH
5120	----	----	----/539.80A	562.10B/539.80A	----	558.80 - 12.30	.6578	----	----	----	----	2 UNCH
5180	----	----	----/582.70A	606.40B/582.70A	----	602.90 - 12.20	.6827	----	----	----	----	1 UNCH
5195	----	----	----/593.60A	617.80B/593.60A	----	614.20 - 12.20	.6887	----	----	----	----	2 UNCH
5200	----	----	----/597.30A	621.50B/597.30A	----	617.90 - 12.20	.6907	----	----	----	----	112 UNCH
5265	----	----	----/646.10A	664.00B/646.10A	----	667.90 - 11.90	.7156	----	----	----	----	1 UNCH
5300	----	----	----	509.30B/879.40A	----	695.40 - 11.80	.7283	----	----	----	----	3 UNCH
5355	----	----	----	554.20B/922.80A	----	739.50 - 11.60	.7472	----	----	----	----	1 UNCH
5400	----	----	----	591.80B/959.00A	----	776.40 - 11.30	.7618	----	----	----	----	76 UNCH
5460	----	----	----	643.00B/1007.80A	----	826.50 - 11.00	.7800	----	----	----	----	1 UNCH
5500	----	----	----	677.80B/1040.90A	----	860.40 - 10.80	.7915	----	----	----	----	3 UNCH
5530	----	----	----	704.20B/1066.10A	----	886.20 - 10.50	.7997	----	----	----	----	1 UNCH
5575	----	----	----	744.20B/1104.00A	----	925.20 - 10.30	.8114	----	----	----	----	2 UNCH
TOTAL										165		18256+ 70
SEP26												
2350	----	----	----	1.60B/5.50A	----	3.40 - 0.40	.0064	----	----	----	----	52 UNCH
2375	----	----	----	1.80B/5.70A	----	3.60 - 0.40	.0068	----	----	----	----	1 UNCH
2400	----	----	----	2.20B/5.90A	----	3.80 - 0.40	.0072	----	----	----	----	1 UNCH
2500	----	----	----	2.60B/6.80A	----	4.70 - 0.50	.0090	----	----	----	----	4 UNCH
2600	----	----	----	3.50B/8.00A	----	5.70 - 0.70	.0110	----	----	----	----	2 UNCH
3000	----	----	----	10.00B/15.30A	----	12.50 - 1.10	.0248	----	----	----	----	2 UNCH
3145	----	----	----	14.20B/19.80A	----	17.00 - 1.10	.0336	----	----	----	----	15 UNCH
3150	----	----	----	14.40B/20.00A	----	17.20 - 1.10	.0339	----	----	----	----	2 UNCH
3200	----	----	----	16.10B/21.90A	----	19.10 - 1.10	.0376	----	----	----	----	1 UNCH
3270	----	----	----	19.30B/24.80A	----	22.00 - 1.20	.0432	----	----	----	----	15 UNCH
3300	----	----	----	20.70B/26.20A	----	23.40 - 1.20	.0459	----	----	----	----	1 UNCH
3475	----	----	----/34.20A	33.20B/34.20A	----	33.50 - 1.40	.0648	----	----	----	----	2 UNCH
3480	----	----	----/34.60A	33.50B/34.60A	----	33.80 - 1.40	.0654	----	----	----	----	780 UNCH
3500	----	----	----/36.00A	35.00B/36.00A	----	35.20 - 1.50	.0679	----	----	----	----	19 UNCH
3525	----	----	----/37.90A	37.00B/37.90A	----	37.00 - 1.60	.0712	----	----	----	----	2 UNCH
3565	----	----	----/41.00A	40.50B/41.00A	----	40.20 - 1.70	.0770	----	----	----	----	1 UNCH
3610	----	----	----/44.80A	44.80B/44.80A	----	44.00 - 2.00	.0838	----	----	----	----	1 UNCH
3625	----	----	----/46.60A	46.40B/46.60A	----	45.40 - 2.00	.0862	----	----	----	----	1 UNCH
3650	----	----	----/48.90A	49.00B/48.90A	----	47.70 - 2.20	.0903	----	----	----	----	66 UNCH
3700	----	----	----/53.80A	54.80B/53.80A	----	52.80 - 2.60	.0991	----	----	----	----	144 UNCH
3720	----	----	----/56.00A	57.40B/56.00A	----	55.00 - 2.80	.1029	----	----	----	----	50 UNCH
3755	----	----	----/59.90A	61.90B/59.90A	----	59.00 - 3.20	.1097	----	----	----	----	90 UNCH
3800	----	----	----/65.40A	68.10B/65.40A	----	64.60 - 3.60	.1190	----	----	----	----	1 UNCH
3850	----	----	----/71.90A	75.40B/71.90A	----	71.40 - 4.10	.1301	----	----	----	----	20 UNCH
3880	----	----	80.50B/75.90A	80.50B/75.90A	----	75.70 - 4.50	.1371	----	----	----	----	26 UNCH
3900	----	----	83.80B/78.70A	83.80B/78.70A	----	78.70 - 4.80	.1419	----	----	----	----	211 UNCH
3910	----	----	85.50B/80.10A	85.50B/80.10A	----	80.30 - 4.80	.1444	----	----	----	----	2 UNCH
3930	----	----	89.10B/82.90A	89.10B/82.90A	----	83.50 - 5.00	.1494	----	----	----	----	2 UNCH
3945	----	----	91.60B/85.30A	91.60B/85.30A	----	85.90 - 5.30	.1533	----	----	----	----	230 UNCH
3950	----	----	92.70B/86.00A	92.70B/86.00A	----	86.80 - 5.20	.1546	----	----	----	----	324 UNCH
4000	----	----	102.10B/94.90A	102.10B/94.90A	----	95.50 - 5.80	.1681	----	----	----	----	715 UNCH
4005	----	----	103.40B/95.70A	103.40B/95.70A	----	96.40 - 5.90	.1695	----	----	----	----	1 UNCH
4030	----	----	108.30B/100.20A	108.30B/100.20A	----	101.10 - 6.10	.1766	----	----	----	----	1 UNCH
4050	----	----	112.80B/104.00A	112.80B/104.00A	----	105.00 - 6.30	.1824	----	----	1	----	35 UNCH
4080	----	----	119.20B/109.90A	119.20B/109.90A	----	111.10 - 6.60	.1914	----	----	----	----	4 UNCH
4085	----	----	120.60B/110.90A	120.60B/110.90A	----	112.10 - 6.70	.1929	----	----	----	----	76 UNCH
4100	----	----	123.70B/114.00A	123.70B/114.00A	----	115.30 - 6.80	.1976	----	----	----	----	21 UNCH
4130	----	----	131.00B/120.40A	131.00B/120.40A	----	121.90 - 7.20	.2071	----	----	----	----	20 UNCH
4135	----	----	132.30B/121.40A	132.30B/121.40A	----	123.00 - 7.20	.2087	----	----	----	----	3 UNCH
4150	----	----	136.30B/124.80A	136.30B/124.80A	----	126.50 - 7.40	.2136	----	----	----	----	3 UNCH
4185	----	----	145.10B/132.90A	145.10B/132.90A	----	134.80 - 7.80	.2253	----	----	----	----	76 UNCH
4200	----	----	149.00B/136.40A	149.00B/136.40A	----	138.60 - 7.90	.2305	----	----	----	----	106 UNCH
4220	----	----	155.00B/141.40A	155.00B/141.40A	----	143.70 - 8.20	.2375	----	----	----	----	113 UNCH
4225	----	----	156.40B/142.60A	156.40B/142.60A	----	145.00 - 8.20	.2393	----	----	----	----	3 UNCH
4230	----	----	157.50B/143.90A	157.50B/143.90A	----	146.30 - 8.30	.2410	----	----	----	----	1 UNCH
4240	----	----	160.40B/146.40A	160.40B/146.40A	----	148.90 - 8.50	.2446	----	----	----	----	56 UNCH
4250	----	----	163.30B/149.00A	163.30B/149.00A	----	151.60 - 8.60	.2482	----	----	----	----	62 UNCH
4300	----	----	178.50B/162.60A	178.50B/162.60A	----	165.70 - 9.20	.2667	----	----	----	----	84 UNCH
4320	----	----	185.30B/168.30A	185.30B/168.30A	----	171.60 - 9.50	.2744	----	----	----	----	152 UNCH
4350	----	----	195.20B/177.10A	195.20B/177.10A	----	180.80 - 9.90	.2860	----	----	----	----	20 UNCH
4365	----	----	199.80B/181.60A	199.80B/181.60A	----	185.60 - 10.00	.2920	----	----	----	----	5 UNCH
4390	----	----	209.00B/189.50A	209.00B/189.50A	----	193.70 - 10.40	.3020	----	----	----	----	15 UNCH
4400	----	----	212.20B/192.70A	212.20B/192.70A	----	197.10 - 10.40	.3060	----	----	----	----	36 UNCH
4410	----	----	216.20B/195.90A	216.20B/195.90A	----	200.40 - 10.70	.3101	----	----	----	----	7 UNCH
4420	----	----	219.90B/199.30A	219.90B/199.30A	----	203.90 - 10.70	.3142	----	----	----	----	1 UNCH
4430	----	----	223.20B/202.50A	223.20B/202.50A	----	207.30 - 10.90	.3183	----	----	----	----	2 UNCH
4440	----	----	226.90B/206.00A	226.90B/206.00A	----	210.90 - 11.00	.3225	----	----	----	----	7 UNCH
4450	----	----	230.60B/209.40A	230.60B/209.40A	----	214.40 - 11.20	.3267	----	----	----	----	430 UNCH
4475	----	----	240.50B/218.30A	240.50B/218.30A	----	223.50 - 11.50	.3372	----	----	----	----	3 UNCH
4500	----	----	250.60B/227.30A	250.60B/227.30A	----	232.90 - 11.90	.3479	----	----	----	----	457 UNCH
4550	----	----	272.20B/246.40A	272.20B/246.40A	----	252.70 - 12.40	.3697	----	----	----	----	350 UNCH
4560	----	----	276.00B/250.30A	276.00B/250.30A	----	256.70 - 12.70	.3741	----	----	----	----	7 UNCH
4580	----	----	285.40B/258.30A	285.40B/258.30A	----	265.10 - 12.90	.3830	----	----	----	----	1 UNCH
4600	----	----	294.50B/266.60A	294.50B/266.60A	----	273.60 - 13.10	.3919	----	----	----	----	2 UNCH
4620	----	----	303.30B/275.10A	303.30B/275.10A	----	282.30 - 13.40	.4009	----	----	----	----	500 UNCH
4650	----	----	318.20B/288.10A	318.20B/288.10A	----	295.70 - 13.80	.4145	----	----	1	----	2 - 1
4700	----	----	342.40B/310.80A	342.40B/310.80A	----	319.20 - 14.40	.4373	----	----	----	----	75 UNCH
4725	----	----	356.00B/322.70A	356.00B/322.70A	----	331.50 - 14.50	.4487	----	----	----	----	1 UNCH
4730	----	----	358.00B/325.10A	358.00B/325.10A	----	334.00 - 14.60	.4510	----	----	----	----	5 UNCH
4750	----	----	369.30B/334.90A	369.30B/334.90A	----	344.10 - 14.70	.4602	----	----	----	----	150 UNCH
4760	----	----	374.70B/339.90A	374.70B/339.90A	----	349.30 - 14.70	.4648	----	----	----	----	100 UNCH
4775	----	----	382.20B/347.40A	382.20B/347.40A	----	357.10 - 14.80	.4717	----	----	----	----	18 UNCH
4800	----	----	396.70B/360.60A	396.70B/360.60A	----	370.40 - 14.90	.4831	----	----	----	----	27 UNCH
4825	----	----	410.30B/373.40A	410.30B/373.40A	----	384.10 - 14.90	.4945	----	----	----	----	2 UNCH
4835	----	----	416.10B/378.80A	416.10B/378.80A	----	389.70 - 14.80	.4990	----	----	----	----	30 UNCH
4900	----	----	455.50B/415.00A	455.50B/415.00A	----	427.40 - 14.40	.5282	----	----	----	----	3 UNCH
4930	----	----	474.00B/432.30A	474.00B/432.30A	----	445.50 - 14.30	.5414	----	----	----	----	20 UNCH
4950	----	----	486.60B/444.10A	486.60B/444.10A	----	457.80 - 14.20	.5501	----	----	----	----	1 UNCH
4975	----	----	502.60B/459.20A	502.60B/459.20A	----	473.40 - 14.20	.5609	----	----	----	----	210 UNCH
5000	----	----	518.90B/474.60A	518.90B/474.60A	----	489.30 - 14.20	.5716	----	----	----	----	10 UNCH
5005	----	----	522.20B/477.70A	522.20B/477.70A	----	492.50 - 14.20	.5737	----	----	----	----	3 UNCH
5020	----	----	532.00B/487.00A	532.00B/487.00A	----	502.20 - 14.20	.5801	----	----	----	----	3 UNCH
5100	----	----	----/538.80A	566.70B/538.80A	----	555.40 - 14.50	.6131	----	----	----	----	28 UNCH
5105	----	----	----/542.20A	569.40B/542.20A	----	558.80 - 14.50	.6151	----	----	----	----	2 UNCH
5200	----	----	----/607.50A	627.80B/607.50A	----	625.80 - 14.00	.6521	----	----	----	----	47 UNCH
5230	----	----	----/628.90A	649.80B/628.90A	----	647.70 - 13.90	.6632	----	----	----	----	400 UNCH
5300	----	----	----/680.10A	702.50B/680.10A	----	700.00 - 13.80	.6882	----	----	----	----	300 UNCH
5400	----	----	----/756.20A	780.40B/756.20A	----	777.70 - 13.80	.7213	----	----	----	----	100 UNCH
5420	----	----	----/771.80A	796.70B/771.80A	----	793.60 - 13.80	.7276	----	----	----	----	80 UNCH
5450	----	----	----/795.50A	820.90B/795.50A	----	817.70 - 13.70	.7368	----	----	----	----	1 UNCH
5500	----	----	----/835.50A	861.80B/835.50A	----	858.40 - 13.50	.7514	----	----	----	----	3 UNCH
6000	----	----	----	1113.90B/1476.40A	----	1296.20 - 11.90	.8593	----	----	----	----	2 UNCH
TOTAL										2		7066- 1
OCT26												
2700	----	----	----	4.50B/12.20A	----	8.70 - 0.80	.0160	----	----	----	----	1 UNCH
2800	----	----	----	6.60B/14.40A	----	10.40 - 0.90	.0193	----	----	----	----	3 UNCH
3100	----	----	----	14.60B/23.80A	----	19.20 - 1.80	.0355	----	----	----	----	1 UNCH
3200	----	----	----	19.10B/28.20A	----	23.60 - 2.30	.0434	----	----	----	----	414 UNCH
3240	----	----	----	21.10B/30.20A	----	25.60 - 2.50	.0469	----	----	----	----	5 UNCH
3300	----	----	----	28.60B/33.60A	----	29.00 - 2.80	.0528	----	----	----	----	415 UNCH
3340	----	----	----	31.40B/36.00A	----	31.50 - 3.00	.0571	----	----	----	----	9 UNCH
3360	----	----	----/35.50A	32.80B/35.50A	----	32.80 - 3.10	.0593	----	----	----	----	1 UNCH
3380	----	----	----/36.10A	34.40B/36.10A	----	34.20 - 3.10	.0617	----	----	----	----	1 UNCH
3390	----	----	----/36.80A	35.20B/36.80A	----	35.00 - 3.10	.0630	----	----	----	----	4 UNCH
3400	34.50	34.50	34.90/34.30	36.10B/34.30	----	35.70 - 3.10	.0642	----	----	8	----	150 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
3480	----	----	----/43.40A	43.10B/43.40A	----	42.20 - 2.90	.0748	----	----	----	----	12 UNCH
3500	----	----	----/45.20A	44.90B/45.20A	----	44.00 - 2.80	.0777	----	----	----	----	10 UNCH
3520	----	----	----/46.90A	46.90B/46.90A	----	45.80 - 2.80	.0807	----	----	----	----	12 UNCH
3550	----	----	----/49.80A	50.20B/49.80A	----	48.70 - 2.70	.0853	----	----	----	----	25 UNCH
3600	----	----	----/55.80A	55.80B/55.80A	----	53.70 - 2.90	.0933	----	----	----	----	177 UNCH
3615	----	----	----/57.50A	57.50B/57.50A	----	55.30 - 2.90	.0958	----	----	----	----	1 UNCH
3700	----	----	----/66.90A	68.40B/66.90A	----	65.00 - 3.90	.1111	----	----	----	----	210 UNCH
3750	----	----	----/73.30A	75.60B/73.30A	----	71.30 - 4.50	.1208	----	----	----	----	19 UNCH
3785	----	----	----/77.70A	81.00B/77.70A	----	76.10 - 4.90	.1281	----	----	----	----	1 UNCH
3800	----	----	83.40B/79.80A	83.40B/79.80A	----	78.30 - 5.00	.1313	----	----	----	----	19 UNCH
3805	----	----	84.20B/80.50A	84.20B/80.50A	----	79.00 - 5.00	.1324	----	----	----	----	1 UNCH
3865	----	----	94.80B/89.00A	94.80B/89.00A	----	88.30 - 5.20	.1461	----	----	----	----	2 UNCH
3875	----	----	96.60B/90.40A	96.60B/90.40A	----	90.00 - 5.10	.1485	----	----	----	----	12 UNCH
3885	----	----	98.30B/91.90A	98.30B/91.90A	----	91.70 - 5.10	.1509	----	----	----	----	5 UNCH
3890	----	----	99.40B/92.80A	99.40B/92.80A	----	92.50 - 5.10	.1521	----	----	----	----	2 UNCH
3895	----	----	100.40B/93.40A	100.40B/93.40A	----	93.40 - 5.10	.1534	----	----	----	----	2 UNCH
3900	----	----	101.10B/94.30A	101.10B/94.30A	----	94.30 - 5.00	.1546	----	----	----	----	22 UNCH
3920	----	----	105.00B/97.90A	105.00B/97.90A	----	97.80 - 5.00	.1596	----	----	----	----	28 UNCH
3940	----	----	109.00B/101.50A	109.00B/101.50A	----	101.50 - 4.90	.1648	----	----	----	----	65 UNCH
3950	----	----	111.00B/103.30A	111.00B/103.30A	----	103.30 - 4.90	.1673	----	----	----	----	2 UNCH
3975	----	----	116.20B/108.00A	116.20B/108.00A	----	108.20 - 4.70	.1741	----	----	----	----	5 UNCH
4000	----	----	122.00B/112.80A	122.00B/112.80A	----	113.20 - 4.60	.1809	----	----	----	----	406 UNCH
4050	----	----	133.50B/123.00A	133.50B/123.00A	----	123.80 - 4.50	.1951	----	----	----	----	5 UNCH
4070	----	----	138.30B/127.40A	138.30B/127.40A	----	128.20 - 4.60	.2010	----	----	----	----	24 UNCH
4100	----	----	145.50B/134.20A	145.50B/134.20A	----	135.10 - 4.70	.2100	----	----	----	----	314 UNCH
4130	----	----	153.40B/141.30A	153.40B/141.30A	----	142.40 - 4.70	.2194	----	----	----	----	1 UNCH
4150	----	----	158.70B/145.90A	158.70B/145.90A	----	147.30 - 4.90	.2257	----	----	----	----	5 UNCH
4200	----	----	173.40B/158.70A	173.40B/158.70A	----	160.40 - 5.20	.2420	----	----	----	----	121 UNCH
4220	----	----	179.00B/164.20A	179.00B/164.20A	----	165.90 - 5.30	.2488	----	----	----	----	5 UNCH
4235	----	----	183.50B/168.00A	183.50B/168.00A	----	170.20 - 5.30	.2539	----	----	----	----	1 UNCH
4250	----	----	188.60B/172.40A	188.60B/172.40A	----	174.50 - 5.40	.2591	----	----	----	----	72 UNCH
4265	----	----	192.80B/176.60A	192.80B/176.60A	----	178.90 - 5.40	.2643	----	----	----	----	200 UNCH
4270	----	----	194.60B/178.00A	194.60B/178.00A	----	180.30 - 5.50	.2660	----	----	----	----	226 UNCH
4300	----	----	204.80B/187.10A	204.80B/187.10A	----	189.50 - 5.60	.2767	----	----	----	----	476 UNCH
4355	----	----	223.40B/204.10A	223.40B/204.10A	----	207.10 - 5.80	.2969	----	----	----	----	11 UNCH
4375	----	----	231.10B/210.80A	231.10B/210.80A	----	213.80 - 5.90	.3044	----	----	----	----	10 UNCH
4400	----	----	240.10B/219.20A	240.10B/219.20A	----	222.50 - 5.90	.3139	----	----	----	----	301 UNCH
4430	----	----	251.50B/229.50A	251.50B/229.50A	----	233.30 - 5.90	.3255	----	----	----	----	3 UNCH
4450	----	----	260.00B/236.70A	260.00B/236.70A	----	240.70 - 5.90	.3333	----	----	----	----	26 UNCH
4500	----	----	280.60B/255.40A	280.60B/255.40A	----	260.00 - 6.20	.3531	----	----	----	----	56 UNCH
4600	----	----	325.40B/296.20A	325.40B/296.20A	----	302.20 - 7.70	.3940	----	----	----	----	350 UNCH
4610	----	----	329.60B/300.70A	329.60B/300.70A	----	306.60 - 8.00	.3981	----	----	----	----	5 UNCH
4675	----	----	362.10B/330.00A	362.10B/330.00A	----	337.00 - 9.70	.4253	----	----	----	----	1 UNCH
4700	----	----	374.90B/341.60A	374.90B/341.60A	----	349.30 - 10.40	.4358	----	----	----	----	64 UNCH
4750	----	----	400.80B/366.10A	400.80B/366.10A	----	374.70 - 11.90	.4569	----	----	----	----	173 UNCH
4800	----	----	429.10B/391.70A	429.10B/391.70A	----	401.30 - 13.20	.4778	----	----	----	----	126 UNCH
4845	----	----	454.20B/415.80A	454.20B/415.80A	----	426.30 - 13.90	.4965	----	----	----	----	17 UNCH
4850	----	----	457.10B/418.80A	457.10B/418.80A	----	429.10 - 14.00	.4986	----	----	----	----	55 UNCH
4875	----	----	472.70B/432.40A	472.70B/432.40A	----	443.50 - 14.10	.5089	----	----	----	----	1 UNCH
4900	----	----	487.00B/446.90A	487.00B/446.90A	----	458.10 - 14.30	.5191	----	----	----	----	110 UNCH
4910	----	----	493.10B/452.60A	493.10B/452.60A	----	464.10 - 14.30	.5232	----	----	----	----	1 UNCH
4920	----	----	500.10B/458.10A	500.10B/458.10A	----	470.00 - 14.40	.5272	----	----	----	----	1 UNCH
4925	----	----	503.20B/461.00A	503.20B/461.00A	----	473.00 - 14.40	.5293	----	----	----	----	25 UNCH
4980	----	----	538.00B/493.80A	538.00B/493.80A	----	506.80 - 14.40	.5512	----	----	----	----	1 UNCH
5000	----	----	551.00B/506.00A	551.00B/506.00A	----	519.40 - 14.30	.5591	----	----	----	----	47 UNCH
5010	----	----	557.50B/512.20A	557.50B/512.20A	----	525.80 - 14.30	.5630	----	----	----	----	1 UNCH
5050	----	----	584.10B/537.40A	584.10B/537.40A	----	551.60 - 14.20	.5785	----	----	----	----	25 UNCH
5200	----	----	----/637.80A	653.10B/637.80A	----	654.20 - 14.20	.6337	----	----	----	----	100 UNCH
5230	----	----	----/658.60A	674.80B/658.60A	----	675.70 - 14.30	.6441	----	----	----	----	2 UNCH
5250	----	----	----/673.10A	689.50B/673.10A	----	690.20 - 14.30	.6509	----	----	----	----	75 UNCH
5300	----	----	----/708.90A	726.80B/708.90A	----	727.20 - 14.30	.6675	----	----	----	----	6 UNCH
5425	----	----	----/802.90A	820.80B/802.90A	----	823.00 - 13.60	.7063	----	----	----	----	1 UNCH
5455	----	----	----/826.40A	839.00B/826.40A	----	846.60 - 13.20	.7150	----	----	----	----	40 UNCH
5600	----	----	----	757.00B/1167.50A	----	964.40 - 10.70	.7540	----	----	----	----	1 UNCH
5700	----	----	----	842.70B/1250.30A	----	1048.60 - 10.70	.7777	----	----	----	----	1 UNCH
TOTAL										8		5128 0
NOV26												
2750	----	----	----	4.70B/17.30A	----	10.90 - 2.80	.0191	----	----	----	----	1 UNCH
2800	----	----	----	5.70B/18.40A	----	12.10 - 3.00	.0212	----	----	----	----	8 UNCH
2900	----	----	----	8.20B/21.50A	----	15.10 - 3.10	.0263	----	----	----	----	1 UNCH
3000	----	----	----	11.40B/25.30A	----	18.70 - 3.10	.0323	----	----	----	----	95 UNCH
3120	----	----	----	16.10B/30.40A	----	24.00 - 3.10	.0410	----	----	----	----	10 UNCH
3180	----	----	----	19.10B/33.60A	----	27.20 - 3.00	.0462	----	----	----	----	10 UNCH
3200	----	----	----	20.30B/34.70A	----	28.30 - 3.00	.0480	----	----	----	----	93 UNCH
3215	----	----	----	21.10B/36.20A	----	29.10 - 3.00	.0493	----	----	----	----	1 UNCH
3220	----	----	----	21.30B/35.90A	----	29.40 - 3.00	.0497	----	----	----	----	1 UNCH
3225	----	----	----	21.60B/36.20A	----	29.70 - 3.00	.0502	----	----	----	----	1 UNCH
3235	----	----	----	22.20B/37.00A	----	30.30 - 3.00	.0512	----	----	----	----	2 UNCH
3250	----	----	----	27.00B/37.80A	----	31.30 - 2.90	.0527	----	----	----	----	18 UNCH
3255	----	----	----	27.40B/38.30A	----	31.60 - 2.90	.0532	----	----	----	----	18 UNCH
3300	----	----	----/35.00A	30.60B/35.00A	----	34.50 - 3.00	.0578	----	----	----	----	19 UNCH
3310	----	----	----	31.30B/42.00A	----	35.20 - 3.00	.0589	----	----	----	----	1 UNCH
3320	----	----	----/38.50A	32.80B/38.50A	----	35.90 - 3.00	.0600	----	----	----	----	16 UNCH
3350	----	----	----/40.00A	34.70B/40.00A	----	38.10 - 2.90	.0634	----	----	----	----	180 UNCH
3455	----	----	----/48.50A	43.90B/48.50A	----	46.80 - 2.90	.0767	----	----	----	----	1 UNCH
3475	----	----	----/50.30A	46.00B/50.30A	----	48.60 - 3.00	.0794	----	----	----	----	1 UNCH
3500	52.10	52.10	52.10/52.10	52.10/52.10	----	51.00 - 3.00	.0830	----	----	5	----	655 + 5
3535	----	----	----/56.10A	52.30B/56.10A	----	54.50 - 3.20	.0882	----	----	----	----	1 UNCH
3690	----	----	----/74.20A	72.40B/74.20A	----	73.00 - 3.70	.1146	----	----	----	----	1 UNCH
3725	----	----	----/78.90A	77.50B/78.90A	----	77.80 - 3.90	.1213	----	----	----	----	1 UNCH
3740	----	----	----/81.00A	80.00B/81.00A	----	80.00 - 4.00	.1243	----	----	----	----	20 UNCH
3750	----	----	----/82.20A	81.40B/82.20A	----	81.50 - 4.00	.1264	----	----	----	----	150 UNCH
3780	----	----	----/86.90A	86.50B/86.90A	----	86.00 - 4.20	.1325	----	----	----	----	1 UNCH
3800	----	----	----/89.90A	90.00B/89.90A	----	89.10 - 4.40	.1367	----	----	----	----	25 UNCH
3820	----	----	----/92.90A	93.50B/92.90A	----	92.40 - 4.50	.1411	----	----	----	----	20 UNCH
3875	----	----	----/102.20A	103.50B/102.20A	----	101.80 - 5.00	.1535	----	----	----	----	24 UNCH
4000	----	----	----/126.20A	129.90B/126.20A	----	126.20 - 6.30	.1845	----	----	----	----	2 UNCH
4100	----	----	----/148.60A	154.90B/148.60A	----	149.00 - 7.50	.2121	----	----	----	----	1 UNCH
4160	----	----	----/163.60A	171.00B/163.60A	----	164.10 - 8.40	.2297	----	----	----	----	1 UNCH
4170	----	----	----/165.90A	174.20B/165.90A	----	166.70 - 8.50	.2327	----	----	----	----	1 UNCH
4200	----	----	----/174.20A	182.70B/174.20A	----	174.90 - 8.90	.2420	----	----	----	----	4 UNCH
4205	----	----	----/175.60A	184.20B/175.60A	----	176.20 - 9.00	.2435	----	----	----	----	1 UNCH
4215	----	----	----/178.10A	187.60B/178.10A	----	179.00 - 9.10	.2467	----	----	----	----	5 UNCH
4275	----	----	206.60B/195.50A	206.60B/195.50A	----	196.60 - 9.90	.2660	----	----	----	----	3 UNCH
4320	----	----	221.30B/209.40A	221.30B/209.40A	----	210.70 - 10.40	.2810	----	----	----	----	43 UNCH
4350	----	----	232.30B/219.20A	232.30B/219.20A	----	220.50 - 10.80	.2912	----	----	----	----	3 UNCH
4400	----	----	250.20B/236.10A	250.20B/236.10A	----	237.80 - 11.30	.3087	----	----	----	----	3 UNCH
4425	----	----	260.30B/244.90A	260.30B/244.90A	----	246.80 - 11.60	.3176	----	----	----	----	72 UNCH
4500	----	----	290.60B/272.50A	290.60B/272.50A	----	275.60 - 12.10	.3449	----	----	----	----	40 UNCH
4580	----	----	325.00B/304.90A	325.00B/304.90A	----	309.30 - 12.30	.3749	----	----	----	----	10 UNCH
4640	----	----	353.60B/331.20A	353.60B/331.20A	----	336.50 - 12.40	.3978	----	----	----	----	90 UNCH
4725	----	----	395.40B/370.30A	395.40B/370.30A	----	377.20 - 13.10	.4305	----	----	----	----	2 UNCH
4840	----	----	457.70B/428.60A	457.70B/428.60A	----	437.20 - 14.20	.4748	----	----	----	----	2 UNCH
4900	----	----	492.80B/461.80A	492.80B/461.80A	----	471.10 - 14.50	.4976	----	----	----	----	2 UNCH
4915	----	----	501.80B/469.60A	501.80B/469.60A	----	479.80 - 14.70	.5032	----	----	----	----	3 UNCH
4950	----	----	523.00B/489.60A	523.00B/489.60A	----	500.40 - 15.00	.5163	----	----	----	----	11 UNCH
4960	----	----	528.30B/495.40A	528.30B/495.40A	----	506.30 - 15.20	.5200	----	----	----	----	2 UNCH
5000	----	----	553.70B/519.00A	553.70B/519.00A	----	530.60 - 15.60	.5348	----	----	----	----	253 UNCH
5055	----	----	589.30B/553.10A	589.30B/553.10A	----	565.00 - 16.10	.5547	----	----	----	----	8 UNCH
5200	----	----	----/646.30A	677.20B/646.30A	----	660.90 - 17.00	.6050	----	----	----	----	81 UNCH
5395	----	----	----/785.70A	798.40B/785.70A	----	801.60 - 15.50	.6663	----	----	----	----	6 UNCH
5400	----	----	----/789.30A	802.00B/789.30A	----	805.40 - 15.40	.6678	----	----	----	----	6 UNCH
5760	----	----	----	862.90B/1317.60A	----	1093.10 - 13.40	.7597	----	----	----	----	1 UNCH
5975	----	----	----	1051.20B/1499.50A	----	1277.80 - 13.40	.8022	----	----	----	----	1 UNCH
6000	----	----	----	1073.70B/1521.20A	----	1299.80 - 13.40	.8067	----	----	----	----	1 UNCH
TOTAL										5		2033 + 5
DEC26												
1350	----	----	----	----/1.20A	----	0.40 + 0.10	.0006	----	----	----	----	16 UNCH
1500	----	----	----	0.10B/2.50A	----	1.10 + 0.30	.0016	----	----	----	----	1 UNCH
1600	----	----	----	0.10B/2.90A	----	1.60 + 0.40	.0023	----	----	----	----	190 UNCH
1700	----	----	----	0.10B/3.30A	----	2.10 + 0.50	.0030	----	----	----	----	200 UNCH
1845	----	----	----	0.10B/4.00A	----	3.10 + 0.70	.0045	----	----	----	----	36 UNCH
1900	----	----	----	0.10B/4.30A	----	3.50 + 0.80	.0051	----	----	----	----	4 UNCH
2000	----	----	----	0.10B/5.00A	----	4.20 + 1.00	.0062	----	----	----	----	2 UNCH
2400	----	----	----	2.30B/9.00A	----	7.30 + 1.70	.0117	----	----	----	----	1 UNCH
2490	----	----	----	3.50B/10.50A	----	8.10 + 1.90	.0133	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 21

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
2750	----	----	----	8.30B/16.70A	----	14.20 + 2.20	.0231	----	----	----	----	1 UNCH
2800	----	----	----	9.70B/18.30A	----	15.80 + 2.30	.0257	----	----	----	----	8 UNCH
2900	----	----	----	12.90B/21.90A	----	19.20 + 2.20	.0311	----	----	----	----	19 UNCH
2925	----	----	----	13.70B/22.90A	----	20.20 + 2.20	.0326	----	----	----	----	300 UNCH
2975	----	----	----	15.70B/25.10A	----	22.20 + 2.10	.0358	----	----	----	----	400 UNCH
3000	----	----	----	16.70B/26.30A	----	23.40 + 2.10	.0376	----	----	----	----	1363 UNCH
3160	----	----	----	24.70B/35.40A	----	31.70 + 1.80	.0504	----	----	----	----	2 UNCH
3175	----	----	----	25.50B/36.40A	----	32.60 + 1.70	.0517	----	----	----	----	1 UNCH
3190	----	----	----	26.40B/37.40A	----	33.50 + 1.70	.0531	----	----	----	----	5 UNCH
3250	----	----	----	31.90B/41.70A	----	37.50 + 1.50	.0591	----	----	----	----	15 UNCH
3300	----	----	----	36.50B/42.70A	----	41.20 + 1.40	.0645	----	----	----	----	6 UNCH
3400	----	----	----	45.00B/51.20A	----	49.60 + 1.10	.0767	----	----	----	160	1290 + 160
3425	----	----	----	47.70B/53.60A	----	52.00 + 1.10	.0800	----	----	----	----	350 UNCH
3450	----	----	----	50.40B/56.00A	----	54.40 + 1.00	.0834	----	----	----	----	201 UNCH
3460	----	----	----	51.50B/57.00A	----	55.40 + 0.90	.0848	----	----	----	----	20 UNCH
3475	----	----	----	53.10B/58.60A	----	56.90 + 0.90	.0870	----	----	----	----	152 UNCH
3500	----	----	----	55.90B/61.30A	----	59.60 + 0.80	.0907	----	----	----	----	1456 UNCH
3550	----	----	----	62.20B/66.90A	----	65.30 + 0.70	.0985	----	----	----	----	18 UNCH
3565	----	----	----	64.20B/68.70A	----	67.10 + 0.70	.1009	----	----	----	----	2 UNCH
3590	----	----	----	67.40B/71.70A	----	70.10 + 0.50	.1050	----	----	----	----	1 UNCH
3600	----	----	----	68.90B/73.00A	----	71.40 + 0.50	.1067	----	----	----	----	353 UNCH
3610	----	----	----	70.20B/74.30A	----	72.70 + 0.50	.1085	----	----	----	----	3 UNCH
3650	----	----	----	76.20B/79.50A	----	78.10 + 0.40	.1156	----	----	----	----	201 UNCH
3660	----	----	----	77.70B/80.90A	----	79.50 + 0.30	.1174	----	----	----	----	5 UNCH
3670	----	----	----	79.20B/82.30A	----	80.90 + 0.30	.1193	----	----	----	----	1 UNCH
3690	----	----	----	82.20B/85.30A	----	83.80 + 0.20	.1230	----	----	----	----	1 UNCH
3700	----	----	----	83.80B/86.80A	----	85.30 + 0.20	.1250	----	----	----	----	29 UNCH
3710	----	----	----	85.60B/88.20A	----	86.80 + 0.10	.1269	----	----	----	----	37 UNCH
3720	----	----	----	87.00B/89.80A	----	88.30 + 0.10	.1288	----	----	----	----	1 UNCH
3725	----	----	----	87.90B/90.50A	----	89.10 + 0.10	.1298	----	----	----	----	6 UNCH
3750	----	----	----	92.20B/94.40A	----	93.00 - 0.10	.1348	----	----	----	----	166 UNCH
3760	----	----	----	94.20B/96.00A	----	94.70 - 0.10	.1369	----	----	----	----	184 UNCH
3780	----	----	----	97.80B/99.40A	----	98.00 - 0.20	.1411	----	----	----	----	1 UNCH
3800	----	----	----	101.30B/102.70A	----	101.40 - 0.30	.1453	----	----	----	----	77 UNCH
3810	----	----	----	103.20B/104.50A	----	103.20 - 0.40	.1475	----	----	----	----	56 UNCH
3850	----	----	----	111.00B/111.40A	----	110.40 - 0.70	.1564	----	----	----	----	24 UNCH
3880	----	----	117.10B/----	117.10B/117.00A	----	116.10 - 0.90	.1633	----	----	----	----	1 UNCH
3900	----	----	121.40B/119.70A	121.40B/119.70A	----	120.10 - 1.00	.1681	----	----	----	----	805 UNCH
3925	----	----	126.80B/124.60A	126.80B/124.60A	----	125.20 - 1.20	.1741	----	----	----	----	209 UNCH
3930	----	----	127.90B/127.00A	127.90B/127.00A	----	126.20 - 1.20	.1753	----	----	----	----	2 UNCH
3950	----	----	132.80B/130.30A	132.80B/130.30A	----	130.50 - 1.30	.1803	----	----	----	----	27 UNCH
3980	----	----	139.90B/136.20A	139.90B/136.20A	----	137.00 - 1.70	.1878	----	----	----	----	129 UNCH
4000	140.00	140.00	144.50B/140.00	144.50B/140.00	----	141.60 - 1.80	.1931	----	----	10	----	1699 UNCH
4025	----	----	151.10B/146.90A	151.10B/146.90A	----	147.40 - 2.10	.1996	----	----	----	----	220 UNCH
4070	----	----	162.50B/157.40A	162.50B/157.40A	----	158.40 - 2.60	.2119	----	----	----	----	5 UNCH
4090	----	----	168.00B/163.60A	168.00B/163.60A	----	163.40 - 2.90	.2174	----	----	----	----	1 UNCH
4100	----	----	170.70B/165.00A	170.70B/165.00A	----	166.00 - 3.00	.2202	----	----	----	----	381 UNCH
4130	----	----	179.60B/173.90A	179.60B/173.90A	----	174.00 - 3.40	.2288	----	----	----	----	2 UNCH
4160	----	----	187.90B/181.00A	187.90B/181.00A	----	182.30 - 3.80	.2376	----	----	----	----	252 UNCH
4170	----	----	191.10B/184.90A	191.10B/184.90A	----	185.10 - 3.90	.2405	----	----	----	----	2 UNCH
4175	----	----	192.60B/185.20A	192.60B/185.20A	----	186.50 - 4.00	.2420	----	----	----	----	60 UNCH
4200	----	----	200.40B/191.50A	200.40B/191.50A	----	193.80 - 4.30	.2496	----	----	----	----	684 UNCH
4215	----	----	205.40B/196.70A	205.40B/196.70A	----	198.30 - 4.50	.2541	----	----	----	----	14 UNCH
4250	----	----	216.50B/207.40A	216.50B/207.40A	----	209.00 - 5.10	.2650	----	----	----	----	202 UNCH
4300	----	----	234.00B/222.00A	234.00B/222.00A	----	225.10 - 5.90	.2809	----	----	----	----	1406 UNCH
4320	----	----	240.70B/229.60A	240.70B/229.60A	----	231.80 - 6.20	.2873	----	----	----	----	100 UNCH
4325	----	----	242.90B/231.10A	242.90B/231.10A	----	233.50 - 6.30	.2890	----	----	----	----	300 UNCH
4340	----	----	247.90B/236.20A	247.90B/236.20A	----	238.70 - 6.50	.2939	----	----	----	----	79 UNCH
4350	----	----	252.00B/239.70A	252.00B/239.70A	----	242.20 - 6.60	.2972	----	----	----	----	101 UNCH
4375	----	----	261.40B/249.40A	261.40B/249.40A	----	251.00 - 7.10	.3055	----	----	----	----	2 UNCH
4385	----	----	264.70B/251.80A	264.70B/251.80A	----	254.70 - 7.20	.3088	----	----	----	----	75 UNCH
4390	----	----	266.70B/253.80A	266.70B/253.80A	----	256.50 - 7.30	.3105	----	----	----	----	14 UNCH
4400	----	----	270.60B/257.50A	270.60B/257.50A	----	260.20 - 7.50	.3139	----	----	----	----	86 UNCH
4425	----	----	280.90B/266.70A	280.90B/266.70A	----	269.50 - 8.00	.3224	----	----	----	----	9 UNCH
4435	----	----	284.40B/270.00A	284.40B/270.00A	----	273.40 - 8.00	.3258	----	----	----	----	14 UNCH
4450	----	----	291.00B/276.00A	291.00B/276.00A	----	279.20 - 8.30	.3310	----	----	----	----	60 UNCH
4475	----	----	300.80B/285.30A	300.80B/285.30A	----	289.00 - 8.80	.3396	----	----	----	----	8 UNCH
4500	----	----	311.90B/293.90A	311.90B/293.90A	----	299.10 - 9.20	.3483	----	----	----	----	516 UNCH
4510	----	----	316.30B/300.40A	316.30B/300.40A	----	303.30 - 9.30	.3518	----	----	----	----	2 UNCH
4515	----	----	317.90B/301.10A	317.90B/301.10A	----	305.30 - 9.50	.3536	----	----	----	----	242 UNCH
4520	----	----	320.10B/303.50A	320.10B/303.50A	----	307.40 - 9.50	.3553	----	----	----	----	25 UNCH
4530	----	----	325.10B/307.90A	325.10B/307.90A	----	311.60 - 9.70	.3589	----	----	----	----	20 UNCH
4535	----	----	326.70B/309.30A	326.70B/309.30A	----	313.70 - 9.80	.3606	----	----	----	----	102 UNCH
4540	----	----	329.50B/312.70A	329.50B/312.70A	----	315.90 - 9.80	.3624	----	----	----	----	1 UNCH
4550	----	----	333.40B/316.10A	333.40B/316.10A	----	320.20 - 10.00	.3660	----	----	----	----	5 UNCH
4580	----	----	347.60B/328.40A	347.60B/328.40A	----	333.30 - 10.50	.3767	----	----	----	----	50 UNCH
4585	----	----	349.90B/330.20A	349.90B/330.20A	----	335.50 - 10.60	.3784	----	----	----	----	325 UNCH
4600	----	----	356.40B/336.90A	356.40B/336.90A	----	342.20 - 10.80	.3838	----	----	----	----	418 UNCH
4620	----	----	365.90B/345.90A	365.90B/345.90A	----	351.30 - 11.10	.3910	----	----	----	----	50 UNCH
4625	----	----	368.20B/348.20A	368.20B/348.20A	----	353.60 - 11.20	.3928	----	----	----	----	22 UNCH
4640	----	----	375.50B/355.40A	375.50B/355.40A	----	360.60 - 11.40	.3982	----	----	----	----	100 UNCH
4650	----	----	380.30B/360.00A	380.30B/360.00A	----	365.30 - 11.60	.4018	----	----	----	----	111 UNCH
4680	----	----	395.80B/373.60A	395.80B/373.60A	----	379.60 - 12.10	.4127	----	----	----	----	60 UNCH
4700	----	----	405.30B/381.20A	405.30B/381.20A	----	389.40 - 12.30	.4200	----	----	----	----	522 UNCH
4750	----	----	432.00B/407.00A	432.00B/407.00A	----	414.60 - 12.90	.4382	----	----	----	----	12 UNCH
4790	----	----	452.60B/427.50A	452.60B/427.50A	----	435.50 - 13.40	.4527	----	----	----	----	60 UNCH
4800	----	----	458.30B/432.70A	458.30B/432.70A	----	440.80 - 13.50	.4563	----	----	----	----	152 UNCH
4810	----	----	463.80B/437.90A	463.80B/437.90A	----	446.20 - 13.60	.4599	----	----	----	----	56 UNCH
4815	----	----	466.60B/440.40A	466.60B/440.40A	----	448.90 - 13.60	.4617	----	----	----	----	10 UNCH
4820	----	----	469.40B/442.80A	469.40B/442.80A	----	451.60 - 13.70	.4635	----	----	----	----	20 UNCH
4825	----	----	472.20B/446.30A	472.20B/446.30A	----	454.30 - 13.80	.4653	----	----	----	----	100 UNCH
4850	----	----	487.00B/458.90A	487.00B/458.90A	----	468.00 - 14.10	.4743	----	----	----	----	9 UNCH
4900	----	----	515.10B/485.70A	515.10B/485.70A	----	496.30 - 14.50	.4922	----	----	----	----	11 UNCH
4925	----	----	530.80B/501.30A	530.80B/501.30A	----	510.80 - 14.60	.5010	----	----	----	----	1 UNCH
4950	----	----	545.90B/516.20A	545.90B/516.20A	----	525.50 - 14.80	.5098	----	----	----	----	1 UNCH
4975	----	----	560.70B/528.70A	560.70B/528.70A	----	540.50 - 15.00	.5185	----	----	----	----	43 UNCH
4980	----	----	564.30B/531.60A	564.30B/531.60A	----	543.50 - 15.00	.5202	----	----	----	----	12 UNCH
4995	----	----	573.60B/541.10A	573.60B/541.10A	----	552.60 - 15.10	.5254	----	----	----	----	32 UNCH
5000	----	----	576.70B/542.10A	576.70B/542.10A	----	555.70 - 15.10	.5271	----	----	----	----	392 UNCH
5020	----	----	589.30B/555.90A	589.30B/555.90A	----	568.00 - 15.30	.5340	----	----	----	----	8 UNCH
5025	----	----	592.50B/559.20A	592.50B/559.20A	----	571.10 - 15.30	.5357	----	----	----	----	15 UNCH
5035	----	----	598.60B/564.50A	598.60B/564.50A	----	577.40 - 15.30	.5391	----	----	----	----	8 UNCH
5050	----	----	607.60B/574.10A	607.60B/574.10A	----	586.80 - 15.40	.5442	----	----	----	----	201 UNCH
5070	----	----	620.60B/588.10A	620.60B/588.10A	----	599.50 - 15.50	.5509	----	----	----	----	1 UNCH
5075	----	----	624.70B/589.10A	624.70B/589.10A	----	602.70 - 15.50	.5526	----	----	----	----	100 UNCH
5095	----	----	637.80B/602.00A	637.80B/602.00A	----	615.60 - 15.50	.5593	----	----	----	----	6 UNCH
5100	----	----	641.10B/605.50A	641.10B/605.50A	----	618.80 - 15.60	.5609	----	----	----	----	6 UNCH
5195	----	----	705.40B/667.00A	705.40B/667.00A	----	682.00 - 15.70	.5917	----	----	----	----	5 UNCH
5200	----	----	708.90B/669.60A	708.90B/669.60A	----	685.40 - 15.70	.5933	----	----	----	----	38 UNCH
5250	----	----	----/704.10A	731.10B/704.10A	----	719.90 - 15.80	.6089	----	----	----	----	126 UNCH
5290	----	----	----/732.60A	740.60B/732.60A	----	748.10 - 15.70	.6211	----	----	----	----	1 UNCH
5295	----	----	----/736.80A	744.30B/736.80A	----	751.70 - 15.70	.6226	----	----	----	----	1 UNCH
5360	----	----	----/783.80A	791.90B/783.80A	----	798.50 - 15.70	.6418	----	----	----	----	100 UNCH
5370	----	----	----/790.90A	799.30B/790.90A	----	805.80 - 15.70	.6447	----	----	----	----	20 UNCH
5375	----	----	----/794.50A	803.10B/794.50A	----	809.50 - 15.70	.6461	----	----	----	----	34 UNCH
5400	----	----	----/812.80A	821.70B/812.80A	----	827.90 - 15.70	.6533	----	----	----	----	102 UNCH
5460	----	----	----/856.20A	867.00B/856.20A	----	872.90 - 15.50	.6699	----	----	----	----	200 UNCH
5465	----	----	----/859.90A	870.90B/859.90A	----	876.60 - 15.60	.6713	----	----	----	----	50 UNCH
5480	----	----	----/871.30A	882.30B/871.30A	----	888.00 - 15.50	.6753	----	----	----	----	50 UNCH
5500	----	----	----/886.50A	897.30B/886.50A	----	903.30 - 15.50	.6806	----	----	----	----	31 UNCH
5525	----	----	----/905.70A	917.10B/905.70A	----	922.60 - 15.40	.6872	----	----	----	----	80 UNCH
5600	----	----	----/963.80A	975.20B/963.80A	----	981.20 - 15.20	.7062	----	----	----	----	252 UNCH
5900	----	----	----/1,211.70A	1216.40B/1211.70A	----	1228.00 - 14.20	.7722	----	----	----	----	125 UNCH
6000	----	----	----/1,297.70A	1301.50B/1297.70A	----	1314.10 - 13.80	.7905	----	----	----	----	40 UNCH
6500	----	----	----/1,748.90A	1746.20B/1748.90A	----	1765.30 - 11.40	.8599	----	----	----	----	4 UNCH
TOTAL										10	160	19241+ 160
JAN27												
2800	----	----	----	6.70B/23.50A	----	11.10 - 0.30	.0196	----	----	----	----	10 UNCH
3000	----	----	----	14.20B/34.20A	----	21.10 - 1.00	.0345	----	----	----	----	3 UNCH
3520	----	----	----	67.80B/72.80A	----	70.10 - 1.70	.0983	----	----	----	----	1 UNCH
3680	93.30	93.30	93.30/93.30	93.30/93.30	----	92.10 NEW	.1253	----	----	1	----	1 + 1
3800	----	----	----/113.10A	113.40B/113.10A	----	111.90 - 4.30	.1486	----	----	----	----	1 UNCH
3825	----	----	----/117.00A	118.50B/117.00A	----	116.40 - 4.70	.1538	----	----	----	----	1 UNCH
3900	----	----	----/131.60A	134.60B/131.60A	----	131.00 - 5.50	.1703	----	----	----	----	1 UNCH
3980	----	----	----/148.80A	153.50B/148.80A	----	148.30 - 6.20	.1891	----	----	----	----	1 UNCH
4000	----	----	----/153.40A	158.80B/153.40A	----	152.90 - 6.30	.1940	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 22

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JAN27												
4350	----	----	267.70B/252.90A	267.70B/252.90A	----	255.40 - 6.20	.2924	----	----	----	----	1 UNCH
4400	----	----	286.80B/270.50A	286.80B/270.50A	----	273.40 - 6.60	.3080	----	----	----	----	1 UNCH
4500	309.00	309.00	328.10B/308.20A	328.10B/308.20A	----	312.20 NEW	.3401	----	----	1	----	1 + 1
4585	----	----	365.30B/343.20A	365.30B/343.20A	----	348.10 - 8.60	.3682	----	----	----	----	1 UNCH
4600	----	----	372.30B/349.90A	372.30B/349.90A	----	354.70 - 8.90	.3732	----	----	----	----	3 UNCH
4630	----	----	387.00B/363.10A	387.00B/363.10A	----	368.20 - 9.30	.3833	----	----	----	----	1 UNCH
4660	----	----	400.90B/376.30A	400.90B/376.30A	----	382.00 - 9.80	.3934	----	----	----	----	4 UNCH
4665	----	----	403.10B/378.60A	403.10B/378.60A	----	384.40 - 9.80	.3951	----	----	----	----	4 UNCH
4760	----	----	451.50B/423.70A	451.50B/423.70A	----	430.70 - 11.30	.4273	----	----	----	----	100 UNCH
4800	----	----	472.80B/443.80A	472.80B/443.80A	----	451.30 - 11.80	.4409	----	----	----	----	6 UNCH
4820	----	----	484.40B/454.50A	484.40B/454.50A	----	461.90 - 12.00	.4477	----	----	----	----	6 UNCH
4860	----	----	506.50B/475.00A	506.50B/475.00A	----	483.60 - 12.20	.4612	----	----	----	----	1 UNCH
4990	----	----	582.50B/547.20A	582.50B/547.20A	----	557.60 - 13.60	.5044	----	----	----	----	1 UNCH
4995	----	----	585.60B/550.10A	585.60B/550.10A	----	560.50 - 13.70	.5060	----	----	----	----	1 UNCH
5000	----	----	588.60B/553.00A	588.60B/553.00A	----	563.50 - 13.70	.5077	----	----	----	----	3 UNCH
5050	----	----	619.70B/582.60A	619.70B/582.60A	----	593.70 - 14.20	.5238	----	----	----	----	100 UNCH
5085	----	----	641.90B/603.90A	641.90B/603.90A	----	615.40 - 14.50	.5350	----	----	----	----	2 UNCH
5150	----	----	683.90B/645.00A	683.90B/645.00A	----	656.80 - 14.90	.5554	----	----	----	----	2 UNCH
5235	----	----	741.40B/699.60A	741.40B/699.60A	----	713.00 - 15.30	.5813	----	----	----	----	2 UNCH
TOTAL										2		260 + 2
FEB27												
4000	----	----	----/170.60A	171.50B/170.60A	----	173.00 - 2.70	.2030	----	----	----	----	1 UNCH
4600	----	----	391.40B/375.80A	391.40B/375.80A	----	385.60 - 3.90	.3746	----	----	----	----	17 UNCH
4650	----	----	414.80B/*398.40	414.80B/398.40A	----	408.80 - 4.10	.3903	----	----	----	----	1 UNCH
4655	----	----	417.20B/*400.70	417.20B/400.70A	----	411.20 - 4.10	.3919	----	----	----	----	1 UNCH
4660	----	----	419.70B/*403.00	419.70B/403.00A	----	413.60 - 4.10	.3935	----	----	----	----	435 UNCH
4665	----	----	422.80B/*404.90	422.80B/404.90A	----	416.00 - 4.10	.3950	----	----	----	----	3 UNCH
5000	----	----	607.90B/580.70A	607.90B/580.70A	----	593.50 - 5.40	.5007	----	----	----	----	10 UNCH
5005	----	----	610.90B/*583.60	610.90B/583.60A	----	596.40 - 5.50	.5022	----	----	----	----	2 UNCH
5100	----	----	670.40B/*639.80	670.40B/639.80A	----	653.10 - 5.60	.5313	----	----	----	----	2 UNCH
5150	----	----	702.80B/*670.90	702.80B/670.90A	----	684.10 - 5.60	.5463	----	----	----	----	1 UNCH
5175	----	----	718.50B/*686.60	718.50B/686.60A	----	699.80 - 5.70	.5537	----	----	----	----	125 UNCH
5200	----	----	736.10B/*702.70	736.10B/702.70A	----	715.80 - 5.70	.5610	----	----	----	----	1 UNCH
5355	----	----	833.20B/*806.30	833.20B/806.30A	----	819.30 - 6.00	.6050	----	----	----	----	1 UNCH
5520	----	----	----	554.10B/1293.20A	----	937.50 - 6.40	.6483	----	----	----	----	300 UNCH
5530	----	----	----	561.60B/1291.90A	----	944.90 - 6.40	.6508	----	----	----	----	100 UNCH
5550	----	----	----	576.60B/1319.50A	----	959.90 - 6.40	.6557	----	----	----	----	65 UNCH
5565	----	----	----	588.00B/1297.60A	----	971.10 - 6.40	.6593	----	----	----	----	50 UNCH
TOTAL												1115 0
DEC27												
3700	----	----	----	----	----	215.80 + 78.80	.1664	----	----	----	----	100 UNCH
3715	----	----	----	----	----	219.60 + 81.00	.1688	----	----	----	----	150 UNCH
3820	----	----	----	----	----	247.00 + 95.00	.1861	----	----	----	----	50 UNCH
4130	----	----	----	----	----	340.80 + 20.20	.2417	----	----	----	----	168 UNCH
4500	----	----	----	----	----	479.50 + 07.60	.3157	----	----	----	----	270 UNCH
4630	----	----	----	----	----	535.50 + 96.40	.3431	----	----	----	----	284 UNCH
4860	----	----	----	----	----	644.10 + 70.80	.3929	----	----	----	----	100 UNCH
5000	----	----	----	----	----	716.20 + 51.90	.4237	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1109.30 + 77.00	.5568	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1269.70 + 65.80	.5986	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	722.20 + 81.50	.4144	----	----	----	----	1 UNCH
5100	----	----	----	----	----	775.80 + 91.20	.4353	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
3400	----	----	----	----	----	1286.20 + 4.60	.9900	----	----	----	----	1 UNCH
3500	----	----	1,222.80B/1,142	1222.80B/1142.90A	----	1186.80 + 4.30	.9870	----	----	----	----	1 UNCH
3600	----	----	1,123.30B/1,044	1123.30B/1044.30A	----	1087.70 + 3.90	.9833	----	----	----	----	10 UNCH
3675	----	----	1,058.50B/963.1	1058.50B/963.10A	----	1013.60 + 3.50	.9794	----	----	----	----	8 UNCH
3685	----	----	1,048.20B/953.4	1048.20B/953.40A	----	1003.70 + 3.40	.9789	----	----	----	----	8 UNCH
3700	----	----	1,033.30B/938.7	1033.30B/938.70A	----	988.90 + 3.30	.9780	----	----	----	----	31 UNCH
3720	----	----	1,014.10B/919.3	1014.10B/919.30A	----	969.20 + 3.10	.9766	----	----	----	----	6 UNCH
3725	----	----	1,009.10B/914.4	1009.10B/914.40A	----	964.30 + 3.10	.9765	----	----	----	----	8 UNCH
3735	----	----	999.00B/904.70A	999.00B/904.70A	----	954.40 + 2.90	.9757	----	----	----	----	15 UNCH
3750	----	----	984.50B/890.20A	984.50B/890.20A	----	939.70 + 2.90	.9747	----	----	----	----	56 UNCH
3800	----	----	935.30B/842.00A	935.30B/842.00A	----	890.60 + 2.40	.9707	----	----	----	----	44 UNCH
3820	----	----	916.50B/822.70A	916.50B/822.70A	----	871.00 + 2.10	.9688	----	----	----	----	4 UNCH
3840	----	----	896.80B/803.60A	896.80B/803.60A	----	851.50 + 1.90	.9667	----	----	----	----	20 UNCH
3855	----	----	882.20B/789.30A	882.20B/789.30A	----	836.90 + 1.80	.9649	----	----	----	----	2 UNCH
3875	----	----	862.20B/770.20A	862.20B/770.20A	----	817.40 + 1.50	.9627	----	----	----	----	41 UNCH
3890	----	----	848.10B/756.00A	848.10B/756.00A	----	802.90 + 1.40	.9609	----	----	----	----	1 UNCH
3895	----	----	843.10B/751.20A	843.10B/751.20A	----	798.00 + 1.20	.9601	----	----	----	----	9 UNCH
3900	----	----	838.70B/746.50A	838.70B/746.50A	----	793.20 + 1.20	.9596	----	----	----	----	112 UNCH
3950	----	----	789.60B/699.50A	789.60B/699.50A	----	745.00 + 0.60	.9519	----	----	----	----	223 UNCH
3960	----	----	780.00B/690.10A	780.00B/690.10A	----	735.40 + 0.40	.9502	----	----	----	----	15 UNCH
3975	----	----	766.10B/676.10A	766.10B/676.10A	----	721.00 + 0.20	.9476	----	----	----	----	13 UNCH
3980	----	----	760.90B/671.50A	760.90B/671.50A	----	716.20 + 0.10	.9468	----	----	----	----	97 UNCH
3995	----	----	746.90B/657.60A	746.90B/657.60A	----	701.90 - 0.20	.9438	----	----	----	----	62 UNCH
4000	----	----	741.80B/652.90A	741.80B/652.90A	----	697.10 - 0.30	.9429	----	----	----	----	143 UNCH
4005	----	----	737.10B/648.30A	737.10B/648.30A	----	692.40 - 0.30	.9420	----	----	----	----	30 UNCH
4015	----	----	727.70B/639.10A	727.70B/639.10A	----	682.90 - 0.50	.9399	----	----	----	----	5 UNCH
4020	----	----	723.50B/634.50A	723.50B/634.50A	----	678.20 - 0.50	.9387	----	----	----	----	15 UNCH
4025	----	----	718.10B/629.80A	718.10B/629.80A	----	673.40 - 0.70	.9375	----	----	----	----	2 UNCH
4050	----	----	694.40B/607.00A	694.40B/607.00A	----	649.80 - 1.10	.9320	----	----	----	----	176 UNCH
4070	----	----	675.30B/588.90A	675.30B/588.90A	----	631.10 - 1.40	.9271	----	----	----	----	25 UNCH
4075	----	----	670.60B/584.30A	670.60B/584.30A	----	626.40 - 1.50	.9255	----	----	----	----	22 UNCH
4090	----	----	657.50B/570.80A	657.50B/570.80A	----	612.40 - 1.80	.9217	----	----	----	----	1 UNCH
4100	----	----	647.50B/561.90A	647.50B/561.90A	----	603.10 - 1.90	.9189	----	----	----	----	48 UNCH
4105	----	----	643.20B/557.40A	643.20B/557.40A	----	598.40 - 2.10	.9173	----	----	----	----	10 UNCH
4115	----	----	633.30B/548.50A	633.30B/548.50A	----	589.20 - 2.20	.9144	----	----	----	----	4 UNCH
4120	----	----	629.30B/544.00A	629.30B/544.00A	----	584.60 - 2.30	.9129	----	----	----	----	372 UNCH
4125	----	----	624.20B/539.60A	624.20B/539.60A	----	579.90 - 2.50	.9113	----	----	----	----	1 UNCH
4130	----	----	620.20B/535.20A	620.20B/535.20A	----	575.30 - 2.60	.9099	----	----	----	----	11 UNCH
4135	----	----	614.90B/530.80A	614.90B/530.80A	----	570.70 - 2.70	.9083	----	----	----	----	3 UNCH
4145	----	----	606.30B/521.90A	606.30B/521.90A	----	561.60 - 2.80	.9051	----	----	----	----	1 UNCH
4150	----	----	601.60B/517.50A	601.60B/517.50A	----	557.00 - 2.90	.9032	----	----	----	----	255 UNCH
4155	----	----	596.10B/513.20A	596.10B/513.20A	----	552.40 - 3.10	.9016	----	----	----	----	1 UNCH
4165	----	----	587.50B/504.50A	587.50B/504.50A	----	543.30 - 3.30	.8980	----	----	----	----	3 UNCH
4170	----	----	582.50B/500.10A	582.50B/500.10A	----	538.80 - 3.30	.8964	----	----	----	----	24 UNCH
4175	----	----	578.20B/495.80A	578.20B/495.80A	----	534.20 - 3.50	.8945	----	----	----	----	3 UNCH
4180	----	----	573.50B/491.50A	573.50B/491.50A	----	529.70 - 3.60	.8928	----	----	----	----	123 UNCH
4185	----	----	569.00B/487.20A	569.00B/487.20A	----	525.20 - 3.60	.8909	----	----	----	----	3 UNCH
4190	----	----	564.90B/482.80A	564.90B/482.80A	----	520.70 - 3.70	.8889	----	----	----	----	18 UNCH
4200	----	----	555.50B/474.30A	555.50B/474.30A	----	511.70 - 4.00	.8850	----	----	----	----	822 UNCH
4205	----	----	550.80B/470.10A	550.80B/470.10A	----	507.20 - 4.10	.8830	----	----	----	----	4 UNCH
4210	----	----	546.40B/465.70A	546.40B/465.70A	----	502.70 - 4.20	.8811	----	----	----	----	23 UNCH
4220	----	----	537.50B/457.20A	537.50B/457.20A	----	493.80 - 4.40	.8768	----	----	----	----	7 UNCH
4240	----	----	519.40B/440.40A	519.40B/440.40A	----	476.10 - 4.80	.8683	----	----	----	----	21 UNCH
4245	----	----	514.80B/436.30A	514.80B/436.30A	----	471.70 - 5.00	.8660	----	----	----	----	2 UNCH
4250	----	----	510.60B/432.10A	510.60B/432.10A	----	467.30 - 5.10	.8637	----	----	----	----	277 UNCH
4255	----	----	506.30B/427.90A	506.30B/427.90A	----	462.90 - 5.20	.8614	----	----	----	----	103 UNCH
4260	----	----	501.70B/423.80A	501.70B/423.80A	----	458.50 - 5.30	.8589	----	----	----	----	8 UNCH
4265	----	----	497.30B/419.70A	497.30B/419.70A	----	454.20 - 5.40	.8565	----	----	----	----	13 UNCH
4270	----	----	492.90B/415.50A	492.90B/415.50A	----	449.80 - 5.60	.8542	----	----	----	----	29 UNCH
4275	----	----	488.50B/411.40A	488.50B/411.40A	----	445.50 - 5.60	.8516	----	----	----	----	14 UNCH
4280	----	----	484.10B/407.40A	484.10B/407.40A	----	441.20 - 5.70	.8491	----	----	----	----	1 UNCH
4285	----	----	479.70B/403.30A	479.70B/403.30A	----	436.90 - 5.80	.8465	----	----	----	----	4 UNCH
4290	----	----	475.50B/399.20A	475.50B/399.20A	----	432.60 - 5.90	.8439	----	----	----	----	44 UNCH
4295	----	----	471.10B/395.20A	471.10B/395.20A	----	428.30 - 6.10	.8413	----	----	----	----	2 UNCH
4300	----	----	466.70B/391.30A	466.70B/391.30A	----	424.00 - 6.20	.8387	----	----	----	----	1123 UNCH
4305	----	----	462.40B/387.20A	462.40B/387.20A	----	419.80 - 6.30	.8360	----	----	----	----	2 UNCH
4315	----	----	453.70B/379.20A	453.70B/379.20A	----	411.30 - 6.50	.8305	----	----	----	----	3 UNCH
4325	----	----	445.20B/371.20A	445.20B/371.20A	----	402.90 - 6.70	.8248	----	----	----	----	560 UNCH
4330	----	----	440.80B/367.30A	440.80B/367.30A	----	398.70 - 6.80	.8219	----	----	----	----	26 UNCH
4335	----	----	436.60B/363.40A	436.60B/363.40A	----	394.50 - 6.90	.8190	----	----	----	----	2 UNCH
4340	----	----	432.60B/359.40A	432.60B/359.40A	----	390.30 - 7.10	.8161	----	----	----	----	4 UNCH
4345	----	----	427.90B/355.60A	427.90B/355.60A	----	386.20 - 7.10	.8130	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4350	----	----	424.00B/351.70A	424.00B/351.70A	----	382.00 - 7.30	.8100	----	----	----	----	251 UNCH
4355	----	----	419.80B/347.90A	419.80B/347.90A	----	377.90 - 7.40	.8069	----	----	----	----	40 UNCH
4360	----	----	415.60B/344.00A	415.60B/344.00A	----	373.80 - 7.50	.8037	----	----	----	----	349 UNCH
4365	----	----	411.40B/340.20A	411.40B/340.20A	----	369.70 - 7.60	.8005	----	----	----	----	5 UNCH
4370	----	----	406.70B/336.40A	406.70B/336.40A	----	365.70 - 7.60	.7974	----	----	----	----	75 UNCH
4375	----	----	403.10B/332.60A	403.10B/332.60A	----	361.60 - 7.80	.7940	----	----	----	----	34 UNCH
4380	----	----	398.70B/328.80A	398.70B/328.80A	----	357.60 - 7.90	.7908	----	----	----	----	12 UNCH
4385	----	----	394.70B/325.00A	394.70B/325.00A	----	353.60 - 7.90	.7874	----	----	----	----	4 UNCH
4390	----	----	390.60B/321.40A	390.60B/321.40A	----	349.60 - 8.00	.7840	----	----	----	----	10 UNCH
4395	----	----	386.40B/317.60A	386.40B/317.60A	----	345.60 - 8.10	.7805	----	----	----	----	5 UNCH
4400	330.00	330.00	382.20B/313.90A	382.20B/313.90A	----	341.60 - 8.30	.7771	----	----	2	----	1634 - 1
4405	----	----	378.20B/310.20A	378.20B/310.20A	----	337.60 - 8.40	.7736	----	----	----	----	16 UNCH
4410	----	----	374.20B/306.60A	374.20B/306.60A	----	333.70 - 8.50	.7700	----	----	----	----	44 UNCH
4415	----	----	370.00B/303.00A	370.00B/303.00A	----	329.80 - 8.50	.7664	----	----	----	----	35 UNCH
4420	----	----	366.00B/299.40A	366.00B/299.40A	----	325.90 - 8.60	.7627	----	----	----	----	50 UNCH
4425	----	----	362.00B/295.60A	362.00B/295.60A	----	322.00 - 8.70	.7590	----	----	----	----	67 UNCH
4430	----	----	358.10B/292.00A	358.10B/292.00A	----	318.20 - 8.80	.7553	----	----	----	----	16 UNCH
4435	----	----	354.10B/288.60A	354.10B/288.60A	----	314.30 - 8.90	.7515	----	----	----	----	6 UNCH
4440	336.00	336.00	349.90B/284.90A	349.90B/284.90A	----	310.50 - 9.00	.7478	----	----	8	----	62 UNCH
4445	----	----	346.20B/281.50A	346.20B/281.50A	----	306.70 - 9.10	.7439	----	----	----	----	7 UNCH
4450	----	----	342.30B/277.80A	342.30B/277.80A	----	302.90 - 9.10	.7400	----	----	----	----	270 UNCH
4455	----	----	337.60B/274.50A	337.60B/274.50A	----	299.10 - 9.30	.7359	----	----	----	----	43 UNCH
4460	----	----	334.20B/270.90A	334.20B/270.90A	----	295.40 - 9.30	.7320	----	----	----	----	27 UNCH
4465	----	----	330.40B/267.60A	330.40B/267.60A	----	291.70 - 9.30	.7279	----	----	----	----	20 UNCH
4470	----	----	325.90B/264.10A	325.90B/264.10A	----	288.00 - 9.40	.7240	----	----	1	----	53 - 1
4475	----	----	322.50B/260.70A	322.50B/260.70A	----	284.30 - 9.50	.7199	----	----	----	----	38 UNCH
4480	----	----	318.70B/257.30A	318.70B/257.30A	----	280.60 - 9.60	.7156	----	----	----	----	119 UNCH
4485	----	----	314.50B/254.00A	314.50B/254.00A	----	277.00 - 9.60	.7115	----	----	----	----	23 UNCH
4490	----	----	310.50B/250.50A	310.50B/250.50A	----	273.30 - 9.80	.7072	----	----	----	----	19 UNCH
4495	----	----	307.40B/247.20A	307.40B/247.20A	----	269.70 - 9.90	.7029	----	----	----	----	16 UNCH
4500	277.30	277.30	304.70B/244.00A	304.70B/244.00A	----	266.10 - 10.00	.6986	----	----	2	----	1272 - 2
4505	----	----	299.20B/240.70A	299.20B/240.70A	----	262.60 - 10.00	.6943	----	----	1	----	29 UNCH
4510	----	----	295.50B/236.80A	295.50B/236.80A	----	259.00 - 10.10	.6900	----	----	----	----	46 UNCH
4515	----	----	292.40B/233.60A	292.40B/233.60A	----	255.50 - 10.10	.6855	----	----	----	----	17 UNCH
4520	----	----	288.30B/230.70A	288.30B/230.70A	----	252.00 - 10.20	.6810	----	----	----	----	20 UNCH
4525	260.10	260.10	284.60B/227.50A	284.60B/227.50A	----	248.50 - 10.30	.6765	----	----	7	----	23 - 4
4530	----	----	280.90B/224.00A	280.90B/224.00A	----	245.00 - 10.40	.6720	----	----	----	----	37 UNCH
4535	----	----	277.30B/220.70A	277.30B/220.70A	----	241.60 - 10.50	.6674	----	----	----	----	30 UNCH
4540	----	----	273.50B/217.70A	273.50B/217.70A	----	238.20 - 10.50	.6628	----	----	----	----	20 UNCH
4545	----	----	270.20B/214.60A	270.20B/214.60A	----	234.80 - 10.60	.6582	----	----	----	----	4 UNCH
4550	----	----	267.20B/211.50A	267.20B/211.50A	----	231.40 - 10.70	.6534	----	----	----	----	364 UNCH
4555	----	----	262.90B/208.20A	262.90B/208.20A	----	228.10 - 10.70	.6487	----	----	----	----	31 UNCH
4560	----	----	259.70B/205.40A	259.70B/205.40A	----	224.70 - 10.90	.6439	----	----	----	----	34 UNCH
4565	----	----	256.20B/202.40A	256.20B/202.40A	----	221.40 - 10.90	.6391	----	----	----	----	47 UNCH
4570	----	----	253.00B/199.50A	253.00B/199.50A	----	218.20 - 10.90	.6343	----	----	----	----	202 UNCH
4575	----	----	248.80B/196.50A	248.80B/196.50A	----	214.90 - 11.00	.6295	----	----	----	----	70 UNCH
4580	----	----	245.80B/193.60A	245.80B/193.60A	----	211.70 - 11.10	.6245	----	----	----	----	6 UNCH
4585	----	----	242.10B/190.70A	242.10B/190.70A	----	208.50 - 11.10	.6196	----	----	----	----	101 UNCH
4590	----	----	239.00B/187.80A	239.00B/187.80A	----	205.30 - 11.20	.6146	----	----	----	----	135 UNCH
4595	----	----	235.40B/184.90A	235.40B/184.90A	----	202.20 - 11.20	.6096	----	----	----	----	31 UNCH
4600	202.00	202.00	233.30B/182.10A	233.30B/182.10A	----	199.00 - 11.40	.6046	----	----	78	----	2841 - 53
4605	----	----	228.90B/179.30A	228.90B/179.30A	----	195.90 - 11.40	.5995	----	----	----	----	302 UNCH
4610	----	----	225.60B/176.50A	225.60B/176.50A	----	192.90 - 11.40	.5944	----	----	----	----	84 UNCH
4615	----	----	222.40B/173.80A	222.40B/173.80A	----	189.80 - 11.50	.5893	----	----	----	----	20 UNCH
4620	----	----	219.10B/171.10A	219.10B/171.10A	----	186.80 - 11.60	.5842	----	----	----	----	22 UNCH
4625	204.90	204.90	215.90B/168.30A	215.90B/168.30A	----	183.80 - 11.60	.5790	----	----	6	----	118 UNCH
4630	----	----	213.40B/165.70A	213.40B/165.70A	----	180.80 - 11.70	.5738	----	----	----	----	40 UNCH
4635	----	----	210.30B/163.00A	210.30B/163.00A	----	177.90 - 11.70	.5685	----	----	----	----	229 UNCH
4640	----	----	207.00B/160.40A	207.00B/160.40A	----	175.00 - 11.70	.5633	----	----	----	----	43 UNCH
4645	----	----	204.00B/157.80A	204.00B/157.80A	----	172.10 - 11.80	.5580	----	----	----	----	6 UNCH
4650	195.00	195.00	200.90B/155.20A	200.90B/155.20A	----	169.20 - 11.90	.5527	----	----	21	----	619 + 7
4655	----	----	197.80B/152.70A	197.80B/152.70A	----	166.40 - 11.90	.5474	----	----	----	----	223 UNCH
4660	----	----	194.80B/150.10A	194.80B/150.10A	----	163.60 - 11.90	.5420	----	----	----	----	123 UNCH
4665	----	----	191.80B/147.70A	191.80B/147.70A	----	160.80 - 12.00	.5367	----	----	----	----	26 UNCH
4670	----	----	188.80B/145.20A	188.80B/145.20A	----	158.10 - 12.00	.5313	----	----	----	----	83 UNCH
4675	163.10	163.10	185.60B/142.70A	185.60B/142.70A	----	155.30 - 12.10	.5259	----	----	8	----	79 UNCH
4680	156.00	156.00	182.70B/140.30A	182.70B/140.30A	----	152.70 - 12.00	.5205	----	----	7	----	147 + 5
4685	144.10	144.10	179.70B/137.90A	179.70B/137.90A	----	150.00 - 12.10	.5150	----	----	1	----	161 UNCH
4690	145.90	145.90	177.10B/135.60A	177.10B/135.60A	----	147.40 - 12.10	.5096	----	----	1	----	50 + 1
4695	----	----	174.10B/133.30A	174.10B/133.30A	----	144.80 - 12.10	.5041	----	----	----	----	51 UNCH
4700	135.00	135.00	171.50B/129.00	171.50B/129.00	----	142.20 - 12.20	.4986	----	----	146	----	2366 + 18
4705	130.00	130.00	168.70B/128.70A	168.70B/128.70A	----	139.60 - 12.30	.4932	----	----	2	----	311 UNCH
4710	147.40	147.40	165.90B/126.40A	165.90B/126.40A	----	137.10 - 12.30	.4877	----	----	27	----	225 + 7
4715	153.70	153.70	163.10B/124.20A	163.10B/124.20A	----	134.60 - 12.30	.4822	----	----	7	----	66 + 6
4720	----	----	160.30B/122.00A	160.30B/122.00A	----	132.20 - 12.20	.4767	----	----	----	----	112 UNCH
4725	----	----	157.80B/119.90A	157.80B/119.90A	----	129.70 - 12.30	.4712	----	----	2	----	142 UNCH
4730	----	----	154.70B/117.70A	154.70B/117.70A	----	127.30 - 12.30	.4656	----	----	----	----	44 UNCH
4735	----	----	152.50B/115.60A	152.50B/115.60A	----	125.00 - 12.30	.4602	----	----	----	----	31 UNCH
4740	126.00	126.00	149.90B/113.50A	149.90B/113.50A	----	122.60 - 12.30	.4546	----	----	134	----	183 + 44
4745	118.50	118.50	147.10B/111.40A	147.10B/111.40A	----	120.30 - 12.30	.4491	----	----	1	----	25 UNCH
4750	122.60	122.60	145.00/109.40A	145.00/109.40A	----	118.00 - 12.30	.4436	----	----	20	----	1457 + 1
4755	----	----	142.10B/107.40A	142.10B/107.40A	----	115.80 - 12.30	.4381	----	----	----	----	46 UNCH
4760	----	----	139.60B/105.40A	139.60B/105.40A	----	113.60 - 12.30	.4326	----	----	----	----	73 UNCH
4765	----	----	137.00B/103.50A	137.00B/103.50A	----	111.40 - 12.30	.4271	----	----	----	----	76 UNCH
4770	130.00	130.00	134.60B/101.60A	134.60B/101.60A	----	109.20 - 12.30	.4216	----	----	12	----	76 + 2
4775	122.70	122.70	132.00B/99.70A	132.00B/99.70A	----	107.10 - 12.30	.4162	----	----	11	----	187 UNCH
4780	117.20	117.20	129.80B/97.70A	129.80B/97.70A	----	105.00 - 12.20	.4107	----	----	21	----	54 + 20
4785	102.00	102.00	127.40B/95.70A	127.40B/95.70A	----	102.90 - 12.20	.4053	----	----	20	----	29 + 20
4790	----	----	125.10B/93.70A	125.10B/93.70A	----	100.80 - 12.30	.3998	----	----	----	----	122 UNCH
4795	99.70	99.70	122.80B/91.80A	122.80B/91.80A	----	98.80 - 12.20	.3944	----	----	5	----	18 + 5
4800	101.20	101.20	120.80B/89.70A	120.80B/89.70A	----	96.80 - 12.20	.3889	----	----	137	----	2218 + 12
4805	93.70	93.70	118.20B/88.10A	118.20B/88.10A	----	94.90 - 12.10	.3836	----	----	1	----	19 + 1
4810	98.50	98.50	116.30B/86.10A	116.30B/86.10A	----	93.00 - 12.10	.3783	----	----	5	----	587 - 2
4815	101.70	101.70	113.80B/84.40A	113.80B/84.40A	----	91.10 - 12.10	.3729	----	----	31	----	18 UNCH
4820	91.80	91.80	111.40B/82.60A	111.40B/82.60A	----	89.20 - 12.00	.3676	----	----	3	----	133 UNCH
4825	----	----	109.50B/80.80A	109.50B/80.80A	----	87.30 - 12.10	.3622	----	----	----	----	143 UNCH
4830	98.10	98.10	107.50B/79.20A	107.50B/79.20A	----	85.50 - 12.00	.3569	----	----	14	----	65 - 11
4835	----	----	105.40B/77.40A	105.40B/77.40A	----	83.70 - 12.00	.3516	----	----	----	----	8 UNCH
4840	100.90	100.90	103.20B/75.70A	103.20B/75.70A	----	82.00 - 11.90	.3465	----	----	1	----	22 UNCH
4845	----	----	101.10B/74.20A	101.10B/74.20A	----	80.30 - 11.80	.3413	----	----	----	----	19 UNCH
4850	81.00	81.00	99.60B/72.30A	99.60B/72.30A	----	78.60 - 11.80	.3361	----	----	91	----	797 + 27
4855	86.20	86.20	97.20B/70.90A	97.20B/70.90A	----	76.90 - 11.80	.3310	----	----	6	----	21 + 6
4860	91.50	91.50	95.10B/69.30A	95.10B/69.30A	----	75.30 - 11.70	.3259	----	----	7	----	24 + 5
4865	----	----	93.20B/67.90A	93.20B/67.90A	----	73.60 - 11.70	.3207	----	----	----	----	57 UNCH
4870	81.70	81.70	91.40B/66.40A	91.40B/66.40A	----	72.10 - 11.50	.3158	----	----	22	----	64 + 22
4875	----	----	89.50B/64.90A	89.50B/64.90A	----	70.50 - 11.50	.3107	----	----	2	----	176 - 1
4880	----	----	87.70B/63.40A	87.70B/63.40A	----	69.00 - 11.40	.3058	----	----	----	----	52 UNCH
4885	----	----	85.90B/62.10A	85.90B/62.10A	----	67.50 - 11.40	.3009	----	----	----	----	60 UNCH
4890	----	----	84.10B/60.70A	84.10B/60.70A	----	66.00 - 11.30	.2960	----	----	----	----	17 UNCH
4895	----	----	82.40B/59.30A	82.40B/59.30A	----	64.50 - 11.30	.2910	----	----	1	----	72 UNCH
4900	69.50	69.50	81.00B/57.80A	81.00B/57.80A	----	63.10 - 11.20	.2863	----	----	277	----	1855 + 118
4905	----	----	79.20B/56.60A	79.20B/56.60A	----	61.70 - 11.10	.2815	----	----	----	----	41 UNCH
4910	----	----	77.30B/55.30A	77.30B/55.30A	----	60.30 - 11.10	.2767	----	----	----	----	87 UNCH
4915	57.50	57.50	75.90B/54.10A	75.90B/54.10A	----	59.00 - 11.00	.2721	----	----	3	----	70 + 2
4920	57.70	57.70	74.10B/52.90A	74.10B/52.90A	----	57.70 - 10.90	.2675	----	----	3	----	60 UNCH
4925	----	----	72.60B/51.70A	72.60B/51.70A	----	56.40 - 10.80	.2629	----	----	1	----	311 UNCH
4930	----	----	71.00B/50.50A	71.00B/50.50A	----	55.10 - 10.70	.2583	----	----	----	----	189 UNCH
4935	----	----	69.40B/49.30A	69.40B/49.30A	----	53.90 - 10.60	.2539	----	----	24	----	76 + 24
4940	----	----	67.90B/48.20A	67.90B/48.20A	----	52.60 - 10.60	.2493	----	----	----	----	25 UNCH
4945	----	----	66.40B/47.10A	66.40B/47.10A	----	51.40 - 10.50	.2449	----	----	----	----	33 UNCH
4950	54.10	54.10	65.40B/45.90A	65.40B/45.90A	----	50.30 - 10.40	.2407	----	----	9	----	882 - 2
4955	----	----	63.50B/44.90A	63.50B/44.90A	----	49.10 - 10.30	.2363	----	----	----	----	8 UNCH
4960	----	----	62.20B/43.90A	62.20B/43.90A	----	48.00 - 10.20	.2321	----	----	1	----	34 UNCH
4965	----	----	60.80B/42.90A	60.80B/42.90A	----	46.90 - 10.10	.2279	----	----	----	----	64 UNCH
4970	47.80	47.80	59.40B/41.90A	59.40B/41.90A	----	45.80 - 10.00	.2237	----	----	93	----	112 + 80
4975	----	----	58.20B/40.90A	58.20B/40.90A	----	44.70 - 10.00	.2195	----	----	----	----	285 UNCH
4980	----	----	56.80B/39.90A	56.80B/39.90A	----	43.70 - 9.80	.2156	----	----	----	----	246 UNCH
4985	----	----	55.50B/39.00A	55.50B/39.00A	----	42.70 - 9.70	.2116	----	----	----	----	149 UNCH
4990	----	----	54.30B/38.10A	54.30B/38.10A	----	41.70 - 9.60	.2076	----	----	----	----	42 UNCH
4995	41.00	41.00	53.10B/37.10A	53.10B/37.10A	----	40.70 - 9.60	.2037	----	----	21	----	307 - 2
5000	40.00	40.00	52.30/36.30A	52.30/36.30A	----	39.80 - 9.40	.2000	----	----	380	----	4578 - 5
5005	44.10	44.10	50.70B/35.50A	50.70B/35.50A	----	38.90 - 9.30	.1963	----	----	2	----	27 + 2
5010	----	----	49.40B/34.60A	49.40B/34.60A	----	38.00 - 9.20	.1926	----	----	1	----	177 - 1
5015	36.90	36.90	48.20B/33.80A	48.20B/33.80A	----	37.10 - 9.10	.1889	----	----	9	----	54 + 7
5020	----	----	47.10B/33.00A	47.10B/33.00A	----	36.20 - 9.00	.1851	----	----	1	----	44 - 1
5025	----	----	46.10B/32.20A	46.10B/32.20A	----	35.40 - 8.90	.1817	----	----	----	----	200 UNCH
5030	34.90	34.90	45.20B/31.40A	45.20B/31.40A	----	34.50 - 8.80	.1780	----	----	4	----	260 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
5035	----	----	43.90B/30.70A	43.90B/30.70A	----	33.70 - 8.70	.1746	----	----	----	----	19 UNCH
5040	----	----	43.00B/29.90A	43.00B/29.90A	----	32.90 - 8.60	.1712	----	----	----	----	150 UNCH
5045	30.10	30.10	42.30B/29.20A	42.30B/29.20A	----	32.20 - 8.50	.1680	----	----	11	----	2014 UNCH
5050	34.90	34.90	41.60/28.10	41.60/28.10	----	31.40 - 8.40	.1646	----	----	37	----	2835 UNCH
5055	----	----	40.10B/27.80A	40.10B/27.80A	----	30.70 - 8.30	.1615	----	----	107	----	89 - 18
5060	----	----	39.10B/27.20A	39.10B/27.20A	----	29.90 - 8.20	.1580	----	----	----	----	89 UNCH
5065	----	----	38.20B/26.50A	38.20B/26.50A	----	29.20 - 8.10	.1549	----	----	----	----	18 UNCH
5070	32.00	32.00	38.00/25.90A	38.00/25.90A	----	28.60 - 7.90	.1521	----	----	20	----	74 + 19
5075	----	----	36.40B/25.20A	36.40B/25.20A	----	27.90 - 7.80	.1490	----	----	----	----	51 UNCH
5080	----	----	35.50B/24.60A	35.50B/24.60A	----	27.20 - 7.80	.1459	----	----	----	----	145 UNCH
5085	28.80	28.80	34.70B/24.00A	34.70B/24.00A	----	26.60 - 7.60	.1431	----	----	1	----	315 + 1
5090	----	----	33.90B/23.50A	33.90B/23.50A	----	26.00 - 7.50	.1403	----	----	----	----	215 UNCH
5095	----	----	33.10B/22.90A	33.10B/22.90A	----	25.40 - 7.40	.1375	----	----	----	----	17 UNCH
5100	27.00	27.00	32.80/22.30A	32.80/22.30A	----	24.80 - 7.30	.1347	----	----	114	----	2016 + 40
5105	----	----	31.50B/*21.80A	31.50B/*21.80A	----	24.20 - 7.20	.1319	----	----	----	----	9 UNCH
5110	30.40	30.40	30.80B/*21.30A	30.80B/*21.30A	----	23.70 - 7.00	.1295	----	----	5	----	415 + 2
5115	29.70	29.70	29.70/*20.80A	30.10B/*20.80A	----	23.10 - 7.00	.1267	----	----	6	----	115 + 1
5120	----	----	----/*20.30A	29.40B/*20.30A	----	22.60 - 6.80	.1243	----	----	----	----	20 UNCH
5125	----	----	----/*19.80A	28.70B/*19.80A	----	22.00 - 6.80	.1215	----	----	5	----	370 - 1
5130	19.00	19.00	19.00/*19.00	28.10B/*19.00	----	21.50 - 6.70	.1191	----	----	2	----	89 + 1
5135	22.80	22.80	22.80/*18.80A	27.40B/*18.80A	----	21.00 - 6.60	.1166	----	----	1	----	193 UNCH
5140	26.30	26.30	26.60B/*18.40A	26.60B/*18.40A	----	20.60 - 6.40	.1145	----	----	3	----	121 + 3
5145	----	----	----/*18.00A	26.20B/*18.00A	----	20.10 - 6.30	.1121	----	----	----	----	43 UNCH
5150	25.10	25.10	25.60B/*17.50A	25.60B/*17.50A	----	19.60 - 6.20	.1097	----	----	11	----	918 + 2
5155	----	----	----/*17.10A	24.90B/*17.10A	----	19.20 - 6.10	.1077	----	----	----	----	73 UNCH
5160	20.10	20.10	24.20B/*16.70A	24.20B/*16.70A	----	18.70 - 6.00	.1053	----	----	6	----	288 - 1
5165	----	----	----/*16.30A	23.90B/*16.30A	----	18.30 - 5.90	.1032	----	----	----	----	47 UNCH
5170	----	----	----/*16.00A	23.40B/*16.00A	----	17.90 - 5.80	.1012	----	----	----	----	187 UNCH
5175	22.40	22.40	22.80B/15.60A	22.80B/15.60A	----	17.50 - 5.70	.0991	----	----	8	----	244 - 4
5180	----	----	----/*15.20A	22.30B/*15.20A	----	17.10 - 5.60	.0971	----	----	2	----	27 - 2
5185	----	----	----/*14.80A	21.80B/*14.80A	----	16.70 - 5.50	.0951	----	----	----	----	24 UNCH
5190	18.70	18.70	18.70/*14.50A	21.30B/*14.50A	----	16.40 - 5.30	.0934	----	----	7	----	339 - 7
5195	----	----	----/*14.20A	20.90B/*14.20A	----	16.00 - 5.30	.0914	----	----	----	----	21 UNCH
5200	----	----	----/*13.80A	20.40B/*13.80A	----	15.60 - 5.20	.0894	----	----	23	----	2945 - 2
5205	----	----	----/*13.50A	20.00B/*13.50A	----	15.30 - 5.10	.0878	----	----	----	----	27 UNCH
5210	19.00	19.00	19.00/*13.20A	19.40B/*13.20A	----	15.00 - 5.00	.0861	----	----	3	----	50 + 3
5215	----	----	----/*12.90A	19.00B/*12.90A	----	14.60 - 4.90	.0841	----	----	----	----	48 UNCH
5220	15.60	15.60	15.60/*12.60A	18.60B/*12.60A	----	14.30 - 4.80	.0825	----	----	2	----	264 UNCH
5225	18.10	18.10	18.10/*12.30A	18.20B/*12.30A	----	14.00 - 4.70	.0809	----	----	3	----	177 + 1
5230	----	----	----/*12.10A	17.80B/*12.10A	----	13.70 - 4.60	.0793	----	----	----	----	32 UNCH
5235	----	----	----/*11.80A	17.50B/*11.80A	----	13.40 - 4.60	.0777	----	----	----	----	67 UNCH
5240	----	----	----/*11.50A	17.00B/*11.50A	----	13.10 - 4.50	.0761	----	----	1	----	94 UNCH
5245	12.90	12.90	12.90/*11.30A	16.70B/*11.30A	----	12.80 - 4.40	.0745	----	----	4	----	55 + 4
5250	13.00	13.00	16.30B/*11.00A	16.30B/*11.00A	----	12.50 - 4.40	.0729	----	----	121	----	2080 + 41
5255	----	----	----/*10.80A	16.00B/*10.80A	----	12.30 - 4.20	.0718	----	----	2	----	7 UNCH
5260	11.00	11.00	11.00/*10.60A	15.60B/*10.60A	----	12.00 - 4.20	.0702	----	----	18	----	111 + 17
5265	12.90	12.90	12.90/*10.30A	15.40B/*10.30A	----	11.80 - 4.10	.0690	----	----	5	----	56 + 1
5270	----	----	----/*10.10A	15.00B/*10.10A	----	11.50 - 4.00	.0674	----	----	----	----	92 UNCH
5275	----	----	----/*9.90A	14.70B/*9.90A	----	11.30 - 3.90	.0663	----	----	----	----	198 UNCH
5280	----	----	----/*9.70A	14.40B/*9.70A	----	11.00 - 3.90	.0647	----	----	----	----	287 UNCH
5285	----	----	----/*9.50A	14.10B/*9.50A	----	10.80 - 3.80	.0636	----	----	----	----	29 UNCH
5290	----	----	----/*9.30A	13.80B/*9.30A	----	10.60 - 3.70	.0624	----	----	----	----	65 UNCH
5295	12.80	12.80	13.50/*9.10A	13.50/*9.10A	----	10.40 - 3.70	.0613	----	----	3	----	68 UNCH
5300	12.80	12.80	13.30B/*8.90A	13.30B/*8.90A	----	10.20 - 3.60	.0601	----	----	18	----	2660 - 4
5305	----	----	----/*8.70A	13.00B/*8.70A	----	9.90 - 3.60	.0586	----	----	----	----	43 UNCH
5310	----	----	----/*8.50A	12.80B/*8.50A	----	9.70 - 3.50	.0575	----	----	----	----	33 UNCH
5315	11.00	11.00	11.00/*8.30A	12.50B/*8.30A	----	9.50 - 3.50	.0563	----	----	31	----	32 + 3
5320	----	----	----/*8.10A	12.30B/*8.10A	----	9.40 - 3.30	.0556	----	----	1	----	528 + 1
5325	----	----	----/*8.00A	12.10B/*8.00A	----	9.20 - 3.30	.0545	----	----	6	----	112 - 3
5330	----	----	----/*7.80A	11.80B/*7.80A	----	9.00 - 3.30	.0534	----	----	----	----	44 UNCH
5335	----	----	----/*7.70A	11.60B/*7.70A	----	8.80 - 3.20	.0523	----	----	----	----	243 UNCH
5340	----	----	----/*7.50A	11.40B/*7.50A	----	8.60 - 3.20	.0512	----	----	----	----	131 UNCH
5345	----	----	----/*7.40A	11.20B/*7.40A	----	8.50 - 3.10	.0505	----	----	----	----	47 UNCH
5350	7.60	7.60	7.60/*7.20A	11.00B/*7.20A	----	8.30 - 3.10	.0494	----	----	5	----	791 UNCH
5355	----	----	----/*7.10A	10.80B/*7.10A	----	8.20 - 2.90	.0487	----	----	----	----	25 UNCH
5360	----	----	----/*6.90A	10.60B/*6.90A	----	8.00 - 2.90	.0476	----	----	2	----	103 - 2
5365	----	----	----/*6.80A	10.50B/*6.80A	----	7.80 - 2.90	.0466	----	----	----	----	33 UNCH
5370	----	----	----/*6.60A	10.30B/*6.60A	----	7.70 - 2.80	.0459	----	----	----	----	127 UNCH
5375	----	----	----/*6.50A	10.00B/*6.50A	----	7.60 - 2.70	.0453	----	----	6	----	402 UNCH
5380	----	----	----/*6.30A	9.90B/*6.30A	----	7.40 - 2.80	.0442	----	----	----	----	75 UNCH
5385	----	----	----/*6.20A	9.70B/*6.20A	----	7.30 - 2.70	.0435	----	----	----	----	116 UNCH
5390	----	----	----/*6.10A	9.50B/*6.10A	----	7.20 - 2.60	.0429	----	----	----	----	100 UNCH
5395	----	----	----/*6.00A	9.40B/*6.00A	----	7.00 - 2.60	.0418	----	----	----	----	39 UNCH
5400	7.00	7.00	7.00/*5.70	9.20B/*5.70	----	6.90 - 2.60	.0412	----	----	123	----	2451 - 7
5405	----	----	----/*5.80A	9.10B/*5.80A	----	6.80 - 2.50	.0406	----	----	----	----	60 UNCH
5410	----	----	----/*5.70A	8.90B/*5.70A	----	6.70 - 2.40	.0399	----	----	----	----	159 UNCH
5415	----	----	----/*5.60A	8.70B/*5.60A	----	6.60 - 2.40	.0393	----	----	----	----	38 UNCH
5420	----	----	----/*5.50A	8.60B/*5.50A	----	6.40 - 2.40	.0383	----	----	----	----	143 UNCH
5425	----	----	----/*5.40A	8.40B/*5.40A	----	6.30 - 2.40	.0376	----	----	----	----	107 UNCH
5430	----	----	----/*5.20A	8.30B/*5.20A	----	6.20 - 2.30	.0370	----	----	----	----	28 UNCH
5435	----	----	----/*5.20A	8.10B/*5.20A	----	6.10 - 2.30	.0364	----	----	----	----	12 UNCH
5440	----	----	----/*5.00A	8.00B/*5.00A	----	6.00 - 2.20	.0358	----	----	----	----	56 UNCH
5445	----	----	----/*4.90A	7.80B/*4.90A	----	5.90 - 2.20	.0352	----	----	----	----	113 UNCH
5450	----	----	----/*4.90A	7.70B/*4.90A	----	5.80 - 2.20	.0346	----	----	6	----	641 UNCH
5455	----	----	----/*4.80A	7.50B/*4.80A	----	5.70 - 2.10	.0340	----	----	----	----	153 UNCH
5460	----	----	----/*4.70A	7.40B/*4.70A	----	5.70 - 2.00	.0339	----	----	----	----	35 UNCH
5465	----	----	----/*4.60A	7.20B/*4.60A	----	5.60 - 2.00	.0333	----	----	----	----	41 UNCH
5470	----	----	----/*4.50A	7.10B/*4.50A	----	5.50 - 2.00	.0327	----	----	----	----	253 UNCH
5475	----	----	----/*4.40A	7.00B/*4.40A	----	5.40 - 1.90	.0321	----	----	----	----	35 UNCH
5480	----	----	----/*4.40A	6.90B/*4.40A	----	5.30 - 1.90	.0315	----	----	----	----	28 UNCH
5485	----	----	----/*4.30A	6.70B/*4.30A	----	5.20 - 1.90	.0309	----	----	----	----	40 UNCH
5490	----	----	----/*4.20A	6.60B/*4.20A	----	5.20 - 1.80	.0308	----	----	----	----	35 UNCH
5495	----	----	----/*4.10A	6.50B/*4.10A	----	5.10 - 1.80	.0302	----	----	----	----	51 UNCH
5500	6.00	6.00	6.70/*4.00	6.70/*4.00	----	5.00 - 1.80	.0296	----	----	124	----	4544 - 98
5505	----	----	----/*4.00A	6.30B/*4.00A	----	4.90 - 1.80	.0291	----	----	----	----	91 UNCH
5510	----	----	----/*3.90A	6.20B/*3.90A	----	4.90 - 1.70	.0289	----	----	----	----	46 UNCH
5515	----	----	----/*3.80A	6.10B/*3.80A	----	4.80 - 1.70	.0284	----	----	----	----	13 UNCH
5520	----	----	----/*3.80A	6.00B/*3.80A	----	4.70 - 1.70	.0278	----	----	----	----	235 UNCH
5525	5.10	5.10	5.10/*3.70A	5.90B/*3.70A	----	4.70 - 1.60	.0277	----	----	1	----	84 + 1
5530	----	----	----/*3.70A	5.80B/*3.70A	----	4.60 - 1.60	.0271	----	----	----	----	62 UNCH
5535	----	----	----/*3.60A	5.70B/*3.60A	----	4.50 - 1.60	.0266	----	----	----	----	14 UNCH
5540	----	----	----/*3.60A	5.60B/*3.60A	----	4.50 - 1.50	.0265	----	----	----	----	27 UNCH
5545	----	----	----/*3.50A	5.50B/*3.50A	----	4.40 - 1.50	.0259	----	----	----	----	6 UNCH
5550	----	----	----/*3.40A	5.40B/*3.40A	----	4.40 - 1.40	.0258	----	----	----	----	860 UNCH
5555	----	----	----/*3.40A	5.40B/*3.40A	----	4.30 - 1.50	.0252	----	----	----	----	19 UNCH
5560	----	----	----/*3.30A	5.30B/*3.30A	----	4.20 - 1.50	.0247	----	----	----	----	28 UNCH
5565	----	----	----/*3.30A	5.20B/*3.30A	----	4.20 - 1.40	.0246	----	----	----	----	46 UNCH
5570	----	----	----/*3.20A	5.10B/*3.20A	----	4.10 - 1.40	.0241	----	----	----	----	558 UNCH
5575	----	----	----/*3.20A	5.00B/*3.20A	----	4.10 - 1.30	.0240	----	----	----	----	239 UNCH
5580	----	----	----/*3.10A	5.00B/*3.10A	----	4.00 - 1.40	.0234	----	----	----	----	137 UNCH
5585	----	----	----/*3.10A	4.90B/*3.10A	----	4.00 - 1.30	.0233	----	----	----	----	20 UNCH
5590	----	----	----/*3.10A	4.80B/*3.10A	----	3.90 - 1.30	.0228	----	----	----	----	93 UNCH
5595	----	----	----/*3.00A	4.70B/*3.00A	----	3.90 - 1.30	.0227	----	----	----	----	17 UNCH
5600	4.20	4.20	4.60B/*3.00A	4.60B/*3.00A	----	3.80 - 1.30	.0222	----	----	140	----	3025 + 35
5610	----	----	----/*2.90A	4.50B/*2.90A	----	3.70 - 1.30	.0215	----	----	----	----	461 UNCH
5620	----	----	----/*2.80A	4.40B/*2.80A	----	3.60 - 1.20	.0209	----	----	1	----	136 - 1
5625	----	----	----/*2.80A	4.30B/*2.80A	----	3.60 - 1.20	.0208	----	----	----	----	267 UNCH
5630	----	----	----/*2.70A	4.20B/*2.70A	----	3.50 - 1.20	.0203	----	----	1	----	147 - 1
5640	----	----	----/*2.70A	4.10B/*2.70A	----	3.50 - 1.10	.0202	----	----	----	----	553 UNCH
5650	2.80	2.80	2.80/*2.60A	4.10B/*2.60A	----	3.40 - 1.10	.0196	----	----	6	----	713 - 6
5660	----	----	----/*2.50A	4.00B/*2.50A	----	3.30 - 1.10	.0190	----	----	----	----	262 UNCH
5670	----	----	----/*2.50A	3.80B/*2.50A	----	3.20 - 1.00	.0184	----	----	----	----	41 UNCH
5675	----	----	----/*2.40A	3.70B/*2.40A	----	3.20 - 1.00	.0183	----	----	----	----	5 UNCH
5680	----	----	----/*2.40A	3.70B/*2.40A	----	3.10 - 1.00	.0178	----	----	----	----	94 UNCH
5690	----	----	----/*2.30A	3.50B/*2.30A	----	3.10 - 0.90	.0177	----	----	----	----	178 UNCH
5700	3.20	3.20	3.20/*2.30A	3.40B/*2.30A	----	3.00 - 1.00	.0171	----	----	8	----	1880 - 2
5710	----	----	----/*2.20A	3.30B/*2.20A	----	2.90 - 1.00	.0165	----	----	----	----	49 UNCH
5720	----	----	----/*2.20A	3.20B/*2.20A	----	2.80 - 1.00	.0160	----	----	----	----	35 UNCH
5725	----	----	----/*2.20A	3.20B/*2.20A	----	2.80 - 0.90	.0159	----	----	----	----	432 UNCH
5730	----	----	----/*2.10A	3.20B/*2.10A	----	2.80 - 0.90	.0159	----	----	----	----	113 UNCH
5740	----	----	----/*2.10A	3.10B/*2.10A	----	2.70 - 0.90	.0153	----	----	----	----	55 UNCH
5750	3.40	3.40	3.40/*2.00A	3.40/*2.00A	----	2.60 - 0.90	.0147	----	----	3	----	321 UNCH
5760	----	----	----/*2.00A	3.00B/*2.00A	----	2.60 - 0.80	.0146	----	----	----	----	63 UNCH
5770	----	----	----/*1.90A	2.90B/*1.90A	----	2.50 - 0.90	.0141	----	----	----	----	16 UNCH
5775	----	----	----/*1.90A	2.80B/*1.90A	----	2.50 - 0.80	.0141	----	----	----	----	69 UNCH
5780	----	----	----/*1.90A	2.80B/*1.90A	----	2.50 - 0.80	.0140	----	----	----	----	22 UNCH
5790	----	----	----/*1.90A	2.70B/*1.90A	----	2.40 - 0.80	.0135	----	----	1	----	41 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
5800	2.50	2.50	2.50/*1.80	2.70B/*1.80	----	2.40 - 0.70	.0134	----	----	11	----	1109 - 2
5810	----	----	----/*1.80A	2.60B/*1.80A	----	2.30 - 0.80	.0128	----	----	----	----	36 UNCH
5820	----	----	----/*1.80A	2.50B/*1.80A	----	2.30 - 0.70	.0128	----	----	----	----	48 UNCH
5825	----	----	----/*1.70A	2.50B/*1.70A	----	2.20 - 0.80	.0123	----	----	----	----	113 UNCH
5830	----	----	----/*1.70A	2.50B/*1.70A	----	2.20 - 0.70	.0122	----	----	----	----	139 UNCH
5840	----	----	----/*1.70A	2.40B/*1.70A	----	2.20 - 0.70	.0122	----	----	----	----	86 UNCH
5850	----	----	----/*1.70A	2.40B/*1.70A	----	2.10 - 0.70	.0116	----	----	----	----	324 UNCH
5860	----	----	----/*1.60A	2.30B/*1.60A	----	2.10 - 0.70	.0116	----	----	----	----	68 UNCH
5870	----	----	----/*1.60A	2.30B/*1.60A	----	2.10 - 0.60	.0115	----	----	----	----	17 UNCH
5875	----	----	----/*1.60A	2.20B/*1.60A	----	2.10 - 0.60	.0115	----	----	----	----	29 UNCH
5880	----	----	----/*1.60A	2.20B/*1.60A	----	2.00 - 0.60	.0110	----	----	----	----	25 UNCH
5890	----	----	----/*1.50A	2.20B/*1.50A	----	2.00 - 0.60	.0109	----	----	----	----	23 UNCH
5900	3.00	3.00	3.00/*1.50	3.00/*1.50	----	2.00 - 0.50	.0109	----	----	13	----	830 + 8
5910	----	----	----/*1.50A	2.10B/*1.50A	----	1.90 - 0.60	.0103	----	----	----	----	61 UNCH
5920	1.50	1.50	1.50/*1.40A	2.00B/*1.40A	----	1.90 - 0.50	.0103	----	----	53	----	113 + 49
5930	1.50	1.50	1.50/*1.40A	2.00B/*1.40A	----	1.90 - 0.50	.0102	----	----	12	----	136 + 3
5940	1.50	1.50	1.50/*1.40A	1.90B/*1.40A	----	1.80 - 0.50	.0097	----	----	9	----	59 + 9
5950	----	----	----/*1.40A	1.90B/*1.40A	----	1.80 - 0.50	.0097	----	----	----	----	431 UNCH
5960	----	----	----/*1.30A	1.90B/*1.30A	----	1.80 - 0.50	.0096	----	----	----	----	45 UNCH
5970	----	----	----/*1.40A	1.80B/*1.40A	----	1.70 - 0.50	.0091	----	----	----	----	35 UNCH
5980	----	----	----/*1.30A	1.80B/*1.30A	----	1.70 - 0.50	.0091	----	----	----	----	118 UNCH
5990	----	----	----/*1.30A	1.80B/*1.30A	----	1.70 - 0.40	.0090	----	----	----	----	59 UNCH
6000	1.20	1.20	1.20/*1.20	1.70B/*1.20	----	1.70 - 0.40	.0090	----	----	2	----	3385 UNCH
6025	----	----	----/*1.30A	1.70B/*1.30A	----	1.60 - 0.40	.0084	----	----	----	----	94 UNCH
6050	----	----	----/*1.20A	1.60B/*1.20A	----	1.50 - 0.40	.0079	----	----	----	----	103 UNCH
6075	----	----	----/*1.20A	1.50B/*1.20A	----	1.50 - 0.40	.0078	----	----	----	----	23 UNCH
6100	1.20	1.20	1.20/*1.20	1.40B/*1.20	----	1.40 - 0.40	.0072	----	----	20	----	626 + 20
6125	----	----	----/*1.10A	1.40B/*1.10A	----	1.40 - 0.30	.0071	----	----	----	----	48 UNCH
6150	----	----	----/*1.10A	1.30B/*1.10A	----	1.30 - 0.40	.0066	----	----	----	----	132 UNCH
6175	----	----	----/*1.10A	1.30B/*1.10A	----	1.30 - 0.30	.0066	----	----	----	----	131 UNCH
6200	0.90	0.90	0.90/*0.90	1.20B/*0.90	----	1.20 - 0.40	.0061	----	----	4	----	370 - 4
6225	----	----	----/*1.00A	1.20B/*1.00A	----	1.20 - 0.30	.0060	----	----	----	----	138 UNCH
6250	0.90	0.90	0.90/*0.90	1.10B/*0.90	----	1.20 - 0.30	.0059	----	----	2	----	260 - 1
6275	----	----	----/0.90A	1.10B/0.90A	----	1.10 - 0.30	.0054	----	----	----	----	34 UNCH
6300	----	----	----/*0.90A	1.00B/*0.90A	----	1.10 - 0.30	.0054	----	----	----	----	253 UNCH
6325	----	----	----/*1.00A	1.00B/*1.00A	----	1.10 - 0.30	.0053	----	----	----	----	148 UNCH
6350	0.90	0.90	0.90/*0.90	1.00B/*0.90	----	1.10 - 0.20	.0053	----	----	2	----	203 - 1
6375	----	----	----/*0.90A	1.00B/*0.90A	----	1.00 - 0.30	.0048	----	----	----	----	24 UNCH
6400	0.90	0.90	0.90/*0.90	1.00B/*0.90	----	1.00 - 0.30	.0047	----	----	2	----	345 - 2
6425	----	----	----/*0.90A	0.90B/*0.90A	----	1.00 - 0.20	.0047	----	----	----	----	42 UNCH
6450	----	----	----/*0.90A	0.90B/*0.90A	----	1.00 - 0.20	.0046	----	----	----	----	76 UNCH
6475	0.80	0.80	0.80/*0.80	0.90B/*0.80	----	0.90 - 0.30	.0042	----	----	1	----	68 - 1
6500	0.80	0.80	1.00/*0.80	1.00/*0.80	----	0.90 - 0.30	.0042	----	----	12	----	1073 + 12
6525	----	----	----/*0.70A	0.90B/*0.70A	----	0.90 - 0.20	.0041	----	----	----	----	20 UNCH
6550	----	----	----/*0.80A	0.80B/*0.80A	----	0.90 - 0.20	.0041	----	----	----	----	75 UNCH
6575	----	----	----/*0.80A	0.80B/*0.80A	----	0.90 - 0.20	.0040	----	----	----	----	10 UNCH
6600	----	----	----/*0.70A	0.80B/*0.70A	----	0.90 - 0.10	.0040	----	----	----	----	72 UNCH
6625	----	----	----/*0.60A	0.80B/*0.60A	----	0.80 - 0.20	.0036	----	----	----	----	38 UNCH
6650	----	----	----/*0.70A	0.70B/*0.70A	----	0.80 - 0.20	.0036	----	----	----	----	57 UNCH
6675	----	----	----/*0.60A	0.70B/*0.60A	----	0.80 - 0.20	.0035	----	----	----	----	29 UNCH
6700	0.90	0.90	0.90/*0.70A	0.90/*0.70A	----	0.80 - 0.20	.0035	----	----	1	----	376 + 1
6725	----	----	----/*0.60A	0.70B/*0.60A	----	0.80 - 0.10	.0035	----	----	----	----	101 UNCH
6750	----	----	----/*0.60A	0.60B/*0.60A	----	0.70 - 0.20	.0031	----	----	----	----	64 UNCH
6775	----	----	----/*0.60A	0.60B/*0.60A	----	0.70 - 0.20	.0030	----	----	----	----	7 UNCH
6800	----	----	----/*0.60A	0.60B/*0.60A	----	0.70 - 0.20	.0030	----	----	1	----	613 - 1
6825	----	----	----/*0.60A	0.60B/*0.60A	----	0.70 - 0.20	.0030	----	----	----	----	8 UNCH
6850	----	----	----/*0.60A	0.60B/*0.60A	----	0.70 - 0.10	.0030	----	----	----	----	32 UNCH
6875	----	----	----/*0.60A	0.50B/*0.60A	----	0.70 - 0.10	.0029	----	----	----	----	13 UNCH
6900	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.20	.0025	----	----	----	----	553 UNCH
6925	----	----	----/*0.50A	0.50B/*0.50A	----	0.60 - 0.20	.0025	----	----	----	----	1 UNCH
6950	----	----	----/*0.50A	0.50B/*0.50A	----	0.60 - 0.20	.0025	----	----	1	----	34 + 1
6975	----	----	----/*0.50A	0.40B/*0.50A	----	0.60 - 0.10	.0025	----	----	----	----	7 UNCH
7000	----	----	----/*0.50A	0.40B/*0.50A	----	0.60 - 0.10	.0025	----	----	4	----	823 + 1
7025	----	----	----/*0.50A	0.40B/*0.50A	----	0.60 - 0.10	.0024	----	----	----	----	402 UNCH
7050	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.20	.0021	----	----	----	----	33 UNCH
7075	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.20	.0020	----	----	----	----	86 UNCH
7100	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.20	.0020	----	----	----	----	106 UNCH
7125	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.10	.0020	----	----	----	----	14 UNCH
7150	----	----	----/*0.40A	0.30B/*0.40A	----	0.50 - 0.10	.0020	----	----	----	----	26 UNCH
7175	----	----	----/*0.40A	0.30B/*0.40A	----	0.50 - 0.10	.0020	----	----	----	----	37 UNCH
7200	----	----	----/*0.40A	0.30B/*0.40A	----	0.50 - 0.10	.0020	----	----	----	----	97 UNCH
7225	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.20	.0016	----	----	----	----	6 UNCH
7250	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.20	.0016	----	----	----	----	42 UNCH
7275	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.20	.0016	----	----	----	----	15 UNCH
7300	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.20	.0016	----	----	----	----	10 UNCH
7325	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.10	.0016	----	----	----	----	1 UNCH
7350	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.10	.0015	----	----	----	----	1 UNCH
7375	----	----	----/*0.40A	0.20B/*0.40A	----	0.40 - 0.10	.0015	----	----	----	----	10 UNCH
7400	----	----	----/*0.40A	0.20B/*0.40A	----	0.40 - 0.10	.0015	----	----	----	----	16 UNCH
7450	----	----	----/*0.40A	0.20B/*0.40A	----	0.40 - 0.10	.0015	----	----	----	----	20 UNCH
7475	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0011	----	----	----	----	11 UNCH
7500	0.90	0.90	0.90/0.40A	0.90/0.40A	----	0.30 - 0.20	.0011	----	----	1	----	350 - 1
7525	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0011	----	----	----	----	42 UNCH
7575	----	----	----/*0.40A	0.10B/*0.40A	----	0.30 - 0.20	.0011	----	----	----	----	6 UNCH
7600	----	----	----/*0.40A	0.10B/*0.40A	----	0.30 - 0.20	.0011	----	----	----	----	89 UNCH
7625	----	----	----	----/*0.40A	----	0.30 - 0.10	.0011	----	----	----	----	2 UNCH
7650	----	----	----	----/*0.40A	----	0.30 - 0.10	.0011	----	----	----	----	2 UNCH
7675	----	----	----	----/*0.40A	----	0.30 - 0.10	.0011	----	----	----	----	36 UNCH
7700	----	----	----	----/*0.40A	----	0.30 - 0.10	.0011	----	----	----	----	77 UNCH
7725	----	----	----	----/*0.40A	----	0.30 - 0.10	.0011	----	----	----	----	1 UNCH
7750	----	----	----	----/*0.40A	----	0.30 - 0.10	.0011	----	----	----	----	20 UNCH
7775	----	----	----	----/*0.40A	----	0.30 - 0.10	.0011	----	----	----	----	5 UNCH
7800	----	----	----	----/*0.40A	----	0.30 - 0.10	.0011	----	----	----	----	23 UNCH
7825	----	----	----	----/*0.40A	----	0.30 - 0.10	.0011	----	----	----	----	6 UNCH
7850	----	----	----	----/*0.40A	----	0.30 - 0.10	.0011	----	----	----	----	6 UNCH
7875	----	----	----	----/*0.40A	----	0.20 - 0.20	.0007	----	----	----	----	5 UNCH
7900	----	----	----	----/*0.40A	----	0.20 - 0.20	.0007	----	----	----	----	5 UNCH
7950	----	----	----	----/0.40A	----	0.20 - 0.20	.0007	----	----	----	----	39 UNCH
7975	----	----	----	----/0.40A	----	0.20 - 0.20	.0007	----	----	----	----	5 UNCH
8000	----	----	----	----/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	997 UNCH
8100	----	----	----	----/0.40A	----	0.20 - 0.10	.0007	----	----	----	----	54 UNCH
8200	----	----	----	----/0.40A	----	0.20 - 0.10	.0007	----	----	----	----	980 UNCH
8300	----	----	----	----/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	27 UNCH
8400	----	----	----	----/*0.30A	----	0.20 - 0.10	.0006	----	----	----	----	1 UNCH
8500	----	----	----	----/*0.30A	----	0.20 - 0.10	.0006	----	----	----	----	59 UNCH
8600	----	----	----	----/*0.30A	----	0.10 - 0.10	.0003	----	----	----	----	1 UNCH
8700	----	----	----	----/*0.30A	----	0.10 - 0.10	.0002	----	----	----	----	13 UNCH
8800	----	----	----	----/*0.30A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
8900	----	----	----	----/*0.30A	----	0.10 - 0.10	.0001	----	----	----	----	14 UNCH
9000	----	----	----	----/*0.30A	----	0.10 - 0.10	.0001	----	----	----	----	311 UNCH
9100	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	2 UNCH
9300	----	----	----	----/0.30A	----	0.10 - 0.10	.0000	----	----	----	----	2 UNCH
9400	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
9500	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	53 UNCH
9600	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	7 UNCH
9800	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
9900	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	31 UNCH
10000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	10	----	767 + 10
15000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	133 UNCH
TOTAL										2876		100895 + 474
JUN26												
1995	----	----	----	----	----	?689.70 + 5.00	1.0000	----	----	100	----	0 UNCH
2000	----	----	2,720.10B/----	2720.10B/2681.30A	----	?684.70 + 5.00	1.0000	----	----	275	----	412 UNCH
2005	----	----	----	----	----	?679.70 + 5.00	1.0000	----	----	100	----	0 UNCH
2800	----	----	1,922.00B/1,878	1922.00B/1878.00A	----	1884.80 + 4.80	.9931	----	----	----	----	500 UNCH
3000	----	----	1,724.00B/1,678	1724.00B/1678.80A	----	1685.60 + 4.80	.9892	----	----	----	----	613 UNCH
3200	----	----	1,517.80B/1,447	1517.80B/1447.00A	----	1487.10 + 4.50	.9834	----	----	----	----	42 UNCH
3300	----	----	1,419.10B/1,348	1419.10B/1348.50A	----	1388.40 + 4.30	.9795	----	----	----	----	4 UNCH
3310	----	----	1,409.20B/1,338	1409.20B/1338.70A	----	1378.50 + 4.20	.9789	----	----	----	----	1 UNCH
3400	----	----	1,328.10B/1,250	1328.10B/1250.40A	----	1290.00 + 3.80	.9741	----	----	----	----	893 UNCH
3500	----	----	1,226.60B/1,153	1226.60B/1153.10A	----	1192.20 + 3.30	.9671	----	----	----	----	58 UNCH
3525	----	----	1,202.30B/1,128	1202.30B/1128.30A	----	1167.90 + 3.20	.9652	----	----	----	----	1 UNCH
3550	----	----	1,178.00B/1,104	1178.00B/1104.90A	----	1143.60 + 3.10	.9631	----	----	----	----	1 UNCH
3580	----	----	1,149.10B/1,075	1149.10B/1075.30A	----	1114.60 + 2.90	.9603	----	----	----	----	18 UNCH
3585	----	----	1,144.30B/1,070	1144.30B/1070.50A	----	1109.70 + 2.90	.9597	----	----	----	----	100 UNCH
3600	----	----	1,129.70B/1,057	1129.70B/1057.00A	----	1095.20 + 2.70	.9582	----	----	----	----	214 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
3635	----	----	1,096.00B/1,022	1096.00B/1022.80A	----	1061.50 + 2.50	.9545	----	----	----	----	60 UNCH
3650	----	----	1,081.60B/1,009	1081.60B/1009.20A	----	1047.10 + 2.40	.9527	----	----	----	----	143 UNCH
3665	----	----	1,067.20B/994.3	1067.20B/994.30A	----	1032.70 + 2.30	.9509	----	----	----	----	3 UNCH
3700	----	----	1,036.10B/961.9	1036.10B/961.90A	----	999.30 + 2.00	.9464	----	----	----	----	395 UNCH
3715	----	----	1,019.60B/947.9	1019.60B/947.90A	----	985.00 + 1.90	.9443	----	----	----	----	25 UNCH
3725	----	----	1,010.00B/938.5	1010.00B/938.50A	----	975.50 + 1.80	.9428	----	----	----	----	212 UNCH
3750	----	----	987.00B/915.00A	987.00B/915.00A	----	951.80 + 1.50	.9390	----	----	----	----	1112 UNCH
3755	----	----	981.50B/910.90A	981.50B/910.90A	----	947.10 + 1.50	.9384	----	----	----	----	15 UNCH
3785	----	----	953.20B/882.40A	953.20B/882.40A	----	918.90 + 1.30	.9335	----	----	----	----	170 UNCH
3790	----	----	948.50B/877.80A	948.50B/877.80A	----	914.20 + 1.20	.9326	----	----	----	----	1 UNCH
3800	----	----	939.90B/868.60A	939.90B/868.60A	----	904.80 + 1.10	.9309	----	----	----	----	545 UNCH
3835	----	----	906.30B/836.50A	906.30B/836.50A	----	872.10 + 0.70	.9245	----	----	----	----	1 UNCH
3840	----	----	901.70B/832.00A	901.70B/832.00A	----	867.40 + 0.60	.9234	----	----	----	----	21 UNCH
3850	----	----	892.40B/822.80A	892.40B/822.80A	----	858.20 + 0.60	.9214	----	----	----	----	322 UNCH
3875	----	----	869.10B/800.90A	869.10B/800.90A	----	835.00 + 0.30	.9163	----	----	----	----	60 UNCH
3895	----	----	850.60B/782.10A	850.60B/782.10A	----	816.60 + 0.10	.9121	----	----	----	----	1 UNCH
3900	----	----	846.10B/777.70A	846.10B/777.70A	----	812.00 UNCH	.9110	----	----	----	----	364 UNCH
3925	----	----	823.10B/756.00A	823.10B/756.00A	----	789.10 - 0.30	.9051	----	----	----	----	4 UNCH
3950	----	----	800.20B/733.90A	800.20B/733.90A	----	766.40 - 0.50	.8990	----	----	----	----	14 UNCH
3975	----	----	777.50B/711.10A	777.50B/711.10A	----	743.90 - 0.70	.8925	----	----	----	----	106 UNCH
3990	----	----	764.00B/698.70A	764.00B/698.70A	----	730.40 - 0.90	.8885	----	----	----	----	1 UNCH
3995	----	----	759.50B/693.70A	759.50B/693.70A	----	725.90 - 1.00	.8871	----	----	----	----	5 UNCH
4000	----	----	756.40B/689.90A	756.40B/689.90A	----	721.50 - 1.00	.8857	----	----	----	----	862 UNCH
4005	----	----	750.50B/685.80A	750.50B/685.80A	----	717.00 - 1.10	.8843	----	----	----	----	10 UNCH
4010	----	----	746.00B/681.40A	746.00B/681.40A	----	712.50 - 1.20	.8830	----	----	----	----	1 UNCH
4020	----	----	737.10B/672.20A	737.10B/672.20A	----	703.70 - 1.20	.8800	----	----	----	----	2 UNCH
4025	----	----	732.60B/668.70A	732.60B/668.70A	----	699.20 - 1.30	.8785	----	----	----	----	51 UNCH
4040	----	----	719.30B/655.70A	719.30B/655.70A	----	686.00 - 1.40	.8740	----	----	----	----	1 UNCH
4050	----	----	710.40B/646.60A	710.40B/646.60A	----	677.20 - 1.60	.8708	----	----	----	----	185 UNCH
4060	----	----	701.60B/638.10A	701.60B/638.10A	----	668.40 - 1.70	.8677	----	----	----	----	25 UNCH
4070	----	----	692.80B/630.50A	692.80B/630.50A	----	659.70 - 1.80	.8645	----	----	----	----	10 UNCH
4075	----	----	688.40B/626.20A	688.40B/626.20A	----	655.30 - 1.90	.8627	----	----	----	----	64 UNCH
4090	----	----	675.30B/612.90A	675.30B/612.90A	----	642.30 - 2.00	.8577	----	----	----	----	34 UNCH
4100	----	----	668.20B/605.30A	668.20B/605.30A	----	633.70 - 2.10	.8543	----	----	----	----	682 UNCH
4105	----	----	662.20B/600.50A	662.20B/600.50A	----	629.40 - 2.20	.8526	----	----	----	----	50 UNCH
4110	----	----	658.20B/597.10A	658.20B/597.10A	----	625.10 - 2.30	.8508	----	----	----	----	2 UNCH
4115	----	----	653.60B/592.20A	653.60B/592.20A	----	620.80 - 2.30	.8490	----	----	----	----	5 UNCH
4125	----	----	645.00B/584.00A	645.00B/584.00A	----	612.30 - 2.40	.8454	----	----	----	----	95 UNCH
4135	----	----	636.40B/577.00A	636.40B/577.00A	----	603.80 - 2.50	.8416	----	----	----	----	16 UNCH
4150	----	----	623.50B/564.40A	623.50B/564.40A	----	591.10 - 2.70	.8359	----	----	----	----	263 UNCH
4170	----	----	606.60B/548.40A	606.60B/548.40A	----	574.40 - 2.90	.8280	----	----	----	----	51 UNCH
4175	----	----	602.40B/544.70A	602.40B/544.70A	----	570.20 - 3.00	.8260	----	----	----	----	61 UNCH
4195	----	----	585.60B/528.90A	585.60B/528.90A	----	553.60 - 3.30	.8178	----	----	----	----	1 UNCH
4200	----	----	583.40B/524.60A	583.40B/524.60A	----	549.50 - 3.30	.8156	----	----	----	----	2079 UNCH
4210	----	----	575.20B/516.80A	575.20B/516.80A	----	541.30 - 3.40	.8113	----	----	----	----	1582 UNCH
4220	----	----	564.80B/509.00A	564.80B/509.00A	----	533.20 - 3.50	.8070	----	----	----	----	84 UNCH
4225	----	----	560.70B/505.40A	560.70B/505.40A	----	529.10 - 3.60	.8048	----	----	----	----	15 UNCH
4235	----	----	552.50B/497.50A	552.50B/497.50A	----	521.10 - 3.70	.8003	----	----	----	----	6 UNCH
4240	----	----	548.40B/494.00A	548.40B/494.00A	----	517.00 - 3.80	.7979	----	----	----	----	53 UNCH
4245	----	----	547.80B/489.80A	547.80B/489.80A	----	513.00 - 3.90	.7956	----	----	----	----	263 UNCH
4250	----	----	542.30B/486.00A	542.30B/486.00A	----	509.00 - 3.90	.7934	----	----	----	----	922 UNCH
4255	----	----	536.20B/482.60A	536.20B/482.60A	----	505.00 - 4.00	.7910	----	----	----	----	6 UNCH
4260	----	----	532.20B/478.70A	532.20B/478.70A	----	501.10 - 4.00	.7887	----	----	----	----	1 UNCH
4265	----	----	528.10B/474.60A	528.10B/474.60A	----	497.10 - 4.10	.7862	----	----	----	----	87 UNCH
4270	----	----	524.10B/470.90A	524.10B/470.90A	----	493.20 - 4.10	.7839	----	----	----	----	11 UNCH
4280	----	----	516.10B/463.40A	516.10B/463.40A	----	485.30 - 4.30	.7790	----	----	----	----	1 UNCH
4285	----	----	512.10B/459.70A	512.10B/459.70A	----	481.40 - 4.30	.7765	----	----	----	----	1 UNCH
4300	----	----	502.40B/448.40A	502.40B/448.40A	----	469.70 - 4.50	.7690	----	----	----	----	2116 UNCH
4305	----	----	496.30B/445.30A	496.30B/445.30A	----	465.90 - 4.60	.7665	----	----	----	----	1 UNCH
4310	----	----	492.40B/441.80A	492.40B/441.80A	----	462.00 - 4.70	.7640	----	----	----	----	23 UNCH
4315	----	----	488.50B/438.00A	488.50B/438.00A	----	458.20 - 4.70	.7613	----	----	----	----	1 UNCH
4320	----	----	484.60B/433.90A	484.60B/433.90A	----	454.40 - 4.70	.7588	----	----	----	----	62 UNCH
4325	----	----	480.70B/430.30A	480.70B/430.30A	----	450.60 - 4.80	.7562	----	----	----	----	72 UNCH
4335	----	----	472.90B/423.50A	472.90B/423.50A	----	443.00 - 5.00	.7509	----	----	----	----	13 UNCH
4340	----	----	469.10B/419.60A	469.10B/419.60A	----	439.30 - 5.00	.7482	----	----	----	----	17 UNCH
4345	----	----	465.20B/416.10A	465.20B/416.10A	----	435.50 - 5.10	.7454	----	----	----	----	2 UNCH
4350	----	----	463.70B/412.50A	463.70B/412.50A	----	431.80 - 5.10	.7427	----	----	----	----	1451 UNCH
4355	----	----	457.60B/409.40A	457.60B/409.40A	----	428.10 - 5.10	.7400	----	----	----	----	129 UNCH
4360	----	----	453.80B/405.40A	453.80B/405.40A	----	424.40 - 5.20	.7372	----	----	----	----	42 UNCH
4365	----	----	450.00B/402.10A	450.00B/402.10A	----	420.70 - 5.30	.7345	----	----	----	----	4 UNCH
4370	----	----	446.30B/398.60A	446.30B/398.60A	----	417.00 - 5.30	.7316	----	----	----	----	3 UNCH
4375	----	----	442.50B/395.60A	442.50B/395.60A	----	413.30 - 5.40	.7288	----	----	----	----	106 UNCH
4380	----	----	439.10B/391.60A	439.10B/391.60A	----	409.70 - 5.50	.7260	----	----	----	----	341 UNCH
4385	----	----	435.00B/388.60A	435.00B/388.60A	----	406.10 - 5.50	.7231	----	----	----	----	3 UNCH
4390	----	----	431.30B/384.90A	431.30B/384.90A	----	402.40 - 5.60	.7202	----	----	----	----	16 UNCH
4395	----	----	427.60B/381.80A	427.60B/381.80A	----	398.80 - 5.70	.7173	----	----	----	----	10 UNCH
4400	----	----	426.30B/378.00A	426.30B/378.00A	----	395.30 - 5.70	.7144	----	----	----	----	1460 UNCH
4410	----	----	416.60B/372.30A	416.60B/372.30A	----	388.10 - 5.90	.7085	----	----	----	----	39 UNCH
4415	----	----	413.00B/368.20A	413.00B/368.20A	----	384.60 - 5.90	.7055	----	----	----	----	176 UNCH
4420	----	----	409.40B/364.90A	409.40B/364.90A	----	381.10 - 5.90	.7026	----	----	----	----	3 UNCH
4425	----	----	406.20B/361.70A	406.20B/361.70A	----	377.60 - 6.00	.6995	----	----	----	----	274 UNCH
4430	----	----	402.20B/358.30A	402.20B/358.30A	----	374.10 - 6.00	.6965	----	----	----	----	19 UNCH
4435	----	----	398.60B/354.90A	398.60B/354.90A	----	370.60 - 6.10	.6935	----	----	----	----	20 UNCH
4440	----	----	395.00B/351.60A	395.00B/351.60A	----	367.20 - 6.10	.6904	----	----	----	----	19 UNCH
4445	----	----	391.50B/348.30A	391.50B/348.30A	----	363.70 - 6.20	.6873	----	----	----	----	5 UNCH
4450	----	----	388.40B/344.80A	388.40B/344.80A	----	360.30 - 6.30	.6842	----	----	----	----	497 UNCH
4455	----	----	384.40B/341.70A	384.40B/341.70A	----	356.90 - 6.30	.6811	----	----	----	----	6 UNCH
4460	----	----	380.90B/338.50A	380.90B/338.50A	----	353.50 - 6.40	.6779	----	----	----	----	20 UNCH
4465	----	----	377.40B/335.30A	377.40B/335.30A	----	350.10 - 6.50	.6748	----	----	----	----	18 UNCH
4470	----	----	373.90B/332.00A	373.90B/332.00A	----	346.80 - 6.40	.6716	----	----	----	----	24 UNCH
4475	----	----	370.50B/321.10A	370.50B/321.10A	----	343.40 - 6.60	.6684	----	----	----	----	22 UNCH
4480	----	----	367.10B/317.80A	367.10B/317.80A	----	340.10 - 6.60	.6652	----	----	----	----	59 UNCH
4485	----	----	363.60B/314.70A	363.60B/314.70A	----	336.80 - 6.60	.6620	----	----	----	----	6 UNCH
4490	----	----	360.20B/311.40A	360.20B/311.40A	----	333.50 - 6.70	.6587	----	----	----	----	51 UNCH
4495	----	----	356.80B/308.40A	356.80B/308.40A	----	330.20 - 6.80	.6555	----	----	----	----	6 UNCH
4500	350.00	350.00	356.00B/305.40A	356.00B/305.40A	----	327.00 - 6.80	.6522	----	----	2	----	4411 - 1
4505	----	----	350.10B/302.40A	350.10B/302.40A	----	323.80 - 6.80	.6489	----	----	1	----	49 UNCH
4510	----	----	349.20B/299.40A	349.20B/299.40A	----	320.50 - 6.90	.6456	----	----	----	----	1475 UNCH
4515	----	----	343.40B/296.40A	343.40B/296.40A	----	317.30 - 7.00	.6423	----	----	----	----	93 UNCH
4520	----	----	340.10B/293.50A	340.10B/293.50A	----	314.20 - 6.90	.6389	----	----	----	----	51 UNCH
4525	----	----	336.90B/290.50A	336.90B/290.50A	----	311.00 - 7.00	.6356	----	----	----	----	232 UNCH
4530	----	----	333.60B/287.60A	333.60B/287.60A	----	307.90 - 7.00	.6322	----	----	----	----	13 UNCH
4535	----	----	330.30B/284.70A	330.30B/284.70A	----	304.70 - 7.10	.6288	----	----	----	----	12 UNCH
4540	----	----	327.10B/281.70A	327.10B/281.70A	----	301.60 - 7.20	.6254	----	----	----	----	78 UNCH
4545	----	----	324.00B/278.90A	324.00B/278.90A	----	298.50 - 7.20	.6220	----	----	----	----	32 UNCH
4550	----	----	320.70B/276.00A	320.70B/276.00A	----	295.50 - 7.20	.6186	----	----	----	----	219 UNCH
4555	----	----	317.50B/273.30A	317.50B/273.30A	----	292.40 - 7.30	.6152	----	----	----	----	9 UNCH
4560	----	----	314.30B/270.50A	314.30B/270.50A	----	289.40 - 7.30	.6117	----	----	----	----	160 UNCH
4565	----	----	311.20B/267.70A	311.20B/267.70A	----	286.40 - 7.30	.6083	----	----	----	----	104 UNCH
4570	----	----	312.50B/264.90A	312.50B/264.90A	----	283.40 - 7.30	.6048	----	----	----	----	35 UNCH
4575	----	----	309.40B/261.90A	309.40B/261.90A	----	280.40 - 7.40	.6013	----	----	----	----	65 UNCH
4580	----	----	310.00B/259.20A	310.00B/259.20A	----	277.40 - 7.50	.5978	----	----	----	----	8 UNCH
4585	----	----	307.00B/256.50A	307.00B/256.50A	----	274.50 - 7.50	.5943	----	----	----	----	15 UNCH
4590	----	----	304.00B/253.90A	304.00B/253.90A	----	271.60 - 7.50	.5908	----	----	----	----	79 UNCH
4595	----	----	300.90B/251.10A	300.90B/251.10A	----	268.70 - 7.50	.5873	----	----	----	----	13 UNCH
4600	259.30	259.30	297.60B/248.90A	297.60B/248.90A	----	265.80 - 7.60	.5837	----	----	4	----	5228 UNCH
4605	----	----	294.70B/245.80A	294.70B/245.80A	----	262.90 - 7.60	.5802	----	----	----	----	152 UNCH
4610	----	----	291.10B/243.20A	291.10B/243.20A	----	260.10 - 7.60	.5766	----	----	----	----	2 UNCH
4615	----	----	288.80B/240.60A	288.80B/240.60A	----	257.20 - 7.70	.5731	----	----	----	----	3 UNCH
4620	----	----	285.90B/238.00A	285.90B/238.00A	----	254.40 - 7.80	.5695	----	----	----	----	16 UNCH
4625	----	----	282.90B/235.50A	282.90B/235.50A	----	251.60 - 7.80	.5659	----	----	----	----	196 UNCH
4630	----	----	279.80B/232.90A	279.80B/232.90A	----	248.90 - 7.80	.5623	----	----	----	----	56 UNCH
4635	----	----	277.00B/230.80A	277.00B/230.80A	----	246.10 - 7.80	.5587	----	----	----	----	6 UNCH
4640	----	----	273.80B/228.00A	273.80B/228.00A	----	243.40 - 7.80	.5551	----	----	1	----	20 + 1
4645	----	----	270.90B/225.40A	270.90B/225.40A	----	240.70 - 7.90	.5515	----	----	1	----	14 - 1
4650	232.90	232.90	268.00B/222.90A	268.00B/222.90A	----	238.00 - 7.90	.5479	----	----	13	----	1018 + 6
4655	----	----	265.50B/220.50A	265.50B/220.50A	----	235.30 - 8.00	.5442	----	----	----	----	28 UNCH
4660	----	----	262.70B/218.00A	262.70B/218.00A	----	232.70 - 7.90	.5406	----	----	----	----	25 UNCH
4665	----	----	259.40B/215.60A	259.40B/215.60A	----	230.00 - 8.00	.5370	----	----	----	----	1 UNCH
4670	----	----	257.00B/213.20A	257.00B/213.20A	----	227.40 - 8.00	.5333	----	----	5	----	152 + 1
4675	248.20	248.20	254.50B/210.90A	254.50B/210.90A	----	224.80 - 8.10	.5297	----	----	7	----	479 + 1
4680	220.70	220.70	251.40B/208.50A	251.40B/208.50A	----	222.30 - 8.00	.5260	----	----	1	----	224 UNCH
4685	221.90	221.90	248.90B/206.20A	248.90B/206.20A	----	219.70 - 8.10	.5223	----	----	2	----	33 + 1
4690	----	----	245.90B/203.90A	245.90B/203.90A	----	217.20 - 8.10	.5187	----	----	1	----	20 + 1
4695	----	----	243.60B/201.60A	243.60B/201.60A	----	214.70 - 8.10	.5150	----	----	----	----	19 UNCH
4700	209.00	209.00	241.00B/198.00	241.00B/198.00	----	212.20 - 8.10	.5114	----	----	142	100	3437 + 99
4705	208.30	208.30	238.10B/197.10A	238.10B/197.10A	----	209.70 - 8.20	.5077	----	----	1	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4710	----	----	235.60B/194.80A	235.60B/194.80A	----	207.30 - 8.20	.5040	----	----	----	----	14 UNCH
4715	203.40	203.40	233.00B/192.60A	233.00B/192.60A	----	204.80 - 8.30	.5003	----	----	1	----	12 + 1
4720	198.10	198.10	230.20B/190.40A	230.20B/190.40A	----	202.40 - 8.30	.4967	----	----	3	----	223 + 3
4725	230.00	230.00	230.00/188.20A	230.00/188.20A	----	200.00 - 8.30	.4930	----	----	3	175	393 + 100
4730	203.20	203.20	225.00B/186.10A	225.00B/186.10A	----	197.70 - 8.30	.4893	----	----	1	----	5 + 1
4735	194.00	194.00	222.80B/183.90A	222.80B/183.90A	----	195.30 - 8.30	.4857	----	----	1	----	90 + 1
4740	----	----	220.70B/181.80A	220.70B/181.80A	----	193.00 - 8.30	.4820	----	----	----	----	33 UNCH
4745	203.50	203.50	218.10B/179.60A	218.10B/179.60A	----	190.70 - 8.30	.4783	----	----	1	----	12 UNCH
4750	190.40	190.40	215.20B/177.40A	215.20B/177.40A	----	188.40 - 8.40	.4747	----	----	14	----	1629 + 11
4755	----	----	212.90B/175.30A	212.90B/175.30A	----	186.10 - 8.40	.4710	----	----	----	----	102 UNCH
4760	----	----	210.30B/173.20A	210.30B/173.20A	----	183.90 - 8.40	.4673	----	----	----	----	54 UNCH
4765	184.80	184.80	208.30B/171.20A	208.30B/171.20A	----	181.60 - 8.50	.4637	----	----	1	----	36 UNCH
4770	201.20	201.20	205.80B/169.10A	205.80B/169.10A	----	179.40 - 8.50	.4600	----	----	3	----	39 UNCH
4775	180.30	180.30	203.30B/167.10A	203.30B/167.10A	----	177.20 - 8.50	.4563	----	----	2	----	252 UNCH
4780	165.20	165.20	201.10B/165.10A	201.10B/165.10A	----	175.10 - 8.50	.4527	----	----	9	----	96 + 1
4785	176.00	176.00	198.80B/163.10A	198.80B/163.10A	----	172.90 - 8.50	.4491	----	----	4	----	20 - 4
4790	173.80	173.80	196.50B/161.10A	196.50B/161.10A	----	170.80 - 8.50	.4454	----	----	5	----	24 UNCH
4795	179.60	179.60	194.20B/159.10A	194.20B/159.10A	----	168.70 - 8.50	.4418	----	----	15	----	40 + 10
4800	166.90	166.90	192.40/157.20A	192.40/157.20A	----	166.60 - 8.60	.4382	----	----	57	----	2727 - 14
4805	167.50	167.50	189.50B/155.30A	189.50B/155.30A	----	164.50 - 8.60	.4345	----	----	2	----	7 UNCH
4810	165.40	165.40	187.40B/153.40A	187.40B/153.40A	----	162.50 - 8.60	.4310	----	----	3	----	20 - 2
4815	163.40	163.40	185.30B/151.50A	185.30B/151.50A	----	160.50 - 8.60	.4274	----	----	1	----	43 UNCH
4820	161.30	161.30	183.20B/149.70A	183.20B/149.70A	----	158.50 - 8.60	.4238	----	----	2	----	36 - 2
4825	----	----	181.00B/147.80A	181.00B/147.80A	----	156.50 - 8.60	.4202	----	----	1	----	92 UNCH
4830	150.90	150.90	178.70B/146.00A	178.70B/146.00A	----	154.50 - 8.70	.4166	----	----	1	----	123 UNCH
4835	----	----	175.90B/144.20A	175.90B/144.20A	----	152.50 - 8.80	.4130	----	----	----	----	2 UNCH
4840	----	----	174.60B/142.40A	174.60B/142.40A	----	150.60 - 8.80	.4094	----	----	----	----	37 UNCH
4845	----	----	172.50B/140.70A	172.50B/140.70A	----	148.70 - 8.80	.4059	----	----	----	----	11 UNCH
4850	146.90	146.90	170.80/138.90A	170.80/138.90A	----	146.80 - 8.80	.4024	----	----	5	----	739 + 2
4855	141.80	141.80	168.30B/137.20A	168.30B/137.20A	----	144.90 - 8.80	.3988	----	----	101	----	219 + 77
4860	----	----	166.20B/135.50A	166.20B/135.50A	----	143.10 - 8.80	.3953	----	----	----	----	47 UNCH
4865	140.00	140.00	164.20B/133.80A	164.20B/133.80A	----	141.30 - 8.80	.3918	----	----	4	----	26 + 4
4870	----	----	162.20B/132.20A	162.20B/132.20A	----	139.40 - 8.90	.3883	----	----	----	----	10 UNCH
4875	----	----	160.20B/130.50A	160.20B/130.50A	----	137.70 - 8.80	.3849	----	----	----	----	120 UNCH
4880	----	----	158.40B/128.90A	158.40B/128.90A	----	135.90 - 8.80	.3814	----	----	----	----	32 UNCH
4885	----	----	156.40B/127.30A	156.40B/127.30A	----	134.10 - 8.90	.3779	----	----	----	----	246 UNCH
4890	----	----	154.50B/125.70A	154.50B/125.70A	----	132.40 - 8.90	.3744	----	----	----	----	92 UNCH
4895	----	----	152.40B/124.10A	152.40B/124.10A	----	130.70 - 8.90	.3710	----	----	----	----	194 UNCH
4900	128.00	128.00	151.10B/122.50A	151.10B/122.50A	----	129.00 - 8.90	.3676	----	----	244	----	3312 - 43
4905	----	----	148.80B/121.00A	148.80B/121.00A	----	127.30 - 8.90	.3642	----	----	----	----	8 UNCH
4910	----	----	146.90B/119.50A	146.90B/119.50A	----	125.60 - 8.90	.3608	----	----	----	----	26 UNCH
4915	----	----	145.20B/117.90A	145.20B/117.90A	----	124.00 - 8.90	.3574	----	----	----	----	40 UNCH
4920	132.80	132.80	143.30B/116.50A	143.30B/116.50A	----	122.40 - 8.80	.3541	----	----	1	----	108 UNCH
4925	----	----	141.60B/115.00A	141.60B/115.00A	----	120.70 - 8.90	.3507	----	----	----	----	38 UNCH
4930	----	----	139.80B/113.50A	139.80B/113.50A	----	119.20 - 8.80	.3474	----	----	----	----	176 UNCH
4935	----	----	138.00B/112.10A	138.00B/112.10A	----	117.60 - 8.90	.3441	----	----	----	----	6 UNCH
4940	----	----	136.30B/110.70A	136.30B/110.70A	----	116.00 - 8.90	.3407	----	----	1	----	102 - 1
4945	----	----	134.60B/109.30A	134.60B/109.30A	----	114.50 - 8.80	.3375	----	----	----	----	192 UNCH
4950	----	----	133.40B/107.90A	133.40B/107.90A	----	113.00 - 8.80	.3342	----	----	2	----	719 + 1
4955	----	----	131.10B/106.50A	131.10B/106.50A	----	111.50 - 8.80	.3310	----	----	----	----	33 UNCH
4960	----	----	129.50B/105.10A	129.50B/105.10A	----	110.00 - 8.80	.3277	----	----	----	----	187 UNCH
4965	----	----	127.90B/103.70A	127.90B/103.70A	----	108.50 - 8.80	.3245	----	----	----	----	37 UNCH
4970	----	----	126.30B/102.30A	126.30B/102.30A	----	107.10 - 8.70	.3213	----	----	----	----	49 UNCH
4975	----	----	124.50B/100.90A	124.50B/100.90A	----	105.70 - 8.60	.3182	----	----	----	----	246 UNCH
4980	----	----	122.90B/99.60A	122.90B/99.60A	----	104.30 - 8.60	.3150	----	----	----	----	74 UNCH
4985	----	----	121.50B/98.20A	121.50B/98.20A	----	102.90 - 8.50	.3119	----	----	----	----	114 UNCH
4990	----	----	120.40B/96.80A	120.40B/96.80A	----	101.50 - 8.50	.3087	----	----	2	----	1241 - 2
4995	----	----	118.40B/95.60A	118.40B/95.60A	----	100.10 - 8.50	.3056	----	----	----	----	41 UNCH
5000	105.50	105.50	117.20B/94.20A	117.20B/94.20A	----	98.80 - 8.40	.3026	----	----	394	150	7118 + 83
5005	----	----	115.70B/93.00A	115.70B/93.00A	----	97.40 - 8.40	.2994	----	----	4	----	303 UNCH
5010	----	----	113.70B/91.80A	113.70B/91.80A	----	96.10 - 8.30	.2964	----	----	4	----	84 - 4
5015	----	----	112.10B/90.50A	112.10B/90.50A	----	94.80 - 8.30	.2933	----	----	----	----	67 UNCH
5020	----	----	111.20B/89.20A	111.20B/89.20A	----	93.60 - 8.10	.2904	----	----	2	----	460 + 1
5025	97.60	97.60	109.30B/88.10A	109.30B/88.10A	----	92.30 - 8.10	.2874	----	----	4	----	46 + 2
5030	95.00	95.00	107.80B/86.90A	107.80B/86.90A	----	91.00 - 8.10	.2844	----	----	5	----	118 + 4
5035	----	----	106.50B/85.70A	106.50B/85.70A	----	89.80 - 8.10	.2815	----	----	----	----	23 UNCH
5040	----	----	105.30B/84.50A	105.30B/84.50A	----	88.60 - 8.00	.2786	----	----	----	----	47 UNCH
5045	----	----	103.60B/83.40A	103.60B/83.40A	----	87.40 - 8.00	.2757	----	----	----	----	17 UNCH
5050	----	----	102.90B/82.10A	102.90B/82.10A	----	86.20 - 8.00	.2728	----	----	16	----	1047 + 2
5055	----	----	101.10B/81.10A	101.10B/81.10A	----	85.10 - 7.90	.2700	----	----	7	----	7 + 4
5060	----	----	99.60B/80.00A	99.60B/80.00A	----	83.90 - 7.90	.2671	----	----	----	----	84 UNCH
5065	85.10	85.10	98.40B/78.90A	98.40B/78.90A	----	82.80 - 7.90	.2643	----	----	1	----	28 UNCH
5070	84.00	84.00	97.10B/77.90A	97.10B/77.90A	----	81.60 - 7.90	.2614	----	----	1	----	75 UNCH
5075	82.80	82.80	96.30B/76.70A	96.30B/76.70A	----	80.50 - 7.90	.2587	----	----	3	----	706 UNCH
5080	81.70	81.70	94.50B/75.70A	94.50B/75.70A	----	79.40 - 7.90	.2559	----	----	1	----	154 UNCH
5085	80.40	80.40	93.30B/74.70A	93.30B/74.70A	----	78.40 - 7.80	.2533	----	----	1	----	129 UNCH
5090	79.30	79.30	91.90B/73.70A	91.90B/73.70A	----	77.30 - 7.90	.2505	----	----	1	----	46 UNCH
5095	78.20	78.20	90.80B/72.70A	90.80B/72.70A	----	76.30 - 7.80	.2479	----	----	1	----	56 - 1
5100	74.40	74.40	90.10B/71.50A	90.10B/71.50A	----	75.20 - 7.80	.2452	----	----	137	----	4126 - 58
5105	82.00	82.00	88.60B/70.60A	88.60B/70.60A	----	74.20 - 7.80	.2426	----	----	5	----	40 + 3
5110	75.30	75.30	87.30B/69.60A	87.30B/69.60A	----	73.20 - 7.80	.2400	----	----	1	----	104 UNCH
5115	74.30	74.30	86.10B/68.70A	86.10B/68.70A	----	72.20 - 7.70	.2374	----	----	1	----	65 UNCH
5120	----	----	85.00B/67.90A	85.00B/67.90A	----	71.20 - 7.70	.2348	----	----	1	----	53 UNCH
5125	----	----	83.80B/67.00A	83.80B/67.00A	----	70.30 - 7.60	.2323	----	----	4	----	211 UNCH
5130	----	----	82.70B/66.00A	82.70B/66.00A	----	69.30 - 7.60	.2297	----	----	1	----	43 + 1
5135	----	----	81.60B/65.10A	81.60B/65.10A	----	68.40 - 7.50	.2273	----	----	----	----	43 UNCH
5140	----	----	80.50B/64.20A	80.50B/64.20A	----	67.50 - 7.50	.2248	----	----	----	----	30 UNCH
5145	----	----	79.50B/63.40A	79.50B/63.40A	----	66.60 - 7.40	.2224	----	----	----	----	9 UNCH
5150	----	----	78.80B/62.30A	78.80B/62.30A	----	65.70 - 7.40	.2200	----	----	8	----	1574 + 1
5155	----	----	77.40B/61.60A	77.40B/61.60A	----	64.80 - 7.30	.2175	----	----	----	----	21 UNCH
5160	----	----	76.40B/60.80A	76.40B/60.80A	----	63.90 - 7.30	.2151	----	----	----	----	96 UNCH
5165	----	----	75.40B/60.00A	75.40B/60.00A	----	63.00 - 7.30	.2127	----	----	----	----	112 UNCH
5170	----	----	74.40B/59.20A	74.40B/59.20A	----	62.20 - 7.20	.2104	----	----	4	----	46 + 1
5175	64.20	64.20	73.40B/58.30A	73.40B/58.30A	----	61.30 - 7.20	.2080	----	----	5	----	47 + 5
5180	----	----	72.40B/57.50A	72.40B/57.50A	----	60.50 - 7.10	.2057	----	----	----	----	51 UNCH
5185	----	----	71.50B/56.80A	71.50B/56.80A	----	59.70 - 7.00	.2035	----	----	----	----	83 UNCH
5190	----	----	70.50B/56.00A	70.50B/56.00A	----	58.90 - 7.00	.2012	----	----	----	----	25 UNCH
5195	----	----	69.60B/55.20A	69.60B/55.20A	----	58.10 - 6.90	.1990	----	----	----	----	18 UNCH
5200	57.00	57.00	69.60/54.40A	69.60/54.40A	----	57.30 - 6.90	.1967	----	----	115	----	6770 UNCH
5205	----	----	67.80B/53.70A	67.80B/53.70A	----	56.60 - 6.80	.1947	----	----	----	----	15 UNCH
5210	----	----	67.10B/52.90A	67.10B/52.90A	----	55.80 - 6.80	.1924	----	----	----	----	3045 UNCH
5215	----	----	66.00B/52.20A	66.00B/52.20A	----	55.00 - 6.80	.1902	----	----	----	----	56 UNCH
5220	----	----	65.10B/51.60A	65.10B/51.60A	----	54.30 - 6.70	.1881	----	----	----	----	147 UNCH
5225	----	----	64.30B/50.80A	64.30B/50.80A	----	53.60 - 6.70	.1861	----	----	----	----	281 UNCH
5230	----	----	63.40B/50.10A	63.40B/50.10A	----	52.90 - 6.60	.1840	----	----	----	----	105 UNCH
5235	52.70	52.70	62.60B/49.40A	62.60B/49.40A	----	52.10 - 6.70	.1818	----	----	7	----	148 + 5
5240	----	----	61.80B/48.80A	61.80B/48.80A	----	51.40 - 6.60	.1798	----	----	----	----	58 UNCH
5245	----	----	60.90B/48.10A	60.90B/48.10A	----	50.80 - 6.50	.1779	----	----	----	----	15 UNCH
5250	----	----	60.20B/47.50A	60.20B/47.50A	----	50.10 - 6.50	.1759	----	----	83	----	3560 + 14
5255	----	----	59.30B/46.90A	59.30B/46.90A	----	49.40 - 6.50	.1738	----	----	----	----	69 UNCH
5260	----	----	58.50B/46.20A	58.50B/46.20A	----	48.80 - 6.40	.1720	----	----	----	----	365 UNCH
5265	----	----	57.80B/45.60A	57.80B/45.60A	----	48.10 - 6.40	.1699	----	----	----	----	28 UNCH
5270	----	----	56.90B/45.00A	56.90B/45.00A	----	47.50 - 6.30	.1681	----	----	----	----	44 UNCH
5275	----	----	56.30B/44.40A	56.30B/44.40A	----	46.80 - 6.30	.1661	----	----	----	----	28 UNCH
5280	----	----	55.50B/43.70A	55.50B/43.70A	----	46.20 - 6.30	.1642	----	----	----	----	91 UNCH
5285	----	----	54.80B/43.20A	54.80B/43.20A	----	45.60 - 6.20	.1624	----	----	----	----	168 UNCH
5290	----	----	54.10B/42.60A	54.10B/42.60A	----	45.00 - 6.20	.1606	----	----	----	----	35 UNCH
5295	----	----	53.40B/42.10A	53.40B/42.10A	----	44.40 - 6.10	.1587	----	----	----	----	86 UNCH
5300	44.60	44.60	52.70B/41.30	52.70B/41.30	----	43.80 - 6.10	.1569	----	----	156	----	4858 + 28
5305	44.20	44.20	52.00B/40.90A	52.00B/40.90A	----	43.30 - 6.00	.1553	----	----	82	----	393 - 56
5310	----	----	51.20B/40.40A	51.20B/40.40A	----	42.70 - 5.90	.1535	----	----	5	----	112 + 5
5315	----	----	50.60B/39.80A	50.60B/39.80A	----	42.20 - 5.80	.1519	----	----	----	----	64 UNCH
5320	----	----	50.00B/39.30A	50.00B/39.30A	----	41.60 - 5.80	.1501	----	----	----	----	124 UNCH
5325	----	----	49.30B/38.80A	49.30B/38.80A	----	41.10 - 5.70	.1485	----	----	----	----	56 UNCH
5330	----	----	48.60B/38.30A	48.60B/38.30A	----	40.50 - 5.70	.1466	----	----	----	----	50 UNCH
5335	----	----	48.10B/37.80A	48.10B/37.80A	----	40.00 - 5.70	.1450	----	----	----	----	5 UNCH
5340	----	----	47.50B/37.30A	47.50B/37.30A	----	39.50 - 5.60	.1434	----	----	2	----	68 + 2
5345	----	----	46.90B/36.80A	46.90B/36.80A	----	39.00 - 5.50	.1419	----	----	----	----	12 UNCH
5350	----	----	46.10B/36.30A	46.10B/36.30A	----	38.50 - 5.50	.1403	----	----	2	----	1265 UNCH
5355	----	----	45.70B/35.90A	45.70B/35.90A	----	38.00 - 5.40	.1387	----	----	----	----	12 UNCH
5360	----	----	45.10B/35.40A	45.10B/35.40A	----	37.50 - 5.40	.1371	----	----	4	----	50 + 2
5365	----	----	44.40B/34.90A	44.40B/34.90A	----	37.10 - 5.20	.1357	----	----	----	----	6 UNCH
5370	41.00	41.00	43.90B/34.50A	43.90B/34.50A	----	36.60 - 5.20	.1341	----	----	2	----	65 UNCH
5375	----	----	43.30B/34.10A	43.30B/34.10A	----	36.10 - 5.20	.1326	----	----	----	----	42 UNCH
5380	----	----	42.80B/33.70A	42.80B/33.70A	----	35.70 - 5.10	.1312	----	----	----	----	93 UNCH
5385	----	----	42.30B/33.20A	42.30B/33.20A	----	35.20 - 5.10	.1296	----	----	----	----	4 UNCH
5390	----	----	41.60B/32.80A	41.60B/32.80A	----	34.80 - 5.00	.1283	----	----	----	----	57 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5395	----	----	41.20B/32.30A	41.20B/32.30A	----	34.30 - 5.00	.1267	----	----	1	----	36 UNCH
5400	37.50	37.50	40.20B/31.90A	40.20B/31.90A	----	33.90 - 4.90	.1254	----	----	67	----	5207 + 22
5405	34.10	34.10	40.20B/31.50A	40.20B/31.50A	----	33.50 - 4.90	.1240	----	----	3	----	76 + 3
5410	----	----	39.60B/31.10A	39.60B/31.10A	----	33.10 - 4.80	.1227	----	----	----	----	27 UNCH
5415	----	----	39.20B/30.70A	39.20B/30.70A	----	32.70 - 4.80	.1214	----	----	1	----	15 + 1
5420	----	----	38.70B/30.30A	38.70B/30.30A	----	32.30 - 4.70	.1200	----	----	----	----	40 UNCH
5425	----	----	38.20B/30.00A	38.20B/30.00A	----	31.90 - 4.70	.1187	----	----	1	----	125 UNCH
5430	----	----	37.70B/29.60A	37.70B/29.60A	----	31.50 - 4.60	.1174	----	----	----	----	64 UNCH
5435	----	----	37.20B/29.20A	37.20B/29.20A	----	31.10 - 4.60	.1160	----	----	----	----	12 UNCH
5440	----	----	36.70B/28.90A	36.70B/28.90A	----	30.70 - 4.60	.1147	----	----	----	----	95 UNCH
5445	----	----	36.30B/28.50A	36.30B/28.50A	----	30.30 - 4.60	.1134	----	----	----	----	29 UNCH
5450	----	----	35.80B/28.20A	35.80B/28.20A	----	30.00 - 4.50	.1123	----	----	3	----	1600 - 1
5455	----	----	35.40B/27.80A	35.40B/27.80A	----	29.60 - 4.50	.1110	----	----	----	----	1 UNCH
5460	----	----	35.00B/27.50A	35.00B/27.50A	----	29.20 - 4.50	.1097	----	----	----	----	102 UNCH
5465	----	----	34.50B/27.10A	34.50B/27.10A	----	28.90 - 4.40	.1086	----	----	----	----	34 UNCH
5470	----	----	34.10B/26.80A	34.10B/26.80A	----	28.50 - 4.40	.1073	----	----	----	----	27 UNCH
5475	----	----	33.70B/26.50A	33.70B/26.50A	----	28.20 - 4.30	.1062	----	----	1	----	60 + 1
5480	----	----	33.30B/26.20A	33.30B/26.20A	----	27.90 - 4.30	.1052	----	----	----	----	38 UNCH
5485	----	----	32.90B/25.80A	32.90B/25.80A	----	27.50 - 4.30	.1038	----	----	----	----	9 UNCH
5490	----	----	32.40B/25.50A	32.40B/25.50A	----	27.20 - 4.20	.1028	----	----	----	----	172 UNCH
5495	----	----	32.10B/25.20A	32.10B/25.20A	----	26.90 - 4.20	.1017	----	----	----	----	59 UNCH
5500	25.20	25.20	32.50/24.90A	32.50/24.90A	----	26.60 - 4.10	.1007	----	----	335	----	6373 + 168
5505	----	----	31.30B/24.60A	31.30B/24.60A	----	26.20 - 4.20	.0994	----	----	----	----	11 UNCH
5510	29.60	29.60	31.00B/24.40A	31.00B/24.40A	----	25.90 - 4.20	.0983	----	----	2	----	185 UNCH
5515	----	----	30.70B/24.10A	30.70B/24.10A	----	25.60 - 4.10	.0973	----	----	----	----	40 UNCH
5520	----	----	30.20B/23.80A	30.20B/23.80A	----	25.30 - 4.10	.0962	----	----	----	----	21 UNCH
5525	25.00	25.00	30.00B/23.50A	30.00B/23.50A	----	25.00 - 4.10	.0952	----	----	6	----	163 + 5
5530	----	----	29.50B/23.20A	29.50B/23.20A	----	24.70 - 4.10	.0941	----	----	----	----	39 UNCH
5535	----	----	29.20B/23.00A	29.20B/23.00A	----	24.50 - 4.00	.0933	----	----	----	----	7 UNCH
5540	----	----	29.00B/22.70A	29.00B/22.70A	----	24.20 - 4.00	.0923	----	----	----	----	260 UNCH
5545	----	----	28.50B/22.40A	28.50B/22.40A	----	23.90 - 4.00	.0913	----	----	----	----	17 UNCH
5550	----	----	28.20B/22.20A	28.20B/22.20A	----	23.60 - 4.00	.0902	----	----	3	----	772 + 2
5555	----	----	27.90B/21.90A	27.90B/21.90A	----	23.30 - 4.00	.0892	----	----	----	----	1 UNCH
5560	----	----	27.60B/21.70A	27.60B/21.70A	----	23.10 - 3.90	.0884	----	----	----	----	32 UNCH
5570	----	----	27.00B/21.20A	27.00B/21.20A	----	22.60 - 3.80	.0866	----	----	----	----	19 UNCH
5575	----	----	26.60B/20.90A	26.60B/20.90A	----	22.30 - 3.90	.0856	----	----	----	----	19 UNCH
5580	----	----	26.40B/20.70A	26.40B/20.70A	----	22.00 - 3.90	.0845	----	----	----	----	11 UNCH
5585	23.70	23.70	26.10B/20.40A	26.10B/20.40A	----	21.80 - 3.80	.0838	----	----	1	----	10 - 1
5590	----	----	25.90B/20.20A	25.90B/20.20A	----	21.60 - 3.80	.0830	----	----	----	----	94 UNCH
5595	----	----	25.50B/20.00A	25.50B/20.00A	----	21.30 - 3.80	.0820	----	----	----	----	30 UNCH
5600	25.70	25.70	25.70/19.80A	25.70/19.80A	----	21.10 - 3.70	.0812	----	----	14	----	2497 + 1
5610	----	----	24.80B/19.30A	24.80B/19.30A	----	20.60 - 3.70	.0795	----	----	----	----	69 UNCH
5620	----	----	24.20B/18.90A	24.20B/18.90A	----	20.20 - 3.60	.0779	----	----	----	----	48 UNCH
5625	22.90	22.90	23.90B/18.70A	23.90B/18.70A	----	20.00 - 3.50	.0772	----	----	2	----	404 + 2
5630	----	----	23.60B/18.50A	23.60B/18.50A	----	19.70 - 3.60	.0762	----	----	----	----	203 UNCH
5640	----	----	23.10B/18.10A	23.10B/18.10A	----	19.30 - 3.50	.0747	----	----	----	----	77 UNCH
5650	----	----	22.60B/17.70A	22.60B/17.70A	----	18.90 - 3.40	.0732	----	----	----	----	709 UNCH
5660	----	----	22.20B/17.40A	22.20B/17.40A	----	18.50 - 3.30	.0717	----	----	----	----	41 UNCH
5665	----	----	21.90B/17.20A	21.90B/17.20A	----	18.30 - 3.30	.0710	----	----	----	----	3 UNCH
5670	----	----	21.70B/17.00A	21.70B/17.00A	----	18.10 - 3.20	.0703	----	----	----	----	121 UNCH
5675	----	----	21.40B/16.90A	21.40B/16.90A	----	18.00 - 3.10	.0698	----	----	----	----	21 UNCH
5680	----	----	21.30B/16.70A	21.30B/16.70A	----	17.80 - 3.10	.0691	----	----	----	----	52 UNCH
5690	----	----	20.90B/16.30A	20.90B/16.30A	----	17.40 - 3.00	.0676	----	----	----	----	147 UNCH
5700	----	----	20.30B/15.80A	20.30B/15.80A	----	17.10 - 2.90	.0664	----	----	42	225	1820 + 212
5710	----	----	19.90B/15.70A	19.90B/15.70A	----	16.70 - 2.90	.0650	----	----	----	----	40 UNCH
5720	15.10	15.10	19.50B/*15.10	19.50B/*15.10	----	16.40 - 2.80	.0638	----	----	2	----	19 + 2
5725	----	----	19.30B/*15.20A	19.30B/*15.20A	----	16.30 - 2.70	.0634	----	----	----	----	16 UNCH
5730	----	----	19.10B/15.10A	19.10B/15.10A	----	16.10 - 2.70	.0627	----	----	----	----	59 UNCH
5740	17.20	17.20	18.70B/*14.80A	18.70B/*14.80A	----	15.80 - 2.70	.0615	----	----	7	----	58 + 7
5750	17.60	17.60	18.50B/*14.50	18.50B/*14.50	----	15.50 - 2.60	.0604	----	----	11	----	1684 + 5
5760	----	----	18.00B/*14.20A	18.00B/*14.20A	----	15.20 - 2.60	.0592	----	----	----	----	12 UNCH
5770	----	----	17.70B/*13.90A	17.70B/*13.90A	----	14.90 - 2.60	.0581	----	----	----	----	30 UNCH
5775	----	----	17.50B/*13.80A	17.50B/*13.80A	----	14.80 - 2.50	.0577	----	----	----	----	177 UNCH
5780	----	----	17.30B/*13.70A	17.30B/*13.70A	----	14.60 - 2.50	.0569	----	----	----	----	219 UNCH
5790	----	----	17.00B/*13.40A	17.00B/*13.40A	----	14.40 - 2.40	.0561	----	----	----	----	11 UNCH
5800	----	----	16.70B/13.10A	16.70B/13.10A	----	14.10 - 2.40	.0550	----	----	----	----	3046 UNCH
5810	----	----	16.40B/*12.90A	16.40B/*12.90A	----	13.80 - 2.40	.0539	----	----	----	----	251 UNCH
5820	----	----	16.00B/*12.70A	16.00B/*12.70A	----	13.60 - 2.20	.0530	----	----	----	----	27 UNCH
5825	----	----	15.90B/*12.60A	15.90B/*12.60A	----	13.50 - 2.20	.0526	----	----	----	----	14 UNCH
5830	----	----	15.70B/*12.50A	15.70B/*12.50A	----	13.40 - 2.10	.0522	----	----	1	----	14 UNCH
5840	----	----	15.40B/*12.20A	15.40B/*12.20A	----	13.10 - 2.10	.0511	----	----	----	----	22 UNCH
5850	----	----	15.10B/*12.00A	15.10B/*12.00A	----	12.90 - 2.00	.0503	----	----	----	----	433 UNCH
5860	----	----	14.80B/*11.80A	14.80B/*11.80A	----	12.70 - 1.90	.0495	----	----	----	----	20 UNCH
5870	----	----	14.50B/*11.60A	14.50B/*11.60A	----	12.40 - 1.90	.0484	----	----	----	----	32 UNCH
5875	----	----	14.40B/*11.50A	14.40B/*11.50A	----	12.30 - 1.90	.0480	----	----	----	----	191 UNCH
5880	----	----	14.30B/*11.40A	14.30B/*11.40A	----	12.20 - 1.90	.0476	----	----	----	----	17 UNCH
5890	----	----	14.00B/*11.20A	14.00B/*11.20A	----	12.00 - 1.80	.0468	----	----	----	----	127 UNCH
5900	----	----	13.70B/11.00A	13.70B/11.00A	----	11.80 - 1.80	.0460	----	----	6	----	1382 UNCH
5910	----	----	13.50B/*10.80A	13.50B/*10.80A	----	11.60 - 1.80	.0452	----	----	----	----	10 UNCH
5920	----	----	----/*10.60A	13.20B/*10.60A	----	11.40 - 1.80	.0444	----	----	----	----	38 UNCH
5930	----	----	----/*10.40A	13.00B/*10.40A	----	11.20 - 1.80	.0437	----	----	----	----	58 UNCH
5940	----	----	----/*10.30A	12.80B/*10.30A	----	11.00 - 1.80	.0429	----	----	----	----	3 UNCH
5950	----	----	----/*10.10A	12.50B/*10.10A	----	10.80 - 1.90	.0421	----	----	2	----	165 UNCH
5960	----	----	----/*9.90A	12.30B/*9.90A	----	10.60 - 1.80	.0413	----	----	----	----	28 UNCH
5970	----	----	----/*9.80A	12.10B/*9.80A	----	10.40 - 1.80	.0406	----	----	2	----	35 UNCH
5980	----	----	----/*9.60A	11.90B/*9.60A	----	10.30 - 1.70	.0401	----	----	----	----	6 UNCH
5990	----	----	----/*9.50A	11.70B/*9.50A	----	10.10 - 1.60	.0393	----	----	----	----	4 UNCH
6000	11.60	11.60	11.60/9.30A	11.60/9.30A	----	10.00 - 1.40	.0389	----	----	71	----	7313 UNCH
6010	----	----	11.30B/*9.20A	11.30B/*9.20A	----	9.80 - 1.40	.0381	----	----	----	----	9 UNCH
6020	----	----	11.10B/*9.00A	11.10B/*9.00A	----	9.70 - 1.30	.0377	----	----	----	----	23 UNCH
6030	----	----	10.90B/*8.90A	10.90B/*8.90A	----	9.60 - 1.10	.0372	----	----	----	----	22 UNCH
6040	----	----	10.70B/*8.80A	10.70B/*8.80A	----	9.40 - 1.10	.0365	----	----	----	----	26 UNCH
6050	----	----	10.50B/*8.60A	10.50B/*8.60A	----	9.30 - 1.00	.0360	----	----	----	----	276 UNCH
6060	----	----	10.30B/*8.50A	10.30B/*8.50A	----	9.20 - 1.00	.0356	----	----	----	----	31 UNCH
6070	----	----	10.10B/*8.40A	10.10B/*8.40A	----	9.00 - 1.00	.0348	----	----	----	----	34 UNCH
6080	----	----	10.00B/*8.20A	10.00B/*8.20A	----	8.90 - 0.90	.0344	----	----	----	----	9 UNCH
6090	----	----	9.80B/*8.10A	9.80B/*8.10A	----	8.80 - 0.90	.0340	----	----	----	----	25 UNCH
6100	----	----	----/8.00A	9.60B/8.00A	----	8.60 - 1.00	.0332	----	----	----	----	2403 UNCH
6110	----	----	----/*7.80A	9.50B/*7.80A	----	8.50 - 1.00	.0328	----	----	----	----	65 UNCH
6120	----	----	----/*7.70A	9.30B/*7.70A	----	8.40 - 1.00	.0324	----	----	----	----	11 UNCH
6125	----	----	----/*7.60A	9.30B/*7.60A	----	8.30 - 1.10	.0320	----	----	----	----	16 UNCH
6130	----	----	----/*7.60A	9.20B/*7.60A	----	8.30 - 1.00	.0320	----	----	----	----	10 UNCH
6140	----	----	----/*7.50A	9.10B/*7.50A	----	8.10 - 1.10	.0312	----	----	----	----	8 UNCH
6150	----	----	----/*7.40A	8.90B/*7.40A	----	8.00 - 1.10	.0308	----	----	----	----	505 UNCH
6160	----	----	----/*7.20A	8.80B/*7.20A	----	7.90 - 1.10	.0304	----	----	----	----	130 UNCH
6170	----	----	----/*7.10A	8.70B/*7.10A	----	7.80 - 1.00	.0300	----	----	----	----	17 UNCH
6180	----	----	----/*7.00A	8.50B/*7.00A	----	7.70 - 1.00	.0296	----	----	----	----	75 UNCH
6190	----	----	----/*7.00A	8.40B/*7.00A	----	7.60 - 1.00	.0292	----	----	----	----	2 UNCH
6200	----	----	----/6.90A	8.30B/6.90A	----	7.50 - 0.90	.0288	----	----	11	----	4051 + 7
6210	----	----	----/*6.80A	8.20B/*6.80A	----	7.40 - 0.90	.0284	----	----	----	----	53 UNCH
6220	----	----	----/*6.70A	8.10B/*6.70A	----	7.30 - 0.80	.0280	----	----	----	----	7 UNCH
6230	----	----	----/*6.60A	8.00B/*6.60A	----	7.20 - 0.80	.0276	----	----	----	----	60 UNCH
6240	----	----	----/*6.50A	7.80B/*6.50A	----	7.10 - 0.70	.0272	----	----	----	----	21 UNCH
6250	----	----	----/*6.40A	7.70B/*6.40A	----	7.00 - 0.70	.0268	----	----	1	----	1307 + 1
6260	----	----	----/*6.30A	7.60B/*6.30A	----	6.90 - 0.70	.0264	----	----	----	----	8 UNCH
6270	----	----	----/*6.20A	7.50B/*6.20A	----	6.80 - 0.70	.0260	----	----	----	----	146 UNCH
6280	----	----	----/*6.20A	7.40B/*6.20A	----	6.70 - 0.70	.0256	----	----	----	----	12 UNCH
6290	----	----	----/*6.10A	7.30B/*6.10A	----	6.60 - 0.70	.0252	----	----	----	----	19 UNCH
6300	6.00	6.00	6.00/*5.90A	7.20B/*5.90A	----	6.50 - 0.70	.0248	----	----	1	----	2502 - 1
6310	----	----	----/*5.90A	7.00B/*5.90A	----	6.40 - 0.70	.0244	----	----	----	----	2 UNCH
6320	----	----	----/*5.90A	6.90B/*5.90A	----	6.40 - 0.60	.0243	----	----	----	----	24 UNCH
6330	----	----	----/*5.80A	6.90B/*5.80A	----	6.30 - 0.70	.0239	----	----	----	----	25 UNCH
6340	----	----	----/*5.80A	6.90B/*5.80A	----	6.20 - 0.70	.0235	----	----	----	----	27 UNCH
6350	----	----	----/*5.70A	6.70B/*5.70A	----	6.10 - 0.70	.0232	----	----	----	----	16 UNCH
6360	----	----	----/*5.70A	6.60B/*5.70A	----	6.10 - 0.70	.0231	----	----	----	----	2 UNCH
6370	----	----	----/*5.60A	6.50B/*5.60A	----	6.00 - 0.70	.0227	----	----	----	----	4 UNCH
6380	----	----	----/*5.60A	6.40B/*5.60A	----	5.90 - 0.70	.0223	----	----	----	----	9 UNCH
6390	----	----	----/*5.50A	6.30B/*5.50A	----	5.80 - 0.80	.0220	----	----	----	----	1 UNCH
6400	5.90	5.90	5.90/*5.40A	6.30B/*5.40A	----	5.80 - 0.70	.0219	----	----	2	----	419 + 2
6410	----	----	----/*5.30A	6.20B/*5.30A	----	5.70 - 0.80	.0215	----	----	----	----	8 UNCH
6420	----	----	----/*5.20A	6.10B/*5.20A	----	5.60 - 0.80	.0211	----	----	----	----	3 UNCH
6430	----	----	----/*5.10A	6.00B/*5.10A	----	5.60 - 0.80	.0211	----	----	----	----	30 UNCH
6440	----	----	----/*5.20A	5.90B/*5.20A	----	5.50 - 0.90	.0207	----	----	----	----	2 UNCH
6450	----	----	----/*5.10A	5.90B/*5.10A	----	5.40 - 0.90	.0203	----	----	----	----	53 UNCH
6460	----	----	----/*5.10A	5.80B/*5.10A	----	5.40 - 0.90	.0203	----	----	----	----	18 UNCH
6470	----	----	----/*5.00A	5.70B/*5.00A	----	5.30 - 0.90	.0199	----	----	----	----	9 UNCH
6480	----	----	----/*4.90A	5.60B/*4.90A	----	5.20 - 1.00	.0195	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
6490	----	----	----/*4.90A	5.60B/*4.90A	----	5.20 - 0.90	.0195	----	----	----	----	22 UNCH
6500	----	----	----/4.80A	5.50B/4.80A	----	5.10 - 1.00	.0191	----	----	----	----	1066 UNCH
6525	----	----	----/*4.70A	5.30B/*4.70A	----	5.00 - 1.00	.0187	----	----	----	----	13 UNCH
6550	----	----	----/*4.50A	5.20B/*4.50A	----	4.80 - 1.10	.0179	----	----	----	----	210 UNCH
6575	----	----	----/*4.40A	5.00B/*4.40A	----	4.70 - 1.10	.0175	----	----	----	----	7 UNCH
6600	----	----	----/*4.30A	4.90B/*4.30A	----	4.60 - 1.10	.0170	----	----	----	----	851 UNCH
6625	----	----	----/*4.30A	4.70B/*4.30A	----	4.50 - 1.00	.0166	----	----	----	----	101 UNCH
6650	----	----	----/*4.10A	4.60B/*4.10A	----	4.30 - 1.10	.0159	----	----	----	----	36 UNCH
6675	----	----	----/*4.10A	4.50B/*4.10A	----	4.20 - 1.10	.0155	----	----	----	----	34 UNCH
6700	----	----	----/*3.90A	4.30B/*3.90A	----	4.10 - 1.10	.0151	----	----	----	----	1207 UNCH
6725	----	----	----/*3.90A	4.20B/*3.90A	----	4.00 - 1.10	.0147	----	----	----	----	111 UNCH
6750	----	----	----/*3.80A	4.10B/*3.80A	----	3.90 - 1.10	.0143	----	----	----	----	135 UNCH
6775	----	----	----/*3.70A	4.00B/*3.70A	----	3.80 - 1.10	.0139	----	----	----	----	5 UNCH
6800	----	----	----/*3.60A	3.90B/*3.60A	----	3.80 - 0.90	.0138	----	----	----	----	242 UNCH
6825	----	----	----/*3.50A	3.80B/*3.50A	----	3.70 - 0.90	.0134	----	----	----	----	10 UNCH
6850	----	----	----/*3.40A	3.70B/*3.40A	----	3.60 - 0.90	.0130	----	----	1	----	26 - 1
6875	----	----	----/*3.40A	3.60B/*3.40A	----	3.50 - 0.90	.0126	----	----	2	----	3 UNCH
6900	----	----	----/*3.30A	3.50B/*3.30A	----	3.40 - 0.90	.0122	----	----	----	----	157 UNCH
6925	----	----	----/*3.20A	3.40B/*3.20A	----	3.40 - 0.80	.0121	----	----	----	----	51 UNCH
6950	----	----	----/*3.20A	3.30B/*3.20A	----	3.30 - 0.80	.0118	----	----	----	----	27 UNCH
6975	----	----	----/*3.10A	3.20B/*3.10A	----	3.20 - 0.80	.0114	----	----	----	----	17 UNCH
7000	3.40	3.40	3.40/3.00A	3.40/3.00A	----	3.10 - 0.80	.0110	----	----	59	----	1810 + 8
7025	----	----	----/*3.00A	3.10B/*3.00A	----	3.10 - 0.70	.0110	----	----	----	----	32 UNCH
7050	----	----	----/*2.90A	3.00B/*2.90A	----	3.00 - 0.70	.0106	----	----	----	----	5 UNCH
7075	----	----	----/*2.90A	2.90B/*2.90A	----	3.00 - 0.60	.0105	----	----	----	----	8 UNCH
7100	----	----	----/*2.80A	2.90B/*2.80A	----	2.90 - 0.60	.0102	----	----	----	----	147 UNCH
7125	----	----	----/*2.70A	2.80B/*2.70A	----	2.90 - 0.50	.0101	----	----	----	----	52 UNCH
7150	----	----	----/*2.70A	2.70B/*2.70A	----	2.80 - 0.50	.0098	----	----	----	----	59 UNCH
7200	----	----	----/*2.60A	2.60B/*2.60A	----	2.70 - 0.50	.0094	----	----	----	----	129 UNCH
7250	----	----	----/*2.50A	2.40B/*2.50A	----	2.60 - 0.40	.0090	----	----	----	----	91 UNCH
7275	----	----	----/*2.50A	2.40B/2.50A	----	2.60 - 0.30	.0089	----	----	----	----	1 UNCH
7300	----	----	----/*2.50A	2.30B/2.50A	----	2.50 - 0.40	.0086	----	----	----	----	150 UNCH
7325	----	----	----/*2.50A	2.30B/2.50A	----	2.50 - 0.30	.0085	----	----	----	----	14 UNCH
7350	----	----	----/*2.40A	2.20B/2.40A	----	2.40 - 0.30	.0082	----	----	----	----	3 UNCH
7375	----	----	----/*2.40A	2.20B/2.40A	----	2.40 - 0.30	.0082	----	----	----	----	20 UNCH
7400	----	----	----/*2.30A	2.20B/2.30A	----	2.40 - 0.20	.0081	----	----	----	----	46 UNCH
7425	----	----	----/*2.30A	2.10B/2.30A	----	2.30 - 0.30	.0078	----	----	----	----	20 UNCH
7450	----	----	----/*2.30A	2.10B/2.30A	----	2.30 - 0.20	.0077	----	----	----	----	5 UNCH
7475	----	----	----/*2.20A	2.00B/2.20A	----	2.20 - 0.30	.0074	----	----	----	----	8 UNCH
7500	----	----	----/2.20A	2.00B/2.20A	----	2.20 - 0.20	.0074	----	----	----	----	1351 UNCH
7525	----	----	----/*2.20A	2.00B/2.20A	----	2.20 - 0.20	.0073	----	----	----	----	20 UNCH
7575	----	----	----/*2.10A	1.90B/2.10A	----	2.10 - 0.20	.0070	----	----	----	----	8 UNCH
7600	----	----	----/*2.10A	1.90B/2.10A	----	2.10 - 0.10	.0070	----	----	----	----	46 UNCH
7700	----	----	----/*2.00A	2.00B/2.00A	----	2.00 - 0.10	.0065	----	----	----	----	45 UNCH
7750	----	----	----/*1.90A	1.70B/1.90A	----	1.90 - 0.10	.0062	----	----	----	----	12 UNCH
7800	----	----	----/*1.90A	1.60B/1.90A	----	1.90 - 0.10	.0061	----	----	----	----	39 UNCH
7875	----	----	----/*1.80A	1.60B/1.80A	----	1.80 - 0.10	.0058	----	----	----	----	31 UNCH
7900	----	----	----/*1.80A	1.50B/1.80A	----	1.80 - 0.10	.0058	----	----	----	----	2 UNCH
7950	----	----	----	1.50B/1.80A	----	1.70 - 0.10	.0054	----	----	----	----	2 UNCH
8000	1.50	1.50	1.50/1.50	1.80B/1.50	----	1.70 - 0.10	.0054	----	----	59	----	921 - 57
8100	----	----	----	1.30B/1.70A	----	1.60 - 0.10	.0050	----	----	----	----	3 UNCH
8200	----	----	----/*1.60A	1.30B/1.60A	----	1.60 - 0.10	.0049	----	----	----	----	89 UNCH
8300	----	----	----	1.20B/1.60A	----	1.50 - 0.10	.0046	----	----	----	----	64 UNCH
8500	1.30	1.30	1.30/*1.30	1.50B/1.30	----	1.50 UNCH	.0045	----	----	1	----	141 + 1
8600	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.10	.0041	----	----	----	----	51 UNCH
8800	----	----	----/*1.30A	0.90B/1.30A	----	1.40 UNCH	.0040	----	----	----	----	32 UNCH
8900	----	----	----/1.30A	0.90B/1.30A	----	1.30 - 0.10	.0037	----	----	----	----	15 UNCH
9000	----	----	----/1.30A	1.30B/1.30A	----	1.30 - 0.10	.0037	----	----	----	----	230 UNCH
9100	----	----	----/1.20A	0.80B/1.20A	----	1.30 UNCH	.0036	----	----	----	----	1 UNCH
9200	----	----	----/1.20A	0.80B/1.20A	----	1.20 - 0.10	.0033	----	----	----	----	51 UNCH
9300	----	----	----/1.10A	0.90B/1.10A	----	1.20 - 0.10	.0033	----	----	----	----	3 UNCH
9400	----	----	----/1.10A	0.90B/1.10A	----	1.10 - 0.10	.0030	----	----	----	----	25 UNCH
9500	----	----	----/*1.10A	0.90B/1.10A	----	1.10 - 0.10	.0030	----	----	----	----	25 UNCH
9600	----	----	----/1.00A	0.60B/1.00A	----	1.10 - 0.10	.0030	----	----	----	----	26 UNCH
9700	----	----	----/0.90A	0.60B/0.90A	----	1.00 - 0.10	.0027	----	----	----	----	20 UNCH
9800	----	----	----/0.90A	0.60B/0.90A	----	0.90 - 0.20	.0024	----	----	----	----	17 UNCH
9900	----	----	----/0.90A	0.50B/0.90A	----	0.90 - 0.20	.0024	----	----	----	----	24 UNCH
10000	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.20	.0021	----	----	----	----	263 UNCH
10100	----	----	----/*0.80A	0.50B/0.80A	----	0.80 - 0.20	.0021	----	----	----	----	2 UNCH
10300	----	----	----/*0.80A	0.40B/0.80A	----	0.70 - 0.20	.0018	----	----	----	----	3 UNCH
10400	----	----	----/*0.70A	0.40B/0.70A	----	0.70 - 0.20	.0018	----	----	----	----	2 UNCH
10500	----	----	----/*0.70A	0.40B/0.70A	----	0.70 - 0.10	.0018	----	----	----	----	1 UNCH
10700	----	----	----	0.40B/0.80A	----	0.60 - 0.20	.0015	----	----	----	----	4 UNCH
11000	0.40	0.40	0.40/*0.40	0.40/0.40	----	0.50 - 0.20	.0013	----	----	1	----	72 + 1
11300	----	----	----	0.30B/0.70A	----	0.50 - 0.10	.0012	----	----	----	----	11 UNCH
11500	----	----	----	0.30B/0.70A	----	0.50 - 0.10	.0012	----	----	----	----	1 UNCH
11600	----	----	----	0.30B/0.60A	----	0.50 - 0.10	.0012	----	----	----	----	5 UNCH
11700	----	----	----	0.30B/0.60A	----	0.40 - 0.20	.0010	----	----	----	----	15 UNCH
11900	----	----	----	0.30B/0.60A	----	0.40 - 0.20	.0010	----	----	----	----	1 UNCH
12000	----	----	----/*0.30A	0.20B/0.30A	----	0.40 - 0.10	.0010	----	----	----	----	350 UNCH
TOTAL										2938	650	155157+ 686
JUL26												
3500	----	----	----	1200.00B/----	----	1233.40 + 3.00	.9534	----	----	----	----	1 UNCH
3600	----	----	1,166.60B/1,135	1166.60B/1135.40A	----	1138.40 + 2.50	.9415	----	----	----	----	24 UNCH
3650	----	----	1,119.70B/1,088	1119.70B/1088.30A	----	1091.50 + 2.30	.9344	----	----	----	----	10 UNCH
3670	----	----	1,101.00B/1,069	1101.00B/1069.60A	----	1072.80 + 2.10	.9314	----	----	----	----	3 UNCH
3700	----	----	1,073.10B/1,041	1073.10B/1041.60A	----	1044.90 + 2.00	.9267	----	----	----	----	111 UNCH
3735	----	----	----	----	----	1012.60 + 1.80	.9209	----	----	----	----	1 UNCH
3775	----	----	1,004.00B/972.4	1004.00B/972.40A	----	975.90 + 1.50	.9136	----	----	----	----	4 UNCH
3800	----	----	986.50B/947.10A	986.50B/947.10A	----	953.10 + 1.30	.9088	----	----	----	----	2045 UNCH
3825	----	----	958.60B/926.90A	958.60B/926.90A	----	930.40 + 1.00	.9036	----	----	----	----	5 UNCH
3850	----	----	936.00B/904.40A	936.00B/904.40A	----	907.90 + 0.80	.8983	----	----	----	----	66 UNCH
3860	----	----	----	728.90B/1068.90A	----	898.90 + 0.70	.8961	----	----	----	----	1 UNCH
3865	----	----	922.60B/890.90A	922.60B/890.90A	----	894.40 + 0.60	.8950	----	----	----	----	7 UNCH
3875	----	----	913.60B/882.00A	913.60B/882.00A	----	885.50 + 0.60	.8927	----	----	----	----	25 UNCH
3900	----	----	891.30B/859.80A	891.30B/859.80A	----	863.30 + 0.40	.8869	----	----	----	----	18 UNCH
3925	----	----	869.20B/837.70A	869.20B/837.70A	----	841.20 + 0.10	.8808	----	----	----	----	35 UNCH
3950	----	----	852.40B/813.20A	852.40B/813.20A	----	819.20 - 0.20	.8745	----	----	----	----	820 UNCH
3960	----	----	----	640.10B/980.70A	----	810.50 - 0.30	.8718	----	----	----	----	1 UNCH
4000	----	----	803.70B/772.40A	803.70B/772.40A	----	775.90 - 0.60	.8608	----	----	----	----	16 UNCH
4020	----	----	----	588.10B/929.00A	----	758.80 - 0.80	.8551	----	----	----	----	1 UNCH
4030	----	----	----	579.40B/920.50A	----	750.30 - 0.80	.8520	----	----	----	----	2 UNCH
4040	----	----	----	570.90B/912.40A	----	741.80 - 0.90	.8491	----	----	----	----	1 UNCH
4075	----	----	740.10B/708.80A	740.10B/708.80A	----	712.30 - 1.30	.8381	----	----	----	----	6 UNCH
4095	----	----	723.30B/692.10A	723.30B/692.10A	----	695.70 - 1.40	.8315	----	----	----	----	4 UNCH
4100	----	----	719.20B/688.00A	719.20B/688.00A	----	691.50 - 1.50	.8299	----	----	----	----	194 UNCH
4105	----	----	----	514.20B/860.30A	----	687.40 - 1.50	.8282	----	----	----	----	1 UNCH
4110	----	----	710.90B/679.70A	710.90B/679.70A	----	683.30 - 1.50	.8265	----	----	----	----	3 UNCH
4145	----	----	682.10B/651.10A	682.10B/651.10A	----	654.60 - 1.90	.8143	----	----	----	----	28 UNCH
4150	----	----	678.10B/647.00A	678.10B/647.00A	----	650.60 - 1.90	.8125	----	----	----	----	37 UNCH
4155	----	----	----	471.70B/821.20A	----	646.50 - 2.00	.8107	----	----	----	----	1 UNCH
4160	----	----	----	467.30B/817.20A	----	642.50 - 2.00	.8088	----	----	----	----	1 UNCH
4190	----	----	----	442.40B/794.20A	----	618.50 - 2.20	.7976	----	----	----	----	1 UNCH
4200	----	----	637.90B/607.00A	637.90B/607.00A	----	610.60 - 2.30	.7938	----	----	----	----	8 UNCH
4215	----	----	626.00B/595.20A	626.00B/595.20A	----	598.80 - 2.40	.7879	----	----	----	----	25 UNCH
4220	----	----	----	417.80B/771.40A	----	594.80 - 2.50	.7859	----	----	----	----	1 UNCH
4225	----	----	----	413.60B/767.60A	----	590.90 - 2.60	.7839	----	----	----	----	2 UNCH
4235	----	----	----	405.70B/759.70A	----	583.20 - 2.60	.7799	----	----	----	----	1 UNCH
4240	----	----	606.30B/575.70A	606.30B/575.70A	----	579.30 - 2.60	.7779	----	----	----	----	39 UNCH
4245	----	----	----	397.60B/752.70A	----	575.40 - 2.70	.7758	----	----	----	----	1 UNCH
4250	----	----	600.90B/566.80A	600.90B/566.80A	----	571.60 - 2.70	.7738	----	----	----	----	316 UNCH
4255	----	----	----	389.50B/745.20A	----	567.70 - 2.80	.7716	----	----	----	----	1 UNCH
4265	----	----	----	381.70B/737.30A	----	560.10 - 2.80	.7674	----	----	----	----	2 UNCH
4270	----	----	583.10B/552.70A	583.10B/552.70A	----	556.30 - 2.90	.7654	----	----	----	----	38 UNCH
4275	----	----	579.30B/548.90A	579.30B/548.90A	----	552.50 - 2.90	.7632	----	----	----	----	76 UNCH
4280	----	----	575.40B/545.10A	575.40B/545.10A	----	548.70 - 3.00	.7611	----	----	----	----	3 UNCH
4300	----	----	560.20B/530.10A	560.20B/530.10A	----	533.60 - 3.20	.7524	----	----	----	----	63 UNCH
4315	----	----	549.00B/519.00A	549.00B/519.00A	----	522.50 - 3.30	.7457	----	----	----	----	21 UNCH
4325	----	----	541.50B/511.60A	541.50B/511.60A	----	515.10 - 3.50	.7411	----	----	----	----	22 UNCH
4335	----	----	----	328.80B/687.10A	----	507.80 - 3.60	.7366	----	----	----	----	1 UNCH
4350	----	----	523.00B/493.50A	523.00B/493.50A	----	496.90 - 3.70	.7296	----	----	----	----	10 UNCH
4360	----	----	515.70B/486.30A	515.70B/486.30A	----	489.70 - 3.80	.7249	----	----	----	----	53 UNCH
4365	----	----	512.10B/482.70A	512.10B/482.70A	----	486.20 - 3.80	.7225	----	----	----	----	45 UNCH
4370	----	----	508.50B/479.20A	508.50B/479.20A	----	482.60 - 3.90	.7201	----	----	----	----	20 UNCH
4375	----	----	504.90B/475.60A	504.90B/475.60A	----	479.00 - 4.00	.7177	----	----	----	----	5 UNCH
4400	----	----	491.40B/455.90A	491.40B/455.90A	----	461.50 - 4.30	.7055	----	----	----	----	2267 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4410	----	----	479.90B/449.00A	479.90B/449.00A	----	454.60 - 4.40	.7006	----	----	----	----	4 UNCH
4415	----	----	476.40B/445.60A	476.40B/445.60A	----	451.10 - 4.50	.6980	----	----	----	----	39 UNCH
4420	----	----	472.90B/442.20A	472.90B/442.20A	----	447.70 - 4.50	.6955	----	----	----	----	5 UNCH
4425	----	----	469.50B/438.90A	469.50B/438.90A	----	444.30 - 4.60	.6930	----	----	----	----	16 UNCH
4430	----	----	463.10B/435.50A	463.10B/435.50A	----	440.90 - 4.60	.6905	----	----	----	----	1 UNCH
4445	----	----	457.30B/425.50A	457.30B/425.50A	----	430.80 - 4.80	.6828	----	----	----	----	30 UNCH
4450	----	----	454.40B/422.20A	454.40B/422.20A	----	427.50 - 4.80	.6802	----	----	----	----	255 UNCH
4455	----	----	450.40B/412.50A	450.40B/412.50A	----	424.20 - 4.90	.6776	----	----	----	----	2 UNCH
4460	----	----	447.00B/407.70A	447.00B/407.70A	----	420.90 - 4.90	.6750	----	----	----	----	2 UNCH
4475	----	----	436.80B/398.40A	436.80B/398.40A	----	411.00 - 5.20	.6671	----	----	----	----	2 UNCH
4480	----	----	433.60B/395.30A	433.60B/395.30A	----	407.80 - 5.20	.6644	----	----	----	----	25 UNCH
4490	----	----	427.00B/389.20A	427.00B/389.20A	----	401.40 - 5.20	.6591	----	----	----	----	9 UNCH
4500	----	----	423.10B/383.10A	423.10B/383.10A	----	395.00 - 5.30	.6537	----	----	1	----	969 + 1
4505	----	----	417.00B/380.10A	417.00B/380.10A	----	391.80 - 5.40	.6510	----	----	----	----	2 UNCH
4510	----	----	413.80B/377.10A	413.80B/377.10A	----	388.70 - 5.40	.6483	----	----	----	----	45 UNCH
4515	----	----	410.60B/374.10A	410.60B/374.10A	----	385.50 - 5.50	.6456	----	----	----	----	200 UNCH
4520	----	----	407.30B/372.00A	407.30B/372.00A	----	382.40 - 5.50	.6428	----	----	----	----	188 UNCH
4525	----	----	404.30B/369.00A	404.30B/369.00A	----	379.30 - 5.60	.6401	----	----	----	----	129 UNCH
4530	----	----	400.90B/365.40A	400.90B/365.40A	----	376.20 - 5.60	.6373	----	----	----	----	5 UNCH
4535	----	----	397.90B/362.90A	397.90B/362.90A	----	373.10 - 5.70	.6346	----	----	----	----	14 UNCH
4540	----	----	394.70B/360.00A	394.70B/360.00A	----	370.10 - 5.60	.6318	----	----	----	----	53 UNCH
4550	----	----	388.40B/353.90A	388.40B/353.90A	----	364.00 - 5.70	.6262	----	----	----	----	10 UNCH
4560	----	----	382.00B/346.90A	382.00B/346.90A	----	358.00 - 5.80	.6206	----	----	----	----	2 UNCH
4565	----	----	380.00B/344.20A	380.00B/344.20A	----	355.00 - 5.80	.6178	----	----	----	----	1 UNCH
4570	----	----	376.00B/341.00A	376.00B/341.00A	----	352.00 - 5.90	.6150	----	----	----	----	2 UNCH
4575	----	----	373.60B/338.10A	373.60B/338.10A	----	349.10 - 5.90	.6122	----	----	----	----	128 UNCH
4600	----	----	358.80B/324.10A	358.80B/324.10A	----	334.60 - 6.00	.5979	----	----	----	----	345 UNCH
4605	----	----	356.00B/321.50A	356.00B/321.50A	----	331.70 - 6.10	.5950	----	----	----	----	10 UNCH
4610	----	----	352.90B/318.70A	352.90B/318.70A	----	328.90 - 6.10	.5922	----	----	----	----	6 UNCH
4635	----	----	342.50B/305.30A	342.50B/305.30A	----	315.00 - 6.20	.5777	----	----	----	----	86 UNCH
4640	----	----	341.10B/302.70A	341.10B/302.70A	----	312.20 - 6.30	.5748	----	----	----	----	242 UNCH
4645	----	----	340.20B/299.10A	340.20B/299.10A	----	309.50 - 6.30	.5719	----	----	----	----	14 UNCH
4650	----	----	335.30B/294.80A	335.30B/294.80A	----	306.80 - 6.30	.5689	----	----	----	----	259 UNCH
4655	----	----	331.20B/291.10A	331.20B/291.10A	----	304.10 - 6.30	.5660	----	----	----	----	18 UNCH
4660	----	----	327.60B/292.60A	327.60B/292.60A	----	301.40 - 6.40	.5631	----	----	----	----	20 UNCH
4665	----	----	327.40B/290.00A	327.40B/290.00A	----	298.70 - 6.50	.5602	----	----	----	----	268 UNCH
4670	----	----	324.40B/284.90A	324.40B/284.90A	----	296.10 - 6.50	.5572	----	----	----	----	105 UNCH
4675	----	----	323.30B/282.10A	323.30B/282.10A	----	293.40 - 6.60	.5543	----	----	----	----	129 UNCH
4680	----	----	318.30B/279.70A	318.30B/279.70A	----	290.80 - 6.60	.5513	----	----	----	----	10 UNCH
4685	----	----	318.00B/277.10A	318.00B/277.10A	----	288.20 - 6.60	.5484	----	----	----	----	11 UNCH
4695	280.90	280.90	312.50B/272.30A	312.50B/272.30A	----	283.10 - 6.60	.5425	----	----	1	----	22 UNCH
4700	279.10	279.10	309.20B/270.00A	309.20B/270.00A	----	280.50 - 6.70	.5395	----	----	3	----	590 + 1
4710	----	----	304.70B/265.20A	304.70B/265.20A	----	275.40 - 6.80	.5336	----	----	----	----	101 UNCH
4720	269.50	269.50	297.10B/260.50A	297.10B/260.50A	----	270.40 NEW	.5277	----	----	2	----	2 + 2
4725	----	----	296.70B/258.30A	296.70B/258.30A	----	267.90 - 7.00	.5247	----	----	----	----	51 UNCH
4730	----	----	294.40B/253.70A	294.40B/253.70A	----	265.50 - 7.00	.5218	----	----	----	----	3 UNCH
4745	----	----	286.70B/246.80A	286.70B/246.80A	----	258.20 - 7.10	.5129	----	----	----	----	177 UNCH
4750	251.20	251.20	285.50B/244.40A	285.50B/244.40A	----	255.80 - 7.20	.5099	----	----	6	----	1066 UNCH
4755	----	----	281.50B/242.40A	281.50B/242.40A	----	253.50 - 7.10	.5070	----	----	----	----	12 UNCH
4760	----	----	279.50B/240.40A	279.50B/240.40A	----	251.10 - 7.20	.5040	----	----	----	----	47 UNCH
4770	----	----	274.60B/235.80A	274.60B/235.80A	----	246.50 - 7.20	.4981	----	----	----	----	68 UNCH
4775	----	----	272.30B/233.70A	272.30B/233.70A	----	244.20 - 7.20	.4951	----	----	----	----	150 UNCH
4780	----	----	269.50B/231.60A	269.50B/231.60A	----	241.90 - 7.30	.4922	----	----	----	----	32 UNCH
4785	----	----	267.60B/229.50A	267.60B/229.50A	----	239.60 - 7.30	.4892	----	----	----	----	11 UNCH
4790	251.40	251.40	261.60B/227.30A	261.60B/227.30A	----	237.40 - 7.30	.4863	----	----	1	----	2 + 1
4800	219.50	219.50	261.30B/219.50	261.30B/219.50	----	232.90 - 7.40	.4804	----	----	11	----	1693 - 4
4805	----	----	256.20B/221.30A	256.20B/221.30A	----	230.70 - 7.40	.4774	----	----	----	----	1 UNCH
4810	----	----	252.50B/219.30A	252.50B/219.30A	----	228.60 - 7.40	.4745	----	----	----	----	2 UNCH
4820	----	----	251.10B/215.10A	251.10B/215.10A	----	224.30 - 7.40	.4686	----	----	----	----	10 UNCH
4825	----	----	249.10B/213.00A	249.10B/213.00A	----	222.10 - 7.50	.4657	----	----	----	----	41 UNCH
4830	----	----	246.90B/211.20A	246.90B/211.20A	----	220.00 - 7.50	.4628	----	----	----	----	3 UNCH
4835	----	----	244.60B/209.20A	244.60B/209.20A	----	217.90 - 7.50	.4599	----	----	----	----	6 UNCH
4840	----	----	239.10B/207.30A	239.10B/207.30A	----	215.90 - 7.50	.4570	----	----	----	----	1 UNCH
4845	----	----	240.20B/205.50A	240.20B/205.50A	----	213.80 - 7.50	.4540	----	----	----	----	59 UNCH
4850	----	----	238.00B/203.10A	238.00B/203.10A	----	211.80 - 7.50	.4512	----	----	----	----	331 UNCH
4855	----	----	235.60B/201.60A	235.60B/201.60A	----	209.70 - 7.60	.4482	----	----	----	----	1 UNCH
4860	----	----	233.50B/199.40A	233.50B/199.40A	----	207.70 - 7.60	.4453	----	----	----	----	10 UNCH
4870	----	----	229.30B/195.60A	229.30B/195.60A	----	203.70 - 7.60	.4396	----	----	----	----	60 UNCH
4875	----	----	227.10B/194.20A	227.10B/194.20A	----	201.80 - 7.50	.4367	----	----	----	----	12 UNCH
4880	----	----	225.30B/192.00A	225.30B/192.00A	----	199.80 - 7.60	.4338	----	----	----	----	12 UNCH
4885	----	----	219.90B/190.30A	219.90B/190.30A	----	197.90 - 7.60	.4310	----	----	----	----	2 UNCH
4890	----	----	217.90B/188.70A	217.90B/188.70A	----	196.00 - 7.60	.4281	----	----	----	----	2 UNCH
4900	187.40	187.40	217.10B/184.70A	217.10B/184.70A	----	192.20 - 7.60	.4224	----	----	8	----	536 + 8
4905	----	----	212.20B/183.30A	212.20B/183.30A	----	190.30 - 7.60	.4196	----	----	----	----	2 UNCH
4910	189.50	189.50	213.00B/180.00	213.00B/180.00	----	188.50 - 7.60	.4168	----	----	50	----	50 + 48
4915	----	----	211.00B/180.10A	211.00B/180.10A	----	186.60 - 7.60	.4139	----	----	----	----	3 UNCH
4920	----	----	209.00B/178.10A	209.00B/178.10A	----	184.80 - 7.60	.4111	----	----	----	----	6 UNCH
4925	----	----	206.80B/176.70A	206.80B/176.70A	----	183.00 - 7.60	.4083	----	----	----	----	4 UNCH
4930	----	----	204.90B/175.00A	204.90B/175.00A	----	181.20 - 7.60	.4055	----	----	----	----	3 UNCH
4940	----	----	201.00B/171.30A	201.00B/171.30A	----	177.70 - 7.60	.4000	----	----	----	----	163 UNCH
4950	----	----	197.50B/168.10A	197.50B/168.10A	----	174.20 - 7.60	.3945	----	----	----	----	111 UNCH
4955	----	----	195.60B/166.60A	195.60B/166.60A	----	172.50 - 7.60	.3917	----	----	----	----	72 UNCH
4960	----	----	191.60B/165.00A	191.60B/165.00A	----	170.80 - 7.60	.3890	----	----	----	----	1 UNCH
4965	----	----	191.80B/163.40A	191.80B/163.40A	----	169.10 - 7.60	.3862	----	----	----	----	150 UNCH
4970	----	----	189.90B/161.70A	189.90B/161.70A	----	167.40 - 7.60	.3835	----	----	----	----	8 UNCH
4975	----	----	188.20B/160.10A	188.20B/160.10A	----	165.80 - 7.60	.3808	----	----	----	----	42 UNCH
4980	----	----	186.40B/158.50A	186.40B/158.50A	----	164.10 - 7.60	.3781	----	----	----	----	3 UNCH
4985	----	----	184.60B/156.90A	184.60B/156.90A	----	162.50 - 7.60	.3754	----	----	----	----	27 UNCH
4990	----	----	182.80B/155.30A	182.80B/155.30A	----	160.90 - 7.60	.3727	----	----	----	----	13 UNCH
4995	----	----	181.00B/153.80A	181.00B/153.80A	----	159.30 - 7.60	.3700	----	----	----	----	20 UNCH
5000	164.90	164.90	179.60B/152.00A	179.60B/152.00A	----	157.70 - 7.60	.3674	----	----	13	----	1823 + 2
5005	----	----	177.60B/150.70A	177.60B/150.70A	----	156.10 - 7.60	.3647	----	----	----	----	12 UNCH
5010	----	----	176.00B/149.20A	176.00B/149.20A	----	154.60 - 7.60	.3621	----	----	----	----	12 UNCH
5015	----	----	172.50B/147.70A	172.50B/147.70A	----	153.00 - 7.60	.3594	----	----	17	----	18 + 17
5020	----	----	172.60B/146.20A	172.60B/146.20A	----	151.50 - 7.60	.3568	----	----	----	----	7 UNCH
5025	----	----	171.00B/144.70A	171.00B/144.70A	----	150.00 - 7.60	.3542	----	----	----	----	31 UNCH
5030	----	----	169.30B/143.30A	169.30B/143.30A	----	148.50 - 7.50	.3516	----	----	----	----	31 UNCH
5035	----	----	167.80B/141.80A	167.80B/141.80A	----	147.00 - 7.60	.3490	----	----	----	----	54 UNCH
5040	----	----	164.40B/140.30A	164.40B/140.30A	----	145.60 - 7.50	.3465	----	----	----	----	2 UNCH
5045	----	----	162.80B/139.00A	162.80B/139.00A	----	144.10 - 7.50	.3439	----	----	----	----	2 UNCH
5050	----	----	162.80B/137.60A	162.80B/137.60A	----	142.70 - 7.50	.3414	----	----	----	----	19 UNCH
5055	----	----	161.20B/136.20A	161.20B/136.20A	----	141.20 - 7.50	.3388	----	----	----	----	8 UNCH
5060	----	----	159.70B/134.80A	159.70B/134.80A	----	139.80 - 7.50	.3363	----	----	----	----	4 UNCH
5065	----	----	158.10B/133.50A	158.10B/133.50A	----	138.40 - 7.50	.3338	----	----	----	----	25 UNCH
5070	----	----	156.70B/132.10A	156.70B/132.10A	----	137.00 - 7.50	.3312	----	----	----	----	21 UNCH
5075	----	----	155.20B/130.80A	155.20B/130.80A	----	135.60 - 7.50	.3287	----	----	----	----	14 UNCH
5080	----	----	153.50B/129.40A	153.50B/129.40A	----	134.30 - 7.40	.3263	----	----	----	----	65 UNCH
5085	----	----	150.60B/128.10A	150.60B/128.10A	----	132.90 - 7.40	.3238	----	----	----	----	2 UNCH
5090	----	----	149.20B/126.80A	149.20B/126.80A	----	131.60 - 7.40	.3214	----	----	----	----	1 UNCH
5095	----	----	149.10B/125.50A	149.10B/125.50A	----	130.30 - 7.30	.3189	----	----	----	----	45 UNCH
5100	----	----	148.30B/124.10A	148.30B/124.10A	----	129.00 - 7.30	.3165	----	----	40	----	547 UNCH
5105	----	----	146.30B/123.00A	146.30B/123.00A	----	127.70 - 7.30	.3141	----	----	----	----	61 UNCH
5110	----	----	144.80B/121.70A	144.80B/121.70A	----	126.40 - 7.30	.3117	----	----	----	----	3 UNCH
5115	129.60	129.60	143.40B/120.50A	143.40B/120.50A	----	125.10 - 7.30	.3093	----	----	1	----	27 + 1
5120	----	----	142.00B/119.30A	142.00B/119.30A	----	123.80 - 7.30	.3068	----	----	----	----	6 UNCH
5125	126.10	126.10	140.70B/118.20A	140.70B/118.20A	----	122.60 - 7.30	.3045	----	----	1	----	214 UNCH
5130	----	----	139.20B/116.90A	139.20B/116.90A	----	121.40 - 7.20	.3022	----	----	----	----	12 UNCH
5135	----	----	137.90B/115.70A	137.90B/115.70A	----	120.10 - 7.30	.2998	----	----	----	----	161 UNCH
5140	122.40	122.40	136.60B/114.50A	136.60B/114.50A	----	118.90 - 7.20	.2975	----	----	1	----	44 + 1
5145	----	----	135.10B/113.30A	135.10B/113.30A	----	117.70 - 7.20	.2952	----	----	----	----	16 UNCH
5150	----	----	134.10B/112.00A	134.10B/112.00A	----	116.50 - 7.20	.2928	----	----	----	----	701 UNCH
5155	----	----	131.80B/111.00A	131.80B/111.00A	----	115.40 - 7.10	.2906	----	----	----	----	1 UNCH
5160	----	----	131.20B/109.90A	131.20B/109.90A	----	114.20 - 7.10	.2883	----	----	----	----	9 UNCH
5165	117.40	117.40	129.40B/108.80A	129.40B/108.80A	----	113.00 - 7.20	.2860	----	----	1	----	3 + 1
5170	111.10	111.10	128.60B/107.70A	128.60B/107.70A	----	111.90 - 7.10	.2838	----	----	2	----	7 UNCH
5175	114.10	114.10	127.40B/106.60A	127.40B/106.60A	----	110.80 - 7.10	.2816	----	----	1	----	51 + 1
5180	----	----	126.20B/105.50A	126.20B/105.50A	----	109.70 - 7.00	.2794	----	----	----	----	13 UNCH
5185	112.80	112.80	125.00B/104.40A	125.00B/104.40A	----	108.50 - 7.10	.2771	----	----	2	----	35 + 2
5190	----	----	123.10B/103.40A	123.10B/103.40A	----	107.40 - 7.10	.2749	----	----	----	----	2 UNCH
5195	----	----	122.50B/102.30A	122.50B/102.30A	----	106.40 - 7.00	.2728	----	----	----	----	7 UNCH
5200	----	----	121.90B/101.10A	121.90B/101.10A	----	105.30 - 7.00	.2706	----	----	----	----	1198 UNCH
5205	----	----	120.10B/100.20A	120.10B/100.20A	----	104.20 - 7.00	.2684	----	----	----	----	7 UNCH
5210	----	----	119.00B/99.20A	119.00B/99.20A	----	103.20 - 6.90	.2663	----	----	----	----	12 UNCH
5215	----	----	117.80B/98.20A	117.80B/98.20A	----	102.10 - 6.90	.2641	----	----	----	----	9 UNCH
5220	----	----	116.60B/97.20A	116.60B/97.20A	----	101.10 - 6.90	.2621	----	----	----	----	18 UNCH
5225	103.70	103.70	115.60B/96.30A	115.60B/96.30A	----	100.10 - 6.80	.2600	----	----	1	----	3 + 1
5230	----	----	114.50B/95.30A	114.50B/95.30A	----	99.10 - 6.80	.2579	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 31

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5240	----	----	112.20B/93.40A	112.20B/93.40A	----	97.10 - 6.80	.2538	----	----	----	----	1 UNCH
5245	----	----	111.10B/92.40A	111.10B/92.40A	----	96.10 - 6.80	.2517	----	----	----	----	61 UNCH
5250	----	----	110.10B/91.40A	110.10B/91.40A	----	95.20 - 6.70	.2497	----	----	1	----	362 UNCH
5255	----	----	109.00B/90.60A	109.00B/90.60A	----	94.20 - 6.70	.2477	----	----	----	----	13 UNCH
5260	----	----	108.00B/89.70A	108.00B/89.70A	----	93.20 - 6.70	.2456	----	----	----	----	150 UNCH
5265	----	----	106.90B/88.70A	106.90B/88.70A	----	92.30 - 6.70	.2437	----	----	----	----	3 UNCH
5270	----	----	105.70B/87.80A	105.70B/87.80A	----	91.40 - 6.60	.2417	----	----	----	----	10 UNCH
5275	----	----	104.80B/87.00A	104.80B/87.00A	----	90.50 - 6.60	.2398	----	----	----	----	16 UNCH
5280	----	----	103.70B/86.10A	103.70B/86.10A	----	89.60 - 6.50	.2379	----	----	----	----	4 UNCH
5285	----	----	102.70B/85.20A	102.70B/85.20A	----	88.70 - 6.50	.2359	----	----	----	----	13 UNCH
5290	91.60	91.60	101.80B/84.40A	101.80B/84.40A	----	87.80 - 6.50	.2340	----	----	1	----	33 UNCH
5295	----	----	100.70B/83.50A	100.70B/83.50A	----	86.90 - 6.50	.2321	----	----	----	----	1 UNCH
5300	----	----	100.00B/82.50A	100.00B/82.50A	----	86.00 - 6.50	.2301	----	----	3	----	795 UNCH
5305	----	----	98.80B/81.90A	98.80B/81.90A	----	85.20 - 6.40	.2283	----	----	----	----	29 UNCH
5310	82.80	82.80	97.80B/81.00A	97.80B/81.00A	----	84.30 - 6.40	.2264	----	----	1	----	4 + 1
5315	----	----	96.90B/80.20A	96.90B/80.20A	----	83.50 - 6.30	.2246	----	----	----	----	13 UNCH
5320	81.20	81.20	95.90B/79.40A	95.90B/79.40A	----	82.60 - 6.40	.2227	----	----	1	----	8 + 1
5325	----	----	95.00B/78.60A	95.00B/78.60A	----	81.80 - 6.30	.2209	----	----	----	----	156 UNCH
5330	----	----	94.00B/77.80A	94.00B/77.80A	----	81.00 - 6.30	.2191	----	----	----	----	4 UNCH
5345	----	----	91.30B/75.50A	91.30B/75.50A	----	78.60 - 6.20	.2137	----	----	----	----	8 UNCH
5350	----	----	90.60B/74.60A	90.60B/74.60A	----	77.80 - 6.20	.2119	----	----	----	----	517 UNCH
5355	----	----	89.50B/73.90A	89.50B/73.90A	----	77.00 - 6.20	.2102	----	----	----	----	4 UNCH
5360	----	----	88.70B/73.20A	88.70B/73.20A	----	76.30 - 6.10	.2085	----	----	----	----	333 UNCH
5365	73.90	73.90	87.80B/72.50A	87.80B/72.50A	----	75.50 - 6.10	.2067	----	----	1	----	14 + 1
5370	----	----	87.00B/71.80A	87.00B/71.80A	----	74.80 - 6.00	.2051	----	----	----	----	10 UNCH
5375	----	----	86.10B/71.10A	86.10B/71.10A	----	74.00 - 6.10	.2033	----	----	----	----	3 UNCH
5380	----	----	85.30B/70.40A	85.30B/70.40A	----	73.30 - 6.00	.2017	----	----	----	----	5 UNCH
5385	----	----	84.50B/69.70A	84.50B/69.70A	----	72.60 - 6.00	.2001	----	----	----	----	16 UNCH
5390	----	----	83.60B/69.00A	83.60B/69.00A	----	71.90 - 5.90	.1984	----	----	----	----	11 UNCH
5395	----	----	82.80B/68.30A	82.80B/68.30A	----	71.20 - 5.90	.1968	----	----	----	----	18 UNCH
5400	----	----	82.20B/67.60A	82.20B/67.60A	----	70.50 - 5.80	.1952	----	----	----	----	4312 UNCH
5405	----	----	81.20B/66.90A	81.20B/66.90A	----	69.80 - 5.80	.1936	----	----	----	----	7 UNCH
5410	----	----	80.50B/66.30A	80.50B/66.30A	----	69.10 - 5.80	.1919	----	----	----	----	16 UNCH
5415	----	----	79.70B/65.70A	79.70B/65.70A	----	68.40 - 5.80	.1903	----	----	----	----	17 UNCH
5420	----	----	78.90B/65.10A	78.90B/65.10A	----	67.70 - 5.80	.1887	----	----	----	----	10 UNCH
5425	----	----	78.20B/64.40A	78.20B/64.40A	----	67.10 - 5.70	.1872	----	----	----	----	8 UNCH
5430	----	----	77.40B/63.80A	77.40B/63.80A	----	66.40 - 5.70	.1856	----	----	----	----	5 UNCH
5435	----	----	76.70B/63.20A	76.70B/63.20A	----	65.80 - 5.60	.1842	----	----	----	----	2 UNCH
5440	65.50	65.50	75.90B/62.60A	75.90B/62.60A	----	65.10 - 5.70	.1825	----	----	3	----	5 + 3
5445	----	----	75.20B/62.00A	75.20B/62.00A	----	64.50 - 5.60	.1811	----	----	----	----	8 UNCH
5450	----	----	74.60B/61.40A	74.60B/61.40A	----	63.90 - 5.50	.1796	----	----	1	----	1186 UNCH
5455	----	----	73.80B/60.80A	73.80B/60.80A	----	63.20 - 5.60	.1780	----	----	----	----	11 UNCH
5460	----	----	73.10B/60.20A	73.10B/60.20A	----	62.60 - 5.60	.1766	----	----	----	----	13 UNCH
5465	----	----	72.30B/59.70A	72.30B/59.70A	----	62.00 - 5.50	.1751	----	----	----	----	16 UNCH
5470	----	----	71.60B/59.00A	71.60B/59.00A	----	61.40 - 5.50	.1737	----	----	----	----	17 UNCH
5475	----	----	71.00B/58.60A	71.00B/58.60A	----	60.80 - 5.50	.1722	----	----	----	----	206 UNCH
5480	----	----	70.30B/57.90A	70.30B/57.90A	----	60.20 - 5.40	.1708	----	----	----	----	5 UNCH
5485	----	----	69.60B/57.40A	69.60B/57.40A	----	59.70 - 5.30	.1695	----	----	----	----	2 UNCH
5490	----	----	68.90B/56.80A	68.90B/56.80A	----	59.10 - 5.30	.1680	----	----	----	----	17 UNCH
5495	----	----	68.30B/56.30A	68.30B/56.30A	----	58.50 - 5.30	.1666	----	----	----	----	1 UNCH
5500	56.20	56.20	67.70B/55.70A	67.70B/55.70A	----	58.00 - 5.20	.1653	----	----	12	----	3263 + 4
5505	----	----	66.90B/55.20A	66.90B/55.20A	----	57.40 - 5.30	.1639	----	----	----	----	3 UNCH
5510	----	----	66.40B/54.70A	66.40B/54.70A	----	56.90 - 5.20	.1626	----	----	----	----	2 UNCH
5515	----	----	65.70B/54.20A	65.70B/54.20A	----	56.30 - 5.20	.1612	----	----	----	----	10 UNCH
5520	----	----	65.10B/53.70A	65.10B/53.70A	----	55.80 - 5.10	.1599	----	----	----	----	11 UNCH
5525	----	----	64.40B/53.20A	64.40B/53.20A	----	55.30 - 5.10	.1586	----	----	80	----	83 + 80
5530	----	----	63.80B/52.80A	63.80B/52.80A	----	54.70 - 5.10	.1572	----	----	----	----	25 UNCH
5535	----	----	63.30B/52.30A	63.30B/52.30A	----	54.20 - 5.10	.1559	----	----	----	----	1 UNCH
5540	----	----	62.70B/51.70A	62.70B/51.70A	----	53.70 - 5.00	.1547	----	----	----	----	16 UNCH
5545	----	----	62.00B/51.20A	62.00B/51.20A	----	53.20 - 5.00	.1534	----	----	----	----	8 UNCH
5550	----	----	61.50B/50.70A	61.50B/50.70A	----	52.70 - 5.00	.1521	----	----	----	----	204 UNCH
5555	----	----	60.90B/50.30A	60.90B/50.30A	----	52.20 - 4.90	.1509	----	----	----	----	23 UNCH
5560	----	----	60.40B/49.80A	60.40B/49.80A	----	51.70 - 4.90	.1496	----	----	----	----	21 UNCH
5565	----	----	59.80B/49.30A	59.80B/49.30A	----	51.20 - 4.90	.1484	----	----	----	----	1 UNCH
5570	----	----	59.30B/48.80A	59.30B/48.80A	----	50.70 - 4.90	.1471	----	----	----	----	2 UNCH
5575	----	----	58.70B/48.40A	58.70B/48.40A	----	50.30 - 4.80	.1460	----	----	----	----	29 UNCH
5580	----	----	58.20B/48.00A	58.20B/48.00A	----	49.80 - 4.80	.1448	----	----	----	----	2 UNCH
5585	----	----	57.50B/47.50A	57.50B/47.50A	----	49.30 - 4.80	.1435	----	----	----	----	19 UNCH
5590	----	----	57.00B/47.20A	57.00B/47.20A	----	48.90 - 4.70	.1425	----	----	----	----	1 UNCH
5595	----	----	56.60B/46.70A	56.60B/46.70A	----	48.40 - 4.70	.1412	----	----	----	----	19 UNCH
5600	46.40	46.40	56.00B/46.20A	56.00B/46.20A	----	48.00 - 4.70	.1401	----	----	1	----	2602 + 1
5605	48.00	48.00	55.50B/45.80A	55.50B/45.80A	----	47.50 - 4.70	.1389	----	----	3	----	29 + 3
5610	----	----	55.00B/45.40A	55.00B/45.40A	----	47.10 - 4.60	.1378	----	----	----	----	1 UNCH
5625	----	----	53.50B/44.20A	53.50B/44.20A	----	45.80 - 4.60	.1345	----	----	----	----	10 UNCH
5630	----	----	52.90B/43.80A	52.90B/43.80A	----	45.40 - 4.50	.1334	----	----	----	----	5 UNCH
5635	----	----	52.50B/43.40A	52.50B/43.40A	----	45.00 - 4.50	.1323	----	----	----	----	8 UNCH
5640	----	----	52.10B/43.00A	52.10B/43.00A	----	44.60 - 4.40	.1313	----	----	----	----	4 UNCH
5650	----	----	51.10B/42.30A	51.10B/42.30A	----	43.80 - 4.40	.1292	----	----	----	----	313 UNCH
5660	----	----	50.20B/41.50A	50.20B/41.50A	----	43.00 - 4.30	.1271	----	----	----	----	1 UNCH
5670	----	----	49.30B/40.80A	49.30B/40.80A	----	42.20 - 4.30	.1250	----	----	----	----	11 UNCH
5675	----	----	48.80B/40.40A	48.80B/40.40A	----	41.80 - 4.30	.1239	----	----	----	----	6 UNCH
5680	----	----	48.40B/40.10A	48.40B/40.10A	----	41.50 - 4.20	.1231	----	----	----	----	6 UNCH
5690	----	----	47.50B/39.40A	47.50B/39.40A	----	40.70 - 4.20	.1210	----	----	----	----	11 UNCH
5700	----	----	46.60B/38.70A	46.60B/38.70A	----	40.00 - 4.10	.1191	----	----	2	----	899 UNCH
5710	42.90	42.90	45.90B/38.00A	45.90B/38.00A	----	39.30 - 4.10	.1172	----	----	9	----	9 + 7
5720	----	----	44.90B/37.40A	44.90B/37.40A	----	38.60 - 4.00	.1153	----	----	----	----	280 UNCH
5725	----	----	44.70B/37.00A	44.70B/37.00A	----	38.30 - 4.00	.1145	----	----	----	----	57 UNCH
5730	41.40	41.40	44.20B/36.70A	44.20B/36.70A	----	38.00 - 3.90	.1136	----	----	5	----	9 + 2
5740	40.70	40.70	43.50B/36.10A	43.50B/36.10A	----	37.30 - 3.90	.1117	----	----	2	----	3 UNCH
5750	----	----	42.70B/35.50A	42.70B/35.50A	----	36.70 - 3.80	.1101	----	----	----	----	1715 UNCH
5760	----	----	41.90B/34.90A	41.90B/34.90A	----	36.00 - 3.80	.1082	----	----	----	----	168 UNCH
5770	----	----	41.10B/34.30A	41.10B/34.30A	----	35.40 - 3.70	.1065	----	----	----	----	4 UNCH
5775	----	----	40.80B/34.00A	40.80B/34.00A	----	35.10 - 3.70	.1057	----	----	----	----	214 UNCH
5780	----	----	40.40B/33.70A	40.40B/33.70A	----	34.80 - 3.70	.1049	----	----	----	----	2 UNCH
5790	----	----	39.70B/33.10A	39.70B/33.10A	----	34.20 - 3.60	.1032	----	----	----	----	10 UNCH
5800	----	----	39.00B/32.60A	39.00B/32.60A	----	33.70 - 3.50	.1018	----	----	40	----	951 + 18
5810	33.20	33.20	38.40B/32.10A	38.40B/32.10A	----	33.10 - 3.50	.1001	----	----	3	----	10 + 3
5820	----	----	37.70B/31.50A	37.70B/31.50A	----	32.60 - 3.40	.0987	----	----	----	----	376 UNCH
5825	----	----	37.40B/31.30A	37.40B/31.30A	----	32.30 - 3.40	.0979	----	----	----	----	15 UNCH
5830	----	----	37.10B/31.00A	37.10B/31.00A	----	32.00 - 3.40	.0970	----	----	----	----	1 UNCH
5840	----	----	36.40B/30.50A	36.40B/30.50A	----	31.50 - 3.30	.0956	----	----	----	----	102 UNCH
5850	----	----	35.80B/30.00A	35.80B/30.00A	----	31.00 - 3.30	.0942	----	----	----	----	110 UNCH
5860	31.50	31.50	35.20B/29.50A	35.20B/29.50A	----	30.50 - 3.20	.0928	----	----	1	----	69 + 1
5870	----	----	34.70B/29.00A	34.70B/29.00A	----	30.00 - 3.20	.0913	----	----	----	----	10 UNCH
5875	----	----	34.40B/28.80A	34.40B/28.80A	----	29.70 - 3.20	.0905	----	----	----	----	22 UNCH
5880	----	----	34.10B/28.60A	34.10B/28.60A	----	29.50 - 3.20	.0899	----	----	----	----	11 UNCH
5890	----	----	33.60B/28.10A	33.60B/28.10A	----	29.00 - 3.20	.0885	----	----	----	----	6 UNCH
5900	----	----	33.10B/27.60A	33.10B/27.60A	----	28.60 - 3.00	.0873	----	----	84	----	411 - 77
5910	----	----	32.60B/27.20A	32.60B/27.20A	----	28.10 - 3.00	.0859	----	----	----	----	6 UNCH
5920	----	----	32.10B/26.80A	32.10B/26.80A	----	27.70 - 3.00	.0847	----	----	----	----	25 UNCH
5925	----	----	31.80B/26.60A	31.80B/26.60A	----	27.50 - 2.90	.0841	----	----	----	----	6 UNCH
5940	----	----	31.10B/26.00A	31.10B/26.00A	----	26.80 - 2.90	.0822	----	----	----	----	2 UNCH
5950	----	----	30.60B/25.60A	30.60B/25.60A	----	26.40 - 2.90	.0810	----	----	----	----	3 UNCH
5960	----	----	30.20B/25.20A	30.20B/25.20A	----	26.00 - 2.80	.0798	----	----	----	----	15 UNCH
5970	----	----	29.70B/24.80A	29.70B/24.80A	----	25.60 - 2.80	.0787	----	----	----	----	55 UNCH
5980	----	----	29.30B/24.50A	29.30B/24.50A	----	25.20 - 2.70	.0775	----	----	----	----	3 UNCH
5990	----	----	28.80B/24.10A	28.80B/24.10A	----	24.90 - 2.60	.0765	----	----	----	----	70 UNCH
6000	----	----	28.40B/23.80A	28.40B/23.80A	----	24.50 - 2.60	.0754	----	----	84	----	2494 + 84
6025	----	----	27.30B/22.90A	27.30B/22.90A	----	23.60 - 2.50	.0727	----	----	----	----	14 UNCH
6050	----	----	26.30B/22.10A	26.30B/22.10A	----	22.70 - 2.50	.0701	----	----	----	----	43 UNCH
6075	23.60	23.60	25.30B/21.30A	25.30B/21.30A	----	21.90 - 2.30	.0677	----	----	20	----	89 + 16
6100	----	----	24.40B/20.60A	24.40B/20.60A	----	21.20 - 2.20	.0655	----	----	----	----	253 UNCH
6125	----	----	23.50B/19.90A	23.50B/19.90A	----	20.50 - 2.10	.0634	----	----	----	----	62 UNCH
6150	21.60	21.60	22.80B/19.30A	22.80B/19.30A	----	19.80 - 2.00	.0613	----	----	1	----	854 UNCH
6175	----	----	21.90B/18.60A	21.90B/18.60A	----	19.10 - 2.00	.0592	----	----	----	----	38 UNCH
6200	19.80	19.80	21.20B/17.90	21.20B/17.90	----	18.50 - 1.90	.0573	----	----	23	----	542 UNCH
6225	----	----	20.50B/17.40A	20.50B/17.40A	----	17.90 - 1.80	.0555	----	----	----	----	19 UNCH
6250	----	----	19.80B/16.90A	19.80B/16.90A	----	17.30 - 1.70	.0537	----	----	----	----	2014 UNCH
6275	----	----	19.20B/16.40A	19.20B/16.40A	----	16.80 - 1.60	.0521	----	----	----	----	2 UNCH
6300	17.70	17.70	18.60B/15.90A	18.60B/15.90A	----	16.30 - 1.60	.0505	----	----	21	----	324 - 1
6325	----	----	----/15.80A	17.10B/15.80A	----	15.80 - 1.50	.0490	----	----	----	----	32 UNCH
6350	----	----	----/15.20A	16.60B/15.20A	----	15.30 - 1.50	.0474	----	----	----	----	32 UNCH
6375	----	----	----/14.80A	15.70B/14.80A	----	14.90 - 1.40	.0461	----	----	----	----	37 UNCH
6400	13.60	13.60	13.60/13.60	15.60B/13.60	----	14.50 - 1.30	.0448	----	----	1	----	192 UNCH
6425	----	----	----/14.00A	14.80B/14.00A	----	14.00 - 1.30	.0433	----	----	----	----	15 UNCH
6450	12.80	12.80	12.80/12.80	14.50B/12.80	----	13.70 - 1.20	.0423	----	----	1	----	48 - 1
6475	----	----	----/13.30A	13.90B/13.30A	----	13.30 - 1.20	.0411	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 32

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
6500	----	----	----/12.90A	13.60B/12.90A	----	12.90 - 1.20	.0398	----	----	1	----	1647 UNCH
6525	----	----	----/12.60A	13.10B/12.60A	----	12.60 - 1.10	.0388	----	----	----	----	132 UNCH
6550	14.00	14.00	14.00/12.20A	14.00/12.20A	----	12.30 NEW	.0379	----	----	1	----	1 + 1
6575	----	----	----/11.90A	12.40B/11.90A	----	11.90 - 1.10	.0367	----	----	----	----	4 UNCH
6600	----	----	----/11.60A	12.10B/11.60A	----	11.60 - 1.00	.0357	----	----	----	----	29 UNCH
6650	----	----	----/11.00A	11.50B/11.00A	----	11.10 - 0.90	.0340	----	----	----	----	16 UNCH
6675	----	----	----/10.80A	11.70B/10.80A	----	10.80 - 0.90	.0331	----	----	----	----	1 UNCH
6700	----	----	----/10.50A	10.90B/10.50A	----	10.50 - 0.90	.0322	----	----	----	----	127 UNCH
6800	----	----	----/9.60A	9.80B/9.60A	----	9.60 - 0.70	.0292	----	----	----	----	199 UNCH
6825	----	----	----/9.40A	9.50B/9.40A	----	9.40 - 0.60	.0286	----	----	----	----	19 UNCH
6850	----	----	----/9.10A	9.30B/9.10A	----	9.20 - 0.60	.0279	----	----	----	----	201 UNCH
6875	----	----	----/9.00A	9.10B/9.00A	----	9.00 - 0.60	.0273	----	----	----	----	22 UNCH
6900	----	----	----/8.80A	8.90B/8.80A	----	8.80 - 0.60	.0266	----	----	----	----	19 UNCH
6925	----	----	----/8.60A	8.60B/8.60A	----	8.60 - 0.50	.0260	----	----	----	----	1 UNCH
6950	----	----	----/8.40A	8.60B/8.40A	----	8.40 - 0.50	.0253	----	----	----	----	22 UNCH
6975	----	----	----/8.20A	8.70B/8.20A	----	8.20 - 0.50	.0247	----	----	----	----	10 UNCH
7000	----	----	----/8.10A	8.10B/8.10A	----	8.10 - 0.40	.0243	----	----	----	----	790 UNCH
7050	----	----	----/7.70A	7.70B/7.70A	----	7.70 - 0.50	.0231	----	----	----	----	17 UNCH
7075	----	----	----/7.60A	7.50B/7.60A	----	7.60 - 0.40	.0227	----	----	----	----	13 UNCH
7100	----	----	----/7.40A	7.40B/7.40A	----	7.40 - 0.40	.0221	----	----	1	----	24 + 1
7125	----	----	----/7.30A	7.20B/7.30A	----	7.30 - 0.40	.0218	----	----	----	----	1 UNCH
7150	7.00	7.00	7.00/7.00	7.10B/7.00	----	7.20 - 0.30	.0214	----	----	1	----	19 + 1
7175	----	----	----/7.00A	6.90B/7.00A	----	7.00 - 0.40	.0208	----	----	----	----	1 UNCH
7200	----	----	----/6.90A	6.80B/6.90A	----	6.90 - 0.30	.0205	----	----	----	----	3 UNCH
7225	----	----	----/6.80A	6.80B/6.80A	----	6.80 - 0.30	.0201	----	----	----	----	17 UNCH
7250	----	----	----/6.60A	6.50B/6.60A	----	6.60 - 0.30	.0195	----	----	----	----	2 UNCH
7275	----	----	----/6.50A	6.40B/6.50A	----	6.50 - 0.30	.0192	----	----	----	----	14 UNCH
7300	----	----	----/6.40A	6.30B/6.40A	----	6.40 - 0.30	.0189	----	----	----	----	7 UNCH
7350	----	----	----/6.20A	6.00B/6.20A	----	6.20 - 0.20	.0182	----	----	----	----	6 UNCH
7400	----	----	----/6.00A	5.70B/6.00A	----	6.00 - 0.20	.0175	----	----	----	----	1 UNCH
7425	----	----	----/5.90A	5.60B/5.90A	----	5.90 - 0.20	.0172	----	----	----	----	19 UNCH
7450	----	----	----/5.80A	5.50B/5.80A	----	5.80 - 0.20	.0169	----	----	----	----	16 UNCH
7475	----	----	----/5.70A	5.40B/5.70A	----	5.70 - 0.20	.0166	----	----	----	----	9 UNCH
7500	4.80	4.80	4.80/4.80	5.30B/4.80	----	5.60 - 0.20	.0163	----	----	1	----	290 UNCH
7525	----	----	----/5.50A	5.20B/5.50A	----	5.50 - 0.20	.0160	----	----	----	----	33 UNCH
7550	----	----	----/5.40A	5.10B/5.40A	----	5.40 - 0.20	.0156	----	----	----	----	50 UNCH
7575	----	----	----/5.40A	5.00B/5.40A	----	5.30 - 0.20	.0153	----	----	----	----	1 UNCH
7600	----	----	----/5.20A	5.00B/5.20A	----	5.20 - 0.20	.0150	----	----	----	----	10 UNCH
7625	----	----	----/5.20A	4.80B/5.20A	----	5.10 - 0.20	.0147	----	----	----	----	12 UNCH
7700	----	----	----/4.90A	4.60B/4.90A	----	4.90 - 0.10	.0141	----	----	----	----	11 UNCH
7725	----	----	----	4.60B/4.90A	----	4.80 - 0.10	.0138	----	----	----	----	11 UNCH
7750	----	----	----/4.80A	4.50B/4.80A	----	4.80 - 0.10	.0137	----	----	----	----	2 UNCH
7775	----	----	----/4.70A	4.40B/4.70A	----	4.70 - 0.10	.0134	----	----	----	----	5 UNCH
7800	----	----	----/4.60A	4.30B/4.60A	----	4.60 - 0.10	.0131	----	----	----	----	5 UNCH
7825	----	----	----	4.30B/4.60A	----	4.50 - 0.10	.0128	----	----	----	----	10 UNCH
7875	----	----	----	4.10B/4.50A	----	4.40 - 0.10	.0125	----	----	----	----	140 UNCH
7900	----	----	----	4.10B/4.40A	----	4.40 UNCH	.0124	----	----	----	----	1 UNCH
8000	----	----	----/4.10A	3.80B/4.10A	----	4.10 - 0.10	.0115	----	----	----	----	591 UNCH
8300	----	----	----	3.20B/3.60A	----	3.50 UNCH	.0096	----	----	----	----	4 UNCH
8500	----	----	----	2.80B/3.30A	----	3.20 UNCH	.0087	----	----	----	----	6 UNCH
8600	----	----	----	2.70B/3.10A	----	3.00 - 0.10	.0081	----	----	----	----	1 UNCH
8800	----	----	----	2.40B/2.90A	----	2.70 - 0.10	.0072	----	----	----	----	7 UNCH
9000	----	----	----	2.20B/2.60A	----	2.50 - 0.10	.0066	----	----	----	----	223 UNCH
9200	----	----	----	2.00B/2.40A	----	2.30 UNCH	.0060	----	----	----	----	11 UNCH
9300	----	----	----	1.90B/2.30A	----	2.20 - 0.10	.0057	----	----	----	----	4 UNCH
9400	----	----	----	1.80B/2.30A	----	2.10 - 0.10	.0054	----	----	----	----	141 UNCH
9500	----	----	----	1.70B/2.20A	----	2.00 - 0.10	.0052	----	----	----	----	66 UNCH
9900	----	----	----	1.40B/1.90A	----	1.70 - 0.10	.0043	----	----	----	----	5 UNCH
10000	----	----	----	1.60B/1.80A	----	1.70 - 0.10	.0043	----	----	----	----	174 UNCH
10100	----	----	----	1.20B/1.80A	----	1.60 - 0.10	.0040	----	----	----	----	12 UNCH
11000	----	----	----	0.80B/1.40A	----	1.10 - 0.20	.0027	----	----	----	----	86 UNCH
11200	----	----	----	0.70B/1.30A	----	1.00 - 0.10	.0024	----	----	----	----	13 UNCH
11500	----	----	----	0.70B/1.20A	----	0.80 - 0.10	.0019	----	----	----	----	47 UNCH
11600	----	----	----	0.50B/1.30A	----	0.80 - 0.10	.0019	----	----	----	----	50 UNCH
12000	----	----	----	0.40B/1.20A	----	0.70 - 0.10	.0017	----	----	----	----	216 UNCH
TOTAL										573		54963 + 232
AUG26												
3400	----	----	----	----	----	1334.70 + 3.20	.9503	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1240.20 + 2.70	.9388	----	----	----	----	46 UNCH
3505	----	----	----	----	----	1235.50 + 2.60	.9381	----	----	----	----	4 UNCH
3520	----	----	----	----	----	1221.50 + 2.60	.9362	----	----	----	----	65 UNCH
3550	----	----	----	----	----	1193.50 + 2.40	.9322	----	----	----	----	310 UNCH
3600	----	----	----	----	----	1147.20 + 2.10	.9249	----	----	----	----	1045 UNCH
3610	----	----	----	----	----	1138.00 + 2.10	.9234	----	----	----	----	6 UNCH
3650	----	----	----	----	----	1101.30 + 1.80	.9170	----	----	----	----	4 UNCH
3660	----	----	----	----	----	1092.20 + 1.70	.9152	----	----	----	----	2 UNCH
3685	----	----	----	810.60B/1329.80A	----	1069.50 + 1.60	.9109	----	----	----	----	1 UNCH
3700	----	----	----	816.90B/1316.80A	----	1055.90 + 1.50	.9082	----	----	----	----	40 UNCH
3715	----	----	----	869.20B/1296.40A	----	1042.40 + 1.40	.9054	----	----	----	----	30 UNCH
3720	----	----	----	864.90B/1255.30A	----	1037.90 + 1.30	.9045	----	----	----	----	1 UNCH
3735	----	----	----	852.00B/1196.30A	----	1024.40 + 1.20	.9016	----	----	----	----	1 UNCH
3750	----	----	----	838.30B/1183.00A	----	1011.00 + 1.10	.8987	----	----	----	----	8 UNCH
3775	----	----	----	816.00B/1160.80A	----	988.80 + 0.90	.8936	----	----	----	----	4 UNCH
3780	----	----	----	811.70B/1156.40A	----	984.30 + 0.80	.8925	----	----	----	----	10 UNCH
3790	----	----	----	802.90B/1147.60A	----	975.50 + 0.80	.8904	----	----	----	----	67 UNCH
3800	----	----	----	793.90B/1138.80A	----	966.70 + 0.70	.8883	----	----	----	----	303 UNCH
3820	----	----	----	776.40B/1121.30A	----	949.10 + 0.60	.8839	----	----	----	----	3 UNCH
3840	----	----	----	758.90B/1103.90A	----	931.60 + 0.40	.8794	----	----	----	----	1 UNCH
3850	----	----	----	750.10B/1095.20A	----	922.90 + 0.30	.8770	----	----	----	----	12 UNCH
3885	----	----	----	719.60B/1065.00A	----	892.60 - 0.10	.8687	----	----	----	----	2 UNCH
3890	----	----	----	715.30B/1060.70A	----	888.40 UNCH	.8674	----	----	----	----	2 UNCH
3900	----	----	----	706.80B/1052.20A	----	879.80 - 0.20	.8649	----	----	----	----	146 UNCH
3920	----	----	----	689.80B/1035.10A	----	862.70 - 0.40	.8598	----	----	----	----	1 UNCH
3925	----	----	----	685.60B/1030.90A	----	858.50 - 0.40	.8585	----	----	----	----	10 UNCH
3950	----	----	----	664.30B/1009.80A	----	837.40 - 0.60	.8517	----	----	----	----	106 UNCH
3955	----	----	----	660.00B/1005.70A	----	833.20 - 0.60	.8504	----	----	----	----	7 UNCH
3975	----	----	----	643.00B/989.70A	----	816.40 - 0.90	.8448	----	----	----	----	200 UNCH
3995	----	----	----	625.80B/973.70A	----	799.80 - 1.10	.8392	----	----	----	----	30 UNCH
4000	----	----	----	621.30B/969.70A	----	795.70 - 1.10	.8376	----	----	----	----	714 UNCH
4005	----	----	----	617.20B/965.80A	----	791.60 - 1.10	.8362	----	----	----	----	1 UNCH
4015	----	----	----	608.60B/957.90A	----	783.30 - 1.30	.8333	----	----	----	----	12 UNCH
4025	----	----	----	599.90B/950.00A	----	775.10 - 1.40	.8302	----	----	----	----	174 UNCH
4045	----	----	----	582.90B/934.30A	----	758.90 - 1.50	.8241	----	----	----	----	30 UNCH
4050	----	----	----	578.90B/930.40A	----	754.80 - 1.60	.8225	----	----	----	----	100 UNCH
4055	----	----	----	574.60B/926.50A	----	750.80 - 1.60	.8210	----	----	----	----	100 UNCH
4075	----	----	----	557.70B/911.00A	----	734.70 - 1.80	.8146	----	----	----	----	3 UNCH
4080	----	----	----	553.70B/907.10A	----	730.70 - 1.90	.8130	----	----	----	----	1 UNCH
4100	----	----	----	537.10B/891.80A	----	714.80 - 2.00	.8064	----	----	----	----	73 UNCH
4110	----	----	----	528.90B/884.20A	----	706.90 - 2.10	.8031	----	----	----	----	19 UNCH
4135	----	----	----	508.50B/865.30A	----	687.30 - 2.40	.7945	----	----	----	----	20 UNCH
4140	----	----	----	504.50B/861.50A	----	683.40 - 2.40	.7928	----	----	----	----	1 UNCH
4150	----	----	----	496.40B/854.00A	----	675.70 - 2.50	.7892	----	----	----	----	40 UNCH
4165	----	----	----	484.40B/842.80A	----	664.10 - 2.60	.7839	----	----	----	----	1 UNCH
4195	----	----	----	460.70B/820.60A	----	641.30 - 2.80	.7729	----	----	----	----	3 UNCH
4200	----	----	----	456.80B/817.00A	----	637.50 - 2.90	.7710	----	----	----	----	75 UNCH
4215	----	----	----	445.00B/806.00A	----	626.20 - 3.10	.7654	----	----	----	----	1 UNCH
4220	----	----	----	441.30B/802.40A	----	622.50 - 3.10	.7635	----	----	----	----	16 UNCH
4225	----	----	----	437.30B/798.80A	----	618.80 - 3.10	.7615	----	----	----	----	102 UNCH
4235	----	----	----	429.80B/791.60A	----	611.40 - 3.10	.7577	----	----	----	----	1 UNCH
4250	----	----	----	418.40B/780.80A	----	600.30 - 3.30	.7519	----	----	----	----	71 UNCH
4265	----	----	----	407.10B/770.10A	----	589.40 - 3.40	.7459	----	----	----	----	77 UNCH
4285	----	----	----	392.30B/756.00A	----	575.00 - 3.40	.7378	----	----	----	----	8 UNCH
4300	----	----	----	381.30B/745.50A	----	564.30 - 3.50	.7317	----	----	----	----	42 UNCH
4320	----	----	----	366.80B/731.60A	----	550.10 - 3.70	.7233	----	----	----	----	2 UNCH
4325	----	----	----	363.30B/728.20A	----	546.60 - 3.70	.7212	----	----	----	----	6 UNCH
4330	----	----	----	496.60B/557.30A	----	543.10 - 3.70	.7191	----	----	----	----	201 UNCH
4350	----	----	----/523.60A	519.20B/523.60A	----	529.30 - 3.80	.7105	----	----	----	----	774 UNCH
4360	----	----	528.70B/517.00A	528.70B/517.00A	----	522.40 - 3.90	.7062	----	----	----	----	1 UNCH
4375	----	----	528.80B/506.70A	528.80B/506.70A	----	512.20 - 4.00	.6996	----	----	----	----	3 UNCH
4385	----	----	525.70B/500.00A	525.70B/500.00A	----	505.50 - 4.00	.6952	----	----	----	----	100 UNCH
4390	----	----	524.40B/496.70A	524.40B/496.70A	----	502.20 - 4.00	.6929	----	----	----	----	1 UNCH
4400	----	----	521.20B/490.10A	521.20B/490.10A	----	495.50 - 4.10	.6884	----	----	----	----	325 UNCH
4420	----	----	507.70B/477.10A	507.70B/477.10A	----	482.40 - 4.10	.6794	----	----	----	----	50 UNCH
4425	----	----	504.40B/473.90A	504.40B/473.90A	----	479.10 - 4.20	.6771	----	----	----	----	5 UNCH
4440	----	----	494.50B/464.30A	494.50B/464.30A	----	469.40 - 4.30	.6702	----	----	----	----	1 UNCH
4450	----	----	487.90B/457.90A	487.90B/457.90A	----	463.00 - 4.40	.6655	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4455	----	----	484.70B/454.80A	484.70B/454.80A	----	459.90 - 4.30	.6632	----	----	----	----	2 UNCH
4460	----	----	481.40B/451.60A	481.40B/451.60A	----	456.70 - 4.40	.6609	----	----	----	----	5 UNCH
4465	----	----	478.20B/448.50A	478.20B/448.50A	----	453.60 - 4.40	.6585	----	----	----	----	9 UNCH
4470	----	----	475.00B/445.40A	475.00B/445.40A	----	450.40 - 4.50	.6562	----	----	----	----	7 UNCH
4475	----	----	471.80B/442.30A	471.80B/442.30A	----	447.30 - 4.50	.6538	----	----	----	----	29 UNCH
4485	----	----	465.40B/436.20A	465.40B/436.20A	----	441.10 - 4.60	.6490	----	----	----	----	5 UNCH
4490	----	----	462.20B/433.10A	462.20B/433.10A	----	438.10 - 4.60	.6466	----	----	----	----	1 UNCH
4500	----	----	455.90B/427.00A	455.90B/427.00A	----	432.00 - 4.70	.6418	----	----	----	----	846 UNCH
4535	----	----	434.30B/406.20A	434.30B/406.20A	----	411.00 - 5.10	.6249	----	----	----	----	10 UNCH
4540	----	----	433.50B/403.30A	433.50B/403.30A	----	408.10 - 5.10	.6224	----	----	----	----	5 UNCH
4545	----	----	433.10B/400.40A	433.10B/400.40A	----	405.20 - 5.10	.6200	----	----	----	----	1 UNCH
4550	----	----	428.50B/397.50A	428.50B/397.50A	----	402.30 - 5.20	.6175	----	----	----	----	22 UNCH
4555	----	----	425.70B/394.90A	425.70B/394.90A	----	399.40 - 5.30	.6150	----	----	----	----	1 UNCH
4560	----	----	422.50B/391.80A	422.50B/391.80A	----	396.50 - 5.30	.6126	----	----	----	----	5 UNCH
4565	----	----	419.60B/389.00A	419.60B/389.00A	----	393.60 - 5.40	.6101	----	----	----	----	1 UNCH
4575	----	----	413.70B/383.30A	413.70B/383.30A	----	387.90 - 5.60	.6051	----	----	----	----	41 UNCH
4580	----	----	410.80B/380.50A	410.80B/380.50A	----	385.10 - 5.60	.6027	----	----	----	----	200 UNCH
4585	----	----	408.10B/377.70A	408.10B/377.70A	----	382.30 - 5.70	.6002	----	----	----	----	2 UNCH
4590	----	----	405.20B/375.00A	405.20B/375.00A	----	379.50 - 5.70	.5977	----	----	----	----	16 UNCH
4595	----	----	402.30B/372.20A	402.30B/372.20A	----	376.70 - 5.80	.5952	----	----	----	----	2 UNCH
4600	----	----	399.50B/369.50A	399.50B/369.50A	----	373.90 - 5.90	.5927	----	----	----	----	101 UNCH
4605	----	----	396.80B/366.70A	396.80B/366.70A	----	371.20 - 5.90	.5901	----	----	----	----	1 UNCH
4620	----	----	388.10B/358.60A	388.10B/358.60A	----	363.00 - 6.10	.5826	----	----	----	----	4 UNCH
4640	----	----	377.10B/347.00A	377.10B/347.00A	----	352.20 - 6.50	.5725	----	----	----	----	1 UNCH
4650	----	----	371.90B/337.60A	371.90B/337.60A	----	346.90 - 6.60	.5674	----	----	----	----	145 UNCH
4660	----	----	366.30B/334.50A	366.30B/334.50A	----	341.60 - 6.80	.5623	----	----	----	----	2 UNCH
4670	----	----	361.00B/332.60A	361.00B/332.60A	----	336.40 - 7.00	.5572	----	----	----	----	3 UNCH
4675	----	----	358.30B/330.30A	358.30B/330.30A	----	333.80 - 7.10	.5547	----	----	----	----	36 UNCH
4700	----	----	345.40B/316.60A	345.40B/316.60A	----	321.10 - 7.50	.5419	----	----	----	----	1619 UNCH
4705	----	----	344.20B/314.80A	344.20B/314.80A	----	318.60 - 7.60	.5393	----	----	----	----	20 UNCH
4710	----	----	343.30B/312.40A	343.30B/312.40A	----	316.10 - 7.60	.5367	----	----	----	----	17 UNCH
4720	----	----	335.30B/306.10A	335.30B/306.10A	----	311.20 - 7.80	.5316	----	----	3	----	23 UNCH
4725	308.00	308.00	332.80B/302.80A	332.80B/302.80A	----	308.80 NEW	.5290	----	----	2	----	2 + 2
4730	----	----	330.80B/301.40A	330.80B/301.40A	----	306.40 - 7.80	.5265	----	----	----	----	3 UNCH
4750	----	----	326.90B/289.80A	326.90B/289.80A	----	297.10 - 7.80	.5163	----	----	50	----	182 + 21
4760	----	----	322.10B/283.90A	322.10B/283.90A	----	292.50 - 7.80	.5112	----	----	----	----	10 UNCH
4770	----	----	317.30B/280.00A	317.30B/280.00A	----	288.00 - 7.80	.5061	----	----	----	----	14 UNCH
4775	----	----	314.80B/277.80A	314.80B/277.80A	----	285.70 - 7.80	.5035	----	----	----	----	10 UNCH
4780	----	----	312.10B/275.60A	312.10B/275.60A	----	283.50 - 7.80	.5010	----	----	----	----	2 UNCH
4795	----	----	305.70B/269.10A	305.70B/269.10A	----	276.90 - 7.70	.4934	----	----	----	----	2 UNCH
4800	273.00	273.00	302.70B/267.00A	302.70B/267.00A	----	274.70 - 7.70	.4908	----	----	5	----	1631 - 4
4810	----	----	297.90B/262.70A	297.90B/262.70A	----	270.40 - 7.70	.4858	----	----	----	----	1 UNCH
4815	281.90	281.90	296.40B/260.60A	296.40B/260.60A	----	268.20 - 7.70	.4832	----	----	1	----	3 UNCH
4820	----	----	293.40B/259.00A	293.40B/259.00A	----	266.10 - 7.70	.4807	----	----	----	----	21 UNCH
4825	----	----	291.70B/256.70A	291.70B/256.70A	----	264.00 - 7.60	.4782	----	----	----	----	5 UNCH
4830	----	----	289.90B/255.00A	289.90B/255.00A	----	261.90 - 7.60	.4757	----	----	----	----	4 UNCH
4850	----	----	281.60B/246.60A	281.60B/246.60A	----	253.60 - 7.50	.4656	----	----	----	----	34 UNCH
4860	----	----	277.00B/242.80A	277.00B/242.80A	----	249.50 - 7.50	.4606	----	----	----	----	22 UNCH
4870	----	----	273.00B/239.50A	273.00B/239.50A	----	245.50 - 7.50	.4556	----	----	----	----	11 UNCH
4875	----	----	270.90B/236.50A	270.90B/236.50A	----	243.50 - 7.50	.4532	----	----	----	----	79 UNCH
4880	----	----	268.60B/235.40A	268.60B/235.40A	----	241.50 - 7.50	.4507	----	----	----	----	1 UNCH
4895	----	----	262.60B/228.90A	262.60B/228.90A	----	235.70 - 7.40	.4433	----	----	----	----	11 UNCH
4900	----	----	260.40B/227.60A	260.40B/227.60A	----	233.80 - 7.40	.4408	----	----	----	----	485 UNCH
4905	----	----	258.50B/224.90A	258.50B/224.90A	----	231.90 - 7.40	.4384	----	----	----	----	9 UNCH
4925	----	----	250.50B/218.90A	250.50B/218.90A	----	224.40 - 7.40	.4286	----	----	----	----	123 UNCH
4940	----	----	244.70B/213.80A	244.70B/213.80A	----	219.00 - 7.40	.4213	----	----	----	----	1 UNCH
4950	----	----	240.90B/210.40A	240.90B/210.40A	----	215.40 - 7.40	.4165	----	----	----	----	64 UNCH
4955	----	----	238.90B/208.70A	238.90B/208.70A	----	213.70 - 7.40	.4142	----	----	----	----	22 UNCH
4975	----	----	231.70B/201.90A	231.70B/201.90A	----	206.80 - 7.40	.4047	----	----	----	----	2 UNCH
4995	----	----	224.20B/195.60A	224.20B/195.60A	----	200.10 - 7.40	.3953	----	----	----	----	3 UNCH
5000	192.00	192.00	222.50B/192.00	222.50B/192.00	----	198.50 - 7.40	.3930	----	----	17	250	1553 + 251
5005	----	----	221.00B/192.40A	221.00B/192.40A	----	196.80 - 7.50	.3906	----	----	----	----	4 UNCH
5015	----	----	217.50B/189.30A	217.50B/189.30A	----	193.60 - 7.50	.3860	----	----	----	----	3 UNCH
5030	----	----	212.40B/184.70A	212.40B/184.70A	----	188.90 - 7.50	.3792	----	----	----	----	2 UNCH
5045	----	----	207.40B/180.10A	207.40B/180.10A	----	184.30 - 7.50	.3724	----	----	----	----	1 UNCH
5050	----	----	205.70B/178.50A	205.70B/178.50A	----	182.80 - 7.50	.3701	----	----	----	----	9 UNCH
5075	----	----	197.70B/171.30A	197.70B/171.30A	----	175.40 - 7.50	.3590	----	----	----	----	200 UNCH
5100	171.50	171.50	190.00B/164.40A	190.00B/164.40A	----	168.20 - 7.60	.3481	----	----	5	----	1614 - 3
5105	----	----	188.40B/163.00A	188.40B/163.00A	----	166.90 - 7.50	.3460	----	----	----	----	2 UNCH
5110	----	----	187.10B/161.60A	187.10B/161.60A	----	165.50 - 7.50	.3438	----	----	----	----	4 UNCH
5115	----	----	185.40B/160.30A	185.40B/160.30A	----	164.10 - 7.60	.3417	----	----	----	----	4 UNCH
5125	----	----	182.50B/157.60A	182.50B/157.60A	----	161.40 - 7.50	.3374	----	----	----	----	20 UNCH
5130	----	----	181.00B/156.30A	181.00B/156.30A	----	160.10 - 7.50	.3353	----	----	----	----	1 UNCH
5145	----	----	176.70B/152.40A	176.70B/152.40A	----	156.10 - 7.60	.3290	----	----	----	----	2 UNCH
5150	----	----	175.30B/151.20A	175.30B/151.20A	----	154.80 - 7.60	.3270	----	----	----	----	69 UNCH
5155	----	----	173.90B/150.00A	173.90B/150.00A	----	153.60 - 7.50	.3250	----	----	----	----	4 UNCH
5160	----	----	172.50B/148.80A	172.50B/148.80A	----	152.30 - 7.50	.3229	----	----	----	----	6 UNCH
5200	----	----	161.40B/139.20A	161.40B/139.20A	----	142.50 - 7.40	.3068	----	----	----	----	3398 UNCH
5205	----	----	160.60B/138.00A	160.60B/138.00A	----	141.30 - 7.40	.3048	----	----	----	----	1 UNCH
5210	----	----	159.40B/136.80A	159.40B/136.80A	----	140.10 - 7.50	.3028	----	----	----	----	6 UNCH
5215	----	----	158.00B/135.70A	158.00B/135.70A	----	139.00 - 7.40	.3009	----	----	----	----	13 UNCH
5220	----	----	156.50B/134.60A	156.50B/134.60A	----	137.80 - 7.40	.2990	----	----	----	----	26 UNCH
5225	----	----	155.40B/133.50A	155.40B/133.50A	----	136.70 - 7.40	.2971	----	----	----	----	40 UNCH
5230	----	----	154.20B/132.40A	154.20B/132.40A	----	135.60 - 7.30	.2952	----	----	----	----	2 UNCH
5250	----	----	149.30B/128.00A	149.30B/128.00A	----	131.10 - 7.40	.2875	----	----	----	----	439 UNCH
5255	----	----	148.20B/127.00A	148.20B/127.00A	----	130.10 - 7.30	.2857	----	----	----	----	3 UNCH
5260	----	----	147.00B/125.90A	147.00B/125.90A	----	129.00 - 7.30	.2839	----	----	----	----	24 UNCH
5265	----	----	145.70B/125.00A	145.70B/125.00A	----	127.90 - 7.30	.2820	----	----	----	----	6 UNCH
5270	----	----	144.40B/123.90A	144.40B/123.90A	----	126.90 - 7.20	.2802	----	----	----	----	18 UNCH
5275	----	----	143.50B/122.90A	143.50B/122.90A	----	125.80 - 7.20	.2783	----	----	----	----	1 UNCH
5285	----	----	141.10B/120.70A	141.10B/120.70A	----	123.80 - 7.10	.2747	----	----	----	----	2 UNCH
5300	123.50	123.50	137.60B/117.90A	137.60B/117.90A	----	120.70 - 7.10	.2693	----	----	11	----	541 + 5
5320	----	----	133.50B/114.00A	133.50B/114.00A	----	116.80 - 7.00	.2623	----	----	----	----	4 UNCH
5325	----	----	132.30B/113.20A	132.30B/113.20A	----	115.80 - 7.10	.2605	----	----	----	----	11 UNCH
5330	----	----	131.20B/112.10A	131.20B/112.10A	----	114.90 - 7.00	.2589	----	----	----	----	6 UNCH
5350	----	----	127.10B/108.60A	127.10B/108.60A	----	111.20 - 6.90	.2521	----	----	----	----	4 UNCH
5355	----	----	126.00B/107.60A	126.00B/107.60A	----	110.30 - 6.80	.2504	----	----	----	----	1 UNCH
5370	----	----	123.20B/105.10A	123.20B/105.10A	----	107.60 - 6.80	.2455	----	----	----	----	2 UNCH
5375	----	----	122.30B/104.10A	122.30B/104.10A	----	106.70 - 6.80	.2438	----	----	----	----	4 UNCH
5400	----	----	117.50B/99.90A	117.50B/99.90A	----	102.50 - 6.60	.2359	----	----	----	----	3756 UNCH
5410	----	----	115.70B/98.30A	115.70B/98.30A	----	100.80 - 6.60	.2327	----	----	----	----	2 UNCH
5420	----	----	113.70B/96.90A	113.70B/96.90A	----	99.20 - 6.50	.2296	----	----	----	----	5 UNCH
5445	----	----	109.30B/93.00A	109.30B/93.00A	----	95.20 - 6.40	.2220	----	----	----	----	3 UNCH
5450	----	----	108.20B/92.40A	108.20B/92.40A	----	94.50 - 6.30	.2206	----	----	----	----	6 UNCH
5460	----	----	106.80B/90.70A	106.80B/90.70A	----	93.00 - 6.30	.2177	----	----	----	----	3 UNCH
5470	----	----	105.00B/89.40A	105.00B/89.40A	----	91.50 - 6.20	.2148	----	----	----	----	1 UNCH
5480	----	----	103.40B/87.90A	103.40B/87.90A	----	90.00 - 6.20	.2118	----	----	----	----	10 UNCH
5485	----	----	102.50B/87.20A	102.50B/87.20A	----	89.30 - 6.20	.2104	----	----	----	----	1 UNCH
5490	----	----	101.70B/86.60A	101.70B/86.60A	----	88.60 - 6.10	.2090	----	----	----	----	2 UNCH
5495	----	----	100.80B/86.00A	100.80B/86.00A	----	87.90 - 6.10	.2077	----	----	----	----	2 UNCH
5500	87.00	87.00	100.00B/85.00A	100.00B/85.00A	----	87.20 - 6.10	.2063	----	----	33	----	672 + 31
5505	----	----	99.20B/84.60A	99.20B/84.60A	----	86.50 - 6.10	.2049	----	----	----	----	2 UNCH
5515	----	----	97.80B/83.20A	97.80B/83.20A	----	85.10 - 6.00	.2021	----	----	----	----	2 UNCH
5525	----	----	96.20B/81.90A	96.20B/81.90A	----	83.80 - 5.90	.1995	----	----	----	----	25 UNCH
5535	----	----	94.70B/80.40A	94.70B/80.40A	----	82.40 - 6.00	.1967	----	----	----	----	3 UNCH
5545	----	----	93.20B/79.40A	93.20B/79.40A	----	81.10 - 5.90	.1941	----	----	----	----	2 UNCH
5550	----	----	92.50B/78.50A	92.50B/78.50A	----	80.50 - 5.90	.1928	----	----	----	----	2 UNCH
5565	79.00	79.00	90.60B/77.00A	90.60B/77.00A	----	78.60 - 5.80	.1889	----	----	3	----	5 + 3
5575	----	----	89.20B/75.60A	89.20B/75.60A	----	77.40 - 5.70	.1865	----	----	----	----	3 UNCH
5580	----	----	88.50B/74.90A	88.50B/74.90A	----	76.80 - 5.70	.1852	----	----	----	----	17 UNCH
5595	----	----	86.50B/73.30A	86.50B/73.30A	----	75.00 - 5.60	.1815	----	----	----	----	3 UNCH
5600	----	----	85.70B/72.90A	85.70B/72.90A	----	74.40 - 5.60	.1803	----	----	2	250	2017 + 250
5615	----	----	83.90B/71.20A	83.90B/71.20A	----	72.70 - 5.50	.1767	----	----	----	----	1 UNCH
5635	----	----	81.00B/69.10A	81.00B/69.10A	----	70.50 - 5.40	.1721	----	----	----	----	2 UNCH
5640	----	----	80.50B/68.50A	80.50B/68.50A	----	69.90 - 5.40	.1708	----	----	----	----	3 UNCH
5650	----	----	79.50B/67.30A	79.50B/67.30A	----	68.80 - 5.40	.1685	----	----	----	----	89 UNCH
5660	----	----	78.20B/66.50A	78.20B/66.50A	----	67.80 - 5.30	.1664	----	----	----	----	10 UNCH
5670	----	----	77.00B/65.40A	77.00B/65.40A	----	66.80 - 5.20	.1642	----	----	----	----	10 UNCH
5675	----	----	76.40B/64.70A	76.40B/64.70A	----	66.20 - 5.30	.1630	----	----	----	----	3 UNCH
5690	----	----	74.60B/63.20A	74.60B/63.20A	----	64.70 - 5.20	.1597	----	----	----	----	13 UNCH
5700	----	----	73.50B/62.50A	73.50B/62.50A	----	63.80 - 5.10	.1577	----	----	----	----	2138 UNCH
5720	----	----	71.40B/60.70A	71.40B/60.70A	----	61.90 - 5.00	.1536	----	----	----	----	10 UNCH
5725	----	----	70.80B/60.20A	70.80B/60.20A	----	61.40 - 5.00	.1525	----	----	----	----	1 UNCH
5730	----	----	70.20B/59.70A	70.20B/59.70A	----	60.90 - 5.10	.1515	----	----	----	----	12 UNCH
5750	----	----	68.10B/57.60A	68.10B/57.60A	----	59.10 - 5.00	.1475	----	----	----	----	300 UNCH
5800	----	----	63.20B/53.90A	63.20B/53.90A	----	54.90 - 4.70	.1381	----	----	----	----	899 UNCH
5825	----	----	61.00B/52.10A	61.00B/52.10A	----	53.00 - 4.50	.1338	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5850	----	----	58.80B/50.20A	58.80B/50.20A	----	51.10 - 4.40	.1295	----	----	----	----	165 UNCH
5875	----	----	56.70B/48.50A	56.70B/48.50A	----	49.30 - 4.30	.1254	----	----	----	----	7 UNCH
5900	49.10	49.10	54.80B/46.80A	54.80B/46.80A	----	47.60 - 4.20	.1214	----	----	5	----	1817 - 4
5950	----	----	51.00B/43.70A	51.00B/43.70A	----	44.50 - 3.90	.1141	----	----	----	----	1 UNCH
6000	45.20	45.20	47.60B/40.50A	47.60B/40.50A	----	41.60 - 3.70	.1072	----	----	200	----	1208 + 109
6100	----	----	41.60B/35.80A	41.60B/35.80A	----	36.40 - 3.30	.0948	----	----	----	----	329 UNCH
6200	----	----	36.40B/31.60A	36.40B/31.60A	----	32.10 - 3.00	.0842	----	----	----	----	1327 UNCH
6300	----	----	32.20B/28.10A	32.20B/28.10A	----	28.30 - 2.90	.0747	----	----	----	----	64 UNCH
6400	----	----	28.30B/25.40A	28.30B/25.40A	----	25.10 - 2.80	.0666	----	----	----	----	31 UNCH
6500	----	----	----/22.90A	23.60B/22.90A	----	22.40 - 2.60	.0597	----	----	----	----	707 UNCH
6600	----	----	----/20.80A	21.00B/20.80A	----	20.10 - 2.50	.0537	----	----	----	----	132 UNCH
6700	----	----	----/18.90A	19.10B/18.90A	----	18.20 - 2.30	.0486	----	----	----	----	254 UNCH
6800	----	----	----/17.30A	17.20B/17.30A	----	16.60 - 2.00	.0443	----	----	----	----	49 UNCH
6900	----	----	----/15.90A	15.70B/15.90A	----	15.20 - 1.80	.0405	----	----	----	----	1 UNCH
7000	----	----	----/14.70A	14.50B/14.70A	----	14.00 - 1.60	.0371	----	----	----	----	475 UNCH
7500	14.60	14.60	14.60/10.40A	14.60/10.40A	----	10.00 - 0.80	.0258	----	----	1	----	737 UNCH
8000	8.00	8.00	8.00/7.90A	8.00/7.90A	----	7.60 - 0.50	.0191	----	----	1	----	93 + 1
8500	----	----	----/6.20A	5.60B/6.20A	----	5.90 - 0.50	.0145	----	----	----	----	73 UNCH
9000	----	----	----/5.00A	4.30B/5.00A	----	4.80 - 0.40	.0115	----	----	----	----	8 UNCH
9500	----	----	----	3.40B/4.20A	----	3.90 - 0.30	.0091	----	----	----	----	68 UNCH
10000	----	----	3.60B/----	3.60B/3.60A	----	3.30 - 0.10	.0076	----	----	----	----	98 UNCH
TOTAL										339	500	37310 + 662
SEP26												
3875	----	----	----	767.50B/1123.00A	----	945.80 + 0.60	.8614	----	----	----	----	1 UNCH
3995	----	----	----	666.10B/1026.10A	----	846.30 - 0.80	.8305	----	----	----	----	10 UNCH
4085	----	----	791.40B/768.10A	791.40B/768.10A	----	774.60 - 1.70	.8041	----	----	----	----	37 UNCH
4130	----	----	768.00B/733.40A	768.00B/733.40A	----	739.70 - 2.30	.7899	----	----	----	----	10 UNCH
4185	----	----	725.90B/692.20A	725.90B/692.20A	----	698.20 - 2.90	.7716	----	----	----	----	37 UNCH
4200	----	----	#714.60B/681.40	714.60B/681.40A	----	687.10 - 3.00	.7664	----	----	----	----	1 UNCH
4220	----	----	699.70B/666.50A	699.70B/666.50A	----	672.30 - 3.40	.7594	----	----	----	----	162 UNCH
4290	----	----	648.70B/616.60A	648.70B/616.60A	----	622.20 - 4.10	.7339	----	----	----	----	6 UNCH
4295	----	----	645.10B/613.20A	645.10B/613.20A	----	618.70 - 4.20	.7320	----	----	----	----	50 UNCH
4300	----	----	#641.50B/609.70	641.50B/609.70A	----	615.20 - 4.30	.7301	----	----	----	----	13 UNCH
4320	----	----	627.40B/595.90A	627.40B/595.90A	----	601.30 - 4.60	.7225	----	----	----	----	162 UNCH
4375	----	----	#589.40B/559.20	589.40B/559.20A	----	564.00 - 5.30	.7009	----	----	----	----	1 UNCH
4390	----	----	579.30B/549.10A	579.30B/549.10A	----	554.10 - 5.50	.6948	----	----	----	----	200 UNCH
4425	----	----	556.00B/526.50A	556.00B/526.50A	----	531.30 - 6.00	.6805	----	----	----	----	1 UNCH
4495	----	----	511.20B/479.90A	511.20B/479.90A	----	487.50 - 6.90	.6510	----	----	----	----	18 UNCH
4500	----	----	508.10B/477.80A	508.10B/477.80A	----	484.40 - 7.00	.6488	----	----	----	----	5 UNCH
4505	----	----	505.00B/474.10A	505.00B/474.10A	----	481.40 - 7.10	.6466	----	----	----	----	2 UNCH
4510	----	----	501.90B/471.20A	501.90B/471.20A	----	478.40 - 7.10	.6445	----	----	----	----	2 UNCH
4515	----	----	498.80B/468.30A	498.80B/468.30A	----	475.40 - 7.20	.6423	----	----	----	----	2 UNCH
4545	----	----	480.40B/451.40A	480.40B/451.40A	----	457.60 - 7.60	.6292	----	----	----	----	16 UNCH
4550	----	----	477.60B/448.60A	477.60B/448.60A	----	454.70 - 7.70	.6270	----	----	----	----	222 UNCH
4560	----	----	471.40B/443.10A	471.40B/443.10A	----	448.90 - 7.80	.6226	----	----	----	----	2 UNCH
4565	----	----	468.70B/440.60A	468.70B/440.60A	----	446.00 - 7.90	.6204	----	----	----	----	2 UNCH
4570	----	----	465.80B/438.20A	465.80B/438.20A	----	443.10 - 8.00	.6182	----	----	----	----	2 UNCH
4575	----	----	462.90B/435.40A	462.90B/435.40A	----	440.20 - 8.10	.6159	----	----	----	----	2 UNCH
4580	----	----	459.90B/432.70A	459.90B/432.70A	----	437.40 - 8.10	.6137	----	----	----	----	2 UNCH
4585	----	----	457.00B/430.00A	457.00B/430.00A	----	434.60 - 8.10	.6115	----	----	----	----	2 UNCH
4590	----	----	454.10B/427.70A	454.10B/427.70A	----	431.70 - 8.30	.6093	----	----	----	----	2 UNCH
4600	----	----	448.40B/421.50A	448.40B/421.50A	----	426.10 - 8.40	.6048	----	----	----	----	53 UNCH
4650	----	----	420.40B/395.70A	420.40B/395.70A	----	398.80 - 9.00	.5822	----	----	----	----	1 UNCH
4675	----	----	407.00B/382.80A	407.00B/382.80A	----	385.70 - 9.30	.5708	----	----	----	----	1 UNCH
4680	----	----	404.30B/380.30A	404.30B/380.30A	----	383.10 - 9.30	.5686	----	----	----	----	1 UNCH
4700	----	----	393.80B/370.20A	393.80B/370.20A	----	372.90 - 9.50	.5594	----	----	----	----	117 UNCH
4705	----	----	390.90B/367.80A	390.90B/367.80A	----	370.30 - 9.60	.5571	----	----	----	----	10 UNCH
4710	----	----	388.60B/365.30A	388.60B/365.30A	----	367.80 - 9.70	.5548	----	----	----	----	1 UNCH
4720	----	----	383.50B/360.70A	383.50B/360.70A	----	362.80 - 9.80	.5502	----	----	----	----	45 UNCH
4725	----	----	380.90B/358.00A	380.90B/358.00A	----	360.40 - 9.80	.5479	----	----	----	----	2 UNCH
4730	----	----	378.40B/355.60A	378.40B/355.60A	----	357.90 - 9.90	.5456	----	----	----	----	5 UNCH
4750	----	----	368.40B/346.10A	368.40B/346.10A	----	348.30 - 9.90	.5364	----	----	50	----	43 - 17
4775	----	----	356.20B/334.50A	356.20B/334.50A	----	336.50 - 10.10	.5250	----	----	----	175	184 + 175
4780	----	----	353.80B/332.20A	353.80B/332.20A	----	334.20 - 10.10	.5227	----	----	----	----	7 UNCH
4800	----	----	344.40B/323.20A	344.40B/323.20A	----	325.10 - 10.10	.5135	----	----	----	----	682 UNCH
4840	----	----	326.10B/305.80A	326.10B/305.80A	----	307.70 - 10.00	.4954	----	----	----	----	2 UNCH
4850	----	----	321.60B/301.60A	321.60B/301.60A	----	303.40 - 10.00	.4909	----	----	----	----	20 UNCH
4875	----	----	310.80B/291.30A	310.80B/291.30A	----	293.10 - 9.90	.4797	----	----	----	----	30 UNCH
4900	----	----	300.10B/281.30A	300.10B/281.30A	----	283.10 - 9.80	.4685	----	----	----	----	260 UNCH
4925	----	----	290.00B/271.60A	290.00B/271.60A	----	273.50 - 9.60	.4575	----	----	----	----	1 UNCH
4975	----	----	270.50B/253.20A	270.50B/253.20A	----	255.00 - 9.50	.4358	----	----	----	----	234 UNCH
5000	----	----	261.00B/244.40A	261.00B/244.40A	----	246.10 - 9.50	.4251	----	----	----	----	587 UNCH
5005	----	----	259.30B/242.70A	259.30B/242.70A	----	244.40 - 9.50	.4230	----	----	----	----	1 UNCH
5050	----	----	243.30B/227.70A	243.30B/227.70A	----	229.20 - 9.70	.4041	----	----	----	----	1 UNCH
5075	----	----	234.80B/219.70A	234.80B/219.70A	----	221.10 - 9.80	.3938	----	----	----	----	1 UNCH
5100	----	----	226.70B/212.00A	226.70B/212.00A	----	213.30 - 9.80	.3836	----	----	----	----	241 UNCH
5150	----	----	211.10B/197.50A	211.10B/197.50A	----	198.50 - 9.60	.3638	----	----	----	----	3 UNCH
5200	----	----	196.40B/183.90A	196.40B/183.90A	----	184.70 - 9.30	.3447	----	----	----	----	373 UNCH
5230	----	----	188.20B/176.20A	188.20B/176.20A	----	176.90 - 9.20	.3336	----	----	----	----	400 UNCH
5235	----	----	186.90B/175.00A	186.90B/175.00A	----	175.60 - 9.20	.3318	----	----	----	----	1 UNCH
5250	----	----	182.90B/171.30A	182.90B/171.30A	----	171.80 - 9.20	.3263	----	----	----	----	10 UNCH
5300	----	----	170.20B/159.50A	170.20B/159.50A	----	159.90 - 9.20	.3087	----	----	----	80	633 + 40
5335	----	----	161.80B/151.80A	161.80B/151.80A	----	152.00 - 9.20	.2968	----	----	----	----	1 UNCH
5350	----	----	158.50B/148.60A	158.50B/148.60A	----	148.80 - 9.20	.2918	----	----	----	----	1 UNCH
5375	----	----	152.90B/143.50A	152.90B/143.50A	----	143.50 - 9.20	.2836	----	----	----	----	2 UNCH
5400	----	----	----/138.50A	147.50B/138.50A	----	138.50 - 9.20	.2757	----	----	----	----	430 UNCH
5420	----	----	----/134.70A	143.30B/134.70A	----	134.60 - 9.20	.2695	----	----	----	----	80 UNCH
5450	----	----	----/129.20A	137.30B/129.20A	----	128.90 - 9.20	.2603	----	----	----	----	3 UNCH
5460	----	----	----/127.40A	135.40B/127.40A	----	127.10 - 9.10	.2573	----	----	----	----	1 UNCH
5475	----	----	----/124.80A	132.50B/124.80A	----	124.40 - 9.10	.2529	----	----	----	----	2 UNCH
5500	----	----	----/120.50A	127.90B/120.50A	----	120.10 - 9.00	.2458	----	----	----	----	1249 UNCH
5505	----	----	----/119.70A	127.00B/119.70A	----	119.30 - 8.90	.2444	----	----	----	----	3 UNCH
5520	----	----	----/117.20A	124.30B/117.20A	----	116.80 - 8.80	.2402	----	----	----	----	1 UNCH
5525	----	----	----/116.40A	123.50B/116.40A	----	116.00 - 8.80	.2388	----	----	----	----	2 UNCH
5600	----	----	----/105.10A	111.10B/105.10A	----	104.40 - 8.50	.2189	----	----	----	----	559 UNCH
5625	----	----	----/101.60A	107.30B/101.60A	----	100.90 - 8.40	.2127	----	----	----	----	2 UNCH
5650	----	----	----/98.20A	103.60B/98.20A	----	97.50 - 8.30	.2067	----	----	----	----	559 UNCH
5700	----	----	----/91.90A	96.70B/91.90A	----	91.00 - 8.30	.1950	----	----	----	----	1052 UNCH
5750	----	----	----/86.00A	90.30B/86.00A	----	85.10 - 8.30	.1841	----	----	----	----	237 UNCH
5800	----	----	----/80.60A	84.50B/80.60A	----	79.60 - 8.30	.1738	----	----	----	----	827 UNCH
5850	----	----	----/75.60A	79.20B/75.60A	----	74.50 - 8.20	.1640	----	----	----	----	582 UNCH
5900	----	----	----/71.00A	74.00B/71.00A	----	69.90 - 8.00	.1551	----	----	----	----	503 UNCH
5950	----	----	----/66.50A	69.30B/66.50A	----	65.50 - 7.90	.1464	----	----	----	----	49 UNCH
6000	70.80	70.80	70.80/62.90A	70.80/62.90A	----	61.60 - 7.60	.1386	----	----	1	----	1059 + 1
6100	----	----	----/56.40A	57.30B/56.40A	----	54.60 - 6.60	.1242	----	----	----	----	363 UNCH
6200	----	----	----/50.20A	50.40B/50.20A	----	48.70 - 5.40	.1118	----	----	----	----	226 UNCH
6300	----	----	----/45.30A	46.40B/45.30A	----	43.70 - 4.20	.1010	----	----	----	----	159 UNCH
6400	----	----	----/40.80A	41.30B/40.80A	----	39.40 - 3.30	.0915	----	----	----	----	220 UNCH
6500	----	----	----/36.90A	36.70B/36.90A	----	35.50 - 3.00	.0829	----	----	----	----	344 UNCH
6600	33.90	33.90	33.90/33.90	33.90/33.90	----	32.00 - 3.10	.0751	----	----	3	----	45 UNCH
6650	----	----	----	29.30B/33.60A	----	30.40 - 3.20	.0715	----	----	----	----	5 UNCH
6750	----	----	----	26.50B/31.30A	----	27.20 - 3.20	.0645	----	----	----	----	11 UNCH
6775	----	----	----	25.80B/30.70A	----	26.40 - 3.20	.0628	----	----	----	----	1 UNCH
6800	----	----	----	25.00B/30.20A	----	25.70 - 3.10	.0612	----	----	----	----	127 UNCH
7000	----	----	----	20.60B/*26.10A	----	21.00 - 2.70	.0505	----	----	----	----	100 UNCH
TOTAL										54	255	13727 + 199
OCT26												
3600	----	----	----	991.70B/1470.00A	----	1196.00 + 2.20	.9041	----	----	----	----	12 UNCH
4300	----	----	----	565.20B/672.00A	----	638.00 - 0.80	.7195	----	----	----	----	102 UNCH
4400	----	----	594.50B/569.30A	594.50B/569.30A	----	572.30 - 1.00	.6823	----	----	----	----	8 UNCH
4405	----	----	591.30B/566.20A	591.30B/566.20A	----	569.10 - 1.00	.6804	----	----	----	----	2 UNCH
4480	----	----	544.40B/520.00A	544.40B/520.00A	----	522.90 - 1.30	.6510	----	----	----	----	1 UNCH
4500	----	----	532.30B/508.10A	532.30B/508.10A	----	511.00 - 1.40	.6430	----	----	1	----	3 - 1
4515	----	----	523.30B/499.40A	523.30B/499.40A	----	502.20 - 1.60	.6369	----	----	----	----	1 UNCH
4550	----	----	503.50B/479.70A	503.50B/479.70A	----	482.10 - 2.00	.6227	----	----	----	----	1 UNCH
4580	----	----	489.00B/463.60A	489.00B/463.60A	----	465.30 - 2.50	.6104	----	----	----	----	70 UNCH
4600	----	----	477.90B/452.80A	477.90B/452.80A	----	454.40 - 2.90	.6021	----	----	----	----	134 UNCH
4610	----	----	472.70B/446.90A	472.70B/446.90A	----	449.00 - 3.20	.5979	----	----	----	----	5 UNCH
4620	----	----	467.20B/441.50A	467.20B/441.50A	----	443.70 - 3.40	.5938	----	----	----	----	1 UNCH
4630	----	----	461.60B/436.20A	461.60B/436.20A	----	438.40 - 3.70	.5896	----	----	----	----	3 UNCH
4650	----	----	451.00B/425.90A	451.00B/425.90A	----	428.00 - 4.20	.5812	----	----	----	----	1 UNCH
4670	----	----	440.40B/415.80A	440.40B/415.80A	----	417.80 - 4.80	.5728	----	----	----	----	1 UNCH
4675	----	----	437.70B/413.20A	437.70B/413.20A	----	415.20 - 5.00	.5707	----	----	----	----	1 UNCH
4690	----	----	430.10B/405.70A	430.10B/405.70A	----	407.70 - 5.40	.5644	----	----	----	----	1 UNCH
4700	----	----	424.90B/401.40A	424.90B/401.40A	----	402.80 - 5.70	.5602	----	----	----	----	5 UNCH
4710	----	----	419.90B/396.80A	419.90B/396.80A	----	397.90 - 6.00	.5560	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 35

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
4715	----	----	417.50B/393.80A	417.50B/393.80A	----	395.50 - 6.10	.5539	----	----	----	----	2 UNCH
4750	----	----	400.20B/377.10A	400.20B/377.10A	----	378.90 - 7.10	.5392	----	----	----	----	1 UNCH
4755	----	----	397.80B/374.80A	397.80B/374.80A	----	376.50 NEW	.5371	----	----	1	----	1 + 1
4800	----	----	376.70B/354.60A	376.70B/354.60A	----	356.10 - 8.40	.5182	----	----	----	----	14 UNCH
4845	----	----	356.50B/335.20A	356.50B/335.20A	----	336.70 - 9.10	.4995	----	----	----	----	1 UNCH
4850	----	----	354.30B/333.20A	354.30B/333.20A	----	334.60 - 9.20	.4975	----	----	----	----	54 UNCH
4865	----	----	347.90B/327.00A	347.90B/327.00A	----	328.30 - 9.40	.4913	----	----	----	----	2 UNCH
4880	----	----	341.60B/320.90A	341.60B/320.90A	----	322.20 - 9.50	.4851	----	----	----	----	1 UNCH
4900	----	----	333.20B/307.30A	333.20B/307.30A	----	314.20 - 9.60	.4770	----	----	----	----	1238 UNCH
4910	324.00	324.00	329.10B/309.00A	329.10B/309.00A	----	310.20 - 9.70	.4729	----	----	1	----	1 UNCH
4925	----	----	322.90B/303.60A	322.90B/303.60A	----	304.40 - 9.70	.4668	----	----	----	----	18 UNCH
4950	----	----	313.10B/293.80A	313.10B/293.80A	----	294.90 - 9.70	.4568	----	----	----	----	7 UNCH
5000	----	----	294.00B/275.80A	294.00B/275.80A	----	276.70 - 9.70	.4370	----	----	----	----	1478 UNCH
5025	----	----	284.90B/267.50A	284.90B/267.50A	----	268.00 - 9.60	.4272	----	----	----	----	2 UNCH
5050	----	----	275.90B/259.00A	275.90B/259.00A	----	259.50 - 9.60	.4176	----	----	----	----	57 UNCH
5075	----	----	267.40B/250.90A	267.40B/250.90A	----	251.30 - 9.60	.4081	----	----	----	----	1 UNCH
5080	----	----	265.70B/249.10A	265.70B/249.10A	----	249.70 - 9.50	.4062	----	----	----	----	3 UNCH
5085	----	----	264.00B/247.90A	264.00B/247.90A	----	248.10 - 9.50	.4043	----	----	----	----	3 UNCH
5100	----	----	259.00B/242.80A	259.00B/242.80A	----	243.40 - 9.50	.3987	----	----	----	----	612 UNCH
5125	----	----	250.90B/235.60A	250.90B/235.60A	----	235.60 - 9.50	.3894	----	----	----	----	1 UNCH
5160	----	----	240.00B/225.00A	240.00B/225.00A	----	225.20 - 9.50	.3767	----	----	----	----	1 UNCH
5200	----	----	228.10B/213.80A	228.10B/213.80A	----	213.90 - 9.60	.3625	----	----	----	----	447 UNCH
5250	----	----	214.00B/201.20A	214.00B/201.20A	----	200.60 - 9.70	.3454	----	----	----	----	522 UNCH
5255	----	----	212.60B/199.40A	212.60B/199.40A	----	199.30 - 9.70	.3437	----	----	----	----	2 UNCH
5300	----	----	200.70B/188.60A	200.70B/188.60A	----	188.10 - 9.70	.3288	----	----	----	----	252 UNCH
5325	----	----	194.40B/182.70A	194.40B/182.70A	----	182.10 - 9.80	.3207	----	----	----	----	1 UNCH
5400	----	----	176.70B/166.00A	176.70B/166.00A	----	165.50 - 9.30	.2975	----	----	----	----	168 UNCH
5435	----	----	169.00B/159.30A	169.00B/159.30A	----	158.20 - 9.00	.2871	----	----	----	----	226 UNCH
5450	----	----	165.80B/155.90A	165.80B/155.90A	----	155.20 - 8.70	.2828	----	----	----	----	66 UNCH
5455	----	----	164.80B/155.20A	164.80B/155.20A	----	154.30 - 8.60	.2814	----	----	----	----	175 UNCH
5475	----	----	160.70B/151.40A	160.70B/151.40A	----	150.40 - 8.30	.2758	----	----	----	----	1 UNCH
5500	----	----	155.70B/146.70A	155.70B/146.70A	----	145.70 - 7.80	.2688	----	----	1	----	421 - 1
5545	----	----	147.10B/138.80A	147.10B/138.80A	----	137.60 - 7.00	.2567	----	----	----	----	5 UNCH
5550	----	----	146.10B/138.00A	146.10B/138.00A	----	136.80 - 6.90	.2554	----	----	----	----	100 UNCH
5590	----	----	139.00B/131.40A	139.00B/131.40A	----	130.10 - 6.30	.2451	----	----	----	----	4 UNCH
5600	----	----	137.20B/129.80A	137.20B/129.80A	----	128.50 - 6.20	.2426	----	----	----	----	110 UNCH
5610	----	----	135.50B/128.20A	135.50B/128.20A	----	126.90 - 6.10	.2402	----	----	----	----	1 UNCH
5615	----	----	134.70B/127.40A	134.70B/127.40A	----	126.10 - 6.10	.2389	----	----	----	----	5 UNCH
5650	----	----	128.90B/122.10A	128.90B/122.10A	----	120.80 - 6.00	.2305	----	----	----	----	201 UNCH
5655	----	----	128.10B/121.40A	128.10B/121.40A	----	120.10 - 5.90	.2294	----	----	----	----	2 UNCH
5660	----	----	127.30B/120.70A	127.30B/120.70A	----	119.30 - 6.00	.2281	----	----	----	----	1 UNCH
5675	----	----	125.00B/118.50A	125.00B/118.50A	----	117.20 NEW	.2247	----	----	3	----	3 + 3
5700	----	----	121.10B/115.00A	121.10B/115.00A	----	113.70 - 6.30	.2191	----	----	----	----	20 UNCH
5710	----	----	119.60B/113.70A	119.60B/113.70A	----	112.30 - 6.40	.2168	----	----	----	----	5 UNCH
5720	----	----	118.10B/112.30A	118.10B/112.30A	----	111.00 - 6.50	.2147	----	----	----	----	75 UNCH
5750	----	----	----/108.40A	113.90B/108.40A	----	107.10 - 6.80	.2082	----	----	----	----	1 UNCH
5775	----	----	----/105.30A	110.50B/105.30A	----	103.90 - 7.10	.2030	----	----	----	----	50 UNCH
5800	----	----	----/102.20A	107.10B/102.20A	----	100.80 - 7.30	.1978	----	----	----	----	413 UNCH
5875	----	----	----/93.70A	97.80B/93.70A	----	92.20 - 7.50	.1832	----	----	----	----	1 UNCH
5900	----	----	----/91.10A	94.90B/91.10A	----	89.50 - 7.50	.1786	----	----	----	----	34 UNCH
6000	----	----	----/81.70A	84.30B/81.70A	----	79.80 - 7.20	.1615	----	----	----	----	3067 UNCH
6100	----	----	----/73.00A	75.00B/73.00A	----	71.40 - 6.90	.1463	----	----	----	----	66 UNCH
6200	----	----	----/66.70A	66.90B/66.70A	----	64.10 - 6.60	.1328	----	----	----	----	38 UNCH
6300	----	----	----/60.80A	59.90B/60.80A	----	57.80 - 6.20	.1208	----	----	----	----	632 UNCH
6400	----	----	----/53.60A	53.80B/53.60A	----	52.30 - 5.70	.1101	----	----	----	----	1911 UNCH
6500	47.90	47.90	47.90/47.40	49.10B/47.40	----	47.40 - 5.30	.1005	----	----	11	----	6949 + 9
6800	----	----	----/39.70A	36.40B/39.70A	----	35.80 - 4.00	.0772	----	----	----	----	1385 UNCH
6900	----	----	----	30.20B/38.20A	----	33.10 - 3.70	.0714	----	----	----	----	1 UNCH
7000	----	----	----	27.40B/36.20A	----	30.60 - 3.60	.0661	----	----	----	----	2263 UNCH
8000	----	----	----	12.60B/21.80A	----	16.70 - 2.40	.0354	----	----	----	----	211 UNCH
8500	----	----	----	9.40B/*18.30A	----	13.40 - 2.10	.0278	----	----	----	----	200 UNCH
9000	----	----	----	7.10B/15.70A	----	11.40 - 1.70	.0231	----	----	----	----	69 UNCH
9500	----	----	----	5.60B/*13.90A	----	9.50 - 1.60	.0189	----	----	----	----	10 UNCH
TOTAL										18		23965 + 11
NOV26												
4000	----	----	----	685.80B/1120.50A	----	904.30 - 1.40	.8115	----	----	----	----	1 UNCH
4100	----	----	----	607.00B/1047.50A	----	828.20 - 2.70	.7838	----	----	----	----	1 UNCH
4275	----	----	----	478.20B/926.50A	----	703.10 - 5.00	.7296	----	----	----	----	38 UNCH
4300	----	----	----	460.90B/909.90A	----	686.10 - 5.40	.7213	----	----	----	----	1 UNCH
4375	----	----	#658.20B/636.00	658.20B/636.00A	----	636.90 - 6.20	.6956	----	----	----	----	38 UNCH
4400	----	----	641.60B/621.00A	641.60B/621.00A	----	621.00 - 6.50	.6868	----	----	----	----	20 UNCH
4440	----	----	616.70B/595.80A	616.70B/595.80A	----	596.10 - 6.90	.6725	----	----	----	----	1 UNCH
4500	----	----	579.90B/556.40A	579.90B/556.40A	----	560.30 - 7.30	.6505	----	----	----	----	25 UNCH
4600	----	----	521.90B/502.30A	521.90B/502.30A	----	504.30 - 7.60	.6129	----	----	----	----	1 UNCH
4750	----	----	443.80B/428.60A	443.80B/428.60A	----	428.00 - 8.60	.5552	----	----	----	----	1 UNCH
4775	----	----	431.60B/416.70A	431.60B/416.70A	----	416.20 - 8.90	.5455	----	----	----	----	30 UNCH
4800	----	----	419.80B/405.80A	419.80B/405.80A	----	404.70 - 9.10	.5359	----	----	----	----	2 UNCH
4850	----	----	397.10B/383.80A	397.10B/383.80A	----	382.60 - 9.50	.5167	----	----	----	----	25 UNCH
4900	----	----	375.40B/362.80A	375.40B/362.80A	----	361.60 - 9.90	.4978	----	----	----	----	451 UNCH
4915	----	----	369.00B/356.70A	369.00B/356.70A	----	355.50 - 10.00	.4921	----	----	----	----	1 UNCH
4925	----	----	364.80B/352.40A	364.80B/352.40A	----	351.50 - 10.10	.4884	----	----	----	----	1 UNCH
4950	----	----	354.70B/343.00A	354.70B/343.00A	----	341.70 - 10.30	.4791	----	----	----	----	150 UNCH
5000	----	----	334.90B/324.10A	334.90B/324.10A	----	322.60 - 10.90	.4606	----	----	----	----	29 UNCH
5080	----	----	----/296.20A	305.50B/296.20A	----	294.10 - 11.70	.4318	----	----	----	----	4 UNCH
5085	----	----	----/294.50A	303.90B/294.50A	----	292.40 - 11.80	.4300	----	----	----	----	4 UNCH
5175	----	----	----/265.70A	273.70B/265.70A	----	263.40 - 12.30	.3989	----	----	----	----	2 UNCH
5200	----	----	----/258.20A	265.80B/258.20A	----	255.90 - 12.30	.3905	----	----	----	----	26 UNCH
5250	----	----	----/244.20A	250.80B/244.20A	----	241.40 - 12.20	.3741	----	----	----	----	9 UNCH
5300	----	----	----/230.50A	236.60B/230.50A	----	227.80 - 11.90	.3581	----	----	----	----	27 UNCH
5370	----	----	----/212.90A	218.10B/212.90A	----	210.10 - 11.20	.3367	----	----	----	----	5 UNCH
5400	----	----	----/205.90A	210.50B/205.90A	----	203.00 - 10.90	.3279	----	----	----	----	17 UNCH
5450	----	----	----/194.70A	198.60B/194.70A	----	191.70 - 10.40	.3136	----	----	----	----	925 UNCH
5500	----	----	----/184.10A	187.40B/184.10A	----	181.10 - 9.90	.2998	----	----	----	----	79 UNCH
5550	----	----	----/174.20A	176.70B/174.20A	----	171.10 - 9.50	.2865	----	----	----	----	1 UNCH
5600	----	----	----/164.80A	166.90B/164.80A	----	161.70 - 9.20	.2738	----	----	----	----	43 UNCH
5700	----	----	----/147.70A	148.70B/147.70A	----	144.50 - 9.00	.2498	----	----	----	----	35 UNCH
5710	----	----	----/146.10A	147.00B/146.10A	----	142.90 - 8.90	.2476	----	----	----	----	1 UNCH
5800	----	----	----/132.90A	132.70B/132.90A	----	129.40 - 8.90	.2280	----	----	----	----	25 UNCH
5825	----	----	----/129.50A	128.80B/129.50A	----	125.90 - 8.90	.2228	----	----	----	----	2 UNCH
5900	----	----	----/119.70A	118.40B/119.70A	----	116.10 - 8.90	.2081	----	----	----	----	1 UNCH
5925	----	----	----/116.60A	115.10B/116.60A	----	113.00 - 9.00	.2033	----	----	----	----	4 UNCH
5975	----	----	----/110.80A	108.90B/110.80A	----	107.20 - 9.00	.1943	----	----	----	----	1 UNCH
6000	----	----	----/107.90A	105.90B/107.90A	----	104.40 - 9.00	.1900	----	----	----	----	217 UNCH
6100	----	----	----/97.60A	95.10B/97.60A	----	94.10 - 9.20	.1736	----	----	----	----	1 UNCH
6200	----	----	----/88.40A	85.50B/88.40A	----	85.00 - 9.20	.1588	----	----	----	----	3 UNCH
6400	----	----	----/74.00A	70.10B/74.00A	----	70.00 - 9.10	.1334	----	----	----	----	13 UNCH
6500	----	----	----/67.90A	63.40B/67.90A	----	63.80 - 9.00	.1226	----	----	----	----	1161 UNCH
8000	----	----	----	16.20B/31.30A	----	23.00 - 2.20	.0451	----	----	----	----	11 UNCH
9000	----	----	----	8.70B/23.10A	----	14.60 - 1.60	.0281	----	----	----	----	3 UNCH
20000	----	----	----	----/1.60A	----	0.50 - 0.10	.0009	----	----	----	----	137 UNCH
TOTAL												3573 0
DEC26												
3550	----	----	----	1056.50B/1511.60A	----	1287.50 + 5.60	.8981	----	----	----	----	2 UNCH
3570	----	----	----	1039.20B/1494.30A	----	1270.00 + 5.50	.8948	----	----	----	----	1 UNCH
3600	----	----	----	1013.20B/1468.50A	----	1244.00 + 5.40	.8897	----	----	----	----	1 UNCH
3800	----	----	#1,095.90B/----	#1095.90B/1082.00A	----	1075.80 + 4.60	.8506	----	----	----	----	4 UNCH
3900	----	----	----	763.40B/1225.20A	----	995.60 + 4.00	.8276	----	----	----	----	2 UNCH
4060	----	----	#892.90B/----	892.90B/877.60A	----	873.30 + 2.30	.7863	----	----	----	----	100 UNCH
4100	----	----	863.60B/----	863.60B/848.10A	----	844.10 + 1.90	.7751	----	----	----	----	48 UNCH
4160	----	----	#820.60B/----	820.60B/805.20A	----	801.20 + 1.10	.7576	----	----	----	----	100 UNCH
4175	----	----	#810.10B/----	810.10B/794.60A	----	790.60 + 0.80	.7532	----	----	----	----	37 UNCH
4200	----	----	#792.70B/----	792.70B/777.10A	----	773.30 + 0.60	.7456	----	----	----	----	150 UNCH
4250	----	----	#760.30B/----	760.30B/740.00A	----	739.20 - 0.20	.7301	----	----	----	----	293 UNCH
4255	----	----	#755.10B/----	755.10B/739.50A	----	735.80 - 0.40	.7285	----	----	----	----	50 UNCH
4285	----	----	----	599.00B/795.00A	----	715.90 - 0.80	.7190	----	----	----	----	1 UNCH
4300	----	----	#727.00B/----	727.00B/707.10A	----	706.10 - 1.00	.7142	----	----	----	----	436 UNCH
4315	----	----	----/695.70A	692.40B/695.70A	----	696.30 - 1.30	.7093	----	----	----	----	1 UNCH
4320	----	----	#712.20B/693.10	712.20B/693.10A	----	693.10 - 1.30	.7077	----	----	----	----	100 UNCH
4350	----	----	#692.50B/674.10	692.50B/674.10A	----	673.90 - 1.80	.6978	----	----	----	----	206 UNCH
4375	----	----	676.70B/658.50A	676.70B/658.50A	----	658.20 - 2.20	.6895	----	----	----	----	61 UNCH
4400	----	----	659.40B/643.10A	659.40B/643.10A	----	642.70 - 2.70	.6811	----	----	----	----	2 UNCH
4425	----	----	645.70B/627.40A	645.70B/627.40A	----	627.40 - 3.20	.6726	----	----	----	----	8 UNCH
4450	----	----	630.50B/613.20A	630.50B/613.20A	----	612.50 - 3.50	.6639	----	----	----	----	87 UNCH
4465	----	----	621.50B/603.70A	621.50B/603.70A	----	603.60 - 3.80	.6588	----	----	----	----	93 UNCH
4490	----	----	606.70B/586.00A	606.70B/586.00A	----	589.00 - 4.30	.6500	----	----	----	----	7 UNCH
4500	----	----	604.10B/580.40A	604.10B/580.40A	----	583.30 - 4.40	.6466	----	----	----	----	757 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 36

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
4525	----	----	586.40B/566.90A	586.40B/566.90A	----	569.10 - 4.80	.6377	----	----	----	----	5 UNCH
4540	----	----	577.80B/558.70A	577.80B/558.70A	----	560.60 - 5.10	.6324	----	----	----	----	9 UNCH
4550	----	----	570.20B/553.40A	570.20B/553.40A	----	555.10 - 5.20	.6289	----	----	----	----	1 UNCH
4565	----	----	563.70B/545.50A	563.70B/545.50A	----	546.80 - 5.50	.6235	----	----	----	----	93 UNCH
4580	----	----	555.70B/537.70A	555.70B/537.70A	----	538.70 - 5.70	.6182	----	----	----	----	150 UNCH
4585	----	----	554.20B/535.20A	554.20B/535.20A	----	536.00 - 5.80	.6164	----	----	----	----	325 UNCH
4590	----	----	550.10B/533.40A	550.10B/533.40A	----	533.30 - 5.90	.6146	----	----	----	----	15 UNCH
4600	----	----	544.70B/527.40A	544.70B/527.40A	----	528.00 - 6.00	.6110	----	----	----	----	105 UNCH
4615	----	----	538.00B/519.80A	538.00B/519.80A	----	520.00 - 6.30	.6056	----	----	----	----	41 UNCH
4625	----	----	532.40B/514.80A	532.40B/514.80A	----	514.80 - 6.40	.6020	----	----	----	----	72 UNCH
4640	----	----	524.50B/508.20A	524.50B/508.20A	----	507.00 - 6.70	.5966	----	----	----	----	100 UNCH
4650	----	----	520.50B/502.40A	520.50B/502.40A	----	501.90 - 6.80	.5930	----	----	----	----	302 UNCH
4700	----	----	493.30B/478.40A	493.30B/478.40A	----	476.80 - 7.60	.5748	----	----	----	----	97 UNCH
4720	----	----	482.00B/468.70A	482.00B/468.70A	----	467.10 - 7.80	.5675	----	----	----	----	1 UNCH
4750	----	----	468.10B/454.70A	468.10B/454.70A	----	452.80 - 8.30	.5566	----	----	----	----	211 UNCH
4780	----	----	453.00B/441.20A	453.00B/441.20A	----	438.90 - 8.60	.5457	----	----	----	----	2 UNCH
4800	----	----	444.00B/431.40A	444.00B/431.40A	----	429.90 - 8.80	.5384	----	----	----	----	146 UNCH
4810	----	----	439.50B/427.80A	439.50B/427.80A	----	425.40 - 8.90	.5348	----	----	----	----	56 UNCH
4820	----	----	435.10B/423.40A	435.10B/423.40A	----	421.00 - 9.00	.5312	----	----	----	----	49 UNCH
4825	----	----	432.00B/421.20A	432.00B/421.20A	----	418.80 - 9.10	.5294	----	----	----	----	100 UNCH
4850	----	----	422.10B/409.80A	422.10B/409.80A	----	407.90 - 9.40	.5204	----	----	----	----	291 UNCH
4875	----	----	410.00B/399.20A	410.00B/399.20A	----	397.40 - 9.50	.5115	----	----	----	----	1 UNCH
4880	----	----	407.70B/397.60A	407.70B/397.60A	----	395.30 - 9.60	.5097	----	----	----	----	1 UNCH
4900	----	----	399.50B/389.30A	399.50B/389.30A	----	387.00 - 9.80	.5026	----	----	5	----	53 + 5
4925	----	----	388.90B/379.30A	388.90B/379.30A	----	376.90 - 10.00	.4938	----	----	----	----	1 UNCH
4975	----	----	369.10B/359.70A	369.10B/359.70A	----	357.50 - 10.30	.4763	----	----	----	----	50 UNCH
5000	----	----	360.70B/348.70A	360.70B/348.70A	----	348.10 - 10.50	.4677	----	----	----	----	2119 UNCH
5025	----	----	350.00B/341.10A	350.00B/341.10A	----	339.00 - 10.50	.4591	----	----	----	----	32 UNCH
5050	----	----	----/332.40A	340.60B/332.40A	----	330.00 - 10.70	.4506	----	----	----	----	100 UNCH
5070	----	----	----/325.10A	333.30B/325.10A	----	323.10 - 10.70	.4439	----	----	----	----	13 UNCH
5075	----	----	----/323.70A	331.50B/323.70A	----	321.30 - 10.80	.4422	----	----	----	----	30 UNCH
5090	----	----	----/318.50A	326.20B/318.50A	----	316.20 - 10.90	.4372	----	----	----	----	13 UNCH
5100	----	----	----/314.80A	322.70B/314.80A	----	312.90 - 10.90	.4339	----	----	----	----	131 UNCH
5150	----	----	----/299.30A	305.50B/299.30A	----	296.60 - 11.00	.4176	----	----	----	----	1 UNCH
5175	----	----	----/290.90A	297.50B/290.90A	----	288.70 - 11.10	.4095	----	----	----	----	100 UNCH
5195	----	----	----/284.30A	291.10B/284.30A	----	282.60 - 11.10	.4032	----	----	----	----	5 UNCH
5200	----	----	----/281.30A	291.80B/281.30A	----	281.10 - 11.10	.4016	----	----	----	----	851 UNCH
5250	----	----	----/268.30A	274.40B/268.30A	----	266.40 - 11.10	.3860	----	----	----	----	158 UNCH
5275	----	----	----/261.30A	266.90B/261.30A	----	259.30 - 11.10	.3784	----	----	----	----	20 UNCH
5300	----	----	----/253.20A	260.90B/253.20A	----	252.50 - 11.10	.3709	----	----	----	----	340 UNCH
5350	----	----	----/240.40A	247.30B/240.40A	----	239.20 - 11.10	.3561	----	----	----	----	457 UNCH
5360	----	----	----/238.60A	243.60B/238.60A	----	236.70 - 11.00	.3533	----	----	----	----	100 UNCH
5370	----	----	----/235.90A	240.90B/235.90A	----	234.10 - 11.10	.3504	----	----	----	----	20 UNCH
5400	----	----	----/226.50A	235.20B/226.50A	----	226.70 - 11.00	.3419	----	----	----	----	1050 UNCH
5460	----	----	----/214.60A	218.20B/214.60A	----	212.50 - 10.90	.3253	----	----	----	----	200 UNCH
5465	----	----	----/213.20A	217.20B/213.20A	----	211.40 - 10.90	.3239	----	----	----	----	50 UNCH
5480	----	----	----/209.90A	213.60B/209.90A	----	208.00 - 10.90	.3199	----	----	----	----	50 UNCH
5500	----	----	----/204.00A	211.20B/204.00A	----	203.60 - 10.80	.3146	----	----	----	----	1643 UNCH
5525	----	----	----/200.50A	203.40B/200.50A	----	198.20 - 10.80	.3081	----	----	----	----	80 UNCH
5550	----	----	----/196.80A	197.90B/196.80A	----	192.90 - 10.80	.3016	----	----	----	----	1 UNCH
5600	----	----	----/183.60A	190.00B/183.60A	----	182.90 - 10.60	.2892	----	----	----	----	1352 UNCH
5650	----	----	----/175.50A	177.90B/175.50A	----	173.40 - 10.50	.2771	----	----	----	----	5 UNCH
5660	----	----	----/175.40A	175.80B/175.40A	----	171.60 - 10.40	.2748	----	----	----	----	1 UNCH
5675	----	----	----/171.00A	173.50B/171.00A	----	168.80 - 10.50	.2712	----	----	----	----	8 UNCH
5680	----	----	----/172.30A	172.00B/172.30A	----	168.00 - 10.40	.2701	----	----	----	----	1 UNCH
5685	----	----	----/169.60A	172.10B/169.60A	----	167.10 - 10.40	.2690	----	----	----	----	18 UNCH
5690	----	----	----/168.40A	171.20B/168.40A	----	166.20 - 10.40	.2678	----	----	----	----	7 UNCH
5700	----	----	----/166.10A	169.90B/166.10A	----	164.40 - 10.40	.2655	----	----	----	----	285 UNCH
5705	----	----	----/166.30A	168.30B/166.30A	----	163.60 - 10.30	.2644	----	----	----	----	5 UNCH
5710	----	----	----/164.90A	167.60B/164.90A	----	162.70 - 10.30	.2633	----	----	----	----	5 UNCH
5750	----	----	----/157.10A	162.30B/157.10A	----	156.00 - 10.20	.2544	----	----	----	----	576 UNCH
5770	----	----	----/155.50A	157.80B/155.50A	----	152.80 - 10.10	.2501	----	----	----	----	5 UNCH
5775	----	----	----/156.50A	155.40B/156.50A	----	152.00 - 10.10	.2491	----	----	----	----	2 UNCH
5800	----	----	----/150.90A	153.00B/150.90A	----	148.00 - 10.10	.2437	----	----	----	----	220 UNCH
5810	----	----	----/149.40A	151.40B/149.40A	----	146.50 - 10.00	.2417	----	----	----	----	56 UNCH
5825	----	----	----/147.00A	149.00B/147.00A	----	144.30 - 9.90	.2386	----	----	----	----	4 UNCH
5875	----	----	----/139.80A	141.30B/139.80A	----	137.00 - 9.80	.2286	----	----	----	----	9 UNCH
5900	----	----	----/134.50A	139.10B/134.50A	----	133.50 - 9.80	.2237	----	----	----	----	1310 UNCH
5950	----	----	----/129.60A	131.00B/129.60A	----	127.00 - 9.50	.2145	----	----	----	----	25 UNCH
6000	----	----	----/121.70A	125.20B/121.70A	----	120.80 - 9.40	.2056	----	----	----	----	5923 UNCH
6100	----	----	----/112.40A	113.50B/112.40A	----	109.60 - 9.00	.1891	----	----	----	----	40 UNCH
6150	----	----	----/109.60A	105.60B/109.60A	----	104.50 - 8.80	.1814	----	----	----	----	1 UNCH
6200	100.00	100.00	100.70/99.50	103.40B/99.50	----	99.80 - 8.60	.1742	----	----	10	----	3345 UNCH
6300	----	----	----/96.00A	91.70B/96.00A	----	91.10 - 8.20	.1607	----	----	----	----	1046 UNCH
6400	----	----	----/88.20A	83.50B/88.20A	----	83.40 - 7.80	.1484	----	----	----	----	448 UNCH
6500	----	----	----/81.30A	76.50B/81.30A	----	76.60 - 7.20	.1374	----	----	----	----	4250 UNCH
6750	----	----	----/66.00A	61.20B/66.00A	----	62.60 - 5.80	.1140	----	----	----	----	100 UNCH
6775	----	----	----/64.80A	61.40B/64.80A	----	61.40 - 5.60	.1119	----	----	----	----	163 UNCH
6800	----	----	----/63.70A	60.60B/63.70A	----	60.20 - 5.50	.1099	----	----	----	----	1664 UNCH
6900	----	----	----/59.20A	55.70B/59.20A	----	55.80 - 5.00	.1023	----	----	----	----	2 UNCH
7000	----	----	----/55.40A	51.30B/55.40A	----	51.90 - 4.50	.0955	----	----	----	----	3995 UNCH
7175	----	----	----	44.80B/*50.20A	----	46.00 - 3.70	.0850	----	----	----	----	125 UNCH
7250	----	----	----	41.80B/48.10A	----	43.80 - 3.40	.0811	----	----	----	----	107 UNCH
7500	----	----	----	31.70B/43.80A	----	37.50 - 2.60	.0696	----	----	----	----	107 UNCH
8000	----	----	----	22.90B/34.50A	----	28.90 - 1.70	.0534	----	----	----	----	624 UNCH
8125	----	----	----	21.10B/32.80A	----	27.30 - 1.60	.0503	----	----	----	----	801 UNCH
8500	----	----	----	17.50B/28.60A	----	23.60 - 1.30	.0430	----	----	----	----	170 UNCH
8725	----	----	----	#15.90B/*26.70A	----	21.90 - 1.20	.0395	----	----	----	----	250 UNCH
9000	----	----	----/20.30A	14.30B/20.30A	----	20.10 - 1.30	.0359	----	----	----	----	102 UNCH
9500	----	----	----	11.90B/21.00A	----	17.80 - 1.50	.0311	----	----	----	----	280 UNCH
9900	----	----	----	10.50B/21.10A	----	16.30 - 1.90	.0280	----	----	----	----	4 UNCH
10000	16.00	16.00	16.00/16.00	16.00/16.00	----	16.00 - 2.00	.0273	----	----	67	----	7507 + 22
11000	----	----	----	8.50B/18.50A	----	13.40 - 3.30	.0220	----	----	----	----	379 UNCH
13000	----	----	----/14.70A	6.00B/14.70A	----	9.80 - 5.60	.0152	----	----	----	----	366 UNCH
15000	7.00	7.00	7.00/6.50	7.00/6.50	----	6.90 - 5.30	.0104	----	----	119	----	18144 + 119
17000	----	----	----/6.00A	2.10B/6.00A	----	4.60 - 2.20	.0069	----	----	----	----	20 UNCH
19000	----	----	----	1.20B/*3.00A	----	2.90 + 0.20	.0044	----	----	----	----	7 UNCH
20000	2.30	2.30	2.30/2.20	2.30/2.00A	----	2.30 + 0.70	.0035	----	----	10	----	18412 + 6
24000	----	----	----	0.10B/*1.30A	----	1.60 + 0.50	.0024	----	----	----	----	31 UNCH
TOTAL										211		84695 + 152
JAN27												
4190	----	----	----	537.10B/1110.20A	----	826.60 - 1.30	.7498	----	----	----	----	1 UNCH
4290	----	----	----	467.30B/1045.40A	----	759.70 - 1.30	.7203	----	----	----	----	1 UNCH
4300	----	----	----	632.90B/834.60A	----	753.20 - 1.30	.7173	----	----	----	----	1 UNCH
4400	----	----	703.60B/687.60A	703.60B/687.60A	----	690.10 - 1.90	.6863	----	----	----	----	1 UNCH
4650	----	----	568.40B/547.60A	568.40B/547.60A	----	548.70 - 4.90	.6041	----	----	----	----	1 UNCH
4750	492.90	492.90	517.50B/492.90	517.50B/492.90	----	498.90 - 6.30	.5702	----	----	1	----	5 - 1
4760	----	----	512.60B/494.00A	512.60B/494.00A	----	494.10 - 6.50	.5668	----	----	----	----	100 UNCH
4800	----	----	493.60B/475.50A	493.60B/475.50A	----	475.50 - 7.00	.5532	----	----	----	----	1 UNCH
4850	----	----	470.60B/452.80A	470.60B/452.80A	----	453.20 - 7.50	.5362	----	----	----	----	1 UNCH
4875	----	----	459.40B/442.50A	459.40B/442.50A	----	442.40 - 7.70	.5278	----	----	----	----	4 UNCH
4900	----	----	448.60B/432.00A	448.60B/432.00A	----	431.80 - 7.90	.5195	----	----	----	----	9 UNCH
5000	----	----	407.00B/392.20A	407.00B/392.20A	----	391.40 - 9.00	.4865	----	----	----	----	27 UNCH
5050	----	----	387.40B/373.60A	387.40B/373.60A	----	372.60 - 9.50	.4703	----	----	----	----	100 UNCH
5100	----	----	368.90B/355.90A	368.90B/355.90A	----	354.60 - 9.90	.4544	----	----	----	----	1 UNCH
5250	----	----	318.00B/307.60A	318.00B/307.60A	----	305.70 - 10.70	.4085	----	----	----	----	7 UNCH
5300	----	----	302.70B/293.00A	302.70B/293.00A	----	290.90 - 10.90	.3939	----	----	----	----	1 UNCH
5400	----	----	----/266.10A	274.00B/266.10A	----	263.70 - 10.90	.3660	----	----	----	----	2 UNCH
5500	----	----	----/241.80A	248.10B/241.80A	----	239.10 - 10.80	.3395	----	----	----	----	24 UNCH
5550	----	----	----/230.50A	236.10B/230.50A	----	227.80 - 10.70	.3269	----	----	----	----	1 UNCH
5820	----	----	----/179.10A	181.40B/179.10A	----	175.70 - 10.40	.2657	----	----	----	----	6 UNCH
5850	----	----	----/174.30A	176.30B/174.30A	----	170.70 - 10.40	.2595	----	----	----	----	3 UNCH
5900	----	----	----/166.60A	168.00B/166.60A	----	162.80 - 10.40	.2496	----	----	----	----	5 UNCH
6000	----	----	----/152.50A	152.80B/152.50A	----	148.10 - 10.30	.2309	----	----	----	----	204 UNCH
6025	----	----	----/149.50A	149.30B/149.50A	----	144.70 - 10.20	.2264	----	----	----	----	1 UNCH
6300	----	----	----/118.50A	116.10B/118.50A	----	112.00 - 9.70	.1824	----	----	----	----	2 UNCH
20000	3.20	3.20	3.30/3.10A	3.30/3.10A	----	3.30 - 0.70	.0048	----	----	3	----	44 UNCH
TOTAL										4		553 - 1
FEB27												
5000	----	----	#427.00B/420.80	427.00B/420.80A	----	421.70 - 0.80	.4929	----	----	----	----	1 UNCH
5100	----	----	#389.10B/383.90	389.10B/383.90A	----	383.30 - 0.90	.4623	----	----	----	----	1 UNCH
5175	----	----	#362.80B/----	362.80B/358.20A	----	356.60 - 1.00	.4400	----	----	----	----	125 UNCH
5300	----	----	#322.50B/----	322.50B/319.30A	----	315.90 - 1.30	.4040	----	----	----	----	50 UNCH
5375	----	----	300.40B/----	300.40B/298.10A	----	293.90 - 1.40	.3834	----	----	----	----	1 UNCH
5520	----	----	#262.20B/----	262.20B/261.30A	----	255.90 - 1.70	.3457	----	----	----	----	300 UNCH
5530	----	----	#259.70B/----	259.70B/258.90A	----	253.50 - 1.80	.3432	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 37

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
FEB27												
5550	----	----	#255.00B/----	255.00B/254.30A	----	248.80 - 1.80	.3384	----	----	----	----	65 UNCH
5600	----	----	#243.30B/----	#243.30B/243.10A	----	237.40 - 1.90	.3264	----	----	----	----	1 UNCH
6000	----	----	#168.70B/----	168.70B/172.20A	----	166.70 - 1.50	.2450	----	----	----	----	5 UNCH
6025	----	----	#165.00B/----	165.00B/*168.70A	----	163.30 - 1.40	.2407	----	----	----	----	4 UNCH
6300	----	----	----	130.00B/135.60A	----	131.30 - 0.10	.1993	----	----	----	----	1 UNCH
6500	----	----	----	110.20B/117.00A	----	112.40 + 0.80	.1739	----	----	----	----	110 UNCH
6900	----	----	#81.40B/----	81.40B/89.60A	----	81.80 + 1.80	.1316	----	----	----	----	800 UNCH
7000	----	----	75.90B/----	75.90B/84.40A	----	76.10 + 2.00	.1232	----	----	----	----	833 UNCH
7100	----	----	#71.00B/----	#71.00B/79.60A	----	71.40 + 2.30	.1160	----	----	----	----	8 UNCH
7900	----	----	#44.40B/----	#44.40B/54.30A	----	43.60 + 2.40	.0729	----	----	----	----	500 UNCH
8000	----	----	#41.60B/----	#41.60B/55.90A	----	40.90 + 2.30	.0687	----	----	----	----	500 UNCH
TOTAL												3405 0
APR27												
5600	----	----	----	----	----	289.40 + 48.50	.3560	----	----	----	----	300 UNCH
TOTAL												300 0
JUN27												
9500	----	----	----	----	----	40.60 - 5.10	.0578	----	----	----	----	1 UNCH
TOTAL												1 0
DEC27												
4860	----	----	----	----	----	777.30 + 75.20	.5949	----	----	----	----	100 UNCH
5000	----	----	----	----	----	714.50 + 56.20	.5641	----	----	----	----	50 UNCH
5650	----	----	----	----	----	481.30 + 81.60	.4315	----	----	----	----	200 UNCH
5700	----	----	----	----	----	467.00 + 79.20	.4222	----	----	----	----	150 UNCH
5800	----	----	----	----	----	439.90 + 74.70	.4041	----	----	----	----	200 UNCH
5880	----	----	----	----	----	419.50 + 70.60	.3901	----	----	----	----	50 UNCH
6300	----	----	----	----	----	328.40 + 42.10	.3233	----	----	----	----	18 UNCH
7500	----	----	----	----	----	247.90 + 22.40	.2337	----	----	----	----	170 UNCH
7800	----	----	----	----	----	241.90 + 21.70	.2227	----	----	----	----	284 UNCH
10000	----	----	----	----	----	177.40 + 16.90	.1541	----	----	----	----	109 UNCH
10500	----	----	----	----	----	159.50 + 15.70	.1395	----	----	----	----	10 UNCH
TOTAL												1341 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
APR26												
4595	50.50	50.50	#50.50/*50.50	#50.50/*50.50	----	54.70 NEW	.3314	----	----	1	----	1 + 1
4700	24.00	24.00	#24.00/*24.00	#24.00/*24.00	----	15.30 NEW	1.0000	----	----	1	----	0 UNCH
4700	----	----	----/*30.00A	0.20B/*30.00A	----	0.00 - 47.20	----	----	----	----	----	0 - 1
TOTAL										2		1 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
APR26												
3500	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	----	----	----	----	----	6 UNCH
3600	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 NEW	.0000	----	----	1	----	1 + 1
3650	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 NEW	.0000	----	----	1	----	1 + 1
3700	----	----	----/3.30A	1.10B/3.30A	----	2.20 - 1.40	.0089	----	----	----	----	1 UNCH
3700	----	----	----/*0.60A	0.20B/*0.60A	----	0.10 - 0.60	.0000	----	----	----	----	2 UNCH
3750	----	----	----/3.50A	1.40B/3.50A	----	2.50 - 1.50	.0105	----	----	----	----	2 UNCH
3750	----	----	----/*0.60A	0.30B/*0.60A	----	0.20 - 0.70	.0002	----	----	----	----	2 UNCH
3800	----	----	----/*0.70A	0.40B/*0.70A	----	0.30 - 0.90	.0003	----	----	----	----	1 UNCH
3800	----	----	----/*3.20A	2.50B/*3.20A	----	2.90 - 1.70	.0125	----	----	----	----	3 UNCH
3850	0.30	0.30	0.30/*0.30	0.50B/*0.30	----	0.30 - 1.20	.0003	----	----	1	----	3 + 1
3900	1.00	1.00	1.00/*0.40	1.00/*0.40	----	0.40 - 1.60	.0005	----	----	3	----	8 + 2
3950	----	----	----/*1.00A	0.70B/*1.00A	----	0.60 - 1.70	.0010	----	----	----	----	2 UNCH
4000	----	----	----/*5.50A	6.00B/*5.50A	----	5.50 - 3.10	.0265	----	----	----	----	43 UNCH
4000	----	----	----/*1.00A	0.90B/*1.00A	----	0.70 - 2.10	.0013	----	----	----	----	102 UNCH
4025	----	----	----/*1.10A	1.00B/*1.10A	----	0.90 - 2.20	.0018	----	----	----	----	2 UNCH
4050	1.10	1.10	1.10/*1.10	1.20B/*1.10	----	1.00 - 2.40	.0022	----	----	1	----	3 + 1
4050	----	----	----/*6.10A	8.90B/*6.10A	----	6.50 - 3.90	.0322	----	----	----	----	12 UNCH
4100	----	----	----/*7.70A	11.00B/*7.70A	----	7.80 - 4.70	.0396	----	----	----	----	12 UNCH
4100	----	----	----/*1.40A	1.60B/*1.40A	----	1.20 - 3.00	.0030	----	----	----	----	4 UNCH
4125	----	----	----/8.50A	12.50B/8.50A	----	8.50 - 5.30	.0437	----	----	----	----	2 UNCH
4150	----	----	----/*1.70A	2.20B/*1.70A	----	1.40 - 3.80	.0039	----	----	----	----	9 UNCH
4175	----	----	----/*1.80A	2.50B/*1.80A	----	1.50 - 4.30	.0045	----	----	----	----	18 UNCH
4200	----	----	----/10.70A	17.60B/10.70A	----	11.40 - 7.30	.0605	----	----	----	----	1 UNCH
4200	----	----	527.60B/486.90A	527.60B/486.90A	----	495.80 - 2.10	.9393	----	----	----	----	1 UNCH
4200	----	----	30.40B/23.20A	30.40B/23.20A	----	22.90 - 7.00	.1007	----	----	----	----	1 UNCH
4200	----	----	----/*1.90A	3.10B/*1.90A	----	1.70 - 4.80	.0054	----	----	----	----	18 UNCH
4220	----	----	----/*2.10A	3.40B/*2.10A	----	1.90 - 5.20	.0064	----	----	----	----	1 UNCH
4235	----	----	----/*2.20A	3.80B/*2.20A	----	2.00 - 5.60	.0071	----	----	----	----	1 UNCH
4240	7.20	7.20	7.30/*2.00	7.30/*2.00	----	2.10 - 5.70	.0075	----	----	4	----	5 + 3
4245	----	----	----/12.80A	21.50B/12.80A	----	13.80 - 8.60	.0742	----	----	----	----	2 UNCH
4250	----	----	----/*2.00A	4.30B/*2.00A	----	2.20 - 6.00	.0081	----	----	----	----	8 UNCH
4250	----	----	37.10B/27.50A	37.10B/27.50A	----	27.70 - 7.60	.1211	----	----	----	----	1 UNCH
4270	----	----	----/*2.50A	4.80B/*2.50A	----	2.40 - 6.60	.0094	----	----	----	----	1 UNCH
4275	----	----	----/*2.50A	4.90B/*2.50A	----	2.50 - 6.70	.0099	----	----	----	----	1 UNCH
4280	----	----	----/*2.60A	5.10B/*2.60A	----	2.50 - 7.00	.0100	----	----	----	----	1 UNCH
4290	----	----	----/*2.70A	5.50B/*2.70A	----	2.70 - 7.20	.0112	----	----	----	----	2 UNCH
4300	----	----	----/*2.70A	6.10B/*2.70A	----	2.80 - 7.60	.0119	----	----	1	----	5 + 1
4300	----	----	32.10B/16.20A	32.10B/16.20A	----	17.50 - 10.50	.0953	----	----	----	----	4 UNCH
4320	----	----	----/*3.00A	7.00B/*3.00A	----	3.20 - 8.30	.0145	----	----	----	----	1 UNCH
4325	----	----	----/18.00A	31.00B/18.00A	----	19.50 - 11.50	.1068	----	----	----	----	1 UNCH
4340	----	----	33.20B/19.30A	33.20B/19.30A	----	20.90 - 12.00	.1145	----	----	----	----	1 UNCH
4340	3.10	3.10	3.10/*3.10	8.10B/*3.10	----	3.50 NEW	.0168	----	----	1	----	1 + 1
4350	----	----	----/*3.40A	8.90B/*3.40A	----	3.80 - 9.60	.0188	----	----	----	----	2 UNCH
4350	----	----	34.70B/20.10A	34.70B/20.10A	----	21.90 - 12.40	.1201	----	----	----	----	4 UNCH
4355	----	----	----/*3.50A	9.00B/*3.50A	----	3.90 - 9.90	.0196	----	----	----	----	2 UNCH
4360	----	----	----/*3.60A	9.20B/*3.60A	----	4.00 - 10.10	.0204	----	----	----	----	1 UNCH
4365	16.00	16.00	16.00/*3.70A	16.00/*3.70A	----	4.10 - 10.40	.0212	----	----	1	----	11 + 1
4375	----	----	----/*3.90A	10.80B/*3.90A	----	4.40 - 10.90	.0235	----	----	----	----	2 UNCH
4380	11.00	11.00	13.00/*4.00A	13.00/*4.00A	----	4.60 NEW	.0249	----	----	4	----	4 + 4
4390	----	----	----/*4.20A	11.90B/*4.20A	----	4.80 - 11.70	.0268	----	----	----	----	1 UNCH
4400	5.60	5.60	5.60/*4.50A	12.90B/*4.50A	----	5.10 - 12.30	.0293	----	----	2	----	2 + 1
4400	26.40	26.40	43.10B/24.90A	43.10B/24.90A	----	27.60 - 14.20	.1513	----	----	2	----	2 + 1
4410	----	----	----/*4.80A	13.60B/*4.80A	----	5.50 - 12.80	.0326	----	----	----	----	15 UNCH
4415	----	----	311.20B/252.90A	311.20B/252.90A	----	275.40 - 8.00	.9656	----	----	----	----	9 UNCH
4415	----	----	----/*4.90A	14.20B/*4.90A	----	5.70 - 13.10	.0343	----	----	----	----	4 UNCH
4420	----	----	306.30B/248.70A	306.30B/248.70A	----	270.60 - 8.30	.9639	----	----	----	----	5 UNCH
4420	----	----	47.00B/27.60A	47.00B/27.60A	----	30.30 - 15.00	.1659	----	----	----	----	5 UNCH
4420	15.70	15.70	15.70/*5.10A	15.70/*5.10A	----	5.90 NEW	.0360	----	----	1	----	1 + 1
4425	----	----	----/*5.20A	15.50B/*5.20A	----	6.10 - 13.80	.0378	----	----	1	----	4 UNCH
4435	----	----	50.10B/29.40A	50.10B/29.40A	----	32.50 - 15.60	.1776	----	----	----	----	2 UNCH
4440	----	----	51.20B/30.00A	51.20B/30.00A	----	33.30 - 15.70	.1817	----	----	----	----	1 UNCH
4450	----	----	----/*6.00A	18.60B/*6.00A	----	7.30 - 15.40	.0486	----	----	1	----	8 + 1
4455	----	----	----/*6.20A	19.10B/*6.20A	----	7.60 - 15.80	.0513	----	----	----	----	1 UNCH
4455	----	----	54.20B/32.20A	54.20B/32.20A	----	35.80 - 16.20	.1946	----	----	----	----	16 UNCH
4465	----	----	307.80B/276.10A	307.80B/276.10A	----	281.50 - 6.40	.7436	----	----	----	----	5 UNCH
4475	8.80	8.80	9.00/*7.10A	22.90B/*7.10A	----	8.90 - 17.10	.0635	----	----	4	----	4 + 1
4480	9.80	9.80	9.80/*7.30A	23.80B/*7.30A	----	9.30 NEW	.0672	----	----	23	----	23 + 23
4485	30.00	30.00	30.00/*7.50A	30.00/*7.50A	----	9.70 NEW	.0710	----	----	1	----	1 + 1
4490	----	----	63.20B/37.80A	63.20B/37.80A	----	42.30 - 17.40	.2276	----	----	----	----	21 UNCH
4490	10.00	10.00	10.00/*7.80A	25.40B/*7.80A	----	10.10 NEW	.0748	----	----	1	----	1 + 1
4500	----	----	257.40B/232.00A	257.40B/232.00A	----	228.90 - 12.60	.7618	----	----	----	----	2 UNCH
4500	42.60	42.60	65.90B/39.50A	65.90B/39.50A	----	44.40 - 17.70	.2379	----	----	3	----	7 + 2
4500	8.90	8.90	11.10/*8.40A	27.50B/*8.40A	----	10.90 - 19.00	.0829	----	----	10	----	13 + 7
4500	----	----	229.60B/184.60A	229.60B/184.60A	----	195.60 - 13.90	.9169	----	----	----	----	2 UNCH
4505	----	----	67.30B/40.40A	67.30B/40.40A	----	45.50 - 17.80	.2433	----	----	----	----	1 UNCH
4510	----	----	----/*9.10A	29.30B/*9.10A	----	11.90 - 19.70	.0926	----	----	----	----	18 UNCH
4515	----	----	70.10B/42.30A	70.10B/42.30A	----	47.70 - 18.10	.2540	----	----	----	----	16 UNCH
4525	----	----	206.20B/163.00A	206.20B/163.00A	----	173.20 - 15.80	.8911	----	----	----	----	50 UNCH
4525	15.50	15.50	15.50/*9.90	32.30B/*9.90	----	13.50 - 20.90	.1088	----	----	4	----	115 + 3
4530	12.50	12.50	12.50/*10.50A	33.40B/*10.50A	----	14.00 NEW	.1142	----	----	1	----	1 + 1
4530	----	----	233.20B/207.20A	233.20B/207.20A	----	205.80 - 13.50	.7288	----	----	----	----	1 UNCH
4530	----	----	201.60B/158.80A	201.60B/158.80A	----	168.70 - 16.30	.8856	----	----	----	----	2 UNCH
4535	----	----	----/*10.90A	34.80B/*10.90A	----	14.60 - 21.80	.1205	----	----	----	----	20 UNCH
4540	12.60	12.60	12.60/*11.40A	35.80B/*11.40A	----	15.20 - 22.20	.1268	----	----	5	----	14 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK4										
4550	----	----	243.80B/219.50A	243.80B/219.50A	----	219.40 - 8.40	.6650	----	----	----	----	1 UNCH
4550	----	----	80.90B/49.70A	80.90B/49.70A	----	56.40 - 19.00	.2949	----	----	----	----	1 UNCH
4550	18.20	18.20	18.20/*12.30A	38.80B/*12.30A	----	16.60 - 23.00	.1412	----	----	31	----	328 + 18
4550	----	----	183.40B/141.50A	183.40B/141.50A	----	151.30 - 17.90	.8587	----	----	----	----	150 UNCH
4560	14.70	14.70	19.00/*13.40A	41.10B/*13.40A	----	18.10 - 23.80	.1568	----	----	10	----	23 + 3
4565	----	----	----/*13.90A	42.40B/*13.90A	----	19.00 - 24.10	.1657	----	----	----	----	6 UNCH
4565	----	----	86.00B/53.40A	86.00B/53.40A	----	60.50 - 19.40	.3136	----	----	----	----	1 UNCH
4570	----	----	165.60B/125.00A	165.60B/125.00A	----	134.50 - 19.50	.8256	----	----	----	----	2 UNCH
4575	19.30	19.30	46.10B/*15.20A	46.10B/*15.20A	----	20.70 - 24.90	.1836	----	----	2	----	2 + 1
4580	63.60	63.60	91.30B/57.10A	91.30B/57.10A	----	65.00 NEW	.3334	----	----	1	----	1 + 1
4580	----	----	156.80B/113.80A	156.80B/113.80A	----	126.40 - 20.20	.8063	----	----	----	----	2 UNCH
4580	----	----	47.30B/*15.80A	47.30B/*15.80A	----	21.70 - 25.20	.1936	----	----	1	----	29 UNCH
4590	21.00	21.00	50.50B/*17.20A	50.50B/*17.20A	----	23.70 - 26.00	.2142	----	----	2	----	2 + 1
4590	108.00	108.00	148.20B/107.10A	148.20B/107.10A	----	118.40 NEW	.7856	----	----	2	----	1 + 1
4600	75.20	75.20	99.00B/62.60A	99.00B/62.60A	----	71.40 - 20.10	.3608	----	----	1	----	1 UNCH
4600	----	----	180.70B/151.50A	180.70B/151.50A	----	156.00 - 15.10	.6389	----	----	----	----	1 UNCH
4600	25.40	25.40	54.90B/*18.80A	54.90B/*18.80A	----	25.80 - 26.80	.2363	----	----	18	----	27 + 17
4600	----	----	139.80B/100.70A	139.80B/100.70A	----	110.50 - 21.70	.7636	----	----	1	----	2 + 1
4605	105.60	105.60	135.60B/98.10A	135.60B/98.10A	----	106.70 NEW	.7515	----	----	3	----	1 + 1
4605	----	----	177.20B/148.30A	177.20B/148.30A	----	152.70 - 15.20	.6318	----	----	----	----	1 UNCH
4610	27.20	27.20	58.10B/*20.50A	58.10B/*20.50A	----	28.30 NEW	.2610	----	----	1	----	1 + 1
4615	29.50	29.50	59.90B/*21.50A	59.90B/*21.50A	----	29.60 NEW	.2739	----	----	1	----	1 + 1
4620	----	----	166.70B/138.20A	166.70B/138.20A	----	143.00 - 15.40	.6101	----	----	----	----	1 UNCH
4620	29.40	29.40	62.00B/*22.40A	62.00B/*22.40A	----	31.00 - 27.90	.2874	----	----	10	----	12 + 10
4620	----	----	123.60B/87.10A	123.60B/87.10A	----	95.70 - 22.90	.7125	----	----	1	----	43 + 1
4625	----	----	119.80B/83.70A	119.80B/83.70A	----	92.10 - 23.10	.6987	----	----	1	----	1 UNCH
4630	34.50	34.50	66.80B/*24.50A	66.80B/*24.50A	----	33.90 - 28.40	.3154	----	----	19	----	95 + 15
4635	----	----	111.90B/77.00A	111.90B/77.00A	----	85.20 - 23.60	.6696	----	----	----	----	5 UNCH
4640	----	----	71.80B/*26.80A	71.80B/*26.80A	----	37.10 - 28.80	.3453	----	----	1	----	1 UNCH
4640	----	----	107.70B/73.70A	107.70B/73.70A	----	81.80 - 23.80	.6545	----	----	----	----	2 UNCH
4645	73.60	73.60	104.50B/70.60A	104.50B/70.60A	----	78.50 - 24.00	.6390	----	----	10	----	12 + 10
4650	53.00	53.00	76.60B/*29.20A	76.60B/29.20A	----	40.50 NEW	.3766	----	----	29	----	24 + 24
4650	----	----	100.50B/67.40A	100.50B/67.40A	----	75.20 - 24.20	.6233	----	----	----	----	16 UNCH
4650	----	----	146.70B/117.30A	146.70B/117.30A	----	124.60 - 15.70	.5651	----	----	----	----	1 UNCH
4655	----	----	97.60B/64.40A	97.60B/64.40A	----	72.00 - 24.40	.6071	----	----	----	----	1 UNCH
4660	34.00	34.00	81.80B/*32.00A	81.80B/*32.00A	----	44.20 - 29.60	.4094	----	----	4	----	19 + 1
4660	----	----	94.00B/61.40A	94.00B/61.40A	----	68.90 - 24.50	.5905	----	----	7	----	7 + 6
4665	----	----	140.40B/110.90A	140.40B/110.90A	----	115.90 - 15.80	.5417	----	----	----	----	11 UNCH
4665	45.50	45.50	84.00B/*33.30A	84.00B/*33.30A	----	46.20 - 29.60	.4263	----	----	8	----	14 + 8
4665	----	----	127.70B/84.10A	127.70B/84.10A	----	96.20 - 20.80	.4579	----	----	----	----	21 UNCH
4670	----	----	129.10B/85.80A	129.10B/85.80A	----	98.40 - 20.80	.4658	----	----	----	----	1 UNCH
4670	----	----	87.20B/*34.80A	87.20B/*34.80A	----	48.20 - 29.80	.4434	----	----	1	----	12 UNCH
4670	68.20	68.20	68.20/55.90A	85.70B/55.90A	----	62.90 - 24.80	.5564	----	----	6	----	62 + 6
4675	----	----	87.70B/*36.40A	87.70B/36.40A	----	50.40 - 29.80	.4609	----	----	2	----	103 + 2
4675	----	----	85.50B/53.10A	85.50B/53.10A	----	60.10 - 24.80	.5390	----	----	----	----	25 UNCH
4680	62.80	62.80	82.30B/50.50A	82.30B/50.50A	----	57.30 - 24.80	.5214	----	----	9	----	13 + 9
4685	50.50	50.50	87.30B/*39.80A	87.30B/*39.80A	----	54.90 NEW	.4962	----	----	1	----	1 + 1
4685	52.60	52.60	80.30B/48.00A	80.30B/48.00A	----	54.60 NEW	.5036	----	----	2	----	2 + 2
4690	167.40	167.40	#172.90B/*154.1	172.90B/154.10A	----	157.00 NEW	.5109	----	----	1	----	1 + 1
4695	----	----	76.20B/43.30A	76.20B/43.30A	----	49.30 - 24.90	.4677	----	----	----	----	75 UNCH
4695	----	----	90.30B/43.50A	90.30B/43.50A	----	59.60 - 29.90	.5321	----	----	----	----	75 UNCH
4695	----	----	142.10B/95.70A	142.10B/95.70A	----	109.90 - 20.90	.5058	----	----	----	----	1 UNCH
4700	62.60	62.60	62.60/45.40A	91.70B/45.40A	----	62.20 - 29.70	.5501	----	----	6	----	8 + 3
4700	60.90	60.90	72.70B/*40.90A	72.70B/*40.90A	----	46.90 - 24.70	.4498	----	----	8	----	8 + 5
4700	97.60	97.60	116.70B/90.10A	116.70B/90.10A	----	97.00 - 15.90	.4858	----	----	1	----	4 - 1
4700	111.50	111.50	146.00B/98.10A	146.00B/98.10A	----	112.30 - 20.90	.5138	----	----	1	----	3 + 1
4705	----	----	70.30B/*38.70A	70.30B/*38.70A	----	44.50 NEW	.4318	----	----	1	----	1 + 1
4705	----	----	113.90B/89.70A	113.90B/89.70A	----	94.50 - 15.90	.4778	----	----	----	----	1 UNCH
4710	----	----	98.30B/49.40A	98.30B/49.40A	----	67.50 NEW	.5860	----	----	1	----	1 + 1
4710	----	----	111.00B/85.80A	111.00B/85.80A	----	92.00 - 15.90	.4697	----	----	----	----	5 UNCH
4710	----	----	----/*36.70A	66.60B/*36.70A	----	42.20 - 24.50	.4138	----	----	----	----	15 UNCH
4715	----	----	----/*34.70A	63.60B/*34.70A	----	40.00 - 24.40	.3960	----	----	----	----	51 UNCH
4725	----	----	107.80B/56.10A	107.80B/56.10A	----	76.00 - 29.10	.6393	----	----	----	----	8 UNCH
4725	----	----	----/*30.80A	58.00B/*30.80A	----	35.70 NEW	.3606	----	----	5	----	4 + 4
4725	----	----	104.50B/78.90A	104.50B/78.90A	----	84.80 - 15.80	.4453	----	----	----	----	1 UNCH
4730	----	----	----/*29.10A	55.00B/*29.10A	----	33.80 - 23.80	.3435	----	----	----	----	5 UNCH
4735	----	----	----/*27.40A	52.70B/*27.40A	----	31.90 - 23.60	.3265	----	----	----	----	4 UNCH
4735	----	----	193.80B/149.90A	193.80B/149.90A	----	161.60 - 17.10	.5468	----	----	----	----	1 UNCH
4740	----	----	----/*25.80A	49.90B/*25.80A	----	30.10 NEW	.3099	----	----	11	----	9 + 9
4745	----	----	----/*24.20A	47.20B/*24.20A	----	28.40 - 23.00	.2938	----	----	----	----	1 UNCH
4750	26.00	26.00	26.00/*22.80A	45.50B/*22.80A	----	26.70 - 22.70	.2777	----	----	17	----	36 + 7
4750	----	----	126.60B/69.10A	126.60B/69.10A	----	92.00 - 27.60	.7222	----	----	1	----	5 + 1
4750	----	----	120.60B/100.90A	120.60B/100.90A	----	104.40 - 12.30	.4343	----	----	----	----	1 UNCH
4750	----	----	91.40B/68.90A	91.40B/68.90A	----	73.60 - 15.60	.4048	----	----	----	----	1 UNCH
4755	----	----	----/*21.40A	42.80B/*21.40A	----	25.20 - 22.30	.2626	----	----	----	----	1 UNCH
4760	----	----	86.60B/64.70A	86.60B/64.70A	----	69.40 - 15.50	.3887	----	----	----	----	33 UNCH
4760	21.70	21.70	21.70/*20.00A	40.40B/*20.00A	----	23.70 - 21.90	.2476	----	----	21	----	22 + 21
4765	----	----	113.20B/95.80A	113.20B/95.80A	----	97.80 - 12.40	.4160	----	----	----	----	3 UNCH
4770	----	----	----/*17.60A	36.10B/*17.60A	----	20.80 NEW	.2185	----	----	13	----	9 + 9
4770	----	----	81.90B/61.60A	81.90B/61.60A	----	65.40 - 15.30	.3727	----	----	----	----	3 UNCH
4770	----	----	143.40B/81.00A	143.40B/81.00A	----	106.10 - 26.20	.7813	----	----	----	----	2 UNCH
4775	25.10	25.10	34.60B/*16.50A	34.60B/*16.50A	----	19.60 - 20.80	.2055	----	----	24	----	23 + 22
4775	----	----	147.50B/84.10A	147.50B/84.10A	----	109.90 - 25.70	.7943	----	----	----	----	1 UNCH
4780	----	----	78.90B/56.80A	78.90B/56.80A	----	61.60 - 15.10	.3570	----	----	----	----	1 UNCH
4780	----	----	----/*15.50A	32.70B/*15.50A	----	18.40 - 20.40	.1927	----	----	----	----	1 UNCH
4785	----	----	----/*14.60A	32.90B/*14.60A	----	17.20 - 20.00	.1801	----	----	----	----	5 UNCH
4790	----	----	----/*13.60A	32.70B/*13.60A	----	16.20 - 19.50	.1688	----	----	----	----	1 UNCH
4800	----	----	168.00B/101.10A	168.00B/101.10A	----	129.50 - 23.50	.8530	----	----	1	----	13 + 1
4800	20.00	20.00	31.80/*12.00A	31.80/*12.00A	----	14.20 - 18.60	.1468	----	----	36	----	49 + 21
4800	60.90	60.90	71.80B/50.80A	71.80B/50.80A	----	54.40 - 14.70	.3260	----	----	2	----	6 + 1
4810	----	----	178.00B/108.50A	178.00B/108.50A	----	137.80 - 22.50	.8723	----	----	----	----	1 UNCH
4810	10.50	10.50	10.50/*10.50	25.90B/*10.50	----	12.50 - 17.60	.1276	----	----	5	----	6 + 1
4815	15.00	15.00	15.00/*9.80A	24.40B/*9.80A	----	11.70 - 17.10	.1186	----	----	11	----	21 + 11
4820	----	----	----/43.80A	61.80B/43.80A	----	47.90 - 14.20	.2962	----	----	----	----	5 UNCH
4820	----	----	187.10B/116.10A	187.10B/116.10A	----	146.20 - 21.60	.8901	----	----	----	----	2 UNCH
4820	----	----	----/*9.20A	22.90B/*9.20A	----	10.90 - 16.70	.1098	----	----	----	----	26 UNCH
4825	----	----	191.60B/120.00A	191.60B/120.00A	----	150.50 - 21.20	.8980	----	----	----	----	1 UNCH
4825	----	----	----/*8.60A	21.60B/*8.60A	----	10.20 - 16.20	.1019	----	----	2	----	35 UNCH
4825	----	----	62.30B/43.10A	62.30B/43.10A	----	46.40 - 14.00	.2890	----	----	----	----	12 UNCH
4830	10.20	10.20	10.20/*8.10A	20.20B/*8.10A	----	9.60 NEW	.0948	----	----	1	----	1 + 1
4835	12.10	12.10	19.10B/*7.60A	19.10B/*7.60A	----	9.00 NEW	.0880	----	----	1	----	1 + 1
4840	----	----	----/39.20A	54.30B/39.20A	----	42.10 NEW	.2679	----	----	4	----	4 + 4
4840	----	----	----/*7.20A	18.00B/*7.20A	----	8.40 - 14.80	.0813	----	----	----	----	20 UNCH
4845	----	----	----/66.40A	79.10B/66.40A	----	68.50 - 12.10	.3229	----	----	----	----	18 UNCH
4845	----	----	----/*6.70A	16.80B/*6.70A	----	7.90 - 14.30	.0755	----	----	1	----	2 + 1
4845	----	----	----/38.00A	52.40B/38.00A	----	40.70 - 13.30	.2610	----	----	----	----	4 UNCH
4850	----	----	214.00B/140.40A	214.00B/140.40A	----	172.80 - 18.70	.9292	----	----	----	----	1 UNCH
4850	----	----	----/35.80A	50.70B/35.80A	----	39.40 - 13.10	.2543	----	----	----	----	51 UNCH
4850	8.10	8.10	8.60/*6.30A	15.80B/*6.30A	----	7.50 - 13.80	.0706	----	----	6	----	198 + 1
4855	----	----	249.90B/184.30A	249.90B/184.30A	----	208.20 - 18.00	.7521	----	----	----	----	1 UNCH
4860	5.70	5.70	5.70/*5.60A	13.70B/*5.60A	----	6.60 - 12.90	.0606	----	----	5	----	10 UNCH
4865	5.60	5.60	5.60/*5.20A	12.80B/*5.20A	----	6.20 - 12.40	.0561	----	----	1	----	20 UNCH
4875	11.00	11.00	11.20B/*4.70A	11.20B/*4.70A	----	5.50 - 11.60	.0483	----	----	1	----	5 + 1
4875	----	----	----/30.60A	42.30B/30.60A	----	33.30 - 12.20	.2220	----	----	----	----	1 UNCH
4880	----	----	----/*4.40A	10.50B/*4.40A	----	5.20 - 11.10	.0449	----	----	1	----	4 + 1
4885	----	----	----/*28.70A	39.70B/*28.70A	----	31.10 - 11.80	.2099	----	----	----	----	10 UNCH
4885	6.40	6.40	6.40/*4.20A	9.70B/*4.20A	----	4.90 - 10.70	.0417	----	----	10	----	20 + 10
4900	----	----	262.20B/184.70A	262.20B/184.70A	----	219.50 - 14.40	.9660	----	----	----	----	2 UNCH
4900	29.60	29.60	29.60/*25.80A	38.00B/*25.80A	----	28.00 - 11.20	.1924	----	----	7	----	13 - 4
4900	5.50	5.50	6.40/*3.20	7.90B/*3.20	----	4.20 - 9.50	.0339	----	----	27	----	61 + 8
4905	----	----	----/*3.30A	7.70B/*3.30A	----	3.90 - 9.20	.0310	----	----	----	----	1 UNCH
4910	----	----	----/*3.20A	6.90B/*3.20A	----	3.70 - 8.90	.0289	----	----	----	----	4 UNCH
4910	----	----	----/*24.40A	33.80B/*24.40A	----	26.20 - 10.70	.1817	----	----	----	----	10 UNCH
4920	----	----	----/*2.90A	5.90B/*2.90A	----	3.30 NEW	.0249	----	----	1	----	1 + 1
4925	----	----	286.70B/208.00A	286.70B/208.00A	----	243.40 - 12.80	.9769	----	----	----	----	1 UNCH
4925	----	----	----/*2.70A	5.60B/*2.70A	----	3.10 - 8.00	.0229	----	----	1	----	51 UNCH
4925	----	----	----/*21.00A	31.90B/*21.00A	----	23.60 - 10.00	.1661	----	----	----	----	1 UNCH
4930	----	----	----/*2.60A	5.20B/*2.60A	----	2.90 - 7.70	.0211	----	----	1	----	1 UNCH
4935	----	----	----/*2.50A	4.90B/*2.50A	----	2.80 - 7.40	.0200	----	----	----	----	4 UNCH
4940	----	----	----/*2.40A	4.60B/*2.40A	----	2.70 - 7.00	.0189	----	----	----	----	1 UNCH
4950	----	----	----/*2.20A	4.20B/*2.20A	----	2.40 - 6.50	.0162	----	----	2	----	4 UNCH
4955	----	----	317.20B/236.60A	317.20B/236.60A	----	272.60 - 11.10	.9847	----	----	----	----	1 UNCH
4955	----	----	----/*2.10A	3.80B/*2.10A	----	2.30 - 6.30	.0152	----	----	----	----	1 UNCH
4955	----	----	----/*17.30A	25.40B/*17.30A	----	19.20 - 8.70	.1385	----	----	----	----	1 UNCH
4965	----	----	----/*1.90A	3.30B/*1.90A	----	2.10 - 5.80	.0134	----	----	----	----	1 UNCH
4965	16.60	16.60	16.60/*16.20A	24.20B/*16.20A	----	17.90 NEW	.1301	----	----	6	----	6 + 6
4975	2.00	2.00	2.00/*1.70A	2.90B/*1.70A	----	1.90 NEW	.0116	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK2

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26											
4980 ----	----	----/*1.60A	2.70B/*1.60A	----	1.80 - 5.20	.0108	----	----	----	----	1 UNCH
4990 ----	----	----/*1.50A	2.40B/*1.50A	----	1.60 - 4.80	.0092	----	----	----	----	514 UNCH
4990 ----	----	351.40B/270.40A	351.40B/270.40A	----	306.90 - 9.70	.9907	----	----	1	----	0 - 1
4995 ----	----	----/*1.50A	2.20B/*1.50A	----	1.60 - 4.60	.0091	----	----	----	----	513 UNCH
4995 ----	----	----/*32.70A	36.30B/*32.70A	----	33.10 - 9.70	.1815	----	----	----	----	14 UNCH
5000 ----	----	361.30B/280.20A	361.30B/280.20A	----	316.80 - 9.30	.9916	----	----	----	----	2 UNCH
5000 2.00	2.00	2.10/*1.00A	2.20B/*1.00A	----	1.50 - 4.40	.0083	----	----	7	----	111 + 5
5000 ----	----	----/*12.80A	19.10B/*12.80A	----	14.00 - 7.40	.1041	----	----	----	----	8 UNCH
5000 ----	----	----/*31.00A	35.20B/*31.00A	----	32.30 - 9.50	.1778	----	----	----	----	1 UNCH
5005 ----	----	366.10B/285.10A	366.10B/285.10A	----	321.70 - 9.10	.9923	----	----	1	----	1 UNCH
5010 ----	----	371.30B/290.00A	371.30B/290.00A	----	326.70 - 8.90	.9924	----	----	----	----	1 UNCH
5010 ----	----	----/*11.90A	17.50B/*11.90A	----	13.10 - 7.20	.0978	----	----	----	----	4 UNCH
5015 ----	----	----/*1.20A	1.70B/*1.20A	----	1.30 - 3.90	.0068	----	----	----	----	1 UNCH
5015 ----	----	----/*11.80A	16.70B/*11.80A	----	12.60 - 7.10	.0944	----	----	----	----	1 UNCH
5025 ----	----	----/*1.20A	1.50B/*1.20A	----	1.20 - 3.70	.0061	----	----	----	----	1 UNCH
5025 ----	----	----/*10.80A	15.20B/*10.80A	----	11.80 - 6.90	.0887	----	----	----	----	2 UNCH
5040 11.20	11.20	11.20/*9.80A	14.40B/*9.80A	----	10.70 - 6.60	.0808	----	----	1	----	41 + 1
5050 1.30	1.30	1.30/*1.00A	1.30/*1.00A	----	1.00 - 3.00	.0046	----	----	15	----	23 + 14
5050 ----	----	----/*9.30A	12.60B/*9.30A	----	10.00 - 6.40	.0757	----	----	----	----	5 UNCH
5060 ----	----	----/*0.90A	1.00B/*0.90A	----	0.90 - 2.80	.0040	----	----	----	----	4 UNCH
5065 ----	----	----/*0.90A	1.00B/*0.90A	----	0.90 - 2.70	.0039	----	----	----	----	1 UNCH
5070 ----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 2.60	.0039	----	----	----	----	4 UNCH
5075 ----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 2.60	.0033	----	----	----	----	20 UNCH
5100 ----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 2.20	.0027	----	----	----	----	1 UNCH
5100 ----	----	439.80B/382.50A	439.80B/382.50A	----	416.00 - 7.00	.9973	----	----	----	----	30 UNCH
5100 ----	----	----/*7.60A	9.20B/*7.60A	----	7.20 - 5.50	.0550	----	----	----	----	2 UNCH
5120 ----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 1.90	.0021	----	----	1	----	4 UNCH
5155 ----	----	----/*0.70A	0.20B/*0.70A	----	0.50 - 1.60	.0016	----	----	----	----	1 UNCH
5175 ----	----	----/*5.10A	5.00B/*5.10A	----	4.60 - 3.90	.0349	----	----	----	----	1 UNCH
5200 ----	----	----/*0.70A	0.10B/*0.70A	----	0.30 - 1.40	.0008	----	----	1	----	2 UNCH
5200 ----	----	----/*4.70A	4.10B/*4.70A	----	4.00 - 3.40	.0302	----	----	----	----	2 UNCH
5230 ----	----	----/*0.60A	----/*0.60A	----	0.30 - 1.20	.0007	----	----	----	----	1 UNCH
5245 ----	----	----/*0.60A	----/*0.60A	----	0.20 - 1.20	.0004	----	----	----	----	20 UNCH
5250 ----	----	----/*0.60A	----/*0.60A	----	0.20 - 1.20	.0004	----	----	----	----	5 UNCH
5285 ----	----	----/*0.60A	0.40B/*0.60A	----	0.10 - 1.00	.0001	----	----	----	----	2 UNCH
5290 ----	----	----/*0.60A	----/*0.60A	----	0.10 - 1.00	.0001	----	----	----	----	1 UNCH
5300 ----	----	----/*0.60A	----/*0.60A	----	0.10 - 0.90	.0001	----	----	----	----	4 UNCH
5305 ----	----	----/*0.60A	----/*0.60A	----	0.10 - 0.90	.0001	----	----	----	----	1 UNCH
5350 ----	----	----/*0.60A	----/*0.60A	----	0.10 - 0.70	.0000	----	----	1	----	1 UNCH
5500 ----	----	----	----/*0.50A	----	0.10 - 0.30	----	----	----	----	----	2 UNCH
TOTAL									535		4301+ 374

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week1

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26											
3300 ----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3500 ----	----	----	0.60B/2.10A	----	0.90 - 0.90	.0032	----	----	----	----	1 UNCH
3750 1.00	1.00	1.00/*0.10A	1.00/*0.10A	----	0.10 NEW	----	----	----	1	----	1 + 1
3800 ----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.80	----	----	----	----	----	7 UNCH
3850 ----	----	----/*0.10A	----/*0.10A	----	0.10 - 1.10	----	----	----	3	----	3 + 1
3900 0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.10 - 1.40	----	----	----	1	----	53 UNCH
3950 0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 1.60	----	----	----	5	----	6 + 5
4000 ----	----	----/*4.50A	4.90B/*4.50A	----	4.50 - 3.00	.0220	----	----	----	----	2 UNCH
4000 0.50	0.50	0.50/*0.20	0.50/*0.20	----	0.10 - 1.80	----	----	----	14	----	22 + 11
4025 0.30	0.30	0.30/*0.20	0.30/*0.20	----	0.10 NEW	.0000	----	----	9	----	9 + 9
4050 0.30	0.30	0.30/*0.20A	0.40B/*0.20A	----	0.10 NEW	.0000	----	----	1	----	1 + 1
4075 1.20	1.20	1.20/*0.30	1.20/*0.30	----	0.20 - 2.40	.0000	----	----	4	----	3 + 2
4100 1.40	1.40	1.40/*0.20	1.50B/*0.20	----	0.20 - 2.70	.0000	----	----	16	----	30 + 11
4100 7.50	7.50	7.50/*6.20A	7.80B/*6.20A	----	6.50 - 4.50	.0337	----	----	1	----	14 + 1
4125 0.40	0.40	0.40/*0.30	1.80B/*0.30	----	0.30 - 2.90	.0001	----	----	5	----	6 + 4
4150 19.50	19.50	19.50/*7.70A	19.50/*7.70A	----	7.80 NEW	.0417	----	----	1	----	1 + 1
4150 2.20	2.20	2.20/*0.40A	2.20/*0.40A	----	0.40 - 3.20	.0001	----	----	3	----	3 + 2
4175 0.50	0.50	0.50/*0.40A	2.40B/*0.40A	----	0.50 - 3.50	.0002	----	----	1	----	6 + 1
4175 ----	----	----/8.50A	12.20B/8.50A	----	8.60 - 6.00	.0466	----	----	----	----	48 UNCH
4200 0.80	0.80	0.80/*0.40	2.70B/*0.40	----	0.70 - 3.80	.0004	----	----	11	----	10 + 8
4200 17.40	17.40	17.40/*9.30A	17.40/*9.30A	----	9.60 - 6.40	.0525	----	----	1	----	1 UNCH
4210 0.70	0.70	0.70/*0.40	2.90B/*0.40	----	0.80 NEW	.0005	----	----	2	----	2 + 2
4215 0.80	0.80	0.80/*0.40	3.00B/*0.40	----	0.80 NEW	.0006	----	----	3	----	3 + 3
4225 1.00	1.00	1.20/*0.70A	3.10B/*0.70A	----	0.80 - 4.20	.0006	----	----	7	----	6 + 1
4230 ----	----	----/*0.70A	3.20B/*0.70A	----	0.80 - 4.30	.0006	----	----	----	----	1 UNCH
4240 0.70	0.70	0.70/*0.70	3.40B/*0.70	----	0.80 - 4.60	.0006	----	----	2	----	25 + 2
4250 ----	----	----/*10.90A	17.30B/*10.90A	----	11.80 - 7.70	.0661	----	----	----	----	61 UNCH
4250 5.00	5.00	5.00/*0.70	5.00/*0.70	----	0.80 - 4.90	.0006	----	----	9	----	57 + 6
4250 ----	----	34.40B/25.10A	34.40B/25.10A	----	24.40 - 9.40	.1121	----	----	----	----	25 UNCH
4270 1.30	1.30	1.30/*0.80A	4.90B/*0.80A	----	0.90 NEW	.0008	----	----	1	----	1 + 1
4275 4.00	4.00	5.10B/*0.80	5.10B/*0.80	----	0.90 NEW	.0008	----	----	11	----	11 + 11
4280 4.00	4.00	5.20B/*0.80A	5.20B/*0.80A	----	0.90 - 5.60	.0008	----	----	10	----	58 + 8
4285 ----	----	----/*0.90A	5.30B/*0.90A	----	0.90 NEW	.0009	----	----	1	----	1 + 1
4290 1.20	1.20	1.20/*0.90A	5.50B/*0.90A	----	0.90 NEW	.0009	----	----	2	----	1 + 1
4300 1.40	1.40	1.40/*0.70	6.00B/*0.70	----	1.00 - 6.20	.0011	----	----	26	----	84 + 2
4300 ----	----	----/13.50A	22.10B/13.50A	----	14.80 - 9.10	.0843	----	----	1	----	127 + 1
4305 ----	----	----/13.70A	22.10B/13.70A	----	15.10 - 9.30	.0863	----	----	----	----	5 UNCH
4310 ----	----	----/*0.90A	6.30B/*0.90A	----	1.00 - 6.60	.0011	----	----	----	----	104 UNCH
4325 2.90	2.90	2.90/*1.10A	6.90B/*1.10A	----	1.10 - 7.10	.0014	----	----	7	----	33 + 5
4330 3.40	3.40	3.40/*1.00	7.00B/*1.00	----	1.10 - 7.30	.0014	----	----	5	----	55 + 5
4335 1.00	1.00	1.00/*1.00	7.40B/*1.00	----	1.10 NEW	.0014	----	----	5	----	5 + 5
4340 ----	----	----/*1.20A	7.40B/*1.20A	----	1.10 - 7.70	.0015	----	----	1	----	1 UNCH
4340 ----	----	----/16.10A	26.40B/16.10A	----	17.80 NEW	.1025	----	----	1	----	1 + 1
4350 1.30	1.30	1.30/*1.10A	8.10B/*1.10A	----	1.20 - 8.10	.0017	----	----	5	----	10 + 3
4360 ----	----	----/*1.30A	8.60B/*1.30A	----	1.20 - 8.60	.0018	----	----	----	----	6 UNCH
4360 35.40	35.40	51.90B/34.70	51.90B/34.70	----	37.50 - 12.30	.1693	----	----	2	----	2 UNCH
4365 ----	----	----/*1.30A	8.80B/*1.30A	----	1.30 - 8.80	.0021	----	----	----	----	5 UNCH
4375 ----	----	----/*1.40A	9.40B/*1.40A	----	1.30 - 9.40	.0022	----	----	2	----	201 + 1
4380 ----	----	----/*1.40A	9.90B/*1.40A	----	1.40 - 9.60	.0025	----	----	1	----	2 + 1
4385 2.20	2.20	2.20/*1.40A	10.10B/*1.40A	----	1.40 - 9.90	.0025	----	----	2	----	2 + 1
4390 ----	----	----/*1.50A	10.40B/*1.50A	----	1.40 - 10.20	.0026	----	----	----	----	2 UNCH
4400 2.30	2.30	2.30/*1.50A	10.90B/*1.50A	----	1.50 - 10.80	.0030	----	----	9	----	96 UNCH
4400 ----	----	331.10B/245.90A	331.10B/245.90A	----	286.20 - 5.60	.9969	----	----	----	----	3 UNCH
4400 ----	----	332.20B/295.20A	332.20B/295.20A	----	308.40 - 7.30	.8614	----	----	----	----	1 UNCH
4400 23.10	23.10	23.10/21.10A	36.00B/21.10A	----	23.90 - 12.30	.1384	----	----	1	----	20 + 1
4405 ----	----	----/*1.60A	11.40B/*1.60A	----	1.60 - 11.00	.0034	----	----	----	----	20 UNCH
4410 ----	----	----/*1.60A	11.80B/*1.60A	----	1.60 - 11.40	.0034	----	----	1	----	5 + 1
4410 ----	----	321.40B/236.90A	321.40B/236.90A	----	276.30 - 6.30	.9965	----	----	----	----	9 UNCH
4415 ----	----	315.90B/232.40A	315.90B/232.40A	----	271.40 - 6.60	.9961	----	----	----	----	14 UNCH
4420 5.20	5.20	5.20/*1.70	12.70B/*1.70	----	1.70 - 12.10	.0039	----	----	12	----	22 + 12
4430 ----	----	----/*1.80A	13.20B/*1.80A	----	1.90 NEW	.0048	----	----	1	----	1 + 1
4440 ----	----	----/*1.90A	14.10B/*1.90A	----	2.00 - 13.50	.0055	----	----	----	----	8 UNCH
4445 ----	----	----/*1.90A	14.30B/*1.90A	----	2.10 - 13.80	.0060	----	----	2	----	2 + 1
4450 ----	----	45.80B/27.00A	45.80B/27.00A	----	30.60 - 14.20	.1768	----	----	----	----	8 UNCH
4450 4.20	4.20	4.20/*1.90A	15.60B/*1.90A	----	2.20 - 14.20	.0065	----	----	15	----	111 + 3
4460 31.40	31.40	31.40/28.30A	46.80B/28.30A	----	32.20 NEW	.1857	----	----	1	----	1 + 1
4460 ----	----	----/*2.10A	16.50B/*2.10A	----	2.40 - 15.00	.0078	----	----	1	----	3 + 1
4465 2.40	2.40	2.40/*2.10A	17.20B/*2.10A	----	2.50 NEW	.0084	----	----	1	----	1 + 1
4470 ----	----	----/*2.30A	17.90B/*2.30A	----	2.60 - 15.90	.0091	----	----	----	----	5 UNCH
4475 ----	----	51.60B/30.40A	51.60B/30.40A	----	34.70 - 15.20	.1996	----	----	----	----	2 UNCH
4475 4.50	4.50	5.00/*2.10	18.70B/*2.10	----	2.70 - 16.40	.0099	----	----	8	----	7 + 6
4475 ----	----	256.90B/180.40A	256.90B/180.40A	----	212.40 - 11.30	.9900	----	----	----	----	1 UNCH
4475 ----	----	296.20B/268.70A	296.20B/268.70A	----	268.30 - 10.30	.7442	----	----	----	----	5 UNCH
4485 ----	----	53.00B/31.90A	53.00B/31.90A	----	36.50 - 15.60	.2094	----	----	----	----	10 UNCH
4485 ----	----	----/*2.60A	19.20B/*2.60A	----	2.90 - 17.50	.0115	----	----	----	----	29 UNCH
4490 ----	----	54.20B/32.70A	54.20B/32.70A	----	37.40 NEW	.2144	----	----	2	----	2 + 2
4490 4.70	4.70	4.70/*2.70A	20.80B/*2.70A	----	3.10 - 17.90	.0129	----	----	2	----	52 + 2
4495 ----	----	237.70B/163.90A	237.70B/163.90A	----	192.90 - 13.40	.9861	----	----	----	----	14 UNCH
4495 10.50	10.50	10.50/*2.80A	21.50B/*2.80A	----	3.20 - 18.50	.0138	----	----	6	----	2 - 1
4500 67.00	67.00	67.00/34.30A	67.00/34.30A	----	39.40 - 16.10	.2250	----	----	3	----	153 + 3
4500 180.80	180.80	233.40B/160.20A	233.40B/160.20A	----	188.10 - 13.90	.9845	----	----	1	----	19 UNCH
4500 23.00	23.00	23.00/*2.90	23.00/*2.90	----	3.40 - 19.00	.0154	----	----	32	----	26 + 10
4500 ----	----	246.00B/216.00A	246.00B/216.00A	----	223.90 - 11.10	.7747	----	----	----	----	1 UNCH
4510 3.10	3.10	3.60/*3.10	23.80B/*3.10	----	3.70 - 20.10	.0182	----	----	14	----	39 + 11
4515 3.20	3.20	3.20/*3.20	24.50B/*3.20	----	3.90 - 20.70	.0200	----	----	2	----	8 + 2
4515 ----	----	219.20B/148.10A	219.20B/148.10A	----	173.60 - 15.60	.9799	----	----	----	----	11 UNCH
4520 6.10	6.10	25.50B/*3.50A	25.50B/*3.50A	----	4.10 - 21.30	.0220	----	----	13	----	14 + 13
4525 ----	----	65.00B/38.90A	65.00B/38.90A	----	44.70 NEW	.2530	----	----	51	----	51 + 51

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE APR26		GOLD WEEKLY TUESDAY OPTION Week1										
4525	4.50	4.50	26.70B/*3.60A	26.70B/*3.60A	----	4.40 - 21.80	.0247	----	----	45	----	175 + 42
4525	187.20	187.20	209.60B/140.50A	209.60B/140.50A	----	164.10 NEW	.9752	----	----	2	----	2 + 2
4530	3.70	3.70	27.40B/*3.70	27.40B/*3.70	----	4.60 - 22.50	.0269	----	----	2	----	4 + 2
4530	----	----	204.60B/136.70A	204.60B/136.70A	----	159.30 - 17.40	.9729	----	----	----	----	6 UNCH
4535	26.30	26.30	28.80B/*3.90	28.80B/*3.90	----	4.90 - 23.10	.0300	----	----	2	----	7 + 2
4540	----	----	99.80B/72.60A	99.80B/72.60A	----	75.70 - 16.90	.3175	----	----	----	----	1 UNCH
4540	----	----	68.70B/41.80A	68.70B/41.80A	----	48.20 - 17.60	.2710	----	----	----	----	5 UNCH
4540	----	----	29.60B/*4.10A	29.60B/*4.10A	----	5.20 - 23.70	.0332	----	----	3	----	21 + 3
4545	----	----	70.30B/42.80A	70.30B/42.80A	----	49.40 - 17.80	.2772	----	----	----	----	1 UNCH
4545	5.10	5.10	30.80B/*4.30A	30.80B/*4.30A	----	5.50 NEW	.0367	----	----	1	----	1 + 1
4550	----	----	73.00B/44.00A	73.00B/44.00A	----	50.70 - 18.00	.2836	----	----	2	----	48 UNCH
4550	----	----	185.40B/121.90A	185.40B/121.90A	----	140.50 - 20.00	.9595	----	----	----	----	2 UNCH
4550	----	----	103.30B/74.90A	103.30B/74.90A	----	78.70 - 17.10	.3280	----	----	----	----	3 UNCH
4550	4.40	4.40	31.70B/*4.40	31.70B/*4.40	----	5.80 - 25.00	.0404	----	----	39	----	34 + 17
4550	----	----	206.20B/179.60A	206.20B/179.60A	----	185.30 - 12.90	.7161	----	----	----	----	2 UNCH
4555	----	----	180.80B/118.50A	180.80B/118.50A	----	135.90 - 20.60	.9548	----	----	----	----	5 UNCH
4560	5.10	5.10	34.30B/*5.00A	34.30B/*5.00A	----	6.60 - 26.30	.0500	----	----	5	----	5 + 3
4565	127.30	127.30	131.00B/*100.00	131.00B/100.00A	----	105.70 NEW	.3629	----	----	2	----	0 UNCH
4565	----	----	77.10B/47.20A	77.10B/47.20A	----	54.60 - 18.60	.3031	----	----	----	----	1 UNCH
4570	----	----	166.60B/108.00A	166.60B/108.00A	----	122.10 - 22.70	.9390	----	----	----	----	15 UNCH
4570	----	----	78.90B/48.30A	78.90B/48.30A	----	56.00 - 18.70	.3099	----	----	----	----	6 UNCH
4575	28.60	28.60	38.20B/*5.70A	38.20B/*5.70A	----	7.90 - 28.40	.0676	----	----	89	----	176 + 71
4575	----	----	81.70B/49.50A	81.70B/49.50A	----	57.40 - 18.90	.3168	----	----	----	----	18 UNCH
4575	----	----	162.00B/104.60A	162.00B/104.60A	----	117.60 - 23.40	.9323	----	----	----	----	3 UNCH
4580	13.00	13.00	39.70B/*6.00A	39.70B/*6.00A	----	8.50 - 29.00	.0756	----	----	27	----	28 + 25
4585	112.00	112.00	139.00B/*106.90	139.00B/106.90A	----	112.70 NEW	.3819	----	----	3	----	3 + 3
4585	8.30	8.30	41.30B/*6.40A	41.30B/*6.40A	----	9.00 - 29.80	.0833	----	----	3	----	3 + 1
4590	----	----	86.30B/53.30A	86.30B/53.30A	----	61.90 - 19.40	.3380	----	----	----	----	14 UNCH
4590	10.00	10.00	42.90B/*6.80A	42.90B/*6.80A	----	9.60 NEW	.0922	----	----	31	----	11 + 11
4590	----	----	179.00B/151.30A	179.00B/151.30A	----	156.50 - 14.40	.6617	----	----	----	----	1 UNCH
4590	----	----	148.60B/93.50A	148.60B/93.50A	----	104.30 - 25.50	.9076	----	----	1	----	2 + 1
4595	11.10	11.10	44.60B/*7.20A	44.60B/*7.20A	----	10.30 - 31.10	.1026	----	----	14	----	14 + 12
4600	17.00	17.00	45.60B/*7.60A	45.60B/*7.60A	----	11.00 - 31.80	.1135	----	----	86	----	166 + 33
4600	----	----	172.80B/144.50A	172.80B/144.50A	----	149.60 - 14.80	.6471	----	----	----	----	1 UNCH
4600	110.00	110.00	140.10B/87.10A	140.10B/87.10A	----	95.70 - 26.80	.8864	----	----	9	----	61 + 2
4600	----	----	91.30B/56.10A	91.30B/56.10A	----	65.00 - 19.80	.3526	----	----	----	----	16 UNCH
4605	14.70	14.70	47.40B/*8.00	47.40B/*8.00	----	11.80 NEW	.1259	----	----	20	----	17 + 17
4605	----	----	123.90B/91.20A	123.90B/91.20A	----	97.00 - 18.10	.3890	----	----	----	----	1 UNCH
4605	----	----	135.30B/83.10A	135.30B/83.10A	----	91.50 - 27.40	.8740	----	----	1	----	1 - 1
4605	----	----	169.10B/141.30A	169.10B/141.30A	----	146.30 - 14.90	.6397	----	----	----	----	8 UNCH
4610	13.60	13.60	49.40B/*8.50A	49.40B/*8.50A	----	12.70 - 33.00	.1398	----	----	4	----	15 + 4
4610	----	----	94.40B/59.00A	94.40B/59.00A	----	68.30 - 20.10	.3677	----	----	----	----	5 UNCH
4610	172.80	172.80	197.40B/172.80	197.40B/172.80	----	173.50 - 13.10	.6047	----	----	10	----	10 + 9
4610	----	----	130.30B/79.00A	130.30B/79.00A	----	87.40 - 28.00	.8601	----	----	----	----	1 UNCH
4615	9.40	9.40	51.30B/*9.00A	51.30B/*9.00A	----	13.60 NEW	.1543	----	----	2	----	1 + 1
4620	----	----	121.70B/71.20A	121.70B/71.20A	----	79.20 - 29.30	.8302	----	----	1	----	1 + 1
4620	----	----	158.40B/131.60A	158.40B/131.60A	----	136.40 - 15.30	.6167	----	----	----	----	9 UNCH
4620	15.00	15.00	53.70B/*9.60A	53.70B/*9.60A	----	14.50 NEW	.1697	----	----	3	----	3 + 3
4625	----	----	118.40B/67.80A	118.40B/67.80A	----	75.30 - 29.90	.8125	----	----	----	----	5 UNCH
4625	14.00	14.00	56.30B/*10.10A	56.30B/*10.10A	----	15.60 NEW	.1874	----	----	34	----	17 + 17
4630	19.00	19.00	58.50B/*10.70	58.50B/*10.70	----	16.70 - 35.50	.2059	----	----	9	----	9 + 8
4635	19.60	19.60	59.90B/*11.50A	59.90B/*11.50A	----	17.90 - 36.00	.2260	----	----	5	----	17 + 5
4635	----	----	148.10B/119.40A	148.10B/119.40A	----	126.80 - 15.80	.5929	----	----	----	----	12 UNCH
4640	----	----	105.00B/56.90A	105.00B/56.90A	----	63.90 - 31.50	.7523	----	----	----	----	11 UNCH
4640	20.50	20.50	62.60B/*12.30A	62.60B/*12.30A	----	19.20 - 36.50	.2476	----	----	6	----	6 + 4
4645	20.30	20.30	65.00B/*13.10A	65.00B/*13.10A	----	20.60 - 36.90	.2707	----	----	3	----	3 + 2
4650	----	----	109.30B/71.50A	109.30B/71.50A	----	83.00 - 21.10	.4312	----	----	----	----	2 UNCH
4650	60.00	60.00	67.20B/*14.00A	67.20B/*14.00A	----	22.10 - 37.30	.2953	----	----	66	----	51 + 36
4650	----	----	97.00B/50.10A	97.00B/50.10A	----	56.80 - 32.30	.7046	----	----	4	----	38 + 1
4655	39.00	39.00	69.70B/*15.00A	69.70B/*15.00A	----	23.70 NEW	.3212	----	----	38	----	31 + 31
4660	46.80	46.80	89.50B/*43.20A	89.50B/*43.20A	----	50.10 - 33.00	.6515	----	----	20	----	64 + 10
4660	22.60	22.60	72.30B/*16.00A	72.30B/*16.00A	----	25.40 - 38.00	.3484	----	----	17	----	22 + 13
4665	28.80	28.80	74.60B/*17.00A	74.60B/*17.00A	----	27.20 NEW	.3767	----	----	23	----	15 + 15
4665	44.60	44.60	85.20B/*40.60A	85.20B/*40.60A	----	46.90 - 33.30	.6231	----	----	1	----	21 + 1
4665	----	----	129.40B/103.90A	129.40B/103.90A	----	108.80 - 16.50	.5434	----	----	----	----	27 UNCH
4670	----	----	127.00B/100.80A	127.00B/100.80A	----	106.00 - 16.50	.5349	----	----	----	----	2 UNCH
4670	43.10	43.10	81.90B/*37.70A	81.90B/*37.70A	----	43.90 - 33.40	.5935	----	----	22	----	13 + 12
4670	29.40	29.40	80.70B/*18.20A	80.70B/*18.20A	----	29.20 - 38.40	.4064	----	----	4	----	8 + 3
4675	----	----	123.50B/97.30A	123.50B/97.30A	----	103.20 - 16.60	.5264	----	----	----	----	17 UNCH
4675	37.90	37.90	78.20B/*34.60	78.20B/*34.60	----	40.90 - 33.60	.5633	----	----	91	----	89 + 39
4675	28.40	28.40	80.40B/*19.40A	80.40B/19.40A	----	31.20 NEW	.4366	----	----	47	----	27 + 27
4680	----	----	119.10B/95.30A	119.10B/95.30A	----	100.40 - 16.70	.5178	----	----	----	----	9 UNCH
4680	32.50	32.50	74.00B/*32.30A	74.00B/*32.30A	----	38.10 - 33.70	.5322	----	----	5	----	78 + 5
4680	40.10	40.10	83.00B/*20.80A	83.00B/*20.80A	----	33.40 - 38.70	.4677	----	----	56	----	62 + 37
4685	----	----	85.90B/*22.30A	85.90B/*22.30A	----	35.70 NEW	.4992	----	----	1	----	1 + 1
4685	34.00	34.00	70.40B/*30.10A	70.40B/*30.10A	----	35.40 NEW	.5007	----	----	6	----	5 + 5
4690	----	----	147.50B/124.30A	147.50B/124.30A	----	127.30 - 13.80	.5065	----	----	----	----	3 UNCH
4690	30.20	30.20	89.00B/*23.80A	89.00B/*23.80A	----	38.10 NEW	.5310	----	----	40	----	36 + 36
4690	31.00	31.00	31.00/*27.80A	66.20B/*27.80A	----	32.80 - 33.70	.4689	----	----	26	----	25 + 25
4695	44.00	44.00	45.30/*25.50A	63.70B/*25.50A	----	30.30 - 33.60	.4370	----	----	14	----	6 + 5
4695	----	----	110.00B/87.60A	110.00B/87.60A	----	92.40 - 16.80	.4918	----	----	----	----	6 UNCH
4695	43.10	43.10	92.70B/*25.50A	92.70B/*25.50A	----	40.60 NEW	.5629	----	----	27	----	23 + 23
4700	----	----	107.20B/84.20A	107.20B/84.20A	----	89.80 - 16.90	.4831	----	----	----	----	16 UNCH
4700	----	----	134.40B/90.60A	134.40B/90.60A	----	105.10 - 21.80	.5166	----	----	----	----	4 UNCH
4700	82.00	82.00	95.70B/27.20A	95.70B/27.20A	----	43.30 - 38.40	.5944	----	----	52	----	64 + 28
4700	40.30	40.30	62.60B/*23.30A	62.60B/*23.30A	----	28.00 - 33.40	.4054	----	----	282	----	139 + 64
4705	----	----	99.50B/*29.00A	99.50B/*29.00A	----	46.10 - 38.20	.6256	----	----	----	----	9 UNCH
4705	35.00	35.00	41.00/*21.50A	58.50B/*21.50A	----	25.80 - 33.20	.3743	----	----	13	----	15 + 12
4710	33.10	33.10	33.10/*19.70A	55.70B/*19.70A	----	23.70 - 32.90	.3436	----	----	11	----	13 + 11
4715	----	----	141.90B/97.20A	141.90B/97.20A	----	112.60 - 21.90	.5430	----	----	----	----	12 UNCH
4715	44.90	44.90	106.50B/*33.10A	106.50B/*33.10A	----	52.10 NEW	.6856	----	----	3	----	3 + 3
4715	19.80	19.80	19.80/*17.90A	52.30B/*17.90A	----	21.80 NEW	.3143	----	----	2	----	2 + 2
4720	31.30	31.30	31.30/*16.00	51.10B/*16.00	----	20.00 - 32.10	.2860	----	----	18	----	79 + 17
4725	26.20	26.20	49.00/*14.90A	49.00/*14.90A	----	18.30 - 31.60	.2588	----	----	40	----	53 + 31
4730	----	----	93.60B/70.90A	93.60B/70.90A	----	75.30 - 16.80	.4304	----	----	----	----	24 UNCH
4730	18.00	18.00	18.00/*13.50A	45.50B/*13.50A	----	16.70 NEW	.2330	----	----	4	----	4 + 4
4735	23.40	23.40	42.60B/*12.20A	42.60B/*12.20A	----	15.20 - 30.60	.2086	----	----	24	----	25 + 24
4735	50.10	50.10	121.40B/*42.60A	121.40B/*42.60A	----	65.50 NEW	.7913	----	----	42	----	42 + 42
4740	20.10	20.10	40.10B/*11.10A	40.10B/*11.10A	----	13.80 - 30.00	.1857	----	----	17	----	19 + 16
4745	21.80	21.80	21.80/*10.10A	38.00B/*10.10A	----	12.60 - 29.30	.1653	----	----	2	----	2 + 1
4750	----	----	84.40B/62.30A	84.40B/62.30A	----	66.50 - 16.70	.3954	----	----	----	----	3 UNCH
4750	----	----	133.10B/51.70A	133.10B/51.70A	----	76.70 - 33.60	.8542	----	----	1	----	2 UNCH
4750	27.00	27.00	37.00/*8.80	37.00/*8.80	----	11.40 - 28.60	.1457	----	----	548	----	116 + 111
4755	9.00	9.00	9.00/*8.30A	33.20B/*8.30A	----	10.40 - 27.80	.1287	----	----	1	----	8 + 1
4760	20.10	20.10	31.40B/*7.70A	31.40B/*7.70A	----	9.40 - 27.10	.1126	----	----	12	----	12 + 10
4765	----	----	----/*7.00A	29.10B/*7.00A	----	8.50 NEW	.0982	----	----	1	----	1 + 1
4770	13.70	13.70	27.00B/*6.40A	27.00B/*6.40A	----	7.80 - 25.40	.0865	----	----	14	----	11 + 10
4775	----	----	154.40B/68.70A	154.40B/68.70A	----	97.30 NEW	.9254	----	----	2	----	2 + 2
4775	20.10	20.10	25.40B/*5.80A	25.40B/*5.80A	----	7.00 - 24.70	.0745	----	----	53	----	33 - 8
4780	6.80	6.80	6.80/*5.30A	23.30B/*5.30A	----	6.40 - 23.80	.0651	----	----	2	----	13 + 2
4785	----	----	163.10B/76.20A	163.10B/76.20A	----	106.10 - 28.00	.9436	----	----	3	----	3 + 3
4785	15.50	15.50	22.10/*4.90A	22.10/*4.90A	----	5.80 NEW	.0563	----	----	2	----	2 + 2
4790	20.10	20.10	20.20B/*4.50A	20.20B/*4.50A	----	5.30 - 22.10	.0490	----	----	6	----	6 + 4
4795	4.50	4.50	4.50/*4.20A	18.60B/*4.20A	----	4.80 NEW	.0422	----	----	1	----	1 + 1
4795	----	----	171.70B/84.10A	171.70B/84.10A	----	115.10 - 26.30	.9577	----	----	----	----	50 UNCH
4800	----	----	----/43.50A	63.00B/43.50A	----	47.90 - 15.40	.3112	----	----	----	----	19 UNCH
4800	11.80	11.80	17.60B/*3.50	17.60B/*3.50	----	4.40 - 20.50	.0367	----	----	29	----	39 + 8
4800	----	----	176.20B/88.20A	176.20B/88.20A	----	119.70 - 25.40	.9632	----	----	----	----	50 UNCH
4805	----	----	180.50B/92.40A	180.50B/92.40A	----	124.40 - 24.50	.9674	----	----	----	----	1 UNCH
4805	----	----	----/*3.60A	16.20B/*3.60A	----	4.10 - 19.60	.0325	----	----	----	----	25 UNCH
4810	3.30	3.30	3.30/*3.30	14.90B/*3.30	----	3.70 NEW	.0277	----	----	1	----	1 + 1
4810	----	----	185.70B/96.70A	185.70B/96.70A	----	129.00 - 23.80	.9722	----	----	1	----	3 + 1
4815	----	----	----/40.00A	55.20B/40.00A	----	43.20 - 14.90	.2874	----	----	----	----	13 UNCH
4815	----	----	190.30B/101.00A	190.30B/101.00A	----	133.80 - 22.90	.9750	----	----	----	----	1 UNCH
4815	10.00	10.00	10.00/*3.10A	13.90B/*3.10A	----	3.50 - 17.90	.0249	----	----	2	----	8 + 2
4820	8.40	8.40	12.70B/*2.90A	12.70B/*2.90A	----	3.20 - 17.20	.0215	----	----	12	----	99 + 11
4825	----	----	----/67.40A	81.60B/67.40A	----	69.40 - 12.50	.3367	----	----	----	----	3 UNCH
4825	9.30	9.30	9.30/*2.70	11.90B/*2.70	----	3.00 - 16.40	.0191	----	----	67	----	304 + 43
4825	----	----	199.50B/109.80A	199.50B/109.80A	----	143.30 - 21.30	.9808	----	----	----	----	356 UNCH
4830	5.20	5.20	5.20/*2.50	10.90B/*2.50	----	2.80 - 15.60	.0169	----	----	166	----	260 + 157
4830	----	----	----/36.20A	50.60B/36.20A	----	38.90 NEW	.2647	----	----	4	----	4 + 4
4835	----	----	----/34.60A	48.60B/34.60A	----	37.50 - 14.20	.2572	----	----	----	----	1 UNCH
4835	3.80	3.80	4.70/*2.30A	10.10B/*2.30A	----	2.60 - 14.90	.0149	----	----	110	----	226 + 96
4840	----	----	----/*2.20A	9.20B/*2.20A	----	2.40 - 14.30	.0130	----	----	----	----	4 UNCH
4850	61.30	61.30	61.30/59.30A	72.10B/59.30A	----	61.50 - 11.80	.3077	----	----	3	----	3 + 1
4850	----	----	222.70B/132.30A	222.70B/132.30A	----	167.50 - 17.80	.9891	----	----	----	----	1 UNCH
4850	5.90	5.90	8.00/*1.90A	8.00/*1.90A	----	2.20 - 12.90	.0108	----	----	9	----	50 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4855	----	----	----/*1.80A	7.20B/*1.80A	----	2.00 - 12.30	.0092	----	----	----	----	70 UNCH
4860	----	----	----/*58.20A	68.70B/*58.20A	----	58.50 NEW	.2964	----	----	1	----	1 + 1
4860	----	----	----/*28.80A	41.30B/*28.80A	----	31.30 - 13.20	.2221	----	----	----	----	11 UNCH
4860	2.40	2.40	2.40/*1.70A	6.60B/*1.70A	----	1.90 - 11.70	.0083	----	----	3	----	7 + 3
4865	----	----	----/*1.60A	6.00B/*1.60A	----	1.80 - 11.20	.0075	----	----	----	----	1 UNCH
4870	3.40	3.40	5.50B/*1.50A	5.50B/*1.50A	----	1.70 NEW	.0067	----	----	2	----	2 + 2
4870	----	----	242.00B/149.30A	242.00B/149.30A	----	187.00 NEW	.9932	----	----	1	----	1 + 1
4875	----	----	----/*1.50A	5.00B/*1.50A	----	1.70 - 10.10	.0065	----	----	2	----	3 - 1
4880	----	----	----/*25.00A	35.40B/*25.00A	----	27.10 - 12.20	.1967	----	----	4	----	0 - 4
4880	----	----	----/*1.30A	4.60B/*1.30A	----	1.60 - 9.60	.0058	----	----	1	----	3 UNCH
4885	1.70	1.70	1.70/*1.30A	4.30B/*1.30A	----	1.50 NEW	.0051	----	----	11	----	11 + 11
4890	54.10	54.10	#54.10/*50.00A	58.70B/*50.00A	----	50.30 NEW	.2639	----	----	5	----	5 + 5
4890	----	----	----/*1.20A	3.90B/*1.20A	----	1.40 - 8.80	.0045	----	----	3	----	0 - 3
4895	53.90	53.90	#53.90/*49.10A	57.10B/*49.10A	----	49.00 NEW	.2586	----	----	5	----	5 + 5
4895	1.00	1.00	1.10/*1.00	3.70B/*1.00	----	1.40 - 8.30	.0044	----	----	6	----	3 UNCH
4900	----	----	----/*21.40A	32.60B/*21.40A	----	23.40 - 11.40	.1733	----	----	----	----	5 UNCH
4900	2.80	2.80	3.40B/*0.90	3.40B/*0.90	----	1.30 - 7.90	.0038	----	----	24	----	467 UNCH
4900	----	----	270.90B/176.90A	270.90B/176.90A	----	216.60 - 12.80	.9961	----	----	2	----	17 UNCH
4915	----	----	----/*19.20A	26.90B/*19.20A	----	20.90 - 10.80	.1571	----	----	----	----	20 UNCH
4915	----	----	----/*0.90A	2.50B/*0.90A	----	1.20 - 6.80	.0031	----	----	----	----	23 UNCH
4920	1.40	1.40	1.40/*0.90A	2.20B/*0.90A	----	1.10 NEW	.0027	----	----	1	----	1 + 1
4925	----	----	322.90B/260.80A	322.90B/260.80A	----	281.90 - 14.80	.7710	----	----	1	----	1 UNCH
4925	2.00	2.00	2.20B/*0.80A	2.20B/*0.80A	----	1.10 - 6.20	.0026	----	----	16	----	155 + 16
4930	----	----	----/*17.00A	24.10B/*17.00A	----	18.70 NEW	.1423	----	----	1	----	1 + 1
4930	1.00	1.00	1.00/*0.80A	1.90B/*0.80A	----	1.00 NEW	.0022	----	----	1	----	1 + 1
4935	----	----	----/*16.50A	23.20B/*16.50A	----	18.00 - 10.00	.1376	----	----	----	----	1 UNCH
4935	----	----	----/*0.70A	1.80B/*0.70A	----	1.00 - 5.70	.0022	----	----	----	----	1 UNCH
4940	----	----	----/*0.70A	1.70B/*0.70A	----	1.00 - 5.40	.0021	----	----	1	----	24 + 1
4950	----	----	----/*14.80A	21.10B/*14.80A	----	16.10 - 9.40	.1243	----	----	----	----	16 UNCH
4950	----	----	319.90B/223.40A	319.90B/223.40A	----	266.20 - 9.90	.9982	----	----	----	----	1 UNCH
4950	0.70	0.70	0.70/*0.60A	1.60B/*0.60A	----	0.90 - 5.00	.0017	----	----	1	----	2 + 1
4955	----	----	----/*0.60A	1.40B/*0.60A	----	0.90 - 4.70	.0017	----	----	----	----	2 UNCH
4960	----	----	----/*0.50A	1.30B/*0.50A	----	0.80 - 4.60	.0014	----	----	----	----	101 UNCH
4965	----	----	----/*0.60A	1.20B/*0.60A	----	0.80 - 4.40	.0013	----	----	----	----	22 UNCH
4970	----	----	----/*12.60A	17.70B/*12.60A	----	13.90 - 8.60	.1085	----	----	----	----	20 UNCH
4975	----	----	----/*12.00A	16.50B/*12.00A	----	13.40 - 8.40	.1049	----	----	1	----	17 + 1
4975	----	----	340.40B/276.50A	340.40B/276.50A	----	303.50 NEW	.8949	----	----	1	----	1 + 1
4975	----	----	363.10B/299.20A	363.10B/299.20A	----	321.90 - 13.30	.8160	----	----	----	----	1 UNCH
4975	----	----	----/*0.50A	1.00B/*0.50A	----	0.70 - 4.10	.0010	----	----	----	----	3 UNCH
4980	----	----	----/*12.10A	15.90B/*12.10A	----	13.00 - 8.10	.1018	----	----	----	----	20 UNCH
4980	----	----	----/*0.50A	1.00B/*0.50A	----	0.70 - 3.90	.0010	----	----	----	----	1 UNCH
4985	----	----	----/*11.50A	15.60B/*11.50A	----	12.50 - 8.00	.0982	----	----	----	----	305 UNCH
4985	0.90	0.90	0.90/*0.50A	1.00B/*0.50A	----	0.70 - 3.70	.0010	----	----	1	----	2 + 1
4990	----	----	----/*11.50A	14.60B/*11.50A	----	12.10 - 7.70	.0951	----	----	----	----	5 UNCH
4995	----	----	----/*10.90A	14.20B/*10.90A	----	11.60 - 7.60	.0915	----	----	----	----	11 UNCH
4995	----	----	----/*0.50A	0.90B/*0.50A	----	0.60 - 3.50	.0007	----	----	----	----	2 UNCH
5000	----	----	----/*10.30A	13.90B/*10.30A	----	11.20 - 7.40	.0885	----	----	1	----	30 UNCH
5000	----	----	369.50B/272.40A	369.50B/272.40A	----	315.90 - 8.20	.9992	----	----	----	----	8 UNCH
5000	----	----	----/*0.40A	0.80B/*0.40A	----	0.60 - 3.30	.0007	----	----	12	----	68 - 2
5005	----	----	----/*0.40A	0.80B/*0.40A	----	0.60 - 3.20	.0007	----	----	----	----	6 UNCH
5010	----	----	336.20B/293.40A	336.20B/293.40A	----	325.90 - 7.90	.9992	----	----	----	----	1 UNCH
5025	----	----	----/*0.40A	0.50B/*0.40A	----	0.50 - 2.80	.0005	----	----	----	----	101 UNCH
5030	0.20	0.20	0.20/*0.20	0.40B/*0.20	----	0.50 NEW	.0005	----	----	4	----	4 + 4
5035	----	----	----/*0.20A	0.40B/*0.20A	----	0.50 - 2.60	.0005	----	----	----	----	1 UNCH
5050	----	----	----/*0.20A	0.30B/*0.20A	----	0.40 - 2.40	.0003	----	----	----	----	22 UNCH
5065	----	----	390.90B/348.20A	390.90B/348.20A	----	380.70 - 7.00	.9997	----	----	1	----	1 UNCH
5080	----	----	----/*0.30A	----/*0.30A	----	0.30 - 2.00	.0002	----	----	----	----	1 UNCH
5085	----	----	410.90B/368.20A	410.90B/368.20A	----	400.60 - 6.80	.9998	----	----	1	----	1 UNCH
5090	----	----	415.90B/373.20A	415.90B/373.20A	----	405.60 - 6.70	.9998	----	----	----	----	21 UNCH
5100	----	----	----/*6.30A	6.60B/*6.30A	----	5.70 - 4.50	.0452	----	----	----	----	5 UNCH
5100	0.50	0.50	0.50/*0.20A	0.50/*0.20A	----	0.20 - 1.90	.0001	----	----	5	----	9 + 4
5120	----	----	----/*0.30A	----/*0.30A	----	0.20 - 1.70	.0000	----	----	----	----	2 UNCH
5120	----	----	445.90B/403.10A	445.90B/403.10A	----	435.50 - 6.50	1.0000	----	----	----	----	35 UNCH
5140	----	----	465.80B/423.10A	465.80B/423.10A	----	455.40 - 6.50	1.0000	----	----	----	----	1 UNCH
5150	----	----	----/*0.20A	----/*0.20A	----	0.10 - 1.60	.0000	----	----	1	----	18 UNCH
5160	----	----	----/*0.20A	----/*0.20A	----	0.10 - 1.50	.0000	----	----	----	----	121 UNCH
5165	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.10 NEW	.0000	----	----	1	----	1 + 1
5185	----	----	----/*0.20A	----/*0.20A	----	0.10 - 1.40	----	----	----	----	----	40 UNCH
5190	----	----	----/*0.20A	----/*0.20A	----	0.10 - 1.40	----	----	----	----	----	1 UNCH
5200	2.60	2.60	2.60/*2.60	2.70B/*2.60	----	3.10 NEW	.0239	----	----	1	----	1 + 1
5200	----	----	----/*0.10A	----/*0.10A	----	0.10 - 1.30	----	----	----	----	----	5 UNCH
5210	----	----	----/*0.20A	----/*0.20A	----	0.10 - 1.30	----	----	----	----	----	1 UNCH
5225	----	----	----/*0.20A	----/*0.20A	----	0.10 - 1.20	----	----	----	----	----	150 UNCH
5250	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.10 - 1.10	----	----	----	7	----	7 UNCH
5260	----	----	----/*0.20A	----/*0.20A	----	0.10 - 1.00	----	----	----	----	----	20 UNCH
5285	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.90	----	----	----	2	----	2 UNCH
5300	----	----	----	1.00B/*3.40A	----	1.80 - 1.60	.0133	----	----	----	----	12 UNCH
5300	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.80	----	----	----	----	----	2 UNCH
5305	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.80	----	----	----	----	----	2 UNCH
5335	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.70	----	----	----	----	----	1 UNCH
5350	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.60	----	----	----	----	----	2 UNCH
5400	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.40	----	----	----	----	----	2 UNCH
TOTAL										3024		7940 + 1640

GWR THU — GOLD WEEKLY THURSDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
3500	----	----	----/*0.80A	0.20B/*0.80A	----	0.20 - 0.90	.0003	----	----	----	----	1 UNCH
3700	0.50	0.50	0.50/*0.50	0.50/*0.50	----	0.50 - 0.90	.0010	----	----	1	----	2 + 1
3800	----	----	----/*1.10A	0.80B/*1.10A	----	0.70 - 1.00	.0017	----	----	4	----	6 + 4
3900	----	----	----/*1.30A	1.20B/*1.30A	----	1.10 - 1.20	.0031	----	----	----	----	2 UNCH
3950	----	----	----/*1.50A	1.50B/*1.50A	----	1.30 - 1.30	.0040	----	----	----	----	1 UNCH
4000	----	----	----/*1.70A	2.00B/*1.70A	----	1.50 - 1.70	.0050	----	----	----	----	3 UNCH
4025	1.80	1.80	1.80/*1.80	2.30B/*1.80	----	1.70 NEW	.0059	----	----	1	----	1 + 1
4050	----	----	----/8.20A	10.50B/8.20A	----	7.80 - 4.80	.0376	----	----	----	----	2 UNCH
4100	----	----	----/9.20A	13.00B/9.20A	----	9.40 - 5.60	.0462	----	----	----	----	1 UNCH
4100	9.50	9.50	9.50/*2.30A	9.50/*2.30A	----	2.20 - 3.00	.0086	----	----	2	----	3 + 2
4125	4.00	4.00	4.40B/*2.50A	4.40B/*2.50A	----	2.40 NEW	.0098	----	----	1	----	1 + 1
4150	----	----	----/*2.70A	5.00B/*2.70A	----	2.70 - 4.00	.0115	----	----	----	----	1 UNCH
4200	3.80	3.80	3.80/*3.10	6.60B/*3.10	----	3.30 - 5.20	.0153	----	----	9	----	106 + 5
4200	----	----	----/12.80A	20.10B/12.80A	----	13.80 NEW	.0699	----	----	3	----	3 + 3
4215	16.30	16.30	25.50/13.50A	25.50/13.50A	----	14.60 NEW	.0743	----	----	4	----	0 UNCH
4225	----	----	----/*3.50A	7.60B/*3.50A	----	3.70 - 6.00	.0179	----	----	----	----	5 UNCH
4225	----	----	----/14.10A	22.60B/14.10A	----	15.20 NEW	.0776	----	----	3	----	3 + 3
4230	----	----	----/14.40A	23.00B/14.40A	----	15.50 - 8.70	.0792	----	----	----	----	3 UNCH
4235	----	----	----/14.70A	23.60B/14.70A	----	15.90 - 8.70	.0812	----	----	----	----	1 UNCH
4250	----	----	----/15.60A	25.20B/15.60A	----	16.90 - 9.10	.0865	----	----	----	----	4 UNCH
4250	----	----	----/*3.90A	8.80B/*3.90A	----	4.20 - 6.70	.0212	----	----	----	----	51 UNCH
4255	38.10	38.10	38.10/16.30A	38.10/16.30A	----	17.20 NEW	.0882	----	----	1	----	1 + 1
4260	3.90	3.90	3.90/*3.90	9.30B/*3.90	----	4.40 NEW	.0226	----	----	1	----	1 + 1
4265	4.00	4.00	4.00/*4.00	9.50B/*4.00	----	4.50 NEW	.0234	----	----	1	----	1 + 1
4270	----	----	----/*4.20A	9.80B/*4.20A	----	4.60 - 7.50	.0241	----	----	----	----	9 UNCH
4285	----	----	----/18.30A	29.30B/18.30A	----	19.50 - 10.20	.1004	----	----	----	----	1 UNCH
4300	----	----	----/19.30A	31.30B/19.30A	----	20.80 - 10.60	.1072	----	----	----	----	2 UNCH
4300	5.60	5.60	5.60/*4.80A	11.60B/*4.80A	----	5.40 - 8.60	.0298	----	----	4	----	32 + 4
4305	6.20	6.20	6.20/*4.90A	11.90B/*4.90A	----	5.50 NEW	.0306	----	----	1	----	1 + 1
4310	5.80	5.80	5.80/*5.00A	12.30B/*5.00A	----	5.70 - 9.00	.0319	----	----	9	----	10 + 9
4320	6.10	6.10	6.10/*5.30A	13.00B/*5.30A	----	6.00 - 9.40	.0342	----	----	5	----	6 + 5
4325	----	----	34.80B/21.30A	34.80B/21.30A	----	23.10 - 11.40	.1194	----	----	----	----	150 UNCH
4325	6.30	6.30	6.30/*5.50A	13.40B/*5.50A	----	6.10 NEW	.0351	----	----	4	----	4 + 4
4330	----	----	----/*5.60A	13.70B/*5.60A	----	6.30 - 9.90	.0366	----	----	----	----	10 UNCH
4335	6.60	6.60	6.60/*5.70A	14.10B/*5.70A	----	6.50 - 10.10	.0380	----	----	8	----	13 + 8
4340	6.80	6.80	6.80/*5.90A	14.50B/*5.90A	----	6.70 NEW	.0395	----	----	3	----	3 + 3
4345	6.30	6.30	6.30/*6.00A	15.00B/*6.00A	----	6.80 NEW	.0405	----	----	11	----	11 + 11
4350	7.20	7.20	7.20/*6.20A	15.40B/*6.20A	----	7.00 - 10.90	.0420	----	----	1	----	26 + 1
4350	----	----	38.70B/23.40A	38.70B/23.40A	----	25.70 - 12.20	.1329	----	----	----	----	4 UNCH
4355	----	----	----/*6.30A	15.80B/*6.30A	----	7.20 - 11.10	.0436	----	----	----	----	1 UNCH
4360	----	----	----/*6.50A	16.10B/*6.50A	----	7.40 - 11.40	.0452	----	----	----	----	1 UNCH
4375	----	----	----/*7.00A	17.60B/*7.00A	----	8.10 - 12.10	.0506	----	----	----	----	1 UNCH
4395	8.20	8.20	8.20/*7.70A	19.90B/*7.70A	----	9.10 - 13.10	.0587	----	----	1	----	2 + 1
4400	----	----	64.90B/50.40A	64.90B/50.40A	----	52.40 - 11.30	.2129	----	----	----	----	1 UNCH
4400	----	----	----/*7.90A	20.40B/*7.90A	----	9.40 - 13.40	.0611	----	----	----	----	4 UNCH
4400	----	----	47.10B/29.00A	47.10B/29.00A	----	32.00 - 13.90	.1648	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU GOLD WEEKLY THURSDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4405	10.60	10.60	10.60/*8.10A	21.00B/*8.10A	----	9.70 NEW	.0635	----	----	1	----	1 + 1
4410	----	----	49.60B/30.20A	49.60B/30.20A	----	33.50 - 14.20	.1722	----	----	----	----	4 UNCH
4410	----	----	66.20B/52.50A	66.20B/52.50A	----	54.40 - 11.40	.2201	----	----	----	----	2 UNCH
4410	----	----	----/*8.30A	21.60B/*8.30A	----	10.00 - 13.90	.0660	----	----	----	----	4 UNCH
4415	----	----	332.60B/300.30A	332.60B/300.30A	----	303.70 - 9.30	.8239	----	----	----	----	5 UNCH
4415	----	----	315.40B/255.70A	315.40B/255.70A	----	279.90 - 9.20	.9313	----	----	----	----	8 UNCH
4415	11.20	11.20	11.20/*8.60A	22.30B/*8.60A	----	10.30 - 14.20	.0685	----	----	1	----	10 + 1
4420	----	----	310.60B/251.50A	310.60B/251.50A	----	275.20 - 9.50	.9288	----	----	----	----	5 UNCH
4420	----	----	328.40B/298.80A	328.40B/298.80A	----	299.50 - 9.40	.8201	----	----	----	----	5 UNCH
4420	11.50	11.50	11.50/*8.80A	22.90B/*8.80A	----	10.60 NEW	.0711	----	----	2	----	2 + 2
4430	12.20	12.20	12.20/*9.30A	24.40B/*9.30A	----	11.30 NEW	.0768	----	----	1	----	1 + 1
4440	11.40	11.40	11.40/*9.90A	26.70B/*9.90A	----	12.00 NEW	.0828	----	----	1	----	1 + 1
4440	----	----	291.60B/235.10A	291.60B/235.10A	----	256.70 - 10.60	.9170	----	----	----	----	1 UNCH
4450	12.00	12.00	12.00/*10.50A	28.70B/*10.50A	----	12.90 - 16.20	.0900	----	----	6	----	11 + 5
4455	14.20	14.20	14.20/*10.80A	29.00B/*10.80A	----	13.30 NEW	.0935	----	----	1	----	1 + 1
4460	----	----	60.80B/37.50A	60.80B/37.50A	----	41.80 - 15.90	.2125	----	----	----	----	4 UNCH
4460	----	----	79.50B/61.70A	79.50B/61.70A	----	65.30 NEW	.2585	----	----	1	----	1 + 1
4465	----	----	62.00B/38.40A	62.00B/38.40A	----	42.70 - 16.10	.2168	----	----	----	----	3 UNCH
4465	----	----	----/*11.50A	30.80B/*11.50A	----	14.20 - 17.10	.1011	----	----	----	----	1 UNCH
4470	----	----	263.50B/211.10A	263.50B/211.10A	----	229.30 - 12.40	.8946	----	----	----	----	5 UNCH
4470	----	----	82.40B/64.30A	82.40B/64.30A	----	67.80 - 12.60	.2669	----	----	----	----	2 UNCH
4470	----	----	----/*11.80A	31.70B/*11.80A	----	14.70 - 17.40	.1053	----	----	----	----	1 UNCH
4475	----	----	64.50B/40.20A	64.50B/40.20A	----	44.70 - 16.30	.2261	----	----	----	----	1 UNCH
4480	----	----	65.80B/41.00A	65.80B/41.00A	----	45.70 - 16.50	.2308	----	----	----	----	1 UNCH
4480	----	----	85.40B/67.10A	85.40B/67.10A	----	70.20 - 12.90	.2752	----	----	----	----	4 UNCH
4495	18.20	18.20	36.70B/*13.90A	36.70B/*13.90A	----	17.40 NEW	.1281	----	----	1	----	1 + 1
4495	----	----	240.40B/191.10A	240.40B/191.10A	----	207.10 - 13.80	.8717	----	----	----	----	2 UNCH
4500	----	----	71.30B/44.80A	71.30B/44.80A	----	50.00 NEW	.2505	----	----	17	----	17 + 17
4500	----	----	235.90B/187.40A	235.90B/187.40A	----	202.70 - 14.20	.8661	----	----	----	----	11 UNCH
4500	17.70	17.70	17.70/*14.30A	37.10B/*14.30A	----	18.10 - 19.20	.1337	----	----	17	----	37 + 17
4500	----	----	92.80B/71.50A	92.80B/71.50A	----	75.40 - 13.40	.2927	----	----	----	----	1 UNCH
4510	----	----	95.00B/74.50A	95.00B/74.50A	----	78.10 - 13.60	.3016	----	----	----	----	2 UNCH
4520	21.40	21.40	42.30B/*16.30A	42.30B/*16.30A	----	20.80 NEW	.1565	----	----	3	----	3 + 3
4525	----	----	78.70B/49.90A	78.70B/49.90A	----	55.90 - 17.80	.2769	----	----	18	----	68 + 18
4525	----	----	43.60B/*16.90A	43.60B/*16.90A	----	21.50 NEW	.1625	----	----	4	----	4 + 4
4530	----	----	80.20B/50.90A	80.20B/50.90A	----	57.10 - 18.00	.2823	----	----	----	----	2 UNCH
4535	----	----	45.90B/*18.10A	45.90B/*18.10A	----	23.10 - 21.40	.1758	----	----	3	----	3 + 2
4540	----	----	105.40B/82.20A	105.40B/82.20A	----	86.80 NEW	.3297	----	----	2	----	2 + 2
4540	----	----	47.40B/*18.70A	47.40B/*18.70A	----	24.00 - 21.60	.1830	----	----	1	----	1 UNCH
4540	----	----	199.60B/157.90A	199.60B/157.90A	----	168.60 - 16.60	.8168	----	----	----	----	1 UNCH
4545	----	----	48.70B/*19.30A	48.70B/*19.30A	----	24.80 NEW	.1899	----	----	24	----	24 + 24
4550	34.00	34.00	50.10B/*20.00A	50.10B/*20.00A	----	25.70 - 22.30	.1974	----	----	1	----	9 UNCH
4550	----	----	191.20B/152.30A	191.20B/152.30A	----	160.40 - 17.20	.8025	----	----	----	----	2 UNCH
4550	----	----	223.20B/190.90A	223.20B/190.90A	----	197.00 - 13.50	.6945	----	----	----	----	1 UNCH
4555	----	----	51.50B/*20.70A	51.50B/*20.70A	----	26.70 - 22.50	.2053	----	----	----	----	3 UNCH
4560	----	----	52.80B/*21.50A	52.80B/*21.50A	----	27.70 - 22.80	.2134	----	----	1	----	2 UNCH
4565	----	----	54.40B/*22.20A	54.40B/*22.20A	----	28.70 - 23.10	.2216	----	----	1	----	1 UNCH
4570	----	----	56.00B/*23.00A	56.00B/*23.00A	----	29.70 NEW	.2299	----	----	23	----	23 + 23
4575	30.60	30.60	57.80B/*23.80A	57.80B/*23.80A	----	30.80 - 23.70	.2387	----	----	1	----	2 + 1
4580	----	----	59.50B/*24.60A	59.50B/*24.60A	----	31.90 - 24.10	.2476	----	----	----	----	1 UNCH
4585	----	----	61.30B/*25.50A	61.30B/*25.50A	----	33.10 - 24.30	.2570	----	----	1	----	3 + 1
4590	----	----	101.20B/66.00A	101.20B/66.00A	----	74.50 - 19.50	.3548	----	----	----	----	1 UNCH
4590	----	----	63.20B/*26.40A	63.20B/*26.40A	----	34.30 NEW	.2665	----	----	1	----	1 + 1
4595	----	----	65.00B/*27.40A	65.00B/*27.40A	----	35.50 - 25.00	.2762	----	----	----	----	2 UNCH
4600	74.30	74.30	105.10B/68.90A	105.10B/68.90A	----	77.80 - 19.70	.3679	----	----	12	----	12 + 11
4600	----	----	149.00B/108.50A	149.00B/108.50A	----	121.50 - 20.20	.7135	----	----	----	----	25 UNCH
4600	42.00	42.00	67.20B/*28.40A	67.20B/*28.40A	----	36.80 - 25.20	.2863	----	----	1	----	3 + 1
4605	36.40	36.40	68.80B/*29.40A	68.80B/*29.40A	----	38.20 NEW	.2968	----	----	1	----	1 + 1
4605	----	----	131.20B/102.10A	131.20B/102.10A	----	108.30 NEW	.3957	----	----	1	----	1 + 1
4610	37.80	37.80	71.20B/*30.50A	71.20B/*30.50A	----	39.60 NEW	.3075	----	----	1	----	1 + 1
4620	----	----	133.90B/96.70A	133.90B/96.70A	----	107.20 - 21.20	.6704	----	----	----	----	3 UNCH
4625	----	----	130.00B/93.90A	130.00B/93.90A	----	103.70 - 21.50	.6588	----	----	----	----	2 UNCH
4630	42.00	42.00	79.30B/*35.20A	79.30B/*35.20A	----	45.70 - 26.60	.3527	----	----	1	----	2 + 1
4635	----	----	122.50B/88.50A	122.50B/88.50A	----	97.00 - 21.80	.6354	----	----	----	----	15 UNCH
4640	----	----	84.30B/*37.70A	84.30B/*37.70A	----	49.00 - 27.10	.3766	----	----	----	----	1 UNCH
4645	----	----	114.80B/81.90A	114.80B/81.90A	----	90.50 - 22.20	.6108	----	----	----	----	3 UNCH
4650	----	----	126.80B/85.20A	126.80B/85.20A	----	96.50 NEW	.4373	----	----	1	----	1 + 1
4650	----	----	111.30B/78.90A	111.30B/78.90A	----	87.30 - 22.40	.5983	----	----	----	----	2 UNCH
4650	52.70	52.70	89.10B/40.60A	89.10B/40.60A	----	52.60 - 27.40	.4016	----	----	39	----	80 + 9
4655	----	----	108.10B/75.90A	108.10B/75.90A	----	84.20 - 22.50	.5855	----	----	----	----	1 UNCH
4655	----	----	129.20B/87.00A	129.20B/87.00A	----	98.60 NEW	.4446	----	----	1	----	1 + 1
4665	76.40	76.40	101.00B/70.20A	101.00B/70.20A	----	78.20 - 22.70	.5593	----	----	1	----	6 UNCH
4670	63.50	63.50	98.50B/46.70A	98.50B/46.70A	----	60.50 NEW	.4538	----	----	1	----	1 + 1
4675	70.00	70.00	98.00B/64.80A	98.00B/64.80A	----	72.40 NEW	.5325	----	----	1	----	1 + 1
4675	----	----	138.20B/94.60A	138.20B/94.60A	----	107.30 - 20.50	.4740	----	----	----	----	1 UNCH
4675	----	----	100.60B/48.30A	100.60B/48.30A	----	62.70 - 27.80	.4673	----	----	----	----	101 UNCH
4680	----	----	95.80B/62.10A	95.80B/62.10A	----	69.60 - 22.90	.5190	----	----	----	----	6 UNCH
4680	----	----	101.60B/50.10A	101.60B/50.10A	----	64.90 - 27.90	.4809	----	----	----	----	1 UNCH
4685	----	----	158.80B/136.50A	158.80B/136.50A	----	141.00 NEW	.5140	----	----	1	----	1 + 1
4685	----	----	103.70B/51.90A	103.70B/51.90A	----	67.10 - 28.00	.4946	----	----	----	----	1 UNCH
4685	70.00	70.00	95.40B/59.50A	95.40B/59.50A	----	66.80 - 23.00	.5053	----	----	8	----	15 + 8
4690	----	----	92.30B/57.00A	92.30B/57.00A	----	64.20 - 22.90	.4915	----	----	2	----	8 UNCH
4695	----	----	89.30B/54.60A	89.30B/54.60A	----	61.60 NEW	.4777	----	----	2	----	1 + 1
4700	----	----	122.80B/99.30A	122.80B/99.30A	----	103.70 - 15.50	.4882	----	----	----	----	6 UNCH
4700	69.00	69.00	86.10B/52.20A	86.10B/52.20A	----	59.10 - 22.80	.4638	----	----	2	----	3 + 2
4700	----	----	152.20B/104.80A	152.20B/104.80A	----	118.90 - 20.50	.5115	----	----	----	----	1 UNCH
4700	----	----	111.30B/57.70A	111.30B/57.70A	----	74.40 - 27.80	.5360	----	----	----	----	3 UNCH
4715	----	----	160.50B/111.30A	160.50B/111.30A	----	126.40 - 20.50	.5342	----	----	----	----	1 UNCH
4715	62.90	62.90	76.40B/45.60A	76.40B/45.60A	----	51.90 - 22.60	.4221	----	----	2	----	7 + 2
4715	72.60	72.60	120.30B/64.00A	120.30B/64.00A	----	82.20 NEW	.5778	----	----	2	----	2 + 2
4720	75.00	75.00	75.00/43.50A	75.00/43.50A	----	49.60 NEW	.4081	----	----	4	----	4 + 4
4725	----	----	70.50B/41.50A	70.50B/41.50A	----	47.50 - 22.30	.3945	----	----	----	----	1 UNCH
4725	88.80	88.80	127.60B/68.50A	127.60B/68.50A	----	87.80 NEW	.6053	----	----	1	----	1 + 1
4735	----	----	65.90B/*37.80A	65.90B/*37.80A	----	43.30 - 22.00	.3671	----	----	----	----	11 UNCH
4750	----	----	----/*32.60A	57.60B/*32.60A	----	37.60 - 21.30	.3274	----	----	----	----	4 UNCH
4750	----	----	97.00B/76.70A	97.00B/76.70A	----	80.00 - 15.10	.4122	----	----	----	----	1 UNCH
4750	----	----	144.40B/81.00A	144.40B/81.00A	----	102.90 - 26.30	.6725	----	----	----	----	1 UNCH
4755	----	----	183.20B/130.70A	183.20B/130.70A	----	148.10 - 20.00	.5950	----	----	----	----	1 UNCH
4765	----	----	154.10B/91.70A	154.10B/91.70A	----	112.80 - 25.40	.7105	----	----	----	----	1 UNCH
4775	----	----	162.50B/97.70A	162.50B/97.70A	----	119.70 - 24.90	.7346	----	----	----	----	2 UNCH
4775	----	----	84.80B/66.70A	84.80B/66.70A	----	69.70 - 14.70	.3746	----	----	----	----	6 UNCH
4775	----	----	197.40B/141.20A	197.40B/141.20A	----	159.90 - 19.70	.6250	----	----	----	----	1 UNCH
4775	38.50	38.50	38.50/*25.20A	47.00B/*25.20A	----	29.40 NEW	.2652	----	----	108	----	51 + 51
4780	46.00	46.00	46.00/*23.90A	46.00/*23.90A	----	28.00 - 19.60	.2538	----	----	3	----	7 + 3
4790	----	----	----/*21.60A	41.60B/*21.60A	----	25.30 NEW	.2315	----	----	27	----	27 + 27
4800	----	----	181.80B/113.90A	181.80B/113.90A	----	138.10 - 23.10	.7895	----	----	----	----	11 UNCH
4800	----	----	----/57.70A	73.50B/57.70A	----	60.30 - 14.20	.3378	----	----	2	----	4 + 2
4800	39.00	39.00	39.30B/*19.30A	39.30B/*19.30A	----	22.80 - 18.20	.2103	----	----	8	----	219 + 6
4805	----	----	217.80B/158.20A	217.80B/158.20A	----	178.70 - 19.10	.6689	----	----	----	----	1 UNCH
4810	----	----	----/54.40A	69.30B/54.40A	----	56.80 NEW	.3234	----	----	1	----	1 + 1
4815	----	----	----/*16.50A	34.10B/*16.50A	----	19.50 NEW	.1812	----	----	23	----	23 + 23
4815	----	----	----/52.70A	67.30B/52.70A	----	55.20 - 13.80	.3165	----	----	----	----	1 UNCH
4825	----	----	----/*14.90A	30.90B/*14.90A	----	17.60 - 16.40	.1638	----	----	5	----	10 - 4
4830	30.00	30.00	30.00/*14.10A	30.00/*14.10A	----	16.70 NEW	.1555	----	----	1	----	1 + 1
4835	----	----	----/46.70A	59.80B/46.70A	----	48.80 NEW	.2887	----	----	17	----	17 + 17
4850	----	----	----/*11.40A	23.90B/*11.40A	----	13.60 - 14.50	.1261	----	----	----	----	4 UNCH
4850	----	----	223.50B/150.80A	223.50B/150.80A	----	178.80 - 19.50	.8737	----	----	----	----	1 UNCH
4850	37.80	37.80	54.60B/37.80	54.60B/37.80	----	44.40 - 12.90	.2686	----	----	4	----	5 + 4
4855	----	----	----/*10.80A	22.60B/*10.80A	----	12.90 - 14.10	.1194	----	----	----	----	4 UNCH
4860	----	----	----/40.00A	51.40B/40.00A	----	41.70 NEW	.2557	----	----	17	----	17 + 17
4860	----	----	----/*10.30A	21.50B/*10.30A	----	12.20 - 13.80	.1128	----	----	----	----	1 UNCH
4875	16.00	16.00	18.20B/*8.80A	18.20B/*8.80A	----	10.50 NEW	.0960	----	----	5	----	3 + 3
4875	----	----	245.50B/171.20A	245.50B/171.20A	----	200.70 - 17.70	.9038	----	----	----	----	2 UNCH
4890	----	----	259.40B/183.90A	259.40B/183.90A	----	214.30 - 16.50	.9186	----	----	----	----	10 UNCH
4895	----	----	263.90B/188.20A	263.90B/188.20A	----	218.80 - 16.30	.9227	----	----	1	----	2 + 1
4900	----	----	268.70B/192.70A	268.70B/192.70A	----	223.40 - 15.90	.9267	----	----	1	----	3 + 1
4900	10.50	10.50	10.50/*6.80A	13.70B/*6.80A	----	8.20 - 10.90	.0732	----	----	1	----	33 + 1
4900	----	----	290.20B/228.00A	290.20B/228.00A	----	247.30 - 16.20	.7919	----	----	----	----	1 UNCH
4900	----	----	----/31.10A	39.70B/31.10A	----	32.20 - 11.20	.2078	----	----	----	----	201 UNCH
4905	----	----	----/30.10A	38.40B/30.10A	----	31.10 - 11.10	.2020	----	----	----	----	1 UNCH
4910	----	----	----/29.30A	37.20B/29.30A	----	30.10 - 10.90	.1966	----	----	----	----	1 UNCH
4910	----	----	----/*6.20A	12.20B/*6.20A	----	7.40 NEW	.0653	----	----	1	----	1 + 1
4925	----	----	----/*26.50A	33.50B/*26.50A	----	27.30 - 10.40	.1811	----	----	----	----	1 UNCH
4930	----	----	----/*5.10A	9.60B/*5.10A	----	6.10 - 9.20	.0524	----	----	----	----	1 UNCH
4940	----	----	----/*4.60A	8.50B/*4.60A	----	5.50 - 8.70	.0466	----	----	----	----	31 UNCH
4950	----	----	----/*4.20A	7.50B/*4.20A	----	5.10 - 8.10	.0424	----	----	----	----	2 UNCH
4950	----	----	----/*22.60A	28.20B/*22.60A	----	23.10 - 9.60	.1571	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU — GOLD WEEKLY THURSDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4955	6.00	6.00	6.00/*4.10A	7.10B/*4.10A	----	4.80 NEW	.0397	----	----	2	----	1 + 1
4960	----	----	----/*3.90A	6.60B/*3.90A	----	4.60 - 7.70	.0377	----	----	----	----	1 UNCH
4965	----	----	331.00B/252.00A	331.00B/252.00A	----	284.70 - 12.30	.9641	----	----	----	----	1 UNCH
4965	----	----	----/*3.70A	6.20B/*3.70A	----	4.40 - 7.40	.0358	----	----	----	----	1 UNCH
4975	----	----	----/*18.90A	23.60B/*18.90A	----	19.60 - 8.90	.1360	----	----	----	----	1 UNCH
4985	----	----	----/*3.10A	4.80B/*3.10A	----	3.70 - 6.60	.0290	----	----	----	----	1 UNCH
4990	2.50	2.50	2.50/*2.50	4.50B/*2.50	----	3.60 - 6.30	.0279	----	----	1	----	2 + 1
4990	----	----	355.50B/274.50A	355.50B/274.50A	----	308.80 - 11.20	.9719	----	----	1	----	1 UNCH
4995	----	----	----/*2.90A	4.30B/*2.90A	----	3.40 - 6.20	.0262	----	----	----	----	1 UNCH
5000	----	----	----/*34.90A	36.80B/*34.90A	----	34.50 NEW	.1845	----	----	1	----	1 + 1
5000	2.70	2.70	3.00/*2.70	4.10B/*2.70	----	3.30 - 6.00	.0251	----	----	3	----	209 + 3
5000	----	----	365.40B/284.00A	365.40B/284.00A	----	318.50 NEW	.9747	----	----	1	----	1 + 1
5000	----	----	375.10B/308.60A	375.10B/308.60A	----	331.70 - 13.00	.8820	----	----	----	----	1 UNCH
5000	----	----	----/*16.50A	19.60B/*16.50A	----	16.70 - 8.10	.1177	----	----	----	----	60 UNCH
5010	----	----	----/*2.60A	3.60B/*2.60A	----	3.00 - 5.70	.0224	----	----	----	----	2 UNCH
5010	----	----	----/*15.60A	18.50B/*15.60A	----	15.60 - 7.90	.1107	----	----	----	----	1 UNCH
5020	----	----	----/*14.80A	17.30B/*14.80A	----	14.70 - 7.50	.1047	----	----	----	----	2 UNCH
5025	2.70	2.70	2.70/*2.30A	3.10B/*2.30A	----	2.70 NEW	.0196	----	----	1	----	1 + 1
5030	----	----	----/*13.70A	16.00B/*13.70A	----	13.80 - 7.30	.0987	----	----	----	----	1 UNCH
5050	2.50	2.50	2.50/*1.90A	2.50/*1.90A	----	2.20 - 4.50	.0152	----	----	1	----	3 + 1
5050	----	----	----/*11.90A	14.00B/*11.90A	----	12.20 - 6.70	.0879	----	----	----	----	70 UNCH
5060	----	----	----/*1.80A	2.20B/*1.80A	----	2.10 NEW	.0142	----	----	1	----	1 + 1
5065	----	----	----/*1.80A	2.10B/*1.80A	----	2.00 - 4.10	.0134	----	----	----	----	1 UNCH
5065	----	----	----/*11.10A	12.30B/*11.10A	----	11.10 - 6.40	.0804	----	----	----	----	1 UNCH
5085	----	----	----/*1.50A	1.70B/*1.50A	----	1.70 - 3.70	.0109	----	----	----	----	1 UNCH
5095	----	----	----/*1.40A	1.60B/*1.40A	----	1.50 - 3.60	.0095	----	----	----	----	1 UNCH
5100	----	----	----/*10.10A	10.30B/*10.10A	----	9.00 - 5.60	.0657	----	----	----	----	1 UNCH
5115	----	----	----/*1.30A	1.30B/*1.30A	----	1.30 - 3.20	.0079	----	----	----	----	1 UNCH
5145	----	----	----/*1.10A	1.00B/*1.10A	----	1.00 - 2.80	.0057	----	----	----	----	2 UNCH
5150	----	----	----/*8.00A	6.20B/*8.00A	----	6.80 - 4.60	.0497	----	----	----	----	1 UNCH
5155	----	----	----/*1.00A	0.90B/*1.00A	----	0.90 - 2.70	.0050	----	----	----	----	4 UNCH
5180	----	----	----/*6.70A	5.20B/*6.70A	----	5.80 - 4.10	.0422	----	----	----	----	1 UNCH
5200	----	----	----/*0.90A	0.50B/*0.90A	----	0.60 - 2.30	.0030	----	----	----	----	10 UNCH
5200	----	----	----/*6.50A	4.30B/*6.50A	----	5.20 - 3.80	.0378	----	----	----	----	1 UNCH
5215	----	----	----/*0.80A	0.50B/*0.80A	----	0.50 - 2.20	.0024	----	----	----	----	1 UNCH
5300	----	----	----/*4.50A	1.90B/*4.50A	----	3.30 - 2.50	.0233	----	----	----	----	1 UNCH
5305	----	----	----/*4.50A	1.80B/*4.50A	----	3.20 - 2.50	.0226	----	----	----	----	2 UNCH
5320	----	----	----/*4.40A	1.70B/*4.40A	----	3.00 - 2.40	.0211	----	----	----	----	1 UNCH
5400	----	----	----/*0.60A	----/*0.60A	----	0.10 - 1.10	.0002	----	----	----	----	250 UNCH
TOTAL										533		2515 + 412

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
3500	----	----	----/1.20A	0.40B/1.20A	----	0.70 - 1.30	.0024	----	----	----	----	3 UNCH
3500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
3600	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3650	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3700	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 8
3750	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 5
3750	----	----	----/*1.90A	1.00B/*1.90A	----	1.40 - 1.60	.0058	----	----	----	----	1 UNCH
3800	----	----	----/0.10A	----/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 81
3850	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 26
3850	----	----	----/*2.30A	1.90B/*2.30A	----	2.00 NEW	.0089	----	----	2	----	2 + 2
3900	2.10	2.10	2.10/*2.10	2.60B/*2.10	----	2.40 - 2.20	.0110	----	----	3	----	4 + 3
3900	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 35
3950	----	----	----/*3.00A	3.20B/*3.00A	----	2.80 - 2.60	.0134	----	----	1	----	4 + 1
3950	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.70	----	----	----	6	----	0 - 33
4000	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.90	----	----	----	3	----	0 - 295
4000	----	----	----/*3.40A	3.80B/*3.40A	----	3.30 - 3.10	.0164	----	----	2	----	21 UNCH
4025	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 1
4050	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 41
4050	----	----	----/*3.90A	4.80B/*3.90A	----	4.00 - 3.60	.0206	----	----	1	----	2 + 1
4050	----	----	----/11.30A	12.10B/11.30A	----	10.00 - 5.20	.0472	----	----	----	----	12 UNCH
4075	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 1
4100	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.00 - 1.50	----	----	----	1	----	0 - 61
4100	----	----	----/*4.70A	6.20B/*4.70A	----	4.80 - 4.40	.0257	----	----	1	----	3 + 1
4100	----	----	----/13.20A	15.10B/13.20A	----	12.20 - 6.00	.0578	----	----	----	----	10 UNCH
4125	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.60	----	----	----	----	----	0 - 35
4150	0.50	0.50	0.70/*0.10A	0.70/*0.10A	----	0.00 - 1.90	----	----	----	18	----	0 - 57
4175	----	----	----/*0.10A	0.60B/*0.10A	----	0.00 - 2.10	----	----	----	----	----	0 - 9
4200	1.00	1.00	1.00/*0.10A	1.00/*0.10A	----	0.00 - 2.40	----	----	----	6	----	0 - 340
4200	----	----	----/*6.80A	10.30B/*6.80A	----	7.30 - 6.60	.0418	----	----	1	----	4 UNCH
4200	----	----	529.70B/432.60A	529.70B/432.60A	----	484.70 + 2.80	----	----	----	----	----	0 - 1
4210	----	----	----/*0.10A	0.80B/*0.10A	----	0.00 - 2.50	----	----	----	----	----	0 - 1
4220	----	----	----/*0.10A	0.90B/*0.10A	----	0.00 - 2.60	----	----	----	----	----	0 - 1
4225	----	----	----/*0.10A	1.00B/*0.10A	----	0.00 - 2.70	----	----	----	----	----	0 - 23
4240	----	----	----/*0.10A	1.10B/*0.10A	----	0.00 - 2.90	----	----	----	----	----	0 - 3
4250	----	----	----/*8.50A	14.20B/*8.50A	----	9.10 - 8.30	.0537	----	----	----	----	100 UNCH
4250	----	----	479.40B/383.20A	479.40B/383.20A	----	434.70 + 2.10	----	----	----	----	----	0 - 34
4250	----	----	474.10B/423.10A	474.10B/423.10A	----	443.60 - 3.10	.9460	----	----	----	----	1 UNCH
4250	19.00	19.00	19.50/19.00	29.30B/19.00	----	22.30 NEW	.1058	----	----	5	----	5 + 5
4250	0.10	0.10	0.10/*0.10	1.30B/*0.10	----	0.00 - 3.00	----	----	----	1	----	0 - 13
4265	0.40	0.40	0.40/*0.10A	1.40B/*0.10A	----	0.00 - 3.30	----	----	----	1	----	0 - 2
4270	----	----	----/*0.10A	1.40B/*0.10A	----	0.00 - 3.30	----	----	----	----	----	0 - 8
4275	----	----	----/*0.10A	1.50B/*0.10A	----	0.00 - 3.40	----	----	----	----	----	0 - 26
4280	----	----	----/*0.10A	1.50B/*0.10A	----	0.00 - 3.50	----	----	----	----	----	0 - 3
4285	----	----	444.00B/348.80A	444.00B/348.80A	----	399.70 + 1.50	----	----	----	----	----	0 - 2
4290	----	----	----/*0.10A	1.70B/*0.10A	----	0.00 - 3.70	----	----	----	----	----	0 - 78
4300	1.80	1.80	2.00/*0.10	2.00/*0.10	----	0.00 - 3.90	----	----	----	12	----	0 - 212
4310	----	----	----/*11.10A	18.80B/*11.10A	----	12.10 - 10.70	.0736	----	----	----	----	10 UNCH
4310	----	----	----/*0.10A	1.90B/*0.10A	----	0.00 - 4.10	----	----	----	----	----	0 - 11
4315	----	----	----/*11.40A	19.20B/*11.40A	----	12.40 - 10.90	.0756	----	----	----	----	5 UNCH
4320	----	----	----/*0.10A	2.10B/*0.10A	----	0.00 - 4.40	----	----	----	----	----	0 - 1
4325	0.80	0.80	2.20/*0.10A	2.20/*0.10A	----	0.00 - 4.50	----	----	----	3	----	0 - 1
4330	----	----	----/*0.10A	2.30B/*0.10A	----	0.00 - 4.60	----	----	----	----	----	0 - 2
4335	----	----	----/*0.10A	2.40B/*0.10A	----	0.00 - 4.70	----	----	----	----	----	0 - 10
4340	0.60	0.60	0.60/*0.10A	2.40B/*0.10A	----	0.00 - 4.90	----	----	----	1	----	0 - 1
4345	----	----	----/*0.10A	2.50B/*0.10A	----	0.00 - 5.00	----	----	----	----	----	0 - 3
4350	----	----	379.40B/285.20A	379.40B/285.20A	----	334.70 UNCH	----	----	----	----	----	0 - 1
4350	----	----	----/*13.40A	23.80B/*13.40A	----	14.80 - 12.50	.0914	----	----	----	----	5 UNCH
4350	2.70	2.70	2.70/*0.10A	2.70/*0.10A	----	0.00 - 5.10	----	----	----	2	----	0 - 29
4350	33.40	33.40	33.40/32.10A	44.00B/32.10A	----	33.50 - 11.60	.1566	----	----	1	----	4 UNCH
4355	----	----	----/*0.10A	2.70B/*0.10A	----	0.00 - 5.30	----	----	----	----	----	0 - 8
4355	----	----	----/*13.80A	23.90B/*13.80A	----	15.10 NEW	.0936	----	----	1	----	1 + 1
4360	----	----	----/*0.10A	2.80B/*0.10A	----	0.00 - 5.50	----	----	----	----	----	0 - 9
4365	----	----	----/*14.40A	25.00B/*14.40A	----	15.90 NEW	.0988	----	----	1	----	1 + 1
4370	----	----	----/*0.10A	3.10B/*0.10A	----	0.00 - 5.80	----	----	----	1	----	0 - 2
4375	----	----	----/*0.10A	3.20B/*0.10A	----	0.00 - 6.00	----	----	----	----	----	0 - 1
4375	----	----	----/35.30A	48.30B/35.30A	----	37.10 NEW	.1724	----	----	1	----	1 + 1
4380	----	----	----/*0.10A	3.30B/*0.10A	----	0.00 - 6.10	----	----	----	2	----	0 - 6
4385	----	----	----/*0.10A	3.40B/*0.10A	----	0.00 - 6.30	----	----	----	----	----	0 - 4
4390	----	----	----/*0.10A	3.60B/*0.10A	----	0.00 - 6.50	----	----	----	2	----	0 - 2
4390	----	----	----/37.30A	51.60B/37.30A	----	39.40 - 12.70	.1825	----	----	----	----	2 UNCH
4400	1.60	1.60	4.00B/*0.10	4.00B/*0.10	----	0.00 - 7.00	----	----	----	11	----	0 - 148
4400	----	----	329.60B/237.00A	329.60B/237.00A	----	284.70 - 1.90	----	----	----	----	----	0 - 52
4400	20.00	20.00	20.00/17.10A	30.80B/17.10A	----	19.10 - 14.90	.1197	----	----	1	----	23 + 1
4400	----	----	----/38.60A	53.80B/38.60A	----	41.00 - 13.00	.1894	----	----	----	----	150 UNCH
4410	----	----	----/*0.10A	4.20B/*0.10A	----	0.00 - 7.40	----	----	----	----	----	0 - 4
4410	----	----	319.40B/227.50A	319.40B/227.50A	----	274.70 - 2.30	----	----	----	----	----	0 - 4
4415	----	----	318.20B/278.10A	318.20B/278.10A	----	290.20 - 10.60	.8701	----	----	----	----	10 UNCH
4415	----	----	----/*0.10A	4.30B/*0.10A	----	0.00 - 7.70	----	----	----	----	----	0 - 5
4420	----	----	----/*0.10A	4.60B/*0.10A	----	0.00 - 7.90	----	----	----	4	----	0 - 5
4420	----	----	309.30B/218.00A	309.30B/218.00A	----	264.70 - 2.80	----	----	----	----	----	0 - 4
4425	0.20	0.20	0.20/*0.10A	4.80B/*0.10A	----	0.00 - 8.20	----	----	----	4	----	0 - 4
4430	2.50	2.50	2.50/*0.10	5.10B/*0.10	----	0.00 - 8.40	----	----	----	2	----	0 - 1
4435	----	----	----/*0.10A	5.20B/*0.10A	----	0.00 - 8.70	----	----	----	----	----	0 - 1
4440	----	----	289.30B/199.10A	289.30B/199.10A	----	244.70 - 3.90	----	----	----	----	----	0 - 10
4440	1.00	1.00	1.00/*0.10A	5.60B/*0.10A	----	0.00 - 9.00	----	----	----	3	----	0 - 33
4440	25.00	25.00	25.00/20.80A	37.40B/20.80A	----	23.50 - 17.00	.1484	----	----	1	----	1 UNCH
4440	----	----	298.00B/258.40A	298.00B/258.40A	----	268.10 - 11.80	.8514	----	----	----	----	1 UNCH
4445	----	----	----/*0.10A	5.90B/*0.10A	----	0.00 - 9.30	----	----	----	----	----	0 - 25
4450	5.20	5.20	6.50/*0.10A	6.50/*0.10A	----	0.00 - 9.70	----	----	----	29	----	0 - 139

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1										
APR26												
4450	----	----	279.40B/189.80A	279.40B/189.80A	----	234.70 - 4.60	----	----	----	----	----	0 - 1
4450	20.50	20.50	20.50/20.50	39.90B/20.50	----	24.80 - 17.40	.1566	----	----	3	----	8 + 3
4455	----	----	----/*0.10A	6.10B/*0.10A	----	0.00 - 10.00	----	----	----	----	----	0 - 9
4460	237.00	237.00	269.30B/180.60A	269.30B/180.60A	----	224.70 - 5.30	----	----	----	2	----	0 - 3
4460	----	----	----/*0.10A	6.70B/*0.10A	----	0.00 - 10.40	----	----	----	----	----	0 - 3
4465	----	----	----/*0.10A	6.80B/*0.10A	----	0.00 - 10.70	----	----	----	----	----	0 - 15
4470	----	----	----/24.30A	43.50B/24.30A	----	27.60 - 18.40	.1744	----	----	----	----	2 UNCH
4475	7.30	7.30	7.30/*0.10A	7.30/*0.10A	----	0.00 - 11.50	----	----	----	1	----	0 - 15
4480	----	----	----/25.60A	45.70B/25.60A	----	29.20 - 18.80	.1842	----	----	----	----	1 UNCH
4480	----	----	----/*0.10A	7.80B/*0.10A	----	0.00 - 11.90	----	----	----	----	----	0 - 5
4485	0.10	0.10	0.10/*0.10	8.20B/*0.10	----	0.00 - 12.40	----	----	----	1	----	0 - 11
4490	----	----	----/27.00A	48.10B/27.00A	----	30.80 - 19.30	.1942	----	----	16	----	6 - 10
4490	2.80	2.80	2.80/*0.10A	8.70B/*0.10A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4495	----	----	----/*0.20A	9.00B/*0.20A	----	0.00 - 13.30	----	----	----	----	----	0 - 4
4500	----	----	229.60B/144.50A	229.60B/144.50A	----	184.70 - 8.80	----	----	----	----	----	0 - 7
4500	31.30	31.30	31.30/28.40A	51.20B/28.40A	----	32.50 - 19.70	.2047	----	----	1	----	18 + 1
4500	7.60	7.60	10.00/*0.10	10.00/*0.10	----	0.00 - 13.80	----	----	----	83	----	0 - 203
4500	----	----	242.90B/209.70A	242.90B/209.70A	----	217.10 - 14.70	.7951	----	----	----	----	300 UNCH
4505	----	----	----/*0.10A	10.00B/*0.10A	----	0.00 - 14.30	----	----	----	----	----	0 - 9
4510	----	----	----/*0.10A	10.50B/*0.10A	----	0.00 - 14.90	----	----	----	----	----	0 - 10
4515	----	----	214.30B/131.30A	214.30B/131.30A	----	169.70 - 10.40	----	----	----	1	----	0 - 1
4515	12.70	12.70	12.70/*0.20A	12.70/*0.20A	----	0.00 - 15.50	----	----	----	2	----	0 - 4
4515	----	----	----/30.70A	54.60B/30.70A	----	35.30 - 20.30	.2216	----	----	16	----	6 - 10
4520	146.00	146.00	209.30B/127.40A	209.30B/127.40A	----	164.70 - 11.00	----	----	----	8	----	0 - 10
4520	0.10	0.10	0.10/*0.10	11.60B/*0.10	----	0.00 - 16.10	----	----	----	2	----	0 - 7
4525	----	----	----/*0.20A	12.20B/*0.20A	----	0.00 - 16.70	----	----	----	----	----	0 - 6
4530	11.00	11.00	12.20B/*0.20A	12.20B/*0.20A	----	0.00 - 17.40	----	----	----	6	----	0 - 2
4535	----	----	213.60B/181.90A	213.60B/181.90A	----	188.90 - 16.20	.7542	----	----	----	----	4 UNCH
4535	15.00	15.00	15.00/*0.20A	15.00/*0.20A	----	0.00 - 18.00	----	----	----	2	----	0 - 21
4540	1.50	1.50	1.50/*0.20A	14.50B/*0.20A	----	0.00 - 18.80	----	----	----	4	----	0 - 26
4545	----	----	----/*0.20A	15.20B/*0.20A	----	0.00 - 19.50	----	----	----	----	----	0 - 4
4550	144.90	144.90	180.10B/102.90A	180.10B/102.90A	----	134.70 - 15.20	----	----	----	4	----	0 - 51
4550	15.00	15.00	18.30B/*0.20	18.30B/*0.20	----	0.00 - 20.30	----	----	----	59	----	0 - 46
4550	----	----	66.10B/37.00A	66.10B/37.00A	----	42.70 - 21.80	.2652	----	----	1	----	3 + 1
4550	----	----	201.60B/170.40A	201.60B/170.40A	----	177.30 - 16.70	.7345	----	----	----	----	1 UNCH
4555	----	----	174.60B/98.90A	174.60B/98.90A	----	129.70 - 16.10	----	----	----	----	----	0 - 11
4555	0.70	0.70	0.70/*0.10A	17.00B/*0.10A	----	0.00 - 21.10	----	----	----	1	----	0 - 15
4560	1.20	1.20	1.20/*0.20A	18.90B/*0.20A	----	0.00 - 22.00	----	----	----	1	----	0 - 20
4565	----	----	----/*0.20A	18.50B/*0.20A	----	0.00 - 22.90	----	----	----	----	----	0 - 30
4570	----	----	159.60B/87.70A	159.60B/87.70A	----	114.70 - 18.70	----	----	----	1	----	0 - 2
4570	11.50	11.50	11.50/*0.20A	19.60B/*0.20A	----	0.00 - 23.80	----	----	----	7	----	0 - 3
4570	----	----	215.10B/189.30A	215.10B/189.30A	----	195.60 - 12.10	.6541	----	----	----	----	1 UNCH
4575	----	----	155.60B/84.10A	155.60B/84.10A	----	109.70 - 19.70	----	----	----	1	----	0 - 1
4575	----	----	74.70B/42.20A	74.70B/42.20A	----	49.00 - 22.60	.3006	----	----	----	----	1 UNCH
4575	7.60	7.60	7.60/*0.10A	21.00B/*0.10A	----	0.00 - 24.80	----	----	----	14	----	0 - 37
4575	----	----	182.10B/152.00A	182.10B/152.00A	----	158.60 - 17.60	.6991	----	----	----	----	5 UNCH
4580	18.30	18.30	22.00B/*0.20A	22.00B/*0.20A	----	0.00 - 25.80	----	----	----	11	----	0 - 6
4580	----	----	150.40B/80.60A	150.40B/80.60A	----	104.70 - 20.70	----	----	----	1	----	0 - 6
4585	2.00	2.00	2.00/*0.20A	23.30B/*0.20A	----	0.00 - 26.80	----	----	----	9	----	0 - 40
4585	----	----	174.50B/144.90A	174.50B/144.90A	----	151.40 NEW	.6840	----	----	1	----	1 + 1
4585	99.00	99.00	145.30B/76.60A	145.30B/76.60A	----	99.70 - 21.80	----	----	----	4	----	0 - 2
4585	----	----	77.40B/44.40A	77.40B/44.40A	----	51.80 - 22.80	.3158	----	----	----	----	4 UNCH
4590	95.00	95.00	140.90B/73.20A	140.90B/73.20A	----	94.70 - 22.90	----	----	----	2	----	0 - 40
4590	0.20	0.20	0.20/*0.10	24.20B/*0.10	----	0.00 - 27.90	----	----	----	5	----	0 - 31
4595	----	----	----/*0.20A	24.50B/*0.20A	----	0.00 - 29.10	----	----	----	5	----	0 - 77
4595	----	----	135.20B/69.80A	135.20B/69.80A	----	89.70 - 24.10	----	----	----	3	----	0 - 41
4600	23.90	23.90	28.10/*0.10	28.10/*0.10	----	0.00 - 30.30	----	----	----	51	----	0 - 234
4600	----	----	194.00B/172.00A	194.00B/172.00A	----	175.60 - 12.80	.6195	----	----	----	----	10 UNCH
4600	----	----	115.60B/83.10A	115.60B/83.10A	----	91.00 - 17.80	.3801	----	----	----	----	1 UNCH
4600	----	----	130.30B/65.70A	130.30B/65.70A	----	84.70 - 25.30	----	----	----	1	----	0 - 79
4600	56.00	56.00	84.10B/48.10A	84.10B/48.10A	----	56.20 - 23.20	.3393	----	----	3	----	5 + 1
4605	----	----	----/*0.10A	27.70B/*0.10A	----	0.00 - 31.60	----	----	----	1	----	0 - 68
4605	----	----	125.20B/62.40A	125.20B/62.40A	----	79.70 - 26.50	----	----	----	----	----	0 - 6
4610	2.30	2.30	2.30/*0.10A	30.30B/*0.10A	----	0.00 - 32.90	----	----	----	14	----	0 - 98
4610	65.20	65.20	87.20B/50.60A	87.20B/50.60A	----	59.40 - 23.40	.3557	----	----	2	----	15 + 1
4610	57.00	57.00	120.50B/53.00	120.50B/53.00	----	74.70 - 27.90	----	----	----	20	----	0 - 81
4615	2.40	2.40	2.40/*0.10A	31.20B/*0.10A	----	0.00 - 34.20	----	----	----	5	----	0 - 4
4615	----	----	115.60B/56.10A	115.60B/56.10A	----	69.70 - 29.20	----	----	----	1	----	0 - 22
4620	24.70	24.70	24.70/*0.10A	33.10B/*0.10A	----	0.00 - 35.70	----	----	----	16	----	0 - 31
4620	62.10	62.10	91.40B/53.40A	91.40B/53.40A	----	62.70 - 23.60	.3725	----	----	1	----	1 UNCH
4620	----	----	110.60B/52.70A	110.60B/52.70A	----	64.70 - 30.60	----	----	----	2	----	0 - 7
4625	2.50	2.50	2.50/*0.20A	35.10B/*0.20A	----	0.00 - 37.10	----	----	----	6	----	0 - 5
4625	----	----	106.20B/50.40A	106.20B/50.40A	----	59.70 - 32.10	----	----	----	----	----	0 - 41
4630	40.00	40.00	40.00/*0.20A	40.00/*0.20A	----	0.00 - 38.70	----	----	----	21	----	0 - 6
4630	86.00	86.00	101.40B/*46.50A	101.40B/*46.50A	----	54.70 - 33.70	----	----	----	1	----	0 - 2
4635	----	----	96.60B/*41.80A	96.60B/*41.80A	----	49.70 - 35.30	----	----	----	----	----	0 - 5
4635	41.50	41.50	43.00/*0.20A	43.00/*0.20A	----	0.00 - 40.30	----	----	----	20	----	0 - 11
4635	----	----	139.90B/109.60A	139.90B/109.60A	----	117.70 - 18.80	.6011	----	----	----	----	9 UNCH
4640	18.00	18.00	18.00/*0.20A	41.70B/*0.20A	----	0.00 - 42.00	----	----	----	34	----	0 - 5
4640	40.50	40.50	91.60B/*35.80A	91.60B/*35.80A	----	44.70 - 36.90	----	----	----	2	----	0 - 22
4645	----	----	44.10B/*0.20A	44.10B/*0.20A	----	0.00 - 43.70	----	----	----	1	----	0 - 4
4645	38.00	38.00	86.80B/*31.00A	86.80B/*31.00A	----	39.70 - 38.70	----	----	----	9	----	0 - 11
4650	41.30	41.30	82.40B/*26.30A	82.40B/*26.30A	----	34.70 - 40.50	----	----	----	10	----	0 - 58
4650	----	----	101.80B/62.50A	101.80B/62.50A	----	73.70 - 23.90	.4257	----	----	----	----	70 UNCH
4650	32.00	32.00	52.20/*0.10	52.20/*0.10	----	0.00 - 45.50	----	----	----	101	----	0 - 61
4650	----	----	129.70B/100.50A	129.70B/100.50A	----	108.40 - 18.90	.5740	----	----	----	----	1 UNCH
4655	39.80	39.80	50.00/*0.20A	50.00/*0.20A	----	0.00 - 47.40	----	----	----	19	----	0 - 2
4655	----	----	78.20B/*22.30A	78.20B/*22.30A	----	29.70 - 42.40	----	----	----	----	----	0 - 3
4660	26.00	26.00	49.40B/*0.50	49.40B/*0.50	----	0.00 - 49.30	----	----	----	60	----	0 - 2
4660	----	----	126.80B/94.80A	126.80B/94.80A	----	102.50 - 18.90	.5555	----	----	----	----	2 UNCH
4660	47.00	47.00	73.50B/*18.10A	73.50B/*18.10A	----	24.70 - 44.30	----	----	----	3	----	0 - 5
4665	36.30	36.30	69.40B/*14.00A	69.40B/*14.00A	----	19.70 - 46.30	----	----	----	18	----	0 - 11
4665	46.70	46.70	54.90B/*0.10	54.90B/*0.10	----	0.00 - 51.30	----	----	----	51	----	0 - 23
4670	30.00	30.00	64.90B/*8.60A	64.90B/*8.60A	----	14.70 - 48.40	----	----	----	13	----	0 - 2
4670	44.10	44.10	55.70B/*0.50A	55.70B/*0.50A	----	0.00 - 53.40	----	----	----	33	----	0 - 10
4675	41.00	41.00	63.00/*4.90	63.00/*4.90	----	9.70 - 50.50	----	----	----	24	----	0 - 3
4675	42.70	42.70	59.10B/*0.80A	59.10B/*0.80A	----	0.00 - 55.50	----	----	----	82	----	0 - 48
4680	12.00	12.00	62.70B/*0.10	62.70B/*0.10	----	0.00 - 57.80	----	----	----	102	----	0 - 25
4680	11.20	11.20	11.40/*3.00	55.40B/*3.00	----	4.70 - 52.80	----	----	----	10	----	0 - 1
4685	13.00	13.00	66.50B/*2.90A	66.50B/*2.90A	----	0.30 - 59.80	----	----	----	61	----	0 - 53
4685	40.00	40.00	53.50/*2.20A	53.50/*2.20A	----	0.00 - 54.80	----	----	----	59	----	0 - 33
4690	43.80	43.80	69.70B/*3.90A	69.70B/*3.90A	----	5.30 - 57.20	----	----	----	102	----	0 - 6
4690	32.10	32.10	51.50/*0.40A	51.50/*0.40A	----	0.00 - 52.20	----	----	----	94	----	0 - 27
4695	41.70	41.70	74.00B/*4.60	74.00B/*4.60	----	10.30 - 54.70	----	----	----	56	----	0 - 12
4695	19.10	19.10	27.00/*0.40A	45.80B/*0.40A	----	0.00 - 49.70	----	----	----	40	----	0 - 15
4695	91.30	91.30	105.10B/76.40A	105.10B/76.40A	----	83.20 NEW	.4888	----	----	1	----	1 + 1
4700	----	----	126.20B/81.20A	126.20B/81.20A	----	96.00 - 23.60	.5206	----	----	----	----	2 UNCH
4700	26.10	26.10	41.80/*0.10	43.30B/*0.10	----	0.00 - 47.20	----	----	----	294	----	0 - 158
4700	67.00	67.00	78.10B/*5.60A	78.10B/*5.60A	----	15.30 - 52.20	----	----	----	65	----	0 - 54
4700	----	----	102.10B/74.00A	102.10B/74.00A	----	80.70 - 18.60	.4791	----	----	30	----	30 + 29
4700	----	----	132.00B/112.00A	132.00B/112.00A	----	117.30 - 13.70	.4924	----	----	----	----	51 UNCH
4705	22.30	22.30	82.10B/*6.70A	82.10B/*6.70A	----	20.30 - 49.80	----	----	----	98	----	0 - 10
4705	19.90	19.90	20.00/*0.50A	40.70B/*0.50A	----	0.00 - 44.80	----	----	----	26	----	0 - 18
4710	17.80	17.80	85.80B/*8.10A	85.80B/*8.10A	----	25.30 - 47.50	----	----	----	28	----	0 - 2
4710	18.10	18.10	18.10/*0.50A	38.20B/*0.50A	----	0.00 - 42.60	----	----	----	22	----	0 - 19
4715	23.00	23.00	23.20/*0.40A	35.90B/*0.40A	----	0.00 - 40.40	----	----	----	40	----	0 - 5
4715	12.10	12.10	90.40B/*9.90A	90.40B/*9.90A	----	30.30 - 45.30	----	----	----	16	----	0 - 2
4720	11.00	11.00	29.90/*0.30A	33.60B/*0.30A	----	0.00 - 38.20	----	----	----	130	----	0 - 2
4720	24.40	24.40	94.90B/*12.00A	94.90B/*12.00A	----	35.30 - 43.20	----	----	----	47	----	0 - 5
4720	----	----	91.30B/64.80A	91.30B/64.80A	----	71.00 - 18.30	.4402	----	----	----	----	19 UNCH
4725	33.00	33.00	99.30B/*14.20A	99.30B/*14.20A	----	40.30 - 41.20	----	----	----	7	----	0 - 13
4725	11.00	11.00	24.00/*0.30	31.50B/*0.30	----	0.00 - 36.20	----	----	----	53	----	0 - 104
4730	----	----	143.50B/94.50A	143.50B/94.50A	----	111.70 - 23.00	.5789	----	----	----	----	2 UNCH
4730	----	----	103.30B/*17.00A	103.30B/*17.00A	----	45.30 - 39.20	----	----	----	3	----	0 - 3
4730	12.00	12.00	12.00/*0.40A	29.40B/*0.40A	----	0.00 - 34.20	----	----	----	36	----	0 - 25
4735	28.20	28.20	108.10B/*22.00A	108.10B/*22.00A	----	50.30 NEW	----	----	----	129	----	0 UNCH
4735	16.00	16.00	16.00/*0.30A	27.40B/*0.30A	----	0.00 - 32.40	----	----	----	11	----	0 - 5
4740	6.00	6.00	17.20/*0.20A	25.60B/*0.20A	----	0.00 - 30.60	----	----	----	24	----	0 - 39
4745	11.50	11.50	18.00/*0.30A	23.80B/*0.30A	----	0.00 - 28.80	----	----	----	12	----	0 - 15
4750	44.10	44.10	122.10B/33.00A	122.10B/33.00A	----	65.30 - 32.20	----	----	----	3	----	0 - 50
4750	6.80	6.80	8.10/*0.20A	22.20B/*0.20A	----	0.00 - 27.20	----	----	----	184	----	0 - 128
4750	70.00	70.00	77.10B/52.50A	77.10B/52.50A	----	58.00 NEW	.3822	----	----	2	----	2 + 2
4750	----	----	157.00B/104.40A	157.00B/104.40A	----	123.30 - 22.40	.6175	----	----	----	----	1 UNCH
4750	----	----	109.50B/89.50A	109.50B/89.50A	----	93.00 - 13.70	.4253	----	----	----	----	12 UNCH
4755	20.50	20.50	20.50/*0.30A	20.50/*0.30A	----	0.00 - 25.60	----	----	----	11	----	0 - 1
4760	----	----	131.50B/*42.50A	131.50B/*42.50A	----	75.30 - 29.10	----	----	----	----	----	0 - 75
4760	18.90	18.90	18.90/*0.30	18.90/*0.30	----	0.00 - 24.20	----	----	----	17	----	0 - 59

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK1										
APR26											
4765 ----	----	136.10B/47.10A	136.10B/47.10A	----	80.30 - 27.70	----	----	----	----	----	0 - 3
4765 6.90	6.90	8.90/*0.30A	10.70B/*0.30A	----	0.00 - 22.80	----	----	----	6	----	0 - 8
4770 1.60	1.60	1.60/*0.40A	9.50B/*0.40A	----	0.00 - 21.40	----	----	----	34	----	0 - 216
4770 ----	----	141.00B/51.90A	141.00B/51.90A	----	85.30 - 26.40	----	----	----	----	----	0 - 2
4775 4.40	4.40	5.00/*0.20	8.50B/*0.20	----	0.00 - 20.20	----	----	----	27	----	0 - 32
4780 1.00	1.00	1.00/*0.40	7.50B/*0.40	----	0.00 - 19.00	----	----	----	7	----	0 - 20
4780 62.00	62.00	63.50B/42.00A	63.50B/42.00A	----	46.90 - 16.30	.3264	----	----	2	----	2 + 1
4785 ----	----	209.60B/161.90A	209.60B/161.90A	----	178.10 - 18.40	.6212	----	----	----	----	24 UNCH
4785 ----	----	----/76.70A	91.00B/76.70A	----	78.00 - 13.40	.3783	----	----	----	----	24 UNCH
4785 1.20	1.20	1.20/*0.40A	6.50B/*0.40A	----	0.00 - 17.80	----	----	----	2	----	0 - 9
4785 ----	----	----/40.40A	61.30B/40.40A	----	45.20 - 16.10	.3174	----	----	----	----	1 UNCH
4785 ----	----	155.40B/65.90A	155.40B/65.90A	----	100.30 - 22.80	----	----	----	2	----	0 - 2
4790 2.50	2.50	5.00/*0.40A	5.60B/*0.40A	----	0.00 - 16.80	----	----	----	32	----	0 - 29
4790 ----	----	160.00B/68.60A	160.00B/68.60A	----	105.30 - 21.70	----	----	----	3	----	0 - 3
4795 ----	----	186.20B/132.40A	186.20B/132.40A	----	152.20 - 20.60	.6999	----	----	----	----	4 UNCH
4795 ----	----	----/*0.40A	4.70B/*0.40A	----	0.00 - 15.80	----	----	----	----	----	0 - 17
4795 ----	----	----/37.60A	56.70B/37.60A	----	42.00 - 15.60	.2998	----	----	----	----	10 UNCH
4800 4.40	4.40	4.40/*0.10	10.00B/*0.10	----	0.00 - 14.80	----	----	----	59	----	0 - 134
4800 151.80	151.80	170.00B/77.30A	170.00B/77.30A	----	115.30 - 19.80	----	----	----	5	----	0 - 7
4800 ----	----	191.40B/135.50A	191.40B/135.50A	----	155.70 - 20.40	.7085	----	----	----	----	1 UNCH
4800 39.10	39.10	39.10/36.10A	54.60B/36.10A	----	40.50 - 15.40	.2913	----	----	2	----	5 UNCH
4805 ----	----	----/*34.80A	52.50B/*34.80A	----	39.00 - 15.10	.2827	----	----	----	----	1 UNCH
4805 2.00	2.00	2.00/*0.10	3.30B/*0.10	----	0.00 - 13.90	----	----	----	7	----	0 - 3
4805 ----	----	174.70B/82.10A	174.70B/82.10A	----	120.30 - 18.90	----	----	----	----	----	0 - 9
4810 ----	----	198.80B/141.80A	198.80B/141.80A	----	162.80 - 19.80	.7256	----	----	----	----	4 UNCH
4810 ----	----	----/*33.40A	51.70B/*33.40A	----	37.50 NEW	.2742	----	----	8	----	4 + 4
4810 ----	----	179.80B/86.20A	179.80B/86.20A	----	125.30 - 18.10	----	----	----	1	----	0 - 1
4810 ----	----	----/*0.10A	2.70B/*0.10A	----	0.00 - 13.10	----	----	----	----	----	0 - 2
4815 ----	----	----/*0.10A	2.50B/*0.10A	----	0.00 - 12.30	----	----	----	----	----	0 - 54
4820 ----	----	----/*30.90A	46.80B/*30.90A	----	34.80 - 14.40	.2580	----	----	----	----	4 UNCH
4820 1.90	1.90	1.90/*0.10	2.30B/*0.10	----	0.00 - 11.60	----	----	----	12	----	0 - 117
4825 ----	----	----/*29.70A	45.50B/*29.70A	----	33.50 - 14.20	.2501	----	----	----	----	2 UNCH
4825 ----	----	----/*0.10A	1.70B/*0.10A	----	0.00 - 10.90	----	----	----	2	----	0 - 79
4830 146.40	146.40	199.70B/104.50A	199.70B/104.50A	----	145.30 - 15.30	----	----	----	2	----	0 - 2
4830 ----	----	----/*28.50A	43.50B/*28.50A	----	32.20 NEW	.2422	----	----	4	----	4 + 4
4830 0.60	0.60	0.70/*0.10A	1.50B/*0.10A	----	0.00 - 10.30	----	----	----	7	----	0 - 79
4835 ----	----	----/*0.40A	1.30B/*0.40A	----	0.00 - 9.70	----	----	----	----	----	0 - 15
4840 ----	----	----/*26.40A	40.30B/*26.40A	----	29.80 - 13.50	.2270	----	----	----	----	4 UNCH
4840 ----	----	221.90B/161.80A	221.90B/161.80A	----	185.00 - 18.40	.7727	----	----	----	----	1 UNCH
4840 ----	----	----/*0.30A	1.20B/*0.30A	----	0.00 - 9.20	----	----	----	----	----	0 - 13
4845 0.20	0.20	0.20/*0.20	1.10B/*0.20	----	0.00 - 8.60	----	----	----	2	----	0 - 5
4850 0.60	0.60	0.60/*0.40A	4.30B/*0.40A	----	0.00 - 8.20	----	----	----	26	----	0 - 139
4850 ----	----	229.80B/170.40A	229.80B/170.40A	----	192.80 - 17.80	.7870	----	----	----	----	4 UNCH
4850 ----	----	219.30B/123.00A	219.30B/123.00A	----	165.30 - 13.10	----	----	----	----	----	0 - 24
4855 ----	----	----/*0.40A	3.80B/*0.40A	----	0.00 - 7.70	----	----	----	----	----	0 - 1
4855 ----	----	232.80B/174.00A	232.80B/174.00A	----	196.70 - 17.60	.7942	----	----	----	----	1 UNCH
4860 1.00	1.00	1.00/*0.20A	3.50B/*0.20A	----	0.00 - 7.30	----	----	----	1	----	0 - 13
4860 ----	----	----/*22.50A	34.40B/*22.50A	----	25.50 - 12.40	.1988	----	----	4	----	4 UNCH
4865 ----	----	----/*0.40A	3.20B/*0.40A	----	0.00 - 6.90	----	----	----	----	----	0 - 1
4870 ----	----	239.30B/142.50A	239.30B/142.50A	----	185.30 - 11.40	----	----	----	1	----	0 - 1
4875 0.80	0.80	0.80/*0.30A	2.70B/*0.30A	----	0.00 - 6.20	----	----	----	2	----	0 - 13
4880 52.40	52.40	#52.40/*47.10A	53.60B/*47.10A	----	48.40 NEW	.2642	----	----	5	----	5 + 5
4880 ----	----	----/*19.10A	29.30B/*19.10A	----	21.80 - 11.40	.1733	----	----	----	----	2 UNCH
4880 ----	----	----/*0.40A	2.50B/*0.40A	----	0.00 - 5.80	----	----	----	----	----	0 - 213
4885 ----	----	257.50B/196.90A	257.50B/196.90A	----	221.10 - 16.10	.8326	----	----	----	----	1 UNCH
4885 ----	----	----/*0.40A	2.30B/*0.40A	----	0.00 - 5.50	----	----	----	----	----	0 - 15
4885 ----	----	----/*18.40A	28.10B/*18.40A	----	20.90 - 11.20	.1671	----	----	16	----	8 - 10
4890 0.10	0.10	0.10/*0.10	2.10B/*0.10	----	0.00 - 5.30	----	----	----	1	----	0 - 1
4895 ----	----	----/*0.30A	1.90B/*0.30A	----	0.00 - 5.00	----	----	----	----	----	0 - 1
4900 17.40	17.40	26.60/*16.20A	26.60/*16.20A	----	18.50 - 10.50	.1499	----	----	5	----	6 UNCH
4900 ----	----	270.30B/208.50A	270.30B/208.50A	----	233.70 - 15.40	.8498	----	----	----	----	1 UNCH
4900 3.20	3.20	3.20/*0.10	3.20/*0.10	----	0.00 - 4.70	----	----	----	14	----	0 - 66
4900 ----	----	269.40B/172.20A	269.40B/172.20A	----	215.30 - 9.70	----	----	----	1	----	0 - 15
4905 ----	----	274.60B/212.50A	274.60B/212.50A	----	238.00 - 15.10	.8550	----	----	----	----	1 UNCH
4905 0.40	0.40	0.40/*0.20A	1.60B/*0.20A	----	0.00 - 4.50	----	----	----	1	----	0 - 2
4905 ----	----	274.00B/177.10A	274.00B/177.10A	----	220.30 - 9.40	----	----	----	----	----	0 - 14
4910 ----	----	----/*14.90A	22.90B/*14.90A	----	17.10 - 10.00	.1395	----	----	16	----	6 - 10
4915 ----	----	----/*0.20A	1.30B/*0.20A	----	0.00 - 4.10	----	----	----	1	----	0 - 1
4920 ----	----	----/*0.20A	1.20B/*0.20A	----	0.00 - 3.90	----	----	----	----	----	0 - 4
4925 0.20	0.20	0.20/*0.20	1.10B/*0.20	----	0.00 - 3.70	----	----	----	1	----	0 - 39
4930 ----	----	----/*0.20A	0.90B/*0.20A	----	0.00 - 3.50	----	----	----	----	----	0 - 11
4935 ----	----	----/*0.20A	0.80B/*0.20A	----	0.00 - 3.40	----	----	----	----	----	0 - 40
4940 ----	----	----/*11.70A	17.70B/*11.70A	----	13.40 - 8.70	.1115	----	----	----	----	1 UNCH
4940 ----	----	----/*0.20A	0.80B/*0.20A	----	0.00 - 3.20	----	----	----	----	----	0 - 7
4950 ----	----	319.00B/221.10A	319.00B/221.10A	----	265.30 - 7.90	----	----	----	----	----	0 - 3
4950 15.00	15.00	16.20B/*10.70A	16.20B/*10.70A	----	12.40 - 8.30	.1035	----	----	2	----	4 + 2
4950 0.30	0.30	0.30/*0.20A	0.70B/*0.20A	----	0.00 - 2.90	----	----	----	1	----	0 - 117
4955 0.30	0.30	0.30/*0.10A	0.50B/*0.10A	----	0.00 - 2.80	----	----	----	1	----	0 - 1
4960 ----	----	----/*9.90A	14.80B/*9.90A	----	11.50 - 7.80	.0962	----	----	----	----	4 UNCH
4960 0.30	0.30	0.30/*0.20A	0.40B/*0.20A	----	0.00 - 2.70	----	----	----	1	----	0 - 1
4965 ----	----	----/*9.50A	14.20B/*9.50A	----	11.00 NEW	.0924	----	----	1	----	1 + 1
4965 ----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 2.60	----	----	----	----	----	0 - 9
4970 0.20	0.20	0.20/*0.20	0.30B/*0.20	----	0.00 - 2.50	----	----	----	1	----	0 - 4
4970 ----	----	339.00B/241.50A	339.00B/241.50A	----	285.30 - 7.40	----	----	----	1	----	0 - 1
4975 ----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 2.40	----	----	----	----	----	0 - 10
4975 ----	----	----/*8.80A	13.00B/*8.80A	----	10.20 - 7.30	.0858	----	----	2	----	2 + 2
4975 ----	----	338.50B/271.90A	338.50B/271.90A	----	300.30 NEW	.9140	----	----	1	----	1 + 1
4975 ----	----	----/*28.10A	29.90B/28.10A	----	28.70 - 10.00	.1727	----	----	----	----	4 UNCH
4980 10.30	10.30	10.30/*8.40A	12.20B/*8.40A	----	9.80 - 7.10	.0825	----	----	1	----	1 + 1
4980 ----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 2.30	----	----	----	----	----	0 - 4
4985 ----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 2.20	----	----	----	----	----	0 - 1
4990 ----	----	359.00B/261.60A	359.00B/261.60A	----	305.30 - 7.00	----	----	----	----	----	0 - 1
5000 10.60	10.60	13.00/*7.30A	13.00/*7.30A	----	8.40 - 6.50	.0709	----	----	3	----	5 + 1
5000 ----	----	369.00B/271.30A	369.00B/271.30A	----	315.30 - 6.80	----	----	----	----	----	0 - 277
5000 ----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 1.90	----	----	----	1	----	0 - 59
5000 ----	----	----/*24.30A	25.20B/*24.30A	----	24.80 NEW	.1527	----	----	1	----	1 + 1
5005 1.00	1.00	1.00/*0.10A	1.00/*0.10A	----	0.00 - 1.90	----	----	----	1	----	0 - 1
5010 ----	----	----/*6.80A	10.00B/*6.80A	----	7.70 - 6.20	.0653	----	----	----	----	2 UNCH
5010 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.80	----	----	----	----	----	0 - 4
5015 ----	----	384.00B/285.90A	384.00B/285.90A	----	330.30 - 6.60	----	----	----	1	----	0 - 1
5025 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.60	----	----	----	----	----	0 - 3
5025 7.50	7.50	7.50/*6.00A	9.00B/*6.00A	----	6.90 - 5.80	.0584	----	----	1	----	1 UNCH
5030 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.50	----	----	----	19	----	0 - 102
5030 ----	----	398.90B/301.40A	398.90B/301.40A	----	345.30 - 6.40	----	----	----	----	----	0 - 9
5035 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.50	----	----	----	----	----	0 - 1
5040 ----	----	409.00B/311.20A	409.00B/311.20A	----	355.30 - 6.30	----	----	----	----	----	0 - 1
5045 ----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.40	----	----	----	----	----	0 - 1
5045 ----	----	414.10B/315.80A	414.10B/315.80A	----	360.30 - 6.30	----	----	----	----	----	0 - 1
5050 0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 1.30	----	----	----	1	----	0 - 20
5055 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 1
5055 ----	----	----/*4.80A	6.80B/*4.80A	----	5.50 - 5.00	.0464	----	----	----	----	1 UNCH
5060 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 9
5060 ----	----	429.10B/331.00A	429.10B/331.00A	----	375.30 - 6.10	----	----	----	----	----	0 - 48
5075 ----	----	----/*4.10A	5.30B/*4.10A	----	4.80 - 4.50	.0403	----	----	----	----	1 UNCH
5080 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 4
5095 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 9
5095 ----	----	464.10B/365.50A	464.10B/365.50A	----	410.30 - 5.80	----	----	----	----	----	0 - 85
5100 ----	----	469.00B/370.60A	469.00B/370.60A	----	415.30 - 5.70	----	----	----	2	----	0 - 2
5100 ----	----	----/*3.50A	4.30B/*3.50A	----	4.00 NEW	.0333	----	----	2	----	2 + 2
5100 0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.90	----	----	----	1	----	0 - 5
5100 ----	----	----/*14.30A	13.40B/*14.30A	----	13.20 - 7.00	.0886	----	----	----	----	1 UNCH
5125 ----	----	----/0.10A	----/0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 1
5130 ----	----	----/0.10A	----/0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 4
5140 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 1
5145 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 2
5150 ----	----	----/0.10A	----/0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 47
5155 ----	----	----/0.10A	----/0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 38
5180 ----	----	----/465.90A	504.30B/465.90A	----	497.40 NEW	.9806	----	----	1	----	1 + 1
5180 ----	----	----/0.10A	----/0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 3
5180 ----	----	549.20B/450.80A	549.20B/450.80A	----	495.30 - 5.30	----	----	----	1	----	0 - 1
5200 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 11
5200 ----	----	----/*2.00A	2.00B/*2.00A	----	2.10 NEW	.0166	----	----	2	----	2 + 2
5205 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 1
5220 ----	----	----/*1.90A	1.40B/*1.90A	----	1.90 - 2.40	.0148	----	----	----	----	2 UNCH
5235 ----	----	----/*1.80A	1.30B/*1.80A	----	1.80 NEW	.0139	----	----	2	----	2 + 2
5240 ----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 10
5250 ----	----	----/*1.70A	1.10B/*1.70A	----	1.60 - 2.10	.0123	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 46

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1										
APR26												
5250	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
5275	----	----	644.30B/545.80A	644.30B/545.80A	----	590.30 - 5.10	----	----	----	----	----	0 - 2
5285	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
5295	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 100
5300	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
5305	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
5345	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
5350	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5350	----	----	----/*1.20A	0.50B/*1.20A	----	1.00 - 1.40	.0071	----	----	----	----	2 UNCH
5370	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
5380	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5395	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
5400	----	----	----/*1.00A	0.30B/*1.00A	----	0.70 - 1.20	.0048	----	----	----	----	1 UNCH
5400	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5600	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5600	----	----	969.40B/870.70A	969.40B/870.70A	----	915.30 - 5.00	----	----	----	1	----	0 - 1
5675	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
TOTAL										3224		1169 - 7256
MAY26												
4250	----	----	56.10B/45.00A	56.10B/45.00A	----	46.50 - 5.70	.1628	----	----	----	----	1 UNCH
4300	----	----	65.50B/52.40A	65.50B/52.40A	----	54.80 - 6.10	.1883	----	----	----	----	2 UNCH
4350	64.00	64.00	76.90B/60.80A	76.90B/60.80A	----	64.30 - 6.40	.2168	----	----	4	----	2 UNCH
4370	----	----	81.40B/64.60A	81.40B/64.60A	----	68.50 NEW	.2290	----	----	1	----	1 + 1
4375	----	----	82.60B/65.60A	82.60B/65.60A	----	69.60 NEW	.2321	----	----	1	----	1 + 1
4475	----	----	111.30B/88.20A	111.30B/88.20A	----	94.50 - 7.20	.3011	----	----	----	----	1 UNCH
4500	95.00	95.00	119.60B/95.00	119.60B/95.00	----	101.70 - 7.70	.3201	----	----	2	----	2 + 1
4505	----	----	121.80B/96.60A	121.80B/96.60A	----	103.30 NEW	.3241	----	----	1	----	1 + 1
4580	----	----	149.90B/120.10A	149.90B/120.10A	----	128.30 NEW	.3861	----	----	2	----	2 + 2
4630	----	----	172.50B/138.50A	172.50B/138.50A	----	147.80 NEW	.4307	----	----	5	----	5 + 5
4650	215.00	215.00	215.00/187.00A	215.00/187.00A	----	190.90 - 5.70	.5501	----	----	1	----	1 UNCH
4690	176.50	176.50	186.90B/166.50A	186.90B/166.50A	----	169.30 NEW	.5126	----	----	3	----	3 + 3
4700	----	----	207.40B/167.60A	207.40B/167.60A	----	179.50 NEW	.4961	----	----	1	----	1 + 1
4700	----	----	181.60B/162.30A	181.60B/162.30A	----	164.20 - 6.50	.5032	----	----	----	----	1 UNCH
4705	----	----	209.40B/170.50A	209.40B/170.50A	----	182.00 NEW	.5008	----	----	1	----	1 + 1
4705	----	----	178.90B/157.10A	178.90B/157.10A	----	161.70 - 6.50	.4984	----	----	----	----	1 UNCH
4710	----	----	176.30B/154.50A	176.30B/154.50A	----	159.30 NEW	.4937	----	----	1	----	1 + 1
4720	----	----	170.80B/149.70A	170.80B/149.70A	----	154.40 - 6.70	.4842	----	----	1	----	2 + 1
4800	----	----	132.50B/118.00A	132.50B/118.00A	----	119.40 NEW	.4089	----	----	1	----	1 + 1
4900	----	----	95.00B/83.20A	95.00B/83.20A	----	84.70 NEW	.3203	----	----	1	----	1 + 1
4905	97.00	97.00	#97.00/*81.70A	97.00/81.70A	----	83.20 NEW	.3161	----	----	2	----	2 + 2
4950	----	----	----/69.20A	77.70B/69.20A	----	70.50 - 10.00	.2794	----	----	----	----	1 UNCH
4975	70.00	70.00	#70.00/*63.00A	70.60B/*63.00A	----	64.10 NEW	.2599	----	----	1	----	1 + 1
5000	381.10	381.10	409.50B/*349.40	409.50B/349.40A	----	372.80 NEW	.7580	----	----	1	----	1 + 1
5000	----	----	----/*57.40A	64.00B/*57.40A	----	58.20 NEW	.2413	----	----	5	----	4 + 4
5005	----	----	----/*56.30A	62.70B/*56.30A	----	57.10 NEW	.2377	----	----	1	----	1 + 1
5025	----	----	----/*52.20A	57.80B/*52.20A	----	52.70 NEW	.2234	----	----	2	----	2 + 2
5175	25.50	25.50	#25.50/*25.50	30.80B/*25.50	----	27.70 NEW	.1332	----	----	2	----	2 + 2
TOTAL										40		45 + 33

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK3										
APR26												
4250	----	----	----	----	----	18.50 - 9.70	.0925	----	----	----	----	1 UNCH
TOTAL												1 0

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week3										
APR26												
5000	----	----	----	0.004B/0.184A	----	0.049 - 0.044	.0082	----	----	----	----	1 UNCH
5600	----	----	----/*0.120A	0.001B/*0.120A	----	0.035 - 0.101	.0044	----	----	----	----	1 UNCH
6000	----	----	----/*0.162A	0.005B/*0.162A	----	0.088 - 0.135	.0147	----	----	----	----	1 UNCH
6000	----	----	----/*0.434A	0.264B/*0.434A	----	0.367 - 0.215	.0663	----	----	----	----	1 UNCH
6100	0.693	0.693	0.693/*0.693	0.693/*0.693	----	0.708 NEW	.1105	----	----	1	----	1 + 1
6425	----	----	----/*0.268A	0.118B/*0.268A	----	0.204 - 0.238	.0452	----	----	----	----	1 UNCH
6500	----	----	----/0.929A	0.900B/0.929A	----	0.835 - 0.392	.1539	----	----	----	----	1 UNCH
6500	----	----	----/*0.301A	0.219B/*0.301A	----	0.240 - 0.267	.0557	----	----	----	----	1 UNCH
6550	0.500	0.500	0.500/*0.357A	0.500/*0.357A	----	0.268 - 0.290	.0642	----	----	1	----	2 + 1
6800	----	----	----	----	----	5.341 - 0.499	.8656	----	----	----	----	50 UNCH
7000	----	----	----	3.704B/7.317A	----	5.786 - 0.577	.6364	----	----	----	----	1 UNCH
7000	----	----	----/*0.983A	1.252B/*0.983A	----	0.851 - 0.538	.2416	----	----	----	----	1 UNCH
7025	----	----	----/*1.074A	1.299B/*1.074A	----	0.911 - 0.552	.2590	----	----	----	----	1 UNCH
7300	----	----	----/1.812A	1.777B/1.812A	----	1.772 NEW	.4957	----	----	5	----	5 + 5
7400	----	----	----/*1.392A	1.614B/*1.392A	----	1.322 - 0.658	.3969	----	----	2	----	3 + 1
7475	----	----	----/*1.160A	1.217B/*1.160A	----	1.048 - 0.620	.3271	----	----	----	----	1 UNCH
7600	----	----	----/1.958A	2.021B/1.958A	----	1.816 - 0.663	.3561	----	----	----	----	2 UNCH
7600	----	----	----/*0.822A	0.779B/*0.822A	----	0.702 NEW	.2269	----	----	1	----	1 + 1
7650	----	----	----/*0.729A	0.603B/*0.729A	----	0.597 NEW	.1937	----	----	2	----	2 + 2
7725	----	----	----/*0.612A	0.414B/*0.612A	----	0.468 - 0.437	.1514	----	----	----	----	25 UNCH
7800	----	----	----/*0.470A	0.284B/*0.470A	----	0.369 - 0.379	.1176	----	----	----	----	3 UNCH
7900	----	----	----/*0.388A	0.142B/*0.388A	----	0.273 - 0.307	.0841	----	----	----	----	1 UNCH
8000	----	----	----/*0.286A	0.107B/*0.286A	----	0.207 - 0.246	.0609	----	----	----	----	5 UNCH
8250	----	----	----	----/28.112A	----	10.192 - 0.321	.8719	----	----	----	----	4 UNCH
8275	----	----	----	----/29.618A	----	10.418 - 0.310	.8771	----	----	----	----	4 UNCH
8500	0.070	0.070	0.070/*0.070	0.070/*0.070	----	0.085 NEW	.0183	----	----	1	----	1 + 1
8600	----	----	----	0.006B/*0.150A	----	0.079 - 0.067	.0160	----	----	----	----	1 UNCH
TOTAL										13	0	121 + 12
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK1										
APR26												
4400	----	----	----	----/*0.076A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
5500	----	----	----	----/*0.076A	----	0.000 - 0.021	----	----	----	----	----	0 - 5
5800	----	----	----	----/*0.076A	----	0.000 - 0.040	----	----	----	----	----	0 - 1
6000	----	----	----	----/*0.078A	----	0.000 - 0.064	----	----	----	----	----	0 - 20
6100	----	----	----	----/*0.082A	----	0.000 - 0.082	----	----	----	----	----	0 - 1
6125	----	----	----/*0.085A	----/*0.085A	----	0.000 - 0.088	----	----	----	----	----	0 - 1
6200	----	----	----/*0.091A	----/*0.091A	----	0.000 - 0.098	----	----	----	----	----	0 - 1
6400	----	----	----/*0.092A	----/*0.092A	----	0.000 - 0.136	----	----	----	----	----	0 - 9
6450	----	----	----/*0.091A	----/*0.091A	----	0.000 - 0.149	----	----	----	----	----	0 - 1
6500	----	----	----/*0.098A	----/*0.098A	----	0.000 - 0.164	----	----	----	----	----	0 - 12
6550	----	----	----/*0.096A	----/*0.096A	----	0.000 - 0.181	----	----	----	----	----	0 - 5
6600	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.201	----	----	----	2	----	0 - 11
6700	----	----	----/*0.097A	0.001B/*0.097A	----	0.000 - 0.252	----	----	----	----	----	0 - 6
6700	----	----	----/*0.831A	0.930B/*0.831A	----	0.678 - 0.639	.1606	----	----	----	----	1 UNCH
6725	----	----	----/*0.097A	0.001B/*0.097A	----	0.000 - 0.268	----	----	----	----	----	0 - 4
6750	----	----	----/*0.103A	0.001B/*0.103A	----	0.000 - 0.285	----	----	----	----	----	0 - 1
6795	----	----	----/*0.112A	0.001B/*0.112A	----	0.000 - 0.320	----	----	----	----	----	0 - 3
6800	----	----	----/*0.119A	0.007B/*0.119A	----	0.000 - 0.325	----	----	----	----	----	0 - 3
6815	----	----	----/*0.123A	0.001B/*0.123A	----	0.000 - 0.338	----	----	----	----	----	0 - 4
6825	----	----	----/*0.127A	0.002B/*0.127A	----	0.000 - 0.347	----	----	----	----	----	0 - 8
6845	----	----	----/*0.133A	0.005B/*0.133A	----	0.000 - 0.367	----	----	----	----	----	0 - 4
6850	----	----	----/*0.135A	0.009B/*0.135A	----	0.000 - 0.372	----	----	----	2	----	0 - 3
6860	----	----	----/*0.138A	0.018B/*0.138A	----	0.000 - 0.382	----	----	----	1	----	0 - 4
6870	----	----	----/*0.142A	0.028B/*0.142A	----	0.000 - 0.393	----	----	----	----	----	0 - 4
6900	----	----	----/1.256A	1.486B/1.256A	----	1.082 - 0.733	.2471	----	----	----	----	1 UNCH
6900	----	----	----	----	----	3.847 - 0.504	----	----	----	----	----	0 - 1
6900	0.030	0.030	0.030/*0.030	0.094B/*0.030	----	0.000 - 0.428	----	----	----	1	----	0 - 5
6910	----	----	----/*0.141A	0.070B/*0.141A	----	0.000 - 0.441	----	----	----	1	----	0 - 4
6915	----	----	----/*0.134A	0.077B/*0.134A	----	0.000 - 0.447	----	----	----	----	----	0 - 4
6920	----	----	----/*0.134A	0.084B/*0.134A	----	0.000 - 0.454	----	----	----	----	----	0 - 4
6925	----	----	----/*0.134A	0.091B/*0.134A	----	0.000 - 0.460	----	----	----	----	----	0 - 4
6935	----	----	----/*0.133A	0.105B/*0.133A	----	0.000 - 0.474	----	----	----	----	----	0 - 4
6945	----	----	----/*0.136A	0.121B/*0.136A	----	0.000 - 0.489	----	----	----	----	----	0 - 1
6950	----	----	----/*0.134A	0.129B/*0.134A	----	0.000 - 0.496	----	----	----	----	----	0 - 21
6960	----	----	----/*0.136A	0.147B/*0.136A	----	0.000 - 0.511	----	----	----	----	----	0 - 4
6990	----	----	----/*0.138A	0.037B/*0.138A	----	0.000 - 0.561	----	----	----	----	----	0 - 11

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK1										
APR26												
6995	----	----	----/*0.136A	0.041B/*0.136A	----	0.000 - 0.569	----	----	----	----	----	0 - 4
7000	----	----	----/*0.136A	0.069B/*0.136A	----	0.000 - 0.578	----	----	----	----	----	0 - 57
7000	----	----	----	----	----	2.847 - 0.654	----	----	----	----	----	0 - 9
7010	----	----	----/*0.138A	0.053B/*0.138A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7050	----	----	----/4.129A	3.367B/4.129A	----	3.860 - 0.862	.6696	----	----	----	----	1 UNCH
7050	----	----	----/*0.118A	0.329B/*0.118A	----	0.000 - 0.678	----	----	----	----	----	0 - 1
7080	----	----	----/*0.119A	0.404B/*0.119A	----	0.000 - 0.748	----	----	----	----	----	0 - 2
7100	----	----	----/*0.100A	0.460B/*0.100A	----	0.000 - 0.799	----	----	----	----	----	0 - 1
7100	----	----	----	----/3.619A	----	1.847 - 0.875	----	----	----	----	----	0 - 2
7110	0.148	0.148	0.148/*0.006	0.495B/*0.006	----	0.000 NEW	----	----	----	2	----	0 UNCH
7125	----	----	----/*0.098A	0.542B/*0.098A	----	0.000 - 0.868	----	----	----	----	----	0 - 1
7150	0.120	0.120	0.120/*0.099	0.627B/*0.099	----	0.000 - 0.944	----	----	----	2	----	0 - 1
7150	----	----	----	0.063B/2.960A	----	1.347 - 1.020	----	----	----	----	----	0 - 1
7175	2.120	2.120	2.120/2.110A	2.530B/2.110A	----	1.979 NEW	.4097	----	----	2	----	2 + 2
7200	0.750	0.750	0.750/*0.016	0.750/*0.016	----	0.000 NEW	----	----	----	11	----	0 UNCH
7200	1.400	1.400	1.400/*0.972A	1.400/*0.972A	----	0.847 - 1.193	----	----	----	9	----	0 - 9
7200	----	----	----/3.256A	2.823B/3.256A	----	2.931 - 0.888	.5735	----	----	----	----	1 UNCH
7230	0.405	0.405	0.405/*0.295A	0.712B/*0.295A	----	0.000 - 1.235	----	----	----	1	----	0 - 4
7240	----	----	----/*0.571A	0.669B/*0.571A	----	0.447 - 1.354	----	----	----	----	----	0 - 4
7250	0.210	0.210	0.250/*0.150	0.698B/*0.150	----	0.000 - 1.320	----	----	----	7	----	0 - 1
7255	0.200	0.200	0.200/*0.200	0.696B/*0.200	----	0.000 - 1.342	----	----	----	5	----	0 - 15
7300	----	----	----/3.502A	3.384B/3.502A	----	4.285 NEW	.5231	----	----	4	----	2 + 2
7300	0.125	0.125	0.125/*0.010	0.553B/*0.010	----	0.000 - 1.478	----	----	----	26	----	0 - 18
7350	1.200	1.200	1.200/*0.921A	1.200/*0.921A	----	0.653 NEW	----	----	----	1	----	0 UNCH
7350	0.530	0.530	0.530/*0.088A	0.530/*0.088A	----	0.000 - 1.244	----	----	----	5	----	0 - 2
7375	0.500	0.500	0.500/*0.082A	0.500/*0.082A	----	0.000 - 1.139	----	----	----	5	----	0 - 1
7385	0.300	0.300	0.339B/*0.040	0.339B/*0.040	----	0.000 NEW	----	----	----	4	----	0 UNCH
7400	----	----	----/2.035A	2.298B/2.035A	----	1.949 - 0.857	.4370	----	----	----	----	1 UNCH
7400	0.318	0.318	0.318/*0.010	0.322B/*0.010	----	0.000 - 1.041	----	----	----	27	----	0 - 22
7400	----	----	----/1.216A	0.571B/1.216A	----	1.153 - 0.964	----	----	----	----	----	0 - 2
7415	----	----	----/1.275A	0.586B/1.275A	----	1.303 - 0.909	----	----	----	----	----	0 - 12
7460	----	----	----	----/3.758A	----	1.753 - 0.758	----	----	----	----	----	0 - 1
7500	3.000	3.000	3.000/2.636A	3.000/2.636A	----	3.241 NEW	.4440	----	----	4	----	2 + 2
7500	----	----	----/*0.105A	0.146B/*0.105A	----	0.000 - 0.720	----	----	----	----	----	0 - 9
7525	----	----	----/*0.101A	0.130B/*0.101A	----	0.000 - 0.656	----	----	----	----	----	0 - 4
7545	0.137	0.137	#0.137/*0.006	0.137/*0.006	----	0.000 NEW	----	----	----	2	----	0 UNCH
7550	----	----	----/*0.103A	0.095B/*0.103A	----	0.000 - 0.597	----	----	----	3	----	0 - 3
7550	2.510	2.510	2.510/2.506A	2.551B/2.506A	----	2.957 NEW	.4222	----	----	4	----	0 UNCH
7575	0.059	0.059	0.067B/*0.059	0.067B/*0.059	----	0.000 - 0.544	----	----	----	1	----	0 - 1
7600	----	----	----/*0.100A	0.046B/*0.100A	----	0.000 - 0.495	----	----	----	----	----	0 - 6
7600	----	----	----/*1.340A	1.407B/*1.340A	----	1.242 - 0.768	.3099	----	----	----	----	2 UNCH
7625	0.010	0.010	0.010/*0.010	0.031B/*0.010	----	0.000 - 0.451	----	----	----	3	----	0 - 6
7700	----	----	----/*0.129A	----/*0.129A	----	0.000 - 0.342	----	----	----	----	----	0 - 4
7700	----	----	----/*1.087A	1.084B/*1.087A	----	0.976 NEW	.2543	----	----	3	----	2 + 2
7750	----	----	----/*0.112A	0.050B/*0.112A	----	0.000 - 0.285	----	----	----	----	----	0 - 3
7825	----	----	----/*0.096A	----/*0.096A	----	0.000 - 0.219	----	----	----	----	----	0 - 1
7900	----	----	----/*0.096A	----/*0.096A	----	0.000 - 0.170	----	----	----	----	----	0 - 3
8000	----	----	----/0.098A	----/0.098A	----	0.000 - 0.122	----	----	----	----	----	0 - 5
8000	----	----	----/*0.585A	0.403B/*0.585A	----	0.462 NEW	.1308	----	----	3	----	2 + 2
8025	0.408	0.408	0.408/*0.408	0.408/*0.408	----	0.434 NEW	.1233	----	----	1	----	1 + 1
8075	----	----	----	----	----	7.903 - 0.010	----	----	----	----	----	0 - 3
8200	----	----	----	----/*0.091A	----	0.000 - 0.057	----	----	----	----	----	0 - 1
8325	----	----	----	----/*0.088A	----	0.000 - 0.039	----	----	----	----	----	0 - 10
8700	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.000 - 0.019	----	----	----	2	----	0 - 2
8800	----	----	----	----/0.076A	----	0.000 - 0.016	----	----	----	----	----	0 - 1
8975	----	----	----	----/*0.076A	----	0.000 - 0.012	----	----	----	----	----	0 - 1
9000	----	----	----	----/0.076A	----	0.000 - 0.012	----	----	----	----	----	0 - 136
TOTAL										145	0	18 - 533
MAY26												
6600	----	----	----/*2.368A	#2.111B/*2.368A	----	2.363 NEW	.2535	----	----	1	----	1 + 1
TOTAL										1	0	1 + 1
SO CALL		COMEX SILVER OPTIONS										
MAY26												
3750	----	----	35.491B/35.063A	35.491B/35.063A	----	35.360 - 0.092	.9948	----	----	----	----	1 UNCH
3875	----	----	34.460B/33.694A	34.460B/33.694A	----	34.118 - 0.097	.9935	----	----	----	----	50 UNCH
3900	----	----	33.997B/33.572A	33.997B/33.572A	----	33.870 - 0.098	.9932	----	----	----	----	1 UNCH
4000	----	----	33.218B/32.431A	33.218B/32.431A	----	32.879 - 0.102	.9919	----	----	----	----	53 UNCH
4100	----	----	32.224B/31.438A	32.224B/31.438A	----	31.885 - 0.108	.9910	----	----	----	----	50 UNCH
4200	----	----	31.255B/30.447A	31.255B/30.447A	----	30.892 - 0.113	.9899	----	----	----	----	116 UNCH
4400	----	----	29.148B/28.556A	29.148B/28.556A	----	28.908 - 0.127	.9874	----	----	----	----	43 UNCH
4450	----	----	----/28.128A	28.536B/28.128A	----	28.412 - 0.132	.9868	----	----	----	----	2 UNCH
4500	----	----	28.281B/27.484A	28.281B/27.484A	----	27.917 - 0.135	.9861	----	----	----	----	120 UNCH
4550	----	----	----/27.144A	27.548B/27.144A	----	27.422 - 0.140	.9853	----	----	----	----	1 UNCH
4600	----	----	27.171B/26.591A	27.171B/26.591A	----	26.927 - 0.145	.9843	----	----	----	----	43 UNCH
4650	----	----	26.760B/26.054A	26.760B/26.054A	----	26.433 - 0.149	.9835	----	----	----	----	77 UNCH
4675	----	----	26.359B/25.878A	26.359B/25.878A	----	26.186 - 0.152	.9830	----	----	----	----	15 UNCH
4700	----	----	----/25.669A	26.094B/25.669A	----	25.939 - 0.155	.9825	----	----	----	----	2 UNCH
4725	----	----	----/25.423A	25.847B/25.423A	----	25.692 - 0.157	.9820	----	----	----	----	2 UNCH
4750	----	----	25.618B/25.141A	25.618B/25.141A	----	25.446 - 0.159	.9815	----	----	----	----	7 UNCH
4800	----	----	25.126B/24.649A	25.126B/24.649A	----	24.953 - 0.165	.9803	----	----	----	----	7 UNCH
4825	----	----	----/24.404A	24.863B/24.404A	----	24.707 - 0.168	.9797	----	----	----	----	22 UNCH
4850	----	----	----/24.158A	24.617B/24.158A	----	24.460 - 0.171	.9791	----	----	----	----	10 UNCH
4900	----	----	----/23.668A	24.143B/23.668A	----	23.969 - 0.177	.9777	----	----	----	----	14 UNCH
4925	----	----	----/23.423A	23.897B/23.423A	----	23.723 - 0.180	.9771	----	----	----	----	12 UNCH
4950	----	----	----/23.218A	23.623B/23.218A	----	23.478 - 0.183	.9764	----	----	----	----	4 UNCH
5000	----	----	23.337B/22.623A	23.337B/22.623A	----	22.987 - 0.190	.9748	----	----	----	----	99 UNCH
5025	----	----	----/22.486A	22.892B/22.486A	----	22.743 - 0.193	.9740	----	----	----	----	3 UNCH
5050	----	----	----/22.208A	22.657B/22.208A	----	22.498 - 0.197	.9731	----	----	----	----	6 UNCH
5075	----	----	----/21.959A	22.413B/21.959A	----	22.254 - 0.200	.9723	----	----	----	----	6 UNCH
5100	----	----	----/21.716A	22.169B/21.716A	----	22.010 - 0.204	.9713	----	----	----	----	9 UNCH
5125	----	----	----/21.513A	21.922B/21.513A	----	21.766 - 0.208	.9704	----	----	----	----	1 UNCH
5150	----	----	----/21.230A	21.681B/21.230A	----	21.522 - 0.212	.9694	----	----	----	----	15 UNCH
5200	----	----	----/20.746A	21.197B/20.746A	----	21.036 - 0.219	.9672	----	----	----	----	11 UNCH
5225	----	----	----/20.545A	20.955B/20.545A	----	20.793 - 0.224	.9660	----	----	----	----	1 UNCH
5250	----	----	----/20.263A	20.716B/20.263A	----	20.551 - 0.227	.9649	----	----	----	----	21 UNCH
5275	----	----	----/20.021A	20.474B/20.021A	----	20.309 - 0.232	.9636	----	----	----	----	6 UNCH
5300	----	----	20.436B/19.716A	20.436B/19.716A	----	20.067 - 0.236	.9623	----	----	----	----	126 UNCH
5325	----	----	20.112B/19.520A	20.112B/19.520A	----	19.826 - 0.240	.9609	----	----	----	----	29 UNCH
5350	----	----	19.873B/19.280A	19.873B/19.280A	----	19.585 - 0.245	.9595	----	----	----	----	25 UNCH
5400	----	----	19.478B/18.756A	19.478B/18.756A	----	19.104 - 0.254	.9565	----	----	----	----	146 UNCH
5425	----	----	----/18.590A	19.041B/18.590A	----	18.865 - 0.258	.9549	----	----	----	----	12 UNCH
5450	----	----	19.003B/18.279A	19.003B/18.279A	----	18.626 - 0.262	.9534	----	----	----	----	50 UNCH
5475	----	----	----/18.147A	18.570B/18.147A	----	18.387 - 0.267	.9516	----	----	----	----	2 UNCH
5500	----	----	18.530B/17.804A	18.530B/17.804A	----	18.149 - 0.272	.9498	----	----	----	----	185 UNCH
5525	----	----	18.214B/17.620A	18.214B/17.620A	----	17.911 - 0.277	.9479	----	----	----	----	35 UNCH
5550	----	----	----/17.398A	17.861B/17.398A	----	17.674 - 0.282	.9461	----	----	----	----	8 UNCH
5600	----	----	17.588B/16.860A	17.588B/16.860A	----	17.201 - 0.292	.9419	----	----	----	----	110 UNCH
5625	----	----	----/16.695A	17.158B/16.695A	----	16.966 - 0.297	.9397	----	----	----	----	8 UNCH
5650	----	----	17.043B/16.444A	17.043B/16.444A	----	16.731 - 0.302	.9375	----	----	----	----	31 UNCH
5675	----	----	----/16.222A	16.724B/16.222A	----	16.496 - 0.308	.9351	----	----	----	----	6 UNCH
5700	----	----	----/15.994A	16.463B/15.994A	----	16.263 - 0.313	.9327	----	----	----	----	9 UNCH
5750	----	----	----/15.525A	16.000B/15.525A	----	15.798 - 0.324	.9275	----	----	----	----	16 UNCH
5775	----	----	----/15.341A	15.772B/15.341A	----	15.567 - 0.329	.9248	----	----	----	----	1 UNCH
5800	----	----	----/15.113A	15.543B/15.113A	----	15.336 - 0.335	.9220	----	----	----	----	1 UNCH
5825	----	----	----/14.846A	15.326B/14.846A	----	15.106 - 0.341	.9190	----	----	----	----	11 UNCH
5850	----	----	----/14.658A	15.098B/14.658A	----	14.877 - 0.347	.9160	----	----	----	----	2 UNCH
5900	----	----	14.862B/14.100A	14.862B/14.100A	----	14.422 - 0.358	.9096	----	----	----	----	124 UNCH
5925	----	----	----/13.983A	14.418B/13.983A	----	14.196 - 0.363	.9063	----	----	----	----	1 UNCH
5950	----	----	----/13.721A	14.194B/13.721A	----	13.971 - 0.369	.9027	----	----	----	----	16 UNCH
6000	13.600	13.600	13.966B/13.213A	13.966B/13.213A	----	13.523 - 0.381	.8954	----	----	6	----	247 - 6
6050	----	----	----/12.883A	13.307B/12.883A	----	13.080 - 0.393	.8876	----	----	----	----	2 UNCH
6075	----	----	13.306B/12.559A	13.306B/12.559A	----	12.860 - 0.399	.8835	----	----	----	----	122 UNCH
6100	----	----	----/12.390A	12.858B/12.390A	----	12.641 - 0.405	.8793	----	----	----	----	9 UNCH
6125	----	----	----/12.234A	12.649B/12.234A	----	12.424 - 0.410	.8749	----	----	----	----	1 UNCH
6150	----	----	----/12.025A	12.431B/12.025A	----	12.207 - 0.417	.8703	----	----	----	----	3 UNCH
6175	----	----	----/11.811A	12.219B/11.811A	----	11.992 - 0.422	.8657	----	----	----	----	1 UNCH
6200	----	----	12.225B/11.494A	12.225B/11.494A	----	11.779 - 0.428	.8610	----	----	----	----	59 UNCH
6225	----	----	12.011B/11.285A	12.011B/11.285A	----	11.566 - 0.434	.8561	----	----	----	----	69 UNCH
6250	----	----	----/11.182A	11.581B/11.182A	----	11.355 - 0.440	.8510	----	----	----	----	3 UNCH
6275	----	----	----/10.977A	11.372B/10.977A	----	11.146 - 0.445	.8458	----	----	----	----	4 UNCH
6300	----	----	----/10.700A	11.166B/10.700A	----	10.938 - 0.451	.8404	----	----	----	----	24 UNCH
6325	----	----	----/10.570A	10.960B/10.570A	----	10.731 - 0.457	.8349	----	----	----	----	3 UNCH
6350	----	----	----/10.290A	10.756B/10.290A	----	10.526 - 0.463	.8293	----	----	----	----	7 UNCH
6375	----	----	----/10.084A	10.653B/10.084A	----	10.323 - 0.468	.8235	----	----	----	----	48 UNCH
6400	----	----	----/9.835A	10.571B/9.835A	----	10.121 - 0.474	.8176	----	----	----	----	62 UNCH
6425	----	----	----/9.690A	10.106B/9.690A	----	9.921 - 0.479	.8115	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL — COMEX SILVER OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
6450	----	----	----/9.580A	9.954B/9.580A	----	9.722 - 0.485	.8053	----	----	----	----	4 UNCH
6475	----	----	----/9.303A	9.757B/9.303A	----	9.525 - 0.491	.7989	----	----	----	----	6 UNCH
6500	----	----	10.011B/9.084A	10.011B/9.084A	----	9.330 - 0.496	.7924	----	----	----	----	176 UNCH
6525	----	----	----/8.918A	9.486B/8.918A	----	9.137 - 0.501	.7857	----	----	----	----	28 UNCH
6550	----	----	----/8.728A	9.177B/8.728A	----	8.946 - 0.506	.7790	----	----	----	----	8 UNCH
6575	----	----	----/8.638A	8.941B/8.638A	----	8.756 - 0.512	.7720	----	----	----	----	3 UNCH
6600	----	----	----/8.357A	8.742B/8.357A	----	8.569 - 0.516	.7650	----	----	----	----	9 UNCH
6625	----	----	----/8.174A	8.556B/8.174A	----	8.383 - 0.521	.7577	----	----	----	----	7 UNCH
6650	----	----	----/7.994A	8.371B/7.994A	----	8.200 - 0.526	.7504	----	----	----	----	6 UNCH
6675	----	----	----/7.921A	8.188B/7.921A	----	8.018 - 0.531	.7429	----	----	----	----	1 UNCH
6700	----	----	----/7.621A	8.274B/7.621A	----	7.839 - 0.535	.7353	----	----	----	----	172 UNCH
6750	----	----	----/7.262A	7.653B/7.262A	----	7.486 - 0.544	.7197	----	----	----	----	13 UNCH
6800	----	----	----/6.917A	7.565B/6.917A	----	7.142 - 0.552	.7035	----	----	----	----	56 UNCH
6825	----	----	----/6.753A	7.359B/6.753A	----	6.973 - 0.556	.6953	----	----	----	----	107 UNCH
6850	----	----	----/6.748A	6.963B/6.748A	----	6.806 - 0.561	.6869	----	----	----	----	1 UNCH
6875	----	----	----/6.589A	6.799B/6.589A	----	6.642 - 0.564	.6785	----	----	----	----	1 UNCH
6900	----	----	----/6.266A	6.859B/6.266A	----	6.480 - 0.568	.6699	----	----	----	----	195 UNCH
6925	----	----	----/6.108A	6.481B/6.108A	----	6.320 - 0.572	.6612	----	----	----	----	12 UNCH
6950	----	----	6.815B/6.115A	6.815B/6.115A	----	6.163 - 0.575	.6525	----	----	1	----	5 UNCH
7000	6.436	6.436	6.503B/5.654A	6.503B/5.654A	----	5.855 - 0.581	.6347	----	----	3	----	464 - 1
7025	----	----	----/5.500A	5.866B/5.500A	----	5.705 - 0.584	.6257	----	----	----	----	11 UNCH
7050	5.838	5.838	5.905/5.349A	5.905/5.349A	----	5.557 - 0.587	.6166	----	----	6	----	26 - 1
7075	----	----	----/5.210A	5.628B/5.210A	----	5.412 - 0.589	.6074	----	----	----	----	7 UNCH
7100	----	----	----/5.047A	5.656B/5.047A	----	5.270 - 0.591	.5982	----	----	----	----	63 UNCH
7125	----	----	----/4.914A	5.512B/4.914A	----	5.129 - 0.594	.5889	----	----	----	----	4 UNCH
7150	----	----	----/4.775A	5.553B/4.775A	----	4.992 - 0.595	.5796	----	----	----	----	2 UNCH
7175	----	----	----/4.648A	5.405B/4.648A	----	4.856 - 0.598	.5702	----	----	----	----	19 UNCH
7200	----	----	----/4.516A	5.320B/4.516A	----	4.724 - 0.599	.5608	----	----	----	----	49 UNCH
7225	----	----	----/4.401A	5.169B/4.401A	----	4.594 - 0.600	.5513	----	----	----	----	8 UNCH
7250	----	----	5.095B/4.273A	5.095B/4.273A	----	4.466 - 0.601	.5419	----	----	10	----	61 + 5
7275	----	----	----/4.167A	4.887B/4.167A	----	4.341 - 0.602	.5324	----	----	----	----	3 UNCH
7300	4.722	4.722	4.863B/3.969A	4.863B/3.969A	----	4.219 - 0.603	.5229	----	----	4	----	135 UNCH
7325	----	----	----/3.887A	4.701B/3.887A	----	4.099 - 0.603	.5134	----	----	----	----	1 UNCH
7350	----	----	4.590B/3.761A	4.590B/3.761A	----	3.981 - 0.604	.5039	----	----	10	----	47 + 10
7375	----	----	4.494B/3.639A	4.494B/3.639A	----	3.866 - 0.605	.4945	----	----	----	----	86 UNCH
7400	3.600	3.600	3.600/3.546A	4.343B/3.546A	----	3.754 - 0.604	.4850	----	----	1	----	28 + 1
7425	----	----	----/3.458A	4.193B/3.458A	----	3.645 - 0.603	.4756	----	----	----	----	6 UNCH
7450	----	----	----/3.356A	4.094B/3.356A	----	3.537 - 0.604	.4662	----	----	----	----	12 UNCH
7475	----	----	----/3.258A	3.970B/3.258A	----	3.433 - 0.602	.4569	----	----	----	----	6 UNCH
7500	4.000	4.000	4.000/3.134A	4.000/3.134A	----	3.330 - 0.602	.4476	----	----	24	----	454 - 16
7525	----	----	----/3.067A	3.753B/3.067A	----	3.231 - 0.600	.4384	----	----	----	----	14 UNCH
7530	----	----	----/3.050A	3.730B/3.050A	----	3.211 - 0.600	.4365	----	----	----	----	5 UNCH
7535	----	----	----/3.030A	3.712B/3.030A	----	3.192 - 0.599	.4347	----	----	----	----	2 UNCH
7540	----	----	----/3.013A	3.692B/3.013A	----	3.172 - 0.599	.4328	----	----	----	----	1 UNCH
7545	----	----	----/2.993A	3.670B/2.993A	----	3.153 - 0.599	.4310	----	----	----	----	2 UNCH
7550	----	----	----/2.976A	3.655B/2.976A	----	3.134 - 0.598	.4292	----	----	----	----	11 UNCH
7555	----	----	----/2.960A	3.640B/2.960A	----	3.114 - 0.599	.4273	----	----	----	----	2 UNCH
7565	----	----	----/2.922A	3.609B/2.922A	----	3.076 - 0.598	.4237	----	----	----	----	1 UNCH
7570	----	----	----/2.906A	3.560B/2.906A	----	3.058 - 0.597	.4219	----	----	----	----	1 UNCH
7575	3.200	3.200	3.200/2.888A	3.569B/2.888A	----	3.039 - 0.597	.4201	----	----	6	----	9 + 3
7585	----	----	----/2.854A	3.499B/2.854A	----	3.002 - 0.596	.4165	----	----	----	----	2 UNCH
7590	3.473	3.473	3.476B/2.834A	3.476B/2.834A	----	2.983 - 0.596	.4146	----	----	3	----	1 UNCH
7595	----	----	----/2.818A	3.479B/2.818A	----	2.965 - 0.595	.4128	----	----	----	----	2 UNCH
7600	3.272	3.272	3.493B/2.786A	3.493B/2.786A	----	2.946 - 0.595	.4110	----	----	9	----	83 + 1
7605	3.342	3.342	3.425B/2.780A	3.425B/2.780A	----	2.928 - 0.595	.4092	----	----	1	----	2 UNCH
7615	----	----	----/2.751A	3.391B/2.751A	----	2.892 - 0.594	.4056	----	----	----	----	2 UNCH
7620	3.280	3.280	3.280/2.731A	3.364B/2.731A	----	2.874 - 0.593	.4038	----	----	2	----	2 UNCH
7625	----	----	----/2.717A	3.362B/2.717A	----	2.857 - 0.592	.4021	----	----	----	----	7 UNCH
7630	----	----	----/2.698A	3.347B/2.698A	----	2.839 - 0.592	.4003	----	----	----	----	1 UNCH
7635	----	----	----/2.683A	3.310B/2.683A	----	2.821 - 0.592	.3985	----	----	----	----	2 UNCH
7640	----	----	----/2.668A	3.308B/2.668A	----	2.804 - 0.591	.3967	----	----	----	----	3 UNCH
7645	----	----	----/2.648A	3.283B/2.648A	----	2.786 - 0.591	.3950	----	----	----	----	10 UNCH
7650	----	----	----/2.634A	3.258B/2.634A	----	2.769 - 0.590	.3932	----	----	----	----	21 UNCH
7655	----	----	----/2.618A	3.248B/2.618A	----	2.752 - 0.589	.3914	----	----	----	----	2 UNCH
7660	----	----	----/2.603A	3.226B/2.603A	----	2.735 - 0.589	.3897	----	----	----	----	1 UNCH
7665	----	----	----/2.588A	3.206B/2.588A	----	2.718 - 0.588	.3879	----	----	----	----	10 UNCH
7675	----	----	----/2.554A	3.174B/2.554A	----	2.684 - 0.587	.3844	----	----	----	----	1 UNCH
7680	----	----	----/2.538A	3.156B/2.538A	----	2.667 - 0.587	.3827	----	----	----	----	1 UNCH
7685	----	----	----/2.524A	3.126B/2.524A	----	2.650 - 0.586	.3809	----	----	----	----	1 UNCH
7690	----	----	----/2.510A	3.115B/2.510A	----	2.634 - 0.585	.3792	----	----	----	----	1 UNCH
7700	----	----	----/2.451A	3.110B/2.451A	----	2.601 - 0.584	.3757	----	----	2	----	201 UNCH
7710	----	----	----/2.448A	3.029B/2.448A	----	2.568 - 0.583	.3723	----	----	----	----	1 UNCH
7715	2.473	2.473	2.473/2.430A	3.010B/2.430A	----	2.552 NEW	.3706	----	----	4	----	4 + 4
7725	2.716	2.716	2.993B/2.401A	2.993B/2.401A	----	2.520 - 0.581	.3671	----	----	1	----	3 + 1
7735	----	----	----/2.374A	2.954B/2.374A	----	2.489 - 0.579	.3638	----	----	----	----	1 UNCH
7750	2.632	2.632	2.908B/2.325A	2.908B/2.325A	----	2.442 - 0.577	.3587	----	----	1	----	5 - 1
7760	----	----	----/2.297A	2.868B/2.297A	----	2.411 - 0.576	.3553	----	----	----	----	1 UNCH
7770	----	----	----/2.269A	2.838B/2.269A	----	2.381 - 0.574	.3520	----	----	----	----	1 UNCH
7775	----	----	----/2.256A	2.813B/2.256A	----	2.366 - 0.574	.3503	----	----	----	----	3 UNCH
7785	----	----	----/2.228A	2.787B/2.228A	----	2.336 - 0.572	.3470	----	----	----	----	1 UNCH
7800	2.850	2.850	2.850/2.163A	2.850/2.163A	----	2.292 - 0.570	.3420	----	----	8	----	87 + 7
7805	----	----	----/2.170A	2.721B/2.170A	----	2.278 - 0.568	.3404	----	----	----	----	6 UNCH
7810	----	----	----/2.160A	2.703B/2.160A	----	2.263 - 0.568	.3388	----	----	----	----	1 UNCH
7815	----	----	----/2.148A	2.685B/2.148A	----	2.249 - 0.567	.3372	----	----	----	----	2 UNCH
7825	----	----	----/2.122A	2.652B/2.122A	----	2.221 - 0.565	.3340	----	----	----	----	1 UNCH
7845	----	----	----/2.068A	2.591B/2.068A	----	2.165 - 0.561	.3275	----	----	----	----	1 UNCH
7850	----	----	----/2.044A	2.589B/2.044A	----	2.151 - 0.561	.3259	----	----	----	----	33 UNCH
7855	----	----	----/2.040A	2.561B/2.040A	----	2.137 - 0.560	.3243	----	----	----	----	8 UNCH
7870	----	----	----/2.004A	2.515B/2.004A	----	2.097 - 0.557	.3196	----	----	----	----	1 UNCH
7875	----	----	----/1.981A	2.512B/1.981A	----	2.084 - 0.555	.3181	----	----	----	----	43 UNCH
7900	----	----	----/1.920A	2.432B/1.920A	----	2.018 - 0.551	.3103	----	----	----	----	30 UNCH
7910	2.020	2.020	2.020/1.907A	2.415B/1.907A	----	1.993 NEW	.3073	----	----	1	----	1 + 1
7915	2.010	2.010	2.010/1.895A	2.407B/1.895A	----	1.980 NEW	.3057	----	----	1	----	1 + 1
7920	1.998	1.998	1.998/1.884A	2.392B/1.884A	----	1.967 NEW	.3042	----	----	1	----	1 + 1
7925	1.971	1.971	1.971/1.871A	2.397B/1.871A	----	1.955 - 0.546	.3027	----	----	1	----	6 + 1
7930	1.970	1.970	1.970/1.859A	2.379B/1.859A	----	1.942 - 0.545	.3011	----	----	1	----	2 + 1
7935	1.953	1.953	1.953/1.849A	2.355B/1.849A	----	1.930 NEW	.2997	----	----	1	----	1 + 1
7940	1.944	1.944	1.944/1.836A	2.349B/1.836A	----	1.918 - 0.542	.2982	----	----	1	----	3 + 1
7945	1.941	1.941	1.941/1.826A	2.337B/1.826A	----	1.905 - 0.542	.2966	----	----	1	----	2 + 1
7950	1.921	1.921	1.921/1.811A	2.318B/1.811A	----	1.893 - 0.541	.2952	----	----	1	----	18 + 1
7955	1.921	1.921	1.921/1.803A	2.292B/1.803A	----	1.881 NEW	.2937	----	----	1	----	1 + 1
7960	1.899	1.899	1.899/1.793A	2.286B/1.793A	----	1.869 NEW	.2922	----	----	1	----	1 + 1
7965	1.888	1.888	1.888/1.781A	2.279B/1.781A	----	1.857 NEW	.2907	----	----	1	----	1 + 1
7970	1.882	1.882	1.882/1.769A	2.268B/1.769A	----	1.846 NEW	.2893	----	----	1	----	1 + 1
7980	----	----	----/1.747A	2.241B/1.747A	----	1.822 - 0.534	.2864	----	----	----	----	3 UNCH
7985	----	----	----/1.736A	2.228B/1.736A	----	1.810 - 0.533	.2849	----	----	----	----	4 UNCH
7990	----	----	----/1.726A	2.212B/1.726A	----	1.799 - 0.532	.2835	----	----	----	----	4 UNCH
7995	----	----	----/1.716A	2.197B/1.716A	----	1.788 - 0.530	.2821	----	----	----	----	19 UNCH
8000	1.755	1.755	2.204/1.689A	2.204/1.689A	----	1.776 - 0.530	.2806	----	----	33	----	1376 - 4
8005	----	----	----/1.696A	2.172B/1.696A	----	1.765 - 0.528	.2792	----	----	----	----	24 UNCH
8010	----	----	----/1.677A	2.160B/1.677A	----	1.754 - 0.527	.2778	----	----	----	----	33 UNCH
8015	----	----	----/1.671A	2.145B/1.671A	----	1.742 - 0.526	.2763	----	----	----	----	24 UNCH
8020	----	----	----/1.664A	2.142B/1.664A	----	1.731 - 0.525	.2749	----	----	----	----	14 UNCH
8025	1.925	1.925	1.925/1.653A	2.128B/1.653A	----	1.720 - 0.524	.2735	----	----	1	----	14 UNCH
8030	----	----	----/1.643A	2.116B/1.643A	----	1.709 - 0.523	.2721	----	----	----	----	4 UNCH
8035	----	----	----/1.634A	2.105B/1.634A	----	1.699 - 0.521	.2708	----	----	----	----	2 UNCH
8040	----	----	----/1.624A	2.084B/1.624A	----	1.688 - 0.520	.2694	----	----	----	----	2 UNCH
8045	----	----	----/1.613A	2.067B/1.613A	----	1.677 - 0.519	.2680	----	----	----	----	1 UNCH
8050	----	----	----/1.601A	2.058B/1.601A	----	1.666 - 0.518	.2666	----	----	----	----	13 UNCH
8055	----	----	----/1.593A	2.054B/1.593A	----	1.656 - 0.516	.2653	----	----	----	----	1 UNCH
8060	----	----	----/1.584A	2.041B/1.584A	----	1.645 - 0.515	.2639	----	----	----	----	1 UNCH
8065	----	----	----/1.575A	2.023B/1.575A	----	1.635 - 0.514	.2626	----	----	----	----	5 UNCH
8070	----	----	----/1.565A	2.014B/1.565A	----	1.624 - 0.513	.2612	----	----	----	----	2 UNCH
8075	----	----	----/1.555A	2.000B/1.555A	----	1.614 - 0.512	.2598	----	----	----	----	6 UNCH
8080	----	----	----/1.547A	1.975B/1.547A	----	1.604 - 0.510	.2585	----	----	----	----	2 UNCH
8085	----	----	----/1.536A	1.976B/1.536A	----	1.594 - 0.509	.2572	----	----	----	----	1 UNCH
8090	----	----	----/1.527A	1.968B/1.527A	----	1.584 - 0.507	.2559	----	----	----	----	21 UNCH
8095	----	----	----/1.518A	1.956B/1.518A	----	1.573 - 0.507	.2545	----	----	----	----	16 UNCH
8100	1.558	1.558	1.558/1.493A	1.941B/1.493A	----	1.564 - 0.505	.2532	----	----	5	----	239 - 1
8105	----	----	----/1.501A	1.932B/1.501A	----	1.554 - 0.504	.2519	----	----	----	----	1 UNCH
8110	1.593	1.593	1.593/1.490A	1.920B/1.490A	----	1.544 - 0.502	.2506	----	----	1	----	2 - 1
8115	----	----	----/1.482A	1.905B/1.482A	----	1.534 - 0.501	.2493	----	----	----	----	3 UNCH
8125	----	----	----/1.464A	1.883B/1.464A	----	1.515 - 0.499	.2467	----	----	----	----	3 UNCH
8150	1.570	1.570	1.820B/1.420A	1.820B/1.420A	----	1.467 - 0.493	.2403	----	----	1	----	12 UNCH
8175	----	----	----/1.379A	1.774B/1.379A	----	1.422 - 0.485	.2341	----	----	----	----	15 UNCH
8200	1.500	1.500	1.722B/1.324A	1.722B/1.324A	----	1.377 - 0.480	.2280	----	----	16	----	96 + 16
8205	----	----	----/1.331A	1.710B/1.331A	----	1.369 NEW	.2268	----	----	1	----	1 + 1
8210	----	----	----/1.320A	1.697B/1.320A	----	1.360 - 0.477	.2256	----	----	1	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
8225	----	----	----/1.295A	1.666B/1.295A	----	1.335 - 0.472	.2221	----	----	----	----	4 UNCH
8230	----	----	----/1.290A	1.660B/1.290A	----	1.326 - 0.472	.2209	----	----	----	----	1 UNCH
8235	----	----	----/1.279A	1.651B/1.279A	----	1.318 - 0.470	.2198	----	----	----	----	1 UNCH
8240	----	----	----/1.272A	1.640B/1.272A	----	1.310 - 0.468	.2186	----	----	----	----	1 UNCH
8250	1.280	1.280	1.280/1.246A	1.620B/1.246A	----	1.293 - 0.466	.2163	----	----	2	----	98 + 2
8255	----	----	----/1.252A	1.610B/1.252A	----	1.285 - 0.465	.2151	----	----	----	----	3 UNCH
8265	1.650	1.650	1.650/1.234A	1.650/1.234A	----	1.269 - 0.462	.2129	----	----	2	----	2 + 1
8270	1.412	1.412	1.412/1.226A	1.582B/1.226A	----	1.261 - 0.461	.2117	----	----	6	----	3 - 3
8275	----	----	----/1.224A	1.572B/1.224A	----	1.254 - 0.459	.2107	----	----	----	----	5 UNCH
8280	----	----	----/1.212A	1.562B/1.212A	----	1.246 - 0.457	.2095	----	----	----	----	2 UNCH
8290	----	----	----/1.200A	1.547B/1.200A	----	1.230 - 0.455	.2073	----	----	----	----	10 UNCH
8300	----	----	----/1.175A	1.530B/1.175A	----	1.215 - 0.452	.2051	----	----	----	----	121 UNCH
8310	----	----	----/1.167A	1.508B/1.167A	----	1.200 - 0.449	.2029	----	----	----	----	2 UNCH
8325	1.282	1.282	1.282/1.153A	1.469B/1.153A	----	1.178 - 0.445	.1998	----	----	1	----	4 UNCH
8340	----	----	----/1.126A	1.454B/1.126A	----	1.156 - 0.441	.1966	----	----	----	----	29 UNCH
8345	----	----	----/1.122A	1.449B/1.122A	----	1.149 - 0.440	.1955	----	----	----	----	16 UNCH
8350	----	----	----/1.115A	1.437B/1.115A	----	1.142 - 0.438	.1945	----	----	----	----	26 UNCH
8360	----	----	----/1.100A	1.422B/1.100A	----	1.128 - 0.436	.1924	----	----	----	----	1 UNCH
8370	----	----	----/1.089A	1.403B/1.089A	----	1.114 - 0.433	.1904	----	----	----	----	1 UNCH
8375	----	----	----/1.083A	1.396B/1.083A	----	1.107 - 0.432	.1894	----	----	----	----	4 UNCH
8400	----	----	----/1.051A	1.355B/1.051A	----	1.074 - 0.424	.1844	----	----	----	----	35 UNCH
8420	----	----	----/1.029A	1.324B/1.029A	----	1.048 - 0.419	.1805	----	----	----	----	3 UNCH
8425	----	----	----/1.022A	1.314B/1.022A	----	1.042 - 0.417	.1796	----	----	----	----	6 UNCH
8435	----	----	----/1.009A	1.300B/1.009A	----	1.029 - 0.415	.1777	----	----	----	----	1 UNCH
8440	----	----	----/1.003A	1.289B/1.003A	----	1.023 - 0.413	.1767	----	----	----	----	1 UNCH
8450	----	----	----/0.989A	1.274B/0.989A	----	1.011 - 0.410	.1749	----	----	----	----	145 UNCH
8460	----	----	----/0.980A	1.261B/0.980A	----	0.998 - 0.408	.1730	----	----	----	----	1 UNCH
8465	----	----	----/0.974A	1.254B/0.974A	----	0.992 - 0.407	.1721	----	----	----	----	1 UNCH
8475	----	----	----/0.963A	1.236B/0.963A	----	0.980 - 0.404	.1702	----	----	----	----	1 UNCH
8485	----	----	----/0.957A	1.226B/0.957A	----	0.969 - 0.401	.1685	----	----	----	----	1 UNCH
8490	----	----	----/*0.947A	1.218B/*0.947A	----	0.963 - 0.400	.1676	----	----	----	----	2 UNCH
8500	1.050	1.050	1.050/*0.928	1.203B/*0.928	----	0.951 - 0.397	.1658	----	----	24	----	743 + 20
8505	----	----	----/*0.934A	1.194B/*0.934A	----	0.946 - 0.395	.1650	----	----	----	----	4 UNCH
8510	----	----	----/*0.926A	1.186B/*0.926A	----	0.940 - 0.394	.1640	----	----	----	----	2 UNCH
8515	----	----	----/*0.924A	1.181B/*0.924A	----	0.935 - 0.392	.1632	----	----	----	----	1 UNCH
8525	----	----	----/*0.911A	1.166B/*0.911A	----	0.923 - 0.391	.1614	----	----	----	----	23 UNCH
8535	----	----	----/*0.898A	1.155B/*0.898A	----	0.913 - 0.387	.1598	----	----	----	----	1 UNCH
8540	----	----	----/*0.896A	1.147B/*0.896A	----	0.907 - 0.386	.1589	----	----	----	----	6 UNCH
8545	----	----	----/*0.893A	1.142B/*0.893A	----	0.902 - 0.385	.1581	----	----	----	----	2 UNCH
8550	----	----	----/*0.886A	1.123B/*0.886A	----	0.896 - 0.384	.1572	----	----	----	----	10 UNCH
8565	----	----	----/*0.869A	1.113B/*0.869A	----	0.881 - 0.379	.1548	----	----	----	----	10 UNCH
8570	----	----	----/*0.864A	1.089B/*0.864A	----	0.876 - 0.378	.1540	----	----	----	----	4 UNCH
8575	----	----	----/*0.862A	1.099B/*0.862A	----	0.870 - 0.377	.1531	----	----	----	----	34 UNCH
8590	----	----	----/*0.845A	1.083B/*0.845A	----	0.855 - 0.373	.1507	----	----	----	----	1 UNCH
8600	----	----	----/*0.838A	1.068B/*0.838A	----	0.845 - 0.370	.1491	----	----	----	----	251 UNCH
8605	----	----	----/*0.834A	1.064B/*0.834A	----	0.840 - 0.369	.1483	----	----	----	----	4 UNCH
8615	----	----	----/*0.823A	1.053B/*0.823A	----	0.831 - 0.366	.1469	----	----	----	----	1 UNCH
8620	----	----	----/*0.818A	1.043B/*0.818A	----	0.826 - 0.365	.1461	----	----	----	----	5 UNCH
8625	----	----	----/*0.817A	1.037B/*0.817A	----	0.821 - 0.364	.1453	----	----	----	----	2 UNCH
8630	----	----	----/*0.811A	1.031B/*0.811A	----	0.816 - 0.363	.1445	----	----	----	----	2 UNCH
8635	----	----	----/*0.805A	1.026B/*0.805A	----	0.812 - 0.361	.1438	----	----	----	----	1 UNCH
8640	----	----	----/*0.801A	1.010B/*0.801A	----	0.807 - 0.360	.1430	----	----	----	----	1 UNCH
8650	----	----	----/*0.798A	1.006B/*0.798A	----	0.798 - 0.357	.1416	----	----	----	----	11 UNCH
8660	----	----	----/*0.785A	0.995B/*0.785A	----	0.789 - 0.354	.1401	----	----	----	----	2 UNCH
8670	----	----	----/*0.775A	0.983B/*0.775A	----	0.780 - 0.351	.1387	----	----	----	----	1 UNCH
8675	----	----	----/*0.773A	0.977B/*0.773A	----	0.775 - 0.351	.1379	----	----	----	----	1 UNCH
8695	----	----	----/*0.757A	0.944B/*0.757A	----	0.758 - 0.345	.1351	----	----	----	----	2 UNCH
8700	----	----	----/*0.751A	0.953B/*0.751A	----	0.753 - 0.345	.1343	----	----	10	----	84 + 9
8705	----	----	----/*0.748A	0.946B/*0.748A	----	0.749 - 0.343	.1336	----	----	----	----	17 UNCH
8725	----	----	----/*0.731A	0.924B/*0.731A	----	0.732 - 0.338	.1309	----	----	----	----	1 UNCH
8750	----	----	----/*0.712A	0.893B/*0.712A	----	0.712 - 0.332	.1275	----	----	----	----	42 UNCH
8775	----	----	----/*0.696A	0.874B/*0.696A	----	0.693 - 0.325	.1244	----	----	----	----	26 UNCH
8800	0.900	0.900	0.900/*0.676A	0.900/*0.676A	----	0.674 - 0.319	.1212	----	----	2	----	628 - 2
8850	----	----	----/*0.642A	0.802B/*0.642A	----	0.638 - 0.308	.1152	----	----	----	----	3 UNCH
8875	----	----	----/*0.627A	0.775B/*0.627A	----	0.621 - 0.302	.1123	----	----	----	----	3 UNCH
8900	----	----	----/*0.609A	0.759B/*0.609A	----	0.605 - 0.296	.1095	----	----	----	----	116 UNCH
8925	----	----	----/*0.594A	0.741B/*0.594A	----	0.589 - 0.291	.1068	----	----	----	----	4 UNCH
8950	----	----	----/*0.583A	0.719B/*0.583A	----	0.574 - 0.285	.1042	----	----	----	----	59 UNCH
8975	----	----	----/*0.568A	0.700B/*0.568A	----	0.559 - 0.280	.1016	----	----	----	----	23 UNCH
9000	0.669	0.669	0.723/0.554A	0.723/0.554A	----	0.545 - 0.275	.0992	----	----	33	----	1226 UNCH
9025	----	----	----/*0.541A	0.664B/*0.541A	----	0.532 - 0.269	.0969	----	----	1	----	24 UNCH
9050	----	----	----/*0.523A	0.638B/*0.523A	----	0.518 - 0.265	.0944	----	----	----	----	17 UNCH
9075	----	----	----/*0.515A	0.632B/*0.515A	----	0.506 - 0.259	.0923	----	----	----	----	6 UNCH
9100	----	----	----/*0.499A	0.606B/*0.499A	----	0.494 - 0.254	.0901	----	----	----	----	78 UNCH
9125	----	----	----/*0.493A	0.597B/*0.493A	----	0.482 - 0.249	.0880	----	----	----	----	5 UNCH
9150	----	----	----/*0.481A	0.576B/*0.481A	----	0.470 - 0.245	.0859	----	----	----	----	28 UNCH
9175	----	----	----/*0.470A	0.566B/*0.470A	----	0.459 - 0.240	.0839	----	----	----	----	8 UNCH
9200	----	----	----/*0.458A	0.547B/*0.458A	----	0.449 - 0.235	.0821	----	----	----	----	166 UNCH
9225	0.456	0.456	0.456/*0.445A	0.537B/*0.445A	----	0.438 - 0.232	.0801	----	----	3	----	18 + 3
9250	0.445	0.445	0.445/*0.435A	0.525B/*0.435A	----	0.428 - 0.227	.0783	----	----	3	----	73 + 3
9275	----	----	----/*0.428A	0.514B/*0.428A	----	0.419 - 0.223	.0767	----	----	----	----	29 UNCH
9300	----	----	----/*0.420A	0.501B/*0.420A	----	0.409 - 0.219	.0749	----	----	----	----	197 UNCH
9325	----	----	----/*0.411A	0.483B/*0.411A	----	0.401 - 0.214	.0734	----	----	----	----	7 UNCH
9350	----	----	----/*0.403A	0.471B/*0.403A	----	0.392 - 0.211	.0717	----	----	----	----	31 UNCH
9375	----	----	----/*0.397A	0.464B/*0.397A	----	0.383 - 0.208	.0701	----	----	----	----	13 UNCH
9400	----	----	----/*0.389A	0.454B/*0.389A	----	0.375 - 0.204	.0686	----	----	1	----	39 - 1
9425	----	----	----/*0.380A	0.438B/*0.380A	----	0.368 - 0.199	.0673	----	----	----	----	9 UNCH
9450	----	----	----/*0.372A	0.428B/*0.372A	----	0.360 - 0.196	.0658	----	----	----	----	19 UNCH
9475	----	----	----/*0.366A	0.419B/*0.366A	----	0.353 - 0.192	.0645	----	----	----	----	5 UNCH
9500	0.350	0.350	0.350/*0.350	0.414B/*0.350	----	0.346 - 0.189	.0632	----	----	21	----	872 + 19
9525	----	----	----/*0.358A	0.404B/*0.358A	----	0.339 - 0.186	.0619	----	----	----	----	23 UNCH
9550	----	----	----/*0.349A	0.393B/*0.349A	----	0.332 - 0.183	.0606	----	----	----	----	30 UNCH
9575	----	----	----/*0.344A	0.382B/*0.344A	----	0.326 - 0.180	.0594	----	----	----	----	4 UNCH
9600	----	----	----/*0.339A	0.373B/*0.339A	----	0.319 - 0.177	.0581	----	----	----	----	130 UNCH
9625	----	----	----/*0.330A	0.366B/*0.330A	----	0.313 - 0.174	.0570	----	----	----	----	6 UNCH
9650	----	----	----/*0.328A	0.358B/*0.328A	----	0.307 - 0.171	.0559	----	----	----	----	14 UNCH
9675	----	----	----/*0.321A	0.351B/*0.321A	----	0.302 - 0.168	.0549	----	----	----	----	13 UNCH
9700	----	----	----/*0.317A	0.344B/*0.317A	----	0.296 - 0.166	.0537	----	----	----	----	17 UNCH
9725	----	----	----/*0.311A	0.339B/*0.311A	----	0.291 - 0.163	.0528	----	----	----	----	9 UNCH
9750	----	----	----/*0.307A	0.332B/*0.307A	----	0.286 - 0.160	.0518	----	----	----	----	78 UNCH
9775	----	----	----/*0.303A	0.326B/*0.303A	----	0.280 - 0.158	.0507	----	----	----	----	2 UNCH
9800	----	----	----/*0.297A	0.319B/*0.297A	----	0.275 - 0.155	.0498	----	----	----	----	100 UNCH
9825	----	----	----/*0.293A	0.314B/*0.293A	----	0.271 - 0.152	.0489	----	----	----	----	5 UNCH
9850	----	----	----/*0.289A	0.307B/*0.289A	----	0.266 - 0.150	.0480	----	----	----	----	20 UNCH
9875	----	----	----/*0.285A	0.301B/*0.285A	----	0.261 - 0.148	.0471	----	----	----	----	11 UNCH
9900	----	----	----/*0.281A	0.295B/*0.281A	----	0.257 - 0.145	.0463	----	----	----	----	245 UNCH
9925	----	----	----/*0.282A	0.290B/*0.282A	----	0.252 - 0.144	.0454	----	----	----	----	2 UNCH
9950	----	----	----/*0.284A	0.286B/*0.284A	----	0.248 - 0.141	.0446	----	----	----	----	26 UNCH
9975	----	----	----/*0.284A	0.281B/*0.284A	----	0.244 - 0.139	.0438	----	----	----	----	2 UNCH
10000	0.243	0.243	0.243/0.243	0.275B/0.243	----	0.240 - 0.137	.0430	----	----	5	----	1065 UNCH
10025	----	----	----/*0.276A	0.270B/*0.276A	----	0.236 - 0.135	.0423	----	----	----	----	2 UNCH
10050	----	----	----/*0.269A	0.266B/*0.269A	----	0.232 - 0.133	.0415	----	----	----	----	22 UNCH
10075	----	----	----/*0.266A	0.260B/*0.266A	----	0.228 - 0.131	.0408	----	----	----	----	4 UNCH
10100	----	----	----/*0.263A	0.256B/*0.263A	----	0.224 - 0.130	.0400	----	----	1	----	67 UNCH
10125	----	----	----/*0.266A	0.252B/*0.266A	----	0.221 - 0.128	.0394	----	----	----	----	1 UNCH
10150	----	----	----/*0.269A	0.247B/*0.269A	----	0.217 - 0.126	.0387	----	----	----	----	1 UNCH
10175	----	----	----/*0.263A	0.244B/*0.263A	----	0.214 - 0.124	.0381	----	----	----	----	1 UNCH
10200	----	----	----/*0.264A	0.239B/*0.264A	----	0.210 - 0.123	.0373	----	----	----	----	34 UNCH
10225	----	----	----/*0.247A	0.234B/*0.247A	----	0.207 - 0.121	.0368	----	----	----	----	1 UNCH
10250	----	----	----/*0.246A	0.198B/*0.246A	----	0.204 - 0.119	.0362	----	----	----	----	5 UNCH
10275	----	----	----/*0.249A	0.193B/*0.249A	----	0.200 - 0.119	.0355	----	----	----	----	4 UNCH
10300	----	----	----/*0.239A	0.205B/*0.239A	----	0.197 - 0.117	.0349	----	----	1	----	209 UNCH
10305	----	----	----/*0.242A	0.205B/*0.242A	----	0.197 - 0.116	.0348	----	----	2	----	2 UNCH
10325	----	----	----/*0.236A	0.201B/*0.236A	----	0.194 - 0.116	.0343	----	----	----	----	1 UNCH
10350	----	----	----/*0.233A	0.200B/*0.233A	----	0.191 - 0.114	.0337	----	----	1	----	2 - 1
10375	----	----	----/*0.234A	0.189B/*0.234A	----	0.188 - 0.113	.0332	----	----	----	----	1 UNCH
10400	----	----	----/*0.231A	0.196B/*0.231A	----	0.185 - 0.112	.0326	----	----	----	----	27 UNCH
10425	----	----	----/*0.223A	0.182B/*0.223A	----	0.183 - 0.110	.0322	----	----	----	----	19 UNCH
10450	----	----	----/*0.222A	0.186B/*0.222A	----	0.180 - 0.109	.0316	----	----	----	----	4 UNCH
10480	----	----	----/*0.224A	0.185B/*0.224A	----	0.177 - 0.107	.0310	----	----	----	----	2 UNCH
10485	----	----	----/*0.222A	0.182B/*0.222A	----	0.176 - 0.107	.0309	----	----	----	----	2 UNCH
10490	----	----	----/*0.223A	0.182B/*0.223A	----	0.175 - 0.108	.0307	----	----	----	----	1 UNCH
10500	----	----	----/0.222A	0.181B/0.222A	----	0.174 - 0.107	.0305	----	----	3	----	322 - 1
10515	----	----	----/*0.211A	0.170B/*0.211A	----	0.173 - 0.106	.0303	----	----	----	----	7 UNCH
10520	----	----	----/*0.218A	0.176B/*0.218A	----	0.172 - 0.106	.0301	----	----	----	----	2 UNCH
10550	----	----	----/*0.212A	0.176B/*0.212A	----	0.169 - 0.105	.0296	----	----	----	----	2 UNCH
10555	----	----	----/*0.216A	0.171B/*0.216A	----	0.169 - 0.104	.0295	----	----	----	----	1 UNCH
10560	0.220	0.220	0.220/*0.190A	0.220/*0.190A	----	0.168 - 0.104	.0294	----	----	1	----	17 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
10570	----	----	----/*0.210A	0.175B/*0.210A	----	0.167 - 0.104	.0292	----	----	----	----	1 UNCH
10575	----	----	----/*0.220A	0.158B/*0.220A	----	0.167 - 0.103	.0292	----	----	----	----	1 UNCH
10580	----	----	----/*0.219A	0.175B/*0.219A	----	0.166 - 0.104	.0290	----	----	----	----	1 UNCH
10595	----	----	----/*0.218A	0.172B/*0.218A	----	0.165 - 0.103	.0288	----	----	----	----	2 UNCH
10600	----	----	----/*0.217A	0.160B/*0.217A	----	0.164 - 0.103	.0286	----	----	----	----	23 UNCH
10605	----	----	----/*0.217A	0.170B/*0.217A	----	0.164 - 0.102	.0286	----	----	----	----	5 UNCH
10610	----	----	----/*0.216A	0.171B/*0.216A	----	0.163 - 0.102	.0284	----	----	----	----	1 UNCH
10615	----	----	----/*0.215A	0.174B/*0.215A	----	0.163 - 0.102	.0284	----	----	----	----	1 UNCH
10625	----	----	----/*0.215A	0.160B/*0.215A	----	0.162 - 0.101	.0282	----	----	----	----	1 UNCH
10630	----	----	----/*0.216A	0.169B/*0.216A	----	0.161 - 0.102	.0281	----	----	----	----	1 UNCH
10650	----	----	----/*0.208A	0.156B/*0.208A	----	0.160 - 0.100	.0278	----	----	----	----	1 UNCH
10655	----	----	----/*0.200A	0.161B/*0.200A	----	0.159 - 0.100	.0277	----	----	----	----	1 UNCH
10670	----	----	----/*0.214A	0.155B/*0.214A	----	0.158 - 0.099	.0275	----	----	----	----	1 UNCH
10675	----	----	----/*0.206A	0.153B/*0.206A	----	0.157 - 0.100	.0273	----	----	----	----	3 UNCH
10680	----	----	----/*0.202A	0.149B/*0.202A	----	0.157 - 0.099	.0273	----	----	----	----	7 UNCH
10685	----	----	----/*0.209A	0.149B/*0.209A	----	0.156 - 0.100	.0271	----	----	----	----	1 UNCH
10690	----	----	----/*0.201A	0.144B/*0.201A	----	0.156 - 0.099	.0271	----	----	----	----	1 UNCH
10700	----	----	----/*0.209A	0.149B/*0.209A	----	0.155 - 0.099	.0269	----	----	----	----	119 UNCH
10720	----	----	----/*0.205A	0.145B/*0.205A	----	0.153 - 0.098	.0266	----	----	----	----	1 UNCH
10725	----	----	----/*0.204A	0.143B/*0.204A	----	0.153 - 0.098	.0265	----	----	----	----	3 UNCH
10750	----	----	----/*0.205A	0.142B/*0.205A	----	0.151 - 0.096	.0262	----	----	----	----	1 UNCH
10755	----	----	----/*0.199A	0.143B/*0.199A	----	0.150 - 0.097	.0260	----	----	----	----	1 UNCH
10760	----	----	----/*0.201A	0.142B/*0.201A	----	0.150 - 0.096	.0260	----	----	----	----	10 UNCH
10765	----	----	----/*0.201A	0.140B/*0.201A	----	0.149 - 0.097	.0258	----	----	----	----	10 UNCH
10770	----	----	----/*0.197A	0.141B/*0.197A	----	0.149 - 0.096	.0258	----	----	----	----	1 UNCH
10800	----	----	----/*0.200A	0.140B/*0.200A	----	0.146 - 0.096	.0253	----	----	----	----	21 UNCH
10825	----	----	----/*0.197A	0.138B/*0.197A	----	0.144 - 0.095	.0249	----	----	----	----	1 UNCH
10835	----	----	----/*0.184A	0.140B/*0.184A	----	0.144 - 0.094	.0248	----	----	----	----	1 UNCH
10850	----	----	----/*0.195A	0.139B/*0.195A	----	0.142 - 0.094	.0245	----	----	----	----	12 UNCH
10855	----	----	----/*0.195A	0.138B/*0.195A	----	0.142 - 0.093	.0245	----	----	----	----	3 UNCH
10875	----	----	----/*0.193A	0.129B/*0.193A	----	0.140 - 0.093	.0241	----	----	----	----	2 UNCH
10900	----	----	----/*0.179A	0.125B/*0.179A	----	0.139 - 0.091	.0239	----	----	----	----	40 UNCH
10925	----	----	----/*0.192A	0.127B/*0.192A	----	0.137 - 0.091	.0235	----	----	----	----	5 UNCH
10950	----	----	----/*0.188A	0.128B/*0.188A	----	0.135 - 0.090	.0232	----	----	----	----	2 UNCH
10975	----	----	----/*0.186A	0.125B/*0.186A	----	0.133 - 0.090	.0228	----	----	----	----	9 UNCH
11000	0.111	0.111	0.111/0.111	0.124B/0.111	----	0.131 - 0.089	.0224	----	----	1	----	698 UNCH
11025	----	----	----/*0.172A	0.121B/*0.172A	----	0.130 - 0.088	.0222	----	----	----	----	5 UNCH
11050	----	----	----/*0.170A	0.116B/*0.170A	----	0.128 - 0.087	.0219	----	----	----	----	2 UNCH
11075	----	----	----/*0.168A	0.119B/*0.168A	----	0.126 - 0.087	.0215	----	----	----	----	1 UNCH
11100	----	----	----/*0.164A	0.116B/*0.164A	----	0.125 - 0.086	.0213	----	----	----	----	59 UNCH
11125	----	----	----/*0.162A	0.113B/*0.162A	----	0.123 - 0.085	.0209	----	----	----	----	3 UNCH
11150	----	----	----/*0.174A	0.112B/*0.174A	----	0.121 - 0.085	.0206	----	----	----	----	2 UNCH
11200	----	----	----/*0.181A	0.113B/*0.181A	----	0.118 - 0.084	.0200	----	----	----	----	262 UNCH
11225	----	----	----/*0.177A	0.109B/*0.177A	----	0.117 - 0.082	.0198	----	----	----	----	40 UNCH
11240	----	----	----/*0.175A	0.102B/*0.175A	----	0.116 - 0.082	.0196	----	----	----	----	2 UNCH
11245	----	----	----/*0.160A	0.108B/*0.160A	----	0.116 - 0.082	.0196	----	----	----	----	2 UNCH
11250	----	----	----/*0.160A	0.105B/*0.160A	----	0.115 - 0.082	.0195	----	----	----	----	22 UNCH
11255	----	----	----/*0.159A	0.105B/*0.159A	----	0.115 - 0.082	.0194	----	----	----	----	1 UNCH
11260	----	----	----/*0.159A	0.101B/*0.159A	----	0.115 - 0.082	.0194	----	----	----	----	1 UNCH
11265	----	----	----/*0.160A	0.101B/*0.160A	----	0.115 - 0.081	.0194	----	----	----	----	1 UNCH
11275	----	----	----/*0.156A	0.101B/*0.156A	----	0.114 - 0.081	.0192	----	----	----	----	1 UNCH
11290	----	----	----/*0.156A	0.105B/*0.156A	----	0.113 - 0.081	.0191	----	----	----	----	1 UNCH
11300	----	----	----/*0.154A	0.100B/*0.154A	----	0.113 - 0.080	.0190	----	----	----	----	93 UNCH
11305	----	----	----/*0.154A	0.099B/*0.154A	----	0.112 - 0.081	.0189	----	----	----	----	1 UNCH
11315	----	----	----/*0.154A	0.098B/*0.154A	----	0.112 - 0.080	.0189	----	----	----	----	1 UNCH
11325	----	----	----/*0.153A	0.098B/*0.153A	----	0.111 - 0.080	.0187	----	----	----	----	8 UNCH
11335	----	----	----/*0.154A	0.098B/*0.154A	----	0.111 - 0.080	.0187	----	----	----	----	2 UNCH
11345	----	----	----/*0.152A	0.098B/*0.152A	----	0.110 - 0.080	.0185	----	----	----	----	1 UNCH
11350	----	----	----/*0.152A	0.098B/*0.152A	----	0.110 - 0.079	.0185	----	----	----	----	4 UNCH
11365	----	----	----/*0.151A	0.097B/*0.151A	----	0.109 - 0.079	.0183	----	----	----	----	1 UNCH
11370	----	----	----/*0.151A	0.097B/*0.151A	----	0.109 - 0.079	.0183	----	----	----	----	2 UNCH
11380	----	----	----/*0.150A	0.096B/*0.150A	----	0.108 - 0.079	.0181	----	----	----	----	3 UNCH
11385	----	----	----/*0.150A	0.096B/*0.150A	----	0.108 - 0.079	.0181	----	----	----	----	1 UNCH
11400	----	----	----/*0.148A	0.096B/*0.148A	----	0.107 - 0.079	.0180	----	----	----	----	10 UNCH
11450	----	----	----/*0.148A	0.092B/*0.148A	----	0.105 - 0.077	.0176	----	----	----	----	41 UNCH
11455	----	----	----/*0.148A	0.099B/*0.148A	----	0.105 - 0.077	.0175	----	----	----	----	1 UNCH
11465	----	----	----/*0.160A	0.091B/*0.160A	----	0.104 - 0.077	.0174	----	----	----	----	1 UNCH
11475	----	----	----/*0.146A	0.091B/*0.146A	----	0.104 - 0.076	.0174	----	----	----	----	1 UNCH
11480	----	----	----/*0.153A	0.092B/*0.153A	----	0.103 - 0.077	.0172	----	----	----	----	1 UNCH
11485	----	----	----/*0.156A	0.090B/*0.156A	----	0.103 - 0.076	.0172	----	----	----	----	2 UNCH
11500	----	----	----/*0.144A	0.091B/*0.144A	----	0.102 - 0.076	.0170	----	----	1	----	250 - 1
11505	----	----	----/0.159A	0.091B/0.159A	----	0.102 - 0.076	.0170	----	----	----	----	2 UNCH
11515	----	----	----/*0.155A	0.090B/*0.155A	----	0.102 - 0.075	.0170	----	----	----	----	2 UNCH
11525	----	----	----/*0.144A	0.090B/*0.144A	----	0.101 - 0.076	.0168	----	----	----	----	7 UNCH
11530	----	----	----/*0.144A	0.097B/*0.144A	----	0.101 - 0.075	.0168	----	----	----	----	10 UNCH
11540	----	----	----/*0.142A	0.094B/*0.142A	----	0.100 - 0.076	.0167	----	----	----	----	10 UNCH
11550	----	----	----/*0.143A	0.087B/*0.143A	----	0.100 - 0.075	.0166	----	----	----	----	22 UNCH
11570	----	----	----/*0.141A	0.086B/*0.141A	----	0.099 - 0.074	.0165	----	----	----	----	1 UNCH
11575	----	----	----/*0.141A	0.086B/*0.141A	----	0.099 - 0.074	.0164	----	----	----	----	1 UNCH
11595	----	----	----/*0.141A	0.085B/*0.141A	----	0.098 - 0.074	.0163	----	----	----	----	1 UNCH
11600	----	----	----/*0.141A	0.087B/*0.141A	----	0.098 - 0.073	.0163	----	----	----	----	43 UNCH
11615	----	----	----/*0.140A	0.091B/*0.140A	----	0.097 - 0.073	.0161	----	----	----	----	1 UNCH
11625	----	----	----/*0.140A	0.086B/*0.140A	----	0.097 - 0.073	.0161	----	----	----	----	2 UNCH
11630	----	----	----/*0.138A	0.090B/*0.138A	----	0.096 - 0.074	.0159	----	----	----	----	1 UNCH
11640	----	----	----/*0.138A	0.083B/*0.138A	----	0.096 - 0.073	.0159	----	----	----	----	1 UNCH
11650	----	----	----/*0.138A	0.084B/*0.138A	----	0.096 - 0.072	.0159	----	----	----	----	2 UNCH
11665	----	----	----/*0.136A	0.082B/*0.136A	----	0.095 - 0.072	.0157	----	----	----	----	1 UNCH
11685	----	----	----/*0.144A	0.087B/*0.144A	----	0.094 - 0.072	.0155	----	----	----	----	1 UNCH
11690	----	----	----/*0.134A	0.086B/*0.134A	----	0.094 - 0.072	.0155	----	----	----	----	1 UNCH
11700	----	----	----/*0.134A	0.082B/*0.134A	----	0.093 - 0.072	.0154	----	----	----	----	85 UNCH
11705	----	----	----/*0.138A	0.082B/*0.138A	----	0.093 - 0.072	.0154	----	----	----	----	1 UNCH
11725	----	----	----/*0.140A	0.081B/*0.140A	----	0.092 - 0.072	.0152	----	----	----	----	6 UNCH
11730	----	----	----/*0.142A	0.081B/*0.142A	----	0.092 - 0.071	.0152	----	----	----	----	1 UNCH
11750	----	----	----/*0.149A	0.080B/*0.149A	----	0.091 - 0.071	.0150	----	----	----	----	5 UNCH
11775	----	----	----/*0.145A	0.079B/*0.145A	----	0.090 - 0.070	.0148	----	----	----	----	2 UNCH
11800	----	----	----/*0.131A	0.084B/*0.131A	----	0.089 - 0.070	.0146	----	----	----	----	64 UNCH
11825	----	----	----/*0.138A	0.085B/*0.138A	----	0.088 - 0.070	.0144	----	----	----	----	2 UNCH
11850	----	----	----/*0.129A	0.082B/*0.129A	----	0.087 - 0.069	.0143	----	----	----	----	3 UNCH
11900	----	----	----/*0.126A	0.078B/*0.126A	----	0.085 - 0.068	.0139	----	----	----	----	86 UNCH
11925	----	----	----/*0.126A	0.077B/*0.126A	----	0.084 - 0.068	.0137	----	----	----	----	2 UNCH
11950	----	----	----/*0.125A	0.078B/*0.125A	----	0.084 - 0.067	.0137	----	----	----	----	5 UNCH
11975	----	----	----/*0.124A	0.078B/*0.124A	----	0.083 - 0.066	.0135	----	----	----	----	4 UNCH
12000	0.090	0.090	0.090/0.087	0.090/0.087	----	0.082 - 0.066	.0133	----	----	7	----	842 - 1
12025	----	----	----/*0.123A	0.077B/*0.123A	----	0.081 - 0.066	.0132	----	----	----	----	1 UNCH
12050	----	----	----/*0.121A	0.076B/*0.121A	----	0.080 - 0.065	.0130	----	----	----	----	1 UNCH
12075	----	----	----/*0.121A	0.074B/*0.121A	----	0.079 - 0.065	.0128	----	----	----	----	1 UNCH
12100	----	----	----/*0.120A	0.075B/*0.120A	----	0.078 - 0.065	.0126	----	----	----	----	17 UNCH
12125	----	----	----/*0.120A	0.070B/*0.120A	----	0.078 - 0.064	.0126	----	----	----	----	1 UNCH
12150	----	----	----/*0.117A	0.072B/*0.117A	----	0.077 - 0.063	.0124	----	----	----	----	13 UNCH
12175	----	----	----/*0.117A	0.071B/*0.117A	----	0.076 - 0.063	.0123	----	----	----	----	1 UNCH
12200	----	----	----/*0.119A	0.069B/*0.119A	----	0.075 - 0.063	.0121	----	----	1	----	3 - 1
12225	----	----	----	0.066B/*0.164A	----	0.074 - 0.063	.0119	----	----	----	----	2 UNCH
12250	----	----	----	0.031B/*0.165A	----	0.074 - 0.062	.0119	----	----	----	----	3 UNCH
12300	----	----	----	0.029B/0.163A	----	0.072 - 0.061	.0115	----	----	----	----	118 UNCH
12350	----	----	----	0.028B/0.162A	----	0.071 - 0.060	.0113	----	----	----	----	2 UNCH
12375	----	----	----	0.027B/*0.161A	----	0.070 - 0.060	.0112	----	----	----	----	1 UNCH
12400	----	----	----	0.026B/0.160A	----	0.069 - 0.060	.0110	----	----	----	----	12 UNCH
12450	----	----	----	0.024B/*0.159A	----	0.068 - 0.059	.0108	----	----	----	----	5 UNCH
12500	----	----	----	0.023B/0.158A	----	0.067 - 0.058	.0106	----	----	----	----	331 UNCH
12525	----	----	----	0.022B/*0.135A	----	0.066 - 0.058	.0105	----	----	----	----	2 UNCH
12550	----	----	----	0.021B/*0.156A	----	0.065 - 0.058	.0103	----	----	----	----	3 UNCH
12600	----	----	----	0.020B/*0.154A	----	0.064 - 0.057	.0101	----	----	----	----	30 UNCH
12650	----	----	----	0.055B/0.154A	----	0.063 - 0.056	.0099	----	----	----	----	3 UNCH
12675	----	----	----	0.046B/*0.154A	----	0.062 - 0.056	.0098	----	----	----	----	3 UNCH
12700	----	----	----	0.017B/*0.153A	----	0.062 - 0.055	.0097	----	----	----	----	5 UNCH
12725	----	----	----	0.016B/*0.152A	----	0.061 - 0.055	.0096	----	----	----	----	1 UNCH
12775	----	----	----	0.015B/*0.150A	----	0.060 - 0.054	.0094	----	----	----	----	2 UNCH
12800	----	----	----	0.049B/0.150A	----	0.059 - 0.054	.0092	----	----	----	----	30 UNCH
12900	----	----	----	0.045B/0.146A	----	0.057 - 0.053	.0089	----	----	----	----	73 UNCH
13000	----	----	----/0.101A	0.072B/0.101A	----	0.055 - 0.052	.0085	----	----	----	----	266 UNCH
13100	----	----	----	0.006B/0.138A	----	0.053 - 0.050	.0082	----	----	----	----	3 UNCH
13200	----	----	----/*0.097A	0.006B/*0.097A	----	0.051 - 0.049	.0078	----	----	----	----	44 UNCH
13300	----	----	----	0.006B/*0.130A	----	0.049 - 0.048	.0075	----	----	----	----	3 UNCH
13400	----	----	----	0.006B/*0.127A	----	0.048 - 0.047	.0073	----	----	----	----	3 UNCH
13500	----	----	----	0.006B/*0.123A	----	0.046 - 0.046	.0070	----	----	----	----	64 UNCH
13600	----	----	----/*0.087A	0.006B/*0.087A	----	0.045 - 0.044	.0068	----	----	----	----	19 UNCH
13700	----	----	----	0.006B/*0.117A	----	0.043 - 0.044	.0065	----	----	----	----	76 UNCH
13800	----	----	----	0.009B/*0.109A	----	0.042 - 0.042	.0063	----	----	----	----	39 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 51

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
13900	----	----	----	0.003B/*0.085A	----	0.040 - 0.042	.0060	----	----	----	----	4 UNCH
14000	----	----	----	0.002B/0.111A	----	0.039 - 0.041	.0058	----	----	----	----	400 UNCH
14100	----	----	----	0.004B/*0.089A	----	0.038 - 0.040	.0056	----	----	----	----	27 UNCH
14200	----	----	----	0.002B/*0.107A	----	0.037 - 0.039	.0054	----	----	----	----	41 UNCH
14300	----	----	----	0.003B/*0.105A	----	0.035 - 0.039	.0051	----	----	----	----	6 UNCH
14400	----	----	----	0.002B/*0.103A	----	0.034 - 0.038	.0050	----	----	----	----	13 UNCH
14500	----	----	----	0.001B/0.100A	----	0.033 - 0.037	.0048	----	----	----	----	117 UNCH
14600	----	----	----	0.001B/*0.098A	----	0.032 - 0.036	.0046	----	----	----	----	55 UNCH
14700	----	----	----	0.001B/*0.095A	----	0.031 - 0.036	.0045	----	----	----	----	9 UNCH
14800	----	----	----	0.001B/*0.093A	----	0.030 - 0.035	.0043	----	----	----	----	61 UNCH
14900	----	----	----	0.001B/*0.091A	----	0.029 - 0.034	.0042	----	----	----	----	3 UNCH
15000	0.040	0.040	0.044/*0.040	0.044/*0.040	----	0.029 - 0.033	.0041	----	----	5	----	449 UNCH
15100	----	----	----	0.001B/*0.087A	----	0.028 - 0.032	.0040	----	----	----	----	9 UNCH
15200	----	----	----	0.005B/*0.086A	----	0.027 - 0.032	.0038	----	----	----	----	54 UNCH
15300	----	----	----	0.001B/*0.084A	----	0.026 - 0.032	.0037	----	----	----	----	11 UNCH
15500	----	----	----	0.001B/*0.075A	----	0.025 - 0.030	.0035	----	----	----	----	115 UNCH
15600	----	----	----	0.001B/*0.080A	----	0.024 - 0.030	.0034	----	----	----	----	1 UNCH
15700	----	----	----	0.001B/*0.079A	----	0.023 - 0.030	.0032	----	----	----	----	19 UNCH
15800	----	----	----	0.005B/*0.078A	----	0.023 - 0.028	.0032	----	----	----	----	14 UNCH
15900	----	----	----	0.001B/*0.077A	----	0.022 - 0.028	.0030	----	----	----	----	14 UNCH
16000	----	----	----/*0.040A	0.005B/*0.040A	----	0.022 - 0.027	.0030	----	----	----	----	721 UNCH
16100	----	----	----	0.001B/*0.075A	----	0.021 - 0.027	.0029	----	----	----	----	6 UNCH
16200	----	----	----	0.001B/*0.074A	----	0.020 - 0.027	.0027	----	----	----	----	1 UNCH
16300	----	----	----	0.001B/*0.073A	----	0.020 - 0.026	.0027	----	----	----	----	1 UNCH
16400	----	----	----	0.001B/*0.072A	----	0.019 - 0.026	.0026	----	----	----	----	2 UNCH
16500	----	----	----	0.001B/*0.071A	----	0.019 - 0.025	.0026	----	----	----	----	56 UNCH
16600	----	----	----	0.001B/*0.071A	----	0.018 - 0.025	.0024	----	----	----	----	3 UNCH
16700	----	----	----	0.001B/*0.070A	----	0.018 - 0.024	.0024	----	----	----	----	5 UNCH
16800	----	----	----	0.001B/*0.069A	----	0.018 - 0.023	.0024	----	----	----	----	6 UNCH
16900	----	----	----	0.001B/*0.067A	----	0.017 - 0.024	.0023	----	----	----	----	67 UNCH
17000	----	----	----/*0.030A	0.001B/*0.030A	----	0.017 - 0.023	.0023	----	----	----	----	67 UNCH
17100	----	----	----	0.001B/*0.064A	----	0.016 - 0.023	.0021	----	----	----	----	8 UNCH
17200	----	----	----	0.001B/*0.063A	----	0.016 - 0.022	.0021	----	----	----	----	6 UNCH
17300	----	----	----	----/*0.062A	----	0.016 - 0.021	.0021	----	----	----	----	5 UNCH
17400	----	----	----	----/*0.061A	----	0.015 - 0.022	.0020	----	----	----	----	6 UNCH
17500	----	----	----	----/0.040A	----	0.015 - 0.021	.0020	----	----	----	----	96 UNCH
17600	----	----	----	----/*0.059A	----	0.015 - 0.020	.0020	----	----	----	----	7 UNCH
17700	----	----	----	----/*0.058A	----	0.014 - 0.021	.0018	----	----	----	----	9 UNCH
17800	----	----	----	----/*0.057A	----	0.014 - 0.020	.0018	----	----	----	----	8 UNCH
17900	----	----	----	----/*0.056A	----	0.014 - 0.019	.0018	----	----	----	----	3 UNCH
18000	----	----	----/*0.027A	----/*0.027A	----	0.013 - 0.020	.0017	----	----	----	----	54 UNCH
18100	----	----	----	----/*0.055A	----	0.013 - 0.019	.0017	----	----	----	----	1 UNCH
18200	----	----	----	----/*0.054A	----	0.013 - 0.019	.0017	----	----	----	----	11 UNCH
18300	----	----	----	----/*0.075A	----	0.012 - 0.019	.0015	----	----	----	----	5 UNCH
18400	----	----	----	----/*0.095A	----	0.012 - 0.019	.0015	----	----	----	----	2 UNCH
18500	----	----	----	----/*0.040A	----	0.012 - 0.018	.0015	----	----	----	----	11 UNCH
18700	----	----	----	----/0.102A	----	0.012 - 0.017	.0015	----	----	----	----	8 UNCH
18800	----	----	----	----/0.102A	----	0.011 - 0.018	.0014	----	----	----	----	6 UNCH
18900	----	----	----	----/0.110A	----	0.011 - 0.017	.0014	----	----	----	----	3 UNCH
19000	----	----	----/*0.020A	----/*0.020A	----	0.011 - 0.017	.0014	----	----	----	----	51 UNCH
19100	----	----	----	----/0.130A	----	0.011 - 0.016	.0014	----	----	----	----	74 UNCH
19200	----	----	----	----/0.132A	----	0.010 - 0.017	.0012	----	----	----	----	130 UNCH
19300	----	----	----	----/0.133A	----	0.010 - 0.017	.0012	----	----	----	----	6 UNCH
19400	----	----	----	----/*0.028A	----	0.010 - 0.016	.0012	----	----	----	----	66 UNCH
19500	----	----	----	----/0.132A	----	0.010 - 0.016	.0012	----	----	----	----	96 UNCH
19700	----	----	----	----/0.134A	----	0.010 - 0.015	.0012	----	----	----	----	2 UNCH
19800	----	----	----	----/0.136A	----	0.009 - 0.016	.0011	----	----	----	----	10 UNCH
19900	----	----	----	----/0.137A	----	0.009 - 0.016	.0011	----	----	----	----	11 UNCH
20000	----	----	----/*0.019A	----/*0.019A	----	0.009 - 0.015	.0011	----	----	----	----	392 UNCH
21000	----	----	----	----/0.100A	----	0.007 - 0.013	.0008	----	----	----	----	15 UNCH
22000	----	----	----	----/*0.018A	----	0.005 - 0.010	.0006	----	----	----	----	10 UNCH
23000	----	----	----	----/0.014A	----	0.004 - 0.007	.0004	----	----	----	----	6 UNCH
24000	----	----	----	0.004B/*0.011A	----	0.003 - 0.005	.0003	----	----	----	----	4 UNCH
25000	----	----	----	----/0.007A	----	0.002 - 0.004	.0002	----	----	----	----	91 UNCH
TOTAL										312	0	23286 + 78
JUN26												
4300	----	----	31.040B/29.773A	31.040B/29.773A	----	30.571 - 0.147	.9726	----	----	----	----	20 UNCH
4850	----	----	25.718B/24.643A	25.718B/24.643A	----	25.294 - 0.193	.9499	----	----	----	----	7 UNCH
4900	----	----	25.269B/24.241A	25.269B/24.241A	----	24.823 - 0.196	.9471	----	----	----	----	9 UNCH
5000	----	----	24.414B/23.172A	24.414B/23.172A	----	23.886 - 0.203	.9409	----	----	----	----	350 UNCH
5025	----	----	24.097B/23.065A	24.097B/23.065A	----	23.653 - 0.204	.9393	----	----	----	----	6 UNCH
5050	----	----	23.864B/22.843A	23.864B/22.843A	----	23.421 - 0.205	.9376	----	----	----	----	1 UNCH
5200	----	----	22.581B/21.396A	22.581B/21.396A	----	22.038 - 0.213	.9264	----	----	----	----	77 UNCH
5225	----	----	22.257B/21.303A	22.257B/21.303A	----	21.810 - 0.213	.9243	----	----	----	----	4 UNCH
5275	----	----	21.772B/20.873A	21.772B/20.873A	----	21.356 - 0.215	.9201	----	----	----	----	7 UNCH
5300	----	----	21.545B/20.657A	21.545B/20.657A	----	21.130 - 0.215	.9178	----	----	----	----	3 UNCH
5325	----	----	21.288B/20.435A	21.288B/20.435A	----	20.904 - 0.217	.9156	----	----	----	----	5 UNCH
5350	----	----	21.063B/20.227A	21.063B/20.227A	----	20.680 - 0.217	.9133	----	----	----	----	7 UNCH
5400	----	----	20.641B/19.770A	20.641B/19.770A	----	20.233 - 0.218	.9085	----	----	----	----	2 UNCH
5425	----	----	20.432B/19.577A	20.432B/19.577A	----	20.010 - 0.219	.9060	----	----	----	----	9 UNCH
5500	----	----	19.871B/18.827A	19.871B/18.827A	----	19.348 - 0.221	.8982	----	----	----	----	341 UNCH
5525	----	----	19.503B/18.706A	19.503B/18.706A	----	19.129 - 0.222	.8955	----	----	----	----	2 UNCH
5600	----	----	18.841B/18.035A	18.841B/18.035A	----	18.476 - 0.226	.8869	----	----	----	----	7 UNCH
5625	----	----	18.622B/17.822A	18.622B/17.822A	----	18.261 - 0.227	.8839	----	----	----	----	11 UNCH
5675	----	----	18.187B/17.410A	18.187B/17.410A	----	17.832 - 0.230	.8777	----	----	----	----	1 UNCH
5700	----	----	18.134B/17.141A	18.134B/17.141A	----	17.620 - 0.231	.8746	----	----	----	----	56 UNCH
5725	----	----	17.753B/16.983A	17.753B/16.983A	----	17.408 - 0.233	.8713	----	----	----	----	10 UNCH
5750	----	----	17.538B/16.776A	17.538B/16.776A	----	17.197 - 0.235	.8681	----	----	----	----	13 UNCH
5775	----	----	17.324B/16.570A	17.324B/16.570A	----	16.987 - 0.237	.8647	----	----	----	----	1 UNCH
5800	----	----	17.110B/16.366A	17.110B/16.366A	----	16.779 - 0.238	.8613	----	----	----	----	2 UNCH
5825	----	----	16.897B/16.162A	16.897B/16.162A	----	16.571 - 0.241	.8578	----	----	----	----	1 UNCH
5850	----	----	16.689B/15.958A	16.689B/15.958A	----	16.365 - 0.243	.8542	----	----	----	----	9 UNCH
5900	----	----	16.269B/15.554A	16.269B/15.554A	----	15.955 - 0.248	.8468	----	----	----	----	4 UNCH
5925	----	----	16.064B/15.354A	16.064B/15.354A	----	15.752 - 0.250	.8431	----	----	----	----	17 UNCH
6000	----	----	15.630B/14.701A	15.630B/14.701A	----	15.150 - 0.258	.8314	----	----	4	----	401 UNCH
6025	----	----	15.259B/14.566A	15.259B/14.566A	----	14.952 - 0.261	.8274	----	----	----	----	7 UNCH
6050	----	----	15.059B/14.372A	15.059B/14.372A	----	14.755 - 0.264	.8233	----	----	----	----	4 UNCH
6075	----	----	14.977B/14.141A	14.977B/14.141A	----	14.559 - 0.267	.8191	----	----	----	----	30 UNCH
6100	----	----	14.661B/13.988A	14.661B/13.988A	----	14.365 - 0.269	.8149	----	----	----	----	16 UNCH
6200	----	----	14.068B/13.168A	14.068B/13.168A	----	13.601 - 0.282	.7973	----	----	----	----	101 UNCH
6225	----	----	----/13.054A	13.690B/13.054A	----	13.413 - 0.285	.7928	----	----	----	----	1 UNCH
6250	----	----	----/12.872A	13.500B/12.872A	----	13.227 - 0.288	.7881	----	----	----	----	4 UNCH
6300	----	----	----/12.512A	13.123B/12.512A	----	12.859 - 0.295	.7787	----	----	----	----	4 UNCH
6400	----	----	12.562B/11.751A	12.562B/11.751A	----	12.141 - 0.307	.7591	----	----	----	----	110 UNCH
6425	----	----	12.319B/11.617A	12.319B/11.617A	----	11.965 - 0.310	.7541	----	----	----	----	25 UNCH
6450	----	----	----/11.469A	12.024B/11.469A	----	11.791 - 0.313	.7490	----	----	----	----	6 UNCH
6475	----	----	----/11.301A	11.846B/11.301A	----	11.619 - 0.315	.7439	----	----	----	----	5 UNCH
6500	----	----	----/11.131A	11.669B/11.131A	----	11.448 - 0.318	.7386	----	----	----	----	11 UNCH
6625	----	----	----/10.305A	10.815B/10.305A	----	10.617 - 0.333	.7119	----	----	----	----	10 UNCH
6650	----	----	----/10.172A	10.648B/10.172A	----	10.456 - 0.335	.7064	----	----	----	----	1 UNCH
6700	----	----	----/9.868A	10.314B/9.868A	----	10.138 - 0.341	.6953	----	----	----	----	1 UNCH
6725	----	----	----/9.717A	10.153B/9.717A	----	9.982 - 0.344	.6897	----	----	----	----	1 UNCH
6750	----	----	----/9.571A	9.997B/9.571A	----	9.828 - 0.346	.6840	----	----	----	----	3 UNCH
6800	----	----	----/9.224A	9.680B/9.224A	----	9.524 - 0.351	.6726	----	----	----	----	6 UNCH
6850	----	----	----/9.003A	9.374B/9.003A	----	9.227 - 0.356	.6611	----	----	----	----	5 UNCH
6900	----	----	----/8.645A	9.085B/8.645A	----	8.937 - 0.360	.6495	----	----	----	----	16 UNCH
6925	----	----	----/8.504A	8.942B/8.504A	----	8.795 - 0.362	.6436	----	----	----	----	9 UNCH
6975	----	----	----/8.228A	8.661B/8.228A	----	8.515 - 0.366	.6318	----	----	----	----	7 UNCH
7000	----	----	8.889B/8.089A	8.889B/8.089A	----	8.378 - 0.368	.6259	----	----	1	----	125 + 1
7025	----	----	----/7.998A	8.357B/7.998A	----	8.243 - 0.369	.6200	----	----	----	----	1 UNCH
7050	----	----	----/7.867A	8.217B/7.867A	----	8.109 - 0.371	.6140	----	----	----	----	1 UNCH
7100	----	----	----/7.488A	8.138B/7.488A	----	7.847 - 0.375	.6021	----	----	----	----	98 UNCH
7225	7.149	7.149	7.149/6.991A	7.593B/6.991A	----	7.222 NEW	.5722	----	----	1	----	1 + 1
7250	----	----	7.529B/6.826A	7.529B/6.826A	----	7.102 - 0.384	.5662	----	----	----	----	32 UNCH
7275	----	----	7.436B/6.713A	7.436B/6.713A	----	6.984 - 0.385	.5602	----	----	----	----	2 UNCH
7300	----	----	7.313B/6.614A	7.313B/6.614A	----	6.868 - 0.385	.5543	----	----	10	----	13 + 10
7375	----	----	6.970B/6.281A	6.970B/6.281A	----	6.529 - 0.388	.5364	----	----	----	----	4 UNCH
7400	----	----	6.880B/6.187A	6.880B/6.187A	----	6.420 - 0.388	.5305	----	----	----	----	4 UNCH
7425	----	----	6.816B/6.052A	6.816B/6.052A	----	6.312 - 0.389	.5246	----	----	----	----	11 UNCH
7450	----	----	6.705B/5.928A	6.705B/5.928A	----	6.205 - 0.391	.5187	----	----	----	----	2 UNCH
7475	----	----	6.594B/5.829A	6.594B/5.829A	----	6.101 - 0.391	.5128	----	----	----	----	2 UNCH
7500	5.981	5.981	6.546B/5.733A	6.546B/5.733A	----	5.998 - 0.391	.5070	----	----	7	----	229 UNCH
7525	----	----	6.380B/5.644A	6.380B/5.644A	----	5.897 - 0.391	.5012	----	----	3	----	9 + 2
7550	5.737	5.737	6.273B/5.551A	6.273B/5.551A	----	5.797 - 0.392	.4954	----	----	2	----	25 + 1
7575	----	----	6.170B/5.456A	6.170B/5.456A	----	5.699 - 0.392	.4896	----	----	----	----	1 UNCH
7600	5.546	5.546	6.067B/5.372A	6.067B/5.372A	----	5.603 - 0.392	.4839	----	----	1	----	16 UNCH
7675	5.270	5.270	5.774B/5.100A	5.774B/5.100A	----	5.323 - 0.392	.4669	----	----	1	----	3 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
7700	----	----	5.739B/5.005A	5.739B/5.005A	----	5.233 - 0.391	.4613	----	----	----	----	112 UNCH
7725	5.094	5.094	5.585B/4.948A	5.585B/4.948A	----	5.144 - 0.391	.4557	----	----	1	----	7 + 1
7750	----	----	5.493B/4.863A	5.493B/4.863A	----	5.057 - 0.391	.4502	----	----	----	----	10 UNCH
7775	----	----	5.403B/4.779A	5.403B/4.779A	----	4.971 - 0.391	.4447	----	----	----	----	1 UNCH
7800	----	----	5.313B/4.702A	5.313B/4.702A	----	4.887 - 0.390	.4393	----	----	----	----	14 UNCH
7825	----	----	5.227B/4.617A	5.227B/4.617A	----	4.804 - 0.390	.4339	----	----	----	----	1 UNCH
7850	----	----	5.140B/4.547A	5.140B/4.547A	----	4.723 - 0.389	.4285	----	----	----	----	1 UNCH
7900	4.425	4.425	5.031B/4.387A	5.031B/4.387A	----	4.565 - 0.388	.4179	----	----	7	----	66 UNCH
7925	----	----	4.891B/4.327A	4.891B/4.327A	----	4.488 - 0.387	.4127	----	----	1	----	2 + 1
7950	----	----	4.809B/4.254A	4.809B/4.254A	----	4.412 - 0.387	.4075	----	----	----	----	2 UNCH
7975	----	----	4.730B/4.185A	4.730B/4.185A	----	4.338 - 0.386	.4024	----	----	----	----	2 UNCH
8000	4.620	4.620	4.710B/4.103A	4.710B/4.103A	----	4.265 - 0.385	.3973	----	----	13	----	185 UNCH
8025	----	----	----/4.049A	4.574B/4.049A	----	4.194 - 0.383	.3922	----	----	----	----	3 UNCH
8050	----	----	4.558B/3.957A	4.558B/3.957A	----	4.123 - 0.383	.3872	----	----	----	----	57 UNCH
8075	----	----	----/3.905A	4.424B/3.905A	----	4.054 - 0.382	.3823	----	----	----	----	2 UNCH
8100	----	----	----/3.843A	4.351B/3.843A	----	3.987 - 0.380	.3774	----	----	2	----	11 + 2
8125	----	----	----/3.779A	4.280B/3.779A	----	3.920 - 0.379	.3725	----	----	----	----	2 UNCH
8150	----	----	----/3.721A	4.210B/3.721A	----	3.855 - 0.378	.3677	----	----	----	----	10 UNCH
8175	----	----	----/3.665A	4.140B/3.665A	----	3.791 - 0.376	.3630	----	----	----	----	1 UNCH
8200	----	----	----/3.611A	4.072B/3.611A	----	3.728 - 0.375	.3583	----	----	----	----	3 UNCH
8225	----	----	----/3.548A	4.006B/3.548A	----	3.667 - 0.373	.3537	----	----	----	----	3 UNCH
8250	----	----	----/3.493A	3.940B/3.493A	----	3.606 - 0.372	.3491	----	----	----	----	15 UNCH
8275	----	----	----/3.435A	3.874B/3.435A	----	3.547 - 0.371	.3446	----	----	----	----	19 UNCH
8300	----	----	3.870B/3.360A	3.870B/3.360A	----	3.489 - 0.369	.3401	----	----	----	----	88 UNCH
8350	----	----	----/3.277A	3.687B/3.277A	----	3.376 - 0.366	.3313	----	----	----	----	8 UNCH
8375	----	----	----/3.222A	3.667B/3.222A	----	3.321 - 0.364	.3269	----	----	----	----	5 UNCH
8400	----	----	----/3.170A	3.624B/3.170A	----	3.267 - 0.362	.3227	----	----	----	----	7 UNCH
8425	----	----	----/3.100A	3.570B/3.100A	----	3.214 - 0.361	.3184	----	----	----	----	51 UNCH
8450	----	----	----/3.076A	3.511B/3.076A	----	3.162 - 0.359	.3143	----	----	----	----	19 UNCH
8475	----	----	----/3.026A	3.447B/3.026A	----	3.111 - 0.358	.3102	----	----	----	----	6 UNCH
8500	3.313	3.313	3.313/2.958A	3.404B/2.958A	----	3.061 - 0.356	.3061	----	----	3	----	317 + 2
8550	----	----	----/2.885A	3.290B/2.885A	----	2.964 - 0.352	.2981	----	----	3	----	5 + 1
8575	----	----	----/2.840A	3.234B/2.840A	----	2.917 - 0.350	.2942	----	----	----	----	4 UNCH
8600	----	----	----/2.797A	3.184B/2.797A	----	2.871 - 0.348	.2904	----	----	----	----	9 UNCH
8625	2.805	2.805	3.136B/2.756A	3.136B/2.756A	----	2.826 - 0.346	.2866	----	----	1	----	4 UNCH
8650	----	----	----/2.716A	3.090B/2.716A	----	2.781 - 0.345	.2828	----	----	3	----	5 + 3
8675	----	----	----/2.674A	3.039B/2.674A	----	2.738 - 0.342	.2791	----	----	----	----	5 UNCH
8700	----	----	----/2.628A	3.001B/2.628A	----	2.695 - 0.340	.2754	----	----	----	----	28 UNCH
8725	----	----	----/2.593A	2.951B/2.593A	----	2.653 - 0.339	.2718	----	----	----	----	3 UNCH
8750	----	----	----/2.553A	2.898B/2.553A	----	2.612 - 0.336	.2683	----	----	----	----	12 UNCH
8800	----	----	----/2.463A	2.822B/2.463A	----	2.532 - 0.332	.2613	----	----	----	----	90 UNCH
8825	----	----	----/2.440A	2.772B/2.440A	----	2.493 - 0.331	.2579	----	----	----	----	2 UNCH
8850	----	----	----/2.405A	2.726B/2.405A	----	2.455 - 0.328	.2546	----	----	----	----	12 UNCH
8875	----	----	----/2.368A	2.683B/2.368A	----	2.417 - 0.327	.2512	----	----	----	----	2 UNCH
8900	----	----	----/2.334A	2.643B/2.334A	----	2.380 - 0.325	.2479	----	----	----	----	16 UNCH
8925	----	----	----/2.298A	2.599B/2.298A	----	2.344 NEW	.2447	----	----	3	----	3 + 3
8950	2.382	2.382	2.382/2.268A	2.566B/2.268A	----	2.309 - 0.321	.2415	----	----	2	----	4 + 2
8975	----	----	----/2.230A	2.526B/2.230A	----	2.274 - 0.319	.2384	----	----	----	----	4 UNCH
9000	----	----	----/2.188A	2.498B/2.188A	----	2.240 - 0.317	.2353	----	----	----	----	594 UNCH
9025	----	----	----/2.167A	2.452B/2.167A	----	2.207 - 0.315	.2323	----	----	1	----	3 + 1
9050	----	----	----/2.136A	2.419B/2.136A	----	2.174 - 0.313	.2293	----	----	----	----	12 UNCH
9100	----	----	----/2.065A	2.356B/2.065A	----	2.110 - 0.309	.2234	----	----	----	----	326 UNCH
9125	----	----	----/2.043A	2.323B/2.043A	----	2.079 - 0.307	.2205	----	----	----	----	2 UNCH
9150	----	----	----/2.008A	2.287B/2.008A	----	2.049 - 0.305	.2177	----	----	----	----	100 UNCH
9175	----	----	----/1.988A	2.254B/1.988A	----	2.019 - 0.303	.2149	----	----	----	----	1 UNCH
9200	----	----	----/1.952A	2.223B/1.952A	----	1.990 - 0.301	.2122	----	----	----	----	98 UNCH
9225	----	----	----/1.931A	2.176B/1.931A	----	1.961 - 0.299	.2095	----	----	----	----	6 UNCH
9250	----	----	----/1.904A	2.156B/1.904A	----	1.933 - 0.297	.2068	----	----	----	----	6 UNCH
9275	----	----	----/1.876A	2.128B/1.876A	----	1.905 - 0.295	.2042	----	----	----	----	7 UNCH
9300	----	----	----/1.847A	2.099B/1.847A	----	1.878 - 0.293	.2016	----	----	----	----	31 UNCH
9325	----	----	----/1.823A	2.069B/1.823A	----	1.851 - 0.291	.1990	----	----	----	----	2 UNCH
9350	----	----	----/1.800A	2.036B/1.800A	----	1.824 - 0.290	.1964	----	----	----	----	17 UNCH
9375	----	----	----/1.776A	2.008B/1.776A	----	1.799 - 0.287	.1940	----	----	----	----	17 UNCH
9400	----	----	----/1.750A	1.983B/1.750A	----	1.773 - 0.285	.1915	----	----	----	----	21 UNCH
9425	----	----	----/1.727A	1.954B/1.727A	----	1.748 - 0.284	.1891	----	----	----	----	22 UNCH
9450	----	----	----/1.702A	1.927B/1.702A	----	1.724 - 0.281	.1868	----	----	----	----	4 UNCH
9475	----	----	----/1.679A	1.900B/1.679A	----	1.699 - 0.280	.1844	----	----	----	----	17 UNCH
9500	----	----	----/1.652A	1.875B/1.652A	----	1.676 - 0.277	.1821	----	----	1	----	229 + 1
9525	----	----	----/1.635A	1.845B/1.635A	----	1.652 - 0.276	.1798	----	----	----	----	1 UNCH
9550	----	----	----/1.613A	1.824B/1.613A	----	1.630 - 0.273	.1776	----	----	----	----	1 UNCH
9575	----	----	----/1.590A	1.798B/1.590A	----	1.607 - 0.272	.1753	----	----	----	----	1 UNCH
9600	----	----	----/1.571A	1.772B/1.571A	----	1.585 - 0.270	.1732	----	----	1	----	17 UNCH
9625	----	----	----/1.550A	1.746B/1.550A	----	1.563 - 0.268	.1710	----	----	----	----	4 UNCH
9650	----	----	----/1.529A	1.722B/1.529A	----	1.542 - 0.266	.1689	----	----	----	----	1 UNCH
9675	----	----	----/1.510A	1.693B/1.510A	----	1.521 - 0.264	.1668	----	----	----	----	2 UNCH
9700	----	----	----/1.489A	1.674B/1.489A	----	1.500 - 0.263	.1647	----	----	----	----	36 UNCH
9750	----	----	----/1.451A	1.630B/1.451A	----	1.460 - 0.259	.1607	----	----	----	----	28 UNCH
9800	----	----	----/1.415A	1.584B/1.415A	----	1.421 - 0.255	.1568	----	----	----	----	5 UNCH
9850	----	----	----/1.378A	1.544B/1.378A	----	1.383 - 0.252	.1530	----	----	----	----	2 UNCH
9875	----	----	----/1.360A	1.519B/1.360A	----	1.365 - 0.249	.1511	----	----	----	----	10 UNCH
9900	----	----	----/1.343A	1.498B/1.343A	----	1.347 - 0.247	.1493	----	----	----	----	28 UNCH
9925	----	----	----/*1.325A	1.479B/1.325A	----	1.329 - 0.246	.1475	----	----	----	----	1 UNCH
9950	----	----	----/1.309A	1.459B/1.309A	----	1.312 - 0.243	.1457	----	----	----	----	2 UNCH
9975	----	----	----/1.294A	1.439B/1.294A	----	1.295 - 0.241	.1440	----	----	----	----	4 UNCH
10000	1.430	1.430	1.455/1.279A	1.455/1.279A	----	1.278 - 0.239	.1422	----	----	9	----	598 - 1
10025	----	----	----/*1.260A	1.402B/1.260A	----	1.262 - 0.237	.1405	----	----	----	----	5 UNCH
10050	----	----	----/1.245A	1.388B/1.245A	----	1.245 - 0.235	.1388	----	----	----	----	3 UNCH
10075	----	----	----/1.228A	1.367B/1.228A	----	1.230 - 0.232	.1372	----	----	----	----	9 UNCH
10100	----	----	----/1.215A	1.348B/1.215A	----	1.214 - 0.230	.1356	----	----	----	----	19 UNCH
10125	----	----	----/*1.197A	1.331B/1.197A	----	1.199 - 0.228	.1340	----	----	----	----	1 UNCH
10175	----	----	----/*1.170A	1.298B/1.170A	----	1.169 - 0.223	.1309	----	----	----	----	1 UNCH
10200	----	----	----/*1.155A	1.281B/1.155A	----	1.155 - 0.220	.1294	----	----	----	----	9 UNCH
10225	----	----	----/*1.142A	1.273B/1.142A	----	1.140 - 0.219	.1278	----	----	----	----	1 UNCH
10300	----	----	----/*1.100A	1.220B/1.100A	----	1.100 - 0.210	.1236	----	----	----	----	7 UNCH
10375	----	----	----/*1.061A	1.172B/1.061A	----	1.061 - 0.204	.1194	----	----	----	----	2 UNCH
10400	----	----	----/1.048A	1.156B/1.048A	----	1.049 - 0.201	.1181	----	----	----	----	4 UNCH
10425	----	----	----/*1.036A	1.146B/1.036A	----	1.037 - 0.198	.1168	----	----	----	----	1 UNCH
10450	----	----	----/1.025A	1.127B/1.025A	----	1.025 - 0.196	.1155	----	----	----	----	3 UNCH
10475	----	----	----/1.012A	1.122B/1.012A	----	1.014 - 0.193	.1143	----	----	----	----	2 UNCH
10500	----	----	----/1.002A	1.100B/1.002A	----	1.002 - 0.191	.1130	----	----	----	----	330 UNCH
10525	----	----	----/*0.989A	1.093B/0.989A	----	0.991 - 0.189	.1118	----	----	----	----	12 UNCH
10550	----	----	----/0.979A	1.072B/0.979A	----	0.981 - 0.186	.1107	----	----	----	----	1 UNCH
10600	----	----	----/0.955A	1.047B/0.955A	----	0.960 - 0.181	.1084	----	----	----	----	45 UNCH
10625	----	----	----/*0.943A	1.041B/*0.943A	----	0.949 - 0.179	.1072	----	----	----	----	1 UNCH
10650	----	----	----/*0.934A	1.021B/*0.934A	----	0.939 - 0.177	.1061	----	----	1	----	3 UNCH
10675	----	----	----/*0.922A	1.014B/*0.922A	----	0.929 - 0.175	.1050	----	----	----	----	3 UNCH
10700	----	----	----/*0.911A	0.996B/*0.911A	----	0.919 - 0.172	.1039	----	----	----	----	9 UNCH
10750	----	----	----/*0.893A	0.971B/*0.893A	----	0.899 - 0.168	.1017	----	----	----	----	4 UNCH
10800	----	----	----/*0.873A	0.949B/*0.873A	----	0.879 - 0.165	.0995	----	----	----	----	2 UNCH
10850	----	----	----/*0.852A	0.927B/*0.852A	----	0.860 - 0.161	.0974	----	----	----	----	12 UNCH
10875	----	----	----/*0.842A	0.915B/*0.842A	----	0.850 - 0.160	.0963	----	----	----	----	6 UNCH
10900	----	----	----/*0.834A	0.904B/*0.834A	----	0.841 - 0.158	.0953	----	----	----	----	20 UNCH
10925	----	----	----/*0.825A	0.893B/*0.825A	----	0.831 - 0.157	.0943	----	----	----	----	1 UNCH
10950	----	----	----/*0.815A	0.883B/*0.815A	----	0.822 - 0.155	.0933	----	----	----	----	1 UNCH
11000	----	----	----/0.796A	0.864B/0.796A	----	0.804 - 0.152	.0913	----	----	1	----	473 UNCH
11025	----	----	----/0.789A	0.854B/0.789A	----	0.795 - 0.150	.0903	----	----	----	----	1 UNCH
11050	----	----	----/*0.781A	0.843B/*0.781A	----	0.786 - 0.149	.0894	----	----	----	----	4 UNCH
11075	----	----	----/0.772A	0.835B/0.772A	----	0.777 - 0.148	.0884	----	----	----	----	5 UNCH
11100	----	----	----/*0.765A	0.824B/*0.765A	----	0.768 - 0.147	.0874	----	----	----	----	1 UNCH
11125	----	----	----/0.757A	0.815B/0.757A	----	0.760 - 0.145	.0865	----	----	----	----	5 UNCH
11175	----	----	----/0.739A	0.797B/0.739A	----	0.743 - 0.143	.0847	----	----	----	----	2 UNCH
11200	----	----	----/*0.734A	0.789B/*0.734A	----	0.734 - 0.142	.0837	----	----	----	----	2 UNCH
11225	----	----	----/*0.724A	0.780B/*0.724A	----	0.726 - 0.141	.0828	----	----	----	----	3 UNCH
11300	----	----	----/*0.704A	0.753B/*0.704A	----	0.702 - 0.137	.0802	----	----	----	----	2 UNCH
11325	----	----	----/0.697A	0.746B/0.697A	----	0.694 - 0.136	.0793	----	----	----	----	6 UNCH
11350	----	----	----/*0.691A	0.738B/*0.691A	----	0.686 - 0.135	.0785	----	----	----	----	3 UNCH
11375	----	----	----/*0.683A	0.730B/*0.683A	----	0.679 - 0.134	.0777	----	----	----	----	1 UNCH
11400	----	----	----/*0.678A	0.722B/*0.678A	----	0.671 - 0.133	.0768	----	----	----	----	164 UNCH
11425	----	----	----/*0.670A	0.713B/*0.670A	----	0.664 - 0.132	.0760	----	----	----	----	12 UNCH
11450	----	----	----/*0.664A	0.705B/*0.664A	----	0.656 - 0.131	.0752	----	----	----	----	13 UNCH
11475	----	----	----/*0.657A	0.697B/*0.657A	----	0.649 - 0.130	.0744	----	----	----	----	2 UNCH
11500	----	----	----/*0.651A	0.690B/*0.651A	----	0.642 - 0.129	.0736	----	----	----	----	172 UNCH
11525	----	----	----/*0.644A	0.683B/*0.644A	----	0.635 - 0.128	.0729	----	----	----	----	4 UNCH
11550	----	----	----/*0.638A	0.675B/*0.638A	----	0.628 - 0.127	.0721	----	----	----	----	1 UNCH
11625	----	----	----/*0.622A	0.654B/*0.622A	----	0.607 - 0.125	.0698	----	----	----	----	1 UNCH
11675	----	----	----/*0.611A	0.640B/*0.611A	----	0.594 - 0.123	.0684	----	----	----	----	2 UNCH
11700	----	----	----/*0.611A	0.633B/*0.611A	----	0.588 - 0.122	.0677	----	----	----	----	7 UNCH
11725	----	----	----/*0.602A	0.625B/*0.602A	----	0.581 - 0.122	.0669	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
11750	----	----	----/*0.607A	0.618B/*0.607A	----	0.575 - 0.121	.0663	----	----	----	----	21 UNCH
11775	----	----	----/*0.597A	0.612B/*0.597A	----	0.569 - 0.120	.0656	----	----	----	----	2 UNCH
11800	----	----	----/*0.595A	0.606B/*0.595A	----	0.563 - 0.119	.0649	----	----	----	----	4 UNCH
11850	----	----	----/*0.579A	0.592B/*0.579A	----	0.551 - 0.117	.0636	----	----	----	----	5 UNCH
11900	----	----	----/*0.574A	0.581B/*0.574A	----	0.540 - 0.115	.0623	----	----	----	----	2 UNCH
11925	----	----	----/*0.568A	0.576B/*0.568A	----	0.534 - 0.115	.0617	----	----	----	----	8 UNCH
11950	----	----	----/*0.564A	0.570B/*0.564A	----	0.529 - 0.114	.0611	----	----	----	----	3 UNCH
12000	0.809	0.809	0.809/0.522	0.809/0.522	----	0.518 - 0.113	.0599	----	----	17	----	472 + 9
12025	----	----	----/*0.551A	0.552B/*0.551A	----	0.513 - 0.112	.0593	----	----	----	----	11 UNCH
12125	----	----	----/*0.534A	0.533B/*0.534A	----	0.493 - 0.109	.0570	----	----	----	----	1 UNCH
12200	----	----	----/*0.521A	0.513B/*0.521A	----	0.479 - 0.106	.0554	----	----	----	----	13 UNCH
12225	----	----	----/0.576A	0.468B/0.576A	----	0.474 - 0.106	.0549	----	----	----	----	7 UNCH
12275	----	----	----/0.567A	0.459B/0.567A	----	0.466 - 0.104	.0539	----	----	----	----	1 UNCH
12325	----	----	----	0.451B/0.560A	----	0.457 - 0.103	.0529	----	----	----	----	3 UNCH
12350	----	----	----	0.448B/0.556A	----	0.453 - 0.102	.0524	----	----	----	----	5 UNCH
12400	----	----	----	0.441B/*0.547A	----	0.445 - 0.100	.0515	----	----	----	----	23 UNCH
12425	----	----	----	0.437B/0.545A	----	0.441 - 0.100	.0511	----	----	----	----	1 UNCH
12450	----	----	----	0.434B/*0.541A	----	0.437 - 0.099	.0506	----	----	----	----	9 UNCH
12475	----	----	----	0.426B/0.537A	----	0.433 - 0.099	.0501	----	----	----	----	1 UNCH
12500	0.500	0.500	0.500/*0.450	0.500/*0.450	----	0.430 - 0.097	.0498	----	----	3	----	102 + 3
12525	----	----	----	0.422B/0.530A	----	0.426 - 0.097	.0493	----	----	----	----	37 UNCH
12550	----	----	----	0.414B/*0.526A	----	0.422 - 0.096	.0488	----	----	----	----	6 UNCH
12575	----	----	----	0.410B/0.522A	----	0.419 - 0.095	.0485	----	----	----	----	2 UNCH
12600	----	----	----	0.407B/0.519A	----	0.415 - 0.095	.0480	----	----	----	----	5 UNCH
12650	----	----	----	0.400B/*0.512A	----	0.409 - 0.093	.0473	----	----	----	----	2 UNCH
12675	----	----	----	0.396B/*0.509A	----	0.405 - 0.093	.0468	----	----	----	----	2 UNCH
12700	----	----	----	0.392B/*0.506A	----	0.402 - 0.092	.0465	----	----	----	----	11 UNCH
12725	----	----	----	0.389B/*0.503A	----	0.399 - 0.091	.0461	----	----	----	----	2 UNCH
12750	----	----	----	0.385B/*0.500A	----	0.396 - 0.090	.0458	----	----	----	----	2 UNCH
12775	----	----	----	0.381B/*0.496A	----	0.392 - 0.090	.0453	----	----	----	----	7 UNCH
12800	----	----	----	0.378B/*0.493A	----	0.389 - 0.090	.0450	----	----	----	----	34 UNCH
12900	----	----	----	0.365B/*0.481A	----	0.378 - 0.086	.0436	----	----	----	----	6 UNCH
13000	----	----	----	0.358B/0.469A	----	0.366 - 0.085	.0422	----	----	----	----	273 UNCH
13100	----	----	----	0.341B/*0.458A	----	0.356 - 0.082	.0410	----	----	----	----	4 UNCH
13200	----	----	----	0.330B/*0.447A	----	0.346 - 0.080	.0398	----	----	----	----	3 UNCH
13300	----	----	----	0.319B/*0.437A	----	0.337 - 0.077	.0387	----	----	----	----	3 UNCH
13400	----	----	----	0.308B/*0.428A	----	0.328 - 0.075	.0376	----	----	----	----	5 UNCH
13500	----	----	----	0.299B/*0.417A	----	0.320 - 0.073	.0366	----	----	----	----	23 UNCH
13600	----	----	----	0.290B/*0.408A	----	0.312 - 0.072	.0356	----	----	----	----	7 UNCH
13700	----	----	----	0.281B/*0.399A	----	0.304 - 0.070	.0347	----	----	----	----	5 UNCH
13800	----	----	----	0.271B/*0.391A	----	0.297 - 0.069	.0338	----	----	----	----	1 UNCH
13900	----	----	----	0.261B/*0.384A	----	0.290 - 0.068	.0329	----	----	----	----	3 UNCH
14000	----	----	----	0.253B/0.376A	----	0.283 - 0.067	.0321	----	----	----	----	292 UNCH
14200	----	----	----	0.239B/*0.361A	----	0.271 - 0.064	.0306	----	----	----	----	60 UNCH
14300	----	----	----	0.232B/*0.355A	----	0.265 - 0.064	.0299	----	----	----	----	1 UNCH
14400	----	----	----	0.224B/*0.347A	----	0.260 - 0.062	.0292	----	----	----	----	65 UNCH
14500	----	----	----	0.219B/*0.341A	----	0.254 - 0.062	.0285	----	----	----	----	31 UNCH
14600	----	----	----	0.213B/*0.336A	----	0.249 - 0.062	.0279	----	----	----	----	6 UNCH
14700	----	----	----	0.207B/*0.331A	----	0.244 - 0.061	.0273	----	----	----	----	11 UNCH
14800	----	----	----	0.201B/*0.325A	----	0.239 - 0.061	.0267	----	----	----	----	10 UNCH
14900	----	----	----	0.195B/*0.320A	----	0.234 - 0.061	.0261	----	----	----	----	6 UNCH
15000	0.300	0.300	0.300/0.220	0.300/0.220	----	0.229 - 0.061	.0255	----	----	23	----	145 - 10
15300	----	----	----	0.175B/*0.301A	----	0.215 - 0.054	.0238	----	----	----	----	2 UNCH
15400	----	----	----	0.170B/*0.297A	----	0.210 - 0.052	.0232	----	----	----	----	1 UNCH
15500	----	----	----	0.166B/*0.292A	----	0.206 - 0.050	.0227	----	----	----	----	7 UNCH
15600	----	----	----	0.162B/*0.288A	----	0.202 - 0.048	.0222	----	----	----	----	1 UNCH
15700	----	----	----	0.158B/*0.284A	----	0.198 - 0.046	.0218	----	----	----	----	1 UNCH
15800	----	----	----	0.154B/*0.278A	----	0.194 - 0.044	.0213	----	----	----	----	6 UNCH
15900	----	----	----	0.149B/*0.279A	----	0.190 - 0.043	.0208	----	----	----	----	8 UNCH
16000	----	----	----/0.200A	0.181B/0.200A	----	0.186 - 0.041	.0204	----	----	----	----	202 UNCH
16200	----	----	----	0.138B/*0.266A	----	0.177 - 0.040	.0194	----	----	----	----	36 UNCH
16400	----	----	----	0.132B/*0.260A	----	0.169 - 0.038	.0185	----	----	----	----	1 UNCH
16500	----	----	----	0.128B/*0.257A	----	0.165 - 0.038	.0180	----	----	----	----	30 UNCH
16600	----	----	----	0.125B/*0.255A	----	0.161 - 0.037	.0176	----	----	----	----	2 UNCH
16700	----	----	----	0.122B/*0.252A	----	0.157 - 0.037	.0171	----	----	----	----	6 UNCH
16800	----	----	----	0.119B/*0.248A	----	0.153 - 0.037	.0167	----	----	----	----	3 UNCH
17000	----	----	----	0.112B/0.242A	----	0.147 - 0.035	.0160	----	----	----	----	21 UNCH
17100	----	----	----	0.109B/*0.240A	----	0.143 - 0.035	.0156	----	----	----	----	5 UNCH
17200	----	----	----	0.106B/*0.237A	----	0.140 - 0.034	.0152	----	----	----	----	5 UNCH
17300	----	----	----	0.104B/0.234A	----	0.137 - 0.034	.0149	----	----	----	----	11 UNCH
17400	----	----	----	0.101B/*0.232A	----	0.134 - 0.033	.0146	----	----	----	----	3 UNCH
17500	----	----	----	0.098B/0.230A	----	0.131 - 0.033	.0142	----	----	----	----	63 UNCH
17700	----	----	----	0.093B/*0.225A	----	0.125 - 0.032	.0136	----	----	----	----	3 UNCH
17800	----	----	----	0.091B/*0.223A	----	0.123 - 0.031	.0133	----	----	----	----	3 UNCH
18000	----	----	----	0.086B/0.220A	----	0.118 - 0.030	.0128	----	----	----	----	44 UNCH
18100	----	----	----	0.084B/*0.218A	----	0.115 - 0.030	.0125	----	----	----	----	2 UNCH
18300	----	----	----	0.079B/*0.214A	----	0.110 - 0.030	.0119	----	----	----	----	1 UNCH
18900	----	----	----	0.063B/*0.203A	----	0.098 - 0.027	.0106	----	----	----	----	1 UNCH
19000	----	----	----	0.061B/0.202A	----	0.096 - 0.026	.0103	----	----	----	----	229 UNCH
19500	----	----	----	0.052B/*0.193A	----	0.087 - 0.025	.0094	----	----	----	----	126 UNCH
19600	----	----	----	0.051B/0.193A	----	0.085 - 0.025	.0091	----	----	----	----	2 UNCH
19900	----	----	----	0.046B/0.189A	----	0.081 - 0.023	.0087	----	----	----	----	28 UNCH
20000	----	----	----	0.065B/0.140A	----	0.079 - 0.023	.0085	----	----	----	----	236 UNCH
21000	----	----	----	0.031B/0.180A	----	0.066 - 0.021	.0070	----	----	----	----	20 UNCH
23000	----	----	----	0.001B/0.253A	----	0.048 - 0.017	.0050	----	----	----	----	14 UNCH
25000	----	----	----	0.014B/0.153A	----	0.037 - 0.014	.0038	----	----	----	----	298 UNCH
27000	----	----	----	0.001B/*0.220A	----	0.026 - 0.010	.0027	----	----	----	----	3 UNCH
30000	----	----	----	0.001B/0.120A	----	0.015 - 0.007	.0015	----	----	----	----	31 UNCH
32000	----	----	----	----/*0.055A	----	0.011 - 0.005	.0011	----	----	----	----	1 UNCH
35000	----	----	----	----/*0.018A	----	0.008 - 0.004	.0008	----	----	----	----	21 UNCH
TOTAL										126	0	10485 + 34
JUL26												
2700	----	----	47.035B/45.658A	47.035B/45.658A	----	46.389 - 0.100	.9925	----	----	----	----	1 UNCH
3900	----	----	34.977B/33.866A	34.977B/33.866A	----	34.550 - 0.134	.9741	----	----	----	----	1 UNCH
4000	----	----	33.996B/32.866A	33.996B/32.866A	----	33.581 - 0.138	.9712	----	----	----	----	1 UNCH
4200	----	----	32.047B/30.959A	32.047B/30.959A	----	31.658 - 0.145	.9644	----	----	----	----	2 UNCH
4500	----	----	29.197B/28.105A	29.197B/28.105A	----	28.821 - 0.157	.9509	----	----	----	----	28 UNCH
4600	----	----	28.359B/27.083A	28.359B/27.083A	----	27.890 - 0.161	.9455	----	----	----	----	114 UNCH
4700	----	----	27.287B/26.304A	27.287B/26.304A	----	26.967 - 0.166	.9394	----	----	----	----	1 UNCH
4750	----	----	26.790B/25.855A	26.790B/25.855A	----	26.509 - 0.169	.9362	----	----	----	----	1 UNCH
4825	----	----	26.121B/25.305A	26.121B/25.305A	----	25.826 - 0.173	.9310	----	----	----	----	3 UNCH
4900	----	----	25.385B/24.638A	25.385B/24.638A	----	25.149 - 0.178	.9255	----	----	----	----	1 UNCH
4925	----	----	25.216B/24.414A	25.216B/24.414A	----	24.924 - 0.180	.9236	----	----	----	----	16 UNCH
5000	----	----	24.674B/23.551A	24.674B/23.551A	----	24.255 - 0.184	.9177	----	----	----	----	307 UNCH
5025	----	----	24.237B/23.548A	24.237B/23.548A	----	24.033 - 0.186	.9156	----	----	----	----	4 UNCH
5050	----	----	24.055B/23.330A	24.055B/23.330A	----	23.812 - 0.187	.9135	----	----	----	----	2 UNCH
5100	----	----	23.798B/22.696A	23.798B/22.696A	----	23.371 - 0.191	.9092	----	----	----	----	130 UNCH
5150	----	----	23.160B/22.467A	23.160B/22.467A	----	22.934 - 0.195	.9047	----	----	----	----	6 UNCH
5200	----	----	22.844B/22.004A	22.844B/22.004A	----	22.499 - 0.199	.9000	----	----	----	----	40 UNCH
5225	----	----	----/21.841A	22.454B/21.841A	----	22.283 - 0.201	.8976	----	----	----	----	9 UNCH
5250	----	----	----/21.596A	22.235B/21.596A	----	22.068 - 0.203	.8952	----	----	----	----	2 UNCH
5275	----	----	----/21.391A	22.016B/21.391A	----	21.853 - 0.205	.8927	----	----	----	----	1 UNCH
5300	----	----	----/21.187A	21.799B/21.187A	----	21.639 - 0.208	.8902	----	----	----	----	7 UNCH
5350	----	----	21.623B/20.577A	21.623B/20.577A	----	21.214 - 0.212	.8850	----	----	----	----	155 UNCH
5375	----	----	----/20.582A	21.150B/20.582A	----	21.003 - 0.214	.8823	----	----	----	----	1 UNCH
5400	----	----	----/20.382A	20.936B/20.382A	----	20.793 - 0.216	.8796	----	----	----	----	21 UNCH
5425	----	----	20.904B/20.141A	20.904B/20.141A	----	20.583 - 0.219	.8768	----	----	----	----	42 UNCH
5450	----	----	----/19.971A	20.524B/19.971A	----	20.374 - 0.222	.8740	----	----	----	----	1 UNCH
5500	----	----	20.347B/19.381A	20.347B/19.381A	----	19.960 - 0.227	.8683	----	----	----	----	492 UNCH
5550	----	----	----/19.172A	19.663B/19.172A	----	19.549 - 0.232	.8624	----	----	----	----	3 UNCH
5600	----	----	19.515B/18.601A	19.515B/18.601A	----	19.142 - 0.238	.8563	----	----	----	----	102 UNCH
5650	----	----	----/18.313A	18.934B/18.313A	----	18.740 - 0.242	.8500	----	----	----	----	43 UNCH
5675	----	----	18.837B/18.115A	18.837B/18.115A	----	18.540 - 0.245	.8468	----	----	----	----	25 UNCH
5700	----	----	----/17.919A	18.531B/17.919A	----	18.341 - 0.248	.8435	----	----	----	----	26 UNCH
5750	----	----	18.304B/17.460A	18.304B/17.460A	----	17.947 - 0.253	.8368	----	----	----	----	158 UNCH
5775	----	----	----/17.383A	17.869B/17.383A	----	17.751 - 0.257	.8334	----	----	----	----	1 UNCH
5800	----	----	----/17.191A	17.635B/17.191A	----	17.557 - 0.259	.8300	----	----	----	----	16 UNCH
5900	----	----	----/16.437A	16.854B/16.437A	----	16.790 - 0.271	.8157	----	----	----	----	10 UNCH
5925	----	----	----/16.252A	16.662B/16.252A	----	16.601 - 0.275	.8120	----	----	----	----	10 UNCH
5950	----	----	----/16.068A	16.474B/16.068A	----	16.414 - 0.277	.8083	----	----	----	----	6 UNCH
5975	----	----	----/15.886A	16.286B/15.886A	----	16.228 - 0.280	.8046	----	----	----	----	20 UNCH
6000	----	----	16.395B/15.616A	16.395B/15.616A	----	16.043 - 0.283	.8007	----	----	----	----	550 UNCH
6050	----	----	16.020B/15.251A	16.020B/15.251A	----	15.676 - 0.290	.7930	----	----	----	----	58 UNCH
6075	----	----	----/15.170A	15.541B/15.170A	----	15.495 - 0.292	.7891	----	----	----	----	1 UNCH
6100	----	----	----/14.994A	15.357B/14.994A	----	15.315 - 0.295	.7851	----	----	----	----	10 UNCH
6200	----	----	----/14.209A	14.846B/14.209A	----	14.608 - 0.307	.7687	----	----	----	----	99 UNCH
6250	----	----	----/13.971A	14.303B/13.971A	----	14.263 - 0.312	.7603	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
6300	----	----	----/13.643A	13.961B/13.643A	----	13.923 - 0.318	.7518	----	----	----	----	3 UNCH
6350	----	----	----/13.321A	13.624B/13.321A	----	13.589 - 0.323	.7431	----	----	----	----	2 UNCH
6450	----	----	----/12.699A	12.983B/12.699A	----	12.938 - 0.333	.7253	----	----	----	----	1 UNCH
6500	----	----	----/12.292A	12.824B/12.292A	----	12.621 - 0.338	.7163	----	----	----	----	195 UNCH
6600	----	----	----/11.704A	12.192B/11.704A	----	12.006 - 0.346	.6978	----	----	----	----	51 UNCH
6650	----	----	----/11.419A	11.889B/11.419A	----	11.707 - 0.350	.6884	----	----	----	----	100 UNCH
6750	----	----	----/10.968A	11.190B/10.968A	----	11.128 - 0.356	.6695	----	----	----	----	24 UNCH
6800	----	----	----/10.602A	11.030B/10.602A	----	10.848 - 0.358	.6599	----	----	----	----	250 UNCH
6825	----	----	----/10.572A	10.774B/10.572A	----	10.710 - 0.359	.6551	----	----	----	----	6 UNCH
6850	----	----	----/10.449A	10.635B/10.449A	----	10.573 - 0.361	.6502	----	----	----	----	1 UNCH
6875	----	----	----/10.316A	10.434B/10.316A	----	10.438 - 0.362	.6454	----	----	----	----	16 UNCH
6900	10.555	10.555	10.555/10.092A	10.555/10.092A	----	10.305 - 0.362	.6406	----	----	2	----	99 + 2
6950	----	----	----/9.950A	10.037B/9.950A	----	10.042 - 0.365	.6308	----	----	----	----	1 UNCH
7000	----	----	----/9.605A	9.925B/9.605A	----	9.786 - 0.366	.6211	----	----	----	----	161 UNCH
7025	----	----	----/9.479A	9.795B/9.479A	----	9.660 - 0.366	.6162	----	----	----	----	125 UNCH
7050	----	----	----/9.476A	9.539B/9.476A	----	9.536 - 0.366	.6114	----	----	----	----	1 UNCH
7100	----	----	----/9.248A	9.313B/9.248A	----	9.291 - 0.368	.6016	----	----	----	----	5 UNCH
7200	----	----	----/8.809A	9.004B/8.809A	----	8.820 - 0.368	.5822	----	----	----	----	11 UNCH
7225	----	----	----/8.700A	8.905B/8.700A	----	8.705 - 0.369	.5773	----	----	----	----	1 UNCH
7250	8.651	8.651	8.797B/8.491A	8.797B/8.491A	----	8.592 - 0.369	.5725	----	----	4	----	164 + 4
7300	----	----	----/8.396A	8.559B/8.396A	----	8.371 - 0.369	.5628	----	----	----	----	5 UNCH
7325	----	----	----	7.876B/8.876A	----	8.262 NEW	.5580	----	----	----	100	100 + 100
7350	----	----	----/8.197A	8.342B/8.197A	----	8.155 - 0.369	.5532	----	----	----	----	1 UNCH
7400	----	----	----/8.002A	8.125B/8.002A	----	7.944 - 0.369	.5437	----	----	----	----	22 UNCH
7450	----	----	----/7.813A	7.927B/7.813A	----	7.739 - 0.369	.5342	----	----	----	----	12 UNCH
7500	7.779	7.779	7.779/7.517A	7.779/7.517A	----	7.539 - 0.369	.5248	----	----	2	----	320 UNCH
7550	----	----	----/7.449A	7.532B/7.449A	----	7.345 - 0.368	.5155	----	----	----	----	6 UNCH
7600	----	----	----/7.278A	7.333B/7.278A	----	7.156 - 0.367	.5062	----	----	----	----	19 UNCH
7700	----	----	----/6.940A	6.967B/6.940A	----	6.792 - 0.365	.4880	----	----	----	----	19 UNCH
7800	----	----	----/6.616A	6.621B/6.616A	----	6.448 - 0.363	.4702	----	----	----	----	15 UNCH
7900	----	----	----/6.305A	6.303B/6.305A	----	6.124 - 0.360	.4529	----	----	----	----	9 UNCH
7975	----	----	----/6.086A	6.068B/6.086A	----	5.892 - 0.358	.4402	----	----	----	----	5 UNCH
8000	----	----	----/5.903A	6.006B/5.903A	----	5.817 - 0.357	.4360	----	----	----	----	494 UNCH
8025	----	----	----/5.944A	5.923B/5.944A	----	5.743 - 0.357	.4318	----	----	----	----	8 UNCH
8100	----	----	----/5.739A	5.699B/5.739A	----	5.528 - 0.354	.4196	----	----	----	----	21 UNCH
8200	----	----	----/5.479A	5.425B/5.479A	----	5.255 - 0.350	.4037	----	----	----	----	2 UNCH
8250	----	----	----/5.300A	5.295B/5.300A	----	5.125 - 0.348	.3960	----	----	----	----	45 UNCH
8300	----	----	----/5.123A	5.171B/5.123A	----	4.998 - 0.346	.3884	----	----	----	----	215 UNCH
8350	----	----	----/5.118A	5.041B/5.118A	----	4.875 - 0.344	.3809	----	----	----	----	2 UNCH
8375	----	----	----/5.059A	4.982B/5.059A	----	4.815 - 0.343	.3772	----	----	----	----	1 UNCH
8400	----	----	----/5.003A	4.918B/5.003A	----	4.756 - 0.342	.3736	----	----	----	----	3 UNCH
8500	----	----	----/4.673A	4.702B/4.673A	----	4.529 - 0.337	.3593	----	----	----	----	684 UNCH
8550	----	----	----/4.571A	4.588B/4.571A	----	4.420 - 0.335	.3524	----	----	----	----	329 UNCH
8600	----	----	----/4.577A	4.473B/4.577A	----	4.315 - 0.332	.3456	----	----	----	----	6 UNCH
8650	----	----	----/4.481A	4.366B/4.481A	----	4.213 - 0.329	.3389	----	----	----	----	1 UNCH
8700	----	----	----/4.279A	4.271B/4.279A	----	4.113 - 0.327	.3324	----	----	----	----	63 UNCH
8750	----	----	----/4.295A	4.170B/4.295A	----	4.017 - 0.324	.3260	----	----	----	----	8 UNCH
8800	----	----	----/4.201A	4.075B/4.201A	----	3.924 - 0.321	.3198	----	----	----	----	12 UNCH
8900	----	----	----/3.928A	3.892B/3.928A	----	3.746 - 0.315	.3077	----	----	----	----	103 UNCH
9000	----	----	----/3.770A	3.720B/3.770A	----	3.578 - 0.310	.2960	----	----	----	----	215 UNCH
9100	----	----	----/3.684A	3.555B/3.684A	----	3.421 - 0.303	.2850	----	----	----	----	10 UNCH
9200	----	----	----/3.478A	3.402B/3.478A	----	3.272 - 0.297	.2743	----	----	----	----	75 UNCH
9250	----	----	----/3.465A	3.324B/3.465A	----	3.201 - 0.294	.2692	----	----	----	----	7 UNCH
9300	----	----	----/3.344A	3.251B/3.344A	----	3.133 - 0.290	.2642	----	----	----	----	255 UNCH
9350	----	----	----/3.329A	3.182B/3.329A	----	3.066 - 0.287	.2593	----	----	----	----	7 UNCH
9400	----	----	----/3.256A	3.111B/3.256A	----	3.001 - 0.284	.2545	----	----	----	----	25 UNCH
9450	----	----	----/3.182A	3.044B/3.182A	----	2.938 - 0.281	.2498	----	----	----	----	33 UNCH
9500	----	----	----/3.098A	2.981B/3.098A	----	2.877 - 0.277	.2453	----	----	----	----	597 UNCH
9600	----	----	----/2.981A	2.857B/2.981A	----	2.760 - 0.270	.2364	----	----	----	----	51 UNCH
9700	----	----	----/2.879A	2.742B/2.879A	----	2.650 - 0.263	.2280	----	----	----	----	4 UNCH
9725	----	----	----/2.864A	2.709B/2.864A	----	2.623 - 0.262	.2260	----	----	----	----	1 UNCH
9775	----	----	----/2.795A	2.652B/2.795A	----	2.571 - 0.258	.2219	----	----	----	----	50 UNCH
9800	----	----	----/2.765A	2.626B/2.765A	----	2.546 - 0.255	.2200	----	----	1	----	109 UNCH
9900	----	----	----/2.663A	2.520B/2.663A	----	2.447 - 0.249	.2123	----	----	----	----	70 UNCH
10000	2.600	2.600	2.700/2.400	2.700/2.400	----	2.353 - 0.242	.2049	----	----	23	----	1526 + 9
10100	----	----	----/2.474A	2.327B/2.474A	----	2.263 - 0.235	.1978	----	----	----	----	1 UNCH
10125	----	----	----/2.463A	2.305B/2.463A	----	2.242 - 0.233	.1961	----	----	----	----	1 UNCH
10200	----	----	----/2.384A	2.231B/2.384A	----	2.178 - 0.229	.1910	----	----	----	----	81 UNCH
10250	----	----	----/2.352A	2.191B/2.352A	----	2.137 - 0.226	.1877	----	----	----	----	20 UNCH
10375	----	----	----/2.241A	2.078B/2.241A	----	2.039 - 0.217	.1798	----	----	----	----	18 UNCH
10400	----	----	----/2.221A	2.071B/2.221A	----	2.020 - 0.216	.1783	----	----	----	----	1 UNCH
10475	----	----	----/2.159A	2.020B/2.159A	----	1.965 - 0.211	.1738	----	----	----	----	25 UNCH
10500	2.141	2.141	2.143/2.110	2.143/2.110	----	1.947 - 0.209	.1724	----	----	11	----	596 - 3
10600	----	----	----/2.072A	1.912B/2.072A	----	1.877 - 0.203	.1666	----	----	----	----	1 UNCH
10800	----	----	----/1.925A	1.765B/1.925A	----	1.747 - 0.191	.1559	----	----	----	----	28 UNCH
11000	----	----	----	1.417B/1.979A	----	1.628 - 0.180	.1460	----	----	----	----	1046 UNCH
11100	----	----	----	1.353B/1.919A	----	1.573 - 0.175	.1414	----	----	----	----	23 UNCH
11200	----	----	----	1.297B/1.861A	----	1.520 - 0.170	.1369	----	----	----	----	8 UNCH
11225	----	----	----	1.282B/1.848A	----	1.507 - 0.169	.1358	----	----	----	----	3 UNCH
11300	----	----	----	1.237B/1.804A	----	1.470 - 0.164	.1327	----	----	----	----	62 UNCH
11400	----	----	----	1.183B/1.751A	----	1.422 - 0.159	.1286	----	----	----	----	19 UNCH
11500	----	----	----	1.136B/1.701A	----	1.376 - 0.154	.1247	----	----	----	----	129 UNCH
11600	----	----	----	1.092B/1.652A	----	1.332 - 0.150	.1209	----	----	----	----	1 UNCH
11625	----	----	----	1.081B/1.643A	----	1.321 - 0.149	.1199	----	----	----	----	2 UNCH
11650	----	----	----	1.070B/1.631A	----	1.311 - 0.147	.1191	----	----	----	----	24 UNCH
11675	----	----	----	1.059B/1.617A	----	1.300 - 0.147	.1181	----	----	----	----	22 UNCH
11700	----	----	----	1.049B/1.603A	----	1.290 - 0.145	.1173	----	----	----	----	22 UNCH
11725	----	----	----	1.040B/1.444A	----	1.280 - 0.144	.1164	----	----	----	----	22 UNCH
11750	----	----	----	1.029B/1.442A	----	1.270 - 0.143	.1155	----	----	----	----	22 UNCH
11775	----	----	----	1.019B/*1.438A	----	1.260 - 0.141	.1147	----	----	----	----	22 UNCH
11800	----	----	----	1.008B/*1.441A	----	1.250 - 0.140	.1138	----	----	----	----	1 UNCH
11900	----	----	----	0.969B/*1.448A	----	1.212 - 0.136	.1105	----	----	----	----	1 UNCH
11950	----	----	----	0.950B/*1.446A	----	1.193 - 0.134	.1088	----	----	----	----	1 UNCH
12000	----	----	----	1.129B/1.452A	----	1.175 - 0.132	.1072	----	----	----	----	549 UNCH
12200	----	----	----	0.965B/*1.230A	----	1.106 - 0.124	.1012	----	----	----	----	1 UNCH
12225	----	----	----	1.058B/*1.229A	----	1.098 - 0.123	.1005	----	----	----	----	16 UNCH
12250	----	----	----	0.979B/*1.220A	----	1.090 - 0.121	.0998	----	----	----	----	6 UNCH
12300	----	----	----	1.000B/1.203A	----	1.074 - 0.120	.0984	----	----	3	----	8 UNCH
12375	----	----	----	1.015B/1.178A	----	1.051 - 0.116	.0963	----	----	----	----	1 UNCH
12425	----	----	----	0.994B/1.163A	----	1.036 - 0.114	.0950	----	----	----	----	1 UNCH
12450	----	----	----	0.995B/1.152A	----	1.029 - 0.113	.0944	----	----	----	----	1 UNCH
12475	----	----	----	1.000B/1.148A	----	1.021 - 0.113	.0937	----	----	----	----	3 UNCH
12500	----	----	----	0.995B/1.141A	----	1.014 - 0.112	.0930	----	----	4	----	141 - 2
12600	----	----	----	0.993B/1.113A	----	0.986 - 0.108	.0905	----	----	----	----	6 UNCH
12725	----	----	----	0.955B/1.080A	----	0.952 - 0.104	.0875	----	----	----	----	1 UNCH
12800	----	----	----	0.933B/1.065A	----	0.933 - 0.101	.0858	----	----	----	----	1 UNCH
13000	----	----	----	0.877B/1.013A	----	0.885 - 0.093	.0814	----	----	4	----	701 + 2
14000	----	----	----/0.720A	0.670B/0.720A	----	0.692 - 0.066	.0638	----	----	4	----	799 UNCH
14700	----	----	----	0.542B/0.707A	----	0.591 - 0.054	.0545	----	----	----	----	1 UNCH
15000	----	----	----	0.550B/0.610A	----	0.555 - 0.049	.0511	----	----	5	----	676 + 5
16000	----	----	----	0.390B/0.565A	----	0.454 - 0.039	.0417	----	----	----	----	767 UNCH
17000	----	----	----	0.312B/0.473A	----	0.378 - 0.032	.0346	----	----	----	----	23 UNCH
18000	----	----	----	0.253B/0.430A	----	0.319 - 0.026	.0291	----	----	----	----	253 UNCH
19000	----	----	----	0.208B/0.382A	----	0.272 - 0.021	.0248	----	----	----	----	78 UNCH
20000	0.245	0.245	0.245/0.244	0.245/0.244	----	0.231 - 0.020	.0210	----	----	3	----	1210 UNCH
21000	----	----	----	0.142B/0.264A	----	0.192 - 0.023	.0175	----	----	----	----	427 UNCH
24000	----	----	----	0.085B/0.160A	----	0.104 - 0.041	.0098	----	----	----	----	125 UNCH
25000	0.120	0.120	0.120/*0.120	0.120/*0.120	----	0.088 - 0.045	.0083	----	----	1	----	345 UNCH
27000	----	----	----/*0.110A	0.056B/*0.110A	----	0.069 - 0.055	.0065	----	----	----	----	4 UNCH
30000	----	----	----/0.091A	0.001B/0.091A	----	0.056 - 0.055	.0051	----	----	----	----	23 UNCH
32000	----	----	----	0.001B/*0.100A	----	0.049 - 0.041	.0044	----	----	----	----	4 UNCH
35000	----	----	----	0.040B/0.055A	----	0.040 - 0.015	.0036	----	----	----	----	78 UNCH
TOTAL										67	100	17761 + 117
AUG26												
5000	----	----	----	9.667B/38.821A	----	25.058 - 0.223	.9063	----	----	----	----	2 UNCH
5400	----	----	----	5.983B/35.641A	----	21.684 - 0.267	.8681	----	----	----	----	2 UNCH
5500	----	----	----	5.701B/35.380A	----	20.879 - 0.279	.8570	----	----	----	----	1 UNCH
6300	----	----	----	1.852B/29.309A	----	15.125 - 0.379	.7460	----	----	----	----	5 UNCH
6450	----	----	----	1.447B/27.377A	----	14.196 - 0.398	.7218	----	----	----	----	1 UNCH
6500	----	----	----	13.983B/14.671A	----	13.898 - 0.404	.7136	----	----	----	----	2 UNCH
6600	----	----	----	13.396B/14.137A	----	13.317 - 0.418	.6971	----	----	----	----	4 UNCH
6800	----	----	----/12.622A	12.477B/12.622A	----	12.222 - 0.444	.6635	----	----	----	----	7 UNCH
6875	----	----	----	12.084B/12.591A	----	11.834 - 0.453	.6508	----	----	----	----	5 UNCH
7000	----	----	----/11.675A	11.458B/11.675A	----	11.213 - 0.471	.6296	----	----	----	----	3 UNCH
7025	----	----	----	11.337B/11.872A	----	11.093 - 0.474	.6253	----	----	----	----	5 UNCH
7050	----	----	----/11.438A	11.216B/11.438A	----	10.974 - 0.478	.6211	----	----	----	----	2 UNCH
7100	----	----	----/11.207A	10.978B/11.207A	----	10.740 - 0.485	.6127	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 55

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
7400	----	----	----/9.937A	9.652B/9.937A	----	9.442 - 0.526	.5626	----	----	----	----	8 UNCH
7425	----	----	----	9.549B/10.111A	----	9.341 - 0.530	.5585	----	----	----	----	14 UNCH
7475	----	----	----	9.348B/9.878A	----	9.144 - 0.537	.5504	----	----	----	----	6 UNCH
7500	----	----	----/9.553A	9.249B/9.553A	----	9.047 - 0.540	.5463	----	----	----	----	2 UNCH
7550	9.195	9.195	9.227/9.176A	9.227/9.176A	----	8.856 - 0.548	.5383	----	----	4	----	4 UNCH
7625	----	----	----	8.772B/9.340A	----	8.579 - 0.557	.5264	----	----	----	----	15 UNCH
7700	----	----	----/8.840A	8.210B/8.840A	----	8.311 - 0.567	.5147	----	----	----	----	1 UNCH
7800	----	----	----/8.510A	7.876B/8.510A	----	7.969 - 0.578	.4993	----	----	----	----	1 UNCH
7900	----	----	----/8.197A	7.549B/8.197A	----	7.643 - 0.589	.4843	----	----	----	----	1 UNCH
8000	----	----	----/7.899A	7.213B/7.899A	----	7.333 - 0.598	.4696	----	----	----	----	12 UNCH
8300	----	----	----/7.094A	6.357B/7.094A	----	6.488 - 0.615	.4279	----	----	----	----	1 UNCH
8450	----	----	----	5.972B/6.734A	----	6.111 - 0.616	.4084	----	----	----	----	1 UNCH
8500	----	----	----	5.857B/6.621A	----	5.992 - 0.616	.4021	----	----	----	----	12 UNCH
8900	----	----	----	4.972B/5.802A	----	5.135 - 0.601	.3551	----	----	----	----	7 UNCH
9000	----	----	----	4.778B/5.603A	----	4.946 - 0.595	.3443	----	----	----	----	20 UNCH
9100	----	----	----	4.585B/5.442A	----	4.766 - 0.587	.3338	----	----	----	----	84 UNCH
9400	----	----	----	4.077B/4.950A	----	4.275 - 0.562	.3047	----	----	----	----	102 UNCH
10000	----	----	----	3.274B/4.142A	----	3.476 - 0.503	.2549	----	----	50	----	76 + 43
10200	----	----	----	3.054B/3.911A	----	3.254 - 0.484	.2405	----	----	----	----	3 UNCH
10400	----	----	----	2.850B/3.694A	----	3.051 - 0.464	.2271	----	----	----	----	2 UNCH
10500	----	----	----	2.759B/3.591A	----	2.956 - 0.454	.2208	----	----	----	----	7 UNCH
11100	----	----	----	2.273B/3.049A	----	2.465 - 0.395	.1874	----	----	----	----	1 UNCH
11200	----	----	----	2.203B/2.970A	----	2.394 - 0.386	.1824	----	----	----	----	1 UNCH
11300	----	----	----	2.136B/2.895A	----	2.326 - 0.377	.1777	----	----	----	----	10 UNCH
11500	----	----	----	2.004B/2.749A	----	2.199 - 0.359	.1687	----	----	----	----	9 UNCH
11850	----	----	----	1.802B/2.519A	----	1.999 - 0.329	.1544	----	----	----	----	1 UNCH
12000	----	----	----	1.724B/2.427A	----	1.922 - 0.316	.1488	----	----	----	----	2 UNCH
12500	----	----	----	1.477B/2.191A	----	1.694 - 0.278	.1321	----	----	----	----	1 UNCH
13000	----	----	----	1.241B/2.014A	----	1.504 - 0.244	.1179	----	----	----	----	53 UNCH
14000	----	----	----/1.342A	1.167B/1.342A	----	1.210 - 0.187	.0955	----	----	----	----	6 UNCH
15000	----	----	----/1.110A	0.987B/1.110A	----	0.997 - 0.143	.0790	----	----	----	----	36 UNCH
16000	----	----	----/0.947A	0.790B/0.947A	----	0.836 - 0.112	.0663	----	----	----	----	1 UNCH
17000	----	----	----	0.639B/0.817A	----	0.711 - 0.091	.0564	----	----	----	----	2 UNCH
18000	----	----	----	0.532B/0.717A	----	0.611 - 0.077	.0485	----	----	----	----	1 UNCH
19000	----	----	----	0.447B/0.635A	----	0.530 - 0.067	.0420	----	----	----	----	2 UNCH
20000	----	----	----	0.372B/0.566A	----	0.464 - 0.060	.0368	----	----	----	----	217 UNCH
25000	----	----	----	0.179B/*0.368A	----	0.265 - 0.042	.0209	----	----	----	----	2 UNCH
30000	----	----	----	0.096B/*0.276A	----	0.178 - 0.030	.0138	----	----	----	----	13 UNCH
35000	----	----	----	0.053B/*0.223A	----	0.119 - 0.022	.0092	----	----	----	----	2 UNCH
TOTAL										54	0	780 + 43
SEP26												
5100	----	----	----/24.526A	#23.773B/24.526A	----	24.502 - 0.272	.8856	----	----	----	----	1 UNCH
5900	----	----	----/18.548A	#17.837B/18.548A	----	18.374 - 0.407	.7942	----	----	----	----	2 UNCH
6000	----	----	----/17.885A	#17.182B/17.885A	----	17.693 - 0.424	.7805	----	----	----	----	7 UNCH
6700	----	----	----/13.834A	13.124B/13.834A	----	13.509 - 0.528	.6762	----	----	----	----	1 UNCH
7000	----	----	----/12.212A	11.975B/12.212A	----	12.029 - 0.563	.6296	----	----	----	----	119 UNCH
7125	----	----	----/11.666A	11.253B/11.666A	----	11.466 - 0.576	.6103	----	----	----	----	75 UNCH
7400	----	----	----	10.224B/10.952A	----	10.328 - 0.601	.5687	----	----	----	100	100 + 100
7500	----	----	----/10.443A	9.838B/10.443A	----	9.947 - 0.610	.5539	----	----	----	----	1 UNCH
7700	----	----	----/9.774A	9.128B/9.774A	----	9.235 - 0.624	.5253	----	----	----	----	1 UNCH
8000	----	----	----/8.659A	8.138B/8.659A	----	8.281 - 0.640	.4846	----	----	----	----	105 UNCH
8200	----	----	----/8.327A	7.565B/8.327A	----	7.713 - 0.645	.4591	----	----	----	----	20 UNCH
8500	----	----	----/7.363A	6.970B/7.363A	----	6.950 - 0.647	.4232	----	----	----	----	100 UNCH
8675	----	----	----	6.379B/7.217A	----	6.550 - 0.644	.4036	----	----	----	----	5 UNCH
8700	----	----	----/6.954A	6.529B/6.954A	----	6.495 - 0.643	.4009	----	----	----	----	100 UNCH
9000	----	----	----/6.344A	5.931B/6.344A	----	5.885 - 0.631	.3699	----	----	----	----	65 UNCH
9500	----	----	----	4.874B/5.769A	----	5.031 - 0.600	.3243	----	----	----	----	2 UNCH
9750	----	----	----	4.507B/5.386A	----	4.668 - 0.581	.3042	----	----	----	----	23 UNCH
9800	----	----	----	4.435B/5.322A	----	4.600 - 0.577	.3003	----	----	----	----	9 UNCH
9900	----	----	----	4.397B/5.125A	----	4.469 - 0.568	.2929	----	----	8	----	35 + 3
10000	----	----	----/4.836A	4.364B/4.836A	----	4.343 - 0.559	.2856	----	----	8	----	177 + 4
10500	----	----	----/4.243A	3.776B/4.243A	----	3.785 - 0.513	.2529	----	----	----	----	50 UNCH
10800	----	----	----	3.281B/4.076A	----	3.500 - 0.484	.2356	----	----	----	----	2 UNCH
11000	----	----	----/3.683A	3.284B/3.683A	----	3.327 - 0.466	.2250	----	----	----	----	58 UNCH
12000	----	----	----/2.922A	2.428B/2.922A	----	2.627 - 0.375	.1809	----	----	----	----	47 UNCH
12500	----	----	----/*2.509A	2.217B/*2.509A	----	2.353 - 0.335	.1633	----	----	----	----	92 UNCH
13000	----	----	----/2.403A	1.827B/2.403A	----	2.116 - 0.300	.1478	----	----	----	----	2 UNCH
14000	----	----	----	1.385B/2.263A	----	1.731 - 0.239	.1223	----	----	----	----	41 UNCH
15000	----	----	----	1.041B/1.975A	----	1.435 - 0.192	.1023	----	----	----	----	131 UNCH
16000	----	----	----/1.320A	1.183B/1.320A	----	1.205 - 0.155	.0866	----	----	----	----	18 UNCH
17000	----	----	----/1.149A	0.984B/1.149A	----	1.024 - 0.127	.0740	----	----	----	----	27 UNCH
18000	----	----	----	0.827B/1.005A	----	0.881 - 0.107	.0640	----	----	----	----	2 UNCH
19000	----	----	----	0.698B/0.891A	----	0.767 - 0.092	.0559	----	----	----	----	14 UNCH
20000	----	----	----	0.598B/0.800A	----	0.674 - 0.082	.0492	----	----	----	----	308 UNCH
21000	----	----	----	0.516B/0.726A	----	0.599 - 0.074	.0438	----	----	----	----	1 UNCH
23000	----	----	----	0.391B/0.609A	----	0.484 - 0.065	.0354	----	----	----	----	32 UNCH
25000	----	----	----	0.302B/0.519A	----	0.403 - 0.061	.0294	----	----	----	----	14 UNCH
30000	0.280	0.280	0.280/*0.280	0.280/*0.280	----	0.285 - 0.061	.0204	----	----	1	----	19 UNCH
35000	----	----	----	0.102B/0.301A	----	0.168 - 0.040	.0124	----	----	----	----	27 UNCH
TOTAL										17	100	1833 + 107
OCT26												
3800	----	----	----	----	----	36.973 - 0.122	.9644	----	----	----	----	1 UNCH
7000	----	----	----/13.936A	13.090B/13.936A	----	13.585 - 0.584	.6412	----	----	----	----	2 UNCH
7100	----	----	----/13.466A	12.618B/13.466A	----	13.106 - 0.598	.6274	----	----	----	----	1 UNCH
7500	----	----	----/11.836A	10.932B/11.836A	----	11.347 - 0.645	.5726	----	----	----	----	1 UNCH
7650	----	----	----/11.299A	10.377B/11.299A	----	10.752 - 0.659	.5525	----	----	----	----	1 UNCH
7875	----	----	----	9.419B/10.757A	----	9.924 - 0.674	.5232	----	----	----	----	2 UNCH
8000	----	----	----	9.210B/10.177A	----	9.496 - 0.680	.5073	----	----	----	----	4 UNCH
8075	----	----	----	8.830B/10.134A	----	9.250 - 0.683	.4980	----	----	----	----	1 UNCH
8500	----	----	----	7.814B/8.892A	----	8.003 - 0.690	.4478	----	----	----	----	1 UNCH
8700	----	----	----	7.354B/8.434A	----	7.497 - 0.686	.4260	----	----	----	----	4 UNCH
9000	----	----	----	6.677B/7.813A	----	6.823 - 0.675	.3955	----	----	----	----	1 UNCH
9100	----	----	----	6.475B/7.611A	----	6.620 - 0.669	.3860	----	----	----	----	73 UNCH
10000	----	----	----	4.973B/6.132A	----	5.164 - 0.605	.3128	----	----	----	----	96 UNCH
11000	----	----	----	3.846B/4.909A	----	4.105 - 0.518	.2539	----	----	----	----	3 UNCH
12000	----	----	----	3.024B/4.001A	----	3.358 - 0.441	.2103	----	----	----	----	65 UNCH
13000	----	----	----	2.414B/3.322A	----	2.764 - 0.382	.1755	----	----	----	----	145 UNCH
14000	----	----	----	1.948B/2.839A	----	2.282 - 0.336	.1471	----	----	----	----	2 UNCH
15000	----	----	----	1.536B/2.501A	----	1.892 - 0.301	.1238	----	----	----	----	178 UNCH
16000	----	----	----	1.202B/2.200A	----	1.583 - 0.271	.1050	----	----	----	----	1 UNCH
18000	----	----	----/1.344A	1.174B/1.344A	----	1.151 - 0.222	.0779	----	----	----	----	290 UNCH
20000	----	----	----	0.871B/1.081A	----	0.881 - 0.185	.0602	----	----	----	----	225 UNCH
TOTAL											0	1097 0
NOV26												
6500	----	----	----	15.662B/17.931A	----	16.752 - 0.552	.7068	----	----	----	----	1 UNCH
7000	----	----	----/14.768A	13.633B/14.768A	----	14.188 - 0.642	.6419	----	----	----	----	14 UNCH
7100	----	----	----/14.345A	13.188B/14.345A	----	13.723 - 0.657	.6289	----	----	----	----	14 UNCH
7500	----	----	----	11.537B/12.766A	----	12.020 - 0.706	.5772	----	----	----	----	1 UNCH
7900	----	----	----	10.162B/11.436A	----	10.564 - 0.731	.5282	----	----	----	----	10 UNCH
8000	----	----	----	9.852B/11.136A	----	10.237 - 0.734	.5165	----	----	----	----	10 UNCH
10000	----	----	----	5.607B/7.096A	----	6.077 - 0.586	.3377	----	----	----	----	26 UNCH
12000	----	----	----	3.576B/4.988A	----	4.004 - 0.466	.2330	----	----	----	----	24 UNCH
12500	----	----	----	3.206B/4.630A	----	3.635 - 0.449	.2135	----	----	----	----	10 UNCH
14000	----	----	----	2.372B/3.772A	----	2.763 - 0.404	.1665	----	----	----	----	1 UNCH
15000	----	----	----	1.962B/3.311A	----	2.336 - 0.370	.1427	----	----	----	----	5 UNCH
16000	----	----	----	1.582B/2.961A	----	2.005 - 0.325	.1237	----	----	----	----	2 UNCH
17000	----	----	----	1.261B/2.689A	----	1.752 - 0.270	.1088	----	----	----	----	1 UNCH
20000	----	----	----	1.167B/1.491A	----	1.263 - 0.114	.0788	----	----	----	----	31 UNCH
TOTAL											0	150 0
DEC26												
3875	----	----	----	----	----	36.504 - 0.124	.9479	----	----	----	----	1 UNCH
5250	----	----	----	----/65.775A	----	25.018 - 0.332	.8490	----	----	----	----	50 UNCH
5500	----	----	----	----/63.817A	----	23.181 - 0.379	.8239	----	----	----	----	1 UNCH
6500	----	----	----	15.453B/18.909A	----	16.916 - 0.519	.7060	----	----	----	----	564 UNCH
6900	----	----	----	14.405B/15.908A	----	14.950 - 0.540	.6550	----	----	----	----	1 UNCH
6950	----	----	----	14.275B/15.687A	----	14.725 - 0.541	.6487	----	----	----	----	200 UNCH
7000	----	----	----	14.007B/15.472A	----	14.504 - 0.542	.6424	----	----	----	----	120 UNCH
7025	----	----	----	12.806B/16.476A	----	14.395 - 0.543	.6392	----	----	----	----	1 UNCH
7075	----	----	----	12.602B/16.261A	----	14.180 - 0.545	.6329	----	----	----	----	5 UNCH
7100	----	----	----	13.628B/15.043A	----	14.074 - 0.546	.6298	----	----	----	----	15 UNCH
7375	----	----	----	11.450B/14.723A	----	12.970 - 0.555	.5957	----	----	----	----	4 UNCH
7500	----	----	----	12.011B/13.495A	----	12.505 - 0.560	.5806	----	----	----	----	18 UNCH
7575	----	----	----	10.725B/14.319A	----	12.237 - 0.562	.5717	----	----	----	----	1 UNCH
7750	----	----	----	11.146B/12.646A	----	11.639 - 0.569	.5515	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 56

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS											
DEC26													
7800	----	----	----	10.989B/12.486A	----	11.476 -	0.571 .5458	----	----	----	----	1	UNCH
7925	----	----	----	9.591B/13.168A	----	11.081 -	0.577 .5319	----	----	----	----	2	UNCH
8000	----	----	----	10.361B/11.879A	----	10.853 -	0.580 .5237	----	----	----	----	127	UNCH
8100	----	----	----	10.074B/11.594A	----	10.559 -	0.585 .5130	----	----	----	----	1	UNCH
8200	----	----	----	9.796B/11.319A	----	10.277 -	0.589 .5025	----	----	----	----	25	UNCH
8400	----	----	----	9.232B/10.802A	----	9.744 -	0.598 .4823	----	----	----	----	50	UNCH
8500	----	----	----	8.979B/10.559A	----	9.493 -	0.602 .4725	----	----	----	----	150	UNCH
8550	----	----	----	8.855B/10.441A	----	9.371 -	0.604 .4677	----	----	----	----	1	UNCH
8800	----	----	----	8.271B/9.868A	----	8.795 -	0.614 .4446	----	----	----	----	5	UNCH
8900	----	----	----	8.052B/9.659A	----	8.579 -	0.619 .4357	----	----	----	----	2	UNCH
8950	----	----	----	7.945B/9.557A	----	8.475 -	0.620 .4314	----	----	----	----	1	UNCH
9000	----	----	----	7.840B/9.457A	----	8.372 -	0.622 .4271	----	----	----	----	184	UNCH
9050	----	----	----	7.737B/9.359A	----	8.271 -	0.623 .4229	----	----	----	----	100	UNCH
9300	----	----	----	7.247B/8.893A	----	7.794 -	0.630 .4026	----	----	----	----	1	UNCH
9500	----	----	----	6.883B/8.549A	----	7.441 -	0.635 .3872	----	----	----	----	3	UNCH
9700	----	----	----	6.543B/8.286A	----	7.113 -	0.636 .3727	----	----	----	----	1	UNCH
9800	----	----	----	6.380B/8.126A	----	6.956 -	0.638 .3657	----	----	----	----	17	UNCH
9900	----	----	----	6.223B/7.976A	----	6.805 -	0.637 .3589	----	----	----	----	3	UNCH
10000	----	----	----/6.845A	6.070B/6.845A	----	6.659 -	0.636 .3522	----	----	----	----	773	UNCH
10025	----	----	----	5.318B/8.567A	----	6.623 -	0.636 .3506	----	----	----	----	3	UNCH
10500	----	----	----	5.373B/7.161A	----	5.990 -	0.624 .3214	----	----	----	----	2	UNCH
10600	----	----	----	5.245B/7.042A	----	5.868 -	0.620 .3156	----	----	----	----	1	UNCH
11000	----	----	----	4.776B/6.595A	----	5.413 -	0.602 .2940	----	----	----	----	91	UNCH
11350	----	----	----	4.406B/6.225A	----	5.057 -	0.581 .2768	----	----	----	----	5	UNCH
11800	----	----	----	3.976B/5.814A	----	4.647 -	0.550 .2567	----	----	----	----	25	UNCH
12000	----	----	----/4.724A	3.801B/4.724A	----	4.480 -	0.536 .2484	----	----	----	----	438	UNCH
12200	----	----	----	3.634B/5.491A	----	4.322 -	0.522 .2404	----	----	----	----	1	UNCH
12500	----	----	----	3.397B/5.268A	----	4.101 -	0.499 .2293	----	----	----	----	43	UNCH
13000	----	----	----	3.039B/4.954A	----	3.769 -	0.461 .2123	----	----	----	----	338	UNCH
14000	----	----	----	2.433B/4.380A	----	3.218 -	0.392 .1834	----	----	----	----	56	UNCH
14200	----	----	----	2.327B/4.280A	----	3.123 -	0.379 .1784	----	----	----	----	1	UNCH
15000	----	----	----	1.947B/3.920A	----	2.784 -	0.330 .1602	----	----	----	----	1821	UNCH
16000	----	----	----	1.542B/3.547A	----	2.436 -	0.276 .1412	----	----	----	----	1608	UNCH
17000	----	----	----	1.216B/3.246A	----	2.150 -	0.232 .1254	----	----	----	----	50	UNCH
18000	----	----	----	0.942B/2.994A	----	1.913 -	0.194 .1121	----	----	----	----	7	UNCH
19000	----	----	----	1.123B/2.061A	----	1.712 -	0.164 .1008	----	----	----	----	1	UNCH
20000	----	----	----	1.210B/1.921A	----	1.541 -	0.139 .0911	----	----	----	----	262	UNCH
21000	----	----	----	1.053B/1.762A	----	1.392 -	0.121 .0827	----	----	----	----	4	UNCH
23000	----	----	----	0.775B/1.538A	----	1.148 -	0.098 .0687	----	----	----	----	4	UNCH
25000	----	----	----	0.701B/1.344A	----	0.961 -	0.085 .0579	----	----	----	----	231	UNCH
30000	----	----	----	0.551B/0.804A	----	0.675 -	0.066 .0409	----	----	----	----	105	UNCH
40000	----	----	----	0.300B/0.489A	----	0.434 -	0.048 .0259	----	----	----	----	23	UNCH
TOTAL											0	7550	0
JAN27													
7550	----	----	----	#12.997B/18.098A	----	13.723 -	0.133 .5903	----	----	----	----	1	UNCH
7650	----	----	----	3.741B/18.000A	----	13.358 -	0.154 .5794	----	----	----	----	6	UNCH
10000	----	----	----	0.083B/16.564A	----	8.434 +	0.396 .3926	----	----	----	----	1	UNCH
11000	----	----	----	0.001B/14.807A	----	7.482 +	0.827 .3467	----	----	----	----	1	UNCH
13000	----	----	----	0.001B/12.288A	----	6.211 +	1.338 .2834	----	----	----	----	1	UNCH
14000	----	----	----	2.200B/11.384A	----	5.764 +	1.275 .2609	----	----	----	----	1	UNCH
14500	----	----	----	0.001B/10.991A	----	5.590 +	1.247 .2517	----	----	----	----	400	UNCH
15000	----	----	----	0.001B/10.625A	----	5.444 +	1.223 .2436	----	----	----	----	400	UNCH
TOTAL											0	811	0
FEB27													
9000	----	----	----	0.091B/20.210A	----	10.466 -	0.199 .4652	----	----	----	----	1	UNCH
30000	----	----	----	0.001B/7.283A	----	2.939 +	2.305 .1242	----	----	----	----	1	UNCH
TOTAL											0	2	0
MAR27													
9200	----	----	----	0.097B/*21.100A	----	10.648 -	0.393 .4598	----	----	----	----	25	UNCH
TOTAL											0	25	0
JUL27													
2000	----	----	----	----	----	56.543 -	0.074 .9954	----	----	----	----	1	UNCH
10000	----	----	----	----	----	12.750 -	0.124 .4675	----	----	----	----	1	UNCH
10300	----	----	----	----	----	12.330 -	0.123 .4535	----	----	----	----	1	UNCH
TOTAL											0	3	0
DEC27													
4000	----	----	----	----	----	39.756 -	0.096 .9066	----	----	----	----	1	UNCH
20000	----	----	----	----	----	8.821 -	0.105 .2914	----	----	----	----	25	UNCH
TOTAL											0	26	0
SO PUT		COMEX SILVER OPTIONS											
MAY26													
2075	----	----	----	----/0.020A	----	0.001 -	0.002 .0000	----	----	----	----	31	UNCH
2100	----	----	----	----/0.046A	----	0.001 -	0.002 .0000	----	----	----	----	1	UNCH
2150	----	----	----	----/0.046A	----	0.001 -	0.002 .0000	----	----	----	----	1	UNCH
2175	----	----	----	0.001B/0.020A	----	0.001 -	0.002 .0001	----	----	----	----	1	UNCH
2650	----	----	----	----/0.051A	----	0.005 -	0.005 .0005	----	----	----	----	2	UNCH
2700	----	----	----	----/0.052A	----	0.005 -	0.006 .0005	----	----	----	----	50	UNCH
2800	----	----	----	----/0.054A	----	0.006 -	0.007 .0006	----	----	----	----	12	UNCH
2850	----	----	----	----/0.055A	----	0.007 -	0.007 .0008	----	----	----	----	3	UNCH
2875	----	----	----	----/0.056A	----	0.007 -	0.008 .0008	----	----	----	----	1	UNCH
2950	----	----	----	----/0.059A	----	0.009 -	0.008 .0010	----	----	----	----	1	UNCH
3000	----	----	----	----/0.061A	----	0.010 -	0.008 .0011	----	----	----	----	19	UNCH
3075	----	----	----	----/0.063A	----	0.011 -	0.010 .0012	----	----	----	----	16	UNCH
3100	----	----	----	----/0.064A	----	0.012 -	0.010 .0013	----	----	----	----	5	UNCH
3125	----	----	----	----/0.066A	----	0.013 -	0.010 .0015	----	----	----	----	14	UNCH
3175	----	----	----	----/0.068A	----	0.014 -	0.012 .0016	----	----	----	----	14	UNCH
3200	----	----	----	----/0.070A	----	0.015 -	0.012 .0017	----	----	----	----	13	UNCH
3225	----	----	----	----/0.071A	----	0.016 -	0.012 .0018	----	----	----	----	10	UNCH
3275	----	----	----	0.001B/0.074A	----	0.017 -	0.014 .0020	----	----	----	----	54	UNCH
3300	----	----	----	0.001B/0.076A	----	0.018 -	0.014 .0021	----	----	----	----	79	UNCH
3325	----	----	----	0.001B/0.077A	----	0.019 -	0.015 .0022	----	----	----	----	2	UNCH
3350	----	----	----	0.001B/0.079A	----	0.020 -	0.016 .0023	----	----	----	----	14	UNCH
3375	----	----	----	0.001B/0.080A	----	0.021 -	0.016 .0024	----	----	----	----	12	UNCH
3400	----	----	----	0.001B/0.082A	----	0.022 -	0.017 .0026	----	----	----	----	39	UNCH
3450	----	----	----	0.001B/0.086A	----	0.025 -	0.017 .0029	----	----	----	----	5	UNCH
3475	----	----	----	0.001B/0.088A	----	0.026 -	0.018 .0030	----	----	----	----	13	UNCH
3500	----	----	----	0.001B/0.090A	----	0.027 -	0.019 .0032	----	----	----	----	59	UNCH
3550	----	----	----	0.001B/0.094A	----	0.030 -	0.020 .0035	----	----	----	----	1	UNCH
3575	----	----	----	0.001B/0.097A	----	0.031 -	0.021 .0037	----	----	----	----	28	UNCH
3600	----	----	----	0.001B/0.099A	----	0.033 -	0.021 .0039	----	----	----	----	6	UNCH
3625	----	----	----	0.001B/*0.102A	----	0.034 -	0.022 .0040	----	----	----	----	12	UNCH
3675	----	----	----	0.001B/0.107A	----	0.038 -	0.023 .0045	----	----	----	----	105	UNCH
3700	----	----	----	0.001B/0.109A	----	0.039 -	0.025 .0046	----	----	----	----	264	UNCH
3750	----	----	----	0.001B/*0.116A	----	0.043 -	0.026 .0051	----	----	----	----	10	UNCH
3775	----	----	----	0.001B/*0.118A	----	0.045 -	0.027 .0054	----	----	----	----	10	UNCH
3800	----	----	----	0.001B/0.120A	----	0.047 -	0.027 .0056	----	----	----	----	356	UNCH
3850	----	----	----	0.001B/*0.124A	----	0.051 -	0.029 .0061	----	----	----	----	1	UNCH
3900	----	----	----	0.001B/0.129A	----	0.056 -	0.031 .0067	----	----	----	----	52	UNCH
3925	----	----	----	0.001B/*0.132A	----	0.058 -	0.032 .0070	----	----	----	----	9	UNCH
3950	----	----	----	0.001B/0.134A	----	0.060 -	0.033 .0073	----	----	----	----	11	UNCH
3975	----	----	----	0.001B/0.137A	----	0.063 -	0.034 .0076	----	----	----	----	5	UNCH
4000	0.070	0.070	0.070/0.070	0.070/0.070	----	0.066 -	0.034 .0080	----	----	20	----	325 +	20
4025	----	----	----	0.001B/*0.142A	----	0.067 -	0.036 .0082	----	----	----	----	3	UNCH
4050	----	----	----	0.006B/0.144A	----	0.069 -	0.037 .0084	----	----	----	----	21	UNCH
4075	----	----	----	0.010B/*0.140A	----	0.070 -	0.039 .0086	----	----	----	----	15	UNCH
4100	----	----	----	0.017B/0.138A	----	0.072 -	0.040 .0089	----	----	----	----	190	UNCH
4125	----	----	----	0.006B/*0.143A	----	0.074 -	0.041 .0092	----	----	----	----	10	UNCH
4150	----	----	----	0.005B/0.146A	----	0.075 -	0.043 .0094	----	----	----	----	9	UNCH
4175	----	----	----	0.008B/*0.146A	----	0.077 -	0.044 .0097	----	----	----	----	1	UNCH
4200	----	----	----	0.078B/*0.136A	----	0.079 -	0.046 .0099	----	----	----	----	101	UNCH
4225	----	----	----	0.010B/*0.150A	----	0.081 -	0.047 .0102	----	----	----	----	20	UNCH
4250	----	----	----	0.013B/0.153A	----	0.083 -	0.049 .0105	----	----	----	----	10	UNCH
4275	----	----	----	0.015B/*0.154A	----	0.084 -	0.051 .0108	----	----	----	----	7	UNCH
4300	----	----	----	0.090B/0.158A	----	0.086 -	0.053 .0111	----	----	----	----	267	UNCH
4325	----	----	----	0.021B/*0.159A	----	0.088 -	0.054 .0114	----	----	----	----	1	UNCH
4350	----	----	----	0.023B/0.162A	----	0.090 -	0.056 .0117	----	----	----	----	27	UNCH
4375	----	----	----	0.026B/*0.165A	----	0.092 -	0.058 .0120	----	----	----	----	12	UNCH
4400	----	----	----	0.029B/*0.167A	----	0.095 -	0.059 .0124	----	----	----	----	314	UNCH
4425	----	----	----	0.033B/*0.170A	----	0.097 -	0.061 .0128	----	----	----	----	14	UNCH
4450	----	----	----	0.036B/*0.172A	----	0.099 -	0.063 .0131	----	----	----	----	7	UNCH
4475	----	----	----	0.039B/*0.175A	----	0.101 -	0.066 .0134	----	----	----	----	81	UNCH
4500	0.100	0.100	0.100/*0.100	0.100/*0.100	----	0.103 -	0.068 .0138	----	----	1	----	787	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
4525	----	----	----	0.046B/*0.181A	----	0.106 - 0.070	.0142	----	----	----	----	19 UNCH
4550	----	----	----	0.050B/*0.186A	----	0.108 - 0.072	.0146	----	----	----	----	4 UNCH
4575	----	----	----	0.055B/*0.188A	----	0.111 - 0.074	.0151	----	----	----	----	11 UNCH
4600	----	----	----	0.122B/*0.191A	----	0.114 - 0.076	.0155	----	----	----	----	15 UNCH
4625	----	----	----	0.062B/0.195A	----	0.116 - 0.079	.0159	----	----	----	----	66 UNCH
4650	----	----	----/*0.163A	0.113B/*0.163A	----	0.119 - 0.081	.0164	----	----	----	----	10 UNCH
4675	----	----	----/*0.158A	0.122B/*0.158A	----	0.122 - 0.084	.0169	----	----	----	----	17 UNCH
4700	----	----	----/*0.164A	0.122B/*0.164A	----	0.125 - 0.086	.0174	----	----	----	----	116 UNCH
4725	----	----	----/*0.174A	0.127B/*0.174A	----	0.128 - 0.089	.0179	----	----	----	----	11 UNCH
4750	----	----	----/*0.185A	0.129B/*0.185A	----	0.131 - 0.092	.0184	----	----	----	----	18 UNCH
4775	0.169	0.169	0.169/*0.169	0.169/*0.169	----	0.135 - 0.094	.0190	----	----	3	----	4 UNCH
4800	----	----	----/0.186A	0.139B/0.186A	----	0.138 - 0.097	.0195	----	----	1	----	317 UNCH
4825	----	----	----/*0.191A	0.141B/*0.191A	----	0.142 - 0.099	.0202	----	----	----	----	3 UNCH
4850	----	----	----/*0.196A	0.148B/*0.196A	----	0.146 - 0.102	.0208	----	----	----	----	78 UNCH
4875	----	----	----/*0.199A	0.152B/*0.199A	----	0.149 - 0.106	.0214	----	----	----	----	1 UNCH
4900	----	----	----/*0.213A	0.158B/*0.213A	----	0.154 - 0.108	.0221	----	----	1	----	163 UNCH
4925	----	----	----/*0.217A	0.156B/*0.217A	----	0.158 - 0.111	.0228	----	----	----	----	9 UNCH
4950	----	----	----/*0.223A	0.163B/*0.223A	----	0.162 - 0.115	.0235	----	----	----	----	12 UNCH
4975	----	----	----/*0.232A	0.172B/*0.232A	----	0.167 - 0.118	.0243	----	----	----	----	52 UNCH
5000	0.500	0.500	0.500/*0.195	0.500/*0.195	----	0.172 - 0.121	.0251	----	----	33	----	893 - 7
5025	----	----	----/0.248A	0.188B/0.248A	----	0.177 - 0.124	.0259	----	----	----	----	1 UNCH
5050	----	----	----/*0.248A	0.185B/*0.248A	----	0.182 - 0.128	.0267	----	----	----	----	24 UNCH
5075	----	----	----/*0.258A	0.197B/*0.258A	----	0.187 - 0.132	.0276	----	----	----	----	7 UNCH
5100	----	----	----/*0.222A	0.203B/*0.222A	----	0.193 - 0.135	.0285	----	----	1	----	163 - 1
5125	----	----	----/*0.250A	0.206B/*0.250A	----	0.199 - 0.139	.0295	----	----	1	----	52 UNCH
5150	----	----	----/*0.274A	0.213B/*0.274A	----	0.205 - 0.143	.0305	----	----	2	----	48 - 2
5175	----	----	----/*0.283A	0.229B/*0.283A	----	0.212 - 0.146	.0316	----	----	----	----	2 UNCH
5200	----	----	----/*0.271A	0.229B/*0.271A	----	0.219 - 0.149	.0327	----	----	1	----	170 UNCH
5225	----	----	----/*0.286A	0.238B/*0.286A	----	0.226 - 0.154	.0338	----	----	----	----	5 UNCH
5250	----	----	----/0.307A	0.247B/0.307A	----	0.233 - 0.158	.0350	----	----	----	----	29 UNCH
5275	----	----	----/*0.292A	0.255B/*0.292A	----	0.241 - 0.162	.0362	----	----	----	----	8 UNCH
5300	----	----	----/0.310A	0.271B/0.310A	----	0.249 - 0.166	.0375	----	----	----	----	171 UNCH
5325	----	----	----/*0.314A	0.284B/*0.314A	----	0.258 - 0.170	.0389	----	----	----	----	23 UNCH
5350	----	----	----/*0.312A	0.301B/*0.312A	----	0.267 - 0.174	.0404	----	----	----	----	28 UNCH
5375	0.321	0.321	0.321/*0.317	0.321/*0.317	----	0.276 - 0.179	.0418	----	----	4	----	16 + 3
5400	----	----	----/*0.331A	0.323B/*0.331A	----	0.286 - 0.183	.0433	----	----	----	----	100 UNCH
5425	----	----	----/*0.330A	0.336B/*0.330A	----	0.296 - 0.187	.0449	----	----	----	----	14 UNCH
5450	----	----	----/*0.335A	0.349B/*0.335A	----	0.306 - 0.192	.0465	----	----	----	----	12 UNCH
5475	----	----	----/*0.346A	0.360B/*0.346A	----	0.317 - 0.197	.0482	----	----	----	----	13 UNCH
5500	0.430	0.430	0.430/0.353A	0.430/0.353A	----	0.329 - 0.201	.0501	----	----	4	----	590 + 2
5525	----	----	----/*0.367A	0.387B/*0.367A	----	0.341 - 0.206	.0519	----	----	----	----	37 UNCH
5550	----	----	----/*0.380A	0.401B/*0.380A	----	0.353 - 0.212	.0538	----	----	----	----	33 UNCH
5575	----	----	----/*0.396A	0.421B/*0.396A	----	0.367 - 0.216	.0559	----	----	----	----	4 UNCH
5600	0.489	0.489	0.489/*0.409A	0.521B/*0.409A	----	0.380 - 0.221	.0579	----	----	1	----	70 UNCH
5625	----	----	----/*0.421A	0.517B/*0.421A	----	0.395 - 0.226	.0602	----	----	----	----	6 UNCH
5650	----	----	----/*0.439A	0.569B/*0.439A	----	0.409 - 0.232	.0624	----	----	----	----	40 UNCH
5675	----	----	----/*0.453A	0.569B/*0.453A	----	0.425 - 0.236	.0648	----	----	----	----	48 UNCH
5700	0.743	0.743	0.743/0.467A	0.743/0.467A	----	0.441 - 0.242	.0672	----	----	2	----	132 + 1
5725	----	----	----/0.485A	0.609B/0.485A	----	0.458 - 0.247	.0697	----	----	----	----	27 UNCH
5750	----	----	----/0.502A	0.635B/0.502A	----	0.476 - 0.252	.0724	----	----	----	----	111 UNCH
5775	----	----	----/0.516A	0.694B/0.516A	----	0.494 - 0.258	.0751	----	----	1	----	14 UNCH
5800	0.606	0.606	0.606/0.515	0.723B/0.515	----	0.513 - 0.263	.0779	----	----	5	----	369 + 1
5825	----	----	----/0.556A	0.751B/0.556A	----	0.533 - 0.269	.0808	----	----	----	----	55 UNCH
5850	----	----	----/0.573A	0.781B/0.573A	----	0.554 - 0.274	.0839	----	----	----	----	7 UNCH
5875	----	----	----/0.597A	0.812B/0.597A	----	0.575 - 0.280	.0870	----	----	----	----	4 UNCH
5900	----	----	----/0.620A	0.843B/0.620A	----	0.598 - 0.285	.0903	----	----	1	----	118 - 1
5925	----	----	----/0.639A	0.870B/0.639A	----	0.621 - 0.292	.0936	----	----	----	----	13 UNCH
5950	----	----	----/0.669A	0.900B/0.669A	----	0.646 - 0.297	.0971	----	----	----	----	14 UNCH
5975	0.800	0.800	0.800/0.691A	0.946B/0.691A	----	0.671 - 0.303	.1007	----	----	3	----	23 UNCH
6000	1.107	1.107	1.107/0.720	1.107/0.720	----	0.698 - 0.308	.1045	----	----	133	----	1062 + 37
6025	----	----	----/0.746A	1.014B/0.746A	----	0.725 - 0.314	.1083	----	----	----	----	24 UNCH
6050	----	----	----/0.770A	1.056B/0.770A	----	0.754 - 0.320	.1123	----	----	5	----	323 + 5
6075	----	----	----/0.802A	1.099B/0.802A	----	0.783 - 0.326	.1163	----	----	----	----	165 UNCH
6100	0.918	0.918	0.965/0.810	1.143B/0.810	----	0.814 - 0.332	.1206	----	----	17	----	145 - 1
6125	----	----	----/0.866A	1.180B/0.866A	----	0.846 - 0.338	.1250	----	----	----	----	7 UNCH
6150	----	----	----/0.898A	1.220B/0.898A	----	0.880 - 0.343	.1295	----	----	5	----	38 + 5
6175	----	----	1.270B/0.924A	1.270B/0.924A	----	0.914 - 0.349	.1341	----	----	1	----	12 - 1
6200	1.329	1.329	1.329/0.967A	1.329/0.967A	----	0.950 - 0.355	.1389	----	----	7	----	59 - 2
6225	----	----	1.358B/0.996A	1.358B/0.996A	----	0.987 - 0.361	.1438	----	----	----	----	32 UNCH
6250	----	----	1.416B/1.033A	1.416B/1.033A	----	1.026 - 0.366	.1489	----	----	----	----	93 UNCH
6275	----	----	1.451B/1.076A	1.451B/1.076A	----	1.066 - 0.372	.1541	----	----	----	----	13 UNCH
6300	1.278	1.278	1.513B/1.112	1.513B/1.112	----	1.108 - 0.377	.1595	----	----	3	----	183 + 1
6325	----	----	1.567B/1.156A	1.567B/1.156A	----	1.151 - 0.383	.1650	----	----	1	----	126 UNCH
6350	----	----	1.609B/1.199A	1.609B/1.199A	----	1.195 - 0.389	.1705	----	----	16	----	96 + 16
6375	----	----	1.665B/1.249A	1.665B/1.249A	----	1.241 - 0.395	.1763	----	----	----	----	31 UNCH
6400	1.429	1.429	1.739B/1.280	1.739B/1.280	----	1.289 - 0.400	.1823	----	----	2	----	77 + 1
6425	----	----	1.793B/1.343A	1.793B/1.343A	----	1.339 - 0.405	.1884	----	----	----	----	10 UNCH
6450	----	----	1.857B/1.388A	1.857B/1.388A	----	1.390 - 0.410	.1946	----	----	15	----	56 + 15
6475	1.459	1.459	1.880B/1.444A	1.880B/1.444A	----	1.443 - 0.416	.2010	----	----	2	----	10 + 2
6500	1.920	1.920	1.987B/1.488A	1.987B/1.488A	----	1.497 - 0.421	.2074	----	----	29	----	790 + 2
6525	----	----	2.046B/1.554A	2.046B/1.554A	----	1.554 - 0.426	.2141	----	----	----	----	17 UNCH
6550	----	----	2.127B/1.597A	2.127B/1.597A	----	1.612 - 0.431	.2209	----	----	1	----	170 UNCH
6575	----	----	2.199B/1.653A	2.199B/1.653A	----	1.672 - 0.437	.2278	----	----	----	----	60 UNCH
6600	----	----	2.285B/1.712A	2.285B/1.712A	----	1.734 - 0.442	.2349	----	----	16	100	421 - 12
6625	----	----	2.346B/1.793A	2.346B/1.793A	----	1.798 - 0.446	.2421	----	----	----	----	7 UNCH
6650	2.032	2.032	2.430B/1.837A	2.430B/1.837A	----	1.864 - 0.451	.2495	----	----	60	----	58 - 35
6675	----	----	2.511B/1.903A	2.511B/1.903A	----	1.932 - 0.456	.2570	----	----	----	----	65 UNCH
6700	2.030	2.030	2.590B/1.973A	2.590B/1.973A	----	2.002 - 0.460	.2646	----	----	4	----	426 - 3
6725	2.176	2.176	2.668B/2.058A	2.668B/2.058A	----	2.074 - 0.465	.2723	----	----	1	----	8 + 1
6750	----	----	2.757B/2.110A	2.757B/2.110A	----	2.148 - 0.469	.2802	----	----	5	----	69 + 5
6775	----	----	2.843B/2.203A	2.843B/2.203A	----	2.225 - 0.473	.2882	----	----	----	----	14 UNCH
6800	----	----	2.925B/2.260A	2.925B/2.260A	----	2.303 - 0.477	.2963	----	----	11	----	97 + 10
6825	----	----	2.979B/2.356A	2.979B/2.356A	----	2.384 - 0.481	.3046	----	----	----	----	13 UNCH
6850	----	----	3.013B/2.436A	3.013B/2.436A	----	2.467 - 0.485	.3129	----	----	----	----	12 UNCH
6875	2.800	2.800	3.054B/2.515A	3.054B/2.515A	----	2.552 - 0.489	.3214	----	----	8	----	10 + 3
6900	2.664	2.664	3.188B/2.586A	3.188B/2.586A	----	2.640 - 0.492	.3300	----	----	30	----	428 + 19
6925	2.880	2.880	3.287B/2.676A	3.287B/2.676A	----	2.730 - 0.495	.3386	----	----	111	----	63 - 100
6950	----	----	3.329B/2.776A	3.329B/2.776A	----	2.822 - 0.499	.3474	----	----	----	----	17 UNCH
6975	----	----	3.447B/2.868A	3.447B/2.868A	----	2.916 - 0.503	.3562	----	----	1	----	13 - 1
7000	3.049	3.049	3.604B/2.946A	3.604B/2.946A	----	3.013 - 0.505	.3652	----	----	12	----	844 + 2
7025	----	----	3.658B/3.058A	3.658B/3.058A	----	3.113 - 0.508	.3742	----	----	----	----	9 UNCH
7050	----	----	3.802B/3.153A	3.802B/3.153A	----	3.215 - 0.510	.3833	----	----	----	----	45 UNCH
7075	----	----	3.872B/3.258A	3.872B/3.258A	----	3.319 - 0.513	.3925	----	----	----	----	10 UNCH
7100	----	----	4.046B/3.351A	4.046B/3.351A	----	3.426 - 0.515	.4017	----	----	----	----	64 UNCH
7125	----	----	4.126B/3.465A	4.126B/3.465A	----	3.535 - 0.517	.4110	----	----	----	----	11 UNCH
7150	----	----	4.263B/3.572A	4.263B/3.572A	----	3.647 - 0.519	.4203	----	----	----	----	28 UNCH
7175	----	----	4.386B/3.686A	4.386B/3.686A	----	3.761 - 0.521	.4297	----	----	----	----	30 UNCH
7200	4.700	4.700	4.700/3.788A	4.700/3.788A	----	3.878 - 0.523	.4391	----	----	11	----	315 - 3
7225	----	----	4.598B/3.914A	4.598B/3.914A	----	3.998 - 0.523	.4485	----	----	----	----	18 UNCH
7250	----	----	4.788B/4.018A	4.788B/4.018A	----	4.120 - 0.524	.4580	----	----	----	----	66 UNCH
7275	----	----	4.872B/4.156A	4.872B/4.156A	----	4.244 - 0.526	.4675	----	----	1	----	7 UNCH
7300	4.552	4.552	5.034B/4.276A	5.034B/4.276A	----	4.371 - 0.527	.4769	----	----	4	----	36 - 4
7325	----	----	5.151B/4.406A	5.151B/4.406A	----	4.501 - 0.527	.4864	----	----	----	----	14 UNCH
7350	----	----	5.314B/4.532A	5.314B/4.532A	----	4.633 - 0.527	.4959	----	----	----	----	30 UNCH
7375	----	----	5.421B/4.667A	5.421B/4.667A	----	4.768 - 0.527	.5054	----	----	----	----	8 UNCH
7400	----	----	5.474B/4.805A	5.474B/4.805A	----	4.905 - 0.527	.5148	----	----	----	----	40 UNCH
7425	----	----	----/4.948A	5.474B/4.948A	----	5.045 - 0.527	.5242	----	----	----	----	14 UNCH
7450	----	----	----/5.087A	5.561B/5.087A	----	5.187 - 0.526	.5336	----	----	----	----	7 UNCH
7475	----	----	----/5.226A	5.676B/5.226A	----	5.332 - 0.525	.5430	----	----	----	----	8 UNCH
7500	----	----	----/5.367A	5.909B/5.367A	----	5.480 - 0.523	.5523	----	----	2	----	403 UNCH
7525	----	----	----/5.510A	6.013B/5.510A	----	5.629 - 0.523	.5615	----	----	----	----	33 UNCH
7530	----	----	----/5.548A	6.062B/5.548A	----	5.660 - 0.522	.5633	----	----	----	----	7 UNCH
7535	----	----	----/5.576A	6.034B/5.576A	----	5.690 - 0.522	.5652	----	----	----	----	6 UNCH
7540	----	----	----/5.610A	6.127B/5.610A	----	5.721 - 0.521	.5670	----	----	----	----	6 UNCH
7545	----	----	----/5.638A	6.194B/5.638A	----	5.751 - 0.521	.5688	----	----	----	----	2 UNCH
7550	----	----	----/5.664A	6.225B/5.664A	----	5.782 - 0.521	.5707	----	----	----	----	17 UNCH
7555	----	----	----/5.695A	6.249B/5.695A	----	5.813 - 0.520	.5725	----	----	----	----	1 UNCH
7560	----	----	----/5.724A	6.273B/5.724A	----	5.843 - 0.521	.5743	----	----	1	----	1 - 1
7565	----	----	6.527B/5.753A	6.527B/5.753A	----	5.874 - 0.520	.5762	----	----	----	----	1 UNCH
7570	----	----	6.471B/5.784A	6.471B/5.784A	----	5.905 - 0.520	.5780	----	----	----	----	3 UNCH
7575	----	----	----/5.814A	6.293B/5.814A	----	5.937 - 0.519	.5798	----	----	----	----	2 UNCH
7580	----	----	----/5.848A	6.400B/5.848A	----	5.968 - 0.518	.5816	----	----	----	----	25 UNCH
7585	----	----	----/5.881A	6.450B/5.881A	----	5.999 - 0.518	.5834	----	----	----	----	6 UNCH
7590	----	----	6.713B/5.909A	6.713B/5.909A	----	6.031 - 0.517	.5852	----	----	----	----	1 UNCH
7595	----	----	6.818B/5.940A	6.818B/5.940A	----	6.062 - 0.518	.5870	----	----	----	----	1 UNCH
7600	----	----	6.854B/5.967A	6.854B/5.967A	----	6.094 - 0.517	.5888	----	----	----	----	53 UNCH
7605	----	----	6.862B/6.002A	6.862B/6.002A	----	6.126 - 0.516	.5906	----	----	----	----	3 UNCH
7610	----	----	6.899B/6.030A	6.899B/6.030A	----	6.157 - 0.516	.5924	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
7620	----	----	6.837B/6.100A	6.837B/6.100A	----	6.221 - 0.515	.5960	----	----	----	----	31 UNCH
7625	----	----	6.837B/6.128A	6.837B/6.128A	----	6.253 - 0.515	.5978	----	----	----	----	3 UNCH
7630	----	----	6.910B/6.161A	6.910B/6.161A	----	6.286 - 0.514	.5996	----	----	----	----	1 UNCH
7635	----	----	6.945B/6.191A	6.945B/6.191A	----	6.318 - 0.513	.6014	----	----	----	----	36 UNCH
7645	----	----	6.939B/6.264A	6.939B/6.264A	----	6.383 - 0.512	.6049	----	----	----	----	2 UNCH
7650	6.927	6.927	7.036B/6.295A	7.036B/6.295A	----	6.415 - 0.512	.6067	----	----	2	----	7 UNCH
7655	----	----	7.094B/6.332A	7.094B/6.332A	----	6.448 - 0.511	.6084	----	----	----	----	1 UNCH
7660	----	----	7.063B/6.358A	7.063B/6.358A	----	6.481 - 0.511	.6102	----	----	1	----	1 UNCH
7665	----	----	7.081B/6.393A	7.081B/6.393A	----	6.514 - 0.510	.6119	----	----	----	----	3 UNCH
7670	----	----	7.088B/6.425A	7.088B/6.425A	----	6.547 - 0.509	.6137	----	----	----	----	1 UNCH
7675	----	----	7.199B/6.459A	7.199B/6.459A	----	6.580 - 0.509	.6154	----	----	----	----	3 UNCH
7685	----	----	7.214B/6.525A	7.214B/6.525A	----	6.646 - 0.508	.6189	----	----	----	----	10 UNCH
7700	----	----	----/6.655A	7.243B/6.655A	----	6.747 - 0.505	.6241	----	----	----	----	272 UNCH
7710	----	----	7.335B/6.750A	7.335B/6.750A	----	6.814 - 0.504	.6276	----	----	----	----	2 UNCH
7715	----	----	----/6.799A	7.335B/6.799A	----	6.848 - 0.504	.6293	----	----	----	----	1 UNCH
7720	----	----	----/6.816A	7.291B/6.816A	----	6.882 - 0.503	.6310	----	----	----	----	2 UNCH
7725	----	----	----/6.862A	7.326B/6.862A	----	6.916 - 0.502	.6327	----	----	----	----	2 UNCH
7730	----	----	----/6.882A	7.332B/6.882A	----	6.950 - 0.501	.6344	----	----	----	----	1 UNCH
7735	----	----	----/6.915A	7.366B/6.915A	----	6.984 - 0.501	.6361	----	----	----	----	1 UNCH
7745	----	----	----/6.969A	7.272B/6.969A	----	7.052 - 0.500	.6395	----	----	----	----	3 UNCH
7750	----	----	----/7.011A	7.457B/7.011A	----	7.087 - 0.499	.6412	----	----	----	----	61 UNCH
7755	----	----	----/7.080A	7.343B/7.080A	----	7.121 - 0.498	.6429	----	----	----	----	4 UNCH
7760	----	----	----/7.067A	7.378B/7.067A	----	7.156 - 0.497	.6446	----	----	----	----	4 UNCH
7770	----	----	----/7.161A	7.449B/7.161A	----	7.225 - 0.496	.6479	----	----	----	----	1 UNCH
7775	----	----	----/7.341A	7.478B/7.341A	----	7.260 - 0.495	.6495	----	----	----	----	2 UNCH
7780	----	----	----/7.228A	7.514B/7.228A	----	7.295 - 0.494	.6512	----	----	----	----	1 UNCH
7785	----	----	----/7.219A	7.549B/7.219A	----	7.330 - 0.494	.6529	----	----	----	----	1 UNCH
7790	----	----	----/7.477A	7.585B/7.477A	----	7.365 - 0.493	.6545	----	----	----	----	2 UNCH
7800	----	----	----/7.356A	7.826B/7.356A	----	7.436 - 0.491	.6578	----	----	----	----	24 UNCH
7805	----	----	----/7.582A	7.695B/7.582A	----	7.471 - 0.490	.6594	----	----	----	----	1 UNCH
7815	----	----	----/7.652A	7.764B/7.652A	----	7.542 - 0.489	.6627	----	----	----	----	1 UNCH
7825	----	----	----/7.699A	7.839B/7.699A	----	7.614 - 0.486	.6659	----	----	----	----	1 UNCH
7830	----	----	----/7.568A	8.039B/7.568A	----	7.650 - 0.485	.6676	----	----	----	----	11 UNCH
7840	----	----	----/7.828A	7.945B/7.828A	----	7.722 - 0.483	.6707	----	----	2	----	2 UNCH
7850	----	----	----/7.709A	8.182B/7.709A	----	7.794 - 0.482	.6739	----	----	----	----	44 UNCH
7865	----	----	----/8.007A	8.128B/8.007A	----	7.903 - 0.479	.6787	----	----	----	----	1 UNCH
7875	----	----	----/7.889A	8.339B/7.889A	----	7.976 - 0.477	.6818	----	----	3	----	7 UNCH
7880	----	----	----/8.116A	8.245B/8.116A	----	8.013 - 0.476	.6834	----	----	----	----	1 UNCH
7885	----	----	----/8.152A	8.276B/8.152A	----	8.049 - 0.476	.6849	----	----	----	----	1 UNCH
7890	----	----	----/8.188A	8.313B/8.188A	----	8.086 - 0.474	.6865	----	----	----	----	1 UNCH
7895	----	----	----/8.225A	8.350B/8.225A	----	8.123 - 0.473	.6880	----	----	----	----	1 UNCH
7900	----	----	----/8.071A	8.550B/8.071A	----	8.160 - 0.472	.6896	----	----	1	----	33 UNCH
7910	----	----	----/8.335A	8.469B/8.335A	----	8.234 - 0.471	.6926	----	----	----	----	3 UNCH
7915	----	----	----/8.377A	8.507B/8.377A	----	8.272 - 0.469	.6941	----	----	----	----	1 UNCH
7925	----	----	----/8.422A	8.574B/8.422A	----	8.346 - 0.467	.6972	----	----	----	----	1 UNCH
7930	----	----	----/8.488A	8.612B/8.488A	----	8.384 - 0.466	.6987	----	----	----	----	1 UNCH
7935	----	----	----/8.526A	8.650B/8.526A	----	8.421 - 0.465	.7002	----	----	----	----	2 UNCH
7940	----	----	----/8.563A	8.688B/8.563A	----	8.459 - 0.464	.7017	----	----	----	----	3 UNCH
7950	----	----	----/8.444A	8.922B/8.444A	----	8.534 - 0.462	.7047	----	----	----	----	24 UNCH
7955	----	----	----/8.675A	8.802B/8.675A	----	8.572 - 0.461	.7062	----	----	----	----	1 UNCH
7965	----	----	----/8.562A	8.983B/8.562A	----	8.648 - 0.459	.7091	----	----	----	----	6 UNCH
7970	----	----	----/8.788A	8.917B/8.788A	----	8.686 - 0.458	.7105	----	----	----	----	3 UNCH
7975	----	----	----/8.796A	8.955B/8.796A	----	8.725 - 0.456	.7120	----	----	----	----	1 UNCH
7980	----	----	----/8.865A	8.994B/8.865A	----	8.763 - 0.455	.7135	----	----	----	----	1 UNCH
7985	----	----	----/8.866A	9.032B/8.866A	----	8.801 - 0.454	.7150	----	----	----	----	1 UNCH
7990	----	----	----/8.907A	9.071B/8.907A	----	8.839 - 0.453	.7164	----	----	----	----	2 UNCH
8000	8.750	8.750	8.750/8.750	9.307B/8.750	----	8.916 - 0.451	.7192	----	----	6	----	479 - 1
8005	----	----	----/9.021A	9.187B/9.021A	----	8.955 - 0.449	.7206	----	----	----	----	2 UNCH
8010	----	----	----/9.061A	9.226B/9.061A	----	8.994 - 0.448	.7220	----	----	----	----	2 UNCH
8025	----	----	----/9.029A	9.497B/9.029A	----	9.110 - 0.445	.7263	----	----	----	----	7 UNCH
8030	----	----	----/9.214A	9.379B/9.214A	----	9.149 - 0.443	.7277	----	----	----	----	1 UNCH
8035	----	----	----/9.254A	9.418B/9.254A	----	9.188 - 0.442	.7291	----	----	----	----	1 UNCH
8040	----	----	----/9.292A	9.461B/9.292A	----	9.227 - 0.441	.7305	----	----	----	----	1 UNCH
8050	----	----	----/9.370A	9.539B/9.370A	----	9.306 - 0.438	.7333	----	----	----	----	4 UNCH
8065	----	----	----/9.487A	9.655B/9.487A	----	9.424 - 0.435	.7373	----	----	----	----	1 UNCH
8070	----	----	----/9.526A	9.695B/9.526A	----	9.464 - 0.433	.7387	----	----	----	----	2 UNCH
8075	----	----	----/9.565A	9.735B/9.565A	----	9.503 - 0.432	.7400	----	----	----	----	4 UNCH
8080	----	----	----/9.604A	9.775B/9.604A	----	9.543 - 0.431	.7413	----	----	----	----	3 UNCH
8085	----	----	----/9.500A	9.970B/9.500A	----	9.583 - 0.429	.7427	----	----	----	----	7 UNCH
8090	----	----	----/9.538A	10.010B/9.538A	----	9.622 - 0.429	.7440	----	----	----	----	20 UNCH
8095	----	----	----/9.722A	9.896B/9.722A	----	9.662 - 0.427	.7454	----	----	----	----	2 UNCH
8100	----	----	----/9.619A	10.090B/9.619A	----	9.702 - 0.426	.7466	----	----	----	----	33 UNCH
8105	----	----	----/9.801A	9.976B/9.801A	----	9.742 - 0.425	.7480	----	----	----	----	1 UNCH
8110	----	----	----/9.841A	10.018B/9.841A	----	9.782 - 0.423	.7493	----	----	----	----	1 UNCH
8125	----	----	----/9.960A	10.138B/9.960A	----	9.903 - 0.419	.7531	----	----	----	----	1 UNCH
8150	----	----	----/10.070A	10.344B/10.070A	----	10.105 - 0.413	.7596	----	----	----	----	4 UNCH
8175	----	----	----/10.271A	10.551B/10.271A	----	10.309 - 0.406	.7657	----	----	----	----	2 UNCH
8195	----	----	----/10.432A	10.717B/10.432A	----	10.473 - 0.401	.7706	----	----	----	----	2 UNCH
8200	----	----	----/10.428A	10.903B/10.428A	----	10.514 - 0.400	.7719	----	----	----	----	37 UNCH
8205	----	----	----/10.513A	10.801B/10.513A	----	10.556 - 0.398	.7730	----	----	----	----	1 UNCH
8210	----	----	----/10.554A	10.843B/10.554A	----	10.597 - 0.397	.7742	----	----	----	----	1 UNCH
8215	----	----	----/10.595A	10.885B/10.595A	----	10.638 - 0.396	.7754	----	----	----	----	1 UNCH
8225	----	----	----/10.676A	10.970B/10.676A	----	10.721 - 0.393	.7777	----	----	----	----	5 UNCH
8230	----	----	----/10.717A	11.015B/10.717A	----	10.763 - 0.391	.7790	----	----	----	----	1 UNCH
8240	----	----	----/10.799A	11.097B/10.799A	----	10.846 - 0.389	.7812	----	----	----	----	2 UNCH
8250	----	----	11.324B/10.800A	11.324B/10.800A	----	10.930 - 0.385	.7836	----	----	----	----	73 UNCH
8255	----	----	----/10.922A	11.223B/10.922A	----	10.972 - 0.384	.7847	----	----	----	----	3 UNCH
8265	----	----	----/11.005A	11.308B/11.005A	----	11.055 - 0.382	.7870	----	----	----	----	1 UNCH
8270	----	----	----/11.046A	11.351B/11.046A	----	11.097 - 0.381	.7881	----	----	----	----	1 UNCH
8275	----	----	----/11.088A	11.393B/11.088A	----	11.139 - 0.379	.7892	----	----	----	----	1 UNCH
8280	----	----	----/11.143A	11.436B/11.143A	----	11.182 - 0.377	.7903	----	----	----	----	3 UNCH
8285	----	----	----/11.229A	11.478B/11.229A	----	11.224 - 0.376	.7914	----	----	----	----	1 UNCH
8290	----	----	----/11.271A	11.521B/11.271A	----	11.266 - 0.375	.7926	----	----	----	----	2 UNCH
8295	----	----	----/11.254A	11.564B/11.254A	----	11.308 - 0.374	.7936	----	----	----	----	1 UNCH
8300	----	----	11.748B/11.215A	11.748B/11.215A	----	11.351 - 0.371	.7947	----	----	----	----	64 UNCH
8305	----	----	----/11.397A	11.649B/11.397A	----	11.393 - 0.370	.7958	----	----	----	----	1 UNCH
8315	----	----	----/11.481A	11.735B/11.481A	----	11.478 - 0.368	.7979	----	----	----	----	1 UNCH
8320	----	----	----/11.477A	11.778B/11.477A	----	11.520 - 0.367	.7991	----	----	----	----	2 UNCH
8325	----	----	----/11.519A	11.821B/11.519A	----	11.563 - 0.365	.8001	----	----	----	----	1 UNCH
8330	----	----	----/11.607A	11.864B/11.607A	----	11.606 - 0.363	.8011	----	----	----	----	1 UNCH
8335	----	----	----/11.650A	11.907B/11.650A	----	11.648 - 0.362	.8023	----	----	----	----	1 UNCH
8340	----	----	12.077B/11.601A	12.077B/11.601A	----	11.691 - 0.361	.8033	----	----	----	----	19 UNCH
8350	----	----	12.163B/11.686A	12.163B/11.686A	----	11.777 - 0.358	.8054	----	----	----	----	19 UNCH
8355	----	----	----/11.819A	12.080B/11.819A	----	11.820 - 0.356	.8064	----	----	----	----	3 UNCH
8360	----	----	----/11.862A	12.123B/11.862A	----	11.863 - 0.355	.8074	----	----	----	----	4 UNCH
8375	----	----	12.377B/11.900A	12.377B/11.900A	----	11.992 - 0.351	.8105	----	----	----	----	8 UNCH
8385	----	----	----/12.075A	12.341B/12.075A	----	12.078 - 0.348	.8125	----	----	----	----	1 UNCH
8395	----	----	----/12.161A	12.428B/12.161A	----	12.165 - 0.345	.8144	----	----	----	----	2 UNCH
8400	----	----	12.593B/12.110A	12.593B/12.110A	----	12.208 - 0.344	.8154	----	----	----	----	33 UNCH
8405	----	----	----/12.199A	12.515B/12.199A	----	12.251 - 0.343	.8165	----	----	----	----	2 UNCH
8410	----	----	----/12.242A	12.559B/12.242A	----	12.295 - 0.341	.8174	----	----	----	----	3 UNCH
8415	----	----	----/12.337A	12.603B/12.337A	----	12.338 - 0.340	.8184	----	----	----	----	3 UNCH
8420	----	----	----/12.328A	12.646B/12.328A	----	12.382 - 0.338	.8193	----	----	----	----	2 UNCH
8425	----	----	----/12.371A	12.690B/12.371A	----	12.425 - 0.337	.8203	----	----	----	----	5 UNCH
8430	----	----	----/12.414A	12.734B/12.414A	----	12.469 - 0.335	.8213	----	----	----	----	1 UNCH
8450	----	----	13.033B/12.546A	13.033B/12.546A	----	12.644 - 0.330	.8250	----	----	----	----	30 UNCH
8460	----	----	----/12.674A	12.999B/12.674A	----	12.731 - 0.328	.8269	----	----	----	----	1 UNCH
8475	----	----	----/12.804A	13.131B/12.804A	----	12.863 - 0.323	.8296	----	----	----	----	5 UNCH
8480	----	----	----/12.848A	13.175B/12.848A	----	12.907 - 0.322	.8304	----	----	----	----	1 UNCH
8490	----	----	----/12.935A	13.264B/12.935A	----	12.995 - 0.319	.8323	----	----	----	----	1 UNCH
8495	----	----	----/12.979A	13.308B/12.979A	----	13.040 - 0.317	.8332	----	----	----	----	1 UNCH
8500	----	----	13.646B/12.928A	13.646B/12.928A	----	13.084 - 0.316	.8341	----	----	2	----	374 UNCH
8515	----	----	----/13.204A	13.486B/13.204A	----	13.217 - 0.312	.8366	----	----	----	----	1 UNCH
8535	----	----	----/13.330A	13.665B/13.330A	----	13.394 - 0.307	.8400	----	----	----	----	2 UNCH
8545	----	----	----/13.419A	13.754B/13.419A	----	13.483 - 0.304	.8417	----	----	----	----	1 UNCH
8550	----	----	----/13.463A	13.799B/13.463A	----	13.528 - 0.303	.8427	----	----	----	----	3 UNCH
8555	----	----	----/13.507A	13.844B/13.507A	----	13.573 - 0.301	.8435	----	----	----	----	1 UNCH
8560	----	----	----/13.551A	13.889B/13.551A	----	13.617 - 0.300	.8443	----	----	----	----	1 UNCH
8565	----	----	----/13.595A	13.933B/13.595A	----	13.662 - 0.298	.8451	----	----	----	----	1 UNCH
8570	----	----	----/13.640A	13.978B/13.640A	----	13.707 - 0.297	.8458	----	----	----	----	1 UNCH
8575	----	----	----/13.684A	14.023B/13.684A	----	13.752 - 0.295	.8467	----	----	----	----	3 UNCH
8580	----	----	----/13.729A	14.068B/13.729A	----	13.797 - 0.294	.8475	----	----	----	----	1 UNCH
8585	----	----	----/13.773A	14.116B/13.773A	----	13.841 - 0.293	.8483	----	----	----	----	1 UNCH
8590	----	----	----/13.818A	14.158B/13.818A	----	13.886 - 0.292	.8491	----	----	----	----	4 UNCH
8600	----	----	14.535B/13.839A	14.535B/13.839A	----	13.976 - 0.289	.8507	----	----	2	----	85 UNCH
8605	----	----	----/13.951A	14.294B/13.951A	----	14.021 - 0.288	.8515	----	----	----	----	3 UNCH
8620	----	----	----/14.085A	14.432B/14.085A	----	14.156 - 0.284	.8538	----	----	----	----	1 UNCH
8630	----	----	----/14.175A	14.522B/14.175A	----	14.247 - 0.281	.8554	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
8640	----	----	----/14.264A	14.612B/14.264A	----	14.337 - 0.279	.8568	----	----	----	----	2 UNCH
8645	----	----	----/14.309A	14.657B/14.309A	----	14.383 - 0.276	.8576	----	----	----	----	1 UNCH
8650	----	----	----/14.354A	14.703B/14.354A	----	14.428 - 0.275	.8583	----	----	----	----	5 UNCH
8655	----	----	----/14.399A	14.748B/14.399A	----	14.473 - 0.275	.8591	----	----	----	----	3 UNCH
8665	----	----	14.842B/14.489A	14.842B/14.489A	----	14.564 - 0.272	.8605	----	----	----	----	1 UNCH
8670	----	----	14.885B/14.591A	14.885B/14.591A	----	14.609 - 0.271	.8612	----	----	----	----	1 UNCH
8675	----	----	15.036B/14.562A	15.036B/14.562A	----	14.655 - 0.269	.8620	----	----	----	----	9 UNCH
8685	----	----	15.023B/14.733A	15.023B/14.733A	----	14.746 - 0.267	.8634	----	----	----	----	1 UNCH
8695	----	----	15.114B/14.823A	15.114B/14.823A	----	14.837 - 0.264	.8648	----	----	----	----	1 UNCH
8700	----	----	15.263B/14.742A	15.263B/14.742A	----	14.883 - 0.262	.8656	----	----	----	----	32 UNCH
8705	----	----	15.312B/14.835A	15.312B/14.835A	----	14.928 - 0.262	.8662	----	----	----	----	10 UNCH
8725	----	----	15.390B/15.088A	15.390B/15.088A	----	15.111 - 0.257	.8690	----	----	----	----	2 UNCH
8750	----	----	15.621B/15.322A	15.621B/15.322A	----	15.341 - 0.250	.8723	----	----	----	----	1 UNCH
8775	----	----	15.950B/15.478A	15.950B/15.478A	----	15.571 - 0.244	.8755	----	----	----	----	9 UNCH
8800	----	----	16.360B/15.603A	16.360B/15.603A	----	15.802 - 0.237	.8787	----	----	----	----	219 UNCH
8825	----	----	16.316B/15.942A	16.316B/15.942A	----	16.033 - 0.232	.8817	----	----	----	----	3 UNCH
8850	----	----	16.649B/16.156A	16.649B/16.156A	----	16.266 - 0.225	.8847	----	----	----	----	13 UNCH
8875	----	----	16.875B/16.387A	16.875B/16.387A	----	16.498 - 0.220	.8876	----	----	----	----	8 UNCH
8900	----	----	17.108B/16.617A	17.108B/16.617A	----	16.732 - 0.214	.8903	----	----	----	----	8 UNCH
8925	----	----	17.341B/16.849A	17.341B/16.849A	----	16.966 - 0.208	.8931	----	----	----	----	6 UNCH
8950	----	----	17.485B/17.166A	17.485B/17.166A	----	17.200 - 0.203	.8957	----	----	----	----	3 UNCH
8975	----	----	17.810B/17.314A	17.810B/17.314A	----	17.435 - 0.197	.8982	----	----	----	----	9 UNCH
9000	----	----	18.339B/17.340A	18.339B/17.340A	----	17.671 - 0.192	.9007	----	----	----	----	168 UNCH
9025	----	----	18.286B/17.781A	18.286B/17.781A	----	17.907 - 0.186	.9030	----	----	----	----	11 UNCH
9050	----	----	18.429B/18.102A	18.429B/18.102A	----	18.143 - 0.182	.9054	----	----	----	----	2 UNCH
9075	----	----	18.667B/18.338A	18.667B/18.338A	----	18.380 - 0.177	.9076	----	----	----	----	4 UNCH
9100	----	----	18.905B/18.574A	18.905B/18.574A	----	18.618 - 0.171	.9097	----	----	----	----	4 UNCH
9150	----	----	19.466B/18.971A	19.466B/18.971A	----	19.094 - 0.162	.9140	----	----	----	----	7 UNCH
9175	----	----	19.707B/19.196A	19.707B/19.196A	----	19.333 - 0.157	.9159	----	----	----	----	19 UNCH
9200	----	----	19.939B/19.443A	19.939B/19.443A	----	19.572 - 0.152	.9178	----	----	----	----	7 UNCH
9225	----	----	20.184B/19.671A	20.184B/19.671A	----	19.811 - 0.148	.9197	----	----	----	----	7 UNCH
9250	----	----	20.339B/19.993A	20.339B/19.993A	----	20.051 - 0.143	.9215	----	----	----	----	2 UNCH
9275	----	----	20.607B/20.243A	20.607B/20.243A	----	20.291 - 0.139	.9232	----	----	----	----	1 UNCH
9300	----	----	20.896B/20.403A	20.896B/20.403A	----	20.531 - 0.136	.9250	----	----	----	----	6 UNCH
9375	----	----	21.623B/21.122A	21.623B/21.122A	----	21.255 - 0.123	.9298	----	----	----	----	10 UNCH
9400	----	----	21.864B/21.362A	21.864B/21.362A	----	21.496 - 0.120	.9313	----	----	----	----	6 UNCH
9450	----	----	22.297B/21.918A	22.297B/21.918A	----	21.980 - 0.112	.9341	----	----	----	----	3 UNCH
9475	----	----	22.512B/22.159A	22.512B/22.159A	----	22.223 - 0.108	.9354	----	----	----	----	4 UNCH
9500	----	----	22.959B/22.219A	22.959B/22.219A	----	22.465 - 0.106	.9367	----	----	----	----	110 UNCH
9525	----	----	22.998B/22.643A	22.998B/22.643A	----	22.708 - 0.102	.9380	----	----	----	----	1 UNCH
9550	----	----	23.269B/22.790A	23.269B/22.790A	----	22.951 - 0.099	.9393	----	----	----	----	3 UNCH
9575	----	----	23.484B/23.054A	23.484B/23.054A	----	23.195 - 0.095	.9405	----	----	----	----	1 UNCH
9600	----	----	23.801B/23.251A	23.801B/23.251A	----	23.438 - 0.092	.9417	----	----	----	----	26 UNCH
9650	----	----	24.281B/23.794A	24.281B/23.794A	----	23.926 - 0.086	.9440	----	----	----	----	11 UNCH
9675	----	----	24.459B/24.025A	24.459B/24.025A	----	24.170 - 0.083	.9450	----	----	----	----	2 UNCH
9700	----	----	24.898B/24.121A	24.898B/24.121A	----	24.414 - 0.080	.9461	----	----	----	----	182 UNCH
9725	----	----	24.947B/24.513A	24.947B/24.513A	----	24.658 - 0.078	.9471	----	----	----	----	1 UNCH
9750	----	----	25.192B/24.756A	25.192B/24.756A	----	24.903 - 0.075	.9481	----	----	----	----	3 UNCH
9775	----	----	25.437B/25.075A	25.437B/25.075A	----	25.147 - 0.073	.9492	----	----	----	----	3 UNCH
9800	----	----	25.751B/25.249A	25.751B/25.249A	----	25.392 - 0.070	.9501	----	----	----	----	7 UNCH
9825	----	----	25.957B/25.564A	25.957B/25.564A	----	25.637 - 0.067	.9509	----	----	----	----	2 UNCH
9850	----	----	26.359B/25.600A	26.359B/25.600A	----	25.882 - 0.065	.9519	----	----	----	----	179 UNCH
9900	----	----	26.730B/26.228A	26.730B/26.228A	----	26.373 - 0.060	.9536	----	----	----	----	8 UNCH
10000	----	----	27.826B/27.075A	27.826B/27.075A	----	27.355 - 0.051	.9568	----	----	----	----	133 UNCH
10050	----	----	28.136B/27.770A	28.136B/27.770A	----	27.846 - 0.048	.9584	----	----	----	----	2 UNCH
10100	----	----	28.628B/28.261A	28.628B/28.261A	----	28.339 - 0.043	.9599	----	----	----	----	2 UNCH
10225	----	----	29.861B/29.492A	29.861B/29.492A	----	29.570 - 0.035	.9631	----	----	----	----	2 UNCH
10250	----	----	30.108B/29.738A	30.108B/29.738A	----	29.817 - 0.033	.9637	----	----	----	----	4 UNCH
10300	----	----	30.602B/30.231A	30.602B/30.231A	----	30.310 - 0.030	.9650	----	----	----	----	4 UNCH
10325	----	----	30.849B/30.478A	30.849B/30.478A	----	30.557 - 0.028	.9656	----	----	----	----	1 UNCH
10350	----	----	31.096B/30.725A	31.096B/30.725A	----	30.804 - 0.027	.9661	----	----	----	----	1 UNCH
10400	----	----	31.590B/31.198A	31.590B/31.198A	----	31.297 - 0.025	.9673	----	----	----	----	2 UNCH
10450	----	----	32.084B/31.689A	32.084B/31.689A	----	31.791 - 0.022	.9683	----	----	----	----	2 UNCH
10475	----	----	32.332B/31.935A	32.332B/31.935A	----	32.039 - 0.020	.9688	----	----	----	----	1 UNCH
10500	----	----	32.638B/32.127A	32.638B/32.127A	----	32.286 - 0.019	.9694	----	----	----	----	10 UNCH
10505	----	----	32.627B/32.230A	32.627B/32.230A	----	32.335 - 0.019	.9694	----	----	----	----	1 UNCH
10510	----	----	32.678B/32.279A	32.678B/32.279A	----	32.385 - 0.019	.9695	----	----	----	----	1 UNCH
10545	----	----	33.024B/32.627A	33.024B/32.627A	----	32.731 - 0.017	.9701	----	----	----	----	1 UNCH
10550	----	----	33.133B/32.622A	33.133B/32.622A	----	32.780 - 0.017	.9703	----	----	----	----	22 UNCH
10585	----	----	33.419B/33.021A	33.419B/33.021A	----	33.127 - 0.015	.9709	----	----	----	----	1 UNCH
10590	----	----	33.469B/33.070A	33.469B/33.070A	----	33.176 - 0.015	.9711	----	----	----	----	1 UNCH
10595	----	----	33.518B/33.119A	33.518B/33.119A	----	33.226 - 0.015	.9711	----	----	----	----	3 UNCH
10600	----	----	33.568B/33.169A	33.568B/33.169A	----	33.275 - 0.015	.9712	----	----	----	----	5 UNCH
10670	----	----	34.261B/33.859A	34.261B/33.859A	----	33.968 - 0.012	.9724	----	----	----	----	3 UNCH
10675	----	----	34.311B/33.908A	34.311B/33.908A	----	34.018 - 0.011	.9726	----	----	----	----	1 UNCH
10700	----	----	34.617B/34.155A	34.617B/34.155A	----	34.265 - 0.011	.9730	----	----	----	----	9 UNCH
10800	----	----	35.550B/35.142A	35.550B/35.142A	----	35.256 - 0.007	.9746	----	----	----	----	1 UNCH
10820	----	----	35.748B/35.344A	35.748B/35.344A	----	35.454 - 0.006	.9748	----	----	----	----	1 UNCH
10825	----	----	35.798B/35.390A	35.798B/35.390A	----	35.504 - 0.006	.9750	----	----	----	----	1 UNCH
10835	----	----	35.897B/35.493A	35.897B/35.493A	----	35.603 - 0.006	.9750	----	----	----	----	2 UNCH
10845	----	----	35.997B/35.591A	35.997B/35.591A	----	35.702 - 0.005	.9752	----	----	----	----	1 UNCH
10875	----	----	36.294B/35.888A	36.294B/35.888A	----	36.000 - 0.004	.9758	----	----	----	----	2 UNCH
10900	----	----	36.542B/36.142A	36.542B/36.142A	----	36.248 - 0.003	.9760	----	----	----	----	1 UNCH
10950	----	----	37.038B/36.630A	37.038B/36.630A	----	36.744 - 0.001	.9767	----	----	----	----	1 UNCH
10975	----	----	37.286B/36.878A	37.286B/36.878A	----	36.992 UNCH	.9771	----	----	----	----	3 UNCH
11000	----	----	37.672B/36.927A	37.672B/36.927A	----	37.240 UNCH	.9775	----	----	----	----	60 UNCH
11025	----	----	37.786B/37.359A	37.786B/37.359A	----	37.488 + 0.001	.9777	----	----	----	----	1 UNCH
11075	----	----	38.279B/37.877A	38.279B/37.877A	----	37.985 + 0.003	.9784	----	----	----	----	1 UNCH
11100	----	----	38.528B/38.060A	38.528B/38.060A	----	38.233 + 0.004	.9786	----	----	----	----	1 UNCH
11125	----	----	38.778B/38.405A	38.778B/38.405A	----	38.481 + 0.004	.9790	----	----	----	----	1 UNCH
11175	----	----	39.272B/38.870A	39.272B/38.870A	----	38.978 + 0.006	.9795	----	----	----	----	1 UNCH
11200	----	----	39.521B/39.150A	39.521B/39.150A	----	39.226 + 0.006	.9799	----	----	----	----	4 UNCH
11225	----	----	39.769B/39.398A	39.769B/39.398A	----	39.475 + 0.007	.9801	----	----	----	----	3 UNCH
11250	----	----	40.018B/39.646A	40.018B/39.646A	----	39.723 + 0.008	.9804	----	----	----	----	1 UNCH
11500	----	----	42.658B/41.898A	42.658B/41.898A	----	42.210 + 0.015	.9829	----	----	----	----	78 UNCH
11550	----	----	43.003B/42.598A	43.003B/42.598A	----	42.707 + 0.016	.9833	----	----	----	----	1 UNCH
11650	----	----	43.999B/43.592A	43.999B/43.592A	----	43.702 + 0.018	.9840	----	----	----	----	1 UNCH
11800	----	----	45.493B/45.084A	45.493B/45.084A	----	45.196 + 0.022	.9853	----	----	----	----	1 UNCH
11875	----	----	46.240B/45.830A	46.240B/45.830A	----	45.943 + 0.024	.9858	----	----	----	----	1 UNCH
12250	----	----	49.978B/49.566A	49.978B/49.566A	----	49.681 + 0.033	.9880	----	----	----	----	3 UNCH
12300	----	----	50.477B/50.064A	50.477B/50.064A	----	50.179 + 0.033	.9884	----	----	----	----	1 UNCH
12500	----	----	52.520B/52.058A	52.520B/52.058A	----	52.174 + 0.037	.9893	----	----	----	----	20 UNCH
12700	----	----	54.468B/54.052A	54.468B/54.052A	----	54.169 + 0.040	.9902	----	----	----	----	1 UNCH
13000	----	----	57.464B/57.045A	57.464B/57.045A	----	57.164 + 0.046	.9914	----	----	----	----	1 UNCH
TOTAL										619	100	19083 - 24
JUN26												
2100	----	----	----	----/0.018A	----	0.008 + 0.001	.0007	----	----	----	----	1 UNCH
2350	0.022	0.022	0.022/*0.022	0.022/*0.022	----	0.021 NEW	.0018	----	----	2	----	2 + 2
2500	----	----	----	0.022B/0.032A	----	0.032 + 0.004	.0027	----	----	----	----	141 UNCH
2650	----	----	----	0.001B/0.113A	----	0.041 + 0.004	.0036	----	----	----	----	1 UNCH
3000	----	----	----	0.050B/0.075A	----	0.066 UNCH	.0059	----	----	----	----	245 UNCH
3075	----	----	----	0.001B/0.164A	----	0.072 - 0.002	.0065	----	----	----	----	4 UNCH
3100	----	----	----	0.001B/0.167A	----	0.074 - 0.002	.0067	----	----	----	----	3 UNCH
3150	----	----	----	0.001B/0.173A	----	0.079 - 0.003	.0072	----	----	----	----	8 UNCH
3200	----	----	----	0.001B/0.181A	----	0.084 - 0.004	.0077	----	----	----	----	4 UNCH
3325	----	----	----	0.037B/0.174A	----	0.097 - 0.008	.0090	----	----	----	----	2 UNCH
3350	----	----	----	0.037B/0.170A	----	0.100 - 0.008	.0093	----	----	----	----	1 UNCH
3400	0.095	0.095	0.095/0.095	0.095/0.095	----	0.105 - 0.011	.0098	----	----	1	----	12 UNCH
3500	----	----	----/0.112A	0.091B/0.112A	----	0.118 - 0.014	.0111	----	----	----	----	100 UNCH
3550	----	----	----	0.055B/0.194A	----	0.124 - 0.017	.0117	----	----	----	----	5 UNCH
3575	----	----	----	0.058B/0.197A	----	0.128 - 0.017	.0121	----	----	----	----	22 UNCH
3600	----	----	----	0.061B/0.201A	----	0.131 - 0.019	.0124	----	----	----	----	4 UNCH
3650	----	----	----	0.069B/0.208A	----	0.138 - 0.021	.0132	----	----	----	----	22 UNCH
3675	----	----	----	0.073B/0.212A	----	0.142 - 0.022	.0136	----	----	----	----	2 UNCH
3700	----	----	----	0.077B/0.216A	----	0.146 - 0.023	.0140	----	----	----	----	6 UNCH
3800	----	----	----	0.094B/0.232A	----	0.162 - 0.029	.0156	----	----	----	----	14 UNCH
3850	----	----	----	0.103B/0.240A	----	0.170 - 0.032	.0165	----	----	----	----	2 UNCH
3900	----	----	----	0.113B/0.250A	----	0.179 - 0.035	.0174	----	----	----	----	5 UNCH
3925	----	----	----	0.118B/0.247A	----	0.184 - 0.037	.0180	----	----	----	----	3 UNCH
4000	----	----	----	0.134B/0.269A	----	0.199 - 0.041	.0195	----	----	----	----	53 UNCH
4075	----	----	----	0.152B/0.286A	----	0.215 - 0.046	.0212	----	----	----	----	1 UNCH
4100	----	----	----	0.158B/0.292A	----	0.220 - 0.049	.0218	----	----	----	----	2 UNCH
4125	----	----	----	0.164B/0.298A	----	0.226 - 0.050	.0224	----	----	----	----	5 UNCH
4150	----	----	----	0.170B/0.304A	----	0.232 - 0.052	.0230	----	----	----	----	4 UNCH
4200	----	----	----	0.183B/0.316A	----	0.244 - 0.056	.0243	----	----	----	----	26 UNCH
4225	----	----	----	0.189B/0.322A	----	0.251 - 0.058	.0250	----	----	----	----	7 UNCH
4250	----	----	----	0.196B/0.329A	----	0.257 - 0.060	.0257	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
4275	----	----	----	0.203B/0.335A	----	0.264 - 0.062	.0264	----	----	----	----	13 UNCH
4300	----	----	----	0.211B/0.342A	----	0.271 - 0.064	.0272	----	----	----	----	5 UNCH
4350	----	----	----	0.227B/0.357A	----	0.286 - 0.067	.0288	----	----	----	----	2 UNCH
4375	----	----	----	0.235B/0.365A	----	0.293 - 0.070	.0295	----	----	----	----	1 UNCH
4400	----	----	----	0.244B/0.373A	----	0.301 - 0.072	.0303	----	----	----	----	8 UNCH
4425	----	----	----/0.381A	0.252B/0.381A	----	0.309 - 0.074	.0312	----	----	----	----	1 UNCH
4500	----	----	----/0.408A	0.300B/0.408A	----	0.334 - 0.080	.0338	----	----	----	----	166 UNCH
4550	----	----	----/0.426A	0.303B/0.426A	----	0.353 - 0.084	.0358	----	----	----	----	2 UNCH
4600	----	----	----/0.446A	0.323B/0.446A	----	0.372 - 0.088	.0378	----	----	----	----	7 UNCH
4625	----	----	----/0.453A	0.333B/0.453A	----	0.382 - 0.090	.0389	----	----	----	----	12 UNCH
4650	----	----	----/0.427A	0.362B/0.427A	----	0.393 - 0.092	.0400	----	----	----	----	1 UNCH
4700	----	----	----/0.457A	0.384B/0.457A	----	0.414 - 0.097	.0422	----	----	----	----	3 UNCH
4725	----	----	----/*0.461A	0.396B/0.461A	----	0.426 - 0.098	.0434	----	----	----	----	10 UNCH
4750	----	----	----/0.457A	0.408B/0.457A	----	0.438 - 0.100	.0447	----	----	----	----	2 UNCH
4800	----	----	----/0.483A	0.434B/0.483A	----	0.462 - 0.104	.0472	----	----	----	----	23 UNCH
4850	----	----	----/0.504A	0.462B/0.504A	----	0.489 - 0.107	.0499	----	----	----	----	3 UNCH
4875	----	----	----/*0.523A	0.475B/0.523A	----	0.502 - 0.110	.0512	----	----	----	----	15 UNCH
4900	----	----	----/0.538A	0.494B/0.538A	----	0.516 - 0.112	.0527	----	----	----	----	177 UNCH
5000	0.600	0.600	0.600/0.560	0.600/0.560	----	0.578 - 0.117	.0589	----	----	6	----	1007 + 6
5025	----	----	----/0.616A	0.576B/0.616A	----	0.595 - 0.118	.0606	----	----	----	----	8 UNCH
5075	----	----	----/0.649A	0.610B/0.649A	----	0.629 - 0.121	.0639	----	----	----	----	2 UNCH
5100	----	----	----/0.668A	0.632B/0.668A	----	0.648 - 0.122	.0658	----	----	----	----	29 UNCH
5125	----	----	----/0.688A	0.701B/0.688A	----	0.666 - 0.124	.0676	----	----	----	----	1 UNCH
5150	----	----	----/0.705A	0.743B/0.705A	----	0.686 - 0.124	.0695	----	----	----	----	16 UNCH
5175	----	----	----/0.725A	0.744B/0.725A	----	0.706 - 0.125	.0715	----	----	----	----	12 UNCH
5250	----	----	----/0.742A	0.842B/0.742A	----	0.770 - 0.127	.0776	----	----	----	----	13 UNCH
5275	----	----	----/0.764A	0.857B/0.764A	----	0.792 - 0.129	.0797	----	----	----	----	23 UNCH
5300	0.803	0.803	0.803/0.787A	0.869B/0.787A	----	0.816 - 0.128	.0820	----	----	2	----	14 UNCH
5325	0.828	0.828	0.828/0.811A	0.935B/0.811A	----	0.840 - 0.129	.0842	----	----	1	----	10 UNCH
5350	----	----	----/0.836A	0.920B/0.836A	----	0.864 - 0.130	.0865	----	----	----	----	8 UNCH
5375	----	----	----/0.861A	0.972B/0.861A	----	0.890 - 0.130	.0889	----	----	----	----	10 UNCH
5400	----	----	----/0.887A	0.997B/0.887A	----	0.916 - 0.131	.0913	----	----	1	----	14 + 1
5425	----	----	----/0.914A	1.030B/0.914A	----	0.943 - 0.132	.0938	----	----	----	----	4 UNCH
5450	----	----	----/0.942A	1.060B/0.942A	----	0.970 - 0.133	.0963	----	----	----	----	2 UNCH
5475	----	----	----/0.970A	1.095B/0.970A	----	0.999 - 0.133	.0990	----	----	----	----	13 UNCH
5500	1.160	1.160	1.160/1.000A	1.160/1.000A	----	1.028 - 0.135	.1016	----	----	27	----	301 + 24
5525	----	----	----/1.030A	1.164B/1.030A	----	1.058 - 0.136	.1043	----	----	----	----	16 UNCH
5550	----	----	----/1.062A	1.184B/1.062A	----	1.089 - 0.136	.1071	----	----	----	----	10 UNCH
5600	----	----	1.328B/1.127A	1.328B/1.127A	----	1.154 - 0.138	.1129	----	----	----	----	18 UNCH
5625	----	----	1.367B/1.161A	1.367B/1.161A	----	1.188 - 0.139	.1159	----	----	----	----	2 UNCH
5650	----	----	1.406B/1.196A	1.406B/1.196A	----	1.222 - 0.141	.1189	----	----	----	----	51 UNCH
5675	----	----	1.447B/1.232A	1.447B/1.232A	----	1.258 - 0.142	.1220	----	----	----	----	21 UNCH
5700	----	----	1.489B/1.269A	1.489B/1.269A	----	1.294 - 0.144	.1252	----	----	----	----	223 UNCH
5750	----	----	1.576B/1.346A	1.576B/1.346A	----	1.370 - 0.147	.1317	----	----	----	----	227 UNCH
5775	----	----	1.620B/1.386A	1.620B/1.386A	----	1.410 - 0.149	.1351	----	----	----	----	9 UNCH
5800	----	----	1.665B/1.428A	1.665B/1.428A	----	1.450 - 0.151	.1385	----	----	----	----	85 UNCH
5825	----	----	1.712B/1.471A	1.712B/1.471A	----	1.492 - 0.153	.1420	----	----	----	----	9 UNCH
5850	----	----	1.759B/1.515A	1.759B/1.515A	----	1.535 - 0.155	.1456	----	----	5	----	11 + 5
5875	----	----	1.808B/1.559A	1.808B/1.559A	----	1.579 - 0.157	.1492	----	----	----	----	12 UNCH
5900	1.857	1.857	1.857/1.605A	1.857/1.605A	----	1.624 - 0.159	.1529	----	----	1	----	40 UNCH
5925	1.907	1.907	1.908B/1.652A	1.908B/1.652A	----	1.670 - 0.161	.1567	----	----	1	----	11 UNCH
5950	1.959	1.959	1.960B/1.699A	1.960B/1.699A	----	1.717 - 0.164	.1605	----	----	6	----	11 + 4
5975	2.012	2.012	2.013B/1.741A	2.013B/1.741A	----	1.765 - 0.167	.1644	----	----	1	----	1 - 1
6000	2.106	2.106	2.106/1.791A	2.106/1.791A	----	1.815 - 0.170	.1684	----	----	8	----	736 + 3
6025	----	----	2.122B/1.842A	2.122B/1.842A	----	1.866 - 0.172	.1724	----	----	----	----	31 UNCH
6050	----	----	2.178B/1.895A	2.178B/1.895A	----	1.918 - 0.175	.1765	----	----	----	----	144 UNCH
6075	----	----	2.235B/1.948A	2.235B/1.948A	----	1.972 - 0.177	.1807	----	----	----	----	31 UNCH
6100	----	----	2.294B/2.002A	2.294B/2.002A	----	2.026 - 0.181	.1849	----	----	----	----	75 UNCH
6125	----	----	2.354B/2.058A	2.354B/2.058A	----	2.083 - 0.183	.1892	----	----	----	----	3 UNCH
6150	----	----	2.416B/2.115A	2.416B/2.115A	----	2.140 - 0.187	.1936	----	----	----	----	5 UNCH
6175	2.172	2.172	2.478B/2.162	2.478B/2.162	----	2.199 - 0.189	.1980	----	----	292	----	291 + 267
6200	----	----	2.542B/2.233A	2.542B/2.233A	----	2.259 - 0.192	.2025	----	----	1	----	154 + 1
6225	----	----	2.608B/2.294A	2.608B/2.294A	----	2.320 - 0.196	.2070	----	----	----	----	2 UNCH
6250	----	----	2.674B/2.358A	2.674B/2.358A	----	2.383 - 0.199	.2117	----	----	----	----	89 UNCH
6275	----	----	2.742B/2.422A	2.742B/2.422A	----	2.448 - 0.202	.2164	----	----	----	----	2 UNCH
6300	----	----	2.811B/2.487A	2.811B/2.487A	----	2.514 - 0.204	.2211	----	----	----	----	115 UNCH
6325	----	----	2.881B/2.554A	2.881B/2.554A	----	2.581 - 0.208	.2259	----	----	----	----	6 UNCH
6350	----	----	2.953B/2.622A	2.953B/2.622A	----	2.650 - 0.211	.2308	----	----	----	----	27 UNCH
6375	----	----	3.027B/2.693A	3.027B/2.693A	----	2.720 - 0.214	.2357	----	----	----	----	101 UNCH
6400	----	----	3.102B/2.765A	3.102B/2.765A	----	2.792 - 0.217	.2407	----	----	----	----	75 UNCH
6425	----	----	3.178B/2.838A	3.178B/2.838A	----	2.865 - 0.220	.2457	----	----	3	----	47 + 2
6450	----	----	3.256B/2.912A	3.256B/2.912A	----	2.940 - 0.223	.2508	----	----	----	----	9 UNCH
6475	----	----	3.334B/2.989A	3.334B/2.989A	----	3.016 - 0.226	.2559	----	----	----	----	2 UNCH
6500	3.057	3.057	3.415B/3.057	3.415B/3.057	----	3.095 - 0.228	.2612	----	----	3	----	196 + 3
6525	----	----	3.497B/3.146A	3.497B/3.146A	----	3.174 - 0.232	.2664	----	----	----	----	35 UNCH
6550	----	----	3.581B/3.226A	3.581B/3.226A	----	3.255 - 0.235	.2717	----	----	----	----	6 UNCH
6575	----	----	3.666B/3.308A	3.666B/3.308A	----	3.338 - 0.237	.2770	----	----	----	----	2 UNCH
6600	3.467	3.467	3.753B/3.365	3.753B/3.365	----	3.423 - 0.239	.2824	----	----	19	----	139 - 9
6625	----	----	3.841B/3.475A	3.841B/3.475A	----	3.509 - 0.242	.2879	----	----	----	----	9 UNCH
6650	----	----	3.930B/3.564A	3.930B/3.564A	----	3.597 - 0.245	.2934	----	----	----	----	11 UNCH
6675	----	----	4.021B/3.645A	4.021B/3.645A	----	3.686 - 0.248	.2989	----	----	----	----	4 UNCH
6700	3.825	3.825	4.124B/3.735A	4.124B/3.735A	----	3.777 - 0.251	.3045	----	----	2	----	52 UNCH
6725	----	----	4.208B/3.822A	4.208B/3.822A	----	3.870 - 0.253	.3101	----	----	----	----	26 UNCH
6750	----	----	4.308B/3.918A	4.308B/3.918A	----	3.965 - 0.255	.3157	----	----	----	----	20 UNCH
6775	----	----	4.416B/4.008A	4.416B/4.008A	----	4.061 - 0.258	.3214	----	----	----	----	2 UNCH
6800	4.207	4.207	4.539B/4.107A	4.539B/4.107A	----	4.159 - 0.260	.3271	----	----	3	----	21 + 1
6825	----	----	4.595B/4.198A	4.595B/4.198A	----	4.259 - 0.262	.3329	----	----	----	----	2 UNCH
6850	----	----	4.699B/4.300A	4.699B/4.300A	----	4.360 - 0.264	.3387	----	----	----	----	16 UNCH
6875	----	----	4.810B/4.397A	4.810B/4.397A	----	4.463 - 0.267	.3445	----	----	----	----	1 UNCH
6900	----	----	4.969B/4.498A	4.969B/4.498A	----	4.568 - 0.269	.3503	----	----	----	----	87 UNCH
6925	----	----	5.035B/4.601A	5.035B/4.601A	----	4.675 - 0.270	.3562	----	----	----	----	9 UNCH
6950	----	----	5.154B/4.713A	5.154B/4.713A	----	4.783 - 0.273	.3620	----	----	----	----	5 UNCH
6975	----	----	5.272B/4.846A	5.272B/4.846A	----	4.893 - 0.275	.3679	----	----	1	----	7 + 1
7000	5.600	5.600	5.600/4.927A	5.600/4.927A	----	5.005 - 0.276	.3739	----	----	54	----	496 - 1
7025	----	----	5.514B/5.060A	5.514B/5.060A	----	5.118 - 0.279	.3798	----	----	----	----	4 UNCH
7050	----	----	5.646B/5.185A	5.646B/5.185A	----	5.234 - 0.280	.3857	----	----	----	----	20 UNCH
7075	----	----	5.801B/5.282A	5.801B/5.282A	----	5.351 - 0.281	.3917	----	----	----	----	41 UNCH
7100	----	----	5.900B/5.403A	5.900B/5.403A	----	5.470 - 0.283	.3977	----	----	----	----	18 UNCH
7125	----	----	6.025B/5.517A	6.025B/5.517A	----	5.590 - 0.285	.4036	----	----	----	----	3 UNCH
7150	----	----	6.195B/5.631A	6.195B/5.631A	----	5.712 - 0.286	.4096	----	----	----	----	27 UNCH
7175	----	----	6.332B/5.748A	6.332B/5.748A	----	5.836 - 0.288	.4156	----	----	----	----	36 UNCH
7200	6.080	6.080	6.484B/5.844A	6.484B/5.844A	----	5.962 - 0.289	.4216	----	----	1	----	231 + 1
7225	----	----	6.580B/6.008A	6.580B/6.008A	----	6.090 - 0.289	.4276	----	----	----	----	6 UNCH
7250	----	----	6.719B/6.122A	6.719B/6.122A	----	6.219 - 0.291	.4336	----	----	2	----	13 + 2
7275	6.268	6.268	6.863B/6.242A	6.863B/6.242A	----	6.350 - 0.292	.4396	----	----	1	----	3 UNCH
7300	6.459	6.459	7.059B/6.341A	7.059B/6.341A	----	6.482 - 0.293	.4455	----	----	11	----	75 + 10
7325	----	----	7.149B/6.514A	7.149B/6.514A	----	6.617 - 0.294	.4515	----	----	----	----	1 UNCH
7350	----	----	7.295B/6.652A	7.295B/6.652A	----	6.753 - 0.295	.4574	----	----	----	----	2 UNCH
7375	----	----	7.443B/6.777A	7.443B/6.777A	----	6.891 - 0.295	.4634	----	----	----	----	2 UNCH
7400	----	----	7.604B/6.889A	7.604B/6.889A	----	7.030 - 0.296	.4693	----	----	----	----	48 UNCH
7425	----	----	7.741B/7.046A	7.741B/7.046A	----	7.171 - 0.297	.4752	----	----	----	----	2 UNCH
7450	----	----	7.892B/7.184A	7.892B/7.184A	----	7.314 - 0.297	.4811	----	----	----	----	2 UNCH
7475	----	----	8.045B/7.324A	8.045B/7.324A	----	7.458 - 0.298	.4869	----	----	----	----	4 UNCH
7500	----	----	8.255B/7.407A	8.255B/7.407A	----	7.604 - 0.298	.4928	----	----	----	----	343 UNCH
7525	----	----	8.082B/7.632A	8.082B/7.632A	----	7.752 NEW	.4986	----	----	3	----	3 + 3
7550	----	----	8.511B/7.749A	8.511B/7.749A	----	7.901 - 0.299	.5044	----	----	----	----	7 UNCH
7575	8.035	8.035	8.653B/7.895A	8.653B/7.895A	----	8.052 - 0.299	.5101	----	----	1	----	10 + 1
7600	8.664	8.664	8.885B/7.979A	8.885B/7.979A	----	8.205 - 0.299	.5159	----	----	1	----	80 + 1
7625	----	----	8.988B/8.188A	8.988B/8.188A	----	8.359 - 0.299	.5216	----	----	----	----	3 UNCH
7650	----	----	9.151B/8.334A	9.151B/8.334A	----	8.515 - 0.298	.5273	----	----	----	----	3 UNCH
7675	----	----	9.313B/8.483A	9.313B/8.483A	----	8.672 - 0.298	.5329	----	----	----	----	1 UNCH
7700	----	----	9.477B/8.635A	9.477B/8.635A	----	8.831 - 0.298	.5385	----	----	----	----	19 UNCH
7725	----	----	9.625B/8.787A	9.625B/8.787A	----	8.991 - 0.298	.5440	----	----	----	----	1 UNCH
7750	----	----	9.791B/8.942A	9.791B/8.942A	----	9.153 - 0.297	.5496	----	----	----	----	2 UNCH
7775	----	----	9.987B/9.121A	9.987B/9.121A	----	9.316 - 0.297	.5551	----	----	----	----	25 UNCH
7800	----	----	10.000B/9.329A	10.000B/9.329A	----	9.481 - 0.297	.5605	----	----	----	----	4 UNCH
7850	----	----	10.178B/9.644A	10.178B/9.644A	----	9.815 - 0.295	.5713	----	----	----	----	8 UNCH
7875	----	----	10.349B/9.833A	10.349B/9.833A	----	9.984 - 0.295	.5766	----	----	----	----	19 UNCH
7900	----	----	10.564B/9.957A	10.564B/9.957A	----	10.155 - 0.294	.5819	----	----	----	----	108 UNCH
7925	----	----	10.696B/10.155A	10.696B/10.155A	----	10.327 - 0.293	.5871	----	----	----	----	10 UNCH
7950	----	----	10.871B/10.330A	10.871B/10.330A	----	10.500 - 0.292	.5923	----	----	----	----	21 UNCH
8000	----	----	11.235B/10.655A	11.235B/10.655A	----	10.851 - 0.290	.6025	----	----	----	----	145 UNCH
8025	----	----	11.404B/10.871A	11.404B/10.871A	----	11.029 - 0.289	.6075	----	----	----	----	1 UNCH
8050	----	----	11.717B/11.043A	11.717B/11.043A	----	11.207 - 0.288	.6126	----	----	----	----	1 UNCH
8075	----	----	11.769B/11.274A	11.769B/11.274A	----	11.387 - 0.287	.6175	----	----	----	----	1 UNCH
8100	----	----	11.955B/11.443A	11.955B/11.443A	----	11.569 - 0.285	.6224	----	----	----	----	2 UNCH
8125	----	----	12.141B/11.577A	12.141B/11.577A	----	11.751 - 0.284	.6272	----	----	----	----	2 UNCH
8150	----	----	12.329B/11.756A	12.329B/11.756A	----	11.935 - 0.283	.6320	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
8175	----	----	12.516B/12.034A	12.516B/12.034A	----	12.120 - 0.281	.6368	----	----	----	----	42 UNCH
8200	----	----	12.704B/12.220A	12.704B/12.220A	----	12.307 - 0.279	.6415	----	----	----	----	14 UNCH
8225	----	----	12.894B/12.409A	12.894B/12.409A	----	12.494 - 0.278	.6461	----	----	----	----	6 UNCH
8250	----	----	13.084B/12.597A	13.084B/12.597A	----	12.683 - 0.276	.6507	----	----	----	----	15 UNCH
8275	----	----	13.276B/12.787A	13.276B/12.787A	----	12.872 - 0.275	.6552	----	----	----	----	23 UNCH
8300	----	----	13.402B/13.103A	13.402B/13.103A	----	13.063 - 0.274	.6597	----	----	----	----	5 UNCH
8350	----	----	13.795B/13.363A	13.795B/13.363A	----	13.448 - 0.270	.6685	----	----	----	----	17 UNCH
8400	----	----	14.190B/13.876A	14.190B/13.876A	----	13.837 - 0.267	.6771	----	----	----	----	3 UNCH
8425	----	----	14.470B/13.926A	14.470B/13.926A	----	14.033 - 0.265	.6813	----	----	----	----	63 UNCH
8450	----	----	14.590B/14.146A	14.590B/14.146A	----	14.231 - 0.263	.6855	----	----	----	----	18 UNCH
8475	----	----	14.791B/14.465A	14.791B/14.465A	----	14.429 - 0.261	.6896	----	----	----	----	2 UNCH
8500	----	----	15.076B/14.515A	15.076B/14.515A	----	14.628 - 0.259	.6937	----	----	2	----	62 + 2
8525	----	----	----/14.860A	15.061B/14.860A	----	14.828 - 0.258	.6977	----	----	----	----	1 UNCH
8550	----	----	15.297B/15.059A	15.297B/15.059A	----	15.029 - 0.256	.7017	----	----	----	----	1 UNCH
8575	----	----	15.503B/15.259A	15.503B/15.259A	----	15.231 - 0.254	.7056	----	----	----	----	1 UNCH
8600	----	----	15.710B/15.460A	15.710B/15.460A	----	15.434 - 0.252	.7094	----	----	2	----	5 + 2
8625	----	----	15.943B/15.560A	15.943B/15.560A	----	15.638 - 0.249	.7132	----	----	----	----	11 UNCH
8675	----	----	16.334B/16.049A	16.334B/16.049A	----	16.048 - 0.246	.7207	----	----	----	----	2 UNCH
8700	----	----	16.564B/16.176A	16.564B/16.176A	----	16.254 - 0.244	.7243	----	----	----	----	14 UNCH
8750	----	----	17.112B/16.578A	17.112B/16.578A	----	16.669 - 0.240	.7315	----	----	----	----	26 UNCH
8775	----	----	17.178B/16.870A	17.178B/16.870A	----	16.878 - 0.237	.7350	----	----	----	----	1 UNCH
8800	----	----	17.488B/17.008A	17.488B/17.008A	----	17.087 - 0.236	.7385	----	----	----	----	14 UNCH
8825	----	----	17.610B/17.217A	17.610B/17.217A	----	17.297 - 0.234	.7419	----	----	----	----	15 UNCH
8850	----	----	17.822B/17.428A	17.822B/17.428A	----	17.508 - 0.232	.7452	----	----	----	----	6 UNCH
8925	----	----	18.572B/18.076A	18.572B/18.076A	----	18.146 - 0.225	.7551	----	----	----	----	4 UNCH
8975	----	----	18.897B/18.558A	18.897B/18.558A	----	18.574 - 0.221	.7614	----	----	----	----	2 UNCH
9000	----	----	19.277B/18.563A	19.277B/18.563A	----	18.789 - 0.219	.7645	----	----	----	----	93 UNCH
9050	----	----	19.658B/19.241A	19.658B/19.241A	----	19.221 - 0.215	.7705	----	----	----	----	3 UNCH
9075	----	----	19.877B/19.416A	19.877B/19.416A	----	19.438 - 0.213	.7735	----	----	----	----	2 UNCH
9100	----	----	20.094B/19.572A	20.094B/19.572A	----	19.655 - 0.211	.7764	----	----	----	----	6 UNCH
9125	----	----	20.318B/19.795A	20.318B/19.795A	----	19.873 - 0.209	.7793	----	----	----	----	1 UNCH
9150	----	----	20.535B/20.087A	20.535B/20.087A	----	20.092 - 0.207	.7821	----	----	----	----	1 UNCH
9175	----	----	20.760B/20.286A	20.760B/20.286A	----	20.311 - 0.205	.7849	----	----	----	----	1 UNCH
9200	----	----	21.027B/20.286A	21.027B/20.286A	----	20.531 - 0.203	.7876	----	----	----	----	80 UNCH
9325	----	----	22.055B/21.552A	22.055B/21.552A	----	21.638 - 0.192	.8008	----	----	----	----	1 UNCH
9450	----	----	23.218B/22.661A	23.218B/22.661A	----	22.757 - 0.182	.8130	----	----	----	----	6 UNCH
9500	----	----	23.718B/22.914A	23.718B/22.914A	----	23.207 - 0.179	.8177	----	----	----	----	138 UNCH
9525	----	----	23.898B/23.333A	23.898B/23.333A	----	23.433 - 0.177	.8200	----	----	----	----	1 UNCH
9550	----	----	24.083B/23.558A	24.083B/23.558A	----	23.660 - 0.174	.8222	----	----	----	----	1 UNCH
9575	----	----	24.316B/23.799A	24.316B/23.799A	----	23.886 - 0.173	.8245	----	----	----	----	1 UNCH
9725	----	----	25.687B/25.158A	25.687B/25.158A	----	25.254 - 0.161	.8371	----	----	----	----	1 UNCH
9825	----	----	26.608B/26.073A	26.608B/26.073A	----	26.173 - 0.153	.8449	----	----	----	----	1 UNCH
9850	----	----	26.839B/26.352A	26.839B/26.352A	----	26.404 - 0.151	.8468	----	----	----	----	1 UNCH
9900	----	----	27.302B/26.707A	27.302B/26.707A	----	26.866 - 0.147	.8505	----	----	----	----	17 UNCH
9925	----	----	27.535B/26.994A	27.535B/26.994A	----	27.098 - 0.145	.8523	----	----	----	----	1 UNCH
9950	----	----	27.768B/27.170A	27.768B/27.170A	----	27.330 - 0.142	.8541	----	----	----	----	1 UNCH
10000	----	----	28.459B/27.462A	28.459B/27.462A	----	27.795 - 0.138	.8576	----	----	----	----	97 UNCH
10025	----	----	28.473B/27.855A	28.473B/27.855A	----	28.027 - 0.136	.8593	----	----	----	----	2 UNCH
10075	----	----	28.945B/28.316A	28.945B/28.316A	----	28.494 - 0.131	.8626	----	----	----	----	1 UNCH
10100	----	----	29.180B/28.557A	29.180B/28.557A	----	28.728 - 0.129	.8642	----	----	----	----	6 UNCH
10125	----	----	29.416B/28.786A	29.416B/28.786A	----	28.962 - 0.126	.8658	----	----	----	----	1 UNCH
10150	----	----	29.652B/29.059A	29.652B/29.059A	----	29.196 - 0.124	.8674	----	----	----	----	8 UNCH
10175	----	----	29.888B/29.314A	29.888B/29.314A	----	29.431 - 0.121	.8689	----	----	----	----	2 UNCH
10200	----	----	30.322B/29.339A	30.322B/29.339A	----	29.665 - 0.120	.8704	----	----	----	----	117 UNCH
10225	----	----	30.361B/29.780A	30.361B/29.780A	----	29.901 - 0.116	.8720	----	----	----	----	1 UNCH
10325	----	----	31.304B/30.726A	31.304B/30.726A	----	30.844 - 0.106	.8777	----	----	----	----	1 UNCH
10350	----	----	31.542B/30.879A	31.542B/30.879A	----	31.081 - 0.103	.8790	----	----	----	----	1 UNCH
10375	----	----	31.781B/31.191A	31.781B/31.191A	----	31.317 - 0.102	.8804	----	----	----	----	1 UNCH
10400	----	----	32.019B/31.424A	32.019B/31.424A	----	31.554 - 0.099	.8817	----	----	----	----	1 UNCH
10500	----	----	32.931B/32.340A	32.931B/32.340A	----	32.505 - 0.089	.8868	----	----	----	----	9 UNCH
10600	----	----	33.873B/33.303A	33.873B/33.303A	----	33.460 - 0.079	.8914	----	----	----	----	5 UNCH
10825	----	----	36.032B/35.302A	36.032B/35.302A	----	35.614 - 0.060	.9014	----	----	----	----	6 UNCH
10850	----	----	36.270B/35.538A	36.270B/35.538A	----	35.854 - 0.058	.9024	----	----	----	----	4 UNCH
10875	----	----	36.513B/35.774A	36.513B/35.774A	----	36.094 - 0.056	.9035	----	----	----	----	2 UNCH
10950	----	----	37.237B/36.486A	37.237B/36.486A	----	36.814 - 0.052	.9065	----	----	----	----	3 UNCH
11000	----	----	37.716B/36.961A	37.716B/36.961A	----	37.295 - 0.048	.9085	----	----	----	----	2 UNCH
11325	----	----	40.873B/40.070A	40.873B/40.070A	----	40.429 - 0.031	.9205	----	----	----	----	1 UNCH
11500	----	----	42.671B/41.752A	42.671B/41.752A	----	42.123 - 0.024	.9262	----	----	----	----	10 UNCH
11525	----	----	42.813B/42.001A	42.813B/42.001A	----	42.365 - 0.023	.9270	----	----	----	----	1 UNCH
11675	----	----	44.247B/43.446A	44.247B/43.446A	----	43.822 - 0.018	.9315	----	----	----	----	1 UNCH
11700	----	----	44.521B/43.689A	44.521B/43.689A	----	44.066 - 0.016	.9321	----	----	----	----	1 UNCH
12000	----	----	47.647B/46.510A	47.647B/46.510A	----	46.992 - 0.005	.9400	----	----	----	----	50 UNCH
12025	----	----	47.703B/46.847A	47.703B/46.847A	----	47.236 - 0.005	.9405	----	----	----	----	1 UNCH
13000	----	----	57.311B/56.402A	57.311B/56.402A	----	56.829 + 0.026	.9576	----	----	----	----	5 UNCH
TOTAL										464	0	8929 + 331
JUL26												
2000	----	----	----/0.043A	0.018B/0.043A	----	0.041 - 0.015	.0028	----	----	----	----	6 UNCH
2400	----	----	----	0.001B/0.138A	----	0.070 - 0.023	.0051	----	----	----	----	10 UNCH
2650	----	----	----	0.001B/0.173A	----	0.093 - 0.028	.0070	----	----	----	----	6 UNCH
3000	----	----	----	0.046B/0.193A	----	0.131 - 0.034	.0102	----	----	----	----	4 UNCH
3350	----	----	----	0.092B/0.254A	----	0.180 - 0.041	.0147	----	----	----	----	1 UNCH
3400	----	----	----	0.101B/0.264A	----	0.189 - 0.042	.0155	----	----	----	----	55 UNCH
3475	----	----	----	0.114B/0.279A	----	0.202 - 0.043	.0166	----	----	----	----	5 UNCH
3500	----	----	----	0.118B/0.284A	----	0.207 - 0.044	.0171	----	----	----	----	3 UNCH
3600	----	----	----	0.138B/0.305A	----	0.227 - 0.046	.0189	----	----	----	----	12 UNCH
3700	----	----	----	0.161B/0.331A	----	0.249 - 0.048	.0209	----	----	----	----	92 UNCH
3800	----	----	----	0.191B/0.362A	----	0.274 - 0.051	.0232	----	----	----	----	25 UNCH
3825	----	----	----	0.198B/0.370A	----	0.280 - 0.052	.0238	----	----	----	----	8 UNCH
3850	----	----	----	0.211B/0.377A	----	0.287 - 0.052	.0244	----	----	----	----	3 UNCH
3900	----	----	----	0.223B/0.393A	----	0.302 - 0.053	.0257	----	----	----	----	11 UNCH
3950	----	----	----	0.238B/0.411A	----	0.317 - 0.055	.0271	----	----	----	----	1 UNCH
4000	----	----	----	0.253B/0.429A	----	0.334 - 0.056	.0286	----	----	----	----	70 UNCH
4075	----	----	----	0.285B/0.459A	----	0.361 - 0.058	.0309	----	----	----	----	16 UNCH
4100	----	----	----	0.294B/0.469A	----	0.370 - 0.059	.0317	----	----	----	----	6 UNCH
4175	----	----	----	0.322B/0.502A	----	0.401 - 0.061	.0344	----	----	----	----	9 UNCH
4200	----	----	----	0.331B/0.513A	----	0.412 - 0.062	.0354	----	----	----	----	27 UNCH
4225	----	----	----	0.342B/0.525A	----	0.423 - 0.063	.0363	----	----	----	----	1 UNCH
4250	----	----	----	0.356B/0.532A	----	0.434 - 0.064	.0373	----	----	----	----	21 UNCH
4300	----	----	----	0.383B/0.556A	----	0.459 - 0.065	.0394	----	----	----	----	96 UNCH
4325	----	----	----	0.395B/0.572A	----	0.471 - 0.067	.0404	----	----	----	----	17 UNCH
4375	----	----	----	0.420B/0.599A	----	0.498 - 0.068	.0427	----	----	----	----	32 UNCH
4400	----	----	----	0.434B/0.613A	----	0.512 - 0.069	.0438	----	----	----	----	28 UNCH
4450	----	----	----	0.462B/0.642A	----	0.541 - 0.071	.0463	----	----	----	----	4 UNCH
4475	----	----	----	0.477B/0.657A	----	0.556 - 0.072	.0475	----	----	----	----	16 UNCH
4500	----	----	----/0.598A	0.497B/0.598A	----	0.572 - 0.073	.0488	----	----	----	----	303 UNCH
4575	----	----	----	0.544B/0.721A	----	0.621 - 0.076	.0528	----	----	----	----	75 UNCH
4600	----	----	----	0.560B/0.738A	----	0.639 - 0.077	.0543	----	----	----	----	101 UNCH
4650	----	----	----	0.596B/0.774A	----	0.676 - 0.079	.0573	----	----	----	----	40 UNCH
4675	----	----	----	0.620B/0.793A	----	0.695 - 0.080	.0588	----	----	----	----	12 UNCH
4700	----	----	----	0.635B/0.812A	----	0.714 - 0.082	.0603	----	----	----	----	152 UNCH
4725	----	----	----	0.654B/0.831A	----	0.734 - 0.083	.0619	----	----	----	----	3 UNCH
4750	----	----	----	0.674B/0.852A	----	0.755 - 0.084	.0636	----	----	----	----	54 UNCH
4775	----	----	----	0.700B/0.873A	----	0.776 - 0.086	.0652	----	----	----	----	8 UNCH
4800	----	----	----	0.717B/0.894A	----	0.798 - 0.087	.0670	----	----	----	----	15 UNCH
4825	----	----	----	0.742B/0.915A	----	0.821 - 0.088	.0687	----	----	----	----	26 UNCH
4850	----	----	----	0.763B/0.935A	----	0.843 - 0.090	.0705	----	----	----	----	2 UNCH
4875	----	----	----	0.794B/0.958A	----	0.867 - 0.091	.0723	----	----	----	----	23 UNCH
4900	----	----	----/0.981A	0.811B/0.981A	----	0.891 - 0.092	.0742	----	----	----	----	172 UNCH
5000	----	----	----/1.075A	0.918B/1.075A	----	0.994 - 0.098	.0821	----	----	----	----	838 UNCH
5025	----	----	----/1.102A	0.943B/1.102A	----	1.021 - 0.100	.0841	----	----	----	----	1 UNCH
5050	----	----	----/1.129A	0.971B/1.129A	----	1.049 - 0.102	.0862	----	----	----	----	16 UNCH
5075	----	----	----/1.159A	1.002B/1.159A	----	1.078 - 0.103	.0884	----	----	----	----	11 UNCH
5100	----	----	----/1.182A	1.035B/1.182A	----	1.107 - 0.105	.0906	----	----	----	----	176 UNCH
5150	----	----	----/1.243A	1.064B/1.243A	----	1.168 - 0.109	.0951	----	----	----	----	5 UNCH
5175	----	----	----/1.267A	1.040B/1.267A	----	1.199 - 0.111	.0974	----	----	----	----	5 UNCH
5200	----	----	----	1.030B/1.453A	----	1.231 - 0.113	.0997	----	----	----	----	86 UNCH
5225	----	----	----	1.049B/1.499A	----	1.264 - 0.115	.1021	----	----	----	----	9 UNCH
5250	----	----	----	1.080B/1.536A	----	1.298 - 0.117	.1046	----	----	----	----	250 UNCH
5275	----	----	----	1.113B/1.572A	----	1.332 - 0.119	.1070	----	----	----	----	2 UNCH
5300	----	----	----	1.148B/1.608A	----	1.367 - 0.121	.1096	----	----	----	----	125 UNCH
5325	----	----	----	1.181B/1.647A	----	1.404 - 0.123	.1122	----	----	----	----	11 UNCH
5350	----	----	----	1.217B/1.686A	----	1.440 - 0.126	.1147	----	----	----	----	26 UNCH
5375	----	----	----	1.253B/1.725A	----	1.478 - 0.128	.1174	----	----	----	----	17 UNCH
5400	----	----	----	1.292B/1.765A	----	1.517 - 0.129	.1202	----	----	----	----	75 UNCH
5425	----	----	----	1.328B/1.808A	----	1.556 - 0.132	.1229	----	----	----	----	49 UNCH
5450	----	----	----	1.368B/1.850A	----	1.596 - 0.135	.1257	----	----	----	----	38 UNCH
5475	----	----	----	1.407B/1.894A	----	1.637 - 0.138	.1285	----	----	----	----	53 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
5500	1.665	1.665	1.665/1.665	1.665/1.665	----	1.680 - 0.139	.1314	----	----	3	----	887 UNCH
5525	----	----	----	1.487B/1.984A	----	1.723 - 0.142	.1344	----	----	----	----	72 UNCH
5550	----	----	----	1.530B/1.942A	----	1.767 - 0.144	.1374	----	----	----	----	13 UNCH
5575	----	----	----	1.575B/1.981A	----	1.812 - 0.147	.1404	----	----	----	----	3 UNCH
5600	----	----	----/1.996A	1.625B/1.996A	----	1.857 - 0.150	.1434	----	----	----	----	13 UNCH
5625	----	----	----	1.666B/2.109A	----	1.904 - 0.153	.1466	----	----	----	----	3 UNCH
5650	----	----	----	1.714B/2.174A	----	1.952 - 0.155	.1497	----	----	----	----	29 UNCH
5675	----	----	----	1.764B/2.278A	----	2.001 - 0.158	.1530	----	----	----	----	45 UNCH
5700	----	----	----	1.817B/2.328A	----	2.051 - 0.161	.1562	----	----	----	----	297 UNCH
5725	----	----	----	1.877B/2.368A	----	2.102 - 0.163	.1595	----	----	----	----	3 UNCH
5750	----	----	----	1.928B/2.377A	----	2.154 - 0.166	.1629	----	----	----	----	52 UNCH
5775	----	----	----	1.877B/2.564A	----	2.207 - 0.169	.1663	----	----	----	----	2 UNCH
5800	----	----	----/2.332A	2.197B/2.332A	----	2.262 - 0.171	.1698	----	----	----	----	21 UNCH
5825	----	----	----/2.389A	2.240B/2.389A	----	2.317 - 0.174	.1733	----	----	----	----	2 UNCH
5850	----	----	----/2.439A	2.302B/2.439A	----	2.373 - 0.178	.1768	----	----	----	----	114 UNCH
5875	----	----	----/2.503A	2.357B/2.503A	----	2.431 - 0.180	.1804	----	----	----	----	3 UNCH
5900	----	----	----/2.562A	2.419B/2.562A	----	2.490 - 0.183	.1840	----	----	----	----	6 UNCH
5950	----	----	----/2.686A	2.538B/2.686A	----	2.611 - 0.189	.1914	----	----	----	----	2 UNCH
5975	----	----	----/2.753A	2.601B/2.753A	----	2.673 - 0.192	.1952	----	----	----	----	1 UNCH
6000	----	----	----/2.810A	2.694B/2.810A	----	2.737 - 0.195	.1990	----	----	3	----	589 + 2
6100	----	----	----/3.081A	2.968B/3.081A	----	3.004 - 0.206	.2146	----	----	----	----	285 UNCH
6200	----	----	----/3.383A	3.230B/3.383A	----	3.292 - 0.217	.2310	----	----	----	----	9 UNCH
6250	----	----	----/3.537A	3.383B/3.537A	----	3.443 - 0.223	.2394	----	----	----	----	13 UNCH
6275	----	----	----/3.617A	3.464B/3.617A	----	3.521 - 0.226	.2436	----	----	----	----	1 UNCH
6300	----	----	----/3.697A	3.554B/3.697A	----	3.601 - 0.228	.2479	----	----	----	----	31 UNCH
6325	----	----	----/3.779A	3.624B/3.779A	----	3.682 - 0.231	.2523	----	----	----	----	20 UNCH
6375	----	----	----/3.948A	3.793B/3.948A	----	3.847 - 0.236	.2610	----	----	----	----	1 UNCH
6400	----	----	----/4.024A	3.885B/4.024A	----	3.932 - 0.239	.2654	----	----	----	----	55 UNCH
6500	----	----	----/4.382A	4.254B/4.382A	----	4.287 - 0.248	.2834	----	----	----	----	681 UNCH
6550	----	----	----/4.564A	4.442B/4.564A	----	4.473 - 0.252	.2926	----	----	----	----	50 UNCH
6600	----	----	----/4.771A	4.612B/4.771A	----	4.665 - 0.256	.3019	----	----	----	----	1 UNCH
6650	----	----	----/4.960A	4.852B/4.960A	----	4.864 - 0.259	.3113	----	----	----	----	100 UNCH
6700	----	----	----/5.165A	5.068B/5.165A	----	5.068 - 0.262	.3207	----	----	----	----	81 UNCH
6750	----	----	----/5.381A	5.225B/5.381A	----	5.278 - 0.265	.3303	----	----	----	----	24 UNCH
6800	----	----	----/5.590A	5.520B/5.590A	----	5.495 - 0.267	.3398	----	----	----	----	257 UNCH
6900	----	----	----/6.040A	5.890B/6.040A	----	5.946 - 0.271	.3592	----	----	3	----	11 + 3
7000	----	----	----/6.507A	6.490B/6.507A	----	6.421 - 0.274	.3786	----	----	----	----	517 UNCH
7025	----	----	----/6.631A	6.623B/6.631A	----	6.543 - 0.275	.3835	----	----	----	----	125 UNCH
7125	----	----	----/7.132A	7.047B/7.132A	----	7.048 - 0.276	.4029	----	----	----	----	8 UNCH
7150	----	----	----/7.258A	7.179B/7.258A	----	7.177 - 0.277	.4078	----	----	----	----	1 UNCH
7200	----	----	----/7.522A	7.508B/7.522A	----	7.441 - 0.277	.4175	----	----	----	----	39 UNCH
7250	----	----	----/7.785A	7.851B/7.785A	----	7.711 - 0.277	.4272	----	----	----	----	169 UNCH
7300	----	----	----/8.061A	8.076B/8.061A	----	7.986 - 0.277	.4369	----	----	2	----	25 UNCH
7325	----	----	----/8.202A	8.173B/8.202A	----	8.126 - 0.277	.4417	----	----	----	----	1 UNCH
7375	8.588	8.588	8.588/8.480A	8.588/8.480A	----	8.410 - 0.276	.4513	----	----	2	----	149 + 1
7400	----	----	----/8.626A	8.612B/8.626A	----	8.553 - 0.277	.4560	----	----	----	----	21 UNCH
7450	----	----	----/8.977A	8.914B/8.977A	----	8.845 - 0.276	.4655	----	----	----	----	1 UNCH
7500	----	----	----/9.211A	9.280B/9.211A	----	9.142 - 0.276	.4749	----	----	----	----	37 UNCH
7525	----	----	----/9.426A	9.386B/9.426A	----	9.293 - 0.275	.4796	----	----	----	----	2 UNCH
7550	----	----	----/9.508A	9.538B/9.508A	----	9.445 - 0.274	.4842	----	----	----	----	7 UNCH
7600	----	----	----/9.818A	9.859B/9.818A	----	9.752 - 0.274	.4935	----	----	----	----	4 UNCH
7625	----	----	----/9.976A	10.024B/9.976A	----	9.908 - 0.273	.4981	----	----	----	----	1 UNCH
7700	----	----	----/10.443A	10.510B/10.443A	----	10.382 - 0.272	.5117	----	----	----	----	1 UNCH
7800	----	----	----/11.092A	11.188B/11.092A	----	11.032 - 0.269	.5295	----	----	----	----	2 UNCH
7850	----	----	----/11.492A	11.532B/11.492A	----	11.364 - 0.268	.5382	----	----	----	----	1 UNCH
7900	----	----	----/11.768A	11.882B/11.768A	----	11.701 - 0.266	.5468	----	----	----	----	8 UNCH
7975	----	----	----/12.284A	12.420B/12.284A	----	12.215 - 0.264	.5595	----	----	----	----	5 UNCH
8000	----	----	12.710B/12.354A	12.710B/12.354A	----	12.388 - 0.263	.5637	----	----	----	----	291 UNCH
8100	----	----	13.379B/13.159A	13.379B/13.159A	----	13.093 - 0.259	.5801	----	----	----	----	25 UNCH
8125	----	----	----/13.344A	13.510B/13.344A	----	13.271 - 0.259	.5841	----	----	----	----	4 UNCH
8250	----	----	14.496B/14.251A	14.496B/14.251A	----	14.181 - 0.253	.6037	----	----	----	----	46 UNCH
8300	----	----	14.936B/14.551A	14.936B/14.551A	----	14.551 - 0.251	.6113	----	----	----	----	120 UNCH
8375	----	----	15.403B/----	15.403B/15.366A	----	15.114 - 0.247	.6225	----	----	----	----	1 UNCH
8400	----	----	15.591B/15.532A	15.591B/15.532A	----	15.303 - 0.246	.6262	----	----	----	----	7 UNCH
8500	----	----	16.488B/16.080A	16.488B/16.080A	----	16.070 - 0.241	.6404	----	----	----	----	53 UNCH
8600	----	----	17.286B/16.759A	17.286B/16.759A	----	16.850 - 0.236	.6541	----	----	----	----	56 UNCH
8700	----	----	17.978B/----	17.978B/17.884A	----	17.642 - 0.231	.6673	----	----	----	----	4 UNCH
9000	----	----	20.561B/19.982A	20.561B/19.982A	----	20.090 - 0.212	.7037	----	----	----	----	308 UNCH
9200	----	----	22.149B/21.960A	22.149B/21.960A	----	21.773 - 0.199	.7254	----	----	----	----	11 UNCH
9400	----	----	23.874B/23.615A	23.874B/23.615A	----	23.491 - 0.185	.7452	----	----	----	----	1 UNCH
9450	----	----	24.310B/24.020A	24.310B/24.020A	----	23.925 - 0.182	.7499	----	----	----	----	12 UNCH
9500	----	----	24.864B/24.218A	24.864B/24.218A	----	24.362 - 0.178	.7544	----	----	----	----	218 UNCH
9600	----	----	25.742B/25.144A	25.742B/25.144A	----	25.240 - 0.171	.7633	----	----	----	----	50 UNCH
9900	----	----	28.303B/27.946A	28.303B/27.946A	----	27.911 - 0.148	.7874	----	----	----	----	6 UNCH
9950	----	----	28.753B/28.394A	28.753B/28.394A	----	28.361 - 0.145	.7912	----	----	----	----	5 UNCH
10000	----	----	29.316B/28.608A	29.316B/28.608A	----	28.812 - 0.141	.7948	----	----	----	----	205 UNCH
10275	----	----	31.704B/31.302A	31.704B/31.302A	----	31.313 - 0.123	.8136	----	----	----	----	7 UNCH
10500	----	----	33.771B/33.350A	33.771B/33.350A	----	33.383 - 0.107	.8274	----	----	----	----	3 UNCH
10600	----	----	34.695B/34.269A	34.695B/34.269A	----	34.308 - 0.101	.8331	----	----	----	----	9 UNCH
11000	38.415	38.415	38.532B/37.772A	38.532B/37.772A	----	38.043 - 0.076	.8537	----	----	2	----	217 UNCH
11300	----	----	41.248B/40.760A	41.248B/40.760A	----	40.873 - 0.060	.8671	----	----	----	----	10 UNCH
11500	----	----	43.146B/42.634A	43.146B/42.634A	----	42.771 - 0.050	.8751	----	----	----	----	1 UNCH
12000	----	----	47.926B/47.198A	47.926B/47.198A	----	47.553 - 0.026	.8925	----	----	----	----	15 UNCH
13000	57.439	57.439	57.601B/56.825A	57.601B/56.825A	----	57.235 + 0.014	.9184	----	----	4	----	6 + 4
TOTAL										19	0	9956 + 10
AUG26												
3300	----	----	----	0.144B/0.336A	----	0.215 - 0.027	.0163	----	----	----	----	2 UNCH
3900	----	----	----	0.343B/0.548A	----	0.442 - 0.053	.0330	----	----	----	----	2 UNCH
4175	----	----	----	0.486B/0.696A	----	0.583 - 0.069	.0435	----	----	----	----	1 UNCH
4300	----	----	----	0.571B/0.779A	----	0.659 - 0.077	.0491	----	----	----	----	1 UNCH
4350	----	----	----	0.606B/0.814A	----	0.692 - 0.081	.0515	----	----	----	----	1 UNCH
4375	----	----	----	0.630B/0.832A	----	0.709 - 0.082	.0527	----	----	----	----	160 UNCH
4500	----	----	----/0.888A	0.743B/0.888A	----	0.800 - 0.092	.0593	----	----	----	----	2 UNCH
4600	----	----	----/0.970A	0.824B/0.970A	----	0.881 - 0.099	.0651	----	----	----	----	2 UNCH
4625	0.925	0.925	0.925/0.925	0.926B/0.925	----	0.902 NEW	.0666	----	----	1	----	1 + 1
4700	----	----	----/1.042A	0.995B/1.042A	----	0.969 - 0.108	.0713	----	----	----	----	1 UNCH
4775	1.069	1.069	1.069/1.069	1.069/1.069	----	1.042 NEW	.0764	----	----	1	----	1 + 1
4800	1.094	1.094	1.094/1.094	1.094/1.094	----	1.067 - 0.117	.0781	----	----	1	----	16 + 1
4825	1.121	1.121	1.121/1.121	1.121/1.121	----	1.093 NEW	.0799	----	----	1	----	1 + 1
5000	----	----	----/1.427A	1.322B/1.427A	----	1.293 - 0.136	.0934	----	----	----	----	14 UNCH
5275	----	----	----	1.720B/2.188A	----	1.684 - 0.165	.1185	----	----	----	----	1 UNCH
5300	----	----	----	1.761B/2.246A	----	1.725 - 0.168	.1210	----	----	----	----	1 UNCH
5500	----	----	----	2.123B/2.599A	----	2.087 - 0.190	.1427	----	----	----	----	26 UNCH
5675	----	----	----	2.505B/2.970A	----	2.460 - 0.210	.1639	----	----	----	----	9 UNCH
5800	----	----	----	2.812B/3.293A	----	2.760 - 0.225	.1801	----	----	----	----	4 UNCH
5850	----	----	----	2.944B/3.423A	----	2.888 - 0.232	.1869	----	----	----	----	2 UNCH
5875	----	----	----	3.012B/3.495A	----	2.954 - 0.235	.1903	----	----	----	----	12 UNCH
5900	----	----	----	3.081B/3.571A	----	3.022 - 0.237	.1938	----	----	----	----	8 UNCH
5950	----	----	----	3.224B/3.718A	----	3.160 - 0.244	.2009	----	----	----	----	16 UNCH
6000	----	----	----	3.371B/3.871A	----	3.304 - 0.250	.2081	----	----	----	----	139 UNCH
6050	3.620	3.620	3.620/3.620	3.620/3.620	----	3.452 - 0.257	.2154	----	----	8	----	0 - 8
6100	----	----	----	3.679B/4.191A	----	3.606 - 0.263	.2228	----	----	----	----	9 UNCH
6300	----	----	----	4.356B/4.902A	----	4.275 - 0.288	.2537	----	----	----	----	1 UNCH
6500	----	----	----	5.111B/5.690A	----	5.032 - 0.312	.2860	----	----	50	----	156 + 27
6600	----	----	----	5.519B/6.118A	----	5.443 - 0.325	.3025	----	----	----	----	13 UNCH
6725	----	----	----	6.058B/6.683A	----	5.987 - 0.342	.3235	----	----	----	----	7 UNCH
6825	----	----	----	6.513B/7.146A	----	6.448 - 0.354	.3404	----	----	----	----	7 UNCH
7000	----	----	----	7.359B/7.965A	----	7.305 - 0.377	.3701	----	----	----	----	1 UNCH
7050	----	----	----	7.611B/8.219A	----	7.561 - 0.384	.3785	----	----	----	----	1 UNCH
7100	----	----	----	7.868B/8.484A	----	7.823 - 0.391	.3870	----	----	----	----	2 UNCH
7350	----	----	----	9.225B/9.866A	----	9.207 - 0.425	.4288	----	----	----	----	6 UNCH
7400	9.605	9.605	9.612/9.605	9.612/9.605	----	9.498 NEW	.4370	----	----	4	----	4 + 4
7500	----	----	----	10.097B/10.758A	----	10.095 - 0.446	.4533	----	----	----	----	1 UNCH
7550	----	----	----	10.397B/11.039A	----	10.400 - 0.452	.4613	----	----	----	----	5 UNCH
7700	----	----	----	11.209B/11.980A	----	11.341 - 0.472	.4850	----	----	----	----	25 UNCH
8000	----	----	----	13.252B/13.969A	----	13.337 - 0.502	.5300	----	----	----	----	20 UNCH
8150	----	----	----	14.324B/15.002A	----	14.387 - 0.512	.5513	----	----	----	----	10 UNCH
8200	----	----	----	14.688B/15.359A	----	14.743 - 0.515	.5582	----	----	----	----	10 UNCH
8250	----	----	----	15.055B/15.734A	----	15.104 - 0.516	.5650	----	----	----	----	5 UNCH
8500	----	----	----	16.901B/17.537A	----	16.954 - 0.519	.5976	----	----	----	----	20 UNCH
9000	----	----	----	20.900B/21.414A	----	20.868 - 0.496	.6554	----	----	----	----	29 UNCH
9300	----	----	----	22.992B/24.254A	----	23.329 - 0.471	.6856	----	----	----	----	1 UNCH
9500	----	----	----	24.667B/25.967A	----	25.009 - 0.452	.7040	----	----	----	----	30 UNCH
10000	----	----	----	15.727B/42.242A	----	29.323 - 0.401	.7448	----	----	----	----	6 UNCH
10175	----	----	----	16.924B/44.034A	----	30.866 - 0.382	.7574	----	----	----	----	15 UNCH
TOTAL										66	0	807 + 27

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 63

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
SEP26												
2500	----	----	----	0.001B/3.520A	----	0.068 - 0.011	.0052	----	----	----	----	60 UNCH
3000	----	----	----	0.125B/0.334A	----	0.161 - 0.020	.0119	----	----	----	----	22 UNCH
3500	----	----	----	0.267B/0.500A	----	0.330 - 0.035	.0237	----	----	----	----	74 UNCH
4000	----	----	----	0.522B/0.760A	----	0.623 - 0.054	.0428	----	----	----	----	46 UNCH
4500	----	----	----	0.950B/1.164A	----	1.022 - 0.102	.0686	----	----	----	----	12 UNCH
5000	----	----	----	1.255B/2.181A	----	1.620 - 0.170	.1051	----	----	----	----	232 UNCH
5100	----	----	----	1.439B/2.339A	----	1.774 - 0.185	.1140	----	----	----	----	1 UNCH
5500	----	----	----	2.294B/3.129A	----	2.541 - 0.250	.1553	----	----	----	----	228 UNCH
5600	----	----	----	2.549B/3.355A	----	2.774 - 0.266	.1671	----	----	----	----	1 UNCH
5700	----	----	----	2.986B/3.465A	----	3.025 - 0.284	.1794	----	----	----	----	2 UNCH
5800	----	----	----	3.275B/3.777A	----	3.295 - 0.300	.1921	----	----	----	----	7 UNCH
5900	----	----	----	3.564B/3.953A	----	3.584 - 0.317	.2054	----	----	----	----	50 UNCH
6000	----	----	----	3.882B/4.279A	----	3.893 - 0.334	.2191	----	----	----	----	128 UNCH
6050	----	----	----	4.080B/4.608A	----	4.056 - 0.341	.2261	----	----	----	----	15 UNCH
6300	----	----	----	5.002B/5.673A	----	4.945 - 0.380	.2623	----	----	----	----	3 UNCH
6400	----	----	----	5.399B/6.087A	----	5.337 - 0.395	.2773	----	----	----	----	1 UNCH
6425	----	----	----	5.504B/6.197A	----	5.438 - 0.399	.2811	----	----	----	----	1 UNCH
6500	----	----	----	5.991B/6.355A	----	5.750 - 0.409	.2925	----	----	----	----	55 UNCH
6900	----	----	----	7.545B/8.438A	----	7.612 - 0.459	.3545	----	----	----	----	1 UNCH
7000	----	----	----	8.107B/8.941A	----	8.128 - 0.470	.3700	----	----	----	----	15 UNCH
7025	----	----	----	8.249B/9.124A	----	8.261 - 0.472	.3738	----	----	----	----	1 UNCH
7100	----	----	----	8.682B/9.483A	----	8.664 - 0.481	.3854	----	----	----	----	16 UNCH
7125	----	----	----	8.919B/9.580A	----	8.801 - 0.483	.3892	----	----	----	----	25 UNCH
7175	----	----	----	9.119B/9.942A	----	9.079 - 0.487	.3969	----	----	----	----	20 UNCH
7200	----	----	----	9.451B/9.916A	----	9.219 - 0.490	.4007	----	----	----	----	50 UNCH
7400	----	----	----	10.465B/11.164A	----	10.384 - 0.508	.4309	----	----	----	----	20 UNCH
7500	----	----	----	11.078B/11.775A	----	10.993 - 0.515	.4456	----	----	----	----	3 UNCH
7550	----	----	----	11.387B/12.083A	----	11.303 - 0.520	.4529	----	----	----	----	2 UNCH
7700	----	----	----	12.324B/13.033A	----	12.260 - 0.529	.4742	----	----	----	----	1 UNCH
7800	----	----	----	12.958B/13.667A	----	12.916 - 0.535	.4881	----	----	----	----	4 UNCH
7900	----	----	----	13.601B/14.338A	----	13.588 - 0.540	.5017	----	----	----	----	1 UNCH
8000	----	----	----	14.382B/15.024A	----	14.274 - 0.544	.5149	----	----	----	----	40 UNCH
8100	----	----	----	14.974B/15.690A	----	14.973 - 0.547	.5279	----	----	----	----	1 UNCH
8200	----	----	----	15.697B/16.436A	----	15.684 - 0.550	.5405	----	----	----	----	1 UNCH
8500	----	----	----	18.237B/18.621A	----	17.891 - 0.549	.5764	----	----	----	----	225 UNCH
8700	----	----	----	19.767B/20.168A	----	19.415 - 0.546	.5986	----	----	----	----	100 UNCH
9000	----	----	----	22.125B/22.487A	----	21.775 - 0.533	.6296	----	----	----	----	74 UNCH
9300	----	----	----	24.331B/24.908A	----	24.211 - 0.515	.6579	----	----	----	----	1 UNCH
9400	----	----	----	25.163B/25.705A	----	25.038 - 0.508	.6667	----	----	----	----	1 UNCH
10150	----	----	----	31.570B/32.482A	----	31.447 - 0.443	.7244	----	----	----	----	1 UNCH
10300	----	----	----	#32.883B/34.005A	----	32.765 - 0.428	.7343	----	----	----	----	1 UNCH
TOTAL											0	1542 0
OCT26												
2675	----	----	----	0.082B/0.310A	----	0.124 - 0.018	.0086	----	----	----	----	8 UNCH
3250	----	----	----	0.228B/0.481A	----	0.266 - 0.032	.0184	----	----	----	----	1 UNCH
4000	----	----	----	0.625B/0.894A	----	0.668 - 0.062	.0438	----	----	----	----	3 UNCH
4500	1.200	1.200	1.200/1.200	1.200/1.200	----	1.202 - 0.090	.0736	----	----	1	----	3 - 1
5000	----	----	----	1.457B/2.506A	----	2.040 - 0.157	.1148	----	----	----	----	6 UNCH
5050	----	----	----	1.556B/2.559A	----	2.141 - 0.164	.1195	----	----	----	----	1 UNCH
5150	----	----	----	1.761B/2.734A	----	2.352 - 0.180	.1291	----	----	----	----	5 UNCH
6500	----	----	----/7.006A	5.921B/7.006A	----	6.610 - 0.424	.2898	----	----	----	----	6 UNCH
7000	----	----	----	8.283B/9.449A	----	8.909 - 0.503	.3582	----	----	----	----	85 UNCH
7225	----	----	----	9.495B/10.735A	----	10.075 - 0.533	.3893	----	----	----	----	87 UNCH
7500	----	----	----	11.181B/12.277A	----	11.608 - 0.563	.4269	----	----	----	----	1 UNCH
7950	----	----	----	14.133B/15.129A	----	14.368 - 0.595	.4859	----	----	----	----	10 UNCH
8200	----	----	----	15.890B/16.853A	----	16.030 - 0.604	.5168	----	----	----	----	6 UNCH
8375	----	----	----	16.980B/18.315A	----	17.246 - 0.605	.5374	----	----	----	----	1 UNCH
9100	----	----	----	22.749B/23.618A	----	22.684 - 0.583	.6135	----	----	----	----	1 UNCH
10000	----	----	----	29.888B/31.356A	----	30.127 - 0.516	.6867	----	----	----	----	40 UNCH
TOTAL										1	0	264 - 1
NOV26												
4500	----	----	----	1.280B/1.630A	----	1.436 - 0.086	.0811	----	----	----	----	2 UNCH
4550	----	----	----	1.351B/1.697A	----	1.515 - 0.093	.0849	----	----	----	----	1 UNCH
4800	----	----	----	1.214B/2.589A	----	1.952 - 0.129	.1050	----	----	----	----	1 UNCH
5000	2.350	2.350	2.350/2.350	2.435B/2.350	----	2.356 - 0.163	.1227	----	----	12	----	12 + 9
5200	----	----	----	2.062B/3.365A	----	2.811 - 0.200	.1418	----	----	----	----	1 UNCH
5950	----	----	----	4.138B/5.586A	----	5.011 - 0.357	.2242	----	----	----	----	1 UNCH
6700	----	----	----	7.243B/8.790A	----	8.056 - 0.510	.3184	----	----	----	----	50 UNCH
7000	----	----	----	8.854B/10.314A	----	9.521 - 0.562	.3575	----	----	----	----	40 UNCH
7025	----	----	----	8.731B/10.591A	----	9.650 - 0.566	.3608	----	----	----	----	6 UNCH
7500	----	----	----	11.805B/13.192A	----	12.280 - 0.624	.4222	----	----	----	----	3 UNCH
7700	----	----	----	13.090B/14.402A	----	13.492 - 0.640	.4471	----	----	----	----	50 UNCH
8500	----	----	----	18.673B/19.917A	----	18.928 - 0.641	.5377	----	----	----	----	60 UNCH
9000	----	----	----	22.572B/23.753A	----	22.742 - 0.602	.5854	----	----	----	----	5 UNCH
9050	----	----	----	22.968B/24.144A	----	23.137 - 0.597	.5898	----	----	----	----	3 UNCH
10000	----	----	----	30.769B/31.886A	----	30.987 - 0.497	.6617	----	----	----	----	1 UNCH
11000	----	----	----	38.395B/40.831A	----	39.690 - 0.420	.7203	----	----	----	----	1 UNCH
TOTAL										12	0	237 + 9
DEC26												
1500	----	----	----	0.001B/0.130A	----	0.029 - 0.003	.0017	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/0.400A	----	0.089 - 0.007	.0052	----	----	----	----	10 UNCH
2500	----	----	----	0.002B/0.513A	----	0.162 - 0.011	.0099	----	----	----	----	32 UNCH
3000	----	----	----	0.050B/0.722A	----	0.287 - 0.017	.0178	----	----	----	----	93 UNCH
3100	----	----	----	0.083B/0.774A	----	0.320 - 0.018	.0199	----	----	----	----	1 UNCH
3150	----	----	----	0.101B/0.657A	----	0.348 - 0.019	.0214	----	----	----	----	1 UNCH
3500	----	----	----	0.263B/1.024A	----	0.592 - 0.029	.0343	----	----	----	----	45 UNCH
3850	----	----	----	0.504B/1.314A	----	0.909 - 0.048	.0503	----	----	----	----	1 UNCH
3900	----	----	----	0.547B/1.361A	----	0.958 - 0.053	.0528	----	----	----	----	1 UNCH
3925	----	----	----	0.569B/1.385A	----	0.983 - 0.055	.0541	----	----	----	----	1 UNCH
4000	----	----	----	0.639B/1.459A	----	1.061 - 0.063	.0580	----	----	----	----	74 UNCH
4500	----	----	----	1.269B/2.057A	----	1.697 - 0.126	.0885	----	----	----	----	32 UNCH
4600	----	----	----	0.730B/2.869A	----	1.850 - 0.142	.0956	----	----	----	----	4 UNCH
4800	----	----	----	1.092B/3.202A	----	2.188 - 0.175	.1108	----	----	----	----	241 UNCH
5000	----	----	----	1.508B/3.589A	----	2.571 - 0.209	.1275	----	----	----	----	357 UNCH
5250	----	----	----	2.094B/4.049A	----	3.117 - 0.256	.1504	----	----	----	----	50 UNCH
5300	----	----	----	2.246B/4.276A	----	3.237 - 0.265	.1552	----	----	----	----	250 UNCH
5400	----	----	----	2.525B/4.537A	----	3.486 - 0.284	.1652	----	----	----	----	100 UNCH
5500	----	----	----	2.821B/4.813A	----	3.750 - 0.302	.1754	----	----	----	----	86 UNCH
5600	----	----	----	3.133B/5.105A	----	4.029 - 0.320	.1860	----	----	----	----	4 UNCH
5650	4.412	4.412	4.412/4.412	4.412/4.412	----	4.175 NEW	.1915	----	----	12	----	12 + 12
5800	----	----	----	3.808B/5.741A	----	4.637 - 0.354	.2082	----	----	----	----	1 UNCH
5950	----	----	----	4.359B/6.263A	----	5.138 - 0.377	.2256	----	----	----	----	5 UNCH
6000	----	----	----	4.552B/6.446A	----	5.314 - 0.385	.2315	----	----	----	----	147 UNCH
6200	----	----	----	5.331B/7.220A	----	6.064 - 0.412	.2557	----	----	----	----	13 UNCH
6300	----	----	----	5.797B/6.892A	----	6.469 - 0.423	.2681	----	----	----	----	25 UNCH
6500	----	----	----	6.714B/8.513A	----	7.339 - 0.440	.2933	----	----	----	----	626 UNCH
6650	----	----	----	7.446B/9.219A	----	8.043 - 0.449	.3124	----	----	----	----	5 UNCH
6725	----	----	----	7.220B/10.334A	----	8.411 - 0.452	.3220	----	----	----	----	4 UNCH
6750	----	----	----	7.956B/9.711A	----	8.536 - 0.453	.3252	----	----	----	----	6 UNCH
6800	----	----	----	8.216B/9.964A	----	8.789 - 0.456	.3316	----	----	----	----	52 UNCH
6850	----	----	----	8.482B/10.220A	----	9.047 - 0.457	.3379	----	----	----	----	65 UNCH
6900	----	----	----	8.750B/10.482A	----	9.309 - 0.459	.3443	----	----	----	----	1 UNCH
6950	----	----	----	9.023B/10.045A	----	9.576 - 0.460	.3506	----	----	----	----	101 UNCH
7000	----	----	----	9.301B/11.014A	----	9.846 - 0.462	.3570	----	----	----	----	179 UNCH
7050	----	----	----	9.582B/11.286A	----	10.121 - 0.463	.3633	----	----	----	----	1 UNCH
7075	----	----	----	9.037B/12.245A	----	10.260 - 0.464	.3664	----	----	----	----	20 UNCH
7100	----	----	----	9.866B/11.557A	----	10.400 - 0.465	.3696	----	----	----	----	2 UNCH
7200	----	----	----	10.448B/12.132A	----	10.969 - 0.468	.3820	----	----	----	----	14 UNCH
7500	----	----	----	12.281B/13.926A	----	12.765 - 0.478	.4187	----	----	----	----	25 UNCH
7550	----	----	----	12.599B/14.225A	----	13.077 - 0.479	.4247	----	----	----	----	1 UNCH
7800	----	----	----	14.238B/15.801A	----	14.686 - 0.489	.4535	----	----	----	----	20 UNCH
7850	----	----	----	14.575B/16.133A	----	15.017 - 0.491	.4591	----	----	----	----	10 UNCH
7875	----	----	----	13.921B/17.261A	----	15.184 - 0.492	.4619	----	----	----	----	4 UNCH
7900	----	----	----	14.915B/16.465A	----	15.352 - 0.493	.4647	----	----	----	----	19 UNCH
8000	----	----	----	15.605B/17.151A	----	16.030 - 0.497	.4756	----	----	----	----	50 UNCH
8100	----	----	----	16.306B/17.851A	----	16.720 - 0.501	.4864	----	----	----	----	1 UNCH
8200	----	----	----	16.965B/18.553A	----	17.421 - 0.506	.4968	----	----	----	----	35 UNCH
8350	----	----	----	18.103B/19.622A	----	18.493 - 0.512	.5121	----	----	----	----	9 UNCH
8400	----	----	----	18.471B/19.983A	----	18.856 - 0.514	.5171	----	----	----	----	50 UNCH
8500	20.057	20.057	20.057/20.035A	20.057/20.035A	----	19.588 - 0.519	.5269	----	----	10	----	160 + 10
8600	----	----	----	19.962B/21.455A	----	20.331 - 0.522	.5364	----	----	----	----	2 UNCH
8800	----	----	----	21.487B/22.921A	----	21.843 - 0.530	.5548	----	----	----	----	10 UNCH
8900	----	----	----	22.262B/23.692A	----	22.611 - 0.534	.5636	----	----	----	----	30 UNCH
9000	----	----	----	23.044B/24.476A	----	23.388 - 0.537	.5722	----	----	----	----	3 UNCH
9050	----	----	----	23.437B/24.853A	----	23.780 - 0.538	.5765	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
DEC26												
9500	----	----	----	26.990B/28.456A	----	27.381 - 0.548	.6121	----	----	----	----	2 UNCH
9850	----	----	----	29.943B/31.295A	----	30.268 - 0.550	.6371	----	----	----	----	8 UNCH
9950	----	----	----	30.780B/32.129A	----	31.105 - 0.549	.6438	----	----	----	----	1 UNCH
10025	----	----	----	30.429B/33.839A	----	31.736 - 0.548	.6488	----	----	----	----	3 UNCH
10125	----	----	----	31.271B/34.698A	----	32.580 - 0.547	.6552	----	----	----	----	1 UNCH
10700	----	----	----	36.233B/39.616A	----	37.518 - 0.526	.6894	----	----	----	----	5 UNCH
10800	----	----	----	37.103B/40.483A	----	38.390 - 0.521	.6948	----	----	----	----	2 UNCH
11000	----	----	----	38.816B/42.228A	----	40.143 - 0.510	.7054	----	----	----	----	2 UNCH
11500	----	----	----	8.335B/81.292A	----	44.581 - 0.477	.7296	----	----	----	----	1 UNCH
12000	----	----	----	13.053B/86.054A	----	49.088 - 0.439	.7511	----	----	----	----	1 UNCH
12100	----	----	----	13.713B/86.872A	----	49.996 - 0.432	.7551	----	----	----	----	1 UNCH
12300	----	----	----	15.120B/89.231A	----	51.820 - 0.416	.7628	----	----	----	----	1 UNCH
15000	----	----	----	38.178B/113.509A	----	77.112 - 0.217	.8393	----	----	----	----	1 UNCH
19000	----	----	----	80.666B/147.677A	----	115.864 - 0.036	.8989	----	----	----	----	1 UNCH
TOTAL										22	0	3401 + 22
JAN27												
3800	----	----	----	0.001B/6.493A	----	1.512 + 0.771	.0648	----	----	----	----	1 UNCH
7125	----	----	----	2.378B/20.131A	----	11.274 + 0.062	.3609	----	----	----	----	1 UNCH
8600	----	----	----	11.176B/30.624A	----	20.931 - 0.076	.5124	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
7175	----	----	----	----	----	16.847 - 0.044	.3235	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO2 CALL		SILVER OPTIONS										
APR26												
6200	----	----	----	----/109.554A	----	11.023 - 0.270	.9628	----	----	----	----	1 UNCH
6800	----	----	----	----/78.845A	----	5.555 - 0.538	.8269	----	----	----	----	2 UNCH
7000	----	----	----	2.914B/4.782A	----	4.036 - 0.574	.7185	----	----	----	----	1 UNCH
7050	----	----	----/3.830A	2.883B/3.830A	----	3.690 - 0.582	.6863	----	----	----	----	2 UNCH
7110	----	----	----/3.171A	3.064B/3.171A	----	3.294 - 0.592	.6451	----	----	----	----	1 UNCH
7200	----	----	----/2.715A	2.826B/2.715A	----	2.745 - 0.604	.5792	----	----	----	----	2 UNCH
7300	----	----	----/2.032A	2.161B/2.032A	----	2.200 - 0.612	.5019	----	----	----	----	1 UNCH
7350	----	----	----/1.813A	2.166B/1.813A	----	1.955 - 0.613	.4626	----	----	----	----	4 UNCH
7355	1.896	1.896	#1.896/*1.822A	2.137B/*1.822A	----	1.932 NEW	.4587	----	----	3	----	3 + 3
7400	1.600	1.600	1.600/1.600	2.036B/1.600	----	1.729 - 0.611	.4234	----	----	1	----	103 + 1
7450	----	----	----/*1.427A	1.760B/*1.427A	----	1.522 - 0.607	.3847	----	----	----	----	2 UNCH
7475	----	----	----/*1.269A	1.612B/*1.269A	----	1.425 - 0.604	.3657	----	----	----	----	3 UNCH
7500	----	----	----/*1.187A	1.558B/*1.187A	----	1.333 - 0.599	.3471	----	----	5	----	16 + 5
7550	----	----	----/*1.033A	1.315B/*1.033A	----	1.163 - 0.588	.3109	----	----	----	----	2 UNCH
7600	0.847	0.847	0.847/*0.847	1.238B/*0.847	----	1.011 - 0.574	.2766	----	----	3	----	6 + 3
7605	0.866	0.866	#0.866/*0.866	1.229B/*0.866	----	0.996 NEW	.2732	----	----	5	----	5 + 5
7675	----	----	----/*0.722A	1.034B/*0.722A	----	0.814 - 0.547	.2293	----	----	----	----	1 UNCH
7700	----	----	----/*0.676A	0.970B/*0.676A	----	0.756 - 0.537	.2147	----	----	----	----	10 UNCH
7775	----	----	----/*0.563A	0.782B/*0.563A	----	0.605 - 0.503	.1750	----	----	----	----	1 UNCH
7800	----	----	----/*0.506A	0.728B/*0.506A	----	0.561 - 0.491	.1631	----	----	----	----	21 UNCH
7900	----	----	----/*0.397A	0.542B/*0.397A	----	0.417 - 0.437	.1222	----	----	----	----	3 UNCH
8000	0.420	0.420	0.420/*0.302A	0.420/*0.302A	----	0.313 - 0.380	.0913	----	----	6	----	31 + 5
8100	----	----	----/*0.239A	0.292B/*0.239A	----	0.240 - 0.323	.0687	----	----	----	----	22 UNCH
8150	----	----	----/*0.234A	0.247B/*0.234A	----	0.213 - 0.294	.0601	----	----	----	----	1 UNCH
8250	----	----	----/*0.231A	0.172B/*0.231A	----	0.171 - 0.243	.0467	----	----	----	----	7 UNCH
8400	----	----	----/*0.198A	0.021B/*0.198A	----	0.131 - 0.175	.0336	----	----	----	----	5 UNCH
8500	----	----	----/*0.178A	0.006B/*0.178A	----	0.113 - 0.139	.0277	----	----	----	----	27 UNCH
8625	----	----	----/*0.164A	0.004B/*0.164A	----	0.098 - 0.100	.0227	----	----	----	----	2 UNCH
8800	----	----	----	0.004B/*0.158A	----	0.070 - 0.066	.0152	----	----	----	----	6 UNCH
9000	----	----	----	0.014B/0.149A	----	0.037 - 0.043	.0076	----	----	----	----	16 UNCH
9125	----	----	----	0.007B/*0.138A	----	0.025 - 0.031	.0049	----	----	----	----	2 UNCH
9200	----	----	----	0.004B/*0.135A	----	0.019 - 0.027	.0036	----	----	----	----	7 UNCH
9500	----	----	----	0.001B/*0.115A	----	0.007 - 0.012	.0011	----	----	----	----	2 UNCH
9700	----	----	----	----/0.109A	----	0.003 - 0.007	.0004	----	----	----	----	4 UNCH
TOTAL										23	0	322 + 22
SO2 PUT		SILVER OPTIONS										
APR26												
5500	----	----	----/0.123A	0.042B/0.123A	----	0.041 - 0.098	.0061	----	----	----	----	10 UNCH
5800	----	----	----/*0.168A	0.016B/*0.168A	----	0.076 - 0.121	.0131	----	----	----	----	2 UNCH
6000	----	----	----/0.196A	0.055B/0.196A	----	0.120 - 0.145	.0226	----	----	----	----	43 UNCH
6100	----	----	----/*0.217A	0.084B/*0.217A	----	0.151 - 0.162	.0297	----	----	----	----	10 UNCH
6200	----	----	----/*0.203A	0.135B/*0.203A	----	0.180 - 0.196	.0371	----	----	----	----	1 UNCH
6250	----	----	----/*0.217A	0.182B/*0.217A	----	0.197 - 0.216	.0416	----	----	----	----	2 UNCH
6300	----	----	----/*0.237A	0.216B/*0.237A	----	0.216 - 0.239	.0467	----	----	----	----	1 UNCH
6400	0.310	0.310	0.310/*0.267A	0.310/*0.267A	----	0.264 - 0.288	.0597	----	----	2	----	12 + 2
6450	----	----	----/*0.297A	0.334B/*0.297A	----	0.294 - 0.315	.0677	----	----	----	----	2 UNCH
6500	0.370	0.370	0.400/*0.331A	0.400/*0.331A	----	0.329 - 0.342	.0771	----	----	13	----	16 + 5
6600	----	----	----/*0.415A	0.531B/*0.415A	----	0.419 - 0.392	.1008	----	----	----	----	24 UNCH
6650	----	----	----/*0.465A	0.562B/*0.465A	----	0.476 - 0.414	.1155	----	----	----	----	3 UNCH
6750	0.680	0.680	0.680/*0.586A	0.781B/*0.586A	----	0.621 - 0.449	.1516	----	----	3	----	3 UNCH
6800	0.710	0.710	0.710/*0.662A	0.946B/*0.662A	----	0.709 - 0.463	.1730	----	----	2	----	2 UNCH
6870	----	----	----/*0.783A	1.093B/*0.783A	----	0.854 - 0.478	.2070	----	----	----	----	3 UNCH
6950	1.050	1.050	1.050/*0.952A	1.343B/*0.952A	----	1.050 NEW	.2511	----	----	3	----	3 + 3
7000	1.200	1.200	1.200/*1.077A	1.569B/*1.077A	----	1.190 - 0.498	.2814	----	----	9	----	12 + 4
7025	----	----	----/1.143A	1.615B/1.143A	----	1.265 - 0.502	.2973	----	----	----	----	1 UNCH
7050	----	----	----/*1.215A	1.709B/*1.215A	----	1.343 - 0.507	.3136	----	----	----	----	1 UNCH
7085	1.388	1.388	1.388/1.330A	1.850B/1.330A	----	1.460 NEW	.3374	----	----	2	----	2 + 2
7100	1.476	1.476	1.476/*1.369A	1.959B/*1.369A	----	1.512 NEW	.3478	----	----	3	----	3 + 3
7110	----	----	----/1.431A	1.954B/1.431A	----	1.548 - 0.515	.3548	----	----	----	----	2 UNCH
7115	1.423	1.423	1.423/1.423	1.976B/1.423	----	1.566 NEW	.3583	----	----	5	----	5 + 5
7150	----	----	----/1.593A	2.130B/1.593A	----	1.697 - 0.521	.3835	----	----	----	----	2 UNCH
7175	----	----	----/1.695A	2.244B/1.695A	----	1.795 - 0.525	.4019	----	----	----	----	1 UNCH
7180	----	----	2.500B/1.718A	2.500B/1.718A	----	1.815 - 0.525	.4057	----	----	----	----	1 UNCH
7195	----	----	----/1.772A	2.339B/1.772A	----	1.877 - 0.527	.4169	----	----	----	----	1 UNCH
7200	1.750	1.750	1.750/1.750	2.410B/1.750	----	1.898 NEW	.4207	----	----	1	----	1 + 1
7325	----	----	----/2.359A	2.611B/2.359A	----	2.478 - 0.536	.5176	----	----	----	----	1 UNCH
7400	----	----	----/2.747A	2.863B/2.747A	----	2.882 - 0.534	.5765	----	----	----	----	1 UNCH
7500	----	----	----/3.569A	3.170B/3.569A	----	3.486 - 0.521	.6528	----	----	----	----	1 UNCH
7600	----	----	----/4.448A	3.132B/4.448A	----	4.163 - 0.496	.7233	----	----	----	----	1 UNCH
TOTAL										43	0	173 + 25
SO3 CALL		SILVER OPTIONS										
APR26												
7000	----	----	----/5.231A	4.548B/5.231A	----	5.018 - 0.585	.6572	----	----	----	----	7 UNCH
7100	----	----	----/4.348A	4.393B/4.348A	----	4.388 - 0.604	.6116	----	----	----	----	1 UNCH
7300	----	----	----/3.326A	3.668B/3.326A	----	3.275 NEW	.5144	----	----	5	----	5 + 5
7400	----	----	----/2.872A	3.102B/2.872A	----	2.795 NEW	.4644	----	----	2	----	2 + 2
7420	2.904	2.904	#2.904/*2.904	#2.957B/*2.810A	----	2.706 NEW	.4545	----	----	5	----	5 + 5
7500	2.526	2.526	2.611B/2.400	2.611B/2.400	----	2.368 - 0.630	.4149	----	----	3	----	17 + 3
7575	----	----	----/2.212A	2.266B/2.212A	----	2.081 - 0.623	.3787	----	----	----	----	2 UNCH
7600	----	----	----/2.094A	2.207B/2.094A	----	1.991 - 0.621	.3668	----	----	----	----	3 UNCH
7800	1.800	1.800	1.800/*1.406A	1.800/*1.406A	----	1.383 NEW	.2783	----	----	3	----	3 + 3
7975	----	----	----/*1.048A	1.176B/*1.048A	----	0.991 - 0.525	.2124	----	----	----	----	2 UNCH
8000	----	----	----/*1.013A	1.125B/*1.013A	----	0.944 - 0.517	.2040	----	----	----	----	1 UNCH
8500	----	----	----/*0.482A	0.413B/*0.482A	----	0.372 - 0.319	.0884	----	----	----	----	11 UNCH
8800	----	----	----/*0.350A	0.253B/*0.350A	----	0.225 NEW	.0541	----	----	1	----	1 + 1
TOTAL										19	0	60 + 19
SO3 PUT		SILVER OPTIONS										
APR26												
4000	----	----	----	0.001B/*0.114A	----	0.009 - 0.005	.0012	----	----	----	----	20 UNCH
5500	----	----	----/*0.269A	0.097B/*0.269A	----	0.205 - 0.135	.0335	----	----	----	----	1 UNCH
6000	0.418	0.418	0.419/*0.408A	0.419/*0.408A	----	0.407 - 0.254	.0718	----	----	77	----	75 + 72
6300	0.760	0.760	0.760/*0.710A	0.760/*0.710A	----	0.667 NEW	.1183	----	----	2	----	2 + 2
6400	----	----	----/*0.865A	0.839B/*0.865A	----	0.792 - 0.361	.1397	----	----	1	----	6 + 1
6500	1.400	1.400	1.400/*0.925A	1.400/*0.925A	----	0.941 - 0.388	.1644	----	----	60	----	4 UNCH
6825	----	----	----/1.606A	1.852B/1.606A	----	1.635 - 0.470	.2701	----	----	----	----	20 UNCH
7000	----	----	----/2.140A	2.548B/2.140A	----	2.174 - 0.509	.3427	----	----	----	----	8 UNCH
7300	----	----	----/3.513A	3.961B/3.513A	----	3.428 - 0.552	.4855	----	----	----	----	10 UNCH
7380	3.817	3.817	#3.817/*3.817	#4.335B/*3.817	----	3.839 NEW	.5255	----	----	2	----	2 + 2
7500	----	----	----/4.578A	4.704B/4.578A	----	4.519 - 0.552	.5850	----	----	----	----	1 UNCH
7625	----	----	----	4.598B/6.369A	----	5.304 - 0.539	.6448	----	----	----	----	1 UNCH
TOTAL										142	0	150 + 77
SO4 CALL		SILVER OPTIONS										
APR26												
7800	----	----	----/2.326A	2.284B/2.326A	----	2.405 - 0.336	.3470	----	----	----	----	8 UNCH
8200	----	----	----/*1.467A	1.264B/*1.467A	----	1.476 - 0.310	.2348	----	----	----	----	1 UNCH
8225	----	----	----/*1.455A	1.182B/*1.455A	----	1.445 - 0.309	.2299	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO4 CALL		SILVER OPTIONS										
TOTAL											0	11 0
SO4 PUT		SILVER OPTIONS										
APR26												
6050	----	----	----/0.877A	0.664B/0.877A	----	0.887 -	0.249 .1220	----	----	----	----	7 UNCH
6125	----	----	----/0.963A	0.767B/0.963A	----	0.983 -	0.261 .1345	----	----	----	----	2 UNCH
6400	----	----	----/1.381A	1.310B/1.381A	----	1.474 -	0.267 .1926	----	----	----	----	1 UNCH
7300	----	----	----/4.361A	4.487B/4.361A	----	4.625 -	0.213 .4751	----	----	----	----	1 UNCH
TOTAL											0	11 0
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
6000	----	----	----	----	----	12.857 -	0.220 .9988	----	----	----	----	1 UNCH
6500	0.097	0.097	0.097/*0.097	0.114B/*0.097	----	0.088	NEW .0182	----	----	1	----	1 + 1
6600	0.425	0.425	0.425/*0.243A	0.425/*0.243A	----	0.134 -	0.363 .0312	----	----	1	----	2 + 1
6700	----	----	----/*0.305A	0.319B/*0.305A	----	0.203 -	0.421 .0524	----	----	----	----	1 UNCH
6800	----	----	----/2.111A	2.218B/2.111A	----	2.221 -	0.346 .2925	----	----	----	----	3 UNCH
6800	0.255	0.255	0.255/*0.255	0.481B/*0.255	----	0.305 -	0.479 .0855	----	----	1	----	11 + 1
6900	----	----	----/*0.523A	0.696B/*0.523A	----	0.450 -	0.535 .1340	----	----	----	----	1 UNCH
7000	0.650	0.650	0.650/*0.649A	0.989B/*0.649A	----	0.651 -	0.582 .2011	----	----	2	----	2 + 1
7190	----	----	----/2.507A	1.506B/2.507A	----	2.143 -	0.739 .6207	----	----	----	----	3 UNCH
7200	----	----	----/*1.282A	1.764B/*1.282A	----	1.233	NEW .3904	----	----	9	----	9 + 9
7200	----	----	3.100B/2.677A	3.100B/2.677A	----	2.549 -	0.535 .4328	----	----	----	----	1 UNCH
7250	----	----	----/1.726A	1.561B/1.726A	----	1.779 -	0.750 .5511	----	----	----	----	1 UNCH
7400	----	----	----/*1.035A	1.263B/*1.035A	----	1.062 -	0.700 .3682	----	----	----	----	1 UNCH
7400	----	----	----/2.416A	1.877B/2.416A	----	2.214 -	0.623 .6317	----	----	----	----	5 UNCH
7500	0.925	0.925	0.925/*0.734A	0.925/*0.734A	----	0.729	NEW .2594	----	----	6	----	3 + 3
7550	0.581	0.581	0.581/*0.581	0.606B/*0.581	----	0.599	NEW .2130	----	----	1	----	1 + 1
7600	----	----	----/*0.532A	0.485B/*0.532A	----	0.490 -	0.523 .1725	----	----	----	----	2 UNCH
7650	----	----	----/*0.475A	0.318B/*0.475A	----	0.399 -	0.474 .1380	----	----	----	----	10 UNCH
7700	0.400	0.400	0.400/*0.375A	0.400/*0.375A	----	0.325	NEW .1095	----	----	1	----	1 + 1
7750	----	----	----/*0.360A	0.127B/*0.360A	----	0.263 -	0.381 .0858	----	----	----	----	20 UNCH
7800	----	----	----/*0.276A	0.101B/*0.276A	----	0.213	NEW .0669	----	----	4	----	2 + 2
8000	0.166	0.166	0.166/*0.070	0.166/*0.070	----	0.091 -	0.218 .0232	----	----	2	----	3 + 2
8500	----	----	----/*0.112A	0.001B/*0.112A	----	0.015 -	0.111 .0019	----	----	----	----	5 UNCH
8725	----	----	----/*0.103A	----/*0.103A	----	0.009 -	0.097 .0009	----	----	----	----	1 UNCH
8800	----	----	----	----	----	15.157 +	0.003 .9994	----	----	----	----	1 UNCH
TOTAL										28	0	91 + 22
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week1										
APR26												
4200	----	----	----	----/0.206A	----	0.001 -	0.003 ----	----	----	----	----	1 UNCH
6000	0.200	0.200	0.200/*0.200	0.200/*0.200	----	0.277	NEW .0529	----	----	1	----	1 + 1
6100	----	----	----/*0.123A	----/*0.123A	----	0.028 -	0.096 .0009	----	----	----	----	1 UNCH
6500	----	----	----/*0.696A	0.660B/*0.696A	----	0.622	NEW .1289	----	----	1	----	1 + 1
6500	0.180	0.180	0.180/*0.051A	0.180/*0.051A	----	0.058 -	0.234 .0046	----	----	13	----	13 + 12
6600	----	----	----/*0.142A	0.027B/*0.142A	----	0.059 -	0.307 .0057	----	----	----	----	1 UNCH
6700	0.070	0.070	0.070/*0.070	0.105B/*0.070	----	0.067 -	0.396 .0083	----	----	1	----	2 + 1
6800	0.098	0.098	0.101/*0.098	0.220B/*0.098	----	0.094 -	0.495 .0161	----	----	2	----	3 + 2
6850	0.137	0.137	0.137/*0.137	0.250B/*0.137	----	0.119 -	0.547 .0241	----	----	1	----	2 + 1
6900	0.260	0.260	0.260/*0.247A	0.390B/*0.247A	----	0.154	NEW .0368	----	----	1	----	1 + 1
6950	0.315	0.315	0.315/*0.315	0.458B/*0.315	----	0.203	NEW .0565	----	----	1	----	1 + 1
6975	0.305	0.305	0.305/*0.294A	0.523B/*0.294A	----	0.233	NEW .0696	----	----	1	----	1 + 1
7000	----	----	----/*0.325A	0.639B/*0.325A	----	0.267 -	0.701 .0851	----	----	----	----	1 UNCH
7000	----	----	----/1.743A	2.018B/1.743A	----	1.592	NEW .3162	----	----	1	----	1 + 1
7055	----	----	----	----	----	2.656 -	0.828 .8701	----	----	----	----	5 UNCH
7070	----	----	----/*0.510A	0.828B/*0.510A	----	0.389 -	0.764 .1448	----	----	----	----	3 UNCH
7100	----	----	----	0.558B/3.392A	----	2.301 -	0.865 .8214	----	----	----	----	1 UNCH
7100	0.460	0.460	0.460/*0.430	0.981B/*0.430	----	0.454	NEW .1785	----	----	2	----	2 + 2
7150	0.686	0.686	0.686/*0.564	1.140B/*0.564	----	0.583	NEW .2464	----	----	2	----	2 + 2
7200	----	----	----/1.768A	1.291B/1.768A	----	1.588 -	0.927 .6710	----	----	----	----	2 UNCH
7215	----	----	----/*1.399A	1.161B/*1.399A	----	1.492 -	0.932 .6436	----	----	----	----	2 UNCH
7220	1.000	1.000	1.000/*0.905A	1.340B/*0.905A	----	0.813	NEW .3656	----	----	1	----	1 + 1
7250	1.100	1.100	1.100/*1.100	1.161B/*1.100	----	1.278	NEW .5761	----	----	1	----	1 + 1
7250	----	----	----/*1.007A	1.315B/*1.007A	----	0.931 -	0.866 .4238	----	----	1	----	11 + 1
7300	----	----	----/*0.957A	1.126B/*0.957A	----	1.001 -	0.947 .4732	----	----	----	----	2 UNCH
7320	----	----	----/*0.902A	1.080B/*0.902A	----	0.900 -	0.945 .4310	----	----	----	----	2 UNCH
7350	0.790	0.790	0.840/*0.650	1.005B/*0.650	----	0.760	NEW .3682	----	----	5	----	2 + 2
7400	0.500	0.500	0.500/*0.500	0.809B/*0.500	----	0.557 -	0.914 .2684	----	----	1	----	6 UNCH
7400	----	----	----/3.503A	3.148B/3.503A	----	3.314 -	0.738 .5545	----	----	----	----	2 UNCH
7420	0.470	0.470	#0.470/*0.470	0.683B/*0.470	----	0.488	NEW .2321	----	----	1	----	1 + 1
7450	0.550	0.550	0.550/*0.452A	0.558B/*0.452A	----	0.395	NEW .1821	----	----	3	----	3 + 3
7475	0.800	0.800	0.800/*0.310	0.800/*0.310	----	0.329	NEW .1459	----	----	5	----	3 + 3
7475	----	----	----/2.017A	2.115B/2.017A	----	1.856 -	0.798 .3994	----	----	----	----	2 UNCH
7500	0.473	0.473	0.473/*0.280	0.473/*0.280	----	0.272 -	0.815 .1148	----	----	4	----	5 UNCH
7500	----	----	----/1.897A	2.038B/1.897A	----	1.762 -	0.791 .3845	----	----	----	----	1 UNCH
7520	0.276	0.276	#0.276/*0.271	0.314B/*0.271	----	0.232	NEW .0933	----	----	20	----	20 + 20
7600	----	----	----/1.571A	1.607B/1.571A	----	1.425 -	0.754 .3270	----	----	----	----	7 UNCH
7700	----	----	----/*0.159A	0.055B/*0.159A	----	0.057 -	0.511 .0113	----	----	----	----	16 UNCH
7800	----	----	----/*1.080A	0.988B/*1.080A	----	0.920 -	0.649 .2282	----	----	----	----	1 UNCH
7800	----	----	----/*0.136A	0.002B/*0.136A	----	0.029 -	0.381 .0035	----	----	----	----	42 UNCH
7900	----	----	----/*0.124A	0.001B/*0.124A	----	0.015 -	0.286 .0011	----	----	----	----	1 UNCH
8000	0.054	0.054	0.054/*0.031A	0.054/*0.031A	----	0.007 -	0.221 .0002	----	----	2	----	2 UNCH
8000	----	----	----/*0.737A	0.544B/*0.737A	----	0.592 -	0.526 .1541	----	----	----	----	4 UNCH
8050	----	----	----/*0.110A	0.001B/*0.110A	----	0.005 -	0.196 .0001	----	----	----	----	1 UNCH
8400	----	----	----	----/*0.124A	----	0.001 -	0.113 ----	----	----	----	----	1 UNCH
8800	----	----	----	----/0.144A	----	0.001 -	0.076 ----	----	----	----	----	1 UNCH
9500	----	----	----	----/0.181A	----	0.001 -	0.009 ----	----	----	----	----	1 UNCH
TOTAL										71	0	186 + 58

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK1										
APR26												
515	----	----	----	----/0.0075A	----	0.0000 -	0.0010 ----	----	----	----	----	0 - 1
525	----	----	----	----/*0.0075A	----	0.0000 -	0.0020 ----	----	----	----	----	0 - 10
530	----	----	#0.3920B/0.3075	0.3920B/0.3075A	----	0.3170 +	0.0065 .8955	----	----	----	----	9 UNCH
535	----	----	----	----/*0.0075A	----	0.0000 -	0.0045 ----	----	----	----	----	0 - 1
535	0.0230	0.0230	0.0230/*0.0230	0.0230/*0.0230	----	0.0220	NEW .1418	----	----	1	----	1 + 1
537	----	----	----	----/*0.0075A	----	0.0000 -	0.0055 ----	----	----	----	----	0 - 1
540	----	----	----	----/*0.0080A	----	0.0000 -	0.0070 ----	----	----	----	----	0 - 899
542	----	----	----/*0.0080A	----/*0.0080A	----	0.0000 -	0.0085 ----	----	----	----	----	0 - 10
545	----	----	----/*0.0080A	----/*0.0080A	----	0.0000 -	0.0110 ----	----	----	----	----	0 - 12
545	0.2000	0.2000	0.2325B/0.1405A	0.2325B/0.1405A	----	0.1510 +	0.0065 ----	----	----	4	----	0 - 4
550	----	----	----/*0.0005A	----/*0.0005A	----	0.0000 -	0.0195 ----	----	----	----	----	0 - 2
550	0.1700	0.1700	#0.2135B/0.1550	0.2135B/0.1550A	----	0.1550	NEW .6800	----	----	3	----	3 + 3
555	0.0070	0.0070	0.0070/*0.0020	0.0070/*0.0020	----	0.0000 -	0.0340 ----	----	----	15	----	0 - 5
555	0.0800	0.0800	0.1340B/*0.0460	0.1340B/*0.0460	----	0.0510 -	0.0165 ----	----	----	1	----	0 - 3
558	0.0155	0.0155	0.0155/*0.0115A	0.0155/*0.0115A	----	0.0000	NEW ----	----	----	1	----	0 UNCH
560	0.0260	0.0260	0.0260/*0.0040	0.0260/*0.0040	----	0.0000 -	0.0570 ----	----	----	20	----	0 - 9
560	----	----	0.0850B/*0.0155	0.0850B/*0.0155	----	0.0010 -	0.0395 ----	----	----	1	----	0 - 13
560	----	----	#0.1400B/----	0.1400B/0.0985A	----	0.0945 -	0.0025 .5095	----	----	----	----	5 UNCH
563	0.0010	0.0010	0.0575B/*0.0010	0.0575B/*0.0010	----	0.0000	NEW ----	----	----	1	----	0 UNCH
565	0.0170	0.0170	0.0610B/*0.0170	0.0610B/*0.0170	----	0.0490	NEW ----	----	----	3	----	0 UNCH
565	0.0210	0.0210	0.0395B/*0.0020	0.0395B/*0.0020	----	0.0000 -	0.0220 ----	----	----	8	----	0 - 13
566	----	----	0.0315B/*0.0085	0.0315B/*0.0085	----	0.0000 -	0.0195 ----	----	----	----	----	0 - 10
567	----	----	0.0245B/*0.0080	0.0245B/*0.0080	----	0.0000 -	0.0170 ----	----	----	----	----	0 - 10
568	0.0030	0.0030	0.0175B/*0.0020	0.0175B/*0.0020	----	0.0000	NEW ----	----	----	2	----	0 UNCH
569	----	----	----/*0.0080A	0.0115B/*0.0080	----	0.0000 -	0.0125 ----	----	----	----	----	0 - 1
570	0.0055	0.0055	0.0095B/*0.0030	0.0095B/*0.0030	----	0.0000 -	0.0110 ----	----	----	3	----	0 - 48
573	0.0560	0.0560	0.0700B/0.0500A	0.0700B/0.0500A	----	0.0415	NEW .2811	----	----	1	----	1 + 1
575	----	----	----	----/*0.0050A	----	0.0000 -	0.0050 ----	----	----	----	----	0 - 20
580	----	----	----	----/*0.0075A	----	0.0000 -	0.0025 ----	----	----	----	----	0 - 11
584	0.0175	0.0175	0.0325B/*0.0175	0.0325B/*0.0175	----	0.0195	NEW .1451	----	----	1	----	1 + 1
587	----	----	----/0.1890A	0.2815B/0.1890A	----	0.2690 -	0.0185 ----	----	----	----	----	0 - 4
645	----	----	----	----/0.0075A	----	0.0000 -	0.0005 ----	----	----	----	----	0 - 2
TOTAL										65		20 - 1083
HWR THU		COPPER WEEKLY THURSDAY OPT Week3										
APR26												
500	----	----	----	0.0035B/0.0155A	----	0.0070 -	0.0040 .0369	----	----	----	----	3 UNCH
508	----	----	----	0.0185B/*0.0295	----	0.0245 -	0.0020 .1016	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWR THU	COPPER WEEKLY THURSDAY OPT Week4										
APR26											
510 ----	----	----	0.0220B/*0.0305	----	0.0265 - 0.0020	.1093	----	----	----	----	10 UNCH
520 ----	----	----	0.0315B/0.0415A	----	0.0375 - 0.0030	.1525	----	----	----	----	70 UNCH
530 ----	----	----/*0.0330A	0.0250B/*0.0330	----	0.0305 - 0.0090	.1570	----	----	----	----	2 UNCH
552 ----	----	----/*0.0340A	0.0365B/*0.0340	----	0.0390 - 0.0220	.2982	----	----	----	----	4 UNCH
556 ----	----	0.1450B/----	0.1450B/0.1420A	----	0.1410 + 0.0010	.5670	----	----	----	----	1 UNCH
560 0.0770	0.0770	0.1060B/0.0765A	0.1060B/0.0765A	----	0.0705 NEW	.5080	----	----	1	----	1 + 1
565 ----	----	0.0855B/0.0550A	0.0855B/0.0550A	----	0.0475 NEW	.3772	----	----	1	----	1 + 1
571 ----	----	0.1070B/----	0.1070B/0.0775A	----	0.0705 - 0.0035	.3574	----	----	----	----	1 UNCH
590 ----	----	0.0400B/----	0.0400B/0.0350A	----	0.0255 - 0.0040	.1549	----	----	----	----	2 UNCH
620 ----	----	----	0.0040B/0.0140A	----	0.0055 - 0.0025	.0351	----	----	----	----	4 UNCH
635 ----	----	----	----/0.0100A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
650 ----	----	----	----/0.0125A	----	0.0010 - 0.0005	.0063	----	----	----	----	2 UNCH
TOTAL									2		122 + 2
HWT TUE	COPPER WEEKLY TUESDAY OPTION Week1										
APR26											
505 ----	----	----	----/0.0110A	----	0.0005 - 0.0005	----	----	----	----	----	1 UNCH
527 ----	----	----	----/*0.0130A	----	0.0005 - 0.0055	----	----	----	----	----	1 UNCH
535 ----	----	----	----/*0.0140A	----	0.0005 - 0.0090	.0000	----	----	----	----	14 UNCH
540 ----	----	----	----/0.0145A	----	0.0005 - 0.0130	.0010	----	----	----	----	10 UNCH
542 ----	----	----/0.0155A	----/0.0155A	----	0.0010 - 0.0150	.0033	----	----	----	----	10 UNCH
544 ----	----	----/0.0160A	0.0005B/0.0160A	----	0.0015 - 0.0175	.0066	----	----	----	----	10 UNCH
545 ----	----	----/*0.0090A	0.0010B/*0.0090	----	0.0020 - 0.0190	.0103	----	----	----	----	10 UNCH
550 0.0080	0.0080	0.0100/*0.0080	0.0100/*0.0080	----	0.0065 NEW	.0610	----	----	2	----	2 + 2
555 0.0210	0.0210	0.0210/*0.0175A	0.0210/*0.0175A	----	0.0160 NEW	.2096	----	----	1	----	1 + 1
555 ----	----	0.1400B/0.0740A	0.1400B/0.0740A	----	0.0670 - 0.0155	.7903	----	----	----	----	1 UNCH
560 0.0395	0.0395	0.0960B/*0.0395	0.0960B/*0.0395	----	0.0355 NEW	.5086	----	----	1	----	1 + 1
561 0.0400	0.0400	0.0460B/*0.0280	0.0460B/*0.0280	----	0.0390 NEW	.5566	----	----	1	----	1 + 1
561 0.0440	0.0440	0.0875B/*0.0365	0.0875B/*0.0365	----	0.0300 NEW	.4433	----	----	1	----	1 + 1
565 0.0190	0.0190	0.0575B/*0.0185	0.0575B/*0.0185	----	0.0150 NEW	.2098	----	----	31	----	31 + 31
565 ----	----	0.1165B/----	0.1165B/0.0845A	----	0.0795 - 0.0025	.4278	----	----	----	----	1 UNCH
568 0.1000	0.1000	0.1040B/0.0730A	0.1040B/0.0730A	----	0.0670 NEW	.3791	----	----	1	----	1 + 1
575 0.0060	0.0060	0.0100/*0.0060	0.0100/*0.0060	----	0.0015 NEW	.0075	----	----	2	----	2 + 2
580 ----	----	----	0.0010B/*0.0100	----	0.0005 - 0.0065	.0004	----	----	----	----	10 UNCH
585 0.0230	0.0230	0.0380B/*0.0230	0.0380B/*0.0230	----	0.0235 - 0.0050	.1601	----	----	1	----	0 - 1
TOTAL									41		108 + 39
HWW WED	COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26											
520 ----	----	----	----/*0.0100A	----	0.0010 - 0.0065	.0038	----	----	----	----	2 UNCH
522 ----	----	----/*0.0245A	0.0130B/*0.0245	----	0.0165 NEW	.0934	----	----	1	----	1 + 1
535 ----	----	----/*0.0100A	0.0015B/*0.0100	----	0.0045 - 0.0115	.0297	----	----	----	----	1 UNCH
549 ----	----	----/*0.0875A	0.1000B/*0.0875	----	0.1000 - 0.0105	.3671	----	----	----	----	1 UNCH
550 ----	----	----/*0.0195A	0.0185B/*0.0195	----	0.0240 - 0.0210	.2090	----	----	----	----	7 UNCH
552 0.0295	0.0295	0.0295/*0.0245A	0.0295/*0.0245A	----	0.0290 NEW	.2551	----	----	2	----	2 + 2
554 ----	----	----/*0.0715A	0.0850B/*0.0715	----	0.0845 - 0.0165	.4003	----	----	----	----	1 UNCH
560 0.0595	0.0595	0.0880B/0.0595	0.0880B/0.0595	----	0.0600 NEW	.5075	----	----	1	----	1 + 1
568 0.0400	0.0400	0.0560B/0.0340A	0.0560B/0.0340A	----	0.0265 NEW	.2546	----	----	5	----	5 + 5
580 0.0085	0.0085	0.0100B/*0.0085	0.0100B/*0.0085	----	0.0060 NEW	.0500	----	----	10	----	10 + 10
580 ----	----	#0.1010B/----	#0.1010B/0.0715	----	0.0680 - 0.0010	.2988	----	----	----	----	1 UNCH
588 ----	----	0.0375B/----	0.0375B/0.0330A	----	0.0235 - 0.0045	.1522	----	----	----	----	1 UNCH
595 ----	----	0.0230B/----	0.0230B/0.0250A	----	0.0150 NEW	.1016	----	----	1	----	1 + 1
600 ----	----	0.0160B/----	0.0160B/0.0205A	----	0.0115 - 0.0035	.0782	----	----	----	----	1 UNCH
620 ----	----	----	----/0.0070A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
TOTAL									20		36 + 20
MAY26											
465 ----	----	----	0.0100B/*0.0210	----	0.0155 + 0.0025	.0479	----	----	----	----	2 UNCH
475 ----	----	----	0.0140B/*0.0245	----	0.0220 + 0.0030	.0657	----	----	----	----	2 UNCH
485 ----	----	----	0.0190B/0.0290A	----	0.0305 + 0.0040	.0882	----	----	----	----	1 UNCH
500 ----	----	----/0.0390A	0.0310B/0.0390A	----	0.0460 + 0.0050	.1287	----	----	----	----	1 UNCH
510 ----	----	----/*0.0485A	0.0425B/0.0485A	----	0.0595 + 0.0060	.1628	----	----	----	----	8 UNCH
520 ----	----	----/0.0615A	0.0580B/0.0615A	----	0.0755 + 0.0070	.2026	----	----	----	----	1 UNCH
530 ----	----	----/0.0785A	0.0795B/0.0785A	----	0.0950 + 0.0070	.2496	----	----	----	----	4 UNCH
540 ----	----	----/0.1000A	0.1065B/0.1000A	----	0.1210 + 0.0065	.3063	----	----	----	----	10 UNCH
550 0.1210	0.1210	0.1415B/0.1210	0.1415B/0.1210	----	0.1550 + 0.0060	.3714	----	----	1	----	28 UNCH
550 ----	----	0.3500B/----	0.3500B/0.2935A	----	0.3075 + 0.0230	.6278	----	----	----	----	3 UNCH
555 ----	----	----/0.1445A	0.1610B/0.1445A	----	0.1745 + 0.0055	.4060	----	----	----	----	16 UNCH
556 ----	----	----/0.1480A	0.1660B/0.1480A	----	0.1790 + 0.0055	.4132	----	----	----	----	1 UNCH
560 ----	----	----/0.1630A	0.1840B/0.1630A	----	0.1965 + 0.0055	.4418	----	----	----	----	1 UNCH
561 ----	----	----/0.1665A	0.1885B/0.1665A	----	0.2010 + 0.0055	.4490	----	----	----	----	1 UNCH
562 ----	----	----/0.1705A	0.1935B/0.1705A	----	0.2055 + 0.0050	.4563	----	----	----	----	20 UNCH
565 ----	----	----/0.1830A	0.2085B/0.1830A	----	0.2200 + 0.0050	.4781	----	----	----	----	1 UNCH
568 ----	----	0.2450B/----	0.2450B/0.1915A	----	0.2080 + 0.0210	.4991	----	----	----	----	1 UNCH
575 ----	----	----/0.2295A	0.2635B/0.2295A	----	0.2725 + 0.0025	.5513	----	----	----	----	1 UNCH
579 ----	----	0.1885B/----	0.1885B/0.1455A	----	0.1595 + 0.0190	.4191	----	----	----	----	1 UNCH
584 ----	----	----/0.2785A	0.3060B/0.2785A	----	0.3275 + 0.0015	.6150	----	----	----	----	24 UNCH
585 ----	----	----/0.2845A	0.3210B/0.2845A	----	0.3345 + 0.0020	.6215	----	----	----	----	1 UNCH
590 ----	----	----/0.3155A	0.3560B/0.3155A	----	0.3685 + 0.0015	.6545	----	----	----	----	17 UNCH
590 ----	----	0.1420B/----	0.1420B/0.1095A	----	0.1220 + 0.0185	.3447	----	----	----	----	4 UNCH
600 ----	----	----/0.3810A	0.4300B/0.3810A	----	0.4415 + 0.0010	.7150	----	----	----	----	1 UNCH
600 ----	----	0.1075B/----	0.1075B/0.0840A	----	0.0950 + 0.0175	.2842	----	----	----	----	1 UNCH
607 ----	----	0.0875B/----	0.0875B/0.0700A	----	0.0790 + 0.0160	.2457	----	----	----	----	1 UNCH
610 ----	----	0.0805B/----	0.0805B/0.0645A	----	0.0730 + 0.0155	.2305	----	----	----	----	4 UNCH
617 ----	----	0.0640B/----	0.0640B/0.0535A	----	0.0615 + 0.0150	.1993	----	----	----	----	1 UNCH
624 ----	----	0.0510B/----	0.0510B/0.0450A	----	0.0520 + 0.0145	.1722	----	----	----	----	16 UNCH
645 ----	----	----/0.8165A	0.8110B/0.8165A	----	0.8275 - 0.0050	.8874	----	----	----	----	6 UNCH
660 ----	----	0.0140B/----	0.0140B/0.0210A	----	0.0230 + 0.0095	.0814	----	----	----	----	1 UNCH
675 ----	----	----	0.0080B/0.0170A	----	0.0155 + 0.0070	.0569	----	----	----	----	2 UNCH
695 ----	----	----	0.0030B/0.0140A	----	0.0090 + 0.0045	.0345	----	----	----	----	20 UNCH
710 ----	----	----	----/0.0180A	----	0.0060 + 0.0030	.0236	----	----	----	----	2 UNCH
TOTAL									1		204
JUN26											
579 ----	----	----/0.3400A	0.3640B/0.3400A	----	0.3505 - 0.0185	.5543	----	----	----	----	1 UNCH
610 ----	----	0.1500B/----	0.1500B/0.1375A	----	0.1145 - 0.0030	.2827	----	----	----	----	7 UNCH
630 ----	----	0.0990B/----	0.0990B/0.0960A	----	0.0750 - 0.0030	.2019	----	----	----	----	8 UNCH
650 ----	----	0.0635B/----	0.0635B/0.0680A	----	0.0490 - 0.0030	.1413	----	----	----	----	6 UNCH
660 ----	----	0.0505B/----	0.0505B/0.0580A	----	0.0395 - 0.0030	.1173	----	----	----	----	7 UNCH
TOTAL											29
JUL26											
600 ----	----	0.2600B/----	0.2600B/0.2385A	----	0.2115 - 0.0005	.3910	----	----	----	----	12 UNCH
TOTAL											12
HX CALL	COMEX COPPER OPTIONS										
MAY26											
490 ----	----	0.7185B/----	0.7185B/0.7420A	----	0.7185 + 0.0150	.9300	----	----	----	----	1 UNCH
500 ----	----	0.6675B/----	0.6675B/0.6485A	----	0.6240 + 0.0145	.9078	----	----	----	----	3 UNCH
505 ----	----	0.6210B/----	0.6210B/0.6025A	----	0.5775 + 0.0140	.8938	----	----	----	----	3 UNCH
525 ----	----	0.4430B/----	0.4430B/0.4115A	----	0.4020 + 0.0110	.8066	----	----	----	----	14 UNCH
530 ----	----	0.4010B/----	0.4010B/0.3515A	----	0.3620 + 0.0105	.7747	----	----	----	----	276 UNCH
531 ----	----	0.3930B/----	0.3930B/0.3825A	----	0.3540 + 0.0100	.7681	----	----	----	----	1 UNCH
532 ----	----	0.3850B/----	0.3850B/0.3750A	----	0.3465 + 0.0100	.7608	----	----	----	----	1 UNCH
533 ----	----	0.3770B/----	0.3770B/0.3675A	----	0.3385 + 0.0095	.7541	----	----	----	----	3 UNCH
534 ----	----	0.3690B/----	0.3690B/0.3600A	----	0.3310 + 0.0095	.7467	----	----	----	----	4 UNCH
535 ----	----	0.3610B/----	0.3610B/0.3225A	----	0.3235 + 0.0095	.7393	----	----	----	----	1 UNCH
536 ----	----	0.3535B/----	0.3535B/0.3450A	----	0.3160 + 0.0090	.7318	----	----	----	----	2 UNCH
537 ----	----	0.3455B/----	0.3455B/0.3380A	----	0.3085 + 0.0085	.7243	----	----	----	----	1 UNCH
539 ----	----	0.3305B/----	0.3305B/0.3235A	----	0.2940 + 0.0085	.7084	----	----	----	----	2 UNCH
540 ----	----	0.3535B/----	0.3535B/0.2835A	----	0.2870 + 0.0080	.7007	----	----	----	----	44 UNCH
541 ----	----	0.3155B/----	0.3155B/0.2920A	----	0.2800 + 0.0080	.6924	----	----	----	----	9 UNCH
542 ----	----	0.3080B/----	0.3080B/0.2685A	----	0.2730 + 0.0075	.6840	----	----	----	----	15 UNCH
543 ----	----	0.3010B/----	0.3010B/0.2630A	----	0.2660 + 0.0075	.6756	----	----	----	----	1 UNCH
544 ----	----	0.2735B/----	0.2735B/0.2570A	----	0.2590 + 0.0070	.6667	----	----	----	----	3 UNCH
545 ----	----	0.3165B/----	0.3165B/0.2460A	----	0.2525 + 0.0070	.6582	----	----	----	----	16 UNCH
546 ----	----	0.2795B/----	0.2795B/0.2395A	----	0.2455 + 0.0060	.6492	----	----	----	----	7 UNCH
547 ----	----	0.2725B/----	0.2725B/0.2370A	----	0.2390 + 0.0060	.6402	----	----	----	----	1 UNCH
548 0.2305	0.2305	0.2660B/0.2290	0.2660B/0.2280A	----	0.2330 + 0.0060	.6311	----	----	3	----	31 - 3
549 ----	----	0.2590B/0.2200A	0.2590B/0.2200A	----	0.2265 + 0.0060	.6217	----	----	----	----	6 UNCH
550 0.2280	0.2280	0.2850/0.2120A	0.2850/0.2120A	----	0.2205 + 0.0060	.6125	----	----	9	----	521 - 5
551 0.2310	0.2310	0.2460B/0.2070A	0.2460B/0.2070A	----	0.2145 + 0.0055	.6031	----	----	3	----	14 - 2
552 ----	----	0.2395B/0.2015A	0.2395B/0.2015A	----	0.2085 + 0.0055	.5936	----	----	----	----	21 UNCH
553 ----	----	0.2330B/0.1955A	0.2330B/0.1955A	----	0.2025 + 0.0050	.5840	----	----	----	----	21 UNCH
554 ----	----	0.2270B/0.1900A	0.2270B/0.1900A	----	0.1970 + 0.0055	.5743	----	----	----	----	7 UNCH
555 ----	----	0.2490B/0.1850A	0.2490B/0.1850A	----	0.1910 + 0.0050	.5645	----	----	----	----	90 UNCH
556 ----	----	0.2220B/0.1795A	0.2220B/0.1795A	----	0.1855 + 0.0045	.5548	----	----	----	----	26 UNCH
557 ----	----	0.2225B/0.1745A	0.2225B/0.1745A	----	0.1805 + 0.0050	.5449	----	----	----	----	17 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
558	----	----	0.2220B/0.1695A	0.2220B/0.1695A	----	0.1750 + 0.0045	.5351	----	----	----	----	10 UNCH
559	----	----	0.2215B/0.1635A	0.2215B/0.1635A	----	0.1700 + 0.0050	.5252	----	----	----	----	17 UNCH
560	----	----	0.2185B/0.1560A	0.2185B/0.1560A	----	0.1645 + 0.0040	.5152	----	----	3	----	886 + 1
561	0.1565	0.1565	0.2175B/0.1545A	0.2175B/0.1545A	----	0.1595 + 0.0040	.5053	----	----	6	----	20 + 6
562	----	----	0.2100B/0.1485A	0.2100B/0.1485A	----	0.1550 + 0.0045	.4954	----	----	----	----	11 UNCH
563	0.1610	0.1610	0.2055B/0.1450A	0.2055B/0.1450A	----	0.1500 + 0.0040	.4854	----	----	6	----	22 + 6
564	----	----	0.1995B/0.1400A	0.1995B/0.1400A	----	0.1455 + 0.0040	.4756	----	----	----	----	23 UNCH
565	----	----	0.1950B/0.1335A	0.1950B/0.1335A	----	0.1410 + 0.0040	.4657	----	----	----	----	201 UNCH
566	----	----	0.1890B/0.1320A	0.1890B/0.1320A	----	0.1365 + 0.0040	.4558	----	----	----	----	14 UNCH
567	----	----	0.1820B/0.1275A	0.1820B/0.1275A	----	0.1320 + 0.0035	.4459	----	----	----	----	8 UNCH
568	----	----	0.1780B/0.1235A	0.1780B/0.1235A	----	0.1280 + 0.0035	.4362	----	----	----	----	59 UNCH
569	----	----	0.1730B/0.1200A	0.1730B/0.1200A	----	0.1240 + 0.0035	.4266	----	----	----	----	108 UNCH
570	----	----	0.1680B/0.1130A	0.1680B/0.1130A	----	0.1195 + 0.0030	.4166	----	----	----	----	1020 UNCH
571	----	----	0.1640B/0.1115A	0.1640B/0.1115A	----	0.1160 + 0.0035	.4073	----	----	----	----	31 UNCH
572	----	----	0.1585B/0.1080A	0.1585B/0.1080A	----	0.1120 + 0.0030	.3976	----	----	----	----	14 UNCH
573	----	----	0.1550B/0.1040A	0.1550B/0.1040A	----	0.1080 + 0.0025	.3879	----	----	2	----	35 - 1
574	----	----	0.1485B/0.1010A	0.1485B/0.1010A	----	0.1045 + 0.0025	.3787	----	----	1	----	15 + 1
575	0.0975	0.0975	0.1450B/0.0955A	0.1450B/0.0955A	----	0.1010 + 0.0025	.3694	----	----	3	----	612 UNCH
576	----	----	0.1400B/0.0940A	0.1400B/0.0940A	----	0.0975 + 0.0025	.3601	----	----	----	----	13 UNCH
577	----	----	0.1360B/0.0905A	0.1360B/0.0905A	----	0.0940 + 0.0020	.3509	----	----	----	----	2 UNCH
578	----	----	0.1320B/0.0870A	0.1320B/0.0870A	----	0.0910 + 0.0025	.3421	----	----	----	----	8 UNCH
579	----	----	0.1275B/0.0840A	0.1275B/0.0840A	----	0.0875 + 0.0020	.3328	----	----	----	----	8 UNCH
580	0.1240	0.1240	0.1240/0.0800	0.1240/0.0800	----	0.0845 + 0.0020	.3241	----	----	16	----	568 + 4
581	----	----	0.1195B/0.0785A	0.1195B/0.0785A	----	0.0815 + 0.0015	.3155	----	----	----	----	4 UNCH
582	----	----	0.1160B/0.0760A	0.1160B/0.0760A	----	0.0785 + 0.0015	.3068	----	----	----	----	5 UNCH
583	----	----	0.1115B/0.0735A	0.1115B/0.0735A	----	0.0760 + 0.0020	.2988	----	----	----	----	50 UNCH
584	----	----	0.1075B/0.0705A	0.1075B/0.0705A	----	0.0730 + 0.0015	.2901	----	----	----	----	45 UNCH
585	0.0780	0.0780	0.1045B/0.0675A	0.1045B/0.0675A	----	0.0705 + 0.0015	.2822	----	----	1	----	491 - 1
586	----	----	0.1000B/----	0.1000B/0.0665A	----	0.0680 + 0.0015	.2743	----	----	----	----	8 UNCH
587	----	----	0.0980B/0.0630A	0.0980B/0.0630A	----	0.0655 + 0.0015	.2664	----	----	----	----	5 UNCH
588	----	----	0.0935B/0.0615A	0.0935B/0.0615A	----	0.0630 + 0.0010	.2585	----	----	----	----	3 UNCH
589	----	----	0.0905B/0.0585A	0.0905B/0.0585A	----	0.0605 + 0.0010	.2506	----	----	----	----	12 UNCH
590	----	----	0.0875B/0.0565A	0.0875B/0.0565A	----	0.0580 + 0.0005	.2427	----	----	1	----	1565 - 1
591	----	----	0.0845B/0.0545A	0.0845B/0.0545A	----	0.0560 + 0.0010	.2357	----	----	----	----	140 UNCH
592	----	----	0.0820B/0.0525A	0.0820B/0.0525A	----	0.0540 + 0.0010	.2287	----	----	----	----	2 UNCH
593	----	----	0.0790B/0.0505A	0.0790B/0.0505A	----	0.0520 + 0.0010	.2218	----	----	----	----	16 UNCH
594	0.0750	0.0750	0.0755B/0.0490A	0.0755B/0.0490A	----	0.0500 + 0.0005	.2149	----	----	2	----	6 + 2
595	----	----	0.0725B/0.0470A	0.0725B/0.0470A	----	0.0480 + 0.0005	.2080	----	----	3	----	307 - 3
596	----	----	0.0705B/----	0.0705B/0.0455A	----	0.0460 NEW	.2011	----	----	4	----	4 + 4
597	----	----	0.0675B/0.0435A	0.0675B/0.0435A	----	0.0445 + 0.0005	.1953	----	----	----	----	1 UNCH
598	----	----	0.0655B/----	0.0655B/0.0420A	----	0.0425 + 0.0005	.1884	----	----	----	----	2 UNCH
599	----	----	0.0625B/----	0.0625B/0.0405A	----	0.0410 + 0.0005	.1826	----	----	----	----	3 UNCH
600	0.0630	0.0630	0.0635/0.0385	0.0635/0.0385	----	0.0395 + 0.0005	.1769	----	----	34	----	1451 - 24
601	----	----	0.0585B/----	0.0585B/0.0375A	----	0.0380 + 0.0005	.1712	----	----	4	----	7 + 4
602	----	----	0.0565B/----	0.0565B/0.0365A	----	0.0365 + 0.0005	.1655	----	----	----	----	4 UNCH
603	----	----	0.0540B/----	0.0540B/0.0350A	----	0.0350 + 0.0005	.1598	----	----	----	----	8 UNCH
604	----	----	0.0520B/----	0.0520B/0.0335A	----	0.0340 + 0.0010	.1555	----	----	----	----	44 UNCH
605	----	----	0.0500B/----	0.0500B/0.0325A	----	0.0325 + 0.0005	.1498	----	----	----	----	181 UNCH
606	----	----	0.0485B/----	0.0485B/0.0315A	----	0.0315 + 0.0010	.1455	----	----	----	----	4 UNCH
607	----	----	0.0470B/----	0.0470B/0.0305A	----	0.0300 + 0.0005	.1399	----	----	5	----	5 UNCH
608	----	----	0.0445B/----	0.0445B/0.0290A	----	0.0290 + 0.0010	.1356	----	----	----	----	2 UNCH
609	----	----	0.0430B/----	0.0430B/0.0280A	----	0.0280 + 0.0010	.1313	----	----	----	----	3 UNCH
610	----	----	0.0425B/----	0.0425B/0.0270A	----	0.0270 + 0.0010	.1271	----	----	----	----	1455 UNCH
611	0.0265	0.0265	0.0390B/0.0265	0.0390B/0.0260A	----	0.0260 + 0.0010	.1229	----	----	2	----	12 + 2
612	0.0255	0.0255	0.0385B/0.0255	0.0385B/0.0250A	----	0.0250 + 0.0010	.1188	----	----	2	----	18 + 2
613	0.0250	0.0250	0.0370B/0.0250	0.0370B/0.0245A	----	0.0240 + 0.0010	.1146	----	----	2	----	26 + 2
614	0.0235	0.0235	0.0350B/0.0235	0.0350B/0.0235	----	0.0230 + 0.0010	.1104	----	----	3	----	26 + 3
615	0.0225	0.0225	0.0320B/0.0225	0.0320B/0.0225	----	0.0220 + 0.0005	.1063	----	----	2	----	454 + 1
616	0.0220	0.0220	0.0340B/0.0220	0.0340B/0.0220	----	0.0215 + 0.0010	.1037	----	----	3	----	32 + 3
617	0.0215	0.0215	0.0320B/0.0215	0.0320B/0.0210A	----	0.0205 + 0.0005	.0996	----	----	2	----	47 + 2
618	0.0205	0.0205	0.0310B/0.0205	0.0310B/0.0205	----	0.0200 + 0.0010	.0970	----	----	1	----	37 + 1
619	0.0200	0.0200	0.0295B/0.0200	0.0295B/0.0195A	----	0.0190 + 0.0005	.0929	----	----	2	----	46 + 2
620	0.0300	0.0300	0.0300/0.0190	0.0300/0.0190	----	0.0185 + 0.0010	.0904	----	----	8	----	1107 UNCH
621	0.0185	0.0185	0.0285B/0.0185	0.0285B/0.0185	----	0.0180 + 0.0010	.0880	----	----	1	----	24 + 1
622	----	----	0.0285B/----	0.0285B/0.0175A	----	0.0170 + 0.0005	.0839	----	----	----	----	33 UNCH
623	0.0215	0.0215	0.0275B/0.0170A	0.0275B/0.0170A	----	0.0165 + 0.0010	.0815	----	----	3	----	60 + 2
624	----	----	0.0265B/----	0.0265B/0.0165A	----	0.0160 + 0.0010	.0791	----	----	----	----	19 UNCH
625	----	----	0.0260B/----	0.0260B/0.0160A	----	0.0155 + 0.0010	.0767	----	----	1	----	1228 UNCH
626	----	----	0.0250B/----	0.0250B/0.0155A	----	0.0150 + 0.0010	.0743	----	----	----	----	21 UNCH
627	----	----	0.0245B/----	0.0245B/0.0150A	----	0.0145 + 0.0010	.0719	----	----	----	----	29 UNCH
628	----	----	0.0235B/----	0.0235B/0.0145A	----	0.0140 + 0.0010	.0696	----	----	----	----	193 UNCH
629	----	----	0.0230B/----	0.0230B/0.0140A	----	0.0135 + 0.0010	.0673	----	----	----	----	98 UNCH
630	----	----	0.0225B/----	0.0225B/0.0135A	----	0.0130 + 0.0010	.0649	----	----	5	----	543 UNCH
631	----	----	0.0215B/----	0.0215B/0.0130A	----	0.0125 + 0.0010	.0626	----	----	----	----	6 UNCH
633	----	----	0.0200B/----	0.0200B/0.0125A	----	0.0120 + 0.0015	.0598	----	----	----	----	24 UNCH
634	----	----	0.0195B/----	0.0195B/0.0120A	----	0.0115 + 0.0010	.0576	----	----	----	----	3 UNCH
635	----	----	0.0185B/----	0.0185B/0.0120A	----	0.0110 + 0.0010	.0553	----	----	----	----	207 UNCH
636	----	----	0.0185B/----	0.0185B/0.0115A	----	0.0110 + 0.0015	.0548	----	----	----	----	7 UNCH
637	----	----	0.0175B/----	0.0175B/0.0110A	----	0.0105 + 0.0010	.0526	----	----	----	----	3 UNCH
638	----	----	0.0175B/----	0.0175B/0.0110A	----	0.0100 + 0.0010	.0504	----	----	----	----	3 UNCH
639	----	----	0.0165B/----	0.0165B/0.0105A	----	0.0100 + 0.0015	.0500	----	----	----	----	1 UNCH
640	----	----	0.0160B/----	0.0160B/0.0105A	----	0.0095 + 0.0010	.0478	----	----	----	----	1194 UNCH
641	0.0130	0.0130	0.0160B/0.0100A	0.0160B/0.0100A	----	0.0095 + 0.0015	.0474	----	----	3	----	6 - 3
642	----	----	0.0150B/----	0.0150B/0.0095A	----	0.0090 + 0.0010	.0452	----	----	----	----	4 UNCH
643	----	----	0.0145B/----	0.0145B/0.0095A	----	0.0090 + 0.0015	.0448	----	----	----	----	9 UNCH
644	----	----	0.0140B/----	0.0140B/0.0090A	----	0.0085 + 0.0010	.0427	----	----	----	----	1 UNCH
645	----	----	0.0145B/----	0.0145B/0.0090A	----	0.0085 + 0.0015	.0423	----	----	1	----	84 - 1
646	----	----	0.0130B/----	0.0130B/0.0090A	----	0.0080 + 0.0010	.0402	----	----	----	----	1 UNCH
650	----	----	0.0125B/----	0.0125B/0.0080A	----	0.0075 + 0.0015	.0372	----	----	5	----	3292 - 1
655	----	----	0.0105B/----	0.0105B/0.0070A	----	0.0065 + 0.0015	.0322	----	----	----	----	70 UNCH
660	----	----	0.0090B/----	0.0090B/0.0065A	----	0.0060 + 0.0015	.0292	----	----	----	----	148 UNCH
665	0.0075	0.0075	0.0080B/0.0060A	0.0080B/0.0060A	----	0.0055 + 0.0015	.0265	----	----	4	----	16 + 2
670	----	----	0.0070B/----	0.0070B/0.0055A	----	0.0050 + 0.0015	.0238	----	----	----	----	525 UNCH
675	----	----	----	----/0.0050A	----	0.0045 + 0.0010	.0213	----	----	----	----	126 UNCH
680	0.0040	0.0040	0.0060B/0.0040	0.0060B/0.0040	----	0.0040 + 0.0010	.0188	----	----	1	----	1102 UNCH
685	----	----	----	----/0.0050A	----	0.0040 + 0.0010	.0183	----	----	----	----	12 UNCH
690	----	----	----	----/0.0045A	----	0.0035 + 0.0010	.0160	----	----	----	----	178 UNCH
695	----	----	----	----/0.0045A	----	0.0035 + 0.0010	.0156	----	----	----	----	26 UNCH
700	0.0030	0.0030	0.0045B/0.0025	0.0045B/0.0025	----	0.0030 + 0.0005	.0134	----	----	8	----	536 UNCH
705	----	----	----	----/0.0035A	----	0.0030 + 0.0005	.0131	----	----	----	----	2 UNCH
710	----	----	----	----/0.0035A	----	0.0030 + 0.0005	.0128	----	----	----	----	59 UNCH
715	----	----	----	----/0.0035A	----	0.0030 + 0.0005	.0125	----	----	----	----	16 UNCH
720	----	----	----	----/0.0035A	----	0.0030 + 0.0005	.0122	----	----	----	----	13 UNCH
725	----	----	----	----/0.0030A	----	0.0030 + 0.0005	.0120	----	----	----	----	93 UNCH
730	----	----	----	----/0.0025A	----	0.0030 + 0.0005	.0117	----	----	----	----	15 UNCH
735	----	----	----	----/*0.0030A	----	0.0025 UNCH	.0099	----	----	----	----	5 UNCH
740	----	----	----	----/*0.0025A	----	0.0025 UNCH	.0097	----	----	----	----	92 UNCH
745	----	----	----	----/*0.0025A	----	0.0025 + 0.0005	.0095	----	----	----	----	34 UNCH
750	----	----	----	0.0020B/0.0025A	----	0.0025 + 0.0005	.0094	----	----	----	----	489 UNCH
755	----	----	----	----/0.0025A	----	0.0020 UNCH	.0076	----	----	----	----	2 UNCH
760	----	----	----	0.0020B/0.0020A	----	0.0020 UNCH	.0075	----	----	----	----	78 UNCH
765	----	----	----	----/*0.0025A	----	0.0020 + 0.0005	.0074	----	----	----	----	2 UNCH
770	----	----	----	----/*0.0025A	----	0.0015 UNCH	.0057	----	----	----	----	3 UNCH
775	----	----	----	----/*0.0025A	----	0.0015 UNCH	.0056	----	----	----	----	47 UNCH
780	----	----	----	----/*0.0025A	----	0.0015 UNCH	.0055	----	----	----	----	8 UNCH
785	----	----	----	----/*0.0020A	----	0.0015 UNCH	.0054	----	----	----	----	3 UNCH
790	----	----	----	----/*0.0025A	----	0.0015 UNCH	.0053	----	----	----	----	3 UNCH
795	----	----	----	----/*0.0030A	----	0.0015 UNCH	.0052	----	----	----	----	5 UNCH
800	----	----	----	----/0.0030A	----	0.0015 UNCH	.0052	----	----	----	----	4120 UNCH
810	----	----	----	----/0.0045A	----	0.0015 UNCH	.0050	----	----	----	----	4040 UNCH
820	----	----	----	----/0.0045A	----	0.0015 UNCH	.0049	----	----	----	----	28 UNCH
825	----	----	----	----/0.0040A	----	0.0015 UNCH	.0048	----	----	----	----	91 UNCH
835	----	----	----	----/0.0040A	----	0.0010 - 0.0005	.0033	----	----	----	----	1 UNCH
840	----	----	----	----/0.0035A	----	0.0010 UNCH	.0033	----	----	----	----	4 UNCH
850	----	----	----	0.0010B/0.0025A	----	0.0010 UNCH	.0032	----	----	----	----	62 UNCH
855	----	----	----	----/0.0035A	----	0.0010 UNCH	.0032	----	----	----	----	30 UNCH
860	----	----	----	----/0.0035A	----	0.0010 UNCH	.0031	----	----	----	----	4 UNCH
865	----	----	----	----/0.0030A	----	0.0010 UNCH	.0031	----	----	----	----	3 UNCH
870	----	----	----	----/0.0030A	----	0.0010 UNCH	.0031	----	----	----	----	4 UNCH
875	----	----	----	----/0.0030A	----	0.0010 UNCH	.0030	----	----	----	----	1 UNCH
880	----	----	----	----/0.0030A	----	0.0010 UNCH	.0030	----	----	----	----	12 UNCH
890	----	----	----	----/0.0030A	----	0.0005 - 0.0005	.0014	----	----	----	----	1 UNCH
900	----	----	----	----/*0.0020A	----	0.0005 - 0.0005	.0011	----	----	----	----	73 UNCH
915	----	----	----	----/0.0025A	----	0.0005 UNCH	.0007	----	----	----	----	1 UNCH
920	----	----	----	----/0.0025A	----	0.0005 UNCH	.0006	----	----	----	----	4 UNCH
925	----	----	----	----/0.0025A	----	0.0005 UNCH	.0006	----	----	----	----	10 UNCH
930	----	----	----	----/0.0025A	----	0.0005 UNCH	.0005	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
935	----	----	----	----/0.0025A	----	0.0005 UNCH	.0004	----	----	----	----	1 UNCH
940	----	----	----	----/0.0025A	----	0.0005 UNCH	.0004	----	----	----	----	4 UNCH
945	----	----	----	----/0.0025A	----	0.0005 UNCH	.0003	----	----	----	----	10 UNCH
950	----	----	----	----/0.0015A	----	0.0005 UNCH	.0003	----	----	----	----	40 UNCH
TOTAL										165		31851 + 6
JUN26												
500	----	----	0.7250B/----	0.7250B/0.7345A	----	0.7190 + 0.0135	.8401	----	----	----	----	4 UNCH
525	----	----	0.5485B/----	0.5485B/0.5180A	----	0.5210 + 0.0135	.7427	----	----	----	----	1 UNCH
535	----	----	0.5110B/----	0.5110B/0.4480A	----	0.4485 + 0.0120	.6951	----	----	----	----	2 UNCH
540	----	----	0.4750B/----	0.4750B/0.4085A	----	0.4140 + 0.0105	.6692	----	----	----	----	22 UNCH
545	----	----	0.4405B/----	0.4405B/0.3795A	----	0.3810 + 0.0095	.6422	----	----	----	----	2 UNCH
549	----	----	0.3840B/----	0.3840B/0.3585A	----	0.3560 + 0.0085	.6197	----	----	----	----	1 UNCH
550	----	----	0.4075B/----	0.4075B/0.3495A	----	0.3500 + 0.0085	.6139	----	----	----	----	3 UNCH
555	----	----	0.3760B/----	0.3760B/0.3180A	----	0.3215 + 0.0090	.5848	----	----	----	----	1 UNCH
556	----	----	0.3440B/----	0.3440B/0.3115A	----	0.3160 + 0.0090	.5789	----	----	----	----	1 UNCH
557	----	----	0.3440B/----	0.3440B/0.3060A	----	0.3105 + 0.0090	.5729	----	----	----	----	62 UNCH
559	----	----	0.3445B/----	0.3445B/0.2950A	----	0.3000 + 0.0095	.5611	----	----	----	----	4 UNCH
560	----	----	0.3460B/----	0.3460B/0.2900A	----	0.2945 + 0.0090	.5551	----	----	----	----	108 UNCH
565	----	----	0.3230B/----	0.3230B/0.2650A	----	0.2695 + 0.0095	.5252	----	----	----	----	2 UNCH
568	----	----	0.3075B/----	0.3075B/0.2500A	----	0.2550 + 0.0090	.5072	----	----	----	----	3 UNCH
569	----	----	0.3020B/----	0.3020B/0.2450A	----	0.2505 + 0.0090	.5012	----	----	----	----	2 UNCH
570	----	----	0.2975B/----	0.2975B/0.2405A	----	0.2460 + 0.0095	.4953	----	----	----	----	15 UNCH
574	----	----	0.2770B/----	0.2770B/0.2235A	----	0.2280 + 0.0090	.4714	----	----	----	----	3 UNCH
575	----	----	0.2715B/----	0.2715B/0.2175A	----	0.2240 + 0.0090	.4656	----	----	----	----	149 UNCH
579	----	----	0.2515B/----	0.2515B/0.2035A	----	0.2070 + 0.0085	.4420	----	----	----	----	2 UNCH
580	----	----	0.2475B/----	0.2475B/0.1990A	----	0.2030 + 0.0080	.4361	----	----	----	----	72 UNCH
585	----	----	0.2255B/----	0.2255B/0.1800A	----	0.1840 + 0.0080	.4074	----	----	----	----	26 UNCH
587	----	----	0.2170B/----	0.2170B/0.1730A	----	0.1765 + 0.0075	.3959	----	----	----	----	2 UNCH
588	----	----	0.2135B/----	0.2135B/0.1695A	----	0.1730 + 0.0075	.3904	----	----	----	----	2 UNCH
590	----	----	0.2055B/----	0.2055B/0.1625A	----	0.1660 + 0.0075	.3792	----	----	----	----	19 UNCH
591	----	----	0.2010B/----	0.2010B/0.1595A	----	0.1625 + 0.0070	.3736	----	----	----	----	10 UNCH
595	----	----	0.1860B/----	0.1860B/0.1470A	----	0.1495 + 0.0065	.3518	----	----	----	----	5 UNCH
596	0.1575	0.1575	0.1820B/0.1440A	0.1820B/0.1440A	----	0.1465 NEW	.3465	----	----	3	----	3 + 3
600	0.1540	0.1540	0.1685B/0.1310A	0.1685B/0.1310A	----	0.1345 + 0.0060	.3255	----	----	19	----	304 - 10
604	0.1555	0.1555	0.1555/0.1225A	0.1555/0.1225A	----	0.1235 + 0.0055	.3053	----	----	12	----	14 + 12
605	----	----	0.1515B/----	0.1515B/0.1195A	----	0.1210 + 0.0060	.3005	----	----	----	----	3 UNCH
607	----	----	0.1460B/----	0.1460B/0.1145A	----	0.1160 + 0.0055	.2909	----	----	----	----	20 UNCH
609	----	----	0.1400B/----	0.1400B/0.1100A	----	0.1110 + 0.0055	.2814	----	----	----	----	7 UNCH
610	----	----	0.1365B/----	0.1365B/0.1065A	----	0.1090 + 0.0055	.2771	----	----	1	----	527 UNCH
612	----	----	0.1310B/----	0.1310B/0.1030A	----	0.1045 + 0.0055	.2681	----	----	----	----	14 UNCH
613	----	----	0.1280B/----	0.1280B/0.1015A	----	0.1020 + 0.0055	.2633	----	----	----	----	2 UNCH
615	----	----	0.1225B/----	0.1225B/0.0970A	----	0.0980 + 0.0055	.2549	----	----	----	----	15 UNCH
616	----	----	0.1205B/----	0.1205B/0.0950A	----	0.0960 + 0.0055	.2507	----	----	----	----	9 UNCH
617	----	----	0.1180B/----	0.1180B/0.0930A	----	0.0935 + 0.0050	.2459	----	----	----	----	1 UNCH
620	----	----	0.1100B/----	0.1100B/0.0870A	----	0.0880 + 0.0050	.2339	----	----	----	----	48 UNCH
622	----	----	0.1055B/----	0.1055B/0.0835A	----	0.0845 + 0.0055	.2262	----	----	----	----	3 UNCH
625	----	----	0.0985B/----	0.0985B/0.0780A	----	0.0790 + 0.0050	.2143	----	----	----	----	155 UNCH
627	----	----	0.0940B/----	0.0940B/0.0755A	----	0.0760 + 0.0050	.2073	----	----	----	----	11 UNCH
629	----	----	0.0900B/----	0.0900B/0.0720A	----	0.0725 + 0.0050	.1997	----	----	----	----	2 UNCH
630	0.0810	0.0810	0.0885B/0.0690A	0.0885B/0.0690A	----	0.0710 + 0.0050	.1962	----	----	1	----	532 + 1
635	----	----	0.0795B/----	0.0795B/0.0635A	----	0.0640 + 0.0050	.1798	----	----	----	----	13 UNCH
640	----	----	0.0720B/----	0.0720B/0.0575A	----	0.0575 + 0.0050	.1642	----	----	1	----	58 UNCH
645	----	----	0.0640B/----	0.0640B/0.0515A	----	0.0515 + 0.0045	.1496	----	----	----	----	10 UNCH
650	0.0505	0.0505	0.0585B/0.0465A	0.0585B/0.0465A	----	0.0465 + 0.0045	.1368	----	----	2	----	481 - 1
655	----	----	0.0525B/----	0.0525B/0.0415A	----	0.0415 + 0.0045	.1241	----	----	----	----	7 UNCH
660	0.0370	0.0370	0.0475B/0.0370	0.0475B/0.0370	----	0.0370 + 0.0040	.1125	----	----	1	----	267 - 1
665	----	----	0.0430B/----	0.0430B/0.0340A	----	0.0335 + 0.0040	.1028	----	----	1	----	19 + 1
670	0.0350	0.0350	0.0390B/0.0305A	0.0390B/0.0305A	----	0.0300 + 0.0035	.0933	----	----	1	----	5 - 1
675	----	----	0.0350B/----	0.0350B/0.0280A	----	0.0270 + 0.0030	.0849	----	----	----	----	33 UNCH
680	----	----	0.0315B/----	0.0315B/0.0255A	----	0.0245 + 0.0030	.0776	----	----	1	----	303 UNCH
685	----	----	0.0290B/----	0.0290B/0.0230A	----	0.0220 NEW	.0704	----	----	1	----	1 + 1
690	----	----	0.0260B/----	0.0260B/0.0200A	----	0.0200 + 0.0025	.0644	----	----	----	----	21 UNCH
695	----	----	0.0240B/----	0.0240B/0.0190A	----	0.0180 + 0.0020	.0585	----	----	----	----	1 UNCH
700	----	----	0.0215B/----	0.0215B/0.0175A	----	0.0165 + 0.0015	.0538	----	----	4	----	320 + 4
705	----	----	0.0200B/----	0.0200B/0.0160A	----	0.0150 + 0.0015	.0492	----	----	----	----	1 UNCH
715	----	----	0.0170B/----	0.0170B/0.0135A	----	0.0130 + 0.0015	.0426	----	----	----	----	7 UNCH
720	----	----	0.0155B/----	0.0155B/0.0125A	----	0.0120 + 0.0010	.0394	----	----	----	----	5 UNCH
725	----	----	0.0140B/----	0.0140B/0.0115A	----	0.0110 + 0.0010	.0362	----	----	----	----	71 UNCH
740	----	----	0.0115B/----	0.0115B/0.0090A	----	0.0090 + 0.0005	.0295	----	----	----	----	1 UNCH
745	----	----	0.0105B/----	0.0105B/0.0085A	----	0.0085 + 0.0005	.0277	----	----	----	----	1501 UNCH
750	----	----	0.0095B/----	0.0095B/0.0080A	----	0.0080 + 0.0005	.0260	----	----	4	----	158 UNCH
755	----	----	0.0090B/----	0.0090B/*0.0070	----	0.0075 + 0.0005	.0244	----	----	----	----	1 UNCH
765	----	----	0.0075B/----	0.0075B/0.0065A	----	0.0070 + 0.0005	.0224	----	----	----	----	1503 UNCH
770	----	----	0.0070B/----	0.0070B/*0.0060	----	0.0065 + 0.0005	.0208	----	----	----	----	3 UNCH
780	----	----	0.0065B/----	0.0065B/*0.0065	----	0.0060 + 0.0005	.0190	----	----	----	----	1 UNCH
795	----	----	----	----/*0.0060A	----	0.0055 + 0.0005	.0170	----	----	----	----	33 UNCH
800	----	----	----	----/0.0060A	----	0.0050 UNCH	.0155	----	----	----	----	6 UNCH
825	----	----	----	----/0.0060A	----	0.0040 + 0.0005	.0122	----	----	----	----	1 UNCH
840	----	----	----	----/0.0050A	----	0.0030 UNCH	.0093	----	----	----	----	6 UNCH
850	----	----	----	----/0.0045A	----	0.0025 UNCH	.0078	----	----	----	----	5 UNCH
880	----	----	----	----/0.0035A	----	0.0020 UNCH	.0061	----	----	----	----	2 UNCH
900	----	----	----	----/0.0035A	----	0.0015 UNCH	.0046	----	----	----	----	9 UNCH
910	----	----	----	----/0.0035A	----	0.0015 UNCH	.0045	----	----	----	----	11 UNCH
950	----	----	----	----/0.0030A	----	0.0005 UNCH	.0016	----	----	----	----	1 UNCH
975	----	----	----	----/0.0025A	----	0.0005 UNCH	.0010	----	----	----	----	1 UNCH
TOTAL										52		7059 + 9
JUL26												
500	----	----	----	----	----	0.7615 + 0.0175	.7993	----	----	----	----	2 UNCH
520	----	----	0.6755B/----	0.6755B/0.6120A	----	0.6115 + 0.0165	.7291	----	----	----	----	1 UNCH
525	----	----	0.6385B/----	0.6385B/0.5780A	----	0.5765 + 0.0165	.7096	----	----	----	----	1 UNCH
530	----	----	0.6030B/----	0.6030B/0.5390A	----	0.5425 + 0.0165	.6892	----	----	----	----	6 UNCH
540	----	----	0.5355B/----	0.5355B/0.4745A	----	0.4785 + 0.0180	.6464	----	----	----	----	16 UNCH
545	----	----	0.5035B/----	0.5035B/0.4475A	----	0.4480 + 0.0185	.6242	----	----	----	----	1 UNCH
550	----	----	0.4725B/----	0.4725B/0.4180A	----	0.4185 + 0.0180	.6013	----	----	----	----	2 UNCH
555	----	----	0.4430B/----	0.4430B/0.3875A	----	0.3910 + 0.0180	.5781	----	----	----	----	146 UNCH
560	----	----	0.4145B/----	0.4145B/0.3640A	----	0.3640 + 0.0170	.5546	----	----	----	----	1 UNCH
570	----	----	0.3690B/----	0.3690B/0.3115A	----	0.3150 + 0.0155	.5072	----	----	----	----	157 UNCH
574	----	----	#0.3490B/----	#0.3490B/0.2960	----	0.2965 + 0.0140	.4882	----	----	----	----	5 UNCH
575	----	----	0.3435B/----	0.3435B/0.2920A	----	0.2925 + 0.0145	.4836	----	----	----	----	17 UNCH
580	----	----	0.3200B/----	0.3200B/0.2685A	----	0.2710 + 0.0135	.4601	----	----	75	----	131 - 56
585	----	----	0.2975B/----	0.2975B/0.2475A	----	0.2510 + 0.0125	.4370	----	----	----	----	302 UNCH
590	----	----	0.2765B/----	0.2765B/0.2330A	----	0.2320 + 0.0115	.4142	----	----	----	----	62 UNCH
595	----	----	0.2560B/----	0.2560B/0.2160A	----	0.2145 + 0.0110	.3920	----	----	----	----	30 UNCH
600	----	----	0.2370B/----	0.2370B/0.1970A	----	0.1980 + 0.0100	.3702	----	----	75	----	228 + 37
605	----	----	0.2195B/----	0.2195B/0.1850A	----	0.1830 + 0.0100	.3494	----	----	----	----	14 UNCH
610	----	----	0.2035B/----	0.2035B/0.1715A	----	0.1685 + 0.0090	.3289	----	----	----	----	5 UNCH
615	----	----	0.1880B/----	0.1880B/0.1585A	----	0.1555 + 0.0090	.3095	----	----	----	----	101 UNCH
620	----	----	0.1735B/----	0.1735B/0.1465A	----	0.1435 + 0.0090	.2909	----	----	----	----	56 UNCH
625	0.1325	0.1325	0.1595B/0.1315A	0.1595B/0.1315A	----	0.1320 + 0.0080	.2728	----	----	10	----	346 - 10
630	----	----	0.1470B/----	0.1470B/0.1260A	----	0.1220 + 0.0080	.2561	----	----	----	----	5 UNCH
635	----	----	0.1355B/----	0.1355B/0.1160A	----	0.1125 + 0.0080	.2400	----	----	----	----	11 UNCH
640	----	----	0.1250B/----	0.1250B/0.1035A	----	0.1040 + 0.0080	.2250	----	----	8	----	759 - 3
645	----	----	0.1150B/----	0.1150B/0.0955A	----	0.0960 + 0.0075	.2107	----	----	----	----	308 UNCH
650	----	----	0.1055B/----	0.1055B/0.0885A	----	0.0885 + 0.0075	.1970	----	----	3	----	287 - 1
660	----	----	0.0895B/----	0.0895B/0.0765A	----	0.0755 + 0.0065	.1723	----	----	----	----	250 UNCH
665	----	----	0.0820B/----	0.0820B/0.0735A	----	0.0700 + 0.0065	.1614	----	----	----	----	1 UNCH
670	----	----	0.0755B/----	0.0755B/0.0675A	----	0.0645 + 0.0060	.1506	----	----	5	----	22 UNCH
675	----	----	0.0695B/----	0.0695B/0.0630A	----	0.0595 + 0.0055	.1405	----	----	----	----	437 UNCH
680	----	----	0.0630B/----	0.0630B/0.0580A	----	0.0550 + 0.0055	.1312	----	----	4	----	3 - 1
685	----	----	0.0580B/----	0.0580B/0.0545A	----	0.0510 + 0.0050	.1227	----	----	----	----	2 UNCH
690	----	----	0.0535B/----	0.0535B/0.0505A	----	0.0470 + 0.0045	.1143	----	----	----	----	245 UNCH
695	----	----	0.0495B/----	0.0495B/0.0475A	----	0.0435 + 0.0045	.1068	----	----	----	----	40 UNCH
700	----	----	0.0460B/----	0.0460B/0.0440A	----	0.0400 + 0.0040	.0992	----	----	4	----	131 - 1
725	----	----	0.0310B/----	0.0310B/0.0315A	----	0.0270 + 0.0020	.0698	----	----	----	----	1523 UNCH
730	----	----	0.0290B/----	0.0290B/0.0300A	----	0.0255 + 0.0020	.0660	----	----	----	----	3 UNCH
750	----	----	0.0215B/----	0.0215B/0.0225A	----	0.0200 + 0.0015	.0522	----	----	----	----	184 UNCH
775	----	----	0.0145B/----	0.0145B/0.0175A	----	0.0150 + 0.0010	.0394	----	----	----	----	24 UNCH
800	----	----	----	0.0100B/0.0150A	----	0.0115 + 0.0010	.0303	----	----	----	----	69 UNCH
850	0.0080	0.0080	0.0080/*0.0080	0.0080/*0.0080	----	0.0070 + 0.0005	.0184	----	----	1	----	3 UNCH
875	----	----	----	0.0010B/0.0130A	----	0.0055 + 0.0005	.0145	----	----	----	----	2 UNCH
900	----	----	----	----/0.0110A	----	0.0050 + 0.0005	.0128	----	----	----	----	271 UNCH
950	----	----	----	----/0.0085A	----	0.0030 UNCH	.0078	----	----	----	----	56 UNCH
975	----	----	----	----/0.0070A	----	0.0025 + 0.0005	.0065	----	----	----	----	2 UNCH
1000	----	----	----	----/*0.0025A	----	0.0020 UNCH	.0052	----	----	----	----	4 UNCH
TOTAL										185		6272 - 35

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 69

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
AUG26												
500	----	----	----	----	----	0.8460 + 0.0215	.7878	----	----	----	----	2 UNCH
550	----	----	0.5580B/----	0.5580B/0.5115A	----	0.5100 + 0.0195	.6169	----	----	----	----	3 UNCH
575	----	----	0.4280B/----	0.4280B/0.3790A	----	0.3820 + 0.0185	.5183	----	----	----	----	1 UNCH
580	----	----	0.4040B/----	0.4040B/0.3565A	----	0.3595 + 0.0185	.4986	----	----	----	----	252 UNCH
585	----	----	0.3805B/----	0.3805B/0.3350A	----	0.3375 + 0.0175	.4788	----	----	----	----	11 UNCH
590	----	----	0.3575B/----	0.3575B/0.3155A	----	0.3170 + 0.0175	.4593	----	----	----	----	16 UNCH
600	----	----	0.3165B/----	0.3165B/0.2780A	----	0.2785 + 0.0165	.4210	----	----	----	----	4 UNCH
620	----	----	0.2445B/----	0.2445B/0.2160A	----	0.2135 + 0.0150	.3486	----	----	----	----	6 UNCH
625	----	----	0.2280B/----	0.2280B/0.2025A	----	0.1995 + 0.0150	.3317	----	----	----	----	86 UNCH
640	----	----	0.1870B/----	0.1870B/0.1670A	----	0.1630 + 0.0140	.2844	----	----	----	----	165 UNCH
650	----	----	0.1635B/----	0.1635B/0.1470A	----	0.1425 + 0.0130	.2560	----	----	----	----	4 UNCH
675	----	----	0.1165B/----	0.1165B/0.1075A	----	0.1020 + 0.0095	.1951	----	----	----	----	168 UNCH
680	----	----	0.1090B/----	0.1090B/0.1015A	----	0.0955 + 0.0085	.1846	----	----	----	----	1 UNCH
690	----	----	0.0875B/----	0.0875B/0.0970A	----	0.0840 + 0.0075	.1655	----	----	----	----	3 UNCH
700	----	----	0.0745B/----	0.0745B/0.0865A	----	0.0740 + 0.0070	.1484	----	----	----	----	4 UNCH
725	----	----	0.0525B/----	0.0525B/0.0675A	----	0.0540 + 0.0065	.1127	----	----	----	----	86 UNCH
730	----	----	0.0550B/----	0.0550B/0.0580A	----	0.0505 + 0.0060	.1063	----	----	----	----	1 UNCH
750	----	----	0.0425B/----	0.0425B/0.0475A	----	0.0400 + 0.0055	.0860	----	----	----	----	66 UNCH
800	----	----	0.0220B/----	0.0220B/0.0310A	----	0.0210 + 0.0035	.0482	----	----	----	----	6 UNCH
850	----	----	0.0110B/----	0.0110B/0.0225A	----	0.0110 + 0.0020	.0267	----	----	----	----	1 UNCH
900	----	----	----	0.0050B/0.0180A	----	0.0075 + 0.0010	.0181	----	----	----	----	57 UNCH
950	----	----	----	0.0010B/0.0175A	----	0.0050 + 0.0010	.0121	----	----	----	----	2 UNCH
975	----	----	----	----/0.0175A	----	0.0040 + 0.0010	.0097	----	----	----	----	4 UNCH
TOTAL												949
SEP26												
495	----	----	----	----	----	0.9080 + 0.0180	.7876	----	----	----	----	2 UNCH
500	----	----	----	----	----	0.8710 + 0.0180	.7739	----	----	----	----	5 UNCH
535	----	----	0.6710B/----	0.6710B/0.6545A	----	0.6340 + 0.0155	.6653	----	----	----	----	1 UNCH
565	----	----	0.5125B/----	0.5125B/0.4760A	----	0.4665 + 0.0120	.5593	----	----	----	----	1 UNCH
575	----	----	0.4670B/----	0.4670B/0.4285A	----	0.4185 + 0.0120	.5229	----	----	----	----	100 UNCH
595	----	----	0.3765B/----	0.3765B/0.3455A	----	0.3345 + 0.0135	.4514	----	----	----	----	2 UNCH
600	0.3300	0.3300	0.3560B/0.3270A	0.3560B/0.3270A	----	0.3155 + 0.0135	.4340	----	----	1	----	286 - 1
610	----	----	0.3170B/----	0.3170B/0.2930A	----	0.2810 + 0.0145	.4001	----	----	----	----	31 UNCH
615	----	----	0.2990B/----	0.2990B/0.2770A	----	0.2645 + 0.0140	.3835	----	----	----	----	9 UNCH
620	----	----	0.2815B/----	0.2815B/0.2620A	----	0.2495 + 0.0140	.3675	----	----	----	----	35 UNCH
625	----	----	0.2655B/----	0.2655B/0.2480A	----	0.2345 + 0.0135	.3516	----	----	----	----	142 UNCH
630	----	----	0.2500B/----	0.2500B/0.2345A	----	0.2210 + 0.0130	.3364	----	----	----	----	2 UNCH
640	----	----	0.2220B/----	0.2220B/0.2095A	----	0.1955 NEW	.3069	----	----	12	----	12 + 12
650	----	----	0.1955B/----	0.1955B/0.1855A	----	0.1730 + 0.0105	.2795	----	----	12	----	236 + 12
655	----	----	0.1840B/----	0.1840B/0.1775A	----	0.1625 + 0.0095	.2663	----	----	----	----	4 UNCH
670	----	----	0.1525B/----	0.1525B/0.1510A	----	0.1355 + 0.0075	.2304	----	----	----	----	1 UNCH
690	----	----	0.1190B/----	0.1190B/0.1230A	----	0.1060 + 0.0050	.1886	----	----	----	----	11 UNCH
700	----	----	0.1045B/----	0.1045B/0.1110A	----	0.0945 + 0.0045	.1711	----	----	----	----	55 UNCH
750	----	----	0.0555B/----	0.0555B/0.0700A	----	0.0535 + 0.0010	.1043	----	----	----	----	10 UNCH
800	----	----	----	0.0290B/0.0480A	----	0.0320 - 0.0005	.0653	----	----	----	----	12 UNCH
875	----	----	----	0.0100B/0.0310A	----	0.0165 - 0.0005	.0348	----	----	----	----	1 UNCH
975	----	----	----	0.0010B/0.0230A	----	0.0075 - 0.0005	.0162	----	----	----	----	1 UNCH
TOTAL										25		959 + 23
OCT26												
650	----	----	0.2560B/----	0.2560B/0.2575A	----	0.2340 + 0.0105	.3265	----	----	----	----	100 UNCH
700	----	----	0.1360B/----	0.1360B/0.1660A	----	0.1370 + 0.0055	.2145	----	----	----	----	145 UNCH
775	----	----	----	0.0520B/0.0925A	----	0.0655 + 0.0025	.1137	----	----	----	----	71 UNCH
800	----	----	----	0.0490B/0.0745A	----	0.0525 + 0.0020	.0930	----	----	----	----	1 UNCH
850	----	----	----	0.0275B/0.0555A	----	0.0345 + 0.0015	.0631	----	----	----	----	30 UNCH
875	----	----	----	0.0200B/0.0490A	----	0.0295 + 0.0010	.0540	----	----	----	----	2 UNCH
900	----	----	----	0.0140B/0.0440A	----	0.0255 + 0.0010	.0466	----	----	----	----	3 UNCH
975	----	----	----	0.0030B/0.0340A	----	0.0135 + 0.0005	.0259	----	----	----	----	4 UNCH
TOTAL												356
NOV26												
535	----	----	0.8045B/----	0.8045B/0.7790A	----	0.7605 + 0.0175	.6748	----	----	----	----	1 UNCH
545	----	----	0.7445B/----	0.7445B/0.7225A	----	0.7020 + 0.0160	.6460	----	----	----	----	1 UNCH
580	----	----	0.5590B/----	0.5590B/0.5490A	----	0.5215 + 0.0105	.5416	----	----	----	----	2 UNCH
585	----	----	0.5355B/----	0.5355B/0.5275A	----	0.4990 + 0.0095	.5266	----	----	----	----	1 UNCH
595	----	----	0.4910B/----	0.4910B/0.4855A	----	0.4560 + 0.0085	.4968	----	----	----	----	2 UNCH
600	----	----	0.4695B/----	0.4695B/0.4660A	----	0.4360 + 0.0080	.4822	----	----	----	----	2 UNCH
610	----	----	0.4290B/----	0.4290B/0.4285A	----	0.3980 + 0.0075	.4533	----	----	----	----	14 UNCH
640	----	----	0.3240B/----	0.3240B/0.3315A	----	0.3005 + 0.0070	.3715	----	----	----	----	1 UNCH
670	----	----	0.2415B/----	0.2415B/0.2560A	----	0.2245 + 0.0055	.2990	----	----	----	----	14 UNCH
675	----	----	0.2295B/----	0.2295B/0.2455A	----	0.2140 + 0.0050	.2881	----	----	----	----	1 UNCH
750	----	----	0.1090B/----	0.1090B/0.1365A	----	0.1060 - 0.0010	.1621	----	----	----	----	1 UNCH
850	----	----	----	0.0395B/0.0740A	----	0.0470 UNCH	.0784	----	----	----	----	1 UNCH
900	----	----	----	0.0220B/0.0590A	----	0.0320 UNCH	.0551	----	----	----	----	1 UNCH
975	----	----	----	0.0070B/0.0455A	----	0.0180 UNCH	.0324	----	----	----	----	1 UNCH
TOTAL												43
DEC26												
520	----	----	0.9240B/----	0.9240B/0.9015A	----	0.8760 + 0.0130	.7108	----	----	----	----	1 UNCH
525	----	----	0.8920B/----	0.8920B/0.8715A	----	0.8450 + 0.0130	.6978	----	----	----	----	123 UNCH
535	----	----	0.8300B/----	0.8300B/0.8130A	----	0.7845 + 0.0120	.6710	----	----	----	----	1 UNCH
550	----	----	0.7430B/----	0.7430B/0.7315A	----	0.7000 + 0.0105	.6295	----	----	----	----	2 UNCH
555	----	----	0.7155B/----	0.7155B/0.7055A	----	0.6735 + 0.0100	.6155	----	----	----	----	1 UNCH
565	----	----	0.6630B/----	0.6630B/0.6565A	----	0.6225 + 0.0090	.5871	----	----	----	----	45 UNCH
575	----	----	0.6135B/----	0.6135B/0.6100A	----	0.5750 + 0.0085	.5586	----	----	----	----	123 UNCH
585	----	----	0.5665B/----	0.5665B/0.5660A	----	0.5305 + 0.0085	.5304	----	----	----	----	1 UNCH
590	----	----	0.5445B/----	0.5445B/0.5455A	----	0.5095 + 0.0085	.5164	----	----	----	----	200 UNCH
595	----	----	0.5225B/----	0.5225B/0.5250A	----	0.4885 + 0.0080	.5024	----	----	----	----	163 UNCH
600	----	----	0.5015B/----	0.5015B/0.5055A	----	0.4690 + 0.0085	.4887	----	----	----	----	551 UNCH
610	----	----	0.4615B/----	0.4615B/0.4680A	----	0.4310 + 0.0085	.4616	----	----	----	----	356 UNCH
620	----	----	0.4240B/----	0.4240B/0.4330A	----	0.3960 + 0.0085	.4351	----	----	----	----	408 UNCH
625	----	----	0.4060B/----	0.4060B/0.4165A	----	0.3795 + 0.0085	.4222	----	----	----	----	13 UNCH
630	----	----	0.3890B/----	0.3890B/0.4000A	----	0.3630 + 0.0080	.4093	----	----	----	----	456 UNCH
640	----	----	0.3560B/----	0.3560B/0.3690A	----	0.3330 + 0.0075	.3846	----	----	----	----	29 UNCH
650	----	----	0.3260B/----	0.3260B/0.3415A	----	0.3045 + 0.0065	.3604	----	----	----	----	371 UNCH
660	----	----	0.2980B/----	0.2980B/0.3150A	----	0.2785 + 0.0055	.3373	----	----	----	----	300 UNCH
670	----	----	0.2720B/----	0.2720B/0.2915A	----	0.2550 + 0.0050	.3155	----	----	----	----	4 UNCH
675	----	----	0.2600B/----	0.2600B/0.2800A	----	0.2435 + 0.0045	.3047	----	----	----	----	17 UNCH
700	----	----	0.2070B/----	0.2070B/0.2320A	----	0.1955 + 0.0025	.2565	----	----	----	----	843 UNCH
705	----	----	0.1980B/----	0.1980B/0.2235A	----	0.1870 + 0.0020	.2475	----	----	----	----	2 UNCH
725	----	----	0.1650B/----	0.1650B/0.1935A	----	0.1580 + 0.0010	.2155	----	----	----	----	5 UNCH
730	----	----	0.1580B/----	0.1580B/0.1875A	----	0.1520 + 0.0010	.2085	----	----	----	----	2 UNCH
750	----	----	0.1325B/----	0.1325B/0.1640A	----	0.1290 UNCH	.1816	----	----	----	----	24 UNCH
800	----	----	----	0.0855B/0.1215A	----	0.0885 - 0.0010	.1304	----	----	----	----	104 UNCH
850	----	----	----	0.0545B/0.0935A	----	0.0625 - 0.0015	.0951	----	----	----	----	4 UNCH
900	----	----	----	0.0335B/0.0695A	----	0.0455 - 0.0020	.0708	----	----	----	----	200 UNCH
925	----	----	----	0.0260B/0.0680A	----	0.0410 - 0.0015	.0635	----	----	----	----	6 UNCH
950	----	----	----	0.0300B/0.0625A	----	0.0370 - 0.0015	.0571	----	----	----	----	78 UNCH
975	----	----	----	0.0140B/0.0575A	----	0.0335 - 0.0020	.0515	----	----	----	----	13 UNCH
TOTAL												4446
JAN27												
500	----	----	----	----	----	1.0805 + 0.0075	.7706	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.0940 + 0.0045	.1165	----	----	----	----	1 UNCH
TOTAL												2
MAR27												
680	----	----	----	----	----	0.4130 + 0.0020	.3777	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.2050 - 0.0010	.1801	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
MAY26												
125	----	----	----	----/0.0095A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
300	----	----	----	----/0.0025A	----	0.0005 UNCH	.0000	----	----	----	----	22 UNCH
330	----	----	----	----/0.0030A	----	0.0005 UNCH	.0003	----	----	----	----	1 UNCH
340	----	----	----	----/0.0030A	----	0.0005 UNCH	.0005	----	----	----	----	6 UNCH
350	----	----	----	----/0.0035A	----	0.0005 - 0.0005	.0011	----	----	----	----	6 UNCH
360	----	----	----	----/0.0030A	----	0.0010 - 0.0005	.0027	----	----	----	----	35 UNCH
370	----	----	----	----/0.0045A	----	0.0010 - 0.0010	.0029	----	----	----	----	1 UNCH
375	----	----	----	----/0.0045A	----	0.0015 - 0.0005	.0042	----	----	----	----	1 UNCH
390	----	----	----/*0.0025A	----/*0.0025A	----	0.0020 - 0.0015	.0059	----	----	----	----	2 UNCH
395	----	----	----/*0.0025A	----/*0.0025A	----	0.0025 - 0.0010	.0073	----	----	----	----	6 UNCH
400	0.0030	0.0030	0.0030/*0.0030	0.0030/*0.0030	----	0.0030 - 0.0010	.0087	----	----	6	----	124 UNCH
405	----	----	----/*0.0035A	----/*0.0035A	----	0.0030 - 0.0015	.0090	----	----	----	----	125 UNCH
410	----	----	----/*0.0035A	----/*0.0035A	----	0.0030 - 0.0015	.0093	----	----	----	----	23 UNCH
415	----	----	----/*0.0040A	----/*0.0040A	----	0.0035 - 0.0010	.0109	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
MAY26												
420	----	----	----/*0.0040A	----/*0.0040A	----	0.0035 - 0.0015	.0113	----	----	----	----	60 UNCH
425	----	----	----/*0.0045A	----/*0.0045A	----	0.0040 - 0.0015	.0130	----	----	----	----	56 UNCH
430	----	----	----/*0.0050A	----/*0.0050A	----	0.0045 - 0.0015	.0148	----	----	----	----	21 UNCH
435	----	----	----/0.0060A	----/0.0060A	----	0.0050 - 0.0020	.0167	----	----	----	----	8 UNCH
440	0.0055	0.0055	0.0055/*0.0055	0.0055/*0.0055	----	0.0055 - 0.0020	.0187	----	----	1	----	134 - 1
445	----	----	----/*0.0070A	0.0065B/*0.0070	----	0.0065 - 0.0015	.0221	----	----	----	----	52 UNCH
450	0.0075	0.0075	0.0075/0.0075	0.0075/0.0075	----	0.0070 - 0.0020	.0243	----	----	1	----	863 UNCH
455	----	----	----/0.0085A	0.0085B/0.0085A	----	0.0080 - 0.0020	.0280	----	----	1	----	23 - 1
460	----	----	----/0.0095A	0.0095B/0.0095A	----	0.0090 - 0.0020	.0318	----	----	----	----	593 UNCH
465	----	----	----/0.0110A	0.0105B/0.0110A	----	0.0100 - 0.0020	.0359	----	----	1	----	34 - 1
470	----	----	----/0.0120A	0.0120B/0.0120A	----	0.0110 - 0.0025	.0402	----	----	1	----	60 - 1
475	----	----	----/0.0135A	0.0135B/0.0135A	----	0.0125 - 0.0025	.0461	----	----	1	----	520 - 1
480	----	----	----/0.0150A	0.0150B/0.0150A	----	0.0145 - 0.0025	.0536	----	----	6	----	1310 - 4
485	----	----	----/0.0165A	0.0170B/0.0165A	----	0.0160 - 0.0030	.0602	----	----	3	----	89 - 1
490	----	----	----/0.0190A	0.0195B/0.0190A	----	0.0185 - 0.0025	.0699	----	----	4	----	287 - 1
495	----	----	----/0.0215A	0.0225B/0.0215A	----	0.0210 - 0.0030	.0800	----	----	1	----	96 UNCH
500	0.0240	0.0240	0.0265/0.0240	0.0265/0.0240	----	0.0240 - 0.0030	.0921	----	----	12	----	1792 - 6
505	0.0300	0.0300	0.0305/0.0270A	0.0305/0.0270A	----	0.0275 - 0.0035	.1060	----	----	2	----	192 + 2
510	0.0340	0.0340	0.0350/0.0305A	0.0355B/0.0305A	----	0.0315 - 0.0045	.1221	----	----	8	----	365 - 1
514	0.0390	0.0390	0.0400/*0.0340A	0.0400/*0.0340A	----	0.0355 - 0.0050	.1374	----	----	3	----	30 + 3
515	0.0400	0.0400	0.0410/0.0350A	0.0415B/0.0350A	----	0.0365 - 0.0055	.1413	----	----	8	----	142 + 7
516	0.0410	0.0410	0.0425/*0.0360A	0.0425/*0.0360A	----	0.0380 - 0.0055	.1464	----	----	5	----	65 + 2
517	0.0425	0.0425	0.0440/*0.0370A	0.0440/*0.0370A	----	0.0390 - 0.0055	.1504	----	----	5	----	91 + 5
518	0.0435	0.0435	0.0450/*0.0380A	0.0450/*0.0380A	----	0.0405 - 0.0055	.1555	----	----	3	----	99 + 3
519	0.0450	0.0450	0.0465/*0.0390A	0.0465/*0.0390A	----	0.0420 - 0.0055	.1606	----	----	5	----	76 + 5
520	0.0455	0.0455	0.0480/0.0410A	0.0480/0.0410A	----	0.0435 - 0.0055	.1658	----	----	59	----	1136 - 22
521	0.0480	0.0480	0.0495/*0.0415A	0.0495/*0.0415A	----	0.0445 - 0.0065	.1701	----	----	5	----	45 + 5
522	0.0500	0.0500	0.0515/*0.0425A	0.0515/*0.0425A	----	0.0465 - 0.0060	.1763	----	----	5	----	42 + 3
523	----	----	----/*0.0440A	0.0525B/*0.0440	----	0.0480 - 0.0065	.1816	----	----	----	----	21 UNCH
524	----	----	----/*0.0455A	0.0555B/*0.0455	----	0.0495 - 0.0065	.1869	----	----	----	----	19 UNCH
525	----	----	----/0.0470A	0.0570B/0.0470A	----	0.0515 - 0.0065	.1932	----	----	1	----	264 - 1
526	----	----	----/*0.0485A	0.0580B/*0.0485	----	0.0535 - 0.0065	.1995	----	----	----	----	15 UNCH
527	----	----	----/*0.0500A	0.0600B/*0.0500	----	0.0550 - 0.0070	.2051	----	----	----	----	12 UNCH
528	----	----	----/*0.0515A	0.0620B/*0.0515	----	0.0570 - 0.0070	.2115	----	----	----	----	11 UNCH
530	0.0585	0.0585	0.0640/0.0545A	0.0675B/0.0545A	----	0.0615 - 0.0070	.2252	----	----	8	----	564 - 2
531	----	----	----/*0.0560A	0.0685B/*0.0560	----	0.0635 - 0.0075	.2317	----	----	----	----	3 UNCH
532	----	----	----/*0.0580A	0.0710B/*0.0580	----	0.0660 - 0.0075	.2391	----	----	----	----	6 UNCH
533	----	----	----/*0.0600A	0.0735B/*0.0600	----	0.0680 - 0.0080	.2457	----	----	----	----	1 UNCH
535	0.0690	0.0690	0.0690/0.0635A	0.0790B/0.0635A	----	0.0730 - 0.0080	.2606	----	----	2	----	204 + 1
536	----	----	----/*0.0655A	0.0805B/*0.0655	----	0.0755 - 0.0085	.2680	----	----	----	----	1 UNCH
537	----	----	----/*0.0675A	0.0840B/*0.0675	----	0.0780 - 0.0085	.2756	----	----	----	----	3 UNCH
539	----	----	----/*0.0720A	0.0895B/*0.0720	----	0.0835 - 0.0090	.2914	----	----	----	----	4 UNCH
540	----	----	----/0.0745A	0.0945B/0.0745A	----	0.0860 - 0.0095	.2991	----	----	----	----	374 UNCH
541	----	----	----/*0.0770A	0.0955B/*0.0770	----	0.0890 - 0.0100	.3075	----	----	----	----	9 UNCH
542	----	----	----/*0.0795A	0.1000B/*0.0795	----	0.0920 - 0.0100	.3158	----	----	----	----	7 UNCH
544	----	----	----/*0.0845A	0.1070B/*0.0845	----	0.0985 - 0.0105	.3331	----	----	----	----	1 UNCH
545	----	----	----/0.0875A	0.1100B/0.0875A	----	0.1015 - 0.0110	.3417	----	----	1	----	164 - 1
546	----	----	----/*0.0910A	0.1130B/*0.0910	----	0.1050 - 0.0110	.3506	----	----	----	----	11 UNCH
547	----	----	----/*0.0930A	0.1165B/*0.0930	----	0.1085 - 0.0110	.3597	----	----	----	----	7 UNCH
548	0.1160	0.1160	0.1160/*0.0965A	0.1200B/*0.0965	----	0.1120 - 0.0115	.3687	----	----	3	----	112 - 3
549	----	----	----/*0.0995A	0.1240B/*0.0995	----	0.1160 - 0.0115	.3781	----	----	----	----	13 UNCH
550	0.1120	0.1120	0.1295B/0.1020A	0.1295B/0.1020A	----	0.1195 - 0.0120	.3873	----	----	45	----	1784 - 27
551	0.1255	0.1255	0.1255/0.1060A	0.1325B/0.1060A	----	0.1235 - 0.0120	.3968	----	----	3	----	32 - 3
552	0.1280	0.1280	0.1365B/0.1085A	0.1365B/0.1085A	----	0.1275 - 0.0120	.4063	----	----	3	----	18 - 1
553	----	----	----/0.1120A	0.1410B/0.1120A	----	0.1315 - 0.0125	.4159	----	----	----	----	21 UNCH
554	----	----	----/0.1155A	0.1465B/0.1155A	----	0.1360 - 0.0120	.4256	----	----	----	----	20 UNCH
555	----	----	----/0.1190A	0.1495B/0.1190A	----	0.1405 - 0.0120	.4354	----	----	----	----	124 UNCH
556	----	----	----/0.1225A	0.1545B/0.1225A	----	0.1445 - 0.0130	.4451	----	----	----	----	15 UNCH
557	----	----	----/0.1260A	0.1590B/0.1260A	----	0.1495 - 0.0125	.4549	----	----	----	----	15 UNCH
558	----	----	----/0.1300A	0.1645B/0.1300A	----	0.1540 - 0.0130	.4648	----	----	----	----	107 UNCH
559	----	----	----/0.1340A	0.1680B/0.1340A	----	0.1590 - 0.0125	.4747	----	----	----	----	13 UNCH
560	----	----	----/0.1375A	0.1750B/0.1375A	----	0.1635 - 0.0130	.4846	----	----	2	----	443 UNCH
561	0.1725	0.1725	0.1725/0.1415A	0.1785B/0.1415A	----	0.1685 - 0.0135	.4946	----	----	6	----	12 + 6
562	----	----	----/0.1460A	0.1840B/0.1460A	----	0.1740 - 0.0130	.5044	----	----	----	----	20 UNCH
563	0.1760	0.1760	0.1895B/0.1500A	0.1895B/0.1500A	----	0.1790 - 0.0135	.5144	----	----	3	----	10 + 3
564	0.1820	0.1820	0.1945B/0.1545A	0.1945B/0.1545A	----	0.1845 - 0.0135	.5243	----	----	3	----	8 + 3
565	----	----	----/0.1590A	0.2020B/0.1590A	----	0.1900 - 0.0135	.5342	----	----	----	----	221 UNCH
566	----	----	----/0.1635A	0.2065B/0.1635A	----	0.1955 - 0.0135	.5441	----	----	----	----	5 UNCH
567	----	----	----/0.1680A	0.2110B/0.1680A	----	0.2010 - 0.0140	.5540	----	----	----	----	2 UNCH
568	----	----	----/0.1730A	0.2185B/0.1730A	----	0.2070 - 0.0135	.5636	----	----	----	----	8 UNCH
569	----	----	----/0.1805A	0.2240B/0.1805A	----	0.2125 - 0.0140	.5733	----	----	----	----	27 UNCH
570	----	----	----/0.1850A	0.2305B/0.1850A	----	0.2185 - 0.0140	.5833	----	----	43	----	550 - 27
571	----	----	----/0.1900A	0.2330B/0.1900A	----	0.2245 - 0.0145	.5926	----	----	----	----	5 UNCH
572	----	----	----/0.1955A	0.2395B/0.1955A	----	0.2305 - 0.0145	.6022	----	----	----	----	5 UNCH
573	----	----	----/0.2010A	0.2425B/0.2010A	----	0.2370 - 0.0145	.6119	----	----	----	----	4 UNCH
575	----	----	----/0.2115A	0.2615B/0.2115A	----	0.2495 - 0.0150	.6305	----	----	1	----	289 - 1
576	----	----	----/0.2170A	0.2515B/0.2170A	----	0.2560 - 0.0150	.6397	----	----	----	----	3 UNCH
577	----	----	----/0.2235A	0.2580B/0.2235A	----	0.2630 - 0.0150	.6490	----	----	----	----	3 UNCH
578	----	----	----/0.2295A	0.2655B/0.2295A	----	0.2695 - 0.0155	.6577	----	----	----	----	25 UNCH
579	----	----	----/0.2355A	0.2725B/0.2355A	----	0.2765 - 0.0150	.6670	----	----	----	----	5 UNCH
580	----	----	----/0.2415A	0.2955B/0.2415A	----	0.2830 - 0.0155	.6757	----	----	----	----	283 UNCH
581	----	----	----/0.2475A	0.2870B/0.2475A	----	0.2900 - 0.0160	.6844	----	----	----	----	20 UNCH
582	----	----	----/0.2585A	0.2890B/0.2585A	----	0.2970 - 0.0160	.6931	----	----	----	----	7 UNCH
583	----	----	----/0.2895A	0.3010B/0.2895A	----	0.3045 - 0.0155	.7011	----	----	----	----	1 UNCH
584	----	----	----/0.3160A	0.3090B/0.3160A	----	0.3115 - 0.0160	.7098	----	----	----	----	5 UNCH
585	----	----	----/0.2775A	0.3325B/0.2775A	----	0.3190 - 0.0160	.7177	----	----	----	----	189 UNCH
586	----	----	----/0.3330A	0.3240B/0.3330A	----	0.3265 - 0.0160	.7256	----	----	----	----	3 UNCH
587	----	----	----/0.3400A	0.3315B/0.3400A	----	0.3340 - 0.0160	.7335	----	----	----	----	3 UNCH
588	----	----	----/0.3470A	0.3395B/0.3470A	----	0.3415 - 0.0160	.7414	----	----	----	----	2 UNCH
589	----	----	----/0.3540A	0.3475B/0.3540A	----	0.3490 - 0.0165	.7493	----	----	----	----	2 UNCH
590	----	----	----/0.3105A	0.3630B/0.3105A	----	0.3565 - 0.0165	.7572	----	----	----	----	144 UNCH
591	----	----	----/0.3685A	0.3635B/0.3685A	----	0.3645 - 0.0165	.7642	----	----	----	----	1 UNCH
592	----	----	----/0.3735A	0.3720B/0.3735A	----	0.3725 - 0.0165	.7711	----	----	----	----	50 UNCH
594	----	----	----/0.3910A	0.3875B/0.3910A	----	0.3885 - 0.0165	.7850	----	----	----	----	1 UNCH
595	----	----	----/0.3450A	0.3965B/0.3450A	----	0.3965 - 0.0165	.7919	----	----	1	----	31 - 1
597	----	----	----/0.4140A	0.4125B/0.4140A	----	0.4130 - 0.0165	.8046	----	----	----	----	1 UNCH
598	----	----	----/0.4215A	0.4210B/0.4215A	----	0.4210 - 0.0170	.8115	----	----	----	----	1 UNCH
600	----	----	----/0.3820A	0.4530B/0.3820A	----	0.4380 - 0.0165	.8229	----	----	1	----	505 UNCH
602	----	----	----/0.4535A	0.4555B/0.4535A	----	0.4550 - 0.0165	.8343	----	----	----	----	1 UNCH
603	----	----	----/0.4615A	0.4645B/0.4615A	----	0.4635 - 0.0165	.8400	----	----	----	----	1 UNCH
604	----	----	----/0.4700A	0.4730B/0.4700A	----	0.4720 - 0.0165	.8444	----	----	----	----	2 UNCH
605	----	----	----/0.4760A	0.4825B/0.4760A	----	0.4810 - 0.0165	.8501	----	----	----	----	37 UNCH
610	----	----	----/0.5190A	0.5270B/0.5190A	----	0.5250 - 0.0165	.8727	----	----	----	----	42 UNCH
615	----	----	----/0.5635A	0.5725B/0.5635A	----	0.5705 - 0.0165	.8936	----	----	----	----	1 UNCH
619	----	----	----/0.5990A	0.6095B/0.5990A	----	0.6070 - 0.0165	.9069	----	----	----	----	1 UNCH
620	----	----	----/0.6085A	0.6190B/0.6085A	----	0.6165 - 0.0165	.9094	----	----	----	----	3 UNCH
645	----	----	----/0.8430A	0.7435B/0.8430A	----	0.8560 - 0.0160	.9575	----	----	----	----	1 UNCH
TOTAL										272		15607 - 59
JUN26												
330	0.0035	0.0035	#0.0035/*0.0035	0.0035/*0.0035	----	0.0025 NEW	.0054	----	----	3	----	3 + 3
355	----	----	----	----/0.0085A	----	0.0045 - 0.0005	.0098	----	----	----	----	10 UNCH
370	----	----	----	----/0.0105A	----	0.0060 - 0.0005	.0132	----	----	----	----	1 UNCH
380	----	----	----	0.0015B/0.0125A	----	0.0070 NEW	.0157	----	----	1	----	1 + 1
400	----	----	----/*0.0100A	0.0090B/*0.0100	----	0.0095 - 0.0015	.0222	----	----	----	----	2 UNCH
405	----	----	----/*0.0110A	0.0100B/*0.0110	----	0.0105 - 0.0010	.0246	----	----	----	----	1 UNCH
410	----	----	----/*0.0120A	0.0110B/*0.0120	----	0.0110 - 0.0015	.0262	----	----	----	----	2 UNCH
420	----	----	----/*0.0140A	0.0130B/*0.0140	----	0.0130 - 0.0015	.0314	----	----	----	----	3 UNCH
430	----	----	----	0.0160B/0.0170A	----	0.0155 - 0.0015	.0379	----	----	1	----	4 + 1
435	----	----	----	0.0175B/0.0185A	----	0.0170 - 0.0015	.0418	----	----	----	----	2 UNCH
440	0.0205	0.0205	0.0205/0.0200A	0.0205/0.0200A	----	0.0190 - 0.0015	.0466	----	----	1	----	8 + 1
445	----	----	----/0.0220A	0.0210B/0.0220A	----	0.0210 - 0.0015	.0516	----	----	----	----	12 UNCH
450	0.0235	0.0235	0.0235/0.0235	0.0235/0.0235	----	0.0235 - 0.0015	.0576	----	----	1	----	472 + 1
455	----	----	----/0.0265A	0.0265B/0.0265A	----	0.0260 - 0.0015	.0637	----	----	5	----	78 + 5
460	----	----	----/0.0290A	0.0295B/0.0290A	----	0.0290 - 0.0015	.0708	----	----	----	----	90 UNCH
465	----	----	----/0.0320A	0.0335B/0.0320A	----	0.0320 - 0.0020	.0782	----	----	1	----	921 UNCH
470	----	----	----/0.0355A	0.0375B/0.0355A	----	0.0360 - 0.0020	.0873	----	----	----	----	670 UNCH
475	----	----	----/0.0395A	0.0415B/0.0395A	----	0.0400 - 0.0020	.0967	----	----	5	----	169 + 5
480	----	----	----/0.0435A	0.0470B/0.0435A	----	0.0440 - 0.0030	.1063	----	----	1	----	1235 UNCH
485	0.0485	0.0485	0.0510B/0.0475A	0.0510B/0.0475A	----	0.0490 - 0.0030	.1177	----	----	1	----	7 UNCH
490	----	----	----/0.0525A	0.0575B/0.0525A	----	0.0550 - 0.0030	.1307	----	----	2	----	64 + 1
495	----	----	----/0.0580A	0.0635B/0.0580A	----	0.0610 - 0.0035	.1441	----	----	----	----	35 UNCH
500	0.0690	0.0690	0.0690/0.0645A	0.0715B/0.0645A	----	0.0685 - 0.0035	.1597	----	----	15	----	572 UNCH
505	----	----	----/0.0715A	0.0795B/0.0715A	----	0.0765 - 0.0035	.1762	----	----	----	----	514 UNCH
510	----	----	----/0.0790A	0.0890B/0.0790A	----	0.0855 - 0.0035	.1942	----	----	1	----	170 + 1
515	----	----	----/0.0880A	0.0990B/0.0880A	----	0.0960 - 0.0030	.2140	----	----	1	----	28 + 1
520	0.1090	0.1090	0.1110B/0.0980A	0.1110B/0.0980A	----	0.1070 - 0.0035	.2347	----	----	33	----	179 + 33

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 71

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
523	----	----	0.1185B/*0.1040	0.1185B/*0.1040	----	0.1145 - 0.0035	.2481	----	----	----	----	3 UNCH
525	----	----	0.1240B/0.1080A	0.1240B/0.1080A	----	0.1195 - 0.0035	.2571	----	----	----	----	2304 UNCH
528	0.1280	0.1280	0.1315B/*0.1155	0.1315B/*0.1155	----	0.1270 NEW	.2708	----	----	6	----	3 + 3
529	----	----	0.1345B/*0.1175	0.1345B/*0.1175	----	0.1300 - 0.0040	.2757	----	----	----	----	5 UNCH
530	----	----	0.1375B/0.1205A	0.1375B/0.1205A	----	0.1325 - 0.0040	.2803	----	----	----	----	129 UNCH
535	----	----	----/0.1335A	0.1520B/0.1335A	----	0.1465 - 0.0055	.3047	----	----	----	----	21 UNCH
537	0.1565	0.1565	0.1590B/*0.1390	0.1590B/*0.1390	----	0.1525 NEW	.3149	----	----	1	----	1 + 1
538	0.1600	0.1600	0.1620B/*0.1420	0.1620B/*0.1420	----	0.1555 NEW	.3200	----	----	1	----	1 + 1
539	0.1630	0.1630	0.1630/*0.1450A	0.1650B/*0.1450	----	0.1585 NEW	.3251	----	----	1	----	1 + 1
540	----	----	----/0.1480A	0.1685B/0.1480A	----	0.1620 - 0.0065	.3305	----	----	6	----	45 UNCH
542	----	----	----/*0.1540A	0.1755B/*0.1540	----	0.1685 - 0.0070	.3412	----	----	----	----	1 UNCH
543	0.1770	0.1770	0.1795B/*0.1585	0.1795B/*0.1585	----	0.1720 - 0.0070	.3466	----	----	1	----	10 UNCH
545	----	----	0.1870B/0.1645A	0.1870B/0.1645A	----	0.1790 - 0.0075	.3576	----	----	----	----	68 UNCH
550	0.2000	0.2000	0.2075B/0.1810A	0.2075B/0.1810A	----	0.1980 - 0.0080	.3859	----	----	41	----	149 + 22
551	----	----	0.2110B/*0.1850	0.2110B/*0.1850	----	0.2020 - 0.0080	.3916	----	----	----	----	90 UNCH
555	----	----	----/0.2000A	0.2270B/0.2000A	----	0.2190 - 0.0080	.4150	----	----	----	----	11 UNCH
557	----	----	0.2370B/*0.2080	0.2370B/*0.2080	----	0.2280 - 0.0080	.4268	----	----	----	----	50 UNCH
559	----	----	0.2460B/*0.2165	0.2460B/*0.2165	----	0.2370 - 0.0080	.4387	----	----	----	----	2 UNCH
560	----	----	0.2505B/0.2200A	0.2505B/0.2200A	----	0.2420 - 0.0075	.4447	----	----	1	----	4 + 1
561	----	----	0.2560B/0.2250A	0.2560B/0.2250A	----	0.2465 - 0.0080	.4507	----	----	----	----	1 UNCH
565	----	----	0.2765B/0.2420A	0.2765B/0.2420A	----	0.2665 - 0.0075	.4746	----	----	----	----	162 UNCH
570	0.2965	0.2965	0.3005B/0.2640A	0.3005B/0.2640A	----	0.2925 - 0.0080	.5045	----	----	5	----	12 + 5
575	----	----	0.3295B/0.2890A	0.3295B/0.2890A	----	0.3205 - 0.0080	.5342	----	----	----	----	61 UNCH
580	----	----	----/0.3140A	0.3580B/0.3140A	----	0.3495 - 0.0085	.5636	----	----	----	----	15 UNCH
585	----	----	----/0.3420A	0.3840B/0.3420A	----	0.3800 - 0.0090	.5924	----	----	----	----	1 UNCH
590	----	----	----/0.3765A	0.4170B/0.3765A	----	0.4120 - 0.0095	.6206	----	----	----	----	2 UNCH
600	----	----	----/0.4410A	0.4890B/0.4410A	----	0.4800 - 0.0110	.6743	----	----	----	----	15 UNCH
602	----	----	----/0.4935A	0.4770B/0.4935A	----	0.4945 - 0.0110	.6844	----	----	----	----	1 UNCH
605	----	----	----/0.4745A	0.5255B/0.4745A	----	0.5165 - 0.0110	.6993	----	----	----	----	48 UNCH
610	----	----	----/0.5090A	0.5635B/0.5090A	----	0.5540 - 0.0115	.7227	----	----	----	----	20 UNCH
615	----	----	----/0.5450A	0.6025B/0.5450A	----	0.5930 - 0.0115	.7449	----	----	----	----	31 UNCH
620	----	----	----/0.5820A	0.6275B/0.5820A	----	0.6330 - 0.0115	.7659	----	----	----	----	9 UNCH
630	----	----	----/0.7045A	0.7115B/0.7045A	----	0.7155 - 0.0120	.8036	----	----	----	----	9 UNCH
645	----	----	----/0.8305A	0.8295B/0.8305A	----	0.8455 - 0.0120	.8502	----	----	----	----	1 UNCH
650	----	----	----/0.8740A	0.8740B/0.8740A	----	0.8900 - 0.0125	.8630	----	----	----	----	3 UNCH
655	----	----	----/0.9180A	0.9195B/0.9180A	----	0.9350 - 0.0125	.8757	----	----	----	----	1 UNCH
700	----	----	----	----	----	1.3595 - 0.0150	.9460	----	----	----	----	1 UNCH
TOTAL										135		8544 + 87
JUL26												
350	----	----	----	0.0030B/0.0160A	----	0.0085 UNCH	.0158	----	----	----	----	5 UNCH
380	----	----	----	0.0105B/0.0200A	----	0.0135 UNCH	.0259	----	----	----	----	2 UNCH
390	----	----	----	0.0135B/0.0185A	----	0.0160 + 0.0005	.0309	----	----	----	----	6 UNCH
395	----	----	----	0.0150B/0.0195A	----	0.0170 UNCH	.0331	----	----	----	----	1 UNCH
400	0.0205	0.0205	0.0205/0.0185A	0.0205/0.0185A	----	0.0185 UNCH	.0362	----	----	5	----	509 UNCH
415	----	----	----	0.0220B/0.0255A	----	0.0240 + 0.0005	.0471	----	----	----	----	52 UNCH
420	----	----	----	0.0250B/0.0275A	----	0.0260 UNCH	.0511	----	----	----	----	4 UNCH
425	----	----	----	0.0275B/0.0300A	----	0.0285 + 0.0005	.0559	----	----	----	----	50 UNCH
430	----	----	----	0.0300B/0.0325A	----	0.0310 + 0.0005	.0609	----	----	----	----	8 UNCH
435	----	----	----	0.0325B/0.0350A	----	0.0335 UNCH	.0660	----	----	----	----	5 UNCH
440	----	----	----	0.0360B/0.0385A	----	0.0370 + 0.0005	.0725	----	----	----	----	3 UNCH
445	----	----	----	0.0395B/0.0420A	----	0.0405 + 0.0010	.0791	----	----	----	----	3 UNCH
450	----	----	0.0440B/----	0.0440B/0.0455A	----	0.0445 + 0.0010	.0865	----	----	----	----	1924 UNCH
455	----	----	0.0480B/----	0.0480B/0.0495A	----	0.0490 + 0.0015	.0946	----	----	----	----	6 UNCH
460	----	----	0.0530B/----	0.0530B/0.0545A	----	0.0535 + 0.0015	.1030	----	----	----	----	1 UNCH
470	----	----	0.0640B/----	0.0640B/0.0640A	----	0.0645 + 0.0020	.1224	----	----	----	----	3 UNCH
475	----	----	0.0705B/----	0.0705B/0.0705A	----	0.0705 + 0.0015	.1330	----	----	----	----	510 UNCH
480	----	----	0.0780B/----	0.0780B/0.0780A	----	0.0775 + 0.0015	.1447	----	----	----	----	68 UNCH
490	----	----	0.0955B/0.0920A	0.0955B/0.0920A	----	0.0935 + 0.0010	.1708	----	----	----	----	541 UNCH
495	----	----	0.1030B/0.1010A	0.1030B/0.1010A	----	0.1025 + 0.0010	.1851	----	----	----	----	96 UNCH
500	----	----	0.1150B/0.1105A	0.1150B/0.1105A	----	0.1125 + 0.0005	.2005	----	----	----	----	2870 UNCH
505	----	----	0.1240B/0.1205A	0.1240B/0.1205A	----	0.1230 UNCH	.2164	----	----	----	----	2 UNCH
510	----	----	0.1365B/0.1310A	0.1365B/0.1310A	----	0.1350 UNCH	.2337	----	----	----	----	31 UNCH
520	----	----	0.1670B/0.1545A	0.1670B/0.1545A	----	0.1615 UNCH	.2706	----	----	----	----	620 UNCH
525	----	----	0.1820B/0.1685A	0.1820B/0.1685A	----	0.1760 - 0.0005	.2901	----	----	----	----	756 UNCH
530	----	----	0.1990B/0.1825A	0.1990B/0.1825A	----	0.1920 UNCH	.3105	----	----	----	----	3215 UNCH
534	----	----	0.2090B/0.1955A	0.2090B/0.1955A	----	0.2055 + 0.0005	.3273	----	----	----	----	1 UNCH
535	----	----	0.2125B/0.1980A	0.2125B/0.1980A	----	0.2090 + 0.0005	.3316	----	----	----	----	1 UNCH
539	----	----	0.2265B/0.2120A	0.2265B/0.2120A	----	0.2230 + 0.0005	.3488	----	----	----	----	1 UNCH
540	----	----	0.2350B/0.2150A	0.2350B/0.2150A	----	0.2270 + 0.0010	.3533	----	----	5	----	455 + 5
550	0.2700	0.2700	0.2765B/0.2515A	0.2765B/0.2515A	----	0.2665 + 0.0010	.3984	----	----	2	----	464 + 2
555	----	----	0.2950B/0.2720A	0.2950B/0.2720A	----	0.2885 + 0.0010	.4216	----	----	----	----	30 UNCH
560	----	----	0.3190B/0.2925A	0.3190B/0.2925A	----	0.3115 UNCH	.4451	----	----	1	----	43 + 1
565	----	----	0.3435B/0.3155A	0.3435B/0.3155A	----	0.3360 - 0.0005	.4688	----	----	----	----	7 UNCH
570	----	----	0.3700B/0.3385A	0.3700B/0.3385A	----	0.3615 - 0.0020	.4925	----	----	----	----	30 UNCH
574	----	----	0.3925B/0.3590A	0.3925B/0.3590A	----	0.3830 - 0.0025	.5115	----	----	----	----	5 UNCH
580	----	----	0.4270B/0.3905A	0.4270B/0.3905A	----	0.4170 - 0.0035	.5396	----	----	----	----	1735 UNCH
585	----	----	0.4565B/0.4175A	0.4565B/0.4175A	----	0.4465 - 0.0045	.5627	----	----	----	----	21 UNCH
588	----	----	#0.4750B/*0.434	0.4750B/0.4345A	----	0.4650 NEW	.5764	----	----	1	----	1 + 1
590	----	----	0.4880B/0.4455A	0.4880B/0.4455A	----	0.4775 - 0.0050	.5855	----	----	----	----	21 UNCH
595	----	----	----/0.4785A	0.5135B/0.4785A	----	0.5095 - 0.0060	.6078	----	----	1	----	2 + 1
600	----	----	0.5530B/0.5110A	0.5530B/0.5110A	----	0.5430 - 0.0065	.6295	----	----	----	----	10 UNCH
610	----	----	0.6235B/0.5770A	0.6235B/0.5770A	----	0.6130 - 0.0075	.6708	----	----	----	----	47 UNCH
615	----	----	0.6600B/0.6110A	0.6600B/0.6110A	----	0.6495 - 0.0075	.6902	----	----	----	----	10 UNCH
700	----	----	----	----	----	1.3800 - 0.0130	.9005	----	----	----	----	1 UNCH
705	----	----	----	----	----	1.4270 - 0.0130	.9072	----	----	----	----	1 UNCH
TOTAL										15		14177 + 10
AUG26												
405	----	----	----	0.0190B/0.0365A	----	0.0310 + 0.0045	.0513	----	----	----	----	3 UNCH
420	----	----	----	0.0265B/0.0430A	----	0.0390 + 0.0060	.0646	----	----	----	----	1 UNCH
440	----	----	----	0.0420B/0.0565A	----	0.0545 + 0.0070	.0888	----	----	----	----	7 UNCH
450	----	----	----	0.0520B/0.0655A	----	0.0645 + 0.0070	.1038	----	----	----	----	4 UNCH
480	----	----	----	0.0960B/0.1045A	----	0.1040 + 0.0050	.1608	----	----	----	----	4 UNCH
500	----	----	----	0.1365B/0.1425A	----	0.1430 + 0.0045	.2119	----	----	----	----	3 UNCH
510	----	----	----	0.1625B/0.1655A	----	0.1675 + 0.0045	.2416	----	----	----	----	1 UNCH
520	----	----	0.1915B/----	0.1915B/0.1915A	----	0.1955 + 0.0045	.2738	----	----	----	----	300 UNCH
530	----	----	0.2245B/0.2210A	0.2245B/0.2210A	----	0.2270 + 0.0040	.3081	----	----	----	----	1 UNCH
580	----	----	0.4510B/0.4270A	0.4510B/0.4270A	----	0.4500 + 0.0020	.5010	----	----	----	----	250 UNCH
585	----	----	0.4795B/0.4530A	0.4795B/0.4530A	----	0.4780 + 0.0015	.5208	----	----	----	----	5 UNCH
590	----	----	0.5090B/0.4800A	0.5090B/0.4800A	----	0.5070 + 0.0015	.5403	----	----	----	----	14 UNCH
TOTAL												593
SEP26												
400	----	----	----	0.0230B/0.0410A	----	0.0305 - 0.0010	.0496	----	----	----	----	1 UNCH
450	----	----	----	0.0680B/0.0810A	----	0.0745 + 0.0010	.1124	----	----	----	----	578 UNCH
470	----	----	----	0.0995B/0.1100A	----	0.1050 + 0.0005	.1514	----	----	----	----	3 UNCH
475	----	----	----	0.1090B/0.1185A	----	0.1140 + 0.0005	.1624	----	----	----	----	70 UNCH
480	----	----	----	0.1190B/0.1275A	----	0.1240 + 0.0010	.1742	----	----	----	----	7 UNCH
490	----	----	----	0.1325B/0.1610A	----	0.1455 + 0.0010	.1990	----	----	----	----	9 UNCH
500	----	----	----	0.1570B/0.1835A	----	0.1695 + 0.0010	.2257	----	----	----	----	377 UNCH
520	----	----	----	0.2160B/0.2360A	----	0.2275 + 0.0010	.2853	----	----	----	----	3 UNCH
540	----	----	----/0.2925A	0.2995B/0.2925A	----	0.2985 - 0.0015	.3513	----	----	----	----	1 UNCH
550	----	----	----/0.3320A	0.3415B/0.3320A	----	0.3400 - 0.0025	.3863	----	----	----	----	20 UNCH
575	----	----	0.4650B/0.4455A	0.4650B/0.4455A	----	0.4595 - 0.0045	.4766	----	----	----	----	102 UNCH
590	----	----	0.5495B/0.5245A	0.5495B/0.5245A	----	0.5435 - 0.0035	.5305	----	----	----	----	2 UNCH
600	----	----	0.6105B/0.5810A	0.6105B/0.5810A	----	0.6040 - 0.0025	.5656	----	----	----	----	9 UNCH
610	----	----	----/0.6415A	0.6685B/0.6415A	----	0.6680 - 0.0020	.5994	----	----	----	----	6 UNCH
615	----	----	----/0.6730A	0.7020B/0.6730A	----	0.7015 - 0.0020	.6160	----	----	----	----	1 UNCH
625	----	----	----/0.7385A	0.7715B/0.7385A	----	0.7705 - 0.0025	.6480	----	----	----	----	147 UNCH
695	----	----	----	----	----	1.3300 - 0.0115	.8200	----	----	----	----	2 UNCH
TOTAL												1338
OCT26												
375	----	----	----	0.0140B/0.0415A	----	0.0250 - 0.0005	.0369	----	----	----	----	2 UNCH
400	----	----	----	0.0275B/0.0515A	----	0.0370 - 0.0010	.0541	----	----	----	----	1 UNCH
450	----	----	----	0.0770B/0.0970A	----	0.0860 + 0.0020	.1161	----	----	----	----	1 UNCH
470	----	----	----	0.1090B/0.1275A	----	0.1175 + 0.0020	.1523	----	----	----	----	1 UNCH
500	----	----	----	0.1680B/0.2055A	----	0.1830 + 0.0005	.2203	----	----	----	----	110 UNCH
TOTAL												115
NOV26												
400	----	----	----	0.0275B/0.0650A	----	0.0450 UNCH	.0612	----	----	----	----	10 UNCH
475	----	----	----	0.1330B/0.1645A	----	0.1505 + 0.0020	.1751	----	----	----	----	2 UNCH
735	----	----	----	----	----	1.6630 - 0.0160	.8174	----	----	----	----	2 UNCH
TOTAL												14
DEC26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 72

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
DEC26												
385	----	----	----	0.0215B/0.0660A	----	0.0415 - 0.0015	.0540	----	----	----	----	1 UNCH
400	----	----	----	0.0330B/0.0770A	----	0.0535 - 0.0005	.0681	----	----	----	----	17 UNCH
420	----	----	----	0.0540B/0.0965A	----	0.0750 + 0.0010	.0917	----	----	----	----	2 UNCH
455	----	----	----	0.1090B/0.1475A	----	0.1275 + 0.0005	.1452	----	----	----	----	1 UNCH
475	----	----	----	0.1510B/0.1885A	----	0.1685 - 0.0005	.1834	----	----	----	----	77 UNCH
490	----	----	----	0.1890B/0.2250A	----	0.2055 - 0.0015	.2157	----	----	----	----	5 UNCH
500	----	----	----	0.2175B/0.2525A	----	0.2330 - 0.0020	.2387	----	----	----	----	62 UNCH
550	----	----	----	0.4070B/0.4320A	----	0.4160 - 0.0060	.3698	----	----	----	----	2 UNCH
560	----	----	----	0.4540B/0.4770A	----	0.4620 - 0.0070	.3980	----	----	----	----	300 UNCH
570	----	----	----	0.5040B/0.5245A	----	0.5115 - 0.0075	.4264	----	----	----	----	1 UNCH
580	----	----	----	0.5570B/0.5745A	----	0.5635 - 0.0080	.4549	----	----	----	----	22 UNCH
600	----	----	----/0.6835A	0.6710B/0.6835A	----	0.6770 - 0.0075	.5106	----	----	----	----	26 UNCH
630	----	----	----/0.8650A	0.8615B/0.8650A	----	0.8665 - 0.0080	.5900	----	----	----	----	18 UNCH
TOTAL												534
JAN27												
400	----	----	----	----	----	0.0505 - 0.0030	.0636	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0590 - 0.0020	.0699	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0160 - 0.0010	.0167	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
APR26												
548	----	----	----	0.1315B/0.2765A	----	0.1590 - 0.0020	.7423	----	----	----	----	2 UNCH
555	0.1000	0.1000	0.1195B/0.1000	0.1195B/0.1000	----	0.1110 - 0.0060	.6142	----	----	1	----	1 UNCH
558	----	----	0.2100B/----	0.2100B/0.1680A	----	0.1700 + 0.0060	.5351	----	----	----	----	11 UNCH
560	----	----	0.1245B/0.0880A	0.1245B/0.0880A	----	0.0825 - 0.0075	.5086	----	----	----	----	3 UNCH
567	----	----	0.0870B/0.0580A	0.0870B/0.0580A	----	0.0510 - 0.0085	.3577	----	----	----	----	5 UNCH
570	----	----	0.0695B/0.0485A	0.0695B/0.0485A	----	0.0405 - 0.0085	.2971	----	----	----	----	3 UNCH
574	----	----	0.1030B/----	0.1030B/0.0745A	----	0.0670 - 0.0040	.3300	----	----	----	----	1 UNCH
575	0.0385	0.0385	0.0480B/0.0355A	0.0480B/0.0355A	----	0.0270 - 0.0080	.2090	----	----	1	----	5 + 1
580	----	----	0.0320B/----	0.0320B/0.0280A	----	0.0180 - 0.0075	.1422	----	----	----	----	1 UNCH
580	----	----	0.0790B/----	0.0790B/0.0575A	----	0.0495 - 0.0045	.2611	----	----	----	----	5 UNCH
580	----	----	#0.1155B/----	#0.1155B/0.0815	----	0.0795 + 0.0020	.3166	----	----	----	----	2 UNCH
587	0.0200	0.0200	0.0200/*0.0175A	0.0200/*0.0175A	----	0.0100 NEW	.0786	----	----	1	----	1 + 1
589	----	----	----	0.0135B/*0.0165	----	0.0085 - 0.0060	.0662	----	----	----	----	2 UNCH
590	----	----	0.0475B/----	0.0475B/0.0395A	----	0.0295 - 0.0040	.1691	----	----	----	----	10 UNCH
595	----	----	0.0355B/----	0.0355B/0.0325A	----	0.0230 - 0.0040	.1351	----	----	----	----	5 UNCH
600	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0035 NEW	.0251	----	----	1	----	1 + 1
610	----	----	----	----/0.0100A	----	0.0015 - 0.0025	.0096	----	----	----	----	100 UNCH
630	----	----	----	----/*0.0080A	----	0.0005 - 0.0005	.0003	----	----	----	----	2 UNCH
640	----	----	----	----/0.0120A	----	0.0025 - 0.0020	.0154	----	----	----	----	3 UNCH
670	----	----	----	----/0.0125A	----	0.0005 - 0.0010	.0030	----	----	----	----	3 UNCH
TOTAL										4		166 + 3
HXE PUT		COPPER OPTIONS										
APR26												
470	----	----	----	----/*0.0080A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
490	----	----	----	0.0030B/0.0145A	----	0.0050 - 0.0035	.0255	----	----	----	----	2 UNCH
510	----	----	----	0.0115B/*0.0220	----	0.0140 - 0.0060	.0705	----	----	----	----	25 UNCH
515	----	----	----	----/*0.0120A	----	0.0030 - 0.0070	.0180	----	----	----	----	115 UNCH
520	----	----	----	0.0010B/*0.0130	----	0.0045 - 0.0080	.0284	----	----	----	----	31 UNCH
526	----	----	----/*0.0140A	0.0035B/*0.0140	----	0.0075 - 0.0095	.0493	----	----	----	----	1 UNCH
530	0.0100	0.0100	0.0100/*0.0100	0.0100/*0.0100	----	0.0100 - 0.0115	.0677	----	----	1	----	2 + 1
535	----	----	----/*0.0175A	0.0110B/*0.0175	----	0.0145 - 0.0135	.1006	----	----	----	----	8 UNCH
540	----	----	----/*0.0240A	0.0185B/*0.0240	----	0.0215 - 0.0155	.1491	----	----	----	----	115 UNCH
545	----	----	----/*0.0300A	0.0280B/*0.0300	----	0.0310 - 0.0180	.2124	----	----	----	----	1 UNCH
550	0.0300	0.0300	0.0415B/*0.0300	0.0415B/*0.0300	----	0.0435 - 0.0210	.2912	----	----	4	----	5 + 1
555	----	----	----/*0.0500A	0.0595B/*0.0500	----	0.0600 - 0.0235	.3856	----	----	----	----	1 UNCH
558	----	----	----/*0.0585A	0.0725B/*0.0585	----	0.0725 - 0.0245	.4482	----	----	----	----	2 UNCH
564	0.1300	0.1300	0.1515B/*0.1100	0.1515B/*0.1100	----	0.1455 NEW	.5409	----	----	3	----	3 + 3
570	----	----	----/*0.1045A	0.1200B/*0.1045	----	0.1395 - 0.0260	.7027	----	----	----	----	1 UNCH
TOTAL										8		314 + 5
MAY26												
510	0.0380	0.0380	0.0380/*0.0380	0.0380/*0.0380	----	0.0400 NEW	.1318	----	----	1	----	1 + 1
TOTAL										1		1 + 1

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
MAY26												
1575	----	----	----/27.90A	28.40B/27.90A	----	20.00 - 17.90	.2592	----	----	----	----	5 UNCH
1585	----	----	----/25.80A	25.30B/25.80A	----	17.90 - 17.10	.2356	----	----	----	----	1 UNCH
1600	----	----	----/*23.10A	21.10B/*23.10A	----	15.10 - 16.00	.2031	----	----	----	----	31 UNCH
1800	----	----	----	0.30B/9.90A	----	2.10 - 5.80	.0286	----	----	----	----	4 UNCH
1900	----	----	----	----/*8.20A	----	0.80 - 3.50	.0105	----	----	----	----	20 UNCH
1925	----	----	----	----/*7.90A	----	0.70 - 2.90	.0089	----	----	----	----	10 UNCH
1950	----	----	----	----/*7.60A	----	0.50 - 2.60	.0064	----	----	----	----	40 UNCH
2475	----	----	----	----/*5.60A	----	0.10 - 0.10	----	----	----	----	----	100 UNCH
TOTAL												211 0
JUN26												
1400	----	----	171.70B/155.60A	171.70B/155.60A	----	152.80 - 16.40	.6737	----	----	----	----	75 UNCH
1440	----	----	----/134.30A	121.80B/134.30A	----	130.20 - 15.70	.6131	----	----	----	----	1 UNCH
1460	----	----	----/124.50A	123.00B/124.50A	----	119.80 - 15.40	.5825	----	----	----	----	25 UNCH
1500	----	----	----/106.50A	115.70B/106.50A	----	101.00 - 14.80	.5213	----	----	----	----	110 UNCH
1525	----	----	----/96.30A	104.00B/96.30A	----	90.50 - 14.40	.4839	----	----	----	----	5 UNCH
1550	----	----	----/86.90A	93.20B/86.90A	----	81.00 - 13.90	.4475	----	----	----	----	11 UNCH
1575	----	----	----/78.30A	83.10B/78.30A	----	72.30 - 13.40	.4124	----	----	----	----	15 UNCH
1600	----	----	----/70.50A	73.90B/70.50A	----	64.40 - 12.90	.3788	----	----	----	----	20 UNCH
1655	----	----	----/56.20A	56.50B/56.20A	----	49.90 - 11.40	.3113	----	----	----	----	1 UNCH
1700	----	----	----/47.20A	45.20B/47.20A	----	40.40 - 10.20	.2630	----	----	----	----	25 UNCH
1750	----	----	----/39.60A	35.40B/39.60A	----	31.90 - 9.00	.2166	----	----	----	----	10 UNCH
1800	----	----	----	28.10B/33.80A	----	25.10 - 8.00	.1772	----	----	----	----	110 UNCH
1850	----	----	----	22.50B/*29.30A	----	19.80 - 7.20	.1445	----	----	----	----	2 UNCH
1900	----	----	----	18.30B/*25.90A	----	15.70 - 6.40	.1178	----	----	----	----	64 UNCH
1925	----	----	----	16.50B/*24.50A	----	14.00 - 6.10	.1063	----	----	----	----	40 UNCH
1950	----	----	----	14.90B/*23.20A	----	12.50 - 5.80	.0960	----	----	----	----	10 UNCH
2000	----	----	----	12.20B/*21.10A	----	10.00 - 5.30	.0784	----	----	----	----	106 UNCH
2100	----	----	----	8.20B/*17.90A	----	6.50 - 4.50	.0526	----	----	----	----	52 UNCH
2200	----	----	----	5.50B/*15.70A	----	4.40 - 3.70	.0363	----	----	----	----	7 UNCH
2300	----	----	----	3.60B/*14.10A	----	3.20 - 3.10	.0265	----	----	----	----	30 UNCH
2400	----	----	----	2.10B/*12.80A	----	2.40 - 2.60	.0198	----	----	----	----	7 UNCH
2500	----	----	----	0.90B/*11.70A	----	1.70 - 2.00	.0142	----	----	----	----	25 UNCH
2700	----	----	----	----/*10.20A	----	0.90 - 1.30	.0076	----	----	----	----	50 UNCH
3000	----	----	----	----/*8.70A	----	0.40 - 0.60	.0033	----	----	----	----	30 UNCH
3500	----	----	----	----/*7.40A	----	0.10 - 0.20	.0006	----	----	----	----	25 UNCH
TOTAL												856 0
SEP26												
1400	----	----	#243.00B/234.90	#243.00B/234.90	----	228.60 - 13.40	.6595	----	----	----	----	75 UNCH
1575	----	----	----/163.40A	#163.90B/163.40	----	154.60 - 11.90	.5054	----	----	----	----	25 UNCH
1700	----	----	----/126.40A	#123.10B/126.40	----	117.30 - 10.90	.4105	----	----	----	----	5 UNCH
1900	----	----	----	78.40B/86.70A	----	76.50 - 9.20	.2911	----	----	----	----	5 UNCH
2100	----	----	----	52.70B/64.00A	----	53.60 - 5.90	.2123	----	----	----	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 73

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PAO CALL		NYMEX PALLADIUM OPTIONS											
SEP26													
2400	----	----	39.70B/----	39.70B/45.00A	----	37.50 - 0.60	.1479	----	----	----	----	20	UNCH
2550	----	----	----	#25.80B/39.40A	----	32.30 + 0.30	.1267	----	----	----	----	50	UNCH
TOTAL												205	0
DEC26													
2000	----	----	----	----	----	157.30 - 9.40	.3833	----	----	----	----	1	UNCH
3000	----	----	----	----	----	97.70 - 6.70	.2277	----	----	----	----	1	UNCH
TOTAL												2	0
PAO PUT		NYMEX PALLADIUM OPTIONS											
MAY26													
1250	----	----	----	----/*8.20A	----	1.00 - 2.30	.0155	----	----	----	----	40	UNCH
1300	----	----	----	0.60B/*10.20A	----	2.60 - 4.10	.0401	----	----	----	----	1	UNCH
1400	----	----	----/*20.40A	15.10B/*20.40A	----	14.60 - 7.50	.1950	----	----	----	----	22	UNCH
1450	----	----	----/*32.20A	31.70B/*32.20A	----	29.80 - 7.60	.3436	----	----	----	----	2	UNCH
1500	----	----	----/51.10A	56.90B/51.10A	----	53.40 - 6.40	.5146	----	----	----	----	2	UNCH
1550	----	----	90.00B/77.40A	90.00B/77.40A	----	85.20 - 3.50	.6738	----	----	----	----	100	UNCH
1675	----	----	197.70B/171.10A	197.70B/171.10A	----	190.00 + 5.10	.9081	----	----	----	----	100	UNCH
1820	----	----	----	----	----	330.40 + 11.00	.9757	----	----	----	----	25	UNCH
TOTAL												292	0
JUN26													
1200	----	----	----	9.30B/18.40A	----	13.40 - 2.40	.0956	----	----	----	----	15	UNCH
1250	----	----	----	16.80B/24.30A	----	20.10 - 2.90	.1362	----	----	----	----	1	UNCH
1300	----	----	----	27.40B/33.10A	----	30.30 - 2.30	.1902	----	----	----	----	75	UNCH
1335	----	----	----	37.30B/41.40A	----	39.50 - 1.80	.2340	----	----	----	----	1	UNCH
1400	----	----	----/61.90A	61.10B/61.90A	----	61.90 - 0.40	.3261	----	----	----	----	185	UNCH
1440	----	----	79.30B/77.90A	79.30B/77.90A	----	79.20 + 0.50	.3867	----	----	----	----	4	UNCH
1450	----	----	84.20B/82.30A	84.20B/82.30A	----	83.90 + 0.60	.4020	----	----	----	----	76	UNCH
1460	----	----	89.30B/86.80A	89.30B/86.80A	----	88.70 + 0.70	.4173	----	----	----	----	25	UNCH
1750	----	----	294.90B/274.20A	294.90B/274.20A	----	289.80 + 7.30	.7832	----	----	----	----	1	UNCH
1900	----	----	431.80B/405.40A	431.80B/405.40A	----	423.20 + 9.90	.8820	----	----	----	----	50	UNCH
TOTAL												433	0
SEP26													
1465	----	----	146.90B/----	146.90B/*152.00	----	150.70 + 4.70	.3992	----	----	----	----	150	UNCH
1575	----	----	213.70B/----	213.70B/*215.10	----	216.60 + 5.50	.4942	----	----	----	----	25	UNCH
1650	----	----	264.60B/----	264.60B/*263.50	----	267.20 + 6.10	.5529	----	----	----	----	50	UNCH
1925	----	----	481.50B/*471.00	481.50B/*471.00	----	481.40 + 8.50	.7207	----	----	----	----	75	UNCH
TOTAL												300	0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week											
APR26													
1500	----	----	----/40.30A	49.60B/40.30A	----	37.30 - 17.30	.4747	----	----	----	----	2	UNCH
1600	----	----	----/28.50A	26.90B/28.50A	----	23.70 - 9.50	.2547	----	----	----	----	1	UNCH
1630	----	----	----/12.80A	5.80B/12.80A	----	6.40 - 8.20	.0944	----	----	----	----	7	UNCH
TOTAL												10	0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4											
APR26													
1755	----	----	----/*24.90A	25.40B/*24.90A	----	26.30 - 3.30	.1660	----	----	----	----	27	UNCH
1765	----	----	----/*17.10A	16.40B/*17.10A	----	17.50 - 3.90	.1351	----	----	----	----	27	UNCH
1790	----	----	----/*20.10A	20.50B/*20.10A	----	21.30 - 4.20	.1619	----	----	----	----	27	UNCH
1840	----	----	----/*28.10A	31.40B/*28.10A	----	30.90 - 5.20	.2265	----	----	----	----	27	UNCH
1940	----	----	----/*31.10A	41.60B/*31.10A	----	37.80 - 8.70	.3676	----	----	----	----	35	UNCH
1955	----	----	----/61.80A	67.50B/61.80A	----	66.10 - 14.30	.5856	----	----	----	----	10	UNCH
1975	----	----	74.50B/51.70A	74.50B/51.70A	----	54.90 - 14.20	.5204	----	----	----	----	4	UNCH
2050	----	----	----/24.90A	35.00B/24.90A	----	24.70 - 11.80	.2819	----	----	----	----	20	UNCH
2065	----	----	----/21.60A	29.10B/21.60A	----	20.90 - 10.90	.2428	----	----	----	----	25	UNCH
2090	----	----	----	----	----	128.30 - 3.80	.8130	----	----	----	----	18	UNCH
2095	----	----	----/16.60A	19.70B/16.60A	----	15.00 - 9.30	.1774	----	----	----	----	25	UNCH
2100	20.00	20.00	20.00/16.00A	20.00/16.00A	----	14.20 - 9.00	.1682	----	----	1	----	13 +	1
2120	----	----	54.90B/45.80A	54.90B/45.80A	----	46.30 - 6.60	.3047	----	----	----	----	27	UNCH
2125	----	----	----/*13.30A	13.30B/*13.30A	----	11.00 - 7.70	.1293	----	----	----	----	1	UNCH
2150	----	----	207.10B/170.40A	207.10B/170.40A	----	196.00 - 0.90	.7937	----	----	----	----	12	UNCH
2155	----	----	----	----	----	200.10 - 0.90	.7999	----	----	----	----	12	UNCH
2160	----	----	----/23.40A	25.80B/23.40A	----	22.00 - 6.50	.1938	----	----	----	----	12	UNCH
2160	----	----	----	----	----	204.30 - 0.80	.8061	----	----	----	----	12	UNCH
2345	----	----	----	----/*5.40A	----	1.10 - 2.20	.0101	----	----	----	----	1	UNCH
TOTAL										1		335 +	1
MAY26													
1700	----	----	----/*24.80A	24.40B/*24.80A	----	24.20 - 2.50	.1404	----	----	----	----	3	UNCH
TOTAL												3	0
PO CALL		PLATINUM OPTIONS											
MAY26													
1750	----	----	270.20B/226.00A	270.20B/226.00A	----	235.30 - 11.60	.9218	----	----	----	----	19	UNCH
1800	----	----	224.90B/183.10A	224.90B/183.10A	----	191.00 - 13.20	.8702	----	----	----	----	18	UNCH
1850	----	----	181.60B/143.50A	181.60B/143.50A	----	149.90 - 14.90	.7965	----	----	----	----	2	UNCH
1950	----	----	105.70B/79.80A	105.70B/79.80A	----	81.80 - 17.50	.5842	----	----	----	----	3	UNCH
2000	53.00	53.00	75.90B/53.00	75.90B/53.00	----	55.60 - 18.50	.4589	----	----	41	----	291 +	6
2025	----	----	----/46.20A	63.10B/46.20A	----	45.00 - 18.20	.3962	----	----	----	----	50	UNCH
2040	----	----	----/41.30A	56.00B/41.30A	----	39.40 - 17.90	.3597	----	----	----	----	64	UNCH
2045	----	----	----/39.70A	53.70B/39.70A	----	37.70 - 17.70	.3480	----	----	----	----	50	UNCH
2050	----	----	----/38.00A	51.50B/38.00A	----	36.00 - 17.60	.3362	----	----	----	----	111	UNCH
2055	----	----	----/36.50A	49.40B/36.50A	----	34.40 - 17.40	.3247	----	----	----	----	57	UNCH
2060	----	----	----/35.10A	47.30B/35.10A	----	32.90 - 17.20	.3136	----	----	----	----	7	UNCH
2065	----	----	----/34.00A	45.30B/34.00A	----	31.40 - 17.00	.3025	----	----	----	----	14	UNCH
2070	----	----	----/32.70A	43.30B/32.70A	----	30.00 - 16.80	.2917	----	----	----	----	14	UNCH
2075	----	----	----/31.50A	41.40B/31.50A	----	28.60 - 16.60	.2810	----	----	----	----	21	UNCH
2080	----	----	----/30.30A	39.60B/30.30A	----	27.30 - 16.30	.2706	----	----	----	----	20	UNCH
2085	----	----	----/29.20A	37.80B/29.20A	----	26.00 - 16.10	.2603	----	----	----	----	14	UNCH
2090	----	----	----/28.10A	36.10B/28.10A	----	24.80 - 15.90	.2504	----	----	----	----	21	UNCH
2095	----	----	----/27.10A	34.50B/27.10A	----	23.70 - 15.60	.2411	----	----	----	----	7	UNCH
2100	----	----	----/26.20A	32.90B/26.20A	----	22.60 - 15.30	.2317	----	----	----	----	232	UNCH
2105	----	----	----/25.10A	31.40B/25.10A	----	21.50 - 15.10	.2224	----	----	----	----	7	UNCH
2110	----	----	----/24.40A	29.90B/24.40A	----	20.50 - 14.90	.2136	----	----	----	----	37	UNCH
2115	----	----	----/23.50A	28.60B/23.50A	----	19.50 - 14.60	.2048	----	----	----	----	22	UNCH
2120	----	----	----/22.70A	27.20B/22.70A	----	18.60 - 14.40	.1966	----	----	----	----	14	UNCH
2125	----	----	----/21.90A	26.00B/21.90A	----	17.70 - 14.10	.1884	----	----	----	----	14	UNCH
2130	----	----	----/21.20A	24.80B/21.20A	----	16.90 - 13.80	.1809	----	----	----	----	107	UNCH
2135	----	----	----/20.50A	23.60B/20.50A	----	16.10 - 13.60	.1734	----	----	----	----	7	UNCH
2140	----	----	----/19.90A	22.50B/19.90A	----	15.30 - 13.40	.1659	----	----	----	----	7	UNCH
2145	----	----	----/19.20A	21.50B/19.20A	----	14.60 - 13.10	.1590	----	----	----	----	7	UNCH
2150	----	----	----/18.60A	20.50B/18.60A	----	13.90 - 12.90	.1522	----	----	----	----	119	UNCH
2155	----	----	----/18.00A	19.50B/18.00A	----	13.20 - 12.70	.1455	----	----	----	----	7	UNCH
2160	----	----	----/17.50A	18.60B/17.50A	----	12.60 - 12.40	.1394	----	----	----	----	13	UNCH
2170	----	----	----/16.50A	17.00B/16.50A	----	11.40 - 12.00	.1274	----	----	----	----	75	UNCH
2175	----	----	----/16.00A	16.20B/16.00A	----	10.80 - 11.80	.1214	----	----	----	----	13	UNCH
2200	----	----	----/*13.90A	12.80B/*13.90A	----	8.40 - 10.80	.0963	----	----	----	----	206	UNCH
2215	----	----	----/*12.90A	11.20B/*12.90A	----	7.30 - 10.20	.0842	----	----	----	----	20	UNCH
2220	----	----	----/*12.60A	10.70B/*12.60A	----	6.90 - 10.00	.0799	----	----	----	----	21	UNCH
2245	----	----	----/*11.20A	8.40B/*11.20A	----	5.40 - 9.20	.0631	----	----	----	----	10	UNCH
2250	----	----	----/*10.90A	8.00B/*10.90A	----	5.10 - 9.00	.0599	----	----	----	----	29	UNCH
2260	----	----	----/*10.50A	7.20B/*10.50A	----	4.70 - 8.70	.0551	----	----	----	----	10	UNCH
2265	----	----	----/*10.30A	6.90B/*10.30A	----	4.40 - 8.60	.0518	----	----	----	----	10	UNCH
2270	----	----	----/*10.10A	6.50B/*10.10A	----	4.20 - 8.40	.0495	----	----	----	----	183	UNCH
2275	----	----	----/*9.90A	6.20B/*9.90A	----	4.00 - 8.30	.0472	----	----	----	----	10	UNCH
2280	----	----	----/*9.70A	5.90B/*9.70A	----	3.80 - 8.10	.0449	----	----	----	----	10	UNCH
2285	----	----	----/*9.50A	5.60B/*9.50A	----	3.60 - 8.00	.0426	----	----	----	----	10	UNCH
2300	----	----	----/*9.00A	4.80B/*9.00A	----	3.20 - 7.50	.0377	----	----	----	----	14	UNCH
2315	----	----	----/*8.50A	4.10B/*8.50A	----	2.70 - 7.20	.0320	----	----	----	----	10	UNCH
2320	----	----	----/*8.40A	3.90B/*8.40A	----	2.60 - 7.10	.0307	----	----	----	----	4	UNCH
2330	----	----	----/*8.10A	3.50B/*8.10A	----	2.40 - 6.80	.0282	----	----	----	----	10	UNCH
2350	----	----	----/*7.60A	2.70B/*7.60A	----	2.00 - 6.30	.0234	----	----	----	----	1	UNCH
2360	----	----	----/*7.40A	2.40B/*7.40A	----	1.80 - 6.10	.0211	----	----	----	----	10	UNCH
2390	----	----	----	1.60B/*6.80A	----	1.40 - 5.10	.0162	----	----	----	----	21	UNCH
2400	----	----	----	2.00B/*6.70A	----	1.20 - 4.90	.0140	----	----	----	----	5	UNCH
2450	----	----	----	0.30B/*6.00A	----	0.70 - 3.60	.0081	----	----	----	----	160	UNCH
2500	----	----	----	----/5.50A	----	0.40 - 2.70	.0046	----	----	----	----	170	UNCH
2700	----	----	----	----/*4.30A	----	0.10 - 0.90	.0003	----	----	----	----	110	UNCH
2730	----	----	----	----/*4.20A	----	0.10 - 0.70	.0002	----	----	----	----	1	UNCH
2750	----	----	----	----/*4.10A	----	0.10 - 0.60	.0001	----	----	----	----	2	UNCH
2800	----	----	----	----/*4.00A	----	0.10 - 0.40	.0000	----	----	----	----	1	UNCH
2880	----	----	----	----/3.80A	----	0.10 - 0.20	.0000	----	----	----	----	1	UNCH
3000	----	----	----	----/*3.60A	----	0.10 UNCH	----	----	----	----	----	2	UNCH
3050	----	----	----	----/*3.60A	----	0.10 UNCH	----	----	----	----	----	2	UNCH
3150	----	----	----	----/*3.50A	----	0.10 UNCH	----	----	----	----	----	121	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PO CALL		PLATINUM OPTIONS											
TOTAL										41		2628 + 6	
JUN26													
1900	----	----	207.80B/180.80A	207.80B/180.80A	----	185.10 - 10.60	.6215	----	----	----	----	1	UNCH
2000	----	----	153.40B/132.70A	153.40B/132.70A	----	134.80 - 10.80	.5114	----	----	----	----	20	UNCH
2100	----	----	110.20B/95.40A	110.20B/95.40A	----	96.40 - 9.80	.4057	----	----	----	----	1	UNCH
2200	----	----	77.40B/68.50A	77.40B/68.50A	----	67.90 - 8.40	.3123	----	----	----	----	200	UNCH
2225	----	----	70.80B/63.00A	70.80B/63.00A	----	62.00 - 8.10	.2912	----	----	----	----	30	UNCH
2300	----	----	----/49.30A	53.90B/49.30A	----	47.20 - 7.20	.2344	----	----	----	----	317	UNCH
2500	----	----	----/27.20A	26.40B/27.20A	----	23.10 - 4.80	.1279	----	----	----	----	100	UNCH
2650	----	----	----	15.70B/18.80A	----	14.00 - 3.50	.0815	----	----	----	----	17	UNCH
TOTAL												686	0
JUL26													
1500	----	----	529.80B/487.20A	529.80B/487.20A	----	497.20 - 8.20	.9070	----	----	----	----	50	UNCH
1680	----	----	----	----	----	353.80 - 8.60	.7971	----	----	----	----	50	UNCH
1700	----	----	366.80B/332.30A	366.80B/332.30A	----	339.40 - 8.70	.7823	----	----	----	----	1	UNCH
1800	----	----	297.80B/268.00A	297.80B/268.00A	----	272.40 - 9.00	.7020	----	----	----	----	113	UNCH
1850	----	----	266.40B/238.90A	266.40B/238.90A	----	242.20 - 9.20	.6588	----	----	1	----	2	UNCH
1950	----	----	209.80B/187.30A	209.80B/187.30A	----	188.80 - 9.60	.5690	----	----	----	----	1	UNCH
2000	----	----	184.80B/164.90A	184.80B/164.90A	----	165.80 - 9.50	.5237	----	----	1	----	110	UNCH
2100	----	----	141.80B/127.10A	141.80B/127.10A	----	126.90 - 9.00	.4366	----	----	----	----	348	UNCH
2150	----	----	123.80B/111.80A	123.80B/111.80A	----	110.80 - 8.50	.3959	----	----	----	----	12	UNCH
2200	----	----	107.90B/98.20A	107.90B/98.20A	----	96.60 - 8.00	.3576	----	----	----	----	404	UNCH
2300	----	----	81.90B/76.20A	81.90B/76.20A	----	73.40 - 6.90	.2892	----	----	----	----	163	UNCH
2375	----	----	66.70B/63.30A	66.70B/63.30A	----	59.80 - 6.20	.2452	----	----	----	----	50	UNCH
2400	----	----	62.30B/59.60A	62.30B/59.60A	----	55.80 - 6.00	.2318	----	----	----	----	766	UNCH
2500	----	----	----/47.30A	47.70B/47.30A	----	42.60 - 5.30	.1850	----	----	1	----	322 + 1	
2600	----	----	----	36.80B/38.00A	----	32.70 - 4.70	.1474	----	----	1	----	411	UNCH
2700	----	----	----	28.50B/31.10A	----	25.30 - 4.20	.1176	----	----	----	----	13	UNCH
2755	----	----	----	24.80B/28.10A	----	22.00 - 4.10	.1039	----	----	----	----	1	UNCH
2800	----	----	----	22.20B/25.90A	----	19.70 - 3.90	.0940	----	----	----	----	149	UNCH
2850	----	----	----	19.60B/23.80A	----	17.60 - 3.60	.0847	----	----	----	----	158	UNCH
2900	----	----	----	17.40B/21.90A	----	15.70 - 3.40	.0763	----	----	1	----	132 - 1	
3000	----	----	----	13.60B/18.80A	----	12.70 - 3.00	.0625	----	----	1	----	682 - 1	
3100	----	----	----	10.80B/16.50A	----	10.40 - 2.60	.0517	----	----	----	----	101	UNCH
3200	----	----	----	5.70B/17.50A	----	8.50 - 2.20	.0427	----	----	----	----	14	UNCH
3300	----	----	----	3.90B/*16.00A	----	7.00 - 1.90	.0354	----	----	----	----	31	UNCH
3400	----	----	----	2.50B/*14.90A	----	5.90 - 1.70	.0300	----	----	----	----	32	UNCH
3500	----	----	----	1.40B/*13.90A	----	5.00 - 1.50	.0255	----	----	----	----	274	UNCH
3600	----	----	----	0.50B/*13.20A	----	4.30 - 1.40	.0219	----	----	----	----	300	UNCH
3800	----	----	----	2.00B/*9.20A	----	3.40 - 1.10	.0171	----	----	----	----	12	UNCH
3900	----	----	----	1.50B/*8.70A	----	3.00 - 1.10	.0151	----	----	----	----	8	UNCH
4000	----	----	----	1.10B/*8.30A	----	2.70 - 1.00	.0135	----	----	----	----	221	UNCH
TOTAL										6		4931 - 1	
OCT26													
1720	----	----	----	----	----	394.90 - 8.20	.7345	----	----	----	----	1	UNCH
1800	----	----	371.80B/347.10A	371.80B/347.10A	----	348.90 - 8.00	.6855	----	----	----	----	1	UNCH
2000	----	----	271.30B/253.90A	271.30B/253.90A	----	253.50 - 7.60	.5611	----	----	----	----	3	UNCH
2200	----	----	196.50B/186.30A	196.50B/186.30A	----	184.20 - 6.70	.4472	----	----	----	----	130	UNCH
2400	----	----	144.00B/139.40A	144.00B/139.40A	----	135.30 - 6.00	.3524	----	----	----	----	100	UNCH
2500	----	----	124.10B/121.40A	124.10B/121.40A	----	116.70 - 5.70	.3127	----	----	----	----	175	UNCH
2600	----	----	107.50B/----	107.50B/106.70A	----	101.20 - 5.40	.2777	----	----	----	----	10	UNCH
2700	----	----	93.50B/----	93.50B/94.00A	----	88.20 - 5.10	.2471	----	----	----	----	100	UNCH
2800	----	----	----	81.80B/83.60A	----	77.30 - 4.70	.2204	----	----	----	----	30	UNCH
2900	----	----	----	71.80B/74.50A	----	68.00 - 4.40	.1970	----	----	----	----	10	UNCH
3000	----	----	----	63.30B/67.00A	----	60.20 - 4.20	.1767	----	----	----	----	21	UNCH
3200	----	----	----	49.90B/54.70A	----	48.00 - 3.60	.1438	----	----	----	----	10	UNCH
3500	----	----	----	35.70B/42.20A	----	35.50 - 3.00	.1084	----	----	----	----	10	UNCH
TOTAL												601	0
JAN27													
2360	----	----	----	----	----	199.70 - 4.30	.4197	----	----	----	----	100	UNCH
TOTAL												100	0
PO PUT		PLATINUM OPTIONS											
MAY26													
1700	----	----	----/*8.40A	4.80B/*8.40A	----	4.40 - 4.60	.0445	----	----	----	----	1	UNCH
1725	----	----	----/*9.80A	6.80B/*9.80A	----	5.90 - 5.30	.0592	----	----	----	----	13	UNCH
1745	----	----	----/*11.20A	8.90B/*11.20A	----	7.50 - 5.90	.0743	----	----	----	----	15	UNCH
1750	----	----	----/*11.50A	9.40B/*11.50A	----	7.90 - 6.00	.0781	----	----	----	----	76	UNCH
1780	----	----	----/*14.20A	13.30B/*14.20A	----	11.10 - 6.90	.1072	----	----	----	----	1	UNCH
1785	----	----	----/*14.70A	14.00B/*14.70A	----	11.70 - 7.00	.1126	----	----	----	----	1	UNCH
1800	----	----	----/*16.30A	16.30B/*16.30A	----	13.60 - 7.60	.1297	----	----	----	----	108	UNCH
1820	----	----	----/*18.80A	19.90B/*18.80A	----	16.70 - 8.30	.1563	----	----	----	----	100	UNCH
1825	----	----	----/*19.50A	20.70B/*19.50A	----	17.60 - 8.40	.1637	----	----	----	----	14	UNCH
1850	----	----	----/*23.30A	26.20B/*23.30A	----	22.50 - 9.20	.2033	----	----	----	----	63	UNCH
1855	----	----	----/*24.10A	27.40B/*24.10A	----	23.60 - 9.40	.2120	----	----	----	----	15	UNCH
1860	----	----	----/*25.00A	28.70B/*25.00A	----	24.70 - 9.60	.2207	----	----	----	----	100	UNCH
1875	----	----	----/*27.90A	32.80B/*27.90A	----	28.50 - 10.00	.2490	----	----	----	----	122	UNCH
1890	----	----	----/*31.10A	37.60B/*31.10A	----	32.80 - 10.40	.2794	----	----	----	----	22	UNCH
1895	----	----	----/*32.20A	39.30B/*32.20A	----	34.40 - 10.40	.2901	----	----	----	----	29	UNCH
1900	----	----	----/*33.40A	41.10B/*33.40A	----	35.90 - 10.60	.3005	----	----	----	----	131	UNCH
1905	----	----	----/*34.70A	42.90B/*34.70A	----	37.60 - 10.60	.3116	----	----	----	----	46	UNCH
1910	----	----	----/*36.00A	44.90B/*36.00A	----	39.30 - 10.70	.3226	----	----	----	----	46	UNCH
1915	----	----	----/*37.30A	46.70B/*37.30A	----	41.00 - 10.90	.3338	----	----	----	----	67	UNCH
1920	----	----	----/*38.70A	48.90B/*38.70A	----	42.70 - 11.10	.3449	----	----	----	----	49	UNCH
1925	----	----	----/40.10A	50.70B/40.10A	----	44.60 - 11.10	.3565	----	----	----	----	20	UNCH
1930	----	----	----/41.60A	53.00B/41.60A	----	46.40 - 11.30	.3680	----	----	----	----	20	UNCH
1935	----	----	----/43.20A	55.00B/43.20A	----	48.30 - 11.50	.3798	----	----	----	----	20	UNCH
1945	----	----	----/46.50A	59.50B/46.50A	----	52.30 - 11.70	.4036	----	----	----	----	30	UNCH
1950	66.00	66.00	66.00/48.20A	66.00/48.20A	----	54.30 - 11.90	.4157	----	----	4	----	79 - 4	
1970	----	----	----/55.70A	71.70B/55.70A	----	63.10 - 12.40	.4651	----	----	----	----	9	UNCH
1990	----	----	----/64.10A	82.40B/64.10A	----	72.80 - 12.70	.5157	----	----	----	----	10	UNCH
2000	72.00	72.00	88.10B/68.60A	88.10B/68.60A	----	78.10 - 12.70	.5410	----	----	2	----	337 + 2	
2030	----	----	----/83.30A	85.60B/83.30A	----	95.50 - 12.40	.6159	----	----	----	----	75	UNCH
2050	----	----	----/94.20A	120.30B/94.20A	----	108.50 - 11.80	.6637	----	----	----	----	200	UNCH
2100	----	----	158.70B/125.30A	158.70B/125.30A	----	145.00 - 9.60	.7682	----	----	----	----	70	UNCH
2155	----	----	----	----	----	190.60 - 6.90	.8544	----	----	----	----	13	UNCH
2160	----	----	----	----	----	194.90 - 6.70	.8605	----	----	----	----	38	UNCH
2175	----	----	224.10B/182.80A	224.10B/182.80A	----	208.20 - 6.00	.8785	----	----	----	----	10	UNCH
2195	----	----	----	----	----	226.20 - 5.20	.8985	----	----	----	----	23	UNCH
2200	----	----	247.10B/204.20A	247.10B/204.20A	----	230.80 - 5.00	.9036	----	----	----	----	10	UNCH
2215	----	----	----	----	----	244.60 - 4.40	.9157	----	----	----	----	60	UNCH
2450	----	----	489.20B/441.20A	489.20B/441.20A	----	473.00 + 2.40	.9918	----	----	----	----	50	UNCH
2500	----	----	538.70B/490.40A	538.70B/490.40A	----	522.70 + 3.30	.9953	----	----	----	----	100	UNCH
TOTAL										6		2193 - 2	
JUN26													
1825	----	----	----/74.20A	81.70B/74.20A	----	78.60 - 4.40	.2996	----	----	----	----	25	UNCH
1850	----	----	----/82.50A	91.10B/82.50A	----	87.70 - 4.60	.3252	----	----	----	----	1	UNCH
1900	----	----	----/101.10A	112.80B/101.10A	----	107.90 - 5.00	.3783	----	----	----	----	200	UNCH
2100	----	----	226.70B/203.00A	226.70B/203.00A	----	218.40 - 4.10	.5941	----	----	----	----	100	UNCH
TOTAL												326	0
JUL26													
1400	----	----	----	10.60B/*16.00A	----	11.30 - 2.10	.0524	----	----	----	----	150	UNCH
1500	----	----	----/24.70A	21.30B/24.70A	----	22.10 - 2.70	.0928	----	----	----	----	153	UNCH
1550	----	----	----/31.10A	29.10B/31.10A	----	29.70 - 2.90	.1186	----	----	----	----	200	UNCH
1600	----	----	----/39.20A	38.90B/39.20A	----	39.10 - 2.90	.1483	----	----	----	----	382	UNCH
1650	----	----	----/49.30A	50.90B/49.30A	----	50.30 - 3.00	.1813	----	----	----	----	1	UNCH
1680	----	----	----/56.50A	59.00B/56.50A	----	57.90 - 3.10	.2026	----	----	----	----	50	UNCH
1700	----	----	----/61.60A	64.90B/61.60A	----	63.40 - 3.10	.2174	----	----	----	----	261	UNCH
1710	----	----	----/64.40A	68.00B/64.40A	----	66.30 - 3.10	.2250	----	----	----	----	1	UNCH
1750	----	----	----/76.10A	81.40B/76.10A	----	78.60 - 3.20	.2564	----	----	----	----	50	UNCH
1800	----	----	99.60B/92.70A	99.60B/92.70A	----	95.90 - 3.40	.2977	----	----	----	----	218	UNCH
1900	----	----	142.60B/131.80A	142.60B/131.80A	----	137.20 - 3.80	.3855	----	----	----	----	1	UNCH
2100	----	----	256.70B/235.70A	256.70B/235.70A	----	248.70 - 3.30	.5631	----	----	----	----	225	UNCH
2165	----	----	----	----	----	292.80 - 2.60	.6156	----	----	----	----	20	UNCH
2350	----	----	446.00B/413.40A	446.00B/413.40A	----	434.50 - 0.60	.7406	----	----	----	----	5	UNCH
2400	----	----	488.30B/453.90A	488.30B/453.90A	----	476.10 - 0.20	.7680	----	----	----	----	300	UNCH
4000	----	----	2,036.00B/1,989	2,036.00B/1,989	----	2022.50 + 5.70	.9865	----	----	----	----	10	UNCH
TOTAL												2027	0
OCT26													
1300	----	----	----	21.00B/29.50A	----	21.40 - 1.40	.0664	----	----	----	----	4	UNCH
1500	----	----	----	53.80B/58.40A	----	55.30 - 2.40	.1449	----	----	----	----	80	UNCH
1600	----	----	----/82.70A	80.60B/82.70A	----	81.40 - 2.80	.1960	----	----	----	----	17	UNCH
1720	----	----	----/121.90A	123.00B/121.90A	----	122.10 - 2.80	.2650	----	----	----	----	2	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PO PUT		PLATINUM OPTIONS											
OCT26													
1800	----	----	----/153.80A	157.30B/153.80A	----	155.10 - 2.70	.3140	----	----	----	----	20	UNCH
2000	----	----	260.90B/251.40A	260.90B/251.40A	----	257.30 - 2.20	.4384	----	----	----	----	1	UNCH
2100	----	----	322.80B/309.80A	322.80B/309.80A	----	318.60 - 1.70	.4975	----	----	----	----	100	UNCH
2400	----	----	541.90B/519.20A	541.90B/519.20A	----	534.40 - 0.60	.6471	----	----	----	----	200	UNCH
2500	----	----	623.20B/598.00A	623.20B/598.00A	----	614.80 - 0.20	.6869	----	----	----	----	1	UNCH
TOTAL												425	0
JAN27													
1500	----	----	----	----	----	73.30 - 1.00	.1612	----	----	----	----	40	UNCH
1800	----	----	----	----	----	186.40 - 0.20	.3158	----	----	----	----	1	UNCH
TOTAL												41	0

OPTIONS EOO'S AND BLOCKS

PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL		COMEX GOLD OPTIONS		
JUN26	CALL			
OG		4700	0	100
OG		4725	0	175
OG		5000	0	150
OG		5700	0	225
TOTALS			0	650
AUG26	CALL			
OG		5000	0	250
OG		5600	0	250
TOTALS			0	500
SEP26	CALL			
OG		4775	0	175
OG		5300	0	80
TOTALS			0	255
OG PUT		COMEX GOLD OPTIONS		
DEC26	PUT			
OG		3400	0	160
TOTALS			0	160
SO CALL		COMEX SILVER OPTIONS		
JUL26	CALL			
SO		7325	0	100
TOTALS			0	100
SEP26	CALL			
SO		7400	0	100
TOTALS			0	100
SO PUT		COMEX SILVER OPTIONS		
MAY26	PUT			
SO		6600	0	100
TOTALS			0	100

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.