

PG64

BULLETIN #114@

METALS OPTION PRODUCTS

Tue, Jun 16, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN
AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS,
CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY
R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN
THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU
DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	JUN26	JUN26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27
COO OPT	06/30			07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
ECG10 OP		06/15	06/16											
ECG11 OP		06/15	06/16											
ECG13 OP		06/15	06/16											
ECG15 OP		06/15	06/16											
ECG16 OP		06/15	06/16											
ECGC OOF		06/15	06/16											
ECHG OOF		06/15	06/16											
ECSI OOF		06/15	06/16											
EHO OPT	06/30			07/31	08/28	09/30								
FMG OPT	06/26													
FSO OPT	06/30													
GMW MON	06/29			07/06										
GWR THU	06/18			07/16										
GWT TUE	06/30			07/07										
GWV WED	06/24			07/08										
HMW MON	06/29			07/06										
HRO OPT	06/23			07/28	08/25	09/29	10/27	11/24	12/29					
HWR THU	06/18			07/09										
HWT TUE	06/30													
HWW WED	06/24													
HX CALL				07/01	08/05	09/02								
HX PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23		
HXE CALL	06/26			06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23		
HXE PUT	06/26			07/17										
LHO OPT	06/30			07/17										
MMG MON	06/22			07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
OG CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
OG PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
OG2 CALL				07/10										
OG2 PUT				07/10										
OG3 CALL				07/17										
OG3 PUT				07/17										
OG4 CALL	06/26			07/24										
OG4 PUT	06/26			07/24										
OMG OPT				06/25	07/28	08/26	09/24		11/24					
PAO CALL				06/17	07/15	08/19			11/18					
PAO PUT				06/17	07/15	08/19			11/18			02/17		
PLW OOF	06/26											02/17		
PO CALL				06/17	07/15	08/19	09/16			12/16				
PO PUT				06/17	07/15	08/19	09/16			12/16				
RWS THU	06/18			07/16										
SMW MON	06/29													
SO CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
SO PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
SO2 CALL				07/10										
SO2 PUT				07/10										
SO3 CALL				07/17										
SO3 PUT				07/17										
SO4 CALL	06/26													
SO4 PUT	06/26													
SWW WED	06/24													
TWS TUE	06/30			07/01										

GOLD OPTIONS ON FUTURES														
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT	MICRO GOLD OPTIONS													
JUL26														
3400	----		----	----	----	----		954.40 + 2.80	----	----	----	----	----	1 UNCH
3460	----		----	----	----	----		894.50 + 2.80	----	----	----	----	----	1 UNCH
4100	----		----	----	----	----		261.00 + 1.00	----	----	----	----	----	1 UNCH
4200	----		----	----	----	----		15.30 - 4.80	----	----	----	----	----	2 UNCH
4215	140.00	140.00		#140.00/140.00	#140.00/140.00	----		156.70 - 2.60	----	----	----	1	----	0 - 1
4300	85.00	85.00		#85.00/85.00	#85.00/85.00	----		91.60 NEW	----	----	----	1	----	1 + 1
4300	----		----	----	----	----		37.30 - 8.30	----	----	----	----	----	1 UNCH
4400	----		----	----	----	----		38.90 - 7.30	----	----	----	----	----	1 UNCH
4400	----		----	----	----	----		84.40 - 10.20	----	----	----	----	----	1 UNCH
4500	165.00	165.00		165.00/165.00	165.00/165.00	----		159.50 - 8.30	----	----	----	1	----	2 - 1
4550	----		----	----	----	----		204.00 - 6.70	----	----	----	----	----	1 UNCH
4600	----		----	----	----	----		250.90 - 5.50	----	----	----	----	----	2 UNCH
4700	----		----	----	----	----		2.70 - 1.30	----	----	----	----	----	2 UNCH
4800	----		----	----	----	----		1.70 - 0.60	----	----	----	----	----	2 UNCH
5000	----		----	----	0.60B/----	----		0.90 - 0.10	----	----	----	----	----	3 UNCH
5300	----		----	----	----	----		0.30 - 0.20	----	----	----	----	----	3 UNCH
5500	----		----	----	----	----		0.10 - 0.10	----	----	----	----	----	2 UNCH
TOTAL												3		26 - 1
AUG26														
3500	----		----	----	----	----		4.20 UNCH	----	----	----	----	----	1 UNCH
3700	----		----	----	----	----		7.90 - 0.30	----	----	----	----	----	2 UNCH
3900	----		----	----	----	----		17.10 - 1.50	----	----	----	----	----	5 UNCH
3950	----		----	----	----	----		21.10 - 2.10	----	----	----	----	----	1 UNCH
4000	----		----	----	----	----		26.20 - 2.80	----	----	----	----	----	4 UNCH
4100	----		----	----	----	----		40.80 - 4.50	----	----	----	----	----	1 UNCH
4200	----		----	----	199.00B/----	----		217.70 - 3.70	----	----	----	----	----	1 UNCH
4210	----		----	----	----	----		66.70 - 6.70	----	----	----	----	----	1 UNCH
4400	----		----	----	----	----		101.70 - 6.80	----	----	----	----	----	1 UNCH
4400	----		----	----	----	----		147.20 - 9.50	----	----	----	----	----	12 UNCH
4535	----		----	----	----	----		55.40 - 6.70	----	----	----	----	----	2 UNCH
4550	----		----	----	----	----		246.60 - 9.40	----	----	----	----	----	2 UNCH
4600	----		----	----	----	----		41.00 - 6.00	----	----	----	----	----	1 UNCH
TOTAL														34 0
SEP26														
4230	----		----	----	----	----		254.50 - 3.10	----	----	----	----	----	2 UNCH
TOTAL														2 0
OCT26														
4680	----		----	----	----	----		91.70 - 4.60	----	----	----	----	----	1 UNCH
TOTAL														1 0
DEC26														
3250	----		----	----	----	----		17.20 - 0.10	----	----	----	----	----	1 UNCH
4000	----		----	----	----	----		102.40 - 2.60	----	----	----	----	----	1 UNCH
4700	----		----	----	----	----		147.70 - 4.70	----	----	----	----	----	10 UNCH
TOTAL														12 0
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT	GOLD OPTIONS													
JUN26														
3250	----		----	----	----/0.60A	----		0.20 - 0.10	.0009	----	----	----	----	22 UNCH
3500	----		----	----	0.40B/*0.60A	----		0.50 - 0.10	.0029	----	----	----	----	19 UNCH
3600	----		----	----	0.60B/0.80A	----		0.80 UNCH	.0050	----	----	----	----	96 UNCH
3700	----		----	----/1.00A	1.00B/1.00A	----		1.10 UNCH	.0075	----	----	----	----	30 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT
IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

BULLETIN #114@				METALS OPTION PRODUCTS										Tue, Jun 16, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG4 PUT	GOLD OPTIONS															
JUN26																
3725	----	----	----	----/1.10A	1.10B/1.10A	----			1.20	UNCH	.0084	----	----	----		1
3750	----	----	----	----/1.20A	1.20B/1.20A	----			1.30	UNCH	.0094	----	----	----		17
3775	1.10	1.10		1.40B/*1.10	1.40B/*1.10	----			1.50	UNCH	.0110	----	3	----		5 +
3800	----	----	----	1.70B/1.50A	1.70B/1.50A	----			1.60	UNCH	.0121	----	----	----		30
3850	1.60	1.60		2.30B/*1.60	2.30B/*1.60	----			2.00	- 0.10	.0158	----	1	----		6
3875	----	----	----	2.60B/2.00A	2.60B/2.00A	----			2.30	- 0.10	.0185	----	----	----		5
3900	2.40	2.40		3.00B/*2.20A	3.00B/*2.20A	----			2.50	- 0.20	.0207	----	1	----		25 +
3925	----	----	----	3.50B/*2.50A	3.50B/*2.50A	----			2.90	- 0.20	.0244	----	----	----		3
3950	----	----	----	4.10B/*2.90A	4.10B/*2.90A	----			3.30	- 0.40	.0284	----	----	----		7
3975	----	----	----	4.90B/*3.30A	4.90B/*3.30A	----			3.70	- 0.60	.0327	----	----	----		8
4000	----	----	----	5.70B/*3.80A	5.70B/*3.80A	----			4.30	- 0.70	.0387	----	----	----		30
4025	4.80	4.80		6.80B/*4.40A	6.80B/*4.40A	----			5.00	- 1.00	.0458	----	5	----		10
4050	6.10	6.10		8.20B/*5.20A	8.20B/*5.20A	----			5.80	- 1.30	.0542	----	1	----		61
4075	6.30	6.30		10.00B/*6.10A	10.00B/*6.10A	----			6.90	- 1.70	.0653	----	3	----		9 +
4100	7.10	7.10		11.90B/*7.10	11.90B/*7.10	----			8.20	- 2.20	.0785	----	61	----		170 +
4125	12.40	12.40		14.50B/8.80A	14.50B/8.80A	----			9.90	- 2.80	.0953	----	4	----		12 +
4150	16.00	16.00		18.20B/10.70	18.20B/10.70	----			11.90	- 3.50	.1152	----	8	----		160
4175	----	----	----	22.10B/13.00A	22.10B/13.00A	----			14.60	- 4.10	.1406	----	1	----		39 +
4200	----	----	----	26.70B/16.00A	26.70B/16.00A	----			17.90	- 4.90	.1710	----	1	----		74 +
4225	20.90	20.90		32.60B/19.70A	32.60B/19.70A	----			22.00	- 5.70	.2074	----	1	----		15
4250	----	----	----	39.60B/24.30A	39.60B/24.30A	----			27.20	- 6.50	.2506	----	----	----		42
4275	36.70	36.70		47.80B/29.90A	47.80B/29.90A	----			33.50	- 7.40	.3001	----	1	----		54 +
4300	41.30	41.30		57.50B/36.80A	57.50B/36.80A	----			41.20	- 8.20	.3559	----	25	----		63 +
4325	50.20	50.20		68.80B/45.00A	68.80B/45.00A	----			50.50	- 8.90	.4169	----	27	----		33 +
4350	56.90	56.90		81.50B/54.80A	81.50B/54.80A	----			61.50	- 9.50	.4813	----	12	----		38 +
4375	----	----	----	96.20B/66.40A	96.20B/66.40A	----			74.30	- 9.90	.5469	----	7	----		19 +
4400	----	----	----	111.90B/79.70A	111.90B/79.70A	----			88.80	- 10.00	.6112	----	1	----		5
4425	----	----	----	129.00B/94.60A	129.00B/94.60A	----			105.10	- 9.80	.6722	----	----	----		4
4450	----	----	----	147.40B/111.10A	147.40B/111.10A	----			122.90	- 9.50	.7278	----	----	----		9
4475	----	----	----	167.10B/129.10A	167.10B/129.10A	----			142.10	- 9.00	.7764	----	3	----		297 -
4500	----	----	----	187.60B/148.10A	187.60B/148.10A	----			162.50	- 8.30	.8184	----	1	----		10
4525	----	----	----	209.10B/168.30A	209.10B/168.30A	----			183.90	- 7.70	.8534	----	----	----		3
4550	----	----	----	231.40B/189.90A	231.40B/189.90A	----			206.10	- 7.00	.8821	----	1	----		34 +
4600	----	----	----	277.50B/234.60A	277.50B/234.60A	----			252.30	- 5.80	.9226	----	----	----		7
4700	----	----	----	373.50B/329.10A	373.50B/329.10A	----			348.80	- 4.20	.9625	----	----	----		1
4725	----	----	----	398.00B/353.50A	398.00B/353.50A	----			373.40	- 3.90	.9683	----	----	----		1
TOTAL													168			1474 +
JUL26																
3600	----	----	----	----/*4.90A	4.90B/4.90A	----			5.80	+ 0.80	.0297	----	----	----		1
3750	----	----	----	----/*8.00A	8.70B/*8.00A	----			9.30	+ 0.30	.0496	----	----	----		3
3850	----	----	----	#14.80B/*11.80A	14.80B/*11.80A	----			13.20	- 0.60	.0718	----	----	----		2
3900	----	----	----	#18.40B/*14.50A	18.40B/*14.50A	----			16.00	- 1.10	.0873	----	----	----		2
3950	----	----	----	#23.20B/*18.00A	23.20B/*18.00A	----			19.60	- 1.80	.1067	----	----	----		2
4000	----	----	----	#29.30B/*22.50A	29.30B/*22.50A	----			24.20	- 2.60	.1308	----	4	----		5 +
4150	45.80	45.80		#58.20B/*44.90A	58.20B/*44.90A	----			47.70	NEW	.2410	----	1	----		1 +
TOTAL													5			16 +
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG4 CALL	GOLD OPTIONS															
JUN26																
3800	----	----	----	----	377.90B/336.20A	377.90B/336.20A	----		555.70	+ 2.80	.9878	----	----	----		1
4000	----	----	----	----	305.50B/265.60A	305.50B/265.60A	----		358.40	+ 2.10	.9611	----	----	----		2
4075	----	----	----	----	286.10	286.10	----		286.10	+ 1.20	.9345	----	----	----		1
4100	----	----	----	----	262.40	262.40	----		262.40	+ 0.60	.9212	----	----	----		6
4125	----	----	----	----	258.20B/220.50A	258.20B/220.50A	----		239.10	UNCH	.9044	----	----	----		1
4150	----	----	----	----	235.10B/198.80A	235.10B/198.80A	----		216.20	- 0.60	.8845	----	----	----		2
4175	----	----	----	----	212.40B/177.50A	212.40B/177.50A	----		193.80	- 1.40	.8591	----	----	----		4
4200	168.60	168.60		190.30B/156.60A	190.30B/156.60A	----			172.10	- 2.20	.8286	----	2	----		6 +
4225	----	----	----	169.20B/136.70A	169.20B/136.70A	----			151.30	- 2.90	.7923	----	----	----		14
4250	----	----	----	148.80B/118.00A	148.80B/118.00A	----			131.50	- 3.70	.7491	----	----	----		35
4275	----	----	----	129.60B/100.60A	129.60B/100.60A	----			112.80	- 4.60	.6996	----	1	----		34
4300	----	----	----	111.30B/85.10A	111.30B/85.10A	----			95.60	- 5.40	.6438	----	1	----		67
4325	----	----	----	94.90B/70.80A	94.90B/70.80A	----			79.90	- 6.10	.5828	----	2	----		35 +
4350	72.00	72.00		79.90B/57.70A	79.90B/57.70A	----			65.90	- 6.70	.5183	----	14	10		56 +
4375	65.80	65.80		66.40B/46.70A	66.40B/46.70A	----			53.70	- 7.10	.4527	----	33	----		25 +
4400	45.50	45.50		54.70B/37.50A	54.70B/37.50A	----			43.30	- 7.20	.3884	----	269	----		93 +
4425	----	----	----	44.40B/29.80A	44.40B/29.80A	----			34.50	- 7.10	.3275	----	12	----		39 +
4450	31.30	31.30		36.10B/23.70A	36.10B/23.70A	----			27.30	- 6.80	.2719	----	4	----		26 +
4475	25.30	25.30		28.80B/18.70A	28.80B/18.70A	----			21.60	- 6.20	.2233	----	12	----		28 +
4500	21.00	21.00		23.00B/14.70A	23.00B/14.70A	----			17.00	- 5.60	.1813	----	40	20		300 +
4525	17.80	17.80		18.50/11.70A	18.50/11.70A	----			13.40	- 4.90	.1463	----	16	----		71 +
4550	14.7															

PG64	BULLETIN #114@										METALS OPTION PRODUCTS										Tue, Jun 16, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
OG3 PUT JUL26	GOLD OPTIONS																								
3950	----	----	----	17.40B/*13.60A	17.40B/*13.60A	----	15.50 - 1.10	.0922	----	----	----	----	26	UNCH											
3975	16.60	16.60	----	20.00B/*15.30A	20.00B/*15.30A	----	17.30 - 1.40	.1028	----	----	2	----	11 +	1											
4000	19.00	19.00	----	23.30B/*17.30A	23.30B/*17.30A	----	19.30 - 1.80	.1146	----	----	13	----	252	UNCH											
4025	20.80	20.80	----	26.30B/*19.50A	26.30B/*19.50A	----	21.60 - 2.30	.1279	----	----	1	----	35	UNCH											
4050	----	----	----	29.90B/*22.20A	29.90B/*22.20A	----	24.30 - 2.80	.1431	----	----	1	----	23	UNCH											
4075	----	----	----	33.90B/*25.10A	33.90B/*25.10A	----	27.30 - 3.40	.1598	----	----	----	----	5	UNCH											
4100	----	----	----	38.30B/*28.50A	38.30B/*28.50A	----	30.80 - 3.90	.1786	----	----	1	----	139	UNCH											
4125	----	----	----	43.40B/*32.40A	43.40B/*32.40A	----	34.90 - 4.40	.1997	----	----	----	----	29	UNCH											
4150	----	----	----	49.20B/*36.70A	49.20B/*36.70A	----	39.50 - 5.00	.2228	----	----	----	----	7	UNCH											
4175	----	----	----	55.70B/*41.70A	55.70B/*41.70A	----	44.80 - 5.50	.2483	----	----	----	----	1	UNCH											
4200	----	----	----	62.80B/*47.40A	62.80B/*47.40A	----	50.80 - 6.10	.2760	----	----	----	----	6	UNCH											
4225	----	----	----	70.80B/*53.80A	70.80B/*53.80A	----	57.50 NEW	.3058	----	----	3	----	3 +	3											
4250	----	----	----	80.00B/*60.90A	80.00B/*60.90A	----	65.20 - 7.10	.3378	----	----	1	----	11 +	1											
4275	----	----	----	90.00B/*68.90A	90.00B/*68.90A	----	73.70 - 7.70	.3716	----	----	----	----	1	UNCH											
4300	----	----	----	100.40B/*77.90A	100.40B/*77.90A	----	83.20 NEW	.4069	----	----	10	----	10 +	10											
4325	----	----	----	112.30B/*87.70A	112.30B/*87.70A	----	93.70 - 8.50	.4435	----	----	----	----	1	UNCH											
4350	125.00	125.00	----	125.00/98.60A	125.00/98.60A	----	105.30 - 8.90	.4808	----	----	2	----	2 +	2											
4375	----	----	----	138.30B/110.60A	138.30B/110.60A	----	117.90 - 9.20	.5185	----	----	----	----	1	UNCH											
4650	----	----	----	338.20B/307.20A	338.20B/307.20A	----	318.00 - 6.90	.8424	----	----	----	----	1	UNCH											
4725	----	----	----	405.70B/373.40A	405.70B/373.40A	----	385.90 - 5.60	.8863	----	----	----	----	1	UNCH											
TOTAL											62		816 +	30											
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
OG3 CALL JUL26	GOLD OPTIONS																								
4300	----	----	----	146.70B/127.90A	146.70B/127.90A	----	137.40 - 5.40	.5922	----	----	1	----	22 +	1											
4325	----	----	----	135.00B/115.10A	135.00B/115.10A	----	123.00 - 5.80	.5557	----	----	----	----	1	UNCH											
4350	----	----	----	122.20B/101.60A	122.20B/101.60A	----	109.70 - 6.10	.5183	----	----	2	----	2	UNCH											
4375	----	----	----	109.30B/90.20A	109.30B/90.20A	----	97.40 - 6.30	.4807	----	----	----	----	14	UNCH											
4400	83.60	83.60	----	98.00B/79.70A	98.00B/79.70A	----	86.10 - 6.60	.4432	----	----	160	----	50 -	107											
4425	----	----	----	87.10B/70.30A	87.10B/70.30A	----	75.90 - 6.80	.4064	----	----	----	----	25	UNCH											
4450	----	----	----	77.10B/61.80A	77.10B/61.80A	----	66.80 - 6.70	.3709	----	----	1	----	51 +	1											
4475	----	----	----	68.10B/54.20A	68.10B/54.20A	----	58.60 - 6.60	.3367	----	----	----	----	1	UNCH											
4500	----	----	----	60.00B/47.50A	60.00B/47.50A	----	51.30 - 6.40	.3044	----	----	1	----	8	UNCH											
4525	----	----	----	52.80B/41.50A	52.80B/41.50A	----	44.80 - 6.20	.2739	----	----	1	----	2	UNCH											
4550	----	----	----	46.30B/36.30A	46.30B/36.30A	----	39.10 - 5.90	.2457	----	----	----	----	11	UNCH											
4575	----	----	----	40.60B/31.80A	40.60B/31.80A	----	34.20 - 5.50	.2200	----	----	----	----	5	UNCH											
4600	----	----	----	35.60B/27.90A	35.60B/27.90A	----	29.90 - 5.10	.1966	----	----	----	----	2	UNCH											
4625	----	----	----	31.10B/24.50A	31.10B/24.50A	----	26.30 - 4.50	.1758	----	----	----	----	8	UNCH											
4650	----	----	----	27.30B/21.60A	27.30B/21.60A	----	23.10 - 4.10	.1569	----	----	----	----	2	UNCH											
4675	----	----	----	----/19.10A	24.00B/19.10A	----	20.40 - 3.70	.1403	----	----	----	----	5	UNCH											
4700	----	----	----	----/16.90A	21.30B/16.90A	----	18.20 - 3.20	.1260	----	----	----	----	6	UNCH											
4725	----	----	----	----/15.00A	18.60B/15.00A	----	16.20 - 2.80	.1131	----	----	----	----	10	UNCH											
4750	----	----	----	----/13.40A	16.50B/13.40A	----	14.50 - 2.40	.1017	----	----	1	----	3 +	1											
4775	----	----	----	----/12.00A	14.70B/12.00A	----	13.10 - 2.10	.0920	----	----	----	----	2	UNCH											
4800	----	----	----	----/11.00A	13.20B/11.00A	----	11.90 - 1.70	.0835	----	----	----	----	3	UNCH											
4900	8.50	8.50	----	8.50/7.50A	8.50/7.50A	----	8.40 - 0.70	.0583	----	----	1	----	6 +	1											
5000	----	----	----	----/5.40A	5.80B/5.40A	----	6.30 - 0.20	.0426	----	----	----	----	7	UNCH											
5100	4.50	4.50	----	4.60/4.00A	4.60/4.00A	----	5.00 + 0.20	.0327	----	----	2	----	11 +	1											
5200	3.20	3.20	----	3.50/3.20	3.50/3.20	----	4.00 + 0.30	.0254	----	----	2	----	35 +	1											
5250	2.90	2.90	----	2.90/2.90	2.90/2.90	----	3.70 + 0.40	.0230	----	----	2	----	21 +	2											
TOTAL											174		313 -	99											
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
OG2 PUT JUL26	GOLD OPTIONS																								
3000	----	----	----	----	0.20B/1.00A	----	0.30 + 0.10	.0014	----	----	----	----	2	UNCH											
3250	----	----	----	----	0.20B/1.10A	----	0.90 + 0.20	.0046	----	----	10	----	30 +	6											
3500	----	----	----	----	1.60B/*1.90A	----	2.40 + 0.60	.0131	----	----	----	----	25	UNCH											
3600	----	----	----	----/*2.50A	2.30B/*2.50A	----	3.10 + 0.50	.0179	----	----	----	----	11	UNCH											
3700	----	----	----	----/*3.40A	3.40B/*3.40A	----	4.20 + 0.50	.0256	----	----	----	----	52	UNCH											
3725	----	----	----	----/*3.70A	3.70B/*3.70A	----	4.60 + 0.50	.0283	----	----	----	----	11	UNCH											
3750	----	----	----	----/*4.10A	4.10B/*4.10A	----	5.00 + 0.50	.0311	----	----	----	----	16	UNCH											
3775	----	----	----	----/*4.40A	4.60B/*4.40A	----	5.40 + 0.40	.0341	----	----	----	----	9	UNCH											
3800	----	----	----	----/*4.80A	5.10B/*4.80A	----	5.90 + 0.30	.0377	----	----	----	----	151	UNCH											
3825	----	----	----	----/*5.40A	5.70B/*5.40A	----	6.50 + 0.30	.0419	----	----	----	----	5	UNCH											
3850	6.50	6.50	----	6.60B/*6.00A	6.60B/*6.00A	----	7.10 + 0.10	.0463	----	----	1	----	6 +	1											
3875	7.10	7.10	----	7.70/*6.70A	7.70/*6.70A	----	7.90 UNCH	.0519	----	----	3	----	8 +	3											
3900	9.20	9.20	----	9.80B/7.50A	9.80B/7.50A	----	8.70 - 0.30	.0577	----	----	12	----	140 -	9											
3925	----	----	----	11.20B/*8.40A	11.20B/*8.40A	----	9.70 - 0.50	.0648	----	----	----	----	2	UNCH											
3950	----	----	----	12.40B/*9.60A	12.40B/*9.60A	----	10.80 - 0.80	.0726	----	----	----	----	15	UNCH											
3975	11.50	11.50	----	14.30B/*10.80A	14.30B/*10.80A	----	12.20 - 1.10	.0821	----	----	1	----	1 -	1											
4000	16.00	16.00	----	16.90B/12.30A	16.90B/12.30A	----	13.70 - 1.50	.0926	----	----	12	----	92 +	10											
4025	----	----	----	19.50B/*14.10A	19.50B/*14.10A	----	15.50 - 1.90	.1047	----	----	----	----	55	UNCH											
4050	----	----	----	22.30B/16.10A	22.30B/16.10A	----	17.60 - 2.40	.1187	----	----	1	----	2 -	1											
4075	----	----	----	25.60B/18.40A	25.60B/18.40A	----	20.10 - 2.90	.1349	----	----	----	----	50	UNCH											
4100	----	----	----	29.50B/21.20A	29.50B/21.20A	----	23.00 - 3.40	.1532	----	----	10	----	61 +	6											
4125	----	----	----	34.00B/24.40A	34.00B/24.40A	----	26.40 - 4.00	.1741	----	----	----	----	18	UNCH											
4150	----	----	----	39.00B/28.10A	39.00B/28.10A	----	30.30 - 4.60	.1974	----	----	1	----	20	UNCH											
4175	----	----	----	45.00B/32.40A	45.00B/32.40A	----	34.90 - 5.10	.2238	----	----	----	----	82	UNCH											
4200	----	----	----	51.50B/37.30A	51.50B/37.30A	----	40.30 - 5.70	.2532	----	----	----	----	56	UNCH											
4225	----	----	----	58.90B/43.10A	58.90B/43.10A	----	46.40 - 6.30	.2852	----	----	----	----	6	UNCH											
4250	55.00	55.00	----	67.50B/49.60A	67.50B/49.60A	----	53.50 - 6.80	.3202	----	----	2	----	55 -	1											
4275	66.30	66.30	----	76.60B/57.10A	76.60B/57.10A	----	61.50 - 7.40	.3577	----	----	11	----	39 +	10											
4300	70.60	70.60	----	87.20B/65.60A	87.20B/65.60A	----	70.60 - 8.00	.3974	----	----	1	----	4 +	1											
4325	82.70	82.70	----	98.90B/75.30A	98.90B/75.30A	----	80.90 - 8.40	.4389	----	----	100	----	101 +	100											
4350	94.70	94.70	----	112.00B/86.10A	112.00B/86.10A	----	92.30 - 8.90	.4815	----	----	71	----	72 +	71											
4400	----	----	----	138.80B/112.60A	138.80B/112.60A	----	118.80 - 9.40	.5672	----	----	----	----	50	UNCH											
4450	----	----	----	171.00B/146.00A	171.00B/146.00A	----	150.10 - 9.40	.6489	----	----	----	----	1	UNCH											
4475	----	----	----	188.70B/162.60A	188.70B/162.60A	----	167.40 - 9.20	.6868	----	----	----	----	3	UNCH											
4500	----	----	----	208.40B/180.20A	208.40B/180.20A	----	185.60 - 9.00	.7221	----	----	----	----	103	UNCH											
4525	----	----	----	226.80B/198.70A	226.80B/198.70A	----	204.80 - 8.60	.7546	----	----	----	----	1	UNCH											
4550	----	----	----	246.90B/218.10A	246.90B/218.10A	----	224.80 - 8.20	.7839	----	----	----	----	3	UNCH											
4575	----	----	----	267.70B/238.30A	267.70B/238.30A	----	245.50 - 7.80	.8106	----	----	----	----	1	UNCH											
TOTAL											236		1359 +	196											
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
OG2 CALL JUL26	GOLD OPTIONS																								
4000	----	----	----	380.10B/353.80A	380.10B/353.80A	----	367.50 + 1.40	.9069	----	----	----	----	2	UNCH											
4100	----	----	----	289.10B/265.00A	289.10B/265.00A	----	276.90 - 0.60	.8462	----	----	----	----	1	UNCH											
4125	----	----	----	267.40B/243.90A	267.40B/243.90A	----	255.30 - 1.20	.8253	----	----	----	----	1	UNCH											
4150	----	----	----	246.20B/223.50A	246.20B/223.50A	----	234.30 - 1.80	.8019	----	----	4	----	2 -	2											
4175	----	----	----	225.70B/203.7																					

PG64	BULLETIN #114@										METALS OPTION PRODUCTS					Tue, Jun 16, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG2 CALL	GOLD OPTIONS																		
JUL26																			
4775	----	----	----	----/8.20A	9.90B/8.20A	----	----	8.90 - 1.50	.0704	----	----	----	----	1	UNCH				
4800	----	----	----	----/7.30A	8.60B/7.30A	----	----	8.00 - 1.30	.0631	----	----	11	----	35	-				
4825	----	----	----	----/6.60A	7.60B/6.60A	----	----	7.20 - 1.10	.0566	----	----	----	----	2	UNCH				
4850	----	----	----	----/6.00A	6.70B/6.00A	----	----	6.60 - 0.90	.0515	----	----	----	----	5	UNCH				
4875	----	----	----	----/5.40A	5.90B/5.40A	----	----	6.00 - 0.70	.0466	----	----	----	----	4	UNCH				
4900	----	----	----	----/4.90A	5.30B/4.90A	----	----	5.50 - 0.60	.0424	----	----	----	----	7	UNCH				
4925	----	----	----	----/4.50A	4.70B/4.50A	----	----	5.00 - 0.50	.0383	----	----	----	----	3	UNCH				
4950	4.40	4.40		4.40/4.10A	4.40/4.10A	----	----	4.70 - 0.40	.0356	----	----	1	----	60	UNCH				
4975	----	----	----	----/3.80A	3.90B/3.80A	----	----	4.30 - 0.30	.0324	----	----	----	----	2	UNCH				
5000	----	----	----	----/3.50A	3.60B/3.50A	----	----	4.00 - 0.30	.0298	----	----	----	----	68	UNCH				
5025	----	----	----	----/3.20A	3.30B/3.20A	----	----	3.70 - 0.20	.0274	----	----	----	----	2	UNCH				
5050	----	----	----	----/3.00A	3.00B/3.00A	----	----	3.50 - 0.10	.0256	----	----	----	----	3	UNCH				
5100	----	----	----	----/2.70A	2.50B/2.70A	----	----	3.10 UNCH	.0222	----	----	----	----	50	UNCH				
5200	----	----	----	----/2.10A	1.90B/2.10A	----	----	2.50 + 0.10	.0172	----	----	----	----	6	UNCH				
5250	----	----	----	----/1.90A	1.60B/1.90A	----	----	2.30 + 0.20	.0154	----	----	----	----	4	UNCH				
5400	----	----	----	----	1.20B/1.90A	----	----	2.00 + 0.50	.0124	----	----	----	----	2	UNCH				
5750	----	----	----	----	0.20B/2.70A	----	----	1.80 + 0.90	.0093	----	----	----	----	2	UNCH				
TOTAL												50		582	+				
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG PUT	COMEX GOLD OPTIONS																		
JUL26																			
2000	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	28	UNCH				
2275	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	23	UNCH				
2300	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	137	UNCH				
2350	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH				
2400	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH				
2500	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	218	UNCH				
2550	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	40	UNCH				
2575	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	10	UNCH				
2600	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	26	UNCH				
2605	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH				
2620	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH				
2650	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	149	UNCH				
2670	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	20	UNCH				
2675	0.10	0.10		0.10/0.10	0.10/0.10	----	----	0.10 UNCH	----	----	----	1	----	77	UNCH				
2680	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	10	UNCH				
2700	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	10	UNCH				
2705	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH				
2710	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	12	UNCH				
2725	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	178	UNCH				
2730	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH				
2750	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	121	UNCH				
2775	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH				
2785	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH				
2800	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	16	UNCH				
2805	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH				
2850	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	10	UNCH				
2860	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	6	UNCH				
2885	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	14	UNCH				
2890	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	65	UNCH				
2895	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	18	UNCH				
2900	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	25	UNCH				
2905	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	19	UNCH				
2915	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH				
2920	----	----	----	----	----/0.10A	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH				
2945	----	----	----	----	----/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	2	UNCH				
2950	----	----	----	----	----/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	36	UNCH				
2960	----	----	----	----	----/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	1	UNCH				
2975	----	----	----	----	----/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	1	UNCH				
2985	----	----	----	----	----/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	15	UNCH				
2990	----	----	----	----	----/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	10	UNCH				
2995	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	25	UNCH				
3000	----	----	----	----	----/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	99	UNCH				
3010	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	1	UNCH				
3015	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	5	UNCH				
3025	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	1	UNCH				
3030	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	18	UNCH				
3035	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	10	UNCH				
3050	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	15	UNCH				
3060	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	28	UNCH				
3080	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	10	UNCH				
3085	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	10	UNCH				
3100	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	80	UNCH				
3105	----	----	----	----	----/*0.20A	----	----	0.10 UNCH	.0000	----	----	----	----	1	UNCH				
3110	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	5	UNCH				
3115	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	7	UNCH				
3120	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	2	UNCH				
3125	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	42	UNCH				
3130	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0001	----	----	----	----	9	UNCH				
3135	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0001	----	----	----	----	21	UNCH				
3140	----	----	----	----	----/*0.10A	----	----	0.10 UNCH	.0001	----	----	----	----	15	UNCH				
3145	----	----	----	----	----/*0.10A	----													



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY



PG64 BULLETIN #114@				METALS OPTION PRODUCTS								Tue, Jun 16, 2026		PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT JUL26	COMEX GOLD OPTIONS														
3470	----	----	----	----	0.20B/*0.30A	----			0.40	UNCH	-.0022	----	----	----	7
3475	----	----	----	----	0.20B/*0.40A	----			0.40	UNCH	-.0022	----	----	----	143
3480	----	----	----	----	0.20B/*0.40A	----			0.40	UNCH	-.0022	----	----	----	112
3485	----	----	----	----	0.20B/*0.40A	----			0.40	UNCH	-.0022	----	----	----	12
3490	----	----	----	----	0.20B/*0.40A	----			0.40	UNCH	-.0022	----	----	----	7
3495	----	----	----	----	0.20B/*0.40A	----			0.40	UNCH	-.0022	----	----	----	6
3500	0.30	0.30	0.30/0.30	0.30/0.30	0.30/0.30	----			0.40	UNCH	-.0023	----	1	----	442 -
3505	----	----	----	----	0.30B/*0.40A	----			0.40	UNCH	-.0023	----	----	----	9
3510	----	----	----	----	0.30B/*0.40A	----			0.40	UNCH	-.0023	----	----	----	12
3515	----	----	----	----	0.30B/*0.40A	----			0.50	UNCH	-.0028	----	----	----	8
3520	----	----	----	----	0.30B/*0.40A	----			0.50	UNCH	-.0028	----	----	----	9
3525	----	----	----	----	0.30B/*0.40A	----			0.50	UNCH	-.0029	----	----	----	19
3530	----	----	----	----	0.30B/*0.40A	----			0.50	UNCH	-.0029	----	----	----	168
3535	----	----	----	----	0.40B/*0.50A	----			0.50	UNCH	-.0029	----	----	----	41
3540	----	----	----	----	0.40B/*0.50A	----			0.50	UNCH	-.0029	----	----	----	4
3545	----	----	----	----	0.40B/*0.50A	----			0.50	UNCH	-.0029	----	----	----	257
3550	0.40	0.40	0.40/*0.40	0.40/*0.40	0.40/*0.40	----			0.50	UNCH	-.0030	----	10	----	191 +
3555	----	----	----	----	0.40B/*0.50A	----			0.50	UNCH	-.0030	----	----	----	5
3560	----	----	----	----	0.40B/*0.50A	----			0.50	UNCH	-.0030	----	----	----	1
3565	----	----	----	----	0.40B/*0.50A	----			0.60 +	0.10	-.0035	----	----	----	5
3570	----	----	----	----	0.40B/*0.50A	----			0.60 +	0.10	-.0036	----	----	----	17
3575	----	----	----	----	0.40B/*0.50A	----			0.60	UNCH	-.0036	----	----	----	15
3580	----	----	----	----	0.40B/*0.50A	----			0.60	UNCH	-.0036	----	----	----	21
3585	----	----	----	----	0.50B/*0.50A	----			0.60	UNCH	-.0036	----	----	----	25
3590	----	----	----	----	0.50B/*0.50A	----			0.60	UNCH	-.0037	----	----	----	17
3595	----	----	----	----	0.50B/*0.50A	----			0.60	UNCH	-.0037	----	----	----	15
3600	0.60	0.60	0.60/0.60	0.60/0.60	0.60/0.60	----			0.60	UNCH	-.0037	----	20	----	480 +
3605	----	----	----	----	0.50B/*0.60A	----			0.70 +	0.10	-.0043	----	----	----	20
3610	----	----	----	----	0.60B/*0.60A	----			0.70 +	0.10	-.0043	----	----	----	24
3615	----	----	----	----	0.50B/*0.60A	----			0.70 +	0.10	-.0043	----	----	----	14
3620	----	----	----	----	0.50B/*0.60A	----			0.70	UNCH	-.0044	----	----	----	20
3625	----	----	----	----	0.60B/*0.60A	----			0.70	UNCH	-.0044	----	----	----	134
3630	----	----	----	----	0.60B/*0.60A	----			0.70	UNCH	-.0044	----	----	----	114
3635	----	----	----	----	0.60B/*0.60A	----			0.70	UNCH	-.0045	----	----	----	20
3640	----	----	----	----	0.60B/*0.70A	----			0.80 +	0.10	-.0051	----	----	----	8
3645	----	----	----	----	0.60B/*0.70A	----			0.80 +	0.10	-.0051	----	----	----	17
3650	0.70	0.70	0.70/0.70	0.70/0.70	0.70/0.70	----			0.80 +	0.10	-.0051	----	6	----	141
3655	----	----	----	----	0.70B/*0.70A	----			0.80	UNCH	-.0052	----	----	----	31
3660	----	----	----	----	0.70B/*0.70A	----			0.80	UNCH	-.0052	----	----	----	52
3665	----	----	----	----	0.70B/*0.70A	----			0.80	UNCH	-.0052	----	----	----	22
3670	----	----	----	----	0.70B/*0.70A	----			0.90 +	0.10	-.0059	----	----	----	124
3675	----	----	----	----	0.70B/*0.70A	----			0.90 +	0.10	-.0059	----	----	----	141
3680	0.60	0.60	0.60/*0.60	0.70B/*0.60	0.70B/*0.60	----			0.90 +	0.10	-.0059	----	9	----	15 -
3685	----	----	----	----	0.80B/*0.80A	----			0.90	UNCH	-.0060	----	----	----	67
3690	----	----	----	----	0.80B/*0.80A	----			0.90	UNCH	-.0060	----	----	----	68
3695	----	----	----	----	0.80B/*0.80A	----			1.00 +	0.10	-.0067	----	----	----	167
3700	0.80	0.80	0.80/0.80	0.80/0.80	0.80/0.80	----			1.00 +	0.10	-.0067	----	9	----	605 -
3705	----	----	----	----	0.80B/*0.80A	----			1.00 +	0.10	-.0068	----	----	----	30
3710	----	----	----	----	0.90B/*0.80A	----			1.00 +	0.10	-.0068	----	----	----	5
3715	----	----	----	----	0.90B/*0.90A	----			1.00	UNCH	-.0069	----	----	----	32
3720	----	----	----	----	0.90B/*0.90A	----			1.10 +	0.10	-.0075	----	----	----	31
3725	----	----	----	----	0.90B/*0.90A	----			1.10 +	0.10	-.0076	----	----	----	145
3730	----	----	----	----	0.90B/*0.90A	----			1.10 +	0.10	-.0076	----	----	----	26
3735	----	----	----	----	1.00B/*0.90A	----			1.10 +	0.10	-.0077	----	----	----	51
3740	----	----	----	----	1.00B/*0.90A	----			1.10	UNCH	-.0077	----	----	----	41
3745	----	----	----	----	1.00B/*1.00A	----			1.20 +	0.10	-.0084	----	----	----	33
3750	----	----	----	----	1.10B/*1.00A	----			1.20 +	0.10	-.0085	----	----	----	4356
3755	----	----	----	----	1.10B/*1.00A	----			1.20 +	0.10	-.0085	----	----	----	21
3760	----	----	----	----	1.10B/*1.00A	----			1.20	UNCH	-.0086	----	----	----	22
3765	----	----	----	----	1.10B/*1.00A	----			1.30 +	0.10	-.0093	----	----	----	41
3770	----	----	----	----	1.20B/*1.10A	----			1.30 +	0.10	-.0094	----	----	----	134
3775	1.00	1.00	1.00/*1.00	1.20B/*1.00	1.20B/*1.00	----			1.30 +	0.10	-.0094	----	5	----	101 +
3780	----	----	----	----	1.20B/*1.10A	----			1.30	UNCH	-.0095	----	----	----	32
3785	----	----	----	----	1.20B/*1.10A	----			1.40 +	0.10	-.0102	----	----	----	18
3790	1.10	1.10	1.10/1.10	1.30B/*1.10	1.30B/*1.10	----			1.40 +	0.10	-.0103	----	2	----	54 +
3795	----	----	----	----	1.40B/*1.20A	----			1.40 +	0.10	-.0104	----	----	----	60
3800	1.30	1.30	1.30/1.10	1.40B/*1.10	1.40B/*1.10	----			1.50 +	0.10	-.0111	----	44	----	4864 -
3805	----	----	----	----	1.40B/*1.20A	----			1.50 +	0.10	-.0112	----	----	----	33
3810	----	----	----	----	1.50B/*1.20A	----			1.50 +	0.10	-.0113	----	----	----	70
3815	----	----	----	----	1.50B/*1.20A	----			1.50	UNCH	-.0114	----	----	----	64
3820	----	----	----	----	1.60B/*1.20A	----			1.60 +	0.10	-.0121	----	----	----	40
3825	----	----	----	----	1.60B/*1.30A	----			1.60 +	0.10	-.0122	----	----	----	84
3830	----	----	----	----	1.60B/*1.30A	----			1.60	UNCH	-.0123	----	----	----	49
3835	----	----	----	----	1.70B/*1.30A	----			1.70 +	0.10	-.0131	----	----	----	69
3840	----	----	----	----	1.70B/*1.30A	----			1.70 +	0.10	-.0132	----	----	----	63
3845	----	----	----	----	1.80B/*1.40A	----			1.70	UNCH	-.0133	----	----	----	26
3850	1.70	1.70	1.80B/*1.40A	1.80B/*1.40A	1.80B/*1.40A	----			1.80 +	0.10	-.0141	----	3	----	311
3855	----	----	----	----	1.90B/*1.40A	----			1.80	UNCH	-.0142	----	----	----	91
3860	----	----	----	----	1.90B/*1.50A	----			1.80	UNCH	-.0143	----	----	----	65
3865	----	----	----	----	2.00B/*1.50A	----			1.90	UNCH	-.0151	----	----	----	110
3870	1.40	1.40	2.10B/*1.40	2.10B/*1.40	2.10B/*1.40	----			1.90	UNCH	-.0153	----	1	----	44 -
3875	----	----	----	----	2.10B/*1.60A	----			2.00 +	0.10	-.0161	----	----	----	128
3880	----	----	----	----	2.20B/*1.60A	----			2.00	UNCH	-.0162	----	----	----	60
3885	----	----	----	----	2.30B/*1.60A	----			2.00	UNCH	-.0164	----	----	----	66
3890	----	----	----	----	2.30B/*1.70A	----			2.10	UNCH	-.0172	----	----	----	140
3895	----	----	----	----	2.40B/*1.70A	----			2.10 -	0.10	-.0174	----	----	----	64
3900	1.80	1.80	2.50B/*1.80	2.50B/*1.80	2.50B/*1.80	----			2.20	UNCH	-.0182	----	109	----	1331 -
3905	----	----	----	----	2.60B/*1.80A	----			2.20 -	0.10	-.0184	----	----	----	44
3910	----	----	----	----	2.60B/*1.80A	----			2.30	UNCH	-.0193	----	----	----	88
3915	----	----	----	----	2.70B/*1.90A	----			2.30 -	0.10	-.0195	----	----	----	34
3920	2.30	2.30	2.80B/*1.90A	2.80B/*1.90A	2.80B/*1.90A	----			2.40 -	0.10	-.0203	----	120	----	253 +
3925	2.30	2.30	2.90B/*1.90A	2.90B/*1.90A	2.90B/*1.90A	----			2.40 -	0.10	-.0205	----	10	----	5 -
3930	2.00	2.00	3.00B/*2.00	3.00B/*2.00	3.00B/*2.00	----			2.50 -	0.10	-.0214	----	2	----	87 +
3935	----	----	----	----	3.10B/*2.00A	----			2.50 -	0.20	-.0217	----	----	----	72
3940	2.50	2.50	3.20B/*2.10A	3.20B/*2.10A	3.20B/*2.10A	----			2.60 -	0.20	-.0226	----	10	----	116 +
3945	----	----	----	----	3.30B/*2.10A	----			2.60 -	0.20	-.0228	----	----	----	78
3950	2.40	2.40	3.30B/*2.20A	3.30B/*2.20A	3.30B/*2.20A	----			2.70 -	0.20	-.0238	----	6	----	744 -
3955	----	----	----	----	3.40B/*2.30A	----			2.80 -	0.20	-.0247	----	----	----	162
3960	----	----	----	----	3.60B/*2.30A	----			2.80 -	0.30	-.0250	----	----	----	215
3965	----	----	----	----	3.70B/*2.40A	----			2.90 -	0.30	-.0259	----	----	----	176
3970	----	----	----	----	3.90B/*2.40A	----			3.00 -	0.30	-.0269	----	----	----	119
3975	2.90	2.90	3.90B/*2.50A	3.90B/*2.50A	3.90B/*2.50A	----			3.10 -	0.30	-.0279	----	2	----	76 -
3980	----	----	----	----	4.10B/*2.60A	----			3.20 -	0.30	-.0290	----	----	----	262
3985	----	----	----	----	4.30B/*2.70A	----			3.20 -	0.40	-.0293	----	----	----	435
3990															

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.

BULLETIN #114@										METALS OPTION PRODUCTS										Tue, Jun 16, 2026		PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT		COMEX GOLD OPTIONS																				
JUL26																						
4155	10.50	10.50	16.40B/9.10A		16.40B/9.10A		----	10.40	- 3.30	.1067	----	----	110	----	459 +	7						
4160	17.20	17.20	17.20/9.40A		17.20/9.40A		----	10.80	- 3.50	.1110	----	----	6	----	280 -	1						
4165	16.20	16.20	17.70B/9.90A		17.70B/9.90A		----	11.30	- 3.60	.1160	----	63	----	146 +	16							
4170	17.10	17.10	18.60B/10.30		18.60B/10.30		----	11.80	- 3.70	.1211	----	73	----	252 +	5							
4175	19.90	19.90	19.90/10.60		19.90/10.60		----	12.30	- 3.90	.1263	----	157	----	157 +	2							
4180	13.50	13.50	20.30B/11.20A		20.30B/11.20A		----	12.80	- 4.10	.1316	----	29	----	104 +	26							
4185	----	----	21.20B/11.80A		21.20B/11.80A		----	13.40	- 4.30	.1375	----	----	----	170	UNCH	----						
4190	13.70	13.70	21.80B/12.30A		21.80B/12.30A		----	14.00	- 4.40	.1435	----	1	----	150	UNCH	----						
4195	13.50	13.50	22.80B/12.80A		22.80B/12.80A		----	14.60	- 4.60	.1496	----	100	----	172 +	97	----						
4200	24.00	24.00	24.10B/13.40A		24.10B/13.40A		----	15.30	- 4.80	.1563	----	271	----	1688 -	121	----						
4205	16.90	16.90	24.70B/14.00A		24.70B/14.00A		----	16.00	- 4.90	.1631	----	8	----	106	UNCH	----						
4210	----	----	25.70B/14.70A		25.70B/14.70A		----	16.70	- 5.10	.1700	----	----	----	126	UNCH	----						
4215	17.90	17.90	26.80B/15.30A		26.80B/15.30A		----	17.40	- 5.40	.1770	----	2	----	87	UNCH	----						
4220	----	----	28.00B/16.00A		28.00B/16.00A		----	18.20	- 5.60	.1846	----	----	----	272	UNCH	----						
4225	21.60	21.60	29.30B/16.80A		29.30B/16.80A		----	19.10	- 5.70	.1928	----	5	----	228 -	1	----						
4230	22.30	22.30	30.50B/17.60A		30.50B/17.60A		----	19.90	- 5.90	.2006	----	8	----	127 +	1	----						
4235	----	----	31.80B/18.40A		31.80B/18.40A		----	20.90	- 6.00	.2095	----	2	----	68	UNCH	----						
4240	24.50	24.50	33.20B/19.20A		33.20B/19.20A		----	21.80	- 6.30	.2180	----	1	----	139 +	1	----						
4245	----	----	34.60B/20.10A		34.60B/20.10A		----	22.80	- 6.50	.2271	----	----	----	183	UNCH	----						
4250	35.00	35.00	36.10B/21.00A		36.10B/21.00A		----	23.90	- 6.60	.2367	----	75	----	1354 +	38	----						
4255	24.30	24.30	37.70B/22.00A		37.70B/22.00A		----	24.90	- 6.90	.2459	----	2	----	51	UNCH	----						
4260	29.00	29.00	39.20B/23.00A		39.20B/23.00A		----	26.10	- 7.00	.2561	----	2	----	98	UNCH	----						
4265	31.20	31.20	40.80B/24.10A		40.80B/24.10A		----	27.30	- 7.20	.2664	----	1	----	219	UNCH	----						
4270	----	----	42.50B/25.20A		42.50B/25.20A		----	28.50	- 7.40	.2769	----	103	----	186	UNCH	----						
4275	----	----	44.20B/26.40A		44.20B/26.40A		----	29.80	- 7.60	.2877	----	----	----	132	UNCH	----						
4280	30.50	30.50	46.10B/27.60A		46.10B/27.60A		----	31.20	- 7.70	.2991	----	43	----	161 -	34	----						
4285	36.90	36.90	48.00B/28.80A		48.00B/28.80A		----	32.60	- 7.90	.3105	----	1	----	188 -	1	----						
4290	38.20	38.20	49.80B/30.10A		49.80B/30.10A		----	34.10	- 8.10	.3223	----	8	----	97	UNCH	----						
4295	40.50	40.50	51.60B/31.50A		51.60B/31.50A		----	35.70	- 8.20	.3345	----	4	----	141 -	1	----						
4300	45.00	45.00	53.70B/32.90A		53.70B/32.90A		----	37.30	- 8.30	.3467	----	306	----	1821 -	168	----						
4305	42.90	42.90	55.70B/34.40A		55.70B/34.40A		----	38.90	- 8.60	.3591	----	4	----	121 +	1	----						
4310	50.30	50.30	58.10B/36.00A		58.10B/36.00A		----	40.70	- 8.70	.3720	----	15	----	99 -	1	----						
4315	53.90	53.90	60.10B/37.60A		60.10B/37.60A		----	42.50	- 8.80	.3850	----	17	----	116 -	4	----						
4320	47.00	47.00	62.40B/39.20A		62.40B/39.20A		----	44.40	- 8.90	.3983	----	97	----	164 +	35	----						
4325	60.00	60.00	64.80B/41.00A		64.80B/41.00A		----	46.30	- 9.10	.4116	----	10	----	134 +	1	----						
4330	42.90	42.90	67.50B/42.80A		67.50B/42.80A		----	48.30	- 9.20	.4252	----	2	----	238	UNCH	----						
4335	64.80	64.80	69.90B/44.60A		69.90B/44.60A		----	50.40	- 9.30	.4390	----	11	----	201 +	8	----						
4340	----	----	72.50B/46.50A		72.50B/46.50A		----	52.60	- 9.40	.4529	----	1	----	175	UNCH	----						
4345	70.40	70.40	75.10B/48.50A		75.10B/48.50A		----	54.80	- 9.50	.4669	----	6	----	71 +	1	----						
4350	56.40	56.40	77.80B/50.60A		77.80B/50.60A		----	57.10	- 9.70	.4809	----	6	----	1747 +	2	----						
4355	----	----	80.60B/52.70A		80.60B/52.70A		----	59.50	- 9.70	.4951	----	----	----	174	UNCH	----						
4360	61.90	61.90	83.30B/55.00A		83.30B/55.00A		----	62.00	- 9.80	.5093	----	9	----	868 +	5	----						
4365	----	----	86.00B/57.20A		86.00B/57.20A		----	64.50	- 9.90	.5235	----	1	----	89 -	1	----						
4370	----	----	89.00B/59.60A		89.00B/59.60A		----	67.10	- 10.00	.5377	----	1	----	157	UNCH	----						
4375	----	----	92.40B/62.00A		92.40B/62.00A		----	69.80	- 10.00	.5519	----	----	----	118	UNCH	----						
4380	----	----	95.40B/64.50A		95.40B/64.50A		----	72.60	- 10.00	.5660	----	----	----	180	UNCH	----						
4385	----	----	98.60B/67.10A		98.60B/67.10A		----	75.40	- 10.10	.5800	----	2	----	78	UNCH	----						
4390	----	----	101.70B/69.80A		101.70B/69.80A		----	78.30	- 10.20	.5939	----	3	----	135	UNCH	----						
4395	----	----	105.00B/72.60A		105.00B/72.60A		----	81.30	- 10.20	.6077	----	10	----	159 +	10	----						
4400	98.90	98.90	108.30B/75.20A		108.30B/75.20A		----	84.40	- 10.20	.6213	----	5	----	2379 -	4	----						
4405	----	----	111.70B/78.10A		111.70B/78.10A		----	87.60	- 10.10	.6349	----	----	----	34	UNCH	----						
4410	----	----	115.10B/81.10A		115.10B/81.10A		----	90.80	- 10.10	.6483	----	----	----	101	UNCH	----						
4415	----	----	118.70B/84.20A		118.70B/84.20A		----	94.10	- 10.10	.6613	----	----	----	66	UNCH	----						
4420	----	----	122.20B/87.10A		122.20B/87.10A		----	97.40	- 10.10	.6740	----	----	----	128	UNCH	----						
4425	----	----	125.80B/90.20A		125.80B/90.20A		----	100.90	- 10.00	.6867	----	1	----	344	UNCH	----						
4430	----	----	129.40B/93.50A		129.40B/93.50A		----	104.40	- 9.90	.6991	----	----	----	248	UNCH	----						
4435	----	----	133.10B/96.70A		133.10B/96.70A		----	107.90	- 9.90	.7110	----	----	----	99	UNCH	----						
4440	----	----	136.90B/99.90A		136.90B/99.90A		----	111.50	- 9.80	.7228	----	----	----	238	UNCH	----						
4445	----	----	140.60B/103.40A		140.60B/103.40A		----	115.20	- 9.70	.7342	----	----	----	159	UNCH	----						
4450	----	----	144.50B/106.80A		144.50B/106.80A		----	119.00	- 9.60	.7451	----	1	----	1082 +	1	----						
4455	----	----	148.40B/110.40A		148.40B/110.40A		----	122.80	- 9.50	.7560	----	----	----	123	UNCH	----						
4460	----	----	152.30B/113.90A		152.30B/113.90A		----	126.70	- 9.40	.7663	----	----	----	275	UNCH	----						
4465	----	----	156.30B/117.70A		156.30B/117.70A		----	130.60	- 9.30	.7765	----	----	----	145	UNCH	----						
4470	----	----	160.30B/121.20A		160.30B/121.20A		----	134.60	- 9.10	.7862	----	----	----	271	UNCH	----						
4475	----	----	164.40B/125.50A		164.40B/125.50A		----	138.60	- 9.00	.7958	----	1	----	271	UNCH	----						
4480	----	----	168.50B/129.30A		168.50B/129.30A		----	142.70	- 8.90	.8048	----	----	----	508	UNCH	----						
4485	----	----	172.70B/132.60A		172.70B/132.60A		----	146.80	- 8.70	.8137	----	----	----	115	UNCH	----						
4490	----	----	177.00B/136.70A		177.00B/136.70A		----	151.00	- 8.60	.8220	----	----	----	100	UNCH	----						
4495	----	----	181.10B/140.70A		181.10B/140.70A		----	155.20	- 8.40	.8295	----	----	----	105	UNCH	----						
4500	----	----	185.40B/144.60A		185.40B/144.60A		----	159.50	- 8.30	.8377	----	1	----	2225 +	1	----						
4505	----	----	189.70B/148.70A		189.70B/148.70A		----	163.80	- 8.10	.8451	----	----	----	66	UNCH	----						
4510	----	----	194.10B/152.80A		194.10B/152.80A		----	168.20	- 7.90	.8518	----	----	----	65	UNCH	----						
4515	----	----	198.40B/157.40A		198.40B/157.40A		----	172.50	- 7.80	.8591	----	----	----	16	UNCH	----						
4520	----	----	202.80B/161.50A		202.80B/161.50A		----	176.90	- 7.70	.8649	----	----	----	156	UNCH	----						
4525	172.40	172.40	207.30B/165.40A		207.30B/165.40A		----	181.40	- 7.50	.8714	----	1	----	151	UNCH	----						
4530	180.80	180.80	211.70B/169.40A		211.70B/169.40A		----	185.90	- 7.30	.8771	----	1	----	72 -	1	----						
4535	----	----	216.20B/173.70A		216.20B/173.70A		----	190.40	- 7.10	.8827	----	----	----	20	UNCH	----						
4540	199.90	199.90	220.70B/178.60A		220.70B/178.60A		----	194.90	- 7.00	.8883	----	----	----	120	UNCH	----						
4545	195.40	195.40	225.40B/182.70A		225.40B/182.70A		----	199.40	- 6.90	.8931	----	1	----	42 -	1	----						
4550	----	----	229.80B/187.00A		229.80B/187.00A		----	204.00	- 6.70	.8978	----	----	----	450	UNCH	----						
4555	----	----	234.40B/191.80A		234.40B/191.80A		----	208.60	- 6.60	.9024	----	----	----	39	UNCH	----						
4560	----	----	239.00B/196.30A		239.00B/196.30A		----	213.30	- 6.40	.9070	----	----	----	96	UNCH	----						
4565	----	----	243.60B/200.40A		243.60B/200.40A		----	217.90	- 6.30	.9108	----	----	----	133	UNCH	----						
4570	----	----	248.30B/204.90A		248.30B/204.90A		----	222.60	- 6.10	.9153	----	----	----	132	UNCH	----						
4575	----	----	252.90B/209.40A		252.90B/209.40A		----	227.30	- 6.00	.9189	----	----	----	45	UNCH	----						
4580	----	----	257.60B/214.00A		257.60B/214.00A		----	232.00	- 5.90	.9225	----	----	----	42	UNCH	----						
4585	----	----																				

BULLETIN #114@				METALS OPTION PRODUCTS										Tue, Jun 16, 2026				PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG PUT		COMEX GOLD OPTIONS																	
JUL26																			
4840	----	----	----/481.00A	477.80B/481.00A	----	486.80	- 3.20	.9856	----	----	----	----	10	UNCH					
4845	----	----	----/486.00A	482.70B/486.00A	----	491.80	- 3.10	.9865	----	----	----	----	53	UNCH					
4850	----	----	----/488.40A	490.20B/488.40A	----	496.70	- 3.20	.9866	----	----	----	----	300	UNCH					
4855	----	----	----/495.90A	492.70B/495.90A	----	501.70	- 3.10	.9867	----	----	----	----	11	UNCH					
4860	----	----	----/500.90A	497.60B/500.90A	----	506.70	- 3.10	.9869	----	----	----	----	8	UNCH					
4865	----	----	----/505.90A	502.60B/505.90A	----	511.70	- 3.10	.9877	----	----	----	----	30	UNCH					
4870	----	----	----/508.30A	510.10B/508.30A	----	516.60	- 3.10	.9878	----	----	----	----	319	UNCH					
4875	----	----	----/515.80A	512.50B/515.80A	----	521.60	- 3.10	.9879	----	----	----	----	71	UNCH					
4880	----	----	----/520.80A	517.50B/520.80A	----	526.60	- 3.10	.9880	----	----	----	----	41	UNCH					
4885	----	----	----/525.80A	522.50B/525.80A	----	531.60	- 3.00	.9881	----	----	----	----	12	UNCH					
4890	----	----	----/530.80A	527.40B/530.80A	----	536.50	- 3.10	.9890	----	----	----	----	9	UNCH					
4895	----	----	----/535.70A	532.40B/535.70A	----	541.50	- 3.10	.9891	----	----	----	----	48	UNCH					
4900	----	----	----/538.20A	539.90B/538.20A	----	546.50	- 3.00	.9891	----	----	----	----	260	UNCH					
4905	----	----	----/545.70A	542.40B/545.70A	----	551.50	- 3.00	.9892	----	----	----	----	53	UNCH					
4910	----	----	----/550.70A	547.30B/550.70A	----	556.50	- 3.00	.9893	----	----	----	----	4	UNCH					
4915	----	----	----/554.40A	553.40B/554.40A	----	561.40	- 3.00	.9901	----	----	----	----	118	UNCH					
4920	----	----	----/560.60A	557.30B/560.60A	----	566.40	- 3.00	.9902	----	----	----	----	22	UNCH					
4925	----	----	----/565.60A	562.30B/565.60A	----	571.40	- 3.00	.9903	----	----	----	----	11	UNCH					
4930	----	----	----/570.60A	567.20B/570.60A	----	576.40	- 3.00	.9904	----	----	----	----	52	UNCH					
4935	----	----	----/575.60A	572.20B/575.60A	----	581.40	- 2.90	.9904	----	----	----	----	4	UNCH					
4940	----	----	----	----	----	586.30	- 3.00	.9905	----	----	----	----	1	UNCH					
4950	----	----	----/589.30A	588.30B/589.30A	----	596.30	- 3.00	.9914	----	----	----	----	110	UNCH					
4975	----	----	----	----	----	621.20	- 3.00	.9924	----	----	----	----	5	UNCH					
4980	----	----	----/620.50A	617.00B/620.50A	----	626.20	- 3.00	.9924	----	----	----	----	5	UNCH					
4985	----	----	----/624.20A	623.10B/624.20A	----	631.20	- 2.90	.9925	----	----	----	----	103	UNCH					
4990	----	----	----	----	----	636.20	- 2.90	.9925	----	----	----	----	2	UNCH					
4995	----	----	----/635.40A	632.00B/635.40A	----	641.20	- 2.90	.9926	----	----	----	----	12	UNCH					
5000	----	----	661.80B/627.90A	661.80B/627.90A	----	646.20	- 2.90	.9926	----	----	----	----	542	UNCH					
5005	----	----	----/645.40A	641.90B/645.40A	----	651.10	- 3.00	.9927	----	----	----	----	12	UNCH					
5010	----	----	----/650.40A	646.90B/650.40A	----	656.10	- 3.00	.9927	----	----	----	----	8	UNCH					
5015	----	----	----/655.40A	651.90B/655.40A	----	661.10	- 2.90	.9935	----	----	----	----	19	UNCH					
5020	----	----	----/660.40A	656.90B/660.40A	----	666.10	- 2.90	.9935	----	----	----	----	5	UNCH					
5025	----	----	----/664.10A	663.00B/664.10A	----	671.10	- 2.90	.9936	----	----	----	----	150	UNCH					
5030	----	----	----/670.40A	666.80B/670.40A	----	676.10	- 2.90	.9936	----	----	----	----	8	UNCH					
5035	----	----	----/675.40A	671.80B/675.40A	----	681.10	- 2.90	.9937	----	----	----	----	37	UNCH					
5040	----	----	----/680.30A	676.80B/680.30A	----	686.10	- 2.90	.9937	----	----	----	----	10	UNCH					
5045	----	----	----/685.30A	681.80B/685.30A	----	691.00	- 3.00	.9937	----	----	----	----	5	UNCH					
5050	----	----	----/689.00A	687.90B/689.00A	----	696.00	- 2.90	.9938	----	----	----	----	79	UNCH					
5055	----	----	----/695.30A	691.80B/695.30A	----	701.00	- 2.90	.9945	----	----	----	----	3	UNCH					
5065	----	----	----/705.30A	701.80B/705.30A	----	711.00	- 2.90	.9946	----	----	----	----	11	UNCH					
5075	----	----	----/715.30A	711.70B/715.30A	----	721.00	- 2.90	.9947	----	----	----	----	6	UNCH					
5080	----	----	----	----	----	726.00	- 2.90	.9947	----	----	----	----	2	UNCH					
5085	----	----	----/725.30A	721.70B/725.30A	----	731.00	- 2.90	.9947	----	----	----	----	11	UNCH					
5090	----	----	----/730.30A	726.70B/730.30A	----	735.90	- 3.00	.9947	----	----	----	----	6	UNCH					
5095	----	----	----/735.30A	731.70B/735.30A	----	740.90	- 3.00	.9948	----	----	----	----	42	UNCH					
5100	----	----	----/739.00A	737.80B/739.00A	----	745.90	- 2.90	.9955	----	----	----	----	107	UNCH					
5105	----	----	----/745.20A	741.70B/745.20A	----	750.90	- 2.90	.9955	----	----	----	----	22	UNCH					
5110	----	----	----/750.20A	746.60B/750.20A	----	755.90	- 2.90	.9956	----	----	----	----	16	UNCH					
5115	----	----	----/755.20A	751.60B/755.20A	----	760.90	- 2.90	.9956	----	----	----	----	37	UNCH					
5120	----	----	----/760.20A	756.60B/760.20A	----	765.90	- 2.90	.9956	----	----	----	----	13	UNCH					
5125	----	----	----/765.20A	761.60B/765.20A	----	770.90	- 2.90	.9956	----	----	----	----	37	UNCH					
5130	----	----	----/770.20A	766.60B/770.20A	----	775.90	- 2.90	.9957	----	----	----	----	25	UNCH					
5135	----	----	----/775.20A	771.60B/775.20A	----	780.90	- 2.90	.9957	----	----	----	----	9	UNCH					
5140	----	----	----/780.20A	776.60B/780.20A	----	785.90	- 2.90	.9957	----	----	----	----	21	UNCH					
5145	----	----	----/785.20A	781.60B/785.20A	----	790.80	- 3.00	.9957	----	----	----	----	3	UNCH					
5150	----	----	----/788.90A	787.70B/788.90A	----	795.80	- 3.00	.9958	13	----	----	----	222	- 13					
5155	----	----	----/793.90A	792.70B/793.90A	----	800.80	- 3.00	.9958	----	----	----	----	143	UNCH					
5160	----	----	----/798.90A	797.70B/798.90A	----	805.80	- 2.90	.9965	30	----	----	----	112	- 30					
5170	----	----	----/810.20A	806.50B/810.20A	----	815.80	- 2.90	.9965	----	----	----	----	3	- 30					
5175	----	----	----/815.20A	811.50B/815.20A	----	820.80	- 2.90	.9965	----	----	----	----	61	UNCH					
5180	----	----	----/820.20A	816.50B/820.20A	----	825.80	- 2.90	.9966	----	----	----	----	11	UNCH					
5190	----	----	----	----	----	835.80	- 2.90	.9966	----	----	----	----	1	UNCH					
5200	----	----	----/840.20A	836.50B/840.20A	----	845.70	- 2.90	.9973	13	----	----	----	0	- 13					
5230	----	----	----	----	----	875.70	- 2.90	.9974	----	----	----	----	2	UNCH					
5235	----	----	----/875.20A	871.40B/875.20A	----	880.70	- 2.90	.9974	----	----	----	----	18	UNCH					
5250	----	----	----	----	----	895.70	- 2.90	.9975	----	----	----	----	2	UNCH					
5255	----	----	----/895.10A	891.40B/895.10A	----	900.70	- 2.90	.9975	----	----	----	----	9	UNCH					
5285	----	----	----	----	----	930.60	- 2.90	.9983	----	----	----	----	1	UNCH					
5290	----	----	----/930.10A	926.30B/930.10A	----	935.60	- 2.90	.9983	----	----	----	----	3	UNCH					
5300	----	----	----/940.10A	936.30B/940.10A	----	945.60	- 2.90	.9983	----	----	----	----	4	UNCH					
5400	----	----	----	----	----	1045.60	- 2.80	.9992	----	----	----	----	1	UNCH					
5475	----	----	----/1,115.20A	1111.20B/1115.20A	----	1120.60	- 2.80	.9993	----	----	----	----	6	UNCH					
7000	----	----	----	----	----	2645.60	- 2.80	1.0000	----	----	----	----	3	UNCH					
8000	----	----	----	----	----	3645.60	- 2.80	1.0000	1	----	1	----	70595	- 35					
TOTAL																			
AUG26																			
1995	----	----	----	----/0.20A	----	0.10	UNCH	.0002	----	----	----	----	10	UNCH					
2000	----	----	----	----/0.20A	----	0.10	UNCH	.0003	----	----	----	----	10	UNCH					
2005	----	----	----	----/*0.20A	----	0.10	UNCH	.0003	----	----	----	----	4	UNCH					
2300	----	----	----	----/0.30A	----	0.20	- 0.10	.0006	----	----	----	----	53	UNCH					
2325	----	----	----	----/*0.30A	----	0.20	- 0.10	.0006	----	----	----	----	1	UNCH					
2350	----	----	----	0.10B/0.40A	----	0.20	- 0.10	.0007	----	----	----	----	26	UNCH					
2375	----	----	----	0.10B/0.40A	----	0.30	UNCH	.0010	----	----	----	----	17	UNCH					
2400	----	----	----	0.10B/0.40A	----	0.30	UNCH	.0010	----	----	----	----	12	UNCH					
2425	----	----	----	0.10B/0.40A	----	0.30	UNCH	.0010	----	----	----	----	1	UNCH					
2450	----	----	----	0.10B/0.40A	----	0.30	- 0.10	.0010	----	----	----	----	57	UNCH					
2475	----	----	----	0.20B/*0.40A	----	0.30	- 0.10	.0010	----	----	----	----	5	UNCH					
2500	----	----	----	0.30B/0.50A	----	0.30	- 0.10	.0011	----	----	1	----	273	- 1					
2540	----	----	----	0.20B/*0.50A	----	0.40	- 0.10	.0014	----	----	----	----	1	UNCH					
2550	----	----	----	0.20B/*0.50A	----	0.40	- 0.10	.0014	----	----	----	----	1	UNCH					
2560	----	----	----	0.20B/*0.50A	----	0.40	- 0.10	.0014	----	----	----	----	2	UNCH					
2570	----	----	----	0.20B/*0.50A	----	0.40	- 0.10	.0014	----	----	----	----	10	UNCH					
2580	----	----	----	0.20B/*0.60A	----	0.40	- 0.10	.0014	----	----	----	----	1	UNCH					
2590	----	----	----	0.30B/*0.60A	----	0.40	- 0.20	.0015	----	----	----	----	2	UNCH					
2600	----	----	----/*0.40A	0.30B/*0.40A	----	0.40	- 0.20	.0015	----	----	----	----	8	UNCH					
2615	----	----	----	0.30B/*0.60A	----	0.40	- 0.20	.0015	----	----	----	----	1	UNCH					
2625	----	----	----/*0.50A	0.30B/*0.50A	----	0.40	- 0.20	.0015	----	----	----	----	3	UNCH					
2630	----	----	----	0.30B/0.60A	----	0.40	- 0.20	.0015	----	----	----	----	2	UNCH					
2640	----	----	----	0.40B/*0.60A	----	0.40	- 0.20	.0015	----	----	----	----	1	UNCH					
2650	----	----	----	0.40B/*0.60A	----	0.50	- 0.10	.0018	----	----	----	----	2	UNCH					
2665	----	----	----	0.40B/*0.60A	----	0.50	- 0.10	.0019	----	----	----	----	1	UNCH					
2685	----	----	----	0.40B/*0.60A	----	0.50	- 0.10	.0019	----	----	----	----	1	UNCH					
2690	----	----	----	0.40B/*0.60A	----	0.50	- 0.10	.0019	----	----	----	----	1	UNCH					
2700	----	----	----	0.40B/*0.70A	----	0.50	- 0.20	.0019	----	----	----	----	42	UNCH					
2730	----	----	----	0.50															



BULLETIN #114@				METALS OPTION PRODUCTS										Tue, Jun 16, 2026				PG64
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT	COMEX GOLD OPTIONS																	
AUG26																		
3095	----	----	----	1.40B/*1.50A	----	1.50	+ 0.10	.0065	----	----	----	----	----	1	UNCH			
3100	----	----	----	1.40B/*1.50A	----	1.50	+ 0.10	.0065	----	----	----	5	----	273	+			
3105	----	----	----	1.40B/*1.50A	----	1.50	+ 0.10	.0065	----	----	----	----	----	14	UNCH			
3110	----	----	----	1.40B/*1.50A	----	1.50	+ 0.10	.0066	----	----	----	----	----	15	UNCH			
3115	----	----	----	1.40B/*1.50A	----	1.50	+ 0.10	.0066	----	----	----	----	----	1	UNCH			
3120	----	----	----	1.50B/*1.50A	----	1.60	+ 0.10	.0070	----	----	----	----	----	29	UNCH			
3125	----	----	----	1.50B/*1.50A	----	1.60	+ 0.10	.0070	----	----	----	----	----	1	UNCH			
3130	----	----	----	1.50B/*1.60A	----	1.60	+ 0.10	.0070	----	----	----	----	----	5	UNCH			
3145	----	----	1.60B/----	1.60B/*1.60A	----	1.70	+ 0.20	.0075	----	----	----	----	----	1	UNCH			
3150	----	----	----	1.60B/*1.60A	----	1.70	+ 0.10	.0075	----	----	----	----	----	14	UNCH			
3155	----	----	----	1.60B/1.70A	----	1.70	+ 0.10	.0075	----	----	----	----	----	3	UNCH			
3160	----	----	----	1.60B/*1.70A	----	1.70	+ 0.10	.0076	----	----	----	----	----	1	UNCH			
3165	----	----	1.70B/----	1.70B/*1.70A	----	1.70	+ 0.10	.0076	----	----	----	----	----	139	UNCH			
3170	----	----	----	1.70B/*1.70A	----	1.80	+ 0.10	.0080	----	----	----	----	----	2	UNCH			
3175	----	----	----	1.70B/*1.70A	----	1.80	+ 0.10	.0080	----	----	----	----	----	1	UNCH			
3180	----	----	----	1.70B/*1.70A	----	1.80	+ 0.10	.0081	----	----	----	----	----	26	UNCH			
3185	----	----	----	1.70B/*1.80A	----	1.80	+ 0.10	.0081	----	----	----	----	----	1	UNCH			
3190	----	----	1.80B/----	1.80B/*1.80A	----	1.90	+ 0.20	.0085	----	----	----	----	----	883	UNCH			
3195	----	----	----	1.80B/*1.80A	----	1.90	+ 0.10	.0085	----	----	----	----	----	9	UNCH			
3200	----	----	----	1.80B/*1.80A	----	1.90	+ 0.10	.0086	----	----	----	----	----	475	UNCH			
3215	----	----	----	1.90B/*1.90A	----	2.00	+ 0.10	.0090	----	----	----	----	----	1	UNCH			
3225	----	----	----	1.90B/*1.90A	----	2.00	+ 0.10	.0091	----	----	----	----	----	10	UNCH			
3235	----	----	----	2.00B/*2.00A	----	2.10	+ 0.10	.0096	----	----	----	----	----	20	UNCH			
3240	----	----	----	2.00B/*2.00A	----	2.10	+ 0.10	.0096	----	----	----	----	----	1	UNCH			
3250	----	----	----	2.10B/*2.00A	----	2.20	+ 0.10	.0100	----	----	----	----	----	500	UNCH			
3260	2.00	2.00	----	2.20B/*2.00	----	2.20	+ 0.10	.0101	----	----	----	1	----	33	UNCH			
3270	----	----	----	2.20B/*2.10A	----	2.30	+ 0.10	.0106	----	----	----	----	----	1	UNCH			
3280	----	----	----	2.30B/*2.10A	----	2.40	+ 0.20	.0111	----	----	----	2	----	75	-			
3290	----	----	----	2.30B/2.20A	----	2.40	+ 0.10	.0112	----	----	----	----	----	1	UNCH			
3295	----	----	----	2.40B/*2.20A	----	2.50	+ 0.20	.0116	----	----	----	----	----	11	UNCH			
3300	2.30	2.30	----	2.30/*2.20A	----	2.50	+ 0.10	.0116	----	----	----	3	----	255	+			
3305	----	----	----	2.50B/2.30A	----	2.50	+ 0.10	.0117	----	----	----	----	----	20	UNCH			
3310	----	----	----	2.50B/*2.30A	----	2.50	+ 0.10	.0117	----	----	----	----	----	21	UNCH			
3315	----	----	----	2.50B/*2.30A	----	2.60	+ 0.10	.0122	----	----	----	----	----	4	UNCH			
3320	2.50	2.50	----	2.50/2.40A	----	2.60	+ 0.10	.0122	----	----	----	6	----	10	UNCH			
3325	----	----	----	2.60B/*2.40A	----	2.60	+ 0.10	.0123	----	----	----	----	----	15	UNCH			
3330	----	----	----	2.60B/*2.40A	----	2.70	+ 0.10	.0127	----	----	----	----	----	8	UNCH			
3335	----	----	----	2.60B/*2.40A	----	2.70	+ 0.10	.0128	----	----	----	----	----	7	UNCH			
3340	----	----	----	2.70B/*2.50A	----	2.70	+ 0.10	.0128	----	----	----	----	----	5	UNCH			
3345	----	----	----	2.70B/*2.50A	----	2.80	+ 0.10	.0132	----	----	----	1	----	8	UNCH			
3350	----	----	----	2.90B/*2.50A	----	2.80	+ 0.10	.0133	----	----	----	----	----	490	UNCH			
3355	----	----	----	2.80B/*2.60A	----	2.90	+ 0.20	.0137	----	----	----	----	----	1	UNCH			
3360	----	----	----	2.80B/*2.60A	----	2.90	+ 0.10	.0138	----	----	----	----	----	1	UNCH			
3365	----	----	----	2.90B/*2.60A	----	2.90	+ 0.10	.0139	----	----	----	1	----	3	+			
3370	----	----	----	2.90B/*2.70A	----	3.00	+ 0.10	.0143	----	----	----	----	----	4	UNCH			
3375	----	----	----	3.00B/*2.70A	----	3.00	+ 0.10	.0144	----	----	----	----	----	21	UNCH			
3380	----	----	----	3.00B/*2.70A	----	3.00	+ 0.10	.0144	----	----	----	----	----	6	UNCH			
3390	----	----	----	3.10B/*2.80A	----	3.10	+ 0.10	.0150	----	----	----	----	----	6	UNCH			
3395	----	----	----	3.10B/2.80A	----	3.20	+ 0.10	.0154	----	----	----	----	----	9	UNCH			
3400	2.90	2.90	----	3.20B/*2.90	----	3.20	+ 0.10	.0155	----	----	----	59	----	457	+			
3405	----	----	----	3.20B/*2.90A	----	3.20	+ 0.10	.0156	----	----	----	----	----	11	UNCH			
3410	----	----	----	3.30B/*3.00A	----	3.30	+ 0.10	.0160	----	----	----	----	----	33	UNCH			
3415	----	----	----	3.30B/*3.00A	----	3.30	+ 0.10	.0161	----	----	----	----	----	10	UNCH			
3420	----	----	----	3.40B/*3.00A	----	3.40	+ 0.10	.0165	----	----	----	----	----	5	UNCH			
3425	----	----	----	3.40B/*3.10A	----	3.40	+ 0.10	.0166	----	----	----	----	----	8	UNCH			
3430	----	----	----	3.50B/*3.10A	----	3.50	+ 0.10	.0171	----	----	----	----	----	29	UNCH			
3435	----	----	----	3.50B/*3.20A	----	3.50	+ 0.10	.0172	----	----	----	----	----	18	UNCH			
3440	----	----	----	3.60B/*3.20A	----	3.60	+ 0.10	.0176	----	----	----	----	----	1	UNCH			
3445	----	----	----	3.70B/*3.30A	----	3.60	+ 0.10	.0177	----	----	----	----	----	22	UNCH			
3450	----	----	----	3.70B/*3.30A	----	3.70	+ 0.10	.0182	----	----	----	----	----	19	UNCH			
3455	----	----	----	3.80B/*3.30A	----	3.70	+ 0.10	.0183	----	----	----	----	----	2	UNCH			
3460	----	----	----	3.90B/*3.40A	----	3.80	+ 0.10	.0187	----	----	----	----	----	3	UNCH			
3465	----	----	----	3.90B/*3.40A	----	3.80	+ 0.10	.0188	----	----	----	----	----	7	UNCH			
3470	----	----	----	3.90B/*3.50A	----	3.90	+ 0.10	.0193	----	----	----	----	----	2	UNCH			
3475	----	----	----	4.10B/*3.50A	----	3.90	UNCH	.0194	----	----	----	----	----	45	UNCH			
3480	----	----	----	4.10B/*3.60A	----	4.00	+ 0.10	.0199	----	----	----	----	----	7	UNCH			
3485	----	----	----	4.10B/*3.60A	----	4.00	UNCH	.0200	----	----	----	----	----	8	UNCH			
3490	----	----	----	4.20B/*3.70A	----	4.10	+ 0.10	.0205	----	----	----	----	----	7	UNCH			
3495	----	----	----	4.30B/*3.70A	----	4.10	UNCH	.0206	----	----	----	----	----	27	UNCH			
3500	4.20	4.20	----	4.40B/*3.80A	----	4.20	UNCH	.0211	----	----	----	132	----	2336	-			
3505	----	----	----	4.40B/*3.80A	----	4.30	+ 0.10	.0215	----	----	----	----	----	2	UNCH			
3510	----	----	----	4.50B/*3.80A	----	4.30	UNCH	.0217	----	----	----	----	----	50	UNCH			
3515	----	----	----	4.60B/*3.90A	----	4.40	+ 0.10	.0222	----	----	----	----	----	6	UNCH			
3520	----	----	----	4.70B/*3.90A	----	4.40	UNCH	.0223	----	----	----	----	----	224	UNCH			
3525	----	----	----	4.80B/*4.00A	----	4.50	UNCH	.0228	----	----	----	3	----	89	UNCH			
3530	4.50	4.50	----	4.80B/*4.10A	----	4.60	UNCH	.0233	----	----	----	----	----	3	UNCH			
3535	----	----	----	4.90B/*4.10A	----	4.60	UNCH	.0234	----	----	----	----	----	20	UNCH			
3540	----	----	----	4.90B/*4.20A	----	4.70	UNCH	.0239	----	----	----	----	----	18	UNCH			
3545	----	----	----	5.00B/*4.30A	----	4.80	UNCH	.0244	----	----	----	----	----	21	UNCH			
3550	----	----	----	5.10B/*4.30A	----	4.80	- 0.10	.0245	----	----	----	----	----	354	UNCH			
3555	----	----	----	5.30B/*4.40A	----	4.90	UNCH	.0251	----	----	----	----	----	1	UNCH			
3560	----	----	----	5.40B/*4.40A	----	5.00	UNCH	.0256	----	----	----	----	----	18	UNCH			
3565	----	----	----	5.40B/*4.50A	----	5.10	UNCH	.0261	----	----	----	----	----	57	UNCH			
3570	----	----	----	5.60B/*4.60A	----	5.10	- 0.10	.0262	----	----	----	----	----	38	UNCH			
3575	----	----	----	5.60B/*4.70A	----	5.20	- 0.10	.0268	----	----	----	----	----	39	UNCH			
3580	----	----	----	5.70B/*4.70A	----	5.30	- 0.10	.0273	----	----	----	----	----	25	UNCH			
3585	4.70	4.70	----	5.80B/*4.70	----	5.40	UNCH	.0278	----	----	----	30	----	78	+			
3590	----	----	----	5.90B/*4.90A	----	5.50	UNCH	.0283	----	----	----	----	----	8	UNCH			
3595	6.10	6.10	----	6.10/*4.90A	----	5.60	UNCH	.0289	----	----	----	1	----	2	UNCH			
3600	5.00	5.00	----	6.10B/*5.00	----	5.60	- 0.10	.0290	----	----	----	35	----	5	UNCH			
3605	----	----	----	6.20B/*5.10A	----	5.70	- 0.10	.0296	----	----	----	----	----	51	UNCH			
3610	----	----	----	6.30B/*5.20A	----	5.80	- 0.10	.0301	----	----	----	----	----	16	UNCH			
3615	----	----	----	6.40B/*5.30A	----	5.90	- 0.10	.0307	----	----	----	----	----	29	+			
3620	5.90	5.90	----	6.50B/*5.40A	----	6.00	- 0.10	.0312	----	----	----	25	----	123	UNCH			
3625	----	----	----	6.70B/*5.50A	----	6.10	- 0.10	.0318	----	----	----	----	----	83	UNCH			
3630	----	----	----	6.80B/*5.60A	----	6.20	- 0.20	.0324	----	----	----	----	----	1	UNCH			
3635	----	----	----	6.90B/*5.70A	----	6.30	- 0.20	.0329	----	----	----	----	----	21	UNCH			
3640	----	----	----	7.														

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
AUG26																
3840	----	----	----	15.908/12.10A	15.908/12.10A	----	----	13.40 - 1.00	.0717	----	----	----	----	28	UNCH	
3845	----	----	----	16.208/12.40A	16.208/12.40A	----	----	13.60 - 1.10	.0729	----	----	----	----	56	UNCH	
3850	14.10	14.10	----	16.608/12.60A	16.608/12.60A	----	----	13.90 - 1.10	.0745	----	----	303	----	2498 +	231	
3855	13.40	13.40	----	16.908/12.90A	16.908/12.90A	----	----	14.20 - 1.20	.0760	----	----	2	----	10	UNCH	
3860	----	----	----	17.308/13.20A	17.308/13.20A	----	----	14.50 - 1.20	.0776	----	----	----	----	4	UNCH	
3865	----	----	----	17.708/13.50A	17.708/13.50A	----	----	14.80 - 1.20	.0792	----	----	----	----	3	UNCH	
3870	----	----	----	18.108/13.70A	18.108/13.70A	----	----	15.10 - 1.30	.0808	----	----	----	----	21	UNCH	
3875	----	----	----	18.508/14.00A	18.508/14.00A	----	----	15.40 - 1.30	.0824	----	----	2	----	43 -	1	
3880	----	----	----	18.908/14.30A	18.908/14.30A	----	----	15.70 - 1.40	.0840	----	----	5	----	93	UNCH	
3885	----	----	----	19.308/14.60A	19.308/14.60A	----	----	16.00 - 1.50	.0856	----	----	----	----	98	UNCH	
3890	----	----	----	19.708/14.90A	19.708/14.90A	----	----	16.40 - 1.50	.0876	----	----	----	----	86	UNCH	
3895	----	----	----	20.208/15.30A	20.208/15.30A	----	----	16.70 - 1.50	.0892	----	----	----	----	28	UNCH	
3900	16.00	16.00	----	20.608/15.60A	20.608/15.60A	----	----	17.10 - 1.50	.0912	----	----	271	100	3426 +	62	
3905	----	----	----	21.108/15.90A	21.108/15.90A	----	----	17.40 - 1.70	.0929	----	----	----	----	28	UNCH	
3910	----	----	----	21.508/16.30A	21.508/16.30A	----	----	17.80 - 1.70	.0949	----	----	4	----	113	UNCH	
3915	----	----	----	22.008/16.60A	22.008/16.60A	----	----	18.20 - 1.70	.0969	----	----	----	----	74	UNCH	
3920	----	----	----	22.508/17.00A	22.508/17.00A	----	----	18.60 - 1.70	.0989	----	----	----	----	136	UNCH	
3925	----	----	----	23.008/17.40A	23.008/17.40A	----	----	19.00 - 1.80	.1010	----	----	80	----	125 -	48	
3930	----	----	----	23.508/17.80A	23.508/17.80A	----	----	19.40 - 1.90	.1030	----	----	----	----	65	UNCH	
3935	19.20	19.20	----	24.108/18.10A	24.108/18.10A	----	----	19.80 - 1.90	.1051	----	----	9	----	120 -	8	
3940	----	----	----	24.608/18.50A	24.608/18.50A	----	----	20.20 - 2.00	.1072	----	----	----	----	37	UNCH	
3945	----	----	----	25.108/18.90A	25.108/18.90A	----	----	20.60 - 2.10	.1093	----	----	----	----	8	UNCH	
3950	24.80	24.80	----	25.708/19.40A	25.708/19.40A	----	----	21.10 - 2.10	.1117	----	----	25	----	373 +	2	
3955	20.90	20.90	----	26.308/19.80A	26.308/19.80A	----	----	21.50 - 2.20	.1138	----	----	1	----	16 +	1	
3960	----	----	----	26.908/20.20A	26.908/20.20A	----	----	22.00 - 2.30	.1162	----	----	1	----	63 -	1	
3965	----	----	----	27.508/20.70A	27.508/20.70A	----	----	22.50 - 2.30	.1187	----	----	----	----	46	UNCH	
3970	22.30	22.30	----	28.108/21.10A	28.108/21.10A	----	----	23.00 - 2.40	.1212	----	----	6	----	15	- 6	
3975	22.80	22.80	----	28.808/21.60A	28.808/21.60A	----	----	23.50 - 2.40	.1237	----	----	1	----	344 +	1	
3980	23.30	23.30	----	29.408/22.10A	29.408/22.10A	----	----	24.00 - 2.50	.1262	----	----	1	----	283	UNCH	
3985	23.80	23.80	----	30.008/22.60A	30.008/22.60A	----	----	24.50 - 2.60	.1287	----	----	1	----	5 +	1	
3990	24.10	24.10	----	30.708/23.10A	30.708/23.10A	----	----	25.00 - 2.70	.1312	----	----	6	----	154 +	1	
3995	24.90	24.90	----	31.408/23.70A	31.408/23.70A	----	----	25.60 - 2.80	.1340	----	----	3	----	48 +	1	
4000	33.00	33.00	----	33.00/24.20A	33.00/24.20A	----	----	26.20 - 2.80	.1369	----	----	152	----	4935 +	55	
4005	----	----	----	32.808/24.70A	32.808/24.70A	----	----	26.70 - 2.90	.1395	----	----	----	----	10	UNCH	
4010	26.60	26.60	----	33.608/25.30A	33.608/25.30A	----	----	27.30 - 3.00	.1424	----	----	3	----	100 -	3	
4015	27.20	27.20	----	34.308/25.90A	34.308/25.90A	----	----	27.90 - 3.10	.1453	----	----	1	----	20	UNCH	
4020	27.80	27.80	----	35.108/26.40A	35.108/26.40A	----	----	28.60 - 3.10	.1484	----	----	1	----	11	UNCH	
4025	30.30	30.30	----	35.908/27.00A	35.908/27.00A	----	----	29.20 - 3.20	.1514	----	----	23	----	430 +	4	
4030	----	----	----	36.708/27.70A	36.708/27.70A	----	----	29.90 - 3.30	.1546	----	----	----	----	81	UNCH	
4035	----	----	----	37.508/28.30A	37.508/28.30A	----	----	30.50 - 3.40	.1576	----	----	----	----	50	UNCH	
4040	31.10	31.10	----	38.408/28.90A	38.408/28.90A	----	----	31.20 - 3.50	.1608	----	----	1	----	34	UNCH	
4045	30.80	30.80	----	39.308/29.60A	39.308/29.60A	----	----	31.90 - 3.60	.1641	----	----	1	----	46	UNCH	
4050	38.40	38.40	----	40.208/30.30A	40.208/30.30A	----	----	32.60 - 3.70	.1674	----	----	74	----	1596 -	13	
4055	----	----	----	41.108/31.00A	41.108/31.00A	----	----	33.40 - 3.70	.1709	----	----	----	----	60	UNCH	
4060	33.40	33.40	----	42.008/31.70A	42.008/31.70A	----	----	34.10 - 3.80	.1743	----	----	2	----	21	UNCH	
4065	----	----	----	42.908/32.40A	42.908/32.40A	----	----	34.90 - 3.90	.1778	----	----	----	----	43	UNCH	
4070	----	----	----	43.908/33.20A	43.908/33.20A	----	----	35.70 - 4.00	.1815	----	----	----	----	74	UNCH	
4075	----	----	----	44.908/33.90A	44.908/33.90A	----	----	36.50 - 4.00	.1851	----	----	----	----	600	UNCH	
4080	----	----	----	45.908/34.70A	45.908/34.70A	----	----	37.30 - 4.20	.1887	----	----	----	----	43	UNCH	
4085	39.90	39.90	----	46.908/35.50A	46.908/35.50A	----	----	38.20 - 4.20	.1926	----	----	1	----	371	UNCH	
4090	----	----	----	48.008/36.30A	48.008/36.30A	----	----	39.00 - 4.40	.1963	----	----	4	----	219 -	2	
4095	----	----	----	49.108/37.10A	49.108/37.10A	----	----	39.90 - 4.40	.2003	----	----	----	----	129	UNCH	
4100	45.70	45.70	----	50.208/38.00A	50.208/38.00A	----	----	40.80 - 4.50	.2042	----	----	295	----	1402 +	123	
4105	----	----	----	51.208/38.90A	51.208/38.90A	----	----	41.70 - 4.60	.2082	----	----	----	----	21	UNCH	
4110	50.80	50.80	----	52.408/39.80A	52.408/39.80A	----	----	42.70 - 4.70	.2124	----	----	2	----	67 +	2	
4115	----	----	----	53.408/40.70A	53.408/40.70A	----	----	43.70 - 4.80	.2167	----	----	----	----	64	UNCH	
4120	46.40	46.40	----	54.608/41.60A	54.608/41.60A	----	----	44.70 - 4.80	.2209	----	----	8	----	141 +	8	
4125	----	----	----	55.908/42.60A	55.908/42.60A	----	----	45.70 - 4.90	.2252	----	----	10	----	121	UNCH	
4130	----	----	----	57.108/43.60A	57.108/43.60A	----	----	46.70 - 5.10	.2295	----	----	1	----	17	UNCH	
4135	----	----	----	58.508/44.60A	58.508/44.60A	----	----	47.80 - 5.10	.2340	----	----	7	----	75 +	2	
4140	49.30	49.30	----	59.708/45.60A	59.708/45.60A	----	----	48.90 - 5.20	.2386	----	----	2	----	50 -	2	
4145	----	----	----	61.108/46.60A	61.108/46.60A	----	----	50.00 - 5.30	.2431	----	----	----	----	61	UNCH	
4150	60.10	60.10	----	62.308/47.70A	62.308/47.70A	----	----	51.10 - 5.40	.2477	----	----	382	----	2400 +	145	
4155	----	----	----	63.708/48.80A	63.708/48.80A	----	----	52.30 - 5.50	.2525	----	----	----	----	67	UNCH	
4160	----	----	----	65.308/49.90A	65.308/49.90A	----	----	53.40 - 5.70	.2571	----	----	1	----	55	UNCH	
4165	----	----	----	66.708/51.10A	66.708/51.10A	----	----	54.70 - 5.70	.2621	----	----	----	----	124 -	1	
4170	56.20	56.20	----	68.408/52.20A	68.408/52.20A	----	----	55.90 - 5.80	.2670	----	----	16	----	114 +	14	
4175	----	----	----	69.508/53.50A	69.508/53.50A	----	----	57.10 - 6.00	.2718	----	----	----	----	88	UNCH	
4180	----	----	----	71.008/54.70A	71.008/54.70A	----	----	58.40 - 6.10	.2769	----	----	----	----	136	UNCH	
4185	60.10	60.10	----	72.608/55.90A	72.608/55.90A	----	----	59.80 - 6.10	.2821	----	----	4	----	59 +	4	
4190	----	----	----	74.308/57.20A	74.308/57.20A	----	----	61.10 - 6.20	.2872	----	----	----	----	283	UNCH	
4195	59.90	59.90	----	75.908/58.50A	75.908/58.50A	----	----	62.50 - 6.30	.2925	----	----	4	----	229 +	4	
4200	64.30	64.30	----	77.408/59.80A	77.408/59.80A	----	----	63.90 - 6.40	.2978	----	----	158	----	1414 +	47	
4205	----	----	----	79.208/61.20A	79.208/61.20A	----	----	65.30 - 6.50	.3031	----	----	----	----	347	UNCH	
4210	----	----	----	80.908/62.60A	80.908/62.60A	----	----	66.70 - 6.70	.3085	----	----	----	----	27	UNCH	
4215	----	----	----	82.608/64.00A	82.608/64.00A	----	----	68.20 - 6.80	.3140	----	----	----	----	27	UNCH	
4220	70.70	70.70	----	84.408/65.40A	84.408/65.40A	----	----	69.80 - 6.80	.3196	----	----	1	----	63	UNCH	
4225	78.30	78.30	----	86.008/66.90A	86.008/66.90A	----	----	71.30 - 7.00	.3252	----	----	140	----	172 +	126	
4230	74.70	74.70	----	87.808/68.40A	87.808/68.40A	----	----	72.90 - 7.00	.3308	----	----	2	----	38 +	2	
4235	75.20	75.20	----	89.808/69.90A	89.808/69.90A	----	----	74.50 - 7.20	.3365	----	----	1	----	11	UNCH	
4240	----	----	----	91.508/71.50A	91.508/71.50A	----	----	76.20 - 7.20	.3424	----	----	----	----	55	UNCH	
4245	----	----	----	93.708/73.00A	93.708/73.00A	----	----	77.80 - 7.40	.3481	----	----	----	----	257	UNCH	
4250	88.50	88.50	----	95.408/74.70A	95.408/74.70A	----	----	79.60 - 7.40	.3541	----	----	136	----	1444 +	85	
4255	82.00	82.00	----	97.608/76.30A	97.608/76.30A	----	----	81.30 - 7.50	.3600	----	----	1	----	896 +	1	
4260	----	----	----	99.408/78.00A	99.408/78.00A	----	----	83.10 - 7.60	.3659	----	----	----	----	51	UNCH	
4265	83.70	83.70	----	101.408/79.70A	101.408/79.70A	----	----	84.90 - 7.70	.3720	----	----	1	----	11 +	1	
4270	85.10	85.10	----	103.508/81.40A	103.508/81.40A	----	----	86.80 - 7.70	.3781	----	----	1	----	310	UNCH	
4275	----	----	----	105.608/83.20A	105.60											

PG64		BULLETIN #114@										METALS OPTION PRODUCTS										Tue, Jun 16, 2026		PG64				
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE		GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW		OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST								
OG PUT		COMEX GOLD OPTIONS																										
AUG26																												
4525	----	----	----	----		253.60B/216.30A	253.60B/216.30A	----		228.00	- 9.60		.6959	----	----	----	----	----		244	UNCH							
4530	----	----	----	----		257.30B/220.00A	257.30B/220.00A	----		231.70	- 9.50		.7012	----	----	----	----	----		34	UNCH							
4535	----	----	----	----		261.00B/223.40A	261.00B/223.40A	----		235.40	- 9.50		.7065	----	----	----	----	----		71	UNCH							
4540	243.10	----	243.10	----		264.90B/227.40A	264.90B/227.40A	----		239.10	- 9.40		.7118	----	----	----	1	----		69	+	1						
4545	----	----	----	----		268.60B/231.00A	268.60B/231.00A	----		242.80	- 9.40		.7169	----	----	----	----	----		41	UNCH							
4550	----	----	----	----		272.40B/234.20A	272.40B/234.20A	----		246.60	- 9.40		.7220	----	----	7	----	----		278	UNCH							
4555	----	----	----	----		276.20B/238.30A	276.20B/238.30A	----		250.40	- 9.30		.7271	----	----	----	----	----		124	UNCH							
4560	----	----	----	----		280.10B/241.70A	280.10B/241.70A	----		254.20	- 9.30		.7321	----	----	----	----	----		221	UNCH							
4565	----	----	----	----		284.10B/245.80A	284.10B/245.80A	----		258.10	- 9.20		.7369	----	----	----	----	----		20	UNCH							
4570	----	----	----	----		288.00B/249.30A	288.00B/249.30A	----		262.00	- 9.10		.7418	----	----	----	----	----		84	UNCH							
4575	----	----	----	----		291.90B/252.80A	291.90B/252.80A	----		265.90	- 9.00		.7466	----	----	----	----	----		74	UNCH							
4580	----	----	----	----		295.90B/256.80A	295.90B/256.80A	----		269.80	- 9.00		.7511	----	----	----	----	----		208	UNCH							
4585	----	----	----	----		299.80B/260.40A	299.80B/260.40A	----		273.80	- 8.90		.7559	----	----	----	----	----		7	UNCH							
4590	----	----	----	----		303.90B/264.50A	303.90B/264.50A	----		277.70	- 8.90		.7604	----	----	----	----	----		41	UNCH							
4595	----	----	----	----		308.00B/268.60A	308.00B/268.60A	----		281.70	- 8.90		.7650	----	----	----	----	----		169	UNCH							
4600	----	----	----	----		312.00B/272.00A	312.00B/272.00A	----		285.80	- 8.70		.7692	----	----	----	----	----		702	UNCH							
4605	----	----	----	----		316.10B/276.20A	316.10B/276.20A	----		289.80	- 8.70		.7737	----	----	----	----	----		82	UNCH							
4610	----	----	----	----		320.20B/280.10A	320.20B/280.10A	----		293.90	- 8.60		.7780	----	----	----	----	----		52	UNCH							
4615	----	----	----	----		324.20B/283.90A	324.20B/283.90A	----		298.00	- 8.50		.7822	----	----	----	----	----		4	UNCH							
4620	----	----	----	----		328.40B/287.90A	328.40B/287.90A	----		302.10	- 8.50		.7861	----	----	----	----	----		41	UNCH							
4625	----	----	----	----		332.60B/291.90A	332.60B/291.90A	----		306.20	- 8.40		.7903	----	----	----	----	----		341	UNCH							
4630	----	----	----	----		336.80B/296.10A	336.80B/296.10A	----		310.40	- 8.30		.7942	----	----	----	----	----		53	UNCH							
4635	307.60	----	307.60	----		340.90B/300.20A	340.90B/300.20A	----		314.60	- 8.20		.7981	----	----	1	----	----		129	UNCH							
4640	----	----	----	----		345.20B/304.30A	345.20B/304.30A	----		318.80	- 8.10		.8020	----	----	----	----	----		310	UNCH							
4645	----	----	----	----		349.20B/308.40A	349.20B/308.40A	----		323.00	- 8.10		.8059	----	----	----	----	----		135	UNCH							
4650	352.00	----	352.00	----		353.50B/312.30A	353.50B/312.30A	----		327.20	- 8.00		.8095	----	----	1	----	----		444	UNCH							
4655	----	----	----	----		357.70B/316.90A	357.70B/316.90A	----		331.50	- 7.90		.8130	----	----	----	----	----		30	UNCH							
4660	----	----	----	----		362.00B/320.60A	362.00B/320.60A	----		335.80	- 7.80		.8165	----	----	----	----	----		29	UNCH							
4665	----	----	----	----		366.30B/325.30A	366.30B/325.30A	----		340.10	- 7.70		.8201	----	----	----	----	----		4	UNCH							
4670	----	----	----	----		370.60B/329.00A	370.60B/329.00A	----		344.40	- 7.70		.8236	----	----	1	----	----		53	-	1						
4675	----	----	----	----		375.00B/333.50A	375.00B/333.50A	----		348.70	- 7.60		.8271	----	----	----	----	----		14	UNCH							
4680	----	----	----	----		379.10B/337.90A	379.10B/337.90A	----		353.00	- 7.60		.8303	----	----	----	----	----		36	UNCH							
4685	----	----	----	----		383.60B/341.90A	383.60B/341.90A	----		357.40	- 7.40		.8335	----	----	----	----	----		224	UNCH							
4690	----	----	----	----		387.90B/346.40A	387.90B/346.40A	----		361.80	- 7.30		.8369	----	----	1	----	----		10	UNCH							
4695	----	----	----	----		392.30B/350.50A	392.30B/350.50A	----		366.20	- 7.30		.8397	----	----	----	----	----		5	UNCH							
4700	----	----	----	----		396.70B/355.00A	396.70B/355.00A	----		370.60	- 7.20		.8429	----	----	----	----	----		1052	UNCH							
4705	----	----	----	----		401.20B/358.90A	401.20B/358.90A	----		375.00	- 7.10		.8460	----	----	----	----	----		151	UNCH							
4710	----	----	----	----		405.50B/363.80A	405.50B/363.80A	----		379.40	- 7.10		.8488	----	----	----	----	----		10	UNCH							
4715	----	----	----	----		410.00B/367.60A	410.00B/367.60A	----		383.90	- 7.00		.8519	----	----	----	----	----		1	UNCH							
4720	----	----	----	----		414.50B/372.50A	414.50B/372.50A	----		388.40	- 6.80		.8546	----	----	----	----	----		13	UNCH							
4725	----	----	----	----		418.90B/376.60A	418.90B/376.60A	----		392.80	- 6.80		.8574	----	----	----	----	----		60	UNCH							
4730	----	----	----	----		423.40B/381.00A	423.40B/381.00A	----		397.30	- 6.80		.8601	----	----	----	----	----		56	UNCH							
4735	----	----	----	----		427.90B/385.70A	427.90B/385.70A	----		401.80	- 6.70		.8628	----	----	----	----	----		59	UNCH							
4740	----	----	----	----		432.40B/389.80A	432.40B/389.80A	----		406.30	- 6.60		.8651	----	----	----	----	----		38	UNCH							
4745	----	----	----	----		436.90B/394.30A	436.90B/394.30A	----		410.90	- 6.50		.8678	----	----	----	----	----		44	UNCH							
4750	----	----	----	----		441.40B/398.70A	441.40B/398.70A	----		415.40	- 6.40		.8705	----	----	----	----	----		183	UNCH							
4755	----	----	----	----		446.00B/403.40A	446.00B/403.40A	----		420.00	- 6.30		.8728	----	----	----	----	----		25	UNCH							
4760	----	----	----	----		450.50B/407.70A	450.50B/407.70A	----		424.50	- 6.30		.8751	----	----	----	----	----		7	UNCH							
4765	----	----	----	----		454.90B/412.20A	454.90B/412.20A	----		429.10	- 6.20		.8774	----	----	----	----	----		8	UNCH							
4770	----	----	----	----		459.60B/416.90A	459.60B/416.90A	----		433.70	- 6.10		.8797	----	----	----	----	----		260	UNCH							
4775	----	----	----	----		464.20B/421.30A	464.20B/421.30A	----		438.30	- 6.00		.8820	----	----	----	----	----		171	UNCH							
4780	----	----	----	----		468.80B/425.70A	468.80B/425.70A	----		442.90	- 6.00		.8842	----	----	----	----	----		19	UNCH							
4785	----	----	----	----		473.40B/430.50A	473.40B/430.50A	----		447.50	- 5.90																	

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS												
SEP26													
3120	3.20	3.20	3.50B/*3.20	3.50B/*3.20	----	3.50 UNCH	.0130	----	----	3	----	3 +	3
3145	----	----	----/*3.40A	3.70B/*3.40A	----	3.70 UNCH	.0138	----	----	----	----	15	UNCH
3150	----	----	----/*3.50A	3.70B/*3.50A	----	3.80 UNCH	.0142	----	----	----	----	2	UNCH
3170	3.60	3.60	3.90B/*3.60	3.90B/*3.60	----	3.90 UNCH	.0147	----	----	1	----	1 +	1
3200	----	----	----/*3.90A	4.10B/*3.90A	----	4.20 UNCH	.0159	----	----	----	----	27	UNCH
3240	----	----	----/*4.30A	4.50B/*4.30A	----	4.60 UNCH	.0176	----	----	----	----	1	UNCH
3250	----	----	----/*4.50A	4.60B/*4.50A	----	4.70 UNCH	.0181	----	----	----	----	7	UNCH
3270	----	----	----/*4.70A	4.90B/*4.70A	----	5.00 UNCH	.0192	----	----	----	----	15	UNCH
3280	----	----	----/*4.80A	5.00B/*4.80A	----	5.10 UNCH	.0197	----	----	----	----	1	UNCH
3300	----	----	----/*5.00A	5.30B/*5.00A	----	5.30 UNCH	.0206	----	----	----	----	21	UNCH
3335	----	----	5.90B/*5.40A	5.90B/*5.40A	----	5.80 UNCH	.0227	----	----	----	----	1	UNCH
3345	----	----	----/*5.50A	6.00B/*5.50A	----	6.00 UNCH	.0235	----	----	----	----	1	UNCH
3350	----	----	6.20B/*5.60A	6.20B/*5.60A	----	6.10 UNCH	.0239	----	----	----	----	28	UNCH
3360	5.90	5.90	5.90/*5.70A	6.20B/*5.70A	----	6.20 UNCH	.0244	----	----	1	----	1 +	1
3370	----	----	----/*5.90A	6.40B/*5.90A	----	6.40 UNCH	.0252	----	----	----	----	5	UNCH
3385	----	----	----/*6.10A	6.60B/*6.10A	----	6.60 UNCH	.0261	----	----	----	----	1	UNCH
3390	6.40	6.40	6.70B/*6.20A	6.70B/*6.20A	----	6.70 UNCH	.0265	----	----	1	----	1 +	1
3395	----	----	6.90B/*6.30A	6.90B/*6.30A	----	6.80 UNCH	.0269	----	----	----	----	3	UNCH
3400	----	----	7.10B/*6.30A	7.10B/*6.30A	----	6.90 UNCH	.0273	----	----	----	----	79	UNCH
3405	----	----	----/*6.40A	7.00B/*6.40A	----	7.00 UNCH	.0277	----	----	----	----	24	UNCH
3420	----	----	7.50B/*6.70A	7.50B/*6.70A	----	7.30 UNCH	.0290	----	----	----	----	1	UNCH
3430	----	----	7.70B/*6.80A	7.70B/*6.80A	----	7.50 UNCH	.0298	----	----	----	----	1	UNCH
3445	----	----	----/*7.10A	7.80B/*7.10A	----	7.80 UNCH	.0311	----	----	----	----	1	UNCH
3450	----	----	8.20B/*7.20A	8.20B/*7.20A	----	7.90 UNCH	.0315	----	----	----	----	28	UNCH
3455	----	----	8.10B/*7.30A	8.10B/*7.30A	----	8.00 UNCH	.0320	----	----	----	----	1	UNCH
3475	----	----	8.60B/*7.70A	8.60B/*7.70A	----	8.40 -	0.10 .0337	----	----	----	----	9	UNCH
3480	----	----	8.80B/*7.80A	8.80B/*7.80A	----	8.60 UNCH	.0345	----	----	----	----	781	UNCH
3485	----	----	8.90B/*7.90A	8.90B/*7.90A	----	8.70 -	0.10 .0349	----	----	----	----	46	UNCH
3495	----	----	9.20B/*8.10A	9.20B/*8.10A	----	8.90 -	0.10 .0358	----	----	----	----	1	UNCH
3500	8.20	8.20	9.80B/*8.20	9.80B/*8.20	----	9.10 UNCH	.0365	----	----	1	----	887 +	1
3505	----	----	9.60B/*8.40A	9.60B/*8.40A	----	9.20 -	0.10 .0370	----	----	----	----	18	UNCH
3510	8.80	8.80	9.50B/*8.50A	9.50B/*8.50A	----	9.30 NEW	.0375	----	----	1	----	1 +	1
3515	----	----	9.90B/*8.60A	9.90B/*8.60A	----	9.40 -	0.10 .0379	----	----	----	----	26	UNCH
3520	----	----	10.00B/*8.70A	10.00B/*8.70A	----	9.60 -	0.10 .0387	----	----	----	----	49	UNCH
3525	----	----	10.20B/*8.80A	10.20B/*8.80A	----	9.70 -	0.10 .0392	----	----	----	----	2	UNCH
3530	----	----	10.20B/*9.00A	10.20B/*9.00A	----	9.90 -	0.10 .0399	----	----	----	----	2	UNCH
3535	----	----	10.50B/*9.10A	10.50B/*9.10A	----	10.00 -	0.10 .0404	----	----	----	----	1	UNCH
3540	----	----	10.60B/*9.20A	10.60B/*9.20A	----	10.10 -	0.20 .0409	----	----	----	----	5	UNCH
3545	----	----	10.70B/*9.40A	10.70B/*9.40A	----	10.30 -	0.10 .0416	----	----	----	----	7	UNCH
3550	----	----	10.90B/*9.50A	10.90B/*9.50A	----	10.40 -	0.20 .0421	----	----	----	----	34	UNCH
3555	----	----	11.10B/*9.60A	11.10B/*9.60A	----	10.60 -	0.20 .0429	----	----	----	----	6	UNCH
3560	----	----	11.30B/*9.80A	11.30B/*9.80A	----	10.70 -	0.20 .0434	----	----	----	----	3	UNCH
3565	----	----	11.40B/*9.90A	11.40B/*9.90A	----	10.90 -	0.20 .0442	----	----	----	----	1	UNCH
3570	----	----	11.80B/*10.10A	11.80B/*10.10A	----	11.10 -	0.20 .0449	----	----	----	----	8	UNCH
3575	----	----	11.90B/*10.20A	11.90B/*10.20A	----	11.20 -	0.20 .0454	----	----	----	----	46	UNCH
3580	----	----	12.10B/*10.40A	12.10B/*10.40A	----	11.40 -	0.20 .0462	----	----	----	----	5	UNCH
3585	----	----	12.30B/*10.50A	12.30B/*10.50A	----	11.60 -	0.20 .0470	----	----	----	----	250	UNCH
3590	----	----	12.40B/*10.70A	12.40B/*10.70A	----	11.70 -	0.30 .0475	----	----	----	----	5	UNCH
3595	----	----	12.60B/*10.80A	12.60B/*10.80A	----	11.90 -	0.30 .0483	----	----	----	----	6	UNCH
3600	----	----	12.90B/*11.00A	12.90B/*11.00A	----	12.10 -	0.30 .0491	----	----	20	----	365	UNCH
3605	----	----	13.00B/*11.20A	13.00B/*11.20A	----	12.30 -	0.30 .0499	----	----	----	----	19	UNCH
3610	----	----	13.30B/*11.30A	13.30B/*11.30A	----	12.50 -	0.30 .0507	----	----	3	----	9	UNCH
3615	----	----	13.50B/*11.50A	13.50B/*11.50A	----	12.70 -	0.30 .0516	----	----	----	----	4	UNCH
3620	----	----	13.70B/*11.70A	13.70B/*11.70A	----	12.80 -	0.40 .0521	----	----	----	----	25	UNCH
3625	----	----	13.90B/*11.80A	13.90B/*11.80A	----	13.00 -	0.40 .0529	----	----	----	----	9	UNCH
3635	----	----	14.30B/*12.20A	14.30B/*12.20A	----	13.40 -	0.40 .0546	----	----	----	----	15	UNCH
3640	----	----	14.60B/*12.40A	14.60B/*12.40A	----	13.60 -	0.40 .0554	----	----	----	----	7	UNCH
3650	----	----	15.20B/*12.80A	15.20B/*12.80A	----	14.10 -	0.40 .0573	----	----	----	----	195	UNCH
3655	----	----	15.30B/*13.00A	15.30B/*13.00A	----	14.30 -	0.40 .0582	----	----	----	----	1	UNCH
3660	----	----	15.70B/*13.20A	15.70B/*13.20A	----	14.50 -	0.50 .0590	----	----	----	----	11	UNCH
3665	----	----	16.00B/*13.40A	16.00B/*13.40A	----	14.70 -	0.50 .0599	----	----	----	----	55	UNCH
3670	----	----	16.30B/*13.60A	16.30B/*13.60A	----	15.00 -	0.50 .0610	----	----	----	----	4	UNCH
3675	----	----	16.50B/*13.80A	16.50B/*13.80A	----	15.20 -	0.50 .0619	----	----	----	----	12	UNCH
3680	----	----	16.90B/*14.10A	16.90B/*14.10A	----	15.40 -	0.60 .0628	----	----	----	----	22	UNCH
3685	----	----	17.20B/*14.30A	17.20B/*14.30A	----	15.70 -	0.60 .0639	----	----	----	----	5	UNCH
3690	----	----	17.30B/*14.50A	17.30B/*14.50A	----	15.90 -	0.60 .0648	----	----	----	----	68	UNCH
3695	----	----	17.60B/*14.80A	17.60B/*14.80A	----	16.20 -	0.60 .0659	----	----	----	----	2	UNCH
3700	16.20	16.20	18.00B/*15.00A	18.00B/*15.00A	----	16.50 -	0.60 .0671	----	----	105	340	2011 +	443
3705	----	----	18.40B/*15.30A	18.40B/*15.30A	----	16.70 -	0.70 .0680	----	----	----	----	200	UNCH
3710	----	----	18.70B/*15.50A	18.70B/*15.50A	----	17.00 -	0.70 .0691	----	----	----	----	1	UNCH
3715	----	----	18.90B/*15.80A	18.90B/*15.80A	----	17.30 -	0.70 .0703	----	----	----	----	29	UNCH
3720	----	----	19.30B/*16.00A	19.30B/*16.00A	----	17.50 -	0.80 .0712	----	----	----	----	52	UNCH
3725	----	----	19.70B/*16.30A	19.70B/*16.30A	----	17.80 -	0.80 .0724	----	----	----	----	19	UNCH
3730	----	----	20.00B/*16.60A	20.00B/*16.60A	----	18.10 -	0.80 .0736	----	----	----	----	1	UNCH
3735	----	----	20.30B/*16.80A	20.30B/*16.80A	----	18.40 -	0.80 .0748	----	----	----	----	5	UNCH
3740	----	----	20.70B/*17.10A	20.70B/*17.10A	----	18.70 -	0.80 .0759	----	----	----	----	4	UNCH
3745	20.50	20.50	21.10B/*17.1										

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
SEP26																
4065	----	----	----	65.50B/53.50A	65.50B/53.50A	----	----	56.90 - 4.00	.2115	----	----	----	----	27	UNCH	
4070	----	----	----	66.60B/54.40A	66.60B/54.40A	----	----	58.00 - 4.00	.2149	----	----	----	----	14	UNCH	
4075	----	----	----	67.80B/55.40A	67.80B/55.40A	----	----	59.00 - 4.10	.2181	----	----	----	----	201	UNCH	
4080	----	----	----	69.00B/56.40A	69.00B/56.40A	----	----	60.00 - 4.20	.2213	----	----	----	----	355	UNCH	
4085	----	----	----	70.00B/57.40A	70.00B/57.40A	----	----	61.10 - 4.20	.2246	----	----	----	----	78	UNCH	
4090	----	----	----	71.30B/58.50A	71.30B/58.50A	----	----	62.20 - 4.20	.2280	----	----	----	----	59	UNCH	
4095	----	----	----	72.60B/59.50A	72.60B/59.50A	----	----	63.30 - 4.30	.2314	----	----	----	----	2	UNCH	
4100	63.60	63.60	----	73.90B/60.60A	73.90B/60.60A	----	----	64.40 - 4.40	.2348	----	----	216	----	295 -	39	
4105	----	----	----	75.10B/61.70A	75.10B/61.70A	----	----	65.50 - 4.50	.2382	----	----	----	----	2	UNCH	
4110	----	----	----	76.40B/62.80A	76.40B/62.80A	----	----	66.70 - 4.50	.2418	----	----	----	50	105 +	50	
4115	----	----	----	77.80B/63.90A	77.80B/63.90A	----	----	67.80 - 4.60	.2452	----	----	----	----	142	UNCH	
4120	----	----	----	79.10B/65.00A	79.10B/65.00A	----	----	69.00 - 4.70	.2488	----	----	----	----	1	UNCH	
4125	----	----	----	80.50B/66.20A	80.50B/66.20A	----	----	70.20 - 4.80	.2524	----	----	----	----	11	UNCH	
4130	----	----	----	81.90B/67.40A	81.90B/67.40A	----	----	71.50 - 4.80	.2561	----	----	----	----	23	UNCH	
4135	----	----	----	83.20B/68.60A	83.20B/68.60A	----	----	72.70 - 4.90	.2597	----	----	----	----	4	UNCH	
4140	----	----	----	84.70B/69.80A	84.70B/69.80A	----	----	74.00 - 4.90	.2635	----	----	----	----	8	UNCH	
4145	----	----	----	86.20B/71.00A	86.20B/71.00A	----	----	75.30 - 5.00	.2672	----	----	----	----	26	UNCH	
4150	88.00	88.00	----	88.00/72.30A	88.00/72.30A	----	----	76.60 - 5.10	.2710	----	----	1	----	48	UNCH	
4155	----	----	----	89.20B/73.60A	89.20B/73.60A	----	----	78.00 - 5.10	.2749	----	----	----	----	2	UNCH	
4160	----	----	----	90.70B/74.90A	90.70B/74.90A	----	----	79.30 - 5.20	.2787	----	----	----	----	28	UNCH	
4165	----	----	----	92.20B/76.20A	92.20B/76.20A	----	----	80.70 - 5.20	.2826	----	----	----	----	37	UNCH	
4170	----	----	----	93.80B/77.50A	93.80B/77.50A	----	----	82.10 - 5.30	.2866	----	----	----	----	3	UNCH	
4175	----	----	----	95.20B/78.90A	95.20B/78.90A	----	----	83.50 - 5.40	.2905	----	----	----	----	4	UNCH	
4180	----	----	----	96.80B/80.30A	96.80B/80.30A	----	----	85.00 - 5.40	.2946	----	----	----	----	34	UNCH	
4185	----	----	----	98.60B/81.70A	98.60B/81.70A	----	----	86.40 - 5.50	.2985	----	----	----	----	82	UNCH	
4190	----	----	----	100.20B/83.10A	100.20B/83.10A	----	----	87.90 - 5.60	.3026	----	----	----	----	2	UNCH	
4195	----	----	----	101.90B/84.50A	101.90B/84.50A	----	----	89.40 - 5.70	.3067	----	----	----	----	2	UNCH	
4200	102.80	102.80	----	103.50B/86.00A	103.50B/86.00A	----	----	91.00 - 5.70	.3109	----	----	39	----	814 +	9	
4205	92.40	92.40	----	105.20B/87.50A	105.20B/87.50A	----	----	92.50 - 5.80	.3150	----	----	13	----	23 +	12	
4210	----	----	----	107.10B/89.00A	107.10B/89.00A	----	----	94.10 - 5.80	.3192	----	----	----	----	10	UNCH	
4215	----	----	----	108.70B/90.60A	108.70B/90.60A	----	----	95.70 - 5.90	.3234	----	----	----	----	53	UNCH	
4220	----	----	----	110.50B/92.10A	110.50B/92.10A	----	----	97.30 - 6.00	.3277	----	----	----	----	117	UNCH	
4225	----	----	----	112.40B/93.70A	112.40B/93.70A	----	----	99.00 - 6.00	.3320	----	----	----	----	14	UNCH	
4230	----	----	----	114.20B/95.30A	114.20B/95.30A	----	----	100.70 - 6.00	.3363	----	----	----	----	38	UNCH	
4235	98.80	98.80	----	116.20B/96.90A	116.20B/96.90A	----	----	102.40 - 6.10	.3407	----	----	2	----	8	UNCH	
4240	----	----	----	118.10B/98.60A	118.10B/98.60A	----	----	104.10 - 6.20	.3450	----	----	----	----	107	UNCH	
4245	----	----	----	119.90B/100.30A	119.90B/100.30A	----	----	105.80 - 6.30	.3494	----	----	----	----	1	UNCH	
4250	111.50	111.50	----	121.90B/102.00A	121.90B/102.00A	----	----	107.60 - 6.30	.3539	----	----	42	----	699 -	19	
4255	----	----	----	123.80B/103.70A	123.80B/103.70A	----	----	109.40 - 6.40	.3583	----	----	----	----	12	UNCH	
4260	----	----	----	125.80B/105.50A	125.80B/105.50A	----	----	111.20 - 6.50	.3628	----	----	----	----	102	UNCH	
4265	----	----	----	127.80B/107.20A	127.80B/107.20A	----	----	113.10 - 6.50	.3673	----	----	----	----	7	UNCH	
4270	115.90	115.90	----	129.90B/109.00A	129.90B/109.00A	----	----	115.00 - 6.50	.3719	----	----	14	----	42 -	4	
4275	112.90	112.90	----	132.00B/110.90A	132.00B/110.90A	----	----	116.90 - 6.60	.3764	----	----	2	----	111 +	2	
4280	----	----	----	134.10B/112.70A	134.10B/112.70A	----	----	118.80 - 6.60	.3810	----	----	----	----	1	UNCH	
4285	----	----	----	136.20B/114.60A	136.20B/114.60A	----	----	120.70 - 6.70	.3855	----	----	----	----	13	UNCH	
4290	----	----	----	138.30B/116.50A	138.30B/116.50A	----	----	122.70 - 6.80	.3902	----	----	----	----	12	UNCH	
4295	----	----	----	140.50B/118.40A	140.50B/118.40A	----	----	124.70 - 6.80	.3948	----	----	----	----	5	UNCH	
4300	129.60	129.60	----	142.70B/120.40A	142.70B/120.40A	----	----	126.70 - 6.90	.3995	----	----	4	----	921 -	1	
4305	----	----	----	144.90B/122.30A	144.90B/122.30A	----	----	128.80 - 6.90	.4041	----	----	----	----	11	UNCH	
4310	----	----	----	147.20B/124.30A	147.20B/124.30A	----	----	130.90 - 7.00	.4088	----	----	----	----	1	UNCH	
4315	----	----	----	149.50B/126.40A	149.50B/126.40A	----	----	133.00 - 7.00	.4136	----	----	----	----	70	UNCH	
4320	----	----	----	151.80B/128.40A	151.80B/128.40A	----	----	135.10 - 7.10	.4183	----	----	----	----	162	UNCH	
4325	----	----	----	154.00B/130.50A	154.00B/130.50A	----	----	137.30 - 7.10	.4230	----	----	----	----	3	UNCH	
4330	----	----	----	156.50B/132.60A	156.50B/132.60A	----	----	139.50 - 7.20	.4278	----	----	----	----	52	UNCH	
4340	----	----	----	161.20B/136.90A	161.20B/136.90A	----	----	143.90 - 7.30	.4373	----	----	----	----	2	UNCH	
4345	141.50	141.50	----	163.70B/139.10A	163.70B/139.10A	----	----	146.20 - 7.30	.4421	----	----	2	----	21 +	2	
4350	145.00	145.00	----	166.10B/141.30A	166.10B/141.30A	----	----	148.50 - 7.40	.4469	----	----	10	----	140	UNCH	
4355	----	----	----	168.60B/143.50A	168.60B/143.50A	----	----	150.80 - 7.50	.4517	----	----	----	----	7	UNCH	
4360	----	----	----	171.10B/145.80A	171.10B/145.80A	----	----	153.20 - 7.40	.4565	----	----	----	----	77	UNCH	
4365	----	----	----	173.80B/148.10A	173.80B/148.10A	----	----	155.60 - 7.50	.4614	----	----	----	----	6	UNCH	
4370	----	----	----	176.30B/150.40A	176.30B/150.40A	----	----	158.00 - 7.50	.4662	----	----	----	----	2	UNCH	
4375	----	----	----	178.80B/152.70A	178.80B/152.70A	----	----	160.40 - 7.60	.4710	----	----	----	----	66	UNCH	
4380	----	----	----	181.40B/155.20A	181.40B/155.20A	----	----	162.90 - 7.60	.4759	----	----	----	----	132	UNCH	
4385	----	----	----	184.20B/157.60A	184.20B/157.60A	----	----	165.30 - 7.70	.4807	----	----	----	----	2	UNCH	
4390	----	----	----	186.90B/160.00A	186.90B/160.00A	----	----	167.90 - 7.70	.4856	----	----	4	----	63 +	4	
4395	----	----	----	189.40B/162.50A	189.40B/162.50A	----	----	170.40 - 7.80	.4904	----	----	40	----	92 +	40	
4400	----	----	----	192.00B/164.90A	192.00B/164.90A	----	----	173.00 - 7.80	.4953	----	----	9	----	973 +	7	
4405	----	----	----	194.70B/167.40A	194.70B/167.40A	----	----	175.60 - 7.80	.5001	----	----	----	----	56	UNCH	
4410	182.50	182.50	----	197.60B/170.00A	197.60B/170.00A	----	----	178.20 - 7.90	.5049	----	----	50	----	93 +	47	
4415	182.40	182.40	----	200.30B/172.50A	200.30B/172.50A	----	----	180.80 - 8.00	.5098	----	----	50	----	52 +	45	
4420	----	----	----	203.10B/175.10A	203.10B/175.10A	----	----	183.50 - 8.00	.5146	----	----	----	----	4	UNCH	
4425	189.30	189.30	----	206.00B/177.70A	206.00B/177.70A	----	----	186.20 - 8.10	.5194	----	----	8	----	216 +	8	
4430	----	----	----	209.00B/180.30A	209.00B/180.30A	----	----	189.00 - 8.10	.5242	----	----	----	----	12	UNCH	
4435	----	----	----	211.70B/183.00A	211.70B/183.00A	----	----	191.70 - 8.10	.5290	----	----	----	----	8	UNCH	
4440	----	----	----	214.60B/185.70A	214.60B/185.70A	----	----	194.50 - 8.20	.5338	----	----	----	----	12	UNCH	
4445	----	----	----	217.50B/188.40A	217.50B/188.40A	----	----	197.30 - 8.20	.5386	----	----	----	----	5	UNCH	
4450	----	----	----	220.70B/191.10A	220.70B/191.10A	----	----	200.20 - 8.20	.5434	----	----	----	----	458	UNCH	
4455	----	----	----	223.50B/193.90A	223.50B/193.90A	----	----	203.00 - 8.30	.5482	----	----	----	----	4	UNCH	
4460	----	----	----	230.00B/199.50A	230.00B/199.50A	----	----	208.80 - 8.40	.5576	----	----	----	----	2	UNCH	
4470	----	----	----	233.00B/202.40A	233.00B/202.40A	----	----	211.80 - 8.40	.5624	----	----	----	----	5	UNCH	
4475	----	----	----	236.20B/205.20A	236.20B/205.20A	----	----	214.80 - 8.40	.5671	----	----	----	----	40	UNCH	
4480	----	----	----	239.30B/208.10A	239.30B/208.10A	----	----	217.80 - 8.40	.5718	----	----	----	----	7	UNCH	
4485	----	----	----	242.50B/211.10A	242.50B/211.10A	----	----	220.80 - 8.40	.5764	----	----	----	----	6	UNCH	
4490	----	----	----	245.60B/214.00A	245.60B/214.00A	----	----	223.80 - 8.50	.5811	----	----	----	----	51	UNCH	
4495	----	----	----	248.80B/217.00A	248.80B/217.00A	----	----	226.90 - 8.50	.5858	----	----	----	----	4	UNCH	
4500	----	----	----	252.10B/220.10A	252.10B/220.10A	----	----	230.00 - 8.50	.5903	----	----	----	----	635	UNCH	
4505	----	----	----	255.20B/223.10A	255.20B/223.10A	----	----	233.20 - 8.50	.5950	----	----	----	----	3	UNCH	
4510	----	----	----	258.50B/226.20A	258.50B/226.20A	----	----	236.30 - 8.60	.5995	----	----	----	----	11	UNCH	
4515	----	----	----	261.80B/229.20A	261.80B/229.20											

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX GOLD OPTIONS																
OG PUT																
OCT26																
4065	----	----	----	89.80B/77.20A	89.80B/77.20A	----	----	----	81.00 - 3.90	.2431	----	----	----	----	1	UNCH
4070	----	----	----	91.20B/78.30A	91.20B/78.30A	----	----	----	82.20 - 4.00	.2461	----	----	----	----	33	UNCH
4075	----	----	----	92.50B/79.50A	92.50B/79.50A	----	----	----	83.50 - 4.00	.2492	----	----	----	----	1	UNCH
4085	----	----	----	95.30B/81.90A	95.30B/81.90A	----	----	----	86.00 - 4.10	.2553	----	----	----	----	1	UNCH
4090	----	----	----	96.70B/83.20A	96.70B/83.20A	----	----	----	87.20 - 4.20	.2584	----	----	----	----	123	UNCH
4095	----	----	----	98.10B/84.40A	98.10B/84.40A	----	----	----	88.50 - 4.30	.2615	----	----	----	----	20	UNCH
4100	----	----	----	99.50B/85.70A	99.50B/85.70A	----	----	----	89.80 - 4.30	.2646	----	----	501	----	949 +	342
4110	----	----	----	102.50B/88.30A	102.50B/88.30A	----	----	----	92.50 - 4.40	.2710	----	----	----	----	20	UNCH
4115	----	----	----	103.90B/89.60A	103.90B/89.60A	----	----	----	93.90 - 4.40	.2743	----	----	----	----	1	UNCH
4120	----	----	----	105.50B/91.00A	105.50B/91.00A	----	----	----	95.30 - 4.50	.2776	----	----	----	----	14	UNCH
4130	----	----	----	108.60B/93.70A	108.60B/93.70A	----	----	----	98.10 - 4.60	.2841	----	----	----	----	15	UNCH
4135	----	----	----	110.10B/95.10A	110.10B/95.10A	----	----	----	99.50 - 4.70	.2874	----	----	----	----	11	UNCH
4140	----	----	----	111.80B/96.50A	111.80B/96.50A	----	----	----	101.00 - 4.70	.2908	----	----	----	----	78	UNCH
4145	----	----	----	113.30B/97.90A	113.30B/97.90A	----	----	----	102.50 - 4.80	.2942	----	----	----	----	50	UNCH
4150	----	----	----	114.90B/99.40A	114.90B/99.40A	----	----	----	104.00 - 4.80	.2976	----	----	1	----	46	UNCH
4155	----	----	----	116.60B/100.80A	116.60B/100.80A	----	----	----	105.50 - 4.90	.3010	----	----	----	----	1	UNCH
4160	----	----	----	118.30B/102.30A	118.30B/102.30A	----	----	----	107.00 - 5.00	.3044	----	----	----	----	21	UNCH
4170	----	----	----	121.80B/105.30A	121.80B/105.30A	----	----	----	110.10 - 5.10	.3114	----	----	----	----	12	UNCH
4175	----	----	----	123.40B/106.80A	123.40B/106.80A	----	----	----	111.70 - 5.20	.3149	----	----	----	----	3	UNCH
4180	----	----	----	125.20B/108.40A	125.20B/108.40A	----	----	----	113.30 - 5.20	.3184	----	----	----	----	1	UNCH
4185	----	----	----	127.00B/110.00A	127.00B/110.00A	----	----	----	115.00 - 5.20	.3220	----	----	----	----	100	UNCH
4190	----	----	----	128.80B/111.60A	128.80B/111.60A	----	----	----	116.60 - 5.30	.3255	----	----	----	----	1	UNCH
4195	----	----	----	130.60B/113.20A	130.60B/113.20A	----	----	----	118.30 - 5.40	.3291	----	----	----	----	1	UNCH
4200	120.00	----	120.00	132.40B/114.80A	132.40B/114.80A	----	----	----	120.00 - 5.40	.3328	----	----	418	----	606 +	231
4205	----	----	----	134.20B/116.50A	134.20B/116.50A	----	----	----	121.70 - 5.50	.3364	----	----	----	----	5	UNCH
4210	123.80	----	123.80	136.10B/118.20A	136.10B/118.20A	----	----	----	123.50 - 5.40	.3401	----	----	2	----	3 +	2
4220	----	----	----	139.80B/121.60A	139.80B/121.60A	----	----	----	127.00 - 5.60	.3474	----	----	----	----	15	UNCH
4225	----	----	----	141.90B/123.30A	141.90B/123.30A	----	----	----	128.80 - 5.60	.3511	----	----	----	----	38	UNCH
4230	----	----	----	143.80B/125.10A	143.80B/125.10A	----	----	----	130.60 - 5.70	.3548	----	----	----	----	51	UNCH
4235	----	----	----	145.80B/126.90A	145.80B/126.90A	----	----	----	132.50 - 5.70	.3586	----	----	----	----	2	UNCH
4240	----	----	----	147.80B/128.70A	147.80B/128.70A	----	----	----	134.30 - 5.80	.3623	----	----	----	----	5	UNCH
4245	----	----	----	150.00B/130.50A	150.00B/130.50A	----	----	----	136.20 - 5.80	.3661	----	----	----	----	10	UNCH
4250	----	----	----	151.90B/132.30A	151.90B/132.30A	----	----	----	138.10 - 5.90	.3699	----	----	----	----	337	UNCH
4260	----	----	----	156.10B/136.10A	156.10B/136.10A	----	----	----	142.00 - 6.00	.3776	----	----	----	----	5	UNCH
4265	----	----	----	158.20B/138.00A	158.20B/138.00A	----	----	----	144.00 - 6.00	.3814	----	----	----	----	200	UNCH
4270	----	----	----	160.30B/139.90A	160.30B/139.90A	----	----	----	146.00 - 6.00	.3853	----	----	----	----	230	UNCH
4275	----	----	----	162.50B/141.90A	162.50B/141.90A	----	----	----	148.00 - 6.10	.3891	----	----	----	----	1	UNCH
4280	----	----	----	164.80B/143.80A	164.80B/143.80A	----	----	----	150.10 - 6.10	.3930	----	----	----	----	199	UNCH
4285	----	----	----	167.00B/145.80A	167.00B/145.80A	----	----	----	152.10 - 6.20	.3969	----	----	----	----	1	UNCH
4290	----	----	----	169.10B/147.70A	169.10B/147.70A	----	----	----	154.20 - 6.20	.4008	----	----	----	----	1	UNCH
4300	----	----	----	173.70B/151.80A	173.70B/151.80A	----	----	----	158.50 - 6.30	.4087	----	----	5	----	974	UNCH
4310	----	----	----	178.20B/156.10A	178.20B/156.10A	----	----	----	162.80 - 6.40	.4166	----	----	----	----	2	UNCH
4315	165.50	----	165.50	180.60B/158.20A	180.60B/158.20A	----	----	----	165.00 - NEW	.4205	----	----	3	----	3 +	3
4325	----	----	----	185.30B/162.50A	185.30B/162.50A	----	----	----	169.40 - 6.60	.4285	----	----	----	----	7	UNCH
4330	----	----	----	187.70B/164.70A	187.70B/164.70A	----	----	----	171.70 - 6.70	.4324	----	----	----	----	3	UNCH
4340	----	----	----	192.50B/169.20A	192.50B/169.20A	----	----	----	176.30 - 6.80	.4404	----	----	----	----	1	UNCH
4345	----	----	----	195.00B/171.40A	195.00B/171.40A	----	----	----	178.60 - 6.90	.4444	----	----	----	----	26	UNCH
4350	----	----	----	197.60B/173.70A	197.60B/173.70A	----	----	----	180.90 - 7.00	.4484	----	----	----	----	607	UNCH
4355	----	----	----	200.00B/176.00A	200.00B/176.00A	----	----	----	183.30 - 7.10	.4525	----	----	----	----	11	UNCH
4360	----	----	----	202.50B/178.30A	202.50B/178.30A	----	----	----	185.70 - 7.10	.4565	----	----	----	----	3	UNCH
4365	----	----	----	205.20B/180.60A	205.20B/180.60A	----	----	----	188.10 - 7.20	.4605	----	----	----	----	34	UNCH
4370	----	----	----	207.70B/183.00A	207.70B/183.00A	----	----	----	190.50 - 7.30	.4645	----	----	----	----	3	UNCH
4375	----	----	----	210.30B/185.40A	210.30B/185.40A	----	----	----	193.00 - 7.30	.4686	----	----	----	----	13	UNCH
4380	----	----	----	212.90B/188.20A	212.90B/188.20A	----	----	----	195.50 - 7.40	.4726	----	----	----	----	3	UNCH
4385	----	----	----	215.60B/190.50A	215.60B/190.50A	----	----	----	198.00 - 7.50	.4766	----	----	----	----	2	UNCH
4390	----	----	----	218.10B/193.20A	218.10B/193.20A	----	----	----	200.50 - 7.60	.4807	----	----	----	----	32	UNCH
4400	204.50	----	204.50	223.30B/197.90A	223.30B/197.90A	----	----	----	205.70 - 7.60	.4887	----	----	1	----	599 +	1
4405	----	----	----	226.40B/200.60A	226.40B/200.60A	----	----	----	208.30 - 7.70	.4928	----	----	----	----	4	UNCH
4410	----	----	----	229.00B/203.20A	229.00B/203.20A	----	----	----	210.90 - 7.70	.4968	----	----	----	----	50	UNCH
4415	----	----	----	231.90B/205.60A	231.90B/205.60A	----	----	----	213.60 - 7.70	.5008	----	----	----	----	5	UNCH
4420	216.30	----	216.30	234.70B/208.30A	234.70B/208.30A	----	----	----	216.20 - 7.80	.5048	----	----	7	----	18 +	6
4425	216.00	----	216.00	237.30B/211.00A	237.30B/211.00A	----	----	----	218.90 - 7.90	.5088	----	----	7	----	22 +	6
4430	----	----	----	240.00B/213.50A	240.00B/213.50A	----	----	----	221.60 - 7.90	.5128	----	----	----	----	9	UNCH
4440	----	----	----	245.90B/218.90A	245.90B/218.90A	----	----	----	227.20 - 7.90	.5208	----	----	----	----	9	UNCH
4445	----	----	----	248.80B/221.30A	248.80B/221.30A	----	----	----	229.90 - 8.00	.5248	----	----	----	----	5	UNCH
4450	----	----	----	251.90B/224.10A	251.90B/224.10A	----	----	----	232.80 - 7.90	.5288	----	----	----	----	65	UNCH
4455	----	----	----	254.80B/227.10A	254.80B/227.10A	----	----	----	235.60 - 8.00	.5328	----	----	----	----	2	UNCH
4460	----	----	----	257.80B/229.80A	257.80B/229.80A	----	----	----	238.50 - 8.00	.5367	----	----	----	----	2	UNCH
4465	----	----	----	260.80B/232.70A	260.80B/232.70A	----	----	----	241.30 - 8.00	.5406	----	----	----	----	78	UNCH
4470	----	----	----	263.80B/235.40A	263.80B/235.40A	----	----	----	244.20 - 8.10	.5446	----	----	----	----	1	UNCH
4475	----	----	----	266.80B/238.20A	266.80B/238.20A	----	----	----	247.20 - 8.00	.5485	----	----	----	----	3	UNCH
4480	----	----	----	269.60B/241.10A	269.60B/241.10A	----	----	----	250.10 - 8.00	.5524	----	----	----	----	4	UNCH
4485	----	----	----	272.90B/244.10A	272.90B/244.10A	----	----	----	253.10 - 8.00	.5563	----	----	----	----	3	UNCH
4490	----	----	----	276.00B/247.00A	276.00B/247.00A	----	----	----	256.10 - 8.00	.5602	----	----	----	----	12	UNCH
4495	----	----	----	279.20B/249.90A	279.20B/249.90A	----	----	----	259.10 - 8.00	.5641	----	----	----	----	4	UNCH
4500	----	----	----	282.20B/252.70A	282.20B/252.70A	----	----	----	262.10 - 8.10	.5680	----	----	----	----	190	UNCH
4510	----	----	----	288.70B/258.80A	288.70B/258.80A	----	----	----	268.30 - 8.00	.5757	----	----	----	----	1	UNCH
4520	----	----	----	293.70B/265.00A	293.70B/265.00A	----	----	----	274.50 - 8.00	.5833	----	----	----	----	2	UNCH
4525	----	----	----	296.90B/268.10A	296.90B/268.10A	----	----	----	277.60 - 8.00	.5872	----	----	----	----	1	UNCH
4530	----	----	----	300.30B/271.10A	300.30B/271.10A	----	----	----	280.80 - 8.00	.5909	----	----	----	----	4	UNCH
4535	----	----	----	303.40B/274.20A	303.40B/274.20A	----	----	----	284.00 - 8.00	.5947	----	----	----	----	2	UNCH
4540	----	----	----	306.70B/277.50A	306.70B/277.50A	----	----	----	287.20 - 8.00	.5984	----	----	----	----	3	UNCH
4545	----	----	----	310.00B/280.40A	310.00B/280.40A	----	----	----	290.40 - 8.00	.6021	----	----	----	----	5	UNCH

BULLETIN #114@										METALS OPTION PRODUCTS										Tue, Jun 16, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT		COMEX GOLD OPTIONS																				
OCT26																						
5230	----	----		887.30B/845.90A	887.30B/845.90A	----	----	----	----	864.00 - 4.60	.9046	----	----	----	----	----	----	1	UNCH			
5250	----	----		906.20B/864.90A	906.20B/864.90A	----	----	----	----	883.00 - 4.50	.9083	----	----	----	----	----	----	76	UNCH			
5285	----	----		939.60B/898.10A	939.60B/898.10A	----	----	----	----	916.40 - 4.30	.9139	----	----	----	----	----	----	1	UNCH			
5300	928.70	928.70		953.90B/912.30A	953.90B/912.30A	----	----	----	----	930.80 - 4.20	.9163	----	----	----	----	2	----	7	-			
5425	----	----		1,074.40B/1,032.40A	1074.40B/1032.40A	----	----	----	----	1051.20 - 3.80	.9333	----	----	----	----	----	----	1	UNCH			
5455	----	----		1,103.50B/1,061.40A	1103.50B/1061.40A	----	----	----	----	1080.30 - 3.80	.9366	----	----	----	----	----	----	40	UNCH			
5495	----	----		1,142.40B/1,100.30A	1142.40B/1100.30A	----	----	----	----	1119.30 - 3.60	.9407	----	----	----	----	----	----	1	UNCH			
5500	----	----		1,147.30B/1,105.10A	1147.30B/1105.10A	----	----	----	----	1124.10 - 3.70	.9411	----	----	----	----	----	----	1	UNCH			
5600	----	----		1,245.00B/1,202.90A	1245.00B/1202.90A	----	----	----	----	1222.00 - 3.50	.9496	----	----	----	----	----	----	1	UNCH			
5700	----	----		----	----	----	----	----	----	1320.40 - 3.30	.9562	----	----	----	----	----	----	1	UNCH			
TOTAL																1618	100	13495+	1151			
NOV26																						
2100	----	----		----	0.80B/2.30A	----	----	----	----	1.60 + 0.70	.0035	----	----	----	----	----	----	1	UNCH			
2200	----	----		----	1.10B/2.50A	----	----	----	----	1.90 + 0.70	.0043	----	----	----	----	----	----	2	UNCH			
2250	----	----		----	3.90B/5.00A	----	----	----	----	4.80 + 0.20	.0126	----	----	----	----	----	----	1	UNCH			
2750	----	----		----	4.40B/5.70A	----	----	----	----	5.30 + 0.20	.0140	----	----	----	----	----	----	16	UNCH			
2800	----	----		----	5.50B/6.50A	----	----	----	----	6.30 + 0.10	.0171	----	----	----	----	----	----	1	UNCH			
2900	----	----		----	6.90/6.90	6.90/6.90	----	----	----	7.60 UNCH	.0211	----	----	----	----	1	----	94	+			
3000	6.90	6.90		6.90/6.90	9.00B/9.80A	----	----	----	----	9.60 - 0.10	.0272	----	----	----	----	----	----	10	UNCH			
3120	----	----		----	10.30B/11.00A	----	----	----	----	10.90 UNCH	.0311	----	----	----	----	----	----	94	UNCH			
3180	----	----		----	10.80B/11.50A	----	----	----	----	11.30 - 0.10	.0324	----	----	----	----	----	----	1	UNCH			
3200	----	----		----	11.20B/11.90A	----	----	----	----	11.70 - 0.10	.0336	----	----	----	----	----	----	1	UNCH			
3215	----	----		----	11.50B/12.10A	----	----	----	----	12.00 UNCH	.0344	----	----	----	----	----	----	1	UNCH			
3225	----	----		----	11.80B/12.40A	----	----	----	----	12.20 - 0.10	.0351	----	----	----	----	----	----	1	UNCH			
3235	----	----		----	12.20B/12.80A	----	----	----	----	12.60 - 0.10	.0363	----	----	----	----	----	----	18	UNCH			
3250	----	----		----	12.40B/12.90A	----	----	----	----	12.80 - 0.10	.0369	----	----	----	----	----	----	18	UNCH			
3270	12.00	12.00		12.00/12.00	12.80B/12.00	----	----	----	----	13.20 NEW	.0381	----	----	----	----	1	----	1	+			
3300	----	----		----	13.80B/14.30A	----	----	----	----	14.10 - 0.10	.0408	----	----	----	----	----	----	57	UNCH			
3310	----	----		----/14.50A	14.20B/14.50A	----	----	----	----	14.50 - 0.10	.0419	----	----	----	----	----	----	1	UNCH			
3320	----	----		----	14.50B/14.90A	----	----	----	----	14.80 - 0.10	.0429	----	----	----	----	----	----	16	UNCH			
3345	----	----		----	15.50B/15.80A	----	----	----	----	15.70 NEW	.0455	----	----	----	----	1	----	1	+			
3350	----	----		----/15.90A	15.70B/15.90A	----	----	----	----	15.80 - 0.20	.0459	----	----	----	----	----	----	180	UNCH			
3410	----	----		----/18.30A	18.20B/18.30A	----	----	----	----	18.20 - 0.30	.0530	----	----	----	----	----	----	2	UNCH			
3455	----	----		----/20.30A	20.50B/20.30A	----	----	----	----	20.30 - 0.40	.0590	----	----	----	----	----	----	1	UNCH			
3475	----	----		----/21.20A	21.60B/21.20A	----	----	----	----	21.40 - 0.40	.0621	----	----	----	----	----	----	2	UNCH			
3500	----	----		----/22.30A	23.00B/22.30A	----	----	----	----	22.70 - 0.50	.0659	----	----	----	----	----	----	692	UNCH			
3520	----	----		----/23.70A	24.30B/23.70A	----	----	----	----	23.90 - 0.50	.0693	----	----	----	----	----	----	2	UNCH			
3535	----	----		----/24.40A	25.30B/24.40A	----	----	----	----	24.80 - 0.60	.0719	----	----	----	----	----	----	20	UNCH			
3550	----	----		----/25.10A	26.30B/25.10A	----	----	----	----	25.80 - 0.60	.0746	----	----	----	----	----	215	215	+			
3590	----	----		----/27.70A	29.30B/27.70A	----	----	----	----	28.60 - 0.80	.0824	----	----	----	----	----	----	2	UNCH			
3600	----	----		----/28.40A	30.10B/28.40A	----	----	----	----	29.30 - 0.80	.0843	----	----	----	----	----	----	622	UNCH			
3605	----	----		----/28.80A	30.50B/28.80A	----	----	----	----	29.70 - 0.80	.0854	----	----	----	----	----	----	1	UNCH			
3650	----	----		----/32.30A	34.40B/32.30A	----	----	----	----	33.40 - 1.00	.0955	----	----	----	----	----	----	5	UNCH			
3690	----	----		38.40B/35.80A	38.40B/35.80A	----	----	----	----	37.20 - 1.00	.1055	----	----	----	----	----	----	11	UNCH			
3700	----	----		----/36.90A	38.70B/36.90A	----	----	----	----	38.20 - 1.10	.1081	----	----	----	----	10	----	11	+			
3725	----	----		----/39.20A	41.60B/39.20A	----	----	----	----	40.80 - 1.20	.1149	----	----	----	----	----	----	1	UNCH			
3740	----	----		----/41.00A	43.40B/41.00A	----	----	----	----	42.40 - 1.30	.1191	----	----	----	----	----	----	41	UNCH			
3750	----	----		46.40B/42.00A	46.40B/42.00A	----	----	----	----	43.60 - 1.30	.1221	----	----	----	----	----	----	348	UNCH			
3780	----	----		50.30B/45.50A	50.30B/45.50A	----	----	----	----	47.20 - 1.40	.1313	----	----	----	----	----	----	1	UNCH			
3800	----	----		53.10B/47.90A	53.10B/47.90A	----	----	----	----	49.70 - 1.50	.1376	----	----	----	----	----	----	91	UNCH			
3820	----	----		56.00B/49.90A	56.00B/49.90A	----	----	----	----	52.40 - 1.60	.1443	----	----	----	----	----	----	20	UNCH			
3825	----	----		56.90B/50.50A	56.90B/50.50A	----	----	----	----	53.10 - 1.60	.1461	----	----	----	----	----	----	29	UNCH			
3850	----	----		60.70B/54.00A	60.70B/54.00A	----	----	----	----	56.60 - 1.90	.1548	----	----	----	----	----	----	1	UNCH			
3875	----	----		64.90B/57.60A	64.90B/57.60A	----	----	----	----	60.40 - 2.10	.1640	----	----	----	----	----	----	24	UNCH			
3900	----	----		69.40B/61.50A	69.40B/61.50A	----	----	----	----	64.40 - 2.30	.1737	----	----	----	----	----	----	8	UNCH			
3925	----	----		74.20B/65.60A	74.20B/65.60A	----	----	----	----	68.70 - 2.50	.1838	----	----	----	----	----	----	31	UNCH			
3945	----	----		78.30B/69.30A	78.30B/69.30A	----	----	----	----	72.30 - 2.80	.1923	----	----	----	----	----	----	1	UNCH			
3980	----	----		85.80B/75.90A	85.80B/75.90A	----	----	----	----	79.10 - 3.20	.2078	----	----	----	----	----	----	1	UNCH			
3990	----	----		88.10B/77.90A	88.10B/77.90A	----	----	----	----	81.20 - 3.20	.2125	----	----	----	----	----	----	12	UNCH			
3995	----	----		89.20B/79.10A	89.20B/79.10A	----	----	----	----	82.20 - 3.30	.2148	----	----	----	----	----	----	2	UNCH			
4000	----	----		90.50B/80.00A	90.50B/80.00A	----	----	----	----	83.30 - 3.30	.2172	----	----	----	----	----	----	3	UNCH			
4025	----	----		96.50B/85.60A	96.50B/85.60A	----	----	----	----	88.80 - 3.60	.2293	----	----	----	----	----	----	6	UNCH			
4050	----	----		103.00B/91.20A	103.00B/91.20A	----	----	----	----	94.70 - 3.90	.2420	----	----	----	----	----	----	5	UNCH			
4065	----	----		106.90B/95.00A	106.90B/95.00A	----	----	----	----	98.40 - 4.00	.2498	----	----	----	----	----	----	0	UNCH			
4070	----	----		108.40B/96.20A	108.40B/96.20A	----	----	----	----	99.60 - 4.20	.2524	----	----	----	----	----	----	25	UNCH			
4100	----	----		117.00B/103.90A	117.00B/103.90A	----	----	----	----	107.60 - 4.40	.2687	----	----	----	----	----	----	7	UNCH			
4135	----	----		127.90B/113.60A	127.90B/113.60A	----	----	----	----	117.60 - 4.70	.2885	----	----	----	----	----	----	22	UNCH			
4160	----	----		136.00B/121.10A	136.00B/121.10A	----	----	----	----	125.30 - 4.90	.3033	----	----	----	----	----	----	107	UNCH			
4170	----	----		139.40B/124.10A	139.40B/124.10A	----	----	----	----	128.50 - 5.00	.3093	----	----	----	----	----	----	1	UNCH			
4180	----	----		142.90B/127.30A	142.90B/127.30A	----	----	----	----	131.80 - 5.00	.3154	----	----	----	----	----	----	1	UNCH			
4185	----	----		144.70B/128.80A	144.70B/128.80A	----	----	----	----	133.40 - 5.10	.3184	----	----	----	----	----	----	1	UNCH			
4190	----	----		146.50B/130.60A	146.50B/130.60A	----	----	----	----	135.10 - 5.10	.3215	----	----	----</								

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT	COMEX GOLD OPTIONS											
NOV26	----	----	1,027.108/987.7	1027.108/987.70A	----	1005.20 - 4.00	.8973	----	----	----	----	6
5400	----	----	1,027.108/987.7	1027.108/987.70A	----	1005.20 - 4.00	.8973	----	----	----	----	6
5760	----	----	#1,373.908/1,133	1373.908/1333.60A	----	1352.30 - 3.00	.9379	----	----	----	----	1
5975	----	----	----	----	----	1563.30 - 2.90	.9517	----	----	----	----	1
6000	----	----	----	----	----	1587.90 - 3.00	.9532	----	----	----	----	1
TOTAL										31	215	4819+
DEC26												
1350	----	----	----	----/4.40A	----	0.20 + 0.10	.0004	----	----	----	----	17
1375	----	----	----	----/1.10A	----	0.30 + 0.10	.0005	----	----	----	----	1
1400	----	----	----	----/0.80A	----	0.30 + 0.10	.0005	----	----	----	----	1
1500	----	----	----	----/1.00A	----	0.60 + 0.30	.0011	----	----	----	----	1
1600	----	----	----	0.208/1.20A	----	0.90 + 0.40	.0016	----	----	----	----	192
1700	----	----	----	0.408/1.30A	----	1.10 + 0.40	.0020	----	----	----	----	200
1845	----	----	----	0.708/1.70A	----	1.40 + 0.30	.0027	----	----	----	----	60
1900	----	----	----	0.808/2.00A	----	1.60 + 0.30	.0031	----	----	----	----	5
2000	----	----	----	1.108/2.20A	----	1.80 + 0.10	.0037	----	----	----	----	2
2200	----	----	----	1.908/2.90A	----	2.40 + 0.20	.0052	----	----	----	----	4
2400	----	----	----	2.908/3.90A	----	3.30 + 0.50	.0076	----	----	----	----	1
2450	----	----	----	3.208/4.30A	----	3.60 + 0.60	.0084	----	----	----	----	4
2490	----	----	----	3.508/4.50A	----	3.90 + 0.60	.0091	----	----	----	----	1
2500	----	----	----	3.608/4.60A	----	4.00 + 0.50	.0094	----	----	----	----	203
2660	----	----	----	4.908/5.90A	----	5.30 + 0.60	.0128	----	----	----	----	4
2750	----	----	----	5.908/6.80A	----	6.30 + 0.50	.0155	----	----	----	----	1
2795	----	----	----	6.408/7.30A	----	6.90 + 0.40	.0171	----	----	----	----	10
2800	----	----	----	6.508/7.50A	----	7.00 + 0.40	.0173	----	----	----	----	20
2900	----	----	-----/8.70A	8.408/8.70A	----	8.50 + 0.30	.0214	----	----	2	----	32
2925	----	----	-----/9.10A	8.308/9.10A	----	8.90 + 0.30	.0225	----	----	----	----	300
2975	----	----	----	9.208/10.00A	----	9.80 + 0.20	.0249	----	----	----	----	900
3000	----	----	----	9.608/10.50A	----	10.30 + 0.20	.0263	----	----	----	----	1981
3025	----	----	----	10.108/11.00A	----	10.90 + 0.10	.0278	----	----	----	----	2
3075	----	----	----	11.208/12.10A	----	12.00 + 0.10	.0309	----	----	----	----	3
3100	----	----	----	11.808/12.70A	----	12.60 + 0.10	.0325	----	----	1	----	5
3160	----	----	-----/14.20A	13.508/14.20A	----	14.20 + 0.10	.0369	----	----	----	----	2
3175	----	----	-----/14.60A	14.008/14.60A	----	14.70 + 0.10	.0382	----	----	----	----	1
3200	----	----	-----/15.40A	14.808/15.40A	----	15.50 UNCH	.0404	----	----	----	----	1
3250	----	----	-----/17.10A	16.608/17.10A	----	17.20 + 0.10	.0449	----	----	----	----	18
3300	----	----	-----/19.00A	18.708/19.00A	----	19.10 + 0.20	.0501	----	----	----	----	467
3375	----	----	-----/22.30A	22.508/22.30A	----	22.60 + 0.30	.0593	----	----	----	----	250
3400	----	----	-----/23.80A	24.008/23.80A	----	24.00 + 0.30	.0628	----	----	----	----	1196
3425	----	----	-----/25.20A	25.508/25.20A	----	25.40 + 0.40	.0664	----	----	----	----	350
3450	----	----	-----/26.60A	27.108/26.60A	----	26.90 + 0.50	.0703	----	----	----	----	201
3460	----	----	-----/27.10A	27.908/27.10A	----	27.60 + 0.50	.0720	----	----	----	----	20
3465	----	----	-----/27.50A	28.208/27.50A	----	27.90 + 0.50	.0728	----	----	----	----	203
3475	----	----	-----/28.00A	28.908/28.00A	----	28.60 + 0.50	.0745	----	----	----	----	152
3500	29.00	29.00	30.50/29.00	30.808/29.00		30.30 + 0.60	.0788			100		1478 +
3550	----	----	35.008/33.40A	35.008/33.40A		34.20 + 0.70	.0885			----	----	28
3560	----	----	35.908/34.20A	35.908/34.20A		35.00 + 0.80	.0904			----	----	105
3565	----	----	36.408/34.50A	36.408/34.50A		35.50 + 0.80	.0916			----	----	2
3590	----	----	38.808/36.60A	38.808/36.60A		37.70 + 0.90	.0969			----	----	1
3600	38.30	38.30	39.708/37.60A	39.708/37.60A		38.60 + 0.90	.0991			4		791 +
3610	----	----	40.808/38.40A	40.808/38.40A		39.60 + 0.90	.1015			----	----	3
3650	----	----	-----/42.40A	44.608/42.40A		43.70 + 1.10	.1112			----	----	220
3655	----	----	-----/43.10A	45.208/43.10A		44.20 + 1.10	.1124			----	----	54
3660	----	----	-----/43.80A	45.708/43.80A		44.80 + 1.10	.1137			----	----	5
3670	----	----	-----/44.70A	47.008/44.70A		45.90 + 1.10	.1163			----	----	1
3675	----	----	-----/45.30A	47.508/45.30A		46.40 + 1.20	.1175			----	----	1
3680	----	----	-----/45.70A	48.208/45.70A		47.00 + 1.20	.1189			----	----	1
3685	----	----	-----/46.30A	48.808/46.30A		47.60 + 1.20	.1203			----	----	3
3690	----	----	50.708/47.00A	50.708/47.00A		48.20 + 1.20	.1216			----	----	2
3695	----	----	51.308/47.50A	51.308/47.50A		48.80 + 1.20	.1230			----	----	3
3700	----	----	52.008/48.10A	52.008/48.10A		49.40 + 1.30	.1244			----	----	937
3705	----	----	52.608/48.70A	52.608/48.70A		50.00 + 1.30	.1258			----	----	5
3710	----	----	53.408/49.30A	53.408/49.30A		50.60 + 1.30	.1272			----	----	91
3715	----	----	53.908/49.90A	53.908/49.90A		51.30 + 1.30	.1287			----	----	23
3720	----	----	54.708/50.50A	54.708/50.50A		51.90 + 1.30	.1301			----	----	66
3725	----	----	55.308/51.10A	55.308/51.10A		52.60 + 1.30	.1316			----	----	171
3730	----	----	56.108/51.70A	56.108/51.70A		53.20 + 1.40	.1330			----	----	673
3735	----	----	56.808/52.40A	56.808/52.40A		53.90 + 1.30	.1345			----	----	310
3740	----	----	57.408/53.00A	57.408/53.00A		54.50 + 1.40	.1360			----	----	60
3745	----	----	58.108/53.50A	58.108/53.50A		55.20 + 1.40	.1375			----	----	21
3750	----	----	58.908/53.80A	58.908/53.80A		55.90 + 1.40	.1391			----	----	178
3755	----	----	59.708/54.40A	59.708/54.40A		56.60 + 1.40	.1406			----	----	6
3760	----	----	60.508/55.10A	60.508/55.10A		57.30 + 1.50	.1422			----	----	187
3765	----	----	61.108/55.80A	61.108/55.80A		58.00 + 1.50	.1437			----	----	2
3770	----	----	61.908/56.50A	61.908/56.50A		58.70 + 1.50	.1453			----	----	2
3775	----	----	62.708/57.20A	62.708/57.20A		59.50 + 1.50	.1470			----	----	1
3780	----	----	63.408/57.80A	63.408/57.80A		60.20 + 1.50	.1485			----	----	2
3785	----	----	64.308/58.60A	64.308/58.60A		60.90 + 1.60	.1501			----	----	26
3795	----	----	65.908/60.00A	65.908/60.00A		62.50 + 1.50	.1535			----	----	101
3800	----	----	66.708/60.70A	66.708/60.70A		63.20 + 1.60	.1551			----	----	431
3805	----	----	67.408/61.50A	67.408/61.50A		64.00 + 1.60	.1568			----	----	16
3810	----	----	68.408/62.20A	68.408/62.20A		64.80 + 1.60	.1586			----	----	57
3850	----	----	75.508/68.50A	75.508/68.50A		71.50 + 1.80	.1728			----	----	57
3875	----	----	80.408/72.80A	80.408/72.80A		76.00 + 1.80	.1822			----	----	1
3880	----	----	81.308/73.60A	81.308/73.60A		76.90 + 1.90	.1841			----	----	1
3890	----	----	83.408/750									

BULLETIN #114@				METALS OPTION PRODUCTS										Tue, Jun 16, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
JAN27																
4700	----	----		439.90B/420.40A	439.90B/420.40A	----	----	----	430.60 - 5.40	.5995	----	----	----	----	1	UNCH
4710	----	----		446.60B/426.90A	446.60B/426.90A	----	----	----	437.30 - 5.30	.6045	----	----	----	----	4	UNCH
4760	----	----		479.00B/460.50A	479.00B/460.50A	----	----	----	471.40 - 5.30	.6289	----	----	----	----	100	UNCH
4800	----	----		507.40B/488.10A	507.40B/488.10A	----	----	----	499.70 - 5.20	.6477	----	----	----	----	6	UNCH
4805	----	----		511.20B/491.60A	511.20B/491.60A	----	----	----	503.20 - 5.30	.6500	----	----	----	----	1	UNCH
4820	----	----		522.20B/502.30A	522.20B/502.30A	----	----	----	514.10 - 5.20	.6569	----	----	----	----	6	UNCH
4860	----	----		551.90B/531.20A	551.90B/531.20A	----	----	----	543.40 - 5.20	.6746	----	----	----	----	1	UNCH
4880	----	----		567.00B/545.90A	567.00B/545.90A	----	----	----	558.40 - 5.10	.6832	----	----	----	----	1	UNCH
4960	----	----		----/606.60A	602.20B/606.60A	----	----	----	619.90 - 5.00	.7157	----	----	----	----	42	UNCH
4980	----	----		----	511.40B/751.40A	----	----	----	635.60 - 5.10	.7234	----	----	----	----	9	UNCH
4990	----	----		----	519.40B/759.30A	----	----	----	643.60 - 5.00	.7272	----	----	----	----	1	UNCH
4995	----	----		----	523.40B/763.30A	----	----	----	647.60 - 5.00	.7291	----	----	----	----	1	UNCH
5000	----	----		----	527.50B/767.30A	----	----	----	651.60 - 5.00	.7309	----	----	----	----	2	UNCH
5050	----	----		----	568.00B/807.50A	----	----	----	692.00 - 5.00	.7488	----	----	----	----	100	UNCH
5085	----	----		----	597.20B/836.20A	----	----	----	720.80 - 5.00	.7607	----	----	----	----	2	UNCH
5150	----	----		----	652.00B/890.30A	----	----	----	775.20 - 5.10	.7813	----	----	----	----	2	UNCH
5235	----	----		----	726.00B/962.90A	----	----	----	848.20 - 5.10	.8057	----	----	----	----	2	UNCH
5245	----	----		----	735.00B/971.50A	----	----	----	856.90 - 5.20	.8084	----	----	----	----	2	UNCH
5300	----	----		----	783.80B/1019.50A	----	----	----	905.20 - 5.20	.8224	----	----	----	----	44	UNCH
TOTAL													15		900 +	1
FEB27																
2800	----	----		----	8.50B/13.20A	----	----	----	11.10 - 0.10	.0238	----	----	----	----	10	UNCH
3000	----	----		----	13.20B/18.10A	----	----	----	16.20 - 0.20	.0353	----	----	----	----	1	UNCH
3100	----	----		----	16.50B/21.60A	----	----	----	19.50 - 0.30	.0429	----	----	----	----	7	UNCH
3160	----	----		----	19.00B/24.00A	----	----	----	21.80 - 0.40	.0481	----	----	----	----	2	UNCH
3200	----	----		----	20.80B/25.80A	----	----	----	23.50 - 0.50	.0520	----	----	----	----	1	UNCH
3400	----	----		----/35.80A	34.40B/35.80A	----	----	----	35.10 - 0.90	.0774	----	----	----	----	11	UNCH
3500	43.00	43.00		43.00/43.00	43.20B/43.00	----	----	----	43.40 - 1.10	.0948	----	----	1	----	11	UNCH
3600	----	----		----/54.80A	54.00B/54.80A	----	----	----	54.00 - 1.30	.1160	----	----	----	----	62	UNCH
3660	----	----		64.30B/62.10A	64.30B/62.10A	----	----	----	61.70 - 1.50	.1308	----	----	----	----	1	UNCH
3750	----	----		78.50B/73.40A	78.50B/73.40A	----	----	----	75.30 - 1.80	.1560	----	----	----	----	1	UNCH
3880	----	----		104.40B/96.90A	104.40B/96.90A	----	----	----	100.00 - 2.30	.1988	----	----	----	----	2	UNCH
3950	----	----		121.20B/112.40A	121.20B/112.40A	----	----	----	116.00 - 2.80	.2251	----	----	----	----	2	UNCH
3980	----	----		129.50B/119.90A	129.50B/119.90A	----	----	----	123.50 - 3.00	.2369	----	----	----	----	1	UNCH
4000	----	----		134.90B/124.90A	134.90B/124.90A	----	----	----	128.70 - 3.20	.2451	----	----	----	----	61	UNCH
4005	----	----		136.30B/126.30A	136.30B/126.30A	----	----	----	130.00 - 3.20	.2471	----	----	----	----	13	UNCH
4025	----	----		142.10B/131.60A	142.10B/131.60A	----	----	----	135.50 - 3.30	.2555	----	----	----	----	35	UNCH
4050	----	----		149.60B/138.30A	149.60B/138.30A	----	----	----	142.60 - 3.50	.2662	----	----	----	----	100	UNCH
4070	----	----		155.90B/144.20A	155.90B/144.20A	----	----	----	148.50 - 3.70	.2749	----	----	----	----	2	UNCH
4075	----	----		157.50B/145.70A	157.50B/145.70A	----	----	----	150.00 - 3.70	.2771	----	----	----	----	5	UNCH
4100	----	----		165.60B/153.20A	165.60B/153.20A	----	----	----	157.70 - 3.90	.2883	----	----	----	----	571	UNCH
4200	----	----		201.70B/186.80A	201.70B/186.80A	----	----	----	191.70 - 4.80	.3352	----	----	----	----	50	UNCH
4205	----	----		203.60B/188.50A	203.60B/188.50A	----	----	----	193.60 - 4.80	.3377	----	----	----	----	8	UNCH
4225	----	----		211.30B/196.10A	211.30B/196.10A	----	----	----	201.10 - 5.00	.3474	----	----	----	----	15	UNCH
4330	----	----		256.90B/238.80A	256.90B/238.80A	----	----	----	244.30 - 5.90	.4005	----	----	----	----	6	UNCH
4370	----	----		276.00B/256.80A	276.00B/256.80A	----	----	----	262.40 - 6.20	.4212	----	----	----	----	1	UNCH
4400	----	----		290.20B/270.80A	290.20B/270.80A	----	----	----	276.60 - 6.40	.4369	----	----	----	----	53	UNCH
4440	----	----		311.40B/290.50A	311.40B/290.50A	----	----	----	296.40 - 6.70	.4578	----	----	----	----	1	UNCH
4500	----	----		344.00B/321.30A	344.00B/321.30A	----	----	----	327.90 - 6.90	.4892	----	----	----	----	2	UNCH
4600	----	----		397.30B/378.00A	397.30B/378.00A	----	----	----	385.00 - 7.30	.5404	----	----	----	----	17	UNCH
4630	----	----		416.00B/395.90A	416.00B/395.90A	----	----	----	403.30 - 7.30	.5554	----	----	----	----	9	UNCH
4635	----	----		419.10B/399.00A	419.10B/399.00A	----	----	----	406.40 - 7.30	.5578	----	----	----	----	2	UNCH
4650	----	----		428.70B/408.10A	428.70B/408.10A	----	----	----	415.80 - 7.30	.5652	----	----	----	----	1	UNCH
4655	----	----		431.90B/411.20A	431.90B/411.20A	----	----	----	418.90 - 7.30	.5677	----	----	----	----	1	UNCH
4660	----	----		435.10B/414.40A	435.10B/414.40A	----	----	----	422.10 - 7.30	.5701	----	----	----	----	435	UNCH
4665	----	----		438.30B/417.50A	438.30B/417.50A	----	----	----	425.20 - 7.40	.5725	----	----	----	----	3	UNCH
4680	----	----		448.10B/426.90A	448.10B/426.90A	----	----	----	434.90 - 7.30	.5798	----	----	----	----	3	UNCH
4750	----	----		492.00B/472.70A	492.00B/472.70A	----	----	----	481.30 - 7.20	.6127	----	----	----	----	1	UNCH
4755	----	----		492.90B/476.00A	492.90B/476.00A	----	----	----	484.70 - 7.30	.6149	----	----	----	----	1	UNCH
4775	----	----		506.90B/489.50A	506.90B/489.50A	----	----	----	498.50 - 7.20	.6240	----	----	----	----	1	UNCH
4785	----	----		513.80B/496.40A	513.80B/496.40A	----	----	----	505.50 - 7.10	.6285	----	----	----	----	100	UNCH
4800	----	----		524.50B/506.70A	524.50B/506.70A	----	----	----	516.00 - 7.10	.6351	----	----	----	----	60	UNCH
4805	----	----		528.00B/510.10A	528.00B/510.10A	----	----	----	519.60 - 7.00	.6373	----	----	----	----	2	UNCH
4835	----	----		549.80B/531.20A	549.80B/531.20A	----	----	----	541.00 - 7.00	.6502	----	----	----	----	1	UNCH
4840	----	----		553.40B/534.80A	553.40B/534.80A	----	----	----	544.60 - 7.00	.6523	----	----	----	----	1	UNCH
4845	----	----		557.00B/538.40A	557.00B/538.40A	----	----	----	548.30 - 6.90	.6544	----	----	----	----	3	UNCH
4855	----	----		564.20B/545.50A	564.20B/545.50A	----	----	----	555.60 - 6.90	.6586	----	----	----	----	3	UNCH
4900	----	----		597.90B/578.30A	597.90B/578.30A	----	----	----	588.90 - 6.70	.6770	----	----	----	----	4	UNCH
4905	----	----		601.60B/582.00A	601.60B/582.00A	----	----	----	592.70 - 6.70	.6790	----	----	----	----	4	UNCH
4950	----	----		636.30B/615.70A	636.30B/615.70A	----	----	----	627.00 - 6.50	.6965	----	----	----	----	1	UNCH
4955	----	----		640.20B/619.40A	640.20B/619.40A	----	----	----	630.80 - 6.50	.6983	----	----	----	----	1	UNCH
5000	----	----		----/653.90A	654.00B/653.90A	----	----	----	666.00 - 6.30	.7148	----	----	----	----	10	UNCH
5005	----	----		----/657.80A	653.60B/657.80A	----	----	----	669.90 - 6.30	.7166	----	----	----	----	2	UNCH
5050	----	----		----	564.30B/840.30A	----	----	----	705.90 - 6.00	.7321	----	----	----	----	4	UNCH
5055	----	----		----	568.10B/844.40A	----	----	----	709.90 - 6.00	.7338	----	----	----	----	4	UNCH
5100	----	----		----	604.60B/881.00A	----	----	----	746.60 - 5.80	.7485	----	----	----	----	2	UNCH
5150	----	----		----	646.10B/922.40A	----	----	----	788.10 - 5.60	.7638	----	----	----	----	1	UNCH
5175	----	----		----	666.90B/943.30A	----	----	----	809.10 - 5.60	.7712	----	----	----	----	125	UNCH
5200	----	----		----	688.10B/964.40A	----	----	----	830.30 - 5.40	.7782	----	----	----	----	1	UNCH
5250	----	----		----	731.10B/1007.10A	----	----	----	873.20 - 5.20	.7917	----	----	----	----	15	UNCH
5340	----	----		----	809.60B/1085.40A	----	----	----	951.70 - 5.00	.8139	----	----	----	----	1	UNCH
5520	----	----		----	971.70B/1246.90A	----	----	----	1113.40 - 4.90	.8507	----	----	----	----	300	UNCH
5530	----	----		----	980.70B/1256.10A	----	----	----	1122.60 - 4.80	.8525	----	----	----	----	100	UNCH
5550	----	----		----	998.80B/1274.50A	----	----	----	1140.90 - 4.80	.8560	----	----	----	----	65	UNCH
5565	----	----		----	1012.40B/1288.50A	----	----	----	1154.70 - 4.80	.8585	----	----	----	----	50	UNCH
TOTAL													1		2369	0
MAR27																
3500	----	----		----	46.70B/50.50A	----	----	----	48.30 + 0.20	.0983	----	----	----	----	5	UNCH
3600	----	----		----	57.60B/61.90A	----	----	----	59.30 - 0.10	.1188	----	----	----	160	1035 +	160
3750	----	----		84.30B/80.10A	84.30B/80.10A	----	----	----	81.10 - 0.90	.1571	----	----	----	----	10	UNCH
3850	----	----		103.90B/97.80A	103.90B/97.80A	----	----	----	99.90 - 1.40	.1878	----	----	----	----	21	UNCH
3900	----	----		115.40B/108.40A	115.40B/108.40A	----	----	----	110.80 - 1.40	.2048	----	----				

PG64	BULLETIN #114@										METALS OPTION PRODUCTS										Tue, Jun 16, 2026			PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME						OPEN INTEREST				
OG PUT	COMEX GOLD OPTIONS																							
APR27																								
4575	----	----		399.90B/390.00A	399.90B/390.00A	----	----		391.60	NEW	.5006	----	----	----	50	50	+	50						
4900	----	----		----	388.90B/805.30A	----	----		599.90	- 6.30	.6373	----	----	----	----	2	UNCH							
4905	----	----		----	392.50B/808.90A	----	----		603.50	- 6.30	.6393	----	----	----	----	2	UNCH							
5000	----	----		----	461.30B/878.80A	----	----		673.10	- 6.50	.6739	----	----	----	100	UNCH								
5060	----	----		----	507.00B/924.40A	----	----		718.70	- 6.60	.6943	----	----	----	25	UNCH								
5200	----	----		----	618.20B/1034.50A	----	----		829.90	- 6.50	.7373	----	----	----	15	UNCH								
TOTAL															50	439+								
MAY27																								
4000	210.30	210.30		#210.30/*210.30	#210.30/*210.30	----	----		209.60	NEW	.2669	----	----	1	----	1	+	1						
4640	----	----		----/*433.60A	422.90B/*433.60A	----	----		441.30	+ 1.00	.5065	----	----	----	1	----	1	UNCH						
TOTAL															1		2+							
JUN27																								
2800	----	----		14.40B/----	14.40B/20.00A	----	----		10.10	+ 0.10	.0215	----	----	----	6	UNCH								
3625	----	----		----	#81.80B/*92.30A	----	----		82.40	- 8.70	.1393	----	----	----	450	UNCH								
4900	----	----		----	282.60B/935.40A	----	----		641.10	- 4.30	.5899	----	----	----	1	UNCH								
4905	----	----		----	282.10B/940.00A	----	----		644.50	- 4.30	.5916	----	----	----	1	UNCH								
5085	----	----		----	337.90B/1142.00A	----	----		773.90	- 5.80	.6473	----	----	----	150	UNCH								
TOTAL																608								
DEC27																								
3700	----	----		----	----	----	----		166.60	- 1.00	.1854	----	----	----	100	UNCH								
3715	----	----		----	----	----	----		169.70	- 1.00	.1885	----	----	----	150	UNCH								
3820	----	----		----	----	----	----		193.20	- 1.10	.2117	----	----	----	50	UNCH								
4130	----	----		----	----	----	----		278.80	- 1.40	.2910	----	----	----	168	UNCH								
4500	----	----		----	----	----	----		423.30	- 1.80	.4043	----	----	----	270	UNCH								
4630	----	----		----	----	----	----		486.90	- 2.00	.4469	----	----	----	284	UNCH								
4860	----	----		----	----	----	----		616.10	- 2.20	.5199	----	----	----	100	UNCH								
5000	----	----		----	----	----	----		704.40	- 2.40	.5618	----	----	----	50	UNCH								
5650	----	----		----	----	----	----		1187.70	- 2.80	.7192	----	----	----	200	UNCH								
5880	----	----		----	----	----	----		1379.20	- 2.90	.7608	----	----	----	200	UNCH								
TOTAL																1572								
JAN28																								
5000	----	----		----	----	----	----		700.30	- 2.30	.5461	----	----	----	1	UNCH								
5100	----	----		----	----	----	----		766.10	- 2.40	.5738	----	----	----	1	UNCH								
TOTAL																2								
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME						OPEN INTEREST				
OG CALL	COMEX GOLD OPTIONS																							
JUL26																								
2000	----	----		----	----	----	----		2354.40	+ 2.80	1.0000	1	----	1	----	5	UNCH							
3300	----	----		----	----	----	----		1054.40	+ 2.80	.9994	----	----	----	2	UNCH								
3400	----	----		----	----	----	----		954.40	+ 2.80	.9986	----	----	----	0	UNCH								
3500	----	----		859.60B/----	859.60B/863.50A	----	----		854.50	+ 2.80	.9978	4	----	----	0	-	4							
3600	----	----		759.80B/----	759.80B/763.60A	----	----		754.70	+ 2.80	.9963	----	----	----	24	UNCH								
3650	----	----		710.00B/----	710.00B/713.60A	----	----		704.90	+ 2.90	.9948	----	----	----	10	UNCH								
3670	----	----		690.10B/----	690.10B/693.60A	----	----		684.90	+ 2.80	.9941	----	----	----	3	UNCH								
3700	----	----		661.50B/----	661.50B/662.60A	----	----		655.00	+ 2.80	.9932	----	----	----	118	UNCH								
3720	----	----		----	----	----	----		635.10	+ 2.90	.9924	----	----	----	1	UNCH								
3735	----	----		----	----	----	----		620.20	+ 2.90	.9922	----	----	----	1	UNCH								
3775	----	----		585.50B/----	585.50B/589.00A	----	----		580.40	+ 2.90	.9905	----	----	----	3	UNCH								
3800	----	----		572.20B/539.20A	572.20B/539.20A	----	----		555.50	+ 2.90	.9888	----	----	----	2056	UNCH								
3825	----	----		535.80B/----	535.80B/539.20A	----	----		530.70	+ 2.90	.9876	----	----	----	3	UNCH								
3850	----	----		511.00B/----	511.00B/514.30A	----	----		505.90	+ 2.90	.9858	----	----	----	66	UNCH								
3860	----	----		----	----	----	----		495.90	+ 2.80	.9855	----	----	----	1	UNCH								
3865	----	----		496.10B/----	496.10B/499.40A	----	----		491.00	+ 2.90	.9847	----	----	----	7	UNCH								
3875	----	----		486.20B/----	486.20B/489.50A	----	----		481.10	+ 2.90	.9838	----	----	----	25	UNCH								
3900	----	----		461.40B/----	461.40B/464.70A	----	----		456.30	+ 2.80	.9816	----	----	----	21	UNCH								
3905	----	----		----	----	----	----		451.30	+ 2.70	.9814	----	----	----	1	UNCH								
3925	----	----		436.70B/----	436.70B/440.00A	----	----		431.50	+ 2.70	.9793	----	----	----	35	UNCH								
3945	406.80	406.80		431.70B/388.20A	431.70B/388.20A	----	----		411.80	NEW	.9770	----	1	----	1	+	1							
3950	----	----		426.80B/383.30A	426.80B/383.30A	----	----		406.90	+ 2.70	.9761	----	----	----	821	UNCH								
3955	----	----		421.50B/378.20A	421.50B/378.20A	----	----		401.90	+ 2.60	.9751	----	----	----	1	UNCH								
3960	----	----		417.50B/373.50A	417.50B/373.50A	----	----		397.00	+ 2.60	.9748	----	----	----	1	UNCH								
3965	----	----		412.00B/368.70A	412.00B/368.70A	----	----		392.10	+ 2.60	.9738	----	----	----	2									



PG64 BULLETIN #114@				METALS OPTION PRODUCTS							Tue, Jun 16, 2026 PG64					
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST
OG CALL JUL26	COMEX GOLD OPTIONS															
4330	----	----	----	87.80B/63.50A	87.80B/63.50A	----	----	----	72.70 - 6.40	.5745	----	----	----	----	80	UNCH
4335	----	----	----	84.70B/61.00A	84.70B/61.00A	----	----	----	69.80 - 6.50	.5607	----	----	----	----	54	UNCH
4340	68.80	68.80	----	81.70B/58.20A	81.70B/58.20A	----	----	----	67.00 - 6.60	.5468	----	----	1	----	39 +	1
4345	63.50	63.50	----	78.70B/55.80A	78.70B/55.80A	----	----	----	64.20 - 6.70	.5328	----	----	1	----	59	UNCH
4350	61.10	61.10	----	75.80B/53.30A	75.80B/53.30A	----	----	----	61.50 - 6.90	.5187	----	----	101	----	2618 +	100
4355	58.70	58.70	----	72.90B/51.10A	72.90B/51.10A	----	----	----	58.90 - 6.90	.5046	----	----	2	----	67 -	1
4360	56.30	56.30	----	70.20B/48.70A	70.20B/48.70A	----	----	----	56.40 - 7.00	.4904	----	----	5	----	819 +	3
4365	----	----	----	67.40B/46.60A	67.40B/46.60A	----	----	----	53.90 - 7.10	.4762	----	----	13	----	82 -	6
4370	48.60	48.60	----	64.80B/44.50A	64.80B/44.50A	----	----	----	51.50 - 7.20	.4619	----	----	3	----	70 -	1
4375	45.50	45.50	----	62.20B/42.50A	62.20B/42.50A	----	----	----	49.20 - 7.20	.4478	----	----	219	750	1165 -	75
4380	53.80	53.80	----	59.80B/40.50A	59.80B/40.50A	----	----	----	47.00 - 7.30	.4337	----	----	6	----	107 +	1
4385	42.20	42.20	----	57.40B/38.70A	57.40B/38.70A	----	----	----	44.90 - 7.20	.4197	----	----	6	----	40 -	3
4390	49.80	49.80	----	55.00B/36.90A	55.00B/36.90A	----	----	----	42.80 - 7.30	.4057	----	----	22	----	109 -	8
4395	50.80	50.80	----	52.70B/35.10A	52.70B/35.10A	----	----	----	40.80 - 7.30	.3919	----	----	2	----	26 -	2
4400	39.30	39.30	----	50.70B/33.40A	50.70B/33.40A	----	----	----	38.90 - 7.30	.3783	----	250	----	4797 -	71	1
4405	46.30	46.30	----	48.50B/31.90A	48.50B/31.90A	----	----	----	37.00 - 7.30	.3648	----	3	----	36 -	2	2
4410	44.30	44.30	----	46.40B/30.30A	46.40B/30.30A	----	----	----	35.20 - 7.30	.3514	----	1	----	60 -	1	1
4415	34.50	34.50	----	44.40B/28.80A	44.40B/28.80A	----	----	----	33.50 - 7.30	.3384	----	26	----	77 -	14	1
4420	32.60	32.60	----	42.50B/27.50A	42.50B/27.50A	----	----	----	31.90 - 7.20	.3256	----	31	----	102 -	6	1
4425	30.50	30.50	----	40.60B/26.10A	40.60B/26.10A	----	----	----	30.30 - 7.20	.3129	----	6	----	271 -	2	1
4430	29.20	29.20	----	38.80B/24.80A	38.80B/24.80A	----	----	----	28.80 - 7.20	.3006	----	716	----	786 +	635	1
4435	31.00	31.00	----	37.10B/23.60A	37.10B/23.60A	----	----	----	27.40 - 7.10	.2887	----	1	----	54	UNCH	1
4440	24.90	24.90	----	35.40B/22.30	35.40B/22.30	----	----	----	26.00 - 7.00	.2769	----	11	----	40 +	1	1
4445	28.00	28.00	----	33.80B/21.30A	33.80B/21.30A	----	----	----	24.70 - 6.90	.2655	----	35	----	69 +	16	1
4450	28.20	28.20	----	32.20B/20.20A	32.20B/20.20A	----	----	----	23.50 - 6.80	.2546	----	317	----	1847 +	116	1
4455	----	----	----	30.70B/19.20A	30.70B/19.20A	----	----	----	22.30 - 6.70	.2437	----	----	----	23	UNCH	1
4460	21.40	21.40	----	29.30B/18.30A	29.30B/18.30A	----	----	----	21.20 - 6.60	.2334	----	56	----	74 +	46	1
4465	23.10	23.10	----	27.90B/17.40A	27.90B/17.40A	----	----	----	20.10 - 6.50	.2232	----	1	----	59	UNCH	1
4470	----	----	----	26.60B/16.50A	26.60B/16.50A	----	----	----	19.10 - 6.30	.2135	----	700	----	727 +	586	1
4475	22.70	22.70	----	25.40B/15.60A	25.40B/15.60A	----	----	----	18.10 - 6.20	.2039	----	76	----	282 +	5	1
4480	----	----	----	24.10B/14.90A	24.10B/14.90A	----	----	----	17.20 - 6.10	.1949	----	----	----	407	UNCH	1
4485	18.70	18.70	----	23.00B/14.10A	23.00B/14.10A	----	----	----	16.30 - 6.00	.1860	----	1	----	236	UNCH	1
4490	19.00	19.00	----	21.90B/13.40A	21.90B/13.40A	----	----	----	15.50 - 5.80	.1777	----	3	----	60	UNCH	1
4495	16.90	16.90	----	20.90B/12.70A	20.90B/12.70A	----	----	----	14.80 - 5.60	.1702	----	12	----	93 +	8	1
4500	16.20	16.20	----	19.90B/12.10A	19.90B/12.10A	----	----	----	14.00 - 5.50	.1620	----	778	750	3956 -	228	1
4505	15.20	15.20	----	18.90B/11.50A	18.90B/11.50A	----	----	----	13.30 - 5.30	.1546	----	6	----	99 -	1	1
4510	15.90	15.90	----	18.00B/10.90A	18.00B/10.90A	----	----	----	12.70 - 5.10	.1479	----	25	----	114 +	13	1
4515	13.20	13.20	----	17.10B/10.40A	17.10B/10.40A	----	----	----	12.00 - 5.00	.1406	----	13	----	284 -	13	1
4520	15.50	15.50	----	16.30B/9.90A	16.30B/9.90A	----	----	----	11.50 - 4.80	.1348	----	19	----	216 +	4	1
4525	13.70	13.70	----	15.50B/9.40A	15.50B/9.40A	----	----	----	10.90 - 4.70	.1283	----	14	----	218	UNCH	1
4530	13.00	13.00	----	14.80B/9.00A	14.80B/9.00A	----	----	----	10.40 - 4.50	.1226	----	4	----	666	UNCH	1
4535	12.30	12.30	----	14.10B/8.50A	14.10B/8.50A	----	----	----	9.90 - 4.40	.1170	----	12	----	188 -	4	1
4540	11.70	11.70	----	13.40B/8.10A	13.40B/8.10A	----	----	----	9.40 - 4.30	.1114	----	8	----	91	UNCH	1
4545	10.30	10.30	----	12.70B/7.70A	12.70B/7.70A	----	----	----	9.00 - 4.10	.1066	----	1	----	159 -	1	1
4550	11.50	11.50	----	12.10B/7.40A	12.10B/7.40A	----	----	----	8.60 - 3.90	.1019	----	19	----	845 -	3	1
4555	----	----	----	11.50B/7.10A	11.50B/7.10A	----	----	----	8.20 - 3.80	.0973	----	----	----	52	UNCH	1
4560	8.70	8.70	----	8.70/6.70A	11.00B/6.70A	----	----	----	7.80 - 3.70	.0927	----	7	----	106	UNCH	1
4565	9.20	9.20	----	9.20/6.40A	10.60B/6.40A	----	----	----	7.50 - 3.50	.0890	----	6	----	152	UNCH	1
4570	10.10	10.10	----	10.10/6.10A	10.10/6.10A	----	----	----	7.10 - 3.40	.0845	----	3	----	67	UNCH	1
4575	----	----	----	9.60B/5.90A	9.60B/5.90A	----	----	----	6.80 - 3.30	.0808	----	----	----	166	UNCH	1
4580	9.20	9.20	----	9.20/5.60A	9.20/5.60A	----	----	----	6.50 - 3.20	.0772	----	21	----	103 +	2	1
4585	6.80	6.80	----	6.80/5.40A	8.80B/5.40A	----	----	----	6.20 - 3.10	.0737	----	2	----	105	UNCH	1
4590	7.60	7.60	----	7.60/5.20A	8.30B/5.20A	----	----	----	6.00 - 2.90	.0710	----	16	----	44 +	4	1
4595	7.10	7.10	----	7.10/5.00A	8.00B/5.00A	----	----	----	5.70 - 2.80	.0675	----	1	----	67 +	1	1
4600	6.90	6.90	----	7.60/4.80A	7.60/4.80A	----	----	----	5.50 - 2.70	.0649	----	210	----	1924 -	68	1
4605	----	----	----	7.30B/4.60A	7.30B/4.60A	----	----	----	5.30 - 2.60	.0624	----	----	----	134	UNCH	1
4610	5.10	5.10	----	5.10/4.40A	7.00B/4.40A	----	----	----	5.10 - 2.50	.0599	----	1	----	115 -	1	1
4615	5.80	5.80	----	5.80/4.20A	6.70B/4.20A	----	----	----	4.90 - 2.40	.0574	----	25	----	134 +	2	1
4620	5.20	5.20	----	5.20/4.00A	6.40B/4.00A	----	----	----	4.70 - 2.30	.0550	----	22	----	92 +	1	1
4625	----	----	----	6.10B/3.90A	6.10B/3.90A	----	----	----	4.50 - 2.20	.0525	----	8	----	342	UNCH	1
4630	4.50	4.50	----	4.50/3.70A	5.90B/3.70A	----	----	----	4.30 - 2.20	.0502	----	7	----	75 -	2	1
4635	----	----	----	5.60B/3.60A	5.60B/3.60A	----	----	----	4.20 - 2.00	.0487	----	----	----	154	UNCH	1
4640	5.00	5.00	----	5.40B/3.50A	5.40B/3.50A	----	----	----	4.00 - 2.00	.0464	----	30	----	270 +	29	1
4645	----	----	----	5.10B/3.40A	5.10B/3.40A	----	----	----	3.90 - 1.90	.0449	----	----	----	76	UNCH	1
4650	5.20	5.20	----	5.20/3.30A	5.20/3.30A	----	----	----	3.80 - 1.80	.0435	----	12	----	1203 -	2	1
4655	----	----	----	4.70B/3.20A	4.70B/3.20A	----	----	----	3.60 - 1.80	.0413	----	----	----	59	UNCH	1
4660	----	----	----	4.50B/3.00A	4.50B/3.00A	----	----	----	3.50 - 1.70	.0399	----	4	----	107	UNCH	1
4665	----	----	----	4.30B/2.90A	4.30B/2.90A	----	----	----	3.40 - 1.60	.0386	----	----	----	343	UNCH	1
4670	----	----	----	4.10B/2.80A	4.10B/2.80A	----	----	----	3.30 - 1.50	.0373	----	----	----	139	UNCH	1
4675	----	----	----	4.00B/2.70A	4.00B/2.70A	----	----	----	3.20 - 1.50	.0360	----	----	----	213	UNCH	1
4680	----	----	----	3.80B/2.70A	3.80B/2.70A	----	----	----	3.10 - 1.40	.0347	----	----	----	238	UNCH	1
4685	----	----	----	3.70B/2.60A	3.70B/2.60A	----	----	----	3.00 - 1.40	.0335	----	----	----	62	UNCH	1
4690	----	----	----	3.60B/2.50A	3.60B/2.50A	----	----	----	2.90 - 1.30	.0323	----	----	----	95	UNCH	1
4695	----	----	----	3.50B/2.40A	3.50B/2.40A	----	----	----	2.80 - 1.30	.0310	----	----	----	92	UNCH	1
4700	3.40	3.40	----	3.40/2.40A	3.40/2.40A	----	----	----	2.70 - 1.30	.0298	----	84	----	2338 -	34	1
4705	2.90	2.90	----	3.20B/2.30A	3.20B/2.30A	----	----	----	2.70 - 1.10	.0295	----	16	----	64 -	8	1
4710	----	----	----	3.10B/2.20A	3.10B/2.20A	----	----	----	2.60 - 1.10	.0284	----	----	----	217	UNCH	1
4715	----	----	----	3.00B/2.20A	3.00B/2.20A	----	----	----	2.50 - 1.10	.0272	----	----	----	31	UNCH	1
4720	----	----	----	2.90B/2.10A	2.90B/2.10A	----	----	----	2.50 - 1.00	.0269	----	----	----	116	UNCH	1
4725	----	----	----	2.80B/2.10A	2.80B/2.10A	----	----	----	2.40 - 1.00	.0258	----	----	----	317	UNCH	1
4730	----	----	----	2.80B/2.00A	2.80B/2.00A	----	----	----	2.30 - 1.00	.0247	----	----	----	341	UNCH	1
4735	----	----	----	2.60B/2.00A	2.60B/2.00A	----	----	----	2.30 - 0.90	.0244	----	----	----	104	UNCH	1
4740	----	----	----	2.60B/1.90A	2.60B/1.90A	----	----	----	2.20 - 0.90	.0234	----	----	----	32	UNCH	1
4745	----	----	----	2.50B/1.90A	2.50B/1.90A	----	----	----	2.20 - 0.80	.0231	----	----	----	228	UNCH	1
4750	2.50															

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
JUL26																
5015	----	----	----	---/*0.80A	0.80B/*0.80A	----	0.80	- 0.20	.0065	----	----	----	----	----	113	UNCH
5020	----	----	----	---/*0.70A	0.80B/*0.70A	----	0.80	- 0.20	.0065	----	----	----	----	----	34	UNCH
5025	----	----	----	---/*0.80A	0.80B/*0.80A	----	0.80	- 0.20	.0064	----	----	----	----	----	313	UNCH
5030	----	----	----	---/*0.80A	0.80B/*0.80A	----	0.80	- 0.20	.0064	----	----	----	----	----	215	UNCH
5035	----	----	----	---/*0.80A	0.80B/*0.80A	----	0.80	- 0.20	.0064	----	----	----	----	----	103	UNCH
5040	----	----	----	---/0.80A	0.80B/0.80A	----	0.80	- 0.10	.0063	----	----	----	----	----	27	UNCH
5045	----	----	----	---/*0.80A	0.70B/*0.80A	----	0.80	- 0.10	.0063	----	----	----	----	----	17	UNCH
5050	----	----	----	---/*0.70A	0.70B/*0.70A	----	0.80	- 0.10	.0062	----	----	----	----	----	504	UNCH
5055	----	----	----	---/*0.70A	0.70B/*0.70A	----	0.70	- 0.20	.0055	----	----	----	----	----	31	UNCH
5060	----	----	----	---/*0.60A	0.70B/*0.60A	----	0.70	- 0.20	.0055	----	----	----	----	----	37	UNCH
5065	----	----	----	---/*0.70A	0.60B/*0.70A	----	0.70	- 0.20	.0054	----	----	----	----	----	183	UNCH
5070	----	----	----	---/*0.60A	0.60B/*0.60A	----	0.70	- 0.20	.0054	----	----	----	----	----	38	UNCH
5075	----	----	----	---/*0.60A	0.60B/*0.60A	----	0.70	- 0.20	.0054	----	----	----	----	----	149	UNCH
5080	----	----	----	---/*0.70A	0.60B/*0.70A	----	0.70	- 0.20	.0054	----	----	----	----	----	121	UNCH
5085	----	----	----	---/*0.60A	0.60B/*0.60A	----	0.70	- 0.10	.0053	----	----	----	----	----	53	UNCH
5090	----	----	----	---/0.70A	0.60B/0.70A	----	0.70	- 0.10	.0053	----	----	----	----	----	388	UNCH
5095	----	----	----	---/*0.60A	0.60B/*0.60A	----	0.70	- 0.10	.0053	----	----	----	----	----	290	UNCH
5100	0.80	0.80	----	0.80/*0.60A	0.80/*0.60A	----	0.60	- 0.20	.0046	----	----	----	2	----	1439	- 1
5105	----	----	----	---/0.60A	0.60B/0.60A	----	0.60	- 0.20	.0045	----	----	----	----	----	107	UNCH
5110	----	----	----	---/*0.60A	0.50B/*0.60A	----	0.60	- 0.20	.0045	----	----	----	----	----	409	UNCH
5115	----	----	----	---/*0.60A	0.50B/*0.60A	----	0.60	- 0.20	.0045	----	----	----	----	----	37	UNCH
5120	----	----	----	---/*0.60A	0.50B/*0.60A	----	0.60	- 0.20	.0045	----	----	----	----	----	63	UNCH
5125	----	----	----	---/*0.50A	0.50B/*0.50A	----	0.60	- 0.20	.0044	----	----	----	----	----	265	UNCH
5130	----	----	----	---/*0.50A	0.50B/*0.50A	----	0.60	- 0.20	.0044	----	----	----	----	----	43	UNCH
5135	----	----	----	---/*0.60A	0.50B/*0.60A	----	0.60	- 0.20	.0044	----	----	----	----	----	174	UNCH
5140	0.50	0.50	----	0.50/*0.50	0.50/*0.50	----	0.60	- 0.20	.0044	----	----	----	25	----	97	+
5145	0.50	0.50	----	0.50/0.50	0.50/0.50	----	0.60	- 0.20	.0044	----	----	----	4	----	86	+
5150	----	----	----	---/0.50A	0.50B/0.50A	----	0.60	- 0.10	.0043	----	----	----	6	----	1424	UNCH
5155	----	----	----	---/*0.50A	0.40B/*0.50A	----	0.60	- 0.10	.0043	----	----	----	----	----	22	UNCH
5160	----	----	----	---/*0.50A	0.50B/*0.50A	----	0.50	- 0.20	.0036	----	----	----	----	----	72	UNCH
5165	----	----	----	---/*0.50A	0.40B/*0.50A	----	0.50	- 0.20	.0036	----	----	----	----	----	23	UNCH
5170	----	----	----	---/*0.50A	0.40B/*0.50A	----	0.50	- 0.20	.0036	----	----	----	----	----	16	UNCH
5175	----	----	----	---/*0.40A	0.40B/*0.40A	----	0.50	- 0.20	.0036	----	----	----	----	----	97	UNCH
5180	----	----	----	---/*0.40A	0.40B/*0.40A	----	0.50	- 0.20	.0036	----	----	----	----	----	31	UNCH
5185	----	----	----	---/*0.40A	0.40B/*0.40A	----	0.50	- 0.20	.0035	----	----	----	----	----	154	UNCH
5190	----	----	----	---/*0.40A	0.40B/*0.40A	----	0.50	- 0.20	.0035	----	----	----	----	----	23	UNCH
5195	----	----	----	---/0.40A	0.30B/0.40A	----	0.50	- 0.20	.0035	----	----	----	----	----	38	UNCH
5200	0.20	0.20	----	0.40B/*0.20	0.40B/*0.20	----	0.40	- 0.20	.0028	----	----	----	15	90	2914	- 11
5205	----	----	----	---/0.40A	0.30B/0.40A	----	0.40	- 0.20	.0028	----	----	----	----	----	51	UNCH
5210	----	----	----	---/0.40A	0.30B/0.40A	----	0.40	- 0.20	.0028	----	----	----	----	----	48	UNCH
5215	----	----	----	---/0.40A	0.30B/0.40A	----	0.40	- 0.20	.0028	----	----	----	----	----	53	UNCH
5220	----	----	----	---/*0.40A	0.30B/*0.40A	----	0.40	- 0.20	.0028	----	----	----	----	----	43	UNCH
5225	----	----	----	---/*0.40A	0.30B/*0.40A	----	0.40	- 0.20	.0028	----	----	----	----	----	88	UNCH
5230	----	----	----	---/*0.40A	0.30B/*0.40A	----	0.40	- 0.20	.0028	----	----	----	----	----	93	UNCH
5235	----	----	----	---/*0.40A	0.30B/*0.40A	----	0.40	- 0.20	.0028	----	----	----	----	----	35	UNCH
5240	----	----	----	---/*0.40A	0.30B/*0.40A	----	0.40	- 0.20	.0027	----	----	----	----	----	114	UNCH
5245	----	----	----	---/*0.40A	0.30B/*0.40A	----	0.40	- 0.20	.0027	----	----	----	----	----	71	UNCH
5250	0.20	0.20	----	0.30B/*0.20	0.30B/*0.20	----	0.40	- 0.20	.0027	----	----	----	1	----	825	UNCH
5255	----	----	----	---/*0.40A	0.30B/*0.40A	----	0.40	- 0.20	.0027	----	----	----	----	----	21	UNCH
5260	----	----	----	---/*0.40A	0.30B/*0.40A	----	0.40	- 0.20	.0027	----	----	----	----	----	150	UNCH
5265	----	----	----	---/*0.40A	0.30B/*0.40A	----	0.40	- 0.20	.0027	----	----	----	----	----	12	UNCH
5270	----	----	----	---/*0.40A	0.30B/*0.40A	----	0.40	- 0.20	.0027	----	----	----	----	----	29	UNCH
5275	----	----	----	---/*0.30A	0.20B/*0.30A	----	0.40	- 0.20	.0027	----	----	----	----	----	25	UNCH
5280	----	----	----	---/*0.40A	0.20B/*0.40A	----	0.40	- 0.20	.0026	----	----	----	----	----	44	UNCH
5285	----	----	----	---/*0.30A	0.20B/*0.30A	----	0.30	- 0.20	.0020	----	----	----	----	----	15	UNCH
5290	----	----	----	---/*0.40A	0.30B/*0.40A	----	0.30	- 0.20	.0020	----	----	----	----	----	54	UNCH
5295	----	----	----	---/0.30A	0.20B/0.30A	----	0.30	- 0.20	.0020	----	----	----	----	----	111	UNCH
5300	----	----	----	---/*0.40A	0.20B/*0.40A	----	0.30	- 0.20	.0020	----	----	----	----	----	2107	UNCH
5305	----	----	----	---/*0.40A	0.20B/*0.40A	----	0.30	- 0.20	.0020	----	----	----	----	----	124	UNCH
5310	0.30	0.30	----	0.30/*0.30	0.30/*0.30	----	0.30	- 0.10	.0020	----	----	----	1	----	28	UNCH
5315	----	----	----	---/0.30A	0.20B/0.30A	----	0.30	- 0.10	.0020	----	----	----	----	----	35	UNCH
5320	----	----	----	---/0.40A	0.20B/0.40A	----	0.30	- 0.10	.0020	----	----	----	----	----	57	UNCH
5325	0.30	0.30	----	0.30/*0.30	0.30/*0.30	----	0.30	- 0.10	.0019	----	----	----	3	----	175	+
5330	----	----	----	---/*0.30A	0.20B/*0.30A	----	0.30	- 0.10	.0019	----	----	----	----	----	23	UNCH
5335	----	----	----	---/*0.30A	0.30B/*0.30A	----	0.30	- 0.10	.0019	----	----	----	----	----	14	UNCH
5340	----	----	----	---/*0.30A	0.20B/*0.30A	----	0.30	- 0.10	.0019	----	----	----	----	----	31	UNCH
5345	----	----	----	---/*0.30A	0.20B/*0.30A	----	0.30	- 0.10	.0019	----	----	----	----	----	35	UNCH
5350	----	----	----	---/*0.30A	0.20B/*0.30A	----	0.30	- 0.10	.0019	----	----	----	20	----	794	+
5355	----	----	----	---/*0.30A	0.20B/*0.30A	----	0.30	- 0.10	.0019	----	----	----	----	----	71	UNCH
5360	----	----	----	---/0.20A	0.20B/0.30A	----	0.20	- 0.10	.0013	----	----	----	----	----	336	UNCH
5365	0.30	0.30	----	0.30/*0.30	0.30/*0.30	----	0.20	- 0.10	.0013	----	----	----	2	----	141	+
5370	----	----	----	---/0.10B/*0.30A	0.10B/*0.30A	----	0.20	- 0.10	.0013	----	----	----	----	----	27	UNCH
5375	----	----	----	---/0.10B/*0.30A	0.10B/*0.30A	----	0.20	- 0.10	.0013	----	----	----	----	----	23	UNCH
5380	0.20	0.20	----	0.20/*0.20	0.20/*0.20	----	0.20	- 0.10	.0013	----	----	----	6	----	23	+
5385	----	----	----	---/0.10B/*0.30A	0.10B/*0.30A	----	0.20	- 0.10	.0013	----	----	----	----	----	18	UNCH
5390	----	----	----	---/*0.20A	0.10B/*0.20A	----	0.20	- 0.10	.0013	----	----	----	----	----	33	UNCH
5395	----	----	----	---/*0.20A	0.10B/*0.20A	----	0.20	- 0.10	.0012	----	----	----	----	----	27	UNCH
5400	----	----	----	---/*0.20A	0.20B/*0.20A	----	0.20	- 0.10	.0012	----	----	----	----	----	3386	UNCH
5405	----	----	----	---	0.20B/*0.30A	----	0.20	- 0.10	.0012	----	----	----	----	----	19	UNCH
5410	----	----	----	---	0.10B/*0.30A	----	0.20	- 0.10	.0012	----	----	----	----	----	23	UNCH
5415	----	----	----	---/*0.20A	0.10B/*0.20A	----	0.20	- 0.10	.0012	----	----	----	----	----	18	UNCH
5420	----	----	----	---/*0.20A	0.10B/*0.20A	----	0.20	- 0.10	.0012	----	----	----	----	----	44	UNCH
5425	----	----	----	---/*0.20A	0.10B/*0.20A	----	0.20	- 0.10	.0012	----	----	----	----	----	34	UNCH
5430	----	----	----	---/*0.20A	0.10B/*0.20A	----	0.20	- 0.10	.0012	----	----	----	----	----	21	UNCH
5435	----	----	----	---/*0.20A	0.10B/*0.20A	----	0.20	- 0.10	.0012	----	----	----	----	----	7	UNCH
5440	----	----	----	---	0.10B/*0.20A	----	0.20	UNCH	.0012	----	----	----	----	----	26	UNCH
5445	----	----	----	---	0.10B/*0.20A	----	0.20	UNCH	.0012	----	----	----	----	----	32	UNCH
5450	----	----	----	---	0.10B/*0.20A	----	0.20	UNCH	.0012	----	----	----	----	----	1160	UNCH
5455	----	----	----	---	0.10B/*0.20A	----	0.20	UNCH	.0012	----	----	----	----	----	36	UNCH
5460	----	----	----	---	0.10B/*0.20A	----	0.20	UNCH	.0012	----	----	----	----	----	27	UNCH
5465	----	----	----	---	0.10B/*0.20A	----	0.20	UNCH	.0012	----	----	----	----	----	35	UNCH
5470	----	----	----	---	0.10B/*0.20A	----	0.20	UNCH	.0012	----	----	----	----	----	28	UNCH
5475	----	----	----	---	0.10B/*0.20A	----	0.20	UNCH	.0012	----	----	----	----	----	207	UNCH
5480	----	----	----	---	0.10B/*0.20A	----	0.20	UNCH	.0012	----	----	----	----	----	5	UNCH
5485	----	----	----	---	0.10B/*0.20A	----	0.20	UNCH	.0012	----	----	----	----	----	16	UNCH
5490	----	----	----	---	0.10B/*0.20A	----	0.20	UNCH	.0							

BULLETIN #114@				METALS OPTION PRODUCTS										Tue, Jun 16, 2026				PG64
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL	COMEX GOLD OPTIONS																	
JUL26																		
5740	----	----	----	----	---/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	9	UNCH			
5750	----	----	----	----	---/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	1059	UNCH			
5760	----	----	----	----	---/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	168	UNCH			
5770	----	----	----	----	---/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	4	UNCH			
5775	----	----	----	----	---/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	215	UNCH			
5780	----	----	----	----	---/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	6	UNCH			
5790	----	----	----	----	---/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	9	UNCH			
5800	----	----	----	----	---/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	804	UNCH			
5810	----	----	----	----	---/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	11	UNCH			
5820	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	208	UNCH			
5825	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	19	UNCH			
5830	----	----	----	----	---/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	1	UNCH			
5840	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	103	UNCH			
5850	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	116	UNCH			
5860	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	208	UNCH			
5870	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	17	UNCH			
5875	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	27	UNCH			
5880	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	11	UNCH			
5890	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	9	UNCH			
5900	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	438	UNCH			
5910	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	6	UNCH			
5920	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	19	UNCH			
5925	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	15	UNCH			
5930	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	7	UNCH			
5940	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	4	UNCH			
5950	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	74	UNCH			
5960	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	21	UNCH			
5970	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	65	UNCH			
5980	----	----	----	----	---/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	3	UNCH			
5990	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	86	UNCH			
6000	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	2165	UNCH			
6025	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	44	UNCH			
6050	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	55	UNCH			
6075	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	755	UNCH			
6100	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	294	UNCH			
6125	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	70	UNCH			
6150	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	882	UNCH			
6175	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	37	UNCH			
6200	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	570	UNCH			
6225	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	20	UNCH			
6250	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	392	UNCH			
6275	----	----	----	----	---/0.20A	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH			
6300	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	336	UNCH			
6325	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	29	UNCH			
6350	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	21	UNCH			
6375	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	37	UNCH			
6400	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	111	UNCH			
6425	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	17	UNCH			
6450	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	48	UNCH			
6475	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	13	UNCH			
6500	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	667	UNCH			
6525	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	162	UNCH			
6550	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	11	UNCH			
6575	----	----	----	----	---/0.20A	----	----	0.10 UNCH	----	----	----	----	----	4	UNCH			
6600	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	27	UNCH			
6650	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	16	UNCH			
6675	----	----	----	----	---/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH			
6700	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	137	UNCH			
6775	----	----	----	----	---/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH			
6800	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	202	UNCH			
6825	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	19	UNCH			
6850	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	201	UNCH			
6875	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	22	UNCH			
6900	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	19	UNCH			
6925	----	----	----	----	---/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH			
6950	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	22	UNCH			
6975	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	10	UNCH			
7000	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	1470	UNCH			
7025	----	----	----	----	---/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH			
7050	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	18	UNCH			
7075	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	13	UNCH			
7100	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	28	UNCH			
7125	----	----	----	----	---/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH			
7150	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	20	UNCH			
7175	----	----	----	----	---/0.20A	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH			
7200	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH			
7225	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	22	UNCH			
7250	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	23	UNCH			
7275	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	14	UNCH			
7300	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	50	UNCH			
7350	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	8	UNCH			
7400	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH			
7425	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	19	UNCH			
7450	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	28	UNCH			
7475	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	9	UNCH			
7500	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	297	UNCH			
7525	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	34	UNCH			
7550	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	50	UNCH			
7575	----	----	----	----	---/0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH			
7600	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	10	UNCH			
7625	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	12	UNCH			
7700	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	11	UNCH			
7725	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	17	UNCH			
7750	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	11	UNCH			
7775	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	11	UNCH			
7800	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	10	UNCH			
7825	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	18	UNCH			
7875	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	166	UNCH			
7900	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	6	UNCH			
8000	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	1116	UNCH			
8100	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	7	UNCH			
8200	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH			
8300	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	4	UNCH			
8500	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	40	UNCH			
8600	----	----	----	----	---/0.20A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH			
8700	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	24	UNCH			
8800	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	7	UNCH			
9000	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	340	UNCH			
9200	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	11	UNCH			
9300	----	----	----	----	---/0.20A	----	----	0.10 UNCH	----	----	----	----	----	4	UNCH			
9400	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	141	UNCH			
9500	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	66	UNCH			
9900	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH			
10000	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	275	UNCH			
10100	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	----	12	UNCH			
10500	----	----	----</															

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
AUG26															
3650	----	----	----	728.40B/686.00A	728.40B/686.00A	----	----	709.30 + 2.70	.9649	----	----	----	----	4	UNCH
3660	----	----	----	718.70B/676.20A	718.70B/676.20A	----	----	699.50 + 2.60	.9633	----	----	----	----	25	UNCH
3685	----	----	----	694.20B/651.90A	694.20B/651.90A	----	----	675.20 + 2.60	.9599	----	----	----	----	1	UNCH
3700	----	----	----	679.60B/637.60A	679.60B/637.60A	----	----	660.60 + 2.50	.9577	----	----	----	----	40	UNCH
3715	----	----	----	665.00B/623.00A	665.00B/623.00A	----	----	646.00 + 2.40	.9554	----	----	----	----	30	UNCH
3720	----	----	----	660.90B/618.20A	660.90B/618.20A	----	----	641.20 + 2.50	.9543	----	----	----	----	1	UNCH
3735	----	----	----	645.60B/603.80A	645.60B/603.80A	----	----	626.70 + 2.40	.9520	----	----	----	----	1	UNCH
3750	----	----	----	631.50B/589.50A	631.50B/589.50A	----	----	612.20 + 2.30	.9488	----	----	----	----	8	UNCH
3775	----	----	----	607.50B/565.70A	607.50B/565.70A	----	----	588.20 + 2.20	.9438	----	----	----	----	4	UNCH
3780	----	----	----	602.90B/560.90A	602.90B/560.90A	----	----	583.40 + 2.20	.9427	----	----	----	----	37	UNCH
3790	----	----	----	593.30B/551.50A	593.30B/551.50A	----	----	573.80 + 2.10	.9405	----	----	----	----	67	UNCH
3800	----	----	----	583.50B/542.00A	583.50B/542.00A	----	----	564.30 + 2.10	.9382	----	----	----	----	303	UNCH
3820	----	----	----	564.70B/523.20A	564.70B/523.20A	----	----	545.20 + 1.90	.9330	----	----	----	----	3	UNCH
3840	----	----	----	544.80B/504.60A	544.80B/504.60A	----	----	526.30 + 1.80	.9275	----	----	----	----	1	UNCH
3850	----	----	----	535.40B/495.30A	535.40B/495.30A	----	----	516.80 + 1.70	.9248	----	----	----	----	12	UNCH
3885	----	----	----	502.80B/463.00A	502.80B/463.00A	----	----	484.00 + 1.40	.9136	----	----	----	----	2	UNCH
3890	----	----	----	497.90B/458.60A	497.90B/458.60A	----	----	479.40 + 1.40	.9116	----	----	----	----	2	UNCH
3900	----	----	----	488.80B/449.50A	488.80B/449.50A	----	----	470.10 + 1.30	.9080	----	----	----	----	149	UNCH
3920	----	----	----	470.00B/431.50A	470.00B/431.50A	----	----	451.60 + 1.00	.9002	----	----	----	----	1	UNCH
3925	----	----	----	465.60B/426.90A	465.60B/426.90A	----	----	447.00 + 1.00	.8982	----	----	----	----	10	UNCH
3950	----	----	----	442.30B/404.60A	442.30B/404.60A	----	----	424.20 + 0.70	.8874	----	----	----	----	106	UNCH
3955	----	----	----	438.10B/400.20A	438.10B/400.20A	----	----	419.70 + 0.60	.8853	----	----	----	----	7	UNCH
3975	----	----	----	420.10B/382.80A	420.10B/382.80A	----	----	401.70 + 0.40	.8754	----	----	----	----	200	UNCH
3995	----	----	----	401.70B/365.50A	401.70B/365.50A	----	----	383.90 + 0.10	.8650	----	----	----	----	30	UNCH
4000	----	----	----	397.90B/361.30A	397.90B/361.30A	----	----	379.40 UNCH	.8622	----	----	50	----	763	+
4005	----	----	----	393.20B/357.00A	393.20B/357.00A	----	----	375.00 - 0.10	.8596	----	----	----	----	12	UNCH
4015	----	----	----	384.40B/348.50A	384.40B/348.50A	----	----	366.30 - 0.20	.8538	----	----	----	----	12	UNCH
4025	----	----	----	375.20B/340.10A	375.20B/340.10A	----	----	357.50 - 0.40	.8477	----	----	----	----	174	UNCH
4045	----	----	----	358.20B/323.50A	358.20B/323.50A	----	----	340.30 - 0.70	.8349	----	----	----	----	30	UNCH
4050	----	----	----	353.90B/319.40A	353.90B/319.40A	----	----	336.00 - 0.80	.8317	----	----	----	----	101	UNCH
4055	----	----	----	349.60B/315.30A	349.60B/315.30A	----	----	331.80 - 0.90	.8281	----	----	----	----	100	UNCH
4065	----	----	----	341.00B/307.00A	341.00B/307.00A	----	----	323.30 - 1.10	.8212	----	----	----	----	2	UNCH
4070	----	----	----	336.60B/302.90A	336.60B/302.90A	----	----	319.10 - 1.20	.8175	----	----	----	----	11	UNCH
4075	----	----	----	332.20B/298.90A	332.20B/298.90A	----	----	315.00 - 1.20	.8139	----	----	----	----	4	UNCH
4080	----	----	----	328.40B/294.70A	328.40B/294.70A	----	----	310.80 - 1.30	.8103	----	----	----	----	2	UNCH
4085	----	----	----	324.00B/290.70A	324.00B/290.70A	----	----	306.70 - 1.40	.8064	----	----	----	----	4	UNCH
4090	----	----	----	320.10B/286.60A	320.10B/286.60A	----	----	302.50 - 1.60	.8027	----	----	----	----	6	UNCH
4095	----	----	----	315.60B/282.70A	315.60B/282.70A	----	----	298.40 - 1.70	.7987	----	----	----	----	15	UNCH
4100	----	----	----	311.60B/278.70A	311.60B/278.70A	----	----	294.40 - 1.70	.7947	----	----	----	----	455	UNCH
4105	----	----	----	307.70B/274.80A	307.70B/274.80A	----	----	290.30 - 1.80	.7908	----	----	----	----	12	UNCH
4110	----	----	----	303.80B/270.90A	303.80B/270.90A	----	----	286.30 - 1.90	.7865	----	----	----	----	35	UNCH
4115	----	----	----	299.50B/266.90A	299.50B/266.90A	----	----	282.30 - 1.90	.7823	----	----	----	----	10	UNCH
4120	----	----	----	295.40B/263.00A	295.40B/263.00A	----	----	278.30 - 2.00	.7780	----	----	----	----	22	UNCH
4125	----	----	----	291.50B/259.20A	291.50B/259.20A	----	----	274.30 - 2.20	.7738	----	----	----	----	452	UNCH
4130	----	----	----	287.50B/255.30A	287.50B/255.30A	----	----	270.40 - 2.20	.7695	----	----	----	----	7	UNCH
4135	----	----	----	283.50B/251.50A	283.50B/251.50A	----	----	266.40 - 2.40	.7649	----	----	----	----	21	UNCH
4140	----	----	----	279.80B/247.70A	279.80B/247.70A	----	----	262.50 - 2.50	.7604	----	----	----	----	3	UNCH
4145	----	----	----	275.80B/244.00A	275.80B/244.00A	----	----	258.70 - 2.50	.7558	----	----	----	----	1	UNCH
4150	----	----	----	271.90B/240.30A	271.90B/240.30A	----	----	254.80 - 2.70	.7512	----	----	50	----	793	+
4160	----	----	----	263.80B/232.90A	263.80B/232.90A	----	----	247.20 - 2.80	.7418	----	----	----	----	11	UNCH
4165	----	----	----	260.30B/229.20A	260.30B/229.20A	----	----	243.40 - 2.90	.7368	----	----	----	----	87	UNCH
4170	----	----	----	256.50B/225.60A	256.50B/225.60A	----	----	239.70 - 3.00	.7320	----	----	----	----	10	UNCH
4175	----	----	----	252.70B/222.00A	252.70B/222.00A	----	----	235.90 - 3.20	.7271	----	----	----	----	112	UNCH
4180	----	----	----	248.80B/218.40A	248.80B/218.40A	----	----	232.20 - 3.30	.7220	----	----	----	----	18	UNCH
4185	----	----	----	245.20B/214.90A	245.20B/214.90A	----	----	228.60 - 3.30	.7168	----	----	----	----	2	UNCH
4190	----	----	----	241.50B/211.40A	241.50B/211.40A	----	----	224.90 - 3.50	.7117	----	----	----	----	19	UNCH
4195	226.70	226.70	----	237.30B/207.90A	237.30B/207.90A	----	----	221.30 - 3.60	.7064	----	----	12	----	15	-
4200	207.50	207.50	----	234.10B/204.40A	234.10B/204.40A	----	----	217.70 - 3.70	.7011	----	----	4	----	622	+
4205	----	----	----	230.60B/201.10A	230.60B/201.10A	----	----	214.20 - 3.70	.6958	----	----	----	----	11	UNCH
4210	----	----	----	226.80B/197.60A	226.80B/197.60A	----	----	210.70 - 3.80	.6904	----	----	----	----	13	UNCH
4215	----	----	----	223.40B/194.30A	223.40B/194.30A	----	----	207.20 - 3.90	.6849	----	----	----	----	15	UNCH
4220	----	----	----	219.40B/191.00A	219.40B/191.00A	----	----	203.70 - 4.10	.6793	----	----	----	----	48	UNCH
4225	----	----	----	215.90B/187.70A	215.90B/187.70A	----	----	200.30 - 4.10	.6738	----	----	----	----	218	UNCH
4230	----	----	----	212.90B/184.50A	212.90B/184.50A	----	----	196.90 - 4.20	.6681	----	----	----	----	7	UNCH
4235	----	----	----	209.40B/181.20A	209.40B/181.20A	----	----	193.50 - 4.30	.6624	----	----	----	----	82	UNCH
4240	----	----	----	205.80B/178.10A	205.80B/178.10A	----	----	190.20 - 4.40	.6565	----	----	----	----	21	UNCH
4245	----	----	----	202.40B/174.80A	202.40B/174.80A	----	----	186.90 - 4.50	.6508	----	----	----	----	50	UNCH
4250	----	----	----	199.20B/171.80A	199.20B/171.80A	----	----	183.60 - 4.60	.6448	----	----	19	----	920	-
4255	----	----	----	195.90B/168.70A	195.90B/168.70A	----	----	180.40 - 4.70	.6390	----	----	----	----	3	UNCH
4260	173.30	173.30	----	192.60B/166.20A	192.60B/166.20A	----	----	177.20 - 4.80	.6330	----	----	1	----	4	+
4265	----	----	----	189.30B/163.20A	189.30B/163.20A	----	----	174.00 - 4.90	.6269	----	----	----	----	83	UNCH
4270	----	----	----	186.10B/160.20A	186.10B/160.20A	----	----	170.90 - 4.90	.6208	----	----	----	----	8	UNCH
4275	----	----	----	182.90B/157.30A	182.90B/157.30A	----	----	167.80 - 5.00	.6147	----	----	4	----	67	-
4280	----	----	----	179.70B/154.30A	179.70B/154.30A	----	----	164.80 - 5.00	.6086	----	----	1	----	261	UNCH
4285	----	----	----	176.40B/151.40A	176.40B/151.40A	----	----	161.70 - 5.20	.6023	----	----	7	----	27	+
4290	----	----	----	173.50B/148.60A	173.50B/148.60A	----	----	158.70 - 5.30	.5962	----	----	----	----	19	UNCH
4295	----	----	----	170.40B/145.80A	170.40B/145.80A	----	----	155.70 - 5.40	.5899	----	----	----	----	26	UNCH
4300	162.90	162.90	----	167.50B/142.80A	167.50B/142.80A	----	----	152.80 - 5.50	.5836	----	----	2	----	1654	+
4305	155.70	155.70	----	164.50B/140.20A	164.50B/140.20A	----	----	149.90 - 5.50	.5772	----	----	7	----	7	UNCH
4310	----	----	----	161.50B/137.60A	161.50B/137.60A	----	----	147.00 - 5.70	.5709	----	----	----	----	7	UNCH
4315	----	----	----	158.60B/134.90A	158.60B/134.90A	----	----	144.20 - 5.70	.5645	----	----	----	----	12	UNCH
4320	144.00	144.00	----	155.70B/132.20A	155.70B/132.20A	----	----	141.40 - 5.80	.5581	----	----	12	----	16	-
4325	141.00	141.00	----	152.80B/129.60A	152.80B/129.60A	----	----	138.60 - 5.90	.5517	----	----	6	----	60	+
4330	----	----	----	150.00B/126.90A	150.00B/126.90A	----	----	135.90 - 6.00	.5452	----	----	----	----	303	UNCH
4335	139.10	139.10	----	147.20B/124.50A	147.20B/124.50A	----	----	133.20 - 6.10	.5387	----	----	1	----	32	+
4340	----	----	----	144.40B/122.10A	144.40B/122.10A	----	----	130.50 - 6.20	.5322	----	----	3	----	20	UNCH
4345	----	----	----	141.70B/119.60A	141.70B/119.60A	----	----	127.90 - 6.30	.5257	----	----	----	----	5	UNCH
4350	128.60	128.60	----	139.00B/117.00A	139.00B/117.00A	----	----	125.30 - 6.30	.5192	----	----	24	----	1276	

PG64	BULLETIN #114@										METALS OPTION PRODUCTS										Tue, Jun 16, 2026				PG64																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
OG CALL	COMEX GOLD OPTIONS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
AUG26																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
AUG26																	
5285	----	----	----	/4.20A	4.70B/4.20A	----	----	----	4.40 - 0.60	.0261	----	----	----	----	31	UNCH	
5290	----	----	----	/4.20A	4.60B/4.20A	----	----	----	4.40 - 0.50	.0260	----	----	----	----	25	UNCH	
5295	----	----	----	/4.10A	4.60B/4.10A	----	----	----	4.30 - 0.60	.0255	----	----	----	----	11	UNCH	
5300	4.70	4.70	4.70	4.70/4.10A	4.70/4.10A	4.70/4.10A	4.70/4.10A	4.70/4.10A	4.30 - 0.50	.0254	----	----	11	----	1210	-	
5305	----	----	----	/4.00A	4.50B/4.00A	----	----	----	4.30 - 0.50	.0253	----	----	----	----	17	UNCH	
5310	----	----	----	/4.00A	4.50B/4.00A	----	----	----	4.20 - 0.50	.0248	----	----	----	----	105	UNCH	
5315	----	----	----	/4.00A	4.40B/4.00A	----	----	----	4.20 - 0.50	.0247	----	----	----	----	16	UNCH	
5320	----	----	----	/3.90A	4.40B/3.90A	----	----	----	4.10 - 0.50	.0242	----	----	----	----	23	UNCH	
5325	----	----	----	/3.90A	4.30B/3.90A	----	----	----	4.10 - 0.50	.0241	----	----	----	----	44	UNCH	
5330	----	----	----	/3.90A	4.30B/3.90A	----	----	----	4.10 - 0.40	.0240	----	----	----	----	22	UNCH	
5335	----	----	----	/3.80A	4.20B/3.80A	----	----	----	4.00 - 0.50	.0235	----	----	----	----	3	UNCH	
5340	----	----	----	/3.80A	4.20B/3.80A	----	----	----	4.00 - 0.50	.0234	----	----	----	----	1	UNCH	
5345	----	----	----	/3.80A	4.20B/3.80A	----	----	----	4.00 - 0.40	.0233	----	----	----	----	29	UNCH	
5350	----	----	----	/3.70A	4.10B/3.70A	----	----	----	3.90 - 0.50	.0228	----	----	----	----	8002	UNCH	
5355	----	----	----	/3.70A	4.10B/3.70A	----	----	----	3.90 - 0.40	.0227	----	----	----	----	1	UNCH	
5360	----	----	----	/3.70A	4.00B/3.70A	----	----	----	3.90 - 0.40	.0226	----	----	----	----	125	UNCH	
5365	----	----	----	/3.60A	4.00B/3.60A	----	----	----	3.80 - 0.50	.0221	----	----	----	----	65	UNCH	
5370	----	----	----	/3.60A	4.00B/3.60A	----	----	----	3.80 - 0.40	.0220	----	----	----	----	8010	UNCH	
5375	----	----	----	/3.60A	3.90B/3.60A	----	----	----	3.80 - 0.40	.0220	----	----	----	----	255	UNCH	
5380	----	----	----	/3.60A	3.90B/3.60A	----	----	----	3.70 - 0.40	.0215	----	----	----	----	44	UNCH	
5390	----	----	----	/3.50A	3.80B/3.50A	----	----	----	3.70 - 0.40	.0213	----	----	----	----	2	UNCH	
5395	----	----	----	/3.50A	3.80B/3.50A	----	----	----	3.60 - 0.40	.0208	----	----	----	22	10	UNCH	
5400	----	----	----	/3.40A	3.70B/3.40A	----	----	----	3.60 - 0.40	.0207	----	----	----	22	2537	-	
5405	----	----	----	/3.40A	3.70B/3.40A	----	----	----	3.60 - 0.40	.0207	----	----	----	----	10	UNCH	
5410	----	----	----	/3.40A	3.70B/3.40A	----	----	----	3.50 - 0.40	.0202	----	----	----	----	27	UNCH	
5415	----	----	----	/3.40A	3.60B/3.40A	----	----	----	3.50 - 0.40	.0201	----	----	----	----	1	UNCH	
5420	----	----	----	/3.30A	3.60B/3.30A	----	----	----	3.50 - 0.40	.0200	----	----	----	----	8	UNCH	
5425	----	----	----	/3.30A	3.60B/3.30A	----	----	----	3.50 - 0.30	.0200	----	----	----	----	23	UNCH	
5430	----	----	----	/3.30A	3.60B/3.30A	----	----	----	3.40 - 0.40	.0195	----	----	----	----	12	UNCH	
5435	----	----	----	/3.30A	3.60B/3.30A	----	----	----	3.40 - 0.40	.0194	----	----	----	----	51	UNCH	
5440	----	----	----	/3.30A	3.50B/3.30A	----	----	----	3.40 - 0.40	.0193	----	----	----	----	106	UNCH	
5445	----	----	----	/3.20A	3.50B/3.20A	----	----	----	3.30 - 0.40	.0188	----	----	----	----	17	UNCH	
5450	----	----	----	/3.20A	3.50B/3.20A	----	----	----	3.30 - 0.40	.0188	----	----	----	----	221	UNCH	
5455	----	----	----	/3.20A	3.40B/3.20A	----	----	----	3.30 - 0.40	.0187	----	----	----	----	20	UNCH	
5460	----	----	----	/3.20A	3.40B/3.20A	----	----	----	3.30 - 0.30	.0187	----	----	----	----	12	UNCH	
5465	----	----	----	/3.20A	3.40B/3.20A	----	----	----	3.20 - 0.40	.0182	----	----	----	----	42	UNCH	
5470	----	----	----	/3.20A	3.30B/3.20A	----	----	----	3.20 - 0.40	.0181	----	----	----	----	14	UNCH	
5475	----	----	----	/3.20A	3.30B/3.20A	----	----	----	3.20 - 0.40	.0181	----	----	----	----	6	UNCH	
5480	----	----	----	/3.10A	3.30B/3.10A	----	----	----	3.20 - 0.30	.0180	----	----	----	----	14	UNCH	
5485	----	----	----	/3.10A	3.30B/3.10A	----	----	----	3.10 - 0.40	.0175	----	----	----	----	19	UNCH	
5490	----	----	----	/3.10A	3.30B/3.10A	----	----	----	3.10 - 0.40	.0175	----	----	----	----	2	UNCH	
5495	----	----	----	/3.10A	3.20B/3.10A	----	----	----	3.10 - 0.40	.0174	----	----	----	----	19	UNCH	
5500	3.30	3.30	3.30	3.30/3.10A	3.30/3.10A	3.30/3.10A	3.30/3.10A	3.30/3.10A	3.10 - 0.30	.0174	----	----	149	----	2940	-	
5505	----	----	----	/3.00A	3.20B/3.00A	----	----	----	3.00 - 0.40	.0169	----	----	----	----	14	UNCH	
5510	----	----	----	/3.00A	3.10B/3.00A	----	----	----	3.00 - 0.40	.0168	----	----	----	----	9	UNCH	
5515	3.00	3.00	3.00	3.00/3.00	3.10B/3.00	3.10B/3.00	3.10B/3.00	3.10B/3.00	3.00 - 0.40	.0168	----	----	1	----	46	UNCH	
5520	----	----	----	/3.00A	3.10B/3.00A	----	----	----	3.00 - 0.30	.0167	----	----	----	----	5	UNCH	
5525	----	----	----	/3.00A	3.10B/3.00A	----	----	----	3.00 - 0.30	.0167	----	----	----	----	2236	UNCH	
5530	----	----	----	/2.90A	3.10B/2.90A	----	----	----	2.90 - 0.40	.0162	----	----	----	----	2	UNCH	
5535	----	----	----	/2.90A	3.10B/2.90A	----	----	----	2.90 - 0.40	.0161	----	----	----	----	12	UNCH	
5540	----	----	----	/2.90A	3.00B/2.90A	----	----	----	2.90 - 0.30	.0161	----	----	----	----	9	UNCH	
5545	----	----	----	/2.90A	3.00B/2.90A	----	----	----	2.90 - 0.30	.0161	----	----	----	----	43	UNCH	
5550	----	----	----	/2.90A	3.00B/2.90A	----	----	----	2.80 - 0.40	.0156	----	----	3	----	127	-	
5555	----	----	----	/2.90A	2.90B/2.90A	----	----	----	2.80 - 0.40	.0155	----	----	----	----	1	UNCH	
5560	----	----	----	/2.80A	2.90B/2.80A	----	----	----	2.80 - 0.40	.0155	----	----	----	----	3	UNCH	
5565	----	----	----	/2.80A	2.90B/2.80A	----	----	----	2.80 - 0.30	.0154	----	----	----	----	45	UNCH	
5570	----	----	----	/2.80A	2.80B/2.80A	----	----	----	2.80 - 0.30	.0154	----	----	----	----	20	UNCH	
5575	----	----	----	/2.80A	2.80B/2.80A	----	----	----	2.70 - 0.40	.0149	----	----	----	----	4	UNCH	
5580	----	----	----	/2.80A	2.80B/2.80A	----	----	----	2.70 - 0.40	.0149	----	----	----	----	56	UNCH	
5590	----	----	----	/2.70A	2.80B/2.70A	----	----	----	2.70 - 0.30	.0148	----	----	----	----	2	UNCH	
5595	----	----	----	/2.70A	2.70B/2.70A	----	----	----	2.70 - 0.30	.0148	----	----	----	----	32	UNCH	
5600	2.50	2.50	2.50	2.50/2.50	2.70B/2.50	2.70B/2.50	2.70B/2.50	2.70B/2.50	2.70 - 0.30	.0147	----	----	2	----	1097	UNCH	
5605	----	----	----	/2.70A	2.70B/2.70A	----	----	----	2.60 - 0.40	.0142	----	----	----	----	12	UNCH	
5610	----	----	----	/2.70A	2.70B/2.70A	----	----	----	2.60 - 0.40	.0142	----	----	----	----	47	UNCH	
5615	----	----	----	/2.70A	2.70B/2.70A	----	----	----	2.60 - 0.30	.0142	----	----	----	----	3	UNCH	
5620	----	----	----	/2.60A	2.70B/2.60A	----	----	----	2.60 - 0.30	.0141	----	----	----	----	33	UNCH	
5625	----	----	----	/2.60A	2.60B/2.60A	----	----	----	2.60 - 0.30	.0141	----	----	----	----	6	UNCH	
5630	----	----	----	/2.60A	2.60B/2.60A	----	----	----	2.60 - 0.30	.0141	----	----	----	----	18	UNCH	
5635	----	----	----	/2.60A	2.60B/2.60A	----	----	----	2.50 - 0.40	.0136	----	----	----	----	2	UNCH	
5640	----	----	----	/2.60A	2.60B/2.60A	----	----	----	2.50 - 0.40	.0136	----	----	----	----	9	UNCH	
5650	----	----	----	/2.60A	2.60B/2.60A	----	----	----	2.50 - 0.30	.0135	----	----	----	----	600	UNCH	
5660	----	----	----	/2.50A	2.50B/2.50A	----	----	----	2.50 - 0.30	.0134	----	----	----	----	33	UNCH	
5670	----	----	----	/2.50A	2.50B/2.50A	----	----	----	2.40 - 0.40	.0129	----	----	----	----	10	UNCH	
56																	

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
SEP26	----	----														
4240	----	----		262.60B/235.50A	262.60B/235.50A	----	----		248.00 - 3.20	.6532	----	----	----	----	12	UNCH
4250	----	----		256.10B/229.30A	256.10B/229.30A	----	----		241.50 - 3.40	.6444	----	----	10	----	12	- 10
4255	----	----		252.60B/226.30A	252.60B/226.30A	----	----		238.40 - 3.40	.6399	----	----	----	----	1	UNCH
4260	----	----		249.40B/223.70A	249.40B/223.70A	----	----		235.20 - 3.50	.6355	----	----	----	----	32	UNCH
4265	----	----		246.20B/220.70A	246.20B/220.70A	----	----		232.10 - 3.50	.6309	----	----	----	----	11	UNCH
4270	----	----		243.20B/217.90A	243.20B/217.90A	----	----		229.00 - 3.60	.6264	----	----	----	----	2	UNCH
4275	----	----		239.90B/214.90A	239.90B/214.90A	----	----		225.90 - 3.60	.6218	----	----	----	----	1	UNCH
4280	----	----		237.00B/211.80A	237.00B/211.80A	----	----		222.90 - 3.70	.6173	----	----	----	----	1	UNCH
4285	----	----		233.70B/208.80A	233.70B/208.80A	----	----		219.90 - 3.70	.6127	----	----	----	----	5	UNCH
4290	----	----		230.80B/206.00A	230.80B/206.00A	----	----		216.90 - 3.70	.6081	----	----	----	----	51	UNCH
4295	----	----		227.60B/203.00A	227.60B/203.00A	----	----		213.90 - 3.80	.6034	----	----	----	----	2	UNCH
4300	213.60		213.60	224.80B/200.10A	224.80B/200.10A	----	----		211.00 - 3.80	.5988	----	5	----	----	135	+ 3
4310				218.90B/194.50A	218.90B/194.50A	----	----		205.20 - 3.90	.5894	----	----	----	----	2	UNCH
4315	206.30		206.30	216.10B/191.90A	216.10B/191.90A	----	----		202.30 - 4.00	.5847	----	2	----	----	42	+ 2
4320				213.10B/189.10A	213.10B/189.10A	----	----		199.50 - 4.00	.5800	----	----	----	----	162	UNCH
4325	----	----		210.10B/186.40A	210.10B/186.40A	----	----		196.70 - 4.10	.5752	----	----	----	----	50	UNCH
4330	----	----		207.40B/183.70A	207.40B/183.70A	----	----		193.90 - 4.20	.5705	----	----	----	----	4	UNCH
4340	----	----		201.80B/178.40A	201.80B/178.40A	----	----		188.40 - 4.30	.5609	----	----	----	----	1	UNCH
4345	----	----		199.00B/175.80A	199.00B/175.80A	----	----		185.70 - 4.30	.5561	----	----	----	----	2	UNCH
4350	----	----		196.20B/173.30A	196.20B/173.30A	----	----		183.00 - 4.40	.5513	----	42	----	----	157	+ 40
4355	----	----		193.50B/170.60A	193.50B/170.60A	----	----		180.40 - 4.40	.5465	----	----	1	----	1	UNCH
4360	----	----		190.80B/168.20A	190.80B/168.20A	----	----		177.70 - 4.50	.5417	----	----	----	----	24	UNCH
4365	167.20		167.20	188.10B/165.60A	188.10B/165.60A	----	----		175.10 - 4.60	.5369	----	1	----	----	8	+ 1
4370	----	----		185.50B/163.40A	185.50B/163.40A	----	----		172.60 - 4.60	.5320	----	----	----	----	2	UNCH
4375	----	----		182.80B/160.90A	182.80B/160.90A	----	----		170.00 - 4.70	.5272	----	----	----	----	7	UNCH
4380	----	----		180.20B/158.50A	180.20B/158.50A	----	----		167.50 - 4.70	.5223	----	----	----	----	3	UNCH
4385	----	----		177.60B/156.00A	177.60B/156.00A	----	----		165.00 - 4.80	.5175	----	----	----	----	3	UNCH
4390	----	----		175.20B/153.60A	175.20B/153.60A	----	----		162.60 - 4.80	.5127	----	4	----	----	217	+ 3
4395	----	----		172.60B/151.30A	172.60B/151.30A	----	----		160.20 - 4.80	.5078	----	40	----	----	54	+ 40
4400	168.60		168.60	170.10B/149.00A	170.10B/149.00A	----	----		157.80 - 4.80	.5030	----	2	----	----	187	+ 2
4410	145.90		145.90	165.20B/144.50A	165.20B/144.50A	----	----		153.00 - 5.00	.4933	----	3	----	----	43	+ 2
4415	154.10		154.10	162.80B/142.50A	162.80B/142.50A	----	----		150.70 - 5.00	.4885	----	20	----	----	78	+ 20
4420	----	----		160.40B/140.30A	160.40B/140.30A	----	----		148.40 - 5.10	.4836	----	----	----	----	8	UNCH
4425	144.10		144.10	158.00B/138.10A	158.00B/138.10A	----	----		146.20 - 5.00	.4788	----	7	----	----	33	+ 7
4430	----	----		155.70B/136.00A	155.70B/136.00A	----	----		143.90 - 5.10	.4740	----	----	----	----	2	UNCH
4435	----	----		153.40B/133.70A	153.40B/133.70A	----	----		141.70 - 5.20	.4692	----	----	----	----	2	UNCH
4440	----	----		151.10B/131.70A	151.10B/131.70A	----	----		139.50 - 5.20	.4644	----	----	----	----	9	UNCH
4445	----	----		148.80B/129.60A	148.80B/129.60A	----	----		137.40 - 5.20	.4596	----	----	----	----	3	UNCH
4450	----	----		146.60B/127.60A	146.60B/127.60A	----	----		135.20 - 5.30	.4548	----	10	----	----	18	UNCH
4460	----	----		142.20B/123.60A	142.20B/123.60A	----	----		131.10 - 5.30	.4454	----	----	----	----	3	UNCH
4465	----	----		140.00B/121.70A	140.00B/121.70A	----	----		129.00 - 5.40	.4406	----	----	----	----	10	UNCH
4475	----	----		135.90B/117.90A	135.90B/117.90A	----	----		125.00 - 5.40	.4312	----	----	----	----	39	UNCH
4480	----	----		133.90B/116.00A	133.90B/116.00A	----	----		123.00 - 5.50	.4265	----	----	----	----	2	UNCH
4485	----	----		131.80B/114.20A	131.80B/114.20A	----	----		121.10 - 5.40	.4218	----	----	----	----	2	UNCH
4490	----	----		129.80B/112.40A	129.80B/112.40A	----	----		119.10 - 5.50	.4171	----	----	----	----	40	UNCH
4495	----	----		127.80B/110.60A	127.80B/110.60A	----	----		117.20 - 5.60	.4125	----	----	----	----	108	UNCH
4500	119.90		119.90	125.80B/109.00A	125.80B/109.00A	----	----		115.40 - 5.50	.4079	----	22	----	----	413	+ 11
4505	118.50		118.50	123.90B/107.10A	123.90B/107.10A	----	----		113.50 - 5.60	.4033	----	2	----	----	24	UNCH
4510	117.30		117.30	122.00B/105.40A	122.00B/105.40A	----	----		111.70 - 5.60	.3987	----	2	----	----	3	UNCH
4515	----	----		120.10B/103.70A	120.10B/103.70A	----	----		109.90 - 5.60	.3942	----	----	----	----	3	UNCH
4520	----	----		118.30B/101.90A	118.30B/101.90A	----	----		108.20 - 5.60	.3897	----	----	----	----	49	UNCH
4525	----	----		116.40B/100.30A	116.40B/100.30A	----	----		106.40 - 5.60	.3852	----	----	----	----	14	UNCH
4530	----	----		114.60B/98.70A	114.60B/98.70A	----	----		104.70 - 5.60	.3807	----	----	----	----	17	UNCH
4535	----	----		112.80B/97.20A	112.80B/97.20A	----	----		103.00 - 5.60	.3763	----	----	----	----	114	UNCH
4540	----	----		111.10B/95.60A	111.10B/95.60A	----	----		101.30 - 5.70	.3718	----	----	----	----	7	UNCH
4545	----	----		109.30B/94.00A	109.30B/94.00A	----	----		99.70 - 5.60	.3674	----	----	----	----	61	UNCH
4550	----	----		107.60B/92.50A	107.60B/92.50A	----	----		98.10 - 5.60	.3631	----	1	----	----	278	UNCH
4555	----	----		105.90B/91.00A	105.90B/91.00A	----	----		96.50 - 5.60	.3588	----	----	----	----	100	UNCH
4560	----	----		104.20B/89.50A	104.20B/89.50A	----	----		94.90 - 5.70	.3544	----	----	----	----	32	UNCH
4565	----	----		102.60B/88.00A	102.60B/88.00A	----	----		93.40 - 5.60	.3502	----	----	----	----	20	UNCH
4570	----	----		101.00B/86.60A	101.00B/86.60A	----	----		91.80 - 5.70	.3459	----	----	----	----	19	UNCH
4575	92.70		92.70	99.40B/85.20A	99.40B/85.20A	----	----		90.30 - 5.70	.3416	----	7	----	----	67	- 2
4580	----	----		97.80B/83.80A	97.80B/83.80A	----	----		88.90 - 5.60	.3375	----	----	----	----	5	UNCH
4585	86.80		86.80	96.20B/82.40A	96.20B/82.40A	----	----		87.40 - 5.60	.3333	----	7	----	----	30	- 2
4590	----	----		94.70B/81												

BULLETIN #114@				METALS OPTION PRODUCTS										Tue, Jun 16, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG CALL	COMEX GOLD OPTIONS																	
SEP26																		
4965	----	----	29.00B/24.60A	29.00B/24.60A	----	25.90 - 2.80	.1201	----	----	----	----	40						
4970	----	----	28.60B/24.30A	28.60B/24.30A	----	25.50 - 2.80	.1184	----	----	----	----	53						
4975	----	----	28.10B/23.90A	28.10B/23.90A	----	25.10 - 2.80	.1168	----	----	----	----	332						
4980	24.90	24.90	27.70B/23.60A	27.70B/23.60A	----	24.80 - 2.70	.1154	----	----	----	----	11						
4985			27.30B/23.30A	27.30B/23.30A	----	24.40 - 2.70	.1137	----	----	12	----	12 +						
4995			26.50B/22.60A	26.50B/22.60A	----	23.70 - 2.60	.1107	----	----	----	----	2						
5000	24.20	24.20	26.20B/22.30A	26.20B/22.30A	----	23.40 - 2.60	.1094	----	----	31	----	1095 -						
5005	----	----	25.80B/22.00A	25.80B/22.00A	----	23.10 - 2.50	.1080	----	----	----	----	3						
5010	----	----	25.40B/21.70A	25.40B/21.70A	----	22.70 - 2.50	.1064	----	----	----	----	10						
5015	----	----	25.00B/21.40A	25.00B/21.40A	----	22.40 - 2.50	.1051	----	----	----	----	4						
5020	21.50	21.50	24.70B/21.10A	24.70B/21.10A	----	22.10 NEW	.1037	----	----	3	----	3 +						
5030	22.20	22.20	24.00B/20.50A	24.00B/20.50A	----	21.50 - 2.40	.1011	----	----	1	----	9						
5040	----	----	23.30B/20.00A	23.30B/20.00A	----	20.90 - 2.30	.0985	----	----	----	----	3						
5045	----	----	23.00B/19.70A	23.00B/19.70A	----	20.70 - 2.20	.0975	----	----	----	----	3						
5050	----	----	22.70B/19.40A	22.70B/19.40A	----	20.40 - 2.20	.0962	----	----	----	----	405						
5055	----	----	22.40B/19.20A	22.40B/19.20A	----	20.10 - 2.20	.0949	----	----	----	----	6						
5060	21.60	21.60	22.10B/19.00A	22.10B/19.00A	----	19.80 - 2.20	.0936	----	----	46	----	55 +						
5070	----	----	21.50B/18.50A	21.50B/18.50A	----	19.30 - 2.10	.0913	----	----	----	----	8						
5075	----	----	----/18.20A	21.20B/18.20A	----	19.10 - 2.10	.0903	----	----	----	----	4						
5080	----	----	----/18.00A	20.90B/18.00A	----	18.80 - 2.10	.0890	----	----	----	----	14						
5085	----	----	----/17.80A	20.60B/17.80A	----	18.60 - 2.00	.0881	----	----	----	----	8						
5090	----	----	----/17.50A	20.30B/17.50A	----	18.30 - 2.00	.0868	----	----	----	----	3						
5095	----	----	----/17.30A	20.10B/17.30A	----	18.10 - 2.00	.0858	----	----	----	----	16						
5100	----	----	----/17.10A	19.80B/17.10A	----	17.90 - 1.90	.0849	----	----	----	----	431						
5105	----	----	----/16.90A	19.50B/16.90A	----	17.60 - 2.00	.0836	----	----	----	----	5						
5110	----	----	----/16.70A	19.30B/16.70A	----	17.40 - 1.90	.0827	----	----	----	----	7						
5115	----	----	----/16.50A	19.00B/16.50A	----	17.20 - 1.90	.0817	----	----	----	----	11						
5120	----	----	----/16.20A	18.80B/16.20A	----	17.00 - 1.80	.0808	----	----	----	----	6						
5130	----	----	----/15.80A	18.30B/15.80A	----	16.60 - 1.80	.0789	----	----	----	----	4						
5135	----	----	----/15.70A	18.00B/15.70A	----	16.40 - 1.70	.0780	----	----	----	----	17						
5140	----	----	----/15.50A	17.80B/15.50A	----	16.20 - 1.70	.0770	----	----	----	----	4						
5145	----	----	----/15.30A	17.60B/15.30A	----	16.00 - 1.70	.0761	----	----	----	----	2						
5150	----	----	----/15.10A	17.40B/15.10A	----	15.80 - 1.70	.0752	----	----	----	----	362						
5155	----	----	----/14.90A	17.10B/14.90A	----	15.60 - 1.70	.0743	----	----	----	----	2						
5160	----	----	----/14.80A	16.90B/14.80A	----	15.40 - 1.60	.0734	----	----	----	----	22						
5165	----	----	----/14.60A	16.70B/14.60A	----	15.20 - 1.60	.0724	----	----	----	----	24						
5170	----	----	----/14.40A	16.50B/14.40A	----	15.00 - 1.60	.0715	----	----	----	----	9						
5175	16.20	16.20	16.20/14.20A	16.30B/14.20A	----	14.90 - 1.50	.0710	----	1	----	----	16 +						
5180	----	----	----/14.10A	16.10B/14.10A	----	14.70 - 1.50	.0701	----	----	----	----	9						
5185	----	----	----/13.90A	15.90B/13.90A	----	14.50 - 1.50	.0692	----	----	----	----	5						
5190	13.90	13.90	15.00/13.80A	15.70B/13.80A	----	14.30 - 1.60	.0683	----	17	----	----	10000						
5195	----	----	----/13.60A	15.50B/13.60A	----	14.20 - 1.50	.0677	----	----	----	----	50						
5200	14.50	14.50	14.50/13.40A	15.30B/13.40A	----	14.00 - 1.50	.0668	----	13	----	----	10069 +						
5205	15.00	15.00	15.00/13.30A	15.20B/13.30A	----	13.90 - 1.40	.0662	----	1	----	----	4 +						
5215	----	----	----/13.00A	14.80B/13.00A	----	13.50 - 1.50	.0645	----	----	----	----	10						
5230	----	----	----/12.60A	14.30B/12.60A	----	13.10 - 1.40	.0625	----	----	----	----	404						
5235	----	----	----/12.50A	14.10B/12.50A	----	13.00 - 1.30	.0619	----	----	----	----	1						
5240	13.20	13.20	13.20/12.30A	13.90B/12.30A	----	12.80 - 1.30	.0611	----	1	----	----	3 +						
5245	----	----	----/12.20A	13.80B/12.20A	----	12.70 - 1.30	.0605	----	----	----	----	24						
5250	13.50	13.50	13.50/12.10A	13.60B/12.10A	----	12.50 - 1.30	.0597	----	2	----	----	650						
5255	12.90	12.90	12.90/11.90A	13.40B/11.90A	----	12.40 - 1.30	.0591	----	4	----	----	8 +						
5265	12.80	12.80	12.80/11.70A	13.20B/11.70A	----	12.20 - 1.20	.0581	----	23	----	----	24 +						
5270	----	----	----/11.60A	13.00B/11.60A	----	12.00 - 1.20	.0572	----	----	----	----	7						
5275	12.20	12.20	12.20/11.40A	12.90B/11.40A	----	11.90 - 1.20	.0567	----	1	----	----	206 +						
5280	12.20	12.20	12.20/11.30A	12.70B/11.30A	----	11.80 NEW	.0562	----	4	----	----	4 +						
5290	----	----	----/11.10A	12.50B/11.10A	----	11.50 - 1.20	.0548	----	----	----	----	9						
5295	----	----	----/11.00A	12.30B/11.00A	----	11.40 - 1.10	.0543	----	----	----	----	10						
5300	11.00	11.00	11.00/10.90A	12.20B/10.90A	----	11.30 - 1.10	.0538	----	1	----	----	1214						
5305	----	----	----/10.80A	12.00B/10.80A	----	11.20 - 1.10	.0533	----	----	----	----	11						
5310	----	----	----/10.70A	11.90B/10.70A	----	11.10 - 1.10	.0528	----	----	----	----	7						
5315	11.20	11.20	11.20/10.60A	11.80B/10.60A	----	11.00 - 1.00	.0523	----	6	----	----	7 +						
5320	11.20	11.20	11.20/10.50A	11.60B/10.50A	----	10.90 - 1.00	.0517	----	20	----	----	25 +						
5325	----	----	----/10.40A	11.50B/10.40A	----	10.80 - 1.00	.0512	----	----	----	----	4						
5330	----	----	----/10.30A	11.40B/10.30A	----	10.70 - 1.00	.0507	----	----	----	----	20						
5335	----	----	----/10.20A	11.30B/10.20A	----	10.60 - 1.00	.0503	----	----	----	----	4						
5340	----	----	----/10.10A	11.20B/10.10A	----	10.50 - 0.90	.0498	----	----	----	----	8						
5350	----	----	----/9.90A	10.90B/9.90A	----	10.30 - 0.90	.0488	----	----	----	----	317						
5355	----	----	----/9.80A	10.80B/9.80A	----	10.20 - 0.90	.0483	----	----	----	----	24						
5360	----	----	----/9.70A	10.70B/9.70A	----	10.10 - 0.90	.0478	----	----	----	----	6						
5365	----	----	----/9.60A	10.60B/9.60A	----	10.00 - 0.90	.0473	----	----	----	----	22						
5370	----	----	----/9.60A	10.50B/9.60A	----	9.90 - 0.90	.0468	----	----	----	----	19						
5375	9.90	9.90	9.90/9.50A	10.40B/9.50A	----	9.80 - 0.90	.0463	----	1	----	----	15 +						
5380	----	----	----/9.40A	10.30B/9.40A	----	9.70 - 0.90	.0459	----	----	13	----	16						
5385	9.50	9.50	9.50/9.30A	10.20B/9.30A	----	9.60 NEW	.0454	----	----	----	----	13 +						
5395	----	----	----/9.20A	10.00B/9.20A	----	9.50 - 0.80	.0448	----	----	----	----	4						
5400	9.80	9.80	10.20/9.10A	10.20/9.10A	----	9.40 - 0.80	.0443	----	7	----	----	2311 +						
5405	9.50	9.50	9.50/9.00A	9.80B/9.00A	----	9.30 - 0.80	.0438	----	1	----	----	19 +						
5420	9.30	9.30	9.30/8.80A	9.60B/8.80A	----	9.10 - 0.70	.0428	----	1	----	----	86						
5425	----	----	----/8.70A	9.50B/8.70A	----	9.00 - 0.80	.0423	----	----	----	----	50						
5430	----	----	----/8.60A	9.40B/8.60A	----	8.90 - 0.80	.0418	----	----	----	----	3						
5435	----	----	----/8.60A	9.30B/8.60A	----	8.80 - 0.80	.0414	----	----	----	----	6						
5440	8.90	8.90	8.90/8.50A	9.20B/8.50A	----	8.70 - 0.70	.0413	----	1	----	----	15						
5450	----	----	----/8.40A	9.10B/8.40A	----	8.60 - 0.70	.0403	----	----	----	----	29						
5455	8.70	8.70	8.70/8.30A	9.00B/8.30A	----	8.50 - 0.80	.0399	----	1	----	----	39						
5460	----	----	----/8.20A	8.90B/8.20A	----	8.50 - 0.70	.0398	----	----	----	----	2						
5465	8.60	8.60	8.60/8.20A	8.80B/8.20A	----	8.40 NEW	.0393	----	1	----	----	1 +						
5470	8.50	8.50	8.50/8.10A	8.80B/8.10A	----	8.30 - 0.70	.0389	----	1	----	----	4 +						
5475	8.40	8.40	8.40/8.10A	8.70B/8.10A	----	8.30 - 0.60	.0388	----	5	----	----	26 -						
5480	----	----	----/8.00A	8.60B/8.00A	----	8.20 - 0.70	.0383	----	----	----	----	3						
5490	----	----	----/7.90A	8.50B/7.90A	----	8.10 - 0.60	.0377	----	----	----	----	1						
5500	8.10	8.10	8.10/7.80A	8.30B/7.80A	----	8.00 - 0.60	.0372	----	16	----	----	2850						
5505	----	----	----/7.70A	8.30B/7.70A	----	7.90 - 0.60	.0368	----	----	----	----	5						
5510	----	----	----/7.60A	8.20B/7.60A	----	7.80 - 0.70	.0363	----	----	----	----	1						
5515	7.90	7.90	7.90/7.60A	8.10B/7.60A	----	7.80 - 0.60	.0362	----	1	----	----	4						
5520	----	----	----/7.50A	8.10B/7.50A	----	7.70 - 0.60	.0358	----	----	----	----	1						
5525	----	----	----/7.50A	8.00B/7.50A	----	7.70 - 0.60	.0357	----	----	----	----	7						
5530	7.80	7.80	7.80/7.40A	7.90B/7.40A	----	7.60 - 0.60	.0352	----	1	----	----	8						
5535	----	----	----/7.40A	7.90B/7.40A	----	7.60 - 0.50	.0351	----	----	----	----	1						
5540	----	----	----/7.30A	7.80B/7.30A	----	7.50 - 0.60	.0347	----	----	----	----	19						
5550	----	----	----/7.20A	7.70B/7.20A	----	7.40 - 0.50	.0342	----	----	----	----	47						
5555	----	----	----/7.20A	7.60B/7.20A	----	7.30 - 0.60	.0338	----	----	----	----	5						
5560	----	----	----/7.10A	7.60B/7.10A	----	7.30 - 0.50	.0337	----	----	----	----	2						
5570	----	----	----/7.00A	7.50B/7.00A	----	7.20 - 0.50	.0331	----	----	----	----	1						
5575	----	----	----/7.00A	7.40B/7.00A	----	7.10 - 0.60	.0327	----	----	----	----	5						
5590	----	----	----/6.80A	7.20B/6.80A	----	7.00 - 0.50	.0321	----	----	----	----	26						
5595	----	----	----/6.80A	7.20B/6.80A	----	7.00 - 0.40	.0320	----	----	----								

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS																
SEP26																		
5950	----	----		----/4.60A	4.70B/4.60A	----			4.80 - 0.20	.0205	----	----	----	----	----		52	UNCH
6000	----	----		----/4.50A	4.50B/4.50A	----			4.60 - 0.30	.0194	----	----	----	75	----		1357	+
6050	----	----		----/4.30A	4.30B/4.30A	----			4.40 - 0.20	.0184	----	----	----	----	----		6	UNCH
6075	----	----		----/4.30A	4.20B/4.30A	----			4.30 - 0.20	.0179	----	----	----	----	----		3	UNCH
6100	----	----		----/4.20A	4.10B/4.20A	----			4.10 - 0.20	.0171	----	----	----	----	----		180	UNCH
6200	4.10	4.10		4.10/3.90A	4.10/3.90A	----			3.80 - 0.30	.0156	----	----	1	----	----		253	UNCH
6250	3.90	3.90		3.90/3.70A	3.90/3.70A	----			3.70 - 0.20	.0150	----	----	3	----	----		13	+
6300	----	----		----/3.60A	3.60B/3.60A	----			3.60 - 0.20	.0144	----	----	----	----	----		167	UNCH
6400	----	----		----/3.30A	3.40B/3.30A	----			3.40 - 0.20	.0134	----	----	2	----	----		228	UNCH
6500	----	----		----/3.10A	3.20B/3.10A	----			3.20 - 0.20	.0124	----	----	----	----	----		548	UNCH
6550	----	----		----/3.10A	3.10B/3.10A	----			3.20 - 0.10	.0122	----	----	----	----	----		3	UNCH
6600	2.90	2.90		2.90/*2.90	3.00B/*2.90	----			3.00 - 0.20	.0114	----	----	1	----	----		50	+
6650	----	----		----	3.00B/3.10A	----			2.90 - 0.20	.0109	----	----	----	----	----		8	UNCH
6700	----	----		----/3.00A	2.90B/3.00A	----			2.90 - 0.20	.0108	----	----	----	----	----		1	UNCH
6750	----	----		----	2.80B/3.00A	----			2.80 - 0.10	.0104	----	----	----	----	----		11	UNCH
6775	----	----		----	2.80B/2.90A	----			2.80 - 0.10	.0103	----	----	----	----	----		100	UNCH
6800	----	----		----	2.70B/2.90A	----			2.80 - 0.10	.0102	----	----	----	----	----		170	UNCH
7000	----	----		----/*2.60A	2.50B/2.60A	----			2.50 - 0.20	.0089	----	----	----	----	----		247	UNCH
8000	----	----		----	1.60B/1.80A	----			1.60 - 0.10	.0051	----	----	----	3	----		310	UNCH
TOTAL														923	50		53245	+
OCT26																		
3600	----	----		818.40B/779.20A	818.40B/779.20A	----			800.60 + 2.70	.9285	----	----	----	----	----		12	UNCH
3900	----	----		547.00B/513.40A	547.00B/513.40A	----			530.80 + 0.70	.8390	----	----	----	----	----		40	UNCH
4000	----	----		464.20B/433.00A	464.20B/433.00A	----			448.60 - 0.30	.7912	----	----	----	----	----		1	UNCH
4085	----	----		398.30B/369.20A	398.30B/369.20A	----			383.40 - 1.10	.7424	----	----	----	----	----		1	UNCH
4100	----	----		387.10B/358.40A	387.10B/358.40A	----			372.40 - 1.30	.7331	----	----	----	----	----		3	UNCH
4130	----	----		365.30B/337.20A	365.30B/337.20A	----			350.80 - 1.70	.7136	----	----	----	----	----		1	UNCH
4135	----	----		361.80B/333.70A	361.80B/333.70A	----			347.30 - 1.70	.7103	----	----	----	----	----		4	UNCH
4150	----	----		351.10B/323.60A	351.10B/323.60A	----			336.90 - 1.80	.7001	----	----	----	----	----		1	UNCH
4165	----	----		340.70B/313.70A	340.70B/313.70A	----			326.60 - 2.00	.6897	----	----	----	----	----		41	UNCH
4180	----	----		330.40B/303.90A	330.40B/303.90A	----			316.50 - 2.20	.6793	----	----	----	----	----		1	UNCH
4185	----	----		326.90B/300.50A	326.90B/300.50A	----			313.10 - 2.30	.6757	----	----	----	----	----		1	UNCH
4190	----	----		323.70B/297.50A	323.70B/297.50A	----			309.80 - 2.30	.6721	----	----	----	----	----		1	UNCH
4195	----	----		320.20B/294.10A	320.20B/294.10A	----			306.50 - 2.40	.6685	----	----	----	----	----		3	UNCH
4200	----	----		317.10B/291.10A	317.10B/291.10A	----			303.30 - 2.40	.6649	----	----	----	----	----		57	UNCH
4205	----	----		313.80B/287.80A	313.80B/287.80A	----			300.00 - 2.50	.6613	----	----	----	----	----		1	UNCH
4210	----	----		310.60B/284.80A	310.60B/284.80A	----			296.80 - 2.50	.6576	----	----	----	----	----		1	UNCH
4220	----	----		304.10B/278.60A	304.10B/278.60A	----			290.40 - 2.60	.6502	----	----	----	----	----		1	UNCH
4235	----	----		294.50B/269.60A	294.50B/269.60A	----			281.00 - 2.70	.6390	----	----	----	----	----		1	UNCH
4275	----	----		269.80B/246.00A	269.80B/246.00A	----			256.90 - 3.00	.6085	----	----	----	----	----		5	UNCH
4300	----	----		255.40B/231.90A	255.40B/231.90A	----			242.50 - 3.30	.5889	----	----	----	----	----		135	UNCH
4320	----	----		244.00B/221.20A	244.00B/221.20A	----			231.40 - 3.50	.5731	----	----	----	----	----		1	UNCH
4325	----	----		241.30B/218.60A	241.30B/218.60A	----			228.60 - 3.70	.5691	----	----	----	----	----		10	UNCH
4330	----	----		238.60B/215.90A	238.60B/215.90A	----			225.90 - 3.80	.5651	----	----	----	----	----		19	UNCH
4335	----	----		235.80B/213.50A	235.80B/213.50A	----			223.30 - 3.80	.5611	----	----	----	----	----		1	UNCH
4340	----	----		233.10B/210.80A	233.10B/210.80A	----			220.60 - 3.90	.5571	----	----	----	----	----		4	UNCH
4345	----	----		230.50B/208.20A	230.50B/208.20A	----			218.00 - 3.90	.5531	----	----	----	----	----		20	UNCH
4350	----	----		227.70B/205.80A	227.70B/205.80A	----			215.40 - 4.00	.5491	----	----	----	----	----		29	UNCH
4355	----	----		225.10B/203.20A	225.10B/203.20A	----			212.80 - 4.00	.5451	----	----	----	----	----		24	UNCH
4360	----	----		222.50B/200.80A	222.50B/200.80A	----			210.20 - 4.10	.5411	----	----	----	----	----		1	UNCH
4365	----	----		219.80B/198.30A	219.80B/198.30A	----			207.70 - 4.20	.5371	----	----	----	----	----		44	UNCH
4375	----	----		214.70B/193.40A	214.70B/193.40A	----			202.60 - 4.40	.5290	----	----	----	----	----		51	UNCH
4380	----	----		212.10B/191.10A	212.10B/191.10A	----			200.20 - 4.40	.5250	----	----	----	----	----		2	UNCH
4385	----	----		209.70B/188.70A	209.70B/188.70A	----			197.70 - 4.50	.5209	----	----	----	----	----		88	UNCH
4395	----	----		204.80B/184.30A	204.80B/184.30A	----			192.90 - 4.60	.5129	----	----	----	----	----		2	UNCH
4400	192.70	192.70		202.20B/181.70A	202.20B/181.70A	----			190.50 - 4.70	.5089	----	1	----	----	----		135	UNCH
4405	----	----		200.10B/179.70A	200.10B/179.70A	----			188.10 - 4.70	.5048	----	----	----	----	----		7	+
4410	186.80	186.80		197.50B/177.30A	197.50B/177.30A	----			185.80 - NEW	.5008	----	----	7	----	----		14	+
4415	186.50	186.50		195.00B/175.10A	195.00B/175.10A	----			183.50 - 4.80	.4968	----	----	7	----	----		7	+
4425	----	----		190.20B/170.70A	190.20B/170.70A	----			178.90 - 4.90	.4888	----	----	----	----	----		32	UNCH
4435	----	----		186.00B/166.40A	186.00B/166.40A	----			174.50 - 4.90	.4808	----	----	----	----	----		31	UNCH
4445	----	----		181.50B/162.50A	181.50B/162.50A	----			170.10 - 5.00	.4728	----	----	----	----	----		1	UNCH
4450	----	----		179.20B/160.10A	179.20B/160.10A	----			168.00 - 5.00	.4688	----	----	----	----	----		15	UNCH
4455	----	----		177.00B/157.90A	177.00B/157.90A	----			165.80 - 5.10	.4648	----	----	----	----	----		4	UNCH
4470	----	----		170.50B/151.90A	170.50B/151.90A	----			159.60 - 5.10	.4530	----	----	----	----	----		10	UNCH
4475	----	----		168.40B/150.00A	168.40B/150.00A	----			157.60 - 5.00	.4491	----	----	----	----	----		2	UNCH
4480	----	----		166.20B/148.10A	166.20B/148.10A	----			155.60 - 5.00	.4452	----	----	----	----	----		13	UNCH
4490	----	----		162.20B/144.30A	162.20B/144.30A	----			151.60 - 5.10	.4374	----	----	----	----	----		397	UNCH
4500	----	----		158.10B/140.60A	158.10B/140.60A	----			147.70 - 5.10	.4296	----	----	----	----	----		20	UNCH
4505	----	----		156.10B/138.80A	156.10B/138.80A	----			145.80 - 5.10	.4257	----	----	----	----	----		4	UNCH
4515	----	----		152.20B/135.20A	152.20B/135.20A	----			142.10 - 5.00	.4181	----	----	----	----	----		3	UNCH
452																		

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
OCT26																
4900	----	----	----	55.908/49.20A	55.908/49.20A	----	----	----	51.50 - 3.40	.1882	----	----	15	----	1517	UNCH
4905	----	----	----	55.208/48.70A	55.208/48.70A	----	----	----	50.90 - 3.30	.1863	----	----	----	----	25	UNCH
4910	----	----	----	54.508/48.10A	54.508/48.10A	----	----	----	50.20 - 3.40	.1841	----	----	----	----	7	UNCH
4915	----	----	----	53.808/47.40A	53.808/47.40A	----	----	----	49.60 - 3.30	.1822	----	----	----	----	30	UNCH
4920	----	----	----	53.208/46.80A	53.208/46.80A	----	----	----	49.00 - 3.30	.1802	----	----	----	----	21	UNCH
4925	----	----	----	52.508/46.20A	52.508/46.20A	----	----	----	48.40 - 3.20	.1783	----	----	----	----	4	+
4930	47.60	47.60	----	51.808/45.70A	51.808/45.70A	----	----	----	47.80 NEW	.1764	----	4	----	----	5	UNCH
4935	----	----	----	51.208/45.10A	51.208/45.10A	----	----	----	47.20 - 3.10	.1745	----	----	----	----	3	UNCH
4945	----	----	----	49.908/44.00A	49.908/44.00A	----	----	----	46.00 - 3.10	.1706	----	----	----	----	1784	UNCH
4950	----	----	----	49.308/43.40A	49.308/43.40A	----	----	----	45.40 - 3.10	.1687	----	100	----	----	6	UNCH
4965	----	----	----	47.508/41.90A	47.508/41.90A	----	----	----	43.80 - 3.00	.1634	----	----	----	----	1	UNCH
4970	----	----	----	46.908/41.40A	46.908/41.40A	----	----	----	43.20 - 3.00	.1615	----	----	----	----	4	+
4975	43.80	43.80	----	46.308/40.90A	46.308/40.90A	----	----	----	42.70 - 2.90	.1598	----	4	----	----	2	UNCH
4985	----	----	----	45.208/39.90A	45.208/39.90A	----	----	----	41.70 - 2.80	.1565	----	----	51	----	1663	+
5000	40.50	40.50	----	43.608/38.50A	43.608/38.50A	----	----	----	40.20 - 2.70	.1515	----	----	14	----	16	+
5025	37.10	37.10	----	41.008/36.30A	41.008/36.30A	----	----	----	37.80 - 2.60	.1434	----	----	50	----	255	+
5030	----	----	----	40.508/35.90A	40.508/35.90A	----	----	----	37.30 - 2.70	.1418	----	15	----	15	+	
5035	37.90	37.90	----	40.008/35.50A	40.008/35.50A	----	----	----	36.90 NEW	.1404	----	----	----	----	2	UNCH
5040	----	----	----	39.508/35.10A	39.508/35.10A	----	----	----	36.40 - 2.60	.1387	----	----	----	----	9	UNCH
5045	----	----	----	39.008/34.70A	39.008/34.70A	----	----	----	36.00 - 2.60	.1373	----	----	69	----	4	UNCH
5050	36.50	36.50	----	38.608/34.20A	38.608/34.20A	----	----	----	35.60 - 2.50	.1359	----	----	1	----	525	+
5055	----	----	----	38.108/33.80A	38.108/33.80A	----	----	----	35.10 - 2.60	.1343	----	----	----	----	4	UNCH
5060	35.90	35.90	----	37.708/33.50A	37.708/33.50A	----	----	----	34.70 NEW	.1329	----	1	----	1	+	
5065	----	----	----	37.208/33.10A	37.208/33.10A	----	----	----	34.30 - 2.50	.1315	----	----	----	----	5	UNCH
5075	----	----	----	36.408/32.30A	36.408/32.30A	----	----	----	33.50 - 2.50	.1287	----	----	----	----	4	UNCH
5080	34.20	34.20	----	35.908/31.90A	35.908/31.90A	----	----	----	33.10 - 2.50	.1273	----	15	----	19	+	
5085	----	----	----	35.508/31.60A	35.508/31.60A	----	----	----	32.70 - 2.50	.1259	----	----	----	3	UNCH	
5100	----	----	----	34.308/30.50A	34.308/30.50A	----	----	----	31.60 - 2.40	.1220	----	300	----	904	+	
5105	32.30	32.30	----	33.908/30.20A	33.908/30.20A	----	----	----	31.30 - 2.30	.1209	----	6	----	9	+	
5110	----	----	----	33.508/29.90A	33.508/29.90A	----	----	----	30.90 - 2.30	.1195	----	----	4	----	3	UNCH
5120	31.10	31.10	----	32.708/29.20A	32.708/29.20A	----	----	----	30.20 - 2.30	.1170	----	----	----	7	+	
5125	----	----	----	32.408/28.90A	32.408/28.90A	----	----	----	29.90 - 2.20	.1159	----	----	----	----	1	UNCH
5130	----	----	----	32.008/28.60A	32.008/28.60A	----	----	----	29.50 - 2.30	.1146	----	----	----	----	3	UNCH
5140	----	----	----	31.308/28.00A	31.308/28.00A	----	----	----	28.90 - 2.20	.1123	----	----	----	----	5	UNCH
5150	29.20	29.20	----	30.608/27.40A	30.608/27.40A	----	----	----	28.30 - 2.10	.1101	----	11	----	616	+	
5155	----	----	----	30.208/27.10A	30.208/27.10A	----	----	----	28.00 - 2.10	.1090	----	----	----	----	3	UNCH
5160	----	----	----	29.908/26.80A	29.908/26.80A	----	----	----	27.70 - 2.10	.1079	----	----	----	----	8	UNCH
5170	27.50	27.50	----	29.208/26.20A	29.208/26.20A	----	----	----	27.10 - 2.00	.1057	----	2	----	29	+	
5180	----	----	----	28.608/25.70A	28.608/25.70A	----	----	----	26.50 - 2.00	.1036	----	----	----	10	UNCH	
5185	----	----	----	28.308/25.40A	28.308/25.40A	----	----	----	26.20 - 2.00	.1025	----	----	----	3	UNCH	
5195	----	----	----	27.708/24.90A	27.708/24.90A	----	----	----	25.70 - 1.90	.1006	----	----	----	365	UNCH	
5200	----	----	----	27.408/24.60A	27.408/24.60A	----	----	----	25.40 - 1.90	.0995	----	1	----	1566	+	
5205	----	----	----	27.108/24.40A	27.108/24.40A	----	----	----	25.20 - 1.80	.0987	----	----	----	1	UNCH	
5225	----	----	----	---/23.40A	25.908/23.40A	----	----	----	24.20 - 1.70	.0949	----	----	----	2	UNCH	
5250	----	----	----	---/22.30A	24.608/22.30A	----	----	----	23.00 - 1.60	.0904	----	----	----	527	UNCH	
5255	----	----	----	---/22.10A	24.308/22.10A	----	----	----	22.80 - 1.60	.0896	----	----	----	1	UNCH	
5270	----	----	----	---/21.40A	23.608/21.40A	----	----	----	22.20 - 1.40	.0873	----	----	----	6	UNCH	
5275	----	----	----	---/21.20A	23.308/21.20A	----	----	----	22.00 - 1.40	.0865	----	----	----	20	UNCH	
5300	21.30	21.30	----	21.30/20.30A	22.208/20.30A	----	----	----	21.00 - 1.20	.0826	----	2	----	1005	-	
5305	----	----	----	---/20.10A	22.008/20.10A	----	----	----	20.80 - 1.20	.0818	----	----	----	1	UNCH	
5310	----	----	----	---/19.90A	21.808/19.90A	----	----	----	20.60 - 1.20	.0811	----	----	----	4	UNCH	
5315	----	----	----	---/19.70A	21.508/19.70A	----	----	----	20.40 - 1.20	.0803	----	----	----	14	UNCH	
5320	----	----	----	---/19.50A	21.308/19.50A	----	----	----	20.20 - 1.20	.0796	----	----	----	2	UNCH	
5325	----	----	----	---/19.40A	21.108/19.40A	----	----	----	20.00 - 1.20	.0788	----	----	----	9	UNCH	
5340	----	----	----	---/18.80A	20.508/18.80A	----	----	----	19.40 - 1.20	.0765	----	----	----	1	UNCH	
5345	----	----	----	---/18.70A	20.308/18.70A	----	----	----	19.30 - 1.10	.0761	----	----	----	157	UNCH	
5350	----	----	----	---/18.50A	20.108/18.50A	----	----	----	19.10 - 1.10	.0753	----	----	----	4	UNCH	
5355	----	----	----	---/18.30A	19.908/18.30A	----	----	----	18.90 - 1.10	.0746	----	----	----	17	UNCH	
5365	----	----	----	---/18.00A	19.608/18.00A	----	----	----	18.60 - 1.00	.0733	----	----	----	1	UNCH	
5390	----	----	----	---/17.20A	18.708/17.20A	----	----	----	17.70 - 1.10	.0699	----	----	----	13	UNCH	
5395	----	----	----	---/17.10A	18.508/17.10A	----	----	----	17.60 - 1.00	.0695	----	----	----	15	UNCH	
5400	----	----	----	---/17.00A	18.308/17.00A	----	----	----	17.40 - 1.00	.0687	----	2	----	657	+	
5410	----	----	----	---/16.70A	18.008/16.70A	----	----	----	17.10 - 1.00	.0675	----	----	----	1	UNCH	
5420	----	----	----	---/16.40A	17.708/16.40A	----	----	----	16.80 - 1.00	.0664	----	----	----	2	UNCH	
5435	----	----	----	---/16.00A	17.208/16.00A	----	----	----	16.40 - 0.90	.0648	----	----	----	230	UNCH	
5440	----	----	----	---/15.90A	17.108/15.90A	----	----	----	16.30 - 0.90	.0643	----	----	----	5	UNCH	
5450	----	----	----	---/15.70A	16.808/15.70A	----	----	----	16.00 - 0.90	.0631	----	2	----	69	+	
5455	----	----	----	---/15.50A	16.608/15.50A	----	----	----	15.90 - 0.90	.0627	----	----	----	175	UNCH	
5460	----	----	----	---/15.40A	16.508/15.40A	----	----	----	15.70 - 0.90	.0620	----	----	----	2	UNCH	
5475	----	----	----	---/15.10A	16.108/15.10A	----	----	----	15.40 - 0.80	.0607	----	----	----	1	UNCH	
5480	----	----	----	---/15.00A	15.908/15.00A	----	----	----	15.30 - 0.80	.0603	----	----	----	2	UNCH	
5485	15.00	15.00	----	---/14.80A	15.808/14.80A	----	----	----	15.10 - 0.80	.0596	----	----	----	25	UNCH	
5500	----	----	----	15.408/14.20	15.408/14.20	----	----	----	14.80 - 0.80	.0583	----	11	----	3649	-	
5545	----	----	----	---/13.60A	14.408/13.60A	----	----	----	13.80 - 0.70	.0542	----	----	----	5	UNCH	
5550	----	----	----	---/13.50A	14.208/13.50A	----	----	----	13.80 - 0.60	.0541	----	----	----	280	UNCH	
5570	----	----	----	---/13.20A	13.808/13.20A	----	----	----	13.40 - 0.60	.0525	----	----	----	1	UNCH	
5575	13.10	13.10	----	---/13.10A	13.708/13.10A	----	----	----	13.30 - 0.60	.0521	----	----	----	3	UNCH	
5585	----	----	----	13.10/12.90A	13.508/12.90A	----	----	----	13.10 NEW	.0513	----	2	----	2	+	
5590	----	----	----	---/12.80A	13.408/12.80A	----	----	----	13.00 - 0.60	.0509	----	----	----	7	UNCH	
5600	----	----	----	---/12.60A	13.208/12.60A	----	----	----	12.80 - 0.60	.0501	----	----	----	232	UNCH	
5605	12.90	12.90	----	12.90/12.60A	13.108/12.60A	----	----	----	12.70 NEW	.0497	----	1	----	1	+	
5610	----	----	----	---/12.50A	13.008/12.50A	----	----	----	12.70 - 0.50	.0496	----	----	----	1	UNCH	
5615	----	----	----	---/12.40A	12.908/12.40A	----	----	----	12.60 - 0.50	.0492	----	----	----	5	UNCH	
5640	----	----	----	---/12.00A	12.508/12.00A	----	----	----	12.20 - 0.50	.0475	----	----	----	2	UNCH	
5650	----	----	----	---/11.80A	12.308/11.80A	----	----	----	12.00 - 0.50	.0467	----	----	----	416	UNCH	
5655	----	----	----	---/11.80A	12.208/11.80A	----	----	----	11.90 - 0.50	.0463	----	----	----	2	UNCH	
5660	----	----	----	---/11.70A	12.108/11.70A	----	----	----	11.90 - 0.40	.0462	----	----	----	1	UNCH	
5675	----	----	----	---/11.50A	11.908/11.50A	----	----	----	11.60 - 0.50	.0451	----	----	----	3	UNCH	
5700	----	----	----	---/11.10A	11.508/11.10A	----	----	----	11.30 - 0.40	.0437	----	----	----	206	UNCH	
5710	----	----	----	---/11.00A	11.308/11.00A	----	----	----	11.10 - 0.50	.0430	----	----	----	5	UNCH	
5720	----	----	----	---/10.90A	11.208/10.90A	----	----	----	11.00 - 0.40	.0425	----	----	----	87	UNCH	
5750	----	----	----	---												

PG64		BULLETIN #114@										METALS OPTION PRODUCTS										Tue, Jun 16, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	OPEN OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG CALL		COMEX GOLD OPTIONS																						
NOV26																								
4550	----	----	----	----	183.70B/166.90A	183.70B/166.90A	----	----	174.20	- 4.10	.4347	----	----	10	----	50 +	10							
4555	----	----	----	----	181.60B/164.80A	181.60B/164.80A	----	----	172.30	- 4.10	.4314	----	----	----	----	5	UNCH							
4575	----	----	----	----	173.90B/157.60A	173.90B/157.60A	----	----	164.90	- 4.20	.4183	----	----	----	----	1	UNCH							
4585	----	----	----	----	170.20B/154.10A	170.20B/154.10A	----	----	161.30	- 4.20	.4119	----	----	----	----	1	UNCH							
4590	----	----	----	----	168.30B/152.50A	168.30B/152.50A	----	----	159.50	- 4.20	.4087	----	----	----	----	15	UNCH							
4595	----	----	----	----	166.60B/150.90A	166.60B/150.90A	----	----	157.80	- 4.20	.4055	----	----	----	----	1	UNCH							
4600	----	----	----	----	164.70B/149.20A	164.70B/149.20A	----	----	156.00	- 4.30	.4023	----	----	11	----	89 +	10							
4630	----	----	----	----	154.30B/139.60A	154.30B/139.60A	----	----	146.00	- 4.30	.3835	----	----	----	----	1	UNCH							
4650	----	----	----	----	147.70B/133.60A	147.70B/133.60A	----	----	139.60	- 4.30	.3712	----	----	----	----	32	UNCH							
4700	----	----	----	----	132.30B/119.40A	132.30B/119.40A	----	----	124.90	- 4.30	.3416	----	----	----	----	12	UNCH							
4750	----	----	----	----	118.40B/106.80A	118.40B/106.80A	----	----	111.60	- 4.20	.3136	----	----	----	----	4	UNCH							
4770	104.60	----	104.60	----	113.30B/102.30A	113.30B/102.30A	----	----	106.70	NEW	.3028	----	----	1	----	1 +	1							
4775	----	----	----	----	112.10B/101.10A	112.10B/101.10A	----	----	105.50	- 4.20	.3002	----	----	----	----	30	UNCH							
4785	101.20	----	101.20	----	109.60B/98.90A	109.60B/98.90A	----	----	103.20	NEW	.2950	----	----	14	----	14 +	14							
4790	102.80	----	102.80	----	108.40B/97.80A	108.40B/97.80A	----	----	102.10	NEW	.2925	----	----	9	----	9 +	9							
4800	----	----	----	----	106.10B/95.60A	106.10B/95.60A	----	----	99.80	- 4.00	.2873	----	----	----	----	34	UNCH							
4850	----	----	----	----	95.00B/85.70A	95.00B/85.70A	----	----	89.30	- 3.80	.2629	----	----	----	----	25	UNCH							
4900	----	----	----	----	85.20B/76.90A	85.20B/76.90A	----	----	80.10	- 3.50	.2405	----	----	----	----	452	UNCH							
4915	----	----	----	----	82.50B/74.40A	82.50B/74.40A	----	----	77.60	- 3.40	.2342	----	----	----	----	1	UNCH							
4925	----	----	----	----	80.70B/73.00A	80.70B/73.00A	----	----	75.90	- 3.40	.2300	----	----	----	----	1	UNCH							
4935	----	----	----	----	79.00B/71.50A	79.00B/71.50A	----	----	74.30	- 3.30	.2259	----	----	----	----	25	UNCH							
4950	----	----	----	----	76.50B/69.20A	76.50B/69.20A	----	----	71.90	- 3.30	.2198	----	----	----	----	150	UNCH							
4970	----	----	----	----	73.30B/66.40A	73.30B/66.40A	----	----	68.90	- 3.20	.2120	----	----	----	----	12	UNCH							
5000	----	----	----	----	68.70B/62.30A	68.70B/62.30A	----	----	64.60	- 3.10	.2008	----	----	25	----	76 -	13							
5005	----	----	----	----	68.00B/61.70A	68.00B/61.70A	----	----	63.90	- 3.10	.1989	----	----	----	----	2	UNCH							
5020	----	----	----	----	65.90B/59.70A	65.90B/59.70A	----	----	61.90	- 3.10	.1936	----	----	----	----	30	UNCH							
5050	----	----	----	----	61.80B/56.30A	61.80B/56.30A	----	----	58.10	- 3.00	.1833	----	----	----	----	100	UNCH							
5060	----	----	----	----	60.60B/55.10A	60.60B/55.10A	----	----	56.90	- 3.00	.1800	----	----	----	----	2	UNCH							
5080	----	----	----	----	58.10B/52.90A	58.10B/52.90A	----	----	54.60	- 2.90	.1737	----	----	----	----	4	UNCH							
5085	----	----	----	----	57.50B/52.40A	57.50B/52.40A	----	----	54.10	- 2.80	.1722	----	----	----	----	4	UNCH							
5100	----	----	----	----	55.80B/50.90A	55.80B/50.90A	----	----	52.40	- 2.80	.1675	----	----	15	----	2387	UNCH							
5120	----	----	----	----	53.60B/48.90A	53.60B/48.90A	----	----	50.40	- 2.60	.1618	----	----	----	----	50	UNCH							
5145	----	----	----	----	50.90B/46.60A	50.90B/46.60A	----	----	47.90	- 2.50	.1547	----	----	----	----	3	UNCH							
5150	----	----	----	----	50.40B/46.10A	50.40B/46.10A	----	----	47.50	- 2.40	.1535	----	----	----	----	100	UNCH							
5175	----	----	----	----	47.90B/44.00A	47.90B/44.00A	----	----	45.20	- 2.30	.1468	----	----	----	----	12	UNCH							
5180	----	----	----	----	47.40B/43.60A	47.40B/43.60A	----	----	44.80	- 2.30	.1456	----	----	----	----	5	UNCH							
5185	----	----	----	----	46.90B/43.20A	46.90B/43.20A	----	----	44.30	- 2.30	.1442	----	----	----	----	1	UNCH							
5200	----	----	----	----	---/42.00A	45.30B/42.00A	----	----	43.10	- 2.20	.1406	----	----	10	----	2377	UNCH							
5250	----	----	----	----	41.20B/38.60A	41.20B/38.60A	----	----	39.30	- 1.80	.1292	----	----	----	----	11	UNCH							
5275	----	----	----	----	---/37.00A	38.80B/37.00A	----	----	37.50	- 1.80	.1237	----	----	----	----	1	UNCH							
5285	----	----	----	----	---/36.30A	37.90B/36.30A	----	----	36.90	- 1.60	.1218	----	----	----	----	2	UNCH							
5300	----	----	----	----	---/35.30A	36.90B/35.30A	----	----	35.90	- 1.60	.1188	----	----	1	----	395	UNCH							
5325	----	----	----	----	---/33.90A	35.10B/33.90A	----	----	34.40	- 1.40	.1141	----	----	----	----	4	UNCH							
5330	----	----	----	----	---/33.50A	34.90B/33.50A	----	----	34.10	- 1.40	.1131	----	----	----	----	1	UNCH							
5370	----	----	----	----	---/31.20A	32.40B/31.20A	----	----	31.90	- 1.10	.1062	----	----	----	----	5	UNCH							
5400	----	----	----	----	---/29.80A	31.10B/29.80A	----	----	30.30	- 1.10	.1011	----	----	----	----	220	UNCH							
5420	----	----	----	----	---/28.80A	30.10B/28.80A	----	----	29.40	- 0.90	.0982	----	----	----	----	14	UNCH							
5450	----	----	----	----	---/27.50A	28.60B/27.50A	----	----	28.00	- 0.80	.0937	----	----	1	----	455 +	1							
5460	----	----	----	----	---/27.00A	28.20B/27.00A	----	----	27.60	- 0.80	.0923	----	----	----	----	10	UNCH							
5500	----	----	----	----	---/26.00A	26.40B/26.00A	----	----	26.00	- 0.60	.0870	----	----	1	50	137 +	41							
5530	----	----	----	----	---/24.90A	25.20B/24.90A	----	----	24.90	- 0.50	.0834	----	----	----	----	1	UNCH							
5535	----	----	----	----	---/24.70A	25.00B/24.70A	----	----	24.70	- 0.50	.0827	----	----	----	----	1	UNCH							
5540	----	----	----	----	---/24.50A	24.80B/24.50A	----	----	24.50	- 0.50	.0821	----	----	----	----	1	UNCH							
5545	----	----	----	----	---/24.50A	24.50B/24.50A	----	----	24.40	- 0.40	.0817	----	----	----	----	1	UNCH							
5550	----	----	----	----	---/24.20A	23.90B/24.20A	----	----	24.20	- 0.50	.0810	----	----	----	----	3	UNCH							
5555	----	----	----	----	---/24.20A	23.90B/24.20A	----	----	24.00	- 0.50	.0804	----	----	----	----	3	UNCH							
5560	----	----	----	----	---/24.00A	23.70B/24.00A	----	----	23.90	- 0.40	.0800	----	----	----	----	4	UNCH							
5565	----	----	----	----	---/23.70A	23.50B/23.70A	----	----	23.70	- 0.40	.0794	----	----	----	----	8	UNCH							
5570	----	----	----	----	---/23.70A	23.20B/23.70A	----	----	23.50	- 0.40	.0787	----	----	----	----	20	UNCH							
5575	----	----	----	----	---/23.50A	23.00B/23.50A	----	----	23.40	- 0.40	.0783	----	----	----	----	86	UNCH							
5600	----	----	----	----	---/22.80A	22.30B/22.80A	----	----	22.60	- 0.30	.0756	----	----	----	----	42	UNCH							
5650	----	----	----	----	---/21.30A	20.70B/21.30A	----	----	21.20	- 0.20	.0708	----	----	----	----	1	UNCH							
5655	----	----	----	----	---/21.20A	20.50B/21.20A	----	----	21.00	- 0.30	.0702	----	----	----	----	1	UNCH							
5660	----	----	----	----	----	20.50B/21.10A	----	----	20.90	- 0.20	.0698	----	----	----	----	1	UNCH							
5665	----	----	----	----	---/20.90A	20.30B/20.90A	----	----	20.80	- 0.20	.0694	----	----	----	----	1	UNCH							
5670	----	----	----	----	---/20.80A	20.10B/20.80A	----	----	20.60	- 0.30	.0688	----	----	----	----	2	UNCH							
5675	----	----	----	----	----	19.90B/20.80A	----	----	20.50	- 0.20	.0685	----	----	----	----	2	UNCH							
5680	----	----	----	----	----	19.90B/20.60A	----	----	20.40	- 0.20	.0681	----	----	----	----	39	UNCH							
5685	----	----	----	----	----	19.70B/20.50A	----	----	20.30	- 0.10	.0677	----	----	----	----	5	UNCH							
5690	----	----	----	----	----	19.50B/20.40A	----	----	20.10	- 0.20	.0671	----	----	----	----	18	UNCH							
5695	----	----	----	----	----	19.50B/20.30A	----	----	20.00	- 0.20	.0667	----	----	----	----	15	UNCH							
5700	----	----	----	----	----	19.30B/20.20A	----	----	19.90	- 0.20	.0664	----	----	----	----	59	UNCH							
5710	----	----	----	----	----	19.10B/19.90A	----	----	19.70	- 0.10	.0656	----	----	----	----	1	UNCH							
5800	----	----	----	----	----	17.00B/17.90A	----	----	17.70	- 0.10	.0587	----	----	----	----	80	UNCH							
5825	----	----	----	----	---/17.20A	16.50B/17.20A	----	----	17.20	- 0.10	.0570	----	----	----	----	3	UNCH							
5850	----	----	----	----	----	16.10B/17.00A	----	----	16.80	UNCH	.0555	----	----	----	----	1	UNCH							
5900	----	----	----	----	----	15.10B/15.90A	----	----	15.90	UNCH	.0524	----	----	----	----	205	UNCH							
5925	----	----	----	----	----	14.60B/15.50A	----	----	15.50	UNCH	.0509	----	----	1	----	6 +	1							
5975	----	----	----	----	----	14.00B/14.80A	----	----	14.80	UNCH	.0484	----	----	----	----	3	UNCH							
6000	----	----	----	----	----	13.60B/14.70A	----	----	14.40	UNCH	.0470	----	----	----	50	418 +	50							
6100	----	----	----	----	----	12.50B/13.50A	----	----	13.10	UNCH	.0424	----	----	----	----	1	UNCH							
6200	----	----	----	----	----	11.40B/12.50A	----	----	12.00	- 0.10	.0385	----	----	----	----	1	UNCH							
6400	----	----	----	----	----	10.00B/11.10A	----	----	10.40	UNCH	.0326	----	----	----	----	15	UNCH							
6500	----	----	----	----	----	9.40B/10.40A	----	----	9.70	- 0.10	.0301	----	----	----	----	1165	UNCH							
8000	6.20	6.20	6.20	6.20/*6.20	----	6.20/6.20	----	----	6.60	- 0.10	.0166	----	----	3	----	939	UNCH							
9000	----	----	----	----	----	4.30B/5.20A	----	----	5.00	- 0.10	.0117	----	----	2	----	969 +	1							
20000	----	----	----	----	----	0.20B/1.20A	----	----	0.70	UNCH	.0013	----	----	----	----	165	155							
TOTAL																		147	100	11897+				
DEC26																								
2000	----	----																						

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL															
COMEX GOLD OPTIONS															
DEC26															
4570	----	----	----	200.00B/184.30A	200.00B/184.30A	----	----	190.70 - 4.80	.4338	----	----	----	----	19	UNCH
4575	----	----	----	198.10B/182.30A	198.10B/182.30A	----	----	188.80 - 4.90	.4308	----	----	----	----	6	UNCH
4580	----	----	----	196.20B/180.80A	196.20B/180.80A	----	----	187.00 - 4.90	.4279	----	----	----	----	151	UNCH
4585	----	----	----	194.70B/178.60A	194.70B/178.60A	----	----	185.20 - 4.90	.4250	----	----	----	----	325	UNCH
4590	----	----	----	192.40B/177.10A	192.40B/177.10A	----	----	183.40 - 4.90	.4221	----	----	----	----	21	UNCH
4595	----	----	----	190.60B/175.40A	190.60B/175.40A	----	----	181.60 - 4.90	.4191	----	----	----	----	2	UNCH
4600	----	----	----	189.30B/173.50A	189.30B/173.50A	----	----	179.80 - 4.90	.4162	----	310	----	----	1018 +	192
4605	----	----	----	186.90B/172.10A	186.90B/172.10A	----	----	178.00 - 5.00	.4133	----	----	----	----	5	UNCH
4610	----	----	----	185.20B/170.40A	185.20B/170.40A	----	----	176.30 - 4.90	.4105	----	----	----	----	3	UNCH
4615	----	----	----	183.30B/168.70A	183.30B/168.70A	----	----	174.60 - 4.90	.4076	----	1	----	----	41	UNCH
4620	----	----	----	181.50B/166.80A	181.50B/166.80A	----	----	172.80 - 5.00	.4047	----	----	----	----	5	UNCH
4625	----	----	----	179.80B/165.30A	179.80B/165.30A	----	----	171.20 - 4.90	.4019	----	2	----	----	72 +	1
4630	----	----	----	178.10B/163.70A	178.10B/163.70A	----	----	169.50 - 4.90	.3991	----	19	----	----	22 +	19
4635	----	----	----	176.30B/162.20A	176.30B/162.20A	----	----	167.80 - 5.00	.3962	----	----	----	----	2	UNCH
4640	----	----	----	174.60B/160.40A	174.60B/160.40A	----	----	166.20 - 4.90	.3934	----	----	----	----	103	UNCH
4645	----	----	----	172.90B/158.80A	172.90B/158.80A	----	----	164.60 - 4.90	.3906	----	----	----	----	2	UNCH
4650	----	----	----	171.50B/157.40A	171.50B/157.40A	----	----	163.00 - 4.90	.3879	----	2	200	----	532 +	202
4660	----	----	----	168.00B/154.10A	168.00B/154.10A	----	----	159.80 - 4.90	.3823	----	----	----	----	4	UNCH
4670	----	----	----	164.70B/151.20A	164.70B/151.20A	----	----	156.70 - 4.80	.3768	----	----	----	----	7	UNCH
4675	----	----	----	163.10B/149.70A	163.10B/149.70A	----	----	155.20 - 4.80	.3741	----	----	----	----	80	UNCH
4680	----	----	----	161.50B/148.30A	161.50B/148.30A	----	----	153.60 - 4.80	.3713	----	----	----	----	17	UNCH
4700	----	----	----	155.90B/142.20A	155.90B/142.20A	----	----	147.70 - 4.70	.3606	----	1	----	----	617	UNCH
4705	----	----	----	153.70B/141.10A	153.70B/141.10A	----	----	146.20 - 4.80	.3580	----	----	----	----	1	UNCH
4710	----	----	----	152.30B/139.70A	152.30B/139.70A	----	----	144.80 - 4.70	.3553	----	----	----	----	8	UNCH
4720	----	----	----	149.40B/136.80A	149.40B/136.80A	----	----	141.90 - 4.70	.3500	----	----	----	----	17	UNCH
4725	----	----	----	147.90B/135.70A	147.90B/135.70A	----	----	140.50 - 4.70	.3474	----	----	----	----	143	UNCH
4730	----	----	----	146.50B/134.40A	146.50B/134.40A	----	----	139.10 - 4.70	.3448	----	----	----	----	18	UNCH
4750	----	----	----	140.90B/129.10A	140.90B/129.10A	----	----	133.70 - 4.70	.3346	----	----	----	----	248	UNCH
4765	----	----	----	136.70B/125.30A	136.70B/125.30A	----	----	129.70 - 4.70	.3270	----	----	----	----	17	UNCH
4775	----	----	----	134.10B/123.00A	134.10B/123.00A	----	----	127.10 - 4.70	.3220	----	----	----	----	3	UNCH
4780	----	----	----	132.70B/121.80A	132.70B/121.80A	----	----	125.80 - 4.80	.3195	----	----	----	----	3	UNCH
4790	----	----	----	130.20B/119.30A	130.20B/119.30A	----	----	123.30 - 4.70	.3146	----	----	----	----	17	UNCH
4795	----	----	----	128.80B/118.20A	128.80B/118.20A	----	----	122.10 - 4.70	.3122	----	----	----	----	9	UNCH
4800	124.70	124.70	----	128.10B/116.80A	128.10B/116.80A	----	----	120.90 - 4.70	.3098	----	373	----	----	2411 +	348
4810	----	----	----	125.10B/114.70A	125.10B/114.70A	----	----	118.50 - 4.70	.3051	----	----	----	----	63	UNCH
4815	----	----	----	123.90B/113.60A	123.90B/113.60A	----	----	117.30 - 4.70	.3027	----	----	----	----	11	UNCH
4820	----	----	----	122.50B/112.50A	122.50B/112.50A	----	----	116.20 - 4.60	.3004	----	----	----	----	91	UNCH
4825	----	----	----	121.50B/111.60A	121.50B/111.60A	----	----	115.00 - 4.70	.2980	----	----	----	----	104	UNCH
4835	----	----	----	119.00B/109.30A	119.00B/109.30A	----	----	112.70 - 4.70	.2933	----	----	----	----	127	UNCH
4845	----	----	----	116.80B/107.10A	116.80B/107.10A	----	----	110.50 - 4.60	.2888	----	----	----	----	12	UNCH
4850	----	----	----	115.90B/106.10A	115.90B/106.10A	----	----	109.40 - 4.60	.2865	----	----	----	----	301	UNCH
4875	----	----	----	110.10B/101.30A	110.10B/101.30A	----	----	104.10 - 4.60	.2754	----	----	----	----	2	UNCH
4880	----	----	----	109.00B/100.20A	109.00B/100.20A	----	----	103.10 - 4.60	.2733	----	----	----	----	3	UNCH
4890	----	----	----	106.90B/98.40A	106.90B/98.40A	----	----	101.10 - 4.50	.2690	----	----	----	----	9	UNCH
4895	----	----	----	105.90B/97.40A	105.90B/97.40A	----	----	100.10 - 4.50	.2669	----	----	----	----	200	UNCH
4900	101.60	101.60	----	105.40B/96.40A	105.40B/96.40A	----	----	99.10 - 4.50	.2648	----	100	----	----	600 +	100
4905	----	----	----	103.80B/95.60A	103.80B/95.60A	----	----	98.10 - 4.50	.2626	----	----	----	----	10	UNCH
4910	----	----	----	102.80B/94.70A	102.80B/94.70A	----	----	97.20 - 4.50	.2606	----	----	----	----	18	UNCH
4925	----	----	----	99.90B/92.00A	99.90B/92.00A	----	----	94.40 - 4.40	.2545	----	----	300	----	279 +	37
4930	----	----	----	98.90B/91.10A	98.90B/91.10A	----	----	93.40 - 4.50	.2524	----	----	----	----	6	UNCH
4950	----	----	----	95.20B/87.80A	95.20B/87.80A	----	----	89.90 - 4.30	.2445	----	----	----	----	104	UNCH
4955	----	----	----	94.30B/87.00A	94.30B/87.00A	----	----	89.00 - 4.30	.2425	----	----	----	----	10	UNCH
4960	----	----	----	93.40B/86.10A	93.40B/86.10A	----	----	88.20 - 4.30	.2407	----	----	----	----	10	UNCH
4975	88.00	88.00	----	90.80B/83.80A	90.80B/83.80A	----	----	85.60 - 4.30	.2349	----	1	----	----	50	UNCH
5000	80.30	80.30	----	87.00B/79.80A	87.00B/79.80A	----	----	81.60 - 4.20	.2257	----	55	100	----	3501 +	75
5005	----	----	----	85.80B/79.10A	85.80B/79.10A	----	----	80.90 - 4.10	.2240	----	----	----	----	24	UNCH
5020	----	----	----	83.40B/77.10A	83.40B/77.10A	----	----	78.60 - 4.00	.2186	----	----	----	----	3	UNCH
5025	----	----	----	82.60B/76.40A	82.60B/76.40A	----	----	77.90 - 4.00	.2170	----	----	----	----	243	UNCH
5030	----	----	----	81.90B/75.80A	81.90B/75.80A	----	----	77.10 - 4.00	.2151	----	----	----	----	1	UNCH
5045	----	----	----	79.70B/73.70A	79.70B/73.70A	----	----	75.00 - 3.90	.2101	----	----	----	----	1	UNCH
5050	----	----	----	78.90B/72.90A	78.90B/72.90A	----	----	74.30 - 3.90	.2084	----	1	----	----	125 +	1
5055	----	----	----	78.10B/72.30A	78.10B/72.30A	----	----	73.60 - 3.90	.2068	----	----	----	----	3	UNCH
5070	----	----	----	76.20B/70.20A	76.20B/70.20A	----	----	71.60 - 3.80	.2019	----	----	----	----	13	UNCH
5075	----	----	----	75.30B/69.60A	75.30B/69.60A	----	----	70.90 - 3.80	.2003	----	----	----	----	66	UNCH
5090	----	----	----	73.40B/67.80A	73.40B/67.80A	----	----	69.00 - 3.70	.1956	----	----	----	----	17	UNCH
5100	----	----	----	72.00B/66.60A	72.00B/66.60A	----	----	67.70 - 3.70	.1925	----	----	----	----	330	UNCH
5105	----	----	----	71.40B/66.10A	71.40B/66.10A	----	----	67.10 - 3.70	.1910	----	----	----	----	3	UNCH
5115	----	----	----	69.80B/64.90A	69.80B/64.90A	----	----	65.90 - 3.60	.1880	----	----	----	----	1	UNCH
5125	----	----	----	68.60B/63.80A	68.60B/63.										

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
DEC26																	
5710	----	----		----/27.00A	26.80B/27.00A	----	----	----	27.00 - 1.30	.0814	----	----	----	----		5	UNCH
5750	----	----		----/25.70A	25.50B/25.70A	----	----	----	25.70 - 1.30	.0775	----	----	----	----		343	UNCH
5770	----	----		----/25.30A	24.90B/25.30A	----	----	----	25.20 - 1.20	.0759	----	----	----	----		8	UNCH
5775	----	----		----/25.20A	24.70B/25.20A	----	----	----	25.00 - 1.20	.0753	----	----	----	----		2	UNCH
5780	----	----		----/25.00A	24.70B/25.00A	----	----	----	24.90 - 1.20	.0750	----	----	----	----		2	UNCH
5800	----	----		----/24.20A	24.10B/24.20A	----	----	----	24.40 - 1.10	.0734	----	----	----	----		2190	UNCH
5810	----	----		----/24.20A	23.70B/24.20A	----	----	----	24.10 - 1.10	.0725	----	----	----	----		56	UNCH
5825	----	----		----/23.70A	23.30B/23.70A	----	----	----	23.70 - 1.10	.0713	----	----	----	----		4	UNCH
5850	----	----		----/23.10A	22.70B/23.10A	----	----	----	23.10 - 1.00	.0694	----	----	----	----		51	UNCH
5875	----	----		----/22.60A	22.10B/22.60A	----	----	----	22.50 - 1.00	.0675	----	----	----	----		9	UNCH
5900	20.90	20.90		20.90/20.90	21.40B/20.90	----	----	----	21.90 - 1.00	.0657	----	----	8	----		1513 +	1
5950	----	----		----/21.00A	20.40B/21.00A	----	----	----	20.90 - 0.90	.0625	----	----	----	----		27	UNCH
6000	19.50	19.50		19.50/19.50	19.50/19.50	----	----	----	20.00 - 0.70	.0595	----	----	66	----		7293 +	1
6100	----	----		----/18.40A	17.70B/18.40A	----	----	----	18.30 - 0.60	.0541	----	----	1	----		150	UNCH
6150	----	----		----/17.70A	16.80B/17.70A	----	----	----	17.60 - 0.50	.0518	----	----	----	----		40	UNCH
6200	----	----		----/17.00A	16.30B/17.00A	----	----	----	16.90 - 0.50	.0495	----	----	----	----		3207	UNCH
6250	----	----		----/16.50A	15.70B/16.50A	----	----	----	16.30 - 0.50	.0476	----	----	----	----		76	UNCH
6300	----	----		----	15.10B/16.10A	----	----	----	15.80 - 0.30	.0458	----	----	----	----		837	UNCH
6400	15.10	15.10		15.10/15.00	15.10/15.00	----	----	----	14.80 - 0.30	.0425	----	----	3	----		972	UNCH
6500	13.40	13.40		14.70/13.40	14.70/13.40	----	----	----	14.00 - 0.20	.0397	----	----	1091	----		6226 -	1050
6750	----	----		----	11.80B/12.90A	----	----	----	12.40 - 0.10	.0341	----	----	----	----		105	UNCH
6775	12.00	12.00		12.00/12.00	12.00/12.00	----	----	----	12.20 - 0.10	.0335	----	----	5	----		164	UNCH
6800	----	----		----	11.40B/12.70A	----	----	----	12.10 - 0.10	.0331	----	----	----	----		1817	UNCH
6900	----	----		----	11.00B/12.20A	----	----	----	11.70 UNCH	.0316	----	----	----	----		101	UNCH
7000	----	----		----	11.10B/11.70A	----	----	----	11.30 UNCH	.0301	----	----	1088	----		6299 +	954
7100	----	----		----	10.20B/11.50A	----	----	----	10.90 - 0.10	.0287	----	----	----	----		2	UNCH
7130	----	----		----	10.20B/11.20A	----	----	----	10.80 - 0.10	.0284	----	----	----	----		200	UNCH
7150	----	----		----	10.00B/11.30A	----	----	----	10.70 - 0.10	.0281	----	----	----	----		1	UNCH
7175	----	----		----	9.90B/11.20A	----	----	----	10.60 - 0.10	.0277	----	----	----	----		125	UNCH
7200	----	----		----	9.90B/11.10A	----	----	----	10.60 - 0.10	.0276	----	----	----	----		1	UNCH
7250	----	----		----	9.70B/11.00A	----	----	----	10.40 - 0.10	.0269	----	----	----	----		226	UNCH
7500	----	----		----	9.70B/10.30A	----	----	----	9.80 - 0.20	.0246	----	----	203	----		462 +	203
8000	----	----		----	8.10B/9.30A	----	----	----	8.80 - 0.30	.0209	----	----	----	----		2254	UNCH
8125	----	----		----	7.90B/9.10A	----	----	----	8.50 - 0.40	.0200	----	----	----	----		801	UNCH
8500	----	----		----	7.50B/8.60A	----	----	----	8.00 - 0.30	.0182	----	----	----	----		257	UNCH
8630	----	----		----	7.20B/8.40A	----	----	----	7.80 - 0.30	.0175	----	----	----	----		400	UNCH
8725	----	----		----	7.20B/8.30A	----	----	----	7.70 - 0.30	.0172	----	----	----	----		250	UNCH
8775	----	----		----	7.20B/8.20A	----	----	----	7.70 - 0.30	.0171	----	----	----	----		25	UNCH
9000	----	----		----	7.20B/8.00A	----	----	----	7.40 - 0.30	.0161	----	----	----	----		268	UNCH
9500	----	----		----	6.40B/7.50A	----	----	----	7.10 - 0.20	.0149	----	----	----	----		637	UNCH
9900	----	----		----	6.00B/7.00A	----	----	----	6.80 - 0.10	.0138	----	----	----	----		17	UNCH
10000	7.20	7.20		7.20/6.50	7.20/6.50	----	----	----	6.80 UNCH	.0137	----	----	454	----		10550 +	314
11000	----	----		----	5.30B/6.30A	----	----	----	6.10 + 0.10	.0117	----	----	----	----		837	UNCH
13000	----	----		----	3.20B/4.70A	----	----	----	4.40 + 0.10	.0079	----	----	----	----		625	UNCH
15000	3.00	3.00		3.00/3.00	3.00/3.00	----	----	----	3.00 - 0.10	.0053	----	----	239	----		25711 +	219
17000	----	----		----	1.30B/2.80A	----	----	----	2.00 - 0.30	.0035	----	----	----	----		28	UNCH
19000	----	----		----	0.80B/2.20A	----	----	----	1.40 - 0.20	.0024	----	----	----	----		207	UNCH
20000	1.40	1.40		1.40/1.20	1.40/1.20	----	----	----	1.20 - 0.10	.0020	----	----	520	----		27697 +	499
21000	----	----		----	----/19.50A	----	----	----	1.10 - 0.10	.0018	----	----	----	----		31	UNCH
24000	----	----		----	0.20B/1.00A	----	----	----	0.80 - 0.10	.0013	----	----	----	----		76	UNCH
TOTAL													4713	600		133179 +	2213
JAN27																	
4000	----	----		----	441.30B/676.90A	----	----	----	558.30 - 0.50	.7613	----	----	----	----		30	UNCH
4190	----	----		438.10B/416.00A	438.10B/416.00A	----	----	----	427.50 - 1.70	.6717	----	----	----	----		1	UNCH
4290	----	----		376.70B/356.80A	376.70B/356.80A	----	----	----	367.10 - 2.10	.6189	----	----	----	----		1	UNCH
4300	----	----		370.90B/351.20A	370.90B/351.20A	----	----	----	361.40 - 2.20	.6134	----	----	5	----		7 +	4
4400	----	----		318.60B/298.00A	318.60B/298.00A	----	----	----	308.10 - 2.30	.5581	----	----	----	----		30	UNCH
4500	----	----		270.50B/252.10A	270.50B/252.10A	----	----	----	261.10 - 2.40	.5022	----	----	5	75		92 +	80
4570	----	----		240.40B/223.70A	240.40B/223.70A	----	----	----	232.00 - 2.40	.4639	----	----	----	----		1	UNCH
4575	----	----		238.50B/221.80A	238.50B/221.80A	----	----	----	230.00 - 2.40	.4612	----	----	----	----		1	UNCH
4600	----	----		228.20B/212.50A	228.20B/212.50A	----	----	----	220.40 - 2.40	.4478	----	----	----	----		4	UNCH
4650	----	----		209.70B/194.80A	209.70B/194.80A	----	----	----	202.20 - 2.40	.4215	----	----	----	----		3	UNCH
4695	----	----		193.40B/180.10A	193.40B/180.10A	----	----	----	187.10 - 2.30	.3986	----	----	----	----		3	UNCH
4700	----	----		192.40B/178.20A	192.40B/178.20A	----	----	----	185.50 - 2.30	.3961	----	----	----	----		2	UNCH
4710	----	----		189.10B/175.40A	189.10B/175.40A	----	----	----	182.30 - 2.30	.3911	----	----	----	----		3	UNCH
4725	----	----		184.30B/170.60A	184.30B/170.60A	----	----	----	177.60 - 2.30	.3837	----	----	----	----		8	UNCH
4740	----	----		179.00B/166.50A	179.00B/166.50A	----	----	----	173.00 - 2.30	.3764	----	----	----	----		4	UNCH
4750	----	----		175.70B/163.60A	175.70B/163.60A	----	----	----	170.00 - 2.30	.3715	----	----	----	----		9	UNCH
4760	----	----		173.40B/160.40A	173.40B/160.40A	----	----	----	167.10 - 2.20	.3668	----	----	----	----		101	

PG64	BULLETIN #114@										METALS OPTION PRODUCTS										Tue, Jun 16, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
MMG MON JUN26	MICRO GOLD WEEKLY MONDAY OPTION WEE																						
4000	----	----	----	----	----	----	----	----	1.80 + 0.10	.0170	----	----	----	----	1	UNCH							
4275	----	----	----	----	----	----	----	----	18.20 - 7.20	.2329	----	----	----	----	1	UNCH							
4330	----	----	----	----	----	----	----	----	21.60 UNCH	1.0000	----	----	----	----	0	UNCH							
4400	----	----	----	----	----	----	----	----	26.00 - 7.70	.3362	----	----	----	----	3	UNCH							
4450	20.00	20.00		#20.00/*20.00	#20.00/*20.00				13.40 NEW	.1902	----	----	2	----	2	+							
TOTAL													2		7+	2							
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GWV WED JUN26	GOLD WEEKLY WEDNESDAY OPTION WEEK4																						
3250	----	----	----	----	----	----/0.60A	----	----	0.10 UNCH	.0000	----	----	----	----	1	UNCH							
3500	----	----	----	----	----	----/*0.60A	----	----	0.20 UNCH	.0011	----	----	----	----	4	UNCH							
3500	----	----	----	----	----	----/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	17	UNCH							
3600	----	----	----	----	----	0.30B/*0.60A	----	----	0.40 UNCH	.0024	----	----	----	----	68	UNCH							
3600	----	----	----	----	----	----/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	33	UNCH							
3700	----	----	----	----	----	----/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	35	UNCH							
3700	0.80	0.80		0.80/0.40	0.80/0.40				0.70 UNCH	.0047	----	----	11	----	14	-							
3750	----	----	----	----	----	----/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	11	UNCH							
3750	----	----	----	----/0.80A	0.80B/0.80A				0.90 UNCH	.0063	----	----	----	----	204	UNCH							
3765	----	----	----	----	----	----/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH							
3785	----	----	----	----	----	----/*0.20A	----	----	0.10 UNCH	----	----	----	2	----	2	UNCH							
3800	----	----	----	----	----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	72	UNCH							
3800	1.10	1.10		1.10/*0.90A	1.10/*0.90A				1.10 UNCH	.0082	----	----	20	----	165	+							
3810	----	----	----	----	----	----/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	20	UNCH							
3825	----	----	----	----	----	----/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH							
3825	----	----	----	----/1.10A	1.20B/1.10A				1.20 UNCH	.0092	----	----	----	----	6	UNCH							
3850	1.50	1.50		1.50/1.20A	1.50/1.20A				1.30 UNCH	.0103	----	----	20	----	20	+							
3850	----	----	----	----	----	----/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	15	UNCH							
3865	----	----	----	----	----	0.10B/*0.10A	----	----	0.10 UNCH	----	----	----	----	----	20	UNCH							
3870	----	----	----	----	----	0.10B/*0.10A	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH							
3875	1.60	1.60		1.60/*1.30A	1.60/*1.30A				1.50 UNCH	.0122	----	----	60	----	57	+							
3875	----	----	----	----	----	0.10B/*0.10A	----	----	0.10 UNCH	----	----	----	----	----	13	UNCH							
3880	----	----	----	----	----	0.10B/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH							
3900	----	----	----	----	----	0.10B/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	121	UNCH							
3900	----	----	----	----/*1.40A	1.70B/*1.40A				1.70 UNCH	.0143	----	----	----	----	28	UNCH							
3915	----	----	----	----	----	0.10B/*0.10A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH							
3920	----	----	----	----	----	0.10B/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH							
3925	----	----	----	----	----	----	----	----	431.10 + 2.80	.9834	----	----	----	----	1	UNCH							
3925	----	----	----	----/*1.60A	2.00B/*1.60A				1.90 - 0.10	.0165	----	----	----	----	1	UNCH							
3925	----	----	----	----	----	0.10B/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH							
3930	----	----	----	----	----	0.10B/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH							
3945	0.10	0.10		0.10/*0.10	0.10/*0.10				0.10 UNCH	----	----	----	1	----	1	UNCH							
3950	----	----	----	2.40B/*1.80A	2.40B/*1.80A				2.20 - 0.10	.0196	----	----	----	----	9	UNCH							
3950	----	----	----	----	----	0.10B/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	11	UNCH							
3950	----	----	----	413.20B/400.50A	413.20B/400.50A				404.50 + 2.80	1.0000	----	----	----	----	1	UNCH							
3955	----	----	----	----	----	0.10B/*0.20A	----	----	0.10 - 0.10	----	----	----	----	----	4	UNCH							
3960	----	----	----	----	----	0.10B/*0.20A	----	----	0.10 - 0.10	----	----	----	----	----	3	UNCH							
3965	----	----	----	----	----	0.10B/*0.20A	----	----	0.10 - 0.10	----	----	----	----	----	6	UNCH							
3970	----	----	----	----	----	0.10B/*0.20A	----	----	0.10 - 0.10	----	----	----	----	----	9	UNCH							
3975	----	----	----	----	----	0.10B/*0.20A	----	----	0.10 - 0.10	----	----	----	----	----	2	UNCH							
3975	----	----	----	2.80B/*2.10A	2.80B/*2.10A				2.50 - 0.20	.0229	----	----	----	----	7	UNCH							
3980	----	----	----	----	----	0.10B/*0.20A	----	----	0.10 - 0.10	----	----	----	----	----	2	UNCH							
3985	----	----	----	----/*0.20A	0.10B/*0.20A				0.10 - 0.20	----	----	----	----	----	1	UNCH							
3990	----	----	----	----/*0.20A	0.10B/*0.20A				0.10 - 0.20	----	----	----	----	----	3	UNCH							
3995	----	----	----	----/*0.20A	0.10B/*0.20A				0.10 - 0.20	----	----	----	----	----	4	UNCH							
4000	2.30	2.30		3.40B/*2.30	3.40B/*2.30				2.90 - 0.30	.0273	----	----	1	----	23	UNCH							
4000	----	----	----	371.00B/340.20A	371.00B/340.20A				354.50 + 2.60	1.0000	5	----	----	----	0	-							
4000	0.30	0.30		0.30/*0.10A	0.30/*0.10A				0.10 - 0.20	----	----	34	----	----	254	+							
4005	----	----	----	----/*0.20A	0.10B/*0.20A				0.10 - 0.20	----	----	----	----	----	3	UNCH							
4015	0.10	0.10		#0.10/*0.10	0.20B/*0.10				0.10 NEW	----	----	10	----	----	10	+							
4020	0.10	0.10		0.10/*0.10	0.30B/*0.10				0.10 - 0.20	----	----	5	----	----	30	+							
4025	----	----	----	4.20B/*2.80A	4.20B/*2.80A				3.30 - 0.60	.0321	----	----	----	----	21	UNCH							
4025	----	----	----	338.20B/325.70A	338.20B/325.70A				329.50 + 2.50	1.0000	1	----	----	----	1	UNCH							
4025	0.10	0.10		0.10/*0.10	0.30B/*0.10				0.10 - 0.30	.0000	----	10	----	----	39	+							
4030	0.10	0.10		#0.10/*0.10	0.40B/*0.10				0.10 NEW	.0000	----	5	----	----	5	+							
4035	0.10	0.10		#0.10/*0.10	0.40B/*0.10				0.10 NEW	.0000	----	10	----	----	10	+							
4040	0.10	0.10		#0.10/*0.10	0.40B/*0.10				0.10 NEW	.0000	----	10	----	----	10	+							
4050	----	----	----	0.50B/*0.20A	0.50B/*0.20A				0.10 - 0.30	.0000	----	----	----	----	95	UNCH							
4050	----	----	----	313.40B/300.90A	313.40B/300.90A				304.50 + 2.50	1.0000	----	----	----	----	1	UNCH							
4050	----	----	----	5.30B/*3.20A	5.30B/*3.20A				3.90 - 0.80	.0390	----	----	----	----	23	UNCH							
4060	----	----	----	#0.60B/*0.20A	0.60B/*0.20A				0.10 - 0.40	.0000	----	----	----	----	2	UNCH							
4065	----	----	----	0.60B/*0.20A	0.60B/*0.20A				0.20 - 0.30	.0001	----	----	----	----	3	UNCH							
4070	----	----	----	0.70B/*0.20A	0.70B/*0.20A				0.20 - 0.40	.0001	----	----	----	----	12	UNCH							
4075	----	----	----	6.40B/*3.80A	6.40B/*3.80A				4.60 - 1.10	.0472	----	----	----	----	19	UNCH							
4075	0.70	0.70		0.70/*0.20	0.70/*0.20				0.20 - 0.40	.0001	----	9	----	----	18	+							
4080	0.50	0.50		0.70B/*0.20	0.70B/*0.20				0.20 - 0.40	.0001	----	14	----	----	13	+							
4085	0.40	0.40		#0.80B/*0.30A	0.80B/*0.30A				0.20 NEW	.0001	----	12	----	----	12	+							
4090	----	----	----	1.00B/*0.30A	1.00B/*0.30A				0.30 - 0.40	.0003	----	----	----	----	2	UNCH							
4095	----	----	----	0.90B/*0.30A	0.90B/*0.30A				0.30 - 0.50	.0003	----	----	----	----	5	UNCH							
4100	----	----	----	275.10B/231.30A	275.10B/231.30A				254.70 + 2.30	.9996	----	----	----	----	5	UNCH							
4100	0.30	0.30		1.00B/*0.30	1.00B/*0.30				0.30 - 0.50	.0003	----	29	----	----	64	+							
4100	5.60	5.60		8.00B/*4.60A	8.00B/*4.60A				5.50 - 1.50	.0577	----	4	----	----	25	+							
4105	0.30	0.30		1.00B/*0.30	1.00B/*0.30				0.30 - 0.50	.0003	----	1	----	----	6	+							
4110	----	----	----	1.00B/*0.40A	1.00B/*0.40A				0.30 - 0.60	.0003	----	----	----	----	2	UNCH							
4115	----	----	----	1.10B/*0.40A	1.10B/*0.40A				0.40 - 0.50	.0006	----	----	----	----	2	UNCH							
4120	1.00	1.00		1.20B/*0.40A	1.20B/*0.40A				0.40 - 0.60	.0006	----	1	----	----	3	+							
4125	----	----	----	10.00B/*5.70A	10.00B/*5.70A				6.60 - 2.10	.0708	----	2	----	----	24	+							
4125	----	----	----	255.00B/216.10A	255.00B/216.10A				235.90 + 0.80	.9289	----	9	----	----	8	-							
4125	----	----	----	250.10B/206.70A	250.10B/206.70A				229.80 + 2.20	.9993	----	----	----	----	76	UNCH							
4135	----	----	----	1.30B/*0.40A	1.30B/*0.40A				0.40 - 0.60	.0006	----	----	----	----	105	UNCH							
4140	----	----	----	1.40B/*0.50A	1.40B/*0.50A				0.50 - 0.70	.0009	----	----	----	----	9	UNCH							
4140	----	----	----	1.60B/*0.50A	1.60B/*0.50A				0.50 - 0.70	.0009	----	----	----	----	5	UNCH							
4140	----	----	----	235.50B/*192.00	235.50B/192.00A				214.90 + 2.10	.9990	----	----	----	----	1	UNCH							
4145	0.50	0.50		#1.70B/*0.50	1.70B/*0.50				0.60 NEW	.0013	----	1	----	----	1	+							
4150	----	----	----	231.40B/193.80A	231.40B/193.80A				212.40 + 0.10	.9115	----	----	----	----	5	UNCH							
4150	0.60	0.60		1.70B/*0.50	1.70B/*0.50				0.60 - 0.80	.0013	----	----	----	----	26	-							
4150	----	----	----	13.00B/*7.00A	13.00B/*7.00A				8.10 - 2.70	.0882	----	6	----	----	5	+							
4160	----	----	----	224.80B/182.20A	224.80B/182.20A				205.00 + 2.00	.9986	----	----	----	----	83	UNCH							
4160	0.90	0.90		#1.90B/*0.60	1.90B/*0.60				0.70 NEW	.0018	----	2	----	----	2	+							
4165	----	----	----	2.00B/*0.60A	2.00B/*0.60A				0.70 - 1.00	.0018	----	----	----	----	20	UNCH							
4170	0.90																						

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GOLD WEEKLY WEDNESDAY OPTION WEEK3																	
JUN26																	
4250	10.40	10.40		10.40/*1.50A	10.40/*1.50A	----			1.80 - 4.10	.0143	----	----	169	----	148	+	115
4250	----	----		31.80B/18.00A	31.80B/18.00A	----			20.30 - 6.60	.2191	----	----	----	----	1	UNCH	
4255	3.10	3.10		#9.30B/*1.60A	9.30B/*1.60A	----			2.00 - 4.50	.0173	----	----	18	----	20	+	17
4255	----	----		121.40B/83.20A	121.40B/83.20A	----			101.40 - 1.70	.9826	----	----	23	----	24	+	23
4260	2.70	2.70		#10.10B/*1.80A	10.10B/*1.80A	----			2.20 - 4.90	.0205	----	----	25	----	17	+	14
4260	----	----		116.90B/78.70A	116.90B/78.70A	----			96.60 - 2.10	.9794	----	----	1	----	52	+	1
4265	2.60	2.60		#11.00B/*2.00A	11.00B/*2.00A	----			2.40 - 5.30	.0242	----	----	12	----	8	+	5
4265	----	----		111.90B/74.00A	111.90B/74.00A	----			91.80 - 2.50	.9757	----	----	----	----	2	UNCH	
4270	3.80	3.80		#12.10B/*2.20A	12.10B/*2.20A	----			2.60 - 5.80	.0283	----	26	----	23	+	21	
4270	----	----		107.80B/69.50A	107.80B/69.50A	----			87.00 - 3.00	.9716	----	----	----	----	3	UNCH	
4275	----	----		102.40B/65.20A	102.40B/65.20A	----			82.30 - 3.50	.9658	----	----	----	----	12	UNCH	
4275	23.00	23.00		122.20B/92.50A	122.20B/92.50A	----			105.20 - 4.90	.7275	----	----	----	----	8	UNCH	
4275	4.50	4.50		39.60B/23.00	39.60B/23.00	----			25.80 - 7.80	.2722	----	6	----	16	+	2	
4280	5.30	5.30		13.20B/*2.40A	13.20B/*2.40A	----			2.90 - 6.30	.0341	----	38	----	32	+	22	
4280	89.10	89.10		97.90B/60.70A	97.90B/60.70A	----			77.60 - 4.10	.9593	----	----	----	----	3	UNCH	
4285	5.00	5.00		#14.40B/*2.50	14.40B/*2.50	----			3.20 - 6.90	.0406	----	24	----	22	+	20	
4290	----	----		93.80B/*56.60A	93.80B/56.60A	----			73.00 - 4.60	.9506	----	3	----	4	+	2	
4290	4.00	4.00		#15.50B/*2.80A	15.50B/*2.80A	----			3.60 - 7.40	.0493	----	106	----	97	+	96	
4295	----	----		88.40B/52.30A	88.40B/52.30A	----			68.40 - 5.20	.9409	----	2	----	3	+	1	
4295	5.90	5.90		#16.80B/*3.10A	16.80B/*3.10A	----			4.00 - 8.00	.0590	----	11	----	16	+	6	
4300	67.50	67.50		84.60B/48.30A	84.60B/48.30A	----			63.90 - 5.80	.9285	----	----	----	----	1	UNCH	
4300	21.00	21.00		17.90B/*3.40A	17.90B/*3.40A	----			4.50 - 8.60	.0714	----	13	----	12	+	10	
4300	46.30	46.30		79.30B/44.30A	79.30B/44.30A	----			59.50 - 6.40	.9133	----	19	----	138	-	2	
4300	----	----		21.00/*3.70	21.00/*3.70	----			5.10 - 9.20	.0866	----	369	----	168	+	70	
4300	----	----		49.10B/29.20A	49.10B/29.20A	----			32.90 - 8.90	.3347	----	4	----	20	+	2	
4300	----	----		103.80B/76.10A	103.80B/76.10A	----			87.20 - 6.10	.6650	----	----	----	108	UNCH		
4305	21.70	21.70		74.80B/40.60A	74.80B/40.60A	----			55.10 - 7.10	.8963	----	22	----	22	+	21	
4310	22.20	22.20		#21.70/*4.20A	21.70/*4.20A	----			5.70 - NEW	.1036	----	19	----	12	+	12	
4310	42.50	42.50		#22.90B/*4.70A	22.90B/*4.70A	----			6.50 - 10.50	.1254	----	11	----	6	+	5	
4315	19.30	19.30		70.90B/*37.00A	70.90B/37.00A	----			50.90 - NEW	.8745	----	2	----	2	+	2	
4315	22.00	22.00		66.10B/*33.50A	66.10B/33.50A	----			46.80 - 8.30	.8490	----	----	----	2	UNCH		
4320	57.50	57.50		#24.90B/*5.30A	24.90B/*5.30A	----			7.40 - NEW	.1509	----	3	----	1	+	1	
4325	9.00	9.00		#27.40B/*6.00A	27.40B/*6.00A	----			8.40 - 11.70	.1803	----	158	----	135	+	135	
4325	33.80	33.80		62.30B/30.20A	62.30B/30.20A	----			42.80 - 8.90	.8196	----	10	----	11	+	9	
4330	10.80	10.80		29.80B/*6.80A	29.80B/*6.80A	----			9.50 - 12.30	.2136	----	51	----	50	+	32	
4330	28.00	28.00		86.60B/62.10A	86.60B/62.10A	----			71.00 - 7.10	.5949	----	----	----	27	UNCH		
4335	32.10	32.10		58.20B/27.50A	58.20B/27.50A	----			38.90 - 9.50	.7863	----	6	----	56	+	5	
4335	26.50	26.50		#32.10B/*7.80A	32.10B/*7.80A	----			10.80 - 12.90	.2522	----	7	----	9	+	7	
4340	15.50	15.50		54.20B/24.70A	54.20B/24.70A	----			35.20 - 10.10	.7477	----	6	----	6	+	2	
4340	----	----		#34.70B/*8.90A	34.70B/*8.90A	----			12.30 - 13.30	.2957	----	60	----	51	+	45	
4345	29.10	29.10		50.50B/21.80A	50.50B/21.80A	----			31.70 - 10.50	.7041	----	17	----	17	+	15	
4345	27.20	27.20		#37.30B/*10.10A	37.30B/*10.10A	----			14.00 - NEW	.3436	----	11	30	39	+	39	
4350	34.00	34.00		46.50B/19.20A	46.50B/19.20A	----			28.40 - 11.00	.6563	----	1	----	3	UNCH		
4350	70.00	70.00		#40.10B/*11.50A	40.10B/*11.50A	----			15.90 - 14.10	.3951	----	50	----	44	+	42	
4350	15.10	15.10		43.10B/17.00A	43.10B/17.00A	----			25.30 - 11.30	.6048	----	10	----	9	+	6	
4350	51.30	51.30		42.80B/*13.10A	42.80B/*13.10A	----			18.00 - 14.40	.4492	----	309	----	104	+	95	
4355	18.00	18.00		71.20B/49.20A	71.20B/49.20A	----			56.80 - 7.70	.5194	----	7	----	8	+	5	
4355	19.90	19.90		39.60B/14.80A	39.60B/14.80A	----			22.40 - 11.60	.5507	----	10	----	37	+	3	
4360	26.00	26.00		72.90B/46.50A	72.90B/46.50A	----			52.40 - 10.50	.4803	----	20	----	23	+	19	
4360	24.00	24.00		36.30B/12.90A	36.30B/12.90A	----			19.80 - 11.70	.4949	----	12	----	15	+	7	
4365	24.50	24.50		#46.20B/*14.90A	46.20B/*14.90A	----			20.40 - NEW	.5050	----	5	----	5	+	5	
4365	21.00	21.00		32.90B/11.30A	32.90B/11.30A	----			17.40 - 11.80	.4390	----	26	----	22	+	17	
4370	19.50	19.50		#49.30B/*17.00A	49.30B/*17.00A	----			23.00 - 14.60	.5609	----	7	----	21	+	6	
4370	28.00	28.00		30.20B/9.80A	30.20B/9.80A	----			15.20 - 11.80	.3843	----	13	----	19	+	11	
4375	----	----		#52.60B/*19.30A	52.60B/*19.30A	----			25.80 - 14.60	.6156	----	2	----	6	+	2	
4375	17.00	17.00		27.50B/*8.50A	27.50B/8.50A	----			13.30 - 11.70	.3325	----	19	----	14	+	13	
4375	----	----		#56.20B/*22.10A	56.20B/*22.10A	----			28.90 - 14.50	.6673	----	1	----	1	+	1	
4375	17.00	17.00		87.70B/57.80A	87.70B/57.80A	----			65.30 - 10.70	.5577	----	----	----	50	UNCH		
4375	17.00	17.00		59.70B/24.50A	59.70B/24.50A	----			32.20 - 14.30	.7155	----	10	----	27	+	9	
4380	15.00	15.00		24.90B/7.40A	24.90B/7.40A	----			11.60 - 11.50	.2844	----	35	----	66	+	13	
4380	15.00	15.00		57.60B/38.50A	57.60B/38.50A	----			44.70 - 8.00	.4420	----	----	----	62	UNCH		
4385	15.00	15.00		22.70B/*6.50A	22.70B/6.50A	----			10.10 - 11.20	.2407	----	38	----	30	+	21	
4390	16.60	16.60		20.40B/*5.60A	20.40B/5.60A	----			8.70 - 10.90	.2005	----	14	----	12	+	5	
4395	6.80	6.80		18.30B/*4.90A	18.30B/4.90A	----			7.50 - 10.50	.1656	----	120	----	100	+	96	
4400	40.50	40.50		8.00/*4.20A	16.40B/4.20A	----			6.40 - 10.20	.1346	----	14	----	12	+	10	
4400	12.00	12.00		46.00B/29.80A	46.00B/29.80A	----			34.70 - 7.80	.3670	----	102	----	297	+	61	
4400	6.30	6.30		103.80B/71.10A	103.80B/71.10A	----			80.30 - 10.50	.6327	----	----	----	5	UNCH		
4405	10.00	10.00		15.10/3.70A	15.10/3.70A	----			5.50 - 9.70	.1091	----	101	30	143	+	45	
4410	9.00	9.00		79.20B/39.90A	79.20B/39.90A	----			51.10 - 12.50	.8908	----	----	----	6	UNCH		
4415	9.00	9.00		6.30/*3.20A	13.20B/3.20A	----			4.70 - 9.20	.0873	----	15	----	11	+	9	
4420	9.00	9.00		#83.30B/*43.30A	83.30B/*43.30A	----			55.30 - NEW	.9126	----	2	----	1	+	1	
4425	9.00	9.00		12.30/*2.80A	12.30/2.80A	----			4.00 - 8.80	.0692	----	19	----	32	+	5	
4425	9.00	9.00		11.00/*2.50A	11.00/2.50A	----			3.50 - 8.20	.0560	----	35	----	25	+	20	
4430	5.00	5.00		9.80/*2.20A	9.80/2.20A	----			3.00 - 7.70	.0442	----	58	----	15	+	14	
4435	5.00	5.00		9.00/1.90A	9.00/1.90A	----			2.50 - 7.30	.0337	----	24	----	35	+	3	
4440	5.00	5.00		100.60B/58.60A	100.60B/58.60A	----			73.10 - 10.10	.9662	----	----	----	12	UNCH		
4445	5.00	5.00		36.10B/22.80A	36.10B/22.80A	----			26.60 - 7.30	.2979	----	----	----	8	UNCH		
4450	6.30	6.30		5.50/*1.70A	7.30B/*1.70A	----			2.20 - 6.80	.0271	----	14	----	3	+	1	
4455	3.00	3.00		6.30/*1.50A	6.50B/*1.50A	----			2.00 - 6.20	.0226	----	14	----	74	+	8	
4460	23.50	23.50		----/*1.40A	5.80B/*1.40A	----			1.70 - 5.80	.0174	----	1	----	27	+	1	
4465	6.20	6.20		3.00/*1.30A	5.20B/*1.30A	----			1.50 - NEW	.0140	----	20	----	20	+	20	
4470	6.20	6.20		28.10B/17.20A	28.10B/17.20A	----			20.20 - 6.70	.2369	----	12	----	12	+	7	
4475	1.40	1.40		123													

BULLETIN #114@				METALS OPTION PRODUCTS										Tue, Jun 16, 2026		PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GWW WED JUN26 GOLD WEEKLY WEDNESDAY OPTION WEEK3																	
4775	----	----	----	----	----	/*0.20A	----	----	0.10	UNCH	----	----	----	----	50	UNCH	
4800	----	----	----	----	----	/*0.20A	----	----	0.10	UNCH	----	----	----	----	2	UNCH	
4800	----	----	----	----	----	/*1.20A	1.20B	/*1.20A	1.30	- 0.60	.0131	----	----	----	5	UNCH	
4825	----	----	----	----	----	/*0.20A	----	----	0.10	UNCH	----	----	----	----	1	UNCH	
4825	----	----	----	----	----	/*1.10A	1.10B	/*1.10A	1.20	- 0.40	.0117	----	----	----	1	UNCH	
4850	----	----	----	----	----	/*1.00A	1.00B	/*1.00A	1.10	- 0.30	.0104	----	----	----	4	UNCH	
4875	----	----	----	----	----	/*0.20A	----	----	0.10	UNCH	----	----	----	----	1	UNCH	
4875	----	----	----	----	----	/*0.90A	0.90B	/*0.90A	1.00	- 0.20	.0092	----	----	----	2	UNCH	
4900	----	----	----	----	----	/*0.80A	0.80B	/*0.80A	0.90	- 0.20	.0081	----	----	----	8	UNCH	
4900	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	1	UNCH	
4925	----	----	----	----	----	/*0.20A	----	----	0.10	UNCH	----	----	----	----	3	UNCH	
4925	----	----	----	----	----	/*0.80A	0.70B	/*0.80A	0.80	- 0.20	.0070	----	----	----	2	UNCH	
4950	----	----	----	----	----	/*0.70A	0.60B	/*0.70A	0.70	- 0.20	.0060	----	----	----	1	UNCH	
4950	----	----	----	----	----	/*0.20A	----	----	0.10	UNCH	----	----	----	----	1	UNCH	
4975	----	----	----	----	----	/*0.70A	0.50B	/*0.70A	0.70	- 0.10	.0058	----	----	----	1	UNCH	
5000	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	1	UNCH	
5025	----	----	----	----	0.40B	/*0.70A	----	----	0.50	- 0.20	.0040	----	----	----	1	UNCH	
TOTAL													3315	60	7441+	1874	
JUL26																	
3250	----	----	----	----	----	/0.80A	----	----	0.40	+ 0.10	.0021	----	----	----	1	UNCH	
3500	----	----	----	----	0.70B	/*1.10A	----	----	0.90	UNCH	.0054	----	----	----	2	UNCH	
3600	2.20	2.20		#2.20	/*2.00A	2.20	/*2.00A	----	2.80	NEW	.0164	----	1	----	1	+	
3700	----	----	----	----	----/*1.70A	1.60B	/*1.70A	----	1.90	UNCH	.0130	----	----	----	4	UNCH	
3700	----	----	----	----	----/*2.80A	2.80B	/*2.80A	----	3.70	+ 0.40	.0231	----	----	----	1	UNCH	
3725	----	----	----	----	----/*3.00A	3.10B	/*3.00A	----	3.90	+ 0.30	.0248	----	----	----	1	UNCH	
3750	----	----	----	----	----/*2.10A	1.90B	/*2.10A	----	2.30	+ 0.10	.0163	----	----	----	32	UNCH	
3750	----	----	----	----	----/*3.30A	3.40B	/*3.30A	----	4.20	+ 0.30	.0272	----	----	----	1	UNCH	
3775	----	----	----	----	----/*2.20A	2.10B	/*2.20A	----	2.50	UNCH	.0181	----	----	----	6	UNCH	
3800	----	----	----	----	----/*2.40A	2.40B	/*2.40A	----	2.70	UNCH	.0199	----	----	----	4	UNCH	
3825	----	----	----	----	----/*2.60A	2.70B	/*2.60A	----	3.00	- 0.10	.0225	----	----	----	1	UNCH	
3825	----	----	----	----	----/*4.50A	4.80B	/*4.50A	----	5.50	+ 0.10	.0369	----	----	----	3	UNCH	
3850	----	----	----	----	----/*5.00A	5.40B	/*5.00A	----	6.00	UNCH	.0409	----	----	----	2	UNCH	
3850	----	----	----	----	----/*2.90A	3.00B	/*2.90A	----	3.40	UNCH	.0258	----	----	----	1	UNCH	
3875	----	----	----	----	----/*3.20A	3.40B	/*3.20A	----	3.80	- 0.10	.0293	----	----	----	4	UNCH	
3875	6.30	6.30		#6.60	/*5.60A	6.60	/*5.60A	----	6.60	NEW	.0455	----	3	----	3	+	
3900	----	----	----	----	----/*3.70A	3.90B	/*3.70A	----	4.20	- 0.20	.0330	----	----	----	105	UNCH	
3900	----	----	----	----	----/*6.30A	6.90B	/*6.30A	----	7.40	- 0.30	.0514	----	----	----	13	UNCH	
3925	----	----	----	----	9.50B	/*7.20A	9.50B	/*7.20A	8.20	- 0.60	.0575	----	----	----	10	UNCH	
3925	----	----	----	----	----/*4.10A	4.50B	/*4.10A	----	4.70	- 0.40	.0375	----	----	----	2	UNCH	
3950	----	----	----	----	----/*4.70A	5.20B	/*4.70A	----	5.40	- 0.50	.0435	----	----	----	23	UNCH	
3950	9.80	9.80		#10.90B	/*8.10A	10.90B	/*8.10A	----	9.20	- 0.80	.0650	----	1	----	7	+	
3975	11.00	11.00		#12.40B	/*9.20A	12.40B	/*9.20A	----	10.40	- 1.10	.0738	----	1	----	4	+	
3975	----	----	----	----	7.30B	/*5.40A	7.30B	/*5.40A	6.10	- 0.80	.0499	----	----	----	3	UNCH	
4000	----	----	----	----	8.80B	/*6.20A	8.80B	/*6.20A	7.00	- 1.00	.0578	----	----	----	154	UNCH	
4000	----	----	----	----	#14.20B	/*10.50A	14.20B	/*10.50A	11.70	- 1.50	.0835	----	----	----	3	UNCH	
4025	----	----	----	----	10.50B	/*7.10A	10.50B	/*7.10A	8.10	- 1.30	.0674	----	----	----	1	UNCH	
4025	12.70	12.70		#16.70B	/*12.00A	16.70B	/*12.00A	----	13.40	- 1.80	.0955	----	1	----	2	+	
4050	9.80	9.80		12.40B	/*8.30A	12.40B	/*8.30A	----	9.40	- 1.70	.0787	----	1	----	7	+	
4050	14.70	14.70		#19.50B	/*13.80A	19.50B	/*13.80A	----	15.30	- 2.20	.1090	----	1	----	2	+	
4075	----	----	----	----	14.80B	/*9.80A	14.80B	/*9.80A	11.00	- 2.10	.0923	----	----	----	6	UNCH	
4075	----	----	----	----	308.60B	/272.80A	308.60B	/272.80A	290.00	+ 0.60	.9073	----	----	----	0	UNCH	
4075	----	----	----	----	#22.50B	/*16.00A	22.50B	/*16.00A	17.50	- 2.70	.1244	----	----	----	1	UNCH	
4100	----	----	----	----	285.00B	/250.10A	285.00B	/250.10A	267.00	+ 0.20	.8913	----	----	----	0	UNCH	
4100	----	----	----	----	17.60B	/*11.60A	17.60B	/*11.60A	12.90	- 2.60	.1083	----	----	----	151	UNCH	
4100	----	----	----	----	#26.20B	/*18.50A	26.20B	/*18.50A	20.10	- 3.30	.1422	----	----	----	1	UNCH	
4125	----	----	----	----	20.90B	/*13.80A	20.90B	/*13.80A	15.30	- 3.10	.1278	----	----	----	7	UNCH	
4125	----	----	----	----	262.40B	/228.00A	262.40B	/228.00A	244.40	- 0.30	.8718	----	----	----	0	UNCH	
4150	----	----	----	----	25.10B	/*16.40A	25.10B	/16.40A	18.10	- 3.80	.1503	----	1	----	2	-	
4150	----	----	----	----	240.00B	/206.40A	240.00B	/206.40A	222.20	- 1.00	.8493	----	----	----	1	UNCH	
4175	26.20	26.20		29.80B	/*19.50A	29.80B	/19.50A	----	21.50	- 4.60	.1767	----	29	----	2	UNCH	
4200	----	----	----	----	35.30B	/*23.30A	35.30B	/23.30A	25.60	- 5.40	.2073	----	----	25	139	+	
4225	----	----	----	----	41.90B	/*27.90A	41.90B	/27.90A	30.70	- 6.00	.2431	----	----	----	2	UNCH	
4250	----	----	----	----	157.00B	/128.90A	157.00B	/128.90A	140.90	- 3.90	.7164	----	----	----	1	UNCH	
4250	52.50	52.50		#63.00B	/*45.30A	63.00B	/*45.30A	----	49.00	NEW	.3121	----	3	----	3	+	
4275	----	----	----	----	138.60B	/112.10A	138.60B	/112.10A	123.10	- 4.50	.6719	----	----	----	1	UNCH	
4275	61.30	61.30		#72.40B	/*52.60A	72.40B	/*52.60A	----	56.90	- 7.60	.3513	----	3	----	4	+	
4300	----	----	----	----	121.20B	/96.90A	121.20B	/96.90A	106.50	- 5.20	.6235	----	----	----	7	UNCH	
4300	----	----	----	----	68.40B	/*47.50A	68.40B	/47.50A	52.10	- 8.10	.3760	----	----	----	1	UNCH	
4300	70.40	70.40		#82.70B	/*60.90A	82.70B	/*60.90A	----	65.90	- 8.10	.3930	----	1	----	6	+	
4325	----	----	----	----	79.90B	/*56.30A	79.90B	/56.30A	61.80	NEW	.4278	----	----	25	25	+	
4325	----	----	----	----	#94.20B	/*70.20A	94.20B	/*70.20A	76.00	- 8.60	.4367	----	----	----	4	UNCH	
4325	----	----	----	----	105.10B	/82.60A	105.10B	/82.60A	91.20	- 5.90	.5717	----	----	----	7	UNCH	
4350	----	----	----	----	93.00B	/*66.50A	93.00B	/66.50A	73.00	- 9.20	.4818	----	----	----	1	UNCH	
4350	----	----	----	----	90.70B	/69.60A	90.70B	/69.60A	77.40	- 6.40	.5177	----	----	----	0	UNCH	
4375	----	----	----	----	77.30B	/58.40A	77.30B	/58.40A	65.10	- 6.80	.4630	----	----	----	1	UNCH	
4375	----	----	----	----	91.10B	/*72.40A	91.10B	/72.40A	79.50	- 6.30	.4723	----	----	----	1	UNCH	
4400	----	----	----	----	79.90B	/*62.30A	79.90B	/62.30A	68.40	- 6.50	.4271	----	----	----	2	UNCH	
4400	55.00	55.00		65.90B	/48.70A	65.90B	/48.70A	----	54.30	- 6.90	.4088	----	1	----	12	UNCH	
4400	----	----	----	----	117.10B	/92.10A	117.10B	/92.10A	99.80	- 9.80	.5907	----	----	----	1	UNCH	
4425	----	----	----	----	55.50B	/40.30A	55.50B	/40.30A	45.00	- 6.90	.3568	----	----	25	27	+	
4450	38.00	38.00		46.40B	/33.30A	46.40B	/33.30A	----	37.10	- 6.60	.3080	----	1	----	1	-	
4475	----	----	----	----	38.60B	/27.30A	38.60B	/27.30A	30.40	- 6.20	.2631	----	----	----	3	UNCH	
4500	26.30	26.30		32.00B	/22.50A	32.00B	/22.50A	----	25.00	- 5.60	.2236	----	3	----	6	+	
4500	----	----	----	----	43.90B	/*33.00A	43.90B	/33.00A	36.10	- 5.80	.2649	----	----	----	1	UNCH	
4525	----	----	----	----	26.40B	/18.50A	26.40B	/18.50A	20.50	- 5.00	.1887	----	----	----	13	UNCH	
4550	----	----	----	----	21.80B	/15.20A	21.80B	/15.20A	16.80	- 4.50	.1585	----	----	25	27	+	
4575	----	----	----	----	#27.20B	/*20.30A	27.20B	/*20.30A	22.10	- 4.60	.1756	----	----	----	2	UNCH	
4575	----	----	----	----	18.00B	/12.60A	18.00B	/12.60A	13.90	- 3.90	.1333	----	----	----	15	UNCH	
4600	----	----	----	----	23.10B	/*17.30A	23.10B	/17.30A	18.90	- 4.10	.1527	----	----	----	2	UNCH	
4600	----	----	----	----	----/10.50A	14.90B	/10.50A	----	11.60	- 3.30	.1124	----	----	----	9	UNCH	
4650	----	----	----	----	----/7.50A	10.30B	/7.50A	----	8.20	- 2.50	.0803	----	----	----	4	UNCH	
4675	----	----	----	----	----/6.40A	8.70B	/6.40A	----	6.90	- 2.20	.0678	----	----	----	1	UNCH	
4700	----	----	----	----	----/5.60A	7.40B	/5.60A	----	5.90	- 2.00	.0579	----	----	----	5	UNCH	
4700	----	----	----	----	----/9.70A	12.50B	/9.70A	----	10.70	- 2.30	.0893	----	----	----	2	UNCH	
4750	5.20	5.20		5.40B	/4.30A	5.40B	/4.30A	----	4.50</								

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY TUESDAY OPTION Week3															
JUN26															
3835	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3840	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3850	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3850	----	----	----	----	----	/*2.60A	2.60B/*2.60A	----	2.90 - 0.10	.0226	----	----	----	----	5 UNCH
3850	----	----	----	----	----	/*0.80A	1.00B/*0.80A	----	1.10 + 0.10	.0085	----	----	----	----	7 UNCH
3855	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3865	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3870	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3875	1.30	1.30	1.30	1.30	1.30	/*0.90A	1.30	1.30	1.20 UNCH	.0096	----	----	20	----	19 +
3875	----	----	----	----	----	/*2.80A	2.90B/*2.80A	----	3.30 - 0.20	.0261	----	----	----	----	9 UNCH
3875	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3880	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3890	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3900	----	----	----	----	----	/*3.20A	3.40B/*3.20A	----	3.70 - 0.30	.0297	----	2	----	----	121 +
3900	1.00	1.00	1.40	1.40	1.40	/*0.90	1.40	1.40	1.30 UNCH	.0109	----	32	----	----	48 +
3900	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	2	----	----	0 -
3915	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3925	----	----	----	----	----	/*1.10A	1.50B/*1.10A	----	1.50 UNCH	.0129	----	----	----	----	6 UNCH
3925	----	----	----	----	----	/*3.60A	3.90B/*3.60A	----	4.20 - 0.40	.0343	----	----	----	----	1 UNCH
3925	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3930	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3940	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3945	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3950	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3950	4.00	4.00	4.00	4.00	4.00	/*4.00	4.50B/*4.00	4.70	4.70	0.60	.0391	----	2	----	32 +
3950	----	----	----	----	----	/*1.40A	1.80B/*1.40A	1.70	1.70	0.10	.0152	1	----	----	16 +
3955	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3960	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3965	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3970	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3975	----	----	----	----	----	/*1.60A	2.10B/*1.60A	1.90	1.90	0.20	.0176	2	----	----	8 +
3975	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3975	----	----	6.40B	6.40A	6.40B	6.40A	/*4.60A	6.40B	5.40 - 0.80	.0454	----	----	----	----	8 UNCH
3980	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3985	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3990	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
3995	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4000	6.40	6.40	7.70B	7.70A	7.70B	7.70A	/*5.30A	7.70B	6.20 - 1.10	.0528	----	3	----	----	67 +
4000	----	----	2.60B	2.60A	2.60B	2.60A	/*1.90A	2.60B	2.20 - 0.30	.0211	----	----	----	----	6 UNCH
4000	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4005	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4010	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4015	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4020	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4025	----	----	350.00B	350.00A	350.00B	350.00A	305.30A	350.00B	329.40 + 2.70	----	1	----	----	----	0 -
4025	----	----	8.90B	8.90A	8.90B	8.90A	/*6.20A	8.90B	7.10 - 1.40	.0613	----	----	----	----	12 UNCH
4025	----	----	351.20B	351.20A	351.20B	351.20A	309.30A	351.20B	331.70 + 2.30	.9749	----	----	----	----	1 UNCH
4025	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4025	----	----	3.20B	3.20A	3.20B	3.20A	/*2.20A	3.20B	2.50 - 0.50	.0250	----	----	----	102	UNCH
4030	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4035	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4040	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4045	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4050	----	----	324.30B	324.30A	324.30B	324.30A	280.30A	324.30B	304.40 + 2.70	----	1	----	----	----	0 -
4050	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4050	10.30	10.30	4.00B	4.00A	4.00B	4.00A	/*2.60A	4.00B	2.90 - 0.70	.0300	----	----	----	----	7 UNCH
4050	----	----	10.90B	10.90A	10.90B	10.90A	/*7.30A	10.90B	8.30 - 1.70	.0721	----	13	----	----	26 +
4055	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4060	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4065	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4070	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4075	----	----	12.70B	12.70A	12.70B	12.70A	/*8.70A	12.70B	9.70 - 2.10	.0848	----	----	----	----	34 UNCH
4075	----	----	5.00B	5.00A	5.00B	5.00A	/*3.00A	5.00B	3.50 - 1.00	.0373	----	1	----	----	47 UNCH
4075	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4075	----	----	307.30B	307.30A	307.30B	307.30A	271.20A	307.30B	288.80 + 0.70	.9149	----	----	----	----	1 UNCH
4075	----	----	302.10B	302.10A	302.10B	302.10A	261.20A	302.10B	282.70 + 1.80	.9625	----	----	----	----	3 UNCH
4080	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4085	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4090	0.10	0.10	0.10	0.10	0.10	/*0.10	0.10	0.10	0.00 - 0.10	----	----	1	----	----	0 -
4095	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4100	5.90	5.90	6.20B	6.20A	6.20B	6.20A	/*3.60A	6.20B	4.20 - 1.40	.0462	----	1	----	----	86 +
4100	----	----	284.00B	284.00A	284.00B	284.00A	248.20A	284.00B	265.50 + 0.20	.8996	----	----	----	----	2 UNCH
4100	11.00	11.00	15.80B	15.80A	15.80B	15.80A	10.30A	15.80B	11.40 - 2.60	.1000	----	8	----	----	10 UNCH
4100	----	----	0.40B	0.40A	0.40B	0.40A	/*0.10A	0.40B	0.00 - 0.10	----	----	----	----	----	0 -
4100	----	----	274.30B	274.30A	274.30B	274.30A	230.40A	274.30B	254.40 + 2.70	----	4	----	----	----	0 -
4105	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -
4110	----	----	264.30B	264.30A	264.30B	264.30A	220.50A	264.30B	244.40 + 2.60	----	2	----	----	----	0 -
4110	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.20	----	----	----	----	----	0 -
4115	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.20	----	----	----	----	----	0 -
4120	0.10	0.10	0.10	0.10	0.10	/*0.10	0.10	0.10	0.00 - 0.20	----	----	1	----	----	0 -
4120	----	----	254.40B	254.40A	254.40B	254.40A	210.60A	254.40B	234.40 + 2.60	----	15	----	----	----	0 -
4125	----	----	249.40B	249.40A	249.40B	249.40A	205.60A	249.40B	229.40 + 2.50	----	11	----	----	----	0 -
4125	0.20	0.20	0.20	0.20	0.20	/*0.10A	0.20	0.20	0.00 - 0.30	----	----	1	----	----	0 -
4125	----	----	18.90B	18.90A	18.90B	18.90A	12.30A	18.90B	13.60 - 3.10	.1189	----	----	2	----	13 UNCH
4125	----	----	7.90B	7.90A	7.90B	7.90A	/*4.40A	7.90B	5.10 - 1.90	.0577	----	----	----	----	14 UNCH
4125	----	----	260.60B	260.60A	260.60B	260.60A	225.90A	260.60B	242.70 - 0.30	.8807	----	----	----	----	3 UNCH
4130	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.30	----	----	----	----	----	0 -
4135	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.30	----	----	----	----	----	0 -
4135	----	----	239.80B	239.80A	239.80B	239.80A	195.70A	239.80B	219.40 + 2.50	----	1	----	----	----	0 -
4140	----	----	----	----	----	/*0.10A	0.20B	0.20A	0.00 - 0.40	----	----	----	----	----	0 -
4140	----	----	234.80B	234.80A	234.80B	234.80A	190.70A	234.80B	214.40 + 2.40	----	1	----	----	----	0 -
4145	----	----	----	----	----	/*0.10A	0.30B	0.30A	0.00 - 0.40	----	----	----	----	----	0 -
4150	0.30	0.30	0.30	0.30	0.30	/*0.10A	0.30	0.30	0.00 - 0.40	----	----	14	----	----	0 -
4150	----	----	10.20B	10.20A	10.20B	10.20A	/*5.60A	10.20B	6.40 - 2.40	.0738	----	4	----	7 +	3
4150	20.60	20.60	22.80B	22.80A	22.80B	22.80A	14.70A	22.80B	16.20 - 3.70	.1409	----	8	----	62 -	1
4150	----	----	230.00B	230.00A	230.00B	230.00A	191.80A	230.00B	210.70 + 0.40	.9260	----	----	----	150	UNCH
4150	----	----	238.30B	238.30A	238.30B	238.30A	204.30A	238.30B	220.30 - 1.00	.8587	----	----	----	7	UNCH
4150	----	----	224.80B	224.80A	224.80B	224.80A	180.80A	224.80B	204.40 + 2.40	----	74	----	----	----	0 -
4155	----	----	219.30B	219.30A	219.30B	219.30A	175.90A	219.30B	199.						



BULLETIN #114@				METALS OPTION PRODUCTS										Tue, Jun 16, 2026				PG64					
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST	
GWT TUE		GOLD WEEKLY TUESDAY OPTION weeks5																					
JUN26																							
4250	----	----	----	46.50B/30.80A	46.50B/30.80A	----	----	33.80	- 6.70	.2747	----	----	----	----	----	----	----	6	----	----	3	UNCH	6
4250	16.30	16.30	16.30	28.00B/15.00A	28.00B/15.00A	----	----	17.10	- 6.20	.2005	----	----	----	----	----	----	----	----	----	21	+	6	
4250	----	----	----	139.60B/107.10A	139.60B/107.10A	----	----	121.50	- 3.40	.7992	----	----	----	----	----	----	----	----	38	UNCH	38		
4250	----	----	----	154.10B/125.80A	154.10B/125.80A	----	----	138.10	- 3.90	.7249	----	----	----	----	----	----	----	----	13	UNCH	13		
4250	----	----	----	124.90B/83.90A	124.90B/83.90A	----	----	104.40	+ 0.60	----	24	----	----	----	----	----	----	7	----	0	-	23	
4250	3.10	3.10	3.10	3.10/*0.10A	3.10/*0.10A	----	----	0.00	- 2.20	----	----	----	39	----	----	----	39	----	0	-	71		
4255	0.50	0.50	0.50	3.50B/*0.10A	3.50B/*0.10A	----	----	0.00	- 2.40	----	----	----	2	----	----	----	2	----	0	-	5		
4255	----	----	----	119.50B/79.30A	119.50B/79.30A	----	----	99.40	+ 0.40	----	23	----	23	----	----	----	23	----	0	-	24		
4260	----	----	----	114.60B/74.80A	114.60B/74.80A	----	----	94.40	+ 0.10	28	----	----	----	----	----	----	----	----	0	-	28		
4260	----	----	----	4.00B/*0.20A	4.00B/*0.20A	----	----	0.00	- 2.70	----	----	----	----	----	----	----	----	----	0	-	12		
4265	0.50	0.50	0.50	4.60B/*0.10A	4.60B/*0.10A	----	----	0.00	- 3.00	----	----	----	1	----	----	----	1	----	0	-	9		
4265	----	----	----	110.30B/70.00A	110.30B/70.00A	----	----	89.40	- 0.20	5	----	----	5	----	----	----	50	----	0	-	5		
4270	4.50	4.50	4.50	5.40B/*0.10A	5.40B/*0.10A	----	----	0.00	- 3.30	----	----	----	----	----	----	----	50	----	0	-	12		
4270	100.50	100.50	100.50	105.00B/65.00A	105.00B/65.00A	----	----	84.40	- 0.50	2	2	----	4	----	----	----	4	----	0	-	4		
4275	51.90	51.90	51.90	55.10B/37.00A	55.10B/37.00A	----	----	40.70	- 7.50	.3206	----	----	26	----	----	----	26	----	38	+	17		
4275	----	----	----	135.40B/108.80A	135.40B/108.80A	----	----	120.00	- 4.70	.6790	----	----	----	----	----	----	----	----	9	UNCH	9		
4275	----	----	----	119.10B/88.70A	119.10B/88.70A	----	----	101.60	- 4.50	.7439	----	----	----	----	----	----	----	----	3	UNCH	3		
4275	20.30	20.30	20.30	35.40B/19.60A	35.40B/19.60A	----	----	22.30	- 7.30	.2558	----	----	6	----	----	----	6	----	8	-	1		
4275	----	----	----	99.60B/60.10A	99.60B/60.10A	----	----	79.40	- 0.90	10	----	----	1	----	----	----	1	----	0	-	10		
4275	5.00	5.00	5.00	6.00B/*0.10A	6.00B/*0.10A	----	----	0.00	- 3.70	----	----	----	35	----	----	----	35	----	0	-	75		
4280	6.10	6.10	6.10	6.80B/*0.10	6.80B/*0.10	----	----	0.00	- 4.20	----	----	----	78	----	----	----	78	----	0	-	71		
4280	----	----	----	95.40B/55.10A	95.40B/55.10A	----	----	74.40	- 1.40	7	----	----	2	----	----	----	2	----	0	-	6		
4285	0.70	0.70	0.70	7.50B/*0.10A	7.50B/*0.10A	----	----	0.00	- 4.80	----	----	----	10	----	----	----	10	----	0	-	24		
4285	----	----	----	89.70B/50.20A	89.70B/50.20A	----	----	69.40	- 2.00	3	----	----	----	----	----	----	----	----	0	-	3		
4290	0.40	0.40	0.40	8.10B/*0.10A	8.10B/*0.10A	----	----	0.00	- 5.40	----	----	----	37	----	----	----	37	----	0	-	19		
4290	----	----	----	85.60B/45.40A	85.60B/45.40A	----	----	64.40	- 2.60	16	16	----	----	----	----	----	----	----	0	-	16		
4295	1.10	1.10	1.10	9.30B/*0.10	9.30B/*0.10	----	----	0.00	- 6.10	----	----	----	21	----	----	----	21	----	0	-	30		
4295	----	----	----	80.30B/40.50A	80.30B/40.50A	----	----	59.40	- 3.30	7	7	----	----	----	----	----	----	----	0	-	7		
4300	----	----	----	118.00B/93.30A	118.00B/93.30A	----	----	103.20	- 5.50	.6285	----	----	----	----	----	----	----	----	92	UNCH	92		
4300	31.90	31.90	31.90	44.50B/25.40A	44.50B/25.40A	----	----	29.00	- 8.30	.3217	----	----	4	----	----	----	4	----	6	+	3		
4300	----	----	----	65.30B/44.50A	65.30B/44.50A	----	----	48.90	- 8.30	.3711	----	----	----	----	----	----	----	----	77	UNCH	77		
4300	10.00	10.00	10.00	11.60/*0.10	11.60/*0.10	----	----	0.00	- 6.90	----	----	----	208	----	----	----	208	----	0	-	239		
4300	69.80	69.80	69.80	75.20B/35.70A	75.20B/35.70A	----	----	54.40	- 4.10	75	75	----	10	----	----	----	10	----	0	-	80		
4305	39.90	39.90	39.90	70.10B/31.00A	70.10B/31.00A	----	----	49.40	- 5.10	43	43	----	32	----	----	----	32	----	0	-	46		
4305	14.00	14.00	14.00	14.00/*0.10A	14.00/*0.10A	----	----	0.00	- 7.90	----	----	----	29	----	----	----	29	----	0	-	16		
4310	35.90	35.90	35.90	65.20B/26.60A	65.20B/26.60A	----	----	44.40	- 6.10	6	6	----	5	----	----	----	5	----	0	-	8		
4310	2.40	2.40	2.40	13.60B/*0.10	13.60B/*0.10	----	----	0.00	- 8.90	----	----	----	22	----	----	----	22	----	0	-	16		
4315	4.30	4.30	4.30	14.80B/*0.10	14.80B/*0.10	----	----	0.00	- 10.10	----	----	----	44	----	----	----	44	----	0	-	7		
4315	32.00	32.00	32.00	60.80B/22.10A	60.80B/22.10A	----	----	39.40	- 7.30	30	30	----	8	----	----	----	8	----	0	-	30		
4320	4.40	4.40	4.40	17.20B/*0.10	17.20B/*0.10	----	----	0.00	- 11.40	----	----	----	143	----	----	----	143	----	0	-	39		
4320	26.00	26.00	26.00	55.50B/17.90A	55.50B/17.90A	----	----	34.40	- 8.60	14	14	----	10	----	----	----	10	----	0	-	17		
4325	----	----	----	101.70B/79.00A	101.70B/79.00A	----	----	87.90	- 6.10	.5744	----	----	----	----	----	----	----	----	12	UNCH	12		
4325	----	----	----	76.80B/53.20A	76.80B/53.20A	----	----	58.50	- 8.90	.4252	----	----	----	----	----	----	----	----	7	UNCH	7		
4325	----	----	----	82.50B/57.70A	82.50B/57.70A	----	----	66.90	- 6.40	.6025	----	----	2	----	----	----	2	----	7	UNCH	7		
4325	41.30	41.30	41.30	55.70B/33.00A	55.70B/33.00A	----	----	37.50	- 9.30	.3972	----	----	7	----	----	----	7	----	8	+	5		
4325	6.00	6.00	6.00	19.40B/*0.20	19.40B/*0.20	----	----	0.00	- 12.90	----	----	140	----	----	----	----	140	----	0	-	42		
4325	23.90	23.90	23.90	51.50B/14.10A	51.50B/14.10A	----	----	29.40	- 10.10	54	54	----	28	----	----	----	28	----	0	-	57		
4330	23.40	23.40	23.40	46.80B/10.60A	46.80B/10.60A	----	----	24.40	- 11.80	5	5	----	6	----	----	----	6	----	0	-	6		
4330	21.10	21.10	21.10	21.80B/*0.10	21.80B/*0.10	----	----	0.00	- 14.60	----	----	439	----	----	----	----	439	----	0	-	90		
4335	19.00	19.00	19.00	24.30B/*0.10	24.30B/*0.10	----	----	0.00	- 16.40	----	----	----	48	----	----	----	48	----	0	-	19		
4335	15.50	15.50	15.50	41.90B/8.10A	41.90B/8.10A	----	----	19.40	- 13.60	5	5	----	3	----	----	----	3	----	0	-	4		
4340	7.50	7.50	7.50	37.40B/5.50A	37.40B/5.50A	----	----	14.40	- 15.60	17	17	----	14	----	----	----	14	----	0	-	6		
4340	25.30	25.30	25.30	27.00B/*0.10	27.00B/*0.10	----	----	0.00	- 18.40	----	----	----	52	----	----	----	52	----	0	-	23		
4345	24.00	24.00	24.00	33.00B/3.20	33.00B/3.20	----	----	9.40	- 17.70	47	47	----	59	----	----	----	59	----	0	-	6		
4345	19.60	19.60	19.60	30.30B/*0.10A	30.30B/*0.10A	----	----	0.00	- 20.50	----	----	280	----	----	----	----	280	----	0	-	16		
4350	49.50	49.50	49.50	67.00B/44.90A	67.00B/44.90A	----	----	52.50	- 7.30	.5201	----	----	11	----	----	----	11	----	29	+	6		
4350	58.00	58.00	58.00	68.30B/42.10A	68.30B/42.10A	----	----	48.10	- 10.10	.4796	----	----	35	----	----	----	35	----	31	+	23		
4350	----	----	----	89.70B/63.30A	89.70B/63.30A	----	----	69.60	- 9.50	.4817	----	----	----	----	----	----	----	----	4	UNCH	4		
4350	----	----	----	87.10B/66.30A	87.10B/66.30A	----	----	74.00	- 6.70	.5178	----	----	----	----	----	----	----	----	53	UNCH	53		
4350	17.10	17.10	17.10	29.00B/*1.00A	29.00B/*1.00A	----	----	4.40	- 20.10	----	349	----	92	----	----	----	92	----	0	-	337		
4350	29.00	29.00	29.00	33.50B/*0.20	33.50B/*0.20	----	----	0.00	- 22.90	----	----	499	----	----	----	----	499	----	0	-	354		
4355	18.00	18.00	18.00	24.90B/*0.40A	24.90B/*0.40A	----	----	0.00	- 22.10	----	----	44	----	----	----	----	44	----	0	-	6		
4355	28.00	28.00	28.00	36.90B/*0.80A	36.90B/*0.80A	----	----	0.60	- 24.90	19	19	----	19	----	----	----	19	----	0	-	11		
4360	16.50	16.50	16.50	40.40B/*1.30A	40.40B/*1.30A	----	----	5.60	- 22.60	31	31	----	82	----	----	----	82	----	0	-	13		
4360	10.60	10.60	10.60	21.50B/*0.10	21.50B/*0.10	----	----	0.00	- 19.80	----	----	102	----	----	----	----	102	----	0	-	15		
4365	11.70	11.70	11.70	18.10B/*0.10A	18.10B/*0.10A	----	----	0.00	- 17.70	----	----	76	----	----	----	----	76	----	0	-	12		
4365	11.40	11.40	11.40	44.00B/*2.60	44.00B/*2.60	----	----	10.60	- 20.50	8	8	----	17	----	----	----	17	----	0	-	5		
4370	10.00	10.00	10.00	15.40B/*0.10A	15.40B/*0.10A	----	----	0.00	- 15.80	----	----	225	----	----	----	----	225	----	0	-	12		
4370	23.00	23.00	23.00	47.80B/*6.40A	47.80B/*6.40A	----	----	15.60	- 18.60	12	12	----	26	----	----	----	26	----	0	-	11		
4375	68.80	68.80	68.80	73.90B/55.10A	73.90B/55.10A	----	----	61.80	- 7.00	.4604	----	----	2	----	----	----	2	----	22	+	1		
4375	43.50	43.50	43.50	53.30B/34.40A	53.30B/34.40A	----	----	40.30	- 7.90	.4353	----	----	8</										

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY TUESDAY OPTION week3																
JUN26																
4525	----	----	----	195.00B/150.00A	195.00B/150.00A	----	----	----	170.60 - 3.50	----	6	----	----	----	0 -	6
4535	----	----	----	----/0.20A	----/0.20A	----	----	----	0.00 - 0.60	----	----	----	----	----	0 -	2
4540	----	----	----	----/0.20A	----/0.20A	----	----	----	0.00 - 0.60	----	----	----	----	----	0 -	1
4545	----	----	----	----/0.20A	----/0.20A	----	----	----	0.00 - 0.60	----	----	----	----	----	0 -	7
4550	----	----	----	225.80B/183.20A	225.80B/183.20A	----	----	----	200.90 - 6.00	.9280	----	----	----	----	1	UNCH
4550	19.50	19.50	----	19.60B/13.40A	19.60B/13.40A	----	----	----	15.10 - 4.40	.1487	----	----	5	----	31 +	1
4550	----	----	----	229.00B/195.30A	229.00B/195.30A	----	----	----	210.40 - 7.20	.8509	----	----	----	----	5	UNCH
4550	6.00	6.00	----	6.00/4.70A	7.90B/4.70A	----	----	----	5.40 - 3.20	.0718	----	3	----	----	13 +	3
4550	0.10	0.10	----	0.10/*0.10	0.10/*0.10	----	----	----	0.00 - 0.60	----	----	1	----	----	0 -	33
4550	----	----	----	220.00B/175.10A	220.00B/175.10A	----	----	----	195.60 - 3.40	----	103	----	----	----	0 -	103
4555	----	----	----	----/0.20A	----/0.20A	----	----	----	0.00 - 0.50	----	----	----	----	----	0 -	3
4560	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.00 - 0.50	----	----	----	----	----	0 -	8
4565	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.00 - 0.50	----	----	----	----	----	0 -	10
4570	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.00 - 0.50	----	----	----	----	----	0 -	18
4575	----	----	----	249.50B/206.30A	249.50B/206.30A	----	----	----	224.70 NEW	.9448	----	----	1	----	1 +	1
4575	13.00	13.00	----	13.00/11.00A	16.00B/11.00A	----	----	----	12.30 - 3.90	.1234	----	6	----	----	14 +	1
4575	----	----	----	----/3.70A	5.90B/3.70A	----	----	----	4.20 - 2.60	.0550	----	----	----	----	20	UNCH
4575	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.00 - 0.50	----	----	----	----	----	0 -	23
4575	----	----	----	245.00B/200.20A	245.00B/200.20A	----	----	----	220.60 - 3.30	----	2	1	----	----	0 -	2
4580	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.00 - 0.40	----	----	----	----	----	0 -	27
4585	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.00 - 0.40	----	----	----	----	----	0 -	3
4590	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.00 - 0.40	----	----	----	----	----	0 -	21
4600	----	----	----	273.40B/230.10A	273.40B/230.10A	----	----	----	248.80 - 4.80	.9564	----	----	----	----	1	UNCH
4600	----	----	----	----/9.20A	13.10B/9.20A	----	----	----	10.10 - 3.40	.1025	----	2	----	----	16	UNCH
4600	4.90	4.90	----	4.90/3.00A	4.90/3.00A	----	----	----	3.40 - 2.00	.0434	----	82	----	----	179 +	57
4600	----	----	----	----/0.10A	----/0.10A	----	----	----	0.00 - 0.40	----	----	----	----	----	0 -	214
4605	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.00 - 0.40	----	----	----	----	----	0 -	13
4615	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.00 - 0.30	----	----	----	----	----	0 -	8
4620	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.00 - 0.30	----	----	----	----	----	0 -	1
4625	----	----	----	----/2.50A	3.50B/2.50A	----	----	----	2.70 - 1.60	.0338	----	----	----	----	11	UNCH
4625	----	----	----	----/7.70A	10.80B/7.70A	----	----	----	8.40 - 2.90	.0858	----	1	----	----	27 -	1
4625	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.00 - 0.30	----	----	----	----	----	0 -	9
4630	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.00 - 0.30	----	----	----	----	----	0 -	44
4645	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.00 - 0.20	----	----	----	----	----	0 -	14
4650	----	----	----	322.00B/278.00A	322.00B/278.00A	----	----	----	297.70 NEW	.9721	----	1	----	----	1 +	1
4650	----	----	----	----/2.10A	2.70B/2.10A	----	----	----	2.30 - 1.20	.0278	----	----	----	----	18	UNCH
4650	7.50	7.50	----	7.50/6.50A	9.00B/6.50A	----	----	----	7.00 - 2.50	.0717	----	2	----	----	32	UNCH
4650	----	----	----	----/0.10A	----/0.10A	----	----	----	0.00 - 0.20	----	----	----	----	----	0 -	11
4650	----	----	----	320.00B/275.30A	320.00B/275.30A	----	----	----	295.60 - 3.00	----	----	1	----	----	0 -	1
4655	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.00 - 0.20	----	----	----	----	----	0 -	6
4665	----	----	----	----/0.10A	----/0.10A	----	----	----	0.00 - 0.20	----	----	----	----	----	0 -	5
4675	----	----	----	----/1.80A	2.10B/1.80A	----	----	----	1.90 - 1.00	.0223	----	----	----	----	4	UNCH
4675	7.70	7.70	----	7.70/5.60A	7.80B/5.60A	----	----	----	5.90 - 2.20	.0604	----	5	----	----	58 +	5
4675	----	----	----	----	227.00B/409.40A	----	----	----	322.30 - 3.90	.9775	----	----	----	----	1	UNCH
4675	----	----	----	----	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	21
4680	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	5
4700	----	----	----	----/4.80A	6.30B/4.80A	----	----	----	5.00 - 1.90	.0510	----	----	----	----	42	UNCH
4700	----	----	----	----/1.60A	1.80B/1.60A	----	----	----	1.60 - 0.90	.0182	----	----	----	----	43	UNCH
4700	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	2	----	----	0 -	26
4725	----	----	----	----/4.20A	5.30B/4.20A	----	----	----	4.30 - 1.70	.0436	----	----	----	----	2	UNCH
4725	----	----	----	----/1.40A	1.50B/1.40A	----	----	----	1.40 - 0.70	.0154	----	2	----	----	4 +	2
4725	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	10
4750	----	----	----	----/3.70A	4.50B/3.70A	----	----	----	3.70 - 1.50	.0372	----	1	----	----	0 -	1
4750	1.10	1.10	----	1.20B/*1.10	1.20B/*1.10	----	----	----	1.20 - 0.60	.0128	----	1	----	----	5 +	1
4750	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	32
4775	----	----	----	----/3.20A	3.90B/3.20A	----	----	----	3.20 - 1.40	.0319	----	----	----	----	1	UNCH
4775	----	----	----	----/*1.10A	1.10B/*1.10A	----	----	----	1.10 - 0.50	.0113	----	----	----	----	4	UNCH
4775	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	59
4800	2.90	2.90	----	3.00/2.90	3.30B/2.90	----	----	----	2.90 - 1.10	.0284	----	2	----	----	84	UNCH
4800	----	----	----	----/*1.00A	1.00B/*1.00A	----	----	----	1.00 - 0.40	.0099	----	----	----	----	3	UNCH
4800	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	10
4825	----	----	----	----/2.60A	2.80B/2.60A	----	----	----	2.50 - 1.10	.0243	----	----	----	----	6	UNCH
4825	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2
4850	----	----	----	----/*0.90A	0.80B/*0.90A	----	----	----	0.80 - 0.40	.0075	----	----	----	----	4	UNCH
4850	2.50	2.50	----	2.60/2.40A	2.60/2.40A	----	----	----	2.30 NEW	.0219	----	2	----	----	2 +	2
4850	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	6
4875	----	----	----	----/2.20A	2.10B/2.20A	----	----	----	2.10 - 0.90	.0197	----	1	----	----	4	UNCH
4875	----	----	----	----/*0.80A	0.60B/*0.80A	----	----	----	0.80 - 0.30	.0072	----	----	----	----	7	UNCH
4875	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1
4900	----	----	----	----/2.00A	1.90B/2.00A	----	----	----	1.90 - 0.80	.0175	----	----	----	----	6	UNCH
4900	----	----	----	----/*0.80A	0.60B/*0.80A	----	----	----	0.70 - 0.20	.0061	----	----	----	----	2	UNCH
4900	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	6
4925	----	----	----	----/1.90A	1.70B/1.90A	----	----	----	1.70 - 0.80	.0155	----	----	----	----	17	UNCH
4950																

PG64	BULLETIN #114@										METALS OPTION PRODUCTS										Tue, Jun 16, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
GWT TUE TOTAL	GOLD WEEKLY TUESDAY OPTION week1																				17	261+		15
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
GWR THU JUN26	GOLD WEEKLY THURSDAY OPTION week3																							
3300	----	----	----	----	----	---/*0.50A	----		0.10	UNCH	----	----	----	----	1	UNCH								
3500	----	----	----	----	----	---/*0.20A	----		0.10	UNCH	----	----	----	----	75	UNCH								
3600	----	----	----	----	----	---/*0.20A	----		0.10	UNCH	----	----	----	----	55	UNCH								
3700	----	----	----	----	----	0.10B/0.30A	----		0.10	UNCH	.0000	----	----	----	103	UNCH								
3750	----	----	----	----	----	0.10B/*0.20A	----		0.10	UNCH	.0000	----	----	----	47	UNCH								
3775	----	----	----	----	----	0.10B/0.30A	----		0.10	UNCH	.0001	----	----	----	50	UNCH								
3800	0.20	0.20		0.20/*0.20	0.20/*0.20	0.20/*0.20	----		0.20	UNCH	.0004	----	1	----	88	UNCH								
3805	----	----	----	----	----	0.10B/*0.30A	----		0.20	UNCH	.0004	----	----	----	13	UNCH								
3825	----	----	----	----	----	0.10B/*0.30A	----		0.20	UNCH	.0004	----	----	----	31	UNCH								
3850	----	----	----	----	----	0.20B/*0.30A	----		0.30	UNCH	.0007	----	----	----	31	UNCH								
3875	----	----	----	----	----	0.20B/*0.40A	----		0.30	- 0.10	.0007	----	----	----	108	UNCH								
3900	0.20	0.20		0.50B/*0.20	0.50B/*0.20	0.50B/*0.20	----		0.40	- 0.10	.0011	----	3	----	233	UNCH								
3905	----	----	----	---/*0.40A	0.30B/*0.40A	0.30B/*0.40A	----		0.40	- 0.10	.0011	----	----	----	36	UNCH								
3915	0.40	0.40		#0.40/*0.40	0.40/*0.40	0.40/*0.40	----		0.40	- NEW	.0012	----	1	----	1	+								
3925	----	----	----	----	----	0.40B/0.50A	----		0.40	- 0.10	.0012	----	----	----	12	UNCH								
3950	----	----	----	---/*0.50A	0.50B/*0.50A	0.50B/*0.50A	----		0.50	- 0.10	.0017	----	----	----	39	UNCH								
3960	----	----	----	---/*0.50A	0.50B/*0.50A	0.50B/*0.50A	----		0.60	UNCH	.0021	----	----	----	2	UNCH								
3965	0.50	0.50		#0.50/*0.50	0.60B/*0.50	0.60B/*0.50	----		0.60	- NEW	.0022	----	1	----	1	+								
3975	0.70	0.70		0.70/*0.50A	0.70/*0.50A	0.70/*0.50A	----		0.60	- 0.10	.0022	----	4	----	95	+								
3980	----	----	----	---/*0.50A	0.70B/*0.50A	0.70B/*0.50A	----		0.70	UNCH	.0027	----	----	----	1	UNCH								
3995	----	----	----	---/*0.60A	0.80B/*0.60A	0.80B/*0.60A	----		0.70	- 0.10	.0029	----	----	----	4	UNCH								
4000	----	----	----	---/*0.50A	0.80B/*0.50A	0.80B/*0.50A	----		0.80	UNCH	.0034	----	----	----	233	UNCH								
4010	----	----	----	---/*0.60A	0.90B/*0.60A	0.90B/*0.60A	----		0.80	- 0.10	.0035	----	----	----	1	UNCH								
4015	----	----	----	---/*0.70A	0.90B/*0.70A	0.90B/*0.70A	----		0.90	UNCH	.0041	----	----	----	49	UNCH								
4025	0.80	0.80		0.80/*0.60A	1.00B/*0.60A	1.00B/*0.60A	----		0.90	- 0.10	.0042	----	5	----	81	+								
4030	1.10	1.10		#1.10/*0.60A	1.10/*0.60A	1.10/*0.60A	----		1.00	UNCH	.0048	----	25	----	16	+								
4035	0.90	0.90		#1.00/*0.70A	1.10B/*0.70A	1.10B/*0.70A	----		1.00	- NEW	.0049	----	25	----	20	+								
4040	----	----	----	#1.20B/*0.70A	1.20B/*0.70A	1.20B/*0.70A	----		1.00	- 0.10	.0050	----	----	----	1	UNCH								
4050	----	----	----	1.30B/*0.70A	1.30B/*0.70A	1.30B/*0.70A	----		1.10	- 0.10	.0057	----	----	----	36	UNCH								
4055	----	----	----	1.40B/*0.80A	1.40B/*0.80A	1.40B/*0.80A	----		1.10	- 0.20	.0058	----	----	----	1	UNCH								
4060	----	----	----	1.50B/*0.80A	1.50B/*0.80A	1.50B/*0.80A	----		1.20	- 0.10	.0065	----	----	----	1	UNCH								
4065	----	----	----	#1.60B/*0.80A	1.60B/*0.80A	1.60B/*0.80A	----		1.20	- 0.20	.0067	----	----	----	2	UNCH								
4070	----	----	----	#1.60B/*0.90A	1.60B/*0.90A	1.60B/*0.90A	----		1.30	- 0.10	.0074	----	----	----	2	UNCH								
4075	----	----	----	300.80B/257.30A	300.80B/257.30A	300.80B/257.30A	----		280.70	+	2.60	.9923	----	----	2	UNCH								
4075	1.40	1.40		1.70B/*0.90A	1.70B/*0.90A	1.70B/*0.90A	----		1.30	- 0.20	.0076	----	12	----	140	+								
4080	----	----	----	1.80B/*1.00A	1.80B/*1.00A	1.80B/*1.00A	----		1.30	- 0.30	.0077	----	----	----	10	UNCH								
4085	----	----	----	#1.90B/*1.00A	1.90B/*1.00A	1.90B/*1.00A	----		1.40	- 0.30	.0085	----	----	----	1	UNCH								
4100	----	----	----	276.00B/232.90A	276.00B/232.90A	276.00B/232.90A	----		255.90	+	2.40	.9902	----	9	----	93	-							
4100	1.20	1.20		2.30B/*1.10A	2.30B/*1.10A	2.30B/*1.10A	----		1.50	- 0.40	.0097	----	13	----	248	-								
4110	----	----	----	#2.50B/*1.20A	2.50B/*1.20A	2.50B/*1.20A	----		1.60	- 0.60	.0109	----	----	----	1	UNCH								
4115	----	----	----	2.70B/*1.30A	2.70B/*1.30A	2.70B/*1.30A	----		1.70	- 0.60	.0118	----	----	----	20	UNCH								
4125	1.60	1.60		3.00B/*1.40A	3.00B/*1.40A	3.00B/*1.40A	----		1.80	- 0.80	.0131	----	20	----	238	-								
4125	----	----	----	250.60B/208.70A	250.60B/208.70A	250.60B/208.70A	----		231.20	+	2.10	.9868	----	----	22	UNCH								
4130	----	----	----	3.20B/*1.50A	3.20B/*1.50A	3.20B/*1.50A	----		1.90	- 0.80	.0142	----	----	----	3	UNCH								
4135	----	----	----	3.40B/*1.60A	3.40B/*1.60A	3.40B/*1.60A	----		1.90	- 1.00	.0145	----	----	----	4	UNCH								
4140	----	----	----	#3.60B/*1.70A	3.60B/*1.70A	3.60B/*1.70A	----		2.00	- 1.10	.0157	----	----	----	3	UNCH								
4145	----	----	----	#3.80B/*1.70A	3.80B/*1.70A	3.80B/*1.70A	----		2.10	- 1.20	.0169	----	----	----	2	UNCH								
4150	1.90	1.90		4.10B/*1.80A	4.10B/*1.80A	4.10B/*1.80A	----		2.20	- 1.30	.0181	----	15	----	47	UNCH								
4150	----	----	----	226.00B/184.90A	226.00B/184.90A	226.00B/184.90A	----		206.60	+	1.60	.9818	----	----	2	UNCH								
4155	----	----	----	#4.30B/*1.90A	4.30B/*1.90A	4.30B/*1.90A	----		2.30	- 1.40	.0194	----	----	----	1	UNCH								
4160	----	----	----	#4.60B/*2.00A	4.60B/*2.00A	4.60B/*2.00A	----		2.40	- 1.50	.0208	----	----	----	2	UNCH								
4165	3.80	3.80		#4.90B/*2.10A	4.90B/*2.10A	4.90B/*2.10A	----		2.50	- 1.70	.0222	----	1	----	3	UNCH								
4170	----	----	----	#5.30B/*2.20A	5.30B/*2.20A	5.30B/*2.20A	----		2.70	- 1.70	.0245	----	2	----	1	-								
4175	----	----	----	202.30B/161.60A	202.30B/161.60A	202.30B/161.60A	----		182.20	+	0.90	.9738	----	----	15	UNCH								
4175	2.60	2.60		5.60B/*2.30	5.60B/*2.30	5.60B/*2.30	----		2.80	- 1.90	.0261	----	38	----	33	+								
4180	----	----	----	6.00B/*2.50A	6.00B/*2.50A	6.00B/*2.50A	----		3.00	- 2.00	.0286	----	3	----	5	+								
4185	----	----	----	#6.40B/*2.60A	6.40B/*2.60A	6.40B/*2.60A	----		3.10	- 2.20	.0304	----	----	----	6	UNCH								
4190	----	----	----	#6.80B/*2.70A	6.80B/*2.70A	6.80B/*2.70A	----		3.30	- 2.40	.0331	----	----	----	5	UNCH								
4195	----	----	----	#7.10B/*2.90A	7.10B/*2.90A	7.10B/*2.90A	----		3.50	- 2.60	.0360	----	----	----	5	UNCH								
4200	146.30	146.30		177.40B/139.00A	177.40B/139.00A	177.40B/139.00A	----		158.10	+	0.10	.9609	----	1	----	15	+							
4200	6.10	6.10		7.60B/*3.00	7.60B/*3.00	7.60B/*3.00	----		3.70	- 2.80	.0390	----	35	----	208	-								
4205	4.50	4.50		#8.20B/*3.30A	8.20B/*3.30A	8.20B/*3.30A	----		4.00	- 2.90	.0431	----	35	----	36	+								
4210	----	----	----	#8.80B/*3.50A	8.80B/*3.50A	8.80B/*3.50A	----		4.20	- 3.10	.0464	----	----	----	4	UNCH								
4215	----	----	----	#9.50B/*3.80A	9.50B/*3.80A	9.50B/*3.80A	----		4.50	- 3.30	.0508	----	2	----	7	+								
4220	----	----	----	#10.20B/*4.00A	10.20B/*4.00A	10.20B/*4.00A	----		4.80	- 3.60	.0554	----	2	----	10	+								
4225	----	----	----	154.40B/117.00A	154.40B/117.00A	154.40B/117.00A	----		134.60	- 0.90	.9386	----	1	----	180	UNCH								
4225	6.50	6.50		10.90B/*4.10A	10.90B/*4.10A	10.90B/*4.10A	----		5.20	- 3.70	.0613	----	39	----	236	+								
4230	140.60	140.60		148.90B/*112.50	148.90B/112.50A	148.90B/112.50A	----		129.90	- NEW	.9335	----	2	----	0	UNCH								
4230	5.10	5.10		#11.70B/*4.60A	11.70B/*4.60A	11.70B/*4.60A	----		5.50	- 4.00	.0664	----	4	----	16	+								
4235	----	----	----	145.00B/*108.10	145.00B/108.10A	145.00B/108.10A	----		125.30	- 1.40	.9272	----	----	----	4	UNCH								
4235	----	----	----	12.50B/*4.90A	12.50B/*4.90A	12.50B/*4.90A	----		5.90	- 4.30	.0727	----	----	----	5	UNCH								
4240	----	----	----	13.40B/*5.20A	13.40B/*5.20A	13.40B/*5.20A	----		6.40	- 4.50	.0803	----	----	----	3	UNCH								
4245	8.00	8.00		#14.50B/*5.60A	14.50B/*5.60A	14.50B/*5.60A	----		6.90	- 4.70	.0881	----	3	----	6	+								
4245	----	----	----	135.50B/99.40A	135.50B/99.40A	135.50B/99.40A	----		116.30	- 1.90	.9117	----	----	----	1	UNCH								
4250	----	----	----	131.20B/95.30A	131.20B/95.30A	131.20B/95.30A	----		111.80	- 2.20	.9035	----	----	----	374	+								
4250	11.00	11.00		15.40B/*5.90A	15.40B/*5.90A	15.40B/*5.90A	----		7.40	- 5.00	.0963	----	57	----	276	+								
4255	8.60	8.60		16.60B/*6.40A	16.60B/*6.40A	16.60B/*6.40A	----		8.00	- 5.30	.1059	----	1	----	12	+								
4260	----	----	----	17.80B/*6.90A	17.80B/*6.90A	17.80B/*6.90A	----		8.60	- 5.60	.1157	----	3	----	6	+								
4265	10.00	10.00		#19.10B/*7.30A	19.10B/*7.30A	19.10B/*7.30A	----		9.30	- 5.90	.1270	----	12	----	13	+								
4270	20.00	20.00		#20.30B/*8.00A	20.30B/*8.00A	20.30B/*8.00A	----		10.00	- 6.20	.1386	----	11	----	7	+								
4275	----	----	----	109.00B/75.20A	109.00B/75.20A	109.00B/75.20A	----		90.20	- 3.70	.8483	----	----	----	88	UNCH								
4275	10.10	10.10		21.70B/*8.50A	21.70B/*8.50A	21.70B/*8.50A	----		10.80	- 6.50	.1516	----	12	----	35	+								
4280	----																							

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
GOLD WEEKLY THURSDAY OPTION week3																				
JUN26																				
4445	6.90	6.90		14.00B/*6.00A	14.00B/6.00A	----			7.80 - 6.10	.1146	----	----	1	----	3	UNCH				
4450	----	----		128.70B/88.20A	128.70B/88.20A	----			102.80 - 8.50	.8959	----	----	1	----	24	UNCH				
4450	10.00	10.00		12.90B/5.60A	12.90B/5.60A	----			7.20 - 5.70	.1040	----	----	453	----	666 +	400				
4455	10.70	10.70		10.70/5.10A	11.90B/5.10A	----			6.60 - 5.50	.0938	----	----	2	----	29	+				
4460	9.30	9.30		11.00B/*4.70A	11.00B/4.70A	----			6.10 - 5.20	.0851	----	----	7	----	5	UNCH				
4465	6.50	6.50		6.50/*4.30A	10.10B/*4.30A	----			5.60 - 5.00	.0767	----	----	5	----	6	+				
4470	118.50	118.50		#146.60B/105.10	146.60B/105.10A	----			120.70 - NEW	.9312	----	----	4	----	1	+				
4475	----	----		151.10B/109.30A	151.10B/109.30A	----			125.30 - 7.30	.9379	----	----	----	----	13	UNCH				
4475	5.10	5.10		5.10/3.70A	8.60B/3.70A	----			4.70 - 4.50	.0620	----	----	4	----	82	+				
4480	----	----		#155.70B/113.00	155.70B/113.00A	----			130.00 - NEW	.9432	----	----	2	----	2	+				
4485	4.00	4.00		4.00/*3.20A	7.20B/*3.20A	----			4.00 - 4.10	.0505	----	----	1	----	6	+				
4490	----	----		----/*3.00A	6.70B/*3.00A	----			3.80 - NEW	.0467	----	----	1	----	1	+				
4500	5.40	5.40		6.00/2.60	6.00/2.60	----			3.20 - 3.40	.0376	----	----	885	----	774	-				
4500	----	----		174.40B/131.00A	174.40B/131.00A	----			148.80 - 6.20	.9623	----	----	1	----	37	-				
4510	----	----		----/*2.30A	4.80B/*2.30A	----			2.80 - 3.00	.0313	----	----	----	----	23	UNCH				
4515	----	----		----/*2.20A	4.40B/*2.20A	----			2.60 - 2.80	.0283	----	----	10	----	11	+				
4520	4.00	4.00		4.10B/*2.10A	4.10B/*2.10A	----			2.50 - 2.60	.0265	----	----	8	----	8	+				
4525	4.00	4.00		4.00/1.90A	4.00/1.90A	----			2.30 - 2.50	.0238	----	----	20	----	68	+				
4525	----	----		198.10B/153.80A	198.10B/153.80A	----			172.90 - 5.30	.9761	----	----	----	----	27	UNCH				
4530	----	----		----/*1.90A	3.40B/*1.90A	----			2.20 - 2.30	.0222	----	----	----	----	4	UNCH				
4535	3.30	3.30		3.30/*1.80A	3.30/*1.80A	----			2.00 - 2.30	.0196	----	----	5	----	15	+				
4540	----	----		----/*1.70A	3.00B/*1.70A	----			1.90 - 2.10	.0182	----	----	----	----	6	UNCH				
4545	----	----		----/*1.60A	2.80B/*1.60A	----			1.80 - 2.00	.0168	----	----	----	----	20	UNCH				
4550	2.70	2.70		2.70/1.50A	2.70/1.50A	----			1.70 - 1.90	.0154	----	----	38	----	237	+				
4555	----	----		----/*1.50A	2.40B/*1.50A	----			1.60 - 1.80	.0141	----	----	1	----	5	+				
4560	2.30	2.30		#2.30/*1.40A	2.30/*1.40A	----			1.50 - NEW	.0129	----	----	20	----	20	+				
4560	----	----		#232.10B/187.30	232.10B/187.30A	----			207.10 - 4.50	.9870	----	----	----	----	1	UNCH				
4565	1.70	1.70		#1.70/*1.40A	2.10B/*1.40A	----			1.50 - NEW	.0126	----	----	1	----	1	+				
4575	----	----		246.70B/202.20A	246.70B/202.20A	----			221.90 - 4.20	.9895	----	----	----	----	1	UNCH				
4575	----	----		----/1.20A	1.80B/1.20A	----			1.30 - 1.50	.0104	----	----	----	----	84	UNCH				
4580	1.50	1.50		#1.50/*1.20A	1.70B/*1.20A	----			1.30 - NEW	.0101	----	----	1	----	1	+				
4600	----	----		271.30B/226.90A	271.30B/226.90A	----			246.70 - 3.80	.9921	----	----	----	----	2	UNCH				
4600	1.60	1.60		1.60/*1.00A	1.60/*1.00A	----			1.10 - 1.10	.0078	----	----	11	----	42	-				
4605	1.00	1.00		1.00/*1.00	1.20B/*1.00	----			1.00 - 1.10	.0069	----	----	3	----	4	+				
4610	----	----		----/*1.00A	1.20B/*1.00A	----			1.00 - 1.00	.0067	----	----	----	----	1	UNCH				
4625	1.20	1.20		1.20/*0.80A	1.20/*0.80A	----			0.90 - 0.90	.0056	----	----	5	----	42	+				
4630	----	----		----/*0.90A	1.00B/*0.90A	----			0.90 - 0.80	.0055	----	----	----	----	3	UNCH				
4640	----	----		----/*0.80A	0.90B/*0.80A	----			0.80 - 0.80	.0047	----	----	----	----	3	UNCH				
4650	----	----		----/*0.80A	0.90B/*0.80A	----			0.80 - 0.70	.0045	----	----	----	----	19	UNCH				
4650	----	----		----/289.00A	299.80B/289.00A	----			296.40 - 3.40	.9954	----	----	----	----	1	UNCH				
4675	0.70	0.70		0.80B/*0.70	0.80B/*0.70	----			0.70 - 0.50	.0036	----	----	5	----	25	+				
4700	----	----		----/*0.60A	0.70B/*0.60A	----			0.60 - 0.50	.0027	----	----	----	----	727	UNCH				
4725	----	----		----/*0.60A	0.60B/*0.60A	----			0.50 - 0.40	.0021	----	----	----	----	14	UNCH				
4750	----	----		#410.20B/379.30	410.20B/379.30A	----			396.10 - 3.00	.9980	----	----	----	----	2	UNCH				
4750	----	----		----/*0.50A	0.50B/*0.50A	----			0.50 - 0.30	.0019	----	----	----	----	92	UNCH				
4775	----	----		----/*0.50A	0.30B/*0.50A	----			0.40 - 0.30	.0014	----	----	----	----	152	UNCH				
4800	----	----		----/*0.40A	0.30B/*0.40A	----			0.40 - 0.20	.0013	----	----	----	----	795	UNCH				
4825	----	----		----/*0.40A	0.20B/*0.40A	----			0.30 - 0.30	.0008	----	----	----	----	43	UNCH				
4850	----	----		----/*0.40A	----/*0.40A	----			0.30 - 0.20	.0008	----	----	----	----	14	UNCH				
4875	----	----		----/0.40A	----/0.40A	----			0.20 - 0.30	.0004	----	----	----	----	24	UNCH				
4900	----	----		----/0.40A	----/0.40A	----			0.20 - 0.30	.0004	----	----	----	----	28	UNCH				
4900	----	----		#549.30B/538.40	549.30B/538.40A	----			545.80 - 3.00	.9996	----	----	----	----	1	UNCH				
4925	----	----		----	----/*0.40A	----			0.20 - 0.20	.0004	----	----	----	----	15	UNCH				
4975	----	----		----	----/*0.40A	----			0.10 - 0.30	.0001	----	----	----	----	50	UNCH				
5000	----	----		----/*0.20A	----/*0.20A	----			0.10 - 0.20	.0001	----	----	----	----	4	UNCH				
5500	----	----		----	----/*0.20A	----			0.10 - UNCH	----	----	----	3089	----	10250	+				
TOTAL																3089		10250	+	585
JUL26																				
3250	----	----		----	0.20B/2.80A	----			2.40 + 1.00	.0102	----	----	----	----	2	UNCH				
3250	----	----		----	0.20B/0.90A	----			0.50 - UNCH	.0026	----	----	----	----	1	UNCH				
3400	2.20	2.20		#2.20/*2.20	#2.20/*2.20	----			3.40 - NEW	.0158	----	----	1	----	1	+				
3500	----	----		----/1.90A	1.30B/1.90A	----			3.00 + 0.90	.0155	----	----	----	----	11	UNCH				
3500	----	----		----	0.90B/*1.20A	----			1.20 - NEW	.0070	----	----	1	----	1	+				
3600	2.40	2.40		2.50/*2.30A	2.50/*2.30A	----			3.30 + 0.70	.0187	----	----	3	----	4	+				
3600	----	----		----	1.30B/*1.60A	----			1.60 + 0.10	.0100	----	----	----	----	15	UNCH				
3700	----	----		----/*3.10A	3.10B/*3.10A	----			4.00 + 0.50	.0246	----	----	----	----	6	UNCH				
3700	----	----		----	2.00B/2.00A	----			2.20 + 0.20	.0148	----	----	----	----	3	UNCH				
3725	----	----		----/*3.40A	3.40B/*3.40A	----			4.30 + 0.50	.0268	----	----	----	----	1	UNCH				
3750	----	----		----/*3.70A	3.80B/*3.70A	----			4.60 + 0.40	.0292	----	----	----	----	6	UNCH				
3750	----	----		----/*2.30A	2.40B/*2.30A	----			2.60 + 0.10	.0181	----	----	----	----	5	UNCH				
3775	3.00	3.00		3.00/*2.50A	3.00/*2.50A	----			2.80 - UNCH	.0199	----	----	1	----	5	+				
3775	----	----		----/*4.00A	4.20B/*4.00A	----			5.00 + 0.40	.0321	----	----	----	----	2	UNCH				
3800	----	----		----/*4.40A	4.70B/*4.40A	----			5.40 + 0.20	.0352	----	----	----	----	2	UNCH				
3800	7.80	7.80		#7.80/*6.90A	7.80/*6.90A	----			8.40 - UNCH	.0490	----	----	1	----	1	+				
3800	2.80	2.80		2.80/*2.80	2.80/*2.80	----			3.10 - UNCH	.0224	----	----	62	----	46	+				
3825	----	----		----/*5.00A	5.30B/*5.00A	----			5.90 + 0.10	.0390	----	----	----	----	1	UNCH				
3825	8.30	8.30		#8.30/*7.60A	8.30/*7.60A	----			9.10 - NEW	.0536	----	----	1	----	1	+				
3825	----	----		----/*3.10A	3.10B/*3.10A	----			9.10 - 0.10	.0250	----	----	----	----	7	UNCH				
3850	----	----		----/5.50A	6.00B/5.50A	----			6.50 -											

BULLETIN #114@															METALS OPTION PRODUCTS										Tue, Jun 16, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST															
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK5																												
JUN26																													
4125	----	----		16.90B/10.70A	16.90B/10.70A	----		11.90 - 2.90	.1092	----	----	----	----	17	UNCH														
4125	----	----				----		226.60 UNCH		----	----	----	----	0	UNCH														
4125	----	----		6.00B/*3.30A	6.00B/*3.30A	----		3.90 - 1.30	.0457	----	----	1	----	19	UNCH														
4130	----	----				----		221.60 UNCH		----	----	----	----	0	UNCH														
4135	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4140	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4140	4.90	4.90		#4.90/*3.80A	#6.80B/*3.80A	----		4.40 NEW	.0528	----	----	2	----	1 +	1														
4145	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4145	----	----				----		206.60 UNCH		----	----	----	----	0	UNCH														
4150	205.50	205.50		236.10B/202.10A	236.10B/202.10A	----		218.50 - 0.70	.8688	----	----	10	----	2 -	8														
4150	----	----		228.60B/189.40A	228.60B/189.40A	----		209.10 + 0.90	.9414	----	----	----	----	1	UNCH														
4150	----	----				----		201.60 UNCH		----	----	----	----	0	UNCH														
4150	8.40	8.40		8.40/*4.10A	8.40/*4.10A	----		4.80 - 1.90	.0584	----	----	6	----	17	UNCH														
4150	----	----		20.40B/12.90A	20.40B/12.90A	----		14.30 - 3.50	.1308	----	----	----	----	2	UNCH														
4150	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4155	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4155	----	----				----		196.60 UNCH		----	----	----	----	0	UNCH														
4160	----	----				----		191.60 UNCH		----	----	----	----	0	UNCH														
4160	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4165	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4165	----	----				----		186.60 UNCH		----	----	----	----	0	UNCH														
4170	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4175	----	----		204.70B/166.90A	204.70B/166.90A	----		185.30 + 0.10	.9244	----	----	----	----	1	UNCH														
4175	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4175	17.60	17.60		24.90B/15.60A	24.90B/15.60A	----		17.30 - 4.20	.1569	----	----	1	----	4 +	1														
4175	5.70	5.70		10.20B/*5.20A	10.20B/*5.20A	----		6.00 - 2.70	.0754	----	----	22	----	49 +	20														
4175	----	----				----		176.60 UNCH		----	----	----	----	0	UNCH														
4180	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4180	----	----				----		171.60 UNCH		----	----	----	----	0	UNCH														
4190	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4190	----	----				----		161.60 UNCH		----	----	----	----	0	UNCH														
4195	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4200	----	----				----		151.60 UNCH		----	----	----	----	0	UNCH														
4200	7.70	7.70		13.50B/*6.80A	13.50B/*6.80A	----		7.80 - 3.60	.1000	----	----	10	----	307 +	4														
4200	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4200	----	----		192.30B/160.50A	192.30B/160.50A	----		175.20 - 2.20	.8122	----	----	----	----	17	UNCH														
4200	----	----		30.10B/18.90A	30.10B/18.90A	----		20.90 - 5.10	.1874	----	----	----	----	5	UNCH														
4200	----	----		181.30B/145.10A	181.30B/145.10A	----		162.10 - 0.80	.8998	----	----	----	----	6	UNCH														
4205	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4205	----	----				----		146.60 UNCH		----	----	----	----	0	UNCH														
4205	----	----			#14.20B/*7.20A	----		8.20 NEW	.1056	----	----	2	----	2 +	2														
4210	----	----			#15.00B/*7.60A	----		8.70 NEW	.1121	----	----	2	----	2 +	2														
4210	----	----				----		141.60 UNCH		----	----	----	----	0	UNCH														
4215	----	----				----		136.60 UNCH		----	----	----	----	0	UNCH														
4215	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4220	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4220	----	----			#16.80B/*8.50A	----		9.60 NEW	.1248	----	----	2	----	2 +	2														
4220	----	----				----		131.60 UNCH		----	----	----	----	0	UNCH														
4225	----	----		158.50B/123.50A	158.50B/123.50A	----		139.50 - 1.90	.8673	----	----	1	----	3 +	1														
4225	----	----		171.30B/141.00A	171.30B/141.00A	----		154.70 - 3.10	.7760	----	----	----	----	3	UNCH														
4225	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4225	----	----				----		126.60 UNCH		----	----	----	----	0	UNCH														
4225	----	----		36.10B/23.00A	36.10B/23.00A	----		25.40 - 5.90	.2236	----	----	----	----	17	UNCH														
4225	11.70	11.70		17.80B/*8.90A	17.80B/*8.90A	----		10.20 - 4.70	.1325	----	----	1	----	49 +	1														
4230	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4230	----	----				----		121.60 UNCH		----	----	----	----	0	UNCH														
4235	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4235	10.20	10.20		#10.20/*10.20	#19.90B/*10.10A	----		11.40 NEW	.1484	----	----	1	----	1 +	1														
4235	----	----				----		116.60 UNCH		----	----	----	----	0	UNCH														
4240	----	----			#21.00B/*10.60A	----		12.10 NEW	.1573	----	----	1	----	1 +	1														
4240	----	----				----		111.60 UNCH		----	----	----	----	0	UNCH														
4240	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4245	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4245	----	----				----		106.60 UNCH		----	----	----	----	0	UNCH														
4250	----	----				----		101.60 UNCH		----	----	----	----	0	UNCH														
4250	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4250	15.20	15.20		23.80B/11.90A	23.80B/11.90A	----		13.60 - 5.90	.1764	----	----	22	----	40 +	18														
4250	----	----		151.30B/122.60A	151.30B/122.60A	----		135.20 - 4.00	.7342	----	----	----	----	1	UNCH														
4250	----	----		136.50B/103.10A	136.50B/103.10A	----		117.90 - 3.10	.8234	----	----	----	----	99	UNCH														
4250	----	----		43.40B/28.10A	43.40B/28.10A	----		30.90 - 6.80	.2654	----	----	----	----	30	UNCH														
4255	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4255	----	----				----		96.60 UNCH		----	----	----	----	0	UNCH														
4260	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4260	----	----				----		91.60 UNCH		----	----	----	----	0	UNCH														
4265	----	----				----		86.60 UNCH		----	----	----	----	0	UNCH														
4265	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4270	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4275	----	----		115.50B/84.10A	115.50B/84.10A	----		97.60 - 4.30	.7669	----	----	----	----	9	UNCH														
4275	----	----		31.00B/15.90A	31.00B/15.90A	----		18.20 - 7.20	.2329	----	----	----	----	55	UNCH														
4275	----	----		132.20B/105.10A	132.20B/105.10A	----		116.90 - 4.80	.6867	----	----	----	----	2	UNCH														
4275	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4275	----	----				----		76.60 UNCH		----	----	----	----	0	UNCH														
4280	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4280	----	----				----		71.60 UNCH		----	----	----	----	0	UNCH														
4285	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4285	----	----				----		66.60 UNCH		----	----	----	----	0	UNCH														
4290	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4290	----	----				----		61.60 UNCH		----	----	----	----	0	UNCH														
4295	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4295	----	----				----		56.60 UNCH		----	----	----	----	0	UNCH														
4300	----	----				----		51.60 UNCH		----	----	----	----	0	UNCH														
4300	22.30	22.30		114.40B/89.70A	114.40B/89.70A	----		100.00 - 5.60	.6342	----	----	----	----	10	UNCH														
4300	73.00	73.00		40.00B/21.40A	40.00B/21.40A	----		24.50 - 8.40	.3036	----	----	4	----	62 +	1														
4300	----	----		96.00B/67.20A	96.00B/67.20A	----		78.80 - 5.60	.6962	----	----	2	----	20 -	1														
4300	----	----		61.60B/41.30A	61.60B/41.30A	----		45.60 - 8.40	.3654	----	----	----	----	115	UNCH														
4300	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4305	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4305	----	----				----		46.60 UNCH		----	----	----	----	0	UNCH														
4310	----	----				----		41.60 UNCH		----	----	----	----	1	UNCH														
4310	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4315	----	----				----		36.60 UNCH		----	----	----	----	0	UNCH														
4315	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4320	----	----				----		31.60 UNCH		----	----	----	----	0	UNCH														
4320	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH														
4325	----	----				----		26.60 UNCH		----	----	----	----	0	UNCH														
4325	----	----		78.10B/52.80A	78.10B/52.80A	----		62.10 - 6.60	.6133	----	----	----	----	41	UNCH														
4325	----	----				----		0.00 UNCH		----	----	----	----	0	UNCH</														

PG64	BULLETIN #114@										METALS OPTION PRODUCTS					Tue, Jun 16, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
GMW MON JUN26	GOLD WEEKLY MONDAY OPTION WEEK3																		
4375	----	----	----	----	----	23.40	UNCH	----	----	----	----	0	UNCH						
4375	----	----	70.10B/51.60A	70.10B/51.60A	----	58.30	- 7.00	.4574	----	----	----	29	UNCH						
4375	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4375	47.00	47.00	48.50B/29.70A	48.50B/29.70A	----	35.60	- 7.70	.4267	----	14	----	137 +	14						
4380	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4380	----	----	----	----	----	28.40	UNCH	----	----	----	----	0	UNCH						
4385	----	----	----	----	----	33.40	UNCH	----	----	----	----	0	UNCH						
4385	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4390	----	----	----	----	----	38.40	UNCH	----	----	----	----	0	UNCH						
4390	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4395	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4400	----	----	95.30B/62.50A	95.30B/62.50A	----	71.60	- 10.40	.6637	----	----	----	6	UNCH						
4400	33.00	33.00	37.10B/21.70A	37.10B/21.70A	----	26.00	- 7.70	.3361	----	14	----	367 +	11						
4400	----	----	112.80B/84.60A	112.80B/84.60A	----	93.30	- 9.80	.6017	----	----	----	13	UNCH						
4400	50.40	50.40	59.10B/42.10A	59.10B/42.10A	----	47.70	- 7.10	.3978	----	2	----	72 +	2						
4400	----	----	----	----	----	48.40	UNCH	----	----	----	----	0	UNCH						
4400	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4405	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4410	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4415	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4420	----	----	----	----	----	68.40	UNCH	----	----	----	----	0	UNCH						
4420	23.50	23.50	#23.50/*22.00	#29.50B/*16.90A	----	0.00	UNCH	----	----	2	----	0	UNCH						
4425	----	----	----	----	----	20.00	NEW	.2710	----	----	----	2 +	2						
4425	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4425	37.00	37.00	48.90B/34.10A	48.90B/34.10A	----	73.40	UNCH	----	----	----	----	0	UNCH						
4425	----	----	27.80B/15.60A	27.80B/15.60A	----	38.70	- 6.90	.3410	----	1	----	35	UNCH						
4425	----	----	----	----	----	18.80	- 7.10	.2565	----	10	----	76 +	2						
4430	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4435	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4440	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4445	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4450	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4450	----	----	147.70B/115.80A	147.70B/115.80A	----	126.80	- 9.30	.7108	----	----	----	2	UNCH						
4450	----	----	134.00B/96.10A	134.00B/96.10A	----	109.00	- 9.10	.8096	----	----	----	2	UNCH						
4450	----	----	----	----	----	98.40	UNCH	----	----	----	----	0	UNCH						
4450	15.00	15.00	20.60B/11.20A	20.60B/11.20A	----	13.40	- 6.30	.1902	----	4	----	762	UNCH						
4450	----	----	40.20B/27.50A	40.20B/27.50A	----	31.30	- 6.50	.2888	----	----	----	62	UNCH						
4455	----	----	----	----	----	103.40	UNCH	----	----	----	----	0	UNCH						
4455	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4460	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4470	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4475	----	----	----	----	----	123.40	UNCH	----	----	----	----	0	UNCH						
4475	27.50	27.50	32.70B/22.10A	32.70B/22.10A	----	25.10	- 6.10	.2415	----	1	----	19 +	1						
4475	----	----	155.10B/115.60A	155.10B/115.60A	----	130.20	- 8.10	.8608	----	----	----	1	UNCH						
4475	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4475	10.80	10.80	11.00/8.10A	15.00B/8.10A	----	9.60	- 5.40	.1390	----	35	----	51 +	28						
4480	----	----	----	----	----	128.40	UNCH	----	----	----	----	0	UNCH						
4485	----	----	----	#13.20B/*7.30A	----	8.50	NEW	.1230	----	2	----	2 +	2						
4490	----	----	----	#12.40B/*6.90A	----	7.90	NEW	.1148	----	2	----	2 +	2						
4500	----	----	187.00B/152.00A	187.00B/152.00A	----	165.60	- 8.30	.7989	----	----	----	60	UNCH						
4500	10.60	10.60	11.10/5.90A	11.10/5.90A	----	7.00	- 4.40	.1015	----	239	----	501 +	171						
4500	----	----	177.70B/136.40A	177.70B/136.40A	----	152.50	- 7.20	.8983	----	----	----	12	UNCH						
4500	21.00	21.00	26.60B/17.80A	26.60B/17.80A	----	20.20	- 5.40	.2007	----	1	----	13	UNCH						
4500	----	----	----	----	----	148.40	UNCH	----	----	----	----	0	UNCH						
4500	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4515	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4520	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4525	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4525	----	----	200.70B/158.40A	200.70B/158.40A	----	175.70	- 6.30	.9253	----	----	----	1	UNCH						
4525	----	----	---/4.40A	8.00B/4.40A	----	5.20	- 3.50	.0745	----	----	----	220	UNCH						
4525	----	----	21.50B/14.30A	21.50B/14.30A	----	16.20	- 4.90	.1655	----	----	----	4	UNCH						
4525	----	----	208.00B/171.90A	208.00B/171.90A	----	186.60	- 7.70	.8341	----	----	----	2	UNCH						
4530	----	----	----	----	----	178.40	UNCH	----	----	----	----	0	UNCH						
4535	5.10	5.10	#5.10/*5.10	#7.00B/*4.20A	----	4.70	NEW	.0666	----	6	----	6 +	6						
4535	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4545	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4550	----	----	----	----	----	198.40	UNCH	----	----	----	----	0	UNCH						
4550	5.00	5.00	5.60/3.40A	5.80B/3.40A	----	4.00	- 2.70	.0559	----	2	----	840 -	1						
4550	----	----	---/11.60A	17.30B/11.60A	----	13.10	- 4.20	.1364	----	----	----	13	UNCH						
4550	----	----	224.20B/181.20A	224.20B/181.20A	----	199.50	- 5.50	.9439	----	----	----	1	UNCH						
4555	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4575	----	----	248.20B/204.70A	248.20B/204.70A	----	223.60	- 4.90	.9577	----	----	----	1	UNCH						
4575	12.10	12.10	12.10/9.40A	14.00B/9.40A	----	10.60	- 3.70	.1120	----	6	----	8 +	5						
4575	3.30	3.30	3.30/2.70A	4.30B/2.70A	----	3.10	- 2.20	.0421	----	1	----	43 -	1						
4575	----	----	----	----	----	223.40	UNCH	----	----	----	----	0	UNCH						
4600	----	----	272.40B/228.90A	272.40B/228.90A	----	248.00	- 4.40	.9671	----	----	----	1	UNCH						
4600	2.80	2.80	2.80/2.20A	3.20B/2.20A	----	2.50	- 1.60	.0328	----	20	----	66 -	12						
4600	----	----	---/7.80A	11.40B/7.80A	----	8.60	- 3.20	.0919	----	----	----	49	UNCH						
4600	----	----	----	----	----	248.40	UNCH	----	----	----	----	0	UNCH						
4615	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4625	7.90	7.90	7.90/6.50A	9.30B/6.50A	----	7.10	- 2.70	.0761	----	1	----	4 +	1						
4625	----	----	---/1.80A	2.40B/1.80A	----	2.10	- 1.20	.0264	----	----	----	12	UNCH						
4650	2.90	2.90	2.90/1.50A	2.90/1.50A	----	1.70	- 1.00	.0206	----	1	----	978	UNCH						
4650	6.90	6.90	6.90/5.40A	7.70B/5.40A	----	5.90	- 2.30	.0632	----	3	----	63	UNCH						
4675	----	----	---/*1.30A	1.40B/*1.30A	----	1.40	- 0.80	.0164	----	----	----	13	UNCH						
4675	----	----	---/4.60A	6.40B/4.60A	----	5.00	- 2.00	.0532	----	----	----	12	UNCH						
4700	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH						
4700	----	----	----	----	----	348.40	UNCH	----	----	----	----	0	UNCH						



GLOBEX OPEN			OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GMW MON JUL26			GOLD WEEKLY MONDAY OPTION WEEK1												
4300	----	----		124.60B/105.50A	124.60B/105.50A	----	114.60 - 5.30	.6124	----	----	----	----		1 UNCH	
4325	----	----		111.30B/91.10A	111.30B/91.10A	----	99.70 - 5.70	.5658	----	----	----	----		1 UNCH	
4350	83.10	83.10		101.50B/*75.20A	101.50B/*75.20A	----	81.60 NEW	.4818	----	----	2	----		2 + 2	
4350	93.30	93.30		98.90B/78.20A	98.90B/78.20A	----	86.00 - 6.20	.5177	----	----	6	----		6 + 4	
4375	----	----		85.20B/66.90A	85.20B/66.90A	----	73.70 - 6.50	.4689	----	----	----	----		38 UNCH	
4400	----	----		74.40B/56.90A	74.40B/56.90A	----	62.80 NEW	.4207	----	----	1	----		1 + 1	
4425	----	----		63.80B/48.20A	63.80B/48.20A	----	53.20 - 6.70	.3739	----	----	----	----		10 UNCH	
4450	----	----		54.40B/40.60A	54.40B/40.60A	----	44.80 - 6.60	.3293	----	----	----	----		1 UNCH	
4500	----	----		39.10B/28.60A	39.10B/28.60A	----	31.50 NEW	.2498	----	----	1	----		1 + 1	
4525	----	----		32.90B/24.00A	32.90B/24.00A	----	26.40 - 5.50	.2158	----	----	----	----		2 UNCH	
4550	----	----		27.70B/20.10A	27.70B/20.10A	----	22.10 - 5.00	.1856	----	----	----	----		2 UNCH	
4575	19.50	19.50		23.20B/17.10A	23.20B/17.10A	----	18.60 NEW	.1595	----	----	1	----		1 + 1	
4600	----	----		----/14.40A	19.50B/14.40A	----	15.80 - 3.90	.1374	----	----	----	----		2 UNCH	
4625	----	----		----/12.30A	16.50B/12.30A	----	13.50 - 3.40	.1186	----	----	1	----		7 + 1	
4750	----	----		----/6.20A	7.60B/6.20A	----	6.90 - 1.40	.0607	----	----	----	----		2 UNCH	
4775	----	----		----/5.50A	6.60B/5.50A	----	6.20 - 1.10	.0541	----	----	----	----		5 UNCH	
4800	5.70	5.70		5.80B/4.90A	5.80B/4.90A	----	5.50 - 0.90	.0478	----	----	1	----		6 + 1	
4900	3.50	3.50		3.50/3.20A	3.50/3.20A	----	3.80 - 0.20	.0317	----	----	1	----		32 UNCH	
5000	----	----		----/2.30A	2.20B/2.30A	----	2.90 + 0.30	.0229	----	----	----	----		1 UNCH	
5100	----	----		----	1.60B/1.90A	----	2.40 + 0.60	.0178	----	----	----	----		1 UNCH	
TOTAL											31			428 + 28	
GLOBEX OPEN			OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
FMG OPT JUN26			MICRO GOLD WEEKLY FRI OPTION WEEK4												
3850	----	----	----	----	----	----	2.00 - 0.10	.0158	----	----	----	----		1 UNCH	
TOTAL														1	
SILVER OPTIONS ON FUTURES															
GLOBEX OPEN			OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
RWS THU JUN26			SILVER WEEKLY THURSDAY OPTION week3												
5500	----	----	----	----/0.064A	----	----	0.003 - 0.006	.0001	----	----	----	----		5 UNCH	
5750	----	----	----	----/*0.071A	----	----	0.009 - 0.014	.0008	----	----	----	----		3 UNCH	
5900	----	----	----	----/0.062A	----	----	0.019 - 0.020	.0024	----	----	----	----		11 UNCH	
6000	----	----	----	0.002B/*0.078A	----	----	0.030 - 0.028	.0045	----	----	----	----		64 UNCH	
6100	0.040	0.040	0.040/*0.040	0.040/*0.040	0.040/*0.040	----	0.038 - 0.028	.0065	----	----	1	----		2 - 1	
6150	----	----	----	0.015B/*0.082A	----	----	0.042 - 0.029	.0078	----	----	----	----		1 UNCH	
6200	----	----	----	0.022B/*0.083A	----	----	0.048 - 0.029	.0096	----	----	----	----		1 UNCH	
6250	----	----	----	0.028B/*0.090A	----	----	0.055 - 0.029	.0118	----	----	----	----		3 UNCH	
6300	----	----	----	0.034B/*0.100A	----	----	0.064 - 0.029	.0149	----	----	----	----		23 UNCH	
6350	----	----	7.724B/6.204A	7.724B/6.204A	7.724B/6.204A	----	6.586 - 0.197	.9811	----	----	----	----		11 UNCH	
6400	----	----	7.231B/5.729A	7.231B/5.729A	7.231B/5.729A	----	6.101 - 0.196	.9758	----	----	----	----		5 UNCH	
6400	----	----	----/*0.091A	0.057B/*0.091A	----	----	0.089 - 0.030	.0241	----	----	----	----		14 UNCH	
6480	----	----	----/*0.128A	0.080B/*0.128A	----	----	0.120 - 0.031	.0366	----	----	----	----		1 UNCH	
6500	0.125	0.125	0.125/*0.125	0.125/*0.125	----	----	0.130 NEW	.0409	----	1	----	----		1 + 1	
6550	0.200	0.200	0.240/*0.160A	0.240/*0.160A	----	----	0.157 NEW	.0530	----	2	----	----		0 UNCH	
6580	0.177	0.177	#0.191B/*0.170	0.191B/*0.170	----	----	0.177 NEW	.0623	----	12	----	----		4 + 4	
6600	----	----	5.281B/3.855A	5.281B/3.855A	----	----	4.204 - 0.208	.9305	----	----	----	----		27 UNCH	
6600	0.146	0.146	0.225B/*0.142A	0.225B/*0.142A	----	----	0.192 - 0.041	.0694	----	21	----	----		12 + 1	
6650	----	----	4.807B/3.414A	4.807B/3.414A	----	----	3.748 - 0.216	.9090	----	----	----	----		13 UNCH	
6650	0.350	0.350	0.350/*0.209A	0.350/*0.209A	----	----	0.236 - 0.049	.0909	----	1	----	----		4 + 1	
6670	----	----	4.618B/3.242A	4.618B/3.242A	----	----	3.569 - 0.219	.8986	----	----	----	----		1 UNCH	
6700	3.940	3.940	4.337B/2.989A	4.337B/2.989A	----	----	3.304 - 0.226	.8810	----	9	----	----		10 + 9	
6700	0.260	0.260	0.260/*0.217A	0.311B/*0.217A	----	----	0.292 NEW	.1190	----	1	----	----		1 + 1	
6750	----	----	3.876B/2.585A	3.876B/2.585A	----	----	2.876 - 0.237	.8447	----	----	----	----		2 UNCH	
6750	----	----	----/*0.262A	0.402B/*0.262A	----	----	0.363 - 0.071	.1552	----	----	----	----		5 UNCH	
6800	----	----	0.557B/*0.316A	0.557B/*0.316A	----	----	0.455 - 0.083	.2017	----	3	----	----		5 + 3	
6800	----	----	3.429B/2.207A	3.429B/2.207A	----	----	2.468 - 0.249	.7982	----	----	----	----		12 UNCH	
6850	----	----	2.998B/1.858A	2.998B/1.858A	----	----	2.085 - 0.261	.7406	----	----	----	----		2 UNCH	
6900	----	----	2.586B/1.481A	2.586B/1.481A	----	----	1.733 - 0.269	.6718	----	----	----	----		5 UNCH	
6900	----	----	0.957B/*0.475A	0.957B/*0.475A	----	----	0.720 - 0.102	.3281	----	----	----	----		1 UNCH	
6950	----	----	1.210B/*0.593A	1.210B/*0.593A	----	----	0.903 - 0.105	.4065	----	----	----	----		10 UNCH	
6950	----	----	2.199B/1.204A	2.199B/1.204A	----	----	1.416 - 0.272	.5934	----	----	----	----		2 UNCH	
7000	----	----	1.491B/*0.742A	1.491B/*0.742A	----	----	1.124 - 0.103	.4911	----	3	----	----		7 + 3	
7000	1.160	1.160	1.843B/0.967A	1.843B/0.967A	----	----	1.137 - 0.270	.5088	----	10	----	----		56 - 1	
7010	----	----	#1.491B/*0.773A	1.491B/*0.773A	----	----	1.173 NEW	.5084	----	1	----	----		1 + 1	
7020	----	----	1.710B/*0.882A	1.710B/0.882A	----	----	1.037 NEW	.4742	----	1	----	----		1 + 1	
7050	----	----	1.521B/0.764A	1.521B/0.764A	----	----	0.899 - 0.261	.4227	----	----	----	----		10 UNCH	
7100	----	----	1.296B/0.611A	1.296B/0.611A	----	----	0.702 - 0.246	.3404	----	----	----	----		5 UNCH	
7100	----	----	1.951B/1.131A	1.951B/1.131A	----	----	1.689 - 0.079	.6595	----	----	----	----		4 UNCH	
7150	----	----	1.047B/0.476A	1.047B/0.476A	----	----	0.542 NEW	.2661	----	1	----	----		1 + 1	
7200	0.480	0.480	0.831B/0.378A	0.831B/0.378A	----	----	0.416 - 0.204	.2030	----	12	----	----		24 + 5	
7200	----	----	2.767B/1.728A	2.767B/1.728A	----	----	2.403 - 0.037	.7969	----	----	----	----		4 UNCH	
7230	----	----	#0.719B/*0.328A	0.719B/*0.328A	----	----	0.355 NEW	.1710	----	2	----	----		2 + 2	
7250	----	----	0.654B/0.300A	0.654B/0.300A	----	----	0.319 - 0.181	.1520	----	1	----	----		6 UNCH	
7300	----	----	3.664B/2.403A	3.664B/2.403A	----	----	3.233 + 0.011	.8873	----	----	----	----		1 UNCH	
7300	0.290	0.290	0.510B/0.241A	0.510B/0.241A	----	----	0.246 - 0.157	.1126	----	2	----	----		17 UNCH	
7350	----	----	4.132B/2.785A	4.132B/2.785A	----	----	3.678 + 0.031	.9166	----	----	----	----		22 UNCH	
7400	----	----	4.609B/3.192A	4.609B/3.192A	----	----	4.138 + 0.051	.9380	----	----	----	----		1 UNCH	
7400	0.250	0.250	0.308B/0.150	0.308B/0.150	----	----	0.152 - 0.116	.0619	----	7	----	----		40 + 5	
7450	----	----	5.093B/3.618A	5.093B/3.618A	----	----	4.609 + 0.067	.9535	----	----	----	----		2 UNCH	
7500	----	----	----/0.136A	0.181B/0.136A	----	----	0.101 - 0.087	.0356	----	----	----	----		5 UNCH	
7500	----	----	5.580B/4.064A	5.580B/4.064A	----	----	5.087 + 0.080	.9643	----	----	----	----		1 UNCH	
7520	0.125	0.125	#0.135/*0.125	#0.164B/*0.125	----	----	0.093 NEW	.0319	----	25	----	----		25 + 25	
7550	----	----	----/0.115A	0.143B/0.115A	----	----	0.084 - 0.077	.0275	----	----	----	----		4 UNCH	
7600	----	----	----/0.110A	0.086B/0.110A	----	----	0.071 - 0.069	.0215	----	3	----	----		3 + 2	
7700	----	----	----/0.089A	0.034B/0.089A	----	----	0.051 - 0.058	.0133	----	----	----	----		80 UNCH	
7800	----	----	----/0.079A	0.040B/0.079A	----	----	0.038 - 0.051	.0085	----	----	----	----		7 UNCH	
7850	----	----	----/*0.078A	0.009B/0.078A	----	----	0.034 - 0.048	.0071	----	----	----	----		55 UNCH	
7900	0.046	0.046	0.046/*0.046	0.055B/*0.046	----	----	0.030 - 0.046	.0059	----	2	----	----		4 + 2	
7950	----	----	10.034B/8.385A	10.034B/8.385A	----	----	9.513 NEW	.9948	----	1	----	----		1 + 1	
8000	0.081	0.081	0.081/0.075A	0.081/0.075A	----	----	0.025 - 0.043	.0043	----	20	----	----		148 + 20	
8150	----	----	----	----	----	----	11.506 NEW	.9970	----	1	----	----		7 + 1	
8200	----	----	----	0.001B/0.068A	----	----	0.019 - 0.039	.0026	----	----	----	----		1 UNCH	
8250	----	----	----	0.031B/0.069A	----	----	0.018 - 0.039	.0023	----	----	----	----		2 UNCH	
8350	----	----	----	0.001B/0.071A	----	----	0.017 - 0.038	.0020	----	----	----	----		1 UNCH	
8500	----	----	----	0.001B/0.070A	----	----	0.012 - 0.031	.0012	----	----	----	----		1 UNCH	
8600	----	----	----	----	----	----	15.994 + 0.142	.9991	----	----	----	----		1 UNCH	
TOTAL											143	0		811 + 87	
JUL26															
6550	----	----	----/*1.132A	0.952B/*1.132A	----	----	1.135 - 0.039	.2305	----	----	----	----		6 UNCH	
7000	----	----	3.271B/2.672A	3.271B/2.672A	----	----	2.794 - 0.234	.5523	----	----	----	----		1 UNCH	
7000	----	----	----/*4.109A	#3.347B/*4.109A	----	----	3.695 - 1.296	.5492	----	2	----	----		9 + 2	
7200	----	----	2.348B/1.835A	2.348B/1.835A	----	----	1.861 - 0.247	.4227	----	----	----	----		1 UNCH	
7350															

BULLETIN #114@				METALS OPTION PRODUCTS							Tue, Jun 16, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK3														
JUN26															
6400	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6400	----	----	----	----	----	6.180	UNCH	----	----	----	----	0	UNCH		
6500	0.211	0.211	0.276/*0.211	0.276/*0.211	----	0.265	NEW .1003	----	----	76	----	75 +	75		
6500	----	----	----	----	----	5.180	UNCH	----	----	----	----	0	UNCH		
6500	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6550	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6550	0.274	0.274	0.295/*0.242A	0.303B/*0.242A	----	0.310	NEW .1188	----	----	95	----	95 +	95		
6550	----	----	5.400B/4.045A	5.400B/4.045A	----	4.375 -	0.180 .8591	----	----	----	----	1	UNCH		
6600	----	----	----	----	----	4.180	UNCH	----	----	----	----	0	UNCH		
6600	----	----	-----/*0.278A	0.370B/*0.278A	----	0.364 -	0.014 .1408	----	----	----	----	15	UNCH		
6600	----	----	----	----	----	3.780	UNCH	----	----	----	----	0	UNCH		
6640	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6650	----	----	----	----	----	3.180	UNCH	----	----	----	----	0	UNCH		
6700	----	----	0.569B/*0.380A	0.569B/*0.380A	----	0.505 -	0.044 .1971	----	----	----	----	13	UNCH		
6700	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6710	----	----	----	----	----	3.080	UNCH	----	----	----	----	0	UNCH		
6730	----	----	----	----	----	2.880	UNCH	----	----	----	----	0	UNCH		
6750	----	----	----	----	----	2.680	UNCH	----	----	----	----	0	UNCH		
6750	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6760	----	----	----	----	----	2.580	UNCH	----	----	----	----	0	UNCH		
6780	----	----	----	----	----	2.380	UNCH	----	----	----	----	0	UNCH		
6800	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6800	----	----	----	----	----	2.180	UNCH	----	----	----	----	0	UNCH		
6800	----	----	0.864B/*0.531A	0.864B/*0.531A	----	0.714 -	0.077 .2745	----	----	----	----	1	UNCH		
6810	----	----	----	----	----	2.080	UNCH	----	----	----	----	0	UNCH		
6850	----	----	----	----	----	1.680	UNCH	----	----	----	----	0	UNCH		
6850	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6880	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6900	----	----	----	----	----	1.180	UNCH	----	----	----	----	0	UNCH		
6900	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6920	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6950	----	----	----	----	----	0.680	UNCH	----	----	----	----	0	UNCH		
6950	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
6970	----	----	----	----	----	0.480	UNCH	----	----	----	----	0	UNCH		
6980	----	----	----	----	----	0.380	UNCH	----	----	----	----	0	UNCH		
6990	----	----	----	----	----	0.280	UNCH	----	----	----	----	0	UNCH		
7000	1.275	1.275	1.830B/1.065A	1.830B/1.065A	----	1.456 -	0.106 .4887	----	----	5	----	5 +	5		
7000	----	----	----	----	----	0.180	UNCH	----	----	----	----	0	UNCH		
7000	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
7000	----	----	2.956B/2.341A	2.956B/2.341A	----	2.453 -	0.235 .5556	----	----	----	----	3	UNCH		
7030	----	----	----	----	----	0.120	UNCH	----	----	----	----	0	UNCH		
7050	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
7050	----	----	----	----	----	0.320	UNCH	----	----	----	----	0	UNCH		
7050	----	----	1.924B/1.095A	1.924B/1.095A	----	1.233 -	0.268 .4525	----	----	----	----	10	UNCH		
7100	----	----	----	----	----	0.820	UNCH	----	----	----	----	0	UNCH		
7100	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
7120	----	----	----	----	----	1.020	UNCH	----	----	----	----	0	UNCH		
7140	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
7150	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
7150	0.917	0.917	1.401B/0.751A	1.401B/0.751A	----	0.855	NEW .3415	----	----	2	----	2 +	2		
7170	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
7180	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
7190	----	----	----	----	----	1.720	UNCH	----	----	----	----	0	UNCH		
7200	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
7200	0.900	0.900	1.175B/0.621A	1.175B/0.621A	----	0.708 -	0.226 .2919	----	----	5	----	55 +	5		
7200	----	----	3.024B/2.007A	3.024B/2.007A	----	2.694 -	0.059 .7080	----	----	----	----	5	UNCH		
7250	0.731	0.731	0.981B/0.516A	0.981B/0.516A	----	0.586 -	0.205 .2475	----	----	1	----	16	UNCH		
7300	----	----	0.823B/0.428A	0.823B/0.428A	----	0.484 -	0.184 .2083	----	----	----	----	2	UNCH		
7300	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
7330	0.539	0.539	#0.539/*0.400A	#0.735B/*0.400A	----	0.432	NEW .1875	----	----	8	----	8 +	8		
7400	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH		
7400	----	----	0.567B/0.301A	0.567B/0.301A	----	0.333 -	0.141 .1460	----	----	4	----	17 +	4		
7400	----	----	4.758B/3.453A	4.758B/3.453A	----	4.318 +	0.026 .8539	----	----	1	----	1	UNCH		
7490	----	----	----	----	----	4.720	UNCH	----	----	----	----	0	UNCH		
7500	0.270	0.270	0.388B/0.225A	0.388B/0.225A	----	0.231 -	0.103 .1015	----	----	5	----	226 +	5		
7600	----	----	0.264B/0.170A	0.264B/0.170A	----	0.163 -	0.072 .0707	----	----	----	----	200	UNCH		
7650	----	----	0.219B/0.174A	0.219B/0.174A	----	0.137 -	0.060 .0589	----	----	----	----	7	UNCH		
7700	0.150	0.150	0.184B/0.150	0.184B/0.150	----	0.116	NEW .0493	----	----	2	----	2 +	2		
7750	----	----	-----/0.138A	0.143B/0.138A	----	0.099 -	0.048 .0415	----	----	----	----	1	UNCH		
8000	----	----	----	0.042B/*0.092A	----	0.049 -	0.030 .0188	----	----	----	----	5	UNCH		
8050	----	----	----	0.035B/*0.087A	----	0.043 -	0.028 .0162	----	----	----	----	2	UNCH		
8250	----	----	----	0.019B/0.089A	----	0.029 -	0.021 .0100	----	----	----	----	33	UNCH		
8350	----	----	----	0.007B/0.086A	----	0.024 -	0.019 .0079	----	----	----	----	4	UNCH		
8400	----	----	----	0.006B/0.083A	----	0.023 -	0.018 .0074	----	----	----	----	2	UNCH		
8500	----	----	----	----	----	15.001 +	0.151 .9938	----	----	----	----	1	UNCH		
8800	----	----	----	----	----	17.996 +	0.155 .9959	----	----	----	----	1	UNCH		
TOTAL										279	0	1012 +	277		
SO CALL	COMEX SILVER OPTIONS														
JUL26															
2700	----	----	43.644B/----	43.644B/43.654A	----	43.013 -	0.167 .0000	----	----	----	----	1	UNCH		
4500	----	----	25.650B/----	25.650B/25.653A	----	25.014 -	0.168 .9985	1	----	----	----	2	-		
4600	----	----	24.651B/----	24.651B/24.653A	----	24.015 -	0.168 .9981	2	----	----	----	0	UNCH		
4825	----	----	22.405B/----	22.405B/22.404A	----	21.768	0.170 .9971	----	----	----	----	3	UNCH		
4900	----	----	21.656B/----	21.656B/21.655A	----	21.020 -	0.170 .9966	----	----	----	----	1	UNCH		
4925	----	----	21.407B/----	21.407B/21.406A	----	20.771 -	0.169 .9964	----	----	----	----	16	UNCH		
5000	----	----	20.740B/----	20.740B/20.545A	----	20.023 -	0.170 .9959	----	----	----	----	306	UNCH		
5025	----	----	20.409B/----	20.409B/20.408A	----	19.774 -	0.170 .9956	----	----	----	----	4	UNCH		
5050	----	----	20.160B/----	20.160B/20.158A	----	19.526 -	0.169 .9952	----	----	----	----	2	UNCH		
5100	----	----	19.662B/----	19.662B/19.660A	----	19.029 -	0.169 .9945	----	----	----	----	5	UNCH		
5150	----	----	19.163B/----	19.163B/19.162A	----	18.532 -	0.169 .9938	----	----	----					

	BULLETIN #114@				METALS OPTION PRODUCTS				Tue, Jun 16, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
JUL26														
6700	3.790	3.790	4.7978/3.469A	4.7978/3.469A	----	3.824 - 0.218	.7515	----	----	1	----	36	UNCH	
6725	----	----	4.5948/3.304A	4.5948/3.304A	----	3.634 - 0.223	.7352	----	----	----	----	6	UNCH	
6750	----	----	4.3938/3.143A	4.3938/3.143A	----	3.449 - 0.227	.7183	----	----	----	----	40	UNCH	
6775	----	----	4.1978/2.985A	4.1978/2.985A	----	3.269 - 0.230	.7004	----	----	----	----	2	UNCH	
6800	----	----	4.0038/2.824A	4.0038/2.824A	----	3.093 - 0.234	.6819	----	----	----	----	275	UNCH	
6825	----	----	3.8138/2.581A	3.8138/2.581A	----	2.923 - 0.237	.6627	----	----	----	----	11	UNCH	
6850	----	----	3.6298/2.442A	3.6298/2.442A	----	2.757 - 0.240	.6428	----	----	----	----	37	UNCH	
6875	----	----	3.4498/2.307A	3.4498/2.307A	----	2.598 - 0.242	.6224	----	----	----	----	75	UNCH	
6900	2.368	2.368	3.2738/2.175A	3.2738/2.175A	----	2.444 - 0.244	.6014	----	1	----	----	171	UNCH	
6925	2.019	2.019	3.1038/2.019	3.1038/2.019	----	2.297 - 0.245	.5799	----	2	----	----	34 -	1	
6950	1.931	1.931	2.9408/1.931	2.9408/1.931	----	2.156 - 0.244	.5581	----	3	----	----	42 +	1	
6975	1.818	1.818	2.7808/1.809A	2.7808/1.809A	----	2.022 - 0.243	.5361	----	2	----	----	34	UNCH	
7000	1.903	1.903	2.6318/1.694A	2.6318/1.694A	----	1.895 - 0.240	.5139	----	15	----	----	401 -	4	
7025	----	----	2.5048/1.584A	2.5048/1.584A	----	1.775 - 0.236	.4917	----	----	----	----	143	UNCH	
7050	1.687	1.687	2.3718/1.476A	2.3718/1.476A	----	1.661 - 0.231	.4697	----	4	----	----	9 +	1	
7075	----	----	2.2338/1.377A	2.2338/1.377A	----	1.552 - 0.227	.4477	----	----	----	----	53	UNCH	
7100	2.120	2.120	2.120/1.288A	2.120/1.288A	----	1.449 - 0.223	.4261	----	25	----	----	139 +	9	
7125	1.647	1.647	1.9758/1.198A	1.9758/1.198A	----	1.350 - 0.220	.4047	----	29	----	----	34 +	27	
7150	1.600	1.600	1.8548/1.115A	1.8548/1.115A	----	1.256 - 0.217	.3837	----	17	----	----	122 +	15	
7175	----	----	1.7368/1.041A	1.7368/1.041A	----	1.167 - 0.215	.3631	----	----	----	----	21	UNCH	
7200	1.211	1.211	1.6308/0.967A	1.6308/0.967A	----	1.083 - 0.212	.3430	----	11	----	----	300 +	2	
7225	0.954	0.954	1.5228/0.893A	1.5228/0.893A	----	1.005 - 0.209	.3235	----	1	----	----	15	UNCH	
7250	0.956	0.956	1.4258/0.831A	1.4258/0.831A	----	0.931 - 0.207	.3045	----	3	45	----	197 -	12	
7275	----	----	1.3358/0.782A	1.3358/0.782A	----	0.863 - 0.203	.2864	----	----	----	----	7	UNCH	
7300	1.200	1.200	1.2458/0.727A	1.2458/0.727A	----	0.800 - 0.199	.2690	----	15	----	----	108	UNCH	
7325	0.862	0.862	1.1648/0.679A	1.1648/0.679A	----	0.741 - 0.195	.2523	----	1	----	----	113	UNCH	
7350	----	----	1.0888/0.632A	1.0888/0.632A	----	0.687 - 0.190	.2366	----	----	----	----	11	UNCH	
7375	----	----	1.0138/0.587A	1.0138/0.587A	----	0.638 - 0.183	.2217	----	----	----	----	73	UNCH	
7400	0.710	0.710	0.9548/0.548A	0.9548/0.548A	----	0.592 - 0.178	.2076	----	7	----	----	119	UNCH	
7425	----	----	0.8908/0.515A	0.8908/0.515A	----	0.550 - 0.172	.1944	----	----	----	----	14	UNCH	
7450	0.834	0.834	0.834/0.479A	0.834/0.479A	----	0.512 - 0.165	.1820	----	1	----	----	88 +	1	
7475	----	----	0.7778/0.446A	0.7778/0.446A	----	0.476 - 0.160	.1703	----	----	----	----	78	UNCH	
7500	0.650	0.650	0.734/0.416A	0.734/0.416A	----	0.444 - 0.153	.1595	----	58	----	----	501 +	10	
7525	----	----	0.6788/0.390A	0.6788/0.390A	----	0.414 - 0.147	.1493	----	----	----	----	10	UNCH	
7550	----	----	0.6358/0.364A	0.6358/0.364A	----	0.386 - 0.141	.1397	----	----	----	----	72	UNCH	
7575	0.390	0.390	0.5928/0.341A	0.5928/0.341A	----	0.361 - 0.135	.1309	----	1	----	----	55 +	1	
7600	0.488	0.488	0.5568/0.323A	0.5568/0.323A	----	0.338 - 0.130	.1227	----	3	----	----	177 -	1	
7625	----	----	0.5208/0.301A	0.5208/0.301A	----	0.317 - 0.124	.1151	----	----	----	----	20	UNCH	
7650	0.425	0.425	0.4878/0.283A	0.4878/0.283A	----	0.297 - 0.119	.1079	----	1	----	----	41 +	1	
7675	----	----	0.4568/0.268A	0.4568/0.268A	----	0.279 - 0.114	.1013	----	----	----	----	20	UNCH	
7700	0.337	0.337	0.4298/0.252A	0.4298/0.252A	----	0.263 - 0.109	.0953	----	5	----	----	517 +	4	
7725	----	----	0.4028/0.241A	0.4028/0.241A	----	0.247 - 0.105	.0895	----	----	----	----	15	UNCH	
7750	----	----	0.3778/0.228A	0.3778/0.228A	----	0.233 - 0.101	.0842	----	----	----	----	147	UNCH	
7775	----	----	0.3568/0.217A	0.3568/0.217A	----	0.220 - 0.097	.0793	----	----	----	----	18	UNCH	
7800	----	----	0.3358/0.205A	0.3358/0.205A	----	0.208 - 0.093	.0748	----	3	----	----	324 -	1	
7825	----	----	0.3168/0.197A	0.3168/0.197A	----	0.197 - 0.089	.0706	----	2	----	----	39 +	1	
7850	0.200	0.200	0.2998/0.190A	0.2998/0.190A	----	0.186 - 0.087	.0664	----	1	----	----	53	UNCH	
7875	----	----	0.2838/0.177A	0.2838/0.177A	----	0.177 - 0.083	.0629	----	----	----	----	14	UNCH	
7900	0.207	0.207	0.2708/0.176A	0.2708/0.176A	----	0.168 - 0.081	.0595	----	43	----	----	159 +	31	
7925	0.236	0.236	0.2488/0.162A	0.2488/0.162A	----	0.159 - 0.079	.0561	----	1	----	----	8 +	1	
7950	----	----	0.2398/0.163A	0.2398/0.163A	----	0.151 - 0.077	.0531	----	----	----	----	30	UNCH	
7975	----	----	0.2248/0.151A	0.2248/0.151A	----	0.144 - 0.074	.0504	----	----	----	----	6	UNCH	
8000	0.180	0.180	0.225/0.145A	0.225/0.145A	----	0.138 - 0.071	.0480	----	32	887	1624 +	793		
8025	----	----	----/0.143A	0.1998/0.143A	----	0.131 - 0.070	.0453	----	----	----	----	20	UNCH	
8050	----	----	----/0.140A	0.1948/0.140A	----	0.126 - 0.068	.0433	----	----	----	----	37	UNCH	
8075	----	----	----/0.136A	0.1858/0.136A	----	0.121 - 0.066	.0413	----	----	----	----	11	UNCH	
8100	0.122	0.122	0.1818/0.122	0.1818/0.122	----	0.116 - 0.064	.0394	----	3	----	----	160 -	2	
8125	----	----	----/0.126A	0.1678/0.126A	----	0.111 - 0.063	.0375	----	----	----	----	2	UNCH	
8150	----	----	----/0.123A	0.1638/0.123A	----	0.107 - 0.061	.0359	----	----	----	----	35	UNCH	
8175	----	----	----/0.119A	0.1588/0.119A	----	0.103 - 0.060	.0343	----	----	----	----	6	UNCH	
8200	----	----	----/0.114A	0.1528/0.114A	----	0.100 - 0.058	.0330	----	100	100	432 +	192		
8225	----	----	----/0.110A	0.1478/0.110A	----	0.097 - 0.056	.0318	----	----	----	----	7	UNCH	
8250	0.130	0.130	0.1438/0.106A	0.1438/0.106A	----	0.094 - 0.055	.0306	----	63	----	----	177 +	19	
8275	----	----	----/0.103A	0.1388/0.103A	----	0.091 - 0.054	.0294	----	----	----	----	8	UNCH	
8300	----	----	----/0.100A	0.1318/0.100A	----	0.089 - 0.052	.0285	----	1	----	----	605	UNCH	
8325	----	----	----/0.097A	0.1308/0.097A	----	0.087 - 0.050	.0276	----	----	----	----	15	UNCH	
8350	----	----	----/0.092A	0.1258/0.092A	----	0.084 - 0.050	.0265	----	----	----	----	18	UNCH	
8375	----	----	----/0.090A	0.1228/0.090A	----	0.083 - 0.048	.0259	----	----	----	----	55	UNCH	
8400	----	----	----/0.087A	0.1198/0.087A	----	0.081 - 0.046	.0251	----	29	----	----	172 +	22	
8425	----	----	----/0.084A	0.119										



BULLETIN #114@				METALS OPTION PRODUCTS							Tue, Jun 16, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
JUL26														
10150	----	----	----	0.019B/0.043A	----	0.024 - 0.015	.0049	----	----	----	----	30	UNCH	
10175	----	----	----	0.019B/0.042A	----	0.024 - 0.014	.0049	----	----	----	----	1	UNCH	
10200	----	----	----	0.019B/0.041A	----	0.024 - 0.014	.0049	----	----	----	----	122	UNCH	
10250	----	----	----	0.018B/0.041A	----	0.023 - 0.014	.0046	----	----	----	----	21	UNCH	
10275	----	----	----	0.018B/0.040A	----	0.023 - 0.013	.0046	----	----	----	----	8	UNCH	
10300	----	----	----	0.017B/0.041A	----	0.022 - 0.014	.0044	----	----	----	----	23	UNCH	
10325	----	----	----	0.017B/0.041A	----	0.022 - 0.013	.0044	----	----	----	----	1	UNCH	
10375	----	----	----	0.016B/0.040A	----	0.021 - 0.013	.0042	----	----	----	----	20	UNCH	
10400	----	----	----	0.016B/0.040A	----	0.021 - 0.012	.0041	----	----	----	----	15	UNCH	
10425	----	----	----	0.015B/0.040A	----	0.021 - 0.012	.0041	----	----	----	----	2	UNCH	
10450	----	----	----	0.015B/0.040A	----	0.020 - 0.012	.0039	----	----	----	----	26	UNCH	
10475	----	----	----	0.015B/*0.040A	----	0.020 - 0.012	.0039	----	----	----	----	26	UNCH	
10500	0.025	0.025	0.025/*0.025	0.025/*0.025	----	0.020 - 0.011	.0039	----	----	27	----	619 +	15	
10525	----	----	----	0.014B/*0.039A	----	0.020 - 0.011	.0039	----	----	----	----	1	UNCH	
10550	----	----	----	0.014B/*0.039A	----	0.019 - 0.011	.0037	----	----	----	----	10	UNCH	
10575	----	----	----	0.013B/*0.039A	----	0.019 - 0.011	.0036	----	----	----	----	1	UNCH	
10600	----	----	----	0.013B/*0.038A	----	0.019 - 0.010	.0036	----	----	----	----	53	UNCH	
10625	----	----	----	0.013B/*0.038A	----	0.019 - 0.010	.0036	----	----	----	----	2	UNCH	
10650	----	----	----	0.013B/*0.042A	----	0.018 - 0.011	.0034	----	----	----	----	2	UNCH	
10675	----	----	----	0.012B/*0.042A	----	0.018 - 0.010	.0034	----	----	----	----	10	UNCH	
10700	----	----	----	0.011B/*0.042A	----	0.018 - 0.010	.0034	----	----	----	----	87	UNCH	
10725	----	----	----	0.011B/*0.042A	----	0.018 - 0.009	.0034	----	----	----	----	4	UNCH	
10750	----	----	----	0.011B/0.042A	----	0.017 - 0.010	.0032	----	----	----	----	60	UNCH	
10775	----	----	----	0.011B/0.042A	----	0.017 - 0.010	.0032	----	----	----	----	9	UNCH	
10800	----	----	----	0.001B/0.055A	----	0.017 - 0.009	.0031	----	----	----	----	36	UNCH	
10875	----	----	----	-----/0.056A	----	0.016 - 0.009	.0029	----	----	----	----	14	UNCH	
10900	----	----	----	-----/0.055A	----	0.016 - 0.009	.0029	----	----	----	----	6	UNCH	
10925	----	----	----	-----/0.068A	----	0.016 - 0.008	.0029	----	----	----	----	1	UNCH	
10950	----	----	----	-----/0.057A	----	0.016 - 0.008	.0029	----	----	----	----	2	UNCH	
10975	----	----	----	-----/0.056A	----	0.015 - 0.009	.0027	----	----	----	----	1	UNCH	
11000	----	----	-----/0.018A	0.010B/0.018A	----	0.015 - 0.008	.0027	----	----	----	----	1313	UNCH	
11025	----	----	----	-----/0.066A	----	0.015 - 0.008	.0027	----	----	----	----	12	UNCH	
11050	----	----	----	-----/0.067A	----	0.015 - 0.008	.0027	----	----	----	----	8	UNCH	
11075	----	----	----	-----/0.059A	----	0.015 - 0.007	.0027	----	----	----	----	2	UNCH	
11100	----	----	----	-----/0.066A	----	0.014 - 0.008	.0025	----	----	----	----	15	UNCH	
11125	----	----	----	-----/0.066A	----	0.014 - 0.008	.0025	----	----	----	----	7	UNCH	
11150	----	----	----	-----/0.088A	----	0.014 - 0.007	.0025	----	----	----	----	2	UNCH	
11175	----	----	----	-----/0.089A	----	0.014 - 0.007	.0025	----	----	----	----	2	UNCH	
11200	----	----	----	-----/0.089A	----	0.014 - 0.007	.0024	----	----	----	----	15	UNCH	
11225	----	----	----	-----/0.089A	----	0.014 - 0.006	.0024	----	----	----	----	8	UNCH	
11250	----	----	----	-----/0.089A	----	0.013 - 0.007	.0023	----	----	----	----	12	UNCH	
11275	----	----	----	-----/0.090A	----	0.013 - 0.007	.0023	----	----	----	----	2	UNCH	
11300	----	----	----	-----/0.091A	----	0.013 - 0.007	.0022	----	----	----	----	52	UNCH	
11325	----	----	----	-----/0.090A	----	0.013 - 0.006	.0022	----	----	----	----	2	UNCH	
11350	----	----	----	-----/0.090A	----	0.013 - 0.006	.0022	----	----	----	----	2	UNCH	
11400	----	----	----	-----/0.089A	----	0.013 - 0.006	.0022	----	----	----	----	21	UNCH	
11425	----	----	----	-----/0.089A	----	0.012 - 0.006	.0020	----	----	----	----	10	UNCH	
11450	----	----	----	-----/0.101A	----	0.012 - 0.006	.0020	----	----	----	----	4	UNCH	
11500	0.011	0.011	0.012B/*0.011	0.012B/*0.011	----	0.012 - 0.006	.0020	----	----	1	----	1228	UNCH	
11550	----	----	----	-----/0.105A	----	0.012 - 0.005	.0020	----	----	----	----	5	UNCH	
11575	----	----	----	-----/0.105A	----	0.011 - 0.006	.0018	----	----	----	----	11	UNCH	
11600	----	----	----	-----/0.107A	----	0.011 - 0.006	.0018	----	----	----	----	10	UNCH	
11625	----	----	----	-----/0.108A	----	0.011 - 0.005	.0018	----	----	----	----	3	UNCH	
11650	----	----	----	-----/0.110A	----	0.011 - 0.005	.0018	----	----	----	----	25	UNCH	
11675	----	----	----	-----/0.111A	----	0.011 - 0.005	.0018	----	----	----	----	23	UNCH	
11700	----	----	----	-----/0.112A	----	0.011 - 0.005	.0018	----	----	----	----	23	UNCH	
11725	----	----	----	-----/0.113A	----	0.011 - 0.005	.0018	----	----	----	----	22	UNCH	
11750	----	----	----	-----/0.115A	----	0.010 - 0.005	.0016	----	----	----	----	23	UNCH	
11775	----	----	----	-----/0.117A	----	0.010 - 0.005	.0016	----	----	----	----	23	UNCH	
11800	----	----	----	-----/0.118A	----	0.010 - 0.005	.0016	----	----	----	----	3	UNCH	
11875	----	----	----	-----/0.123A	----	0.010 - 0.005	.0016	----	----	----	----	2	UNCH	
11900	----	----	----	-----/0.124A	----	0.010 - 0.004	.0016	----	----	----	----	2	UNCH	
11925	----	----	----	-----/0.126A	----	0.009 - 0.005	.0014	----	----	----	----	2	UNCH	
11950	----	----	----	-----/0.127A	----	0.009 - 0.005	.0014	----	----	----	----	1	UNCH	
12000	----	----	----	-----/0.014A	----	0.009 - 0.005	.0014	----	----	2	----	515 +	2	
12150	----	----	----	-----/0.138A	----	0.008 - 0.004	.0012	----	----	----	----	1	UNCH	
12200	----	----	----	-----/0.140A	----	0.008 - 0.004	.0012	----	----	----	----	14	UNCH	
12225	----	----	----	-----/0.141A	----	0.008 - 0.004	.0012	----	----	----	----	16	UNCH	
12250	----	----	----	-----/0.143A	----	0.008 - 0.003	.0012	----	----	----	----	8	UNCH	
12275	----	----	----	-----/0.144A	----	0.007 - 0.004	.0011	----	----	----	----	1	UNCH	
12300	----	----	----	-----/0.145A	----	0.007 - 0.004	.0011	----	----	----	----	13	UNCH	
12325	----	----	----	-----/0.146A	----	0.007 - 0.004	.0011	----	----	----	----	1	UNCH	
12375	----	----	----	-----/0.148A	----	0.007 - 0.004	.0011	----	----	----	----	2	UNCH	
12425	----	----	----	-----/0.151A	----	0.007 - 0.003	.0011	----	----	----	----	3	UNCH	
12450	----	----	----	-----/0.152A	----	0.006 - 0.004	.0009	----	----	----	----	1	UNCH	
12475	----	----	----	-----/0.153A	----	0.006 - 0.004	.0009	----	----	----	----	3	UNCH	
12500	----	----	----	----/*0.012A	----	0.006 - 0.004	.0009	----	----	----	----	100	UNCH	
12575	----	----	----	-----/0.157A	----	0.006 - 0.003	.0009	----	----	----	----	2	UNCH	
12600	----	----	----	-----/0.158A	----	0.006 - 0.003	.0009	----	----	----	----	6	UNCH	
12700	----	----	----	-----/0.166A	----	0.005 - 0.004	.0007	----	----	----	----	74	UNCH	
12725	----	----	----	-----/0.165A	----	0.005 - 0.003	.0007	----	----	----	----	2	UNCH	
12800	----	----	----	-----/0.166A	----	0.005 - 0.003	.0007	----	----	----	----	1	UNCH	
13000	----	----	----	-----/0.165A	----	0.004 - 0.003	.0006	----	----	----	----	2660	UNCH	
14000	----	----	----	-----/0.010A	----	0.002 - 0.002	.0002	----	----	6	----	862 +	6	
14700	----	----	----	-----/										

	BULLETIN #114@				METALS OPTION PRODUCTS				Tue, Jun 16, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
AUG26														
7175	3.530	3.530	4.1478/3.235A	4.1478/3.235A	----	3.400 -	0.258 .4785	----	----	2	----	13	+	1
7200	3.425	3.425	4.0378/3.155A	4.0378/3.155A	----	3.300 -	0.261 .4687	----	----	5	----	171	+	2
7225	3.382	3.382	3.9298/3.066A	3.9298/3.066A	----	3.203 -	0.264 .4589	----	----	1	----	8	+	1
7250	----	----	3.8248/2.979A	3.8248/2.979A	----	3.108 -	0.267 .4492	----	----	----	----	11	UNCH	
7275	----	----	3.7228/2.894A	3.7228/2.894A	----	3.016 -	0.269 .4395	----	----	----	----	2	UNCH	
7300	----	----	3.6228/2.812A	3.6228/2.812A	----	2.927 -	0.271 .4301	----	30	----	----	35	+	25
7325	----	----	3.5248/2.732A	3.5248/2.732A	----	2.841 -	0.272 .4207	----	----	----	----	1	UNCH	
7350	2.700	2.700	3.4328/2.655A	3.4328/2.655A	----	2.757 -	0.273 .4114	----	4	----	----	10	+	4
7400	2.805	2.805	3.2488/2.506A	3.2488/2.506A	----	2.597 -	0.275 .3933	----	9	----	----	42	+	7
7425	----	----	3.1618/2.435A	3.1618/2.435A	----	2.521 -	0.275 .3845	----	----	----	----	14	UNCH	
7450	2.548	2.548	3.0768/2.365A	3.0768/2.365A	----	2.447 -	0.275 .3758	----	8	----	----	7	+	2
7475	----	----	2.9968/2.297A	2.9968/2.297A	----	2.375 -	0.275 .3672	----	----	----	----	7	UNCH	
7500	2.510	2.510	2.9128/2.233A	2.9128/2.233A	----	2.306 -	0.274 .3588	----	49	----	----	379	+	13
7525	----	----	2.8388/2.171A	2.8388/2.171A	----	2.239 -	0.273 .3506	----	----	----	----	12	UNCH	
7550	----	----	2.7628/2.104A	2.7628/2.104A	----	2.174 -	0.272 .3425	----	----	----	----	20	UNCH	
7575	----	----	2.6858/2.043A	2.6858/2.043A	----	2.111 -	0.270 .3345	----	----	----	----	2	UNCH	
7600	----	----	2.6138/1.985A	2.6138/1.985A	----	2.051 -	0.268 .3268	----	----	----	----	210	UNCH	
7625	2.032	2.032	2.5438/1.933A	2.5438/1.933A	----	1.992 -	0.266 .3191	----	4	----	----	22	+	4
7650	----	----	2.4768/1.878A	2.4768/1.878A	----	1.935 -	0.264 .3116	----	----	----	----	10	UNCH	
7675	----	----	2.4108/1.826A	2.4108/1.826A	----	1.880 -	0.262 .3043	----	----	----	----	3	UNCH	
7700	1.841	1.841	2.3488/1.773A	2.3488/1.773A	----	1.827 -	0.259 .2972	----	2	----	----	137	UNCH	
7725	----	----	2.2858/1.723A	2.2858/1.723A	----	1.776 -	0.256 .2902	----	----	----	----	7	UNCH	
7750	1.750	1.750	2.2248/1.673A	2.2248/1.673A	----	1.726 -	0.254 .2834	----	5	----	----	523	+	2
7775	----	----	2.1688/1.626A	2.1688/1.626A	----	1.678 -	0.251 .2767	----	----	----	----	1	UNCH	
7800	----	----	2.1118/1.582A	2.1118/1.582A	----	1.631 -	0.249 .2701	----	13	----	----	317	+	8
7825	----	----	2.0568/1.541A	2.0568/1.541A	----	1.586 -	0.246 .2638	----	----	----	----	4	UNCH	
7850	----	----	2.0038/1.496A	2.0038/1.496A	----	1.542 -	0.244 .2575	----	----	----	----	16	UNCH	
7875	1.725	1.725	1.9528/1.458A	1.9528/1.458A	----	1.500 -	0.241 .2514	----	2	----	----	5	+	2
7900	1.628	1.628	1.915/1.418A	1.915/1.418A	----	1.459 -	0.239 .2455	----	5	----	----	79	+	4
7925	----	----	1.8538/1.379A	1.8538/1.379A	----	1.419 -	0.236 .2396	----	----	----	----	2	UNCH	
7950	----	----	1.8078/1.342A	1.8078/1.342A	----	1.380 -	0.235 .2339	----	----	----	----	19	UNCH	
7975	----	----	1.7608/1.306A	1.7608/1.306A	----	1.343 -	0.232 .2284	----	----	----	----	4	UNCH	
8000	1.480	1.480	1.7168/1.272A	1.7168/1.272A	----	1.307 -	0.230 .2230	----	13	----	----	1120	+	4
8025	----	----	1.6738/1.239A	1.6738/1.239A	----	1.272 -	0.228 .2177	----	----	----	----	2	UNCH	
8050	1.444	1.444	1.6338/1.207A	1.6338/1.207A	----	1.238 -	0.226 .2126	----	3	----	----	16	+	3
8075	----	----	1.5938/1.176A	1.5938/1.176A	----	1.206 -	0.223 .2076	----	----	----	----	4	UNCH	
8100	1.200	1.200	1.5548/1.146A	1.5548/1.146A	----	1.174 -	0.221 .2027	----	1	----	----	40	+	1
8125	----	----	1.5168/1.118A	1.5168/1.118A	----	1.143 -	0.219 .1980	----	----	----	----	13	UNCH	
8150	1.190	1.190	1.4778/1.092A	1.4778/1.092A	----	1.114 -	0.216 .1934	----	1	----	----	53	+	1
8175	----	----	1.4438/1.062A	1.4438/1.062A	----	1.085 -	0.214 .1888	----	----	----	----	5	UNCH	
8200	1.118	1.118	1.4108/1.036A	1.4108/1.036A	----	1.057 -	0.212 .1844	----	47	----	----	36	-	29
8225	1.224	1.224	1.3758/1.009A	1.3758/1.009A	----	1.031 -	0.209 .1802	----	2	----	----	10	UNCH	
8250	1.025	1.025	1.3428/0.986A	1.3428/0.986A	----	1.005 -	0.207 .1761	----	2	----	----	270	UNCH	
8275	----	----	1.3108/0.962A	1.3108/0.962A	----	0.980 -	0.204 .1721	----	----	----	----	2	UNCH	
8300	1.132	1.132	1.2828/0.939A	1.2828/0.939A	----	0.956 -	0.202 .1681	----	44	----	----	150	+	21
8325	----	----	1.2528/0.917A	1.2528/0.917A	----	0.932 -	0.200 .1643	----	----	----	----	3	UNCH	
8350	----	----	1.2218/0.894A	1.2218/0.894A	----	0.910 -	0.197 .1606	----	----	----	----	29	UNCH	
8375	----	----	1.1958/0.874A	1.1958/0.874A	----	0.888 -	0.195 .1570	----	----	----	----	2	UNCH	
8400	----	----	1.1698/0.855A	1.1698/0.855A	----	0.867 -	0.192 .1535	----	----	----	----	174	UNCH	
8425	----	----	1.1428/0.835A	1.1428/0.835A	----	0.847 -	0.189 .1501	----	----	----	----	2	UNCH	
8450	----	----	1.1168/0.816A	1.1168/0.816A	----	0.827 -	0.187 .1468	----	----	----	----	10	UNCH	
8475	0.823	0.823	1.0918/0.800A	1.0918/0.800A	----	0.808 -	0.185 .1436	----	5	----	----	7	+	4
8500	----	----	1.0658/0.780A	1.0658/0.780A	----	0.789 -	0.183 .1404	----	37	----	----	409	-	5
8550	----	----	1.0228/0.748A	1.0228/0.748A	----	0.754 -	0.179 .1344	----	----	----	----	14	UNCH	
8575	----	----	1.0018/0.731A	1.0018/0.731A	----	0.737 -	0.177 .1315	----	----	----	----	54	UNCH	
8600	----	----	0.9808/0.714A	0.9808/0.714A	----	0.721 -	0.175 .1287	----	13	----	----	200	-	7
8625	----	----	0.9598/0.702A	0.9598/0.702A	----	0.705 -	0.173 .1260	----	----	----	----	2	UNCH	
8650	0.865	0.865	0.9398/0.685A	0.9398/0.685A	----	0.690 -	0.169 .1234	----	3	----	----	7	+	3
8675	----	----	0.9208/0.674A	0.9208/0.674A	----	0.675 -	0.167 .1208	----	----	----	----	41	UNCH	
8700	----	----	0.9018/0.658A	0.9018/0.658A	----	0.661 -	0.165 .1183	----	1	46	----	234	+	46
8725	----	----	0.8828/0.646A	0.8828/0.646A	----	0.647 -	0.162 .1159	----	----	----	----	1	UNCH	
8750	----	----	0.8628/0.632A	0.8628/0.632A	----	0.633 -	0.160 .1134	----	----	----	----	47	UNCH	
8775	----	----	0.8478/0.619A	0.8478/0.619A	----	0.620 -	0.158 .1111	----	----	----	----	73	UNCH	
8800	----	----	0.8288/0.608A	0.8288/0.608A	----	0.606 -	0.157 .1087	----	----	----	----	308	UNCH	
8825	----	----	0.8148/0.596A	0.8148/0.596A	----	0.594 -	0.155 .1066	----	----	----	----	19	UNCH	
8850	----	----	0.7968/0.584A	0.7968/0.584A	----	0.582 -	0.154 .1044	----	----	----	----	10	UNCH	
8875	----	----	0.7808/0.572A	0.7808/0.572A	----	0.570 -	0.152 .1023	----	----	----	----	2	UNCH	
8900	----	----	0.7668/0.561A	0.7668/0.561A	----	0.559 -	0.150 .1003	----	----					

PG64	BULLETIN #114@				METALS OPTION PRODUCTS						Tue, Jun 16, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO CALL	COMEX SILVER OPTIONS														
AUG26															
10975	----	----	----/0.189A	0.228B/0.189A	----	0.174	- 0.054	.0290	----	----	----	10	UNCH		
11000	0.250	0.250	0.250/0.175	0.250/0.175	----	0.173	- 0.053	.0288	----	2	----	554	UNCH		
11075	----	----	0.221B/0.182A	0.221B/0.182A	----	0.167	- 0.052	.0277	----	----	----	3	UNCH		
11100	----	----	----/0.180A	0.216B/0.180A	----	0.166	- 0.051	.0275	----	----	----	25	UNCH		
11150	----	----	----/0.177A	0.212B/0.177A	----	0.163	- 0.049	.0269	----	----	----	9	UNCH		
11200	----	----	0.212B/0.174A	0.212B/0.174A	----	0.159	- 0.049	.0262	----	----	----	7	UNCH		
11225	----	----	0.209B/0.172A	0.209B/0.172A	----	0.158	- 0.047	.0260	----	----	----	1	UNCH		
11250	----	----	0.207B/0.170A	0.207B/0.170A	----	0.156	- 0.047	.0257	----	----	----	3	UNCH		
11275	----	----	----/0.169A	0.197B/0.169A	----	0.155	- 0.046	.0254	----	----	----	7	UNCH		
11300	----	----	----/0.167A	0.195B/0.167A	----	0.153	- 0.046	.0251	----	----	----	1	UNCH		
11325	----	----	0.201B/0.166A	0.201B/0.166A	----	0.152	- 0.045	.0249	----	----	----	6	UNCH		
11350	----	----	0.198B/0.164A	0.198B/0.164A	----	0.150	- 0.045	.0246	----	----	----	1	UNCH		
11400	----	----	0.194B/0.161A	0.194B/0.161A	----	0.147	- 0.044	.0240	----	----	----	2	UNCH		
11475	----	----	----/0.157A	0.181B/0.157A	----	0.143	- 0.042	.0233	----	----	----	2	UNCH		
11500	0.150	0.150	0.150/0.145	0.181B/0.145	----	0.142	- 0.041	.0231	----	3	----	133 +	3		
11575	----	----	----/0.151A	0.175B/0.151A	----	0.138	- 0.039	.0224	----	----	----	1	UNCH		
11650	----	----	----/0.147A	0.170B/0.147A	----	0.134	- 0.038	.0217	----	----	----	2	UNCH		
11700	0.148	0.148	0.148/0.144A	0.168B/0.144A	----	0.132	- 0.036	.0213	----	2	----	7	UNCH		
11725	----	----	----/0.143A	0.165B/0.143A	----	0.130	- 0.037	.0210	----	----	----	4	UNCH		
11850	----	----	----/0.137A	0.158B/0.137A	----	0.125	- 0.033	.0200	----	----	----	1	UNCH		
12000	0.120	0.120	0.120/0.120	0.146B/0.120	----	0.118	- 0.031	.0188	----	3	----	44	UNCH		
12025	----	----	----/0.129A	0.145B/0.129A	----	0.117	- 0.031	.0186	----	----	----	52	UNCH		
12050	----	----	----/0.128A	0.143B/0.128A	----	0.116	- 0.030	.0185	----	----	----	208	UNCH		
12100	----	----	----/0.126A	0.140B/0.126A	----	0.114	- 0.030	.0181	----	----	----	5	UNCH		
12200	----	----	----/0.122A	0.136B/0.122A	----	0.110	- 0.028	.0174	----	----	----	1	UNCH		
12275	----	----	----/0.121A	0.132B/0.121A	----	0.107	- 0.027	.0169	----	----	----	1	UNCH		
12300	----	----	----/0.120A	0.130B/0.120A	----	0.106	- 0.027	.0167	----	----	----	34	UNCH		
12500	0.100	0.100	0.100/*0.100	0.121B/0.100	----	0.099	- 0.025	.0155	----	3	----	161 +	3		
12525	----	----	----/0.111A	0.120B/0.111A	----	0.098	- 0.025	.0153	----	----	----	3	UNCH		
12550	----	----	----/0.114A	0.119B/0.114A	----	0.097	- 0.024	.0152	----	----	----	2	UNCH		
12700	----	----	----/0.109A	0.112B/0.109A	----	0.092	- 0.023	.0143	----	----	----	1	UNCH		
12725	----	----	----/0.108A	0.111B/0.108A	----	0.092	- 0.022	.0143	----	----	----	2	UNCH		
12775	----	----	----/0.106A	0.110B/0.106A	----	0.090	- 0.022	.0140	----	----	----	13	UNCH		
12800	----	----	----/0.105A	0.109B/0.105A	----	0.089	- 0.022	.0138	----	----	----	3	UNCH		
13000	----	----	----/0.102A	0.100B/0.102A	----	0.084	- 0.020	.0129	----	----	----	3598	UNCH		
14000	0.064	0.064	0.064/0.063	0.064/0.063	----	0.061	- 0.016	.0091	----	3	----	24	UNCH		
15000	----	----	----	0.043B/0.058A	----	0.046	- 0.012	.0067	----	----	----	116	UNCH		
16000	0.042	0.042	0.042/*0.042	0.042/*0.042	----	0.035	- 0.009	.0050	----	1	----	10 +	1		
17000	----	----	----	0.024B/0.035A	----	0.027	- 0.008	.0038	----	----	----	2961	UNCH		
18000	----	----	----	0.015B/0.034A	----	0.022	- 0.006	.0030	----	----	----	8	UNCH		
19000	----	----	----	----/0.073A	----	0.016	- 0.005	.0022	----	----	----	2	UNCH		
20000	----	----	----	0.002B/0.046A	----	0.012	- 0.004	.0016	----	----	----	245	UNCH		
25000	----	----	----	----/2.345A	----	0.003	- 0.001	.0004	----	----	----	21	UNCH		
27000	----	----	----	----/2.344A	----	0.002	UNCH	.0002	----	----	----	5	UNCH		
30000	----	----	----	----/0.020A	----	0.001	UNCH	.0001	----	----	----	15	UNCH		
32000	----	----	----	----/0.023A	----	0.001	UNCH	.0000	----	----	----	3	UNCH		
35000	0.002	0.002	0.002/0.002	0.002/0.002	----	0.001	UNCH	.0000	----	1	----	7 +	1		
TOTAL										399	46	17584 +	153		
SEP26															
5025	----	----	21.659B/19.878A	21.659B/19.878A	----	20.529	- 0.167	.9535	----	----	----	1	UNCH		
5050	----	----	21.437B/19.641A	21.437B/19.641A	----	20.291	- 0.166	.9520	----	----	----	1	UNCH		
5100	----	----	20.939B/19.169A	20.939B/19.169A	----	19.815	- 0.165	.9486	----	----	----	1	UNCH		
5900	----	----	13.669B/12.116A	13.669B/12.116A	----	12.621	- 0.143	.8508	----	----	----	2	UNCH		
6000	----	----	12.818B/11.354A	12.818B/11.354A	----	11.803	- 0.141	.8311	----	----	----	7	UNCH		
6175	----	----	11.419B/10.032A	11.419B/10.032A	----	10.450	- 0.141	.7915	----	----	----	1	UNCH		
6250	----	----	10.849B/9.505A	10.849B/9.505A	----	9.899	- 0.146	.7728	----	----	----	1	UNCH		
6275	----	----	10.663B/9.334A	10.663B/9.334A	----	9.719	- 0.148	.7664	----	----	----	1	UNCH		
6300	----	----	10.478B/9.165A	10.478B/9.165A	----	9.541	- 0.150	.7599	----	----	----	4	UNCH		
6450	----	----	9.409B/8.197A	9.409B/8.197A	----	8.513	- 0.168	.7191	----	----	----	5	UNCH		
6500	----	----	9.067B/7.887A	9.067B/7.887A	----	8.187	- 0.174	.7049	----	----	----	6	UNCH		
6600	----	----	8.418B/7.284A	8.418B/7.284A	----	7.561	- 0.186	.6756	----	----	----	1	UNCH		
6700	----	----	7.803B/6.720A	7.803B/6.720A	----	6.970	- 0.199	.6455	----	----	----	2	UNCH		
6800	----	----	7.224B/6.152A	7.224B/6.152A	----	6.416	- 0.212	.6148	----	----	----	2	UNCH		
6900	----	----	6.682B/5.666A	6.682B/5.666A	----	5.900	- 0.223	.5839	----	2	----	2 +	1		
6950	----	----	6.425B/5.436A	6.425B/5.436A	----	5.657	- 0.227	.5684	----	----	----	1	UNCH		
6975	----	----	6.346B/5.324A	6.346B/5.324A	----	5.538	- 0.230	.5606	----	----	----	1	UNCH		
7000	5.600	5.600	6.223B/5.214A	6.223B/5.214A	----	5.422	- 0.232	.5529	----	11	----	273 -	5		
7075	----	----	5.867B/4.898A	5.867B/4.898A	----	5.088	- 0.238	.5299	----	----	----	5	UNCH		
7100	----	----	5.753B/4.797A	5.753B/4.797A	----	4.982	- 0.239	.5223	----	----	----	6	UNCH		
7125	----	----	5.641B/4.698A	5.641B/4.698A	----	4.877	- 0.241	.5147	----	----	----	75	UNCH		
7150	----	----	5.531B/4.601A	5.531B/4.601A	----	4.775	- 0.242	.5072	----	----	----	3	UNCH		
7175	----	----	5.423B/4.506A	5.423B/4.506A	----	4.674	- 0.245	.4997	----	----	----	10	UNCH		
7200	----	----	5.320B/4.413A	5.320B/4.413A	----	4.5.4									

BULLETIN #114@				METALS OPTION PRODUCTS						Tue, Jun 16, 2026		PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS												
SEP26													
10200	0.619	0.619	0.791B/0.619	0.791B/0.619	----	0.593	- 0.154	.0811	----	----	1	----	55 + 1
10250	0.626	0.626	0.775B/0.612A	0.775B/0.612A	----	0.580	NEW	.0792	----	----	1	----	1 + 1
10300	----	----	0.757B/0.597A	0.757B/0.597A	----	0.567	- 0.147	.0774	----	----	----	----	52 UNCH
10400	0.661	0.661	0.726B/0.572A	0.726B/0.572A	----	0.543	- 0.141	.0740	----	----	1	----	1 + 1
10475	----	----	0.699B/0.556A	0.699B/0.556A	----	0.526	- 0.137	.0716	----	----	----	----	1 UNCH
10500	0.657	0.657	0.695B/0.532	0.695B/0.532	----	0.521	- 0.135	.0709	----	52	----	247 - 9	
10550	0.643	0.643	0.681B/0.538A	0.681B/0.538A	----	0.510	NEW	.0694	----	1	----	1 + 1	
10575	0.641	0.641	0.672B/0.534A	0.672B/0.534A	----	0.505	NEW	.0686	----	1	----	1 + 1	
10600	0.619	0.619	0.664B/0.528A	0.664B/0.528A	----	0.499	NEW	.0678	----	2	----	2 + 2	
10625	0.632	0.632	0.660B/0.523A	0.660B/0.523A	----	0.494	NEW	.0671	----	3	----	3 + 3	
10800	----	----	0.598B/0.488A	0.598B/0.488A	----	0.461	- 0.124	.0624	----	----	----	----	2 UNCH
11000	----	----	0.553B/0.453A	0.553B/0.453A	----	0.428	- 0.116	.0577	----	60	----	249 - 2	
11100	----	----	0.538B/0.438A	0.538B/0.438A	----	0.413	- 0.112	.0555	----	----	----	----	3 UNCH
11300	0.420	0.420	0.500B/0.409A	0.500B/0.409A	----	0.386	- 0.103	.0516	----	80	----	60 UNCH	
11500	----	----	0.457B/0.384A	0.457B/0.384A	----	0.362	- 0.093	.0481	----	70	----	112 UNCH	
12000	0.330	0.330	0.330/0.330	0.382B/0.330	----	0.312	- 0.075	.0409	----	71	----	130 UNCH	
12500	0.270	0.270	0.270/0.270	0.331B/0.270	----	0.269	- 0.069	.0349	----	1	----	99 + 1	
12700	----	----	-----/0.275A	0.312B/0.275A	----	0.254	- 0.067	.0328	----	----	----	1 UNCH	
12775	----	----	-----/0.270A	0.306B/0.270A	----	0.249	- 0.066	.0321	----	----	----	2 UNCH	
12800	----	----	-----/0.268A	0.302B/0.268A	----	0.247	- 0.067	.0318	----	----	----	1 UNCH	
13000	0.280	0.280	0.280/0.255A	0.286B/0.255A	----	0.234	- 0.065	.0300	----	1	----	205 UNCH	
13500	----	----	-----/0.228A	0.251B/0.228A	----	0.206	- 0.059	.0261	----	----	----	7 UNCH	
14000	0.220	0.220	0.220/0.204A	0.220/0.204A	----	0.184	- 0.053	.0231	----	1	----	232 + 1	
15000	----	----	-----/0.168A	0.163B/0.168A	----	0.148	- 0.044	.0182	----	----	----	353 UNCH	
16000	----	----	-----/0.141A	0.127B/0.141A	----	0.122	- 0.037	.0147	----	----	----	30 UNCH	
17000	----	----	-----/0.126A	0.100B/0.126A	----	0.101	- 0.032	.0120	----	----	----	33 UNCH	
18000	----	----	-----/0.108A	0.080B/0.108A	----	0.086	- 0.027	.0101	----	----	----	5 UNCH	
19000	----	----	-----/0.094A	0.062B/0.094A	----	0.073	- 0.023	.0084	----	----	----	14 UNCH	
20000	----	----	----	0.056B/0.083A	----	0.062	- 0.021	.0071	----	----	----	315 UNCH	
21000	----	----	----	0.037B/0.074A	----	0.054	- 0.018	.0061	----	----	----	11 UNCH	
23000	----	----	----	0.021B/0.061A	----	0.041	- 0.015	.0046	----	----	----	44 UNCH	
25000	0.055	0.055	0.055/*0.055	0.055/0.051A	----	0.033	- 0.012	.0036	----	1	----	78 + 1	
26000	----	----	----	0.006B/0.050A	----	0.030	- 0.011	.0032	----	----	----	1 UNCH	
30000	----	----	----	-----/2.390A	----	0.017	- 0.006	.0018	----	----	----	18 UNCH	
35000	----	----	----	-----/*0.020A	----	0.006	- 0.002	.0006	----	----	----	28 UNCH	
TOTAL										749	0	6790 + 210	
OCT26													
6850	----	----	8.168B/7.509A	8.168B/7.509A	----	7.528	- 0.216	.6145	----	----	----	20 UNCH	
6925	----	----	----	7.309B/7.458A	----	7.157	- 0.225	.5952	----	----	----	1 UNCH	
7000	----	----	7.442B/6.783A	7.442B/6.783A	----	6.802	- 0.232	.5759	----	----	----	17 UNCH	
7100	----	----	6.761B/6.246A	6.761B/6.246A	----	6.354	- 0.241	.5503	----	----	----	1 UNCH	
7200	6.000	6.000	6.576B/5.839A	6.576B/5.839A	----	5.934	- 0.248	.5252	----	2	----	3 + 2	
7250	----	----	6.366B/5.648A	6.366B/5.648A	----	5.735	- 0.250	.5128	----	----	----	19 UNCH	
7500	----	----	5.433B/4.783A	5.433B/4.783A	----	4.837	- 0.268	.4535	----	----	----	2 UNCH	
7650	----	----	4.954B/4.336A	4.954B/4.336A	----	4.373	- 0.280	.4202	----	----	----	2 UNCH	
7700	----	----	4.800B/4.198A	4.800B/4.198A	----	4.230	- 0.284	.4096	----	----	----	1 UNCH	
7775	----	----	4.591B/4.005A	4.591B/4.005A	----	4.025	- 0.289	.3940	----	----	----	2 UNCH	
7825	----	----	4.453B/3.892A	4.453B/3.892A	----	3.894	- 0.293	.3839	----	----	----	1 UNCH	
7875	----	----	4.308B/3.751A	4.308B/3.751A	----	3.770	- 0.295	.3741	----	----	----	2 UNCH	
8000	----	----	4.008B/3.472A	4.008B/3.472A	----	3.479	- 0.300	.3506	----	1	----	124 UNCH	
8075	----	----	3.823B/3.309A	3.823B/3.309A	----	3.319	- 0.302	.3372	----	----	----	1 UNCH	
8200	----	----	3.565B/3.067A	3.565B/3.067A	----	3.074	- 0.302	.3162	----	----	----	1 UNCH	
8275	----	----	3.378B/2.931A	3.378B/2.931A	----	2.938	- 0.302	.3043	----	----	----	2 UNCH	
8400	2.729	2.729	3.168B/2.719A	3.168B/2.719A	----	2.726	- 0.302	.2854	----	6	----	7 + 6	
8425	----	----	3.125B/2.683A	3.125B/2.683A	----	2.686	- 0.302	.2817	----	----	----	1 UNCH	
8450	----	----	3.090B/2.643A	3.090B/2.643A	----	2.647	- 0.301	.2782	----	----	----	20 UNCH	
8500	----	----	3.008B/2.568A	3.008B/2.568A	----	2.569	- 0.302	.2711	----	----	----	16 UNCH	
8550	----	----	2.942B/2.497A	2.942B/2.497A	----	2.495	- 0.301	.2643	----	----	----	1 UNCH	
8700	----	----	2.685B/2.291A	2.685B/2.291A	----	2.286	- 0.300	.2449	----	----	----	8 UNCH	
8750	----	----	2.585B/2.230A	2.585B/2.230A	----	2.222	- 0.298	.2388	----	----	----	1 UNCH	
8900	----	----	2.415B/2.056A	2.415B/2.056A	----	2.043	- 0.292	.2216	----	----	----	12 UNCH	
9000	----	----	2.292B/1.950A	2.292B/1.950A	----	1.935	- 0.287	.2110	----	1	----	40 UNCH	
9100	----	----	2.180B/1.851A	2.180B/1.851A	----	1.836	- 0.280	.2011	----	----	----	39 UNCH	
9150	----	----	2.109B/1.805A	2.109B/1.805A	----	1.789	- 0.277	.1964	----	----	----	2 UNCH	
9200	----	----	2.082B/1.758A	2.082B/1.758A	----	1.743	- 0.275	.1917	----	----	----	1 UNCH	
9500	----	----	-----/1.518A	1.771B/1.518A	----	1.500	- 0.271	.1667	----	----	----	129 UNCH	
9600	----	----	-----/1.447A	1.690B/1.447A	----	1.430	- 0.269	.1594	----	----	----	5 UNCH	
9700	----	----	-----/1.383A	1.617B/1.383A	----	1.364	- 0.268	.1524	----	----	----	85 UNCH	
9875	----	----	-----/1.279A	1.485B/1.279A	----	1.259	- 0.261	.1412	----	----	----	1 UNCH	
9900	----	----	-----/1.265A	1.479B/1.265A	----	1.245	- 0.259	.1397	----	----	----	1 UNCH	
10000	----	----	-----/1.212A	1.420B/1.212A	----	1.191	- 0.252	.1339	----	----	----	98 UNCH	
10100	----	----	-----/1.162A	1.360B/1.162A	----	1.140	- 0.244	.1284	----	----	----	1 UNCH	
10275	----	----	-----/1.082A	1.248B/1.082A	----	1.057	- 0.230	.1193	----	----	----	1 UNCH	
10300	----	----	-----/1.071A	1.231B/1.071A	----	1.046	- 0.227	.1181	----	----	----	7 UNCH	
10325	----	----	-----/1.070A	1.222B/1.070A	----	1.035	- 0.224	.1169	----	----	----	1 UNCH	
10350	----	----	-----/1.050A</										



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN #114@				METALS OPTION PRODUCTS								Tue, Jun 16, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
SO CALL	COMEX SILVER OPTIONS																
MAR27																	
14000	----	----	----	1.159B/2.271A	----	1.599 -	0.308 .1162	----	----	----	----	175	UNCH				
15000	----	----	----/*1.575A	1.268B/1.575A	----	1.349 -	0.266 .0985	----	----	----	----	53	UNCH				
16000	----	----	----	1.086B/1.392A	----	1.164 -	0.221 .0850	----	----	----	----	27	UNCH				
17000	----	----	----	0.915B/1.244A	----	1.030 -	0.172 .0750	----	----	----	----	4	UNCH				
20000	----	----	----	0.701B/0.941A	----	0.822 -	0.018 .0579	----	----	----	----	10	UNCH				
25000	----	----	----	0.401B/0.674A	----	0.519 -	0.013 .0364	----	----	----	----	6	UNCH				
30000	----	----	----	0.327B/0.535A	----	0.374 -	0.009 .0260	----	----	----	----	7	UNCH				
TOTAL											0	809	0				
APR27																	
8525	----	----	----	6.361B/7.633A	----	6.854 -	0.557 .4124	----	----	----	----	11	UNCH				
13000	----	----	----/2.959A	1.953B/2.959A	----	2.518 -	1.226 .1653	----	----	----	----	1	UNCH				
TOTAL											0	12	0				
MAY27																	
11000	----	----	----	0.001B/11.183A	----	5.634 -	0.161 .2981	----	----	----	----	1	UNCH				
TOTAL											0	1	0				
JUL27																	
2000	----	----	----	----	----	53.145 -	0.184 .9746	----	----	----	----	1	UNCH				
10000	----	----	----	----	----	7.731 -	0.088 .3739	----	----	----	----	1	UNCH				
10300	----	----	----	----	----	7.490 -	0.085 .3606	----	----	----	----	1	UNCH				
TOTAL											0	3	0				
DEC27																	
4000	----	----	----	----	----	36.487 -	0.167 .8976	----	----	----	----	1	UNCH				
20000	----	----	----	----	----	5.465 -	0.056 .2183	----	----	----	----	25	UNCH				
TOTAL											0	26	0				
SO PUT	COMEX SILVER OPTIONS																
JUL26																	
2000	----	----	----	----/0.003A	----	0.001	UNCH	----	----	----	----	6	UNCH				
2400	----	----	----	----/0.239A	----	0.001	UNCH	----	----	----	----	10	UNCH				
2650	----	----	----	----/0.023A	----	0.001	UNCH	----	----	----	----	6	UNCH				
2700	----	----	----	----/0.023A	----	0.001	UNCH	----	----	----	----	2	UNCH				
2900	----	----	----	----/0.026A	----	0.001	UNCH	----	----	----	----	2	UNCH				
3000	----	----	----	0.001B/0.006A	----	0.001	UNCH	----	----	----	----	12	UNCH				
3025	----	----	----	----/0.026A	----	0.001	UNCH	----	----	----	----	1	UNCH				
3175	----	----	----	----/0.027A	----	0.001	UNCH .0000	----	----	----	----	10	UNCH				
3275	----	----	----	----/0.028A	----	0.001	UNCH .0000	----	----	----	----	1	UNCH				
3350	----	----	----	----/0.028A	----	0.001 -	0.001 .0000	----	----	----	----	2	UNCH				
3400	----	----	----	----/0.028A	----	0.001 -	0.001 .0000	----	----	----	----	55	UNCH				
3475	----	----	----	----/0.029A	----	0.001 -	0.001 .0001	----	----	----	----	5	UNCH				
3500	----	----	----	----/0.029A	----	0.001 -	0.001 .0001	----	----	----	----	6	UNCH				
3600	----	----	----	----/0.030A	----	0.002 -	0.001 .0002	----	----	----	----	21	UNCH				
3700	----	----	----	----/0.031A	----	0.002 -	0.001 .0002	----	----	----	----	95	UNCH				
3800	----	----	----	----/0.032A	----	0.003 -	0.001 .0004	----	----	----	----	25	UNCH				
3825	----	----	----	----/0.032A	----	0.003 -	0.001 .0004	----	----	----	----	8	UNCH				
3850	----	----	----	----/0.032A	----	0.003 -	0.001 .0004	----	----	----	----	3	UNCH				
3900	----	----	----	----/0.033A	----	0.003 -	0.002 .0004	----	----	----	----	12	UNCH				
3950	----	----	----	----/0.033A	----	0.004 -	0.001 .0006	----	----	----	----	1	UNCH				
4000	----	----	----	----/0.020A	----	0.004 -	0.002 .0006	----	----	----	----	103	UNCH				
4075	----	----	----	----/0.033A	----	0.004 -	0.002 .0006	----	----	----	----	16	UNCH				
4100	----	----	----	----/0.033A	----	0.005 -	0.001 .0007	----	----	----	----	6	UNCH				
4175	----	----	----	----/0.034A	----	0.005 -	0.002 .0008	----	----	----	----	9	UNCH				
4200	----	----	----	----/0.034A	----	0.005 -	0.002 .0008	----	----	----	----	28	UNCH				
4225	----	----	----	----/0.034A	----	0.006 -	0.002 .0009	----	----	----	----	1	UNCH				
4250	----	----	----	----/0.035A	----	0.006 -	0.002 .0009	----	----	----	----	21	UNCH				
4300	----	----	----	----/0.035A	----	0.006 -	0.002 .0010	----	----	----	----	98	UNCH				
4325	----	----	----	----/0.037A	----	0.006 -	0.003 .0010	----	----	----	----	17	UNCH				
4350	----	----	----	----/0.036A	----	0.007 -	0.002 .0012	----	----	----	----	3	UNCH				
4375	----	----	----	----/0.038A	----	0.007 -	0.002 .0012	----	----	----	----	32	UNCH				
4400	----	----	----	----/0.038A	----	0.007 -	0.003 .0012	----	----	----	----	33	UNCH				
4425	----	----	----	----/0.039A	----	0.008 -	0.002 .0014	----	----	----	----	1	UNCH				
4450	----	----	----	----/0.039A	----	0.008 -	0.002 .0014	----	----	----	----	4	UNCH				
4475	----	----	----	----/0.040A	----	0.008 -	0.003 .0014	----	----	----	----	19	UNCH				
4500	----	----	----	----/0.019A	----	0.008 -	0.003 .0014	----	----	----	----	289	UNCH				
4575	----	----	----	----/0.042A	----	0.009 -	0.003 .0016	----	----	----	----	75	UNCH				
4600	----	----	----	----/0.037A	----	0.010 -	0.003 .0018	----	----	----	----	101	UNCH				
4625	----	----	----	----/0.043A	----	0.010 -	0.003 .0018	----	----	----	----	11	UNCH				
4650	----	----	----	----/0.044A	----	0.011 -	0.003 .0020	----	----	----	----	40	UNCH				
4675	----	----	----	----/0.044A	----	0.011 -	0.003 .0021	----	----	----	----	12	UNCH				
4700	----	----	----	----/0.034A	----	0.012 -	0.003 .0023	----	----	----	----	172	UNCH				
4725	----	----	----	----/0.046A	----	0.012 -	0.003 .0023	----	----	----	----	3	UNCH				
4750	----	----	----	----/0.047A	----	0.012 -	0.004 .0023	----	----	----	----	55	UNCH				
4775	----	----	----	0.005B/0.035A	----	0.013 -	0.003 .0025	----	----	----	----	8	UNCH				
4800	----	----	----	0.005B/0.035A	----	0.014 -	0.003 .0027	----	----	----	----	21	UNCH				
4825	----	----	----	0.006B/0.035A	----	0.014 -	0.004 .0028	----	----	----	----	26	UNCH				
4850	----	----	----	0.007B/0.035A	----	0.015 -	0.003 .0030	----	----	----	----	2	UNCH				
4875	----	----	----	0.008B/0.035A	----	0.015 -	0.004 .0030	----	----	----	----	23	UNCH				
4900	----	----	----	0.010B/0.032A	----	0.016 -	0.004 .0033	----	----	----	----	170	UNCH				
4950	----	----	----	0.010B/0.033A	----	0.017 -	0.004 .0035	----	----	----	----	6	UNCH				
4975	----	----	----	0.011B/*0.034A	----	0.018 -	0.004 .0038	----	----	----	----	3	UNCH				
5000	0.016	0.016	0.016/*0.016	0.016/*0.016	----	0.019 -	0.004 .0040	----	----	84	----	967 -	7				
5025	----	----	----	0.012B/*0.038A	----	0.020 -	0.004 .0043	----	----	----	----	2	UNCH				
5050	----	----	----	0.026B/*0.036A	----	0.022 -	0.004 .0047	----	----	----	----	17	UNCH				
5075	----	----	----	0.014B/*0.037A	----	0.023 -	0.004 .0050	----	----	----	----	7	UNCH				
5100	----	----	----	0.015B/0.028A	----	0.025 -	0.003 .0054	----	----	----	----	177	UNCH				
5125	----	----	----	0.030B/*0.039A	----	0.026 -	0.004 .0057	----	----	----	----	1	UNCH				
5150	----	----	0.032B/-----	0.032B/*0.040A	----	0.028 -	0.003 .0061	----	----	----	----	7	UNCH				
5175	----	----	----	0.019B/*0.041A	----	0.030 -	0.003 .0066	----	----	----	----	5	UNCH				
5200	0.022	0.022	0.022/*0.022	0.022/*0.022	----	0.031 -	0.003 .0069	----	1	----	----	129	UNCH				
5225	----	----	----	0.033B/0.045A	----	0.033 -	0.003 .0074	----	----	----	----	13	UNCH				
5250	----	----	----	0.024B/0.046A	----	0.035 -	0.002 .0079	----	----	----	----	224	UNCH				
5275	0.025	0.025	0.025/*0.021A	0.025/*0.021A	----	0.036 -	0.002 .0082	----	5	----	----	5 -	3				
5300	0.024	0.024	0.027B/*0.024	0.027B/*0.024	----	0.038 -	0.002 .0087										

PG64	BULLETIN #114@										METALS OPTION PRODUCTS					Tue, Jun 16, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH	OUTCRY LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
SO PUT	COMEX SILVER OPTIONS																		
JUL26																			
6375	----	----	----	0.4138/0.262A	0.4138/0.262A	----	0.325	-	0.016	.1030	----	----	----	----	35	UNCH			
6400	----	----	----	0.4488/0.278A	0.4488/0.278A	----	0.347	-	0.018	.1102	----	----	4	----	323	+	1		
6425	----	----	----	0.4838/0.288A	0.4838/0.288A	----	0.371	-	0.021	.1179	----	----	----	----	66	UNCH			
6450	0.419	0.419	----	0.5218/0.306A	0.5218/0.306A	----	0.398	-	0.022	.1265	----	6	----	----	72	-	5		
6475	0.474	0.474	----	0.5368/0.328A	0.5368/0.328A	----	0.426	-	0.025	.1354	----	6	----	----	38	+	5		
6500	0.510	0.510	----	0.6128/0.349A	0.6128/0.349A	----	0.457	-	0.027	.1451	----	16	45	----	812	+	2		
6525	0.537	0.537	----	0.6548/0.375A	0.6548/0.375A	----	0.491	-	0.029	.1555	----	1	----	----	23	UNCH			
6550	----	----	----	0.7068/0.401A	0.7068/0.401A	----	0.527	-	0.032	.1665	----	1	----	----	117	-	1		
6575	0.481	0.481	----	0.7608/0.430A	0.7608/0.430A	----	0.566	-	0.035	.1782	----	2	----	----	19	UNCH			
6600	0.499	0.499	----	0.8248/0.463A	0.8248/0.463A	----	0.609	-	0.038	.1908	----	18	----	----	163	-	11		
6625	0.574	0.574	----	0.8858/0.494A	0.8858/0.494A	----	0.654	-	0.042	.2040	----	4	----	----	68	UNCH			
6650	----	----	----	0.9548/0.531A	0.9548/0.531A	----	0.704	-	0.044	.2181	----	1	----	----	227	+	1		
6675	0.676	0.676	----	1.0268/0.568A	1.0268/0.568A	----	0.756	-	0.049	.2328	----	1	----	----	22	+	1		
6700	0.766	0.766	----	1.1118/0.611A	1.1118/0.611A	----	0.813	-	0.052	.2483	----	9	----	----	106	+	1		
6725	0.903	0.903	----	1.1878/0.655A	1.1878/0.655A	----	0.874	-	0.055	.2647	----	11	----	----	18	+	7		
6750	----	----	----	1.2618/0.705A	1.2618/0.705A	----	0.938	-	0.060	.2816	----	----	----	----	46	UNCH			
6775	0.792	0.792	----	1.3578/0.757A	1.3578/0.757A	----	1.008	-	0.063	.2995	----	1	----	----	20	UNCH			
6800	1.367	1.367	----	1.4528/0.811A	1.4528/0.811A	----	1.082	-	0.067	.3180	----	23	----	----	532	UNCH			
6825	----	----	----	1.5568/0.871A	1.5568/0.871A	----	1.161	-	0.070	.3372	----	----	----	----	48	UNCH			
6850	----	----	----	1.6558/0.936A	1.6558/0.936A	----	1.246	-	0.073	.3571	----	----	----	----	54	UNCH			
6875	1.242	1.242	----	1.7758/1.005A	1.7758/1.005A	----	1.336	-	0.075	.3775	----	2	----	----	188	-	1		
6900	1.885	1.885	----	1.9358/1.081A	1.9358/1.081A	----	1.432	-	0.077	.3985	----	8	----	----	183	-	1		
6925	2.008	2.008	----	2.043/1.159A	2.043/1.159A	----	1.535	-	0.077	.4200	----	4	----	----	40	UNCH			
6950	2.136	2.136	----	2.174/1.244A	2.174/1.244A	----	1.644	-	0.077	.4418	----	7	----	----	101	+	1		
6975	2.096	2.096	----	2.2828/1.334A	2.2828/1.334A	----	1.759	-	0.076	.4638	----	7	----	----	32	+	4		
7000	2.107	2.107	----	2.4268/1.427A	2.4268/1.427A	----	1.882	-	0.073	.4860	----	72	----	----	1279	-	8		
7025	----	----	----	2.5778/1.530A	2.5778/1.530A	----	2.011	-	0.069	.5082	----	----	----	----	190	UNCH			
7050	----	----	----	2.7008/1.637A	2.7008/1.637A	----	2.147	-	0.065	.5302	----	----	----	----	15	UNCH			
7075	----	----	----	2.7728/1.745A	2.7728/1.745A	----	2.289	-	0.059	.5521	----	----	----	----	10	UNCH			
7100	1.936	1.936	----	2.9218/1.861A	2.9218/1.861A	----	2.435	-	0.056	.5738	----	5	----	----	56	+	2		
7125	----	----	----	3.0958/1.984A	3.0958/1.984A	----	2.586	-	0.053	.5951	----	----	----	----	14	UNCH			
7150	----	----	----	3.2718/2.118A	3.2718/2.118A	----	2.742	-	0.050	.6162	----	13	----	----	191	+	13		
7175	----	----	----	3.4508/2.252A	3.4508/2.252A	----	2.903	-	0.047	.6368	----	----	----	----	34	UNCH			
7200	----	----	----	3.6328/2.390A	3.6328/2.390A	----	3.069	-	0.045	.6569	----	----	----	----	153	UNCH			
7225	----	----	----	3.8248/2.537A	3.8248/2.537A	----	3.240	-	0.042	.6764	----	----	----	----	7	UNCH			
7250	----	----	----	4.0168/2.688A	4.0168/2.688A	----	3.416	-	0.040	.6954	----	----	----	----	200	UNCH			
7275	----	----	----	4.2218/2.885A	4.2218/2.885A	----	3.598	-	0.036	.7135	----	----	----	----	6	UNCH			
7300	----	----	----	4.4178/3.049A	4.4178/3.049A	----	3.784	-	0.032	.7309	----	----	----	----	60	UNCH			
7325	----	----	----	4.6278/3.217A	4.6278/3.217A	----	3.976	-	0.027	.7476	----	----	----	----	14	UNCH			
7350	----	----	----	4.8338/3.393A	4.8338/3.393A	----	4.172	-	0.022	.7633	----	----	----	----	10	UNCH			
7375	4.200	4.200	----	5.0488/3.575A	5.0488/3.575A	----	4.372	-	0.016	.7781	----	1	----	----	125	UNCH			
7400	----	----	----	5.2588/3.755A	5.2588/3.755A	----	4.576	-	0.011	.7923	----	----	----	----	125	UNCH			
7425	----	----	----	5.4738/3.936A	5.4738/3.936A	----	4.784	-	0.004	.8055	----	1	----	----	28	-	1		
7450	----	----	----	5.6938/4.130A	5.6938/4.130A	----	4.995	-	0.002	.8179	----	----	----	----	97	UNCH			
7475	----	----	----	5.9138/4.326A	5.9138/4.326A	----	5.210	-	0.008	.8296	----	1	----	----	28	UNCH			
7500	----	----	----	6.1368/4.526A	6.1368/4.526A	----	5.427	-	0.014	.8404	----	13	----	----	207	+	13		
7525	----	----	----	6.3618/4.728A	6.3618/4.728A	----	5.647	-	0.020	.8506	----	----	----	----	27	UNCH			
7550	----	----	----	6.5898/4.935A	6.5898/4.935A	----	5.869	-	0.026	.8602	----	----	----	----	41	UNCH			
7575	----	----	----	6.8188/5.144A	6.8188/5.144A	----	6.094	-	0.032	.8690	----	----	----	----	27	UNCH			
7600	----	----	----	7.0488/5.356A	7.0488/5.356A	----	6.321	-	0.038	.8772	----	----	----	----	47	UNCH			
7625	----	----	----	7.2808/5.571A	7.2808/5.571A	----	6.549	-	0.043	.8848	----	----	----	----	61	UNCH			
7650	----	----	----	7.5138/5.788A	7.5138/5.788A	----	6.780	-	0.049	.8920	----	----	----	----	66	UNCH			
7675	----	----	----	7.7478/6.008A	7.7478/6.008A	----	7.011	-	0.053	.8986	----	----	----	----	37	UNCH			
7700	----	----	----	7.9838/6.229A	7.9838/6.229A	----	7.245	-	0.059	.9046	----	----	----	----	238	UNCH			
7725	----	----	----	8.2208/6.454A	8.2208/6.454A	----	7.479	-	0.063	.9104	----	----	----	----	36	UNCH			
7750	----	----	----	8.4578/6.679A	8.4578/6.679A	----	7.715	-	0.067	.9157	----	----	----	----	25	UNCH			
7775	----	----	----	8.6968/6.904A	8.6968/6.904A	----	7.952	-	0.071	.9206	----	----	----	----	6	UNCH			
7800	----	----	----	8.9368/7.138A	8.9368/7.138A	----	8.189	-	0.074	.9251	----	----	----	----	102	UNCH			
7825	----	----	----	9.1758/7.370A	9.1758/7.370A	----	8.428	-	0.078	.9293	----	----	----	----	27	UNCH			
7850	----	----	----	9.4168/7.601A	9.4168/7.601A	----	8.667	-	0.081	.9334	----	----	----	----	35	UNCH			
7875	----	----	----	9.6588/7.836A	9.6588/7.836A	----	8.907	-	0.084	.9370	----	----	----	----	26	UNCH			
7900	----	----	----	9.9008/8.065A	9.9008/8.065A	----	9.148	-	0.086	.9404	----	----	----	----	29	UNCH			
7925	----	----	----	10.1438/8.305A	10.1438/8.305A	----	9.390	-	0.090	.9438	----	----	----	----	2	UNCH			
7950	----	----	----	10.3868/8.540A	10.3868/8.540A	----	9.632	-	0.092	.9468	----	----	----	----	4	UNCH			
7975	----	----	----	10.6298/8.781A	10.6298/8.781A	----	9.875	-	0.094	.9495	----	----	----	----	5	UNCH			
8000	----	----	----	10.8748/9.016A	10.8748/9.016A	----	10.118	-	0.096	.9519	----	----	----	----	226	UNCH			
8050	----	----	----	11.3638/9.496A	11.3638/9.496A	----	10.606	-	0.100	.9566	----	----	----	----	1	UNCH			
8075	----	----	----	11.6088/9.737A	11.6088/9.737A	----	10.850	-	0.101	.9586	----	----	----	----	10	UNCH			
8100	----	----	----	11.8538/9.975A	11.8538/9.975A	----	11.095	-	0.103	.9605	----	----	----	----	48	UNCH			
8125	----	----	----	12.0998/10.217A	12.0998/10.217A	----	11.341	-	0.105	.9624	----	----	----	----	7	UNCH			
8150	----	----	----	12.3418/10.464A	12.3418/10.464A	----	11.587	-	0.107	.9640	----	----	----	----	2	UNCH			
8175	----	----	----	12.5918/10.706A	12.5918/10.706A	----	11.833	-	0.109	.9656	----	----	----	----	3	UNCH			
8200	11.988	11.988	----	12.8378/10.946A	12.8378/10.946A	----	12.079	-	0.110	.9669	----	1	----	----	22	-	1		
8225	----	----	----	13.0848/11.193A	13.0848/11.193A	----	12.326	-	0.112	.9681	----	----	----	----	17	UNCH			
8250	----	----	----	13.3318/11.437A	13.3318/11.437A	----	12.573	-	0.113	.9693	----	----	----	----	90	UNCH			



BULLETIN #114@				METALS OPTION PRODUCTS							Tue, Jun 16, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO PUT	COMEX SILVER OPTIONS														
AUG26															
4700	----	----	----	0.088B/0.112A	----	0.105 + 0.005	.0176	----	----	----	----	9	UNCH		
4750	----	----	----	0.095B/0.117A	----	0.112 + 0.003	.0189	----	----	----	----	5	UNCH		
4775	----	----	----	0.103B/0.120A	----	0.116 + 0.003	.0196	----	----	----	----	3	UNCH		
4800	----	----	----	0.107B/0.123A	----	0.120 + 0.003	.0203	----	----	----	----	19	UNCH		
4825	----	----	----	0.111B/0.127A	----	0.124 + 0.002	.0210	----	----	----	----	1	UNCH		
4900	----	----	----	0.124B/0.137A	----	0.136 - 0.001	.0233	----	----	----	----	4	UNCH		
5000	0.145	0.145	0.150/0.145	0.150/0.145	----	0.156 + 0.001	.0270	----	----	16	----	114 +	6		
5050	----	----	----*/0.159A	0.155B/0.159A	----	0.166 UNCH	.0289	----	----	----	----	1	UNCH		
5075	----	----	----/0.164A	0.169B/0.164A	----	0.172 + 0.001	.0300	----	----	----	----	2	UNCH		
5100	----	----	----/0.169A	0.168B/0.169A	----	0.178 + 0.001	.0311	----	1	----	62 -	1			
5125	----	----	----/0.169A	0.174B/0.169A	----	0.184 + 0.001	.0322	----	----	----	----	3	UNCH		
5150	----	----	----/0.181A	0.180B/0.181A	----	0.191 + 0.002	.0335	----	----	----	----	3	UNCH		
5200	0.191	0.191	0.200/0.187A	0.200/0.187A	----	0.204 + 0.002	.0359	----	5	----	228 +	2			
5225	----	----	----/0.196A	0.201B/0.196A	----	0.211 + 0.002	.0372	----	----	----	----	3	UNCH		
5250	----	----	----/0.206A	0.209B/0.206A	----	0.219 + 0.003	.0387	----	2	----	18 +	2			
5275	----	----	----/0.207A	0.217B/0.207A	----	0.227 + 0.004	.0402	----	----	----	----	1	UNCH		
5300	----	----	----/0.213A	0.226B/0.213A	----	0.235 + 0.004	.0417	----	1	----	33	UNCH			
5325	----	----	0.246B/0.221A	0.246B/0.221A	----	0.244 + 0.005	.0433	----	----	----	----	2	UNCH		
5350	----	----	0.256B/0.232A	0.256B/0.232A	----	0.253 + 0.006	.0450	----	----	----	----	2	UNCH		
5375	----	----	----/0.240A	0.254B/0.240A	----	0.262 + 0.006	.0466	----	----	----	----	2	UNCH		
5400	----	----	----/0.250A	0.265B/0.250A	----	0.272 + 0.007	.0484	----	9	----	19 +	9			
5425	0.299	0.299	0.300B/0.258A	0.300B/0.258A	----	0.282 + 0.007	.0503	----	1	----	6 +	1			
5450	----	----	0.286B/0.267A	0.286B/0.267A	----	0.293 + 0.008	.0523	----	----	----	----	2	UNCH		
5475	----	----	0.313B/0.271A	0.313B/0.271A	----	0.304 + 0.008	.0543	----	----	----	----	2	UNCH		
5500	0.355	0.355	0.355/0.283A	0.355/0.283A	----	0.316 + 0.009	.0564	----	1	----	210	UNCH			
5550	----	----	0.335B/0.305A	0.335B/0.305A	----	0.341 + 0.011	.0609	----	----	----	----	1	UNCH		
5575	----	----	0.371B/0.317A	0.371B/0.317A	----	0.354 + 0.011	.0633	----	----	----	----	4	UNCH		
5600	----	----	0.363B/0.331A	0.363B/0.331A	----	0.368 + 0.011	.0658	----	----	----	----	20	UNCH		
5625	----	----	0.381B/0.345A	0.381B/0.345A	----	0.383 + 0.012	.0684	----	----	----	----	22	UNCH		
5650	----	----	0.420B/0.359A	0.420B/0.359A	----	0.399 + 0.013	.0712	----	----	----	----	9	UNCH		
5675	----	----	0.438B/0.366A	0.438B/0.366A	----	0.415 + 0.014	.0740	----	1	----	10 -	1			
5700	----	----	0.457B/0.380A	0.457B/0.380A	----	0.432 + 0.015	.0769	----	3	----	25 +	1			
5725	----	----	0.478B/0.395A	0.478B/0.395A	----	0.450 + 0.015	.0800	----	----	----	----	2	UNCH		
5750	----	----	0.502B/0.411A	0.502B/0.411A	----	0.469 + 0.016	.0833	----	8	----	49 +	8			
5775	----	----	0.524B/0.428A	0.524B/0.428A	----	0.489 + 0.017	.0867	----	----	----	----	5	UNCH		
5800	0.529	0.529	0.546B/0.446A	0.546B/0.446A	----	0.509 + 0.017	.0901	----	1	----	31 +	1			
5825	----	----	0.562B/0.466A	0.562B/0.466A	----	0.531 + 0.018	.0937	----	----	----	----	3	UNCH		
5850	0.594	0.594	0.615/0.487A	0.615/0.487A	----	0.554 + 0.018	.0975	----	12	----	33 +	12			
5875	0.529	0.529	0.615B/0.507A	0.615B/0.507A	----	0.578 + 0.019	.1015	----	1	----	6 +	1			
5900	0.554	0.554	0.644B/0.524A	0.644B/0.524A	----	0.603 + 0.020	.1056	----	11	----	33 +	4			
5925	----	----	0.674B/0.542A	0.674B/0.542A	----	0.629 + 0.020	.1098	----	----	----	----	10	UNCH		
5950	0.566	0.566	0.707B/0.564A	0.707B/0.564A	----	0.656 + 0.020	.1142	----	2	----	12	UNCH			
5975	----	----	0.741B/0.590A	0.741B/0.590A	----	0.685 + 0.020	.1188	----	----	----	----	3	UNCH		
6000	0.740	0.740	0.803/0.615A	0.803/0.615A	----	0.715 + 0.020	.1235	----	248	----	396 +	130			
6025	----	----	0.812B/0.642A	0.812B/0.642A	----	0.747 + 0.021	.1285	----	----	----	----	2	UNCH		
6050	----	----	0.852B/0.671A	0.852B/0.671A	----	0.780 + 0.021	.1336	----	16	----	129 +	11			
6075	----	----	0.894B/0.700A	0.894B/0.700A	----	0.814 + 0.021	.1388	----	1	----	1	UNCH			
6100	0.953	0.953	0.953/0.731A	0.953/0.731A	----	0.850 + 0.021	.1443	----	8	----	160 +	6			
6125	0.814	0.814	0.980B/0.763A	0.980B/0.763A	----	0.888 + 0.021	.1499	----	10	----	13 +	8			
6150	----	----	1.028B/0.796A	1.028B/0.796A	----	0.927 + 0.020	.1557	----	13	----	397 +	10			
6175	----	----	1.076B/0.832A	1.076B/0.832A	----	0.968 + 0.020	.1617	----	----	----	----	22	UNCH		
6200	1.133	1.133	1.133/0.869A	1.133/0.869A	----	1.011 + 0.019	.1679	----	21	----	579 -	1			
6225	----	----	1.182B/0.908A	1.182B/0.908A	----	1.056 + 0.019	.1744	----	----	----	----	16	UNCH		
6250	1.163	1.163	1.262/0.949A	1.262/0.949A	----	1.102 + 0.018	.1809	----	15	----	213 +	10			
6275	----	----	1.294B/0.991A	1.294B/0.991A	----	1.151 + 0.018	.1877	----	----	----	----	162	UNCH		
6300	1.365	1.365	1.365/1.035A	1.365/1.035A	----	1.202 + 0.017	.1947	----	13	----	517 +	11			
6325	----	----	1.418B/1.082A	1.418B/1.082A	----	1.254 + 0.015	.2018	----	----	----	----	3	UNCH		
6350	----	----	1.484B/1.127A	1.484B/1.127A	----	1.309 + 0.014	.2091	----	5	----	94 +	5			
6375	1.410	1.410	1.552B/1.180A	1.552B/1.180A	----	1.366 + 0.013	.2166	----	1	----	5 +	1			
6400	----	----	1.618B/1.229A	1.618B/1.229A	----	1.426 + 0.012	.2244	----	----	----	----	165	UNCH		
6425	----	----	1.696B/1.283A	1.696B/1.283A	----	1.487 + 0.010	.2322	----	----	----	----	11	UNCH		
6450	----	----	1.768B/1.339A	1.768B/1.339A	----	1.551 + 0.008	.2403	----	5	----	60 +	5			
6475	----	----	1.849B/1.399A	1.849B/1.399A	----	1.618 + 0.007	.2486	----	----	----	----	2	UNCH		
6500	1.800	1.800	1.931B/1.459A	1.931B/1.459A	----	1.687 + 0.005	.2570	----	27	----	344 +	15			
6525	----	----	2.015B/1.525A	2.015B/1.525A	----	1.758 + 0.002	.2655	----	----	----	----	2	UNCH		
6550	1.869	1.869	2.103B/1.589A	2.103B/1.589A	----	1.832 UNCH	.2743	----	1	----	17 +	1			
6575	1.896	1.896	2.192B/1.651A	2.192B/1.651A	----	1.909 - 0.002	.2832	----	1	----	41	UNCH			
6600	2.116	2.116	2.323/1.723A	2.323/1.723A	----	1.988 - 0.005	.2922	----	9	----	181 +	1			
6625	----	----	2.378B/1.796A	2.378B/1.796A	----	2.070 - 0.007	.3014	----	----	----	----	23	UNCH		
6650	----	----	2.477B/1.872A	2.477B/1.872A	----	2.155 - 0.010	.3107	----	----	----	----	26	UNCH		
6675	----	----	2.567B/1.950A	2.567B/1.950A	----	2.242 - 0.013	.3201	----	----	----	----	2	UNCH		
6700	2.491	2.491	2.720/2.036A	2.720/2.036A	----	2.333 - 0.016	.3297	----	52	----	109 -	19			
6725	2.299	2.299	2.782B/2.123A	2.782B/2.123A	----	2.426 - 0.019	.3394	----	2	----	12	UNCH			
6750	----	----	2.891B/2.208A	2.891B/2.208A											



PG64	BULLETIN #114@				METALS OPTION PRODUCTS					Tue, Jun 16, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
AUG26														
8425	----	----	15.2818/13.637A	15.2818/13.637A	----	14.515 -	0.015	.8497	----	----	----	----	1	UNCH
8475	----	----	15.7438/14.085A	15.7438/14.085A	----	14.974 -	0.011	.8562	----	----	----	----	1	UNCH
8500	----	----	15.9598/14.304A	15.9598/14.304A	----	15.205 -	0.009	.8594	----	----	----	----	21	UNCH
8600	----	----	16.9088/15.220A	16.9088/15.220A	----	16.135	UNCH	.8711	----	----	----	----	3	UNCH
8650	----	----	17.3778/15.678A	17.3778/15.678A	----	16.602 +	0.005	.8764	----	----	----	----	1	UNCH
8700	----	----	17.8488/16.134A	17.8488/16.134A	----	17.072 +	0.009	.8815	----	----	----	----	2	UNCH
8825	----	----	19.0328/17.295A	19.0328/17.295A	----	18.252 +	0.019	.8932	----	----	----	----	4	UNCH
8850	----	----	19.2708/17.528A	19.2708/17.528A	----	18.489 +	0.021	.8954	----	----	----	----	1	UNCH
8900	----	----	19.7468/17.997A	19.7468/17.997A	----	18.966 +	0.026	.8995	----	----	----	----	24	UNCH
9000	----	----	20.6988/18.933A	20.6988/18.933A	----	19.920 +	0.032	.9072	----	----	----	----	63	UNCH
9025	----	----	20.9388/19.180A	20.9388/19.180A	----	20.159 +	0.033	.9091	----	----	----	----	4	UNCH
9150	----	----	22.1418/20.365A	22.1418/20.365A	----	21.364 +	0.045	.9170	----	----	----	----	4	UNCH
9175	----	----	22.3838/20.606A	22.3838/20.606A	----	21.605 +	0.046	.9185	----	----	----	----	1	UNCH
9200	----	----	22.6248/20.845A	22.6248/20.845A	----	21.846 +	0.047	.9200	----	----	----	----	1	UNCH
9225	----	----	22.8668/21.084A	22.8668/21.084A	----	22.087 +	0.048	.9215	----	----	----	----	1	UNCH
9275	----	----	23.3508/21.563A	23.3508/21.563A	----	22.570 +	0.050	.9244	----	----	----	----	5	UNCH
9300	----	----	23.5928/21.802A	23.5928/21.802A	----	22.812 +	0.051	.9259	----	----	----	----	1	UNCH
9325	----	----	23.8358/22.043A	23.8358/22.043A	----	23.054 +	0.052	.9272	----	----	----	----	11	UNCH
9350	----	----	24.0778/22.283A	24.0778/22.283A	----	23.296 +	0.053	.9284	----	----	----	----	4	UNCH
9500	----	----	25.5378/23.724A	25.5378/23.724A	----	24.756 +	0.060	.9355	----	----	----	----	32	UNCH
9975	----	----	30.1878/28.364A	30.1878/28.364A	----	29.416 +	0.092	.9514	----	----	----	----	1	UNCH
10000	----	----	30.4338/28.592A	30.4338/28.592A	----	29.662 +	0.094	.9520	----	----	----	----	7	UNCH
10025	----	----	30.6798/28.836A	30.6798/28.836A	----	29.908 +	0.095	.9527	----	----	----	----	1	UNCH
10175	----	----	32.1568/30.323A	32.1568/30.323A	----	31.386 +	0.103	.9565	----	----	----	----	15	UNCH
11000	----	----	#40.3128/38.443	40.3128/38.443A	----	39.551 +	0.127	.9711	----	----	----	----	5	UNCH
12000	----	----	----/48.758A	49.0508/48.758A	----	49.495 +	0.151	.9811	----	----	----	----	6	UNCH
TOTAL										684	0	7825 +	185	
SEP26														
2500	----	----	----	-----/0.062A	----	0.008 -	0.001	.0009	----	----	----	----	60	UNCH
3000	----	----	----	0.0018/0.086A	----	0.026 -	0.003	.0031	----	----	----	----	22	UNCH
3250	----	----	----	0.0028/0.098A	----	0.039 -	0.004	.0047	----	----	----	----	1	UNCH
3475	----	----	----	0.0338/0.085A	----	0.051 -	0.005	.0063	----	----	----	----	1	UNCH
3500	----	----	----	0.0358/0.085A	----	0.053 -	0.005	.0066	----	----	----	----	74	UNCH
3950	----	----	----	0.0678/*0.113A	----	0.089 -	0.008	.0117	----	----	----	----	1	UNCH
4000	----	----	----	0.0728/0.118A	----	0.095 -	0.008	.0125	----	----	----	----	47	UNCH
4100	----	----	----	0.0828/0.130A	----	0.107 -	0.007	.0142	----	----	----	----	2	UNCH
4200	----	----	----	0.0938/0.141A	----	0.120 -	0.007	.0161	----	----	----	----	1	UNCH
4250	----	----	----	0.1008/0.146A	----	0.127 -	0.007	.0171	----	----	----	----	1	UNCH
4400	----	----	----	0.1238/0.166A	----	0.151 -	0.005	.0207	----	----	----	----	1	UNCH
4500	----	----	----	0.1508/0.180A	----	0.169 -	0.005	.0234	----	----	----	----	16	UNCH
4525	----	----	----	0.1548/0.184A	----	0.174 -	0.004	.0241	----	----	----	----	2	UNCH
4600	----	----	----	0.1708/0.198A	----	0.190 -	0.004	.0265	----	----	----	----	3	UNCH
4700	----	----	----	0.1968/0.220A	----	0.215 -	0.001	.0302	----	----	----	----	16	UNCH
4725	----	----	----	0.2028/0.226A	----	0.221 -	0.002	.0311	----	----	----	----	1	UNCH
4800	----	----	----/*0.236A	0.2258/0.236A	----	0.243	UNCH	.0343	----	----	----	----	19	UNCH
5000	0.340	0.340	0.340/0.304A	0.340/0.304A	----	0.315 +	0.004	.0447	----	25	----	332 -	23	
5100	----	----	----/0.346A	0.3468/0.346A	----	0.361 +	0.007	.0512	----	----	----	----	4	UNCH
5200	----	----	----/0.385A	0.4028/0.385A	----	0.414 +	0.009	.0586	----	----	----	----	26	UNCH
5250	----	----	----/0.416A	0.4328/0.416A	----	0.444 +	0.010	.0627	----	----	----	----	15	UNCH
5350	----	----	----/0.480A	0.5008/0.480A	----	0.513 +	0.013	.0720	----	10	----	15 +	10	
5375	----	----	0.5198/0.485A	0.5198/0.485A	----	0.532 +	0.014	.0745	----	----	----	----	1	UNCH
5400	----	----	0.5398/0.502A	0.5398/0.502A	----	0.551 +	0.014	.0770	----	----	----	----	3	UNCH
5450	----	----	0.5808/0.538A	0.5808/0.538A	----	0.593 +	0.017	.0825	----	----	----	----	0	UNCH
5475	----	----	0.6028/0.559A	0.6028/0.559A	----	0.615 +	0.019	.0853	----	----	----	----	3	UNCH
5500	0.600	0.600	0.652/0.580A	0.652/0.580A	----	0.638 +	0.021	.0883	----	13	----	257 +	1	
5550	0.685	0.685	0.685/0.627A	0.685/0.627A	----	0.687	NEW	.0945	----	1	----	1 +	1	
5575	----	----	0.7108/0.646A	0.7108/0.646A	----	0.713 +	0.027	.0977	----	----	----	----	2	UNCH
5600	----	----	0.7378/0.661A	0.7378/0.661A	----	0.739 +	0.027	.1010	----	----	----	----	20	UNCH
5625	----	----	0.7648/0.682A	0.7648/0.682A	----	0.767 +	0.028	.1045	----	----	----	----	1	UNCH
5700	----	----	0.8638/0.759A	0.8638/0.759A	----	0.855 +	0.027	.1153	----	----	----	----	21	UNCH
5725	----	----	0.8998/0.790A	0.8998/0.790A	----	0.887 +	0.027	.1192	----	----	----	----	3	UNCH
5750	----	----	0.9378/0.820A	0.9378/0.820A	----	0.920 +	0.027	.1231	----	----	----	----	1	UNCH
5800	----	----	1.0178/0.883A	1.0178/0.883A	----	0.989 +	0.026	.1313	----	----	----	----	31	UNCH
5900	----	----	1.1948/1.020A	1.1948/1.020A	----	1.142 +	0.028	.1490	----	----	----	----	51	UNCH
5950	----	----	1.2938/1.100A	1.2938/1.100A	----	1.228 +	0.030	.1586	----	----	----	----	4	UNCH
5975	----	----	1.3458/1.140A	1.3458/1.140A	----	1.273 +	0.030	.1636	----	----	----	----	10	UNCH
6000	1.349	1.349	1.3998/1.183A	1.3998/1.183A	----	1.320 +	0.030	.1687	----	6	----	624 +	1	
6025	----	----	1.4558/1.228A	1.4558/1.228A	----	1.370 +	0.032	.1740	----	----	----	----	1	UNCH
6050	----	----	1.5138/1.274A	1.5138/1.274A	----	1.421 +	0.031	.1794	----	----	----	----	19	UNCH
6075	----	----	1.5728/1.322A	1.5728/1.322A	----	1.475	NEW	.1849	----	5	----	5 +	5	
6100	1.510	1.510	1.6348/1.371A	1.6348/1.371A	----	1.530 +	0.032	.1906	----	12	----	92 +	8	
6200	----	----	1.9008/1.585A	1.9008/1.585A	----	1.772 +	0.029	.2144	----	----	----	----	139	UNCH
6225	1.803	1.803	1.9718/1.643A	1.9718/1.643A	----	1.837	NEW	.2206	----	175	----	175 +	175	
6300	----	----	2.20080											

	BULLETIN #114@				METALS OPTION PRODUCTS				Tue, Jun 16, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS												
OCT26													
5950	----	----	----/1.589A	1.686B/1.589A	----	1.676 -	0.028	.1760	----	----	----	5	UNCH
6000	----	----	----/1.691A	1.803B/1.691A	----	1.785 -	0.041	.1854	----	----	----	62	UNCH
6025	----	----	----/1.751A	1.835B/1.751A	----	1.842 -	0.047	.1902	----	----	----	1	UNCH
6100	----	----	----/1.931A	2.054B/1.931A	----	2.023 -	0.061	.2052	----	----	----	14	UNCH
6150	----	----	----/2.045A	2.187B/2.045A	----	2.152 -	0.066	.2156	----	----	----	1	UNCH
6250	----	----	----/2.303A	2.481B/2.303A	----	2.432 -	0.063	.2373	----	----	----	5	UNCH
6275	----	----	----/2.377A	2.538B/2.377A	----	2.507 -	0.060	.2430	----	----	----	1	UNCH
6300	2.500	2.500	2.640B/2.447A	2.640B/2.447A	----	2.583 -	0.058	.2486	----	8	----	23 +	8
6350	----	----	----/2.594A	2.760B/2.594A	----	2.742 -	0.050	.2602	----	----	----	1	UNCH
6375	----	----	2.895B/2.680A	2.895B/2.680A	----	2.824 -	0.047	.2660	----	----	----	1	UNCH
6400	2.680	2.680	2.932B/2.680	2.932B/2.680	----	2.908 -	0.043	.2719	----	10	----	10 +	5
6500	----	----	3.305B/3.099A	3.305B/3.099A	----	3.265 -	0.028	.2962	----	----	90	272 +	90
6600	----	----	3.761B/3.480A	3.761B/3.480A	----	3.656 -	0.021	.3211	----	----	----	31	UNCH
6625	----	----	3.865B/3.555A	3.865B/3.555A	----	3.758 -	0.022	.3274	----	----	----	33	UNCH
6650	----	----	3.902B/3.654A	3.902B/3.654A	----	3.863 -	0.022	.3338	----	----	----	36	UNCH
6700	----	----	4.121B/3.861A	4.121B/3.861A	----	4.079 -	0.024	.3465	----	----	----	70	UNCH
6725	----	----	4.269B/3.966A	4.269B/3.966A	----	4.190 -	0.026	.3529	----	----	----	1	UNCH
6750	----	----	4.424B/4.074A	4.424B/4.074A	----	4.303 -	0.028	.3594	----	----	----	2	UNCH
6800	----	----	4.669B/4.309A	4.669B/4.309A	----	4.534 -	0.033	.3722	----	----	----	15	UNCH
6850	----	----	4.913B/4.531A	4.913B/4.531A	----	4.774 -	0.038	.3851	----	----	----	1	UNCH
6900	----	----	5.167B/4.773A	5.167B/4.773A	----	5.020 -	0.045	.3980	----	----	----	10	UNCH
6950	----	----	5.429B/5.013A	5.429B/5.013A	----	5.275 -	0.050	.4109	----	----	----	1	UNCH
7000	----	----	5.624B/5.284A	5.624B/5.284A	----	5.536 -	0.055	.4238	----	11	----	108 +	11
7025	----	----	5.738B/5.404A	5.738B/5.404A	----	5.669 -	0.057	.4302	----	----	----	1	UNCH
7050	----	----	5.886B/5.516A	5.886B/5.516A	----	5.805 -	0.059	.4366	----	----	----	1	UNCH
7075	----	----	6.070B/5.657A	6.070B/5.657A	----	5.942 -	0.061	.4430	----	----	----	1	UNCH
7225	----	----	6.960B/6.485A	6.960B/6.485A	----	6.800 -	0.071	.4807	----	----	----	88	UNCH
7250	----	----	7.175B/6.652A	7.175B/6.652A	----	6.949 -	0.073	.4868	----	----	----	1	UNCH
7275	----	----	7.265B/6.791A	7.265B/6.791A	----	7.100 -	0.074	.4930	----	----	----	1	UNCH
7300	----	----	7.486B/6.958A	7.486B/6.958A	----	7.253 -	0.076	.4990	----	----	----	8	UNCH
7350	----	----	7.818B/7.253A	7.818B/7.253A	----	7.563 -	0.079	.5111	----	----	----	1	UNCH
7500	----	----	8.820B/8.182A	8.820B/8.182A	----	8.532 -	0.090	.5462	----	----	----	28	UNCH
7600	----	----	9.513B/8.854A	9.513B/8.854A	----	9.209 -	0.099	.5686	----	----	----	13	UNCH
7650	----	----	9.862B/9.188A	9.862B/9.188A	----	9.556 -	0.103	.5795	----	----	----	1	UNCH
7700	----	----	10.218B/9.508A	10.218B/9.508A	----	9.909 -	0.107	.5901	----	----	----	1	UNCH
7775	----	----	10.682B/10.138A	10.682B/10.138A	----	10.449 -	0.111	.6057	----	----	----	2	UNCH
7950	----	----	----/11.395A	11.845B/11.395A	----	11.753 -	0.120	.6399	----	----	----	10	UNCH
8000	12.262	12.262	12.262/11.681A	12.262/11.681A	----	12.137 -	0.121	.6491	----	1	----	11 +	1
8200	----	----	----/13.330A	13.746B/13.330A	----	13.717 -	0.124	.6835	----	----	----	6	UNCH
8375	----	----	----/14.922A	14.967B/14.922A	----	15.148 -	0.123	.7106	----	----	----	1	UNCH
8400	----	----	----/14.932A	15.173B/14.932A	----	15.356 -	0.122	.7143	----	----	----	6	UNCH
9100	----	----	----/21.326A	21.221B/21.326A	----	21.420 -	0.100	.7986	----	----	----	1	UNCH
10000	----	----	----	19.382B/38.410A	----	29.728 -	0.069	.8658	----	----	----	40	UNCH
TOTAL										32	90	975 +	117
NOV26													
4500	----	----	----	0.270B/0.466A	----	0.327 -	0.104	.0365	----	----	----	1	UNCH
4550	----	----	----	0.292B/0.489A	----	0.349 -	0.110	.0389	----	----	----	1	UNCH
4800	----	----	----/*0.619A	0.426B/0.619A	----	0.483 -	0.139	.0532	----	----	----	1	UNCH
5000	----	----	----/*0.763A	0.571B/0.763A	----	0.628 -	0.165	.0680	----	----	100	112 +	100
5200	----	----	----/0.936A	0.765B/0.936A	----	0.817 -	0.195	.0864	----	----	----	1	UNCH
5400	----	----	----	0.762B/1.432A	----	1.065 -	0.227	.1091	----	----	----	8	UNCH
5500	----	----	----	1.120B/1.559A	----	1.215 -	0.244	.1222	----	----	----	45	UNCH
5600	----	----	----/1.529A	1.305B/1.529A	----	1.384 -	0.261	.1364	----	----	----	9	UNCH
5950	----	----	----/2.435A	1.901B/2.435A	----	2.150 -	0.321	.1949	----	----	----	1	UNCH
6000	----	----	----/2.573A	2.028B/2.573A	----	2.284 -	0.329	.2044	----	----	----	1	UNCH
6425	----	----	----/3.941A	3.408B/3.941A	----	3.698 -	0.386	.2924	----	----	----	1	UNCH
6500	----	----	----/4.234A	3.705B/4.234A	----	4.001 -	0.394	.3090	----	----	----	41	UNCH
6675	----	----	----/5.010A	4.480B/5.010A	----	4.774 -	0.409	.3484	----	----	----	20	UNCH
6700	----	----	----/5.096A	4.596B/5.096A	----	4.893 -	0.412	.3540	----	----	----	50	UNCH
7000	----	----	----/6.594A	6.109B/6.594A	----	6.453 -	0.439	.4216	----	----	----	41	UNCH
7025	----	----	----/6.730A	6.248B/6.730A	----	6.592 -	0.441	.4271	----	----	----	6	UNCH
7050	----	----	----/6.868A	6.388B/6.868A	----	6.734 -	NEW	.4326	----	----	50	50 +	50
7400	----	----	----/8.955A	8.528B/8.955A	----	8.854 -	0.454	.5070	----	----	----	24	UNCH
7500	----	----	----/9.603A	9.175B/9.603A	----	9.507 -	0.454	.5270	----	----	----	7	UNCH
7700	----	----	----/10.964A	10.554B/10.964A	----	10.870 -	0.450	.5653	----	----	----	50	UNCH
8500	----	----	----/17.058A	16.716B/17.058A	----	16.970 -	0.391	.6925	----	----	----	60	UNCH
9000	----	----	----/21.249A	20.973B/21.249A	----	21.184 -	0.333	.7515	----	----	----	5	UNCH
10000	----	----	----/30.154A	28.457B/30.154A	----	30.184 -	0.207	.8324	----	----	----	1	UNCH
11000	----	----	----	25.551B/51.345A	----	39.622 -	0.102	.8804	----	----	----	1	UNCH
TOTAL											150	537 +	150
DEC26													
1500	----	----	----/0.030A	----	----	0.001 -	0.001	.0000	----	----	----	180	UNCH
2000	----	----	----/2.664A	----	----	0.005 -	0.002	.0005	----	----	----	10	UNCH
2500	----	----	----	0.001B/2.711A	----	0.017 -	0.008	.0018	----	----	----	32	UNCH
3000	----	----	----	0.001B/2.847A	----	0.047 -	0.019	.0050	----	----	----	93	UNCH
3100	----	----	----	0.001B/2.883A	----	0.056 -	0.022	.0059	----	----	----	1	UNCH
3150	----	----	----	0.001B/2.903A	----	0.061 -	0						



	BULLETIN #114@										METALS OPTION PRODUCTS					Tue, Jun 16, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH	OUTCRY LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST		
SO PUT																			
DEC26																			
11000	----	----	----	----	22.335B	/54.804A	----	----	39.998	- 0.116	.8536	----	----	----	----		2	UNCH	
11500	----	----	----	----	26.765B	/59.898A	----	----	44.742	- 0.079	.8728	----	----	----	----		1	UNCH	
12000	----	----	----	----	32.273B	/64.288A	----	----	49.534	- 0.047	.8886	----	----	----	----		1	UNCH	
12100	----	----	----	----	32.990B	/65.124A	----	----	50.498	- 0.041	.8914	----	----	----	----		1	UNCH	
12300	----	----	----	----	35.006B	/67.101A	----	----	52.429	- 0.030	.8968	----	----	----	----		1	UNCH	
TOTAL															0		3827	0	
JAN27																			
3800	----	----	----	----/0.435A	0.106B	/0.435A	----	----	0.246	- 0.201	.0227	----	----	----	----		1	UNCH	
5000	1.118	1.118		1.118/*0.676	1.118	/*0.676	----	----	1.041	- 0.535	.0889	----	----	4	----		4	UNCH	
6000	----	----	----	----/3.607A	2.618B	/3.607A	----	----	3.141	- 0.126	.2211	----	----	----	----		5	UNCH	
6500	----	----	----	----	4.457B	/5.507A	----	----	5.027	- 0.394	.3104	----	----	----	----		1	UNCH	
6925	----	----	----	----	6.549B	/7.598A	----	----	7.090	- 0.206	.3896	----	----	----	----		24	UNCH	
7000	----	----	----	----	6.956B	/8.003A	----	----	7.497	- 0.193	.4034	----	----	----	----		25	UNCH	
7100	----	----	----	----	7.524B	/8.595A	----	----	8.060	- 0.176	.4217	----	----	----	----		20	UNCH	
7125	----	----	----	----	7.667B	/8.704A	----	----	8.204	- 0.172	.4263	----	----	----	----		1	UNCH	
8600	----	----	----	----/18.884A	18.356B	/18.884A	----	----	18.626	- 0.462	.6453	----	----	----	----		1	UNCH	
8850	----	----	----	----/20.884A	20.117B	/20.884A	----	----	20.661	- 0.588	.6725	----	----	----	----		9	UNCH	
TOTAL														4	0		91	0	
FEB27																			
6500	----	----	----	----	4.934B	/6.048A	----	----	5.542	- 0.454	.3146	----	----	----	----		1	UNCH	
6700	----	----	----	----	5.875B	/7.013A	----	----	6.489	- 0.324	.3496	----	----	----	----		10	UNCH	
8150	----	----	----	----	15.123B	/16.100A	----	----	15.706	- 0.247	.5755	----	----	----	----		10	UNCH	
8225	----	----	----	----	15.688B	/16.775A	----	----	16.271	- 0.278	.5849	----	----	----	----		10	UNCH	
8250	----	----	----	----	15.873B	/16.845A	----	----	16.460	- 0.290	.5880	----	----	----	----		10	UNCH	
8900	----	----	----	----/21.870A	21.019B	/21.870A	----	----	21.613	- 0.599	.6597	----	----	----	----		3	UNCH	
TOTAL															0		44	0	
MAR27																			
4500	----	----	----	----	0.628B	/1.024A	----	----	0.832	- 0.081	.0648	----	----	----	----		2	UNCH	
5400	----	----	----	----	1.703B	/2.698A	----	----	2.228	- 0.218	.1515	----	----	----	----		7	UNCH	
5500	----	----	----	----	1.927B	/2.930A	----	----	2.464	- 0.232	.1643	----	----	----	----		41	UNCH	
6000	----	----	----	----	3.371B	/4.494A	----	----	3.969	- 0.290	.2369	----	----	----	----		50	UNCH	
6300	----	----	----	----	4.513B	/5.686A	----	----	5.141	- 0.323	.2849	----	----	----	----		1	UNCH	
6500	----	----	----	----	5.386B	/6.598A	----	----	6.030	- 0.348	.3178	----	----	----	----		20	UNCH	
6825	----	----	----	----	6.998B	/8.213A	----	----	7.652	- 0.388	.3714	----	----	----	----		2	UNCH	
7000	----	----	----	----	8.000B	/9.186A	----	----	8.613	- 0.406	.3999	----	----	----	----		3	UNCH	
7500	----	----	----	----	11.063B	/12.238A	----	----	11.679	- 0.432	.4771	----	----	----	----		3	UNCH	
8100	----	----	----	----	15.244B	/16.323A	----	----	15.885	- 0.419	.5576	----	----	----	----		6	UNCH	
8300	----	----	----	----	16.742B	/17.808A	----	----	17.391	- 0.406	.5812	----	----	----	----		50	UNCH	
8500	----	----	----	----/19.329A	18.297B	/19.329A	----	----	18.939	- 0.391	.6034	----	----	----	----		3	UNCH	
8975	----	----	----	----	22.168B	/23.165A	----	----	22.757	- 0.354	.6505	----	----	----	----		1	UNCH	
10500	----	----	----	----	35.283B	/36.261A	----	----	35.926	- 0.259	.7611	----	----	----	----		10	UNCH	
TOTAL															0		199	0	
APR27																			
4000	----	----	----	----/*0.762A	0.343B	/0.762A	----	----	0.509	- 0.740	.0393	----	----	----	----		1	UNCH	
5600	----	----	----	----/*3.488A	2.398B	/3.488A	----	----	2.980	- 0.619	.1806	----	----	----	----		10	UNCH	
7925	----	----	----	----	14.209B	/15.444A	----	----	14.869	- 0.069	.5190	----	----	----	----		2	UNCH	
8725	----	----	----	----/21.398A	20.215B	/21.398A	----	----	20.911	- 0.498	.6068	----	----	----	----		3	UNCH	
TOTAL															0		16	0	
MAY27																			
6500	----	----	----	----	0.001B	/9.000A	----	----	7.057	- 0.165	.3161	----	----	----	----		10	UNCH	
TOTAL															0		10	0	
DEC27																			
7175	----	----	----	----	----	----	----	----	12.840	+ 0.056	.3761	----	----	----	----		25	UNCH	
TOTAL															0		25	0	
SO2 CALL																			
JUL26																			
6500	----	----	----	----	----/16.442A	----	----	----	6.554	- 0.191	.7883	----	----	----	----		2	UNCH	
6600	----	----	----	----	----/14.905A	----	----	----	5.789	- 0.197	.7485	----	----	----	----		32	UNCH	
6650	----	----	----	----	0.028B	/11.206A	----	----	5.424	- 0.200	.7269	----	----	----	----		6	UNCH	
6700	----	----	----	----	0.028B	/10.304A	----	----	5.073	- 0.203	.7040	----	----	----	----		25	UNCH	
6750	----	----	----	----	0.028B	/9.936A	----	----	4.735	- 0.207	.6801	----	----	----	----		24	UNCH	
7000	----	----	----	3.724B	/3.248A	3.724B	/3.248A	----	3.266	- 0.220	.5499	----	----	----	----		4	UNCH	
7500	----	----	----	1.670B	/1.542A	1.670B	/1.542A	----	1.433	- 0.204	.3023	----	----	----	----		2	UNCH	
7850	----	----	----	----/0.965A	0.877B	/0.965A	----	----	0.820	- 0.162	.1869	----	----	----	----		2	UNCH	
8000	----	----	----	----/0.780A	0.688B	/0.780A	----	----	0.659	- 0.142	.1526	----	----	1	----		9	+	
TOTAL														1	0		106	+	
SO2 PUT																			
JUL26																			
6000	----	----	----	----	0.300B	/0.436A	----	----	0.387	- 0.005	.0851	----	----	----	----		1	UNCH	
6400	----	----	----	----	0.731B	/0.857A	----	----	0.836	- 0.014	.1769	----	----	----	----		4	UNCH	
6500	----	----	----	----/1.035A	0.947B	/1.035A	----	----	1.026	- 0.019	.2116	----	----	----	----		2	UNCH	
6550	----	----	----	----	1.042B	/1.159A													

BULLETIN #114@			METALS OPTION PRODUCTS										Tue, Jun 16, 2026		PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
S04 PUT JUN26	SILVER OPTIONS															
7400	----	----	4.752B/3.553A	4.752B/3.553A	----	4.274	-	0.021	.7425	----	----	----	----	1	UNCH	
TOTAL												0		59	0	
SWW WED JUN26	SILVER WEEKLY WEDNESDAY OPTION WEEK															
4750	----	----	----	----/0.195A	----	0.008	-	0.002	.0015	----	----	----	----	1	UNCH	
5000	----	----	----	----/*0.062A	----	0.014	-	0.005	.0029	----	----	----	----	1	UNCH	
5200	----	----	----	----/0.235A	----	0.001		UNCH	----	----	----	----	----	3	UNCH	
5250	----	----	----	----/0.235A	----	0.001		UNCH	----	----	----	----	----	5	UNCH	
5250	----	----	----	0.001B/*0.073A	----	0.026	-	0.007	.0058	----	----	----	----	1	UNCH	
5400	----	----	----	0.004B/*0.079A	----	0.038	-	0.007	.0089	----	----	----	----	5	UNCH	
5600	----	----	----	----/0.219A	----	0.001		UNCH	----	----	----	----	----	1	UNCH	
5700	----	----	----	----/0.209A	----	0.001		UNCH	----	----	----	----	----	1	UNCH	
5750	----	----	----	----/*0.059A	----	0.001		UNCH	----	----	----	----	----	10	UNCH	
5800	----	----	----	----/*0.060A	----	0.001		UNCH	----	----	----	----	----	3	UNCH	
6000	----	----	----	----/*0.050A	----	0.001	-	0.003	----	----	----	----	----	1	UNCH	
6100	0.130	0.130	0.130/*0.130	0.130/*0.130	----	0.141	-	0.008	.0435	----	2	----	----	2	UNCH	
6200	----	----	0.223B/0.175A	0.223B/0.175A	----	0.178	-	0.008	.0566	----	----	----	----	10	UNCH	
6200	----	----	----	----/*0.048A	----	0.002	-	0.011	.0000	----	----	----	----	5	UNCH	
6250	----	----	----	----/*0.197A	0.158B/*0.197A	0.201	-	0.009	.0648	----	----	----	----	1	UNCH	
6300	0.300	0.300	0.300/*0.200	0.300/*0.200	----	0.228	-	0.010	.0744	----	13	----	----	20	+	
6300	----	----	----	0.001B/*0.051A	----	0.006	-	0.017	.0002	----	----	----	----	3	UNCH	
6350	----	----	----	0.001B/*0.055A	----	0.009	-	0.022	.0004	----	----	----	----	2	UNCH	
6400	0.397	0.397	0.397/*0.267A	0.397/*0.267A	----	0.298	-	0.013	.0990	----	2	----	----	2	+	
6400	----	----	----	0.001B/*0.054A	----	0.014	-	0.029	.0009	----	----	----	----	2	UNCH	
6450	----	----	----	----/*0.057A	0.001B/*0.057A	0.021	-	0.038	.0019	----	----	----	----	1	UNCH	
6500	0.524	0.524	0.524/*0.317A	0.524/*0.317A	----	0.395	-	0.019	.1323	----	4	----	----	5	+	
6500	0.026	0.026	0.042/*0.026	0.042/*0.026	----	0.033	-	0.048	.0040	----	5	----	----	14	+	
6550	----	----	----	----/*0.070A	0.008B/*0.070A	0.041	-	0.059	.0062	----	----	----	----	5	UNCH	
6570	0.049	0.049	#0.049/*0.049	0.049/*0.049	----	0.045		NEW	.0075	----	7	----	----	7	+	
6600	0.706	0.706	0.706/*0.417A	0.706/*0.417A	----	0.532		NEW	.1772	----	4	----	----	4	+	
6600	----	----	----	----/*0.080A	0.050B/*0.080A	0.051	-	0.074	.0096	----	----	----	----	2	UNCH	
6610	----	----	5.105B/*3.591A	5.105B/3.591A	----	3.966	-	0.244	.9892	----	----	----	----	1	UNCH	
6630	0.065	0.065	#0.065/*0.065	0.065/*0.065	----	0.059		NEW	.0128	----	8	----	----	8	+	
6650	----	----	----/*0.092A	0.038B/*0.092A	----	0.065	-	0.092	.0154	----	----	----	----	1	UNCH	
6700	0.100	0.100	0.100/*0.100	0.100/*0.100	----	0.086	-	0.114	.0256	----	10	----	----	10	+	
6700	----	----	0.811B/*0.554A	0.811B/*0.554A	----	0.721	-	0.038	.2354	----	----	----	----	2	UNCH	
6700	----	----	4.669B/3.465A	4.669B/3.465A	----	3.732	-	0.204	.7644	----	----	----	----	0	UNCH	
6750	0.155	0.155	0.155/*0.130A	0.173B/*0.130A	----	0.116	-	0.141	.0432	----	20	----	----	36	+	
6760	----	----	3.637B/2.209A	3.637B/2.209A	----	2.537	-	0.312	.9516	----	----	----	----	1	UNCH	
6760	----	----	----	0.202B/*0.124A	----	0.124	-	0.146	.0483	----	----	----	----	93	UNCH	
6770	----	----	----/*0.128A	0.224B/*0.128A	----	0.133	-	0.151	.0541	----	----	----	----	46	UNCH	
6790	----	----	3.349B/1.954A	3.349B/1.954A	----	2.265	-	0.329	.9326	----	----	----	----	1	UNCH	
6800	----	----	1.136B/0.739A	1.136B/0.739A	----	0.979	-	0.049	.3080	----	----	----	----	4	UNCH	
6800	----	----	3.259B/1.872A	3.259B/1.872A	----	2.175	-	0.336	.9248	----	----	----	----	2	UNCH	
6800	0.140	0.140	0.152/*0.140	0.293B/*0.140	----	0.163		NEW	.0751	----	4	----	----	4	+	
6820	----	----	----/*0.149A	0.349B/*0.149A	----	0.187	-	0.181	.0933	----	----	----	----	31	UNCH	
6830	----	----	2.977B/1.632A	2.977B/1.632A	----	1.914	-	0.353	.8959	----	----	----	----	41	UNCH	
6850	----	----	1.332B/0.860A	1.332B/0.860A	----	1.140	-	0.052	.3493	----	----	----	----	1	UNCH	
6850	----	----	3.474B/2.450A	3.474B/2.450A	----	2.652	-	0.219	.6506	----	----	----	----	1	UNCH	
6850	0.230	0.230	0.230/*0.166A	0.430B/*0.166A	----	0.232		NEW	.1289	----	4	----	----	4	+	
6880	0.362	0.362	#0.542B/*0.195A	0.542B/*0.195A	----	0.290		NEW	.1765	----	5	----	----	5	+	
6890	----	----	#0.584B/*0.206A	0.584B/*0.206A	----	0.312	-	0.219	.1951	----	----	----	----	1	UNCH	
6900	----	----	1.577B/0.998A	1.577B/0.998A	----	1.323	-	0.056	.3933	----	----	----	----	10	UNCH	
6900	0.505	0.505	0.627B/*0.218A	0.627B/*0.218A	----	0.337		NEW	.2157	----	5	----	----	5	+	
6910	0.284	0.284	#0.672B/*0.231A	0.672B/*0.231A	----	0.363		NEW	.2374	----	5	----	----	5	+	
6970	0.610	0.610	#1.013B/*0.323A	1.013B/*0.323A	----	0.564		NEW	.3982	----	2	----	----	1	+	
6980	0.476	0.476	#1.073B/*0.342A	1.073B/*0.342A	----	0.606		NEW	.4290	----	10	----	----	10	+	
7000	----	----	2.112B/1.341A	2.112B/1.341A	----	1.765		NEW	.4868	----	1	----	----	1	+	
7000	0.570	0.570	1.502B/0.548A	1.502B/0.548A	----	0.710	-	0.403	.5077	----	7	----	----	23	-	
7000	1.710	1.710	2.451B/1.600A	2.451B/1.600A	----	1.778	-	0.223	.5131	----	5	----	----	5	+	
7000	0.701	0.701	1.048B/*0.390A	1.048B/*0.390A	----	0.697	-	0.236	.4922	----	11	----	----	17	+	
7040	----	----	#1.240B/*0.502A	1.240B/*0.502A	----	0.911	-	0.221	.6189	----	----	----	----	1	UNCH	
7040	0.518	0.518	1.213B/*0.408A	1.213B/0.408A	----	0.524		NEW	.3810	----	4	----	----	4	+	
7050	----	----	1.322B/*0.534A	1.322B/*0.534A	----	0.971	-	0.215	.6492	----	2	----	----	2	+	
7050	0.560	0.560	1.141B/0.376A	1.141B/0.376A	----	0.484	-	0.382	.3507	----	3	----	----	6	-	
7060	0.754	0.754	1.075B/*0.350A	1.075B/0.350A	----	0.446		NEW	.3214	----	8	----	----	8	+	
7060	0.825	0.825	#1.391B/*0.569A	1.391B/*0.569A	----	1.033		NEW	.6785	----	6	----	----	6	+	
7080	0.440	0.440	1.007B/*0.298A	1.007B/0.298A	----	0.378		NEW	.2665	----	2	----	----	2	+	
7100	1.637	1.637	1.940B/1.198A	1.940B/1.198A	----	1.325	-	0.214	.4185	----	4	----	----	4	+	
7100	0.395	0.395	0.895B/0.255A	0.895B/0.255A	----	0.320	-	0.344	.2179	----	5	----	----	9	+	
7130	0.385	0.385	#0.736B/*0.204A	0.736B/*0.204A	----	0.247		NEW	.1564	----	14	----	----	14	+	
7150	----	----	2.142B/0.967A	2.142B/0.967A	----	1.695	-	0.129	.8761	----	----	----	----	1	UNCH	
7150	0.260	0.260	0.635B/0.174A	0.635B/0.174A	----	0.20.										

PG64	BULLETIN #114@				METALS OPTION PRODUCTS				Tue, Jun 16, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
TWS TUE	SILVER WEEKLY TUESDAY OPTION week3												
JUN26													
6800	0.150	0.150	0.150/*0.043A	0.150/*0.043A	----	0.000	NEW	----	----	2	----	0	UNCH
6800	----	----	3.200B/1.630A	3.200B/1.630A	----	2.013	-	0.326	----	1	----	0	- 1
6800	----	----	4.463B/3.757A	4.463B/3.757A	----	3.811	-	0.202	.6882	----	----	1	UNCH
6810	----	----	----/*0.043A	0.035B/*0.043A	----	0.000	-	0.173	----	----	----	0	- 1
6850	0.230	0.230	0.230/*0.043A	0.230/*0.043A	----	0.000	NEW	----	----	1	----	0	UNCH
6850	----	----	2.704B/1.150A	2.704B/1.150A	----	1.513	-	0.402	----	1	----	0	- 1
6880	0.350	0.350	0.350/*0.042A	0.350/*0.042A	----	0.000	NEW	----	----	6	----	0	UNCH
6880	----	----	2.407B/0.882A	2.407B/0.882A	----	1.213	-	0.462	10	----	----	0	- 10
6900	0.500	0.500	0.575/*0.046A	0.575/*0.046A	----	0.000	-	0.343	----	10	----	0	- 15
6950	----	----	1.703B/0.319A	1.703B/0.319A	----	0.513	-	0.658	1	----	----	0	- 1
6950	----	----	0.548B/*0.040A	0.548B/*0.040A	----	0.000	-	0.491	----	1	----	0	- 1
6980	----	----	----/*0.046A	0.585B/*0.046A	----	0.000	NEW	----	----	4	----	0	UNCH
6990	----	----	----/*0.048A	0.643B/*0.048A	----	0.000	NEW	----	----	2	----	0	UNCH
7000	0.555	0.555	1.230B/*0.102A	1.230B/*0.102A	----	0.013	-	0.856	5	3	----	0	- 3
7000	0.905	0.905	0.905/*0.049A	0.905/*0.049A	----	0.000	-	0.689	----	55	----	0	- 10
7000	----	----	2.131B/1.744A	2.131B/1.744A	----	2.025	-	0.052	.4455	----	----	1	UNCH
7050	0.470	0.470	0.793B/*0.030	0.793B/*0.030	----	0.000	-	0.624	----	6	----	0	- 7
7050	0.355	0.355	1.020B/*0.177A	1.020B/*0.177A	----	0.487	-	0.457	4	4	----	0	- 2
7060	0.050	0.050	0.714B/*0.020A	0.714B/*0.020A	----	0.000	NEW	----	----	1	----	0	UNCH
7070	----	----	1.223B/*0.228A	1.223B/*0.228A	----	0.687	-	0.375	1	----	----	0	- 1
7070	0.430	0.430	0.642B/*0.045A	0.642B/*0.045A	----	0.000	-	0.542	----	1	----	0	- 4
7100	0.391	0.391	1.475B/*0.335A	1.475B/*0.335A	----	0.987	-	0.268	4	2	----	0	- 3
7100	1.121	1.121	1.814B/1.068A	1.814B/1.068A	----	1.172	NEW	.4077	----	1	----	1	+ 1
7100	0.220	0.220	0.458B/*0.040A	0.458B/*0.040A	----	0.000	-	0.435	----	3	----	0	- 1
7100	----	----	#2.643B/2.008A	#2.643B/2.008A	----	2.059	-	0.227	.4823	----	----	2	UNCH
7110	----	----	0.437B/*0.038A	0.437B/*0.038A	----	0.000	-	0.404	----	----	----	0	- 1
7130	----	----	1.767B/*0.458A	1.767B/*0.458A	----	1.287	-	0.179	2	----	----	0	- 2
7150	2.200	2.200	2.766B/1.894A	2.766B/1.894A	----	2.474	NEW	.6418	----	1	----	1	+ 1
7150	0.121	0.121	0.238B/*0.042A	0.238B/*0.042A	----	0.000	-	0.296	----	3	----	0	- 1
7170	0.150	0.150	0.173B/*0.044A	0.173B/*0.044A	----	0.000	NEW	----	----	1	----	0	UNCH
7180	----	----	----/*0.012A	0.145B/*0.012A	----	0.000	-	0.233	----	----	----	0	- 1
7200	----	----	1.342B/0.778A	1.342B/0.778A	----	0.830	NEW	.3116	----	2	----	2	+ 2
7200	0.111	0.111	0.150/*0.044A	0.150/*0.044A	----	0.000	NEW	----	----	29	----	0	UNCH
7250	0.053	0.053	0.053/*0.045A	0.053/*0.045A	----	0.000	-	0.131	----	20	----	0	- 6
7250	1.065	1.065	1.151B/0.659A	1.151B/0.659A	----	0.696	NEW	.2690	----	3	----	3	+ 3
7250	----	----	2.977B/1.403A	2.977B/1.403A	----	2.487	+	0.036	30	----	----	0	- 30
7280	----	----	----/*0.044A	0.001B/*0.044A	----	0.000	-	0.101	----	----	----	0	- 2
7300	----	----	3.464B/1.865A	3.464B/1.865A	----	2.987	+	0.082	1	----	----	0	- 1
7300	0.620	0.620	0.983B/0.562A	0.983B/0.562A	----	0.583	NEW	.2307	----	1	----	1	+ 1
7320	----	----	----/*0.049A	0.001B/*0.049A	----	0.000	-	0.073	----	----	----	0	- 1
7400	----	----	----/0.046A	----	----	0.000	-	0.041	----	----	----	0	- 2
7450	----	----	0.599B/0.357A	0.599B/0.357A	----	0.347	NEW	.1427	----	2	----	2	+ 2
7450	----	----	----/*0.052A	----	----	0.000	-	0.029	----	----	----	0	- 1
7500	----	----	5.392B/4.704A	5.392B/4.704A	----	5.256	-	0.007	.7665	----	----	1	UNCH
7500	----	----	1.069B/0.881A	1.069B/0.881A	----	0.800	-	0.180	.2333	----	----	1	UNCH
7500	----	----	5.505B/3.831A	5.505B/3.831A	----	4.987	+	0.146	2	----	----	0	- 2
7500	0.280	0.280	0.500B/0.280	0.500B/0.280	----	0.294	NEW	.1214	----	2	----	2	+ 2
7600	----	----	----/0.063A	----	----	0.000	-	0.009	----	----	----	0	- 2
7650	----	----	7.013B/5.327A	7.013B/5.327A	----	6.487	+	0.162	----	----	----	0	UNCH
7750	----	----	----/0.042A	----	----	0.000	-	0.002	----	----	----	0	- 12
7950	----	----	#10.021B/8.324A	10.021B/8.324A	----	9.487	+	0.166	1	1	----	0	- 2
8000	----	----	0.003B/----	0.003B/0.041A	----	0.000	-	0.001	----	----	----	0	- 1
8000	----	----	----/*0.120A	0.099B/0.120A	----	0.086	-	0.060	.0314	----	----	1	UNCH
8000	----	----	----/*0.317A	0.332B/0.317A	----	0.289	-	0.091	.0887	----	----	1	UNCH
8150	----	----	#12.003B/10.323	12.003B/10.323A	----	11.487	+	0.167	----	1	----	0	- 1
10000	----	----	----	0.001B/0.104A	----	0.013	-	0.009	.0026	----	----	2	UNCH
TOTAL										209	0	32	- 233

COPPER OPTIONS ON FUTURES														
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
HMW MON JUN26	COPPER WEEKLY MONDAY OPTION WEEK5													
525	----	----	----	----/0.0085A	----	0.0005	UNCH	.0002	----	----	----	10	UNCH	
590	----	----	----	----	----	0.5960	UNCH	----	----	----	----	0	UNCH	
624	----	----	----	----	----	0.2560	UNCH	----	----	----	----	0	UNCH	
625	0.0210	0.0210	0.0135B/----	0.0135B/*0.0145	----	0.0100	- 0.0030	.0846	----	----	----	3	UNCH	
630	----	----	0.0230B/*0.0200	0.0230B/*0.0200	----	0.0150	NEW	.1271	----	5	----	5	+	
630	----	----	0.0390B/----	0.0390B/*0.0350	----	0.0320	- 0.0030	.1758	----	----	----	6	UNCH	
630	----	----	----	----	----	0.1960	UNCH	----	----	----	----	0	UNCH	
637	----	----	----	----	----	0.1260	UNCH	----	----	----	----	0	UNCH	
640	----	----	0.0550B/*0.0360	0.0550B/*0.0360	----	0.0345	- 0.0060	.2720	----	----	----	3	UNCH	
640	----	----	0.0700B/*0.0545	0.0700B/*0.0545	----	0.0530	- 0.0050	.2722	----	----	----	1	UNCH	
640	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH	
645	----	----	----	----	----	0.0960	UNCH	----	----	----	----	0	UNCH	
647	----	----	----	----	----	0.0460	UNCH	----	----	----	----	0	UNCH	
648	----	----	----	----	----	0.0260	UNCH	----	----	----	----	0	UNCH	
649	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH	
650	----	----	0.0830B/0.0615A	0.0830B/0.0615A	----	0.0000	UNCH	----	----	----	----	0	UNCH	
650	----	----	----	----	----	0.0765	- 0.0015	.5132	----	----	----	5	UNCH	
650	----	----	----	----	----	0.0040	UNCH	----	----	----	----	0	UNCH	
651	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH	
653	----	----	----	----	----	0.0140	UNCH	----	----	----	----	0	UNCH	
654	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH	
655	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH	
660	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH	
665	----	----	----	----	----	0.0000	UNCH	----	----	----	----	0	UNCH	
670	----	----	----	0.0120B/0.0200A	----	0.0000	UNCH	----	----	----	----	2	UNCH	
680	----	----	----	0.0030B/0.0130A	----	0.0180	- 0.0020	.1513	----	----	----	1	UNCH	
680	----	----	----	0.0090	----	0.0090	- 0.0020	.0746	----	1	----	28	UNCH	
680	----	----	----/0.0410A	0.0405B/0.0410A	----	0.0420	- 0.0015	.2277	----	1	----	2	+	
775	----	----	----	----/0.0110A	----	0.0010	- 0.0005	.0054	----	----	----	10	UNCH	
TOTAL										7		75	+	
JUL26														
580	0.0140	0.0140	0.0140/*0.0120A	0.0140/*0.0120A	----	0.0075	NEW	.0352	----	1	----	1	+	
TOTAL										1		1	+	
HMW THU JUN26	COPPER WEEKLY THURSDAY OPT week3													
500	----	----	----	----/0.0080A	----	0.0005	UNCH	----	----	----	----	1	UNCH	
585	----	----	----	----/0.0080A	----	0.0005	UNCH	----	----	----	----	1	UNCH	
600	----	----	----	----/0.0085A	----	0.0005	UNCH	----	----	----	----	2	UNCH	
610	----	----	----	----/*0.0090A	----	0.0005	UNCH	.0000	----	----	----	15	UNCH	
615	----	----	----	----/*0.0095A	----	0.0005	UNCH	.0002	----	----	----	10	UNCH	
620	----	----	----	0.0005B/*0.0105	----	0.0005	- 0.0010	.0014	----	----	----	10	UNCH	
625	----	----	----	0.0010B/*0.0115	----	0.0015	- 0.0025	.0099	----	----	----	4	UNCH	
625	----	----	0.2795B/0.2010A	0.2795B/0.2010A	----	0.2550	+	0.0050	.9900	----	----	1	UNCH	
634	0.0125	0.0125	#0.0160B/*0.012	0.0160B/*0.0125	----	0.0070	NEW	.0648	----	1	----	1	+	
635	0.0145	0.0145	0.0185B/*0.0100	0.0185B/*0.0100	----	0.0085	- 0.0070	.0798	----	2	----	9	+	
640	0.0230	0.0230	0.0370B/*0.0230	0.0370B/*0.0230	----	0.0170	NEW	.1704	----	1	----	1	+	
640	0.1400	0.1400	0.1405B/0.0920A	0.1405B/0.0920A	----	0.1205	- 0.0025	.8294	----	5	----	21	UNCH	
642	----	----	0.0465B/*0.0285	0.0465B/*0.0285	----	0.0215	- 0.0110	.2188	----	----	----	1	UNCH	
645	----	----	0.0620B/*0.0360	0.0620B/*0.0360	----	0.0300	- 0.0135	.3062	----	----	----	2	UNCH	
645	----	----	----/0.0665A	0.0790B/0.0665A	----	0.0835	- 0.0060	.6937	----	----	----	2	UNCH	
650	0.0925	0.0925	0.0925/*0.0535A	0.0925/*0.0535A	----	0.0510	- 0.0155	.4837	----	2	----	3	+	
650	----	----	0.0665B/0.0470A	0.0665B/0.0470A	----	0.0545	- 0.0080	.5162	----	----	----	2	UNCH	
652	----	----	#0.0955B/*0.062	0.0955B/*0.0625	----	0.0615	- 0.0160	.5573	----	----	----	1	UNCH	
654	0.0330	0.0330	0.0465B/*0.0330	0.0465B/*0.0330	----	0.0370	NEW	.3720	----	2	----	2	+	
655	0.0760	0.0760	0.1325B/*0.0760	0.1325B/*0.0760	----	0.0800	- 0.0160	.6611	----	1	----	2	+	
660	----	----	----/0.0245A	0.0220B/0.0245A	----	0.0200	- 0.0075	.1997	----	----	----	4	UNCH	
662	----	----	----/*0.0225A	0.0165B/*0.0225	----	0.0160	- 0.0070	.1567	----	----	----	1	UNCH	
665	0.0150	0.0150	0.0150/0.0150	0.0150/0.0150	----	0.0115	NEW	.1073	----	1	----	1	+	
670	----	----	----	0.0030B/0.0140A	----	0.0060	- 0.0050	.0503	----	----	----	1	UNCH	
671	----	----	----	0.0020B/*0.0135	----	0.0055	- 0.0045	.0447	----	----	----	1	UNCH	
675	----	----	----	0.0005B/0.0120A	----	0.0035	- 0.0035	.0250	----	----	----	2	UNCH	
680	----	----	----	----/0.0115A	----	0.0020	- 0.0025	.0119	----	----	----	1	UNCH	
681	----	----	----	----/0.0120A	----	0.0015	- 0.0025	.0085	----	----	----	2	UNCH	
690	----	----	----	----/0.0105A	----	0.0005	- 0.0010	.0010	----	----	----	3	UNCH	
695	----	----	----	----/0.0100A	----	0.0005	- 0.0005	.0002	----	----	----	32	UNCH	
700	----	----	----	----/0.0095A	----	0.0005	UNCH	.0000	----	----	----	1	UNCH	
710	----	----	----	----/0.0090A	----	0.0005	UNCH	----	----	----	----	1	UNCH	

BULLETIN #114@				METALS OPTION PRODUCTS										Tue, Jun 16, 2026				PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
HWR THU		COPPER WEEKLY THURSDAY OPT week3																	
TOTAL													15			141+	8		
JUL26																			
500	----	----	----	----	----/*0.0005A	----	----	0.0005	UNCH	----	----	----	----	12	UNCH				
500	----	----	----	----	----/0.0080A	----	----	0.0005	UNCH	----	----	----	----	19	UNCH				
550	----	----	----	----	----/*0.0100A	----	----	0.0025	UNCH	----	----	----	----	1	UNCH				
615	----	----	----	0.0320B/----	0.0320B/0.0305A	----	----	0.0275	- 0.0025	----	----	----	----	25	UNCH				
620	----	----	----	0.0420B/*0.0370	0.0420B/*0.0370	----	----	0.0345	- 0.0030	----	----	----	----	10	UNCH				
640	----	----	----	0.1050B/*0.0815	0.1050B/*0.0815	----	----	0.0830	- 0.0055	----	----	----	----	4	UNCH				
640	0.2415	0.2415		0.2625B/0.2185A	0.2625B/0.2185A	----	----	0.2495	+ 0.0030	----	----	1	----	2	+	1			
650	----	----	----	0.1990B/0.1625A	0.1990B/0.1625A	----	----	0.1885	+ 0.0005	----	----	----	----	11	UNCH				
660	----	----	----	0.2080B/0.1665A	0.2080B/0.1665A	----	----	0.1735	- 0.0080	----	----	----	----	20	UNCH				
715	----	----	----	----/0.0355A	0.0325B/0.0355A	----	----	0.0355	- 0.0015	----	----	----	----	1	UNCH				
800	----	----	----	----	----/0.0120A	----	----	0.0010	- 0.0005	----	----	----	----	26	UNCH				
TOTAL													1		131+	1			
HWT TUE		COPPER WEEKLY TUESDAY OPTION week5																	
JUN26																			
500	----	----	----	----	----/0.0080A	----	----	0.0005	UNCH	----	----	----	----	19	UNCH				
550	----	----	----	----	----/0.0080A	----	----	0.0000	- 0.0005	----	----	----	----	0	-	1			
590	----	----	----	----	----/0.0095A	----	----	0.0005	- 0.0005	0036	----	----	----	1	UNCH				
590	----	----	----	----	----/0.0080A	----	----	0.0000	- 0.0005	----	----	----	----	0	-	1			
610	----	----	----	0.0040B/0.0110A	0.0040B/0.0110A	----	----	0.0035	- 0.0020	0280	----	----	----	1	UNCH				
610	----	----	----	----/0.0080A	0.0000	----	----	0.0000	- 0.0005	0443	----	1	----	0	-	15			
615	----	----	----	0.0075B/0.0130A	0.0075B/0.0130A	----	----	0.0055	- 0.0030	0443	----	1	----	2	+	1			
615	----	----	----	----/0.0080A	0.0000	----	----	0.0000	- 0.0005	----	----	----	----	0	-	10			
615	----	----	0.3770B/0.2885A	0.3770B/0.2885A	0.3535	+	0.0070	0.0090	- 0.0040	0711	----	1	----	0	-	9			
620	0.0110	0.0110	0.0110/*0.0110	0.0125B/*0.0110	0.0090	+	0.0040	0.0090	- 0.0040	0711	----	1	----	17	+	1			
620	----	----	----/0.3745A	0.3715B/0.3745A	0.3910	+	0.0060	0.3910	+	0.0060	8724	----	----	1	UNCH				
620	----	----	----	----/*0.0080A	0.0000	----	----	0.0000	- 0.0005	----	----	----	----	0	-	1			
622	----	----	----	----/0.0080A	0.0000	----	----	0.0000	- 0.0005	----	----	----	----	0	-	1			
625	----	----	0.0395B/*0.0340	0.0395B/*0.0340	0.0315	NEW	----	0.0315	NEW	1592	----	1	----	1	+	1			
625	----	----	----	----/*0.0080A	0.0000	----	----	0.0000	- 0.0005	----	----	----	----	0	-	1			
630	----	----	0.0310B/*0.0255	0.0310B/*0.0255	0.0205	-	0.0065	0.0205	-	0.0065	1549	----	----	2	UNCH				
630	----	----	----/0.2640A	0.2840B/0.2640A	0.3070	+	0.0050	0.3070	+	0.0050	8018	----	----	11	UNCH				
630	----	----	----	----/*0.0080A	0.0000	----	----	0.0000	- 0.0005	----	1	----	----	0	-	2			
635	----	----	0.0465B/*0.0330	0.0465B/*0.0330	0.0295	-	0.0085	0.0295	-	0.0085	2163	----	----	1	UNCH				
635	----	----	0.0680B/*0.0525	0.0680B/*0.0525	0.0520	NEW	----	0.0520	NEW	2430	----	1	----	1	+	1			
635	----	----	----	----/*0.0065A	0.0000	----	----	0.0000	- 0.0010	----	----	----	----	0	-	31			
637	----	----	----	0.0010B/*0.0080	0.0000	----	----	0.0000	- 0.0015	----	----	----	----	0	-	1			
640	0.0105	0.0105	0.0105/*0.0075A	0.0105/*0.0075A	0.0000	NEW	----	0.0000	NEW	----	1	----	----	0	UNCH				
640	----	----	0.1270B/0.0585A	0.1270B/0.0585A	0.1035	+	0.0035	0.1035	+	0.0035	20	----	----	0	-	20			
642	0.0220	0.0220	0.0220/*0.0080A	0.0220/*0.0080A	0.0000	NEW	----	0.0000	NEW	----	1	----	----	0	UNCH				
643	----	----	0.0170B/*0.0080	0.0170B/*0.0080	0.0000	NEW	----	0.0000	NEW	----	1	----	----	0	UNCH				
645	0.0835	0.0835	0.0895B/*0.0600	0.0895B/*0.0600	0.0595	NEW	3865	0.0595	NEW	3865	----	1	----	1	+	1			
645	----	----	0.0770B/0.0310A	0.0770B/0.0310A	0.0535	-	0.0055	0.0535	-	0.0055	1	----	----	0	-	1			
646	0.0425	0.0425	0.0675B/0.0275A	0.0675B/0.0275A	0.0435	NEW	----	0.0435	NEW	----	1	----	2	----	0	UNCH			
647	0.0050	0.0050	0.0430B/*0.0050	0.0430B/*0.0050	0.0000	-	0.0200	0.0000	-	0.0200	----	1	----	0	-	1			
648	0.0070	0.0070	0.0510B/*0.0070	0.0510B/*0.0070	0.0000	-	0.0240	0.0000	-	0.0240	----	1	----	0	-	2			
650	----	----	0.0935B/0.0700A	0.0935B/0.0700A	0.0855	-	0.0040	0.0855	-	0.0040	5130	----	----	3	UNCH				
650	----	----	0.1785B/0.1415A	0.1785B/0.1415A	0.1690	+	0.0020	0.1690	+	0.0020	5911	----	----	2	UNCH				
650	0.0040	0.0040	0.0680B/*0.0040	0.0680B/*0.0040	0.0000	-	0.0340	0.0000	-	0.0340	----	1	----	0	-	3			
650	0.0200	0.0200	0.0300B/0.0160A	0.0300B/0.0160A	0.0035	-	0.0265	0.0035	-	0.0265	11	----	1	----	0	-			
651	0.0145	0.0145	0.0210B/*0.0040	0.0210B/*0.0040	0.0000	-	0.0255	0.0000	-	0.0255	----	3	----	0	-	3			
654	0.0050	0.0050	0.0050/*0.0050	0.0050/*0.0050	0.0000	NEW	----	0.0000	NEW	----	2	----	----	0	UNCH				
655	0.0075	0.0075	0.0075/*0.0075	0.0075/*0.0075	0.0000	NEW	----	0.0000	NEW	----	10	----	----	0	UNCH				
659	----	----	----/0.0080A	0.0000	0.0000	-	0.0055	0.0000	-	0.0055	----	----	----	0	-	2			
660	----	----	0.1275B/0.1010A	0.1275B/0.1010A	0.1185	+	0.0005	0.1185	+	0.0005	4687	----	----	1	UNCH				
660	----	----	----/*0.0080A	0.0000	0.0000	-	0.0045	0.0000	-	0.0045	----	----	----	0	-	1			
665	----	----	----/0.0315A	0.0310B/0.0315A	0.0310	-	0.0045	0.0310	-	0.0045	2354	----	----	1	UNCH				
670	----	----	----/0.0250A	0.0195B/0.0250A	0.0215	-	0.0045	0.0215	-	0.0045	1700	1	----	2	+	1			
670	----	----	0.0855B/0.0700A	0.0855B/0.0700A	0.0805	-	0.0005	0.0805	-	0.0005	3528	----	----	2	UNCH				
675	----	----	----	----/0.0080A	0.0000	----	----	0.0000	- 0.0005	----	----	----	----	0	-	7			
680	----	----	----	----/0.0080A	0.0000	----	----	0.0000	- 0.0005	----	----	----	----	0	-	4			
690	----	----	----	----/0.0080A	0.0000	----	----	0.0000	- 0.0005	----	----	----	----	0	-	51			
695	----	----	----	----/0.0080A	0.0000	----	----	0.0000	- 0.0005	----	----	----	----	0	-	48			
700	----	----	----	----/0.1115A	0.0030	-	0.0020	0.0030	-	0.0020	0227	----	----	3	UNCH				
700	----	----	----	----/0.0080A	0.0000	----	----	0.0000	- 0.0005	----	----	----	----	0	-	33			
735	----	----	----	----/0.0100A	0.0005	-	0.0005	0.0005	-	0.0005	0019	----	----	1	UNCH				
TOTAL													31		73-	263			
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK																	
JUN26																			
500	----	----	----	----	----/0.0080A	----	----	0.0005	UNCH	----	----	----	----	26	UNCH				
570	----	----	----	----	----/0.0050A	----	----	0.0005	UNCH	----	----	----</							

BULLETIN #114@				METALS OPTION PRODUCTS								Tue, Jun 16, 2026				PG64	
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST					
COPPER WEEKLY WEDNESDAY OPTION WEEK																	
AUG26																	
559	----	----	----	0.0175B/*0.0315	----	0.0250 + 0.0005	.0696	----	----	----	----	1	UNCH				
599	----	----	----	----	----	0.6510 + 0.0085	.8160	----	----	----	----	10	UNCH				
606	----	----	0.0935B/----	0.0935B/*0.0950	----	0.0920 UNCH	.2120	----	----	----	----	1	UNCH				
630	----	----	0.1775B/0.1660A	0.1775B/0.1660A	----	0.1660 - 0.0010	.3302	----	----	----	----	3	UNCH				
630	----	----	0.4405B/0.3955A	0.4405B/0.3955A	----	0.4315 + 0.0070	.6686	----	----	----	----	4	UNCH				
640	----	----	0.3805B/0.3425A	0.3805B/0.3425A	----	0.3735 + 0.0065	.6138	----	----	----	----	1	UNCH				
650	----	----	0.3265B/0.2955A	0.3265B/0.2955A	----	0.3220 + 0.0060	.5580	----	----	----	----	14	UNCH				
TOTAL													34				
SEP26																	
550	----	----	----	0.0245B/*0.0395	----	0.0330 + 0.0010	.0737	----	----	----	----	1	UNCH				
650	----	----	0.4465B/0.4120A	0.4465B/0.4120A	----	0.4415 + 0.0070	.5946	----	----	----	----	1	UNCH				
750	----	----	----/0.1235A	0.1215B/0.1235A	----	0.1285 + 0.0035	.2336	----	----	----	----	2	UNCH				
850	----	----	----	0.0275B/0.0430A	----	0.0380 + 0.0015	.0794	----	----	----	----	1	UNCH				
TOTAL													5				
COMEX COPPER OPTIONS																	
JUL26																	
500	----	----	----	1.4675B/1.5230A	----	1.5040 + 0.0075	.9969	----	----	----	----	7	UNCH				
525	----	----	----	----	----	1.2540 + 0.0075	.9946	----	----	----	----	1	UNCH				
530	----	----	----	1.1680B/1.2235A	----	1.2045 + 0.0080	.9944	----	----	----	----	6	UNCH				
540	----	----	1.0685B/1.1235A	----	----	1.1045 + 0.0075	.9939	----	----	----	----	18	UNCH				
545	----	----	----	----	----	1.0550 + 0.0080	.9919	----	----	----	----	1	UNCH				
550	----	----	----	----	----	1.0050 + 0.0075	.9915	----	----	----	----	2	UNCH				
555	----	----	----	0.9190B/0.9740A	----	0.9550 + 0.0075	.9911	----	----	----	----	116	UNCH				
560	----	----	----/0.8970A	0.8945B/0.8970A	----	0.9055 + 0.0080	.9887	----	----	----	----	2	UNCH				
570	----	----	----/0.7945A	0.7975B/0.7945A	----	0.8055 + 0.0075	.9874	----	----	----	----	157	UNCH				
574	----	----	----	0.7295B/0.7845A	----	0.7655 + 0.0075	.9868	----	----	----	----	5	UNCH				
575	----	----	----/0.7450A	0.7470B/0.7450A	----	0.7560 + 0.0080	.9866	----	----	----	----	18	UNCH				
580	----	----	----/0.6965A	0.6975B/0.6965A	----	0.7060 + 0.0075	.9835	----	----	----	----	123	UNCH				
585	----	----	----/0.6440A	0.6490B/0.6440A	----	0.6565 + 0.0075	.9801	----	----	----	----	318	UNCH				
590	----	----	----/0.5980A	0.5985B/0.5980A	----	0.6070 + 0.0075	.9763	----	----	----	----	103	UNCH				
591	----	----	----	----	----	0.5970 + 0.0070	.9759	----	----	----	----	3	UNCH				
593	----	----	----	----	----	0.5775 + 0.0070	.9752	----	----	----	----	1	UNCH				
594	----	----	----	----	----	0.5675 + 0.0065	.9724	----	----	----	----	2	UNCH				
595	----	----	----/0.5490A	0.5500B/0.5490A	----	0.5575 + 0.0065	.9720	----	----	----	----	29	UNCH				
597	----	----	----	----	----	0.5380 + 0.0060	.9687	----	----	----	----	1	UNCH				
598	----	----	----	----	----	0.5285 + 0.0060	.9682	----	----	----	----	1	UNCH				
599	----	----	----	----	----	0.5185 + 0.0055	.9653	----	----	----	----	2	UNCH				
600	0.4650	0.4650	0.5315B/0.4650	0.5315B/0.4650	----	0.5090 + 0.0060	.9647	----	5	----	----	543 +	1				
602	----	----	----/0.4685A	0.4540B/0.4685A	----	0.4895 + 0.0060	.9611	----	----	----	----	83	UNCH				
603	----	----	----/0.4670A	0.3695B/0.4670A	----	0.4795 + 0.0055	.9580	----	----	----	----	3	UNCH				
605	----	----	----/0.4495A	0.4530B/0.4495A	----	0.4605 + 0.0060	.9541	----	----	----	----	41	UNCH				
610	----	----	0.4310B/0.4030A	0.4310B/0.4030A	----	0.4125 + 0.0060	.9376	----	1	----	----	213 -	1				
615	----	----	0.3885B/0.3545A	0.3885B/0.3545A	----	0.3655 + 0.0060	.9172	----	----	----	----	465	UNCH				
620	----	----	0.3360B/0.3115A	0.3360B/0.3115A	----	0.3200 + 0.0055	.8905	----	----	----	----	187	UNCH				
625	----	----	0.2965B/0.2645A	0.2965B/0.2645A	----	0.2755 + 0.0045	.8532	----	----	----	----	386	UNCH				
630	0.2000	0.2000	0.2540B/0.1915A	0.2540B/0.1915A	----	0.2340 + 0.0035	.8059	----	1	----	----	455 -	1				
635	----	----	0.2085B/0.1590A	0.2085B/0.1590A	----	0.1950 + 0.0025	.7464	----	----	----	----	224	UNCH				
640	----	----	0.1755B/0.1245A	0.1755B/0.1245A	----	0.1600 + 0.0015	.6752	----	4	----	----	1406	UNCH				
645	0.1085	0.1085	0.1435B/0.0990A	0.1435B/0.0990A	----	0.1295 + 0.0015	.5957	----	3	----	----	562 -	2				
650	0.0920	0.0920	0.1180B/0.0785A	0.1180B/0.0785A	----	0.1030 + 0.0010	.5131	----	5	----	----	1009 -	2				
655	0.0870	0.0870	0.0945B/0.0610A	0.0945B/0.0610A	----	0.0805 + 0.0005	.4313	----	328	----	----	630 +	180				
660	0.0480	0.0480	0.0725B/0.0465A	0.0725B/0.0465A	----	0.0615 - 0.0005	.3531	----	24	----	----	675 -	17				
665	0.0335	0.0335	0.0555B/0.0335	0.0555B/0.0335	----	0.0465 - 0.0015	.2825	----	30	----	----	293 +	2				
670	0.0375	0.0375	0.0420B/0.0270A	0.0420B/0.0270A	----	0.0345 - 0.0030	.2205	----	36	----	----	498 +	33				
675	0.0220	0.0220	0.0310/0.0215A	0.0310/0.0215A	----	0.0255 - 0.0040	.1693	----	32	----	----	852 -	1				
679	0.0220	0.0220	0.0245B/0.0175A	0.0245B/0.0175A	----	0.0200 - 0.0045	.1358	----	6	----	----	44 +	3				
680	----	----	----/0.0170A	0.0230B/0.0170A	----	0.0190 - 0.0045	.1291	----	3	----	----	297	UNCH				
681	0.0165	0.0165	0.0165/0.0160A	0.0215B/0.0160A	----	0.0180 - 0.0045	.1226	----	1	----	----	69 -	1				
684	0.0155	0.0155	0.0185/0.0140A	0.0185/0.0140A	----	0.0150 - 0.0050	.1033	----	302	----	----	548 +	301				
685	0.0175	0.0175	0.0175/0.0135A	0.0175/0.0135A	----	0.0145 - 0.0045	.0993	----	25	----	----	403 +	24				
686	0.0165	0.0165	0.0165/0.0125A	0.0165/0.0125A	----	0.0135 - 0.0050	.0931	----	2	----	----	87 -	2				
689	----	----	----/*0.0105A	0.0145B/*0.0105	----	0.0120 - 0.0045	.0817	----	----	----	----	111	UNCH				
690	----	----	----/*0.0100A	0.0140B/*0.0100	----	0.0115 - 0.0045	.0780	----	1	----	----	612 -	1				
691	----	----	----/*0.0095A	0.0135B/*0.0095	----	0.0110 - 0.0045	.0744	----	----	----	----	122	UNCH				
694	----	----	----/*0.0080A	0.0120B/*0.0080	----	0.0095 - 0.0040	.0640	----	1	----	----	65 +	1				
695	----	----	----/*0.0080A	0.0120B/*0.0080	----	0.0095 - 0.0040	.0631	----	----	----	----	176	UNCH				
699	0.0065	0.0065	0.0085/*0.0065	0.0100B/*0.0065	----	0.0080 - 0.0035	.0525	----	4	----	----	60 +	2				
700	----	----	----/*0.0065A	0.0100B/*0.0065	----	0.0080 - 0.0035	.0518	----	----	----	----	1331	UNCH				
701	----	----	----/*0.0060A	0.0095B/*0.0060	----	0.0075 - 0.0035	.0487	----	----	----	----	48	UNCH				
704	----	----	----/*0.0055A	0.0085B/*0.0055	----	0.0070 - 0.0030	.0444	----	----	----	----	91	UNCH				
705	0.0050	0.0050	0.0050/*0.0050	0.0085B/*0.0050	----	0.0065 - 0.0035	.0414	----	3	----	----	160	UNCH				
709	0.0045	0.0045	0.0045/*0.0045	0.0075B/*0.0045	----	0.0060 - 0.0025	.0371	----	2	----	----	37 +	2				
710	----	----	----/*0.0045A	0.0070B/*0.0045	----	0.0055 - 0.0030	.0342	----	----	----	----	397	UNCH				
715	0.0045	0.0045	0.0045/*0.0040A	0.0065B/*0.0040	----	0.0050 - 0.0025	.0299	----	2	----	----	174	UNCH				
720	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0035	----	0.0040 - 0.0025	.0237	----	2	----	----	358 -	2				
725	----	----	----/*0.0030A	0.0035/*0.0030A	----	0.0035 - 0.0025	.0202	----	----	----	----	1299	UNCH				
730	0.0025	0.0025	0.0025/*0.0025	0.0025/*0.0025	----	0.0030 - 0											



BULLETIN #114@				METALS OPTION PRODUCTS							Tue, Jun 16, 2026			PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
HX CALL	COMEX COPPER OPTIONS													
AUG26														
875	----	----	----	0.0065B/0.0085A	----	0.0080	+ 0.0005	.0227	----	----	----	62	UNCH	
900	----	----	----	0.0010B/0.0105A	----	0.0065	+ 0.0005	.0181	----	----	----	134	UNCH	
925	----	----	----	0.0005B/0.0095A	----	0.0055	+ 0.0005	.0149	----	----	----	3	UNCH	
950	----	----	----	0.0015B/0.0085A	----	0.0040	UNCH	.0109	----	----	----	63	UNCH	
975	----	----	----	----/0.0050A	----	0.0035	UNCH	.0093	----	----	----	62	UNCH	
TOTAL										507		12140	+	254
SEP26														
495	----	----	----	----	----	1.6200	+ 0.0075	.9771	----	----	----	2	UNCH	
500	----	----	----	1.5145B/1.6090A	----	1.5710	+ 0.0075	.9745	----	----	----	5	UNCH	
510	----	----	----	----	----	1.4735	+ 0.0075	.9683	----	----	----	2	UNCH	
535	----	----	----	----	----	1.2345	+ 0.0075	.9437	----	----	----	1	UNCH	
565	----	----	----	----	----	0.9620	+ 0.0080	.8877	----	----	----	1	UNCH	
575	----	----	----	0.8145B/0.9140A	----	0.8770	+ 0.0085	.8619	----	----	----	100	UNCH	
595	----	----	----	0.6540B/0.7550A	----	0.7170	+ 0.0080	.7968	----	----	----	5	UNCH	
600	----	----	-----/0.6360A	0.6440B/0.6360A	----	0.6800	+ 0.0080	.7781	----	----	----	221	UNCH	
610	----	----	0.6215B/0.5660A	0.6215B/0.5660A	----	0.6085	+ 0.0070	.7383	----	----	----	31	UNCH	
615	----	----	0.5870B/0.5345A	0.5870B/0.5345A	----	0.5750	+ 0.0065	.7171	----	----	----	9	UNCH	
620	----	----	0.5590B/0.5045A	0.5590B/0.5045A	----	0.5425	+ 0.0060	.6952	----	----	----	187	UNCH	
625	----	----	0.5270B/0.4760A	0.5270B/0.4760A	----	0.5115	+ 0.0055	.6729	----	----	----	631	UNCH	
630	----	----	0.4920B/0.4485A	0.4920B/0.4485A	----	0.4820	+ 0.0055	.6499	----	----	----	51	UNCH	
635	----	----	0.4635B/0.4205A	0.4635B/0.4205A	----	0.4535	+ 0.0050	.6267	----	----	----	90	UNCH	
640	----	----	0.4400B/0.3905A	0.4400B/0.3905A	----	0.4265	+ 0.0045	.6035	----	----	----	1085	UNCH	
645	----	----	0.4140B/0.3680A	0.4140B/0.3680A	----	0.4015	+ 0.0050	.5801	----	----	----	200	UNCH	
650	----	----	0.3905B/0.3460A	0.3905B/0.3460A	----	0.3770	+ 0.0045	.5568	----	----	----	383	UNCH	
655	----	----	0.3650B/0.3245A	0.3650B/0.3245A	----	0.3545	+ 0.0045	.5337	----	----	----	25	UNCH	
660	----	0.3065	0.3420B/0.3045A	0.3420B/0.3045A	----	0.3330	+ 0.0045	.5109	----	----	----	105	UNCH	
665	0.3065	0.3065	0.3210B/0.2865A	0.3210B/0.2865A	----	0.3130	+ 0.0045	.4886	----	4	----	86	+	4
670	----	----	0.3025B/0.2685A	0.3025B/0.2685A	----	0.2940	+ 0.0045	.4667	----	----	----	281	UNCH	
675	----	----	0.2835B/0.2515A	0.2835B/0.2515A	----	0.2760	+ 0.0045	.4454	----	101	----	607	+	100
680	----	----	0.2660B/0.2365A	0.2660B/0.2365A	----	0.2590	+ 0.0045	.4246	----	----	----	1465	UNCH	
685	----	----	0.2470B/0.2215A	0.2470B/0.2215A	----	0.2430	+ 0.0045	.4045	----	27	----	104	+	25
690	----	----	0.2330B/0.2075A	0.2330B/0.2075A	----	0.2280	+ 0.0045	.3850	----	----	----	979	UNCH	
695	----	----	0.2155B/0.1940A	0.2155B/0.1940A	----	0.2135	+ 0.0045	.3660	----	----	----	100	UNCH	
700	0.1800	0.1800	0.2030B/0.1800	0.2030B/0.1800	----	0.1995	+ 0.0040	.3475	----	51	55	12348	+	50
705	----	----	0.1895B/0.1695A	0.1895B/0.1695A	----	0.1865	+ 0.0040	.3296	----	----	----	464	UNCH	
710	----	----	0.1770B/0.1585A	0.1770B/0.1585A	----	0.1740	+ 0.0035	.3123	----	----	----	491	UNCH	
715	----	----	0.1645B/0.1480A	0.1645B/0.1480A	----	0.1625	+ 0.0030	.2957	----	----	----	96	UNCH	
720	----	----	0.1530B/0.1380A	0.1530B/0.1380A	----	0.1520	+ 0.0030	.2801	----	----	----	154	UNCH	
725	----	----	0.1435B/0.1295A	0.1435B/0.1295A	----	0.1415	+ 0.0025	.2646	----	----	----	231	UNCH	
730	----	----	0.1335B/0.1210A	0.1335B/0.1210A	----	0.1325	+ 0.0030	.2504	----	----	----	120	UNCH	
735	----	----	0.1235B/0.1125A	0.1235B/0.1125A	----	0.1235	+ 0.0025	.2364	----	----	----	1	UNCH	
740	0.1100	0.1100	0.1150B/0.1050A	0.1150B/0.1050A	----	0.1155	+ 0.0025	.2235	----	1	----	1214	+	1
750	----	----	0.1000B/0.0920A	0.1000B/0.0920A	----	0.1005	+ 0.0020	.1989	----	----	----	735	UNCH	
760	----	----	----/0.0805A	0.0855B/0.0805A	----	0.0880	+ 0.0025	.1773	----	----	----	168	UNCH	
775	----	----	----/0.0665A	0.0685B/0.0665A	----	0.0715	+ 0.0015	.1482	----	101	----	9296	+	51
790	----	----	----/0.0550A	0.0555B/0.0550A	----	0.0585	+ 0.0015	.1241	----	----	----	76	UNCH	
800	0.0500	0.0500	0.0500/0.0485A	0.0500/0.0485A	----	0.0510	+ 0.0010	.1099	----	51	----	1488	+	51
810	----	----	----/0.0435A	0.0420B/0.0435A	----	0.0445	+ 0.0005	.0973	----	----	----	1	UNCH	
825	0.0370	0.0370	0.0370/0.0370	0.0370/0.0360A	----	0.0365	+ 0.0005	.0813	----	2	----	131	UNCH	
850	----	----	----	0.0240B/0.0270A	----	0.0270	+ 0.0005	.0613	----	----	----	3	UNCH	
875	----	----	----	0.0165B/0.0230A	----	0.0205	+ 0.0005	.0471	----	----	----	3	UNCH	
900	----	----	----	0.0115B/0.0190A	----	0.0155	UNCH	.0360	----	----	----	579	UNCH	
925	----	----	----	0.0080B/0.0150A	----	0.0120	UNCH	.0281	----	----	----	1	UNCH	
950	----	----	----	0.0060B/0.0140A	----	0.0095	UNCH	.0223	----	----	----	1	UNCH	
975	----	----	----	0.0040B/0.0095A	----	0.0080	UNCH	.0185	----	----	----	17	UNCH	
TOTAL									55	338		34374	+	282
OCT26														
500	----	----	----	----	----	1.6665	+ 0.0090	.9614	----	----	----	2	UNCH	
575	----	----	----	----	----	0.9905	+ 0.0090	.8453	----	----	----	2	UNCH	
600	----	----	-----/0.7540A	0.7445B/0.7540A	----	0.7995	+ 0.0085	.7723	----	----	----	40	UNCH	
605	----	----	0.7615B/0.7200A	0.7615B/0.7200A	----	0.7640	+ 0.0080	.7560	----	----	----	2	UNCH	
615	----	----	0.7070B/0.6560A	0.7070B/0.6560A	----	0.6970	+ 0.0080	.7214	----	----	----	5	UNCH	
620	----	----	0.6740B/0.6260A	0.6740B/0.6260A	----	0.6650	+ 0.0080	.7033	----	----	----	1	UNCH	
625	----	----	0.6425B/0.5965A	0.6425B/0.5965A	----	0.6340	+ 0.0075	.6851	----	----	----	5	UNCH	
640	----	----	0.5545B/0.5155A	0.5545B/0.5155A	----	0.5475	+ 0.0060	.6287	----	----	----	1	UNCH	
650	0.4780	0.4780	0.5010B/0.4615A	0.5010B/0.4615A	----	0.4955	+ 0.0055	.5905	----	1	----	106	UNCH	
655	----	----	0.4770B/0.4385A	0.4770B/0.4385A	----	0.4710	+ 0.0050	.5715	----	----	----	1	UNCH	
660	----	----	0.4575B/0.4165A	0.4575B/0.4165A	----	0.4480	+ 0.0050	.5525	----	----	----	1	UNCH	
665	----	----	0.4345B/0.3955A	0.4345B/0.3955A	----	0.4260	+ 0.0050	.5337	----	----	----	1	UNCH	
670	----	----	0.4125B/0.3760A	0.4125B/0.3760A	----	0.4045	+ 0.0050	.5151	----	----	----	1	UNCH	
675	----	----	0.3915B/0.3570A	0.3915B/0.3570A	----	0.3845	+ 0.0055	.4968	----	----	----	77	UNCH	
690	----	----	0.3325B/0.3050A	0.3325B/0.3050A	----	0.3295	+ 0.0060	.4440	----	----	----	2	UNCH	
700	----	----	0.2995B/0.2745A	0.2995B/0.2745A	----	0.2970	+ 0.0065	.4107	----	----	----	151	UNCH	
710	----	----	0.2685B/0.2465A	0.2685B/0.2465A	----	0.2675	+ 0.0065	.3790	----	----	----	150	UNCH	
720	----	----	0.2400B/0.2220A	0.2400B/0.2220A	----	0.2405	+ 0.0065	.3490	----	----	----	6	UNCH	
725	----	----												



PG64	BULLETIN #114@										METALS OPTION PRODUCTS										Tue, Jun 16, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST											
HX CALL	COMEX COPPER OPTIONS																								
DEC26																									
675	----	----	0.4965B/0.4770A	0.4965B/0.4770A	----		0.4980 + 0.0065	.5127	----	----	----	----		17	UNCH										
680	----	----	0.4765B/0.4580A	0.4765B/0.4580A	----		0.4785 + 0.0065	.4985	----	----	----	----		663	UNCH										
690	----	----	0.4380B/0.4230A	0.4380B/0.4230A	----		0.4415 + 0.0060	.4706	----	----	----	----		1	UNCH										
700	----	----	0.4020B/0.3905A	0.4020B/0.3905A	----		0.4070 + 0.0060	.4436	----	----	----	----		1783	UNCH										
705	----	----	0.3855B/0.3750A	0.3855B/0.3750A	----		0.3910 + 0.0065	.4305	----	----	----	----		2	UNCH										
710	----	----	---/0.3605A	0.3690B/0.3605A	----		0.3755 + 0.0065	.4177	----	----	----	----		50	UNCH										
725	----	----	---/0.3190A	0.3240B/0.3190A	----		0.3320 + 0.0060	.3806	----	----	----	----		124	UNCH										
730	----	----	---/0.3065A	0.3105B/0.3065A	----		0.3185 + 0.0060	.3687	----	----	----	----		4	UNCH										
740	----	----	---/0.2830A	0.2845B/0.2830A	----		0.2930 + 0.0055	.3457	----	----	3	----		222	+										
750	----	----	---/0.2610A	0.2605B/0.2610A	----		0.2700 + 0.0055	.3241	----	----	3	----		591	UNCH										
775	----	----	---/0.2140A	0.2090B/0.2140A	----		0.2190 + 0.0040	.2743	----	----	----	----		211	UNCH										
800	----	----		0.1675B/0.1765A	----		0.1775 + 0.0025	.2310	----	----	----	----		378	UNCH										
825	----	----		0.1345B/0.1465A	----		0.1450 + 0.0020	.1947	----	----	----	----		64	UNCH										
850	----	----		0.1085B/0.1225A	----		0.1190 + 0.0020	.1642	----	----	----	----		161	UNCH										
900	----	----		0.0710B/0.0890A	----		0.0835 + 0.0010	.1192	----	----	1	----		645	UNCH										
925	----	----		0.0575B/0.0775A	----		0.0710 + 0.0015	.1025	----	----	----	----		6	UNCH										
950	----	----		0.0470B/0.0680A	----		0.0605 + 0.0010	.0882	----	----	----	----		114	UNCH										
975	----	----		0.0385B/0.0600A	----		0.0520 + 0.0005	.0765	----	----	----	----		14	UNCH										
1000	----	----		0.0315B/0.0535A	----		0.0450 + 0.0005	.0666	----	----	3	----		10	+										
TOTAL											10			7964	+										
JAN27																									
500	----	----	----	----	----		1.7815 + 0.0100	.9264	----	----	----	----		1	UNCH										
690	----	----	---/0.5235A	0.5280B/0.5235A	----		0.5370 + 0.0065	.5042	----	----	----	----		1	UNCH										
900	----	----		0.1060B/0.1290A	----		0.1235 + 0.0025	.1540	----	----	----	----		1	UNCH										
TOTAL															3										
FEB27																									
620	----	----	0.9055B/0.8875A	0.9055B/0.8875A	----		0.9135 + 0.0090	.6820	----	----	----	----		1	UNCH										
750	----	----		0.3810B/0.3930A	----		0.3960 + 0.0050	.3825	----	----	----	----		117	UNCH										
850	----	----		0.1890B/0.2140A	----		0.2085 + 0.0035	.2275	----	----	----	----		60	UNCH										
TOTAL															178										
MAR27																									
660	----	----	---/0.7390A	0.7375B/0.7390A	----		0.7515 + 0.0070	.5839	----	----	----	----		12	UNCH										
680	----	----	---/0.6570A	0.6520B/0.6570A	----		0.6665 + 0.0060	.5383	----	----	----	----		30	UNCH										
700	0.5920	0.5920	0.6025/0.5840A	0.6025/0.5840A	----		0.5910 + 0.0060	.4945	----	----	29	----		130	+										
950	----	----		0.1150B/0.1510A	----		0.1450 + 0.0020	.1564	----	----	----	----		3	UNCH										
TOTAL											29			175	+										
HX PUT	COMEX COPPER OPTIONS																								
JUL26																									
330	----	----	----	---/0.0075A	----		0.0005 UNCH	----	----	----	----	----		84	UNCH										
350	----	----	----	---/0.0075A	----		0.0005 UNCH	----	----	----	----	----		5	UNCH										
360	----	----	----	---/0.0075A	----		0.0005 UNCH	----	----	----	----	----		1	UNCH										
380	----	----	----	---/0.0075A	----		0.0005 UNCH	----	----	----	----	----		2	UNCH										
390	----	----	----	---/0.0075A	----		0.0005 UNCH	----	----	----	----	----		6	UNCH										
395	----	----	----	---/0.0075A	----		0.0005 UNCH	----	----	----	----	----		1	UNCH										
400	----	----	----	---/0.0045A	----		0.0005 UNCH	----	----	----	----	----		566	UNCH										
405	----	----	----	---/0.0075A	----		0.0005 UNCH	----	----	----	----	----		1	UNCH										
415	----	----	----	---/0.0045A	----		0.0005 UNCH	.0000	----	----	----	----		52	UNCH										
420	----	----	----	---/0.0025A	----		0.0005 UNCH	.0000	----	----	----	----		4	UNCH										
425	----	----	----	---/0.0025A	----		0.0005 UNCH	.0000	----	----	----	----		51	UNCH										
430	----	----	----	---/0.0025A	----		0.0005 UNCH	.0000	----	----	----	----		10	UNCH										
435	----	----	----	---/0.0025A	----		0.0005 UNCH	.0000	----	----	----	----		5	UNCH										
440	----	----	----	---/0.0025A	----		0.0005 UNCH	.0000	----	----	----	----		4	UNCH										
445	----	----	----	---/0.0025A	----		0.0005 UNCH	.0001	----	----	----	----		3	UNCH										
450	----	----	----	---/0.0025A	----		0.0005 UNCH	.0001	----	----	----	----		1906	UNCH										
455	----	----	----	---/0.0015A	----		0.0005 UNCH	.0002	----	----	----	----		14	UNCH										
460	----	----	----	---/0.0015A	----																				



PG64		BULLETIN #114@										METALS OPTION PRODUCTS										Tue, Jun 16, 2026		PG64		
		GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
HX PUT		COMEX COPPER OPTIONS																								
JUL26																										
598	----	----	----	0.0080B/*0.0050	0.0080B/*0.0050	----	0.0050	- 0.0020	.0317	----	----	----	----	59	UNCH											
599	----	----	----	0.0085B/*0.0055	0.0085B/*0.0055	----	0.0055	- 0.0015	.0346	----	----	----	----	100	UNCH											
600	0.0105	0.0105	----	0.0105/*0.0055A	0.0105/*0.0055A	----	0.0055	- 0.0020	.0352	----	----	3	----	1981	UNCH											
601	----	----	----	0.0095B/*0.0060	0.0095B/*0.0060	----	0.0060	- 0.0020	.0382	----	----	----	----	40	UNCH											
602	----	----	----	0.0095B/*0.0065	0.0095B/*0.0065	----	0.0060	- 0.0020	.0388	----	----	----	----	28	UNCH											
603	----	----	----	0.0100B/*0.0065	0.0100B/*0.0065	----	0.0065	- 0.0020	.0419	----	----	----	----	37	UNCH											
605	0.0095	0.0095	----	0.0115B/*0.0075	0.0115B/*0.0075	----	0.0070	- 0.0015	.0458	----	----	1	----	243	UNCH											
610	0.0105	0.0105	----	0.0150B/*0.0090	0.0150B/*0.0090	----	0.0095	- 0.0010	.0623	----	133	----	----	673	- 63											
615	0.0125	0.0125	----	0.0205B/*0.0120	0.0205B/*0.0120	----	0.0125	- 0.0015	.0827	----	6	----	----	214	UNCH											
620	0.0295	0.0295	----	0.0295/*0.0160	0.0295/*0.0160	----	0.0165	- 0.0020	.1094	----	17	----	----	531	+	6										
625	0.0340	0.0340	----	0.0375B/*0.0220	0.0375B/*0.0220	----	0.0225	- 0.0030	.1467	----	25	----	----	823	+	2										
630	0.0295	0.0295	----	0.0485B/*0.0290	0.0485B/*0.0290	----	0.0305	- 0.0040	.1940	----	106	----	----	406	-	10										
635	0.0515	0.0515	----	0.0620B/*0.0385	0.0620B/*0.0385	----	0.0415	- 0.0050	.2535	----	30	----	----	375	+	17										
640	----	----	----	0.0845B/*0.0510	0.0845B/*0.0510	----	0.0565	- 0.0060	.3247	----	1	----	----	776	UNCH											
645	0.0950	0.0950	----	0.1125B/*0.0675	0.1125B/*0.0675	----	0.0760	- 0.0060	.4042	----	26	----	----	248	+	5										
650	0.1040	0.1040	----	0.1370B/*0.0870	0.1370B/*0.0870	----	0.0995	- 0.0065	.4868	----	8	----	----	352	UNCH											
655	----	----	----	0.1650B/*0.1125	0.1650B/*0.1125	----	0.1265	- 0.0075	.5686	----	----	----	----	178	UNCH											
660	----	----	----	0.2020B/0.1430A	0.2020B/0.1430A	----	0.1580	- 0.0080	.6468	----	----	----	----	127	UNCH											
665	----	----	----	0.2270B/0.1770A	0.2270B/0.1770A	----	0.1925	- 0.0095	.7174	----	----	----	----	27	UNCH											
670	0.2325	0.2325	----	0.2360B/0.2135A	0.2360B/0.2135A	----	0.2305	- 0.0110	.7794	----	1	----	----	76	UNCH											
675	----	----	----	----/0.2735A	0.2785B/0.2735A	----	0.2715	- 0.0120	.8306	----	----	----	----	26	UNCH											
690	----	----	----	----/0.4170A	0.4125B/0.4170A	----	0.4075	- 0.0120	.9219	----	----	----	----	1	UNCH											
700	----	----	----	----/0.5135A	0.5100B/0.5135A	----	0.5040	- 0.0110	.9481	----	----	----	----	1	UNCH											
705	----	----	----	----/0.5625A	0.5590B/0.5625A	----	0.5525	- 0.0110	.9585	----	----	----	----	1	UNCH											
TOTAL												364		27160	-	58										
AUG26																										
330	----	----	----	----	----/0.0050A	----	0.0005	UNCH	.0000	----	----	----	----	3	UNCH											
405	----	----	----	----	----/0.0055A	----	0.0005	UNCH	.0010	----	----	----	----	3	UNCH											
420	----	----	----	----	----/0.0055A	----	0.0010	UNCH	.0026	----	----	----	----	1	UNCH											
440	----	----	----	----	----/0.0060A	----	0.0015	UNCH	.0040	----	----	----	----	5	UNCH											
450	0.0050	0.0050	----	0.0050/*0.0050	0.0050/*0.0050	----	0.0020	+	0.0005	.0054	----	2	----	11	UNCH											
460	----	----	----	----/0.0065A	----	----	0.0020	UNCH	.0056	----	----	----	----	3	UNCH											
465	----	----	----	----/*0.0065A	----	----	0.0025	UNCH	.0070	----	----	----	----	1	UNCH											
470	----	----	----	----/0.0070A	----	----	0.0025	UNCH	.0072	----	----	----	----	3	UNCH											
475	----	----	----	----/0.0070A	----	----	0.0030	+	0.0005	.0085	----	----	----	15	UNCH											
480	----	----	----	----/0.0075A	----	----	0.0030	UNCH	.0088	----	----	----	----	8	UNCH											
485	----	----	----	----/0.0065A	----	----	0.0035	UNCH	.0102	----	----	----	----	2	UNCH											
490	----	----	----	----/0.0080A	----	----	0.0035	UNCH	.0105	----	----	----	----	2	UNCH											
495	0.0040	0.0040	----	0.0040/*0.0040	0.0040/*0.0040	----	0.0040	UNCH	.0120	----	1	----	----	1	UNCH											
500	----	----	----	----/0.0085A	----	----	0.0045	UNCH	.0136	----	----	----	----	21	UNCH											
505	----	----	----	----/0.0090A	----	----	0.0050	UNCH	.0152	----	----	----	----	2	UNCH											
510	----	----	----	0.0005B/0.0095A	0.0005B/0.0095A	----	0.0055	UNCH	.0168	----	----	----	----	14	UNCH											
520	0.0085	0.0085	----	0.0085/*0.0060	0.0085/*0.0060	----	0.0075	+	0.0005	.0227	----	2	----	331	+	1										
525	----	----	----	0.0070B/0.0090A	0.0070B/0.0090A	----	0.0085	+	0.0005	.0257	----	----	----	17	UNCH											
530	0.0095	0.0095	----	0.0095/0.0095	0.0095/0.0095	----	0.0095	+	0.0005	.0289	----	7	----	54	+	6										
535	----	----	----	0.0095B/0.0105A	0.0095B/0.0105A	----	0.0100	+	0.0005	.0310	----	----	----	20	UNCH											
540	----	----	----	0.0110B/----	0.0110B/0.0115A	----	0.0115	+	0.0015	.0355	----	----	----	22	UNCH											
545	----	----	----	0.0130B/----	0.0130B/*0.0120	----	0.0130	+	0.0015	.0402	----	----	----	6	UNCH											
550	----	----	----	0.0150B/----	0.0150B/*0.0135	----	0.0145	+	0.0015	.0450	----	4	----	353	+	4										
555	----	----	----	0.0170B/----	0.0170B/*0.0155	----	0.0165	+	0.0010	.0511	----	7	----	14	+	4										
560	0.0180	0.0180	----	0.0200B/*0.0175	0.0200B/*0.0175	----	0.0190	+	0.0010	.0585	----	4	----	318	+	2										
565	----	----	----	0.0235B/*0.0205	0.0235B/*0.0205	----	0.0220	+	0.0005	.0670	----	----	----	10	UNCH											
570	0.0250	0.0250	----	0.0280B/*0.0235	0.0280B/*0.0235	----	0.0255	+	0.0005	.0768	----	7	----	149	-	6										
575	0.0275	0.0275	----	0.0330B/*0.0275	0.0330B/*0.0275	----	0.0295	+	0.0005	.0877	----	14	----	164	-	12										
580	0.0330	0.0330	----	0.0380B/0.0320A	0.0380B/0.0320A	----	0.0340	UNCH	.0998	----	17	----	----	1338	-	3										
585	0.0370	0.0370	----	0.0440B/*0.0370	0.0440B/*0.0370	----	0.0395	UNCH	.1139	----	17	----	----	54	-	7										
590	0.0490	0.0490	----	0.0515B/*0.0430	0.0515B/*0.0430	----	0.0460	UNCH	.1298	----	12	----	----	150	-	1										
595	----	----	----	0.0605B/*0.0505	0.0605B/*0.0505	----	0.0530	- 0.0005	.1469	----	----	----	----	6	UNCH											
600	0.0630	0.0630	----	0.0700B/*0.0585	0.0700B/*0.0585	----	0.0615	- 0.0005	.1663	----	125	----	----	1277	+	21										
605	0.0650	0.0650	----	0.0820B/*0.0650	0.0820B/*0.0650	----	0.0710	- 0.0010	.1872	----	25	----	----	392	+	24										
610	0.0800	0.0800	----	0.0930B/*0.0780	0.0930B/*0.0780	----	0.0815	- 0.0020	.2096	----	111	----	----	606	+	45										
615	----	----	----	0.1080B/*0.0895	0.1080B/*0.0895	----	0.0935	- 0.0030	.2339	----	1	----	----	12	-	1										
620	0.1095	0.1095	----	0.1245B/*0.1030	0.1245B/*0.1030	----	0.1075	- 0.0030	.2603	----	3	----	----	245	-	1										
625	0.1200	0.1200	----	0.1405B/*0.1160	0.1405B/*0.1160	----	0.1230	- 0.0040	.2880	----	157	----	----	238	+	129										
630	0.1370	0.1370	----	0.1600B/*0.1345	0.1600B/*0.1345	----	0.1400	- 0.0045	.3167	----	4	----	----	23	UNCH											
635	0.1600	0.1600	----	0.1820B/*0.1520	0.1820B/*0.1520	----	0.1590	- 0.0050	.3466	----	29	----	----	82	+	18										
640	0.2025	0.2025	----	0.2050B/0.1710A	0.2050B/0.1710A	----	0.1800	- 0.0050	.3772	----	5	----	----	708	+	1										
645	----	----	----	0.2305B/0.1930A	0.2305B/0.1930A	----	0.2025	- 0.0055	.4081	----	----	----	----	45	UNCH											
650	0.2545	0.2545	----	0.2555B/0.2170A	0.2555B/0.2170A	----	0.2270	- 0.0055	.4392	----	22	----	----	80	+	19										
655	0.2815	0.2815	----	0.2855B/0.2410	0.2855B/0.2410	----	0.2530	- 0.0055	.4701	----	201	----	----	201	+	186										
660	----	----	----	0.3155B/0.2680A	0.3155B/0.2680A	----	0.2810	- 0.0055	.5005	----	1	----	----	23	+	6										
665	----	----	----	0.3470B/0.2960A	0.3470B/0.2960A	----	0.3105	- 0.0050	.5303	----	----	----	----	6	UNCH											
670	----	----	----	0.3775B/0.3245A	0.3775B/0.3245A	----	0.3415	- 0.0050	.5591	----	----	----	----	311	UNCH											
675	----	----	----	0.4060B/0.3560A	0.4060B/0.3560A	----	0.3735	- 0.0050	.5874	----	----	778	----	7352	+	430										
TOTAL												778		7352	+	430										
SEP26																										
335	----	----	----	----	----/0.0085A	----	0.0005	UNCH	.0005	----	----	----	----	3	UNCH											
400	----	----	----	----	----/0.0095A	----	0.0020	UNCH	.0044	----	----	----	----	4	UNCH											
440	----	----	----	----	----/0.0110A	----	0.0035	UNCH	.0083	----	----	----	----	4	UNCH											
445	----	----	----	----	----/0.0110A	----	0.0035	- 0.0005	.0085	----	----	----	----	5	UNCH											
450	----	----	----	----	----/0.0115A	----	0.0040	UNCH	.0096	----	----	----	805	UNCH												
460	----	----	----	----	----/*0.0120A	----	0.0045	- 0.0005	.0111	----	----	----	12	UNCH												
470	----	----	----	0.0010B/0.0130A	0.0010B/0.0130A	----	0.0055	- 0.0005	.0137	----	----	----	3	UNCH												
475	----	----	----	0.0015B/0.0140A	0.0015B/0.0140A	----	0.0060	- 0.0005	.0150	----	----	----	61	UNCH												
480	----	----	----	0.0020B/0.0145A	0.0020B/0.0145A	----	0.0070	UNCH	.0173	----	----	----	7	UNCH												
485	----	----	----	0.0030B/0.0130A	0.0030B/0.0130A	----	0.0075	- 0.0005	.0188	----	----	----	1	UNCH												
490	----	----	----	0.0045B/0.0120A	0.0045B/0.0120A	----	0.0080	- 0.0005	.0203	----	----															

BULLETIN #114@														METALS OPTION PRODUCTS										Tue, Jun 16, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
HX PUT		COMEX COPPER OPTIONS																								
OCT26																										
500	----	----	----	----	0.0140B/*0.0230	----	----	----	0.0190 + 0.0005	.0383	----	----	----	----	28	UNCH										
530	----	----	----	----	0.0310B/*0.0375	----	----	----	0.0350 + 0.0010	.0679	----	----	----	----	1	UNCH										
535	----	----	----	----	0.0350B/*0.0415	----	----	----	0.0390 + 0.0010	.0748	----	----	----	----	3	UNCH										
550	----	----	----	----	0.0515B/*0.0555	----	----	----	0.0540 + 0.0010	.0995	----	----	----	----	2	UNCH										
560	----	----	----	----	0.0655B/*0.0680	----	----	----	0.0665 + 0.0010	.1190	----	----	----	----	1	UNCH										
570	----	----	----	0.0830B/----	0.0830B/*0.0830	----	----	----	0.0820 + 0.0010	.1418	----	----	----	----	5	UNCH										
590	----	----	----	0.1275B/----	0.1275B/*0.1225	----	----	----	0.1225 UNCH	.1960	----	----	----	----	2	UNCH										
600	----	----	----	0.1555B/*0.1475	0.1555B/*0.1475	----	----	----	0.1485 UNCH	.2274	----	----	----	----	13	UNCH										
605	----	----	----	0.1710B/*0.1620	0.1710B/*0.1620	----	----	----	0.1625 - 0.0005	.2437	----	----	----	----	1	UNCH										
610	----	----	----	0.1880B/*0.1765	0.1880B/*0.1765	----	----	----	0.1780 - 0.0005	.2607	----	----	----	----	5	UNCH										
630	----	----	----	0.2665B/*0.2475	0.2665B/*0.2475	----	----	----	0.2505 - 0.0020	.3331	----	----	----	----	1	UNCH										
650	0.3525	0.3525	----	0.3630B/0.3355A	0.3630B/0.3355A	----	----	----	0.3410 - 0.0030	.4091	----	----	1	----	11 +	1										
655	----	----	----	0.3895B/0.3605A	0.3895B/0.3605A	----	----	----	0.3660 - 0.0035	.4282	----	----	----	----	1	UNCH										
700	----	----	----	0.6665B/0.6235A	0.6665B/0.6235A	----	----	----	0.6385 - 0.0020	.5890	----	----	----	----	24	UNCH										
745	----	----	----	1.0090B/0.9570A	1.0090B/0.9570A	----	----	----	0.9715 - 0.0030	.7182	----	----	----	----	1	UNCH										
750	----	----	----	1.0500B/0.9965A	1.0500B/0.9965A	----	----	----	1.0115 - 0.0035	.7305	----	----	----	----	5	UNCH										
TOTAL											1	127 +	1													
NOV26																										
400	----	----	----	----	0.0010B/*0.0165	----	----	----	0.0080 + 0.0005	.0128	----	----	----	----	10	UNCH										
475	----	----	----	----	0.0135B/*0.0280	----	----	----	0.0205 UNCH	.0357	----	----	----	----	2	UNCH										
480	----	----	----	----	0.0155B/*0.0295	----	----	----	0.0225 + 0.0005	.0390	----	----	----	----	2	UNCH										
500	----	----	----	----	0.0255B/*0.0385	----	----	----	0.0310 - 0.0005	.0534	----	----	----	----	12	UNCH										
520	----	----	----	----	0.0415B/*0.0525	----	----	----	0.0450 - 0.0010	.0752	----	----	----	----	4	UNCH										
550	----	----	----	----	0.0805B/*0.0875	----	----	----	0.0810 - 0.0015	.1246	----	----	----	----	1	UNCH										
560	----	----	0.0995B/----	0.0995B/*0.1035	----	----	----	----	0.0985 - 0.0005	.1460	----	----	----	----	1	UNCH										
590	----	----	0.1740B/----	0.1740B/*0.1705	----	----	----	----	0.1685 UNCH	.2226	----	----	----	----	1	UNCH										
645	----	----	----	0.3990B/0.3750A	0.3990B/0.3750A	----	----	----	0.3810 - 0.0015	.3958	----	----	----	----	1	UNCH										
700	----	----	----	0.7250B/0.6885A	0.7250B/0.6885A	----	----	----	0.6995 - 0.0030	.5690	----	----	----	----	24	UNCH										
735	----	----	----	0.9795B/0.9360A	0.9795B/0.9360A	----	----	----	0.9465 - 0.0035	.6629	----	----	----	----	2	UNCH										
TOTAL												60														
DEC26																										
380	----	----	----	----	0.0010B/*0.0195	----	----	----	0.0095 + 0.0010	.0135	----	----	----	----	2	UNCH										
385	----	----	----	----	0.0010B/*0.0205	----	----	----	0.0100 + 0.0010	.0143	----	----	----	----	1	UNCH										
395	----	----	----	----	0.0010B/*0.0215	----	----	----	0.0110 + 0.0010	.0160	----	----	----	----	3	UNCH										
400	----	----	----	----	0.0010B/*0.0220	----	----	----	0.0115 + 0.0010	.0169	----	----	----	----	18	UNCH										
420	----	----	----	----	0.0020B/*0.0250	----	----	----	0.0145 + 0.0005	.0217	----	----	----	----	2	UNCH										
460	----	----	----	----	0.0110B/*0.0340	----	----	----	0.0230 + 0.0005	.0360	----	----	----	----	2	UNCH										
475	----	----	----	----	0.0165B/*0.0390	----	----	----	0.0285 + 0.0005	.0447	----	----	3	----	79 +	3										
480	----	----	----	----	0.0300B/0.0415A	----	----	----	0.0310 + 0.0005	.0484	----	----	----	----	12	UNCH										
490	----	----	----	----	0.0250B/*0.0465	----	----	----	0.0365 + 0.0005	.0565	----	----	----	----	5	UNCH										
500	----	----	----	----	0.0335B/0.0530A	----	----	----	0.0435 + 0.0010	.0663	----	1	----	----	183 +	1										
520	----	----	----	----	0.0550B/*0.0710	----	----	----	0.0620 + 0.0005	.0910	----	----	----	----	2	UNCH										
525	----	----	----	----	0.0615B/*0.0770	----	----	----	0.0680 + 0.0010	.0985	----	----	----	----	1	UNCH										
540	----	----	----	----	0.0850B/*0.0975	----	----	----	0.0890 + 0.0010	.1237	----	----	----	----	3	UNCH										
545	----	----	----	----	0.0940B/*0.1055	----	----	----	0.0970 + 0.0005	.1329	----	----	----	----	1	UNCH										
550	----	----	----	----	0.1040B/*0.1140	----	----	----	0.1060 + 0.0005	.1429	----	----	----	----	84	UNCH										
560	----	----	0.1260B/----	0.1260B/*0.1335	----	----	----	----	0.1260 + 0.0005	.1642	----	----	----	----	300	UNCH										
565	----	----	0.1375B/----	0.1375B/*0.1440	----	----	----	----	0.1370 UNCH	.1755	----	----	----	----	10	UNCH										
570	----	----	0.1500B/----	0.1500B/*0.1560	----	----	----	----	0.1490 UNCH	.1873	----	----	----	----	6	UNCH										
575	----	----	0.1635B/----	0.1635B/*0.1685	----	----	----	----	0.1615 UNCH	.1995	----	----	----	----	21	UNCH										
580	----	----	0.1780B/----	0.1780B/*0.1815	----	----	----	----	0.1750 UNCH	.2121	----	----	----	----	222	UNCH										
590	----	----	0.2095B/----	0.2095B/*0.2105	----	----	----	----	0.2045 UNCH	.2384	----	----	----	----	200	UNCH										
600	0.2400	0.2400	0.2445B/*0.2365	0.2445B/*0.2365	----	----	----	----	0.2380 + 0.0005	.2661	----	70	----	----	311 +	70										
630	----	----	0.3690B/----	0.3690B/*0.3590	----	----	----	----	0.3575 UNCH	.3535	----	----	----	----	18	UNCH										
640	----	----	0.4185B/----	0.4185B/0.4050A	----	----	----	----	0.4040 UNCH	.3834	----	----	----	----	10	UNCH										
650	----	----	0.4695B/0.4535A	0.4695B/0.4535A	----	----	----	----	0.4535 - 0.0005	.4133	----	----	----	----	12	UNCH										
670	----	----	0.5835B/0.5605A	0.5835B/0.5605A	----	----	----	----	0.5620 - 0.0015	.4724	----	----	----	----	1	UNCH										
750	----	----	1.1330B/1.0945A	1.1330B/1.0945A	----	----	----	----	1.1040 - 0.0030	.6754	----	----	----	----	1	UNCH										
TOTAL											74	1510 +	74													
JAN27																										
400	----	----	----	----	0.0010B/*0.0305	----	----	----	0.0160 + 0.0005	.0208	----	----	----	----	8	UNCH										
800	----	----	1.5080B/1.4765A	1.5080B/1.4765A	----	----	----	----	1.4795 - 0.0045	.7252	----	----	----	----	1	UNCH										
TOTAL												9														
FEB27																										
400	----	----	----	----	0.0015B/*0.0375	----	----	----	0.0200 + 0.0005	.0244	----	----	----	----	2	UNCH										
650	----	----	----	----	0.5160B/0.5275A	----	----	----	0.5160 - 0.0010	.3915	----	----	----	----	60	UNCH										
TOTAL												62														
MAR27																										
275	----	----	----	----	0.0060B/0.0230A	----	----	----	0.0150 UNCH	.0123	----	----	----	----	1	UNCH										
TOTAL												1														
HXE CALL		COPPER OPTIONS																								
JUN26																										
550	----	----	----	----	0.1555B/0.1200A	0.1555B/0.1200A	----	----	1.0665 + 0.0080	.9977	----	----	----	----	1	UNCH										
650	----	----	----	----	0.0090B/0.0165A	0.0090B/0.0165A	----	----	0.1460 UNCH	.6078	----	----	----	----	2	UNCH										
700	----	----	----	----	----/0.0105A	----	----	----	0.0120 - 0.0035	.0768	----	----	----	----	2	UNCH										
750	----	----	----	----	----/0.0100A	----	----	----	0.0010 - 0.0010	.0060	----	----	----	----	3	UNCH										
775	----	----	----	----	----	----	----	----	0.0005 - 0.0005	.0027	----	----	----	----	10	UNCH										
TOTAL												18														
JUL26																										
600	----	----	0.5980B/0.5710A	0.5980B/0.5710A	----	----	----	----	0.5925 + 0.0070	.8947	----	----	----	----	4	UNCH										
640	----	----	0.3195B/0.2770A	0.3195B/0.2770A	----	----	----	----	0.3090 + 0.0030	.6376	----	----	----	----	1	UNCH										
650	----	----	0.2620B/0.2260A	0.2620B/0.2260A	----	----	----	----	0.2540 + 0.0030	.5648	----	----	----	----	300	UNCH										
655	----	----	0.2105B/0.1755A	0.2105B/0.1755A	----	----	----	----	0.2005 + 0.0020	.5279	----	----	----	----	1	UNCH										
660	----	----	0.1860B/0.1560A	0.1860B/0.1560A	----	----	----	----	0.1780 + 0.0020	.4861	----	----	----	----	1	UNCH										
670	0.1600	0.1600	0.1720B/0.1450	0.1720B/0.1450	----	----	----	----	0.1690 + 0.0025	.4232	----	2	----	----	600	UNCH										
680	----	----	0.1365B/0.1200A	0.1365B/0.1200A	----	----	----	----	0.1360 + 0.0020	.3590	----	----	----	----	3	UNCH										
690	----	----	0.1080B/0.0970A	0.1080B/0.0970A	----	----	----	----	0.1085 + 0.0015	.3008	----	----	----	----	300	UNCH										
705	0.0740	0.0740	#0.0745B/*0.070	#0.0745B/*0.070	----	----	----	----	0.0765 NEW	.2263	----	1	----	----	1 +	1										
750	----	----	----	0.0130B/0.0200A	----	----	----	----	0.0160 - 0.0015	.0625	----	----	----	----	1	UNCH										
TOTAL											3	1212 +	1													
HXE PUT		COPPER OPTIONS																								
JUN26																										
500	----	----	----	----	----/0.0080A	----	----	----	0.0005 UNCH	.0000	----	----	----	----	26	UNCH										
525	----	----	----	----	----/0.0080A	----	----	----	0.0005 UNCH	.0002	----	----	----	----	10	UNCH										
600	----	----	----	----	0.0030B/0.0110A	----	----	----	0.0050 - 0.0005	.0303	----	----	----	----	2	UNCH										
605	----	----	----	----	0.0050B/0.0120A	----	----	----	0.0065 - 0.0010	.0398	----	1	----	----	1	UNCH										
615	----	----	----	----	0.0120B/*0.0165	----	----	----	0.0130 NEW	.0765	----	1	----	----	1 +	1										
620	----	----	----	----	0.0175B/0.0200A	----	----	-----																		

BULLETIN #114@				METALS OPTION PRODUCTS							Tue, Jun 16, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
PO CALL	PLATINUM OPTIONS															
JUL26																
2000	----	----	----	----	----/2.20A	----		0.10 - 0.20	----	----	----	----	----	518		UNCH
2005	----	----	----	----	----/*2.20A	----		0.10 - 0.20	----	----	----	----	----	15		UNCH
2010	----	----	----	----	----/*2.20A	----		0.10 - 0.20	----	----	----	----	----	15		UNCH
2015	----	----	----	----	----/2.20A	----		0.10 - 0.10	----	----	----	----	----	15		UNCH
2020	----	----	----	----	----/2.20A	----		0.10 - 0.10	----	----	----	----	----	15		UNCH
2025	----	----	----	----	----/2.20A	----		0.10 - 0.10	----	----	----	----	----	37		UNCH
2030	----	----	----	----	----/2.20A	----		0.10 - 0.10	----	----	----	----	----	15		UNCH
2035	----	----	----	----	----/2.10A	----		0.10 UNCH	----	----	----	----	----	15		UNCH
2050	----	----	----	----	----/2.10A	----		0.10 UNCH	----	----	----	----	----	6		UNCH
2065	----	----	----	----	----/2.10A	----		0.10 UNCH	----	----	----	----	----	4		UNCH
2085	----	----	----	----	----/2.10A	----		0.10 UNCH	----	----	----	----	----	31		UNCH
2090	----	----	----	----	----/2.00A	----		0.10 UNCH	----	----	----	----	----	34		UNCH
2095	----	----	----	----	----/2.00A	----		0.10 UNCH	----	----	----	----	----	45		UNCH
2100	----	----	----	----	----/2.00A	----		0.10 UNCH	----	----	----	----	----	389		UNCH
2105	----	----	----	----	----/2.00A	----		0.10 UNCH	----	----	----	----	----	30		UNCH
2110	----	----	----	----	----/2.00A	----		0.10 UNCH	----	----	----	----	----	31		UNCH
2115	----	----	----	----	----/2.00A	----		0.10 UNCH	----	----	----	----	----	30		UNCH
2120	----	----	----	----	----/2.00A	----		0.10 UNCH	----	----	----	----	----	15		UNCH
2125	----	----	----	----	----/2.00A	----		0.10 UNCH	----	----	----	----	----	15		UNCH
2150	----	----	----	----	----/2.00A	----		0.10 UNCH	----	----	----	----	----	18		UNCH
2160	----	----	----	----	----/2.00A	----		0.10 UNCH	----	----	----	----	----	1		UNCH
2170	----	----	----	----	----/2.00A	----		0.10 UNCH	----	----	----	----	----	4		UNCH
2200	----	----	----	----	----/2.00A	----		0.10 UNCH	----	----	----	----	----	456		UNCH
2250	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	117		UNCH
2275	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	20		UNCH
2300	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	255		UNCH
2350	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	160		UNCH
2400	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	904		UNCH
2450	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	50		UNCH
2480	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	50		UNCH
2500	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	649		UNCH
2600	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	360		UNCH
2650	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	1		UNCH
2700	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	111		UNCH
2800	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	350		UNCH
2850	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	58		UNCH
2900	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	183		UNCH
3000	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	574		UNCH
3100	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	159		UNCH
3200	----	----	----	----	----/3.60A	----		0.10 UNCH	----	----	----	----	----	18		UNCH
3300	----	----	----	----	----/3.60A	----		0.10 UNCH	----	----	----	----	----	30		UNCH
3400	----	----	----	----	----/3.60A	----		0.10 UNCH	----	----	----	----	----	32		UNCH
3500	----	----	----	----	----/3.60A	----		0.10 UNCH	----	----	----	----	----	274		UNCH
3600	----	----	----	----	----/3.60A	----		0.10 UNCH	----	----	----	----	----	300		UNCH
3800	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	12		UNCH
3900	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	9		UNCH
4000	----	----	----	----	----/1.90A	----		0.10 UNCH	----	----	----	----	----	219		UNCH
TOTAL											200			7359	+	167
AUG26																
1750	----	----	----	125.00B/84.40A	125.00B/84.40A	----		117.10 + 22.80	.7006	----	----	----	----	44		UNCH
1800	94.00	94.00		94.40B/62.50A	94.40B/62.50A	----		88.90 + 19.00	.5894	----	----	1	----	103	+	1
1900	45.60	45.60		50.50B/33.10A	50.50B/33.10A	----		50.20 NEW	.3838	----	----	1	----	1	+	1
1950	----	----	----	36.60B/24.30A	36.60B/24.30A	----		37.60 + 11.60	.3021	----	----	----	----	26		UNCH
1975	----	----	----	31.30B/20.90A	31.30B/20.90A	----		32.50 + 10.50	.2668	----	----	----	----	51		UNCH
2000	23.60	23.60		26.70B/18.10A	26.70B/18.10A	----		28.10 + 9.40	.2352	----	----	1	----	2	+	1
2025	21.10	21.10		22.90B/15.80A	22.90B/15.80A	----		24.30 NEW	.2070	----	----	32	----	32	+	32
2050	----	----	----	19.60B/----	19.60B/13.80A	----		21.00 + 7.40	.1818	----	----	----	----	30		UNCH
2100	----	----	----	14.30B/----	14.30B/10.80A	----		15.70 + 5.80	.1398	----	----	----	----	52		UNCH
2150	----	----	----	10.30B/----	10.30B/8.70A	----		11.80 + 4.50	.1074	----	----	----	----	1		UNCH
2175	----	----	----	8.70B/----	8.70B/7.90A	----		10.30 + 4.00	.0945	----	----	----	----	30		UNCH
2200	----	----	----	7.30B/----	7.30B/7.30A	----		9.00 + 3.50	.0831	----	----	----	----	15		UNCH
2250	----	----	----	5.10B/----	5.10B/6.30A	----		6.90 + 2.60	.0645	----	----	----	----	60		UNCH
2275	----	----	----	4.30B/----	4.30B/6.00A	----		6.10 + 2.30	.0571	----	----	----	----	30		UNCH
2300	----	----	----	----	3.50B/5.60A	----		5.50 + 2.00	.0514	----	----	----	----	158		UNCH
2350	----	----	----	----	2.40B/5.20A	----		4.40 + 1.60	.0411	----	----	----	----	15		UNCH
2400	----	----	----	----	1.60B/4.70A	----		3.60 + 1.20	.0334	----	----	----	----	84		UNCH
2500	----	----	----	----	0.60B/4.10A	----		2.50 + 0.80	.0228	----	----	----	----	153		UNCH
2600	----	----	----	----	----/3.60A	----		1.80 + 0.60	.0161	----	----	----	----	545		UNCH
2750	----	----	----	----	----/3.10A	----		1.10 + 0.40	.0097	----	----	----	----	105		UNCH
3000	----	----	----	----	----/2.70A	----		0.40 + 0.10	.0035	----	----	----	----	54		UNCH
TOTAL												35		1591	+	35
SEP26																
2000	----	----	----	59.00B/44.30A	59.00B/44.30A	----		59.50 + 13.20	.3249	----	----	11	----	2	-	3
2100	----	----	----	40.40B/30.40A	40.40B/30.40A	----		41.60 + 10.50	.2391	----	----	----	----	38		UNCH
2200	----	----	----	27.80B/----	27.80B/21.30A	----		29.30 + 8.40	.1753	----	----	11	----	2	-	3
TOTAL												22		42	-	6
OCT26																
1690	----	----	----													

PG64	BULLETIN #114@										METALS OPTION PRODUCTS				Tue, Jun 16, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
PO PUT		PLATINUM OPTIONS																
JUL26																		
1825	----	----	76.10B/19.40A	76.10B/19.40A	----	22.50 - 38.40	.6318	----	----	----	----	100	UNCH					
1830	----	----	----/22.20A	20.60B/22.20A	----	25.80 - 39.20	.6905	----	----	----	----	15	UNCH					
1835	----	----	----	----	----	29.30 - 39.90	.7434	----	----	----	----	15	UNCH					
1840	----	----	----	----	----	33.00 - 40.50	.7899	----	----	----	----	15	UNCH					
1850	----	----	99.20B/35.30A	99.20B/35.30A	----	40.80 - 41.40	.8655	----	----	----	----	77	UNCH					
1860	----	----	----	----	----	49.20 - 42.00	.9176	----	----	----	----	32	UNCH					
1870	----	----	----	----	----	58.00 - 42.40	.9522	----	----	----	----	1	UNCH					
1900	----	----	147.70B/79.30A	147.70B/79.30A	----	86.20 - 42.70	.9918	----	----	----	----	595	UNCH					
1920	----	----	----	----	----	105.70 - 42.60	.9979	----	----	----	----	2	UNCH					
1950	----	----	197.20B/128.20A	197.20B/128.20A	----	135.50 - 42.40	.9994	----	----	----	----	8	UNCH					
1980	----	----	----	----	----	165.40 - 42.20	1.0000	----	----	----	----	48	UNCH					
1990	----	----	----	----	----	175.40 - 42.10	1.0000	----	----	----	----	23	UNCH					
2000	----	----	247.10B/177.80A	247.10B/177.80A	----	185.40 - 42.10	1.0000	----	----	----	----	53	UNCH					
2015	----	----	----	----	----	200.40 - 42.00	1.0000	----	----	----	----	25	UNCH					
2035	----	----	----	----	----	220.40 - 41.90	1.0000	----	----	----	----	46	UNCH					
2075	----	----	322.00B/252.60A	322.00B/252.60A	----	260.40 - 41.90	1.0000	----	----	----	----	1	UNCH					
2085	----	----	----	----	----	270.40 - 41.90	1.0000	----	----	----	----	1	UNCH					
2100	----	----	347.00B/277.50A	347.00B/277.50A	----	285.40 - 41.90	1.0000	----	----	----	----	25	UNCH					
2130	----	----	----	----	----	315.40 - 41.90	1.0000	----	----	----	----	23	UNCH					
2135	----	----	----	----	----	320.40 - 41.90	1.0000	----	----	----	----	190	UNCH					
2165	----	----	----	----	----	350.40 - 41.90	1.0000	----	----	----	----	20	UNCH					
2350	----	----	596.80B/527.40A	596.80B/527.40A	----	535.40 - 41.80	1.0000	----	----	----	----	3	UNCH					
TOTAL										11		3165	- 4					
AUG26																		
1600	----	----	----/7.50A	12.10B/7.50A	----	6.10 - 6.50	.0709	----	----	----	----	201	UNCH					
1725	----	----	48.30B/*27.10A	48.30B/27.10A	----	27.50 - 16.60	.2471	----	----	----	----	30	UNCH					
1750	----	----	60.10B/34.90A	60.10B/34.90A	----	35.80 - 18.80	.2992	----	----	----	----	105	UNCH					
1800	54.60	54.60	88.00B/54.60	88.00B/54.60	----	57.40 - 22.60	.4104	----	----	1	----	16	+					
1850	----	----	121.20B/82.50A	121.20B/82.50A	----	85.30 - 25.40	.5192	----	----	----	----	200	UNCH					
2000	----	----	244.30B/188.20A	244.30B/188.20A	----	196.20 - 32.20	.7647	----	----	----	----	1	UNCH					
TOTAL										1		553	+					
SEP26																		
1550	----	----	----/*15.80A	21.40B/*15.80A	----	14.50 - 7.60	.1064	----	----	5	----	0	-					
1650	----	----	48.30B/*33.70A	48.30B/*33.70A	----	33.40 NEW	.2091	----	----	6	----	2	+					
1850	----	----	153.80B/119.70A	153.80B/119.70A	----	121.50 - 24.40	.4961	----	----	----	----	16	UNCH					
TOTAL										11		18	- 3					
OCT26																		
1300	----	----	----	2.80B/7.10A	----	3.90 - 1.90	.0270	----	----	----	----	4	UNCH					
1400	----	----	----/*11.00A	9.60B/11.00A	----	8.70 - 3.70	.0564	----	----	----	----	10	UNCH					
1450	----	----	----/14.60A	15.60B/14.60A	----	12.70 - 5.00	.0790	----	----	----	----	2	UNCH					
1500	----	----	----/19.90A	23.80B/19.90A	----	18.20 - 6.90	.1082	----	----	----	----	20	UNCH					
1600	----	----	49.00B/37.90A	49.00B/37.90A	----	36.80 - 11.60	.1919	----	----	----	----	28	UNCH					
1690	----	----	84.20B/65.40A	84.20B/65.40A	----	65.30 - 16.10	.2921	----	----	----	----	175	UNCH					
1700	----	----	88.90B/69.20A	88.90B/69.20A	----	69.20 - 16.60	.3040	----	----	----	----	79	UNCH					
1720	----	----	98.70B/77.30A	98.70B/77.30A	----	77.60 - 17.40	.3284	----	----	----	----	2	UNCH					
1750	----	----	114.50B/90.60A	114.50B/90.60A	----	91.40 - 18.60	.3652	----	----	----	----	175	UNCH					
1800	----	----	143.60B/115.70A	143.60B/115.70A	----	117.20 - 20.50	.4260	----	----	----	----	75	UNCH					
1820	----	----	156.10B/126.70A	156.10B/126.70A	----	128.50 - 21.10	.4497	----	----	----	----	5	UNCH					
1850	----	----	175.80B/144.20A	175.80B/144.20A	----	146.40 - 22.10	.4843	----	----	----	----	275	UNCH					
1865	----	----	----/153.40A	176.70B/153.40A	----	155.70 - 22.60	.5011	----	----	----	----	1	UNCH					
1900	----	----	210.60B/175.70A	210.60B/175.70A	----	178.50 - 23.50	.5389	----	----	----	----	225	UNCH					
1950	----	----	247.90B/209.10A	247.90B/209.10A	----	213.00 - 25.00	.5890	----	----	----	----	50	UNCH					
2000	----	----	287.00B/244.80A	287.00B/244.80A	----	249.80 - 26.40	.6345	----	----	----	----	1	UNCH					
2100	----	----	370.10B/322.10A	370.10B/322.10A	----	328.40 - 29.00	.7127	----	----	----	----	100	UNCH					
2130	----	----	----	----	----	353.10 - 29.80	.7330	----	----	----	----	41	UNCH					
2135	----	----	----	----	----	357.30 - 29.90	.7362	----	----	----	----	12	UNCH					
2140	----	----	----	----	----	361.40 - 30.10	.7392	----	----	----	----	12	UNCH					
2400	----	----	642.20B/583.50A	642.20B/583.50A	----	591.80 - 34.30	.8616	----	----	----	----	200	UNCH					
2500	----	----	737.50B/676.60A	737.50B/676.60A	----	684.80 - 35.90	.8924	----	----	----	----	1	UNCH					
TOTAL												1493	0					
JAN27																		
1500	----	----	----	----	----	47.50 - 8.00	.1697	----	----	----	----	70	UNCH					
1800	----	----	----	----	----	164.60 - 18.50	.4105	----	----	----	----	1	UNCH					
1900	----	----	----	----	----	223.80 - 21.90	.4915	----	----	----	----	100	UNCH					
2000	----	----	----	----	----	290.10 - 25.00	.5652	----	----	----	----	200	UNCH					
TOTAL												371	0					

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
JUL26	CALL			
OG		4375	0	750
OG		4500	0	750
OG		5200	0	90
TOTALS			0	1590
AUG26 CALL				
OG		4400	0	90
OG		4500	0	150
OG		4600	0	200
OG		4700	0	200
OG		4900	0	340
TOTALS			0	980
SEP26 CALL				
OG		4685	0	50
TOTALS			0	50
NOV26 CALL				
OG		5500	0	50
OG		6000	0	50
TOTALS			0	100
DEC26 CALL				
OG		4650	0	200
OG		4925	0	300
OG		5000	0	100
TOTALS			0	600
JAN27 CALL				
OG		4500	0	75
TOTALS			0	75
APR27 CALL				
OG		4575	0	50
TOTALS			0	50
OG PUT COMEX GOLD OPTIONS				
AUG26	PUT	3900	0	100
TOTALS			0	100
SEP26 PUT				
OG		3700	0	340
OG		4000	0	80
OG		4005	0	300
OG		4110	0	50
TOTALS			0	770
OCT26 PUT				
OG		3200	0	100
TOTALS			0	100
NOV26 PUT				
OG		3550	0	215
TOTALS			0	215
DEC26 PUT				
OG		4000	0	100
OG		4300	0	100
TOTALS			0	200
MAR27 PUT				
OG		3600	0	160
TOTALS			0	160
APR27 PUT				
OG		4575	0	50
TOTALS			0	50
SO CALL COMEX SILVER OPTIONS				
JUL26	CALL			
SO		7250	0	45
SO		8000	0	887
SO		8200	0	100
SO		8500	0	40
SO		8600	0	100
SO		8800	0	1774
TOTALS			0	2946
AUG26 CALL				
SO		8700	0	46
TOTALS			0	46
SO PUT COMEX SILVER OPTIONS				
JUL26	PUT	6500	0	45
SO			0	45
OCT26 PUT				
SO		6500	0	90
TOTALS			0	90
NOV26 PUT				
SO		5000	0	100
SO		7050	0	50
TOTALS			0	150
HX CALL COMEX COPPER OPTIONS				
SEP26	CALL	700	0	55
HX			0	55
TOTALS				
PO CALL PLATINUM OPTIONS				
JUL26	CALL	1900	0	200
PO			0	200
TOTALS				
PAO PUT NYMEX PALLADIUM OPTIONS				
SEP26	PUT	1200	0	50
PAO			0	50
TOTALS				
OG4 CALL GOLD OPTIONS				
JUN26	CALL			
OG4		4350	0	10
OG4		4500	0	20
TOTALS			0	30
HRO OPT U.S. MIDWEST DOMESTIC HOT-ROLLED CO				
OCT26	CALL	120000	0	100
HRO			0	100
TOTALS				
NOV26 CALL				
HRO		120000	0	100
TOTALS			0	100

PRELIMINARY

PG64		BULLETIN #114@			METALS OPTION PRODUCTS		Tue, Jun 16, 2026		PG64
DEC26	CALL								
HRO		120000		0		100			
TOTALS				0		100			
HRO OPT		U.S. MIDWEST DOMESTIC HOT-ROLLED CO							
OCT26	PUT								
HRO		105000		0		350			
TOTALS				0		350			
NOV26	PUT								
HRO		105000		0		100			
TOTALS				0		100			
DEC26	PUT								
HRO		105000		0		100			
TOTALS				0		100			
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK3							
JUN26	PUT								
G3w		4340		0		30			
TOTALS				0		30			
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK1							
JUL26	PUT								
G1w		4200		0		25			
G1w		4325		0		25			
TOTALS				0		50			
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK1							
JUL26	CALL								
G1w		4425		0		25			
G1w		4550		0		25			
TOTALS				0		50			
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK3							
JUN26	CALL								
G3w		4400		0		30			
TOTALS				0		30			
COO OPT		COBALT METAL (FASTMARKETS) APO							
AUG26	CALL								
COO		2750		0		50			
TOTALS				0		50			
OCT26	CALL								
COO		2500		0		10			
TOTALS				0		10			
NOV26	CALL								
COO		2500		0		10			
TOTALS				0		10			
DEC26	CALL								
COO		2500		0		10			
TOTALS				0		10			