METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	MAY26	MAY26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27
COO OPT	05/29			06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
ECG10 OP		05/13	05/14											
ECG11 OP		05/13	05/14											
ECG13 OP		05/13	05/14											
ECG15 OP		05/13	05/14											
ECG16 OP		05/13	05/14											
ECGC OOF		05/13	05/14											
ECHG OOF		05/13	05/14											
ECSI OOF		05/13	05/14											
EHO OPT	05/29			06/30	07/31	08/28	09/30							
FMG OPT	05/15													
FSO OPT	05/29			06/30										
GMW MON	05/18			06/15										
GWR THU	05/28			06/04										
GWT TUE	05/19			06/16										
GWW WED	05/27			06/03										
HMW MON	05/18			06/15										
HRO OPT	05/26			06/23	07/28	08/25	09/29	10/27	11/24	12/29				
HWR THU	05/28			06/04										
HWT TUE	05/19			06/09										
HWW WED	05/27			06/03	07/01	08/05								
HX CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HX PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HXE CALL	05/29			06/05										
HXE PUT	05/29													
LHO OPT	05/29			06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
MMG MON				06/01										
OG CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG1 CALL				06/05										
OG1 PUT				06/05										
OG3 CALL	05/15													
OG3 PUT	05/15													
OG4 CALL	05/22													
OG4 PUT	05/22													
OG5 CALL	05/29													
OG5 PUT	05/29													
OMG OPT				05/26	06/25	07/28								
PAO CALL				05/20	06/17	07/15	08/19			11/18				
PAO PUT				05/20	06/17	07/15	08/19			11/18				
PLW OOF	05/22			06/05										
PO CALL				05/20	06/17	07/15		09/16			12/16			
PO PUT				05/20	06/17			09/16			12/16			
RWS THU	05/28			06/04										
SMW MON	05/18			06/15										
SO CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
SO PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO1 CALL				06/05										
SO3 CALL	05/15													
SO3 PUT	05/15													
SO4 CALL	05/22													
SO4 PUT	05/22													
SO5 CALL	05/29													
SO5 PUT	05/29													
SWW WED	05/27			06/03										
TWS TUE	05/19			06/09										
WMG WED	05/20													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK3										
MAY26												
4850	----	----	----	----	----	6.40 - 8.20	.0880	----	----	----	----	3 UNCH
TOTAL												3 0
OMG OPT		MICRO GOLD OPTIONS										
JUN26												
2500	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3950	----	----	----	----	----	0.80 - 0.40	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	1.80 - 0.70	----	----	----	----	----	1 UNCH
4260	----	----	----	----	----	2.40 - 0.80	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	3.00 - 0.90	----	----	----	----	----	4 UNCH
4500	----	----	----	----	----	14.10 - 1.70	----	----	----	----	----	6 UNCH
4600	----	----	----	----	----	34.70 - 1.10	----	----	----	----	----	1 UNCH
4625	----	----	----	----	----	42.90 - 0.70	----	----	----	----	----	1 UNCH
4645	----	----	----	----	----	50.40 - 0.30	----	----	----	----	----	6 UNCH
4700	----	----	----	----	----	61.90 - 19.50	----	----	----	----	----	1 UNCH
4720	----	----	----	----	----	88.00 + 2.80	----	----	----	----	----	2 UNCH
4800	----	----	----	----	----	28.30 - 14.00	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	12.30 - 8.70	----	----	----	----	----	1 UNCH
5100	----	----	----	----	----	2.50 - 3.40	----	----	----	----	----	1 UNCH
5875	----	----	----	----	----	0.10 - 0.40	----	----	----	----	----	1 UNCH
TOTAL												30 0
JUL26												
3400	----	----	----	----	----	1320.10 - 21.80	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1260.20 - 21.90	----	----	----	----	----	1 UNCH
4150	11.80	11.80	#11.80/*11.80	#11.80/*11.80	----	12.90 NEW	----	----	----	1	----	1 + 1
4200	----	----	----	----	----	15.80 - 0.80	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	24.10 - 0.80	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	58.90 - 0.20	----	----	----	----	----	4 UNCH
4600	----	----	----	----	----	90.20 + 0.90	----	----	----	----	----	2 UNCH
4700	----	----	----	----	----	152.90 - 19.30	----	----	----	----	----	1 UNCH
5000	----	----	----	----	----	51.90 - 11.40	----	----	----	----	----	2 UNCH
5050	----	----	----	----	----	43.00 - 10.20	----	----	----	----	----	1 UNCH
5200	----	----	----	----	----	24.60 - 6.90	----	----	----	----	----	1 UNCH
5300	----	----	----	----	----	17.30 - 5.40	----	----	----	----	----	3 UNCH
5500	----	----	----	----	----	9.20 - 3.40	----	----	----	----	----	2 UNCH
TOTAL										1		21+ 1
AUG26												
4400	----	----	----	----	----	72.40 + 0.30	----	----	----	----	----	5 UNCH
TOTAL												5 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 PUT		GOLD OPTIONS										
MAY26												
3700	----	----	----	0.50B/1.00A	----	0.90 + 0.10	.0046	----	----	----	----	4 UNCH
3800	----	----	----	0.80B/*1.10A	----	1.00 - 0.10	.0056	----	----	2	----	7 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG5 PUT — GOLD OPTIONS — MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3900 ----	----	----/*1.30A	1.10B/*1.30A	----	1.20 - 0.30	.0073	----	----	2	----	7 - 2
4000 ----	----	----/*1.70A	1.50B/*1.70A	----	1.50 - 0.40	.0099	----	----	----	----	13 UNCH
4100 2.40	2.40	2.40/*1.90	2.40/*1.90	----	2.00 - 0.50	.0143	----	----	3	----	4 + 3
4150 3.00	3.00	3.00/*2.60A	3.00/*2.60A	----	2.40 - 0.60	.0179	----	----	7	----	49 + 7
4200 ----	----	----/*3.10A	3.20B/*3.10A	----	3.00 - 0.50	.0230	----	----	5	----	14 + 5
4250 ----	----	----/*3.80A	4.10B/*3.80A	----	3.60 - 0.80	.0288	----	----	----	----	5 UNCH
4275 4.40	4.40	4.70B/*4.30A	4.70B/*4.30A	----	4.10 - 0.80	.0332	----	----	2	----	7 + 2
4300 5.00	5.00	5.50B/*4.70	5.50B/*4.70	----	4.60 - 1.00	.0378	----	----	18	----	37 + 17
4325 5.80	5.80	6.40B/*5.60A	6.40B/*5.60A	----	5.20 - 1.10	.0434	----	----	1	----	4 UNCH
4350 ----	----	7.50B/*6.40A	7.50B/*6.40A	----	6.10 - 1.10	.0511	----	----	6	----	8 + 6
4375 9.10	9.10	9.10/*7.30A	9.10/*7.30A	----	7.10 - 1.20	.0598	----	----	1	----	2 + 1
4400 8.80	8.80	10.60B/*8.40A	10.60B/*8.40A	----	8.40 - 1.30	.0708	----	----	16	----	115 + 11
4425 10.00	10.00	12.70B/*9.80A	12.70B/*9.80A	----	10.00 NEW	.0841	----	----	11	----	11 + 11
4450 ----	----	15.30B/*11.40A	15.30B/*11.40A	----	12.00 - 1.30	.1001	----	----	----	----	28 UNCH
4475 ----	----	18.40B/*13.50A	18.40B/*13.50A	----	14.40 - 1.30	.1189	----	----	10	----	67 + 10
4500 ----	----	22.20B/*16.00A	22.20B/*16.00A	----	17.30 - 1.40	.1409	----	----	----	----	176 UNCH
4525 ----	----	26.80B/*19.10A	26.80B/*19.10A	----	20.80 - 1.40	.1666	----	----	----	----	2 UNCH
4550 ----	----	32.30B/*22.80A	32.30B/*22.80A	----	25.10 - 1.40	.1964	----	----	----	----	11 UNCH
4575 ----	----	38.80B/*27.30A	38.80B/*27.30A	----	30.20 - 1.40	.2302	----	----	----	----	10 UNCH
4600 35.00	35.00	46.50B/*32.60A	46.50B/*32.60A	----	36.30 - 1.40	.2681	----	----	6	----	19 + 3
4625 ----	----	55.30B/*38.90A	55.30B/*38.90A	----	43.60 - 1.10	.3100	----	----	----	----	17 UNCH
4650 52.50	52.50	65.60B/46.20A	65.60B/46.20A	----	52.00 - 0.70	.3550	----	----	10	----	10 + 8
4675 64.70	64.70	76.90B/54.60A	76.90B/54.60A	----	61.80 UNCH	.4026	----	----	31	----	34 + 17
4700 ----	----	89.70B/64.40A	89.70B/64.40A	----	72.90 + 0.80	.4518	----	----	----	----	4 UNCH
4750 ----	----	119.00B/87.60A	119.00B/87.60A	----	99.40 + 3.40	.5503	----	----	1	----	3 - 1
4775 ----	----	135.60B/100.70A	135.60B/100.70A	----	114.40 + 4.50	.5978	----	----	----	----	14 UNCH
4950 ----	----	278.10B/228.10A	278.10B/228.10A	----	248.10 NEW	.8474	----	----	1	----	1 + 1
TOTAL									133		683 + 101

OG5 CALL — GOLD OPTIONS — MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4600 ----	----	180.50B/*132.70	180.50B/132.70A	----	156.10 - 23.10	.7314	----	----	1	----	3 + 1
4625 ----	----	162.00B/116.70A	162.00B/116.70A	----	138.30 - 22.90	.6895	----	----	----	----	1 UNCH
4725 ----	----	107.10B/*64.90A	107.10B/64.90A	----	80.40 - 19.70	.4982	----	----	2	----	3 + 2
4750 ----	----	94.10B/*55.30A	94.10B/55.30A	----	69.30 - 18.40	.4492	----	----	34	----	35 + 30
4775 ----	----	82.30B/*47.10A	82.30B/47.10A	----	59.40 - 17.20	.4017	----	----	----	----	14 UNCH
4800 ----	----	71.80B/*39.80A	71.80B/39.80A	----	50.50 - 16.20	.3560	----	----	1	----	1 + 1
4825 ----	----	62.10B/*33.60A	62.10B/33.60A	----	42.80 NEW	.3132	----	----	3	----	3 + 3
4850 52.50	52.50	53.70B/*28.40A	53.70B/*28.40A	----	36.20 NEW	.2738	----	----	12	----	5 + 5
4875 ----	----	46.40B/*24.00A	46.40B/*24.00A	----	30.50 - 12.80	.2377	----	----	----	----	1 UNCH
4900 ----	----	39.90B/*20.20A	39.90B/*20.20A	----	25.70 - 11.70	.2055	----	----	----	----	331 UNCH
4925 ----	----	34.40B/*17.10A	34.40B/*17.10A	----	21.70 - 10.50	.1772	----	----	12	----	161 + 8
4950 ----	----	29.40B/*14.50A	29.40B/*14.50A	----	18.30 - 9.40	.1522	----	----	----	----	2 UNCH
4975 23.10	23.10	25.40B/*12.30A	25.40B/*12.30A	----	15.40 - 8.50	.1302	----	----	11	----	12 + 11
5000 15.00	15.00	21.80B/*10.50A	21.80B/*10.50A	----	12.90 - 7.70	.1109	----	----	10	----	687 UNCH
5025 9.90	9.90	18.70B/*9.20A	18.70B/*9.20A	----	10.90 - 6.90	.0947	----	----	1	----	11 + 1
5050 10.60	10.60	16.10B/*7.90A	16.10B/*7.90A	----	9.20 - 6.20	.0807	----	----	1	----	14 + 1
5075 ----	----	13.90B/*6.80A	13.90B/*6.80A	----	7.80 - 5.60	.0689	----	----	----	----	2 UNCH
5100 ----	----	12.00B/*6.00A	12.00B/*6.00A	----	6.70 - 5.00	.0592	----	----	5	----	338 + 5
5125 ----	----	10.30B/*5.30A	10.30B/*5.30A	----	5.80 - 4.40	.0512	----	----	----	----	2 UNCH
5200 6.20	6.20	6.20/*3.70A	6.70B/*3.70A	----	3.80 - 3.30	.0333	----	----	1	----	8 + 1
5225 ----	----	----/*3.40A	5.80B/*3.40A	----	3.30 - 3.00	.0288	----	----	----	----	1 UNCH
5250 ----	----	----/*3.00A	5.20B/*3.00A	----	3.00 - 2.70	.0259	----	----	----	----	3 UNCH
5300 ----	----	----/*2.50A	4.00B/*2.50A	----	2.40 - 2.30	.0203	----	----	5	----	10 + 4
5400 ----	----	----/*1.80A	2.50B/*1.80A	----	1.60 - 1.70	.0130	----	----	----	----	36 UNCH
5500 ----	----	----/*1.40A	1.80B/*1.40A	----	1.20 - 1.30	.0093	----	----	----	----	1 UNCH
5600 ----	----	----/*1.10A	1.40B/*1.10A	----	0.90 - 1.00	.0066	----	----	----	----	1 UNCH
5750 ----	----	----/*0.90A	0.90B/*0.90A	----	0.70 - 0.70	.0047	----	----	----	----	3 UNCH
TOTAL									99		1689 + 73

OG4 PUT — GOLD OPTIONS — MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500 ----	----	----	----/*0.90A	----	0.10 - 0.10	.0001	----	----	----	----	17 UNCH
3800 ----	----	----	----/1.00A	----	0.30 - 0.20	.0016	----	----	----	----	8 UNCH
3900 ----	----	----	0.30B/*0.70A	----	0.40 - 0.20	.0024	----	----	----	----	16 UNCH
4000 ----	----	----	0.50B/*0.80A	----	0.50 - 0.20	.0033	----	----	1	----	16 + 1
4075 ----	----	----	0.80B/*1.00A	----	0.60 - 0.30	.0044	----	----	----	----	19 UNCH
4100 1.00	1.00	1.00/*1.00	1.00/*1.00	----	0.70 - 0.30	.0053	----	----	1	----	3 UNCH
4125 ----	----	----	1.00B/*1.10A	----	0.80 - 0.30	.0062	----	----	----	----	2 UNCH
4150 ----	----	----	1.10B/*1.20A	----	0.90 - 0.30	.0072	----	----	----	----	27 UNCH
4175 ----	----	----/*1.30A	1.20B/*1.30A	----	1.00 - 0.40	.0082	----	----	----	----	1 UNCH
4200 1.50	1.50	1.50/*1.40	1.50/*1.40	----	1.10 - 0.40	.0093	----	----	6	----	13 + 2
4225 ----	----	----/*1.60A	1.60B/*1.60A	----	1.30 - 0.50	.0113	----	----	----	----	4 UNCH
4250 2.40	2.40	2.40/*1.70A	2.40/*1.70A	----	1.60 - 0.40	.0142	----	----	6	----	11 - 2
4275 ----	----	----/*2.00A	2.10B/*2.00A	----	1.80 - 0.50	.0165	----	----	15	----	40 + 15
4300 ----	----	----/*2.20A	2.40B/*2.20A	----	2.00 - 0.70	.0190	----	----	3	----	52 UNCH
4325 2.50	2.50	2.90/*2.50	2.90/*2.50	----	2.30 - 0.80	.0225	----	----	12	----	20 + 4
4350 ----	----	----/*2.90A	3.50B/*2.90A	----	2.70 - 0.80	.0272	----	----	----	----	3 UNCH
4375 ----	----	4.30B/*3.40A	4.30B/*3.40A	----	3.20 - 1.00	.0331	----	----	18	----	48 + 15
4400 4.30	4.30	5.50/*4.00A	5.50/*4.00A	----	3.80 - 1.10	.0404	----	----	7	----	30 + 6
4425 5.70	5.70	6.60B/*4.70A	6.60B/*4.70A	----	4.70 - 1.30	.0508	----	----	5	----	16 + 4
4450 ----	----	8.40B/*5.70A	8.40B/*5.70A	----	5.90 - 1.40	.0645	----	----	----	----	30 UNCH
4475 10.10	10.10	10.70B/*7.00A	10.70B/*7.00A	----	7.50 - 1.60	.0824	----	----	5	----	7 + 1
4500 11.30	11.30	13.80B/*8.70A	13.80B/*8.70A	----	9.70 - 1.70	.1060	----	----	96	----	128 + 67
4525 15.50	15.50	17.80B/*11.00A	17.80B/*11.00A	----	12.50 - 1.80	.1354	----	----	15	----	54 + 13
4550 15.90	15.90	23.00B/*13.90A	23.00B/*13.90A	----	16.20 - 1.80	.1723	----	----	47	----	35 + 22
4575 ----	----	29.40B/*17.80A	29.40B/*17.80A	----	21.00 - 1.60	.2171	----	----	1	----	14 + 1
4600 25.50	25.50	37.40B/*22.60A	37.40B/*22.60A	----	27.00 - 1.40	.2695	----	----	23	----	142 + 5
4625 38.80	38.80	47.20B/*28.70A	47.20B/*28.70A	----	34.50 - 1.00	.3294	----	----	3	----	20 + 3
4650 41.80	41.80	58.70B/36.30A	58.70B/36.30A	----	43.70 - 0.30	.3953	----	----	11	----	11 + 8
4675 61.00	61.00	72.10B/45.50A	72.10B/45.50A	----	54.70 + 0.70	.4648	----	----	27	----	58 + 7
4700 64.50	64.50	87.20B/56.40A	87.20B/56.40A	----	67.40 + 1.90	.5353	----	----	101	----	100 + 77
4725 ----	----	104.20B/69.00A	104.20B/69.00A	----	82.00 + 3.30	.6041	----	----	----	----	12 UNCH
4775 ----	----	142.40B/98.20A	142.40B/98.20A	----	116.10 + 6.50	.7273	----	----	----	----	2 UNCH
4800 ----	----	163.30B/115.20A	163.30B/115.20A	----	135.40 + 8.20	.7789	----	----	3	----	3 + 3
4850 ----	----	207.70B/152.30A	207.70B/152.30A	----	177.20 + 11.30	.8588	----	----	----	----	2 UNCH
4900 ----	----	254.50B/193.80A	254.50B/193.80A	----	222.20 + 13.90	.9127	----	----	----	----	3 UNCH
5000 ----	----	351.40B/284.20A	351.40B/284.20A	----	317.30 NEW	.9678	----	----	3	----	3 + 3
TOTAL									409		970 + 255

OG4 CALL — GOLD OPTIONS — MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4500 ----	----	232.40B/164.90A	232.40B/164.90A	----	194.90 - 23.00	.8937	----	----	----	----	1 UNCH
4525 ----	----	209.80B/144.00A	209.80B/144.00A	----	172.70 - 23.10	.8643	----	----	----	----	15 UNCH
4550 ----	----	187.80B/124.20A	187.80B/124.20A	----	151.40 - 23.20	.8275	----	----	----	----	1 UNCH
4575 ----	----	166.60B/105.60A	166.60B/105.60A	----	131.20 - 23.00	.7826	----	----	----	----	1 UNCH
4600 ----	----	146.70B/88.90A	146.70B/88.90A	----	112.30 - 22.70	.7302	----	----	----	----	55 UNCH
4625 ----	----	127.50B/73.50A	127.50B/73.50A	----	94.80 - 22.30	.6703	----	----	----	----	3 UNCH
4650 86.00	86.00	109.90B/60.10A	109.90B/60.10A	----	79.00 - 21.60	.6045	----	----	2	----	11 + 2
4675 64.50	64.50	94.00B/48.50A	94.00B/48.50A	----	65.00 - 20.60	.5349	----	----	21	----	22 + 21
4700 65.00	65.00	79.70B/38.70A	79.70B/38.70A	----	52.70 - 19.50	.4644	----	----	26	50	85 + 57
4725 57.00	57.00	66.90B/*30.60A	66.90B/*30.60A	----	42.30 - 18.10	.3956	----	----	36	----	23 + 18
4750 51.90	51.90	56.00/*24.00A	56.00/*24.00A	----	33.60 - 16.50	.3309	----	----	13	----	27 UNCH
4775 36.60	36.60	46.00B/*18.70A	46.00B/*18.70A	----	26.50 - 14.90	.2724	----	----	32	----	59 + 28
4800 31.70	31.70	37.70B/*14.60A	37.70B/*14.60A	----	20.70 - 13.30	.2208	----	----	126	----	168 - 2
4825 28.50	28.50	30.80B/*11.50A	30.80B/*11.50A	----	16.20 - 11.60	.1774	----	----	17	----	501 UNCH
4850 ----	----	25.10B/*9.00A	25.10B/*9.00A	----	12.60 - 10.10	.1409	----	----	3	----	45 + 3
4875 11.10	11.10	20.50B/*7.00A	20.50B/*7.00A	----	9.80 - 8.70	.1112	----	----	12	----	25 UNCH
4900 7.80	7.80	16.70B/*5.70A	16.70B/*5.70A	----	7.60 - 7.50	.0871	----	----	12	----	118 - 1
4925 ----	----	13.60B/*4.60A	13.60B/*4.60A	----	5.90 - 6.50	.0679	----	----	1	----	15 - 1
4950 8.80	8.80	11.00B/*3.80A	11.00B/*3.80A	----	4.60 - 5.60	.0530	----	----	21	----	240 + 20
4975 ----	----	9.00B/*3.10A	9.00B/*3.10A	----	3.60 - 4.80	.0413	----	----	25	----	64 + 25
5000 ----	----	7.20B/*2.60A	7.20B/*2.60A	----	2.80 - 4.20	.0320	----	----	8	----	70 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG4 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5025	----	----	----/*2.20A	5.90B/*2.20A	----	2.20 - 3.70	.0249	----	----	----	----	506 UNCH
5050	----	----	----/*1.80A	4.80B/*1.80A	----	1.80 - 3.20	.0200	----	----	22	----	24 + 17
5075	----	----	----/*1.60A	4.00B/*1.60A	----	1.50 - 2.80	.0163	----	----	----	----	4 UNCH
5100	----	----	----/*1.20A	3.40B/*1.20A	----	1.20 - 2.50	.0129	----	----	5	----	17 + 5
5125	----	----	----/*1.20A	2.70B/*1.20A	----	1.00 - 2.20	.0105	----	----	----	----	3 UNCH
5150	1.80	1.80	1.80/*1.10A	2.40B/*1.10A	----	0.90 - 1.90	.0092	----	----	1	----	5 - 1
5175	1.60	1.60	1.60/*0.90A	2.00B/*0.90A	----	0.80 - 1.70	.0079	----	----	1	----	2 - 1
5200	2.30	2.30	2.30/*0.90	2.30/*0.90	----	0.70 - 1.50	.0068	----	----	3	----	26 + 1
5225	----	----	----/*0.80A	1.50B/*0.80A	----	0.70 - 1.20	.0065	----	----	----	----	2 UNCH
5300	----	----	----/*0.70A	1.00B/*0.70A	----	0.50 - 0.90	.0043	----	----	----	----	3 UNCH
5400	----	----	----/*0.70A	0.60B/*0.70A	----	0.30 - 0.70	.0024	----	----	----	----	2 UNCH
5500	----	----	----	0.40B/*0.70A	----	0.20 - 0.50	.0014	----	----	1	----	15 + 1
5600	----	----	----	0.20B/0.60A	----	0.20 - 0.40	.0013	----	----	----	----	15 UNCH
6000	----	----	----	----/1.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
TOTAL										388	50	2174 + 192

OG3 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3700	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3750	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
3800	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	56 UNCH
3900	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	69 UNCH
4000	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	66 UNCH
4100	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	22 UNCH
4125	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4150	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	3	----	7 UNCH
4175	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	2	----	5 + 2
4200	0.20	0.20	0.20/0.10	0.20/0.10	----	0.10 UNCH	----	----	----	24	----	154 + 23
4225	----	----	----	0.10B/*0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4250	0.10	0.10	0.20B/*0.10	0.20B/*0.10	----	0.10 UNCH	----	----	----	5	----	53 + 5
4260	----	----	----	0.20B/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
4270	----	----	----	0.20B/*0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
4275	----	----	----	0.20B/*0.20A	----	0.10 - 0.10	----	----	----	----	----	49 UNCH
4295	----	----	----	0.20B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
4300	0.30	0.30	0.30/0.30	0.30/*0.20A	----	0.10 - 0.10	.0000	----	----	4	----	387 UNCH
4305	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.10 NEW	.0000	----	----	1	----	1 + 1
4315	0.20	0.20	0.30B/*0.20	0.30B/*0.20	----	0.10 NEW	.0000	----	----	6	----	6 + 6
4320	0.30	0.30	0.30/0.30	0.30/0.30	----	0.20 NEW	.0001	----	----	2	----	2 + 2
4325	0.20	0.20	0.30/*0.20	0.30/*0.20	----	0.20 - 0.10	.0001	----	----	9	----	42 UNCH
4330	0.30	0.30	0.30/0.30	0.30/0.30	----	0.20 - 0.10	.0001	----	----	1	----	3 + 1
4335	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.20 - 0.10	.0001	----	----	4	----	6 + 4
4340	0.40	0.40	0.40/*0.20A	0.40/*0.20A	----	0.20 NEW	.0001	----	----	9	----	9 + 9
4350	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.30 - 0.10	.0002	----	----	1	----	55 UNCH
4360	0.30	0.30	0.40B/*0.30	0.40B/*0.30	----	0.30 NEW	.0002	----	----	3	----	3 + 3
4365	0.20	0.20	0.40B/*0.20	0.40B/*0.20	----	0.30 - 0.20	.0002	----	----	5	----	8 + 5
4370	----	----	----/*0.30A	0.40B/*0.30A	----	0.40 - 0.10	.0003	----	----	----	----	2 UNCH
4375	----	----	----/*0.30A	0.40B/*0.30A	----	0.40 - 0.10	.0004	----	----	----	----	57 UNCH
4395	0.60	0.60	0.60/*0.20A	0.60/*0.20A	----	0.50 NEW	.0006	----	----	1	----	1 + 1
4400	0.30	0.30	0.60/*0.20A	0.60/*0.20A	----	0.50 - 0.10	.0006	----	----	8	----	93 + 4
4410	0.50	0.50	0.90/*0.20A	0.90/*0.20A	----	0.50 NEW	.0006	----	----	6	----	6 + 6
4415	0.50	0.50	0.60B/*0.20A	0.60B/*0.20A	----	0.50 - 0.20	.0006	----	----	1	----	119 UNCH
4420	0.50	0.50	0.60/*0.20A	0.60/*0.20A	----	0.50 NEW	.0007	----	----	2	----	2 + 2
4425	0.20	0.20	0.70B/*0.20	0.70B/*0.20	----	0.50 - 0.20	.0007	----	----	261	----	465 + 255
4435	----	----	----/*0.40A	0.70B/*0.40A	----	0.50 - 0.30	.0007	----	----	1	----	2 + 1
4440	0.70	0.70	0.80/*0.40A	0.80/*0.40A	----	0.60 NEW	.0010	----	----	3	----	3 + 3
4445	----	----	----/*0.40A	0.70B/*0.40A	----	0.60 - 0.30	.0010	----	----	----	----	3 UNCH
4450	0.80	0.80	0.90/*0.40A	0.90/*0.40A	----	0.60 - 0.30	.0011	----	----	6	----	201 + 5
4460	0.50	0.50	0.80/*0.40A	0.80/*0.40A	----	0.60 - 0.40	.0011	----	----	6	----	8 + 6
4465	----	----	----/*0.40A	0.90B/*0.40A	----	0.60 - 0.40	.0012	----	----	----	----	3 UNCH
4475	0.60	0.60	0.70/*0.50	1.00B/*0.50	----	0.70 - 0.40	.0016	----	----	15	----	73 + 9
4480	0.30	0.30	0.50/*0.30	1.00B/*0.30	----	0.70 - 0.50	.0016	----	----	2	----	3 + 1
4485	----	----	----/*0.50A	1.10B/*0.50A	----	0.70 - 0.50	.0017	----	----	----	----	1 UNCH
4490	----	----	----/*0.60A	1.20B/*0.60A	----	0.70 - 0.60	.0018	----	----	1	----	2 - 1
4500	1.40	1.40	1.60B/*0.50	1.60B/*0.50	----	0.80 - 0.60	.0023	----	----	34	----	247 - 4
4505	----	----	----/*0.70A	1.30B/*0.70A	----	0.80 - 0.70	.0024	----	----	----	----	2 UNCH
4510	1.00	1.00	1.00/*0.70A	1.40B/*0.70A	----	0.90 - 0.70	.0029	----	----	2	----	4 + 1
4515	1.10	1.10	1.10/*0.80A	1.50B/*0.80A	----	0.90 - 0.80	.0031	----	----	1	----	4 + 1
4520	1.40	1.40	1.40/*0.80A	1.60B/*0.80A	----	1.00 - 0.80	.0037	----	----	4	----	3 + 1
4525	1.70	1.70	2.10/*0.70	2.10/*0.70	----	1.00 - 0.90	.0038	----	----	29	----	63 + 10
4530	2.10	2.10	2.10/*0.90A	2.10/*0.90A	----	1.10 - 0.90	.0046	----	----	3	----	4 + 3
4535	0.90	0.90	2.10/*0.90	2.10/*0.90	----	1.10 - 1.00	.0048	----	----	32	----	34 + 30
4540	----	----	----/*1.00A	2.30B/*1.00A	----	1.20 - 1.10	.0056	----	----	----	----	4 UNCH
4545	2.50	2.50	2.60B/*1.10A	2.60B/*1.10A	----	1.20 - 1.20	.0059	----	----	1	----	6 - 1
4550	2.30	2.30	3.00/*1.10	3.00/*1.10	----	1.30 - 1.30	.0068	----	----	142	----	363 - 9
4555	1.50	1.50	3.20B/*1.30A	3.20B/*1.30A	----	1.40 - 1.40	.0079	----	----	3	----	4 + 1
4560	2.30	2.30	3.50B/*1.40A	3.50B/*1.40A	----	1.50 - 1.50	.0091	----	----	7	----	22 + 4
4565	3.80	3.80	3.90B/*1.50A	3.90B/*1.50A	----	1.60 - 1.60	.0104	----	----	18	----	18 + 11
4570	2.00	2.00	4.30B/*1.60A	4.30B/*1.60A	----	1.80 - 1.60	.0127	----	----	4	----	9 + 3
4575	4.40	4.40	4.70B/*1.70A	4.70B/*1.70A	----	1.90 - 1.80	.0143	----	----	40	----	73 + 4
4580	3.00	3.00	5.10B/*1.90A	5.10B/*1.90A	----	2.10 - 1.90	.0171	----	----	56	----	69 + 47
4585	2.60	2.60	5.70B/*2.00A	5.70B/*2.00A	----	2.30 - 2.10	.0202	----	----	7	----	14 + 4
4590	4.40	4.40	6.50/*2.20A	6.50/*2.20A	----	2.50 - 2.20	.0236	----	----	16	----	19 + 5
4595	----	----	6.90B/*2.40A	6.90B/*2.40A	----	2.80 - 2.30	.0285	----	----	----	----	8 UNCH
4600	5.00	5.00	7.70/*2.60A	7.70/*2.60A	----	3.10 - 2.50	.0339	----	----	263	----	381 + 181
4605	6.00	6.00	8.40B/*2.90A	8.40B/*2.90A	----	3.40 - 2.70	.0400	----	----	6	----	7 + 2
4610	5.40	5.40	9.20/*3.20A	9.20/*3.20A	----	3.80 - 2.80	.0480	----	----	9	----	7 + 5
4615	5.20	5.20	10.30B/*3.50A	10.30B/*3.50A	----	4.30 - 2.90	.0582	----	----	14	----	14 + 13
4620	4.90	4.90	11.60B/*3.90A	11.60B/*3.90A	----	4.80 - 3.10	.0694	----	----	24	----	137 + 4
4625	10.60	10.60	13.00B/*4.30A	13.00B/*4.30A	----	5.40 - 3.20	.0832	----	----	170	----	158 + 69
4630	5.50	5.50	14.60B/*4.80A	14.60B/*4.80A	----	6.10 - 3.30	.0997	----	----	8	----	29 + 3
4635	5.50	5.50	16.30B/*5.20A	16.30B/*5.20A	----	6.90 - 3.40	.1192	----	----	30	----	29 + 22
4640	7.30	7.30	18.20B/*5.80A	18.20B/*5.80A	----	7.80 - 3.40	.1417	----	----	9	----	7 + 3
4645	11.00	11.00	20.30B/*6.40A	20.30B/*6.40A	----	8.80 - 3.50	.1675	----	----	9	----	3 + 2
4650	15.00	15.00	22.50B/*7.10A	22.50B/*7.10A	----	9.90 - 3.50	.1965	----	----	222	----	292 - 32
4655	10.00	10.00	25.00B/*7.80A	25.00B/*7.80A	----	11.20 - 3.40	.2300	----	----	24	----	18 + 14
4660	9.10	9.10	27.70B/*8.70A	27.70B/*8.70A	----	12.60 - 3.30	.2666	----	----	32	----	21 + 19
4665	15.70	15.70	30.60B/*9.60A	30.60B/*9.60A	----	14.20 - 3.10	.3072	----	----	2	----	3 + 2
4670	----	----	33.50B/*10.70A	33.50B/*10.70A	----	16.00 - 2.90	.3511	----	----	8	----	8 + 6
4675	20.50	20.50	36.70B/*11.90A	36.70B/*11.90A	----	18.00 - 2.50	.3976	----	----	156	----	131 + 112
4680	22.10	22.10	40.40B/*13.10A	40.40B/*13.10A	----	20.10 - 2.20	.4457	----	----	14	----	10 + 7
4685	23.00	23.00	43.90B/*14.60A	43.90B/*14.60A	----	22.50 - 1.70	.4953	----	----	4	----	16 + 1
4690	25.00	25.00	47.70B/*16.20A	47.70B/*16.20A	----	25.00 - 1.20	.5450	----	----	6	----	7 + 4
4695	----	----	51.50B/*17.90A	51.50B/*17.90A	----	27.80 - 0.50	.5939	----	----	2	----	5 + 2
4700	33.10	33.10	55.50B/*19.80A	55.50B/*19.80A	----	30.70 + 0.10	.6416	----	----	46	----	114 + 12
4705	----	----	59.70B/*21.90A	59.70B/*21.90A	----	33.80 + 0.90	.6870	----	----	3	----	9 + 2
4710	----	----	64.00B/*24.00A	64.00B/*24.00A	----	37.20 + 1.70	.7284	----	----	4	----	3 UNCH
4715	----	----	68.30B/*26.50A	68.30B/*26.50A	----	40.60 + 2.50	.7681	----	----	----	----	3 UNCH
4720	37.70	37.70	72.90B/28.90A	72.90B/28.90A	----	44.30 + 3.40	.8026	----	----	73	----	22 + 11
4725	----	----	77.30B/31.60A	77.30B/31.60A	----	48.00 + 4.20	.8338	----	----	11	----	186 + 10
4730	44.00	44.00	81.90B/34.50A	81.90B/34.50A	----	52.00 + 5.20	.8617	----	----	2	----	3 - 1
4735	----	----	86.60B/37.70A	86.60B/37.70A	----	56.00 + 6.00	.8863	----	----	----	----	11 UNCH
4740	----	----	91.30B/40.90A	91.30B/40.90A	----	60.20 + 6.90	.9063	----	----	1	----	5 UNCH
4745	----	----	96.00B/44.10A	96.00B/44.10A	----	64.50 + 7.80	.9232	----	----	----	----	8 UNCH
4750	----	----	100.80B/47.40A	100.80B/47.40A	----	68.80 + 8.60	.9386	----	----	----	----	20 UNCH
4755	----	----	105.60B/50.80A	105.60B/50.80A	----	73.30 + 9.50	.9498	----	----	2	----	2 + 2
4760	----	----	110.50B/54.20A	110.50B/54.20A	----	77.80 + 10.30	.9600	----	----	----	----	3 UNCH
4765	----	----	115.40B/57.60A	115.40B/57.60A	----	82.40 + 11.10	.9678	----	----	----	----	8 UNCH
4770	----	----	120.30B/61.40A	120.30B/61.40A	----	87.00 NEW	.9748	----	----	1	----	1 + 1
4775	----	----	125.20B/65.00A	125.20B/65.00A	----	91.70 + 12.50	.9799	----	----	1	----	6 + 1
4795	----	----	144.90B/80.70A	144.90B/80.70A	----	110.80 + 14.90	.9924	----	----	----	----	1 UNCH
4800	----	----	149.90B/85.10A	149.90B/85.10A	----	115.70 + 15.40	.9937	----	----	----	----	15 UNCH
4815	----	----	164.80B/98.00A	164.80B/98.00A	----	130.30 + 16.70	.9967	----	----	----	----	5 UNCH
4850	----	----	199.60B/129.90A	199.60B/129.90A	----	164.90 + 18.70	.9996	----	----	----	----	1 UNCH
4855	----	----	204.60B/134.60A	204.60B/134.60A	----	169.90 + 18.90	.9996	----	----	----	----	1 UNCH
4875	----	----	224.50B/153.60A	224.50B/153.60A	----	189.80 + 19.50	1.0000	----	----	----	----	1 UNCH
4890	----	----	239.50B/168.20A	239.50B/168.20A	----	204.80 + 19.90	1.0000	----	----	----	----	1 UNCH
4900	----	----	249.50B/177.90A	249.50B/177.90A	----	214.80 + 20.10	1.0000	1	----	1	----	2 - 2
4905	----	----	254.50B/182.80A	254.50B/182.80A	----	219.80 + 20.20	1.0000	2	----	----	----	0 - 2
5025	----	----	374.50B/311.20A	374.50B/311.20A	----	339.80 + 21.20	1.0000	1	----	----	----	0 - 1
5100	----	----	449.50B/385.90A	449.50B/385.90A	----	414.80 + 21.40	1.0000	----	----	----	----	0 UNCH
TOTAL										1948		4758 + 936

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG3 CALL — GOLD OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4200	----	----	514.10B/450.60A	514.10B/450.60A	----	485.40 - 21.40	1.0000	----	----	----	----	0 UNCH
4250	----	----	464.30B/400.70A	464.30B/400.70A	----	435.40 - 21.40	1.0000	----	----	----	----	2 UNCH
4400	----	----	314.40B/251.10A	314.40B/251.10A	----	285.80 - 21.50	.9993	----	----	----	----	3 UNCH
4450	----	----	264.70B/201.50A	264.70B/201.50A	----	235.90 - 21.70	.9989	----	----	----	----	3 UNCH
4500	----	----	224.50B/152.10A	224.50B/152.10A	----	186.10 - 22.00	.9976	----	----	----	----	1 UNCH
4550	----	----	175.30B/103.60A	175.30B/103.60A	----	136.60 - 22.70	.9931	----	----	----	----	38 UNCH
4575	----	----	150.90B/80.40A	150.90B/80.40A	----	112.20 - 23.20	.9856	----	----	----	----	7 UNCH
4590	----	----	136.50B/*67.10A	136.50B/*67.10A	----	97.80 - 23.60	.9763	----	----	----	----	1 UNCH
4600	----	----	127.00B/58.60A	127.00B/58.60A	----	88.40 - 23.90	.9660	----	----	2	----	128 UNCH
4625	----	----	104.00B/39.30A	104.00B/39.30A	----	65.70 - 24.60	.9167	----	----	----	----	33 UNCH
4630	75.60	75.60	99.40B/*36.10A	99.40B/*36.10A	----	61.40 NEW	.9002	----	----	1	----	1 + 1
4640	46.10	46.10	90.60B/*29.70A	90.60B/*29.70A	----	53.00 NEW	.8582	----	----	2	----	1 + 1
4650	37.00	37.00	82.00B/*24.00A	82.00B/*24.00A	----	45.20 - 24.90	.8034	----	----	10	----	161 + 2
4655	36.30	36.30	77.80B/*21.50A	77.80B/*21.50A	----	41.50 NEW	.7699	----	----	3	----	2 + 2
4660	36.80	36.80	73.70B/*19.20A	73.70B/*19.20A	----	37.90 NEW	.7333	----	----	12	----	12 + 12
4665	30.40	30.40	69.80B/*17.00A	69.80B/*17.00A	----	34.50 NEW	.6927	----	----	6	----	5 + 5
4670	29.30	29.30	65.70B/*15.10A	65.70B/*15.10A	----	31.30 - 24.30	.6488	----	----	12	----	6 + 5
4675	29.20	29.20	61.90B/*13.30A	61.90B/*13.30A	----	28.30 - 23.90	.6023	----	----	9	----	18 + 3
4680	27.90	27.90	58.30B/*11.70A	58.30B/*11.70A	----	25.40 - 23.60	.5541	----	----	12	----	9 + 5
4685	24.00	24.00	54.70B/*10.20A	54.70B/*10.20A	----	22.80 - 23.10	.5046	----	----	31	----	12 + 5
4690	24.10	24.10	51.20B/*8.90A	51.20B/*8.90A	----	20.30 - 22.60	.4549	----	----	28	----	21 + 6
4695	22.00	22.00	47.80B/*7.70A	47.80B/*7.70A	----	18.10 - 21.90	.4060	----	----	12	----	6 + 3
4700	27.60	27.60	46.40/*6.70A	46.40/*6.70A	----	16.00 - 21.30	.3583	----	----	191	50	465 + 50
4705	30.10	30.10	41.60B/*5.50	41.60B/*5.50	----	14.10 - 20.50	.3129	----	----	44	----	57 + 29
4710	25.00	25.00	38.90B/*5.00A	38.90B/*5.00A	----	12.50 - 19.70	.2714	----	----	58	----	37 + 22
4715	17.20	17.20	36.00B/*4.50A	36.00B/*4.50A	----	10.90 - 18.90	.2318	----	----	10	----	10 + 6
4720	21.00	21.00	33.30B/*3.90A	33.30B/*3.90A	----	9.60 - 18.00	.1973	----	----	129	----	89 + 82
4725	24.20	24.20	30.90B/*3.40A	30.90B/*3.40A	----	8.40 - 17.10	.1661	----	----	226	----	231 + 1
4730	24.00	24.00	28.30B/*2.80	28.30B/*2.80	----	7.30 - 16.20	.1382	----	----	89	----	38 + 34
4735	----	----	26.10B/*2.60A	26.10B/*2.60A	----	6.30 - 15.40	.1136	----	----	8	----	3 - 1
4740	23.00	23.00	24.10B/*2.10	24.10B/*2.10	----	5.50 - 14.50	.0936	----	----	139	----	103 + 95
4745	5.30	5.30	22.00B/*2.00A	22.00B/*2.00A	----	4.80 - 13.60	.0767	----	----	52	----	55 + 45
4750	12.10	12.10	20.10B/*1.80A	20.10B/*1.80A	----	4.10 - 12.80	.0613	----	----	198	----	231 - 25
4755	2.50	2.50	18.60B/*1.60A	18.60B/*1.60A	----	3.60 - 11.90	.0501	----	----	6	----	11 UNCH
4760	10.70	10.70	16.80B/*1.50A	16.80B/*1.50A	----	3.10 - 11.10	.0399	----	----	22	----	15 UNCH
4765	----	----	15.50B/*1.30A	15.50B/*1.30A	----	2.70 - 10.30	.0321	----	----	4	----	2 - 1
4770	8.40	8.40	14.00B/*1.20A	14.00B/*1.20A	----	2.30 - 9.60	.0251	----	----	14	----	12 + 3
4775	8.10	8.10	12.70B/*1.10A	12.70B/*1.10A	----	2.00 - 8.90	.0200	----	----	53	----	128 - 2
4780	6.70	6.70	11.60B/*1.00A	11.60B/*1.00A	----	1.70 - 8.30	.0154	----	----	9	----	7 + 3
4785	9.50	9.50	10.50B/*0.90A	10.50B/*0.90A	----	1.50 - 7.60	.0125	----	----	13	----	8 + 6
4790	7.80	7.80	9.60B/*0.80	9.60B/*0.80	----	1.30 - 7.00	.0098	----	----	14	----	16 + 6
4795	1.20	1.20	8.70B/*0.80A	8.70B/*0.80A	----	1.10 NEW	.0075	----	----	2	----	2 + 2
4800	5.40	5.40	8.50/*0.60	8.50/*0.60	----	1.00 - 6.00	.0062	----	----	300	----	493 - 31
4805	0.80	0.80	7.10B/*0.60A	7.10B/*0.60A	----	0.90 - 5.50	.0051	----	----	3	----	6 + 1
4810	0.50	0.50	6.40B/*0.30	6.40B/*0.30	----	0.80 - 5.10	.0041	----	----	10	----	15 UNCH
4815	----	----	5.80B/*0.50A	5.80B/*0.50A	----	0.70 - 4.70	.0033	----	----	----	----	36 UNCH
4820	0.60	0.60	5.30B/*0.30A	5.30B/*0.30A	----	0.60 - 4.30	.0025	----	----	6	----	24 + 6
4825	1.50	1.50	4.80B/*0.30	4.80B/*0.30	----	0.50 - 4.00	.0018	----	----	19	----	57 + 7
4830	3.00	3.00	4.30B/*0.20	4.30B/*0.20	----	0.40 - 3.70	.0013	----	----	16	----	27 + 15
4835	0.90	0.90	3.90B/*0.30A	3.90B/*0.30A	----	0.40 NEW	.0012	----	----	1	----	1 + 1
4840	----	----	----/*0.40A	3.50B/*0.40A	----	0.30 - 3.20	.0007	----	----	----	----	27 UNCH
4845	0.50	0.50	0.50/*0.30A	3.20B/*0.30A	----	0.30 - 2.90	.0007	----	----	1	----	4 + 1
4850	2.10	2.10	3.20/*0.20	3.20/*0.20	----	0.20 - 2.80	.0003	----	----	12	----	422 + 4
4855	0.30	0.30	0.30/*0.30	2.60B/*0.30	----	0.20 - 2.50	.0003	----	----	4	----	11 + 4
4860	----	----	----/*0.30A	2.30B/*0.30A	----	0.20 - 2.30	.0003	----	----	----	----	1 UNCH
4865	0.70	0.70	0.70/*0.20	2.10B/*0.20	----	0.20 - 2.10	.0003	----	----	4	----	8 + 3
4870	0.40	0.40	0.40/*0.20A	1.90B/*0.20A	----	0.10 - 2.10	.0001	----	----	2	----	3 + 1
4875	1.20	1.20	1.70B/*0.20A	1.70B/*0.20A	----	0.10 - 1.90	.0000	----	----	18	----	233 + 13
4880	----	----	----/*0.20A	1.50B/*0.20A	----	0.10 - 1.80	.0000	----	----	3	----	15 + 2
4885	----	----	----/*0.20A	1.40B/*0.20A	----	0.10 - 1.60	.0000	----	----	----	----	2 UNCH
4890	0.30	0.30	0.30/*0.20A	1.30B/*0.20A	----	0.10 - 1.50	.0000	----	----	4	----	15 + 3
4895	0.30	0.30	0.30/*0.20A	1.20B/*0.20A	----	0.10 - 1.40	.0000	----	----	1	----	2 UNCH
4900	1.50	1.50	1.50/*0.10	1.50/*0.10	----	0.10 - 1.30	.0000	----	----	46	----	588 - 15
4905	----	----	----/*0.20A	0.90B/*0.20A	----	0.10 - 1.20	.0000	----	----	----	----	4 UNCH
4910	----	----	----/*0.20A	0.80B/*0.20A	----	0.10 - 1.10	----	----	----	1	----	3 UNCH
4920	----	----	----/*0.20A	0.70B/*0.20A	----	0.10 - 1.00	----	----	----	----	----	2 UNCH
4925	----	----	----/*0.20A	0.60B/*0.20A	----	0.10 - 0.90	----	----	----	----	----	51 UNCH
4940	0.10	0.10	0.10/*0.10	0.40B/*0.10	----	0.10 NEW	----	----	----	4	----	4 + 4
4945	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 0.70	----	----	----	----	----	1 UNCH
4950	0.80	0.80	0.80/*0.20A	0.80/*0.20A	----	0.10 - 0.70	----	----	----	1	----	302 + 1
4955	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 0.60	----	----	----	----	----	1 UNCH
4960	----	----	----/*0.10A	0.30B/*0.10A	----	0.10 - 0.60	----	----	----	----	----	1 UNCH
4975	----	----	----/*0.10A	0.30B/*0.10A	----	0.10 - 0.50	----	----	----	----	----	61 UNCH
4980	----	----	----/*0.10A	0.20B/*0.10A	----	0.10 - 0.50	----	----	----	----	----	0 UNCH
4985	----	----	----/*0.10A	0.30B/*0.10A	----	0.10 - 0.40	----	----	----	----	----	12 UNCH
5000	0.50	0.50	0.50/*0.10	0.50/*0.10	----	0.10 - 0.40	----	----	----	15	----	359 + 6
5005	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.30	----	----	----	----	----	1 UNCH
5010	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.30	----	----	----	1	----	7 + 1
5015	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.30	----	----	----	----	----	2 UNCH
5025	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.20	----	----	----	----	----	31 UNCH
5030	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.20	----	----	----	2	----	2 - 1
5035	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.20	----	----	----	----	----	2 UNCH
5040	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.20	----	----	----	----	----	1 UNCH
5045	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.20	----	----	----	----	----	3 UNCH
5050	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.20	----	----	----	----	----	62 UNCH
5075	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.10	----	----	----	----	----	20 UNCH
5100	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	2	----	32 + 2
5115	----	----	----	0.10B/*0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5125	----	----	----	0.10B/*0.10A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
5150	----	----	----	0.10B/*0.20A	----	0.10 UNCH	----	----	----	1	----	66 - 1
5175	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5200	----	----	----	0.10B/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
5225	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5300	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
5325	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	3	----	3 UNCH
5400	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
5500	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
5600	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL										1901	50	5095 + 432

OG1 PUT — GOLD OPTIONS

JUN26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3750	----	----	----	1.30B/*1.90A	----	1.30 - 0.40	.0071	----	----	----	----	1 UNCH
4000	2.40	2.40	2.40/*2.40	2.60B/*2.40	----	2.40 NEW	.0153	----	----	1	----	1 + 1
4200	----	----	----/*6.00A	5.70B/*6.00A	----	5.40 - 0.90	.0372	----	----	----	----	1 UNCH
4250	----	----	----/*7.40A	7.40B/*7.40A	----	6.90 - 1.00	.0480	----	----	1	----	7 - 1
4275	----	----	----/*8.20A	8.60B/*8.20A	----	7.80 - 1.10	.0545	----	----	2	----	14 + 2
4300	----	----	----/*9.20A	10.10B/*9.20A	----	8.90 - 1.20	.0622	----	----	----	----	2 UNCH
4325	----	----	11.70B/*10.40A	11.70B/*10.40A	----	10.30 - 1.10	.0716	----	----	2	----	14 + 2
4425	18.50	18.50	22.20B/*17.50A	22.20B/*17.50A	----	18.40 - 1.40	.1243	----	----	4	----	14 + 4
4475	----	----	29.90B/*23.30A	29.90B/*23.30A	----	25.00 - 1.30	.1636	----	----	----	----	3 UNCH
4500	----	----	34.90B/*27.00A	34.90B/*27.00A	----	29.20 - 1.20	.1872	----	----	----	----	2 UNCH
4525	----	----	40.70B/*31.40A	40.70B/*31.40A	----	34.00 - 1.10	.2131	----	----	----	----	1 UNCH
4600	----	----	63.60B/48.80A	63.60B/48.80A	----	53.50 - 0.30	.3069	----	----	----	----	3 UNCH
4650	----	----	83.90B/64.60A	83.90B/64.60A	----	71.10 + 0.60	.3797	----	----	----	----	1 UNCH
4700	----	----	108.30B/84.50A	108.30B/84.50A	----	93.00 + 1.90	.4576	----	----	----	----	22 UNCH
4750	----	----	137.20B/108.30A	137.20B/108.30A	----	119.10 + 3.40	.5363	----	----	----	----	28 UNCH
4775	----	----	153.10B/121.90A	153.10B/121.90A	----	133.80 + 4.40	.5747	----	----	----	----	9 UNCH
TOTAL										10		123 + 8

OG1 CALL — GOLD OPTIONS

JUN26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4675	----	----	149.50B/*109.50	149.50B/*109.50A	----	126.40 - 20.50	.5810	----	----	----	----	2 UNCH
4700	----	----	134.90B/*97.30A	134.90B/*97.30A	----	112.90 - 19.90	.5418	----	----	----	----	2 UNCH
4725	----	----	121.40B/*86.20A	121.40B/*86.20A	----	100.50 - 19.10	.5023	----	----	----	----	1 UNCH
4750	89.00	89.00	108.80B/*76.20A	108.80B/*76.20A	----	89.10 - 18.30	.4631	----	----	3	----	13 + 3
4775	----	----	100.60B/*67.10A	100.60B/*67.10A	----	78.80 - 17.40	.4247	----	----	4	----	17 + 4
4900	----	----	53.90B/*34.60A	53.90B/*34.60A	----	40.80 - 12.90	.2563	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG1 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
4950	----	----	----/*26.40A	42.10B/*26.40A	----	31.10 - 11.00	.2042	----	----	----	----	2 UNCH
5225	----	----	----/*7.30A	10.30B/*7.30A	----	7.40 - 4.30	.0545	----	----	----	----	1 UNCH
5250	----	----	----/*6.60A	9.40B/*6.60A	----	6.60 - 4.00	.0487	----	----	----	----	1 UNCH
5300	----	----	----/*5.40A	7.00B/*5.40A	----	5.30 - 3.30	.0391	----	----	1	----	3 UNCH
5400	----	----	----/*3.90A	4.70B/*3.90A	----	3.50 - 2.50	.0256	----	----	----	----	1 UNCH
5600	----	----	----/*2.30A	2.40B/*2.30A	----	1.80 - 1.60	.0126	----	----	----	----	1 UNCH
TOTAL										8		48 + 7

OG PUT — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
1325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
1375	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1400	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1425	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1475	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1525	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
1575	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1580	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1590	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	175 UNCH
1600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
1610	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1615	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1620	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
1625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1650	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1670	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1675	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1685	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1690	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1695	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1735	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1740	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1745	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1755	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1775	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1780	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1785	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1795	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
1815	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1820	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1855	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1875	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1905	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
1915	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1920	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1950	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1955	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1965	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1975	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	85 UNCH
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	607 UNCH
2005	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2010	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2015	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2020	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2025	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
2030	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
2050	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2085	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
2100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	101 UNCH
2105	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2110	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2130	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2170	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2180	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2195	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
2205	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2220	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2230	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
2235	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	21 UNCH
2240	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2250	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
2315	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
2330	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
2350	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2380	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
2385	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2390	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2395	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	72 UNCH
2405	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2410	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2415	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2420	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2425	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
2430	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2445	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2450	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	51 UNCH
2460	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2465	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2475	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
2495	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1928 UNCH
2510	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2525	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
2535	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2540	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2550	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
2565	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2580	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2590	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
2600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	189 UNCH
2645	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
2650	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2685	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	26 UNCH
2695	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	427 UNCH
2730	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
2750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	768 UNCH
2805	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	223 UNCH
2810	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
2825	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	56 UNCH
2830	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
2850	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	32 UNCH
2865	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2875	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	157 UNCH
2905	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2915	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2930	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2935	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2950	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	24 UNCH
2955	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2970	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
2975	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
2990	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2995	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
3000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	100	----	1894 + 100
3005	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	30 UNCH
3010	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
3015	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	216 UNCH
3020	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
3035	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3045	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	56 UNCH
3050	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	392 UNCH
3065	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
3070	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
3075	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	1	----	30 UNCH
3080	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
3085	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3095	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	42 UNCH
3100	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	40	----	502 + 31
3105	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
3110	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
3120	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
3125	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
3130	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	26 UNCH
3140	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3150	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	147 UNCH
3155	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	16 UNCH
3160	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	16 UNCH
3170	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
3175	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
3180	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
3185	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
3190	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	18 UNCH
3195	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	12 UNCH
3200	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	1	----	1187 UNCH
3205	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	42 UNCH
3210	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	25 UNCH
3215	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	22 UNCH
3220	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	37 UNCH
3225	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	75 UNCH
3230	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
3235	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	25 UNCH
3240	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3250	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0000	----	----	----	----	148 UNCH
3255	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	124 UNCH
3260	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	45 UNCH
3265	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	30 UNCH
3270	----	----	----	----/*0.30A	----	0.10 UNCH	.0001	----	----	----	----	7 UNCH
3275	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	10 UNCH
3280	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	12 UNCH
3290	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	37 UNCH
3295	----	----	----	----/*0.30A	----	0.10 UNCH	.0001	----	----	----	----	2 UNCH
3300	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	415 UNCH
3305	----	----	----	----/*0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
3310	----	----	----	----/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	7 UNCH
3315	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	7 UNCH
3320	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	4 UNCH
3325	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	47 UNCH
3335	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	46 UNCH
3340	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	22 UNCH
3345	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	12 UNCH
3350	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	434 UNCH
3355	----	----	----	----/*0.30A	----	0.10 - 0.10	.0003	----	----	----	----	17 UNCH
3360	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	7 UNCH
3365	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	31 UNCH
3370	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	26 UNCH
3375	----	----	----	----/*0.30A	----	0.10 - 0.10	.0003	----	----	----	----	98 UNCH
3380	----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	46 UNCH
3385	----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	6 UNCH
3390	----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	59 UNCH
3395	----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	2 UNCH
3400	0.20	0.20	0.20/0.20	0.20/0.20	----	0.20 UNCH	.0009	----	----	1	----	720 UNCH
3405	----	----	----	----/0.30A	----	0.20 UNCH	.0009	----	----	----	----	66 UNCH
3410	----	----	----	----/0.30A	----	0.20 UNCH	.0009	----	----	----	----	7 UNCH
3415	----	----	----	----/*0.30A	----	0.20 UNCH	.0009	----	----	----	----	3 UNCH
3420	----	----	----	----/*0.30A	----	0.20 UNCH	.0009	----	----	----	----	18 UNCH
3425	----	----	----	----/0.30A	----	0.20 UNCH	.0009	----	----	----	----	25 UNCH
3430	0.20	0.20	0.20/0.20	0.20/0.20	----	0.20 UNCH	.0009	----	----	1	----	40 UNCH
3435	----	----	----	----/*0.30A	----	0.20 UNCH	.0009	----	----	----	----	20 UNCH
3450	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 - 0.10	.0009	----	----	1	----	385 - 1
3455	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	51 UNCH
3460	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	227 UNCH
3465	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	89 UNCH
3470	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	28 UNCH
3475	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	106 UNCH
3480	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	171 UNCH
3485	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	3 UNCH
3490	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	21 UNCH
3500	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 - 0.10	.0009	----	----	8	----	1809 - 8
3505	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0010	----	----	----	----	65 UNCH
3510	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0010	----	----	----	----	86 UNCH
3515	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0010	----	----	----	----	16 UNCH
3520	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0010	----	----	----	----	138 UNCH
3525	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0010	----	----	----	----	301 UNCH
3530	----	----	----	0.10B/*0.30A	----	0.30 UNCH	.0014	----	----	----	----	7 UNCH
3535	----	----	----	0.10B/*0.30A	----	0.30 UNCH	.0014	----	----	----	----	100 UNCH
3540	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.10	.0014	----	----	----	----	5 UNCH
3545	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.10	.0014	----	----	----	----	22 UNCH
3550	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	417 UNCH
3555	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	2 UNCH
3560	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	89 UNCH
3565	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	41 UNCH
3570	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	60 UNCH
3575	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	41 UNCH
3580	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	76 UNCH
3585	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	4 UNCH
3590	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	3 UNCH
3595	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	23 UNCH
3600	0.90	0.90	0.90/*0.30A	0.90/*0.30A	----	0.30 - 0.10	.0015	----	----	1	----	1858 UNCH
3610	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0015	----	----	----	----	4 UNCH
3615	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0015	----	----	----	----	37 UNCH
3620	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0016	----	----	----	----	17 UNCH
3625	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0016	----	----	----	----	67 UNCH
3630	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0016	----	----	----	----	87 UNCH
3635	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0016	----	----	----	----	108 UNCH
3640	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0016	----	----	----	----	24 UNCH
3645	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0016	----	----	----	----	14 UNCH
3650	----	----	----/0.40A	0.20B/0.40A	----	0.30 - 0.20	.0016	----	----	----	----	702 UNCH
3655	----	----	----/*0.40A	0.20B/*0.40A	----	0.40 - 0.10	.0021	----	----	----	----	9 UNCH
3660	----	----	----/*0.40A	0.20B/*0.40A	----	0.40 - 0.10	.0021	----	----	----	----	1 UNCH
3665	----	----	----/*0.40A	0.20B/*0.40A	----	0.40 - 0.10	.0021	----	----	----	----	39 UNCH
3670	----	----	----/*0.40A	0.20B/*0.40A	----	0.40 - 0.10	.0021	----	----	----	----	31 UNCH
3675	0.50	0.50	0.50/*0.40A	0.50/*0.40A	----	0.40 - 0.20	.0021	----	----	1	----	46 UNCH
3680	----	----	----/*0.40A	0.20B/*0.40A	----	0.40 - 0.20	.0022	----	----	----	----	18 UNCH
3685	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0022	----	----	----	----	48 UNCH
3690	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0022	----	----	----	----	15 UNCH
3695	----	----	----/0.50A	0.30B/0.50A	----	0.40 - 0.20	.0022	----	----	----	----	19 UNCH
3700	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.40 - 0.20	.0022	----	----	42	----	779 - 40
3705	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0022	----	----	----	----	164 UNCH
3710	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0022	----	----	----	----	80 UNCH
3715	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0022	----	----	----	----	50 UNCH
3720	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.30	.0022	----	----	----	----	4 UNCH
3725	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.30	.0023	----	----	----	----	121 UNCH
3730	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.30	.0023	----	----	----	----	20 UNCH
3740	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.30	.0023	----	----	----	----	70 UNCH
3745	----	----	----/*0.50A	0.30B/*0.50A	----	0.50 - 0.20	.0028	----	----	----	----	20 UNCH
3750	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.20	.0028	----	----	----	----	1330 UNCH
3755	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.20	.0028	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3760	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.30	.0029	----	----	----	----	23 UNCH
3765	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.30	.0029	----	----	----	----	48 UNCH
3770	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.30	.0029	----	----	----	----	17 UNCH
3775	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.30	.0029	----	----	----	----	71 UNCH
3780	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.30	.0029	----	----	----	----	15 UNCH
3785	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.30	.0029	----	----	----	----	7 UNCH
3790	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.30	.0030	----	----	----	----	259 UNCH
3795	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.30	.0035	----	----	----	----	83 UNCH
3800	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.30	.0035	----	----	3	----	2782 UNCH
3805	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.30	.0035	----	----	----	----	71 UNCH
3810	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.30	.0036	----	----	----	----	45 UNCH
3815	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.30	.0036	----	----	----	----	40 UNCH
3820	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.30	.0036	----	----	----	----	18 UNCH
3825	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.30	.0036	----	----	----	----	40 UNCH
3830	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.30	.0036	----	----	----	----	187 UNCH
3835	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.40	.0037	----	----	----	----	55 UNCH
3840	----	----	----/*0.70A	0.50B/*0.70A	----	0.70 - 0.30	.0042	----	----	----	----	4 UNCH
3845	----	----	----/*0.70A	0.50B/*0.70A	----	0.70 - 0.30	.0042	----	----	----	----	1 UNCH
3850	0.60	0.60	0.60/*0.60	0.60/*0.60	----	0.70 - 0.30	.0043	----	----	1	----	693 UNCH
3855	----	----	----/*0.70A	0.60B/*0.70A	----	0.70 - 0.30	.0043	----	----	----	----	73 UNCH
3860	----	----	----/*0.70A	0.60B/*0.70A	----	0.70 - 0.30	.0043	----	----	----	----	29 UNCH
3865	----	----	----/*0.70A	0.60B/*0.70A	----	0.70 - 0.30	.0043	----	----	----	----	19 UNCH
3870	----	----	----/*0.70A	0.60B/*0.70A	----	0.70 - 0.30	.0044	----	----	----	----	16 UNCH
3875	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0044	----	----	2	----	161 - 2
3880	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0044	----	----	----	----	25 UNCH
3885	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0045	----	----	----	----	13 UNCH
3890	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.30	.0045	----	----	----	----	49 UNCH
3895	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.30	.0045	----	----	----	----	16 UNCH
3900	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.30	.0045	----	----	58	----	1235 + 51
3905	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.30	.0046	----	----	----	----	45 UNCH
3910	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.30	.0046	----	----	----	----	10 UNCH
3915	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.30	.0046	----	----	----	----	24 UNCH
3920	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.40	.0047	----	----	----	----	34 UNCH
3925	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.40	.0047	----	----	----	----	54 UNCH
3930	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.40	.0047	----	----	----	----	19 UNCH
3935	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.30	.0053	----	----	----	----	27 UNCH
3940	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.40	.0054	----	----	----	----	102 UNCH
3945	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.40	.0054	----	----	----	----	18 UNCH
3950	----	----	----/*0.80A	0.90B/*0.80A	----	0.80 - 0.40	.0054	----	----	1	----	326 - 1
3955	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.40	.0055	----	----	----	----	13 UNCH
3960	----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 0.40	.0055	----	----	----	----	39 UNCH
3965	----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 0.40	.0055	----	----	----	----	23 UNCH
3970	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.50	.0056	----	----	----	----	69 UNCH
3975	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.50	.0056	----	----	----	----	358 UNCH
3980	----	----	----/*1.00A	0.90B/*1.00A	----	0.90 - 0.40	.0063	----	----	45	----	107 - 45
3985	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.40	.0063	----	----	----	----	57 UNCH
3990	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.40	.0063	----	----	----	----	64 UNCH
3995	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.40	.0064	----	----	----	----	175 UNCH
4000	1.20	1.20	1.20/*0.90	1.20/*0.90	----	0.90 - 0.40	.0064	----	----	68	----	4264 + 5
4005	----	----	----/*1.00A	1.10B/*1.00A	----	0.90 - 0.40	.0065	----	----	----	----	61 UNCH
4010	----	----	----/*1.00A	1.10B/*1.00A	----	0.90 - 0.40	.0065	----	----	----	----	65 UNCH
4015	----	----	----/*1.10A	1.10B/*1.10A	----	0.90 - 0.40	.0066	----	----	----	----	58 UNCH
4020	----	----	----/*1.10A	1.10B/*1.10A	----	0.90 - 0.40	.0066	----	----	----	----	124 UNCH
4025	----	----	----/*1.10A	1.20B/*1.10A	----	0.90 - 0.40	.0067	----	----	----	----	314 UNCH
4030	----	----	----/*1.10A	1.20B/*1.10A	----	1.00 - 0.40	.0073	----	----	----	----	48 UNCH
4035	----	----	----/*1.10A	1.20B/*1.10A	----	1.00 - 0.40	.0074	----	----	----	----	56 UNCH
4040	----	----	----/*1.10A	1.20B/*1.10A	----	1.00 - 0.40	.0074	----	----	----	----	94 UNCH
4045	----	----	----/*1.10A	1.20B/*1.10A	----	1.00 - 0.40	.0075	----	----	----	----	39 UNCH
4050	----	----	----/*1.10A	1.30B/*1.10A	----	1.00 - 0.40	.0076	----	----	----	----	1203 UNCH
4055	1.20	1.20	1.20/*1.20	1.30B/*1.20	----	1.00 - 0.50	.0076	----	----	7	----	41 UNCH
4060	----	----	----/*1.20A	1.30B/*1.20A	----	1.10 - 0.40	.0083	----	----	----	----	97 UNCH
4065	1.40	1.40	1.40/*1.20A	1.40/*1.20A	----	1.10 - 0.40	.0084	----	----	7	----	151 - 2
4070	----	----	----/*1.20A	1.40B/*1.20A	----	1.10 - 0.40	.0084	----	----	----	----	64 UNCH
4075	1.30	1.30	1.30/*1.20A	1.40B/*1.20A	----	1.10 - 0.50	.0085	----	----	2	----	266 UNCH
4080	----	----	----/*1.30A	1.40B/*1.30A	----	1.10 - 0.50	.0086	----	----	----	----	157 UNCH
4085	----	----	----/*1.30A	1.40B/*1.30A	----	1.20 - 0.40	.0093	----	----	2	----	268 - 2
4090	----	----	----/*1.30A	1.50B/*1.30A	----	1.20 - 0.50	.0094	----	----	----	----	107 UNCH
4095	1.50	1.50	1.50/*1.30A	1.50/*1.30A	----	1.20 - 0.50	.0094	----	----	23	----	2082 + 3
4100	----	----	----/*1.30A	1.50B/*1.30A	----	1.20 - 0.50	.0095	----	----	451	----	2766 + 278
4105	----	----	----/*1.40A	1.60B/*1.40A	----	1.30 - 0.50	.0102	----	----	10	----	2067 - 2
4110	----	----	----/*1.40A	1.60B/*1.40A	----	1.30 - 0.50	.0103	----	----	----	----	156 UNCH
4115	1.60	1.60	1.60/*1.40A	1.60/*1.40A	----	1.30 - 0.50	.0104	----	----	48	----	512 + 40
4120	----	----	----/*1.40A	1.60B/*1.40A	----	1.30 - 0.60	.0105	----	----	----	----	84 UNCH
4125	----	----	----/*1.50A	1.70B/*1.50A	----	1.40 - 0.50	.0112	----	----	----	----	387 UNCH
4130	----	----	----/*1.50A	1.70B/*1.50A	----	1.40 - 0.50	.0113	----	----	----	----	52 UNCH
4135	1.40	1.40	1.40/*1.40	1.80B/*1.40	----	1.40 - 0.60	.0114	----	----	2	----	46 - 1
4140	----	----	----/*1.50A	1.80B/*1.50A	----	1.40 - 0.60	.0115	----	----	----	----	41 UNCH
4145	----	----	----/*1.60A	1.80B/*1.60A	----	1.50 - 0.50	.0123	----	----	----	----	166 UNCH
4150	1.50	1.50	1.50/*1.50	1.90B/*1.50	----	1.50 - 0.60	.0124	----	----	1	----	543 + 1
4155	----	----	----/*1.60A	1.90B/*1.60A	----	1.50 - 0.60	.0125	----	----	----	----	43 UNCH
4160	----	----	----/*1.70A	1.90B/*1.70A	----	1.60 - 0.50	.0133	----	----	----	----	223 UNCH
4165	----	----	----/*1.70A	2.00B/*1.70A	----	1.60 - 0.60	.0134	----	----	----	----	34 UNCH
4170	----	----	----/*1.70A	2.00B/*1.70A	----	1.60 - 0.60	.0135	----	----	----	----	56 UNCH
4175	----	----	----/*1.70A	2.10B/*1.70A	----	1.70 - 0.60	.0143	----	----	1	----	930 - 1
4180	1.90	1.90	1.90/*1.80A	2.10B/*1.80A	----	1.70 - 0.60	.0145	----	----	1	----	125 + 1
4185	----	----	----/*1.80A	2.20B/*1.80A	----	1.70 - 0.60	.0146	----	----	----	----	22 UNCH
4190	----	----	----/*1.90A	2.20B/*1.90A	----	1.80 - 0.60	.0154	----	----	----	----	40 UNCH
4195	1.90	1.90	1.90/*1.90	2.30B/*1.90	----	1.80 - 0.60	.0155	----	----	4	----	41 + 1
4200	2.60	2.60	2.60/*1.90A	2.60/*1.90A	----	1.80 - 0.70	.0157	----	----	103	----	3623 - 28
4205	2.10	2.10	2.10/*1.90	2.40B/*1.90	----	1.90 - 0.60	.0165	----	----	4	----	70 + 3
4210	----	----	----/*2.00A	2.40B/*2.00A	----	1.90 - 0.70	.0167	----	----	----	----	465 UNCH
4215	----	----	----/*2.10A	2.50B/*2.10A	----	2.00 - 0.60	.0175	----	----	----	----	37 UNCH
4220	2.30	2.30	2.30/*2.10A	2.60B/*2.10A	----	2.00 - 0.70	.0177	----	----	3	----	203 + 3
4225	----	----	----/*2.20A	2.60B/*2.20A	----	2.10 - 0.60	.0186	----	----	38	----	321 + 22
4230	----	----	----/*2.20A	2.70B/*2.20A	----	2.10 - 0.70	.0188	----	----	----	----	103 UNCH
4235	----	----	----/*2.20A	2.80B/*2.20A	----	2.20 - 0.60	.0196	----	----	----	----	68 UNCH
4240	2.70	2.70	2.70/*2.30A	2.80B/*2.30A	----	2.20 - 0.70	.0198	----	----	1	----	74 - 1
4245	----	----	----/*2.40A	2.90B/*2.40A	----	2.30 - 0.70	.0207	----	----	----	----	90 UNCH
4250	----	----	----/*2.40A	3.00B/*2.40A	----	2.30 - 0.70	.0209	----	----	6	----	1244 - 5
4255	----	----	----/*2.50A	3.10B/*2.50A	----	2.40 - 0.70	.0219	----	----	----	----	274 UNCH
4260	2.60	2.60	2.60/*2.50A	3.20B/*2.50A	----	2.40 - 0.80	.0221	----	----	4	----	118 + 3
4265	2.90	2.90	2.90/*2.50A	3.20B/*2.50A	----	2.50 - 0.70	.0230	----	----	4	----	88 + 3
4270	----	----	----/*2.70A	3.30B/*2.70A	----	2.60 - 0.70	.0240	----	----	----	----	46 UNCH
4275	3.50	3.50	3.50/*2.70	3.50/*2.70	----	2.60 - 0.80	.0242	----	----	12	----	145 + 1
4280	----	----	----/*2.70A	3.50B/*2.70A	----	2.70 - 0.80	.0252	----	----	----	----	83 UNCH
4285	----	----	----/*2.90A	3.60B/*2.90A	----	2.80 - 0.80	.0262	----	----	----	----	54 UNCH
4290	3.30	3.30	3.30/*3.00A	3.70B/*3.00A	----	2.90 - 0.80	.0272	----	----	5	----	130 - 2
4295	----	----	3.90B/*3.10A	3.90B/*3.10A	----	2.90 - 0.90	.0275	----	----	----	----	113 UNCH
4300	3.80	3.80	4.10/*3.10A	4.10/*3.10A	----	3.00 - 0.90	.0285	----	----	510	----	3578 + 350
4305	----	----	4.10B/*3.30A	4.10B/*3.30A	----	3.10 - 0.90	.0295	----	----	2	----	114 + 2
4310	4.00	4.00	4.20B/*3.30	4.20B/*3.30	----	3.20 - 0.90	.0306	----	----	7	----	79 - 2
4315	----	----	4.40B/*3.50A	4.40B/*3.50A	----	3.30 - 0.90	.0317	----	----	----	----	56 UNCH
4320	4.20	4.20	4.50B/*3.60A	4.50B/*3.60A	----	3.40 - 1.00	.0327	----	----	3	----	113 + 3
4325	3.60	3.60	4.60B/*3.60	4.60B/*3.60	----	3.50 - 1.00	.0338	----	----	4	----	158 UNCH
4330	4.10	4.10	4.80B/*3.70	4.80B/*3.70	----	3.70 - 0.90	.0357	----	----	301	----	407 - 129
4335	----	----	5.00B/*3.90A	5.00B/*3.90A	----	3.80 - 1.00	.0368	----	----	----	----	92 UNCH
4340	4.40	4.40	5.20B/*4.00A	5.20B/*4.00A	----	3.90 - 1.10	.0379	----	----	8	----	112 UNCH
4345	----	----	5.30B/*4.20A	5.30B/*4.20A	----	4.10 - 1.00	.0398	----	----	----	----	77 UNCH
4350	5.20	5.20	5.60/*4.30A	5.60/*4.30A	----	4.20 - 1.10	.0410	----	----	33	----	972 + 8
4355	----	----	5.80B/*4.50A	5.80B/*4.50A	----	4.30 - 1.20	.0422	----	----	----	----	94 UNCH
4360	4.60	4.60	6.10B/*4.60	6.10B/*4.60	----	4.50 - 1.10	.0442	----	----	49	----	135 - 10
4365	5.10	5.10	6.20B/*4.80A	6.20B/*4.80A	----	4.70 - 1.10	.0461	----	----	5	----	73 UNCH
4370	5.20	5.20	6.50B/*4.90A	6.50B/*4.90A	----	4.80 - 1.20	.0474	----	----	4	----	49 + 3
4375	6.20	6.20	6.70B/*5.10A	6.70B/*5.10A	----	5.00 - 1.20	.0494	----	----	5	----	526 + 5
4380	6.30	6.30	7.00B/*5.20A	7.00B/*5.20A	----	5.20 - 1.20	.0514	----	----	8	----	511 UNCH
4385	5.90	5.90	7.30B/*5.40A	7.30B/*5.40A	----	5.40 - 1.20	.0535	----	----	86	----	98 - 22
4390	6.10	6.10	7.60B/*5.60A	7.60B/*5.60A	----	5.60 - 1.20	.0556	----	----	1	----	109 UNCH
4395	----	----	7.90B/*5.80A	7.90B/*5.80A	----	5.80 - 1.20	.0577	----	----	----	----	99 UNCH
4400	7.50	7.50	8.20B/*6.00A	8.20B/*6.00A	----	6.00 - 1.20	.0598	----	----	126	----	2030 + 19
4405	7.00	7.00	8.50B/*6.20A	8.50B/*6.20A	----	6.30 - 1.20	.0627	----	----	4	----	137 + 2
4410	7.20	7.20	8.90B/*6.40A	8.90B/*6.40A	----	6.50 - 1.20	.0649	----	----	6	----	433 - 5
4415	6.60	6.60	9.30B/*6.60	9.30B/*6.60	----	6.80 - 1.20	.0678	----	----	18	----	130 + 10
4420	8.20	8.20	9.70B/*6.90A	9.70B/*6.90A	----	7.00 - 1.30	.0701	----	----	7	----	118 UNCH
4425	8.30	8.30	10.10B/*7.10A	10.10B/*7.10A	----	7.30 - 1.30	.0731	----	----	14	----	315 + 10
4430	----	----	10.50B/*7.40A	10.50B/*7.40A	----	7.60 - 1.30	.0761	----	----	----	----	98 UNCH
4435	----	----	11.00B/*7.60A	11.00B/*7.60A	----	8.00 - 1.30	.0798	----	----	----	----	100 UNCH
4440	----	----	11.50B/*7.90A	11.50B/*7.90A	----	8.30 - 1.40	.0829	----	----	1	----	90 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4445	9.70	9.70	12.00B/*8.20A	12.00B/*8.20A	----	8.70 - 1.30	.0867	----	----	3	----	78 UNCH
4450	10.50	10.50	12.50B/*8.60A	12.50B/*8.60A	----	9.00 - 1.40	.0899	----	----	53	----	2788 - 35
4455	10.20	10.20	13.10B/*8.90A	13.10B/*8.90A	----	9.40 - 1.50	.0938	----	----	5	----	111 - 3
4460	10.70	10.70	13.70B/*9.20A	13.70B/*9.20A	----	9.90 - 1.40	.0983	----	----	12	----	281 UNCH
4465	11.00	11.00	14.30B/*9.60A	14.30B/*9.60A	----	10.30 - 1.50	.1023	----	----	3	----	1525 + 2
4470	12.00	12.00	14.90B/*10.00A	14.90B/*10.00A	----	10.80 - 1.50	.1069	----	----	8	----	127 - 2
4475	10.80	10.80	15.60B/*10.40A	15.60B/*10.40A	----	11.30 - 1.50	.1116	----	----	10	----	196 - 1
4480	----	----	16.30B/*10.90A	16.30B/*10.90A	----	11.80 - 1.50	.1163	----	----	1	----	177 UNCH
4485	13.60	13.60	17.10B/*11.30A	17.10B/*11.30A	----	12.30 - 1.60	.1210	----	----	9	----	106 + 3
4490	15.80	15.80	17.80B/*11.70A	17.80B/*11.70A	----	12.90 - 1.60	.1264	----	----	17	----	276 + 2
4495	15.40	15.40	18.70B/*12.20A	18.70B/*12.20A	----	13.50 - 1.60	.1318	----	----	41	----	249 + 2
4500	16.90	16.90	19.50B/*12.70A	19.50B/*12.70A	----	14.10 - 1.70	.1373	----	----	405	----	7348 - 19
4505	15.40	15.40	20.40B/*13.30A	20.40B/*13.30A	----	14.80 - 1.60	.1434	----	----	14	----	292 + 5
4510	16.10	16.10	21.30B/*13.90A	21.30B/*13.90A	----	15.50 - 1.60	.1495	----	----	15	----	105 UNCH
4515	16.80	16.80	22.30B/*14.40A	22.30B/*14.40A	----	16.20 - 1.60	.1557	----	----	3	150	585 + 1
4520	17.60	17.60	23.30B/*15.10A	23.30B/*15.10A	----	17.00 - 1.60	.1624	----	----	5	----	205 - 1
4525	18.80	18.80	24.30B/*15.70A	24.30B/*15.70A	----	17.80 - 1.60	.1692	----	----	10	----	550 UNCH
4530	17.30	17.30	25.40B/*16.40A	25.40B/*16.40A	----	18.60 - 1.60	.1760	----	----	2	----	352 UNCH
4535	19.00	19.00	26.60B/*17.10A	26.60B/*17.10A	----	19.50 - 1.60	.1834	----	----	26	----	206 + 23
4540	25.70	25.70	27.80B/*17.90A	27.80B/*17.90A	----	20.40 - 1.50	.1908	----	----	5	----	279 + 4
4545	23.20	23.20	29.00B/*18.70A	29.00B/*18.70A	----	21.30 - 1.60	.1983	----	----	5	----	126 + 1
4550	28.20	28.20	30.30B/*19.40A	30.30B/*19.40A	----	22.30 - 1.50	.2063	----	----	138	50	1274 + 9
4555	25.00	25.00	31.60B/*20.30A	31.60B/*20.30A	----	23.30 - 1.50	.2143	----	----	24	----	103 - 8
4560	24.10	24.10	33.00B/*21.20A	33.00B/*21.20A	----	24.40 - 1.50	.2228	----	----	7	----	141 - 4
4565	25.90	25.90	34.50B/*22.10A	34.50B/*22.10A	----	25.50 - 1.50	.2313	----	----	8	----	236 - 3
4570	27.20	27.20	36.00B/*23.10A	36.00B/*23.10A	----	26.70 - 1.40	.2403	----	----	60	----	219 + 35
4575	28.20	28.20	37.50B/*24.10A	37.50B/*24.10A	----	27.90 - 1.40	.2493	----	----	6	----	325 - 1
4580	----	----	39.10B/*25.20A	39.10B/*25.20A	----	29.20 - 1.30	.2587	----	----	1	----	254 UNCH
4585	32.80	32.80	40.80B/*26.30A	40.80B/*26.30A	----	30.50 - 1.30	.2682	----	----	14	----	223 + 6
4590	32.30	32.30	42.50B/*27.50A	42.50B/*27.50A	----	31.80 - 1.30	.2777	----	----	3	----	241 - 1
4595	32.50	32.50	44.30B/*28.70A	44.30B/*28.70A	----	33.20 - 1.20	.2876	----	----	6	----	100 + 1
4600	41.50	41.50	46.50/29.90A	46.50/29.90A	----	34.70 - 1.10	.2979	----	----	182	450	3435 + 35
4605	38.90	38.90	48.10B/31.20A	48.10B/31.20A	----	36.20 - 1.10	.3081	----	----	4	----	125 UNCH
4610	40.50	40.50	50.00B/32.50A	50.00B/32.50A	----	37.80 - 1.00	.3187	----	----	5	----	213 + 1
4615	43.50	43.50	52.10B/33.90A	52.10B/33.90A	----	39.40 - 0.90	.3293	----	----	1	----	58 UNCH
4620	43.90	43.90	54.20B/35.30A	54.20B/35.30A	----	41.10 - 0.80	.3402	----	----	5	----	323 UNCH
4625	42.00	42.00	56.30B/36.80A	56.30B/36.80A	----	42.90 - 0.70	.3514	----	----	22	----	909 + 16
4630	----	----	58.50B/38.30A	58.50B/38.30A	----	44.70 - 0.60	.3625	----	----	4	----	206 + 4
4635	46.90	46.90	60.90B/39.90A	60.90B/39.90A	----	46.50 - 0.60	.3737	----	----	30	----	119 + 12
4640	42.10	42.10	63.30B/41.50A	63.30B/41.50A	----	48.50 - 0.40	.3853	----	----	1	----	85 + 1
4645	----	----	65.60B/43.40A	65.60B/43.40A	----	50.40 - 0.30	.3967	----	----	----	----	99 UNCH
4650	51.50	51.50	68.20B/45.10A	68.20B/45.10A	----	52.50 - 0.10	.4085	----	----	47	----	1536 - 10
4655	55.00	55.00	70.60B/46.90A	70.60B/46.90A	----	54.60 UNCH	.4202	----	----	2	----	124 - 1
4660	55.70	55.70	73.20B/48.90A	73.20B/48.90A	----	56.80 + 0.20	.4321	----	----	10	----	135 + 3
4665	----	----	76.00B/50.70A	76.00B/50.70A	----	59.00 + 0.30	.4440	----	----	----	----	29 UNCH
4670	55.40	55.40	78.60B/52.70A	78.60B/52.70A	----	61.30 + 0.50	.4560	----	----	30	----	274 + 13
4675	64.00	64.00	81.40B/54.90A	81.40B/54.90A	----	63.70 + 0.70	.4680	----	----	60	----	522 + 15
4680	67.60	67.60	84.40B/56.90A	84.40B/56.90A	----	66.20 + 1.00	.4800	----	----	35	----	140 - 9
4685	70.00	70.00	87.20B/59.10A	87.20B/59.10A	----	68.70 + 1.20	.4920	----	----	2	----	72 + 2
4690	66.80	66.80	90.20B/61.30A	90.20B/61.30A	----	71.20 + 1.30	.5041	----	----	14	----	216 UNCH
4695	75.10	75.10	93.30B/63.60A	93.30B/63.60A	----	73.90 + 1.60	.5160	----	----	1	----	81 + 1
4700	75.20	75.20	96.40B/66.00A	96.40B/66.00A	----	76.50 + 1.80	.5280	----	----	133	----	2702 - 16
4705	76.50	76.50	99.60B/68.50A	99.60B/68.50A	----	79.30 + 2.00	.5400	----	----	3	----	99 + 1
4710	79.10	79.10	102.80B/70.90A	102.80B/70.90A	----	82.10 + 2.30	.5517	----	----	5	----	75 + 2
4715	79.00	79.00	106.10B/73.40A	106.10B/73.40A	----	85.00 + 2.50	.5635	----	----	30	----	83 + 20
4720	----	----	109.40B/76.00A	109.40B/76.00A	----	88.00 + 2.80	.5752	----	----	----	----	168 UNCH
4725	90.70	90.70	112.80B/78.50A	112.80B/78.50A	----	91.00 + 3.10	.5868	----	----	1	----	201 - 1
4730	----	----	116.40B/81.10A	116.40B/81.10A	----	94.10 + 3.40	.5982	----	----	----	----	90 UNCH
4735	----	----	119.80B/83.80A	119.80B/83.80A	----	97.20 + 3.60	.6096	----	----	----	----	357 UNCH
4740	----	----	123.40B/86.60A	123.40B/86.60A	----	100.40 + 3.90	.6208	----	----	----	----	141 UNCH
4745	----	----	127.10B/89.40A	127.10B/89.40A	----	103.60 + 4.10	.6318	----	----	----	----	85 UNCH
4750	----	----	130.80B/92.20A	130.80B/92.20A	----	106.90 + 4.40	.6427	----	----	25	----	1057 + 15
4755	----	----	134.40B/95.10A	134.40B/95.10A	----	110.30 + 4.70	.6533	----	----	----	----	27 UNCH
4760	----	----	138.20B/98.10A	138.20B/98.10A	----	113.70 + 5.00	.6639	----	----	----	----	94 UNCH
4765	----	----	142.00B/101.20A	142.00B/101.20A	----	117.20 + 5.30	.6742	----	----	----	----	70 UNCH
4770	----	----	145.80B/104.10A	145.80B/104.10A	----	120.70 + 5.60	.6844	----	----	5	----	117 - 1
4775	----	----	149.70B/107.30A	149.70B/107.30A	----	124.30 + 5.90	.6944	----	----	2	----	191 - 1
4780	----	----	153.70B/110.60A	153.70B/110.60A	----	127.90 + 6.20	.7042	----	----	----	----	84 UNCH
4785	----	----	157.70B/113.80A	157.70B/113.80A	----	131.60 + 6.50	.7137	----	----	1	----	90 - 1
4790	----	----	161.70B/117.20A	161.70B/117.20A	----	135.30 + 6.80	.7232	----	----	1	----	92 UNCH
4795	----	----	165.80B/120.50A	165.80B/120.50A	----	139.10 + 7.10	.7323	----	----	----	----	50 UNCH
4800	145.00	145.00	170.00/123.90A	170.00/123.90A	----	142.90 + 7.40	.7413	----	----	4	----	2813 - 1
4805	----	----	174.00B/127.20A	174.00B/127.20A	----	146.70 + 7.60	.7499	----	----	----	----	82 UNCH
4810	----	----	178.20B/130.80A	178.20B/130.80A	----	150.60 + 7.90	.7584	----	----	----	----	48 UNCH
4815	----	----	182.40B/134.10A	182.40B/134.10A	----	154.60 + 8.30	.7669	----	----	----	----	119 UNCH
4820	----	----	186.70B/138.00A	186.70B/138.00A	----	158.50 + 8.50	.7749	----	----	----	----	44 UNCH
4825	----	----	190.90B/141.40A	190.90B/141.40A	----	162.60 + 8.80	.7829	----	----	----	----	202 UNCH
4830	----	----	195.20B/145.10A	195.20B/145.10A	----	166.60 + 9.10	.7904	----	----	----	----	123 UNCH
4835	----	----	199.60B/148.80A	199.60B/148.80A	----	170.70 + 9.30	.7978	----	----	----	----	30 UNCH
4840	----	----	203.90B/152.50A	203.90B/152.50A	----	174.80 + 9.60	.8052	----	----	----	----	46 UNCH
4845	----	----	208.30B/156.30A	208.30B/156.30A	----	179.00 + 9.90	.8120	----	----	----	----	23 UNCH
4850	----	----	212.70B/160.10A	212.70B/160.10A	----	183.20 + 10.10	.8189	----	----	----	----	574 UNCH
4855	----	----	217.20B/163.80A	217.20B/163.80A	----	187.40 + 10.40	.8256	----	----	----	----	315 UNCH
4860	----	----	221.70B/167.60A	221.70B/167.60A	----	191.70 + 10.70	.8318	----	----	----	----	90 UNCH
4865	----	----	226.10B/171.80A	226.10B/171.80A	----	196.00 + 10.90	.8380	----	----	----	----	50 UNCH
4870	----	----	230.60B/175.70A	230.60B/175.70A	----	200.30 + 11.20	.8441	----	----	----	----	44 UNCH
4875	----	----	235.20B/179.70A	235.20B/179.70A	----	204.70 + 11.50	.8502	----	----	----	----	71 UNCH
4880	----	----	239.70B/183.80A	239.70B/183.80A	----	209.00 + 11.70	.8557	----	----	1	----	9 + 1
4885	----	----	244.30B/187.80A	244.30B/187.80A	----	213.40 + 11.90	.8611	----	----	----	----	7 UNCH
4890	----	----	248.90B/191.90A	248.90B/191.90A	----	217.80 + 12.20	.8665	----	----	----	----	47 UNCH
4895	----	----	253.50B/196.10A	253.50B/196.10A	----	222.30 + 12.50	.8713	----	----	----	----	228 UNCH
4900	----	----	258.20B/200.20A	258.20B/200.20A	----	226.70 + 12.60	.8760	----	----	----	----	1684 UNCH
4905	----	----	262.80B/204.40A	262.80B/204.40A	----	231.20 + 12.90	.8807	----	----	----	----	11 UNCH
4910	----	----	267.50B/208.60A	267.50B/208.60A	----	235.70 + 13.10	.8853	----	----	----	----	59 UNCH
4915	----	----	272.10B/212.90A	272.10B/212.90A	----	240.30 + 13.40	.8900	----	----	----	----	36 UNCH
4920	----	----	276.80B/217.10A	276.80B/217.10A	----	244.80 + 13.50	.8946	----	----	1	----	92 - 1
4925	----	----	281.50B/221.40A	281.50B/221.40A	----	249.40 + 13.80	.8985	----	----	----	----	74 UNCH
4930	----	----	286.30B/225.80A	286.30B/225.80A	----	254.00 + 14.00	.9024	----	----	----	----	198 UNCH
4940	----	----	295.70B/234.40A	295.70B/234.40A	----	263.20 + 14.30	.9100	----	----	----	----	64 UNCH
4945	----	----	300.50B/238.80A	300.50B/238.80A	----	267.80 + 14.50	.9132	----	----	----	----	13 UNCH
4950	----	----	305.20B/243.20A	305.20B/243.20A	----	272.50 + 14.70	.9169	----	----	----	----	291 UNCH
4955	----	----	310.00B/247.70A	310.00B/247.70A	----	277.10 + 14.80	.9200	----	----	----	----	32 UNCH
4960	----	----	314.80B/252.10A	314.80B/252.10A	----	281.80 + 15.00	.9230	----	----	----	----	23 UNCH
4965	----	----	319.60B/256.60A	319.60B/256.60A	----	286.50 + 15.10	.9260	----	----	----	----	29 UNCH
4970	----	----	324.40B/261.10A	324.40B/261.10A	----	291.20 + 15.30	.9290	----	----	----	----	44 UNCH
4975	----	----	329.20B/265.60A	329.20B/265.60A	----	295.90 + 15.40	.9320	----	----	----	----	156 UNCH
4980	----	----	334.10B/270.20A	334.10B/270.20A	----	300.70 + 15.60	.9349	----	----	----	----	29 UNCH
4985	----	----	338.80B/274.60A	338.80B/274.60A	----	305.40 + 15.70	.9371	----	----	----	----	10 UNCH
4990	----	----	343.70B/279.20A	343.70B/279.20A	----	310.10 + 15.80	.9400	----	----	----	----	293 UNCH
4995	----	----	348.60B/283.80A	348.60B/283.80A	----	314.90 + 16.00	.9421	----	----	----	----	12 UNCH
5000	335.70	335.70	353.40B/288.40A	353.40B/288.40A	----	319.70 + 16.10	.9442	----	----	1	----	1845 UNCH
5005	----	----	358.20B/293.00A	358.20B/293.00A	----	324.50 + 16.20	.9463	----	----	----	----	300 UNCH
5010	----	----	363.10B/297.60A	363.10B/297.60A	----	329.30 + 16.40	.9484	----	----	----	----	13 UNCH
5015	----	----	368.00B/302.20A	368.00B/302.20A	----	334.10 + 16.50	.9505	----	----	----	----	49 UNCH
5020	----	----	372.80B/306.80A	372.80B/306.80A	----	338.90 + 16.60	.9525	----	----	----	----	31 UNCH
5025	----	----	377.70B/311.50A	377.70B/311.50A	----	343.70 + 16.70	.9545	----	----	----	----	53 UNCH
5030	----	----	382.60B/316.20A	382.60B/316.20A	----	348.50 + 16.70	.9566	----	----	----	----	66 UNCH
5035	----	----	387.50B/320.80A	387.50B/320.80A	----	353.40 + 16.90	.9578	----	----	----	----	13 UNCH
5040	----	----	392.40B/325.50A	392.40B/325.50A	----	358.20 + 17.00	.9598	----	----	----	----	18 UNCH
5045	----	----	397.20B/330.20A	397.20B/330.20A	----	363.10 + 17.10	.9609	----	----	----	----	5 UNCH
5050	----	----	402.10B/334.90A	402.10B/334.90A	----	367.90 + 17.20	.9629	----	----	----	----	803 UNCH
5055	----	----	407.10B/339.70A	407.10B/339.70A	----	372.80 + 17.30	.9641	----	----	----	----	63 UNCH
5060	----	----	412.00B/344.40A	412.00B/344.40A	----	377.60 + 17.30	.9652	----	----	----	----	64 UNCH
5065	----	----	416.90B/349.10A	416.90B/349.10A	----	382.50 + 17.40	.9671	----	----	----	----	17 UNCH
5070	----	----	421.80B/353.90A	421.80B/353.90A	----	387.40 + 17.50	.9683	----	----	----	----	52 UNCH
5075	----	----	426.70B/358.60A	426.70B/358.60A	----	392.30 + 17.60	.9694	----	----	----	----	29 UNCH
5080	----	----	431.60B/363.40A	431.60B/363.40A	----	397.20 + 17.70	.9705	----	----	----	----	31 UNCH
5085	----	----	436.60B/368.20A	436.60B/368.20A	----	402.10 + 17.80	.9715	----	----	----	----	123 UNCH
5090	----	----	441.50B/372.90A	441.50B/372.90A	----	407.00 + 17.90	.9726	----	----	----	----	110 UNCH
5095	----	----	446.40B/377.70A	446.40B/377.70A	----	411.90 + 18.00	.9737	----	----	----	----	107 UNCH
5100	----	----	451.30B/382.50A	451.30B/382.50A	----	416.80 + 18.00	.9739	----	----	----	----	459 UNCH
5105	----	----	456.30B/387.40A	456.30B/387.40A	----	421.70 + 18.10	.9750	----	----	----	----	37 UNCH
5110	----	----	461.20B/392.20A	461.20B/392.20A	----	426.70 + 18.20	.9760	----	----	----	----	74 UNCH
5115	----	----	466.20B/397.00A	466.20B/397.00A	----	431.60 + 18.30	.9770	----	----	----	----	14 UNCH
5120	----	----	471.10B/401.80A	471.10B/401.80A	----	436.50 + 18.30	.9772	----	----	----	----	25 UNCH
5125	----	----	476.10B/406.70A	476.10B/406.70A	----	441.50 + 18.50	.9782	----	----	----	----	192 UNCH
5130	----	----	481.00B/411.50A	481.00B/411.50A	----	446.40 + 18.50	.9792	----	----	----	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
5135	----	----	485.90B/416.40A	485.90B/416.40A	----	451.30 + 18.50	.9794	----	----	----	----	37 UNCH
5140	----	----	490.90B/421.20A	490.90B/421.20A	----	456.30 + 18.60	.9804	----	----	----	----	14 UNCH
5145	----	----	495.90B/426.10A	495.90B/426.10A	----	461.20 + 18.70	.9806	----	----	----	----	39 UNCH
5150	----	----	500.80B/431.00A	500.80B/431.00A	----	466.20 + 18.80	.9816	----	----	----	----	389 UNCH
5155	----	----	483.90B/435.80A	483.90B/435.80A	----	471.10 + 18.80	.9817	----	----	----	----	37 UNCH
5160	----	----	488.80B/440.70A	488.80B/440.70A	----	476.10 + 18.90	.9827	----	----	----	----	70 UNCH
5165	----	----	493.70B/445.60A	493.70B/445.60A	----	481.00 + 18.90	.9828	----	----	----	----	47 UNCH
5170	----	----	500.70B/450.50A	500.70B/450.50A	----	486.00 + 19.00	.9829	----	----	1	----	507 + 1
5175	----	----	503.70B/455.40A	503.70B/455.40A	----	490.90 + 19.00	.9839	----	----	----	----	15 UNCH
5180	----	----	508.60B/459.90A	508.60B/459.90A	----	495.90 + 19.10	.9840	----	----	----	----	17 UNCH
5185	----	----	513.50B/465.10A	513.50B/465.10A	----	500.90 + 19.20	.9850	----	----	----	----	22 UNCH
5190	----	----	518.50B/469.70A	518.50B/469.70A	----	505.80 + 19.10	.9851	----	----	----	----	7 UNCH
5195	----	----	523.00B/475.00A	523.00B/475.00A	----	510.80 + 19.20	.9852	----	----	----	----	8 UNCH
5200	511.70	511.70	530.60B/479.90A	530.60B/479.90A	----	515.80 + 19.30	.9861	----	----	1	----	578 UNCH
5205	----	----	532.90B/484.80A	532.90B/484.80A	----	520.70 + 19.30	.9862	----	----	----	----	36 UNCH
5210	----	----	537.90B/503.40A	537.90B/503.40A	----	525.70 + 19.40	.9863	----	----	----	----	68 UNCH
5215	----	----	542.80B/508.30A	542.80B/508.30A	----	530.70 + 19.40	.9872	----	----	----	----	42 UNCH
5220	----	----	548.50B/512.00A	548.50B/512.00A	----	535.60 + 19.40	.9873	----	----	----	----	188 UNCH
5225	----	----	553.50B/517.00A	553.50B/517.00A	----	540.60 + 19.50	.9874	----	----	----	----	200 UNCH
5230	----	----	557.70B/523.20A	557.70B/523.20A	----	545.60 + 19.50	.9875	----	----	----	----	7 UNCH
5235	----	----	563.40B/526.90A	563.40B/526.90A	----	550.60 + 19.60	.9884	----	----	----	----	160 UNCH
5245	----	----	572.70B/538.10A	572.70B/538.10A	----	560.50 + 19.60	.9886	----	----	----	----	9 UNCH
5250	----	----	580.50B/540.50A	580.50B/540.50A	----	565.50 + 19.60	.9887	----	----	----	----	375 UNCH
5255	----	----	582.60B/548.00A	582.60B/548.00A	----	570.50 + 19.70	.9895	----	----	----	----	9 UNCH
5260	----	----	587.60B/552.90A	587.60B/552.90A	----	575.40 + 19.60	.9896	----	----	----	----	11 UNCH
5265	----	----	592.50B/557.90A	592.50B/557.90A	----	580.40 + 19.70	.9897	----	----	----	----	5 UNCH
5270	----	----	597.50B/562.80A	597.50B/562.80A	----	585.40 + 19.70	.9897	----	----	----	----	24 UNCH
5275	----	----	603.20B/566.50A	603.20B/566.50A	----	590.40 + 19.80	.9898	----	----	----	----	170 UNCH
5280	----	----	607.50B/572.80A	607.50B/572.80A	----	595.30 + 19.70	.9907	----	----	----	----	67 UNCH
5285	----	----	612.50B/577.70A	612.50B/577.70A	----	600.30 + 19.80	.9907	----	----	----	----	27 UNCH
5290	----	----	----	----	----	605.30 + 19.80	.9908	----	----	----	----	2 UNCH
5300	617.00	617.00	629.80B/591.70A	629.80B/591.70A	----	615.30 + 19.90	.9909	----	----	3	----	557 - 3
5305	----	----	633.10B/596.30A	633.10B/596.30A	----	620.30 + 20.00	.9918	----	----	----	----	103 UNCH
5320	----	----	641.90B/611.20A	641.90B/611.20A	----	635.20 + 20.00	.9919	----	----	----	----	108 UNCH
5325	----	----	----	----	----	640.20 + 20.10	.9920	----	----	----	----	1 UNCH
5335	----	----	662.30B/627.40A	662.30B/627.40A	----	650.20 + 20.20	.9921	----	----	----	----	5 UNCH
5340	----	----	667.20B/632.40A	667.20B/632.40A	----	655.10 + 20.10	.9929	----	----	----	----	52 UNCH
5345	----	----	----	----	----	660.10 + 20.10	.9930	----	----	----	----	2 UNCH
5350	----	----	677.90B/641.10A	677.90B/641.10A	----	665.10 + 20.20	.9930	----	----	----	----	109 UNCH
5365	----	----	692.20B/657.30A	692.20B/657.30A	----	680.10 + 20.30	.9931	----	----	----	----	4 UNCH
5370	----	----	697.10B/662.30A	697.10B/662.30A	----	685.10 + 20.40	.9932	----	----	----	----	37 UNCH
5375	----	----	----	----	----	690.10 + 20.40	.9932	----	----	----	----	1 UNCH
5380	----	----	----	----	----	695.10 + 20.50	.9933	----	----	----	----	2 UNCH
5385	----	----	712.10B/677.20A	712.10B/677.20A	----	700.00 + 20.40	.9941	----	----	----	----	10 UNCH
5390	----	----	----	----	----	705.00 + 20.40	.9941	----	----	----	----	2 UNCH
5395	----	----	722.80B/685.90A	722.80B/685.90A	----	710.00 + 20.50	.9941	----	----	----	----	156 UNCH
5400	----	----	729.50B/691.10A	729.50B/691.10A	----	715.00 + 20.50	.9942	----	----	----	----	446 UNCH
5420	----	----	747.00B/712.10A	747.00B/712.10A	----	735.00 + 20.60	.9943	----	----	----	----	10 UNCH
5425	----	----	----	----	----	740.00 + 20.70	.9943	----	----	----	----	1 UNCH
5430	----	----	757.00B/722.00A	757.00B/722.00A	----	745.00 + 20.70	.9944	----	----	----	----	30 UNCH
5435	----	----	762.00B/727.00A	762.00B/727.00A	----	750.00 + 20.70	.9944	----	----	----	----	10 UNCH
5440	----	----	767.00B/732.00A	767.00B/732.00A	----	754.90 + 20.60	.9952	20	----	----	----	0 - 20
5470	----	----	----	----	----	784.90 + 20.70	.9953	1	----	----	----	0 - 1
5490	----	----	817.60B/780.60A	817.60B/780.60A	----	804.90 + 20.80	.9954	21	----	----	----	145 - 21
5500	----	----	826.90B/791.80A	826.90B/791.80A	----	814.90 + 20.80	.9962	----	----	----	----	52 UNCH
5525	----	----	----	----	----	839.80 + 20.80	.9963	----	----	----	----	2 UNCH
5575	----	----	----	----	----	889.80 + 20.90	.9973	2	----	----	----	0 - 2
5590	----	----	917.50B/880.30A	917.50B/880.30A	----	904.70 + 20.80	.9973	30	----	----	----	47 - 30
5595	----	----	----	----	----	909.70 + 20.90	.9973	1	----	----	----	0 - 1
5600	----	----	926.70B/891.60A	926.70B/891.60A	----	914.70 + 20.90	.9973	3	----	----	----	6 - 3
5640	----	----	966.60B/931.60A	966.60B/931.60A	----	954.70 + 21.00	.9982	9	----	----	----	0 - 9
5800	----	----	1,126.50B/1,091	1126.50B/1091.40A	----	1114.70 + 21.20	.9993	6	----	----	----	0 - 6
TOTAL										3908	650	118729 + 670
JUL26												
2000	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2275	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	23 UNCH
2300	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	101 UNCH
2400	----	----	----	0.20B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	2 UNCH
2500	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 - 0.10	.0006	----	----	2	----	192 - 2
2550	0.10	0.10	0.20B/*0.10	0.20B/*0.10	----	0.20 NEW	.0006	----	----	1	----	1 + 1
2575	----	----	----	0.20B/*0.40A	----	0.30 UNCH	.0009	----	----	----	----	1 UNCH
2600	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.30 - 0.10	.0009	----	----	1	----	13 + 1
2620	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0009	----	----	----	----	1 UNCH
2650	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.30 - 0.10	.0009	----	----	55	----	106 + 55
2670	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0012	----	----	----	----	10 UNCH
2675	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.40 - 0.10	.0012	----	----	35	----	45 + 35
2680	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0012	----	----	----	----	10 UNCH
2700	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0013	----	----	----	----	7 UNCH
2705	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0013	----	----	----	----	1 UNCH
2710	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0013	----	----	----	----	7 UNCH
2730	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0013	----	----	----	----	1 UNCH
2750	----	----	----	0.40B/*0.60A	----	0.50 - 0.10	.0016	----	----	----	----	21 UNCH
2775	0.60	0.60	0.60/*0.60	0.60/*0.60	----	0.50 - 0.10	.0016	----	----	1	----	1 UNCH
2785	----	----	----	0.40B/*0.60A	----	0.50 - 0.10	.0016	----	----	----	----	2 UNCH
2800	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.20	.0016	----	----	----	----	9 UNCH
2850	----	----	----	0.50B/*0.70A	----	0.60 - 0.10	.0020	----	----	----	----	3 UNCH
2860	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0020	----	----	----	----	6 UNCH
2885	----	----	----	0.60B/0.80A	----	0.70 - 0.10	.0023	----	----	----	----	14 UNCH
2890	----	----	----	0.60B/*0.80A	----	0.70 - 0.10	.0023	----	----	----	----	60 UNCH
2895	----	----	----	0.60B/*0.80A	----	0.70 - 0.10	.0023	----	----	----	----	18 UNCH
2900	0.60	0.60	0.60/*0.60	0.60/*0.60	----	0.70 - 0.20	.0023	----	----	1	----	19 + 1
2905	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.20	.0023	----	----	----	----	19 UNCH
2920	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.20	.0024	----	----	----	----	3 UNCH
2950	----	----	----/*0.80A	0.60B/*0.80A	----	0.80 - 0.20	.0027	----	----	----	----	35 UNCH
2985	----	----	----/*0.90A	0.70B/*0.90A	----	0.90 - 0.10	.0031	----	----	----	----	21 UNCH
2995	----	----	----/*0.90A	0.70B/*0.90A	----	0.90 - 0.20	.0031	----	----	----	----	16 UNCH
3000	----	----	----/*0.90A	0.70B/*0.90A	----	0.90 - 0.20	.0031	----	----	----	----	66 UNCH
3010	----	----	----/*1.00A	0.70B/*1.00A	----	0.90 - 0.20	.0031	----	----	----	----	1 UNCH
3015	----	----	----/*1.00A	0.80B/*1.00A	----	0.90 - 0.20	.0031	----	----	----	----	5 UNCH
3025	----	----	----/*1.00A	0.80B/*1.00A	----	0.90 - 0.20	.0031	----	----	----	----	1 UNCH
3035	----	----	----/*1.00A	0.80B/*1.00A	----	1.00 - 0.20	.0034	----	----	----	----	5 UNCH
3050	----	----	----/*1.00A	0.80B/*1.00A	----	1.00 - 0.20	.0035	----	----	----	----	2 UNCH
3100	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.20	.0039	----	----	----	----	43 UNCH
3105	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.20	.0039	----	----	----	----	1 UNCH
3125	----	----	----/*1.20A	1.00B/*1.20A	----	1.10 - 0.30	.0040	----	----	----	----	42 UNCH
3140	----	----	----/*1.20A	1.10B/*1.20A	----	1.20 - 0.20	.0043	----	----	----	----	1 UNCH
3150	----	----	----/*1.20A	1.10B/*1.20A	----	1.20 - 0.30	.0043	----	----	----	----	12 UNCH
3155	----	----	----/*1.30A	1.10B/*1.30A	----	1.20 - 0.30	.0044	----	----	----	----	1 UNCH
3165	----	----	----/*1.30A	1.10B/*1.30A	----	1.20 - 0.30	.0044	----	----	----	----	1 UNCH
3185	----	----	----/*1.30A	1.20B/*1.30A	----	1.30 - 0.20	.0048	----	----	----	----	20 UNCH
3200	----	----	----/*1.30A	1.20B/*1.30A	----	1.30 - 0.30	.0048	----	----	----	----	220 UNCH
3210	----	----	----/*1.40A	1.20B/*1.40A	----	1.30 - 0.30	.0048	----	----	----	----	1 UNCH
3220	----	----	----/*1.40A	1.30B/*1.40A	----	1.40 - 0.20	.0052	----	----	----	----	1 UNCH
3225	----	----	----/*1.40A	1.30B/*1.40A	----	1.40 - 0.20	.0052	----	----	----	----	71 UNCH
3250	----	----	----/*1.50A	1.30B/*1.50A	----	1.40 - 0.30	.0053	----	----	----	----	61 UNCH
3275	----	----	----/*1.60A	1.40B/*1.60A	----	1.50 - 0.30	.0057	----	----	----	----	10 UNCH
3280	----	----	----/*1.60A	1.40B/*1.60A	----	1.50 - 0.30	.0057	----	----	----	----	24 UNCH
3285	----	----	----/*1.60A	1.40B/*1.60A	----	1.60 - 0.20	.0061	----	----	----	----	1 UNCH
3290	----	----	----/*1.60A	1.50B/*1.60A	----	1.60 - 0.20	.0061	----	----	----	----	12 UNCH
3300	----	----	----/*1.60A	1.50B/*1.60A	----	1.60 - 0.20	.0061	----	----	----	----	82 UNCH
3320	----	----	----/*1.70A	1.60B/*1.70A	----	1.70 - 0.20	.0065	----	----	----	----	27 UNCH
3325	1.70	1.70	1.70/*1.70	1.70/*1.70	----	1.70 - 0.20	.0066	----	----	12	----	147 UNCH
3335	----	----	----/*1.80A	1.60B/*1.80A	----	1.70 - 0.20	.0066	----	----	----	----	87 UNCH
3340	----	----	----/*1.80A	1.60B/*1.80A	----	1.70 - 0.20	.0066	----	----	----	----	1 UNCH
3350	----	----	----/*1.80A	1.70B/*1.80A	----	1.80 - 0.10	.0070	----	----	----	----	25 UNCH
3355	----	----	----/*1.80A	1.70B/*1.80A	----	1.80 - 0.20	.0070	----	----	----	----	69 UNCH
3360	----	----	----/*1.80A	1.70B/*1.80A	----	1.80 - 0.20	.0071	----	----	----	----	5 UNCH
3370	----	----	----/*1.90A	1.70B/*1.90A	----	1.90 - 0.10	.0074	----	----	----	----	9 UNCH
3380	----	----	----/*1.90A	1.80B/*1.90A	----	1.90 - 0.10	.0075	----	----	----	----	2 UNCH
3385	----	----	----/*1.90A	1.80B/*1.90A	----	1.90 - 0.10	.0075	----	----	----	----	4 UNCH
3390	----	----	----/*1.90A	1.80B/*1.90A	----	1.90 - 0.20	.0075	----	----	----	----	1 UNCH
3395	----	----	----/*1.90A	1.80B/*1.90A	----	1.90 - 0.20	.0076	----	----	----	----	32 UNCH
3400	----	----	----/*2.00A	1.80B/*2.00A	----	2.00 - 0.10	.0079	----	----	----	----	55 UNCH
3405	----	----	----/*2.00A	1.90B/*2.00A	----	2.00 - 0.10	.0080	----	----	----	----	1 UNCH
3410	----	----	----/*2.00A	1.90B/*2.00A	----	2.00 - 0.10	.0080	----	----	----	----	5 UNCH
3415	----	----	----/*2.00A	1.90B/*2.00A	----	2.00 - 0.20	.0080	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3425	----	----	----/*2.10A	1.90B/*2.10A	----	2.00 - 0.20	.0081	----	----	----	----	57 UNCH
3435	----	----	----/*2.10A	2.00B/*2.10A	----	2.10 - 0.10	.0085	----	----	----	----	5 UNCH
3440	----	----	----/*2.10A	2.00B/*2.10A	----	2.10 - 0.10	.0085	----	----	----	----	1 UNCH
3445	----	----	----/*2.20A	2.00B/*2.20A	----	2.10 - 0.20	.0085	----	----	----	----	2 UNCH
3450	----	----	----/*2.20A	2.00B/*2.20A	----	2.10 - 0.20	.0086	----	----	----	----	132 UNCH
3455	----	----	----/*2.20A	2.00B/*2.20A	----	2.10 - 0.20	.0086	----	----	----	----	10 UNCH
3460	----	----	----/*2.20A	2.10B/*2.20A	----	2.20 - 0.10	.0090	----	----	----	----	10 UNCH
3465	----	----	----/*2.20A	2.10B/*2.20A	----	2.20 - 0.20	.0090	----	----	----	----	142 UNCH
3475	----	----	----/2.30A	2.10B/2.30A	----	2.20 - 0.20	.0091	----	----	----	----	140 UNCH
3480	----	----	----/*2.30A	2.10B/*2.30A	----	2.20 - 0.20	.0091	----	----	----	----	36 UNCH
3495	----	----	----/*2.40A	2.20B/*2.40A	----	2.30 - 0.20	.0095	----	----	----	----	5 UNCH
3500	----	----	----/2.40A	2.20B/2.40A	----	2.30 - 0.20	.0096	----	----	1	----	600 UNCH
3505	----	----	----/*2.40A	2.30B/*2.40A	----	2.30 - 0.20	.0096	----	----	----	----	9 UNCH
3510	----	----	----/*2.40A	2.30B/*2.40A	----	2.30 - 0.30	.0097	----	----	----	----	5 UNCH
3515	----	----	----/*2.50A	2.30B/*2.50A	----	2.40 - 0.20	.0100	----	----	----	----	8 UNCH
3520	----	----	----/*2.50A	2.30B/*2.50A	----	2.40 - 0.20	.0101	----	----	----	----	5 UNCH
3525	----	----	----/*2.50A	2.40B/*2.50A	----	2.40 - 0.20	.0101	----	----	----	----	3 UNCH
3530	----	----	----/*2.50A	2.40B/*2.50A	----	2.40 - 0.30	.0102	----	----	----	----	168 UNCH
3535	----	----	----/*2.60A	2.40B/*2.60A	----	2.40 - 0.30	.0102	----	----	----	----	31 UNCH
3545	----	----	----/*2.60A	2.50B/*2.60A	----	2.50 - 0.20	.0106	----	----	----	----	256 UNCH
3550	----	----	----/*2.60A	2.50B/*2.60A	----	2.50 - 0.30	.0107	----	----	----	----	165 UNCH
3555	----	----	----/*2.70A	2.50B/*2.70A	----	2.50 - 0.30	.0107	----	----	----	----	1 UNCH
3565	----	----	----/*2.70A	2.60B/*2.70A	----	2.60 - 0.20	.0111	----	----	----	----	2 UNCH
3575	----	----	----/*2.80A	2.60B/*2.80A	----	2.60 - 0.30	.0112	----	----	----	----	1 UNCH
3580	----	----	----/*2.80A	2.60B/*2.80A	----	2.60 - 0.30	.0113	----	----	----	----	5 UNCH
3585	----	----	----/*2.80A	2.70B/*2.80A	----	2.70 - 0.30	.0117	----	----	----	----	1 UNCH
3590	----	----	----/*2.80A	2.70B/*2.80A	----	2.70 - 0.30	.0117	----	----	----	----	16 UNCH
3600	2.90	2.90	3.10/*2.80A	3.10/*2.80A	----	2.70 - 0.30	.0118	----	----	47	----	358 - 4
3605	----	----	----/*2.90A	2.80B/*2.90A	----	2.80 - 0.30	.0122	----	----	----	----	7 UNCH
3610	----	----	----/*3.00A	2.80B/*3.00A	----	2.80 - 0.30	.0123	----	----	----	----	2 UNCH
3615	----	----	----/*3.00A	2.80B/*3.00A	----	2.80 - 0.30	.0123	----	----	----	----	2 UNCH
3620	----	----	----/*3.00A	2.90B/*3.00A	----	2.80 - 0.40	.0124	----	----	----	----	12 UNCH
3625	----	----	----/*3.00A	2.90B/*3.00A	----	2.90 - 0.30	.0128	----	----	----	----	41 UNCH
3630	----	----	----/*3.10A	2.90B/*3.10A	----	2.90 - 0.30	.0128	----	----	----	----	11 UNCH
3635	----	----	----/*3.10A	3.00B/*3.10A	----	2.90 - 0.40	.0129	----	----	----	----	3 UNCH
3640	----	----	----/*3.10A	3.00B/*3.10A	----	3.00 - 0.30	.0133	----	----	----	----	6 UNCH
3645	----	----	----/*3.20A	3.00B/*3.20A	----	3.00 - 0.30	.0133	----	----	----	----	1 UNCH
3650	----	----	----/*3.20A	3.10B/*3.20A	----	3.00 - 0.40	.0134	----	----	----	----	87 UNCH
3655	----	----	----/*3.20A	3.10B/*3.20A	----	3.10 - 0.30	.0138	----	----	----	----	6 UNCH
3660	----	----	----/*3.30A	3.10B/*3.30A	----	3.10 - 0.30	.0139	----	----	----	----	22 UNCH
3665	----	----	----/*3.30A	3.20B/*3.30A	----	3.10 - 0.40	.0139	----	----	----	----	2 UNCH
3670	----	----	----/*3.30A	3.20B/*3.30A	----	3.20 - 0.30	.0143	----	----	----	----	111 UNCH
3675	----	----	----/*3.40A	3.20B/*3.40A	----	3.20 - 0.30	.0144	----	----	----	----	4 UNCH
3680	----	----	----/*3.40A	3.30B/*3.40A	----	3.20 - 0.40	.0145	----	----	----	----	5 UNCH
3685	----	----	----/*3.40A	3.30B/*3.40A	----	3.30 - 0.30	.0149	----	----	----	----	12 UNCH
3690	----	----	----/*3.50A	3.30B/*3.50A	----	3.30 - 0.30	.0150	----	----	----	----	50 UNCH
3695	----	----	----/*3.50A	3.40B/*3.50A	----	3.40 - 0.30	.0154	----	----	----	----	142 UNCH
3700	----	----	----/*3.50A	3.40B/*3.50A	----	3.40 - 0.30	.0154	----	----	----	----	452 UNCH
3705	----	----	----/*3.60A	3.50B/*3.60A	----	3.40 - 0.40	.0155	----	----	----	----	21 UNCH
3715	----	----	----/*3.70A	3.60B/*3.70A	----	3.50 - 0.30	.0160	----	----	----	----	30 UNCH
3720	----	----	----/*3.70A	3.60B/*3.70A	----	3.60 - 0.30	.0164	----	----	----	----	18 UNCH
3725	----	----	----/*3.70A	3.60B/*3.70A	----	3.60 - 0.30	.0165	----	----	----	----	7 UNCH
3730	----	----	----/*3.80A	3.70B/*3.80A	----	3.70 - 0.30	.0169	----	----	----	----	3 UNCH
3735	----	----	----/*3.80A	3.70B/*3.80A	----	3.70 - 0.30	.0170	----	----	----	----	30 UNCH
3740	----	----	----/*3.90A	3.80B/*3.90A	----	3.70 - 0.40	.0171	----	----	----	----	20 UNCH
3750	----	----	----/*4.00A	3.90B/*4.00A	----	3.80 - 0.30	.0176	----	----	----	----	538 UNCH
3760	----	----	----/*4.00A	4.00B/*4.00A	----	3.90 - 0.30	.0181	----	----	----	----	3 UNCH
3765	----	----	----/*4.10A	4.00B/*4.10A	----	4.00 - 0.30	.0186	----	----	----	----	32 UNCH
3770	----	----	----/*4.10A	4.10B/*4.10A	----	4.00 - 0.30	.0187	----	----	----	----	120 UNCH
3775	----	----	----/*4.20A	4.10B/*4.20A	----	4.10 - 0.30	.0191	----	----	----	----	61 UNCH
3780	----	----	----/*4.20A	4.20B/*4.20A	----	4.10 - 0.40	.0192	----	----	----	----	11 UNCH
3785	----	----	----/*4.30A	4.20B/*4.30A	----	4.20 - 0.30	.0197	----	----	----	----	6 UNCH
3790	----	----	----/*4.30A	4.30B/*4.30A	----	4.20 - 0.40	.0197	----	----	----	----	40 UNCH
3795	----	----	----/*4.40A	4.40B/*4.40A	----	4.30 - 0.30	.0202	----	----	1	----	37 + 1
3800	4.40	4.40	4.40/*4.40	4.40/*4.40	----	4.30 - 0.40	.0203	----	----	2	----	628 - 1
3810	----	----	----/*4.50A	4.50B/*4.50A	----	4.40 - 0.40	.0209	----	----	----	----	16 UNCH
3815	----	----	----/*4.60A	4.60B/*4.60A	----	4.50 - 0.30	.0213	----	----	----	----	14 UNCH
3820	----	----	----/*4.70A	4.70B/*4.70A	----	4.50 - 0.40	.0214	----	----	----	----	10 UNCH
3825	----	----	----/*4.70A	4.70B/*4.70A	----	4.60 - 0.40	.0219	----	----	----	----	11 UNCH
3830	----	----	----/*4.80A	4.80B/*4.80A	----	4.60 - 0.40	.0220	----	----	----	----	24 UNCH
3835	----	----	----/*4.90A	4.90B/*4.90A	----	4.70 - 0.40	.0225	----	----	----	----	1 UNCH
3840	----	----	----/*4.90A	5.00B/*4.90A	----	4.80 - 0.40	.0229	----	----	----	----	33 UNCH
3845	----	----	----/*5.00A	5.00B/*5.00A	----	4.80 - 0.40	.0230	----	----	----	----	12 UNCH
3850	5.00	5.00	5.10B/*5.00	5.10B/*5.00	----	4.90 - 0.40	.0235	----	----	2	----	220 + 2
3860	----	----	----/*5.20A	5.30B/*5.20A	----	5.00 - 0.40	.0241	----	----	----	----	42 UNCH
3865	----	----	----/*5.20A	5.30B/*5.20A	----	5.10 - 0.40	.0246	----	----	----	----	78 UNCH
3870	----	----	----/*5.30A	5.40B/*5.30A	----	5.10 - 0.50	.0247	----	----	1	----	4 + 1
3875	----	----	----/*5.40A	5.50B/*5.40A	----	5.20 - 0.50	.0252	----	----	----	----	113 UNCH
3880	5.40	5.40	5.60B/*5.40	5.60B/*5.40	----	5.30 - 0.50	.0257	----	----	1	----	14 UNCH
3885	----	----	----/*5.50A	5.70B/*5.50A	----	5.30 - 0.50	.0258	----	----	----	----	37 UNCH
3890	----	----	----/*5.60A	5.80B/*5.60A	----	5.40 - 0.50	.0263	----	----	----	----	4 UNCH
3895	----	----	----/*5.70A	5.90B/*5.70A	----	5.50 - 0.50	.0268	----	----	----	----	3 UNCH
3900	5.60	5.60	5.90B/*5.60	5.90B/*5.60	----	5.60 - 0.50	.0273	----	----	7	----	304 - 3
3905	----	----	----/*5.80A	6.10B/*5.80A	----	5.60 - 0.60	.0275	----	----	----	----	12 UNCH
3910	----	----	----/*5.90A	6.10B/*5.90A	----	5.70 - 0.60	.0280	----	----	1	----	54 UNCH
3920	----	----	----/*6.10A	6.30B/*6.10A	----	5.90 - 0.50	.0290	----	----	----	----	12 UNCH
3925	----	----	----/*6.10A	6.50B/*6.10A	----	6.00 - 0.50	.0295	----	----	----	----	57 UNCH
3930	----	----	----/*6.30A	6.60B/*6.30A	----	6.10 - 0.50	.0300	----	----	----	----	25 UNCH
3935	----	----	----/*6.30A	6.70B/*6.30A	----	6.10 - 0.60	.0302	----	----	----	----	18 UNCH
3940	----	----	----/*6.40A	6.80B/*6.40A	----	6.20 - 0.60	.0307	----	----	----	----	27 UNCH
3945	----	----	----/*6.50A	6.80B/*6.50A	----	6.30 - 0.60	.0312	----	----	----	----	22 UNCH
3950	7.00	7.00	7.00/*6.60A	7.00/*6.60A	----	6.40 - 0.60	.0318	----	----	3	----	613 + 1
3955	----	----	----/*6.70A	7.10B/*6.70A	----	6.50 - 0.60	.0323	----	----	----	----	56 UNCH
3960	----	----	----/*6.80A	7.20B/*6.80A	----	6.60 - 0.60	.0328	----	----	1	----	24 + 1
3965	----	----	----/*6.90A	7.30B/*6.90A	----	6.70 - 0.60	.0334	----	----	----	----	94 UNCH
3970	----	----	----/*7.00A	7.50B/*7.00A	----	6.80 - 0.70	.0339	----	----	----	----	15 UNCH
3975	----	----	----/*7.10A	7.60B/*7.10A	----	6.90 - 0.70	.0345	----	----	----	----	25 UNCH
3980	----	----	----/*7.20A	7.70B/*7.20A	----	7.00 - 0.70	.0350	----	----	----	----	236 UNCH
3985	----	----	----/*7.40A	7.80B/*7.40A	----	7.20 - 0.60	.0359	----	----	----	----	136 UNCH
3990	----	----	8.00B/*7.50A	8.00B/*7.50A	----	7.30 - 0.60	.0365	----	----	----	----	40 UNCH
3995	----	----	8.10B/*7.60A	8.10B/*7.60A	----	7.40 - 0.60	.0371	----	----	----	----	21 UNCH
4000	7.80	7.80	8.40/*7.60	8.40/*7.60	----	7.50 - 0.70	.0376	----	----	129	----	1464 - 3
4005	----	----	8.40B/*7.80A	8.40B/*7.80A	----	7.60 - 0.70	.0382	----	----	----	----	154 UNCH
4010	----	----	8.60B/*7.90A	8.60B/*7.90A	----	7.80 - 0.60	.0391	----	----	----	----	4 UNCH
4015	----	----	8.70B/*8.10A	8.70B/*8.10A	----	7.90 - 0.70	.0397	----	----	----	----	63 UNCH
4020	----	----	8.90B/*8.20A	8.90B/*8.20A	----	8.00 - 0.70	.0403	----	----	----	----	120 UNCH
4025	----	----	9.00B/*8.30A	9.00B/*8.30A	----	8.20 - 0.60	.0412	----	----	----	----	22 UNCH
4030	----	----	9.20B/*8.40A	9.20B/*8.40A	----	8.30 - 0.70	.0418	----	----	1	----	52 UNCH
4035	----	----	9.40B/*8.60A	9.40B/*8.60A	----	8.40 - 0.70	.0424	----	----	----	----	3 UNCH
4040	----	----	9.60B/*8.70A	9.60B/*8.70A	----	8.60 - 0.70	.0434	----	----	1	----	8 - 1
4045	----	----	9.70B/*8.80A	9.70B/*8.80A	----	8.70 - 0.70	.0440	----	----	----	----	22 UNCH
4050	----	----	9.90B/*9.00A	9.90B/*9.00A	----	8.90 - 0.70	.0449	----	----	1	----	236 + 1
4055	----	----	10.10B/*9.10A	10.10B/*9.10A	----	9.10 - 0.70	.0459	----	----	----	----	32 UNCH
4060	----	----	10.30B/*9.30A	10.30B/*9.30A	----	9.20 - 0.70	.0465	----	----	----	----	2 UNCH
4065	----	----	10.50B/*9.40A	10.50B/*9.40A	----	9.40 - 0.70	.0475	----	----	1	----	131 UNCH
4070	----	----	10.70B/*9.60A	10.70B/*9.60A	----	9.60 - 0.70	.0485	----	----	----	----	12 UNCH
4075	----	----	10.90B/*9.70A	10.90B/*9.70A	----	9.70 - 0.70	.0491	----	----	1	----	20 UNCH
4080	----	----	11.10B/*9.90A	11.10B/*9.90A	----	9.90 - 0.70	.0501	----	----	----	----	10 UNCH
4085	----	----	11.30B/*10.10A	11.30B/*10.10A	----	10.10 - 0.70	.0511	----	----	----	----	14 UNCH
4090	----	----	11.60B/*10.20A	11.60B/*10.20A	----	10.30 - 0.70	.0521	----	----	1	----	5 - 1
4095	10.60	10.60	11.80B/*10.40A	11.80B/*10.40A	----	10.50 - 0.70	.0532	----	----	1	----	16 + 1
4100	----	----	12.00B/*10.60A	12.00B/*10.60A	----	10.70 - 0.70	.0542	----	----	15	----	1123 + 1
4105	----	----	12.30B/*10.80A	12.30B/*10.80A	----	10.90 - 0.70	.0552	----	----	----	----	13 UNCH
4110	----	----	12.50B/*11.00A	12.50B/*11.00A	----	11.10 - 0.70	.0562	----	----	----	----	17 UNCH
4115	----	----	12.80B/*11.20A	12.80B/*11.20A	----	11.30 - 0.70	.0573	----	----	----	----	6 UNCH
4120	----	----	13.00B/*11.30A	13.00B/*11.30A	----	11.50 - 0.70	.0583	----	----	----	----	82 UNCH
4125	12.50	12.50	13.30B/*11.50A	13.30B/*11.50A	----	11.70 - 0.80	.0593	----	----	1	----	85 + 1
4130	----	----	13.50B/*11.80A	13.50B/*11.80A	----	11.90 - 0.80	.0604	----	----	----	----	91 UNCH
4135	----	----	13.80B/*12.00A	13.80B/*12.00A	----	12.20 - 0.70	.0618	----	----	----	----	43 UNCH
4140	13.00	13.00	14.10B/*12.20A	14.10B/*12.20A	----	12.40 - 0.80	.0629	----	----	1	----	36 - 1
4145	----	----	14.40B/*12.40A	14.40B/*12.40A	----	12.70 - 0.70	.0643	----	----	----	----	237 UNCH
4150	13.00	13.00	14.70B/*12.60A	14.70B/*12.60A	----	12.90 - 0.80	.0654	----	----	28	----	141 - 19
4155	----	----	15.00B/*12.80A	15.00B/*12.80A	----	13.20 - 0.70	.0668	----	----	----	----	8 UNCH
4160	----	----	15.40B/*13.10A	15.40B/*13.10A	----	13.40 - 0.80	.0679	----	----	----	----	8 UNCH
4165	----	----	15.60B/*13.30A	15.60B/*13.30A	----	13.70 - 0.80	.0693	----	----	----	----	91 UNCH
4170	----	----	16.00B/*13.60A	16.00B/*13.60A	----	14.00 - 0.80	.0707	----	----	1	----	61 + 1
4175	----	----	16.30B/*13.80A	16.30B/*13.80A	----	14.20 - 0.80	.0719	----	----	----	----	47 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4180	----	----	16.70B/*14.10A	16.70B/*14.10A	----	14.50 - 0.80	.0733	----	----	1	----	20 + 1
4185	----	----	17.00B/*14.40A	17.00B/*14.40A	----	14.80 - 0.80	.0748	----	----	1	----	16 + 1
4190	----	----	17.40B/*14.60A	17.40B/*14.60A	----	15.10 - 0.80	.0763	----	----	----	----	133 UNCH
4195	----	----	17.70B/*14.90A	17.70B/*14.90A	----	15.40 - 0.90	.0777	----	----	----	----	68 UNCH
4200	15.70	15.70	18.10B/*15.20A	18.10B/*15.20A	----	15.80 - 0.80	.0796	----	----	69	----	608 - 43
4205	----	----	18.50B/*15.50A	18.50B/*15.50A	----	16.10 - 0.80	.0811	----	----	1	----	63 UNCH
4210	----	----	18.90B/*15.80A	18.90B/*15.80A	----	16.40 - 0.80	.0826	----	----	1	----	93 + 1
4215	----	----	19.30B/*16.10A	19.30B/*16.10A	----	16.80 - 0.80	.0844	----	----	----	----	42 UNCH
4220	----	----	19.80B/*16.40A	19.80B/*16.40A	----	17.10 - 0.80	.0859	----	----	----	----	198 UNCH
4225	----	----	20.20B/*16.70A	20.20B/*16.70A	----	17.50 - 0.80	.0878	----	----	1	----	126 - 1
4230	----	----	20.60B/*17.00A	20.60B/*17.00A	----	17.80 - 0.90	.0893	----	----	----	----	25 UNCH
4235	----	----	21.10B/*17.40A	21.10B/*17.40A	----	18.20 - 0.90	.0912	----	----	----	----	51 UNCH
4240	----	----	21.50B/*17.70A	21.50B/*17.70A	----	18.60 - 0.90	.0930	----	----	11	----	100 + 2
4245	----	----	22.00B/*18.00A	22.00B/*18.00A	----	19.00 - 0.90	.0949	----	----	1	----	6 + 1
4250	19.00	19.00	22.50B/*18.40A	22.50B/*18.40A	----	19.40 - 0.90	.0968	----	----	30	150	1250 + 12
4255	20.30	20.30	23.00B/*18.80A	23.00B/*18.80A	----	19.80 - 0.90	.0987	----	----	6	----	11 UNCH
4260	----	----	23.50B/*19.20A	23.50B/*19.20A	----	20.30 - 0.80	.1009	----	----	13	----	39 + 12
4265	----	----	24.00B/*19.60A	24.00B/*19.60A	----	20.70 - 0.90	.1028	----	----	2	----	209 + 1
4270	----	----	24.60B/*20.00A	24.60B/*20.00A	----	21.20 - 0.80	.1051	----	----	----	----	94 UNCH
4275	----	----	25.10B/*20.50A	25.10B/*20.50A	----	21.60 - 0.90	.1070	----	----	2	----	137 - 1
4280	----	----	25.70B/*20.90A	25.70B/*20.90A	----	22.10 - 0.80	.1092	----	----	2	----	189 UNCH
4285	----	----	26.30B/*21.30A	26.30B/*21.30A	----	22.60 - 0.80	.1115	----	----	1	----	114 + 1
4290	----	----	26.90B/*21.80A	26.90B/*21.80A	----	23.10 - 0.80	.1137	----	----	----	----	37 UNCH
4295	----	----	27.50B/*22.20A	27.50B/*22.20A	----	23.60 - 0.80	.1160	----	----	----	----	23 UNCH
4300	24.50	24.50	28.10B/*22.70A	28.10B/*22.70A	----	24.10 - 0.80	.1183	----	----	36	----	1084 + 17
4305	24.70	24.70	28.70B/*23.20A	28.70B/*23.20A	----	24.70 - 0.80	.1209	----	----	51	----	62 + 47
4310	----	----	29.40B/*23.70A	29.40B/*23.70A	----	25.20 - 0.80	.1232	----	----	----	----	31 UNCH
4315	24.30	24.30	30.00B/*24.20A	30.00B/*24.20A	----	25.80 - 0.80	.1258	----	----	50	----	80 + 20
4320	----	----	30.70B/*24.70A	30.70B/*24.70A	----	26.40 - 0.70	.1284	----	----	2	----	76 UNCH
4325	----	----	31.40B/*25.20A	31.40B/*25.20A	----	27.00 - 0.70	.1310	----	----	1	----	158 + 1
4330	----	----	32.10B/*25.70A	32.10B/*25.70A	----	27.60 - 0.70	.1336	----	----	----	----	36 UNCH
4335	----	----	32.80B/*26.30A	32.80B/*26.30A	----	28.20 - 0.70	.1362	----	----	----	----	115 UNCH
4340	----	----	33.60B/*26.90A	33.60B/*26.90A	----	28.80 - 0.80	.1388	----	----	----	----	120 UNCH
4345	----	----	34.30B/*27.50A	34.30B/*27.50A	----	29.50 - 0.70	.1418	----	----	----	----	18 UNCH
4350	----	----	35.10B/*28.00A	35.10B/*28.00A	----	30.10 - 0.80	.1444	----	----	59	----	478 - 45
4355	----	----	35.90B/*28.70A	35.90B/*28.70A	----	30.80 - 0.70	.1474	----	----	----	----	124 UNCH
4360	----	----	36.70B/*29.30A	36.70B/*29.30A	----	31.50 - 0.70	.1503	----	----	----	----	112 UNCH
4365	----	----	37.60B/*29.90A	37.60B/*29.90A	----	32.20 - 0.70	.1533	----	----	----	----	36 UNCH
4370	----	----	38.40B/*30.60A	38.40B/*30.60A	----	33.00 - 0.60	.1565	----	----	1	----	140 - 1
4375	----	----	39.30B/*31.30A	39.30B/*31.30A	----	33.70 - 0.70	.1594	----	----	1	----	28 UNCH
4380	----	----	40.20B/*32.00A	40.20B/*32.00A	----	34.50 - 0.60	.1627	----	----	6	----	11 + 4
4385	----	----	41.10B/*32.70A	41.10B/*32.70A	----	35.30 - 0.60	.1659	----	----	----	----	68 UNCH
4390	----	----	42.00B/*33.40A	42.00B/*33.40A	----	36.10 - 0.60	.1692	----	----	----	----	41 UNCH
4395	----	----	43.00B/34.20A	43.00B/34.20A	----	36.90 - 0.60	.1724	----	----	----	----	27 UNCH
4400	41.80	41.80	44.00B/34.90A	44.00B/34.90A	----	37.70 - 0.60	.1757	----	----	82	----	1065 + 2
4405	----	----	45.00B/35.70A	45.00B/35.70A	----	38.60 - 0.60	.1792	----	----	----	----	29 UNCH
4410	----	----	46.00B/36.50A	46.00B/36.50A	----	39.40 - 0.60	.1825	----	----	----	----	43 UNCH
4415	----	----	47.00B/37.30A	47.00B/37.30A	----	40.30 - 0.60	.1860	----	----	----	----	174 UNCH
4420	----	----	48.10B/38.20A	48.10B/38.20A	----	41.20 - 0.60	.1896	----	----	1	----	108 + 1
4425	----	----	49.20B/39.00A	49.20B/39.00A	----	42.20 - 0.50	.1933	----	----	22	----	46 - 11
4430	----	----	50.30B/39.80A	50.30B/39.80A	----	43.10 - 0.60	.1969	----	----	----	----	285 UNCH
4435	----	----	51.40B/40.70A	51.40B/40.70A	----	44.10 - 0.50	.2007	----	----	----	----	11 UNCH
4440	44.80	44.80	52.60B/41.70A	52.60B/41.70A	----	45.10 - 0.50	.2045	----	----	235	----	264 + 201
4445	46.30	46.30	53.70B/42.60A	53.70B/42.60A	----	46.10 - 0.50	.2083	----	----	1	----	153 UNCH
4450	48.60	48.60	54.90B/43.50A	54.90B/43.50A	----	47.20 - 0.40	.2123	----	----	115	----	982 + 79
4455	47.80	47.80	56.20B/44.50A	56.20B/44.50A	----	48.20 - 0.50	.2161	----	----	1	----	19 UNCH
4460	----	----	57.40B/45.50A	57.40B/45.50A	----	49.30 - 0.40	.2202	----	----	----	----	279 UNCH
4465	----	----	58.70B/46.40A	58.70B/46.40A	----	50.40 - 0.40	.2242	----	----	----	----	30 UNCH
4470	----	----	60.00B/47.60A	60.00B/47.60A	----	51.60 - 0.30	.2285	----	----	----	----	219 UNCH
4475	----	----	61.30B/48.60A	61.30B/48.60A	----	52.70 - 0.40	.2325	----	----	4	----	38 - 2
4480	----	----	62.70B/49.70A	62.70B/49.70A	----	53.90 - 0.30	.2368	----	----	----	----	234 UNCH
4485	----	----	64.00B/50.80A	64.00B/50.80A	----	55.10 - 0.30	.2411	----	----	1	----	106 UNCH
4490	----	----	65.40B/51.90A	65.40B/51.90A	----	56.30 - 0.30	.2453	----	----	----	----	46 UNCH
4495	----	----	66.90B/53.10A	66.90B/53.10A	----	57.60 - 0.20	.2498	----	----	----	----	90 UNCH
4500	58.50	58.50	68.30B/54.20A	68.30B/54.20A	----	58.90 - 0.20	.2542	----	----	365	1500	3079 + 1752
4505	----	----	69.80B/55.40A	69.80B/55.40A	----	60.20 - 0.20	.2587	----	----	1	----	12 UNCH
4510	57.20	57.20	71.30B/56.50A	71.30B/56.50A	----	61.50 - 0.10	.2632	----	----	33	----	39 + 30
4515	----	----	72.90B/57.90A	72.90B/57.90A	----	62.90 - 0.10	.2678	----	----	----	----	4 UNCH
4520	----	----	74.40B/59.20A	74.40B/59.20A	----	64.30 UNCH	.2725	----	----	----	----	13 UNCH
4525	----	----	76.00B/60.50A	76.00B/60.50A	----	65.70 UNCH	.2771	----	----	30	----	513 UNCH
4530	----	----	77.60B/61.70A	77.60B/61.70A	----	67.10 UNCH	.2818	----	----	----	----	30 UNCH
4535	----	----	79.30B/63.00A	79.30B/63.00A	----	68.60 + 0.10	.2866	----	----	----	----	10 UNCH
4540	----	----	80.90B/64.40A	80.90B/64.40A	----	70.10 + 0.20	.2914	----	----	----	----	91 UNCH
4545	----	----	82.70B/65.80A	82.70B/65.80A	----	71.60 + 0.20	.2963	----	----	----	----	20 UNCH
4550	----	----	84.40B/67.20A	84.40B/67.20A	----	73.20 + 0.30	.3012	----	----	----	----	444 UNCH
4555	72.00	72.00	86.10B/68.70A	86.10B/68.70A	----	74.80 + 0.40	.3062	----	----	1	----	24 UNCH
4560	----	----	87.90B/70.20A	87.90B/70.20A	----	76.40 + 0.40	.3112	----	----	----	----	70 UNCH
4565	----	----	89.80B/71.60A	89.80B/71.60A	----	78.00 + 0.50	.3161	----	----	----	----	113 UNCH
4570	----	----	91.60B/73.20A	91.60B/73.20A	----	79.70 + 0.50	.3212	----	----	----	----	25 UNCH
4575	----	----	93.50B/74.70A	93.50B/74.70A	----	81.30 + 0.50	.3262	----	----	2	----	25 - 2
4580	83.20	83.20	95.40B/76.30A	95.40B/76.30A	----	83.10 + 0.70	.3315	----	----	3	----	19 + 1
4585	----	----	97.30B/77.90A	97.30B/77.90A	----	84.80 + 0.70	.3366	----	----	----	----	17 UNCH
4590	----	----	99.30B/79.60A	99.30B/79.60A	----	86.60 + 0.80	.3418	----	----	----	----	21 UNCH
4595	----	----	101.30B/81.20A	101.30B/81.20A	----	88.40 + 0.80	.3470	----	----	----	----	50 UNCH
4600	90.00	90.00	103.30B/82.80A	103.30B/82.80A	----	90.20 + 0.90	.3523	----	----	53	----	1387 + 47
4605	----	----	105.40B/84.50A	105.40B/84.50A	----	92.10 + 1.00	.3576	----	----	----	----	8 UNCH
4610	----	----	107.50B/86.20A	107.50B/86.20A	----	94.00 + 1.10	.3629	----	----	----	----	136 UNCH
4615	----	----	109.60B/88.00A	109.60B/88.00A	----	95.90 + 1.10	.3682	----	----	----	----	24 UNCH
4620	----	----	111.70B/89.70A	111.70B/89.70A	----	97.80 + 1.10	.3736	----	----	2	----	50 + 1
4625	----	----	113.90B/91.60A	113.90B/91.60A	----	99.80 + 1.20	.3790	----	----	----	----	179 UNCH
4630	----	----	116.10B/93.50A	116.10B/93.50A	----	101.80 + 1.30	.3844	----	----	----	----	16 UNCH
4635	----	----	118.40B/95.30A	118.40B/95.30A	----	103.80 + 1.30	.3898	----	----	----	----	128 UNCH
4640	----	----	120.60B/97.30A	120.60B/97.30A	----	105.90 + 1.40	.3953	----	----	1	----	156 - 1
4645	----	----	122.90B/99.20A	122.90B/99.20A	----	108.00 + 1.50	.4008	----	----	----	----	24 UNCH
4650	103.00	103.00	125.30B/101.10A	125.30B/101.10A	----	110.10 + 1.60	.4063	----	----	2	----	413 - 1
4655	----	----	127.60B/103.10A	127.60B/103.10A	----	112.30 + 1.70	.4119	----	----	----	----	12 UNCH
4660	----	----	130.00B/105.10A	130.00B/105.10A	----	114.50 + 1.80	.4174	----	----	----	----	70 UNCH
4665	----	----	132.50B/107.10A	132.50B/107.10A	----	116.70 + 1.80	.4229	----	----	----	----	24 UNCH
4670	----	----	134.90B/109.20A	134.90B/109.20A	----	118.90 + 1.90	.4285	----	----	----	----	101 UNCH
4675	----	----	137.40B/111.30A	137.40B/111.30A	----	121.20 + 2.00	.4341	----	----	----	----	157 UNCH
4680	----	----	139.90B/113.50A	139.90B/113.50A	----	123.50 + 2.10	.4397	----	----	----	----	132 UNCH
4685	----	----	142.50B/115.60A	142.50B/115.60A	----	125.80 + 2.10	.4453	----	----	----	----	8 UNCH
4690	----	----	145.00B/117.90A	145.00B/117.90A	----	128.20 + 2.20	.4509	----	----	1	----	46 UNCH
4695	----	----	147.60B/120.10A	147.60B/120.10A	----	130.60 + 2.30	.4565	----	----	----	----	189 UNCH
4700	131.50	131.50	150.30B/122.40A	150.30B/122.40A	----	133.10 + 2.50	.4621	----	----	75	----	753 - 2
4705	----	----	153.00B/124.70A	153.00B/124.70A	----	135.50 + 2.50	.4677	----	----	----	----	32 UNCH
4710	----	----	155.70B/127.00A	155.70B/127.00A	----	138.10 + 2.70	.4734	----	----	----	----	128 UNCH
4715	----	----	158.40B/129.40A	158.40B/129.40A	----	140.60 + 2.80	.4790	----	----	----	----	123 UNCH
4720	----	----	161.20B/131.60A	161.20B/131.60A	----	143.20 + 3.00	.4846	----	----	2	----	61 - 2
4725	----	----	163.90B/134.10A	163.90B/134.10A	----	145.80 + 3.10	.4902	----	----	----	----	227 UNCH
4730	----	----	166.80B/136.50A	166.80B/136.50A	----	148.40 + 3.20	.4958	----	----	----	----	72 UNCH
4735	----	----	169.60B/139.00A	169.60B/139.00A	----	151.10 + 3.30	.5014	----	----	10	----	40 + 1
4740	----	----	172.50B/141.50A	172.50B/141.50A	----	153.70 + 3.40	.5070	----	----	----	----	122 UNCH
4745	----	----	175.40B/144.10A	175.40B/144.10A	----	156.50 + 3.60	.5125	----	----	1	----	138 + 1
4750	----	----	178.30B/146.50A	178.30B/146.50A	----	159.20 + 3.60	.5181	----	----	153	----	780 + 150
4755	----	----	181.40B/149.10A	181.40B/149.10A	----	162.00 + 3.80	.5237	----	----	----	----	14 UNCH
4760	----	----	184.50B/151.70A	184.50B/151.70A	----	164.80 + 3.90	.5292	----	----	1	----	81 UNCH
4765	----	----	187.30B/154.20A	187.30B/154.20A	----	167.70 + 4.10	.5347	----	----	----	----	306 UNCH
4770	----	----	190.40B/157.00A	190.40B/157.00A	----	170.60 + 4.20	.5402	----	----	1	----	12 UNCH
4775	----	----	193.50B/159.80A	193.50B/159.80A	----	173.50 + 4.40	.5457	----	----	----	----	55 UNCH
4780	----	----	196.60B/162.40A	196.60B/162.40A	----	176.40 + 4.50	.5511	----	----	----	----	39 UNCH
4785	----	----	199.50B/165.20A	199.50B/165.20A	----	179.30 + 4.50	.5566	----	----	----	----	119 UNCH
4790	----	----	202.70B/168.00A	202.70B/168.00A	----	182.30 + 4.70	.5620	----	----	----	----	3 UNCH
4795	----	----	206.00B/170.60A	206.00B/170.60A	----	185.40 + 4.90	.5674	----	----	----	----	80 UNCH
4800	----	----	209.20B/173.80A	209.20B/173.80A	----	188.40 + 4.90	.5727	----	----	46	----	1223 - 9
4805	----	----	212.40B/176.50A	212.40B/176.50A	----	191.50 + 5.10	.5781	----	----	----	----	22 UNCH
4810	----	----	215.60B/179.60A	215.60B/179.60A	----	194.60 + 5.20	.5834	----	----	----	----	11 UNCH
4815	----	----	219.00B/182.30A	219.00B/182.30A	----	197.70 + 5.30	.5887	----	----	----	----	28 UNCH
4820	----	----	222.30B/185.20A	222.30B/185.20A	----	200.80 + 5.40	.5940	----	----	----	----	207 UNCH
4825	----	----	225.70B/188.20A	225.70B/188.20A	----	204.00 + 5.50	.5992	----	----	----	----	33 UNCH
4830	----	----	229.00B/191.20A	229.00B/191.20A	----	207.20 + 5.60	.6044	----	----	----	----	5 UNCH
4835	----	----	232.50B/194.40A	232.50B/194.40A	----	210.50 + 5.80	.6095	----	----	----	----	24 UNCH
4840	----	----	235.90B/197.30A	235.90B/197.30A	----	213.70 + 5.90	.6148	----	----	----	----	10 UNCH
4845	----	----	239.50B/200.40A	239.50B/200.40A	----	217.00 + 6.00	.6199	----	----	----	----	63 UNCH
4850	----	----	242.80B/203.70A	242.80B/203.70A	----	220.30 + 6.10	.6249	----	----	----	----	298 UNCH
4855	----	----	246.30B/206.80A	246.30B/206.80A	----	223.70 + 6.30	.6300	----	----	----	----	11 UNCH
4860	----	----	249.70B/209.80A	249.70B/209.80A	----	227.00 + 6.40	.6349	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4865	----	----	253.60B/213.00A	253.60B/213.00A	----	230.40 + 6.50	.6399	----	----	----	----	30 UNCH
4870	----	----	257.10B/216.20A	257.10B/216.20A	----	233.90 + 6.70	.6448	----	----	----	----	319 UNCH
4875	----	----	260.70B/222.40A	260.70B/222.40A	----	237.30 + 6.80	.6497	----	----	----	----	71 UNCH
4880	----	----	264.30B/224.90A	264.30B/224.90A	----	240.80 + 7.00	.6546	----	----	1	----	51 UNCH
4885	----	----	267.90B/228.90A	267.90B/228.90A	----	244.30 + 7.10	.6594	----	----	----	----	12 UNCH
4890	----	----	271.50B/232.30A	271.50B/232.30A	----	247.80 + 7.20	.6641	----	----	----	----	9 UNCH
4895	----	----	275.40B/234.80A	275.40B/234.80A	----	251.40 + 7.40	.6687	----	----	----	----	48 UNCH
4900	253.60	253.60	279.10B/238.20A	279.10B/238.20A	----	254.90 + 7.50	.6735	----	----	13	----	254 + 9
4905	----	----	282.90B/242.30A	282.90B/242.30A	----	258.50 + 7.70	.6780	----	----	----	----	53 UNCH
4910	----	----	286.60B/246.90A	286.60B/246.90A	----	262.10 + 7.80	.6827	----	----	----	----	2 UNCH
4915	----	----	290.40B/249.50A	290.40B/249.50A	----	265.80 + 8.00	.6872	----	----	----	----	118 UNCH
4920	----	----	294.20B/252.60A	294.20B/252.60A	----	269.50 + 8.20	.6918	----	----	----	----	22 UNCH
4925	----	----	298.00B/257.40A	298.00B/257.40A	----	273.20 + 8.30	.6961	----	----	----	----	11 UNCH
4930	----	----	301.90B/259.60A	301.90B/259.60A	----	276.90 + 8.50	.7006	----	----	----	----	52 UNCH
4935	----	----	305.70B/264.60A	305.70B/264.60A	----	280.60 + 8.60	.7050	----	----	----	----	4 UNCH
4940	----	----	309.60B/268.20A	309.60B/268.20A	----	284.40 + 8.80	.7093	----	----	----	----	11 UNCH
4950	----	----	317.50B/274.00A	317.50B/274.00A	----	291.90 + 9.00	.7178	----	----	----	----	106 UNCH
4975	----	----	337.40B/295.20A	337.40B/295.20A	----	311.30 + 9.80	.7383	----	----	----	----	2 UNCH
4980	----	----	341.40B/298.90A	341.40B/298.90A	----	315.20 + 9.90	.7421	----	----	----	----	6 UNCH
4985	----	----	345.60B/299.70A	345.60B/299.70A	----	319.10 + 10.00	.7461	----	----	----	----	104 UNCH
4990	----	----	349.60B/306.40A	349.60B/306.40A	----	323.10 + 10.10	.7499	----	----	----	----	2 UNCH
4995	----	----	353.70B/310.30A	353.70B/310.30A	----	327.10 + 10.30	.7537	----	----	----	----	12 UNCH
5000	325.20	325.20	357.80B/311.20A	357.80B/311.20A	----	331.10 + 10.40	.7575	----	----	1	----	545 UNCH
5005	----	----	361.90B/318.00A	361.90B/318.00A	----	335.10 + 10.50	.7613	----	----	----	----	12 UNCH
5010	----	----	366.00B/321.90A	366.00B/321.90A	----	339.10 + 10.60	.7649	----	----	----	----	9 UNCH
5015	----	----	370.20B/321.70A	370.20B/321.70A	----	343.20 + 10.70	.7684	----	----	----	----	20 UNCH
5020	----	----	374.40B/329.70A	374.40B/329.70A	----	347.20 + 10.80	.7722	----	----	----	----	5 UNCH
5025	----	----	378.50B/329.60A	378.50B/329.60A	----	351.30 + 10.90	.7757	----	----	----	----	150 UNCH
5030	----	----	382.70B/337.50A	382.70B/337.50A	----	355.40 + 11.00	.7790	----	----	----	----	8 UNCH
5035	----	----	386.90B/338.50A	386.90B/338.50A	----	359.50 + 11.10	.7826	----	----	----	----	37 UNCH
5040	----	----	391.20B/345.40A	391.20B/345.40A	----	363.70 + 11.30	.7861	----	----	----	----	10 UNCH
5045	----	----	395.40B/349.50A	395.40B/349.50A	----	367.80 + 11.40	.7893	----	----	----	----	5 UNCH
5050	----	----	399.80B/353.40A	399.80B/353.40A	----	372.00 + 11.50	.7926	----	----	----	----	79 UNCH
5055	----	----	404.00B/357.50A	404.00B/357.50A	----	376.20 + 11.70	.7959	----	----	----	----	3 UNCH
5065	----	----	412.60B/365.70A	412.60B/365.70A	----	384.60 + 11.90	.8024	----	----	----	----	11 UNCH
5075	----	----	421.20B/373.70A	421.20B/373.70A	----	393.00 + 12.10	.8086	----	----	----	----	6 UNCH
5080	----	----	425.60B/377.90A	425.60B/377.90A	----	397.30 + 12.30	.8115	----	----	----	----	2 UNCH
5085	----	----	429.90B/382.10A	429.90B/382.10A	----	401.60 + 12.40	.8148	----	----	----	----	21 UNCH
5090	----	----	434.40B/386.20A	434.40B/386.20A	----	405.80 + 12.50	.8177	----	----	----	----	6 UNCH
5095	----	----	438.80B/390.40A	438.80B/390.40A	----	410.10 + 12.60	.8207	----	----	----	----	42 UNCH
5100	----	----	443.20B/394.50A	443.20B/394.50A	----	414.40 + 12.70	.8233	----	----	----	----	106 UNCH
5105	----	----	447.60B/398.70A	447.60B/398.70A	----	418.80 + 12.90	.8263	----	----	----	----	22 UNCH
5110	----	----	451.90B/402.90A	451.90B/402.90A	----	423.10 + 13.00	.8292	----	----	----	----	16 UNCH
5115	----	----	456.40B/407.20A	456.40B/407.20A	----	427.40 + 13.10	.8319	----	----	----	----	37 UNCH
5120	----	----	460.90B/411.40A	460.90B/411.40A	----	431.80 + 13.20	.8345	----	----	----	----	13 UNCH
5125	----	----	465.20B/415.40A	465.20B/415.40A	----	436.20 + 13.40	.8371	----	----	----	----	37 UNCH
5130	----	----	469.80B/419.90A	469.80B/419.90A	----	440.50 + 13.40	.8398	----	----	----	----	23 UNCH
5135	----	----	474.30B/424.10A	474.30B/424.10A	----	444.90 + 13.50	.8424	----	----	----	----	9 UNCH
5140	----	----	478.90B/428.40A	478.90B/428.40A	----	449.40 + 13.70	.8450	----	----	----	----	19 UNCH
5145	----	----	483.20B/432.70A	483.20B/432.70A	----	453.80 + 13.80	.8476	----	----	----	----	3 UNCH
5150	----	----	487.80B/437.00A	487.80B/437.00A	----	458.20 + 13.90	.8499	----	----	----	----	233 UNCH
5155	456.40	456.40	492.40B/441.40A	492.40B/441.40A	----	462.70 + 14.00	.8525	----	----	1	----	43 + 1
5160	----	----	496.80B/445.70A	496.80B/445.70A	----	467.10 + 14.10	.8548	----	----	----	----	42 UNCH
5170	----	----	505.90B/454.40A	505.90B/454.40A	----	476.10 + 14.30	.8594	----	----	----	----	51 UNCH
5175	----	----	510.50B/458.70A	510.50B/458.70A	----	480.60 + 14.50	.8616	----	----	----	----	61 UNCH
5180	----	----	515.20B/463.10A	515.20B/463.10A	----	485.10 + 14.50	.8639	----	----	----	----	10 UNCH
5185	----	----	519.50B/467.50A	519.50B/467.50A	----	489.60 + 14.60	.8662	----	----	----	----	103 UNCH
5190	----	----	524.20B/471.90A	524.20B/471.90A	----	494.10 + 14.70	.8681	----	----	----	----	19 UNCH
5200	----	----	533.50B/480.80A	533.50B/480.80A	----	503.20 + 14.90	.8723	----	----	----	----	56 UNCH
5225	----	----	556.40B/503.10A	556.40B/503.10A	----	526.00 + 15.30	.8822	----	----	----	----	42 UNCH
5230	----	----	561.00B/507.50A	561.00B/507.50A	----	530.60 + 15.40	.8841	----	----	----	----	2 UNCH
5235	----	----	565.70B/511.90A	565.70B/511.90A	----	535.20 + 15.50	.8860	----	----	----	----	23 UNCH
5245	----	----	575.20B/521.10A	575.20B/521.10A	----	544.40 + 15.60	.8898	----	----	----	----	2 UNCH
5250	----	----	579.70B/525.60A	579.70B/525.60A	----	549.10 + 15.80	.8913	----	----	----	----	14 UNCH
5255	----	----	584.40B/530.00A	584.40B/530.00A	----	553.70 + 15.80	.8932	----	----	----	----	14 UNCH
5285	----	----	612.70B/557.50A	612.70B/557.50A	----	581.70 + 16.30	.9029	----	----	----	----	2 UNCH
5290	----	----	617.40B/562.10A	617.40B/562.10A	----	586.30 + 16.30	.9044	----	----	----	----	4 UNCH
5295	----	----	622.30B/566.70A	622.30B/566.70A	----	591.00 + 16.30	.9059	----	----	----	----	2 UNCH
5300	----	----	626.80B/571.20A	626.80B/571.20A	----	595.70 + 16.40	.9074	----	----	----	----	68 UNCH
5315	----	----	641.20B/585.10A	641.20B/585.10A	----	609.80 + 16.60	.9115	----	----	----	----	10 UNCH
5325	----	----	650.70B/594.40A	650.70B/594.40A	----	619.30 + 16.80	.9144	----	----	----	----	2 UNCH
5350	----	----	674.60B/617.70A	674.60B/617.70A	----	642.90 + 17.00	.9206	----	----	----	----	8 UNCH
5375	----	----	698.60B/640.80A	698.60B/640.80A	----	666.70 + 17.30	.9267	----	----	----	----	8 UNCH
5390	----	----	713.00B/654.90A	713.00B/654.90A	----	681.10 + 17.50	.9299	----	----	----	----	5 UNCH
5400	----	----	722.60B/664.40A	722.60B/664.40A	----	690.70 + 17.60	.9320	----	----	----	----	602 UNCH
5410	----	----	732.20B/673.80A	732.20B/673.80A	----	700.30 + 17.70	.9340	----	----	----	----	1 UNCH
5440	----	----	761.20B/702.40A	761.20B/702.40A	----	729.10 + 17.90	.9398	----	----	----	----	1 UNCH
5475	----	----	795.20B/742.90A	795.20B/742.90A	----	763.00 + 18.30	.9457	----	----	----	----	7 UNCH
5500	----	----	819.60B/766.40A	819.60B/766.40A	----	787.30 + 18.50	.9495	----	----	----	----	4 UNCH
5505	----	----	824.00B/----	824.00B/783.60A	----	792.10 + 18.50	.9501	----	----	----	----	1 UNCH
5510	----	----	828.90B/----	828.90B/788.40A	----	797.00 + 18.60	.9507	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1380.70 + 21.10	.9865	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1405.60 + 21.10	.9871	----	----	----	----	2 UNCH
TOTAL										1967	1,650	41316 + 2345
AUG26												
2300	----	----	----	0.30B/0.70A	----	0.50 - 0.20	.0013	----	----	----	----	38 UNCH
2325	----	----	----	0.30B/*0.70A	----	0.60 - 0.10	.0015	----	----	----	----	1 UNCH
2350	----	----	----	0.40B/0.80A	----	0.60 - 0.20	.0015	----	----	----	----	12 UNCH
2375	----	----	----	0.40B/*0.80A	----	0.60 - 0.20	.0015	----	----	----	----	7 UNCH
2400	----	----	----	0.50B/*0.80A	----	0.70 - 0.10	.0018	----	----	----	----	5 UNCH
2425	----	----	----	0.50B/0.90A	----	0.70 - 0.20	.0018	----	----	----	----	1 UNCH
2475	----	----	----	0.60B/1.00A	----	0.80 - 0.20	.0021	----	----	----	----	5 UNCH
2500	----	----	----	0.60B/*1.00A	----	0.80 - 0.20	.0021	----	----	----	----	112 UNCH
2570	----	----	----/*1.10A	0.80B/*1.10A	----	1.00 - 0.20	.0027	----	----	----	----	9 UNCH
2580	----	----	----	0.80B/*1.20A	----	1.00 - 0.20	.0027	----	----	----	----	1 UNCH
2590	----	----	----	0.80B/*1.20A	----	1.00 - 0.20	.0027	----	----	----	----	2 UNCH
2600	----	----	----/*1.20A	0.80B/*1.20A	----	1.00 - 0.30	.0027	----	----	----	----	6 UNCH
2615	----	----	----/*1.20A	0.90B/*1.20A	----	1.10 - 0.20	.0030	----	----	----	----	1 UNCH
2625	----	----	----	0.90B/1.30A	----	1.10 - 0.20	.0030	----	----	----	----	2 UNCH
2640	----	----	----/*1.30A	0.90B/*1.30A	----	1.10 - 0.30	.0030	----	----	----	----	1 UNCH
2665	----	----	----/*1.30A	1.00B/*1.30A	----	1.20 - 0.20	.0033	----	----	----	----	1 UNCH
2685	----	----	----/*1.40A	1.00B/*1.40A	----	1.20 - 0.30	.0033	----	----	----	----	1 UNCH
2690	----	----	----/*1.40A	1.00B/*1.40A	----	1.20 - 0.30	.0034	----	----	----	----	1 UNCH
2730	----	----	----/*1.50A	1.10B/*1.50A	----	1.30 - 0.30	.0037	----	----	----	----	1 UNCH
2740	----	----	----/1.50A	1.10B/1.50A	----	1.40 - 0.30	.0039	----	----	----	----	2 UNCH
2745	----	----	----/*1.50A	1.20B/*1.50A	----	1.40 - 0.30	.0039	----	----	----	----	1 UNCH
2750	----	----	----/*1.50A	1.20B/*1.50A	----	1.40 - 0.30	.0039	----	----	----	----	4 UNCH
2800	----	----	----/*1.70A	1.40B/*1.70A	----	1.50 - 0.30	.0043	----	----	----	----	36 UNCH
2860	----	----	----/*1.90A	1.60B/*1.90A	----	1.70 - 0.30	.0050	----	----	----	----	1 UNCH
2900	----	----	----/*2.00A	1.70B/*2.00A	----	1.80 - 0.30	.0053	----	----	----	----	2 UNCH
2950	----	----	----/*2.20A	1.90B/*2.20A	----	2.00 - 0.30	.0060	----	----	----	----	8 UNCH
2975	1.90	1.90	2.00B/*1.90	2.00B/*1.90	----	2.10 NEW	.0063	----	----	1	----	1 + 1
2980	----	----	----/*2.30A	1.90B/*2.30A	----	2.10 - 0.30	.0063	----	----	----	----	1 UNCH
3000	----	----	----/*2.40A	2.00B/*2.40A	----	2.20 - 0.30	.0067	----	----	----	----	269 UNCH
3005	----	----	----/*2.40A	2.10B/*2.40A	----	2.20 - 0.30	.0067	----	----	----	----	5 UNCH
3010	----	----	----/*2.40A	2.10B/*2.40A	----	2.20 - 0.30	.0067	----	----	----	----	1 UNCH
3015	----	----	----/*2.40A	2.10B/*2.40A	----	2.20 - 0.30	.0067	----	----	----	----	1 UNCH
3025	----	----	----	2.20B/*2.50A	----	2.30 - 0.20	.0070	----	----	----	----	5 UNCH
3040	----	----	----/*2.50A	2.20B/*2.50A	----	2.30 - 0.30	.0071	----	----	----	----	1 UNCH
3065	----	----	----/*2.60A	2.30B/*2.60A	----	2.40 - 0.30	.0075	----	----	----	----	1 UNCH
3090	----	----	----/*2.70A	2.40B/*2.70A	----	2.50 - 0.30	.0078	----	----	----	----	1 UNCH
3095	----	----	----	2.40B/*2.80A	----	2.50 - 0.30	.0079	----	----	----	----	1 UNCH
3100	----	----	----	2.40B/*2.80A	----	2.50 - 0.30	.0079	----	----	----	----	264 UNCH
3110	----	----	----	2.50B/*2.80A	----	2.60 - 0.20	.0082	----	----	----	----	15 UNCH
3115	----	----	----	2.50B/*2.80A	----	2.60 - 0.20	.0082	----	----	----	----	1 UNCH
3120	----	----	----	2.50B/*2.90A	----	2.60 - 0.20	.0082	----	----	----	----	29 UNCH
3130	----	----	----	2.50B/*2.90A	----	2.70 - 0.20	.0085	----	----	----	----	5 UNCH
3145	----	----	----	2.60B/*3.00A	----	2.70 - 0.20	.0086	----	----	----	----	1 UNCH
3150	----	----	----	2.60B/*3.00A	----	2.70 - 0.20	.0087	----	----	----	----	10 UNCH
3155	----	----	----	2.70B/*3.00A	----	2.80 - 0.10	.0089	----	----	----	----	3 UNCH
3160	----	----	----	2.70B/*3.10A	----	2.80 - 0.10	.0090	----	----	----	----	1 UNCH
3165	----	----	----	2.70B/*3.10A	----	2.80 - 0.10	.0090	----	----	----	----	141 UNCH
3170	----	----	----	2.70B/3.10A	----	2.80 - 0.20	.0090	----	----	----	----	2 UNCH
3175	----	----	----	2.80B/*3.10A	----	2.90 - 0.10	.0093	----	----	----	----	1 UNCH
3180	----	----	----	2.80B/*3.10A	----	2.90 - 0.10	.0093	----	----	----	----	26 UNCH
3185	----	----	----	2.80B/*3.20A	----	2.90 - 0.10	.0094	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3190	----	----	----	2.80B/*3.20A	----	2.90 - 0.10	.0094	----	----	----	----	883 UNCH
3195	----	----	----	2.90B/*3.20A	----	3.00 - 0.10	.0097	----	----	----	----	1 UNCH
3200	----	----	----	2.90B/3.20A	----	3.00 - 0.10	.0097	----	----	1	----	532 + 1
3250	----	----	----	3.20B/*3.50A	----	3.30 - 0.20	.0109	----	----	----	----	530 UNCH
3260	----	----	----	3.30B/*3.60A	----	3.30 - 0.20	.0109	----	----	----	----	30 UNCH
3295	----	----	----/*3.80A	3.40B/*3.80A	----	3.50 - 0.40	.0117	----	----	----	----	2 UNCH
3300	----	----	----/*3.80A	3.40B/*3.80A	----	3.60 - 0.30	.0120	----	----	5	----	263 UNCH
3330	----	----	----/*4.00A	3.70B/*4.00A	----	3.80 - 0.40	.0128	----	----	----	----	2 UNCH
3350	----	----	----/*4.10A	3.80B/*4.10A	----	3.90 - 0.50	.0133	----	----	----	----	375 UNCH
3370	----	----	----/*4.30A	3.90B/*4.30A	----	4.10 - 0.40	.0140	----	----	----	----	1 UNCH
3375	----	----	----/*4.30A	4.00B/*4.30A	----	4.10 - 0.50	.0140	----	----	----	----	15 UNCH
3380	----	----	----/*4.40A	4.00B/*4.40A	----	4.10 - 0.50	.0141	----	----	----	----	1 UNCH
3390	----	----	----/*4.40A	4.10B/*4.40A	----	4.20 - 0.50	.0145	----	----	----	----	1 UNCH
3395	----	----	----/*4.50A	4.10B/*4.50A	----	4.30 - 0.50	.0148	----	----	----	----	7 UNCH
3400	----	----	----/*4.50A	4.20B/*4.50A	----	4.30 - 0.50	.0148	----	----	1	----	48 UNCH
3405	----	----	----/*4.60A	4.20B/*4.60A	----	4.30 - 0.50	.0149	----	----	----	----	4 UNCH
3410	----	----	----/*4.60A	4.30B/*4.60A	----	4.40 - 0.50	.0152	----	----	----	----	1 UNCH
3450	----	----	----/*5.00A	4.70B/*5.00A	----	4.70 - 0.60	.0165	----	----	----	----	1 UNCH
3460	----	----	----/*5.10A	4.80B/*5.10A	----	4.80 - 0.50	.0169	----	----	----	----	1 UNCH
3465	----	----	----/*5.10A	4.80B/*5.10A	----	4.90 - 0.50	.0172	----	----	----	----	6 UNCH
3470	----	----	----/*5.20A	4.90B/*5.20A	----	4.90 - 0.50	.0173	----	----	----	----	1 UNCH
3495	----	----	----/*5.40A	5.10B/*5.40A	----	5.20 - 0.50	.0184	----	----	----	----	1 UNCH
3500	----	----	----/*5.50A	5.20B/*5.50A	----	5.20 - 0.50	.0185	----	----	----	----	820 UNCH
3505	----	----	----/*5.50A	5.20B/*5.50A	----	5.30 - 0.50	.0188	----	----	----	----	1 UNCH
3510	----	----	----/*5.60A	5.30B/*5.60A	----	5.30 - 0.50	.0189	----	----	----	----	50 UNCH
3520	----	----	----/*5.70A	5.50B/*5.70A	----	5.50 - 0.40	.0196	----	----	----	----	210 UNCH
3525	----	----	----/*5.70A	5.50B/*5.70A	----	5.50 - 0.50	.0197	----	----	----	----	60 UNCH
3535	----	----	----/*5.90A	5.70B/*5.90A	----	5.60 - 0.50	.0201	----	----	----	----	1 UNCH
3545	----	----	----/*6.00A	5.70B/*6.00A	----	5.70 - 0.50	.0205	----	----	----	----	9 UNCH
3550	----	----	----/*6.10A	5.90B/*6.10A	----	5.80 - 0.50	.0209	----	----	----	----	119 UNCH
3560	----	----	----/*6.20A	5.90B/*6.20A	----	5.90 - 0.50	.0213	----	----	----	----	1 UNCH
3570	----	----	----/*6.30A	6.20B/*6.30A	----	6.10 - 0.40	.0220	----	----	----	----	32 UNCH
3575	----	----	----/*6.40A	6.10B/*6.40A	----	6.10 - 0.50	.0221	----	----	----	----	20 UNCH
3585	----	----	----/*6.60A	6.40B/*6.60A	----	6.30 - 0.40	.0228	----	----	----	----	50 UNCH
3600	6.60	6.60	6.60/*6.60	6.60/*6.60	----	6.50 - 0.40	.0236	----	----	5	----	684 + 5
3605	----	----	----/*6.80A	6.60B/*6.80A	----	6.60 - 0.30	.0240	----	----	----	----	1 UNCH
3610	----	----	----/*6.90A	6.70B/*6.90A	----	6.60 - 0.40	.0241	----	----	----	----	1 UNCH
3630	----	----	----/*7.20A	7.00B/*7.20A	----	6.90 - 0.40	.0253	----	----	----	----	8 UNCH
3640	----	----	----/*7.30A	7.20B/*7.30A	----	7.10 - 0.30	.0260	----	----	----	----	1 UNCH
3645	----	----	----	7.40B/*7.50A	----	7.20 - 0.30	.0264	----	----	----	----	22 UNCH
3650	----	----	----/*7.50A	7.50B/*7.50A	----	7.30 - 0.30	.0268	----	----	----	----	42 UNCH
3655	----	----	----/*7.60A	7.60B/*7.60A	----	7.40 - 0.30	.0272	----	----	----	----	55 UNCH
3660	----	----	----/*7.70A	7.70B/*7.70A	----	7.40 - 0.40	.0273	----	----	----	----	9 UNCH
3665	----	----	----/*7.80A	7.80B/*7.80A	----	7.50 - 0.40	.0277	----	----	----	----	1 UNCH
3675	----	----	----	8.00B/*8.00A	----	7.70 - 0.30	.0284	----	----	----	----	24 UNCH
3690	----	----	----	8.30B/*8.30A	----	8.00 - 0.30	.0296	----	----	----	----	12 UNCH
3700	----	----	8.60B/----	8.60B/*8.50A	----	8.20 - 0.30	.0304	----	----	3	----	250 + 2
3705	----	----	8.70B/----	8.70B/*8.60A	----	8.30 - 0.30	.0308	----	----	----	----	21 UNCH
3715	----	----	8.90B/----	8.90B/*8.80A	----	8.50 - 0.30	.0316	----	----	----	----	30 UNCH
3725	----	----	9.20B/*9.00A	9.20B/*9.00A	----	8.70 - 0.40	.0324	----	----	----	----	4 UNCH
3730	----	----	----/*9.10A	9.20B/*9.10A	----	8.90 - 0.30	.0331	----	----	----	----	10 UNCH
3740	----	----	9.50B/----	9.50B/*9.40A	----	9.10 - 0.30	.0339	----	----	----	----	8 UNCH
3750	----	----	9.80B/----	9.80B/*9.60A	----	9.30 - 0.30	.0347	----	----	----	----	79 UNCH
3755	----	----	9.90B/*9.70A	9.90B/*9.70A	----	9.40 NEW	.0352	----	----	1	----	1 + 1
3760	----	----	10.10B/*9.80A	10.10B/*9.80A	----	9.60 - 0.30	.0358	----	----	----	----	1 UNCH
3765	----	----	10.10B/----	10.10B/*10.00A	----	9.70 - 0.30	.0363	----	----	----	----	100 UNCH
3770	----	----	10.40B/*10.10A	10.40B/*10.10A	----	9.80 - 0.40	.0367	----	----	----	----	4 UNCH
3775	----	----	10.40B/*10.20A	10.40B/*10.20A	----	10.00 - 0.30	.0374	----	----	----	----	12 UNCH
3790	----	----	11.00B/*10.60A	11.00B/*10.60A	----	10.40 - 0.30	.0389	----	----	----	----	6 UNCH
3795	----	----	11.00B/*10.70A	11.00B/*10.70A	----	10.50 - 0.40	.0394	----	----	----	----	83 UNCH
3800	----	----	11.30B/*10.90A	11.30B/*10.90A	----	10.70 - 0.30	.0401	----	----	2	----	370 UNCH
3805	----	----	11.50B/*11.10A	11.50B/*11.10A	----	10.80 - 0.40	.0405	----	----	----	----	4 UNCH
3810	----	----	11.50B/*11.20A	11.50B/*11.20A	----	10.90 - 0.40	.0410	----	----	----	----	50 UNCH
3815	----	----	11.80B/*11.40A	11.80B/*11.40A	----	11.10 - 0.40	.0417	----	----	----	----	150 UNCH
3820	----	----	12.00B/*11.60A	12.00B/*11.60A	----	11.30 - 0.40	.0424	----	----	----	----	52 UNCH
3825	----	----	12.00B/*11.70A	12.00B/*11.70A	----	11.40 - 0.40	.0428	----	----	1	----	52 + 1
3830	----	----	12.30B/*11.90A	12.30B/*11.90A	----	11.60 - 0.40	.0436	----	----	----	----	1 UNCH
3835	----	----	12.60B/*11.90A	12.60B/*11.90A	----	11.70 - 0.50	.0440	----	----	3	----	10 UNCH
3845	----	----	13.00B/*12.30A	13.00B/*12.30A	----	12.10 - 0.40	.0455	----	----	----	----	1 UNCH
3850	----	----	13.10B/*12.50A	13.10B/*12.50A	----	12.20 - 0.50	.0459	----	----	----	----	122 UNCH
3855	----	----	13.30B/*12.70A	13.30B/*12.70A	----	12.40 - 0.50	.0467	----	----	----	----	6 UNCH
3870	----	----	13.90B/*13.20A	13.90B/*13.20A	----	13.00 NEW	.0489	----	----	1	----	1 + 1
3875	----	----	14.10B/*13.40A	14.10B/*13.40A	----	13.20 - 0.50	.0496	----	----	----	----	10 UNCH
3880	----	----	14.30B/*13.50A	14.30B/*13.50A	----	13.30 - 0.60	.0501	----	----	----	----	340 UNCH
3885	----	----	14.60B/*13.70A	14.60B/*13.70A	----	13.50 - 0.60	.0509	----	----	----	----	89 UNCH
3890	----	----	14.80B/*14.00A	14.80B/*14.00A	----	13.70 - 0.60	.0516	----	----	----	----	73 UNCH
3895	----	----	15.00B/*14.10A	15.00B/*14.10A	----	13.90 - 0.60	.0524	----	----	----	----	1 UNCH
3900	14.30	14.30	15.10B/*14.30	15.10B/*14.30	----	14.10 - 0.60	.0531	----	----	2	----	661 UNCH
3910	----	----	15.70B/*14.70A	15.70B/*14.70A	----	14.60 - 0.60	.0549	----	----	----	----	37 UNCH
3915	----	----	15.90B/*14.90A	15.90B/*14.90A	----	14.80 - 0.60	.0557	----	----	----	----	35 UNCH
3920	----	----	16.20B/*15.10A	16.20B/*15.10A	----	15.00 - 0.60	.0565	----	----	----	----	49 UNCH
3925	----	----	16.30B/*15.40A	16.30B/*15.40A	----	15.20 - 0.70	.0572	----	----	----	----	11 UNCH
3930	----	----	16.60B/*15.60A	16.60B/*15.60A	----	15.50 - 0.60	.0583	----	----	----	----	49 UNCH
3935	----	----	17.00B/*15.80A	17.00B/*15.80A	----	15.70 - 0.70	.0590	----	----	----	----	11 UNCH
3940	----	----	17.10B/*16.00A	17.10B/*16.00A	----	15.90 - 0.70	.0598	----	----	----	----	17 UNCH
3950	----	----	17.80B/*16.50A	17.80B/*16.50A	----	16.40 - 0.70	.0617	----	----	2	----	253 UNCH
3955	----	----	18.10B/*16.70A	18.10B/*16.70A	----	16.70 - 0.70	.0627	----	----	----	----	11 UNCH
3960	----	----	18.40B/*16.90A	18.40B/*16.90A	----	16.90 - 0.70	.0635	----	----	2	----	3 + 2
3965	----	----	18.70B/*17.20A	18.70B/*17.20A	----	17.20 - 0.70	.0646	----	----	----	----	28 UNCH
3970	----	----	19.00B/*17.40A	19.00B/*17.40A	----	17.50 - 0.70	.0656	----	----	----	----	11 UNCH
3975	----	----	19.30B/*17.70A	19.30B/*17.70A	----	17.70 - 0.80	.0664	----	----	----	----	267 UNCH
3980	----	----	19.60B/*17.90A	19.60B/*17.90A	----	18.00 - 0.80	.0675	----	----	----	----	2250 UNCH
3985	----	----	19.90B/*18.20A	19.90B/*18.20A	----	18.30 - 0.70	.0686	----	----	----	----	2 UNCH
3990	----	----	20.20B/*18.50A	20.20B/*18.50A	----	18.60 - 0.70	.0696	----	----	----	----	45 UNCH
3995	----	----	20.50B/*18.80A	20.50B/*18.80A	----	18.90 - 0.70	.0707	----	----	----	----	5 UNCH
4000	19.50	19.50	20.90B/*19.00A	20.90B/*19.00A	----	19.20 - 0.70	.0718	----	----	7	----	1392 + 3
4005	----	----	21.20B/*19.30A	21.20B/*19.30A	----	19.50 - 0.70	.0729	----	----	1	----	6 + 1
4010	----	----	21.50B/*19.60A	21.50B/*19.60A	----	19.80 - 0.80	.0740	----	----	1	----	82 UNCH
4015	----	----	21.90B/*19.90A	21.90B/*19.90A	----	20.10 - 0.80	.0751	----	----	----	----	2 UNCH
4020	----	----	22.30B/*20.10A	22.30B/*20.10A	----	20.40 - 0.80	.0762	----	----	----	----	3 UNCH
4025	----	----	22.70B/*20.40A	22.70B/*20.40A	----	20.80 - 0.70	.0775	----	----	----	----	101 UNCH
4030	----	----	23.10B/*20.70A	23.10B/*20.70A	----	21.10 - 0.80	.0786	----	----	----	----	52 UNCH
4035	----	----	23.40B/*21.00A	23.40B/*21.00A	----	21.40 - 0.80	.0797	----	----	----	----	19 UNCH
4040	----	----	23.80B/*21.20A	23.80B/*21.20A	----	21.80 - 0.80	.0811	----	----	----	----	25 UNCH
4045	----	----	24.20B/*21.60A	24.20B/*21.60A	----	22.10 - 0.80	.0822	----	----	----	----	30 UNCH
4050	----	----	24.60B/*22.00A	24.60B/*22.00A	----	22.50 - 0.80	.0836	----	----	2	----	314 UNCH
4055	----	----	25.00B/*22.30A	25.00B/*22.30A	----	22.80 - 0.80	.0847	----	----	----	----	16 UNCH
4065	----	----	25.80B/*23.00A	25.80B/*23.00A	----	23.60 - 0.80	.0874	----	----	----	----	4 UNCH
4070	----	----	26.20B/*23.30A	26.20B/*23.30A	----	24.00 - 0.70	.0888	----	----	1	----	2 + 1
4075	----	----	26.70B/*23.70A	26.70B/*23.70A	----	24.40 - 0.70	.0902	----	----	----	----	11 UNCH
4080	----	----	27.20B/*24.00A	27.20B/*24.00A	----	24.80 - 0.70	.0916	----	----	----	----	10 UNCH
4085	----	----	27.60B/*24.40A	27.60B/*24.40A	----	25.20 - 0.70	.0930	----	----	----	----	42 UNCH
4090	----	----	28.10B/*24.80A	28.10B/*24.80A	----	25.60 - 0.70	.0943	----	----	----	----	201 UNCH
4095	----	----	28.60B/*25.20A	28.60B/*25.20A	----	26.00 - 0.80	.0958	----	----	----	----	83 UNCH
4100	----	----	29.10B/*25.60A	29.10B/*25.60A	----	26.40 - 0.80	.0972	----	----	----	----	404 UNCH
4105	----	----	29.60B/*26.00A	29.60B/*26.00A	----	26.90 - 0.70	.0988	----	----	----	----	15 UNCH
4110	----	----	30.10B/*26.40A	30.10B/*26.40A	----	27.30 - 0.80	.1002	----	----	1	----	4 + 1
4115	----	----	30.60B/*26.80A	30.60B/*26.80A	----	27.80 - 0.70	.1018	----	----	----	----	17 UNCH
4120	----	----	31.00B/*27.20A	31.00B/*27.20A	----	28.20 - 0.80	.1033	----	----	----	----	120 UNCH
4125	----	----	31.70B/*27.70A	31.70B/*27.70A	----	28.70 - 0.70	.1049	----	----	----	----	5 UNCH
4130	27.60	27.60	32.20B/*27.60	32.20B/*27.60	----	29.20 - 0.70	.1066	----	----	10	----	16 + 10
4135	----	----	32.80B/*28.50A	32.80B/*28.50A	----	29.70 - 0.70	.1082	----	----	----	----	57 UNCH
4140	----	----	33.30B/*29.00A	33.30B/*29.00A	----	30.20 - 0.60	.1099	----	----	----	----	1 UNCH
4145	----	----	33.90B/*29.40A	33.90B/*29.40A	----	30.70 - 0.60	.1116	----	----	----	----	27 UNCH
4150	----	----	34.40B/*29.90A	34.40B/*29.90A	----	31.20 - 0.60	.1133	----	----	----	800	1087 + 725
4155	----	----	35.00B/*30.40A	35.00B/*30.40A	----	31.70 - 0.70	.1149	----	----	----	----	1 UNCH
4160	----	----	35.70B/*30.80A	35.70B/*30.80A	----	32.20 - 0.70	.1166	----	----	----	----	50 UNCH
4165	----	----	36.20B/*31.40A	36.20B/*31.40A	----	32.80 - 0.60	.1185	----	----	----	----	104 UNCH
4170	----	----	36.80B/*31.90A	36.80B/*31.90A	----	33.30 - 0.60	.1202	----	----	----	----	80 UNCH
4175	----	----	37.50B/*32.30A	37.50B/*32.30A	----	33.90 - 0.60	.1221	----	----	----	----	33 UNCH
4180	----	----	38.20B/33.00A	38.20B/33.00A	----	34.50 - 0.60	.1241	----	----	----	----	114 UNCH
4185	----	----	38.90B/*33.40A	38.90B/*33.40A	----	35.10 - 0.50	.1260	----	----	----	----	50 UNCH
4190	----	----	39.50B/*33.90A	39.50B/*33.90A	----	35.60 - 0.60	.1277	----	----	----	----	140 UNCH
4195	----	----	40.30B/34.60A	40.30B/34.60A	----	36.30 - 0.50	.1298	----	----	----	----	218 UNCH
4200	----	----	40.90B/35.20A	40.90B/35.20A	----	36.90 - 0.50	.1318	----	----	3	----	280 + 3
4205	----	----	41.50B/35.80A	41.50B/35.80A	----	37.50 - 0.50	.1337	----	----	----	----	350 UNCH
4210	----	----	42.30B/36.40A	42.30B/36.40A	----	38.10 - 0.50	.1357	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4215	----	----	43.00B/36.90A	43.00B/36.90A	----	38.80 - 0.40	.1378	----	----	----	----	17 UNCH
4220	----	----	43.80B/37.40A	43.80B/37.40A	----	39.40 - 0.50	.1398	----	----	----	----	12 UNCH
4225	----	----	44.50B/38.00A	44.50B/38.00A	----	40.10 - 0.40	.1419	----	----	----	----	18 UNCH
4230	----	----	45.30B/38.70A	45.30B/38.70A	----	40.80 - 0.40	.1441	----	----	----	----	12 UNCH
4235	----	----	46.10B/39.30A	46.10B/39.30A	----	41.50 - 0.40	.1463	----	----	----	----	8 UNCH
4240	----	----	46.90B/40.00A	46.90B/40.00A	----	42.20 - 0.40	.1484	----	----	----	----	37 UNCH
4245	----	----	47.70B/40.70A	47.70B/40.70A	----	42.90 - 0.40	.1506	----	----	----	----	55 UNCH
4250	----	----	48.50B/41.40A	48.50B/41.40A	----	43.70 - 0.30	.1530	----	----	1	250	1047 + 200
4255	44.00	44.00	49.30B/42.00A	49.30B/42.00A	----	44.40 - 0.30	.1552	----	----	2	----	890 UNCH
4260	----	----	50.10B/42.80A	50.10B/42.80A	----	45.20 - 0.30	.1576	----	----	----	----	11 UNCH
4270	----	----	51.90B/44.30A	51.90B/44.30A	----	46.70 - 0.30	.1622	----	----	----	----	16 UNCH
4275	----	----	52.80B/45.10A	52.80B/45.10A	----	47.50 - 0.20	.1646	----	----	----	----	23 UNCH
4280	----	----	53.70B/45.70A	53.70B/45.70A	----	48.30 - 0.20	.1670	----	----	----	----	68 UNCH
4285	----	----	54.70B/46.60A	54.70B/46.60A	----	49.20 - 0.10	.1696	----	----	----	----	173 UNCH
4290	----	----	55.60B/47.40A	55.60B/47.40A	----	50.00 - 0.20	.1720	----	----	----	----	62 UNCH
4295	----	----	56.60B/48.20A	56.60B/48.20A	----	50.90 - 0.10	.1746	----	----	----	----	2 UNCH
4300	----	----	57.50B/49.00A	57.50B/49.00A	----	51.70 - 0.10	.1770	----	----	34	----	980 + 5
4305	----	----	58.50B/49.80A	58.50B/49.80A	----	52.60 - 0.10	.1796	----	----	----	----	507 UNCH
4310	----	----	59.50B/50.70A	59.50B/50.70A	----	53.50 - 0.10	.1822	----	----	----	----	3 UNCH
4315	----	----	60.50B/51.40A	60.50B/51.40A	----	54.40 - 0.10	.1848	----	----	----	----	8 UNCH
4320	----	----	61.50B/52.40A	61.50B/52.40A	----	55.40 UNCH	.1876	----	----	----	----	12 UNCH
4325	----	----	62.60B/53.30A	62.60B/53.30A	----	56.30 UNCH	.1902	----	----	----	----	310 UNCH
4330	----	----	63.70B/54.20A	63.70B/54.20A	----	57.30 + 0.10	.1930	----	----	----	----	105 UNCH
4335	----	----	64.70B/55.10A	64.70B/55.10A	----	58.20 UNCH	.1956	----	----	----	----	9 UNCH
4340	----	----	65.90B/56.00A	65.90B/56.00A	----	59.20 UNCH	.1984	----	----	----	----	8 UNCH
4345	----	----	67.00B/56.80A	67.00B/56.80A	----	60.20 + 0.10	.2013	----	----	----	----	5 UNCH
4350	----	----	68.20B/57.70A	68.20B/57.70A	----	61.30 + 0.20	.2042	----	----	126	----	1081 + 39
4355	----	----	69.30B/58.90A	69.30B/58.90A	----	62.30 + 0.10	.2070	----	----	----	----	104 UNCH
4360	----	----	70.50B/59.90A	70.50B/59.90A	----	63.40 + 0.20	.2100	----	----	----	----	72 UNCH
4365	----	----	71.70B/60.90A	71.70B/60.90A	----	64.40 + 0.20	.2128	----	----	----	----	116 UNCH
4375	----	----	74.10B/63.00A	74.10B/63.00A	----	66.60 + 0.20	.2188	----	----	----	----	14 UNCH
4380	----	----	75.30B/64.00A	75.30B/64.00A	----	67.70 + 0.20	.2218	----	----	----	----	4 UNCH
4385	----	----	76.70B/65.10A	76.70B/65.10A	----	68.90 + 0.30	.2249	----	----	----	----	10 UNCH
4390	69.50	69.50	77.90B/66.20A	77.90B/66.20A	----	70.10 + 0.40	.2280	----	----	1	----	17 + 1
4395	70.60	70.60	79.20B/67.30A	79.20B/67.30A	----	71.20 + 0.30	.2310	----	----	1	----	6 + 1
4400	70.00	70.00	80.50B/68.30A	80.50B/68.30A	----	72.40 + 0.30	.2342	----	----	4	----	1945 - 1
4405	71.30	71.30	81.90B/69.50A	81.90B/69.50A	----	73.60 + 0.40	.2373	----	----	10	----	64 + 10
4410	75.30	75.30	83.20B/70.70A	83.20B/70.70A	----	74.90 + 0.50	.2406	----	----	19	----	321 + 18
4415	----	----	84.60B/71.90A	84.60B/71.90A	----	76.10 + 0.40	.2438	----	----	----	----	149 UNCH
4420	----	----	86.00B/73.10A	86.00B/73.10A	----	77.40 + 0.50	.2471	----	----	1	----	6 + 1
4425	----	----	87.40B/74.30A	87.40B/74.30A	----	78.70 + 0.50	.2504	----	----	----	----	20 UNCH
4430	81.30	81.30	88.80B/75.50A	88.80B/75.50A	----	80.00 + 0.60	.2537	----	----	3	----	35 + 1
4435	----	----	90.30B/76.80A	90.30B/76.80A	----	81.30 + 0.60	.2570	----	----	----	----	8 UNCH
4440	----	----	91.80B/78.00A	91.80B/78.00A	----	82.60 + 0.60	.2603	----	----	----	----	76 UNCH
4445	----	----	93.10B/79.30A	93.10B/79.30A	----	84.00 + 0.60	.2637	----	----	----	----	2 UNCH
4450	85.80	85.80	94.80B/80.60A	94.80B/80.60A	----	85.40 + 0.70	.2671	----	----	11	----	370 - 11
4455	----	----	96.30B/81.90A	96.30B/81.90A	----	86.80 + 0.70	.2706	----	----	----	----	259 UNCH
4460	----	----	97.90B/83.20A	97.90B/83.20A	----	88.20 + 0.70	.2740	----	----	----	----	8 UNCH
4465	----	----	99.40B/84.60A	99.40B/84.60A	----	89.70 + 0.80	.2776	----	----	----	----	19 UNCH
4470	----	----	101.00B/86.00A	101.00B/86.00A	----	91.10 + 0.80	.2810	----	----	----	----	112 UNCH
4475	----	----	102.70B/87.40A	102.70B/87.40A	----	92.60 + 0.90	.2846	----	----	----	----	84 UNCH
4480	----	----	104.30B/88.80A	104.30B/88.80A	----	94.10 + 0.90	.2882	----	----	----	----	145 UNCH
4485	----	----	106.00B/90.30A	106.00B/90.30A	----	95.60 + 0.90	.2917	----	----	----	----	13 UNCH
4490	----	----	107.60B/91.70A	107.60B/91.70A	----	97.20 + 1.00	.2954	----	----	----	----	7 UNCH
4495	----	----	109.30B/93.20A	109.30B/93.20A	----	98.70 + 1.00	.2990	----	----	----	----	33 UNCH
4500	99.80	99.80	111.00/94.60A	111.00/94.60A	----	100.30 + 1.10	.3026	----	----	10	----	1892 + 2
4505	----	----	112.80B/96.20A	112.80B/96.20A	----	101.90 + 1.10	.3063	----	----	----	----	39 UNCH
4510	104.00	104.00	114.30B/97.70A	114.30B/97.70A	----	103.50 + 1.10	.3100	----	----	4	----	48 UNCH
4515	----	----	116.00B/99.30A	116.00B/99.30A	----	105.20 + 1.20	.3138	----	----	----	----	3 UNCH
4520	----	----	117.80B/100.90A	117.80B/100.90A	----	106.80 + 1.20	.3175	----	----	----	----	21 UNCH
4525	----	----	119.70B/102.40A	119.70B/102.40A	----	108.50 + 1.30	.3213	----	----	----	----	7 UNCH
4530	----	----	121.50B/104.10A	121.50B/104.10A	----	110.20 + 1.30	.3250	----	----	----	----	8 UNCH
4535	----	----	123.80B/105.50A	123.80B/105.50A	----	112.00 + 1.40	.3289	----	----	----	----	11 UNCH
4540	----	----	125.30B/107.30A	125.30B/107.30A	----	113.70 + 1.40	.3327	----	----	----	----	38 UNCH
4545	----	----	127.60B/109.00A	127.60B/109.00A	----	115.50 + 1.50	.3365	----	----	----	----	21 UNCH
4550	----	----	129.30B/110.60A	129.30B/110.60A	----	117.30 + 1.60	.3404	----	----	----	200	235 + 200
4555	----	----	131.10B/112.40A	131.10B/112.40A	----	119.10 + 1.60	.3443	----	----	----	----	114 UNCH
4560	121.20	121.20	133.10B/114.20A	133.10B/114.20A	----	121.00 + 1.70	.3482	----	----	11	----	96 + 5
4565	125.20	125.20	135.10B/115.90A	135.10B/115.90A	----	122.80 + 1.70	.3521	----	----	2	----	4 + 2
4570	----	----	137.10B/117.50A	137.10B/117.50A	----	124.70 + 1.80	.3560	----	----	----	----	74 UNCH
4575	----	----	139.60B/119.40A	139.60B/119.40A	----	126.60 + 1.80	.3600	----	----	----	----	59 UNCH
4580	----	----	141.30B/121.20A	141.30B/121.20A	----	128.60 + 2.00	.3640	----	----	----	----	186 UNCH
4585	----	----	143.30B/123.10A	143.30B/123.10A	----	130.50 + 2.00	.3680	----	----	----	----	4 UNCH
4590	----	----	145.50B/124.90A	145.50B/124.90A	----	132.50 + 2.10	.3720	----	----	----	----	32 UNCH
4595	----	----	147.70B/126.80A	147.70B/126.80A	----	134.50 + 2.10	.3760	----	----	----	----	155 UNCH
4600	132.40	132.40	149.80B/128.80A	149.80B/128.80A	----	136.50 + 2.20	.3800	----	----	38	----	569 - 3
4605	----	----	151.90B/130.60A	151.90B/130.60A	----	138.60 + 2.30	.3840	----	----	20	----	126 + 20
4610	----	----	154.70B/132.60A	154.70B/132.60A	----	140.60 + 2.30	.3881	----	----	----	----	9 UNCH
4615	----	----	156.40B/134.50A	156.40B/134.50A	----	142.70 + 2.30	.3921	----	----	----	----	2 UNCH
4620	----	----	159.20B/136.20A	159.20B/136.20A	----	144.80 + 2.40	.3962	----	----	----	----	41 UNCH
4625	153.70	153.70	161.50B/138.20A	161.50B/138.20A	----	147.00 + 2.50	.4003	----	----	28	----	236 + 27
4630	----	----	163.80B/140.30A	163.80B/140.30A	----	149.10 + 2.50	.4044	----	----	----	----	11 UNCH
4635	----	----	165.60B/142.70A	165.60B/142.70A	----	151.30 + 2.60	.4085	----	----	----	----	128 UNCH
4640	----	----	168.10B/144.40A	168.10B/144.40A	----	153.50 + 2.70	.4126	----	----	----	----	325 UNCH
4645	----	----	170.90B/146.50A	170.90B/146.50A	----	155.80 + 2.80	.4167	----	----	----	----	135 UNCH
4650	----	----	172.80B/148.70A	172.80B/148.70A	----	158.00 + 2.80	.4208	----	----	----	----	452 UNCH
4655	----	----	175.70B/150.70A	175.70B/150.70A	----	160.30 + 2.90	.4250	----	----	----	----	25 UNCH
4660	----	----	177.70B/153.20A	177.70B/153.20A	----	162.60 + 3.00	.4291	----	----	----	----	28 UNCH
4665	----	----	180.70B/155.40A	180.70B/155.40A	----	164.90 + 3.00	.4332	----	----	----	----	4 UNCH
4670	----	----	182.70B/157.60A	182.70B/157.60A	----	167.30 + 3.20	.4374	----	----	----	----	51 UNCH
4675	----	----	185.10B/159.60A	185.10B/159.60A	----	169.60 + 3.20	.4415	----	----	1	----	14 UNCH
4680	----	----	188.30B/161.90A	188.30B/161.90A	----	172.00 + 3.30	.4457	----	----	2	----	34 + 2
4685	----	----	190.90B/164.40A	190.90B/164.40A	----	174.50 + 3.40	.4499	----	----	----	----	223 UNCH
4690	----	----	193.00B/166.70A	193.00B/166.70A	----	176.90 + 3.50	.4540	----	----	8	----	8 - 2
4695	----	----	195.80B/168.90A	195.80B/168.90A	----	179.40 + 3.60	.4582	----	----	1	----	5 UNCH
4700	----	----	198.20B/171.40A	198.20B/171.40A	----	181.90 + 3.70	.4623	----	----	9	----	1023 + 6
4705	----	----	201.00B/173.70A	201.00B/173.70A	----	184.40 + 3.70	.4665	----	----	33	----	141 + 25
4710	----	----	203.60B/176.00A	203.60B/176.00A	----	186.90 + 3.80	.4707	----	----	----	----	10 UNCH
4715	----	----	206.30B/178.30A	206.30B/178.30A	----	189.50 + 3.90	.4748	----	----	----	----	1 UNCH
4720	----	----	209.00B/180.90A	209.00B/180.90A	----	192.10 + 4.00	.4790	----	----	----	----	13 UNCH
4725	----	----	211.70B/183.30A	211.70B/183.30A	----	194.70 + 4.10	.4831	----	----	1	----	60 + 1
4730	----	----	214.50B/186.00A	214.50B/186.00A	----	197.30 + 4.20	.4873	----	----	1	----	57 + 1
4735	----	----	217.20B/188.50A	217.20B/188.50A	----	200.00 + 4.30	.4914	----	----	----	----	60 UNCH
4740	----	----	220.00B/190.90A	220.00B/190.90A	----	202.60 + 4.30	.4956	----	----	5	----	52 + 3
4745	----	----	223.00B/193.40A	223.00B/193.40A	----	205.30 + 4.40	.4997	----	----	----	----	35 UNCH
4750	----	----	226.00B/196.00A	226.00B/196.00A	----	208.10 + 4.60	.5038	----	----	----	----	181 UNCH
4755	----	----	228.80B/198.50A	228.80B/198.50A	----	210.80 + 4.60	.5080	----	----	----	----	27 UNCH
4760	205.00	205.00	231.60B/201.20A	231.60B/201.20A	----	213.60 + 4.80	.5121	----	----	2	----	8 - 1
4765	----	----	234.60B/203.90A	234.60B/203.90A	----	216.40 + 4.90	.5162	----	----	----	----	5 UNCH
4770	----	----	237.60B/206.40A	237.60B/206.40A	----	219.20 + 4.90	.5203	----	----	----	----	263 UNCH
4775	----	----	240.40B/209.00A	240.40B/209.00A	----	222.00 + 5.00	.5243	----	----	----	125	172 + 76
4780	----	----	243.50B/211.90A	243.50B/211.90A	----	224.90 + 5.20	.5284	----	----	----	----	20 UNCH
4785	----	----	246.70B/214.40A	246.70B/214.40A	----	227.80 + 5.30	.5325	----	----	----	----	18 UNCH
4790	----	----	249.70B/217.30A	249.70B/217.30A	----	230.70 + 5.40	.5365	----	----	----	----	53 UNCH
4795	----	----	252.70B/220.10A	252.70B/220.10A	----	233.60 + 5.40	.5406	----	----	----	----	107 UNCH
4800	----	----	255.70B/222.70A	255.70B/222.70A	----	236.60 + 5.60	.5446	----	----	----	----	968 UNCH
4805	----	----	258.80B/225.80A	258.80B/225.80A	----	239.50 + 5.60	.5486	----	----	----	----	9 UNCH
4810	----	----	261.90B/228.80A	261.90B/228.80A	----	242.50 + 5.70	.5526	----	----	----	----	5 UNCH
4815	----	----	265.20B/231.30A	265.20B/231.30A	----	245.60 + 5.90	.5566	----	----	----	----	3 UNCH
4820	----	----	267.00B/234.30A	267.00B/234.30A	----	248.60 + 5.90	.5606	----	----	----	----	4 UNCH
4825	----	----	270.50B/237.30A	270.50B/237.30A	----	251.60 + 5.90	.5645	----	----	----	----	30 UNCH
4830	----	----	273.90B/240.10A	273.90B/240.10A	----	254.70 + 6.00	.5685	----	----	----	----	4 UNCH
4835	----	----	276.50B/243.20A	276.50B/243.20A	----	257.80 + 6.10	.5724	----	----	----	----	36 UNCH
4840	----	----	279.70B/245.90A	279.70B/245.90A	----	260.90 + 6.20	.5763	----	----	----	----	5 UNCH
4850	----	----	286.40B/252.10A	286.40B/252.10A	----	267.30 + 6.40	.5842	----	----	----	----	155 UNCH
4855	----	----	289.50B/255.10A	289.50B/255.10A	----	270.40 + 6.40	.5880	----	----	----	----	11 UNCH
4860	----	----	292.90B/258.30A	292.90B/258.30A	----	273.60 + 6.40	.5918	----	----	----	----	9 UNCH
4865	----	----	296.20B/261.50A	296.20B/261.50A	----	276.90 + 6.60	.5957	----	----	----	----	12 UNCH
4870	----	----	299.70B/264.50A	299.70B/264.50A	----	280.10 + 6.60	.5995	----	----	----	----	29 UNCH
4875	----	----	303.10B/267.50A	303.10B/267.50A	----	283.40 + 6.70	.6033	----	----	----	----	82 UNCH
4880	----	----	306.60B/270.80A	306.60B/270.80A	----	286.70 + 6.80	.6071	----	----	----	----	126 UNCH
4885	----	----	309.90B/273.80A	309.90B/273.80A	----	290.00 + 6.80	.6109	----	----	----	----	8 UNCH
4890	----	----	313.30B/277.10A	313.30B/277.10A	----	293.30 + 6.90	.6146	----	----	----	----	6 UNCH
4895	----	----	316.80B/280.10A	316.80B/280.10A	----	296.60 + 6.90	.6183	----	----	----	----	6 UNCH
4900	----	----	320.40B/283.40A	320.40B/283.40A	----	300.00 + 7.00	.6220	----	----	----	----	422 UNCH
4905	----	----	323.90B/286.70A	323.90B/286.70A	----	303.40 + 7.10	.6256	----	----	----	----	29 UNCH
4910	----	----	327.50B/292.20A	327.50B/292.20A	----	306.80 + 7.20	.6293	----	----	----	----	23 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4920	----	----	334.50B/299.00A	334.50B/299.00A	----	313.70 + 7.40	.6366	----	----	----	----	3 UNCH
4925	----	----	338.00B/302.80A	338.00B/302.80A	----	317.10 + 7.40	.6402	----	----	----	----	53 UNCH
4930	----	----	341.60B/306.50A	341.60B/306.50A	----	320.60 + 7.60	.6437	----	----	----	----	1 UNCH
4950	----	----	356.20B/319.40A	356.20B/319.40A	----	334.70 + 7.90	.6577	----	----	----	----	31 UNCH
4955	----	----	359.90B/323.60A	359.90B/323.60A	----	338.30 + 8.10	.6612	----	----	----	----	1 UNCH
4980	----	----	378.60B/341.10A	378.60B/341.10A	----	356.40 + 8.50	.6781	----	----	----	----	1 UNCH
5000	----	----	383.30B/355.40A	383.30B/355.40A	----	371.20 + 8.90	.6912	----	----	----	----	326 UNCH
5010	----	----	387.50B/362.70A	387.50B/362.70A	----	378.70 + 9.10	.6976	----	----	----	----	1 UNCH
5025	----	----	397.80B/373.60A	397.80B/373.60A	----	390.10 + 9.50	.7071	----	----	----	----	25 UNCH
5030	----	----	392.10B/377.50A	392.10B/377.50A	----	393.90 + 9.50	.7101	----	----	----	----	1 UNCH
5040	----	----	409.30B/384.80A	409.30B/384.80A	----	401.60 + 9.70	.7162	----	----	----	----	4 UNCH
5045	----	----	413.20B/388.60A	413.20B/388.60A	----	405.40 + 9.80	.7192	----	----	----	----	31 UNCH
5050	----	----	418.00B/392.30A	418.00B/392.30A	----	409.30 + 9.90	.7222	----	----	----	----	351 UNCH
5070	----	----	432.90B/413.30A	432.90B/413.30A	----	425.00 + 10.30	.7339	----	----	----	----	17 UNCH
5080	----	----	441.00B/421.10A	441.00B/421.10A	----	432.90 + 10.40	.7397	----	----	----	----	3 UNCH
5100	----	----	457.00B/436.70A	457.00B/436.70A	----	448.90 + 10.80	.7508	----	----	----	----	82 UNCH
5120	----	----	----	397.40B/551.00A	----	465.10 + 11.20	.7615	----	----	----	----	2 UNCH
5180	----	----	----	448.10B/600.60A	----	514.80 + 12.20	.7912	----	----	----	----	1 UNCH
5200	----	----	540.60B/518.10A	540.60B/518.10A	----	531.80 + 12.60	.8002	----	----	----	----	113 UNCH
5265	----	----	----	522.70B/673.30A	----	588.00 + 13.70	.8273	----	----	----	----	1 UNCH
5300	----	----	628.10B/603.90A	628.10B/603.90A	----	618.90 + 14.20	.8404	----	----	----	----	3 UNCH
5355	----	----	----	603.60B/753.00A	----	668.20 + 15.00	.8588	----	----	----	----	1 UNCH
5400	----	----	718.80B/691.80A	718.80B/691.80A	----	709.20 + 15.60	.8723	----	----	----	----	76 UNCH
5460	----	----	----	700.30B/849.60A	----	764.70 + 16.30	.8878	----	----	----	----	1 UNCH
5500	----	----	811.70B/784.80A	811.70B/784.80A	----	802.00 + 16.70	.8971	----	----	----	----	3 UNCH
5530	----	----	----	765.90B/914.60A	----	830.20 + 17.00	.9034	----	----	----	----	1 UNCH
5575	----	----	----	744.90B/956.90A	----	872.80 + 17.40	.9121	----	----	----	----	2 UNCH
TOTAL										445	1,375	37638 + 1386
SEP26												
2000	----	----	----/*0.80A	0.30B/0.80A	----	0.50 - 0.60	.0011	----	----	----	----	1 UNCH
2350	----	----	----/*1.40A	0.90B/1.40A	----	1.20 - 0.30	.0027	----	----	----	----	37 UNCH
2375	----	----	----	0.90B/1.50A	----	1.20 - 0.30	.0028	----	----	----	----	5 UNCH
2400	----	----	----	1.00B/1.60A	----	1.30 - 0.20	.0030	----	----	----	----	1 UNCH
2500	----	----	----/*1.50A	1.20B/*1.50A	----	1.50 - 0.20	.0036	----	----	----	----	4 UNCH
2600	----	----	----	1.50B/*2.10A	----	1.80 - 0.10	.0044	----	----	----	----	2 UNCH
2900	----	----	----	2.60B/3.20A	----	2.80 UNCH	.0075	----	----	----	----	1 UNCH
2915	----	----	----	2.60B/*3.20A	----	2.90 UNCH	.0078	----	----	----	----	2 UNCH
3000	----	----	----	3.10B/3.70A	----	3.30 - 0.10	.0091	----	----	----	----	3 UNCH
3145	----	----	----	3.90B/*4.60A	----	4.20 - 0.20	.0120	----	----	----	----	15 UNCH
3150	----	----	----	4.00B/*4.70A	----	4.30 - 0.10	.0123	----	----	----	----	2 UNCH
3200	----	----	----	4.40B/*5.10A	----	4.70 - 0.20	.0136	----	----	----	----	1 UNCH
3270	----	----	----	5.10B/*5.80A	----	5.30 - 0.30	.0156	----	----	----	----	15 UNCH
3300	----	----	----	5.40B/*6.10A	----	5.60 - 0.40	.0166	----	----	----	----	1 UNCH
3400	----	----	----	6.60B/*7.30A	----	6.90 - 0.40	.0208	----	----	----	----	1 UNCH
3475	----	----	----/*8.40A	7.90B/*8.40A	----	8.00 - 0.50	.0245	----	----	----	----	2 UNCH
3480	----	----	----/*8.50A	7.90B/*8.50A	----	8.10 - 0.50	.0248	----	----	----	----	780 UNCH
3500	----	----	----	8.30B/*8.90A	----	8.50 - 0.40	.0261	----	----	----	----	26 UNCH
3525	----	----	----	8.80B/*9.40A	----	9.00 - 0.40	.0277	----	----	----	----	2 UNCH
3550	----	----	----/*9.90A	9.30B/*9.90A	----	9.50 - 0.50	.0293	----	----	----	----	5 UNCH
3565	----	----	----/*10.20A	9.70B/*10.20A	----	9.80 - 0.50	.0304	----	----	----	----	1 UNCH
3590	----	----	----/*10.80A	10.30B/*10.80A	----	10.40 - 0.50	.0323	----	----	----	----	2 UNCH
3600	----	----	----	10.50B/*11.10A	----	10.60 - 0.50	.0330	----	----	----	----	37 UNCH
3610	----	----	----/*11.30A	10.80B/*11.30A	----	10.90 - 0.50	.0339	----	----	----	----	7 UNCH
3625	----	----	----/*11.70A	11.20B/*11.70A	----	11.30 - 0.50	.0352	----	----	----	----	1 UNCH
3650	----	----	----/*12.40A	11.90B/*12.40A	----	12.00 - 0.50	.0374	----	----	----	----	66 UNCH
3690	----	----	----	13.40B/*13.70A	----	13.20 - 0.50	.0412	----	----	----	----	60 UNCH
3700	----	----	----	13.60B/*14.00A	----	13.60 - 0.40	.0424	----	----	----	----	149 UNCH
3720	----	----	----	14.30B/*14.70A	----	14.30 - 0.40	.0446	----	----	----	----	50 UNCH
3750	----	----	----	15.40B/*15.90A	----	15.40 - 0.40	.0481	----	----	----	----	96 UNCH
3755	15.90	15.90	15.90/*15.50	15.90/*15.50	----	15.60 - 0.40	.0487	----	----	2	----	312 + 2
3775	----	----	----	16.50B/*16.90A	----	16.40 - 0.50	.0512	----	----	----	----	1 UNCH
3800	----	----	----/*17.90A	17.70B/*17.90A	----	17.50 - 0.50	.0546	----	----	----	----	41 UNCH
3825	18.90	18.90	19.00B/*18.90	19.00B/*18.90	----	18.70 - 0.50	.0583	----	----	1	----	13 + 1
3850	----	----	----/*20.30A	20.30B/*20.30A	----	20.00 - 0.40	.0622	----	----	----	----	22 UNCH
3860	----	----	----/*20.80A	20.80B/*20.80A	----	20.50 - 0.50	.0637	----	----	----	----	1 UNCH
3880	----	----	22.70B/*21.80A	22.70B/*21.80A	----	21.70 - 0.40	.0673	----	----	----	----	26 UNCH
3900	----	----	24.00B/*23.00A	24.00B/*23.00A	----	22.90 - 0.40	.0709	----	----	----	----	213 UNCH
3910	----	----	24.70B/*23.60A	24.70B/*23.60A	----	23.50 - 0.40	.0727	----	----	----	----	2 UNCH
3915	----	----	25.00B/*23.90A	25.00B/*23.90A	----	23.90 - 0.40	.0738	----	----	----	----	4 UNCH
3920	----	----	25.40B/*24.20A	25.40B/*24.20A	----	24.20 - 0.40	.0747	----	----	----	----	14 UNCH
3930	----	----	26.10B/*24.60A	26.10B/*24.60A	----	24.90 - 0.40	.0767	----	----	----	----	2 UNCH
3945	----	----	27.30B/*25.60A	27.30B/*25.60A	----	25.90 - 0.40	.0797	----	----	----	----	380 UNCH
3950	----	----	27.80B/26.00A	27.80B/26.00A	----	26.30 - 0.40	.0808	----	----	----	----	324 UNCH
3975	----	----	29.80B/27.80A	29.80B/27.80A	----	28.20 - 0.30	.0863	----	----	----	----	4 UNCH
3980	----	----	30.30B/28.10A	30.30B/28.10A	----	28.60 - 0.30	.0874	----	----	----	----	2 UNCH
4000	----	----	31.50B/29.60A	31.50B/29.60A	----	30.20 - 0.40	.0920	----	----	----	----	1211 UNCH
4005	----	----	32.40B/30.00A	32.40B/30.00A	----	30.60 - 0.40	.0932	----	----	----	----	1 UNCH
4020	----	----	34.00B/31.30A	34.00B/31.30A	----	32.00 - 0.30	.0971	----	----	----	----	14 UNCH
4030	----	----	34.90B/32.10A	34.90B/32.10A	----	32.90 - 0.30	.0996	----	----	----	----	3 UNCH
4050	----	----	37.00B/34.00A	37.00B/34.00A	----	34.80 - 0.30	.1049	----	----	----	----	44 UNCH
4065	----	----	38.60B/35.40A	38.60B/35.40A	----	36.30 - 0.30	.1090	----	----	----	----	5 UNCH
4070	----	----	39.10B/35.90A	39.10B/35.90A	----	36.80 - 0.30	.1104	----	----	----	----	10 UNCH
4080	----	----	40.30B/37.00A	40.30B/37.00A	----	37.90 - 0.30	.1134	----	----	----	----	6 UNCH
4085	----	----	40.60B/37.60A	40.60B/37.60A	----	38.40 - 0.30	.1148	----	----	----	----	76 UNCH
4090	----	----	41.20B/37.90A	41.20B/37.90A	----	39.00 - 0.30	.1164	----	----	----	----	2 UNCH
4100	----	----	42.70B/38.90A	42.70B/38.90A	----	40.10 - 0.30	.1194	----	----	----	----	24 UNCH
4110	----	----	44.50B/40.10A	44.50B/40.10A	----	41.30 - 0.20	.1225	----	----	----	----	1 UNCH
4115	----	----	45.00B/40.70A	45.00B/40.70A	----	41.90 - 0.20	.1241	----	----	----	----	28 UNCH
4130	----	----	46.90B/42.40A	46.90B/42.40A	----	43.70 - 0.20	.1289	----	----	----	----	20 UNCH
4135	----	----	47.60B/42.90A	47.60B/42.90A	----	44.30 - 0.30	.1305	----	----	----	----	3 UNCH
4150	----	----	49.70B/44.90A	49.70B/44.90A	----	46.30 - 0.20	.1357	----	----	----	----	21 UNCH
4185	----	----	55.10B/49.30A	55.10B/49.30A	----	51.20 - 0.10	.1483	----	----	----	----	79 UNCH
4200	----	----	57.60B/51.50A	57.60B/51.50A	----	53.50 - 0.10	.1540	----	----	----	----	225 UNCH
4210	----	----	59.20B/53.00A	59.20B/53.00A	----	55.00 - 0.10	.1579	----	----	----	----	2 UNCH
4220	----	----	61.00B/54.50A	61.00B/54.50A	----	56.60 - 0.10	.1618	----	----	1	----	113 UNCH
4225	----	----	61.90B/55.30A	61.90B/55.30A	----	57.40 - 0.10	.1638	----	----	----	----	2 UNCH
4230	----	----	62.80B/56.10A	62.80B/56.10A	----	58.30 UNCH	.1659	----	----	----	----	29 UNCH
4240	----	----	64.70B/57.70A	64.70B/57.70A	----	60.00 UNCH	.1701	----	----	----	----	106 UNCH
4250	----	----	66.60B/59.30A	66.60B/59.30A	----	61.70 UNCH	.1743	----	----	----	----	126 UNCH
4275	----	----	71.50B/63.70A	71.50B/63.70A	----	66.30 + 0.10	.1852	----	----	----	----	30 UNCH
4290	----	----	74.60B/66.50A	74.60B/66.50A	----	69.20 + 0.20	.1920	----	----	----	----	1 UNCH
4295	----	----	75.80B/67.30A	75.80B/67.30A	----	70.20 NEW	.1943	----	----	1	----	1 + 1
4300	72.40	72.40	76.90B/68.40A	76.90B/68.40A	----	71.20 + 0.20	.1966	----	----	1	----	320 + 1
4320	----	----	81.40B/72.20A	81.40B/72.20A	----	75.40 + 0.30	.2062	----	----	----	----	158 UNCH
4325	----	----	82.50B/73.40A	82.50B/73.40A	----	76.40 + 0.30	.2085	----	----	----	----	6 UNCH
4345	----	----	87.30B/77.60A	87.30B/77.60A	----	80.90 + 0.40	.2185	----	----	----	----	16 UNCH
4350	----	----	88.50B/78.60A	88.50B/78.60A	----	82.00 + 0.40	.2210	----	----	----	----	44 UNCH
4360	----	----	90.90B/80.90A	90.90B/80.90A	----	84.40 + 0.50	.2262	----	----	----	----	1 UNCH
4365	----	----	92.40B/82.00A	92.40B/82.00A	----	85.60 + 0.60	.2288	----	----	----	----	6 UNCH
4375	----	----	94.80B/84.40A	94.80B/84.40A	----	88.00 + 0.60	.2340	----	----	----	----	55 UNCH
4380	----	----	96.30B/85.40A	96.30B/85.40A	----	89.20 + 0.60	.2366	----	----	----	----	95 UNCH
4390	----	----	98.80B/87.80A	98.80B/87.80A	----	91.70 + 0.60	.2420	----	----	----	----	41 UNCH
4395	----	----	100.20B/89.10A	100.20B/89.10A	----	93.00 + 0.70	.2447	----	----	----	----	41 UNCH
4400	----	----	101.60B/90.20A	101.60B/90.20A	----	94.30 + 0.70	.2474	----	----	----	----	852 UNCH
4405	----	----	103.00B/91.60A	103.00B/91.60A	----	95.60 + 0.70	.2502	----	----	----	----	40 UNCH
4410	----	----	104.60B/92.80A	104.60B/92.80A	----	97.00 + 0.80	.2530	----	----	----	----	6 UNCH
4420	----	----	107.30B/95.40A	107.30B/95.40A	----	99.70 + 0.90	.2586	----	----	----	----	1 UNCH
4425	----	----	109.20B/96.80A	109.20B/96.80A	----	101.00 + 0.90	.2613	----	----	----	----	200 UNCH
4430	----	----	110.30B/98.10A	110.30B/98.10A	----	102.40 + 0.90	.2642	----	----	----	----	2 UNCH
4440	----	----	113.70B/100.90A	113.70B/100.90A	----	105.30 + 1.00	.2700	----	----	----	----	7 UNCH
4445	----	----	115.10B/102.30A	115.10B/102.30A	----	106.70 + 1.00	.2728	----	----	----	----	1 UNCH
4450	----	----	116.40B/103.60A	116.40B/103.60A	----	108.20 + 1.10	.2758	----	----	----	----	460 UNCH
4470	----	----	122.80B/109.40A	122.80B/109.40A	----	114.20 + 1.30	.2876	----	----	----	----	2 UNCH
4475	----	----	124.80B/110.80A	124.80B/110.80A	----	115.70 + 1.30	.2906	----	----	----	----	3 UNCH
4485	----	----	127.80B/113.90A	127.80B/113.90A	----	118.90 + 1.40	.2966	----	----	----	----	1 UNCH
4490	----	----	129.50B/115.40A	129.50B/115.40A	----	120.50 + 1.50	.2997	----	----	----	----	50 UNCH
4495	----	----	131.60B/117.00A	131.60B/117.00A	----	122.10 + 1.50	.3027	----	----	----	----	2 UNCH
4500	----	----	133.00B/118.30A	133.00B/118.30A	----	123.70 + 1.50	.3058	----	----	----	----	504 UNCH
4515	----	----	138.30B/123.30A	138.30B/123.30A	----	128.70 + 1.70	.3151	----	----	----	----	3 UNCH
4520	----	----	140.10B/124.90A	140.10B/124.90A	----	130.40 + 1.70	.3182	----	----	----	----	91 UNCH
4525	----	----	142.20B/126.60A	142.20B/126.60A	----	132.10 + 1.70	.3214	----	----	----	----	2 UNCH
4530	----	----	143.80B/128.20A	143.80B/128.20A	----	133.90 + 1.90	.3246	----	----	----	----	2 UNCH
4550	----	----	151.40B/135.00A	151.40B/135.00A	----	141.00 + 2.00	.3373	----	----	----	----	352 UNCH
4560	----	----	155.30B/138.60A	155.30B/138.60A	----	144.70 + 2.20	.3438	----	----	----	----	30 UNCH
4565	----	----	157.30B/140.30A	157.30B/140.30A	----	146.50 + 2.20	.3470	----	----	----	----	75 UNCH
4570	----	----	159.30B/142.20A	159.30B/142.20A	----	148.40 + 2.20	.3503	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4575	----	----	161.30B/144.00A	161.30B/144.00A	----	150.30 + 2.30	.3536	----	----	----	----	16 UNCH
4580	----	----	163.30B/145.80A	163.30B/145.80A	----	152.20 + 2.30	.3568	----	----	----	----	1 UNCH
4585	----	----	165.40B/147.70A	165.40B/147.70A	----	154.20 + 2.50	.3601	----	----	----	----	7 UNCH
4595	----	----	170.00B/151.40A	170.00B/151.40A	----	158.10 + 2.50	.3668	----	----	----	----	2 UNCH
4600	----	----	172.00B/153.40A	172.00B/153.40A	----	160.10 + 2.60	.3701	----	----	----	----	55 UNCH
4605	----	----	174.30B/155.40A	174.30B/155.40A	----	162.10 + 2.70	.3734	----	----	----	----	3 UNCH
4610	----	----	176.20B/157.30A	176.20B/157.30A	----	164.20 + 2.80	.3768	----	----	----	----	5 UNCH
4615	----	----	178.50B/159.30A	178.50B/159.30A	----	166.20 + 2.80	.3801	----	----	----	----	4 UNCH
4620	----	----	180.60B/161.20A	180.60B/161.20A	----	168.30 + 2.90	.3835	----	----	----	----	428 UNCH
4625	----	----	183.00B/163.20A	183.00B/163.20A	----	170.40 + 3.00	.3868	----	----	----	----	14 UNCH
4630	----	----	185.30B/165.40A	185.30B/165.40A	----	172.50 + 3.00	.3902	----	----	----	----	2 UNCH
4635	----	----	187.70B/167.50A	187.70B/167.50A	----	174.60 + 3.10	.3936	----	----	----	----	1 UNCH
4645	----	----	192.10B/171.50A	192.10B/171.50A	----	179.00 + 3.30	.4004	----	----	----	----	1 UNCH
4650	----	----	194.40B/173.50A	194.40B/173.50A	----	181.10 + 3.20	.4038	----	----	----	----	9 UNCH
4655	----	----	196.90B/175.70A	196.90B/175.70A	----	183.30 + 3.30	.4072	----	----	----	----	3 UNCH
4665	187.30	187.30	201.50B/180.10A	201.50B/180.10A	----	187.80 NEW	.4140	----	----	2	----	2 + 2
4670	----	----	203.70B/182.30A	203.70B/182.30A	----	190.10 + 3.60	.4175	----	----	----	----	2 UNCH
4695	----	----	215.70B/193.40A	215.70B/193.40A	----	201.70 + 3.90	.4347	----	----	----	----	2 UNCH
4700	----	----	218.30B/195.70A	218.30B/195.70A	----	204.10 + 4.00	.4381	----	----	----	----	138 UNCH
4705	----	----	220.70B/198.10A	220.70B/198.10A	----	206.50 + 4.00	.4416	----	----	----	----	2 UNCH
4710	----	----	223.30B/200.30A	223.30B/200.30A	----	208.90 + 4.10	.4450	----	----	----	----	1 UNCH
4725	----	----	231.50B/207.60A	231.50B/207.60A	----	216.30 + 4.30	.4554	----	----	----	----	7 UNCH
4730	----	----	234.10B/209.90A	234.10B/209.90A	----	218.80 + 4.30	.4588	----	----	----	----	7 UNCH
4735	----	----	236.30B/212.20A	236.30B/212.20A	----	221.40 + 4.50	.4623	----	----	----	----	100 UNCH
4740	----	----	239.30B/214.80A	239.30B/214.80A	----	223.90 + 4.50	.4658	----	----	----	----	2 UNCH
4750	----	----	244.70B/219.70A	244.70B/219.70A	----	229.10 + 4.70	.4727	----	----	----	----	174 UNCH
4755	----	----	247.50B/222.20A	247.50B/222.20A	----	231.70 + 4.80	.4761	----	----	----	----	10 UNCH
4760	----	----	250.50B/224.70A	250.50B/224.70A	----	234.30 + 4.80	.4796	----	----	25	----	109 + 9
4770	----	----	255.90B/229.80A	255.90B/229.80A	----	239.60 + 4.90	.4864	----	----	----	----	1 UNCH
4775	----	----	258.60B/232.40A	258.60B/232.40A	----	242.30 + 5.00	.4899	----	----	----	----	130 UNCH
4780	----	----	261.40B/234.80A	261.40B/234.80A	----	245.00 + 5.10	.4933	----	----	----	----	3 UNCH
4795	----	----	270.00B/242.60A	270.00B/242.60A	----	253.20 NEW	.5036	----	----	6	----	6 + 6
4800	----	----	273.00B/245.40A	273.00B/245.40A	----	256.00 + 5.30	.5070	----	----	----	----	471 UNCH
4805	----	----	275.80B/248.00A	275.80B/248.00A	----	258.80 + 5.40	.5104	----	----	6	----	10 + 6
4825	----	----	287.90B/258.70A	287.90B/258.70A	----	270.20 + 5.60	.5239	----	----	----	----	2 UNCH
4830	----	----	290.80B/261.80A	290.80B/261.80A	----	273.10 + 5.70	.5273	----	----	----	----	10 UNCH
4835	----	----	293.80B/264.60A	293.80B/264.60A	----	276.00 + 5.80	.5306	----	----	----	----	30 UNCH
4855	----	----	305.80B/275.80A	305.80B/275.80A	----	287.80 + 6.00	.5440	----	----	----	----	14 UNCH
4860	----	----	309.30B/278.80A	309.30B/278.80A	----	290.80 + 6.10	.5473	----	----	----	----	11 UNCH
4875	----	----	318.90B/287.80A	318.90B/287.80A	----	300.00 + 6.30	.5572	----	----	----	----	8 UNCH
4885	----	----	325.10B/293.10A	325.10B/293.10A	----	306.10 + 6.40	.5638	----	----	----	----	4 UNCH
4895	----	----	331.60B/299.10A	331.60B/299.10A	----	312.40 + 6.60	.5703	----	----	----	----	1 UNCH
4900	----	----	334.90B/302.40A	334.90B/302.40A	----	315.50 + 6.70	.5735	----	----	----	----	16 UNCH
4915	----	----	343.80B/311.60A	343.80B/311.60A	----	325.10 + 7.00	.5831	----	----	----	----	1 UNCH
4930	----	----	353.90B/320.80A	353.90B/320.80A	----	334.80 + 7.20	.5926	----	----	----	----	20 UNCH
4950	----	----	367.30B/333.50A	367.30B/333.50A	----	347.90 + 7.50	.6051	----	----	----	----	1 UNCH
4955	----	----	370.90B/336.90A	370.90B/336.90A	----	351.30 + 7.60	.6082	----	----	----	----	1 UNCH
4975	----	----	384.70B/349.80A	384.70B/349.80A	----	364.80 + 8.00	.6205	----	----	----	----	220 UNCH
5000	----	----	402.50B/368.40A	402.50B/368.40A	----	382.00 + 8.40	.6354	----	----	----	----	10 UNCH
5005	----	----	406.00B/371.50A	406.00B/371.50A	----	385.50 + 8.50	.6383	----	----	----	----	3 UNCH
5020	----	----	416.90B/382.00A	416.90B/382.00A	----	396.10 + 8.70	.6470	----	----	----	----	3 UNCH
5060	----	----	446.40B/410.00A	446.40B/410.00A	----	424.90 + 9.30	.6696	----	----	----	----	4 UNCH
5100	----	----	470.60B/439.00A	470.60B/439.00A	----	454.60 + 9.80	.6911	----	----	----	----	28 UNCH
5105	----	----	471.60B/442.70A	471.60B/442.70A	----	458.40 + 9.90	.6937	----	----	----	----	2 UNCH
5150	----	----	483.20B/476.40A	483.20B/476.40A	----	493.00 + 10.70	.7165	----	----	----	----	2 UNCH
5200	----	----	540.80B/518.30A	540.80B/518.30A	----	532.50 + 11.50	.7401	----	----	----	----	45 UNCH
5230	----	----	567.50B/542.20A	567.50B/542.20A	----	556.70 + 12.00	.7534	----	----	----	----	400 UNCH
5300	----	----	624.40B/599.30A	624.40B/599.30A	----	614.80 + 13.10	.7821	----	----	----	----	300 UNCH
5400	----	----	709.70B/683.50A	709.70B/683.50A	----	700.70 + 14.40	.8175	----	----	----	----	100 UNCH
5420	----	----	727.30B/700.90A	727.30B/700.90A	----	718.30 + 14.70	.8238	----	----	----	----	80 UNCH
5450	----	----	----	676.10B/832.30A	----	744.80 + 15.00	.8329	----	----	----	----	1 UNCH
5500	----	----	798.70B/771.30A	798.70B/771.30A	----	789.60 + 15.50	.8468	----	----	----	----	3 UNCH
6000	----	----	----	----	----	1260.80 + 19.40	.9304	----	----	----	----	2 UNCH
TOTAL										45		11442 + 28
OCT26												
2700	----	----	----	2.60B/3.30A	----	2.80 - 0.20	.0067	----	----	----	----	1 UNCH
2800	----	----	----	3.00B/3.80A	----	3.20 - 0.30	.0079	----	----	----	----	3 UNCH
2900	----	----	----	3.60B/4.40A	----	3.80 - 0.30	.0096	----	----	----	----	1 UNCH
3100	----	----	----	5.20B/6.10A	----	5.30 - 0.40	.0140	----	----	----	----	1 UNCH
3155	----	----	----	5.80B/6.80A	----	5.90 - 0.50	.0158	----	----	----	----	1 UNCH
3200	----	----	----	6.40B/7.30A	----	6.50 - 0.40	.0175	----	----	----	----	414 UNCH
3240	----	----	----	6.90B/7.90A	----	7.00 - 0.50	.0189	----	----	----	----	5 UNCH
3300	----	----	----	8.10B/8.70A	----	7.90 - 0.60	.0215	----	----	----	----	415 UNCH
3340	----	----	----	8.80B/9.50A	----	8.60 - 0.60	.0236	----	----	----	----	9 UNCH
3360	----	----	----	9.20B/9.90A	----	9.00 - 0.60	.0247	----	----	----	----	1 UNCH
3380	----	----	----	9.60B/10.30A	----	9.40 - 0.60	.0258	----	----	----	----	1 UNCH
3390	----	----	----	9.80B/10.50A	----	9.70 - 0.50	.0266	----	----	----	----	4 UNCH
3400	----	----	----	10.00B/10.80A	----	9.90 - 0.50	.0272	----	----	----	----	150 UNCH
3480	----	----	----	12.00B/12.70A	----	11.90 - 0.50	.0328	----	----	----	----	12 UNCH
3500	----	----	----	12.50B/13.30A	----	12.40 - 0.60	.0342	----	----	----	----	18 UNCH
3520	----	----	----	13.10B/13.90A	----	13.00 - 0.60	.0359	----	----	----	----	12 UNCH
3550	----	----	----	14.10B/14.80A	----	14.00 - 0.60	.0386	----	----	----	----	25 UNCH
3600	----	----	----	15.90B/16.60A	----	15.80 - 0.50	.0435	----	----	----	----	182 UNCH
3615	----	----	----	16.40B/17.10A	----	16.40 - 0.50	.0452	----	----	----	----	1 UNCH
3700	----	----	----	20.20B/20.70A	----	20.20 - 0.50	.0554	----	----	2	----	138 + 2
3715	----	----	----	20.70B/21.50A	----	21.00 - 0.40	.0575	----	----	----	----	196 UNCH
3750	----	----	----	22.90B/23.30A	----	22.90 - 0.40	.0625	----	----	----	----	19 UNCH
3770	----	----	----/24.40A	23.90B/24.40A	----	24.10 - 0.40	.0656	----	----	----	----	1 UNCH
3785	----	----	25.90B/25.30A	25.90B/25.30A	----	25.00 - 0.40	.0679	----	----	----	----	1 UNCH
3800	----	----	26.80B/26.20A	26.80B/26.20A	----	26.00 - 0.30	.0705	----	----	----	----	18 UNCH
3805	----	----	27.20B/26.50A	27.20B/26.50A	----	26.30 - 0.40	.0713	----	----	----	----	1 UNCH
3820	----	----	28.30B/27.50A	28.30B/27.50A	----	27.30 - 0.40	.0739	----	----	----	----	1 UNCH
3865	----	----	31.80B/30.50A	31.80B/30.50A	----	30.60 - 0.30	.0823	----	----	----	----	2 UNCH
3870	----	----	32.30B/30.90A	32.30B/30.90A	----	31.00 - 0.30	.0833	----	----	----	----	1 UNCH
3875	----	----	32.70B/31.30A	32.70B/31.30A	----	31.40 - 0.30	.0843	----	----	----	----	12 UNCH
3885	----	----	33.50B/32.10A	33.50B/32.10A	----	32.20 - 0.30	.0863	----	----	----	----	5 UNCH
3890	----	----	34.10B/32.50A	34.10B/32.50A	----	32.60 - 0.30	.0873	----	----	----	----	2 UNCH
3895	----	----	34.40B/32.90A	34.40B/32.90A	----	33.10 - 0.20	.0885	----	----	----	----	2 UNCH
3900	----	----	35.00B/33.30A	35.00B/33.30A	----	33.50 - 0.30	.0895	----	----	----	----	23 UNCH
3920	----	----	36.60B/34.90A	36.60B/34.90A	----	35.30 - 0.20	.0939	----	----	----	----	28 UNCH
3930	----	----	37.90B/35.80A	37.90B/35.80A	----	36.20 - 0.20	.0961	----	----	----	----	2 UNCH
3940	----	----	38.90B/36.70A	38.90B/36.70A	----	37.10 - 0.30	.0983	----	----	----	----	65 UNCH
3950	----	----	39.60B/37.60A	39.60B/37.60A	----	38.10 - 0.30	.1007	----	----	----	----	2 UNCH
3975	----	----	42.30B/40.10A	42.30B/40.10A	----	40.60 - 0.30	.1068	----	----	----	----	5 UNCH
4000	----	----	45.30B/42.70A	45.30B/42.70A	----	43.30 - 0.30	.1132	----	----	----	----	374 UNCH
4030	----	----	49.00B/46.00A	49.00B/46.00A	----	46.80 - 0.20	.1214	----	----	----	----	2 UNCH
4050	----	----	52.20B/48.30A	52.20B/48.30A	----	49.30 - 0.10	.1272	----	----	----	----	5 UNCH
4070	----	----	55.10B/50.80A	55.10B/50.80A	----	51.90 UNCH	.1331	----	----	----	----	24 UNCH
4090	55.10	55.10	58.10B/53.40A	58.10B/53.40A	----	54.70 NEW	.1394	----	----	10	----	10 + 10
4095	55.80	55.80	58.90B/54.10A	58.90B/54.10A	----	55.40 NEW	.1410	----	----	20	----	20 + 20
4100	----	----	59.70B/54.90A	59.70B/54.90A	----	56.10 + 0.10	.1426	----	----	----	----	466 UNCH
4130	----	----	64.50B/59.10A	64.50B/59.10A	----	60.60 + 0.20	.1525	----	----	----	----	2 UNCH
4150	----	----	67.90B/62.00A	67.90B/62.00A	----	63.80 + 0.20	.1595	----	----	----	----	5 UNCH
4180	----	----	73.40B/66.90A	73.40B/66.90A	----	69.00 + 0.30	.1705	----	----	----	----	1 UNCH
4200	----	----	77.30B/70.40A	77.30B/70.40A	----	72.60 + 0.40	.1781	----	----	----	----	391 UNCH
4220	----	----	81.40B/74.00A	81.40B/74.00A	----	76.40 + 0.40	.1859	----	----	----	----	5 UNCH
4235	----	----	84.60B/76.80A	84.60B/76.80A	----	79.40 + 0.50	.1920	----	----	----	----	1 UNCH
4250	----	----	87.90B/79.80A	87.90B/79.80A	----	82.50 + 0.60	.1982	----	----	----	----	72 UNCH
4265	----	----	91.30B/82.80A	91.30B/82.80A	----	85.70 + 0.70	.2046	----	----	----	----	200 UNCH
4270	----	----	92.50B/83.80A	92.50B/83.80A	----	86.80 + 0.70	.2068	----	----	----	----	229 UNCH
4280	----	----	94.80B/86.00A	94.80B/86.00A	----	89.00 + 0.80	.2111	----	----	----	----	196 UNCH
4300	----	----	99.90B/90.30A	99.90B/90.30A	----	93.60 + 0.90	.2200	----	----	----	----	616 UNCH
4330	----	----	107.50B/97.20A	107.50B/97.20A	----	100.90 + 1.10	.2338	----	----	----	----	1 UNCH
4350	----	----	112.90B/102.50A	112.90B/102.50A	----	106.00 + 1.10	.2433	----	----	----	----	236 UNCH
4355	----	----	114.30B/103.80A	114.30B/103.80A	----	107.30 + 1.10	.2457	----	----	1	----	11 UNCH
4375	----	----	120.10B/109.00A	120.10B/109.00A	----	112.70 + 1.20	.2554	----	----	1	----	11 + 1
4400	121.00	121.00	127.50B/115.50A	127.50B/115.50A	----	119.80 + 1.40	.2680	----	----	1	----	606 - 1
4425	----	----	135.60B/123.00A	135.60B/123.00A	----	127.30 + 1.60	.2809	----	----	----	----	15 UNCH
4430	----	----	137.10B/124.40A	137.10B/124.40A	----	128.80 + 1.60	.2835	----	----	----	----	3 UNCH
4450	----	----	143.70B/130.40A	143.70B/130.40A	----	135.10 + 1.80	.2941	----	----	----	----	26 UNCH
4475	----	----	152.60B/138.40A	152.60B/138.40A	----	143.30 + 2.00	.3076	----	----	----	----	2 UNCH
4500	----	----	161.50B/146.60A	161.50B/146.60A	----	151.80 + 2.20	.3214	----	----	----	----	90 UNCH
4550	----	----	181.10B/164.30A	181.10B/164.30A	----	170.20 + 2.70	.3497	----	----	----	----	1 UNCH
4560	173.50	173.50	185.20B/168.00A	185.20B/168.00A	----	174.00 + 2.70	.3555	----	----	3	----	78 UNCH
4600	----	----	202.10B/183.50A	202.10B/183.50A	----	190.20 + 3.20	.3789	----	----	----	----	329 UNCH
4605	----	----	204.30B/185.60A	204.30B/185.60A	----	192.20 + 3.10	.3819	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
4610	----	----	206.50B/187.70A	206.50B/187.70A	----	194.40 + 3.30	.3848	----	----	----	----	5 UNCH
4625	----	----	213.10B/193.90A	213.10B/193.90A	----	200.80 + 3.40	.3938	----	----	----	----	40 UNCH
4630	----	----	215.80B/195.90A	215.80B/195.90A	----	203.00 + 3.50	.3967	----	----	----	----	1 UNCH
4635	----	----	218.00B/198.10A	218.00B/198.10A	----	205.20 + 3.50	.3997	----	----	----	----	1 UNCH
4640	----	----	220.50B/200.20A	220.50B/200.20A	----	207.40 + 3.60	.4027	----	----	----	----	13 UNCH
4645	----	----	222.30B/202.50A	222.30B/202.50A	----	209.60 + 3.60	.4057	----	----	----	----	2 UNCH
4650	----	----	225.10B/204.50A	225.10B/204.50A	----	211.80 + 3.60	.4087	----	----	----	----	133 UNCH
4675	----	----	237.10B/215.70A	237.10B/215.70A	----	223.30 + 3.90	.4238	----	----	----	----	1 UNCH
4680	----	----	239.60B/217.90A	239.60B/217.90A	----	225.70 + 4.00	.4268	----	----	----	----	1 UNCH
4700	----	----	249.30B/227.10A	249.30B/227.10A	----	235.30 + 4.20	.4389	----	----	----	----	84 UNCH
4715	----	----	257.40B/234.30A	257.40B/234.30A	----	242.60 + 4.30	.4480	----	----	----	----	3 UNCH
4750	----	----	275.70B/251.40A	275.70B/251.40A	----	260.40 + 4.70	.4693	----	----	----	----	175 UNCH
4755	----	----	278.90B/254.00A	278.90B/254.00A	----	263.00 + 4.80	.4723	----	----	----	----	168 UNCH
4775	----	----	289.70B/264.20A	289.70B/264.20A	----	273.70 + 5.10	.4844	----	----	----	----	26 UNCH
4780	----	----	292.50B/266.80A	292.50B/266.80A	----	276.40 + 5.10	.4874	----	----	----	----	1 UNCH
4800	----	----	304.10B/277.20A	304.10B/277.20A	----	287.40 + 5.40	.4995	----	----	----	----	101 UNCH
4805	----	----	306.60B/279.40A	306.60B/279.40A	----	290.10 + 5.30	.5024	----	----	----	----	1 UNCH
4810	292.10	292.10	309.70B/282.20A	309.70B/282.20A	----	293.00 NEW	.5054	----	----	9	----	9 + 9
4815	----	----	312.70B/285.20A	312.70B/285.20A	----	295.80 + 5.50	.5084	----	----	----	----	42 UNCH
4820	296.00	296.00	315.30B/288.10A	315.30B/288.10A	----	298.60 NEW	.5114	----	----	3	----	3 + 3
4835	----	----	324.50B/296.50A	324.50B/296.50A	----	307.20 + 5.70	.5203	----	----	----	----	3 UNCH
4845	----	----	330.50B/302.20A	330.50B/302.20A	----	313.10 + 5.90	.5262	----	----	----	----	20 UNCH
4850	----	----	333.10B/304.90A	333.10B/304.90A	----	316.00 + 5.90	.5291	----	----	----	----	80 UNCH
4875	----	----	348.10B/318.80A	348.10B/318.80A	----	331.00 + 6.30	.5437	----	----	----	----	1 UNCH
4900	----	----	364.10B/333.60A	364.10B/333.60A	----	346.40 + 6.70	.5581	----	----	----	----	81 UNCH
4910	----	----	370.30B/340.00A	370.30B/340.00A	----	352.60 + 6.90	.5637	----	----	----	----	1 UNCH
4920	----	----	376.50B/345.90A	376.50B/345.90A	----	358.90 + 7.00	.5694	----	----	----	----	1 UNCH
4925	----	----	380.10B/349.10A	380.10B/349.10A	----	362.10 + 7.10	.5722	----	----	----	----	25 UNCH
4935	----	----	385.90B/355.70A	385.90B/355.70A	----	368.50 + 7.30	.5778	----	----	----	----	5 UNCH
4965	----	----	405.70B/374.70A	405.70B/374.70A	----	388.10 + 7.90	.5944	----	----	----	----	13 UNCH
4980	----	----	416.00B/384.40A	416.00B/384.40A	----	398.10 + 8.20	.6025	----	----	----	----	1 UNCH
5000	----	----	429.70B/397.40A	429.70B/397.40A	----	411.50 + 8.50	.6132	----	----	----	----	47 UNCH
5010	----	----	436.80B/404.50A	436.80B/404.50A	----	418.30 + 8.60	.6185	----	----	----	----	1 UNCH
5050	----	----	465.30B/432.20A	465.30B/432.20A	----	446.00 + 9.10	.6393	----	----	----	----	25 UNCH
5150	----	----	540.10B/504.10A	540.10B/504.10A	----	518.90 + 9.90	.6878	----	----	----	----	1 UNCH
5200	----	----	564.40B/541.50A	564.40B/541.50A	----	557.20 + 10.50	.7100	----	----	----	----	100 UNCH
5230	----	----	----/564.60A	561.70B/564.60A	----	580.80 + 10.90	.7227	----	----	----	----	1 UNCH
5250	----	----	604.00B/584.10A	604.00B/584.10A	----	596.70 + 11.20	.7308	----	----	----	----	75 UNCH
5300	636.00	636.00	644.60B/623.80A	644.60B/623.80A	----	637.10 + 12.00	.7503	----	----	3	----	9 + 3
5425	----	----	----	669.10B/832.10A	----	741.90 + 13.60	.7934	----	----	----	----	1 UNCH
5455	----	----	775.50B/752.60A	775.50B/752.60A	----	767.70 + 13.90	.8025	----	----	----	----	40 UNCH
5495	----	----	----	730.40B/892.60A	----	802.60 + 14.30	.8140	----	----	----	----	1 UNCH
5500	----	----	----	734.90B/896.90A	----	807.00 + 14.40	.8153	----	----	----	----	1 UNCH
5600	----	----	----	824.80B/985.40A	----	896.10 + 15.60	.8407	----	----	----	----	1 UNCH
5700	----	----	----	915.70B/1076.60A	----	987.10 + 16.40	.8623	----	----	----	----	1 UNCH
TOTAL										53		7155 + 47
NOV26												
2750	----	----	----	3.50B/4.60A	----	3.70 - 0.40	.0085	----	----	----	----	1 UNCH
2800	----	----	----	3.80B/4.90A	----	4.00 - 0.50	.0093	----	----	----	----	8 UNCH
2900	----	----	----	4.60B/5.70A	----	4.70 - 0.60	.0111	----	----	----	----	1 UNCH
3000	----	----	----	5.50B/6.80A	----	5.70 - 0.60	.0137	----	----	----	----	95 UNCH
3120	----	----	----	7.10B/8.30A	----	7.20 - 0.60	.0176	----	----	----	----	10 UNCH
3180	----	----	----	8.10B/9.30A	----	8.20 - 0.60	.0201	----	----	----	----	10 UNCH
3200	----	----	----	8.50B/9.70A	----	8.50 - 0.60	.0209	----	----	----	----	93 UNCH
3215	----	----	----	8.70B/10.00A	----	8.80 - 0.60	.0216	----	----	----	----	1 UNCH
3220	----	----	----	8.90B/10.10A	----	8.90 - 0.60	.0219	----	----	----	----	1 UNCH
3225	----	----	----	8.90B/10.20A	----	9.00 - 0.60	.0221	----	----	----	----	1 UNCH
3235	----	----	----	9.10B/10.40A	----	9.20 - 0.60	.0226	----	----	----	----	2 UNCH
3250	----	----	----	9.40B/10.70A	----	9.50 - 0.60	.0234	----	----	----	----	18 UNCH
3255	----	----	----	9.50B/10.80A	----	9.60 - 0.60	.0236	----	----	----	----	18 UNCH
3300	----	----	----	10.50B/11.80A	----	10.60 - 0.60	.0261	----	----	----	----	20 UNCH
3310	----	----	----	10.80B/12.00A	----	10.80 - 0.60	.0267	----	----	----	----	1 UNCH
3320	----	----	----	11.00B/12.30A	----	11.00 - 0.70	.0272	----	----	----	----	16 UNCH
3350	----	----	----	11.80B/13.10A	----	11.80 - 0.60	.0292	----	----	----	----	180 UNCH
3455	----	----	----	14.80B/16.30A	----	15.00 - 0.60	.0370	----	----	----	----	1 UNCH
3475	----	----	----	15.60B/17.00A	----	15.80 - 0.50	.0389	----	----	----	----	2 UNCH
3500	----	----	----	16.50B/17.90A	----	16.70 - 0.50	.0411	----	----	----	----	675 UNCH
3535	----	----	----	18.10B/19.20A	----	18.20 - 0.50	.0446	----	----	----	----	1 UNCH
3605	----	----	----	21.20B/22.30A	----	21.50 - 0.40	.0524	----	----	----	----	1 UNCH
3690	----	----	----	25.60B/26.90A	----	26.30 - 0.30	.0635	----	----	----	----	1 UNCH
3700	----	----	----	26.10B/27.50A	----	27.00 - 0.30	.0650	----	----	----	----	1 UNCH
3725	----	----	29.30B/----	29.30B/29.10A	----	28.60 - 0.30	.0687	----	----	----	----	1 UNCH
3740	----	----	30.50B/----	30.50B/30.10A	----	29.70 - 0.20	.0711	----	----	----	----	21 UNCH
3750	----	----	31.20B/----	31.20B/30.80A	----	30.40 - 0.20	.0727	----	----	----	----	347 UNCH
3780	----	----	33.50B/32.60A	33.50B/32.60A	----	32.60 - 0.20	.0777	----	----	----	----	1 UNCH
3800	----	----	35.20B/34.10A	35.20B/34.10A	----	34.20 - 0.20	.0812	----	----	----	----	29 UNCH
3820	----	----	37.10B/35.70A	37.10B/35.70A	----	35.90 - 0.20	.0849	----	----	----	----	22 UNCH
3875	----	----	42.00B/40.40A	42.00B/40.40A	----	40.90 - 0.10	.0957	----	----	----	----	24 UNCH
3900	----	----	44.60B/42.90A	44.60B/42.90A	----	43.40 - 0.10	.1011	----	----	----	----	2 UNCH
3920	----	----	47.40B/45.20A	47.40B/45.20A	----	45.50 - 0.10	.1055	----	----	----	----	2 UNCH
3925	----	----	47.40B/45.40A	47.40B/45.40A	----	46.00 - 0.10	.1066	----	----	----	----	2 UNCH
3980	----	----	54.10B/51.80A	54.10B/51.80A	----	52.40 UNCH	.1198	----	----	----	----	1 UNCH
4000	56.80	56.80	57.30B/53.50	57.30B/53.50	----	54.90 UNCH	.1249	----	----	5	----	6 + 1
4025	----	----	61.10B/57.40A	61.10B/57.40A	----	58.30 + 0.10	.1317	----	----	----	----	2 UNCH
4070	----	----	68.10B/63.60A	68.10B/63.60A	----	64.80 + 0.30	.1445	----	----	----	----	25 UNCH
4100	----	----	73.10B/67.90A	73.10B/67.90A	----	69.50 + 0.40	.1536	----	----	----	----	2 UNCH
4135	----	----	79.50B/73.70A	79.50B/73.70A	----	75.40 + 0.50	.1647	----	----	----	----	22 UNCH
4160	----	----	84.10B/77.90A	84.10B/77.90A	----	80.00 + 0.70	.1732	----	----	----	----	1 UNCH
4170	----	----	85.70B/79.80A	85.70B/79.80A	----	81.80 + 0.70	.1765	----	----	----	----	1 UNCH
4180	----	----	88.30B/81.70A	88.30B/81.70A	----	83.80 + 0.80	.1801	----	----	----	----	1 UNCH
4200	----	----	92.40B/85.40A	92.40B/85.40A	----	87.70 + 0.90	.1872	----	----	----	----	6 UNCH
4205	----	----	93.00B/86.40A	93.00B/86.40A	----	88.70 + 0.90	.1890	----	----	----	----	1 UNCH
4215	----	----	95.00B/88.30A	95.00B/88.30A	----	90.80 + 1.00	.1927	----	----	----	----	5 UNCH
4250	----	----	103.30B/95.60A	103.30B/95.60A	----	98.40 + 1.30	.2059	----	----	----	----	567 UNCH
4275	----	----	109.80B/101.30A	109.80B/101.30A	----	104.10 + 1.50	.2157	----	----	----	----	3 UNCH
4305	----	----	116.60B/108.40A	116.60B/108.40A	----	111.40 + 1.70	.2279	----	----	----	----	1 UNCH
4320	----	----	120.40B/112.00A	120.40B/112.00A	----	115.20 + 1.90	.2341	----	----	----	----	43 UNCH
4330	----	----	124.00B/114.50A	124.00B/114.50A	----	117.80 + 2.00	.2384	----	----	----	----	2 UNCH
4350	----	----	128.70B/119.70A	128.70B/119.70A	----	123.10 + 2.10	.2469	----	----	----	----	3 UNCH
4390	----	----	140.60B/130.40A	140.60B/130.40A	----	134.30 + 2.40	.2646	----	----	----	----	1 UNCH
4395	----	----	142.30B/131.90A	142.30B/131.90A	----	135.80 + 2.40	.2669	----	----	----	----	1 UNCH
4400	----	----	144.70B/133.20A	144.70B/133.20A	----	137.20 + 2.40	.2691	----	----	----	----	3 UNCH
4425	----	----	151.70B/140.50A	151.70B/140.50A	----	144.80 + 2.60	.2806	----	----	----	----	72 UNCH
4430	----	----	153.60B/142.00A	153.60B/142.00A	----	146.30 + 2.60	.2829	----	----	----	----	10 UNCH
4450	----	----	159.80B/148.10A	159.80B/148.10A	----	152.70 + 2.80	.2924	----	----	----	----	39 UNCH
4485	----	----	171.80B/159.50A	171.80B/159.50A	----	164.30 + 3.00	.3092	----	----	----	----	1 UNCH
4490	----	----	173.60B/161.20A	173.60B/161.20A	----	166.00 + 3.00	.3116	----	----	----	----	1 UNCH
4500	----	----	177.60B/164.50A	177.60B/164.50A	----	169.40 + 3.00	.3165	----	----	----	----	45 UNCH
4510	----	----	181.60B/168.10A	181.60B/168.10A	----	172.90 + 3.00	.3214	----	----	----	----	11 UNCH
4535	----	----	190.40B/177.10A	190.40B/177.10A	----	181.90 + 3.10	.3339	----	----	----	----	10 UNCH
4540	----	----	192.50B/178.70A	192.50B/178.70A	----	183.80 + 3.10	.3364	----	----	----	----	6 UNCH
4580	----	----	208.30B/193.90A	208.30B/193.90A	----	199.00 + 3.20	.3568	----	----	----	----	10 UNCH
4600	----	----	216.70B/201.50A	216.70B/201.50A	----	207.00 + 3.20	.3672	----	----	----	----	1 UNCH
4640	----	----	234.30B/217.90A	234.30B/217.90A	----	223.70 + 3.40	.3882	----	----	----	----	90 UNCH
4650	----	----	239.00B/222.30A	239.00B/222.30A	----	228.10 + 3.50	.3935	----	----	----	----	52 UNCH
4700	251.70	251.70	263.80/244.00A	263.80/244.00A	----	250.90 + 4.10	.4202	----	----	2	----	4 + 2
4710	----	----	267.60B/248.70A	267.60B/248.70A	----	255.70 + 4.30	.4256	----	----	----	----	1 UNCH
4725	----	----	275.00B/255.70A	275.00B/255.70A	----	263.00 + 4.60	.4336	----	----	----	----	2 UNCH
4750	----	----	287.70B/267.60A	287.70B/267.60A	----	275.50 + 5.10	.4471	----	----	----	----	10 UNCH
4755	----	----	290.30B/270.00A	290.30B/270.00A	----	278.00 + 5.20	.4498	----	----	----	----	1 UNCH
4800	----	----	314.50B/292.60A	314.50B/292.60A	----	301.50 + 5.70	.4739	----	----	----	----	12 UNCH
4820	----	----	325.70B/303.20A	325.70B/303.20A	----	312.20 + 5.60	.4846	----	----	----	----	1 UNCH
4840	----	----	336.50B/313.70A	336.50B/313.70A	----	323.20 + 5.60	.4953	----	----	----	----	2 UNCH
4845	----	----	339.40B/316.40A	339.40B/316.40A	----	326.00 + 5.60	.4979	----	----	----	----	10 UNCH
4850	----	----	342.30B/319.20A	342.30B/319.20A	----	328.70 + 5.40	.5006	----	----	----	----	8 UNCH
4900	----	----	371.90B/347.60A	371.90B/347.60A	----	357.50 + 5.70	.5268	----	----	----	----	12 UNCH
4915	----	----	381.10B/357.20A	381.10B/357.20A	----	366.40 + 5.90	.5346	----	----	----	----	3 UNCH
4935	----	----	393.60B/369.00A	393.60B/369.00A	----	378.50 + 6.30	.5449	----	----	----	----	25 UNCH
4950	----	----	403.00B/378.00A	403.00B/378.00A	----	387.80 + 6.70	.5525	----	----	----	----	11 UNCH
4960	----	----	409.50B/383.70A	409.50B/383.70A	----	394.00 + 6.90	.5575	----	----	----	----	2 UNCH
5000	----	----	435.40B/408.50A	435.40B/408.50A	----	419.40 + 7.40	.5775	----	----	----	----	255 UNCH
5020	----	----	448.90B/421.20A	448.90B/421.20A	----	432.50 + 7.70	.5873	----	----	----	----	30 UNCH
5055	----	----	472.60B/443.80A	472.60B/443.80A	----	455.70 + 7.90	.6041	----	----	----	----	8 UNCH
5200	----	----	577.80B/544.80A	577.80B/544.80A	----	558.40 + 9.30	.6690	----	----	----	----	81 UNCH
5395	----	----	----	623.50B/812.50A	----	710.30 + 11.80	.7425	----	----	----	----	6 UNCH
5400	----	----	----	627.60B/816.50A	----	714.40 + 11.90	.7442	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
5760	----	----	----	941.20B/1126.60A	----	1025.60 + 15.80	.8393	----	----	----	----	1 UNCH
5975	----	----	----	1138.50B/1325.50A	----	1223.30 + 17.20	.8763	----	----	----	----	1 UNCH
6000	----	----	----	1161.90B/1349.10A	----	1246.70 + 17.40	.8798	----	----	----	----	1 UNCH
TOTAL										7		3147 + 3
DEC26												
1350	----	----	----	----/1.00A	----	0.10 UNCH	.0000	----	----	----	----	16 UNCH
1375	----	----	----	----/12.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1500	----	----	----	----/1.80A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
1600	----	----	----	0.20B/2.20A	----	0.20 - 0.10	.0004	----	----	----	----	190 UNCH
1700	----	----	----	0.20B/2.80A	----	0.40 UNCH	.0007	----	----	----	----	200 UNCH
1845	----	----	----	0.30B/3.60A	----	0.60 - 0.10	.0011	----	----	----	----	55 UNCH
1900	----	----	----	0.30B/3.90A	----	0.80 - 0.10	.0015	----	----	----	----	4 UNCH
2000	----	----	----	0.40B/4.30A	----	1.10 - 0.10	.0021	----	----	----	----	2 UNCH
2400	----	----	----	2.20B/3.50A	----	2.40 - 0.30	.0050	----	----	----	----	1 UNCH
2490	----	----	----	2.60B/4.00A	----	2.90 - 0.30	.0061	----	----	----	----	1 UNCH
2750	----	----	----	4.20B/5.90A	----	4.70 - 0.50	.0102	----	----	----	----	1 UNCH
2800	----	----	----	4.60B/6.40A	----	5.20 - 0.50	.0114	----	----	----	----	18 UNCH
2900	----	----	----	6.10B/7.60A	----	6.20 - 0.60	.0138	----	----	----	----	24 UNCH
2925	----	----	----	6.00B/7.90A	----	6.50 - 0.60	.0145	----	----	----	----	300 UNCH
2975	----	----	----	6.60B/8.60A	----	7.10 - 0.70	.0159	----	----	----	----	400 UNCH
3000	----	----	----	6.90B/8.90A	----	7.50 - 0.60	.0168	----	----	----	----	1356 UNCH
3160	----	----	----	10.00B/11.80A	----	10.20 - 0.80	.0233	----	----	----	----	2 UNCH
3175	----	----	----	10.20B/12.10A	----	10.60 - 0.80	.0241	----	----	----	----	1 UNCH
3250	12.50	12.50	12.50/12.50	12.50/12.50	----	12.40 - 0.90	.0283	----	----	2	----	20 + 2
3300	----	----	----	13.50B/15.30A	----	13.80 - 0.90	.0315	----	----	----	----	7 UNCH
3400	----	----	----	16.80B/18.70A	----	17.20 - 0.80	.0392	----	----	----	----	1251 UNCH
3425	----	----	----	17.80B/19.70A	----	18.30 - 0.70	.0415	----	----	----	----	350 UNCH
3450	----	----	----	18.90B/20.70A	----	19.40 - 0.60	.0439	----	----	----	----	201 UNCH
3460	----	----	----	19.40B/21.10A	----	19.80 - 0.60	.0448	----	----	----	----	20 UNCH
3475	----	----	----	20.00B/21.70A	----	20.50 - 0.50	.0464	----	----	----	----	152 UNCH
3500	----	----	----	21.10B/22.90A	----	21.70 - 0.40	.0490	----	----	----	----	1467 UNCH
3550	----	----	----	23.50B/25.50A	----	24.30 - 0.40	.0546	----	----	----	----	18 UNCH
3565	----	----	----	24.20B/26.30A	----	25.20 - 0.30	.0564	----	----	----	----	2 UNCH
3590	----	----	----	25.80B/27.70A	----	26.60 - 0.40	.0595	----	----	----	----	1 UNCH
3600	----	----	----	26.50B/28.30A	----	27.20 - 0.40	.0608	----	----	----	----	464 UNCH
3610	----	----	----	27.10B/28.90A	----	27.80 - 0.40	.0620	----	----	----	----	3 UNCH
3650	----	----	31.60B/----	31.60B/31.40A	----	30.40 - 0.50	.0675	----	----	----	----	201 UNCH
3660	----	----	32.40B/----	32.40B/32.10A	----	31.10 - 0.50	.0690	----	----	----	----	5 UNCH
3670	----	----	33.00B/----	33.00B/32.80A	----	31.80 - 0.60	.0704	----	----	----	----	1 UNCH
3690	----	----	34.70B/----	34.70B/34.20A	----	33.30 - 0.60	.0735	----	----	----	----	1 UNCH
3700	----	----	35.50B/----	35.50B/34.80A	----	34.10 - 0.60	.0751	----	----	----	----	279 UNCH
3710	----	----	36.20B/----	36.20B/35.60A	----	34.90 - 0.60	.0768	----	----	----	----	37 UNCH
3720	----	----	37.00B/----	37.00B/36.50A	----	35.70 - 0.60	.0784	----	----	----	----	1 UNCH
3725	----	----	37.40B/----	37.40B/36.80A	----	36.10 - 0.60	.0792	----	----	----	----	6 UNCH
3750	----	----	39.60B/----	39.60B/38.80A	----	38.20 - 0.60	.0835	----	----	----	----	166 UNCH
3760	----	----	40.50B/39.60A	40.50B/39.60A	----	39.10 - 0.60	.0853	----	----	----	----	184 UNCH
3780	----	----	42.40B/41.40A	42.40B/41.40A	----	41.00 - 0.60	.0890	----	----	----	----	1 UNCH
3800	----	----	44.40B/43.20A	44.40B/43.20A	----	42.90 - 0.60	.0928	----	----	----	----	149 UNCH
3810	----	----	45.40B/44.20A	45.40B/44.20A	----	43.90 - 0.60	.0947	----	----	----	----	56 UNCH
3850	----	----	49.90B/48.30A	49.90B/48.30A	----	48.20 - 0.40	.1030	----	----	----	----	24 UNCH
3880	----	----	53.30B/51.60A	53.30B/51.60A	----	51.60 - 0.40	.1095	----	----	----	----	1 UNCH
3900	----	----	55.70B/53.80A	55.70B/53.80A	----	54.00 - 0.30	.1140	----	----	----	----	1206 UNCH
3920	----	----	58.30B/56.20A	58.30B/56.20A	----	56.50 - 0.30	.1187	----	----	----	----	50 UNCH
3925	----	----	59.00B/56.80A	59.00B/56.80A	----	57.20 - 0.20	.1200	----	----	----	----	252 UNCH
3930	----	----	59.80B/57.40A	59.80B/57.40A	----	57.80 - 0.30	.1211	----	----	----	----	2 UNCH
3950	----	----	62.50B/60.00A	62.50B/60.00A	----	60.50 - 0.20	.1261	----	----	----	----	27 UNCH
3965	----	----	65.30B/61.90A	65.30B/61.90A	----	62.60 - 0.10	.1299	----	----	----	----	50 UNCH
3975	----	----	66.90B/63.30A	66.90B/63.30A	----	64.00 - 0.10	.1324	----	----	----	----	192 UNCH
3980	64.30	64.30	67.50B/64.00A	67.50B/64.00A	----	64.70 - 0.10	.1337	----	----	11	----	232 UNCH
4000	----	----	70.70B/66.80A	70.70B/66.80A	----	67.70 + 0.10	.1391	----	----	----	----	2156 UNCH
4025	----	----	74.70B/70.40A	74.70B/70.40A	----	71.60 + 0.20	.1460	----	----	----	----	220 UNCH
4050	----	----	78.70B/74.30A	78.70B/74.30A	----	75.60 + 0.20	.1531	----	----	----	----	202 UNCH
4070	----	----	82.80B/77.50A	82.80B/77.50A	----	79.00 + 0.30	.1590	----	----	----	----	8 UNCH
4090	----	----	85.70B/80.90A	85.70B/80.90A	----	82.60 + 0.50	.1651	----	----	----	----	1 UNCH
4100	----	----	88.20B/82.60A	88.20B/82.60A	----	84.40 + 0.50	.1682	----	----	----	----	386 UNCH
4130	----	----	94.00B/88.20A	94.00B/88.20A	----	90.00 + 0.60	.1776	----	----	----	----	2 UNCH
4150	----	----	97.90B/92.00A	97.90B/92.00A	----	94.00 + 0.80	.1842	----	----	----	----	21 UNCH
4160	----	----	99.90B/93.80A	99.90B/93.80A	----	96.10 + 0.90	.1876	----	----	----	----	252 UNCH
4170	----	----	102.90B/96.00A	102.90B/96.00A	----	98.10 + 0.90	.1909	----	----	----	----	2 UNCH
4175	----	----	103.20B/97.00A	103.20B/97.00A	----	99.20 + 0.90	.1927	----	----	----	----	60 UNCH
4200	----	----	109.90B/102.00A	109.90B/102.00A	----	104.60 + 1.10	.2014	----	----	----	----	1307 UNCH
4215	----	----	112.60B/105.50A	112.60B/105.50A	----	108.00 + 1.20	.2068	----	----	----	----	14 UNCH
4230	----	----	117.00B/108.80A	117.00B/108.80A	----	111.50 + 1.30	.2122	----	----	----	----	150 UNCH
4250	----	----	121.00B/113.20A	121.00B/113.20A	----	116.30 + 1.50	.2197	----	----	----	----	344 UNCH
4300	----	----	134.40B/125.50A	134.40B/125.50A	----	129.00 + 1.80	.2389	----	----	----	----	2342 UNCH
4320	----	----	140.20B/130.90A	140.20B/130.90A	----	134.40 + 1.90	.2468	----	----	----	----	100 UNCH
4325	----	----	141.50B/132.00A	141.50B/132.00A	----	135.80 + 2.00	.2489	----	----	----	----	544 UNCH
4340	----	----	145.70B/136.40A	145.70B/136.40A	----	140.00 + 2.10	.2550	----	----	----	----	82 UNCH
4350	----	----	148.70B/139.00A	148.70B/139.00A	----	142.90 + 2.20	.2591	----	----	----	----	151 UNCH
4365	----	----	153.50B/143.20A	153.50B/143.20A	----	147.30 + 2.30	.2653	----	----	----	----	390 UNCH
4375	----	----	156.30B/146.50A	156.30B/146.50A	----	150.30 + 2.40	.2695	----	----	----	----	2 UNCH
4385	----	----	159.60B/149.10A	159.60B/149.10A	----	153.30 + 2.40	.2738	----	----	----	----	75 UNCH
4390	----	----	161.20B/150.60A	161.20B/150.60A	----	154.90 + 2.50	.2759	----	----	----	----	200 UNCH
4400	----	----	164.60B/153.50A	164.60B/153.50A	----	158.00 + 2.60	.2802	----	----	----	----	290 UNCH
4425	----	----	173.30B/161.30A	173.30B/161.30A	----	165.90 + 2.70	.2911	----	----	----	----	9 UNCH
4430	----	----	174.30B/163.00A	174.30B/163.00A	----	167.60 + 2.80	.2933	----	----	----	----	10 UNCH
4435	----	----	176.00B/164.60A	176.00B/164.60A	----	169.20 + 2.80	.2955	----	----	----	----	14 UNCH
4450	----	----	181.30B/169.30A	181.30B/169.30A	----	174.20 + 2.90	.3021	----	----	----	----	260 UNCH
4475	----	----	190.50B/177.90A	190.50B/177.90A	----	182.90 + 3.20	.3134	----	----	----	----	8 UNCH
4500	----	----	199.50B/186.30A	199.50B/186.30A	----	191.80 + 3.30	.3248	----	----	----	----	1196 UNCH
4510	----	----	203.30B/190.60A	203.30B/190.60A	----	195.40 + 3.30	.3294	----	----	----	----	2 UNCH
4515	----	----	205.50B/191.90A	205.50B/191.90A	----	197.30 + 3.40	.3318	----	----	----	----	242 UNCH
4520	----	----	207.20B/193.70A	207.20B/193.70A	----	199.10 + 3.40	.3341	----	----	----	----	25 UNCH
4525	----	----	209.10B/195.40A	209.10B/195.40A	----	201.00 + 3.40	.3364	----	----	----	----	200 UNCH
4530	----	----	211.10B/197.20A	211.10B/197.20A	----	202.90 + 3.50	.3388	----	----	----	----	20 UNCH
4535	----	----	213.00B/199.20A	213.00B/199.20A	----	204.80 + 3.50	.3411	----	----	----	----	102 UNCH
4540	----	----	215.10B/201.40A	215.10B/201.40A	----	206.70 + 3.50	.3434	----	----	----	----	1 UNCH
4550	----	----	219.10B/204.80A	219.10B/204.80A	----	210.60 + 3.60	.3482	----	----	----	----	4 UNCH
4555	----	----	221.20B/206.70A	221.20B/206.70A	----	212.50 + 3.60	.3505	----	----	----	----	50 UNCH
4580	----	----	231.50B/216.60A	231.50B/216.60A	----	222.50 + 3.80	.3624	----	----	----	----	50 UNCH
4585	----	----	233.70B/218.30A	233.70B/218.30A	----	224.50 + 3.80	.3648	----	----	----	----	325 UNCH
4600	----	----	240.10B/224.30A	240.10B/224.30A	----	230.70 + 3.90	.3720	----	----	----	----	622 UNCH
4620	----	----	248.90B/232.70A	248.90B/232.70A	----	239.10 + 3.90	.3817	----	----	----	----	50 UNCH
4625	----	----	251.10B/234.80A	251.10B/234.80A	----	241.20 + 3.90	.3842	----	----	----	----	34 UNCH
4640	----	----	257.90B/241.40A	257.90B/241.40A	----	247.80 + 4.10	.3915	----	----	----	----	100 UNCH
4650	----	----	262.80B/245.70A	262.80B/245.70A	----	252.20 + 4.10	.3964	----	----	----	----	116 UNCH
4680	----	----	277.00B/258.80A	277.00B/258.80A	----	265.90 + 4.30	.4111	----	----	----	----	60 UNCH
4700	----	----	286.60B/267.70A	286.60B/267.70A	----	275.30 + 4.40	.4210	----	----	----	----	511 UNCH
4725	----	----	299.10B/279.80A	299.10B/279.80A	----	287.40 + 4.60	.4334	----	----	----	----	110 UNCH
4750	----	----	311.70B/291.90A	311.70B/291.90A	----	299.90 + 4.80	.4458	----	----	----	----	63 UNCH
4790	----	----	333.10B/312.00A	333.10B/312.00A	----	320.50 + 5.00	.4657	----	----	----	----	60 UNCH
4795	----	----	335.80B/314.50A	335.80B/314.50A	----	323.20 + 5.10	.4682	----	----	----	----	1 UNCH
4800	324.20	324.20	338.50B/316.70A	338.50B/316.70A	----	325.90 + 5.20	.4706	----	----	5	----	348 UNCH
4810	336.90	336.90	344.00B/322.20A	344.00B/322.20A	----	331.20 + 5.20	.4756	----	----	1	----	56 UNCH
4815	----	----	346.80B/324.80A	346.80B/324.80A	----	333.90 + 5.30	.4780	----	----	----	----	10 UNCH
4820	----	----	349.30B/327.60A	349.30B/327.60A	----	336.70 + 5.40	.4805	----	----	----	----	20 UNCH
4825	----	----	352.10B/330.00A	352.10B/330.00A	----	339.40 + 5.50	.4829	----	----	----	----	112 UNCH
4830	----	----	354.90B/332.90A	354.90B/332.90A	----	342.10 + 5.50	.4854	----	----	----	----	6 UNCH
4835	----	----	357.70B/335.60A	357.70B/335.60A	----	344.90 + 5.60	.4878	----	----	----	----	125 UNCH
4850	----	----	366.30B/343.70A	366.30B/343.70A	----	353.30 + 5.90	.4952	----	----	----	----	13 UNCH
4875	----	----	380.80B/357.60A	380.80B/357.60A	----	367.50 + 6.30	.5073	----	----	----	----	16 UNCH
4880	368.60	368.60	383.80B/360.80A	383.80B/360.80A	----	370.40 + 6.40	.5097	----	----	1	----	12 + 1
4900	----	----	395.70B/372.20A	395.70B/372.20A	----	382.10 + 6.80	.5193	----	----	----	----	110 UNCH
4925	----	----	410.90B/386.10A	410.90B/386.10A	----	396.90 + 7.00	.5312	----	----	----	----	237 UNCH
4930	----	----	414.00B/389.60A	414.00B/389.60A	----	399.90 + 7.10	.5336	----	----	----	----	1 UNCH
4935	----	----	417.10B/392.20A	417.10B/392.20A	----	402.90 + 7.10	.5360	----	----	----	----	2 UNCH
4940	----	----	420.20B/395.30A	420.20B/395.30A	----	406.00 + 7.20	.5384	----	----	----	----	29 UNCH
4950	----	----	426.50B/401.10A	426.50B/401.10A	----	412.10 + 7.30	.5430	----	----	----	----	24 UNCH
4975	----	----	442.40B/416.00A	442.40B/416.00A	----	427.50 + 7.50	.5547	----	----	----	----	43 UNCH
4980	----	----	445.60B/419.10A	445.60B/419.10A	----	430.60 + 7.50	.5570	----	----	----	----	5 UNCH
4995	----	----	455.30B/428.80A	455.30B/428.80A	----	440.10 + 7.70	.5640	----	----	----	----	32 UNCH
5000	----	----	458.60B/431.40A	458.60B/431.40A	----	443.30 + 7.70	.5662	----	----	----	----	445 UNCH
5020	----	----	471.60B/444.20A	471.60B/444.20A	----	456.10 + 7.80	.5754	----	----	----	----	8 UNCH
5025	----	----	475.00B/447.10A	475.00B/447.10A	----	459.40 + 7.90	.5776	----	----	----	----	210 UNCH
5035	----	----	481.60B/454.40A	481.60B/454.40A	----	465.90 + 8.00	.5821	----	----	----	----	8 UNCH
5050	----	----	491.70B/463.70A	491.70B/463.70A	----	475.70 + 8.10	.5888	----	----	----	----	201 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
5070	----	----	505.40B/476.10A	505.40B/476.10A	----	489.10 + 8.30	.5976	----	----	----	----	1 UNCH
5075	----	----	508.80B/479.90A	508.80B/479.90A	----	492.40 + 8.30	.5998	----	----	----	----	100 UNCH
5095	----	----	522.60B/493.10A	522.60B/493.10A	----	506.00 + 8.50	.6085	----	----	----	----	6 UNCH
5100	----	----	526.20B/496.60A	526.20B/496.60A	----	509.40 + 8.50	.6106	----	----	----	----	6 UNCH
5195	----	----	594.50B/563.50A	594.50B/563.50A	----	576.50 + 9.60	.6499	----	----	----	----	5 UNCH
5200	----	----	598.20B/567.10A	598.20B/567.10A	----	580.10 + 9.60	.6519	----	----	----	----	38 UNCH
5250	----	----	635.80B/603.30A	635.80B/603.30A	----	617.00 + 10.10	.6713	----	----	----	----	126 UNCH
5290	----	----	666.50B/633.10A	666.50B/633.10A	----	647.20 + 10.60	.6862	----	----	----	----	1 UNCH
5295	----	----	670.40B/636.80A	670.40B/636.80A	----	651.00 + 10.70	.6880	----	----	----	----	1 UNCH
5360	----	----	706.00B/686.10A	706.00B/686.10A	----	701.40 + 11.40	.7108	----	----	----	----	100 UNCH
5370	----	----	713.90B/693.90A	713.90B/693.90A	----	709.20 + 11.50	.7142	----	----	----	----	20 UNCH
5375	----	----	717.80B/698.10A	717.80B/698.10A	----	713.20 + 11.60	.7159	----	----	----	----	34 UNCH
5400	----	----	737.70B/721.10A	737.70B/721.10A	----	733.00 + 11.80	.7241	----	----	----	----	102 UNCH
5415	----	----	749.70B/----	749.70B/733.10A	----	745.10 + 12.10	.7291	----	----	----	----	4 UNCH
5460	----	----	786.20B/----	786.20B/769.10A	----	781.60 + 12.60	.7430	----	----	----	----	200 UNCH
5465	----	----	790.30B/----	790.30B/773.40A	----	785.70 + 12.60	.7446	----	----	----	----	50 UNCH
5480	----	----	802.60B/----	802.60B/785.40A	----	798.00 + 12.70	.7491	----	----	----	----	50 UNCH
5500	----	----	819.10B/----	819.10B/804.50A	----	814.50 + 12.90	.7549	----	----	----	----	31 UNCH
5525	----	----	839.90B/----	839.90B/822.70A	----	835.40 + 13.20	.7620	----	----	----	----	80 UNCH
5600	----	----	904.50B/----	904.50B/885.30A	----	899.00 + 13.80	.7820	----	----	----	----	252 UNCH
5900	----	----	1,167.60B/----	1167.60B/1153.90A	----	1165.00 + 16.10	.8451	----	----	----	----	125 UNCH
6000	----	----	1,258.40B/----	1258.40B/1245.00A	----	1256.90 + 16.80	.8610	----	----	----	----	40 UNCH
6500	----	----	1,728.20B/----	1728.20B/1720.10A	----	1731.50 + 19.40	.9144	----	----	----	----	4 UNCH
TOTAL										20		26647 + 3
JAN27												
2700	----	----	----	4.10B/6.40A	----	5.20 - 0.20	.0106	----	----	----	----	10 UNCH
2800	----	----	----	5.10B/*7.50A	----	6.10 - 0.20	.0126	----	----	----	----	10 UNCH
3000	----	----	----	8.10B/10.70A	----	9.40 - 0.40	.0195	----	----	----	----	16 UNCH
3500	----	----	----	23.90B/*27.90A	----	26.60 + 0.50	.0546	----	----	----	----	1 UNCH
3520	----	----	----	25.20B/29.00A	----	27.90 + 0.60	.0571	----	----	----	----	1 UNCH
3680	----	----	39.80B/----	39.80B/39.80A	----	39.30 + 0.30	.0787	----	----	----	----	1 UNCH
3800	----	----	51.70B/----	51.70B/50.90A	----	50.60 UNCH	.0992	----	----	----	----	1 UNCH
3825	----	----	54.60B/----	54.60B/53.80A	----	53.40 + 0.10	.1042	----	----	----	----	1 UNCH
3900	----	----	64.20B/62.30A	64.20B/62.30A	----	62.50 + 0.10	.1199	----	----	----	----	1 UNCH
3980	----	----	76.20B/73.40A	76.20B/73.40A	----	74.00 + 0.40	.1390	----	----	----	----	1 UNCH
4000	----	----	79.60B/76.30A	79.60B/76.30A	----	77.10 + 0.40	.1441	----	----	----	----	1 UNCH
4070	----	----	92.00B/87.90A	92.00B/87.90A	----	89.10 + 0.70	.1631	----	----	----	----	1 UNCH
4100	----	----	98.80B/93.50A	98.80B/93.50A	----	94.70 + 0.80	.1718	----	----	----	----	8 UNCH
4200	----	----	119.30B/113.60A	119.30B/113.60A	----	115.70 + 1.20	.2031	----	----	----	----	3 UNCH
4350	----	----	159.70B/151.80A	159.70B/151.80A	----	154.20 + 1.80	.2564	----	----	----	----	1 UNCH
4400	----	----	175.30B/166.60A	175.30B/166.60A	----	169.20 + 2.10	.2758	----	----	----	----	1 UNCH
4425	----	----	184.80B/174.20A	184.80B/174.20A	----	177.10 NEW	.2858	----	----	----	1500	1500 + 1500
4500	----	----	209.70B/199.00A	209.70B/199.00A	----	202.50 + 2.50	.3167	----	----	----	----	2 UNCH
4585	----	----	243.30B/230.60A	243.30B/230.60A	----	234.60 + 3.00	.3533	----	----	----	----	1 UNCH
4600	----	----	249.50B/236.60A	249.50B/236.60A	----	240.70 + 3.10	.3599	----	----	----	----	3 UNCH
4630	----	----	262.30B/249.00A	262.30B/249.00A	----	253.20 + 3.30	.3733	----	----	----	----	1 UNCH
4660	----	----	275.70B/261.40A	275.70B/261.40A	----	266.10 + 3.50	.3867	----	----	----	----	4 UNCH
4665	----	----	278.30B/264.20A	278.30B/264.20A	----	268.30 + 3.50	.3890	----	----	----	----	4 UNCH
4710	----	----	299.40B/283.60A	299.40B/283.60A	----	288.70 + 3.80	.4094	----	----	----	----	4 UNCH
4760	----	----	323.90B/306.50A	323.90B/306.50A	----	312.80 + 4.30	.4322	----	----	----	----	100 UNCH
4800	----	----	344.20B/326.20A	344.20B/326.20A	----	332.90 + 4.60	.4505	----	----	----	----	6 UNCH
4820	----	----	353.30B/336.30A	353.30B/336.30A	----	343.40 + 4.90	.4597	----	----	----	----	6 UNCH
4860	----	----	375.40B/359.50A	375.40B/359.50A	----	364.90 + 5.30	.4779	----	----	----	----	1 UNCH
4960	----	----	433.90B/415.40A	433.90B/415.40A	----	422.10 + 6.30	.5225	----	----	----	----	42 UNCH
4980	----	----	446.30B/427.10A	446.30B/427.10A	----	434.20 + 6.60	.5312	----	----	----	----	10 UNCH
4990	----	----	452.50B/433.10A	452.50B/433.10A	----	440.30 + 6.70	.5355	----	----	----	----	1 UNCH
4995	----	----	455.60B/436.00A	455.60B/436.00A	----	443.30 + 6.70	.5377	----	----	----	----	1 UNCH
5000	----	----	458.80B/439.00A	458.80B/439.00A	----	446.40 + 6.80	.5398	----	----	----	----	2 UNCH
5050	----	----	490.80B/469.70A	490.80B/469.70A	----	477.80 + 7.50	.5612	----	----	----	----	100 UNCH
5085	----	----	513.80B/491.80A	513.80B/491.80A	----	500.40 + 8.00	.5757	----	----	----	----	2 UNCH
5150	----	----	558.00B/534.30A	558.00B/534.30A	----	543.80 + 8.90	.6020	----	----	----	----	2 UNCH
5235	----	----	618.50B/592.50A	618.50B/592.50A	----	603.10 + 10.10	.6347	----	----	----	----	2 UNCH
5245	----	----	625.80B/599.70A	625.80B/599.70A	----	610.20 + 10.10	.6385	----	----	----	----	2 UNCH
5300	----	----	666.50B/638.80A	666.50B/638.80A	----	650.30 + 10.90	.6584	----	----	----	----	44 UNCH
TOTAL											1,500	1898 + 1500
FEB27												
2800	----	----	----	3.30B/9.20A	----	5.40 + 0.10	.0115	----	----	----	----	4 UNCH
4000	----	----	91.80B/----	91.80B/88.10A	----	88.40 + 0.30	.1537	----	----	----	----	1 UNCH
4070	----	----	105.60B/100.80A	105.60B/100.80A	----	101.40 + 0.50	.1728	----	----	----	----	2 UNCH
4200	----	----	134.40B/----	134.40B/128.70A	----	129.90 + 1.20	.2122	----	----	----	----	50 UNCH
4300	----	----	161.30B/----	161.30B/154.40A	----	156.00 + 1.70	.2461	----	----	----	----	1 UNCH
4500	----	----	227.50B/217.40A	227.50B/217.40A	----	220.60 + 2.80	.3220	----	----	----	----	1 UNCH
4600	----	----	267.60B/256.10A	267.60B/256.10A	----	259.90 + 3.60	.3631	----	----	----	----	17 UNCH
4650	----	----	290.20B/276.90A	290.20B/276.90A	----	281.50 + 4.20	.3843	----	----	----	----	1 UNCH
4655	----	----	291.80B/279.40A	291.80B/279.40A	----	283.70 + 4.20	.3864	----	----	----	----	1 UNCH
4660	----	----	294.10B/----	294.10B/282.00A	----	286.00 + 4.30	.3885	----	----	----	----	435 UNCH
4665	----	----	295.60B/283.60A	295.60B/283.60A	----	288.20 + 4.30	.3907	----	----	----	----	3 UNCH
4750	----	----	338.10B/321.30A	338.10B/321.30A	----	328.60 + 5.50	.4272	----	----	----	----	1 UNCH
4755	----	----	340.60B/323.70A	340.60B/323.70A	----	331.10 + 5.60	.4293	----	----	----	----	1 UNCH
4775	----	----	347.20B/333.60A	347.20B/333.60A	----	341.20 + 5.90	.4380	----	----	----	----	1 UNCH
4785	----	----	351.00B/338.30A	351.00B/338.30A	----	346.30 + 6.00	.4423	----	----	----	----	100 UNCH
4800	----	----	358.80B/345.70A	358.80B/345.70A	----	354.00 + 6.20	.4487	----	----	----	----	60 UNCH
4805	----	----	361.30B/348.30A	361.30B/348.30A	----	356.60 + 6.20	.4509	----	----	----	----	2 UNCH
4835	----	----	377.40B/----	377.40B/367.20A	----	372.50 + 6.60	.4638	----	----	----	----	1 UNCH
4840	----	----	380.10B/----	380.10B/369.80A	----	375.10 + 6.60	.4659	----	----	----	----	1 UNCH
4845	----	----	382.90B/----	382.90B/372.40A	----	377.80 + 6.60	.4681	----	----	----	----	2 UNCH
4850	----	----	385.50B/373.80A	385.50B/373.80A	----	380.50 + 6.60	.4702	----	----	----	----	1 UNCH
4855	----	----	388.20B/----	388.20B/376.50A	----	383.20 + 6.70	.4724	----	----	----	----	3 UNCH
4900	----	----	413.60B/----	413.60B/401.90A	----	408.00 + 6.90	.4915	----	----	----	----	4 UNCH
4905	----	----	416.40B/----	416.40B/404.70A	----	410.80 + 6.90	.4936	----	----	----	----	4 UNCH
4950	----	----	443.00B/----	443.00B/430.00A	----	436.60 + 7.00	.5125	----	----	----	----	1 UNCH
4955	----	----	446.00B/----	446.00B/432.90A	----	439.50 + 7.00	.5146	----	----	----	----	1 UNCH
5000	----	----	474.00B/----	474.00B/459.30A	----	466.30 + 7.10	.5332	----	----	----	----	10 UNCH
5005	----	----	476.70B/----	476.70B/462.20A	----	469.30 + 7.10	.5352	----	----	----	----	2 UNCH
5050	----	----	505.70B/489.60A	505.70B/489.60A	----	497.20 + 7.40	.5534	----	----	----	----	4 UNCH
5055	----	----	509.10B/492.70A	509.10B/492.70A	----	500.30 + 7.30	.5554	----	----	----	----	4 UNCH
5100	----	----	538.50B/521.10A	538.50B/521.10A	----	529.20 + 7.80	.5732	----	----	----	----	2 UNCH
5150	----	----	572.30B/553.60A	572.30B/553.60A	----	562.40 + 8.40	.5923	----	----	----	----	1 UNCH
5175	----	----	589.70B/570.20A	589.70B/570.20A	----	579.40 + 8.70	.6017	----	----	----	----	125 UNCH
5200	----	----	606.80B/587.10A	606.80B/587.10A	----	596.60 + 9.00	.6109	----	----	----	----	1 UNCH
5250	----	----	642.90B/621.50A	642.90B/621.50A	----	631.80 + 9.70	.6289	----	----	----	----	10 UNCH
5355	----	----	721.10B/----	721.10B/700.10A	----	708.50 + 11.00	.6646	----	----	----	----	1 UNCH
5520	----	----	826.60B/----	826.60B/826.00A	----	836.20 + 12.60	.7148	----	----	----	----	300 UNCH
5530	----	----	----	828.50B/833.80A	----	844.20 + 12.70	.7175	----	----	----	----	100 UNCH
5550	----	----	----	829.90B/849.70A	----	860.30 + 12.90	.7230	----	----	----	----	65 UNCH
5565	----	----	----	725.50B/1031.80A	----	872.40 + 13.00	.7272	----	----	----	----	50 UNCH
TOTAL												1374 0
MAR27												
3750	59.00	59.00	59.00/59.00	59.00/59.00	----	59.40 NEW	.1022	----	----	10	----	10 + 10
4000	99.70	99.70	99.90/99.60	99.90/95.40A	----	95.80 NEW	.1555	----	----	6	----	6 + 6
4070	----	----	111.20B/----	111.20B/108.80A	----	108.80 + 2.40	.1735	----	----	----	----	2 UNCH
4370	----	----	188.70B/----	188.70B/183.30A	----	183.40 + 3.30	.2663	----	----	----	----	250 UNCH
4525	----	----	243.40B/----	243.40B/235.00A	----	236.20 + 3.20	.3232	----	----	----	----	11 UNCH
4660	----	----	296.40B/----	296.40B/288.10A	----	291.00 + 3.30	.3762	----	----	----	----	24 UNCH
4750	----	----	343.60B/328.00A	343.60B/328.00A	----	332.10 + 3.80	.4125	----	----	----	----	15 UNCH
4810	----	----	366.20B/----	366.20B/357.10A	----	361.70 + 4.60	.4370	----	----	----	----	21 UNCH
4850	394.00	394.00	398.00/394.00	398.00/378.60A	----	382.30 NEW	.4533	----	----	4	----	4 + 4
4900	----	----	414.20B/----	414.20B/403.60A	----	409.10 + 6.00	.4736	----	----	----	----	2 UNCH
4905	----	----	417.00B/----	417.00B/407.00A	----	411.80 + 6.10	.4756	----	----	----	----	2 UNCH
5000	----	----	471.90B/----	471.90B/460.30A	----	466.10 + 7.90	.5133	----	----	----	----	75 UNCH
TOTAL										20		422 + 20
APR27												
4300	----	----	----	73.20B/261.00A	----	169.90 - 6.60	.2455	----	----	----	----	150 UNCH
4900	----	----	----	235.00B/645.40A	----	410.40 - 4.70	.4731	----	----	----	----	2 UNCH
4905	----	----	----	211.80B/649.00A	----	413.00 - 4.60	.4751	----	----	----	----	2 UNCH
5000	----	----	----	275.70B/711.70A	----	464.00 - 3.90	.5134	----	----	----	----	100 UNCH
5060	----	----	----	300.00B/769.90A	----	504.10 - 3.30	.5356	----	----	----	----	25 UNCH
5200	----	----	----	366.30B/886.10A	----	599.00 - 1.90	.5850	----	----	----	----	15 UNCH
TOTAL												294 0
JUN27												
3625	----	----	----	----	----	87.30 + 2.30	.1130	----	----	----	----	450 UNCH
4900	----	----	----	----	----	502.10 + 9.70	.4467	----	----	----	----	1 UNCH
4905	----	----	----	----	----	504.80 + 9.70	.4482	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 20

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN27												
5085	----	----	----	----	----	607.10 + 11.00	.5034	----	----	----	----	150 UNCH
TOTAL												602 0
DEC27												
3700	----	----	----	----	----	152.60 + 3.00	.1446	----	----	----	----	100 UNCH
3715	----	----	----	----	----	155.70 + 3.20	.1471	----	----	----	----	150 UNCH
3820	----	----	----	----	----	177.60 + 3.50	.1648	----	----	----	----	50 UNCH
4130	----	----	----	----	----	253.80 + 4.80	.2235	----	----	----	----	168 UNCH
4500	----	----	----	----	----	375.70 + 6.60	.3068	----	----	----	----	270 UNCH
4630	----	----	----	----	----	429.30 + 7.30	.3388	----	----	----	----	284 UNCH
4860	----	----	----	----	----	538.20 + 8.60	.3971	----	----	----	----	100 UNCH
5000	----	----	----	----	----	612.20 + 9.40	.4328	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1013.00 + 12.80	.5855	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1176.00 + 13.30	.6328	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	615.80 + 9.10	.4222	----	----	----	----	1 UNCH
5100	----	----	----	----	----	670.30 + 9.70	.4465	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
2000	----	----	----	----	----	2685.30 - 21.40	1.0000	5940	----	6345	----	557 + 135
2800	----	----	1,911.00B/1,870	1911.00B/1870.00A	----	1885.30 - 21.40	1.0000	2688	----	3188	----	500 UNCH
3000	----	----	1,710.20B/1,670	1710.20B/1670.30A	----	1685.30 - 21.40	1.0000	2745	----	2645	----	400 - 100
3400	----	----	1,310.30B/1,270	1310.30B/1270.30A	----	1285.30 - 21.40	.9996	1723	----	1723	----	615 UNCH
3500	----	----	1,208.40B/1,173	1208.40B/1173.10A	----	1185.30 - 21.40	.9995	30	----	30	----	30 UNCH
3525	----	----	----	----	----	1160.30 - 21.40	.9995	----	----	----	----	1 UNCH
3550	----	----	----	----	----	1135.30 - 21.40	.9989	----	----	----	----	1 UNCH
3580	----	----	----	----	----	1105.30 - 21.40	.9988	----	----	----	----	0 UNCH
3585	----	----	1,124.60B/1,087	1124.60B/1087.30A	----	1100.30 - 21.40	.9988	100	----	100	----	100 UNCH
3600	----	----	1,109.60B/1,072	1109.60B/1072.30A	----	1085.30 - 21.40	.9988	94	----	80	----	80 - 14
3635	----	----	1,073.20B/1,038	1073.20B/1038.10A	----	1050.30 - 21.40	.9987	10	----	5	----	50 - 10
3650	----	----	1,059.60B/1,022	1059.60B/1022.30A	----	1035.30 - 21.50	.9987	----	----	----	----	89 UNCH
3665	----	----	1,043.30B/1,008	1043.30B/1008.10A	----	1020.30 - 21.50	.9981	3	----	----	----	0 - 3
3700	----	----	1,011.00B/970.4	1011.00B/970.40A	----	985.30 - 21.50	.9980	270	----	255	----	269 - 36
3715	----	----	993.30B/958.10A	993.30B/958.10A	----	970.30 - 21.50	.9980	----	----	----	----	25 UNCH
3725	----	----	983.30B/948.10A	983.30B/948.10A	----	960.40 - 21.50	.9980	55	----	----	----	5 - 55
3750	----	----	959.40B/920.30A	959.40B/920.30A	----	935.40 - 21.50	.9973	10	----	----	----	1051 - 10
3755	----	----	953.40B/918.10A	953.40B/918.10A	----	930.40 - 21.50	.9973	----	----	----	----	15 UNCH
3785	----	----	924.80B/887.40A	924.80B/887.40A	----	900.40 - 21.60	.9972	161	----	----	----	9 - 161
3790	----	----	----	----	----	895.40 - 21.60	.9972	----	----	----	----	1 UNCH
3800	----	----	910.50B/870.50A	910.50B/870.50A	----	885.50 - 21.50	.9966	23	----	----	----	519 - 23
3835	----	----	----	----	----	850.50 - 21.60	.9964	----	----	----	----	1 UNCH
3840	----	----	868.60B/833.20A	868.60B/833.20A	----	845.50 - 21.60	.9958	20	----	----	----	1 - 20
3850	----	----	861.20B/820.10A	861.20B/820.10A	----	835.50 - 21.60	.9958	32	----	----	----	290 - 32
3875	----	----	833.70B/798.30A	833.70B/798.30A	----	810.60 - 21.60	.9957	----	----	----	----	60 UNCH
3895	----	----	----	----	----	790.60 - 21.60	.9955	----	----	----	----	1 UNCH
3900	----	----	811.30B/770.20A	811.30B/770.20A	----	785.60 - 21.60	.9955	----	----	----	----	363 UNCH
3925	----	----	783.80B/748.40A	783.80B/748.40A	----	760.60 - 21.70	.9954	----	----	----	----	4 UNCH
3950	----	----	758.90B/723.40A	758.90B/723.40A	----	735.70 - 21.70	.9946	----	----	----	----	14 UNCH
3975	----	----	735.20B/697.80A	735.20B/697.80A	----	710.70 - 21.80	.9944	----	----	----	----	106 UNCH
3990	----	----	----	----	----	695.80 - 21.70	.9936	----	----	----	----	1 UNCH
3995	----	----	714.00B/678.50A	714.00B/678.50A	----	690.80 - 21.70	.9936	----	----	----	----	5 UNCH
4000	----	----	711.00B/670.90A	711.00B/670.90A	----	685.80 - 21.70	.9936	----	----	----	----	859 UNCH
4005	----	----	704.00B/668.60A	704.00B/668.60A	----	680.80 - 21.70	.9935	----	----	----	----	10 UNCH
4010	----	----	----	----	----	675.80 - 21.70	.9935	----	----	----	----	1 UNCH
4020	----	----	----	----	----	665.80 - 21.70	.9934	----	----	----	----	2 UNCH
4025	----	----	684.10B/648.60A	684.10B/648.60A	----	660.80 - 21.80	.9933	----	----	----	----	51 UNCH
4030	----	----	----	----	----	655.80 - 21.80	.9926	----	----	----	----	1 UNCH
4040	----	----	----	----	----	645.90 - 21.70	.9925	----	----	----	----	1 UNCH
4050	----	----	660.50B/623.00A	660.50B/623.00A	----	635.90 - 21.80	.9924	----	----	----	----	184 UNCH
4060	----	----	649.30B/613.80A	649.30B/613.80A	----	625.90 - 21.80	.9916	----	----	----	----	25 UNCH
4070	----	----	639.30B/603.80A	639.30B/603.80A	----	616.00 - 21.80	.9915	----	----	----	----	10 UNCH
4075	----	----	634.40B/598.80A	634.40B/598.80A	----	611.00 - 21.80	.9914	----	----	----	----	64 UNCH
4090	----	----	619.40B/583.90A	619.40B/583.90A	----	596.10 - 21.80	.9906	----	----	----	----	34 UNCH
4100	----	----	611.10B/571.30A	611.10B/571.30A	----	586.10 - 21.80	.9904	----	----	----	----	682 UNCH
4105	----	----	604.50B/569.00A	604.50B/569.00A	----	581.20 - 21.80	.9897	----	----	----	----	50 UNCH
4110	----	----	----	----	----	576.20 - 21.80	.9896	----	----	----	----	2 UNCH
4115	----	----	594.60B/559.00A	594.60B/559.00A	----	571.20 - 21.90	.9895	----	----	----	----	5 UNCH
4125	----	----	585.90B/548.40A	585.90B/548.40A	----	561.30 - 21.80	.9887	----	----	----	----	95 UNCH
4135	----	----	574.70B/539.10A	574.70B/539.10A	----	551.30 - 21.90	.9885	----	----	----	----	16 UNCH
4150	----	----	562.40B/521.40A	562.40B/521.40A	----	536.40 - 21.90	.9875	----	----	----	----	263 UNCH
4155	----	----	554.80B/519.30A	554.80B/519.30A	----	531.40 - 21.90	.9874	----	----	----	----	5 UNCH
4170	----	----	540.00B/504.40A	540.00B/504.40A	----	516.50 - 22.00	.9863	----	----	----	----	51 UNCH
4175	----	----	535.00B/499.40A	535.00B/499.40A	----	511.60 - 21.90	.9855	----	----	----	----	61 UNCH
4195	----	----	----	----	----	491.70 - 22.00	.9843	----	----	----	----	1 UNCH
4200	----	----	512.80B/471.90A	512.80B/471.90A	----	486.80 - 21.90	.9842	----	----	----	----	2052 UNCH
4210	----	----	502.20B/462.00A	502.20B/462.00A	----	476.90 - 21.90	.9832	----	----	----	----	1534 UNCH
4220	----	----	491.70B/454.20A	491.70B/454.20A	----	467.00 - 22.00	.9821	----	----	----	----	84 UNCH
4225	----	----	485.50B/449.90A	485.50B/449.90A	----	462.00 - 22.00	.9812	----	----	----	----	15 UNCH
4235	----	----	475.60B/440.10A	475.60B/440.10A	----	452.10 - 22.00	.9802	----	----	----	----	6 UNCH
4240	----	----	470.60B/435.10A	470.60B/435.10A	----	447.20 - 22.00	.9800	----	----	----	----	53 UNCH
4245	----	----	467.40B/427.40A	467.40B/427.40A	----	442.20 - 22.10	.9791	----	----	----	----	263 UNCH
4250	----	----	461.20B/422.70A	461.20B/422.70A	----	437.30 - 22.00	.9789	----	----	----	----	921 UNCH
4255	----	----	455.80B/420.40A	455.80B/420.40A	----	432.30 - 22.10	.9779	----	----	----	----	6 UNCH
4260	----	----	----	----	----	427.40 - 22.10	.9777	----	----	----	----	1 UNCH
4265	----	----	447.20B/409.80A	447.20B/409.80A	----	422.50 - 22.00	.9768	----	----	----	----	87 UNCH
4270	----	----	441.00B/405.60A	441.00B/405.60A	----	417.50 - 22.10	.9758	----	----	----	----	11 UNCH
4280	----	----	----	----	----	407.70 - 22.10	.9746	----	----	----	----	1 UNCH
4285	----	----	----	----	----	402.80 - 22.10	.9736	----	----	----	----	1 UNCH
4300	----	----	413.40B/354.40A	413.40B/354.40A	----	388.00 - 22.20	.9713	----	----	----	----	2169 UNCH
4305	----	----	412.70B/349.50A	412.70B/349.50A	----	383.10 - 22.20	.9702	----	----	----	----	1 UNCH
4310	----	----	416.80B/344.70A	416.80B/344.70A	----	378.20 - 22.20	.9692	----	----	----	----	23 UNCH
4315	----	----	411.90B/339.90A	411.90B/339.90A	----	373.30 - 22.30	.9681	----	----	----	----	1 UNCH
4320	----	----	407.00B/335.00A	407.00B/335.00A	----	368.40 - 22.30	.9670	----	----	----	----	62 UNCH
4325	----	----	402.10B/330.10A	402.10B/330.10A	----	363.50 - 22.30	.9659	----	----	----	----	73 UNCH
4335	----	----	392.40B/320.50A	392.40B/320.50A	----	353.80 - 22.30	.9629	----	----	----	----	13 UNCH
4340	----	----	387.50B/315.70A	387.50B/315.70A	----	348.90 - 22.40	.9618	----	----	----	----	17 UNCH
4345	----	----	382.60B/310.90A	382.60B/310.90A	----	344.10 - 22.40	.9599	----	----	----	----	2 UNCH
4350	----	----	377.80B/306.10A	377.80B/306.10A	----	339.20 - 22.40	.9587	----	----	----	----	1457 UNCH
4355	----	----	372.90B/301.30A	372.90B/301.30A	----	334.40 - 22.40	.9575	----	----	----	----	129 UNCH
4360	----	----	368.10B/296.50A	368.10B/296.50A	----	329.50 - 22.50	.9556	----	----	----	----	42 UNCH
4365	----	----	363.20B/291.80A	363.20B/291.80A	----	324.70 - 22.50	.9536	----	----	----	----	4 UNCH
4370	----	----	358.40B/287.00A	358.40B/287.00A	----	319.80 - 22.60	.9523	----	----	----	----	3 UNCH
4375	----	----	353.50B/282.30A	353.50B/282.30A	----	315.00 - 22.60	.9503	----	----	----	----	106 UNCH
4380	----	----	348.80B/277.50A	348.80B/277.50A	----	310.20 - 22.60	.9483	----	----	----	----	341 UNCH
4385	----	----	343.90B/272.80A	343.90B/272.80A	----	305.40 - 22.60	.9462	----	----	----	----	3 UNCH
4390	----	----	339.20B/268.20A	339.20B/268.20A	----	300.60 - 22.60	.9441	----	----	----	----	16 UNCH
4395	----	----	334.30B/263.40A	334.30B/263.40A	----	295.80 - 22.60	.9420	----	----	----	----	10 UNCH
4400	----	----	329.60B/258.80A	329.60B/258.80A	----	291.10 - 22.50	.9399	----	----	----	----	1468 UNCH
4410	----	----	320.00B/249.50A	320.00B/249.50A	----	281.50 - 22.60	.9348	----	----	----	----	39 UNCH
4415	----	----	315.30B/244.90A	315.30B/244.90A	----	276.80 - 22.60	.9319	----	----	----	----	176 UNCH
4420	----	----	310.40B/240.30A	310.40B/240.30A	----	272.10 - 22.60	.9296	----	----	----	----	3 UNCH
4425	----	----	305.80B/235.70A	305.80B/235.70A	----	267.40 - 22.60	.9266	----	----	----	----	274 UNCH
4430	----	----	301.10B/231.20A	301.10B/231.20A	----	262.70 - 22.70	.9236	----	----	----	----	24 UNCH
4435	----	----	296.40B/226.70A	296.40B/226.70A	----	258.00 - 22.70	.9198	----	----	----	----	21 UNCH
4440	----	----	291.70B/222.10A	291.70B/222.10A	----	253.40 - 22.70	.9167	----	----	----	----	20 UNCH
4445	----	----	286.90B/217.60A	286.90B/217.60A	----	248.70 - 22.80	.9129	----	----	----	----	5 UNCH
4450	----	----	282.30B/213.20A	282.30B/213.20A	----	244.10 - 22.80	.9097	----	----	----	----	485 UNCH
4455	----	----	277.60B/208.80A	277.60B/208.80A	----	239.50 - 22.80	.9059	----	----	----	----	6 UNCH
4460	----	----	273.10B/204.40A	273.10B/204.40A	----	234.90 - 22.90	.9013	----	----	----	----	20 UNCH
4465	----	----	268.60B/200.00A	268.60B/200.00A	----	230.40 - 22.80	.8974	----	----	----	----	28 UNCH
4470	----	----	263.90B/195.70A	263.90B/195.70A	----	225.90 - 22.80	.8928	----	----	----	----	24 UNCH
4475	----	----	259.30B/191.30A	259.30B/191.30A	----	221.40 - 22.90	.8881	----	----	----	----	22 UNCH
4480	----	----	254.70B/187.10A	254.70B/187.10A	----	216.90 - 22.90	.8834	----	----	----	----	59 UNCH
4485	----	----	250.10B/182.80A	250.10B/182.80A	----	212.40 - 23.00	.8786	----	----	----	----	11 UNCH
4490	----	----	245.70B/178.60A	245.70B/178.60A	----	208.00 - 23.00	.8732	----	----	----	----	81 UNCH
4495	----	----	241.10B/174.40A	241.10B/174.40A	----	203.60 - 23.00	.8678	----	----	----	----	12 UNCH
4500	----	----	236.80B/170.30A	236.80B/170.30A	----	199.20 - 23.00	.8623	----	----	----	----	6146 UNCH
4505	----	----	232.30B/166.10A	232.30B/166.10A	----	194.90 - 23.00	.8563	----	----	----	----	53 UNCH
4510	----	----	228.00B/162.10A	228.00B/162.10A	----	190.60 - 23.00	.8501	----	----	----	----	1475 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4515	----	----	223.50B/158.10A	223.50B/158.10A	----	186.30 - 23.00	.8440	----	----	----	----	99 UNCH
4520	----	----	219.20B/154.10A	219.20B/154.10A	----	182.10 - 23.00	.8372	----	----	----	----	92 UNCH
4525	----	----	214.80B/150.10A	214.80B/150.10A	----	177.90 - 23.00	.8304	----	----	----	----	414 UNCH
4530	----	----	210.50B/146.20A	210.50B/146.20A	----	173.70 - 23.00	.8236	----	----	----	----	125 UNCH
4535	----	----	206.20B/142.40A	206.20B/142.40A	----	169.60 - 23.00	.8162	----	----	----	----	104 UNCH
4540	----	----	202.00B/138.60A	202.00B/138.60A	----	165.50 - 23.00	.8088	----	----	----	----	114 UNCH
4545	----	----	197.80B/134.80A	197.80B/134.80A	----	161.50 - 22.90	.8013	----	----	----	----	33 UNCH
4550	----	----	193.60B/131.10A	193.60B/131.10A	----	157.50 - 22.90	.7934	----	----	----	----	342 UNCH
4555	----	----	189.50B/127.50A	189.50B/127.50A	----	153.50 - 22.90	.7853	----	----	----	----	29 UNCH
4560	----	----	185.40B/123.90A	185.40B/123.90A	----	149.60 - 22.80	.7769	----	----	----	----	174 UNCH
4565	----	----	181.40B/120.30A	181.40B/120.30A	----	145.70 - 22.80	.7683	----	----	----	----	106 UNCH
4570	----	----	177.30B/116.80A	177.30B/116.80A	----	141.90 - 22.70	.7593	----	----	----	----	70 UNCH
4575	----	----	173.40B/113.40A	173.40B/113.40A	----	138.10 - 22.70	.7503	----	----	----	----	86 UNCH
4580	----	----	169.40B/110.00A	169.40B/110.00A	----	134.40 - 22.60	.7409	----	----	----	----	43 UNCH
4585	----	----	165.40B/106.70A	165.40B/106.70A	----	130.70 - 22.60	.7314	----	----	----	----	245 UNCH
4590	----	----	161.70B/103.40A	161.70B/103.40A	----	127.00 - 22.60	.7219	----	----	----	----	231 UNCH
4595	----	----	157.90B/100.20A	157.90B/100.20A	----	123.40 - 22.60	.7120	----	----	----	----	40 UNCH
4600	----	----	154.00B/97.10A	154.00B/97.10A	----	119.90 - 22.50	.7018	----	----	----	----	5722 UNCH
4605	----	----	150.40B/94.00A	150.40B/94.00A	----	116.40 - 22.50	.6915	----	----	----	----	156 UNCH
4610	----	----	146.70B/90.90A	146.70B/90.90A	----	113.00 - 22.40	.6809	----	----	----	----	122 UNCH
4615	----	----	142.90B/87.90A	142.90B/87.90A	----	109.60 - 22.30	.6703	----	----	----	----	55 UNCH
4620	125.10	125.10	139.50B/85.00A	139.50B/85.00A	----	106.30 - 22.20	.6594	----	----	8	----	90 + 8
4625	----	----	136.00B/82.30A	136.00B/82.30A	----	103.10 - 22.10	.6483	----	----	----	----	268 UNCH
4630	----	----	132.40B/79.40A	132.40B/79.40A	----	99.90 - 22.00	.6371	----	----	----	----	29 UNCH
4635	83.30	83.30	129.00B/76.70A	129.00B/76.70A	----	96.80 - 21.90	.6259	----	----	1	----	105 UNCH
4640	----	----	125.60B/74.20A	125.60B/74.20A	----	93.70 - 21.80	.6143	----	----	----	----	37 UNCH
4645	74.00	74.00	122.30B/71.60A	122.30B/71.60A	----	90.70 - 21.60	.6029	----	----	1	----	23 + 1
4650	120.00	120.00	120.00/69.10A	120.00/69.10A	----	87.80 - 21.50	.5911	----	----	20	----	2108 + 2
4655	----	----	115.70B/66.50A	115.70B/66.50A	----	84.90 - 21.30	.5794	----	----	----	----	73 UNCH
4660	----	----	112.90B/64.20A	112.90B/64.20A	----	82.10 - 21.20	.5675	----	----	----	----	94 UNCH
4665	----	----	109.50B/61.80A	109.50B/61.80A	----	79.30 - 21.00	.5556	----	----	----	----	81 UNCH
4670	----	----	106.30B/59.60A	106.30B/59.60A	----	76.60 - 20.90	.5437	----	----	----	----	166 UNCH
4675	----	----	103.30B/57.40A	103.30B/57.40A	----	74.00 - 20.60	.5316	----	----	24	----	503 - 14
4680	64.60	64.60	100.60B/55.40A	100.60B/55.40A	----	71.40 - 20.50	.5196	----	----	31	----	227 - 3
4685	63.20	63.20	97.80B/53.30A	97.80B/53.30A	----	69.00 - 20.20	.5076	----	----	38	----	51 - 11
4690	73.80	73.80	94.90B/51.30A	94.90B/51.30A	----	66.50 - 20.00	.4955	----	----	2	50	163 - 49
4695	76.20	76.20	92.20B/49.20A	92.20B/49.20A	----	64.20 - 19.80	.4836	----	----	6	----	73 + 1
4700	82.00	82.00	89.40B/47.40A	89.40B/47.40A	----	61.90 - 19.50	.4716	----	----	437	----	3610 + 169
4705	75.20	75.20	86.80B/45.60A	86.80B/45.60A	----	59.60 - 19.40	.4597	----	----	24	----	71 + 22
4710	74.50	74.50	84.20B/43.90A	84.20B/43.90A	----	57.50 - 19.00	.4479	----	----	1	----	83 UNCH
4715	68.00	68.00	81.70B/42.10A	81.70B/42.10A	----	55.40 - 18.80	.4361	----	----	7	----	59 + 5
4720	66.70	66.70	79.30B/40.50A	79.30B/40.50A	----	53.30 - 18.60	.4244	----	----	4	----	336 + 2
4725	65.00	65.00	77.00B/38.90A	77.00B/38.90A	----	51.30 - 18.30	.4128	----	----	25	----	406 - 6
4730	60.00	60.00	74.50B/37.30A	74.50B/37.30A	----	49.40 - 18.00	.4014	----	----	1	----	80 UNCH
4735	----	----	72.20B/35.90A	72.20B/35.90A	----	47.50 - 17.80	.3900	----	----	----	----	290 UNCH
4740	----	----	69.90B/34.40A	69.90B/34.40A	----	45.70 - 17.50	.3788	----	----	3	----	70 UNCH
4745	35.30	35.30	67.80B/33.10A	67.80B/33.10A	----	44.00 - 17.20	.3678	----	----	10	----	74 - 10
4750	60.40	60.40	65.60B/31.70A	65.60B/31.70A	----	42.30 - 16.90	.3569	----	----	441	----	2572 - 57
4755	46.00	46.00	63.60B/30.50A	63.60B/30.50A	----	40.70 - 16.60	.3463	----	----	2	----	116 UNCH
4760	----	----	61.40B/*29.20A	61.40B/*29.20A	----	39.10 - 16.40	.3357	----	----	----	----	113 UNCH
4765	39.90	39.90	59.60B/*28.00A	59.60B/*28.00A	----	37.60 - 16.10	.3254	----	----	3	----	82 - 2
4770	39.00	39.00	57.50B/*26.90A	57.50B/*26.90A	----	36.10 - 15.80	.3152	----	----	2	----	142 - 1
4775	37.00	37.00	55.80B/*25.80A	55.80B/*25.80A	----	34.70 - 15.50	.3053	----	----	9	----	270 - 1
4780	41.50	41.50	53.90B/*24.70A	53.90B/*24.70A	----	33.30 - 15.20	.2954	----	----	6	----	152 - 1
4785	38.40	38.40	52.10B/*23.80A	52.10B/*23.80A	----	32.00 - 14.90	.2859	----	----	27	----	70 + 19
4790	33.40	33.40	50.50B/*22.80A	50.50B/*22.80A	----	30.70 - 14.60	.2764	----	----	9	----	113 + 5
4795	----	----	48.70B/*21.90A	48.70B/*21.90A	----	29.50 - 14.30	.2674	----	----	----	----	73 UNCH
4800	39.00	39.00	47.00B/21.00A	47.00B/21.00A	----	28.30 - 14.00	.2583	----	----	1021	----	7482 - 259
4805	27.90	27.90	45.50B/*20.10A	45.50B/*20.10A	----	27.20 - 13.70	.2498	----	----	6	----	42 UNCH
4810	27.40	27.40	43.90B/*19.30A	43.90B/*19.30A	----	26.10 - 13.40	.2412	----	----	3	----	60 - 3
4815	37.60	37.60	42.40B/*18.50A	42.40B/*18.50A	----	25.00 - 13.20	.2327	----	----	53	----	65 - 30
4820	26.40	26.40	41.00B/*17.70A	41.00B/*17.70A	----	24.00 - 12.90	.2247	----	----	6	----	335 UNCH
4825	26.80	26.80	39.60B/*17.00A	39.60B/*17.00A	----	23.00 - 12.60	.2167	----	----	8	----	724 + 1
4830	21.30	21.30	38.20B/*16.30A	38.20B/*16.30A	----	22.10 - 12.30	.2093	----	----	2	----	295 + 1
4835	22.60	22.60	36.90B/*15.60A	36.90B/*15.60A	----	21.20 - 12.00	.2018	----	----	22	----	40 + 21
4840	22.80	22.80	35.70B/*15.00A	35.70B/*15.00A	----	20.30 - 11.80	.1944	----	----	5	----	168 + 2
4845	23.50	23.50	34.30B/*14.40A	34.30B/*14.40A	----	19.50 - 11.50	.1876	----	----	3	----	53 - 3
4850	28.50	28.50	33.20B/*13.80A	33.20B/*13.80A	----	18.70 - 11.20	.1808	----	----	91	----	2179 + 17
4855	22.00	22.00	32.10B/*13.30A	32.10B/*13.30A	----	17.90 - 11.00	.1740	----	----	7	----	441 UNCH
4860	17.70	17.70	30.90B/*12.80A	30.90B/*12.80A	----	17.20 - 10.70	.1678	----	----	3	----	206 - 1
4865	17.30	17.30	30.00B/*12.20A	30.00B/*12.20A	----	16.50 - 10.40	.1617	----	----	6	----	83 + 3
4870	18.10	18.10	28.90B/*11.80A	28.90B/*11.80A	----	15.80 - 10.20	.1555	----	----	5	----	60 - 1
4875	24.50	24.50	27.90B/*11.30A	27.90B/*11.30A	----	15.10 - 10.00	.1495	----	----	12	----	358 + 2
4880	17.90	17.90	26.90B/*10.90A	26.90B/*10.90A	----	14.50 - 9.70	.1440	----	----	15	----	100 + 7
4885	16.10	16.10	25.90B/*10.40A	25.90B/*10.40A	----	13.90 - 9.50	.1385	----	----	6	----	216 + 1
4890	----	----	25.00B/*10.00A	25.00B/*10.00A	----	13.30 - 9.20	.1331	----	----	----	----	420 + 135
4895	13.00	13.00	24.30B/*9.60A	24.30B/*9.60A	----	12.80 - 9.00	.1284	----	----	49	----	305 + 46
4900	18.40	18.40	23.40B/9.00	23.40B/9.00	----	12.30 - 8.70	.1237	----	----	552	300	6841 + 23
4905	13.40	13.40	22.60B/*8.90A	22.60B/*8.90A	----	11.80 - 8.50	.1190	----	----	2	----	47 - 2
4910	----	----	21.80B/*8.60A	21.80B/*8.60A	----	11.30 - 8.20	.1143	----	----	5	----	79 UNCH
4915	12.90	12.90	21.00B/*8.20A	21.00B/*8.20A	----	10.80 - 8.10	.1097	----	----	5	----	327 - 3
4920	12.70	12.70	20.30B/*7.90A	20.30B/*7.90A	----	10.30 - 7.90	.1051	----	----	6	----	250 UNCH
4925	9.10	9.10	19.60B/*7.60A	19.60B/*7.60A	----	9.90 - 7.70	.1012	----	----	30	----	231 UNCH
4930	15.80	15.80	19.00B/*7.40A	19.00B/*7.40A	----	9.50 - 7.50	.0973	----	----	292	----	261 + 18
4935	15.20	15.20	18.30B/*7.10A	18.30B/*7.10A	----	9.10 - 7.30	.0935	----	----	32	----	119 + 7
4940	13.90	13.90	17.70B/*6.80A	17.70B/*6.80A	----	8.70 - 7.10	.0896	----	----	46	----	802 - 4
4945	10.70	10.70	17.10B/*6.60A	17.10B/*6.60A	----	8.40 - 6.90	.0865	----	----	9	----	382 + 5
4950	13.70	13.70	16.50B/*6.20	16.50B/*6.20	----	8.00 - 6.80	.0828	----	----	68	----	2144 UNCH
4955	13.30	13.30	16.00B/*6.10A	16.00B/*6.10A	----	7.70 - 6.60	.0797	----	----	21	----	147 + 7
4960	9.90	9.90	15.40B/*5.90A	15.40B/*5.90A	----	7.40 - 6.40	.0767	----	----	6	----	399 + 6
4965	8.80	8.80	14.90B/*5.70A	14.90B/*5.70A	----	7.10 - 6.20	.0737	----	----	7	----	146 - 3
4970	12.20	12.20	14.40B/*5.50A	14.40B/*5.50A	----	6.80 - 6.10	.0707	----	----	5	----	205 - 1
4975	----	----	13.90B/*5.30A	13.90B/*5.30A	----	6.50 - 6.00	.0677	----	----	250	250	512 + 153
4980	6.10	6.10	13.40B/*5.20A	13.40B/*5.20A	----	6.20 - 5.90	.0648	----	----	5	----	230 - 1
4985	10.70	10.70	13.00B/*5.00A	13.00B/*5.00A	----	6.00 - 5.70	.0626	----	----	2	----	189 UNCH
4990	7.00	7.00	12.50B/*4.80A	12.50B/*4.80A	----	5.70 - 5.60	.0597	----	----	23	----	912 - 23
4995	10.40	10.40	12.10B/*4.70A	12.10B/*4.70A	----	5.50 - 5.40	.0576	----	----	17	----	156 - 4
5000	9.30	9.30	11.70B/*4.40A	11.70B/*4.40A	----	5.30 - 5.30	.0555	----	----	1550	----	8016 - 315
5005	----	----	11.30B/*4.40A	11.30B/*4.40A	----	5.10 - 5.20	.0534	----	----	----	----	341 UNCH
5010	7.30	7.30	10.90B/*4.20A	10.90B/*4.20A	----	4.90 - 5.00	.0513	----	----	7	----	206 - 5
5015	6.20	6.20	10.60B/*4.10A	10.60B/*4.10A	----	4.70 - 4.90	.0493	----	----	3	----	130 - 3
5020	6.00	6.00	10.20B/*4.00	10.20B/*4.00	----	4.50 - 4.80	.0472	----	----	114	----	567 + 105
5025	7.30	7.30	9.90B/*3.80A	9.90B/*3.80A	----	4.30 - 4.80	.0452	----	----	44	----	172 + 3
5030	4.20	4.20	9.50B/*3.70A	9.50B/*3.70A	----	4.10 - 4.70	.0432	----	----	1	----	179 UNCH
5035	6.10	6.10	9.20B/*3.60A	9.20B/*3.60A	----	4.00 - 4.50	.0420	----	----	10	----	75 + 1
5040	----	----	8.90B/*3.50A	8.90B/*3.50A	----	3.80 - 4.50	.0400	----	----	----	----	272 UNCH
5045	4.70	4.70	8.60B/*3.40A	8.60B/*3.40A	----	3.70 - 4.30	.0388	----	----	4	----	181 + 1
5050	6.50	6.50	8.30B/*3.30A	8.30B/*3.30A	----	3.50 - 4.30	.0369	----	----	63	----	1392 + 40
5055	5.40	5.40	8.00B/*3.20A	8.00B/*3.20A	----	3.40 - 4.20	.0357	----	----	6	----	64 - 4
5060	4.80	4.80	7.80B/*3.10A	7.80B/*3.10A	----	3.30 - 4.00	.0346	----	----	18	----	141 + 7
5065	----	----	7.50B/*3.00A	7.50B/*3.00A	----	3.10 - 4.00	.0326	----	----	----	----	36 UNCH
5070	4.50	4.50	7.30B/*2.90A	7.30B/*2.90A	----	3.00 - 3.90	.0315	----	----	4	----	147 UNCH
5075	3.40	3.40	7.10B/*2.80A	7.10B/*2.80A	----	2.90 - 3.80	.0304	----	----	256	250	797 + 54
5080	4.00	4.00	6.90B/*2.70A	6.90B/*2.70A	----	2.80 - 3.70	.0293	----	----	4	----	433 - 4
5085	3.90	3.90	6.60B/*2.60A	6.60B/*2.60A	----	2.70 - 3.70	.0283	----	----	8	----	230 + 4
5090	3.70	3.70	6.40B/*2.50A	6.40B/*2.50A	----	2.60 - 3.60	.0272	----	----	6	----	85 UNCH
5095	----	----	6.20B/*2.50A	6.20B/*2.50A	----	2.50 - 3.50	.0261	----	----	----	----	96 UNCH
5100	4.30	4.30	6.00B/*2.30	6.00B/*2.30	----	2.50 - 3.40	.0259	----	----	2272	----	5880 - 856
5105	3.90	3.90	5.80B/*2.30A	5.80B/*2.30A	----	2.40 - 3.30	.0249	----	----	4	----	51 UNCH
5110	4.50	4.50	4.50/*2.30A	5.60B/*2.30A	----	2.30 - 3.30	.0238	----	----	110	----	139 + 22
5115	----	----	----/*2.20A	5.40B/*2.20A	----	2.20 - 3.20	.0228	----	----	----	----	187 UNCH
5120	2.10	2.10	2.10/*2.10	5.30B/*2.10	----	2.20 - 3.10	.0226	----	----	4	----	160 - 3
5125	----	----	----/*2.10A	5.10B/*2.10A	----	2.10 - 3.00	.0216	----	----	----	----	321 UNCH
5130	4.70	4.70	4.70/*2.00	5.00B/*2.00	----	2.00 - 3.00	.0206	----	----	14	----	92 + 1
5135	----	----	----/*2.00A	4.80B/*2.00A	----	2.00 - 2.90	.0204	----	----	----	----	80 UNCH
5140	2.90	2.90	3.10/*1.90A	4.70B/*1.90A	----	1.90 - 2.90	.0194	----	----	6	----	144 UNCH
5145	3.10	3.10	3.10/*1.90A	4.50B/*1.90A	----	1.90 - 2.70	.0193	----	----	6	----	28 UNCH
5150	4.10	4.10	4.90/*1.80A	4.90/*1.80A	----	1.80 - 2.70	.0183	----	----	73	----	2248 - 22
5155	2.70	2.70	2.70/*1.80A	4.30B/*1.80A	----	1.80 - 2.60	.0182	----	----	8	----	41 + 3
5160	2.70	2.70	2.70/*1.70A	4.20B/*1.70A	----	1.70 - 2.60	.0172	----	----	8	----	114 UNCH
5165	2.50	2.50	2.50/*1.70A	4.00B/*1.70A	----	1.70 - 2.50	.0171	----	----	4	----	154 + 1
5170	----	----	----/*1.60A	3.90B/*1.60A	----	1.70 - 2.40	.0169	----	----	----	----	360 UNCH
5175	2.30	2.30	2.30/*1.60A	3.80B/*1.60A	----	1.60 - 2.40	.0160	----	----	7	----	72 + 2
5180	2.10	2.10	2.10/*1.50A	3.70B/*1.50A	----	1.60 - 2.40	.0159	----	----	4	----	72 - 2
5185	2.10	2.10	2.10/*1.50A	3.60B/*1.50A	----	1.50 - 2.40	.0149	----	----	2	----	137 + 2
5190	4.10	4.10	4.10/*1.50A	4.10/*1.50A	----	1.50 - 2.30	.0148	----	----	1	----	497 + 1
5195	----	----	----/*1.40A	3.40B/*1.40A	----	1.50 - 2.20	.0147	----	----	----	----	525 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5200	3.00	3.00	3.00/*1.40A	3.40B/*1.40A	----	1.40 - 2.20	.0138	----	----	19	310	6005 + 196
5205	----	----	----/*1.40A	3.30B/*1.40A	----	1.40 - 2.20	.0137	----	----	2	----	94 + 2
5210	----	----	----/*1.30A	3.20B/*1.30A	----	1.40 - 2.10	.0136	----	----	----	----	3076 UNCH
5215	----	----	----/*1.30A	3.10B/*1.30A	----	1.30 - 2.10	.0127	----	----	----	----	90 UNCH
5220	----	----	----/*1.30A	3.10B/*1.30A	----	1.30 - 2.10	.0126	----	----	----	----	215 UNCH
5225	----	----	----/*1.20A	3.00B/*1.20A	----	1.30 - 2.00	.0125	----	----	5	----	803 UNCH
5230	----	----	----/*1.20A	2.90B/*1.20A	----	1.30 - 1.90	.0124	----	----	----	----	125 UNCH
5235	----	----	----/*1.20A	2.80B/*1.20A	----	1.20 - 2.00	.0115	----	----	----	----	282 UNCH
5240	----	----	----/*1.20A	2.80B/*1.20A	----	1.20 - 1.90	.0114	----	----	----	----	68 UNCH
5245	1.90	1.90	1.90/*1.10A	2.70B/*1.10A	----	1.20 - 1.90	.0114	----	----	1	----	29 - 1
5250	2.80	2.80	2.90/*1.00	2.90/*1.00	----	1.20 - 1.80	.0113	----	----	160	----	4376 + 90
5255	1.00	1.00	1.00/*1.00	2.60B/*1.00	----	1.10 - 1.90	.0104	----	----	1	----	283 + 1
5260	1.00	1.00	1.00/*1.00	2.50B/*1.00	----	1.10 - 1.80	.0104	----	----	1	----	374 UNCH
5265	----	----	----/*1.10A	2.50B/*1.10A	----	1.10 - 1.80	.0103	----	----	----	----	53 UNCH
5270	----	----	----/*1.00A	2.40B/*1.00A	----	1.10 - 1.70	.0102	----	----	----	----	52 UNCH
5275	----	----	----/*1.00A	2.40B/*1.00A	----	1.10 - 1.70	.0101	----	----	----	----	135 UNCH
5280	----	----	----/*1.00A	2.30B/*1.00A	----	1.00 - 1.70	.0093	----	----	----	----	98 UNCH
5285	----	----	----/*1.00A	2.30B/*1.00A	----	1.00 - 1.70	.0092	----	----	----	----	167 UNCH
5290	----	----	----/*1.00A	2.20B/*1.00A	----	1.00 - 1.60	.0092	----	----	----	----	38 UNCH
5295	----	----	----/*0.90A	2.20B/*0.90A	----	1.00 - 1.60	.0091	----	----	----	----	103 UNCH
5300	2.20	2.20	2.20/*0.90	2.20/*0.90	----	1.00 - 1.60	.0091	----	----	26	----	4347 + 2
5305	----	----	----/*0.90A	2.10B/*0.90A	----	0.90 - 1.60	.0082	----	----	----	----	303 UNCH
5310	----	----	----/*0.90A	2.00B/*0.90A	----	0.90 - 1.60	.0082	----	----	----	----	126 UNCH
5315	----	----	----/*0.90A	2.00B/*0.90A	----	0.90 - 1.50	.0081	----	----	----	----	83 UNCH
5320	----	----	----/*0.90A	1.90B/*0.90A	----	0.90 - 1.50	.0081	----	----	----	----	149 UNCH
5325	----	----	----/*0.90A	1.90B/*0.90A	----	0.90 - 1.40	.0080	----	----	----	----	179 UNCH
5330	----	----	----/*0.80A	1.90B/*0.80A	----	0.90 - 1.40	.0080	----	----	----	----	84 UNCH
5335	----	----	----/*0.80A	1.80B/*0.80A	----	0.90 - 1.40	.0079	----	----	----	----	26 UNCH
5340	----	----	----/*0.80A	1.80B/*0.80A	----	0.80 - 1.40	.0071	----	----	----	----	80 UNCH
5345	----	----	----/*0.80A	1.70B/*0.80A	----	0.80 - 1.40	.0071	----	----	----	----	26 UNCH
5350	----	----	----/*0.80A	1.70B/*0.80A	----	0.80 - 1.30	.0070	----	----	----	----	1945 UNCH
5355	----	----	----/*0.80A	1.70B/*0.80A	----	0.80 - 1.30	.0070	----	----	----	----	20 UNCH
5360	----	----	----/*0.80A	1.70B/*0.80A	----	0.80 - 1.20	.0070	----	----	----	----	63 UNCH
5365	----	----	----/*0.80A	1.60B/*0.80A	----	0.80 - 1.20	.0069	----	----	2	----	13 - 2
5370	----	----	----/*0.80A	1.60B/*0.80A	----	0.80 - 1.10	.0069	----	----	----	----	79 UNCH
5375	----	----	----/*0.70A	1.60B/*0.70A	----	0.80 - 1.10	.0068	----	----	----	----	285 UNCH
5380	----	----	----/*0.70A	1.50B/*0.70A	----	0.80 - 1.10	.0068	----	----	----	----	99 UNCH
5385	----	----	----/*0.70A	1.60B/*0.70A	----	0.70 - 1.10	.0060	----	----	----	----	11 UNCH
5390	----	----	----/*0.70A	1.50B/*0.70A	----	0.70 - 1.10	.0060	----	----	----	----	121 UNCH
5395	----	----	----/*0.70A	1.50B/*0.70A	----	0.70 - 1.10	.0060	----	----	----	----	48 UNCH
5400	1.40	1.40	1.50/*0.60	1.50/*0.60	----	0.70 - 1.00	.0059	----	----	11	----	5072 + 1
5405	----	----	----/*0.70A	1.40B/*0.70A	----	0.70 - 1.00	.0059	----	----	----	----	87 UNCH
5410	0.90	0.90	0.90/*0.70A	1.40B/*0.70A	----	0.70 - 1.00	.0059	----	----	4	----	30 + 1
5415	----	----	----/*0.70A	1.40B/*0.70A	----	0.70 - 0.90	.0058	----	----	----	----	14 UNCH
5420	----	----	----/*0.70A	1.30B/*0.70A	----	0.70 - 0.90	.0058	----	----	----	----	50 UNCH
5425	----	----	----/*0.60A	1.40B/*0.60A	----	0.70 - 0.90	.0058	----	----	----	----	125 UNCH
5430	----	----	----/*0.60A	1.30B/*0.60A	----	0.70 - 0.90	.0057	----	----	----	----	112 UNCH
5435	----	----	----/*0.60A	1.30B/*0.60A	----	0.70 - 0.80	.0057	----	----	----	----	29 UNCH
5440	----	----	----/*0.60A	1.30B/*0.60A	----	0.60 - 0.90	.0050	----	----	----	----	98 UNCH
5445	----	----	----/*0.60A	1.30B/*0.60A	----	0.60 - 0.90	.0049	----	----	----	----	40 UNCH
5450	0.90	0.90	0.90/*0.60A	1.30B/*0.60A	----	0.60 - 0.90	.0049	----	----	1	----	1490 UNCH
5455	----	----	----/*0.60A	1.20B/*0.60A	----	0.60 - 0.90	.0049	----	----	----	----	185 UNCH
5460	----	----	----/*0.60A	1.20B/*0.60A	----	0.60 - 0.80	.0049	----	----	----	----	130 UNCH
5465	----	----	----/*0.60A	1.20B/*0.60A	----	0.60 - 0.80	.0048	----	----	----	----	39 UNCH
5470	0.80	0.80	0.80/*0.60A	1.20B/*0.60A	----	0.60 - 0.80	.0048	----	----	2	----	38 - 2
5475	----	----	----/*0.60A	1.10B/*0.60A	----	0.60 - 0.80	.0048	----	----	----	----	79 UNCH
5480	0.90	0.90	0.90/*0.60A	1.10B/*0.60A	----	0.60 - 0.80	.0048	----	----	2	----	48 UNCH
5485	----	----	----/*0.60A	1.10B/*0.60A	----	0.60 - 0.80	.0047	----	----	----	----	13 UNCH
5490	----	----	----/*0.60A	1.10B/*0.60A	----	0.60 - 0.70	.0047	----	----	----	----	189 UNCH
5495	----	----	----/*0.50A	1.10B/*0.50A	----	0.60 - 0.70	.0047	----	----	----	----	80 UNCH
5500	0.80	0.80	0.80/*0.50A	1.10B/*0.50A	----	0.50 - 0.80	.0040	----	----	3	----	5469 UNCH
5505	----	----	----/*0.50A	1.00B/*0.50A	----	0.50 - 0.80	.0040	----	----	----	----	16 UNCH
5510	----	----	----/*0.50A	1.00B/*0.50A	----	0.50 - 0.80	.0039	----	----	----	----	185 UNCH
5515	----	----	----/*0.50A	1.00B/*0.50A	----	0.50 - 0.80	.0039	----	----	----	----	38 UNCH
5520	----	----	----/*0.50A	1.00B/*0.50A	----	0.50 - 0.80	.0039	----	----	----	----	31 UNCH
5525	----	----	----/*0.50A	1.00B/*0.50A	----	0.50 - 0.80	.0039	----	----	----	----	173 UNCH
5530	----	----	----/*0.50A	0.90B/*0.50A	----	0.50 - 0.80	.0039	----	----	----	----	39 UNCH
5535	----	----	----/*0.50A	0.90B/*0.50A	----	0.50 - 0.70	.0038	----	----	----	----	13 UNCH
5540	0.70	0.70	0.70/*0.50A	0.90B/*0.50A	----	0.50 - 0.70	.0038	----	----	1	----	291 - 1
5545	----	----	----/*0.50A	0.90B/*0.50A	----	0.50 - 0.70	.0038	----	----	----	----	19 UNCH
5550	----	----	----/*0.50A	0.90B/*0.50A	----	0.50 - 0.70	.0038	----	----	3	----	772 + 1
5555	----	----	----/*0.50A	0.90B/*0.50A	----	0.40 - 0.80	.0031	----	----	----	----	4 UNCH
5560	----	----	----/*0.50A	0.90B/*0.50A	----	0.40 - 0.80	.0031	----	----	----	----	52 UNCH
5565	----	----	----/*0.50A	0.80B/*0.50A	----	0.40 - 0.80	.0031	----	----	----	----	14 UNCH
5570	----	----	----/*0.50A	0.80B/*0.50A	----	0.40 - 0.80	.0030	----	----	----	----	36 UNCH
5575	----	----	----/*0.50A	0.80B/*0.50A	----	0.40 - 0.80	.0030	----	----	----	----	60 UNCH
5580	----	----	----/*0.50A	0.80B/*0.50A	----	0.40 - 0.70	.0030	----	----	----	----	14 UNCH
5585	----	----	----/*0.50A	0.80B/*0.50A	----	0.40 - 0.70	.0030	----	----	----	----	11 UNCH
5590	----	----	----/*0.50A	0.80B/*0.50A	----	0.40 - 0.70	.0030	----	----	----	----	99 UNCH
5595	----	----	----/*0.50A	0.80B/*0.50A	----	0.40 - 0.70	.0030	----	----	----	----	42 UNCH
5600	----	----	----/*0.50A	0.80B/*0.50A	----	0.40 - 0.70	.0030	----	----	----	----	2365 UNCH
5610	----	----	----/*0.40A	0.70B/*0.40A	----	0.30 - 0.80	.0023	----	----	----	----	78 UNCH
5620	----	----	----/*0.50A	0.70B/*0.50A	----	0.30 - 0.80	.0022	----	----	----	----	66 UNCH
5625	----	----	----/*0.40A	0.70B/*0.40A	----	0.30 - 0.70	.0022	----	----	----	----	405 UNCH
5630	----	----	----/*0.50A	0.70B/*0.50A	----	0.30 - 0.70	.0022	----	----	----	----	231 UNCH
5640	----	----	----/*0.50A	0.70B/*0.50A	----	0.30 - 0.70	.0022	----	----	----	----	74 UNCH
5650	----	----	----/*0.40A	0.60B/*0.40A	----	0.30 - 0.70	.0022	----	----	2	----	730 + 1
5660	----	----	----/*0.40A	0.70B/*0.40A	----	0.30 - 0.70	.0022	----	----	----	----	42 UNCH
5665	----	----	----/*0.40A	0.70B/*0.40A	----	0.30 - 0.70	.0022	----	----	----	----	6 UNCH
5670	----	----	----/*0.40A	0.70B/*0.40A	----	0.30 - 0.70	.0022	----	----	----	----	119 UNCH
5675	----	----	----/*0.40A	0.60B/*0.40A	----	0.30 - 0.60	.0021	----	----	----	----	22 UNCH
5680	----	----	----/*0.40A	0.60B/*0.40A	----	0.30 - 0.60	.0021	----	----	----	----	47 UNCH
5690	----	----	----/*0.40A	0.60B/*0.40A	----	0.30 - 0.60	.0021	----	----	----	----	180 UNCH
5700	----	----	----/*0.40A	0.60B/*0.40A	----	0.30 - 0.60	.0021	----	----	4	----	1895 UNCH
5710	----	----	----/*0.30A	0.50B/*0.30A	----	0.30 - 0.60	.0021	----	----	----	----	41 UNCH
5720	----	----	----/*0.40A	0.60B/*0.40A	----	0.20 - 0.70	.0014	----	----	----	----	18 UNCH
5725	----	----	----/*0.40A	0.50B/*0.40A	----	0.20 - 0.70	.0014	----	----	----	----	36 UNCH
5730	----	----	----/*0.40A	0.50B/*0.40A	----	0.20 - 0.70	.0014	----	----	----	----	59 UNCH
5740	----	----	----/*0.30A	0.50B/*0.30A	----	0.20 - 0.70	.0014	----	----	----	----	62 UNCH
5750	----	----	----/*0.40A	0.50B/*0.40A	----	0.20 - 0.60	.0014	----	----	----	----	1691 UNCH
5760	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.60	.0014	----	----	----	----	18 UNCH
5770	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.60	.0014	----	----	----	----	32 UNCH
5775	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.60	.0014	----	----	----	----	167 UNCH
5780	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.60	.0014	----	----	----	----	219 UNCH
5790	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.50	.0013	----	----	----	----	11 UNCH
5800	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.50	.0013	----	----	1	----	3139 UNCH
5810	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.50	.0013	----	----	----	----	264 UNCH
5820	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.40	.0013	----	----	----	----	35 UNCH
5825	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.40	.0013	----	----	----	----	37 UNCH
5830	----	----	----/*0.30A	0.30B/*0.30A	----	0.20 - 0.40	.0013	----	----	----	----	17 UNCH
5840	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 0.50	.0007	----	----	----	----	23 UNCH
5850	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 0.40	.0006	----	----	----	----	457 UNCH
5860	----	----	----/*0.30A	0.40B/*0.30A	----	0.10 - 0.40	.0006	----	----	----	----	24 UNCH
5870	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 0.40	.0005	----	----	----	----	32 UNCH
5875	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 0.40	.0005	----	----	----	----	196 UNCH
5880	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 0.30	.0005	----	----	----	----	17 UNCH
5890	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 0.30	.0004	----	----	----	----	139 UNCH
5900	0.50	0.50	0.50/*0.30A	0.50/*0.30A	----	0.10 - 0.30	.0004	----	----	3	----	1372 + 1
5910	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 0.30	.0003	----	----	----	----	16 UNCH
5920	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 0.30	.0003	----	----	----	----	40 UNCH
5930	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 0.30	.0003	----	----	----	----	57 UNCH
5940	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 0.30	.0002	----	----	----	----	7 UNCH
5950	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 0.30	.0002	----	----	----	----	170 UNCH
5960	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 0.30	.0002	----	----	----	----	51 UNCH
5970	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.30	.0002	----	----	----	----	34 UNCH
5980	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.30	.0002	----	----	----	----	22 UNCH
5990	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.30	.0001	----	----	----	----	13 UNCH
6000	0.30	0.30	0.30/0.20A	0.30/0.20A	----	0.10 - 0.30	.0001	----	----	1	----	5637 UNCH
6010	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.30	.0001	----	----	----	----	10 UNCH
6020	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.30	.0001	----	----	----	----	23 UNCH
6030	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.30	.0001	----	----	----	----	37 UNCH
6040	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.30	.0001	----	----	----	----	24 UNCH
6050	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.30	.0001	----	----	----	----	278 UNCH
6060	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.30	.0001	----	----	----	----	32 UNCH
6070	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.30	.0000	----	----	----	----	34 UNCH
6080	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.30	.0000	----	----	----	----	10 UNCH
6090	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.30	.0000	----	----	----	----	27 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
6100	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.30	.0000	----	----	----	----	2409 UNCH
6110	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	67 UNCH
6120	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	11 UNCH
6125	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	16 UNCH
6130	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	10 UNCH
6140	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	7 UNCH
6150	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	515 UNCH
6160	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	134 UNCH
6170	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	17 UNCH
6180	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	75 UNCH
6190	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	2 UNCH
6200	----	----	----	----/*0.30A	----	0.10 - 0.20	.0000	----	----	----	----	4272 UNCH
6210	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	53 UNCH
6220	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	7 UNCH
6230	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	73 UNCH
6240	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	21 UNCH
6250	----	----	----	0.20B/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	1321 UNCH
6260	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	8 UNCH
6270	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	147 UNCH
6280	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	12 UNCH
6290	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	19 UNCH
6300	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	2450 UNCH
6310	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	2 UNCH
6320	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	24 UNCH
6330	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	39 UNCH
6340	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0000	----	----	----	----	36 UNCH
6350	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	17 UNCH
6360	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
6370	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	6 UNCH
6380	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	8 UNCH
6390	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
6400	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	481 UNCH
6410	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	8 UNCH
6420	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	3 UNCH
6430	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	35 UNCH
6440	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
6450	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	64 UNCH
6460	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	38 UNCH
6470	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	9 UNCH
6480	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	28 UNCH
6490	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
6500	----	----	----	0.10B/0.20A	----	0.10 UNCH	----	----	----	----	----	1049 UNCH
6525	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	24 UNCH
6550	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	245 UNCH
6575	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
6600	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	5	----	884 + 5
6625	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	105 UNCH
6650	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
6675	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	48 UNCH
6700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1346 UNCH
6725	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	107 UNCH
6750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	134 UNCH
6775	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
6800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	235 UNCH
6825	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
6850	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
6875	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
6900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	157 UNCH
6925	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	51 UNCH
6950	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
6975	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	21 UNCH
7000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1840 UNCH
7025	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	53 UNCH
7050	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	120 UNCH
7075	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	30 UNCH
7100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	145 UNCH
7125	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	52 UNCH
7150	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	59 UNCH
7175	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
7200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	134 UNCH
7225	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
7250	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	91 UNCH
7275	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
7300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	150 UNCH
7325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
7350	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
7375	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
7400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	47 UNCH
7425	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
7450	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
7475	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
7500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1355 UNCH
7525	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	22 UNCH
7575	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
7600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	78 UNCH
7700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	65 UNCH
7750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
7800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	39 UNCH
7825	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
7875	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
7900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
7950	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
8000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1064 UNCH
8100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
8200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	88 UNCH
8300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	64 UNCH
8500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	146 UNCH
8600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	52 UNCH
8800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	32 UNCH
8900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
9000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	387 UNCH
9100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
9200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	51 UNCH
9300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
9400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
9500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
9600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
9700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
9800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
9900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
10000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	363 UNCH
10100	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
10300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
10400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
10500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
10700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
11000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	72 UNCH
11300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
11500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
11600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
11700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
11900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
12000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	406 UNCH
TOTAL										23100	1,160	186882 - 805
JUL26												
3300	----	----	----/1,408.40A	1441.70B/1408.40A	----	1419.90 - 21.90	.9945	5	----	----	----	2 - 5
3500	----	----	----	----	----	1220.30 - 21.90	.9907	----	----	----	----	1 UNCH
3600	----	----	----/1,108.80A	1142.60B/1108.80A	----	1120.70 - 22.00	.9883	----	----	----	----	24 UNCH
3650	----	----	----/1,059.10A	1092.90B/1059.10A	----	1071.00 - 22.00	.9866	----	----	----	----	10 UNCH
3670	----	----	----/1,039.20A	1073.00B/1039.20A	----	1051.10 - 22.00	.9857	----	----	----	----	3 UNCH
3700	----	----	----/1,009.30A	1043.20B/1009.30A	----	1021.30 - 22.00	.9845	----	----	----	----	119 UNCH
3735	----	----	----	----	----	986.60 - 22.00	.9829	----	----	----	----	1 UNCH
3775	----	----	969.40B/935.00A	969.40B/935.00A	----	947.00 - 22.00	.9807	----	----	----	----	4 UNCH
3800	----	----	947.60B/907.20A	947.60B/907.20A	----	922.20 - 22.10	.9795	----	----	----	----	2050 UNCH
3825	----	----	----/885.50A	919.40B/885.50A	----	897.50 - 22.10	.9779	----	----	----	----	3 UNCH
3850	----	----	----/860.80A	894.70B/860.80A	----	872.80 - 22.10	.9762	----	----	----	----	65 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
3860	----	----	----	----	----	862.90 - 22.20	.9756	----	----	----	----	1 UNCH
3865	----	----	----/846.00A	879.90B/846.00A	----	858.00 - 22.20	.9751	----	----	----	----	7 UNCH
3875	----	----	----/836.20A	870.00B/836.20A	----	848.20 - 22.10	.9745	----	----	----	----	25 UNCH
3900	----	----	----/811.60A	845.40B/811.60A	----	823.50 - 22.20	.9723	----	----	----	----	18 UNCH
3925	----	----	----/787.10A	820.90B/787.10A	----	799.00 - 22.20	.9701	----	----	----	----	35 UNCH
3950	----	----	799.90B/759.70A	799.90B/759.70A	----	774.40 - 22.30	.9678	----	----	----	----	820 UNCH
3960	----	----	----	----	----	764.60 - 22.30	.9667	----	----	----	----	1 UNCH
4000	----	----	----/693.20A	747.50B/693.20A	----	725.60 - 22.30	.9619	----	----	----	----	15 UNCH
4020	----	----	----/673.80A	716.40B/673.80A	----	706.10 - 22.40	.9592	----	----	----	----	1 UNCH
4030	----	----	----/664.00A	706.80B/664.00A	----	696.40 - 22.40	.9576	----	----	----	----	2 UNCH
4040	----	----	----/654.60A	697.10B/654.60A	----	686.70 - 22.40	.9561	----	----	----	----	1 UNCH
4075	----	----	----/620.80A	674.70B/620.80A	----	652.90 - 22.40	.9502	----	----	----	----	6 UNCH
4095	----	----	----/601.80A	655.40B/601.80A	----	633.60 - 22.50	.9462	----	----	----	----	4 UNCH
4100	----	----	----/596.80A	650.60B/596.80A	----	628.80 - 22.50	.9452	----	----	----	----	194 UNCH
4105	----	----	----/592.20A	634.50B/592.20A	----	624.10 - 22.40	.9442	----	----	----	----	1 UNCH
4110	----	----	----/587.50A	641.00B/587.50A	----	619.30 - 22.40	.9431	----	----	----	----	3 UNCH
4145	----	----	----/554.30A	607.50B/554.30A	----	585.90 - 22.50	.9350	----	----	----	----	28 UNCH
4150	----	----	----/549.60A	602.80B/549.60A	----	581.20 - 22.40	.9339	----	----	----	----	37 UNCH
4155	----	----	----/545.00A	586.90B/545.00A	----	576.40 - 22.50	.9325	----	----	----	----	1 UNCH
4160	----	----	----/540.30A	582.20B/540.30A	----	571.70 - 22.50	.9314	----	----	----	----	1 UNCH
4190	----	----	----/512.30A	558.10B/512.30A	----	543.50 - 22.50	.9230	----	----	----	----	1 UNCH
4200	----	----	557.80B/503.10A	557.80B/503.10A	----	534.10 - 22.50	.9197	----	----	2	----	8 + 1
4215	----	----	548.10B/489.40A	548.10B/489.40A	----	520.20 - 22.50	.9148	----	----	----	----	25 UNCH
4220	----	----	543.50B/484.50A	543.50B/484.50A	----	515.50 - 22.60	.9133	----	----	----	----	1 UNCH
4225	----	----	538.80B/480.00A	538.80B/480.00A	----	510.90 - 22.50	.9114	----	----	----	----	2 UNCH
4235	----	----	529.60B/471.20A	529.60B/471.20A	----	501.70 - 22.50	.9080	----	----	----	----	1 UNCH
4240	----	----	524.90B/466.60A	524.90B/466.60A	----	497.10 - 22.50	.9061	----	----	----	----	39 UNCH
4245	----	----	520.30B/462.00A	520.30B/462.00A	----	492.50 - 22.50	.9042	----	----	----	----	1 UNCH
4250	----	----	515.30B/457.40A	515.30B/457.40A	----	487.90 - 22.50	.9024	----	----	----	----	318 UNCH
4255	----	----	510.70B/453.00A	510.70B/453.00A	----	483.30 - 22.60	.9004	----	----	----	----	1 UNCH
4265	----	----	501.60B/444.20A	501.60B/444.20A	----	474.20 - 22.60	.8963	----	----	----	----	2 UNCH
4270	----	----	497.10B/439.60A	497.10B/439.60A	----	469.70 - 22.50	.8941	----	----	----	----	38 UNCH
4275	----	----	492.40B/435.10A	492.40B/435.10A	----	465.20 - 22.50	.8921	----	----	----	----	76 UNCH
4280	----	----	487.90B/430.70A	487.90B/430.70A	----	460.60 - 22.60	.8899	----	----	----	----	3 UNCH
4300	----	----	469.80B/413.20A	469.80B/413.20A	----	442.70 - 22.50	.8808	----	----	3	----	63 UNCH
4315	----	----	456.40B/400.20A	456.40B/400.20A	----	429.40 - 22.50	.8733	----	----	----	----	21 UNCH
4325	----	----	447.50B/391.50A	447.50B/391.50A	----	420.60 - 22.50	.8681	----	----	----	----	22 UNCH
4335	----	----	438.70B/383.00A	438.70B/383.00A	----	411.90 - 22.40	.8629	----	----	----	----	1 UNCH
4350	----	----	425.60B/370.30A	425.60B/370.30A	----	398.80 - 22.50	.8546	----	----	----	----	17 UNCH
4360	----	----	417.00B/361.90A	417.00B/361.90A	----	390.30 - 22.40	.8487	----	----	----	----	53 UNCH
4365	----	----	412.60B/357.80A	412.60B/357.80A	----	386.00 - 22.40	.8458	----	----	----	----	45 UNCH
4370	----	----	408.40B/353.60A	408.40B/353.60A	----	381.70 - 22.40	.8426	----	----	----	----	20 UNCH
4375	----	----	404.00B/349.50A	404.00B/349.50A	----	377.50 - 22.40	.8396	----	----	----	----	5 UNCH
4400	----	----	382.80B/329.00A	382.80B/329.00A	----	356.60 - 22.30	.8233	----	----	----	----	2305 UNCH
4410	----	----	374.40B/321.20A	374.40B/321.20A	----	348.30 - 22.30	.8165	----	----	----	----	4 UNCH
4415	----	----	370.30B/317.10A	370.30B/317.10A	----	344.20 - 22.30	.8130	----	----	----	----	39 UNCH
4420	----	----	366.10B/313.30A	366.10B/313.30A	----	340.20 - 22.20	.8094	----	----	----	----	5 UNCH
4425	----	----	362.00B/309.30A	362.00B/309.30A	----	336.10 - 22.30	.8057	----	----	----	----	16 UNCH
4430	----	----	357.90B/305.60A	357.90B/305.60A	----	332.10 - 22.20	.8021	----	----	----	----	2 UNCH
4445	----	----	345.90B/294.00A	345.90B/294.00A	----	320.10 - 22.20	.7907	----	----	----	----	30 UNCH
4450	----	----	342.10B/290.10A	342.10B/290.10A	----	316.20 - 22.20	.7867	----	----	----	----	256 UNCH
4455	----	----	337.80B/286.40A	337.80B/286.40A	----	312.20 - 22.20	.7828	----	----	----	----	2 UNCH
4460	----	----	333.90B/282.80A	333.90B/282.80A	----	308.30 - 22.20	.7788	----	----	----	----	2 UNCH
4475	----	----	322.00B/271.50A	322.00B/271.50A	----	296.80 - 22.10	.7664	----	----	----	----	2 UNCH
4480	----	----	318.50B/267.90A	318.50B/267.90A	----	293.00 - 22.00	.7622	----	----	----	----	36 UNCH
4485	----	----	314.30B/264.40A	314.30B/264.40A	----	289.20 - 22.00	.7579	----	----	----	----	1 UNCH
4490	----	----	310.70B/260.70A	310.70B/260.70A	----	285.50 - 21.90	.7536	----	----	----	----	20 UNCH
4500	----	----	303.30B/253.80A	303.30B/253.80A	----	278.00 - 22.00	.7447	----	----	----	----	969 UNCH
4505	----	----	299.00B/250.40A	299.00B/250.40A	----	274.40 - 21.80	.7402	----	----	----	----	2 UNCH
4510	----	----	295.80B/246.70A	295.80B/246.70A	----	270.70 - 21.90	.7358	----	----	----	----	75 UNCH
4515	----	----	291.90B/243.30A	291.90B/243.30A	----	267.10 - 21.80	.7311	----	----	----	----	210 UNCH
4520	----	----	287.90B/239.80A	287.90B/239.80A	----	263.50 - 21.70	.7265	----	----	----	----	188 UNCH
4525	----	----	284.50B/236.40A	284.50B/236.40A	----	259.90 - 21.70	.7218	----	----	----	----	129 UNCH
4530	----	----	280.70B/233.30A	280.70B/233.30A	----	256.40 - 21.60	.7171	----	----	----	----	5 UNCH
4535	----	----	277.00B/229.70A	277.00B/229.70A	----	252.90 - 21.60	.7123	----	----	----	----	19 UNCH
4540	----	----	273.40B/226.40A	273.40B/226.40A	----	249.40 - 21.50	.7075	----	----	----	----	56 UNCH
4550	----	----	266.20B/220.10A	266.20B/220.10A	----	242.50 - 21.40	.6977	----	----	----	----	10 UNCH
4555	----	----	262.70B/216.80A	262.70B/216.80A	----	239.10 - 21.40	.6927	----	----	----	----	2 UNCH
4560	----	----	259.50B/213.50A	259.50B/213.50A	----	235.70 - 21.30	.6878	----	----	----	----	51 UNCH
4565	----	----	256.00B/210.40A	256.00B/210.40A	----	232.40 - 21.20	.6828	----	----	----	----	24 UNCH
4570	----	----	252.30B/207.30A	252.30B/207.30A	----	229.00 - 21.30	.6777	----	----	----	----	2 UNCH
4575	----	----	249.20B/204.00A	249.20B/204.00A	----	225.70 - 21.20	.6727	----	----	----	----	125 UNCH
4580	----	----	245.50B/201.10A	245.50B/201.10A	----	222.50 - 21.10	.6675	----	----	----	----	11 UNCH
4585	----	----	242.20B/198.20A	242.20B/198.20A	----	219.20 - 21.10	.6623	----	----	----	----	9 UNCH
4590	----	----	238.80B/195.10A	238.80B/195.10A	----	216.00 - 21.00	.6571	----	----	----	----	1 UNCH
4595	----	----	235.50B/191.90A	235.50B/191.90A	----	212.90 - 20.90	.6519	----	----	----	----	2 UNCH
4600	209.50	209.50	232.60B/188.90A	232.60B/188.90A	----	209.70 - 20.80	.6467	----	----	2	----	387 - 2
4605	----	----	229.00B/186.00A	229.00B/186.00A	----	206.60 - 20.70	.6413	----	----	----	----	4 UNCH
4610	----	----	225.80B/182.90A	225.80B/182.90A	----	203.50 - 20.70	.6360	----	----	----	----	13 UNCH
4615	----	----	222.60B/180.20A	222.60B/180.20A	----	200.40 - 20.70	.6307	----	----	----	----	11 UNCH
4620	----	----	219.80B/177.30A	219.80B/177.30A	----	197.40 - 20.50	.6253	----	----	----	----	35 UNCH
4625	----	----	216.70B/174.60A	216.70B/174.60A	----	194.40 - 20.50	.6199	----	----	----	----	104 UNCH
4630	----	----	213.20B/171.80A	213.20B/171.80A	----	191.40 - 20.40	.6145	----	----	----	----	4 UNCH
4635	----	----	210.20B/169.10A	210.20B/169.10A	----	188.40 - 20.40	.6091	----	----	----	----	91 UNCH
4640	----	----	207.50B/166.40A	207.50B/166.40A	----	185.50 - 20.30	.6036	----	----	----	----	231 UNCH
4645	----	----	204.50B/163.70A	204.50B/163.70A	----	182.60 - 20.30	.5981	----	----	----	----	19 UNCH
4650	----	----	201.40B/161.10A	201.40B/161.10A	----	179.80 - 20.10	.5926	----	----	----	----	840 UNCH
4655	----	----	198.20B/158.40A	198.20B/158.40A	----	176.90 - 20.10	.5870	----	----	----	----	18 UNCH
4660	----	----	195.40B/155.80A	195.40B/155.80A	----	174.10 - 20.00	.5815	----	----	----	----	53 UNCH
4665	----	----	192.50B/153.30A	192.50B/153.30A	----	171.40 - 19.90	.5759	----	----	----	----	270 UNCH
4670	----	----	189.80B/150.80A	189.80B/150.80A	----	168.60 - 19.90	.5704	----	----	----	----	106 UNCH
4675	----	----	192.00B/148.30A	192.00B/148.30A	----	165.90 - 19.80	.5648	----	----	----	----	135 UNCH
4680	----	----	189.20B/145.80A	189.20B/145.80A	----	163.30 - 19.60	.5592	----	----	----	----	140 UNCH
4685	----	----	187.50B/143.40A	187.50B/143.40A	----	160.60 - 19.60	.5536	----	----	----	----	11 UNCH
4690	141.90	141.90	184.80B/141.00A	184.80B/141.00A	----	158.00 - 19.50	.5480	----	----	1	----	3 UNCH
4695	----	----	182.30B/138.60A	182.30B/138.60A	----	155.40 - 19.40	.5424	----	----	----	----	33 UNCH
4700	137.30	137.30	179.30B/136.30A	179.30B/136.30A	----	152.90 - 19.30	.5368	----	----	73	----	685 - 30
4705	----	----	176.40B/133.90A	176.40B/133.90A	----	150.40 - 19.10	.5312	----	----	----	----	2 UNCH
4710	----	----	173.90B/131.60A	173.90B/131.60A	----	147.90 - 19.10	.5255	----	----	----	----	121 UNCH
4715	----	----	171.40B/129.30A	171.40B/129.30A	----	145.50 - 18.90	.5199	----	----	----	----	2 UNCH
4720	142.90	142.90	168.70B/127.10A	168.70B/127.10A	----	143.10 - 18.80	.5143	----	----	2	----	28 UNCH
4725	----	----	166.20B/124.90A	166.20B/124.90A	----	140.70 - 18.70	.5087	----	----	93	----	149 + 88
4730	----	----	163.90B/122.80A	163.90B/122.80A	----	138.30 - 18.60	.5031	----	----	3	----	14 + 1
4735	----	----	161.50B/120.60A	161.50B/120.60A	----	136.00 - 18.40	.4975	----	----	8	----	43 + 4
4740	----	----	158.90B/118.50A	158.90B/118.50A	----	133.70 - 18.30	.4919	----	----	4	----	9 + 4
4745	----	----	155.90B/116.50A	155.90B/116.50A	----	131.50 - 18.10	.4863	----	----	----	----	177 UNCH
4750	144.90	144.90	153.40B/114.40A	153.40B/114.40A	----	129.20 - 18.10	.4808	----	----	258	----	1246 - 135
4755	----	----	151.50B/112.50A	151.50B/112.50A	----	127.00 - 18.00	.4752	----	----	----	----	21 UNCH
4760	138.00	138.00	149.00B/110.40A	149.00B/110.40A	----	124.90 - 17.80	.4697	----	----	1	----	51 UNCH
4765	----	----	146.80B/108.60A	146.80B/108.60A	----	122.70 - 17.70	.4642	----	----	----	----	5 UNCH
4770	----	----	144.20B/106.50A	144.20B/106.50A	----	120.60 - 17.60	.4587	----	----	----	----	73 UNCH
4775	----	----	142.00B/104.60A	142.00B/104.60A	----	118.50 - 17.50	.4532	----	----	----	----	157 UNCH
4780	130.00	130.00	140.00B/102.90A	140.00B/102.90A	----	116.50 - 17.30	.4478	----	----	1	----	34 - 1
4785	----	----	137.40B/100.90A	137.40B/100.90A	----	114.50 - 17.10	.4423	----	----	----	----	13 UNCH
4790	----	----	135.50B/99.10A	135.50B/99.10A	----	112.50 - 17.00	.4369	----	----	----	----	8 UNCH
4795	----	----	133.20B/97.30A	133.20B/97.30A	----	110.50 - 16.90	.4315	----	----	----	----	89 UNCH
4800	112.90	112.90	130.90B/95.60A	130.90B/95.60A	----	108.60 - 16.80	.4262	----	----	72	----	2029 - 41
4805	----	----	129.10B/94.00A	129.10B/94.00A	----	106.70 - 16.60	.4208	----	----	----	----	61 UNCH
4810	----	----	126.90B/92.20A	126.90B/92.20A	----	104.80 - 16.50	.4155	----	----	----	----	36 UNCH
4815	----	----	124.80B/90.50A	124.80B/90.50A	----	102.90 - 16.50	.4102	----	----	----	----	10 UNCH
4820	92.90	92.90	122.90B/88.80A	122.90B/88.80A	----	101.10 - 16.30	.4049	----	----	5	----	64 - 3
4825	----	----	120.50B/87.20A	120.50B/87.20A	----	99.30 - 16.20	.3997	----	----	----	----	642 UNCH
4830	----	----	118.70B/85.60A	118.70B/85.60A	----	97.50 - 16.10	.3945	----	----	----	----	14 UNCH
4835	----	----	116.80B/84.10A	116.80B/84.10A	----	95.80 - 15.90	.3894	----	----	----	----	21 UNCH
4840	----	----	114.80B/82.50A	114.80B/82.50A	----	94.00 - 15.90	.3842	----	----	----	----	183 UNCH
4845	----	----	113.00B/81.00A	113.00B/81.00A	----	92.30 - 15.80	.3790	----	----	----	----	69 UNCH
4850	93.60	93.60	111.00B/79.50A	111.00B/79.50A	----	90.70 - 15.60	.3740	----	----	5	----	558 + 2
4855	90.40	90.40	109.20B/78.00A	109.20B/78.00A	----	89.00 - 15.50	.3689	----	----	4	----	159 + 4
4860	----	----	107.40B/76.70A	107.40B/76.70A	----	87.40 - 15.40	.3640	----	----	----	----	27 UNCH
4865	----	----	105.70B/75.30A	105.70B/75.30A	----	85.80 - 15.20	.3590	----	----	----	----	32 UNCH
4870	----	----	103.80B/73.90A	103.80B/73.90A	----	84.30 - 15.00	.3542	----	----	----	----	68 UNCH
4875	----	----	102.10B/72.50A	102.10B/72.50A	----	82.70 - 15.00	.3492	----	----	----	----	27 UNCH
4880	----	----	100.40B/71.00A	100.40B/71.00A	----	81.20 - 14.80	.3444	----	----	----	----	74 UNCH
4885	----	----	98.70B/69.70A	98.70B/69.70A	----	79.70 - 14.70	.3395	----	----	----	----	25 UNCH
4890	----	----	97.00B/68.50A	97.00B/68.50A	----	78.30 - 14.50	.3349	----	----	----	----	57 UNCH
4895	----	----	95.40B/67.10A	95.40B/67.10A	----	76.90 - 14.30	.3302	----	----	----	----	51 UNCH
4900	86.60	86.60	93.80B/66.00A	93.80B/66.00A	----	75.40 - 14.20	.3254	----	----	27	----	1202 - 8

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4905	----	----	92.20B/64.60A	92.20B/64.60A	----	74.10 - 14.00	.3209	----	----	----	----	8 UNCH
4910	----	----	90.60B/63.50A	90.60B/63.50A	----	72.70 - 13.90	.3163	----	----	----	----	146 UNCH
4915	----	----	89.20B/62.20A	89.20B/62.20A	----	71.40 - 13.70	.3118	----	----	----	----	36 UNCH
4920	----	----	87.50B/61.20A	87.50B/61.20A	----	70.00 - 13.60	.3071	----	----	----	----	13 UNCH
4925	----	----	86.00B/60.00A	86.00B/60.00A	----	68.80 - 13.40	.3028	----	----	----	----	38 UNCH
4930	----	----	84.60B/58.90A	84.60B/58.90A	----	67.50 - 13.30	.2984	----	----	----	----	66 UNCH
4935	----	----	83.10B/57.80A	83.10B/57.80A	----	66.20 - 13.20	.2939	----	----	----	----	619 UNCH
4940	----	----	81.70B/56.70A	81.70B/56.70A	----	65.00 - 13.00	.2897	----	----	----	----	285 UNCH
4945	----	----	80.20B/55.60A	80.20B/55.60A	----	63.80 - 12.90	.2854	----	----	----	----	15 UNCH
4950	72.70	72.70	78.90B/54.60A	78.90B/54.60A	----	62.60 - 12.70	.2811	----	----	2	----	298 + 1
4955	----	----	77.50B/53.50A	77.50B/53.50A	----	61.50 - 12.50	.2771	----	----	----	----	87 UNCH
4960	----	----	76.20B/52.50A	76.20B/52.50A	----	60.30 - 12.40	.2728	----	----	----	----	191 UNCH
4965	----	----	74.80B/51.40A	74.80B/51.40A	----	59.20 - 12.30	.2688	----	----	----	----	177 UNCH
4970	----	----	73.60B/50.50A	73.60B/50.50A	----	58.10 - 12.10	.2647	----	----	----	----	56 UNCH
4975	----	----	72.30B/49.50A	72.30B/49.50A	----	57.00 - 12.00	.2607	----	----	----	----	44 UNCH
4980	----	----	71.00B/48.70A	71.00B/48.70A	----	56.00 - 11.80	.2569	----	----	----	----	30 UNCH
4985	----	----	69.70B/47.70A	69.70B/47.70A	----	54.90 - 11.80	.2529	----	----	----	----	35 UNCH
4990	----	----	68.50B/46.90A	68.50B/46.90A	----	53.90 - 11.60	.2490	----	----	----	----	37 UNCH
4995	----	----	67.30B/46.00A	67.30B/46.00A	----	52.90 - 11.50	.2452	----	----	----	----	43 UNCH
5000	58.70	58.70	66.40B/45.20A	66.40B/45.20A	----	51.90 - 11.40	.2415	----	----	451	----	2973 - 14
5005	----	----	65.10B/44.30A	65.10B/44.30A	----	50.90 - 11.30	.2377	----	----	----	----	21 UNCH
5010	----	----	64.00B/43.50A	64.00B/43.50A	----	50.00 - 11.10	.2341	----	----	1	----	37 + 1
5015	----	----	62.80B/42.70A	62.80B/42.70A	----	49.10 - 11.00	.2306	----	----	----	----	84 UNCH
5020	----	----	61.70B/41.90A	61.70B/41.90A	----	48.10 - 11.00	.2268	----	----	----	----	13 UNCH
5025	55.60	55.60	60.80B/41.10A	60.80B/41.10A	----	47.20 - 10.80	.2233	----	----	37	----	74 + 26
5030	----	----	59.60B/40.30A	59.60B/40.30A	----	46.40 - 10.60	.2200	----	----	----	----	174 UNCH
5035	----	----	58.60B/39.60A	58.60B/39.60A	----	45.50 - 10.60	.2164	----	----	----	----	57 UNCH
5040	48.50	48.50	57.70B/38.80A	57.70B/38.80A	----	44.60 - 10.50	.2129	----	----	10	----	21 + 8
5045	----	----	56.70B/38.10A	56.70B/38.10A	----	43.80 - 10.30	.2097	----	----	----	----	9 UNCH
5050	----	----	55.50B/37.40A	55.50B/37.40A	----	43.00 - 10.20	.2064	----	----	44	----	344 UNCH
5055	----	----	54.60B/36.70A	54.60B/36.70A	----	42.20 - 10.10	.2031	----	----	----	----	19 UNCH
5060	----	----	53.60B/36.00A	53.60B/36.00A	----	41.40 - 10.00	.1999	----	----	----	----	34 UNCH
5065	----	----	52.70B/35.30A	52.70B/35.30A	----	40.60 - 9.90	.1967	----	----	1	----	214 + 1
5070	43.30	43.30	51.80B/34.70A	51.80B/34.70A	----	39.80 - 9.80	.1934	----	----	3	----	32 - 2
5075	----	----	50.80B/34.10A	50.80B/34.10A	----	39.10 - 9.60	.1904	----	----	----	----	155 UNCH
5080	41.50	41.50	50.00B/33.40A	50.00B/33.40A	----	38.40 - 9.50	.1875	----	----	1	----	91 + 1
5085	41.00	41.00	49.20B/32.80A	49.20B/32.80A	----	37.60 - 9.40	.1843	----	----	1	----	43 UNCH
5090	----	----	48.30B/32.20A	48.30B/32.20A	----	36.90 - 9.30	.1813	----	----	----	----	15 UNCH
5095	----	----	47.40B/31.60A	47.40B/31.60A	----	36.20 - 9.20	.1784	----	----	----	----	56 UNCH
5100	45.00	45.00	46.70B/31.00A	46.70B/31.00A	----	35.60 - 9.00	.1757	----	----	26	----	1552 - 5
5105	----	----	45.90B/30.50A	45.90B/30.50A	----	34.90 - 8.90	.1728	----	----	1	----	96 + 1
5110	----	----	45.00B/29.90A	45.00B/29.90A	----	34.20 - 8.80	.1699	----	----	----	----	409 UNCH
5115	----	----	44.30B/29.40A	44.30B/29.40A	----	33.60 - 8.70	.1672	----	----	1	----	30 + 1
5120	----	----	43.50B/28.80A	43.50B/28.80A	----	33.00 - 8.50	.1646	----	----	2	----	40 UNCH
5125	----	----	42.70B/28.30A	42.70B/28.30A	----	32.40 - 8.40	.1619	----	----	----	----	247 UNCH
5130	----	----	42.00B/27.80A	42.00B/27.80A	----	31.80 - 8.30	.1593	----	----	1	----	42 + 1
5135	----	----	41.30B/27.30A	41.30B/27.30A	----	31.20 - 8.20	.1567	----	----	----	----	171 UNCH
5140	----	----	40.50B/26.80A	40.50B/26.80A	----	30.60 - 8.10	.1541	----	----	----	----	68 UNCH
5145	33.10	33.10	39.80B/26.30A	39.80B/26.30A	----	30.00 - 8.00	.1515	----	----	5	----	72 + 4
5150	36.30	36.30	39.30B/25.90A	39.30B/25.90A	----	29.50 - 7.90	.1492	----	----	382	1875	2843 + 1829
5155	----	----	38.50B/25.40A	38.50B/25.40A	----	28.90 - 7.80	.1466	----	----	----	----	20 UNCH
5160	----	----	37.80B/25.00A	37.80B/25.00A	----	28.40 - 7.70	.1443	----	----	----	----	22 UNCH
5165	----	----	37.10B/24.50A	37.10B/24.50A	----	27.90 - 7.60	.1420	----	----	----	----	21 UNCH
5170	----	----	36.50B/24.10A	36.50B/24.10A	----	27.40 - 7.50	.1397	----	----	----	----	12 UNCH
5175	----	----	35.90B/23.70A	35.90B/23.70A	----	26.90 - 7.40	.1375	----	----	----	----	73 UNCH
5180	----	----	35.40B/23.20A	35.40B/23.20A	----	26.40 - 7.30	.1352	----	----	----	----	31 UNCH
5185	----	----	34.70B/22.80A	34.70B/22.80A	----	25.90 - 7.20	.1329	----	----	----	----	119 UNCH
5190	----	----	34.10B/22.40A	34.10B/22.40A	----	25.50 - 7.00	.1310	----	----	----	----	16 UNCH
5195	----	----	33.50B/22.00A	33.50B/22.00A	----	25.00 - 7.00	.1287	----	----	----	----	38 UNCH
5200	30.00	30.00	32.90B/21.70A	32.90B/21.70A	----	24.60 - 6.90	.1268	----	----	31	----	1991 + 11
5205	----	----	32.40B/21.30A	32.40B/21.30A	----	24.10 - 6.80	.1246	----	----	----	----	48 UNCH
5210	----	----	31.80B/20.90A	31.80B/20.90A	----	23.70 - 6.70	.1227	----	----	----	----	55 UNCH
5215	----	----	31.20B/20.60A	31.20B/20.60A	----	23.30 - 6.60	.1208	----	----	----	----	47 UNCH
5220	----	----	30.80B/20.20A	30.80B/20.20A	----	22.90 - 6.50	.1189	----	----	----	----	42 UNCH
5225	----	----	30.20B/19.90A	30.20B/19.90A	----	22.50 - 6.40	.1170	----	----	----	----	111 UNCH
5230	----	----	29.70B/19.50A	29.70B/19.50A	----	22.10 - 6.40	.1151	----	----	----	----	86 UNCH
5235	----	----	29.20B/19.20A	29.20B/19.20A	----	21.70 - 6.30	.1132	----	----	----	----	30 UNCH
5240	22.90	22.90	28.70B/18.90A	28.70B/18.90A	----	21.30 - 6.20	.1113	----	----	16	----	114 UNCH
5245	23.40	23.40	28.30B/18.60A	28.30B/18.60A	----	20.90 - 6.20	.1094	----	----	11	----	67 UNCH
5250	----	----	27.80B/18.30A	27.80B/18.30A	----	20.60 - 6.10	.1079	----	----	4	----	831 + 3
5255	----	----	27.40B/17.90A	27.40B/17.90A	----	20.20 - 6.00	.1060	----	----	----	----	24 UNCH
5260	----	----	26.80B/17.60A	26.80B/17.60A	----	19.90 - 5.90	.1045	----	----	----	----	150 UNCH
5265	----	----	26.40B/17.40A	26.40B/17.40A	----	19.50 - 5.90	.1026	----	----	----	----	13 UNCH
5270	----	----	26.00B/17.10A	26.00B/17.10A	----	19.20 - 5.80	.1011	----	----	----	----	25 UNCH
5275	----	----	25.60B/16.80A	25.60B/16.80A	----	18.90 - 5.70	.0996	----	----	----	----	29 UNCH
5280	----	----	25.20B/16.50A	25.20B/16.50A	----	18.60 - 5.60	.0981	----	----	----	----	43 UNCH
5285	----	----	24.70B/16.30A	24.70B/16.30A	----	18.20 - 5.60	.0963	----	----	2	----	20 UNCH
5290	----	----	24.30B/16.00A	24.30B/16.00A	----	17.90 - 5.50	.0948	----	----	----	----	48 UNCH
5295	----	----	23.90B/15.70A	23.90B/15.70A	----	17.60 - 5.50	.0933	----	----	1	----	86 + 1
5300	24.00	24.00	24.00/15.50A	24.00/15.50A	----	17.30 - 5.40	.0918	----	----	21	----	1248 + 6
5305	----	----	23.20B/15.20A	23.20B/15.20A	----	17.00 - 5.40	.0903	----	----	----	----	65 UNCH
5310	----	----	22.80B/15.00A	22.80B/15.00A	----	16.80 - 5.20	.0892	----	----	----	----	21 UNCH
5315	----	----	22.40B/14.80A	22.40B/14.80A	----	16.50 - 5.20	.0878	----	----	----	----	28 UNCH
5320	----	----	22.00B/14.50A	22.00B/14.50A	----	16.20 - 5.10	.0863	----	----	----	----	57 UNCH
5325	17.10	17.10	21.70B/14.30A	21.70B/14.30A	----	15.90 - 5.10	.0848	----	----	2	----	226 - 2
5330	----	----	21.30B/14.10A	21.30B/14.10A	----	15.70 - 5.00	.0837	----	----	2	----	13 - 2
5335	----	----	21.00B/13.90A	21.00B/13.90A	----	15.40 - 5.00	.0823	----	----	----	----	10 UNCH
5340	----	----	20.60B/13.60A	20.60B/13.60A	----	15.10 - 4.90	.0808	----	----	----	----	30 UNCH
5345	----	----	20.30B/13.40A	20.30B/13.40A	----	14.90 - 4.80	.0798	----	----	10	----	44 + 2
5350	----	----	20.00B/13.20A	20.00B/13.20A	----	14.70 - 4.70	.0787	----	----	----	310	1108 + 310
5355	----	----	19.70B/13.00A	19.70B/13.00A	----	14.40 - 4.70	.0772	----	----	----	----	108 UNCH
5360	----	----	19.40B/12.80A	19.40B/12.80A	----	14.20 - 4.70	.0762	----	----	1	----	329 + 1
5365	----	----	19.10B/12.60A	19.10B/12.60A	----	14.00 - 4.60	.0751	----	----	10	----	148 UNCH
5370	----	----	18.80B/12.50A	18.80B/12.50A	----	13.70 - 4.60	.0737	----	----	----	----	27 UNCH
5375	----	----	18.50B/12.30A	18.50B/12.30A	----	13.50 - 4.50	.0726	----	----	----	----	24 UNCH
5380	----	----	18.20B/12.10A	18.20B/12.10A	----	13.30 - 4.50	.0716	----	----	----	----	17 UNCH
5385	----	----	17.90B/11.90A	17.90B/11.90A	----	13.10 - 4.40	.0705	----	----	1	----	19 UNCH
5390	----	----	17.60B/11.70A	17.60B/11.70A	----	12.90 - 4.30	.0695	----	----	----	----	13 UNCH
5395	----	----	17.40B/11.60A	17.40B/11.60A	----	12.70 - 4.30	.0684	----	----	----	----	24 UNCH
5400	15.80	15.80	17.10B/11.40A	17.10B/11.40A	----	12.50 - 4.20	.0674	----	----	12	----	3770 - 5
5405	----	----	16.80B/11.20A	16.80B/11.20A	----	12.30 - 4.20	.0664	----	----	----	----	19 UNCH
5410	----	----	16.60B/11.10A	16.60B/11.10A	----	12.10 - 4.10	.0654	----	----	----	----	24 UNCH
5415	----	----	16.30B/10.90A	16.30B/10.90A	----	11.90 - 4.10	.0643	----	----	----	----	18 UNCH
5420	----	----	16.10B/10.80A	16.10B/10.80A	----	11.70 - 4.10	.0633	----	----	----	----	29 UNCH
5425	----	----	15.80B/10.60A	15.80B/10.60A	----	11.50 - 4.00	.0623	----	----	----	----	34 UNCH
5430	----	----	15.60B/10.50A	15.60B/10.50A	----	11.30 - 4.00	.0613	----	----	----	----	11 UNCH
5435	----	----	15.20B/10.30A	15.20B/10.30A	----	11.20 - 3.90	.0606	----	----	----	----	7 UNCH
5440	----	----	15.00B/10.20A	15.00B/10.20A	----	11.00 - 3.90	.0596	----	----	----	----	17 UNCH
5445	----	----	14.90B/10.00A	14.90B/10.00A	----	10.80 - 3.90	.0586	----	----	----	----	24 UNCH
5450	----	----	14.60B/9.90A	14.60B/9.90A	----	10.70 - 3.80	.0580	----	----	2	----	1163 + 2
5455	----	----	----/9.80A	14.30B/9.80A	----	10.50 - 3.80	.0570	----	----	----	----	36 UNCH
5460	----	----	----/9.60A	14.10B/9.60A	----	10.40 - 3.70	.0564	----	----	----	----	27 UNCH
5465	----	----	----/9.50A	13.90B/9.50A	----	10.20 - 3.70	.0554	----	----	----	----	19 UNCH
5470	----	----	----/9.40A	13.70B/9.40A	----	10.10 - 3.60	.0548	----	----	----	----	28 UNCH
5475	----	----	----/9.30A	13.50B/9.30A	----	9.90 - 3.60	.0538	----	----	----	----	206 UNCH
5480	----	----	----/*9.10A	13.30B/*9.10A	----	9.80 - 3.50	.0532	----	----	----	----	5 UNCH
5485	----	----	----/*9.00A	13.10B/*9.00A	----	9.60 - 3.50	.0522	----	----	----	----	6 UNCH
5490	----	----	----/*8.90A	12.90B/*8.90A	----	9.50 - 3.40	.0516	----	----	----	----	19 UNCH
5495	----	----	----/*8.80A	12.70B/*8.80A	----	9.40 - 3.40	.0510	----	----	----	----	7 UNCH
5500	12.00	12.00	12.50B/8.70A	12.50B/8.70A	----	9.20 - 3.40	.0501	----	----	129	----	2245 - 54
5505	----	----	----/*8.60A	12.40B/*8.60A	----	9.10 - 3.30	.0495	----	----	----	----	15 UNCH
5510	----	----	----/*8.50A	12.20B/*8.50A	----	9.00 - 3.20	.0489	----	----	----	----	13 UNCH
5515	10.20	10.20	10.20/*8.40A	12.00B/*8.40A	----	8.80 - 3.30	.0479	----	----	1	----	18 + 1
5520	----	----	----/*8.30A	11.90B/*8.30A	----	8.70 - 3.20	.0473	----	----	----	----	38 UNCH
5525	----	----	----/*8.10A	11.70B/*8.10A	----	8.60 - 3.20	.0468	----	----	----	----	91 UNCH
5530	----	----	----/*8.10A	11.50B/*8.10A	----	8.50 - 3.10	.0462	----	----	----	----	25 UNCH
5535	----	----	----/*8.00A	11.40B/*8.00A	----	8.40 - 3.10	.0456	----	----	----	----	12 UNCH
5540	----	----	----/*7.90A	11.20B/*7.90A	----	8.30 - 3.00	.0451	----	----	----	----	16 UNCH
5545	----	----	----/*7.80A	11.10B/*7.80A	----	8.20 - 3.00	.0445	----	----	----	----	16 UNCH
5550	----	----	----/*7.60A	10.90B/*7.60A	----	8.10 - 2.90	.0439	----	----	6	----	195 - 6
5555	----	----	----/*7.60A	10.70B/*7.60A	----	8.00 - 2.90	.0434	----	----	----	----	35 UNCH
5560	----	----	----/*7.50A	10.60B/*7.50A	----	7.90 - 2.80	.0428	----	----	----	----	23 UNCH
5565	----	----	----/*7.40A	10.50B/*7.40A	----	7.80 - 2.80	.0423	----	----	----	----	12 UNCH
5570	----	----	----/*7.30A	10.30B/*7.30A	----	7.70 - 2.80	.0417	----	----	----	----	4 UNCH
5575	----	----	----/*7.20A	10.20B/*7.20A	----	7.60 - 2.70	.0412	----	----	----	----	31 UNCH
5580	----	----	----/*7.10A	10.00B/*7.10A	----	7.50 - 2.70	.0406	----	----	----	----	7 UNCH
5585	----	----	----/*7.10A	9.90B/*7.10A	----	7.40 - 2.70	.0401	----	----	----	----	19 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5590	----	----	----/*7.00A	9.80B/*7.00A	----	7.30 - 2.70	.0395	----	----	----	----	5 UNCH
5595	----	----	----/*6.90A	9.60B/*6.90A	----	7.20 - 2.60	.0390	----	----	----	----	19 UNCH
5600	----	----	----/*6.80A	9.60B/*6.80A	----	7.10 - 2.60	.0385	----	----	1	----	2113 - 1
5605	----	----	----/*6.70A	9.40B/*6.70A	----	7.00 - 2.60	.0379	----	----	----	----	33 UNCH
5610	----	----	----/*6.70A	9.30B/*6.70A	----	6.90 - 2.60	.0374	----	----	----	----	10 UNCH
5615	----	----	----/*6.60A	9.10B/*6.60A	----	6.90 - 2.50	.0373	----	----	----	----	1 UNCH
5620	----	----	----/*6.50A	9.00B/*6.50A	----	6.80 - 2.40	.0367	----	----	----	----	6 UNCH
5625	----	----	----/*6.50A	8.90B/*6.50A	----	6.70 - 2.40	.0362	----	----	----	----	13 UNCH
5630	----	----	----/*6.40A	8.90B/*6.40A	----	6.60 - 2.40	.0357	----	----	----	----	6 UNCH
5635	----	----	----/*6.30A	8.80B/*6.30A	----	6.60 - 2.30	.0355	----	----	----	----	12 UNCH
5640	----	----	----/*6.20A	8.70B/*6.20A	----	6.50 - 2.30	.0350	----	----	----	----	8 UNCH
5650	----	----	----/*6.10A	8.40B/*6.10A	----	6.30 - 2.30	.0340	----	----	----	----	404 UNCH
5660	----	----	----/*6.00A	8.30B/*6.00A	----	6.20 - 2.20	.0333	----	----	----	----	7 UNCH
5670	----	----	----/*5.90A	8.10B/*5.90A	----	6.10 - 2.10	.0327	----	----	----	----	11 UNCH
5675	----	----	----/*5.80A	7.90B/*5.80A	----	6.00 - 2.10	.0322	----	----	----	----	7 UNCH
5680	----	----	----/*5.70A	7.90B/*5.70A	----	5.90 - 2.10	.0317	----	----	----	----	6 UNCH
5690	----	----	----/*5.60A	7.70B/*5.60A	----	5.80 - 2.10	.0311	----	----	----	----	21 UNCH
5700	7.60	7.60	7.60/*5.50A	7.60/*5.50A	----	5.70 - 2.00	.0305	----	----	3	----	996 UNCH
5710	----	----	----/*5.40A	7.30B/*5.40A	----	5.60 - 1.90	.0299	----	----	----	----	22 UNCH
5720	----	----	----/*5.30A	7.10B/*5.30A	----	5.50 - 1.90	.0293	----	----	----	----	17 UNCH
5725	----	----	----/*5.30A	7.10B/*5.30A	----	5.40 - 1.90	.0288	----	----	----	----	56 UNCH
5730	----	----	----/*5.20A	7.00B/*5.20A	----	5.30 - 1.90	.0283	----	----	----	----	10 UNCH
5740	----	----	----/*5.10A	6.80B/*5.10A	----	5.20 - 1.90	.0277	----	----	----	----	9 UNCH
5750	----	----	----/*5.00A	6.70B/*5.00A	----	5.10 - 1.80	.0271	----	----	1	----	986 UNCH
5760	----	----	----/*4.90A	6.50B/*4.90A	----	5.00 - 1.80	.0266	----	----	----	----	168 UNCH
5770	----	----	----/*4.90A	6.40B/*4.90A	----	4.90 - 1.70	.0260	----	----	----	----	4 UNCH
5775	----	----	----/*4.80A	6.30B/*4.80A	----	4.90 - 1.70	.0259	----	----	----	----	215 UNCH
5780	----	----	----/*4.80A	6.30B/*4.80A	----	4.80 - 1.70	.0254	----	----	----	----	2 UNCH
5790	----	----	----/*4.70A	6.10B/*4.70A	----	4.70 - 1.70	.0249	----	----	----	----	9 UNCH
5800	----	----	----/*4.60A	6.00B/*4.60A	----	4.60 - 1.70	.0243	----	----	1	----	803 + 1
5810	----	----	----/*4.50A	5.90B/*4.50A	----	4.50 - 1.60	.0238	----	----	----	----	11 UNCH
5820	----	----	----/*4.50A	5.70B/*4.50A	----	4.50 - 1.50	.0236	----	----	1	----	208 + 1
5825	----	----	----/*4.40A	5.70B/*4.40A	----	4.40 - 1.60	.0231	----	----	----	----	19 UNCH
5830	----	----	----/*4.40A	5.60B/*4.40A	----	4.40 - 1.50	.0231	----	----	----	----	1 UNCH
5840	----	----	----/*4.30A	5.50B/*4.30A	----	4.30 - 1.50	.0225	----	----	----	----	103 UNCH
5850	----	----	----/*4.20A	5.40B/*4.20A	----	4.20 - 1.50	.0220	----	----	----	----	109 UNCH
5860	----	----	----/*4.20A	5.30B/*4.20A	----	4.10 - 1.50	.0215	----	----	----	----	114 UNCH
5870	----	----	----/*4.10A	5.20B/*4.10A	----	4.00 - 1.50	.0209	----	----	----	----	16 UNCH
5875	----	----	----/*4.10A	5.00B/*4.10A	----	4.00 - 1.40	.0209	----	----	----	----	22 UNCH
5880	----	----	----/*4.00A	5.10B/*4.00A	----	4.00 - 1.40	.0208	----	----	----	----	11 UNCH
5890	----	----	----/*4.00A	5.00B/*4.00A	----	3.90 - 1.40	.0203	----	----	----	----	9 UNCH
5900	----	----	----/*3.80A	4.90B/*3.80A	----	3.80 - 1.40	.0198	----	----	----	----	430 UNCH
5910	----	----	----/*3.90A	4.80B/*3.90A	----	3.80 - 1.30	.0197	----	----	----	----	6 UNCH
5920	----	----	----/*3.70A	4.70B/*3.70A	----	3.70 - 1.30	.0192	----	----	----	----	19 UNCH
5925	----	----	----/*3.80A	4.70B/*3.80A	----	3.70 - 1.30	.0191	----	----	1	----	5 - 1
5930	----	----	----/*3.70A	4.60B/*3.70A	----	3.60 - 1.30	.0186	----	----	----	----	4 UNCH
5940	----	----	----/*3.70A	4.50B/*3.70A	----	3.60 - 1.30	.0185	----	----	----	----	2 UNCH
5950	----	----	----/*3.60A	4.50B/*3.60A	----	3.50 - 1.30	.0180	----	----	----	----	43 UNCH
5960	----	----	----/*3.60A	4.50B/*3.60A	----	3.40 - 1.30	.0175	----	----	----	----	16 UNCH
5970	----	----	----/*3.50A	4.40B/*3.50A	----	3.40 - 1.20	.0174	----	----	----	----	55 UNCH
5980	----	----	----/*3.50A	4.20B/*3.50A	----	3.30 - 1.20	.0170	----	----	----	----	3 UNCH
5990	----	----	----/*3.40A	4.10B/*3.40A	----	3.30 - 1.20	.0169	----	----	1	----	76 UNCH
6000	4.50	4.50	4.70/*3.30A	4.70/*3.30A	----	3.20 - 1.20	.0164	----	----	26	----	2206 + 25
6025	----	----	----/*3.30A	3.90B/*3.30A	----	3.10 - 1.10	.0158	----	----	----	----	34 UNCH
6050	----	----	----/*3.20A	3.80B/*3.20A	----	3.00 - 1.10	.0152	----	----	1	----	45 - 1
6075	----	----	----/*3.00A	3.60B/*3.00A	----	2.90 - 1.00	.0146	----	----	----	----	713 UNCH
6100	----	----	----/*2.90A	3.50B/*2.90A	----	2.80 - 1.00	.0140	----	----	----	----	291 UNCH
6125	----	----	----/*2.90A	3.40B/*2.90A	----	2.70 - 1.00	.0134	----	----	----	----	59 UNCH
6150	----	----	----/*2.70A	3.20B/*2.70A	----	2.60 - 0.90	.0129	----	----	----	----	881 UNCH
6175	----	----	----/*2.60A	3.10B/*2.60A	----	2.60 - 0.80	.0127	----	----	----	----	37 UNCH
6200	----	----	----/*2.60A	3.00B/*2.60A	----	2.50 - 0.80	.0122	----	----	----	----	550 UNCH
6225	----	----	----/*2.50A	2.90B/*2.50A	----	2.40 - 0.80	.0117	----	----	----	----	20 UNCH
6250	----	----	----/*2.50A	2.80B/*2.50A	----	2.40 - 0.70	.0115	----	----	----	----	392 UNCH
6275	----	----	----/*2.40A	2.80B/*2.40A	----	2.30 - 0.70	.0110	----	----	----	----	3 UNCH
6300	----	----	----/*2.40A	2.70B/*2.40A	----	2.30 - 0.60	.0109	----	----	----	----	339 UNCH
6325	----	----	----/*2.30A	2.60B/*2.30A	----	2.20 - 0.60	.0104	----	----	----	----	29 UNCH
6350	----	----	----/*2.20A	2.50B/*2.20A	----	2.20 - 0.60	.0103	----	----	----	----	26 UNCH
6375	----	----	----/*2.20A	2.40B/*2.20A	----	2.10 - 0.60	.0098	----	----	----	----	37 UNCH
6400	----	----	----/*2.10A	2.40B/*2.10A	----	2.10 - 0.50	.0097	----	----	----	----	171 UNCH
6425	----	----	----/*2.00A	2.30B/*2.00A	----	2.00 - 0.60	.0093	----	----	----	----	17 UNCH
6450	----	----	----/*2.00A	2.20B/*2.00A	----	2.00 - 0.50	.0092	----	----	----	----	48 UNCH
6475	----	----	----/*1.90A	2.20B/*1.90A	----	2.00 - 0.40	.0091	----	----	----	----	13 UNCH
6500	2.00	2.00	2.00/*1.80	2.10B/*1.80	----	1.90 - 0.50	.0086	----	----	6	----	647 - 5
6525	----	----	----/*1.80A	2.10B/*1.80A	----	1.90 - 0.40	.0086	----	----	----	----	132 UNCH
6550	----	----	----/*1.80A	2.00B/*1.80A	----	1.80 - 0.50	.0081	----	----	----	----	7 UNCH
6575	----	----	----/*1.70A	2.00B/*1.70A	----	1.80 - 0.40	.0080	----	----	----	----	4 UNCH
6600	----	----	----/*1.70A	1.90B/*1.70A	----	1.70 - 0.50	.0076	----	----	----	----	27 UNCH
6650	----	----	----/*1.60A	1.80B/*1.60A	----	1.60 - 0.50	.0071	----	----	----	----	16 UNCH
6675	----	----	----/*1.60A	1.70B/*1.60A	----	1.60 - 0.40	.0070	----	----	----	----	1 UNCH
6700	----	----	----/*1.60A	1.70B/*1.60A	----	1.50 - 0.50	.0066	----	----	----	----	127 UNCH
6775	----	----	----/*1.50A	1.60B/*1.50A	----	1.40 - 0.50	.0061	----	----	----	----	1 UNCH
6800	----	----	----/*1.40A	1.50B/*1.40A	----	1.30 - 0.50	.0057	----	----	----	----	201 UNCH
6825	----	----	----/*1.40A	1.50B/*1.40A	----	1.30 - 0.50	.0056	----	----	----	----	19 UNCH
6850	----	----	----/*1.40A	1.50B/*1.40A	----	1.30 - 0.50	.0056	----	----	----	----	201 UNCH
6875	----	----	----/*1.40A	1.40B/*1.40A	----	1.20 - 0.50	.0052	----	----	----	----	22 UNCH
6900	----	----	----/*1.30A	1.40B/*1.30A	----	1.20 - 0.50	.0051	----	----	----	----	19 UNCH
6925	----	----	----/*1.30A	1.40B/*1.30A	----	1.10 - 0.60	.0047	----	----	----	----	1 UNCH
6950	----	----	----/*1.30A	1.30B/*1.30A	----	1.10 - 0.50	.0047	----	----	----	----	22 UNCH
6975	----	----	----/*1.30A	1.30B/*1.30A	----	1.10 - 0.50	.0047	----	----	----	----	10 UNCH
7000	1.20	1.20	1.20/*1.20	1.30B/*1.20	----	1.10 - 0.50	.0046	----	----	227	----	1421 + 226
7050	----	----	----/*1.20A	1.20B/*1.20A	----	1.00 - 0.50	.0042	----	----	----	----	18 UNCH
7075	----	----	----/*1.20A	1.20B/*1.20A	----	1.00 - 0.50	.0042	----	----	----	----	13 UNCH
7100	----	----	----/*1.20A	1.20B/*1.20A	----	1.00 - 0.40	.0042	----	----	----	----	28 UNCH
7125	----	----	----/*1.20A	1.10B/*1.20A	----	1.00 - 0.40	.0041	----	----	----	----	1 UNCH
7150	1.10	1.10	1.10/*1.10	1.10/*1.10	----	0.90 - 0.50	.0037	----	----	1	----	20 + 1
7175	----	----	----/*1.20A	1.10B/*1.20A	----	0.90 - 0.50	.0037	----	----	----	----	1 UNCH
7200	----	----	----/*1.20A	1.10B/*1.20A	----	0.90 - 0.40	.0037	----	----	----	----	3 UNCH
7225	----	----	----/*1.10A	1.10B/*1.10A	----	0.90 - 0.40	.0037	----	----	----	----	22 UNCH
7250	----	----	----/*1.10A	1.00B/*1.10A	----	0.90 - 0.40	.0036	----	----	----	----	23 UNCH
7275	----	----	----/*1.10A	1.00B/*1.10A	----	0.90 - 0.40	.0036	----	----	----	----	14 UNCH
7300	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.50	.0033	----	----	----	----	50 UNCH
7350	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.40	.0032	----	----	----	----	8 UNCH
7400	----	----	----/*1.00A	0.80B/*1.00A	----	0.80 - 0.40	.0032	----	----	----	----	2 UNCH
7425	----	----	----/*1.00A	0.80B/*1.00A	----	0.80 - 0.40	.0032	----	----	----	----	19 UNCH
7450	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.40	.0031	----	----	----	----	28 UNCH
7475	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.40	.0031	----	----	----	----	9 UNCH
7500	----	----	----/0.90A	0.70B/0.90A	----	0.70 - 0.40	.0028	----	----	----	----	296 UNCH
7525	----	----	----/*0.90A	0.70B/*0.90A	----	0.70 - 0.40	.0027	----	----	----	----	33 UNCH
7550	----	----	----/*0.90A	0.70B/*0.90A	----	0.70 - 0.40	.0027	----	----	----	----	50 UNCH
7575	----	----	----/*0.90A	0.70B/*0.90A	----	0.70 - 0.40	.0027	----	----	----	----	1 UNCH
7600	----	----	----/*0.90A	0.60B/*0.90A	----	0.70 - 0.40	.0027	----	----	----	----	10 UNCH
7625	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.40	.0027	----	----	----	----	12 UNCH
7700	----	----	----/*0.80A	0.60B/*0.80A	----	0.60 - 0.50	.0023	----	----	----	----	11 UNCH
7725	----	----	----/*0.80A	0.70B/*0.80A	----	0.60 - 0.50	.0023	----	----	----	----	17 UNCH
7750	----	----	----/*0.80A	0.70B/*0.80A	----	0.60 - 0.50	.0023	----	----	----	----	6 UNCH
7775	----	----	----/*0.80A	0.70B/*0.80A	----	0.60 - 0.40	.0023	----	----	1	----	6 UNCH
7800	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.40	.0023	----	----	----	----	5 UNCH
7825	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.40	.0022	----	----	----	----	13 UNCH
7875	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.40	.0022	----	----	----	----	151 UNCH
7900	----	----	----/*0.70A	0.50B/*0.70A	----	0.50 - 0.50	.0019	----	----	----	----	1 UNCH
8000	----	----	----/*0.70A	0.50B/*0.70A	----	0.50 - 0.50	.0018	----	----	225	----	1048 + 225
8100	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.50	.0018	----	----	----	----	7 UNCH
8200	----	----	----/*0.60A	0.40B/*0.60A	----	0.40 - 0.50	.0015	----	----	----	----	1 UNCH
8300	----	----	----/*0.60A	0.40B/*0.60A	----	0.40 - 0.50	.0014	----	----	----	----	4 UNCH
8500	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.40	.0014	----	----	----	----	30 UNCH
8600	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.40	.0014	----	----	----	----	1 UNCH
8700	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.40	.0010	----	----	----	----	24 UNCH
8800	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.40	.0010	----	----	----	----	7 UNCH
9000	----	----	----/*0.40A	0.40B/*0.40A	----	0.30 - 0.30	.0010	----	----	----	----	241 UNCH
9200	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0010	----	----	----	----	11 UNCH
9300	----	----	----/0.40A	0.20B/0.40A	----	0.30 - 0.20	.0009	----	----	----	----	4 UNCH
9400	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.20	.0009	----	----	----	----	141 UNCH
9500	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.10	.0009	----	----	----	----	66 UNCH
9900	----	----	----	----/0.30A	----	0.30 UNCH	.0009	----	----	----	----	5 UNCH
10000	0.40	0.40	0.40/0.30A	0.40/0.30A	----	0.30 UNCH	.0009	----	----	2	----	180 + 2
10100	----	----	----	----/0.30A	----	0.20 - 0.10	.0006	----	----	----	----	12 UNCH
10500	----	----	----	----/0.30A	----	0.20 UNCH	.0006	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
10700	----	----	----	----/0.20A	----	0.20 UNCH	.0005	----	----	----	----	5 UNCH
11000	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	103 UNCH
11200	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	13 UNCH
11500	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	47 UNCH
11600	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	50 UNCH
12000	0.20	0.20	0.20/*0.20	0.20/0.20	----	0.10 UNCH	.0000	----	----	1	----	217 UNCH
TOTAL										2294	2,185	67158 + 2473
AUG26												
3200	----	----	----/1,510.00A	1539.30B/1510.00A	----	1519.90 - 21.80	.9911	----	----	----	----	3 UNCH
3300	----	----	----	----	----	1420.20 - 21.90	.9885	1	----	----	----	0 - 1
3350	----	----	----/1,359.80A	1390.10B/1359.80A	----	1370.40 - 22.00	.9872	----	----	----	----	125 UNCH
3400	----	----	1,343.20B/1,309	1343.20B/1309.00A	----	1320.60 - 22.10	.9855	----	----	----	----	400 UNCH
3500	----	----	----/1,210.50A	1241.20B/1210.50A	----	1221.40 - 22.10	.9816	----	----	----	----	46 UNCH
3505	----	----	----/1,205.50A	1236.30B/1205.50A	----	1216.40 - 22.10	.9812	----	----	----	----	4 UNCH
3520	----	----	----/1,190.60A	1221.40B/1190.60A	----	1201.60 - 22.10	.9804	----	----	----	----	65 UNCH
3550	----	----	----/1,159.90A	1193.90B/1159.90A	----	1171.90 - 22.10	.9791	----	----	----	----	310 UNCH
3600	----	----	1,146.40B/1,107	1146.40B/1107.90A	----	1122.50 - 22.10	.9762	----	----	----	----	1045 UNCH
3610	----	----	----/1,101.60A	1132.60B/1101.60A	----	1112.70 - 22.00	.9757	----	----	----	----	6 UNCH
3650	----	----	----/1,062.20A	1093.30B/1062.20A	----	1073.30 - 22.00	.9729	----	----	----	----	4 UNCH
3660	----	----	----	----	----	1063.50 - 22.00	.9724	----	----	----	----	1 UNCH
3685	----	----	----	----	----	1038.90 - 22.00	.9704	----	----	----	----	1 UNCH
3700	----	----	----/1,013.10A	1044.20B/1013.10A	----	1024.20 - 22.00	.9691	----	----	----	----	40 UNCH
3715	----	----	----/998.40A	1030.90B/998.40A	----	1009.60 - 21.90	.9679	----	----	----	----	30 UNCH
3720	----	----	----	----	----	1004.70 - 22.00	.9675	----	----	----	----	1 UNCH
3735	----	----	----	----	----	990.00 - 22.00	.9660	----	----	----	----	1 UNCH
3750	----	----	----/964.30A	996.60B/964.30A	----	975.40 - 22.00	.9647	----	----	----	----	8 UNCH
3775	----	----	----/939.90A	972.50B/939.90A	----	951.00 - 22.00	.9620	----	----	----	----	4 UNCH
3780	----	----	----/935.10A	967.60B/935.10A	----	946.20 - 22.00	.9615	----	----	----	----	10 UNCH
3790	----	----	----/925.40A	957.90B/925.40A	----	936.40 - 22.10	.9604	----	----	----	----	67 UNCH
3800	----	----	949.00B/914.70A	949.00B/914.70A	----	926.70 - 22.10	.9592	----	----	----	----	303 UNCH
3820	----	----	----/896.30A	928.80B/896.30A	----	907.40 - 22.00	.9569	----	----	----	----	3 UNCH
3840	----	----	----	----	----	888.00 - 22.10	.9545	----	----	----	----	1 UNCH
3850	----	----	----/867.40A	899.80B/867.40A	----	878.40 - 22.10	.9532	----	----	----	----	12 UNCH
3885	----	----	----	----	----	844.70 - 22.20	.9482	----	----	----	----	2 UNCH
3890	----	----	----	----	----	839.90 - 22.30	.9475	----	----	----	----	2 UNCH
3900	----	----	----/819.40A	851.70B/819.40A	----	830.40 - 22.20	.9459	----	----	----	----	146 UNCH
3920	----	----	----	----	----	811.30 - 22.30	.9426	----	----	----	----	1 UNCH
3925	----	----	----/795.60A	827.90B/795.60A	----	806.50 - 22.30	.9418	----	----	----	----	10 UNCH
3950	----	----	----/771.80A	804.10B/771.80A	----	782.80 - 22.30	.9373	----	----	----	----	106 UNCH
3955	----	----	----/767.10A	799.30B/767.10A	----	778.00 - 22.40	.9362	----	----	----	----	7 UNCH
3975	----	----	----/748.30A	780.30B/748.30A	----	759.10 - 22.40	.9325	----	----	----	----	200 UNCH
3995	----	----	----/729.50A	761.40B/729.50A	----	740.30 - 22.40	.9281	----	----	----	----	30 UNCH
4000	----	----	759.20B/721.60A	759.20B/721.60A	----	735.60 - 22.40	.9271	----	----	----	----	723 UNCH
4005	----	----	----	----	----	730.90 - 22.50	.9260	----	----	----	----	1 UNCH
4015	----	----	----/710.80A	742.70B/710.80A	----	721.60 - 22.40	.9238	----	----	----	----	12 UNCH
4025	----	----	----/701.50A	733.30B/701.50A	----	712.30 - 22.40	.9213	----	----	----	----	174 UNCH
4045	----	----	----/683.00A	714.70B/683.00A	----	693.70 - 22.40	.9166	----	----	----	----	30 UNCH
4050	----	----	----/678.40A	710.00B/678.40A	----	689.10 - 22.40	.9152	----	----	----	----	100 UNCH
4055	----	----	----/673.70A	705.40B/673.70A	----	684.40 - 22.50	.9141	----	----	----	----	100 UNCH
4075	----	----	----/655.40A	686.90B/655.40A	----	666.00 - 22.50	.9085	----	----	----	----	3 UNCH
4080	----	----	----	552.80B/725.20A	----	661.40 - 22.50	.9071	----	----	----	----	1 UNCH
4100	----	----	----/632.80A	663.60B/632.80A	----	643.20 - 22.40	.9015	----	----	----	----	73 UNCH
4110	----	----	----/623.70A	654.70B/623.70A	----	634.10 - 22.40	.8984	----	----	----	----	19 UNCH
4135	----	----	----/601.30A	631.90B/601.30A	----	611.50 - 22.40	.8904	----	----	----	----	20 UNCH
4140	----	----	----	525.10B/671.00A	----	607.00 - 22.40	.8887	----	----	----	----	1 UNCH
4150	----	----	----/587.90A	618.40B/587.90A	----	598.10 - 22.30	.8853	----	----	----	----	40 UNCH
4165	----	----	----	502.70B/648.60A	----	584.80 - 22.20	.8800	----	----	----	----	1 UNCH
4195	----	----	----/548.50A	578.30B/548.50A	----	558.30 - 22.20	.8687	----	----	----	----	3 UNCH
4200	----	----	----/544.10A	573.90B/544.10A	----	554.00 - 22.20	.8667	----	----	----	----	73 UNCH
4215	----	----	----	458.50B/604.90A	----	541.00 - 22.10	.8607	----	----	----	----	1 UNCH
4220	----	----	----/527.10A	556.60B/527.10A	----	536.60 - 22.20	.8587	----	----	----	----	16 UNCH
4225	----	----	----/522.80A	552.10B/522.80A	----	532.30 - 22.10	.8565	----	----	----	----	102 UNCH
4235	----	----	----	441.20B/588.30A	----	523.80 - 22.00	.8522	----	----	----	----	1 UNCH
4250	----	----	----/501.70A	530.70B/501.70A	----	511.00 - 22.00	.8454	----	----	----	----	71 UNCH
4265	----	----	----/489.10A	516.70B/489.10A	----	498.30 - 22.00	.8386	----	----	----	----	77 UNCH
4285	----	----	----/472.60A	501.00B/472.60A	----	481.60 - 21.90	.8288	----	----	----	----	8 UNCH
4300	----	----	----/460.30A	488.50B/460.30A	----	469.30 - 21.80	.8214	----	----	----	----	42 UNCH
4320	----	----	----	367.80B/519.40A	----	453.00 - 21.70	.8108	----	----	----	----	2 UNCH
4325	----	----	----/440.20A	468.00B/440.20A	----	449.00 - 21.60	.8081	----	----	----	----	6 UNCH
4330	----	----	----/436.30A	462.80B/436.30A	----	445.00 - 21.60	.8053	----	----	----	----	201 UNCH
4350	----	----	----/418.20A	450.00B/418.20A	----	429.10 - 21.50	.7941	----	----	----	----	774 UNCH
4360	----	----	----	335.70B/488.40A	----	421.20 - 21.50	.7883	----	----	----	----	1 UNCH
4375	----	----	----/401.30A	427.00B/401.30A	----	409.60 - 21.40	.7795	----	----	----	----	3 UNCH
4385	----	----	----/393.70A	419.20B/393.70A	----	401.90 - 21.40	.7734	----	----	----	----	100 UNCH
4390	----	----	----	312.50B/465.90A	----	398.10 - 21.30	.7702	----	----	----	----	1 UNCH
4400	----	----	----/381.60A	409.80B/381.60A	----	390.50 - 21.30	.7641	----	----	----	----	327 UNCH
4420	----	----	----/367.80A	392.50B/367.80A	----	375.60 - 21.10	.7512	----	----	----	----	50 UNCH
4425	----	----	----/364.00A	388.80B/364.00A	----	371.90 - 21.10	.7479	----	----	----	----	5 UNCH
4440	----	----	----	275.40B/429.40A	----	360.90 - 21.10	.7379	----	----	----	----	1 UNCH
4450	----	----	----/346.30A	371.50B/346.30A	----	353.70 - 21.00	.7311	----	----	----	----	6 UNCH
4455	----	----	----/327.90A	323.00B/327.90A	----	350.20 - 20.90	.7276	----	----	----	----	2 UNCH
4460	----	----	----/324.50A	364.20B/324.50A	----	346.60 - 20.90	.7242	----	----	----	----	5 UNCH
4465	----	----	----/321.10A	360.60B/321.10A	----	343.10 - 20.80	.7206	----	----	----	----	9 UNCH
4470	----	----	----/317.70A	357.00B/317.70A	----	339.60 - 20.80	.7172	----	----	----	----	7 UNCH
4475	----	----	----/314.30A	352.30B/314.30A	----	336.10 - 20.80	.7136	----	----	----	----	30 UNCH
4485	----	----	----/307.70A	345.20B/307.70A	----	329.10 - 20.70	.7065	----	----	----	----	5 UNCH
4490	----	----	----/304.50A	327.70B/304.50A	----	325.70 - 20.70	.7028	----	----	----	----	1 UNCH
4500	----	----	342.10B/297.90A	342.10B/297.90A	----	318.90 - 20.60	.6956	----	----	----	----	814 UNCH
4525	303.00	303.00	323.50B/282.10A	323.50B/282.10A	----	302.30 - 20.30	.6769	----	----	1	----	15 + 1
4535	----	----	316.80B/276.00A	316.80B/276.00A	----	295.80 - 20.20	.6693	----	----	----	----	10 UNCH
4540	----	----	313.50B/272.90A	313.50B/272.90A	----	292.60 - 20.20	.6655	----	----	----	----	5 UNCH
4545	----	----	310.10B/269.80A	310.10B/269.80A	----	289.40 - 20.10	.6616	----	----	----	----	1 UNCH
4550	----	----	307.90B/266.70A	307.90B/266.70A	----	286.20 - 20.10	.6578	----	----	----	----	22 UNCH
4555	----	----	303.60B/263.70A	303.60B/263.70A	----	283.00 - 20.10	.6539	----	----	----	----	1 UNCH
4560	----	----	301.30B/260.80A	301.30B/260.80A	----	279.90 - 20.00	.6499	----	----	----	----	133 UNCH
4565	----	----	297.20B/256.40A	297.20B/256.40A	----	276.80 - 19.90	.6461	----	----	----	----	1 UNCH
4570	----	----	294.10B/253.50A	294.10B/253.50A	----	273.70 - 19.90	.6421	----	----	----	----	4 UNCH
4575	----	----	292.00B/250.40A	292.00B/250.40A	----	270.70 - 19.80	.6382	----	----	----	----	41 UNCH
4580	----	----	288.70B/247.50A	288.70B/247.50A	----	267.60 - 19.80	.6342	----	----	----	----	209 UNCH
4585	----	----	284.60B/244.80A	284.60B/244.80A	----	264.60 - 19.70	.6302	----	----	----	----	2 UNCH
4590	----	----	282.60B/241.80A	282.60B/241.80A	----	261.60 - 19.60	.6262	----	----	----	----	66 UNCH
4595	----	----	278.60B/239.10A	278.60B/239.10A	----	258.60 - 19.60	.6222	----	----	----	----	10 UNCH
4600	----	----	276.70B/236.20A	276.70B/236.20A	----	255.70 - 19.50	.6182	----	----	----	----	281 UNCH
4605	----	----	272.50B/233.50A	272.50B/233.50A	----	252.80 - 19.40	.6141	----	----	----	----	3 UNCH
4615	----	----	268.80B/228.10A	268.80B/228.10A	----	247.00 - 19.30	.6060	----	----	----	----	7 UNCH
4620	----	----	264.30B/225.40A	264.30B/225.40A	----	244.10 - 19.30	.6020	----	----	----	----	5 UNCH
4625	----	----	261.50B/222.70A	261.50B/222.70A	----	241.30 - 19.20	.5979	----	----	----	----	13 UNCH
4630	----	----	258.70B/220.00A	258.70B/220.00A	----	238.50 - 19.10	.5938	----	----	----	----	24 UNCH
4640	----	----	253.00B/214.70A	253.00B/214.70A	----	233.00 - 18.90	.5856	----	----	----	----	17 UNCH
4650	----	----	249.60B/209.70A	249.60B/209.70A	----	227.50 - 18.80	.5773	----	----	----	----	277 UNCH
4655	----	----	251.20B/207.20A	251.20B/207.20A	----	224.80 - 18.80	.5732	----	----	----	----	1 UNCH
4660	----	----	248.20B/204.70A	248.20B/204.70A	----	222.10 - 18.70	.5690	----	----	----	----	4 UNCH
4665	----	----	245.40B/202.10A	245.40B/202.10A	----	219.50 - 18.60	.5649	----	----	----	----	15 UNCH
4670	----	----	242.60B/199.70A	242.60B/199.70A	----	216.90 - 18.50	.5607	----	----	----	----	55 UNCH
4675	----	----	240.10B/197.20A	240.10B/197.20A	----	214.30 - 18.40	.5566	----	----	----	----	39 UNCH
4680	----	----	237.10B/194.90A	237.10B/194.90A	----	211.70 - 18.40	.5524	----	----	7	----	6 - 4
4685	----	----	234.60B/192.50A	234.60B/192.50A	----	209.20 - 18.20	.5483	----	----	----	----	200 UNCH
4690	203.10	203.10	232.00B/190.00A	232.00B/190.00A	----	206.60 - 18.20	.5441	----	----	10	----	14 + 1
4695	----	----	229.20B/187.60A	229.20B/187.60A	----	204.10 - 18.10	.5400	----	----	----	----	4 UNCH
4700	190.60	190.60	226.50B/185.30A	226.50B/185.30A	----	201.60 - 18.10	.5358	----	----	58	----	2287 + 19
4705	----	----	223.90B/183.00A	223.90B/183.00A	----	199.20 - 17.90	.5316	----	----	25	----	108 + 25
4710	----	----	221.60B/180.60A	221.60B/180.60A	----	196.80 - 17.80	.5275	----	----	----	----	83 UNCH
4715	----	----	218.90B/178.60A	218.90B/178.60A	----	194.30 - 17.80	.5233	----	----	----	----	1 UNCH
4720	----	----	216.40B/176.20A	216.40B/176.20A	----	192.00 - 17.70	.5192	----	----	----	----	62 UNCH
4725	----	----	213.80B/174.00A	213.80B/174.00A	----	189.60 - 17.60	.5150	----	----	----	----	35 UNCH
4730	----	----	211.40B/171.80A	211.40B/171.80A	----	187.30 - 17.50	.5109	----	----	----	----	61 UNCH
4735	----	----	209.00B/169.60A	209.00B/169.60A	----	184.90 - 17.50	.5067	----	----	----	----	11 UNCH
4740	----	----	206.70B/167.60A	206.70B/167.60A	----	182.70 - 17.30	.5026	----	----	6	----	8 + 6
4745	----	----	204.20B/165.50A	204.20B/165.50A	----	180.40 - 17.20	.4984	----	----	----	----	70 UNCH
4750	163.80	163.80	201.90B/162.20	201.90B/162.20	----	178.10 - 17.20	.4943	----	----	10	----	345 + 1
4755	----	----	199.40B/161.30A	199.40B/161.30A	----	175.90 - 17.10	.4902	----	----	----	----	56 UNCH
4760	----	----	197.30B/159.10A	197.30B/159.10A	----	173.70 - 17.00	.4861	----	----	----	----	43 UNCH
4765	----	----	194.80B/157.10A	194.80B/157.10A	----	171.50 - 16.90	.4820	----	----	----	----	11 UNCH
4770	170.80	170.80	192.30B/155.20A	192.30B/155.20A	----	169.40 - 16.70	.4779	----	----	6	----	258 UNCH
4775	----	----	190.10B/153.20A	190.10B/153.20A	----	167.30 - 16.60	.4738	----	----	16	125	131 + 110
4780	----	----	187.90B/151.30A	187.90B/151.30A	----	165.20 - 16.50	.4697	----	----	----	----	22 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4785	----	----	185.60B/149.30A	185.60B/149.30A	----	163.10 - 16.40	.4657	----	----	----	----	15 UNCH
4790	----	----	183.40B/147.20A	183.40B/147.20A	----	161.00 - 16.30	.4616	----	----	----	----	32 UNCH
4795	----	----	181.00B/145.30A	181.00B/145.30A	----	159.00 - 16.20	.4576	----	----	----	----	104 UNCH
4800	172.70	172.70	179.00B/143.00	179.00B/143.00	----	156.90 - 16.20	.4535	----	----	48	----	2067 + 14
4805	----	----	177.20B/141.60A	177.20B/141.60A	----	154.90 - 16.10	.4495	----	----	----	----	16 UNCH
4810	----	----	174.80B/139.90A	174.80B/139.90A	----	153.00 - 15.90	.4455	----	----	----	----	17 UNCH
4815	----	----	172.50B/138.00A	172.50B/138.00A	----	151.00 - 15.90	.4415	----	----	----	----	3 UNCH
4820	----	----	171.10B/136.20A	171.10B/136.20A	----	149.10 - 15.70	.4376	----	----	----	----	24 UNCH
4825	----	----	168.80B/134.50A	168.80B/134.50A	----	147.20 - 15.70	.4336	----	----	----	----	83 UNCH
4830	----	----	166.50B/132.70A	166.50B/132.70A	----	145.30 - 15.60	.4297	----	----	----	----	29 UNCH
4835	----	----	164.70B/131.00A	164.70B/131.00A	----	143.40 - 15.50	.4257	----	----	----	----	38 UNCH
4840	----	----	162.50B/129.20A	162.50B/129.20A	----	141.60 - 15.40	.4218	----	----	----	----	25 UNCH
4845	----	----	160.50B/127.50A	160.50B/127.50A	----	139.70 - 15.40	.4179	----	----	----	----	1 UNCH
4850	----	----	158.60B/125.80A	158.60B/125.80A	----	137.90 - 15.40	.4140	----	----	----	----	239 UNCH
4860	----	----	154.60B/122.50A	154.60B/122.50A	----	134.40 - 15.20	.4063	----	----	----	----	29 UNCH
4865	----	----	152.70B/120.90A	152.70B/120.90A	----	132.60 - 15.20	.4025	----	----	----	----	11 UNCH
4870	----	----	150.90B/119.30A	150.90B/119.30A	----	130.90 - 15.10	.3987	----	----	26	----	49 + 26
4875	----	----	149.40B/117.70A	149.40B/117.70A	----	129.20 - 15.00	.3949	----	----	----	----	172 UNCH
4880	----	----	147.10B/116.30A	147.10B/116.30A	----	127.50 - 14.90	.3911	----	----	----	----	142 UNCH
4885	----	----	145.30B/114.60A	145.30B/114.60A	----	125.80 - 14.90	.3873	----	----	----	----	44 UNCH
4890	----	----	143.40B/113.10A	143.40B/113.10A	----	124.20 - 14.80	.3836	----	----	----	----	9 UNCH
4895	----	----	141.90B/111.60A	141.90B/111.60A	----	122.60 - 14.70	.3799	----	----	----	----	63 UNCH
4900	----	----	140.00B/110.10A	140.00B/110.10A	----	121.00 - 14.60	.3762	----	----	2	----	602 UNCH
4905	----	----	138.30B/108.80A	138.30B/108.80A	----	119.40 - 14.60	.3725	----	----	----	----	14 UNCH
4910	----	----	136.50B/107.20A	136.50B/107.20A	----	117.80 - 14.50	.3689	----	----	----	----	10 UNCH
4915	----	----	134.80B/105.80A	134.80B/105.80A	----	116.30 - 14.40	.3653	----	----	----	----	25 UNCH
4920	----	----	133.10B/104.40A	133.10B/104.40A	----	114.70 - 14.40	.3616	----	----	----	----	3 UNCH
4925	----	----	131.80B/103.00A	131.80B/103.00A	----	113.20 - 14.20	.3580	----	----	----	----	126 UNCH
4930	----	----	130.00B/101.60A	130.00B/101.60A	----	111.70 - 14.20	.3544	----	----	----	----	25 UNCH
4935	----	----	128.20B/100.40A	128.20B/100.40A	----	110.30 - 14.00	.3510	----	----	----	----	1 UNCH
4940	111.80	111.80	126.50B/99.00A	126.50B/99.00A	----	108.80 - 13.90	.3474	----	----	10	----	36 + 8
4945	----	----	124.90B/97.60A	124.90B/97.60A	----	107.40 - 13.80	.3439	----	----	----	----	23 UNCH
4950	106.40	106.40	123.80B/96.30A	123.80B/96.30A	----	106.00 - 13.70	.3405	----	----	42	----	240 + 2
4955	----	----	122.20B/95.00A	122.20B/95.00A	----	104.60 - 13.60	.3370	----	----	----	----	22 UNCH
4960	----	----	120.60B/93.70A	120.60B/93.70A	----	103.20 - 13.50	.3336	----	----	----	----	40 UNCH
4965	----	----	118.90B/92.50A	118.90B/92.50A	----	101.80 - 13.50	.3302	----	----	----	----	22 UNCH
4970	99.00	99.00	117.30B/91.20A	117.30B/91.20A	----	100.50 - 13.30	.3268	----	----	1	----	1 UNCH
4975	----	----	116.20B/90.00A	116.20B/90.00A	----	99.10 - 13.30	.3234	----	----	----	----	2 UNCH
4980	----	----	114.40B/88.80A	114.40B/88.80A	----	97.80 - 13.20	.3201	----	----	----	----	11 UNCH
4985	----	----	113.00B/87.60A	113.00B/87.60A	----	96.50 - 13.10	.3168	----	----	----	----	14 UNCH
4990	----	----	111.70B/86.40A	111.70B/86.40A	----	95.20 - 13.00	.3135	----	----	----	----	9 UNCH
4995	----	----	110.60B/85.30A	110.60B/85.30A	----	94.00 - 12.80	.3103	----	----	----	----	3 UNCH
5000	104.10	104.10	108.70B/84.00	108.70B/84.00	----	92.70 - 12.80	.3070	----	----	226	----	1892 + 82
5005	----	----	107.30B/83.00A	107.30B/83.00A	----	91.50 - 12.70	.3038	----	----	----	----	10 UNCH
5010	----	----	106.20B/81.90A	106.20B/81.90A	----	90.30 - 12.50	.3006	----	----	----	----	1 UNCH
5015	----	----	104.90B/80.80A	104.90B/80.80A	----	89.10 - 12.50	.2975	----	----	----	----	7 UNCH
5020	----	----	103.70B/79.70A	103.70B/79.70A	----	87.90 - 12.40	.2943	----	----	----	----	32 UNCH
5025	----	----	102.10B/78.60A	102.10B/78.60A	----	86.70 - 12.30	.2912	----	----	----	----	230 UNCH
5030	----	----	100.70B/77.60A	100.70B/77.60A	----	85.60 - 12.20	.2882	----	----	----	----	193 UNCH
5035	----	----	99.60B/76.60A	99.60B/76.60A	----	84.40 - 12.10	.2850	----	----	----	----	11 UNCH
5040	84.50	84.50	98.40B/75.50A	98.40B/75.50A	----	83.30 - 12.00	.2820	----	----	2	----	17 + 2
5045	----	----	97.20B/74.50A	97.20B/74.50A	----	82.20 - 11.90	.2790	----	----	----	----	23 UNCH
5050	----	----	96.00B/73.50A	96.00B/73.50A	----	81.10 - 11.80	.2760	----	----	----	----	276 UNCH
5055	----	----	94.70B/72.50A	94.70B/72.50A	----	80.00 - 11.80	.2730	----	----	----	----	5 UNCH
5060	----	----	93.20B/71.70A	93.20B/71.70A	----	79.00 - 11.60	.2702	----	----	----	----	32 UNCH
5065	----	----	92.00B/70.70A	92.00B/70.70A	----	77.90 - 11.60	.2672	----	----	----	----	43 UNCH
5070	----	----	90.90B/69.80A	90.90B/69.80A	----	76.90 - 11.40	.2644	----	----	----	----	58 UNCH
5075	80.00	80.00	90.00B/68.70A	90.00B/68.70A	----	75.90 - 11.30	.2616	----	----	4	----	208 + 4
5080	----	----	88.80B/67.80A	88.80B/67.80A	----	74.80 - 11.30	.2586	----	----	----	----	21 UNCH
5085	----	----	87.70B/67.00A	87.70B/67.00A	----	73.80 - 11.20	.2558	----	----	----	----	160 UNCH
5090	----	----	86.60B/66.00A	86.60B/66.00A	----	72.90 - 11.10	.2531	----	----	----	----	2 UNCH
5095	----	----	85.20B/65.20A	85.20B/65.20A	----	71.90 - 11.00	.2503	----	----	----	----	5 UNCH
5100	76.50	76.50	84.40B/64.30A	84.40B/64.30A	----	70.90 - 11.00	.2475	----	----	91	70	1883 - 8
5105	----	----	83.40B/63.40A	83.40B/63.40A	----	70.00 - 10.80	.2449	----	----	----	----	3 UNCH
5110	----	----	82.10B/62.60A	82.10B/62.60A	----	69.10 - 10.70	.2422	----	----	----	----	11 UNCH
5115	----	----	81.00B/61.80A	81.00B/61.80A	----	68.10 - 10.70	.2395	----	----	----	----	13 UNCH
5120	----	----	80.20B/61.00A	80.20B/61.00A	----	67.20 - 10.60	.2368	----	----	----	----	358 UNCH
5125	----	----	79.00B/60.10A	79.00B/60.10A	----	66.30 - 10.50	.2342	----	----	----	----	163 UNCH
5130	----	----	77.90B/59.40A	77.90B/59.40A	----	65.50 - 10.30	.2318	----	----	----	----	2 UNCH
5135	----	----	77.00B/58.60A	77.00B/58.60A	----	64.60 - 10.30	.2292	----	----	----	----	4 UNCH
5140	----	----	76.00B/57.80A	76.00B/57.80A	----	63.70 - 10.20	.2265	----	----	----	----	12 UNCH
5145	----	----	75.20B/57.00A	75.20B/57.00A	----	62.90 - 10.10	.2241	----	----	----	----	12 UNCH
5150	----	----	74.20B/56.30A	74.20B/56.30A	----	62.10 - 10.00	.2217	----	----	----	----	109 UNCH
5155	----	----	73.30B/55.50A	73.30B/55.50A	----	61.20 - 10.00	.2191	----	----	----	----	17 UNCH
5160	----	----	72.40B/54.80A	72.40B/54.80A	----	60.40 - 9.90	.2167	----	----	----	----	14 UNCH
5165	----	----	71.30B/54.10A	71.30B/54.10A	----	59.60 - 9.80	.2143	----	----	----	----	2 UNCH
5170	----	----	70.50B/53.40A	70.50B/53.40A	----	58.80 - 9.70	.2119	----	----	----	----	6 UNCH
5175	----	----	69.60B/52.70A	69.60B/52.70A	----	58.10 - 9.50	.2096	----	----	----	----	361 UNCH
5185	----	----	67.90B/51.30A	67.90B/51.30A	----	56.60 - 9.30	.2050	----	----	----	----	2 UNCH
5190	----	----	67.10B/50.70A	67.10B/50.70A	----	55.80 - 9.30	.2026	----	----	----	----	12 UNCH
5195	55.50	55.50	66.20B/50.00A	66.20B/50.00A	----	55.10 - 9.20	.2004	----	----	7	----	42 + 7
5200	----	----	65.50B/49.30A	65.50B/49.30A	----	54.40 - 9.10	.1982	----	----	14	----	3372 - 3
5205	----	----	64.40B/48.70A	64.40B/48.70A	----	53.60 - 9.10	.1958	----	----	----	----	6 UNCH
5210	----	----	63.70B/48.20A	63.70B/48.20A	----	52.90 - 9.00	.1937	----	----	----	----	8 UNCH
5215	51.80	51.80	62.80B/47.60A	62.80B/47.60A	----	52.20 - 8.90	.1915	----	----	1	----	15 + 1
5220	----	----	62.10B/46.90A	62.10B/46.90A	----	51.60 - 8.80	.1895	----	----	55	----	74 + 43
5225	----	----	61.30B/46.30A	61.30B/46.30A	----	50.90 - 8.70	.1873	----	----	----	----	51 UNCH
5230	----	----	60.60B/45.60A	60.60B/45.60A	----	50.20 - 8.70	.1851	----	----	----	----	11 UNCH
5235	----	----	59.90B/45.20A	59.90B/45.20A	----	49.60 - 8.50	.1832	----	----	----	----	20 UNCH
5240	----	----	59.10B/44.60A	59.10B/44.60A	----	48.90 - 8.50	.1810	----	----	----	----	17 UNCH
5245	----	----	58.40B/44.10A	58.40B/44.10A	----	48.30 - 8.40	.1790	----	----	----	----	17 UNCH
5250	----	----	57.60B/43.50A	57.60B/43.50A	----	47.70 - 8.30	.1771	----	----	138	----	747 - 72
5255	----	----	56.90B/42.80A	56.90B/42.80A	----	47.10 - 8.20	.1751	----	----	----	----	888 UNCH
5260	----	----	56.20B/42.40A	56.20B/42.40A	----	46.40 - 8.20	.1730	----	----	----	----	25 UNCH
5265	----	----	55.50B/41.90A	55.50B/41.90A	----	45.90 - 8.00	.1712	----	----	----	----	13 UNCH
5270	----	----	54.70B/41.30A	54.70B/41.30A	----	45.30 - 7.90	.1693	----	----	----	----	119 UNCH
5275	----	----	54.10B/40.70A	54.10B/40.70A	----	44.70 - 7.90	.1673	----	----	----	----	21 UNCH
5280	----	----	53.40B/40.20A	53.40B/40.20A	----	44.10 - 7.80	.1654	----	----	----	----	207 UNCH
5285	----	----	52.90B/39.70A	52.90B/39.70A	----	43.50 - 7.80	.1635	----	----	----	----	32 UNCH
5290	----	----	52.00B/39.20A	52.00B/39.20A	----	43.00 - 7.70	.1618	----	----	----	----	17 UNCH
5295	----	----	51.50B/38.80A	51.50B/38.80A	----	42.40 - 7.60	.1598	----	----	----	----	6 UNCH
5300	----	----	50.80B/38.30A	50.80B/38.30A	----	41.90 - 7.50	.1581	----	----	10	----	1153 + 5
5305	47.00	47.00	50.30B/37.90A	50.30B/37.90A	----	41.40 - 7.40	.1564	----	----	3	----	17 + 3
5310	----	----	49.60B/37.40A	49.60B/37.40A	----	40.80 - 7.40	.1545	----	----	----	----	107 UNCH
5320	----	----	48.40B/36.50A	48.40B/36.50A	----	39.80 - 7.30	.1511	----	----	----	----	17 UNCH
5325	----	----	47.70B/36.00A	47.70B/36.00A	----	39.30 - 7.20	.1494	----	----	----	----	27 UNCH
5330	----	----	47.10B/35.60A	47.10B/35.60A	----	38.80 - 7.10	.1478	----	----	----	----	3 UNCH
5335	----	----	46.50B/35.20A	46.50B/35.20A	----	38.30 - 7.10	.1461	----	----	----	----	1 UNCH
5345	----	----	45.50B/34.40A	45.50B/34.40A	----	37.40 - 6.90	.1429	----	----	----	----	2 UNCH
5350	----	----	45.00B/33.80A	45.00B/33.80A	----	36.90 - 6.90	.1413	----	----	----	----	8001 UNCH
5355	----	----	44.30B/33.40A	44.30B/33.40A	----	36.50 - 6.70	.1398	----	----	----	----	1 UNCH
5360	----	----	43.80B/33.10A	43.80B/33.10A	----	36.00 - 6.70	.1382	----	----	----	----	114 UNCH
5365	----	----	43.20B/32.70A	43.20B/32.70A	----	35.60 - 6.60	.1367	----	----	----	----	4 UNCH
5370	----	----	42.70B/32.30A	42.70B/32.30A	----	35.10 - 6.60	.1351	----	----	----	----	8006 UNCH
5375	----	----	42.30B/31.90A	42.30B/31.90A	----	34.70 - 6.50	.1337	----	----	----	250	256 + 236
5380	----	----	41.70B/31.50A	41.70B/31.50A	----	34.30 - 6.40	.1322	----	----	----	----	6 UNCH
5400	----	----	39.80B/30.10A	39.80B/30.10A	----	32.60 - 6.20	.1264	----	----	128	----	2633 + 42
5405	----	----	39.20B/29.70A	39.20B/29.70A	----	32.30 - 6.10	.1252	----	----	----	----	7 UNCH
5410	----	----	38.90B/29.40A	38.90B/29.40A	----	31.90 - 6.00	.1238	----	----	----	----	24 UNCH
5420	----	----	38.00B/28.70A	38.00B/28.70A	----	31.10 - 6.00	.1210	----	----	----	----	8 UNCH
5425	----	----	37.50B/28.50A	37.50B/28.50A	----	30.70 - 5.90	.1196	----	----	----	----	22 UNCH
5430	----	----	37.00B/28.00A	37.00B/28.00A	----	30.40 - 5.80	.1185	----	----	----	----	22 UNCH
5435	----	----	36.60B/27.80A	36.60B/27.80A	----	30.00 - 5.80	.1171	----	----	----	----	50 UNCH
5440	----	----	36.20B/27.40A	36.20B/27.40A	----	29.70 - 5.70	.1159	----	----	----	----	106 UNCH
5445	----	----	35.90B/27.10A	35.90B/27.10A	----	29.30 - 5.70	.1146	----	----	----	----	10 UNCH
5450	----	----	35.40B/26.80A	35.40B/26.80A	----	29.00 - 5.60	.1134	----	----	----	----	187 UNCH
5455	28.60	28.60	35.10B/26.50A	35.10B/26.50A	----	28.60 - 5.60	.1120	----	----	4	----	21 + 4
5460	----	----	34.70B/26.20A	34.70B/26.20A	----	28.30 - 5.50	.1109	----	----	----	----	12 UNCH
5465	----	----	34.30B/25.90A	34.30B/25.90A	----	28.00 - 5.40	.1098	----	----	----	----	42 UNCH
5470	----	----	33.90B/25.60A	33.90B/25.60A	----	27.60 - 5.40	.1084	----	----	----	----	14 UNCH
5475	----	----	33.40B/25.30A	33.40B/25.30A	----	27.30 - 5.40	.1073	----	----	----	----	2 UNCH
5480	----	----	33.20B/25.10A	33.20B/25.10A	----	27.00 - 5.30	.1062	----	----	----	----	14 UNCH
5485	----	----	32.70B/24.80A	32.70B/24.80A	----	26.70 - 5.30	.1051	----	----	----	----	19 UNCH
5490	----	----	32.40B/24.50A	32.40B/24.50A	----	26.40 - 5.20	.1040	----	----	----	----	2 UNCH
5495	----	----	32.10B/24.20A	32.10B/24.20A	----	26.10 - 5.10	.1029	----	----	----	----	4 UNCH
5500	28.00	28.00	31.60B/24.00A	31.60B/24.00A	----	25.80 - 5.10	.1018	----	----	36	----	1436 - 12
5505	----	----	31.20B/23.70A	31.20B/23.70A	----	25.50 - 5.10	.1007	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5510	----	----	30.90B/23.50A	30.90B/23.50A	----	25.20 - 5.00	.0996	----	----	----	----	9 UNCH
5515	----	----	30.50B/23.20A	30.50B/23.20A	----	24.90 - 5.00	.0985	----	----	----	----	30 UNCH
5520	----	----	30.20B/23.00A	30.20B/23.00A	----	24.60 - 5.00	.0974	----	----	----	----	1 UNCH
5525	----	----	29.80B/22.70A	29.80B/22.70A	----	24.40 - 4.80	.0966	----	----	----	----	2235 UNCH
5530	----	----	29.50B/22.50A	29.50B/22.50A	----	24.10 - 4.80	.0955	----	----	----	----	1 UNCH
5535	----	----	29.30B/22.30A	29.30B/22.30A	----	23.80 - 4.80	.0944	----	----	----	----	12 UNCH
5540	----	----	28.90B/22.00A	28.90B/22.00A	----	23.60 - 4.70	.0936	----	----	----	----	9 UNCH
5545	----	----	28.60B/21.80A	28.60B/21.80A	----	23.30 - 4.70	.0925	----	----	----	----	20 UNCH
5550	----	----	28.20B/21.60A	28.20B/21.60A	----	23.10 - 4.60	.0917	----	----	----	----	129 UNCH
5555	----	----	27.90B/21.30A	27.90B/21.30A	----	22.80 - 4.60	.0906	----	----	----	----	1 UNCH
5560	----	----	27.60B/21.10A	27.60B/21.10A	----	22.60 - 4.50	.0898	----	----	----	----	3 UNCH
5565	----	----	27.30B/20.90A	27.30B/20.90A	----	22.30 - 4.50	.0887	----	----	----	----	39 UNCH
5570	----	----	26.90B/20.70A	26.90B/20.70A	----	22.10 - 4.40	.0879	----	----	----	----	21 UNCH
5575	----	----	26.70B/20.50A	26.70B/20.50A	----	21.80 - 4.50	.0869	----	----	----	----	3 UNCH
5580	21.60	21.60	26.30B/20.30A	26.30B/20.30A	----	21.60 - 4.40	.0861	----	----	17	----	34 + 17
5590	----	----	26.00B/19.90A	26.00B/19.90A	----	21.10 - 4.30	.0842	----	----	----	----	2 UNCH
5595	----	----	25.60B/19.70A	25.60B/19.70A	----	20.90 - 4.30	.0834	----	----	----	----	29 UNCH
5600	23.10	23.10	25.20B/19.50A	25.20B/19.50A	----	20.70 - 4.20	.0826	----	----	3	----	1176 + 2
5605	----	----	25.00B/19.30A	25.00B/19.30A	----	20.50 - 4.20	.0818	----	----	----	----	7 UNCH
5610	----	----	24.70B/19.10A	24.70B/19.10A	----	20.30 - 4.10	.0811	----	----	----	----	11 UNCH
5615	----	----	24.40B/18.90A	24.40B/18.90A	----	20.10 - 4.10	.0803	----	----	----	----	2 UNCH
5620	----	----	24.30B/18.70A	24.30B/18.70A	----	19.90 - 4.00	.0795	----	----	----	----	37 UNCH
5625	----	----	24.00B/18.60A	24.00B/18.60A	----	19.70 NEW	.0787	----	----	1	----	1 + 1
5630	----	----	23.80B/18.40A	23.80B/18.40A	----	19.50 - 3.90	.0779	----	----	----	----	17 UNCH
5635	----	----	23.50B/18.20A	23.50B/18.20A	----	19.30 - 3.90	.0772	----	----	----	----	2 UNCH
5640	----	----	23.30B/18.00A	23.30B/18.00A	----	19.10 - 3.90	.0764	----	----	----	----	10 UNCH
5650	----	----	22.70B/17.70A	22.70B/17.70A	----	18.70 - 3.80	.0749	----	----	----	----	600 UNCH
5660	----	----	22.30B/17.40A	22.30B/17.40A	----	18.30 - 3.80	.0733	----	----	----	----	33 UNCH
5670	----	----	21.90B/17.00A	21.90B/17.00A	----	17.90 - 3.80	.0718	----	----	----	----	10 UNCH
5675	----	----	----/16.90A	21.50B/16.90A	----	17.80 - 3.70	.0713	----	----	----	----	4 UNCH
5680	----	----	21.40B/16.70A	21.40B/16.70A	----	17.60 - 3.70	.0706	----	----	----	----	4 UNCH
5690	----	----	----/16.50A	20.70B/16.50A	----	17.30 - 3.60	.0693	----	----	----	----	16 UNCH
5700	----	----	----/16.30A	20.40B/16.30A	----	16.90 - 3.60	.0678	----	----	----	----	1689 UNCH
5710	----	----	----/16.00A	20.00B/16.00A	----	16.60 - 3.50	.0666	----	----	----	----	7 UNCH
5720	----	----	----/15.60A	19.50B/15.60A	----	16.30 - 3.50	.0654	----	----	----	----	19 UNCH
5725	----	----	----/15.70A	19.40B/15.70A	----	16.10 - 3.50	.0647	----	----	----	----	1 UNCH
5730	----	----	----/15.40A	19.20B/15.40A	----	16.00 - 3.40	.0642	----	----	----	----	15 UNCH
5750	----	----	----/14.90A	18.50B/14.90A	----	15.40 - 3.30	.0618	----	----	138	----	396 UNCH
5775	----	----	----/14.30A	17.60B/14.30A	----	14.70 - 3.20	.0591	----	----	----	----	2 UNCH
5800	----	----	----/13.90A	16.90B/13.90A	----	14.10 - 3.10	.0566	----	----	----	----	1006 UNCH
5825	----	----	----/13.20A	16.00B/13.20A	----	13.50 - 3.00	.0541	----	----	1	----	132 + 1
5850	----	----	----/12.80A	15.40B/12.80A	----	13.00 - 2.80	.0520	----	----	----	----	166 UNCH
5875	----	----	----/12.40A	14.80B/12.40A	----	12.50 - 2.70	.0499	----	----	----	----	26 UNCH
5900	----	----	----/12.00A	14.10B/12.00A	----	12.00 - 2.60	.0479	----	----	2	----	1496 - 1
5925	----	----	----/11.50A	13.50B/11.50A	----	11.50 - 2.50	.0459	----	----	----	----	2 UNCH
5950	----	----	----/11.20A	13.00B/11.20A	----	11.10 - 2.40	.0442	----	----	----	----	9 UNCH
6000	12.50	12.50	12.50/10.40A	12.50/10.40A	----	10.40 - 2.10	.0412	----	----	1	----	1835 UNCH
6100	----	----	----/9.20A	10.50B/9.20A	----	9.10 - 1.80	.0357	----	----	2	----	379 + 2
6200	----	----	----/8.20A	9.30B/8.20A	----	8.10 - 1.50	.0313	----	----	----	----	1430 UNCH
6250	----	----	----/7.80A	8.80B/7.80A	----	7.70 - 1.40	.0296	----	----	----	----	1 UNCH
6300	----	----	----/7.40A	8.30B/7.40A	----	7.30 - 1.40	.0279	----	----	----	----	82 UNCH
6400	----	----	----/6.80A	7.50B/6.80A	----	6.70 - 1.20	.0251	----	----	1	----	54 + 1
6500	7.20	7.20	7.20/5.90	7.20/5.90	----	6.10 - 1.10	.0226	----	----	7	----	892 + 6
6600	----	----	----/5.80A	6.30B/5.80A	----	5.70 - 1.00	.0207	----	----	----	----	152 UNCH
6700	5.80	5.80	5.80/5.40A	5.80/5.40A	----	5.30 - 0.90	.0190	----	----	13	----	241 - 13
6800	----	----	----/5.10A	5.40B/5.10A	----	4.90 - 0.80	.0173	----	----	----	----	38 UNCH
6900	----	----	----/4.80A	5.00B/4.80A	----	4.60 - 0.70	.0160	----	----	----	----	31 UNCH
7000	5.80	5.80	5.80/4.60A	5.80/4.60A	----	4.40 - 0.60	.0150	----	----	30	----	611 + 24
7500	----	----	----/3.60A	3.60B/3.60A	----	3.40 - 0.40	.0109	----	----	----	----	800 UNCH
8000	2.80	2.80	2.80/2.80	2.80/2.80	----	2.70 - 0.30	.0082	----	----	11	----	268 - 11
8500	----	----	----/2.30A	2.20B/2.30A	----	2.10 - 0.40	.0061	----	----	----	----	84 UNCH
9000	----	----	----/1.80A	1.70B/1.80A	----	1.70 - 0.30	.0048	----	----	----	----	17 UNCH
9500	----	----	----	1.40B/1.60A	----	1.40 - 0.10	.0038	----	----	----	----	82 UNCH
10000	----	----	----	1.10B/1.30A	----	1.10 UNCH	.0029	----	----	----	----	111 UNCH
TOTAL										1214	445	67417 + 571
SEP26												
3875	----	----	----	----	----	893.90 - 22.30	.9322	----	----	----	----	1 UNCH
3995	----	----	----/771.30A	803.80B/771.30A	----	782.60 - 22.30	.9074	----	----	----	----	10 UNCH
4085	----	----	----/690.80A	722.40B/690.80A	----	701.70 - 22.20	.8833	----	----	----	----	37 UNCH
4130	----	----	----/651.70A	682.60B/651.70A	----	662.20 - 22.10	.8691	----	----	----	----	10 UNCH
4185	----	----	----/604.70A	636.10B/604.70A	----	615.00 - 22.00	.8497	----	----	----	----	40 UNCH
4200	----	----	----	516.40B/669.90A	----	602.30 - 22.00	.8439	----	----	----	----	1 UNCH
4220	----	----	----/575.50A	606.10B/575.50A	----	585.60 - 22.00	.8361	----	----	----	----	162 UNCH
4290	----	----	----/519.10A	548.90B/519.10A	----	528.60 - 21.80	.8058	----	----	----	----	6 UNCH
4295	----	----	----/514.90A	544.30B/514.90A	----	524.60 - 21.80	.8035	----	----	----	----	50 UNCH
4300	----	----	----/511.30A	540.70B/511.30A	----	520.70 - 21.70	.8011	----	----	----	----	13 UNCH
4320	----	----	----/495.70A	524.90B/495.70A	----	505.00 - 21.60	.7916	----	----	----	----	162 UNCH
4375	----	----	----	374.40B/533.50A	----	463.00 - 21.30	.7637	----	----	----	----	1 UNCH
4390	----	----	----/443.20A	471.30B/443.20A	----	451.80 - 21.30	.7557	----	----	----	----	202 UNCH
4425	----	----	----	337.90B/497.50A	----	426.40 - 21.00	.7363	----	----	----	----	1 UNCH
4495	----	----	----/357.20A	395.60B/357.20A	----	377.90 - 20.50	.6949	----	----	----	----	18 UNCH
4500	----	----	----/353.90A	392.70B/353.90A	----	374.60 - 20.40	.6918	----	----	----	----	12 UNCH
4505	----	----	392.70B/350.80A	392.70B/350.80A	----	371.30 - 20.30	.6887	----	----	----	----	2 UNCH
4510	----	----	389.40B/347.50A	389.40B/347.50A	----	368.00 - 20.30	.6856	----	----	----	----	2 UNCH
4515	----	----	386.00B/344.50A	386.00B/344.50A	----	364.70 - 20.30	.6825	----	----	----	----	2 UNCH
4520	----	----	382.70B/341.20A	382.70B/341.20A	----	361.50 - 20.20	.6793	----	----	----	----	1 UNCH
4545	----	----	366.40B/325.80A	366.40B/325.80A	----	345.40 - 20.00	.6634	----	----	----	----	16 UNCH
4550	----	----	363.20B/322.70A	363.20B/322.70A	----	342.30 - 19.90	.6602	----	----	----	----	225 UNCH
4560	----	----	356.70B/316.90A	356.70B/316.90A	----	336.00 - 19.80	.6537	----	----	----	----	2 UNCH
4565	----	----	353.50B/313.90A	353.50B/313.90A	----	332.90 - 19.80	.6505	----	----	----	----	2 UNCH
4570	----	----	350.40B/310.90A	350.40B/310.90A	----	329.90 - 19.60	.6473	----	----	----	----	2 UNCH
4575	----	----	347.20B/308.10A	347.20B/308.10A	----	326.80 - 19.60	.6440	----	----	----	----	2 UNCH
4580	----	----	344.10B/305.10A	344.10B/305.10A	----	323.80 - 19.50	.6407	----	----	----	----	2 UNCH
4585	----	----	341.00B/302.30A	341.00B/302.30A	----	320.70 - 19.50	.6374	----	----	----	----	2 UNCH
4590	----	----	337.90B/299.40A	337.90B/299.40A	----	317.70 - 19.50	.6341	----	----	----	----	2 UNCH
4600	----	----	333.10B/293.20A	333.10B/293.20A	----	311.80 - 19.30	.6274	----	----	----	----	54 UNCH
4605	----	----	328.90B/290.80A	328.90B/290.80A	----	308.80 - 19.30	.6241	----	----	----	----	10 UNCH
4620	----	----	319.90B/282.60A	319.90B/282.60A	----	300.10 - 19.10	.6140	----	----	----	----	1 UNCH
4640	----	----	308.20B/271.30A	308.20B/271.30A	----	288.80 - 18.70	.6005	----	----	----	----	1 UNCH
4650	----	----	302.50B/266.10A	302.50B/266.10A	----	283.20 - 18.60	.5937	----	----	----	----	1 UNCH
4675	----	----	290.00B/252.90A	290.00B/252.90A	----	269.70 - 18.20	.5766	----	----	----	----	4 UNCH
4680	----	----	287.20B/251.00A	287.20B/251.00A	----	267.00 - 18.20	.5732	----	----	----	----	1 UNCH
4700	----	----	280.60B/240.60A	280.60B/240.60A	----	256.60 - 17.90	.5594	----	----	----	----	170 UNCH
4705	----	----	275.80B/238.20A	275.80B/238.20A	----	254.00 - 17.90	.5559	----	----	----	----	10 UNCH
4710	----	----	275.40B/235.70A	275.40B/235.70A	----	251.50 - 17.80	.5525	----	----	----	----	1 UNCH
4720	----	----	271.20B/231.00A	271.20B/231.00A	----	246.50 - 17.70	.5456	----	----	----	----	45 UNCH
4725	----	----	268.60B/228.70A	268.60B/228.70A	----	244.00 - 17.60	.5421	----	----	----	----	4 UNCH
4730	239.20	239.20	266.10B/226.80A	266.10B/226.80A	----	241.60 - 17.50	.5387	----	----	2	----	6 + 1
4740	----	----	260.90B/222.00A	260.90B/222.00A	----	236.70 - 17.40	.5317	----	----	----	----	1 UNCH
4745	----	----	258.50B/220.00A	258.50B/220.00A	----	234.30 - 17.30	.5283	----	----	----	----	1 UNCH
4750	----	----	256.10B/217.30A	256.10B/217.30A	----	231.90 - 17.30	.5248	----	----	----	----	227 UNCH
4755	----	----	254.70B/215.20A	254.70B/215.20A	----	229.60 - 17.20	.5214	----	----	----	----	10 UNCH
4760	----	----	252.00B/213.00A	252.00B/213.00A	----	227.20 - 17.20	.5179	----	----	25	----	23 + 21
4770	----	----	247.20B/208.60A	247.20B/208.60A	----	222.60 - 17.00	.5110	----	----	----	----	3 UNCH
4775	----	----	244.80B/206.40A	244.80B/206.40A	----	220.40 - 16.90	.5076	----	----	----	----	286 UNCH
4780	218.70	218.70	242.20B/204.30A	242.20B/204.30A	----	218.10 - 16.90	.5042	----	----	6	----	48 + 1
4785	----	----	239.30B/202.30A	239.30B/202.30A	----	215.90 - 16.80	.5008	----	----	----	----	1 UNCH
4790	222.10	222.10	236.90B/200.00A	236.90B/200.00A	----	213.60 NEW	.4973	----	----	6	----	6 + 6
4795	----	----	234.50B/198.10A	234.50B/198.10A	----	211.50 - 16.60	.4939	----	----	----	----	2 UNCH
4800	203.00	203.00	232.40B/196.00A	232.40B/196.00A	----	209.30 - 16.60	.4905	----	----	4	----	1374 - 4
4810	----	----	228.50B/191.90A	228.50B/191.90A	----	205.00 - 16.50	.4837	----	----	----	----	4 UNCH
4835	195.10	195.10	217.30B/182.10A	217.30B/182.10A	----	194.60 - 16.10	.4669	----	----	1	----	1 UNCH
4840	----	----	214.60B/180.10A	214.60B/180.10A	----	192.50 - 16.10	.4635	----	----	----	----	4 UNCH
4850	----	----	210.90B/176.70A	210.90B/176.70A	----	188.50 - 16.00	.4568	----	----	----	----	61 UNCH
4860	----	----	206.90B/172.70A	206.90B/172.70A	----	184.60 - 15.80	.4502	----	----	----	----	2 UNCH
4875	----	----	200.70B/167.40A	200.70B/167.40A	----	178.80 - 15.70	.4403	----	----	----	----	30 UNCH
4880	----	----	198.70B/165.50A	198.70B/165.50A	----	177.00 - 15.50	.4370	----	----	----	----	2 UNCH
4885	----	----	196.10B/163.80A	196.10B/163.80A	----	175.10 - 15.50	.4338	----	----	----	----	2 UNCH
4900	----	----	190.70B/158.60A	190.70B/158.60A	----	169.60 - 15.30	.4240	----	----	----	----	310 UNCH
4905	----	----	188.80B/156.90A	188.80B/156.90A	----	167.80 - 15.20	.4208	----	----	----	----	1 UNCH
4920	----	----	183.00B/152.00A	183.00B/152.00A	----	162.50 - 14.90	.4112	----	----	----	----	30 UNCH
4925	----	----	181.00B/150.50A	181.00B/150.50A	----	160.80 - 14.80	.4081	----	----	----	----	3 UNCH
4930	----	----	179.30B/148.90A	179.30B/148.90A	----	159.10 - 14.70	.4049	----	----	----	----	2 UNCH
4935	----	----	177.50B/147.30A	177.50B/147.30A	----	157.40 - 14.70	.4018	----	----	----	----	1 UNCH
4945	----	----	173.60B/144.30A	173.60B/144.30A	----	154.00 - 14.60	.3955	----	----	----	----	1 UNCH
4950	----	----	172.10B/142.50A	172.10B/142.50A	----	152.40 - 14.40	.3924	----	----	----	----	281 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
4960	----	----	168.30B/139.70A	168.30B/139.70A	----	149.20 - 14.20	.3863	----	----	----	----	10 UNCH
4965	----	----	166.70B/138.10A	166.70B/138.10A	----	147.60 - 14.10	.3832	----	----	----	----	2 UNCH
4975	----	----	162.60B/135.30A	162.60B/135.30A	----	144.40 - 14.00	.3771	----	----	----	----	317 UNCH
5000	147.60	147.60	154.50B/125.00	154.50B/125.00	----	136.80 - 13.60	.3622	----	----	29	----	784 - 15
5005	----	----	152.90B/126.60A	152.90B/126.60A	----	135.40 - 13.50	.3593	----	----	----	----	1 UNCH
5010	----	----	151.30B/125.30A	151.30B/125.30A	----	133.90 - 13.40	.3563	----	----	----	----	10 UNCH
5050	----	----	139.40B/114.90A	139.40B/114.90A	----	122.80 - 12.90	.3335	----	----	----	----	300 UNCH
5075	----	----	132.10B/108.70A	132.10B/108.70A	----	116.40 - 12.40	.3198	----	----	----	----	1 UNCH
5100	----	----	125.50B/103.00A	125.50B/103.00A	----	110.30 - 12.00	.3066	----	----	----	----	318 UNCH
5110	----	----	123.10B/100.80A	123.10B/100.80A	----	107.90 - 11.90	.3013	----	----	----	----	1 UNCH
5130	----	----	118.10B/96.70A	118.10B/96.70A	----	103.30 - 11.60	.2911	----	----	----	----	4 UNCH
5150	----	----	113.00B/92.60A	113.00B/92.60A	----	98.90 - 11.30	.2812	----	----	----	----	6 UNCH
5155	----	----	111.90B/91.50A	111.90B/91.50A	----	97.90 - 11.20	.2788	----	----	----	----	1 UNCH
5175	----	----	107.20B/87.70A	107.20B/87.70A	----	93.70 - 10.90	.2692	----	----	----	----	3 UNCH
5200	----	----	102.20B/83.10A	102.20B/83.10A	----	88.80 - 10.50	.2576	----	----	----	----	438 UNCH
5230	----	----	95.60B/77.90A	95.60B/77.90A	----	83.30 - 10.00	.2444	----	----	----	----	402 UNCH
5235	----	----	94.80B/77.00A	94.80B/77.00A	----	82.40 - 9.90	.2422	----	----	----	----	1 UNCH
5240	----	----	93.70B/76.40A	93.70B/76.40A	----	81.50 - 9.80	.2400	----	----	----	----	2 UNCH
5245	----	----	92.80B/75.50A	92.80B/75.50A	----	80.60 - 9.80	.2379	----	----	----	----	20 UNCH
5250	83.30	83.30	92.10B/74.80A	92.10B/74.80A	----	79.80 - 9.70	.2358	----	----	2	----	237 UNCH
5270	----	----	88.10B/71.70A	88.10B/71.70A	----	76.50 - 9.30	.2276	----	----	----	----	5 UNCH
5275	----	----	87.20B/70.90A	87.20B/70.90A	----	75.70 - 9.20	.2256	----	----	----	----	200 UNCH
5300	68.90	68.90	83.10B/67.30A	83.10B/67.30A	----	71.80 - 8.90	.2158	----	----	1	----	1011 UNCH
5315	----	----	80.40B/65.30A	80.40B/65.30A	----	69.50 - 8.70	.2100	----	----	----	----	5 UNCH
5330	----	----	78.00B/63.00A	78.00B/63.00A	----	67.40 - 8.50	.2045	----	----	----	----	20 UNCH
5335	----	----	77.20B/62.70A	77.20B/62.70A	----	66.70 - 8.40	.2027	----	----	----	----	4 UNCH
5350	----	----	74.90B/60.80A	74.90B/60.80A	----	64.60 - 8.20	.1973	----	----	----	----	26 UNCH
5365	----	----	72.60B/59.00A	72.60B/59.00A	----	62.70 - 8.00	.1922	----	----	----	----	22 UNCH
5370	----	----	71.90B/58.30A	71.90B/58.30A	----	62.00 - 8.00	.1904	----	----	----	----	15 UNCH
5375	----	----	71.00B/57.80A	71.00B/57.80A	----	61.40 - 7.90	.1887	----	----	----	----	6 UNCH
5380	----	----	70.40B/57.20A	70.40B/57.20A	----	60.80 - 7.80	.1871	----	----	----	----	2 UNCH
5395	----	----	68.30B/55.30A	68.30B/55.30A	----	58.90 - 7.70	.1821	----	----	----	----	4 UNCH
5400	----	----	67.60B/54.80A	67.60B/54.80A	----	58.30 - 7.60	.1805	----	----	----	----	706 UNCH
5420	----	----	65.00B/52.70A	65.00B/52.70A	----	56.00 - 7.30	.1742	----	----	----	----	83 UNCH
5425	----	----	64.20B/52.20A	64.20B/52.20A	----	55.40 - 7.30	.1726	----	----	----	----	50 UNCH
5440	----	----	62.30B/50.70A	62.30B/50.70A	----	53.80 - 7.10	.1681	----	----	----	----	1 UNCH
5450	----	----	61.20B/49.60A	61.20B/49.60A	----	52.70 - 7.10	.1651	----	----	----	----	29 UNCH
5460	----	----	59.90B/48.50A	59.90B/48.50A	----	51.70 - 6.90	.1623	----	----	----	----	1 UNCH
5470	----	----	58.70B/47.80A	58.70B/47.80A	----	50.70 - 6.80	.1595	----	----	----	----	3 UNCH
5475	----	----	58.20B/47.40A	58.20B/47.40A	----	50.20 - 6.80	.1581	----	----	----	----	26 UNCH
5500	51.80	51.80	55.60B/45.30A	55.60B/45.30A	----	47.80 - 6.50	.1513	----	----	24	----	1408 - 22
5505	----	----	54.90B/44.80A	54.90B/44.80A	----	47.30 - 6.50	.1499	----	----	----	----	3 UNCH
5515	----	----	53.90B/43.60A	53.90B/43.60A	----	46.40 - 6.40	.1473	----	----	----	----	2 UNCH
5520	----	----	53.30B/43.60A	53.30B/43.60A	----	45.90 - 6.40	.1460	----	----	----	----	1 UNCH
5525	----	----	52.80B/43.20A	52.80B/43.20A	----	45.50 - 6.40	.1448	----	----	----	----	6 UNCH
5540	----	----	51.30B/42.00A	51.30B/42.00A	----	44.20 - 6.20	.1410	----	----	----	----	19 UNCH
5550	----	----	50.30B/41.10A	50.30B/41.10A	----	43.40 - 6.10	.1387	----	----	----	----	33 UNCH
5555	----	----	49.80B/40.90A	49.80B/40.90A	----	42.90 - 6.20	.1373	----	----	----	----	5 UNCH
5595	----	----	46.00B/38.40A	46.00B/38.40A	----	39.80 - 5.90	.1282	----	----	----	----	4 UNCH
5600	----	----	45.40B/37.90A	45.40B/37.90A	----	39.50 - 5.80	.1273	----	----	----	----	890 UNCH
5605	----	----	45.00B/37.70A	45.00B/37.70A	----	39.10 - 5.80	.1261	----	----	----	----	3 UNCH
5620	----	----	----/36.70A	43.70B/36.70A	----	38.00 - 5.70	.1229	----	----	----	----	20 UNCH
5625	----	----	43.50B/36.40A	43.50B/36.40A	----	37.70 - 5.60	.1219	----	----	----	----	2 UNCH
5645	----	----	41.90B/35.00A	41.90B/35.00A	----	36.30 - 5.50	.1178	----	----	----	----	5 UNCH
5650	----	----	41.50B/34.70A	41.50B/34.70A	----	36.00 - 5.40	.1168	----	----	----	----	413 UNCH
5655	----	----	----/34.00A	41.10B/34.00A	----	35.70 - 5.40	.1159	----	----	----	----	2 UNCH
5665	----	----	40.40B/34.00A	40.40B/34.00A	----	35.10 - 5.20	.1141	----	----	----	----	3 UNCH
5675	----	----	----/33.40A	38.60B/33.40A	----	34.40 - 5.20	.1120	----	----	----	----	8 UNCH
5690	----	----	----/32.50A	38.60B/32.50A	----	33.50 - 5.10	.1093	----	----	----	----	3 UNCH
5700	----	----	38.10B/31.90A	38.10B/31.90A	----	32.90 - 5.00	.1074	----	----	----	----	1054 UNCH
5710	----	----	----/30.90A	35.80B/30.90A	----	32.40 - 4.90	.1058	----	----	----	----	2 UNCH
5730	----	----	----/30.30A	34.50B/30.30A	----	31.30 - 4.70	.1024	----	----	----	----	2 UNCH
5750	----	----	----/29.30A	33.70B/29.30A	----	30.20 - 4.60	.0991	----	----	----	----	192 UNCH
5760	----	----	----/28.80A	32.80B/28.80A	----	29.70 - 4.50	.0975	----	----	----	----	1 UNCH
5770	----	----	----/28.30A	33.00B/28.30A	----	29.20 - 4.40	.0959	----	----	----	----	2 UNCH
5775	----	----	----/28.00A	32.20B/28.00A	----	29.00 - 4.40	.0953	----	----	----	----	162 UNCH
5800	----	----	----/26.90A	31.00B/26.90A	----	27.90 - 4.10	.0917	----	----	----	----	651 UNCH
5850	----	----	----/25.00A	28.60B/25.00A	----	25.80 - 3.80	.0850	----	----	----	----	439 UNCH
5900	----	----	----/23.30A	26.30B/23.30A	----	24.00 - 3.40	.0791	----	----	----	----	648 UNCH
5950	----	----	----/21.90A	24.50B/21.90A	----	22.40 - 3.10	.0738	----	----	----	----	51 UNCH
6000	----	----	----/20.30A	22.50B/20.30A	----	20.90 - 2.90	.0688	----	----	2	----	1144 + 2
6075	----	----	----/18.90A	20.30B/18.90A	----	19.00 - 2.50	.0624	----	----	----	----	1 UNCH
6100	----	----	----/18.50A	19.70B/18.50A	----	18.40 - 2.50	.0604	----	----	----	----	185 UNCH
6200	17.00	17.00	17.00/16.50A	17.40B/16.50A	----	16.30 - 2.20	.0533	----	----	4	----	233 - 1
6300	----	----	----/14.70A	15.60B/14.70A	----	14.70 - 1.90	.0476	----	----	----	----	159 UNCH
6400	----	----	----/13.50A	14.10B/13.50A	----	13.30 - 1.70	.0427	----	----	----	----	228 UNCH
6500	----	----	----/12.30A	12.80B/12.30A	----	12.20 - 1.50	.0388	----	----	----	----	541 UNCH
6600	----	----	----/11.40A	11.80B/11.40A	----	11.30 - 1.30	.0355	----	----	----	----	25 UNCH
6650	----	----	----/11.10A	11.30B/11.10A	----	10.90 - 1.20	.0340	----	----	----	----	9 UNCH
6750	----	----	----/10.30A	10.50B/10.30A	----	10.20 - 1.10	.0315	----	----	----	----	11 UNCH
6775	----	----	----/10.20A	10.40B/10.20A	----	10.00 - 1.10	.0308	----	----	----	----	1 UNCH
6800	----	----	----/10.00A	10.20B/10.00A	----	9.80 - 1.10	.0301	----	----	----	----	128 UNCH
7000	----	----	----/9.20A	8.90B/9.20A	----	8.70 - 0.90	.0261	----	----	----	----	125 UNCH
8000	----	----	----/6.10A	5.80B/6.10A	----	5.80 - 0.80	.0154	----	----	----	----	125 UNCH
TOTAL										106		18039 - 11
OCT26												
3600	----	----	----/1,151.60A	1181.10B/1151.60A	----	1161.10 - 22.40	.9555	----	----	----	----	12 UNCH
4300	----	----	----/533.60A	560.60B/533.60A	----	542.10 - 21.10	.7772	----	----	----	----	102 UNCH
4400	----	----	----/461.50A	486.70B/461.50A	----	469.30 - 20.40	.7290	----	----	----	----	8 UNCH
4405	----	----	----	375.00B/538.80A	----	465.80 - 20.40	.7264	----	----	----	----	2 UNCH
4480	----	----	435.80B/395.40A	435.80B/395.40A	----	415.10 - 19.90	.6866	----	----	----	----	1 UNCH
4500	----	----	422.70B/382.90A	422.70B/382.90A	----	402.20 - 19.70	.6756	----	----	----	----	3 UNCH
4515	----	----	412.90B/373.70A	412.90B/373.70A	----	392.70 - 19.50	.6671	----	----	----	----	1 UNCH
4550	----	----	390.80B/352.90A	390.80B/352.90A	----	371.00 - 19.30	.6472	----	----	----	----	2 UNCH
4580	----	----	372.60B/335.70A	372.60B/335.70A	----	353.10 - 19.00	.6297	----	----	----	----	70 UNCH
4600	----	----	360.70B/324.30A	360.70B/324.30A	----	341.50 - 18.80	.6180	----	----	----	----	133 UNCH
4610	----	----	354.90B/318.50A	354.90B/318.50A	----	335.80 - 18.60	.6121	----	----	----	----	5 UNCH
4620	----	----	349.00B/312.60A	349.00B/312.60A	----	330.20 - 18.50	.6061	----	----	----	----	1 UNCH
4630	----	----	343.40B/307.30A	343.40B/307.30A	----	324.60 - 18.40	.6001	----	----	----	----	3 UNCH
4650	----	----	332.60B/296.70A	332.60B/296.70A	----	313.70 - 18.20	.5882	----	----	----	----	84 UNCH
4670	----	----	322.60B/286.60A	322.60B/286.60A	----	303.10 - 18.00	.5761	----	----	----	----	1 UNCH
4675	----	----	320.00B/284.20A	320.00B/284.20A	----	300.40 - 18.00	.5731	----	----	----	----	1 UNCH
4690	----	----	312.00B/276.80A	312.00B/276.80A	----	292.70 - 17.80	.5640	----	----	----	----	4 UNCH
4695	----	----	309.30B/274.30A	309.30B/274.30A	----	290.10 - 17.80	.5610	----	----	----	----	2 UNCH
4700	----	----	306.90B/272.00A	306.90B/272.00A	----	287.60 - 17.70	.5579	----	----	----	----	147 UNCH
4710	----	----	306.70B/267.20A	306.70B/267.20A	----	282.60 - 17.60	.5519	----	----	----	----	1 UNCH
4715	----	----	304.70B/264.80A	304.70B/264.80A	----	280.10 - 17.60	.5488	----	----	----	----	2 UNCH
4730	----	----	295.80B/257.80A	295.80B/257.80A	----	272.80 - 17.40	.5397	----	----	----	----	2 UNCH
4750	----	----	287.30B/248.30A	287.30B/248.30A	----	263.30 - 17.10	.5276	----	----	----	----	36 UNCH
4755	----	----	284.80B/246.70A	284.80B/246.70A	----	261.00 - 17.00	.5245	----	----	----	----	69 UNCH
4775	----	----	275.60B/237.20A	275.60B/237.20A	----	251.80 - 16.80	.5124	----	----	----	----	25 UNCH
4785	----	----	270.90B/233.00A	270.90B/233.00A	----	247.30 NEW	.5064	----	----	3	----	3 + 3
4790	----	----	268.30B/230.90A	268.30B/230.90A	----	245.10 - 16.70	.5034	----	----	6	----	9 + 6
4795	----	----	266.40B/228.90A	266.40B/228.90A	----	242.90 - 16.60	.5004	----	----	----	----	3 UNCH
4800	----	----	263.80B/226.80A	263.80B/226.80A	----	240.70 - 16.60	.4974	----	----	23	----	492 + 14
4805	----	----	261.40B/224.80A	261.40B/224.80A	----	238.60 - 16.50	.4944	----	----	----	----	1 UNCH
4810	----	----	259.30B/222.70A	259.30B/222.70A	----	236.40 - 16.50	.4914	----	----	----	----	3 UNCH
4815	----	----	256.90B/220.70A	256.90B/220.70A	----	234.30 - 16.40	.4885	----	----	----	----	36 UNCH
4820	----	----	255.00B/218.70A	255.00B/218.70A	----	232.20 - 16.30	.4855	----	----	----	----	3 UNCH
4845	----	----	243.80B/208.90A	243.80B/208.90A	----	221.90 - 16.00	.4707	----	----	----	----	2 UNCH
4850	----	----	242.00B/207.30A	242.00B/207.30A	----	219.90 - 15.90	.4678	----	----	----	----	53 UNCH
4860	----	----	237.40B/203.20A	237.40B/203.20A	----	215.90 - 15.80	.4619	----	----	----	----	100 UNCH
4865	----	----	234.80B/201.40A	234.80B/201.40A	----	214.00 - 15.70	.4590	----	----	----	----	2 UNCH
4880	----	----	229.10B/195.80A	229.10B/195.80A	----	208.20 - 15.50	.4503	----	----	----	----	1 UNCH
4900	----	----	221.00B/188.70A	221.00B/188.70A	----	200.70 - 15.20	.4388	----	----	----	----	1319 UNCH
4905	----	----	219.40B/187.00A	219.40B/187.00A	----	198.90 - 15.10	.4360	----	----	----	----	20 UNCH
4910	----	----	217.60B/185.30A	217.60B/185.30A	----	197.10 - 15.00	.4331	----	----	----	----	1 UNCH
4925	----	----	211.50B/180.10A	211.50B/180.10A	----	191.80 - 14.70	.4247	----	----	----	----	18 UNCH
4935	----	----	207.80B/176.90A	207.80B/176.90A	----	188.30 - 14.50	.4191	----	----	----	----	5 UNCH
4945	----	----	204.20B/173.50A	204.20B/173.50A	----	184.80 - 14.40	.4135	----	----	----	----	3 UNCH
4950	----	----	202.70B/172.00A	202.70B/172.00A	----	183.10 - 14.30	.4108	----	----	----	----	868 UNCH
5000	180.40	180.40	184.60B/156.50A	184.60B/156.50A	----	166.90 - 13.40	.3837	----	----	80	----	1415 + 78
5025	----	----	176.30B/149.40A	176.30B/149.40A	----	159.20 - 13.10	.3705	----	----	----	----	2 UNCH
5050	----	----	168.50B/142.60A	168.50B/142.60A	----	151.90 - 12.80	.3577	----	----	----	----	59 UNCH
5075	----	----	161.40B/135.90A	161.40B/135.90A	----	144.90 - 12.50	.3451	----	----	----	----	4 UNCH
5080	----	----	159.50B/134.80A	159.50B/134.80A	----	143.50 - 12.50	.3426	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
5085	----	----	158.30B/133.50A	158.30B/133.50A	----	142.10 - 12.50	.3401	----	----	----	----	3 UNCH
5100	----	----	154.10B/129.70A	154.10B/129.70A	----	138.10 - 12.40	.3327	----	----	----	----	807 UNCH
5125	----	----	147.20B/123.80A	147.20B/123.80A	----	131.80 - 12.10	.3209	----	----	----	----	1 UNCH
5150	----	----	140.70B/118.20A	140.70B/118.20A	----	125.70 - 12.00	.3092	----	----	----	----	36 UNCH
5160	----	----	138.20B/116.00A	138.20B/116.00A	----	123.40 - 11.80	.3047	----	----	----	----	1 UNCH
5170	----	----	135.70B/113.70A	135.70B/113.70A	----	121.10 - 11.70	.3002	----	----	----	----	5 UNCH
5200	----	----	128.60B/107.50A	128.60B/107.50A	----	114.50 - 11.40	.2871	----	----	----	----	1544 UNCH
5250	----	----	117.70B/98.10A	117.70B/98.10A	----	104.40 - 10.70	.2664	----	----	----	----	524 UNCH
5255	----	----	116.60B/97.20A	116.60B/97.20A	----	103.40 - 10.60	.2643	----	----	----	----	1 UNCH
5300	----	----	107.60B/89.60A	107.60B/89.60A	----	95.20 - 10.00	.2469	----	----	----	----	993 UNCH
5325	----	----	102.90B/85.70A	102.90B/85.70A	----	91.00 - 9.60	.2378	----	----	----	----	9 UNCH
5350	----	----	98.40B/82.10A	98.40B/82.10A	----	86.90 - 9.30	.2288	----	----	----	----	4 UNCH
5365	----	----	95.80B/79.90A	95.80B/79.90A	----	84.60 - 9.10	.2237	----	----	----	----	1 UNCH
5400	----	----	90.20B/75.10A	90.20B/75.10A	----	79.40 - 8.80	.2120	----	----	30	----	666 - 30
5410	----	----	88.50B/73.70A	88.50B/73.70A	----	78.00 - 8.60	.2088	----	----	----	----	1 UNCH
5420	----	----	87.10B/72.60A	87.10B/72.60A	----	76.60 - 8.50	.2056	----	----	----	----	2 UNCH
5435	----	----	84.90B/70.60A	84.90B/70.60A	----	74.60 - 8.40	.2010	----	----	----	----	226 UNCH
5450	----	----	82.60B/68.90A	82.60B/68.90A	----	72.70 - 8.10	.1965	----	----	----	----	67 UNCH
5455	----	----	81.90B/68.10A	81.90B/68.10A	----	72.00 - 8.20	.1949	----	----	----	----	175 UNCH
5460	----	----	81.20B/67.70A	81.20B/67.70A	----	71.40 - 8.10	.1935	----	----	----	----	2 UNCH
5475	----	----	79.10B/66.00A	79.10B/66.00A	----	69.60 - 7.90	.1892	----	----	----	----	1 UNCH
5480	----	----	78.40B/65.20A	78.40B/65.20A	----	69.00 - 7.80	.1878	----	----	----	----	2 UNCH
5500	----	----	75.80B/63.20A	75.80B/63.20A	----	66.70 - 7.50	.1823	----	----	49	----	2157 + 25
5545	----	----	70.20B/58.50A	70.20B/58.50A	----	61.80 - 7.00	.1704	----	----	----	----	5 UNCH
5550	----	----	69.50B/58.20A	69.50B/58.20A	----	61.30 - 7.00	.1691	----	----	----	----	280 UNCH
5575	----	----	66.70B/55.70A	66.70B/55.70A	----	58.80 - 6.70	.1630	----	----	----	----	3 UNCH
5590	----	----	65.00B/54.50A	65.00B/54.50A	----	57.30 - 6.60	.1593	----	----	----	----	4 UNCH
5600	58.00	58.00	64.00B/53.70A	64.00B/53.70A	----	56.40 - 6.50	.1570	----	----	40	----	307 + 10
5610	----	----	62.80B/53.00A	62.80B/53.00A	----	55.50 - 6.40	.1547	----	----	----	----	1 UNCH
5615	----	----	62.40B/52.70A	62.40B/52.70A	----	55.10 - 6.30	.1537	----	----	----	----	5 UNCH
5640	----	----	59.80B/50.80A	59.80B/50.80A	----	52.90 - 6.10	.1481	----	----	----	----	2 UNCH
5650	----	----	58.90B/49.90A	58.90B/49.90A	----	52.00 - 6.10	.1459	----	----	----	----	401 UNCH
5655	----	----	58.50B/49.60A	58.50B/49.60A	----	51.60 - 6.00	.1449	----	----	----	----	2 UNCH
5660	----	----	58.00B/49.20A	58.00B/49.20A	----	51.20 - 6.00	.1438	----	----	----	----	1 UNCH
5675	----	----	56.50B/47.90A	56.50B/47.90A	----	50.00 - 5.80	.1407	----	----	----	----	3 UNCH
5700	----	----	54.20B/46.00A	54.20B/46.00A	----	48.00 - 5.70	.1356	----	----	----	----	181 UNCH
5710	----	----	----/45.80A	51.90B/45.80A	----	47.30 - 5.60	.1338	----	----	----	----	5 UNCH
5720	----	----	----/45.40A	51.20B/45.40A	----	46.60 - 5.50	.1319	----	----	----	----	75 UNCH
5750	----	----	50.10B/43.30A	50.10B/43.30A	----	44.40 - 5.40	.1262	----	----	----	----	854 UNCH
5775	----	----	----/41.90A	46.90B/41.90A	----	42.80 - 5.20	.1220	----	----	----	----	52 UNCH
5800	46.00	46.00	46.00/40.40A	46.00/40.40A	----	41.20 - 5.10	.1177	----	----	10	----	553 - 9
5825	----	----	----/38.90A	43.60B/38.90A	----	39.70 - 4.90	.1137	----	----	----	----	1 UNCH
5850	----	----	----/37.50A	41.60B/37.50A	----	38.30 - 4.70	.1099	----	----	----	----	2 UNCH
5875	----	----	----/36.30A	40.40B/36.30A	----	37.00 - 4.50	.1063	----	----	----	----	1 UNCH
5900	----	----	----/35.00A	38.80B/35.00A	----	35.70 - 4.40	.1028	----	----	----	----	274 UNCH
5925	----	----	----/33.90A	37.50B/33.90A	----	34.50 - 4.20	.0994	----	----	----	----	2 UNCH
5950	----	----	----/32.80A	36.20B/32.80A	----	33.40 - 4.10	.0963	----	----	----	----	1 UNCH
6000	----	----	----/30.90A	33.90B/30.90A	----	31.20 - 3.90	.0902	----	----	----	----	2052 UNCH
6100	----	----	----/27.30A	29.80B/27.30A	----	27.60 - 3.40	.0799	----	----	----	----	66 UNCH
6200	----	----	----/24.90A	25.50B/24.90A	----	24.50 - 3.10	.0710	----	----	----	----	38 UNCH
6300	----	----	----/22.70A	22.70B/22.70A	----	22.10 - 2.80	.0638	----	----	18	----	903 - 2
6400	----	----	----/20.90A	20.50B/20.90A	----	20.10 - 2.50	.0577	----	----	----	----	1910 UNCH
6500	19.90	19.90	20.00/19.30A	20.00/19.30A	----	18.40 - 2.40	.0525	----	----	3	----	4028 UNCH
6800	----	----	----/*15.60A	15.10B/15.60A	----	15.00 - 1.70	.0415	----	----	59	----	1383 UNCH
6900	----	----	----/*14.70A	14.10B/14.70A	----	14.20 - 1.60	.0388	----	----	----	----	1 UNCH
7000	----	----	----/14.00A	13.40B/14.00A	----	13.50 - 1.40	.0365	----	----	50	----	1584 UNCH
8000	----	----	----	8.80B/10.40A	----	9.40 - 0.80	.0227	----	----	----	----	210 UNCH
8500	----	----	----	8.20B/*9.40A	----	8.30 - 0.80	.0191	----	----	----	----	208 UNCH
9000	----	----	----	7.20B/8.40A	----	7.50 - 0.70	.0165	----	----	----	----	86 UNCH
9500	----	----	----	6.40B/*7.50A	----	6.80 - 0.60	.0144	----	----	----	----	10 UNCH
13000	----	----	----	2.30B/3.60A	----	2.90 - 0.10	.0055	----	----	----	----	25 UNCH
TOTAL										371		27890 + 95
NOV26												
4000	----	----	----	732.60B/914.40A	----	834.50 - 22.10	.8722	----	----	----	----	1 UNCH
4100	----	----	----	648.10B/830.50A	----	749.80 - 21.80	.8433	----	----	----	----	1 UNCH
4275	----	----	----	508.10B/694.40A	----	611.00 - 20.70	.7809	----	----	----	----	38 UNCH
4300	----	----	----	489.30B/676.10A	----	592.30 - 20.50	.7707	----	----	----	----	1 UNCH
4375	----	----	----	434.90B/622.60A	----	538.00 - 19.90	.7385	----	----	----	----	38 UNCH
4400	----	----	----	417.50B/605.20A	----	520.50 - 19.70	.7273	----	----	----	----	4 UNCH
4440	----	----	----/472.90A	489.90B/472.90A	----	493.20 - 19.40	.7087	----	----	----	----	1 UNCH
4500	----	----	473.30B/435.00A	473.30B/435.00A	----	453.80 - 19.10	.6798	----	----	----	----	28 UNCH
4575	----	----	----/390.40A	426.00B/390.40A	----	407.30 - 19.00	.6420	----	----	----	----	1 UNCH
4595	----	----	----/379.00A	414.20B/379.00A	----	395.50 - 18.90	.6316	----	----	----	----	1 UNCH
4600	----	----	----/376.20A	411.20B/376.20A	----	392.60 - 18.90	.6290	----	----	----	----	5 UNCH
4700	----	----	357.30B/323.30A	357.30B/323.30A	----	337.70 - 18.00	.5760	----	----	----	----	4 UNCH
4750	----	----	331.40B/299.10A	331.40B/299.10A	----	312.90 - 17.00	.5491	----	----	----	----	1 UNCH
4775	----	----	319.10B/287.70A	319.10B/287.70A	----	301.10 - 16.60	.5356	----	----	----	----	31 UNCH
4800	----	----	307.00B/276.50A	307.00B/276.50A	----	289.60 - 16.40	.5222	----	----	----	----	4 UNCH
4850	----	----	284.20B/255.40A	284.20B/255.40A	----	267.40 - 16.70	.4956	----	----	----	----	25 UNCH
4900	----	----	268.00B/235.80A	268.00B/235.80A	----	246.70 - 16.50	.4693	----	----	----	----	451 UNCH
4915	----	----	261.80B/230.00A	261.80B/230.00A	----	240.90 - 16.20	.4616	----	----	----	----	1 UNCH
4925	----	----	257.40B/226.40A	257.40B/226.40A	----	237.00 - 16.00	.4564	----	----	----	----	1 UNCH
4935	----	----	253.70B/222.60A	253.70B/222.60A	----	233.20 - 15.80	.4513	----	----	----	----	25 UNCH
4950	----	----	247.80B/217.50A	247.80B/217.50A	----	227.70 - 15.40	.4437	----	----	----	----	150 UNCH
4970	----	----	235.60B/210.50A	235.60B/210.50A	----	220.40 - 15.10	.4336	----	----	----	----	10 UNCH
5000	----	----	228.60B/200.60A	228.60B/200.60A	----	209.90 - 14.70	.4187	----	----	----	----	89 UNCH
5020	----	----	222.00B/194.10A	222.00B/194.10A	----	203.20 - 14.50	.4090	----	----	----	----	30 UNCH
5050	----	----	211.70B/184.60A	211.70B/184.60A	----	193.50 - 14.20	.3946	----	----	----	----	100 UNCH
5060	----	----	205.90B/181.90A	205.90B/181.90A	----	190.30 - 14.20	.3898	----	----	----	----	2 UNCH
5080	----	----	----/176.10A	197.40B/176.10A	----	184.20 - 14.00	.3805	----	----	----	----	4 UNCH
5085	----	----	----/174.60A	195.60B/174.60A	----	182.70 - 13.90	.3782	----	----	----	----	4 UNCH
5150	----	----	----/156.90A	176.30B/156.90A	----	164.10 - 13.50	.3488	----	----	----	----	100 UNCH
5175	----	----	----/150.90A	169.00B/150.90A	----	157.50 - 13.20	.3380	----	----	----	----	12 UNCH
5180	----	----	----/149.80A	167.90B/149.80A	----	156.20 - 13.20	.3358	----	----	----	----	1 UNCH
5185	----	----	----/148.50A	166.70B/148.50A	----	155.00 - 13.00	.3338	----	----	----	----	1 UNCH
5200	----	----	----/144.90A	162.30B/144.90A	----	151.20 - 12.90	.3274	----	----	----	----	31 UNCH
5230	----	----	----/138.10A	154.60B/138.10A	----	143.90 - 12.60	.3150	----	----	----	----	5 UNCH
5250	----	----	----/133.50A	149.90B/133.50A	----	139.30 - 12.30	.3071	----	----	----	----	10 UNCH
5275	----	----	----/128.30A	144.00B/128.30A	----	133.80 - 12.00	.2973	----	----	----	----	1 UNCH
5300	----	----	----/123.20A	138.20B/123.20A	----	128.40 - 11.70	.2878	----	----	----	----	395 UNCH
5325	----	----	----/118.70A	133.00B/118.70A	----	123.40 - 11.30	.2786	----	----	----	----	1 UNCH
5330	----	----	----/117.60A	131.70B/117.60A	----	122.40 - 11.20	.2768	----	----	----	----	1 UNCH
5370	----	----	----/110.40A	123.70B/110.40A	----	114.80 - 10.70	.2627	----	----	----	----	5 UNCH
5400	----	----	----/105.00A	118.00B/105.00A	----	109.40 - 10.30	.2525	----	----	----	----	17 UNCH
5420	----	----	----/102.20A	114.30B/102.20A	----	106.00 - 10.00	.2459	----	----	----	----	14 UNCH
5450	----	----	----/97.50A	109.10B/97.50A	----	101.10 - 9.70	.2364	----	----	----	----	454 UNCH
5460	----	----	----/96.00A	107.40B/96.00A	----	99.50 - 9.60	.2333	----	----	----	----	10 UNCH
5500	----	----	----/90.10A	101.00B/90.10A	----	93.50 - 9.10	.2213	----	----	----	----	84 UNCH
5530	----	----	----/86.30A	96.50B/86.30A	----	89.30 - 8.70	.2128	----	----	----	----	1 UNCH
5535	----	----	----/85.60A	95.70B/85.60A	----	88.60 - 8.70	.2114	----	----	----	----	1 UNCH
5540	----	----	----/85.00A	95.00B/85.00A	----	87.90 - 8.60	.2099	----	----	----	----	1 UNCH
5545	----	----	----/84.30A	94.30B/84.30A	----	87.30 - 8.50	.2086	----	----	----	----	1 UNCH
5550	----	----	----/83.30A	93.60B/83.30A	----	86.60 - 8.50	.2072	----	----	----	----	3 UNCH
5555	----	----	----/82.50A	92.90B/82.50A	----	86.00 - 8.40	.2060	----	----	----	----	3 UNCH
5560	----	----	----/82.40A	92.10B/82.40A	----	85.30 - 8.40	.2045	----	----	----	----	4 UNCH
5565	----	----	----/81.80A	91.50B/81.80A	----	84.70 - 8.30	.2033	----	----	----	----	8 UNCH
5570	----	----	----/81.10A	90.70B/81.10A	----	84.00 - 8.30	.2019	----	----	----	----	20 UNCH
5575	----	----	----/80.30A	90.10B/80.30A	----	83.40 - 8.20	.2006	----	----	----	----	84 UNCH
5600	----	----	----/77.20A	86.70B/77.20A	----	80.30 - 8.00	.1941	----	----	----	----	44 UNCH
5650	----	----	----/72.20A	80.50B/72.20A	----	74.60 - 7.50	.1820	----	----	----	----	1 UNCH
5655	----	----	----/71.70A	80.00B/71.70A	----	74.10 - 7.40	.1808	----	----	----	----	1 UNCH
5660	----	----	----/70.70A	79.50B/70.70A	----	73.50 - 7.40	.1796	----	----	----	----	1 UNCH
5665	----	----	----/70.70A	78.90B/70.70A	----	73.00 - 7.30	.1785	----	----	----	----	1 UNCH
5670	----	----	----/70.10A	78.30B/70.10A	----	72.50 - 7.20	.1774	----	----	----	----	2 UNCH
5675	----	----	----/69.60A	77.70B/69.60A	----	71.90 - 7.30	.1762	----	----	----	----	2 UNCH
5680	----	----	----/69.20A	77.10B/69.20A	----	71.40 - 7.20	.1750	----	----	----	----	39 UNCH
5685	----	----	----/68.60A	76.50B/68.60A	----	70.90 - 7.20	.1739	----	----	----	----	5 UNCH
5690	----	----	----/68.10A	76.10B/68.10A	----	70.40 - 7.10	.1728	----	----	----	----	18 UNCH
5695	----	----	----/67.70A	75.90B/67.70A	----	69.90 - 7.10	.1718	----	----	----	----	15 UNCH
5700	----	----	----/66.80A	75.00B/66.80A	----	69.40 - 7.00	.1707	----	----	----	----	53 UNCH
5710	----	----	----/66.20A	73.90B/66.20A	----	68.40 - 6.90	.1685	----	----	----	----	1 UNCH
5800	----	----	----/58.10A	65.30B/58.10A	----	60.30 - 6.30	.1504	----	----	----	----	80 UNCH
5825	----	----	----/56.70A	64.10B/56.70A	----	58.30 - 6.10	.1458	----	----	----	----	2 UNCH
5900	----	----	----/52.20A	57.70B/52.20A	----	52.80 - 5.50	.1331	----	----	----	----	1 UNCH
5925	----	----	----/50.60A	54.80B/50.60A	----	51.10 - 5.40	.1291	----	----	----	----	4 UNCH
5975	----	----	----/47.50A	51.40B/47.50A	----	47.90 - 5.20	.1215	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
6000	----	----	----/46.20A	49.90B/46.20A	----	46.50 - 5.00	.1181	----	----	----	----	267 UNCH
6100	----	----	----/41.10A	45.00B/41.10A	----	41.20 - 4.50	.1053	----	----	----	----	1 UNCH
6200	----	----	----/36.90A	39.50B/36.90A	----	36.80 - 4.10	.0944	----	----	----	----	1 UNCH
6400	29.70	29.70	29.70/29.70	32.20B/29.70	----	30.00 - 3.40	.0770	----	----	1	----	14 + 1
6500	----	----	----/28.30A	27.90B/28.30A	----	27.40 - 3.10	.0702	----	----	----	----	1155 UNCH
8000	----	----	----/*14.80A	13.60B/*14.80A	----	13.80 - 1.20	.0307	----	----	----	----	12 UNCH
9000	----	----	----	10.80B/12.70A	----	11.50 - 1.00	.0233	----	----	----	----	8 UNCH
20000	----	----	----	1.00B/4.00A	----	1.50 - 0.10	.0024	----	----	----	----	140 UNCH
TOTAL										1		4190+ 1
DEC26												
3550	----	----	----	----	----	1250.40 - 22.50	.9438	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1231.50 - 22.60	.9413	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1203.30 - 22.60	.9374	----	----	----	----	1 UNCH
3800	----	----	----/1,013.00A	1034.10B/1013.00A	----	1019.60 - 22.70	.9045	----	----	----	----	4 UNCH
3900	----	----	----	818.30B/1022.20A	----	931.30 - 22.50	.8829	----	----	----	----	2 UNCH
4060	----	----	----/788.30A	813.40B/788.30A	----	796.00 - 21.80	.8404	----	----	----	----	100 UNCH
4100	----	----	----/755.70A	780.10B/755.70A	----	763.40 - 21.60	.8282	----	----	----	----	48 UNCH
4160	----	----	----/708.00A	732.30B/708.00A	----	715.70 - 21.30	.8086	----	----	----	----	100 UNCH
4175	----	----	----/696.30A	720.50B/696.30A	----	704.00 - 21.20	.8035	----	----	----	----	37 UNCH
4200	----	----	----/677.10A	701.60B/677.10A	----	684.70 - 21.10	.7947	----	----	----	----	150 UNCH
4250	----	----	----/638.50A	664.60B/638.50A	----	647.00 - 20.60	.7764	----	----	----	----	293 UNCH
4255	----	----	----/635.80A	659.40B/635.80A	----	643.20 - 20.70	.7745	----	----	----	----	50 UNCH
4300	----	----	----/602.00A	627.50B/602.00A	----	610.30 - 20.30	.7571	----	----	----	----	436 UNCH
4315	----	----	----	485.30B/695.30A	----	599.50 - 20.20	.7510	----	----	----	----	1 UNCH
4320	----	----	----/588.70A	612.20B/588.70A	----	596.00 - 20.10	.7491	----	----	----	----	100 UNCH
4350	----	----	----/567.70A	590.80B/567.70A	----	574.80 - 19.90	.7368	----	----	----	----	206 UNCH
4375	----	----	----/550.50A	573.40B/550.50A	----	557.50 - 19.70	.7263	----	----	----	----	61 UNCH
4400	----	----	----/520.30A	522.30B/520.30A	----	540.50 - 19.50	.7156	----	----	----	----	2 UNCH
4425	----	----	----/504.10A	539.30B/504.10A	----	523.80 - 19.40	.7047	----	----	----	----	8 UNCH
4450	----	----	526.80B/488.10A	526.80B/488.10A	----	507.40 - 19.20	.6936	----	----	----	----	87 UNCH
4465	----	----	517.00B/478.80A	517.00B/478.80A	----	497.80 - 19.00	.6868	----	----	----	----	93 UNCH
4490	----	----	500.90B/463.40A	500.90B/463.40A	----	481.90 - 18.90	.6754	----	----	----	----	7 UNCH
4500	----	----	494.60B/457.30A	494.60B/457.30A	----	475.60 - 18.80	.6708	----	----	----	----	757 UNCH
4525	----	----	----/442.40A	478.90B/442.40A	----	460.20 - 18.70	.6593	----	----	----	----	5 UNCH
4540	----	----	----/433.60A	469.50B/433.60A	----	451.10 - 18.60	.6522	----	----	----	----	9 UNCH
4550	----	----	----/427.80A	463.60B/427.80A	----	445.10 - 18.50	.6475	----	----	----	----	11 UNCH
4565	----	----	----/419.20A	454.50B/419.20A	----	436.20 - 18.40	.6404	----	----	----	----	93 UNCH
4580	----	----	----/410.80A	445.60B/410.80A	----	427.40 - 18.40	.6332	----	----	----	----	150 UNCH
4585	----	----	----/408.00A	442.60B/408.00A	----	424.50 - 18.40	.6308	----	----	----	----	325 UNCH
4590	----	----	----/405.20A	439.80B/405.20A	----	421.60 - 18.30	.6284	----	----	----	----	16 UNCH
4600	----	----	----/399.70A	433.90B/399.70A	----	415.90 - 18.30	.6236	----	----	----	----	159 UNCH
4615	----	----	----/391.60A	425.30B/391.60A	----	407.40 - 18.20	.6163	----	----	----	----	41 UNCH
4625	386.90	386.90	386.90/385.00A	419.80B/385.00A	----	401.80 - 18.20	.6114	----	----	1	----	71 UNCH
4640	----	----	----/378.10A	411.40B/378.10A	----	393.60 - 18.00	.6041	----	----	----	----	100 UNCH
4650	----	----	----/372.90A	405.90B/372.90A	----	388.20 - 17.90	.5992	----	----	----	----	302 UNCH
4675	----	----	392.90B/360.20A	392.90B/360.20A	----	374.90 - 17.80	.5869	----	----	----	----	48 UNCH
4680	----	----	391.20B/357.60A	391.20B/357.60A	----	372.20 - 17.80	.5844	----	----	----	----	2 UNCH
4700	370.00	370.00	380.50B/347.70A	380.50B/347.70A	----	362.00 - 17.60	.5745	----	----	3	----	96 UNCH
4725	----	----	367.60B/335.60A	367.60B/335.60A	----	349.40 - 17.50	.5621	----	----	----	----	110 UNCH
4730	----	----	365.30B/333.20A	365.30B/333.20A	----	347.00 - 17.40	.5597	----	----	----	----	2 UNCH
4750	----	----	355.00B/323.80A	355.00B/323.80A	----	337.20 - 17.40	.5497	----	----	----	----	239 UNCH
4775	----	----	343.20B/312.40A	343.20B/312.40A	----	325.40 - 17.20	.5373	----	----	----	----	2 UNCH
4780	----	----	341.30B/310.20A	341.30B/310.20A	----	323.10 - 17.10	.5348	----	----	----	----	2 UNCH
4790	----	----	335.70B/305.80A	335.70B/305.80A	----	318.50 - 17.00	.5299	----	----	----	----	1 UNCH
4795	----	----	334.00B/303.60A	334.00B/303.60A	----	316.20 - 17.00	.5274	----	----	----	----	9 UNCH
4800	----	----	331.20B/301.30A	331.20B/301.30A	----	313.90 - 17.00	.5249	----	----	----	----	381 UNCH
4810	----	----	326.50B/297.10A	326.50B/297.10A	----	309.40 - 16.90	.5200	----	----	----	----	56 UNCH
4820	293.80	293.80	322.60B/292.80A	322.60B/292.80A	----	305.00 - 16.70	.5151	----	----	8	----	48 - 1
4825	----	----	320.20B/290.70A	320.20B/290.70A	----	302.80 - 16.60	.5126	----	----	----	----	104 UNCH
4835	----	----	315.70B/286.50A	315.70B/286.50A	----	298.50 - 16.40	.5077	----	----	----	----	125 UNCH
4850	281.30	281.30	308.70B/280.30A	308.70B/280.30A	----	292.10 - 16.20	.5004	----	----	4	----	292 - 4
4875	----	----	298.20B/270.00A	298.20B/270.00A	----	281.70 - 15.70	.4883	----	----	----	----	1 UNCH
4880	----	----	296.20B/267.90A	296.20B/267.90A	----	279.60 - 15.70	.4859	----	----	----	----	4 UNCH
4900	----	----	292.30B/260.50A	292.30B/260.50A	----	271.60 - 15.30	.4763	----	----	----	----	356 UNCH
4925	----	----	282.10B/251.00A	282.10B/251.00A	----	261.80 - 15.00	.4644	----	----	----	----	238 UNCH
4950	----	----	272.10B/241.90A	272.10B/241.90A	----	252.30 - 14.70	.4526	----	----	----	----	103 UNCH
4975	234.50	234.50	262.50B/232.50	262.50B/232.50	----	243.10 - 14.50	.4409	----	----	13	----	50 UNCH
5000	239.00	239.00	251.70B/221.90A	251.70B/221.90A	----	234.20 - 14.40	.4294	----	----	80	----	2411 - 72
5005	----	----	251.30B/222.90A	251.30B/222.90A	----	232.40 - 14.40	.4271	----	----	----	----	4 UNCH
5025	----	----	243.70B/216.60A	243.70B/216.60A	----	225.60 - 14.20	.4180	----	----	----	----	218 UNCH
5050	----	----	235.40B/208.70A	235.40B/208.70A	----	217.30 - 14.00	.4068	----	----	----	----	101 UNCH
5070	----	----	228.70B/202.60A	228.70B/202.60A	----	210.90 - 13.90	.3980	----	----	----	----	13 UNCH
5075	----	----	226.50B/201.10A	226.50B/201.10A	----	209.40 - 13.70	.3959	----	----	----	----	30 UNCH
5090	----	----	----/196.70A	218.30B/196.70A	----	204.70 - 13.70	.3893	----	----	----	----	17 UNCH
5100	----	----	215.40B/193.90A	215.40B/193.90A	----	201.70 - 13.50	.3851	----	----	----	----	349 UNCH
5125	----	----	----/186.80A	207.20B/186.80A	----	194.30 - 13.30	.3745	----	----	----	----	70 UNCH
5150	----	----	----/180.00A	199.90B/180.00A	----	187.10 - 13.10	.3640	----	----	----	----	11 UNCH
5155	----	----	----/178.50A	198.30B/178.50A	----	185.80 - 13.00	.3620	----	----	----	----	4 UNCH
5160	----	----	----/177.30A	195.90B/177.30A	----	184.40 - 13.00	.3600	----	----	----	----	1 UNCH
5170	----	----	----/174.60A	194.10B/174.60A	----	181.60 - 12.90	.3559	----	----	----	----	4 UNCH
5175	----	----	----/173.60A	192.60B/173.60A	----	180.30 - 12.80	.3539	----	----	----	----	101 UNCH
5195	----	----	----/168.30A	187.00B/168.30A	----	175.00 - 12.60	.3459	----	----	----	----	5 UNCH
5200	176.90	176.90	176.90/165.30	186.20B/165.30	----	173.70 - 12.60	.3439	----	----	8	----	1328 UNCH
5220	----	----	----/162.40A	180.20B/162.40A	----	168.60 - 12.30	.3361	----	----	----	----	6 UNCH
5245	----	----	----/156.50A	173.70B/156.50A	----	162.40 - 12.10	.3264	----	----	----	----	10 UNCH
5250	154.20	154.20	154.20/154.20	172.90B/154.20	----	161.20 - 12.00	.3246	----	----	1	----	348 UNCH
5255	----	----	----/154.30A	170.30B/154.30A	----	160.00 - 12.00	.3227	----	----	----	----	1 UNCH
5265	----	----	----/151.80A	168.70B/151.80A	----	157.70 - 11.80	.3190	----	----	----	----	5 UNCH
5275	157.60	157.60	157.60/149.60A	166.30B/149.60A	----	155.30 - 11.80	.3152	----	----	3	----	23 + 3
5300	----	----	----/144.20A	160.90B/144.20A	----	149.70 - 11.40	.3062	----	----	----	----	740 UNCH
5335	----	----	----/136.90A	152.50B/136.90A	----	142.10 - 11.10	.2937	----	----	----	----	21 UNCH
5340	----	----	----/135.90A	150.50B/135.90A	----	141.10 - 11.00	.2920	----	----	----	----	1 UNCH
5350	----	----	----/134.20A	149.50B/134.20A	----	139.00 - 10.90	.2886	----	----	----	----	459 UNCH
5360	----	----	----/132.10A	147.10B/132.10A	----	137.00 - 10.70	.2852	----	----	----	----	100 UNCH
5370	----	----	----/130.10A	144.90B/130.10A	----	135.00 - 10.60	.2818	----	----	----	----	36 UNCH
5380	----	----	----/128.30A	142.00B/128.30A	----	133.00 - 10.50	.2785	----	----	----	----	1 UNCH
5390	----	----	----/126.40A	140.70B/126.40A	----	131.10 - 10.40	.2752	----	----	----	----	200 UNCH
5400	----	----	----/125.00A	139.20B/125.00A	----	129.20 - 10.30	.2720	----	----	----	50	549 + 50
5450	----	----	----/116.00A	129.50B/116.00A	----	120.10 - 9.70	.2562	----	----	----	----	304 UNCH
5460	----	----	----/114.70A	127.60B/114.70A	----	118.40 - 9.60	.2532	----	----	----	----	203 UNCH
5465	----	----	----/113.50A	126.60B/113.50A	----	117.50 - 9.60	.2516	----	----	----	----	53 UNCH
5475	----	----	----/111.90A	125.00B/111.90A	----	115.80 - 9.60	.2486	----	----	----	----	550 UNCH
5480	----	----	----/111.10A	123.90B/111.10A	----	115.00 - 9.50	.2471	----	----	----	----	50 UNCH
5500	109.20	109.20	109.20/106.00	120.60B/106.00	----	111.80 - 9.30	.2413	----	----	16	50	2999 - 6
5505	----	----	----/107.80A	119.50B/107.80A	----	111.00 - 9.20	.2399	----	----	----	----	3 UNCH
5525	----	----	----/104.80A	116.20B/104.80A	----	107.90 - 9.10	.2343	----	----	----	----	80 UNCH
5550	----	----	----/101.00A	112.10B/101.00A	----	104.20 - 8.90	.2274	----	----	----	----	3 UNCH
5570	----	----	----/97.90A	109.10B/97.90A	----	101.40 - 8.70	.2222	----	----	----	----	198 UNCH
5575	----	----	----/97.80A	108.30B/97.80A	----	100.70 - 8.70	.2208	----	----	----	----	10 UNCH
5600	95.10	95.10	95.30/92.30	104.70B/92.30	----	97.30 - 8.50	.2144	----	----	5	----	2590 - 3
5650	----	----	----/88.20A	97.60B/88.20A	----	91.00 - 8.10	.2023	----	----	----	----	250 UNCH
5660	91.50	91.50	91.50/86.60A	96.00B/86.60A	----	89.80 - 8.00	.1999	----	----	1	----	1 UNCH
5665	89.70	89.70	89.70/86.50A	95.40B/86.50A	----	89.20 NEW	.1988	----	----	1	----	1 + 1
5670	90.30	90.30	90.30/85.90A	94.70B/85.90A	----	88.60 NEW	.1976	----	----	2	----	2 + 2
5675	89.70	89.70	89.70/84.90A	94.50B/84.90A	----	88.00 - 8.00	.1965	----	----	5	----	18 + 4
5680	89.10	89.10	89.20/84.90A	93.40B/84.90A	----	87.50 - 7.80	.1954	----	----	20	----	21 + 20
5685	----	----	----/84.20A	93.10B/84.20A	----	86.90 - 7.80	.1943	----	----	----	----	18 UNCH
5690	----	----	----/83.70A	92.60B/83.70A	----	86.30 - 7.80	.1931	----	----	----	----	27 UNCH
5700	----	----	----/82.10A	91.40B/82.10A	----	85.20 - 7.70	.1909	----	----	----	----	375 UNCH
5705	----	----	----/81.50A	90.70B/81.50A	----	84.60 - 7.70	.1898	----	----	----	----	5 UNCH
5710	----	----	----/81.60A	90.10B/81.60A	----	84.10 - 7.60	.1887	----	----	----	----	5 UNCH
5750	----	----	----/77.40A	85.50B/77.40A	----	79.80 - 7.40	.1802	----	----	----	----	313 UNCH
5770	----	----	----/75.50A	83.20B/75.50A	----	77.80 - 7.20	.1761	----	----	----	----	8 UNCH
5775	----	----	----/74.90A	82.40B/74.90A	----	77.30 - 7.20	.1751	----	----	----	----	2 UNCH
5800	81.00	81.00	81.00/72.50A	81.00/72.50A	----	74.90 - 7.00	.1702	----	----	1	----	2103 - 1
5810	75.80	75.80	76.40/69.90	79.00B/69.90	----	73.90 - 7.00	.1682	----	----	5	----	56 UNCH
5825	----	----	----/70.50A	77.50B/70.50A	----	72.50 - 6.90	.1654	----	----	----	----	4 UNCH
5850	----	----	----/67.90A	75.10B/67.90A	----	70.30 - 6.60	.1608	----	----	----	----	51 UNCH
5875	----	----	----/65.90A	72.70B/65.90A	----	68.20 - 6.40	.1564	----	----	----	----	9 UNCH
5900	67.70	67.70	67.70/62.80	70.10B/62.80	----	66.10 - 6.30	.1520	----	----	15	----	1335 + 5
5950	----	----	----/60.50A	65.80B/60.50A	----	62.30 - 5.90	.1440	----	----	----	----	29 UNCH
6000	59.00	59.00	59.00/55.90	62.00B/55.90	----	58.80 - 5.60	.1364	----	----	26	50	5269 + 49
6100	----	----	----/52.20A	55.50B/52.20A	----	52.60 - 5.00	.1228	----	----	----	50	133 UNCH
6150	----	----	----/49.70A	52.80B/49.70A	----	49.90 - 4.70	.1168	----	----	----	----	21 UNCH
6200	----	----	----/47.00A	50.10B/47.00A	----	47.40 - 4.40	.1111	----	----	4	----	3214 + 4
6250	----	----	----/44.80A	47.60B/44.80A	----	45.10 - 4.20	.1059	----	----	----	----	76 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
6300	----	----	----/41.30A	45.40B/41.30A	----	42.90 - 4.10	.1009	----	----	----	----	1049 UNCH
6400	----	----	----/39.20A	41.20B/39.20A	----	39.20 - 3.60	.0921	----	----	----	----	686 UNCH
6500	----	----	----/36.10A	37.70B/36.10A	----	36.00 - 3.20	.0845	----	----	----	----	5360 UNCH
6750	----	----	----/30.40A	29.40B/30.40A	----	29.70 - 2.60	.0692	----	----	----	----	104 UNCH
6775	----	----	----/29.90A	29.00B/29.90A	----	29.20 - 2.50	.0680	----	----	----	----	164 UNCH
6800	----	----	----/29.50A	28.30B/29.50A	----	28.70 - 2.50	.0667	----	----	6	----	1817 UNCH
6900	----	----	----/27.80A	26.50B/27.80A	----	26.90 - 2.30	.0622	----	----	14	----	81 + 14
7000	----	----	----/26.40A	25.00B/26.40A	----	25.40 - 2.10	.0584	----	----	----	----	4663 UNCH
7130	----	----	----/24.80A	23.40B/24.80A	----	23.70 - 1.90	.0540	----	----	----	----	200 UNCH
7175	----	----	----/24.40A	22.90B/24.40A	----	23.20 - 1.80	.0526	----	----	----	----	125 UNCH
7250	----	----	----/23.60A	22.20B/23.60A	----	22.50 - 1.60	.0507	----	----	----	----	108 UNCH
7500	----	----	----/21.60A	19.90B/21.60A	----	20.50 - 1.30	.0451	----	----	----	----	115 UNCH
8000	----	----	----	17.30B/18.90A	----	18.00 - 0.90	.0376	----	----	8	----	1255 - 2
8125	----	----	----	16.80B/*18.40A	----	17.50 - 0.90	.0361	----	----	----	----	801 UNCH
8500	----	----	----	15.70B/17.30A	----	16.40 - 0.90	.0326	----	----	----	----	170 UNCH
8630	----	----	----/*16.90A	15.20B/*16.90A	----	16.00 - 1.00	.0315	----	----	----	----	400 UNCH
8725	----	----	----/*16.60A	15.00B/*16.60A	----	15.80 - 1.00	.0308	----	----	----	----	250 UNCH
8775	----	----	----/16.50A	15.10B/16.50A	----	15.70 - 1.00	.0305	----	----	----	----	33 UNCH
9000	14.80	14.80	14.80/14.80	15.00B/14.80	----	15.20 - 1.00	.0290	----	----	1	----	284 UNCH
9500	----	----	----/14.90A	13.30B/14.90A	----	14.30 - 1.00	.0262	----	----	----	----	305 UNCH
9900	----	----	----	12.60B/14.70A	----	13.80 - 0.90	.0245	----	----	----	----	17 UNCH
10000	----	----	----	13.10B/14.60A	----	13.70 - 0.80	.0242	----	----	3	----	9050 UNCH
11000	----	----	----	10.10B/13.50A	----	12.60 - 0.30	.0209	----	----	----	----	486 UNCH
13000	----	----	----	7.40B/10.40A	----	10.10 + 0.10	.0155	----	----	----	----	642 UNCH
15000	7.00	7.00	7.00/7.00	7.00/7.00	----	7.50 + 0.10	.0112	----	----	10	----	22345 + 10
17000	----	----	----	4.90B/6.10A	----	5.40 UNCH	.0079	----	----	----	----	26 UNCH
19000	----	----	----	3.40B/4.50A	----	4.00 UNCH	.0058	----	----	----	----	7 UNCH
20000	3.80	3.80	3.80/3.20	3.80/3.20	----	3.50 UNCH	.0051	----	----	6	----	24368 + 1
21000	----	----	----/2.70A	2.50B/2.70A	----	2.90 - 0.10	.0042	----	----	----	----	31 UNCH
24000	----	----	----	----/2.50A	----	1.80 UNCH	.0026	----	----	----	----	32 UNCH
TOTAL										270	200	108627 + 74
JAN27												
4190	----	----	----	607.40B/849.10A	----	738.40 - 21.40	.7957	----	----	1	----	1 UNCH
4290	----	----	----	532.80B/776.60A	----	664.10 - 21.00	.7611	----	----	----	----	1 UNCH
4300	----	----	----	525.60B/769.40A	----	656.90 - 20.90	.7575	----	----	----	----	1 UNCH
4400	----	----	----/568.80A	561.70B/568.80A	----	587.10 - 20.50	.7193	----	----	----	----	1 UNCH
4500	----	----	----/505.70A	539.40B/505.70A	----	521.90 - 20.00	.6784	----	----	----	----	1 UNCH
4600	----	----	----/447.50A	478.30B/447.50A	----	461.70 - 19.40	.6350	----	----	----	----	4 UNCH
4650	----	----	----/420.30A	450.90B/420.30A	----	433.60 - 19.10	.6127	----	----	1	----	2 + 1
4700	----	----	425.90B/394.60A	425.90B/394.60A	----	406.80 - 18.70	.5901	----	----	----	----	3 UNCH
4710	----	----	420.60B/389.20A	420.60B/389.20A	----	401.60 - 18.60	.5855	----	----	----	----	3 UNCH
4750	----	----	399.70B/370.00A	399.70B/370.00A	----	381.30 - 18.30	.5672	----	----	----	----	8 UNCH
4760	----	----	394.70B/365.30A	394.70B/365.30A	----	376.40 - 18.20	.5626	----	----	----	----	101 UNCH
4800	----	----	----/345.80A	374.90B/345.80A	----	357.20 - 17.90	.5443	----	----	----	----	1 UNCH
4850	----	----	----/323.80A	351.30B/323.80A	----	334.50 - 17.40	.5215	----	----	----	----	1 UNCH
4875	----	----	----/312.90A	340.30B/312.90A	----	323.60 - 17.20	.5102	----	----	----	----	4 UNCH
4900	----	----	----/302.50A	329.20B/302.50A	----	313.10 - 16.90	.4990	----	----	----	----	10 UNCH
5000	----	----	293.90B/264.20A	293.90B/264.20A	----	274.00 - 15.70	.4551	----	----	----	----	28 UNCH
5050	----	----	275.10B/247.40A	275.10B/247.40A	----	256.10 - 15.10	.4338	----	----	----	----	100 UNCH
5100	----	----	257.60B/231.30A	257.60B/231.30A	----	239.40 - 14.40	.4131	----	----	----	----	1 UNCH
5130	----	----	247.20B/222.10A	247.20B/222.10A	----	229.90 - 14.00	.4010	----	----	----	----	1 UNCH
5195	----	----	----/203.60A	221.50B/203.60A	----	210.50 - 13.10	.3755	----	----	----	----	5 UNCH
5200	----	----	----/202.10A	220.70B/202.10A	----	209.00 NEW	.3735	----	----	----	1100	1100 + 1100
5250	----	----	----/189.20A	206.40B/189.20A	----	195.30 - 12.40	.3548	----	----	----	----	7 UNCH
5300	----	----	----/177.00A	192.70B/177.00A	----	182.60 - 11.70	.3368	----	----	----	----	1 UNCH
5400	----	----	----/155.10A	168.90B/155.10A	----	159.60 - 10.60	.3029	----	----	----	----	2 UNCH
5450	----	----	----/144.90A	157.70B/144.90A	----	149.30 - 10.10	.2871	----	----	----	----	6 UNCH
5500	----	----	----/136.40A	148.70B/136.40A	----	139.80 - 9.60	.2721	----	----	----	----	60 UNCH
5550	----	----	----/127.60A	139.30B/127.60A	----	131.00 - 9.20	.2579	----	----	----	----	4 UNCH
5820	----	----	----/91.50A	99.10B/91.50A	----	93.60 - 7.30	.1935	----	----	----	----	6 UNCH
5850	----	----	----/89.00A	97.10B/89.00A	----	90.40 - 7.00	.1876	----	----	----	----	3 UNCH
5900	----	----	----/83.60A	90.40B/83.60A	----	85.30 - 6.80	.1782	----	----	----	----	5 UNCH
6000	----	----	----/74.90A	82.00B/74.90A	----	76.30 - 6.20	.1611	----	----	----	----	257 UNCH
6025	----	----	----/73.20A	78.80B/73.20A	----	74.20 - 6.10	.1570	----	----	----	----	1 UNCH
6300	----	----	----/56.80A	59.20B/56.80A	----	56.40 - 4.60	.1213	----	----	----	----	2 UNCH
6500	----	----	----/47.50A	49.00B/47.50A	----	47.10 - 3.90	.1019	----	----	----	----	6 UNCH
20000	3.80	3.80	3.80/3.80	3.80/3.80	----	4.50 + 0.10	.0063	----	----	1	----	127 - 1
TOTAL										3	1,100	1864 + 1100
FEB27												
4500	----	----	----/528.00A	552.90B/528.00A	----	539.40 NEW	.6725	----	----	1	----	1 + 1
4650	----	----	----/443.60A	467.10B/443.60A	----	453.00 - 18.30	.6100	----	----	----	----	1 UNCH
4700	----	----	----/418.00A	440.00B/418.00A	----	426.80 - 17.70	.5886	----	----	----	----	1 UNCH
4750	----	----	----/393.40A	414.20B/393.40A	----	402.00 - 16.90	.5671	----	----	----	----	36 UNCH
4785	----	----	----/376.80A	396.90B/376.80A	----	385.30 - 16.40	.5520	----	----	----	----	100 UNCH
4850	----	----	----/346.20A	366.20B/346.20A	----	355.70 - 15.80	.5240	----	----	----	----	36 UNCH
5000	----	----	312.90B/284.50A	312.90B/284.50A	----	294.20 - 15.40	.4612	----	----	----	----	149 UNCH
5100	----	----	276.60B/250.90A	276.60B/250.90A	----	258.90 - 14.70	.4212	----	----	----	----	148 UNCH
5175	----	----	250.00B/228.40A	250.00B/228.40A	----	235.40 - 13.80	.3928	----	----	----	----	125 UNCH
5200	----	----	----/221.00A	238.10B/221.00A	----	228.10 - 13.50	.3836	----	----	----	----	3 UNCH
5250	----	----	----/208.90A	223.60B/208.90A	----	214.10 - 12.80	.3657	----	----	----	----	22 UNCH
5300	----	----	----/194.90A	210.00B/194.90A	----	201.00 - 12.20	.3484	----	----	----	----	50 UNCH
5375	----	----	----/177.70A	191.60B/177.70A	----	182.90 - 11.40	.3237	----	----	----	----	2 UNCH
5400	----	----	----/173.40A	186.50B/173.40A	----	177.30 - 11.10	.3158	----	----	----	----	1 UNCH
5500	----	----	----/153.60A	164.50B/153.60A	----	156.60 - 10.20	.2859	----	----	----	----	13 UNCH
5520	----	----	----/149.20A	160.70B/149.20A	----	152.80 - 10.00	.2802	----	----	----	----	300 UNCH
5530	----	----	----/147.60A	158.50B/147.60A	----	151.00 - 9.90	.2775	----	----	----	----	100 UNCH
5550	----	----	----/144.10A	154.60B/144.10A	----	147.40 - 9.70	.2720	----	----	----	----	82 UNCH
5600	----	----	----/136.70A	145.50B/136.70A	----	138.70 - 9.40	.2587	----	----	----	----	8 UNCH
6000	----	----	----/87.70A	92.40B/87.70A	----	89.00 - 6.40	.1757	----	----	----	----	1290 UNCH
6025	----	----	----/85.20A	89.90B/85.20A	----	86.80 - 6.20	.1718	----	----	----	----	4 UNCH
6100	----	----	----/79.30A	83.30B/79.30A	----	80.70 - 5.70	.1606	----	----	----	----	4 UNCH
6300	----	----	----/66.60A	68.50B/66.60A	----	67.30 - 4.40	.1353	----	----	----	----	1 UNCH
6500	----	----	----/56.60A	55.10B/56.60A	----	56.90 - 3.60	.1150	----	----	----	----	1220 UNCH
6900	----	----	----/*42.40A	41.80B/*42.40A	----	42.20 - 2.60	.0855	----	----	----	----	533 UNCH
7000	----	----	----/39.80A	38.90B/39.80A	----	39.40 - 2.60	.0798	----	----	----	----	550 UNCH
7100	----	----	----	32.60B/39.80A	----	37.00 - 2.50	.0748	----	----	----	----	9 UNCH
7900	----	----	----	22.30B/31.40A	----	25.60 - 2.20	.0498	----	----	----	----	500 UNCH
8000	----	----	----	21.60B/30.10A	----	24.90 - 2.10	.0481	----	----	----	----	695 UNCH
TOTAL										1		5984 + 1
MAR27												
4995	----	----	----/321.10A	345.40B/321.10A	----	330.70 - 15.10	.4824	----	----	----	----	1 UNCH
5000	327.00	327.00	345.40B/319.20A	345.40B/319.20A	----	328.70 - 15.10	.4804	----	----	1	----	96 + 1
5010	----	----	343.90B/315.40A	343.90B/315.40A	----	324.90 - 14.80	.4765	----	----	----	----	1 UNCH
5200	----	----	275.70B/254.60A	275.70B/254.60A	----	259.60 - 11.30	.4057	----	----	----	----	3 UNCH
5500	----	----	----/179.80A	187.60B/179.80A	----	182.80 - 8.40	.3095	----	----	----	----	67 UNCH
5600	----	----	----/159.90A	167.40B/159.90A	----	163.20 - 7.90	.2823	----	----	----	----	1 UNCH
5650	----	----	----/152.40A	158.10B/152.40A	----	154.30 - 7.70	.2696	----	----	----	----	19 UNCH
5790	----	----	----/130.10A	137.10B/130.10A	----	132.30 - 7.20	.2369	----	----	----	----	2 UNCH
5820	----	----	----/126.40A	132.70B/126.40A	----	128.20 - 7.00	.2306	----	----	----	----	1 UNCH
5850	----	----	----/123.10A	127.80B/123.10A	----	124.10 - 7.00	.2243	----	----	----	----	253 UNCH
5900	----	----	----/116.40A	121.50B/116.40A	----	117.80 - 6.80	.2144	----	----	----	----	11 UNCH
6000	----	----	----/106.20A	107.30B/106.20A	----	106.30 - 6.60	.1959	----	----	----	----	2 UNCH
6500	----	----	----/68.40A	65.80B/68.40A	----	66.50 - 5.70	.1279	----	----	----	----	2 UNCH
TOTAL										1		459 + 1
APR27												
5000	----	----	----	182.60B/491.10A	----	326.90 - 26.70	.4797	----	----	----	----	100 UNCH
5060	----	----	----	167.50B/469.60A	----	308.30 - 26.20	.4576	----	----	----	----	25 UNCH
5600	----	----	----	45.40B/307.90A	----	166.80 - 20.30	.2849	----	----	----	----	300 UNCH
6000	----	----	----	34.20B/213.80A	----	108.60 - 16.10	.1981	----	----	----	----	151 UNCH
TOTAL												576 0
JUN27												
5085	----	----	----	----	----	422.80 - 12.20	.4886	----	----	----	----	150 UNCH
7000	----	----	----	----	----	75.00 - 3.30	.1234	----	----	----	----	3 UNCH
7500	----	----	----	----	----	51.80 - 2.50	.0881	----	----	----	----	450 UNCH
8000	----	----	----	----/43.00A	----	37.90 - 1.80	.0655	----	----	----	----	1 UNCH
9000	----	----	----	----	----	24.00 - 1.20	.0413	----	----	----	----	1 UNCH
10000	----	----	----	----	----	18.10 - 0.90	.0302	----	----	----	----	3 UNCH
TOTAL												608 0
DEC27												
4860	----	----	----	----	----	676.40 - 14.20	.5914	----	----	----	----	100 UNCH
5000	----	----	----	----	----	615.40 - 13.40	.5557	----	----	----	----	50 UNCH
5650	----	----	----	----	----	389.00 - 10.20	.4035	----	----	----	----	200 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 34

PRELIMINARY

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
DEC27												
5700	----	----	----	----	----	375.20 - 10.10	.3930	----	----	----	----	150 UNCH
5800	----	----	----	----	----	349.10 - 9.80	.3725	----	----	----	----	200 UNCH
5880	----	----	----	----	----	329.50 - 9.60	.3567	----	----	----	----	125 UNCH
6300	----	----	----	----	----	243.70 - 9.40	.2825	----	----	----	----	18 UNCH
7500	----	----	----	----	----	109.20 - 10.40	.1445	----	----	----	----	170 UNCH
7800	----	----	----	----	----	91.40 - 10.60	.1234	----	----	----	----	284 UNCH
10000	----	----	----	----	----	36.30 - 8.80	.0511	----	----	----	----	102 UNCH
10500	----	----	----	----	----	32.20 - 7.70	.0449	----	----	----	----	10 UNCH
TOTAL												1409 0
DEC28												
5750	----	----	----	----	----	611.60 - 11.30	.4690	----	----	----	----	100 UNCH
TOTAL												100 0

MMG MON — MICRO GOLD WEEKLY MONDAY OPTION WEE

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
4400	----	----	----	----/50.00A	----	9.70 - 1.50	.0790	----	----	----	----	1 UNCH
TOTAL												1 0

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
3800	----	----	----	0.50B/1.00A	----	0.60 - 0.30	.0035	----	----	----	----	1 UNCH
3900	----	----	----	----/0.80A	----	0.20 - 0.10	.0010	----	----	----	----	3 UNCH
4000	----	----	----	0.20B/*0.70A	----	0.30 - 0.20	.0018	----	----	----	----	2 UNCH
4100	----	----	----/*0.70A	0.40B/*0.70A	----	0.50 - 0.30	.0034	----	----	----	----	1 UNCH
4150	----	----	----/*1.90A	1.70B/*1.90A	----	1.60 - 0.60	.0126	----	----	----	----	30 UNCH
4175	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.30	.0053	----	----	----	----	3 UNCH
4200	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.20	.0063	----	----	----	----	54 UNCH
4225	----	----	----/*2.50A	2.50B/*2.50A	----	2.20 - 0.70	.0184	----	----	----	----	2 UNCH
4225	----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 0.30	.0066	----	----	----	----	5 UNCH
4250	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.30	.0077	----	----	----	----	7 UNCH
4275	----	----	----/*3.10A	3.20B/*3.10A	----	2.80 - 0.80	.0243	----	----	----	----	13 UNCH
4300	1.50	1.50	1.50/*1.20A	1.50/*1.20A	----	1.20 - 0.30	.0112	----	----	1	----	22 + 1
4300	----	----	----/*3.40A	3.70B/*3.40A	----	3.20 - 0.90	.0283	----	----	----	----	1 UNCH
4325	----	----	----/*1.40A	1.60B/*1.40A	----	1.40 - 0.30	.0136	----	----	----	----	14 UNCH
4325	----	----	----/*3.90A	4.40B/*3.90A	----	3.70 - 0.90	.0332	----	----	----	----	30 UNCH
4350	----	----	----/*1.60A	1.90B/*1.60A	----	1.50 - 0.50	.0154	----	----	----	----	8 UNCH
4350	4.70	4.70	5.20B/*4.50A	5.20B/*4.50A	----	4.20 - 1.10	.0384	----	----	1	----	1 + 1
4360	----	----	----	#2.00B/*1.70A	----	1.60 NEW	.0167	----	----	2	----	2 + 2
4375	----	----	----/*1.90A	2.20B/*1.90A	----	1.70 - 0.70	.0183	----	----	----	----	14 UNCH
4375	5.80	5.80	6.20B/*5.30A	6.20B/*5.30A	----	4.90 - 1.20	.0454	----	----	1	----	9 - 1
4400	----	----	----/*2.20A	2.80B/*2.20A	----	2.00 - 0.90	.0225	----	----	----	----	23 UNCH
4410	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	----/*2.60A	3.50B/*2.60A	----	2.50 - 1.00	.0292	----	----	5	----	11 - 1
4425	----	----	9.10B/*7.10A	9.10B/*7.10A	----	7.00 - 1.40	.0655	----	----	----	----	1 UNCH
4450	----	----	4.50B/*3.20A	4.50B/*3.20A	----	3.10 - 1.20	.0376	----	----	5	----	2 - 3
4450	9.00	9.00	11.10B/*8.40A	11.10B/*8.40A	----	8.40 - 1.60	.0788	----	----	2	----	4 + 2
4475	----	----	6.00B/*3.90A	6.00B/*3.90A	----	3.90 - 1.50	.0491	----	----	----	----	3 UNCH
4475	----	----	13.60B/*10.00A	13.60B/*10.00A	----	10.30 - 1.70	.0960	----	----	----	----	1 UNCH
4485	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500	5.50	5.50	7.90B/*4.90A	7.90B/*4.90A	----	5.10 - 1.70	.0658	----	----	27	----	56 + 24
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	261.40B/202.70A	261.40B/202.70A	----	232.30 - 23.50	.8826	----	----	----	----	50 UNCH
4500	----	----	16.80B/*12.00A	16.80B/*12.00A	----	12.70 - 1.70	.1170	----	----	----	----	2 UNCH
4505	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4515	----	----	----	#9.50B/*5.70A	----	6.10 NEW	.0794	----	----	1	----	1 + 1
4525	7.70	7.70	10.70B/*6.30A	10.70B/*6.30A	----	6.80 - 1.90	.0892	----	----	10	----	13 UNCH
4525	----	----	20.80B/*14.40A	20.80B/*14.40A	----	15.60 - 1.80	.1418	----	----	1	----	3 + 1
4530	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4540	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4550	10.40	10.40	14.50B/*8.20A	14.50B/*8.20A	----	9.30 - 2.00	.1220	----	----	25	----	68 - 5
4550	23.10	23.10	25.70B/*17.50A	25.70B/*17.50A	----	19.30 - 1.80	.1716	----	----	50	----	29 - 14
4555	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4565	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4570	12.50	12.50	#18.60B/*12.50	#18.60B/*10.30A	----	11.90 NEW	.1554	----	----	2	----	2 + 2
4570	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	159.60B/96.30A	159.60B/96.30A	----	122.90 - 23.60	.8346	----	----	----	----	1 UNCH
4575	----	----	----	----	----	131.70 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	19.80B/*10.90A	19.80B/*10.90A	----	12.70 - 2.20	.1652	----	----	----	----	10 UNCH
4575	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	31.50B/*21.40A	31.50B/*21.40A	----	23.90 - 1.70	.2066	----	----	----	----	1 UNCH
4580	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4585	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4590	----	----	----	#23.70B/*12.90A	----	15.40 NEW	.1975	----	----	1	----	1 + 1
4590	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4595	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	106.70 UNCH	----	----	----	----	----	0 UNCH
4600	17.50	17.50	26.60B/*14.50A	26.60B/*14.50A	----	17.40 - 2.10	.2210	----	----	81	----	64 - 32
4600	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	138.40B/78.30A	138.40B/78.30A	----	102.70 - 23.50	.7787	----	----	----	----	7 UNCH
4600	----	----	38.70B/*26.10A	38.70B/*26.10A	----	29.50 - 1.40	.2467	----	----	----	----	1 UNCH
4605	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4610	----	----	----	----	----	96.70 UNCH	----	----	----	----	----	0 UNCH
4610	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4615	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4625	23.00	23.00	35.60B/*19.30A	35.60B/*19.30A	----	23.80 - 1.80	.2901	----	----	1	----	119 + 1
4625	----	----	----	----	----	81.70 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	47.10B/*31.80A	47.10B/*31.80A	----	36.20 - 1.10	.2915	----	----	----	----	3 UNCH
4630	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	61.70 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	99.60B/48.40A	99.60B/48.40A	----	67.30 - 22.70	.6297	----	----	----	----	4 UNCH
4650	----	----	----	----	----	56.70 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	46.70B/*25.80A	46.70B/*25.80A	----	32.00 - 1.30	.3700	----	----	----	----	10 UNCH
4650	----	----	56.90B/*38.50A	56.90B/*38.50A	----	44.20 - 0.60	.3406	----	----	----	----	3 UNCH
4655	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----	----	----	51.70 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	46.70 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----	----	----	36.70 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	31.70 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	60.10B/34.10A	60.10B/34.10A	----	42.50 - 0.20	.4580	----	----	----	----	2 UNCH
4675	----	----	82.60B/*36.90A	82.60B/*36.90A	----	52.80 - 21.60	.5418	----	----	----	----	26 UNCH
4675	----	----	68.20B/46.60A	68.20B/46.60A	----	53.60 + 0.10	.3932	----	----	----	----	1 UNCH
4675	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	26.70 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4685	47.80	47.80	#47.80/*32.90A	#76.30B/*32.90A	----	47.60 NEW	.5057	----	----	2	----	2 + 2
4685	----	----	----	----	----	21.70 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	16.70 UNCH	----	----	----	----	----	0 UNCH
4695	50.10	50.10	#72.50B/*50.10	#72.50B/*42.10A	----	52.50 NEW	.5303	----	----	1	----	1 + 1
4695	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----	----	----	11.70 UNCH	----	----	----	----	----	0 UNCH
4700	48.80	48.80	75.70B/44.40A	75.70B/44.40A	----	55.20 + 1.10	.5483	----	----	25	----	28 + 15
4700	----	----	----	----	----	6.70 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	67.80B/*27.50A	67.80B/*27.50A	----	40.50 - 20.30	.4515	----	----	----	----	10 UNCH
4700	58.60	58.60	80.90B/55.90A	80.90B/55.90A	----	64.40 + 0.90	.4479	----	----	88	----	15 + 14
4700	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 35

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2												
MAY26														
4705	----	----	----	----	----	1.70	UNCH	----	----	----	----	----	0	UNCH
4705	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4710	52.50	52.50	#82.70B/*52.50	#82.70B/*49.20A	----	60.90	NEW	.5839	----	----	25	----	25 +	25
4710	----	----	----	----	----	3.30	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	8.30	UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	#90.00B/*54.20A	----	67.00	NEW	.6185	----	----	1	----	1 +	1
4720	----	----	----	----	----	13.30	UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	54.70B/*20.40A	54.70B/*20.40A	----	30.50	- 18.50	.3644	----	----	91	----	144 +	90
4725	----	----	93.70B/57.00A	93.70B/57.00A	----	70.20	+ 2.90	.6354	----	----	----	----	3	UNCH
4725	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	18.30	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	95.20B/66.70A	95.20B/66.70A	----	76.80	+ 2.00	.5036	----	----	----	----	2	UNCH
4730	----	----	----	----	----	23.30	UNCH	----	----	----	----	----	0	UNCH
4730	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4735	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	33.30	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4745	----	----	----	----	----	38.30	UNCH	----	----	----	----	----	0	UNCH
4745	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	113.10B/71.20A	113.10B/71.20A	----	87.30	+ 5.00	.7143	----	----	----	----	1	UNCH
4750	35.60	35.60	43.60B/*14.80A	43.60B/*14.80A	----	22.60	- 16.50	.2854	----	----	10	----	71 +	7
4750	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	43.30	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	85.70B/47.00A	85.70B/47.00A	----	60.50	- 18.70	.4410	----	----	----	----	10	UNCH
4755	16.70	16.70	#16.70/*14.00A	#41.40B/*14.00A	----	21.30	NEW	.2712	----	----	5	----	5 +	5
4755	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	#121.60B/*77.30A	----	94.70	NEW	.7427	----	----	1	----	1 +	1
4760	16.60	16.60	#16.60/*13.20A	#39.70B/*13.20A	----	20.00	NEW	.2570	----	----	3	----	3 +	3
4760	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	----	----	53.30	UNCH	----	----	----	----	----	0	UNCH
4765	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4765	----	----	----	----	----	58.30	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	----	----	----	63.30	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	68.30	UNCH	----	----	----	----	----	0	UNCH
4775	27.60	27.60	34.30B/*10.80A	34.30B/*10.80A	----	16.60	- 14.20	.2181	----	----	2	----	55 +	2
4780	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4780	----	----	----	----	----	73.30	UNCH	----	----	----	----	----	0	UNCH
4785	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4790	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4795	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4795	----	----	----	----	----	88.30	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4800	21.10	21.10	26.70B/*7.90A	26.70B/*7.90A	----	12.10	- 12.10	.1633	----	----	3	----	29 +	3
4800	----	----	156.30B/104.40A	156.30B/104.40A	----	126.70	+ 9.30	.8364	----	----	----	----	1	UNCH
4800	----	----	63.30B/*32.30A	63.30B/*32.30A	----	42.40	- 16.10	.3378	----	----	----	----	6	UNCH
4805	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4810	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4815	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	118.30	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	179.50B/123.30A	179.50B/123.30A	----	148.40	+ 11.40	.8793	----	----	----	----	1	UNCH
4825	15.80	15.80	20.80B/*5.90A	20.80B/*5.90A	----	8.80	- 10.00	.1205	----	----	1	----	22 +	1
4825	----	----	54.10B/*26.70A	54.10B/*26.70A	----	35.20	NEW	.2913	----	----	1	----	1 +	1
4830	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4830	----	----	----	----	----	123.30	UNCH	----	----	----	----	----	0	UNCH
4835	----	----	----	----	----	128.30	UNCH	----	----	----	----	----	0	UNCH
4840	----	----	----	----	----	133.30	UNCH	----	----	----	----	----	0	UNCH
4840	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4845	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	16.10B/*4.40A	16.10B/*4.40A	----	6.40	- 8.20	.0880	----	----	----	----	42	UNCH
4850	----	----	----	----	----	143.30	UNCH	----	----	----	----	----	0	UNCH
4850	42.00	42.00	46.00B/*22.00A	46.00B/*22.00A	----	29.10	- 13.50	.2492	----	----	1	----	2 +	1
4855	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4870	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4875	----	----	12.40B/*3.50A	12.40B/*3.50A	----	4.60	- 6.70	.0632	----	----	----	----	3	UNCH
4875	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4875	34.10	34.10	38.90B/*18.10A	38.90B/*18.10A	----	24.10	- 12.20	.2121	----	----	2	----	3 +	2
4900	2.80	2.80	9.50B/*2.60A	9.50B/*2.60A	----	3.40	- 5.40	.0461	----	----	6	----	25	UNCH
4900	----	----	33.10B/*15.00A	33.10B/*15.00A	----	19.80	- 11.00	.1789	----	----	1	----	7	UNCH
4905	----	----	----	----	----	198.30	UNCH	----	----	----	----	----	0	UNCH
4910	----	----	----	----	----	203.30	UNCH	----	----	----	----	----	0	UNCH
4925	6.80	6.80	7.40B/*2.20A	7.40B/*2.20A	----	2.50	- 4.40	.0333	----	----	4	----	4 +	2
4925	----	----	28.00B/*12.40A	28.00B/*12.40A	----	16.30	- 9.90	.1504	----	----	----	----	4	UNCH
4930	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4950	----	----	5.60B/*1.70A	5.60B/*1.70A	----	1.90	- 3.50	.0246	----	----	----	----	6	UNCH
4950	----	----	23.70B/*10.40A	23.70B/*10.40A	----	13.40	- 8.90	.1259	----	----	----	----	1	UNCH
4975	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4975	----	----	----/*1.40A	4.20B/*1.40A	----	1.40	- 2.90	.0177	----	----	----	----	8	UNCH
4975	12.90	12.90	20.00B/*8.70A	20.00B/*8.70A	----	11.00	- 8.00	.1049	----	----	9	----	9 +	2
4980	2.50	2.50	#2.50/*1.40A	#4.00B/*1.40A	----	1.40	NEW	.0175	----	----	1	----	1 +	1
5000	----	----	----/*1.10A	3.30B/*1.10A	----	1.10	- 2.30	.0135	----	----	5	----	14	UNCH
5000	----	----	17.00B/*7.40A	17.00B/*7.40A	----	9.10	- 7.00	.0877	----	----	1	----	6	UNCH
5020	----	----	----	#346.90B/*299.80A	----	335.40	NEW	.9892	----	----	1	----	1 +	1
5025	----	----	----/*0.90A	2.60B/*0.90A	----	0.80	- 2.00	.0095	----	----	----	----	7	UNCH
5025	----	----	350.50B/305.00A	350.50B/305.00A	----	340.40	+ 19.50	.9904	----	----	----	----	1	UNCH
5025	----	----	----	----	----	318.30	UNCH	----	----	----	----	----	0	UNCH
5050	----	----	----/*0.80A	2.00B/*0.80A	----	0.70	- 1.60	.0080	----	----	2	----	4 +	2
5075	----	----	----/*0.70A	1.60B/*0.70A	----	0.50	- 1.40	.0055	----	----	----	----	3	UNCH
5100	----	----	----	----	----	393.30	UNCH	----	----	----	----	----	0	UNCH
5100	----	----	427.20B/394.10A	427.20B/394.10A	----	415.00	+ 20.30	.9957	----	----	----	----	3	UNCH
5100	----	----	----/*0.70A	1.30B/*0.70A	----	0.40	- 1.20	.0043	----	----	----	----	31	UNCH
5125	----	----	----/*3.50A	7.30B/*3.50A	----	3.60	- 3.80	.0353	----	----	----	----	11	UNCH
5125	----	----	----/*0.60A	1.00B/*0.60A	----	0.40	- 1.00	.0041	----	----	----	----	1	UNCH
5150	----	----	----	407.30B/540.90A	----	464.90	+ 20.60	.9971	1	----	----	----	0 -	1
5150	----	----	----/*0.60A	0.80B/*0.60A	----	0.30	- 0.90	.0029	----	----	----	----	7	UNCH
5200	----	----	----/*0.50A	0.60B/*0.50A	----	0.20	- 0.70	.0018	----	----	----	----	3	UNCH
5200	----	----	----/*2.40A	4.60B/*2.40A	----	2.20	- 2.70	.0213	----	----	----	----	9	UNCH
5225	----	----	----/*0.50A	0.50B/*0.50A	----	0.20	- 0.60	.0017	----	----	----	----	3	UNCH
5250	----	----	----/*1.90A	3.40B/*1.90A	----	1.70	- 2.10	.0161	----	----	----	----	2	UNCH
5250	----	----	----/*0.40A	0.40B/*0.40A	----	0.20	- 0.50	.0017	----	----	----	----	1	UNCH
5300	----	----	----/*0.50A	0.30B/*0.50A	----	0.10	- 0.50	.0008	----	----	----	----	40	UNCH
5300	----	----	----/*1.60A	2.60B/*1.60A	----	1.30	- 1.70	.0120	----	----	----	----	6	UNCH
5400	----	----	----/*0.20A	----/*0.20A	----	0.10	- 0.20	.0001	----	----	----	----	5	UNCH
5400	----	----	----/*1.20A	1.70B/*1.20A	----	0.80	- 1.20	.0071	----	----	----	----	1	UNCH
5500	2.00	2.00	2.00/*0.60	2.00/*0.60	----	0.60	- 0.90	.0049	----	----	6	----	3 +	2
5600	----	----	----	----/*0.60A	----	0.10	UNCH	----	----	----	----	----	4	UNCH
5600	----	----	----/*0.80A	0.80B/*0.80A	----	0.50	- 0.70	.0038	----	----	----	----	1	UNCH
TOTAL											514		1463 +	163
JUN26														
3900	----	----	----	1.40B/*2.10A	----	1.60	- 0.30	.0097	----	----	----	----	7	UNCH
4275	----	----	----/*6.70A	6.50B/*6.70A	----	6.30	- 1.00	.0466	----	----	----	----	1	UNCH
4375	----	----	12.60B/*10.80A	12.60B/*10.80A	----	10.90	- 1.30	.0813	----	----	----	----	1	UNCH
4400	----	----	15.20B/*12.30A	15.20B/*12.30A	----	12.70	- 1.20	.0942	----	----	----	----	1	UNCH
4500	239.00	239.00	270.00B/*229.10	270.00B/*229.10A	----	243.80	NEW	.8292	----	----	2	----	2 +	2
4550	----	----	41.10B/*31.20A	41.10B/*31.20A	----	33.80	- 1.00	.2262	----	----	----	----	2	UNCH
4600	----	----	56.70B/*42.60A	56.70B/*42.60A	----	46.80	- 0.50	.2940	----	----	----	----	2	UNCH
4625	----	----	66.00B/*49.80A	66.00B/*49.80A	----	54.90	- 0.10	.3321	----	----	----	----	1	UNCH
4675	----	----	88.10B/66.90A	88.10B/66.90A	----	74.10	+ 0.80	.4134	----	----	----	----	1	UNCH
4850	----	----	----/*39.30A	59.80B/*39.30A	----	46.80	NEW	.3031	----	----	1	----	1 +	1
4900	----	----	----/*29.30A	45.70B/*29.30A	----	34.90	- 12.70	.2391	----	----	----	----	3	UNCH
4950	----	----	----/*22.00A	34.60B/*22.00A	----	26.00	NEW	.1861	----	----	1	----	1 +	1
4975	----	----	----/*18.70A	29.90B/*18.70A	----	22.40	NEW	.1634	----	----	1	----	1 +	1
TOTAL											5		24 +	5

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week3												
MAY26														
3800	----	----	----	----/*0.50A	----	0.10	UNCH	.0000	----	----	----	----	12	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week3										
MAY26												
4000	----	----	----	----/*0.70A	----	0.20 - 0.20	.0010	----	----	----	----	5 UNCH
4100	----	----	----	0.20B/*0.60A	----	0.30 - 0.20	.0018	----	----	----	----	1 UNCH
4150	----	----	----	0.30B/*0.60A	----	0.40 - 0.20	.0027	----	----	----	----	3 UNCH
4200	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.20	.0036	----	----	----	----	7 UNCH
4250	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.20	.0056	----	----	----	----	10 UNCH
4300	----	----	----/*0.90A	1.00B/*0.90A	----	0.90 - 0.20	.0079	----	----	----	----	15 UNCH
4310	----	----	----/*0.90A	1.10B/*0.90A	----	0.90 - 0.30	.0081	----	----	1	----	3 UNCH
4325	1.00	1.00	1.20B/*0.90A	1.20B/*0.90A	----	1.00 - 0.30	.0093	----	----	1	----	11 + 1
4350	----	----	----/*1.10A	1.30B/*1.10A	----	1.10 - 0.30	.0108	----	----	----	----	201 UNCH
4375	----	----	----/*1.30A	1.60B/*1.30A	----	1.30 - 0.30	.0135	----	----	----	----	10 UNCH
4400	----	----	2.00B/*1.50A	2.00B/*1.50A	----	1.50 - 0.40	.0165	----	----	----	----	7 UNCH
4405	----	----	#2.10B/*1.60A	2.10B/*1.60A	----	1.50 - 0.50	.0167	----	----	----	----	1 UNCH
4425	----	----	2.50B/*1.80A	2.50B/*1.80A	----	1.80 - 0.50	.0209	----	----	----	----	312 UNCH
4450	----	----	3.20B/*2.10A	3.20B/*2.10A	----	2.20 - 0.60	.0270	----	----	----	----	15 UNCH
4475	----	----	4.10B/*2.60A	4.10B/*2.60A	----	2.70 - 0.90	.0350	----	----	----	----	9 UNCH
4500	184.00	184.00	226.90B/156.70A	226.90B/156.70A	----	188.70 NEW	.9522	----	----	2	----	2 + 2
4500	4.40	4.40	5.60B/*3.30A	5.60B/*3.30A	----	3.50 - 1.10	.0476	----	----	4	----	20 + 3
4525	----	----	7.70B/*4.30A	7.70B/*4.30A	----	4.70 - 1.40	.0664	----	----	----	----	3 UNCH
4550	10.70	10.70	10.80B/*5.60A	10.80B/*5.60A	----	6.40 - 1.90	.0932	----	----	8	----	54 + 6
4550	----	----	179.50B/112.00A	179.50B/112.00A	----	141.70 - 23.20	.9066	----	----	----	----	1 UNCH
4555	7.10	7.10	#11.50B/*6.00A	11.50B/*6.00A	----	6.90 NEW	.1005	----	----	1	----	1 + 1
4565	8.10	8.10	#13.20B/*6.70A	13.20B/*6.70A	----	7.90 NEW	.1157	----	----	1	----	1 + 1
4570	----	----	#14.20B/*7.20A	14.20B/*7.20A	----	8.40 - 2.10	.1236	----	----	----	----	1 UNCH
4575	9.30	9.30	15.20B/*7.60A	15.20B/*7.60A	----	9.00 - 2.20	.1326	----	----	1	----	2 + 1
4580	----	----	#16.30B/*8.10A	16.30B/*8.10A	----	9.70 NEW	.1426	----	----	4	----	4 + 4
4585	10.20	10.20	#17.40B/*8.60A	17.40B/*8.60A	----	10.40 NEW	.1529	----	----	2	----	2 + 2
4595	11.50	11.50	#19.90B/*9.80A	19.90B/*9.80A	----	12.00 NEW	.1756	----	----	14	----	14 + 14
4600	----	----	134.60B/72.80A	134.60B/72.80A	----	98.10 - 23.80	.8124	----	----	----	----	36 UNCH
4600	12.10	12.10	21.30B/*10.50A	21.30B/*10.50A	----	12.80 - 2.40	.1874	----	----	23	----	25 + 17
4605	----	----	#22.80B/*11.20A	22.80B/*11.20A	----	13.80 NEW	.2009	----	----	1	----	1 + 1
4610	----	----	#24.40B/*11.90A	24.40B/*11.90A	----	14.80 NEW	.2146	----	----	2	----	2 + 2
4615	----	----	#26.00B/*12.70A	26.00B/*12.70A	----	15.90 NEW	.2292	----	----	3	----	3 + 3
4625	18.60	18.60	29.70B/*14.50A	29.70B/*14.50A	----	18.30 - 2.30	.2603	----	----	75	----	49 - 23
4650	----	----	94.40B/42.10A	94.40B/42.10A	----	61.20 - 23.10	.6497	----	----	1	----	12 + 1
4650	25.00	25.00	40.50B/*20.10A	40.50B/*20.10A	----	25.90 - 1.70	.3501	----	----	8	----	61 + 5
4660	42.80	42.80	#87.10B/*37.20A	87.10B/*37.20A	----	54.90 NEW	.6097	----	----	1	----	1 + 1
4660	----	----	#45.60B/*22.90A	#45.60B/*22.90A	----	29.70 NEW	.3900	----	----	1	----	1 + 1
4675	----	----	76.80B/*30.60A	76.80B/*30.60A	----	46.30 - 21.90	.5476	----	----	----	----	2 UNCH
4675	----	----	54.10B/*27.80A	54.10B/*27.80A	----	36.00 - 0.60	.4522	----	----	----	----	1 UNCH
4700	45.90	45.90	70.30B/37.70A	70.30B/37.70A	----	48.80 + 1.20	.5581	----	----	42	----	43 + 36
4700	46.00	46.00	61.60B/*21.70A	61.60B/*21.70A	----	34.10 - 20.20	.4416	----	----	7	----	87 UNCH
4710	44.50	44.50	#77.40B/*42.40A	#77.40B/*42.40A	----	54.60 NEW	.5997	----	----	25	----	25 + 25
4715	----	----	#53.30B/*17.50A	53.30B/*17.50A	----	28.00 NEW	.3800	----	----	1	----	1 + 1
4715	----	----	#81.10B/*44.90A	#81.10B/*44.90A	----	57.70 + 2.50	.6198	----	----	----	----	1 UNCH
4725	----	----	88.70B/50.00A	88.70B/50.00A	----	64.10 + 3.40	.6592	----	----	----	----	2 UNCH
4725	26.90	26.90	48.30B/*15.20A	48.30B/*15.20A	----	24.40 - 18.00	.3406	----	----	40	----	46 + 40
4735	14.50	14.50	#43.60B/*13.10A	43.60B/*13.10A	----	21.20 NEW	.3033	----	----	20	----	20 + 20
4740	15.40	15.40	#41.20B/*12.20A	41.20B/*12.20A	----	19.80 NEW	.2859	----	----	1	----	1 + 1
4750	----	----	109.10B/64.50A	109.10B/64.50A	----	81.80 + 5.80	.7477	----	----	----	----	1 UNCH
4750	17.80	17.80	37.10B/*10.50A	37.10B/*10.50A	----	17.10 - 15.60	.2521	----	----	1	----	34 + 1
4765	----	----	#31.60B/*8.40A	31.60B/*8.40A	----	13.70 NEW	.2067	----	----	1	----	1 + 1
4775	16.00	16.00	28.20B/*7.30A	28.20B/*7.30A	----	11.80 - 13.10	.1801	----	----	4	----	20 UNCH
4795	14.10	14.10	#22.40B/*5.50A	22.40B/*5.50A	----	8.70 NEW	.1348	----	----	11	----	11 + 11
4800	9.90	9.90	21.20B/*5.10A	21.20B/*5.10A	----	8.10 - 10.70	.1255	----	----	6	----	64 + 1
4800	----	----	153.80B/98.50A	153.80B/98.50A	----	122.70 + 10.60	.8743	----	----	----	----	1 UNCH
4820	----	----	16.80B/*3.90A	16.80B/*3.90A	----	6.00 - 9.00	.0930	----	----	----	----	1 UNCH
4825	10.30	10.30	15.80B/*3.70A	15.80B/*3.70A	----	5.50 - 8.60	.0854	----	----	4	----	28 UNCH
4840	4.20	4.20	#13.10B/*3.00A	13.10B/*3.00A	----	4.40 NEW	.0678	----	----	1	----	1 + 1
4845	8.20	8.20	#12.50B/*2.90A	12.50B/*2.90A	----	4.10 NEW	.0629	----	----	26	----	26 + 26
4850	----	----	11.70B/*2.60A	11.70B/*2.60A	----	3.80 - 6.80	.0581	----	----	----	----	8 UNCH
4875	----	----	8.60B/*2.00A	8.60B/*2.00A	----	2.60 - 5.40	.0389	----	----	1	----	5 UNCH
4900	----	----	6.40B/*1.60A	6.40B/*1.60A	----	1.90 - 4.10	.0273	----	----	----	----	21 UNCH
4905	----	----	#6.10B/*1.50A	6.10B/*1.50A	----	1.80 NEW	.0256	----	----	2	----	1 + 1
4925	----	----	4.70B/*1.30A	4.70B/*1.30A	----	1.40 - 3.10	.0193	----	----	----	----	25 UNCH
4935	1.00	1.00	#1.00/*1.00	4.10B/*1.00	----	1.20 NEW	.0163	----	----	1	----	1 + 1
4950	2.50	2.50	2.50/*1.00A	3.40B/*1.00A	----	1.00 - 2.50	.0132	----	----	1	----	17 + 1
4975	----	----	----/*0.80A	2.60B/*0.80A	----	0.80 - 1.90	.0100	----	----	----	----	7 UNCH
5000	----	----	----/*0.60A	1.90B/*0.60A	----	0.60 - 1.50	.0072	----	----	----	----	9 UNCH
5025	----	----	----	280.30B/420.60A	----	340.10 + 20.20	.9943	----	----	----	----	2 UNCH
5025	1.20	1.20	1.20/*0.60A	1.50B/*0.60A	----	0.50 - 1.20	.0056	----	----	1	----	2 + 1
5040	1.50	1.50	#1.50/*0.50A	1.50/*0.50A	----	0.50 NEW	.0054	----	----	1	----	1 + 1
5075	----	----	----/*0.50A	0.80B/*0.50A	----	0.40 - 0.80	.0040	----	----	1	----	6 UNCH
5100	----	----	----	356.50B/491.40A	----	414.90 + 20.70	.9962	----	----	----	----	2 UNCH
5100	----	----	----/*0.50A	0.60B/*0.50A	----	0.40 - 0.60	.0038	----	----	----	----	6 UNCH
5150	----	----	----/*0.40A	0.40B/*0.40A	----	0.20 - 0.50	.0017	----	----	----	----	6 UNCH
5200	----	----	----/*0.40A	0.30B/*0.40A	----	0.20 - 0.40	.0016	----	----	----	----	20 UNCH
5200	----	----	----	457.20B/588.40A	----	514.80 + 21.10	.9985	----	----	----	----	1 UNCH
5225	----	----	----/*0.40A	0.30B/*0.40A	----	0.20 - 0.30	.0015	----	----	----	----	1 UNCH
5250	----	----	----	0.20B/0.60A	----	0.10 - 0.30	.0007	----	----	----	----	1 UNCH
5300	----	----	----	----/*0.50A	----	0.10 - 0.30	.0002	----	----	----	----	1 UNCH
5400	----	----	----	----/*0.50A	----	0.10 - 0.10	.0000	----	----	----	----	2 UNCH
TOTAL										352		1480 + 212
JUN26												
3250	----	----	----	----/*1.50A	----	0.30 - 0.20	.0013	----	----	----	----	2 UNCH
4000	----	----	----/*2.30A	1.80B/*2.30A	----	1.90 - 0.60	.0125	----	----	----	----	1 UNCH
4000	----	----	----	0.40B/7.10A	----	4.30 - 1.50	.0244	----	----	----	----	1 UNCH
4100	----	----	----/*3.00A	2.50B/*3.00A	----	2.60 - 0.60	.0183	----	----	----	----	2 UNCH
4150	----	----	----/*3.50A	3.10B/*3.50A	----	3.20 - 0.60	.0230	----	----	----	----	2 UNCH
4175	----	----	----/*3.80A	3.40B/*3.80A	----	3.50 - 0.70	.0256	----	----	----	----	1 UNCH
4200	----	----	----/*4.20A	3.80B/*4.20A	----	3.90 - 0.70	.0289	----	----	----	----	1 UNCH
4250	----	----	----	9.40B/12.20A	----	10.00 - 1.80	.0625	----	----	1	----	3 + 1
4275	----	----	----/*11.50A	10.60B/*11.50A	----	11.00 - 1.60	.0693	----	----	----	----	6 UNCH
4300	----	----	----/*11.80A	12.10B/*11.80A	----	12.10 - 1.40	.0768	----	----	----	----	2 UNCH
4300	----	----	----/*6.50A	6.60B/*6.50A	----	6.20 - 1.10	.0480	----	----	----	----	1 UNCH
4350	----	----	----/*14.50A	15.90B/*14.50A	----	14.90 - 1.30	.0955	----	----	3	----	5 + 3
4350	----	----	----/*8.30A	9.30B/*8.30A	----	8.20 - 1.30	.0639	----	----	----	----	2 UNCH
4375	----	----	----/*16.70A	18.40B/*16.70A	----	16.70 - 1.70	.1071	----	----	----	----	2 UNCH
4400	----	----	13.40B/*11.00A	13.40B/*11.00A	----	11.10 - 1.50	.0863	----	----	----	----	1 UNCH
4425	----	----	25.80B/*21.70A	25.80B/*21.70A	----	21.80 - 2.50	.1374	----	----	----	----	1 UNCH
4425	----	----	16.20B/*12.70A	16.20B/*12.70A	----	13.10 - 1.50	.1011	----	----	----	----	1 UNCH
4425	----	----	#35.40B/*29.40A	#35.40B/*29.40A	----	30.70 - 0.40	.1654	----	----	----	----	20 UNCH
4450	----	----	29.80B/*24.30A	29.80B/*24.30A	----	25.40 - 2.20	.1570	----	----	----	----	4 UNCH
4450	----	----	19.20B/*15.00A	19.20B/*15.00A	----	15.50 - 1.50	.1182	----	----	----	----	2 UNCH
4475	----	----	34.60B/*27.50A	34.60B/*27.50A	----	29.60 - 1.80	.1788	----	----	----	----	3 UNCH
4500	----	----	38.50B/*31.60A	38.50B/*31.60A	----	34.60 - 1.10	.2033	----	----	----	----	3 UNCH
4500	----	----	27.10B/*20.70A	27.10B/*20.70A	----	21.80 - 1.50	.1611	----	----	----	----	1 UNCH
4500	----	----	#50.10B/*42.50A	#50.10B/*42.50A	----	45.30 NEW	.2291	----	----	1	----	1 + 1
4525	----	----	#58.00B/*48.30A	#58.00B/*48.30A	----	51.50 + 1.20	.2538	----	----	----	----	3 UNCH
4550	60.50	60.50	#64.60B/*54.40A	#64.60B/*54.40A	----	58.40 NEW	.2801	----	----	100	----	100 + 100
4575	----	----	59.70B/48.50A	59.70B/48.50A	----	53.40 NEW	.2877	----	----	10	----	8 + 8
4575	----	----	206.30B/159.10A	206.30B/159.10A	----	181.30 - 23.00	.7490	----	----	----	----	1 UNCH
4600	----	----	53.40B/*39.70A	53.40B/*39.70A	----	43.50 - 0.80	.2869	----	----	----	----	24 UNCH
4600	----	----	187.40B/142.30A	187.40B/142.30A	----	163.20 - 22.60	.7126	----	----	----	----	3 UNCH
4600	----	----	#81.70B/*69.00A	#81.70B/*69.00A	----	74.50 NEW	.3368	----	----	1	----	1 + 1
4625	----	----	78.20B/63.40A	78.20B/63.40A	----	69.90 NEW	.3529	----	----	10	----	8 + 8
4650	----	----	72.90B/54.40A	72.90B/54.40A	----	60.20 UNCH	.3673	----	----	----	----	1 UNCH
4675	----	----	102.30B/81.80A	102.30B/81.80A	----	89.80 NEW	.4229	----	----	1	----	1 + 1
4675	----	----	136.60B/98.50A	136.60B/98.50A	----	115.20 - 21.10	.5889	----	----	----	----	1 UNCH
4675	----	----	84.50B/63.40A	84.50B/63.40A	----	70.30 + 0.60	.4105	----	----	1	----	1 + 1
4700	----	----	113.00B/92.10A	113.00B/92.10A	----	101.20 NEW	.4591	----	----	1	----	1 + 1
4725	----	----	128.50B/*94.80A	128.50B/*94.80A	----	108.50 - 18.50	.5037	----	----	----	----	1 UNCH
4725	----	----	----/75.40A	108.30B/75.40A	----	89.10 - 19.50	.5001	----	----	----	----	1 UNCH
4725	----	----	111.20B/84.70A	111.20B/84.70A	----	94.10 + 2.20	.4994	----	----	1	----	0 - 1
4750	----	----	116.10B/*84.40A	116.10B/*84.40A	----	96.90 - 17.90	.4674	----	----	1	----	1 UNCH
4750	----	----	126.40B/97.20A	126.40B/97.20A	----	107.80 + 3.10	.5435	----	----	----	----	1 UNCH
4775	----	----	106.40B/*76.10A	106.40B/*76.10A	----	86.30 - 17.20	.4316	----	----	----	----	1 UNCH
4775	----	----	88.10B/56.80A	88.10B/56.80A	----	67.60 NEW	.4128	----	----	1	----	1 + 1
4775	----	----	142.60B/110.70A	142.60B/110.70A	----	122.60 + 4.10	.5867	----	----	----	----	2 UNCH
4800	----	----	95.50B/*67.70A	95.50B/*67.70A	----	76.70 - 16.40	.3967	----	----	1	----	3 UNCH
4800	----	----	77.50B/49.10A	77.50B/49.10A	----	58.60 - 16.60	.3713	----	----	----	----	3 UNCH
4850	----	----	----/36.30A	58.10B/36.30A	----	43.50 - 14.60	.2950	----	----	----	----	1 UNCH
4900	----	----	60.50B/*41.40A	60.50B/*41.40A	----	46.80 - 13.00	.2719	----	----	----	----	1 UNCH
4900	----	----	----/*26.80A	42.70B/*26.80A	----	32.00 - 12.50	.2296	----	----	----	----	3 UNCH
4950	----	----	#60.80B/*43.80A	60.80B/*43.80A	----	48.70 NEW	.2529	----	----	1	----	1 + 1
5000	----	----	----/*25.30A	37.90B/*25.30A	----	28.30 - 9.60	.1783	----	----	----	----	2 UNCH
5000	17.50	17.50	17.50/*14.90A	24.20B/*14.90A	----	17.20 - 8.70	.1337	----	----	1	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
5050	----	----	----/*11.30A	18.40B/*11.30A	----	12.60 - 7.20	.1007	----	----	----	----	1 UNCH
5050	----	----	----/*28.60A	40.00B/*28.60A	----	31.40 NEW	.1750	----	----	1	----	1 + 1
5075	----	----	----/*9.90A	16.40B/*9.90A	----	10.90 - 6.50	.0878	----	----	----	----	1 UNCH
5100	----	----	----/*16.10A	23.60B/*16.10A	----	17.30 - 7.20	.1148	----	----	----	----	1 UNCH
5250	----	----	----/*11.00A	11.60B/*11.00A	----	8.60 - 4.70	.0594	----	----	----	----	2 UNCH
5500	----	----	----	1.00B/9.50A	----	3.40 - 2.20	.0232	----	----	----	----	1 UNCH
5500	----	----	----/*2.00A	2.10B/*2.00A	----	1.60 - 1.60	.0122	----	----	----	----	3 UNCH
5600	----	----	----/*1.60A	1.60B/*1.60A	----	1.20 - 1.30	.0088	----	----	----	----	3 UNCH
TOTAL										136		264 + 127

GWR THU — GOLD WEEKLY THURSDAY OPTION Week4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
3250	----	----	----	----/7.00A	----	0.40 - 0.20	.0015	----	----	----	----	1 UNCH
3500	----	----	----	----/1.80A	----	0.10 - 0.10	.0001	----	----	----	----	40 UNCH
3900	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4000	----	----	----/*0.70A	0.40B/*0.70A	----	0.70 - 0.30	.0042	----	----	----	----	2 UNCH
4000	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4100	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4150	----	----	----/*1.00A	0.90B/*1.00A	----	0.90 - 0.30	.0068	----	----	----	----	1 UNCH
4150	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4200	----	----	----/*2.60A	2.60B/*2.60A	----	2.40 - 0.70	.0191	----	----	----	----	1 UNCH
4225	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4250	----	----	----/*1.40A	1.40B/*1.40A	----	1.30 - 0.30	.0114	----	----	----	----	1 UNCH
4250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4250	2.90	2.90	3.40B/*2.90	3.40B/*2.90	----	2.90 NEW	.0241	----	----	5	----	5 + 5
4275	----	----	----/*1.60A	1.60B/*1.60A	----	1.40 - 0.30	.0128	----	----	----	----	20 UNCH
4275	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4300	----	----	----/*1.80A	1.90B/*1.80A	----	1.50 - 0.50	.0143	----	----	----	----	2 UNCH
4300	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 104
4300	----	----	----/390.00A	400.90B/390.00A	----	423.30 - 22.70	.9672	----	----	----	----	1 UNCH
4325	----	----	----/*2.00A	2.20B/*2.00A	----	1.80 - 0.50	.0177	----	----	----	----	10 UNCH
4325	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
4330	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 25
4350	----	----	----/*2.30A	2.70B/*2.30A	----	2.00 - 0.70	.0206	----	----	----	----	2 UNCH
4350	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4375	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 53
4380	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4385	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4400	----	----	4.00B/*3.10A	4.00B/*3.10A	----	2.90 - 1.00	.0318	----	----	3	----	10 + 3
4400	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 108
4400	----	----	8.90B/*7.20A	8.90B/*7.20A	----	7.00 - 1.30	.0622	----	----	----	----	41 UNCH
4405	----	----	----	----/0.30A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4415	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4420	----	----	----	----/0.30A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4425	----	----	4.90B/*3.60A	4.90B/*3.60A	----	3.60 - 1.10	.0405	----	----	----	----	1 UNCH
4425	----	----	----	----/0.30A	----	0.00 - 0.20	----	----	----	----	----	0 - 9
4425	----	----	10.70B/*8.30A	10.70B/*8.30A	----	8.40 - 1.30	.0746	----	----	----	----	1 UNCH
4435	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.20	----	----	----	1	----	0 - 1
4440	----	----	----	----/0.30A	----	0.00 - 0.20	----	----	----	----	----	0 - 25
4445	----	----	----	----/0.30A	----	0.00 - 0.20	----	----	----	----	----	0 - 4
4450	4.70	4.70	6.30B/*4.20	6.30B/*4.20	----	4.50 - 1.30	.0518	----	----	5	----	23 + 3
4450	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 145
4460	----	----	----	----/0.30A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
4470	----	----	----	----/0.30A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
4475	----	----	8.20B/*5.40A	8.20B/*5.40A	----	5.70 - 1.50	.0668	----	----	2	----	2 UNCH
4475	----	----	253.70B/184.50A	253.70B/184.50A	----	215.80 - 23.00	.9330	----	----	----	----	1 UNCH
4475	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 30
4480	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 25
4485	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 16
4490	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 2
4495	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 1
4500	10.00	10.00	10.80B/*6.80A	10.80B/*6.80A	----	7.30 - 1.80	.0867	----	----	24	----	28 + 23
4500	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.00 - 0.40	----	----	----	4	----	0 - 32
4500	15.20	15.20	20.00/*13.90A	20.00/*13.90A	----	14.90 NEW	.1291	----	----	6	----	6 + 6
4510	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 31
4515	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 2
4520	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 10
4525	----	----	14.20B/*8.60A	14.20B/*8.60A	----	9.50 - 2.00	.1132	----	----	----	----	1 UNCH
4525	0.10	0.10	0.10/*0.10	0.40B/*0.10	----	0.00 - 0.50	----	----	----	3	----	0 - 25
4535	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 15
4540	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 0.70	----	----	----	5	----	0 - 3
4545	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 2
4550	1.00	1.00	1.00/*0.10	1.00/*0.10	----	0.00 - 0.70	----	----	----	10	----	0 - 29
4550	13.20	13.20	18.80B/*11.10A	18.80B/*11.10A	----	12.50 - 2.20	.1479	----	----	124	----	68 + 61
4550	19.50	19.50	28.90B/*19.50	28.90B/*19.50	----	22.20 - 1.60	.1847	----	----	2	----	3 UNCH
4555	----	----	----/*0.20A	0.70B/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 4
4560	1.10	1.10	1.10/*0.10	1.10/*0.10	----	0.00 - 0.90	----	----	----	5	----	0 - 120
4565	1.20	1.20	1.20/*0.20A	1.20/*0.20A	----	0.00 - 0.90	----	----	----	1	----	0 - 11
4570	----	----	----/*0.20A	0.90B/*0.20A	----	0.00 - 1.00	----	----	----	----	----	0 - 5
4575	----	----	24.70B/*14.40A	24.70B/*14.40A	----	16.60 - 2.30	.1925	----	----	----	----	34 UNCH
4575	0.20	0.20	1.20B/*0.10A	1.20B/*0.10A	----	0.00 - 1.10	----	----	----	6	----	0 - 111
4575	----	----	149.20B/98.60A	149.20B/98.60A	----	110.30 - 22.50	----	9	----	----	----	0 - 9
4580	----	----	----/*0.20A	1.20B/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 10
4585	1.00	1.00	1.00/*0.20A	1.40B/*0.20A	----	0.00 - 1.40	----	----	----	2	----	0 - 9
4590	1.00	1.00	1.70B/*0.20A	1.70B/*0.20A	----	0.00 - 1.50	----	----	----	4	----	0 - 8
4595	1.20	1.20	1.90B/*0.20A	1.90B/*0.20A	----	0.00 - 1.70	----	----	----	2	----	0 - 3
4600	21.50	21.50	32.20B/*18.70A	32.20B/*18.70A	----	22.00 - 2.20	.2471	----	----	14	----	12 + 11
4600	2.00	2.00	2.30B/*0.10A	2.30B/*0.10A	----	0.00 - 1.90	----	----	----	24	----	0 - 238
4600	----	----	124.50B/74.00A	124.50B/74.00A	----	85.30 - 23.30	----	13	----	----	----	0 - 13
4600	----	----	142.40B/83.90A	142.40B/83.90A	----	107.30 - 23.60	.7526	----	----	----	----	150 UNCH
4605	1.90	1.90	2.70B/*0.20A	2.70B/*0.20A	----	0.00 - 2.10	----	----	----	1	----	0 - 27
4610	2.40	2.40	3.10B/*0.20A	3.10B/*0.20A	----	0.00 - 2.30	----	----	----	17	----	0 - 8
4615	1.50	1.50	3.60B/*0.10A	3.60B/*0.10A	----	0.00 - 2.60	----	----	----	4	----	0 - 13
4620	0.20	0.20	4.20B/*0.10A	4.20B/*0.10A	----	0.00 - 2.90	----	----	----	9	----	0 - 50
4625	----	----	123.00B/68.30A	123.00B/68.30A	----	89.30 - 23.30	.6881	----	----	----	----	1 UNCH
4625	----	----	41.60B/*24.20A	41.60B/*24.20A	----	29.00 - 1.90	.3116	----	----	4	----	4 + 2
4625	----	----	100.10B/49.80A	100.10B/49.80A	----	60.30 - 24.70	----	11	----	----	----	0 - 11
4625	3.00	3.00	4.80B/*0.10A	4.80B/*0.10A	----	0.00 - 3.30	----	----	----	17	----	0 - 64
4630	5.00	5.00	5.50B/*0.10	5.50B/*0.10	----	0.00 - 3.70	----	----	----	8	----	0 - 20
4635	59.60	59.60	90.40B/*40.50A	90.40B/*40.50A	----	50.30 NEW	----	1	----	1	----	0 UNCH
4635	1.10	1.10	6.40B/*0.10A	6.40B/*0.10A	----	0.00 - 4.20	----	----	----	14	----	0 - 18
4640	41.30	41.30	85.60B/*36.00A	85.60B/*36.00A	----	45.30 - 26.10	----	1	----	1	----	0 - 1
4640	2.70	2.70	7.40B/*0.10A	7.40B/*0.10A	----	0.00 - 4.80	----	----	----	8	----	0 - 91
4645	34.70	34.70	80.90B/*31.60A	80.90B/*31.60A	----	40.30 - 26.80	----	----	----	1	----	0 - 1
4645	5.10	5.10	8.60B/*0.10A	8.60B/*0.10A	----	0.00 - 5.40	----	----	----	18	----	0 - 17
4650	47.50	47.50	53.00B/*31.30A	53.00B/*31.30A	----	37.80 - 1.30	.3842	----	----	4	----	3 + 2
4650	6.50	6.50	10.00B/*0.10	10.00B/*0.10	----	0.00 - 6.10	----	----	----	85	----	0 - 86
4650	----	----	104.90B/54.70A	104.90B/54.70A	----	73.10 - 22.60	.6156	----	----	----	----	15 UNCH
4650	48.50	48.50	61.20B/*42.30A	61.20B/*42.30A	----	48.30 NEW	.3486	----	----	5	----	5 + 5
4650	31.40	31.40	76.20B/*27.40A	76.20B/*27.40A	----	35.30 - 27.50	----	14	----	1	----	0 - 14
4655	41.70	41.70	71.50B/*22.50A	71.50B/*22.50A	----	30.30 NEW	----	1	----	2	----	0 UNCH
4655	2.80	2.80	11.50B/*0.20A	11.50B/*0.20A	----	0.00 - 6.90	----	----	----	93	----	0 - 65
4660	50.00	50.00	66.90B/*17.70A	66.90B/*17.70A	----	25.30 - 29.20	----	9	----	10	----	0 - 8
4660	6.00	6.00	13.20B/*0.20	13.20B/*0.20	----	0.00 - 7.80	----	----	----	32	----	0 - 9
4665	7.00	7.00	15.10B/*0.20A	15.10B/*0.20A	----	0.00 - 8.90	----	----	----	67	----	0 - 20
4670	----	----	58.00B/*9.10A	58.00B/*9.10A	----	15.30 - 31.50	----	3	----	1	----	0 - 3
4670	10.00	10.00	17.20B/*0.20	17.20B/*0.20	----	0.00 - 10.10	----	----	----	48	----	0 - 25
4675	----	----	66.40B/40.10A	66.40B/40.10A	----	48.60 - 0.30	.4619	----	----	----	----	1 UNCH
4675	48.40	48.40	88.40B/43.10A	88.40B/43.10A	----	58.90 NEW	.5379	----	----	2	----	1 + 1
4675	10.00	10.00	19.50B/*0.10	19.50B/*0.10	----	0.00 - 11.40	----	----	----	154	----	0 - 159
4675	14.70	14.70	53.60B/*5.60A	53.60B/*5.60A	----	10.30 - 32.80	----	151	----	3	----	0 - 153
4675	----	----	72.50B/50.60A	72.50B/50.60A	----	57.80 UNCH	.3983	----	----	----	----	1 UNCH
4680	10.20	10.20	49.30B/*3.20A	49.30B/*3.20A	----	5.30 - 34.20	----	31	----	13	----	0 - 25
4680	13.00	13.00	22.10B/*0.20	22.10B/*0.20	----	0.00 - 12.80	----	----	----	135	----	0 - 21
4685	12.70	12.70	45.20B/*1.30	45.20B/*1.30	----	0.30 - 35.90	----	23	----	27	----	0 - 2
4685	18.90	18.90	24.90B/*0.30	24.90B/*0.30	----	0.00 - 14.50	----	----	----	98	----	0 - 16
4690	14.00	14.00	27.90B/*2.20	27.90B/*2.20	----	4.70 - 11.60	----	42	----	56	----	0 - 9
4690	22.60	22.60	41.20B/*0.10A	41.20B/*0.10A	----	0.00 - 33.00	----	----	----	124	----	0 - 19
4695	20.70	20.70	31.20B/*5.10A	31.20B/*5.10A	----	9.70 - 8.50	----	96	----	130	----	0 - 12
4695	22.40	22.40	37.60B/*0.10A	37.60B/*0.10A	----	0.00 - 29.90	----	----	----	75	----	0 - 14
4700	57.40	57.40	81.60B/50.80A	81.60B/50.80A	----	61.40 + 1.00	.5410	----	----	2	----	6 + 2
4700	60.50	60.50	74.00B/*33.40A	74.00B/*33.40A	----	46.70 - 20.40	.4588	----	----	5	----	5 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week2										
MAY26												
4700	25.00	25.00	34.70B/*6.70A	34.70B/*6.70A	----	14.70 - 5.70	----	181	----	59	----	0 - 175
4700	26.20	26.20	34.00B/*0.10	34.00B/*0.10	----	0.00 - 27.10	----	----	----	190	----	0 - 166
4705	22.00	22.00	30.50B/*0.20A	30.50B/*0.20A	----	0.00 - 24.40	----	----	----	78	----	0 - 70
4705	20.80	20.80	38.30B/*8.40A	38.30B/*8.40A	----	19.70 - 3.00	----	11	----	16	----	0 - 6
4710	19.00	19.00	27.30B/*0.10A	27.30B/*0.10A	----	0.00 - 21.90	----	----	----	104	----	0 - 30
4710	22.10	22.10	42.10B/*11.10	42.10B/*11.10	----	24.70 - 0.50	----	16	----	21	----	0 - 4
4715	15.90	15.90	24.40B/*0.10A	24.40B/*0.10A	----	0.00 - 19.60	----	----	----	34	----	0 - 17
4715	20.90	20.90	46.00B/*13.50A	46.00B/*13.50A	----	29.70 NEW	----	4	----	4	----	0 UNCH
4720	14.70	14.70	21.80B/*0.20A	21.80B/*0.20A	----	0.00 - 17.50	----	----	----	146	----	0 - 63
4720	20.50	20.50	50.00B/*16.10A	50.00B/*16.10A	----	34.70 + 3.90	----	16	----	5	----	0 - 16
4725	----	----	99.00B/63.50A	99.00B/63.50A	----	76.20 + 2.70	.6177	----	----	----	----	2 UNCH
4725	29.00	29.00	60.90B/*25.80A	60.90B/*25.80A	----	36.50 - 18.80	.3820	----	----	1	----	151 + 1
4725	10.30	10.30	18.90B/*0.10	18.90B/*0.10	----	0.00 - 15.60	----	----	----	39	----	0 - 74
4725	----	----	54.20B/*19.00A	54.20B/*19.00A	----	39.70 + 5.80	----	67	----	----	----	0 - 67
4730	13.10	13.10	17.10/*0.20A	17.10/*0.20A	----	0.00 - 13.80	----	----	----	99	----	0 - 28
4730	35.80	35.80	58.50B/*22.50A	58.50B/*22.50A	----	44.70 + 7.60	----	2	----	1	----	0 - 2
4735	8.50	8.50	14.60B/*0.10A	14.60B/*0.10A	----	0.00 - 12.20	----	----	----	30	----	0 - 50
4735	----	----	62.90B/*26.10A	62.90B/*26.10A	----	49.70 + 9.20	----	30	----	----	----	0 - 30
4740	9.80	9.80	12.60B/*0.20	12.60B/*0.20	----	0.00 - 10.80	----	----	----	28	----	0 - 26
4740	30.00	30.00	67.30B/29.90A	67.30B/29.90A	----	54.70 + 10.60	----	7	----	3	----	0 - 7
4745	4.00	4.00	11.10B/*0.20A	11.10B/*0.20A	----	0.00 - 9.50	----	----	----	27	----	0 - 59
4745	----	----	72.10B/33.30A	72.10B/33.30A	----	59.70 + 11.90	----	59	----	----	----	0 - 59
4750	22.40	22.40	49.90B/*19.60A	49.90B/*19.60A	----	28.20 - 16.90	.3112	----	----	31	----	32 + 31
4750	47.00	47.00	77.10B/36.90A	77.10B/36.90A	----	64.70 + 13.00	----	42	----	2	----	0 - 42
4750	----	----	118.00B/77.50A	118.00B/77.50A	----	92.90 + 4.50	.6886	----	----	----	----	1 UNCH
4750	----	----	114.80B/83.30A	114.80B/83.30A	----	94.90 + 2.80	.5543	----	----	----	----	1 UNCH
4750	6.00	6.00	9.40B/*0.10	9.40B/*0.10	----	0.00 - 8.40	----	----	----	181	----	0 - 170
4750	73.50	73.50	90.10B/51.20A	90.10B/51.20A	----	64.80 - 19.00	.4452	----	----	68	----	152 UNCH
4755	6.00	6.00	8.10B/*0.10A	8.10B/*0.10A	----	0.00 - 7.40	----	----	----	10	----	0 - 1
4760	6.80	6.80	6.90B/*0.10A	6.90B/*0.10A	----	0.00 - 6.50	----	----	----	42	----	0 - 1
4760	----	----	87.10B/44.20A	87.10B/44.20A	----	74.70 + 14.90	----	2	----	2	----	0 - 2
4765	4.20	4.20	6.00B/*0.10	6.00B/*0.10	----	0.00 - 5.70	----	----	----	17	----	0 - 8
4770	----	----	97.00B/52.40A	97.00B/52.40A	----	84.70 + 16.40	----	----	----	1	----	0 - 1
4770	4.00	4.00	5.00B/*0.10A	5.00B/*0.10A	----	0.00 - 5.00	----	----	----	2	----	0 - 27
4775	23.10	23.10	40.20B/*14.80A	40.20B/*14.80A	----	21.60 - 14.90	.2486	----	----	10	----	5 + 3
4775	----	----	78.40B/43.00A	78.40B/43.00A	----	54.90 - 17.80	.3949	----	----	----	----	1 UNCH
4775	----	----	101.90B/56.60A	101.90B/56.60A	----	89.70 + 17.00	----	1	----	1	----	0 - 1
4775	3.00	3.00	4.30B/*0.20	4.30B/*0.20	----	0.00 - 4.40	----	----	----	15	----	0 - 26
4775	----	----	131.60B/96.30A	131.60B/96.30A	----	109.90 + 4.00	.6047	----	----	----	----	50 UNCH
4780	----	----	106.90B/60.80A	106.90B/60.80A	----	94.70 + 17.50	----	1	----	----	----	0 - 1
4780	3.00	3.00	3.60B/*0.20	3.60B/*0.20	----	0.00 - 3.90	----	----	----	6	----	0 - 11
4785	3.00	3.00	3.10B/*0.20A	3.10B/*0.20A	----	0.00 - 3.40	----	----	----	8	----	0 - 6
4790	----	----	----/*0.10A	2.60B/*0.10A	----	0.00 - 3.00	----	----	----	1	----	0 - 6
4795	0.60	0.60	2.20B/*0.20A	2.20B/*0.20A	----	0.00 - 2.60	----	----	----	4	----	0 - 5
4800	----	----	126.90B/78.90A	126.90B/78.90A	----	114.70 + 19.10	----	7	----	----	----	0 - 7
4800	1.80	1.80	1.90/*0.10	1.90/*0.10	----	0.00 - 2.30	----	----	----	21	----	0 - 114
4800	----	----	159.80B/110.10A	159.80B/110.10A	----	131.10 NEW	.8040	----	----	1	----	1 + 1
4800	20.50	20.50	32.40B/*11.30A	32.40B/*11.30A	----	16.50 - 12.90	.1957	----	----	9	----	65 + 5
4800	----	----	67.30B/*36.00A	67.30B/*36.00A	----	46.30 - 16.50	.3471	----	----	----	----	1 UNCH
4805	----	----	----/*0.10A	1.50B/*0.10A	----	0.00 - 2.00	----	----	----	----	----	0 - 12
4810	1.50	1.50	1.50/*0.20A	1.50/*0.20A	----	0.00 - 1.80	----	----	----	3	----	0 - 13
4815	----	----	----/*0.20A	1.00B/*0.20A	----	0.00 - 1.60	----	----	----	----	----	0 - 11
4820	1.10	1.10	1.10/*0.20A	1.10/*0.20A	----	0.00 - 1.40	----	----	----	2	----	0 - 14
4825	19.20	19.20	26.00B/*8.60A	26.00B/*8.60A	----	12.50 - 11.00	.1517	----	----	4	----	115 + 4
4825	----	----	----/*0.20A	0.70B/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 88
4830	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 3
4835	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 4
4840	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.80	----	----	----	1	----	0 - 2
4845	----	----	171.90B/122.00A	171.90B/122.00A	----	159.70 + 20.70	----	2	----	2	----	0 - 2
4845	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 1
4850	18.00	18.00	20.60B/*6.70A	20.60B/*6.70A	----	9.40 - 9.40	.1161	----	----	36	----	36 + 35
4850	----	----	176.90B/127.00A	176.90B/127.00A	----	164.70 + 20.80	----	1	----	----	----	0 - 1
4850	----	----	205.20B/148.20A	205.20B/148.20A	----	174.00 + 12.00	.8837	----	----	----	----	1 UNCH
4850	----	----	50.10B/*25.10A	50.10B/*25.10A	----	32.50 - 13.90	.2616	----	----	----	----	1 UNCH
4850	0.20	0.20	0.30/*0.10	0.30/*0.10	----	0.00 - 0.60	----	----	----	12	----	0 - 62
4855	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 6
4860	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 100
4865	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
4870	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 6
4875	12.10	12.10	16.50B/*5.20A	16.50B/*5.20A	----	7.10 - 7.90	.0883	----	----	1	----	4 + 1
4875	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	1	----	0 - 21
4875	----	----	209.60B/167.90A	209.60B/167.90A	----	182.10 + 9.30	.7744	----	----	----	----	1 UNCH
4880	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
4895	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4900	10.50	10.50	13.10B/*4.20A	13.10B/*4.20A	----	5.40 - 6.60	.0672	----	----	5	----	52 + 5
4900	----	----	252.70B/190.90A	252.70B/190.90A	----	220.00 + 14.80	.9326	----	----	----	----	1 UNCH
4900	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 11
4900	23.50	23.50	36.40B/*17.50A	36.40B/*17.50A	----	22.60 - 11.40	.1922	----	----	5	----	8 + 5
4910	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4915	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
4920	----	----	----	----/0.30A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4925	----	----	276.90B/212.80A	276.90B/212.80A	----	243.70 + 15.90	.9490	----	----	----	----	1 UNCH
4925	----	----	10.40B/*3.20A	10.40B/*3.20A	----	4.10 - 5.50	.0508	----	----	----	----	19 UNCH
4925	----	----	----	----/0.30A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
4925	----	----	31.20B/*14.60A	31.20B/*14.60A	----	18.80 - 10.20	.1635	----	----	----	----	1 UNCH
4930	----	----	----	----/0.30A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4935	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4940	----	----	----	----/0.30A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4950	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4950	----	----	26.70B/*12.30A	26.70B/*12.30A	----	15.70 - 9.10	.1389	----	----	----	----	1 UNCH
4975	----	----	6.50B/*2.20A	6.50B/*2.20A	----	2.40 NEW	.0291	----	----	3	----	3 + 3
4975	21.00	21.00	22.70B/*10.50A	22.70B/*10.50A	----	13.10 - 8.10	.1176	----	----	1	----	2 + 1
4975	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4980	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5000	----	----	----/*1.80A	5.10B/*1.80A	----	1.90 - 3.30	.0226	----	----	----	----	21 UNCH
5000	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 219
5000	----	----	19.30B/*8.90A	19.30B/*8.90A	----	10.90 - 7.30	.0992	----	----	----	----	2 UNCH
5025	----	----	----/*1.50A	4.20B/*1.50A	----	1.50 - 2.80	.0175	----	----	----	----	3 UNCH
5025	----	----	351.80B/301.40A	351.80B/301.40A	----	339.70 + 21.30	----	1	----	1	----	0 - 1
5025	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
5040	----	----	366.80B/316.40A	366.80B/316.40A	----	354.70 + 21.30	----	1	----	----	----	0 - 1
5050	----	----	----/*1.30A	3.40B/*1.30A	----	1.20 - 2.40	.0136	----	----	----	----	7 UNCH
5050	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
5075	----	----	----/*1.10A	2.70B/*1.10A	----	1.00 - 2.00	.0110	----	----	----	----	2 UNCH
5075	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5100	----	----	426.80B/376.40A	426.80B/376.40A	----	414.70 + 21.30	----	1	----	1	----	0 - 1
5100	1.00	1.00	1.00/*1.00	2.20B/*1.00	----	0.90 - 1.70	.0096	----	----	2	----	2 - 1
5100	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
5100	----	----	----	354.20B/501.20A	----	415.40 NEW	.9904	----	----	1	----	1 + 1
5100	5.40	5.40	10.30B/*5.00A	10.30B/*5.00A	----	5.50 NEW	.0511	----	----	5	----	5 + 5
5115	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5125	----	----	----/*0.90A	1.80B/*0.90A	----	0.80 - 1.40	.0082	----	----	----	----	1 UNCH
5150	----	----	----/*0.80A	1.50B/*0.80A	----	0.70 - 1.20	.0070	----	----	----	----	4 UNCH
5150	----	----	----/*3.90A	7.50B/*3.90A	----	4.00 - 3.80	.0371	----	----	----	----	1 UNCH
5150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5175	1.30	1.30	1.30/*0.70A	1.30/*0.70A	----	0.60 NEW	.0058	----	----	2	----	2 + 2
5175	----	----	501.80B/451.40A	501.80B/451.40A	----	489.70 + 21.30	----	1	----	1	----	0 - 1
5200	----	----	----/*0.70A	1.10B/*0.70A	----	0.50 - 1.00	.0047	----	----	----	----	1 UNCH
5200	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5250	----	----	----/*0.60A	0.80B/*0.60A	----	0.40 - 0.80	.0035	----	----	----	----	1 UNCH
5300	----	----	----/*0.70A	0.60B/*0.70A	----	0.30 - 0.70	.0025	----	----	----	----	3 UNCH
5300	----	----	----/*2.00A	3.30B/*2.00A	----	1.90 - 2.10	.0167	----	----	----	----	1 UNCH
5400	----	----	----/*0.70A	0.40B/*0.70A	----	0.30 - 0.50	.0022	----	----	----	----	40 UNCH
5500	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5750	----	----	----/*0.90A	0.60B/*0.90A	----	0.50 - 0.60	.0034	----	----	----	----	1 UNCH
TOTAL										2933		1315 - 4103
JUN26												
4375	----	----	14.10B/*11.90A	14.10B/*11.90A	----	12.10 - 1.30	.0871	----	----	----	----	1 UNCH
4400	----	----	16.90B/*13.70A	16.90B/*13.70A	----	14.10 - 1.30	.1007	----	----	----	----	1 UNCH
4425	----	----	20.00B/*15.80A	20.00B/*15.80A	----	16.40 NEW	.1161	----	----	6	----	6 + 6
4450	----	----	23.10B/*18.30A	23.10B/*18.30A	----	19.20 NEW	.1341	----	----	6	----	6 + 6
4475	----	----	27.10B/*21.30A	27.10B/*21.30A	----	22.50 - 1.40	.1547	----	----	----	----	2 UNCH
4500	31.10	31.10	32.00B/*24.90A	32.00B/*24.90A	----	26.50 NEW	.1784	----	----	3	----	3 + 3
4550	----	----	44.00B/*33.70A	44.00B/*33.70A	----	36.40 - 1.00	.2335	----	----	2	----	3 + 2
4575	----	----	51.60B/*39.10A	51.60B/*39.10A	----	42.70 NEW	.2656	----	----	1	----	1 + 1
4625	----	----	178.10B/*133.40	178.10B/*133.40A	----	152.80 - 21.70	.6623	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWR THU — GOLD WEEKLY THURSDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
4825	----	----	73.80B/*48.50A	73.80B/*48.50A	----	57.40 NEW	.3454	----	----	1	----	1 + 1
4850	----	----	65.20B/*42.30A	65.20B/*42.30A	----	50.00 NEW	.3105	----	----	1	----	1 + 1
4900	----	----	----/*31.90A	50.30B/*31.90A	----	37.70 - 12.80	.2475	----	----	----	----	3 UNCH
5025	----	----	----/*16.20A	26.10B/*16.20A	----	18.50 - 8.40	.1338	----	----	----	----	1 UNCH
5125	----	----	----/*9.90A	15.20B/*9.90A	----	10.70 - 5.80	.0805	----	----	----	----	1 UNCH
5400	----	----	----/*3.50A	4.00B/*3.50A	----	3.00 - 2.20	.0226	----	----	----	----	1 UNCH
TOTAL										20		40 + 20

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
4000	----	----	----	----/0.50A	----	0.10 - 0.10	.0004	----	----	----	----	10 UNCH
4100	----	----	----	0.10B/*0.40A	----	0.20 - 0.10	.0010	----	----	----	----	4 UNCH
4175	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0017	----	----	----	----	2 UNCH
4200	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0018	----	----	----	----	8 UNCH
4250	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.20	.0028	----	----	----	----	5 UNCH
4290	----	----	----/*0.50A	0.50B/*0.50A	----	0.60 - 0.10	.0046	----	----	----	----	2 UNCH
4300	0.50	0.50	0.60B/*0.50	0.60B/*0.50	----	0.60 - 0.20	.0047	----	----	17	----	76 UNCH
4325	----	----	----/*0.60A	0.80B/*0.60A	----	0.70 - 0.20	.0058	----	----	----	----	5 UNCH
4350	----	----	----/*0.60A	0.90B/*0.60A	----	0.80 - 0.20	.0071	----	----	----	----	22 UNCH
4375	----	----	----/*0.70A	1.10B/*0.70A	----	0.90 - 0.20	.0085	----	----	----	----	4 UNCH
4395	----	----	----/*0.80A	1.20B/*0.80A	----	1.00 - 0.30	.0100	----	----	----	----	1 UNCH
4400	1.00	1.00	1.30B/*0.90A	1.30B/*0.90A	----	1.00 - 0.30	.0102	----	----	1	----	28 UNCH
4425	1.30	1.30	1.60B/*1.10A	1.60B/*1.10A	----	1.10 - 0.40	.0122	----	----	25	----	27 + 20
4450	----	----	2.00B/*1.30A	2.00B/*1.30A	----	1.30 - 0.60	.0155	----	----	2	----	17 UNCH
4475	----	----	2.60B/*1.50A	2.60B/*1.50A	----	1.60 - 0.70	.0207	----	----	----	----	6 UNCH
4480	3.00	3.00	#3.00/*1.60A	3.00/*1.60A	----	1.70 NEW	.0223	----	----	1	----	1 + 1
4490	----	----	#3.10B/*1.80A	3.10B/*1.80A	----	1.90 NEW	.0256	----	----	1	----	1 + 1
4500	2.40	2.40	3.90/*2.00	3.90/*2.00	----	2.10 - 0.90	.0292	----	----	42	----	86 + 24
4500	----	----	225.60B/154.40A	225.60B/154.40A	----	187.30 - 22.30	.9707	----	----	----	----	1 UNCH
4510	2.70	2.70	4.00B/*2.20A	4.00B/*2.20A	----	2.30 - 1.10	.0330	----	----	80	----	80 + 74
4520	----	----	#4.50B/*2.40A	4.50B/*2.40A	----	2.60 - 1.20	.0384	----	----	----	----	1 UNCH
4525	3.70	3.70	4.90B/*2.50A	4.90B/*2.50A	----	2.80 - 1.20	.0418	----	----	1	----	8 + 1
4535	----	----	#5.70B/*2.80A	5.70B/*2.80A	----	3.10 - 1.40	.0478	----	----	----	----	1 UNCH
4540	----	----	6.10B/*3.00A	6.10B/*3.00A	----	3.30 - 1.50	.0516	----	----	----	----	3 UNCH
4550	4.40	4.40	7.20B/*3.40A	7.20B/*3.40A	----	3.80 - 1.70	.0608	----	----	11	----	41 - 1
4555	----	----	#7.80B/*3.60A	7.80B/*3.60A	----	4.10 - 1.80	.0662	----	----	----	----	1 UNCH
4560	----	----	#8.30B/*3.80A	8.30B/*3.80A	----	4.40 - 1.90	.0719	----	----	2	----	4 UNCH
4570	----	----	9.70B/*4.40A	9.70B/*4.40A	----	5.20 - 2.00	.0861	----	----	1	----	2 + 1
4575	----	----	10.50B/*4.70A	10.50B/*4.70A	----	5.60 - 2.10	.0936	----	----	4	----	13 UNCH
4580	10.60	10.60	#11.40B/*5.00A	11.40B/*5.00A	----	6.00 - 2.20	.1013	----	----	3	----	2 + 1
4585	----	----	#12.40B/*5.40A	12.40B/*5.40A	----	6.50 - 2.30	.1104	----	----	----	----	1 UNCH
4590	----	----	#13.40B/*5.80A	13.40B/*5.80A	----	7.10 - 2.40	.1209	----	----	----	----	5 UNCH
4595	7.90	7.90	#14.50B/*6.20A	14.50B/*6.20A	----	7.70 NEW	.1318	----	----	1	----	1 + 1
4600	11.00	11.00	15.80/*6.40	15.80/*6.40	----	8.40 - 2.50	.1439	----	----	30	----	67 + 20
4600	----	----	130.80B/67.00A	130.80B/67.00A	----	93.60 - 23.90	.8559	----	----	----	----	50 UNCH
4605	10.20	10.20	#17.00B/*7.20A	17.00B/*7.20A	----	9.10 NEW	.1564	----	----	3	----	3 + 3
4610	10.20	10.20	18.40B/*7.70A	18.40B/*7.70A	----	9.90 - 2.60	.1703	----	----	2	----	3 + 2
4615	----	----	#19.90B/*8.30A	19.90B/*8.30A	----	10.80 NEW	.1854	----	----	1	----	1 + 1
4620	12.10	12.10	#21.50B/*9.00A	21.50B/*9.00A	----	11.70 NEW	.2009	----	----	9	----	7 + 7
4625	13.20	13.20	23.30B/*9.70A	23.30B/*9.70A	----	12.80 - 2.60	.2185	----	----	47	----	55 + 31
4625	----	----	109.10B/49.80A	109.10B/49.80A	----	73.10 - 24.00	.7813	----	----	----	----	1 UNCH
4630	15.80	15.80	25.10B/*10.50A	25.10B/*10.50A	----	13.90 - 2.60	.2364	----	----	9	----	10 + 8
4635	----	----	#27.10B/*11.40A	27.10B/*11.40A	----	15.20 - 2.50	.2562	----	----	3	----	23 + 3
4640	----	----	29.20B/*12.30A	29.20B/*12.30A	----	16.50 - 2.40	.2763	----	----	2	----	3 + 2
4645	----	----	#31.40B/*13.20A	31.40B/*13.20A	----	17.90 - 2.40	.2975	----	----	----	----	4 UNCH
4650	51.40	51.40	88.50B/*35.10A	88.50B/*35.10A	----	54.80 - 23.50	.6797	----	----	2	----	3 + 1
4650	19.60	19.60	33.70B/*14.30A	33.70B/*14.30A	----	19.50 - 2.20	.3201	----	----	32	----	121 + 30
4655	49.20	49.20	84.60B/*32.60A	84.60B/*32.60A	----	51.40 NEW	.6564	----	----	1	----	1 + 1
4655	17.20	17.20	#36.20B/*15.50A	36.20B/*15.50A	----	21.20 NEW	.3434	----	----	22	----	22 + 22
4660	19.50	19.50	#38.80B/*16.70A	38.80B/*16.70A	----	22.90 NEW	.3671	----	----	6	----	4 + 4
4660	----	----	81.20B/*30.20A	81.20B/*30.20A	----	48.20 NEW	.6327	----	----	2	----	2 + 2
4665	21.60	21.60	#41.50B/*18.00A	41.50B/*18.00A	----	24.80 NEW	.3918	----	----	20	----	3 + 3
4670	21.70	21.70	44.40B/*19.50A	44.40B/*19.50A	----	26.90 - 1.30	.4172	----	----	2	----	3 + 2
4670	36.90	36.90	73.90B/*25.90A	73.90B/*25.90A	----	42.20 NEW	.5826	----	----	1	----	1 + 1
4675	26.60	26.60	70.40B/*23.90A	70.40B/*23.90A	----	39.30 - 22.40	.5570	----	----	2	----	1 UNCH
4675	23.40	23.40	47.40B/*21.00A	47.40B/*21.00A	----	29.00 - 1.00	.4428	----	----	4	----	6 UNCH
4680	40.10	40.10	67.00B/*22.00A	67.00B/*22.00A	----	36.60 NEW	.5309	----	----	31	----	31 + 31
4680	38.00	38.00	#50.40B/*22.70A	50.40B/*22.70A	----	31.30 NEW	.4689	----	----	3	----	2 + 2
4685	33.60	33.60	#53.60B/*24.30A	53.60B/*24.30A	----	33.70 NEW	.4951	----	----	28	----	27 + 27
4690	34.50	34.50	#57.00B/*26.30A	57.00B/*26.30A	----	36.30 + 0.10	.5213	----	----	2	----	2 + 1
4695	32.50	32.50	57.30B/*17.10A	57.30B/*17.10A	----	29.30 NEW	.4524	----	----	27	----	27 + 27
4700	30.20	30.20	54.20B/*15.60A	54.20B/*15.60A	----	27.10 - 20.30	.4265	----	----	79	----	140 + 55
4700	40.40	40.40	64.20B/*30.40A	64.20B/*30.40A	----	41.70 + 1.00	.5733	----	----	4	----	14 + 1
4705	28.10	28.10	51.70B/*14.30A	51.70B/*14.30A	----	25.00 NEW	.4009	----	----	31	----	29 + 29
4705	----	----	#68.00B/*32.60A	68.00B/32.60A	----	44.70 NEW	.5989	----	----	2	----	2 + 2
4710	46.60	46.60	#71.70B/*34.80A	71.70B/34.80A	----	47.70 NEW	.6241	----	----	3	----	3 + 3
4710	24.00	24.00	48.80B/*13.10A	48.80B/*13.10A	----	23.00 NEW	.3757	----	----	10	----	9 + 9
4720	15.90	15.90	43.30B/*10.90A	43.30B/*10.90A	----	19.50 - 18.30	.3277	----	----	12	----	24 + 12
4725	----	----	83.70B/42.50A	83.70B/42.50A	----	57.60 + 3.70	.6950	----	----	1	----	4 - 1
4725	23.60	23.60	41.10B/*10.00A	41.10B/*10.00A	----	17.90 - 17.70	.3048	----	----	6	----	14 + 5
4730	21.50	21.50	38.60B/*9.10A	38.60B/*9.10A	----	16.40 NEW	.2827	----	----	83	----	41 + 41
4735	21.40	21.40	36.30B/*8.30A	36.30B/*8.30A	----	15.00 - 16.50	.2614	----	----	4	----	4 + 2
4740	17.70	17.70	34.10B/*7.60A	34.10B/*7.60A	----	13.80 - 15.80	.2420	----	----	3	----	4 + 3
4750	----	----	105.20B/57.20A	105.20B/57.20A	----	76.20 + 6.80	.7950	----	----	1	----	4 UNCH
4750	13.90	13.90	30.10B/*6.30A	30.10B/*6.30A	----	11.50 - 14.60	.2048	----	----	14	----	53 + 3
4755	12.10	12.10	28.20B/*5.80A	28.20B/*5.80A	----	10.50 NEW	.1880	----	----	2	----	2 + 2
4760	67.00	67.00	#114.20B/*63.60	114.20B/63.60A	----	84.20 NEW	.8274	----	----	1	----	1 + 1
4770	----	----	23.00B/*4.40A	23.00B/*4.40A	----	8.00 - 12.20	.1442	----	----	----	----	4 UNCH
4775	----	----	127.90B/73.80A	127.90B/73.80A	----	96.90 + 9.80	.8694	----	----	----	----	1 UNCH
4775	10.80	10.80	21.70B/*3.70	21.70B/*3.70	----	7.20 - 11.70	.1304	----	----	21	----	37 + 14
4780	----	----	#132.50B/*77.40	132.50B/77.40A	----	101.30 + 10.40	.8806	----	----	----	----	4 UNCH
4780	----	----	20.00B/*3.70A	20.00B/*3.70A	----	6.60 - 11.10	.1192	----	----	----	----	3 UNCH
4785	----	----	18.80B/*3.40A	18.80B/*3.40A	----	6.00 - 10.50	.1083	----	----	2	----	5 + 2
4790	----	----	17.60B/*3.10A	17.60B/*3.10A	----	5.50 NEW	.0988	----	----	2	----	2 + 2
4795	11.40	11.40	16.30B/*2.90A	16.30B/*2.90A	----	5.00 - 9.40	.0896	----	----	2	----	13 + 2
4800	13.00	13.00	15.40B/*2.70A	15.40B/*2.70A	----	4.50 - 9.00	.0806	----	----	69	----	71 + 40
4800	----	----	151.60B/92.30A	151.60B/92.30A	----	119.20 + 12.50	.9193	----	----	----	----	2 UNCH
4805	----	----	14.20B/*2.50A	14.20B/*2.50A	----	4.10 - 8.50	.0730	----	----	----	----	1 UNCH
4810	5.00	5.00	13.30B/*2.30A	13.30B/*2.30A	----	3.80 - 7.90	.0670	----	----	2	----	5 + 2
4815	----	----	12.20B/*2.10A	12.20B/*2.10A	----	3.40 NEW	.0598	----	----	2	----	2 + 2
4820	----	----	#170.90B/*108.6	170.90B/108.60A	----	137.80 + 14.30	.9457	----	----	----	----	1 UNCH
4820	----	----	11.40B/*2.00A	11.40B/*2.00A	----	3.10 - 7.10	.0541	----	----	----	----	1 UNCH
4825	11.30	11.30	11.30/*1.80A	11.30/*1.80A	----	2.90 - 6.70	.0499	----	----	12	----	31 + 10
4825	----	----	175.80B/112.70A	175.80B/112.70A	----	142.50 + 14.70	.9499	----	----	----	----	1 UNCH
4830	----	----	#180.70B/*117.1	180.70B/117.10A	----	147.30 + 15.10	.9553	----	----	----	----	3 UNCH
4840	----	----	#190.50B/125.70	190.50B/125.70A	----	156.80 + 15.80	.9630	----	----	2	----	3 + 2
4850	4.50	4.50	7.40B/*1.30A	7.40B/*1.30A	----	1.80 - 5.00	.0296	----	----	6	----	31 + 3
4850	----	----	200.30B/134.20A	200.30B/134.20A	----	166.50 + 16.50	.9702	----	----	----	----	1 UNCH
4855	2.90	2.90	6.90B/*1.20A	6.90B/*1.20A	----	1.70 - 4.60	.0275	----	----	1	----	10 UNCH
4855	----	----	205.20B/138.80A	205.20B/138.80A	----	171.30 + 16.70	.9723	----	----	----	----	1 UNCH
4875	----	----	225.00B/157.10A	225.00B/157.10A	----	190.90 + 17.80	.9814	----	----	----	----	1 UNCH
4875	----	----	5.10B/*0.90A	5.10B/*0.90A	----	1.20 - 3.60	.0185	----	----	3	----	14 + 1
4885	0.90	0.90	4.40B/*0.80A	4.40B/*0.80A	----	1.00 NEW	.0150	----	----	1	----	1 + 1
4900	----	----	----/*0.70A	3.50B/*0.70A	----	0.80 - 2.70	.0115	----	----	17	----	38 + 13
4900	----	----	249.80B/180.40A	249.80B/180.40A	----	215.50 + 18.80	.9884	----	----	----	----	1 UNCH
4925	0.40	0.40	0.40/*0.40	2.50B/*0.40	----	0.60 - 2.00	.0080	----	----	3	----	16 UNCH
4950	----	----	----/*0.50A	1.70B/*0.50A	----	0.40 - 1.60	.0049	----	----	1	----	14 - 1
4975	----	----	----/*0.30A	1.20B/*0.30A	----	0.30 - 1.20	.0034	----	----	----	----	1 UNCH
5000	----	----	----/*0.30A	0.80B/*0.30A	----	0.30 - 0.90	.0031	----	----	----	----	29 UNCH
5010	----	----	----/*0.30A	0.70B/*0.30A	----	0.20 - 0.90	.0020	----	----	----	----	1 UNCH
5025	----	----	----/*0.30A	0.60B/*0.30A	----	0.20 - 0.80	.0019	----	----	----	----	3 UNCH
5025	----	----	----	282.90B/414.60A	----	339.80 + 20.60	.9981	1	----	----	----	0 - 1
5050	----	----	----/*0.30A	0.50B/*0.30A	----	0.20 - 0.70	.0018	----	----	----	----	9 UNCH
5070	----	----	----/*0.30A	0.40B/*0.30A	----	0.10 - 0.70	.0008	----	----	----	----	2 UNCH
5075	----	----	----/*0.30A	0.40B/*0.30A	----	0.10 - 0.70	.0007	----	----	----	----	5 UNCH
5100	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 0.60	.0003	----	----	----	----	16 UNCH
5100	----	----	426.80B/393.40A	426.80B/393.40A	----	414.70 + 20.90	.9999	2	----	----	----	1 - 2
5125	----	----	----/*0.40A	0.20B/*0.40A	----	0.10 - 0.50	.0001	----	----	----	----	3 UNCH
5150	----	----	----/*0.40A	0.20B/*0.40A	----	0.10 - 0.50	.0000	----	----	----	----	5 UNCH
5175	----	----	----/*0.40A	----/*0.40A	----	0.10 - 0.40	.0000	----	----	----	----	26 UNCH
5200	----	----	----/*0.40A	----/*0.40A	----	0.10 - 0.40	.0000	----	----	----	----	4 UNCH
5200	----	----	----	458.80B/585.40A	----	514.70 + 21.00	1.0000	1	----	----	----	0 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK3

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26											
5225 ----	----	----	----/*0.40A	----	0.10 - 0.30	.0000	----	----	----	----	6 UNCH
5300 ----	----	----	----/*0.40A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5500 ----	----	----	----/*0.50A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL									885		1731+ 610
JUN26											
3500 ----	----	----	0.20B/1.40A	----	0.50 - 0.20	.0024	----	----	----	----	40 UNCH
3750 ----	----	----	0.70B/*1.40A	----	0.80 - 0.30	.0046	----	----	----	----	4 UNCH
3800 ----	----	----	0.80B/*1.40A	----	0.90 - 0.30	.0053	----	----	----	----	1 UNCH
3900 ----	----	----	1.10B/*1.70A	----	1.10 - 0.40	.0070	----	----	----	----	2 UNCH
3900 ----	----	----	0.80B/*7.20A	----	3.60 NEW	.0193	----	----	3	----	3 + 3
4000 ----	----	----	1.70B/*2.10A	----	1.50 - 0.40	.0102	----	----	----	----	7 UNCH
4100 ----	----	----	2.30B/*2.70A	----	2.10 - 0.60	.0153	----	----	----	----	15 UNCH
4150 ----	----	----/*3.10A	2.70B/*3.10A	----	2.70 - 0.60	.0201	----	----	----	----	2 UNCH
4175 ----	----	----/*3.40A	3.10B/*3.40A	----	3.00 - 0.70	.0226	----	----	----	----	1 UNCH
4200 ----	----	----/*3.70A	3.40B/*3.70A	----	3.40 - 0.80	.0259	----	----	----	----	18 UNCH
4225 ----	----	----/*4.10A	3.70B/*4.10A	----	3.80 - 0.80	.0293	----	----	----	----	1 UNCH
4250 ----	----	----/*4.50A	4.40B/*4.50A	----	4.20 - 0.90	.0330	----	----	----	----	2 UNCH
4250 ----	----	----/*12.70A	13.00B/*12.70A	----	11.90 - 1.20	.0707	----	----	----	----	1 UNCH
4275 ----	----	----/*5.00A	4.80B/*5.00A	----	4.70 - 1.00	.0374	----	----	----	----	12 UNCH
4300 ----	----	----/*5.70A	5.80B/*5.70A	----	5.30 - 1.10	.0427	----	----	----	----	26 UNCH
4300 ----	----	----/*11.10A	11.10B/*11.10A	----	9.70 - 2.30	.0663	----	----	----	----	4 UNCH
4300 ----	----	----	----	----	424.70 - 22.80	.9570	----	----	----	----	1 UNCH
4325 ----	----	----/*6.50A	6.80B/*6.50A	----	6.10 - 1.30	.0495	----	----	----	----	16 UNCH
4350 ----	----	----/*13.40A	14.70B/*13.40A	----	12.70 - 2.50	.0863	----	----	----	----	3 UNCH
4350 ----	----	----/*7.40A	8.10B/*7.40A	----	7.10 - 1.30	.0577	----	----	----	----	18 UNCH
4350 ----	----	#22.40B/*19.30A	22.40B/*19.30A	----	19.40 - 1.00	.1125	----	----	----	----	1 UNCH
4375 9.70	9.70	9.80B/*8.50A	9.80B/*8.50A	----	8.30 - 1.40	.0675	----	----	3	----	6 + 3
4375 15.70	15.70	17.00B/*15.00A	17.00B/*15.00A	----	14.90 NEW	.0998	----	----	1	----	1 + 1
4400 ----	----	20.60B/*17.10A	20.60B/*17.10A	----	17.40 - 2.40	.1149	----	----	----	----	5 UNCH
4400 ----	----	11.80B/*9.70A	11.80B/*9.70A	----	9.70 - 1.50	.0789	----	----	----	----	8 UNCH
4400 25.00	25.00	29.10B/*24.50A	29.10B/*24.50A	----	25.30 - 0.90	.1427	----	----	1	----	7 + 1
4425 ----	----	14.40B/*11.30A	14.40B/*11.30A	----	11.50 - 1.50	.0930	----	----	----	----	1 UNCH
4425 ----	----	24.00B/*19.70A	24.00B/*19.70A	----	20.30 - 2.30	.1320	----	----	----	----	8 UNCH
4450 ----	----	17.30B/*13.40A	17.30B/*13.40A	----	13.70 - 1.60	.1096	----	----	----	----	7 UNCH
4450 269.00	269.00	319.80B/*269.00	319.80B/269.00	----	293.10 NEW	.8482	----	----	2	----	2 + 2
4450 ----	----	#38.20B/*31.20A	38.20B/*31.20A	----	33.00 NEW	.1797	----	----	6	----	6 + 6
4475 ----	----	20.50B/*15.70A	20.50B/*15.70A	----	16.40 - 1.50	.1294	----	----	1	----	3 UNCH
4500 ----	----	24.60B/*18.60A	24.60B/*18.60A	----	19.60 - 1.60	.1520	----	----	1	----	5 UNCH
4500 ----	----	265.50B/221.00A	265.50B/221.00A	----	239.20 - 23.30	.8475	----	----	----	----	1 UNCH
4500 ----	----	37.40B/*29.60A	37.40B/*29.60A	----	32.10 - 1.60	.1963	----	----	----	----	6 UNCH
4525 ----	----	29.40B/*22.10A	29.40B/*22.10A	----	23.50 - 1.60	.1784	----	----	----	----	2 UNCH
4525 ----	----	43.20B/*34.10A	43.20B/*34.10A	----	37.20 - 1.40	.2221	----	----	----	----	1 UNCH
4525 ----	----	244.10B/200.80A	244.10B/200.80A	----	218.10 - 23.30	.8211	----	----	----	----	1 UNCH
4550 ----	----	48.40B/*39.30A	48.40B/*39.30A	----	43.10 - 1.10	.2505	----	----	----	----	1 UNCH
4550 ----	----	35.20B/*26.20A	35.20B/*26.20A	----	28.10 - 1.60	.2081	----	----	----	----	9 UNCH
4550 ----	----	#62.60B/*51.80A	62.60B/*51.80A	----	55.30 NEW	.2749	----	----	6	----	6 + 6
4575 ----	----	42.00B/*31.00A	42.00B/*31.00A	----	33.60 - 1.60	.2416	----	----	----	----	7 UNCH
4600 ----	----	49.90B/*36.50A	49.90B/*36.50A	----	40.00 - 1.50	.2785	----	----	----	----	7 UNCH
4600 ----	----	184.30B/138.80A	184.30B/138.80A	----	159.70 - 23.30	.7210	----	----	----	----	2 UNCH
4600 71.30	71.30	79.10B/*66.20A	79.10B/*66.20A	----	71.00 + 0.10	.3328	----	----	1	----	1 UNCH
4625 ----	----	75.00B/59.90A	75.00B/59.90A	----	65.90 + 0.10	.3481	----	----	----	----	1 UNCH
4625 ----	----	58.90B/43.40A	58.90B/43.40A	----	47.50 - 1.30	.3188	----	----	----	----	4 UNCH
4625 ----	----	166.20B/122.90A	166.20B/122.90A	----	142.30 - 23.00	.6807	----	----	----	----	3 UNCH
4650 ----	----	149.00B/108.10A	149.00B/108.10A	----	126.00 - 22.60	.6376	----	----	----	----	2 UNCH
4650 ----	----	87.50B/68.60A	87.50B/68.60A	----	75.40 + 0.60	.3839	----	----	----	----	1 UNCH
4650 ----	----	69.20B/50.90A	69.20B/50.90A	----	56.20 - 0.80	.3618	----	----	----	----	6 UNCH
4675 ----	----	132.90B/94.70A	132.90B/94.70A	----	111.10 - 21.70	.5923	----	----	----	----	2 UNCH
4675 ----	----	151.50B/*117.50	151.50B/117.50A	----	130.60 - 20.80	.5785	----	----	----	----	1 UNCH
4675 ----	----	80.70B/59.90A	80.70B/59.90A	----	66.30 + 0.10	.4071	----	----	----	----	3 UNCH
4700 ----	----	----/82.60A	118.00B/82.60A	----	97.60 - 20.40	.5459	----	----	----	----	18 UNCH
4700 ----	----	93.40B/69.90A	93.40B/69.90A	----	77.70 + 1.30	.4536	----	----	----	----	6 UNCH
4700 ----	----	110.00B/88.60A	110.00B/88.60A	----	97.30 + 1.60	.4584	----	----	----	----	2 UNCH
4700 ----	----	----/*102.30A	137.10B/102.30A	----	117.20 - 20.10	.5409	----	----	----	----	1 UNCH
4700 ----	----	#127.30B/*104.6	127.30B/*104.60A	----	113.00 + 2.10	.4606	----	----	----	----	5 UNCH
4725 ----	----	107.50B/80.90A	107.50B/80.90A	----	90.40 + 2.80	.5002	----	----	----	----	1 UNCH
4725 ----	----	----/71.50A	104.30B/71.50A	----	85.30 - 19.00	.4993	----	----	----	----	3 UNCH
4725 ----	----	123.00B/100.40A	123.00B/100.40A	----	109.80 + 2.30	.4962	----	----	----	----	1 UNCH
4725 ----	----	----/*106.70A	139.60B/*106.70A	----	120.70 - 18.90	.5057	----	----	----	----	1 UNCH
4750 ----	----	122.70B/93.20A	122.70B/93.20A	----	104.20 + 4.00	.5462	----	----	----	----	2 UNCH
4750 ----	----	92.40B/61.80A	92.40B/61.80A	----	74.10 - 17.80	.4532	----	----	----	----	1 UNCH
4750 ----	----	137.70B/112.80A	137.70B/112.80A	----	123.30 + 3.00	.5338	----	----	----	----	1 UNCH
4750 ----	----	----/*80.70A	111.10B/80.70A	----	93.30 - 18.70	.4655	----	----	----	----	2 UNCH
4750 ----	----	----/*97.10A	127.30B/*97.10A	----	109.30 - 18.20	.4732	----	----	----	----	1 UNCH
4775 ----	----	83.40B/53.10A	83.40B/53.10A	----	64.10 - 16.70	.4084	----	----	----	----	1 UNCH
4800 ----	----	156.50B/121.80A	156.50B/121.80A	----	135.10 + 6.10	.6342	----	----	----	----	1 UNCH
4800 ----	----	90.60B/*64.60A	90.60B/64.60A	----	73.30 - 17.00	.3926	----	----	----	----	100 UNCH
4800 ----	----	73.10B/45.60A	73.10B/45.60A	----	55.10 - 15.70	.3653	----	----	----	----	15 UNCH
4825 ----	----	----/39.00A	61.20B/39.00A	----	47.10 - 14.90	.3243	----	----	----	----	1 UNCH
4850 ----	----	----/33.40A	53.30B/33.40A	----	40.20 - 13.90	.2862	----	----	----	----	1 UNCH
4875 ----	----	----/*28.40A	45.70B/*28.40A	----	34.20 - 12.90	.2511	----	----	----	----	103 UNCH
4900 41.00	41.00	41.00/*24.20A	41.00/*24.20A	----	29.10 - 11.90	.2194	----	----	1	----	40 - 1
4900 ----	----	227.80B/193.60A	227.80B/193.60A	----	208.90 + 9.90	.7801	----	----	----	----	1 UNCH
4900 ----	----	----/39.00A	56.10B/39.00A	----	44.10 - 12.90	.2653	----	----	----	----	3 UNCH
4900 ----	----	----/*50.90A	70.60B/*50.90A	----	57.80 - 13.60	.2957	----	----	----	----	3 UNCH
4925 ----	----	----/*20.80A	34.00B/*20.80A	----	24.70 - 10.90	.1908	----	----	----	----	4 UNCH
4950 ----	----	----/*17.30A	29.30B/*17.30A	----	20.90 - 10.00	.1652	----	----	----	----	32 UNCH
4950 ----	----	----/*29.70A	43.70B/*29.70A	----	33.90 - 11.10	.2136	----	----	----	----	5 UNCH
4950 ----	----	----/*41.00A	57.00B/*41.00A	----	46.20 NEW	.2471	----	----	6	----	6 + 6
4975 ----	----	----/*14.80A	25.30B/*14.80A	----	17.80 - 9.00	.1431	----	----	----	----	3 UNCH
5000 ----	----	----/*23.70A	34.30B/*23.70A	----	26.00 - 9.60	.1703	----	----	----	----	32 UNCH
5000 ----	----	----/*13.20A	22.00B/*13.20A	----	15.10 - 8.20	.1234	----	----	1	----	26 + 1
5000 ----	----	----/*33.50A	45.80B/*33.50A	----	36.70 - 10.70	.2044	----	----	----	----	1 UNCH
5025 ----	----	----/*10.80A	19.00B/*10.80A	----	12.90 - 7.40	.1067	----	----	----	----	1 UNCH
5050 ----	----	----/*9.70A	16.60B/*9.70A	----	11.00 - 6.70	.0920	----	----	1	----	28 + 1
5050 ----	----	----/*18.10A	26.60B/*18.10A	----	20.10 - 8.40	.1355	----	----	----	----	5 UNCH
5050 ----	----	----/*27.00A	37.00B/*27.00A	----	29.20 NEW	.1682	----	----	6	----	6 + 6
5075 ----	----	----/*8.20A	14.70B/*8.20A	----	9.50 - 6.00	.0799	----	----	----	----	1 UNCH
5100 ----	----	----/*7.60A	12.20B/*7.60A	----	8.10 - 5.50	.0687	----	----	----	----	1 UNCH
5100 ----	----	----/*21.80A	29.90B/*21.80A	----	23.30 - 8.00	.1380	----	----	----	----	1 UNCH
5125 ----	----	----/*6.60A	10.70B/*6.60A	----	7.00 - 5.00	.0596	----	----	----	----	2 UNCH
5150 ----	----	----/*5.50A	9.30B/*5.50A	----	6.10 - 4.50	.0520	----	----	----	----	5 UNCH
5150 ----	----	----/*11.90A	17.10B/*11.90A	----	12.10 - 6.80	.0850	----	----	----	----	2 UNCH
5175 ----	----	----/*5.20A	8.20B/*5.20A	----	5.30 - 4.10	.0452	----	----	----	----	3 UNCH
5200 ----	----	----/*4.60A	6.60B/*4.60A	----	4.60 - 3.80	.0393	----	----	----	----	2 UNCH
5225 ----	----	----/*4.10A	5.80B/*4.10A	----	4.10 - 3.40	.0348	----	----	----	----	4 UNCH
5250 ----	----	----/*3.80A	5.20B/*3.80A	----	3.60 - 3.10	.0305	----	----	----	----	4 UNCH
5250 ----	----	----/*10.60A	10.50B/*10.60A	----	7.60 - 5.70	.0544	----	----	----	----	3 UNCH
5275 ----	----	----/*3.40A	4.60B/*3.40A	----	3.20 - 2.90	.0270	----	----	----	----	6 UNCH
5300 ----	----	----/*10.60A	6.60B/*10.60A	----	6.00 - 5.30	.0432	----	----	----	----	5 UNCH
5300 ----	----	----/*3.00A	4.10B/*3.00A	----	2.80 - 2.70	.0236	----	----	----	----	4 UNCH
5325 ----	----	----/*2.80A	3.60B/*2.80A	----	2.50 - 2.50	.0209	----	----	----	----	2 UNCH
5350 ----	----	----/*2.60A	3.20B/*2.60A	----	2.30 - 2.20	.0190	----	----	----	----	6 UNCH
5400 ----	----	----/*2.20A	2.70B/*2.20A	----	1.90 - 1.90	.0154	----	----	----	----	9 UNCH
5500 ----	----	----/*1.70A	1.90B/*1.70A	----	1.40 - 1.40	.0109	----	----	----	----	2 UNCH
5600 ----	----	----/*1.40A	1.30B/*1.40A	----	1.20 - 0.90	.0087	----	----	----	----	1 UNCH
5700 ----	----	----/*1.20A	1.00B/*1.20A	----	1.10 - 0.60	.0075	----	----	----	----	10 UNCH
5750 ----	----	----/*1.10A	0.90B/*1.10A	----	1.00 - 0.50	.0067	----	----	----	----	12 UNCH
5750 ----	----	----	0.40B/*7.40A	----	4.70 NEW	.0251	----	----	3	----	3 + 3
6000 ----	----	----	0.40B/*1.10A	----	1.00 UNCH	.0057	----	----	----	----	11 UNCH
TOTAL									43		866+ 38

FMG OPT — MICRO GOLD WEEKLY FRI OPTION WEEK3

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26											
4600 ----	----	----	----	----	3.10 - 2.50	.0339	----	----	----	----	1 UNCH
4700 34.00	34.00	#34.00/34.00	#34.00/34.00	----	30.70 NEW	.6416	----	----	1	----	1 + 1
4715 ----	----	----/*29.00A	----/*29.00A	----	10.90 - 18.90	.2318	----	----	----	----	2 UNCH
4730 ----	----	----/*22.00A	----/*22.00A	----	7.30 - 16.20	.1382	----	----	----	----	1 UNCH
4750 ----	----	----	----	----	4.10 - 12.80	.0613	----	----	----	----	1 UNCH
TOTAL									1		6+ 1

SILVER OPTIONS ON FUTURES

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week2										
MAY26												
6900	----	----	----	----/*0.056A	----	0.000 -	0.001 ----	----	----	----	----	0 - 2
7100	----	----	----	0.004B/0.166A	----	0.054 +	0.021 .0132	----	----	----	----	1 UNCH
7200	----	----	----	0.025B/0.177A	----	0.075 +	0.030 .0186	----	----	----	----	1 UNCH
7200	----	----	----	----/0.078A	----	0.000 -	0.002 ----	----	----	----	----	0 - 2
7300	----	----	0.223B/----	0.223B/0.360A	----	0.313 +	0.091 .0651	----	----	----	----	0 UNCH
7450	----	----	----	----/*0.110A	----	0.000 -	0.008 ----	----	----	----	----	0 - 2
7550	----	----	----	----/0.125A	----	0.000 -	0.014 ----	----	----	----	----	0 - 4
7650	----	----	----	----	----	8.828 -	4.064 ----	1	----	----	----	0 - 1
7800	----	----	----	----/0.147A	----	0.000 -	0.044 ----	----	----	----	----	0 - 10
7850	----	----	----	----	----	6.828 -	4.086 ----	2	----	----	----	0 - 2
7950	----	----	----	----/0.198A	----	0.000 -	0.049 ----	----	----	----	----	0 - 2
8000	0.012	0.012	0.012/*0.001	0.012/*0.001	----	0.000 -	0.051 ----	----	----	3	----	0 - 1
8000	----	----	----	----	----	5.328 -	4.091 ----	5	----	----	----	0 - 5
8000	----	----	0.786B/----	0.786B/0.633A	----	0.812 +	0.378 .1872	----	----	----	----	1 UNCH
8100	----	----	----	0.001B/*0.060A	----	0.000 -	0.056 ----	----	----	----	----	0 - 14
8100	----	----	----/5.449A	6.244B/5.449A	----	5.989 -	3.424 .7172	----	----	----	----	1 UNCH
8120	----	----	----	0.001B/0.133A	----	0.000 -	0.057 ----	----	----	----	----	0 - 4
8150	----	----	----	0.001B/0.126A	----	0.000 -	0.060 ----	----	----	----	----	0 - 1
8150	----	----	----/4.997A	4.631B/4.997A	----	4.996 -	3.494 .7426	----	----	----	----	1 UNCH
8160	0.050	0.050	0.050/*0.008	0.050/*0.008	----	0.000	NEW ----	----	----	3	----	0 UNCH
8200	0.100	0.100	0.100/*0.100	0.100/*0.100	----	0.000 -	0.065 ----	----	----	2	----	0 - 6
8200	----	----	----	----	----	3.328 -	4.105 ----	12	----	----	----	0 - 12
8200	----	----	----/4.867A	5.521B/4.867A	----	5.322 -	3.304 .6745	----	----	----	----	1 UNCH
8200	1.445	1.445	1.445/1.445	1.445/0.923A	----	1.314	NEW .2836	----	----	1	----	1 + 1
8230	0.100	0.100	0.100/*0.100	0.100/*0.100	----	0.000	NEW ----	----	----	4	----	0 UNCH
8250	----	----	----/3.715A	4.544B/3.715A	----	4.298 -	3.359 .6887	----	----	----	----	1 UNCH
8250	1.764	1.764	1.764/1.764	1.764/1.044A	----	1.471	NEW .3112	----	----	2	----	2 + 2
8300	0.080	0.080	0.150/*0.014A	0.150/*0.014A	----	0.000 -	0.080 ----	----	----	6	----	0 - 1
8300	----	----	2.720B/----	2.720B/1.906A	----	2.380 +	0.864 .3705	----	----	----	----	1 UNCH
8300	----	----	----/3.537A	0.080B/3.537A	----	2.328 -	4.120 ----	9	----	----	----	0 - 9
8350	----	----	----	0.047B/*0.129A	----	0.000 -	0.091 ----	----	----	11	----	0 - 2
8400	----	----	----/1.766A	0.283B/1.766A	----	1.328 -	4.146 ----	10	----	----	----	0 - 10
8400	0.210	0.210	0.210/0.210	0.210/0.122A	----	0.000 -	0.106 ----	----	----	1	----	0 - 4
8400	----	----	3.241B/----	3.241B/2.225A	----	2.814 +	1.008 .4173	----	----	----	----	2 UNCH
8450	0.380	0.380	0.380/*0.117A	0.380/*0.117A	----	0.000 -	0.126 ----	----	----	13	----	0 - 2
8470	0.300	0.300	0.463B/0.300	0.463B/*0.147A	----	0.000 -	0.136 ----	----	----	1	----	0 - 1
8500	----	----	3.814B/----	3.814B/2.584A	----	3.302 +	1.161 .4647	----	----	----	----	1 UNCH
8500	0.400	0.400	0.400/0.400	0.553B/0.400	----	0.328	NEW ----	1	----	1	----	0 UNCH
8500	0.200	0.200	0.755/*0.100	0.755/*0.100	----	0.000 -	0.153 ----	----	----	9	----	0 - 1
8520	0.026	0.026	0.026/*0.026	0.538B/*0.026	----	0.128	NEW ----	4	----	4	----	0 UNCH
8550	0.750	0.750	0.750/0.750	0.750/*0.250A	----	0.172 -	0.018 ----	2	----	7	----	0 - 2
8550	0.260	0.260	0.270/0.260	0.419B/0.260	----	0.000	NEW ----	----	----	2	----	0 UNCH
8580	0.550	0.550	0.550/*0.030	0.550/*0.030	----	0.000	NEW ----	----	----	2	----	0 UNCH
8580	0.305	0.305	0.680/*0.304A	0.680/*0.304A	----	0.472	NEW ----	----	----	2	----	0 UNCH
8600	0.500	0.500	0.605/*0.185	0.605/*0.185	----	0.672 +	0.432 ----	11	----	10	----	0 - 4
8600	0.160	0.160	0.200/*0.064A	0.412B/*0.064A	----	0.000	NEW ----	----	----	2	----	0 UNCH
8650	----	----	----/*0.052A	0.915B/*0.052A	----	0.000 -	3.181 ----	----	----	----	----	0 - 2
8650	0.380	0.380	0.558B/*0.380	0.558B/*0.380	----	1.172 +	0.859 ----	5	----	9	----	0 - 2
8700	0.300	0.300	0.300/*0.100	0.995B/*0.100	----	0.000	NEW ----	----	----	12	----	0 UNCH
8700	0.650	0.650	1.600/0.631A	1.600/0.631A	----	1.672 +	1.260 ----	10	----	2	----	0 - 10
8730	----	----	----/*0.143A	0.987B/*0.143A	----	0.000	NEW ----	----	----	1	----	0 UNCH
8750	0.800	0.800	0.800/*0.146A	1.006B/*0.146A	----	0.000 -	2.409 ----	----	----	8	----	0 - 9
8750	0.880	0.880	1.082B/0.880	1.082B/0.806A	----	2.172 +	1.631 ----	6	----	1	----	0 - 5
8770	0.500	0.500	0.500/*0.142A	1.041B/*0.142A	----	0.000	NEW ----	----	----	7	----	0 UNCH
8800	----	----	5.430B/----	5.430B/3.899A	----	5.073 +	1.646 .6016	----	----	----	----	1 UNCH
8800	0.609	0.609	0.609/*0.132A	1.124B/*0.132A	----	0.000 -	2.073 ----	----	----	2	----	0 - 2
8800	1.150	1.150	1.260B/1.150	1.260B/0.961A	----	2.672 +	1.967 ----	15	----	2	----	0 - 15
8830	0.550	0.550	0.550/*0.136A	1.041B/*0.136A	----	0.000 -	1.889 ----	----	----	7	----	0 UNCH
8840	----	----	----/*0.138A	1.037B/*0.138A	----	0.000 -	1.830 ----	----	----	----	----	0 - 10
8850	0.550	0.550	0.550/0.153A	1.104B/0.153A	----	0.000	NEW ----	----	----	1	----	0 UNCH
8900	----	----	1.428B/----	1.428B/1.428A	----	3.672 +	2.533 ----	10	----	----	----	0 - 10
8900	0.100	0.100	0.100/*0.100	0.945B/*0.100	----	0.000 -	1.507 ----	----	----	10	----	0 - 22
8900	----	----	----/1.824A	3.879B/1.824A	----	2.089 -	2.226 .3569	----	----	----	----	1 UNCH
8950	0.271	0.271	0.271/*0.145A	0.696B/*0.145A	----	0.000 -	1.276 ----	----	----	1	----	0 - 10
9000	0.476	0.476	0.532B/*0.152A	0.532B/0.152A	----	0.000 -	1.077 ----	----	----	2	----	0 - 10
9000	1.989	1.989	1.989/1.601A	3.451B/1.601A	----	1.813 -	2.068 .3184	----	----	1	----	5 + 1
9000	----	----	----	1.500B/1.973A	----	4.672 +	2.963 ----	1	----	----	----	0 - 1
9010	0.400	0.400	0.400/*0.159A	0.477B/*0.159A	----	0.000	NEW ----	----	----	1	----	0 UNCH
9100	0.461	0.461	0.461/*0.130A	0.461/*0.130A	----	0.000	NEW ----	----	----	1	----	0 UNCH
9200	----	----	----/*0.139A	0.081B/0.139A	----	0.000	NEW ----	----	----	2	----	0 UNCH
9250	----	----	----/*0.139A	0.007B/0.139A	----	0.000 -	0.438 ----	----	----	----	----	0 - 2
9300	----	----	----/*0.138A	0.001B/0.138A	----	0.000	NEW ----	----	----	2	----	0 UNCH
9310	0.012	0.012	0.012/*0.012	0.012/*0.012	----	0.000 -	0.348 ----	----	----	1	----	0 - 1
9350	----	----	----/*0.137A	0.001B/*0.137A	----	0.000 -	0.297 ----	----	----	----	----	0 - 2
9500	----	----	----/0.116A	0.001B/0.116A	----	0.000 -	0.160 ----	----	----	----	----	0 - 1
9600	----	----	----/0.103A	----/0.103A	----	0.000 -	0.106 ----	----	----	----	----	0 - 1
9700	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.000 -	0.069 ----	----	----	1	----	0 - 1
9800	----	----	----	----/*0.075A	----	0.000 -	0.046 ----	----	----	----	----	0 - 1
10000	----	----	----/0.481A	0.956B/0.481A	----	0.448 -	0.872 .0906	----	----	----	----	1 UNCH
TOTAL										160	0	22 - 217
JUN26												
7700	----	----	----/*9.734A	7.955B/*9.734A	----	9.521 -	3.717 .8137	----	----	----	----	2 UNCH
7750	----	----	#1.289B/----	1.289B/1.301A	----	1.314	NEW .1997	----	----	1	----	1 + 1
7850	----	----	#1.589B/----	1.589B/1.466A	----	1.553	NEW .2290	----	----	2	----	2 + 2
7900	----	----	#1.782B/----	1.782B/1.559A	----	1.686	NEW .2445	----	----	1	----	1 + 1
TOTAL										4	0	6 + 4
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK3										
MAY26												
7100	----	----	----	0.001B/0.157A	----	0.001 -	0.001 .0001	----	----	----	----	2 UNCH
7400	----	----	----	0.001B/0.123A	----	0.010 +	0.002 .0026	----	----	----	----	1 UNCH
7500	0.080	0.080	0.080/*0.080	0.080/*0.080	----	0.018	NEW .0051	----	----	2	----	2 + 2
7700	0.140	0.140	0.140/*0.140	0.140/*0.140	----	0.059	NEW .0188	----	----	2	----	2 + 2
7750	----	----	----	----/54.368A	----	7.904 -	4.005 .9746	----	----	----	----	1 UNCH
7850	----	----	0.144B/----	0.144B/0.189A	----	0.131 +	0.061 .0437	----	----	----	----	1 UNCH
7900	----	----	----/7.554A	6.161B/7.554A	----	6.493 -	3.959 .9437	----	----	----	----	1 UNCH
8000	0.200	0.200	0.297B/*0.200	0.297B/*0.200	----	0.261 +	0.126 .0888	----	----	3	----	2 + 1
8130	----	----	----/*4.479A	2.912B/*4.479A	----	4.465 -	3.811 .8505	----	----	----	----	1 UNCH
8250	----	----	0.903B/----	0.903B/0.532A	----	0.680	NEW .2272	----	----	2	----	2 + 2
8300	----	----	----/2.282A	2.744B/2.282A	----	3.136 -	3.600 .7334	----	----	----	----	1 UNCH
8350	----	----	----/2.004A	3.015B/2.004A	----	2.786 -	3.514 .6903	----	----	----	----	5 UNCH
8400	0.732	0.732	1.732/0.732	1.732/0.732	----	1.130	NEW .3562	----	----	3	----	1 + 1
8450	----	----	1.829B/----	1.829B/0.885A	----	1.325	NEW .4056	----	----	1	----	1 + 1
8500	----	----	2.144B/----	2.144B/0.948A	----	1.546 +	0.856 .4569	----	----	----	----	1 UNCH
8500	----	----	----/1.305A	2.041B/1.305A	----	1.874 -	3.183 .5430	----	----	----	----	3 UNCH
8550	----	----	2.214B/----	2.214B/1.105A	----	1.793 +	0.992 .5090	----	----	----	----	8 UNCH
8600	2.300	2.300	2.358B/2.300	2.358B/1.257A	----	2.066	NEW .5607	----	----	1	----	1 + 1
8600	----	----	----/0.967A	2.119B/0.967A	----	1.394	NEW .4392	----	----	1	----	1 + 1
8650	----	----	----/0.866A	2.182B/0.866A	----	1.192	NEW .3887	----	----	4	----	2 + 2
8660	----	----	----/*0.684A	2.192B/*0.684A	----	1.154	NEW .3789	----	----	2	----	0 UNCH
8700	1.050	1.050	1.050/0.520	2.257B/0.520	----	1.013	NEW .3406	----	----	2	----	2 + 2
8720	1.010	1.010	1.010/*0.620A	2.233B/*0.620A	----	0.948	NEW .3221	----	----	1	----	1 + 1
8800	----	----	2.754B/----	2.754B/2.018A	----	3.392 +	1.794 .7460	----	----	----	----	1 UNCH
8880	0.620	0.620	0.620/*0.336A	2.064B/*0.336A	----	0.540	NEW .1951	----	----	1	----	1 + 1
8900	0.485	0.485	0.530/0.400	1.993B/0.400	----	0.502	NEW .1822	----	----	8	----	8 + 8
8950	----	----	----/0.353A	1.751B/0.353A	----	0.414 -	1.759 .1519	----	----	----	----	2 UNCH
9000	0.300	0.300	0.425/0.272A	1.565B/0.272A	----	0.341 -	1.609 .1258	----	----	26	----	44 + 26
9150	----	----	----/*0.217A	1.004B/*0.217A	----	0.188	NEW .0689	----	----	1	----	1 + 1
9220	----	----	----/*0.183A	0.807B/*0.183A	----	0.143	NEW .0516	----	----	1	----	1 + 1
9500	----	----	----/*0.128A	0.315B/*0.128A	----	0.051 -	0.581 .0164	----	----	----	----	1 UNCH
9600	0.064	0.064	0.064/*0.064	0.213B/*0.064	----	0.036 -	0.472 .0109	----	----	1	----	2 + 1
10000	----	----	----/*0.129A	0.030B/0.129A	----	0.011 -	0.217 .0026	----	----	----	----	10 UNCH
10250	----	----	----/*0.126A	0.001B/0.126A	----	0.005 -	0.122 .0010	----	----	----	----	1 UNCH
TOTAL										62	0	114 + 54
JUN26												
6000	----	----	----	----	----	25.348 -	4.035 .9922	----	----	----	----	1 UNCH
6500	----	----	----	0.009B/0.190A	----	0.088 +	0.014 .0172	----	----	----	----	5 UNCH
7050	----	----	----	0.152B/0.317A	----	0.253 +	0.060 .0497	----	----	----	----	1 UNCH
7500	----	----	0.556B/----	0.556B/0.638A	----	0.659 +	0.199 .1192	----	----	----	----	2 UNCH
7950	----	----	1.558B/----	1.558B/1.338A	----	1.534 +	0.504 .2443	----	----	----	----	1 UNCH
8000	----	----	1.770B/----	1.770B/1.431A	----	1.673 +	0.551 .2619	----	----	----	----	3 UNCH
8200	2.335	2.335	2.584B/2.335	2.584B/1.908A	----	2.332 +	0.767 .3382	----	----	1	----	2 + 1
8400	----	----	4.373B/----	4.373B/3.377A	----	3.983	NEW .4269	----	----	20	----	20 + 20
8500	6.800	6.800	6.800/*5.000	6.800/*5.000	----	5.937 -	2.365 .5424	----	----	3	----	15 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK1										
JUN26												
8500	----	----	4.165B/----	4.165B/3.005A	----	3.664 + 1.163	.4641	----	----	----	----	1 UNCH
8600	----	----	----/3.068A	4.386B/3.068A	----	3.532 - 2.726	.4934	----	----	----	----	1 UNCH
8800	----	----	----/*3.202A	4.929B/*3.202A	----	3.624 NEW	.4381	----	----	13	----	13 + 13
9050	2.022	2.022	2.022/*1.829A	3.641B/*1.829A	----	1.999 - 2.064	.3214	----	----	1	----	1 UNCH
9500	----	----	----/1.098A	2.261B/1.098A	----	1.135 - 1.494	.1983	----	----	----	----	1 UNCH
10250	----	----	----/0.525A	0.942B/0.525A	----	0.482 - 0.850	.0888	----	----	----	----	1 UNCH
TOTAL										38	0	68 + 37
SO CALL		COMEX SILVER OPTIONS										
JUN26												
4300	----	----	----/43.151A	44.018B/43.151A	----	42.328 - 4.040	.9989	----	----	----	----	20 UNCH
4850	----	----	----/37.651A	38.515B/37.651A	----	36.830 - 4.040	.9978	7	----	----	----	0 - 7
4900	----	----	----/37.151A	38.020B/37.151A	----	36.330 - 4.040	.9978	----	----	----	----	9 UNCH
5000	----	----	----/36.160A	37.059B/36.160A	----	35.332 - 4.039	.9975	----	----	150	----	327 + 150
5025	----	----	----/35.903A	36.766B/35.903A	----	35.082 - 4.039	.9975	----	----	----	----	6 UNCH
5050	----	----	----/35.688A	36.492B/35.688A	----	34.832 - 4.039	.9973	----	----	----	----	1 UNCH
5200	----	----	----/34.162A	35.107B/34.162A	----	33.334 - 4.039	.9970	150	----	150	----	79 UNCH
5225	----	----	----/33.835A	34.758B/33.835A	----	33.084 - 4.039	.9969	----	----	----	----	4 UNCH
5275	----	----	----/33.333A	34.269B/33.333A	----	32.585 - 4.038	.9968	----	----	----	----	7 UNCH
5300	----	----	----/33.087A	34.009B/33.087A	----	32.335 - 4.039	.9967	----	----	----	----	3 UNCH
5325	----	----	----/32.837A	33.759B/32.837A	----	32.086 - 4.038	.9966	----	----	----	----	5 UNCH
5350	----	----	----/32.613A	33.525B/32.613A	----	31.836 - 4.038	.9965	----	----	----	----	7 UNCH
5400	----	----	----/32.089A	33.010B/32.089A	----	31.337 - 4.038	.9964	----	----	----	----	2 UNCH
5425	----	----	----/31.865A	32.775B/31.865A	----	31.087 - 4.039	.9963	----	----	----	----	9 UNCH
5500	----	----	----/31.168A	32.109B/31.168A	----	30.338 - 4.038	.9961	5	----	----	----	335 - 5
5525	----	----	----/30.844A	31.762B/30.844A	----	30.089 - 4.038	.9959	----	----	----	----	1 UNCH
5600	----	----	----/30.120A	31.028B/30.120A	----	29.340 - 4.039	.9957	----	----	----	----	7 UNCH
5675	----	----	----/29.473A	30.264B/29.473A	----	28.591 - 4.039	.9954	----	----	----	----	3 UNCH
5700	----	----	----/29.127A	30.116B/29.127A	----	28.342 - 4.039	.9952	----	----	----	----	56 UNCH
5725	----	----	----/28.873A	29.780B/28.873A	----	28.092 - 4.039	.9952	----	----	----	----	10 UNCH
5750	----	----	----/28.624A	29.529B/28.624A	----	27.843 - 4.039	.9950	----	----	----	----	13 UNCH
5775	----	----	----/28.475A	29.265B/28.475A	----	27.593 - 4.040	.9949	----	----	----	----	1 UNCH
5800	----	----	----/28.232A	29.016B/28.232A	----	27.344 - 4.039	.9948	----	----	----	----	2 UNCH
5825	----	----	----/27.982A	28.766B/27.982A	----	27.094 - 4.040	.9947	----	----	----	----	1 UNCH
5850	----	----	----/26.186A	28.514B/26.186A	----	26.845 - 4.040	.9945	----	----	----	----	9 UNCH
5900	----	----	----/27.235A	28.017B/27.235A	----	26.346 - 4.040	.9943	----	----	----	----	4 UNCH
5925	----	----	----/26.882A	27.782B/26.882A	----	26.097 - 4.040	.9941	----	----	----	----	17 UNCH
6000	----	----	----/26.135A	27.120B/26.135A	----	25.349 - 4.040	.9936	----	----	----	----	399 UNCH
6025	----	----	----/25.882A	26.785B/25.882A	----	25.099 - 4.041	.9935	----	----	----	----	7 UNCH
6050	----	----	----/25.733A	26.520B/25.733A	----	24.850 - 4.041	.9933	----	----	----	----	4 UNCH
6075	----	----	----/25.342A	26.282B/25.342A	----	24.601 - 4.041	.9931	----	----	----	----	30 UNCH
6100	----	----	----/25.127A	26.036B/25.127A	----	24.352 - 4.040	.9928	----	----	----	----	16 UNCH
6200	----	----	----/24.142A	25.079B/24.142A	----	23.356 - 4.040	.9921	----	----	----	----	101 UNCH
6225	----	----	----/23.997A	24.776B/23.997A	----	23.107 - 4.040	.9918	----	----	----	----	1 UNCH
6250	----	----	----/23.748A	24.527B/23.748A	----	22.858 - 4.040	.9916	----	----	----	----	4 UNCH
6300	----	----	----/23.249A	24.028B/23.249A	----	22.360 - 4.040	.9911	----	----	----	----	4 UNCH
6400	----	----	----/22.150A	23.086B/22.150A	----	21.365 - 4.039	.9898	----	----	----	----	110 UNCH
6425	----	----	----/21.829A	22.787B/21.829A	----	21.117 - 4.039	.9894	----	----	----	----	25 UNCH
6450	----	----	----/21.757A	22.534B/21.757A	----	20.868 - 4.040	.9891	----	----	----	----	5 UNCH
6475	----	----	----/21.404A	22.299B/21.404A	----	20.620 - 4.039	.9886	----	----	----	----	7 UNCH
6500	----	----	----/21.156A	22.051B/21.156A	----	20.371 - 4.039	.9883	----	----	----	----	13 UNCH
6625	----	----	----/19.884A	20.807B/19.884A	----	19.132 - 4.036	.9859	----	----	----	----	10 UNCH
6700	----	----	----/17.839A	20.049B/17.839A	----	18.389 - 4.035	.9842	----	----	----	----	1 UNCH
6725	----	----	----/17.496A	19.800B/17.496A	----	18.142 - 4.034	.9835	----	----	----	----	1 UNCH
6750	----	----	----/17.250A	19.553B/17.250A	----	17.895 - 4.033	.9827	----	----	----	----	3 UNCH
6800	----	----	----/16.758A	19.069B/16.758A	----	17.401 - 4.032	.9812	----	----	----	----	9 UNCH
6850	----	----	----/16.267A	18.562B/16.267A	----	16.908 - 4.029	.9795	----	----	----	----	5 UNCH
6900	----	----	----/15.778A	18.080B/15.778A	----	16.417 - 4.025	.9776	----	----	----	----	16 UNCH
6925	----	----	----/15.534A	17.833B/15.534A	----	16.171 - 4.024	.9766	----	----	----	----	9 UNCH
6975	----	----	----/15.048A	17.337B/15.048A	----	15.680 - 4.020	.9743	----	----	----	----	7 UNCH
7000	----	----	----/14.706A	17.135B/14.706A	----	15.436 - 4.017	.9729	----	----	----	----	126 UNCH
7025	----	----	----/14.563A	16.842B/14.563A	----	15.191 - 4.016	.9717	----	----	----	----	1 UNCH
7050	----	----	----/14.321A	16.596B/14.321A	----	14.947 - 4.014	.9702	----	----	----	----	2 UNCH
7075	----	----	----/14.080A	16.267B/14.080A	----	14.703 - 4.011	.9688	----	----	----	----	4 UNCH
7100	----	----	----/13.741A	16.152B/13.741A	----	14.461 - 4.006	.9671	----	----	----	----	93 UNCH
7150	----	----	----/13.362A	15.616B/13.362A	----	13.976 - 3.999	.9635	----	----	----	----	1 UNCH
7200	----	----	----/12.885A	15.016B/12.885A	----	13.492 - 3.992	.9597	----	----	----	----	5 UNCH
7225	----	----	----/12.646A	14.877B/12.646A	----	13.252 - 3.987	.9574	----	----	----	----	4 UNCH
7250	----	----	----/12.359A	14.638B/12.359A	----	13.011 - 3.984	.9552	----	----	----	----	31 UNCH
7275	----	----	----/12.174A	14.287B/12.174A	----	12.773 - 3.976	.9526	----	----	----	----	2 UNCH
7300	----	----	----/11.940A	14.163B/11.940A	----	12.534 - 3.971	.9501	----	----	----	----	18 UNCH
7325	----	----	----/11.706A	13.808B/11.706A	----	12.296 - 3.965	.9473	----	----	----	----	1 UNCH
7350	----	----	----/11.487A	13.680B/11.487A	----	12.058 - 3.960	.9445	----	----	----	----	23 UNCH
7375	----	----	----/11.242A	13.438B/11.242A	----	11.822 - 3.952	.9413	----	----	----	----	6 UNCH
7400	----	----	----/10.961A	13.233B/10.961A	----	11.586 - 3.945	.9381	----	----	----	----	47 UNCH
7425	----	----	----/10.733A	12.994B/10.733A	----	11.352 - 3.937	.9346	----	----	----	----	31 UNCH
7450	----	----	----/10.555A	12.723B/10.555A	----	11.119 - 3.929	.9308	----	----	----	----	15 UNCH
7475	----	----	----/10.329A	12.480B/10.329A	----	10.886 - 3.920	.9270	----	----	----	----	3 UNCH
7500	----	----	----/10.009A	12.324B/10.009A	----	10.654 - 3.911	.9230	----	----	8	----	247 - 1
7525	----	----	----/9.882A	12.012B/9.882A	----	10.424 - 3.901	.9186	----	----	----	----	12 UNCH
7550	----	----	----/9.612A	11.824B/9.612A	----	10.196 - 3.889	.9140	----	----	----	----	31 UNCH
7575	----	----	----/9.443A	11.440B/9.443A	----	9.968 - 3.878	.9092	----	----	----	----	4 UNCH
7600	10.000	10.000	10.000/9.124A	11.788B/9.124A	----	9.742 - 3.866	.9041	----	----	1	----	81 - 1
7625	----	----	----/9.011A	11.766B/9.011A	----	9.517 - 3.854	.8987	----	----	----	----	4 UNCH
7650	----	----	----/8.798A	10.849B/8.798A	----	9.293 - 3.841	.8932	----	----	----	----	6 UNCH
7675	----	----	----/8.599A	10.619B/8.599A	----	9.073 - 3.826	.8872	----	----	----	----	9 UNCH
7700	----	----	----/8.274A	10.415B/8.274A	----	8.853 - 3.810	.8810	----	----	----	----	93 UNCH
7725	----	----	----/8.169A	10.166B/8.169A	----	8.635 - 3.796	.8745	----	----	----	----	9 UNCH
7750	----	----	----/7.861A	9.988B/7.861A	----	8.418 - 3.780	.8678	----	----	----	----	80 UNCH
7775	----	----	----/7.728A	9.699B/7.728A	----	8.204 - 3.763	.8607	----	----	----	----	4 UNCH
7800	----	----	----/7.457A	9.592B/7.457A	----	7.993 - 3.743	.8532	----	----	----	----	183 UNCH
7825	----	----	----/7.343A	9.272B/7.343A	----	7.783 - 3.725	.8455	----	----	----	----	10 UNCH
7850	----	----	----/7.163A	9.030B/7.163A	----	7.576 - 3.706	.8374	----	----	----	----	3 UNCH
7875	----	----	----/6.970A	8.820B/6.970A	----	7.371 - 3.685	.8290	----	----	----	----	2 UNCH
7900	----	----	----/6.678A	8.673B/6.678A	----	7.169 - 3.670	.8203	----	----	----	----	88 UNCH
7925	----	----	----/6.539A	8.423B/6.539A	----	6.969 - 3.640	.8112	----	----	----	----	12 UNCH
7950	----	----	----/6.346A	8.214B/6.346A	----	6.772 - 3.619	.8018	----	----	----	----	14 UNCH
7975	----	----	----/6.155A	8.004B/6.155A	----	6.577 - 3.595	.7921	----	----	----	----	16 UNCH
8000	6.500	6.500	6.500/5.943A	7.868B/5.943A	----	6.386 - 3.569	.7822	----	----	10	----	626 + 6
8025	----	----	----/5.784A	7.596B/5.784A	----	6.197 - 3.543	.7719	----	----	----	----	24 UNCH
8050	----	----	----/5.603A	7.424B/5.603A	----	6.012 - 3.516	.7612	----	----	----	----	25 UNCH
8075	----	----	----/5.480A	7.098B/5.480A	----	5.829 - 3.489	.7503	----	----	----	----	3 UNCH
8100	----	----	----/5.242A	7.070B/5.242A	----	5.650 - 3.461	.7391	----	----	----	----	159 UNCH
8125	----	----	----/5.081A	6.832B/5.081A	----	5.474 - 3.431	.7277	----	----	----	----	13 UNCH
8150	----	----	----/4.813A	6.680B/4.813A	----	5.301 - 3.401	.7160	----	----	----	----	56 UNCH
8175	----	----	----/4.810A	6.336B/4.810A	----	5.131 - 3.372	.7040	----	----	----	----	5 UNCH
8200	6.220	6.220	6.312B/4.519A	6.312B/4.519A	----	4.966 - 3.339	.6918	----	----	4	----	214 UNCH
8225	4.538	4.538	4.538/4.430A	6.143B/4.430A	----	4.803 - 3.307	.6795	----	----	1	----	61 UNCH
8250	----	----	----/3.772A	5.941B/3.772A	----	4.644 - 3.274	.6669	----	----	----	----	33 UNCH
8275	----	----	----/3.641A	5.760B/3.641A	----	4.488 - 3.241	.6541	----	----	----	----	38 UNCH
8300	4.092	4.092	4.092/3.457A	5.601B/3.457A	----	4.336 - 3.207	.6413	----	----	1	----	111 UNCH
8325	3.950	3.950	3.950/3.334A	5.422B/3.334A	----	4.188 - 3.171	.6282	----	----	1	----	10 + 1
8350	----	----	----/3.238A	5.260B/3.238A	----	4.042 - 3.135	.6151	----	----	----	----	37 UNCH
8375	3.300	3.300	3.300/3.111A	5.099B/3.111A	----	3.901 - 3.100	.6018	----	----	4	----	11 + 4
8400	4.473	4.473	4.473/2.994A	5.780B/2.994A	----	3.763 - 3.060	.5885	----	----	2	----	359 UNCH
8425	----	----	----/2.854A	4.796B/2.854A	----	3.629 - 3.025	.5752	----	----	1	----	60 + 1
8450	6.300	6.300	6.300/2.721A	6.300/2.721A	----	3.498 - 2.988	.5617	----	----	4	----	25 + 2
8475	----	----	----/2.634A	4.908B/2.634A	----	3.370 - 2.950	.5483	----	----	----	----	7 UNCH
8500	4.893	4.893	4.893/2.518A	4.893/2.518A	----	3.247 - 2.911	.5349	----	----	18	----	555 + 7
8525	3.200	3.200	3.200/2.422A	4.614B/2.422A	----	3.127 - 2.871	.5215	----	----	2	----	20 + 1
8550	----	----	----/2.321A	4.842B/2.321A	----	3.010 - 2.827	.5082	----	----	8	----	17 - 4
8575	3.493	3.493	3.493/2.240A	4.697B/2.240A	----	2.897 - 2.792	.4949	----	----	4	----	28 + 2
8600	4.332	4.332	4.555B/2.139A	4.555B/2.139A	----	2.787 - 2.752	.4816	----	----	365	----	217 - 231
8625	2.725	2.725	2.725/2.043A	4.410B/2.043A	----	2.680 - 2.712	.4685	----	----	3	----	54 + 3
8650	2.713	2.713	2.713/1.972A	4.326B/1.972A	----	2.577 - 2.671	.4555	----	----	14	----	12 - 5
8675	----	----	----/1.888A	4.194B/1.888A	----	2.477 - 2.631	.4426	----	----	----	----	64 UNCH
8700	3.375	3.375	3.375/1.800	4.157B/1.800	----	2.381 - 2.588	.4299	----	----	17	----	109 + 11
8725	----	----	----/1.731A	4.082B/1.731A	----	2.287 - 2.548	.4172	----	----	----	----	30 UNCH
8750	----	----	----/1.656A	4.013B/1.656A	----	2.197 - 2.506	.4048	----	----	1	----	52 + 1
8775	3.368	3.368	3.560/1.597A	3.912B/1.597A	----	2.110 - 2.463	.3926	----	----	2	----	16 UNCH
8800	3.556	3.556	3.556/1.516A	3.956B/1.516A	----	2.026 - 2.420	.3805	----	----	33	----	92 - 4
8825	3.249	3.249	3.249/1.458A	3.704B/1.458A	----	1.945 - 2.378	.3687	----	----	1	----	19 + 1
8850	3.144	3.144	3.144/1.392A	3.743B/1.392A	----	1.866 - 2.336	.3570	----	----	14	----	43 + 1
8875	3.234	3.234	3.234/1.345A	3.637B/1.345A	----	1.791 - 2.292	.3456	----	----	2	----	29 UNCH
8900	3.736	3.736	3.750B/1.240	3.750B/1.240	----	1.718 - 2.250	.3344	----	----	36	----	228 + 21
8925	2.930	2.930	2.930/1.231A	3.422B/1.231A	----	1.649 - 2.207	.3235	----	----	1	----	9 UNCH
8950	1.630	1.630	1.630/1.170A	3.301B/1.170A	----	1.581 - 2.163	.3127	----	----	1	----	38 + 1
8975	----	----	----/1.129A	3.185B/1.129A	----	1.517 - 2.120	.3023	----	----	1	----	40 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
9000	3.299	3.299	3.308B/1.020	3.308B/1.020	----	1.454 - 2.076	.2920	----	----	450	----	971 - 27
9025	1.410	1.410	1.410/1.027A	2.970B/1.027A	----	1.395 - 2.027	.2821	----	----	10	----	24 + 10
9050	1.205	1.205	1.205/0.981A	2.880B/0.981A	----	1.337 - 1.963	.2723	----	----	1	----	28 - 1
9075	----	----	----/0.941A	2.794B/0.941A	----	1.282 - 1.942	.2628	----	----	1	----	12 + 1
9100	2.906	2.906	2.912B/0.897A	2.912B/0.897A	----	1.229 - 1.903	.2536	----	----	27	----	426 + 19
9125	1.256	1.256	1.256/0.864A	2.598B/0.864A	----	1.178 - 1.861	.2446	----	----	2	----	6 - 1
9150	1.126	1.126	1.126/0.823A	2.529B/0.823A	----	1.130 - 1.772	.2360	----	----	1	----	272 + 1
9175	1.077	1.077	1.077/0.791A	2.425B/0.791A	----	1.083 - 1.749	.2275	----	----	1	----	28 + 1
9200	2.554	2.554	2.559B/0.743	2.559B/0.743	----	1.038 - 1.690	.2193	----	----	50	----	217 + 16
9225	0.987	0.987	1.029/0.725A	2.265B/0.725A	----	0.996 - 1.688	.2114	----	----	7	----	22 + 2
9250	0.983	0.983	0.983/0.687A	2.200B/0.687A	----	0.954 - 1.649	.2036	----	----	1	----	115 UNCH
9275	0.944	0.944	0.944/0.663A	2.111B/0.663A	----	0.915 - 1.606	.1962	----	----	2	----	12 + 1
9300	2.160	2.160	2.160/0.628A	2.244B/0.628A	----	0.878 - 1.550	.1891	----	----	39	----	83 + 14
9325	----	----	----/0.609A	2.003B/0.609A	----	0.841 - 1.528	.1820	----	----	----	----	4 UNCH
9350	1.426	1.426	1.426/0.578A	1.913B/0.578A	----	0.807 - 1.476	.1753	----	----	2	----	25 UNCH
9375	----	----	----/0.559A	1.866B/0.559A	----	0.774 - 1.442	.1688	----	----	----	----	25 UNCH
9400	1.500	1.500	1.500/0.520	1.810B/0.520	----	0.742 - 1.399	.1625	----	----	10	----	121 - 4
9425	1.380	1.380	1.380/0.517A	1.753B/0.517A	----	0.712 - 1.353	.1565	----	----	5	----	60 + 2
9450	----	----	----/0.492A	1.680B/0.492A	----	0.683 - 1.335	.1506	----	----	----	----	9 UNCH
9475	----	----	----/0.478A	1.590B/0.478A	----	0.656 - 1.297	.1451	----	----	2	----	19 UNCH
9500	1.160	1.160	1.377/0.454A	1.551B/0.454A	----	0.629 - 1.252	.1396	----	----	145	----	924 - 91
9525	----	----	----/0.440A	1.511B/0.440A	----	0.604 - 1.226	.1344	----	----	13	----	15 + 12
9550	----	----	----/0.423A	1.487B/0.423A	----	0.580 - 1.191	.1294	----	----	----	----	10 UNCH
9575	----	----	----/0.411A	1.425B/0.411A	----	0.557 - 1.157	.1246	----	----	----	----	5 UNCH
9600	1.294	1.294	1.294/0.393A	1.375B/0.393A	----	0.535 - 1.124	.1199	----	----	5	----	68 UNCH
9625	----	----	----/0.386A	1.312B/0.386A	----	0.514 - 1.091	.1155	----	----	----	----	10 UNCH
9650	----	----	----/0.366A	1.294B/0.366A	----	0.490 - 1.063	.1106	----	----	----	----	1 UNCH
9675	0.507	0.507	0.507/0.358A	1.252B/0.358A	----	0.474 - 1.029	.1069	----	----	2	----	12 + 2
9700	0.991	0.991	0.991/0.341A	1.207B/0.341A	----	0.456 - 0.998	.1030	----	----	6	----	52 - 4
9725	----	----	----/0.331A	1.152B/0.331A	----	0.438 - 0.968	.0991	----	----	----	----	7 UNCH
9750	0.404	0.404	0.404/0.317A	1.129B/0.317A	----	0.421 - 0.940	.0954	----	----	1	----	36 UNCH
9775	----	----	----/0.308A	1.089B/0.308A	----	0.405 - 0.912	.0919	----	----	----	----	1 UNCH
9800	0.720	0.720	0.720/0.297A	1.054B/0.297A	----	0.390 - 0.884	.0886	----	----	32	----	62 - 19
9825	0.423	0.423	0.423/0.289A	0.995B/0.289A	----	0.375 - 0.857	.0853	----	----	1	----	7 + 1
9850	0.346	0.346	0.346/0.284A	0.983B/0.284A	----	0.361 - 0.831	.0821	----	----	1	----	4 + 1
9875	----	----	----/0.273A	0.950B/0.273A	----	0.348 - 0.806	.0792	----	----	----	----	18 UNCH
9900	----	----	----/0.265A	0.911B/0.265A	----	0.335 - 0.781	.0763	----	----	----	----	48 UNCH
9925	----	----	----/0.257A	0.867B/0.257A	----	0.323 - 0.756	.0736	----	----	----	----	24 UNCH
9950	----	----	----/0.254A	0.843B/0.254A	----	0.311 - 0.733	.0709	----	----	----	----	13 UNCH
9975	----	----	----/0.245A	0.817B/0.245A	----	0.300 - 0.711	.0684	----	----	----	----	14 UNCH
10000	0.748	0.748	0.748/0.232A	0.851B/0.232A	----	0.289 - 0.689	.0659	----	----	153	----	1554 - 76
10025	0.310	0.310	0.310/0.227A	0.771B/0.227A	----	0.279 - 0.668	.0636	----	----	2	----	12 + 2
10050	----	----	----/0.221A	0.742B/0.221A	----	0.269 - 0.648	.0613	----	----	----	----	12 UNCH
10075	----	----	----/0.218A	0.719B/0.218A	----	0.259 - 0.628	.0591	----	----	----	----	12 UNCH
10100	----	----	----/0.208A	0.714B/0.208A	----	0.250 - 0.609	.0570	----	----	1	----	218 + 1
10125	----	----	----/0.206A	0.675B/0.206A	----	0.242 - 0.590	.0551	----	----	----	----	2 UNCH
10150	----	----	----/0.201A	0.670B/0.201A	----	0.233 - 0.573	.0531	----	----	----	----	7 UNCH
10175	----	----	----/0.198A	0.631B/0.198A	----	0.225 - 0.556	.0512	----	----	----	----	1 UNCH
10200	----	----	----/0.194A	0.631B/0.194A	----	0.218 - 0.538	.0496	----	----	----	----	50 UNCH
10225	----	----	----/0.186A	0.588B/0.186A	----	0.211 - 0.522	.0479	----	----	----	----	1 UNCH
10250	0.190	0.190	0.190/0.130	0.574B/0.130	----	0.204 - 0.506	.0463	----	----	10	----	10 + 4
10275	----	----	----/0.178A	0.553B/0.178A	----	0.197 - 0.492	.0447	----	----	----	----	1 UNCH
10300	0.202	0.202	0.202/0.176A	0.552B/0.176A	----	0.191 - 0.477	.0433	----	----	10	----	23 + 10
10350	----	----	----/0.169A	0.520B/0.169A	----	0.178 - 0.450	.0403	----	----	----	----	1 UNCH
10375	----	----	----/0.163A	0.508B/0.163A	----	0.173 - 0.437	.0391	----	----	----	----	2 UNCH
10400	0.500	0.500	0.510/0.161A	0.510/0.161A	----	0.167 - 0.425	.0377	----	----	8	----	27 UNCH
10425	----	----	----/0.159A	0.478B/0.159A	----	0.162 - 0.413	.0365	----	----	----	----	1 UNCH
10450	----	----	----/0.153A	0.459B/0.153A	----	0.157 - 0.402	.0353	----	----	----	----	5 UNCH
10475	----	----	----/0.150A	0.426B/0.150A	----	0.152 - 0.390	.0342	----	----	----	----	4 UNCH
10500	0.470	0.470	0.470/0.135	0.470/0.135	----	0.148 - 0.379	.0332	----	----	12	----	299 - 3
10525	----	----	----/0.146A	0.410B/0.146A	----	0.143 - 0.369	.0320	----	----	----	----	12 UNCH
10550	----	----	----/0.144A	0.399B/0.144A	----	0.139 - 0.358	.0311	----	----	----	----	2 UNCH
10575	----	----	----/0.140A	0.385B/0.140A	----	0.135 - 0.349	.0301	----	----	----	----	4 UNCH
10600	0.380	0.380	0.380/0.139A	0.380/0.139A	----	0.131 - 0.339	.0292	----	----	1	----	34 - 1
10625	----	----	----/0.136A	0.361B/0.136A	----	0.127 - 0.331	.0282	----	----	----	----	2 UNCH
10650	----	----	----/0.133A	0.353B/0.133A	----	0.124 - 0.322	.0275	----	----	----	----	2 UNCH
10675	----	----	----/0.132A	0.342B/0.132A	----	0.120 - 0.314	.0266	----	----	----	----	15 UNCH
10700	0.100	0.100	0.100/0.100	0.332B/0.100	----	0.117 - 0.305	.0259	----	----	1	----	102 - 1
10750	----	----	----/0.126A	0.312B/0.126A	----	0.111 - 0.290	.0244	----	----	----	----	4 UNCH
10800	0.150	0.150	0.150/0.111	0.293B/0.111	----	0.105 - 0.275	.0230	----	----	2	----	21 + 1
10825	----	----	----/0.120A	0.284B/0.120A	----	0.102 - 0.269	.0223	----	----	----	----	2 UNCH
10850	----	----	----/0.118A	0.276B/0.118A	----	0.099 - 0.263	.0216	----	----	----	----	12 UNCH
10875	----	----	----/0.117A	0.267B/0.117A	----	0.097 - 0.256	.0211	----	----	----	----	6 UNCH
10900	----	----	----/0.115A	0.259B/0.115A	----	0.094 - 0.250	.0204	----	----	----	----	26 UNCH
10925	----	----	----/0.113A	0.249B/0.113A	----	0.092 - 0.244	.0199	----	----	----	----	2 UNCH
10950	----	----	----/0.111A	0.242B/0.111A	----	0.090 - 0.238	.0194	----	----	----	----	4 UNCH
11000	0.290	0.290	0.290/0.070A	0.290/0.070A	----	0.085 - 0.227	.0183	----	----	7	----	431 UNCH
11025	----	----	----/0.107A	0.219B/0.107A	----	0.083 - 0.222	.0178	----	----	----	----	1 UNCH
11050	----	----	----/0.105A	0.170B/0.105A	----	0.081 - 0.217	.0174	----	----	----	----	5 UNCH
11075	----	----	----/0.103A	0.147B/0.103A	----	0.080 - 0.212	.0171	----	----	----	----	5 UNCH
11100	----	----	----/0.103A	0.153B/0.103A	----	0.078 - 0.207	.0166	----	----	----	----	3 UNCH
11125	----	----	----/0.101A	0.135B/0.101A	----	0.076 - 0.203	.0161	----	----	----	----	5 UNCH
11175	----	----	----/*0.099A	0.126B/0.099A	----	0.073 - 0.194	.0154	----	----	----	----	3 UNCH
11200	----	----	----/0.097A	0.133B/0.097A	----	0.071 - 0.190	.0150	----	----	----	----	8 UNCH
11225	----	----	----/*0.096A	0.117B/0.096A	----	0.070 - 0.186	.0147	----	----	----	----	3 UNCH
11250	----	----	----/0.094A	0.113B/0.094A	----	0.068 - 0.183	.0142	----	----	----	----	1 UNCH
11300	----	----	----/*0.093A	0.116B/0.093A	----	0.066 - 0.175	.0137	----	----	----	----	3 UNCH
11325	----	----	----/*0.092A	0.102B/0.092A	----	0.064 - 0.171	.0133	----	----	----	----	6 UNCH
11350	----	----	----/*0.090A	0.098B/0.090A	----	0.063 - 0.168	.0130	----	----	----	----	3 UNCH
11375	----	----	----/0.089A	0.095B/0.089A	----	0.062 - 0.164	.0128	----	----	----	----	2 UNCH
11400	----	----	----/*0.088A	0.102B/0.088A	----	0.061 - 0.161	.0125	----	----	----	----	163 UNCH
11425	----	----	----/*0.087A	0.094B/0.087A	----	0.060 - 0.158	.0123	----	----	----	----	12 UNCH
11450	----	----	----/*0.087A	0.091B/0.087A	----	0.059 - 0.155	.0120	----	----	----	----	13 UNCH
11475	----	----	----/*0.085A	0.094B/0.085A	----	0.058 - 0.152	.0118	----	----	----	----	8 UNCH
11500	----	----	----/0.085A	0.089B/0.085A	----	0.057 - 0.149	.0116	----	----	----	----	195 UNCH
11525	----	----	----/*0.084A	0.075B/0.084A	----	0.056 - 0.146	.0113	----	----	----	----	8 UNCH
11550	----	----	----/*0.083A	0.075B/0.083A	----	0.055 - 0.143	.0111	----	----	----	----	1 UNCH
11575	----	----	----/*0.081A	0.070B/0.081A	----	0.054 - 0.141	.0109	----	----	----	----	4 UNCH
11600	----	----	----/*0.081A	0.080B/0.081A	----	0.053 - 0.138	.0106	----	----	----	----	1 UNCH
11625	----	----	----/*0.079A	0.064B/0.079A	----	0.052 - 0.136	.0104	----	----	----	----	21 UNCH
11675	----	----	----/*0.078A	0.063B/0.078A	----	0.051 - 0.131	.0101	----	----	----	----	2 UNCH
11700	----	----	----/*0.077A	0.072B/0.077A	----	0.050 - 0.129	.0099	----	----	----	----	38 UNCH
11725	----	----	----/*0.076A	0.064B/0.076A	----	0.049 - 0.127	.0097	----	----	----	----	2 UNCH
11750	----	----	----/*0.076A	0.064B/0.076A	----	0.049 - 0.124	.0096	----	----	----	----	15 UNCH
11775	----	----	----/*0.075A	0.068B/0.075A	----	0.048 - 0.122	.0094	----	----	----	----	2 UNCH
11800	----	----	----/*0.074A	0.077B/0.074A	----	0.047 - 0.120	.0092	----	----	----	----	38 UNCH
11825	----	----	----/*0.073A	0.062B/0.073A	----	0.047 - 0.117	.0091	----	----	----	----	9 UNCH
11850	----	----	----/*0.070A	0.058B/*0.070A	----	0.046 - 0.116	.0089	----	----	----	----	5 UNCH
11875	----	----	----/*0.072A	0.055B/*0.072A	----	0.046 - 0.113	.0089	----	----	----	----	1 UNCH
11900	----	----	----/*0.070A	0.058B/*0.070A	----	0.045 - 0.112	.0087	----	----	----	----	14 UNCH
11925	----	----	----/*0.070A	0.052B/*0.070A	----	0.045 - 0.110	.0086	----	----	----	----	8 UNCH
11950	----	----	----/*0.071A	0.050B/0.071A	----	0.044 - 0.108	.0084	----	----	----	----	6 UNCH
11975	----	----	----/*0.070A	0.048B/*0.070A	----	0.044 - 0.106	.0084	----	----	----	----	1 UNCH
12000	0.063	0.063	0.063/0.050	0.063/0.050	----	0.043 - 0.105	.0082	----	----	5	----	397 - 2
12025	----	----	----/*0.070A	0.053B/*0.070A	----	0.043 - 0.103	.0081	----	----	----	----	11 UNCH
12050	----	----	----/*0.066A	0.045B/*0.066A	----	0.042 - 0.102	.0079	----	----	----	----	1 UNCH
12075	----	----	----/*0.067A	0.040B/*0.067A	----	0.042 - 0.100	.0079	----	----	----	----	1 UNCH
12100	----	----	----/*0.068A	0.054B/*0.068A	----	0.042 - 0.098	.0078	----	----	----	----	27 UNCH
12125	----	----	----/*0.068A	0.042B/*0.068A	----	0.041 - 0.097	.0076	----	----	----	----	1 UNCH
12200	----	----	----/*0.065A	0.044B/*0.065A	----	0.040 - 0.091	.0074	----	----	----	----	22 UNCH
12225	----	----	----/*0.065A	0.042B/*0.065A	----	0.040 - 0.090	.0073	----	----	----	----	7 UNCH
12275	----	----	----/*0.068A	0.030B/*0.068A	----	0.039 - 0.087	.0071	----	----	----	----	1 UNCH
12325	----	----	----/*0.074A	0.036B/0.074A	----	0.038 - 0.085	.0069	----	----	----	----	4 UNCH
12350	----	----	----/*0.075A	0.036B/0.075A	----	0.038 - 0.083	.0069	----	----	----	----	5 UNCH
12400	----	----	----/*0.073A	0.033B/0.073A	----	0.038 - 0.080	.0068	----	----	----	----	23 UNCH
12425	----	----	----/*0.080A	0.027B/0.080A	----	0.037 - 0.080	.0066	----	----	----	----	1 UNCH
12450	----	----	----/*0.077A	0.031B/0.077A	----	0.037 - 0.078	.0066	----	----	----	----	9 UNCH
12475	----	----	----/*0.076A	0.034B/0.076A	----	0.037 - 0.077	.0066	----	----	----	----	1 UNCH
12500	----	----	----/0.088A	0.034B/0.088A	----	0.036 - 0.076	.0064	----	----	----	----	92 UNCH
12525	----	----	----/*0.093A	0.033B/0.093A	----	0.036 - 0.075	.0064	----	----	----	----	37 UNCH
12550	----	----	----/*0.092A	0.034B/0.092A	----	0.036 - 0.074	.0063	----	----	----	----	6 UNCH
12575	----	----	----/*0.091A	0.032B/0.091A	----	0.036 - 0.072	.0063	----	----	----	----	2 UNCH
12600	----	----	----/*0.086A	0.031B/0.086A	----	0.035 - 0.072	.0061	----	----	----	----	9 UNCH
12650	----	----	----/0.089A	0.031B/0.089A	----	0.035 - 0.069	.0061	----	----	----	----	2 UNCH
12675	----	----	----/0.082A	0.030B/0.082A	----	0.034 - 0.069	.0059	----	----	----	----	2 UNCH
12700	----	----	----/*0.077A	0.030B/0.077A	----	0.034 - 0.068	.0059	----	----	----	----	11 UNCH
12725	----	----	----/*0.077A	0.029B/0.077A	----	0.034 - 0.066	.0058	----	----	----	----	2 UNCH
12750	----	----	----/*0.076A	0.028B/0.076A	----	0.034 - 0.065	.0058	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
12775	----	----	----/0.081A	0.028B/0.081A	----	0.033 - 0.065	.0056	----	----	----	----	9 UNCH
12800	----	----	----/0.083A	0.027B/0.083A	----	0.033 - 0.063	.0056	----	----	----	----	34 UNCH
12900	----	----	----/0.082A	0.025B/0.082A	----	0.032 - 0.059	.0054	----	----	----	----	6 UNCH
13000	0.064	0.064	0.068/0.030	0.068/0.030	----	0.031 - 0.056	.0052	----	----	10	----	540 - 3
13100	----	----	----/0.079A	0.021B/0.079A	----	0.030 - 0.053	.0049	----	----	----	----	4 UNCH
13200	----	----	----/*0.071A	0.018B/0.071A	----	0.030 - 0.049	.0049	----	----	----	----	3 UNCH
13300	----	----	----/0.072A	0.014B/0.072A	----	0.029 - 0.047	.0047	----	----	----	----	4 UNCH
13400	----	----	----	0.012B/0.072A	----	0.028 - 0.044	.0044	----	----	----	----	6 UNCH
13500	----	----	----	0.009B/0.077A	----	0.027 - 0.042	.0042	----	----	----	----	31 UNCH
13600	----	----	----	0.008B/0.076A	----	0.026 - 0.040	.0040	----	----	----	----	7 UNCH
13700	----	----	----	0.008B/0.073A	----	0.026 - 0.038	.0040	----	----	----	----	5 UNCH
13800	----	----	----	0.001B/0.074A	----	0.025 - 0.035	.0038	----	----	----	----	1 UNCH
13900	----	----	----	0.001B/0.077A	----	0.024 - 0.034	.0036	----	----	----	----	3 UNCH
14000	0.040	0.040	0.040/*0.040	0.040/0.040	----	0.024 - 0.031	.0036	----	----	1	----	338 + 1
14200	----	----	----	0.001B/0.088A	----	0.022 - 0.029	.0032	----	----	----	----	60 UNCH
14300	----	----	----	0.001B/0.086A	----	0.022 - 0.027	.0032	----	----	----	----	1 UNCH
14400	----	----	----	----/0.085A	----	0.021 - 0.026	.0030	----	----	----	----	65 UNCH
14500	----	----	----	----/0.084A	----	0.020 - 0.026	.0029	----	----	----	----	31 UNCH
14600	----	----	----	----/0.083A	----	0.020 - 0.024	.0028	----	----	----	----	7 UNCH
14700	----	----	----	----/0.082A	----	0.019 - 0.024	.0027	----	----	----	----	11 UNCH
14800	----	----	----	----/0.081A	----	0.019 - 0.022	.0026	----	----	----	----	10 UNCH
14900	----	----	----	----/0.088A	----	0.018 - 0.022	.0025	----	----	----	----	6 UNCH
15000	----	----	----/0.034A	0.005B/0.034A	----	0.018 - 0.021	.0025	----	----	3	----	146 UNCH
15300	----	----	----	----/0.099A	----	0.016 - 0.020	.0021	----	----	----	----	2 UNCH
15400	----	----	----	----/0.096A	----	0.016 - 0.019	.0021	----	----	----	----	1 UNCH
15500	----	----	----	----/0.171A	----	0.015 - 0.019	.0020	----	----	----	----	6 UNCH
15600	----	----	----	----/0.174A	----	0.015 - 0.018	.0020	----	----	----	----	1 UNCH
15700	----	----	----	----/0.178A	----	0.014 - 0.018	.0018	----	----	----	----	1 UNCH
15800	----	----	----	----/0.181A	----	0.014 - 0.017	.0018	----	----	----	----	6 UNCH
15900	----	----	----	----/0.184A	----	0.013 - 0.017	.0017	----	----	----	----	8 UNCH
16000	----	----	----	----/0.030A	----	0.013 - 0.017	.0017	----	----	----	----	198 UNCH
16200	----	----	----	----/0.194A	----	0.012 - 0.016	.0015	----	----	----	----	36 UNCH
16400	----	----	----	----/0.197A	----	0.012 - 0.015	.0015	----	----	----	----	1 UNCH
16500	----	----	----	----/0.200A	----	0.011 - 0.015	.0014	----	----	----	----	30 UNCH
16600	----	----	----	----/0.202A	----	0.011 - 0.015	.0013	----	----	----	----	2 UNCH
16700	----	----	----	----/0.204A	----	0.011 - 0.014	.0013	----	----	----	----	7 UNCH
16800	----	----	----	----/0.207A	----	0.010 - 0.015	.0012	----	----	----	----	3 UNCH
17000	----	----	----/*0.022A	----/*0.022A	----	0.010 - 0.014	.0012	----	----	----	----	27 UNCH
17100	----	----	----	----/0.213A	----	0.010 - 0.014	.0012	----	----	----	----	5 UNCH
17200	----	----	----	----/0.214A	----	0.009 - 0.013	.0011	----	----	----	----	5 UNCH
17300	----	----	----	----/0.216A	----	0.009 - 0.013	.0011	----	----	----	----	11 UNCH
17400	----	----	----	----/0.218A	----	0.009 - 0.012	.0010	----	----	----	----	2 UNCH
17500	----	----	----	----/0.217A	----	0.009 - 0.012	.0010	----	----	----	----	63 UNCH
17700	----	----	----	----/0.223A	----	0.008 - 0.012	.0009	----	----	----	----	3 UNCH
17800	----	----	----	----/0.225A	----	0.008 - 0.012	.0009	----	----	----	----	3 UNCH
18000	----	----	----	----/*0.020A	----	0.008 - 0.011	.0009	----	----	----	----	46 UNCH
18100	----	----	----	----/0.230A	----	0.008 - 0.011	.0009	----	----	----	----	2 UNCH
18300	----	----	----	----/0.232A	----	0.007 - 0.012	.0008	----	----	----	----	1 UNCH
18900	----	----	----	----/0.240A	----	0.007 - 0.010	.0007	----	----	----	----	1 UNCH
19000	----	----	----	----/*0.018A	----	0.007 - 0.010	.0007	----	----	----	----	229 UNCH
19500	----	----	----	----/0.212A	----	0.006 - 0.010	.0006	----	----	----	----	126 UNCH
19600	----	----	----	----/0.212A	----	0.006 - 0.010	.0006	----	----	----	----	2 UNCH
19900	----	----	----	----/0.252A	----	0.006 - 0.010	.0006	----	----	----	----	28 UNCH
20000	0.004	0.004	0.004/*0.004	0.004/*0.004	----	0.006 - 0.010	.0006	----	----	1	----	235 - 1
21000	----	----	----	----/0.213A	----	0.006 - 0.009	.0006	----	----	----	----	20 UNCH
23000	----	----	----	----/0.228A	----	0.006 - 0.008	.0005	----	----	----	----	14 UNCH
25000	----	----	----	----/0.010A	----	0.002 - 0.004	.0001	----	----	----	----	302 UNCH
27000	----	----	----	----/0.288A	----	0.001 - 0.001	.0000	----	----	----	----	3 UNCH
30000	----	----	----	----/0.005A	----	0.001 UNCH	.0000	----	----	----	----	31 UNCH
32000	----	----	----	----/0.295A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
35000	----	----	----	----/0.003A	----	0.001 UNCH	----	----	----	----	----	45 UNCH
TOTAL										1904	0	17454 - 178
JUL26												
2700	----	----	----/59.286A	59.885B/59.286A	----	58.328 - 4.040	.9988	----	----	----	----	1 UNCH
4000	----	----	----/46.253A	46.954B/46.253A	----	45.328 - 4.040	.9966	----	----	----	----	1 UNCH
4500	----	----	----/41.146A	41.997B/41.146A	----	40.328 - 4.040	.9949	----	----	----	----	28 UNCH
4600	----	----	----/40.111A	41.053B/40.111A	----	39.329 - 4.040	.9945	----	----	----	----	124 UNCH
4700	----	----	----/39.255A	39.954B/39.255A	----	38.330 - 4.039	.9939	----	----	----	----	1 UNCH
4750	----	----	----/38.784A	39.456B/38.784A	----	37.831 - 4.039	.9936	----	----	----	----	1 UNCH
4825	----	----	----/38.038A	38.710B/38.038A	----	37.083 - 4.038	.9932	----	----	----	----	3 UNCH
4900	----	----	----/37.261A	37.919B/37.261A	----	36.335 - 4.038	.9926	----	----	----	----	1 UNCH
4925	----	----	----/37.006A	37.732B/37.006A	----	36.086 - 4.038	.9923	----	----	----	----	16 UNCH
5000	----	----	----/36.195A	37.059B/36.195A	----	35.340 - 4.036	.9916	----	----	----	----	307 UNCH
5025	----	----	----/34.459A	36.634B/34.459A	----	35.090 - 4.038	.9914	----	----	----	----	4 UNCH
5050	----	----	----/34.210A	36.385B/34.210A	----	34.842 - 4.037	.9912	----	----	----	----	2 UNCH
5100	----	----	----/35.121A	36.063B/35.121A	----	34.344 - 4.037	.9907	----	----	----	----	133 UNCH
5150	----	----	----/34.777A	35.490B/34.777A	----	33.847 - 4.037	.9901	----	----	----	----	6 UNCH
5200	----	----	----/34.249A	35.008B/34.249A	----	33.351 - 4.036	.9895	----	----	----	----	40 UNCH
5225	----	----	----/34.045A	34.743B/34.045A	----	33.103 - 4.036	.9892	----	----	----	----	9 UNCH
5250	----	----	----/33.710A	34.434B/33.710A	----	32.855 - 4.035	.9888	----	----	----	----	2 UNCH
5275	----	----	----/33.463A	34.185B/33.463A	----	32.608 - 4.035	.9884	----	----	----	----	1 UNCH
5300	----	----	----/33.302A	33.999B/33.302A	----	32.359 - 4.035	.9881	----	----	----	----	7 UNCH
5350	----	----	----/32.642A	33.543B/32.642A	----	31.865 - 4.033	.9873	----	----	----	----	157 UNCH
5375	----	----	----/32.473A	33.268B/32.473A	----	31.617 - 4.034	.9868	----	----	----	----	1 UNCH
5400	----	----	----/32.276A	33.001B/32.276A	----	31.370 - 4.033	.9864	----	----	----	----	21 UNCH
5425	----	----	----/32.010A	32.805B/32.010A	----	31.123 - 4.033	.9859	----	----	----	----	42 UNCH
5450	----	----	----/31.733A	32.424B/31.733A	----	30.876 - 4.033	.9855	----	----	----	----	1 UNCH
5500	----	----	----/31.160A	32.127B/31.160A	----	30.383 - 4.041	.9845	----	----	----	----	496 UNCH
5550	----	----	----/30.854A	31.434B/30.854A	----	29.889 - 4.035	.9835	----	----	----	----	3 UNCH
5600	----	----	----/30.181A	31.138B/30.181A	----	29.396 - 4.034	.9825	----	----	----	----	106 UNCH
5650	----	----	----/29.795A	30.591B/29.795A	----	28.904 - 4.034	.9814	----	----	----	----	43 UNCH
5675	----	----	----/29.475A	30.345B/29.475A	----	28.658 - 4.035	.9808	----	----	----	----	25 UNCH
5700	----	----	----/29.230A	30.107B/29.230A	----	28.412 - 4.036	.9802	----	----	----	----	26 UNCH
5750	----	----	----/27.224A	29.632B/27.224A	----	27.921 - 4.036	.9790	----	----	----	----	164 UNCH
5775	----	----	----/28.557A	29.217B/28.557A	----	27.675 - 4.038	.9784	----	----	----	----	1 UNCH
5800	----	----	----/28.288A	29.051B/28.288A	----	27.430 - 4.039	.9777	----	----	----	----	16 UNCH
5900	----	----	----/25.836A	28.069B/25.836A	----	26.450 - 4.043	.9748	----	----	----	----	10 UNCH
5925	----	----	----/25.594A	27.831B/25.594A	----	26.205 - 4.046	.9741	----	----	----	----	10 UNCH
5950	----	----	----/25.353A	27.582B/25.353A	----	25.961 - 4.047	.9733	----	----	----	----	6 UNCH
5975	----	----	----/25.111A	27.339B/25.111A	----	25.716 - 4.049	.9725	----	----	----	----	20 UNCH
6000	----	----	----/24.776A	27.214B/24.776A	----	25.473 - 4.050	.9715	----	----	----	----	547 UNCH
6050	----	----	----/24.295A	26.727B/24.295A	----	24.986 - 4.053	.9697	----	----	----	----	58 UNCH
6075	----	----	----/24.153A	26.342B/24.153A	----	24.744 - 4.054	.9686	----	----	----	----	1 UNCH
6100	----	----	----/23.963A	26.126B/23.963A	----	24.502 - 4.055	.9677	----	----	----	----	10 UNCH
6200	----	----	----/22.891A	25.225B/22.891A	----	23.538 - 4.058	.9628	----	----	----	----	101 UNCH
6250	----	----	----/22.540A	24.661B/22.540A	----	23.059 - 4.059	.9602	----	----	----	----	1 UNCH
6300	----	----	----/22.070A	24.191B/22.070A	----	22.583 - 4.060	.9571	----	----	----	----	3 UNCH
6350	----	----	----/21.600A	23.670B/21.600A	----	22.108 - 4.059	.9540	----	----	----	----	2 UNCH
6450	----	----	----/20.670A	22.720B/20.670A	----	21.169 - 4.053	.9466	----	----	----	----	1 UNCH
6500	----	----	----/20.086A	22.362B/20.086A	----	20.707 - 4.047	.9422	----	----	----	----	180 UNCH
6600	----	----	----/19.172A	21.427B/19.172A	----	19.782 - 4.040	.9334	----	----	----	----	56 UNCH
6650	----	----	----/18.721A	20.974B/18.721A	----	19.325 - 4.034	.9285	----	----	----	----	102 UNCH
6750	----	----	----/17.907A	20.007B/17.907A	----	18.426 - 4.016	.9174	----	----	----	----	24 UNCH
6800	----	----	----/17.393A	19.644B/17.393A	----	17.980 - 4.008	.9116	----	----	----	----	250 UNCH
6825	----	----	----/17.252A	19.334B/17.252A	----	17.760 - 4.002	.9084	----	----	----	----	6 UNCH
6850	----	----	----/17.089A	18.991B/17.089A	----	17.539 - 3.997	.9053	----	----	----	----	1 UNCH
6875	----	----	----/16.828A	18.896B/16.828A	----	17.321 - 3.991	.9020	----	----	----	----	16 UNCH
6900	----	----	----/16.486A	18.722B/16.486A	----	17.102 - 3.986	.8987	----	----	----	----	99 UNCH
6950	----	----	----/16.159A	18.245B/16.159A	----	16.669 - 3.974	.8919	----	----	----	----	26 UNCH
7000	----	----	----/15.639A	17.848B/15.639A	----	16.234 - 3.966	.8851	----	----	----	----	153 UNCH
7025	----	----	----/15.432A	17.695B/15.432A	----	16.028 - 3.954	.8809	----	----	----	----	125 UNCH
7050	----	----	----/15.405A	17.229B/15.405A	----	15.816 - 3.946	.8771	----	----	----	----	1 UNCH
7100	----	----	----/14.998A	16.799B/14.998A	----	15.396 - 3.933	.8692	----	----	----	----	5 UNCH
7150	----	----	----/14.408A	16.562B/14.408A	----	14.983 - 3.915	.8610	----	----	----	----	100 UNCH
7200	----	----	----/14.123A	16.075B/14.123A	----	14.572 - 3.900	.8525	----	----	----	----	12 UNCH
7225	----	----	----/13.984A	15.748B/13.984A	----	14.370 - 3.891	.8481	----	----	----	----	1 UNCH
7250	----	----	----/13.647A	15.723B/13.647A	----	14.168 - 3.881	.8436	----	----	----	----	171 UNCH
7300	----	----	----/13.261A	15.308B/13.261A	----	13.770 - 3.862	.8344	----	----	----	----	104 UNCH
7325	----	----	----/13.069A	15.104B/13.069A	----	13.573 - 3.852	.8296	----	----	----	----	113 UNCH
7350	----	----	----/13.011A	14.722B/13.011A	----	13.378 - 3.841	.8248	----	----	----	----	2 UNCH
7400	----	----	----/12.530A	14.447B/12.530A	----	12.992 - 3.819	.8149	----	----	----	----	15 UNCH
7425	----	----	----/12.342A	14.250B/12.342A	----	12.800 - 3.810	.8099	----	----	----	----	6 UNCH
7450	----	----	----/12.156A	14.060B/12.156A	----	12.612 - 3.797	.8047	----	----	----	----	14 UNCH
7475	----	----	----/12.081A	13.741B/12.081A	----	12.424 - 3.785	.7995	----	----	----	----	1 UNCH
7500	----	----	----/11.772A	13.717B/11.772A	----	12.239 - 3.772	.7942	----	----	----	----	293 UNCH
7525	----	----	----/11.719A	13.362B/11.719A	----	12.054 - 3.761	.7888	----	----	----	----	1 UNCH
7550	----	----	----/11.425A	13.304B/11.425A	----	11.871 - 3.748	.7834	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
7575	----	----	----/11.247A	13.119B/11.247A	----	11.691 -	3.734 .7779	----	----	----	----	20 UNCH
7600	----	----	----/11.069A	12.966B/11.069A	----	11.513 -	3.719 .7722	----	----	----	----	146 UNCH
7650	----	----	----/10.853A	12.437B/10.853A	----	11.160 -	3.692 .7608	----	----	----	----	3 UNCH
7675	----	----	----/10.570A	12.423B/10.570A	----	10.987 -	3.676 .7550	----	----	----	----	7 UNCH
7700	----	----	----/10.388A	12.249B/10.388A	----	10.817 -	3.661 .7491	----	----	----	----	146 UNCH
7750	----	----	----/10.058A	11.896B/10.058A	----	10.479 -	3.630 .7372	----	----	----	----	122 UNCH
7775	----	----	----/10.036A	11.581B/10.036A	----	10.314 -	3.613 .7312	----	----	----	----	5 UNCH
7800	----	----	----/9.736A	11.556B/9.736A	----	10.150 -	3.596 .7251	----	----	----	----	66 UNCH
7850	----	----	----/9.416A	11.222B/9.416A	----	9.830 -	3.561 .7127	----	----	----	----	17 UNCH
7900	----	----	----/9.114A	10.903B/9.114A	----	9.517 -	3.525 .7001	----	----	----	----	66 UNCH
7925	----	----	----/9.115A	10.569B/9.115A	----	9.364 -	3.506 .6938	----	----	----	----	1 UNCH
7950	----	----	----/8.718A	10.407B/8.718A	----	9.213 -	3.487 .6874	----	----	----	----	1 UNCH
7975	----	----	----/8.825A	10.247B/8.825A	----	9.065 -	3.467 .6810	----	----	----	----	4 UNCH
8000	9.300	9.300	9.300/8.449A	10.997B/8.449A	----	8.919 -	3.446 .6746	----	----	7	----	642 - 6
8025	----	----	----/8.384A	10.109B/8.384A	----	8.774 -	3.425 .6681	----	----	----	----	10 UNCH
8050	----	----	----/8.182A	9.962B/8.182A	----	8.631 -	3.405 .6616	----	----	----	----	22 UNCH
8075	----	----	----/8.107A	9.813B/8.107A	----	8.491 -	3.384 .6551	----	----	----	----	13 UNCH
8100	----	----	----/7.925A	9.675B/7.925A	----	8.352 -	3.363 .6486	----	----	----	----	68 UNCH
8150	----	----	----/7.676A	9.384B/7.676A	----	8.083 -	3.319 .6355	----	----	----	----	17 UNCH
8175	----	----	----/7.733A	8.990B/7.733A	----	7.950 -	3.297 .6290	----	----	----	----	2 UNCH
8200	----	----	----/7.421A	9.102B/7.421A	----	7.821 -	3.273 .6224	----	----	----	----	174 UNCH
8225	----	----	----/7.466A	8.718B/7.466A	----	7.693 -	3.252 .6158	----	----	----	----	2 UNCH
8250	----	----	----/7.185A	8.816B/7.185A	----	7.566 -	3.230 .6093	----	----	----	----	147 UNCH
8275	----	----	----/7.245A	8.442B/7.245A	----	7.443 -	3.206 .6027	----	----	----	----	1 UNCH
8300	6.600	6.600	6.600/6.380	8.547B/6.380	----	7.322 -	3.182 .5962	----	----	3	----	462 - 1
8325	----	----	----/6.370A	8.174B/6.370A	----	7.201 -	3.160 .5897	----	----	----	----	4 UNCH
8350	----	----	----/6.448A	8.292B/6.448A	----	7.084 -	3.135 .5832	----	----	----	----	21 UNCH
8375	6.263	6.263	6.263/6.263	8.161B/6.263	----	6.968 -	3.111 .5767	----	----	1	----	50 + 1
8400	6.300	6.300	6.300/5.900	8.493B/5.900	----	6.853 -	3.089 .5702	----	----	9	----	36 UNCH
8425	----	----	----/6.084A	8.367B/6.084A	----	6.741 -	3.065 .5638	----	----	1	----	12 UNCH
8450	----	----	----/5.992A	8.241B/5.992A	----	6.631 -	3.040 .5573	----	----	----	----	18 UNCH
8475	6.580	6.580	6.580/5.807A	8.326B/5.807A	----	6.522 -	3.017 .5509	----	----	2	----	1 UNCH
8500	8.452	8.452	8.452/5.525	8.452/5.525	----	6.423 -	2.986 .5446	----	----	97	----	921 - 12
8525	----	----	----/5.633A	8.085B/5.633A	----	6.312 -	2.968 .5382	----	----	----	----	5 UNCH
8550	----	----	----/5.412A	7.967B/5.412A	----	6.208 -	2.944 .5319	----	----	----	----	266 UNCH
8575	----	----	----/5.338A	7.852B/5.338A	----	6.107 -	2.919 .5257	----	----	----	----	7 UNCH
8600	6.026	6.026	6.260/5.230A	7.737B/5.230A	----	6.007 -	2.897 .5194	----	----	3	----	101 UNCH
8625	----	----	----/5.158A	7.624B/5.158A	----	5.909 -	2.873 .5133	----	----	----	----	1 UNCH
8650	----	----	----/5.071A	7.513B/5.071A	----	5.814 -	2.847 .5071	----	----	5	----	32 + 5
8675	----	----	----/4.985A	7.460B/4.985A	----	5.718 -	2.826 .5010	----	----	----	----	9 UNCH
8700	7.000	7.000	7.353B/4.881A	7.353B/4.881A	----	5.626 -	2.801 .4950	----	----	7	----	155 UNCH
8725	----	----	----/4.822A	7.247B/4.822A	----	5.535 -	2.776 .4890	----	----	----	----	4 UNCH
8750	----	----	----/4.736A	7.142B/4.736A	----	5.445 -	2.752 .4830	----	----	5	----	91 + 5
8775	----	----	----/4.653A	7.040B/4.653A	----	5.356 -	2.730 .4771	----	----	----	----	4 UNCH
8800	5.216	5.216	5.381/4.575A	6.966B/4.575A	----	5.275 -	2.701 .4713	----	----	7	----	449 + 6
8825	----	----	----/4.500A	6.840B/4.500A	----	5.185 -	2.682 .4654	----	----	----	----	3 UNCH
8850	----	----	----/4.420A	6.771B/4.420A	----	5.100 -	2.660 .4597	----	----	1	----	5 + 1
8875	6.430	6.430	6.430/4.349A	6.651B/4.349A	----	5.018	NEW .4540	----	----	1	----	1 + 1
8900	6.330	6.330	6.330/4.278A	6.635B/4.278A	----	4.939 -	2.612 .4483	----	----	9	----	136 + 7
8925	----	----	----/4.207A	6.519B/4.207A	----	4.857 -	2.592 .4427	----	----	----	----	7 UNCH
8950	----	----	----/4.118A	6.449B/4.118A	----	4.779 -	2.569 .4371	----	----	----	----	27 UNCH
8975	----	----	----/4.066A	6.347B/4.066A	----	4.702 -	2.548 .4316	----	----	----	----	1 UNCH
9000	6.688	6.688	6.688/3.989A	6.688/3.989A	----	4.627 -	2.524 .4262	----	----	159	----	1430 - 120
9050	5.761	5.761	5.761/3.851A	6.361B/3.851A	----	4.478 -	2.482 .4154	----	----	2	----	12 + 1
9075	----	----	----/3.803A	6.341B/3.803A	----	4.407 -	2.460 .4101	----	----	----	----	1 UNCH
9100	----	----	----/3.733A	6.317B/3.733A	----	4.335 -	2.440 .4048	----	----	3	----	33 + 1
9150	3.956	3.956	3.956/3.611A	6.076B/3.611A	----	4.198 -	2.398 .3945	----	----	1	----	4 + 1
9175	----	----	----/3.553A	5.965B/3.553A	----	4.131 -	2.376 .3895	----	----	----	----	3 UNCH
9200	5.670	5.670	5.670/3.480A	5.940B/3.480A	----	4.064 -	2.358 .3844	----	----	9	----	85 - 3
9225	----	----	----/3.421A	5.797B/3.421A	----	4.000 -	2.336 .3795	----	----	----	----	4 UNCH
9250	----	----	----/3.365A	5.721B/3.365A	----	3.936 -	2.316 .3746	----	----	----	----	23 UNCH
9275	----	----	----/3.323A	5.631B/3.323A	----	3.874 -	2.296 .3697	----	----	----	----	1 UNCH
9300	5.362	5.362	5.362/3.253A	5.601B/3.253A	----	3.811 -	2.277 .3649	----	----	2	----	711 + 2
9350	----	----	----/3.148A	5.427B/3.148A	----	3.692 -	2.238 .3555	----	----	----	----	12 UNCH
9375	----	----	----/3.110A	5.361B/3.110A	----	3.633 -	2.219 .3508	----	----	----	----	2 UNCH
9400	5.073	5.073	5.073/3.047A	5.293B/3.047A	----	3.575 -	2.200 .3462	----	----	11	----	25 - 2
9425	----	----	----/2.997A	5.187B/2.997A	----	3.519 -	2.181 .3417	----	----	----	----	5 UNCH
9450	----	----	----/2.949A	5.125B/2.949A	----	3.464 -	2.161 .3372	----	----	----	----	39 UNCH
9475	----	----	----/2.903A	5.023B/2.903A	----	3.409 -	2.144 .3328	----	----	----	----	5 UNCH
9500	4.801	4.801	4.900/2.853A	4.989B/2.853A	----	3.355 -	2.125 .3284	----	----	212	100	984 - 95
9525	----	----	----/2.810A	4.861B/2.810A	----	3.302 -	2.107 .3241	----	----	----	----	26 UNCH
9550	----	----	----/2.763A	4.843B/2.763A	----	3.251 -	2.089 .3198	----	----	----	----	6 UNCH
9600	4.545	4.545	4.545/2.677A	4.692B/2.677A	----	3.150 -	2.053 .3114	----	----	2	----	154 + 2
9625	----	----	----/2.644A	4.642B/2.644A	----	3.100 -	2.036 .3073	----	----	----	----	5 UNCH
9650	----	----	----/2.590A	4.571B/2.590A	----	3.052 -	2.018 .3033	----	----	----	----	3 UNCH
9675	----	----	----/2.549A	4.501B/2.549A	----	3.005 -	2.000 .2993	----	----	----	----	9 UNCH
9700	----	----	----/2.511A	4.471B/2.511A	----	2.959 -	1.982 .2953	----	----	----	----	142 UNCH
9725	----	----	----/2.472A	4.377B/2.472A	----	2.913 -	1.965 .2914	----	----	1	----	3 + 1
9750	----	----	----/2.431A	4.327B/2.431A	----	2.867 -	1.948 .2875	----	----	1	----	107 + 1
9775	----	----	----/2.393A	4.284B/2.393A	----	2.823 -	1.931 .2837	----	----	----	----	31 UNCH
9800	2.688	2.688	2.688/2.365A	4.242B/2.365A	----	2.775 -	1.918 .2798	----	----	2	----	130 + 2
9825	----	----	----/2.319A	4.146B/2.319A	----	2.737 -	1.897 .2763	----	----	----	----	6 UNCH
9850	----	----	----/2.284A	4.043B/2.284A	----	2.696 -	1.879 .2727	----	----	----	----	38 UNCH
9875	----	----	----/2.250A	3.979B/2.250A	----	2.653 -	1.865 .2690	----	----	----	----	1 UNCH
9900	----	----	----/2.214A	4.013B/2.214A	----	2.613 -	1.847 .2655	----	----	----	----	31 UNCH
9925	----	----	----/2.180A	3.929B/2.180A	----	2.573 -	1.832 .2619	----	----	----	----	15 UNCH
9950	----	----	----/2.146A	3.878B/2.146A	----	2.534 -	1.815 .2585	----	----	----	----	1 UNCH
9975	----	----	----/2.113A	3.825B/2.113A	----	2.496 -	1.798 .2551	----	----	----	----	4 UNCH
10000	2.500	2.500	2.600/2.081A	3.804B/2.081A	----	2.457 -	1.783 .2516	----	----	305	----	1725 + 43
10025	----	----	----/2.050A	3.688B/2.050A	----	2.420 -	1.768 .2483	----	----	----	----	1 UNCH
10075	----	----	----/1.988A	3.615B/1.988A	----	2.348 -	1.736 .2418	----	----	----	----	21 UNCH
10100	2.860	2.860	2.860/1.958A	3.596B/1.958A	----	2.313 -	1.719 .2386	----	----	1	----	112 + 1
10125	----	----	----/1.928A	3.506B/1.928A	----	2.278 -	1.705 .2355	----	----	----	----	4 UNCH
10150	----	----	----/1.900A	3.478B/1.900A	----	2.243 -	1.691 .2323	----	----	----	----	32 UNCH
10200	----	----	----/1.844A	3.412B/1.844A	----	2.177 -	1.660 .2263	----	----	2	----	121 + 2
10250	----	----	----/1.789A	3.293B/1.789A	----	2.113 -	1.630 .2203	----	----	----	----	23 UNCH
10275	----	----	----/1.764A	3.213B/1.764A	----	2.082 -	1.615 .2175	----	----	----	----	6 UNCH
10300	----	----	----/1.737A	3.233B/1.737A	----	2.051 -	1.601 .2146	----	----	----	----	6 UNCH
10325	----	----	----/1.711A	3.121B/1.711A	----	2.020 -	1.587 .2117	----	----	----	----	1 UNCH
10350	----	----	----/1.686A	3.086B/1.686A	----	1.990 -	1.573 .2089	----	----	----	----	1 UNCH
10375	----	----	----/1.662A	3.084B/1.662A	----	1.961 -	1.559 .2062	----	----	----	----	18 UNCH
10400	----	----	----/1.638A	3.067B/1.638A	----	1.933 -	1.544 .2035	----	----	----	----	15 UNCH
10425	----	----	----/1.680A	2.952B/1.680A	----	1.904 -	1.531 .2008	----	----	----	----	2 UNCH
10450	----	----	----/1.592A	2.960B/1.592A	----	1.877 -	1.516 .1982	----	----	----	----	27 UNCH
10475	----	----	----/1.568A	2.914B/1.568A	----	1.849 -	1.503 .1956	----	----	----	----	25 UNCH
10500	1.750	1.750	1.750/1.545A	2.909B/1.545A	----	1.821 -	1.491 .1930	----	----	164	----	475 UNCH
10525	----	----	----/1.522A	2.838B/1.522A	----	1.795 -	1.477 .1905	----	----	----	----	2 UNCH
10550	----	----	----/1.582A	2.805B/1.582A	----	1.769 -	1.464 .1880	----	----	----	----	10 UNCH
10575	----	----	----/1.536A	2.665B/1.536A	----	1.744 -	1.450 .1856	----	----	----	----	1 UNCH
10600	2.645	2.645	2.645/1.459A	2.755B/1.459A	----	1.718 -	1.438 .1831	----	----	2	----	50 UNCH
10625	1.703	1.703	1.703/1.437A	2.697B/1.437A	----	1.694 -	1.425 .1807	----	----	1	----	2 + 1
10675	----	----	----/1.403A	2.642B/1.403A	----	1.645 -	1.400 .1760	----	----	----	----	9 UNCH
10700	----	----	----/1.377A	2.629B/1.377A	----	1.621 -	1.388 .1737	----	----	----	----	22 UNCH
10725	----	----	----/1.359A	2.556B/1.359A	----	1.598 -	1.375 .1715	----	----	----	----	4 UNCH
10750	----	----	----/1.338A	2.543B/1.338A	----	1.575 -	1.363 .1692	----	----	----	----	90 UNCH
10775	----	----	----/1.320A	2.490B/1.320A	----	1.553 -	1.351 .1671	----	----	----	----	9 UNCH
10800	----	----	----/1.301A	2.506B/1.301A	----	1.531 -	1.339 .1649	----	----	----	----	35 UNCH
10875	----	----	----/1.247A	2.365B/1.247A	----	1.467 -	1.303 .1586	----	----	----	----	15 UNCH
10900	----	----	----/1.302A	2.365B/1.302A	----	1.445 -	1.293 .1565	----	----	----	----	5 UNCH
10925	----	----	----/1.213A	2.316B/1.213A	----	1.425 -	1.282 .1545	----	----	----	----	1 UNCH
10950	----	----	----/1.251A	2.293B/1.251A	----	1.405 -	1.270 .1525	----	----	----	----	1 UNCH
10975	----	----	----/1.179A	2.259B/1.179A	----	1.385 -	1.259 .1505	----	----	----	----	1 UNCH
11000	2.300	2.300	2.300/1.095	2.300/1.095	----	1.366 -	1.248 .1486	----	----	217	----	1434 - 14
11025	----	----	----/1.147A	2.202B/1.147A	----	1.346 -	1.238 .1466	----	----	----	----	15 UNCH
11050	----	----	----/1.132A	2.160B/1.132A	----	1.328 -	1.226 .1448	----	----	----	----	7 UNCH
11075	----	----	----/1.116A	2.123B/1.116A	----	1.309 -	1.216 .1429	----	----	----	----	2 UNCH
11100	1.231	1.231	1.231/1.103A	2.134B/1.103A	----	1.291 -	1.205 .1411	----	----	1	----	15 + 1
11125	----	----	----/1.086A	2.067B/1.086A	----	1.273 -	1.195 .1393	----	----	----	----	2 UNCH
11150	----	----	----/1.071A	2.051B/1.071A	----	1.254 -	1.186 .1374	----	----	----	----	1 UNCH
11175	1.834	1.834	1.834/1.058A	2.025B/1.058A	----	1.237 -	1.176 .1357	----	----	1	----	2 + 1
11200	1.813	1.813	1.813/1.041A	2.022B/1.041A	----	1.220 -	1.165 .1339	----	----	1	----	10 - 1
11225	1.792	1.792	1.792/1.029A	1.972B/1.029A	----	1.203 -	1.155 .1322	----	----	2	----	6 + 2
11250	1.771	1.771	1.771/1.015A	1.947B/1.015A	----	1.187 -	1.145 .1306	----	----	2	----	12 + 2
11275	1.495	1.495	1.495/1.001A	1.898B/1.001A	----	1.170	NEW .1289	----	----	1	----	1 + 1
11300	1.724	1.724	1.724/0.990A	1.921B/0.990A	----	1.154 -	1.125 .1272	----	----	1	----	52 UNCH
11350	1.683	1.683	1.683/0.962A	1.832B/0.962A	----	1.123	NEW .1240	----	----	1	----	1 + 1
11400	----	----	----/0.937A	1.839B/0.937A	----	1.092 -	1.087 .1209	----	----	----	----	20 UNCH
11425	----	----	----/0.924A	1.793B/0.924A	----	1.077 -	1.079 .1193	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
11450	1.369	1.369	1.369/0.912A	1.774B/0.912A	----	1.062 - 1.070	.1178	----	----	1	----	4 + 1
11500	1.560	1.560	1.560/0.888A	1.750B/0.888A	----	1.034 - 1.051	.1149	----	----	81	125	386 + 95
11550	----	----	----/0.865A	1.687B/0.865A	----	1.006 - 1.034	.1120	----	----	----	----	2 UNCH
11575	----	----	----/0.854A	1.654B/0.854A	----	0.993 - 1.024	.1106	----	----	----	----	1 UNCH
11600	----	----	----/0.843A	1.663B/0.843A	----	0.979 - 1.016	.1092	----	----	----	----	10 UNCH
11625	----	----	----/0.832A	1.616B/0.832A	----	0.966 - 1.008	.1078	----	----	----	----	3 UNCH
11650	----	----	----/0.822A	1.598B/0.822A	----	0.953 - 0.999	.1065	----	----	----	----	24 UNCH
11675	----	----	----/0.811A	1.581B/0.811A	----	0.941 - 0.989	.1052	----	----	----	----	23 UNCH
11700	----	----	----/0.801A	1.569B/0.801A	----	0.928 - 0.982	.1038	----	----	----	----	23 UNCH
11725	----	----	----/0.793A	1.545B/0.793A	----	0.916 - 0.973	.1026	----	----	----	----	22 UNCH
11750	----	----	----/0.780A	1.529B/0.780A	----	0.904 - 0.965	.1013	----	----	----	----	22 UNCH
11775	----	----	----/0.771A	1.510B/0.771A	----	0.891 - 0.957	.1000	----	----	----	----	23 UNCH
11800	----	----	----/0.761A	1.514B/0.761A	----	0.879 - 0.950	.0987	----	----	----	----	3 UNCH
11875	----	----	----/0.733A	1.443B/0.733A	----	0.845 - 0.927	.0951	----	----	----	----	2 UNCH
11900	----	----	----/0.724A	1.444B/0.724A	----	0.834 - 0.918	.0939	----	----	----	----	2 UNCH
11925	----	----	----/0.715A	1.412B/0.715A	----	0.824 - 0.910	.0928	----	----	----	----	1 UNCH
11950	----	----	----/0.706A	1.396B/0.706A	----	0.813 - 0.903	.0917	----	----	----	----	1 UNCH
12000	1.250	1.250	1.296/0.689A	1.373B/0.689A	----	0.792 - 0.892	.0895	----	----	165	----	582 + 35
12150	----	----	----/0.641A	1.316B/0.641A	----	0.734 - 0.843	.0832	----	----	----	----	1 UNCH
12200	----	----	----/0.628A	1.288B/0.628A	----	0.714 - 0.831	.0811	----	----	----	----	14 UNCH
12225	----	----	----/0.619A	1.282B/0.619A	----	0.706 - 0.823	.0802	----	----	----	----	16 UNCH
12250	----	----	----/0.613A	1.260B/0.613A	----	0.697 - 0.816	.0792	----	----	----	----	6 UNCH
12275	----	----	----/0.605A	1.216B/0.605A	----	0.688 - 0.810	.0783	----	----	----	----	1 UNCH
12300	----	----	----/0.598A	1.238B/0.598A	----	0.680 - 0.802	.0774	----	----	----	----	13 UNCH
12325	----	----	----/0.588A	1.187B/0.588A	----	0.671 - 0.796	.0764	----	----	----	----	1 UNCH
12375	----	----	----/0.574A	1.207B/0.574A	----	0.655 - 0.782	.0747	----	----	----	----	2 UNCH
12425	----	----	----/0.561A	1.180B/0.561A	----	0.639 - 0.768	.0729	----	----	----	----	3 UNCH
12450	----	----	----/0.555A	1.168B/0.555A	----	0.631 - 0.762	.0720	----	----	----	----	1 UNCH
12475	----	----	----/0.548A	1.147B/0.548A	----	0.623 - 0.756	.0712	----	----	----	----	3 UNCH
12500	1.250	1.250	1.250/0.542A	1.250/0.542A	----	0.616 - 0.750	.0704	----	----	34	----	118 - 7
12575	----	----	----/0.527A	1.103B/0.527A	----	0.594 - 0.731	.0680	----	----	----	----	2 UNCH
12600	----	----	----/0.519A	1.092B/0.519A	----	0.587 - 0.724	.0672	----	----	----	----	6 UNCH
12700	----	----	----/0.496A	1.046B/0.496A	----	0.560 - 0.700	.0642	----	----	1	----	1 UNCH
12725	----	----	----/0.494A	1.039B/0.494A	----	0.552 - 0.696	.0634	----	----	----	----	2 UNCH
12800	----	----	----/0.476A	1.004B/0.476A	----	0.533 - 0.678	.0612	----	----	----	----	1 UNCH
13000	0.856	0.856	0.920/0.452A	0.923B/0.452A	----	0.486 - 0.633	.0560	----	----	18	----	418 + 9
14000	0.585	0.585	0.585/0.311A	0.624B/0.311A	----	0.316 - 0.452	.0367	----	----	6	----	863 - 2
14700	0.458	0.458	0.458/0.313A	0.459B/0.313A	----	0.243 - 0.359	.0282	----	----	1	----	11 UNCH
15000	0.480	0.480	0.480/0.228	0.480/0.228	----	0.217 - 0.329	.0251	----	----	16	----	773 + 16
16000	----	----	----/0.233A	0.252B/0.233A	----	0.158 - 0.249	.0181	----	----	----	----	746 UNCH
17000	----	----	----/0.192A	0.178B/0.192A	----	0.120 - 0.198	.0136	----	----	----	----	22 UNCH
18000	----	----	----/0.167A	0.117B/0.167A	----	0.095 - 0.163	.0106	----	----	----	----	260 UNCH
19000	----	----	----/0.143A	0.069B/0.143A	----	0.077 - 0.140	.0085	----	----	----	----	78 UNCH
20000	----	----	----/0.090A	0.090B/0.090A	----	0.065 - 0.122	.0070	----	----	----	----	1178 UNCH
21000	----	----	----/0.147A	0.010B/0.147A	----	0.056 - 0.109	.0059	----	----	----	----	427 UNCH
24000	----	----	----	0.001B/0.127A	----	0.042 - 0.076	.0042	----	----	----	----	131 UNCH
25000	0.044	0.044	0.047/0.044	0.047/0.044	----	0.040 - 0.066	.0039	----	----	3	----	396 + 3
27000	----	----	----/0.070A	0.001B/0.070A	----	0.031 - 0.053	.0030	----	----	----	----	5 UNCH
30000	----	----	----	0.001B/0.060A	----	0.022 - 0.037	.0020	----	----	----	----	23 UNCH
32000	----	----	----	0.001B/0.050A	----	0.017 - 0.029	.0016	----	----	----	----	4 UNCH
35000	0.019	0.019	0.026/0.017A	0.026/0.017A	----	0.011 - 0.020	.0010	----	----	2	----	93 + 2
TOTAL										1593	225	24280 - 10
AUG26												
5000	----	----	----/35.685A	37.174B/35.685A	----	36.020 - 4.089	.9802	----	----	----	----	2 UNCH
5400	----	----	----/31.986A	33.166B/31.986A	----	32.104 - 4.113	.9708	----	----	----	----	2 UNCH
5500	----	----	----/31.060A	32.180B/31.060A	----	31.137 - 4.117	.9676	----	----	----	----	1 UNCH
6300	----	----	----/23.201A	25.189B/23.201A	----	23.681 - 4.082	.9197	----	----	----	----	7 UNCH
6450	----	----	----/22.573A	23.186B/22.573A	----	22.361 - 4.059	.9056	----	----	----	----	1 UNCH
6500	----	----	----/22.028A	22.698B/22.028A	----	21.927 - 4.050	.9005	----	----	----	----	2 UNCH
6600	----	----	----/21.289A	21.746B/21.289A	----	21.071 - 4.031	.8897	----	----	----	----	4 UNCH
6800	----	----	----/19.069A	20.793B/19.069A	----	19.405 - 3.986	.8657	----	----	----	----	7 UNCH
6875	----	----	----/19.123A	19.323B/19.123A	----	18.797 - 3.967	.8559	----	----	----	----	5 UNCH
7000	----	----	----/18.151A	18.270B/18.151A	----	17.806 - 3.933	.8386	----	----	----	----	1 UNCH
7025	----	----	----/17.975A	18.061B/17.975A	----	17.611 - 3.926	.8350	----	----	----	----	5 UNCH
7050	----	----	----/17.787A	17.860B/17.787A	----	17.418 - 3.919	.8313	----	----	----	----	4 UNCH
7100	----	----	----/16.718A	17.459B/16.718A	----	17.036 - 3.902	.8238	----	----	----	----	2 UNCH
7200	----	----	----/15.988A	16.687B/15.988A	----	16.287 - 3.868	.8083	----	----	----	----	1 UNCH
7250	----	----	----/15.630A	16.299B/15.630A	----	15.921 - 3.850	.8002	----	----	----	----	3 UNCH
7300	----	----	----/15.279A	15.918B/15.279A	----	15.560 - 3.831	.7919	----	----	----	----	1 UNCH
7400	----	----	----/14.593A	15.831B/14.593A	----	14.857 - 3.789	.7749	----	----	----	----	2 UNCH
7425	----	----	----/14.342A	15.910B/14.342A	----	14.685 - 3.779	.7706	----	----	----	----	14 UNCH
7475	----	----	----/14.013A	15.555B/14.013A	----	14.345 - 3.757	.7618	----	----	----	----	6 UNCH
7500	----	----	----/13.814A	15.468B/13.814A	----	14.178 - 3.744	.7573	----	----	----	----	36 UNCH
7550	----	----	----/13.607A	14.808B/13.607A	----	13.848 - 3.721	.7483	----	----	----	----	4 UNCH
7600	----	----	----/13.183A	14.792B/13.183A	----	13.523 - 3.698	.7392	----	----	----	----	27 UNCH
7625	----	----	----/13.074A	14.536B/13.074A	----	13.364 - 3.685	.7345	----	----	----	----	18 UNCH
7700	----	----	----/12.625A	14.042B/12.625A	----	12.895 - 3.645	.7205	----	----	----	----	18 UNCH
7750	----	----	----/12.384A	13.530B/12.384A	----	12.589 - 3.619	.7111	----	----	----	----	1 UNCH
7800	----	----	----/12.045A	13.405B/12.045A	----	12.291 - 3.592	.7016	----	----	----	----	11 UNCH
7850	----	----	----/11.806A	12.923B/11.806A	----	11.998 - 3.564	.6920	----	----	----	----	2 UNCH
7900	----	----	----/11.184A	12.629B/11.184A	----	11.712 - 3.536	.6823	----	----	----	----	1 UNCH
7925	----	----	----/11.391A	12.484B/11.391A	----	11.571 - 3.522	.6775	----	----	----	----	0 UNCH
7950	----	----	----/10.922A	12.498B/10.922A	----	11.433 - 3.506	.6726	----	----	----	----	9 UNCH
7975	----	----	----/11.122A	12.200B/11.122A	----	11.295 - 3.492	.6678	----	----	----	----	1 UNCH
8000	----	----	----/10.667A	12.313B/10.667A	----	11.159 - 3.478	.6629	----	----	1	----	48 - 1
8050	----	----	----/10.418A	11.798B/10.418A	----	10.893 - 3.446	.6531	----	----	----	----	4 UNCH
8100	----	----	----/10.174A	11.651B/10.174A	----	10.632 - 3.416	.6434	----	----	----	----	13 UNCH
8150	----	----	----/9.938A	11.381B/9.938A	----	10.377 - 3.386	.6336	----	----	----	----	22 UNCH
8200	----	----	----/9.708A	10.998B/9.708A	----	10.129 - 3.355	.6238	----	----	----	----	4 UNCH
8225	----	----	----/9.875A	10.880B/9.875A	----	10.006 - 3.341	.6189	----	----	----	----	2 UNCH
8250	----	----	----/9.483A	11.072B/9.483A	----	9.886 - 3.325	.6141	----	----	1	----	208 + 1
8300	----	----	----/9.265A	10.812B/9.265A	----	9.650 - 3.292	.6044	----	----	----	----	16 UNCH
8350	----	----	----/9.051A	10.570B/9.051A	----	9.419 - 3.261	.5947	----	----	----	----	1 UNCH
8375	----	----	----/9.197A	10.149B/9.197A	----	9.307 - 3.244	.5899	----	----	----	----	1 UNCH
8400	----	----	----/8.638A	10.329B/8.638A	----	9.195 - 3.229	.5850	----	----	----	----	16 UNCH
8450	----	----	----/8.571A	10.094B/8.571A	----	8.975 - 3.198	.5755	----	----	----	----	17 UNCH
8500	----	----	----/8.433A	9.870B/8.433A	----	8.762 - 3.166	.5660	----	----	----	----	26 UNCH
8550	----	----	----/8.243A	9.645B/8.243A	----	8.554 - 3.134	.5565	----	----	----	----	16 UNCH
8600	----	----	----/8.051A	9.852B/8.051A	----	8.352 - 3.102	.5471	----	----	----	----	228 UNCH
8650	----	----	----/7.880A	9.196B/7.880A	----	8.155 - 3.070	.5379	----	----	----	----	1 UNCH
8700	8.900	8.900	8.900/7.694A	9.444B/7.694A	----	7.963 - 3.037	.5287	----	----	2	----	31 + 2
8750	----	----	----/7.548A	8.784B/7.548A	----	7.777 - 3.005	.5196	----	----	1	----	5 + 1
8775	----	----	----/7.196A	8.641B/7.196A	----	7.686 - 2.989	.5152	----	----	----	----	2 UNCH
8825	----	----	----/7.023A	8.643B/7.023A	----	7.506 - 2.958	.5062	----	----	----	----	1 UNCH
8850	----	----	----/7.206A	8.645B/7.206A	----	7.419 - 2.941	.5018	----	----	----	----	5 UNCH
8875	8.748	8.748	8.748/6.824A	8.748/6.824A	----	7.332 NEW	.4974	----	----	2	----	2 + 2
8900	----	----	----/7.050A	8.278B/7.050A	----	7.247 - 2.910	.4931	----	----	----	----	17 UNCH
8925	8.569	8.569	8.569/6.676A	8.580B/6.676A	----	7.162 NEW	.4888	----	----	3	----	3 + 3
8950	----	----	----/6.898A	8.045B/6.898A	----	7.079 - 2.879	.4845	----	----	----	----	6 UNCH
8975	----	----	----/6.565A	8.404B/6.565A	----	6.998 - 2.863	.4802	----	----	----	----	1 UNCH
9000	----	----	----/6.598A	7.894B/6.598A	----	6.917 - 2.848	.4760	----	----	----	----	255 UNCH
9025	----	----	----/6.391A	8.234B/6.391A	----	6.837 - 2.833	.4717	----	----	----	----	2 UNCH
9050	----	----	----/6.609A	7.801B/6.609A	----	6.758 - 2.818	.4676	----	----	----	----	6 UNCH
9075	----	----	----/6.258A	8.063B/6.258A	----	6.681 - 2.802	.4634	----	----	----	----	2 UNCH
9100	----	----	----/6.317A	7.665B/6.317A	----	6.605 - 2.787	.4593	----	----	----	----	87 UNCH
9125	----	----	----/6.128A	7.708B/6.128A	----	6.530 - 2.771	.4552	----	----	----	----	0 UNCH
9150	----	----	----/6.337A	7.472B/6.337A	----	6.455 - 2.757	.4512	----	----	----	----	6 UNCH
9175	----	----	----/5.973A	7.538B/5.973A	----	6.382 - 2.741	.4472	----	----	----	----	1 UNCH
9200	----	----	----/6.219A	7.571B/6.219A	----	6.310 - 2.726	.4432	----	----	----	----	9 UNCH
9225	----	----	----/5.854A	7.539B/5.854A	----	6.239 - 2.710	.4392	----	----	----	----	1 UNCH
9250	----	----	----/6.086A	7.482B/6.086A	----	6.169 - 2.695	.4353	----	----	----	----	27 UNCH
9275	----	----	----/5.808A	7.534B/5.808A	----	6.100 - 2.680	.4314	----	----	----	----	1 UNCH
9300	----	----	----/5.963A	7.586B/5.963A	----	6.031 - 2.666	.4276	----	----	----	----	6 UNCH
9350	----	----	----/5.843A	7.397B/5.843A	----	5.897 - 2.637	.4200	----	----	----	----	1 UNCH
9375	----	----	----/5.567A	7.296B/5.567A	----	5.832 - 2.621	.4162	----	----	----	----	1 UNCH
9400	----	----	----/5.569A	7.598B/5.569A	----	5.768 - 2.607	.4125	----	----	----	----	133 UNCH
9450	----	----	----/5.519A	7.263B/5.519A	----	5.641 - 2.579	.4051	----	----	----	----	20 UNCH
9500	----	----	----/5.351A	7.330B/5.351A	----	5.518 - 2.554	.3979	----	----	2	----	51 - 1
9575	----	----	----/5.112A	6.835B/5.112A	----	5.340 - 2.509	.3873	----	----	----	----	1 UNCH
9700	----	----	----/4.921A	6.802B/4.921A	----	5.060 - 2.439	.3704	----	----	----	----	97 UNCH
9725	----	----	----/4.851A	6.421B/4.851A	----	5.005 - 2.427	.3670	----	----	----	----	1 UNCH
9775	----	----	----/4.737A	6.256B/4.737A	----	4.900 - 2.400	.3605	----	----	----	----	1 UNCH
9900	4.674	4.674	4.674/4.644A	6.068B/4.644A	----	4.648 - 2.336	.3448	----	----	4	----	7 + 4
9950	----	----	----/4.541A	5.798B/4.541A	----	4.552 - 2.311	.3387	----	----	----	----	3 UNCH
10000	----	----	----/4.366A	6.014B/4.366A	----	4.459 - 2.287	.3328	----	----	1	----	360 UNCH
10200	----	----	----/4.090A	5.335B/4.090A	----	4.108 - 2.194	.3100	----	----	----	----	4 UNCH
10250	----	----	----/4.015A	5.197B/4.015A	----	4.025 - 2.172	.3046	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
10275	----	----	----/3.721A	5.097B/3.721A	----	3.985 - 2.161	.3020	----	----	----	----	20 UNCH
10300	----	----	----/3.940A	5.116B/3.940A	----	3.945 - 2.149	.2993	----	----	----	----	22 UNCH
10325	3.811	3.811	3.811/3.763A	5.039B/3.763A	----	3.905 - 2.140	.2967	----	----	9	----	8 + 7
10350	----	----	----/3.702A	5.009B/3.702A	----	3.867 - 2.128	.2941	----	----	----	----	1 UNCH
10375	----	----	----/3.699A	4.939B/3.699A	----	3.828 - 2.118	.2915	----	----	----	----	1 UNCH
10400	----	----	----/3.799A	4.990B/3.799A	----	3.789 - 2.109	.2890	----	----	----	----	2 UNCH
10475	----	----	----/3.536A	4.737B/3.536A	----	3.678 - 2.077	.2815	----	----	----	----	3 UNCH
10500	----	----	----/3.620A	4.975B/3.620A	----	3.642 - 2.068	.2791	----	----	----	----	71 UNCH
10650	----	----	----/3.475A	4.471B/3.475A	----	3.433 - 2.009	.2649	----	----	----	----	1 UNCH
10675	----	----	----/3.279A	4.416B/3.279A	----	3.400 - 1.999	.2626	----	----	----	----	1 UNCH
10700	----	----	----/3.399A	4.481B/3.399A	----	3.367 - 1.990	.2604	----	----	----	----	1 UNCH
10775	----	----	----/3.079A	4.237B/3.079A	----	3.271 - 1.961	.2537	----	----	----	----	3 UNCH
10800	----	----	----/3.098A	4.319B/3.098A	----	3.239 - 1.953	.2515	----	----	----	----	4 UNCH
10825	----	----	----/3.089A	4.174B/3.089A	----	3.208 - 1.944	.2494	----	----	----	----	3 UNCH
10875	----	----	----/3.000A	4.084B/3.000A	----	3.146 - 1.927	.2451	----	----	----	----	5 UNCH
10975	----	----	----/2.886A	3.960B/2.886A	----	3.028 - 1.891	.2369	----	----	----	----	1 UNCH
11000	----	----	----/3.005A	4.193B/3.005A	----	3.000 - 1.882	.2349	----	----	----	----	253 UNCH
11075	----	----	----/2.787A	3.832B/2.787A	----	2.916 - 1.856	.2290	----	----	----	----	2 UNCH
11100	----	----	----/2.914A	3.818B/2.914A	----	2.888 - 1.848	.2270	----	----	----	----	20 UNCH
11200	----	----	----/2.809A	3.746B/2.809A	----	2.781 - 1.814	.2194	----	----	----	----	2 UNCH
11225	----	----	----/2.629A	3.616B/2.629A	----	2.755 - 1.806	.2176	----	----	----	----	1 UNCH
11275	----	----	----/2.541A	3.547B/2.541A	----	2.705 - 1.788	.2140	----	----	----	----	6 UNCH
11400	----	----	----/2.621A	3.484B/2.621A	----	2.582 - 1.746	.2052	----	----	----	----	2 UNCH
11475	----	----	----/2.395A	3.303B/2.395A	----	2.512 - 1.722	.2001	----	----	----	----	1 UNCH
11500	2.663	2.663	2.663/2.506	3.502B/2.506	----	2.489 - 1.714	.1985	----	----	6	----	106 UNCH
11575	----	----	----/2.330A	3.185B/2.330A	----	2.422 - 1.688	.1936	----	----	----	----	1 UNCH
11700	----	----	----/2.123A	3.102B/2.123A	----	2.314 - 1.647	.1857	----	----	----	----	2 UNCH
11850	----	----	----/2.271A	2.845B/2.271A	----	2.194 - 1.595	.1768	----	----	----	----	1 UNCH
12000	----	----	----/2.035A	2.932B/2.035A	----	2.080 - 1.546	.1684	----	----	----	----	36 UNCH
12025	----	----	----/1.974A	2.847B/1.974A	----	2.062 - 1.538	.1671	----	----	52	----	52 UNCH
12050	----	----	----/2.128A	2.837B/2.128A	----	2.044 - 1.530	.1657	----	----	----	----	208 UNCH
12100	----	----	----/2.081A	2.707B/2.081A	----	2.009 - 1.513	.1631	----	----	----	----	1 UNCH
12500	----	----	----/1.831A	2.523B/1.831A	----	1.752 - 1.383	.1437	----	----	----	----	156 UNCH
12700	----	----	----/1.653A	2.211B/1.653A	----	1.640 - 1.319	.1350	----	----	----	----	1 UNCH
12725	----	----	----/1.507A	2.209B/1.507A	----	1.627 - 1.311	.1340	----	----	----	----	1 UNCH
12800	----	----	----/1.676A	2.115B/1.676A	----	1.587 - 1.288	.1310	----	----	----	----	2 UNCH
13000	2.050	2.050	2.050/1.528A	2.154B/1.528A	----	1.498 - 1.236	.1238	----	----	673	----	1804 - 557
14000	----	----	----/1.162A	1.400B/1.162A	----	1.100 - 1.060	.0924	----	----	----	----	17 UNCH
15000	0.870	0.870	0.870/0.697	1.161B/0.697	----	0.836 - 0.852	.0709	----	----	10	----	97 UNCH
16000	----	----	----/0.638A	0.755B/0.638A	----	0.653 - 0.658	.0556	----	----	----	----	10 UNCH
17000	0.720	0.720	0.720/0.489A	0.720/0.489A	----	0.521 - 0.500	.0445	----	----	699	----	1734 - 570
18000	----	----	----/0.458A	0.406B/0.458A	----	0.425 - 0.390	.0362	----	----	----	----	7 UNCH
19000	----	----	----/0.383A	0.313B/0.383A	----	0.353 - 0.304	.0300	----	----	----	----	2 UNCH
20000	0.300	0.300	0.300/0.270	0.300/0.270	----	0.297 - 0.239	.0252	----	----	8	----	222 + 1
25000	----	----	----/0.196A	0.101B/0.196A	----	0.158 - 0.089	.0130	----	----	----	----	4 UNCH
27000	----	----	----/*0.177A	0.041B/0.177A	----	0.128 - 0.072	.0104	----	----	----	----	6 UNCH
30000	----	----	----	0.001B/2.623A	----	0.100 - 0.056	.0080	----	----	----	----	14 UNCH
32000	----	----	----	0.057B/2.580A	----	0.077 - 0.045	.0062	----	----	----	----	3 UNCH
35000	----	----	----	0.032B/2.524A	----	0.055 - 0.033	.0044	----	----	----	----	4 UNCH
TOTAL										1474	0	6905 - 1108
SEP26												
5100	----	----	----/35.186A	36.088B/35.186A	----	35.159 - 4.097	.9665	----	----	----	----	1 UNCH
5900	----	----	----/28.019A	28.357B/28.019A	----	27.729 - 4.098	.9247	----	----	----	----	2 UNCH
6000	----	----	----/27.169A	27.443B/27.169A	----	26.837 - 4.089	.9174	----	----	----	----	7 UNCH
6700	----	----	----/21.615A	21.280B/21.615A	----	20.945 - 3.946	.8495	----	----	----	----	1 UNCH
7000	----	----	----/18.443A	19.427B/18.443A	----	18.682 - 3.867	.8105	----	----	----	----	273 UNCH
7125	----	----	----/17.577A	18.500B/17.577A	----	17.801 - 3.841	.7926	----	----	----	----	75 UNCH
7300	----	----	----/16.421A	17.586B/16.421A	----	16.624 - 3.793	.7663	----	----	----	----	145 UNCH
7400	----	----	----/15.788A	16.930B/15.788A	----	15.978 - 3.751	.7508	----	----	----	----	104 UNCH
7500	----	----	----/15.180A	16.275B/15.180A	----	15.353 - 3.708	.7351	----	----	----	----	4 UNCH
7550	----	----	----/14.882A	15.987B/14.882A	----	15.048 - 3.687	.7271	----	----	----	----	2 UNCH
7700	----	----	----/14.021A	15.091B/14.021A	----	14.168 - 3.619	.7028	----	----	----	----	1 UNCH
8000	----	----	----/12.167A	13.438B/12.167A	----	12.554 - 3.476	.6534	----	----	----	----	268 UNCH
8100	----	----	----/11.699A	12.927B/11.699A	----	12.059 - 3.426	.6369	----	----	----	----	1 UNCH
8200	----	----	----/11.258A	12.774B/11.258A	----	11.586 - 3.374	.6205	----	----	----	----	25 UNCH
8300	----	----	----/10.835A	12.305B/10.835A	----	11.133 NEW	.6042	----	----	1	----	1 + 1
8400	----	----	----/10.315A	11.807B/10.315A	----	10.701 - 3.267	.5880	----	----	----	----	10 UNCH
8500	----	----	----/10.044A	11.375B/10.044A	----	10.289 - 3.211	.5720	----	----	1	----	234 UNCH
8600	----	----	----/9.644A	10.954B/9.644A	----	9.896 - 3.155	.5563	----	----	----	----	63 UNCH
8675	----	----	----/9.593A	10.496B/9.593A	----	9.613 - 3.112	.5447	----	----	----	----	5 UNCH
8700	----	----	----/9.295A	10.544B/9.295A	----	9.521 - 3.098	.5409	----	----	----	----	102 UNCH
8800	----	----	----/8.999A	10.154B/8.999A	----	9.164 - 3.040	.5258	----	----	3	----	10 + 3
8900	8.792	8.792	8.792/8.684A	9.796B/8.684A	----	8.824 NEW	.5111	----	----	4	----	4 + 4
8925	----	----	----/8.744A	9.426B/8.744A	----	8.741 - 2.969	.5075	----	----	----	----	2 UNCH
8950	----	----	----/8.531A	9.615B/8.531A	----	8.660 - 2.954	.5039	----	----	----	----	2 UNCH
9000	9.750	9.750	9.800/8.347A	9.800/8.347A	----	8.500 - 2.925	.4967	----	----	5	----	210 UNCH
9100	----	----	----/8.061A	9.069B/8.061A	----	8.191 - 2.868	.4827	----	----	----	----	12 UNCH
9400	----	----	----/7.282A	8.147B/7.282A	----	7.349 - 2.701	.4429	----	----	----	----	20 UNCH
9500	----	----	----/7.045A	8.804B/7.045A	----	7.094 - 2.647	.4304	----	----	----	----	269 UNCH
9600	----	----	----/6.851A	7.598B/6.851A	----	6.850 - 2.595	.4183	----	----	----	----	25 UNCH
9750	----	----	----/6.531A	7.180B/6.531A	----	6.505 - 2.518	.4008	----	----	----	----	23 UNCH
9800	----	----	----/6.400A	7.968B/6.400A	----	6.395 - 2.493	.3952	----	----	----	----	132 UNCH
9900	----	----	----/6.232A	7.719B/6.232A	----	6.181 - 2.446	.3841	----	----	----	----	52 UNCH
10000	7.500	7.500	7.500/5.420	7.500/5.420	----	5.976 - 2.399	.3734	----	----	5	----	491 + 5
10100	----	----	----/5.837A	7.091B/5.837A	----	5.779 - 2.355	.3629	----	----	----	----	56 UNCH
10200	----	----	----/5.648A	6.174B/5.648A	----	5.590 - 2.312	.3529	----	----	----	----	28 UNCH
10300	----	----	----/5.473A	5.981B/5.473A	----	5.409 - 2.270	.3431	----	----	----	----	25 UNCH
10400	----	----	----/5.303A	5.786B/5.303A	----	5.234 - 2.230	.3336	----	----	----	----	1 UNCH
10500	----	----	----/5.140A	6.392B/5.140A	----	5.066 - 2.192	.3244	----	----	2	----	231 + 2
10800	----	----	----/4.684A	5.060B/4.684A	----	4.600 - 2.085	.2984	----	----	----	----	2 UNCH
11000	----	----	----/4.415A	5.446B/4.415A	----	4.318 - 2.019	.2824	----	----	2	----	252 UNCH
11100	----	----	----/4.287A	4.609B/4.287A	----	4.185 - 1.988	.2748	----	----	----	----	3 UNCH
11300	----	----	----/4.046A	4.866B/4.046A	----	3.934 - 1.927	.2603	----	----	----	----	60 UNCH
11500	----	----	----/3.838A	4.757B/3.838A	----	3.701 - 1.870	.2466	----	----	----	----	100 UNCH
12000	3.277	3.277	3.277/3.277	4.134B/3.277	----	3.189 - 1.736	.2159	----	----	13	----	191 + 9
12500	----	----	----/2.931A	3.461B/2.931A	----	2.764 - 1.610	.1898	----	----	----	----	40 UNCH
13000	----	----	----/2.583A	3.155B/2.583A	----	2.409 - 1.490	.1674	----	----	1	----	202 + 1
14000	----	----	----/2.118A	2.433B/2.118A	----	1.858 - 1.269	.1317	----	----	----	----	275 UNCH
15000	2.370	2.370	2.370/1.500	2.370/1.500	----	1.459 - 1.075	.1050	----	----	15	----	425 - 2
16000	----	----	----/1.535A	1.066B/1.535A	----	1.165 - 0.905	.0849	----	----	2	----	17 UNCH
17000	----	----	----/1.129A	0.801B/1.129A	----	0.944 - 0.758	.0694	----	----	----	----	27 UNCH
18000	----	----	----/0.853A	0.684B/0.853A	----	0.776 - 0.632	.0575	----	----	2	----	5 + 1
19000	----	----	----/0.729A	0.642B/0.729A	----	0.646 - 0.526	.0481	----	----	----	----	14 UNCH
20000	----	----	----/0.633A	0.625B/0.633A	----	0.546 - 0.438	.0408	----	----	----	----	308 UNCH
21000	----	----	----/*0.554A	0.483B/0.554A	----	0.468 - 0.365	.0351	----	----	----	----	1 UNCH
23000	----	----	----/*0.440A	0.329B/0.440A	----	0.348 - 0.286	.0262	----	----	----	----	44 UNCH
25000	0.400	0.400	0.400/0.363A	0.400/0.363A	----	0.271 - 0.230	.0204	----	----	2	----	39 + 2
26000	----	----	----/*0.332A	0.202B/0.332A	----	0.245 - 0.209	.0184	----	----	----	----	1 UNCH
30000	----	----	----/0.252A	0.105B/0.252A	----	0.176 - 0.155	.0130	----	----	----	----	18 UNCH
35000	----	----	----	0.045B/0.244A	----	0.088 - 0.087	.0067	----	----	----	----	27 UNCH
TOTAL										58	0	4968 + 26
OCT26												
7000	----	----	----/20.050A	19.753B/20.050A	----	20.132 - 3.899	.8022	----	----	----	----	2 UNCH
7100	----	----	----/19.385A	20.360B/19.385A	----	19.446 - 3.871	.7892	----	----	----	----	1 UNCH
7500	----	----	----/16.915A	17.797B/16.915A	----	16.904 - 3.743	.7340	----	----	----	----	2 UNCH
7650	----	----	----/16.070A	16.913B/16.070A	----	16.035 - 3.687	.7124	----	----	----	----	1 UNCH
7875	----	----	----/14.884A	15.644B/14.884A	----	14.817 - 3.595	.6796	----	----	----	----	2 UNCH
8000	----	----	----/13.910A	15.005B/13.910A	----	14.184 - 3.541	.6614	----	----	----	----	4 UNCH
8075	----	----	----/13.911A	14.612B/13.911A	----	13.819 - 3.506	.6504	----	----	----	----	1 UNCH
8275	----	----	----/13.011A	13.670B/13.011A	----	12.897 - 3.411	.6214	----	----	----	----	2 UNCH
8500	----	----	----/11.751A	13.022B/11.751A	----	11.946 - 3.298	.5894	----	----	----	----	1 UNCH
8700	----	----	----/11.063A	12.155B/11.063A	----	11.173 - 3.193	.5618	----	----	----	----	4 UNCH
9000	----	----	----/10.078A	11.027B/10.078A	----	10.131 - 3.031	.5223	----	----	----	----	1 UNCH
9100	----	----	----/9.780A	10.685B/9.780A	----	9.812 - 2.977	.5097	----	----	----	----	73 UNCH
9500	----	----	----/8.699A	9.400B/8.699A	----	8.660 - 2.771	.4622	----	----	----	----	120 UNCH
10000	----	----	----/7.551A	8.092B/7.551A	----	7.457 - 2.539	.4092	----	----	----	----	96 UNCH
10500	----	----	----/6.663A	6.982B/6.663A	----	6.463 - 2.343	.3630	----	----	----	----	1 UNCH
11000	----	----	----/5.857A	6.068B/5.857A	----	5.636 - 2.175	.3228	----	----	----	----	8 UNCH
11100	----	----	----/5.705A	5.903B/5.705A	----	5.488 - 2.144	.3154	----	----	----	----	2 UNCH
11500	----	----	----/5.173A	5.307B/5.173A	----	4.944 - 2.027	.2878	----	----	----	----	9 UNCH
11700	----	----	----/4.925A	5.016B/4.925A	----	4.698 - 1.972	.2752	----	----	----	----	2 UNCH
12000	----	----	----/4.585A	4.632B/4.585A	----	4.358 - 1.892	.2574	----	----	----	----	75 UNCH
13000	----	----	----/3.665A	3.633B/3.665A	----	3.428 - 1.640	.2075	----	----	----	----	92 UNCH
14000	----	----	----/2.975A	2.886B/2.975A	----	2.739 - 1.413	.1692	----	----	----	----	2 UNCH
15000	----	----	----/2.532A	2.313B/2.532A	----	2.223 - 1.214	.1395	----	----	----	----	178 UNCH
16000	----	----	----/2.228A	1.807B/2.228A	----	1.836 - 1.047	.1165	----	----	----	----	40 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
OCT26												
17000	----	----	----/1.969A	1.346B/1.969A	----	1.497 -	0.902 .0967	----	----	----	----	120 UNCH
18000	----	----	----/1.606A	0.962B/1.606A	----	1.237 -	0.782 .0810	----	----	----	----	340 UNCH
20000	----	----	----/1.026A	0.945B/1.026A	----	0.881 -	0.602 .0588	----	----	----	----	192 UNCH
TOTAL											0	1371 0
NOV26												
6500	----	----	----	----/48.950A	----	24.379 -	3.968 .8459	----	----	----	----	1 UNCH
7000	----	----	----/20.929A	21.680B/20.929A	----	20.847 -	3.853 .7887	----	----	----	----	14 UNCH
7100	----	----	----/20.298A	21.021B/20.298A	----	20.197 -	3.825 .7763	----	----	----	----	14 UNCH
7500	----	----	----/17.956A	18.582B/17.956A	----	17.786 -	3.700 .7248	----	----	----	----	1 UNCH
7900	----	----	----/15.482A	16.374B/15.482A	----	15.678 -	3.552 .6717	----	----	----	----	16 UNCH
8000	----	----	----/15.067A	15.909B/15.067A	----	15.196 -	3.513 .6584	----	----	----	----	10 UNCH
8200	----	----	----/14.201A	15.334B/14.201A	----	14.285 -	3.429 .6321	----	----	----	----	6 UNCH
9000	----	----	----/11.325A	12.215B/11.325A	----	11.266 -	3.056 .5328	----	----	----	----	1 UNCH
9550	----	----	----/9.817A	10.332B/9.817A	----	9.667 -	2.794 .4729	----	----	----	----	3 UNCH
9800	----	----	----/9.231A	9.664B/9.231A	----	9.040 -	2.681 .4481	----	----	----	----	3 UNCH
10000	----	----	----/8.800A	9.137B/8.800A	----	8.576 -	2.595 .4293	----	----	----	----	24 UNCH
11000	----	----	----/7.025A	7.085B/7.025A	----	6.666 -	2.230 .3478	----	----	----	----	4 UNCH
12000	----	----	----/5.666A	5.573B/5.666A	----	5.286 -	1.947 .2845	----	----	----	----	13 UNCH
12500	----	----	----/5.118A	4.964B/5.118A	----	4.744 -	1.826 .2584	----	----	----	----	10 UNCH
13000	----	----	----/4.673A	4.452B/4.673A	----	4.281 -	1.714 .2356	----	----	----	----	1 UNCH
14000	----	----	----/3.892A	3.629B/3.892A	----	3.549 -	1.501 .1981	----	----	----	----	2 UNCH
15000	----	----	----/3.283A	2.983B/3.283A	----	3.018 -	1.289 .1697	----	----	----	----	6 UNCH
16000	----	----	----	0.438B/5.756A	----	2.630 -	1.073 .1480	----	----	----	----	14 UNCH
17000	----	----	----	0.002B/5.359A	----	2.341 -	0.858 .1313	----	----	----	----	2 UNCH
20000	----	----	----	0.924B/2.985A	----	1.828 -	0.294 .1000	----	----	----	----	32 UNCH
21000	----	----	----	1.066B/2.515A	----	1.727 -	0.151 .0934	----	----	----	----	1 UNCH
30000	----	----	----	0.425B/1.859A	----	1.470 +	0.595 .0701	----	----	----	----	4 UNCH
TOTAL											0	182 0
DEC26												
3875	----	----	----	----	----	48.094 -	4.112 .9805	----	----	----	----	1 UNCH
5000	----	----	----	----	----	37.342 -	4.119 .9465	----	----	----	----	30 UNCH
5250	----	----	----	11.167B/57.399A	----	35.068 -	4.121 .9342	----	----	----	----	50 UNCH
5500	----	----	----	8.643B/55.662A	----	32.855 -	4.120 .9196	----	----	----	----	1 UNCH
6500	----	----	----	----/54.148A	----	24.811 -	4.047 .8358	----	----	----	----	600 UNCH
6900	----	----	----/22.346A	22.792B/22.346A	----	22.042 -	3.970 .7920	----	----	----	----	1 UNCH
6950	----	----	----/22.032A	22.462B/22.032A	----	21.716 -	3.958 .7862	----	----	----	----	220 UNCH
7000	----	----	----/21.721A	22.137B/21.721A	----	21.395 -	3.946 .7804	----	----	----	----	120 UNCH
7025	----	----	----/21.567A	21.976B/21.567A	----	21.236 -	3.939 .7774	----	----	----	----	1 UNCH
7075	----	----	----/21.261A	21.623B/21.261A	----	20.921 -	3.927 .7715	----	----	----	----	5 UNCH
7100	----	----	----/21.102A	21.502B/21.102A	----	20.766 -	3.920 .7685	----	----	----	----	15 UNCH
7375	----	----	----/19.510A	19.838B/19.510A	----	19.132 -	3.838 .7351	----	----	----	----	2 UNCH
7500	----	----	----/18.831A	19.125B/18.831A	----	18.436 -	3.796 .7196	----	----	----	----	18 UNCH
7575	----	----	----/18.434A	18.693B/18.434A	----	18.032 -	3.770 .7102	----	----	----	----	1 UNCH
7750	----	----	----/17.547A	17.763B/17.547A	----	17.129 -	3.704 .6884	----	----	----	----	2 UNCH
7800	----	----	----/17.284A	17.517B/17.284A	----	16.881 -	3.685 .6821	----	----	----	----	1 UNCH
7925	----	----	----/16.693A	16.895B/16.693A	----	16.279 -	3.635 .6665	----	----	----	----	2 UNCH
8000	----	----	----/15.961A	16.529B/15.961A	----	15.932 -	3.603 .6572	----	----	----	----	133 UNCH
8100	----	----	----/15.532A	16.057B/15.532A	----	15.482 -	3.562 .6449	----	----	----	----	1 UNCH
8200	----	----	----/15.113A	16.055B/15.113A	----	15.049 -	3.519 .6326	----	----	----	----	21 UNCH
8400	----	----	----/14.325A	15.176B/14.325A	----	14.231 -	3.429 .6084	----	----	----	----	50 UNCH
8500	----	----	----/13.952A	14.758B/13.952A	----	13.844 -	3.384 .5965	----	----	----	----	150 UNCH
8550	----	----	----/13.769A	14.555B/13.769A	----	13.656 -	3.361 .5907	----	----	----	----	25 UNCH
8600	----	----	----/13.592A	14.355B/13.592A	----	13.472 -	3.337 .5848	----	----	----	----	7 UNCH
8800	----	----	----/12.912A	13.592B/12.912A	----	12.769 -	3.244 .5620	----	----	----	----	5 UNCH
8900	----	----	----/12.590A	13.231B/12.590A	----	12.437 -	3.197 .5510	----	----	----	----	27 UNCH
8950	----	----	----/12.434A	13.054B/12.434A	----	12.275 -	3.174 .5455	----	----	----	----	1 UNCH
9000	----	----	----/12.280A	12.874B/12.280A	----	12.117 -	3.151 .5401	----	----	----	----	249 UNCH
9050	----	----	----/12.130A	12.752B/12.130A	----	11.961 -	3.128 .5348	----	----	----	----	100 UNCH
9100	----	----	----/11.982A	12.540B/11.982A	----	11.809 -	3.104 .5295	----	----	1	----	16 UNCH
9300	----	----	----/11.419A	11.916B/11.419A	----	11.225 -	3.012 .5090	----	----	----	----	15 UNCH
9500	----	----	----/10.896A	11.315B/10.896A	----	10.682 -	2.921 .4893	----	----	----	----	10 UNCH
9700	----	----	----/10.410A	10.733B/10.410A	----	10.175 -	2.832 .4705	----	----	----	----	1 UNCH
9800	----	----	----/10.179A	10.467B/10.179A	----	9.934 -	2.789 .4614	----	----	----	----	56 UNCH
9900	----	----	----/9.957A	10.210B/9.957A	----	9.700 -	2.746 .4525	----	----	----	----	4 UNCH
10000	9.500	9.500	9.500/9.499A	9.961B/9.499A	----	9.473 -	2.705 .4438	----	----	27	----	839 + 4
10025	----	----	----/9.854A	9.539B/9.854A	----	9.418 -	2.694 .4417	----	----	----	----	3 UNCH
10500	----	----	----/8.770A	8.834B/8.770A	----	8.435 -	2.508 .4031	----	----	2	----	100 + 2
10600	----	----	----/8.594A	8.630B/8.594A	----	8.245 -	2.472 .3955	----	----	----	----	6 UNCH
10800	----	----	----/8.258A	8.251B/8.258A	----	7.882 -	2.401 .3808	----	----	----	----	5 UNCH
11000	----	----	----/7.915A	7.871B/7.915A	----	7.539 -	2.336 .3668	----	----	----	----	94 UNCH
11350	----	----	----/7.435A	7.276B/7.435A	----	6.986 -	2.231 .3437	----	----	----	----	5 UNCH
11800	----	----	----/6.840A	6.594B/6.840A	----	6.356 -	2.116 .3167	----	----	----	----	25 UNCH
12000	6.254	6.254	6.254/6.198	6.315B/6.198	----	6.103 -	2.071 .3057	----	----	42	----	637 + 20
12200	----	----	----/6.350A	6.052B/6.350A	----	5.864 -	2.031 .2951	----	----	----	----	1 UNCH
12500	----	----	----/6.041A	5.681B/6.041A	----	5.531 -	1.974 .2802	----	----	2	----	51 UNCH
13000	5.012	5.012	5.013/5.012	5.121B/5.012	----	5.033 -	1.884 .2576	----	----	12	----	383 + 12
13500	----	----	----/*5.084A	4.624B/*5.084A	----	4.594 -	1.797 .2373	----	----	----	----	6 UNCH
14000	----	----	----/4.660A	4.180B/4.660A	----	4.206 -	1.712 .2191	----	----	----	----	96 UNCH
14200	----	----	----/4.535A	4.016B/4.535A	----	4.063 -	1.679 .2123	----	----	----	----	1 UNCH
15000	----	----	----/4.009A	3.451B/4.009A	----	3.553 -	1.549 .1878	----	----	9	----	1851 - 7
16000	----	----	----/3.458A	2.853B/3.458A	----	3.029 -	1.395 .1622	----	----	9	----	1609 - 7
17000	----	----	----/3.114A	2.437B/3.114A	----	2.603 -	1.252 .1411	----	----	----	----	50 UNCH
18000	----	----	----/2.857A	1.974B/2.857A	----	2.253 -	1.120 .1234	----	----	----	----	83 UNCH
19000	----	----	----/2.621A	1.559B/2.621A	----	1.962 -	1.001 .1085	----	----	----	----	1 UNCH
20000	2.100	2.100	2.100/2.100	2.100/2.100	----	1.721 -	0.893 .0959	----	----	1	26	434 UNCH
21000	----	----	----/2.263A	1.000B/2.263A	----	1.520 -	0.797 .0853	----	----	----	----	4 UNCH
22000	----	----	----/2.048A	0.790B/2.048A	----	1.352 -	0.714 .0764	----	----	----	----	1 UNCH
23000	----	----	----/1.516A	0.900B/1.516A	----	1.212 -	0.643 .0688	----	----	----	----	40 UNCH
25000	----	----	----/1.167A	0.704B/1.167A	----	0.997 -	0.529 .0569	----	----	----	----	235 UNCH
30000	----	----	----/0.822A	0.467B/0.822A	----	0.680 -	0.352 .0389	----	----	----	----	110 UNCH
40000	----	----	----/0.523A	0.301B/0.523A	----	0.422 -	0.205 .0236	----	----	----	----	23 UNCH
90000	----	----	----	0.003B/0.400A	----	0.140 -	0.087 .0073	----	----	----	----	2 UNCH
100000	0.210	0.210	#0.210/0.210	#0.210/0.210	----	0.121	NEW .0062	----	----	5	----	5 + 5
TOTAL										110	26	8641 + 29
JAN27												
7550	----	----	----/20.127A	20.098B/20.127A	----	19.570 -	3.628 .7172	----	----	----	----	2 UNCH
7650	----	----	----/19.570A	19.560B/19.570A	----	19.041 -	3.595 .7057	----	----	----	----	5 UNCH
8300	----	----	----/16.079A	16.904B/16.079A	----	15.980 -	3.367 .6315	----	----	----	----	22 UNCH
10000	----	----	----/10.980A	11.164B/10.980A	----	10.535 -	2.771 .4629	----	----	----	----	6 UNCH
11000	9.850	9.850	9.850/8.350	9.850/8.350	----	8.551 -	2.470 .3888	----	----	10	----	21 + 10
12500	----	----	----/7.082A	6.663B/7.082A	----	6.508 -	2.090 .3056	----	----	----	----	1 UNCH
13000	----	----	----/6.565A	6.063B/6.565A	----	5.974 -	1.975 .2831	----	----	----	----	7 UNCH
14000	----	----	----/5.641A	5.046B/5.641A	----	5.061 -	1.762 .2441	----	----	----	----	1 UNCH
14500	----	----	----/5.244A	4.613B/5.244A	----	4.675 -	1.664 .2273	----	----	----	----	400 UNCH
15000	5.904	5.904	#5.904/4.887A	#5.904/4.887A	----	4.331 -	1.573 .2121	----	----	1	----	401 + 1
TOTAL										11	0	866 + 11
FEB27												
7500	----	----	----/21.047A	20.896B/21.047A	----	20.441 -	3.626 .7196	----	----	----	----	1 UNCH
8500	----	----	----/16.019A	16.710B/16.019A	----	15.888 -	3.358 .6118	----	----	----	----	4 UNCH
9000	----	----	----/14.342A	14.853B/14.342A	----	14.116 -	3.193 .5615	----	----	----	----	1 UNCH
9500	----	----	----/12.927A	13.230B/12.927A	----	12.623 -	3.016 .5155	----	----	----	----	4 UNCH
30000	----	----	----/*1.304A	0.738B/1.304A	----	0.943 -	0.467 .0501	----	----	----	----	1 UNCH
TOTAL											0	11 0
MAR27												
8000	----	----	----/19.306A	18.933B/19.306A	----	18.617 -	3.497 .6652	----	----	----	----	200 UNCH
9000	----	----	----/15.589A	14.962B/15.589A	----	14.845 -	3.166 .5667	----	----	----	----	36 UNCH
9200	----	----	----/14.974A	14.309B/14.974A	----	14.221 -	3.098 .5488	----	----	----	----	25 UNCH
13000	----	----	----/*7.969A	7.051B/7.969A	----	7.256 -	2.033 .3131	----	----	----	----	105 UNCH
14000	----	----	----/*6.961A	6.000B/6.961A	----	6.281 -	1.839 .2753	----	----	----	----	105 UNCH
15000	----	----	----/*6.133A	5.214B/6.133A	----	5.485 -	1.672 .2437	----	----	20	----	28 + 20
16000	----	----	----/*5.457A	4.523B/5.457A	----	4.824 -	1.529 .2169	----	----	20	----	28 + 20
30000	----	----	----/1.503A	1.047B/1.503A	----	1.641 -	0.698 .0763	----	----	----	----	2 UNCH
TOTAL										40	0	529 + 40
MAY27												
11000	----	----	----	----	----	11.687 -	1.914 .4412	----	----	----	----	1 UNCH
TOTAL											0	1 0
JUL27												
2000	----	----	----	----	----	68.780 -	4.199 .9978	----	----	----	----	1 UNCH
10000	----	----	----	----	----	15.335 -	2.245 .5229	----	----	----	----	1 UNCH
10300	----	----	----	----	----	14.680 -	2.169 .5042	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	50.692 - 4.029	.9444	----	----	----	----	1 UNCH
20000	----	----	----	----	----	8.848 - 1.230	.2801	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
JUN26												
2100	----	----	----	----/0.003A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
2350	----	----	----	----/0.005A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
2500	----	----	----	----/0.005A	----	0.001 UNCH	----	----	----	----	----	141 UNCH
2650	----	----	----	----/0.300A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
3000	----	----	----	0.001B/0.010A	----	0.001 - 0.001	.0000	----	----	----	----	246 UNCH
3075	----	----	----	----/0.045A	----	0.001 - 0.001	.0000	----	----	----	----	4 UNCH
3100	----	----	----	----/0.045A	----	0.001 - 0.001	.0000	----	----	----	----	3 UNCH
3150	----	----	----	----/0.045A	----	0.002 - 0.001	.0001	----	----	----	----	9 UNCH
3200	----	----	----	----/0.045A	----	0.002 - 0.001	.0001	----	----	----	----	4 UNCH
3325	----	----	----	----/0.045A	----	0.003 UNCH	.0002	----	----	----	----	2 UNCH
3350	----	----	----	----/0.045A	----	0.003 - 0.001	.0002	----	----	----	----	1 UNCH
3375	----	----	----	----/0.045A	----	0.003 - 0.001	.0002	----	----	----	----	1 UNCH
3400	----	----	----	----/0.045A	----	0.003 - 0.001	.0002	----	----	----	----	17 UNCH
3500	----	----	----	----/0.015A	----	0.004 UNCH	.0003	----	----	----	----	100 UNCH
3550	----	----	----	----/0.046A	----	0.004 - 0.001	.0003	----	----	----	----	5 UNCH
3575	----	----	----	----/0.046A	----	0.004 - 0.001	.0003	----	----	----	----	22 UNCH
3600	----	----	----	----/0.045A	----	0.004 - 0.001	.0003	----	----	----	----	6 UNCH
3650	----	----	----	----/0.046A	----	0.004 - 0.001	.0003	----	----	----	----	22 UNCH
3675	----	----	----	----/0.046A	----	0.005 UNCH	.0004	----	----	----	----	1 UNCH
3700	----	----	----	----/0.046A	----	0.005 - 0.001	.0004	----	----	----	----	6 UNCH
3725	----	----	----	----/0.047A	----	0.005 - 0.001	.0004	----	----	----	----	15 UNCH
3800	----	----	----	----/0.047A	----	0.006 UNCH	.0005	----	----	----	----	14 UNCH
3850	----	----	----	----/0.048A	----	0.006 - 0.001	.0006	----	----	----	----	2 UNCH
3900	----	----	----	----/0.048A	----	0.006 - 0.001	.0006	----	----	----	----	6 UNCH
3925	----	----	----	----/0.048A	----	0.006 - 0.001	.0006	----	----	----	----	3 UNCH
4000	----	----	----	----/0.022A	----	0.007 - 0.001	.0007	----	----	----	----	153 UNCH
4075	----	----	----	----/0.050A	----	0.008 UNCH	.0008	----	----	----	----	1 UNCH
4100	----	----	----	----/0.051A	----	0.008 UNCH	.0008	----	----	----	----	31 UNCH
4125	----	----	----	----/0.051A	----	0.008 - 0.001	.0008	----	----	----	----	5 UNCH
4150	----	----	----	----/0.052A	----	0.008 - 0.001	.0008	----	----	----	----	4 UNCH
4200	----	----	----	----/0.052A	----	0.009 - 0.001	.0009	----	----	----	----	26 UNCH
4225	----	----	----	----/0.053A	----	0.009 - 0.001	.0009	----	----	----	----	7 UNCH
4250	----	----	----	----/0.053A	----	0.009 - 0.001	.0009	----	----	----	----	5 UNCH
4275	----	----	----	----/0.054A	----	0.010 - 0.001	.0010	----	----	----	----	13 UNCH
4300	----	----	----	----/0.055A	----	0.010 - 0.001	.0011	----	----	----	----	7 UNCH
4350	----	----	----	----/0.056A	----	0.011 UNCH	.0012	----	----	----	----	2 UNCH
4375	----	----	----	----/0.056A	----	0.011 - 0.001	.0012	----	----	----	----	3 UNCH
4400	----	----	----	----/0.057A	----	0.011 - 0.001	.0012	----	----	----	----	8 UNCH
4425	----	----	----	----/0.057A	----	0.011 - 0.001	.0012	----	----	----	----	1 UNCH
4500	----	----	----	----/0.022A	----	0.012 - 0.001	.0013	----	----	----	----	164 UNCH
4550	----	----	----	----/0.061A	----	0.013 - 0.001	.0015	----	----	----	----	2 UNCH
4600	----	----	----	----/0.062A	----	0.013 - 0.001	.0015	----	----	----	----	7 UNCH
4625	----	----	----	----/0.063A	----	0.014 - 0.001	.0016	----	----	----	----	12 UNCH
4650	----	----	----	----/0.063A	----	0.014 - 0.001	.0016	----	----	----	----	1 UNCH
4700	----	----	----	----/0.065A	----	0.015 - 0.001	.0018	----	----	----	----	2 UNCH
4725	----	----	----	----/0.066A	----	0.015 - 0.001	.0018	----	----	----	----	10 UNCH
4750	----	----	----	----/0.066A	----	0.015 - 0.001	.0018	----	----	----	----	3 UNCH
4800	----	----	----	----/0.068A	----	0.016 - 0.001	.0019	----	----	----	----	27 UNCH
4850	----	----	----	----/0.070A	----	0.017 - 0.001	.0021	----	----	----	----	3 UNCH
4875	----	----	----	----/0.070A	----	0.017 - 0.001	.0021	----	----	----	----	15 UNCH
4900	----	----	----	----/0.072A	----	0.017 - 0.001	.0021	----	----	----	----	171 UNCH
4975	----	----	----	----/0.075A	----	0.018 - 0.001	.0023	----	----	----	----	1 UNCH
5000	0.018	0.018	0.018/0.018	0.018/0.018	----	0.019 - 0.001	.0024	----	----	1	----	1077 + 1
5025	----	----	----	----/0.076A	----	0.019 - 0.001	.0024	----	----	----	----	8 UNCH
5050	----	----	----	----/0.077A	----	0.020 UNCH	.0026	----	----	----	----	3 UNCH
5075	----	----	----	----/0.079A	----	0.020 - 0.001	.0026	----	----	----	----	2 UNCH
5100	----	----	----	----/0.080A	----	0.020 - 0.001	.0026	----	----	----	----	34 UNCH
5125	----	----	----	----/0.081A	----	0.021 - 0.001	.0028	----	----	----	----	1 UNCH
5150	----	----	----	----/0.082A	----	0.021 - 0.001	.0028	----	----	----	----	16 UNCH
5175	----	----	----	----/0.083A	----	0.021 - 0.001	.0028	----	----	----	----	12 UNCH
5200	0.019	0.019	0.019/*0.019	0.019/*0.019	----	0.022 - 0.001	.0029	----	----	1	----	7 UNCH
5225	----	----	----	----/0.086A	----	0.022 - 0.001	.0030	----	----	----	----	1 UNCH
5250	----	----	----	----/0.087A	----	0.022 - 0.001	.0030	----	----	----	----	14 UNCH
5275	----	----	----	----/0.088A	----	0.023 UNCH	.0032	----	----	----	----	17 UNCH
5300	----	----	----	----/0.076A	----	0.023 - 0.001	.0032	----	----	----	----	14 UNCH
5325	----	----	----	----/0.091A	----	0.024 UNCH	.0033	----	----	----	----	10 UNCH
5350	----	----	----	----/0.092A	----	0.024 UNCH	.0034	----	----	----	----	12 UNCH
5375	----	----	----	----/0.093A	----	0.024 - 0.001	.0034	----	----	----	----	10 UNCH
5400	----	----	----	----/0.095A	----	0.025 UNCH	.0036	----	----	----	----	24 UNCH
5425	----	----	----	----/0.096A	----	0.025 - 0.001	.0036	----	----	----	----	4 UNCH
5450	----	----	----	----/0.097A	----	0.026 UNCH	.0037	----	----	----	----	2 UNCH
5475	----	----	----	----/0.098A	----	0.026 - 0.001	.0038	----	----	----	----	13 UNCH
5500	----	----	----/*0.020A	0.015B/*0.020A	----	0.026 - 0.001	.0038	----	----	----	----	643 UNCH
5525	----	----	----	0.001B/0.101A	----	0.027 - 0.001	.0040	----	----	----	----	16 UNCH
5550	----	----	----	0.001B/0.102A	----	0.027 - 0.001	.0040	----	----	----	----	10 UNCH
5575	----	----	----	0.001B/0.104A	----	0.028 - 0.001	.0042	----	----	----	----	2 UNCH
5600	----	----	----	0.001B/0.105A	----	0.028 - 0.002	.0042	----	----	----	----	19 UNCH
5625	----	----	----	0.001B/0.105A	----	0.029 - 0.001	.0044	----	----	----	----	2 UNCH
5650	----	----	----	0.001B/0.106A	----	0.029 - 0.002	.0044	----	----	----	----	51 UNCH
5675	----	----	----	0.001B/0.108A	----	0.029 - 0.002	.0045	----	----	----	----	21 UNCH
5700	----	----	----	0.002B/0.108A	----	0.030 - 0.002	.0047	----	----	----	----	243 UNCH
5725	----	----	----	0.001B/0.109A	----	0.030 - 0.002	.0047	----	----	----	----	4 UNCH
5750	----	----	----	0.001B/0.110A	----	0.031 - 0.002	.0049	----	----	----	----	226 UNCH
5775	----	----	----	0.001B/0.111A	----	0.031 - 0.003	.0050	----	----	----	----	9 UNCH
5800	0.020	0.020	0.020/*0.020	0.020/*0.020	----	0.032 - 0.002	.0051	----	----	1	----	79 - 1
5825	----	----	----	0.001B/0.113A	----	0.032 - 0.003	.0052	----	----	----	----	9 UNCH
5850	----	----	----	0.001B/0.114A	----	0.033 - 0.003	.0054	----	----	----	----	6 UNCH
5875	----	----	----	0.001B/0.116A	----	0.034 - 0.002	.0056	----	----	----	----	14 UNCH
5900	----	----	----	0.025B/0.102A	----	0.034 - 0.003	.0056	----	----	3	----	41 - 3
5925	----	----	----	0.011B/0.119A	----	0.035 - 0.003	.0058	----	----	----	----	21 UNCH
5950	----	----	----	0.013B/0.120A	----	0.035 - 0.004	.0059	----	----	----	----	6 UNCH
5975	----	----	----	0.001B/0.121A	----	0.036 - 0.003	.0061	----	----	----	----	3 UNCH
6000	0.035	0.035	0.050/*0.035	0.050/*0.035	----	0.037 - 0.003	.0063	----	----	56	----	1166 - 13
6025	----	----	----	0.001B/0.124A	----	0.037 - 0.004	.0064	----	----	----	----	31 UNCH
6050	----	----	----	0.001B/0.125A	----	0.038 - 0.004	.0066	----	----	----	----	141 UNCH
6075	----	----	----	0.001B/0.126A	----	0.039 - 0.004	.0068	----	----	----	----	31 UNCH
6100	----	----	----	0.001B/0.104A	----	0.040 - 0.003	.0071	----	----	2	----	106 - 2
6125	----	----	----	0.001B/0.123A	----	0.041 - 0.003	.0073	----	----	----	----	3 UNCH
6150	----	----	----	0.001B/0.123A	----	0.041 - 0.004	.0074	----	----	----	----	14 UNCH
6175	----	----	----	0.019B/0.122A	----	0.042 - 0.004	.0076	----	----	----	----	307 UNCH
6200	----	----	----	0.040B/0.062A	----	0.043 - 0.004	.0078	----	----	5	----	219 - 5
6225	----	----	----	0.010B/*0.082A	----	0.044 - 0.004	.0081	----	----	----	----	8 UNCH
6250	----	----	----	0.010B/0.066A	----	0.045 - 0.004	.0083	----	----	----	----	69 UNCH
6275	----	----	----	0.011B/*0.081A	----	0.046 - 0.004	.0086	----	----	----	----	3 UNCH
6300	----	----	----	0.012B/*0.066A	----	0.047 - 0.004	.0088	----	----	----	----	145 UNCH
6325	----	----	----	0.013B/*0.071A	----	0.048 - 0.005	.0091	----	----	----	----	18 UNCH
6350	----	----	----	0.025B/0.082A	----	0.050 - 0.004	.0095	----	----	----	----	31 UNCH
6375	----	----	----	0.026B/*0.082A	----	0.051 - 0.004	.0098	----	----	----	----	14 UNCH
6400	----	----	----	0.030B/0.078A	----	0.052 - 0.003	.0101	----	----	1	----	212 UNCH
6425	----	----	----	0.014B/*0.077A	----	0.054 - 0.002	.0105	----	----	----	----	46 UNCH
6450	----	----	----	0.013B/0.090A	----	0.055 - 0.003	.0108	----	----	----	----	61 UNCH
6475	----	----	----	0.029B/0.092A	----	0.057 - 0.002	.0112	----	----	----	----	88 UNCH
6500	0.064	0.064	0.064/0.064	0.064/0.064	----	0.058 - 0.002	.0115	----	----	2	----	539 - 1
6525	----	----	----/*0.061A	0.027B/*0.061A	----	0.060 - 0.002	.0120	----	----	----	----	37 UNCH
6550	----	----	----	0.013B/0.081A	----	0.062 - 0.002	.0125	----	----	1	----	233 UNCH
6575	----	----	----	0.013B/*0.098A	----	0.064 - 0.001	.0130	----	----	----	----	6 UNCH
6600	----	----	----	0.012B/0.087A	----	0.066 - 0.001	.0135	----	----	----	----	132 UNCH
6625	----	----	----	0.035B/*0.105A	----	0.068 UNCH	.0140	----	----	----	----	20 UNCH
6650	----	----	----	0.043B/0.110A	----	0.070 UNCH	.0145	----	----	----	----	37 UNCH
6675	----	----	----	0.013B/0.093A	----	0.073 + 0.001	.0152	----	----	----	----	28 UNCH
6700	----	----	----	0.051B/0.113A	----	0.075 + 0.001	.0157	----	----	----	----	140 UNCH
6725	----	----	----	0.020B/0.095A	----	0.078 + 0.002	.0164	----	----	----	----	40 UNCH
6750	----	----	----	0.024B/0.119A	----	0.081 + 0.003	.0172	----	----	----	----	55 UNCH
6775	----	----	----	0.027B/0.122A	----	0.084 + 0.004	.0179	----	----	----	----	3 UNCH
6800	0.110	0.110	0.110/0.100	0.110/0.098A	----	0.087 + 0.005	.0187	----	----	8	----	113 + 6
6825	----	----	----	0.067B/0.103A	----	0.090 + 0.006	.0194	----	----	----	----	1 UNCH
6850	----	----	----	0.073B/0.103A	----	0.094 + 0.008	.0204	----	----	----	----	74 UNCH
6875	----	----	----	0.078B/0.106A	----	0.098 + 0.010	.0213	----	----	----	----	5 UNCH
6900	----	----	----	0.081B/0.124A	----	0.102 + 0.011	.0223	----	----	----	----	89 UNCH
6925	----	----	----	0.086B/0.127A	----	0.106 + 0.012	.0233	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
6950	0.128	0.128	0.128/0.118A	0.128/0.118A	----	0.111 + 0.015	.0245	----	----	1	----	97 UNCH
6975	----	----	----	0.097B/0.120A	----	0.115 + 0.016	.0255	----	----	----	----	9 UNCH
7000	0.150	0.150	0.150/0.110A	0.150/0.110A	----	0.121 + 0.019	.0269	----	----	9	----	1017 + 1
7025	----	----	0.111B/----	0.111B/0.132A	----	0.126 + 0.020	.0282	----	----	----	----	23 UNCH
7050	----	----	0.119B/----	0.119B/0.149A	----	0.132 + 0.023	.0296	----	----	----	----	55 UNCH
7075	----	----	0.127B/----	0.127B/0.147A	----	0.138 + 0.026	.0311	----	----	----	----	50 UNCH
7100	0.125	0.125	0.150B/0.125	0.150B/0.125	----	0.145 + 0.030	.0328	----	----	9	----	93 + 4
7125	----	----	0.149B/----	0.149B/0.158A	----	0.152 + 0.033	.0345	----	----	----	----	19 UNCH
7150	0.150	0.150	0.161B/0.150	0.161B/0.150	----	0.160 + 0.037	.0363	----	----	2	----	62 UNCH
7175	----	----	0.171B/----	0.171B/0.162A	----	0.168 + 0.040	.0383	----	----	----	----	58 UNCH
7200	0.138	0.138	0.182B/*0.138	0.182B/*0.138	----	0.176 + 0.044	.0402	----	----	2	----	312 UNCH
7225	----	----	0.195B/----	0.195B/0.176A	----	0.186 + 0.049	.0425	----	----	----	----	10 UNCH
7250	----	----	0.208B/----	0.208B/0.181A	----	0.195 + 0.053	.0447	----	----	1	----	101 + 1
7275	----	----	0.223B/----	0.223B/0.189A	----	0.206 + 0.060	.0472	----	----	----	----	13 UNCH
7300	----	----	0.240B/----	0.240B/0.197A	----	0.217 + 0.065	.0498	----	----	----	----	103 UNCH
7325	----	----	0.266B/----	0.266B/0.205A	----	0.229 + 0.071	.0526	----	----	----	----	18 UNCH
7350	----	----	0.282B/----	0.282B/0.215A	----	0.241 + 0.076	.0554	----	----	----	----	41 UNCH
7375	----	----	0.299B/----	0.299B/0.224A	----	0.255 + 0.084	.0586	----	----	----	----	32 UNCH
7400	0.200	0.200	0.335/*0.200	0.335/*0.200	----	0.269 + 0.091	.0618	----	----	36	----	88 + 8
7425	----	----	0.336B/----	0.336B/0.245A	----	0.284 + 0.099	.0653	----	----	----	----	41 UNCH
7450	0.330	0.330	0.364B/0.300	0.364B/0.256A	----	0.301 + 0.107	.0690	----	----	7	----	64 - 7
7475	----	----	0.388B/----	0.388B/0.269A	----	0.318 + 0.116	.0729	----	----	----	----	20 UNCH
7500	0.300	0.300	0.412B/0.250	0.412B/0.250	----	0.336 + 0.125	.0769	----	----	33	----	531 - 17
7525	----	----	0.439B/----	0.439B/0.297A	----	0.356 + 0.135	.0813	----	----	----	----	9 UNCH
7550	0.440	0.440	0.466B/0.424	0.466B/0.311A	----	0.377 + 0.146	.0859	----	----	3	----	25 + 3
7575	0.466	0.466	0.495B/0.466	0.495B/0.326A	----	0.399 + 0.158	.0907	----	----	1	----	8 + 1
7600	0.350	0.350	0.531B/0.342A	0.531B/0.342A	----	0.423 + 0.170	.0958	----	----	3	----	80 + 1
7625	----	----	0.557B/----	0.557B/0.359A	----	0.448 + 0.182	.1011	----	----	----	----	4 UNCH
7650	0.583	0.583	0.601B/0.583	0.601B/0.377A	----	0.474 + 0.195	.1067	----	----	2	----	14 + 2
7675	----	----	0.636B/----	0.636B/0.397A	----	0.503 + 0.209	.1127	----	----	----	----	2 UNCH
7700	----	----	0.679B/----	0.679B/0.420A	----	0.533 + 0.225	.1189	----	----	1	----	97 UNCH
7725	----	----	0.714B/----	0.714B/0.444A	----	0.565 + 0.240	.1254	----	----	----	----	23 UNCH
7750	0.520	0.520	0.767B/0.464A	0.767B/0.464A	----	0.598 + 0.256	.1321	----	----	4	----	11 - 1
7775	0.520	0.520	0.810B/0.520	0.810B/0.488A	----	0.634 + 0.273	.1392	----	----	3	----	39 + 2
7800	0.500	0.500	0.870B/0.500	0.870B/0.500	----	0.672 + 0.292	.1466	----	----	20	----	103 + 11
7825	----	----	0.922B/----	0.922B/0.545A	----	0.712 + 0.310	.1544	----	----	----	----	13 UNCH
7850	----	----	0.976B/----	0.976B/0.572A	----	0.755 + 0.330	.1625	----	----	----	----	21 UNCH
7875	----	----	1.029B/----	1.029B/0.606A	----	0.800 + 0.351	.1709	----	----	----	----	20 UNCH
7900	0.690	0.690	1.101B/0.640A	1.101B/0.640A	----	0.847 + 0.365	.1796	----	----	19	----	137 + 3
7925	----	----	1.165B/----	1.165B/0.674A	----	0.897 + 0.395	.1887	----	----	----	----	16 UNCH
7950	----	----	1.233B/----	1.233B/0.711A	----	0.950 + 0.417	.1981	----	----	----	----	72 UNCH
7975	----	----	1.309B/----	1.309B/0.757A	----	1.005 + 0.441	.2077	----	----	1	----	6 UNCH
8000	0.700	0.700	1.386B/0.700	1.386B/0.700	----	1.063 + 0.466	.2177	----	----	131	----	919 + 2
8025	1.323	1.323	1.460B/1.323	1.460B/0.843A	----	1.124 + 0.492	.2280	----	----	1	----	125 - 1
8050	1.480	1.480	1.534B/1.480	1.534B/0.886A	----	1.189 + 0.519	.2387	----	----	9	----	18 + 7
8075	----	----	1.631B/----	1.631B/0.933A	----	1.256 + 0.547	.2496	----	----	----	----	3 UNCH
8100	1.120	1.120	1.755/1.120	1.755/0.981A	----	1.326 + 0.574	.2607	----	----	19	----	115 - 2
8125	----	----	1.811B/----	1.811B/1.029A	----	1.400 + 0.604	.2722	----	----	1	----	10 + 1
8150	----	----	1.888B/----	1.888B/1.084A	----	1.477 + 0.634	.2839	----	----	10	----	13 + 6
8175	----	----	1.989B/----	1.989B/1.137A	----	1.557 + 0.664	.2959	----	----	----	----	44 UNCH
8200	1.307	1.307	2.109B/1.268	2.109B/1.195A	----	1.641 + 0.696	.3080	----	----	54	----	171 + 26
8225	----	----	2.215B/----	2.215B/1.256A	----	1.728 + 0.728	.3204	----	----	----	----	8 UNCH
8250	1.397	1.397	2.323B/1.397	2.323B/1.320A	----	1.819 + 0.761	.3330	----	----	21	----	45 + 18
8275	----	----	2.420B/----	2.420B/1.382A	----	1.913 + 0.795	.3457	----	----	----	----	42 UNCH
8300	1.600	1.600	2.553B/1.600	2.553B/1.451A	----	2.010 + 0.828	.3586	----	----	21	----	27 + 5
8325	----	----	2.672B/----	2.672B/1.532A	----	2.112 + 0.864	.3717	----	----	----	----	2 UNCH
8350	1.811	1.811	2.788B/1.811	2.788B/1.605A	----	2.216 + 0.900	.3848	----	----	11	----	27 + 6
8375	----	----	2.927B/----	2.927B/1.673A	----	2.325 + 0.936	.3980	----	----	----	----	20 UNCH
8400	1.936	1.936	3.056B/1.820	3.056B/1.747A	----	2.436 + 0.975	.4113	----	----	57	----	118 + 1
8425	----	----	3.175B/----	3.175B/1.844A	----	2.552 + 1.010	.4247	----	----	----	----	64 UNCH
8450	2.876	2.876	3.296B/2.832	3.296B/1.923A	----	2.671 + 1.048	.4381	----	----	2	----	22 UNCH
8475	----	----	3.447B/----	3.447B/2.006A	----	2.793 + 1.086	.4515	----	----	----	----	4 UNCH
8500	2.200	2.200	3.601B/2.200	3.601B/2.089A	----	2.919 + 1.124	.4650	----	----	122	----	189 + 14
8525	----	----	3.726B/----	3.726B/2.184A	----	3.049 + 1.164	.4784	----	----	----	----	3 UNCH
8550	----	----	3.873B/----	3.873B/2.278A	----	3.182 + 1.209	.4917	----	----	----	----	3 UNCH
8575	2.815	2.815	4.051B/2.800	4.051B/2.377A	----	3.319 + 1.244	.5050	----	----	20	----	23 - 8
8600	2.760	2.760	4.180B/2.760	4.180B/2.466A	----	3.458 + 1.283	.5182	----	----	9	----	22 - 4
8625	2.620	2.620	4.305B/2.500	4.305B/2.500	----	3.601 + 1.323	.5314	----	----	33	----	21 UNCH
8650	2.835	2.835	4.472B/2.835	4.472B/2.689A	----	3.748 + 1.365	.5444	----	----	4	----	9 + 1
8675	3.254	3.254	4.539B/3.254	4.539B/2.793A	----	3.898 + 1.405	.5573	----	----	1	----	22 + 1
8700	3.286	3.286	4.630B/3.286	4.630B/2.878A	----	4.051 + 1.447	.5700	----	----	6	50	59 + 32
8725	3.335	3.335	4.648B/3.335	4.648B/3.015A	----	4.207 + 1.488	.5826	----	----	2	----	1 UNCH
8750	3.429	3.429	4.868B/3.429	4.868B/3.146A	----	4.367 + 1.530	.5951	----	----	5	----	37 + 2
8775	3.426	3.426	4.941B/3.426	4.941B/3.255A	----	4.529 + 1.572	.6073	----	----	4	----	6 + 3
8800	3.534	3.534	5.265B/3.534	5.265B/3.364A	----	4.695 + 1.615	.6193	----	----	5	----	24 + 3
8825	3.974	3.974	5.383B/3.974	5.383B/3.501A	----	4.864 + 1.658	.6312	----	----	1	----	15 UNCH
8850	----	----	5.564B/----	5.564B/3.638A	----	5.035 + 1.700	.6429	----	----	----	----	8 UNCH
8875	3.947	3.947	5.646B/3.947	5.646B/3.759A	----	5.209 NEW	.6543	----	----	1	----	1 + 1
8900	4.092	4.092	5.829B/4.092	5.829B/3.895A	----	5.386 + 1.786	.6655	----	----	2	----	3 UNCH
8925	----	----	6.015B/----	6.015B/4.040A	----	5.567 + 1.829	.6764	----	----	----	----	4 UNCH
8950	----	----	6.205B/----	6.205B/4.199A	----	5.749 + 1.873	.6872	----	----	----	----	1 UNCH
8975	----	----	6.395B/----	6.395B/4.326A	----	5.934 + 1.915	.6976	----	----	----	----	2 UNCH
9000	6.580	6.580	6.695B/6.580	6.695B/4.442A	----	6.121 + 1.960	.7079	----	----	7	----	119 + 1
9050	----	----	6.984B/----	6.984B/4.769A	----	6.504 + 2.073	.7276	----	----	----	----	3 UNCH
9075	----	----	7.184B/----	7.184B/4.916A	----	6.698 + 2.094	.7371	----	----	----	----	2 UNCH
9100	----	----	7.457B/----	7.457B/5.059A	----	6.895 + 2.133	.7463	----	----	----	----	6 UNCH
9125	----	----	7.590B/----	7.590B/5.236A	----	7.094 + 2.175	.7553	----	----	----	----	1 UNCH
9150	----	----	7.796B/----	7.796B/5.417A	----	7.296 + 2.264	.7639	----	----	----	----	1 UNCH
9175	----	----	8.004B/----	8.004B/5.580A	----	7.498 + 2.287	.7724	----	----	----	----	1 UNCH
9200	----	----	8.323B/----	8.323B/5.758A	----	7.703 + 2.346	.7806	----	----	----	----	80 UNCH
9325	----	----	9.283B/----	9.283B/6.793A	----	8.755 + 2.508	.8179	----	----	----	----	1 UNCH
9450	----	----	10.423B/----	10.423B/8.569A	----	9.846 + 2.702	.8492	----	----	----	----	6 UNCH
9500	10.800	10.800	10.950B/10.800	10.950B/8.981A	----	10.291 + 2.784	.8603	----	----	1	----	136 - 1
9525	----	----	11.079B/----	11.079B/9.241A	----	10.516 + 2.811	.8655	----	----	----	----	1 UNCH
9550	----	----	11.306B/----	11.306B/9.507A	----	10.742 + 2.846	.8705	----	----	----	----	1 UNCH
9575	----	----	11.537B/----	11.537B/9.680A	----	10.969 + 2.880	.8753	----	----	----	----	2 UNCH
9725	----	----	12.934B/----	12.934B/11.039A	----	12.349 + 3.070	.9008	----	----	----	----	1 UNCH
9825	----	----	13.881B/----	13.881B/11.935A	----	13.285 + 3.181	.9146	----	----	----	----	1 UNCH
9850	----	----	14.119B/----	14.119B/12.162A	----	13.521 + 3.207	.9177	----	----	----	----	1 UNCH
9900	----	----	14.597B/----	14.597B/12.638A	----	13.994 + 3.257	.9236	----	----	----	----	2 UNCH
9925	----	----	14.836B/----	14.836B/12.868A	----	14.232 + 3.282	.9263	----	----	----	----	1 UNCH
9950	----	----	15.075B/----	15.075B/13.099A	----	14.470 + 3.305	.9290	----	----	----	----	1 UNCH
10000	----	----	15.661B/----	15.661B/13.459A	----	14.947 + 3.349	.9340	----	----	----	----	97 UNCH
10025	----	----	15.800B/----	15.800B/13.775A	----	15.187 + 3.370	.9363	----	----	----	----	2 UNCH
10075	----	----	16.433B/----	16.433B/14.243A	----	15.667 + 3.410	.9408	----	----	----	----	1 UNCH
10100	----	----	16.527B/----	16.527B/14.423A	----	15.908 + 3.430	.9429	----	----	----	----	6 UNCH
10125	----	----	16.768B/----	16.768B/14.713A	----	16.150 + 3.449	.9448	----	----	----	----	1 UNCH
10150	----	----	17.011B/----	17.011B/14.910A	----	16.390 + 3.465	.9468	----	----	----	----	8 UNCH
10175	----	----	17.255B/----	17.255B/15.185A	----	16.632 + 3.482	.9487	----	----	----	----	2 UNCH
10200	----	----	17.599B/----	17.599B/15.331A	----	16.875 + 3.500	.9503	----	----	----	----	120 UNCH
10225	----	----	17.742B/----	17.742B/15.680A	----	17.118 + 3.517	.9520	----	----	----	----	1 UNCH
10325	----	----	18.721B/----	18.721B/16.635A	----	18.090 + 3.575	.9582	----	----	----	----	1 UNCH
10350	----	----	18.966B/----	18.966B/16.852A	----	18.334 + 3.589	.9596	----	----	----	----	1 UNCH
10375	----	----	19.212B/----	19.212B/17.115A	----	18.579 + 3.602	.9608	----	----	----	----	1 UNCH
10400	----	----	19.458B/----	19.458B/17.356A	----	18.823 + 3.614	.9622	----	----	----	----	1 UNCH
10500	----	----	20.445B/----	20.445B/18.306A	----	19.803 + 3.660	.9667	----	----	----	----	9 UNCH
10600	----	----	21.416B/----	21.416B/19.292A	----	20.786 + 3.701	.9707	----	----	----	----	5 UNCH
10825	----	----	23.656B/----	23.656B/21.454A	----	23.006 + 3.772	.9776	----	----	----	----	6 UNCH
10850	----	----	23.904B/----	23.904B/21.738A	----	23.253 + 3.778	.9783	----	----	----	----	4 UNCH
10875	----	----	24.152B/----	24.152B/21.980A	----	23.501 + 3.785	.9788	----	----	----	----	2 UNCH
10950	----	----	24.896B/----	24.896B/22.717A	----	24.244 + 3.804	.9804	----	----	----	----	3 UNCH
11000	----	----	25.392B/----	25.392B/23.163A	----	24.738 + 3.814	.9816	----	----	----	----	7 UNCH
11325	----	----	28.624B/----	28.624B/26.349A	----	27.967 + 3.872	.9866	----	----	----	----	1 UNCH
11500	----	----	30.365B/----	30.365B/28.100A	----	29.709 + 3.894	.9883	----	----	----	----	10 UNCH
11525	----	----	30.614B/----	30.614B/28.420A	----	29.958 + 3.897	.9886	----	----	----	----	1 UNCH
11675	----	----	32.109B/----	32.109B/29.831A	----	31.453 + 3.913	.9898	----	----	----	----	1 UNCH
11700	----	----	32.358B/----	32.358B/30.063A	----	31.702 + 3.915	.9900	----	----	----	----	1 UNCH
12000	----	----	35.449B/----	35.449B/32.988A	----	34.694 + 3.940	.9917	----	----	----	----	50 UNCH
12025	----	----	35.601B/----	35.601B/33.346A	----	34.944 + 3.942	.9918	----	----	----	----	1 UNCH
13000	----	----	43.798B/----	43.798B/43.019A	----	44.681 + 3.992	.9948	----	----	----	----	5 UNCH
TOTAL										798	50	14824 + 108
JUL26												
2000	----	----	----	----/0.011A	----	0.007 + 0.004	.0005	----	----	----	----	6 UNCH
2400	----	----	----	----/2.348A	----	0.011 + 0.008	.0008	----	----	----	----	10 UNCH
2650	----	----	----	----/0.075A	----	0.014 + 0.010	.0011	----	----	----	----	6 UNCH
3000	----	----	----	0.001B/0.035A	----	0.019 + 0.013	.0016	----	----	----	----	5 UNCH
3025	----	----	----	----/0.082A	----	0.019 + 0.012	.0016	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
3350	----	----	----	0.001B/0.092A	----	0.023 + 0.011	.0021	----	----	----	----	1 UNCH
3400	----	----	----	0.001B/0.093A	----	0.023 + 0.010	.0021	----	----	----	----	55 UNCH
3475	----	----	----	0.001B/0.096A	----	0.024 + 0.010	.0022	----	----	----	----	5 UNCH
3500	----	----	----	0.001B/0.097A	----	0.025 + 0.010	.0023	----	----	----	----	4 UNCH
3600	----	----	----	0.001B/0.101A	----	0.026 + 0.008	.0025	----	----	----	----	12 UNCH
3700	----	----	----	0.001B/0.105A	----	0.027 + 0.006	.0027	----	----	----	----	94 UNCH
3800	----	----	----	0.001B/0.110A	----	0.028 + 0.004	.0028	----	----	----	----	25 UNCH
3825	----	----	----	0.001B/0.111A	----	0.029 + 0.004	.0029	----	----	----	----	8 UNCH
3850	----	----	----	0.001B/0.113A	----	0.029 + 0.003	.0030	----	----	----	----	3 UNCH
3900	----	----	----	0.001B/0.115A	----	0.030 + 0.003	.0031	----	----	----	----	11 UNCH
3950	----	----	----	0.001B/0.118A	----	0.031 + 0.002	.0032	----	----	----	----	1 UNCH
4000	----	----	----	0.001B/0.051A	----	0.031 UNCH	.0033	----	----	----	----	70 UNCH
4075	----	----	----	0.001B/0.126A	----	0.033 UNCH	.0035	----	----	----	----	16 UNCH
4100	----	----	----	0.001B/0.128A	----	0.033 - 0.001	.0036	----	----	----	----	6 UNCH
4175	----	----	----	0.001B/0.133A	----	0.034 - 0.001	.0037	----	----	----	----	9 UNCH
4200	----	----	----	0.001B/0.134A	----	0.035 - 0.001	.0039	----	----	----	----	27 UNCH
4225	----	----	----	0.001B/0.136A	----	0.035 - 0.002	.0039	----	----	----	----	1 UNCH
4250	----	----	----	0.001B/0.137A	----	0.036 - 0.002	.0040	----	----	----	----	21 UNCH
4300	----	----	----	0.010B/0.140A	----	0.037 - 0.002	.0042	----	----	----	----	98 UNCH
4325	----	----	----	0.001B/0.141A	----	0.038 - 0.002	.0043	----	----	----	----	17 UNCH
4375	----	----	----	0.001B/0.145A	----	0.039 - 0.002	.0045	----	----	----	----	32 UNCH
4400	----	----	----	0.001B/0.146A	----	0.039 - 0.003	.0045	----	----	----	----	29 UNCH
4450	----	----	----	0.001B/0.149A	----	0.041 - 0.002	.0048	----	----	----	----	4 UNCH
4475	----	----	----	0.001B/0.151A	----	0.041 - 0.003	.0048	----	----	----	----	16 UNCH
4500	----	----	----	0.010B/0.152A	----	0.042 - 0.003	.0049	----	----	----	----	300 UNCH
4575	----	----	----	0.001B/0.155A	----	0.044 - 0.003	.0053	----	----	----	----	75 UNCH
4600	0.079	0.079	0.079/0.079	0.079/0.079	----	0.045 - 0.003	.0054	----	----	1	----	101 - 1
4650	----	----	----	0.001B/0.158A	----	0.047 - 0.002	.0057	----	----	----	----	40 UNCH
4675	----	----	----	0.001B/0.159A	----	0.048 - 0.002	.0058	----	----	----	----	12 UNCH
4700	----	----	----	0.001B/0.160A	----	0.049 - 0.002	.0060	----	----	----	----	152 UNCH
4725	----	----	----	0.001B/0.162A	----	0.050 - 0.002	.0061	----	----	----	----	3 UNCH
4750	----	----	----	0.001B/0.163A	----	0.051 - 0.002	.0063	----	----	----	----	54 UNCH
4775	----	----	----	0.001B/0.164A	----	0.052 - 0.002	.0064	----	----	----	----	8 UNCH
4800	0.083	0.083	0.083/*0.042	0.083/*0.042	----	0.053 - 0.002	.0066	----	----	2	----	15 UNCH
4825	----	----	----	0.001B/0.167A	----	0.054 - 0.002	.0067	----	----	----	----	26 UNCH
4850	----	----	----	0.001B/0.168A	----	0.056 - 0.001	.0070	----	----	----	----	2 UNCH
4875	----	----	----	0.001B/0.171A	----	0.057 - 0.001	.0071	----	----	----	----	23 UNCH
4900	----	----	----	0.001B/0.172A	----	0.058 - 0.002	.0073	----	----	----	----	168 UNCH
5000	0.072	0.072	0.072/0.072	0.072/0.072	----	0.065 UNCH	.0083	----	----	1	----	889 + 1
5025	----	----	----	0.003B/*0.129A	----	0.066 - 0.001	.0084	----	----	----	----	1 UNCH
5050	----	----	----	0.012B/*0.129A	----	0.068 - 0.001	.0087	----	----	----	----	16 UNCH
5075	----	----	----	0.013B/*0.126A	----	0.069 - 0.002	.0089	----	----	----	----	11 UNCH
5100	----	----	----	0.012B/0.133A	----	0.071 - 0.001	.0092	----	----	----	----	178 UNCH
5150	----	----	----	0.009B/*0.135A	----	0.075 - 0.001	.0097	----	----	----	----	5 UNCH
5175	----	----	----	0.010B/*0.140A	----	0.078 UNCH	.0101	----	----	----	----	5 UNCH
5200	----	----	----	0.080B/0.143A	----	0.080 - 0.001	.0104	----	----	----	----	108 UNCH
5225	----	----	----	0.010B/*0.145A	----	0.082 - 0.001	.0107	----	----	----	----	9 UNCH
5250	----	----	----	0.010B/*0.148A	----	0.085 UNCH	.0111	----	----	----	----	225 UNCH
5275	----	----	----	0.010B/*0.151A	----	0.088 UNCH	.0115	----	----	----	----	2 UNCH
5300	0.095	0.095	0.095/*0.095	0.095/*0.095	----	0.090 UNCH	.0118	----	----	1	----	127 + 1
5325	----	----	----	0.010B/*0.157A	----	0.093 + 0.001	.0122	----	----	----	----	11 UNCH
5350	----	----	----	0.014B/*0.157A	----	0.096 + 0.001	.0126	----	----	----	----	26 UNCH
5375	----	----	----	0.017B/*0.162A	----	0.099 + 0.001	.0130	----	----	----	----	17 UNCH
5400	----	----	----	0.019B/*0.166A	----	0.102 + 0.001	.0134	----	----	----	----	75 UNCH
5425	----	----	----	0.032B/*0.169A	----	0.106 + 0.002	.0140	----	----	----	----	49 UNCH
5450	----	----	----	0.037B/*0.173A	----	0.109 + 0.001	.0144	----	----	----	----	38 UNCH
5475	----	----	----	0.041B/*0.177A	----	0.112 + 0.001	.0148	----	----	----	----	53 UNCH
5500	----	----	0.130B/----	0.130B/0.135A	----	0.116 - 0.009	.0153	----	----	1	----	1024 UNCH
5525	----	----	----	0.047B/*0.185A	----	0.119 - 0.006	.0158	----	----	----	----	86 UNCH
5550	----	----	----	0.051B/*0.189A	----	0.123 - 0.002	.0163	----	----	----	----	18 UNCH
5575	----	----	----	0.032B/*0.193A	----	0.127 UNCH	.0169	----	----	----	----	3 UNCH
5600	----	----	----	0.059B/*0.198A	----	0.130 - 0.001	.0173	----	----	----	----	30 UNCH
5625	----	----	----	0.039B/*0.203A	----	0.134 - 0.002	.0179	----	----	----	----	3 UNCH
5650	----	----	----	0.067B/*0.208A	----	0.138 - 0.002	.0185	----	----	----	----	29 UNCH
5675	----	----	----	0.072B/*0.213A	----	0.142 - 0.003	.0190	----	----	----	----	45 UNCH
5700	----	----	----	0.078B/0.218A	----	0.146 - 0.004	.0196	----	----	----	----	302 UNCH
5725	----	----	----	0.061B/*0.223A	----	0.150 - 0.004	.0202	----	----	----	----	3 UNCH
5750	----	----	----	0.087B/*0.229A	----	0.155 - 0.005	.0209	----	----	----	----	52 UNCH
5775	----	----	----	0.071B/*0.235A	----	0.159 - 0.007	.0215	----	----	----	----	2 UNCH
5800	----	----	----	0.127B/*0.216A	----	0.164 - 0.008	.0222	----	----	1	----	27 + 1
5825	----	----	----	0.081B/*0.247A	----	0.169 - 0.009	.0229	----	----	----	----	4 UNCH
5850	0.147	0.147	0.170/*0.147	0.170/*0.147	----	0.173 - 0.011	.0235	----	----	3	----	120 + 3
5875	----	----	----	0.092B/*0.260A	----	0.179 - 0.012	.0243	----	----	----	----	3 UNCH
5900	----	----	----	0.099B/*0.267A	----	0.184 - 0.013	.0250	----	----	----	----	6 UNCH
5925	----	----	----	0.106B/*0.275A	----	0.189 - 0.016	.0257	----	----	----	----	2 UNCH
5950	----	----	----	0.113B/*0.282A	----	0.195 - 0.017	.0266	----	----	----	----	2 UNCH
5975	----	----	----	0.173B/*0.290A	----	0.200 - 0.019	.0273	----	----	----	----	9 UNCH
6000	0.200	0.200	0.235/*0.158	0.235/*0.158	----	0.207 - 0.020	.0283	----	----	9	----	616 UNCH
6050	----	----	----	0.167B/*0.316A	----	0.220 - 0.023	.0301	----	----	----	----	12 UNCH
6100	----	----	----	0.193B/*0.334A	----	0.235 - 0.026	.0322	----	----	1	----	294 + 1
6125	----	----	----	0.164B/*0.344A	----	0.243 - 0.028	.0333	----	----	----	----	1 UNCH
6150	----	----	----	0.175B/0.354A	----	0.252 - 0.027	.0345	----	----	----	----	10 UNCH
6175	----	----	----	0.186B/0.337A	----	0.261 - 0.029	.0357	----	----	----	----	2 UNCH
6200	----	----	----	0.225B/*0.375A	----	0.271 - 0.029	.0370	----	----	3	----	44 UNCH
6225	----	----	----	0.208B/*0.387A	----	0.281 - 0.030	.0383	----	----	----	----	1 UNCH
6250	----	----	----	0.237B/*0.399A	----	0.291 - 0.031	.0396	----	----	----	----	27 UNCH
6275	----	----	----	0.235B/*0.411A	----	0.303 - 0.031	.0412	----	----	----	----	1 UNCH
6300	----	----	----	0.271B/0.423A	----	0.315 - 0.031	.0427	----	----	----	----	253 UNCH
6325	----	----	----	0.270B/*0.437A	----	0.327 - 0.030	.0442	----	----	----	----	20 UNCH
6350	----	----	----	0.280B/*0.450A	----	0.339 - 0.031	.0458	----	----	----	----	251 UNCH
6375	----	----	----	0.293B/*0.464A	----	0.353 - 0.030	.0475	----	----	----	----	6 UNCH
6400	----	----	----	0.312B/*0.446A	----	0.368 - 0.029	.0494	----	----	3	----	85 UNCH
6425	----	----	----	0.327B/*0.493A	----	0.383 - 0.028	.0512	----	----	----	----	2 UNCH
6450	----	----	----	0.344B/*0.507A	----	0.399 - 0.025	.0532	----	----	----	----	7 UNCH
6475	----	----	----	0.362B/*0.450A	----	0.415 - 0.025	.0551	----	----	----	----	1 UNCH
6500	0.470	0.470	0.508B/0.441	0.508B/0.441	----	0.437 - 0.018	.0576	----	----	62	----	829 + 1
6525	----	----	----	0.401B/*0.553A	----	0.451 - 0.020	.0594	----	----	----	----	1 UNCH
6550	0.520	0.520	0.520/*0.520	0.520/*0.520	----	0.470 - 0.017	.0617	----	----	6	----	64 UNCH
6575	----	----	----	0.443B/*0.587A	----	0.489 - 0.015	.0639	----	----	----	----	7 UNCH
6600	----	----	----	0.465B/*0.601A	----	0.510 - 0.012	.0664	----	----	----	----	47 UNCH
6650	----	----	----	0.513B/0.639A	----	0.553 - 0.005	.0713	----	----	----	----	129 UNCH
6675	----	----	----	0.539B/0.604A	----	0.577 - 0.001	.0740	----	----	----	----	6 UNCH
6700	----	----	----	0.565B/0.652A	----	0.601 + 0.003	.0767	----	----	5	----	42 - 5
6725	----	----	----	0.598B/0.700A	----	0.626 + 0.007	.0795	----	----	----	----	2 UNCH
6750	----	----	0.676B/----	0.676B/*0.670A	----	0.652 + 0.012	.0824	----	----	6	----	37 - 3
6775	----	----	0.757B/----	0.757B/0.744A	----	0.677 + 0.015	.0852	----	----	----	----	2 UNCH
6800	0.810	0.810	0.810/0.810	0.810/0.692A	----	0.705 + 0.020	.0883	----	----	9	----	326 - 5
6825	----	----	0.818B/----	0.818B/*0.720A	----	0.734 + 0.026	.0914	----	----	1	----	5 + 1
6850	----	----	0.850B/----	0.850B/*0.746A	----	0.763 + 0.031	.0945	----	----	----	----	14 UNCH
6875	----	----	0.884B/----	0.884B/*0.771A	----	0.794 + 0.037	.0978	----	----	----	----	86 UNCH
6900	----	----	0.919B/----	0.919B/*0.798A	----	0.825 + 0.042	.1011	----	----	----	----	133 UNCH
6925	----	----	0.954B/----	0.954B/*0.826A	----	0.857 + 0.048	.1045	----	----	----	----	45 UNCH
6950	----	----	0.991B/----	0.991B/*0.846A	----	0.890 + 0.053	.1079	----	----	----	----	84 UNCH
6975	----	----	1.029B/----	1.029B/*0.880A	----	0.925 + 0.060	.1115	----	----	----	----	1 UNCH
7000	0.900	0.900	1.068B/0.900	1.068B/0.900	----	0.954 + 0.061	.1148	----	----	96	77	858 + 90
7025	1.109	1.109	1.109/1.109	1.109/*0.943A	----	0.998 + 0.074	.1190	----	----	3	----	139 + 3
7050	----	----	1.150B/----	1.150B/*0.971A	----	1.035 + 0.081	.1227	----	----	1	----	3 UNCH
7075	----	----	1.193B/----	1.193B/*0.999A	----	1.074 + 0.088	.1266	----	----	----	----	2 UNCH
7100	1.067	1.067	1.238B/1.067	1.238B/1.034A	----	1.114 + 0.095	.1306	----	----	2	----	55 + 1
7125	1.093	1.093	1.284B/1.071A	1.284B/1.071A	----	1.156 + 0.104	.1347	----	----	1	----	10 - 1
7150	----	----	1.332B/----	1.332B/1.107A	----	1.199 + 0.112	.1388	----	----	----	----	103 UNCH
7175	----	----	1.381B/----	1.381B/1.146A	----	1.242 + 0.120	.1430	----	----	----	----	32 UNCH
7200	----	----	1.432B/----	1.432B/1.184A	----	1.287 + 0.127	.1473	----	----	12	----	105 + 7
7225	----	----	1.484B/----	1.484B/1.225A	----	1.334 + 0.136	.1517	----	----	----	----	3 UNCH
7250	1.369	1.369	1.539B/1.369	1.539B/1.268A	----	1.382 + 0.146	.1562	----	----	1	----	208 UNCH
7275	1.353	1.353	1.594B/1.353	1.594B/1.286A	----	1.431 + 0.154	.1607	----	----	1	----	3 + 1
7300	1.608	1.608	1.652B/1.608	1.652B/1.330A	----	1.482 + 0.165	.1654	----	----	9	----	65 + 5
7325	----	----	1.711B/----	1.711B/1.376A	----	1.535 + 0.175	.1702	----	----	1	----	3 + 1
7350	----	----	1.771B/----	1.771B/1.423A	----	1.589 + 0.186	.1750	----	----	1	----	8 UNCH
7375	----	----	1.834B/----	1.834B/1.471A	----	1.643 + 0.195	.1798	----	----	1	----	117 UNCH
7400	----	----	1.898B/----	1.898B/1.521A	----	1.701 + 0.207	.1849	----	----	1	----	96 UNCH
7425	----	----	1.965B/----	1.965B/1.572A	----	1.759 + 0.217	.1899	----	----	----	----	9 UNCH
7450	1.705	1.705	2.033B/1.705	2.033B/1.625A	----	1.820 + 0.230	.1951	----	----	1	----	63 - 1
7475	----	----	2.103B/----	2.103B/1.679A	----	1.881 + 0.241	.2003	----	----	----	----	5 UNCH
7500	1.790	1.790	2.175B/1.735A	2.175B/1.735A	----	1.945 + 0.254	.2056	----	----	117	----	147 + 64
7525	----	----	2.249B/----	2.249B/1.793A	----	2.010 + 0.266	.2110	----	----	----	----	25 UNCH
7550	----	----	2.290B/----	2.290B/1.852A	----	2.076 + 0.279	.2164	----	----	----	----	14 UNCH
7575	----	----	2.359B/----	2.359B/1.913A	----	2.145 + 0.292	.2219	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
7600	----	----	2.445B/----	2.445B/1.976A	----	2.216 + 0.307	.2276	----	----	----	----	12 UNCH
7625	----	----	2.530B/----	2.530B/2.040A	----	2.289 + 0.322	.2333	----	----	----	----	6 UNCH
7650	----	----	2.610B/----	2.610B/2.106A	----	2.362 + 0.335	.2390	----	----	----	----	25 UNCH
7675	2.270	2.270	2.705B/2.270	2.705B/2.173A	----	2.438 + 0.350	.2448	----	----	2	----	19 + 2
7700	2.360	2.360	2.784B/2.360	2.784B/2.243A	----	2.517 + 0.365	.2507	----	----	4	----	200 + 4
7725	----	----	2.872B/----	2.872B/2.314A	----	2.596 + 0.381	.2566	----	----	----	----	1 UNCH
7750	----	----	2.965B/----	2.965B/2.387A	----	2.678 + 0.397	.2626	----	----	----	----	8 UNCH
7775	----	----	3.064B/----	3.064B/2.462A	----	2.762 + 0.413	.2686	----	----	----	----	5 UNCH
7800	2.633	2.633	3.157B/2.538A	3.157B/2.538A	----	2.847 + 0.430	.2747	----	----	17	----	80 + 11
7825	----	----	3.251B/----	3.251B/2.616A	----	2.935 + 0.447	.2809	----	----	----	----	23 UNCH
7850	----	----	3.357B/----	3.357B/2.696A	----	3.025 + 0.465	.2871	----	----	----	----	34 UNCH
7875	----	----	3.447B/----	3.447B/2.779A	----	3.117 + 0.483	.2934	----	----	----	----	27 UNCH
7900	3.421	3.421	3.564B/3.410	3.564B/2.863A	----	3.211 + 0.501	.2997	----	----	8	----	34 + 2
7925	----	----	3.663B/----	3.663B/2.949A	----	3.307 + 0.520	.3060	----	----	----	----	1 UNCH
7950	----	----	3.781B/----	3.781B/3.037A	----	3.405 + 0.539	.3124	----	----	----	----	2 UNCH
7975	----	----	3.886B/----	3.886B/3.127A	----	3.506 + 0.559	.3188	----	----	----	----	6 UNCH
8000	3.290	3.290	3.999B/3.290	3.999B/3.218A	----	3.609 + 0.580	.3252	----	----	33	----	264 + 8
8075	----	----	4.359B/----	4.359B/3.503A	----	3.929 + 0.642	.3447	----	----	----	----	10 UNCH
8100	4.270	4.270	4.473B/4.036	4.473B/3.592A	----	4.039 + 0.663	.3512	----	----	4	----	49 + 4
8125	----	----	4.597B/----	4.597B/3.689A	----	4.152 + 0.685	.3577	----	----	----	----	7 UNCH
8150	----	----	4.723B/----	4.723B/3.787A	----	4.268 + 0.707	.3643	----	----	----	----	2 UNCH
8175	----	----	4.850B/----	4.850B/3.888A	----	4.384 + 0.728	.3708	----	----	----	----	2 UNCH
8200	4.750	4.750	4.988B/4.545	4.988B/3.989A	----	4.504 + 0.752	.3774	----	----	8	----	9 + 6
8225	4.125	4.125	5.112B/4.125	5.112B/4.093A	----	4.626 + 0.774	.3840	----	----	15	----	16 + 15
8250	4.231	4.231	5.252B/4.231	5.252B/4.199A	----	4.748 + 0.796	.3905	----	----	20	----	87 + 15
8275	5.157	5.157	5.378B/5.157	5.378B/4.308A	----	4.874 + 0.820	.3971	----	----	1	----	15 - 1
8300	4.496	4.496	5.521B/4.496	5.521B/4.415A	----	5.002 + 0.844	.4036	----	----	5	----	130 + 3
8325	4.613	4.613	5.658B/4.613	5.658B/4.528A	----	5.130 NEW	.4101	----	----	1	----	1 + 1
8350	4.731	4.731	5.802B/4.731	5.802B/4.644A	----	5.262 + 0.890	.4166	----	----	1	----	21 + 1
8375	4.850	4.850	5.930B/4.850	5.930B/4.772A	----	5.395 + 0.914	.4231	----	----	1	----	4 - 1
8400	4.970	4.970	6.087B/4.970	6.087B/4.883A	----	5.530 + 0.937	.4296	----	----	4	----	13 + 3
8425	----	----	6.227B/----	6.227B/4.999A	----	5.667 + 0.961	.4360	----	----	----	----	2 UNCH
8450	----	----	6.383B/----	6.383B/5.141A	----	5.806 + 0.986	.4425	----	----	----	----	33 UNCH
8475	5.345	5.345	6.530B/5.345	6.530B/5.253A	----	5.946 + 1.009	.4489	----	----	1	----	1 UNCH
8500	6.099	6.099	6.688B/6.099	6.688B/5.364A	----	6.096 + 1.040	.4552	----	----	22	75	169 + 87
8525	----	----	6.841B/----	6.841B/5.510A	----	6.234 + 1.058	.4616	----	----	----	----	4 UNCH
8550	----	----	6.967B/----	6.967B/5.623A	----	6.379 + 1.081	.4679	----	----	----	----	37 UNCH
8575	5.869	5.869	7.103B/5.869	7.103B/5.758A	----	6.528 + 1.107	.4741	----	----	1	----	1 + 1
8600	7.000	7.000	7.200B/7.000	7.200B/5.882A	----	6.677 + 1.129	.4804	----	----	9	----	69 - 2
8625	6.142	6.142	7.365B/6.142	7.365B/6.021A	----	6.828 + 1.153	.4865	----	----	1	----	7 UNCH
8650	----	----	7.489B/----	7.489B/6.155A	----	6.982 + 1.179	.4927	----	----	----	----	1 UNCH
8675	----	----	7.662B/----	7.662B/6.285A	----	7.135 + 1.200	.4988	----	----	----	----	1 UNCH
8700	7.042	7.042	7.839B/6.633	7.839B/6.420A	----	7.292 + 1.225	.5048	----	----	7	----	14 + 2
8725	----	----	7.982B/----	7.982B/6.565A	----	7.450 + 1.250	.5108	----	----	----	----	1 UNCH
8800	8.000	8.000	8.516B/7.950	8.516B/6.990A	----	7.938 + 1.325	.5285	----	----	2	----	59 - 1
8850	----	----	8.830B/----	8.830B/7.272A	----	8.261 + 1.366	.5401	----	----	----	----	1 UNCH
8900	----	----	9.177B/----	9.177B/7.561A	----	8.598 + 1.414	.5515	----	----	----	----	2 UNCH
8975	9.114	9.114	9.711B/9.114	9.711B/8.017A	----	9.109 + 1.478	.5682	----	----	1	----	2 + 1
9000	9.286	9.286	9.923B/9.286	9.923B/8.171A	----	9.283 + 1.502	.5736	----	----	2	----	321 - 1
9025	9.459	9.459	10.072B/9.459	10.072B/8.339A	----	9.456 NEW	.5791	----	----	1	----	1 + 1
9175	----	----	10.998B/----	10.998B/9.308A	----	10.531 + 1.650	.6103	----	----	----	----	1 UNCH
9200	----	----	11.418B/----	11.418B/9.461A	----	10.713 + 1.668	.6154	----	----	----	----	11 UNCH
9250	----	----	11.537B/----	11.537B/9.876A	----	11.083 + 1.710	.6252	----	----	----	----	1 UNCH
9275	----	----	11.642B/----	11.642B/10.043A	----	11.271 + 1.731	.6301	----	----	----	----	1 UNCH
9300	11.476	11.476	11.832B/11.476	11.832B/10.105A	----	11.457 + 1.750	.6349	----	----	4	----	5 + 4
9400	----	----	12.434B/----	12.434B/10.805A	----	12.217 + 1.826	.6536	----	----	----	----	1 UNCH
9450	----	----	13.077B/----	13.077B/11.185A	----	12.605 + 1.866	.6626	----	----	----	----	12 UNCH
9500	13.300	13.300	13.465B/13.300	13.465B/11.493A	----	12.994 + 1.902	.6714	----	----	1	----	217 - 1
9600	----	----	14.273B/----	14.273B/12.230A	----	13.786 + 1.974	.6884	----	----	----	----	50 UNCH
9775	----	----	15.474B/----	15.474B/13.541A	----	15.203 + 2.096	.7161	----	----	----	----	5 UNCH
9900	----	----	16.765B/----	16.765B/14.481A	----	16.239 + 2.181	.7343	----	----	----	----	6 UNCH
9950	----	----	16.954B/----	16.954B/14.901A	----	16.659 + 2.213	.7413	----	----	----	----	5 UNCH
10000	----	----	17.622B/----	17.622B/15.266A	----	17.080 + 2.245	.7482	----	----	----	----	225 UNCH
10275	----	----	19.993B/----	19.993B/18.366A	----	19.447 + 2.414	.7824	----	----	----	----	7 UNCH
10500	----	----	21.797B/----	21.797B/20.474A	----	21.430 + 2.539	.8068	----	----	----	----	3 UNCH
10600	----	----	22.839B/----	22.839B/21.190A	----	22.324 + 2.593	.8167	----	----	----	----	9 UNCH
10800	----	----	24.520B/----	24.520B/23.151A	----	24.131 + 2.692	.8349	----	----	----	----	1 UNCH
11000	----	----	26.548B/----	26.548B/24.762A	----	25.961 + 2.784	.8512	----	----	1	----	239 - 1
11300	----	----	29.314B/----	29.314B/27.532A	----	28.742 + 2.909	.8726	----	----	----	----	10 UNCH
11500	----	----	31.048B/----	31.048B/29.532A	----	30.617 + 2.984	.8849	----	----	----	----	1 UNCH
12000	----	----	35.935B/----	35.935B/34.089A	----	35.365 + 3.146	.9104	----	----	4	----	19 + 4
13000	----	----	45.522B/----	45.522B/43.769A	----	45.043 + 3.413	.9439	----	----	----	----	5 UNCH
TOTAL										544	152	13427 + 332
AUG26												
3300	----	----	----	0.001B/2.446A	----	0.067 + 0.032	.0050	----	----	----	----	2 UNCH
3900	----	----	----	0.001B/2.547A	----	0.103 + 0.032	.0085	----	----	----	----	2 UNCH
4000	----	----	----	0.001B/0.350A	----	0.109 + 0.030	.0091	----	----	----	----	1 UNCH
4175	----	----	----	0.001B/2.614A	----	0.121 + 0.025	.0104	----	----	----	----	1 UNCH
4300	----	----	----	0.003B/0.194A	----	0.130 + 0.021	.0114	----	----	----	----	1 UNCH
4350	----	----	----	0.008B/*0.173A	----	0.134 + 0.019	.0119	----	----	----	----	1 UNCH
4375	----	----	----	0.011B/*0.173A	----	0.136 + 0.018	.0121	----	----	----	----	160 UNCH
4400	----	----	----	0.011B/*0.177A	----	0.138 + 0.017	.0123	----	----	----	----	1 UNCH
4500	----	----	----	0.020B/*0.190A	----	0.146 + 0.012	.0133	----	----	----	----	2 UNCH
4600	----	----	----	0.030B/*0.204A	----	0.155 + 0.007	.0143	----	----	----	----	4 UNCH
4625	----	----	----	0.033B/*0.207A	----	0.157 + 0.005	.0146	----	----	----	----	1 UNCH
4700	----	----	----	0.041B/*0.219A	----	0.164 - 0.001	.0154	----	----	----	----	1 UNCH
4775	----	----	----	0.051B/*0.232A	----	0.172 - 0.006	.0163	----	----	----	----	1 UNCH
4800	----	----	----	0.054B/0.237A	----	0.175 - 0.008	.0167	----	----	5	----	11 - 5
4825	----	----	----	0.058B/*0.242A	----	0.178 - 0.010	.0170	----	----	----	----	1 UNCH
5000	----	----	----	0.086B/*0.278A	----	0.201 - 0.023	.0196	----	----	12	----	16 + 2
5275	----	----	----	0.150B/*0.352A	----	0.255 - 0.043	.0255	----	----	----	----	1 UNCH
5300	----	----	----	0.157B/*0.360A	----	0.261 - 0.044	.0261	----	----	----	----	1 UNCH
5425	----	----	----	0.201B/*0.404A	----	0.295 - 0.053	.0296	----	----	----	----	1 UNCH
5500	----	----	----	0.224B/*0.434A	----	0.321 - 0.056	.0322	----	----	----	----	78 UNCH
5675	----	----	----	0.304B/*0.513A	----	0.392 - 0.060	.0392	----	----	----	----	9 UNCH
5700	----	----	----	0.316B/*0.526A	----	0.404 - 0.060	.0403	----	----	----	----	2 UNCH
5750	----	----	----	0.345B/*0.553A	----	0.429 - 0.060	.0427	----	----	----	----	1 UNCH
5800	----	----	----	0.373B/*0.581A	----	0.457 - 0.059	.0453	----	----	----	----	5 UNCH
5850	----	----	----	0.407B/*0.611A	----	0.486 - 0.058	.0480	----	----	----	----	2 UNCH
5875	----	----	----	0.423B/*0.626A	----	0.500 - 0.059	.0493	----	----	----	----	4 UNCH
5900	----	----	----	0.439B/*0.642A	----	0.516 - 0.058	.0507	----	----	----	----	5 UNCH
5950	----	----	----	0.474B/*0.676A	----	0.550 - 0.054	.0538	----	----	----	----	10 UNCH
6000	----	----	----	0.596B/0.711A	----	0.586 - 0.052	.0570	----	----	1	----	130 UNCH
6050	----	----	----	0.557B/*0.750A	----	0.624 - 0.049	.0604	----	----	----	----	1 UNCH
6100	----	----	----	0.600B/*0.790A	----	0.665 - 0.044	.0639	----	----	----	----	11 UNCH
6150	----	----	----	0.645B/*0.832A	----	0.709 - 0.039	.0677	----	----	----	----	1 UNCH
6200	----	----	----	0.694B/*0.875A	----	0.754 - 0.035	.0716	----	----	----	----	101 UNCH
6225	----	----	----	0.723B/0.897A	----	0.779 - 0.031	.0736	----	----	----	----	9 UNCH
6250	----	----	----	0.747B/0.922A	----	0.804 - 0.028	.0757	----	----	----	----	111 UNCH
6300	----	----	----	0.804B/*0.972A	----	0.856 - 0.022	.0800	----	----	----	----	53 UNCH
6400	----	----	----	0.925B/*1.072A	----	0.969 - 0.008	.0892	----	----	----	----	1 UNCH
6425	----	----	----	0.959B/*1.099A	----	1.000 - 0.003	.0917	----	----	----	----	6 UNCH
6450	----	----	----	1.013B/*1.123A	----	1.031 + 0.001	.0941	----	----	----	----	1 UNCH
6500	1.150	1.150	1.150/1.125	1.150/1.125	----	1.096 + 0.010	.0992	----	----	23	----	192 - 8
6525	1.135	1.135	1.164B/*1.135	1.164B/*1.135	----	1.130 NEW	.1019	----	----	1	----	1 + 1
6550	1.235	1.235	1.235/*1.183A	1.235/*1.183A	----	1.165 NEW	.1046	----	----	2	----	1 + 1
6575	----	----	1.231B/----	1.231B/*1.218A	----	1.201 + 0.025	.1073	----	----	----	----	1 UNCH
6600	1.250	1.250	1.270B/*1.250	1.270B/*1.250	----	1.236 + 0.029	.1100	----	----	2	----	17 UNCH
6650	----	----	1.347B/----	1.347B/*1.331A	----	1.312 + 0.039	.1157	----	----	5	----	9 - 5
6675	----	----	1.389B/----	1.389B/*1.326A	----	1.351 + 0.044	.1186	----	----	----	----	1 UNCH
6700	----	----	1.431B/----	1.431B/*1.399A	----	1.392 + 0.051	.1216	----	----	----	----	3 UNCH
6725	----	----	1.482B/----	1.482B/*1.401A	----	1.433 + 0.056	.1246	----	----	----	----	8 UNCH
6750	----	----	1.491B/----	1.491B/*1.472A	----	1.475 + 0.062	.1277	----	----	5	----	1 - 4
6775	1.550	1.550	1.568B/1.526	1.568B/*1.480A	----	1.517 NEW	.1308	----	----	16	----	15 + 15
6800	----	----	1.572B/----	1.572B/*1.536A	----	1.562 + 0.073	.1340	----	----	----	----	3 UNCH
6825	----	----	1.663B/----	1.663B/*1.562A	----	1.607 + 0.079	.1372	----	----	----	----	8 UNCH
6850	----	----	1.663B/----	1.663B/1.660A	----	1.653 + 0.085	.1405	----	----	----	----	1 UNCH
6900	----	----	1.759B/----	1.759B/*1.753A	----	1.750 + 0.099	.1472	----	----	----	----	6 UNCH
6950	----	----	1.859B/----	1.859B/*1.850A	----	1.849 + 0.111	.1540	----	----	----	----	28 UNCH
6975	----	----	1.959B/----	1.959B/1.835A	----	1.902 + 0.119	.1576	----	----	----	----	2 UNCH
7000	----	----	1.963B/----	1.963B/*1.966A	----	1.955 + 0.126	.1612	----	----	1	----	25 + 1
7050	----	----	2.073B/----	2.073B/*2.065A	----	2.065 + 0.141	.1685	----	----	----	----	5 UNCH
7100	2.166	2.166	2.190B/*2.166	2.190B/*2.166	----	2.180 + 0.156	.1759	----	----	1	----	7 UNCH
7150	----	----	2.307B/----	2.307B/2.332A	----	2.300 + 0.172	.1836	----	----	----	----	1 UNCH
7200	----	----	2.431B/----	2.431B/2.462A	----	2.425 + 0.189	.1915	----	----	1	----	69 UNCH
7225	----	----	2.585B/----	2.585B/2.391A	----	2.491 + 0.199	.1955	----	----	----	----	2 UNCH
7300	----	----	2.703B/----	2.703B/2.739A	----	2.694 + 0.227	.2078	----	----	----	----	110 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
AUG26												
7350	----	----	2.842B/----	2.842B/2.914A	----	2.837 + 0.246	.2162	----	----	----	----	6 UNCH
7400	----	----	2.990B/----	2.990B/3.056A	----	2.986 + 0.268	.2248	----	----	----	----	4 UNCH
7425	----	----	3.067B/----	3.067B/2.954A	----	3.063 + 0.279	.2292	----	----	----	----	2 UNCH
7450	----	----	3.145B/----	3.145B/3.191A	----	3.140 + 0.289	.2335	----	----	----	----	1 UNCH
7500	----	----	3.305B/----	3.305B/3.364A	----	3.301 + 0.312	.2424	----	----	20	----	132 + 19
7550	----	----	3.474B/----	3.474B/3.525A	----	3.468 + 0.335	.2514	----	----	----	----	5 UNCH
7575	----	----	3.559B/----	3.559B/3.432A	----	3.554 + 0.348	.2560	----	----	----	----	1 UNCH
7600	----	----	3.647B/----	3.647B/3.669A	----	3.641 + 0.359	.2606	----	----	----	----	5 UNCH
7625	----	----	3.736B/----	3.736B/3.721A	----	3.731 + 0.373	.2652	----	----	----	----	1 UNCH
7650	----	----	3.827B/----	3.827B/3.874A	----	3.821 + 0.385	.2698	----	----	----	----	4 UNCH
7675	----	----	3.919B/----	3.919B/3.799A	----	3.913 + 0.398	.2745	----	----	----	----	44 UNCH
7700	----	----	4.014B/----	4.014B/4.053A	----	4.007 + 0.411	.2792	----	----	----	----	71 UNCH
7800	----	----	4.407B/----	4.407B/4.427A	----	4.397 + 0.464	.2981	----	----	----	----	13 UNCH
7850	----	----	4.611B/----	4.611B/4.628A	----	4.602 + 0.492	.3077	----	----	----	----	13 UNCH
7900	----	----	4.833B/----	4.833B/4.828A	----	4.813 + 0.520	.3174	----	----	----	----	2 UNCH
7950	----	----	5.062B/----	5.062B/5.014A	----	5.031 + 0.550	.3271	----	----	----	----	56 UNCH
7975	----	----	5.270B/----	5.270B/5.002A	----	5.141 + 0.564	.3320	----	----	----	----	2 UNCH
8000	----	----	5.353B/----	5.353B/5.226A	----	5.254 + 0.578	.3368	----	----	----	----	285 UNCH
8025	----	----	5.517B/----	5.517B/5.216A	----	5.369 + 0.594	.3417	----	----	----	----	1 UNCH
8100	----	----	5.786B/----	5.786B/5.706A	----	5.721 + 0.639	.3564	----	----	----	----	7 UNCH
8150	----	----	6.040B/----	6.040B/5.943A	----	5.964 + 0.671	.3661	----	----	----	----	15 UNCH
8175	----	----	6.265B/----	6.265B/5.901A	----	6.087 + 0.685	.3710	----	----	----	----	1 UNCH
8200	----	----	6.300B/----	6.300B/6.183A	----	6.212 + 0.701	.3759	----	----	----	----	10 UNCH
8225	----	----	6.553B/----	6.553B/6.148A	----	6.338 + 0.715	.3808	----	----	----	----	4 UNCH
8250	----	----	6.568B/----	6.568B/6.432A	----	6.467 + 0.732	.3856	----	----	----	----	10 UNCH
8275	----	----	6.820B/----	6.820B/6.408A	----	6.597 + 0.748	.3905	----	----	----	----	5 UNCH
8300	----	----	6.840B/----	6.840B/6.676A	----	6.727 + 0.763	.3954	----	----	----	----	1 UNCH
8325	----	----	7.159B/----	7.159B/6.670A	----	6.860 + 0.779	.4002	----	----	----	----	5 UNCH
8400	----	----	7.384B/----	7.384B/7.203A	----	7.266 + 0.826	.4147	----	----	----	----	1 UNCH
8425	----	----	7.693B/----	7.693B/7.233A	----	7.404 + 0.842	.4195	----	----	----	----	1 UNCH
8475	----	----	7.983B/----	7.983B/7.466A	----	7.686 + 0.875	.4290	----	----	----	----	1 UNCH
8500	----	----	7.970B/----	7.970B/7.737A	----	7.827 + 0.889	.4338	----	----	2	----	22 + 2
8600	----	----	8.578B/----	8.578B/8.266A	----	8.412 + 0.954	.4526	----	----	----	----	3 UNCH
8650	----	----	8.916B/----	8.916B/8.611A	----	8.711 + 0.985	.4618	----	----	----	----	1 UNCH
8700	----	----	9.227B/----	9.227B/8.817A	----	9.017 + 1.018	.4710	----	----	----	----	2 UNCH
8825	----	----	10.285B/----	10.285B/9.506A	----	9.802 + 1.097	.4935	----	----	----	----	4 UNCH
8850	----	----	10.212B/----	10.212B/9.748A	----	9.964 + 1.115	.4979	----	----	----	----	1 UNCH
8900	----	----	10.559B/----	10.559B/9.970A	----	10.288 + 1.145	.5066	----	----	----	----	24 UNCH
9000	----	----	11.371B/----	11.371B/10.458A	----	10.953 + 1.208	.5238	----	----	----	----	77 UNCH
9025	----	----	11.576B/----	11.576B/10.791A	----	11.122 + 1.223	.5280	----	----	----	----	4 UNCH
9150	----	----	12.297B/----	12.297B/11.593A	----	11.983 + 1.300	.5485	----	----	----	----	4 UNCH
9275	----	----	13.193B/----	13.193B/12.407A	----	12.869 + 1.375	.5683	----	----	----	----	5 UNCH
9300	----	----	13.394B/----	13.394B/12.496A	----	13.050 + 1.391	.5721	----	----	----	----	1 UNCH
9325	----	----	13.567B/----	13.567B/12.738A	----	13.231 + 1.405	.5760	----	----	----	----	11 UNCH
9350	----	----	13.766B/----	13.766B/12.906A	----	13.412 + 1.419	.5798	----	----	----	----	4 UNCH
9500	----	----	14.915B/----	14.915B/14.010A	----	14.525 + 1.503	.6018	----	----	1	----	31 + 1
9975	----	----	18.351B/----	18.351B/17.496A	----	18.235 + 1.759	.6640	----	----	----	----	1 UNCH
10000	----	----	18.556B/----	18.556B/17.613A	----	18.437 + 1.771	.6670	----	----	----	----	12 UNCH
10025	----	----	19.303B/----	19.303B/17.886A	----	18.640 + 1.783	.6699	----	----	----	----	1 UNCH
10175	----	----	20.402B/----	20.402B/18.975A	----	19.869 + 1.854	.6869	----	----	----	----	15 UNCH
TOTAL										98	0	2198 + 20
SEP26												
2500	----	----	----	0.001B/2.460A	----	0.008 - 0.003	.0007	----	----	----	----	60 UNCH
3000	----	----	----	0.001B/2.506A	----	0.023 - 0.008	.0019	----	----	----	----	22 UNCH
3500	----	----	----	0.001B/2.597A	----	0.058 - 0.014	.0048	----	----	----	----	74 UNCH
4000	----	----	----	0.032B/0.217A	----	0.131 - 0.023	.0106	----	----	----	----	45 UNCH
4500	----	----	----	0.106B/0.312A	----	0.218 - 0.030	.0180	----	----	----	----	12 UNCH
4525	----	----	----	0.111B/0.318A	----	0.223 - 0.031	.0184	----	----	----	----	3 UNCH
5000	----	----	----	0.238B/*0.468A	----	0.359 - 0.036	.0298	----	----	----	----	234 UNCH
5100	----	----	----	0.277B/*0.510A	----	0.402 - 0.039	.0332	----	----	----	----	1 UNCH
5400	----	----	----	0.429B/*0.664A	----	0.567 - 0.047	.0459	----	----	----	----	1 UNCH
5475	----	----	----	0.477B/*0.711A	----	0.616 - 0.048	.0496	----	----	----	----	3 UNCH
5500	----	----	----	0.499B/0.727A	----	0.633 - 0.049	.0509	----	----	----	----	232 UNCH
5600	----	----	----	0.569B/*0.797A	----	0.705 - 0.050	.0562	----	----	----	----	1 UNCH
5700	----	----	----	0.652B/*0.875A	----	0.784 - 0.050	.0620	----	----	----	----	7 UNCH
5800	----	----	----	0.744B/*0.960A	----	0.871 - 0.047	.0683	----	----	----	----	8 UNCH
5850	----	----	----	0.797B/*1.006A	----	0.917 - 0.045	.0716	----	----	----	----	1 UNCH
5900	----	----	----	0.849B/*1.055A	----	0.966 - 0.042	.0750	----	----	----	----	50 UNCH
6000	1.001	1.001	1.065/*1.001	1.065/*1.001	----	1.070 - 0.035	.0823	----	----	125	----	662 + 114
6050	----	----	----	1.028B/*1.216A	----	1.126 - 0.030	.0862	----	----	----	----	15 UNCH
6200	----	----	----	1.237B/*1.401A	----	1.310 - 0.009	.0986	----	----	----	----	40 UNCH
6300	----	----	----	1.402B/*1.536A	----	1.448 + 0.009	.1076	----	----	----	----	5 UNCH
6400	----	----	----	1.459B/*1.678A	----	1.599 + 0.030	.1173	----	----	----	----	3 UNCH
6425	----	----	----	1.490B/*1.717A	----	1.638 + 0.035	.1197	----	----	----	----	3 UNCH
6500	----	----	----	1.630B/*1.835A	----	1.764 + 0.053	.1276	----	----	----	----	80 UNCH
6550	----	----	----	1.699B/*1.914A	----	1.853 + 0.066	.1330	----	----	----	----	15 UNCH
6800	----	----	----	2.183B/2.671A	----	2.363 + 0.133	.1625	----	----	----	----	8 UNCH
6900	----	----	----	2.432B/2.875A	----	2.602 + 0.159	.1755	----	----	----	----	3 UNCH
7000	----	----	2.697B/----	2.697B/3.091A	----	2.864 + 0.184	.1892	----	----	10	----	48 - 6
7025	----	----	2.767B/----	2.767B/*3.141A	----	2.932 + 0.188	.1927	----	----	----	----	1 UNCH
7100	----	----	2.985B/----	2.985B/3.463A	----	3.149 + 0.204	.2034	----	----	----	----	17 UNCH
7125	----	----	3.060B/----	3.060B/3.523A	----	3.224 + 0.209	.2071	----	----	----	----	25 UNCH
7175	----	----	3.216B/----	3.216B/3.690A	----	3.378 + 0.218	.2145	----	----	----	----	20 UNCH
7200	----	----	3.295B/----	3.295B/3.742A	----	3.457 + 0.224	.2182	----	----	----	----	52 UNCH
7300	----	----	3.625B/----	3.625B/4.086A	----	3.785 + 0.257	.2334	----	----	----	----	171 UNCH
7400	----	----	3.981B/----	3.981B/4.420A	----	4.131 + 0.298	.2488	----	----	----	----	25 UNCH
7500	----	----	4.358B/----	4.358B/4.800A	----	4.499 + 0.341	.2646	----	----	----	----	3 UNCH
7550	----	----	4.554B/----	4.554B/4.990A	----	4.691 + 0.363	.2726	----	----	----	----	2 UNCH
7700	----	----	5.172B/----	5.172B/5.592A	----	5.299 + 0.429	.2969	----	----	----	----	1 UNCH
7800	5.750	5.750	5.750/5.750	5.750/5.750	----	5.731 + 0.475	.3132	----	----	27	----	26 + 17
7900	----	----	6.079B/----	6.079B/6.462A	----	6.186 + 0.523	.3297	----	----	----	----	1 UNCH
8000	----	----	6.565B/----	6.565B/6.918A	----	6.662 + 0.572	.3462	----	----	----	----	93 UNCH
8100	----	----	7.079B/----	7.079B/7.410A	----	7.159 + 0.621	.3627	----	----	----	----	1 UNCH
8200	----	----	7.628B/----	7.628B/7.930A	----	7.678 + 0.673	.3792	----	----	----	----	1 UNCH
8300	7.624	7.624	8.166B/7.624	8.166B/7.624	----	8.217 + 0.726	.3955	----	----	1	----	1 + 1
8400	----	----	8.784B/----	8.784B/8.967A	----	8.777 + 0.780	.4117	----	----	----	----	42 UNCH
8500	----	----	9.391B/----	9.391B/9.366A	----	9.357 + 0.836	.4276	----	----	----	----	228 UNCH
8700	9.510	9.510	10.622B/9.510	10.622B/9.510	----	10.573 + 0.950	.4587	----	----	1	----	101 + 1
8950	----	----	12.336B/----	12.336B/12.177A	----	12.191 + 1.093	.4958	----	----	20	----	0 - 20
9000	----	----	12.648B/----	12.648B/12.292A	----	12.527 + 1.122	.5029	----	----	----	----	74 UNCH
9300	----	----	14.838B/----	14.838B/14.501A	----	14.620 + 1.292	.5438	----	----	----	----	1 UNCH
9400	----	----	15.547B/----	15.547B/15.169A	----	15.345 + 1.347	.5567	----	----	----	----	15 UNCH
10150	----	----	21.129B/----	21.129B/20.724A	----	21.122 + 1.717	.6418	----	----	----	----	1 UNCH
10300	----	----	22.357B/----	22.357B/21.902A	----	22.336 + 1.781	.6566	----	----	----	----	1 UNCH
TOTAL										184	0	2539 + 107
OCT26												
2675	----	----	----	0.001B/2.532A	----	0.040 - 0.012	.0027	----	----	----	----	8 UNCH
3250	----	----	----	0.001B/0.500A	----	0.083 - 0.021	.0059	----	----	----	----	1 UNCH
4000	----	----	----	0.053B/0.316A	----	0.188 - 0.036	.0137	----	----	----	----	3 UNCH
4500	----	----	----	0.158B/0.451A	----	0.310 - 0.048	.0227	----	----	----	----	3 UNCH
5000	----	----	----	0.353B/0.666A	----	0.519 - 0.046	.0375	----	----	----	----	6 UNCH
5050	----	----	----	0.377B/0.693A	----	0.546 - 0.044	.0394	----	----	----	----	1 UNCH
5150	----	----	----	0.441B/*0.752A	----	0.602 - 0.042	.0432	----	----	----	----	5 UNCH
6500	----	----	----	2.065B/*2.356A	----	2.225 + 0.075	.1387	----	----	----	----	120 UNCH
6800	----	----	----	2.677B/3.217A	----	2.921 + 0.134	.1725	----	----	----	----	2 UNCH
6850	----	----	----	2.795B/3.423A	----	3.053 + 0.146	.1786	----	----	----	----	1 UNCH
7000	----	----	----	3.221B/3.853A	----	3.475 + 0.182	.1974	----	----	----	----	85 UNCH
7225	----	----	3.975B/----	3.975B/4.666A	----	4.191 + 0.245	.2272	----	----	----	----	87 UNCH
7500	----	----	4.976B/----	4.976B/5.679A	----	5.204 + 0.336	.2656	----	----	----	----	33 UNCH
7950	----	----	7.015B/----	7.015B/7.644A	----	7.190 + 0.515	.3309	----	----	----	----	10 UNCH
8000	----	----	7.263B/----	7.263B/7.886A	----	7.435 + 0.536	.3382	----	----	----	----	2 UNCH
8200	----	----	8.302B/----	8.302B/8.880A	----	8.465 + 0.629	.3673	----	----	----	----	6 UNCH
8375	----	----	9.263B/----	9.263B/9.831A	----	9.427 + 0.715	.3925	----	----	----	----	1 UNCH
9100	----	----	13.964B/----	13.964B/14.059A	----	13.953 + 1.099	.4899	----	----	----	----	1 UNCH
10000	----	----	20.675B/----	20.675B/20.348A	----	20.510 + 1.539	.5904	----	----	----	----	40 UNCH
TOTAL											0	415 0
NOV26												
4500	----	----	----	0.248B/0.612A	----	0.434 - 0.050	.0287	----	----	----	----	1 UNCH
4550	----	----	----	0.267B/0.635A	----	0.457 - 0.050	.0302	----	----	----	----	1 UNCH
4800	----	----	----	0.386B/0.768A	----	0.586 - 0.046	.0383	----	----	----	----	1 UNCH
5000	----	----	----	0.512B/0.898A	----	0.709 - 0.041	.0460	----	----	----	----	12 UNCH
5200	----	----	----	0.672B/1.052A	----	0.856 - 0.033	.0549	----	----	----	----	1 UNCH
5950	----	----	----	1.657B/*1.930A	----	1.721 + 0.025	.1025	----	----	----	----	1 UNCH
6700	----	----	3.192B/----	3.192B/3.883A	----	3.322 + 0.149	.1754	----	----	----	----	50 UNCH
7000	4.000	4.000	4.000/*4.000	4.000/*4.000	----	4.228 + 0.221	.2108	----	----	1	----	41 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
NOV26												
7025	----	----	----	4.019B/4.907A	----	4.311 + 0.227	.2139	----	----	----	----	6 UNCH
7400	----	----	5.443B/----	5.443B/6.301A	----	5.697 + 0.338	.2616	----	----	----	----	24 UNCH
7500	----	----	5.829B/----	5.829B/6.714A	----	6.111 + 0.370	.2747	----	----	----	----	7 UNCH
7700	----	----	6.717B/----	6.717B/7.593A	----	6.997 + 0.440	.3012	----	----	----	----	50 UNCH
8500	----	----	11.049B/----	11.049B/11.691A	----	11.248 + 0.773	.4061	----	----	----	----	60 UNCH
9000	----	----	14.292B/----	14.292B/14.690A	----	14.410 + 1.012	.4667	----	----	----	----	5 UNCH
9050	----	----	14.671B/----	14.671B/15.044A	----	14.744 + 1.035	.4725	----	----	----	----	3 UNCH
10000	----	----	21.635B/----	21.635B/21.642A	----	21.599 + 1.474	.5702	----	----	----	----	1 UNCH
11000	----	----	29.437B/----	29.437B/29.407A	----	29.576 + 1.844	.6517	----	----	----	----	1 UNCH
TOTAL										1	0	265 + 1
DEC26												
1500	----	----	----	----/0.050A	----	0.007 - 0.001	.0004	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/0.150A	----	0.025 - 0.002	.0015	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/3.007A	----	0.049 - 0.002	.0031	----	----	----	----	32 UNCH
3000	----	----	----	0.001B/3.154A	----	0.092 - 0.002	.0059	----	----	----	----	93 UNCH
3100	----	----	----	0.001B/3.191A	----	0.103 - 0.002	.0067	----	----	----	----	1 UNCH
3150	----	----	----	0.002B/0.385A	----	0.115 - 0.001	.0074	----	----	----	----	1 UNCH
3500	----	----	----	0.013B/0.394A	----	0.211 UNCH	.0129	----	----	----	----	45 UNCH
3850	----	----	----	0.078B/0.494A	----	0.307 - 0.005	.0187	----	----	----	----	1 UNCH
3925	----	----	----	0.096B/0.520A	----	0.331 - 0.006	.0202	----	----	----	----	1 UNCH
4000	----	----	----	0.115B/0.547A	----	0.357 - 0.007	.0217	----	----	----	----	75 UNCH
4500	----	----	----	0.311B/0.779A	----	0.570 - 0.021	.0345	----	----	----	----	35 UNCH
4600	----	----	----	0.363B/0.838A	----	0.624 - 0.024	.0377	----	----	----	----	4 UNCH
4800	----	----	----	0.498B/0.971A	----	0.746 - 0.030	.0448	----	----	----	----	241 UNCH
5000	----	----	----	0.658B/1.129A	----	0.893 - 0.035	.0531	----	----	----	----	378 UNCH
5250	----	----	----	0.906B/1.366A	----	1.117 - 0.041	.0653	----	----	----	----	50 UNCH
5300	----	----	----	0.961B/1.420A	----	1.168 - 0.041	.0680	----	----	----	----	250 UNCH
5400	----	----	----	1.087B/1.534A	----	1.277 - 0.043	.0737	----	----	----	----	100 UNCH
5500	----	----	----	1.229B/1.656A	----	1.396 - 0.043	.0799	----	----	----	----	229 UNCH
5600	----	----	----	1.375B/1.789A	----	1.526 - 0.042	.0864	----	----	----	----	8 UNCH
5650	----	----	----	1.451B/1.860A	----	1.595 - 0.041	.0898	----	----	----	----	12 UNCH
5800	----	----	----	1.723B/2.085A	----	1.820 - 0.037	.1007	----	----	----	----	1 UNCH
5950	----	----	----	1.906B/2.339A	----	2.073 - 0.031	.1125	----	----	----	----	5 UNCH
6000	----	----	----	1.946B/2.452A	----	2.164 - 0.028	.1167	----	----	----	----	135 UNCH
6200	----	----	----	2.368B/2.829A	----	2.564 - 0.013	.1343	----	----	----	----	13 UNCH
6300	----	----	----	2.426B/3.472A	----	2.786 - 0.003	.1437	----	----	----	----	25 UNCH
6500	----	----	----	2.897B/3.976A	----	3.278 + 0.022	.1636	----	----	----	----	737 UNCH
6650	----	----	----	3.539B/4.416A	----	3.690 + 0.045	.1795	----	----	----	----	5 UNCH
6725	----	----	----	3.543B/4.655A	----	3.911 + 0.059	.1877	----	----	----	----	4 UNCH
6750	----	----	----	3.620B/4.736A	----	3.987 + 0.064	.1905	----	----	----	----	6 UNCH
6800	----	----	----	3.778B/4.903A	----	4.142 + 0.075	.1961	----	----	----	----	79 UNCH
6850	----	----	----	3.939B/5.073A	----	4.301 + 0.085	.2017	----	----	----	----	78 UNCH
6900	----	----	----	4.138B/5.255A	----	4.464 + 0.095	.2074	----	----	----	----	1 UNCH
6950	----	----	----	4.276B/5.427A	----	4.633 + 0.108	.2132	----	----	----	----	121 UNCH
7000	----	----	----	4.452B/5.608A	----	4.805 + 0.119	.2191	----	----	----	----	230 UNCH
7075	----	----	----	4.724B/5.883A	----	5.073 + 0.138	.2280	----	----	----	----	20 UNCH
7100	----	----	----	4.816B/5.976A	----	5.164 + 0.144	.2309	----	----	----	----	2 UNCH
7200	----	----	----	5.230B/6.360A	----	5.542 + 0.173	.2430	----	----	----	----	14 UNCH
7250	----	----	----	5.393B/6.558A	----	5.737 + 0.187	.2490	----	----	----	----	48 UNCH
7500	----	----	----	6.455B/7.610A	----	6.783 + 0.266	.2799	----	----	----	----	22 UNCH
7550	----	----	----	6.680B/7.824A	----	7.006 + 0.284	.2861	----	----	----	----	1 UNCH
7800	----	----	7.872B/----	7.872B/8.953A	----	8.187 + 0.376	.3173	----	----	----	----	20 UNCH
7850	----	----	8.130B/----	8.130B/9.190A	----	8.437 + 0.397	.3236	----	----	----	----	10 UNCH
7875	----	----	8.227B/----	8.227B/9.373A	----	8.563 + 0.406	.3267	----	----	----	----	1 UNCH
7900	----	----	8.392B/----	8.392B/9.432A	----	8.690 + 0.416	.3298	----	----	----	----	19 UNCH
8000	----	----	8.955B/----	8.955B/9.927A	----	9.210 + 0.457	.3422	----	----	----	----	57 UNCH
8100	----	----	9.481B/----	9.481B/10.437A	----	9.747 + 0.499	.3546	----	----	----	----	1 UNCH
8200	----	----	10.049B/----	10.049B/10.961A	----	10.300 + 0.542	.3668	----	----	----	----	35 UNCH
8350	----	----	10.927B/----	10.927B/11.779A	----	11.160 + 0.609	.3850	----	----	----	----	9 UNCH
8400	----	----	11.228B/----	11.228B/12.058A	----	11.454 + 0.631	.3910	----	----	----	----	50 UNCH
8500	----	----	11.839B/----	11.839B/12.623A	----	12.053 + 0.676	.4029	----	----	----	----	166 UNCH
8550	----	----	12.149B/----	12.149B/12.911A	----	12.358 + 0.699	.4088	----	----	----	----	25 UNCH
8600	----	----	12.496B/----	12.496B/13.203A	----	12.667 + 0.723	.4146	----	----	----	----	2 UNCH
8800	----	----	13.752B/----	13.752B/14.400A	----	13.935 + 0.815	.4374	----	----	----	----	12 UNCH
8900	----	----	14.415B/----	14.415B/15.018A	----	14.589 + 0.862	.4485	----	----	----	----	30 UNCH
9000	----	----	15.091B/----	15.091B/15.650A	----	15.255 + 0.909	.4593	----	----	----	----	3 UNCH
9050	----	----	15.432B/----	15.432B/16.000A	----	15.592 + 0.932	.4646	----	----	----	----	100 UNCH
9500	----	----	18.629B/----	18.629B/19.025A	----	18.750 + 1.140	.5101	----	----	----	----	2 UNCH
9850	----	----	21.245B/----	21.245B/21.508A	----	21.336 + 1.294	.5425	----	----	----	----	8 UNCH
9950	----	----	22.012B/----	22.012B/22.191A	----	22.092 + 1.337	.5513	----	----	----	----	1 UNCH
10025	----	----	22.280B/----	22.280B/23.106A	----	22.664 + 1.368	.5578	----	----	----	----	3 UNCH
10125	----	----	23.052B/----	23.052B/23.860A	----	23.432 + 1.409	.5662	----	----	----	----	1 UNCH
10700	----	----	27.976B/----	27.976B/27.961A	----	27.967 + 1.629	.6114	----	----	----	----	5 UNCH
10800	----	----	28.796B/----	28.796B/28.705A	----	28.775 + 1.664	.6186	----	----	----	----	2 UNCH
11000	----	----	30.455B/----	30.455B/30.306A	----	30.407 + 1.731	.6327	----	----	----	----	2 UNCH
11500	----	----	34.284B/----	34.284B/34.437A	----	34.572 + 1.880	.6651	----	----	----	----	1 UNCH
12000	----	----	38.575B/----	38.575B/39.028A	----	38.849 + 2.003	.6938	----	----	----	----	1 UNCH
12100	----	----	#39.445B/----	39.445B/39.944A	----	39.716 + 2.024	.6991	----	----	----	----	1 UNCH
12300	----	----	#41.194B/----	41.194B/41.667A	----	41.461 + 2.064	.7094	----	----	----	----	1 UNCH
15000	----	----	64.020B/----	64.020B/65.900A	----	66.000 + 2.560	.8117	----	----	----	----	1 UNCH
19000	----	----	----	82.918B/127.381A	----	104.185 + 3.187	.8912	----	----	----	----	1 UNCH
TOTAL											0	3863 0
JAN27												
3800	----	----	----	0.106B/0.562A	----	0.237 - 0.029	.0151	----	----	----	----	1 UNCH
6500	----	----	----	3.388B/4.425A	----	3.739 + 0.150	.1681	----	----	----	----	1 UNCH
7000	----	----	----	4.822B/5.997A	----	5.369 + 0.296	.2205	----	----	----	----	30 UNCH
7100	----	----	----	5.190B/6.501A	----	5.740 + 0.325	.2314	----	----	----	----	20 UNCH
7125	----	----	----	5.285B/6.598A	----	5.835 + 0.333	.2342	----	----	----	----	1 UNCH
8600	----	----	12.889B/----	12.889B/13.756A	----	13.134 + 0.831	.4011	----	----	----	----	1 UNCH
8850	----	----	14.487B/----	14.487B/15.248A	----	14.676 + 0.921	.4280	----	----	----	----	10 UNCH
TOTAL											0	64 0
FEB27												
8150	----	----	10.887B/----	10.887B/11.989A	----	11.266 + 0.623	.3503	----	----	----	----	10 UNCH
8225	----	----	11.154B/----	11.154B/12.528A	----	11.682 + 0.644	.3584	----	----	----	----	10 UNCH
8250	----	----	11.465B/----	11.465B/12.528A	----	11.822 + 0.650	.3610	----	----	----	----	10 UNCH
TOTAL											0	30 0
MAR27												
6500	----	----	----	4.050B/5.420A	----	4.615 + 0.186	.1809	----	----	----	----	20 UNCH
6825	----	----	----	5.154B/6.604A	----	5.721 + 0.258	.2125	----	----	----	----	2 UNCH
8100	----	----	11.063B/----	11.063B/12.538A	----	11.653 + 0.610	.3444	----	----	----	----	6 UNCH
8300	----	----	12.193B/----	12.193B/13.656A	----	12.789 + 0.674	.3647	----	----	----	----	50 UNCH
8500	----	----	#13.371B/----	13.371B/14.824A	----	13.974 + 0.739	.3847	----	----	----	----	3 UNCH
10500	----	----	27.359B/----	27.359B/28.648A	----	27.978 + 1.406	.5522	----	----	----	----	10 UNCH
TOTAL											0	91 0
APR27												
4000	----	----	----	----	----	0.610 + 0.109	.0303	----	----	----	----	1 UNCH
TOTAL											0	1 0
DEC27												
7175	----	----	----	----	----	10.886 + 0.948	.2475	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
JUN26												
11500	----	----	----/*0.363A	0.531B/*0.363A	----	0.251 - 0.479	.0413	----	----	----	----	1 UNCH
TOTAL											0	1 0
SO3 CALL		SILVER OPTIONS										
MAY26												
7150	----	----	----	----	----	13.829 - 4.041	.0000	3	----	----	----	0 - 3
7200	----	----	----	----	----	13.329 - 4.041	.0000	2	----	----	----	0 - 2
7250	----	----	----	----	----	12.830 - 4.040	.9999	----	----	----	----	2 UNCH
7400	----	----	----	----	----	11.332 - 4.039	.9999	----	----	----	----	5 UNCH
7450	----	----	----	----	----	10.833 - 4.039	.9999	----	----	----	----	1 UNCH
7500	----	----	----	----	----	10.335 - 4.038	.9998	----	----	----	----	3 UNCH
7600	9.200	9.200	9.200/9.200	9.200/9.200	----	9.340 - 4.035	.9996	----	----	1	----	4 - 1
7700	----	----	----	----	----	8.350 - 4.029	.9988	----	----	----	----	50 UNCH
7750	----	----	----	----	----	7.857 - 4.024	.9981	----	----	----	----	1 UNCH
7800	----	----	----	----	----	7.367 - 4.017	.9969	----	----	----	----	2 UNCH
7850	----	----	----	----	----	6.874 - 4.014	.9958	----	----	----	----	2 UNCH
7900	----	----	----	----	----	6.383 - 4.010	.9941	----	----	----	----	3 UNCH
8000	----	----	----	----	----	5.409 - 3.998	.9879	----	----	----	----	17 UNCH
8100	----	----	----	----	----	4.453 - 3.975	.9741	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO3 CALL	SILVER OPTIONS										
MAY26											
8200 ----	----	----/3.710A	1.652B/3.710A	----	3.533 -	3.929 .9423	----	----	----	----	12 UNCH
8250 ----	----	----/3.312A	1.685B/3.312A	----	3.094 -	3.891 .9142	----	----	----	----	2 UNCH
8300 ----	----	----/2.118A	1.582B/2.118A	----	2.676 -	3.838 .8740	----	----	----	----	13 UNCH
8350 1.310	1.310	1.310/1.310	1.646B/1.310	----	2.281	NEW .8199	----	----	1	----	1 + 1
8400 1.010	1.010	1.010/1.010	1.811B/1.010	----	1.916 -	3.679 .7501	----	----	1	----	26 + 1
8420 ----	----	----/*1.096A	1.580B/1.096A	----	1.778 -	3.637 .7181	----	----	----	----	1 UNCH
8450 1.810	1.810	1.810/1.006A	1.810/1.006A	----	1.583	NEW .6658	----	----	2	----	1 + 1
8480 1.381	1.381	1.381/*0.833A	1.663B/*0.833A	----	1.400	NEW .6096	----	----	1	----	1 + 1
8500 1.083	1.083	1.166/0.780A	1.508B/0.780A	----	1.286 -	3.431 .5705	----	----	5	----	32 + 4
8600 0.755	0.755	0.805/0.326	1.464B/0.326	----	0.804 -	3.092 .3704	----	----	4	----	8 + 1
8650 0.790	0.790	0.790/0.435A	2.016B/0.435A	----	0.618 -	2.895 .2789	----	----	2	----	14 - 2
8660 0.800	0.800	0.800/*0.306A	1.687B/*0.306A	----	0.585 -	2.853 .2620	----	----	2	----	1 UNCH
8700 0.700	0.700	0.700/0.335A	1.738B/0.335A	----	0.466 -	2.684 .2002	----	----	18	----	25 + 18
8730 1.460	1.460	1.460/*0.263A	1.723B/*0.263A	----	0.389	NEW .1601	----	----	4	----	0 UNCH
8750 0.351	0.351	0.351/0.259A	1.753B/0.259A	----	0.344 -	2.466 .1366	----	----	1	----	6 + 1
8800 1.000	1.000	1.000/*0.100	1.815B/*0.100	----	0.251 -	2.243 .0894	----	----	15	----	18 + 14
8850 0.500	0.500	0.500/*0.183A	1.717B/0.183A	----	0.181 -	2.023 .0561	----	----	11	----	11 + 10
8880 ----	----	----/*0.161A	1.552B/*0.161A	----	0.148 -	1.894 .0417	----	----	----	----	2 UNCH
8900 0.400	0.400	0.400/*0.147	1.503B/*0.147	----	0.129 -	1.810 .0339	----	----	19	----	15 + 14
8950 ----	----	----/*0.142A	1.241B/*0.142A	----	0.091 -	1.608 .0198	----	----	1	----	1 UNCH
9000 0.359	0.359	0.359/*0.137	1.121B/*0.137	----	0.064 -	1.421 .0113	----	----	19	----	78 + 8
9050 ----	----	----/*0.120A	0.852B/*0.120A	----	0.045 -	1.249 .0063	----	----	----	----	1 - UNCH
9100 ----	----	----/*0.038A	0.744B/*0.038A	----	0.031 -	1.095 .0034	----	----	2	----	9 + 2
9200 ----	----	----/*0.128A	0.492B/*0.128A	----	0.015 -	0.834 .0009	----	----	----	----	155 UNCH
9250 0.031	0.031	0.031/*0.031	0.347B/*0.031	----	0.011 -	0.726 .0005	----	----	11	----	112 + 10
9320 0.150	0.150	0.150/*0.122A	0.230B/*0.122A	----	0.007	NEW .0002	----	----	1	----	1 + 1
9400 0.100	0.100	0.100/*0.100	0.177B/*0.100	----	0.004 -	0.480 .0000	----	----	8	----	26 + 2
9500 ----	----	----/*0.120A	0.092B/*0.120A	----	0.002 -	0.367 .0000	----	----	5	----	151 UNCH
9600 ----	----	----/0.126A	0.040B/0.126A	----	0.001 -	0.283 ----	----	----	----	----	1 UNCH
9700 ----	----	----/0.120A	0.014B/0.120A	----	0.001 -	0.219 ----	----	----	----	----	2 UNCH
9750 0.035	0.035	0.035/*0.035	0.035/*0.035	----	0.001	NEW ----	----	----	1	----	1 + 1
9800 0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.001 -	0.171 ----	----	----	2	----	22 + 1
10000 ----	----	----	0.002B/0.136A	----	0.001 -	0.086 ----	----	----	----	----	14 UNCH
TOTAL									137	0	864 + 83
SO3 PUT	SILVER OPTIONS										
MAY26											
6400 ----	----	----	----/0.292A	----	0.001	UNCH ----	----	----	----	----	10 UNCH
6500 ----	----	----	----/0.290A	----	0.001	UNCH ----	----	----	----	----	18 UNCH
6600 ----	----	----	----/0.287A	----	0.001	UNCH ----	----	----	----	----	16 UNCH
6700 ----	----	----	----/0.282A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
6750 ----	----	----	----/0.279A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
6800 ----	----	----	----/0.276A	----	0.001	UNCH ----	----	----	----	----	5 UNCH
6900 ----	----	----	----/0.270A	----	0.001	UNCH ----	----	----	----	----	2 UNCH
7000 ----	----	----	----/0.260A	----	0.001	UNCH ----	----	----	----	----	13 UNCH
7150 ----	----	----	----/0.203A	----	0.001 -	0.001 ----	----	----	----	----	1 UNCH
7200 ----	----	----	----/0.200A	----	0.001 -	0.001 ----	----	----	----	----	4 UNCH
7250 ----	----	----	----/0.204A	----	0.002	UNCH .0000	----	----	----	----	1 UNCH
7300 ----	----	----	----/0.211A	----	0.002 -	0.001 .0000	----	----	----	----	4 UNCH
7350 ----	----	----	----/0.205A	----	0.003	UNCH .0000	----	----	----	----	1 UNCH
7400 ----	----	----	0.001B/0.192A	----	0.004 +	0.001 .0000	----	----	----	----	7 UNCH
7450 ----	----	----	0.001B/0.175A	----	0.005 +	0.001 .0000	----	----	----	----	11 UNCH
7500 ----	----	----	0.001B/0.160A	----	0.007 +	0.002 .0001	----	----	----	----	16 UNCH
7550 ----	----	----	0.001B/0.141A	----	0.009 +	0.003 .0002	----	----	----	----	1 UNCH
7600 0.017	0.017	0.017/*0.017	0.017/*0.017	----	0.012 +	0.005 .0003	----	----	1	----	7 + 1
7700 ----	----	----	0.001B/0.116A	----	0.022 +	0.011 .0011	----	----	----	----	47 UNCH
7750 0.070	0.070	0.070/*0.070	0.070/*0.070	----	0.029 +	0.016 .0018	----	----	1	----	1 UNCH
7800 0.082	0.082	0.082/*0.044	0.082/*0.044	----	0.039 +	0.023 .0030	----	----	5	----	16 UNCH
7850 ----	----	----	0.001B/*0.121A	----	0.046 +	0.026 .0041	----	----	----	----	4 UNCH
7900 0.089	0.089	0.100/*0.086	0.100/*0.086	----	0.055 +	0.030 .0058	----	----	3	----	27 UNCH
7960 ----	----	#0.056B/----	0.056B/*0.142A	----	0.069 +	0.037 .0090	----	----	----	----	6 UNCH
7970 ----	----	0.063B/----	0.063B/*0.145A	----	0.071 +	0.037 .0095	----	----	----	----	6 UNCH
8000 0.124	0.124	0.180/0.100	0.180/0.100	----	0.081 +	0.042 .0120	----	----	10	----	68 + 6
8100 ----	----	0.173B/----	0.173B/0.165A	----	0.125 +	0.065 .0258	----	----	2	20	24 + 15
8130 ----	----	0.243B/----	0.243B/0.189A	----	0.144 +	0.076 .0327	----	----	----	----	1 UNCH
8150 0.300	0.300	0.301B/0.300	0.301B/*0.132A	----	0.159	NEW .0385	----	----	2	----	0 UNCH
8200 0.298	0.298	0.310B/0.298	0.310B/0.224A	----	0.205 +	0.111 .0576	----	----	15	----	53 + 12
8250 0.202	0.202	0.421B/*0.202	0.421B/*0.195A	----	0.266 +	0.149 .0857	----	----	3	----	3 UNCH
8300 0.345	0.345	0.639B/0.345	0.639B/0.289A	----	0.348 +	0.202 .1259	----	----	17	----	29 + 14
8320 ----	----	0.723B/----	0.723B/0.294A	----	0.387 +	0.228 .1457	----	----	----	----	1 UNCH
8350 ----	----	0.799B/----	0.799B/0.373A	----	0.453 +	0.271 .1800	----	----	1	----	21 UNCH
8390 ----	----	0.996B/----	0.996B/0.343A	----	0.558 +	0.341 .2345	----	----	----	----	31 UNCH
8400 0.300	0.300	1.102B/0.300	1.102B/0.300	----	0.588 +	0.361 .2498	----	----	3	----	21 + 3
8410 0.653	0.653	1.104B/0.653	1.104B/0.367A	----	0.618	NEW .2655	----	----	1	----	1 + 1
8440 ----	----	1.260B/----	1.260B/0.412A	----	0.719 +	0.449 .3162	----	----	----	----	1 UNCH
8450 1.000	1.000	1.550/1.000	1.550/0.511A	----	0.755	NEW .3341	----	----	5	----	2 + 2
8460 0.278	0.278	1.329B/*0.278	1.329B/*0.278	----	0.793 +	0.499 .3525	----	----	6	----	6 + 5
8470 1.360	1.360	1.360/1.360	1.360/0.467A	----	0.832	NEW .3712	----	----	6	----	6 + 6
8480 ----	----	1.397B/----	1.397B/0.489A	----	0.872 +	0.552 .3903	----	----	----	----	5 UNCH
8490 0.371	0.371	1.384B/*0.371	1.384B/*0.371	----	0.914 +	0.580 .4097	----	----	1	----	1 UNCH
8500 1.473	1.473	1.657B/0.905	1.657B/0.599A	----	0.958 +	0.609 .4295	----	----	30	----	78 - 7
8510 ----	----	1.389B/----	1.389B/0.554A	----	1.003 +	0.639 .4494	----	----	----	----	31 UNCH
8550 1.150	1.150	1.520B/1.150	1.520B/0.737A	----	1.198 +	0.768 .5302	----	----	1	----	2 + 1
8570 ----	----	1.586B/----	1.586B/0.709A	----	1.305 +	0.838 .5705	----	----	----	----	1 UNCH
8600 0.800	0.800	1.635B/0.800	1.635B/0.800	----	1.476 +	0.948 .6296	----	----	4	----	8 + 3
8620 ----	----	1.641B/----	1.641B/0.909A	----	1.597 +	1.025 .6675	----	----	----	----	2 UNCH
8630 0.750	0.750	1.647B/0.750	1.647B/0.750	----	1.660 +	1.064 .6858	----	----	1	----	3 UNCH
8650 ----	----	1.654B/----	1.654B/1.039A	----	1.790	NEW .7210	----	----	1	----	1 + 1
8680 1.009	1.009	1.632B/1.009	1.632B/1.009	----	1.995 +	1.271 .7700	----	----	1	----	0 - 1
8700 1.111	1.111	1.668B/1.110	1.668B/1.110	----	2.138 +	1.356 .7997	----	----	7	----	6 + 4
8710 ----	----	1.637B/----	1.637B/1.204A	----	2.211 +	1.399 .8138	----	----	----	----	0 UNCH
8750 1.349	1.349	1.716B/1.349	1.716B/1.324A	----	2.516 +	1.574 .8633	----	----	1	----	2 UNCH
8760 1.428	1.428	1.735B/1.428	1.735B/1.360A	----	2.595 +	1.618 .8741	----	----	1	----	1 UNCH
8780 1.549	1.549	1.854B/1.549	1.854B/1.439A	----	2.757 +	1.707 .8935	----	----	1	----	1 UNCH
8800 ----	----	2.002B/----	2.002B/1.533A	----	2.923 +	1.797 .9106	----	----	1	----	11 UNCH
8890 2.017	2.017	#2.169B/2.017	2.169B/1.943A	----	3.710	NEW .9623	----	----	2	----	2 + 2
8950 ----	----	#2.261B/----	2.261B/2.298A	----	4.263 +	2.432 .9801	----	----	----	----	2 UNCH
TOTAL									133	20	651 + 68
SO4 CALL	SILVER OPTIONS										
MAY26											
7500 ----	----	----/10.927A	9.662B/10.927A	----	10.573 -	3.921 .9397	----	----	----	----	1 UNCH
7700 ----	----	----/11.542A	#10.178B/11.542A	----	8.751 -	3.842 .8994	----	----	----	----	1 UNCH
7800 ----	----	----	----/25.935A	----	7.879 -	3.788 .8719	----	----	----	----	3 UNCH
8000 ----	----	----/6.250A	5.175B/6.250A	----	6.234 -	3.641 .8006	----	----	----	----	1 UNCH
8100 ----	----	----/5.529A	5.142B/5.529A	----	5.472 -	3.545 .7564	----	----	1	----	0 - 1
8200 ----	----	----/4.212A	5.091B/4.212A	----	4.758 -	3.431 .7069	----	----	----	----	2 UNCH
8300 ----	----	----/3.292A	4.366B/3.292A	----	4.098 -	3.299 .6528	----	----	1	----	2 UNCH
8500 ----	----	----/2.354A	3.829B/2.354A	----	2.957 -	2.978 .5352	----	----	----	----	50 UNCH
8550 ----	----	----/*2.188A	3.501B/2.188A	----	2.710 -	2.888 .5050	----	----	----	----	27 UNCH
8600 ----	----	----/1.976A	3.221B/1.976A	----	2.480 -	2.794 .4749	----	----	----	----	56 UNCH
8700 ----	----	----/1.659A	3.255B/1.659A	----	2.065 -	2.598 .4161	----	----	----	----	1 UNCH
8750 ----	----	----/1.549A	3.251B/1.549A	----	1.881 -	2.495 .3877	----	----	----	----	16 UNCH
8800 ----	----	----/1.398A	3.309B/1.398A	----	1.711 -	2.392 .3602	----	----	----	----	7 UNCH
9050 1.989	1.989	1.989/*0.928A	2.425B/*0.928A	----	1.049 -	1.878 .2404	----	----	1	----	0 - 1
9100 1.750	1.750	1.900/0.837A	2.266B/0.837A	----	0.949	NEW .2203	----	----	3	----	3 + 3
9200 ----	----	----/0.716A	1.922B/0.716A	----	0.774 -	1.588 .1839	----	----	----	----	25 UNCH
9250 ----	----	----/0.681A	1.737B/0.681A	----	0.699 -	1.496 .1677	----	----	----	----	20 UNCH
9300 ----	----	----/*0.609A	1.622B/0.609A	----	0.633 -	1.414 .1530	----	----	----	----	25 UNCH
9400 1.200	1.200	1.200/*0.513A	1.363B/*0.513A	----	0.520	NEW .1271	----	----	7	----	7 + 7
9500 0.450	0.450	0.450/0.400	1.142B/0.400	----	0.427 -	1.117 .1052	----	----	3	----	39 + 3
9800 0.625	0.625	0.625/*0.279A	0.652B/*0.279A	----	0.235	NEW .0586	----	----	2	----	1 + 1
10000 0.303	0.303	0.303/*0.130	0.443B/*0.130	----	0.159 -	0.592 .0395	----	----	3	----	4 + 3
10500 0.140	0.140	0.140/*0.090	0.159B/*0.090	----	0.061	NEW .0147	----	----	3	----	3 + 3
TOTAL									24	0	294 + 18
SO4 PUT	SILVER OPTIONS										
MAY26											
6900 ----	----	----	0.002B/0.157A	----	0.067 +	0.025 .0145	----	----	----	----	1 UNCH
7000 ----	----	----	0.009B/0.168A	----	0.082 +	0.032 .0182	----	----	----	----	5 UNCH
7350 ----	----	----	0.091B/0.230A	----	0.176 +	0.078 .0416	----	----	----	----	1 UNCH
7450 ----	----	0.136B/----	0.136B/0.279A	----	0.223 +	0.102 .0531	----	----	----	----	1 UNCH
7500 ----	----	0.181B/----	0.181B/0.283A	----	0.252 +	0.116 .0602	----	----	----	----	2 UNCH
7600 0.330	0.330	0.330/0.330	0.330/0.330	----	0.328	NEW .0779	----	----	1	----	1 + 1
7700 0.450	0.450	0.489B/0.450	0.489B/0.416A	----	0.429 +	0.195 .1005	----	----	4	----	5 + 2
7800 0.450	0.450	0.690/0.450	0.690/0.440A	----	0.556	NEW .1280	----	----	3	----	3 + 3
7900 0.550	0.550	0.697B/0.550	0.697B/0.550	----	0.714 +	0.314 .1608	----	----	3	----	5 + 3
8000 ----	----	0.947B/----	0.947B/0.740A	----	0.909 +	0.395 .1993	----	----	1	----	0 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO4 PUT		SILVER OPTIONS										
MAY26												
8200	----	----	1.637B/----	1.637B/1.071A	----	1.433 +	0.606 .2930	----	----	----	----	3 UNCH
8300	1.600	1.600	2.075B/1.600	2.075B/1.279A	----	1.772 +	0.738 .3471	----	----	1	----	0 - 1
8400	2.750	2.750	2.750/2.650	2.750/1.557A	----	2.170 +	0.890 .4049	----	----	2	----	2 + 2
8500	----	----	3.145B/----	3.145B/1.866A	----	2.629 +	1.058 .4647	----	----	2	----	1 UNCH
8600	----	----	3.771B/----	3.771B/2.210A	----	3.151	NEW .5250	----	----	1	----	1 + 1
8700	2.790	2.790	4.088B/2.790	4.088B/2.606A	----	3.736	NEW .5838	----	----	1	----	1 + 1
TOTAL										19	0	32 + 11
SO5 CALL		SILVER OPTIONS										
MAY26												
8400	----	----	----/3.680A	5.092B/3.680A	----	4.377 -	3.000 .5798	----	----	----	----	2 UNCH
8600	3.168	3.168	3.168/2.862A	4.186B/2.862A	----	3.402 -	2.708 .4914	----	----	1	----	2 - 1
8700	----	----	----/2.532A	4.046B/2.532A	----	2.985 -	2.554 .4482	----	----	----	----	2 UNCH
8800	----	----	----/2.233A	4.132B/2.233A	----	2.612 -	2.400 .4065	----	----	----	----	2 UNCH
8900	----	----	----/1.966A	4.098B/1.966A	----	2.282 -	2.246 .3668	----	----	----	----	1 UNCH
9200	----	----	----/*1.365A	2.928B/1.365A	----	1.516 -	1.807 .2634	----	----	----	----	2 UNCH
9500	----	----	----/0.959A	2.062B/0.959A	----	1.011 -	1.427 .1852	----	----	----	----	1 UNCH
TOTAL										1	0	12 - 1
SO5 PUT		SILVER OPTIONS										
MAY26												
7000	----	----	----	0.115B/0.266A	----	0.187 +	0.058 .0384	----	----	----	----	2 UNCH
8000	----	----	1.628B/----	1.628B/1.284A	----	1.555 +	0.551 .2543	----	----	----	----	2 UNCH
8300	3.000	3.000	3.000/3.000	3.000/2.054A	----	2.610	NEW .3763	----	----	2	----	2 + 2
8400	2.400	2.400	3.411B/2.400	3.411B/2.372A	----	3.051	NEW .4201	----	----	5	----	5 + 5
8500	2.800	2.800	3.996B/2.800	3.996B/2.752A	----	3.538 +	1.177 .4644	----	----	4	----	4 + 4
TOTAL										11	0	15 + 11
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
6400	----	----	----	0.001B/0.200A	----	0.002 +	0.001 .0003	----	----	----	----	1 UNCH
6800	----	----	----	0.001B/0.123A	----	0.009 +	0.005 .0020	----	----	----	----	4 UNCH
6850	----	----	----	0.027B/0.192A	----	0.086 +	0.022 .0193	----	----	----	----	1 UNCH
7000	----	----	----	0.001B/*0.132A	----	0.019 +	0.010 .0046	----	----	----	----	5 UNCH
7400	----	----	----	----	----	15.368	UNCH ----	----	----	----	----	0 UNCH
7500	0.168	0.168	0.168/*0.168	0.168/*0.168	----	0.118	NEW .0321	----	----	1	----	1 + 1
7700	----	----	0.194B/----	0.194B/0.265A	----	0.235 +	0.135 .0644	----	----	----	----	3 UNCH
7800	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	9.368	UNCH ----	----	----	----	----	0 UNCH
8100	----	----	1.692B/----	1.692B/1.234A	----	1.609 +	0.611 .2791	----	----	----	----	1 UNCH
8100	----	----	----	----	----	8.368	UNCH ----	----	----	----	----	0 UNCH
8100	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8110	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8150	----	----	----	----	----	7.868	UNCH ----	----	----	----	----	0 UNCH
8200	1.100	1.100	1.228B/1.100	1.228B/0.753A	----	1.040	NEW .2591	----	----	2	----	2 + 2
8200	----	----	----	----	----	7.368	UNCH ----	----	----	----	----	0 UNCH
8350	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8370	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8400	----	----	2.126B/----	2.126B/1.144A	----	1.718	NEW .3904	----	----	1	----	1 + 1
8400	----	----	----	----	----	5.368	UNCH ----	----	----	----	----	0 UNCH
8400	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8450	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8500	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8500	2.500	2.500	2.500/1.880A	3.086B/1.880A	----	2.488 -	2.976 .5368	----	----	1	----	1 UNCH
8500	----	----	----	----	----	4.368	UNCH ----	----	----	----	----	0 UNCH
8550	----	----	----	----	----	3.868	UNCH ----	----	----	----	----	0 UNCH
8550	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8580	----	----	----	----	----	3.568	UNCH ----	----	----	----	----	0 UNCH
8600	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8600	----	----	----	----	----	3.368	UNCH ----	----	----	----	----	0 UNCH
8650	----	----	----	----	----	2.868	UNCH ----	----	----	----	----	0 UNCH
8650	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8700	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8700	----	----	----	----	----	2.368	UNCH ----	----	----	----	----	0 UNCH
8750	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8750	----	----	----	----	----	1.868	UNCH ----	----	----	----	----	0 UNCH
8800	----	----	4.925B/----	4.925B/3.680A	----	4.918 +	1.687 .6085	----	----	----	----	1 UNCH
8800	----	----	----	----	----	1.368	UNCH ----	----	----	----	----	0 UNCH
8800	----	----	----/0.975A	2.819B/0.975A	----	1.251 -	2.277 .3232	----	----	----	----	10 UNCH
8800	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8840	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8850	----	----	----	----	----	0.868	UNCH ----	----	----	----	----	0 UNCH
8850	----	----	----/*0.900A	2.796B/0.900A	----	1.105 -	2.153 .2919	----	----	----	----	40 UNCH
8880	----	----	----	----	----	0.568	UNCH ----	----	----	----	----	0 UNCH
8900	----	----	----	----	----	0.368	UNCH ----	----	----	----	----	0 UNCH
8900	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8910	----	----	----	----	----	0.268	UNCH ----	----	----	----	----	0 UNCH
8940	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8950	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
8950	----	----	----	----	----	0.132	UNCH ----	----	----	----	----	0 UNCH
8980	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
9000	----	----	----	----	----	0.632	UNCH ----	----	----	----	----	0 UNCH
9000	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
9000	----	----	----/0.647A	2.140B/0.647A	----	0.751 -	1.788 .2095	----	----	----	----	1 UNCH
9050	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
9050	----	----	----/*0.593A	1.911B/*0.593A	----	0.658 -	1.672 .1861	----	----	----	----	3 UNCH
9100	----	----	----/0.526A	1.754B/0.526A	----	0.577 -	1.559 .1650	----	----	----	----	8 UNCH
9100	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
9150	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
9200	0.650	0.650	0.650/0.424A	1.423B/0.424A	----	0.442 -	1.348 .1285	----	----	5	----	5 + 1
9390	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
9500	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
9500	----	----	----/*0.235A	0.718B/0.235A	----	0.204 -	0.876 .0596	----	----	----	----	1 UNCH
10000	----	----	----/*0.149A	0.196B/0.149A	----	0.071 -	0.351 .0188	----	----	----	----	1 UNCH
11000	----	----	----/*0.193A	0.187B/*0.193A	----	0.087 -	0.273 .0190	----	----	----	----	3 UNCH
11000	----	----	----	0.012B/0.126A	----	0.023 -	0.060 .0046	----	----	----	----	11 UNCH
TOTAL										10	0	104 + 5
JUN26												
8100	----	----	#2.430B/----	2.430B/1.917A	----	2.189 +	0.642 .3076	----	----	----	----	4 UNCH
8500	----	----	----/*4.106A	5.247B/*4.106A	----	4.345 -	2.905 .5366	----	----	----	----	4 UNCH
9750	----	----	----/*1.066A	2.019B/*1.066A	----	1.079 -	1.376 .1747	----	----	----	----	5 UNCH
TOTAL											0	13 0
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week3										
MAY26												
7550	----	----	----	----/31.103A	----	9.884 -	4.010 .9818	----	----	----	----	3 UNCH
7800	----	----	----	----/27.398A	----	7.501 -	3.946 .9445	----	----	----	----	3 UNCH
7850	----	----	0.208B/----	0.208B/0.305A	----	0.215 +	0.113 .0677	----	----	----	----	1 UNCH
8000	0.250	0.250	0.444B/*0.250	0.444B/*0.250	----	0.382	NEW .1189	----	----	1	----	1 + 1
8200	----	----	----/3.574A	3.528B/3.574A	----	4.094 -	3.617 .7739	----	----	----	----	1 UNCH
8300	1.500	1.500	1.500/1.500	1.500/0.760A	----	1.060	NEW .2971	----	----	1	----	1 + 1
8400	----	----	----/2.070A	3.020B/2.070A	----	2.761 -	3.271 .6230	----	----	----	----	1 UNCH
8500	----	----	----/1.637A	2.460B/1.637A	----	2.211 -	3.052 .5388	----	----	----	----	1 UNCH
8560	1.893	1.893	#1.893/*1.450A	2.093B/*1.450A	----	1.919	NEW .4878	----	----	1	----	1 + 1
8630	2.000	2.000	#2.000/*1.221A	2.424B/*1.221A	----	1.613	NEW .4292	----	----	2	----	2 + 2
8700	----	----	2.980B/----	2.980B/1.872A	----	3.014 +	1.494 .6273	----	----	----	----	4 UNCH
8700	1.300	1.300	1.300/0.992A	2.523B/0.992A	----	1.343	NEW .3726	----	----	4	----	4 + 4
8900	----	----	----/0.612A	2.287B/0.612A	----	0.755 -	1.995 .2306	----	----	----	----	1 UNCH
9000	----	----	----/0.486A	1.844B/0.486A	----	0.549 -	1.725 .1738	----	----	1	----	1 UNCH
9100	0.999	0.999	0.999/0.377A	1.462B/0.377A	----	0.391 -	1.467 .1272	----	----	2	----	3 UNCH
9300	0.200	0.200	0.200/*0.200	0.878B/0.200	----	0.204 -	1.037 .0668	----	----	1	----	3 + 1
10000	0.050	0.050	0.050/*0.050	0.081B/*0.050	----	0.020 -	0.256 .0055	----	----	2	----	2 UNCH
TOTAL										15	0	33 + 10
JUN26												
6250	----	----	----	0.001B/0.179A	----	0.086 +	0.010 .0152	----	----	----	----	0 UNCH
6500	----	----	----	0.016B/0.208A	----	0.128 +	0.020 .0231	----	----	----	----	1 UNCH
7100	----	----	----	0.218B/0.389A	----	0.344 +	0.081 .0631	----	----	----	----	2 UNCH
7800	----	----	1.814B/----	1.814B/1.667A	----	1.762 +	0.395 .2332	----	----	----	----	1 UNCH
8000	----	----	1.891B/----	1.891B/1.548A	----	1.763 +	0.542 .2668	----	----	----	----	9 UNCH
8000	----	----	----/7.344A	7.372B/7.344A	----	7.082 -	3.491 .7331	----	----	----	----	4 UNCH
8200	----	----	----/5.353A	5.963B/5.353A	----	5.804 -	3.261 .6570	----	----	----	----	4 UNCH
8500	4.200	4.200	#4.200/*4.200	#5.824B/*4.200	----	4.970 -	2.925 .5386	----	----	8	----	12 + 8
8800	----	----	----/2.588A	4.391B/2.588A	----	2.972 -	2.424 .4195	----	----	----	----	1 UNCH
9700	----	----	----/*1.563A	2.813B/*1.563A	----	1.638 -	1.648 .2233	----	----	6	----	10 + 6
TOTAL										14	0	44 + 14

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 57

PRELIMINARY

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
MAY26												
450	----	----	----	----/0.0070A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
600	----	----	----/0.5625A	0.6425B/0.5625A	----	0.6120 - 0.0675	.0000	----	----	----	----	17 UNCH
600	----	----	----	----/*0.0060A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
610	----	----	----/0.4635A	0.5435B/0.4635A	----	0.5120 - 0.0675	.0000	----	----	----	----	1 UNCH
615	----	----	----/0.4150A	0.4940B/0.4150A	----	0.4620 - 0.0675	.0000	----	----	----	----	5 UNCH
615	----	----	----	----/*0.0065A	----	0.0005 - 0.0005	.0001	----	----	----	----	4 UNCH
620	----	----	----/0.3655A	0.4450B/0.3655A	----	0.4120 - 0.0680	.9993	----	----	----	----	1 UNCH
625	----	----	----	0.0005B/*0.0075	----	0.0005 - 0.0020	.0028	----	----	----	----	5 UNCH
630	----	----	----/0.2705A	0.3480B/0.2705A	----	0.3125 - 0.0705	.9904	----	----	----	----	15 UNCH
640	0.0145	0.0145	0.0145/*0.0145	0.0145/*0.0145	----	0.0065 - 0.0060	.0649	----	----	5	----	0 - 5
645	----	----	0.0260B/0.0205A	0.0260B/0.0205A	----	0.0140 - 0.0070	.1326	----	----	----	----	15 UNCH
660	0.0735	0.0735	0.0735/0.0670A	0.1120B/0.0670A	----	0.0775 - 0.0695	.5333	----	----	1	----	6 + 1
660	0.0725	0.0725	0.0995B/0.0655A	0.0995B/0.0655A	----	0.0660 NEW	.4665	----	----	1	----	1 + 1
665	0.0500	0.0500	0.0500/0.0490A	0.0885B/0.0490A	----	0.0565 NEW	.4132	----	----	5	----	5 + 5
675	----	----	----/0.0240A	0.0530B/0.0240A	----	0.0285 - 0.0515	.2217	----	----	----	----	5 UNCH
678	----	----	----/*0.0285A	0.0345B/*0.0285	----	0.0230 - 0.0470	.1796	----	----	----	----	1 UNCH
700	----	----	----/*0.0070A	0.0075B/0.0070A	----	0.0035 - 0.0205	.0255	----	----	----	----	15 UNCH
TOTAL										12		101 + 2
JUN26												
450	----	----	----	----/0.0075A	----	0.0005 UNCH	.0000	----	----	----	----	14 UNCH
500	----	----	----	----/0.0080A	----	0.0005 - 0.0005	.0019	----	----	----	----	5 UNCH
580	----	----	----/*0.0145A	0.0110B/*0.0145	----	0.0105 - 0.0075	.0436	----	----	----	----	1 UNCH
595	----	----	----/*0.0125A	0.0100B/*0.0125	----	0.0085 - 0.0080	.0429	----	----	----	----	1 UNCH
600	----	----	----/0.5955A	0.6305B/0.5955A	----	0.6215 - 0.0760	.9449	----	----	----	----	1 UNCH
630	----	----	----/0.3325A	0.3740B/0.3325A	----	0.3580 - 0.0830	.8019	----	----	----	----	1 UNCH
635	----	----	0.1130B/*0.0960	0.1130B/*0.0960	----	0.0920 - 0.0170	.2804	----	----	----	----	1 UNCH
640	----	----	----/0.2685A	0.3260B/0.2685A	----	0.2870 - 0.0835	.7159	----	----	----	----	6 UNCH
640	----	----	----/*0.3475A	0.3735B/0.3475A	----	0.3520 - 0.0835	.6600	----	----	----	----	1 UNCH
650	0.1800	0.1800	0.2050B/*0.1800	0.2050B/*0.1800	----	0.1860 - 0.0155	.4068	----	----	1	----	3 + 1
665	----	----	----/0.1440A	0.1940B/0.1440A	----	0.1560 - 0.0780	.4765	----	----	2	----	27 - 2
675	----	----	----/0.1105A	0.1555B/0.1105A	----	0.1190 - 0.0745	.3885	----	----	----	----	1 UNCH
700	----	----	----/*0.1270A	0.1325B/0.1270A	----	0.1215 - 0.0675	.2988	----	----	----	----	29 UNCH
725	0.0385	0.0385	0.0385/0.0290A	0.0470B/0.0290A	----	0.0280 - 0.0430	.1114	----	----	10	----	14 UNCH
TOTAL										13		105 - 1
HWR THU		COPPER WEEKLY THURSDAY OPT Week3										
MAY26												
450	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
570	----	----	----	----/*0.0085A	----	0.0005 UNCH	.0001	----	----	----	----	1 UNCH
595	----	----	----/0.6155A	0.6945B/0.6155A	----	0.6620 - 0.0695	.9937	----	----	----	----	1 UNCH
608	----	----	----	----/0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
612	----	----	----	----/0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
620	----	----	----	----/0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
630	----	----	----	----/0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 20
635	----	----	0.0315B/*0.0245	0.0315B/*0.0245	----	0.0190 - 0.0095	.1276	----	----	----	----	1 UNCH
640	----	----	----/0.1645A	0.2425B/0.1645A	----	0.2115 - 0.0680	----	1	----	----	----	0 - 1
644	----	----	----	----/*0.0075A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 2
645	----	----	----/0.1185A	0.1950B/0.1185A	----	0.1615 - 0.0695	----	1	----	----	----	0 - 1
650	0.0115	0.0115	0.0115/*0.0075A	0.0115/*0.0075A	----	0.0000 - 0.0050	----	----	----	1	----	0 - 10
654	----	----	----/*0.0440A	0.1125B/0.0440A	----	0.0715 - 0.0760	----	1	----	----	----	0 - 1
655	----	----	0.0240B/*0.0075	0.0240B/*0.0075	----	0.0000 - 0.0095	----	----	----	----	----	0 - 1
656	----	----	#0.0295B/*0.007	0.0295B/*0.0075	----	0.0000 - 0.0105	----	----	----	----	----	0 - 2
657	----	----	#0.0355B/0.0075	0.0355B/0.0075A	----	0.0000 - 0.0115	----	----	----	----	----	0 - 20
658	0.0050	0.0050	#0.0420B/*0.005	0.0420B/*0.0050	----	0.0000 NEW	----	----	----	2	----	0 UNCH
660	0.0040	0.0040	0.0565B/*0.0005	0.0565B/*0.0005	----	0.0000 - 0.0165	----	----	----	6	----	0 - 20
660	0.0400	0.0400	0.0455/0.0145A	0.0670B/0.0145A	----	0.0115 NEW	----	10	----	12	----	0 UNCH
662	0.0210	0.0210	#0.0715B/*0.016	0.0715B/*0.0165	----	0.0085 - 0.0135	----	29	----	2	----	0 - 28
662	0.0040	0.0040	0.0045/*0.0040	0.0550B/*0.0040	----	0.0000 NEW	----	----	----	15	----	0 UNCH
663	----	----	#0.0795B/0.0250	0.0795B/0.0250A	----	0.0185 - 0.0070	----	20	----	----	----	0 - 20
664	----	----	#0.0880B/----	0.0880B/0.0340A	----	0.0285 - 0.0015	----	30	----	----	----	0 - 30
665	----	----	0.0965B/----	0.0965B/*0.0390	----	0.0385 + 0.0030	----	2	----	----	----	0 - 2
665	0.0445	0.0445	0.0445/*0.0075A	0.0445/0.0075A	----	0.0000 - 0.0645	----	----	----	12	----	0 - 1
666	0.0110	0.0110	0.0110/*0.0075A	0.0360B/*0.0075	----	0.0000 NEW	----	----	----	10	----	0 UNCH
667	0.0100	0.0100	0.0100/*0.0070A	0.0320B/*0.0070	----	0.0000 NEW	----	----	----	10	----	0 UNCH
668	----	----	----/*0.0075A	0.0285B/*0.0075	----	0.0000 - 0.0520	----	----	----	----	----	0 UNCH
670	----	----	0.1420B/----	0.1420B/0.0705A	----	0.0885 + 0.0225	----	2	----	----	----	0 - 2
670	0.1200	0.1200	0.1200/0.1095A	0.1555B/0.1095A	----	0.1175 NEW	.4194	----	----	5	----	5 + 5
670	----	----	----/*0.0050A	0.0215B/*0.0050	----	0.0000 - 0.0450	----	----	----	----	----	0 - 30
672	----	----	----/*0.0075A	0.0155B/*0.0075	----	0.0000 - 0.0380	----	----	----	----	----	0 - 10
677	0.0135	0.0135	0.0135/*0.0075A	0.0135/*0.0075A	----	0.0000 NEW	----	----	----	2	----	0 UNCH
690	----	----	----	----/0.0075A	----	0.0000 - 0.0045	----	----	----	----	----	0 - 19
690	----	----	----/*0.0300A	0.0520B/0.0300A	----	0.0295 - 0.0510	.1654	----	----	----	----	25 UNCH
700	----	----	----/0.0455A	0.0730B/0.0455A	----	0.0470 - 0.0555	.1916	----	----	----	----	20 UNCH
725	----	----	----/0.0095A	0.0110B/0.0095A	----	0.0040 - 0.0190	.0237	----	----	----	----	6 UNCH
TOTAL										77		63 - 228
JUN26												
630	----	----	----/*0.0720A	0.0760B/*0.0720	----	0.0640 - 0.0160	.2271	----	----	----	----	8 UNCH
630	----	----	----/0.3505A	0.3960B/0.3505A	----	0.3750 - 0.0830	.7723	----	----	----	----	8 UNCH
TOTAL												16
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week3										
MAY26												
450	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
590	----	----	----	----/*0.0085A	----	0.0005 - 0.0005	.0003	----	----	----	----	1 UNCH
630	0.0100	0.0100	0.0100/*0.0100	0.0100/*0.0100	----	0.0065 - 0.0070	.0511	----	----	15	----	20 + 15
655	0.0695	0.0695	0.0830B/*0.0590	0.0830B/*0.0590	----	0.0565 NEW	.3684	----	----	2	----	2 + 2
665	----	----	----/0.0645A	0.1025B/0.0645A	----	0.0705 - 0.0670	.4304	----	----	----	----	4 UNCH
680	----	----	----/0.0280A	0.0525B/0.0280A	----	0.0295 - 0.0505	.1989	----	----	2	----	2 - 2
725	----	----	----/0.0080A	0.0015B/0.0080A	----	0.0005 - 0.0080	.0028	----	----	----	----	4 UNCH
TOTAL										19		37 + 15
JUN26												
450	----	----	----	----/0.0075A	----	0.0005 UNCH	.0000	----	----	----	----	14 UNCH
595	----	----	----/*0.0250A	0.0255B/*0.0250	----	0.0215 - 0.0100	.0822	----	----	----	----	1 UNCH
615	----	----	----/*0.0500A	0.0580B/*0.0500	----	0.0460 - 0.0165	.1600	----	----	----	----	1 UNCH
620	----	----	----/*0.0605A	0.0705B/*0.0605	----	0.0560 - 0.0175	.1875	----	----	----	----	1 UNCH
640	----	----	0.1415B/0.1215A	0.1415B/0.1215A	----	0.1175 - 0.0160	.3240	----	----	----	----	5 UNCH
660	----	----	----/0.1705A	0.2245B/0.1705A	----	0.1825 - 0.0820	.5234	----	----	----	----	0 UNCH
670	----	----	----/0.1715A	0.2195B/0.1715A	----	0.1825 - 0.0790	.4522	----	----	----	----	107 UNCH
750	----	----	----/0.0185A	0.0260B/0.0185A	----	0.0160 - 0.0305	.0634	----	----	----	----	10 UNCH
TOTAL												139
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
450	----	----	----	----/0.0070A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
570	----	----	----	----/*0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
575	----	----	----	----/*0.0100A	----	0.0020 - 0.0040	.0107	----	----	----	----	2 UNCH
585	----	----	----	----/*0.0060A	----	0.0005 - 0.0005	.0003	----	----	----	----	13 UNCH
610	----	----	----	0.0005B/*0.0080	----	0.0015 - 0.0035	.0106	----	----	----	----	1 UNCH
620	----	----	----	0.0045B/*0.0100	----	0.0035 - 0.0050	.0264	----	----	----	----	1 UNCH
635	----	----	----/0.2770A	0.3200B/0.2770A	----	0.3015 - 0.0830	.8005	----	----	----	----	1 UNCH
635	----	----	----	----	----	0.3290 UNCH	----	----	----	----	----	0 UNCH
649	----	----	----	----	----	0.1890 UNCH	----	----	----	----	----	0 UNCH
650	----	----	----	----	----	0.1790 UNCH	----	----	----	----	----	0 UNCH
650	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
650	----	----	0.0745B/*0.0510	0.0745B/*0.0510	----	0.0465 - 0.0080	.2944	----	----	----	----	1 UNCH
652	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
653	----	----	----	----	----	0.1490 UNCH	----	----	----	----	----	0 UNCH
654	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
655	0.1600	0.1600	0.1600/0.1585A	0.2120B/0.1585A	----	0.1735 - 0.0815	.5817	----	----	4	----	7 UNCH
655	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
656	----	----	----	----	----	0.1190 UNCH	----	----	----	----	----	0 UNCH
657	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
658	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
660	----	----	----	----	----	0.0790 UNCH	----	----	----	----	----	0 UNCH
660	----	----	----/0.0915A	0.1390B/0.0915A	----	0.1020 - 0.0715	.5272	----	----	----	----	6 UNCH
660	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
661	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
662	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
663	----	----	----	----	----	0.0490 UNCH	----	----	----	----	----	0 UNCH
663	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
664	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
665	----	----	----	----	----	0.0290 UNCH	----	----	----	----	----	0 UNCH
668	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
670	0.0980	0.0980	0.0980/0.0980	0.1475B/0.0980	----	0.1100 - 0.0740	.4140	----	----	1	----	0 - 1
670	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
674	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
676	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
683	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
TOTAL										5		37 - 1
JUN26												
465	----	----	----	----/0.0075A	----	0.0005 UNCH	.0001	----	----	----	----	10 UNCH
470	----	----	----	----/0.0075A	----	0.0005 UNCH	.0002	----	----	----	----	4 UNCH
490	----	----	----	----/0.0080A	----	0.0005 - 0.0005	.0010	----	----	----	----	7 UNCH
500	----	----	----	----/*0.0080A	----	0.0005 - 0.0015	.0019	----	----	----	----	1 UNCH
555	----	----	----	----/*0.0110A	----	0.0040 - 0.0040	.0166	----	----	----	----	1 UNCH
579	----	----	----/*0.0110A	0.0060B/*0.0110	----	0.0070 - 0.0055	.0316	----	----	----	----	0 UNCH
595	----	----	----/0.6425A	0.6875B/0.6425A	----	0.6725 - 0.0760	.9460	----	----	----	----	5 UNCH
595	----	----	----/*0.0160A	0.0140B/*0.0160	----	0.0115 - 0.0095	.0536	----	----	----	----	5 UNCH
600	----	----	----/0.5975A	0.6415B/0.5975A	----	0.6250 - 0.0775	.9331	----	----	----	----	1 UNCH
606	----	----	----/*0.0230A	0.0245B/*0.0230	----	0.0190 - 0.0115	.0852	----	----	----	----	1 UNCH
610	----	----	----/0.5115A	0.5525B/0.5115A	----	0.5335 - 0.0800	.8999	----	----	----	----	8 UNCH
620	----	----	----/0.4305A	0.4690B/0.4305A	----	0.4470 - 0.0820	.8491	----	----	----	----	1 UNCH
636	----	----	0.0965B/*0.0790	0.0965B/*0.0790	----	0.0760 - 0.0165	.2658	----	----	----	----	1 UNCH
650	----	----	----/0.2245A	0.2785B/0.2245A	----	0.2415 - 0.0825	.6121	----	----	----	----	6 UNCH
655	0.1680	0.1680	0.1860B/*0.1525	0.1860B/*0.1525	----	0.1540 NEW	.4317	----	----	4	----	0 UNCH
660	----	----	----/0.1785A	0.2310B/0.1785A	----	0.1920 - 0.0795	.5235	----	----	----	----	8 UNCH
700	----	----	----/0.0680A	0.1010B/0.0680A	----	0.0725 - 0.0600	.2392	----	----	----	----	0 UNCH
705	----	----	----/0.0600A	0.0900B/0.0600A	----	0.0640 - 0.0570	.2144	----	----	----	----	7 UNCH
710	----	----	----/0.0525A	0.0805B/0.0525A	----	0.0565 - 0.0540	.1919	----	----	----	----	2 UNCH
725	----	----	----/0.0365A	0.0575B/0.0365A	----	0.0390 - 0.0450	.1369	----	----	----	----	7 UNCH
750	----	----	----/*0.0205A	0.0300B/0.0205A	----	0.0205 - 0.0310	.0754	----	----	----	----	4 UNCH
800	----	----	----/*0.0090A	0.0055B/*0.0090	----	0.0055 - 0.0130	.0214	----	----	----	----	2 UNCH
TOTAL										4		81
JUL26												
460	----	----	----	----/0.0100A	----	0.0015 - 0.0010	.0043	----	----	----	----	23 UNCH
581	----	----	----/*0.0420A	0.0355B/*0.0420	----	0.0350 - 0.0090	.0939	----	----	----	----	1 UNCH
585	----	----	----	----	----	0.8590 - 0.0765	.8956	----	----	----	----	6 UNCH
585	----	----	----/*0.0465A	0.0405B/*0.0465	----	0.0390 - 0.0100	.1034	----	----	----	----	6 UNCH
600	----	----	----	----	----	0.7305 - 0.0785	.8493	----	----	----	----	12 UNCH
611	----	----	----/*0.0905A	0.0915B/*0.0905	----	0.0830 - 0.0120	.1924	----	----	----	----	22 UNCH
612	----	----	----	----	----	0.6355 - 0.0795	.8026	----	----	----	----	5 UNCH
612	----	----	----/*0.0925A	0.0945B/*0.0925	----	0.0850 - 0.0125	.1963	----	----	----	----	6 UNCH
613	----	----	----/*0.0950A	0.0970B/*0.0950	----	0.0875 - 0.0125	.2007	----	----	----	----	3 UNCH
621	----	----	----	----	----	0.5695 - 0.0800	.7619	----	----	----	----	1 UNCH
625	----	----	----/0.5195A	0.5770B/0.5195A	----	0.5420 - 0.0800	.7428	----	----	----	----	22 UNCH
630	----	----	----/0.4880A	0.5435B/0.4880A	----	0.5085 - 0.0800	.7180	----	----	----	----	5 UNCH
650	----	----	----/0.3760A	0.4235B/0.3760A	----	0.3905 - 0.0790	.6133	----	----	----	----	5 UNCH
650	----	----	0.2410B/0.2260A	0.2410B/0.2260A	----	0.2190 - 0.0110	.3855	----	----	----	----	1 UNCH
700	----	----	----/0.1880A	0.2195B/0.1880A	----	0.1935 - 0.0675	.3675	----	----	----	----	5 UNCH
710	----	----	----/*0.1630A	0.1915B/*0.1630	----	0.1675 - 0.0640	.3272	----	----	----	----	5 UNCH
TOTAL												128
AUG26												
599	----	----	----	----	----	0.8130 - 0.0755	.7836	----	----	----	----	10 UNCH
630	----	----	----/0.5895A	0.6380B/0.5895A	----	0.6075 - 0.0755	.6736	----	----	----	----	13 UNCH
630	----	----	0.2525B/----	0.2525B/0.2460A	----	0.2370 - 0.0085	.3244	----	----	----	----	15 UNCH
640	----	----	----/0.5360A	0.5800B/0.5360A	----	0.5505 - 0.0755	.6351	----	----	----	----	1 UNCH
650	----	----	----/0.4865A	0.5275B/0.4865A	----	0.4985 - 0.0750	.5963	----	----	----	----	16 UNCH
750	0.1930	0.1930	0.1930/0.1755A	0.1980B/0.1755A	----	0.1770 NEW	.2725	----	----	2	----	2 + 2
TOTAL										2		57 + 2
HX CALL		COMEX COPPER OPTIONS										
JUN26												
500	----	----	----	----	----	1.6130 - 0.0670	.9930	----	----	----	----	2 UNCH
510	----	----	----	----	----	1.5130 - 0.0675	.9925	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.3630 - 0.0675	.9917	----	----	----	----	1 UNCH
535	----	----	----	----	----	1.2630 - 0.0675	.9911	----	----	----	----	2 UNCH
540	----	----	----/1.2020A	1.1995B/1.2020A	----	1.2130 - 0.0675	.9907	----	----	----	----	24 UNCH
545	----	----	----	----	----	1.1630 - 0.0675	.9903	----	----	----	----	2 UNCH
549	----	----	----	----	----	1.1230 - 0.0680	.9900	----	----	----	----	1 UNCH
550	----	----	----/1.1025A	1.0995B/1.1025A	----	1.1130 - 0.0680	.9899	----	----	----	----	5 UNCH
555	----	----	----	----	----	1.0630 - 0.0680	.9895	----	----	----	----	1 UNCH
556	----	----	----	----	----	1.0535 - 0.0675	.9894	----	----	----	----	1 UNCH
557	----	----	----/1.0330A	1.0295B/1.0330A	----	1.0435 - 0.0675	.9893	----	----	----	----	63 UNCH
559	----	----	----	----	----	1.0235 - 0.0675	.9891	----	----	----	----	4 UNCH
560	----	----	----/1.0035A	0.9995B/1.0035A	----	1.0135 - 0.0675	.9890	----	----	----	----	106 UNCH
562	----	----	----	----	----	0.9935 - 0.0680	.9888	----	----	----	----	1 UNCH
563	----	----	----	----	----	0.9835 - 0.0680	.9887	----	----	----	----	1 UNCH
565	----	----	----	----	----	0.9635 - 0.0680	.9885	----	----	----	----	2 UNCH
568	----	----	----	----	----	0.9335 - 0.0685	.9881	----	----	----	----	3 UNCH
569	----	----	----	----	----	0.9235 - 0.0685	.9880	----	----	----	----	2 UNCH
570	----	----	----/0.9035A	0.9000B/0.9035A	----	0.9135 - 0.0685	.9879	----	----	----	----	19 UNCH
574	----	----	----	----	----	0.8735 - 0.0690	.9854	----	----	----	----	3 UNCH
575	----	----	----/0.8375A	0.8665B/0.8375A	----	0.8635 - 0.0690	.9852	----	----	----	----	147 UNCH
579	----	----	----	----	----	0.8240 - 0.0690	.9846	----	----	----	----	3 UNCH
580	----	----	----/0.8035A	0.8005B/0.8035A	----	0.8140 - 0.0690	.9844	----	----	----	----	45 UNCH
581	----	----	----	----	----	0.8040 - 0.0695	.9843	----	----	----	----	1 UNCH
582	----	----	----/0.7835A	0.7810B/0.7835A	----	0.7940 - 0.0695	.9841	----	----	----	----	11 UNCH
583	----	----	----	----	----	0.7840 - 0.0695	.9839	----	----	----	----	1 UNCH
584	----	----	----	----	----	0.7740 - 0.0695	.9816	----	----	----	----	3 UNCH
585	----	----	----/0.7535A	0.7580B/0.7535A	----	0.7640 - 0.0700	.9814	----	----	1	----	11 - 1
586	----	----	----	----	----	0.7545 - 0.0695	.9812	----	----	----	----	1 UNCH
587	----	----	----	----	----	0.7445 - 0.0700	.9810	----	----	----	----	3 UNCH
588	----	----	----	----	----	0.7345 - 0.0700	.9807	----	----	----	----	4 UNCH
589	----	----	----	----	----	0.7245 - 0.0700	.9805	----	----	----	----	1 UNCH
590	----	----	----/0.7040A	0.7015B/0.7040A	----	0.7145 - 0.0705	.9803	----	----	----	----	84 UNCH
591	----	----	----/0.6940A	0.6915B/0.6940A	----	0.7045 - 0.0705	.9778	----	----	----	----	10 UNCH
592	----	----	----	----	----	0.6950 - 0.0705	.9776	----	----	----	----	1 UNCH
593	----	----	----	----	----	0.6850 - 0.0705	.9773	----	----	----	----	2 UNCH
594	----	----	----	----	----	0.6750 - 0.0710	.9770	----	----	----	----	4 UNCH
595	----	----	----/0.6390A	0.6680B/0.6390A	----	0.6650 - 0.0710	.9767	----	----	1	----	128 - 1
596	----	----	----/0.6445A	0.6425B/0.6445A	----	0.6555 - 0.0710	.9742	----	----	----	----	7 UNCH
597	----	----	----	----	----	0.6455 - 0.0710	.9738	----	----	----	----	1 UNCH
598	----	----	----/0.6250A	0.6225B/0.6250A	----	0.6355 - 0.0715	.9735	----	----	----	----	6 UNCH
599	----	----	----	----	----	0.6255 - 0.0715	.9731	----	----	----	----	4 UNCH
600	----	----	----/0.5845A	0.6240B/0.5845A	----	0.6160 - 0.0715	.9705	----	----	----	----	414 UNCH
601	----	----	----	----	----	0.6060 - 0.0720	.9701	----	----	----	----	1 UNCH
602	----	----	----	----	----	0.5960 - 0.0725	.9697	----	----	----	----	4 UNCH
603	----	----	----/0.5760A	0.5730B/0.5760A	----	0.5865 - 0.0720	.9670	----	----	----	----	10 UNCH
604	----	----	----/0.5660A	0.5635B/0.5660A	----	0.5765 - 0.0725	.9665	----	----	----	----	15 UNCH
605	----	----	----/0.5410A	0.5695B/0.5410A	----	0.5670 - 0.0725	.9637	----	----	----	----	212 UNCH
606	----	----	----/0.5465A	0.5440B/0.5465A	----	0.5570 - 0.0730	.9632	----	----	----	----	23 UNCH
607	----	----	----/0.5360A	0.5340B/0.5360A	----	0.5475 - 0.0730	.9627	----	----	40	----	80 - 12
608	----	----	----/0.5220A	0.5245B/0.5220A	----	0.5375 - 0.0735	.9598	----	----	----	----	7 UNCH
609	----	----	----/0.5175A	0.5195B/0.5175A	----	0.5280 - 0.0735	.9569	----	----	----	----	11 UNCH
610	----	----	----/0.4875A	0.5265B/0.4875A	----	0.5180 - 0.0745	.9563	----	----	1	----	768 UNCH
611	----	----	----/0.4985A	0.5200B/0.4985A	----	0.5085 - 0.0745	.9533	----	----	----	----	9 UNCH
612	----	----	----/0.4890A	0.5080B/0.4890A	----	0.4985 - 0.0750	.9526	----	----	----	----	29 UNCH
613	----	----	----/0.4795A	0.4990B/0.4795A	----	0.4890 - 0.0755	.9496	----	----	----	----	56 UNCH
614	0.4575	0.4575	0.4575/0.4575	0.4900B/0.4575	----	0.4795 - 0.0755	.9465	----	----	1	----	13 UNCH
615	----	----	----/0.4370A	0.4805B/0.4370A	----	0.4700 - 0.0760	.9434	----	----	350	----	228 - 286
616	----	----	----/0.4515A	0.4715B/0.4515A	----	0.4605 - 0.0765	.9403	----	----	----	----	40 UNCH
617	----	----	----/0.4420A	0.4625B/0.4420A	----	0.4510 - 0.0770	.9371	----	----	----	----	34 UNCH
618	----	----	----/0.4330A	0.4535B/0.4330A	----	0.4415 - 0.0775	.9339	----	----	----	----	37 UNCH
619	----	----	----/0.4240A	0.4445B/0.4240A	----	0.4320 - 0.0780	.9306	----	----	----	----	19 UNCH
620	----	----	----/0.3910A	0.4360B/0.3910A	----	0.4230 - 0.0780	.9273	----	----	----	----	643 UNCH
621	----	----	----/0.4060A	0.4270B/0.4060A	----	0.4135 - 0.0785	.9218	----	----	----	----	30 UNCH
622	----	----	----/0.3970A	0.4185B/0.3970A	----	0.4045 - 0.0790	.9163	----	----	----	----	86 UNCH
623	----	----	----/0.3885A	0.4100B/0.3885A	----	0.3955 - 0.0790	.9108	----	----	----	----	37 UNCH
624	----	----	----/0.3800A	0.4010B/0.3800A	----	0.3865 - 0.0795	.9052	----	----	----	----	12 UNCH
625	----	----	----/0.3560A	0.3925B/0.3560A	----	0.3775 - 0.0800	.8996	----	----	----	----	213 UNCH
626	----	----	----/0.3635A	0.3845B/0.3635A	----	0.3685 - 0.0805	.8940	----	----	----	----	10 UNCH
627	----	----	----/0.3530A	0.3580B/0.3530A	----	0.3600 - 0.0810	.8865	----	----	----	----	30 UNCH
628	----	----	----/0.3445A	0.3495B/0.3445A	----	0.3515 - 0.0810	.8790	----	----	----	----	23 UNCH
629	----	----	----/0.3395A	0.3595B/0.3395A	----	0.3430 - 0.0815	.8715	----	----	----	----	101 UNCH
630	----	----	----/0.3075A	0.3515B/0.3075A	----	0.3345 - 0.0820	.8640	----	----	32	----	1076 - 14
631	----	----	----/0.3080A	0.3430B/0.3080A	----	0.3265 - 0.0820	.8565	----	----	----	----	140 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUN26												
632	----	----	----/0.3125A	0.3170B/0.3125A	----	0.3185 - 0.0820	.8473	----	----	----	----	124 UNCH
635	----	----	----/0.2695A	0.3120B/0.2695A	----	0.2945 - 0.0825	.8187	----	----	1	----	349 UNCH
639	----	----	----/0.2655A	0.2825B/0.2655A	----	0.2650 - 0.0825	.7776	----	----	----	----	60 UNCH
640	0.2230	0.2230	0.2230/0.2230	0.2990B/0.2230	----	0.2575 - 0.0830	.7663	----	----	352	----	377 - 275
641	----	----	----/0.2515A	0.2680B/0.2515A	----	0.2505 - 0.0830	.7551	----	----	----	----	53 UNCH
644	----	----	----/0.2325A	0.2480B/0.2325A	----	0.2300 - 0.0830	.7208	----	----	----	----	22 UNCH
645	----	----	----/0.2040A	0.2650B/0.2040A	----	0.2235 - 0.0830	.7096	----	----	1	----	179 - 1
646	----	----	----/0.2215A	0.2350B/0.2215A	----	0.2170 - 0.0830	.6970	----	----	----	----	20 UNCH
649	----	----	----/0.1800A	0.2160B/0.1800A	----	0.1985 - 0.0825	.6611	----	----	----	----	9 UNCH
650	0.1700	0.1700	0.2100/0.1700	0.2330B/0.1700	----	0.1925 - 0.0820	.6488	----	----	63	----	1133 + 1
651	----	----	----/0.1685A	0.2040B/0.1685A	----	0.1870 - 0.0815	.6360	----	----	----	----	17 UNCH
654	----	----	----/0.1530A	0.1985B/0.1530A	----	0.1700 - 0.0810	.5985	----	----	----	----	50 UNCH
655	----	----	----/0.1475A	0.2055B/0.1475A	----	0.1650 - 0.0805	.5861	----	----	1	----	1304 UNCH
656	0.1420	0.1420	0.1425/0.1415	0.1985B/0.1415	----	0.1600 - 0.0800	.5735	----	----	3	----	10 + 2
659	0.1555	0.1555	0.1555/0.1285	0.1875B/0.1285	----	0.1450 NEW	.5362	----	----	6	----	6 + 6
660	0.1515	0.1515	0.1515/0.1235A	0.1830B/0.1235A	----	0.1405 - 0.0790	.5239	----	----	124	----	598 - 35
661	0.1470	0.1470	0.1470/0.1205	0.1780B/0.1205	----	0.1360 - 0.0785	.5116	----	----	4	----	7 + 4
665	0.1455	0.1455	0.1455/0.1060A	0.1605B/0.1060A	----	0.1195 - 0.0760	.4637	----	----	54	----	91 + 15
666	----	----	----/0.1025A	0.1560B/0.1025A	----	0.1155 - 0.0760	.4520	----	----	----	----	7 UNCH
669	0.0980	0.0980	0.0980/0.0935A	0.1440B/0.0935A	----	0.1045 - 0.0745	.4180	----	----	1	----	7 + 1
670	0.1335	0.1335	0.1400B/0.0870	0.1400B/0.0870	----	0.1010 - 0.0740	.4069	----	----	66	----	1078 + 4
671	0.0865	0.0865	0.0865/0.0865	0.1360B/0.0865	----	0.0975 - 0.0735	.3959	----	----	1	----	3 + 1
675	0.1120	0.1120	0.1130/0.0735	0.1220B/0.0735	----	0.0850 - 0.0715	.3541	----	----	50	----	1454 + 9
680	0.0930	0.0930	0.0930/0.0620	0.1075B/0.0620	----	0.0710 - 0.0690	.3055	----	----	59	75	215 - 85
685	0.0800	0.0800	0.0800/0.0525	0.0935B/0.0525	----	0.0590 - 0.0660	.2615	----	----	33	440	512 + 422
690	0.0525	0.0525	0.0525/0.0425	0.0815B/0.0425	----	0.0490 - 0.0625	.2225	----	----	36	----	191 - 8
695	0.0585	0.0585	0.0585/0.0365	0.0700B/0.0365	----	0.0415 - 0.0575	.1905	----	----	59	----	78 - 25
700	0.0400	0.0400	0.0400/0.0295	0.0605B/0.0295	----	0.0340 - 0.0535	.1598	----	----	84	----	1202 - 21
705	0.0295	0.0295	0.0300/0.0235	0.0520B/0.0235	----	0.0275 - 0.0495	.1324	----	----	17	550	579 + 560
710	0.0245	0.0245	0.0245/0.0195	0.0440B/0.0195	----	0.0225 - 0.0450	.1101	----	----	9	----	111 + 6
715	0.0200	0.0200	0.0200/0.0155A	0.0375B/0.0155A	----	0.0180 - 0.0410	.0899	----	----	22	----	56 + 17
720	0.0225	0.0225	0.0235/0.0125	0.0315B/0.0125	----	0.0145 - 0.0370	.0735	----	----	51	----	126 + 48
725	----	----	----/0.0105A	0.0260B/0.0105A	----	0.0120 - 0.0325	.0611	----	----	----	----	88 UNCH
730	----	----	----/0.0080A	0.0215B/0.0080A	----	0.0100 - 0.0285	.0509	----	----	14	----	33 UNCH
735	----	----	----/0.0070A	0.0175B/0.0070A	----	0.0080 - 0.0250	.0412	----	----	----	----	41 UNCH
740	----	----	----/0.0055A	0.0145B/0.0055A	----	0.0065 - 0.0215	.0336	----	----	28	----	500 - 28
745	0.0050	0.0050	0.0070/0.0040	0.0115B/0.0040	----	0.0055 - 0.0185	.0283	----	----	65	----	1703 + 49
750	----	----	----/0.0035A	0.0095B/0.0035A	----	0.0045 - 0.0160	.0231	----	----	----	----	244 UNCH
755	----	----	----/0.0030A	0.0080B/0.0030A	----	0.0035 - 0.0140	.0182	----	----	----	----	1 UNCH
760	----	----	----/0.0025A	0.0060B/0.0025A	----	0.0030 - 0.0120	.0154	----	----	----	----	6 UNCH
765	0.0025	0.0025	0.0025/0.0020A	0.0050B/0.0020A	----	0.0025 - 0.0100	.0128	----	----	1	----	1512 UNCH
770	----	----	----/0.0020A	0.0040B/0.0020A	----	0.0020 - 0.0090	.0102	----	----	----	----	7 UNCH
775	----	----	----/0.0015A	0.0030B/0.0015A	----	0.0015 - 0.0080	.0077	----	----	----	----	1 UNCH
780	----	----	----/0.0015A	----/0.0015A	----	0.0015 - 0.0065	.0075	----	----	----	----	278 UNCH
785	----	----	----/*0.0010A	----/*0.0010A	----	0.0010 - 0.0060	.0051	----	----	----	----	1 UNCH
790	----	----	----/0.0010A	----/0.0010A	----	0.0010 - 0.0050	.0049	----	----	----	----	8 UNCH
795	----	----	----/*0.0010A	----/*0.0010A	----	0.0005 - 0.0045	.0026	----	----	----	----	33 UNCH
800	----	----	----/*0.0010A	----/0.0010A	----	0.0005 - 0.0035	.0019	----	----	----	----	152 UNCH
805	----	----	----/0.0020A	----/0.0020A	----	0.0005 - 0.0025	.0014	----	----	----	----	3 UNCH
810	----	----	----	----/0.0025A	----	0.0005 - 0.0020	.0010	----	----	----	----	3 UNCH
825	----	----	----	----/0.0025A	----	0.0005 - 0.0010	.0003	----	----	----	----	4 UNCH
830	----	----	----	----/0.0030A	----	0.0005 - 0.0005	.0002	----	----	----	----	3 UNCH
840	----	----	----	----/0.0030A	----	0.0005 UNCH	.0001	----	----	----	----	6 UNCH
850	----	----	----	----/0.0030A	----	0.0005 UNCH	.0000	----	----	----	----	4 UNCH
880	----	----	----	----/0.0035A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
900	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	11 UNCH
910	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	11 UNCH
950	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
975	----	----	----	----/0.0005A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
TOTAL									1065	1631		19818 + 353
JUL26												
500	----	----	----/1.6025A	1.5990B/1.6025A	----	1.6145 - 0.0685	.9834	----	----	----	----	10 UNCH
520	----	----	----	----	----	1.4170 - 0.0685	.9756	----	----	----	----	2 UNCH
525	----	----	----	----	----	1.3675 - 0.0690	.9727	----	----	----	----	1 UNCH
530	----	----	----/1.3070A	1.3025B/1.3070A	----	1.3185 - 0.0690	.9697	----	----	----	----	6 UNCH
540	----	----	----/1.2095A	1.2045B/1.2095A	----	1.2205 - 0.0695	.9633	----	----	----	----	16 UNCH
545	----	----	----	----	----	1.1720 - 0.0695	.9598	----	----	----	----	1 UNCH
550	----	----	----	----	----	1.1235 - 0.0700	.9552	----	----	----	----	2 UNCH
555	----	----	----/1.0655A	1.0595B/1.0655A	----	1.0750 - 0.0710	.9504	----	----	----	----	116 UNCH
560	----	----	----/1.0070A	0.9315B/1.0070A	----	1.0275 - 0.0715	.9444	----	----	----	----	1 UNCH
570	----	----	----/0.9080A	0.9380B/0.9080A	----	0.9335 - 0.0730	.9277	----	----	----	----	157 UNCH
574	----	----	----/0.8720A	0.9020B/0.8720A	----	0.8965 - 0.0735	.9196	----	----	----	----	5 UNCH
575	----	----	----/0.8635A	0.8930B/0.8635A	----	0.8870 - 0.0740	.9180	----	----	----	----	19 UNCH
580	----	----	----/0.8190A	0.8485B/0.8190A	----	0.8415 - 0.0750	.9064	----	----	----	----	123 UNCH
585	----	----	----/0.7705A	0.8050B/0.7705A	----	0.7970 - 0.0755	.8928	----	----	----	----	318 UNCH
590	----	----	----/0.7460A	0.7745B/0.7460A	----	0.7535 - 0.0760	.8782	----	----	----	----	106 UNCH
591	----	----	----/0.7260A	0.7535B/0.7260A	----	0.7445 - 0.0765	.8748	----	----	----	----	3 UNCH
593	----	----	----/0.7215A	0.7495B/0.7215A	----	0.7275 - 0.0770	.8680	----	----	----	----	1 UNCH
594	----	----	----/0.7015A	0.7285B/0.7015A	----	0.7190 - 0.0770	.8645	----	----	----	----	2 UNCH
595	----	----	----/0.6935A	0.7205B/0.6935A	----	0.7105 - 0.0775	.8611	----	----	----	----	29 UNCH
597	----	----	----/0.6780A	0.7040B/0.6780A	----	0.6940 - 0.0775	.8542	----	----	----	----	1 UNCH
598	----	----	----/0.6695A	0.6960B/0.6695A	----	0.6860 - 0.0775	.8501	----	----	----	----	1 UNCH
599	----	----	----/0.6620A	0.6880B/0.6620A	----	0.6775 - 0.0780	.8467	----	----	----	----	2 UNCH
600	----	----	----/0.6395A	0.6805B/0.6395A	----	0.6695 - 0.0780	.8425	----	----	----	----	543 UNCH
602	0.6610	0.6610	0.6610/0.6475A	0.6765B/0.6475A	----	0.6535 - 0.0780	.8343	----	----	1	----	83 UNCH
603	----	----	----/0.6315A	0.6560B/0.6315A	----	0.6455 - 0.0780	.8308	----	----	----	----	3 UNCH
605	----	----	----/0.6240A	0.6530B/0.6240A	----	0.6295 - 0.0785	.8219	----	----	----	----	40 UNCH
610	0.5745	0.5745	0.5745/0.5695A	0.6030B/0.5695A	----	0.5910 - 0.0790	.8001	----	----	1	----	318 UNCH
615	0.5350	0.5350	0.5350/0.5280A	0.5785B/0.5280A	----	0.5540 - 0.0795	.7762	----	----	5	----	1631 - 5
620	0.4950	0.4950	0.4950/0.4925A	0.5560B/0.4925A	----	0.5185 - 0.0800	.7514	----	----	5	----	210 UNCH
625	----	----	----/0.4615A	0.5215B/0.4615A	----	0.4845 - 0.0800	.7251	----	----	1	----	356 UNCH
630	----	----	----/0.4285A	0.4890B/0.4285A	----	0.4520 - 0.0800	.6979	----	----	----	----	357 UNCH
635	----	----	----/0.4015A	0.4580B/0.4015A	----	0.4215 - 0.0795	.6699	----	----	----	----	84 UNCH
640	----	----	----/0.3700A	0.4285B/0.3700A	----	0.3925 - 0.0790	.6417	----	----	1	----	1549 - 1
645	----	----	----/0.3435A	0.4005B/0.3435A	----	0.3650 - 0.0790	.6131	----	----	----	----	405 UNCH
650	0.3150	0.3150	0.3150/0.3150	0.3735B/0.3150	----	0.3395 - 0.0775	.5844	----	----	6	----	1685 + 5
655	----	----	----/0.2960A	0.3540B/0.2960A	----	0.3155 - 0.0765	.5559	----	----	682	----	306 - 423
660	0.2790	0.2790	0.2790/0.2740A	0.3315B/0.2740A	----	0.2925 - 0.0760	.5278	----	----	32	----	1393 - 24
665	----	----	----/0.2540A	0.3095B/0.2540A	----	0.2715 - 0.0745	.5002	----	----	----	----	22 UNCH
670	0.2465	0.2465	0.2465/0.2345A	0.2885B/0.2345A	----	0.2520 - 0.0730	.4733	----	----	5	----	176 + 4
675	----	----	----/0.2160A	0.2690B/0.2160A	----	0.2335 - 0.0715	.4472	----	----	2	----	2295 - 1
680	----	----	----/0.2010A	0.2515B/0.2010A	----	0.2165 - 0.0695	.4220	----	----	2	----	137 + 2
685	0.1960	0.1960	0.1960/0.1865A	0.2345B/0.1865A	----	0.2005 - 0.0680	.3976	----	----	36	----	46 + 25
690	0.1820	0.1820	0.1820/0.1715A	0.2180B/0.1715A	----	0.1855 - 0.0665	.3742	----	----	43	----	367 - 29
695	0.1865	0.1865	0.1865/0.1595A	0.2030B/0.1595A	----	0.1715 - 0.0645	.3516	----	----	30	----	95 + 17
700	0.1845	0.1845	0.1890B/0.1465A	0.1890B/0.1465A	----	0.1585 - 0.0630	.3301	----	----	39	----	940 + 3
705	0.1425	0.1425	0.1425/0.1365A	0.1760B/0.1365A	----	0.1465 - 0.0615	.3096	----	----	2	----	14 + 2
710	0.1365	0.1365	0.1365/0.1245A	0.1635B/0.1245A	----	0.1355 - 0.0595	.2902	----	----	853	----	372 - 519
715	----	----	----/0.1165A	0.1520B/0.1165A	----	0.1250 - 0.0580	.2716	----	----	1	----	38 UNCH
720	0.1180	0.1180	0.1180/0.1065A	0.1415B/0.1065A	----	0.1155 - 0.0560	.2541	----	----	13	----	275 + 9
725	----	----	----/0.0985A	0.1315B/0.0985A	----	0.1065 - 0.0545	.2374	----	----	51	----	1371 + 51
730	----	----	----/0.0900A	0.1225B/0.0900A	----	0.0985 - 0.0520	.2219	----	----	25	----	257 - 23
740	----	----	----/*0.0770A	0.0985B/*0.0770	----	0.0835 - 0.0490	.1928	----	----	2	----	102 + 2
750	0.0710	0.0710	0.0720/0.0655A	0.0915B/0.0655A	----	0.0710 - 0.0455	.1674	----	----	53	----	1503 + 49
760	0.0650	0.0650	#0.0655/*0.0550	0.0770B/*0.0550	----	0.0600 - 0.0425	.1446	----	----	7	----	57 + 7
770	0.0550	0.0550	#0.0560/*0.0475	0.0675B/*0.0475	----	0.0510 NEW	.1251	----	----	21	----	21 + 21
775	0.0515	0.0515	0.0515/0.0430	0.0635B/0.0430	----	0.0470 - 0.0375	.1162	----	----	18	----	112 + 8
780	0.0470	0.0470	0.0470/0.0400	0.0585B/0.0400	----	0.0435 - 0.0360	.1083	----	----	12	----	42 + 4
800	0.0340	0.0340	0.0340/0.0295A	0.0450B/0.0295A	----	0.0320 - 0.0295	.0815	----	----	7	----	2271 - 2
825	----	----	----/0.0205A	0.0315B/0.0205A	----	0.0220 - 0.0235	.0573	----	----	5	----	9 + 5
850	0.0175	0.0175	0.0175/0.0145A	0.0225B/0.0145A	----	0.0155 - 0.0180	.0410	----	----	2	----	329 + 2
875	----	----	----/0.0105A	0.0155B/0.0105A	----	0.0110 - 0.0145	.0294	----	----	1	----	4 + 1
900	0.0080	0.0080	0.0080/0.0070	0.0110B/0.0070	----	0.0085 - 0.0105	.0225	----	----	6	----	2243 - 1
925	----	----	----/0.0070A	0.0080B/0.0070A	----	0.0065 - 0.0085	.0172	----	----	5	----	16 UNCH
950	----	----	----/0.0075A	0.0055B/0.0075A	----	0.0045 - 0.0070	.0121	----	----	----	----	52 UNCH
975	----	----	----/0.0075A	0.0040B/0.0075A	----	0.0035 - 0.0050	.0093	----	----	----	----	3 UNCH
1000	----	----	----	0.0020B/0.0075A	----	0.0020 - 0.0040	.0056	----	----	----	----	6 UNCH
TOTAL										1975		23060 - 811
AUG26												
500	----	----	----	----	----	1.6820 - 0.0705	.9663	----	----	----	----	3 UNCH
550	----	----	----	----	----	1.2075 - 0.0730	.9169	----	----	----	----	3 UNCH
580	----	----	----/0.9340A	0.9450B/0.9340A	----	0.9465 - 0.0745	.8531	----	----	----	----	253 UNCH
585	----	----	----/0.9380A	0.8595B/0.9380A	----	0.9055 - 0.0750	.8394	----	----	----	----	11 UNCH
590	----	----	----/0.8990A	0.8195B/0.8990A	----	0.8655 - 0.0750	.8248	----	----	----	----	17 UNCH
595	----	----	----	----	----	0.8270 - 0.0750	.8093	----	----	----	----	1 UNCH
600	----	----	----	----	----	0.7890 - 0.0750	.7934	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
AUG26												
610	----	----	----/0.6910A	0.7425B/0.6910A	----	0.7165 - 0.0755	.7586	----	----	----	----	1 UNCH
620	----	----	----/0.6265A	0.6815B/0.6265A	----	0.6485 - 0.0760	.7210	----	----	----	----	28 UNCH
625	----	----	----/0.5960A	0.6490B/0.5960A	----	0.6165 - 0.0760	.7016	----	----	----	----	92 UNCH
630	0.5700	0.5700	0.5700/0.5675A	0.6180B/0.5675A	----	0.5855 - 0.0760	.6817	----	----	1	----	6 + 1
635	----	----	----/0.5395A	0.5885B/0.5395A	----	0.5560 - 0.0760	.6615	----	----	----	----	2 UNCH
640	----	----	----/0.5105A	0.5600B/0.5105A	----	0.5275 - 0.0760	.6411	----	----	----	----	151 UNCH
650	----	----	----/0.4580A	0.5065B/0.4580A	----	0.4745 - 0.0760	.5998	----	----	----	----	589 UNCH
655	----	----	----/0.4335A	0.4835B/0.4335A	----	0.4495 - 0.0760	.5791	----	----	----	----	457 UNCH
660	----	----	----/0.4125A	0.4640B/0.4125A	----	0.4260 - 0.0755	.5586	----	----	----	----	28 UNCH
665	----	----	----/0.3905A	0.4400B/0.3905A	----	0.4035 - 0.0755	.5383	----	----	----	----	1 UNCH
670	----	----	----/0.3695A	0.4190B/0.3695A	----	0.3825 - 0.0750	.5182	----	----	----	----	19 UNCH
675	----	----	----/0.3485A	0.3980B/0.3485A	----	0.3620 - 0.0745	.4984	----	----	----	40	353 + 40
680	----	----	----/0.3310A	0.3785B/0.3310A	----	0.3430 - 0.0740	.4791	----	----	----	----	4 UNCH
685	----	----	----/0.3180A	0.3520B/0.3180A	----	0.3250 - 0.0730	.4602	----	----	----	----	2 UNCH
690	----	----	----/0.3010A	0.3345B/0.3010A	----	0.3075 - 0.0725	.4417	----	----	----	----	53 UNCH
695	----	----	----/0.2855A	0.3180B/0.2855A	----	0.2915 - 0.0710	.4238	----	----	----	----	2 UNCH
700	0.2785	0.2785	0.2785/0.2635A	0.3010B/0.2635A	----	0.2760 - 0.0700	.4063	----	----	4	200	1367 + 131
710	----	----	----/0.2420A	0.2710B/0.2420A	----	0.2470 - 0.0685	.3728	----	----	----	----	3 UNCH
720	----	----	----/0.2155A	0.2440B/0.2155A	----	0.2215 - 0.0660	.3416	----	----	----	----	2 UNCH
725	----	----	----/0.2020A	0.2320B/0.2020A	----	0.2095 - 0.0645	.3267	----	----	3	80	166 + 39
730	0.2050	0.2050	0.2050/0.1895A	0.2260B/0.1895A	----	0.1980 - 0.0635	.3122	----	----	1	----	3 + 1
735	----	----	----/0.1795A	0.2145B/0.1795A	----	0.1875 - 0.0620	.2984	----	----	----	----	1 UNCH
750	0.1605	0.1605	0.1605/0.1515A	0.1840B/0.1515A	----	0.1590 - 0.0575	.2601	----	----	26	----	521 - 1
775	----	----	----/0.1155A	0.1425B/0.1155A	----	0.1205 - 0.0505	.2056	----	----	----	----	160 UNCH
800	0.0980	0.0980	0.0980/0.0880A	0.1115B/0.0880A	----	0.0915 - 0.0435	.1619	----	----	20	200	396 + 120
825	----	----	----/0.0685A	0.0870B/0.0685A	----	0.0695 - 0.0380	.1269	----	----	1	----	2 + 1
850	----	----	----/0.0540A	0.0675B/0.0540A	----	0.0530 - 0.0330	.0995	----	----	----	----	11 UNCH
900	----	----	----/0.0340A	0.0410B/0.0340A	----	0.0325 - 0.0235	.0630	----	----	----	----	62 UNCH
950	----	----	----/0.0240A	0.0245B/0.0240A	----	0.0235 - 0.0185	.0450	----	----	----	----	45 UNCH
975	----	----	----/0.0200A	0.0190B/0.0200A	----	0.0185 - 0.0155	.0360	----	----	----	----	6 UNCH
TOTAL									520	56		4825 + 332
SEP26												
495	----	----	----	----	----	1.7390 - 0.0710	.9533	----	----	----	----	2 UNCH
500	----	----	----/1.7085A	1.6490B/1.7085A	----	1.6915 - 0.0710	.9497	----	----	----	----	5 UNCH
510	----	----	----	----	----	1.5970 - 0.0710	.9406	----	----	----	----	2 UNCH
535	----	----	----	----	----	1.3675 - 0.0710	.9096	----	----	----	----	1 UNCH
565	----	----	----	----	----	1.1095 - 0.0720	.8537	----	----	----	----	1 UNCH
575	----	----	----/1.0545A	0.9895B/1.0545A	----	1.0290 - 0.0720	.8301	----	----	----	----	100 UNCH
595	----	----	----/0.9055A	0.8400B/0.9055A	----	0.8785 - 0.0725	.7757	----	----	----	----	5 UNCH
600	0.8185	0.8185	0.8515B/0.8155A	0.8515B/0.8155A	----	0.8430 - 0.0730	.7609	----	----	8	----	223 - 8
610	----	----	----/0.7510A	0.8055B/0.7510A	----	0.7755 - 0.0730	.7295	----	----	----	----	31 UNCH
615	----	----	----/0.7200A	0.7730B/0.7200A	----	0.7430 - 0.0730	.7132	----	----	----	----	9 UNCH
620	----	----	----/0.6905A	0.7420B/0.6905A	----	0.7120 - 0.0730	.6966	----	----	----	----	185 UNCH
625	----	----	----/0.6620A	0.7115B/0.6620A	----	0.6820 - 0.0725	.6798	----	----	----	----	632 UNCH
630	----	----	----/0.6345A	0.6815B/0.6345A	----	0.6530 - 0.0725	.6628	----	----	----	----	51 UNCH
635	----	----	----/0.6085A	0.6540B/0.6085A	----	0.6250 - 0.0725	.6457	----	----	----	----	1 UNCH
640	----	----	----/0.5800A	0.6270B/0.5800A	----	0.5980 - 0.0725	.6283	----	----	----	----	1002 UNCH
650	----	----	----/0.5310A	0.5770B/0.5310A	----	0.5475 - 0.0720	.5937	----	----	132	----	324 - 40
655	----	----	----/0.5115A	0.5530B/0.5115A	----	0.5235 - 0.0725	.5765	----	----	----	----	4 UNCH
660	----	----	----/0.4890A	0.5335B/0.4890A	----	0.5005 - 0.0725	.5594	----	----	----	----	101 UNCH
665	----	----	----/0.4675A	0.5110B/0.4675A	----	0.4785 - 0.0720	.5424	----	----	----	----	1 UNCH
670	0.4920	0.4920	0.4920/0.4440A	0.4920/0.4440A	----	0.4575 - 0.0720	.5256	----	----	183	----	138 + 137
675	----	----	----/0.4235A	0.4710B/0.4235A	----	0.4370 - 0.0720	.5090	----	----	----	----	525 UNCH
680	----	----	----/0.4045A	0.4510B/0.4045A	----	0.4180 - 0.0715	.4928	----	----	----	----	1392 UNCH
690	0.3875	0.3875	0.3875/0.3690A	0.4140B/0.3690A	----	0.3810 - 0.0710	.4609	----	----	7	----	415 + 7
700	0.3480	0.3480	0.3480/0.3365A	0.3790B/0.3365A	----	0.3475 - 0.0695	.4304	----	----	51	----	6659 + 49
710	----	----	----/0.3065A	0.3480B/0.3065A	----	0.3170 - 0.0675	.4012	----	----	500	----	1000 + 500
715	----	----	----/0.2950A	0.3330B/0.2950A	----	0.3025 - 0.0665	.3871	----	----	----	----	1 UNCH
720	----	----	----/0.2815A	0.3190B/0.2815A	----	0.2885 - 0.0660	.3733	----	----	----	----	5 UNCH
725	----	----	----/0.2670A	0.3055B/0.2670A	----	0.2755 - 0.0645	.3600	----	----	1	----	202 UNCH
730	----	----	----/0.2565A	0.2925B/0.2565A	----	0.2625 - 0.0640	.3468	----	----	----	----	1 UNCH
740	----	----	----/*0.2315A	0.2690B/0.2315A	----	0.2390 - 0.0620	.3219	----	----	500	----	950 + 500
750	----	----	----/0.2110A	0.2470B/0.2110A	----	0.2175 - 0.0605	.2984	----	----	50	----	316 + 50
775	----	----	----/0.1670A	0.1990B/0.1670A	----	0.1720 - 0.0565	.2460	----	----	50	----	5556 + 50
800	0.1450	0.1450	0.1515/0.1335A	0.1610B/0.1335A	----	0.1370 - 0.0515	.2026	----	----	103	----	218 + 31
825	----	----	----/0.1095A	0.1300B/0.1095A	----	0.1095 - 0.0470	.1667	----	----	200	----	247 + 146
850	----	----	----/0.0885A	0.1060B/0.0885A	----	0.0890 NEW	.1383	----	----	1	----	1 + 1
875	----	----	----/0.0720A	0.0855B/0.0720A	----	0.0725 - 0.0365	.1148	----	----	----	----	1 UNCH
900	----	----	----/0.0595A	0.0695B/0.0595A	----	0.0585 - 0.0320	.0946	----	----	1	----	78 UNCH
975	0.0350	0.0350	0.0350/0.0350	0.0375B/0.0350	----	0.0320 - 0.0210	.0541	----	----	1	----	12 + 1
TOTAL										1788		20397 + 1424
OCT26												
500	----	----	----	----	----	1.7895 - 0.0680	.9408	----	----	----	----	2 UNCH
600	----	----	----/0.9330A	0.9520B/0.9330A	----	0.9575 - 0.0740	.7631	----	----	----	----	41 UNCH
605	----	----	----/0.9005A	0.9530B/0.9005A	----	0.9235 - 0.0740	.7496	----	----	----	----	2 UNCH
615	----	----	----/0.8375A	0.8875B/0.8375A	----	0.8585 - 0.0735	.7216	----	----	----	----	5 UNCH
620	----	----	----/0.8080A	0.8560B/0.8080A	----	0.8275 - 0.0730	.7072	----	----	----	----	1 UNCH
625	----	----	----/0.7790A	0.8255B/0.7790A	----	0.7970 - 0.0730	.6927	----	----	----	----	11 UNCH
650	----	----	----/0.6480A	0.6880B/0.6480A	----	0.6590 - 0.0720	.6179	----	----	----	----	106 UNCH
665	0.6100	0.6100	0.6190B/0.5775A	0.6190B/0.5775A	----	0.5870 NEW	.5729	----	----	1	----	1 + 1
670	----	----	----/0.5555A	0.5965B/0.5555A	----	0.5645 - 0.0710	.5581	----	----	----	----	1 UNCH
675	----	----	----/0.5345A	0.5745B/0.5345A	----	0.5430 - 0.0705	.5433	----	----	----	----	77 UNCH
700	----	----	----/0.4430A	0.4680B/0.4430A	----	0.4455 - 0.0700	.4723	----	----	----	----	151 UNCH
740	----	----	----/0.3175A	0.3520B/0.3175A	----	0.3225 - 0.0680	.3705	----	----	----	----	10 UNCH
750	----	----	----/0.2995A	0.3175B/0.2995A	----	0.2970 - 0.0665	.3476	----	----	----	----	64 UNCH
775	----	----	----/0.2460A	0.2620B/0.2460A	----	0.2415 - 0.0630	.2951	----	----	----	----	84 UNCH
800	----	----	----/0.1960A	0.2235B/0.1960A	----	0.1960 - 0.0590	.2492	----	----	----	----	2 UNCH
825	----	----	----/0.1610A	0.1855B/0.1610A	----	0.1615 - 0.0530	.2113	----	----	----	----	1 UNCH
850	----	----	----/0.1325A	0.1540B/0.1325A	----	0.1340 - 0.0480	.1795	----	----	----	----	30 UNCH
875	----	----	----/0.1105A	0.1285B/0.1105A	----	0.1120 - 0.0435	.1529	----	----	----	----	3 UNCH
900	----	----	----/0.0930A	0.1070B/0.0930A	----	0.0950 - 0.0385	.1314	----	----	----	----	3 UNCH
975	----	----	----/0.0585A	0.0635B/0.0585A	----	0.0600 - 0.0285	.0853	----	----	----	----	7 UNCH
TOTAL										1		602 + 1
NOV26												
535	----	----	----	----	----	1.4920 - 0.0725	.8825	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.4090 - 0.0725	.8659	----	----	----	----	1 UNCH
580	----	----	----	----	----	1.1390 - 0.0730	.7949	----	----	----	----	2 UNCH
585	----	----	----	----	----	1.1035 - 0.0730	.7833	----	----	----	----	1 UNCH
595	----	----	----/1.0150A	1.0455B/1.0150A	----	1.0345 - 0.0735	.7592	----	----	----	----	2 UNCH
600	----	----	----/0.9830A	1.0285B/0.9830A	----	1.0015 - 0.0735	.7469	----	----	----	----	2 UNCH
610	----	----	----/0.9215A	0.9640B/0.9215A	----	0.9380 - 0.0730	.7214	----	----	----	----	14 UNCH
640	----	----	----/0.7575A	0.7915B/0.7575A	----	0.7660 - 0.0730	.6414	----	----	----	----	1 UNCH
650	----	----	----/0.7085A	0.7400B/0.7085A	----	0.7155 - 0.0725	.6143	----	----	----	----	1 UNCH
655	----	----	----/0.6845A	0.7155B/0.6845A	----	0.6910 - 0.0725	.6008	----	----	----	----	1 UNCH
665	----	----	----/0.6390A	0.6690B/0.6390A	----	0.6450 - 0.0715	.5738	----	----	----	----	1 UNCH
670	----	----	----/0.6175A	0.6500B/0.6175A	----	0.6225 - 0.0720	.5605	----	----	----	----	14 UNCH
675	----	----	----/0.5965A	0.6285B/0.5965A	----	0.6010 - 0.0715	.5472	----	----	----	----	61 UNCH
680	----	----	----/0.5760A	0.6080B/0.5760A	----	0.5805 - 0.0710	.5341	----	----	----	----	1 UNCH
695	----	----	----/0.5185A	0.5490B/0.5185A	----	0.5215 - 0.0705	.4955	----	----	----	----	1 UNCH
700	----	----	----/0.5005A	0.5310B/0.5005A	----	0.5035 - 0.0700	.4831	----	----	----	----	24 UNCH
705	----	----	----/0.4830A	0.5130B/0.4830A	----	0.4855 - 0.0695	.4707	----	----	----	----	1 UNCH
725	----	----	----/0.4180A	0.4470B/0.4180A	----	0.4195 - 0.0685	.4230	----	----	----	----	48 UNCH
750	----	----	----/0.3480A	0.3765B/0.3480A	----	0.3490 - 0.0660	.3681	----	----	----	----	26 UNCH
800	----	----	----/0.2415A	0.2660B/0.2415A	----	0.2390 - 0.0620	.2737	----	----	----	----	1 UNCH
850	----	----	----/0.1695A	0.1890B/0.1695A	----	0.1680 - 0.0515	.2035	----	----	----	----	2 UNCH
900	----	----	----/0.1220A	0.1350B/0.1220A	----	0.1185 - 0.0420	.1505	----	----	----	----	1 UNCH
975	----	----	----/*0.0795A	0.0835B/0.0795A	----	0.0690 - 0.0305	.0939	----	----	----	----	2 UNCH
TOTAL												209
DEC26												
520	----	----	----	----	----	1.6375 - 0.0720	.8914	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.5950 - 0.0725	.8841	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.5120 - 0.0730	.8687	----	----	----	----	1 UNCH
550	----	----	----	----	----	1.3920 - 0.0745	.8426	----	----	----	----	2 UNCH
555	----	----	----	----	----	1.3535 - 0.0745	.8334	----	----	----	----	1 UNCH
565	----	----	----	----	----	1.2785 - 0.0750	.8136	----	----	----	----	45 UNCH
575	----	----	----	----	----	1.2060 - 0.0750	.7927	----	----	----	----	123 UNCH
585	----	----	----	----	----	1.1370 - 0.0730	.7705	----	----	----	----	1 UNCH
590	----	----	----/1.0895A	1.1145B/1.0895A	----	1.1035 - 0.0720	.7592	----	----	----	----	200 UNCH
595	----	----	----/1.0580A	1.0955B/1.0580A	----	1.0710 - 0.0710	.7476	----	----	----	----	163 UNCH
600	----	----	----/1.0270A	1.0635B/1.0270A	----	1.0390 - 0.0700	.7358	----	----	----	----	598 UNCH
610	----	----	----/0.9680A	1.0020B/0.9680A	----	0.9780 - 0.0700	.7118	----	----	----	----	291 UNCH
620	----	----	----/0.9125A	0.9430B/0.9125A	----	0.9195 - 0.0720	.6872	----	----	----	----	414 UNCH
625	----	----	----/0.8855A	0.9150B/0.8855A	----	0.8915 - 0.0730	.6748	----	----	----	----	3 UNCH
630	----	----	----/0.8595A	0.8875B/0.8595A	----	0.8640 - 0.0745	.6623	----	----	----	----	391 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
DEC26												
640	----	----	----/0.8080A	0.8345B/0.8080A	----	0.8115 - 0.0755	.6374	----	----	----	----	29 UNCH
650	----	----	----/0.7595A	0.7845B/0.7595A	----	0.7620 - 0.0755	.6124	----	----	----	----	679 UNCH
660	----	----	----/0.7130A	0.7370B/0.7130A	----	0.7150 - 0.0750	.5874	----	----	----	----	300 UNCH
670	----	----	----/0.6695A	0.6925B/0.6695A	----	0.6700 - 0.0745	.5627	----	----	----	----	4 UNCH
675	----	----	----/0.6485A	0.6705B/0.6485A	----	0.6490 - 0.0740	.5504	----	----	----	----	17 UNCH
680	----	----	----/0.6285A	0.6500B/0.6285A	----	0.6280 - 0.0735	.5383	----	----	----	----	3 UNCH
700	0.5535	0.5535	0.5535/0.5505	0.5715B/0.5505	----	0.5510 - 0.0720	.4910	----	----	25	----	909 + 5
705	----	----	----/0.5345A	0.5540B/0.5345A	----	0.5330 - 0.0715	.4796	----	----	----	----	2 UNCH
725	----	----	----/0.4685A	0.4870B/0.4685A	----	0.4665 - 0.0710	.4352	----	----	----	----	7 UNCH
730	----	----	----/0.4530A	0.4720B/0.4530A	----	0.4510 - 0.0705	.4246	----	----	----	----	4 UNCH
750	----	----	----/0.3965A	0.4140B/0.3965A	----	0.3935 - 0.0700	.3835	----	----	----	----	426 UNCH
775	----	----	----/0.3350A	0.3520B/0.3350A	----	0.3310 - 0.0680	.3360	----	----	2	----	3 + 2
800	----	----	----/0.2840A	0.2990B/0.2840A	----	0.2775 - 0.0665	.2929	----	----	7	----	165 + 7
825	----	----	----/0.2410A	0.2545B/0.2410A	----	0.2350 NEW	.2557	----	----	13	----	13 + 13
850	0.2200	0.2200	0.2200/0.1950	0.2200/0.1950	----	0.2000 - 0.0565	.2233	----	----	259	----	259 + 255
900	----	----	----/0.1525A	0.1585B/0.1525A	----	0.1470 - 0.0470	.1711	----	----	5	----	643 + 5
925	----	----	----/0.1325A	0.1360B/0.1325A	----	0.1265 - 0.0435	.1499	----	----	----	----	6 UNCH
950	----	----	----/0.1160A	0.1170B/0.1160A	----	0.1095 - 0.0395	.1317	----	----	----	----	78 UNCH
975	----	----	----/0.1025A	0.1000B/0.1025A	----	0.0955 - 0.0360	.1163	----	----	----	----	13 UNCH
1000	----	----	----/0.0910A	0.0860B/0.0910A	----	0.0860 - 0.0335	.1049	----	----	----	----	2 UNCH
TOTAL										311		5919 + 287
JAN27												
500	----	----	----	----	----	1.9235 - 0.0615	.9028	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.2500 - 0.0175	.2326	----	----	----	----	1 UNCH
TOTAL												2
FEB27												
620	----	----	----	----	----	1.0855 - 0.0475	.6903	----	----	----	----	1 UNCH
625	----	----	----	----	----	1.0600 - 0.0470	.6799	----	----	----	----	0 UNCH
TOTAL												1
MAR27												
680	----	----	----	----	----	0.8485 - 0.0400	.5698	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.2720 - 0.0165	.2269	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
JUN26												
330	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	8 UNCH
355	----	----	----	----/0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	10 UNCH
370	----	----	----	----/0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
380	----	----	----	----/0.0065A	----	0.0005 UNCH	.0001	----	----	----	----	1 UNCH
400	----	----	----	----/0.0020A	----	0.0005 UNCH	.0003	----	----	----	----	33 UNCH
405	----	----	----	----/0.0065A	----	0.0005 UNCH	.0004	----	----	----	----	1 UNCH
410	----	----	----	----/0.0065A	----	0.0005 UNCH	.0006	----	----	----	----	53 UNCH
420	----	----	----	----/0.0025A	----	0.0005 UNCH	.0011	----	----	----	----	9 UNCH
430	----	----	----	----/0.0040A	----	0.0010 UNCH	.0021	----	----	----	----	3 UNCH
435	----	----	----	----/0.0045A	----	0.0010 UNCH	.0021	----	----	----	----	2 UNCH
440	----	----	----	----/0.0045A	----	0.0010 UNCH	.0022	----	----	----	----	8 UNCH
445	----	----	----	----/0.0045A	----	0.0015 UNCH	.0032	----	----	----	----	8 UNCH
450	----	----	----	----/*0.0025A	----	0.0015 UNCH	.0033	----	----	----	----	451 UNCH
455	----	----	----	----/0.0045A	----	0.0015 UNCH	.0034	----	----	----	----	42 UNCH
460	----	----	----	----/0.0045A	----	0.0020 UNCH	.0045	----	----	----	----	54 UNCH
465	----	----	----	----/0.0045A	----	0.0020 UNCH	.0047	----	----	----	----	878 UNCH
470	----	----	----	----/0.0030A	----	0.0020 UNCH	.0048	----	----	----	----	659 UNCH
475	----	----	----	----/*0.0030A	----	0.0025 UNCH	.0060	----	----	----	----	155 UNCH
480	----	----	----	----/0.0045A	----	0.0025 UNCH	.0061	----	----	----	----	951 UNCH
485	----	----	----	----/0.0045A	----	0.0025 UNCH	.0063	----	----	----	----	63 UNCH
490	----	----	----	----/0.0045A	----	0.0025 UNCH	.0065	----	----	----	----	52 UNCH
495	----	----	----	----/0.0045A	----	0.0025 UNCH	.0067	----	----	----	----	35 UNCH
500	----	----	----	----/0.0030A	----	0.0025 UNCH	.0069	----	----	----	----	536 UNCH
505	----	----	----	0.0015B/0.0035A	----	0.0025 UNCH	.0072	----	----	----	----	518 UNCH
510	0.0035	0.0035	0.0035/0.0035	0.0035/0.0035	----	0.0025 UNCH	.0074	----	----	18	----	132 - 18
515	----	----	----	0.0010B/0.0040A	----	0.0025 UNCH	.0076	----	----	----	----	37 UNCH
520	----	----	----	----/0.0040A	----	0.0025 UNCH	.0079	----	----	----	----	166 UNCH
523	----	----	----	----/0.0045A	----	0.0025 UNCH	.0081	----	----	----	----	71 UNCH
524	0.0020	0.0020	0.0020/*0.0020	0.0020/*0.0020	----	0.0025 UNCH	.0081	----	----	4	----	11 + 1
525	----	----	----	----/0.0050A	----	0.0025 UNCH	.0082	----	----	----	----	2157 UNCH
526	----	----	----	----/0.0045A	----	0.0025 UNCH	.0083	----	----	----	----	5 UNCH
527	----	----	----	----/0.0045A	----	0.0025 UNCH	.0083	----	----	----	----	3 UNCH
528	----	----	----	----/0.0045A	----	0.0025 UNCH	.0084	----	----	----	----	5 UNCH
529	----	----	----	----/0.0045A	----	0.0025 UNCH	.0084	----	----	----	----	9 UNCH
530	----	----	----	----/0.0050A	----	0.0025 UNCH	.0085	----	----	----	----	140 UNCH
531	----	----	----	----/0.0050A	----	0.0025 UNCH	.0086	----	----	----	----	5 UNCH
532	----	----	----	----/0.0050A	----	0.0025 UNCH	.0086	----	----	----	----	15 UNCH
533	----	----	----	----/0.0055A	----	0.0025 UNCH	.0087	----	----	----	----	4 UNCH
534	----	----	----	----/0.0055A	----	0.0025 UNCH	.0088	----	----	----	----	11 UNCH
535	----	----	----	----/0.0055A	----	0.0025 UNCH	.0088	----	----	----	----	90 UNCH
536	----	----	----	----/0.0055A	----	0.0025 UNCH	.0089	----	----	----	----	1 UNCH
537	----	----	----	----/0.0055A	----	0.0025 UNCH	.0090	----	----	----	----	64 UNCH
538	----	----	----	----/0.0055A	----	0.0025 UNCH	.0090	----	----	----	----	10 UNCH
539	----	----	----	----/0.0055A	----	0.0025 UNCH	.0091	----	----	----	----	34 UNCH
540	----	----	----	----/0.0055A	----	0.0025 UNCH	.0092	----	----	----	----	158 UNCH
541	----	----	----	----/0.0055A	----	0.0025 UNCH	.0093	----	----	----	----	18 UNCH
542	----	----	----	----/0.0055A	----	0.0025 UNCH	.0093	----	----	----	----	25 UNCH
543	----	----	----	----/0.0055A	----	0.0025 UNCH	.0094	----	----	----	----	27 UNCH
544	----	----	----	----/0.0050A	----	0.0025 UNCH	.0095	----	----	----	----	30 UNCH
545	----	----	----	----/0.0050A	----	0.0025 UNCH	.0096	----	----	1	----	85 - 1
546	----	----	----	----/0.0050A	----	0.0025 UNCH	.0096	----	----	----	----	29 UNCH
547	----	----	----	----/0.0050A	----	0.0025 UNCH	.0097	----	----	----	----	45 UNCH
548	----	----	----	----/0.0050A	----	0.0025 UNCH	.0098	----	----	----	----	56 UNCH
549	----	----	----	----/0.0050A	----	0.0025 UNCH	.0099	----	----	----	----	40 UNCH
550	0.0030	0.0030	0.0030/*0.0030	0.0030/*0.0030	----	0.0025 UNCH	.0100	----	----	9	----	1225 - 9
551	----	----	----	----/0.0055A	----	0.0025 UNCH	.0101	----	----	----	----	117 UNCH
552	----	----	----	----/0.0055A	----	0.0025 - 0.0005	.0101	----	----	----	----	97 UNCH
553	----	----	----	----/0.0055A	----	0.0025 - 0.0005	.0102	----	----	----	----	26 UNCH
554	----	----	----	----/0.0055A	----	0.0025 - 0.0005	.0103	----	----	----	----	29 UNCH
555	----	----	----	----/0.0055A	----	0.0025 - 0.0005	.0104	----	----	1	----	66 - 1
556	----	----	----	----/0.0055A	----	0.0025 - 0.0005	.0105	----	----	----	----	9 UNCH
557	----	----	----	----/0.0060A	----	0.0025 - 0.0005	.0106	----	----	----	----	68 UNCH
558	----	----	----	----/*0.0060A	----	0.0025 - 0.0005	.0107	----	----	----	----	10 UNCH
559	----	----	----	----/0.0060A	----	0.0025 - 0.0005	.0108	----	----	----	----	7 UNCH
560	----	----	----	----/0.0060A	----	0.0025 - 0.0005	.0109	----	----	2	----	413 - 2
561	----	----	----	----/0.0060A	----	0.0025 - 0.0005	.0110	----	----	----	----	3 UNCH
562	----	----	----	----/0.0060A	----	0.0025 - 0.0005	.0111	----	----	----	----	22 UNCH
563	----	----	----	----/0.0065A	----	0.0025 - 0.0010	.0112	----	----	----	----	1 UNCH
564	----	----	----	----/0.0065A	----	0.0025 - 0.0010	.0113	----	----	----	----	4 UNCH
565	----	----	----	----/0.0065A	----	0.0025 - 0.0010	.0114	----	----	1	----	221 - 1
566	----	----	----	----/0.0065A	----	0.0025 - 0.0010	.0115	----	----	----	----	4 UNCH
567	----	----	----	----/0.0065A	----	0.0025 - 0.0010	.0116	----	----	----	----	12 UNCH
568	----	----	----	----/0.0065A	----	0.0025 - 0.0010	.0118	----	----	----	----	1 UNCH
569	----	----	----	----/0.0065A	----	0.0025 - 0.0010	.0119	----	----	----	----	27 UNCH
570	----	----	----	----/0.0065A	----	0.0025 - 0.0015	.0120	----	----	2	----	398 - 2
571	----	----	----	----/0.0065A	----	0.0025 - 0.0015	.0121	----	----	----	----	41 UNCH
572	----	----	----	----/0.0065A	----	0.0030 - 0.0010	.0142	----	----	----	----	1 UNCH
573	----	----	----	----/0.0065A	----	0.0030 - 0.0010	.0143	----	----	----	----	26 UNCH
574	----	----	----	----/0.0070A	----	0.0030 - 0.0010	.0145	----	----	----	----	17 UNCH
575	----	----	----	----/0.0070A	----	0.0030 - 0.0015	.0146	----	----	1	----	131 - 1
576	----	----	----	----/0.0070A	----	0.0030 - 0.0015	.0148	----	----	----	----	5 UNCH
577	----	----	----	----/0.0070A	----	0.0030 - 0.0015	.0150	----	----	----	----	10 UNCH
578	----	----	----	----/0.0070A	----	0.0030 - 0.0015	.0151	----	----	----	----	2 UNCH
579	----	----	----	----/0.0070A	----	0.0030 - 0.0020	.0153	----	----	----	----	17 UNCH
580	----	----	----	----/0.0070A	----	0.0030 - 0.0020	.0154	----	----	----	----	914 UNCH
581	----	----	----	----/0.0070A	----	0.0030 - 0.0020	.0156	----	----	----	----	41 UNCH
582	----	----	----	----/0.0075A	----	0.0030 - 0.0020	.0158	----	----	----	----	14 UNCH
583	----	----	----	----/0.0070A	----	0.0030 - 0.0025	.0160	----	----	----	----	13 UNCH
584	----	----	----	0.0010B/0.0060A	----	0.0035 - 0.0020	.0183	----	----	----	----	22 UNCH
585	----	----	----	0.0015B/0.0060A	----	0.0035 - 0.0020	.0185	----	----	----	----	479 UNCH
586	----	----	----	0.0015B/0.0060A	----	0.0035 - 0.0025	.0187	----	----	----	----	7 UNCH
587	----	----	----	0.0025B/*0.0060	----	0.0035 - 0.0025	.0189	----	----	----	----	13 UNCH
588	----	----	----/*0.0055A	0.0045B/*0.0055	----	0.0035 - 0.0025	.0191	----	----	----	----	2 UNCH
590	0.0060	0.0060	0.0060/*0.0050A	0.0060/*0.0050A	----	0.0035 - 0.0030	.0196	----	----	1	----	223 UNCH
591	----	----	----/*0.0050A	0.0055B/*0.0050	----	0.0040 - 0.0030	.0220	----	----	----	----	4 UNCH
592	----	----	----/*0.0045A	0.0055B/*0.0045	----	0.0040 - 0.0030	.0223	----	----	----	----	14 UNCH
593	----	----	----/*0.0045A	0.0055B/*0.0045	----	0.0040 - 0.0030	.0226	----	----	----	----	38 UNCH
594	----	----	----/*0.0050A	0.0060B/*0.0050	----	0.0040 - 0.0035	.0229	----	----	----	----	6 UNCH
595	----	----	----/*0.0050A	0.0065B/*0.0050	----	0.0040 - 0.0035	.0232	----	----	14	----	121 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
596	----	----	----/*0.0050A	0.0065B/*0.0050	----	0.0045 - 0.0035	.0257	----	----	----	----	26 UNCH
597	----	----	----/*0.0050A	0.0065B/*0.0050	----	0.0045 - 0.0040	.0261	----	----	----	----	56 UNCH
598	----	----	----/*0.0050A	0.0070B/*0.0050	----	0.0045 - 0.0040	.0264	----	----	----	----	27 UNCH
599	----	----	----/*0.0055A	0.0075B/*0.0055	----	0.0045 - 0.0045	.0268	----	----	----	----	24 UNCH
600	0.0085	0.0085	0.0085/*0.0035	0.0085/*0.0035	----	0.0050 - 0.0040	.0294	----	----	6	----	136 UNCH
601	----	----	----/*0.0065A	0.0085B/*0.0065	----	0.0050 - 0.0045	.0298	----	----	1	----	26 UNCH
602	----	----	----/*0.0065A	0.0085B/*0.0065	----	0.0050 - 0.0050	.0302	----	----	----	----	9 UNCH
603	----	----	----/*0.0055A	0.0090B/*0.0055	----	0.0055 - 0.0050	.0329	----	----	1	----	18 UNCH
604	----	----	----/*0.0060A	0.0100B/*0.0060	----	0.0055 - 0.0055	.0334	----	----	----	----	9 UNCH
605	0.0055	0.0055	0.0055/*0.0055	0.0105B/*0.0055	----	0.0060 - 0.0050	.0362	----	----	1	----	189 UNCH
606	----	----	----/*0.0065A	0.0110B/*0.0065	----	0.0060 - 0.0055	.0367	----	----	----	----	23 UNCH
607	----	----	----/*0.0065A	0.0115B/*0.0065	----	0.0060 - 0.0060	.0372	----	----	----	----	29 UNCH
608	----	----	----/*0.0070A	0.0120B/*0.0070	----	0.0065 - 0.0060	.0401	----	----	----	----	27 UNCH
609	----	----	----/*0.0070A	0.0130B/*0.0070	----	0.0070 - 0.0065	.0429	----	----	----	----	43 UNCH
610	0.0140	0.0140	0.0140/*0.0075A	0.0140/*0.0075A	----	0.0070 - 0.0070	.0436	----	----	6	----	184 - 4
611	----	----	----/*0.0075A	0.0145B/*0.0075	----	0.0075 - 0.0070	.0465	----	----	----	----	16 UNCH
612	----	----	----/*0.0080A	0.0150B/*0.0080	----	0.0075 - 0.0075	.0473	----	----	----	----	27 UNCH
613	----	----	----/*0.0085A	0.0160B/*0.0085	----	0.0080 - 0.0080	.0503	----	----	1	----	11 UNCH
614	----	----	0.0170B/*0.0090	0.0170B/*0.0090	----	0.0085 - 0.0080	.0534	----	----	26	----	46 + 12
615	0.0175	0.0175	0.0180B/*0.0095	0.0180B/*0.0095	----	0.0090 - 0.0085	.0564	----	----	41	----	135 - 18
616	0.0095	0.0095	0.0190B/*0.0095	0.0190B/*0.0095	----	0.0095 - 0.0090	.0596	----	----	2	----	15 UNCH
617	0.0115	0.0115	0.0205B/*0.0105	0.0205B/*0.0105	----	0.0100 - 0.0095	.0628	----	----	1	----	60 UNCH
618	----	----	0.0215B/*0.0110	0.0215B/*0.0110	----	0.0105 - 0.0100	.0660	----	----	----	----	12 UNCH
619	----	----	0.0225B/*0.0115	0.0225B/*0.0115	----	0.0110 - 0.0105	.0693	----	----	----	----	27 UNCH
620	0.0225	0.0225	0.0240B/*0.0125	0.0240B/*0.0125	----	0.0115 - 0.0110	.0726	----	----	40	----	147 - 4
621	0.0150	0.0150	0.0255B/*0.0130	0.0255B/*0.0130	----	0.0125 - 0.0110	.0781	----	----	12	----	20 + 3
622	0.0170	0.0170	0.0275B/*0.0140	0.0275B/*0.0140	----	0.0135 - 0.0115	.0836	----	----	7	----	21 + 7
623	0.0185	0.0185	0.0285B/*0.0150	0.0285B/*0.0150	----	0.0145 - 0.0115	.0891	----	----	23	----	31 + 22
624	0.0180	0.0180	0.0310B/*0.0160	0.0310B/*0.0160	----	0.0155 - 0.0120	.0947	----	----	11	----	15 + 11
625	0.0300	0.0300	0.0310B/*0.0170	0.0310B/*0.0170	----	0.0165 - 0.0125	.1002	----	----	29	----	37 + 16
626	0.0200	0.0200	0.0340B/*0.0185	0.0340B/*0.0185	----	0.0175 - 0.0130	.1059	----	----	31	----	35 + 27
627	0.0215	0.0215	0.0360B/*0.0195	0.0360B/*0.0195	----	0.0190 - 0.0130	.1134	----	----	27	----	27 + 25
628	0.0230	0.0230	0.0355B/*0.0210	0.0355B/*0.0210	----	0.0205 - 0.0135	.1209	----	----	10	----	15 + 10
629	0.0245	0.0245	0.0370B/*0.0225	0.0370B/*0.0225	----	0.0220 - 0.0140	.1284	----	----	26	----	27 + 22
630	0.0390	0.0390	0.0400/*0.0235	0.0400/*0.0235	----	0.0235 - 0.0140	.1359	----	----	195	----	163 - 52
631	0.0265	0.0265	0.0420B/*0.0260	0.0420B/*0.0260	----	0.0250 - 0.0145	.1434	----	----	28	----	31 + 22
632	0.0510	0.0510	0.0510/*0.0275A	0.0510/*0.0275A	----	0.0270 - 0.0150	.1526	----	----	18	----	19 + 13
635	0.0505	0.0505	0.0550B/*0.0335	0.0550B/*0.0335	----	0.0335 - 0.0150	.1811	----	----	35	----	34 + 3
639	0.0485	0.0485	0.0675B/*0.0425	0.0675B/*0.0425	----	0.0435 - 0.0155	.2223	----	----	27	----	28 + 27
640	0.0730	0.0730	0.0730/*0.0460A	0.0730/*0.0460A	----	0.0465 - 0.0155	.2336	----	----	3	----	20 + 1
641	----	----	0.0750B/*0.0485	0.0750B/*0.0485	----	0.0495 - 0.0155	.2448	----	----	10	----	12 + 10
644	----	----	0.0870B/*0.0580	0.0870B/*0.0580	----	0.0590 - 0.0155	.2791	----	----	----	----	5 UNCH
645	0.0600	0.0600	0.0890B/*0.0600	0.0890B/*0.0600	----	0.0620 - 0.0155	.2902	----	----	21	----	63 + 4
646	----	----	0.0955B/*0.0640	0.0955B/*0.0640	----	0.0660 - 0.0150	.3028	----	----	----	----	5 UNCH
649	----	----	0.1075B/*0.0740	0.1075B/*0.0740	----	0.0770 - 0.0150	.3388	----	----	----	----	3 UNCH
650	0.0950	0.0950	0.1115B/*0.0770	0.1115B/*0.0770	----	0.0810 - 0.0150	.3511	----	----	79	----	108 + 73
651	----	----	0.1165B/*0.0815	0.1165B/*0.0815	----	0.0855 - 0.0145	.3638	----	----	----	----	3 UNCH
654	0.1255	0.1255	0.1335B/*0.0930	0.1335B/*0.0930	----	0.0990 - 0.0135	.4014	----	----	1	----	5 + 1
655	0.1250	0.1250	0.1415/*0.0975A	0.1415/*0.0975A	----	0.1035 - 0.0135	.4138	----	----	6	----	18 + 1
656	0.1395	0.1395	0.1435B/*0.1015	0.1435B/*0.1015	----	0.1085 NEW	.4264	----	----	2	----	2 + 2
659	0.1430	0.1430	0.1610B/*0.1150	0.1610B/*0.1150	----	0.1235 - 0.0120	.4637	----	----	5	----	7 + 4
660	0.1395	0.1395	0.1700/*0.1195A	0.1700/*0.1195A	----	0.1290 - 0.0115	.4760	----	----	7	----	28 + 2
661	0.1545	0.1545	0.1740B/*0.1250	0.1740B/*0.1250	----	0.1345 - 0.0110	.4883	----	----	4	----	10 + 4
665	0.1720	0.1720	0.1985B/*0.1460	0.1985B/*0.1460	----	0.1575 - 0.0095	.5361	----	----	30	----	46 + 26
666	0.1800	0.1800	#0.2085B/*0.151	0.2085B/*0.1515	----	0.1640 - 0.0085	.5478	----	----	1	----	6 + 1
670	----	----	0.2285B/*0.1750	0.2285B/*0.1750	----	0.1895 - 0.0065	.5930	----	----	----	----	23 UNCH
675	----	----	0.2640B/0.2115A	0.2640B/0.2115A	----	0.2235 - 0.0035	.6458	----	----	----	----	1 UNCH
700	----	----	0.4490B/----	0.4490B/0.4545A	----	0.4220 + 0.0140	.8401	----	----	----	----	1 UNCH
TOTAL										828		15126+ 237
JUL26												
330	----	----	----	----/0.0045A	----	0.0005 UNCH	.0001	----	----	----	----	84 UNCH
350	----	----	----	----/0.0045A	----	0.0005 UNCH	.0004	----	----	----	----	5 UNCH
360	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0007	----	----	----	----	1 UNCH
380	----	----	----	----/0.0050A	----	0.0010 - 0.0005	.0021	----	----	----	----	2 UNCH
390	----	----	----	----/0.0050A	----	0.0015 UNCH	.0031	----	----	----	----	6 UNCH
395	----	----	----	----/0.0050A	----	0.0015 - 0.0005	.0032	----	----	----	----	1 UNCH
400	----	----	----	----/0.0035A	----	0.0015 - 0.0005	.0033	----	----	----	----	586 UNCH
405	----	----	----	----/0.0050A	----	0.0020 - 0.0005	.0042	----	----	----	----	1 UNCH
415	----	----	----	----/0.0025A	----	0.0020 - 0.0005	.0044	----	----	----	----	52 UNCH
420	----	----	----/0.0025A	----/0.0025A	----	0.0020 - 0.0010	.0045	----	----	----	----	4 UNCH
425	----	----	----	0.0010B/0.0055A	----	0.0025 - 0.0005	.0056	----	----	----	----	51 UNCH
430	----	----	----	----/0.0055A	----	0.0025 - 0.0005	.0057	----	----	----	----	10 UNCH
435	----	----	----	----/0.0060A	----	0.0030 - 0.0005	.0068	----	----	----	----	5 UNCH
440	----	----	----	----/0.0060A	----	0.0030 - 0.0005	.0069	----	----	----	----	4 UNCH
445	----	----	----	----/0.0060A	----	0.0030 - 0.0010	.0071	----	----	----	----	3 UNCH
450	----	----	----	0.0030B/0.0060A	----	0.0035 - 0.0005	.0083	----	----	----	----	1915 UNCH
455	----	----	----/0.0035A	----/0.0035A	----	0.0035 - 0.0010	.0085	----	----	----	----	14 UNCH
460	----	----	----/*0.0035A	----/*0.0035A	----	0.0040 - 0.0005	.0097	----	----	----	----	6 UNCH
465	----	----	----	----/0.0070A	----	0.0040 - 0.0010	.0099	----	----	----	----	1 UNCH
470	----	----	----	----/0.0070A	----	0.0045 - 0.0005	.0112	----	----	----	----	3 UNCH
475	----	----	----	0.0035B/*0.0075	----	0.0045 - 0.0010	.0115	----	----	1	----	513 UNCH
480	----	----	----	0.0010B/0.0080A	----	0.0050 - 0.0010	.0128	----	----	----	----	79 UNCH
485	----	----	----	----/*0.0080A	----	0.0050 - 0.0010	.0131	----	----	----	----	2 UNCH
490	----	----	----	0.0005B/*0.0085	----	0.0055 - 0.0010	.0146	----	----	----	----	542 UNCH
495	----	----	----	0.0010B/*0.0090	----	0.0060 - 0.0010	.0160	----	----	----	----	104 UNCH
500	0.0080	0.0080	0.0080/0.0080	0.0080/0.0080	----	0.0060 - 0.0015	.0165	----	----	2	----	3334 UNCH
505	----	----	----	0.0020B/*0.0100	----	0.0065 - 0.0015	.0180	----	----	----	----	3 UNCH
510	----	----	----	0.0025B/0.0105A	----	0.0070 - 0.0015	.0197	----	----	1	----	210 - 1
515	----	----	----/*0.0080A	0.0035B/*0.0080	----	0.0080 - 0.0010	.0224	----	----	----	----	3 UNCH
520	0.0095	0.0095	0.0095/*0.0085A	0.0095/*0.0085A	----	0.0085 - 0.0015	.0242	----	----	7	----	551 + 2
525	----	----	----	0.0085B/0.0125A	----	0.0095 - 0.0015	.0271	----	----	----	----	643 UNCH
530	0.0095	0.0095	0.0105/*0.0090	0.0105/*0.0090	----	0.0105 - 0.0015	.0301	----	----	6	----	3237 UNCH
533	----	----	----/*0.0120A	0.0100B/*0.0120	----	0.0110 - 0.0020	.0318	----	----	----	----	1 UNCH
534	----	----	----/*0.0120A	0.0110B/*0.0120	----	0.0110 - 0.0020	.0320	----	----	----	----	2 UNCH
535	----	----	----/*0.0120A	0.0105B/*0.0120	----	0.0115 - 0.0015	.0333	----	----	----	----	4 UNCH
536	----	----	----/*0.0120A	0.0110B/*0.0120	----	0.0115 - 0.0020	.0335	----	----	----	----	5 UNCH
538	----	----	----/*0.0115A	0.0115B/*0.0115	----	0.0120 - 0.0020	.0350	----	----	----	----	3 UNCH
539	----	----	----/*0.0115A	0.0120B/*0.0115	----	0.0120 - 0.0020	.0353	----	----	----	----	2 UNCH
540	----	----	----/*0.0115A	0.0120B/*0.0115	----	0.0125 - 0.0020	.0366	----	----	----	----	931 UNCH
541	----	----	----/*0.0135A	0.0130B/*0.0135	----	0.0125 - 0.0020	.0368	----	----	----	----	2 UNCH
542	----	----	----/*0.0140A	0.0130B/*0.0140	----	0.0125 - 0.0025	.0371	----	----	----	----	2 UNCH
543	----	----	----/*0.0140A	0.0140B/*0.0140	----	0.0130 - 0.0025	.0384	----	----	----	----	3 UNCH
545	----	----	----/*0.0130A	0.0140B/*0.0130	----	0.0135 - 0.0025	.0400	----	----	----	----	4 UNCH
546	----	----	----/*0.0145A	0.0145B/*0.0145	----	0.0135 - 0.0030	.0403	----	----	----	----	3 UNCH
547	----	----	----/*0.0150A	0.0150B/*0.0150	----	0.0140 - 0.0025	.0416	----	----	----	----	6 UNCH
548	----	----	----/*0.0140A	0.0155B/*0.0140	----	0.0140 - 0.0030	.0419	----	----	----	----	17 UNCH
549	----	----	----/*0.0155A	0.0160B/*0.0155	----	0.0145 - 0.0030	.0433	----	----	----	----	1 UNCH
550	0.0150	0.0150	0.0150/*0.0145A	0.0170B/*0.0145	----	0.0150 - 0.0030	.0446	----	----	10	----	939 - 5
552	----	----	----/*0.0155A	0.0180B/*0.0155	----	0.0155 - 0.0035	.0463	----	----	----	----	2 UNCH
553	----	----	----/*0.0155A	0.0185B/*0.0155	----	0.0160 - 0.0035	.0477	----	----	----	----	2 UNCH
554	----	----	----/*0.0160A	0.0190B/*0.0160	----	0.0160 - 0.0040	.0480	----	----	1	----	10 UNCH
555	----	----	----/*0.0165A	0.0195B/*0.0165	----	0.0165 - 0.0040	.0494	----	----	1	----	55 UNCH
556	0.0180	0.0180	0.0180/*0.0165A	0.0205B/*0.0165	----	0.0170 - 0.0040	.0508	----	----	40	----	65 - 30
558	0.0205	0.0205	0.0205/*0.0180A	0.0215B/*0.0180	----	0.0180 - 0.0040	.0536	----	----	41	----	124 - 9
559	----	----	----/*0.0185A	0.0220B/*0.0185	----	0.0180 - 0.0045	.0540	----	----	----	----	9 UNCH
560	0.0185	0.0185	0.0190/*0.0185	0.0230B/*0.0185	----	0.0185 - 0.0050	.0555	----	----	2	----	324 + 1
561	----	----	----/*0.0195A	0.0235B/*0.0195	----	0.0190 - 0.0050	.0569	----	----	----	----	7 UNCH
562	----	----	----/*0.0200A	0.0245B/*0.0200	----	0.0195 - 0.0050	.0583	----	----	----	----	2 UNCH
563	----	----	----/*0.0205A	0.0250B/*0.0205	----	0.0200 - 0.0055	.0598	----	----	----	----	14 UNCH
565	----	----	----/*0.0210A	0.0265B/*0.0210	----	0.0215 - 0.0050	.0637	----	----	----	----	19 UNCH
567	----	----	----/*0.0225A	0.0280B/*0.0225	----	0.0225 - 0.0055	.0667	----	----	----	----	13 UNCH
568	----	----	----/*0.0235A	0.0290B/*0.0235	----	0.0230 - 0.0060	.0682	----	----	----	----	4 UNCH
569	----	----	0.0300B/*0.0240	0.0300B/*0.0240	----	0.0240 - 0.0055	.0706	----	----	1	----	7 UNCH
570	----	----	0.0310B/*0.0245	0.0310B/*0.0245	----	0.0245 - 0.0060	.0721	----	----	1	----	417 UNCH
571	----	----	0.0320B/*0.0250	0.0320B/*0.0250	----	0.0250 - 0.0065	.0737	----	----	1	----	17 + 1
572	----	----	0.0330B/*0.0260	0.0330B/*0.0260	----	0.0260 - 0.0060	.0761	----	----	----	----	4 UNCH
573	----	----	0.0340B/*0.0270	0.0340B/*0.0270	----	0.0265 - 0.0065	.0777	----	----	2	----	2 - 2
574	----	----	0.0350B/*0.0275	0.0350B/*0.0275	----	0.0275 - 0.0065	.0802	----	----	1	----	6 UNCH
575	----	----	0.0360B/*0.0285	0.0360B/*0.0285	----	0.0280 - 0.0070	.0818	----	----	----	----	223 UNCH
576	----	----	0.0370B/*0.0290	0.0370B/*0.0290	----	0.0290 - 0.0070	.0843	----	----	----	----	1 UNCH
577	----	----	0.0385B/*0.0300	0.0385B/*0.0300	----	0.0300 - 0.0070	.0868	----	----	----	----	2 UNCH
578	----	----	0.0395B/*0.0310	0.0395B/*0.0310	----	0.0310 - 0.0070	.0893	----	----	----	----	8 UNCH
579	----	----	0.0410B/*0.0320	0.0410B/*0.0320	----	0.0315 - 0.0075	.0909	----	----	----	----	2 UNCH
580	0.0360	0.0360	0.0420B/*0.0330	0.0420B/*0.0330	----	0.0325 - 0.0075	.0934	----	----	4	----	1813 - 1
581	0.0360	0.0360	0.0435B/*0.0340	0.0435B/*0.0340	----	0.0335 - 0.0075	.0960	----	----	3	----	9 + 2
582	----	----	0.0450B/*0.0350	0.0450B/*0.0350	----	0.0345 - 0.0080	.0985	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUL26												
583	----	----	0.0465B/*0.0360	0.0465B/*0.0360	----	0.0355 - 0.0080	.1011	----	----	----	----	1 UNCH
584	----	----	0.0470B/*0.0370	0.0470B/*0.0370	----	0.0365 - 0.0085	.1036	----	----	----	----	1 UNCH
585	0.0390	0.0390	0.0485B/*0.0380	0.0485B/*0.0380	----	0.0380 - 0.0080	.1070	----	----	2	----	868 UNCH
586	----	----	0.0500B/*0.0390	0.0500B/*0.0390	----	0.0390 - 0.0085	.1096	----	----	----	----	8 UNCH
587	----	----	0.0510B/*0.0405	0.0510B/*0.0405	----	0.0400 - 0.0085	.1122	----	----	----	----	9 UNCH
588	----	----	0.0525B/*0.0415	0.0525B/*0.0415	----	0.0415 - 0.0085	.1156	----	----	----	----	2 UNCH
589	----	----	0.0545B/*0.0430	0.0545B/*0.0430	----	0.0425 - 0.0090	.1182	----	----	----	----	7 UNCH
590	----	----	0.0565B/*0.0440	0.0565B/*0.0440	----	0.0440 - 0.0090	.1216	----	----	9	----	898 UNCH
592	----	----	0.0590B/*0.0470	0.0590B/*0.0470	----	0.0470 - 0.0090	.1284	----	----	----	----	3 UNCH
593	----	----	0.0605B/*0.0480	0.0605B/*0.0480	----	0.0485 - 0.0095	.1319	----	----	----	----	2 UNCH
594	----	----	0.0610B/*0.0495	0.0610B/*0.0495	----	0.0500 - 0.0095	.1353	----	----	----	----	1 UNCH
595	----	----	0.0630B/*0.0515	0.0630B/*0.0515	----	0.0515 - 0.0100	.1387	----	----	8	----	196 + 6
596	----	----	0.0650B/*0.0530	0.0650B/*0.0530	----	0.0530 - 0.0100	.1421	----	----	1	----	1 UNCH
597	0.0535	0.0535	0.0685B/*0.0535	0.0685B/*0.0535	----	0.0545 - 0.0105	.1456	----	----	3	----	33 + 2
598	0.0550	0.0550	0.0695B/*0.0550	0.0695B/*0.0550	----	0.0565 - 0.0100	.1497	----	----	2	----	11 + 1
599	----	----	0.0730B/*0.0580	0.0730B/*0.0580	----	0.0580 - 0.0105	.1532	----	----	----	----	28 UNCH
600	----	----	0.0730B/*0.0595	0.0730B/*0.0595	----	0.0600 - 0.0105	.1573	----	----	5	----	816 + 1
601	----	----	0.0775B/*0.0615	0.0775B/*0.0615	----	0.0620 - 0.0105	.1614	----	----	----	----	2 UNCH
602	----	----	0.0780B/*0.0635	0.0780B/*0.0635	----	0.0640 - 0.0105	.1655	----	----	----	----	9 UNCH
603	----	----	0.0820B/*0.0655	0.0820B/*0.0655	----	0.0655 - 0.0115	.1690	----	----	----	----	3 UNCH
605	----	----	0.0845B/*0.0695	0.0845B/*0.0695	----	0.0700 - 0.0115	.1779	----	----	2	----	148 + 1
610	0.0835	0.0835	0.0990B/*0.0795	0.0990B/*0.0795	----	0.0810 - 0.0120	.1997	----	----	19	----	382 + 5
615	0.0980	0.0980	0.1130B/*0.0930	0.1130B/*0.0930	----	0.0940 - 0.0125	.2236	----	----	6	----	64 + 4
620	0.1095	0.1095	0.1285B/*0.1060	0.1285B/*0.1060	----	0.1080 - 0.0130	.2484	----	----	3	----	263 + 3
625	----	----	0.1465B/*0.1230	0.1465B/*0.1230	----	0.1240 - 0.0130	.2747	----	----	2	----	47 + 1
630	0.1540	0.1540	0.1670B/*0.1380	0.1670B/*0.1380	----	0.1415 - 0.0130	.3019	----	----	4	----	298 + 1
635	0.1580	0.1580	0.1880B/*0.1580	0.1880B/*0.1580	----	0.1610 - 0.0125	.3299	----	----	6	----	34 + 2
640	0.1890	0.1890	0.2110B/0.1790A	0.2110B/0.1790A	----	0.1815 - 0.0120	.3581	----	----	2	----	58 - 2
645	0.2005	0.2005	0.2345B/0.2005	0.2345B/0.2005	----	0.2040 - 0.0115	.3867	----	----	36	----	43 + 36
650	0.2380	0.2380	0.2620B/0.2255A	0.2620B/0.2255A	----	0.2285 - 0.0105	.4154	----	----	6	----	124 UNCH
655	----	----	0.2885B/0.2510A	0.2885B/0.2510A	----	0.2540 - 0.0095	.4439	----	----	----	----	49 UNCH
660	0.3145	0.3145	0.3170B/0.2780A	0.3170B/0.2780A	----	0.2815 - 0.0080	.4720	----	----	3	----	10 - 1
665	----	----	0.3475B/0.3065A	0.3475B/0.3065A	----	0.3100 - 0.0070	.4996	----	----	----	----	3 UNCH
670	0.3480	0.3480	0.3790B/0.3360A	0.3790B/0.3360A	----	0.3400 - 0.0055	.5265	----	----	24	----	68 + 23
675	----	----	0.4115B/0.3655A	0.4115B/0.3655A	----	0.3715 - 0.0040	.5526	----	----	----	----	26 UNCH
700	----	----	0.5860B/0.5380A	0.5860B/0.5380A	----	0.5460 + 0.0045	.6697	----	----	----	----	2 UNCH
705	----	----	0.6245B/0.5745A	0.6245B/0.5745A	----	0.5835 + 0.0060	.6902	----	----	----	----	1 UNCH
TOTAL										268		21585 + 41
AUG26												
330	----	----	----	----/*0.0020A	----	0.0010 UNCH	.0017	----	----	----	----	3 UNCH
405	----	----	----	----/*0.0110A	----	0.0045 - 0.0010	.0082	----	----	----	----	3 UNCH
420	----	----	----	0.0010B/*0.0120	----	0.0055 - 0.0010	.0103	----	----	----	----	1 UNCH
440	----	----	----	0.0020B/*0.0140	----	0.0070 - 0.0015	.0135	----	----	----	----	5 UNCH
450	----	----	----	0.0020B/*0.0150	----	0.0080 - 0.0020	.0157	----	----	----	----	7 UNCH
460	----	----	----	0.0030B/*0.0165	----	0.0090 - 0.0025	.0180	----	----	----	----	3 UNCH
465	----	----	----	0.0035B/*0.0170	----	0.0100 - 0.0020	.0199	----	----	----	----	1 UNCH
470	----	----	----	0.0045B/*0.0175	----	0.0105 - 0.0025	.0212	----	----	----	----	2 UNCH
475	----	----	----	0.0080B/*0.0185	----	0.0110 - 0.0025	.0225	----	----	----	----	5 UNCH
480	----	----	----	0.0060B/*0.0190	----	0.0120 - 0.0025	.0246	----	----	----	----	7 UNCH
485	----	----	----	0.0095B/*0.0190	----	0.0130 - 0.0025	.0267	----	----	----	----	1 UNCH
500	----	----	----	0.0135B/*0.0195	----	0.0160 - 0.0035	.0335	----	----	----	----	7 UNCH
505	----	----	----	0.0150B/*0.0210	----	0.0175 - 0.0035	.0367	----	----	----	----	1 UNCH
510	----	----	----	0.0165B/*0.0225	----	0.0185 - 0.0040	.0392	----	----	----	----	1 UNCH
520	----	----	----/0.0260A	0.0210B/0.0260A	----	0.0225 - 0.0045	.0474	----	----	----	----	307 UNCH
525	----	----	----/0.0280A	0.0235B/0.0280A	----	0.0245 - 0.0050	.0516	----	----	----	----	1 UNCH
530	0.0290	0.0290	0.0290/*0.0285A	0.0290/*0.0285A	----	0.0270 - 0.0050	.0567	----	----	9	----	64 + 9
535	----	----	----/*0.0335A	0.0305B/*0.0335	----	0.0295 - 0.0055	.0619	----	----	----	----	8 UNCH
540	0.0305	0.0305	0.0305/*0.0305	0.0340B/*0.0305	----	0.0330 - 0.0055	.0685	----	----	1	----	5 + 1
545	----	----	----/*0.0395A	0.0385B/*0.0395	----	0.0365 - 0.0060	.0753	----	----	----	----	1 UNCH
550	0.0365	0.0365	0.0365/*0.0365	0.0440B/*0.0365	----	0.0405 - 0.0065	.0828	----	----	2	----	26 + 2
565	----	----	----/*0.0585A	0.0635B/*0.0585	----	0.0565 - 0.0070	.1110	----	----	----	----	1 UNCH
570	----	----	----/*0.0655A	0.0695B/*0.0655	----	0.0630 - 0.0075	.1219	----	----	----	----	4 UNCH
575	----	----	----/*0.0730A	0.0775B/*0.0730	----	0.0705 - 0.0075	.1340	----	----	----	----	2 UNCH
580	----	----	0.0870B/*0.0810	0.0870B/*0.0810	----	0.0785 - 0.0075	.1466	----	----	----	----	251 UNCH
585	----	----	0.0970B/*0.0895	0.0970B/*0.0895	----	0.0875 - 0.0075	.1603	----	----	----	----	8 UNCH
590	----	----	0.1080B/*0.0995	0.1080B/*0.0995	----	0.0975 - 0.0080	.1749	----	----	----	----	14 UNCH
600	----	----	0.1335B/*0.1210	0.1335B/*0.1210	----	0.1200 - 0.0085	.2064	----	----	----	----	626 UNCH
605	0.1390	0.1390	0.1480B/0.1365A	0.1480B/0.1365A	----	0.1330 - 0.0085	.2234	----	----	10	----	14 + 10
620	----	----	0.1980B/0.1810A	0.1980B/0.1810A	----	0.1790 - 0.0085	.2787	----	----	----	----	28 UNCH
625	----	----	0.2175B/0.1995A	0.2175B/0.1995A	----	0.1965 - 0.0090	.2981	----	----	----	----	5 UNCH
630	----	----	0.2385B/0.2185A	0.2385B/0.2185A	----	0.2155 - 0.0090	.3181	----	----	----	----	3 UNCH
640	----	----	0.2825B/0.2605A	0.2825B/0.2605A	----	0.2565 - 0.0090	.3586	----	----	----	----	3 UNCH
660	----	----	0.3870B/0.3580A	0.3870B/0.3580A	----	0.3540 - 0.0085	.4411	----	----	----	----	2 UNCH
670	----	----	0.4445B/0.4105A	0.4445B/0.4105A	----	0.4095 - 0.0080	.4815	----	----	----	----	310 UNCH
TOTAL										22		1730 + 22
SEP26												
400	----	----	----	0.0015B/*0.0155	----	0.0080 - 0.0015	.0127	----	----	----	----	1 UNCH
440	----	----	----	0.0065B/*0.0205	----	0.0130 - 0.0020	.0217	----	----	----	----	2 UNCH
445	----	----	----	0.0075B/0.0215A	----	0.0140 - 0.0020	.0234	----	----	----	----	5 UNCH
450	----	----	----	0.0085B/0.0225A	----	0.0145 - 0.0025	.0245	----	----	----	----	803 UNCH
470	----	----	----	0.0155B/*0.0225	----	0.0185 - 0.0035	.0321	----	----	----	----	3 UNCH
475	----	----	----	0.0170B/*0.0240	----	0.0200 - 0.0030	.0347	----	----	----	----	74 UNCH
480	----	----	----	0.0185B/*0.0255	----	0.0210 - 0.0040	.0368	----	----	----	----	7 UNCH
485	----	----	----	0.0205B/*0.0275	----	0.0230 - 0.0035	.0401	----	----	----	----	1 UNCH
490	----	----	----	0.0190B/*0.0325	----	0.0245 - 0.0040	.0429	----	----	----	----	9 UNCH
500	----	----	----	0.0230B/*0.0370	----	0.0285 - 0.0045	.0500	----	----	----	----	627 UNCH
510	----	----	----	0.0290B/*0.0425	----	0.0340 - 0.0045	.0591	----	----	----	----	2 UNCH
515	----	----	----	0.0320B/0.0455A	----	0.0370 - 0.0045	.0641	----	----	----	----	1 UNCH
520	----	----	----	0.0360B/0.0490A	----	0.0405 - 0.0045	.0697	----	----	----	----	6 UNCH
525	----	----	----	0.0405B/*0.0530	----	0.0445 - 0.0045	.0759	----	----	----	----	327 UNCH
530	----	----	----	0.0450B/*0.0565	----	0.0490 - 0.0040	.0827	----	----	----	----	2 UNCH
535	----	----	----	0.0505B/*0.0625	----	0.0540 - 0.0040	.0901	----	----	----	----	350 UNCH
540	----	----	----/*0.0625A	0.0610B/*0.0625	----	0.0590 - 0.0045	.0976	----	----	----	----	401 UNCH
550	----	----	----/0.0745A	0.0745B/0.0745A	----	0.0715 - 0.0040	.1153	----	----	200	----	45 - 175
560	----	----	0.0910B/0.0900A	0.0910B/0.0900A	----	0.0860 - 0.0045	.1349	----	----	----	----	3 UNCH
570	----	----	0.1100B/0.1065A	0.1100B/0.1065A	----	0.1035 - 0.0050	.1574	----	----	1	----	123 UNCH
575	----	----	0.1210B/0.1165A	0.1210B/0.1165A	----	0.1135 - 0.0050	.1696	----	----	----	----	107 UNCH
580	----	----	0.1325B/0.1250A	0.1325B/0.1250A	----	0.1240 - 0.0055	.1822	----	----	1	----	686 - 1
585	----	----	0.1450B/0.1390A	0.1450B/0.1390A	----	0.1355 - 0.0055	.1955	----	----	----	----	7 UNCH
590	----	----	0.1585B/0.1510A	0.1585B/0.1510A	----	0.1480 - 0.0060	.2094	----	----	----	----	334 UNCH
595	----	----	0.1730B/0.1650A	0.1730B/0.1650A	----	0.1615 - 0.0055	.2240	----	----	----	----	8 UNCH
600	----	----	0.1885B/0.1785A	0.1885B/0.1785A	----	0.1755 - 0.0060	.2388	----	----	402	----	1409 + 398
610	----	----	0.2230B/0.2115A	0.2230B/0.2115A	----	0.2075 - 0.0060	.2702	----	----	----	----	11 UNCH
615	----	----	0.2420B/0.2290A	0.2420B/0.2290A	----	0.2250 - 0.0055	.2865	----	----	----	----	1 UNCH
620	----	----	0.2615B/0.2460A	0.2615B/0.2460A	----	0.2435 - 0.0055	.3030	----	----	2	----	1002 + 1
625	----	----	0.2825B/0.2660A	0.2825B/0.2660A	----	0.2630 - 0.0055	.3198	----	----	----	----	1147 UNCH
630	----	----	0.3045B/0.2875A	0.3045B/0.2875A	----	0.2835 - 0.0055	.3368	----	----	----	----	3 UNCH
635	----	----	0.3275B/0.3080A	0.3275B/0.3080A	----	0.3050 - 0.0055	.3540	----	----	----	----	145 UNCH
650	----	----	0.4025B/0.3805A	0.4025B/0.3805A	----	0.3765 - 0.0050	.4059	----	----	----	75	82 + 75
655	----	----	0.4300B/0.4055A	0.4300B/0.4055A	----	0.4020 - 0.0055	.4231	----	----	----	----	53 UNCH
660	----	----	0.4585B/0.4330A	0.4585B/0.4330A	----	0.4285 - 0.0055	.4403	----	----	----	----	1 UNCH
670	----	----	0.5165B/0.4880A	0.5165B/0.4880A	----	0.4850 - 0.0050	.4741	----	----	----	----	210 UNCH
685	----	----	0.6105B/0.5785A	0.6105B/0.5785A	----	0.5750 - 0.0045	.5230	----	----	----	----	11 UNCH
695	----	----	0.6770B/----	0.6770B/0.6430A	----	0.6395 - 0.0030	.5542	----	----	----	----	2 UNCH
700	----	----	0.7120B/----	0.7120B/0.6760A	----	0.6725 - 0.0025	.5693	----	----	----	----	7 UNCH
725	----	----	0.8870B/----	0.8870B/0.8515A	----	0.8485 + 0.0025	.6397	----	----	----	----	2 UNCH
TOTAL									75	606		8020 + 298
OCT26												
300	----	----	----	----/*0.0110A	----	0.0020 - 0.0005	.0028	----	----	----	----	1 UNCH
375	----	----	----	0.0045B/0.0170A	----	0.0090 - 0.0015	.0122	----	----	----	----	2 UNCH
400	----	----	----	0.0040B/*0.0190	----	0.0120 - 0.0015	.0167	----	----	----	----	1 UNCH
450	----	----	----	0.0135B/0.0290A	----	0.0200 - 0.0025	.0298	----	----	----	----	1 UNCH
470	----	----	----	0.0195B/0.0345A	----	0.0255 - 0.0020	.0386	----	----	----	----	1 UNCH
475	----	----	----	0.0190B/*0.0370	----	0.0275 - 0.0015	.0415	----	----	----	----	3 UNCH
500	----	----	----	0.0320B/*0.0490	----	0.0390 - 0.0010	.0588	----	----	----	----	60 UNCH
530	----	----	----	0.0595B/*0.0740	----	0.0640 - 0.0015	.0925	----	----	----	----	1 UNCH
570	----	----	----	0.1255B/0.1355A	----	0.1255 - 0.0050	.1635	----	----	----	----	4 UNCH
600	----	----	0.2140B/----	0.2140B/0.2090A	----	0.2015 - 0.0070	.2365	----	----	----	----	13 UNCH
745	----	----	1.0265B/----	1.0265B/0.9945A	----	0.9895 UNCH	.6406	----	----	----	----	1 UNCH
750	----	----	1.0495B/----	1.0495B/1.0440A	----	1.0265 + 0.0005	.6520	----	----	----	----	5 UNCH
TOTAL												93
NOV26												
400	----	----	----	0.0060B/*0.0280	----	0.0165 - 0.0015	.0211	----	----	----	----	10 UNCH
475	----	----	----	0.0295B/0.0495A	----	0.0380 - 0.0035	.0515	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
NOV26												
480	----	----	----	0.0320B/0.0520A	----	0.0405 - 0.0035	.0549	----	----	----	----	2 UNCH
500	----	----	----	0.0470B/0.0660A	----	0.0540 - 0.0045	.0721	----	----	----	----	16 UNCH
520	----	----	----	0.0685B/*0.0860	----	0.0740 - 0.0050	.0956	----	----	----	----	2 UNCH
550	----	----	----	0.1165B/0.1305A	----	0.1185 - 0.0060	.1427	----	----	----	----	1 UNCH
560	----	----	----	0.1380B/0.1505A	----	0.1385 - 0.0060	.1619	----	----	----	----	1 UNCH
590	----	----	----	0.2220B/0.2280A	----	0.2155 - 0.0065	.2282	----	----	----	----	1 UNCH
645	----	----	0.4525B/----	0.4525B/0.4445A	----	0.4305 - 0.0065	.3716	----	----	----	----	1 UNCH
735	----	----	1.0010B/----	1.0010B/0.9815A	----	0.9695 - 0.0005	.5990	----	----	----	----	2 UNCH
TOTAL												38
DEC26												
380	----	----	----	0.0035B/0.0315A	----	0.0170 - 0.0020	.0199	----	----	----	----	2 UNCH
385	----	----	----	0.0045B/*0.0325	----	0.0175 - 0.0025	.0208	----	----	----	----	1 UNCH
395	----	----	----	0.0065B/0.0345A	----	0.0195 - 0.0025	.0234	----	----	----	----	3 UNCH
400	----	----	----	0.0075B/0.0355A	----	0.0205 - 0.0025	.0247	----	----	----	----	18 UNCH
420	----	----	----	0.0125B/*0.0395	----	0.0250 - 0.0030	.0308	----	----	----	----	2 UNCH
475	----	----	----	0.0375B/*0.0630	----	0.0475 - 0.0050	.0594	----	----	----	----	76 UNCH
480	----	----	----	0.0410B/*0.0665	----	0.0510 - 0.0050	.0635	----	----	----	----	16 UNCH
490	----	----	----	0.0495B/*0.0745	----	0.0590 - 0.0050	.0727	----	----	----	----	5 UNCH
500	----	----	----	0.0595B/*0.0840	----	0.0685 - 0.0050	.0831	----	----	----	----	103 UNCH
525	----	----	----	0.0930B/*0.1150	----	0.1000 - 0.0055	.1154	----	----	----	----	1 UNCH
540	----	----	----	0.1200B/0.1405A	----	0.1250 - 0.0065	.1391	----	----	----	----	3 UNCH
550	----	----	----	0.1410B/0.1605A	----	0.1450 - 0.0075	.1569	----	----	----	----	152 UNCH
560	----	----	----	0.1650B/0.1830A	----	0.1670 - 0.0085	.1757	----	----	----	----	300 UNCH
570	----	----	----	0.1920B/0.2090A	----	0.1925 - 0.0085	.1962	----	----	3	----	4 + 3
580	----	----	----	0.2215B/0.2375A	----	0.2205 - 0.0080	.2177	----	----	----	----	22 UNCH
600	----	----	0.2905B/----	0.2905B/0.3035A	----	0.2860 - 0.0035	.2636	----	----	16	----	118 + 3
630	----	----	0.4170B/----	0.4170B/0.4250A	----	0.4075 - 0.0075	.3371	----	----	----	----	18 UNCH
750	----	----	1.1515B/----	1.1515B/1.1355A	----	1.1195 - 0.0035	.6160	----	----	----	----	1 UNCH
TOTAL										19		845 + 6
JAN27												
400	----	----	----	----	----	0.0355 + 0.0020	.0350	----	----	----	----	8 UNCH
800	1.5000	1.5000	#1.5000/*1.5000	#1.5000/*1.5000	----	1.5360 NEW	.6493	----	----	1	----	1 + 1
TOTAL										1		9 + 1
FEB27												
400	----	----	----	----	----	0.0470 + 0.0025	.0421	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0205 + 0.0010	.0149	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
MAY26												
580	----	----	----/0.7640A	0.8440B/0.7640A	----	0.8135 - 0.0670	.9900	----	----	----	----	1 UNCH
600	0.6135	0.6135	0.6135/0.5615A	0.6425B/0.5615A	----	0.6130 - 0.0690	.9989	----	----	2	----	1 UNCH
610	----	----	----/0.4620A	0.5425B/0.4620A	----	0.5140 - 0.0685	.9972	----	----	----	----	2 UNCH
610	----	----	----/0.4715A	0.5500B/0.4715A	----	0.5195 - 0.0695	.9548	----	----	----	----	6 UNCH
610	----	----	----/0.5080A	0.5270B/0.5080A	----	0.5250 - 0.0780	.9273	----	----	----	----	5 UNCH
615	----	----	----/0.4120A	0.4930B/0.4120A	----	0.4650 - 0.0680	.9950	----	----	----	----	1 UNCH
615	----	----	----/0.4655A	0.4825B/0.4655A	----	0.4790 - 0.0795	.9082	----	----	----	----	1 UNCH
620	----	----	----/0.3625A	0.4435B/0.3625A	----	0.4160 - 0.0680	.9920	----	----	----	----	1 UNCH
620	----	----	----/0.3800A	0.4565B/0.3800A	----	0.4220 - 0.0740	.9329	----	----	----	----	5 UNCH
625	----	----	----/0.3140A	0.3935B/0.3140A	----	0.3665 - 0.0675	.9892	----	----	----	----	8 UNCH
630	----	----	----/0.2645A	0.3445B/0.2645A	----	0.3165 - 0.0680	.9869	----	----	----	----	1 UNCH
630	----	----	----/0.3250A	0.3590B/0.3250A	----	0.3520 - 0.0830	.8155	----	----	----	----	3 UNCH
635	----	----	----/0.2170A	0.2965B/0.2170A	----	0.2670 - 0.0680	.9819	----	----	----	----	3 UNCH
635	----	----	----/0.2580A	0.3250B/0.2580A	----	0.2865 - 0.0785	.8484	----	----	----	----	1 UNCH
635	----	----	----/0.2910A	0.3440B/0.2910A	----	0.3145 - 0.0840	.7731	----	----	----	----	0 UNCH
640	----	----	----/0.1720A	0.2485B/0.1720A	----	0.2175 - 0.0690	.9743	----	----	----	----	1 UNCH
640	----	----	----/0.2285A	0.2860B/0.2285A	----	0.2460 - 0.0795	.7978	----	----	----	----	3 UNCH
640	----	----	----/0.2595A	0.3190B/0.2595A	----	0.2800 - 0.0840	.7268	----	----	----	----	220 UNCH
645	----	----	----/0.1325A	0.2040B/0.1325A	----	0.1690 - 0.0705	.9561	----	----	----	----	2 UNCH
645	----	----	----/0.1930A	0.2335B/0.1930A	----	0.2095 - 0.0795	.7382	----	----	----	----	3 UNCH
648	----	----	----/0.1110A	0.1780B/0.1110A	----	0.1405 - 0.0720	.9353	----	----	----	----	2 UNCH
650	----	----	----/0.0965A	0.1615B/0.0965A	----	0.1220 - 0.0730	.9132	----	----	----	----	32 UNCH
655	----	----	----/0.0660A	0.1235B/0.0660A	----	0.0820 - 0.0730	.7830	----	----	----	----	1 UNCH
655	----	----	----/0.1350A	0.1880B/0.1350A	----	0.1490 - 0.0770	.5969	----	----	----	----	2 UNCH
658	----	----	----/0.0520A	0.1045B/0.0520A	----	0.0635 - 0.0705	.6525	----	----	----	----	1 UNCH
659	0.0425	0.0425	0.0425/*0.0415	0.0980B/0.0415	----	0.0580 - 0.0695	.6053	----	----	4	----	7 + 3
660	0.0545	0.0545	0.0545/0.0350	0.0925B/0.0350	----	0.0530 NEW	.5573	----	----	55	----	52 + 52
660	----	----	----/0.1540A	0.2075B/0.1540A	----	0.1675 - 0.0805	.5233	----	----	----	----	220 UNCH
662	0.0360	0.0360	0.0360/*0.0355A	0.0825B/0.0355A	----	0.0435 NEW	.4624	----	----	1	----	1 + 1
663	0.0405	0.0405	0.0405/*0.0310	0.0775B/0.0310	----	0.0390 NEW	.4158	----	----	27	----	25 + 25
664	0.0475	0.0475	0.0475/*0.0285A	0.0730B/0.0285A	----	0.0355 NEW	.3723	----	----	10	----	10 + 10
665	0.0495	0.0495	0.0500/0.0255A	0.0690B/0.0255A	----	0.0315 - 0.0625	.3288	----	----	100	----	202 + 100
665	----	----	----/0.0940A	0.1400B/0.0940A	----	0.1030 NEW	.4550	----	----	1	----	1 + 1
666	0.0335	0.0335	0.0450/*0.0225A	0.0645B/0.0225A	----	0.0285 NEW	.2904	----	----	4	----	2 + 2
670	----	----	----/0.0140A	0.0500B/0.0140A	----	0.0180 - 0.0540	.1623	----	----	----	----	50 UNCH
674	0.0100	0.0100	0.0100/*0.0100	0.0375B/*0.0100	----	0.0120 NEW	.0882	----	----	1	----	1 + 1
675	0.0100	0.0100	0.0100/0.0100	0.0350B/0.0100	----	0.0110 - 0.0435	.0763	----	----	10	----	120 + 10
675	----	----	----/0.0655A	0.1020B/0.0655A	----	0.0695 - 0.0660	.3301	----	----	----	----	2 UNCH
675	0.1000	0.1000	0.1000/0.1000	0.1475B/0.1000	----	0.1110 - 0.0725	.3813	----	----	5	----	0 - 5
680	0.0100	0.0100	0.0100/*0.0075A	0.0230B/0.0075A	----	0.0065 NEW	.0330	----	----	9	----	9 + 9
680	0.0635	0.0635	0.0635/*0.0535A	0.0865B/0.0535A	----	0.0565 - 0.0625	.2765	----	----	2	----	5 + 2
680	----	----	----/0.0885A	0.1300B/0.0885A	----	0.0960 - 0.0700	.3392	----	----	----	----	2 UNCH
689	----	----	----/*0.0065A	0.0080B/*0.0065	----	0.0025 - 0.0200	.0065	----	----	----	----	1 UNCH
700	----	----	----/*0.0055A	0.0015B/*0.0055	----	0.0005 - 0.0095	.0001	----	----	----	----	4 UNCH
710	----	----	----	----/*0.0050A	----	0.0005 - 0.0035	----	----	----	----	----	1 UNCH
725	0.0140	0.0140	0.0140/*0.0115A	0.0155B/0.0115A	----	0.0075 - 0.0250	.0404	----	----	1	----	1 UNCH
TOTAL										232		1022 + 211
JUN26												
650	----	----	----/0.2575A	0.2890B/0.2575A	----	0.2600 - 0.0855	.6041	----	----	----	----	2 UNCH
690	----	----	----/*0.1105A	0.1290B/0.1105A	----	0.1100 - 0.0730	.3151	----	----	----	----	1 UNCH
700	----	----	----/*0.0875A	0.1035B/0.0875A	----	0.0875 - 0.0675	.2603	----	----	----	----	1 UNCH
750	----	----	----/*0.0305A	0.0320B/0.0305A	----	0.0275 - 0.0390	.0923	----	----	----	----	1 UNCH
TOTAL												5
HXE PUT		COPPER OPTIONS										
MAY26												
450	----	----	----	----/0.0070A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
570	----	----	----	----/0.0050A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
580	----	----	----	----/0.0050A	----	0.0005 - 0.0010	.0000	----	----	----	----	1 UNCH
580	----	----	----	0.0030B/*0.0095	----	0.0040 - 0.0055	.0202	----	----	----	----	1 UNCH
589	----	----	----	----/*0.0050A	----	0.0010 - 0.0015	.0004	----	----	----	----	3 UNCH
590	----	----	----	----/*0.0100A	----	0.0040 + 0.0005	.0199	----	----	----	----	1 UNCH
595	----	----	----	----/0.0050A	----	0.0015 - 0.0010	.0009	----	----	----	----	2 UNCH
595	----	----	----	0.0005B/*0.0100	----	0.0055 + 0.0005	.0274	----	----	----	----	1 UNCH
600	----	----	----	----/0.0055A	----	0.0015 - 0.0015	.0010	----	----	----	----	35 UNCH
600	0.0050	0.0050	0.0050/*0.0050	0.0050/*0.0050	----	0.0070 + 0.0005	.0352	----	----	19	----	7 - 13
605	----	----	----	----/0.0055A	----	0.0020 - 0.0010	.0017	----	----	----	----	1 UNCH
610	----	----	----	----/*0.0055A	----	0.0025 - 0.0010	.0027	----	----	----	----	3 UNCH
615	----	----	----	----/*0.0055A	----	0.0035 - 0.0005	.0049	----	----	----	----	1 UNCH
620	0.0015	0.0015	0.0015/*0.0015	0.0015/*0.0015	----	0.0045 - 0.0005	.0079	----	----	2	----	73 UNCH
620	----	----	----/*0.0135A	0.0125B/*0.0135	----	0.0110 - 0.0060	.0669	----	----	----	----	31 UNCH
625	----	----	----	----/*0.0060A	----	0.0050 UNCH	.0107	----	----	----	----	21 UNCH
625	----	----	----/*0.0165A	0.0195B/*0.0165	----	0.0140 - 0.0080	.0864	----	----	----	----	201 UNCH
630	----	----	----	0.0015B/*0.0060	----	0.0050 - 0.0005	.0130	----	----	2	----	2 - 2
635	----	----	----	0.0005B/*0.0065	----	0.0055 - 0.0005	.0180	----	----	----	----	1 UNCH
640	----	----	----	0.0015B/*0.0075	----	0.0060 - 0.0015	.0256	----	----	----	----	1 UNCH
640	----	----	0.0545B/0.0410A	0.0545B/0.0410A	----	0.0350 - 0.0120	.2019	----	----	1	----	54 UNCH
642	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0065 - 0.0020	.0313	----	----	4	----	5 + 4
649	0.0115	0.0115	#0.0210B/*0.011	0.0210B/*0.0115	----	0.0095 NEW	.0733	----	----	2	----	2 + 2
650	----	----	0.0255B/*0.0150	0.0255B/*0.0150	----	0.0105 - 0.0055	.0867	----	----	1	----	2 UNCH
650	----	----	0.0955B/*0.0695	0.0955B/*0.0695	----	0.0660 NEW	.3308	----	----	1	----	1 + 1
653	0.0210	0.0210	#0.0380B/0.0210	0.0380B/0.0210	----	0.0155 - 0.0060	.1519	----	----	2	----	2 + 1
655	0.0440	0.0440	0.0490B/0.0280A	0.0490B/0.0280A	----	0.0205 - 0.0055	.2169	----	----	3	----	5 + 3
658	----	----	#0.0670B/----	0.0670B/0.0360A	----	0.0320 - 0.0030	.3474	----	----	----	----	2 UNCH
660	0.0450	0.0450	0.0800B/*0.0450	0.0800B/*0.0435	----	0.0415 NEW	.4426	----	----	3	----	3 + 3
662	----	----	#0.0945B/----	0.0945B/0.0520A	----	0.0520 + 0.0010	.5375	----	----	----	----	40 UNCH
663	----	----	#0.1015B/----	0.1015B/0.0565A	----	0.0575 + 0.0020	.5841	----	----	----	----	20 UNCH
665	----	----	0.1795B/0.1370A	0.1795B/0.1370A	----	0.1415 NEW	.5447	----	----	1	----	1 + 1
TOTAL										41		528

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 65

ALUMINIUM OPTIONS ON FUTURES

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUN26												
1400	----	----	----/*70.30A	129.50B/*70.30A	----	69.70 - 68.50	.8153	----	----	----	----	75 UNCH
1440	----	----	----/*43.50A	37.10B/*43.50A	----	41.90 - 60.40	.6252	----	----	----	----	1 UNCH
1460	----	----	----/*33.80A	35.50B/*33.80A	----	31.30 - 54.70	.5142	----	----	----	----	25 UNCH
1500	----	----	----/*20.50A	48.80B/*20.50A	----	17.20 - 40.30	.3145	----	----	----	----	110 UNCH
1525	----	----	----/*15.20A	35.50B/*15.20A	----	12.00 - 31.10	.2238	----	----	----	----	5 UNCH
1530	----	----	----/*14.30A	33.20B/*14.30A	----	11.10 - 29.50	.2080	----	----	----	----	1 UNCH
1550	----	----	----/*11.50A	25.50B/*11.50A	----	8.50 - 23.40	.1583	----	----	----	----	94 UNCH
1575	----	----	----/*9.10A	18.20B/*9.10A	----	5.70 - 17.80	.1071	----	----	----	----	15 UNCH
1600	----	----	----/*7.60A	12.80B/*7.60A	----	3.90 - 13.50	.0726	----	----	----	----	49 UNCH
1650	----	----	----/*5.80A	6.00B/*5.80A	----	2.00 - 8.00	.0352	----	----	----	----	67 UNCH
1700	----	----	----/*4.90A	2.40B/*4.90A	----	1.00 - 4.40	.0165	----	----	----	----	32 UNCH
1750	----	----	----	0.60B/*4.40A	----	0.50 - 2.40	.0077	----	----	----	----	142 UNCH
1800	----	----	----	----/*4.00A	----	0.20 - 1.40	.0029	----	----	----	----	112 UNCH
1850	----	----	----	----/*3.70A	----	0.10 - 0.80	.0008	----	----	----	----	67 UNCH
1900	----	----	----	----/*3.40A	----	0.10 - 0.40	.0002	----	----	----	----	64 UNCH
1925	----	----	----	----/*3.30A	----	0.10 - 0.30	.0001	----	----	----	----	40 UNCH
1950	----	----	----	----/*3.30A	----	0.10 - 0.20	.0000	----	----	----	----	10 UNCH
2000	----	----	----	----/*3.20A	----	0.10 - 0.10	.0000	----	----	----	----	108 UNCH
2100	----	----	----	----/*3.00A	----	0.10 UNCH	----	----	----	----	----	52 UNCH
2200	----	----	----	----/*2.90A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2300	----	----	----	----/*2.90A	----	0.10 UNCH	----	----	----	----	----	30 UNCH
2400	----	----	----	----/*2.90A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2500	----	----	----	----/*2.80A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
2700	----	----	----	----/*2.80A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
3000	----	----	----	----/2.80A	----	0.10 UNCH	----	----	----	----	----	30 UNCH
3500	----	----	----	----/2.80A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
TOTAL												1244 0
JUL26												
1440	----	----	----	----	----	97.10 - 57.60	.6258	----	----	----	----	1 UNCH
1550	----	----	----/*55.90A	85.80B/*55.90A	----	52.40 - 38.80	.3989	----	----	----	----	50 UNCH
1600	48.00	48.00	48.00/*40.50	67.30B/*40.50	----	40.40 - 31.10	.3192	----	----	25	----	50 UNCH
1720	26.30	26.30	26.30/*26.30	39.00B/*26.30	----	23.20 NEW	.1904	----	----	6	----	6 + 6
1800	----	----	----/*20.10A	27.80B/*20.10A	----	16.00 - 12.80	.1345	----	----	----	----	49 UNCH
TOTAL										31		156 + 6
AUG26												
1600	----	----	----/74.10A	101.30B/74.10A	----	69.60 - 34.80	.3848	----	----	----	----	100 UNCH
1700	----	----	----/55.60A	#75.30B/55.60A	----	51.20 - 25.20	.2909	----	----	----	----	20 UNCH
1800	----	----	#57.70B/43.00A	#57.70B/43.00A	----	38.80 - 18.70	.2234	----	----	----	----	100 UNCH
1900	37.50	37.50	45.00B/34.10A	45.00B/34.10A	----	29.80 - 14.60	.1735	----	----	300	----	400 + 300
TOTAL										300		620 + 300
SEP26												
1400	----	----	----/170.40A	215.00B/170.40A	----	167.20 - 55.30	.6522	----	----	----	----	75 UNCH
1575	----	----	----/104.40A	132.30B/104.40A	----	99.30 - 38.00	.4436	----	----	----	----	25 UNCH
1600	133.00	133.00	133.00/97.80A	133.00/97.80A	----	92.60 NEW	.4188	----	----	4	150	150 + 150
1625	----	----	----/91.80A	116.00B/91.80A	----	86.40 - 33.70	.3953	----	----	----	----	20 UNCH
1665	----	----	----/83.10A	104.60B/83.10A	----	77.60 - 30.50	.3607	----	----	----	----	9 UNCH
1700	----	----	----/76.30A	95.70B/76.30A	----	70.90 - 27.90	.3333	----	----	----	----	55 UNCH
1800	----	----	----/60.80A	75.10B/60.80A	----	55.60 - 21.50	.2677	----	----	----	----	6 UNCH
1875	----	----	----/52.20A	63.30B/52.20A	----	47.10 - 17.70	.2292	----	----	----	----	25 UNCH
1885	----	----	----/51.20A	61.90B/51.20A	----	46.10 - 17.30	.2246	----	----	----	----	100 UNCH
1900	----	----	----/49.80A	59.90B/49.80A	----	44.70 - 16.70	.2181	----	----	----	----	10 UNCH
2000	----	----	----/41.60A	48.70B/41.60A	----	36.60 - 13.20	.1799	----	----	----	----	30 UNCH
2100	----	----	----/35.30A	40.10B/35.30A	----	30.40 - 10.70	.1501	----	----	----	----	25 UNCH
2200	----	----	----/*30.40A	33.50B/30.40A	----	25.60 - 8.80	.1267	----	----	----	----	5 UNCH
2400	----	----	----/*23.50A	23.80B/23.50A	----	18.80 - 6.10	.0930	----	----	----	----	15 UNCH
2550	----	----	----/*19.80A	18.60B/19.80A	----	15.20 - 4.90	.0751	----	----	----	----	50 UNCH
TOTAL									150	4		600 + 150
DEC26												
1800	----	----	----	----	----	91.00 - 28.80	.3399	----	----	----	----	50 UNCH
2000	----	----	----	----	----	64.40 - 21.50	.2491	----	----	----	----	1 UNCH
3000	----	----	----	----	----	19.80 - 7.20	.0791	----	----	----	----	1 UNCH
TOTAL												52 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
JUN26												
1195	----	----	----	----/2.80A	----	0.10 UNCH	.0000	----	----	----	----	113 UNCH
1200	----	----	----	----/2.80A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
1250	----	----	----	----/3.00A	----	0.10 UNCH	.0012	----	----	----	----	1 UNCH
1300	----	----	----	----/3.40A	----	0.60 + 0.40	.0128	----	----	----	----	135 UNCH
1325	----	----	----	----/3.80A	----	1.30 + 0.90	.0284	----	----	----	----	18 UNCH
1335	----	----	----	----/4.00A	----	1.70 + 1.20	.0375	----	----	----	----	1 UNCH
1350	----	----	----	----/4.30A	----	2.60 + 1.90	.0572	----	----	----	----	12 UNCH
1400	----	----	6.20B/----	6.20B/6.60A	----	8.90 + 6.30	.1846	----	----	----	----	236 UNCH
1440	----	----	18.70B/----	18.70B/11.10A	----	21.10 + 14.30	.3747	----	----	----	----	4 UNCH
1450	----	----	23.40B/----	23.40B/12.80A	----	25.50 + 17.10	.4299	----	----	----	----	101 UNCH
1460	----	----	28.90B/----	28.90B/14.90A	----	30.50 + 20.10	.4857	----	----	----	----	100 UNCH
1475	----	----	38.10B/----	38.10B/18.60A	----	39.20 + 25.20	.5669	----	----	----	----	11 UNCH
1500	----	----	56.00B/----	56.00B/27.10A	----	56.40 + 34.50	.6854	----	----	----	----	54 UNCH
1550	----	----	97.80B/----	97.80B/53.90A	----	97.60 + 51.30	.8416	----	----	----	----	1 UNCH
1750	----	----	290.90B/----	290.90B/227.50A	----	289.50 + 72.30	.9922	----	----	----	----	1 UNCH
1900	----	----	440.10B/----	440.10B/375.20A	----	439.20 + 74.40	.9997	----	----	----	----	50 UNCH
TOTAL												853 0
JUL26												
1285	----	----	8.10B/----	8.10B/11.70A	----	11.10 + 3.40	.1109	----	----	----	----	9 UNCH
1300	----	----	10.00B/----	10.00B/13.00A	----	13.00 + 4.10	.1275	----	----	----	----	165 UNCH
1400	30.20	30.20	32.30B/30.00	32.30B/28.30A	----	35.30 + 12.40	.2886	----	----	10	----	31 + 10
1450	----	----	52.90B/----	52.90B/42.20A	----	55.60 + 20.00	.3960	----	----	----	----	30 UNCH
TOTAL										10		235 + 10
AUG26												
1400	----	----	57.00B/----	57.00B/51.70A	----	59.70 + 16.10	.3294	----	----	----	----	1 UNCH
TOTAL												1 0
SEP26												
1300	----	----	38.60B/----	38.60B/40.10A	----	43.40 + 10.50	.2231	----	----	----	30	40 + 25
1375	----	----	65.60B/----	65.60B/61.90A	----	70.30 + 17.60	.3151	----	----	----	----	100 UNCH
1460	----	----	108.50B/----	108.50B/97.40A	----	113.10 + 26.80	.4245	----	----	----	----	75 UNCH
1465	----	----	111.40B/----	111.40B/99.90A	----	116.00 + 27.30	.4307	----	----	----	----	150 UNCH
1550	----	----	165.90B/----	165.90B/147.20A	----	170.00 + 35.50	.5299	----	----	----	----	100 UNCH
1575	----	----	183.60B/----	183.60B/162.80A	----	187.40 + 37.60	.5561	----	----	----	----	25 UNCH
1650	----	----	240.10B/----	240.10B/213.60A	----	243.30 + 43.90	.6263	----	----	----	----	50 UNCH
1925	----	----	476.20B/----	476.20B/434.00A	----	478.20 + 60.00	.7923	----	----	----	----	75 UNCH
TOTAL									30			615 + 25
DEC26												
1500	----	----	----	----	----	173.20 + 30.00	.4333	----	----	----	----	40 UNCH
TOTAL												40 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week3										
MAY26												
1800	----	----	----	----/*1.70A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
1900	----	----	----/170.50A	277.00B/170.50A	----	191.50 - 05.90	1.0000	----	----	----	----	30 UNCH
2000	----	----	----/72.20A	177.40B/72.20A	----	92.10 - 05.40	.9949	----	----	----	----	20 UNCH
2075	----	----	----/17.70A	105.00B/17.70A	----	28.60 - 95.50	.6870	----	----	----	----	40 UNCH
2100	----	----	----/*9.70A	82.40B/*9.70A	----	15.80 - 85.40	.4064	----	----	----	----	20 UNCH
2150	24.00	24.00	24.00/24.00	70.60B/24.00	----	30.80 NEW	.3379	----	----	10	----	10 + 10
2150	----	----	----/*4.00A	43.20B/*4.00A	----	3.80 - 57.00	.0633	----	----	----	----	30 UNCH
2170	----	----	----/*3.30A	31.70B/*3.30A	----	1.80 - 45.60	.0208	----	----	----	----	20 UNCH
TOTAL										10		177 + 10

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 66

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week1										
JUN26												
2200	----	----	----/*45.00A	85.80B/*45.00A	----	50.80 - 46.80	.3411	----	----	----	----	100 UNCH
2400	----	----	----/*17.30A	31.60B/*17.30A	----	18.50 - 19.50	.1405	----	----	----	----	100 UNCH
TOTAL												200 0
PO CALL		PLATINUM OPTIONS										
JUN26												
1900	----	----	----/172.90A	277.30B/172.90A	----	193.00 - 04.90	.9731	----	----	----	----	1 UNCH
1950	----	----	----/126.20A	228.30B/126.20A	----	145.80 - 03.00	.9283	----	----	----	----	5 UNCH
2000	----	----	----/83.60A	180.50B/83.60A	----	101.50 - 99.10	.8401	----	----	----	----	20 UNCH
2025	----	----	----/65.50A	157.30B/65.50A	----	81.70 - 95.70	.7687	----	----	----	----	27 UNCH
2050	----	----	----/50.70A	135.40B/50.70A	----	64.50 - 90.00	.6784	----	----	----	----	71 UNCH
2055	----	----	----	----	----	61.40 - 88.70	.6586	----	----	----	----	100 UNCH
2060	----	----	----/45.70A	43.80B/45.70A	----	58.40 - 87.20	.6385	----	----	----	----	1 UNCH
2075	----	----	----/38.80A	114.00B/38.80A	----	50.00 - 82.50	.5769	----	----	----	----	15 UNCH
2085	----	----	----/34.80A	42.70B/34.80A	----	45.00 - 79.00	.5355	----	----	----	----	15 UNCH
2090	----	----	----/32.90A	43.10B/32.90A	----	42.60 - 77.30	.5150	----	----	----	----	15 UNCH
2095	----	----	----/31.10A	44.90B/31.10A	----	40.40 - 75.40	.4946	----	----	----	----	15 UNCH
2100	----	----	----/29.40A	93.50B/29.40A	----	38.20 - 73.50	.4744	----	----	----	----	155 UNCH
2120	----	----	----/23.30A	47.70B/23.30A	----	30.50 - 65.90	.3971	----	----	----	----	15 UNCH
2130	----	----	----/20.80A	48.90B/20.80A	----	27.10 - 62.20	.3607	----	----	----	----	55 UNCH
2135	----	----	----/19.60A	49.10B/19.60A	----	25.60 - 60.30	.3435	----	----	----	----	4 UNCH
2140	----	----	----/18.50A	50.30B/18.50A	----	24.10 - 58.40	.3265	----	----	----	----	15 UNCH
2145	----	----	----/17.50A	51.20B/17.50A	----	22.70 - 56.60	.3102	----	----	----	----	15 UNCH
2150	19.00	19.00	19.00/16.50	60.80B/16.50	----	21.40 - 54.70	.2945	----	----	13	----	72 + 13
2165	----	----	----/14.00A	52.90B/14.00A	----	17.90 - 49.40	.2510	----	----	----	----	1 UNCH
2175	----	----	----/12.60A	48.10B/12.60A	----	15.90 - 45.90	.2249	----	----	----	----	12 UNCH
2180	12.00	12.00	12.00/*11.90A	45.90B/*11.90A	----	15.00 - 44.20	.2129	----	----	1	----	17 UNCH
2185	----	----	----/*11.30A	43.70B/*11.30A	----	14.10 - 42.60	.2010	----	----	----	----	12 UNCH
2190	----	----	----/*10.70A	41.50B/*10.70A	----	13.30 - 41.00	.1901	----	----	----	----	16 UNCH
2195	----	----	----/*10.20A	39.60B/*10.20A	----	12.50 - 39.40	.1793	----	----	----	----	12 UNCH
2200	8.00	8.00	8.00/*8.00	37.60B/*8.00	----	11.80 - 37.90	.1695	----	----	1	----	384 - 1
2205	----	----	----/*9.20A	35.70B/*9.20A	----	11.20 - 36.30	.1607	----	----	----	----	12 UNCH
2210	----	----	----/*8.80A	33.90B/*8.80A	----	10.50 - 34.90	.1511	----	----	----	----	24 UNCH
2215	----	----	----/*8.40A	32.20B/*8.40A	----	10.00 - 33.30	.1435	----	----	----	----	14 UNCH
2220	----	----	----/*8.10A	30.50B/*8.10A	----	9.40 - 32.00	.1351	----	----	----	----	14 UNCH
2225	----	----	----/*7.70A	28.90B/*7.70A	----	8.90 - 30.60	.1278	----	----	----	----	73 UNCH
2230	----	----	----/*7.40A	27.40B/*7.40A	----	8.40 - 29.30	.1205	----	----	----	----	54 UNCH
2235	----	----	----/*7.10A	25.90B/*7.10A	----	8.00 - 27.90	.1144	----	----	----	----	26 UNCH
2240	----	----	----/*6.90A	24.60B/*6.90A	----	7.60 - 26.70	.1083	----	----	----	----	41 UNCH
2245	----	----	----/*6.60A	23.20B/*6.60A	----	7.20 - 25.50	.1024	----	----	----	----	28 UNCH
2250	----	----	----/*6.40A	22.00B/*6.40A	----	6.80 - 24.30	.0966	----	----	----	----	113 UNCH
2255	----	----	----/*6.10A	20.70B/*6.10A	----	6.50 - 23.20	.0919	----	----	----	----	29 UNCH
2260	----	----	----/*5.90A	19.60B/*5.90A	----	6.20 - 22.10	.0872	----	----	----	----	10 UNCH
2270	----	----	----/*5.50A	17.50B/*5.50A	----	5.60 - 20.10	.0782	----	----	----	----	72 UNCH
2280	----	----	----/*5.20A	15.60B/*5.20A	----	5.00 - 18.30	.0696	----	----	----	----	60 UNCH
2300	----	----	----/*4.60A	12.40B/*4.60A	----	4.20 - 15.00	.0571	----	----	----	----	423 UNCH
2320	----	----	----/*4.20A	9.80B/*4.20A	----	3.40 - 12.40	.0455	----	----	----	----	78 UNCH
2340	----	----	----/*3.80A	7.70B/*3.80A	----	2.70 - 10.40	.0357	----	----	----	----	30 UNCH
2345	----	----	----/*3.80A	7.20B/*3.80A	----	2.60 - 9.90	.0342	----	----	----	----	15 UNCH
2350	----	----	----/*3.70A	6.80B/*3.70A	----	2.40 - 9.60	.0316	----	----	----	----	55 UNCH
2355	----	----	----/*3.60A	6.40B/*3.60A	----	2.30 - 9.10	.0301	----	----	----	----	17 UNCH
2400	----	----	----/*3.10A	3.60B/*3.10A	----	1.50 - 6.30	.0187	----	----	----	----	1 UNCH
2420	----	----	----/*3.00A	2.70B/*3.00A	----	1.30 - 5.30	.0157	----	----	----	----	4 UNCH
2450	----	----	----/*2.80A	1.70B/*2.80A	----	1.00 - 4.20	.0117	----	----	----	----	1 UNCH
2500	----	----	----/*2.50A	0.60B/*2.50A	----	0.50 - 2.50	.0056	----	----	----	----	100 UNCH
2650	----	----	----	----/*2.10A	----	0.10 - 0.40	.0004	----	----	----	----	17 UNCH
2750	----	----	----	----/1.90A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
TOTAL										15		2383 + 12
JUL26												
1500	----	----	----/571.10A	677.00B/571.10A	----	591.60 - 05.70	.9921	----	----	----	----	50 UNCH
1680	----	----	----	----	----	415.70 - 04.00	.9585	----	----	----	----	50 UNCH
1700	----	----	----/376.60A	480.00B/376.60A	----	396.80 - 03.50	.9507	----	----	----	----	1 UNCH
1800	----	----	----/286.80A	385.50B/286.80A	----	305.70 - 99.50	.8936	----	----	----	----	118 UNCH
1850	----	----	----/245.40A	340.50B/245.40A	----	263.30 - 96.30	.8502	----	----	----	----	1 UNCH
1900	222.00	222.00	222.00/207.20A	298.00B/207.20A	----	223.90 - 92.10	.7958	----	----	3	----	3 + 3
1960	----	----	----	----	----	181.90 - 85.10	.7178	----	----	----	----	23 UNCH
2000	----	----	----/143.80A	220.00B/143.80A	----	157.40 - 79.20	.6604	----	----	----	----	163 UNCH
2050	----	----	----/119.10A	186.50B/119.10A	----	130.80 - 70.90	.5865	----	----	----	----	1 UNCH
2085	----	----	----/104.10A	118.80B/104.10A	----	114.50 - 65.20	.5354	----	----	----	----	1 UNCH
2100	----	----	----/98.20A	157.30B/98.20A	----	108.10 - 62.90	.5140	----	----	1	----	370 UNCH
2150	----	----	----/80.50A	131.90B/80.50A	----	88.80 - 55.70	.4453	----	----	----	----	18 UNCH
2160	----	----	----/77.30A	127.50B/77.30A	----	85.40 - 54.20	.4323	----	----	----	----	1 UNCH
2170	----	----	----/74.20A	123.10B/74.20A	----	82.00 - 52.90	.4193	----	----	----	----	4 UNCH
2200	----	----	----/65.70A	110.50B/65.70A	----	72.70 - 48.90	.3821	----	----	1	----	457 - 1
2250	----	----	----/53.60A	91.80B/53.60A	----	59.30 - 42.40	.3251	----	----	----	----	132 UNCH
2300	----	----	----/44.00A	75.80B/44.00A	----	48.50 - 36.00	.2753	----	----	20	20	241 + 20
2350	----	----	----/36.40A	62.40B/36.40A	----	39.80 - 30.20	.2325	----	----	----	----	160 UNCH
2400	----	----	----/30.30A	51.40B/30.30A	----	33.00 - 24.90	.1968	----	----	----	----	974 UNCH
2450	----	----	----/25.50A	42.40B/25.50A	----	27.50 - 20.50	.1668	----	----	----	----	50 UNCH
2480	----	----	----/23.10A	37.90B/23.10A	----	24.80 - 18.20	.1515	----	----	----	----	50 UNCH
2500	----	----	----/21.70A	35.10B/21.70A	----	23.10 - 17.00	.1418	----	----	20	20	649 + 20
2600	----	----	----/16.10A	24.40B/16.10A	----	16.70 - 11.70	.1040	----	----	----	----	361 UNCH
2650	----	----	----/14.10A	20.40B/14.10A	----	14.30 - 9.80	.0895	----	----	----	----	1 UNCH
2700	----	----	----/12.50A	17.20B/12.50A	----	12.40 - 8.30	.0776	----	----	----	----	112 UNCH
2800	----	----	----/*10.00A	12.30B/10.00A	----	9.60 - 6.00	.0598	----	----	----	----	350 UNCH
2850	----	----	----/*9.10A	10.50B/9.10A	----	8.60 - 5.40	.0532	----	----	----	----	58 UNCH
2900	----	----	----/*8.30A	8.90B/8.30A	----	7.80 - 4.80	.0478	----	----	----	----	183 UNCH
3000	----	----	----/*7.20A	6.60B/*7.20A	----	6.50 - 3.80	.0391	----	----	----	----	574 UNCH
3100	----	----	----/*6.30A	4.90B/*6.30A	----	5.40 - 3.20	.0321	----	----	----	----	159 UNCH
3200	----	----	----	1.60B/*7.30A	----	4.60 - 2.70	.0269	----	----	----	----	18 UNCH
3300	----	----	----	0.80B/*6.70A	----	4.00 - 2.30	.0229	----	----	----	----	30 UNCH
3400	----	----	----	0.30B/*6.30A	----	3.50 - 1.90	.0197	----	----	----	----	32 UNCH
3500	----	----	----	----/*5.90A	----	3.10 - 1.70	.0172	----	----	----	----	274 UNCH
3600	----	----	----	----/*5.60A	----	2.80 - 1.40	.0152	----	----	----	----	300 UNCH
3800	----	----	----	0.60B/*3.60A	----	2.30 - 1.10	.0121	----	----	----	----	12 UNCH
3900	----	----	----	0.30B/*3.40A	----	2.10 - 1.10	.0109	----	----	----	----	9 UNCH
4000	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	1.90 - 1.00	.0097	----	----	2	----	219 UNCH
TOTAL									40	47		6209 + 42
AUG26												
2200	----	----	----/114.70A	164.60B/114.70A	----	122.70 - 53.10	.4507	----	----	----	----	15 UNCH
2225	----	----	----/107.20A	154.60B/107.20A	----	114.70 - 50.60	.4282	----	----	----	----	1 UNCH
2300	93.00	93.00	93.00/87.50A	127.80B/87.50A	----	93.60 - 43.70	.3653	----	----	4	----	338 UNCH
2350	----	----	----/76.50A	112.40B/76.50A	----	81.70 - 39.50	.3276	----	----	----	----	15 UNCH
2400	----	----	----/67.10A	98.70B/67.10A	----	71.50 - 35.50	.2934	----	----	----	----	35 UNCH
2500	----	----	----/52.10A	76.20B/52.10A	----	55.20 - 28.00	.2353	----	----	1	----	280 + 1
2600	----	----	----/41.00A	59.10B/41.00A	----	43.20 - 21.20	.1894	----	----	----	----	545 UNCH
2750	----	----	----/29.60A	40.80B/29.60A	----	30.70 - 13.10	.1384	----	----	----	----	105 UNCH
3000	20.00	20.00	20.50/*18.80A	22.90B/18.80A	----	18.70 - 5.30	.0861	----	----	50	----	104 + 4
TOTAL										55		1438 + 5
OCT26												
1720	----	----	----	----	----	437.30 - 95.50	.8362	----	----	----	----	1 UNCH
1800	----	----	----/363.90A	451.00B/363.90A	----	378.70 - 90.90	.7848	----	----	----	----	1 UNCH
1900	----	----	----/301.30A	380.50B/301.30A	----	314.30 - 83.70	.7119	----	----	----	----	2 UNCH
2000	----	----	----/248.90A	319.20B/248.90A	----	259.90 - 75.40	.6345	----	----	----	----	2 UNCH
2050	----	----	----/226.30A	292.10B/226.30A	----	236.30 - 71.20	.5958	----	----	----	----	3 UNCH
2100	270.00	270.00	273.00/205.80A	273.00/205.80A	----	214.90 - 66.90	.5579	----	----	9	----	12 + 7
2125	----	----	----/196.30A	255.80B/196.30A	----	204.90 - 64.90	.5394	----	----	----	----	12 UNCH
2135	----	----	----/192.60A	210.40B/192.60A	----	201.10 - 64.00	.5321	----	----	----	----	12 UNCH
2200	----	----	----/170.40A	223.90B/170.40A	----	177.90 - 58.80	.4863	----	----	----	----	136 UNCH
2250	----	----	----/155.20A	204.80B/155.20A	----	162.00 - 55.00	.4530	----	----	----	----	1 UNCH
2300	----	----	----/141.40A	187.40B/141.40A	----	147.60 - 51.30	.4216	----	----	----	----	7 UNCH
2375	----	----	----/123.20A	164.10B/123.20A	----	128.40 - 46.10	.3777	----	----	----	----	50 UNCH
2400	----	----	----/117.70A	157.00B/117.70A	----	122.60 - 44.50	.3640	----	----	----	----	256 UNCH
2500	----	----	----/98.40A	131.70B/98.40A	----	102.20 - 38.40	.3138	----	----	2	----	325 UNCH
2600	----	----	----/82.70A	110.70B/82.70A	----	85.60 - 32.90	.2704	----	----	----	----	23 UNCH
2635	----	----	----/78.00A	104.30B/78.00A	----	80.50 - 31.20	.2567	----	----	----	----	200 UNCH
2650	----	----	----/76.00A	101.60B/76.00A	----	78.50 - 30.40	.2511	----	----	----	----	25 UNCH
2700	----	----	----/70.00A	93.30B/70.00A	----	72.00 - 28.20	.2332	----	----	----	----	371 UNCH
2800	----	----	----/59.60A	78.90B/59.60A	----	60.50 - 24.60	.2008	----	----	----	----	40 UNCH
2850	----	----	----/55.20A	72.60B/55.20A	----	55.60 - 22.90	.1865	----	----	----	----	155 UNCH
2900	----	----	----/51.20A	67.00B/51.20A	----	51.20 - 21.40	.1734	----	----	----	----	210 UNCH
2950	----	----	----/47.60A	61.80B/47.60A	----	47.20 - 19.90	.1613	----	----	----	----	55 UNCH
3000	----	----	----/44.30A	57.10B/44.30A	----	43.60 - 18.60	.1502	----	----	2	----	179 + 2
3200	----	----	----/34.20A	42.10B/34.20A	----	32.10 - 14.40	.1137	----	----	----	----	10 UNCH
3500	----	----	----/24.80A	27.70B/24.80A	----	21.70 - 10.10	.0785	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
OCT26												
4000	----	----	----/*16.60A	15.30B/16.60A	----	14.30 - 6.60	.0508	----	----	----	----	5 UNCH
TOTAL										13		2103 + 9
JAN27												
2360	----	----	----	----	----	190.00 - 49.20	.4374	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
JUN26												
1780	----	----	----	----/1.90A	----	0.10 UNCH	.0008	----	----	----	----	2 UNCH
1800	----	----	----	----/2.00A	----	0.20 + 0.10	.0027	----	----	----	----	3 UNCH
1825	----	----	----	----/2.20A	----	0.30 + 0.10	.0043	----	----	----	----	103 UNCH
1850	----	----	----	----/2.40A	----	0.60 + 0.30	.0090	----	----	----	----	44 UNCH
1865	----	----	----	----/2.50A	----	0.90 + 0.50	.0136	----	----	----	----	15 UNCH
1870	----	----	----	----/2.60A	----	1.00 + 0.60	.0151	----	----	----	----	15 UNCH
1875	----	----	----	----/2.70A	----	1.10 + 0.60	.0168	----	----	----	----	39 UNCH
1880	----	----	----	----/2.80A	----	1.20 + 0.70	.0184	----	----	----	----	73 UNCH
1885	----	----	----	0.10B/2.80A	----	1.30 + 0.80	.0201	----	----	----	----	42 UNCH
1890	----	----	----	0.20B/2.90A	----	1.40 + 0.80	.0219	----	----	----	----	32 UNCH
1895	----	----	----	0.40B/3.00A	----	1.60 + 1.00	.0250	----	----	----	----	12 UNCH
1900	----	----	----	0.60B/3.10A	----	1.70 + 1.00	.0268	----	----	----	----	403 UNCH
1905	----	----	----	0.80B/3.20A	----	1.90 + 1.10	.0300	----	----	----	----	39 UNCH
1910	----	----	1.00B/----	1.00B/3.30A	----	2.10 + 1.30	.0332	----	----	----	----	39 UNCH
1915	----	----	1.30B/----	1.30B/3.40A	----	2.30 + 1.40	.0365	----	----	----	----	54 UNCH
1920	----	----	1.50B/----	1.50B/3.50A	----	2.50 + 1.50	.0399	----	----	----	----	44 UNCH
1925	----	----	1.90B/----	1.90B/3.60A	----	2.80 + 1.70	.0446	----	----	----	----	27 UNCH
1930	----	----	2.20B/----	2.20B/3.70A	----	3.10 + 1.90	.0493	----	----	----	----	42 UNCH
1935	----	----	2.50B/----	2.50B/3.80A	----	3.40 + 2.10	.0542	----	----	----	----	42 UNCH
1940	----	----	2.90B/----	2.90B/4.00A	----	3.70 + 2.30	.0591	----	----	----	----	30 UNCH
1950	----	----	3.90B/----	3.90B/4.30A	----	4.50 + 2.90	.0716	----	----	----	----	137 UNCH
1955	----	----	4.40B/----	4.40B/4.50A	----	4.80 + 3.10	.0769	----	----	----	----	30 UNCH
1960	----	----	5.00B/----	5.00B/4.70A	----	5.30 + 3.40	.0845	----	----	----	----	15 UNCH
1965	----	----	5.60B/----	5.60B/5.00A	----	5.70 + 3.70	.0912	----	----	----	----	15 UNCH
1970	----	----	6.30B/----	6.30B/5.20A	----	6.20 + 4.00	.0991	----	----	----	----	15 UNCH
1975	----	----	7.00B/----	7.00B/5.50A	----	6.70 + 4.40	.1071	----	----	----	----	15 UNCH
1980	----	----	7.80B/----	7.80B/5.70A	----	7.30 + 4.80	.1164	----	----	----	----	15 UNCH
1985	----	----	8.60B/----	8.60B/5.90A	----	7.90 + 5.20	.1258	----	----	----	----	15 UNCH
1990	----	----	9.50B/----	9.50B/6.20A	----	8.60 + 5.70	.1364	----	----	----	----	15 UNCH
1995	----	----	10.50B/----	10.50B/6.50A	----	9.40 + 6.20	.1480	----	----	----	----	15 UNCH
2000	----	----	11.60B/----	11.60B/6.80A	----	10.20 + 6.80	.1598	----	----	----	----	24 UNCH
2020	----	----	17.00B/----	17.00B/8.20A	----	14.20 + 9.50	.2154	----	----	----	----	30 UNCH
2045	24.30	24.30	26.40B/24.30	26.40B/10.70A	----	21.30 NEW	.3020	----	----	50	----	50 + 50
2050	26.00	26.00	28.70B/26.00	28.70B/11.30A	----	23.10 + 15.80	.3215	----	----	2	----	3 - 2
2060	30.00	30.00	33.60B/30.00	33.60B/12.70A	----	27.00 + 18.60	.3614	----	----	4	----	0 - 4
2075	----	----	41.70B/----	41.70B/15.10A	----	33.60 + 23.30	.4230	----	----	----	----	22 UNCH
2080	----	----	44.70B/----	44.70B/16.00A	----	36.10 + 25.10	.4438	----	----	----	----	24 UNCH
2085	----	----	47.60B/----	47.60B/16.90A	----	38.60 + 26.80	.4644	----	----	----	----	4 UNCH
2095	----	----	48.80B/----	48.80B/19.10A	----	44.00 + 30.50	.5053	----	----	----	----	14 UNCH
2100	35.00	35.00	57.20B/35.00	57.20B/20.30A	----	46.80 + 32.30	.5255	----	----	5	----	120 + 1
2115	----	----	49.60B/----	49.60B/24.40A	----	55.90 + 38.00	.5840	----	----	----	----	23 UNCH
2140	----	----	50.80B/----	50.80B/33.30A	----	72.70 + 47.40	.6733	----	----	----	----	2 UNCH
2145	----	----	51.50B/----	51.50B/35.40A	----	76.30 + 49.30	.6897	----	----	----	----	14 UNCH
2150	----	----	94.40B/----	94.40B/37.60A	----	80.00 + 51.10	.7054	----	----	----	----	1 UNCH
2200	----	----	137.60B/----	137.60B/64.40A	----	120.40 + 68.10	.8304	----	----	----	----	10 UNCH
TOTAL										61		1728 + 45
JUL26												
1400	----	----	----	----/2.40A	----	0.30 + 0.10	.0026	----	----	----	----	150 UNCH
1500	----	----	----	----/2.90A	----	0.90 + 0.30	.0078	----	----	----	----	153 UNCH
1550	----	----	----	0.30B/3.40A	----	1.50 + 0.40	.0128	----	----	----	----	200 UNCH
1600	----	----	----	1.20B/4.10A	----	2.60 + 0.80	.0214	----	----	----	----	324 UNCH
1650	----	----	----	2.60B/5.10A	----	4.10 + 1.40	.0329	----	----	----	----	1 UNCH
1680	----	----	3.90B/----	3.90B/5.90A	----	5.20 + 1.80	.0413	----	----	----	----	50 UNCH
1700	----	----	5.00B/----	5.00B/6.60A	----	6.30 + 2.30	.0492	----	----	----	----	278 UNCH
1710	----	----	5.70B/----	5.70B/7.00A	----	6.90 + 2.50	.0534	----	----	----	----	1 UNCH
1725	----	----	6.80B/----	6.80B/7.70A	----	7.90 + 3.00	.0603	----	----	----	----	100 UNCH
1750	----	----	9.00B/----	9.00B/9.00A	----	9.80 + 3.80	.0732	----	----	----	----	50 UNCH
1800	----	----	15.00B/----	15.00B/12.40A	----	15.00 + 6.20	.1063	----	----	----	----	387 UNCH
1825	----	----	19.00B/----	19.00B/14.70A	----	18.40 + 7.60	.1265	----	----	----	----	30 UNCH
1850	----	----	23.60B/----	23.60B/17.40A	----	22.50 + 9.30	.1496	----	----	----	----	40 UNCH
1900	----	----	35.40B/----	35.40B/24.60A	----	33.10 + 13.60	.2041	----	----	----	----	241 UNCH
1950	----	----	51.20B/----	51.20B/34.20A	----	47.40 + 19.10	.2682	----	----	----	----	8 UNCH
2000	----	----	71.70B/----	71.70B/47.00A	----	66.20 + 26.30	.3395	----	----	----	50	53 + 50
2075	----	----	110.80B/----	110.80B/73.30A	----	102.60 + 38.80	.4499	----	----	----	----	1 UNCH
2085	----	----	116.70B/----	116.70B/77.50A	----	108.10 + 40.40	.4644	----	----	----	----	1 UNCH
2100	----	----	125.70B/----	125.70B/84.20A	----	116.70 + 42.80	.4858	----	----	----	----	225 UNCH
2130	----	----	143.40B/----	143.40B/98.70A	----	134.60 + 47.10	.5276	----	----	----	----	23 UNCH
2135	----	----	145.70B/----	145.70B/101.40A	----	137.70 + 47.80	.5344	----	----	----	----	190 UNCH
2165	----	----	147.30B/----	147.30B/117.20A	----	157.10 + 52.10	.5740	----	----	----	----	20 UNCH
2350	----	----	313.40B/----	313.40B/238.50A	----	297.70 + 75.50	.7673	----	----	----	----	5 UNCH
2400	----	----	357.40B/----	357.40B/277.30A	----	340.70 + 80.70	.8030	----	----	----	----	300 UNCH
TOTAL									50			2831 + 50
OCT26												
1300	----	----	----	3.90B/9.30A	----	6.70 + 0.30	.0271	----	----	----	----	4 UNCH
1500	----	----	----	14.70B/18.10A	----	17.00 + 2.30	.0661	----	----	----	----	20 UNCH
1600	----	----	26.10B/----	26.10B/27.20A	----	27.80 + 4.70	.1019	----	----	----	----	29 UNCH
1720	----	----	48.80B/----	48.80B/45.50A	----	49.20 + 9.50	.1634	----	----	----	----	2 UNCH
1820	----	----	77.30B/----	77.30B/69.00A	----	76.20 + 15.30	.2288	----	----	----	----	5 UNCH
1850	----	----	87.70B/----	87.70B/77.50A	----	86.10 + 17.30	.2503	----	----	----	----	200 UNCH
1950	----	----	129.20B/----	129.20B/111.30A	----	125.90 + 25.20	.3262	----	----	----	----	50 UNCH
2000	----	----	153.80B/----	153.80B/131.70A	----	149.40 + 29.30	.3651	----	----	----	----	1 UNCH
2100	----	----	209.60B/----	209.60B/179.00A	----	203.50 + 37.90	.4417	----	----	----	----	100 UNCH
2130	----	----	227.90B/----	227.90B/194.80A	----	221.30 + 40.30	.4638	----	----	----	----	41 UNCH
2135	----	----	231.10B/----	231.10B/197.50A	----	224.40 + 40.80	.4674	----	----	----	----	12 UNCH
2140	----	----	234.20B/----	234.20B/200.20A	----	227.40 + 41.10	.4711	----	----	----	----	12 UNCH
2200	240.00	240.00	273.20B/240.00	273.20B/234.50A	----	265.60 NEW	.5133	----	----	1	----	1 + 1
2400	----	----	418.70B/----	418.70B/365.70A	----	408.40 + 60.30	.6356	----	----	----	----	200 UNCH
2500	----	----	498.80B/----	498.80B/439.50A	----	487.10 + 66.50	.6859	----	----	----	----	1 UNCH
3000	----	----	942.10B/----	942.10B/860.00A	----	925.00 + 86.70	.8495	----	----	----	----	1 UNCH
TOTAL										1		679 + 1
JAN27												
1500	----	----	----	----	----	42.70 + 9.90	.1096	----	----	----	----	40 UNCH
1800	----	----	----	----	----	114.90 + 22.80	.2464	----	----	----	----	1 UNCH
2000	----	----	----	----	----	199.70 NEW	.3639	----	----	----	200	200 + 200
TOTAL									200			241 + 200

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 68

PRELIMINARY

OPTIONS EOO'S AND BLOCKS

PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL		COMEX GOLD OPTIONS		
JUN26	CALL			
OG		4690	0	50
OG		4900	0	300
OG		4975	0	250
OG		5075	0	250
OG		5200	0	310
TOTALS			0	1160
JUL26	CALL			
OG		5150	0	1875
OG		5350	0	310
TOTALS			0	2185
AUG26	CALL			
OG		4775	0	125
OG		5100	0	70
OG		5375	0	250
TOTALS			0	445
DEC26	CALL			
OG		5400	0	50
OG		5500	0	50
OG		6000	0	50
OG		6100	0	50
TOTALS			0	200
JAN27	CALL			
OG		5200	0	1100
TOTALS			0	1100
OG PUT		COMEX GOLD OPTIONS		
JUN26	PUT			
OG		4515	0	150
OG		4550	0	50
OG		4600	0	450
TOTALS			0	650
JUL26	PUT			
OG		4250	0	150
OG		4500	0	1500
TOTALS			0	1650
AUG26	PUT			
OG		4150	0	800
OG		4250	0	250
OG		4550	0	200
OG		4775	0	125
TOTALS			0	1375
JAN27	PUT			
OG		4425	0	1500
TOTALS			0	1500
SO CALL		COMEX SILVER OPTIONS		
JUL26	CALL			
SO		9500	0	100
SO		11500	0	125
TOTALS			0	225
DEC26	CALL			
SO		20000	0	26
TOTALS			0	26
SO PUT		COMEX SILVER OPTIONS		
JUN26	PUT			
SO		8700	0	50
TOTALS			0	50
JUL26	PUT			
SO		7000	0	77
SO		8500	0	75
TOTALS			0	152
HX CALL		COMEX COPPER OPTIONS		
JUN26	CALL			
HX		680	0	75
HX		685	0	440
HX		705	0	550
TOTALS			0	1065
AUG26	CALL			
HX		675	0	40
HX		700	0	200
HX		725	0	80
HX		800	0	200
TOTALS			0	520
HX PUT		COMEX COPPER OPTIONS		
SEP26	PUT			
HX		650	0	75
TOTALS			0	75
PO CALL		PLATINUM OPTIONS		
JUL26	CALL			
PO		2300	0	20
PO		2500	0	20
TOTALS			0	40
PO PUT		PLATINUM OPTIONS		
JUL26	PUT			
PO		2000	0	50
TOTALS			0	50
JAN27	PUT			
PO		2000	0	200
TOTALS			0	200
PAO CALL		NYMEX PALLADIUM OPTIONS		
SEP26	CALL			
PAO		1600	0	150
TOTALS			0	150
PAO PUT		NYMEX PALLADIUM OPTIONS		
SEP26	PUT			
PAO		1300	0	30
TOTALS			0	30
OG3 CALL		GOLD OPTIONS		
MAY26	CALL			
OG3		4700	0	50
TOTALS			0	50
OG4 CALL		GOLD OPTIONS		
MAY26	CALL			

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG4		4700	0	50
TOTALS			0	50
SO3 PUT	SILVER OPTIONS			
MAY26	PUT			
SO3		8100	0	20
TOTALS			0	20
HRO OPT	U.S. MIDWEST DOMESTIC HOT-ROLLED CO			
JUL26	CALL			
HRO		120000	0	200
TOTALS			0	200
AUG26	CALL			
HRO		120000	0	200
TOTALS			0	200
SEP26	CALL			
HRO		120000	0	150
TOTALS			0	150
COO OPT	COBALT METAL (FASTMARKETS) APO			
AUG26	CALL			
COO		3100	0	50
TOTALS			0	50

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.