METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	APR26	APR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27
COO OPT	04/30			05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31
ECG10 OP		04/16	04/17											
ECG11 OP		04/16	04/17											
ECG13 OP		04/16	04/17											
ECG15 OP		04/16	04/17											
ECG16 OP		04/16	04/17											
ECGC OOF		04/16	04/17											
ECHG OOF		04/16	04/17											
ECSI OOF		04/16	04/17											
EHO OPT	04/30			05/29	06/30	07/31	08/28	09/30						
FMG OPT	04/17													
FSO OPT	04/30			05/29	06/30									
GMW MON	04/20			05/18										
GWR THU	04/30			05/07										
GWT TUE	04/28			05/05										
GWW WED	04/29			05/13										
HMW MON	04/20			05/18										
HRO OPT	04/28			05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29			
HWR THU	04/30													
HWT TUE	04/28			05/05										
HWW WED	04/29			05/06	06/03	07/01								
HX CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28		02/23
HX PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
HXE CALL	04/24			05/01										
HXE PUT	04/24			05/01										
LHO OPT	04/30			05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31
OG CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG1 CALL				05/01										
OG1 PUT				05/01										
OG2 CALL				05/08										
OG2 PUT				05/08										
OG3 CALL	04/17													
OG3 PUT	04/17													
OG4 CALL	04/24													
OG4 PUT	04/24													
OMG OPT				04/27	05/26	06/25								
PAO CALL					05/20	06/17		08/19			11/18			
PAO PUT					05/20	06/17		08/19			11/18			
PAW OOF	04/24													
PLW OOF	04/24			05/01										
PO CALL					05/20	06/17			09/16			12/16		
PO PUT					05/20	06/17			09/16			12/16		
RWS THU	04/30													
SMW MON	04/20			05/18										
SO CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO1 CALL				05/01										
SO1 PUT				05/01										
SO2 CALL				05/08										
SO2 PUT				05/08										
SO3 CALL	04/17													
SO3 PUT	04/17													
SO4 CALL	04/24													
SO4 PUT	04/24													
SWW WED	04/29			05/06										
TWS TUE	04/28													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
MAY26												
3600	----	----	----	----	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
3700	----	----	----	----	----	0.20 UNCH	----	----	----	----	----	1 UNCH
3850	----	----	----	----	----	0.30 - 0.10	----	----	----	----	----	2 UNCH
3900	----	----	----	----	----	0.30 - 0.20	----	----	----	----	----	3 UNCH
4000	----	----	----	----	----	0.50 - 0.20	----	----	----	----	----	5 UNCH
4200	----	----	----	----	----	0.90 - 0.60	----	----	----	----	----	2 UNCH
4250	----	----	----	----	----	630.40 + 70.70	----	----	----	----	----	1 UNCH
4450	----	----	----	----	----	432.20 + 69.10	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	3.90 - 3.20	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	383.20 + 68.00	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	7.30 - 7.70	----	----	----	----	----	3 UNCH
4800	----	----	----	----	----	116.80 + 39.60	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	37.20 - 31.70	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	59.10 + 23.40	----	----	----	----	----	2 UNCH
4900	----	----	----/120.00A	----/120.00A	----	79.50 - 47.80	----	----	----	----	----	1 UNCH
4910	63.00	63.00	#63.00/*63.00	#63.00/*63.00	----	54.70 NEW	----	----	----	1	----	1 + 1
4950	----	----	----	----	----	39.70 + 16.60	----	----	----	----	----	2 UNCH
5000	----	----	----	----	----	25.70 + 11.00	----	----	----	----	----	1 UNCH
5050	----	----	----	----	----	186.50 - 64.30	----	----	----	----	----	3 UNCH
5200	----	----	----	----/*15.00A	----	4.50 + 1.70	----	----	----	----	----	1 UNCH
5875	----	----	----	----	----	0.40 UNCH	----	----	----	----	----	1 UNCH
TOTAL										1		36 + 1
JUN26												
2500	----	----	----	----	----	0.30 UNCH	----	----	----	----	----	2 UNCH
4260	----	----	----	----	----	14.50 - 5.20	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	35.30 - 14.30	----	----	----	----	----	5 UNCH
4600	----	----	----	----	----	52.60 - 20.60	----	----	----	----	----	1 UNCH
4645	----	----	----	----	----	62.90 - 23.70	----	----	----	----	----	6 UNCH
4700	----	----	----	----/*105.90A	----	78.10 - 27.80	----	----	----	----	----	1 UNCH
4700	----	----	----	----	----	257.10 + 43.30	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	140.50 + 27.60	----	----	----	----	----	2 UNCH
5100	----	----	----	----	----	68.80 + 15.00	----	----	----	----	----	1 UNCH
5400	----	----	----	----	----	22.20 + 4.70	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	6.00 + 1.00	----	----	----	----	----	1 UNCH
TOTAL												23 0
JUL26												
3400	----	----	----	----	----	1517.00 + 70.90	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1457.40 + 70.80	----	----	----	----	----	1 UNCH
4100	----	----	----	17.90B/----	----	19.50 - 4.60	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	25.80 - 6.40	----	----	----	----	----	1 UNCH
4300	----	----	----	----/72.00A	----	34.50 - 8.90	----	----	----	----	----	1 UNCH
4500	61.10	61.10	#61.10/*61.10	#61.10/*61.10	----	63.00 NEW	----	----	----	1	----	1 + 1
4600	----	----	----	----	----	84.80 - 21.40	----	----	----	----	----	2 UNCH
5450	----	----	----	----	----	52.00 + 8.60	----	----	----	----	----	1 UNCH
TOTAL										1		9 + 1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
APR26												
3800	----	----	----	----/0.80A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG4 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4000	----	----	----	----/*0.50A	----	0.20 - 0.20	.0010	----	----	----	----	10 UNCH
4025	----	----	----	----/0.90A	----	0.20 - 0.30	.0010	----	----	----	----	1 UNCH
4050	----	----	----	----/*0.90A	----	0.30 - 0.20	.0016	----	----	----	----	4 UNCH
4100	0.60	0.60	0.60/*0.60	0.60/*0.60	----	0.30 - 0.40	.0017	----	----	2	----	2 UNCH
4150	----	----	----	0.30B/*0.90A	----	0.50 - 0.40	.0029	----	----	----	----	9 UNCH
4175	----	----	----	0.40B/*1.00A	----	0.50 - 0.50	.0030	----	----	----	----	3 UNCH
4200	1.40	1.40	1.40/*0.40	1.40/*0.40	----	0.60 - 0.60	.0037	----	----	8	----	7 + 2
4210	1.30	1.30	1.30/*1.10A	1.30/*1.10A	----	0.60 - 0.60	.0038	----	----	2	----	2 UNCH
4225	----	----	----/*1.10A	0.60B/*1.10A	----	0.70 - 0.60	.0045	----	----	----	----	5 UNCH
4235	1.00	1.00	1.00/*1.00	1.00/*1.00	----	0.70 NEW	.0045	----	----	2	----	2 + 2
4255	----	----	----/*1.10A	0.90B/*1.10A	----	0.80 - 0.70	.0053	----	----	----	----	1 UNCH
4280	----	----	----/*1.20A	1.00B/*1.20A	----	0.80 - 0.80	.0055	----	----	----	----	1 UNCH
4290	----	----	----/*1.30A	1.00B/*1.30A	----	0.90 - 0.80	.0062	----	----	----	----	10 UNCH
4300	1.40	1.40	1.40/*0.90	1.40/*0.90	----	0.90 - 0.90	.0063	----	----	5	----	15 + 4
4310	----	----	----/*0.90A	1.20B/*0.90A	----	1.00 - 0.90	.0070	----	----	----	----	8 UNCH
4315	----	----	----/*1.30A	1.20B/*1.30A	----	1.00 - 0.90	.0071	----	----	----	----	1 UNCH
4325	----	----	----/*1.30A	1.30B/*1.30A	----	1.00 - 1.00	.0072	----	----	----	----	1 UNCH
4340	0.90	0.90	0.90/*0.90	1.50B/*0.90	----	1.10 - 1.10	.0081	----	----	3	----	4 + 3
4350	2.00	2.00	2.00/*1.00A	2.00/*1.00A	----	1.20 - 1.10	.0089	----	----	1	----	15 + 1
4365	----	----	----/*1.30A	1.80B/*1.30A	----	1.30 - 1.10	.0098	----	----	3	----	3 UNCH
4375	----	----	----/*1.30A	1.90B/*1.30A	----	1.30 - 1.20	.0099	----	----	----	----	1 UNCH
4380	----	----	----/*1.40A	1.90B/*1.40A	----	1.40 NEW	.0107	----	----	2	----	2 + 2
4385	----	----	----/*1.40A	2.00B/*1.40A	----	1.40 - 1.30	.0108	----	----	3	----	3 UNCH
4400	----	----	----/*1.50A	2.50B/*1.50A	----	1.50 - 1.40	.0118	----	----	21	----	88 + 21
4420	----	----	----/*1.70A	2.80B/*1.70A	----	1.70 - 1.50	.0136	----	----	----	----	5 UNCH
4425	----	----	----/*1.70A	2.90B/*1.70A	----	1.80 - 1.50	.0144	----	----	----	----	20 UNCH
4450	----	----	----/*1.90A	3.40B/*1.90A	----	2.00 - 1.90	.0166	----	----	----	----	20 UNCH
4475	----	----	----/*2.20A	4.20B/*2.20A	----	2.30 - 2.20	.0196	----	----	----	----	1 UNCH
4480	----	----	----/*2.30A	4.10B/*2.30A	----	2.40 - 2.30	.0206	----	----	----	----	1 UNCH
4490	----	----	----/*2.40A	4.50B/*2.40A	----	2.60 - 2.40	.0224	----	----	----	----	25 UNCH
4500	4.50	4.50	4.80B/*2.20	4.80B/*2.20	----	2.70 - 2.70	.0237	----	----	31	----	72 + 19
4505	----	----	----/*2.60A	4.90B/*2.60A	----	2.80 - 2.80	.0246	----	----	3	----	50 + 3
4520	----	----	----/*2.80A	5.60B/*2.80A	----	3.10 - 3.10	.0277	----	----	1	----	5 UNCH
4525	----	----	----/*2.90A	5.80B/*2.90A	----	3.20 - 3.30	.0287	----	----	----	----	145 UNCH
4540	----	----	----/*3.20A	6.50B/*3.20A	----	3.50 - 3.80	.0320	----	----	----	----	34 UNCH
4550	4.50	4.50	4.50/*3.40A	7.10B/*3.40A	----	3.70 - 4.10	.0342	----	----	8	----	43 + 5
4555	----	----	----/*3.50A	7.40B/*3.50A	----	3.80 - 4.40	.0354	----	----	----	----	10 UNCH
4560	4.10	4.10	4.10/*3.60A	7.80B/*3.60A	----	4.00 - 4.50	.0373	----	----	1	----	1 UNCH
4565	----	----	----/*3.80A	8.20B/*3.80A	----	4.10 - 4.80	.0385	----	----	----	----	2 UNCH
4570	----	----	----/*3.90A	8.70B/*3.90A	----	4.20 - 5.00	.0397	----	----	1	----	1 UNCH
4575	9.50	9.50	9.50/*3.80	9.50/*3.80	----	4.40 - 5.20	.0417	----	----	9	----	50 + 9
4580	4.30	4.30	4.30/*4.00	9.50B/*4.00	----	4.60 NEW	.0437	----	----	18	----	18 + 18
4590	----	----	----/*4.50A	10.40B/*4.50A	----	4.90 - 6.00	.0470	----	----	----	----	2 UNCH
4595	6.00	6.00	12.00B/*4.60A	12.00B/*4.60A	----	5.10 - 6.30	.0491	----	----	1	----	2 - 1
4600	11.00	11.00	11.00/*4.80A	11.50B/*4.80A	----	5.30 - 6.50	.0512	----	----	98	----	131 + 52
4610	----	----	----/*5.20A	12.70B/*5.20A	----	5.70 NEW	.0555	----	----	7	----	7 + 7
4615	----	----	----/*5.30A	13.30B/*5.30A	----	6.00 - 7.40	.0585	----	----	----	----	10 UNCH
4620	----	----	----/*5.50A	13.90B/*5.50A	----	6.20 - 7.80	.0607	----	----	----	----	25 UNCH
4625	----	----	----/*5.70A	14.60B/*5.70A	----	6.50 - 8.10	.0637	----	----	1	----	9 + 1
4635	----	----	16.10B/*6.20A	16.10B/*6.20A	----	7.10 - 8.90	.0699	----	----	----	----	1 UNCH
4640	14.90	14.90	16.80B/*6.50A	16.80B/*6.50A	----	7.40 - 9.30	.0730	----	----	12	----	40 + 10
4650	16.90	16.90	18.50B/*7.00A	18.50B/*7.00A	----	8.00 - 10.20	.0794	----	----	15	----	21 + 12
4655	----	----	19.30B/*7.30A	19.30B/*7.30A	----	8.40 - 10.60	.0833	----	----	2	----	3 + 2
4660	----	----	20.20B/*7.50A	20.20B/*7.50A	----	8.80 NEW	.0873	----	----	3	----	3 + 3
4665	----	----	21.20B/*7.90A	21.20B/*7.90A	----	9.10 - 11.60	.0907	----	----	----	----	4 UNCH
4670	----	----	22.20B/*8.20A	22.20B/*8.20A	----	9.60 - 12.00	.0955	----	----	----	----	2 UNCH
4675	----	----	23.30B/*8.50A	23.30B/*8.50A	----	10.00 - 12.50	.0996	----	----	3	----	34 + 3
4680	----	----	24.30B/*8.90A	24.30B/*8.90A	----	10.50 - 13.00	.1045	----	----	14	----	15 + 14
4690	----	----	26.50B/*9.70A	26.50B/*9.70A	----	11.50 - 14.10	.1144	----	----	----	----	9 UNCH
4695	----	----	27.60B/*10.10A	27.60B/*10.10A	----	12.00 - 14.70	.1195	----	----	----	----	1 UNCH
4700	26.00	26.00	29.10B/*10.50A	29.10B/*10.50A	----	12.60 - 15.30	.1252	----	----	89	----	131 + 75
4720	----	----	34.50B/*12.50A	34.50B/*12.50A	----	15.10 - 17.90	.1494	----	----	1	----	8 + 1
4725	31.00	31.00	36.00B/*13.10A	36.00B/*13.10A	----	15.90 - 18.50	.1566	----	----	20	----	38 + 20
4735	----	----	39.20B/*14.30A	39.20B/*14.30A	----	17.40 - 20.00	.1708	----	----	----	----	5 UNCH
4740	14.40	14.40	41.00B/*14.40	41.00B/*14.40	----	18.20 - 20.80	.1782	----	----	8	----	7 + 6
4750	39.80	39.80	44.60B/*16.30A	44.60B/*16.30A	----	20.00 - 22.30	.1944	----	----	24	----	62 + 15
4760	18.70	18.70	48.70B/*17.90A	48.70B/*17.90A	----	22.00 - 23.80	.2118	----	----	1	----	5 + 1
4765	30.20	30.20	50.70B/*18.70A	50.70B/*18.70A	----	23.00 - 24.70	.2206	----	----	3	----	13 + 3
4770	20.00	20.00	54.10B/*19.60A	54.10B/*19.60A	----	24.10 - 25.50	.2300	----	----	98	----	103 + 89
4775	25.00	25.00	54.80B/*20.50A	54.80B/*20.50A	----	25.30 - 26.30	.2398	----	----	17	----	22 + 17
4780	26.30	26.30	57.20B/*21.50A	57.20B/*21.50A	----	26.50 - 27.10	.2497	----	----	8	----	32 - 2
4785	28.60	28.60	60.90B/*22.50A	60.90B/*22.50A	----	27.70 - 28.00	.2598	----	----	5	----	5 UNCH
4790	----	----	63.20B/*23.60A	63.20B/*23.60A	----	29.00 - 28.90	.2702	----	----	4	----	4 + 3
4795	29.70	29.70	64.20B/*24.90A	64.20B/*24.90A	----	30.40 NEW	.2811	----	----	71	----	71 + 71
4800	55.30	55.30	66.30B/*26.10A	66.30B/*26.10A	----	31.80 - 30.60	.2921	----	----	83	----	94 + 73
4805	28.50	28.50	68.70B/*27.30A	68.70B/*27.30A	----	33.20 - 31.60	.3031	----	----	12	----	14 + 12
4810	34.10	34.10	71.30B/*28.50A	71.30B/*28.50A	----	34.80 NEW	.3149	----	----	19	----	19 + 19
4820	----	----	76.80B/*31.30A	76.80B/*31.30A	----	38.00 - 34.30	.3385	----	----	1	----	41 + 1
4825	41.00	41.00	79.60B/*32.70A	79.60B/*32.70A	----	39.70 - 35.20	.3507	----	----	74	----	87 + 71
4830	----	----	82.40B/*34.20A	82.40B/*34.20A	----	41.50 - 36.10	.3631	----	----	----	----	34 UNCH
4835	38.00	38.00	85.30B/*35.70A	85.30B/*35.70A	----	43.30 NEW	.3757	----	----	15	----	15 + 15
4840	----	----	87.30B/*37.40A	87.30B/*37.40A	----	45.20 - 37.90	.3884	----	----	1	----	14 + 1
4850	42.00	42.00	93.70B/*40.90A	93.70B/*40.90A	----	49.20 - 39.80	.4144	----	----	8	----	12 + 7
4865	53.90	53.90	103.40B/*46.50A	103.40B/*46.50A	----	55.70 NEW	.4544	----	----	3	----	3 + 3
4870	----	----	106.70B/*48.50A	106.70B/*48.50A	----	58.00 - 43.40	.4678	----	----	----	----	1 UNCH
4875	51.00	51.00	110.20B/*50.60A	110.20B/*50.60A	----	60.40 NEW	.4814	----	----	13	----	13 + 13
4900	67.10	67.10	128.60B/*61.70A	128.60B/*61.70A	----	73.30 - 48.50	.5492	----	----	2	----	5 + 1
4905	70.80	70.80	132.40B/*64.20A	132.40B/*64.20A	----	76.10 NEW	.5627	----	----	1	----	1 + 1
4920	----	----	144.00B/*72.10A	144.00B/*72.10A	----	84.90 NEW	.6024	----	----	1	----	1 + 1
4940	----	----	160.30B/*83.50A	160.30B/*83.50A	----	97.50 NEW	.6537	----	----	1	----	1 + 1
4995	----	----	208.30B/*121.60	208.30B/*121.60A	----	137.20 - 61.40	.7757	----	----	----	----	6 UNCH
5000	----	----	212.90B/*125.30	212.90B/*125.30A	----	141.10 - 61.90	.7853	----	----	2	----	6 UNCH
5075	----	----	283.30B/*184.10	283.30B/*184.10A	----	205.00 - 67.20	.8933	----	----	----	----	1 UNCH
5200	----	----	401.00B/*297.60	401.00B/*297.60A	----	323.30 NEW	.9676	----	----	2	----	1 + 1
TOTAL										867		1896 + 711

OG4 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4540	276.00	276.00	#371.20B/263.60	#371.20B/263.60A	----	342.90 + 67.50	.9678	----	----	1	----	2 UNCH
4550	----	----	#361.50B/254.40	#361.50B/254.40A	----	333.10 + 67.10	.9656	----	----	----	----	1 UNCH
4600	----	----	#313.10B/208.90	#313.10B/208.90A	----	284.70 + 64.70	.9486	----	----	----	----	2 UNCH
4625	282.00	282.00	#289.30B/187.00	#289.30B/187.00A	----	260.90 + 63.10	.9360	----	----	1	----	1 UNCH
4650	205.10	205.10	#265.80B/166.00	#265.80B/166.00A	----	237.50 + 61.10	.9204	----	----	4	----	9 - 1
4675	----	----	#242.50B/146.10	#242.50B/146.10A	----	214.50 + 58.80	.9001	----	----	----	----	1 UNCH
4680	----	----	#237.90B/142.40	#237.90B/142.40A	----	210.00 + 58.30	.8952	----	----	----	----	1 UNCH
4690	136.00	136.00	#228.90B/134.50	#228.90B/134.50A	----	201.00 + 57.20	.8853	----	----	1	----	4 + 1
4700	133.00	133.00	219.70B/127.10A	219.70B/127.10A	----	192.10 + 56.00	.8745	----	----	2	----	3 + 1
4705	----	----	215.20B/123.60A	215.20B/123.60A	----	187.70 + 55.40	.8687	----	----	----	----	2 UNCH
4710	123.00	123.00	210.80B/120.00A	210.80B/120.00A	----	183.30 + 54.70	.8629	----	----	1	----	3 + 1
4730	----	----	193.20B/106.00A	193.20B/106.00A	----	166.10 + 52.00	.8363	----	----	----	----	1 UNCH
4765	----	----	163.70B/83.00A	163.70B/83.00A	----	137.60 + 46.60	.7791	----	----	----	----	10 UNCH
4770	----	----	159.50B/80.10A	159.50B/80.10A	----	133.70 + 45.80	.7698	----	----	----	----	14 UNCH
4775	----	----	155.40B/77.20A	155.40B/77.20A	----	129.80 + 44.90	.7599	----	----	----	----	20 UNCH
4780	----	----	151.30B/74.40A	151.30B/74.40A	----	126.00 + 44.10	.7500	----	----	1	----	0 - 1
4785	----	----	147.50B/71.70A	147.50B/71.70A	----	122.30 + 43.30	.7400	----	----	----	----	1 UNCH
4790	----	----	143.50B/69.00A	143.50B/69.00A	----	118.60 + 42.40	.7295	----	----	----	----	1 UNCH
4795	----	----	139.80B/66.30A	139.80B/66.30A	----	114.90 + 41.50	.7186	----	----	----	----	3 UNCH
4800	65.50	65.50	135.80B/63.30A	135.80B/63.30A	----	111.30 + 40.60	.7077	----	----	6	----	40 UNCH
4810	----	----	128.80B/58.60A	128.80B/58.60A	----	104.30 + 38.80	.6849	----	----	----	----	79 UNCH
4815	----	----	124.70B/56.10A	124.70B/56.10A	----	100.90 + 37.90	.6731	----	----	----	----	1 UNCH
4820	----	----	121.30B/53.70A	121.30B/53.70A	----	97.60 + 37.00	.6612	----	----	----	----	41 UNCH
4825	95.00	95.00	117.50B/51.80A	117.50B/51.80A	----	94.30 + 36.10	.6491	----	----	77	----	85 + 69
4830	55.00	55.00	114.40B/49.80A	114.40B/49.80A	----	91.00 + 35.10	.6366	----	----	165	----	112 + 29
4840	----	----	106.90B/45.70A	106.90B/45.70A	----	84.80 + 33.30	.6113	----	----	----	----	14 UNCH
4845	----	----	103.80B/43.80A	103.80B/43.80A	----	81.70 + 32.30	.5983	----	----	----	----	4 UNCH
4850	46.90	46.90	100.40B/42.00A	100.40B/42.00A	----	78.80 + 31.50	.5853	----	----	2	----	48 + 2
4855	----	----	97.20B/39.90A	97.20B/39.90A	----	75.90 + 30.60	.5721	----	----	----	----	2 UNCH
4860	84.60	84.60	93.90B/38.10A	93.90B/38.10A	----	73.10 NEW	.5588	----	----	10	----	4 + 4
4865	----	----	91.00B/36.40A	91.00B/36.40A	----	70.30 + 28.80	.5454	----	----	1	----	2 + 1
4870	----	----	88.20B/34.90A	88.20B/34.90A	----	67.60 + 27.90	.5319	----	----	----	----	6 UNCH
4875	40.50	40.50	85.20B/33.30A	85.20B/33.30A	----	65.00 + 27.00	.5184	----	----	6	----	17 + 4
4880	61.00	61.00	82.10B/*31.80A	82.10B/*31.80A	----	62.40 + 26.10	.5048	----	----	5	----	7 + 5

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG4 CALL GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4885	59.80	59.80	79.40B/*29.90A	79.40B/*29.90A	----	59.90 + 25.20	.4912	----	----	2	----	7 + 2
4890	67.00	67.00	78.20B/*28.80A	78.20B/*28.80A	----	57.50 + 24.40	.4776	----	----	6	----	14 + 4
4895	----	----	75.30B/*27.70A	75.30B/*27.70A	----	55.20 + 23.60	.4641	----	----	1	----	25 UNCH
4900	28.00	28.00	72.60B/*25.70	72.60B/*25.70	----	52.90 + 22.70	.4505	----	----	148	----	179 + 118
4905	----	----	70.00B/*25.10A	70.00B/*25.10A	----	50.70 + 21.90	.4371	----	----	----	----	2 UNCH
4910	24.00	24.00	67.50B/*23.70A	67.50B/*23.70A	----	48.60 NEW	.4237	----	----	6	----	5 + 5
4915	25.50	25.50	65.10B/*22.90A	65.10B/*22.90A	----	46.50 NEW	.4104	----	----	1	----	1 + 1
4920	56.00	56.00	62.70B/*21.80A	62.70B/*21.80A	----	44.50 + 19.60	.3973	----	----	1	----	24 + 1
4925	----	----	60.40B/*20.80A	60.40B/*20.80A	----	42.50 + 18.70	.3841	----	----	4	----	10 UNCH
4930	48.40	48.40	58.10B/*19.50A	58.10B/*19.50A	----	40.70 + 18.10	.3714	----	----	20	----	14 - 1
4935	----	----	55.90B/*18.80A	55.90B/*18.80A	----	38.90 + 17.30	.3587	----	----	----	----	14 UNCH
4940	34.80	34.80	53.70B/*17.90A	53.70B/*17.90A	----	37.10 + 16.60	.3461	----	----	2	----	2 UNCH
4945	----	----	51.70B/*17.00A	51.70B/*17.00A	----	35.40 + 15.80	.3337	----	----	----	----	5 UNCH
4950	17.50	17.50	49.70B/*16.20A	49.70B/*16.20A	----	33.80 + 15.20	.3216	----	----	14	----	288 + 6
4955	34.80	34.80	47.70B/*15.40A	47.70B/*15.40A	----	32.30 + 14.60	.3099	----	----	3	----	6 + 2
4960	----	----	45.80B/*14.60A	45.80B/*14.60A	----	30.80 + 13.90	.2982	----	----	2	----	6 + 1
4970	----	----	42.00B/*13.20A	42.00B/*13.20A	----	28.00 + 12.70	.2758	----	----	----	----	1 UNCH
4975	32.60	32.60	40.20B/*12.60A	40.20B/*12.60A	----	26.60 + 12.00	.2646	----	----	613	----	598 + 500
4980	30.90	30.90	38.50B/*12.10A	38.50B/*12.10A	----	25.40 + 11.50	.2542	----	----	6	----	12 + 6
4985	----	----	36.90B/*11.50A	36.90B/*11.50A	----	24.10 + 10.90	.2435	----	----	----	----	3 UNCH
4990	----	----	35.40B/*10.90A	35.40B/*10.90A	----	23.00 NEW	.2338	----	----	----	15	15 + 15
4995	----	----	33.90B/*10.40A	33.90B/*10.40A	----	21.90 + 9.90	.2241	----	----	----	----	45 UNCH
5000	20.90	20.90	32.40B/*9.90A	32.40B/*9.90A	----	20.80 + 9.40	.2144	----	----	146	----	329 + 113
5005	22.10	22.10	31.00B/*9.40A	31.00B/*9.40A	----	19.80 + 8.90	.2053	----	----	1	----	27 + 1
5010	----	----	29.60B/*8.90A	29.60B/*8.90A	----	18.80 + 8.40	.1963	----	----	1	----	45 + 1
5015	----	----	28.30B/*8.60A	28.30B/*8.60A	----	17.90 + 8.00	.1878	----	----	----	----	64 UNCH
5020	----	----	27.00B/*8.10A	27.00B/*8.10A	----	17.00 + 7.60	.1794	----	----	----	----	73 UNCH
5025	----	----	25.80B/*7.70A	25.80B/*7.70A	----	16.20 + 7.20	.1716	----	----	1	----	125 UNCH
5030	15.60	15.60	24.70B/*7.40A	24.70B/*7.40A	----	15.40 + 6.80	.1639	----	----	11	----	96 + 11
5050	18.20	18.20	20.50B/*6.10A	20.50B/*6.10A	----	12.50 + 5.40	.1355	----	----	10	----	172 + 5
5075	15.00	15.00	16.20B/*4.90A	16.20B/*4.90A	----	9.70 + 4.00	.1065	----	----	15	----	89 + 4
5100	9.30	9.30	12.60B/*3.90A	12.60B/*3.90A	----	7.60 + 3.10	.0838	----	----	30	----	111 - 2
5125	7.20	7.20	9.80B/3.20A	9.80B/3.20A	----	6.00 + 2.30	.0660	----	----	28	----	53 + 22
5150	3.50	3.50	7.60B/*2.70A	7.60B/*2.70A	----	4.70 + 1.70	.0516	----	----	146	----	147 + 120
5175	4.00	4.00	5.90B/*2.20A	5.90B/*2.20A	----	3.80 + 1.30	.0411	----	----	23	----	24 + 23
5200	4.40	4.40	4.50B/*1.90A	4.50B/*1.90A	----	3.00 + 0.90	.0322	----	----	7	----	189 + 5
5225	----	----	3.40B/1.60A	3.40B/1.60A	----	2.50 + 0.80	.0262	----	----	----	----	8 UNCH
5250	2.30	2.30	2.70B/*1.40A	2.70B/*1.40A	----	2.10 NEW	.0215	----	----	3	----	3 + 3
5300	1.00	1.00	1.70/1.00	1.70/1.00	----	1.50 + 0.30	.0147	----	----	72	----	78 + 64
5325	1.50	1.50	#1.50/1.50	1.50/*1.10A	----	1.40 NEW	.0132	----	----	5	----	5 + 5
5350	1.60	1.60	1.60/*0.90A	1.60/*0.90A	----	1.20 + 0.20	.0111	----	----	23	----	26 + 19
5400	1.20	1.20	1.40/*0.80A	1.40/*0.80A	----	1.00 + 0.10	.0087	----	----	25	----	25 + 20
5450	0.60	0.60	0.80/*0.60	0.80/*0.60	----	0.90 + 0.10	.0073	----	----	32	----	66 + 32
5500	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.80 UNCH	.0061	----	----	1	----	1 + 1
5600	----	----	----	----/*0.80A	----	0.50 UNCH	.0035	----	----	4	----	4 + 4
TOTAL										1696	15	3577 + 1226

OG3 PUT GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3550	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
3650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 44
3850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
3900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 32
3950	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 52
4000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 187
4025	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4050	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 47
4075	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
4100	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
4125	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4175	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
4200	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 69
4215	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4220	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 150
4225	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 155
4255	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4260	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4270	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4275	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4280	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
4290	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4295	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 39
4310	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4315	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4335	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4345	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 157
4355	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 1
4375	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
4380	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
4385	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4390	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4395	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4400	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 207
4410	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4415	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
4425	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4430	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4435	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4440	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4445	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4450	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 166
4455	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 101
4460	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4465	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4470	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4475	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4480	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 10
4485	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
4490	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 4
4495	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 9
4500	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 349
4510	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 7
4515	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 20
4520	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 23
4525	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 11
4530	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 12
4535	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 3
4540	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 16
4545	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 0.30	----	----	----	2	----	0 - 18
4550	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	1	----	0 - 302
4560	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 6
4565	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 6
4570	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 11
4575	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 60
4580	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
4585	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 97
4590	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	1	----	0 - 21
4595	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 101
4600	0.30	0.30	0.40/*0.10A	0.40/*0.10A	----	0.00 - 0.70	----	----	----	8	----	0 - 332
4605	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 110
4610	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.80	----	----	----	1	----	0 - 11

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 PUT GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4615	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 7
4620	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 5
4625	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 224
4630	0.40	0.40	0.50/*0.10A	0.50/*0.10A	----	0.00 - 1.00	----	----	----	5	----	0 - 35
4635	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 15
4640	0.50	0.50	0.50/*0.10A	0.60B/*0.10A	----	0.00 - 1.20	----	----	----	2	----	0 - 3
4645	----	----	----/*0.10A	0.60B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 18
4650	1.00	1.00	1.60/*0.10	1.60/*0.10	----	0.00 - 1.30	----	----	----	18	----	0 - 252
4655	----	----	----/*0.10A	0.80B/*0.10A	----	0.00 - 1.40	----	----	----	4	----	0 - 7
4660	----	----	----/*0.10A	0.80B/*0.10A	----	0.00 - 1.50	----	----	----	2	----	0 - 19
4665	----	----	----/*0.10A	0.90B/*0.10A	----	0.00 - 1.60	----	----	----	----	----	0 - 1
4670	----	----	----/*0.10A	1.00B/*0.10A	----	0.00 - 1.70	----	----	----	----	----	0 - 6
4675	----	----	----/*0.10A	1.70B/*0.10A	----	0.00 - 1.90	----	----	----	2	----	0 - 256
4680	----	----	----/*0.10A	1.20B/*0.10A	----	0.00 - 2.00	----	----	----	----	----	0 - 95
4685	0.50	0.50	0.50/*0.10A	1.40B/*0.10A	----	0.00 - 2.20	----	----	----	2	----	0 - 26
4690	2.20	2.20	2.20/*0.10A	2.20/*0.10A	----	0.00 - 2.30	----	----	----	3	----	0 - 45
4695	----	----	----/*0.10A	1.90B/*0.10A	----	0.00 - 2.50	----	----	----	3	----	0 - 28
4700	2.00	2.00	2.20B/*0.10	2.20B/*0.10	----	0.00 - 2.70	----	----	----	35	----	0 - 245
4705	2.30	2.30	2.30/*0.10A	2.30/*0.10A	----	0.00 - 2.90	----	----	----	2	----	0 - 101
4710	----	----	----/*0.10A	2.50B/*0.10A	----	0.00 - 3.20	----	----	----	----	----	0 - 41
4715	0.80	0.80	0.80/*0.10A	2.70B/*0.10A	----	0.00 - 3.40	----	----	----	1	----	0 - 4
4720	4.10	4.10	4.10/*0.10A	4.10/*0.10A	----	0.00 - 3.80	----	----	----	12	----	0 - 54
4725	0.30	0.30	0.30/*0.10	3.80B/*0.10	----	0.00 - 4.10	----	----	----	15	----	0 - 254
4730	2.20	2.20	2.40/*0.10A	4.10B/*0.10A	----	0.00 - 4.50	----	----	----	4	----	0 - 88
4735	2.00	2.00	2.00/*0.10A	4.70B/*0.10A	----	0.00 - 4.90	----	----	----	4	----	0 - 116
4740	3.40	3.40	5.20B/*0.10A	5.20B/*0.10A	----	0.00 - 5.40	----	----	----	8	----	0 - 52
4745	0.10	0.10	0.10/*0.10	5.90B/*0.10	----	0.00 - 5.90	----	----	----	1	----	0 - 33
4750	4.00	4.00	6.70B/*0.10	6.70B/*0.10	----	0.00 - 6.60	----	----	----	99	----	0 - 184
4755	8.00	8.00	8.00/*0.10A	8.00/*0.10A	----	0.00 - 7.30	----	----	----	6	----	0 - 113
4760	8.00	8.00	9.00B/*0.10	9.00B/*0.10	----	0.00 - 8.10	----	----	----	6	----	0 - 45
4765	1.30	1.30	10.30B/*0.10	10.30B/*0.10	----	0.00 - 8.90	----	----	----	7	----	0 - 16
4770	13.30	13.30	13.30/*0.20A	13.30/*0.20A	----	0.00 - 9.90	----	----	----	38	----	0 - 90
4775	10.10	10.10	15.00/*0.10	15.00/*0.10	----	0.00 - 11.10	----	----	----	55	----	0 - 88
4780	9.00	9.00	17.50/*0.20A	17.50/*0.20A	----	0.00 - 12.30	----	----	----	145	----	0 - 69
4785	10.00	10.00	17.10B/*0.20A	17.10B/*0.20A	----	0.00 - 13.70	----	----	----	10	----	0 - 70
4790	8.90	8.90	19.40B/*0.10A	19.40B/*0.10A	----	0.00 - 15.30	----	----	----	5	----	0 - 12
4795	10.00	10.00	22.00B/*0.10	22.00B/*0.10	----	0.00 - 17.00	----	----	----	26	----	0 - 41
4800	14.50	14.50	25.30B/*0.10	25.30B/*0.10	----	0.00 - 19.00	----	----	----	116	----	0 - 224
4805	17.50	17.50	27.20B/*0.30A	27.20B/*0.30A	----	0.00 - 21.10	----	----	----	106	----	0 - 43
4810	14.50	14.50	29.20B/*0.10	29.20B/*0.10	----	0.00 - 23.40	----	----	----	49	----	0 - 98
4815	19.50	19.50	32.70B/*0.10	32.70B/*0.10	----	0.00 - 25.90	----	----	----	27	----	0 - 8
4820	19.90	19.90	36.60B/*0.30A	36.60B/*0.30A	----	0.00 - 28.70	----	----	----	38	----	0 - 11
4825	19.90	19.90	40.70B/*0.40A	40.70B/*0.40A	----	0.00 - 31.60	----	----	----	29	----	0 - 24
4830	19.90	19.90	44.90B/*0.10	44.90B/*0.10	----	0.00 - 34.70	----	----	----	18	----	0 - 28
4835	30.70	30.70	49.10B/*0.30A	49.10B/*0.30A	----	0.00 - 38.00	----	----	----	4	----	0 - 2
4840	12.00	12.00	53.50B/*0.30A	53.50B/*0.30A	----	0.00 - 41.50	----	----	----	30	----	0 - 6
4845	13.90	13.90	58.00B/*0.40A	58.00B/*0.40A	----	0.00 - 45.20	----	----	----	42	----	0 - 1
4850	22.00	22.00	61.70B/*0.10	61.70B/*0.10	----	0.00 - 49.10	----	----	----	142	----	0 - 3
4855	11.10	11.10	65.90B/*0.40A	65.90B/*0.40A	----	0.00 - 53.00	----	----	----	73	----	0 - 5
4860	24.10	24.10	70.70B/*0.40A	70.70B/*0.40A	----	0.00 - 57.20	----	----	----	62	----	0 - 1
4865	14.50	14.50	75.30B/*0.40A	75.30B/*0.40A	----	0.00 - 61.40	----	----	----	28	----	0 - 2
4870	19.20	19.20	80.00B/*0.40A	80.00B/*0.40A	----	0.00 - 65.80	----	----	----	42	----	0 - 3
4875	14.00	14.00	84.70B/*0.80A	84.70B/*0.80A	----	0.00 - 70.20	----	----	----	120	----	0 - 4
4880	17.60	17.60	89.50B/*1.20	89.50B/*1.20	----	0.40 - 74.30	----	----	----	95	----	0 - 1
4885	12.70	12.70	94.00B/*2.00A	94.00B/*2.00A	----	5.40 - 73.90	----	----	----	29	----	0 - 1
4890	15.60	15.60	99.20B/*3.80A	99.20B/*3.80A	----	10.40 NEW	----	----	----	60	----	0 UNCH
4895	16.10	16.10	104.00B/*6.10A	104.00B/*6.10A	----	15.40 NEW	----	----	----	30	----	0 UNCH
4900	91.10	91.10	109.10B/*9.00	109.10B/*9.00	----	20.40 - 73.00	----	----	----	91	----	0 - 6
4905	18.00	18.00	113.80B/*12.90A	113.80B/*12.90A	----	25.40 - 72.80	----	----	----	13	----	0 - 1
4910	24.10	24.10	118.70B/*15.90A	118.70B/*15.90A	----	30.40 - 72.60	----	----	----	4	----	0 UNCH
4915	----	----	123.60B/*19.30A	123.60B/*19.30A	----	35.40 - 72.50	----	----	----	----	----	0 - 5
4920	----	----	128.50B/*23.40A	128.50B/*23.40A	----	40.40 - 72.40	----	----	----	4	----	0 - 1
4925	----	----	133.20B/*27.10A	133.20B/*27.10A	----	45.40 - 72.30	----	----	----	2	----	0 - 1
4950	----	----	158.40B/*48.20A	158.40B/*48.20A	----	70.40 - 71.90	----	----	----	----	----	0 - 2
4975	----	----	183.10B/*69.40A	183.10B/*69.40A	----	95.40 - 71.80	----	----	----	----	----	0 - 1
4995	----	----	203.00B/*88.20A	203.00B/*88.20A	----	115.40 - 71.70	----	----	----	----	----	0 UNCH
5000	----	----	208.20B/*92.80A	208.20B/*92.80A	----	120.40 - 71.70	----	----	----	----	----	0 - 1
5050	----	----	258.10B/*141.20	258.10B/*141.20A	----	170.40 - 71.60	----	----	----	1	----	0 - 1
5150	----	----	358.00B/240.70A	358.00B/240.70A	----	270.40 - 71.40	----	----	----	----	----	0 - 1
5180	----	----	387.80B/270.80A	387.80B/270.80A	----	300.40 - 71.40	----	----	----	----	----	0 - 1
TOTAL										1790		0 - 6497

OG3 CALL GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4300	----	----	#609.50B/492.20	#609.50B/492.20A	----	579.60 + 71.20	----	----	----	----	----	0 - 1
4375	----	----	#534.40B/417.40	#534.40B/417.40A	----	504.60 + 71.20	----	----	----	----	----	0 - 74
4400	----	----	#509.70B/392.30	#509.70B/392.30A	----	479.60 + 71.20	----	----	----	----	----	0 UNCH
4415	----	----	#494.60B/377.70	#494.60B/377.70A	----	464.60 + 71.20	----	----	----	----	----	0 - 5
4435	----	----	#474.40B/357.50	#474.40B/357.50A	----	444.60 + 71.20	----	----	----	----	----	0 - 10
4450	----	----	#459.70B/342.30	#459.70B/342.30A	----	429.60 + 71.20	----	----	----	----	----	0 UNCH
4475	----	----	#434.40B/317.50	#434.40B/317.50A	----	404.60 + 71.20	----	----	----	----	----	0 - 3
4500	----	----	#409.70B/292.30	#409.70B/292.30A	----	379.60 + 71.10	----	----	----	----	----	0 - 2
4550	----	----	#359.70B/242.50	359.70B/242.50A	----	329.60 + 71.00	----	----	----	----	----	0 - 1
4575	----	----	#334.60B/217.70	334.60B/217.70A	----	304.60 + 70.80	----	----	----	1	----	0 - 4
4585	----	----	#324.50B/207.80	#324.50B/207.80A	----	294.60 + 70.70	----	----	----	----	----	0 - 2
4600	----	----	#309.70B/192.60	309.70B/192.60A	----	279.60 + 70.60	----	----	----	----	----	0 - 22
4605	----	----	#304.60B/187.90	#304.60B/187.90A	----	274.60 + 70.60	----	----	----	----	----	0 - 8
4610	----	----	#299.50B/183.20	#299.50B/183.20A	----	269.60 + 70.50	----	----	----	----	----	0 - 1
4625	----	----	#284.60B/168.10	284.60B/168.10A	----	254.60 + 70.40	----	----	----	----	----	0 - 3
4640	----	----	#269.50B/153.30	#269.50B/153.30A	----	239.60 + 70.20	----	----	----	----	----	0 - 11
4650	----	----	#259.80B/143.30	259.80B/143.30A	----	229.60 + 70.00	----	----	----	2	----	0 - 9
4655	----	----	254.70B/138.90A	254.70B/138.90A	----	224.60 + 69.90	----	----	----	----	----	0 - 1
4670	----	----	239.60B/123.90A	239.60B/123.90A	----	209.60 + 69.60	----	----	----	----	----	0 - 4
4675	----	----	234.60B/119.10A	234.60B/119.10A	----	204.60 + 69.40	----	----	----	----	----	0 - 7
4680	----	----	229.70B/114.10A	229.70B/114.10A	----	199.60 + 69.30	----	----	----	----	----	0 - 30
4685	----	----	224.80B/109.30A	224.80B/109.30A	----	194.60 + 69.20	----	----	----	----	----	0 - 39
4690	125.00	125.00	219.70B/104.50A	219.70B/104.50A	----	189.60 + 69.00	----	----	----	3	----	0 - 31
4695	----	----	214.90B/99.70A	214.90B/99.70A	----	184.60 + 68.80	----	----	----	----	----	0 - 32
4700	108.00	108.00	210.00B/94.90A	210.00B/94.90A	----	179.60 + 68.60	----	----	----	3	----	0 - 69
4705	----	----	204.80B/90.30A	204.80B/90.30A	----	174.60 + 68.40	----	----	----	----	----	0 - 8
4710	----	----	199.50B/85.90A	199.50B/85.90A	----	169.60 + 68.10	----	----	----	----	----	0 - 3
4715	----	----	194.80B/81.30A	194.80B/81.30A	----	164.60 + 67.90	----	----	----	----	----	0 - 2
4725	----	----	184.90B/70.90A	184.90B/70.90A	----	154.60 + 67.20	----	----	----	----	----	0 - 4
4730	----	----	179.70B/66.50A	179.70B/66.50A	----	149.60 + 66.80	----	----	----	----	----	0 - 1
4735	88.00	88.00	174.70B/62.20A	174.70B/62.20A	----	144.60 + 66.40	----	----	----	1	----	0 - 4
4740	----	----	170.00B/58.00A	170.00B/58.00A	----	139.60 + 65.90	----	----	----	----	----	0 - 77
4745	----	----	165.00B/54.00A	165.00B/54.00A	----	134.60 + 65.40	----	----	----	3	----	0 - 69
4750	----	----	160.00B/49.60A	160.00B/49.60A	----	129.60 + 64.70	----	----	----	----	----	0 - 103
4755	----	----	155.00B/45.90A	155.00B/45.90A	----	124.60 + 64.00	----	----	----	----	----	0 - 14
4760	----	----	150.20B/42.30A	150.20B/42.30A	----	119.60 + 63.30	----	----	----	----	----	0 - 5
4765	----	----	145.10B/38.80A	145.10B/38.80A	----	114.60 + 62.40	----	----	----	----	----	0 - 102
4770	----	----	140.30B/*34.00A	140.30B/*34.00A	----	109.60 + 61.40	----	----	----	----	----	0 - 17
4775	----	----	135.30B/*30.20A	135.30B/*30.20A	----	104.60 + 60.20	----	----	----	----	----	0 - 191
4780	----	----	130.40B/*27.00A	130.40B/*27.00A	----	99.60 + 59.00	----	----	----	1	----	0 - 13
4785	109.50	109.50	125.30B/*24.20A	125.30B/*24.20A	----	94.60 + 57.60	----	----	----	16	----	0 - 19
4790	105.90	105.90	120.50B/*21.70A	120.50B/*21.70A	----	89.60 + 56.00	----	----	----	4	----	0 - 73
4795	----	----	115.40B/*19.20A	115.40B/*19.20A	----	84.60 + 54.30	----	----	----	10	----	0 - 20
4800	23.80	23.80	110.60B/*16.90A	110.60B/*16.90A	----	79.60 + 52.30	----	----	----	63	----	0 - 62
4805	20.70	20.70	105.50B/*15.00A	105.50B/*15.00A	----	74.60 + 50.20	----	----	----	22	----	0 - 26
4810	24.60	24.60	100.70B/*11.50	100.70B/*11.50	----	69.60 + 47.90	----	----	----	26	----	0 - 109
4815	21.00	21.00	96.20B/*10.90A	96.20B/*10.90A	----	64.60 + 45.40	----	----	----	26	----	0 - 24
4820	16.00	16.00	93.80/*9.30A	93.80/*9.30A	----	59.60 + 42.60	----	----	----	44	----	0 - 50
4825	13.00	13.00	86.50B/*7.70A	86.50B/*7.70A	----	54.60 + 39.70	----	----	----	61	----	0 - 84
4830	13.50	13.50	81.30B/*6.50A	81.30B/*6.50A	----	49.60 + 36.60	----	----	----	29	----	0 - 25
4835	13.30	13.30	77.00B/*5.50A	77.00B/*5.50A	----	44.60 + 33.30	----	----	----	16	----	0 - 18
4840	10.10	10.10	72.30B/*4.60	72.30B/*4.60	----	39.60 + 29.80	----	----	----	83	----	0 - 62
4845	8.50	8.50	67.70B/*4.00A	67.70B/*4.00A	----	34.60 + 26.10	----	----	----	47	----	0 - 19
4850	7.50	7.50	63.00B/*3.00	63.00B/*3.00	----	29.60 + 22.20	----	----	----	173	----	0 - 231
4855	5.20	5.20	58.50B/*2.90A	58.50B/*2.90A	----	24.60 + 18.30	----	----	----	50	----	0 - 27
4860	4.90	4.90	53.80B/*2.50A	53.80B/*2.50A	----	19.60 + 14.10	----	----	----	91	----	0 - 95
4865	4.90	4.90	49.80B/*2.20A	49.80B/*2.20A	----	14.60 + 9.90	----	----	----	75	----	0 - 65
4870	2.30	2.30	45.80B/*1.90A	45.80B/*1.90A	----	9.60 + 5.50	----	----	----	123	----	0 - 118

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 CALL — GOLD OPTIONS

APR26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4875	3.20	3.20	41.80B/*1.70A	41.80B/*1.70A	----	4.60 + 1.10	----	----	----	69	----	0 - 174
4880	2.00	2.00	38.10B/*1.00	38.10B/*1.00	----	0.00 - 3.00	----	----	----	47	----	0 - 40
4885	33.10	33.10	34.40B/*0.90A	34.40B/*0.90A	----	0.00 - 2.60	----	----	----	11	----	0 - 22
4890	1.70	1.70	30.80B/*0.60A	30.80B/*0.60A	----	0.00 - 2.30	----	----	----	171	----	0 - 48
4895	1.40	1.40	27.80B/*0.10	27.80B/*0.10	----	0.00 - 2.00	----	----	----	42	----	0 - 51
4900	1.10	1.10	24.70B/*0.10	24.70B/*0.10	----	0.00 - 1.70	----	----	----	445	----	0 - 334
4905	5.10	5.10	22.30B/*0.40A	22.30B/*0.40A	----	0.00 - 1.50	----	----	----	64	----	0 - 14
4910	0.80	0.80	20.40B/*0.40A	20.40B/*0.40A	----	0.00 - 1.40	----	----	----	37	----	0 - 27
4915	1.00	1.00	18.30/*0.10	18.30/*0.10	----	0.00 - 1.20	----	----	----	128	----	0 - 21
4920	0.70	0.70	16.30B/*0.40	16.30B/*0.40	----	0.00 - 1.10	----	----	----	55	----	0 - 69
4925	0.50	0.50	13.90B/*0.20	13.90B/*0.20	----	0.00 - 1.00	----	----	----	68	----	0 - 27
4930	0.90	0.90	13.00B/*0.20	13.00B/*0.20	----	0.00 - 0.90	----	----	----	57	----	0 - 60
4935	3.10	3.10	11.50B/*0.30A	11.50B/*0.30A	----	0.00 - 0.80	----	----	----	40	----	0 - 11
4940	0.50	0.50	9.80B/*0.30A	9.80B/*0.30A	----	0.00 - 0.70	----	----	----	54	----	0 - 131
4945	3.20	3.20	8.90B/*0.20A	8.90B/*0.20A	----	0.00 - 0.70	----	----	----	6	----	0 - 14
4950	0.70	0.70	7.70B/*0.10	7.70B/*0.10	----	0.00 - 0.60	----	----	----	370	----	0 - 226
4955	4.60	4.60	7.10B/*0.20A	7.10B/*0.20A	----	0.00 - 0.60	----	----	----	5	----	0 - 52
4960	5.10	5.10	6.30B/*0.20A	6.30B/*0.20A	----	0.00 - 0.60	----	----	----	10	----	0 - 50
4965	1.70	1.70	5.50B/*0.20A	5.50B/*0.20A	----	0.00 - 0.60	----	----	----	1	----	0 - 64
4970	----	----	4.80B/*0.20A	4.80B/*0.20A	----	0.00 - 0.50	----	----	----	4	----	0 - 13
4975	3.10	3.10	4.30B/*0.20A	4.30B/*0.20A	----	0.00 - 0.50	----	----	----	29	----	0 - 75
4980	3.20	3.20	3.70B/*0.10A	3.70B/*0.10A	----	0.00 - 0.50	----	----	----	5	----	0 - 16
4985	0.30	0.30	3.30B/*0.10A	3.30B/*0.10A	----	0.00 - 0.50	----	----	----	10	----	0 - 8
4990	2.50	2.50	2.80B/*0.10A	2.80B/*0.10A	----	0.00 - 0.50	----	----	----	2	----	0 - 12
4995	0.30	0.30	2.50B/*0.20A	2.50B/*0.20A	----	0.00 - 0.50	----	----	----	30	----	0 - 1017
5000	0.30	0.30	2.10B/*0.10	2.10B/*0.10	----	0.00 - 0.40	----	----	----	48	----	0 - 529
5005	----	----	1.70B/*0.10A	1.70B/*0.10A	----	0.00 - 0.40	----	----	----	1	----	0 - 1019
5010	----	----	1.50B/*0.10A	1.50B/*0.10A	----	0.00 - 0.40	----	----	----	2	----	0 - 17
5015	----	----	1.20B/*0.10A	1.20B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 36
5020	----	----	1.00B/*0.10A	1.00B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 116
5025	----	----	0.90B/*0.10A	0.90B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 16
5030	0.30	0.30	0.80/*0.10	0.80/*0.10	----	0.00 - 0.40	----	----	----	7	----	0 - 27
5035	----	----	0.50B/*0.10A	0.50B/*0.10A	----	0.00 - 0.40	----	----	----	7	----	0 - 12
5040	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 7
5045	----	----	0.50B/*0.10A	0.50B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 4
5050	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 51
5055	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 11
5060	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
5065	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 17
5070	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 18
5075	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.30	----	----	----	2	----	0 - 16
5080	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.30	----	----	----	1	----	0 - 27
5085	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.00 - 0.30	----	----	----	4	----	0 - 5
5090	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 12
5095	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 4
5100	0.20	0.20	0.20/0.10	0.20/0.10	----	0.00 - 0.30	----	----	----	4	----	0 - 460
5105	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 5
5110	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
5115	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
5120	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
5125	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 NEW	----	----	----	12	----	0 UNCH
5130	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 31
5135	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
5150	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.20	----	----	----	27	----	0 - 37
5155	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
5160	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 5
5170	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
5175	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5180	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5190	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5195	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 29
5200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 213
5215	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5220	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5230	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5245	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
5250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 207
5255	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5265	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5270	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
5275	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5280	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5290	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 38
5295	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5300	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 86
5325	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
5375	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5400	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
5425	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5450	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5500	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
5550	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
5700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
TOTAL										2848		0 - 7923

OG2 PUT — GOLD OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3750	1.30	1.30	#1.30/*1.30	#1.30/*1.30	----	0.80 NEW	.0040	----	----	1	----	1 + 1
3900	1.90	1.90	#1.90/*1.90	#1.90/*1.90	----	1.30 NEW	.0070	----	----	1	----	1 + 1
4200	----	----	----	3.90B/*6.70A	----	4.10 - 2.00	.0243	----	----	----	----	3 UNCH
4400	----	----	----/*11.70A	13.30B/*11.70A	----	10.00 - 5.50	.0609	----	----	----	----	4 UNCH
4500	23.00	23.00	23.00/*15.90A	24.00B/*15.90A	----	16.40 - 9.30	.0987	----	----	10	----	14 + 9
4550	----	----	----/*20.60A	30.40B/*20.60A	----	21.30 - 11.80	.1261	----	----	1	----	2 + 1
4575	----	----	----/*23.10A	35.20B/*23.10A	----	24.30 - 13.30	.1423	----	----	----	----	1 UNCH
4600	26.00	26.00	#26.00/*25.90A	40.40B/*25.90A	----	27.70 NEW	.1602	----	----	3	----	3 + 3
4650	37.00	37.00	37.00/*34.00A	52.90B/*34.00A	----	36.20 - 18.40	.2024	----	----	5	----	6 + 5
4700	47.00	47.00	47.00/*43.50A	68.70B/*43.50A	----	47.20 - 22.40	.2530	----	----	3	----	4 + 3
4775	----	----	100.50B/*63.70A	100.50B/*63.70A	----	69.10 - 29.80	.3429	----	----	----	----	2 UNCH
4800	70.00	70.00	70.00/*70.00	110.30B/*70.00	----	78.00 NEW	.3760	----	----	1	----	1 + 1
4825	----	----	----/*81.10A	122.70B/*81.10A	----	87.80 NEW	.4104	----	----	1	----	1 + 1
4850	----	----	----/*91.10A	136.60B/*91.10A	----	98.40 NEW	.4458	----	----	1	----	1 + 1
4900	----	----	----/*113.90A	167.10B/*113.90A	----	122.70 NEW	.5181	----	----	1	----	1 + 1
4975	----	----	219.20B/*155.10	219.20B/*155.10A	----	166.50 - 52.40	.6245	----	----	----	----	2 UNCH
TOTAL										28		47 + 27

OG2 CALL — GOLD OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4550	----	----	#369.40B/*284.5	#369.40B/284.50A	----	350.30 + 59.30	.8734	----	----	----	----	1 UNCH
4700	----	----	#242.80B/*174.1	#242.80B/174.10A	----	226.50 NEW	.7464	----	----	6	----	6 + 6
4775	----	----	#194.40B/*129.2	#194.40B/129.20A	----	173.50 + 41.30	.6565	----	----	----	----	4 UNCH
4800	----	----	#177.30B/*116.2	#177.30B/116.20A	----	157.50 + 38.50	.6234	----	----	----	----	1 UNCH
4900	99.10	99.10	117.90B/*73.60A	117.90B/73.60A	----	102.30 + 26.10	.4813	----	----	6	----	10 UNCH
4950	----	----	94.20B/*57.70A	94.20B/57.70A	----	80.60 + 21.00	.4096	----	----	----	----	14 UNCH
4975	----	----	83.70B/*51.10A	83.70B/51.10A	----	71.20 NEW	.3749	----	----	1	----	1 + 1
5000	----	----	74.20B/*45.10A	74.20B/45.10A	----	62.80 + 16.80	.3417	----	----	----	----	3 UNCH
5050	----	----	57.60B/*35.20A	57.60B/*35.20A	----	48.50 + 13.20	.2801	----	----	----	----	1 UNCH
5100	----	----	44.50B/----	44.50B/*27.40A	----	37.30 + 10.30	.2264	----	----	----	----	4 UNCH
5150	----	----	34.00B/----	34.00B/21.50A	----	28.60 + 7.90	.1810	----	----	----	----	4 UNCH
5200	----	----	25.80B/----	25.80B/17.00A	----	22.00 + 6.10	.1439	----	----	5	----	5 + 1
5250	20.30	20.30	20.30/20.30	20.30/13.20A	----	16.90 NEW	.1136	----	----	1	----	1 + 1
5275	18.30	18.30	#18.30/18.30	18.30/11.80A	----	14.70 NEW	.1003	----	----	1	----	1 + 1
5300	14.50	14.50	15.00B/14.50	15.00B/10.90A	----	12.90 + 3.60	.0889	----	----	1	----	3 + 1
TOTAL										21		59 + 11

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

OG1 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3900	----	----	----	0.40B/1.70A	----	0.60 - 0.20	.0033	----	----	----	----	2 UNCH
4000	----	----	----	0.70B/2.00A	----	1.00 - 0.40	.0058	----	----	----	----	2 UNCH
4125	----	----	----	1.60B/*2.60A	----	1.90 - 0.70	.0114	----	----	----	----	2 UNCH
4150	----	----	----/*2.80A	1.80B/*2.80A	----	2.10 - 0.80	.0128	----	----	----	----	1 UNCH
4175	----	----	----/*2.90A	2.10B/*2.90A	----	2.30 - 0.80	.0142	----	----	----	----	1 UNCH
4200	----	----	----/*2.80A	2.40B/*2.80A	----	2.50 - 0.90	.0157	----	----	----	----	1 UNCH
4250	----	----	----/*3.60A	3.10B/*3.60A	----	3.00 - 1.20	.0194	----	----	2	----	6 + 1
4300	----	----	----/*4.10A	4.20B/*4.10A	----	3.60 - 1.60	.0240	----	----	----	----	34 UNCH
4325	----	----	----/*4.50A	4.80B/*4.50A	----	4.00 - 1.80	.0270	----	----	----	----	12 UNCH
4350	----	----	----/*4.90A	5.60B/*4.90A	----	4.40 - 2.20	.0301	----	----	----	----	35 UNCH
4375	----	----	----/*5.40A	6.40B/*5.40A	----	4.90 - 2.50	.0340	----	----	----	----	10 UNCH
4400	----	----	----/*5.90A	7.40B/*5.90A	----	5.60 - 2.80	.0390	----	----	2	----	3 + 1
4450	----	----	----/*7.30A	10.10B/*7.30A	----	7.10 - 4.00	.0505	----	----	----	----	150 UNCH
4485	----	----	----/*8.70A	12.80B/*8.70A	----	8.50 - 5.10	.0610	----	----	----	----	1 UNCH
4500	9.40	9.40	9.40/*9.30A	14.20B/*9.30A	----	9.20 - 5.70	.0662	----	----	2	----	13 UNCH
4535	----	----	----/*10.60A	18.00B/*10.60A	----	11.20 - 7.30	.0809	----	----	----	----	1 UNCH
4550	12.90	12.90	12.90/*11.40A	19.90B/*11.40A	----	12.20 - 8.10	.0881	----	----	17	----	34 + 14
4575	12.00	12.00	12.00/*12.00	23.60B/*12.00	----	14.10 NEW	.1017	----	----	1	----	1 + 1
4600	27.00	27.00	27.90B/*15.40A	27.90B/*15.40A	----	16.40 - 11.30	.1177	----	----	26	----	20 + 6
4605	14.10	14.10	28.80B/*14.10	28.80B/*14.10	----	16.90 NEW	.1212	----	----	5	----	5 + 5
4610	----	----	29.80B/*16.40A	29.80B/*16.40A	----	17.40 - 12.10	.1247	----	----	----	----	10 UNCH
4620	17.00	17.00	31.80B/*17.00	31.80B/*17.00	----	18.50 NEW	.1322	----	----	10	----	10 + 10
4625	----	----	32.80B/*17.80A	32.80B/*17.80A	----	19.10 NEW	.1361	----	----	1	----	1 + 1
4650	23.00	23.00	38.60B/*20.40A	38.60B/*20.40A	----	22.30 - 15.50	.1573	----	----	20	----	40 + 20
4700	30.00	30.00	52.90B/*27.60	52.90B/*27.60	----	30.50 - 20.70	.2088	----	----	23	----	27 + 13
4725	29.00	29.00	61.50B/*28.90	61.50B/*28.90	----	35.70 NEW	.2395	----	----	7	----	7 + 7
4740	----	----	67.20B/*35.50A	67.20B/*35.50A	----	39.20 - 25.50	.2594	----	----	----	----	1 UNCH
4750	45.00	45.00	71.30B/*37.70A	71.30B/*37.70A	----	41.70 - 26.80	.2733	----	----	1	----	4 + 1
4800	50.60	50.60	93.90B/*50.60	93.90B/*50.60	----	56.70 NEW	.3504	----	----	6	----	5 + 5
4830	----	----	109.80B/*61.00A	109.80B/*61.00A	----	67.80 - 37.40	.4015	----	----	4	----	4 UNCH
4835	----	----	112.60B/*63.00A	112.60B/*63.00A	----	69.80 - 38.10	.4103	----	----	----	----	1 UNCH
4850	----	----	121.40B/*68.60A	121.40B/*68.60A	----	76.10 NEW	.4370	----	----	1	----	1 + 1
4880	----	----	139.00B/*81.40A	139.00B/*81.40A	----	90.00 NEW	.4916	----	----	5	----	5 + 5
4890	92.00	92.00	145.60B/*86.00A	145.60B/*86.00A	----	95.10 NEW	.5100	----	----	10	----	10 + 10
4895	96.00	96.00	148.90B/*88.30A	148.90B/*88.30A	----	97.70 NEW	.5191	----	----	1	----	1 + 1
4900	----	----	152.30B/*90.80A	152.30B/*90.80A	----	100.30 - 46.60	.5283	----	----	----	----	2 UNCH
4910	102.90	102.90	159.20B/*95.70A	159.20B/*95.70A	----	105.80 NEW	.5466	----	----	1	----	1 + 1
4950	----	----	188.60B/*117.80	188.60B/*117.80A	----	129.50 - 52.20	.6179	----	----	----	----	1 UNCH
5000	----	----	228.40B/*149.10	228.40B/*149.10A	----	163.40 - 56.70	.6998	----	----	----	----	1 UNCH
TOTAL										145		466+ 103

OG1 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4625	----	----	300.80B/206.90A	300.80B/206.90A	----	273.40 + 58.00	.8635	----	----	----	----	1 UNCH
4665	----	----	265.70B/176.90A	265.70B/176.90A	----	238.80 + 54.30	.8281	----	----	----	----	1 UNCH
4700	----	----	236.00B/152.60A	236.00B/152.60A	----	209.90 + 50.60	.7907	----	----	----	----	1 UNCH
4760	----	----	188.10B/114.30A	188.10B/114.30A	----	163.80 + 43.10	.7117	----	----	----	----	1 UNCH
4770	----	----	180.80B/108.70A	180.80B/108.70A	----	156.70 + 41.90	.6968	----	----	----	----	1 UNCH
4775	----	----	177.00B/106.00A	177.00B/106.00A	----	153.20 + 41.20	.6891	----	----	----	----	4 UNCH
4800	----	----	159.20B/92.90A	159.20B/92.90A	----	136.20 + 37.80	.6492	----	----	----	----	1 UNCH
4820	----	----	145.30B/83.30A	145.30B/83.30A	----	123.40 + 35.10	.6155	----	----	----	----	1 UNCH
4825	----	----	142.00B/81.00A	142.00B/81.00A	----	120.30 + 34.40	.6068	----	----	----	----	2 UNCH
4830	----	----	138.70B/78.80A	138.70B/78.80A	----	117.30 NEW	.5981	----	----	3	----	3 + 3
4840	----	----	132.20B/74.40A	132.20B/74.40A	----	111.40 + 32.40	.5805	----	----	----	----	10 UNCH
4850	115.80	115.80	125.90B/70.30A	125.90B/70.30A	----	105.70 + 31.10	.5625	----	----	3	----	1 UNCH
4860	----	----	120.00B/66.30A	120.00B/66.30A	----	100.10 + 29.70	.5445	----	----	----	----	1 UNCH
4870	----	----	114.20B/62.40A	114.20B/62.40A	----	94.80 NEW	.5262	----	----	6	----	6 + 6
4875	----	----	111.20B/60.60A	111.20B/60.60A	----	92.20 + 27.80	.5171	----	----	1	----	3 + 1
4900	75.00	75.00	99.50B/52.10A	99.50B/52.10A	----	80.00 + 24.70	.4713	----	----	19	----	12 - 11
4925	73.60	73.60	86.90B/44.70A	86.90B/44.70A	----	69.00 + 21.80	.4259	----	----	2	----	21 + 1
4945	----	----	77.70B/39.40A	77.70B/39.40A	----	61.10 + 19.60	.3904	----	----	----	----	1 UNCH
4950	----	----	75.50B/37.80A	75.50B/37.80A	----	59.20 + 19.10	.3817	----	----	----	----	21 UNCH
4995	----	----	57.70B/28.10A	57.70B/28.10A	----	44.60 + 15.00	.3077	----	----	----	----	1 UNCH
5000	27.10	27.10	56.00B/27.00A	56.00B/27.00A	----	43.10 + 14.50	.2998	----	----	11	----	21 - 10
5010	----	----	52.60B/*25.40A	52.60B/*25.40A	----	40.40 NEW	.2847	----	----	1	----	1 + 1
5020	----	----	49.40B/*23.80A	49.40B/*23.80A	----	37.90 + 13.00	.2703	----	----	----	----	1 UNCH
5025	38.10	38.10	47.80B/*22.80A	47.80B/*22.80A	----	36.70 NEW	.2633	----	----	18	----	17 + 17
5050	33.00	33.00	40.60B/*19.20A	40.60B/*19.20A	----	31.10 + 10.90	.2297	----	----	18	----	23 + 13
5075	26.00	26.00	34.30B/*16.40A	34.30B/*16.40A	----	26.30 NEW	.1994	----	----	10	----	10 + 10
5100	23.00	23.00	28.90B/*14.10A	28.90B/*14.10A	----	22.20 + 7.90	.1723	----	----	142	----	368 + 50
5125	----	----	24.30B/*11.90A	24.30B/*11.90A	----	18.70 + 6.60	.1482	----	----	----	----	1 UNCH
5150	----	----	20.30B/*10.20A	20.30B/*10.20A	----	15.60 + 5.30	.1263	----	----	10	----	18 + 10
5200	----	----	14.20B/----	14.20B/*7.90A	----	11.00 + 3.40	.0918	----	----	12	----	23 - 8
5225	----	----	11.90B/----	11.90B/*6.90A	----	9.30 NEW	.0784	----	----	4	----	4 + 4
5250	7.10	7.10	11.60/7.10	11.60/*6.20A	----	8.10 + 2.60	.0682	----	----	11	----	31 + 1
5275	----	----	#8.60B/----	8.60B/5.50A	----	7.20 + 2.60	.0602	----	----	10	----	30 UNCH
5400	----	----	3.40B/----	3.40B/3.50A	----	4.20 + 2.00	.0336	----	----	2	----	21 + 1
5600	----	----	----	1.20B/2.10A	----	2.00 NEW	.0148	----	----	4	----	4 + 4
TOTAL										287		666+ 93

OG PUT — COMEX GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
1000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2046 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	761 UNCH
1600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
1700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	149 UNCH
2175	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
2200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	129 UNCH
2225	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	271 UNCH
2250	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2275	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	156 UNCH
2325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2350	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	122 UNCH
2400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
2420	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
2450	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
2485	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2495	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	75 UNCH
2500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	74 UNCH
2505	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2520	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2525	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	102 UNCH
2540	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2550	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2560	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2580	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
2590	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	114 UNCH
2615	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2620	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2650	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
2660	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2685	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	34 UNCH
2705	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2715	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2725	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2730	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
2755	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2770	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
2785	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	21 UNCH
2790	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	88 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS												
MAY26														
2815	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	35	UNCH
2820	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	74	UNCH
2845	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
2850	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
2870	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	23	UNCH
2895	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	39	UNCH
2900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	348	UNCH
2905	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	4	UNCH
2910	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	20	UNCH
2930	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	28	UNCH
2940	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
2950	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	302	UNCH
2980	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
2995	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	4	UNCH
3000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	140	UNCH
3005	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3010	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3020	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3040	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	52	UNCH
3045	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
3050	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	19	UNCH
3055	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3065	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3070	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3075	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	66	UNCH
3080	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3090	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3095	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
3100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	308	UNCH
3105	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3115	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3120	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	41	UNCH
3125	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3130	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
3135	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
3140	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
3150	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
3155	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	74	UNCH
3160	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	15	UNCH
3170	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3175	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
3185	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	18	UNCH
3200	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10	UNCH	----	----	----	1	----	268	UNCH
3205	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
3210	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
3220	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
3225	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	12	UNCH
3235	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3245	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
3250	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	89	UNCH
3255	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
3260	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	21	UNCH
3265	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	16	UNCH
3270	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
3275	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	22	UNCH
3280	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3290	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	40	UNCH
3295	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	592	UNCH
3305	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	60	UNCH
3310	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
3315	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	3	UNCH
3320	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
3325	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	10	UNCH
3330	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	2	UNCH
3335	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	20	UNCH
3340	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
3345	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
3350	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	53	UNCH
3360	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	4	UNCH
3370	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	75	UNCH
3375	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	54	UNCH
3380	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	5	UNCH
3385	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	12	UNCH
3390	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	5	UNCH
3395	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	35	UNCH
3400	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	186	UNCH
3405	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	5	UNCH
3415	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	118	UNCH
3420	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
3425	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	11	UNCH
3430	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	21	UNCH
3435	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	101	UNCH
3440	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
3445	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	33	UNCH
3450	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	49	UNCH
3455	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	44	UNCH
3460	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	142	UNCH
3465	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	17	UNCH
3470	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	76	UNCH
3475	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	94	UNCH
3480	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	84	UNCH
3485	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	60	UNCH
3490	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	52	UNCH
3495	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	54	UNCH
3500	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	1429	UNCH
3505	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	14	UNCH
3510	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	35	UNCH
3515	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----	82	UNCH
3520	----	----	----	----/0.20A	----	0.10	UNCH	.0000	----	----	----	----	8	UNCH
3525	----	----	----	----/*0.10A	----	0.10	UNCH	.0001	----	----	----	----	119	UNCH
3530	----	----	----	----/*0.10A	----	0.10	UNCH	.0001	----	----	----	----	102	UNCH
3535	----	----	----	----/*0.10A	----	0.10	UNCH	.0001	----	----	----	----	158	UNCH
3540	----	----	----	----/0.20A	----	0.10	UNCH	.0001	----	----	----	----	10	UNCH
3545	----	----	----	----/*0.10A	----	0.10	UNCH	.0001	----	----	----	----	67	UNCH
3550	----	----	----	----/*0.10A	----	0.10	UNCH	.0001	----	----	----	----	339	UNCH
3555	----	----	----	----/*0.10A	----	0.10	UNCH	.0001	----	----	----	----	45	UNCH
3560	----	----	----	----/0.20A	----	0.10	UNCH	.0001	----	----	----	----	9	UNCH
3565	----	----	----	----/0.20A	----	0.10	- 0.10	.0001	----	----	----	----	7	UNCH
3570	----	----	----	----/0.20A	----	0.10	- 0.10	.0001	----	----	----	----	11	UNCH
3575	----	----	----/*0.10A	----/*0.10A	----	0.10	- 0.10	.0001	----	----	----	----	96	UNCH
3580	----	----	----	----/0.20A	----	0.10	- 0.10	.0002	----	----	----	----	9	UNCH
3585	----	----	----/*0.10A	----/*0.10A	----	0.10	- 0.10	.0002	----	----	----	----	9	UNCH
3590	----	----	----/*0.10A	----/*0.10A	----	0.10	- 0.10	.0002	----	----	----	----	33	UNCH
3595	----	----	----	----/0.20A	----	0.10	- 0.10	.0002	----	----	----	----	39	UNCH
3600	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.10	- 0.10	.0002	----	----	25	----	1002 +	20
3605	----	----	----/*0.10A	----/*0.10A	----	0.10	- 0.10	.0002	----	----	----	----	56	UNCH
3610	----	----	----	----/0.20A	----	0.10	- 0.10	.0002	----	----	----	----	23	UNCH
3615	----	----	----	----/0.20A	----	0.10	- 0.10	.0003	----	----	----	----	120	UNCH
3620	----	----	----	----/0.20A	----	0.10	- 0.10	.0003	----	----	----	----	128	UNCH
3625	----	----	----	----/0.20A	----	0.10	- 0.10	.0003	----	----	----	----	45	UNCH
3630	----	----	----	----/0.20A	----	0.10	- 0.10	.0003	----	----	----	----	13	UNCH
3635	----	----	----	----/0.20A	----	0.10	- 0.10	.0003	----	----	----	----	26	UNCH
3640	----	----	----	----/0.20A	----	0.10	- 0.10	.0004	----	----	----	----	42	UNCH
3645	----	----	----	----/0.20A	----	0.10	- 0.10	.0004	----	----	----	----	15	UNCH
3650	----	----	----	----/0.20A	----	0.10	- 0.10	.0004	----	----	----	----	414	UNCH
3655	----	----	----	----/0.20A	----	0.10	- 0.10	.0004	----	----	----	----	23	UNCH
3660	----	----	----	----/*0.20A	----	0.20	UNCH	.0009	----	----	----	----	47	UNCH
3665	----	----	----	----/*0.20A	----	0.20	UNCH	.0009	----	----	----	----	35	UNCH
3670	----	----	----	----/*0.20A	----	0.20	UNCH	.0009	----	----	----	----	35	UNCH
3675	----	----	----	----/*0.20A	----	0.20	UNCH	.0009	----	----	----	----	66	UNCH
3680	----	----	----	----/*0.20A	----	0.20	UNCH	.0009	----	----	----	----	118	UNCH
3685	----	----	----	----/*0.20A	----	0.20	UNCH	.0009	----	----	----	----	26	UNCH
3690	----	----	----	----/*0.20A	----	0.20	UNCH	.0009	----	----	----	----	23	UNCH
3695	----	----	----	----/*0.20A	----	0.20	UNCH	.0009	----	----	----	----	73	UNCH
3700	0.30	0.30	0.30/*0.20	0.30/*0.20	----	0.20	UNCH	.0009	----	----	10	----	1386 +	6
3705	----	----	----	----/*0.20A	----	0.20	UNCH	.0009	----	----	----	----	40	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3710	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	25 UNCH
3715	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	28 UNCH
3720	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	35 UNCH
3725	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	37 UNCH
3730	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	55 UNCH
3735	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	38 UNCH
3740	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	13 UNCH
3745	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	39 UNCH
3750	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	392 UNCH
3755	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	10 UNCH
3760	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	49 UNCH
3765	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	97 UNCH
3770	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0009	----	----	----	----	25 UNCH
3775	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0010	----	----	----	----	279 UNCH
3780	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0010	----	----	----	----	33 UNCH
3785	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0010	----	----	----	----	27 UNCH
3790	----	----	----	----/*0.30A	----	0.20 - 0.10	.0010	----	----	----	----	28 UNCH
3795	----	----	----	----/*0.30A	----	0.20 - 0.10	.0010	----	----	----	----	25 UNCH
3800	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0010	----	----	----	----	1483 UNCH
3805	----	----	----	----/*0.30A	----	0.20 - 0.10	.0010	----	----	----	----	74 UNCH
3810	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0010	----	----	----	----	20 UNCH
3815	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0010	----	----	----	----	53 UNCH
3820	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	788 UNCH
3825	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	113 UNCH
3830	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	18 UNCH
3835	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	31 UNCH
3840	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	51 UNCH
3845	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	36 UNCH
3850	----	----	----/*0.30A	0.30B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	2988 UNCH
3855	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.10	.0015	----	----	----	----	41 UNCH
3860	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.30 - 0.10	.0015	----	----	7	----	50 UNCH
3865	----	----	----	0.10B/*0.40A	----	0.30 - 0.10	.0015	----	----	----	----	21 UNCH
3870	0.50	0.50	0.50/0.50	0.50/*0.40A	----	0.30 - 0.10	.0015	----	----	6	----	38 - 6
3875	----	----	----	0.10B/*0.40A	----	0.30 - 0.10	.0016	----	----	----	----	45 UNCH
3880	----	----	----	0.10B/0.50A	----	0.30 - 0.10	.0016	----	----	----	----	39 UNCH
3885	----	----	----	0.10B/0.50A	----	0.30 - 0.10	.0016	----	----	----	----	82 UNCH
3890	----	----	----	0.10B/0.50A	----	0.30 - 0.10	.0016	----	----	----	----	12 UNCH
3895	----	----	----/*0.40A	0.10B/*0.40A	----	0.30 - 0.20	.0016	----	----	----	----	75 UNCH
3900	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0016	----	----	----	----	1783 UNCH
3905	----	----	----/*0.40A	0.10B/*0.40A	----	0.30 - 0.20	.0016	----	----	----	----	27 UNCH
3910	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0016	----	----	----	----	135 UNCH
3915	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.10	.0021	----	----	----	----	38 UNCH
3920	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.10	.0021	----	----	----	----	210 UNCH
3925	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.10	.0021	----	----	----	----	84 UNCH
3930	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.10	.0021	----	----	----	----	61 UNCH
3935	----	----	----/*0.30A	0.40B/*0.30A	----	0.40 - 0.10	.0022	----	----	----	----	16 UNCH
3940	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.10	.0022	----	----	----	----	37 UNCH
3945	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.10	.0022	----	----	----	----	24 UNCH
3950	0.30	0.30	0.30/*0.30	0.40B/*0.30	----	0.40 - 0.20	.0022	----	----	5	----	140 UNCH
3955	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.20	.0022	----	----	----	----	59 UNCH
3960	----	----	----/*0.40A	0.50B/*0.40A	----	0.40 - 0.20	.0022	----	----	----	----	14 UNCH
3965	----	----	----/*0.40A	0.50B/*0.40A	----	0.40 - 0.20	.0022	----	----	----	----	85 UNCH
3970	----	----	----/*0.40A	0.50B/*0.40A	----	0.40 - 0.20	.0022	----	----	----	----	41 UNCH
3975	----	----	----/*0.40A	0.50B/*0.40A	----	0.40 - 0.20	.0023	----	----	----	----	40 UNCH
3980	----	----	----/*0.40A	0.50B/*0.40A	----	0.50 - 0.10	.0028	----	----	----	----	141 UNCH
3985	----	----	----/*0.40A	0.50B/*0.40A	----	0.50 - 0.10	.0028	----	----	----	----	51 UNCH
3990	----	----	----/*0.40A	0.50B/*0.40A	----	0.50 - 0.10	.0028	----	----	----	----	24 UNCH
3995	----	----	----/*0.40A	0.50B/*0.40A	----	0.50 - 0.20	.0028	----	----	----	----	26 UNCH
4000	0.50	0.50	0.50/*0.30	0.50/*0.30	----	0.50 - 0.20	.0028	----	----	44	----	3594 UNCH
4005	----	----	----/*0.40A	0.50B/*0.40A	----	0.50 - 0.20	.0029	----	----	----	----	236 UNCH
4010	----	----	----/*0.40A	0.60B/*0.40A	----	0.50 - 0.20	.0029	----	----	----	----	61 UNCH
4015	----	----	----/*0.40A	0.50B/*0.40A	----	0.50 - 0.20	.0029	----	----	----	----	53 UNCH
4020	----	----	----/*0.50A	0.60B/*0.50A	----	0.50 - 0.20	.0029	----	----	----	----	92 UNCH
4025	----	----	----/*0.50A	0.60B/*0.50A	----	0.50 - 0.20	.0029	----	----	----	----	104 UNCH
4030	----	----	----/*0.50A	0.60B/*0.50A	----	0.50 - 0.30	.0029	----	----	----	----	36 UNCH
4035	----	----	----/*0.50A	0.60B/*0.50A	----	0.50 - 0.30	.0030	----	----	----	----	31 UNCH
4040	----	----	----/*0.50A	0.60B/*0.50A	----	0.60 - 0.20	.0035	----	----	----	----	61 UNCH
4045	----	----	----/*0.50A	0.60B/*0.50A	----	0.60 - 0.20	.0035	----	----	----	----	211 UNCH
4050	0.50	0.50	0.50/*0.50	0.60B/*0.50	----	0.60 - 0.20	.0036	----	----	1	----	1315 + 1
4055	0.50	0.50	0.50/*0.50	0.70B/*0.50	----	0.60 - 0.20	.0036	----	----	1	----	145 - 1
4060	----	----	----/*0.50A	0.70B/*0.50A	----	0.60 - 0.30	.0036	----	----	----	----	26 UNCH
4065	----	----	----/*0.50A	0.80B/*0.50A	----	0.60 - 0.30	.0036	----	----	----	----	28 UNCH
4070	----	----	----/*0.50A	0.80B/*0.50A	----	0.60 - 0.30	.0036	----	----	----	----	106 UNCH
4075	0.50	0.50	0.50/*0.50	0.70B/*0.50	----	0.60 - 0.30	.0037	----	----	25	----	150 + 25
4080	0.80	0.80	0.80/*0.50A	0.80/*0.50A	----	0.60 - 0.30	.0037	----	----	35	----	120 + 28
4085	----	----	----/*0.50A	0.80B/*0.50A	----	0.60 - 0.30	.0037	----	----	----	----	752 UNCH
4090	----	----	----/*0.60A	0.80B/*0.60A	----	0.60 - 0.40	.0037	----	----	----	----	218 UNCH
4095	----	----	----/*0.60A	0.80B/*0.60A	----	0.70 - 0.30	.0043	----	----	----	----	155 UNCH
4100	----	----	----/*0.50A	0.90B/*0.50A	----	0.70 - 0.30	.0043	----	----	3	----	1472 - 2
4105	----	----	----/*0.60A	0.90B/*0.60A	----	0.70 - 0.30	.0044	----	----	----	----	208 UNCH
4110	----	----	----/*0.60A	0.90B/*0.60A	----	0.70 - 0.30	.0044	----	----	----	----	67 UNCH
4115	----	----	----/*0.60A	0.90B/*0.60A	----	0.70 - 0.40	.0044	----	----	----	----	44 UNCH
4120	----	----	----/*0.60A	0.90B/*0.60A	----	0.70 - 0.40	.0045	----	----	----	----	131 UNCH
4125	----	----	----/*0.60A	1.00B/*0.60A	----	0.70 - 0.40	.0045	----	----	----	----	209 UNCH
4130	0.80	0.80	0.80/*0.60A	1.00B/*0.60A	----	0.70 - 0.40	.0045	----	----	1	----	843 UNCH
4135	----	----	----/*0.70A	1.00B/*0.70A	----	0.70 - 0.50	.0045	----	----	----	----	81 UNCH
4140	----	----	----/*0.70A	1.10B/*0.70A	----	0.80 - 0.40	.0051	----	----	----	----	26 UNCH
4145	----	----	----/*0.70A	1.10B/*0.70A	----	0.80 - 0.40	.0052	----	----	----	----	100 UNCH
4150	----	----	----/*0.70A	1.10B/*0.70A	----	0.80 - 0.40	.0052	----	----	11	----	514 + 5
4155	----	----	----/*0.70A	1.10B/*0.70A	----	0.80 - 0.50	.0052	----	----	----	----	43 UNCH
4160	----	----	----/*0.70A	1.20B/*0.70A	----	0.80 - 0.50	.0053	----	----	----	----	31 UNCH
4165	----	----	----/*0.70A	1.20B/*0.70A	----	0.80 - 0.50	.0053	----	----	----	----	66 UNCH
4170	0.70	0.70	0.70/*0.70	1.20B/*0.70	----	0.80 - 0.50	.0053	----	----	1	----	74 UNCH
4175	----	----	----/*0.70A	1.20B/*0.70A	----	0.90 - 0.50	.0060	----	----	----	----	196 UNCH
4180	----	----	----/*0.70A	1.30B/*0.70A	----	0.90 - 0.50	.0060	----	----	----	----	289 UNCH
4185	----	----	----/*0.80A	1.30B/*0.80A	----	0.90 - 0.50	.0060	----	----	----	----	357 UNCH
4190	----	----	----/*0.80A	1.30B/*0.80A	----	0.90 - 0.50	.0061	----	----	----	----	86 UNCH
4195	----	----	----/*0.80A	1.30B/*0.80A	----	0.90 - 0.60	.0061	----	----	----	----	112 UNCH
4200	1.50	1.50	1.80/*0.80	1.80/*0.80	----	0.90 - 0.60	.0062	----	----	115	----	2924 - 5
4205	----	----	----/*0.80A	1.40B/*0.80A	----	1.00 - 0.50	.0068	----	----	----	----	200 UNCH
4210	----	----	----/*0.90A	1.50B/*0.90A	----	1.00 - 0.60	.0069	----	----	----	----	87 UNCH
4215	----	----	----/*0.90A	1.50B/*0.90A	----	1.00 - 0.60	.0069	----	----	----	----	178 UNCH
4220	----	----	----/*0.90A	1.50B/*0.90A	----	1.00 - 0.60	.0070	----	----	----	----	20 UNCH
4225	0.90	0.90	0.90/*0.90	1.60B/*0.90	----	1.00 - 0.60	.0070	----	----	5	----	220 - 1
4230	----	----	----/*0.90A	1.60B/*0.90A	----	1.00 - 0.70	.0071	----	----	----	----	148 UNCH
4235	----	----	----/*0.90A	1.60B/*0.90A	----	1.10 - 0.60	.0077	----	----	----	----	59 UNCH
4240	----	----	----/*0.90A	1.70B/*0.90A	----	1.10 - 0.70	.0078	----	----	----	----	160 UNCH
4245	----	----	----/*1.00A	1.70B/*1.00A	----	1.10 - 0.70	.0078	----	----	----	----	51 UNCH
4250	1.40	1.40	1.50/*1.00A	1.80B/*1.00A	----	1.10 - 0.70	.0079	----	----	103	----	853 - 97
4255	----	----	----/*1.00A	1.80B/*1.00A	----	1.20 - 0.70	.0086	----	----	----	----	41 UNCH
4260	----	----	----/*1.10A	1.90B/*1.10A	----	1.20 - 0.70	.0086	----	----	----	----	105 UNCH
4265	----	----	----/*1.10A	1.90B/*1.10A	----	1.20 - 0.70	.0087	----	----	----	----	73 UNCH
4270	----	----	----/*1.10A	1.90B/*1.10A	----	1.20 - 0.80	.0088	----	----	----	----	116 UNCH
4275	----	----	----/*1.10A	2.00B/*1.10A	----	1.30 - 0.70	.0094	----	----	----	----	157 UNCH
4280	----	----	----/*1.20A	2.00B/*1.20A	----	1.30 - 0.80	.0095	----	----	1	----	120 UNCH
4285	----	----	----/*1.20A	2.10B/*1.20A	----	1.30 - 0.80	.0096	----	----	----	----	456 UNCH
4290	----	----	----/*1.20A	2.10B/*1.20A	----	1.30 - 0.90	.0097	----	----	1	----	107 UNCH
4295	1.00	1.00	1.00/*1.00	2.20B/*1.00	----	1.40 - 0.80	.0104	----	----	1	----	36 UNCH
4300	2.30	2.30	2.50/*1.10	2.50/*1.10	----	1.40 - 0.90	.0104	----	----	50	----	2069 + 11
4305	----	----	----/*1.30A	2.30B/*1.30A	----	1.40 - 0.90	.0105	----	----	----	----	47 UNCH
4310	1.70	1.70	1.70/*1.30A	2.40B/*1.30A	----	1.50 - 0.90	.0112	----	----	25	----	66 + 10
4315	2.70	2.70	2.70/*1.30A	2.70/*1.30A	----	1.50 - 0.90	.0113	----	----	9	----	21 UNCH
4320	----	----	2.60B/*1.40A	2.60B/*1.40A	----	1.50 - 1.00	.0114	----	----	----	----	68 UNCH
4325	----	----	2.60B/*1.40A	2.60B/*1.40A	----	1.60 - 0.90	.0122	----	----	1	----	203 - 1
4330	----	----	2.70B/*1.40A	2.70B/*1.40A	----	1.60 - 1.00	.0123	----	----	----	----	276 UNCH
4335	----	----	2.80B/*1.40A	2.80B/*1.40A	----	1.60 - 1.10	.0124	----	----	----	----	40 UNCH
4340	----	----	2.80B/*1.50A	2.80B/*1.50A	----	1.70 - 1.00	.0131	----	----	----	----	147 UNCH
4345	----	----	2.90B/*1.50A	2.90B/*1.50A	----	1.70 - 1.10	.0132	----	----	----	----	336 UNCH
4350	----	----	3.00B/*1.60A	3.00B/*1.60A	----	1.80 - 1.10	.0140	----	----	23	----	1020 - 22
4355	----	----	3.10B/*1.60A	3.10B/*1.60A	----	1.80 - 1.10	.0141	----	----	----	----	79 UNCH
4360	----	----	3.20B/*1.60A	3.20B/*1.60A	----	1.90 - 1.10	.0149	----	----	----	----	371 UNCH
4365	----	----	3.20B/*1.70A	3.20B/*1.70A	----	1.90 - 1.20	.0150	----	----	----	----	39 UNCH
4370	----	----	3.30B/*1.70A	3.30B/*1.70A	----	1.90 - 1.30	.0151	----	----	3	----	202 - 3
4375	----	----	3.40B/*1.80A	3.40B/*1.80A	----	2.00 - 1.30	.0159	----	----	11	----	116 + 3
4380	----	----	3.50B/*1.80A	3.50B/*1.80A	----	2.00 - 1.40	.0160	----	----	----	----	81 UNCH
4385	----	----	3.60B/*1.90A	3.60B/*1.90A	----	2.10 - 1.30	.0168	----	----	----	----	394 UNCH
4390	----	----	3.70B/*1.90A	3.70B/*1.90A	----	2.20 - 1.30	.0176	----	----	3	----	99 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4395	2.00	2.00	3.70B/*1.90A	3.70B/*1.90A	----	2.20 - 1.40	.0178	----	----	14	----	59 UNCH
4400	4.00	4.00	4.10/*1.80	4.10/*1.80	----	2.30 - 1.50	.0186	----	----	94	----	4159 + 25
4405	----	----	4.00B/*2.10A	4.00B/*2.10A	----	2.30 - 1.60	.0188	----	----	----	----	26 UNCH
4410	2.00	2.00	4.10B/*2.00	4.10B/*2.00	----	2.40 - 1.60	.0196	----	----	12	----	106 - 5
4415	4.40	4.40	4.40/*2.20A	4.40/*2.20A	----	2.40 - 1.70	.0198	----	----	2	----	120 - 1
4420	3.00	3.00	4.40B/*2.00	4.40B/*2.00	----	2.50 - 1.70	.0206	----	----	7	----	135 + 1
4425	----	----	4.50B/*2.30A	4.50B/*2.30A	----	2.60 - 1.80	.0215	----	----	1	----	616 UNCH
4430	3.90	3.90	4.70B/*2.30A	4.70B/*2.30A	----	2.70 - 1.80	.0224	----	----	2	----	87 - 1
4435	----	----	4.80B/*2.40A	4.80B/*2.40A	----	2.70 - 1.90	.0226	----	----	----	----	324 UNCH
4440	----	----	5.00B/*2.50A	5.00B/*2.50A	----	2.80 - 2.00	.0235	----	----	----	----	288 UNCH
4445	----	----	5.20B/*2.50A	5.20B/*2.50A	----	2.90 - 2.00	.0244	----	----	10	----	124 - 1
4450	3.70	3.70	5.40B/*2.60A	5.40B/*2.60A	----	3.00 - 2.10	.0253	----	----	35	----	733 + 20
4455	----	----	5.50B/*2.70A	5.50B/*2.70A	----	3.00 - 2.30	.0255	----	----	----	----	238 UNCH
4460	5.50	5.50	5.70B/*2.80A	5.70B/*2.80A	----	3.10 - 2.40	.0264	----	----	1	----	58 UNCH
4465	----	----	5.90B/*2.80A	5.90B/*2.80A	----	3.20 - 2.40	.0274	----	----	----	----	47 UNCH
4470	6.10	6.10	6.10/*2.90A	6.10/*2.90A	----	3.30 - 2.50	.0283	----	----	18	----	112 + 4
4475	----	----	6.40B/*3.00A	6.40B/*3.00A	----	3.40 - 2.60	.0293	----	----	11	----	963 - 1
4480	----	----	6.60B/*3.10A	6.60B/*3.10A	----	3.50 - 2.70	.0302	----	----	----	----	180 UNCH
4485	6.70	6.70	6.80B/*3.20A	6.80B/*3.20A	----	3.60 - 2.80	.0312	----	----	5	----	50 + 4
4490	6.60	6.60	7.10B/*3.20A	7.10B/*3.20A	----	3.70 - 3.00	.0322	----	----	18	----	244 - 15
4495	6.30	6.30	7.30B/*3.30A	7.30B/*3.30A	----	3.80 - 3.10	.0332	----	----	5	----	28 UNCH
4500	7.20	7.20	7.60B/*3.30A	7.60B/*3.30A	----	3.90 - 3.20	.0342	----	----	387	----	2191 - 217
4505	7.70	7.70	7.80B/*3.50A	7.80B/*3.50A	----	4.00 - 3.40	.0353	----	----	5	----	38 + 3
4510	5.40	5.40	8.20B/*3.60A	8.20B/*3.60A	----	4.10 - 3.60	.0363	----	----	5	----	98 + 2
4515	----	----	8.50B/*3.70A	8.50B/*3.70A	----	4.20 - 3.70	.0374	----	----	----	----	63 UNCH
4520	5.20	5.20	8.80B/*3.90A	8.80B/*3.90A	----	4.30 - 3.90	.0385	----	----	1	----	176 + 1
4525	3.80	3.80	9.20B/*3.80	9.20B/*3.80	----	4.50 - 4.00	.0402	----	----	160	----	924 + 115
4530	9.30	9.30	9.50B/*4.10A	9.50B/*4.10A	----	4.60 - 4.20	.0414	----	----	52	----	91 + 44
4535	9.50	9.50	9.90B/*4.20A	9.90B/*4.20A	----	4.70 - 4.50	.0425	----	----	50	----	126 - 50
4540	5.00	5.00	10.30B/*4.30A	10.30B/*4.30A	----	4.90 - 4.60	.0443	----	----	3	----	44 + 1
4545	----	----	10.80B/*4.50A	10.80B/*4.50A	----	5.00 - 4.90	.0455	----	----	----	----	76 UNCH
4550	9.20	9.20	11.50/*4.60A	11.50/*4.60A	----	5.20 - 5.00	.0474	----	----	268	----	920 + 134
4555	6.90	6.90	11.70B/*4.80A	11.70B/*4.80A	----	5.40 - 5.20	.0493	----	----	1	----	19 + 1
4560	5.30	5.30	12.20B/*4.90A	12.20B/*4.90A	----	5.50 - 5.50	.0505	----	----	3	----	94 - 1
4565	7.40	7.40	12.70B/*5.00A	12.70B/*5.00A	----	5.70 - 5.80	.0525	----	----	11	----	150 - 3
4570	10.00	10.00	13.10B/*5.00	13.10B/*5.00	----	5.90 - 6.00	.0544	----	----	20	----	187 + 2
4575	10.50	10.50	13.70B/*5.40A	13.70B/*5.40A	----	6.10 - 6.30	.0564	----	----	6	----	116 UNCH
4580	6.10	6.10	14.10B/*5.50A	14.10B/*5.50A	----	6.30 - 6.60	.0585	----	----	15	----	155 + 11
4585	6.00	6.00	14.90B/*5.70A	14.90B/*5.70A	----	6.60 - 6.80	.0612	----	----	26	----	30 + 2
4590	6.50	6.50	15.50B/*5.90A	15.50B/*5.90A	----	6.80 - 7.10	.0632	----	----	13	----	99 + 1
4595	12.70	12.70	16.10B/*6.10A	16.10B/*6.10A	----	7.00 - 7.50	.0653	----	----	5	----	69 + 5
4600	14.00	14.00	16.90/*6.30A	16.90/*6.30A	----	7.30 - 7.70	.0681	----	----	572	----	2443 + 64
4605	15.10	15.10	17.30B/*6.60A	17.30B/*6.60A	----	7.60 - 8.10	.0709	----	----	4	----	81 + 3
4610	14.50	14.50	18.10B/*6.80A	18.10B/*6.80A	----	7.90 - 8.40	.0738	----	----	6	----	204 UNCH
4615	15.40	15.40	18.80B/*7.10A	18.80B/*7.10A	----	8.20 - 8.80	.0767	----	----	71	----	98 - 5
4620	17.00	17.00	19.70B/*7.30A	19.70B/*7.30A	----	8.50 - 9.20	.0796	----	----	10	----	207 + 3
4625	9.00	9.00	20.50B/*7.60A	20.50B/*7.60A	----	8.80 - 9.60	.0825	----	----	6	----	335 UNCH
4630	9.40	9.40	21.20B/*7.80A	21.20B/*7.80A	----	9.20 - 9.90	.0862	----	----	12	----	815 UNCH
4635	9.80	9.80	22.10B/*8.10A	22.10B/*8.10A	----	9.50 - 10.40	.0892	----	----	27	----	523 + 2
4640	----	----	23.00B/*8.40A	23.00B/*8.40A	----	9.90 - 10.90	.0929	----	----	----	----	144 UNCH
4645	10.50	10.50	23.90B/*8.80A	23.90B/*8.80A	----	10.30 - 11.30	.0966	----	----	11	----	47 - 1
4650	25.00	25.00	25.00/*9.10A	25.00/*9.10A	----	10.70 - 11.80	.1004	----	----	134	----	859 - 42
4655	----	----	25.90B/*9.40A	25.90B/*9.40A	----	11.20 - 12.20	.1048	----	----	2	----	239 - 2
4660	14.70	14.70	27.00B/*9.80A	27.00B/*9.80A	----	11.70 - 12.70	.1093	----	----	6	----	203 + 4
4665	15.70	15.70	28.10B/*10.20A	28.10B/*10.20A	----	12.10 - 13.30	.1132	----	----	9	----	87 - 1
4670	15.60	15.60	29.30B/*10.60A	29.30B/*10.60A	----	12.60 - 13.80	.1178	----	----	34	----	197 + 11
4675	11.60	11.60	30.50B/*11.00A	30.50B/*11.00A	----	13.20 - 14.20	.1229	----	----	151	----	448 + 71
4680	27.70	27.70	31.80B/*11.40A	31.80B/*11.40A	----	13.70 - 14.80	.1276	----	----	17	----	275 - 1
4685	19.40	19.40	33.00B/*11.90A	33.00B/*11.90A	----	14.30 - 15.40	.1328	----	----	4	----	183 - 3
4690	15.30	15.30	34.30B/*12.40A	34.30B/*12.40A	----	14.90 - 16.00	.1381	----	----	105	----	185 - 47
4695	19.90	19.90	35.60B/*12.50	35.60B/*12.50	----	15.50 - 16.60	.1435	----	----	8	----	114 + 5
4700	31.00	31.00	37.60B/*13.00	37.60B/*13.00	----	16.20 - 17.20	.1494	----	----	531	120	2282 + 105
4705	----	----	38.50B/*14.00A	38.50B/*14.00A	----	16.90 - 17.80	.1554	----	----	1	----	44 - 1
4710	16.90	16.90	40.00B/*14.60A	40.00B/*14.60A	----	17.60 - 18.40	.1615	----	----	6	----	229 - 3
4715	17.50	17.50	41.40B/*15.20A	41.40B/*15.20A	----	18.30 - 19.10	.1676	----	----	5	----	132 + 5
4720	18.40	18.40	43.00B/*15.80A	43.00B/*15.80A	----	19.10 - 19.70	.1743	----	----	5	----	606 - 2
4725	27.40	27.40	44.70B/*16.50A	44.70B/*16.50A	----	19.90 - 20.40	.1810	----	----	62	----	90 + 4
4730	32.90	32.90	46.40B/*17.10A	46.40B/*17.10A	----	20.80 - 21.10	.1882	----	----	6	----	115 + 2
4735	----	----	48.10B/*17.90A	48.10B/*17.90A	----	21.70 - 21.70	.1955	----	----	----	----	34 UNCH
4740	45.40	45.40	49.90B/*18.50	49.90B/*18.50	----	22.60 - 22.50	.2029	----	----	29	----	116 - 1
4745	----	----	51.80B/*19.40A	51.80B/*19.40A	----	23.60 - 23.10	.2107	----	----	----	----	39 UNCH
4750	52.00	52.00	53.80B/*20.20A	53.80B/*20.20A	----	24.60 - 23.90	.2187	----	----	193	----	706 + 30
4755	23.90	23.90	55.70B/*21.10A	55.70B/*21.10A	----	25.70 - 24.60	.2270	----	----	5	----	161 + 5
4760	33.10	33.10	57.70B/*22.00A	57.70B/*22.00A	----	26.80 - 25.30	.2355	----	----	7	----	136 - 1
4765	25.80	25.80	59.80B/*22.90A	59.80B/*22.90A	----	27.90 - 26.10	.2440	----	----	3	----	72 UNCH
4770	----	----	61.90B/*23.90A	61.90B/*23.90A	----	29.10 - 26.90	.2529	----	----	1	----	107 UNCH
4775	40.60	40.60	64.10B/*24.90A	64.10B/*24.90A	----	30.30 - 27.70	.2619	----	----	93	----	403 - 20
4780	55.30	55.30	66.40B/*26.00A	66.40B/*26.00A	----	31.60 - 28.50	.2713	----	----	39	----	122 - 2
4785	62.70	62.70	68.70B/*27.10A	68.70B/*27.10A	----	32.90 - 29.30	.2807	----	----	13	----	106 UNCH
4790	50.90	50.90	71.00B/*28.30A	71.00B/*28.30A	----	34.30 - 30.10	.2905	----	----	10	----	378 - 1
4795	66.40	66.40	73.50B/*29.50A	73.50B/*29.50A	----	35.70 - 30.90	.3004	----	----	57	----	58 + 14
4800	69.60	69.60	76.10B/*30.70A	76.10B/*30.70A	----	37.20 - 31.70	.3107	----	----	432	250	1732 + 245
4805	64.70	64.70	78.60B/*32.00A	78.60B/*32.00A	----	38.80 - 32.50	.3212	----	----	36	----	59 + 1
4810	68.00	68.00	81.20B/*33.30	81.20B/*33.30	----	40.40 - 33.30	.3318	----	----	111	----	338 + 61
4815	76.00	76.00	83.90B/*34.70A	83.90B/*34.70A	----	42.00 - 34.20	.3424	----	----	7	----	57 + 3
4820	39.50	39.50	86.60B/*36.20A	86.60B/*36.20A	----	43.70 - 35.10	.3533	----	----	14	----	184 + 8
4825	46.00	46.00	89.50B/*37.70A	89.50B/*37.70A	----	45.50 - 35.90	.3645	----	----	81	----	250 - 1
4830	54.50	54.50	92.30B/*39.20A	92.30B/*39.20A	----	47.30 - 36.70	.3757	----	----	13	----	79 + 3
4835	44.70	44.70	95.20B/*40.80A	95.20B/*40.80A	----	49.20 - 37.50	.3871	----	----	4	----	163 + 3
4840	49.00	49.00	98.20B/*42.50A	98.20B/*42.50A	----	51.10 - 38.40	.3985	----	----	12	----	126 + 2
4845	53.50	53.50	101.20B/*44.20A	101.20B/*44.20A	----	53.10 - 39.20	.4102	----	----	9	----	78 UNCH
4850	50.90	50.90	103.00B/*46.00A	103.00B/*46.00A	----	55.20 - 40.00	.4220	----	----	62	----	1111 + 16
4855	56.40	56.40	105.20B/*48.00A	105.20B/*48.00A	----	57.30 - 40.90	.4338	----	----	96	----	143 + 63
4860	60.00	60.00	108.40B/*49.90A	108.40B/*49.90A	----	59.50 - 41.70	.4458	----	----	6	----	42 + 5
4865	61.90	61.90	111.60B/*51.70A	111.60B/*51.70A	----	61.80 - 42.40	.4578	----	----	7	----	84 - 1
4870	54.30	54.30	114.80B/53.70A	114.80B/53.70A	----	64.10 - 43.30	.4698	----	----	31	----	256 + 19
4875	58.10	58.10	118.20B/55.80A	118.20B/55.80A	----	66.50 - 44.00	.4820	----	----	225	----	356 + 72
4880	61.40	61.40	121.60B/58.10	121.60B/58.10	----	69.00 - 44.80	.4941	----	----	33	----	108 + 18
4885	77.90	77.90	125.10B/60.20A	125.10B/60.20A	----	71.50 - 45.60	.5062	----	----	1	----	24 + 1
4890	----	----	128.60B/62.70A	128.60B/62.70A	----	74.10 - 46.30	.5183	----	----	----	----	64 UNCH
4895	----	----	132.20B/64.90A	132.20B/64.90A	----	76.80 - 47.00	.5304	----	----	----	----	96 UNCH
4900	75.30	75.30	135.80B/67.00	135.80B/67.00	----	79.50 - 47.80	.5425	----	----	64	----	1064 + 9
4905	----	----	139.50B/69.80A	139.50B/69.80A	----	82.30 - 48.50	.5545	----	----	----	----	53 UNCH
4910	----	----	143.30B/72.50A	143.30B/72.50A	----	85.10 - 49.30	.5665	----	----	----	----	89 UNCH
4915	----	----	147.00B/75.00A	147.00B/75.00A	----	88.00 - 50.00	.5783	----	----	----	----	29 UNCH
4920	----	----	150.80B/77.70A	150.80B/77.70A	----	91.00 - 50.60	.5902	----	----	----	----	149 UNCH
4925	----	----	154.80B/80.40A	154.80B/80.40A	----	94.00 - 51.40	.6017	----	----	32	----	72 + 25
4930	----	----	158.80B/83.20A	158.80B/83.20A	----	97.10 - 52.00	.6133	----	----	----	----	53 UNCH
4935	----	----	163.10B/86.00A	163.10B/86.00A	----	100.30 - 52.60	.6248	----	----	----	----	54 UNCH
4940	----	----	167.10B/89.00A	167.10B/89.00A	----	103.50 - 53.30	.6361	----	----	----	----	14 UNCH
4945	----	----	170.80B/91.90A	170.80B/91.90A	----	106.70 - 54.00	.6472	----	----	----	----	48 UNCH
4950	----	----	175.20B/94.90A	175.20B/94.90A	----	110.00 - 54.60	.6583	----	----	1	----	754 + 1
4955	----	----	179.00B/98.00A	179.00B/98.00A	----	113.40 - 55.20	.6693	----	----	----	----	83 UNCH
4960	----	----	183.20B/101.20A	183.20B/101.20A	----	116.80 - 55.90	.6798	----	----	----	----	132 UNCH
4965	----	----	187.40B/104.40A	187.40B/104.40A	----	120.30 - 56.40	.6905	----	----	1	----	25 UNCH
4970	----	----	192.00B/107.80A	192.00B/107.80A	----	123.80 - 57.00	.7007	----	----	----	----	4 UNCH
4975	----	----	195.90B/111.70A	195.90B/111.70A	----	127.40 - 57.60	.7111	----	----	----	----	89 UNCH
4980	----	----	200.20B/114.90A	200.20B/114.90A	----	131.00 - 58.20	.7208	----	----	----	----	56 UNCH
4985	----	----	205.00B/118.30A	205.00B/118.30A	----	134.70 - 58.70	.7308	----	----	----	----	124 UNCH
4990	----	----	208.90B/121.90A	208.90B/121.90A	----	138.40 - 59.20	.7401	----	----	----	----	34 UNCH
4995	----	----	213.30B/125.30A	213.30B/125.30A	----	142.20 - 59.70	.7493	----	----	----	----	222 UNCH
5000	143.00	143.00	218.20B/129.10A	218.20B/129.10A	----	146.00 - 60.20	.7585	----	----	1	----	1120 + 1
5005	----	----	222.20B/132.60A	222.20B/132.60A	----	149.90 - 60.60	.7672	----	----	----	----	41 UNCH
5010	----	----	227.00B/136.20A	227.00B/136.20A	----	153.80 - 61.10	.7759	----	----	----	----	14 UNCH
5015	----	----	231.60B/140.00A	231.60B/140.00A	----	157.80 - 61.50	.7842	----	----	----	----	23 UNCH
5020	----	----	235.70B/143.60A	235.70B/143.60A	----	161.80 - 61.90	.7923	----	----	----	----	23 UNCH
5025	----	----	240.70B/147.30A	240.70B/147.30A	----	165.80 - 62.40	.8005	----	----	----	----	153 UNCH
5030	----	----	244.80B/151.00A	244.80B/151.00A	----	169.90 - 62.70	.8081	----	----	1	----	22 - 1
5035	----	----	249.70B/154.70A	249.70B/154.70A	----	174.00 - 63.10	.8157	----	----	----	----	13 UNCH
5040	----	----	254.00B/158.70A	254.00B/158.70A	----	178.10 - 63.60	.8227	----	----	----	----	134 UNCH
5045	----	----	259.10B/162.50A	259.10B/162.50A	----	182.30 - 63.90	.8297	----	----	----	----	28 UNCH
5050	----	----	263.30B/166.40A	263.30B/166.40A	----	186.50 - 64.30	.8367	----	----	1	----	433 - 1
5055	----	----	268.40B/170.20A	268.40B/170.20A	----	190.80 - 64.60	.8436	----	----	1	----	106 - 1
5060	----	----	273.10B/174.40A	273.10B/174.40A	----	195.10 - 64.90	.8499	----	----	----	----	84 UNCH
5065	----	----	277.80B/178.20A	277.80B/178.20A	----	199.40 - 65.20	.8556	----	----	----	----	54 UNCH
5070	----	----	282.50B/182.40A	282.50B/182.40A	----	203.70 - 65.50	.8619	----	----	----	----	175 UNCH
5075	----	----	286.80B/186.50A	286.80B/186.50A	----	208.10 - 65.80	.8675	----	----	1	----	46 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
5080	----	----	292.00B/190.50A	292.00B/190.50A	----	212.50 - 66.10	.8731	----	----	----	----	85 UNCH
5085	----	----	296.30B/194.80A	296.30B/194.80A	----	217.00 - 66.30	.8786	----	----	----	----	116 UNCH
5090	----	----	301.50B/199.00A	301.50B/199.00A	----	221.40 - 66.60	.8835	----	----	----	----	23 UNCH
5095	----	----	306.20B/203.30A	306.20B/203.30A	----	225.90 - 66.80	.8883	----	----	----	----	17 UNCH
5100	----	----	311.00B/207.50A	311.00B/207.50A	----	230.40 - 67.00	.8932	----	----	----	----	391 UNCH
5105	----	----	315.80B/211.80A	315.80B/211.80A	----	235.00 - 67.20	.8973	----	----	----	----	57 UNCH
5110	----	----	320.60B/216.10A	320.60B/216.10A	----	239.60 - 67.40	.9020	----	----	----	----	285 UNCH
5115	----	----	325.10B/220.50A	325.10B/220.50A	----	244.10 - 67.60	.9060	----	----	----	----	24 UNCH
5120	----	----	330.30B/224.80A	330.30B/224.80A	----	248.80 - 67.70	.9093	----	----	----	----	18 UNCH
5125	----	----	335.10B/229.20A	335.10B/229.20A	----	253.40 - 67.90	.9133	----	----	----	----	88 UNCH
5130	----	----	340.10B/233.70A	340.10B/233.70A	----	258.00 - 68.10	.9172	----	----	1	----	120 UNCH
5135	----	----	344.80B/238.10A	344.80B/238.10A	----	262.70 - 68.20	.9204	----	----	----	----	95 UNCH
5140	----	----	349.80B/242.70A	349.80B/242.70A	----	267.40 - 68.40	.9235	----	----	----	----	23 UNCH
5145	----	----	354.50B/247.20A	354.50B/247.20A	----	272.10 - 68.50	.9267	----	----	----	----	44 UNCH
5150	----	----	359.40B/251.60A	359.40B/251.60A	----	276.80 - 68.60	.9298	----	----	1	----	371 - 1
5155	----	----	364.30B/256.20A	364.30B/256.20A	----	281.50 - 68.80	.9321	----	----	1	----	9 UNCH
5160	----	----	369.20B/260.80A	369.20B/260.80A	----	286.30 - 68.80	.9351	----	----	----	----	31 UNCH
5165	----	----	374.10B/265.10A	374.10B/265.10A	----	291.00 - 69.00	.9374	----	----	----	----	47 UNCH
5170	----	----	379.00B/269.70A	379.00B/269.70A	----	295.80 - 69.10	.9404	----	----	----	----	155 UNCH
5175	----	----	380.60B/274.30A	380.60B/274.30A	----	300.60 - 69.10	.9426	----	----	1	----	30 UNCH
5180	----	----	385.50B/278.90A	385.50B/278.90A	----	305.40 - 69.20	.9447	----	----	----	----	76 UNCH
5185	----	----	390.40B/283.90A	390.40B/283.90A	----	310.20 - 69.30	.9469	----	----	----	----	2 UNCH
5190	----	----	395.30B/288.30A	395.30B/288.30A	----	315.00 - 69.40	.9490	----	----	----	----	10 UNCH
5195	----	----	400.30B/293.20A	400.30B/293.20A	----	319.80 - 69.50	.9504	----	----	----	----	25 UNCH
5200	----	----	405.20B/297.80A	405.20B/297.80A	----	324.70 - 69.50	.9525	----	----	1	----	424 UNCH
5205	----	----	410.10B/302.60A	410.10B/302.60A	----	329.50 - 69.60	.9545	----	----	----	----	19 UNCH
5210	----	----	415.00B/307.10A	415.00B/307.10A	----	334.30 - 69.70	.9558	----	----	----	----	9 UNCH
5215	----	----	420.00B/311.80A	420.00B/311.80A	----	339.20 - 69.80	.9578	----	----	----	----	5 UNCH
5220	----	----	424.90B/316.80A	424.90B/316.80A	----	344.10 - 69.80	.9591	----	----	----	----	9 UNCH
5225	----	----	429.90B/321.30A	429.90B/321.30A	----	348.90 - 69.90	.9603	----	----	----	----	59 UNCH
5230	----	----	434.80B/326.10A	434.80B/326.10A	----	353.80 - 69.90	.9615	----	----	----	----	10 UNCH
5235	----	----	439.70B/331.10A	439.70B/331.10A	----	358.70 - 70.00	.9634	----	----	----	----	71 UNCH
5240	----	----	444.70B/335.60A	444.70B/335.60A	----	363.60 - 70.00	.9646	----	----	----	----	43 UNCH
5245	----	----	449.60B/340.40A	449.60B/340.40A	----	368.40 - 70.10	.9657	----	----	----	----	15 UNCH
5250	----	----	454.60B/345.40A	454.60B/345.40A	----	373.30 - 70.20	.9669	----	----	1	----	422 - 1
5255	----	----	459.50B/350.00A	459.50B/350.00A	----	378.20 - 70.20	.9680	----	----	----	----	4 UNCH
5260	----	----	464.50B/355.10A	464.50B/355.10A	----	383.10 - 70.30	.9691	----	----	----	----	11 UNCH
5265	----	----	469.50B/359.70A	469.50B/359.70A	----	388.00 - 70.30	.9702	----	----	----	----	7 UNCH
5270	----	----	----/364.50A	421.90B/364.50A	----	392.90 - 70.40	.9713	----	----	----	----	30 UNCH
5275	----	----	----/369.50A	426.90B/369.50A	----	397.90 - 70.30	.9723	----	----	----	----	206 UNCH
5280	----	----	----/374.20A	431.80B/374.20A	----	402.80 - 70.40	.9726	----	----	----	----	33 UNCH
5290	----	----	----/383.90A	441.70B/383.90A	----	412.60 - 70.50	.9747	----	----	----	----	2 UNCH
5295	----	----	----/389.00A	446.60B/389.00A	----	417.50 - 70.60	.9757	----	----	----	----	5 UNCH
5300	----	----	----/393.60A	451.60B/393.60A	----	422.50 - 70.50	.9759	----	----	----	----	108 UNCH
5305	----	----	----/398.50A	455.20B/398.50A	----	427.40 - 70.60	.9769	----	----	----	----	40 UNCH
5310	----	----	----/403.40A	460.10B/403.40A	----	432.30 - 70.70	.9779	----	----	----	----	32 UNCH
5315	----	----	----/408.30A	463.90B/408.30A	----	437.30 - 70.60	.9781	----	----	----	----	1 UNCH
5320	----	----	----/413.20A	470.00B/413.20A	----	442.20 - 70.70	.9791	----	----	----	----	26 UNCH
5325	----	----	----/418.10A	475.00B/418.10A	----	447.20 - 70.70	.9793	----	----	----	----	51 UNCH
5330	----	----	----/423.30A	479.90B/423.30A	----	452.10 - 70.70	.9803	----	----	----	----	27 UNCH
5335	----	----	----/428.20A	483.20B/428.20A	----	457.10 - 70.70	.9804	----	----	----	----	1 UNCH
5340	----	----	----/432.80A	489.80B/432.80A	----	462.00 - 70.80	.9814	----	----	----	----	12 UNCH
5350	----	----	----/447.10A	499.80B/447.10A	----	471.90 - 70.80	.9825	----	----	----	----	43 UNCH
5360	----	----	----/456.80A	509.70B/456.80A	----	481.80 - 70.80	.9836	----	----	----	----	11 UNCH
5365	----	----	----/461.70A	514.60B/461.70A	----	486.80 - 70.80	.9837	----	----	----	----	11 UNCH
5370	----	----	----/466.50A	519.60B/466.50A	----	491.80 - 70.80	.9838	----	----	----	----	32 UNCH
5375	----	----	----/474.40A	524.60B/474.40A	----	496.70 - 70.90	.9847	----	----	----	----	32 UNCH
5380	----	----	----/479.30A	529.50B/479.30A	----	501.70 - 70.80	.9848	----	----	----	----	4 UNCH
5385	----	----	----/484.50A	534.50B/484.50A	----	506.60 - 70.90	.9850	----	----	----	----	15 UNCH
5390	----	----	----	----	----	511.60 - 70.90	.9859	----	----	----	----	1 UNCH
5395	----	----	----	----	----	516.60 - 70.90	.9860	----	----	----	----	1 UNCH
5400	----	----	----/497.60A	550.60B/497.60A	----	521.60 - 70.90	.9861	----	----	----	----	96 UNCH
5410	----	----	----/509.10A	559.40B/509.10A	----	531.50 - 70.90	.9870	----	----	----	----	55 UNCH
5420	----	----	----/519.00A	569.30B/519.00A	----	541.40 - 71.00	.9872	----	----	----	----	7 UNCH
5425	----	----	----/523.90A	574.30B/523.90A	----	546.40 - 71.00	.9881	----	----	----	----	32 UNCH
5435	----	----	----	----	----	556.40 - 70.90	.9883	----	----	----	----	2 UNCH
5445	----	----	----	----	----	566.30 - 71.00	.9884	----	----	----	----	1 UNCH
5450	----	----	----/548.80A	599.20B/548.80A	----	571.30 - 71.00	.9893	----	----	----	----	20 UNCH
5475	----	----	----	----	----	596.20 - 71.00	.9896	----	----	----	----	1 UNCH
5490	----	----	----/588.50A	639.00B/588.50A	----	611.20 - 71.00	.9906	----	----	----	----	3 UNCH
5500	----	----	----/598.50A	648.30B/598.50A	----	621.10 - 71.10	.9907	----	----	----	----	34 UNCH
5515	----	----	----/613.40A	664.00B/613.40A	----	636.10 - 71.00	.9916	----	----	----	----	10 UNCH
5520	----	----	----	----	----	641.10 - 71.00	.9917	----	----	----	----	1 UNCH
5530	----	----	----/628.40A	678.90B/628.40A	----	651.00 - 71.10	.9918	----	----	----	----	10 UNCH
5535	----	----	----/633.40A	683.90B/633.40A	----	656.00 - 71.10	.9918	----	----	----	----	10 UNCH
5540	----	----	----/638.30A	688.90B/638.30A	----	661.00 - 71.10	.9919	----	----	----	----	5 UNCH
5550	----	----	----/648.30A	698.90B/648.30A	----	671.00 - 71.10	.9927	----	----	----	----	5 UNCH
5565	----	----	----/663.20A	713.90B/663.20A	----	685.90 - 71.10	.9928	----	----	----	----	10 UNCH
5575	----	----	----/673.20A	723.80B/673.20A	----	695.90 - 71.10	.9929	----	----	----	----	10 UNCH
5590	----	----	----/688.20A	738.80B/688.20A	----	710.90 - 71.10	.9930	----	----	----	----	20 UNCH
5600	----	----	----/698.20A	748.80B/698.20A	----	720.90 - 71.10	.9938	----	----	----	----	12 UNCH
5625	----	----	----	----	----	745.80 - 71.20	.9940	----	----	----	----	1 UNCH
5640	----	----	----	----	----	760.80 - 71.10	.9941	----	----	----	----	0 UNCH
5890	----	----	----	----	----	1010.50 - 71.20	.9977	----	----	----	----	2 UNCH
5980	----	----	----	----	----	1100.40 - 71.30	.9985	----	----	----	----	1 UNCH
6025	----	----	----/1,123.20A	1173.80B/1123.20A	----	1145.40 - 71.30	.9986	----	----	----	----	3 UNCH
6100	----	----	----/1,198.20A	1248.80B/1198.20A	----	1220.40 - 71.30	.9987	----	----	----	----	7 UNCH
TOTAL										5337	370	92901 + 796
JUN26												
1325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1375	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1400	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1425	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1475	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1500	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1525	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
1575	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1580	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1590	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	175 UNCH
1600	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
1610	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1615	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1620	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
1625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1650	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1670	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1675	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1685	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1690	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1695	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1700	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1735	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1740	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1745	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1750	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
1755	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1775	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1780	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1785	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1795	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1800	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
1815	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1820	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1855	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1875	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
1900	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
1905	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
1915	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1920	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1950	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1955	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1965	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1975	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	85 UNCH
2000	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	603 UNCH
2005	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 11

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
2010	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2015	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
2020	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2025	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	40 UNCH
2030	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
2050	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
2085	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
2100	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	90 UNCH
2105	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2130	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2170	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	5 UNCH
2180	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	6 UNCH
2195	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	5 UNCH
2200	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	9 UNCH
2205	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	7 UNCH
2220	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2230	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	25 UNCH
2235	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	21 UNCH
2240	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	6 UNCH
2250	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	5 UNCH
2300	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	13 UNCH
2315	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	40 UNCH
2330	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	9 UNCH
2350	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	1 UNCH
2380	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	9 UNCH
2385	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	1 UNCH
2390	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	1 UNCH
2395	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	1 UNCH
2400	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	72 UNCH
2405	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	1 UNCH
2410	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	6 UNCH
2415	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	1 UNCH
2420	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	5 UNCH
2425	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	23 UNCH
2430	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	1 UNCH
2445	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	5 UNCH
2450	----	----	----	----/0.40A	----	0.20 UNCH	.0005	----	----	----	----	51 UNCH
2460	----	----	----	----/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	1 UNCH
2465	----	----	----	----/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	7 UNCH
2475	----	----	----	----/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	3 UNCH
2495	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	1 UNCH
2500	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.30 UNCH	.0008	----	----	1	----	1922 + 1
2510	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	2 UNCH
2525	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	25 UNCH
2535	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	5 UNCH
2540	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	5 UNCH
2550	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	50 UNCH
2565	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	5 UNCH
2580	----	----	----	----/0.40A	----	0.30 UNCH	.0008	----	----	----	----	5 UNCH
2590	----	----	----	----/0.50A	----	0.30 UNCH	.0008	----	----	----	----	8 UNCH
2600	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.30 - 0.10	.0008	----	----	53	----	186 + 27
2650	----	----	----	----/0.50A	----	0.40 UNCH	.0011	----	----	----	----	1 UNCH
2695	----	----	----	0.20B/0.50A	----	0.40 UNCH	.0011	----	----	----	----	2 UNCH
2700	----	----	----	0.10B/0.50A	----	0.40 - 0.10	.0011	----	----	----	----	427 UNCH
2730	----	----	----	0.20B/0.60A	----	0.50 UNCH	.0014	----	----	----	----	5 UNCH
2750	----	----	----	0.20B/*0.50A	----	0.50 UNCH	.0014	----	----	----	----	1 UNCH
2800	----	----	----/*0.50A	0.20B/*0.50A	----	0.50 - 0.10	.0015	----	----	----	----	751 UNCH
2805	----	----	----/*0.50A	0.30B/*0.50A	----	0.50 - 0.10	.0015	----	----	----	----	223 UNCH
2810	----	----	----/*0.50A	0.30B/*0.50A	----	0.50 - 0.10	.0015	----	----	----	----	39 UNCH
2825	----	----	----	0.30B/*0.60A	----	0.60 UNCH	.0018	----	----	----	----	51 UNCH
2830	----	----	----	0.30B/*0.60A	----	0.60 UNCH	.0018	----	----	----	----	25 UNCH
2850	----	----	----/*0.60A	0.30B/*0.60A	----	0.60 - 0.10	.0018	----	----	----	----	22 UNCH
2875	----	----	----/*0.60A	0.30B/*0.60A	----	0.60 - 0.10	.0018	----	----	----	----	7 UNCH
2900	----	----	----/*0.60A	0.40B/*0.60A	----	0.60 - 0.20	.0019	----	----	----	----	155 UNCH
2905	----	----	----/*0.70A	0.40B/*0.70A	----	0.70 - 0.10	.0021	----	----	----	----	5 UNCH
2915	----	----	----/*0.70A	0.40B/*0.70A	----	0.70 - 0.10	.0021	----	----	----	----	1 UNCH
2930	----	----	----/*0.70A	0.40B/*0.70A	----	0.70 - 0.10	.0022	----	----	----	----	1 UNCH
2935	----	----	----/*0.70A	0.40B/*0.70A	----	0.70 - 0.10	.0022	----	----	----	----	3 UNCH
2950	----	----	----/*0.70A	0.40B/*0.70A	----	0.70 - 0.20	.0022	----	----	----	----	24 UNCH
2970	----	----	----/0.80A	0.50B/0.80A	----	0.70 - 0.20	.0022	----	----	----	----	2 UNCH
2975	----	----	----/*0.80A	0.50B/*0.80A	----	0.70 - 0.20	.0022	----	----	----	----	9 UNCH
2990	----	----	----/*0.80A	0.50B/*0.80A	----	0.80 - 0.10	.0025	----	----	----	----	5 UNCH
2995	----	----	----/*0.80A	0.50B/*0.80A	----	0.80 - 0.20	.0025	----	----	----	----	6 UNCH
3000	0.90	0.90	1.20/*0.80A	1.20/*0.80A	----	0.80 - 0.20	.0025	----	----	42	----	1665 + 1
3005	----	----	----/*0.80A	0.50B/*0.80A	----	0.80 - 0.20	.0025	----	----	----	----	30 UNCH
3010	----	----	----/*0.80A	0.50B/*0.80A	----	0.80 - 0.20	.0025	----	----	----	----	8 UNCH
3015	----	----	----/*0.80A	0.50B/*0.80A	----	0.80 - 0.20	.0025	----	----	----	----	215 UNCH
3020	----	----	----/*0.90A	0.50B/*0.90A	----	0.80 - 0.20	.0026	----	----	----	----	35 UNCH
3035	----	----	----/*0.90A	0.60B/*0.90A	----	0.80 - 0.30	.0026	----	----	----	----	1 UNCH
3050	----	----	----/*0.90A	0.60B/*0.90A	----	0.90 - 0.20	.0029	----	----	----	----	389 UNCH
3065	----	----	----/*0.90A	0.60B/*0.90A	----	0.90 - 0.20	.0029	----	----	----	----	7 UNCH
3070	----	----	----/*0.90A	0.60B/*0.90A	----	0.90 - 0.20	.0029	----	----	----	----	6 UNCH
3075	----	----	----/*0.90A	0.60B/*0.90A	----	0.90 - 0.30	.0029	----	----	----	----	10 UNCH
3080	----	----	----/*0.90A	0.60B/*0.90A	----	0.90 - 0.30	.0029	----	----	----	----	8 UNCH
3095	----	----	----/*1.00A	0.70B/*1.00A	----	1.00 - 0.20	.0032	----	----	----	----	42 UNCH
3100	----	----	----/*1.00A	0.80B/*1.00A	----	1.00 - 0.20	.0033	----	----	----	----	367 UNCH
3105	----	----	----/*1.00A	0.80B/*1.00A	----	1.00 - 0.20	.0033	----	----	----	----	13 UNCH
3110	----	----	----/*1.00A	0.80B/*1.00A	----	1.00 - 0.20	.0033	----	----	----	----	10 UNCH
3120	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.30	.0033	----	----	----	----	13 UNCH
3125	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.30	.0033	----	----	----	----	13 UNCH
3130	----	----	----/*1.10A	0.90B/*1.10A	----	1.00 - 0.30	.0033	----	----	----	----	26 UNCH
3140	----	----	----/*1.10A	0.90B/*1.10A	----	1.10 - 0.20	.0036	----	----	----	----	5 UNCH
3150	0.90	0.90	0.90/*0.90	0.90/*0.90	----	1.10 - 0.30	.0036	----	----	5	----	147 - 2
3155	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.30	.0037	----	----	----	----	16 UNCH
3160	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.30	.0037	----	----	----	----	5 UNCH
3170	----	----	----/*1.20A	1.00B/*1.20A	----	1.10 - 0.30	.0037	----	----	----	----	6 UNCH
3175	----	----	----/*1.20A	1.00B/*1.20A	----	1.20 - 0.20	.0040	----	----	----	----	12 UNCH
3180	----	----	----/*1.20A	1.00B/*1.20A	----	1.20 - 0.20	.0040	----	----	----	----	5 UNCH
3185	----	----	----/*1.20A	1.00B/*1.20A	----	1.20 - 0.30	.0040	----	----	----	----	6 UNCH
3190	----	----	----/*1.20A	1.10B/*1.20A	----	1.20 - 0.30	.0040	----	----	----	----	18 UNCH
3195	0.90	0.90	0.90/*0.90	1.10B/*0.90	----	1.20 - 0.30	.0040	----	----	12	----	12 UNCH
3200	1.00	1.00	1.00/*1.00	1.10B/*1.00	----	1.20 - 0.30	.0040	----	----	12	----	296 UNCH
3205	----	----	----/*1.20A	1.10B/*1.20A	----	1.20 - 0.30	.0041	----	----	----	----	42 UNCH
3210	----	----	----/*1.30A	1.10B/*1.30A	----	1.20 - 0.30	.0041	----	----	----	----	15 UNCH
3215	----	----	----/*1.30A	1.20B/*1.30A	----	1.30 - 0.30	.0044	----	----	----	----	22 UNCH
3220	1.30	1.30	1.30/*1.30	1.30/*1.30	----	1.30 - 0.30	.0044	----	----	15	----	22 + 15
3225	----	----	----/*1.30A	1.20B/*1.30A	----	1.30 - 0.30	.0044	----	----	----	----	65 UNCH
3235	----	----	----/*1.30A	1.20B/*1.30A	----	1.30 - 0.30	.0044	----	----	----	----	24 UNCH
3250	----	----	----/*1.40A	1.30B/*1.40A	----	1.40 - 0.30	.0048	----	----	----	----	147 UNCH
3255	1.40	1.40	1.40/*1.40	1.40/*1.40	----	1.40 - 0.30	.0048	----	----	12	----	122 + 12
3260	----	----	----/*1.40A	1.30B/*1.40A	----	1.40 - 0.30	.0048	----	----	----	----	1 UNCH
3265	----	----	----/*1.40A	1.30B/*1.40A	----	1.40 - 0.30	.0048	----	----	----	----	20 UNCH
3270	----	----	----/*1.40A	1.40B/*1.40A	----	1.40 - 0.30	.0048	----	----	----	----	7 UNCH
3280	----	----	----/*1.40A	1.40B/*1.40A	----	1.50 - 0.30	.0051	----	----	----	----	13 UNCH
3290	----	----	----/*1.50A	1.40B/*1.50A	----	1.50 - 0.30	.0052	----	----	----	----	37 UNCH
3300	1.30	1.30	1.30/*1.30	1.50B/*1.30	----	1.50 - 0.30	.0052	----	----	2	----	372 + 2
3305	----	----	----/*1.50A	1.50B/*1.50A	----	1.60 - 0.30	.0055	----	----	----	----	1 UNCH
3310	----	----	----/*1.50A	1.50B/*1.50A	----	1.60 - 0.30	.0055	----	----	----	----	7 UNCH
3315	1.60	1.60	1.60/*1.60	1.60/*1.60	----	1.60 NEW	.0055	----	----	7	----	7 + 7
3320	----	----	----/*1.50A	1.60B/*1.50A	----	1.60 - 0.30	.0056	----	----	----	----	4 UNCH
3325	----	----	----/*1.70A	1.60B/*1.70A	----	1.60 - 0.30	.0056	----	----	----	----	47 UNCH
3335	----	----	----/*1.70A	1.60B/*1.70A	----	1.70 - 0.30	.0059	----	----	----	----	46 UNCH
3340	----	----	----/*1.60A	1.60B/*1.60A	----	1.70 - 0.30	.0059	----	----	----	----	22 UNCH
3345	----	----	----/*1.70A	1.70B/*1.70A	----	1.70 - 0.30	.0059	----	----	----	----	12 UNCH
3350	----	----	----/*1.70A	1.70B/*1.70A	----	1.70 - 0.30	.0060	----	----	----	----	407 UNCH
3355	----	----	----/*1.70A	1.70B/*1.70A	----	1.70 - 0.40	.0060	----	----	----	----	17 UNCH
3360	----	----	----/*1.80A	1.70B/*1.80A	----	1.80 - 0.30	.0063	----	----	----	----	7 UNCH
3365	----	----	----/*1.70A	1.70B/*1.70A	----	1.80 - 0.30	.0063	----	----	----	----	31 UNCH
3370	----	----	----/*1.70A	1.80B/*1.70A	----	1.80 - 0.30	.0063	----	----	----	----	26 UNCH
3375	1.40	1.40	1.40/*1.40	1.80B/*1.40	----	1.80 - 0.30	.0064	----	----	20	----	98 UNCH
3380	----	----	----/*1.80A	1.80B/*1.80A	----	1.80 - 0.40	.0064	----	----	----	----	46 UNCH
3385	----	----	----/*1.90A	1.80B/*1.90A	----	1.90 - 0.30	.0067	----	----	----	----	6 UNCH
3390	----	----	----/*1.80A	1.90B/*1.80A	----	1.90 - 0.30	.0067	----	----	----	----	59 UNCH
3395	----	----	----/*1.80A	1.90B/*1.80A	----	1.90 - 0.30	.0067	----	----	----	----	1 UNCH
3400	2.00	2.00	2.00/*1.50	2.00/*1.50	----	1.90 - 0.40	.0068	----	----	17	----	746 + 16
3405	----	----	----/*1.90A	1.90B/*1.90A	----	1.90 - 0.40	.0068	----	----	----	----	66 UNCH
3410	----	----	----/*1.90A	2.00B/*1.90A	----	2.00 - 0.30	.0071	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3415	----	----	----/*1.90A	2.00B/*1.90A	----	2.00 - 0.30	.0071	----	----	----	----	2 UNCH
3420	----	----	----/*1.90A	2.00B/*1.90A	----	2.00 - 0.30	.0072	----	----	----	----	18 UNCH
3425	----	----	----/*2.00A	2.00B/*2.00A	----	2.00 - 0.40	.0072	----	----	----	----	25 UNCH
3430	----	----	----/*2.00A	2.00B/*2.00A	----	2.00 - 0.40	.0072	----	----	----	----	10 UNCH
3435	----	----	----/*2.00A	2.10B/*2.00A	----	2.10 - 0.30	.0075	----	----	----	----	20 UNCH
3450	----	----	----/*2.10A	2.20B/*2.10A	----	2.10 - 0.40	.0076	----	----	----	----	413 UNCH
3455	----	----	----/*2.10A	2.20B/*2.10A	----	2.20 - 0.30	.0079	----	----	----	----	51 UNCH
3460	----	----	----/*2.10A	2.20B/*2.10A	----	2.20 - 0.30	.0080	----	----	----	----	50 UNCH
3465	----	----	----/*2.10A	2.20B/*2.10A	----	2.20 - 0.40	.0080	----	----	----	----	89 UNCH
3470	----	----	----/*2.10A	2.30B/*2.10A	----	2.20 - 0.40	.0080	----	----	----	----	28 UNCH
3475	----	----	----/*2.20A	2.30B/*2.20A	----	2.30 - 0.30	.0083	----	----	----	----	241 UNCH
3480	----	----	----/*2.20A	2.30B/*2.20A	----	2.30 - 0.40	.0084	----	----	----	----	171 UNCH
3485	----	----	----/*2.20A	2.30B/*2.20A	----	2.30 - 0.40	.0084	----	----	----	----	2 UNCH
3490	----	----	----/*2.30A	2.40B/*2.30A	----	2.30 - 0.40	.0084	----	----	1	----	21 UNCH
3500	2.50	2.50	2.60/*2.10	2.60/*2.10	----	2.40 - 0.40	.0088	----	----	29	----	1780 - 8
3505	----	----	----/*2.30A	2.50B/*2.30A	----	2.40 - 0.40	.0088	----	----	----	----	65 UNCH
3510	----	----	----/*2.40A	2.50B/*2.40A	----	2.40 - 0.40	.0088	----	----	----	----	61 UNCH
3515	----	----	----/*2.40A	2.50B/*2.40A	----	2.40 - 0.40	.0089	----	----	----	----	16 UNCH
3520	----	----	----/*2.50A	2.50B/*2.50A	----	2.50 - 0.40	.0092	----	----	----	----	138 UNCH
3525	----	----	----/*2.40A	2.60B/*2.40A	----	2.50 - 0.40	.0092	----	----	----	----	301 UNCH
3530	----	----	----/*2.50A	2.60B/*2.50A	----	2.50 - 0.40	.0093	----	----	----	----	7 UNCH
3535	----	----	----/*2.50A	2.70B/*2.50A	----	2.60 - 0.40	.0096	----	----	----	----	100 UNCH
3540	----	----	----/*2.50A	2.70B/*2.50A	----	2.60 - 0.40	.0096	----	----	----	----	5 UNCH
3545	----	----	----/*2.50A	2.70B/*2.50A	----	2.60 - 0.40	.0097	----	----	----	----	20 UNCH
3550	----	----	----/*2.50A	2.70B/*2.50A	----	2.60 - 0.50	.0097	----	----	----	----	420 UNCH
3555	----	----	----/*2.50A	2.80B/*2.50A	----	2.70 - 0.40	.0100	----	----	----	----	2 UNCH
3560	----	----	----/*2.50A	2.80B/*2.50A	----	2.70 - 0.40	.0101	----	----	----	----	89 UNCH
3565	----	----	----/*2.50A	2.80B/*2.50A	----	2.70 - 0.40	.0101	----	----	----	----	41 UNCH
3570	----	----	----/*2.60A	2.90B/*2.60A	----	2.70 - 0.50	.0102	----	----	----	----	60 UNCH
3575	----	----	----/*2.60A	2.90B/*2.60A	----	2.80 - 0.40	.0105	----	----	----	----	40 UNCH
3580	----	----	----/*2.60A	2.90B/*2.60A	----	2.80 - 0.40	.0105	----	----	----	----	76 UNCH
3585	----	----	----/*2.70A	3.00B/*2.70A	----	2.80 - 0.50	.0106	----	----	----	----	2 UNCH
3590	----	----	----/*2.70A	3.00B/*2.70A	----	2.90 - 0.40	.0109	----	----	----	----	3 UNCH
3595	----	----	----/*2.70A	3.10B/*2.70A	----	2.90 - 0.40	.0110	----	----	----	----	23 UNCH
3600	2.40	2.40	2.50/*2.40	3.10B/*2.40	----	2.90 - 0.50	.0110	----	----	6	----	1657 + 3
3610	----	----	----/*2.80A	3.20B/*2.80A	----	3.00 - 0.50	.0114	----	----	----	----	3 UNCH
3615	----	----	----/*2.80A	3.20B/*2.80A	----	3.00 - 0.50	.0114	----	----	----	----	37 UNCH
3620	----	----	----/*2.90A	3.20B/*2.90A	----	3.00 - 0.50	.0115	----	----	----	----	11 UNCH
3625	----	----	----/*2.90A	3.30B/*2.90A	----	3.10 - 0.50	.0118	----	----	----	----	67 UNCH
3630	----	----	----/*2.90A	3.30B/*2.90A	----	3.10 - 0.50	.0119	----	----	----	----	86 UNCH
3635	----	----	----/*3.00A	3.40B/*3.00A	----	3.10 - 0.50	.0119	----	----	----	----	107 UNCH
3640	----	----	----/*3.00A	3.40B/*3.00A	----	3.20 - 0.50	.0123	----	----	----	----	25 UNCH
3645	----	----	----/*3.00A	3.40B/*3.00A	----	3.20 - 0.50	.0123	----	----	----	----	13 UNCH
3650	----	----	----/*3.10A	3.50B/*3.10A	----	3.20 - 0.50	.0124	----	----	----	----	555 UNCH
3655	----	----	----/*3.10A	3.50B/*3.10A	----	3.30 - 0.50	.0127	----	----	----	----	2 UNCH
3660	----	----	----/*3.10A	3.60B/*3.10A	----	3.30 - 0.50	.0128	----	----	----	----	1 UNCH
3665	----	----	----/*3.20A	3.60B/*3.20A	----	3.30 - 0.60	.0128	----	----	----	----	15 UNCH
3670	----	----	----/*3.20A	3.60B/*3.20A	----	3.40 - 0.50	.0132	----	----	----	----	31 UNCH
3675	----	----	----/*3.20A	3.70B/*3.20A	----	3.40 - 0.50	.0132	----	----	----	----	45 UNCH
3680	----	----	----/*3.30A	3.70B/*3.30A	----	3.40 - 0.60	.0133	----	----	----	----	18 UNCH
3685	----	----	----/*3.30A	3.80B/*3.30A	----	3.50 - 0.50	.0136	----	----	----	----	51 UNCH
3690	----	----	----/*3.30A	3.80B/*3.30A	----	3.50 - 0.60	.0137	----	----	----	----	7 UNCH
3695	----	----	----/*3.40A	3.90B/*3.40A	----	3.50 - 0.60	.0137	----	----	----	----	19 UNCH
3700	3.00	3.00	3.80/*3.00	3.90B/*3.00	----	3.60 - 0.50	.0141	----	----	47	----	912 + 24
3705	----	----	----/*3.40A	3.90B/*3.40A	----	3.60 - 0.60	.0141	----	----	----	----	123 UNCH
3710	----	----	----/*3.50A	4.00B/*3.50A	----	3.70 - 0.50	.0145	----	----	----	----	79 UNCH
3715	----	----	----/*3.50A	4.00B/*3.50A	----	3.70 - 0.60	.0146	----	----	----	----	46 UNCH
3720	----	----	----/*3.50A	4.10B/*3.50A	----	3.70 - 0.60	.0146	----	----	----	----	2 UNCH
3725	----	----	----/*3.60A	4.10B/*3.60A	----	3.80 - 0.60	.0150	----	----	----	----	91 UNCH
3730	----	----	----/*3.60A	4.20B/*3.60A	----	3.80 - 0.60	.0151	----	----	----	----	18 UNCH
3740	----	----	----/*3.70A	4.30B/*3.70A	----	3.90 - 0.60	.0155	----	----	----	----	65 UNCH
3745	----	----	----/*3.70A	4.30B/*3.70A	----	3.90 - 0.70	.0156	----	----	----	----	19 UNCH
3750	----	----	----/*3.80A	4.40B/*3.80A	----	4.00 - 0.60	.0159	----	----	----	----	1299 UNCH
3755	----	----	----/*3.80A	4.40B/*3.80A	----	4.00 - 0.60	.0160	----	----	----	----	3 UNCH
3760	----	----	----/*3.90A	4.50B/*3.90A	----	4.10 - 0.60	.0164	----	----	----	----	23 UNCH
3765	----	----	----/*3.90A	4.50B/*3.90A	----	4.10 - 0.60	.0164	----	----	----	----	48 UNCH
3770	----	----	----/*3.90A	4.60B/*3.90A	----	4.10 - 0.70	.0165	----	----	----	----	10 UNCH
3775	4.00	4.00	4.00/*4.00	4.70B/*4.00	----	4.20 - 0.70	.0169	----	----	1	----	39 - 1
3780	----	----	----/*4.00A	4.70B/*4.00A	----	4.20 - 0.70	.0170	----	----	----	----	15 UNCH
3785	----	----	----/*4.10A	4.80B/*4.10A	----	4.30 - 0.70	.0173	----	----	----	----	6 UNCH
3790	----	----	----/*4.10A	4.80B/*4.10A	----	4.30 - 0.70	.0174	----	----	----	----	258 UNCH
3795	----	----	----/*4.20A	4.90B/*4.20A	----	4.40 - 0.70	.0178	----	----	----	----	55 UNCH
3800	3.80	3.80	4.50/*3.80	5.00B/*3.80	----	4.40 - 0.70	.0179	----	----	6	----	1340 - 1
3805	----	----	----/*4.30A	5.00B/*4.30A	----	4.50 - 0.70	.0183	----	----	----	----	67 UNCH
3810	----	----	----/*4.30A	5.10B/*4.30A	----	4.50 - 0.70	.0183	----	----	----	----	13 UNCH
3815	----	----	----/*4.40A	5.20B/*4.40A	----	4.50 - 0.80	.0184	----	----	----	----	38 UNCH
3820	----	----	----/*4.40A	5.20B/*4.40A	----	4.60 - 0.80	.0188	----	----	----	----	10 UNCH
3825	----	----	----/*4.50A	5.30B/*4.50A	----	4.60 - 0.80	.0189	----	----	----	----	38 UNCH
3830	----	----	----/*4.50A	5.40B/*4.50A	----	4.70 - 0.80	.0193	----	----	----	----	185 UNCH
3835	----	----	----/*4.60A	5.40B/*4.60A	----	4.70 - 0.80	.0194	----	----	----	----	55 UNCH
3840	----	----	----/*4.60A	5.50B/*4.60A	----	4.80 - 0.80	.0198	----	----	----	----	3 UNCH
3850	5.90	5.90	5.90/*4.70A	5.90/*4.70A	----	4.90 - 0.80	.0202	----	----	24	----	687 + 10
3855	----	----	----/*4.80A	5.70B/*4.80A	----	5.00 - 0.80	.0206	----	----	----	----	72 UNCH
3860	----	----	----/*4.80A	5.80B/*4.80A	----	5.00 - 0.90	.0207	----	----	----	----	27 UNCH
3865	----	----	----/*4.90A	5.80B/*4.90A	----	5.10 - 0.80	.0211	----	----	----	----	16 UNCH
3870	----	----	----/*4.90A	5.90B/*4.90A	----	5.10 - 0.90	.0212	----	----	----	----	15 UNCH
3875	----	----	----/*5.00A	6.00B/*5.00A	----	5.20 - 0.90	.0216	----	----	----	----	163 UNCH
3880	----	----	----/*5.00A	6.10B/*5.00A	----	5.20 - 1.00	.0217	----	----	----	----	15 UNCH
3885	----	----	----/*5.10A	6.20B/*5.10A	----	5.30 - 0.90	.0222	----	----	----	----	12 UNCH
3890	----	----	----/*5.10A	6.20B/*5.10A	----	5.40 - 0.90	.0226	----	----	----	----	43 UNCH
3895	----	----	----/*5.20A	6.30B/*5.20A	----	5.40 - 1.00	.0227	----	----	----	----	16 UNCH
3900	4.90	4.90	5.40/*4.80	6.40B/*4.80	----	5.50 - 1.00	.0231	----	----	33	500	1130 + 398
3905	----	----	----/*5.30A	6.50B/*5.30A	----	5.50 - 1.10	.0232	----	----	----	----	45 UNCH
3910	----	----	----/*5.30A	6.60B/*5.30A	----	5.60 - 1.00	.0236	----	----	----	----	8 UNCH
3915	----	----	----/*5.40A	6.70B/*5.40A	----	5.70 - 1.00	.0240	----	----	----	----	29 UNCH
3920	----	----	----/*5.50A	6.80B/*5.50A	----	5.70 - 1.10	.0241	----	----	----	----	32 UNCH
3925	----	----	----/*5.50A	6.80B/*5.50A	----	5.80 - 1.10	.0246	----	----	----	----	51 UNCH
3930	----	----	----/*5.60A	6.90B/*5.60A	----	5.90 - 1.10	.0250	----	----	----	----	24 UNCH
3935	----	----	----/*5.60A	7.00B/*5.60A	----	5.90 - 1.20	.0251	----	----	----	----	27 UNCH
3940	----	----	----/*5.70A	7.10B/*5.70A	----	6.00 - 1.20	.0256	----	----	----	----	100 UNCH
3945	----	----	----/*5.80A	7.20B/*5.80A	----	6.10 - 1.20	.0260	----	----	----	----	25 UNCH
3950	----	----	----/*5.90A	7.30B/*5.90A	----	6.10 - 1.30	.0261	----	----	----	----	314 UNCH
3955	----	----	----/*5.90A	7.40B/*5.90A	----	6.20 - 1.30	.0266	----	----	----	----	11 UNCH
3960	----	----	----/*6.00A	7.50B/*6.00A	----	6.30 - 1.30	.0270	----	----	----	----	35 UNCH
3965	----	----	----/*6.00A	7.60B/*6.00A	----	6.40 - 1.30	.0274	----	----	2	----	21 - 2
3970	----	----	----/*6.10A	7.70B/*6.10A	----	6.40 - 1.40	.0276	----	----	----	----	57 UNCH
3975	----	----	----/*6.20A	7.90B/*6.20A	----	6.50 - 1.40	.0280	----	----	----	----	337 UNCH
3980	----	----	----/*6.30A	8.00B/*6.30A	----	6.60 - 1.40	.0285	----	----	----	----	31 UNCH
3985	----	----	----/*6.30A	8.10B/*6.30A	----	6.70 - 1.40	.0289	----	----	----	----	27 UNCH
3990	----	----	----/*6.40A	8.20B/*6.40A	----	6.70 - 1.50	.0291	----	----	----	----	19 UNCH
3995	----	----	----/*6.50A	8.30B/*6.50A	----	6.80 - 1.50	.0295	----	----	----	----	144 UNCH
4000	8.00	8.00	8.00/*6.50	8.40B/*6.50	----	6.90 - 1.60	.0300	----	----	52	----	3851 - 24
4005	----	----	----/*6.60A	8.60B/*6.60A	----	7.00 - 1.60	.0304	----	----	----	----	29 UNCH
4010	----	----	----/*6.70A	8.70B/*6.70A	----	7.10 - 1.60	.0309	----	----	----	----	42 UNCH
4015	----	----	----/*6.80A	8.80B/*6.80A	----	7.20 - 1.60	.0314	----	----	----	----	17 UNCH
4020	7.10	7.10	7.10/*6.90A	9.00B/*6.90A	----	7.30 - 1.70	.0318	----	----	24	----	217 + 24
4025	----	----	----/*7.00A	9.10B/*7.00A	----	7.40 - 1.70	.0323	----	----	----	----	206 UNCH
4030	----	----	----/*7.10A	9.20B/*7.10A	----	7.40 - 1.80	.0325	----	----	----	----	16 UNCH
4035	----	----	----/*7.10A	9.40B/*7.10A	----	7.50 - 1.90	.0330	----	----	----	----	48 UNCH
4040	----	----	----/*7.10A	9.50B/*7.10A	----	7.60 - 1.90	.0334	----	----	----	----	76 UNCH
4045	----	----	----/*7.30A	9.60B/*7.30A	----	7.70 - 1.90	.0339	----	----	----	----	2 UNCH
4050	7.40	7.40	7.40/*7.40	9.80B/*7.40	----	7.80 - 2.00	.0344	----	----	26	----	1189 - 13
4055	----	----	----/*7.50A	9.90B/*7.50A	----	7.90 - 2.00	.0349	----	----	----	----	20 UNCH
4060	----	----	----/*7.60A	10.10B/*7.60A	----	8.00 - 2.10	.0354	----	----	----	----	91 UNCH
4065	----	----	10.30B/*7.70A	10.30B/*7.70A	----	8.10 - 2.10	.0359	----	----	----	----	122 UNCH
4070	----	----	10.50B/*7.80A	10.50B/*7.80A	----	8.30 - 2.10	.0367	----	----	----	----	61 UNCH
4075	----	----	----/*7.90A	10.60B/*7.90A	----	8.40 - 2.20	.0372	----	----	----	----	275 UNCH
4080	10.80	10.80	10.80/*7.90	10.80/*7.90	----	8.50 - 2.20	.0377	----	----	3	----	101 UNCH
4085	8.50	8.50	8.50/*8.10A	10.90B/*8.10A	----	8.60 - 2.30	.0382	----	----	7	----	62 - 7
4090	----	----	----/*8.30A	11.10B/*8.30A	----	8.70 - 2.40	.0388	----	----	3	----	119 - 1
4095	----	----	11.30B/*8.30A	11.30B/*8.30A	----	8.80 - 2.40	.0393	----	----	----	----	63 UNCH
4100	10.40	10.40	11.60B/*7.60	11.60B/*7.60	----	9.00 - 2.40	.0401	----	----	164	----	1529 + 71
4105	----	----	11.80B/*8.60A	11.80B/*8.60A	----	9.10 - 2.50	.0406	----	----	----	----	84 UNCH
4110	----	----	11.90B/*8.70A	11.90B/*8.70A	----	9.20 - 2.60	.0412	----	----	2	----	144 UNCH
4115	----	----	12.10B/*8.80A	12.10B/*8.80A	----	9.30 - 2.70	.0417	----	----	----	----	457 UNCH
4120	----	----	12.40B/*9.00A	12.40B/*9.00A	----	9.50 - 2.70	.0425	----	----	----	----	54 UNCH
4125	----	----	12.60B/*9.10A	12.60B/*9.10A	----	9.60 - 2.80	.0431	----	----	----	----	370 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4130	----	----	12.90B/*9.20A	12.90B/*9.20A	----	9.70 - 2.90	.0436	----	----	----	----	22 UNCH
4135	----	----	12.90B/*9.40A	12.90B/*9.40A	----	9.90 - 2.90	.0445	----	----	----	----	24 UNCH
4140	----	----	13.20B/*9.60A	13.20B/*9.60A	----	10.00 - 3.00	.0450	----	----	----	----	18 UNCH
4145	----	----	13.60B/*9.70A	13.60B/*9.70A	----	10.20 - 3.00	.0459	----	----	----	----	254 UNCH
4150	10.40	10.40	13.80B/*9.80A	13.80B/*9.80A	----	10.30 - 3.10	.0465	----	----	3	----	533 UNCH
4155	----	----	13.90B/*9.90A	13.90B/*9.90A	----	10.50 - 3.20	.0474	----	----	----	----	23 UNCH
4160	----	----	14.30B/*10.00A	14.30B/*10.00A	----	10.60 - 3.30	.0479	----	----	----	----	86 UNCH
4165	----	----	14.30B/*10.20A	14.30B/*10.20A	----	10.80 - 3.30	.0488	----	----	----	----	23 UNCH
4170	----	----	14.70B/*10.40A	14.70B/*10.40A	----	10.90 - 3.50	.0494	----	----	----	----	49 UNCH
4175	10.40	10.40	15.00B/*10.40	15.00B/*10.40	----	11.10 - 3.50	.0503	----	----	10	----	920 - 3
4180	----	----	15.30B/*10.60A	15.30B/*10.60A	----	11.30 - 3.60	.0512	----	----	1	----	123 - 1
4185	----	----	15.50B/*10.80A	15.50B/*10.80A	----	11.40 - 3.70	.0518	----	----	----	----	15 UNCH
4190	11.90	11.90	15.80B/*11.00A	15.80B/*11.00A	----	11.60 - 3.80	.0527	----	----	2	----	43 UNCH
4195	----	----	16.10B/*11.20A	16.10B/*11.20A	----	11.80 - 3.80	.0536	----	----	----	----	38 UNCH
4200	15.00	15.00	16.40B/*10.40	16.40B/*10.40	----	12.00 - 3.90	.0545	----	----	38	----	2617 - 1
4205	----	----	16.70B/*11.50A	16.70B/*11.50A	----	12.20 - 4.00	.0555	----	----	----	----	59 UNCH
4210	----	----	16.90B/*11.60A	16.90B/*11.60A	----	12.40 - 4.10	.0564	----	----	----	----	392 UNCH
4215	----	----	17.20B/*11.80A	17.20B/*11.80A	----	12.60 - 4.20	.0573	----	----	----	----	10 UNCH
4220	17.10	17.10	17.60B/*12.10A	17.60B/*12.10A	----	12.80 - 4.30	.0583	----	----	3	----	192 UNCH
4225	13.70	13.70	18.00B/*12.20A	18.00B/*12.20A	----	13.00 - 4.40	.0592	----	----	1	----	257 UNCH
4230	----	----	18.20B/*12.40A	18.20B/*12.40A	----	13.20 - 4.50	.0602	----	----	----	----	69 UNCH
4235	----	----	18.50B/*12.60A	18.50B/*12.60A	----	13.40 - 4.60	.0611	----	----	----	----	48 UNCH
4240	----	----	18.90B/*12.80A	18.90B/*12.80A	----	13.60 - 4.70	.0621	----	----	----	----	58 UNCH
4245	----	----	19.20B/*13.00A	19.20B/*13.00A	----	13.80 - 4.90	.0631	----	----	4	----	49 - 3
4250	13.00	13.00	19.60B/*13.00	19.60B/*13.00	----	14.10 - 4.90	.0643	----	----	61	----	728 + 2
4255	----	----	19.90B/*13.50A	19.90B/*13.50A	----	14.30 - 5.00	.0653	----	----	----	----	12 UNCH
4260	----	----	20.40B/*13.70A	20.40B/*13.70A	----	14.50 - 5.20	.0663	----	----	5	----	107 - 2
4265	----	----	20.80B/*13.90A	20.80B/*13.90A	----	14.80 - 5.30	.0676	----	----	1	----	36 UNCH
4270	----	----	21.10B/*14.10A	21.10B/*14.10A	----	15.00 - 5.40	.0686	----	----	1	----	49 UNCH
4275	----	----	21.60B/*14.40A	21.60B/*14.40A	----	15.30 - 5.50	.0699	----	----	1	----	118 - 1
4280	----	----	22.00B/*14.60A	22.00B/*14.60A	----	15.50 - 5.70	.0709	----	----	2	----	83 - 2
4285	----	----	22.40B/*14.90A	22.40B/*14.90A	----	15.80 - 5.80	.0723	----	----	----	----	28 UNCH
4290	15.00	15.00	22.90B/*15.00	22.90B/*15.00	----	16.10 - 5.90	.0736	----	----	4	----	95 - 2
4295	----	----	23.30B/*15.40A	23.30B/*15.40A	----	16.30 - 6.10	.0746	----	----	----	----	32 UNCH
4300	23.00	23.00	23.70B/*15.50	23.70B/*15.50	----	16.60 - 6.20	.0760	----	----	317	----	2006 + 7
4305	15.50	15.50	24.30B/*15.50	24.30B/*15.50	----	16.90 - 6.40	.0773	----	----	3	----	74 - 2
4310	----	----	24.60B/*16.20A	24.60B/*16.20A	----	17.20 - 6.50	.0787	----	----	----	----	52 UNCH
4315	----	----	25.10B/*16.50A	25.10B/*16.50A	----	17.50 - 6.60	.0800	----	----	2	----	49 - 1
4320	----	----	25.60B/*16.70A	25.60B/*16.70A	----	17.80 - 6.80	.0814	----	----	1	----	85 UNCH
4325	----	----	26.10B/*17.00A	26.10B/*17.00A	----	18.20 - 6.90	.0831	----	----	1	----	71 UNCH
4330	----	----	26.60B/*17.30A	26.60B/*17.30A	----	18.50 - 7.00	.0845	----	----	8	----	462 + 1
4335	----	----	27.10B/*17.60A	27.10B/*17.60A	----	18.80 - 7.20	.0859	----	----	1	----	53 - 1
4340	----	----	27.70B/*17.90A	27.70B/*17.90A	----	19.20 - 7.30	.0875	----	----	5	----	116 UNCH
4345	----	----	28.30B/*18.30A	28.30B/*18.30A	----	19.50 - 7.60	.0889	----	----	2	----	48 UNCH
4350	18.00	18.00	28.90B/*18.00	28.90B/*18.00	----	19.90 - 7.70	.0906	----	----	30	----	559 + 12
4355	----	----	29.50B/*18.90A	29.50B/*18.90A	----	20.20 - 7.90	.0921	----	----	----	----	82 UNCH
4360	----	----	30.10B/*19.20A	30.10B/*19.20A	----	20.60 - 8.10	.0938	----	----	----	----	85 UNCH
4365	----	----	30.60B/*19.50A	30.60B/*19.50A	----	21.00 - 8.20	.0955	----	----	----	----	69 UNCH
4370	----	----	31.20B/*19.90A	31.20B/*19.90A	----	21.40 - 8.40	.0973	----	----	4	----	25 UNCH
4375	30.50	30.50	31.80B/*20.30A	31.80B/*20.30A	----	21.80 - 8.60	.0990	----	----	14	----	520 + 2
4380	----	----	32.50B/*20.60A	32.50B/*20.60A	----	22.20 - 8.80	.1007	----	----	6	----	414 + 1
4385	----	----	33.20B/*21.00A	33.20B/*21.00A	----	22.60 - 9.00	.1025	----	----	----	----	132 UNCH
4390	----	----	33.80B/*21.40A	33.80B/*21.40A	----	23.00 - 9.20	.1043	----	----	4	----	58 - 2
4395	----	----	34.60B/*21.80A	34.60B/*21.80A	----	23.50 - 9.30	.1063	----	----	17	----	96 - 14
4400	32.50	32.50	35.30B/*22.20A	35.30B/*22.20A	----	23.90 - 9.60	.1081	----	----	309	----	3958 + 19
4405	----	----	35.90B/*22.60A	35.90B/*22.60A	----	24.40 - 9.70	.1102	----	----	----	----	132 UNCH
4410	----	----	36.70B/*23.00A	36.70B/*23.00A	----	24.80 - 10.00	.1120	----	----	6	----	104 - 6
4415	----	----	37.30B/*23.50A	37.30B/*23.50A	----	25.30 - 10.20	.1141	----	----	----	----	94 UNCH
4420	34.00	34.00	38.10B/*23.90A	38.10B/*23.90A	----	25.80 - 10.40	.1161	----	----	10	----	139 UNCH
4425	----	----	38.90B/*24.30A	38.90B/*24.30A	----	26.30 - 10.60	.1182	----	----	22	----	146 + 5
4430	----	----	39.60B/*24.80A	39.60B/*24.80A	----	26.80 - 10.90	.1204	----	----	6	----	99 UNCH
4435	----	----	40.50B/*25.30A	40.50B/*25.30A	----	27.30 - 11.10	.1225	----	----	1	----	95 UNCH
4440	----	----	41.30B/*25.70A	41.30B/*25.70A	----	27.90 - 11.30	.1249	----	----	----	----	35 UNCH
4445	----	----	42.10B/*26.20A	42.10B/*26.20A	----	28.40 - 11.50	.1270	----	----	1	----	56 - 1
4450	----	----	43.00B/*26.70A	43.00B/*26.70A	----	29.00 - 11.70	.1294	----	----	111	----	1170 + 40
4455	----	----	43.80B/*27.20A	43.80B/*27.20A	----	29.60 - 11.90	.1318	----	----	2	----	68 - 1
4460	----	----	44.70B/*27.80A	44.70B/*27.80A	----	30.10 - 12.30	.1340	----	----	1	----	34 UNCH
4465	----	----	45.60B/*28.30A	45.60B/*28.30A	----	30.70 - 12.50	.1364	----	----	1	----	31 + 1
4470	----	----	46.50B/*28.90A	46.50B/*28.90A	----	31.30 - 12.80	.1389	----	----	----	----	69 UNCH
4475	----	----	47.50B/*29.40A	47.50B/*29.40A	----	32.00 - 13.00	.1415	----	----	2	----	159 - 2
4480	----	----	48.50B/*30.00A	48.50B/*30.00A	----	32.60 - 13.30	.1440	----	----	5	----	109 + 5
4485	----	----	49.30B/*30.60A	49.30B/*30.60A	----	33.30 - 13.50	.1467	----	----	1	----	59 UNCH
4490	----	----	50.40B/*31.20A	50.40B/*31.20A	----	33.90 - 13.80	.1492	----	----	2	----	94 + 1
4495	32.70	32.70	51.40B/31.80A	51.40B/31.80A	----	34.60 - 14.00	.1519	----	----	1	----	83 UNCH
4500	49.50	49.50	52.40B/31.90	52.40B/31.90	----	35.30 - 14.30	.1547	----	----	445	200	3857 + 108
4505	40.90	40.90	53.40B/33.00A	53.40B/33.00A	----	36.00 - 14.60	.1574	----	----	2	----	34 + 2
4510	41.70	41.70	54.40B/33.70A	54.40B/33.70A	----	36.70 - 14.90	.1602	----	----	9	----	47 UNCH
4515	38.00	38.00	55.60B/34.40A	55.60B/34.40A	----	37.50 - 15.10	.1632	----	----	1	----	239 UNCH
4520	----	----	56.70B/35.10A	56.70B/35.10A	----	38.20 - 15.50	.1660	----	----	----	----	158 UNCH
4525	----	----	57.80B/35.80A	57.80B/35.80A	----	39.00 - 15.70	.1690	----	----	2	----	152 - 1
4530	37.60	37.60	58.90B/36.50A	58.90B/36.50A	----	39.80 - 16.00	.1720	----	----	6	----	135 + 6
4535	40.00	40.00	60.10B/37.20A	60.10B/37.20A	----	40.60 - 16.30	.1750	----	----	1	----	94 + 1
4540	38.70	38.70	61.30B/37.90A	61.30B/37.90A	----	41.40 - 16.60	.1781	----	----	12	----	203 UNCH
4545	----	----	62.60B/38.70A	62.60B/38.70A	----	42.20 - 17.00	.1812	----	----	3	----	78 - 2
4550	41.10	41.10	63.90B/39.20A	63.90B/39.20A	----	43.10 - 17.30	.1844	----	----	41	----	716 - 7
4555	----	----	65.10B/40.30A	65.10B/40.30A	----	43.90 - 17.60	.1875	----	----	----	----	54 UNCH
4560	----	----	66.30B/41.10A	66.30B/41.10A	----	44.80 - 17.90	.1908	----	----	3	----	59 - 1
4565	----	----	67.70B/41.90A	67.70B/41.90A	----	45.70 - 18.30	.1941	----	----	2	----	202 UNCH
4570	43.80	43.80	69.00B/42.80A	69.00B/42.80A	----	46.70 - 18.50	.1976	----	----	88	----	194 + 54
4575	----	----	70.30B/43.60A	70.30B/43.60A	----	47.60 - 18.90	.2010	----	----	3	----	173 + 1
4580	46.20	46.20	71.80B/44.50A	71.80B/44.50A	----	48.60 - 19.20	.2045	----	----	5	----	220 + 2
4585	----	----	73.10B/45.40A	73.10B/45.40A	----	49.60 - 19.50	.2081	----	----	----	----	29 UNCH
4590	----	----	74.60B/46.30A	74.60B/46.30A	----	50.60 - 19.80	.2116	----	----	----	----	179 UNCH
4595	48.50	48.50	76.10B/47.30A	76.10B/47.30A	----	51.60 - 20.20	.2152	----	----	1	----	29 - 1
4600	70.20	70.20	77.60B/48.00A	77.60B/48.00A	----	52.60 - 20.60	.2188	----	----	330	----	2023 + 105
4605	----	----	79.00B/49.10A	79.00B/49.10A	----	53.70 - 20.90	.2226	----	----	----	----	18 UNCH
4610	59.60	59.60	80.50B/50.10A	80.50B/50.10A	----	54.80 - 21.20	.2263	----	----	2	----	20 + 2
4615	----	----	82.20B/51.20A	82.20B/51.20A	----	55.90 - 21.50	.2301	----	----	1	----	53 + 1
4620	54.00	54.00	83.80B/52.30A	83.80B/52.30A	----	57.00 - 21.90	.2339	----	----	1	----	187 + 1
4625	----	----	85.30B/53.30A	85.30B/53.30A	----	58.10 - 22.30	.2378	----	----	1	----	253 + 1
4630	----	----	86.80B/54.40A	86.80B/54.40A	----	59.30 - 22.60	.2417	----	----	----	----	145 UNCH
4635	----	----	88.60B/55.40A	88.60B/55.40A	----	60.50 - 23.00	.2457	----	----	----	----	25 UNCH
4640	63.40	63.40	90.00B/56.50A	90.00B/56.50A	----	61.70 - 23.30	.2498	----	----	2	----	47 - 1
4645	----	----	91.70B/57.60A	91.70B/57.60A	----	62.90 - 23.70	.2538	----	----	1	----	46 UNCH
4650	83.50	83.50	93.50B/58.60A	93.50B/58.60A	----	64.20 - 24.00	.2580	----	----	401	----	1330 + 9
4655	63.30	63.30	95.20B/60.00A	95.20B/60.00A	----	65.50 - 24.40	.2622	----	----	27	----	45 UNCH
4660	----	----	97.00B/61.20A	97.00B/61.20A	----	66.80 - 24.70	.2664	----	----	1	----	107 - 1
4665	65.70	65.70	98.70B/62.40A	98.70B/62.40A	----	68.10 - 25.10	.2706	----	----	5	----	18 + 1
4670	78.40	78.40	100.60B/63.60A	100.60B/63.60A	----	69.50 - 25.50	.2750	----	----	5	----	257 UNCH
4675	----	----	102.40B/64.80A	102.40B/64.80A	----	70.80 - 25.90	.2792	----	----	----	----	411 UNCH
4680	----	----	104.30B/66.20A	104.30B/66.20A	----	72.20 - 26.30	.2836	----	----	1	----	62 + 1
4685	----	----	106.20B/67.60A	106.20B/67.60A	----	73.60 - 26.70	.2880	----	----	----	----	36 UNCH
4690	73.00	73.00	108.10B/68.90A	108.10B/68.90A	----	75.10 - 27.00	.2925	----	----	10	----	76 + 3
4695	----	----	110.10B/70.30A	110.10B/70.30A	----	76.60 - 27.40	.2971	----	----	1	----	74 + 1
4700	88.90	88.90	112.10B/71.00	112.10B/71.00	----	78.10 - 27.80	.3016	----	----	245	----	1502 - 34
4705	----	----	114.10B/73.10A	114.10B/73.10A	----	79.60 - 28.20	.3062	----	----	----	----	92 UNCH
4710	78.60	78.60	116.10B/74.50A	116.10B/74.50A	----	81.10 - 28.60	.3108	----	----	7	----	36 + 3
4715	79.90	79.90	118.20B/76.00A	118.20B/76.00A	----	82.70 - 29.00	.3155	----	----	12	----	52 + 11
4720	----	----	120.30B/77.50A	120.30B/77.50A	----	84.30 - 29.40	.3202	----	----	3	----	103 UNCH
4725	111.50	111.50	122.40B/78.90A	122.40B/78.90A	----	86.00 - 29.70	.3250	----	----	4	----	155 + 2
4730	----	----	124.50B/80.60A	124.50B/80.60A	----	87.60 - 30.10	.3297	----	----	1	----	87 UNCH
4735	----	----	126.70B/82.10A	126.70B/82.10A	----	89.30 - 30.50	.3345	----	----	7	----	64 + 4
4740	----	----	128.90B/83.70A	128.90B/83.70A	----	91.00 - 30.90	.3394	----	----	----	----	85 UNCH
4745	----	----	131.20B/85.30A	131.20B/85.30A	----	92.70 - 31.30	.3442	----	----	----	----	4 UNCH
4750	106.40	106.40	133.50B/86.60A	133.50B/86.60A	----	94.50 - 31.70	.3492	----	----	135	----	890 - 24
4755	----	----	135.70B/88.60A	135.70B/88.60A	----	96.30 - 32.00	.3541	----	----	----	----	19 UNCH
4760	89.30	89.30	138.00B/89.30	138.00B/89.30	----	98.10 - 32.40	.3591	----	----	4	----	74 - 1
4765	99.40	99.40	140.30B/91.80A	140.30B/91.80A	----	100.00 - 32.80	.3641	----	----	7	----	64 + 3
4770	111.90	111.90	142.70B/93.80A	142.70B/93.80A	----	101.90 - 33.10	.3692	----	----	5	----	95 UNCH
4775	----	----	145.10B/95.60A	145.10B/95.60A	----	103.80 - 33.50	.3742	----	----	----	----	193 UNCH
4780	----	----	147.50B/97.40A	147.50B/97.40A	----	105.70 - 33.90	.3793	----	----	----	----	68 UNCH
4785	104.60	104.60	150.00B/99.30A	150.00B/99.30A	----	107.70 - 34.30	.3844	----	----	13	----	93 + 4
4790	----	----	152.50B/101.10A	152.50B/101.10A	----	109.70 - 34.70	.3896	----	----	----	----	68 UNCH
4795	143.10	143.10	155.10B/103.00A	155.10B/103.00A	----	111.70 - 35.10	.3947	----	----	3	----	55 UNCH
4800	149.00	149.00	157.70B/104.50A	157.70B/104.50A	----	113.80 - 35.50	.3999	----	----	919	----	2393 - 518
4805	116.90	116.90	160.20B/106.90A	160.20B/106.90A	----	115.90 - 35.90	.4051	----	----	4	----	85 UNCH
4810	114.20	114.20	162.80B/108.90A	162.80B/108.90A	----	118.00 - 36.30	.4104	----	----	3	----	47 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4815	119.00	119.00	165.50B/110.90A	165.50B/110.90A	----	120.10 - 36.70	.4156	----	----	17	----	95 + 1
4820	124.20	124.20	168.10B/112.90A	168.10B/112.90A	----	122.30 - 37.10	.4208	----	----	2	----	32 UNCH
4825	125.10	125.10	170.80B/114.90A	170.80B/114.90A	----	124.40 - 37.60	.4261	----	----	7	----	204 + 3
4830	----	----	173.50B/117.10A	173.50B/117.10A	----	126.70 - 38.00	.4314	----	----	5	----	124 UNCH
4835	140.50	140.50	176.30B/119.30A	176.30B/119.30A	----	128.90 - 38.40	.4367	----	----	2	----	32 - 2
4840	----	----	179.10B/121.30A	179.10B/121.30A	----	131.20 - 38.80	.4420	----	----	6	----	33 UNCH
4845	168.00	168.00	181.80B/123.50A	181.80B/123.50A	----	133.50 - 39.20	.4473	----	----	1	----	14 + 1
4850	171.10	171.10	184.70B/125.20A	184.70B/125.20A	----	135.90 - 39.60	.4526	----	----	161	----	621 + 93
4855	----	----	187.50B/127.70A	187.50B/127.70A	----	138.20 - 40.00	.4580	----	----	----	140	305 - 78
4860	----	----	190.40B/130.20A	190.40B/130.20A	----	140.60 - 40.40	.4633	----	----	----	----	91 UNCH
4865	141.20	141.20	193.30B/132.50A	193.30B/132.50A	----	143.00 - 40.80	.4687	----	----	9	----	50 + 6
4870	----	----	196.30B/134.90A	196.30B/134.90A	----	145.50 - 41.20	.4740	----	----	----	----	42 UNCH
4875	----	----	199.30B/137.20A	199.30B/137.20A	----	148.00 - 41.50	.4794	----	----	1	----	79 UNCH
4880	143.70	143.70	202.30B/139.60A	202.30B/139.60A	----	150.50 - 41.90	.4847	----	----	4	----	7 + 4
4885	----	----	205.20B/142.00A	205.20B/142.00A	----	153.00 - 42.30	.4901	----	----	----	----	7 UNCH
4890	----	----	208.30B/144.50A	208.30B/144.50A	----	155.60 - 42.70	.4954	----	----	1	----	48 + 1
4895	----	----	211.40B/147.00A	211.40B/147.00A	----	158.20 - 43.10	.5008	----	----	1	----	213 + 1
4900	170.00	170.00	214.60B/148.90A	214.60B/148.90A	----	160.90 - 43.40	.5061	----	----	445	----	1913 + 124
4905	----	----	217.60B/152.00A	217.60B/152.00A	----	163.50 - 43.80	.5115	----	----	----	----	11 UNCH
4910	----	----	220.80B/154.40A	220.80B/154.40A	----	166.20 - 44.10	.5168	----	----	----	----	57 UNCH
4915	----	----	224.00B/157.00A	224.00B/157.00A	----	168.90 - 44.50	.5221	----	----	----	----	37 UNCH
4920	----	----	227.20B/159.70A	227.20B/159.70A	----	171.70 - 44.80	.5274	----	----	----	----	92 UNCH
4925	----	----	230.40B/162.40A	230.40B/162.40A	----	174.40 - 45.20	.5327	----	----	1	----	74 UNCH
4930	----	----	231.90B/164.80A	231.90B/164.80A	----	177.30 - 45.50	.5380	----	----	----	----	199 UNCH
4940	----	----	238.50B/170.10A	238.50B/170.10A	----	182.90 - 46.20	.5486	----	----	----	----	64 UNCH
4945	181.50	181.50	241.90B/172.80A	241.90B/172.80A	----	185.80 - 46.60	.5539	----	----	11	----	13 + 11
4950	----	----	245.20B/175.40A	245.20B/175.40A	----	188.80 - 46.80	.5590	----	----	----	----	289 UNCH
4955	----	----	248.50B/178.10A	248.50B/178.10A	----	191.70 - 47.20	.5643	----	----	----	----	31 UNCH
4960	----	----	251.90B/180.90A	251.90B/180.90A	----	194.70 - 47.50	.5695	----	----	----	----	23 UNCH
4965	----	----	255.30B/183.70A	255.30B/183.70A	----	197.70 - 47.80	.5746	----	----	1	----	25 + 1
4970	----	----	258.70B/186.50A	258.70B/186.50A	----	200.70 - 48.20	.5798	----	----	----	----	44 UNCH
4975	----	----	262.20B/189.40A	262.20B/189.40A	----	203.80 - 48.50	.5849	----	----	----	----	154 UNCH
4980	----	----	265.70B/192.30A	265.70B/192.30A	----	206.80 - 48.90	.5900	----	----	----	----	28 UNCH
4985	----	----	269.10B/195.20A	269.10B/195.20A	----	210.00 - 49.10	.5951	----	----	----	----	9 UNCH
4990	----	----	272.70B/198.10A	272.70B/198.10A	----	213.10 - 49.50	.6003	----	----	----	----	293 UNCH
4995	----	----	276.20B/201.10A	276.20B/201.10A	----	216.30 - 49.70	.6053	----	----	----	----	11 UNCH
5000	215.00	215.00	279.90B/204.20A	279.90B/204.20A	----	219.40 - 50.20	.6103	----	----	13	----	1874 + 6
5005	----	----	283.50B/207.10A	283.50B/207.10A	----	222.70 - 50.40	.6152	----	----	----	----	302 UNCH
5010	----	----	287.00B/210.10A	287.00B/210.10A	----	225.90 - 50.70	.6202	----	----	----	----	13 UNCH
5015	----	----	290.70B/213.20A	290.70B/213.20A	----	229.20 - 51.00	.6252	----	----	----	----	49 UNCH
5020	----	----	294.40B/216.40A	294.40B/216.40A	----	232.50 - 51.30	.6301	----	----	----	----	31 UNCH
5025	----	----	298.10B/219.50A	298.10B/219.50A	----	235.80 - 51.70	.6350	----	----	----	----	53 UNCH
5030	----	----	301.80B/222.70A	301.80B/222.70A	----	239.10 - 52.00	.6398	----	----	----	----	68 UNCH
5035	----	----	305.50B/225.80A	305.50B/225.80A	----	242.50 - 52.30	.6446	----	----	----	----	13 UNCH
5040	----	----	309.30B/229.10A	309.30B/229.10A	----	245.90 - 52.60	.6493	----	----	----	----	18 UNCH
5045	----	----	313.00B/232.20A	313.00B/232.20A	----	249.30 - 52.90	.6541	----	----	----	----	5 UNCH
5050	----	----	316.90B/235.80A	316.90B/235.80A	----	252.80 - 53.10	.6588	----	----	----	----	806 UNCH
5055	----	----	320.70B/238.90A	320.70B/238.90A	----	256.20 - 53.50	.6634	----	----	----	----	63 UNCH
5060	----	----	324.50B/243.50A	324.50B/243.50A	----	259.70 - 53.80	.6681	----	----	----	----	64 UNCH
5065	----	----	328.40B/246.90A	328.40B/246.90A	----	263.20 - 54.10	.6727	----	----	----	----	17 UNCH
5070	----	----	332.30B/250.10A	332.30B/250.10A	----	266.80 - 54.30	.6772	----	----	----	----	52 UNCH
5075	----	----	336.20B/253.50A	336.20B/253.50A	----	270.30 - 54.70	.6817	----	----	----	----	28 UNCH
5080	----	----	340.10B/256.90A	340.10B/256.90A	----	273.90 - 54.90	.6862	----	----	----	----	29 UNCH
5085	----	----	344.00B/260.50A	344.00B/260.50A	----	277.50 - 55.20	.6907	----	----	----	----	123 UNCH
5090	----	----	348.00B/263.80A	348.00B/263.80A	----	281.20 - 55.40	.6952	----	----	----	----	110 UNCH
5095	----	----	351.90B/267.30A	351.90B/267.30A	----	284.80 - 55.80	.6995	----	----	10	----	127 UNCH
5100	273.00	273.00	355.90B/271.00A	355.90B/271.00A	----	288.50 - 56.00	.7038	----	----	2	----	459 + 1
5105	----	----	359.90B/274.50A	359.90B/274.50A	----	292.20 - 56.30	.7081	----	----	----	----	38 UNCH
5110	----	----	364.00B/278.00A	364.00B/278.00A	----	295.90 - 56.60	.7124	----	----	----	----	74 UNCH
5115	----	----	368.00B/281.50A	368.00B/281.50A	----	299.70 - 56.80	.7165	----	----	----	----	14 UNCH
5120	----	----	372.10B/285.10A	372.10B/285.10A	----	303.40 - 57.10	.7207	----	----	----	----	25 UNCH
5125	----	----	376.20B/288.90A	376.20B/288.90A	----	307.20 - 57.30	.7248	----	----	----	----	192 UNCH
5130	----	----	380.30B/292.40A	380.30B/292.40A	----	311.00 - 57.60	.7289	----	----	----	----	26 UNCH
5135	----	----	384.40B/296.10A	384.40B/296.10A	----	314.80 - 57.90	.7330	----	----	----	----	37 UNCH
5140	----	----	388.50B/299.80A	388.50B/299.80A	----	318.70 - 58.10	.7370	----	----	----	----	14 UNCH
5145	----	----	392.70B/303.50A	392.70B/303.50A	----	322.50 - 58.40	.7409	----	----	----	----	39 UNCH
5150	----	----	396.90B/307.20A	396.90B/307.20A	----	326.40 - 58.60	.7448	----	----	----	----	389 UNCH
5155	----	----	401.00B/310.90A	401.00B/310.90A	----	330.30 - 58.80	.7487	----	----	----	----	38 UNCH
5160	----	----	405.20B/314.80A	405.20B/314.80A	----	334.30 - 59.00	.7524	----	----	----	----	70 UNCH
5165	----	----	409.50B/318.60A	409.50B/318.60A	----	338.20 - 59.30	.7563	----	----	----	----	47 UNCH
5170	----	----	414.10B/322.50A	414.10B/322.50A	----	342.20 - 59.50	.7600	----	----	----	----	504 UNCH
5175	----	----	417.90B/326.30A	417.90B/326.30A	----	346.20 - 59.70	.7637	----	----	----	----	15 UNCH
5180	----	----	422.20B/330.10A	422.20B/330.10A	----	350.20 - 59.90	.7674	----	----	----	----	19 UNCH
5185	----	----	426.40B/334.00A	426.40B/334.00A	----	354.20 - 60.10	.7708	----	----	----	----	22 UNCH
5190	----	----	430.70B/337.90A	430.70B/337.90A	----	358.20 - 60.40	.7745	----	----	----	----	5 UNCH
5195	----	----	435.00B/341.80A	435.00B/341.80A	----	362.30 - 60.60	.7779	----	----	----	----	8 UNCH
5200	350.00	350.00	439.40B/345.60A	439.40B/345.60A	----	366.40 - 60.80	.7814	----	----	1	----	611 UNCH
5205	----	----	443.70B/349.70A	443.70B/349.70A	----	370.50 - 61.00	.7848	----	----	----	----	36 UNCH
5210	----	----	448.00B/353.70A	448.00B/353.70A	----	374.60 - 61.20	.7882	----	----	----	----	68 UNCH
5215	----	----	452.40B/357.80A	452.40B/357.80A	----	378.70 - 61.40	.7914	----	----	----	----	42 UNCH
5220	----	----	457.30B/361.70A	457.30B/361.70A	----	382.90 - 61.50	.7949	----	----	----	----	188 UNCH
5225	----	----	461.10B/365.80A	461.10B/365.80A	----	387.00 - 61.80	.7980	----	----	----	----	200 UNCH
5230	----	----	465.50B/369.60A	465.50B/369.60A	----	391.20 - 61.90	.8012	----	----	----	----	7 UNCH
5235	----	----	469.90B/373.90A	469.90B/373.90A	----	395.40 - 62.10	.8044	----	----	----	----	160 UNCH
5245	----	----	478.80B/382.10A	478.80B/382.10A	----	403.90 - 62.40	.8105	----	----	----	----	9 UNCH
5250	----	----	483.20B/386.10A	483.20B/386.10A	----	408.10 - 62.60	.8136	----	----	----	----	333 UNCH
5255	----	----	488.10B/390.30A	488.10B/390.30A	----	412.40 - 62.70	.8165	----	----	----	----	9 UNCH
5260	----	----	492.10B/394.50A	492.10B/394.50A	----	416.60 - 63.00	.8194	----	----	----	----	11 UNCH
5265	----	----	497.10B/398.40A	497.10B/398.40A	----	420.90 - 63.10	.8223	----	----	----	----	5 UNCH
5270	----	----	501.10B/402.80A	501.10B/402.80A	----	425.20 - 63.30	.8251	----	----	----	----	24 UNCH
5275	----	----	505.60B/407.00A	505.60B/407.00A	----	429.50 - 63.40	.8280	----	----	----	----	170 UNCH
5280	----	----	510.10B/411.20A	510.10B/411.20A	----	433.80 - 63.60	.8306	----	----	----	----	67 UNCH
5285	----	----	514.60B/415.40A	514.60B/415.40A	----	438.20 - 63.70	.8335	----	----	----	----	27 UNCH
5290	----	----	519.10B/419.50A	519.10B/419.50A	----	442.50 - 63.90	.8360	----	----	----	----	2 UNCH
5300	----	----	528.20B/428.20A	528.20B/428.20A	----	451.30 - 64.10	.8415	----	----	----	----	161 UNCH
5305	----	----	533.30B/432.40A	533.30B/432.40A	----	455.60 - 64.30	.8440	----	----	----	----	104 UNCH
5320	----	----	546.50B/445.40A	546.50B/445.40A	----	468.90 - 64.60	.8514	----	----	----	----	108 UNCH
5325	----	----	551.60B/449.40A	551.60B/449.40A	----	473.30 - 64.80	.8539	----	----	----	----	1 UNCH
5335	----	----	560.30B/458.50A	560.30B/458.50A	----	482.20 - 65.00	.8584	----	----	----	----	5 UNCH
5340	----	----	564.90B/462.80A	564.90B/462.80A	----	486.70 - 65.10	.8610	----	----	----	----	52 UNCH
5345	----	----	569.50B/467.20A	569.50B/467.20A	----	491.20 - 65.20	.8632	----	----	1	----	2 + 1
5350	----	----	574.70B/471.60A	574.70B/471.60A	----	495.60 - 65.40	.8654	----	----	1	----	109 UNCH
5365	----	----	588.60B/484.70A	588.60B/484.70A	----	509.20 - 65.70	.8718	----	----	----	----	4 UNCH
5370	----	----	592.80B/489.30A	592.80B/489.30A	----	513.70 - 65.80	.8740	----	----	----	----	37 UNCH
5375	----	----	597.40B/493.80A	597.40B/493.80A	----	518.30 - 65.90	.8759	----	----	----	----	1 UNCH
5380	----	----	602.60B/498.30A	602.60B/498.30A	----	522.80 - 66.00	.8778	----	----	----	----	2 UNCH
5385	----	----	606.80B/502.60A	606.80B/502.60A	----	527.40 - 66.10	.8799	----	----	----	----	10 UNCH
5390	----	----	611.40B/507.20A	611.40B/507.20A	----	531.90 - 66.30	.8818	----	----	----	----	2 UNCH
5395	----	----	616.10B/511.60A	616.10B/511.60A	----	536.50 - 66.30	.8837	----	----	----	----	156 UNCH
5400	----	----	620.80B/515.90A	620.80B/515.90A	----	541.10 - 66.40	.8855	----	----	----	----	442 UNCH
5420	----	----	640.20B/534.30A	640.20B/534.30A	----	559.60 - 66.70	.8926	----	----	----	----	10 UNCH
5425	----	----	644.40B/538.90A	644.40B/538.90A	----	564.20 - 66.80	.8941	----	----	----	----	1 UNCH
5430	----	----	649.10B/543.20A	649.10B/543.20A	----	568.90 - 66.90	.8960	----	----	----	----	30 UNCH
5435	----	----	653.90B/548.00A	653.90B/548.00A	----	573.50 - 67.00	.8975	----	----	----	----	10 UNCH
5440	----	----	658.60B/552.60A	658.60B/552.60A	----	578.20 - 67.00	.8990	----	----	----	----	20 UNCH
5470	----	----	687.70B/580.30A	687.70B/580.30A	----	606.30 - 67.40	.9081	----	----	----	----	1 UNCH
5490	----	----	706.30B/598.80A	706.30B/598.80A	----	625.10 - 67.80	.9136	----	----	----	----	166 UNCH
5500	----	----	716.40B/608.00A	716.40B/608.00A	----	634.60 - 67.90	.9161	----	----	----	----	52 UNCH
5525	----	----	739.90B/631.80A	739.90B/631.80A	----	658.40 - 68.10	.9222	----	----	----	----	2 UNCH
5575	----	----	788.30B/679.10A	788.30B/679.10A	----	706.20 - 68.60	.9329	----	----	----	----	2 UNCH
5590	----	----	802.80B/693.30A	802.80B/693.30A	----	720.60 - 68.80	.9356	----	----	----	----	77 UNCH
5595	----	----	807.70B/698.20A	807.70B/698.20A	----	725.40 - 68.80	.9366	----	----	----	----	1 UNCH
5600	----	----	812.60B/702.90A	812.60B/702.90A	----	730.30 - 68.80	.9376	----	----	----	----	8 UNCH
5640	----	----	851.50B/741.30A	851.50B/741.30A	----	769.00 - 69.10	.9440	----	----	----	----	9 UNCH
5800	----	----	1,005.30B/897.0	1005.30B/897.00A	----	925.30 - 70.00	.9626	----	----	----	----	6 UNCH
6000	----	----	----/1,100.20A	1150.10B/1100.20A	----	1122.90 - 70.60	.9757	----	----	----	----	4 UNCH
6100	----	----	----/1,199.40A	1249.40B/1199.40A	----	1222.20 - 70.80	.9798	----	----	----	----	3 UNCH
6675	----	----	----	----	----	1795.50 - 71.20	.9917	----	----	----	----	0 UNCH
TOTAL										5149	840	88522 + 513
JUL26												
2275	----	----	----	0.10B/0.40A	----	0.40 UNCH	.0009	----	----	----	----	20 UNCH
2300	----	----	----	0.10B/0.70A	----	0.40 - 0.10	.0009	----	----	----	----	96 UNCH
2400	----	----	----	0.20B/0.80A	----	0.60 UNCH	.0014	----	----	----	----	2 UNCH
2500	----	----	----	0.30B/1.00A	----	0.70 - 0.10	.0017	----	----	----	----	194 UNCH
2575	----	----	----	0.40B/1.10A	----	0.80 - 0.10	.0020	----	----	----	----	1 UNCH
2600	----	----	----	0.40B/1.20A	----	0.90 - 0.10	.0023	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
2620	----	----	----	0.50B/1.20A	----	0.90 - 0.10	.0023	----	----	----	----	1 UNCH
2650	----	----	----	0.50B/1.30A	----	1.00 - 0.10	.0025	----	----	----	----	51 UNCH
2670	----	----	----	0.60B/1.30A	----	1.00 - 0.10	.0026	----	----	----	----	10 UNCH
2675	----	----	----	0.60B/1.30A	----	1.00 - 0.10	.0026	----	----	----	----	10 UNCH
2680	----	----	----	0.60B/1.40A	----	1.10 UNCH	.0028	----	----	----	----	10 UNCH
2700	----	----	----	0.60B/1.40A	----	1.10 - 0.10	.0028	----	----	----	----	3 UNCH
2705	----	----	----	0.60B/1.40A	----	1.10 - 0.10	.0028	----	----	----	----	1 UNCH
2710	----	----	----	0.70B/1.40A	----	1.10 - 0.10	.0028	----	----	----	----	7 UNCH
2730	----	----	----	0.70B/1.50A	----	1.20 - 0.10	.0031	----	----	----	----	1 UNCH
2750	----	----	----	0.80B/1.50A	----	1.20 - 0.10	.0031	----	----	----	----	19 UNCH
2785	----	----	----	0.80B/1.60A	----	1.30 - 0.10	.0034	----	----	----	----	2 UNCH
2800	----	----	----	0.90B/1.60A	----	1.40 - 0.10	.0037	----	----	----	----	6 UNCH
2850	----	----	----	1.00B/1.70A	----	1.50 - 0.10	.0040	----	----	----	----	3 UNCH
2860	----	----	----	1.10B/1.80A	----	1.50 - 0.20	.0040	----	----	----	----	5 UNCH
2890	----	----	----	1.20B/1.90A	----	1.60 - 0.20	.0043	----	----	----	----	60 UNCH
2895	----	----	----	1.20B/1.90A	----	1.70 - 0.10	.0045	----	----	----	----	18 UNCH
2900	----	----	----	1.20B/1.90A	----	1.70 - 0.10	.0046	----	----	----	----	18 UNCH
2905	----	----	----	1.20B/1.90A	----	1.70 - 0.10	.0046	----	----	----	----	19 UNCH
2920	----	----	----	1.20B/2.00A	----	1.70 - 0.20	.0046	----	----	----	----	3 UNCH
2950	----	----	----	1.40B/2.00A	----	1.80 - 0.20	.0049	----	----	----	----	52 UNCH
2985	----	----	----	1.70B/2.20A	----	2.00 - 0.10	.0055	----	----	----	----	10 UNCH
2995	----	----	----	1.70B/2.20A	----	2.00 - 0.20	.0055	----	----	----	----	16 UNCH
3000	1.90	1.90	1.90/1.90	1.90/1.90	----	2.00 - 0.20	.0055	----	----	2	----	60 + 2
3015	----	----	----	1.80B/2.30A	----	2.10 - 0.20	.0058	----	----	----	----	5 UNCH
3025	----	----	----	1.80B/2.30A	----	2.10 - 0.20	.0058	----	----	----	----	1 UNCH
3035	----	----	----	1.90B/2.40A	----	2.20 - 0.10	.0061	----	----	----	----	5 UNCH
3050	----	----	----/2.30A	1.90B/2.30A	----	2.20 - 0.20	.0061	----	----	----	----	1 UNCH
3100	----	----	----/2.50A	2.20B/2.50A	----	2.50 - 0.20	.0070	----	----	----	----	43 UNCH
3105	----	----	----/2.60A	2.20B/2.60A	----	2.50 - 0.20	.0070	----	----	----	----	1 UNCH
3125	----	----	----/2.70A	2.30B/2.70A	----	2.60 - 0.20	.0073	----	----	----	----	42 UNCH
3140	----	----	----/2.70A	2.40B/2.70A	----	2.60 - 0.30	.0074	----	----	----	----	1 UNCH
3150	----	----	----/2.80A	2.40B/2.80A	----	2.70 - 0.20	.0077	----	----	----	----	12 UNCH
3155	----	----	----/2.80A	2.50B/2.80A	----	2.70 - 0.20	.0077	----	----	----	----	1 UNCH
3200	----	----	----/3.00A	2.70B/3.00A	----	2.90 - 0.30	.0084	----	----	----	----	113 UNCH
3210	----	----	----/3.10A	2.80B/3.10A	----	3.00 - 0.20	.0087	----	----	----	----	1 UNCH
3220	----	----	----/3.10A	2.80B/3.10A	----	3.00 - 0.30	.0087	----	----	----	----	1 UNCH
3225	----	----	----/3.10A	2.90B/3.10A	----	3.10 - 0.20	.0090	----	----	----	----	70 UNCH
3230	----	----	----/3.20A	2.90B/3.20A	----	3.10 - 0.30	.0090	----	----	----	----	0 UNCH
3250	----	----	----/3.30A	3.00B/3.30A	----	3.20 - 0.30	.0094	----	----	----	----	61 UNCH
3275	----	----	----/3.40A	3.20B/3.40A	----	3.30 - 0.30	.0097	----	----	----	----	10 UNCH
3280	----	----	----/*3.00A	3.20B/*3.00A	----	3.30 - 0.40	.0098	----	----	----	----	10 UNCH
3290	----	----	----/3.50A	3.30B/3.50A	----	3.40 - 0.30	.0101	----	----	----	----	11 UNCH
3300	3.00	3.00	3.00/*3.00	3.40B/*3.00	----	3.50 - 0.30	.0104	----	----	10	----	68 + 3
3320	----	----	----/*3.60A	3.50B/*3.60A	----	3.60 - 0.30	.0107	----	----	----	----	1 UNCH
3325	----	----	----/3.70A	3.60B/3.70A	----	3.60 - 0.40	.0108	----	----	----	----	147 UNCH
3335	----	----	----/*3.70A	3.60B/*3.70A	----	3.70 - 0.30	.0111	----	----	----	----	86 UNCH
3340	----	----	----/*3.80A	3.70B/*3.80A	----	3.70 - 0.40	.0111	----	----	----	----	1 UNCH
3350	----	----	----/*3.80A	3.70B/*3.80A	----	3.80 - 0.40	.0114	----	----	----	----	24 UNCH
3355	----	----	----/*3.90A	3.80B/*3.90A	----	3.80 - 0.40	.0115	----	----	----	----	69 UNCH
3360	----	----	----/*3.90A	3.80B/*3.90A	----	3.80 - 0.40	.0115	----	----	----	----	3 UNCH
3370	----	----	----/*3.90A	3.90B/*3.90A	----	3.90 - 0.40	.0118	----	----	----	----	9 UNCH
3380	----	----	----/*4.00A	4.00B/*4.00A	----	4.00 - 0.40	.0121	----	----	----	----	2 UNCH
3385	----	----	----/*4.00A	4.00B/*4.00A	----	4.00 - 0.40	.0122	----	----	----	----	4 UNCH
3390	----	----	----/*4.10A	4.10B/*4.10A	----	4.00 - 0.50	.0122	----	----	----	----	1 UNCH
3395	----	----	----/*4.10A	4.10B/*4.10A	----	4.10 - 0.40	.0125	----	----	----	----	31 UNCH
3400	3.50	3.50	3.50/*3.50	4.10B/*3.50	----	4.10 - 0.50	.0125	----	----	1	----	50 + 1
3410	----	----	----/*4.20A	4.20B/*4.20A	----	4.20 - 0.40	.0128	----	----	----	----	5 UNCH
3425	----	----	----/*4.00A	4.40B/*4.00A	----	4.30 - 0.50	.0132	----	----	----	----	56 UNCH
3435	----	----	----/*4.40A	4.50B/*4.40A	----	4.40 - 0.50	.0135	----	----	----	----	5 UNCH
3445	----	----	----/*4.40A	4.50B/*4.40A	----	4.40 - 0.60	.0136	----	----	----	----	1 UNCH
3450	4.20	4.20	4.20/*4.20	4.60B/*4.20	----	4.50 - 0.50	.0139	----	----	2	----	139 UNCH
3455	----	----	----/*4.50A	4.60B/*4.50A	----	4.50 - 0.60	.0140	----	----	----	----	10 UNCH
3460	----	----	----/*4.60A	4.70B/*4.60A	----	4.60 - 0.50	.0143	----	----	----	----	10 UNCH
3465	----	----	----/*4.60A	4.70B/*4.60A	----	4.60 - 0.60	.0143	----	----	----	----	142 UNCH
3475	----	----	----/*4.70A	4.80B/*4.70A	----	4.70 - 0.60	.0146	----	----	----	----	138 UNCH
3480	----	----	----/*4.70A	4.90B/*4.70A	----	4.70 - 0.60	.0147	----	----	----	----	36 UNCH
3495	----	----	----/*4.80A	5.00B/*4.80A	----	4.90 - 0.60	.0153	----	----	----	----	5 UNCH
3500	4.30	4.30	4.30/4.30	5.10B/4.30	----	4.90 - 0.60	.0154	----	----	1	----	584 UNCH
3505	----	----	----/*4.90A	5.10B/*4.90A	----	4.90 - 0.70	.0154	----	----	----	----	9 UNCH
3510	----	----	----/*5.00A	5.20B/*5.00A	----	5.00 - 0.60	.0157	----	----	----	----	5 UNCH
3515	----	----	----/*5.00A	5.20B/*5.00A	----	5.00 - 0.70	.0158	----	----	----	----	6 UNCH
3525	----	----	----/*5.10A	5.40B/*5.10A	----	5.10 - 0.70	.0161	----	----	----	----	3 UNCH
3530	----	----	----/*5.10A	5.40B/*5.10A	----	5.20 - 0.70	.0164	----	----	----	----	168 UNCH
3535	----	----	----/*5.20A	5.50B/*5.20A	----	5.20 - 0.70	.0165	----	----	----	----	31 UNCH
3545	----	----	----/*5.30A	5.60B/*5.30A	----	5.30 - 0.80	.0168	----	----	----	----	256 UNCH
3550	----	----	----/*5.30A	5.70B/*5.30A	----	5.40 - 0.70	.0171	----	----	----	----	148 UNCH
3555	4.80	4.80	4.80/*4.80	5.70B/*4.80	----	5.40 NEW	.0172	----	----	1	----	1 + 1
3575	----	----	----/*5.60A	6.00B/*5.60A	----	5.60 - 0.80	.0179	----	----	----	----	1 UNCH
3580	----	----	----/*5.60A	6.00B/*5.60A	----	5.70 - 0.80	.0182	----	----	----	----	5 UNCH
3590	----	----	----/*5.70A	6.20B/*5.70A	----	5.80 - 0.90	.0186	----	----	----	----	16 UNCH
3600	----	----	----/*5.80A	6.40B/*5.80A	----	5.90 - 0.90	.0190	----	----	----	----	133 UNCH
3605	----	----	----/*5.90A	6.40B/*5.90A	----	6.00 - 0.90	.0193	----	----	----	----	5 UNCH
3620	----	----	----/*6.10A	6.60B/*6.10A	----	6.20 - 0.90	.0200	----	----	----	----	12 UNCH
3625	----	----	----/*6.10A	6.70B/*6.10A	----	6.20 - 1.00	.0201	----	----	----	----	11 UNCH
3630	----	----	----/6.20A	6.90B/6.20A	----	6.30 - 1.00	.0204	----	----	----	----	10 UNCH
3635	----	----	----/*6.20A	6.80B/*6.20A	----	6.40 - 0.90	.0207	----	----	----	----	3 UNCH
3640	----	----	----/*6.30A	6.90B/*6.30A	----	6.40 - 1.00	.0208	----	----	----	----	6 UNCH
3645	----	----	----/*6.30A	7.00B/*6.30A	----	6.50 - 1.00	.0211	----	----	----	----	1 UNCH
3650	----	----	----/6.40A	7.10B/6.40A	----	6.60 - 1.00	.0214	----	----	----	----	101 UNCH
3655	----	----	----/*6.50A	7.20B/*6.50A	----	6.60 - 1.10	.0215	----	----	----	----	7 UNCH
3660	----	----	----/*6.50A	7.40B/*6.50A	----	6.70 - 1.10	.0218	----	----	----	----	22 UNCH
3665	----	----	----/*6.60A	7.30B/*6.60A	----	6.80 - 1.10	.0221	----	----	----	----	2 UNCH
3670	----	----	----/*6.70A	7.40B/*6.70A	----	6.80 - 1.10	.0222	----	----	----	----	110 UNCH
3675	----	----	----/*6.70A	7.50B/*6.70A	----	6.90 - 1.10	.0226	----	----	----	----	4 UNCH
3680	----	----	----/*6.80A	7.70B/*6.80A	----	7.00 - 1.10	.0229	----	----	----	----	5 UNCH
3685	----	----	----/*6.90A	7.80B/*6.90A	----	7.10 - 1.10	.0232	----	----	----	----	10 UNCH
3690	----	----	----/*7.00A	7.80B/*7.00A	----	7.10 - 1.20	.0233	----	----	----	----	50 UNCH
3695	----	----	----/*7.00A	7.90B/*7.00A	----	7.20 - 1.20	.0236	----	----	----	----	141 UNCH
3700	7.30	7.30	7.30/7.10A	8.20B/7.10A	----	7.30 - 1.20	.0240	----	----	4	----	422 UNCH
3705	----	----	----/*7.10A	8.10B/*7.10A	----	7.40 - 1.20	.0243	----	----	----	----	20 UNCH
3715	----	----	----/*7.30A	8.30B/*7.30A	----	7.50 - 1.30	.0247	----	----	----	----	30 UNCH
3720	----	----	----/*7.40A	8.40B/*7.40A	----	7.60 - 1.30	.0251	----	----	----	----	18 UNCH
3725	----	----	----/*7.50A	8.50B/*7.50A	----	7.70 - 1.30	.0254	----	----	----	----	5 UNCH
3730	----	----	----/*7.50A	8.70B/*7.50A	----	7.80 - 1.30	.0257	----	----	----	----	3 UNCH
3735	----	----	----/*7.70A	8.70B/*7.70A	----	7.90 - 1.40	.0261	----	----	----	----	30 UNCH
3740	----	----	----/*7.70A	8.90B/*7.70A	----	8.00 - 1.40	.0264	----	----	----	----	20 UNCH
3750	----	----	----/*7.90A	9.20B/*7.90A	----	8.20 - 1.40	.0271	----	----	----	----	544 UNCH
3760	----	----	----/*8.10A	9.40B/*8.10A	----	8.30 - 1.50	.0275	----	----	----	----	2 UNCH
3765	----	----	----/*8.20A	9.40B/*8.20A	----	8.40 - 1.60	.0279	----	----	----	----	32 UNCH
3770	----	----	----/*8.20A	9.60B/*8.20A	----	8.50 - 1.60	.0282	----	----	----	----	120 UNCH
3775	----	----	----/*8.40A	9.70B/*8.40A	----	8.60 - 1.60	.0286	----	----	----	----	61 UNCH
3780	----	----	----/*8.40A	9.90B/*8.40A	----	8.70 - 1.60	.0289	----	----	----	----	1 UNCH
3785	----	----	----/*8.60A	10.00B/*8.60A	----	8.80 - 1.70	.0293	----	----	----	----	6 UNCH
3790	----	----	----/*8.70A	10.20B/*8.70A	----	8.90 - 1.70	.0297	----	----	----	----	40 UNCH
3795	----	----	----/*8.80A	10.30B/*8.80A	----	9.00 - 1.70	.0300	----	----	----	----	36 UNCH
3800	----	----	----/*8.90A	10.40B/*8.90A	----	9.20 - 1.70	.0306	----	----	----	----	688 UNCH
3810	----	----	----/*9.00A	10.60B/*9.00A	----	9.40 - 1.80	.0313	----	----	----	----	16 UNCH
3815	----	----	----/*9.20A	10.80B/*9.20A	----	9.50 - 1.80	.0317	----	----	----	----	14 UNCH
3820	----	----	----/*9.30A	10.90B/*9.30A	----	9.60 - 1.80	.0321	----	----	----	----	10 UNCH
3825	----	----	----/*9.40A	11.10B/*9.40A	----	9.70 - 1.90	.0324	----	----	----	----	9 UNCH
3830	----	----	----/*9.50A	11.20B/*9.50A	----	9.80 - 1.90	.0328	----	----	----	----	24 UNCH
3835	----	----	----/*9.60A	11.40B/*9.60A	----	9.90 - 2.00	.0332	----	----	----	----	1 UNCH
3840	----	----	----/*9.70A	11.50B/*9.70A	----	10.10 - 1.90	.0338	----	----	----	----	32 UNCH
3845	----	----	----/*9.80A	11.70B/*9.80A	----	10.20 - 2.00	.0342	----	----	----	----	13 UNCH
3850	----	----	----/*9.90A	11.80B/*9.90A	----	10.30 - 2.10	.0345	----	----	----	----	205 UNCH
3860	----	----	----/*10.20A	12.20B/*10.20A	----	10.60 - 2.10	.0355	----	----	----	----	29 UNCH
3870	----	----	----/*10.50A	12.60B/*10.50A	----	10.80 - 2.20	.0363	----	----	1	----	1 + 1
3875	----	----	----/*10.60A	12.70B/*10.60A	----	11.00 - 2.20	.0369	----	----	----	----	108 UNCH
3880	----	----	----/*10.70A	12.90B/*10.70A	----	11.10 - 2.30	.0373	----	----	----	----	14 UNCH
3885	----	----	----/*10.80A	13.10B/*10.80A	----	11.20 - 2.30	.0377	----	----	----	----	5 UNCH
3890	----	----	----/*11.00A	13.30B/*11.00A	----	11.40 - 2.30	.0383	----	----	----	----	4 UNCH
3895	----	----	----/*11.10A	13.40B/*11.10A	----	11.50 - 2.40	.0387	----	----	1	----	2 UNCH
3900	----	----	----/*11.20A	13.60B/*11.20A	----	11.60 - 2.50	.0391	----	----	3	----	321 UNCH
3905	----	----	----/*11.40A	13.80B/*11.40A	----	11.80 - 2.50	.0398	----	----	----	----	12 UNCH
3910	----	----	----/*11.50A	14.20B/*11.50A	----	11.90 - 2.50	.0402	----	----	1	----	54 - 1
3920	----	----	----/*11.90A	14.60B/*11.90A	----	12.20 - 2.60	.0412	----	----	----	----	1 UNCH
3925	----	----	----/*12.00A	14.90B/*12.00A	----	12.40 - 2.60	.0418	----	----	----	----	48 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3930	----	----	----/*12.10A	15.10B/*12.10A	----	12.50 - 2.70	.0423	----	----	----	----	35 UNCH
3935	----	----	----/*12.30A	15.40B/*12.30A	----	12.70 - 2.70	.0429	----	----	----	----	7 UNCH
3940	----	----	----/*12.40A	15.60B/*12.40A	----	12.90 - 2.70	.0435	----	----	----	----	23 UNCH
3945	----	----	----/*12.60A	15.70B/*12.60A	----	13.00 - 2.80	.0440	----	----	----	----	20 UNCH
3950	----	----	----/*12.80A	16.00B/*12.80A	----	13.20 - 2.90	.0446	----	----	----	----	602 UNCH
3955	----	----	----/*12.90A	16.20B/*12.90A	----	13.30 - 3.00	.0450	----	----	----	----	25 UNCH
3960	----	----	----/*13.10A	16.50B/*13.10A	----	13.50 - 3.00	.0457	----	----	----	----	19 UNCH
3965	----	----	----/*13.30A	16.70B/*13.30A	----	13.70 - 3.00	.0464	----	----	----	----	94 UNCH
3970	----	----	17.00B/*13.40A	17.00B/*13.40A	----	13.90 - 3.00	.0470	----	----	----	----	6 UNCH
3975	----	----	----/*13.60A	17.20B/*13.60A	----	14.00 - 3.20	.0475	----	----	1	----	21 - 1
3980	----	----	----/*13.80A	17.40B/*13.80A	----	14.20 - 3.20	.0481	----	----	----	----	3 UNCH
3985	----	----	----/*13.90A	17.50B/*13.90A	----	14.40 - 3.20	.0488	----	----	----	----	136 UNCH
3990	----	----	----/*14.10A	17.90B/*14.10A	----	14.60 - 3.30	.0495	----	----	----	----	41 UNCH
3995	----	----	18.20B/*14.30A	18.20B/*14.30A	----	14.80 - 3.30	.0501	----	----	----	----	20 UNCH
4000	14.40	14.40	18.50B/*14.40	18.50B/*14.40	----	15.00 - 3.30	.0508	----	----	22	----	1101 + 6
4005	15.00	15.00	15.00/*14.70A	18.60B/*14.70A	----	15.20 - 3.40	.0515	----	----	30	----	167 + 30
4010	----	----	----/*14.90A	18.80B/*14.90A	----	15.40 - 3.50	.0522	----	----	----	----	3 UNCH
4015	----	----	19.40B/*15.10A	19.40B/*15.10A	----	15.60 - 3.50	.0529	----	----	----	----	59 UNCH
4020	----	----	----/*15.20A	19.40B/*15.20A	----	15.80 - 3.60	.0536	----	----	----	----	91 UNCH
4025	----	----	19.80B/*15.40A	19.80B/*15.40A	----	16.00 - 3.60	.0543	----	----	1	----	19 + 1
4030	----	----	20.20B/*15.70A	20.20B/*15.70A	----	16.20 - 3.70	.0549	----	----	----	----	50 UNCH
4035	----	----	20.60B/*15.90A	20.60B/*15.90A	----	16.40 - 3.80	.0556	----	----	----	----	3 UNCH
4040	----	----	20.70B/16.10A	20.70B/16.10A	----	16.60 - 3.80	.0563	----	----	----	----	1 UNCH
4045	----	----	21.00B/*16.20A	21.00B/*16.20A	----	16.80 - 3.90	.0571	----	----	----	----	20 UNCH
4050	----	----	21.30B/16.50A	21.30B/16.50A	----	17.00 - 4.00	.0578	----	----	----	----	49 UNCH
4055	----	----	21.50B/16.70A	21.50B/16.70A	----	17.30 - 4.00	.0587	----	----	----	----	32 UNCH
4065	----	----	22.10B/17.10A	22.10B/17.10A	----	17.70 - 4.20	.0601	----	----	----	----	7 UNCH
4070	----	----	22.40B/*17.20A	22.40B/*17.20A	----	18.00 - 4.20	.0611	----	----	----	----	12 UNCH
4075	----	----	22.80B/17.50A	22.80B/17.50A	----	18.20 - 4.30	.0618	----	----	----	----	13 UNCH
4080	----	----	23.20B/17.80A	23.20B/17.80A	----	18.40 - 4.40	.0625	----	----	----	----	8 UNCH
4085	----	----	23.60B/18.00A	23.60B/18.00A	----	18.70 - 4.40	.0635	----	----	----	----	10 UNCH
4090	----	----	23.90B/18.30A	23.90B/18.30A	----	18.90 - 4.60	.0642	----	----	----	----	4 UNCH
4095	----	----	24.40B/18.50A	24.40B/18.50A	----	19.20 - 4.60	.0652	----	----	----	----	2 UNCH
4100	24.00	24.00	24.60B/18.40	24.60B/18.40	----	19.50 - 4.60	.0661	----	----	12	----	851 + 9
4105	----	----	24.90B/19.00A	24.90B/19.00A	----	19.70 - 4.80	.0669	----	----	----	----	9 UNCH
4110	----	----	25.20B/19.30A	25.20B/19.30A	----	20.00 - 4.80	.0679	----	----	----	----	15 UNCH
4115	19.00	19.00	25.80B/*19.00	25.80B/*19.00	----	20.30 - 4.90	.0688	----	----	3	----	8 + 3
4120	----	----	26.20B/19.80A	26.20B/19.80A	----	20.60 - 4.90	.0698	----	----	2	----	8 + 2
4125	----	----	26.40B/20.00A	26.40B/20.00A	----	20.80 - 5.10	.0706	----	----	----	----	83 UNCH
4130	----	----	27.00B/20.30A	27.00B/20.30A	----	21.10 - 5.20	.0716	----	----	----	----	65 UNCH
4135	----	----	27.10B/20.60A	27.10B/20.60A	----	21.40 - 5.30	.0725	----	----	----	----	7 UNCH
4140	22.40	22.40	27.60B/21.00A	27.60B/21.00A	----	21.70 - 5.30	.0735	----	----	4	----	22 + 2
4145	----	----	27.90B/21.20A	27.90B/21.20A	----	22.00 - 5.40	.0745	----	----	----	----	235 UNCH
4150	27.80	27.80	28.70B/21.40A	28.70B/21.40A	----	22.30 - 5.50	.0755	----	----	2	----	133 - 1
4155	----	----	28.80B/21.60A	28.80B/21.60A	----	22.70 - 5.50	.0767	----	----	----	----	5 UNCH
4160	----	----	29.30B/21.90A	29.30B/21.90A	----	23.00 - 5.60	.0777	----	----	----	----	3 UNCH
4165	----	----	29.80B/22.20A	29.80B/22.20A	----	23.30 - 5.80	.0788	----	----	----	----	68 UNCH
4170	----	----	30.30B/22.50A	30.30B/22.50A	----	23.60 - 5.90	.0798	----	----	----	----	1 UNCH
4175	----	----	30.70B/22.80A	30.70B/22.80A	----	24.00 - 5.90	.0810	----	----	3	----	43 - 1
4180	----	----	31.30B/23.20A	31.30B/23.20A	----	24.30 - 6.00	.0820	----	----	----	----	4 UNCH
4185	----	----	31.70B/23.50A	31.70B/23.50A	----	24.70 - 6.10	.0833	----	----	----	----	13 UNCH
4190	----	----	32.40B/23.80A	32.40B/23.80A	----	25.00 - 6.20	.0843	----	----	----	----	128 UNCH
4195	----	----	32.60B/24.10A	32.60B/24.10A	----	25.40 - 6.30	.0855	----	----	----	----	65 UNCH
4200	29.10	29.10	33.30B/23.00	33.30B/23.00	----	25.80 - 6.40	.0868	----	----	4	----	564 + 3
4205	25.20	25.20	33.70B/24.80A	33.70B/24.80A	----	26.10 - 6.60	.0878	----	----	1	----	6 UNCH
4210	----	----	34.20B/25.10A	34.20B/25.10A	----	26.50 - 6.60	.0891	----	----	----	----	67 UNCH
4215	----	----	34.80B/25.40A	34.80B/25.40A	----	26.90 - 6.70	.0904	----	----	----	----	39 UNCH
4220	----	----	35.30B/25.80A	35.30B/25.80A	----	27.30 - 6.80	.0916	----	----	----	----	195 UNCH
4225	----	----	35.90B/26.10A	35.90B/26.10A	----	27.70 - 7.00	.0929	----	----	----	----	38 UNCH
4230	----	----	36.30B/26.50A	36.30B/26.50A	----	28.10 - 7.10	.0942	----	----	----	----	12 UNCH
4235	29.30	29.30	36.80B/26.90A	36.80B/26.90A	----	28.50 - 7.20	.0955	----	----	2	----	42 UNCH
4240	----	----	37.50B/27.30A	37.50B/27.30A	----	28.90 - 7.30	.0967	----	----	1	----	37 UNCH
4245	31.50	31.50	38.10B/27.70A	38.10B/27.70A	----	29.40 - 7.40	.0982	----	----	1	----	2 + 1
4250	----	----	38.90B/28.10A	38.90B/28.10A	----	29.80 - 7.50	.0995	----	----	----	280	1113 + 280
4255	----	----	39.20B/28.50A	39.20B/28.50A	----	30.20 - 7.70	.1008	----	----	----	----	2 UNCH
4260	----	----	39.90B/28.90A	39.90B/28.90A	----	30.70 - 7.80	.1023	----	----	----	----	4 UNCH
4265	----	----	40.50B/29.40A	40.50B/29.40A	----	31.10 - 8.00	.1036	----	----	----	----	12 UNCH
4270	----	----	41.20B/29.70A	41.20B/29.70A	----	31.60 - 8.10	.1051	----	----	----	----	4 UNCH
4275	31.40	31.40	41.90B/30.10A	41.90B/30.10A	----	32.10 - 8.20	.1067	----	----	1	----	75 + 1
4280	----	----	42.40B/30.60A	42.40B/30.60A	----	32.50 - 8.40	.1080	----	----	1	----	39 - 1
4285	----	----	43.20B/31.20A	43.20B/31.20A	----	33.00 - 8.50	.1095	----	----	----	----	101 UNCH
4290	----	----	43.70B/31.50A	43.70B/31.50A	----	33.50 - 8.60	.1110	----	----	----	----	33 UNCH
4295	----	----	44.60B/32.10A	44.60B/32.10A	----	34.00 - 8.80	.1126	----	----	----	----	20 UNCH
4300	31.10	31.10	45.20B/31.10	45.20B/31.10	----	34.50 - 8.90	.1141	----	----	83	----	826 + 55
4305	----	----	45.80B/32.90A	45.80B/32.90A	----	35.00 - 9.10	.1157	----	----	----	----	9 UNCH
4310	----	----	46.60B/33.50A	46.60B/33.50A	----	35.60 - 9.20	.1174	----	----	----	----	10 UNCH
4315	----	----	47.40B/34.00A	47.40B/34.00A	----	36.10 - 9.30	.1190	----	----	----	----	58 UNCH
4320	----	----	48.00B/34.50A	48.00B/34.50A	----	36.60 - 9.50	.1205	----	----	----	----	3 UNCH
4325	----	----	48.70B/35.00A	48.70B/35.00A	----	37.20 - 9.60	.1223	----	----	----	----	78 UNCH
4330	----	----	49.50B/35.50A	49.50B/35.50A	----	37.70 - 9.90	.1238	----	----	----	----	23 UNCH
4335	----	----	50.30B/36.00A	50.30B/36.00A	----	38.30 - 10.00	.1256	----	----	1	----	111 UNCH
4340	----	----	51.00B/36.60A	51.00B/36.60A	----	38.90 - 10.10	.1274	----	----	----	----	114 UNCH
4345	36.50	36.50	51.90B/36.50	51.90B/36.50	----	39.50 - 10.30	.1291	----	----	2	----	12 UNCH
4350	----	----	52.90B/37.70A	52.90B/37.70A	----	40.10 - 10.40	.1309	----	----	1	----	422 - 1
4355	39.60	39.60	53.60B/38.10A	53.60B/38.10A	----	40.70 - 10.60	.1327	----	----	3	----	124 + 1
4360	----	----	54.20B/38.80A	54.20B/38.80A	----	41.30 - 10.80	.1345	----	----	----	----	104 UNCH
4365	----	----	55.20B/39.50A	55.20B/39.50A	----	41.90 - 11.00	.1363	----	----	----	----	28 UNCH
4370	----	----	56.00B/40.00A	56.00B/40.00A	----	42.50 - 11.20	.1381	----	----	----	----	139 UNCH
4375	----	----	56.90B/40.70A	56.90B/40.70A	----	43.20 - 11.30	.1401	----	----	----	----	26 UNCH
4380	----	----	57.60B/41.10A	57.60B/41.10A	----	43.80 - 11.50	.1419	----	----	1	----	5 + 1
4385	----	----	58.50B/41.80A	58.50B/41.80A	----	44.50 - 11.70	.1439	----	----	----	----	52 UNCH
4390	----	----	59.50B/42.30A	59.50B/42.30A	----	45.20 - 11.80	.1458	----	----	----	----	3 UNCH
4395	----	----	60.30B/43.00A	60.30B/43.00A	----	45.90 - 12.00	.1478	----	----	----	----	15 UNCH
4400	50.00	50.00	61.30B/43.60A	61.30B/43.60A	----	46.60 - 12.20	.1499	----	----	12	----	1121 - 2
4405	----	----	62.20B/44.20A	62.20B/44.20A	----	47.30 - 12.40	.1519	----	----	----	----	14 UNCH
4410	----	----	63.10B/45.00A	63.10B/45.00A	----	48.00 - 12.60	.1539	----	----	1	----	15 + 1
4415	----	----	64.20B/45.70A	64.20B/45.70A	----	48.70 - 12.80	.1559	----	----	----	----	6 UNCH
4420	----	----	65.20B/46.30A	65.20B/46.30A	----	49.50 - 12.90	.1581	----	----	----	----	15 UNCH
4425	----	----	66.30B/47.10A	66.30B/47.10A	----	50.20 - 13.20	.1601	----	----	----	----	36 UNCH
4430	----	----	67.20B/47.70A	67.20B/47.70A	----	51.00 - 13.30	.1623	----	----	----	----	157 UNCH
4435	----	----	68.00B/48.60A	68.00B/48.60A	----	51.80 - 13.50	.1645	----	----	----	----	1 UNCH
4440	----	----	69.10B/49.20A	69.10B/49.20A	----	52.60 - 13.70	.1668	----	----	----	----	37 UNCH
4445	----	----	70.20B/50.00A	70.20B/50.00A	----	53.40 - 13.90	.1690	----	----	----	----	152 UNCH
4450	52.00	52.00	71.30B/50.50A	71.30B/50.50A	----	54.20 - 14.10	.1712	----	----	8	----	644 + 6
4455	----	----	72.20B/51.50A	72.20B/51.50A	----	55.00 - 14.30	.1734	----	----	----	----	19 UNCH
4460	----	----	73.40B/52.20A	73.40B/52.20A	----	55.80 - 14.60	.1757	----	----	1	----	92 - 1
4465	----	----	74.50B/53.10A	74.50B/53.10A	----	56.70 - 14.70	.1781	----	----	----	----	27 UNCH
4470	----	----	75.80B/53.90A	75.80B/53.90A	----	57.50 - 15.00	.1803	----	----	----	----	10 UNCH
4475	----	----	76.90B/54.70A	76.90B/54.70A	----	58.40 - 15.20	.1827	----	----	----	----	36 UNCH
4480	----	----	78.00B/55.60A	78.00B/55.60A	----	59.30 - 15.40	.1851	----	----	----	----	136 UNCH
4485	----	----	79.20B/56.40A	79.20B/56.40A	----	60.20 - 15.60	.1876	----	----	----	----	50 UNCH
4490	----	----	80.50B/57.20A	80.50B/57.20A	----	61.10 - 15.80	.1900	----	----	----	----	41 UNCH
4495	----	----	81.60B/58.20A	81.60B/58.20A	----	62.00 - 16.10	.1924	----	----	----	----	3 UNCH
4500	60.00	60.00	83.10B/58.80A	83.10B/58.80A	----	63.00 - 16.30	.1950	----	----	3	----	1215 + 1
4505	----	----	84.00B/59.90A	84.00B/59.90A	----	63.90 - 16.50	.1974	----	----	----	----	5 UNCH
4510	----	----	85.60B/60.70A	85.60B/60.70A	----	64.90 - 16.70	.2000	----	----	----	----	7 UNCH
4515	----	----	86.70B/61.80A	86.70B/61.80A	----	65.90 - 16.90	.2026	----	----	----	----	4 UNCH
4520	----	----	87.80B/62.80A	87.80B/62.80A	----	66.90 - 17.20	.2052	----	----	----	----	10 UNCH
4525	----	----	89.20B/63.80A	89.20B/63.80A	----	67.90 - 17.40	.2078	----	----	----	----	87 UNCH
4530	----	----	90.50B/64.80A	90.50B/64.80A	----	68.90 - 17.70	.2105	----	----	----	----	8 UNCH
4535	----	----	91.80B/65.60A	91.80B/65.60A	----	69.90 - 18.00	.2131	----	----	----	----	4 UNCH
4540	----	----	93.10B/66.70A	93.10B/66.70A	----	71.00 - 18.20	.2158	----	----	----	----	89 UNCH
4545	----	----	94.50B/67.60A	94.50B/67.60A	----	72.00 - 18.50	.2185	----	----	----	----	20 UNCH
4550	----	----	96.00B/68.80A	96.00B/68.80A	----	73.10 - 18.70	.2213	----	----	----	----	66 UNCH
4555	----	----	97.70B/69.70A	97.70B/69.70A	----	74.20 - 19.00	.2240	----	----	----	----	16 UNCH
4560	----	----	99.10B/70.60A	99.10B/70.60A	----	75.30 - 19.20	.2268	----	----	----	----	30 UNCH
4565	----	----	100.30B/71.80A	100.30B/71.80A	----	76.50 - 19.40	.2297	----	----	----	----	105 UNCH
4570	----	----	102.10B/72.70A	102.10B/72.70A	----	77.60 - 19.70	.2325	----	----	----	----	8 UNCH
4575	----	----	103.40B/74.20A	103.40B/74.20A	----	78.80 - 20.00	.2354	----	----	----	----	11 UNCH
4580	----	----	105.10B/75.30A	105.10B/75.30A	----	79.90 - 20.30	.2383	----	----	----	----	5 UNCH
4585	----	----	106.60B/76.30A	106.60B/76.30A	----	81.10 - 20.60	.2412	----	----	----	----	5 UNCH
4590	----	----	108.20B/77.20A	108.20B/77.20A	----	82.30 - 20.90	.2441	----	----	2	----	8 + 2
4595	----	----	109.40B/78.40A	109.40B/78.40A	----	83.60 - 21.10	.2472	----	----	1	----	49 + 1
4600	84.30	84.30	111.20B/79.30A	111.20B/79.30A	----	84.80 - 21.40	.2501	----	----	4	----	1296 UNCH
4605	----	----	112.90B/80.80A	112.90B/80.80A	----	86.10 - 21.60	.2532	----	----	----	----	3 UNCH
4610	----	----	114.20B/82.00A	114.20B/82.00A	----	87.40 - 21.90	.2563	----	----	----	----	131 UNCH
4615	----	----	115.80B/83.10A	115.80B/83.10A	----	88.70 - 22.10	.2594	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4620	----	----	117.50B/84.40A	117.50B/84.40A	----	90.00 - 22.40	.2625	----	----	----	----	47 UNCH
4625	----	----	119.40B/85.70A	119.40B/85.70A	----	91.30 - 22.70	.2655	----	----	----	----	35 UNCH
4630	----	----	120.90B/87.00A	120.90B/87.00A	----	92.70 - 23.00	.2687	----	----	2	----	5 + 2
4635	----	----	122.60B/88.30A	122.60B/88.30A	----	94.00 - 23.30	.2719	----	----	----	----	126 UNCH
4640	----	----	124.20B/89.60A	124.20B/89.60A	----	95.40 - 23.60	.2751	----	----	----	----	51 UNCH
4645	----	----	125.70B/91.00A	125.70B/91.00A	----	96.90 - 23.80	.2784	----	----	----	----	10 UNCH
4650	----	----	127.50B/92.30A	127.50B/92.30A	----	98.30 - 24.10	.2816	----	----	4	----	216 + 2
4655	----	----	129.40B/93.70A	129.40B/93.70A	----	99.70 - 24.40	.2848	----	----	----	----	2 UNCH
4660	----	----	131.10B/95.00A	131.10B/95.00A	----	101.20 - 24.70	.2881	----	----	----	----	62 UNCH
4665	----	----	133.10B/96.40A	133.10B/96.40A	----	102.70 - 24.90	.2915	----	----	----	----	22 UNCH
4670	----	----	134.80B/97.90A	134.80B/97.90A	----	104.20 - 25.20	.2948	----	----	----	----	101 UNCH
4675	----	----	136.70B/99.30A	136.70B/99.30A	----	105.70 - 25.50	.2981	----	----	----	----	70 UNCH
4680	----	----	138.60B/100.80A	138.60B/100.80A	----	107.30 - 25.80	.3016	----	----	----	----	26 UNCH
4685	----	----	140.60B/102.30A	140.60B/102.30A	----	108.90 - 26.00	.3050	----	----	----	----	7 UNCH
4690	----	----	142.50B/103.80A	142.50B/103.80A	----	110.40 - 26.40	.3084	----	----	----	----	12 UNCH
4695	----	----	144.50B/105.30A	144.50B/105.30A	----	112.10 - 26.50	.3119	----	----	----	----	179 UNCH
4700	125.60	125.60	146.60B/106.50A	146.60B/106.50A	----	113.70 - 26.80	.3153	----	----	47	----	717 - 29
4705	----	----	148.50B/108.40A	148.50B/108.40A	----	115.40 - 27.10	.3188	----	----	----	----	6 UNCH
4710	112.10	112.10	150.50B/110.00A	150.50B/110.00A	----	117.00 - 27.40	.3223	----	----	2	----	124 UNCH
4715	----	----	152.60B/111.60A	152.60B/111.60A	----	118.70 - 27.70	.3258	----	----	----	----	4 UNCH
4720	115.40	115.40	154.80B/113.20A	154.80B/113.20A	----	120.40 - 27.90	.3294	----	----	2	----	10 + 1
4725	140.90	140.90	156.80B/114.80A	156.80B/114.80A	----	122.20 - 28.10	.3330	----	----	3	----	205 UNCH
4730	----	----	158.90B/116.50A	158.90B/116.50A	----	123.90 - 28.40	.3365	----	----	----	----	58 UNCH
4735	----	----	161.00B/118.20A	161.00B/118.20A	----	125.70 - 28.70	.3401	----	----	----	----	11 UNCH
4740	122.20	122.20	163.10B/119.90A	163.10B/119.90A	----	127.50 - 28.90	.3438	----	----	2	----	113 - 1
4745	----	----	165.20B/121.60A	165.20B/121.60A	----	129.30 - 29.20	.3474	----	----	----	----	120 UNCH
4750	----	----	167.50B/123.20A	167.50B/123.20A	----	131.10 - 29.50	.3510	----	----	1	----	408 UNCH
4755	----	----	169.70B/125.10A	169.70B/125.10A	----	133.00 - 29.70	.3547	----	----	----	----	12 UNCH
4760	----	----	172.00B/126.90A	172.00B/126.90A	----	134.80 - 30.10	.3583	----	----	----	----	28 UNCH
4765	----	----	174.10B/128.40A	174.10B/128.40A	----	136.70 - 30.30	.3620	----	----	1	----	303 + 1
4770	137.50	137.50	176.40B/130.50A	176.40B/130.50A	----	138.60 - 30.60	.3657	----	----	6	----	9 + 6
4775	----	----	178.90B/132.40A	178.90B/132.40A	----	140.50 - 31.00	.3694	----	----	1	----	44 UNCH
4780	----	----	181.00B/134.20A	181.00B/134.20A	----	142.50 - 31.20	.3732	----	----	----	----	30 UNCH
4785	----	----	183.50B/136.10A	183.50B/136.10A	----	144.40 - 31.50	.3769	----	----	----	----	67 UNCH
4790	----	----	185.90B/138.20A	185.90B/138.20A	----	146.40 - 31.80	.3807	----	----	----	----	2 UNCH
4795	----	----	188.20B/140.00A	188.20B/140.00A	----	148.40 - 32.10	.3844	----	----	----	----	67 UNCH
4800	----	----	190.60B/141.30A	190.60B/141.30A	----	150.50 - 32.40	.3882	----	----	44	----	1095 - 5
4805	----	----	193.10B/143.90A	193.10B/143.90A	----	152.50 - 32.70	.3920	----	----	----	----	3 UNCH
4810	----	----	195.50B/145.90A	195.50B/145.90A	----	154.60 - 33.00	.3958	----	----	----	----	8 UNCH
4815	----	----	198.00B/147.80A	198.00B/147.80A	----	156.70 - 33.30	.3996	----	----	----	----	26 UNCH
4820	----	----	200.50B/150.00A	200.50B/150.00A	----	158.80 - 33.60	.4035	----	----	1	----	210 UNCH
4825	----	----	203.00B/151.90A	203.00B/151.90A	----	160.90 - 34.00	.4073	----	----	----	----	16 UNCH
4830	----	----	205.60B/154.10A	205.60B/154.10A	----	163.10 - 34.30	.4111	----	----	----	----	2 UNCH
4835	164.20	164.20	208.10B/156.10A	208.10B/156.10A	----	165.30 - 34.60	.4150	----	----	6	----	21 + 6
4840	----	----	210.80B/158.20A	210.80B/158.20A	----	167.50 - 34.90	.4189	----	----	----	----	9 UNCH
4845	----	----	213.40B/160.30A	213.40B/160.30A	----	169.80 - 35.20	.4227	----	----	----	----	71 UNCH
4850	169.90	169.90	216.00B/162.20A	216.00B/162.20A	----	172.00 - 35.50	.4266	----	----	2	----	294 + 2
4855	----	----	218.60B/164.80A	218.60B/164.80A	----	174.30 - 35.80	.4305	----	----	----	----	2 UNCH
4860	----	----	221.30B/166.90A	221.30B/166.90A	----	176.60 - 36.20	.4344	----	----	----	----	1 UNCH
4865	----	----	224.10B/169.20A	224.10B/169.20A	----	178.90 - 36.50	.4383	----	----	----	----	2 UNCH
4870	----	----	226.80B/171.10A	226.80B/171.10A	----	181.30 - 36.80	.4422	----	----	----	----	318 UNCH
4875	----	----	229.40B/173.70A	229.40B/173.70A	----	183.60 - 37.10	.4461	----	----	----	----	70 UNCH
4880	----	----	232.30B/176.00A	232.30B/176.00A	----	186.00 - 37.40	.4500	----	----	----	----	12 UNCH
4885	----	----	235.00B/178.40A	235.00B/178.40A	----	188.40 - 37.70	.4539	----	----	----	----	2 UNCH
4890	----	----	236.30B/180.60A	236.30B/180.60A	----	190.80 - 38.10	.4578	----	----	----	----	9 UNCH
4895	----	----	238.80B/182.90A	238.80B/182.90A	----	193.20 - 38.40	.4617	----	----	20	----	78 + 17
4900	210.00	210.00	240.70B/185.00A	240.70B/185.00A	----	195.70 - 38.70	.4656	----	----	111	----	301 + 38
4905	----	----	243.50B/187.70A	243.50B/187.70A	----	198.10 - 39.10	.4696	----	----	----	----	54 UNCH
4910	----	----	246.40B/190.30A	246.40B/190.30A	----	200.60 - 39.40	.4735	----	----	----	----	2 UNCH
4915	----	----	249.20B/192.50A	249.20B/192.50A	----	203.10 - 39.80	.4774	----	----	----	----	118 UNCH
4920	----	----	251.30B/194.90A	251.30B/194.90A	----	205.60 - 40.10	.4813	----	----	----	----	22 UNCH
4925	----	----	254.60B/197.50A	254.60B/197.50A	----	208.10 - 40.50	.4853	----	----	----	----	11 UNCH
4930	----	----	257.60B/200.00A	257.60B/200.00A	----	210.70 - 40.80	.4892	----	----	----	----	52 UNCH
4935	----	----	261.10B/202.40A	261.10B/202.40A	----	213.20 - 41.20	.4931	----	----	----	----	4 UNCH
4940	----	----	263.90B/205.10A	263.90B/205.10A	----	215.80 - 41.50	.4970	----	----	----	----	11 UNCH
4950	----	----	269.50B/210.10A	269.50B/210.10A	----	221.10 - 42.10	.5049	----	----	----	----	106 UNCH
4975	----	----	285.70B/224.00A	285.70B/224.00A	----	234.60 - 43.80	.5244	----	----	----	----	2 UNCH
4980	----	----	286.30B/226.00A	286.30B/226.00A	----	237.40 - 44.10	.5283	----	----	----	----	6 UNCH
4985	----	----	289.70B/229.30A	289.70B/229.30A	----	240.20 - 44.40	.5322	----	----	----	----	104 UNCH
4990	----	----	292.10B/231.40A	292.10B/231.40A	----	243.10 - 44.70	.5361	----	----	----	----	2 UNCH
4995	----	----	295.30B/234.10A	295.30B/234.10A	----	245.90 - 45.00	.5399	----	----	----	----	12 UNCH
5000	----	----	298.60B/236.70A	298.60B/236.70A	----	248.80 - 45.30	.5438	----	----	2	----	546 - 1
5005	----	----	301.90B/239.70A	301.90B/239.70A	----	251.70 - 45.60	.5476	----	----	----	----	12 UNCH
5010	----	----	305.40B/243.30A	305.40B/243.30A	----	254.60 - 45.90	.5515	----	----	----	----	9 UNCH
5015	----	----	308.60B/245.30A	308.60B/245.30A	----	257.60 - 46.10	.5553	----	----	----	----	20 UNCH
5020	----	----	312.30B/248.20A	312.30B/248.20A	----	260.60 - 46.40	.5591	----	----	----	----	5 UNCH
5025	----	----	315.20B/251.10A	315.20B/251.10A	----	263.60 - 46.70	.5629	----	----	----	----	150 UNCH
5030	----	----	318.40B/254.40A	318.40B/254.40A	----	266.60 - 47.00	.5667	----	----	----	----	8 UNCH
5035	----	----	----/257.50A	314.90B/257.50A	----	269.70 - 47.20	.5705	----	----	----	----	37 UNCH
5040	----	----	----/260.40A	315.40B/260.40A	----	272.70 - 47.50	.5742	----	----	----	----	10 UNCH
5045	----	----	----/263.40A	316.00B/263.40A	----	275.80 - 47.80	.5780	----	----	----	----	5 UNCH
5050	----	----	----/266.40A	316.90B/266.40A	----	278.90 - 48.00	.5817	----	----	----	----	79 UNCH
5055	----	----	----/269.30A	318.80B/269.30A	----	282.10 - 48.20	.5854	----	----	----	----	3 UNCH
5065	----	----	----/275.50A	325.60B/275.50A	----	288.40 - 48.80	.5928	----	----	----	----	11 UNCH
5075	----	----	----/282.10A	332.30B/282.10A	----	294.80 - 49.30	.6001	----	----	----	----	6 UNCH
5080	----	----	----/285.30A	333.10B/285.30A	----	298.10 - 49.50	.6037	----	----	----	----	2 UNCH
5085	----	----	----/288.40A	336.80B/288.40A	----	301.30 - 49.80	.6073	----	----	----	----	21 UNCH
5090	----	----	----/291.50A	340.10B/291.50A	----	304.60 - 50.00	.6109	----	----	----	----	6 UNCH
5095	----	----	----/294.60A	343.60B/294.60A	----	307.90 - 50.20	.6145	----	----	----	----	42 UNCH
5100	----	----	----/297.90A	347.10B/297.90A	----	311.20 - 50.50	.6181	----	----	----	----	106 UNCH
5105	----	----	----/299.50A	350.70B/299.50A	----	314.60 - 50.60	.6217	----	----	----	----	22 UNCH
5110	----	----	----/304.00A	354.20B/304.00A	----	318.00 - 50.80	.6252	----	----	----	----	16 UNCH
5115	----	----	----/307.60A	357.80B/307.60A	----	321.30 - 51.10	.6287	----	----	----	----	37 UNCH
5120	----	----	----/310.80A	361.40B/310.80A	----	324.70 - 51.30	.6322	----	----	----	----	14 UNCH
5125	----	----	----/313.70A	365.10B/313.70A	----	328.10 - 51.60	.6356	----	----	----	----	37 UNCH
5130	----	----	----/317.00A	368.70B/317.00A	----	331.60 - 51.70	.6390	----	----	----	----	23 UNCH
5135	----	----	----/320.70A	372.40B/320.70A	----	335.00 - 52.00	.6425	----	----	----	----	9 UNCH
5140	----	----	----/323.90A	376.00B/323.90A	----	338.50 - 52.20	.6460	----	----	----	----	19 UNCH
5145	----	----	----/327.10A	379.70B/327.10A	----	342.00 - 52.40	.6494	----	----	----	----	2 UNCH
5150	----	----	----/330.70A	383.40B/330.70A	----	345.50 - 52.60	.6527	----	----	----	----	233 UNCH
5155	----	----	----/332.90A	387.20B/332.90A	----	349.00 - 52.80	.6561	----	----	----	----	42 UNCH
5160	----	----	----/337.50A	390.90B/337.50A	----	352.60 - 53.00	.6594	----	----	----	----	42 UNCH
5170	----	----	----/344.30A	395.70B/344.30A	----	359.70 - 53.40	.6660	----	----	----	----	51 UNCH
5175	----	----	----/347.70A	396.40B/347.70A	----	363.30 - 53.60	.6692	----	----	----	----	61 UNCH
5180	----	----	----/351.30A	396.40B/351.30A	----	366.90 - 53.80	.6725	----	----	----	----	10 UNCH
5185	----	----	----/354.80A	397.60B/354.80A	----	370.50 - 54.00	.6757	----	----	----	----	103 UNCH
5190	----	----	----/357.90A	397.60B/357.90A	----	374.10 - 54.20	.6790	----	----	----	----	19 UNCH
5200	----	----	----/365.20A	399.90B/365.20A	----	381.40 - 54.70	.6853	----	----	----	----	57 UNCH
5225	----	----	----/383.30A	419.00B/383.30A	----	400.00 - 55.60	.7008	----	----	----	----	42 UNCH
5230	----	----	----/386.90A	403.50B/386.90A	----	403.80 - 55.70	.7039	----	----	----	----	2 UNCH
5235	----	----	----/390.50A	426.70B/390.50A	----	407.60 - 55.90	.7069	----	----	----	----	23 UNCH
5245	----	----	----/397.90A	409.50B/397.90A	----	415.20 - 56.30	.7129	----	----	----	----	2 UNCH
5250	----	----	----/401.50A	438.40B/401.50A	----	419.00 - 56.50	.7158	----	----	----	----	14 UNCH
5255	----	----	----/405.30A	442.30B/405.30A	----	422.80 - 56.70	.7188	----	----	----	----	14 UNCH
5285	----	----	----	313.10B/624.70A	----	446.10 - 57.70	.7358	----	----	----	----	2 UNCH
5290	----	----	----/436.60A	470.20B/436.60A	----	450.10 - 57.80	.7385	----	----	----	----	4 UNCH
5295	----	----	----	321.70B/632.40A	----	454.00 - 58.10	.7414	----	----	----	----	2 UNCH
5300	----	----	----/444.40A	478.30B/444.40A	----	458.00 - 58.20	.7441	----	----	----	----	67 UNCH
5315	----	----	----/456.00A	490.50B/456.00A	----	470.00 - 58.70	.7520	----	----	----	----	10 UNCH
5325	----	----	----	347.90B/655.70A	----	478.00 - 59.00	.7572	----	----	----	----	1 UNCH
5350	----	----	----/483.80A	519.40B/483.80A	----	498.40 - 59.70	.7698	----	----	----	----	8 UNCH
5375	----	----	----/504.00A	540.40B/504.00A	----	519.10 - 60.40	.7818	----	----	----	----	7 UNCH
5390	----	----	----/516.30A	553.10B/516.30A	----	531.60 - 60.80	.7887	----	----	----	----	5 UNCH
5400	----	----	----/521.70A	564.00B/521.70A	----	540.00 - 61.10	.7934	----	----	----	----	602 UNCH
5410	----	----	----	424.20B/723.10A	----	548.50 - 61.30	.7978	----	----	----	----	1 UNCH
5440	----	----	----	451.80B/747.60A	----	574.10 - 62.10	.8104	----	----	----	----	1 UNCH
5475	----	----	----/587.80A	627.00B/587.80A	----	604.50 - 62.80	.8243	----	----	----	----	6 UNCH
5500	----	----	----/609.40A	649.20B/609.40A	----	626.40 - 63.30	.8334	----	----	----	----	3 UNCH
5505	----	----	----	511.30B/801.80A	----	630.90 - 63.30	.8353	----	----	----	----	1 UNCH
5510	----	----	----	515.90B/806.00A	----	635.30 - 63.40	.8369	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1192.00 - 69.50	.9490	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1216.50 - 69.60	.9510	----	----	----	----	2 UNCH
TOTAL										498	280	30914 + 444
AUG26												
2300	----	----	----	0.50B/0.90A	----	0.80 UNCH	.0018	----	----	----	----	35 UNCH
2325	----	----	----	0.40B/1.10A	----	0.80 - 0.10	.0018	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
2350	----	----	----	0.50B/1.20A	----	0.90 - 0.10	.0020	----	----	----	----	2 UNCH
2375	----	----	----	0.50B/1.30A	----	0.90 - 0.10	.0020	----	----	----	----	7 UNCH
2400	----	----	----	0.60B/1.40A	----	1.00 - 0.10	.0022	----	----	----	----	5 UNCH
2425	----	----	----	0.60B/1.40A	----	1.10 - 0.10	.0025	----	----	----	----	1 UNCH
2475	----	----	----	0.70B/1.60A	----	1.20 - 0.10	.0027	----	----	----	----	5 UNCH
2500	----	----	----/1.30A	0.80B/1.30A	----	1.30 - 0.10	.0030	----	----	----	----	7 UNCH
2570	----	----	----	1.00B/2.00A	----	1.50 - 0.20	.0035	----	----	----	----	9 UNCH
2580	----	----	----	1.00B/2.10A	----	1.50 - 0.20	.0035	----	----	----	----	1 UNCH
2590	----	----	----	1.00B/2.10A	----	1.60 - 0.10	.0037	----	----	----	----	2 UNCH
2600	----	----	----	1.00B/2.10A	----	1.60 - 0.20	.0037	----	----	----	----	6 UNCH
2615	----	----	----	1.10B/2.20A	----	1.60 - 0.20	.0037	----	----	----	----	1 UNCH
2625	----	----	----	1.10B/2.20A	----	1.70 - 0.20	.0039	----	----	----	----	2 UNCH
2640	----	----	----	1.20B/2.20A	----	1.70 - 0.20	.0040	----	----	----	----	1 UNCH
2665	----	----	----	1.30B/2.30A	----	1.80 - 0.20	.0042	----	----	----	----	1 UNCH
2685	----	----	----	1.30B/2.40A	----	1.90 - 0.20	.0045	----	----	----	----	1 UNCH
2690	----	----	----	1.40B/2.40A	----	1.90 - 0.20	.0045	----	----	----	----	1 UNCH
2730	----	----	----	1.50B/2.50A	----	2.10 - 0.20	.0050	----	----	----	----	1 UNCH
2745	----	----	----	1.50B/2.60A	----	2.10 - 0.30	.0050	----	----	----	----	1 UNCH
2750	----	----	----	1.60B/2.60A	----	2.20 - 0.20	.0052	----	----	----	----	4 UNCH
2800	----	----	----	1.80B/2.80A	----	2.40 - 0.20	.0058	----	----	----	----	33 UNCH
2860	----	----	----	2.00B/3.00A	----	2.70 - 0.20	.0065	----	----	----	----	1 UNCH
2950	----	----	----	2.50B/3.40A	----	3.10 - 0.20	.0077	----	----	----	----	8 UNCH
3000	2.60	2.60	2.60/2.60	2.80B/2.60	----	3.40 - 0.20	.0085	----	----	1	----	262 UNCH
3005	----	----	----	2.80B/3.70A	----	3.40 - 0.30	.0086	----	----	----	----	5 UNCH
3010	----	----	----	2.80B/3.80A	----	3.40 - 0.30	.0086	----	----	----	----	1 UNCH
3015	----	----	----	2.80B/3.70A	----	3.50 - 0.20	.0088	----	----	----	----	1 UNCH
3025	----	----	----	2.90B/3.80A	----	3.50 - 0.30	.0089	----	----	----	----	5 UNCH
3040	----	----	----	3.00B/3.90A	----	3.60 - 0.30	.0091	----	----	----	----	1 UNCH
3065	----	----	----	3.20B/4.10A	----	3.80 - 0.30	.0097	----	----	----	----	1 UNCH
3090	----	----	----	3.40B/4.30A	----	3.90 - 0.40	.0100	----	----	----	----	1 UNCH
3095	----	----	----	3.40B/4.30A	----	3.90 - 0.40	.0100	----	----	----	----	1 UNCH
3100	----	----	----/4.30A	3.50B/4.30A	----	4.00 - 0.40	.0103	----	----	----	----	137 UNCH
3110	----	----	----	3.60B/4.40A	----	4.00 - 0.40	.0103	----	----	----	----	15 UNCH
3120	----	----	----/4.40A	3.60B/4.40A	----	4.10 - 0.40	.0106	----	----	----	----	29 UNCH
3130	----	----	----/4.40A	3.70B/4.40A	----	4.20 - 0.40	.0109	----	----	----	----	5 UNCH
3150	----	----	----/4.70A	4.00B/4.70A	----	4.30 - 0.50	.0112	----	----	----	----	10 UNCH
3155	----	----	----/4.60A	3.90B/4.60A	----	4.40 - 0.40	.0114	----	----	----	----	3 UNCH
3160	----	----	----/4.70A	4.00B/4.70A	----	4.40 - 0.50	.0115	----	----	----	----	1 UNCH
3165	----	----	----/4.80A	4.00B/4.80A	----	4.40 - 0.50	.0115	----	----	----	----	140 UNCH
3170	----	----	----/4.80A	4.00B/4.80A	----	4.50 - 0.50	.0117	----	----	----	----	1 UNCH
3180	----	----	----/4.90A	4.10B/4.90A	----	4.60 - 0.50	.0120	----	----	----	----	25 UNCH
3185	----	----	----/5.00A	4.20B/5.00A	----	4.60 - 0.50	.0121	----	----	----	----	1 UNCH
3190	----	----	----/5.00A	4.20B/5.00A	----	4.60 - 0.50	.0121	----	----	----	----	881 UNCH
3195	----	----	----/5.00A	4.30B/5.00A	----	4.70 - 0.50	.0123	----	----	----	----	1 UNCH
3200	----	----	----/5.00A	4.40B/5.00A	----	4.70 - 0.50	.0124	----	----	----	----	406 UNCH
3250	----	----	----/5.50A	5.00B/5.50A	----	5.20 - 0.60	.0138	----	----	----	----	405 UNCH
3260	----	----	----/5.60A	5.10B/5.60A	----	5.30 - 0.60	.0141	----	----	----	----	30 UNCH
3300	----	----	----/*5.90A	5.60B/5.90A	----	5.70 - 0.70	.0153	----	----	----	----	162 UNCH
3350	----	----	----/6.50A	6.20B/6.50A	----	6.20 - 0.80	.0168	----	----	----	----	375 UNCH
3370	----	----	----/6.70A	6.50B/6.70A	----	6.50 - 0.80	.0176	----	----	----	----	1 UNCH
3375	----	----	----/6.80A	6.50B/6.80A	----	6.50 - 0.90	.0177	----	----	----	----	15 UNCH
3380	----	----	----/6.90A	6.60B/6.90A	----	6.60 - 0.90	.0179	----	----	----	----	1 UNCH
3390	----	----	----/7.00A	6.80B/7.00A	----	6.70 - 0.90	.0182	----	----	----	----	1 UNCH
3400	----	----	----/7.10A	7.00B/7.10A	----	6.90 - 0.90	.0188	----	----	----	----	23 UNCH
3405	----	----	----/7.30A	7.00B/7.30A	----	6.90 - 1.00	.0188	----	----	----	----	4 UNCH
3450	----	----	----/7.80A	7.80B/7.80A	----	7.60 - 1.00	.0208	----	----	----	----	1 UNCH
3465	----	----	----/8.10A	8.00B/8.10A	----	7.80 - 1.10	.0215	----	----	----	----	6 UNCH
3470	----	----	----/8.20A	8.20B/8.20A	----	7.90 - 1.10	.0217	----	----	----	----	1 UNCH
3495	----	----	----/8.50A	8.70B/8.50A	----	8.40 - 1.10	.0231	----	----	----	----	1 UNCH
3500	----	----	----/8.60A	8.80B/8.60A	----	8.40 - 1.20	.0232	----	----	3	----	823 - 1
3505	----	----	----/8.70A	8.90B/8.70A	----	8.50 - 1.20	.0235	----	----	----	----	1 UNCH
3510	----	----	----/8.80A	9.00B/8.80A	----	8.60 - 1.20	.0238	----	----	----	----	50 UNCH
3520	----	----	----/9.00A	9.20B/9.00A	----	8.80 - 1.20	.0243	----	----	----	----	210 UNCH
3525	----	----	----/9.00A	9.30B/9.00A	----	8.90 - 1.20	.0246	----	----	----	----	60 UNCH
3545	----	----	----/9.40A	9.80B/9.40A	----	9.30 - 1.30	.0258	----	----	----	----	9 UNCH
3550	----	----	----/9.50A	9.90B/9.50A	----	9.40 - 1.30	.0260	----	----	----	----	118 UNCH
3570	----	----	----/9.90A	10.40B/9.90A	----	9.80 - 1.40	.0272	----	----	----	----	32 UNCH
3575	----	----	----/10.00A	10.50B/10.00A	----	9.90 - 1.40	.0275	----	----	----	----	20 UNCH
3585	----	----	----/10.20A	10.80B/10.20A	----	10.10 - 1.50	.0281	----	----	----	----	50 UNCH
3600	----	----	----/10.50A	11.20B/10.50A	----	10.50 - 1.50	.0292	----	----	----	----	454 UNCH
3610	----	----	----/10.70A	11.50B/10.70A	----	10.70 - 1.50	.0298	----	----	----	----	1 UNCH
3630	----	----	----/11.20A	12.00B/11.20A	----	11.20 - 1.60	.0312	----	----	----	----	8 UNCH
3645	----	----	----/*11.50A	12.50B/*11.50A	----	11.50 - 1.80	.0322	----	----	----	----	22 UNCH
3650	----	----	----/11.70A	12.70B/11.70A	----	11.70 - 1.70	.0327	----	----	----	----	40 UNCH
3655	----	----	----/11.70A	12.80B/11.70A	----	11.80 - 1.80	.0330	----	----	----	----	55 UNCH
3660	----	----	----/*11.90A	13.00B/*11.90A	----	11.90 - 1.80	.0333	----	----	----	----	9 UNCH
3665	----	----	----/*12.00A	13.10B/*12.00A	----	12.10 - 1.80	.0338	----	----	----	----	1 UNCH
3675	----	----	----/12.30A	13.50B/12.30A	----	12.30 - 1.90	.0344	----	----	----	----	24 UNCH
3690	----	----	----/*12.70A	14.00B/*12.70A	----	12.80 - 1.90	.0358	----	----	----	----	13 UNCH
3700	----	----	----/13.00A	14.30B/13.00A	----	13.10 - 1.90	.0367	----	----	----	----	219 UNCH
3705	----	----	----/*13.10A	14.50B/*13.10A	----	13.20 - 2.00	.0370	----	----	----	----	20 UNCH
3715	----	----	----/*13.40A	14.90B/*13.40A	----	13.50 - 2.10	.0378	----	----	----	----	30 UNCH
3725	----	----	----/13.70A	15.20B/13.70A	----	13.80 - 2.10	.0387	----	----	----	----	4 UNCH
3730	----	----	----/*13.90A	15.40B/*13.90A	----	14.00 - 2.10	.0392	----	----	----	----	10 UNCH
3750	----	----	----/14.40A	16.30B/14.40A	----	14.60 - 2.30	.0410	----	----	----	----	77 UNCH
3765	----	----	----/*15.00A	16.80B/*15.00A	----	15.10 - 2.40	.0424	----	----	----	----	100 UNCH
3770	----	----	----/*15.10A	17.10B/*15.10A	----	15.30 - 2.40	.0430	----	----	----	----	4 UNCH
3775	----	----	----/15.30A	17.30B/15.30A	----	15.50 - 2.40	.0435	----	----	----	----	12 UNCH
3790	----	----	----/*15.80A	18.00B/*15.80A	----	16.00 - 2.60	.0450	----	----	----	----	2 UNCH
3795	----	----	----/*16.00A	18.20B/*16.00A	----	16.20 - 2.60	.0455	----	----	----	----	81 UNCH
3800	15.70	15.70	15.70/15.70	18.50B/15.70	----	16.40 - 2.70	.0461	----	----	10	----	323 UNCH
3805	----	----	----/*16.30A	18.70B/*16.30A	----	16.60 - 2.70	.0466	----	----	----	----	4 UNCH
3810	----	----	----/*16.50A	18.90B/*16.50A	----	16.80 - 2.70	.0472	----	----	----	----	50 UNCH
3815	----	----	----/*16.70A	19.30B/*16.70A	----	17.00 - 2.80	.0477	----	----	----	----	150 UNCH
3820	----	----	----/*16.90A	19.40B/*16.90A	----	17.20 - 2.80	.0483	----	----	----	----	52 UNCH
3825	----	----	----/17.10A	19.70B/17.10A	----	17.40 - 2.80	.0489	----	----	----	----	51 UNCH
3835	----	----	----/*17.50A	20.50B/*17.50A	----	17.80 - 2.90	.0500	----	----	----	----	10 UNCH
3850	----	----	----/18.10A	21.10B/18.10A	----	18.50 - 3.00	.0519	----	----	----	----	87 UNCH
3855	----	----	----/*18.30A	21.30B/*18.30A	----	18.70 - 3.10	.0525	----	----	----	----	3 UNCH
3875	----	----	----/19.20A	22.40B/19.20A	----	19.60 - 3.30	.0550	----	----	----	----	10 UNCH
3880	----	----	----/*19.40A	22.70B/19.40A	----	19.80 - 3.40	.0555	----	----	----	----	299 UNCH
3890	----	----	----/*19.80A	23.30B/*19.80A	----	20.30 - 3.40	.0569	----	----	----	----	73 UNCH
3900	----	----	----/20.30A	24.00B/20.30A	----	20.80 - 3.50	.0583	----	----	----	----	306 UNCH
3910	----	----	----/*20.80A	24.90B/20.80A	----	21.30 - 3.60	.0597	----	----	----	----	1 UNCH
3925	----	----	----/21.50A	25.80B/21.50A	----	22.10 - 3.80	.0618	----	----	----	----	10 UNCH
3930	----	----	----/*21.80A	26.00B/21.80A	----	22.30 - 3.90	.0625	----	----	----	----	38 UNCH
3940	----	----	----/*22.30A	26.80B/22.30A	----	22.90 - 4.00	.0640	----	----	----	----	2 UNCH
3950	----	----	----/22.80A	27.60B/22.80A	----	23.50 - 4.10	.0656	----	----	----	----	246 UNCH
3955	----	----	----/*23.10A	27.90B/23.10A	----	23.70 - 4.20	.0663	----	----	----	----	10 UNCH
3960	----	----	----/23.30A	28.30B/23.30A	----	24.00 - 4.30	.0671	----	----	----	----	1 UNCH
3965	----	----	28.70B/*23.60A	28.70B/23.60A	----	24.30 - 4.30	.0679	----	----	----	----	14 UNCH
3975	----	----	----/24.20A	29.30B/24.20A	----	24.90 - 4.50	.0695	----	----	----	----	267 UNCH
3980	----	----	----/24.50A	29.70B/24.50A	----	25.20 - 4.50	.0703	----	----	----	----	45 UNCH
3985	----	----	30.20B/24.70A	30.20B/24.70A	----	25.50 - 4.60	.0711	----	----	----	----	2 UNCH
3990	----	----	----/25.00A	30.50B/25.00A	----	25.90 - 4.60	.0721	----	----	----	----	44 UNCH
3995	----	----	31.00B/25.30A	31.00B/25.30A	----	26.20 - 4.70	.0729	----	----	----	----	4 UNCH
4000	31.70	31.70	31.70/25.60A	31.70/25.60A	----	26.50 - 4.80	.0738	----	----	99	----	1675 - 5
4005	----	----	31.80B/25.80A	31.80B/25.80A	----	26.80 - 4.90	.0746	----	----	----	----	3 UNCH
4010	----	----	----/26.10A	32.10B/26.10A	----	27.20 - 4.90	.0756	----	----	----	----	78 UNCH
4025	----	----	33.50B/27.00A	33.50B/27.00A	----	28.20 - 5.10	.0783	----	----	----	----	101 UNCH
4030	----	----	33.90B/27.40A	33.90B/27.40A	----	28.50 - 5.20	.0791	----	----	----	----	50 UNCH
4040	----	----	34.80B/28.00A	34.80B/28.00A	----	29.30 - 5.30	.0812	----	----	----	----	15 UNCH
4045	----	----	35.30B/28.40A	35.30B/28.40A	----	29.60 - 5.50	.0820	----	----	----	----	30 UNCH
4050	----	----	35.80B/28.70A	35.80B/28.70A	----	30.00 - 5.50	.0831	----	----	----	----	299 UNCH
4065	----	----	37.20B/29.80A	37.20B/29.80A	----	31.10 - 5.80	.0860	----	----	----	----	4 UNCH
4075	----	----	38.20B/30.50A	38.20B/30.50A	----	31.90 - 5.90	.0881	----	----	----	----	5 UNCH
4080	----	----	38.70B/30.90A	38.70B/30.90A	----	32.30 - 6.00	.0891	----	----	----	----	6 UNCH
4085	----	----	39.20B/31.30A	39.20B/31.30A	----	32.70 - 6.10	.0902	----	----	----	----	28 UNCH
4095	----	----	40.30B/32.10A	40.30B/32.10A	----	33.60 - 6.20	.0924	----	----	----	----	4 UNCH
4100	----	----	41.00B/32.40A	41.00B/32.40A	----	34.00 - 6.30	.0935	----	----	----	----	89 UNCH
4110	----	----	41.90B/33.20A	41.90B/33.20A	----	34.80 - 6.60	.0956	----	----	----	----	1 UNCH
4115	----	----	42.60B/33.60A	42.60B/33.60A	----	35.30 - 6.60	.0968	----	----	----	----	6 UNCH
4120	----	----	43.20B/34.10A	43.20B/34.10A	----	35.70 - 6.80	.0979	----	----	----	----	1 UNCH
4130	----	----	44.20B/34.90A	44.20B/34.90A	----	36.60 - 7.00	.1002	----	----	----	----	5 UNCH
4135	----	----	45.00B/35.30A	45.00B/35.30A	----	37.10 - 7.00	.1015	----	----	----	----	54 UNCH
4140	----	----	45.50B/35.70A	45.50B/35.70A	----	37.60 - 7.10	.1027	----	----	----	----	1 UNCH
4145	----	----	46.10B/36.20A	46.10B/36.20A	----	38.10 - 7.20	.1039	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4150	----	----	46.80B/36.60A	46.80B/36.60A	----	38.50 - 7.40	.1050	----	----	----	----	360 UNCH
4160	----	----	48.00B/37.90A	48.00B/37.90A	----	39.50 - 7.60	.1076	----	----	----	----	64 UNCH
4165	----	----	48.70B/38.30A	48.70B/38.30A	----	40.00 - 7.70	.1088	----	----	----	----	101 UNCH
4170	----	----	49.30B/38.70A	49.30B/38.70A	----	40.60 - 7.70	.1102	----	----	----	----	77 UNCH
4175	----	----	50.00B/39.20A	50.00B/39.20A	----	41.10 - 7.80	.1115	----	----	----	----	25 UNCH
4180	----	----	50.70B/39.60A	50.70B/39.60A	----	41.60 - 8.00	.1128	----	----	----	----	91 UNCH
4185	----	----	51.30B/40.30A	51.30B/40.30A	----	42.10 - 8.10	.1140	----	----	----	----	41 UNCH
4190	----	----	52.00B/40.70A	52.00B/40.70A	----	42.70 - 8.10	.1155	----	----	----	----	141 UNCH
4195	----	----	52.70B/41.10A	52.70B/41.10A	----	43.20 - 8.30	.1168	----	----	----	----	143 UNCH
4200	----	----	53.40B/41.90A	53.40B/41.90A	----	43.80 - 8.40	.1182	----	----	----	----	221 UNCH
4205	----	----	54.20B/42.30A	54.20B/42.30A	----	44.30 - 8.50	.1195	----	----	----	----	20 UNCH
4215	----	----	55.50B/43.20A	55.50B/43.20A	----	45.50 - 8.70	.1224	----	----	----	----	18 UNCH
4220	----	----	56.30B/44.00A	56.30B/44.00A	----	46.10 - 8.80	.1238	----	----	----	----	9 UNCH
4225	----	----	57.00B/44.40A	57.00B/44.40A	----	46.70 - 8.90	.1253	----	----	----	----	1 UNCH
4230	----	----	57.80B/45.10A	57.80B/45.10A	----	47.30 - 9.10	.1267	----	----	----	----	10 UNCH
4235	----	----	58.60B/45.70A	58.60B/45.70A	----	47.90 - 9.20	.1282	----	----	----	----	1 UNCH
4245	----	----	60.10B/46.70A	60.10B/46.70A	----	49.10 - 9.50	.1311	----	----	----	----	32 UNCH
4250	----	----	60.80B/47.30A	60.80B/47.30A	----	49.70 - 9.60	.1326	----	----	----	----	400 UNCH
4255	----	----	61.70B/47.90A	61.70B/47.90A	----	50.40 - 9.70	.1342	----	----	----	----	883 UNCH
4260	----	----	62.40B/48.60A	62.40B/48.60A	----	51.00 - 9.90	.1357	----	----	----	----	8 UNCH
4270	----	----	64.20B/49.90A	64.20B/49.90A	----	52.30 - 10.20	.1388	----	----	----	----	3 UNCH
4275	----	----	65.00B/50.50A	65.00B/50.50A	----	53.00 - 10.30	.1405	----	----	----	----	6 UNCH
4285	----	----	66.90B/51.70A	66.90B/51.70A	----	54.40 - 10.50	.1438	----	----	----	----	170 UNCH
4290	----	----	67.70B/52.40A	67.70B/52.40A	----	55.10 - 10.60	.1454	----	----	----	----	2 UNCH
4295	----	----	68.50B/53.00A	68.50B/53.00A	----	55.80 - 10.80	.1471	----	----	----	----	2 UNCH
4300	55.00	55.00	69.50B/53.50A	69.50B/53.50A	----	56.50 - 11.00	.1487	----	----	2	----	458 + 2
4305	----	----	70.50B/54.30A	70.50B/54.30A	----	57.30 - 11.00	.1505	----	----	----	----	100 UNCH
4310	----	----	71.30B/55.00A	71.30B/55.00A	----	58.00 - 11.20	.1522	----	----	----	----	1 UNCH
4315	----	----	72.30B/55.60A	72.30B/55.60A	----	58.80 - 11.30	.1540	----	----	----	----	8 UNCH
4320	----	----	73.20B/56.30A	73.20B/56.30A	----	59.50 - 11.50	.1556	----	----	----	----	5 UNCH
4325	----	----	74.20B/57.00A	74.20B/57.00A	----	60.30 - 11.60	.1575	----	----	2	----	279 + 2
4330	----	----	75.20B/57.90A	75.20B/57.90A	----	61.10 - 11.70	.1593	----	----	----	----	102 UNCH
4335	----	----	76.10B/58.70A	76.10B/58.70A	----	61.80 - 12.00	.1610	----	----	----	----	1 UNCH
4340	----	----	77.10B/59.30A	77.10B/59.30A	----	62.60 - 12.10	.1628	----	----	----	----	2 UNCH
4350	----	----	79.00B/60.90A	79.00B/60.90A	----	64.30 - 12.30	.1665	----	----	----	----	657 UNCH
4355	----	----	80.20B/61.70A	80.20B/61.70A	----	65.10 - 12.50	.1684	----	----	----	----	2 UNCH
4360	----	----	81.20B/62.50A	81.20B/62.50A	----	65.90 - 12.70	.1702	----	----	----	----	61 UNCH
4365	----	----	82.10B/63.30A	82.10B/63.30A	----	66.80 - 12.80	.1722	----	----	----	----	100 UNCH
4380	----	----	85.50B/65.80A	85.50B/65.80A	----	69.40 - 13.30	.1780	----	----	----	----	1 UNCH
4385	----	----	86.60B/66.70A	86.60B/66.70A	----	70.30 - 13.40	.1800	----	----	----	----	8 UNCH
4390	----	----	87.80B/67.60A	87.80B/67.60A	----	71.20 - 13.60	.1819	----	----	----	----	15 UNCH
4395	----	----	88.80B/68.30A	88.80B/68.30A	----	72.10 - 13.80	.1839	----	----	----	----	2 UNCH
4400	----	----	90.00B/69.20A	90.00B/69.20A	----	73.00 - 14.00	.1859	----	----	95	----	958 + 17
4410	----	----	92.30B/71.00A	92.30B/71.00A	----	74.90 - 14.30	.1900	----	----	----	----	1 UNCH
4415	----	----	93.40B/72.00A	93.40B/72.00A	----	75.80 - 14.50	.1920	----	----	----	----	6 UNCH
4420	----	----	94.70B/72.90A	94.70B/72.90A	----	76.80 - 14.70	.1942	----	----	----	----	2 UNCH
4425	----	----	95.80B/73.80A	95.80B/73.80A	----	77.80 - 14.80	.1963	----	----	----	----	3 UNCH
4435	----	----	98.40B/75.70A	98.40B/75.70A	----	79.80 - 15.20	.2006	----	----	----	----	6 UNCH
4440	----	----	99.70B/76.80A	99.70B/76.80A	----	80.80 - 15.30	.2027	----	----	----	----	37 UNCH
4445	----	----	100.90B/77.70A	100.90B/77.70A	----	81.80 - 15.60	.2049	----	----	----	----	1 UNCH
4450	----	----	102.20B/78.70A	102.20B/78.70A	----	82.80 - 15.80	.2070	----	----	----	----	327 UNCH
4455	----	----	103.50B/79.80A	103.50B/79.80A	----	83.90 - 15.90	.2093	----	----	----	----	1 UNCH
4460	----	----	104.80B/80.80A	104.80B/80.80A	----	84.90 - 16.20	.2114	----	----	----	----	4 UNCH
4465	----	----	106.10B/81.80A	106.10B/81.80A	----	86.00 - 16.30	.2137	----	----	----	----	18 UNCH
4470	----	----	107.40B/82.80A	107.40B/82.80A	----	87.10 - 16.50	.2160	----	----	----	----	118 UNCH
4475	----	----	108.80B/83.90A	108.80B/83.90A	----	88.20 - 16.70	.2183	----	----	----	----	35 UNCH
4480	----	----	110.20B/84.90A	110.20B/84.90A	----	89.30 - 16.90	.2205	----	----	----	----	131 UNCH
4485	----	----	111.50B/86.00A	111.50B/86.00A	----	90.40 - 17.10	.2228	----	----	----	----	12 UNCH
4490	----	----	112.90B/87.10A	112.90B/87.10A	----	91.50 - 17.30	.2251	----	----	----	----	3 UNCH
4495	----	----	114.40B/88.20A	114.40B/88.20A	----	92.70 - 17.50	.2275	----	----	----	----	12 UNCH
4500	----	----	115.80B/89.40A	115.80B/89.40A	----	93.80 - 17.80	.2298	----	----	----	----	1300 UNCH
4505	----	----	117.20B/90.40A	117.20B/90.40A	----	95.00 - 17.90	.2322	----	----	----	----	17 UNCH
4510	----	----	118.70B/91.60A	118.70B/91.60A	----	96.20 - 18.10	.2346	----	----	----	----	31 UNCH
4515	----	----	120.10B/92.90A	120.10B/92.90A	----	97.40 - 18.30	.2370	----	----	----	----	3 UNCH
4520	96.40	96.40	121.60B/94.00A	121.60B/94.00A	----	98.60 NEW	.2395	----	----	12	----	12 + 12
4525	----	----	123.00B/95.00A	123.00B/95.00A	----	99.80 - 18.80	.2419	----	----	----	----	1 UNCH
4535	----	----	126.10B/97.00A	126.10B/97.00A	----	102.30 - 19.20	.2468	----	----	----	----	10 UNCH
4545	----	----	129.30B/99.30A	129.30B/99.30A	----	104.80 - 19.70	.2518	----	----	----	----	21 UNCH
4550	----	----	130.80B/100.60A	130.80B/100.60A	----	106.10 - 19.90	.2543	----	----	----	----	10 UNCH
4555	103.20	103.20	132.40B/101.80A	132.40B/101.80A	----	107.40 NEW	.2569	----	----	24	----	24 + 24
4560	106.70	106.70	134.00B/103.20A	134.00B/103.20A	----	108.80 - 20.30	.2595	----	----	12	----	15 + 12
4565	----	----	135.60B/104.40A	135.60B/104.40A	----	110.10 - 20.60	.2620	----	----	----	----	2 UNCH
4570	----	----	137.30B/105.80A	137.30B/105.80A	----	111.50 - 20.80	.2647	----	----	22	----	30 + 20
4575	----	----	139.00B/107.20A	139.00B/107.20A	----	112.80 - 21.10	.2672	----	----	----	----	7 UNCH
4580	----	----	140.60B/108.30A	140.60B/108.30A	----	114.20 - 21.30	.2699	----	----	1	----	166 + 1
4585	----	----	142.30B/109.80A	142.30B/109.80A	----	115.60 - 21.60	.2725	----	----	----	----	4 UNCH
4590	----	----	144.00B/111.10A	144.00B/111.10A	----	117.00 - 21.80	.2752	----	----	----	----	10 UNCH
4600	----	----	147.50B/114.10A	147.50B/114.10A	----	119.90 - 22.30	.2805	----	----	----	----	492 UNCH
4605	----	----	149.30B/115.30A	149.30B/115.30A	----	121.40 - 22.50	.2833	----	----	----	----	3 UNCH
4610	----	----	151.10B/116.80A	151.10B/116.80A	----	122.80 - 22.80	.2859	----	----	----	----	2 UNCH
4615	----	----	152.90B/118.20A	152.90B/118.20A	----	124.30 - 23.10	.2887	----	----	----	----	2 UNCH
4620	119.10	119.10	154.70B/119.10	154.70B/119.10	----	125.90 - 23.20	.2915	----	----	2	----	5 + 2
4625	----	----	156.40B/121.30A	156.40B/121.30A	----	127.40 - 23.50	.2943	----	----	----	----	102 UNCH
4640	157.10	157.10	162.00B/125.70A	162.00B/125.70A	----	132.10 - 24.30	.3027	----	----	4	----	303 UNCH
4645	----	----	164.00B/127.40A	164.00B/127.40A	----	133.70 - 24.50	.3055	----	----	----	----	131 UNCH
4650	160.80	160.80	165.90B/128.80A	165.90B/128.80A	----	135.30 - 24.80	.3083	----	----	5	----	311 - 3
4665	----	----	171.80B/133.60A	171.80B/133.60A	----	140.30 - 25.60	.3170	----	----	----	----	4 UNCH
4670	----	----	173.80B/135.20A	173.80B/135.20A	----	142.00 - 25.80	.3199	----	----	----	----	1 UNCH
4675	----	----	175.70B/136.90A	175.70B/136.90A	----	143.70 - 26.10	.3228	----	----	----	----	4 UNCH
4680	----	----	177.80B/138.60A	177.80B/138.60A	----	145.40 - 26.40	.3257	----	----	----	----	5 UNCH
4700	----	----	186.00B/145.20A	186.00B/145.20A	----	152.50 - 27.40	.3376	----	----	5	----	479 UNCH
4705	----	----	188.20B/147.10A	188.20B/147.10A	----	154.30 - 27.60	.3405	----	----	----	----	52 UNCH
4710	----	----	190.30B/148.80A	190.30B/148.80A	----	156.10 - 27.90	.3435	----	----	----	----	7 UNCH
4715	----	----	192.50B/150.50A	192.50B/150.50A	----	157.90 - 28.20	.3465	----	----	----	----	1 UNCH
4720	----	----	194.50B/152.40A	194.50B/152.40A	----	159.80 - 28.40	.3496	----	----	----	----	10 UNCH
4725	----	----	195.90B/154.20A	195.90B/154.20A	----	161.70 - 28.70	.3526	----	----	----	----	30 UNCH
4730	----	----	198.10B/155.90A	198.10B/155.90A	----	163.60 - 28.90	.3556	----	----	----	----	1 UNCH
4735	----	----	200.90B/157.80A	200.90B/157.80A	----	165.50 - 29.20	.3587	----	----	----	----	59 UNCH
4740	166.30	166.30	202.80B/159.80A	202.80B/159.80A	----	167.40 - 29.40	.3617	----	----	4	----	41 + 4
4745	----	----	204.80B/161.50A	204.80B/161.50A	----	169.30 - 29.70	.3648	----	----	----	----	24 UNCH
4750	----	----	207.60B/163.40A	207.60B/163.40A	----	171.30 - 29.90	.3679	----	----	----	----	186 UNCH
4760	----	----	212.30B/167.20A	212.30B/167.20A	----	175.30 - 30.30	.3741	----	----	----	----	1 UNCH
4775	----	----	219.00B/173.20A	219.00B/173.20A	----	181.40 - 31.00	.3834	----	----	1	----	79 + 1
4780	----	----	221.70B/175.20A	221.70B/175.20A	----	183.40 - 31.30	.3865	----	----	1	----	16 + 1
4785	----	----	224.10B/177.10A	224.10B/177.10A	----	185.50 - 31.50	.3896	----	----	----	----	18 UNCH
4795	----	----	228.60B/181.20A	228.60B/181.20A	----	189.70 - 31.90	.3959	----	----	----	----	2 UNCH
4800	182.80	182.80	231.60B/182.80	231.60B/182.80	----	191.90 - 32.10	.3991	----	----	22	----	838 UNCH
4805	----	----	234.30B/185.40A	234.30B/185.40A	----	194.00 - 32.40	.4023	----	----	----	----	2 UNCH
4810	----	----	236.90B/187.70A	236.90B/187.70A	----	196.20 - 32.60	.4054	----	----	----	----	5 UNCH
4820	----	----	241.90B/191.80A	241.90B/191.80A	----	200.70 - 33.00	.4118	----	----	----	----	4 UNCH
4825	202.00	202.00	244.50B/194.20A	244.50B/194.20A	----	202.90 - 33.30	.4150	----	----	3	----	5 + 3
4835	----	----	249.70B/198.40A	249.70B/198.40A	----	207.50 - 33.80	.4214	----	----	----	----	36 UNCH
4840	----	----	251.90B/200.80A	251.90B/200.80A	----	209.80 - 34.10	.4246	----	----	----	----	11 UNCH
4850	209.00	209.00	254.30B/205.30A	254.30B/205.30A	----	214.50 - 34.60	.4310	----	----	68	----	156 + 55
4855	----	----	257.10B/207.30A	257.10B/207.30A	----	216.90 - 34.90	.4342	----	----	----	----	10 UNCH
4860	----	----	260.60B/209.60A	260.60B/209.60A	----	219.20 - 35.20	.4374	----	----	----	----	9 UNCH
4865	----	----	264.30B/212.00A	264.30B/212.00A	----	221.70 - 35.40	.4406	----	----	----	----	2 UNCH
4870	----	----	265.80B/214.30A	265.80B/214.30A	----	224.10 - 35.80	.4438	----	----	11	----	25 + 11
4875	----	----	268.20B/216.50A	268.20B/216.50A	----	226.50 - 36.10	.4471	----	----	----	----	77 UNCH
4885	----	----	274.00B/221.20A	274.00B/221.20A	----	231.50 - 36.60	.4535	----	----	----	----	8 UNCH
4890	----	----	276.50B/223.60A	276.50B/223.60A	----	234.00 - 36.90	.4567	----	----	----	----	3 UNCH
4900	----	----	283.40B/228.50A	283.40B/228.50A	----	239.00 - 37.40	.4632	----	----	20	----	375 + 20
4905	----	----	286.90B/230.70A	286.90B/230.70A	----	241.50 - 37.70	.4664	----	----	----	----	29 UNCH
4910	----	----	289.80B/233.40A	289.80B/233.40A	----	244.00 - 38.10	.4696	----	----	----	----	22 UNCH
4925	243.90	243.90	296.10B/240.80A	296.10B/240.80A	----	251.70 - 38.90	.4793	----	----	1	----	50 UNCH
4930	243.30	243.30	299.10B/242.80A	299.10B/242.80A	----	254.30 NEW	.4825	----	----	1	----	1 + 1
4950	----	----	311.70B/253.80A	311.70B/253.80A	----	264.90 - 40.20	.4953	----	----	----	----	31 UNCH
4955	----	----	314.50B/256.00A	314.50B/256.00A	----	267.50 - 40.50	.4985	----	----	----	----	1 UNCH
4980	----	----	329.00B/268.90A	329.00B/268.90A	----	281.20 - 41.80	.5145	----	----	----	----	1 UNCH
5000	----	----	342.30B/279.80A	342.30B/279.80A	----	292.50 - 42.70	.5272	----	----	----	----	317 UNCH
5010	----	----	347.90B/286.60A	347.90B/286.60A	----	298.20 - 43.30	.5336	----	----	----	----	1 UNCH
5025	----	----	354.40B/293.80A	354.40B/293.80A	----	307.00 - 43.90	.5430	----	----	----	----	25 UNCH
5030	----	----	357.60B/298.10A	357.60B/298.10A	----	310.00 - 44.10	.5461	----	----	----	----	1 UNCH
5040	----	----	364.50B/303.70A	364.50B/303.70A	----	316.00 - 44.60	.5523	----	----	----	----	4 UNCH
5045	----	----	367.70B/305.30A	367.70B/305.30A	----	319.00 - 44.80	.5554	----	----	----	----	31 UNCH
5050	----	----	370.80B/309.50A	370.80B/309.50A	----	322.10 - 45.00	.5585	----	----	----	----	351 UNCH
5070	----	----	384.40B/321.40A	384.40B/321.40A	----	334.40 - 45.90	.5707	----	----	----	----	17 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 20

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
5080	----	----	389.90B/327.60A	389.90B/327.60A	----	340.70 - 46.30	.5768	----	----	----	----	3 UNCH
5100	----	----	----/340.00A	391.50B/340.00A	----	353.50 - 47.10	.5888	----	----	----	----	82 UNCH
5120	----	----	----/352.60A	399.00B/352.60A	----	366.60 - 47.90	.6006	----	----	----	----	2 UNCH
5180	----	----	----/391.70A	441.80B/391.70A	----	407.20 - 50.20	.6349	----	----	----	----	1 UNCH
5195	----	----	----/402.10A	452.80B/402.10A	----	417.60 - 50.80	.6432	----	----	----	----	2 UNCH
5200	----	----	----/405.50A	456.50B/405.50A	----	421.10 - 51.00	.6459	----	----	----	----	112 UNCH
5265	----	----	----/451.20A	494.70B/451.20A	----	468.10 - 53.30	.6802	----	----	----	----	1 UNCH
5300	----	----	----/476.70A	504.00B/476.70A	----	494.40 - 54.40	.6977	----	----	----	----	3 UNCH
5355	----	----	----	398.70B/717.50A	----	536.80 - 56.10	.7236	----	----	----	----	1 UNCH
5400	----	----	----/577.30A	560.90B/577.30A	----	572.50 - 57.40	.7434	----	----	----	----	76 UNCH
5460	----	----	----	488.90B/800.00A	----	621.40 - 59.00	.7679	----	----	----	----	1 UNCH
5500	----	----	----/659.50A	642.60B/659.50A	----	654.80 - 60.00	.7829	----	----	----	----	3 UNCH
5530	----	----	----	551.50B/857.00A	----	680.20 - 60.70	.7936	----	----	----	----	1 UNCH
5575	----	----	----	592.50B/894.30A	----	718.90 - 61.60	.8087	----	----	----	----	2 UNCH
TOTAL										431		23309 + 179
SEP26												
2350	----	----	----	0.10B/8.00A	----	1.00 - 0.10	.0022	----	----	----	----	54 UNCH
2375	----	----	----	0.10B/8.10A	----	1.10 - 0.10	.0024	----	----	----	----	3 UNCH
2400	----	----	----	0.10B/8.20A	----	1.20 - 0.10	.0026	----	----	----	----	1 UNCH
2500	1.70	1.70	1.70/*1.70	1.70/*1.70	----	1.50 - 0.10	.0033	----	----	1	----	4 UNCH
2600	----	----	----	0.80B/3.60A	----	1.80 - 0.20	.0040	----	----	----	----	2 UNCH
2900	----	----	----	1.90B/5.30A	----	3.40 - 0.50	.0080	----	----	----	----	1 UNCH
3000	----	----	----	2.60B/6.20A	----	4.20 - 0.60	.0099	----	----	----	----	2 UNCH
3145	----	----	----	3.60B/7.60A	----	5.60 - 0.80	.0135	----	----	----	----	15 UNCH
3150	----	----	----	3.70B/7.70A	----	5.70 - 0.80	.0137	----	----	----	----	2 UNCH
3200	----	----	----	4.20B/8.20A	----	6.30 - 0.90	.0152	----	----	----	----	1 UNCH
3270	----	----	----	5.40B/9.40A	----	7.20 - 1.10	.0176	----	----	----	----	15 UNCH
3300	----	----	----	5.60B/9.80A	----	7.70 - 1.10	.0188	----	----	----	----	1 UNCH
3475	----	----	----	9.00B/13.20A	----	10.90 - 1.80	.0270	----	----	----	----	2 UNCH
3480	----	----	----	9.20B/13.40A	----	11.00 - 1.80	.0273	----	----	----	----	780 UNCH
3500	----	----	----	9.70B/13.90A	----	11.50 - 1.90	.0286	----	----	----	----	19 UNCH
3525	----	----	----	10.40B/14.50A	----	12.10 - 2.00	.0301	----	----	----	----	2 UNCH
3565	----	----	----	11.60B/15.60A	----	13.20 - 2.10	.0329	----	----	----	----	1 UNCH
3610	----	----	----	13.00B/17.00A	----	14.50 - 2.40	.0362	----	----	----	----	1 UNCH
3625	----	----	----/17.40A	13.40B/17.40A	----	15.00 - 2.50	.0374	----	----	----	----	1 UNCH
3650	----	----	----/18.30A	14.40B/18.30A	----	15.80 - 2.70	.0394	----	----	----	----	66 UNCH
3690	----	----	----/19.80A	16.00B/19.80A	----	17.30 - 2.90	.0431	----	----	----	----	60 UNCH
3700	----	----	----/20.10A	16.40B/20.10A	----	17.70 - 3.00	.0441	----	----	----	----	144 UNCH
3720	----	----	----/20.90A	17.30B/20.90A	----	18.50 - 3.10	.0461	----	----	----	----	50 UNCH
3750	----	----	----/22.20A	18.90B/22.20A	----	19.80 - 3.40	.0492	----	----	----	----	80 UNCH
3755	----	----	----/22.40A	19.10B/22.40A	----	20.00 - 3.40	.0497	----	----	----	----	310 UNCH
3800	----	----	----/24.50A	21.50B/24.50A	----	22.20 - 3.80	.0550	----	----	----	----	2 UNCH
3850	----	----	----/27.10A	25.10B/27.10A	----	24.90 - 4.30	.0615	----	----	----	----	20 UNCH
3880	----	----	----/28.70A	27.60B/28.70A	----	26.70 - 4.60	.0657	----	----	----	----	26 UNCH
3900	----	----	----/28.60A	28.90B/28.60A	----	27.90 - 4.90	.0686	----	----	----	----	211 UNCH
3910	----	----	----/28.90A	29.30B/28.90A	----	28.60 - 5.00	.0702	----	----	----	----	2 UNCH
3920	----	----	----/29.20A	30.80B/29.20A	----	29.30 - 5.10	.0718	----	----	----	----	14 UNCH
3930	----	----	----/30.10A	31.20B/30.10A	----	30.00 - 5.30	.0734	----	----	----	----	2 UNCH
3945	----	----	----/31.00A	32.20B/31.00A	----	31.00 - 5.50	.0758	----	----	----	----	380 UNCH
3950	----	----	----/31.40A	32.50B/31.40A	----	31.40 - 5.60	.0767	----	----	----	----	324 UNCH
4000	----	----	----/35.00A	37.80B/35.00A	----	35.30 - 6.40	.0856	----	----	----	180	895 + 180
4005	----	----	----/35.40A	37.70B/35.40A	----	35.70 - 6.50	.0865	----	----	----	----	1 UNCH
4020	----	----	----/36.70A	39.10B/36.70A	----	37.00 - 6.70	.0894	----	----	----	----	14 UNCH
4030	----	----	----/37.60A	40.10B/37.60A	----	37.90 - 6.90	.0914	----	----	----	----	2 UNCH
4050	----	----	----/39.20A	42.20B/39.20A	----	39.70 - 7.20	.0954	----	----	----	----	45 UNCH
4080	----	----	----/41.80A	46.50B/41.80A	----	42.60 - 7.80	.1018	----	----	----	----	4 UNCH
4085	----	----	----/42.30A	47.00B/42.30A	----	43.20 - 7.80	.1031	----	----	----	----	76 UNCH
4100	----	----	----/44.30A	48.90B/44.30A	----	44.70 - 8.20	.1064	----	----	----	----	21 UNCH
4130	----	----	----/47.60A	52.70B/47.60A	----	48.00 - 8.70	.1135	----	----	----	----	20 UNCH
4135	----	----	----/48.10A	53.60B/48.10A	----	48.60 - 8.80	.1147	----	----	----	----	3 UNCH
4150	----	----	----/49.70A	54.70B/49.70A	----	50.30 - 9.20	.1184	----	----	2	----	2 - 2
4185	----	----	----/53.90A	59.90B/53.90A	----	54.60 - 9.90	.1274	----	----	----	----	76 UNCH
4200	----	----	----/55.80A	64.80B/55.80A	----	56.60 - 10.20	.1316	----	----	----	----	113 UNCH
4220	----	----	----/58.30A	67.90B/58.30A	----	59.30 - 10.70	.1371	----	----	----	----	113 UNCH
4225	----	----	----/58.90A	69.00B/58.90A	----	60.00 - 10.80	.1386	----	----	----	----	3 UNCH
4230	----	----	----/59.60A	69.70B/59.60A	----	60.80 - 10.80	.1401	----	----	----	----	1 UNCH
4240	----	----	----/60.90A	71.30B/60.90A	----	62.20 - 11.10	.1430	----	----	----	----	56 UNCH
4250	----	----	----/62.20A	72.20B/62.20A	----	63.70 - 11.30	.1460	----	----	----	----	88 UNCH
4300	----	----	----/69.70A	82.30B/69.70A	----	71.60 - 12.50	.1617	----	----	----	----	89 UNCH
4320	----	----	----/73.00A	85.00B/73.00A	----	75.00 - 13.00	.1683	----	----	----	----	152 UNCH
4350	----	----	----/78.10A	92.10B/78.10A	----	80.40 - 13.70	.1786	----	----	----	----	20 UNCH
4365	----	----	----/80.80A	95.60B/80.80A	----	83.20 - 14.20	.1840	----	----	----	----	5 UNCH
4390	----	----	----/85.50A	101.00B/85.50A	----	88.20 - 14.80	.1932	----	----	----	----	15 UNCH
4400	----	----	----/87.50A	103.40B/87.50A	----	90.20 - 15.10	.1969	----	----	----	----	36 UNCH
4410	----	----	----/89.40A	105.70B/89.40A	----	92.30 - 15.40	.2007	----	----	----	----	7 UNCH
4420	----	----	----/91.50A	108.20B/91.50A	----	94.40 - 15.70	.2046	----	----	----	----	1 UNCH
4430	----	----	----/93.60A	110.80B/93.60A	----	96.60 - 15.90	.2085	----	----	----	----	2 UNCH
4440	----	----	----/95.70A	113.30B/95.70A	----	98.80 - 16.30	.2125	----	----	----	----	8 UNCH
4450	----	----	----/97.80A	114.90B/97.80A	----	101.10 - 16.50	.2165	----	----	----	----	430 UNCH
4475	----	----	----/103.40A	121.80B/103.40A	----	106.90 - 17.40	.2268	----	----	----	----	3 UNCH
4490	----	----	----/106.90A	125.30B/106.90A	----	110.60 - 17.80	.2331	----	----	----	----	50 UNCH
4500	112.50	112.50	112.50/109.30A	129.20B/109.30A	----	113.10 - 18.10	.2374	----	----	10	----	454 - 5
4550	----	----	----/122.00A	142.80B/122.00A	----	126.30 - 19.90	.2595	----	----	----	----	350 UNCH
4560	----	----	----/124.70A	146.10B/124.70A	----	129.10 - 20.30	.2641	----	----	----	----	7 UNCH
4580	----	----	----/130.20A	152.80B/130.20A	----	134.80 - 21.10	.2733	----	----	----	----	1 UNCH
4620	----	----	----/141.90A	166.50B/141.90A	----	146.90 - 22.70	.2924	----	----	----	----	500 UNCH
4650	----	----	----/151.20A	177.50B/151.20A	----	156.60 - 23.90	.3072	----	----	----	----	2 UNCH
4700	----	----	----/168.00A	197.20B/168.00A	----	173.80 - 26.00	.3326	----	----	----	----	75 UNCH
4725	----	----	----/176.80A	207.50B/176.80A	----	183.00 - 27.00	.3456	----	----	----	----	1 UNCH
4730	----	----	----/178.60A	209.70B/178.60A	----	184.90 - 27.20	.3483	----	----	----	----	5 UNCH
4740	----	----	----/182.20A	213.80B/182.20A	----	188.70 - 27.60	.3536	----	----	----	----	2 UNCH
4750	----	----	----/186.00A	218.30B/186.00A	----	192.60 - 28.00	.3589	----	----	----	----	150 UNCH
4760	----	----	----/189.80A	222.70B/189.80A	----	196.60 - 28.30	.3642	----	----	----	----	100 UNCH
4775	----	----	----/195.70A	229.50B/195.70A	----	202.60 - 28.90	.3723	----	----	----	----	18 UNCH
4780	----	----	----/197.60A	231.80B/197.60A	----	204.70 - 29.00	.3750	----	----	----	----	2 UNCH
4800	243.70	243.70	243.70/205.60A	243.70/205.60A	----	213.00 - 29.80	.3859	----	----	4	----	33 - 2
4825	----	----	----/215.90A	253.20B/215.90A	----	223.60 - 31.00	.3996	----	----	----	----	2 UNCH
4835	----	----	----/220.30A	258.10B/220.30A	----	228.00 - 31.50	.4051	----	----	----	----	30 UNCH
4895	----	----	----/247.30A	288.80B/247.30A	----	255.40 - 35.00	.4384	----	----	----	----	1 UNCH
4900	----	----	----/249.50A	291.30B/249.50A	----	257.80 - 35.20	.4412	----	----	----	----	3 UNCH
4930	----	----	----/264.00A	307.50B/264.00A	----	272.40 - 37.20	.4581	----	----	----	----	20 UNCH
4950	----	----	----/273.80A	318.90B/273.80A	----	282.40 - 38.50	.4693	----	----	----	----	1 UNCH
4975	----	----	----/286.50A	333.10B/286.50A	----	295.40 - 40.00	.4833	----	----	----	----	210 UNCH
5000	----	----	----/299.60A	348.20B/299.60A	----	308.90 - 41.30	.4973	----	----	----	----	10 UNCH
5005	----	----	----/302.50A	351.20B/302.50A	----	311.60 - 41.60	.5001	----	----	----	----	3 UNCH
5020	----	----	----/310.50A	360.10B/310.50A	----	320.00 - 42.30	.5084	----	----	----	----	3 UNCH
5100	----	----	----/356.20A	410.80B/356.20A	----	367.20 - 45.50	.5519	----	----	----	----	28 UNCH
5105	----	----	----/359.10A	414.10B/359.10A	----	370.30 - 45.70	.5546	----	----	----	----	2 UNCH
5200	----	----	----/418.30A	463.70B/418.30A	----	431.80 - 48.60	.6036	----	----	----	----	47 UNCH
5230	----	----	----/438.00A	485.00B/438.00A	----	452.20 - 49.50	.6183	----	----	----	----	400 UNCH
5300	----	----	----/485.90A	536.40B/485.90A	----	501.50 - 51.60	.6514	----	----	----	----	300 UNCH
5400	----	----	----/558.30A	587.60B/558.30A	----	575.80 - 54.40	.6951	----	----	----	----	100 UNCH
5420	----	----	----/573.40A	593.00B/573.40A	----	591.10 - 55.00	.7033	----	----	----	----	80 UNCH
5450	----	----	----/596.10A	600.80B/596.10A	----	614.50 - 55.70	.7153	----	----	----	----	1 UNCH
5500	----	----	----	512.80B/837.70A	----	654.10 - 57.00	.7343	----	----	----	----	3 UNCH
6000	----	----	----	964.10B/1263.90A	----	1089.70 - 65.00	.8666	----	----	----	----	2 UNCH
TOTAL										17	180	7895 + 171
OCT26												
2700	----	----	----	0.70B/5.70A	----	2.90 - 0.40	.0063	----	----	----	----	1 UNCH
2800	----	----	----	1.00B/6.30A	----	3.70 - 0.40	.0081	----	----	----	----	3 UNCH
2900	----	----	----	1.70B/7.50A	----	4.50 - 0.60	.0099	----	----	----	----	1 UNCH
3100	----	----	----	3.60B/10.20A	----	6.70 - 1.00	.0151	----	----	----	----	1 UNCH
3155	----	----	----	4.30B/11.10A	----	7.50 - 1.10	.0169	----	----	----	----	1 UNCH
3200	----	----	----	5.00B/11.90A	----	8.20 - 1.30	.0186	----	----	----	----	414 UNCH
3240	----	----	----	5.70B/12.70A	----	8.90 - 1.40	.0202	----	----	----	----	5 UNCH
3300	----	----	----	6.90B/14.10A	----	10.10 - 1.60	.0230	----	----	----	----	415 UNCH
3340	----	----	----	7.80B/14.80A	----	11.00 - 1.80	.0250	----	----	----	----	9 UNCH
3360	----	----	----	8.40B/15.40A	----	11.50 - 1.80	.0262	----	----	----	----	1 UNCH
3380	----	----	----	8.80B/15.90A	----	12.00 - 1.90	.0273	----	----	----	----	1 UNCH
3390	----	----	----	9.10B/16.30A	----	12.30 - 1.90	.0280	----	----	----	----	4 UNCH
3400	----	----	----	9.30B/16.60A	----	12.50 - 2.00	.0285	----	----	----	----	150 UNCH
3480	----	----	----	11.90B/19.00A	----	15.00 - 2.20	.0340	----	----	----	----	12 UNCH
3500	----	----	----	12.50B/19.70A	----	15.70 - 2.20	.0356	----	----	----	----	10 UNCH
3520	----	----	----	13.20B/20.40A	----	16.40 - 2.30	.0371	----	----	----	----	12 UNCH
3550	----	----	----	14.40B/21.50A	----	17.50 - 2.40	.0396	----	----	----	----	25 UNCH
3600	----	----	----	16.60B/23.50A	----	19.60 - 2.60	.0441	----	----	----	----	177 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 21

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
3615	----	----	----	17.30B/24.20A	----	20.20 - 2.80	.0455	----	----	----	----	1 UNCH
3700	----	----	----	21.90B/28.20A	----	24.30 - 3.50	.0544	----	----	----	----	145 UNCH
3715	----	----	----	23.00B/28.90A	----	25.10 - 3.70	.0561	----	----	----	----	196 UNCH
3750	----	----	----/30.90A	25.30B/30.90A	----	27.10 - 4.10	.0604	----	----	----	----	19 UNCH
3770	----	----	----/32.10A	27.20B/32.10A	----	28.30 - 4.30	.0630	----	----	----	----	1 UNCH
3785	----	----	----/32.90A	27.90B/32.90A	----	29.20 - 4.50	.0649	----	----	----	----	1 UNCH
3800	----	----	----/32.60A	29.50B/32.60A	----	30.10 - 4.80	.0669	----	----	----	----	22 UNCH
3805	----	----	----/32.90A	29.40B/32.90A	----	30.50 - 4.80	.0677	----	----	----	----	1 UNCH
3865	----	----	----/35.70A	34.30B/35.70A	----	34.60 - 5.60	.0764	----	----	----	----	2 UNCH
3870	----	----	----/36.00A	34.80B/36.00A	----	35.00 - 5.60	.0772	----	----	----	----	1 UNCH
3875	----	----	----/36.50A	35.20B/36.50A	----	35.30 - 5.80	.0778	----	----	----	----	12 UNCH
3885	----	----	----/36.80A	36.10B/36.80A	----	36.10 - 5.90	.0795	----	----	----	----	5 UNCH
3890	----	----	----/37.50A	36.60B/37.50A	----	36.50 - 6.00	.0803	----	----	----	----	2 UNCH
3895	----	----	----/37.50A	37.00B/37.50A	----	36.90 - 6.00	.0811	----	----	----	----	2 UNCH
3900	----	----	----/38.30A	37.50B/38.30A	----	37.30 - 6.10	.0820	----	----	----	----	22 UNCH
3920	----	----	----/39.80A	40.10B/39.80A	----	38.90 - 6.40	.0853	----	----	----	----	28 UNCH
3930	----	----	----/40.70A	40.40B/40.70A	----	39.80 - 6.50	.0871	----	----	----	----	2 UNCH
3940	----	----	----/41.30A	42.60B/41.30A	----	40.60 - 6.70	.0888	----	----	----	----	65 UNCH
3950	----	----	----/42.40A	42.70B/42.40A	----	41.50 - 6.90	.0906	----	----	----	----	2 UNCH
3975	----	----	----/44.50A	45.40B/44.50A	----	43.80 - 7.30	.0953	----	----	----	----	5 UNCH
4000	46.00	46.00	46.00/46.00	48.20B/46.00	----	46.30 - 7.60	.1002	----	----	1	----	407 UNCH
4030	----	----	----/51.60A	51.90B/51.60A	----	49.50 - 8.10	.1065	----	----	----	----	2 UNCH
4035	----	----	----/52.10A	52.60B/52.10A	----	50.00 - 8.30	.1075	----	----	----	----	1 UNCH
4050	----	----	----/53.80A	54.50B/53.80A	----	51.70 - 8.60	.1108	----	----	----	----	5 UNCH
4070	----	----	----/55.80A	57.30B/55.80A	----	54.10 - 8.90	.1154	----	----	----	----	24 UNCH
4100	----	----	----/59.40A	61.50B/59.40A	----	57.90 - 9.50	.1225	----	----	----	----	314 UNCH
4130	----	----	----/62.80A	66.20B/62.80A	----	62.00 - 10.00	.1301	----	----	----	----	1 UNCH
4135	----	----	----/63.60A	66.90B/63.60A	----	62.70 - 10.10	.1314	----	----	----	----	1 UNCH
4150	----	----	----/65.50A	69.30B/65.50A	----	64.80 - 10.50	.1352	----	----	----	----	5 UNCH
4200	----	----	----/72.30A	78.00B/72.30A	----	72.50 - 11.60	.1491	----	----	----	----	135 UNCH
4220	----	----	----/75.30A	81.70B/75.30A	----	75.80 - 12.00	.1549	----	----	----	----	5 UNCH
4235	----	----	----/77.80A	84.60B/77.80A	----	78.40 - 12.40	.1594	----	----	----	----	1 UNCH
4250	----	----	----/80.50A	87.50B/80.50A	----	81.00 - 12.80	.1639	----	----	----	----	72 UNCH
4265	----	----	----/82.90A	90.50B/82.90A	----	83.80 - 13.10	.1687	----	----	----	----	200 UNCH
4270	----	----	----/83.70A	91.60B/83.70A	----	84.70 - 13.20	.1702	----	----	----	----	226 UNCH
4280	----	----	----/85.50A	93.70B/85.50A	----	86.60 - 13.40	.1734	----	----	----	----	196 UNCH
4300	----	----	----/89.10A	98.00B/89.10A	----	90.40 - 14.00	.1798	----	----	----	----	476 UNCH
4330	----	----	----/94.90A	104.80B/94.90A	----	96.50 - 14.70	.1899	----	----	----	----	1 UNCH
4350	----	----	----/98.90A	109.60B/98.90A	----	100.70 - 15.20	.1968	----	----	10	----	210 UNCH
4355	----	----	----/100.10A	110.80B/100.10A	----	101.70 - 15.40	.1985	----	----	----	----	11 UNCH
4375	----	----	----/104.40A	115.70B/104.40A	----	106.10 - 15.90	.2056	----	----	----	----	10 UNCH
4400	----	----	----/109.80A	122.20B/109.80A	----	111.80 - 16.60	.2147	----	----	----	----	302 UNCH
4430	----	----	----/116.80A	130.30B/116.80A	----	119.00 - 17.40	.2259	----	----	----	----	3 UNCH
4450	----	----	----/121.40A	135.90B/121.40A	----	124.00 - 18.00	.2336	----	----	----	----	26 UNCH
4500	----	----	----/134.20A	150.90B/134.20A	----	137.20 - 19.50	.2535	----	----	----	----	78 UNCH
4600	----	----	----/163.30A	184.80B/163.30A	----	167.30 - 22.70	.2962	----	----	----	----	352 UNCH
4610	----	----	----/166.40A	188.40B/166.40A	----	170.60 - 23.00	.3007	----	----	----	----	5 UNCH
4675	----	----	----/188.50A	213.80B/188.50A	----	193.30 - 25.20	.3305	----	----	----	----	1 UNCH
4700	----	----	----/197.30A	224.20B/197.30A	----	202.70 - 26.00	.3423	----	----	----	----	64 UNCH
4750	----	----	----/216.40A	246.00B/216.40A	----	222.30 - 27.90	.3663	----	----	----	----	173 UNCH
4775	----	----	----/226.40A	257.40B/226.40A	----	232.50 - 28.90	.3784	----	----	----	----	1 UNCH
4800	242.00	242.00	242.00/236.80A	269.20B/236.80A	----	243.10 - 29.80	.3907	----	----	1	----	210 - 1
4845	----	----	----/256.20A	291.40B/256.20A	----	262.90 - 31.80	.4131	----	----	----	----	17 UNCH
4850	----	----	----/258.50A	293.90B/258.50A	----	265.20 - 32.00	.4156	----	----	----	----	80 UNCH
4875	----	----	----/269.90A	306.80B/269.90A	----	276.90 - 33.30	.4281	----	----	----	----	1 UNCH
4900	----	----	----/281.80A	320.10B/281.80A	----	289.10 - 34.70	.4407	----	----	20	----	131 + 11
4910	----	----	----/286.70A	325.50B/286.70A	----	294.00 - 35.30	.4457	----	----	----	----	1 UNCH
4920	----	----	----/291.50A	330.90B/291.50A	----	299.10 - 35.70	.4508	----	----	----	----	1 UNCH
4925	----	----	----/294.00A	333.70B/294.00A	----	301.60 - 36.00	.4533	----	----	----	----	25 UNCH
4935	----	----	----/299.00A	339.30B/299.00A	----	306.80 - 36.30	.4583	----	----	----	----	5 UNCH
4980	----	----	----/322.00A	364.90B/322.00A	----	330.40 - 38.40	.4809	----	----	----	----	1 UNCH
5000	----	----	----/332.60A	376.50B/332.60A	----	341.30 - 39.20	.4909	----	----	----	----	47 UNCH
5010	----	----	----/337.90A	382.50B/337.90A	----	346.80 - 39.60	.4959	----	----	----	----	1 UNCH
5050	----	----	----/360.40A	407.00B/360.40A	----	369.40 - 41.40	.5157	----	----	----	----	25 UNCH
5150	----	----	----/419.10A	471.50B/419.10A	----	429.80 - 45.70	.5638	----	----	----	----	1 UNCH
5200	----	----	----/450.50A	505.40B/450.50A	----	462.00 - 47.60	.5870	----	----	----	----	100 UNCH
5230	----	----	----/469.90A	511.00B/469.90A	----	481.90 - 48.60	.6005	----	----	----	----	2 UNCH
5250	----	----	----/483.20A	525.10B/483.20A	----	495.40 - 49.30	.6094	----	----	----	----	75 UNCH
5300	----	----	----/517.00A	561.20B/517.00A	----	530.10 - 50.80	.6311	----	----	----	----	6 UNCH
5425	----	----	----/606.50A	655.40B/606.50A	----	621.30 - 54.10	.6814	----	----	----	----	1 UNCH
5455	----	----	----/628.70A	663.20B/628.70A	----	644.10 - 54.90	.6926	----	----	----	----	40 UNCH
5495	----	----	----/659.20A	671.20B/659.20A	----	675.00 NEW	.7071	----	----	1	----	1 + 1
5500	----	----	----/663.10A	672.10B/663.10A	----	678.90 - 56.00	.7089	----	----	1	----	1 UNCH
5600	----	----	----	606.70B/953.40A	----	758.70 - 58.30	.7423	----	----	----	----	1 UNCH
5700	----	----	----	693.50B/1034.70A	----	841.70 - 60.00	.7720	----	----	----	----	1 UNCH
TOTAL										34		5858 + 11
NOV26												
2750	----	----	----	0.50B/8.40A	----	4.30 - 0.40	.0087	----	----	----	----	1 UNCH
2800	----	----	----	0.60B/9.00A	----	4.80 - 0.50	.0097	----	----	----	----	8 UNCH
2900	----	----	----	1.30B/10.30A	----	5.90 - 0.70	.0120	----	----	----	----	1 UNCH
3000	----	----	----	2.40B/11.90A	----	7.20 - 0.90	.0148	----	----	----	----	95 UNCH
3120	----	----	----	4.10B/14.20A	----	9.10 - 1.30	.0188	----	----	----	----	10 UNCH
3180	----	----	----	5.20B/15.50A	----	10.20 - 1.60	.0211	----	----	----	----	10 UNCH
3200	----	----	----	5.70B/16.00A	----	10.70 - 1.60	.0221	----	----	----	----	93 UNCH
3215	----	----	----	6.00B/16.40A	----	11.00 - 1.70	.0228	----	----	----	----	1 UNCH
3220	----	----	----	6.10B/16.50A	----	11.10 - 1.70	.0230	----	----	----	----	1 UNCH
3225	----	----	----	6.20B/16.60A	----	11.20 - 1.70	.0232	----	----	----	----	1 UNCH
3235	----	----	----	6.40B/16.90A	----	11.40 - 1.80	.0237	----	----	----	----	2 UNCH
3250	----	----	----	6.80B/17.30A	----	11.80 - 1.80	.0245	----	----	----	----	18 UNCH
3255	----	----	----	7.00B/17.50A	----	11.90 - 1.90	.0247	----	----	----	----	18 UNCH
3300	----	----	----	8.10B/18.80A	----	13.00 - 2.10	.0270	----	----	----	----	20 UNCH
3310	----	----	----	8.30B/19.10A	----	13.30 - 2.10	.0276	----	----	----	----	1 UNCH
3320	----	----	----	8.60B/19.40A	----	13.60 - 2.10	.0282	----	----	----	----	16 UNCH
3350	----	----	----	9.50B/20.40A	----	14.40 - 2.30	.0299	----	----	----	----	180 UNCH
3455	----	----	----	13.30B/24.20A	----	18.00 - 2.80	.0372	----	----	----	----	1 UNCH
3475	----	----	----	14.10B/25.10A	----	18.80 - 2.90	.0388	----	----	----	----	2 UNCH
3500	----	----	----	15.20B/26.10A	----	19.80 - 3.00	.0408	----	----	----	----	655 UNCH
3535	----	----	----	16.80B/27.70A	----	21.40 - 3.20	.0439	----	----	----	----	1 UNCH
3690	----	----	----	30.30B/35.90A	----	29.90 - 4.10	.0604	----	----	----	----	1 UNCH
3725	----	----	----	32.90B/38.10A	----	32.20 - 4.40	.0647	----	----	----	----	1 UNCH
3740	----	----	----/37.00A	34.00B/37.00A	----	33.30 - 4.40	.0668	----	----	----	----	21 UNCH
3750	----	----	----/37.40A	34.90B/37.40A	----	34.00 - 4.50	.0681	----	----	----	----	150 UNCH
3780	----	----	----/38.10A	37.50B/38.10A	----	36.30 - 4.70	.0723	----	----	----	----	1 UNCH
3800	----	----	----/39.10A	39.20B/39.10A	----	37.90 - 4.90	.0752	----	----	----	----	25 UNCH
3820	----	----	----/40.60A	41.10B/40.60A	----	39.60 - 5.00	.0783	----	----	----	----	20 UNCH
3875	----	----	----/45.60A	46.60B/45.60A	----	44.50 - 5.60	.0872	----	----	----	----	24 UNCH
4000	----	----	----/60.80A	61.60B/60.80A	----	57.90 - 7.10	.1105	----	----	----	----	3 UNCH
4100	----	----	----/72.20A	76.60B/72.20A	----	71.00 - 8.90	.1325	----	----	----	----	1 UNCH
4160	----	----	----/80.40A	86.90B/80.40A	----	80.10 - 10.20	.1473	----	----	----	----	1 UNCH
4170	----	----	----/81.90A	88.80B/81.90A	----	81.70 - 10.50	.1499	----	----	----	----	1 UNCH
4200	----	----	----/86.90A	94.50B/86.90A	----	86.60 - 11.30	.1577	----	----	----	----	5 UNCH
4205	----	----	----/87.70A	95.50B/87.70A	----	87.50 - 11.40	.1591	----	----	----	----	1 UNCH
4215	----	----	----/89.40A	97.50B/89.40A	----	89.20 - 11.70	.1618	----	----	----	----	5 UNCH
4275	----	----	----/100.40A	110.20B/100.40A	----	100.30 - 13.40	.1789	----	----	----	----	3 UNCH
4320	----	----	----/109.20A	120.50B/109.20A	----	109.50 - 14.60	.1926	----	----	----	----	43 UNCH
4350	----	----	----/115.50A	128.10B/115.50A	----	115.90 - 15.60	.2021	----	----	----	----	3 UNCH
4400	----	----	----/126.90A	141.20B/126.90A	----	127.60 - 17.00	.2188	----	----	----	----	3 UNCH
4425	----	----	----/132.90A	148.20B/132.90A	----	133.70 - 17.90	.2273	----	----	----	----	72 UNCH
4500	----	----	----/152.40A	170.80B/152.40A	----	154.00 - 19.90	.2546	----	----	----	----	40 UNCH
4580	----	----	----/176.10A	197.80B/176.10A	----	178.50 - 21.90	.2856	----	----	----	----	10 UNCH
4640	----	----	----/195.30A	220.10B/195.30A	----	198.90 - 23.30	.3100	----	----	----	----	90 UNCH
4700	----	----	----/216.70A	244.20B/216.70A	----	220.90 - 25.00	.3352	----	----	----	----	2 UNCH
4725	----	----	----/225.90A	254.50B/225.90A	----	230.50 - 25.80	.3459	----	----	----	----	2 UNCH
4800	258.00	258.00	258.00/252.00	288.20B/252.00	----	260.90 - 28.50	.3786	----	----	2	----	6 + 2
4840	----	----	----/272.70A	307.80B/272.70A	----	278.20 - 29.90	.3964	----	----	----	----	2 UNCH
4900	----	----	----/300.00A	337.80B/300.00A	----	305.90 - 32.20	.4234	----	----	----	----	2 UNCH
4915	----	----	----/307.10A	345.90B/307.10A	----	313.10 - 33.00	.4302	----	----	----	----	3 UNCH
4950	----	----	----/323.90A	364.70B/323.90A	----	330.60 - 34.80	.4461	----	----	----	----	11 UNCH
4960	----	----	----/329.00A	370.40B/329.00A	----	335.70 - 35.30	.4506	----	----	----	----	2 UNCH
5000	359.90	359.90	359.90/349.40A	392.70B/349.40A	----	356.70 - 37.10	.4687	----	----	3	----	256 + 2
5055	----	----	----/378.70A	424.50B/378.70A	----	386.80 - 39.40	.4933	----	----	----	----	8 UNCH
5200	----	----	----/463.40A	517.00B/463.40A	----	473.50 - 44.10	.5562	----	----	----	----	81 UNCH
5395	----	----	----/591.90A	633.10B/591.90A	----	605.00 - 49.40	.6337	----	----	----	----	6 UNCH
5400	----	----	----/595.30A	636.70B/595.30A	----	608.60 - 49.50	.6355	----	----	----	----	6 UNCH
5760	----	----	----	713.00B/1102.00A	----	887.90 - 57.00	.7501	----	----	----	----	1 UNCH
5975	----	----	----	903.40B/1281.60A	----	1071.20 - 60.20	.8009	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 22

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
6000	----	----	----	926.10B/1303.00A	----	1093.10 - 60.50	.8060	----	----	----	----	1 UNCH
TOTAL										5		2049 + 4
DEC26												
1350	----	----	----	----/1.10A	----	0.10 UNCH	.0001	----	----	----	----	16 UNCH
1500	----	----	----	----/2.00A	----	0.30 UNCH	.0005	----	----	----	----	1 UNCH
1600	----	----	----	----/2.70A	----	0.40 UNCH	.0006	----	----	----	----	190 UNCH
1700	----	----	----	----/3.50A	----	0.50 UNCH	.0008	----	----	----	----	200 UNCH
1845	----	----	0.90B/----	0.90B/1.90A	----	0.80 + 0.10	.0014	----	----	----	----	36 UNCH
1900	----	----	----	0.10B/21.10A	----	0.90 UNCH	.0016	----	----	----	----	4 UNCH
2000	----	----	----	0.10B/21.70A	----	1.20 + 0.10	.0021	----	----	----	----	2 UNCH
2400	----	----	----	0.70B/6.30A	----	3.10 + 0.10	.0056	----	----	----	----	1 UNCH
2490	----	----	----	0.70B/7.10A	----	3.80 + 0.10	.0069	----	----	----	----	1 UNCH
2750	----	----	----	0.70B/9.90A	----	6.00 - 0.30	.0112	----	----	----	----	1 UNCH
2800	----	----	----	1.20B/10.60A	----	6.50 - 0.50	.0122	----	----	----	----	8 UNCH
2900	----	----	----	5.10B/12.20A	----	7.80 - 0.70	.0148	----	----	----	----	19 UNCH
2925	----	----	----	2.50B/12.70A	----	8.10 - 0.80	.0155	----	----	----	----	300 UNCH
2975	----	----	----	3.20B/13.70A	----	8.90 - 0.90	.0170	----	----	----	----	400 UNCH
3000	----	----	----	3.60B/14.20A	----	9.30 - 1.00	.0179	----	----	----	----	1363 UNCH
3160	----	----	----	6.90B/18.20A	----	12.40 - 1.70	.0241	----	----	----	----	2 UNCH
3175	----	----	----	7.20B/18.60A	----	12.80 - 1.70	.0248	----	----	----	----	1 UNCH
3190	----	----	----	7.60B/19.10A	----	13.10 - 1.80	.0255	----	----	----	----	5 UNCH
3250	----	----	----	9.30B/21.00A	----	14.70 - 2.20	.0286	----	----	----	----	15 UNCH
3300	----	----	----	10.90B/22.80A	----	16.20 - 2.50	.0315	----	----	----	----	7 UNCH
3400	----	----	----	14.90B/26.90A	----	19.80 - 3.10	.0384	----	----	----	----	1610 UNCH
3425	----	----	----	16.10B/28.00A	----	20.80 - 3.30	.0403	----	----	----	----	350 UNCH
3450	----	----	----	17.30B/29.20A	----	21.90 - 3.50	.0423	----	----	----	----	201 UNCH
3460	----	----	----	17.90B/29.70A	----	22.40 - 3.50	.0432	----	----	----	----	20 UNCH
3475	----	----	----	18.60B/30.40A	----	23.10 - 3.60	.0445	----	----	----	----	152 UNCH
3500	----	----	----	20.00B/31.60A	----	24.30 - 3.90	.0468	----	----	----	----	1457 UNCH
3550	----	----	----	23.00B/34.40A	----	27.00 - 4.20	.0517	----	----	----	----	18 UNCH
3565	----	----	----	23.90B/35.20A	----	27.80 - 4.40	.0532	----	----	----	----	2 UNCH
3590	----	----	----	26.80B/36.80A	----	29.30 - 4.70	.0559	----	----	----	----	1 UNCH
3600	----	----	----	27.60B/37.40A	----	29.90 - 4.80	.0569	----	----	----	----	356 UNCH
3610	----	----	----	28.30B/38.00A	----	30.60 - 4.80	.0582	----	----	----	----	3 UNCH
3650	----	----	----	31.30B/40.60A	----	33.20 - 5.30	.0628	----	----	----	----	201 UNCH
3660	----	----	----	32.00B/41.30A	----	33.90 - 5.40	.0640	----	----	----	----	5 UNCH
3670	----	----	----/39.60A	32.80B/39.60A	----	34.70 - 5.40	.0654	----	----	----	----	1 UNCH
3690	----	----	----/39.10A	35.30B/39.10A	----	36.10 - 5.70	.0679	----	----	----	----	1 UNCH
3700	----	----	----/39.90A	35.90B/39.90A	----	36.90 - 5.80	.0693	----	----	----	----	269 UNCH
3710	----	----	----/40.80A	36.70B/40.80A	----	37.70 - 5.90	.0706	----	----	----	----	37 UNCH
3720	----	----	----/41.50A	37.40B/41.50A	----	38.50 - 6.00	.0720	----	----	----	----	1 UNCH
3725	----	----	----/41.70A	37.80B/41.70A	----	38.90 - 6.00	.0727	----	----	----	----	6 UNCH
3750	----	----	----/43.60A	39.90B/43.60A	----	41.00 - 6.30	.0763	----	----	16	----	166 UNCH
3760	----	----	----/44.80A	41.00B/44.80A	----	41.90 - 6.40	.0778	----	----	----	----	184 UNCH
3780	----	----	----/46.30A	43.70B/46.30A	----	43.60 - 6.70	.0807	----	----	----	----	1 UNCH
3800	----	----	----/47.90A	44.90B/47.90A	----	45.50 - 6.90	.0839	----	----	----	----	73 UNCH
3810	----	----	----/48.60A	46.80B/48.60A	----	46.50 - 7.00	.0855	----	----	----	----	56 UNCH
3850	----	----	----/52.50A	50.10B/52.50A	----	50.50 - 7.50	.0921	----	----	----	----	24 UNCH
3880	----	----	----/57.70A	53.70B/57.70A	----	53.70 - 8.00	.0974	----	----	----	----	1 UNCH
3900	----	----	----/59.90A	56.20B/59.90A	----	55.90 - 8.30	.1010	----	----	----	----	1204 UNCH
3925	----	----	----/62.90A	59.40B/62.90A	----	58.90 - 8.60	.1057	----	----	----	----	205 UNCH
3930	----	----	----/63.40A	60.10B/63.40A	----	59.50 - 8.70	.1067	----	----	----	----	2 UNCH
3950	----	----	----/65.90A	62.80B/65.90A	----	61.90 - 9.00	.1106	----	----	----	----	27 UNCH
3975	----	----	----/69.10A	66.40B/69.10A	----	65.10 - 9.40	.1156	----	----	----	----	190 UNCH
3980	----	----	----/69.60A	67.20B/69.60A	----	65.80 - 9.50	.1167	----	----	----	----	139 UNCH
4000	----	----	----/72.00A	70.30B/72.00A	----	68.50 - 9.80	.1209	----	----	----	----	1711 UNCH
4025	----	----	----/75.40A	74.40B/75.40A	----	72.00 - 10.20	.1263	----	----	----	----	220 UNCH
4050	----	----	----/78.30A	78.70B/78.30A	----	75.70 - 10.70	.1319	----	----	----	----	200 UNCH
4070	----	----	----/81.00A	82.20B/81.00A	----	78.70 - 11.10	.1364	----	----	----	----	5 UNCH
4090	----	----	----/83.90A	85.20B/83.90A	----	81.90 - 11.40	.1412	----	----	----	----	1 UNCH
4100	98.00	98.00	98.00/85.40A	98.00/85.40A	----	83.50 - 11.60	.1436	----	----	3	----	385 + 3
4130	----	----	----/89.80A	92.20B/89.80A	----	88.60 - 12.10	.1511	----	----	----	----	2 UNCH
4160	----	----	----/94.90A	97.90B/94.90A	----	93.90 - 12.70	.1587	----	----	----	----	252 UNCH
4170	----	----	----/96.60A	99.90B/96.60A	----	95.70 - 12.90	.1613	----	----	----	----	2 UNCH
4175	----	----	----/97.50A	100.90B/97.50A	----	96.60 - 13.10	.1626	----	----	----	----	60 UNCH
4200	----	----	----/102.10A	106.10B/102.10A	----	101.30 - 13.60	.1693	----	----	----	----	657 UNCH
4215	----	----	----/104.90A	109.30B/104.90A	----	104.30 - 13.90	.1735	----	----	----	----	14 UNCH
4250	108.00	108.00	118.00/108.00	124.00B/108.00	----	111.40 - 14.60	.1834	----	----	152	----	340 + 134
4300	127.50	127.50	129.00/122.40A	129.10B/122.40A	----	122.30 - 15.70	.1982	----	----	4	----	2110 + 4
4320	----	----	----/126.90A	134.20B/126.90A	----	126.90 - 16.20	.2043	----	----	----	----	100 UNCH
4325	----	----	----/128.00A	135.50B/128.00A	----	128.10 - 16.30	.2059	----	----	----	----	300 UNCH
4340	----	----	----/131.50A	139.40B/131.50A	----	131.70 - 16.60	.2106	----	----	----	----	79 UNCH
4350	----	----	----/133.80A	142.10B/133.80A	----	134.10 - 16.90	.2137	----	----	----	----	151 UNCH
4375	----	----	----/139.80A	148.90B/139.80A	----	140.40 - 17.40	.2218	----	----	----	----	2 UNCH
4385	----	----	----/142.40A	151.70B/142.40A	----	142.90 - 17.70	.2250	----	----	----	----	75 UNCH
4390	----	----	----/143.60A	153.20B/143.60A	----	144.20 - 17.80	.2267	----	----	----	----	14 UNCH
4400	----	----	----/146.00A	156.00B/146.00A	----	146.80 - 18.10	.2300	----	----	----	----	99 UNCH
4425	----	----	----/152.60A	163.40B/152.60A	----	153.60 - 18.60	.2384	----	----	----	----	9 UNCH
4435	----	----	----/155.20A	166.40B/155.20A	----	156.30 - 18.90	.2418	----	----	----	----	14 UNCH
4450	----	----	----/159.30A	171.00B/159.30A	----	160.50 - 19.20	.2469	----	----	----	----	260 UNCH
4475	----	----	----/166.40A	178.90B/166.40A	----	167.80 - 19.70	.2557	----	----	----	----	8 UNCH
4500	----	----	----/173.60A	187.00B/173.60A	----	175.20 - 20.40	.2646	----	----	----	----	1207 UNCH
4510	----	----	----/176.40A	190.30B/176.40A	----	178.30 - 20.60	.2682	----	----	----	----	2 UNCH
4515	----	----	----/177.80A	192.00B/177.80A	----	179.90 - 20.70	.2700	----	----	----	----	242 UNCH
4520	----	----	----/179.50A	193.70B/179.50A	----	181.40 - 20.90	.2718	----	----	----	----	25 UNCH
4525	----	----	----/181.00A	195.40B/181.00A	----	183.00 - 21.00	.2737	----	----	----	----	200 UNCH
4530	----	----	----/182.50A	197.20B/182.50A	----	184.60 - 21.10	.2755	----	----	----	----	20 UNCH
4535	----	----	----/184.10A	198.90B/184.10A	----	186.20 - 21.20	.2773	----	----	----	----	102 UNCH
4540	----	----	----/185.60A	200.60B/185.60A	----	187.80 - 21.30	.2792	----	----	----	----	1 UNCH
4550	----	----	----/188.90A	204.10B/188.90A	----	191.00 - 21.60	.2829	----	----	----	----	5 UNCH
4555	----	----	----/190.20A	205.90B/190.20A	----	192.60 - 21.70	.2847	----	----	----	----	50 UNCH
4580	----	----	----/198.30A	215.00B/198.30A	----	201.00 - 22.20	.2941	----	----	----	----	50 UNCH
4585	----	----	----/200.00A	216.80B/200.00A	----	202.70 - 22.40	.2960	----	----	----	----	325 UNCH
4600	----	----	----/205.00A	222.40B/205.00A	----	207.80 - 22.80	.3017	----	----	----	90	508 + 90
4620	----	----	----/211.70A	230.00B/211.70A	----	214.80 - 23.30	.3094	----	----	----	----	50 UNCH
4625	----	----	----/213.30A	232.00B/213.30A	----	216.60 - 23.40	.3113	----	----	----	----	24 UNCH
4640	----	----	----/218.70A	237.90B/218.70A	----	222.00 - 23.80	.3171	----	----	----	----	100 UNCH
4650	----	----	----/222.00A	241.80B/222.00A	----	225.70 - 24.10	.3211	----	----	----	----	111 UNCH
4680	----	----	----/233.00A	254.10B/233.00A	----	236.90 - 24.90	.3329	----	----	----	----	60 UNCH
4690	----	----	----/236.70A	258.20B/236.70A	----	240.70 - 25.30	.3368	----	----	----	----	1 UNCH
4700	----	----	----/240.50A	262.50B/240.50A	----	244.60 - 25.50	.3408	----	----	----	----	522 UNCH
4750	----	----	----/260.10A	284.10B/260.10A	----	264.50 - 27.30	.3610	----	----	----	----	68 UNCH
4790	----	----	----/276.60A	302.60B/276.60A	----	281.10 - 28.90	.3774	----	----	----	----	60 UNCH
4800	314.00	314.00	314.00/280.90A	314.00/280.90A	----	285.40 - 29.30	.3815	----	----	19	----	174 + 15
4810	----	----	----/284.90A	311.80B/284.90A	----	289.60 - 29.90	.3856	----	----	----	----	56 UNCH
4815	----	----	----/287.40A	314.20B/287.40A	----	291.80 - 30.10	.3877	----	----	----	----	10 UNCH
4820	----	----	----/289.40A	316.80B/289.40A	----	294.00 - 30.30	.3898	----	----	----	----	20 UNCH
4825	----	----	----/291.60A	319.30B/291.60A	----	296.10 - 30.60	.3919	----	----	1	----	109 + 1
4850	----	----	----/302.60A	331.70B/302.60A	----	307.20 - 31.80	.4023	----	----	----	----	10 UNCH
4880	----	----	----/316.50A	346.80B/316.50A	----	320.80 - 33.40	.4149	----	----	----	----	11 UNCH
4900	320.00	320.00	320.00/320.00	357.20B/320.00	----	330.10 - 34.50	.4233	----	----	1	----	107 UNCH
4925	----	----	----/337.70A	370.40B/337.70A	----	342.10 - 35.80	.4339	----	----	----	----	137 UNCH
4950	366.00	366.00	366.00/350.00A	383.90B/350.00A	----	354.30 - 37.10	.4445	----	----	23	----	24 + 17
4975	----	----	----/362.90A	397.50B/362.90A	----	366.90 - 38.40	.4551	----	----	----	----	43 UNCH
4980	----	----	----/365.40A	400.40B/365.40A	----	369.50 - 38.60	.4572	----	----	----	----	5 UNCH
4995	----	----	----/372.90A	408.80B/372.90A	----	377.30 - 39.30	.4636	----	----	----	----	32 UNCH
5000	404.00	404.00	404.00/375.50A	411.60B/375.50A	----	379.90 - 39.60	.4657	----	----	7	----	445 + 5
5020	----	----	----/386.20A	423.20B/386.20A	----	390.60 - 40.40	.4742	----	----	----	----	8 UNCH
5025	----	----	----/388.80A	425.70B/388.80A	----	393.30 - 40.60	.4763	----	----	----	----	210 UNCH
5035	----	----	----/394.30A	431.50B/394.30A	----	398.70 - 41.10	.4805	----	----	----	----	8 UNCH
5050	----	----	----/402.40A	440.80B/402.40A	----	407.00 - 41.70	.4867	----	----	----	----	201 UNCH
5070	----	----	----/413.40A	452.50B/413.40A	----	418.30 - 42.40	.4951	----	----	----	----	1 UNCH
5075	----	----	----/416.20A	455.20B/416.20A	----	421.20 - 42.50	.4971	----	----	----	----	100 UNCH
5095	----	----	----/427.50A	467.90B/427.50A	----	432.70 - 43.20	.5054	----	----	----	----	6 UNCH
5100	----	----	----/430.30A	470.90B/430.30A	----	435.60 - 43.40	.5075	----	----	----	----	6 UNCH
5195	----	----	----/486.40A	531.10B/486.40A	----	493.70 - 45.70	.5456	----	----	----	----	5 UNCH
5200	----	----	----/489.50A	534.60B/489.50A	----	496.90 - 45.80	.5476	----	----	----	----	38 UNCH
5250	----	----	----/520.70A	567.90B/520.70A	----	529.30 - 46.80	.5669	----	----	----	----	126 UNCH
5290	----	----	----/546.60A	595.40B/546.60A	----	555.90 - 47.50	.5820	----	----	----	----	1 UNCH
5295	----	----	----/549.90A	598.80B/549.90A	----	559.30 - 47.60	.5838	----	----	----	----	1 UNCH
5360	----	----	----/593.20A	630.90B/593.20A	----	603.90 - 48.80	.6075	----	----	----	----	100 UNCH
5370	----	----	----/599.90A	638.10B/599.90A	----	610.90 - 49.00	.6110	----	----	----	----	20 UNCH
5375	----	----	----/603.30A	641.70B/603.30A	----	614.40 - 49.10	.6128	----	----	----	----	34 UNCH
5400	----	----	----/620.50A	659.70B/620.50A	----	632.10 - 49.50	.6216	----	----	----	----	102 UNCH
5415	----	----	----/630.90A	670.70B/630.90A	----	642.70 - 49.90	.6268	----	----	----	----	4 UNCH
5460	----	----	----/662.70A	703.90B/662.70A	----	675.20 - 50.80	.6421	----	----	----	----	200 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT — COMEX GOLD OPTIONS

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
DEC26											
5465 ----	----	----/666.20A	707.70B/666.20A	----	678.90 - 50.90	.6438	----	----	----	----	50 UNCH
5480 ----	----	----/677.00A	718.90B/677.00A	----	689.90 - 51.20	.6487	----	----	----	----	50 UNCH
5500 ----	----	----/691.50A	734.10B/691.50A	----	704.70 - 51.50	.6553	----	----	----	----	31 UNCH
5525 ----	----	----/709.80A	753.20B/709.80A	----	723.30 - 52.10	.6633	----	----	----	----	80 UNCH
5600 ----	----	----/766.00A	811.60B/766.00A	----	780.30 - 53.60	.6866	----	----	----	----	252 UNCH
5900 ----	----	----/1,032.00A	1031.90B/1032.00A	----	1023.40 - 58.80	.7656	----	----	----	----	125 UNCH
6000 ----	----	----/1,118.00A	1117.30B/1118.00A	----	1108.90 - 60.20	.7871	----	----	----	----	40 UNCH
6500 ----	----	----/1,571.00A	1565.40B/1571.00A	----	1559.90 - 64.70	.8657	----	----	----	----	4 UNCH
TOTAL									226	90	23324 + 269
JAN27											
2800 ----	----	----	0.70B/15.00A	----	7.60 - 0.20	.0136	----	----	----	----	10 UNCH
3000 ----	----	----	1.40B/19.70A	----	10.80 - 1.00	.0196	----	----	----	----	3 UNCH
3500 ----	----	----	20.10B/40.40A	----	29.20 - 4.00	.0516	----	----	----	----	1 UNCH
3520 ----	----	----	21.40B/41.70A	----	30.50 - 4.10	.0538	----	----	----	----	1 UNCH
3680 ----	----	----/*45.80A	42.70B/45.80A	----	42.40 - 5.30	.0728	----	----	----	----	1 UNCH
3800 ----	----	----/*56.40A	55.10B/56.40A	----	54.10 - 6.40	.0906	----	----	----	----	1 UNCH
3825 ----	----	----/59.20A	58.00B/59.20A	----	56.90 - 6.60	.0947	----	----	----	----	1 UNCH
3900 ----	----	----/70.80A	67.70B/70.80A	----	65.90 - 7.50	.1079	----	----	----	----	1 UNCH
3980 ----	----	----/81.40A	79.50B/81.40A	----	76.60 - 8.70	.1232	----	----	----	----	1 UNCH
4000 ----	----	----/84.10A	82.70B/84.10A	----	79.50 - 9.00	.1273	----	----	----	----	1 UNCH
4350 ----	----	----/148.50A	157.90B/148.50A	----	146.60 - 16.20	.2147	----	----	----	----	1 UNCH
4400 ----	----	----/160.80A	172.10B/160.80A	----	159.40 - 17.30	.2299	----	----	----	----	1 UNCH
4500 ----	----	----/189.40A	203.40B/189.40A	----	187.80 - 19.50	.2620	----	----	----	----	2 UNCH
4585 ----	----	----/216.10A	233.40B/216.10A	----	215.00 - 21.50	.2911	----	----	----	----	1 UNCH
4600 ----	----	----/221.20A	239.00B/221.20A	----	220.10 - 21.90	.2964	----	----	----	----	3 UNCH
4630 ----	----	----/231.50A	250.50B/231.50A	----	230.60 - 22.60	.3070	----	----	----	----	1 UNCH
4660 ----	----	----/242.10A	262.30B/242.10A	----	241.50 - 23.30	.3179	----	----	----	----	4 UNCH
4665 ----	----	----/243.90A	264.30B/243.90A	----	243.30 - 23.50	.3197	----	----	----	----	4 UNCH
4760 ----	----	----/280.30A	304.50B/280.30A	----	280.40 - 26.10	.3550	----	----	----	----	100 UNCH
4800 ----	----	----/296.80A	322.70B/296.80A	----	297.10 - 27.30	.3702	----	----	----	----	6 UNCH
4820 ----	----	----/305.30A	332.00B/305.30A	----	305.80 - 27.90	.3779	----	----	----	----	6 UNCH
4860 ----	----	----/322.90A	351.50B/322.90A	----	323.60 - 29.30	.3933	----	----	----	----	1 UNCH
4980 394.10	394.10	394.10/379.40A	413.60B/379.40A	----	381.50 - 34.00	.4401	----	----	5	----	10 + 5
4990 400.00	400.00	400.00/384.40A	419.10B/384.40A	----	386.60 - 34.40	.4440	----	----	1	----	1 UNCH
4995 ----	----	----/386.90A	421.60B/386.90A	----	389.20 - 34.60	.4460	----	----	----	----	1 UNCH
5000 ----	----	----/389.40A	424.60B/389.40A	----	391.80 - 34.80	.4480	----	----	----	----	3 UNCH
5050 ----	----	----/415.60A	452.50B/415.60A	----	418.50 - 36.70	.4674	----	----	----	----	100 UNCH
5085 ----	----	----/434.50A	472.80B/434.50A	----	437.90 - 37.90	.4809	----	----	----	----	2 UNCH
5150 ----	----	----/470.70A	512.20B/470.70A	----	475.60 - 39.80	.5056	----	----	----	----	2 UNCH
5235 ----	----	----/521.20A	566.30B/521.20A	----	527.50 - 42.20	.5370	----	----	----	----	2 UNCH
5245 ----	----	----/527.50A	572.80B/527.50A	----	533.80 - 42.40	.5406	----	----	----	----	2 UNCH
5300 ----	----	----/561.70A	609.40B/561.70A	----	569.10 - 43.80	.5602	----	----	----	----	4 UNCH
TOTAL									6		278 + 5
FEB27											
4000 ----	----	----/94.00A	88.80B/94.00A	----	89.70 - 9.10	.1351	----	----	----	----	1 UNCH
4600 ----	----	----/240.50A	251.00B/240.50A	----	237.20 - 23.50	.3012	----	----	----	----	17 UNCH
4650 ----	----	----/*258.30A	270.80B/*258.30A	----	255.30 - 25.00	.3184	----	----	----	----	1 UNCH
4655 ----	----	----/*260.10A	272.80B/*260.10A	----	257.20 - 25.10	.3201	----	----	----	----	1 UNCH
4660 ----	----	----/*262.00A	274.80B/*262.00A	----	259.00 - 25.40	.3219	----	----	----	----	435 UNCH
4665 ----	----	----/*263.90A	276.70B/*263.90A	----	260.90 - 25.50	.3236	----	----	----	----	3 UNCH
4775 ----	----	----/*307.40A	324.40B/*307.40A	----	305.00 - 29.10	.3629	----	----	----	----	1 UNCH
4835 ----	----	----/*333.30A	352.50B/*333.30A	----	331.30 - 31.00	.3849	----	----	----	----	1 UNCH
4840 350.80	350.80	350.80/*335.50A	354.80B/*335.50A	----	333.50 NEW	.3867	----	----	1	----	1 + 1
5000 ----	----	----/412.20A	437.50B/412.20A	----	412.00 - 35.50	.4461	----	----	----	----	10 UNCH
5005 ----	----	----/*414.70A	440.30B/414.70A	----	414.60 - 35.70	.4480	----	----	----	----	2 UNCH
5100 ----	----	----/*465.40A	494.80B/*465.40A	----	466.80 - 38.10	.4829	----	----	----	----	2 UNCH
5150 ----	----	----/*493.60A	524.90B/*493.60A	----	495.80 - 39.40	.5009	----	----	----	----	1 UNCH
5175 ----	----	----/*508.20A	540.40B/*508.20A	----	510.70 - 40.00	.5098	----	----	----	----	125 UNCH
5200 ----	----	----/*522.90A	556.00B/*522.90A	----	525.80 - 40.60	.5186	----	----	----	----	1 UNCH
5355 ----	----	----/*619.50A	658.30B/*619.50A	----	624.70 - 44.30	.5714	----	----	----	----	1 UNCH
5520 ----	----	----/*732.00A	729.20B/*732.00A	----	738.90 - 48.10	.6232	----	----	----	----	300 UNCH
5530 ----	----	----/*739.00A	713.80B/*739.00A	----	746.00 - 48.40	.6261	----	----	----	----	100 UNCH
5550 ----	----	----/*757.00A	723.30B/*757.00A	----	760.50 - 48.80	.6321	----	----	----	----	65 UNCH
5565 ----	----	----/765.30A	733.90B/765.30A	----	771.40 - 49.10	.6364	----	----	----	----	50 UNCH
TOTAL									1		1118 + 1
MAR27											
5000 ----	----	----	100.00B/727.50A	----	439.30 - 34.60	.4311	----	----	----	----	75 UNCH
TOTAL											75 0
APR27											
4300 ----	----	----	----/404.30A	----	181.10 - 16.70	.2176	----	----	----	----	150 UNCH
5000 ----	----	----	30.30B/850.00A	----	461.80 - 32.30	.4295	----	----	----	----	100 UNCH
TOTAL											250 0
DEC27											
3700 ----	----	----	----	----	136.00 - 9.30	.1251	----	----	----	----	100 UNCH
3715 ----	----	----	----	----	138.70 - 9.40	.1273	----	----	----	----	150 UNCH
3820 ----	----	----	----	----	158.10 - 10.60	.1427	----	----	----	----	50 UNCH
4130 ----	----	----	----	----	225.60 - 14.30	.1942	----	----	----	----	168 UNCH
4500 ----	----	----	----	----	334.50 - 19.60	.2685	----	----	----	----	270 UNCH
4630 ----	----	----	----	----	383.10 - 21.50	.2977	----	----	----	----	284 UNCH
4860 ----	----	----	----	----	482.60 - 25.20	.3515	----	----	----	----	100 UNCH
5000 ----	----	----	----	----	550.60 - 27.50	.3850	----	----	----	----	50 UNCH
5650 ----	----	----	----	----	922.40 - 37.80	.5349	----	----	----	----	200 UNCH
5880 ----	----	----	----	----	1075.90 - 41.00	.5827	----	----	----	----	200 UNCH
TOTAL											1572 0
JAN28											
5000 ----	----	----	----	----	555.80 - 26.90	.3767	----	----	----	----	1 UNCH
5100 ----	----	----	----	----	606.10 - 28.50	.3998	----	----	----	----	1 UNCH
TOTAL											2 0

OG CALL — COMEX GOLD OPTIONS

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26											
3400 ----	----	----	----	----	1479.60 + 71.30	1.0000	----	----	----	----	1 UNCH
3500 ----	----	----	----	----	1379.60 + 71.30	1.0000	----	----	----	----	1 UNCH
3600 ----	----	1,301.50B/----	1301.50B/1251.20A	----	1279.60 + 71.30	1.0000	----	----	----	----	10 UNCH
3675 ----	----	----	----	----	1204.60 + 71.30	.9995	----	----	----	----	0 UNCH
3685 ----	----	1,216.80B/----	1216.80B/1166.20A	----	1194.60 + 71.30	.9995	----	----	----	----	0 - 8
3700 ----	----	1,201.80B/----	1201.80B/1151.20A	----	1179.60 + 71.30	.9995	----	----	----	----	11 UNCH
3720 ----	----	1,181.80B/----	1181.80B/1131.20A	----	1159.60 + 71.30	.9995	----	----	----	----	0 - 6
3725 ----	----	----	----	----	1154.60 + 71.30	.9995	----	----	----	----	0 UNCH
3735 ----	----	1,166.60B/----	1166.60B/1116.10A	----	1144.60 + 71.30	.9994	----	----	----	----	0 - 10
3750 ----	----	----	----	----	1129.60 + 71.30	.9994	----	----	----	----	0 UNCH
3800 ----	----	1,101.60B/----	1101.60B/1051.10A	----	1079.60 + 71.30	.9994	----	----	----	----	1 - 23
3820 ----	----	----	----	----	1059.60 + 71.30	.9988	----	----	----	----	0 - 2
3840 ----	----	1,061.60B/----	1061.60B/1011.10A	----	1039.60 + 71.30	.9987	----	----	----	----	20 UNCH
3855 ----	----	----	----	----	1024.60 + 71.30	.9987	----	----	----	----	2 UNCH
3875 ----	----	1,026.60B/----	1026.60B/976.10A	----	1004.60 + 71.20	.9987	----	----	----	----	40 UNCH
3890 ----	----	----	----	----	989.60 + 71.20	.9987	----	----	----	----	0 UNCH
3895 ----	----	1,006.60B/----	1006.60B/956.10A	----	984.60 + 71.20	.9986	----	----	----	----	9 UNCH
3900 ----	----	1,003.30B/----	1003.30B/949.80A	----	979.60 + 71.20	.9986	----	----	----	----	110 UNCH
3950 ----	----	953.30B/----	953.30B/899.80A	----	929.70 + 71.20	.9980	----	----	----	----	130 - 72
3960 ----	----	941.70B/----	941.70B/891.00A	----	919.70 + 71.20	.9979	----	----	----	----	11 UNCH
3975 ----	----	926.70B/----	926.70B/876.00A	----	904.70 + 71.20	.9979	----	----	----	----	13 UNCH
3980 ----	----	923.30B/----	923.30B/869.80A	----	899.70 + 71.20	.9973	----	----	----	----	97 UNCH
3995 ----	----	906.50B/----	906.50B/856.00A	----	884.70 + 71.10	.9973	----	----	----	----	62 UNCH
4000 ----	----	903.30B/----	903.30B/849.80A	----	879.70 + 71.10	.9973	----	----	----	----	135 UNCH
4005 ----	----	896.70B/----	896.70B/846.00A	----	874.70 + 71.10	.9972	----	----	----	----	30 UNCH
4015 ----	----	886.70B/----	886.70B/836.10A	----	864.80 + 71.20	.9972	----	----	----	----	5 UNCH
4020 ----	----	881.70B/----	881.70B/831.10A	----	859.80 + 71.20	.9972	----	----	----	----	14 - 1
4025 ----	----	----	----	----	854.80 + 71.20	.9972	----	----	----	----	1 - 1
4050 ----	----	853.40B/----	853.40B/799.90A	----	829.80 + 71.10	.9965	----	----	----	----	176 UNCH
4070 ----	----	831.90B/----	831.90B/781.10A	----	809.80 + 71.00	.9964	----	----	----	----	25 UNCH
4075 ----	----	826.90B/----	826.90B/776.10A	----	804.90 + 71.10	.9964	----	----	----	----	22 UNCH
4090 ----	----	----	----	----	789.90 + 71.00	.9963	----	----	----	----	1 UNCH
4100 ----	----	801.90B/----	801.90B/751.10A	----	779.90 + 71.00	.9957	----	----	----	----	48 UNCH
4105 ----	----	797.00B/----	797.00B/746.10A	----	774.90 + 71.00	.9957	----	----	----	----	10 UNCH
4115 ----	----	787.00B/----	787.00B/736.20A	----	764.90 + 70.90	.9956	----	----	----	----	4 UNCH
4120 ----	----	785.20B/----	785.20B/728.80A	----	759.90 + 70.90	.9956	----	----	----	----	372 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL COMEX GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4125	----	----	----	----	----	755.00 + 71.00	.9955	----	----	----	----	1 UNCH
4130	----	----	771.80B/----	771.80B/721.20A	----	750.00 + 71.00	.9955	----	----	----	----	11 UNCH
4135	----	----	767.10B/----	767.10B/716.20A	----	745.00 + 71.00	.9955	----	----	----	----	3 UNCH
4145	----	----	----	----	----	735.00 + 70.90	.9948	----	----	----	----	1 UNCH
4150	----	----	755.30B/----	755.30B/698.90A	----	730.00 + 70.90	.9948	----	----	----	----	255 UNCH
4155	----	----	----	----	----	725.00 + 70.90	.9948	----	----	----	----	1 UNCH
4165	----	----	737.20B/----	737.20B/686.30A	----	715.10 + 70.90	.9947	----	----	----	----	3 UNCH
4170	----	----	732.20B/----	732.20B/681.30A	----	710.10 + 70.90	.9946	----	----	----	----	24 UNCH
4175	----	----	727.20B/----	727.20B/676.30A	----	705.10 + 70.90	.9940	----	----	----	----	3 UNCH
4180	----	----	723.80B/----	723.80B/670.20A	----	700.10 + 70.80	.9940	----	----	----	----	123 UNCH
4185	----	----	717.30B/----	717.30B/666.40A	----	695.10 + 70.80	.9939	----	----	----	----	3 UNCH
4190	----	----	712.00B/----	712.00B/661.40A	----	690.10 + 70.80	.9939	----	----	----	----	18 UNCH
4200	----	----	702.30B/----	702.30B/649.00A	----	680.20 + 70.80	.9938	----	----	----	----	822 UNCH
4205	----	----	697.10B/----	697.10B/646.50A	----	675.20 + 70.80	.9931	----	----	----	----	4 UNCH
4210	----	----	692.40B/----	692.40B/641.50A	----	670.20 + 70.70	.9931	----	----	----	----	23 UNCH
4220	----	----	682.40B/----	682.40B/631.50A	----	660.20 + 70.70	.9930	----	----	----	----	7 UNCH
4240	----	----	662.60B/----	662.60B/611.60A	----	640.30 + 70.60	.9922	----	----	----	----	21 UNCH
4245	----	----	----	----	----	635.30 + 70.60	.9921	----	----	----	----	2 UNCH
4250	----	----	655.80B/----	655.80B/599.30A	----	630.40 + 70.70	.9920	----	----	----	----	277 UNCH
4255	----	----	649.20B/----	649.20B/595.50A	----	625.40 + 70.60	.9914	----	----	----	----	103 UNCH
4260	----	----	642.70B/----	642.70B/591.70A	----	620.40 + 70.60	.9913	----	----	----	----	8 UNCH
4265	----	----	637.50B/----	637.50B/586.80A	----	615.40 + 70.50	.9912	----	----	----	----	13 UNCH
4270	----	----	632.80B/----	632.80B/581.80A	----	610.50 + 70.60	.9912	----	----	----	----	29 UNCH
4275	----	----	627.80B/----	627.80B/576.80A	----	605.50 + 70.60	.9905	----	----	----	----	14 UNCH
4280	----	----	----	----	----	600.50 + 70.50	.9904	----	----	----	----	1 UNCH
4285	----	----	624.20B/513.70A	624.20B/513.70A	----	595.60 + 70.60	.9903	----	----	----	----	4 UNCH
4290	----	----	619.30B/508.80A	619.30B/508.80A	----	590.60 + 70.50	.9902	----	----	----	----	44 UNCH
4295	----	----	614.30B/503.90A	614.30B/503.90A	----	585.60 + 70.50	.9895	----	----	----	----	2 UNCH
4300	598.00	598.00	609.30B/498.90A	609.30B/498.90A	----	580.70 + 70.50	.9894	----	----	4	----	1117 UNCH
4305	----	----	603.20B/494.00A	603.20B/494.00A	----	575.70 + 70.50	.9894	----	----	----	----	2 UNCH
4315	----	----	591.40B/484.10A	591.40B/484.10A	----	565.80 + 70.40	.9885	----	----	----	----	3 UNCH
4325	----	----	584.00B/474.20A	584.00B/474.20A	----	555.80 + 70.30	.9877	----	----	----	----	562 UNCH
4330	----	----	579.00B/469.30A	579.00B/469.30A	----	550.90 + 70.40	.9876	----	----	----	----	26 UNCH
4335	----	----	574.60B/464.40A	574.60B/464.40A	----	545.90 + 70.30	.9875	----	----	----	----	1 UNCH
4340	----	----	569.60B/459.50A	569.60B/459.50A	----	540.90 + 70.20	.9868	----	----	----	----	4 UNCH
4345	----	----	564.70B/454.50A	564.70B/454.50A	----	536.00 + 70.30	.9866	----	----	----	----	2 UNCH
4350	----	----	559.20B/449.60A	559.20B/449.60A	----	531.00 + 70.20	.9859	----	----	----	----	250 UNCH
4355	----	----	551.70B/444.70A	551.70B/444.70A	----	526.10 + 70.20	.9858	----	----	----	----	40 UNCH
4360	----	----	549.80B/439.80A	549.80B/439.80A	----	521.10 + 70.10	.9850	----	----	----	----	349 UNCH
4365	----	----	544.80B/431.60A	544.80B/431.60A	----	516.20 + 70.10	.9849	----	----	----	----	5 UNCH
4370	----	----	536.80B/426.70A	536.80B/426.70A	----	511.20 + 70.10	.9847	----	----	----	----	75 UNCH
4375	----	----	535.00B/421.80A	535.00B/421.80A	----	506.30 + 70.10	.9839	----	----	----	----	34 UNCH
4380	----	----	530.10B/416.90A	530.10B/416.90A	----	501.30 + 70.00	.9838	----	----	----	----	12 UNCH
4385	----	----	525.10B/412.00A	525.10B/412.00A	----	496.40 + 70.00	.9830	----	----	----	----	4 UNCH
4390	----	----	520.20B/407.20A	520.20B/407.20A	----	491.40 + 69.90	.9822	----	----	----	----	10 UNCH
4395	----	----	515.20B/402.30A	515.20B/402.30A	----	486.50 + 69.90	.9820	----	----	----	----	5 UNCH
4400	----	----	510.30B/397.40A	510.30B/397.40A	----	481.50 + 69.80	.9812	----	----	----	----	1634 UNCH
4405	----	----	505.40B/392.50A	505.40B/392.50A	----	476.60 + 69.80	.9810	----	----	----	----	16 UNCH
4410	----	----	501.30B/387.70A	501.30B/387.70A	----	471.70 + 69.70	.9802	----	----	----	----	44 UNCH
4415	----	----	496.40B/382.80A	496.40B/382.80A	----	466.70 + 69.60	.9800	----	----	----	----	35 UNCH
4420	----	----	491.40B/377.90A	491.40B/377.90A	----	461.80 + 69.60	.9792	----	----	----	----	50 UNCH
4425	----	----	486.50B/373.10A	486.50B/373.10A	----	456.90 + 69.60	.9783	----	----	----	----	67 UNCH
4430	----	----	481.60B/368.30A	481.60B/368.30A	----	451.90 + 69.40	.9774	----	----	----	----	16 UNCH
4435	----	----	476.70B/363.40A	476.70B/363.40A	----	447.00 + 69.40	.9772	----	----	----	----	6 UNCH
4440	----	----	471.80B/358.60A	471.80B/358.60A	----	442.10 + 69.30	.9763	----	----	----	----	62 UNCH
4445	----	----	466.80B/353.80A	466.80B/353.80A	----	437.20 + 69.30	.9754	----	----	----	----	7 UNCH
4450	----	----	461.90B/348.90A	461.90B/348.90A	----	432.20 + 69.10	.9745	----	----	----	----	270 UNCH
4455	----	----	457.00B/344.00A	457.00B/344.00A	----	427.30 + 69.00	.9743	----	----	----	----	44 UNCH
4460	----	----	452.10B/339.20A	452.10B/339.20A	----	422.40 + 68.90	.9734	----	----	----	----	27 UNCH
4465	----	----	447.20B/334.50A	447.20B/334.50A	----	417.50 + 68.90	.9724	----	----	----	----	20 UNCH
4470	----	----	442.30B/330.10A	442.30B/330.10A	----	412.60 + 68.80	.9715	----	----	----	----	53 UNCH
4475	----	----	437.40B/325.30A	437.40B/325.30A	----	407.70 + 68.70	.9705	----	----	----	----	39 UNCH
4480	----	----	432.50B/320.20A	432.50B/320.20A	----	402.80 + 68.60	.9696	----	----	----	----	117 UNCH
4485	----	----	427.60B/315.80A	427.60B/315.80A	----	397.90 + 68.40	.9686	----	----	----	----	23 UNCH
4490	----	----	422.80B/310.70A	422.80B/310.70A	----	393.00 + 68.30	.9676	----	----	----	----	19 UNCH
4495	----	----	417.90B/306.00A	417.90B/306.00A	----	388.10 + 68.20	.9666	----	----	----	----	16 UNCH
4500	----	----	413.00B/301.60A	413.00B/301.60A	----	383.20 + 68.00	.9655	----	----	----	----	1250 UNCH
4505	----	----	408.10B/296.90A	408.10B/296.90A	----	378.30 + 67.90	.9645	----	----	----	----	29 UNCH
4510	----	----	403.30B/292.20A	403.30B/292.20A	----	373.40 + 67.70	.9634	----	----	----	----	46 UNCH
4515	----	----	398.70B/287.20A	398.70B/287.20A	----	368.60 + 67.60	.9624	----	----	----	----	16 UNCH
4520	----	----	393.50B/282.50A	393.50B/282.50A	----	363.70 + 67.40	.9613	----	----	----	----	20 UNCH
4525	----	----	388.90B/277.90A	388.90B/277.90A	----	358.80 + 67.20	.9595	----	----	----	----	23 UNCH
4530	----	----	384.10B/273.60A	384.10B/273.60A	----	353.90 + 67.00	.9584	----	----	----	----	37 UNCH
4535	----	----	379.30B/269.00A	379.30B/269.00A	----	349.10 + 66.90	.9572	----	----	----	----	30 UNCH
4540	----	----	374.40B/264.40A	374.40B/264.40A	----	344.20 + 66.60	.9554	----	----	----	----	20 UNCH
4545	----	----	369.60B/259.50A	369.60B/259.50A	----	339.40 + 66.50	.9542	----	----	----	----	4 UNCH
4550	----	----	364.80B/254.90A	364.80B/254.90A	----	334.60 + 66.30	.9523	----	----	1	----	365 UNCH
4555	----	----	359.90B/250.70A	359.90B/250.70A	----	329.70 + 66.00	.9505	----	----	----	----	31 UNCH
4560	----	----	355.10B/245.80A	355.10B/245.80A	----	324.90 + 65.80	.9492	----	----	----	----	35 UNCH
4565	----	----	350.30B/241.30A	350.30B/241.30A	----	320.10 + 65.60	.9473	----	----	----	----	49 UNCH
4570	----	----	345.60B/236.80A	345.60B/236.80A	----	315.30 + 65.30	.9453	----	----	----	----	205 UNCH
4575	----	----	340.80B/232.70A	340.80B/232.70A	----	310.50 + 65.00	.9433	----	----	----	----	69 UNCH
4580	----	----	335.90B/228.00A	335.90B/228.00A	----	305.70 + 64.70	.9413	----	----	----	----	6 UNCH
4585	----	----	331.20B/223.90A	331.20B/223.90A	----	300.90 + 64.40	.9386	----	----	----	----	100 UNCH
4590	----	----	326.40B/219.50A	326.40B/219.50A	----	296.20 + 64.20	.9365	----	----	----	----	130 UNCH
4595	----	----	321.70B/214.70A	321.70B/214.70A	----	291.40 + 63.80	.9344	----	----	----	----	31 UNCH
4600	277.10	277.10	316.90B/208.90A	316.90B/208.90A	----	286.70 + 63.50	.9316	----	----	11	----	2672 - 7
4605	----	----	312.20B/204.60A	312.20B/204.60A	----	281.90 + 63.10	.9288	----	----	----	----	302 UNCH
4610	----	----	307.50B/200.40A	307.50B/200.40A	----	277.20 + 62.80	.9259	----	----	----	----	76 UNCH
4615	----	----	302.80B/196.20A	302.80B/196.20A	----	272.50 + 62.40	.9230	----	----	----	----	20 UNCH
4620	----	----	297.90B/192.00A	297.90B/192.00A	----	267.90 + 62.10	.9201	----	----	1	----	25 - 1
4625	----	----	293.40B/187.80A	293.40B/187.80A	----	263.20 + 61.70	.9172	----	----	----	----	117 UNCH
4630	----	----	288.50B/183.70A	288.50B/183.70A	----	258.60 + 61.30	.9135	----	----	----	----	39 UNCH
4635	----	----	284.00B/179.60A	284.00B/179.60A	----	253.90 + 60.80	.9105	----	----	----	----	229 UNCH
4640	----	----	279.40B/175.70A	279.40B/175.70A	----	249.30 + 60.40	.9068	----	----	----	----	45 UNCH
4645	----	----	274.60B/171.60A	274.60B/171.60A	----	244.70 + 59.90	.9031	----	----	----	----	6 UNCH
4650	----	----	270.10B/167.40A	270.10B/167.40A	----	240.20 + 59.60	.8993	----	----	3	----	588 UNCH
4655	----	----	265.40B/163.60A	265.40B/163.60A	----	235.60 + 59.00	.8949	----	----	----	----	222 UNCH
4660	----	----	260.80B/159.60A	260.80B/159.60A	----	231.10 + 58.60	.8904	----	----	----	----	151 UNCH
4665	----	----	256.40B/155.70A	256.40B/155.70A	----	226.60 + 58.10	.8865	----	----	----	----	51 UNCH
4670	----	----	251.70B/151.90A	251.70B/151.90A	----	222.10 + 57.50	.8819	----	----	----	----	117 UNCH
4675	----	----	247.30B/148.10A	247.30B/148.10A	----	217.60 + 57.00	.8768	----	----	----	----	87 UNCH
4680	----	----	242.90B/144.30A	242.90B/144.30A	----	213.10 + 56.40	.8721	----	----	----	----	160 UNCH
4685	----	----	238.10B/140.70A	238.10B/140.70A	----	208.70 + 55.80	.8669	----	----	----	----	159 UNCH
4690	214.70	214.70	233.90B/136.90A	233.90B/136.90A	----	204.30 + 55.20	.8616	----	----	7	----	39 - 7
4695	----	----	229.30B/133.20A	229.30B/133.20A	----	200.00 + 54.70	.8562	----	----	----	----	55 UNCH
4700	200.00	200.00	225.00B/129.60A	225.00B/129.60A	----	195.60 + 54.00	.8502	----	----	5	----	2227 - 4
4705	200.70	200.70	220.60B/126.10A	220.60B/126.10A	----	191.30 + 53.40	.8443	----	----	6	----	309 - 4
4710	----	----	216.10B/122.60A	216.10B/122.60A	----	187.00 + 52.80	.8382	----	----	----	----	205 UNCH
4715	----	----	211.80B/119.30A	211.80B/119.30A	----	182.80 + 52.20	.8321	----	----	----	----	68 UNCH
4720	----	----	207.50B/114.40A	207.50B/114.40A	----	178.60 + 51.50	.8254	----	----	----	----	265 UNCH
4725	185.00	185.00	203.20B/111.10A	203.20B/111.10A	----	174.40 + 50.90	.8187	----	----	2	----	144 UNCH
4730	----	----	198.80B/107.80A	198.80B/107.80A	----	170.30 + 50.20	.8114	----	----	----	----	60 UNCH
4735	----	----	194.80B/104.50A	194.80B/104.50A	----	166.20 + 49.50	.8041	----	----	----	----	31 UNCH
4740	----	----	190.60B/101.40A	190.60B/101.40A	----	162.10 + 48.80	.7968	----	----	----	----	160 UNCH
4745	----	----	186.30B/98.10A	186.30B/98.10A	----	158.10 + 48.10	.7889	----	----	----	----	26 UNCH
4750	159.70	159.70	182.20B/95.00A	182.20B/95.00A	----	154.10 + 47.40	.7810	----	----	113	----	1291 - 93
4755	----	----	178.00B/92.00A	178.00B/92.00A	----	150.20 + 46.70	.7726	----	----	----	----	45 UNCH
4760	----	----	174.00B/89.00A	174.00B/89.00A	----	146.30 + 45.90	.7642	----	----	----	----	94 UNCH
4765	----	----	170.10B/86.10A	170.10B/86.10A	----	142.40 + 45.10	.7557	----	----	----	----	80 UNCH
4770	----	----	166.00B/83.30A	166.00B/83.30A	----	138.60 + 44.40	.7468	----	----	----	----	87 UNCH
4775	----	----	162.00B/80.50A	162.00B/80.50A	----	134.80 + 43.50	.7378	----	----	----	----	203 UNCH
4780	----	----	158.10B/77.70A	158.10B/77.70A	----	131.10 + 42.80	.7284	----	----	----	----	59 UNCH
4785	129.00	129.00	154.10B/75.10A	154.10B/75.10A	----	127.50 + 42.00	.7189	----	----	1	----	36 UNCH
4790	----	----	150.40B/72.40A	150.40B/72.40A	----	123.80 + 41.10	.7091	----	----	----	----	133 UNCH
4795	----	----	146.50B/69.90A	146.50B/69.90A	----	120.30 + 40.40	.6992	----	----	----	----	68 UNCH
4800	72.00	72.00	142.90B/67.30A	142.90B/67.30A	----	116.80 + 39.60	.6890	----	----	69	----	2160 - 30
4805	70.70	70.70	139.00B/65.00A	139.00B/65.00A	----	113.30 + 38.70	.6785	----	----	1	----	66 UNCH
4810	68.10	68.10	135.50B/62.60A	135.50B/62.60A	----	109.90 + 37.90	.6679	----	----	51	----	723 - 51
4815	64.50	64.50	131.80B/60.30A	131.80B/60.30A	----	106.60 + 37.10	.6573	----	----	5	----	43 - 2
4820	63.50	63.50	128.30B/58.10A	128.30B/58.10A	----	103.30 + 36.20	.6464	----	----	20	----	219 UNCH
4825	63.00	63.00	124.80B/55.90A	124.80B/55.90A	----	100.00 + 35.30	.6352	----	----	4	----	214 - 2
4830	----	----	121.40B/53.80A	121.40B/53.80A	----	96.90 + 34.60	.6240	----	----	----	----	90 UNCH
4835	110.00	110.00	118.00B/51.70A	118.00B/51.70A	----	93.70 + 33.60	.6126	----	----	7	----	71 UNCH
4840	58.50	58.50	114.60B/49.70A	114.60B/49.70A	----	90.70 + 32.90	.6011	----	----	15	----	115 - 3
4845	53.50	53.50	111.20B/47.80A	111.20B/47.80A	----	87.70 + 32.00	.5895	----	----	43	----	184 + 9
4850	48.10	48.10	108.00B/45.80A	108.00B/45.80A	----	84.80 + 31.20	.5777	----	----	145	----	1200 - 71

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4855	----	----	104.90B/44.10A	104.90B/44.10A	----	81.90 + 30.40	.5659	----	----	92	----	155 + 43
4860	60.50	60.50	101.70B/42.30A	101.70B/42.30A	----	79.10 + 29.60	.5539	----	----	1	----	77 UNCH
4865	72.60	72.60	98.70B/40.60A	98.70B/40.60A	----	76.40 + 28.80	.5419	----	----	6	----	186 + 2
4870	89.00	89.00	95.60B/38.90A	95.60B/38.90A	----	73.70 + 28.00	.5298	----	----	33	----	165 + 16
4875	42.40	42.40	92.60B/37.30A	92.60B/37.30A	----	71.10 + 27.20	.5177	----	----	277	----	397 + 192
4880	59.40	59.40	89.60B/35.80A	89.60B/35.80A	----	68.60 + 26.40	.5056	----	----	1	----	60 UNCH
4885	76.20	76.20	88.10B/34.30A	88.10B/34.30A	----	66.10 + 25.70	.4934	----	----	5	----	61 + 5
4890	----	----	85.30B/*32.80A	85.30B/*32.80A	----	63.70 + 24.90	.4813	----	----	5	----	85 + 4
4895	70.70	70.70	82.70B/*31.40A	82.70B/*31.40A	----	61.40 + 24.20	.4692	----	----	5	----	75 + 3
4900	36.00	36.00	79.90B/30.00A	79.90B/30.00A	----	59.10 + 23.40	.4572	----	----	500	50	2035 - 120
4905	48.20	48.20	77.10B/*28.80A	77.10B/*28.80A	----	56.90 + 22.70	.4452	----	----	9	----	42 UNCH
4910	31.50	31.50	74.80B/*27.50A	74.80B/*27.50A	----	54.70 + 21.90	.4331	----	----	30	----	96 + 10
4915	68.50	68.50	72.40B/*26.30A	72.40B/*26.30A	----	52.70 + 21.30	.4214	----	----	6	----	71 + 2
4920	66.10	66.10	69.80B/*25.10A	69.80B/*25.10A	----	50.60 + 20.60	.4095	----	----	208	----	163 + 92
4925	42.80	42.80	67.40B/*24.10A	67.40B/*24.10A	----	48.70 + 19.90	.3979	----	----	56	----	279 - 13
4930	58.80	58.80	65.10B/*22.90A	65.10B/*22.90A	----	46.80 + 19.30	.3864	----	----	12	----	248 + 8
4935	38.00	38.00	63.00B/*22.00A	63.00B/*22.00A	----	44.90 + 18.50	.3749	----	----	3	----	67 UNCH
4940	39.40	39.40	60.50B/*20.90A	60.50B/*20.90A	----	43.10 + 17.90	.3635	----	----	17	----	27 + 4
4945	37.80	37.80	58.60B/*20.00A	58.60B/*20.00A	----	41.40 + 17.30	.3525	----	----	6	----	85 + 1
4950	22.80	22.80	56.50B/*18.90A	56.50B/*18.90A	----	39.70 + 16.60	.3414	----	----	781	----	1445 + 136
4955	54.80	54.80	54.80/*18.10A	54.80/*18.10A	----	38.00 + 15.90	.3304	----	----	15	----	20 + 5
4960	49.20	49.20	52.50B/*17.20A	52.50B/*17.20A	----	36.50 + 15.40	.3199	----	----	5	----	46 + 2
4965	36.00	36.00	50.40B/*16.50A	50.40B/*16.50A	----	34.90 + 14.70	.3091	----	----	15	----	63 - 8
4970	19.00	19.00	48.60B/*15.80A	48.60B/*15.80A	----	33.50 + 14.20	.2990	----	----	9	----	63 - 2
4975	35.50	35.50	46.80B/*15.10A	46.80B/*15.10A	----	32.00 + 13.60	.2886	----	----	50	----	286 - 10
4980	18.70	18.70	45.10B/*14.30A	45.10B/*14.30A	----	30.70 + 13.10	.2789	----	----	35	----	237 - 3
4985	14.00	14.00	43.40B/*13.70A	43.40B/*13.70A	----	29.30 + 12.50	.2689	----	----	3	----	178 - 2
4990	34.00	34.00	41.80B/*13.10A	41.80B/*13.10A	----	28.10 + 12.00	.2596	----	----	6	----	61 + 2
4995	----	----	40.20B/*12.60A	40.20B/*12.60A	----	26.90 + 11.50	.2504	----	----	1	----	137 - 1
5000	14.50	14.50	38.70/11.60	38.70/11.60	----	25.70 + 11.00	.2412	----	----	1414	85	3913 - 255
5005	32.70	32.70	37.20B/*11.50A	37.20B/*11.50A	----	24.60 + 10.60	.2324	----	----	1	----	31 UNCH
5010	13.10	13.10	35.70B/*11.00A	35.70B/*11.00A	----	23.50 + 10.10	.2237	----	----	6	----	151 - 1
5015	15.20	15.20	34.30B/*10.40A	34.30B/*10.40A	----	22.50 + 9.70	.2155	----	----	10	----	67 + 4
5020	17.00	17.00	33.00B/*10.00A	33.00B/*10.00A	----	21.50 + 9.30	.2073	----	----	7	----	90 + 4
5025	11.70	11.70	31.70B/*9.50A	31.70B/*9.50A	----	20.50 + 8.80	.1992	----	----	25	----	277 - 6
5030	17.10	17.10	30.40B/*9.10A	30.40B/*9.10A	----	19.60 + 8.50	.1916	----	----	23	----	323 UNCH
5035	23.30	23.30	29.20B/*8.70A	29.20B/*8.70A	----	18.70 + 8.00	.1840	----	----	8	----	22 - 2
5040	15.60	15.60	28.00B/*8.30A	28.00B/*8.30A	----	17.90 + 7.70	.1769	----	----	60	----	173 + 15
5045	15.60	15.60	26.80B/*7.90A	26.80B/*7.90A	----	17.10 + 7.40	.1700	----	----	49	----	921 - 19
5050	18.50	18.50	25.70B/*7.60A	25.70B/*7.60A	----	16.30 + 7.00	.1630	----	----	180	----	1787 - 15
5055	20.70	20.70	24.70B/*7.30A	24.70B/*7.30A	----	15.50 + 6.60	.1561	----	----	1	----	86 - 1
5060	17.00	17.00	23.60B/*6.90A	23.60B/*6.90A	----	14.80 + 6.30	.1498	----	----	2	----	95 UNCH
5065	16.00	16.00	22.60B/*6.60A	22.60B/*6.60A	----	14.20 + 6.10	.1441	----	----	5	----	25 - 1
5070	6.20	6.20	21.70B/*6.20	21.70B/*6.20	----	13.50 + 5.70	.1378	----	----	17	----	63 + 2
5075	6.90	6.90	20.80B/*6.10A	20.80B/*6.10A	----	12.90 + 5.50	.1322	----	----	40	----	68 - 23
5080	6.00	6.00	19.90B/*5.40	19.90B/*5.40	----	12.30 + 5.20	.1266	----	----	57	----	323 + 1
5085	13.00	13.00	19.00B/*5.60A	19.00B/*5.60A	----	11.70 + 4.90	.1211	----	----	15	----	328 UNCH
5090	----	----	18.20B/*5.40A	18.20B/*5.40A	----	11.20 + 4.70	.1162	----	----	5	----	280 - 1
5095	6.00	6.00	17.40B/*5.20A	17.40B/*5.20A	----	10.70 + 4.40	.1114	----	----	2	----	27 - 1
5100	5.00	5.00	16.70B/*4.80	16.70B/*4.80	----	10.20 + 4.20	.1066	----	----	255	185	2447 + 5
5105	10.20	10.20	16.00B/*4.80A	16.00B/*4.80A	----	9.80 + 4.10	.1025	----	----	8	----	76 + 2
5110	4.70	4.70	15.30B/*4.60A	15.30B/*4.60A	----	9.30 + 3.80	.0977	----	----	38	----	453 + 29
5115	----	----	14.70B/*4.40A	14.70B/*4.40A	----	8.90 + 3.60	.0937	----	----	1	----	99 + 1
5120	5.20	5.20	14.00B/*4.20	14.00B/*4.20	----	8.60 + 3.50	.0904	----	----	5	----	42 UNCH
5125	----	----	13.40B/*4.10A	13.40B/*4.10A	----	8.20 + 3.30	.0864	----	----	22	----	438 + 18
5130	----	----	12.80B/*3.90A	12.80B/*3.90A	----	7.80 + 3.10	.0825	----	----	----	----	87 UNCH
5135	9.90	9.90	12.30B/*3.80A	12.30B/*3.80A	----	7.50 + 3.00	.0793	----	----	9	----	183 + 3
5140	9.40	9.40	11.70B/*3.70A	11.70B/*3.70A	----	7.20 + 2.90	.0762	----	----	3	----	259 - 2
5145	7.80	7.80	11.20B/*3.60A	11.20B/*3.60A	----	6.90 + 2.70	.0731	----	----	2	----	77 UNCH
5150	3.70	3.70	10.80B/*3.40A	10.80B/*3.40A	----	6.60 + 2.60	.0700	----	----	144	----	1502 + 45
5155	7.10	7.10	10.30B/*3.40A	10.30B/*3.40A	----	6.40 + 2.50	.0677	----	----	10	----	90 - 4
5160	----	----	9.80B/*3.20A	9.80B/*3.20A	----	6.10 + 2.40	.0646	----	----	25	----	294 - 25
5165	7.50	7.50	9.40B/*3.10A	9.40B/*3.10A	----	5.90 + 2.30	.0624	----	----	2	----	69 + 2
5170	----	----	9.00B/*3.00A	9.00B/*3.00A	----	5.60 + 2.10	.0594	----	----	----	----	200 UNCH
5175	5.60	5.60	8.60B/*2.90A	8.60B/*2.90A	----	5.40 + 2.10	.0572	----	----	7	----	268 + 1
5180	5.50	5.50	8.20B/*2.80A	8.20B/*2.80A	----	5.20 + 2.00	.0550	----	----	1	----	40 UNCH
5185	5.10	5.10	7.90B/*2.70A	7.90B/*2.70A	----	5.00 + 1.90	.0529	----	----	3	----	38 UNCH
5190	----	----	7.50B/*2.60A	7.50B/*2.60A	----	4.80 + 1.80	.0507	----	----	----	----	345 UNCH
5195	----	----	7.20B/*2.50A	7.20B/*2.50A	----	4.70 + 1.80	.0494	----	----	----	----	33 UNCH
5200	4.30	4.30	6.90B/*2.40A	6.90B/*2.40A	----	4.50 + 1.70	.0473	----	----	242	----	2601 - 137
5205	----	----	6.70B/*2.30A	6.70B/*2.30A	----	4.30 + 1.60	.0452	----	----	----	----	29 UNCH
5210	5.90	5.90	6.30B/*2.30A	6.30B/*2.30A	----	4.20 + 1.60	.0440	----	----	5	----	54 - 4
5215	----	----	6.00B/*2.20A	6.00B/*2.20A	----	4.00 + 1.40	.0419	----	----	----	----	55 UNCH
5220	4.30	4.30	5.70B/*2.10A	5.70B/*2.10A	----	3.90 + 1.40	.0407	----	----	20	----	272 - 12
5225	4.00	4.00	5.50B/*2.10A	5.50B/*2.10A	----	3.80 + 1.40	.0395	----	----	1	----	184 + 1
5230	3.40	3.40	5.40B/*2.00A	5.40B/*2.00A	----	3.70 + 1.40	.0383	----	----	2	----	40 UNCH
5235	----	----	5.10B/*2.00A	5.10B/*2.00A	----	3.50 + 1.20	.0364	----	----	----	----	73 UNCH
5240	----	----	4.90B/*1.90A	4.90B/*1.90A	----	3.40 + 1.20	.0352	----	----	----	----	93 UNCH
5245	----	----	4.70B/*1.90A	4.70B/*1.90A	----	3.30 + 1.10	.0340	----	----	----	----	58 UNCH
5250	3.50	3.50	4.50B/*1.80A	4.50B/*1.80A	----	3.20 + 1.10	.0329	----	----	149	----	2001 + 64
5255	----	----	4.40B/*1.80A	4.40B/*1.80A	----	3.10 + 1.00	.0318	----	----	----	----	9 UNCH
5260	----	----	4.20B/*1.70A	4.20B/*1.70A	----	3.00 + 1.00	.0307	----	----	----	----	120 UNCH
5265	----	----	4.00B/*1.70A	4.00B/*1.70A	----	2.90 + 0.90	.0296	----	----	----	----	62 UNCH
5270	----	----	3.80B/*1.60A	3.80B/*1.60A	----	2.80 + 0.90	.0285	----	----	----	----	95 UNCH
5275	2.70	2.70	3.70B/*1.60A	3.70B/*1.60A	----	2.70 + 0.80	.0275	----	----	1	----	202 - 1
5280	2.00	2.00	3.50B/*1.50A	3.50B/*1.50A	----	2.70 + 0.90	.0272	----	----	1	----	287 - 1
5285	----	----	3.40B/*1.50A	3.40B/*1.50A	----	2.60 + 0.80	.0262	----	----	----	----	35 UNCH
5290	----	----	3.30B/*1.50A	3.30B/*1.50A	----	2.50 + 0.80	.0251	----	----	----	----	65 UNCH
5295	----	----	3.20B/*1.40A	3.20B/*1.40A	----	2.40 + 0.70	.0241	----	----	----	----	69 UNCH
5300	1.40	1.40	3.20/*1.40	3.20/*1.40	----	2.40 + 0.70	.0239	----	----	115	----	2073 - 92
5305	----	----	3.00B/*1.30A	3.00B/*1.30A	----	2.30 + 0.70	.0229	----	----	----	----	50 UNCH
5310	----	----	2.90B/*1.30A	2.90B/*1.30A	----	2.20 + 0.60	.0219	----	----	----	----	36 UNCH
5315	----	----	2.80B/*1.30A	2.80B/*1.30A	----	2.20 + 0.60	.0217	----	----	----	----	35 UNCH
5320	----	----	2.70B/*1.20A	2.70B/*1.20A	----	2.10 + 0.60	.0207	----	----	----	----	360 UNCH
5325	----	----	2.60B/*1.20A	2.60B/*1.20A	----	2.10 + 0.60	.0205	----	----	----	----	110 UNCH
5330	----	----	2.60B/*1.20A	2.60B/*1.20A	----	2.00 + 0.50	.0196	----	----	----	----	42 UNCH
5335	----	----	2.40B/*1.10A	2.40B/*1.10A	----	2.00 + 0.60	.0194	----	----	----	----	243 UNCH
5340	----	----	2.40B/*1.10A	2.40B/*1.10A	----	1.90 + 0.50	.0185	----	----	----	----	134 UNCH
5345	----	----	2.30B/*1.10A	2.30B/*1.10A	----	1.90 + 0.50	.0183	----	----	----	----	65 UNCH
5350	0.90	0.90	2.50/*0.90	2.50/*0.90	----	1.80 + 0.40	.0174	----	----	39	----	847 - 23
5355	----	----	2.20B/*1.00A	2.20B/*1.00A	----	1.80 + 0.50	.0172	----	----	----	----	29 UNCH
5360	----	----	2.20B/*1.00A	2.20B/*1.00A	----	1.70 + 0.40	.0163	----	----	----	----	106 UNCH
5365	----	----	2.10B/*1.00A	2.10B/*1.00A	----	1.70 + 0.40	.0162	----	----	----	----	33 UNCH
5370	----	----	2.10B/*1.00A	2.10B/*1.00A	----	1.70 + 0.40	.0161	----	----	----	----	127 UNCH
5375	----	----	2.00B/*0.90A	2.00B/*0.90A	----	1.60 + 0.40	.0152	----	----	----	----	400 UNCH
5380	----	----	1.90B/*0.90A	1.90B/*0.90A	----	1.60 + 0.40	.0150	----	----	----	----	77 UNCH
5385	----	----	1.90B/*0.90A	1.90B/*0.90A	----	1.60 + 0.40	.0149	----	----	----	----	117 UNCH
5390	----	----	1.80B/*0.90A	1.80B/*0.90A	----	1.50 + 0.30	.0140	----	----	----	----	100 UNCH
5395	----	----	1.80B/*0.90A	1.80B/*0.90A	----	1.50 + 0.40	.0139	----	----	----	----	39 UNCH
5400	1.90	1.90	2.00/0.90A	2.00/0.90A	----	1.50 + 0.40	.0138	----	----	725	----	2641 + 110
5405	----	----	1.60B/*0.80A	1.60B/*0.80A	----	1.50 + 0.40	.0137	----	----	----	----	63 UNCH
5410	----	----	1.60B/*0.80A	1.60B/*0.80A	----	1.40 + 0.30	.0129	----	----	----	----	155 UNCH
5415	----	----	1.60B/*0.80A	1.60B/*0.80A	----	1.40 + 0.30	.0128	----	----	----	----	35 UNCH
5420	----	----	1.50B/*0.80A	1.50B/*0.80A	----	1.40 + 0.30	.0127	----	----	----	----	143 UNCH
5425	----	----	1.50B/*0.80A	1.50B/*0.80A	----	1.30 + 0.30	.0118	----	----	----	----	100 UNCH
5430	----	----	1.40B/*0.80A	1.40B/*0.80A	----	1.30 + 0.30	.0117	----	----	----	----	22 UNCH
5435	----	----	1.40B/*0.70A	1.40B/*0.70A	----	1.30 + 0.30	.0116	----	----	----	----	15 UNCH
5440	----	----	1.40B/*0.70A	1.40B/*0.70A	----	1.30 + 0.30	.0116	----	----	----	----	62 UNCH
5445	----	----	1.30B/*0.70A	1.30B/*0.70A	----	1.30 + 0.30	.0115	----	----	----	----	116 UNCH
5450	----	----	1.30B/*0.70A	1.30B/*0.70A	----	1.20 + 0.20	.0107	----	----	45	----	541 - 42
5455	----	----	1.30B/*0.70A	1.30B/*0.70A	----	1.20 + 0.30	.0106	----	----	----	----	153 UNCH
5460	----	----	1.20B/*0.70A	1.20B/*0.70A	----	1.20 + 0.30	.0105	----	----	----	----	37 UNCH
5465	----	----	1.20B/*0.60A	1.20B/*0.60A	----	1.20 + 0.30	.0104	----	----	----	----	38 UNCH
5470	----	----	1.20B/*0.60A	1.20B/*0.60A	----	1.20 + 0.30	.0104	----	----	----	----	253 UNCH
5475	----	----	1.20B/*0.60A	1.20B/*0.60A	----	1.20 + 0.30	.0103	----	----	----	----	35 UNCH
5480	0.90	0.90	1.10B/*0.60A	1.10B/*0.60A	----	1.10 + 0.20	.0095	----	----	1	----	34 UNCH
5485	----	----	1.10B/*0.60A	1.10B/*0.60A	----	1.10 + 0.20	.0094	----	----	----	----	41 UNCH
5490	----	----	1.10B/*0.60A	1.10B/*0.60A	----	1.10 + 0.20	.0094	----	----	----	----	35 UNCH
5495	----	----	1.00B/*0.60A	1.00B/*0.60A	----	1.10 + 0.20	.0093	----	----	----	----	52 UNCH
5500	0.50	0.50	1.00/0.50	1.00/0.50	----	1.10 + 0.30	.0093	----	----	25	----	4003 + 19
5505	----	----	1.00B/*0.60A	1.00B/*0.60A	----	1.10 + 0.30	.0092	----	----	1	----	92 UNCH
5510	----	----	1.00B/*0.60A	1.00B/*0.60A	----	1.00 + 0.20	.0084	----	----	----	----	64 UNCH
5515	----	----	0.90B/*0.60A	0.90B/*0.60A	----	1.00 + 0.20	.0084	----	----	----	----	13 UNCH
5520	----	----	0.90B/*0.60A	0.90B/*0.60A	----	1.00 + 0.20	.0083	----	----	----	----	204 UNCH
5525	----	----	0.90B/*0.50A	0.90B/*0.50A	----	1.00 + 0.20	.0083	----	----	1	----	85 UNCH
5530	----	----	0.90B/*0.50A	0.90B/*0.50A	----	1.00 + 0.20	.0082	----	----	----	----	64 UNCH
5535	----	----	0.90B/*0.50A	0.90B/*0.50A	----	1.00 + 0.20	.0082	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
5540	----	----	0.90B/*0.50A	0.90B/*0.50A	----	1.00 + 0.20	.0081	----	----	----	----	27 UNCH
5545	----	----	0.90B/*0.50A	0.90B/*0.50A	----	1.00 + 0.20	.0081	----	----	----	----	6 UNCH
5550	0.90	0.90	0.90/0.50A	0.90/0.50A	----	0.90 + 0.10	.0073	----	----	42	----	854 + 3
5555	----	----	0.80B/*0.50A	0.80B/*0.50A	----	0.90 + 0.20	.0073	----	----	----	----	19 UNCH
5560	----	----	0.80B/*0.50A	0.80B/*0.50A	----	0.90 + 0.20	.0072	----	----	----	----	28 UNCH
5565	----	----	0.80B/*0.40A	0.80B/*0.40A	----	0.90 + 0.20	.0072	----	----	----	----	46 UNCH
5570	----	----	0.80B/*0.40A	0.80B/*0.40A	----	0.90 + 0.20	.0072	----	----	1	----	556 - 1
5575	----	----	0.80B/*0.40A	0.80B/*0.40A	----	0.90 + 0.20	.0071	----	----	1	----	238 - 1
5580	----	----	0.80B/*0.40A	0.80B/*0.40A	----	0.90 + 0.20	.0071	----	----	----	----	139 UNCH
5585	----	----	0.80B/*0.40A	0.80B/*0.40A	----	0.90 + 0.20	.0070	----	----	----	----	20 UNCH
5590	----	----	----/*0.40A	0.70B/*0.40A	----	0.90 + 0.20	.0070	----	----	----	----	93 UNCH
5595	----	----	----/*0.40A	0.70B/*0.40A	----	0.80 + 0.10	.0063	----	----	----	----	17 UNCH
5600	0.80	0.80	0.80/0.40A	0.80/0.40A	----	0.80 + 0.10	.0062	----	----	45	----	2954 - 40
5610	0.50	0.50	0.50/*0.40A	0.70B/*0.40A	----	0.80 + 0.10	.0062	----	----	1	----	462 + 1
5620	----	----	----/*0.40A	0.70B/*0.40A	----	0.80 + 0.10	.0061	----	----	----	----	137 UNCH
5625	----	----	----/*0.40A	0.60B/*0.40A	----	0.80 + 0.10	.0061	----	----	----	----	261 UNCH
5630	----	----	----/*0.30A	0.60B/*0.30A	----	0.80 + 0.10	.0060	----	----	----	----	151 UNCH
5640	----	----	----/*0.40A	0.60B/*0.40A	----	0.80 + 0.20	.0060	----	----	----	----	552 UNCH
5650	0.90	0.90	0.90/*0.40A	0.90/*0.40A	----	0.70 + 0.10	.0053	----	----	5	----	707 - 1
5660	----	----	----/*0.40A	0.60B/*0.40A	----	0.70 + 0.10	.0052	----	----	----	----	262 UNCH
5670	----	----	----/*0.40A	0.50B/*0.40A	----	0.70 + 0.10	.0051	----	----	----	----	41 UNCH
5675	----	----	----/0.40A	0.50B/0.40A	----	0.70 + 0.10	.0051	----	----	----	----	5 UNCH
5680	----	----	----/*0.40A	0.50B/*0.40A	----	0.70 + 0.10	.0051	----	----	----	----	94 UNCH
5690	----	----	----/*0.40A	0.50B/*0.40A	----	0.70 + 0.10	.0050	----	----	----	----	178 UNCH
5700	0.80	0.80	0.80/*0.40A	0.80/*0.40A	----	0.60 UNCH	.0044	----	----	6	----	1830 UNCH
5710	----	----	----/*0.40A	0.50B/*0.40A	----	0.60 UNCH	.0043	----	----	----	----	50 UNCH
5720	----	----	----/0.50A	0.50B/0.50A	----	0.60 UNCH	.0043	----	----	----	----	35 UNCH
5725	----	----	----/0.50A	0.50B/0.50A	----	0.60 UNCH	.0043	----	----	----	----	431 UNCH
5730	----	----	----/*0.30A	0.40B/*0.30A	----	0.60 UNCH	.0042	----	----	----	----	120 UNCH
5740	----	----	----/0.50A	0.40B/0.50A	----	0.60 UNCH	.0042	----	----	----	----	55 UNCH
5750	----	----	----/0.30A	0.40B/0.30A	----	0.60 UNCH	.0042	----	----	----	----	309 UNCH
5760	----	----	----	0.40B/0.50A	----	0.50 UNCH	.0035	----	----	----	----	63 UNCH
5770	----	----	----/0.40A	0.40B/0.40A	----	0.50 UNCH	.0035	----	----	----	----	16 UNCH
5775	----	----	----/0.40A	0.40B/0.40A	----	0.50 UNCH	.0034	----	----	----	----	70 UNCH
5780	----	----	----/0.40A	0.40B/0.40A	----	0.50 UNCH	.0034	----	----	----	----	23 UNCH
5790	0.30	0.30	0.40B/*0.30	0.40B/*0.30	----	0.50 UNCH	.0034	----	----	3	----	38 - 3
5800	----	----	----/0.40A	0.30B/0.40A	----	0.50 UNCH	.0034	----	----	10	----	989 - 10
5810	----	----	----/*0.30A	0.30B/*0.30A	----	0.50 UNCH	.0033	----	----	----	----	37 UNCH
5820	----	----	----/0.40A	0.30B/0.40A	----	0.50 UNCH	.0033	----	----	----	----	50 UNCH
5825	----	----	----/0.40A	0.30B/0.40A	----	0.50 UNCH	.0033	----	----	----	----	112 UNCH
5830	----	----	----/0.40A	0.30B/0.40A	----	0.50 UNCH	.0033	----	----	----	----	138 UNCH
5840	----	----	----/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0027	----	----	----	----	89 UNCH
5850	----	----	----/0.40A	0.30B/0.40A	----	0.40 - 0.10	.0026	----	----	----	----	330 UNCH
5860	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0026	----	----	----	----	68 UNCH
5870	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0026	----	----	----	----	17 UNCH
5875	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0026	----	----	----	----	123 UNCH
5880	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0026	----	----	----	----	24 UNCH
5890	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0025	----	----	----	----	23 UNCH
5900	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0025	----	----	10	----	773 + 4
5910	----	----	----	0.20B/0.50A	----	0.40 UNCH	.0025	----	----	----	----	61 UNCH
5920	----	----	----	0.20B/0.40A	----	0.40 UNCH	.0025	----	----	----	----	113 UNCH
5930	----	----	----	0.20B/0.40A	----	0.40 UNCH	.0025	----	----	----	----	136 UNCH
5940	----	----	----/0.30A	0.20B/0.30A	----	0.40 UNCH	.0024	----	----	----	----	59 UNCH
5950	----	----	----	0.20B/0.40A	----	0.40 UNCH	.0024	----	----	----	----	377 UNCH
5960	----	----	----	0.20B/0.40A	----	0.40 UNCH	.0024	----	----	----	----	45 UNCH
5970	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0018	----	----	----	----	35 UNCH
5980	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0018	----	----	----	----	136 UNCH
5990	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0018	----	----	----	----	89 UNCH
6000	0.30	0.30	0.50/0.30	0.50/0.30	----	0.30 UNCH	.0018	----	----	7	----	3497 UNCH
6025	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0018	----	----	----	----	86 UNCH
6050	----	----	----	0.10B/0.30A	----	0.30 UNCH	.0017	----	----	----	----	103 UNCH
6075	----	----	----	0.10B/0.40A	----	0.30 UNCH	.0017	----	----	----	----	23 UNCH
6100	----	----	----	----/0.30A	----	0.30 UNCH	.0017	----	----	----	----	522 UNCH
6125	----	----	----	----/0.30A	----	0.30 UNCH	.0016	----	----	----	----	48 UNCH
6150	----	----	----	----/0.30A	----	0.30 UNCH	.0016	----	----	----	----	132 UNCH
6175	----	----	----/0.20A	----/0.20A	----	0.20 - 0.10	.0011	----	----	----	----	128 UNCH
6200	----	----	----/0.20A	----/0.20A	----	0.20 - 0.10	.0011	----	----	----	----	369 UNCH
6225	----	----	----	----/0.20A	----	0.20 UNCH	.0010	----	----	----	----	138 UNCH
6250	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0010	----	----	----	----	259 UNCH
6275	----	----	----/0.10A	----/0.10A	----	0.20 UNCH	.0010	----	----	----	----	34 UNCH
6300	----	----	----	----/0.20A	----	0.20 UNCH	.0010	----	----	----	----	254 UNCH
6325	----	----	----	----/0.20A	----	0.20 UNCH	.0010	----	----	----	----	148 UNCH
6350	----	----	----	----/0.20A	----	0.20 UNCH	.0010	----	----	----	----	203 UNCH
6375	----	----	----	----/0.20A	----	0.20 UNCH	.0010	----	----	----	----	24 UNCH
6400	----	----	----	----/0.20A	----	0.20 UNCH	.0009	----	----	----	----	333 UNCH
6425	----	----	----	----/0.20A	----	0.10 - 0.10	.0005	----	----	----	----	42 UNCH
6450	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	.0004	----	----	----	----	49 UNCH
6475	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	.0003	----	----	----	----	68 UNCH
6500	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	.0003	----	----	----	----	1281 UNCH
6525	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	.0002	----	----	----	----	20 UNCH
6550	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	75 UNCH
6575	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	10 UNCH
6600	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	71 UNCH
6625	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	38 UNCH
6650	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	57 UNCH
6675	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	29 UNCH
6700	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	381 UNCH
6725	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	101 UNCH
6750	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	64 UNCH
6775	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
6800	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	2	----	616 UNCH
6825	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
6850	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	32 UNCH
6875	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
6900	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	5	----	553 UNCH
6925	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
6950	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	34 UNCH
6975	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
7000	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	823 UNCH
7025	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	402 UNCH
7050	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	33 UNCH
7075	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	86 UNCH
7100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	106 UNCH
7125	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
7150	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	26 UNCH
7175	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	37 UNCH
7200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	97 UNCH
7225	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
7250	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	42 UNCH
7275	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
7300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
7325	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
7350	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
7375	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
7400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
7450	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
7475	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
7500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	350 UNCH
7525	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	42 UNCH
7575	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
7600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	89 UNCH
7625	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
7650	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
7675	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	36 UNCH
7700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	77 UNCH
7725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
7750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
7775	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
7800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
7825	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
7850	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
7875	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
7900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
7950	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	39 UNCH
7975	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
8000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1098 UNCH
8100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	54 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 27

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS												
MAY26														
8200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1081	UNCH
8300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	37	UNCH
8400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
8500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	74	UNCH
8600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
8700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	13	UNCH
8800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
8900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	14	UNCH
9000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	332	UNCH
9100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	9	UNCH
9200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
9300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
9400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
9500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	53	UNCH
9600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
9700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
9800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	15	UNCH
9900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	31	UNCH
10000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	767	UNCH
15000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	133	UNCH
TOTAL											6679	320	100894 -	411
JUN26														
1995	----	----	2,884.90B/----	2884.90B/2868.90A	----	2884.60	+ 71.30	1.0000	----	----	300	----	0	UNCH
2000	----	----	2,904.30B/----	2904.30B/2851.20A	----	2879.60	+ 71.30	1.0000	----	----	2998	----	412	UNCH
2005	----	----	2,874.90B/----	2874.90B/2858.90A	----	2874.60	+ 71.30	1.0000	----	----	300	----	0	UNCH
2795	----	----	2,085.60B/----	2085.60B/2068.40A	----	2084.60	+ 71.30	1.0000	----	----	300	----	0	UNCH
2800	----	----	2,105.00B/----	2105.00B/2049.20A	----	2079.60	+ 71.30	1.0000	----	----	2002	----	500	UNCH
2805	----	----	2,075.60B/----	2075.60B/2058.40A	----	2074.60	+ 71.30	1.0000	----	----	300	----	0	UNCH
2995	----	----	1,885.70B/----	1885.70B/1868.30A	----	1884.60	+ 71.30	.9987	----	----	200	----	0	UNCH
3000	----	----	1,905.10B/----	1905.10B/1850.40A	----	1879.60	+ 71.30	.9987	----	----	1030	----	400	UNCH
3005	----	----	1,875.70B/----	1875.70B/1858.30A	----	1874.60	+ 71.30	.9987	----	----	200	----	0	UNCH
3200	----	----	----	----	----	1679.60	+ 71.30	.9968	----	----	----	----	0	UNCH
3400	----	----	1,501.30B/----	1501.30B/1448.80A	----	1479.70	+ 71.10	.9937	----	----	649	----	622 -	50
3500	----	----	1,401.80B/----	1401.80B/1351.50A	----	1380.00	+ 71.00	.9915	----	----	----	----	57	UNCH
3525	----	----	----	----	----	1355.10	+ 71.00	.9910	----	----	----	----	1	UNCH
3550	----	----	----	----	----	1330.20	+ 71.00	.9905	----	----	----	----	1	UNCH
3580	----	----	1,321.90B/----	1321.90B/1271.70A	----	1300.40	+ 71.00	.9896	----	----	----	----	18	UNCH
3585	----	----	1,317.20B/----	1317.20B/1266.70A	----	1295.40	+ 71.00	.9896	----	----	----	----	100	UNCH
3600	----	----	1,302.20B/----	1302.20B/1251.80A	----	1280.50	+ 71.00	.9891	----	----	----	----	214	UNCH
3635	----	----	1,267.40B/----	1267.40B/1217.00A	----	1245.60	+ 70.80	.9882	----	----	----	----	60	UNCH
3650	----	----	1,252.50B/----	1252.50B/1202.10A	----	1230.70	+ 70.80	.9877	----	----	----	----	143	UNCH
3665	----	----	1,237.60B/----	1237.60B/1187.10A	----	1215.80	+ 70.80	.9872	----	----	----	----	3	UNCH
3700	----	----	1,204.20B/----	1204.20B/1151.10A	----	1181.10	+ 70.80	.9859	----	----	----	----	392	UNCH
3715	----	----	1,188.00B/----	1188.00B/1137.50A	----	1166.20	+ 70.80	.9854	----	----	----	----	25	UNCH
3725	----	----	1,178.00B/----	1178.00B/1127.50A	----	1156.20	+ 70.70	.9849	----	----	----	----	212	UNCH
3750	----	----	1,156.00B/----	1156.00B/1100.30A	----	1131.40	+ 70.70	.9840	----	----	----	----	1112	UNCH
3755	----	----	1,148.30B/----	1148.30B/1097.80A	----	1126.50	+ 70.70	.9839	----	----	----	----	15	UNCH
3785	----	----	1,118.30B/----	1118.30B/1068.00A	----	1096.70	+ 70.60	.9825	----	----	----	----	170	UNCH
3790	----	----	----	----	----	1091.80	+ 70.60	.9824	----	----	----	----	1	UNCH
3800	----	----	1,108.60B/1,001	1108.60B/1001.70A	----	1081.90	+ 70.60	.9820	----	----	----	----	545	UNCH
3835	----	----	1,074.00B/967.2	1074.00B/967.20A	----	1047.20	+ 70.50	.9804	----	----	----	----	1	UNCH
3840	----	----	1,069.10B/962.2	1069.10B/962.20A	----	1042.30	+ 70.50	.9800	----	----	----	----	21	UNCH
3850	----	----	1,059.20B/952.4	1059.20B/952.40A	----	1032.40	+ 70.50	.9795	----	----	----	----	322	UNCH
3875	----	----	1,034.50B/927.7	1034.50B/927.70A	----	1007.70	+ 70.40	.9781	----	----	----	----	60	UNCH
3895	----	----	1,011.90B/908.0	1011.90B/908.00A	----	987.90	+ 70.30	.9771	----	----	----	----	1	UNCH
3900	----	----	1,009.80B/903.1	1009.80B/903.10A	----	983.00	+ 70.30	.9766	----	----	----	----	364	UNCH
3925	----	----	985.30B/878.50A	985.30B/878.50A	----	958.30	+ 70.20	.9751	----	----	----	----	4	UNCH
3950	----	----	960.70B/854.00A	960.70B/854.00A	----	933.70	+ 70.10	.9735	----	----	----	----	14	UNCH
3975	----	----	938.00B/826.20A	938.00B/826.20A	----	909.10	+ 69.90	.9716	----	----	----	----	106	UNCH
3990	----	----	923.20B/811.60A	923.20B/811.60A	----	894.30	+ 69.80	.9706	----	----	----	----	1	UNCH
3995	----	----	918.30B/806.70A	918.30B/806.70A	----	889.40	+ 69.80	.9701	----	----	----	----	5	UNCH
4000	----	----	913.50B/801.80A	913.50B/801.80A	----	884.50	+ 69.70	.9696	----	----	1	----	861 -	1
4005	----	----	908.50B/796.90A	908.50B/796.90A	----	879.60	+ 69.70	.9692	----	----	----	----	10	UNCH
4010	----	----	903.60B/792.10A	903.60B/792.10A	----	874.70	+ 69.70	.9687	----	----	----	----	1	UNCH
4020	----	----	893.80B/782.30A	893.80B/782.30A	----	864.90	+ 69.60	.9677	----	----	----	----	2	UNCH
4025	----	----	888.90B/777.50A	888.90B/777.50A	----	860.00	+ 69.60	.9672	----	----	----	----	51	UNCH
4040	----	----	874.20B/762.90A	874.20B/762.90A	----	845.30	+ 69.50	.9661	----	----	----	----	1	UNCH
4050	----	----	864.80B/753.20A	864.80B/753.20A	----	835.50	+ 69.40	.9651	----	----	----	----	185	UNCH
4060	----	----	854.70B/743.60A	854.70B/743.60A	----	825.70	+ 69.20	.9641	----	----	----	----	25	UNCH
4070	----	----	844.90B/733.40A	844.90B/733.40A	----	815.90	+ 69.10	.9628	----	----	----	----	10	UNCH
4075	----	----	840.00B/729.10A	840.00B/729.10A	----	811.00	+ 69.10	.9623	----	----	----	----	64	UNCH
4090	----	----	825.40B/714.60A	825.40B/714.60A	----	796.40	+ 68.90	.9607	----	----	----	----	34	UNCH
4100	----	----	815.80B/705.00A	815.80B/705.00A	----	786.60	+ 68.80	.9594	----	----	----	----	682	UNCH
4105	----	----	810.80B/700.20A	810.80B/700.20A	----	781.80	+ 68.80	.9588	----	----	----	----	50	UNCH
4110	----	----	806.30B/695.40A	806.30B/695.40A	----	776.90	+ 68.70	.9583	----	----	----	----	2	UNCH
4115	----	----	801.10B/690.60A	801.10B/690.60A	----	772.00	+ 68.60	.9578	----	----	----	----	5	UNCH
4125	----	----	791.40B/681.10A	791.40B/681.10A	----	762.30	+ 68.50	.9564	----	----	----	----	95	UNCH
4135	----	----	781.60B/671.00A	781.60B/671.00A	----	752.60	+ 68.30	.9550	----	----	----	----	16	UNCH
4150	----	----	767.10B/656.70A	767.10B/656.70A	----	738.10	+ 68.20	.9529	----	----	----	----	263	UNCH
4155	----	----	762.30B/652.50A	762.30B/652.50A	----	733.20	+ 68.00	.9521	----	----	----	----	5	UNCH
4170	----	----	747.80B/638.20A	747.80B/638.20A	----	718.70	+ 67.80	.9500	----	----	----	----	51	UNCH
4175	----	----	742.90B/633.50A	742.90B/633.50A	----	713.90	+ 67.80	.9491	----	----	----	----	61	UNCH
4195	----	----	723.70B/614.60A	723.70B/614.60A	----	694.60	+ 67.40	.9458	----	----	----	----	1	UNCH
4200	----	----	719.00B/609.40A	719.00B/609.40A	----	689.80	+ 67.30	.9448	----	----	----	----	2078	UNCH
4210	----	----	709.40B/600.60A	709.40B/600.60A	----	680.20	+ 67.10	.9430	----	----	----	----	1576	UNCH
4220	----	----	699.70B/591.20A	699.70B/591.20A	----	670.60	+ 66.90	.9411	----	----	----	----	84	UNCH
4225	----	----	694.90B/586.00A	694.90B/586.00A	----	665.80	+ 66.80	.9401	----	----	----	----	15	UNCH
4235	----	----	685.30B/576.70A	685.30B/576.70A	----	656.30	+ 66.60	.9382	----	----	----	----	6	UNCH
4240	----	----	680.60B/572.60A	680.60B/572.60A	----	651.50	+ 66.50	.9372	----	----	----	----	53	UNCH
4245	668.00	668.00	675.80B/567.90A	675.80B/567.90A	----	646.70	+ 66.40	.9363	----	----	1	----	263	UNCH
4250	----	----	671.10B/562.80A	671.10B/562.80A	----	642.00	+ 66.30	.9350	----	----	----	----	922	UNCH
4255	----	----	666.30B/558.70A	666.30B/558.70A	----	637.20	+ 66.20	.9340	----	----	----	----	6	UNCH
4260	----	----	661.50B/554.10A	661.50B/554.10A	----	632.40	+ 66.00	.9330	----	----	----	----	1	UNCH
4265	----	----	656.80B/549.50A	656.80B/549.50A	----	627.70	+ 65.90	.9317	----	----	----	----	87	UNCH
4270	----	----	652.00B/544.90A	652.00B/544.90A	----	623.00	+ 65.80	.9307	----	----	----	----	11	UNCH
4280	----	----	642.50B/535.70A	642.50B/535.70A	----	613.50	+ 65.60	.9283	----	----	----	----	1	UNCH
4285	----	----	637.80B/530.60A	637.80B/530.60A	----	608.80	+ 65.50	.9270	----	----	----	----	1	UNCH
4300	----	----	623.70B/517.50A	623.70B/517.50A	----	594.60	+ 65.00	.9233	----	----	----	----	2117	UNCH
4305	----	----	618.90B/513.00A	618.90B/513.00A	----	589.90	+ 64.80	.9219	----	----	----	----	1	UNCH
4310	----	----	614.20B/507.90A	614.20B/507.90A	----	585.20	+ 64.70	.9206	----	----	----	----	23	UNCH
4315	----	----	609.50B/504.00A	609.50B/504.00A	----	580.50	+ 64.50	.9192	----	----	----	----	1	UNCH
4320	----	----	604.80B/499.50A	604.80B/499.50A	----	575.90	+ 64.50	.9178	----	----	----	----	62	UNCH
4325	----	----	600.40B/494.40A	600.40B/494.40A	----	571.20	+ 64.30	.9162	----	----	----	----	72	UNCH
4335	----	----	590.80B/486.00A	590.80B/486.00A	----	561.90	+ 64.00	.9134	----	----	----	----	13	UNCH
4340	----	----	586.40B/481.00A	586.40B/481.00A	----	557.20	+ 63.80	.9117	----	----	----	----	17	UNCH
4345	----	----	581.50B/477.10A	581.50B/477.10A	----	552.60	+ 63.60	.9103	----	----	----	----	2	UNCH
4350	520.50	520.50	577.10B/472.70A	577.10B/472.70A	----	548.00	+ 63.50	.9086	----	----	6	----	1457 +	6
4355	----	----	572.20B/468.30A	572.20B/468.30A	----	543.30	+ 63.30	.9071	----	----	----	----	129	UNCH
4360	----	----	567.60B/463.40A	567.60B/463.40A	----	538.70	+ 63.10	.9054	----	----	----	----	42	UNCH
4365	----	----	563.00B/458.90A	563.00B/458.90A	----	534.10	+ 62.90	.9037	----	----	----	----	4	UNCH
4370	----	----	558.60B/455.10A	558.60B/455.10A	----	529.50	+ 62.80	.9019	----	----	----	----	3	UNCH
4375	----	----	554.00B/450.70A	554.00B/450.70A	----	524.90	+ 62.60	.9002	----	----	----	----	106	UNCH
4380	----	----	549.40B/445.80A	549.40B/445.80A	----	520.30	+ 62.40	.8984	----	----	----	----	341	UNCH
4385	----	----	544.80B/442.00A	544.80B/442.00A	----	515.80	+ 62.20	.8967	----	----	----	----	3	UNCH
4390	----	----	540.20B/437.70A	540.20B/437.70A	----	511.20	+ 62.00	.8949	----	----	----	----	16	UNCH
4395	----	----	535.40B/433.40A	535.40B/433.40A	----	506.70	+ 61.90	.8929	----	----	----	----	10	UNCH
4400	----	----	531.10B/429.10A	531.10B/429.10A	----	502.10	+ 61.60	.8911	----	----	----	----	1458	UNCH
4410	----	----	522.00B/420.50A	522.00B/420.50A	----	493.10	+ 61.20	.8872	----	----	----	----	39	UNCH
4415	----	----	517.20B/416.30A	517.20B/416.30A	----	488.60	+ 61.00	.8851	----	----	----	----	176	UNCH
4420	----	----	512.90B/411.60A	512.90B/411.60A	----	484.10	+ 60.80	.8830	----	----	----	----	3	UNCH
4425	----	----	508.20B/407.80A	508.20B/407.80A	----	479.60	+ 60.60	.8809	----	----	----	----	274	UNCH
4430	----	----	503.70B/403.20A	503.70B/403.20A	----	475.10	+ 60.30	.8788	----	----	----	----	19	UNCH
4435	----	----	499.20B/399.00A	499.20B/399.00A	----	470.60	+ 60.10	.8767	----	----	----	----	20	UNCH
4440	----	----	494.90B/395.20A	494.90B/395.20A	----	466.20	+ 59.90	.8743	----	----	----	----	20	UNCH
4445	----	----	490.20B/391.00A	490.20B/391.00A	----	461.70	+ 59.60	.8721	----	----	----	----	5	UNCH
4450	----	----	485.70B/386.90A	485.70B/386.90A	----	457.30	+ 59.40	.8697	----	----	----	----	497	UNCH
4455	----	----	481.30B/382.80A	481.30B/382.80A	----	452.90	+ 59.20	.8673	----	----	----	----	6	UNCH
4460	----	----	477.10B/378.70A	477.10B/378.70A	----	448.50	+ 58.90	.8651	----	----	----	----	20	UNCH
4465	----	----	472.40B/374.60A	472.40B/374.60A	----	444.10	+ 58.70	.8627	----	----	----	----	18	UNCH
4470	----	----	468.00B/370.50A	468.00B/370.50A	----	439.70	+ 58.40	.8603	----	----	----	----	24	UNCH
4475	----	----	463.60B/366.50A	463.60B/366.50A	----	435.30	+ 58.10	.8576	----	----	----	----	22	UNCH
4480	----	----	459.20B/362.50A	459.20B/362.50A	----	431.00	+ 57.90	.8551	----	----	----	----	59	UNCH
4485	----	----	454.80B/358.40A	454.80B/358.40A	----	426.70	+ 57.70	.8524	----	----	----	----	6	UNCH
4490	----	----	450.70B/354.40A	450.70B/354.40A	----	422.30	+ 57.30	.8499	----	----	----	----	51	UNCH
4495	----	----	446.10B/350.40A	446.10B/350.40A	----	418.00	+ 57.10	.8472	----	----	----	----	6	UNCH
4500	354.50	354.50	441.90B/346.40A	441.90B/346.40A	----	413.70	+ 56.80	.8444	----	----	14	----	4365 -	10

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4505	----	----	437.70B/342.30A	437.70B/342.30A	----	409.50 + 56.60	.8417	----	----	----	----	49 UNCH
4510	----	----	433.40B/338.10A	433.40B/338.10A	----	405.20 + 56.20	.8389	----	----	----	----	1475 UNCH
4515	----	----	429.10B/334.70A	429.10B/334.70A	----	400.90 + 55.90	.8359	----	----	----	----	93 UNCH
4520	----	----	424.50B/330.80A	424.50B/330.80A	----	396.70 + 55.70	.8331	----	----	----	----	51 UNCH
4525	----	----	420.30B/326.90A	420.30B/326.90A	----	392.50 + 55.40	.8301	----	----	----	----	232 UNCH
4530	----	----	416.30B/323.10A	416.30B/323.10A	----	388.30 + 55.10	.8271	----	----	----	----	13 UNCH
4535	----	----	411.80B/319.30A	411.80B/319.30A	----	384.10 + 54.80	.8240	----	----	----	----	12 UNCH
4540	----	----	407.50B/315.50A	407.50B/315.50A	----	379.90 + 54.40	.8210	----	----	----	----	78 UNCH
4545	----	----	403.60B/311.70A	403.60B/311.70A	----	375.80 + 54.20	.8179	----	----	----	----	32 UNCH
4550	----	----	399.10B/307.70A	399.10B/307.70A	----	371.70 + 53.90	.8146	----	----	----	----	219 UNCH
4555	----	----	395.30B/304.20A	395.30B/304.20A	----	367.50 + 53.50	.8115	----	----	----	----	9 UNCH
4560	----	----	390.80B/300.50A	390.80B/300.50A	----	363.40 + 53.20	.8082	----	----	2	----	158 - 1
4565	----	----	387.00B/296.80A	387.00B/296.80A	----	359.40 + 52.90	.8049	----	----	----	----	104 UNCH
4570	----	----	382.50B/293.20A	382.50B/293.20A	----	355.30 + 52.60	.8014	----	----	----	----	35 UNCH
4575	----	----	378.40B/289.50A	378.40B/289.50A	----	351.30 + 52.30	.7981	----	----	----	----	65 UNCH
4580	----	----	374.30B/285.90A	374.30B/285.90A	----	347.20 + 51.90	.7945	----	----	----	----	8 UNCH
4585	----	----	370.50B/282.30A	370.50B/282.30A	----	343.20 + 51.50	.7910	----	----	----	----	15 UNCH
4590	----	----	366.50B/278.70A	366.50B/278.70A	----	339.20 + 51.20	.7874	----	----	----	----	79 UNCH
4595	----	----	362.20B/275.20A	362.20B/275.20A	----	335.30 + 50.90	.7838	----	----	----	----	13 UNCH
4600	----	----	358.20B/271.60A	358.20B/271.60A	----	331.30 + 50.50	.7803	----	----	1	----	5171 - 1
4605	----	----	354.10B/268.10A	354.10B/268.10A	----	327.40 + 50.20	.7765	----	----	----	----	153 UNCH
4610	----	----	350.20B/264.70A	350.20B/264.70A	----	323.50 + 49.90	.7727	----	----	----	----	2 UNCH
4615	----	----	346.20B/261.30A	346.20B/261.30A	----	319.60 + 49.50	.7689	----	----	----	----	3 UNCH
4620	----	----	342.30B/257.80A	342.30B/257.80A	----	315.80 + 49.20	.7651	----	----	----	----	20 UNCH
4625	----	----	338.30B/254.40A	338.30B/254.40A	----	311.90 + 48.80	.7613	----	----	1	----	196 UNCH
4630	----	----	334.40B/251.00A	334.40B/251.00A	----	308.10 + 48.50	.7573	----	----	----	----	55 UNCH
4635	----	----	330.50B/247.70A	330.50B/247.70A	----	304.30 + 48.10	.7533	----	----	----	----	6 UNCH
4640	----	----	326.70B/244.30A	326.70B/244.30A	----	300.50 + 47.70	.7493	----	----	----	----	21 UNCH
4645	----	----	322.80B/241.00A	322.80B/241.00A	----	296.80 + 47.40	.7452	----	----	----	----	13 UNCH
4650	252.00	252.00	319.10B/237.70A	319.10B/237.70A	----	293.10 + 47.10	.7410	----	----	6	----	1005 - 6
4655	----	----	315.20B/231.90A	315.20B/231.90A	----	289.40 + 46.70	.7368	----	----	----	----	29 UNCH
4660	----	----	311.60B/228.70A	311.60B/228.70A	----	285.70 + 46.30	.7326	----	----	----	----	25 UNCH
4665	----	----	307.80B/225.50A	307.80B/225.50A	----	282.00 + 45.90	.7284	----	----	----	----	2 UNCH
4670	----	----	304.10B/222.30A	304.10B/222.30A	----	278.40 + 45.60	.7240	----	----	----	----	152 UNCH
4675	----	----	300.30B/219.20A	300.30B/219.20A	----	274.80 + 45.20	.7198	----	----	----	----	511 UNCH
4680	----	----	296.50B/216.10A	296.50B/216.10A	----	271.20 + 44.80	.7154	----	----	----	----	235 UNCH
4685	----	----	293.00B/213.00A	293.00B/213.00A	----	267.60 + 44.40	.7110	----	----	----	----	32 UNCH
4690	----	----	289.20B/210.00A	289.20B/210.00A	----	264.10 + 44.10	.7065	----	----	----	----	38 UNCH
4695	----	----	285.50B/206.90A	285.50B/206.90A	----	260.60 + 43.70	.7019	----	----	----	----	51 UNCH
4700	----	----	282.10B/203.90A	282.10B/203.90A	----	257.10 + 43.30	.6974	----	----	30	----	3333 - 25
4705	----	----	278.30B/201.00A	278.30B/201.00A	----	253.60 + 42.90	.6928	----	----	----	----	13 UNCH
4710	----	----	274.80B/198.00A	274.80B/198.00A	----	250.20 + 42.50	.6882	----	----	----	----	15 UNCH
4715	255.00	255.00	271.30B/195.10A	271.30B/195.10A	----	246.80 + 42.10	.6835	----	----	1	----	12 - 1
4720	----	----	267.70B/192.20A	267.70B/192.20A	----	243.40 + 41.70	.6788	----	----	----	----	233 UNCH
4725	----	----	264.30B/189.40A	264.30B/189.40A	----	240.10 + 41.40	.6740	----	----	----	----	350 UNCH
4730	----	----	261.00B/186.50A	261.00B/186.50A	----	236.70 + 40.90	.6693	----	----	----	----	45 UNCH
4735	----	----	257.60B/183.70A	257.60B/183.70A	----	233.40 + 40.50	.6644	----	----	----	----	87 UNCH
4740	----	----	254.00B/180.90A	254.00B/180.90A	----	230.20 + 40.20	.6596	----	----	----	----	41 UNCH
4745	----	----	250.80B/178.20A	250.80B/178.20A	----	226.90 + 39.80	.6547	----	----	----	----	14 UNCH
4750	240.00	240.00	247.30B/175.40A	247.30B/175.40A	----	223.70 + 39.40	.6498	----	----	2	----	1811 UNCH
4755	178.30	178.30	244.00B/172.70A	244.00B/172.70A	----	220.50 + 39.00	.6448	----	----	1	----	105 + 1
4760	175.50	175.50	240.80B/170.10A	240.80B/170.10A	----	217.40 + 38.70	.6399	----	----	1	----	61 + 1
4765	----	----	237.40B/167.50A	237.40B/167.50A	----	214.20 + 38.30	.6348	----	----	----	----	36 UNCH
4770	162.20	162.20	234.30B/162.20	234.30B/162.20	----	211.10 + 37.90	.6298	----	----	2	----	48 UNCH
4775	----	----	230.90B/162.30A	230.90B/162.30A	----	208.10 + 37.60	.6247	----	----	----	----	208 UNCH
4780	164.80	164.80	227.70B/159.70A	227.70B/159.70A	----	205.00 + 37.20	.6197	----	----	1	----	126 + 1
4785	----	----	224.50B/157.20A	224.50B/157.20A	----	202.00 + 36.80	.6145	----	----	2	----	31 UNCH
4790	----	----	221.40B/154.70A	221.40B/154.70A	----	199.00 + 36.40	.6094	----	----	----	----	37 UNCH
4795	----	----	218.30B/152.30A	218.30B/152.30A	----	196.00 + 35.90	.6042	----	----	----	----	44 UNCH
4800	148.70	148.70	215.20B/148.70	215.20B/148.70	----	193.10 + 35.50	.5990	----	----	278	----	3125 - 183
4805	----	----	212.00B/147.30A	212.00B/147.30A	----	190.20 + 35.10	.5938	----	----	----	----	8 UNCH
4810	167.50	167.50	209.10B/145.00A	209.10B/145.00A	----	187.30 + 34.70	.5886	----	----	3	----	75 - 1
4815	----	----	206.10B/142.60A	206.10B/142.60A	----	184.50 + 34.30	.5834	----	----	1	----	48 UNCH
4820	----	----	203.10B/140.30A	203.10B/140.30A	----	181.70 + 33.90	.5781	----	----	1	----	64 + 1
4825	147.60	147.60	200.20B/138.00A	200.20B/138.00A	----	178.90 + 33.50	.5729	----	----	118	----	197 - 2
4830	145.60	145.60	197.20B/135.80A	197.20B/135.80A	----	176.10 + 33.10	.5676	----	----	2	----	113 UNCH
4835	152.50	152.50	194.30B/133.50A	194.30B/133.50A	----	173.40 + 32.70	.5623	----	----	3	----	4 - 2
4840	179.00	179.00	191.50B/131.30A	191.50B/131.30A	----	170.70 + 32.30	.5570	----	----	3	----	42 UNCH
4845	----	----	188.50B/129.10A	188.50B/129.10A	----	168.00 + 31.80	.5517	----	----	----	----	16 UNCH
4850	127.50	127.50	185.80B/126.90A	185.80B/126.90A	----	165.40 + 31.50	.5463	----	----	187	----	967 + 117
4855	----	----	182.90B/124.90A	182.90B/124.90A	----	162.70 + 31.00	.5410	----	----	----	----	279 UNCH
4860	134.30	134.30	180.30B/122.80A	180.30B/122.80A	----	160.20 + 30.70	.5357	----	----	1	----	63 UNCH
4865	----	----	178.50B/120.70A	178.50B/120.70A	----	157.60 + 30.30	.5303	----	----	----	----	26 UNCH
4870	129.00	129.00	175.80B/118.70A	175.80B/118.70A	----	155.10 + 29.90	.5250	----	----	1	----	13 - 1
4875	141.30	141.30	173.20B/116.70A	173.20B/116.70A	----	152.60 + 29.50	.5196	----	----	59	----	103 - 39
4880	115.00	115.00	170.50B/114.70A	170.50B/114.70A	----	150.10 + 29.10	.5142	----	----	5	----	70 - 1
4885	150.00	150.00	167.90B/112.20A	167.90B/112.20A	----	147.70 + 28.80	.5089	----	----	2	----	259 + 2
4890	150.60	150.60	165.30B/110.40A	165.30B/110.40A	----	145.30 + 28.40	.5035	----	----	3	----	294 UNCH
4895	140.70	140.70	162.80B/108.90A	162.80B/108.90A	----	142.90 + 28.10	.4982	----	----	1	----	208 + 1
4900	113.30	113.30	160.10B/106.60A	160.10B/106.60A	----	140.50 + 27.60	.4928	----	----	338	150	3980 + 192
4905	----	----	157.70B/105.10A	157.70B/105.10A	----	138.20 + 27.30	.4875	----	----	----	----	18 UNCH
4910	139.00	139.00	155.20B/103.10A	155.20B/103.10A	----	135.90 + 26.90	.4822	----	----	11	----	34 + 9
4915	140.00	140.00	152.90B/101.30A	152.90B/101.30A	----	133.60 + 26.60	.4768	----	----	1	----	42 + 1
4920	136.20	136.20	150.40B/98.90A	150.40B/98.90A	----	131.40 + 26.20	.4715	----	----	4	----	112 UNCH
4925	----	----	148.10B/97.30A	148.10B/97.30A	----	129.20 + 25.90	.4662	----	----	----	----	51 UNCH
4930	137.40	137.40	145.70B/95.40A	145.70B/95.40A	----	127.00 + 25.50	.4609	----	----	6	----	206 UNCH
4935	----	----	143.40B/93.80A	143.40B/93.80A	----	124.90 + 25.20	.4557	----	----	----	----	7 UNCH
4940	----	----	141.10B/92.20A	141.10B/92.20A	----	122.70 + 24.80	.4504	----	----	----	----	102 UNCH
4945	----	----	138.80B/90.50A	138.80B/90.50A	----	120.60 + 24.50	.4451	----	----	----	----	216 UNCH
4950	87.90	87.90	136.20B/87.90	136.20B/87.90	----	118.60 + 24.20	.4399	----	----	272	----	1318 + 233
4955	----	----	134.30B/87.40A	134.30B/87.40A	----	116.50 + 23.80	.4347	----	----	----	----	33 UNCH
4960	----	----	132.10B/85.80A	132.10B/85.80A	----	114.50 + 23.50	.4295	----	----	----	----	184 UNCH
4965	----	----	129.90B/84.20A	129.90B/84.20A	----	112.60 + 23.30	.4244	----	----	----	----	38 UNCH
4970	----	----	127.70B/82.50A	127.70B/82.50A	----	110.60 + 22.90	.4192	----	----	----	----	51 UNCH
4975	111.80	111.80	125.60B/81.20A	125.60B/81.20A	----	108.70 + 22.60	.4140	----	----	41	----	252 + 41
4980	85.60	85.60	123.50B/79.70A	123.50B/79.70A	----	106.80 + 22.30	.4089	----	----	51	----	137 + 51
4985	----	----	121.40B/78.40A	121.40B/78.40A	----	104.90 + 21.90	.4038	----	----	----	----	117 UNCH
4990	----	----	119.10B/76.70A	119.10B/76.70A	----	103.00 + 21.50	.3987	----	----	----	----	893 UNCH
4995	----	----	117.40B/75.30A	117.40B/75.30A	----	101.20 + 21.20	.3937	----	----	----	----	42 UNCH
5000	80.00	80.00	115.20B/73.30A	115.20B/73.30A	----	99.40 + 20.90	.3887	----	----	588	----	7593 + 146
5005	----	----	113.30B/72.50A	113.30B/72.50A	----	97.70 + 20.70	.3838	----	----	----	----	301 UNCH
5010	94.10	94.10	111.50B/71.30A	111.50B/71.30A	----	95.90 + 20.30	.3787	----	----	3	----	88 UNCH
5015	----	----	109.60B/70.00A	109.60B/70.00A	----	94.20 + 20.00	.3738	----	----	----	----	78 UNCH
5020	107.70	107.70	107.70/68.60A	107.70/68.60A	----	92.50 + 19.70	.3689	----	----	1	----	469 UNCH
5025	----	----	105.80B/67.40A	105.80B/67.40A	----	90.80 + 19.30	.3640	----	----	4	----	71 UNCH
5030	83.90	83.90	104.00B/66.20A	104.00B/66.20A	----	89.20 + 19.10	.3592	----	----	4	----	123 + 2
5035	102.50	102.50	102.50/64.90A	102.50/64.90A	----	87.60 + 18.80	.3544	----	----	1	----	64 UNCH
5040	----	----	100.40B/63.70A	100.40B/63.70A	----	86.00 + 18.50	.3496	----	----	171	----	223 + 171
5045	87.20	87.20	98.60B/62.50A	98.60B/62.50A	----	84.40 + 18.10	.3449	----	----	10	----	37 + 9
5050	----	----	96.80B/60.70A	96.80B/60.70A	----	82.90 + 17.90	.3402	----	----	148	----	1281 + 1
5055	63.20	63.20	95.20B/60.20A	95.20B/60.20A	----	81.40 + 17.60	.3356	----	----	50	----	55 + 47
5060	----	----	93.50B/59.10A	93.50B/59.10A	----	79.90 + 17.30	.3309	----	----	----	----	101 UNCH
5065	----	----	91.90B/58.00A	91.90B/58.00A	----	78.40 + 17.00	.3263	----	----	----	----	37 UNCH
5070	----	----	90.20B/56.80A	90.20B/56.80A	----	77.00 + 16.70	.3218	----	----	----	----	81 UNCH
5075	----	----	88.60B/56.00A	88.60B/56.00A	----	75.60 + 16.50	.3173	----	----	35	----	746 + 23
5080	----	----	87.00B/54.80A	87.00B/54.80A	----	74.20 + 16.20	.3128	----	----	1	----	294 + 1
5085	----	----	85.50B/53.90A	85.50B/53.90A	----	72.80 + 15.90	.3083	----	----	----	----	196 UNCH
5090	----	----	84.00B/52.80A	84.00B/52.80A	----	71.40 + 15.50	.3039	----	----	----	----	50 UNCH
5095	74.70	74.70	82.40B/51.80A	82.40B/51.80A	----	70.10 + 15.30	.2995	----	----	1	----	64 - 1
5100	51.00	51.00	81.00B/50.10A	81.00B/50.10A	----	68.80 + 15.00	.2952	----	----	671	100	5093 + 308
5105	----	----	79.50B/49.80A	79.50B/49.80A	----	67.50 + 14.80	.2909	----	----	----	----	39 UNCH
5110	55.80	55.80	78.10B/49.00A	78.10B/49.00A	----	66.20 + 14.50	.2866	----	----	2	----	106 UNCH
5115	----	----	76.60B/48.10A	76.60B/48.10A	----	65.00 + 14.20	.2825	----	----	----	----	108 UNCH
5120	57.70	57.70	75.30B/47.10A	75.30B/47.10A	----	63.80 + 14.00	.2783	----	----	86	----	132 + 73
5125	----	----	73.90B/46.20A	73.90B/46.20A	----	62.60 + 13.70	.2742	----	----	1	----	309 + 1
5130	65.30	65.30	72.50B/45.30A	72.50B/45.30A	----	61.40 + 13.50	.2701	----	----	15	----	41 - 9
5135	----	----	71.20B/44.50A	71.20B/44.50A	----	60.20 + 13.20	.2660	----	----	----	----	44 UNCH
5140	----	----	69.90B/43.70A	69.90B/43.70A	----	59.10 + 13.00	.2621	----	----	----	----	136 UNCH
5145	----	----	68.60B/42.80A	68.60B/42.80A	----	58.00 + 12.80	.2582	----	----	----	----	12 UNCH
5150	55.80	55.80	67.40B/41.40A	67.40B/41.40A	----	56.90 + 12.50	.2542	----	----	150	----	2551 + 31
5155	----	----	66.10B/41.20A	66.10B/41.20A	----	55.80 + 12.30	.2503	----	----	----	----	29 UNCH
5160	----	----	64.90B/40.50A	64.90B/40.50A	----	54.80 + 12.10	.2466	----	----	1	----	100 - 1
5165	57.60	57.60	63.70B/39.70A	63.70B/39.70A	----	53.70 + 11.80	.2427	----	----	3	----	166 - 3
5170	54.40	54.40	62.50B/38.90A	62.50B/38.90A	----	52.70 + 11.60	.2390	----	----	3	----	357 + 1
5175	----	----	61.40B/38.30A	61.40B/38.30A	----	51.70 + 11.40	.2354	----	----	----	----	40 UNCH
5180	----	----	60.20B/37.60A	60.20B/37.60A	----	50.70 + 11.10	.2317	----	----	2	----	62 UNCH
5185	39.90	39.90	59.10B/36.90A	59.10B/36.90A	----	49.80 + 11.00	.2282	----	----	6	----	91 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 29

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5190	51.10	51.10	58.00B/36.20A	58.00B/36.20A	----	48.80 + 10.70	.2246	----	----	1	----	499 + 1
5195	50.10	50.10	56.90B/35.50A	56.90B/35.50A	----	47.90 + 10.50	.2211	----	----	2	----	493 UNCH
5200	35.00	35.00	55.90B/34.90A	55.90B/34.90A	----	47.00 + 10.30	.2177	----	----	732	----	6254 + 154
5205	49.20	49.20	54.80B/34.20A	54.80B/34.20A	----	46.10 + 10.10	.2142	----	----	6	----	17 - 3
5210	51.40	51.40	53.80B/33.60A	53.80B/33.60A	----	45.20 + 9.90	.2108	----	----	9	----	3054 - 6
5215	46.60	46.60	52.80B/33.00A	52.80B/33.00A	----	44.40 + 9.80	.2076	----	----	5	----	71 - 4
5220	----	----	51.80B/32.40A	51.80B/32.40A	----	43.50 + 9.50	.2042	----	----	----	----	195 UNCH
5225	49.10	49.10	50.80B/31.70A	50.80B/31.70A	----	42.70 + 9.30	.2010	----	----	8	----	289 + 2
5230	----	----	49.90B/31.10A	49.90B/31.10A	----	41.90 + 9.20	.1979	----	----	1	----	107 + 1
5235	----	----	48.90B/30.50A	48.90B/30.50A	----	41.10 + 9.00	.1947	----	----	----	----	157 UNCH
5240	40.50	40.50	48.00B/30.00A	48.00B/30.00A	----	40.30 + 8.80	.1915	----	----	5	----	64 + 2
5245	40.00	40.00	47.10B/29.40A	47.10B/29.40A	----	39.60 + 8.70	.1886	----	----	1	----	24 + 1
5250	31.00	31.00	46.20B/29.00A	46.20B/29.00A	----	38.80 + 8.40	.1855	----	----	78	----	3837 + 25
5255	----	----	45.40B/28.40A	45.40B/28.40A	----	38.10 + 8.30	.1826	----	----	----	----	71 UNCH
5260	----	----	44.50B/27.90A	44.50B/27.90A	----	37.40 + 8.20	.1797	----	----	----	----	409 UNCH
5265	37.50	37.50	43.70B/27.40A	43.70B/27.40A	----	36.70 + 8.00	.1768	----	----	9	----	40 UNCH
5270	----	----	42.90B/26.90A	42.90B/26.90A	----	36.00 + 7.80	.1740	----	----	1	----	51 - 1
5275	----	----	42.10B/26.50A	42.10B/26.50A	----	35.30 + 7.70	.1711	----	----	----	----	120 UNCH
5280	----	----	41.30B/25.90A	41.30B/25.90A	----	34.70 + 7.60	.1685	----	----	----	----	98 UNCH
5285	----	----	40.50B/25.50A	40.50B/25.50A	----	34.00 + 7.40	.1657	----	----	3	----	168 - 3
5290	----	----	39.70B/25.00A	39.70B/25.00A	----	33.40 + 7.30	.1631	----	----	----	----	35 UNCH
5295	----	----	39.00B/24.60A	39.00B/24.60A	----	32.70 + 7.10	.1602	----	----	1	----	86 UNCH
5300	34.80	34.80	38.30B/24.20A	38.30B/24.20A	----	32.10 + 6.90	.1577	----	----	238	----	5185 + 11
5305	33.00	33.00	37.50B/23.70A	37.50B/23.70A	----	31.50 + 6.80	.1551	----	----	90	----	304 - 30
5310	----	----	36.80B/23.20A	36.80B/23.20A	----	30.90 + 6.70	.1525	----	----	1	----	123 + 1
5315	30.60	30.60	36.20B/22.90A	36.20B/22.90A	----	30.30 + 6.50	.1500	----	----	13	----	82 + 11
5320	----	----	35.50B/22.50A	35.50B/22.50A	----	29.80 + 6.40	.1477	----	----	----	----	140 UNCH
5325	29.50	29.50	34.80B/22.10A	34.80B/22.10A	----	29.20 + 6.30	.1452	----	----	4	----	163 + 2
5330	----	----	34.20B/21.70A	34.20B/21.70A	----	28.70 + 6.20	.1429	----	----	1	----	84 + 1
5335	----	----	33.60B/21.30A	33.60B/21.30A	----	28.20 + 6.10	.1407	----	----	----	----	12 UNCH
5340	27.90	27.90	32.90B/20.90A	32.90B/20.90A	----	27.60 + 5.90	.1382	----	----	4	----	73 + 2
5345	28.20	28.20	32.30B/20.60A	32.30B/20.60A	----	27.10 + 5.80	.1360	----	----	2	----	24 + 1
5350	----	----	31.70B/20.20A	31.70B/20.20A	----	26.60 + 5.70	.1337	----	----	119	----	1919 - 7
5355	----	----	31.10B/19.90A	31.10B/19.90A	----	26.10 + 5.60	.1315	----	----	2	----	20 UNCH
5360	25.90	25.90	30.60B/19.50A	30.60B/19.50A	----	25.70 + 5.50	.1296	----	----	19	----	51 UNCH
5365	----	----	30.00B/19.10A	30.00B/19.10A	----	25.20 + 5.40	.1274	----	----	----	----	13 UNCH
5370	----	----	29.50B/18.80A	29.50B/18.80A	----	24.70 + 5.20	.1252	----	----	----	----	80 UNCH
5375	18.90	18.90	28.90B/18.50	28.90B/18.50	----	24.30 + 5.20	.1233	----	----	31	----	52 + 7
5380	19.50	19.50	28.40B/18.10A	28.40B/18.10A	----	23.90 + 5.10	.1214	----	----	11	----	96 UNCH
5385	----	----	27.90B/17.80A	27.90B/17.80A	----	23.40 + 5.00	.1193	----	----	----	----	9 UNCH
5390	----	----	27.30B/17.50A	27.30B/17.50A	----	23.00 + 4.90	.1174	----	----	----	----	60 UNCH
5395	----	----	26.80B/17.20A	26.80B/17.20A	----	22.60 + 4.80	.1155	----	----	4	----	47 UNCH
5400	16.60	16.60	26.40B/16.60	26.40B/16.60	----	22.20 + 4.70	.1137	----	----	369	----	5885 + 10
5405	----	----	25.90B/16.60A	25.90B/16.60A	----	21.80 + 4.60	.1118	----	----	----	----	83 UNCH
5410	----	----	25.40B/16.30A	25.40B/16.30A	----	21.50 + 4.60	.1103	----	----	----	----	26 UNCH
5415	----	----	24.90B/16.10A	24.90B/16.10A	----	21.10 + 4.50	.1084	----	----	----	----	12 UNCH
5420	19.70	19.70	24.50B/15.80A	24.50B/15.80A	----	20.70 + 4.40	.1066	----	----	7	----	43 - 7
5425	20.50	20.50	24.10B/15.60A	24.10B/15.60A	----	20.40 + 4.30	.1051	----	----	1	----	123 UNCH
5430	15.00	15.00	23.60B/*15.00	23.60B/*15.00	----	20.00 + 4.20	.1033	----	----	8	----	89 UNCH
5435	----	----	23.20B/15.10A	23.20B/15.10A	----	19.70 + 4.20	.1018	----	----	1	----	18 UNCH
5440	----	----	22.80B/14.80A	22.80B/14.80A	----	19.40 + 4.10	.1003	----	----	1	----	95 UNCH
5445	----	----	22.40B/14.60A	22.40B/14.60A	----	19.00 + 4.00	.0985	----	----	1	----	39 - 1
5450	14.40	14.40	22.00B/*14.30A	22.00B/*14.30A	----	18.70 + 3.90	.0970	----	----	74	----	1622 + 16
5455	----	----	21.60B/*14.10A	21.60B/*14.10A	----	18.40 + 3.80	.0955	----	----	----	----	43 UNCH
5460	----	----	21.20B/*13.90A	21.20B/*13.90A	----	18.10 + 3.80	.0941	----	----	----	----	129 UNCH
5465	----	----	20.90B/*13.70A	20.90B/*13.70A	----	17.80 + 3.70	.0926	----	----	----	----	38 UNCH
5470	13.70	13.70	20.50B/*13.50A	20.50B/*13.50A	----	17.50 + 3.60	.0912	----	----	1	----	35 + 1
5475	----	----	20.10B/*13.30A	20.10B/*13.30A	----	17.20 + 3.60	.0897	----	----	1	----	75 UNCH
5480	----	----	19.80B/*13.10A	19.80B/*13.10A	----	17.00 + 3.60	.0886	----	----	----	----	28 UNCH
5485	----	----	19.40B/*12.90A	19.40B/*12.90A	----	16.70 + 3.50	.0872	----	----	----	----	9 UNCH
5490	----	----	19.10B/*12.70A	19.10B/*12.70A	----	16.40 + 3.40	.0857	----	----	----	----	178 UNCH
5495	----	----	18.80B/*12.50A	18.80B/*12.50A	----	16.20 + 3.40	.0846	----	----	----	----	75 UNCH
5500	12.30	12.30	18.40B/12.30	18.40B/12.30	----	15.90 + 3.30	.0832	----	----	412	----	7676 + 177
5505	----	----	18.10B/*12.10A	18.10B/*12.10A	----	15.70 + 3.30	.0821	----	----	----	----	12 UNCH
5510	----	----	17.80B/*12.00A	17.80B/*12.00A	----	15.40 + 3.20	.0807	----	----	----	----	185 UNCH
5515	----	----	17.50B/*11.80A	17.50B/*11.80A	----	15.20 + 3.20	.0797	----	----	----	----	40 UNCH
5520	----	----	17.20B/*11.60A	17.20B/*11.60A	----	14.90 + 3.00	.0782	----	----	----	----	26 UNCH
5525	----	----	16.90B/*11.40A	16.90B/*11.40A	----	14.70 + 3.00	.0772	----	----	----	----	169 UNCH
5530	----	----	16.60B/*11.30A	16.60B/*11.30A	----	14.50 + 3.00	.0761	----	----	----	----	39 UNCH
5535	----	----	16.30B/*11.10A	16.30B/*11.10A	----	14.30 + 3.00	.0751	----	----	----	----	8 UNCH
5540	----	----	16.10B/*11.00A	16.10B/*11.00A	----	14.00 + 2.80	.0737	----	----	----	----	291 UNCH
5545	----	----	15.80B/*10.80A	15.80B/*10.80A	----	13.80 + 2.80	.0727	----	----	----	----	19 UNCH
5550	13.20	13.20	15.50B/*10.60A	15.50B/*10.60A	----	13.60 + 2.80	.0716	----	----	29	----	777 - 1
5555	----	----	15.30B/*10.50A	15.30B/*10.50A	----	13.40 + 2.70	.0706	----	----	----	----	4 UNCH
5560	----	----	15.00B/*10.30A	15.00B/*10.30A	----	13.20 + 2.70	.0696	----	----	17	----	42 + 10
5565	----	----	14.80B/*10.20A	14.80B/*10.20A	----	13.00 + 2.60	.0686	----	----	----	----	12 UNCH
5570	----	----	14.50B/*10.00A	14.50B/*10.00A	----	12.80 + 2.60	.0675	----	----	----	----	28 UNCH
5575	----	----	14.20B/*9.90A	14.20B/*9.90A	----	12.60 + 2.50	.0665	----	----	1	----	59 + 1
5580	----	----	14.00B/*9.70A	14.00B/*9.70A	----	12.40 + 2.50	.0655	----	----	----	----	13 UNCH
5585	14.20	14.20	14.20/*9.60A	14.20/*9.60A	----	12.30 + 2.50	.0649	----	----	2	----	12 UNCH
5590	----	----	13.60B/9.50A	13.60B/9.50A	----	12.10 + 2.40	.0639	----	----	----	----	95 UNCH
5595	----	----	13.40B/*9.30A	13.40B/*9.30A	----	11.90 + 2.40	.0629	----	----	----	----	39 UNCH
5600	11.90	11.90	13.20B/*9.20A	13.20B/*9.20A	----	11.70 + 2.30	.0619	----	----	98	----	2391 + 49
5610	----	----	12.70B/*9.00A	12.70B/*9.00A	----	11.40 + 2.30	.0603	----	----	----	----	73 UNCH
5620	----	----	12.30B/*8.70A	12.30B/*8.70A	----	11.10 + 2.20	.0587	----	----	1	----	60 UNCH
5625	----	----	12.10B/*8.60A	12.10B/*8.60A	----	10.90 + 2.10	.0577	----	----	----	----	404 UNCH
5630	10.70	10.70	11.90B/*8.50A	11.90B/*8.50A	----	10.80 + 2.10	.0571	----	----	10	----	228 + 10
5640	----	----	11.60B/*8.30A	11.60B/*8.30A	----	10.50 + 2.10	.0555	----	----	----	----	84 UNCH
5650	10.40	10.40	11.20B/8.10A	11.20B/8.10A	----	10.20 + 2.00	.0539	----	----	2	----	746 - 1
5660	----	----	10.90B/7.90A	10.90B/7.90A	----	9.90 + 1.90	.0524	----	----	----	----	41 UNCH
5665	----	----	10.70B/*7.80A	10.70B/*7.80A	----	9.80 + 1.90	.0518	----	----	----	----	5 UNCH
5670	----	----	10.60B/*7.70A	10.60B/*7.70A	----	9.70 + 1.90	.0512	----	----	----	----	120 UNCH
5675	----	----	10.40B/*7.60A	10.40B/*7.60A	----	9.50 + 1.80	.0503	----	----	----	----	22 UNCH
5680	----	----	10.30B/*7.50A	10.30B/*7.50A	----	9.40 + 1.80	.0497	----	----	----	----	47 UNCH
5690	----	----	10.00B/*7.30A	10.00B/*7.30A	----	9.20 + 1.70	.0486	----	----	----	----	163 UNCH
5700	9.30	9.30	9.70/*7.10A	9.70/*7.10A	----	8.90 + 1.60	.0471	----	----	100	----	1979 + 20
5710	----	----	9.50B/7.00A	9.50B/7.00A	----	8.70 + 1.60	.0460	----	----	----	----	41 UNCH
5720	----	----	9.20B/*6.80A	9.20B/*6.80A	----	8.50 + 1.50	.0449	----	----	----	----	18 UNCH
5725	----	----	9.10B/*6.70A	9.10B/*6.70A	----	8.40 + 1.50	.0443	----	----	----	----	36 UNCH
5730	----	----	9.00B/6.70A	9.00B/6.70A	----	8.30 + 1.50	.0438	----	----	----	----	58 UNCH
5740	----	----	8.70B/*6.50A	8.70B/*6.50A	----	8.10 + 1.50	.0427	----	----	----	----	60 UNCH
5750	8.10	8.10	8.50B/*6.40A	8.50B/*6.40A	----	7.90 + 1.40	.0416	----	----	2	----	1680 UNCH
5760	----	----	8.30B/*6.30A	8.30B/*6.30A	----	7.70 + 1.30	.0405	----	----	----	----	18 UNCH
5770	----	----	8.10B/*6.10A	8.10B/*6.10A	----	7.50 + 1.30	.0395	----	----	----	----	32 UNCH
5775	----	----	8.00B/----	8.00B/6.10A	----	7.50 + 1.40	.0393	----	----	100	----	168 - 52
5780	----	----	7.90B/*6.00A	7.90B/*6.00A	----	7.40 + 1.30	.0388	----	----	----	----	219 UNCH
5790	----	----	7.70B/----	7.70B/*5.90A	----	7.20 + 1.30	.0378	----	----	----	----	11 UNCH
5800	7.00	7.00	7.50B/7.00	7.50B/*5.80A	----	7.10 + 1.30	.0371	----	----	60	----	3278 + 48
5810	----	----	7.30B/----	7.30B/5.70A	----	6.90 + 1.20	.0361	----	----	----	----	260 UNCH
5820	----	----	7.20B/----	7.20B/5.60A	----	6.80 + 1.20	.0355	----	----	----	----	35 UNCH
5825	----	----	7.10B/----	7.10B/*5.50A	----	6.70 + 1.20	.0349	----	----	----	----	23 UNCH
5830	----	----	7.00B/----	7.00B/5.50A	----	6.60 + 1.10	.0344	----	----	1	----	17 + 1
5840	----	----	6.80B/----	6.80B/5.40A	----	6.50 + 1.10	.0338	----	----	----	----	22 UNCH
5850	----	----	6.70B/*5.20A	6.70B/*5.20A	----	6.30 + 1.00	.0328	----	----	4	----	472 UNCH
5860	----	----	6.50B/----	6.50B/5.20A	----	6.20 + 1.00	.0322	----	----	----	----	24 UNCH
5870	----	----	6.40B/----	6.40B/5.10A	----	6.10 + 1.00	.0316	----	----	----	----	32 UNCH
5875	4.90	4.90	6.30B/*4.90	6.30B/*4.90	----	6.00 + 1.00	.0311	----	----	3	----	196 UNCH
5880	----	----	6.30B/----	6.30B/5.00A	----	6.00 + 1.00	.0310	----	----	----	----	17 UNCH
5890	----	----	6.10B/----	6.10B/4.90A	----	5.90 + 1.00	.0304	----	----	----	----	138 UNCH
5900	6.10	6.10	6.10/5.60	6.10/4.80A	----	5.80 + 1.00	.0299	----	----	107	----	1384 + 4
5910	----	----	5.80B/----	5.80B/4.70A	----	5.70 + 1.00	.0293	----	----	----	----	12 UNCH
5920	----	----	5.70B/----	5.70B/4.60A	----	5.60 + 1.00	.0287	----	----	----	----	40 UNCH
5930	----	----	5.60B/*4.50A	5.60B/*4.50A	----	5.50 + 0.90	.0281	----	----	----	----	58 UNCH
5940	----	----	5.50B/----	5.50B/4.50A	----	5.40 + 0.90	.0276	----	----	----	----	4 UNCH
5950	----	----	5.40B/----	5.40B/4.40A	----	5.30 + 0.90	.0270	----	----	1	----	169 UNCH
5960	----	----	5.30B/----	5.30B/4.30A	----	5.20 + 0.90	.0265	----	----	----	----	37 UNCH
5970	----	----	5.20B/----	5.20B/4.30A	----	5.10 + 0.80	.0259	----	----	----	----	35 UNCH
5980	----	----	5.10B/----	5.10B/4.20A	----	5.00 + 0.80	.0254	----	----	----	----	22 UNCH
5990	----	----	5.00B/----	5.00B/4.10A	----	4.90 + 0.80	.0249	----	----	----	----	4 UNCH
6000	4.40	4.40	5.40/4.40	5.40/4.10A	----	4.80 + 0.70	.0243	----	----	39	----	5978 + 2
6010	----	----	4.80B/----	4.80B/4.00A	----	4.70 + 0.70	.0238	----	----	----	----	10 UNCH
6020	----	----	4.70B/----	4.70B/4.00A	----	4.60 + 0.70	.0233	----	----	----	----	23 UNCH
6030	----	----	4.60B/----	4.60B/3.90A	----	4.50 + 0.60	.0227	----	----	----	----	31 UNCH
6040	----	----	4.50B/----	4.50B/3.90A	----	4.40 + 0.60	.0222	----	----	----	----	25 UNCH
6050	----	----	4.40B/----	4.40B/3.80A	----	4.40 + 0.60	.0221	----	----	----	----	281 UNCH
6060	----	----	4.40B/----	4.40B/3.70A	----	4.30 + 0.60	.0216	----	----	----	----	32 UNCH
6070	----	----	4.30B/----	4.30B/3.70A	----	4.30 + 0.60	.0215	----	----	----	----	34 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
6080	----	----	4.20B/----	4.20B/3.70A	----	4.20 + 0.60	.0210	----	----	----	----	10 UNCH
6090	----	----	4.10B/----	4.10B/3.60A	----	4.10 + 0.50	.0205	----	----	----	----	25 UNCH
6100	4.40	4.40	4.40/4.00	4.40/3.50A	----	4.10 + 0.60	.0203	----	----	7	----	2398 UNCH
6110	----	----	4.00B/----	4.00B/3.50A	----	4.00 + 0.50	.0199	----	----	----	----	65 UNCH
6120	----	----	3.90B/----	3.90B/3.50A	----	4.00 + 0.60	.0197	----	----	----	----	11 UNCH
6125	----	----	3.90B/----	3.90B/3.40A	----	3.90 + 0.50	.0193	----	----	----	----	16 UNCH
6130	----	----	3.90B/----	3.90B/3.40A	----	3.90 + 0.50	.0193	----	----	----	----	10 UNCH
6140	----	----	3.80B/----	3.80B/3.40A	----	3.80 + 0.50	.0188	----	----	----	----	9 UNCH
6150	----	----	3.70B/----	3.70B/3.30A	----	3.80 + 0.50	.0187	----	----	----	----	506 UNCH
6160	----	----	3.70B/----	3.70B/3.30A	----	3.70 + 0.50	.0182	----	----	----	----	138 UNCH
6170	----	----	3.60B/----	3.60B/3.30A	----	3.70 + 0.50	.0181	----	----	----	----	17 UNCH
6180	----	----	3.50B/----	3.50B/3.20A	----	3.60 + 0.40	.0176	----	----	----	----	75 UNCH
6190	----	----	3.50B/----	3.50B/3.20A	----	3.60 + 0.50	.0175	----	----	----	----	2 UNCH
6200	----	----	3.40B/----	3.40B/3.20A	----	3.50 + 0.40	.0171	----	----	74	----	4280 - 28
6210	----	----	3.40B/----	3.40B/3.10A	----	3.50 + 0.50	.0170	----	----	----	----	53 UNCH
6220	----	----	3.30B/----	3.30B/3.10A	----	3.40 + 0.40	.0165	----	----	----	----	7 UNCH
6230	----	----	3.30B/----	3.30B/3.10A	----	3.40 + 0.40	.0164	----	----	----	----	66 UNCH
6240	----	----	3.20B/----	3.20B/3.00A	----	3.30 + 0.40	.0160	----	----	----	----	21 UNCH
6250	----	----	3.20B/----	3.20B/3.00A	----	3.30 + 0.40	.0159	----	----	----	----	1323 UNCH
6260	----	----	3.10B/----	3.10B/3.00A	----	3.30 + 0.40	.0158	----	----	----	----	8 UNCH
6270	----	----	3.10B/----	3.10B/2.90A	----	3.20 + 0.30	.0154	----	----	----	----	146 UNCH
6280	----	----	3.00B/----	3.00B/2.90A	----	3.20 + 0.40	.0153	----	----	----	----	12 UNCH
6290	----	----	3.00B/----	3.00B/2.90A	----	3.10 + 0.30	.0148	----	----	----	----	19 UNCH
6300	----	----	3.00B/----	3.00B/2.80A	----	3.10 + 0.30	.0148	----	----	----	----	2450 UNCH
6310	----	----	2.90B/----	2.90B/2.70A	----	3.10 + 0.40	.0147	----	----	----	----	2 UNCH
6320	----	----	2.90B/----	2.90B/2.80A	----	3.00 + 0.30	.0142	----	----	----	----	24 UNCH
6330	----	----	2.80B/----	2.80B/2.70A	----	3.00 + 0.30	.0142	----	----	----	----	33 UNCH
6340	----	----	2.80B/----	2.80B/2.70A	----	2.90 + 0.30	.0137	----	----	----	----	35 UNCH
6350	----	----	2.70B/----	2.70B/2.70A	----	2.90 + 0.30	.0137	----	----	----	----	17 UNCH
6360	----	----	2.70B/----	2.70B/2.60A	----	2.90 + 0.30	.0136	----	----	----	----	2 UNCH
6370	----	----	2.70B/----	2.70B/2.60A	----	2.80 + 0.20	.0132	----	----	----	----	4 UNCH
6380	----	----	2.60B/----	2.60B/2.60A	----	2.80 + 0.30	.0131	----	----	----	----	8 UNCH
6390	----	----	2.60B/----	2.60B/2.60A	----	2.80 + 0.30	.0131	----	----	----	----	1 UNCH
6400	----	----	2.60B/----	2.60B/2.50A	----	2.80 + 0.30	.0130	----	----	----	----	482 UNCH
6410	----	----	2.50B/----	2.50B/2.50A	----	2.70 + 0.30	.0126	----	----	----	----	8 UNCH
6420	----	----	2.50B/----	2.50B/2.50A	----	2.70 + 0.30	.0125	----	----	----	----	3 UNCH
6430	----	----	2.50B/----	2.50B/2.40A	----	2.70 + 0.30	.0125	----	----	----	----	30 UNCH
6440	----	----	----	2.40B/2.40A	----	2.60 + 0.20	.0120	----	----	----	----	2 UNCH
6450	----	----	2.40B/----	2.40B/2.40A	----	2.60 + 0.30	.0120	----	----	----	----	64 UNCH
6460	----	----	2.40B/----	2.40B/2.40A	----	2.60 + 0.30	.0119	----	----	----	----	36 UNCH
6470	----	----	2.40B/----	2.40B/2.40A	----	2.60 + 0.30	.0119	----	----	----	----	9 UNCH
6480	----	----	----	2.30B/2.30A	----	2.50 + 0.20	.0115	----	----	----	----	21 UNCH
6490	----	----	2.30B/----	2.30B/2.30A	----	2.50 + 0.30	.0114	----	----	----	----	17 UNCH
6500	2.40	2.40	2.40/2.30	2.40/2.30	----	2.50 + 0.30	.0114	----	----	4	----	1107 + 4
6525	----	----	----	2.20B/2.20A	----	2.40 + 0.20	.0109	----	----	----	----	21 UNCH
6550	----	----	----	2.10B/2.20A	----	2.40 + 0.30	.0108	----	----	----	----	210 UNCH
6575	----	----	----	2.10B/2.10A	----	2.30 + 0.20	.0103	----	----	----	----	7 UNCH
6600	----	----	----	2.00B/2.10A	----	2.30 + 0.30	.0102	----	----	----	----	880 UNCH
6625	----	----	----	1.90B/2.10A	----	2.20 + 0.20	.0098	----	----	----	----	106 UNCH
6650	----	----	----	1.90B/2.00A	----	2.20 + 0.30	.0097	----	----	----	----	40 UNCH
6675	----	----	----	1.80B/2.00A	----	2.10 + 0.20	.0092	----	----	----	----	50 UNCH
6700	----	----	----	1.80B/1.90A	----	2.10 + 0.20	.0091	----	----	59	----	1402 - 13
6725	----	----	----	1.70B/1.90A	----	2.00 + 0.20	.0087	----	----	----	----	107 UNCH
6750	----	----	----	1.70B/1.90A	----	2.00 + 0.20	.0086	----	----	----	----	133 UNCH
6775	----	----	----	1.70B/1.80A	----	2.00 + 0.30	.0085	----	----	----	----	13 UNCH
6800	----	----	----	1.60B/1.80A	----	1.90 + 0.20	.0081	----	----	----	----	245 UNCH
6825	----	----	----	1.60B/1.80A	----	1.90 + 0.20	.0080	----	----	----	----	10 UNCH
6850	----	----	----	1.50B/1.70A	----	1.80 + 0.20	.0076	----	----	----	----	26 UNCH
6875	----	----	----	1.50B/1.70A	----	1.80 + 0.20	.0076	----	----	----	----	3 UNCH
6900	----	----	----	1.50B/*1.60A	----	1.80 + 0.20	.0075	----	----	----	----	157 UNCH
6925	----	----	----	1.40B/1.70A	----	1.70 + 0.10	.0071	----	----	----	----	51 UNCH
6950	----	----	----	1.40B/1.60A	----	1.70 + 0.20	.0070	----	----	----	----	27 UNCH
6975	1.40	1.40	1.40/*1.40	1.40/*1.40	----	1.70 + 0.20	.0070	----	----	1	----	21 + 1
7000	1.00	1.00	1.40/*1.00	1.40/*1.00	----	1.60 + 0.10	.0066	----	----	3	----	1836 UNCH
7025	----	----	----	1.30B/1.60A	----	1.60 + 0.20	.0065	----	----	----	----	33 UNCH
7050	----	----	----	1.20B/1.50A	----	1.60 + 0.20	.0065	----	----	----	----	5 UNCH
7075	----	----	----	1.20B/1.50A	----	1.50 + 0.10	.0061	----	----	----	----	8 UNCH
7100	----	----	----	1.20B/*1.40A	----	1.50 + 0.10	.0061	----	----	----	----	145 UNCH
7125	----	----	----	1.20B/1.50A	----	1.50 + 0.20	.0060	----	----	----	----	52 UNCH
7150	----	----	----	1.10B/1.40A	----	1.40 + 0.10	.0056	----	----	----	----	59 UNCH
7200	----	----	----	1.10B/1.40A	----	1.40 + 0.10	.0056	----	----	----	----	132 UNCH
7250	----	----	----	1.00B/1.30A	----	1.30 + 0.10	.0051	----	----	----	----	91 UNCH
7275	----	----	----	1.00B/1.30A	----	1.30 + 0.10	.0051	----	----	----	----	1 UNCH
7300	----	----	----	1.00B/1.30A	----	1.20 UNCH	.0047	----	----	----	----	150 UNCH
7325	----	----	----	0.90B/1.30A	----	1.20 + 0.10	.0047	----	----	----	----	14 UNCH
7350	----	----	----	0.90B/1.20A	----	1.20 + 0.10	.0047	----	----	----	----	3 UNCH
7375	----	----	----	0.90B/1.20A	----	1.10 UNCH	.0043	----	----	----	----	20 UNCH
7400	----	----	----	0.90B/1.20A	----	1.10 UNCH	.0043	----	----	----	----	46 UNCH
7425	----	----	----	0.80B/1.20A	----	1.10 UNCH	.0043	----	----	----	----	20 UNCH
7450	----	----	----	0.80B/*1.10A	----	1.10 + 0.10	.0042	----	----	----	----	5 UNCH
7475	----	----	----	0.80B/1.10A	----	1.10 + 0.10	.0042	----	----	----	----	8 UNCH
7500	----	----	----	0.80B/1.00A	----	1.00 UNCH	.0038	----	----	----	----	1354 UNCH
7525	----	----	----	0.80B/1.10A	----	1.00 UNCH	.0038	----	----	----	----	22 UNCH
7575	----	----	----	0.70B/1.10A	----	1.00 + 0.10	.0038	----	----	----	----	8 UNCH
7600	----	----	----	0.70B/1.10A	----	0.90 UNCH	.0034	----	----	----	----	48 UNCH
7700	----	----	----	0.70B/1.00A	----	0.90 UNCH	.0034	----	----	----	----	45 UNCH
7750	----	----	----	0.60B/0.90A	----	0.80 UNCH	.0030	----	----	----	----	12 UNCH
7800	----	----	----	0.60B/0.90A	----	0.80 UNCH	.0030	----	----	----	----	39 UNCH
7825	----	----	----	0.60B/0.90A	----	0.80 UNCH	.0029	----	----	----	----	1 UNCH
7875	----	----	----	0.50B/0.90A	----	0.80 UNCH	.0029	----	----	----	----	31 UNCH
7900	----	----	----	0.50B/0.90A	----	0.70 - 0.10	.0026	----	----	----	----	2 UNCH
7950	----	----	----	0.50B/0.90A	----	0.70 UNCH	.0025	----	----	----	----	2 UNCH
8000	----	----	----	0.50B/0.80A	----	0.70 UNCH	.0025	----	----	----	----	928 UNCH
8100	----	----	----	0.40B/0.90A	----	0.60 - 0.10	.0022	----	----	----	----	3 UNCH
8200	----	----	----	0.40B/0.80A	----	0.60 UNCH	.0021	----	----	----	----	89 UNCH
8300	----	----	----	0.40B/0.80A	----	0.60 UNCH	.0021	----	----	----	----	64 UNCH
8500	0.50	0.50	0.50/*0.50	0.50/*0.50	----	0.50 UNCH	.0017	----	----	2	----	146 + 2
8600	----	----	----	0.30B/0.70A	----	0.50 UNCH	.0017	----	----	----	----	51 UNCH
8800	----	----	----	0.20B/0.60A	----	0.40 UNCH	.0013	----	----	----	----	32 UNCH
8900	----	----	----	0.20B/0.60A	----	0.40 UNCH	.0013	----	----	----	----	15 UNCH
9000	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.40 UNCH	.0013	----	----	1	----	256 + 1
9100	----	----	----	0.20B/0.60A	----	0.30 - 0.10	.0010	----	----	----	----	11 UNCH
9200	----	----	----	0.20B/0.60A	----	0.30 UNCH	.0010	----	----	----	----	51 UNCH
9300	----	----	----	0.20B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	3 UNCH
9400	----	----	----	0.10B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	25 UNCH
9500	----	----	----	0.10B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	23 UNCH
9600	----	----	----	0.10B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	26 UNCH
9700	----	----	----	0.10B/0.50A	----	0.20 - 0.10	.0006	----	----	----	----	20 UNCH
9800	----	----	----	0.10B/0.50A	----	0.20 UNCH	.0006	----	----	----	----	17 UNCH
9900	----	----	----	0.10B/0.50A	----	0.20 UNCH	.0006	----	----	----	----	24 UNCH
10000	----	----	----	0.20B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	263 UNCH
10100	----	----	----	----/0.40A	----	0.20 UNCH	.0006	----	----	----	----	2 UNCH
10300	----	----	----	----/0.40A	----	0.10 - 0.10	.0003	----	----	----	----	3 UNCH
10400	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	2 UNCH
10500	----	----	----	----/0.40A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
10700	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	4 UNCH
11000	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	72 UNCH
11300	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	12 UNCH
11500	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
11600	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
11700	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
11900	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
12000	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	32	----	381 + 31
TOTAL										14737	250	165356+ 1589
JUL26												
3500	----	----	----	----	----	1417.60 + 70.70	.9848	----	----	----	----	1 UNCH
3600	----	----	1,339.50B/----	1339.50B/1290.90A	----	1318.50 + 70.40	.9810	----	----	----	----	24 UNCH
3650	----	----	1,290.20B/----	1290.20B/1241.60A	----	1269.10 + 70.20	.9784	----	----	----	----	10 UNCH
3670	----	----	1,270.40B/----	1270.40B/1221.80A	----	1249.40 + 70.20	.9776	----	----	----	----	3 UNCH
3700	----	----	1,240.80B/----	1240.80B/1192.30A	----	1219.80 + 70.00	.9758	----	----	----	----	119 UNCH
3735	----	----	----	----	----	1185.40 + 69.90	.9736	----	----	----	----	1 UNCH
3775	----	----	1,167.20B/----	1167.20B/1118.60A	----	1146.10 + 69.60	.9710	----	----	----	----	4 UNCH
3800	----	----	1,146.20B/----	1146.20B/1091.40A	----	1121.60 + 69.50	.9689	----	----	----	----	2040 UNCH
3825	----	----	1,118.30B/----	1118.30B/1069.80A	----	1097.20 + 69.30	.9670	----	----	1	----	3 UNCH
3850	----	----	1,093.90B/----	1093.90B/1045.40A	----	1072.80 + 69.10	.9649	----	----	----	----	65 UNCH
3860	----	----	----	----	----	1063.10 + 69.10	.9639	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 31

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
3865	----	----	1,079.30B/----	1079.30B/1030.80A	----	1058.20 + 69.00	.9635	----	----	----	----	7 UNCH
3875	----	----	1,069.60B/----	1069.60B/1021.10A	----	1048.50 + 69.00	.9624	----	----	----	----	25 UNCH
3900	----	----	1,045.30B/----	1045.30B/996.90A	----	1024.20 + 68.80	.9602	----	----	----	----	18 UNCH
3925	----	----	1,021.00B/----	1021.00B/972.80A	----	1000.00 + 68.60	.9574	----	----	----	----	35 UNCH
3950	----	----	1,000.30B/----	1000.30B/946.00A	----	975.80 + 68.30	.9546	----	----	----	----	820 UNCH
3960	----	----	----	----	----	966.10 + 68.10	.9535	----	----	----	----	1 UNCH
4000	----	----	948.70B/----	948.70B/900.70A	----	927.60 + 67.70	.9483	----	----	----	----	16 UNCH
4020	----	----	----	----	----	908.50 + 67.50	.9455	----	----	----	----	1 UNCH
4030	----	----	----	----	----	898.90 + 67.40	.9441	----	----	----	----	2 UNCH
4040	----	----	----	----	----	889.30 + 67.20	.9427	----	----	----	----	1 UNCH
4075	----	----	877.20B/----	877.20B/829.50A	----	856.00 + 66.70	.9372	----	----	----	----	6 UNCH
4095	----	----	858.20B/----	858.20B/810.60A	----	837.10 + 66.50	.9338	----	----	----	----	4 UNCH
4100	----	----	853.50B/----	853.50B/805.90A	----	832.30 + 66.30	.9328	----	----	----	----	194 UNCH
4105	----	----	----	----	----	827.60 + 66.30	.9321	----	----	----	----	1 UNCH
4110	----	----	844.10B/----	844.10B/796.60A	----	822.90 + 66.20	.9311	----	----	----	----	3 UNCH
4145	----	----	811.10B/----	811.10B/763.90A	----	790.00 + 65.60	.9244	----	----	----	----	28 UNCH
4150	----	----	806.50B/----	806.50B/759.30A	----	785.40 + 65.60	.9234	----	----	----	----	37 UNCH
4155	----	----	----	553.40B/896.10A	----	780.70 + 65.50	.9221	----	----	----	----	1 UNCH
4160	----	----	----	548.70B/891.60A	----	776.00 + 65.40	.9211	----	----	----	----	1 UNCH
4190	----	----	----	521.00B/864.40A	----	748.20 + 64.90	.9145	----	----	----	----	1 UNCH
4200	----	----	759.90B/----	759.90B/713.10A	----	738.90 + 64.60	.9120	----	----	----	----	8 UNCH
4215	----	----	746.10B/----	746.10B/699.30A	----	725.10 + 64.30	.9084	----	----	----	----	25 UNCH
4220	----	----	----	493.60B/837.50A	----	720.50 + 64.20	.9071	----	----	----	----	1 UNCH
4225	----	----	----	490.50B/833.00A	----	715.90 + 64.00	.9059	----	----	----	----	2 UNCH
4235	----	----	----	523.50B/824.10A	----	706.80 + 63.80	.9033	----	----	----	----	1 UNCH
4240	----	----	723.10B/----	723.10B/676.70A	----	702.20 + 63.70	.9020	----	----	----	----	39 UNCH
4245	----	----	----	530.90B/815.20A	----	697.70 + 63.60	.9005	----	----	----	----	1 UNCH
4250	----	----	715.70B/----	715.70B/666.50A	----	693.10 + 63.40	.8992	----	----	----	----	316 UNCH
4255	----	----	----	521.70B/806.40A	----	688.60 + 63.40	.8979	----	----	----	----	1 UNCH
4265	----	----	----	512.60B/797.60A	----	679.50 + 63.10	.8951	----	----	----	----	2 UNCH
4270	----	----	695.80B/----	695.80B/649.70A	----	675.00 + 63.00	.8936	----	----	----	----	38 UNCH
4275	----	----	691.30B/----	691.30B/645.20A	----	670.50 + 62.80	.8920	----	----	----	----	76 UNCH
4280	----	----	686.70B/----	686.70B/640.70A	----	665.90 + 62.60	.8907	----	----	----	----	3 UNCH
4300	668.00	668.00	668.70B/668.00	668.70B/623.00A	----	648.00 + 62.10	.8845	----	----	1	----	63 - 1
4315	----	----	655.30B/----	655.30B/609.80A	----	634.60 + 61.60	.8797	----	----	----	----	21 UNCH
4325	----	----	646.30B/----	646.30B/601.00A	----	625.80 + 61.30	.8764	----	----	----	----	22 UNCH
4335	----	----	----	449.40B/737.50A	----	616.90 + 61.00	.8730	----	----	----	----	1 UNCH
4350	----	----	624.20B/----	624.20B/579.30A	----	603.70 + 60.40	.8677	----	----	----	----	10 UNCH
4360	----	----	615.40B/----	615.40B/570.80A	----	595.00 + 60.10	.8641	----	----	----	----	53 UNCH
4365	----	----	611.00B/----	611.00B/566.50A	----	590.60 + 59.90	.8623	----	----	----	----	45 UNCH
4370	----	----	606.60B/----	606.60B/562.20A	----	586.30 + 59.80	.8605	----	----	----	----	20 UNCH
4375	----	----	602.30B/----	602.30B/557.90A	----	582.00 + 59.60	.8585	----	----	----	----	5 UNCH
4400	----	----	583.60B/----	583.60B/534.40A	----	560.40 + 58.70	.8487	----	----	----	----	2267 UNCH
4410	----	----	572.40B/----	572.40B/528.30A	----	551.90 + 58.30	.8447	----	----	----	----	4 UNCH
4415	----	----	568.10B/----	568.10B/524.10A	----	547.70 + 58.20	.8426	----	----	----	----	39 UNCH
4420	----	----	563.90B/----	563.90B/519.90A	----	543.40 + 57.90	.8404	----	----	----	----	5 UNCH
4425	----	----	559.60B/----	559.60B/515.70A	----	539.20 + 57.80	.8384	----	----	----	----	16 UNCH
4430	----	----	----	365.80B/662.80A	----	535.00 + 57.60	.8362	----	----	----	----	1 UNCH
4445	----	----	542.60B/----	542.60B/499.20A	----	522.40 + 56.90	.8295	----	----	----	----	30 UNCH
4450	----	----	540.00B/----	540.00B/494.00A	----	518.30 + 56.80	.8273	----	----	----	----	255 UNCH
4455	----	----	----	343.60B/643.90A	----	514.10 + 56.60	.8251	----	----	----	----	2 UNCH
4460	----	----	----	339.20B/640.10A	----	510.00 + 56.40	.8228	----	----	----	----	2 UNCH
4475	----	----	----	326.10B/628.90A	----	497.60 + 55.70	.8157	----	----	----	----	2 UNCH
4480	----	----	513.50B/----	513.50B/470.80A	----	493.50 + 55.50	.8133	----	----	----	----	25 UNCH
4490	----	----	505.30B/----	505.30B/462.90A	----	485.40 + 55.10	.8085	----	----	----	----	9 UNCH
4500	----	----	500.00B/----	500.00B/452.70A	----	477.30 + 54.60	.8034	----	----	----	----	969 UNCH
4505	----	----	----	300.30B/606.80A	----	473.30 + 54.40	.8010	----	----	----	----	2 UNCH
4510	----	----	489.00B/----	489.00B/447.20A	----	469.30 + 54.20	.7984	----	----	----	----	45 UNCH
4515	----	----	484.90B/----	484.90B/443.30A	----	465.30 + 53.90	.7958	----	----	----	----	200 UNCH
4520	----	----	480.90B/----	480.90B/439.40A	----	461.30 + 53.70	.7932	----	----	----	----	188 UNCH
4525	----	----	476.90B/----	476.90B/435.50A	----	457.30 + 53.40	.7906	----	----	----	----	129 UNCH
4530	----	----	472.90B/----	472.90B/431.60A	----	453.30 + 53.10	.7880	----	----	----	----	5 UNCH
4535	----	----	#468.90B/----	468.90B/427.80A	----	449.40 + 52.90	.7853	----	----	----	----	14 UNCH
4540	----	----	465.00B/----	465.00B/424.00A	----	445.50 + 52.70	.7826	----	----	----	----	53 UNCH
4550	----	----	457.10B/----	457.10B/416.40A	----	437.70 + 52.20	.7772	----	----	----	----	10 UNCH
4560	----	----	----	254.50B/567.70A	----	429.90 + 51.60	.7716	----	----	----	----	2 UNCH
4565	----	----	----	250.50B/563.80A	----	426.10 + 51.40	.7687	----	----	----	----	1 UNCH
4570	----	----	----	246.60B/560.20A	----	422.30 + 51.20	.7659	----	----	----	----	2 UNCH
4575	----	----	437.60B/----	437.60B/397.60A	----	418.40 + 50.80	.7629	----	----	----	----	128 UNCH
4580	----	----	----	238.60B/553.30A	----	414.60 + 50.60	.7601	----	----	1	----	1 UNCH
4600	----	----	419.90B/----	419.90B/378.20A	----	399.60 + 49.50	.7482	----	----	----	----	343 UNCH
4605	----	----	414.70B/----	414.70B/375.70A	----	395.90 + 49.20	.7452	----	----	----	----	10 UNCH
4610	----	----	410.90B/----	410.90B/350.80A	----	392.20 + 48.90	.7421	----	----	----	----	6 UNCH
4635	----	----	392.40B/----	392.40B/333.60A	----	374.00 + 47.50	.7265	----	----	----	----	86 UNCH
4640	----	----	388.80B/----	388.80B/330.20A	----	370.40 + 47.20	.7233	----	----	----	----	240 UNCH
4645	----	----	385.10B/----	385.10B/327.00A	----	366.90 + 47.00	.7200	----	----	----	----	14 UNCH
4650	----	----	383.00B/----	383.00B/323.60A	----	363.30 + 46.70	.7168	----	----	----	----	257 UNCH
4655	----	----	377.90B/----	377.90B/320.30A	----	359.80 + 46.40	.7135	----	----	----	----	18 UNCH
4660	----	----	374.40B/----	374.40B/317.00A	----	356.30 + 46.20	.7102	----	----	----	----	20 UNCH
4665	----	----	372.20B/----	372.20B/313.80A	----	352.80 + 45.90	.7069	----	----	----	----	268 UNCH
4670	----	----	367.20B/300.80A	367.20B/300.80A	----	349.40 + 45.60	.7035	----	----	----	----	105 UNCH
4675	----	----	363.70B/297.70A	363.70B/297.70A	----	345.90 + 45.30	.7002	----	----	----	----	129 UNCH
4680	----	----	360.20B/295.50A	360.20B/295.50A	----	342.50 + 45.10	.6968	----	----	----	----	10 UNCH
4685	----	----	356.70B/292.70A	356.70B/292.70A	----	339.10 + 44.80	.6933	----	----	----	----	11 UNCH
4695	----	----	352.50B/286.30A	352.50B/286.30A	----	332.40 + 44.30	.6864	----	----	----	----	23 UNCH
4700	----	----	351.10B/282.90A	351.10B/282.90A	----	329.00 + 44.00	.6830	----	----	12	----	592 UNCH
4710	----	----	344.20B/277.20A	344.20B/277.20A	----	322.40 + 43.50	.6760	----	----	1	----	117 - 1
4720	----	----	337.50B/271.30A	337.50B/271.30A	----	315.90 + 43.00	.6689	----	----	----	----	9 UNCH
4725	----	----	334.00B/261.00A	334.00B/261.00A	----	312.60 + 42.70	.6653	----	----	----	----	52 UNCH
4730	----	----	330.80B/262.20A	330.80B/262.20A	----	309.40 + 42.40	.6618	----	----	----	----	3 UNCH
4740	----	----	324.00B/254.10A	324.00B/254.10A	----	303.00 + 41.90	.6545	----	----	----	----	1 UNCH
4745	----	----	320.80B/249.80A	320.80B/249.80A	----	299.90 + 41.70	.6509	----	----	----	----	177 UNCH
4750	----	----	317.70B/248.10A	317.70B/248.10A	----	296.70 + 41.30	.6473	----	----	3	----	1068 + 2
4755	----	----	314.60B/245.70A	314.60B/245.70A	----	293.60 + 41.10	.6436	----	----	----	----	16 UNCH
4760	----	----	311.10B/241.60A	311.10B/241.60A	----	290.50 + 40.80	.6400	----	----	----	----	47 UNCH
4770	----	----	304.80B/236.10A	304.80B/236.10A	----	284.30 + 40.20	.6326	----	----	----	----	69 UNCH
4775	----	----	301.50B/233.60A	301.50B/233.60A	----	281.30 + 39.90	.6289	----	----	----	----	150 UNCH
4780	----	----	298.40B/230.80A	298.40B/230.80A	----	278.20 + 39.60	.6251	----	----	----	----	31 UNCH
4785	----	----	295.50B/228.20A	295.50B/228.20A	----	275.20 + 39.30	.6214	----	----	----	----	12 UNCH
4790	----	----	291.90B/225.60A	291.90B/225.60A	----	272.20 + 39.00	.6176	----	----	----	----	2 UNCH
4795	----	----	289.00B/223.00A	289.00B/223.00A	----	269.30 + 38.70	.6139	----	----	----	----	87 UNCH
4800	276.80	276.80	286.80B/220.40A	286.80B/220.40A	----	266.30 + 38.40	.6100	----	----	34	----	1752 + 15
4805	----	----	282.90B/217.90A	282.90B/217.90A	----	263.40 + 38.10	.6063	----	----	----	----	2 UNCH
4810	----	----	279.90B/215.40A	279.90B/215.40A	----	260.50 + 37.80	.6025	----	----	----	----	32 UNCH
4815	----	----	276.70B/212.90A	276.70B/212.90A	----	257.60 + 37.50	.5986	----	----	1	----	1 UNCH
4820	----	----	274.10B/210.50A	274.10B/210.50A	----	254.80 + 37.20	.5948	----	----	----	----	23 UNCH
4825	----	----	271.70B/208.10A	271.70B/208.10A	----	251.90 + 36.80	.5910	----	----	4	----	634 UNCH
4830	----	----	268.10B/205.60A	268.10B/205.60A	----	249.10 + 36.50	.5871	----	----	----	----	12 UNCH
4835	----	----	265.60B/203.20A	265.60B/203.20A	----	246.40 + 36.30	.5833	----	----	----	----	16 UNCH
4840	----	----	262.40B/200.90A	262.40B/200.90A	----	243.60 + 35.90	.5794	----	----	----	----	3 UNCH
4845	----	----	259.80B/198.50A	259.80B/198.50A	----	240.90 + 35.60	.5755	----	----	----	----	59 UNCH
4850	246.90	246.90	257.30B/196.10A	257.30B/196.10A	----	238.20 + 35.30	.5717	----	----	6	----	432 - 4
4855	----	----	253.90B/193.90A	253.90B/193.90A	----	235.50 + 35.00	.5678	----	----	----	----	7 UNCH
4860	----	----	251.10B/191.50A	251.10B/191.50A	----	232.80 + 34.70	.5639	----	----	----	----	12 UNCH
4865	----	----	248.30B/189.30A	248.30B/189.30A	----	230.10 + 34.30	.5600	----	----	----	----	6 UNCH
4870	----	----	245.90B/187.00A	245.90B/187.00A	----	227.50 + 34.00	.5561	----	----	----	----	68 UNCH
4875	----	----	243.10B/184.80A	243.10B/184.80A	----	224.90 + 33.70	.5522	----	----	7	----	16 + 2
4880	----	----	240.60B/182.60A	240.60B/182.60A	----	222.30 + 33.40	.5483	----	----	----	----	20 UNCH
4885	----	----	237.90B/180.40A	237.90B/180.40A	----	219.70 + 33.00	.5444	----	----	2	----	7 + 2
4890	----	----	235.00B/178.30A	235.00B/178.30A	----	217.20 + 32.80	.5405	----	----	----	----	3 UNCH
4900	215.40	215.40	230.10B/173.90A	230.10B/173.90A	----	212.10 + 32.10	.5326	----	----	122	----	711 + 49
4905	202.80	202.80	227.10B/171.90A	227.10B/171.90A	----	209.60 + 31.80	.5287	----	----	1	----	5 + 1
4910	200.60	200.60	224.60B/169.80A	224.60B/169.80A	----	207.10 + 31.40	.5248	----	----	1	----	106 + 1
4915	----	----	221.70B/167.70A	221.70B/167.70A	----	204.60 + 31.10	.5209	----	----	----	----	36 UNCH
4920	----	----	219.40B/165.50A	219.40B/165.50A	----	202.10 + 30.70	.5169	----	----	5	----	9 + 3
4925	200.00	200.00	217.60B/163.70A	217.60B/163.70A	----	199.70 + 30.40	.5130	----	----	42	----	37 + 33
4930	----	----	214.30B/161.70A	214.30B/161.70A	----	197.30 + 30.10	.5091	----	----	50	----	63 + 50
4935	----	----	212.40B/159.70A	212.40B/159.70A	----	194.90 + 29.70	.5052	----	----	----	----	605 UNCH
4940	----	----	209.50B/157.70A	209.50B/157.70A	----	192.50 + 29.40	.5012	----	----	----	----	173 UNCH
4945	----	----	207.20B/155.80A	207.20B/155.80A	----	190.10 + 29.00	.4973	----	----	----	----	11 UNCH
4950	198.00	198.00	204.60B/153.80A	204.60B/153.80A	----	187.80 + 28.70	.4934	----	----	238	----	186 + 77
4955	----	----	202.30B/152.00A	202.30B/152.00A	----	185.50 + 28.40	.4895	----	----	----	----	72 UNCH
4960	----	----	200.00B/150.10A	200.00B/150.10A	----	183.20 + 28.00	.4856	----	----	----	----	16 UNCH
4965	----	----	197.60B/147.90A	197.60B/147.90A	----	180.90 + 27.70	.4816	----	----	----	----	173 UNCH
4970	----	----	195.20B/146.00A	195.20B/146.00A	----	178.70 + 27.40	.4778	----	----	----	----	8 UNCH
4975	----	----	193.20B/144.20A	193.20B/144.20A	----	176.50 + 27.10	.4739	----	----	----	----	42 UNCH
4980	----	----	191.00B/142.20A	191.00B/142.20A	----	174.30 + 26.70	.4700	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4985	----	----	188.60B/140.60A	188.60B/140.60A	----	172.10 + 26.40	.4661	----	----	----	----	27 UNCH
4990	----	----	186.40B/139.00A	186.40B/139.00A	----	170.00 + 26.10	.4622	----	----	----	----	15 UNCH
4995	----	----	184.20B/137.10A	184.20B/137.10A	----	167.90 + 25.80	.4584	----	----	----	----	20 UNCH
5000	139.00	139.00	182.70B/135.30A	182.70B/135.30A	----	165.80 + 25.50	.4545	----	----	302	----	2677 - 51
5005	167.80	167.80	179.90B/133.70A	179.90B/133.70A	----	163.70 + 25.20	.4506	----	----	2	----	18 + 1
5010	----	----	177.80B/131.90A	177.80B/131.90A	----	161.70 + 25.00	.4468	----	----	----	----	34 UNCH
5015	----	----	175.70B/130.20A	175.70B/130.20A	----	159.60 + 24.60	.4430	----	----	----	----	26 UNCH
5020	----	----	173.50B/128.70A	173.50B/128.70A	----	157.70 + 24.40	.4392	----	----	----	----	7 UNCH
5025	----	----	171.60B/127.00A	171.60B/127.00A	----	155.70 + 24.10	.4354	----	----	----	----	35 UNCH
5030	----	----	169.50B/125.40A	169.50B/125.40A	----	153.70 + 23.80	.4316	----	----	----	----	31 UNCH
5035	----	----	167.40B/123.70A	167.40B/123.70A	----	151.80 + 23.60	.4278	----	----	----	----	59 UNCH
5040	----	----	165.10B/122.10A	165.10B/122.10A	----	149.90 + 23.30	.4241	----	----	----	----	2 UNCH
5045	----	----	163.30B/120.40A	163.30B/120.40A	----	148.00 + 23.00	.4203	----	----	----	----	3 UNCH
5050	----	----	161.40B/119.20A	161.40B/119.20A	----	146.20 + 22.80	.4166	----	----	----	----	23 UNCH
5055	----	----	159.50B/117.20A	159.50B/117.20A	----	144.30 + 22.50	.4129	----	----	----	----	8 UNCH
5060	----	----	157.50B/115.70A	157.50B/115.70A	----	142.50 + 22.30	.4092	----	----	----	----	8 UNCH
5065	----	----	155.50B/114.50A	155.50B/114.50A	----	140.70 + 22.00	.4055	----	----	----	----	34 UNCH
5070	----	----	153.80B/113.10A	153.80B/113.10A	----	139.00 + 21.80	.4019	----	----	----	----	21 UNCH
5075	----	----	151.80B/111.60A	151.80B/111.60A	----	137.20 + 21.50	.3982	----	----	----	----	45 UNCH
5080	----	----	149.90B/110.30A	149.90B/110.30A	----	135.50 + 21.30	.3946	----	----	----	----	79 UNCH
5085	----	----	148.00B/108.80A	148.00B/108.80A	----	133.80 + 21.10	.3910	----	----	----	----	34 UNCH
5090	----	----	145.80B/107.10A	145.80B/107.10A	----	132.10 + 20.90	.3874	----	----	----	----	2 UNCH
5095	----	----	144.50B/105.70A	144.50B/105.70A	----	130.40 + 20.60	.3838	----	----	----	----	45 UNCH
5100	108.00	108.00	143.00B/104.90A	143.00B/104.90A	----	128.80 + 20.40	.3802	----	----	105	----	916 - 73
5105	----	----	140.80B/103.00A	140.80B/103.00A	----	127.10 + 20.10	.3766	----	----	----	----	61 UNCH
5110	----	----	138.80B/101.60A	138.80B/101.60A	----	125.50 + 19.90	.3731	----	----	----	----	4 UNCH
5115	----	----	137.40B/100.60A	137.40B/100.60A	----	123.90 + 19.70	.3696	----	----	----	----	27 UNCH
5120	----	----	135.60B/99.00A	135.60B/99.00A	----	122.30 + 19.50	.3661	----	----	----	----	38 UNCH
5125	103.20	103.20	134.00B/97.60A	134.00B/97.60A	----	120.80 + 19.30	.3627	----	----	17	----	231 + 17
5130	----	----	132.30B/96.40A	132.30B/96.40A	----	119.30 + 19.10	.3593	----	----	----	----	13 UNCH
5135	----	----	130.50B/95.00A	130.50B/95.00A	----	117.70 + 18.80	.3558	----	----	----	----	155 UNCH
5140	----	----	128.70B/93.90A	128.70B/93.90A	----	116.20 + 18.60	.3524	----	----	----	----	57 UNCH
5145	----	----	127.20B/92.60A	127.20B/92.60A	----	114.70 + 18.40	.3490	----	----	----	----	49 UNCH
5150	97.20	97.20	126.10B/91.70A	126.10B/91.70A	----	113.30 + 18.20	.3457	----	----	113	----	788 + 86
5155	----	----	124.10B/90.30A	124.10B/90.30A	----	111.80 + 18.00	.3423	----	----	----	----	4 UNCH
5160	----	----	122.70B/89.40A	122.70B/89.40A	----	110.40 + 17.80	.3390	----	----	----	----	9 UNCH
5165	117.50	117.50	121.40B/87.80A	121.40B/87.80A	----	109.00 + 17.60	.3357	----	----	3	----	4 UNCH
5170	----	----	119.50B/87.10A	119.50B/87.10A	----	107.60 + 17.40	.3324	----	----	----	----	6 UNCH
5175	----	----	118.10B/85.90A	118.10B/85.90A	----	106.20 + 17.20	.3291	----	----	----	----	55 UNCH
5180	----	----	116.20B/84.80A	116.20B/84.80A	----	104.80 + 17.00	.3258	----	----	----	----	14 UNCH
5185	----	----	115.00B/83.70A	115.00B/83.70A	----	103.50 + 16.80	.3226	----	----	----	----	118 UNCH
5190	----	----	113.60B/82.20A	113.60B/82.20A	----	102.10 + 16.60	.3194	----	----	----	----	2 UNCH
5195	----	----	112.10B/81.20A	112.10B/81.20A	----	100.80 + 16.40	.3162	----	----	----	----	39 UNCH
5200	102.90	102.90	111.10B/80.10A	111.10B/80.10A	----	99.50 + 16.20	.3130	----	----	355	----	1542 + 84
5205	----	----	109.10B/79.40A	109.10B/79.40A	----	98.20 + 16.00	.3099	----	----	----	----	8 UNCH
5210	----	----	107.70B/78.00A	107.70B/78.00A	----	96.90 + 15.80	.3067	----	----	----	----	42 UNCH
5215	79.90	79.90	106.40B/77.00A	106.40B/77.00A	----	95.70 + 15.70	.3037	----	----	4	----	10 + 1
5220	----	----	105.20B/76.40A	105.20B/76.40A	----	94.40 + 15.40	.3006	----	----	----	----	17 UNCH
5225	----	----	103.70B/75.40A	103.70B/75.40A	----	93.20 + 15.30	.2975	----	----	----	----	3 UNCH
5230	----	----	102.60B/74.00A	102.60B/74.00A	----	92.00 + 15.10	.2945	----	----	----	----	61 UNCH
5240	----	----	99.80B/72.10A	99.80B/72.10A	----	89.60 + 14.70	.2885	----	----	----	----	51 UNCH
5245	----	----	98.50B/71.30A	98.50B/71.30A	----	88.40 + 14.50	.2855	----	----	----	----	61 UNCH
5250	----	----	97.50B/70.30A	97.50B/70.30A	----	87.30 + 14.40	.2826	----	----	154	----	431 + 31
5255	92.00	92.00	96.10B/69.50A	96.10B/69.50A	----	86.10 + 14.10	.2796	----	----	1	----	13 - 1
5260	----	----	94.80B/68.60A	94.80B/68.60A	----	85.00 + 14.00	.2767	----	----	----	----	150 UNCH
5265	----	----	93.70B/67.70A	93.70B/67.70A	----	83.90 + 13.80	.2739	----	----	----	----	3 UNCH
5270	----	----	92.20B/67.00A	92.20B/67.00A	----	82.80 + 13.60	.2710	----	----	----	----	11 UNCH
5275	----	----	90.90B/65.90A	90.90B/65.90A	----	81.70 + 13.40	.2682	----	----	----	----	17 UNCH
5280	----	----	89.90B/65.10A	89.90B/65.10A	----	80.70 + 13.30	.2654	----	----	----	----	5 UNCH
5285	----	----	88.90B/64.20A	88.90B/64.20A	----	79.60 + 13.10	.2626	----	----	----	----	19 UNCH
5290	----	----	87.80B/63.40A	87.80B/63.40A	----	78.60 + 13.00	.2599	----	----	----	----	34 UNCH
5295	81.30	81.30	86.40B/62.80A	86.40B/62.80A	----	77.50 + 12.70	.2570	----	----	28	50	79 + 78
5300	78.80	78.80	85.70B/62.00A	85.70B/62.00A	----	76.50 + 12.60	.2543	----	----	168	----	1138 + 93
5305	82.30	82.30	84.30B/60.90A	84.30B/60.90A	----	75.50 + 12.40	.2517	----	----	12	----	47 + 2
5310	----	----	83.20B/60.20A	83.20B/60.20A	----	74.60 + 12.40	.2491	----	----	----	----	4 UNCH
5315	----	----	82.20B/59.50A	82.20B/59.50A	----	73.60 + 12.20	.2464	----	----	----	----	13 UNCH
5320	----	----	81.00B/58.60A	81.00B/58.60A	----	72.60 + 12.00	.2437	----	----	----	----	58 UNCH
5325	74.40	74.40	80.10B/58.00A	80.10B/58.00A	----	71.70 + 11.90	.2412	----	----	4	----	181 UNCH
5330	----	----	79.10B/57.10A	79.10B/57.10A	----	70.80 + 11.70	.2387	----	----	----	----	8 UNCH
5335	58.30	58.30	78.10B/56.40A	78.10B/56.40A	----	69.80 NEW	.2360	----	----	3	----	3 + 3
5340	----	----	77.10B/56.00A	77.10B/56.00A	----	68.90 + 11.40	.2335	----	----	5	----	29 + 4
5345	57.80	57.80	76.10B/55.10A	76.10B/55.10A	----	68.00 + 11.20	.2310	----	----	4	----	21 + 4
5350	60.60	60.60	75.10B/54.40A	75.10B/54.40A	----	67.20 + 11.10	.2287	----	----	6	----	545 + 4
5355	----	----	74.10B/53.60A	74.10B/53.60A	----	66.30 + 11.00	.2262	----	----	----	----	107 UNCH
5360	68.60	68.60	73.10B/53.00A	73.10B/53.00A	----	65.40 + 10.80	.2237	----	----	4	----	328 - 4
5365	----	----	72.20B/52.20A	72.20B/52.20A	----	64.60 + 10.70	.2213	----	----	----	----	147 UNCH
5370	----	----	71.20B/51.60A	71.20B/51.60A	----	63.80 + 10.60	.2190	----	----	----	----	23 UNCH
5375	----	----	70.30B/51.00A	70.30B/51.00A	----	63.00 + 10.50	.2167	----	----	5	----	9 + 5
5380	----	----	69.40B/50.60A	69.40B/50.60A	----	62.10 + 10.20	.2142	----	----	----	----	7 UNCH
5385	----	----	68.50B/49.70A	68.50B/49.70A	----	61.40 + 10.20	.2121	----	----	----	----	16 UNCH
5390	----	----	67.60B/49.10A	67.60B/49.10A	----	60.60 + 10.10	.2098	----	----	1	----	12 + 1
5395	----	----	66.80B/48.70A	66.80B/48.70A	----	59.80 + 9.90	.2074	----	----	----	----	24 UNCH
5400	49.20	49.20	66.00B/47.80A	66.00B/47.80A	----	59.00 + 9.70	.2051	----	----	47	----	2985 + 43
5405	----	----	65.10B/47.50A	65.10B/47.50A	----	58.30 + 9.70	.2030	----	----	----	----	10 UNCH
5410	----	----	64.30B/46.90A	64.30B/46.90A	----	57.50 + 9.50	.2007	----	----	----	----	19 UNCH
5415	----	----	63.40B/46.30A	63.40B/46.30A	----	56.80 + 9.40	.1986	----	----	----	----	18 UNCH
5420	----	----	62.60B/45.50A	62.60B/45.50A	----	56.10 + 9.30	.1965	----	----	----	----	16 UNCH
5425	----	----	61.80B/45.20A	61.80B/45.20A	----	55.40 + 9.20	.1944	----	----	----	----	27 UNCH
5430	56.10	56.10	61.00B/44.60A	61.00B/44.60A	----	54.70 + 9.10	.1923	----	----	5	----	11 + 5
5435	----	----	60.30B/43.80A	60.30B/43.80A	----	54.00 + 9.00	.1902	----	----	----	----	6 UNCH
5440	----	----	59.50B/43.50A	59.50B/43.50A	----	53.30 + 8.80	.1881	----	----	----	----	7 UNCH
5445	----	----	58.80B/42.90A	58.80B/42.90A	----	52.60 + 8.70	.1860	----	----	----	----	8 UNCH
5450	----	----	58.00B/42.30A	58.00B/42.30A	----	52.00 + 8.60	.1841	----	----	1	----	1186 UNCH
5455	----	----	57.30B/41.70A	57.30B/41.70A	----	51.30 + 8.50	.1820	----	----	----	----	38 UNCH
5460	----	----	56.60B/41.20A	56.60B/41.20A	----	50.70 + 8.40	.1802	----	----	----	----	23 UNCH
5465	----	----	55.80B/40.80A	55.80B/40.80A	----	50.10 + 8.30	.1783	----	----	----	----	16 UNCH
5470	----	----	55.10B/40.20A	55.10B/40.20A	----	49.40 + 8.20	.1762	----	----	----	----	26 UNCH
5475	----	----	54.50B/39.80A	54.50B/39.80A	----	48.80 + 8.10	.1743	----	----	----	----	206 UNCH
5480	----	----	53.80B/39.40A	53.80B/39.40A	----	48.20 + 8.00	.1724	----	----	----	----	5 UNCH
5485	----	----	53.00B/38.80A	53.00B/38.80A	----	47.60 + 7.90	.1706	----	----	----	----	9 UNCH
5490	----	----	52.30B/38.40A	52.30B/38.40A	----	47.00 + 7.80	.1687	----	----	----	----	17 UNCH
5495	----	----	51.70B/37.90A	51.70B/37.90A	----	46.50 + 7.70	.1671	----	----	----	----	4 UNCH
5500	50.10	50.10	51.30B/37.40A	51.30B/37.40A	----	45.90 + 7.60	.1652	----	----	321	----	3250 + 21
5505	----	----	50.40B/36.90A	50.40B/36.90A	----	45.30 + 7.50	.1633	----	----	----	----	8 UNCH
5510	----	----	49.70B/36.60A	49.70B/36.60A	----	44.80 + 7.50	.1617	----	----	----	----	13 UNCH
5515	----	----	49.20B/36.10A	49.20B/36.10A	----	44.20 + 7.30	.1598	----	----	----	----	10 UNCH
5520	----	----	48.40B/35.70A	48.40B/35.70A	----	43.70 + 7.30	.1582	----	----	----	----	11 UNCH
5525	----	----	48.00B/35.20A	48.00B/35.20A	----	43.10 + 7.10	.1564	----	----	----	----	90 UNCH
5530	----	----	47.20B/34.80A	47.20B/34.80A	----	42.60 + 7.00	.1547	----	----	----	----	23 UNCH
5535	41.60	41.60	46.70B/34.40A	46.70B/34.40A	----	42.10 + 7.00	.1531	----	----	2	----	4 + 2
5540	----	----	46.20B/33.90A	46.20B/33.90A	----	41.60 + 6.90	.1515	----	----	----	----	16 UNCH
5545	----	----	45.50B/33.50A	45.50B/33.50A	----	41.10 + 6.80	.1499	----	----	----	----	17 UNCH
5550	----	----	45.00B/33.10A	45.00B/33.10A	----	40.60 + 6.70	.1482	----	----	----	----	211 UNCH
5555	39.50	39.50	44.40B/32.70A	44.40B/32.70A	----	40.10 + 6.60	.1466	----	----	2	----	25 + 2
5560	----	----	43.80B/32.30A	43.80B/32.30A	----	39.60 + 6.50	.1450	----	----	----	----	23 UNCH
5565	----	----	43.30B/32.00A	43.30B/32.00A	----	39.20 + 6.50	.1436	----	----	----	----	12 UNCH
5570	----	----	42.70B/31.60A	42.70B/31.60A	----	38.70 + 6.40	.1420	----	----	----	----	4 UNCH
5575	----	----	42.20B/31.20A	42.20B/31.20A	----	38.20 + 6.30	.1404	----	----	2	----	31 + 2
5580	----	----	41.80B/30.80A	41.80B/30.80A	----	37.80 + 6.30	.1390	----	----	----	----	7 UNCH
5585	----	----	41.10B/30.50A	41.10B/30.50A	----	37.30 + 6.10	.1374	----	----	----	----	19 UNCH
5590	37.00	37.00	40.70B/30.10A	40.70B/30.10A	----	36.90 + 6.10	.1361	----	----	4	----	5 + 4
5595	----	----	40.20B/29.80A	40.20B/29.80A	----	36.50 + 6.10	.1347	----	----	----	----	19 UNCH
5600	31.60	31.60	39.80B/29.30A	39.80B/29.30A	----	36.00 + 5.90	.1331	----	----	46	----	1899 + 27
5605	----	----	39.20B/29.10A	39.20B/29.10A	----	35.60 + 5.90	.1317	----	----	----	----	32 UNCH
5610	----	----	38.70B/28.70A	38.70B/28.70A	----	35.20 + 5.80	.1304	----	----	----	----	1 UNCH
5620	33.90	33.90	37.90B/28.10A	37.90B/28.10A	----	34.40 NEW	.1277	----	----	5	----	5 + 5
5625	----	----	37.40B/27.80A	37.40B/27.80A	----	34.00 + 5.60	.1263	----	----	----	----	9 UNCH
5630	----	----	36.90B/27.50A	36.90B/27.50A	----	33.60 + 5.50	.1250	----	----	----	----	5 UNCH
5635	----	----	36.50B/27.20A	36.50B/27.20A	----	33.20 + 5.50	.1236	----	----	----	----	12 UNCH
5640	----	----	36.00B/26.90A	36.00B/26.90A	----	32.80 + 5.40	.1223	----	----	----	----	8 UNCH
5650	33.00	33.00	35.30B/26.20A	35.30B/26.20A	----	32.10 + 5.30	.1198	----	----	3	----	512 + 1
5660	27.50	27.50	34.40B/25.70A	34.40B/25.70A	----	31.40 + 5.20	.1174	----	----	1	----	7 + 1
5670	----	----	33.50B/25.20A	33.50B/25.20A	----	30.60 + 5.00	.1148	----	----	----	----	11 UNCH
5675	----	----	33.20B/24.90A	33.20B/24.90A	----	30.30 + 4.90	.1137	----	----	----	----	6 UNCH
5680	----	----	32.80B/24.70A	32.80B/24.70A	----	30.00 + 4.90	.1126	----	----	----	----	6 UNCH
5690	----	----	32.20B/24.10A	32.20B/24.10A	----	29.30 + 4.80	.1102	----	----	----	----	21 UNCH
5700	----	----	31.40B/23.60A	31.40B/23.60A	----	28.60 + 4.60	.1078	----	----	101	----	867 + 90

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5710	----	----	30.80B/23.10A	30.80B/23.10A	----	28.00 + 4.50	.1057	----	----	----	----	12 UNCH
5720	23.50	23.50	30.00B/22.60A	30.00B/22.60A	----	27.40 + 4.40	.1035	----	----	2	----	17 + 2
5725	----	----	29.70B/22.40A	29.70B/22.40A	----	27.10 + 4.40	.1025	----	----	----	----	57 UNCH
5730	----	----	29.30B/22.20A	29.30B/22.20A	----	26.80 + 4.30	.1014	----	----	----	----	9 UNCH
5740	----	----	28.70B/21.70A	28.70B/21.70A	----	26.20 + 4.20	.0993	----	----	1	----	9 + 1
5750	21.50	21.50	28.10B/21.20A	28.10B/21.20A	----	25.60 + 4.00	.0972	----	----	1	----	974 + 1
5760	----	----	27.40B/20.80A	27.40B/20.80A	----	25.10 + 4.00	.0954	----	----	----	----	168 UNCH
5770	----	----	26.80B/20.40A	26.80B/20.40A	----	24.50 + 3.80	.0933	----	----	----	----	4 UNCH
5775	----	----	26.50B/20.20A	26.50B/20.20A	----	24.30 + 3.80	.0925	----	----	----	----	215 UNCH
5780	----	----	26.20B/*20.00A	26.20B/*20.00A	----	24.00 + 3.70	.0915	----	----	----	----	2 UNCH
5790	----	----	25.50B/19.60A	25.50B/19.60A	----	23.50 + 3.70	.0897	----	----	----	----	10 UNCH
5800	----	----	25.10B/19.20A	25.10B/19.20A	----	23.00 + 3.50	.0879	----	----	----	----	891 UNCH
5810	24.20	24.20	24.50B/*18.90A	24.50B/*18.90A	----	22.50 + 3.40	.0861	----	----	1	----	11 + 1
5820	----	----	24.00B/*18.50A	24.00B/*18.50A	----	22.00 + 3.30	.0843	----	----	----	----	207 UNCH
5825	----	----	23.80B/18.30A	23.80B/18.30A	----	21.80 + 3.30	.0835	----	----	----	----	19 UNCH
5830	----	----	23.40B/18.20A	23.40B/18.20A	----	21.60 + 3.30	.0828	----	----	----	----	1 UNCH
5840	----	----	23.00B/17.80A	23.00B/17.80A	----	21.10 + 3.10	.0810	----	----	----	----	102 UNCH
5850	----	----	22.50B/*17.40A	22.50B/*17.40A	----	20.70 + 3.10	.0795	----	----	1	----	109 - 1
5860	----	----	22.10B/17.20A	22.10B/17.20A	----	20.20 + 2.90	.0777	----	----	----	----	76 UNCH
5870	----	----	21.60B/16.90A	21.60B/16.90A	----	19.80 + 2.80	.0763	----	----	----	----	9 UNCH
5875	----	----	21.40B/*16.70A	21.40B/*16.70A	----	19.60 + 2.80	.0755	----	----	----	----	22 UNCH
5880	----	----	21.20B/16.60A	21.20B/16.60A	----	19.40 + 2.70	.0748	----	----	----	----	11 UNCH
5890	----	----	20.60B/16.30A	20.60B/16.30A	----	19.00 + 2.60	.0733	----	----	----	----	9 UNCH
5900	----	----	20.30B/*15.90A	20.30B/*15.90A	----	18.60 + 2.50	.0718	----	----	----	----	416 UNCH
5910	----	----	19.80B/*15.70A	19.80B/*15.70A	----	18.30 + 2.50	.0706	----	----	----	----	7 UNCH
5920	----	----	19.40B/*15.40A	19.40B/*15.40A	----	17.90 + 2.40	.0692	----	----	----	----	25 UNCH
5925	----	----	19.20B/----	19.20B/*15.30A	----	17.70 + 2.40	.0685	----	----	----	----	6 UNCH
5940	----	----	18.60B/----	18.60B/*14.90A	----	17.20 + 2.30	.0666	----	----	----	----	2 UNCH
5950	----	----	18.40B/*14.60A	18.40B/*14.60A	----	16.90 + 2.20	.0654	----	----	----	----	3 UNCH
5960	----	----	17.90B/----	17.90B/*14.40A	----	16.60 + 2.20	.0642	----	----	----	----	15 UNCH
5970	----	----	17.60B/----	17.60B/*14.20A	----	16.30 + 2.10	.0631	----	----	----	----	55 UNCH
5980	----	----	17.20B/----	17.20B/*14.00A	----	16.00 + 2.10	.0619	----	----	----	----	3 UNCH
5990	----	----	16.90B/----	16.90B/*13.70A	----	15.70 + 2.00	.0608	----	----	----	----	70 UNCH
6000	----	----	16.70B/----	16.70B/13.50A	----	15.40 + 1.90	.0597	----	----	5	----	2589 + 4
6025	----	----	15.90B/----	15.90B/*13.00A	----	14.80 + 1.90	.0573	----	----	----	----	14 UNCH
6050	----	----	15.20B/----	15.20B/*12.50A	----	14.20 + 1.80	.0549	----	----	----	----	41 UNCH
6075	----	----	14.50B/----	14.50B/12.00A	----	13.60 + 1.60	.0526	----	----	----	----	90 UNCH
6100	----	----	13.90B/----	13.90B/*11.60A	----	13.10 + 1.60	.0506	----	----	----	----	256 UNCH
6125	----	----	13.30B/----	13.30B/*11.10A	----	12.60 + 1.50	.0486	----	----	----	----	60 UNCH
6150	----	----	12.80B/----	12.80B/*10.70A	----	12.10 + 1.40	.0466	----	----	----	----	880 UNCH
6175	----	----	12.30B/----	12.30B/*10.40A	----	11.70 + 1.40	.0450	----	----	----	----	38 UNCH
6200	----	----	11.80B/----	11.80B/*10.00A	----	11.30 + 1.30	.0433	----	----	----	----	536 UNCH
6225	----	----	11.40B/----	11.40B/*9.70A	----	10.90 + 1.20	.0417	----	----	----	----	20 UNCH
6250	----	----	11.00B/----	11.00B/*9.40A	----	10.50 + 1.10	.0401	----	----	----	----	392 UNCH
6275	----	----	10.60B/----	10.60B/*9.10A	----	10.20 + 1.10	.0389	----	----	----	----	3 UNCH
6300	----	----	10.20B/----	10.20B/*8.80A	----	9.90 + 1.10	.0376	----	----	----	----	335 UNCH
6325	----	----	9.80B/----	9.80B/*8.60A	----	9.50 + 1.00	.0361	----	----	----	----	32 UNCH
6350	----	----	9.50B/----	9.50B/*8.30A	----	9.30 + 1.00	.0351	----	----	----	----	32 UNCH
6375	----	----	9.20B/----	9.20B/*8.10A	----	9.00 + 0.90	.0339	----	----	----	----	37 UNCH
6400	----	----	8.90B/----	8.90B/7.90A	----	8.70 + 0.90	.0327	----	----	----	----	187 UNCH
6425	----	----	8.60B/----	8.60B/7.70A	----	8.50 + 0.90	.0319	----	----	----	----	15 UNCH
6450	----	----	8.40B/----	8.40B/7.50A	----	8.20 + 0.80	.0307	----	----	----	----	48 UNCH
6475	----	----	8.10B/----	8.10B/7.30A	----	8.00 + 0.80	.0298	----	----	----	----	14 UNCH
6500	8.10	8.10	8.10/8.10	8.10/7.10A	----	7.80 + 0.70	.0290	----	----	3	----	911 + 1
6525	----	----	7.60B/----	7.60B/6.90A	----	7.60 + 0.70	.0282	----	----	----	----	132 UNCH
6550	----	----	7.40B/----	7.40B/6.80A	----	7.40 + 0.70	.0273	----	----	----	----	1 UNCH
6575	----	----	7.20B/----	7.20B/6.60A	----	7.20 + 0.60	.0265	----	----	----	----	4 UNCH
6600	----	----	7.00B/----	7.00B/6.50A	----	7.00 + 0.60	.0257	----	----	----	----	26 UNCH
6650	----	----	6.60B/----	6.60B/6.20A	----	6.60 + 0.50	.0242	----	----	----	----	16 UNCH
6675	6.30	6.30	6.40B/6.30	6.40B/6.10A	----	6.50 + 0.50	.0237	----	----	1	----	1 UNCH
6700	----	----	6.30B/----	6.30B/5.90A	----	6.30 + 0.50	.0229	----	----	----	----	127 UNCH
6800	----	----	5.60B/----	5.60B/5.40A	----	5.80 + 0.50	.0208	----	----	----	----	199 UNCH
6825	----	----	5.50B/----	5.50B/5.40A	----	5.70 + 0.50	.0203	----	----	----	----	19 UNCH
6850	----	----	5.40B/----	5.40B/5.20A	----	5.50 + 0.40	.0196	----	----	----	----	201 UNCH
6875	----	----	5.20B/----	5.20B/5.20A	----	5.40 + 0.40	.0192	----	----	----	----	22 UNCH
6900	----	----	5.10B/----	5.10B/5.10A	----	5.30 + 0.40	.0188	----	----	----	----	19 UNCH
6925	----	----	5.00B/----	5.00B/5.00A	----	5.20 + 0.40	.0183	----	----	----	----	1 UNCH
6950	----	----	4.90B/----	4.90B/4.90A	----	5.10 + 0.40	.0179	----	----	----	----	22 UNCH
6975	----	----	4.80B/----	4.80B/4.80A	----	5.00 + 0.40	.0175	----	----	----	----	10 UNCH
7000	----	----	4.70B/----	4.70B/4.70A	----	4.90 + 0.40	.0171	----	----	----	----	817 UNCH
7050	----	----	4.50B/----	4.50B/4.60A	----	4.70 + 0.40	.0163	----	----	----	----	17 UNCH
7075	----	----	4.40B/----	4.40B/4.50A	----	4.60 + 0.40	.0159	----	----	----	----	13 UNCH
7100	----	----	4.30B/----	4.30B/4.40A	----	4.60 + 0.40	.0158	----	----	----	----	28 UNCH
7125	----	----	4.20B/----	4.20B/4.30A	----	4.50 + 0.40	.0154	----	----	----	----	1 UNCH
7150	----	----	4.10B/----	4.10B/4.30A	----	4.40 + 0.40	.0151	----	----	----	----	19 UNCH
7175	----	----	4.00B/----	4.00B/4.20A	----	4.30 + 0.40	.0147	----	----	----	----	1 UNCH
7200	----	----	4.00B/----	4.00B/4.10A	----	4.20 + 0.30	.0143	----	----	----	----	3 UNCH
7225	----	----	3.90B/----	3.90B/4.10A	----	4.20 + 0.40	.0142	----	----	----	----	22 UNCH
7250	----	----	3.80B/----	3.80B/4.00A	----	4.10 + 0.40	.0139	----	----	----	----	23 UNCH
7275	----	----	----	3.70B/3.90A	----	4.00 + 0.30	.0135	----	----	----	----	14 UNCH
7300	----	----	----	3.60B/3.90A	----	4.00 + 0.40	.0134	----	----	----	----	42 UNCH
7350	----	----	----	3.50B/3.80A	----	3.80 + 0.30	.0127	----	----	----	----	8 UNCH
7400	----	----	----	3.40B/3.70A	----	3.70 + 0.30	.0123	----	----	----	----	2 UNCH
7425	----	----	----	3.30B/3.60A	----	3.70 + 0.40	.0122	----	----	----	----	19 UNCH
7450	----	----	----	3.20B/3.60A	----	3.60 + 0.30	.0119	----	----	----	----	16 UNCH
7475	----	----	----	3.20B/3.50A	----	3.60 + 0.40	.0118	----	----	----	----	9 UNCH
7500	----	----	----	3.20B/3.50A	----	3.50 + 0.30	.0115	----	----	----	----	301 UNCH
7525	----	----	----	3.10B/3.40A	----	3.50 + 0.40	.0114	----	----	----	----	33 UNCH
7550	----	----	----	3.00B/3.40A	----	3.40 + 0.30	.0111	----	----	----	----	50 UNCH
7575	----	----	----	3.00B/3.30A	----	3.40 + 0.40	.0110	----	----	----	----	1 UNCH
7600	----	----	----	2.90B/3.30A	----	3.30 + 0.30	.0107	----	----	----	----	10 UNCH
7625	----	----	----	2.90B/3.20A	----	3.30 + 0.40	.0106	----	----	----	----	12 UNCH
7700	----	----	----	2.70B/3.10A	----	3.10 + 0.30	.0099	----	----	----	----	11 UNCH
7725	----	----	----	2.70B/3.10A	----	3.10 + 0.30	.0099	----	----	----	----	11 UNCH
7750	----	----	----	2.60B/3.00A	----	3.00 + 0.30	.0096	----	----	----	----	6 UNCH
7775	----	----	----	2.60B/3.00A	----	3.00 + 0.30	.0095	----	----	----	----	5 UNCH
7800	----	----	----	2.60B/3.00A	----	3.00 + 0.30	.0095	----	----	1	----	5 UNCH
7825	----	----	----	2.50B/2.90A	----	2.90 + 0.30	.0092	----	----	----	----	13 UNCH
7875	----	----	----	2.40B/2.90A	----	2.90 + 0.30	.0091	----	----	----	----	140 UNCH
7900	----	----	----	2.40B/2.80A	----	2.80 + 0.30	.0088	----	----	----	----	1 UNCH
8000	----	----	----	2.30B/2.70A	----	2.70 + 0.30	.0084	----	----	----	----	589 UNCH
8100	----	----	----	2.10B/2.60A	----	2.50 + 0.20	.0077	----	----	----	----	7 UNCH
8300	----	----	----	1.90B/2.40A	----	2.30 + 0.20	.0069	----	----	----	----	4 UNCH
8500	----	----	----	1.70B/2.00A	----	2.10 + 0.20	.0062	----	----	----	----	6 UNCH
8600	----	----	----	1.60B/2.10A	----	2.00 + 0.10	.0059	----	----	----	----	1 UNCH
8700	----	----	----	1.50B/2.10A	----	1.90 + 0.10	.0055	----	----	----	----	25 UNCH
8800	----	----	----	1.40B/2.00A	----	1.80 + 0.10	.0052	----	----	----	----	7 UNCH
9000	----	----	----	1.30B/1.90A	----	1.70 + 0.10	.0048	----	----	----	----	223 UNCH
9200	----	----	----	1.20B/1.80A	----	1.60 + 0.10	.0044	----	----	----	----	11 UNCH
9300	----	----	----	1.20B/1.80A	----	1.50 UNCH	.0042	----	----	----	----	4 UNCH
9400	----	----	----	1.10B/1.70A	----	1.40 UNCH	.0039	----	----	----	----	141 UNCH
9500	----	----	----	1.10B/1.60A	----	1.40 UNCH	.0038	----	----	----	----	66 UNCH
9900	----	----	----	0.90B/1.40A	----	1.20 UNCH	.0032	----	----	----	----	5 UNCH
10000	----	----	----/1.00A	0.90B/1.00A	----	1.10 - 0.10	.0029	----	----	----	----	173 UNCH
10100	----	----	----/*1.00A	0.80B/1.00A	----	1.10 UNCH	.0029	----	----	----	----	12 UNCH
11000	----	----	----	0.50B/1.00A	----	0.80 UNCH	.0020	----	----	----	----	88 UNCH
11200	----	----	----	0.40B/1.00A	----	0.70 UNCH	.0018	----	----	----	----	13 UNCH
11500	----	----	----/*0.50A	0.40B/*0.50A	----	0.60 - 0.10	.0015	----	----	----	----	47 UNCH
11600	----	----	----/*0.50A	0.30B/*0.50A	----	0.60 UNCH	.0015	----	----	----	----	50 UNCH
12000	----	----	----/0.50A	0.20B/0.50A	----	0.40 - 0.20	.0010	----	----	----	----	217 UNCH
TOTAL										2384	50	55140 + 726
AUG26												
3400	----	----	----	----	----	1517.70 + 70.50	.9814	----	----	----	----	1 UNCH
3500	----	----	1,412.30B/----	1412.30B/1433.70A	----	1419.00 + 70.20	.9767	----	----	----	----	46 UNCH
3505	----	----	1,407.40B/----	1407.40B/1428.80A	----	1414.10 + 70.20	.9764	----	----	----	----	4 UNCH
3520	----	----	1,392.60B/----	1392.60B/1413.90A	----	1399.30 + 70.10	.9755	----	----	----	----	65 UNCH
3550	----	----	1,364.90B/----	1364.90B/1382.60A	----	1369.80 + 70.00	.9737	----	----	----	----	310 UNCH
3600	----	----	1,317.60B/----	1317.60B/1331.70A	----	1320.80 + 69.80	.9704	----	----	----	----	1045 UNCH
3610	----	----	1,304.50B/----	1304.50B/1325.30A	----	1311.00 + 69.70	.9698	----	----	----	----	6 UNCH
3650	----	----	1,265.50B/----	1265.50B/1286.10A	----	1272.00 + 69.50	.9668	----	----	----	----	4 UNCH
3660	----	----	----	----	----	1262.20 + 69.40	.9661	----	----	----	----	1 UNCH
3685	----	----	----	----	----	1237.90 + 69.30	.9641	----	----	----	----	1 UNCH
3700	----	----	1,216.90B/----	1216.90B/1237.30A	----	1223.30 + 69.20	.9626	----	----	----	----	40 UNCH
3715	----	----	1,202.40B/----	1202.40B/1222.70A	----	1208.80 + 69.10	.9614	----	----	----	----	30 UNCH
3720	----	----	----	----	----	1203.90 + 69.10	.9609	----	----	----	----	1 UNCH
3735	----	----	----	----	----	1189.40 + 69.00	.9596	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 34

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
3750	----	----	1,168.60B/----	1168.60B/1188.70A	----	1174.90 + 68.90	.9582	----	----	----	----	8 UNCH
3775	----	----	1,144.50B/----	1144.50B/1164.60A	----	1150.80 + 68.70	.9556	----	----	----	----	4 UNCH
3780	----	----	1,139.70B/----	1139.70B/1159.80A	----	1146.00 + 68.70	.9550	----	----	----	----	10 UNCH
3790	----	----	1,130.10B/----	1130.10B/1150.10A	----	1136.30 + 68.50	.9541	----	----	----	----	67 UNCH
3800	----	----	1,122.10B/----	1122.10B/1138.90A	----	1126.70 + 68.50	.9530	----	----	----	----	303 UNCH
3820	----	----	1,101.40B/----	1101.40B/1121.20A	----	1107.50 + 68.30	.9507	----	----	----	----	3 UNCH
3840	----	----	----	----	----	1088.40 + 68.10	.9484	----	----	----	----	1 UNCH
3850	----	----	1,072.70B/----	1072.70B/1092.50A	----	1078.80 + 68.00	.9470	----	----	----	----	12 UNCH
3885	----	----	----	----	----	1045.50 + 67.70	.9425	----	----	----	----	2 UNCH
3890	----	----	----	----	----	1040.70 + 67.60	.9419	----	----	----	----	2 UNCH
3900	----	----	1,025.20B/----	1025.20B/1044.80A	----	1031.20 + 67.50	.9405	----	----	----	----	146 UNCH
3920	----	----	----	----	----	1012.30 + 67.30	.9377	----	----	----	----	1 UNCH
3925	----	----	1,001.70B/----	1001.70B/1021.00A	----	1007.60 + 67.20	.9369	----	----	----	----	10 UNCH
3950	----	----	978.10B/----	978.10B/997.40A	----	984.00 + 66.90	.9330	----	----	----	----	106 UNCH
3955	----	----	973.40B/----	973.40B/992.70A	----	979.30 + 66.80	.9324	----	----	----	----	7 UNCH
3975	----	----	954.80B/----	954.80B/973.90A	----	960.60 + 66.60	.9291	----	----	----	----	200 UNCH
3995	----	----	936.10B/----	936.10B/955.10A	----	941.90 + 66.30	.9256	----	----	----	----	30 UNCH
4000	----	----	937.00B/----	937.00B/947.40A	----	937.20 + 66.20	.9248	----	----	----	----	714 UNCH
4005	----	----	----	----	----	932.60 + 66.20	.9239	----	----	----	----	1 UNCH
4015	----	----	917.50B/----	917.50B/936.50A	----	923.30 + 66.00	.9221	----	----	----	----	12 UNCH
4025	----	----	908.30B/----	908.30B/927.20A	----	914.00 + 65.90	.9202	----	----	----	----	174 UNCH
4045	----	----	889.80B/----	889.80B/908.60A	----	895.50 + 65.50	.9164	----	----	----	----	30 UNCH
4050	----	----	885.20B/----	885.20B/904.00A	----	890.90 + 65.50	.9154	----	----	----	----	100 UNCH
4055	----	----	880.60B/----	880.60B/899.40A	----	886.30 + 65.40	.9143	----	----	----	----	100 UNCH
4075	----	----	862.30B/----	862.30B/881.00A	----	867.90 + 65.00	.9103	----	----	----	----	3 UNCH
4080	----	----	----	633.20B/981.70A	----	863.30 + 64.90	.9093	----	----	----	----	1 UNCH
4100	----	----	839.50B/----	839.50B/858.10A	----	845.10 + 64.60	.9048	----	----	----	----	73 UNCH
4110	----	----	830.40B/----	830.40B/849.00A	----	836.00 + 64.40	.9027	----	----	----	----	19 UNCH
4135	----	----	807.80B/----	807.80B/826.40A	----	813.30 + 63.80	.8968	----	----	----	----	20 UNCH
4140	----	----	----	639.70B/928.40A	----	808.80 + 63.80	.8955	----	----	----	----	1 UNCH
4150	----	----	794.30B/----	794.30B/812.80A	----	799.80 + 63.50	.8932	----	----	----	----	40 UNCH
4165	----	----	----	617.00B/906.50A	----	786.40 + 63.30	.8894	----	----	----	----	1 UNCH
4195	----	----	754.30B/----	754.30B/772.60A	----	759.70 + 62.60	.8814	----	----	----	----	3 UNCH
4200	----	----	749.90B/----	749.90B/768.10A	----	755.30 + 62.50	.8799	----	----	----	----	75 UNCH
4215	----	----	----	572.30B/863.20A	----	742.10 + 62.10	.8757	----	----	----	----	1 UNCH
4220	----	----	732.30B/----	732.30B/750.50A	----	737.70 + 62.00	.8743	----	----	----	----	16 UNCH
4225	----	----	727.90B/----	727.90B/746.10A	----	733.30 + 61.90	.8728	----	----	----	----	102 UNCH
4235	----	----	----	554.60B/846.40A	----	724.60 + 61.70	.8699	----	----	----	----	1 UNCH
4250	----	----	706.10B/----	706.10B/724.20A	----	711.50 + 61.20	.8654	----	----	----	----	71 UNCH
4265	----	----	693.20B/----	693.20B/711.20A	----	698.50 + 60.80	.8607	----	----	----	----	77 UNCH
4285	----	----	676.00B/----	676.00B/694.00A	----	681.40 + 60.30	.8542	----	----	----	----	8 UNCH
4300	----	----	663.70B/----	663.70B/681.30A	----	668.60 + 59.90	.8493	----	----	----	----	42 UNCH
4320	----	----	----	481.00B/778.90A	----	651.70 + 59.30	.8423	----	----	----	----	2 UNCH
4325	----	----	642.60B/----	642.60B/660.00A	----	647.50 + 59.20	.8405	----	----	----	----	6 UNCH
4330	----	----	638.50B/----	638.50B/655.90A	----	643.30 + 59.00	.8387	----	----	----	----	201 UNCH
4350	----	----	624.60B/----	624.60B/636.20A	----	626.60 + 58.40	.8314	----	----	----	----	774 UNCH
4360	----	----	----	445.80B/748.10A	----	618.30 + 58.10	.8277	----	----	----	----	1 UNCH
4375	----	----	601.20B/----	601.20B/618.30A	----	606.00 + 57.60	.8219	----	----	----	----	3 UNCH
4385	----	----	593.10B/----	593.10B/610.20A	----	597.80 + 57.30	.8179	----	----	----	----	100 UNCH
4390	----	----	----	419.80B/725.40A	----	593.80 + 57.20	.8159	----	----	----	----	1 UNCH
4400	----	----	582.30B/----	582.30B/596.50A	----	585.70 + 56.80	.8119	----	----	----	----	325 UNCH
4420	----	----	564.80B/----	564.80B/581.80A	----	569.60 + 56.10	.8036	----	----	----	----	50 UNCH
4425	----	----	560.90B/----	560.90B/577.80A	----	565.60 + 55.90	.8015	----	----	----	----	5 UNCH
4440	----	----	----	377.70B/668.00A	----	553.70 + 55.40	.7951	----	----	----	----	1 UNCH
4450	----	----	541.10B/----	541.10B/558.00A	----	545.80 + 55.00	.7908	----	----	----	----	6 UNCH
4455	----	----	----	365.30B/677.50A	----	541.90 + 54.80	.7885	----	----	----	----	2 UNCH
4460	----	----	533.40B/----	533.40B/550.10A	----	538.00 + 54.60	.7863	----	----	----	----	5 UNCH
4465	----	----	529.50B/----	529.50B/546.20A	----	534.10 + 54.40	.7841	----	----	----	----	9 UNCH
4470	----	----	525.60B/----	525.60B/542.30A	----	530.20 + 54.20	.7818	----	----	----	----	7 UNCH
4475	----	----	521.70B/----	521.70B/538.40A	----	526.30 + 54.00	.7795	----	----	----	----	29 UNCH
4485	----	----	514.10B/----	514.10B/530.70A	----	518.60 + 53.60	.7749	----	----	----	----	5 UNCH
4490	----	----	----	336.90B/652.60A	----	514.80 + 53.40	.7726	----	----	----	----	1 UNCH
4500	----	----	505.40B/----	505.40B/516.50A	----	507.20 + 53.00	.7679	----	----	----	----	846 UNCH
4535	----	----	476.60B/----	476.60B/492.90A	----	480.90 + 51.50	.7509	----	----	----	----	10 UNCH
4540	----	----	472.90B/----	472.90B/489.20A	----	477.20 + 51.30	.7483	----	----	----	----	5 UNCH
4545	----	----	----	293.90B/614.80A	----	473.50 + 51.00	.7459	----	----	----	----	1 UNCH
4550	----	----	465.60B/----	465.60B/481.90A	----	469.80 + 50.80	.7434	----	----	----	----	22 UNCH
4555	----	----	----	286.30B/608.00A	----	466.20 + 50.60	.7408	----	----	----	----	1 UNCH
4560	----	----	458.40B/----	458.40B/474.60A	----	462.50 + 50.30	.7382	----	----	----	----	5 UNCH
4565	----	----	----	404.70B/417.80A	----	458.90 + 50.10	.7356	----	----	----	----	1 UNCH
4575	----	----	447.60B/----	447.60B/411.00A	----	451.70 + 49.60	.7304	----	----	----	----	41 UNCH
4580	----	----	444.10B/----	444.10B/407.60A	----	448.10 + 49.40	.7278	----	----	----	----	200 UNCH
4585	----	----	411.70B/----	411.70B/404.30A	----	444.50 + 49.10	.7252	----	----	----	----	2 UNCH
4590	----	----	437.00B/----	437.00B/400.90A	----	441.00 + 48.90	.7225	----	----	----	----	16 UNCH
4595	----	----	413.40B/----	413.40B/397.60A	----	437.50 + 48.70	.7198	----	----	----	----	2 UNCH
4600	----	----	429.90B/----	429.90B/394.30A	----	434.00 + 48.50	.7171	----	----	----	----	100 UNCH
4605	----	----	416.20B/----	416.20B/391.00A	----	430.50 + 48.20	.7144	----	----	----	----	1 UNCH
4620	----	----	416.70B/----	416.70B/381.20A	----	420.10 + 47.50	.7061	----	----	----	----	4 UNCH
4640	----	----	420.40B/----	420.40B/368.40A	----	406.40 + 46.40	.6950	----	----	----	----	1 UNCH
4650	415.00	415.00	420.50B/353.70A	420.50B/353.70A	----	399.70 + 45.80	.6893	----	----	1	----	147 UNCH
4660	----	----	413.70B/----	413.70B/348.60A	----	393.10 + 45.40	.6835	----	----	----	----	2 UNCH
4670	----	----	406.90B/----	406.90B/342.20A	----	386.50 + 44.80	.6777	----	----	----	----	3 UNCH
4675	----	----	403.50B/----	403.50B/339.40A	----	383.30 + 44.60	.6748	----	----	----	----	36 UNCH
4700	----	----	387.10B/----	387.10B/324.90A	----	367.30 + 43.30	.6600	----	----	----	----	1619 UNCH
4705	----	----	383.80B/----	383.80B/321.70A	----	364.10 + 43.00	.6570	----	----	----	----	20 UNCH
4710	----	----	380.50B/313.90A	380.50B/313.90A	----	361.00 + 42.80	.6541	----	----	----	----	17 UNCH
4720	----	----	374.10B/304.40A	374.10B/304.40A	----	354.70 + 42.20	.6480	----	----	----	----	29 UNCH
4725	----	----	370.90B/302.90A	370.90B/302.90A	----	351.70 + 42.00	.6450	----	----	----	----	2 UNCH
4730	----	----	368.00B/299.10A	368.00B/299.10A	----	348.60 + 41.70	.6419	----	----	----	----	3 UNCH
4735	----	----	364.60B/298.90A	364.60B/298.90A	----	345.50 + 41.40	.6389	----	----	----	----	2 UNCH
4750	----	----	355.30B/289.10A	355.30B/289.10A	----	336.50 + 40.80	.6297	----	----	----	----	181 UNCH
4760	----	----	349.10B/282.60A	349.10B/282.60A	----	330.50 + 40.30	.6235	----	----	----	----	10 UNCH
4770	----	----	343.00B/279.50A	343.00B/279.50A	----	324.70 + 39.90	.6173	----	----	----	----	14 UNCH
4775	----	----	340.00B/275.00A	340.00B/275.00A	----	321.70 + 39.60	.6142	----	----	----	----	11 UNCH
4780	----	----	337.00B/275.20A	337.00B/275.20A	----	318.80 + 39.40	.6110	----	----	----	----	4 UNCH
4795	----	----	328.10B/266.20A	328.10B/266.20A	----	310.30 + 38.80	.6016	----	----	----	----	2 UNCH
4800	----	----	325.20B/262.80A	325.20B/262.80A	----	307.50 + 38.50	.5984	----	----	----	----	1622 UNCH
4810	----	----	319.30B/258.50A	319.30B/258.50A	----	301.90 + 38.10	.5921	----	----	----	----	4 UNCH
4815	----	----	316.50B/255.90A	316.50B/255.90A	----	299.10 + 37.80	.5889	----	----	----	----	3 UNCH
4820	----	----	313.60B/252.90A	313.60B/252.90A	----	296.40 + 37.60	.5857	----	----	----	----	21 UNCH
4825	----	----	310.90B/250.50A	310.90B/250.50A	----	293.70 + 37.30	.5826	----	----	----	----	11 UNCH
4830	----	----	307.90B/248.50A	307.90B/248.50A	----	291.00 + 37.10	.5794	----	----	----	----	11 UNCH
4835	----	----	305.70B/246.10A	305.70B/246.10A	----	288.30 + 36.80	.5762	----	----	----	----	38 UNCH
4840	----	----	302.40B/242.70A	302.40B/242.70A	----	285.70 + 36.50	.5730	----	----	----	----	11 UNCH
4850	----	----	297.30B/237.90A	297.30B/237.90A	----	280.40 + 35.90	.5666	----	----	3	----	57 + 3
4860	----	----	292.30B/234.10A	292.30B/234.10A	----	275.30 + 35.40	.5601	----	----	----	----	26 UNCH
4870	----	----	287.00B/229.80A	287.00B/229.80A	----	270.20 + 34.90	.5537	----	----	----	----	11 UNCH
4875	----	----	284.30B/227.40A	284.30B/227.40A	----	267.70 + 34.60	.5505	----	----	----	----	88 UNCH
4880	----	----	281.50B/224.10A	281.50B/224.10A	----	265.20 + 34.30	.5473	----	----	----	----	46 UNCH
4885	----	----	278.60B/222.00A	278.60B/222.00A	----	262.70 + 34.00	.5440	----	----	----	----	7 UNCH
4890	----	----	275.70B/219.80A	275.70B/219.80A	----	260.20 + 33.70	.5408	----	----	----	----	9 UNCH
4895	----	----	273.60B/217.70A	273.60B/217.70A	----	257.80 + 33.50	.5376	----	----	----	----	25 UNCH
4900	251.50	251.50	270.90B/215.60A	270.90B/215.60A	----	255.30 + 33.10	.5344	----	----	2	----	544 UNCH
4905	242.80	242.80	268.00B/213.90A	268.00B/213.90A	----	252.90 + 32.90	.5312	----	----	2	----	11 + 2
4910	----	----	266.20B/211.40A	266.20B/211.40A	----	250.50 + 32.60	.5279	----	----	----	----	7 UNCH
4925	----	----	258.90B/205.90A	258.90B/205.90A	----	243.30 + 31.80	.5183	----	----	----	----	125 UNCH
4935	----	----	253.80B/201.50A	253.80B/201.50A	----	238.60 + 31.20	.5118	----	----	----	----	1 UNCH
4940	----	----	250.60B/199.00A	250.60B/199.00A	----	236.30 + 31.00	.5086	----	----	----	----	1 UNCH
4950	----	----	246.80B/195.10A	246.80B/195.10A	----	231.60 + 30.40	.5022	----	----	----	----	64 UNCH
4955	----	----	243.80B/193.90A	243.80B/193.90A	----	229.40 + 30.20	.4990	----	----	----	----	22 UNCH
4960	232.40	232.40	242.10B/191.20A	242.10B/191.20A	----	227.10 + 29.90	.4958	----	----	12	----	18 + 12
4975	----	----	234.60B/186.00A	234.60B/186.00A	----	220.40 + 29.10	.4862	----	----	----	----	2 UNCH
4985	----	----	230.90B/182.70A	230.90B/182.70A	----	216.00 + 28.60	.4798	----	----	----	----	4 UNCH
4990	207.70	207.70	228.60B/180.50A	228.60B/180.50A	----	213.90 + 28.40	.4766	----	----	1	----	2 + 1
4995	----	----	226.40B/178.70A	226.40B/178.70A	----	211.70 + 28.00	.4735	----	----	----	----	3 UNCH
5000	210.00	210.00	224.60B/176.50A	224.60B/176.50A	----	209.60 + 27.80	.4703	----	----	58	----	1455 + 42
5005	----	----	222.10B/174.70A	222.10B/174.70A	----	207.50 + 27.60	.4671	----	----	----	----	10 UNCH
5015	----	----	217.60B/171.20A	217.60B/171.20A	----	203.40 + 27.10	.4608	----	----	----	----	3 UNCH
5025	----	----	213.50B/167.80A	213.50B/167.80A	----	199.40 + 26.70	.4546	----	----	95	----	100 + 95
5030	----	----	211.70B/166.00A	211.70B/166.00A	----	197.40 + 26.50	.4515	----	----	----	----	2 UNCH
5035	----	----	209.40B/164.30A	209.40B/164.30A	----	195.40 + 26.20	.4483	----	----	----	----	10 UNCH
5040	----	----	207.40B/162.70A	207.40B/162.70A	----	193.50 + 26.10	.4453	----	----	----	----	3 UNCH
5045	----	----	205.50B/161.00A	205.50B/161.00A	----	191.50 + 25.80	.4421	----	----	----	----	22 UNCH
5050	----	----	203.50B/159.40A	203.50B/159.40A	----	189.60 + 25.60	.4391	----	----	1	----	142 + 1
5060	----	----	199.30B/156.20A	199.30B/156.20A	----	185.90 + 25.20	.4330	----	----	----	----	10 UNCH
5065	----	----	197.40B/154.60A	197.40B/154.60A	----	184.00 + 25.00	.4299	----	----	----	----	43 UNCH
5070	----	----	195.50B/153.00A	195.50B/153.00A	----	182.20 + 24.80	.4269	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5075	----	----	193.60B/151.50A	193.60B/151.50A	----	180.30 + 24.50	.4238	----	----	----	----	204 UNCH
5080	----	----	191.50B/150.00A	191.50B/150.00A	----	178.50 + 24.30	.4208	----	----	----	----	21 UNCH
5090	----	----	187.60B/146.80A	187.60B/146.80A	----	175.00 NEW	.4148	----	----	1	----	1 + 1
5100	181.00	181.00	184.00B/143.90A	184.00B/143.90A	----	171.50 + 23.60	.4088	----	----	10	----	1594 UNCH
5105	----	----	182.10B/142.50A	182.10B/142.50A	----	169.80 + 23.40	.4059	----	----	----	----	2 UNCH
5110	----	----	180.30B/140.90A	180.30B/140.90A	----	168.00 + 23.10	.4029	----	----	----	----	4 UNCH
5115	----	----	178.60B/139.60A	178.60B/139.60A	----	166.40 + 23.00	.4000	----	----	----	----	4 UNCH
5125	----	----	174.90B/136.60A	174.90B/136.60A	----	163.00 + 22.50	.3941	----	----	----	----	20 UNCH
5130	----	----	173.40B/135.20A	173.40B/135.20A	----	161.40 + 22.40	.3912	----	----	----	----	1 UNCH
5145	----	----	168.00B/131.20A	168.00B/131.20A	----	156.50 + 21.80	.3825	----	----	----	----	14 UNCH
5150	----	----	166.50B/129.90A	166.50B/129.90A	----	154.90 + 21.60	.3796	----	----	----	----	87 UNCH
5155	----	----	164.80B/128.40A	164.80B/128.40A	----	153.40 + 21.40	.3768	----	----	----	----	4 UNCH
5160	----	----	163.10B/127.20A	163.10B/127.20A	----	151.80 + 21.20	.3740	----	----	----	----	6 UNCH
5165	----	----	161.50B/125.90A	161.50B/125.90A	----	150.30 + 21.10	.3712	----	----	----	----	2 UNCH
5170	----	----	159.80B/124.60A	159.80B/124.60A	----	148.70 + 20.80	.3683	----	----	----	----	6 UNCH
5175	----	----	158.10B/123.50A	158.10B/123.50A	----	147.20 + 20.60	.3655	----	----	----	----	1 UNCH
5185	----	----	155.00B/120.80A	155.00B/120.80A	----	144.20 + 20.20	.3599	----	----	----	----	2 UNCH
5190	----	----	153.50B/119.50A	153.50B/119.50A	----	142.80 + 20.10	.3572	----	----	----	----	4 UNCH
5195	----	----	151.80B/118.30A	151.80B/118.30A	----	141.30 + 19.90	.3544	----	----	----	----	12 UNCH
5200	118.10	118.10	150.40B/117.10A	150.40B/117.10A	----	139.90 + 19.70	.3517	----	----	2	----	2631 UNCH
5205	----	----	148.80B/115.90A	148.80B/115.90A	----	138.40 + 19.50	.3490	----	----	----	----	1 UNCH
5210	----	----	147.30B/114.70A	147.30B/114.70A	----	137.00 + 19.30	.3463	----	----	----	----	6 UNCH
5215	----	----	145.70B/113.50A	145.70B/113.50A	----	135.60 + 19.10	.3436	----	----	----	----	14 UNCH
5220	----	----	144.30B/112.40A	144.30B/112.40A	----	134.20 + 18.90	.3409	----	----	----	----	29 UNCH
5225	133.10	133.10	142.90B/111.20A	142.90B/111.20A	----	132.90 + 18.80	.3383	----	----	2	----	46 UNCH
5230	----	----	141.40B/110.20A	141.40B/110.20A	----	131.50 + 18.60	.3356	----	----	----	----	8 UNCH
5235	----	----	139.80B/108.90A	139.80B/108.90A	----	130.20 + 18.50	.3330	----	----	----	----	10 UNCH
5240	----	----	138.50B/107.80A	138.50B/107.80A	----	128.80 + 18.20	.3303	----	----	----	----	16 UNCH
5245	----	----	137.10B/106.80A	137.10B/106.80A	----	127.50 + 18.10	.3278	----	----	----	----	12 UNCH
5250	----	----	135.80B/105.60A	135.80B/105.60A	----	126.20 + 17.90	.3252	----	----	1	----	477 + 1
5255	----	----	134.60B/104.70A	134.60B/104.70A	----	124.90 + 17.70	.3226	----	----	----	----	888 UNCH
5260	----	----	132.90B/103.60A	132.90B/103.60A	----	123.60 + 17.60	.3200	----	----	----	----	24 UNCH
5265	----	----	131.60B/102.50A	131.60B/102.50A	----	122.30 + 17.40	.3174	----	----	----	----	10 UNCH
5270	----	----	130.30B/101.50A	130.30B/101.50A	----	121.10 + 17.20	.3150	----	----	----	----	18 UNCH
5275	----	----	128.90B/100.50A	128.90B/100.50A	----	119.80 + 17.00	.3124	----	----	----	----	17 UNCH
5280	----	----	127.60B/99.40A	127.60B/99.40A	----	118.60 + 16.90	.3099	----	----	----	----	6 UNCH
5285	----	----	126.50B/98.30A	126.50B/98.30A	----	117.40 + 16.70	.3074	----	----	----	----	31 UNCH
5290	----	----	124.90B/97.40A	124.90B/97.40A	----	116.20 + 16.60	.3050	----	----	----	----	6 UNCH
5295	----	----	123.80B/96.50A	123.80B/96.50A	----	115.00 + 16.40	.3025	----	----	----	----	6 UNCH
5300	----	----	122.60B/95.40A	122.60B/95.40A	----	113.80 + 16.20	.3000	----	----	----	----	635 UNCH
5305	----	----	121.40B/94.40A	121.40B/94.40A	----	112.70 + 16.10	.2977	----	----	----	----	6 UNCH
5310	----	----	119.90B/93.50A	119.90B/93.50A	----	111.50 + 15.90	.2952	----	----	----	----	105 UNCH
5320	----	----	117.70B/91.60A	117.70B/91.60A	----	109.20 + 15.60	.2904	----	----	----	----	9 UNCH
5325	----	----	116.70B/90.60A	116.70B/90.60A	----	108.10 + 15.40	.2881	----	----	----	----	11 UNCH
5330	----	----	115.20B/89.70A	115.20B/89.70A	----	107.00 + 15.30	.2857	----	----	----	----	3 UNCH
5350	----	----	110.60B/86.10A	110.60B/86.10A	----	102.70 + 14.70	.2765	----	----	----	----	30 UNCH
5355	----	----	109.40B/85.30A	109.40B/85.30A	----	101.60 + 14.50	.2742	----	----	----	----	1 UNCH
5360	----	----	108.40B/84.60A	108.40B/84.60A	----	100.60 + 14.40	.2720	----	----	----	----	110 UNCH
5370	----	----	106.10B/82.80A	106.10B/82.80A	----	98.50 + 14.10	.2674	----	----	----	----	2 UNCH
5375	----	----	105.00B/81.90A	105.00B/81.90A	----	97.50 + 13.90	.2652	----	----	----	----	4 UNCH
5400	----	----	99.90B/77.90A	99.90B/77.90A	----	92.60 + 13.20	.2544	----	----	----	----	2048 UNCH
5410	----	----	98.00B/76.30A	98.00B/76.30A	----	90.70 + 12.90	.2501	----	----	----	----	6 UNCH
5420	----	----	96.00B/74.80A	96.00B/74.80A	----	88.90 + 12.70	.2460	----	----	----	----	8 UNCH
5435	----	----	92.90B/72.60A	92.90B/72.60A	----	86.20 + 12.30	.2399	----	----	----	----	1 UNCH
5445	----	----	91.10B/71.20A	91.10B/71.20A	----	84.50 + 12.10	.2359	----	----	----	----	3 UNCH
5450	----	----	90.30B/70.60A	90.30B/70.60A	----	83.60 + 11.90	.2339	----	----	----	----	57 UNCH
5460	----	----	88.40B/69.10A	88.40B/69.10A	----	81.90 + 11.60	.2299	----	----	----	----	3 UNCH
5465	----	----	87.50B/68.60A	87.50B/68.60A	----	81.10 + 11.50	.2280	----	----	----	----	19 UNCH
5470	----	----	86.50B/67.80A	86.50B/67.80A	----	80.30 + 11.40	.2261	----	----	----	----	1 UNCH
5475	----	----	85.60B/67.20A	85.60B/67.20A	----	79.50 + 11.30	.2243	----	----	----	----	2 UNCH
5480	----	----	84.90B/66.60A	84.90B/66.60A	----	78.70 + 11.20	.2224	----	----	----	----	14 UNCH
5485	----	----	84.10B/65.90A	84.10B/65.90A	----	77.90 + 11.10	.2205	----	----	----	----	1 UNCH
5490	----	----	83.20B/65.30A	83.20B/65.30A	----	77.10 + 10.90	.2186	----	----	----	----	2 UNCH
5495	----	----	82.30B/64.70A	82.30B/64.70A	----	76.30 + 10.80	.2167	----	----	----	----	4 UNCH
5500	66.00	66.00	81.50B/64.00A	81.50B/64.00A	----	75.60 + 10.70	.2150	----	----	2	----	1275 + 2
5505	61.60	61.60	80.70B/61.60	80.70B/61.60	----	74.80 + 10.60	.2131	----	----	3	----	10 + 3
5515	----	----	79.00B/62.10A	79.00B/62.10A	----	73.30 + 10.30	.2095	----	----	----	----	2 UNCH
5525	----	----	77.40B/60.90A	77.40B/60.90A	----	71.90 + 10.20	.2060	----	----	----	----	29 UNCH
5535	----	----	75.90B/59.90A	75.90B/59.90A	----	70.50 + 10.00	.2026	----	----	----	----	6 UNCH
5545	68.60	68.60	74.40B/58.60A	74.40B/58.60A	----	69.10 + 9.70	.1992	----	----	1	----	2 UNCH
5550	----	----	73.60B/58.20A	73.60B/58.20A	----	68.40 + 9.60	.1975	----	----	1	----	126 UNCH
5560	----	----	72.20B/57.00A	72.20B/57.00A	----	67.10 + 9.40	.1942	----	----	----	----	2 UNCH
5565	----	----	71.30B/56.60A	71.30B/56.60A	----	66.40 + 9.30	.1925	----	----	----	----	5 UNCH
5570	----	----	70.80B/56.00A	70.80B/56.00A	----	65.80 + 9.20	.1910	----	----	----	----	2 UNCH
5575	----	----	70.10B/55.40A	70.10B/55.40A	----	65.10 + 9.10	.1893	----	----	----	----	3 UNCH
5580	----	----	69.10B/55.00A	69.10B/55.00A	----	64.50 + 9.00	.1877	----	----	----	----	17 UNCH
5595	----	----	67.10B/53.40A	67.10B/53.40A	----	62.60 + 8.70	.1830	----	----	----	----	3 UNCH
5600	----	----	66.50B/52.80A	66.50B/52.80A	----	62.00 + 8.60	.1814	----	----	----	----	1080 UNCH
5615	----	----	64.70B/51.50A	64.70B/51.50A	----	60.30 + 8.40	.1770	----	----	----	----	1 UNCH
5620	----	----	63.90B/50.90A	63.90B/50.90A	----	59.70 + 8.30	.1755	----	----	----	----	2 UNCH
5635	----	----	62.00B/49.50A	62.00B/49.50A	----	58.00 + 8.00	.1711	----	----	----	----	2 UNCH
5640	----	----	61.30B/49.10A	61.30B/49.10A	----	57.40 + 7.90	.1696	----	----	----	----	3 UNCH
5650	----	----	60.00B/48.10A	60.00B/48.10A	----	56.40 + 7.80	.1669	----	----	----	----	550 UNCH
5660	----	----	59.20B/47.30A	59.20B/47.30A	----	55.30 + 7.60	.1641	----	----	----	----	18 UNCH
5670	----	----	57.80B/46.40A	57.80B/46.40A	----	54.30 + 7.50	.1614	----	----	----	----	10 UNCH
5675	----	----	57.20B/46.00A	57.20B/46.00A	----	53.70 + 7.30	.1599	----	----	----	----	4 UNCH
5690	----	----	55.60B/44.80A	55.60B/44.80A	----	52.30 + 7.20	.1561	----	----	----	----	16 UNCH
5700	----	----	54.60B/44.10A	54.60B/44.10A	----	51.30 + 7.00	.1535	----	----	----	----	2341 UNCH
5720	----	----	52.50B/42.60A	52.50B/42.60A	----	49.40 + 6.70	.1484	----	----	----	----	13 UNCH
5725	----	----	52.00B/42.10A	52.00B/42.10A	----	49.00 + 6.60	.1473	----	----	----	----	1 UNCH
5730	----	----	51.50B/41.80A	51.50B/41.80A	----	48.50 + 6.50	.1460	----	----	----	----	15 UNCH
5750	----	----	49.60B/40.30A	49.60B/40.30A	----	46.80 + 6.30	.1414	----	----	----	----	300 UNCH
5775	----	----	47.30B/38.70A	47.30B/38.70A	----	44.70 + 5.90	.1356	----	----	----	----	2 UNCH
5800	----	----	45.30B/37.00A	45.30B/37.00A	----	42.80 + 5.70	.1303	----	----	50	----	1030 - 10
5825	----	----	43.20B/----	43.20B/35.60A	----	40.90 + 5.40	.1250	----	----	----	----	20 UNCH
5850	----	----	41.30B/----	41.30B/34.10A	----	39.20 + 5.10	.1202	----	----	2	----	165 UNCH
5875	----	----	39.70B/----	39.70B/32.80A	----	37.50 + 4.80	.1154	----	----	----	----	26 UNCH
5900	----	----	38.00B/----	38.00B/31.40A	----	35.90 + 4.60	.1109	----	----	----	----	1858 UNCH
5925	----	----	36.40B/----	36.40B/30.30A	----	34.40 + 4.30	.1066	----	----	----	----	2 UNCH
5950	----	----	34.80B/----	34.80B/29.10A	----	33.00 + 4.10	.1025	----	----	----	----	1 UNCH
6000	30.30	30.30	32.00B/30.30	32.00B/27.00A	----	30.50 + 3.80	.0951	----	----	85	----	1731 + 23
6100	----	----	27.10B/----	27.10B/23.40A	----	26.10 + 3.10	.0819	----	----	1	----	374 UNCH
6200	----	----	22.80B/----	22.80B/20.60A	----	22.60 + 2.60	.0711	----	----	----	----	1478 UNCH
6300	----	----	19.80B/----	19.80B/18.20A	----	19.80 + 2.20	.0623	----	----	1	----	85 UNCH
6400	----	----	17.50B/----	17.50B/16.30A	----	17.60 + 2.00	.0552	----	----	----	----	61 UNCH
6500	----	----	15.40B/----	15.40B/14.70A	----	15.70 + 1.80	.0490	----	----	5	----	765 + 3
6600	----	----	13.80B/----	13.80B/13.40A	----	14.20 + 1.60	.0440	----	----	----	----	150 UNCH
6700	----	----	12.40B/----	12.40B/12.10A	----	12.90 + 1.40	.0397	----	----	----	----	254 UNCH
6800	----	----	11.10B/----	11.10B/11.20A	----	11.80 + 1.20	.0360	----	----	----	----	49 UNCH
6900	----	----	10.30B/----	10.30B/10.30A	----	10.90 + 1.00	.0330	----	----	----	----	2 UNCH
7000	10.10	10.10	10.10/10.10	10.10/9.50A	----	10.00 + 0.80	.0300	----	----	3	----	623 + 1
7500	----	----	----	6.70B/7.00A	----	7.30 + 0.40	.0209	----	----	----	----	738 UNCH
8000	----	----	----	5.00B/5.60A	----	5.60 + 0.20	.0153	----	----	----	----	167 UNCH
8500	----	----	----	3.90B/4.60A	----	4.50 + 0.20	.0118	----	----	----	----	89 UNCH
9000	----	----	----	3.20B/3.90A	----	3.60 + 0.10	.0092	----	----	----	----	9 UNCH
9500	----	----	----	2.60B/3.30A	----	2.90 UNCH	.0072	----	----	----	----	69 UNCH
10000	----	----	----	2.10B/2.70A	----	2.30 - 0.30	.0056	----	----	----	----	98 UNCH
TOTAL										345		38659 + 180
SEP26												
3875	----	----	----	----	----	1094.60 + 66.30	.9334	----	----	----	----	1 UNCH
3995	----	----	----	750.10B/1106.30A	----	983.50 + 64.40	.9134	----	----	----	----	10 UNCH
4085	----	----	----	730.00B/1026.50A	----	902.20 + 62.80	.8948	----	----	----	----	37 UNCH
4130	----	----	----	689.80B/987.30A	----	862.30 + 61.90	.8843	----	----	----	----	10 UNCH
4185	----	----	----	641.40B/940.20A	----	814.30 + 60.80	.8702	----	----	----	----	37 UNCH
4200	----	----	----	628.40B/928.10A	----	801.30 + 60.40	.8660	----	----	----	----	1 UNCH
4220	----	----	----	611.20B/912.10A	----	784.20 + 60.00	.8604	----	----	----	----	162 UNCH
4290	----	----	----	551.10B/857.00A	----	725.20 + 58.20	.8390	----	----	----	----	6 UNCH
4295	----	----	----	546.70B/853.10A	----	721.10 + 58.20	.8373	----	----	----	----	50 UNCH
4300	----	----	----	542.40B/849.20A	----	717.00 + 58.10	.8357	----	----	----	----	13 UNCH
4320	----	----	----	525.10B/833.90A	----	700.50 + 57.50	.8291	----	----	----	----	162 UNCH
4375	----	----	----	478.50B/792.40A	----	656.10 + 56.00	.8097	----	----	----	----	1 UNCH
4390	----	----	----	466.00B/781.30A	----	644.20 + 55.60	.8041	----	----	----	----	200 UNCH
4425	----	----	----	437.30B/755.70A	----	616.80 + 54.60	.7907	----	----	----	----	1 UNCH
4495	----	----	----	381.90B/706.00A	----	563.70 + 52.30	.7619	----	----	----	----	18 UNCH
4500	----	----	----	378.00B/702.50A	----	560.00 + 52.20	.7597	----	----	----	----	5 UNCH
4505	----	----	----	374.20B/699.00A	----	556.40 + 52.10	.7576	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
4510	----	----	----	370.30B/695.60A	----	552.70 + 51.90	.7554	----	----	----	----	2 UNCH
4515	----	----	----	366.50B/692.10A	----	549.00 + 51.70	.7532	----	----	----	----	2 UNCH
4545	----	----	----	344.00B/671.70A	----	527.30 + 50.70	.7399	----	----	----	----	16 UNCH
4550	----	----	----	340.30B/668.30A	----	523.70 + 50.50	.7376	----	----	----	----	222 UNCH
4560	----	----	----	461.00B/476.40A	----	516.60 + 50.10	.7330	----	----	----	----	2 UNCH
4565	----	----	466.50B/----	466.50B/473.00A	----	513.00 + 49.80	.7307	----	----	----	----	2 UNCH
4570	----	----	467.50B/----	467.50B/469.60A	----	509.50 + 49.70	.7284	----	----	----	----	2 UNCH
4575	----	----	467.50B/----	467.50B/466.30A	----	506.00 + 49.50	.7261	----	----	----	----	2 UNCH
4580	----	----	469.10B/----	469.10B/463.00A	----	502.50 + 49.30	.7237	----	----	----	----	2 UNCH
4585	----	----	468.90B/----	468.90B/459.60A	----	499.00 + 49.10	.7213	----	----	----	----	2 UNCH
4590	----	----	470.60B/----	470.60B/456.30A	----	495.50 + 48.90	.7190	----	----	----	----	2 UNCH
4600	----	----	473.10B/----	473.10B/449.80A	----	488.60 + 48.50	.7143	----	----	----	----	53 UNCH
4650	----	----	474.80B/----	474.80B/417.80A	----	454.90 + 46.40	.6898	----	----	----	----	1 UNCH
4675	----	----	458.00B/391.00A	458.00B/391.00A	----	438.60 + 45.40	.6772	----	----	----	----	1 UNCH
4680	----	----	454.70B/388.40A	454.70B/388.40A	----	435.40 + 45.20	.6747	----	----	----	----	1 UNCH
4700	----	----	442.00B/376.50A	442.00B/376.50A	----	422.70 + 44.40	.6644	----	----	----	----	117 UNCH
4705	----	----	438.50B/373.50A	438.50B/373.50A	----	419.50 + 44.10	.6618	----	----	----	----	10 UNCH
4710	----	----	435.40B/370.60A	435.40B/370.60A	----	416.40 + 43.90	.6592	----	----	----	----	1 UNCH
4720	----	----	428.90B/365.00A	428.90B/365.00A	----	410.20 + 43.50	.6539	----	----	----	----	45 UNCH
4725	----	----	425.70B/362.20A	425.70B/362.20A	----	407.10 + 43.30	.6513	----	----	----	----	2 UNCH
4730	----	----	422.50B/359.70A	422.50B/359.70A	----	404.00 + 43.10	.6487	----	----	----	----	5 UNCH
4750	----	----	410.10B/348.70A	410.10B/348.70A	----	391.90 + 42.30	.6381	----	----	----	----	43 UNCH
4775	----	----	394.80B/334.90A	394.80B/334.90A	----	377.20 + 41.50	.6246	----	----	----	----	184 UNCH
4780	----	----	391.70B/332.60A	391.70B/332.60A	----	374.30 + 41.30	.6219	----	----	----	----	7 UNCH
4800	----	----	379.90B/322.20A	379.90B/322.20A	----	362.80 + 40.50	.6110	----	----	250	----	942 UNCH
4840	----	----	357.20B/----	357.20B/301.90A	----	340.40 + 38.60	.5891	----	----	----	----	2 UNCH
4850	----	----	351.40B/----	351.40B/297.00A	----	334.90 + 38.00	.5835	----	----	----	----	20 UNCH
4860	----	----	345.90B/----	345.90B/292.50A	----	329.50 + 37.40	.5780	----	----	----	----	2 UNCH
4875	----	----	337.60B/----	337.60B/285.20A	----	321.60 + 36.60	.5696	----	----	----	----	30 UNCH
4900	----	----	324.40B/----	324.40B/274.00A	----	308.50 + 35.00	.5557	----	----	----	----	260 UNCH
4920	----	----	314.00B/----	314.00B/264.90A	----	298.40 + 33.70	.5444	----	----	----	----	30 UNCH
4925	----	----	311.50B/----	311.50B/262.50A	----	295.90 + 33.40	.5416	----	----	----	----	1 UNCH
4930	----	----	309.10B/260.30A	309.10B/260.30A	----	293.40 + 33.00	.5388	----	----	----	----	1 UNCH
4950	----	----	299.20B/251.80A	299.20B/251.80A	----	283.70 NEW	.5276	----	----	250	----	250 + 250
4975	----	----	286.90B/241.40A	286.90B/241.40A	----	272.00 + 30.40	.5136	----	----	----	----	314 UNCH
5000	----	----	275.10B/----	275.10B/231.80A	----	260.70 + 29.00	.4996	----	----	----	----	725 UNCH
5005	----	----	272.90B/229.50A	272.90B/229.50A	----	258.40 + 28.60	.4968	----	----	----	----	1 UNCH
5050	----	----	253.00B/----	253.00B/212.90A	----	239.40 + 26.60	.4720	----	----	----	----	1 UNCH
5075	----	----	242.60B/----	242.60B/204.30A	----	229.50 + 25.70	.4584	----	----	----	----	1 UNCH
5100	212.10	212.10	232.50B/212.10	232.50B/195.60A	----	220.00 + 24.80	.4450	----	----	5	----	241 UNCH
5150	----	----	213.50B/----	213.50B/179.70A	----	202.00 + 23.10	.4188	----	----	----	----	3 UNCH
5155	----	----	211.60B/----	211.60B/178.20A	----	200.30 + 23.00	.4162	----	----	----	----	1 UNCH
5200	----	----	195.70B/----	195.70B/164.00A	----	185.50 + 21.60	.3934	----	----	----	----	373 UNCH
5230	----	----	185.90B/----	185.90B/156.80A	----	176.20 + 20.70	.3786	----	----	----	----	400 UNCH
5235	----	----	184.30B/----	184.30B/155.30A	----	174.70 + 20.60	.3762	----	----	----	----	1 UNCH
5245	----	----	181.00B/----	181.00B/153.00A	----	171.70 + 20.30	.3714	----	----	----	----	20 UNCH
5250	----	----	179.70B/----	179.70B/150.30A	----	170.30 + 20.20	.3690	----	----	----	----	200 UNCH
5300	----	----	164.60B/137.40A	164.60B/137.40A	----	156.20 + 18.70	.3456	----	----	----	----	1013 UNCH
5330	----	----	156.30B/----	156.30B/131.80A	----	148.30 + 17.80	.3321	----	----	----	----	20 UNCH
5335	----	----	155.00B/----	155.00B/131.40A	----	147.00 + 17.70	.3298	----	----	----	----	1 UNCH
5350	----	----	150.90B/----	150.90B/128.20A	----	143.30 + 17.30	.3233	----	----	----	----	1 UNCH
5370	----	----	145.90B/----	145.90B/123.90A	----	138.40 + 16.70	.3146	----	----	----	----	15 UNCH
5375	----	----	144.60B/----	144.60B/121.70A	----	137.20 + 16.60	.3125	----	----	----	----	2 UNCH
5400	----	----	138.30B/----	138.30B/117.40A	----	131.40 + 15.90	.3020	----	----	----	----	399 UNCH
5420	----	----	133.80B/----	133.80B/113.10A	----	126.90 + 15.40	.2938	----	----	----	----	80 UNCH
5425	----	----	132.40B/----	132.40B/111.10A	----	125.80 + 15.20	.2918	----	----	----	----	50 UNCH
5450	----	----	127.10B/----	127.10B/108.50A	----	120.50 + 14.60	.2819	----	----	----	----	5 UNCH
5460	----	----	124.80B/----	124.80B/105.60A	----	118.50 + 14.40	.2781	----	----	----	----	1 UNCH
5475	----	----	121.60B/----	121.60B/102.00A	----	115.40 + 13.90	.2722	----	----	----	----	2 UNCH
5500	112.00	112.00	116.30B/112.00	116.30B/99.00A	----	110.60 + 13.40	.2629	----	----	33	----	1277 + 33
5505	----	----	115.40B/----	115.40B/97.30A	----	109.60 + 13.20	.2611	----	----	----	----	3 UNCH
5520	----	----	112.50B/----	112.50B/96.20A	----	106.90 + 13.00	.2557	----	----	----	----	1 UNCH
5525	----	----	111.40B/----	111.40B/95.50A	----	105.90 + 12.80	.2538	----	----	----	----	2 UNCH
5540	----	----	108.60B/----	108.60B/93.50A	----	103.30 + 12.50	.2486	----	----	----	----	15 UNCH
5600	----	----	98.00B/----	98.00B/83.30A	----	93.30 + 11.30	.2284	----	----	----	----	938 UNCH
5625	----	----	93.90B/----	93.90B/80.00A	----	89.50 + 10.80	.2205	----	----	----	----	2 UNCH
5650	----	----	89.90B/----	89.90B/77.30A	----	85.90 + 10.50	.2130	----	----	----	----	539 UNCH
5665	----	----	87.80B/----	87.80B/75.70A	----	83.90 + 10.30	.2086	----	----	----	----	3 UNCH
5675	----	----	86.20B/----	86.20B/75.00A	----	82.50 + 10.10	.2057	----	----	----	----	8 UNCH
5700	----	----	82.70B/----	82.70B/70.90A	----	79.30 + 9.90	.1987	----	----	----	----	1061 UNCH
5730	----	----	78.60B/----	78.60B/68.80A	----	75.60 + 9.50	.1906	----	----	----	----	2 UNCH
5750	----	----	76.20B/----	76.20B/65.90A	----	73.30 + 9.30	.1855	----	----	----	----	237 UNCH
5800	----	----	70.20B/----	70.20B/61.00A	----	67.80 + 8.70	.1731	----	----	----	----	831 UNCH
5850	----	----	64.60B/----	64.60B/56.90A	----	62.70 + 8.00	.1616	----	----	----	----	563 UNCH
5900	----	----	59.80B/----	59.80B/53.10A	----	58.10 + 7.40	.1509	----	----	----	----	503 UNCH
5950	----	----	55.50B/----	55.50B/49.50A	----	53.80 + 6.60	.1408	----	----	----	----	51 UNCH
6000	----	----	51.20B/----	51.20B/46.50A	----	49.80 + 5.70	.1314	----	----	----	----	1310 UNCH
6100	----	----	43.50B/----	43.50B/40.30A	----	42.80 + 4.00	.1145	----	----	----	----	362 UNCH
6200	----	----	37.60B/----	37.60B/36.00A	----	37.40 + 3.30	.1009	----	----	----	----	229 UNCH
6300	----	----	33.70B/----	33.70B/32.10A	----	33.20 + 3.10	.0897	----	----	----	----	159 UNCH
6400	----	----	29.70B/----	29.70B/29.60A	----	29.70 + 3.00	.0803	----	----	----	----	212 UNCH
6500	----	----	24.70B/----	24.70B/26.90A	----	26.50 + 2.60	.0718	----	----	----	----	540 UNCH
6600	23.90	23.90	25.20/23.90	25.20/23.90	----	23.80 + 2.10	.0644	----	----	14	----	25 - 14
6650	----	----	----	20.50B/23.80A	----	22.60 + 1.90	.0612	----	----	----	----	5 UNCH
6750	----	----	----	18.30B/22.00A	----	20.40 + 1.50	.0552	----	----	----	----	11 UNCH
6775	----	----	----	17.90B/21.60A	----	19.90 + 1.40	.0538	----	----	----	----	1 UNCH
6800	----	----	----	17.60B/21.20A	----	19.50 + 1.40	.0527	----	----	----	----	127 UNCH
7000	----	----	----	14.80B/18.80A	----	16.40 + 0.80	.0439	----	----	----	----	200 UNCH
TOTAL										552		16067 + 269
OCT26												
3600	----	----	----	----	----	1360.50 + 68.30	.9547	----	----	----	----	12 UNCH
4300	----	----	----	548.10B/880.70A	----	734.60 + 56.50	.8170	----	----	----	----	102 UNCH
4400	----	----	----	466.50B/807.80A	----	656.90 + 53.70	.7820	----	----	----	----	8 UNCH
4405	----	----	----	462.50B/804.30A	----	653.10 + 53.60	.7801	----	----	----	----	2 UNCH
4480	----	----	----	404.70B/752.30A	----	597.70 + 51.40	.7511	----	----	----	----	1 UNCH
4500	----	----	----	389.80B/668.00A	----	583.30 + 50.70	.7430	----	----	----	----	3 UNCH
4515	----	----	----	378.80B/728.80A	----	572.70 + 50.30	.7368	----	----	----	----	1 UNCH
4550	----	----	514.90B/----	514.90B/511.70A	----	548.30 + 49.20	.7220	----	----	----	----	1 UNCH
4580	----	----	519.30B/----	519.30B/492.20A	----	527.90 + 48.30	.7090	----	----	----	----	70 UNCH
4600	----	----	522.10B/----	522.10B/479.50A	----	514.50 + 47.50	.7002	----	----	----	----	134 UNCH
4610	----	----	523.90B/----	523.90B/473.20A	----	507.90 + 47.20	.6957	----	----	----	----	5 UNCH
4620	----	----	519.70B/----	519.70B/467.00A	----	501.40 + 46.90	.6912	----	----	----	----	1 UNCH
4630	----	----	512.80B/----	512.80B/460.80A	----	494.90 + 46.60	.6866	----	----	----	----	3 UNCH
4650	----	----	499.90B/433.60A	499.90B/433.60A	----	482.10 + 45.90	.6775	----	----	----	----	1 UNCH
4670	----	----	486.90B/423.40A	486.90B/423.40A	----	469.50 + 45.20	.6682	----	----	----	----	1 UNCH
4675	----	----	483.70B/420.20A	483.70B/420.20A	----	466.40 + 45.00	.6659	----	----	----	----	1 UNCH
4690	----	----	474.20B/412.00A	474.20B/412.00A	----	457.10 + 44.50	.6588	----	----	----	----	1 UNCH
4700	----	----	467.90B/406.10A	467.90B/406.10A	----	451.00 + 44.10	.6540	----	----	----	----	5 UNCH
4710	----	----	461.40B/400.40A	461.40B/400.40A	----	444.90 + 43.70	.6493	----	----	----	----	1 UNCH
4715	----	----	458.30B/398.00A	458.30B/398.00A	----	441.90 + 43.60	.6469	----	----	----	----	2 UNCH
4750	----	----	437.10B/----	437.10B/379.00A	----	421.20 + 42.30	.6301	----	----	----	----	1 UNCH
4755	----	----	434.30B/----	434.30B/376.30A	----	418.30 + 42.10	.6276	----	----	----	----	1 UNCH
4800	----	----	408.10B/----	408.10B/353.10A	----	392.60 + 40.30	.6056	----	----	----	----	14 UNCH
4845	----	----	383.10B/----	383.10B/331.00A	----	367.90 + 38.40	.5832	----	----	1	----	2 + 1
4850	----	----	380.20B/----	380.20B/328.30A	----	365.30 + 38.20	.5807	----	----	----	----	54 UNCH
4865	----	----	372.10B/----	372.10B/321.50A	----	357.40 + 37.40	.5732	----	----	----	----	2 UNCH
4880	----	----	364.00B/----	364.00B/314.30A	----	349.70 + 36.50	.5657	----	----	----	----	1 UNCH
4900	----	----	353.70B/----	353.70B/305.30A	----	339.70 + 35.40	.5556	----	----	50	----	1278 UNCH
4910	----	----	348.50B/----	348.50B/301.10A	----	334.90 + 35.00	.5506	----	----	----	----	1 UNCH
4925	----	----	341.10B/----	341.10B/294.60A	----	327.60 + 34.20	.5430	----	----	----	----	18 UNCH
4935	----	----	336.00B/----	336.00B/290.00A	----	322.90 + 33.80	.5380	----	----	----	----	5 UNCH
4945	----	----	331.20B/----	331.20B/285.80A	----	318.20 + 33.40	.5329	----	----	----	----	3 UNCH
4950	----	----	328.80B/----	328.80B/283.70A	----	315.80 + 33.10	.5304	----	----	2	----	8 + 1
5000	301.00	301.00	305.40B/301.00	305.40B/263.40A	----	293.10 + 30.90	.5054	----	----	53	----	1451 UNCH
5025	----	----	294.30B/----	294.30B/253.80A	----	282.30 + 29.80	.4929	----	----	----	----	2 UNCH
5050	----	----	283.30B/----	283.30B/244.50A	----	271.90 + 28.80	.4806	----	----	----	----	57 UNCH
5075	----	----	272.90B/----	272.90B/235.50A	----	261.70 + 27.60	.4684	----	----	----	----	2 UNCH
5080	----	----	270.80B/----	270.80B/233.80A	----	259.80 + 27.40	.4660	----	----	----	----	3 UNCH
5085	----	----	268.90B/----	268.90B/232.00A	----	257.80 + 27.20	.4635	----	----	----	----	3 UNCH
5100	----	----	262.70B/----	262.70B/226.90A	----	252.00 + 26.50	.4563	----	----	125	----	802 + 125
5125	----	----	252.90B/----	252.90B/218.60A	----	242.60 + 25.50	.4443	----	----	----	----	1 UNCH
5150	----	----	243.50B/----	243.50B/210.60A	----	233.50 + 24.50	.4325	----	----	----	----	1 UNCH
5160	----	----	239.70B/----	239.70B/207.40A	----	229.90 + 24.10	.4278	----	----	----	----	1 UNCH
5200	----	----	225.50B/----	225.50B/195.40A	----	216.20 + 22.50	.4094	----	----	125	----	1083 + 50
5250	----	----	208.90B/----	208.90B/181.50A	----	200.30 + 20.90	.3870	----	----	----	----	522 UNCH
5255	----	----	207.20B/----	207.20B/180.00A	----	198.70 + 20.70	.3848	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
5300	----	----	193.40B/----	193.40B/168.30A	----	185.40 + 19.30	.3653	----	----	----	----	939 UNCH
5325	----	----	186.10B/----	186.10B/162.20A	----	178.40 + 18.60	.3549	----	----	----	----	1 UNCH
5365	----	----	174.90B/----	174.90B/152.90A	----	167.80 + 17.60	.3386	----	----	----	----	1 UNCH
5400	----	----	166.00B/----	166.00B/145.30A	----	159.00 + 16.60	.3247	----	----	----	----	158 UNCH
5435	----	----	157.20B/----	157.20B/138.00A	----	150.70 + 15.80	.3114	----	----	----	----	226 UNCH
5450	----	----	153.50B/----	153.50B/135.10A	----	147.30 + 15.40	.3058	----	----	----	----	66 UNCH
5455	----	----	152.50B/----	152.50B/134.10A	----	146.20 + 15.30	.3040	----	----	----	----	175 UNCH
5475	----	----	147.70B/----	147.70B/130.20A	----	141.70 + 14.70	.2966	----	----	----	----	1 UNCH
5500	----	----	142.10B/----	142.10B/125.70A	----	136.40 + 14.20	.2877	----	----	1	----	2006 UNCH
5545	----	----	132.60B/----	132.60B/117.90A	----	127.40 + 13.10	.2723	----	----	----	----	5 UNCH
5550	----	----	131.60B/----	131.60B/117.10A	----	126.50 + 13.10	.2706	----	----	----	----	100 UNCH
5590	----	----	124.20B/----	124.20B/110.60A	----	119.10 + 12.30	.2576	----	----	----	----	4 UNCH
5600	114.50	114.50	124.60/114.50	124.60/109.10A	----	117.30 + 12.00	.2544	----	----	74	----	212 + 28
5610	----	----	120.20B/----	120.20B/107.60A	----	115.60 + 11.90	.2514	----	----	----	----	1 UNCH
5615	----	----	119.20B/----	119.20B/106.80A	----	114.70 + 11.70	.2498	----	----	----	----	5 UNCH
5650	----	----	113.10B/----	113.10B/101.80A	----	108.90 + 11.10	.2392	----	----	----	----	401 UNCH
5655	----	----	112.20B/----	112.20B/101.10A	----	108.10 + 11.00	.2377	----	----	----	----	2 UNCH
5660	----	----	111.40B/----	111.40B/100.50A	----	107.30 + 10.90	.2363	----	----	----	----	1 UNCH
5675	----	----	108.90B/----	108.90B/98.40A	----	105.00 + 10.70	.2320	----	----	----	----	3 UNCH
5700	----	----	104.90B/----	104.90B/94.90A	----	101.20 + 10.30	.2249	----	----	----	----	20 UNCH
5710	----	----	103.40B/----	103.40B/93.60A	----	99.80 + 10.20	.2222	----	----	----	----	5 UNCH
5720	----	----	101.80B/----	101.80B/92.30A	----	98.30 + 10.00	.2194	----	----	----	----	75 UNCH
5750	----	----	97.40B/----	97.40B/88.50A	----	94.20 + 9.60	.2115	----	----	----	----	1 UNCH
5775	----	----	93.90B/----	93.90B/85.50A	----	90.90 + 9.30	.2051	----	----	----	----	50 UNCH
5800	----	----	90.40B/----	90.40B/82.60A	----	87.70 + 8.90	.1989	----	----	----	----	413 UNCH
5875	----	----	81.10B/----	81.10B/74.60A	----	78.90 + 7.90	.1814	----	----	----	----	1 UNCH
5900	----	----	78.30B/----	78.30B/72.00A	----	76.20 + 7.60	.1760	----	----	----	----	133 UNCH
5925	----	----	75.60B/----	75.60B/69.80A	----	73.70 + 7.30	.1708	----	----	----	----	1 UNCH
5950	----	----	72.90B/----	72.90B/67.60A	----	71.20 + 7.00	.1657	----	----	----	----	1 UNCH
6000	----	----	70.00B/----	70.00B/63.20A	----	66.60 + 6.50	.1561	----	----	----	----	3155 UNCH
6100	----	----	59.70B/----	59.70B/56.50A	----	58.60 + 5.60	.1389	----	----	----	----	66 UNCH
6200	----	----	51.70B/----	51.70B/50.80A	----	51.80 + 4.70	.1239	----	----	----	----	38 UNCH
6300	----	----	45.10B/----	45.10B/43.90A	----	46.10 + 4.00	.1110	----	----	----	----	757 UNCH
6400	----	----	41.30B/----	41.30B/41.50A	----	41.20 + 3.40	.0997	----	----	----	----	1911 UNCH
6500	38.30	38.30	38.30/38.30	38.30/38.00A	----	37.10 + 2.90	.0901	----	----	17	----	4739 + 12
6800	----	----	----	24.40B/30.70A	----	27.90 + 1.80	.0679	----	----	----	----	1385 UNCH
6900	----	----	----	22.10B/28.80A	----	25.70 + 1.60	.0624	----	----	----	----	1 UNCH
7000	----	----	----	20.20B/27.20A	----	23.80 + 1.50	.0575	----	----	16	----	1583 + 11
8000	----	----	----	10.50B/*14.40A	----	14.20 + 1.50	.0320	----	----	----	----	211 UNCH
8500	----	----	----	8.50B/15.80A	----	12.10 + 1.60	.0262	----	----	----	----	208 UNCH
9000	----	----	----	6.80B/14.10A	----	10.40 + 1.60	.0217	----	----	----	----	69 UNCH
9500	----	----	----	5.60B/12.60A	----	9.10 + 1.50	.0185	----	----	----	----	10 UNCH
TOTAL										464		24813 + 228
NOV26												
4000	----	----	----	831.20B/1188.40A	----	1033.50 + 63.00	.8864	----	----	----	----	1 UNCH
4100	----	----	----	744.80B/1104.20A	----	947.40 + 61.20	.8641	----	----	----	----	1 UNCH
4275	----	----	----	597.00B/970.00A	----	803.40 + 56.60	.8174	----	----	----	----	38 UNCH
4300	----	----	----	576.40B/951.60A	----	783.70 + 55.90	.8098	----	----	----	----	1 UNCH
4375	----	----	----	516.00B/897.70A	----	725.80 + 53.60	.7858	----	----	----	----	38 UNCH
4400	----	----	----	496.40B/880.10A	----	707.00 + 52.80	.7773	----	----	----	----	20 UNCH
4440	----	----	----	465.70B/852.50A	----	677.50 + 51.60	.7633	----	----	----	----	1 UNCH
4500	----	----	----	421.10B/812.10A	----	634.60 + 49.90	.7413	----	----	----	----	25 UNCH
4600	----	----	572.80B/----	572.80B/534.30A	----	567.10 + 47.50	.7022	----	----	----	----	1 UNCH
4750	----	----	488.90B/----	488.90B/437.40A	----	474.30 + 43.00	.6389	----	----	----	----	1 UNCH
4775	----	----	474.20B/----	474.20B/424.40A	----	459.80 + 42.10	.6280	----	----	----	----	31 UNCH
4800	----	----	459.60B/----	459.60B/411.10A	----	445.60 + 41.20	.6170	----	----	----	----	2 UNCH
4850	----	----	431.50B/----	431.50B/386.00A	----	418.00 + 39.50	.5947	----	----	----	----	25 UNCH
4900	----	----	404.70B/----	404.70B/362.10A	----	391.90 + 37.40	.5722	----	----	----	----	451 UNCH
4915	----	----	396.90B/----	396.90B/355.40A	----	384.40 + 36.70	.5654	----	----	----	----	1 UNCH
4925	----	----	391.90B/----	391.90B/351.10A	----	379.50 + 36.20	.5609	----	----	----	----	1 UNCH
4950	----	----	379.20B/----	379.20B/339.50A	----	367.40 + 35.00	.5495	----	----	----	----	150 UNCH
5000	----	----	355.10B/----	355.10B/318.50A	----	344.10 + 32.50	.5269	----	----	----	----	29 UNCH
5060	----	----	327.80B/----	327.80B/294.40A	----	318.00 + 30.20	.5001	----	----	1	----	2 UNCH
5080	----	----	319.60B/----	319.60B/286.90A	----	309.70 + 29.50	.4912	----	----	----	----	4 UNCH
5085	----	----	317.10B/----	317.10B/285.00A	----	307.60 + 29.20	.4890	----	----	----	----	4 UNCH
5175	----	----	280.70B/----	280.70B/253.40A	----	272.80 + 26.30	.4500	----	----	----	----	2 UNCH
5200	----	----	271.60B/----	271.60B/245.30A	----	263.80 + 25.60	.4394	----	----	----	----	26 UNCH
5250	----	----	253.50B/----	253.50B/229.80A	----	246.70 + 24.20	.4187	----	----	----	----	9 UNCH
5300	----	----	236.80B/----	236.80B/215.40A	----	230.60 + 22.80	.3986	----	----	----	----	27 UNCH
5370	----	----	215.10B/----	215.10B/196.50A	----	209.90 + 21.00	.3715	----	----	----	----	5 UNCH
5400	----	----	206.50B/----	206.50B/188.80A	----	201.60 + 20.20	.3603	----	----	----	----	17 UNCH
5450	----	----	192.80B/----	192.80B/176.70A	----	188.50 + 19.00	.3421	----	----	----	----	925 UNCH
5500	----	----	180.10B/----	180.10B/165.40A	----	176.30 + 17.80	.3248	----	----	----	----	79 UNCH
5550	----	----	168.00B/----	168.00B/154.80A	----	164.90 + 16.70	.3081	----	----	----	----	1 UNCH
5600	----	----	157.30B/----	157.30B/145.00A	----	154.40 + 15.80	.2922	----	----	----	----	43 UNCH
5700	----	----	137.60B/----	137.60B/127.60A	----	135.40 + 13.90	.2626	----	----	----	----	35 UNCH
5710	----	----	135.60B/----	135.60B/126.00A	----	133.60 + 13.60	.2597	----	----	----	----	1 UNCH
5800	----	----	120.30B/----	120.30B/112.50A	----	119.00 + 12.20	.2358	----	----	----	----	25 UNCH
5825	----	----	116.40B/----	116.40B/109.10A	----	115.30 + 11.80	.2296	----	----	----	----	2 UNCH
5900	----	----	105.60B/----	105.60B/99.60A	----	105.00 + 10.70	.2119	----	----	----	----	1 UNCH
5925	----	----	102.40B/----	102.40B/96.80A	----	101.80 + 10.40	.2064	----	----	----	----	4 UNCH
5975	----	----	95.90B/----	95.90B/91.20A	----	95.80 + 9.80	.1957	----	----	----	----	3 UNCH
6000	----	----	93.00B/----	93.00B/88.60A	----	93.00 + 9.50	.1907	----	----	----	----	231 UNCH
6100	----	----	82.10B/----	82.10B/79.00A	----	82.70 + 8.40	.1718	----	----	----	----	1 UNCH
6200	----	----	73.00B/----	73.00B/70.80A	----	73.90 + 7.50	.1552	----	----	----	----	1 UNCH
6400	----	----	57.80B/----	57.80B/59.20A	----	59.90 + 6.10	.1278	----	----	----	----	13 UNCH
6500	----	----	51.90B/----	51.90B/54.50A	----	54.30 + 5.50	.1164	----	----	----	----	1161 UNCH
8000	----	----	----	14.10B/26.00A	----	20.30 + 1.10	.0420	----	----	----	----	11 UNCH
9000	----	----	----	9.30B/20.70A	----	14.10 + 0.60	.0277	----	----	----	----	7 UNCH
20000	----	----	----	0.90B/2.00A	----	3.70 + 2.50	.0052	----	----	----	----	138 UNCH
TOTAL										1		3595 0
DEC26												
3550	----	----	----	----	----	1449.50 + 66.50	.9467	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1430.60 + 66.30	.9445	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1402.40 + 66.00	.9411	----	----	----	----	1 UNCH
3800	----	----	#1,209.10B/----	#1209.10B/1209.10A	----	1218.30 + 63.50	.9133	----	----	----	----	4 UNCH
3900	----	----	----	913.00B/1300.00A	----	1129.30 + 62.10	.8958	----	----	----	----	2 UNCH
4060	----	----	#983.60B/----	983.60B/982.70A	----	991.70 + 59.20	.8621	----	----	----	----	100 UNCH
4100	----	----	951.20B/----	951.20B/949.30A	----	958.40 + 58.40	.8525	----	----	----	----	48 UNCH
4160	----	----	#902.30B/----	902.30B/900.20A	----	909.40 + 57.20	.8372	----	----	----	----	100 UNCH
4175	----	----	#890.30B/----	890.30B/888.10A	----	897.30 + 56.90	.8333	----	----	----	----	37 UNCH
4200	----	----	#870.30B/----	870.30B/868.10A	----	877.30 + 56.40	.8265	----	----	----	----	150 UNCH
4250	----	----	#832.90B/----	832.90B/826.70A	----	838.00 + 55.30	.8124	----	----	----	----	293 UNCH
4255	----	----	#827.20B/----	827.20B/824.80A	----	834.10 + 55.20	.8109	----	----	----	----	50 UNCH
4300	----	----	#794.30B/----	794.30B/788.30A	----	799.50 + 54.10	.7975	----	----	----	----	436 UNCH
4315	----	----	----	563.30B/975.00A	----	788.10 + 53.80	.7928	----	----	----	----	1 UNCH
4320	----	----	#777.50B/----	777.50B/775.20A	----	784.30 + 53.60	.7913	----	----	----	----	100 UNCH
4350	----	----	#755.10B/----	755.10B/752.80A	----	761.90 + 53.00	.7819	----	----	----	----	206 UNCH
4375	----	----	#736.70B/----	736.70B/734.40A	----	743.50 + 52.40	.7737	----	----	----	----	61 UNCH
4400	----	----	----	497.40B/916.10A	----	725.30 + 51.80	.7655	----	----	----	----	2 UNCH
4425	----	----	#700.50B/----	700.50B/698.40A	----	707.30 + 51.10	.7570	----	----	----	----	8 UNCH
4450	----	----	682.80B/----	682.80B/680.80A	----	689.70 + 50.60	.7485	----	----	----	----	87 UNCH
4465	----	----	672.30B/----	672.30B/670.30A	----	679.20 + 50.20	.7432	----	----	----	----	93 UNCH
4490	----	----	655.00B/----	655.00B/653.20A	----	661.90 + 49.60	.7343	----	----	----	----	7 UNCH
4500	----	----	651.40B/----	651.40B/642.70A	----	655.10 + 49.40	.7307	----	----	----	----	757 UNCH
4525	----	----	631.20B/----	631.20B/604.80A	----	638.20 + 48.80	.7216	----	----	----	----	5 UNCH
4540	----	----	621.20B/----	621.20B/595.10A	----	628.10 + 48.30	.7161	----	----	----	----	9 UNCH
4550	----	----	607.90B/----	607.90B/588.70A	----	621.50 + 48.10	.7124	----	----	----	----	1 UNCH
4565	----	----	610.00B/----	610.00B/579.10A	----	611.70 + 47.80	.7068	----	----	----	----	93 UNCH
4580	----	----	613.00B/----	613.00B/569.70A	----	601.90 + 47.40	.7011	----	----	----	----	150 UNCH
4585	----	----	612.60B/----	612.60B/566.60A	----	598.70 + 47.30	.6992	----	----	----	----	325 UNCH
4590	----	----	612.00B/----	612.00B/563.40A	----	595.50 + 47.20	.6973	----	----	----	----	15 UNCH
4600	----	----	605.50B/----	605.50B/557.30A	----	589.10 + 46.90	.6935	----	----	----	----	145 UNCH
4615	----	----	595.70B/----	595.70B/548.10A	----	579.50 + 46.50	.6877	----	----	----	----	41 UNCH
4625	----	----	589.20B/----	589.20B/542.00A	----	573.30 + 46.30	.6839	----	----	----	----	71 UNCH
4640	----	----	579.60B/----	579.60B/533.00A	----	563.90 + 45.90	.6780	----	----	----	----	100 UNCH
4650	----	----	573.10B/----	573.10B/527.00A	----	557.70 + 45.60	.6741	----	----	----	----	302 UNCH
4700	----	----	542.10B/----	542.10B/484.20A	----	527.40 + 44.10	.6543	----	----	----	----	97 UNCH
4720	491.00	491.00	530.10B/491.00	530.10B/473.00A	----	515.50 + 43.40	.6462	----	----	1	----	0 - 1
4750	----	----	512.30B/----	512.30B/457.50A	----	498.00 + 42.30	.6341	----	----	----	----	211 UNCH
4780	----	----	494.90B/----	494.90B/441.20A	----	480.90 + 41.10	.6218	----	----	----	----	2 UNCH
4800	----	----	483.60B/----	483.60B/431.10A	----	469.70 + 40.30	.6135	----	----	----	----	175 UNCH
4810	----	----	478.20B/----	478.20B/426.40A	----	464.10 + 39.70	.6094	----	----	----	----	56 UNCH
4820	----	----	472.50B/----	472.50B/421.60A	----	458.60 + 39.30	.6053	----	----	----	----	49 UNCH
4825	----	----	469.70B/----	469.70B/418.70A	----	455.90 + 39.10	.6032	----	----	----	----	104 UNCH
4850	----	----	456.20B/----	456.20B/406.60A	----	442.30 + 37.80	.5927	----	----	----	----	291 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
4875	----	----	442.80B/----	442.80B/394.90A	----	429.00 + 36.40	.5822	----	----	----	----	1 UNCH
4880	----	----	440.20B/----	440.20B/392.30A	----	426.40 + 36.20	.5801	----	----	----	----	4 UNCH
4900	----	----	429.80B/----	429.80B/383.20A	----	416.00 + 35.10	.5717	----	----	----	----	92 UNCH
4925	----	----	417.10B/----	417.10B/371.70A	----	403.40 + 33.80	.5611	----	----	----	----	126 UNCH
4950	390.00	390.00	404.80B/388.00	404.80B/361.30A	----	391.00 + 32.40	.5505	----	----	3	----	103 + 3
4975	----	----	392.70B/----	392.70B/350.40A	----	379.00 + 31.10	.5399	----	----	----	----	50 UNCH
5000	----	----	381.10B/----	381.10B/339.90A	----	367.40 + 30.00	.5293	----	----	1	----	2174 UNCH
5025	----	----	369.40B/----	369.40B/329.60A	----	356.20 + 28.90	.5187	----	----	----	----	218 UNCH
5050	366.00	366.00	366.00/366.00	366.00/319.70A	----	345.30 + 27.90	.5083	----	----	1	----	101 + 1
5070	----	----	349.70B/----	349.70B/312.10A	----	336.90 + 27.20	.4999	----	----	----	----	13 UNCH
5075	----	----	347.50B/----	347.50B/310.20A	----	334.90 + 27.10	.4979	----	----	----	----	30 UNCH
5085	----	----	342.90B/----	342.90B/306.50A	----	330.80 NEW	.4937	----	----	1	----	1 + 1
5090	----	----	341.10B/----	341.10B/304.60A	----	328.70 + 26.50	.4917	----	----	----	----	13 UNCH
5100	----	----	337.00B/----	337.00B/300.90A	----	324.70 + 26.20	.4876	----	----	----	----	133 UNCH
5150	----	----	316.50B/----	316.50B/283.40A	----	305.50 + 24.90	.4673	----	----	----	----	1 UNCH
5175	----	----	306.80B/----	306.80B/274.70A	----	296.40 + 24.30	.4573	----	----	----	----	100 UNCH
5195	----	----	299.30B/----	299.30B/268.10A	----	289.30 + 23.90	.4494	----	----	----	----	5 UNCH
5200	----	----	297.40B/----	297.40B/266.50A	----	287.60 + 23.80	.4475	----	----	1	----	855 + 1
5250	----	----	279.40B/----	279.40B/251.00A	----	270.70 + 22.80	.4282	----	----	----	----	337 UNCH
5275	----	----	270.80B/----	270.80B/243.50A	----	262.70 + 22.40	.4188	----	----	----	----	20 UNCH
5300	----	----	262.30B/----	262.30B/236.00A	----	254.90 + 21.90	.4095	----	----	----	----	340 UNCH
5350	----	----	246.50B/----	246.50B/222.40A	----	239.90 + 20.90	.3912	----	----	----	----	457 UNCH
5360	----	----	243.50B/----	243.50B/219.60A	----	237.00 + 20.80	.3877	----	----	----	----	100 UNCH
5370	----	----	240.40B/----	240.40B/217.00A	----	234.20 + 20.60	.3841	----	----	----	----	20 UNCH
5400	230.00	230.00	231.60B/230.00	231.60B/209.40A	----	225.80 + 20.00	.3736	----	----	100	----	1690 - 70
5460	----	----	215.10B/----	215.10B/194.90A	----	209.90 + 18.90	.3532	----	----	----	----	200 UNCH
5465	----	----	213.40B/----	213.40B/193.80A	----	208.60 + 18.80	.3515	----	----	----	----	50 UNCH
5480	----	----	209.40B/----	209.40B/190.40A	----	204.80 + 18.50	.3466	----	----	----	----	50 UNCH
5500	----	----	204.30B/----	204.30B/185.90A	----	199.90 + 18.10	.3401	----	----	50	----	2425 + 50
5525	----	----	197.90B/----	197.90B/180.60A	----	193.90 + 17.60	.3320	----	----	----	----	80 UNCH
5550	----	----	191.90B/----	191.90B/175.40A	----	188.00 + 17.10	.3241	----	----	----	----	1 UNCH
5600	180.40	180.40	181.40/175.00	181.40/165.50A	----	176.90 + 16.10	.3088	----	----	102	----	1976 - 65
5650	----	----	169.50B/----	169.50B/156.30A	----	166.50 + 15.20	.2942	----	----	----	----	6 UNCH
5660	----	----	167.60B/----	167.60B/154.50A	----	164.50 + 15.00	.2913	----	----	----	----	1 UNCH
5675	----	----	164.70B/----	164.70B/151.90A	----	161.60 + 14.70	.2871	----	----	----	----	8 UNCH
5680	----	----	163.60B/----	163.60B/151.10A	----	160.60 + 14.60	.2857	----	----	----	----	1 UNCH
5685	----	----	162.50B/----	162.50B/150.20A	----	159.60 + 14.50	.2843	----	----	----	----	18 UNCH
5690	----	----	161.60B/----	161.60B/149.40A	----	158.70 + 14.50	.2830	----	----	----	----	7 UNCH
5700	----	----	159.60B/----	159.60B/147.70A	----	156.80 + 14.30	.2802	----	----	----	----	375 UNCH
5705	----	----	158.60B/----	158.60B/147.00A	----	155.80 + 14.10	.2788	----	----	----	----	5 UNCH
5710	----	----	157.60B/----	157.60B/146.10A	----	154.90 + 14.10	.2775	----	----	----	----	5 UNCH
5750	----	----	150.30B/----	150.30B/139.70A	----	147.70 + 13.40	.2668	----	----	----	----	576 UNCH
5770	----	----	146.70B/----	146.70B/136.70A	----	144.20 + 13.00	.2616	----	----	----	----	5 UNCH
5775	----	----	145.60B/----	145.60B/135.90A	----	143.40 + 13.00	.2604	----	----	----	----	2 UNCH
5800	----	----	141.20B/----	141.20B/132.20A	----	139.20 + 12.60	.2540	----	----	50	----	877 + 50
5810	----	----	139.40B/----	139.40B/130.80A	----	137.60 + 12.40	.2516	----	----	----	----	56 UNCH
5825	----	----	136.90B/----	136.90B/128.70A	----	135.20 + 12.20	.2479	----	----	----	----	4 UNCH
5850	----	----	133.00B/----	133.00B/125.20A	----	131.30 + 11.80	.2419	----	----	----	----	50 UNCH
5875	----	----	129.20B/----	129.20B/121.90A	----	127.50 + 11.40	.2360	----	----	----	----	9 UNCH
5900	----	----	125.40B/----	125.40B/118.50A	----	123.90 + 11.10	.2304	----	----	1	----	1264 - 1
5950	----	----	118.10B/----	118.10B/112.30A	----	117.00 + 10.40	.2194	----	----	----	----	25 UNCH
6000	111.00	111.00	111.40B/109.00	111.40B/106.40A	----	110.60 + 9.80	.2090	----	----	7	----	5934 + 1
6100	----	----	99.60B/----	99.60B/95.70A	----	99.00 + 8.60	.1898	----	----	----	----	40 UNCH
6150	----	----	94.20B/----	94.20B/90.80A	----	93.80 + 8.20	.1810	----	----	----	----	1 UNCH
6200	----	----	89.40B/----	89.40B/86.40A	----	88.90 + 7.70	.1726	----	----	----	----	3345 UNCH
6250	----	----	84.20B/----	84.20B/82.20A	----	84.40 + 7.30	.1647	----	----	----	----	20 UNCH
6300	----	----	79.80B/----	79.80B/78.10A	----	80.20 + 6.90	.1573	----	----	----	----	1046 UNCH
6400	----	----	72.20B/----	72.20B/71.90A	----	72.70 + 6.20	.1437	----	----	----	----	558 UNCH
6500	69.80	69.80	69.80/69.80	69.80/66.40A	----	66.20 + 5.60	.1317	----	----	1	----	5076 - 1
6750	----	----	49.90B/----	49.90B/51.80A	----	53.50 + 4.20	.1074	----	----	----	----	100 UNCH
6775	----	----	50.20B/----	50.20B/50.90A	----	52.40 + 4.00	.1052	----	----	----	----	163 UNCH
6800	----	----	50.50B/----	50.50B/50.70A	----	51.40 + 3.90	.1033	----	----	----	----	1814 UNCH
6900	----	----	46.30B/----	46.30B/49.70A	----	47.80 + 3.60	.0960	----	----	----	----	12 UNCH
7000	45.00	45.00	45.00/45.00	45.00/45.00	----	44.60 + 3.40	.0895	----	----	5	----	4039 + 5
7130	----	----	38.10B/----	38.10B/43.90A	----	41.00 + 3.10	.0821	----	----	----	----	200 UNCH
7175	----	----	----	33.50B/43.60A	----	39.90 + 3.10	.0798	----	----	----	----	125 UNCH
7250	----	----	----	30.70B/42.00A	----	38.10 + 2.90	.0760	----	----	----	----	108 UNCH
7500	----	----	----	25.40B/37.70A	----	33.40 + 2.80	.0659	----	----	----	----	109 UNCH
8000	25.50	25.50	25.50/25.20	25.50/25.20	----	26.70 + 2.50	.0514	----	----	10	----	629 UNCH
8125	----	----	----	17.60B/30.50A	----	25.40 + 2.30	.0486	----	----	----	----	801 UNCH
8500	----	----	----	14.80B/27.90A	----	22.00 + 1.60	.0414	----	----	----	----	170 UNCH
8630	----	----	----	14.10B/27.20A	----	21.00 + 1.40	.0393	----	----	----	----	400 UNCH
8725	----	----	----	13.90B/26.60A	----	20.40 + 1.20	.0380	----	----	----	----	250 UNCH
9000	18.00	18.00	18.00/17.90A	18.00/17.90A	----	18.80 + 0.70	.0345	----	----	1	----	104 + 1
9500	----	----	----	10.60B/23.10A	----	16.90 + 0.10	.0301	----	----	----	----	287 UNCH
9900	----	----	----	9.50B/21.80A	----	15.90 - 0.20	.0276	----	----	----	----	17 UNCH
10000	15.00	15.00	15.80/15.00	15.80/15.00	----	15.70 - 0.20	.0270	----	----	24	----	7855 + 19
11000	----	----	----	6.90B/18.60A	----	13.90 - 0.40	.0226	----	----	----	----	387 UNCH
13000	----	----	----	9.00B/14.10A	----	10.80 - 0.10	.0163	----	----	----	----	394 UNCH
15000	6.50	6.50	7.00/6.50	7.00/6.50	----	7.70 + 0.20	.0113	----	----	28	----	18939 + 18
17000	----	----	----	0.30B/8.40A	----	5.00 + 0.20	.0073	----	----	----	----	27 UNCH
19000	----	----	----	----/26.70A	----	3.00 + 0.10	.0045	----	----	----	----	7 UNCH
20000	2.30	2.30	2.30/2.30	2.30/2.30	----	2.30 UNCH	.0035	----	----	11	----	19088 + 8
21000	----	----	----	----/25.30A	----	1.70 UNCH	.0026	----	----	----	----	23 UNCH
24000	----	----	----	----/23.80A	----	1.50 UNCH	.0022	----	----	----	----	31 UNCH
TOTAL										398		91947 + 20
JAN27												
4190	----	----	----	680.20B/1144.20A	----	931.70 + 57.10	.8246	----	----	----	----	1 UNCH
4290	----	----	----	598.90B/1072.40A	----	853.90 + 54.80	.7977	----	----	----	----	1 UNCH
4300	----	----	----	591.00B/1065.30A	----	846.30 + 54.60	.7948	----	----	----	----	1 UNCH
4400	----	----	----	513.80B/996.80A	----	772.40 + 52.30	.7650	----	----	----	----	1 UNCH
4650	----	----	617.50B/----	617.50B/578.50A	----	604.90 + 46.40	.6802	----	----	----	----	1 UNCH
4750	----	----	556.40B/----	556.40B/511.70A	----	545.10 + 43.70	.6432	----	----	----	----	5 UNCH
4760	----	----	550.30B/----	550.30B/506.40A	----	539.40 + 43.40	.6394	----	----	----	----	100 UNCH
4800	----	----	527.30B/----	527.30B/485.30A	----	516.80 + 42.10	.6242	----	----	----	----	1 UNCH
4850	----	----	501.40B/----	501.40B/460.10A	----	489.60 + 40.40	.6049	----	----	----	----	1 UNCH
4875	----	----	488.30B/----	488.30B/447.90A	----	476.50 + 39.60	.5952	----	----	----	----	4 UNCH
4900	----	----	475.10B/----	475.10B/435.70A	----	463.60 + 38.70	.5855	----	----	----	----	9 UNCH
5000	----	----	425.10B/----	425.10B/391.30A	----	415.10 + 34.70	.5464	----	----	----	----	27 UNCH
5050	----	----	400.70B/----	400.70B/370.40A	----	392.70 + 32.80	.5269	----	----	----	----	100 UNCH
5100	----	----	379.00B/----	379.00B/350.70A	----	371.50 + 31.00	.5077	----	----	----	----	1 UNCH
5195	----	----	339.80B/----	339.80B/315.80A	----	334.50 + 28.30	.4720	----	----	----	----	11 UNCH
5250	----	----	319.70B/----	319.70B/297.30A	----	314.70 + 26.90	.4520	----	----	----	----	7 UNCH
5300	----	----	301.60B/----	301.60B/281.70A	----	297.80 + 25.70	.4342	----	----	----	----	1 UNCH
5400	----	----	269.00B/----	269.00B/252.60A	----	266.30 + 23.40	.3999	----	----	----	----	2 UNCH
5500	----	----	239.30B/----	239.30B/227.10A	----	238.10 + 21.20	.3675	----	----	----	----	24 UNCH
5550	----	----	226.20B/----	226.20B/215.30A	----	225.20 + 20.20	.3521	----	----	----	----	1 UNCH
5820	----	----	166.00B/----	166.00B/162.40A	----	167.70 + 15.40	.2781	----	----	----	----	6 UNCH
5850	----	----	160.80B/----	160.80B/157.50A	----	162.40 + 14.90	.2709	----	----	----	----	3 UNCH
5900	----	----	151.70B/----	151.70B/149.60A	----	154.10 + 14.30	.2593	----	----	----	----	5 UNCH
6000	----	----	136.00B/----	136.00B/135.30A	----	138.80 + 12.90	.2374	----	----	----	----	204 UNCH
6025	----	----	132.30B/----	132.30B/132.00A	----	135.30 + 12.60	.2323	----	----	----	----	1 UNCH
6300	----	----	99.90B/----	99.90B/101.60A	----	102.20 + 9.50	.1824	----	----	----	----	2 UNCH
20000	----	----	----/3.70A	3.10B/3.70A	----	4.00 UNCH	.0056	----	----	----	----	49 UNCH
TOTAL												569 0
FEB27												
5000	----	----	438.90B/----	438.90B/406.80A	----	435.20 + 33.70	.5476	----	----	----	----	1 UNCH
5100	----	----	394.80B/----	394.80B/366.40A	----	392.00 + 31.10	.5108	----	----	----	----	1 UNCH
5175	----	----	363.20B/----	363.20B/338.70A	----	362.40 + 29.30	.4839	----	----	----	----	125 UNCH
5300	----	----	316.90B/----	316.90B/297.50A	----	317.80 + 26.30	.4408	----	----	----	----	50 UNCH
5375	----	----	291.40B/----	291.40B/275.10A	----	293.60 + 24.50	.4160	----	----	----	----	1 UNCH
5400	----	----	283.60B/----	283.60B/268.10A	----	286.00 + 23.90	.4079	----	----	----	----	1 UNCH
5520	----	----	248.20B/----	248.20B/237.10A	----	252.10 + 21.20	.3709	----	----	----	----	300 UNCH
5530	----	----	246.10B/----	246.10B/234.70A	----	249.50 + 21.00	.3679	----	----	----	----	100 UNCH
5550	----	----	240.30B/----	240.30B/230.20A	----	244.30 + 20.60	.3620	----	----	----	----	65 UNCH
5600	----	----	227.60B/----	227.60B/218.80A	----	231.90 + 19.50	.3477	----	----	----	----	1 UNCH
6000	----	----	148.80B/----	148.80B/149.50A	----	154.60 + 12.10	.2501	----	----	----	----	9 UNCH
6025	----	----	145.00B/----	145.00B/146.10A	----	150.90 + 11.70	.2450	----	----	----	----	4 UNCH
6100	----	----	134.50B/----	134.50B/136.70A	----	140.40 + 10.60	.2305	----	----	----	----	1 UNCH
6300	----	----	110.50B/----	110.50B/115.40A	----	116.70 + 8.30	.1962	----	----	----	----	1 UNCH
6500	----	----	91.70B/----	91.70B/98.70A	----	98.00 + 7.30	.1678	----	----	----	----	110 UNCH
6900	----	----	65.30B/----	65.30B/74.70A	----	71.60 + 7.50	.1254	----	----	----	----	532 UNCH
7000	68.00	68.00	68.00/68.00	68.00/67.90A	----	66.70 + 7.10	.1172	----	----	1	----	384 + 1
7100	----	----	56.10B/----	56.10B/66.20A	----	62.30 + 6.30	.1097	----	----	----	----	8 UNCH
7900	----	----	----	0.10B/82.90A	----	35.20 + 1.90	.0640	----	----	----	----	500 UNCH
8000	----	----	----	0.10B/80.70A	----	32.70 + 1.70	.0598	----	----	----	----	500 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
TOTAL										1		2694 + 1
MAR27												
4210	----	----	----	575.10B/1335.30A	----	978.50 + 58.70	.8045	----	----	----	----	1 UNCH
5000	----	----	----	65.50B/876.90A	----	496.00 + 34.40	.5621	----	----	----	----	75 UNCH
6000	----	----	----	0.10B/429.20A	----	241.70 + 61.30	.3095	----	----	----	----	2 UNCH
TOTAL												78 0
APR27												
5000	----	----	----	----	----	518.50 + 36.70	.5631	----	----	----	----	100 UNCH
5600	----	----	----	----/724.70A	----	304.70 + 28.00	.3866	----	----	----	----	300 UNCH
6000	----	----	----	----/529.10A	----	220.60 + 22.00	.2973	----	----	----	----	151 UNCH
TOTAL												551 0
JUN27												
9500	----	----	----	----	----	22.20 + 2.40	.0373	----	----	----	----	1 UNCH
TOTAL												1 0
DEC27												
4860	----	----	----	----	----	806.70 + 42.80	.6366	----	----	----	----	100 UNCH
5000	----	----	----	----	----	739.60 + 40.40	.6031	----	----	----	----	50 UNCH
5650	----	----	----	----	----	484.70 + 30.40	.4534	----	----	----	----	200 UNCH
5700	----	----	----	----	----	468.80 + 29.60	.4427	----	----	----	----	150 UNCH
5800	----	----	----	----	----	438.60 + 28.20	.4220	----	----	----	----	200 UNCH
5880	----	----	----	----	----	416.00 + 27.20	.4059	----	----	----	175	125 + 75
6300	----	----	----	----	----	315.90 + 22.00	.3293	----	----	----	----	18 UNCH
7500	----	----	----	----	----	227.30 + 15.00	.2264	----	----	----	----	170 UNCH
7800	----	----	----	----	----	220.70 + 14.20	.2142	----	----	----	----	284 UNCH
10000	----	----	----	----	----	155.00 + 9.20	.1412	----	----	----	----	100 UNCH
10500	----	----	----	----	----	137.70 + 8.30	.1263	----	----	----	----	10 UNCH
TOTAL											175	1407 + 75

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK5										
APR26												
4000	----	----	----	0.20B/1.60A	----	0.60 NEW	.0036	----	----	3	----	3 + 3
4100	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.10 - 0.30	.0003	----	----	2	----	2 UNCH
4200	----	----	----	1.10B/*2.30A	----	1.10 - 1.20	.0077	----	----	----	----	12 UNCH
4200	----	----	----	----/*0.80A	----	0.20 - 0.40	.0010	----	----	----	----	53 UNCH
4250	----	----	----/*2.60A	1.60B/*2.60A	----	1.40 - 1.40	.0101	----	----	----	----	12 UNCH
4270	----	----	----/*0.70A	0.20B/*0.70A	----	0.20 - 0.60	.0012	----	----	----	----	1 UNCH
4295	----	----	----	0.20B/*0.80A	----	0.30 - 0.50	.0018	----	----	----	----	3 UNCH
4300	----	----	#607.40B/503.60	#607.40B/503.60A	----	580.90 + 69.50	.9870	----	----	----	----	1 UNCH
4300	0.60	0.60	0.60/*0.60	0.60/*0.60	----	0.30 - 0.60	.0018	----	----	1	----	5 UNCH
4320	----	----	----/*0.80A	0.30B/*0.80A	----	0.30 - 0.60	.0019	----	----	----	----	1 UNCH
4385	----	----	----/*1.00A	0.80B/*1.00A	----	0.40 - 0.90	.0029	----	----	----	----	1 UNCH
4395	----	----	----/*1.00A	0.90B/*1.00A	----	0.50 - 0.90	.0037	----	----	----	----	1 UNCH
4400	----	----	----/*1.00A	1.00B/*1.00A	----	0.50 - 0.90	.0037	----	----	----	----	1 UNCH
4450	----	----	----/*5.20A	6.70B/*5.20A	----	3.90 - 3.90	.0319	----	----	----	----	1 UNCH
4450	----	----	----/*1.00A	1.40B/*1.00A	----	0.70 - 1.20	.0057	----	----	----	----	1 UNCH
4465	----	----	#443.20B/334.80	#443.20B/334.80A	----	415.20 + 70.00	.9941	----	----	----	----	5 UNCH
4475	----	----	----/*5.70A	7.90B/*5.70A	----	4.50 - 4.60	.0373	----	----	----	----	1 UNCH
4480	----	----	----/*5.90A	8.10B/*5.90A	----	4.70 - 4.70	.0389	----	----	----	----	1 UNCH
4495	----	----	----/*1.20A	2.30B/*1.20A	----	0.90 - 1.70	.0079	----	----	----	----	1 UNCH
4500	----	----	----/*1.30A	1.90B/*1.30A	----	1.00 - 1.70	.0088	----	----	----	----	105 UNCH
4525	2.90	2.90	2.90/*1.40A	2.90/*1.40A	----	1.20 - 2.10	.0111	----	----	4	----	23 + 3
4530	1.20	1.20	1.20/*1.20	2.80B/*1.20	----	1.20 NEW	.0113	----	----	1	----	1 + 1
4540	----	----	----/*1.50A	3.00B/*1.50A	----	1.30 - 2.40	.0124	----	----	----	----	1 UNCH
4550	----	----	----/*1.60A	3.30B/*1.60A	----	1.50 - 2.60	.0145	----	----	----	----	1 UNCH
4550	----	----	#356.40B/250.20	#356.40B/250.20A	----	331.00 + 68.80	.9854	----	----	----	----	1 UNCH
4575	----	----	#331.80B/226.30	#331.80B/226.30A	----	306.40 + 68.10	.9808	----	----	----	----	1 UNCH
4585	----	----	#325.00B/217.00	#325.00B/217.00A	----	296.60 + 67.80	.9785	----	----	----	----	1 UNCH
4600	----	----	#310.30B/202.90	#310.30B/202.90A	----	281.90 + 67.30	.9748	----	----	----	----	4 UNCH
4600	2.40	2.40	2.40/*2.20A	5.60B/*2.20A	----	2.40 - 4.00	.0250	----	----	3	----	13 + 3
4610	----	----	----/*11.40A	22.10B/*11.40A	----	11.90 - 10.40	.0981	----	----	----	----	6 UNCH
4615	----	----	----/*11.70A	23.00B/*11.70A	----	12.30 - 10.70	.1014	----	----	----	----	1 UNCH
4620	----	----	----/*2.50A	7.20B/*2.50A	----	3.00 - 4.80	.0320	----	----	----	----	2 UNCH
4630	----	----	----/*2.70A	8.10B/*2.70A	----	3.30 - 5.30	.0357	----	----	1	----	5 - 1
4640	3.40	3.40	3.40/*3.00A	9.20B/*3.00A	----	3.60 NEW	.0396	----	----	3	----	2 + 2
4650	----	----	29.80B/*15.20A	29.80B/*15.20A	----	16.10 - 13.30	.1303	----	----	----	----	12 UNCH
4650	----	----	----/*3.30A	10.20B/*3.30A	----	4.00 - 6.60	.0445	----	----	----	----	84 UNCH
4650	----	----	#261.50B/157.60	#261.50B/157.60A	----	233.50 + 64.70	.9553	----	----	----	----	2 UNCH
4655	----	----	----/*3.40A	10.80B/*3.40A	----	4.20 - 7.00	.0471	----	----	----	----	2 UNCH
4660	----	----	----/*3.60A	11.50B/*3.60A	----	4.40 - 7.30	.0496	----	----	----	----	1 UNCH
4665	5.30	5.30	5.30/*3.80A	12.30B/*3.80A	----	4.70 NEW	.0531	----	----	1	----	1 + 1
4670	----	----	----/*3.90A	12.80B/*3.90A	----	4.90 - 8.10	.0559	----	----	----	----	2 UNCH
4670	----	----	242.50B/140.50A	242.50B/140.50A	----	214.40 + 63.10	.9440	----	----	----	----	10 UNCH
4675	3.80	3.80	3.80/*3.80	13.60B/*3.80	----	5.20 - 8.50	.0595	----	----	4	----	6 + 2
4680	----	----	14.60B/*4.30A	14.60B/*4.30A	----	5.40 - 9.10	.0623	----	----	----	----	2 UNCH
4680	----	----	233.00B/132.20A	233.00B/132.20A	----	204.90 + 62.20	.9375	----	----	----	----	2 UNCH
4685	----	----	228.30B/128.10A	228.30B/128.10A	----	200.20 + 61.70	.9337	----	----	----	----	1 UNCH
4685	----	----	15.40B/*4.50A	15.40B/*4.50A	----	5.70 - 9.60	.0661	----	----	----	----	6 UNCH
4690	187.00	187.00	237.60B/150.00A	237.60B/150.00A	----	211.10 + 54.30	.8284	----	----	1	----	1 UNCH
4690	----	----	223.50B/124.10A	223.50B/124.10A	----	195.50 + 61.20	.9299	----	----	----	----	7 UNCH
4690	----	----	16.30B/*4.70A	16.30B/*4.70A	----	6.00 - 10.10	.0699	----	----	5	----	7 + 5
4695	----	----	17.40B/*5.00A	17.40B/*5.00A	----	6.30 - 10.70	.0739	----	----	----	----	3 UNCH
4700	5.80	5.80	18.30B/*5.20A	18.30B/*5.20A	----	6.70 - 11.20	.0787	----	----	59	----	64 + 49
4710	----	----	20.60B/*5.80A	20.60B/*5.80A	----	7.40 - 12.50	.0878	----	----	----	----	2 UNCH
4715	----	----	21.80B/*6.10A	21.80B/*6.10A	----	7.90 - 13.00	.0937	----	----	----	----	17 UNCH
4720	11.40	11.40	23.00B/*6.40A	23.00B/*6.40A	----	8.30 - 13.80	.0990	----	----	1	----	1 UNCH
4725	----	----	24.30B/*6.70A	24.30B/*6.70A	----	8.80 - 14.40	.1051	----	----	2	----	2 + 1
4725	----	----	190.90B/97.60A	190.90B/97.60A	----	163.30 + 56.80	.8947	----	----	----	----	4 UNCH
4730	----	----	26.00B/*7.10A	26.00B/*7.10A	----	9.20 - 15.30	.1106	----	----	----	----	1 UNCH
4735	----	----	27.50B/*7.50A	27.50B/*7.50A	----	9.80 - 16.00	.1177	----	----	4	----	6 + 4
4740	----	----	56.40B/*27.50A	56.40B/*27.50A	----	31.20 - 22.80	.2359	----	----	----	----	1 UNCH
4740	25.80	25.80	28.80B/*7.90A	28.80B/*7.90A	----	10.30 - 16.90	.1242	----	----	1	----	91 + 1
4750	----	----	60.40B/*29.60A	60.40B/*29.60A	----	33.50 - 24.20	.2507	----	----	----	----	10 UNCH
4750	----	----	168.40B/80.60A	168.40B/80.60A	----	141.10 + 52.70	.8600	----	----	----	----	1 UNCH
4750	10.00	10.00	31.90B/*8.80A	31.90B/*8.80A	----	11.60 - 18.50	.1398	----	----	2	----	6 UNCH
4760	----	----	35.50B/*9.90A	35.50B/*9.90A	----	13.00 - 20.30	.1566	----	----	9	----	13 + 9
4765	----	----	155.20B/70.20A	155.20B/70.20A	----	128.30 + 50.00	.8345	----	----	----	----	3 UNCH
4775	----	----	41.30B/*11.70A	41.30B/*11.70A	----	15.40 - 23.30	.1851	----	----	----	----	2 UNCH
4775	125.00	125.00	146.60B/64.30A	146.60B/64.30A	----	119.90 NEW	.8147	----	----	2	----	2 + 2
4780	----	----	163.90B/92.50A	163.90B/92.50A	----	140.80 + 42.80	.7007	----	----	----	----	1 UNCH
4780	119.00	119.00	142.30B/61.50A	142.30B/61.50A	----	115.90 NEW	.8043	----	----	5	----	5 + 5
4780	13.00	13.00	44.00B/*12.40A	44.00B/*12.40A	----	16.30 - 24.40	.1955	----	----	90	----	91 + 90
4785	----	----	45.60B/*13.10A	45.60B/*13.10A	----	17.30 - 25.40	.2067	----	----	----	----	1 UNCH
4790	----	----	48.50B/*13.90A	48.50B/*13.90A	----	18.30 - 26.50	.2180	----	----	----	----	3 UNCH
4790	----	----	134.00B/56.20A	134.00B/56.20A	----	107.90 + 44.80	.7818	----	----	----	----	8 UNCH
4795	----	----	50.90B/*14.80A	50.90B/*14.80A	----	19.40 - 27.60	.2301	----	----	----	----	8 UNCH
4800	----	----	149.10B/82.00A	149.10B/82.00A	----	127.00 + 39.90	.6652	----	----	----	----	3 UNCH
4800	45.00	45.00	82.70B/*41.60A	82.70B/*41.60A	----	47.50 - 31.30	.3344	----	----	2	----	3 + 1
4800	----	----	125.90B/50.90A	125.90B/50.90A	----	100.10 + 42.50	.7570	----	----	1	----	5 UNCH
4800	20.30	20.30	53.00B/*15.70A	53.00B/*15.70A	----	20.60 - 28.70	.2428	----	----	4	----	49 + 2
4805	----	----	121.90B/48.50A	121.90B/48.50A	----	96.40 + 41.50	.7441	----	----	----	----	9 UNCH
4805	22.00	22.00	55.50B/*16.60A	55.50B/*16.60A	----	21.80 NEW	.2557	----	----	1	----	1 + 1
4810	----	----	58.20B/*17.70A	58.20B/*17.70A	----	23.10 - 31.00	.2692	----	----	----	----	1 UNCH
4815	----	----	114.00B/43.90A	114.00B/43.90A	----	89.00 + 39.10	.7164	----	----	----	----	28 UNCH
4815	----	----	60.80B/*18.90A	60.80B/*18.90A	----	24.50 - 32.10	.2834	----	----	1	----	52 + 1
4820	----	----	110.20B/41.70A	110.20B/41.70A	----	85.50 + 38.00	.7022	----	----	----	----	33 UNCH
4820	----	----	93.10B/*47.70A	93.10B/*47.70A	----	54.30 - 34.40	.3717	----	----	----	----	1 UNCH
4820	25.00	25.00	63.70B/*20.10A	63.70B/*20.10A	----	25.90 - 33.30	.2976	----	----	11	----	21 + 11
4825	25.30	25.30	65.90B/*21.30A	65.90B/*21.30A	----	27.40 NEW	.3124	----	----	5	----	5 + 5
4825	----	----	106.40B/39.30A	106.40B/39.30A	----	82.00 + 36.80	.6873	----	----	----	----	5 UNCH
4830	----	----	68.60B/*22.60A	68.60B/*22.60A	----	29.00 - 35.60	.3278	----	----	----	----	28 UNCH
4830	----	----	128.30B/68.00A	128.30B/68.00A	----	107.60 + 35.30	.6084	----	----	----	----	1 UNCH
4830	----	----	102.70B/37.50A	102.70B/37.50A	----	78.60 + 35.60	.6720	----	----	----	----	9 UNCH
4835	----	----	99.00B/35.40A	99.00B/35.40A	----	75.30 + 34.50	.6563	----	----	----	----	8 UNCH
4835	----	----	71.70B/*23.90A	71.70B/*23.90A	----	30.70 NEW	.3435	----	----	1	----	1 + 1
4840	----	----	95.80B/33.60A	95.80B/33.60A	----	72.00 + 33.30	.6401	----	----	----	----	4 UNCH
4845	----	----	92.20B/*31.70A	92.20B/*31.70A	----	68.90 + 32.10	.6239	----	----	----	----	18 UNCH
4850	----	----	81.60B/*28.40A	81.60B/*28.40A	----	36.30 - 40.20	.3927	----	----	1	----	6 UNCH
4850	----	----	115.30B/59.80A	115.30B/59.80A	----	95.70 + 32.20	.5685	----	----	----	----	1 UNCH
4850	43.90	43.90	88.80B/*30.00A	88.80B/*30.00A	----	65.80 + 30.90	.6070	----	----	8	----	90 + 4
4855	----	----	85.40B/*28.40A	85.40B/*28.40A	----	62.90 + 29.90	.5902	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4860	----	----	82.10B/*26.70A	82.10B/*26.70A	----	60.00 + 28.70	.5730	----	----	----	----	4 UNCH
4865	----	----	78.80B/*25.30A	78.80B/*25.30A	----	57.20 + 27.60	.5557	----	----	----	----	100 UNCH
4865	54.90	54.90	91.90B/*33.90A	91.90B/*33.90A	----	42.60 NEW	.4441	----	----	3	----	3 + 3
4870	----	----	75.70B/*23.70A	75.70B/*23.70A	----	54.50 + 26.50	.5382	----	----	1	----	15 UNCH
4875	42.30	42.30	99.40B/*37.80A	99.40B/*37.80A	----	47.20 NEW	.4791	----	----	21	----	21 + 21
4880	----	----	69.50B/*21.30A	69.50B/*21.30A	----	49.30 + 24.30	.5031	----	----	----	----	40 UNCH
4880	----	----	103.30B/*39.90A	103.30B/*39.90A	----	49.70 - 47.00	.4967	----	----	----	----	7 UNCH
4885	53.30	53.30	107.00B/*42.10A	107.00B/*42.10A	----	52.30 NEW	.5143	----	----	10	----	10 + 10
4885	----	----	66.70B/*20.10A	66.70B/*20.10A	----	46.90 NEW	.4855	----	----	4	----	2 + 2
4890	48.10	48.10	111.10B/*44.40A	111.10B/*44.40A	----	54.90 NEW	.5318	----	----	2	----	2 + 2
4890	54.40	54.40	63.70B/*18.90A	63.70B/*18.90A	----	44.50 + 22.20	.4679	----	----	5	----	6 + 5
4895	----	----	62.50B/*17.70A	62.50B/*17.70A	----	42.30 + 21.20	.4505	----	----	----	----	1 UNCH
4900	53.00	53.00	119.10B/*49.10A	119.10B/*49.10A	----	60.50 NEW	.5666	----	----	18	----	18 + 18
4900	----	----	88.50B/42.60A	88.50B/42.60A	----	69.80 + 24.80	.4652	----	----	1	----	33 + 1
4900	16.00	16.00	59.80B/*16.00	59.80B/*16.00	----	40.10 + 20.20	.4332	----	----	7	----	19 + 5
4905	48.70	48.70	57.20B/*15.70A	57.20B/*15.70A	----	38.00 + 19.20	.4160	----	----	4	----	54 + 4
4910	----	----	54.70B/*14.80A	54.70B/*14.80A	----	36.00 + 18.30	.3991	----	----	----	----	4 UNCH
4915	----	----	52.20B/*13.90A	52.20B/*13.90A	----	34.10 + 17.40	.3824	----	----	4	----	4 UNCH
4920	12.00	12.00	49.90B/*12.00	49.90B/*12.00	----	32.20 + 16.50	.3658	----	----	2	----	1 UNCH
4920	----	----	135.60B/*59.30A	135.60B/*59.30A	----	72.60 NEW	.6340	----	----	1	----	1 + 1
4925	----	----	76.00B/35.40A	76.00B/35.40A	----	58.90 + 21.40	.4138	----	----	4	----	5 - 4
4925	23.90	23.90	47.60B/*12.10A	47.60B/*12.10A	----	30.50 + 15.70	.3498	----	----	23	----	24 + 19
4930	36.60	36.60	45.40B/*11.60A	45.40B/*11.60A	----	28.80 + 14.90	.3340	----	----	5	----	6 + 5
4930	63.60	63.60	73.70B/34.20A	73.70B/34.20A	----	56.90 NEW	.4037	----	----	1	----	1 + 1
4930	----	----	144.30B/*65.10A	144.30B/*65.10A	----	79.20 - 56.40	.6658	----	----	----	----	1 UNCH
4940	----	----	41.30B/*10.20A	41.30B/*10.20A	----	25.70 + 13.40	.3036	----	----	1	----	1 UNCH
4950	----	----	64.80B/29.50A	64.80B/29.50A	----	49.40 + 18.30	.3641	----	----	10	----	10 + 9
4950	9.00	9.00	37.30B/*9.00	37.30B/*9.00	----	22.90 + 12.00	.2749	----	----	2	----	11 + 2
4955	----	----	166.50B/*82.10A	166.50B/*82.10A	----	96.90 - 60.00	.7390	----	----	----	----	1 UNCH
4955	----	----	35.50B/*8.60A	35.50B/*8.60A	----	21.50 + 11.20	.2608	----	----	2	----	10 + 1
4960	----	----	33.70B/*8.00A	33.70B/*8.00A	----	20.30 + 10.60	.2477	----	----	----	----	1 UNCH
4960	----	----	171.10B/*85.80A	171.10B/*85.80A	----	100.70 - 60.60	.7521	----	----	----	----	1 UNCH
4970	11.00	11.00	30.40B/*7.10A	30.40B/*7.10A	----	18.00 NEW	.2225	----	----	29	----	29 + 29
4970	----	----	56.80B/*25.30A	56.80B/*25.30A	----	42.70 NEW	.3261	----	----	1	----	1 + 1
4975	----	----	28.90B/*6.60A	28.90B/*6.60A	----	17.00 + 8.90	.2109	----	----	8	----	12 + 4
4985	----	----	26.00B/*5.80A	26.00B/*5.80A	----	15.00 NEW	.1882	----	----	2	----	1 + 1
4990	----	----	49.60B/*21.80A	49.60B/*21.80A	----	36.70 NEW	.2901	----	----	4	----	4 + 4
4990	----	----	24.60B/*5.40A	24.60B/*5.40A	----	14.10 + 7.40	.1777	----	----	----	----	14 UNCH
4995	----	----	23.30B/*5.20A	23.30B/*5.20A	----	13.30 + 7.00	.1680	----	----	----	----	50 UNCH
5000	----	----	46.20B/*20.40A	46.20B/*20.40A	----	34.10 + 12.90	.2733	----	----	1	----	3 + 1
5000	7.60	7.60	22.10B/*4.90A	22.10B/*4.90A	----	12.50 + 6.60	.1584	----	----	195	----	324 + 131
5010	12.70	12.70	19.70B/*4.40A	19.70B/*4.40A	----	11.00 + 5.70	.1403	----	----	10	----	5 + 4
5015	----	----	18.60B/*4.10A	18.60B/*4.10A	----	10.30 + 5.30	.1318	----	----	----	----	1 UNCH
5020	----	----	17.60B/*3.90A	17.60B/*3.90A	----	9.70 NEW	.1242	----	----	1	----	1 + 1
5025	11.00	11.00	16.70B/*3.60A	16.70B/*3.60A	----	9.10 + 4.70	.1167	----	----	13	----	9 + 8
5050	----	----	32.10B/*13.90A	32.10B/*13.90A	----	23.10 + 8.70	.1980	----	----	2	----	5 + 2
5050	----	----	12.50B/*2.80A	12.50B/*2.80A	----	6.70 NEW	.0856	----	----	2	----	2 + 2
5075	7.30	7.30	9.20B/*2.30A	9.20B/*2.30A	----	4.90 + 2.40	.0621	----	----	15	----	91 + 14
5075	----	----	26.50B/*11.70A	26.50B/*11.70A	----	19.00 + 7.10	.1670	----	----	----	----	2 UNCH
5090	----	----	#7.70B/*1.90A	#7.70B/*1.90A	----	4.10 NEW	.0514	----	----	1	----	1 + 1
5100	----	----	21.80B/----	21.80B/*9.80A	----	15.60 NEW	.1402	----	----	2	----	2 + 2
5100	6.90	6.90	7.00/*1.80A	7.00/*1.80A	----	3.60 + 1.70	.0448	----	----	20	----	27 + 20
5115	5.00	5.00	#5.60B/*5.00	#5.60B/*1.70A	----	3.10 NEW	.0379	----	----	1	----	1 + 1
5120	4.00	4.00	#5.20B/*4.00	#5.20B/*1.60A	----	2.90 NEW	.0353	----	----	10	----	10 + 10
5125	----	----	4.90B/----	4.90B/*1.50A	----	2.70 + 1.20	.0328	----	----	----	----	1 UNCH
5150	----	----	14.60B/----	14.60B/*7.20A	----	10.60 NEW	.0981	----	----	10	----	10 + 10
5150	----	----	3.30B/----	3.30B/*1.30A	----	2.10 + 0.80	.0246	----	----	----	----	1 UNCH
5175	----	----	2.50B/----	2.50B/*1.30A	----	1.60 + 0.50	.0182	----	----	----	----	4 UNCH
5200	----	----	9.70B/----	9.70B/5.50A	----	7.40 + 2.50	.0693	----	----	1	----	120 + 1
5225	----	----	1.30B/----	1.30B/1.00A	----	1.10 + 0.30	.0114	----	----	----	----	1 UNCH
5250	----	----	0.90B/----	0.90B/0.90A	----	0.90 + 0.10	.0090	----	----	----	----	2 UNCH
TOTAL										698		2299 + 558
MAY26												
4300	----	----	----/*16.10A	#11.10B/16.10A	----	9.20 - 7.00	.0505	----	----	----	----	1 UNCH
4300	----	----	----/7.00A	4.80B/7.00A	----	5.20 - 2.40	.0328	----	----	----	----	1 UNCH
4400	----	----	----/*9.80A	10.50B/*9.80A	----	8.00 - 4.60	.0519	----	----	----	----	125 UNCH
4600	----	----	----/*21.80A	34.30B/*21.80A	----	23.00 - 13.40	.1447	----	----	----	----	1 UNCH
4670	----	----	----/*32.10A	51.70B/*32.10A	----	34.10 - 19.00	.2056	----	----	----	----	12 UNCH
4700	----	----	----/*37.80A	60.90B/*37.80A	----	40.30 - 21.90	.2373	----	----	----	----	45 UNCH
4705	----	----	----/*38.60A	62.60B/*38.60A	----	41.40 - 22.50	.2429	----	----	----	----	1 UNCH
4760	----	----	86.70B/*52.00A	86.70B/*52.00A	----	55.90 - 28.80	.3110	----	----	----	----	10 UNCH
4800	----	----	#169.50B/107.80	#169.50B/107.80A	----	148.50 + 37.30	.6324	----	----	----	----	40 UNCH
4850	----	----	#137.60B/84.70A	#137.60B/84.70A	----	118.70 + 31.00	.5567	----	----	----	----	51 UNCH
4900	----	----	#128.10B/*87.90	#128.10B/*87.90A	----	116.40 NEW	.4861	----	----	1	----	1 + 1
4955	77.60	77.60	83.40B/49.20A	83.40B/49.20A	----	70.20 NEW	.3925	----	----	2	----	1 + 1
5000	----	----	#83.80B/*57.40A	#83.80B/*57.40A	----	75.80 + 18.00	.3615	----	----	----	----	1 UNCH
5075	----	----	43.30B/----	43.30B/*25.70A	----	36.10 + 10.90	.2341	----	----	----	----	1 UNCH
5100	----	----	37.40B/----	37.40B/22.60A	----	31.20 NEW	.2075	----	----	2	----	2 + 2
5125	----	----	32.30B/----	32.30B/19.70A	----	27.00 NEW	.1835	----	----	2	----	2 + 2
5175	19.80	19.80	23.90B/19.80	23.90B/15.20A	----	20.30 NEW	.1428	----	----	1	----	1 + 1
5250	27.50	27.50	#27.50/*27.50	#27.50/20.00A	----	27.40 NEW	.1523	----	----	1	----	1 + 1
5250	----	----	15.40B/----	15.40B/10.10A	----	13.30 + 4.00	.0972	----	----	----	----	3 UNCH
TOTAL										9		300 + 8

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4000	----	----	----	----/*1.40A	----	0.40 - 0.30	.0024	----	----	----	----	1 UNCH
4000	----	----	----	----/0.50A	----	0.10 UNCH	----	----	----	3	----	4 + 2
4200	----	----	----	----/*0.60A	----	0.10 - 0.20	.0000	----	----	1	----	2 UNCH
4200	----	----	----	0.60B/*2.00A	----	1.20 - 0.70	.0081	----	----	----	----	4 UNCH
4225	----	----	----	----/*0.60A	----	0.10 - 0.30	.0001	----	----	1	----	1 UNCH
4240	----	----	----	----/*0.60A	----	0.10 - 0.30	.0001	----	----	----	----	1 UNCH
4250	----	----	----	----/*0.60A	----	0.10 - 0.30	.0001	----	----	----	----	25 UNCH
4250	----	----	----/*2.20A	1.00B/*2.20A	----	1.40 - 0.90	.0099	----	----	----	----	1 UNCH
4300	----	----	----	0.10B/*0.60A	----	0.20 - 0.40	.0010	----	----	----	----	2 UNCH
4300	1.00	1.00	1.00/*1.00	1.50B/*1.00	----	1.80 - 1.00	.0132	----	----	1	----	2 UNCH
4325	----	----	----/*0.60A	0.10B/*0.60A	----	0.20 - 0.50	.0010	----	----	----	----	10 UNCH
4350	----	----	----/*3.00A	2.30B/*3.00A	----	2.20 - 1.40	.0168	----	----	----	----	9 UNCH
4360	----	----	----/*0.70A	0.20B/*0.70A	----	0.20 - 0.60	.0011	----	----	----	----	2 UNCH
4375	----	----	----/*0.70A	0.20B/*0.70A	----	0.20 - 0.60	.0012	----	----	----	----	10 UNCH
4400	----	----	----/*0.80A	0.30B/*0.80A	----	0.30 - 0.70	.0019	----	----	----	----	2 UNCH
4400	4.10	4.10	4.10/*3.40A	4.10/*3.40A	----	2.80 - 1.90	.0222	----	----	1	----	30 - 1
4475	----	----	#433.20B/322.10	#433.20B/322.10A	----	404.90 + 70.20	.9970	----	----	----	----	5 UNCH
4475	----	----	----/*0.90A	1.00B/*0.90A	----	0.40 - 1.10	.0030	----	----	----	----	1 UNCH
4475	3.20	3.20	3.20/*3.20	6.20B/*3.20	----	4.10 - 3.20	.0343	----	----	1	----	3 - 1
4480	----	----	----/*0.90A	1.00B/*0.90A	----	0.40 - 1.10	.0030	----	----	----	----	5 UNCH
4485	1.70	1.70	1.70/*1.00A	1.70/*1.00A	----	0.40 NEW	.0031	----	----	1	----	1 + 1
4500	0.90	0.90	0.90/*0.90	1.30B/*0.90	----	0.50 - 1.30	.0040	----	----	2	----	4 + 2
4505	----	----	----/*5.40A	7.60B/*5.40A	----	4.90 - 4.00	.0417	----	----	----	----	10 UNCH
4530	----	----	----/*0.90A	1.60B/*0.90A	----	0.60 - 1.60	.0052	----	----	----	----	1 UNCH
4535	----	----	----/*1.00A	1.70B/*1.00A	----	0.70 - 1.60	.0061	----	----	----	----	1 UNCH
4540	----	----	----/*0.90A	1.90B/*0.90A	----	0.70 - 1.70	.0062	----	----	----	----	1 UNCH
4550	----	----	----/*1.00A	1.90B/*1.00A	----	0.80 - 1.80	.0072	----	----	----	----	2 UNCH
4560	----	----	----/*1.00A	2.10B/*1.00A	----	0.80 - 2.10	.0074	----	----	----	----	1 UNCH
4580	1.00	1.00	1.00/*1.00	2.70B/*1.00	----	1.00 - 2.40	.0098	----	----	1	----	2 + 1
4580	----	----	----/*8.30A	14.40B/*8.30A	----	8.10 - 7.10	.0704	----	----	----	----	1 UNCH
4585	----	----	----/*1.20A	2.70B/*1.20A	----	1.10 - 2.50	.0108	----	----	----	----	1 UNCH
4585	----	----	----/*8.10A	15.10B/*8.10A	----	8.40 - 7.30	.0730	----	----	----	----	4 UNCH
4590	1.30	1.30	1.30/*1.20A	2.80B/*1.20A	----	1.10 - 2.70	.0110	----	----	1	----	12 UNCH
4595	----	----	----/*1.30A	3.00B/*1.30A	----	1.20 - 2.80	.0121	----	----	----	----	1 UNCH
4600	1.10	1.10	1.10/*1.10	3.10B/*1.10	----	1.30 - 2.90	.0133	----	----	9	----	13 + 8
4600	9.00	9.00	9.00/*8.90A	17.10B/*8.90A	----	9.30 - 8.20	.0810	----	----	1	----	2 UNCH
4605	----	----	----/*1.30A	3.50B/*1.30A	----	1.30 - 3.10	.0135	----	----	----	----	2 UNCH
4610	----	----	#299.40B/190.70	#299.40B/190.70A	----	270.90 + 68.10	.9852	----	----	----	----	10 UNCH
4615	----	----	----/*1.40A	3.90B/*1.40A	----	1.50 - 3.40	.0159	----	----	----	----	3 UNCH
4615	----	----	----/*9.70A	19.30B/*9.70A	----	10.40 NEW	.0905	----	----	8	----	8 + 8
4620	191.10	191.10	#289.50B/181.30	#289.50B/181.30A	----	261.10 + 67.70	.9828	----	----	10	----	11 + 10
4620	----	----	----/*10.30A	20.10B/*10.30A	----	10.80 - 9.50	.0939	----	----	----	----	15 UNCH
4620	----	----	----/*1.50A	3.90B/*1.50A	----	1.60 - 3.50	.0171	----	----	----	----	4 UNCH
4625	----	----	----/*1.50A	4.20B/*1.50A	----	1.70 - 3.70	.0184	----	----	----	----	3 UNCH
4625	----	----	#284.40B/176.70	#284.40B/176.70A	----	256.20 + 67.60	.9815	----	----	----	----	1 UNCH
4630	----	----	----/*1.60A	4.40B/*1.60A	----	1.80 - 3.90	.0197	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week4										
APR26												
4630	----	----	----/*10.90A	21.90B/*10.90A	----	11.60 - 10.30	.1008	----	----	----	----	1 UNCH
4635	1.80	1.80	1.80/*1.70A	4.80B/*1.70A	----	1.90 - 4.10	.0210	----	----	1	----	19 UNCH
4640	----	----	----/*1.70A	5.30B/*1.70A	----	2.00 - 4.40	.0224	----	----	----	----	1 UNCH
4650	----	----	----/*1.90A	6.10B/*1.90A	----	2.20 - 4.90	.0252	----	----	----	----	2 UNCH
4650	----	----	25.70B/*12.70A	25.70B/*12.70A	----	13.50 NEW	.1168	----	----	8	----	8 + 8
4655	----	----	26.80B/*13.10A	26.80B/*13.10A	----	14.00 - 12.30	.1210	----	----	----	----	1 UNCH
4655	----	----	#255.20B/149.30	#255.20B/149.30A	----	226.80 + 66.00	.9732	----	----	----	----	1 UNCH
4660	----	----	27.90B/*13.60A	27.90B/*13.60A	----	14.50 NEW	.1253	----	----	1	----	1 + 1
4660	----	----	----/*2.00A	6.90B/*2.00A	----	2.40 - 5.60	.0282	----	----	----	----	98 UNCH
4665	----	----	----/*2.10A	7.60B/*2.10A	----	2.50 - 6.00	.0298	----	----	----	----	3 UNCH
4670	----	----	----/*2.30A	8.00B/*2.30A	----	2.70 - 6.30	.0324	----	----	----	----	1 UNCH
4675	----	----	31.30B/*15.00A	31.30B/*15.00A	----	16.30 - 14.20	.1398	----	----	----	----	1 UNCH
4675	----	----	----/*2.40A	8.60B/*2.40A	----	2.80 - 6.70	.0341	----	----	----	----	4 UNCH
4680	----	----	----/*2.50A	9.40B/*2.50A	----	3.00 - 7.10	.0369	----	----	----	----	1 UNCH
4685	----	----	33.80B/*16.10A	33.80B/*16.10A	----	17.60 - 15.20	.1503	----	----	----	----	2 UNCH
4690	----	----	----/*2.80A	10.80B/*2.80A	----	3.40 - 8.00	.0426	----	----	----	----	7 UNCH
4690	17.00	17.00	35.10B/*16.60A	35.10B/*16.60A	----	18.30 - 15.80	.1558	----	----	2	----	2 UNCH
4690	----	----	#221.00B/119.00	#221.00B/119.00A	----	192.90 + 63.30	.9573	----	----	----	----	3 UNCH
4695	3.80	3.80	4.30/*2.90A	12.00B/*2.90A	----	3.60 - 8.50	.0455	----	----	85	----	110 UNCH
4700	----	----	----/*3.10A	12.60B/*3.10A	----	3.80 - 9.00	.0486	----	----	----	----	2 UNCH
4700	----	----	#211.60B/110.90	#211.60B/110.90A	----	183.30 + 62.20	.9512	----	----	1	----	1 UNCH
4700	18.50	18.50	37.90B/*17.70A	37.90B/*17.70A	----	19.70 - 16.90	.1670	----	----	1	----	6 UNCH
4705	----	----	----/*3.20A	13.60B/*3.20A	----	4.00 - 9.60	.0517	----	----	----	----	2 UNCH
4705	----	----	39.50B/*18.60A	39.50B/*18.60A	----	20.50 - 17.50	.1731	----	----	----	----	1 UNCH
4710	3.60	3.60	3.60/*3.40A	14.40B/*3.40A	----	4.30 - 10.20	.0560	----	----	11	----	12 + 11
4710	----	----	40.90B/*19.30A	40.90B/*19.30A	----	21.30 - 18.10	.1792	----	----	----	----	1 UNCH
4720	----	----	16.80B/*3.80A	16.80B/*3.80A	----	4.80 - 11.50	.0638	----	----	----	----	3 UNCH
4725	----	----	18.00B/*4.00A	18.00B/*4.00A	----	5.10 - 12.20	.0684	----	----	1	----	2 + 1
4730	6.20	6.20	19.20B/*4.20A	19.20B/*4.20A	----	5.50 - 12.90	.0741	----	----	3	----	4 UNCH
4730	----	----	200.00B/118.20A	200.00B/118.20A	----	174.30 + 50.70	.7936	----	----	----	----	2 UNCH
4730	----	----	47.50B/*22.10A	47.50B/*22.10A	----	24.90 - 20.50	.2061	----	----	----	----	2 UNCH
4735	5.70	5.70	20.50B/*4.50A	20.50B/*4.50A	----	5.80 NEW	.0790	----	----	1	----	1 + 1
4735	----	----	195.80B/115.00A	195.80B/115.00A	----	170.30 + 50.00	.7863	----	----	----	----	3 UNCH
4735	----	----	49.20B/*23.00A	49.20B/*23.00A	----	25.90 - 21.10	.2133	----	----	----	----	3 UNCH
4740	----	----	21.90B/*4.70A	21.90B/*4.70A	----	6.20 - 14.60	.0850	----	----	1	----	5 + 1
4740	----	----	51.00B/*23.80A	51.00B/*23.80A	----	26.90 - 21.80	.2206	----	----	----	----	7 UNCH
4745	----	----	23.40B/*5.00A	23.40B/*5.00A	----	6.70 - 15.40	.0920	----	----	----	----	2 UNCH
4750	20.90	20.90	25.00B/*5.30A	25.00B/*5.30A	----	7.10 - 16.30	.0984	----	----	8	----	11 + 6
4755	----	----	26.80B/*5.60A	26.80B/*5.60A	----	7.60 - 17.20	.1058	----	----	----	----	2 UNCH
4760	----	----	155.40B/65.40A	155.40B/65.40A	----	127.70 + 53.10	.8864	----	----	----	----	1 UNCH
4760	----	----	28.60B/*6.00A	28.60B/*6.00A	----	8.10 - 18.30	.1134	----	----	----	----	2 UNCH
4760	40.00	40.00	58.80B/*27.60A	58.80B/*27.60A	----	31.30 NEW	.2518	----	----	12	----	12 + 12
4765	----	----	171.20B/95.70A	171.20B/95.70A	----	147.00 + 45.80	.7393	----	----	----	----	1 UNCH
4765	----	----	30.20B/*6.40A	30.20B/*6.40A	----	8.70 - 19.30	.1221	----	----	----	----	11 UNCH
4770	10.30	10.30	32.30B/*6.80A	32.30B/*6.80A	----	9.30 - 20.30	.1310	----	----	6	----	8 + 6
4770	----	----	63.00B/*29.70A	63.00B/*29.70A	----	33.80 - 26.10	.2686	----	----	----	----	1 UNCH
4775	60.00	60.00	65.20B/*30.80A	65.20B/*30.80A	----	35.10 NEW	.2773	----	----	2	----	1 + 1
4775	10.20	10.20	34.10B/*7.30A	34.10B/*7.30A	----	10.00 - 21.40	.1410	----	----	4	----	4 + 2
4775	----	----	163.30B/90.10A	163.30B/90.10A	----	139.60 + 44.40	.7223	----	----	----	----	1 UNCH
4780	----	----	67.50B/*32.00A	67.50B/*32.00A	----	36.50 - 27.50	.2863	----	----	----	----	3 UNCH
4780	----	----	159.40B/87.40A	159.40B/87.40A	----	136.00 + 43.70	.7133	----	----	----	----	2 UNCH
4780	9.10	9.10	36.40B/*7.80A	36.40B/*7.80A	----	10.70 - 22.60	.1513	----	----	3	----	3 + 2
4785	20.00	20.00	38.50B/*8.30A	38.50B/*8.30A	----	11.50 - 23.70	.1625	----	----	19	----	21 + 18
4790	14.60	14.60	41.00B/*8.90A	41.00B/*8.90A	----	12.30 - 24.90	.1740	----	----	72	----	64 + 61
4795	----	----	43.30B/*9.60A	43.30B/*9.60A	----	13.20 - 26.20	.1866	----	----	----	----	1 UNCH
4800	----	----	120.80B/42.70A	120.80B/42.70A	----	93.80 + 43.90	.7998	----	----	2	----	24 + 1
4800	29.80	29.80	46.10B/*10.20A	46.10B/*10.20A	----	14.20 - 27.40	.2001	----	----	35	----	35 + 25
4800	----	----	77.00B/*37.00A	77.00B/*37.00A	----	42.40 - 30.60	.3236	----	----	----	----	2 UNCH
4800	----	----	144.30B/76.90A	144.30B/76.90A	----	121.90 + 40.60	.6760	----	----	----	----	11 UNCH
4805	----	----	116.40B/40.50A	116.40B/40.50A	----	89.80 NEW	.7853	----	----	1	----	1 + 1
4810	----	----	137.60B/72.00A	137.60B/72.00A	----	115.10 + 39.00	.6565	----	----	----	----	3 UNCH
4810	14.70	14.70	51.60B/*11.80A	51.60B/*11.80A	----	16.40 - 30.00	.2291	----	----	1	----	5 + 1
4810	42.00	42.00	82.10B/*39.80A	82.10B/*39.80A	----	45.60 NEW	.3431	----	----	1	----	1 + 1
4810	108.00	108.00	112.10B/38.50A	112.10B/38.50A	----	86.00 + 41.30	.7707	----	----	1	----	2 + 1
4815	17.80	17.80	54.00B/*12.60A	54.00B/*12.60A	----	17.60 - 31.30	.2446	----	----	8	----	8 + 7
4815	----	----	108.10B/36.20A	108.10B/36.20A	----	82.20 + 40.00	.7552	----	----	----	----	3 UNCH
4815	----	----	84.70B/*41.30A	84.70B/*41.30A	----	47.30 - 33.00	.3532	----	----	8	----	3 - 5
4815	74.30	74.30	134.10B/69.60A	134.10B/69.60A	----	111.90 + 38.30	.6465	----	----	10	----	3 - 5
4820	55.30	55.30	87.50B/*42.80A	87.50B/*42.80A	----	49.10 NEW	.3634	----	----	8	----	2 + 2
4820	20.10	20.10	56.90B/*13.60A	56.90B/*13.60A	----	18.90 NEW	.2610	----	----	6	----	6 + 6
4820	----	----	130.60B/67.30A	130.60B/67.30A	----	108.60 NEW	.6362	----	----	4	----	0 UNCH
4820	----	----	104.10B/34.00A	104.10B/34.00A	----	78.40 + 38.60	.7388	----	----	----	----	1 UNCH
4825	20.10	20.10	58.90B/*14.60A	58.90B/*14.60A	----	20.20 NEW	.2775	----	----	10	----	10 + 10
4825	35.90	35.90	100.10B/*31.80A	100.10B/*31.80A	----	74.80 + 37.30	.7223	----	----	101	----	22 + 17
4830	48.00	48.00	93.10B/*46.10A	93.10B/*46.10A	----	52.70 - 35.50	.3841	----	----	19	----	10 - 1
4830	21.50	21.50	61.60B/*15.80A	61.60B/*15.80A	----	21.70 NEW	.2954	----	----	6	----	6 + 6
4830	----	----	123.70B/62.90A	123.70B/62.90A	----	102.30 NEW	.6156	----	----	16	----	8 + 8
4835	----	----	92.30B/*28.10A	92.30B/*28.10A	----	67.80 + 34.50	.6864	----	----	----	----	2 UNCH
4835	----	----	96.00B/*47.70A	96.00B/*47.70A	----	54.70 - 36.20	.3947	----	----	----	----	2 UNCH
4835	18.80	18.80	64.80B/*17.00A	64.80B/*17.00A	----	23.20 - 36.80	.3134	----	----	2	----	3 + 2
4840	20.10	20.10	68.10B/*18.20A	68.10B/*18.20A	----	24.90 NEW	.3325	----	----	1	----	1 + 1
4840	----	----	88.70B/*26.20A	88.70B/*26.20A	----	64.50 + 33.20	.6673	----	----	----	----	1 UNCH
4840	64.50	64.50	117.00B/58.70A	117.00B/58.70A	----	96.20 + 34.20	.5943	----	----	10	----	13 + 1
4840	----	----	98.90B/*49.50A	98.90B/*49.50A	----	56.60 - 37.10	.4053	----	----	4	----	3 - 1
4845	----	----	113.70B/56.60A	113.70B/56.60A	----	93.20 + 33.40	.5835	----	----	1	----	0 - 1
4850	----	----	75.00B/*21.00A	75.00B/*21.00A	----	28.50 - 40.80	.3719	----	----	5	----	5 + 4
4850	----	----	82.00B/*23.00A	82.00B/*23.00A	----	58.10 + 30.50	.6279	----	----	----	----	17 UNCH
4850	69.80	69.80	110.50B/54.60A	110.50B/54.60A	----	90.30 + 32.60	.5727	----	----	5	----	5 - 3
4855	45.50	45.50	78.60B/*22.50A	78.60B/*22.50A	----	30.40 - 42.20	.3921	----	----	7	----	56 + 5
4855	----	----	78.40B/*21.60A	78.40B/*21.60A	----	55.00 + 29.10	.6077	----	----	----	----	50 UNCH
4860	58.00	58.00	110.10B/*57.00A	110.10B/*57.00A	----	65.10 NEW	.4489	----	----	4	----	1 + 1
4860	20.50	20.50	74.90B/*20.00A	74.90B/*20.00A	----	52.10 + 27.80	.5869	----	----	7	----	17 + 5
4860	----	----	104.10B/50.80A	104.10B/50.80A	----	84.70 + 31.00	.5507	----	----	3	----	3 UNCH
4865	60.00	60.00	113.30B/*59.20A	113.30B/*59.20A	----	67.30 NEW	.4600	----	----	4	----	2 + 2
4865	31.80	31.80	85.80B/*25.80A	85.80B/*25.80A	----	34.60 NEW	.4338	----	----	10	----	10 + 10
4865	65.30	65.30	71.60B/*19.10A	71.60B/*19.10A	----	49.20 + 26.50	.5660	----	----	1	----	20 + 1
4870	----	----	89.80B/*27.80A	89.80B/*27.80A	----	36.90 NEW	.4551	----	----	----	65	65 + 65
4870	20.10	20.10	68.40B/*17.80A	68.40B/*17.80A	----	46.50 + 25.20	.5448	----	----	6	----	6 + 4
4870	----	----	98.00B/47.30A	98.00B/47.30A	----	79.30 + 29.40	.5285	----	----	----	----	4 UNCH
4875	17.00	17.00	65.20B/*16.60A	65.20B/*16.60A	----	43.90 + 24.00	.5234	----	----	3	----	5 + 3
4880	77.00	77.00	92.30B/43.90A	92.30B/43.90A	----	74.10 NEW	.5062	----	----	2	----	2 + 2
4880	20.10	20.10	62.10B/*15.60A	62.10B/*15.60A	----	41.30 + 22.70	.5020	----	----	6	----	7 + 4
4885	46.40	46.40	59.10B/*14.40A	59.10B/*14.40A	----	38.90 NEW	.4806	----	----	1	----	1 + 1
4890	----	----	105.80B/*36.10A	105.80B/*36.10A	----	47.00 - 50.90	.5405	----	----	1	----	1 UNCH
4890	----	----	130.10B/*69.90A	130.10B/*69.90A	----	79.50 NEW	.5158	----	----	16	----	8 + 8
4890	----	----	56.40B/*13.40A	56.40B/*13.40A	----	36.60 + 20.30	.4593	----	----	----	----	5 UNCH
4890	----	----	88.20B/40.90A	88.20B/40.90A	----	69.10 NEW	.4838	----	----	16	----	8 + 8
4895	20.00	20.00	54.80B/*12.60A	54.80B/*12.60A	----	34.40 + 19.20	.4382	----	----	36	----	40 + 31
4895	64.50	64.50	85.50B/39.40A	85.50B/39.40A	----	66.80 NEW	.4726	----	----	8	----	3 + 3
4895	----	----	110.00B/*38.40A	110.00B/*38.40A	----	49.80 NEW	.5616	----	----	1	----	1 + 1
4900	40.10	40.10	114.30B/*40.10	114.30B/*40.10	----	52.70 NEW	.5825	----	----	4	----	2 + 2
4900	63.00	63.00	82.80B/37.70A	82.80B/37.70A	----	64.40 NEW	.4614	----	----	10	----	3 + 3
4900	15.10	15.10	52.20B/*11.70A	52.20B/*11.70A	----	32.30 + 18.10	.4173	----	----	44	----	114 + 9
4905	----	----	49.60B/*11.10A	49.60B/*11.10A	----	30.30 + 17.10	.3967	----	----	1	----	2 + 1
4910	33.40	33.40	47.00B/*10.20A	47.00B/*10.20A	----	28.40 + 16.00	.3765	----	----	42	----	43 + 42
4915	36.50	36.50	75.20B/33.50A	75.20B/33.50A	----	57.80 NEW	.4281	----	----	18	----	8 + 8
4920	57.00	57.00	72.70B/32.40A	72.70B/32.40A	----	55.70 NEW	.4171	----	----	2	----	1 + 1
4920	30.80	30.80	42.30B/*8.80A	42.30B/*8.80A	----	24.90 NEW	.3376	----	----	31	----	25 + 25
4925	10.00	10.00	40.00B/*8.10A	40.00B/*8.10A	----	23.30 + 13.20	.3189	----	----	56	----	42 - 9
4925	----	----	136.10B/*53.90A	136.10B/*53.90A	----	68.70 - 58.00	.6809	----	----	7	----	6 + 5
4930	13.70	13.70	37.90B/*7.70A	37.90B/*7.70A	----	21.80 + 12.40	.3009	----	----	5	----	10 + 5
4930	60.00	60.00	68.00B/29.90A	68.00B/29.90A	----	51.70 NEW	.3954	----	----	8	----	4 + 4
4935	----	----	35.80B/*7.10A	35.80B/*7.10A	----	20.40 NEW	.2836	----	----	41	----	39 + 39
4935	57.00	57.00	65.80B/*28.70A	65.80B/*28.70A	----	49.80 + 19.70	.3847	----	----	2	----	1 UNCH
4940	56.00	56.00	63.60B/*27.60A	63.60B/*27.60A	----	47.90 + 19.00	.3740	----	----	12	----	5 + 3
4940	----	----	33.80B/*6.70A	33.80B/*6.70A	----	19.00 NEW	.2665	----	----	2	----	2 + 2
4945	15.30	15.30	31.90B/*6.20A	31.90B/*6.20A	----	17.80 + 10.20	.2507	----	----	2	----	27 + 2
4950	18.30	18.30	30.10B/*5.70A	30.10B/*5.70A	----	16.60 + 9.50	.2352	----	----	10	----	62 + 10
4950	49.00	49.00	59.30B/*25.30A	59.30B/*25.30A	----	44.40 + 17.70	.3532	----	----	9	----	7 + 5
4955	----	----	57.30B/*24.30A	57.30B/*24.30A	----	42.70 + 17.10	.3429	----	----	4	----	4 UNCH
4955	----	----	28.40B/*5.30A	28.40B/*5.30A	----	15.50 + 8.80	.2205	----	----	----	----	22 UNCH
4960	19.10	19.10	26.70B/*5.00A	26.70B/*5.00A	----	14.40 + 8.10	.2060	----	----	22	----	15 + 10
4965	----	----	53.40B/*22.40A	53.40B/*22.40A	----	39.50 NEW	.3229	----	----	1	----	1 + 1
4970	----	----	51.50B/*21.60A	51.50B/*21.60A	----	37.90 NEW	.3129	----	----	100	----	100 + 100
4970	16.10	16.10	23.60B/*4.30A	23.60B/*4.30A	----	12.60 + 7.10	.1807	----	----	89	----	82 + 81
4975	14.40	14.40	22.20B/*4.10A	22.20B/*4.10A	----	11.70 + 6.60	.1683	----	----	12	----	25 + 10
4975	----	----	182.50B/*90.00A	182.50B/*90.00A	----	107.10 - 64.70	.8315	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week3										
APR26												
4980	13.40	13.40	20.80B/*3.80A	20.80B/*3.80A	----	10.90 + 6.10	.1570	----	----	16	----	17 + 15
4985	10.90	10.90	19.60B/*3.50A	19.60B/*3.50A	----	10.20 + 5.70	.1467	----	----	3	----	5 + 3
4990	----	----	18.40B/*3.30A	18.40B/*3.30A	----	9.50 + 5.20	.1366	----	----	----	----	60 UNCH
4995	----	----	17.30B/*3.10A	17.30B/*3.10A	----	8.90 + 4.90	.1276	----	----	----	----	50 UNCH
5000	4.00	4.00	16.20B/*2.90A	16.20B/*2.90A	----	8.30 + 4.50	.1188	----	----	21	----	128 + 5
5000	29.00	29.00	41.30B/*16.90A	41.30B/*16.90A	----	29.80 + 12.10	.2580	----	----	8	----	7 + 5
5000	----	----	206.90B/*109.00	206.90B/*109.00A	----	128.60 - 66.80	.8811	----	----	----	----	1 UNCH
5005	11.30	11.30	15.10B/*2.70A	15.10B/*2.70A	----	7.70 NEW	.1101	----	----	10	----	10 + 10
5010	14.10	14.10	14.30/*2.60A	14.30/*2.60A	----	7.20 NEW	.1026	----	----	51	----	50 + 50
5010	----	----	38.30B/*15.60A	38.30B/*15.60A	----	27.40 + 11.20	.2409	----	----	----	----	2 UNCH
5015	9.90	9.90	13.40B/*2.40A	13.40B/*2.40A	----	6.70 + 3.50	.0952	----	----	4	----	53 + 3
5020	9.20	9.20	12.40B/*2.30A	12.40B/*2.30A	----	6.30 NEW	.0889	----	----	4	----	4 + 4
5020	----	----	236.10B/*149.80	236.10B/*149.80A	----	165.50 NEW	.7750	----	----	2	----	2 + 2
5020	----	----	35.40B/*14.50A	35.40B/*14.50A	----	25.20 NEW	.2247	----	----	100	----	100 + 100
5025	----	----	240.60B/*153.70	240.60B/*153.70A	----	169.50 NEW	.7826	----	----	2	----	2 + 2
5025	8.60	8.60	11.70B/*2.20A	11.70B/*2.20A	----	5.80 + 3.00	.0818	----	----	6	----	11 + 6
5040	5.80	5.80	#9.40B/*1.90A	9.40B/*1.90A	----	4.80 NEW	.0663	----	----	1	----	1 + 1
5045	----	----	#8.80B/*1.80A	8.80B/*1.80A	----	4.50 NEW	.0617	----	----	1	----	1 + 1
5050	6.10	6.10	8.20B/*1.70A	8.20B/*1.70A	----	4.20 NEW	.0573	----	----	22	----	21 + 21
5050	11.50	11.50	27.80B/*10.50	27.80B/*10.50	----	19.70 + 8.00	.1816	----	----	54	----	32 + 31
5075	4.50	4.50	5.60B/*1.40A	5.60B/*1.40A	----	3.00 + 1.30	.0394	----	----	1	----	3 + 1
5075	----	----	22.60B/*9.40A	22.60B/*9.40A	----	16.00 + 6.40	.1510	----	----	----	----	1 UNCH
5080	1.80	1.80	#5.20B/*1.40A	5.20B/*1.40A	----	2.90 NEW	.0376	----	----	1	----	1 + 1
5090	2.50	2.50	#4.70B/*1.20A	4.70B/*1.20A	----	2.50 NEW	.0319	----	----	1	----	1 + 1
5100	2.50	2.50	4.00B/*1.30A	4.00B/*1.30A	----	2.20 + 0.80	.0276	----	----	21	----	9 + 1
5100	----	----	303.40B/*197.20	303.40B/*197.20A	----	222.60 - 70.40	.9723	----	----	----	----	0 UNCH
5100	----	----	18.30B/*7.80A	18.30B/*7.80A	----	13.00 NEW	.1249	----	----	1	----	1 + 1
5125	1.00	1.00	2.50B/*1.00	2.50B/*1.00	----	1.70 NEW	.0202	----	----	2	----	2 + 2
5150	----	----	1.80B/----	1.80B/1.10A	----	1.30 + 0.30	.0146	----	----	----	----	23 UNCH
5150	----	----	11.80B/----	11.80B/5.80A	----	8.60 + 3.20	.0848	----	----	----	----	19 UNCH
5200	0.80	0.80	0.90B/0.80	0.90B/0.80	----	0.80 + 0.10	.0080	----	----	5	----	14 + 5
5200	4.10	4.10	7.60B/*4.10	7.60B/*4.10	----	5.80 + 2.00	.0577	----	----	38	----	39 + 38
5225	----	----	0.70B/----	0.70B/*0.80A	----	0.60 UNCH	.0057	----	----	2	----	3 UNCH
5225	3.10	3.10	6.10B/*3.10	6.10B/*3.10	----	4.70 NEW	.0470	----	----	7	----	7 + 7
5250	----	----	----	0.50B/0.80A	----	0.50 UNCH	.0045	----	----	----	----	1 UNCH
5300	----	----	3.00B/----	3.00B/2.90A	----	2.40 + 0.80	.0244	----	----	----	----	22 UNCH
5325	3.40	3.40	#3.60B/*3.40	#3.60B/2.60A	----	1.90 NEW	.0194	----	----	2	----	2 + 2
5350	3.00	3.00	3.00/3.00	3.00/2.40A	----	1.50 + 0.40	.0153	----	----	4	----	9 + 4
5400	----	----	#602.70B/*493.1	#602.70B/*493.10A	----	520.50 - 71.30	.9988	----	----	----	----	1 UNCH
TOTAL										1604	65	2609 + 1074
MAY26												
4300	----	----	----/*6.30A	4.10B/*6.30A	----	4.60 - 2.10	.0298	----	----	----	----	1 UNCH
4650	----	----	----/*26.30A	42.70B/*26.30A	----	27.70 - 16.80	.1776	----	----	----	----	10 UNCH
4715	40.40	40.40	40.40/*38.00A	62.20B/*38.00A	----	40.50 NEW	.2467	----	----	20	----	10 + 10
4720	40.00	40.00	40.40/*38.80A	64.20B/*38.80A	----	41.70 NEW	.2527	----	----	20	----	9 + 9
4795	----	----	#169.40B/106.40	#169.40B/106.40A	----	147.80 + 38.00	.6446	----	----	----	----	1 UNCH
4800	----	----	#166.00B/103.70	#166.00B/103.70A	----	144.60 + 37.40	.6372	----	----	----	----	34 UNCH
4850	----	----	133.70B/80.60A	133.70B/80.60A	----	114.40 + 30.80	.5583	----	----	----	----	3 UNCH
4900	105.00	105.00	105.00/*101.80A	155.00B/*101.80A	----	109.20 NEW	.5237	----	----	1	----	1 + 1
4900	----	----	105.30B/61.70A	105.30B/61.70A	----	88.80 + 24.70	.4758	----	----	----	----	20 UNCH
4950	----	----	81.70B/46.80A	81.70B/46.80A	----	67.90 + 19.40	.3947	----	----	----	----	2 UNCH
5000	----	----	62.00B/35.30A	62.00B/35.30A	----	51.40 + 15.30	.3200	----	----	----	----	32 UNCH
5150	----	----	25.10B/----	25.10B/15.30A	----	20.30 + 6.60	.1493	----	----	----	----	1 UNCH
TOTAL										41		124 + 20

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week5										
APR26												
4000	----	----	----	0.40B/1.80A	----	1.00 - 0.40	.0057	----	----	4	----	5 + 4
4000	----	----	----	----/0.80A	----	0.20 - 0.20	.0009	----	----	4	----	4 + 1
4100	2.30	2.30	#2.30/*1.20	2.30/*1.20	----	1.30 NEW	.0080	----	----	2	----	1 + 1
4200	1.30	1.30	#1.40/*1.30	1.70B/*1.30	----	1.90 NEW	.0124	----	----	4	----	4 + 4
4225	----	----	----/*1.00A	0.40B/*1.00A	----	0.50 - 0.70	.0030	----	----	----	----	115 UNCH
4240	----	----	----/*1.00A	0.50B/*1.00A	----	0.60 - 0.70	.0037	----	----	----	----	200 UNCH
4250	----	----	----/*1.00A	0.50B/*1.00A	----	0.60 - 0.70	.0037	----	----	----	----	300 UNCH
4325	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4325	----	----	----/*4.00A	4.00B/*4.00A	----	3.30 - 1.70	.0230	----	----	----	----	1 UNCH
4360	----	----	----/*1.30A	1.20B/*1.30A	----	0.90 - 1.10	.0065	----	----	----	----	2 UNCH
4380	----	----	----/*1.40A	1.30B/*1.40A	----	1.00 - 1.20	.0075	----	----	----	----	2 UNCH
4395	----	----	----/*1.30A	1.60B/*1.30A	----	1.10 - 1.20	.0084	----	----	----	----	1 UNCH
4400	1.90	1.90	2.00/*1.30A	2.00/*1.30A	----	1.10 - 1.30	.0084	----	----	20	----	21 + 20
4400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	----/*5.20A	6.00B/*5.20A	----	4.60 - 2.70	.0334	----	----	----	----	1 UNCH
4410	----	----	----/*1.30A	1.80B/*1.30A	----	1.20 - 1.30	.0093	----	----	----	----	2 UNCH
4415	----	----	----	----	----	393.30 UNCH	----	----	----	----	----	0 UNCH
4420	----	----	----	----	----	388.30 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	----/*5.70A	7.30B/*5.70A	----	5.10 - 3.30	.0377	----	----	----	----	15 UNCH
4430	----	----	----/*1.30A	2.00B/*1.30A	----	1.30 - 1.40	.0104	----	----	----	----	2 UNCH
4445	----	----	----/*1.40A	2.30B/*1.40A	----	1.40 - 1.60	.0114	----	----	----	----	1 UNCH
4450	----	----	----/*6.30A	8.30B/*6.30A	----	5.80 - 3.90	.0433	----	----	----	----	1 UNCH
4455	----	----	----/*1.30A	2.50B/*1.30A	----	1.40 - 1.70	.0117	----	----	----	----	1 UNCH
4460	----	----	----/*1.40A	2.40B/*1.40A	----	1.50 - 1.70	.0125	----	----	----	----	1 UNCH
4470	----	----	----/*1.50A	2.60B/*1.50A	----	1.60 - 1.80	.0136	----	----	----	----	2 UNCH
4475	----	----	----/*7.10A	9.90B/*7.10A	----	6.60 - 4.70	.0498	----	----	----	----	1 UNCH
4480	----	----	----/*7.30A	10.30B/*7.30A	----	6.80 - 4.80	.0513	----	----	----	----	0 UNCH
4480	----	----	----/*1.60A	2.80B/*1.60A	----	1.60 - 2.00	.0139	----	----	----	----	4 UNCH
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----/*1.80A	3.20B/*1.80A	----	1.90 - 2.20	.0168	----	----	1	----	3 + 1
4500	12.90	12.90	12.90/*8.00A	12.90/*8.00A	----	7.60 - 5.50	.0577	----	----	4	----	9 + 4
4510	----	----	----/*1.90A	3.60B/*1.90A	----	2.00 - 2.40	.0180	----	----	----	----	2 UNCH
4515	----	----	----/*2.00A	3.70B/*2.00A	----	2.00 - 2.60	.0182	----	----	----	----	20 UNCH
4520	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4525	----	----	----/*9.10A	14.20B/*9.10A	----	8.70 - 6.60	.0666	----	----	----	----	1 UNCH
4540	----	----	----/*2.30A	4.70B/*2.30A	----	2.40 - 3.10	.0226	----	----	----	----	3 UNCH
4545	----	----	----/*9.80A	16.40B/*9.80A	----	9.80 - 7.60	.0751	----	----	----	----	2 UNCH
4550	----	----	----/*10.10A	17.00B/*10.10A	----	10.10 - 7.80	.0775	----	----	----	----	1 UNCH
4550	----	----	----	----	----	258.30 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----/*2.40A	5.10B/*2.40A	----	2.60 - 3.40	.0247	----	----	----	----	7 UNCH
4575	2.50	2.50	2.50/*2.50	6.30B/*2.50	----	3.10 - 4.20	.0305	----	----	1	----	56 + 1
4575	10.50	10.50	10.50/*10.50	20.30B/*10.50	----	11.80 - 9.20	.0905	----	----	1	----	0 - 1
4595	2.60	2.60	2.60/*2.60	8.20B/*2.60	----	3.60 NEW	.0363	----	----	1	----	1 + 1
4600	24.00	24.00	24.00/*13.20A	24.20B/*13.20A	----	13.90 - 10.80	.1061	----	----	2	----	3 + 2
4600	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4600	4.10	4.10	4.10/*3.30A	8.40B/*3.30A	----	3.80 - 5.30	.0384	----	----	11	----	55 + 4
4605	----	----	----/*3.50A	8.90B/*3.50A	----	3.90 - 5.60	.0398	----	----	----	----	1 UNCH
4605	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4615	----	----	----/*14.70A	27.10B/*14.70A	----	15.40 - 11.80	.1169	----	----	2	----	0 - 2
4615	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----/*4.00A	10.40B/*4.00A	----	4.40 - 6.50	.0456	----	----	----	----	1 UNCH
4620	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4630	----	----	----/*16.10A	30.00B/*16.10A	----	17.00 - 13.00	.1284	----	----	----	----	1 UNCH
4630	----	----	----/*4.30A	11.60B/*4.30A	----	4.90 - 7.00	.0510	----	----	----	----	1 UNCH
4635	----	----	----/*4.40A	12.40B/*4.40A	----	5.10 - 7.40	.0534	----	----	----	----	1 UNCH
4640	----	----	----/*4.60A	12.80B/*4.60A	----	5.30 - 7.80	.0558	----	----	18	----	18 UNCH
4645	----	----	----/*4.80A	13.70B/*4.80A	----	5.50 - 8.20	.0583	----	----	----	----	5 UNCH
4650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	4.70	4.70	4.70/*4.70	14.40B/*4.70	----	5.80 - 8.60	.0616	----	----	14	----	16 + 10
4655	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	36.80B/*19.20A	36.80B/*19.20A	----	20.80 - 15.60	.1549	----	----	----	----	100 UNCH
4660	----	----	----/*5.40A	15.60B/*5.40A	----	6.40 - 9.40	.0683	----	----	----	----	0 UNCH
4665	----	----	----/*5.70A	16.40B/*5.70A	----	6.70 - 9.80	.0718	----	----	18	----	18 UNCH
4670	----	----	17.50B/*5.90A	17.50B/*5.90A	----	7.00 - 10.30	.0753	----	----	----	----	10 UNCH
4675	----	----	18.40B/*6.20A	18.40B/*6.20A	----	7.40 - 10.70	.0796	----	----	4	----	4 UNCH
4680	----	----	----	----	----	128.30 UNCH	----	----	----	----	----	0 UNCH
4680	9.40	9.40	19.30B/*6.50A	19.30B/*6.50A	----	7.70 - 11.30	.0832	----	----	1	----	1 UNCH
4680	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4685	17.50	17.50	20.30B/*6.80A	20.30B/*6.80A	----	8.10 NEW	.0877	----	----	1	----	1 + 1
4690	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	22.50B/*7.40A	22.50B/*7.40A	----	9.00 - 12.90	.0975	----	----	----	----	2 UNCH
4700	20.00	20.00	23.60B/*7.70A	23.60B/*7.70A	----	9.40 - 13.50	.1022	----	----	23	----	56 + 22

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWR THU		GOLD WEEKLY THURSDAY OPTION Week3												
APR26														
4700	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	108.30	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	216.70B/121.70A	216.70B/121.70A	----	188.90	+ 57.70	.8976	----	----	----	----	1	UNCH
4705	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	26.00B/*8.50A	26.00B/*8.50A	----	10.40	- 14.80	.1132	----	----	----	----	1	UNCH
4715	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	93.30	UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4725	27.30	27.30	30.10B/*9.80A	30.10B/*9.80A	----	12.10	NEW	.1317	----	----	1	----	1 +	1
4725	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4730	----	----	----	----	----	78.30	UNCH	----	----	----	----	----	0	UNCH
4730	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4730	----	----	31.40B/*10.30A	31.40B/*10.30A	----	12.80	- 17.50	.1390	----	----	----	----	2	UNCH
4735	28.00	28.00	33.00B/*10.80A	33.00B/*10.80A	----	13.50	NEW	.1463	----	----	1	----	1 +	1
4735	----	----	60.10B/*31.00A	60.10B/*31.00A	----	34.80	- 23.40	.2435	----	----	----	----	1	UNCH
4735	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	68.30	UNCH	----	----	----	----	----	0	UNCH
4745	----	----	36.40B/*11.90A	36.40B/*11.90A	----	14.90	- 19.80	.1612	----	----	----	----	100	UNCH
4745	----	----	----	----	----	63.30	UNCH	----	----	----	----	----	0	UNCH
4745	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	38.20B/*12.50A	38.20B/*12.50A	----	15.70	- 20.60	.1694	----	----	1	----	11 +	1
4750	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	172.00B/86.90A	172.00B/86.90A	----	145.30	+ 50.80	.8304	----	----	----	----	1	UNCH
4750	40.00	40.00	66.00B/*34.10A	66.00B/*34.10A	----	38.50	- 25.20	.2650	----	----	3	----	5 +	3
4750	----	----	----	----	----	58.30	UNCH	----	----	----	----	----	0	UNCH
4755	----	----	40.00B/*13.10A	40.00B/*13.10A	----	16.60	NEW	.1783	----	----	5	----	5 +	5
4755	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4755	----	----	----	----	----	53.30	UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	----	----	48.30	UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4765	----	----	43.80B/*14.50A	43.80B/*14.50A	----	18.40	- 23.00	.1963	----	----	----	----	8	UNCH
4765	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	46.10B/*15.30A	46.10B/*15.30A	----	19.40	- 23.90	.2061	----	----	----	----	1	UNCH
4770	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	33.30	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4775	17.20	17.20	48.00B/*16.10A	48.00B/*16.10A	----	20.40	- 24.80	.2159	----	----	90	----	92 +	90
4780	----	----	50.30B/*17.00A	50.30B/*17.00A	----	21.50	- 25.70	.2263	----	----	1	----	3 +	1
4780	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4780	----	----	----	----	----	28.30	UNCH	----	----	----	----	----	0	UNCH
4785	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4785	----	----	----	----	----	23.30	UNCH	----	----	----	----	----	0	UNCH
4785	----	----	52.50B/*17.90A	52.50B/*17.90A	----	22.60	NEW	.2369	----	----	2	----	2 +	2
4790	----	----	54.90B/*18.80A	54.90B/*18.80A	----	23.80	- 27.60	.2480	----	----	----	----	1	UNCH
4790	----	----	----	----	----	18.30	UNCH	----	----	----	----	----	0	UNCH
4790	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4795	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4795	----	----	86.10B/*45.60A	86.10B/*45.60A	----	51.60	- 31.10	.3363	----	----	1	----	0 -	1
4800	26.70	26.70	59.60B/*20.90A	59.60B/*20.90A	----	26.30	NEW	.2709	----	----	3	----	3 +	3
4800	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	8.30	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	130.70B/57.70A	130.70B/57.70A	----	105.90	+ 41.70	.7288	----	----	----	----	33	UNCH
4805	53.00	53.00	62.00B/*22.10A	62.00B/*22.10A	----	27.70	NEW	.2832	----	----	34	----	24 +	24
4805	----	----	126.80B/55.30A	126.80B/55.30A	----	102.30	+ 40.80	.7166	----	----	----	----	21	UNCH
4805	----	----	----	----	----	3.30	UNCH	----	----	----	----	----	0	UNCH
4805	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4810	----	----	64.70B/*23.30A	64.70B/*23.30A	----	29.10	- 31.50	.2955	----	----	----	----	1	UNCH
4810	54.30	54.30	123.00B/52.70A	123.00B/52.70A	----	98.70	+ 39.80	.7043	----	----	20	----	16 +	6
4810	----	----	----	----	----	1.70	UNCH	----	----	----	----	----	0	UNCH
4810	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4815	----	----	119.10B/50.50A	119.10B/50.50A	----	95.20	+ 38.80	.6915	----	----	----	----	1	UNCH
4815	----	----	----	----	----	6.70	UNCH	----	----	----	----	----	0	UNCH
4815	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4820	----	----	115.50B/48.30A	115.50B/48.30A	----	91.80	+ 37.80	.6783	----	----	----	----	1	UNCH
4820	58.40	58.40	70.10B/*25.80A	70.10B/*25.80A	----	32.20	NEW	.3215	----	----	3	----	3 +	3
4820	----	----	98.90B/*53.40A	98.90B/*53.40A	----	60.30	- 34.70	.3798	----	----	1	----	1	UNCH
4820	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4820	----	----	----	----	----	11.70	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	111.90B/46.00A	111.90B/46.00A	----	88.40	+ 36.80	.6650	----	----	----	----	20	UNCH
4825	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	16.70	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	101.70B/*55.20A	101.70B/*55.20A	----	62.20	- 35.40	.3888	----	----	1	----	1	UNCH
4830	----	----	75.30B/*28.60A	75.30B/*28.60A	----	35.50	- 35.60	.3484	----	----	----	----	24	UNCH
4830	130.00	130.00	#133.60B/73.80A	#133.60B/73.80A	----	113.70	+ 35.10	.6017	----	----	1	----	1	UNCH
4830	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4830	----	----	----	----	----	21.70	UNCH	----	----	----	----	----	0	UNCH
4830	----	----	108.40B/43.90A	108.40B/43.90A	----	85.10	NEW	.6513	----	----	6	----	5 +	5
4835	----	----	105.30B/41.90A	105.30B/41.90A	----	81.90	+ 34.70	.6373	----	----	4	----	13 +	4
4835	----	----	----	----	----	26.70	UNCH	----	----	----	----	----	0	UNCH
4835	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4835	----	----	77.80B/*30.00A	77.80B/*30.00A	----	37.30	- 36.50	.3624	----	----	----	----	6	UNCH
4840	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4840	----	----	----	----	----	31.70	UNCH	----	----	----	----	----	0	UNCH
4845	43.00	43.00	98.20B/38.10A	98.20B/38.10A	----	75.60	NEW	.6087	----	----	1	----	1 +	1
4845	----	----	----	----	----	36.70	UNCH	----	----	----	----	----	0	UNCH
4845	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4845	112.00	112.00	#124.00B/67.40A	#124.00B/67.40A	----	104.80	+ 33.00	.5740	----	----	1	----	0 -	1
4850	58.40	58.40	87.50B/*34.90A	87.50B/*34.90A	----	43.00	NEW	.4055	----	----	5	----	5 +	5
4850	----	----	----	----	----	41.70	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	94.90B/36.20A	94.90B/36.20A	----	72.60	+ 31.60	.5943	----	----	----	----	5	UNCH
4850	107.70	107.70	120.80B/65.40A	120.80B/65.40A	----	101.90	+ 32.20	.5647	----	----	2	----	4 -	1
4855	----	----	91.50B/34.60A	91.50B/34.60A	----	69.70	+ 30.60	.5795	----	----	1	----	7	UNCH
4855	----	----	----	----	----	46.70	UNCH	----	----	----	----	----	0	UNCH
4855	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4855	----	----	117.80B/63.40A	117.80B/63.40A	----	99.10	+ 31.50	.5552	----	----	----	----	1	UNCH
4860	----	----	88.20B/*32.40A	88.20B/*32.40A	----	66.80	+ 29.60	.5645	----	----	----	----	9	UNCH
4860	----	----	94.00B/*38.70A	94.00B/*38.70A	----	47.30	- 41.60	.4352	----	----	----	----	1	UNCH
4860	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4860	----	----	----	----	----	51.70	UNCH	----	----	----	----	----	0	UNCH
4865	----	----	85.00B/*31.10A	85.00B/*31.10A	----	64.10	+ 28.70	.5495	----	----	19	----	38 -	1
4865	----	----	----	----	----	56.70	UNCH	----	----	----	----	----	0	UNCH
4865	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4870	----	----	81.90B/*29.60A	81.90B/*29.60A	----	61.40	+ 27.70	.5344	----	----	----	----	200	UNCH
4870	55.00	55.00	101.10B/*42.60A	101.10B/*42.60A	----	51.80	- 43.60	.4653	----	----	12	----	14 +	12
4870	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4870	----	----	----	----	----	61.70	UNCH	----	----	----	----	----	0	UNCH
4875	----	----	79.10B/*28.00A	79.10B/*28.00A	----	58.70	+ 26.60	.5192	----	----	5	----	7 +	3
4875	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4875	----	----	----	----	----	66.70	UNCH	----	----	----	----	----	0	UNCH
4880	----	----	76.00B/*26.70A	76.00B/*26.70A	----	56.20	NEW	.5040	----	----	4	----	2 +	2
4880	----	----	----	----	----	71.70	UNCH	----	----	----	----	----	0	UNCH
4880	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4880	96.00	96.00	108.30B/*46.70A	108.30B/*46.70A	----	56.60	NEW	.4957	----	----	1	----	1 +	1
4880	104.00	104.00	105.10B/54.10A	105.10B/54.10A	----	85.70	NEW	.5075	----	----	10	----	10 +	10
4885	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4885	----	----	73.20B/*25.30A	73.20B/*25.30A	----	53.70	+ 24.70	.4888	----	----	5	----	2 +	1
4890	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4890	60.90	60.90	71.70B/*24.10A	71.70B/*24.10A	----	51.30	+ 23.70	.4735	----	----	19	----	20 +	1
4890	45.00	45.00	#99.60B/*45.00	#99.60B/*45.00	----	80.70	NEW	.4882	----	----	10	----	10 +	10
4895	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4895	59.10	59.10	69.00B/*22.70A	69.00B/*22.70A	----	49.00	NEW	.4583	----	----	12	----	11 +	11
4900	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	91.70	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	66.30B/*21.70A	66.30B/*21.70A	----	46.80	+ 21.90	.4433	----	----	27	----	147 +	22
4900	----	----	94.20B/47.50A	94.20B/47.50A	----	75.90	+ 25.10	.4690	----	----	----	----	1	UNCH
4905	----	----	63.70B/*20.50A	63.70B/*20.50A	----	44.60	NEW	.4282	----	----	2	----	1 +	1
4905	64.00	64.00	127.50B/*58.00A	127.50B/*58.00A	----	70.00	NEW	.5716	----	----	6	----	6 +	6
4910	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4910	52.00	52.00	61.20B/*19.40A	61.20B/*19.40A	----	42.50	+ 20.10	.4133	----	----	4	----	4 +	4
4915	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4915	----	----	58.80B/*18.50A	58.80B/*18.50A	----	40.50	NEW	.3985	----	----	8	----	2 +	2
4920	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4920	----	----	----	----	----	111.70	UNCH	----	----	----	----	----	0	UNCH
4920	----	----	56.40B/*17.40A	56.40B/*17.40A	----	38.60	+ 18.40	.3840	----	----	----	----	6	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU	GOLD WEEKLY THURSDAY OPTION Week5										
APR26											
4920 ----	----	84.10B/41.80A	84.10B/41.80A	----	66.90 + 22.40	.4306	----	----	----	----	1 UNCH
4925 ----	----	54.10B/*16.40A	54.10B/*16.40A	----	36.70 + 17.60	.3696	----	----	4	----	23 - 1
4925 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4930 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4935 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4935 ----	----	152.20B/*74.40A	152.20B/*74.40A	----	88.60 NEW	.6582	----	----	1	----	1 + 1
4940 28.80	28.80	47.60B/*14.00A	47.60B/*14.00A	----	31.60 + 15.30	.3280	----	----	2	----	4 + 2
4940 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4945 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4950 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4950 ----	----	----	----	----	141.70 UNCH	----	----	----	----	----	0 UNCH
4950 58.50	58.50	70.40B/33.90A	70.40B/33.90A	----	55.00 + 18.80	.3746	----	----	1	----	2 UNCH
4950 36.20	36.20	43.50B/*12.60A	43.50B/*12.60A	----	28.50 + 13.80	.3016	----	----	11	----	12 + 10
4955 ----	----	41.60B/*11.90A	41.60B/*11.90A	----	27.00 + 13.10	.2886	----	----	4	----	1 UNCH
4960 ----	----	39.60B/*11.30A	39.60B/*11.30A	----	25.60 + 12.40	.2761	----	----	----	----	4 UNCH
4970 ----	----	----	----	----	161.70 UNCH	----	----	----	----	----	0 UNCH
4970 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4970 ----	----	36.10B/*10.10A	36.10B/*10.10A	----	23.10 + 11.20	.2526	----	----	4	----	204 + 4
4975 ----	----	----	----	----	166.70 UNCH	----	----	----	----	----	0 UNCH
4975 27.50	27.50	34.40B/*9.50A	34.40B/*9.50A	----	21.90 NEW	.2412	----	----	2	----	2 + 2
4985 ----	----	31.40B/*8.50A	31.40B/*8.50A	----	19.60 + 9.40	.2191	----	----	2	----	1 + 1
4990 ----	----	----	----	----	181.70 UNCH	----	----	----	----	----	0 UNCH
4995 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5000 17.70	17.70	27.10B/*7.30A	27.10B/*7.30A	----	16.70 + 8.00	.1896	----	----	15	----	12 + 8
5000 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5000 ----	----	----	----	----	191.70 UNCH	----	----	----	----	----	0 UNCH
5000 25.80	25.80	51.30B/*23.70A	51.30B/*23.70A	----	39.00 + 13.50	.2884	----	----	1	----	4 + 1
5005 ----	----	49.60B/*22.90A	49.60B/*22.90A	----	37.60 + 13.00	.2804	----	----	----	----	4 UNCH
5010 ----	----	----	----	----	201.70 UNCH	----	----	----	----	----	0 UNCH
5010 ----	----	24.50B/*6.40A	24.50B/*6.40A	----	14.90 + 7.10	.1711	----	----	----	----	200 UNCH
5020 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5025 ----	----	21.10B/*5.60A	21.10B/*5.60A	----	12.60 + 5.90	.1464	----	----	----	----	1 UNCH
5050 ----	----	16.30B/*4.20A	16.30B/*4.20A	----	9.60 + 4.30	.1126	----	----	7	----	55 + 5
5050 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5075 3.50	3.50	12.40B/*3.40A	12.40B/*3.40A	----	7.20 + 3.00	.0851	----	----	1	----	76 + 1
5075 14.00	14.00	30.50B/*13.50	30.50B/*13.50	----	22.70 NEW	.1844	----	----	3	----	3 + 3
5100 ----	----	9.50B/*2.80A	9.50B/*2.80A	----	5.40 + 2.10	.0639	----	----	----	----	9 UNCH
5125 ----	----	21.20B/*10.10A	21.20B/*10.10A	----	15.80 + 5.40	.1338	----	----	----	----	0 UNCH
5150 3.10	3.10	5.40B/*1.90A	5.40B/*1.90A	----	3.10 + 1.00	.0360	----	----	2	----	3 + 2
5200 ----	----	2.90B/----	2.90B/*1.40A	----	1.90 + 0.50	.0211	----	----	1	----	3 + 1
5200 ----	----	12.00B/----	12.00B/*6.70A	----	9.40 + 3.10	.0822	----	----	----	----	12 UNCH
5225 ----	----	2.20B/----	2.20B/*1.20A	----	1.50 + 0.40	.0163	----	----	----	----	1 UNCH
5250 ----	----	1.60B/----	1.60B/*1.30A	----	1.20 + 0.20	.0127	----	----	----	----	2 UNCH
5400 ----	----	2.60B/----	2.60B/3.00A	----	3.20 + 1.10	.0269	----	----	----	----	1 UNCH
5500 ----	----	----	1.40B/2.30A	----	2.20 + 0.80	.0176	----	----	----	----	1 UNCH
TOTAL									529		2653 + 350
MAY26											
4400 ----	----	----/*10.80A	12.40B/*10.80A	----	9.10 - 4.60	.0569	----	----	----	----	2 UNCH
4425 ----	----	----/*12.00A	14.10B/*12.00A	----	10.10 NEW	.0636	----	----	1	----	1 + 1
4475 ----	----	----/*12.90A	19.00B/*12.90A	----	12.80 - 7.40	.0808	----	----	1	----	2 + 1
4500 ----	----	----/*14.40A	22.00B/*14.40A	----	14.50 - 8.60	.0913	----	----	----	----	1 UNCH
4575 ----	----	----/*21.10A	34.00B/*21.10A	----	21.70 - 12.60	.1334	----	----	----	----	1 UNCH
4780 65.00	65.00	99.40B/*61.50A	99.40B/*61.50A	----	66.60 - 30.20	.3443	----	----	4	----	0 - 4
4815 96.00	96.00	116.40B/*73.20A	116.40B/*73.20A	----	79.40 NEW	.3932	----	----	1	----	1 + 1
4830 88.00	88.00	#124.30B/*78.90	#124.30B/*78.90A	----	85.40 NEW	.4149	----	----	4	----	4 + 4
4850 ----	----	#135.20B/*86.90	#135.20B/*86.90A	----	94.00 - 38.50	.4444	----	----	----	----	0 UNCH
4850 ----	----	#141.00B/----	#141.00B/*91.40A	----	123.50 + 32.60	.5550	----	----	----	----	100 UNCH
4955 ----	----	#87.00B/----	#87.00B/*55.00A	----	74.30 + 20.50	.3976	----	----	----	----	9 UNCH
4970 ----	----	#80.90B/----	#80.90B/*50.90A	----	68.70 + 19.00	.3759	----	----	----	----	18 UNCH
5000 ----	----	#69.40B/----	#69.40B/43.90A	----	58.50 + 16.20	.3341	----	----	----	----	9 UNCH
5025 ----	----	#60.90B/----	#60.90B/38.60A	----	51.10 + 14.10	.3013	----	----	----	----	1 UNCH
5125 ----	----	35.10B/----	35.10B/22.20A	----	29.30 + 8.10	.1916	----	----	----	----	1 UNCH
5200 ----	----	22.70B/----	22.70B/15.50A	----	19.40 NEW	.1335	----	----	1	----	1 + 1
5250 ----	----	17.60B/----	17.60B/11.90A	----	14.90 + 4.20	.1048	----	----	----	----	1 UNCH
5400 ----	----	7.70B/----	7.70B/7.80A	----	7.40 + 2.20	.0530	----	----	----	----	1 UNCH
TOTAL									12		153 + 4

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK3										
APR26											
4000 ----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4025 ----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4050 ----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
4100 ----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
4125 ----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4150 ----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	1	----	2 UNCH
4175 ----	----	----	----/*0.30A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
4220 ----	----	----	----/*0.30A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
4225 ----	----	----	----/*0.30A	----	0.10 - 0.10	----	----	----	----	----	49 UNCH
4250 ----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	----	----	----	----	----	22 UNCH
4300 ----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.20	----	----	----	3	----	4 + 3
4335 ----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.30	----	----	----	----	----	1 UNCH
4350 ----	----	0.50B/*0.20A	0.50B/*0.20A	----	0.10 - 0.30	.0000	----	----	----	----	5 UNCH
4375 ----	----	----	0.10B/*0.50A	----	0.10 - 0.40	.0000	----	----	----	----	2 UNCH
4380 ----	----	----/*0.40A	0.10B/*0.40A	----	0.10 - 0.40	.0000	----	----	----	----	2 UNCH
4400 ----	----	0.80B/*0.20A	0.80B/*0.20A	----	0.10 - 0.40	.0000	----	----	----	----	152 UNCH
4410 ----	----	----/*0.50A	0.10B/*0.50A	----	0.10 - 0.50	.0000	----	----	----	----	1 UNCH
4440 ----	----	----/*0.50A	0.20B/*0.50A	----	0.10 - 0.60	.0002	----	----	----	----	15 UNCH
4450 0.30	0.30	0.30/*0.20	0.30/*0.20	----	0.10 - 0.60	.0002	----	----	3	----	6 + 3
4460 ----	----	----/*0.50A	0.30B/*0.50A	----	0.10 - 0.70	.0003	----	----	----	----	10 UNCH
4465 ----	----	----/*0.50A	0.30B/*0.50A	----	0.10 - 0.70	.0004	----	----	----	----	5 UNCH
4470 ----	----	----/*0.50A	0.30B/*0.50A	----	0.10 - 0.70	.0005	----	----	3	----	12 + 3
4475 ----	----	----/*0.50A	0.30B/*0.50A	----	0.20 - 0.60	.0011	----	----	----	----	2 UNCH
4485 ----	----	----/*0.50A	0.40B/*0.50A	----	0.20 - 0.70	.0011	----	----	----	----	6 UNCH
4490 1.10	1.10	1.10/*0.50A	1.10/*0.50A	----	0.20 NEW	.0011	----	----	1	----	1 + 1
4495 ----	----	#414.60B/300.70	#414.60B/300.70A	----	384.70 + 70.50	.9989	----	----	----	----	2 UNCH
4495 ----	----	----/*0.60A	0.40B/*0.60A	----	0.20 - 0.80	.0011	----	----	----	----	1 UNCH
4500 ----	----	#409.70B/295.50	#409.70B/295.50A	----	379.70 + 70.50	.9988	----	----	----	----	2 UNCH
4500 0.20	0.20	0.20/*0.20	0.90B/*0.20	----	0.20 - 0.80	.0012	----	----	10	----	33 + 9
4505 ----	----	----/*0.60A	0.40B/*0.60A	----	0.20 - 0.80	.0012	----	----	1	----	2 + 1
4510 ----	----	#399.60B/285.80	#399.60B/285.80A	----	369.70 + 70.40	.9988	----	----	----	----	0 - 1
4530 1.60	1.60	1.60/*0.60	1.60/*0.60	----	0.20 NEW	.0013	----	----	2	----	2 + 2
4535 ----	----	----/*0.70A	0.70B/*0.70A	----	0.30 - 1.00	.0020	----	----	----	----	1 UNCH
4550 ----	----	----/*0.50A	0.90B/*0.50A	----	0.30 - 1.20	.0021	----	----	----	----	3 UNCH
4550 ----	----	#359.70B/245.30	#359.70B/245.30A	----	329.80 + 70.10	.9979	----	----	----	----	51 UNCH
4560 0.60	0.60	0.60/*0.60	0.80B/*0.60	----	0.30 NEW	.0022	----	----	1	----	1 + 1
4565 ----	----	----/*0.70A	0.90B/*0.70A	----	0.30 - 1.40	.0022	----	----	----	----	2 UNCH
4570 ----	----	#339.70B/226.00	#339.70B/226.00A	----	309.90 + 69.90	.9977	----	----	----	----	1 UNCH
4570 0.40	0.40	0.40/*0.40	0.90B/*0.40	----	0.30 - 1.50	.0022	----	----	2	----	17 + 2
4575 ----	----	----/*0.60A	1.00B/*0.60A	----	0.40 - 1.40	.0031	----	----	----	----	16 UNCH
4580 ----	----	----/*0.70A	1.10B/*0.70A	----	0.40 - 1.50	.0031	----	----	----	----	36 UNCH
4585 ----	----	----/*0.70A	1.10B/*0.70A	----	0.40 - 1.60	.0032	----	----	----	----	2 UNCH
4590 ----	----	----/*0.80A	1.30B/*0.80A	----	0.40 - 1.70	.0033	----	----	----	----	1 UNCH
4595 ----	----	----/*0.70A	1.30B/*0.70A	----	0.50 - 1.70	.0042	----	----	----	----	2 UNCH
4600 ----	----	#310.10B/196.70	#310.10B/196.70A	----	280.00 + 69.40	.9957	----	----	4	----	14 + 4
4600 2.00	2.00	2.00/*0.30	2.00/*0.30	----	0.50 - 1.80	.0043	----	----	13	----	53 + 5
4605 ----	----	----/*0.80A	1.50B/*0.80A	----	0.50 - 1.90	.0043	----	----	----	----	26 UNCH
4610 ----	----	----/*0.70A	1.70B/*0.70A	----	0.50 - 2.10	.0044	----	----	----	----	5 UNCH
4615 ----	----	----/*0.80A	1.70B/*0.80A	----	0.60 - 2.10	.0054	----	----	----	----	1 UNCH
4620 1.90	1.90	1.90/*0.70A	1.90/*0.70A	----	0.60 NEW	.0055	----	----	1	----	1 + 1
4625 0.40	0.40	0.60/*0.40	2.00B/*0.40	----	0.60 NEW	.0057	----	----	2	----	2 + 2
4630 ----	----	----/*0.80A	2.20B/*0.80A	----	0.70 NEW	.0067	----	----	1	----	1 + 1
4635 ----	----	----/*0.80A	2.30B/*0.80A	----	0.70 - 2.60	.0069	----	----	----	----	1 UNCH
4640 ----	----	#270.50B/158.10	#270.50B/158.10A	----	240.30 + 68.50	.9919	----	----	----	----	10 UNCH
4640 ----	----	----/*0.90A	2.50B/*0.90A	----	0.80 - 2.70	.0080	----	----	----	----	1 UNCH
4645 1.00	1.00	1.00/*0.90A	2.80B/*0.90A	----	0.80 - 3.00	.0082	----	----	12	----	6 + 5
4650 3.80	3.80	3.80/*0.80	3.80/*0.80	----	0.90 - 3.10	.0094	----	----	6	----	11 + 2
4655 ----	----	#255.60B/144.00	#255.60B/144.00A	----	225.50 + 68.00	.9903	----	----	----	----	1 UNCH
4655 ----	----	----/*1.00A	3.30B/*1.00A	----	0.90 - 3.30	.0096	----	----	----	----	3 UNCH
4660 1.60	1.60	1.60/*1.00A	3.60B/*1.00A	----	1.00 - 3.50	.0109	----	----	1	----	4 UNCH
4665 ----	----	----/*1.00A	3.90B/*1.00A	----	1.00 - 3.80	.0111	----	----	----	----	4 UNCH
4670 3.50	3.50	4.20B/*0.80	4.20B/*0.80	----	1.10 - 4.00	.0124	----	----	4	----	4 + 2
4675 4.00	4.00	4.00/*0.80A	4.70B/*0.80A	----	1.10 - 4.30	.0127	----	----	1	----	190 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3										
APR26												
4680	----	----	#230.60B/119.90	#230.60B/119.90A	----	200.80 + 66.70	.9857	----	----	----	----	1 UNCH
4680	5.70	5.70	5.70/*0.90A	5.70/*0.90A	----	1.20 - 4.60	.0142	----	----	2	----	6 + 2
4685	----	----	----/*1.20A	5.50B/*1.20A	----	1.30 - 4.90	.0156	----	----	----	----	6 UNCH
4690	5.10	5.10	5.10/*1.20A	6.00B/*1.20A	----	1.30 NEW	.0160	----	----	2	----	2 + 2
4700	----	----	#211.30B/102.40	#211.30B/102.40A	----	181.10 + 65.20	.9806	----	----	----	----	51 UNCH
4700	6.60	6.60	7.40B/*1.10	7.40B/*1.10	----	1.50 - 6.20	.0193	----	----	144	----	100 - 53
4705	----	----	----/*1.40A	7.90B/*1.40A	----	1.60 - 6.60	.0210	----	----	----	----	4 UNCH
4705	----	----	#206.30B/98.80A	#206.30B/98.80A	----	176.20 NEW	.9789	----	----	1	----	1 + 1
4710	2.80	2.80	2.80/*1.50A	8.80B/*1.50A	----	1.70 - 7.10	.0228	----	----	1	----	1 UNCH
4715	----	----	9.60B/*1.60A	9.60B/*1.60A	----	1.80 - 7.70	.0246	----	----	----	----	1 UNCH
4720	7.30	7.30	10.60B/*1.70A	10.60B/*1.70A	----	1.90 - 8.30	.0266	----	----	6	----	6 + 4
4725	3.30	3.30	11.60B/*1.80A	11.60B/*1.80A	----	2.10 - 8.90	.0299	----	----	3	----	18 + 2
4730	9.10	9.10	12.50B/*2.00A	12.50B/*2.00A	----	2.20 NEW	.0320	----	----	11	----	8 + 8
4735	2.90	2.90	13.80B/*2.10A	13.80B/*2.10A	----	2.40 - 10.30	.0356	----	----	2	----	28 + 1
4740	----	----	172.30B/71.20A	172.30B/71.20A	----	142.10 + 60.10	.9606	----	----	----	----	1 UNCH
4740	2.50	2.50	15.10B/*2.20A	15.10B/*2.20A	----	2.60 - 11.10	.0392	----	----	8	----	6 + 4
4745	----	----	167.30B/67.50A	167.30B/67.50A	----	137.30 + 59.20	.9568	----	----	----	----	1 UNCH
4745	----	----	16.30B/*2.40A	16.30B/*2.40A	----	2.80 - 12.00	.0431	----	----	1	----	2 UNCH
4750	139.00	139.00	162.70B/64.00A	162.70B/64.00A	----	132.60 + 58.40	.9528	----	----	10	----	13 UNCH
4750	15.30	15.30	17.90B/*2.20	17.90B/*2.20	----	3.00 - 12.90	.0471	----	----	80	----	46 + 34
4755	----	----	157.80B/58.10A	157.80B/58.10A	----	127.80 + 57.40	.9486	----	----	----	----	2 UNCH
4755	3.10	3.10	19.30B/*2.70A	19.30B/*2.70A	----	3.20 - 13.90	.0513	----	----	3	----	3 + 1
4760	----	----	153.20B/54.80A	153.20B/54.80A	----	123.10 + 56.40	.9429	----	----	----	----	15 UNCH
4760	20.10	20.10	21.00B/*2.90A	21.00B/*2.90A	----	3.50 - 15.00	.0570	----	----	8	----	32 + 3
4765	----	----	148.40B/51.70A	148.40B/51.70A	----	118.40 + 55.20	.9370	----	----	----	----	62 UNCH
4765	----	----	22.60B/*3.10A	22.60B/*3.10A	----	3.80 - 16.10	.0629	----	----	----	----	2 UNCH
4770	5.50	5.50	24.70B/*3.40A	24.70B/*3.40A	----	4.20 - 17.20	.0703	----	----	14	----	65 + 11
4770	----	----	143.70B/48.50A	143.70B/48.50A	----	113.70 + 54.00	.9295	----	----	----	----	7 UNCH
4775	----	----	139.00B/45.60A	139.00B/45.60A	----	109.10 + 52.80	.9230	----	----	----	----	2 UNCH
4775	20.10	20.10	26.60B/*3.60A	26.60B/*3.60A	----	4.50 - 18.50	.0768	----	----	93	----	98 + 63
4780	5.00	5.00	28.70B/*3.90A	28.70B/*3.90A	----	5.00 - 19.70	.0861	----	----	1	----	6 + 1
4780	----	----	134.40B/42.90A	134.40B/42.90A	----	104.50 + 51.50	.9137	----	----	----	----	1 UNCH
4785	----	----	129.80B/40.00A	129.80B/40.00A	----	100.00 + 50.20	.9053	----	----	----	----	24 UNCH
4785	5.00	5.00	30.90B/*4.30A	30.90B/*4.30A	----	5.40 - 21.10	.0945	----	----	3	----	62 - 1
4790	13.00	13.00	33.30B/*4.60A	33.30B/*4.60A	----	5.90 - 22.60	.1045	----	----	44	----	49 + 43
4790	----	----	125.20B/37.60A	125.20B/37.60A	----	95.50 + 48.70	.8953	----	----	----	----	3 UNCH
4795	6.50	6.50	35.80B/*4.90A	35.80B/*4.90A	----	6.50 - 24.00	.1161	----	----	4	----	9 + 4
4795	----	----	120.50B/*35.10A	120.50B/*35.10A	----	91.10 + 47.30	.8837	----	----	3	----	62 + 3
4800	----	----	116.60B/*32.40A	116.60B/*32.40A	----	86.70 + 45.70	.8717	----	----	8	----	25 + 6
4800	30.00	30.00	38.70B/*4.90	38.70B/*4.90	----	7.10 - 25.60	.1282	----	----	297	----	227 + 209
4805	40.90	40.90	41.20B/*5.80A	41.20B/*5.80A	----	7.90 - 27.10	.1429	----	----	27	----	12 + 10
4805	----	----	112.00B/*30.40A	112.00B/*30.40A	----	82.40 + 44.10	.8569	----	----	1	----	2 + 1
4810	27.20	27.20	44.20B/*6.00	44.20B/*6.00	----	8.60 NEW	.1570	----	----	25	----	12 + 12
4810	32.70	32.70	107.60B/*28.20A	107.60B/*28.20A	----	78.20 + 42.50	.8428	----	----	22	----	31 + 10
4815	10.00	10.00	47.20B/*6.90A	47.20B/*6.90A	----	9.50 - 30.50	.1738	----	----	15	----	19 + 11
4815	----	----	103.20B/*26.20A	103.20B/*26.20A	----	74.10 + 40.80	.8261	----	----	----	----	18 UNCH
4820	31.70	31.70	98.80B/*24.30A	98.80B/*24.30A	----	70.00 + 39.10	.8078	----	----	4	----	23 + 3
4820	18.00	18.00	48.50B/*7.40A	48.50B/*7.40A	----	10.50 - 32.10	.1920	----	----	2	----	7 + 1
4825	32.50	32.50	94.70B/*22.40A	94.70B/*22.40A	----	66.10 + 37.40	.7891	----	----	65	----	33 - 25
4825	19.70	19.70	51.70B/*8.10A	51.70B/*8.10A	----	11.50 - 33.90	.2107	----	----	29	----	20 + 14
4830	14.20	14.20	54.90B/*8.80A	54.90B/*8.80A	----	12.70 - 35.60	.2317	----	----	16	----	14 + 14
4830	22.40	22.40	90.40B/*20.70A	90.40B/*20.70A	----	62.20 + 35.60	.7681	----	----	5	----	5 - 1
4835	10.30	10.30	58.20B/*9.00	58.20B/*9.00	----	13.90 - 37.40	.2533	----	----	63	----	58 + 56
4835	22.00	22.00	86.20B/*19.20A	86.20B/*19.20A	----	58.50 + 33.90	.7466	----	----	6	----	30 - 1
4840	23.10	23.10	82.20B/*17.90A	82.20B/*17.90A	----	54.90 + 32.10	.7230	----	----	17	----	33 + 8
4840	12.00	12.00	61.90B/*10.60A	61.90B/*10.60A	----	15.30 - 39.20	.2769	----	----	22	----	21 + 18
4845	12.00	12.00	65.40B/*11.50A	65.40B/*11.50A	----	16.80 NEW	.3016	----	----	28	----	28 + 28
4845	20.20	20.20	78.30B/*16.50A	78.30B/*16.50A	----	51.40 + 30.40	.6983	----	----	11	----	97 UNCH
4850	21.00	21.00	74.50B/*15.20A	74.50B/*15.20A	----	48.00 + 28.60	.6725	----	----	26	----	81 + 17
4850	20.40	20.40	69.10B/*12.80A	69.10B/*12.80A	----	18.40 - 42.70	.3273	----	----	128	----	85 + 80
4855	39.40	39.40	70.70B/*14.00A	70.70B/*14.00A	----	44.70 + 26.80	.6458	----	----	6	----	9 + 1
4855	16.10	16.10	73.00B/*14.00A	73.00B/*14.00A	----	20.10 NEW	.3541	----	----	113	----	112 + 112
4860	19.00	19.00	76.90B/*15.40A	76.90B/*15.40A	----	22.00 - 46.10	.3821	----	----	49	100	132 + 131
4860	12.30	12.30	67.10B/*12.10A	67.10B/*12.10A	----	41.60 + 25.10	.6178	----	----	14	----	62 + 8
4865	17.40	17.40	80.90B/*16.80A	80.90B/*16.80A	----	24.10 NEW	.4110	----	----	35	----	27 + 27
4865	12.50	12.50	63.60B/*11.50A	63.60B/*11.50A	----	38.70 + 23.60	.5889	----	----	26	----	25 + 24
4870	10.40	10.40	61.10/*10.40	61.10/*10.40	----	35.80 + 21.90	.5598	----	----	26	----	15 + 7
4870	29.00	29.00	85.40B/*18.40	85.40B/*18.40	----	26.20 - 49.40	.4401	----	----	52	----	42 + 41
4875	11.40	11.40	56.90B/*9.60A	56.90B/*9.60A	----	33.10 + 20.30	.5301	----	----	105	----	97 + 56
4875	21.20	21.20	89.50B/*19.90	89.50B/*19.90	----	28.50 NEW	.4697	----	----	54	----	41 + 41
4880	11.10	11.10	53.70B/*8.80A	53.70B/*8.80A	----	30.60 + 18.90	.5003	----	----	12	----	18 + 6
4880	27.00	27.00	93.90B/*21.80A	93.90B/*21.80A	----	31.00 NEW	.4996	----	----	50	----	23 + 23
4885	30.80	30.80	98.50B/*23.70A	98.50B/*23.70A	----	33.60 NEW	.5293	----	----	121	----	85 + 85
4885	11.50	11.50	50.50B/*7.90A	50.50B/*7.90A	----	28.20 + 17.40	.4705	----	----	121	----	79 + 36
4890	7.20	7.20	47.50B/*7.20	47.50B/*7.20	----	25.90 + 16.00	.4409	----	----	27	----	21 + 17
4895	----	----	106.30B/*27.90A	106.30B/*27.90A	----	39.20 - 56.50	.5881	----	----	151	----	82 + 81
4895	33.70	33.70	44.70B/*6.50A	44.70B/*6.50A	----	23.80 + 14.70	.4118	----	----	57	----	75 + 48
4900	57.00	57.00	110.80B/*30.10A	110.80B/*30.10A	----	42.20 - 57.80	.6166	----	----	22	----	16 + 15
4900	9.50	9.50	43.40B/*5.40	43.40B/*5.40	----	21.80 + 13.50	.3832	----	----	318	----	127 + 85
4905	----	----	115.30B/*32.60A	115.30B/*32.60A	----	45.40 NEW	.6441	----	----	5	----	5 + 5
4905	10.00	10.00	40.90B/*5.40A	40.90B/*5.40A	----	20.00 + 12.40	.3557	----	----	5	----	10 + 2
4910	5.90	5.90	38.20B/*4.90A	38.20B/*4.90A	----	18.30 + 11.30	.3290	----	----	51	----	36 - 4
4915	----	----	35.50B/*4.60A	35.50B/*4.60A	----	16.70 + 10.30	.3033	----	----	2	----	3 UNCH
4920	5.50	5.50	33.60B/*4.20A	33.60B/*4.20A	----	15.30 + 9.40	.2793	----	----	5	----	31 + 3
4920	----	----	129.30B/*40.80A	129.30B/*40.80A	----	55.60 - 62.00	.7205	----	----	----	----	1 UNCH
4925	----	----	133.90B/*43.80A	133.90B/*43.80A	----	59.30 - 62.80	.7440	----	----	7	----	7 + 5
4925	8.80	8.80	31.40B/*3.90A	31.40B/*3.90A	----	13.90 + 8.50	.2558	----	----	62	----	80 + 13
4930	62.00	62.00	138.60B/*46.90A	138.60B/*46.90A	----	63.10 NEW	.7655	----	----	10	----	10 + 10
4930	11.80	11.80	29.30B/*3.60A	29.30B/*3.60A	----	12.70 + 7.70	.2343	----	----	29	----	23 + 19
4935	16.60	16.60	27.10B/*3.40A	27.10B/*3.40A	----	11.60 + 7.00	.2142	----	----	9	100	112 + 105
4940	2.90	2.90	25.40B/*2.90	25.40B/*2.90	----	10.50 + 6.20	.1945	----	----	27	----	25 + 19
4945	16.50	16.50	23.70B/*2.90A	23.70B/*2.90A	----	9.60 + 5.70	.1773	----	----	5	----	5 + 2
4950	----	----	157.80B/*61.50A	157.80B/*61.50A	----	79.10 - 66.20	.8393	----	----	1	----	1 UNCH
4950	2.00	2.00	22.10B/*2.00	22.10B/*2.00	----	8.70 + 5.00	.1605	----	----	42	----	76 + 20
4955	10.00	10.00	20.50B/*2.50A	20.50B/*2.50A	----	8.00 + 4.60	.1464	----	----	9	----	5 + 4
4960	11.00	11.00	19.00B/*2.30A	19.00B/*2.30A	----	7.20 + 4.10	.1316	----	----	5	----	9 + 2
4965	6.30	6.30	17.70B/*2.10A	17.70B/*2.10A	----	6.60 + 3.70	.1195	----	----	2	----	8 UNCH
4970	7.30	7.30	16.40B/*2.00A	16.40B/*2.00A	----	6.00 + 3.30	.1078	----	----	58	----	57 + 56
4975	8.00	8.00	15.10B/*1.90A	15.10B/*1.90A	----	5.50 + 2.90	.0977	----	----	20	125	131 + 111
4975	----	----	182.60B/*80.80A	182.60B/*80.80A	----	100.90 - 68.30	.9021	----	----	----	----	2 UNCH
4980	5.50	5.50	14.00B/*1.80A	14.00B/*1.80A	----	5.00 + 2.60	.0880	----	----	10	----	12 + 7
4985	----	----	13.00B/*1.70A	13.00B/*1.70A	----	4.60 + 2.40	.0799	----	----	----	----	1 UNCH
4990	5.40	5.40	12.00B/*1.70A	12.00B/*1.70A	----	4.20 + 2.10	.0720	----	----	2	----	2 + 1
4995	4.90	4.90	11.00B/*1.60A	11.00B/*1.60A	----	3.90 NEW	.0658	----	----	2	----	2 + 2
4995	----	----	202.30B/*96.70A	202.30B/*96.70A	----	119.20 - 69.40	.9341	----	----	----	----	3 UNCH
5000	----	----	207.30B/*101.60	207.30B/*101.60A	----	123.90 - 69.60	.9401	----	----	4	----	6 + 4
5000	1.20	1.20	10.20B/*1.20	10.20B/*1.20	----	3.60 + 1.70	.0598	----	----	98	300	318 - 125
5005	----	----	212.20B/*105.00	212.20B/*105.00A	----	128.60 - 69.80	.9459	----	----	----	----	1 UNCH
5005	4.30	4.30	9.40B/*1.50A	9.40B/*1.50A	----	3.30 + 1.50	.0540	----	----	5	----	29 + 4
5010	3.20	3.20	8.60B/*1.40A	8.60B/*1.40A	----	3.00 + 1.30	.0484	----	----	1	----	5 + 1
5015	4.30	4.30	7.90B/*1.30A	7.90B/*1.30A	----	2.80 + 1.20	.0444	----	----	2	----	3 + 2
5020	4.00	4.00	7.30B/*1.10A	7.30B/*1.10A	----	2.60 NEW	.0405	----	----	1	----	1 + 1
5020	----	----	226.50B/*117.90	226.50B/*117.90A	----	142.90 - 70.20	.9594	----	----	----	----	2 UNCH
5025	2.20	2.20	6.70B/*1.20A	6.70B/*1.20A	----	2.40 + 1.00	.0367	----	----	3	----	2 UNCH
5025	----	----	231.50B/*122.30	231.50B/*122.30A	----	147.70 - 70.40	.9632	----	----	----	----	2 UNCH
5035	1.70	1.70	5.60B/1.10A	5.60B/1.10A	----	2.00 + 0.70	.0296	----	----	3	----	4 + 3
5040	2.80	2.80	5.10B/*1.00A	5.10B/*1.00A	----	1.90 + 0.70	.0275	----	----	2	----	2 + 1
5050	1.10	1.10	4.40/*0.90A	4.40/*0.90A	----	1.60 + 0.50	.0224	----	----	42	----	111 + 7
5050	----	----	256.30B/*145.40	256.30B/*145.40A	----	172.00 - 70.70	.9775	----	----	----	----	1 UNCH
5055	3.60	3.60	3.90B/*0.90A	3.90B/*0.90A	----	1.50 + 0.40	.0206	----	----	2	----	4 + 2
5060	1.50	1.50	3.60B/*0.90A	3.60B/*0.90A	----	1.40 + 0.40	.0188	----	----	10	----	11 + 10
5070	1.10	1.10	#3.00B/1.10	3.00B/*0.90A	----	1.20 NEW	.0155	----	----	1	----	1 + 1
5075	----	----	2.70B/----	2.70B/*0.90A	----	1.20 + 0.30	.0152	----	----	----	----	4 UNCH
5080	1.40	1.40	#2.50B/*0.80A	2.50B/*0.80A	----	1.10 NEW	.0136	----	----	72	----	72 + 72
5085	----	----	2.40B/----	2.40B/*0.80A	----	1.00 + 0.20	.0122	----	----	----	----	1 UNCH
5090	----	----	2.00B/----	2.00B/*0.80A	----	1.00 + 0.20	.0119	----	----	----	----	1 UNCH
5095	----	----	#2.00B/----	2.00B/*0.80A	----	0.90 NEW	.0105	----	----	2	----	2 + 2
5100	----	----	306.10B/*193.10	306.10B/*193.10A	----	221.20 - 71.10	.9907	----	----	----	----	2 UNCH
5100	0.70	0.70	1.70B/*0.70	1.70B/*0.70	----	0.80 + 0.10	.0092	----	----	10	----	12 + 3
5110	1.00	1.00	#1.50B/1.00	1.50B/*0.70A	----	0.80 NEW	.0088	----	----	1	----	1 + 1
5120	1.10	1.10	1.20B/1.10	1.20B/*0.70A	----	0.70 + 0.10	.0074	----	----	1	----	0 - 1
5125	0.60	0.60	1.20B/*0.60	1.20B/*0.60	----	0.60 UNCH	.0062	----	----	2	----	0 UNCH
5150	0.20	0.20	0.80B/*0.20	0.80B/*0.20	----	0.40 UNCH	.0037	----	----	1	----	6 + 1
5170	0.60	0.60	#0.60/*0.50A	0.60/*0.50A	----	0.30 UNCH	.0026	----	----	1	----	1 + 1
5175	----	----	380.70B/*266.80	380.70B/*266.80A	----	295.60 - 71.30	.9974	----	----	----	----	1 UNCH
5175	----	----	0.50B/----	0.50B/*0.50A	----	0.30 UNCH	.0025	----	----	1	----	1 UNCH
5180	0.20	0.20	#0.40B/*0.20	0.40B/*0.20	----	0.20 NEW	.0016	----	----	5	----	5 + 5

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3										
APR26												
5200	----	----	0.30B/----	0.30B/*0.20A	----	0.20 UNCH	.0015	----	----	20	----	25 + 20
5300	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 UNCH	.0000	----	----	2	----	2 + 2
5400	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	20	----	21 + 20
TOTAL										3372	625	4930+ 1913
MAY26												
3900	----	----	----	0.90B/4.60A	----	1.30 - 0.10	.0071	----	----	----	----	2 UNCH
4000	----	----	----	0.10B/24.30A	----	6.60 + 2.20	.0286	----	----	----	----	1 UNCH
4100	----	----	----	0.10B/26.70A	----	9.80 + 2.90	.0421	----	----	----	----	2 UNCH
4100	----	----	----	0.50B/4.00A	----	2.70 UNCH	.0152	----	----	----	----	30 UNCH
4200	----	----	----	0.10B/30.40A	----	14.40 + 3.60	.0610	----	----	----	----	2 UNCH
4200	----	----	----/*7.20A	4.90B/*7.20A	----	5.40 - 2.10	.0302	----	----	----	----	1 UNCH
4200	----	----	----	1.40B/*4.90A	----	3.30 - 0.60	.0201	----	----	----	----	1 UNCH
4250	----	----	----/*8.20A	6.20B/*8.20A	----	6.60 - 2.80	.0372	----	----	----	----	2 UNCH
4250	----	----	----	2.30B/*5.30A	----	3.70 - 1.10	.0234	----	----	----	----	2 UNCH
4300	----	----	----/*5.90A	3.30B/*5.90A	----	4.30 - 1.80	.0281	----	----	----	----	18 UNCH
4300	----	----	----/*9.80A	7.90B/*9.80A	----	8.00 - 3.90	.0456	----	----	2	----	6 - 1
4325	----	----	----/*18.10A	16.70B/*18.10A	----	18.60 - 0.30	.0836	----	----	----	----	2 UNCH
4325	----	----	----/*10.60A	10.70B/*10.60A	----	8.80 - 4.60	.0504	----	----	----	----	2 UNCH
4350	----	----	----/*6.80A	4.70B/*6.80A	----	5.10 - 2.60	.0344	----	----	----	----	1 UNCH
4350	----	----	----/*11.50A	11.90B/*11.50A	----	9.70 - 5.30	.0558	----	----	1	----	16 UNCH
4370	----	----	----/*7.10A	7.00B/*7.10A	----	5.60 - 2.90	.0380	----	----	----	----	1 UNCH
4375	----	----	----/*18.40A	21.10B/*18.40A	----	19.80 - 3.80	.0928	----	----	----	----	1 UNCH
4375	----	----	----/*12.50A	13.10B/*12.50A	----	10.70 - 6.10	.0619	----	----	1	----	1 UNCH
4375	----	----	----/*7.10A	6.90B/*7.10A	----	5.70 - 3.00	.0388	----	----	----	----	1 UNCH
4400	22.30	22.30	#22.30/*20.10A	23.80B/*20.10A	----	20.70 NEW	.0987	----	----	1	----	1 + 1
4400	----	----	----/*7.90A	8.20B/*7.90A	----	6.30 - 3.60	.0434	----	----	----	----	86 UNCH
4400	----	----	----/*14.30A	15.10B/*14.30A	----	11.90 - 7.00	.0689	----	----	1	----	9 UNCH
4450	----	----	----/*16.00A	19.40B/*16.00A	----	14.60 - 9.10	.0850	----	----	----	----	2 UNCH
4475	----	----	----/*17.50A	21.90B/*17.50A	----	16.30 - 10.30	.0948	----	----	----	----	10 UNCH
4475	----	----	----/*10.70A	13.20B/*10.70A	----	9.00 - 5.90	.0633	----	----	----	----	1 UNCH
4475	----	----	----/*26.60A	33.90B/*26.60A	----	24.90 - 11.40	.1228	----	----	----	----	4 UNCH
4485	----	----	----/*18.30A	23.20B/*18.30A	----	17.10 - 10.70	.0993	----	----	----	----	11 UNCH
4490	----	----	----/*18.80A	23.80B/*18.80A	----	17.40 - 11.00	.1012	----	----	----	----	2 UNCH
4500	----	----	----/*29.20A	38.10B/*29.20A	----	27.10 - 13.30	.1338	----	----	----	----	3 UNCH
4500	----	----	----/*19.50A	25.40B/*19.50A	----	18.20 - 11.50	.1057	----	----	----	----	4 UNCH
4500	----	----	----/*10.70A	15.70B/*10.70A	----	10.30 - 6.90	.0726	----	----	----	----	2 UNCH
4505	----	----	----/*10.80A	16.20B/*10.80A	----	10.60 - 7.10	.0747	----	----	----	----	1 UNCH
4505	----	----	----/*20.00A	26.10B/*20.00A	----	18.60 - 11.80	.1080	----	----	----	----	1 UNCH
4520	----	----	----/*21.20A	28.10B/*21.20A	----	20.00 - 12.50	.1157	----	----	----	----	1 UNCH
4525	----	----	----/*32.10A	42.80B/*32.10A	----	29.70 - 15.10	.1464	----	----	----	----	1 UNCH
4540	----	----	----/*23.20A	31.60B/*23.20A	----	21.90 - 13.70	.1264	----	----	----	----	1 UNCH
4550	33.60	33.60	#33.60/*33.60	48.00B/*33.60	----	32.90 - 16.80	.1610	----	----	1	----	1 UNCH
4550	----	----	----/*24.10A	33.30B/*24.10A	----	23.00 - 14.20	.1323	----	----	----	----	1 UNCH
4555	----	----	----/*24.50A	34.20B/*24.50A	----	23.50 - 14.50	.1351	----	----	----	----	1 UNCH
4565	----	----	----/*25.90A	36.20B/*25.90A	----	24.70 - 15.00	.1414	----	----	1	----	1 UNCH
4570	----	----	----/*26.50A	37.20B/*26.50A	----	25.30 - 15.30	.1446	----	----	----	----	2 UNCH
4575	----	----	----/*39.10A	53.70B/*39.10A	----	36.60 - 18.50	.1773	----	----	----	----	3 UNCH
4580	----	----	----/*16.30A	26.60B/*16.30A	----	16.30 - 11.10	.1136	----	----	----	----	2 UNCH
4590	----	----	----/*17.20A	28.50B/*17.20A	----	17.30 - 11.70	.1201	----	----	----	----	2 UNCH
4600	58.00	58.00	#58.00/*43.20A	60.10B/*43.20A	----	41.00 - 20.00	.1956	----	----	2	----	5 + 2
4600	----	----	----/*30.40A	43.70B/*30.40A	----	29.30 - 17.10	.1655	----	----	----	----	1 UNCH
4600	----	----	----/*18.00A	30.30B/*18.00A	----	18.40 - 12.40	.1272	----	----	----	----	4 UNCH
4610	----	----	----/*31.80A	46.00B/*31.80A	----	30.80 - 17.60	.1731	----	----	----	----	2 UNCH
4620	----	----	----/*33.30A	48.50B/*33.30A	----	32.30 - 18.30	.1808	----	----	----	----	2 UNCH
4650	----	----	276.30B/198.10A	276.30B/198.10A	----	254.30 + 54.90	.8312	----	----	----	----	1 UNCH
4660	58.90	58.90	58.90/*38.10	59.60B/*38.10	----	39.60 NEW	.2159	----	----	4	----	2 + 2
4690	194.70	194.70	242.30B/169.10A	242.30B/169.10A	----	221.40 + 51.20	.7901	----	----	1	----	3 UNCH
4690	----	----	----/*46.30A	69.00B/*46.30A	----	46.20 - 22.80	.2457	----	----	4	----	4 UNCH
4695	----	----	70.90B/*47.40A	70.90B/*47.40A	----	47.40 - 23.20	.2510	----	----	----	----	1 UNCH
4700	----	----	234.60B/162.40A	234.60B/162.40A	----	213.50 + 50.20	.7788	----	----	----	----	1 UNCH
4700	----	----	56.00B/*31.90A	56.00B/*31.90A	----	34.10 - 21.10	.2207	----	----	----	----	3 UNCH
4700	----	----	72.60B/*48.50A	72.60B/*48.50A	----	48.70 - 23.50	.2565	----	----	4	----	9 - 3
4705	----	----	230.40B/159.00A	230.40B/159.00A	----	209.60 + 49.70	.7729	----	----	----	----	1 UNCH
4705	----	----	57.50B/*32.90A	57.50B/*32.90A	----	35.20 - 21.50	.2267	----	----	----	----	11 UNCH
4720	----	----	62.80B/*35.90A	62.80B/*35.90A	----	38.60 NEW	.2449	----	----	1	----	1 + 1
4720	----	----	218.70B/149.20A	218.70B/149.20A	----	198.00 + 48.10	.7546	----	----	----	----	1 UNCH
4725	----	----	82.00B/*54.60A	82.00B/*54.60A	----	55.30 - 25.80	.2844	----	----	----	----	2 UNCH
4730	----	----	83.70B/*55.90A	83.70B/*55.90A	----	56.80 - 26.30	.2903	----	----	----	----	20 UNCH
4740	----	----	70.20B/*40.30A	70.20B/*40.30A	----	43.60 NEW	.2709	----	----	2	----	2 + 2
4740	----	----	87.90B/*58.60A	87.90B/*58.60A	----	59.70 NEW	.3021	----	----	5	----	5 + 5
4745	----	----	72.20B/*41.40A	72.20B/*41.40A	----	45.00 NEW	.2778	----	----	1	----	1 + 1
4750	----	----	91.90B/*61.40A	91.90B/*61.40A	----	62.90 NEW	.3143	----	----	5	----	5 + 5
4750	----	----	209.60B/147.70A	209.60B/147.70A	----	192.20 + 42.70	.6850	----	----	----	----	7 UNCH
4750	----	----	112.50B/*79.20A	112.50B/*79.20A	----	80.90 NEW	.3366	----	----	2	----	2 + 2
4770	----	----	100.70B/*67.60A	100.70B/*67.60A	----	69.50 - 31.10	.3393	----	----	----	----	0 UNCH
4775	----	----	84.90B/*49.30A	84.90B/*49.30A	----	53.80 - 29.60	.3205	----	----	----	----	6 UNCH
4775	----	----	176.60B/116.10A	176.60B/116.10A	----	158.20 + 41.60	.6790	----	----	----	----	16 UNCH
4780	----	----	----/*70.80A	105.20B/*70.80A	----	73.10 - 32.50	.3522	----	----	----	----	0 UNCH
4800	139.70	139.70	195.50B/*139.70	195.50B/*139.70	----	179.20 + 36.00	.6067	----	----	6	----	1 - 4
4800	----	----	136.00B/*96.90A	136.00B/*96.90A	----	99.80 NEW	.3925	----	----	2	----	2 + 2
4800	----	----	----/*77.60A	114.80B/*77.60A	----	80.70 - 35.50	.3786	----	----	----	----	1 UNCH
4800	----	----	162.50B/102.20A	162.50B/102.20A	----	141.70 + 38.40	.6408	----	----	----	----	1 UNCH
4800	----	----	175.20B/120.60A	175.20B/120.60A	----	160.10 + 35.60	.6207	----	----	----	----	101 UNCH
4810	----	----	168.60B/115.50A	168.60B/115.50A	----	154.10 + 34.00	.6073	----	----	----	----	7 UNCH
4815	----	----	165.40B/113.10A	165.40B/113.10A	----	151.20 + 33.30	.6005	----	----	1	----	1 UNCH
4820	----	----	----/*85.00A	125.10B/*85.00A	----	88.90 - 38.60	.4056	----	----	----	----	3 UNCH
4820	----	----	162.90B/110.80A	162.90B/110.80A	----	148.30 + 32.50	.5937	----	----	1	----	1 UNCH
4825	----	----	145.60B/90.40A	145.60B/90.40A	----	126.30 + 35.30	.6008	----	----	4	----	6 + 4
4825	----	----	109.30B/*65.50A	109.30B/*65.50A	----	71.80 - 35.80	.3987	----	----	1	----	1 UNCH
4850	----	----	129.80B/78.80A	129.80B/78.80A	----	111.90 + 32.10	.5594	----	----	----	----	1 UNCH
4850	128.00	128.00	144.40B/97.30A	144.40B/97.30A	----	131.80 + 28.20	.5525	----	----	1	----	2 + 1
4870	----	----	----/*106.10A	152.90B/*106.10A	----	111.90 - 45.40	.4746	----	----	1	----	2 UNCH
4875	135.00	135.00	151.40B/*107.70	151.40B/*107.70A	----	138.30 NEW	.5187	----	----	1	----	1 + 1
4880	----	----	128.00B/85.20A	128.00B/85.20A	----	116.50 + 24.60	.5108	----	----	----	----	1 UNCH
4900	----	----	----/*120.60A	171.50B/*120.60A	----	127.40 - 48.40	.5163	----	----	----	----	1 UNCH
4900	----	----	117.20B/77.80A	117.20B/77.80A	----	107.00 + 22.70	.4830	----	----	----	----	18 UNCH
4900	86.90	86.90	101.40B/60.50A	101.40B/60.50A	----	86.60 + 26.00	.4747	----	----	1	----	21 UNCH
4905	----	----	98.90B/58.80A	98.90B/58.80A	----	84.40 + 25.50	.4663	----	----	----	----	2 UNCH
4910	----	----	96.30B/----	96.30B/57.30A	----	82.10 NEW	.4579	----	----	4	----	4 + 4
4915	----	----	94.00B/55.60A	94.00B/55.60A	----	79.90 + 24.20	.4495	----	----	----	----	1 UNCH
4930	----	----	86.60B/----	86.60B/51.10A	----	73.60 + 22.60	.4245	----	----	----	----	1 UNCH
4950	----	----	94.00B/61.80A	94.00B/61.80A	----	85.80 + 19.10	.4149	----	----	----	----	5 UNCH
4950	----	----	77.50B/----	77.50B/45.70A	----	65.80 + 20.40	.3918	----	----	----	----	30 UNCH
4955	75.80	75.80	75.80/64.30	75.80/44.40A	----	64.00 NEW	.3839	----	----	2	----	0 UNCH
4960	----	----	89.30B/58.90A	89.30B/58.90A	----	82.00 + 18.60	.4017	----	----	----	----	5 UNCH
4970	----	----	69.20B/----	69.20B/41.00A	----	58.70 + 18.40	.3602	----	----	----	----	1 UNCH
4975	----	----	67.30B/----	67.30B/39.60A	----	57.00 + 17.90	.3525	----	----	----	----	1 UNCH
5000	68.00	68.00	94.10B/*66.40A	94.10B/*66.40A	----	86.00 + 17.10	.3744	----	----	7	----	7 + 6
5000	----	----	74.00B/48.80A	74.00B/48.80A	----	68.10 + 16.60	.3505	----	----	----	----	2 UNCH
5000	----	----	229.10B/*155.30	229.10B/*155.30A	----	169.40 - 55.60	.6846	----	----	----	----	1 UNCH
5000	----	----	58.10B/----	58.10B/34.30A	----	49.10 + 15.50	.3149	----	----	----	----	4 UNCH
5005	----	----	56.40B/----	56.40B/33.30A	----	47.70 + 15.20	.3078	----	----	----	----	3 UNCH
5020	----	----	51.60B/----	51.60B/30.60A	----	43.50 NEW	.2865	----	----	4	----	4 + 4
5025	----	----	64.90B/43.20A	64.90B/43.20A	----	60.40 + 15.30	.3201	----	----	----	----	1 UNCH
5050	----	----	76.20B/*54.40A	76.20B/*54.40A	----	70.40 + 13.80	.3221	----	----	----	----	3 UNCH
5050	21.00	21.00	42.90B/*21.00	42.90B/*21.00	----	36.10 NEW	.2469	----	----	1	----	1 + 1
5075	----	----	50.20B/34.00A	50.20B/34.00A	----	47.50 + 13.00	.2648	----	----	----	----	1 UNCH
5100	----	----	44.30B/----	44.30B/30.20A	----	42.00 + 11.90	.2396	----	----	----	----	1 UNCH
5100	----	----	61.50B/*44.60A	61.50B/*44.60A	----	57.50 + 11.30	.2747	----	----	----	----	3 UNCH
5100	----	----	31.20B/----	31.20B/18.60A	----	26.20 + 8.40	.1894	----	----	----	----	3 UNCH
5125	----	----	38.30B/----	38.30B/26.90A	----	37.10 + 10.80	.2163	----	----	----	----	1 UNCH
5125	13.70	13.70	26.50B/*13.70	26.50B/*13.70	----	22.20 NEW	.1646	----	----	1	----	1 + 1
5150	----	----	49.00B/36.70A	49.00B/36.70A	----	46.90 + 9.40	.2327	----	----	----	----	3 UNCH
5175	----	----	19.10B/----	19.10B/11.90A	----	15.80 + 5.00	.1225	----	----	----	----	2 UNCH
5200	----	----	39.10B/30.20A	39.10B/30.20A	----	38.20 + 7.90	.1959	----	----	----	----	3 UNCH
5200	----	----	#425.00B/*345.5	#425.00B/*345.50A	----	357.80 NEW	.8034	----	----	1	----	1 + 1
5200	----	----	16.50B/----	16.50B/10.30A	----	13.40 + 4.20	.1057	----	----	----	----	2 UNCH
5200	----	----	25.20B/----	25.20B/*19.00A	----	25.60 + 7.90	.1574	----	----	----	----	91 UNCH
5225	----	----	24.50B/*15.50A	24.50B/*15.50A	----	22.60 + 7.00	.1411	----	----	----	----	1 UNCH
5250	9.90	9.90	21.60B/*9.90	21.60B/*9.90	----	20.00 + 6.20	.1265	----	----	5	----	9 + 5
TOTAL										83		733+ 43

GLOBEX OPEN | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 47

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK3										
APR26												
4250	----	----	----	----	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4700	----	----	#199.00B/----	#199.00B/----	----	179.60 + 68.60	----	----	----	----	----	0 - 1
4915	----	----	----	----	----	0.00 - 1.20	----	----	----	----	----	0 - 3
4950	----	----	----	----	----	0.00 - 0.60	----	----	----	----	----	0 - 1
TOTAL												0 - 6

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week4										
APR26												
5000	----	----	----	----/0.184A	----	0.022 - 0.016	.0023	----	----	----	----	1 UNCH
6100	----	----	----	0.002B/*0.118A	----	0.057 - 0.037	.0089	----	----	----	----	1 UNCH
6775	----	----	----	0.041B/*0.176A	----	0.084 - 0.057	.0183	----	----	----	----	1 UNCH
6850	----	----	----	0.051B/*0.182A	----	0.092 - 0.070	.0208	----	----	----	----	25 UNCH
7000	----	----	----/*0.197A	0.105B/*0.197A	----	0.107 - 0.119	.0262	----	----	----	----	1 UNCH
7000	----	----	----	8.225B/10.342A	----	11.943 + 3.012	.9737	----	----	----	----	1 UNCH
7350	----	----	----/*0.328A	0.370B/*0.328A	----	0.178 - 0.404	.0524	----	----	----	----	5 UNCH
7400	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	3.710 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	2.710 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----/*0.955A	1.689B/*0.955A	----	0.947 - 0.965	.1879	----	----	----	----	1 UNCH
7620	----	----	----	----	----	2.510 UNCH	----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.710 UNCH	----	----	----	----	----	0 UNCH
7825	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7825	----	----	----	----	----	0.460 UNCH	----	----	----	----	----	0 UNCH
7830	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7850	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7870	----	----	----	----	----	0.010 UNCH	----	----	----	----	----	0 UNCH
7875	----	----	----	----	----	0.040 UNCH	----	----	----	----	----	0 UNCH
7875	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7900	----	----	----	----	----	0.290 UNCH	----	----	----	----	----	0 UNCH
7930	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7950	----	----	----	----	----	0.790 UNCH	----	----	----	----	----	0 UNCH
7950	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7960	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7970	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7975	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7990	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8000	----	----	----/*1.961A	3.426B/*1.961A	----	2.053 - 1.674	.3559	----	----	----	----	1 UNCH
8000	----	----	#2.914B/1.636A	#2.914B/1.636A	----	3.060 + 1.398	.6642	----	----	----	----	1 UNCH
8000	----	----	----/2.816A	2.906B/2.816A	----	4.483 + 1.482	.6439	----	----	----	----	1 UNCH
8000	----	----	----	----	----	1.290 UNCH	----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8010	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8025	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8040	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8050	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8100	----	----	----	----	----	2.290 UNCH	----	----	----	----	----	0 UNCH
8100	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8200	2.700	2.700	#2.700/2.700	#2.700/1.071A	----	2.100 + 1.090	.4998	----	----	1	----	4 + 1
8250	2.190	2.190	#2.199/*2.187	2.651B/*2.187	----	2.575 NEW	.5380	----	----	15	----	15 + 15
8250	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8250	----	----	----	----	----	3.790 UNCH	----	----	----	----	----	0 UNCH
8275	----	----	----	----	----	4.040 UNCH	----	----	----	----	----	0 UNCH
8300	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8500	----	----	#1.258B/----	#1.258B/0.588A	----	1.137 NEW	.2961	----	----	1	----	1 + 1
8800	----	----	----	----	----	9.290 UNCH	----	----	----	----	----	0 UNCH
9000	----	----	0.294B/----	0.294B/0.238A	----	0.375 NEW	.1028	----	----	1	----	1 + 1
TOTAL										18	0	60 + 18
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK3										
APR26												
6500	----	----	----	----/0.112A	----	0.014 - 0.036	.0017	----	----	----	----	1 UNCH
7000	0.031	0.031	0.031/*0.028	0.031/*0.028	----	0.024 - 0.062	.0046	----	----	2	----	2 + 1
7200	0.090	0.090	0.090/*0.035	0.090/*0.035	----	0.034 - 0.091	.0079	----	----	2	----	2 UNCH
7300	----	----	----/*0.114A	0.034B/*0.114A	----	0.044 - 0.117	.0114	----	----	----	----	7 UNCH
7300	----	----	----	----	----	8.884 + 3.014	.9885	----	----	----	----	2 UNCH
7305	----	----	----	----	----	8.835 + 3.013	.9882	----	----	----	----	1 UNCH
7400	0.032	0.032	0.033/*0.032	0.076B/*0.032	----	0.055 - 0.168	.0158	----	----	2	----	3 + 2
7405	----	----	----/*0.124A	0.064B/*0.124A	----	0.055 - 0.172	.0159	----	----	----	----	1 UNCH
7500	----	----	#4.507B/----	#4.507B/6.242A	----	6.899 + 2.866	.9809	----	----	----	----	2 UNCH
7500	----	----	----/*0.134A	0.152B/*0.134A	----	0.058 - 0.266	.0190	----	----	----	----	2 UNCH
7600	0.050	0.050	0.050/*0.050	0.326B/*0.050	----	0.065 - 0.422	.0244	----	----	3	----	2 UNCH
7625	----	----	----/*0.155A	0.359B/*0.155A	----	0.068 - 0.472	.0265	----	----	----	----	1 UNCH
7650	----	----	----/*0.161A	0.419B/*0.161A	----	0.072 - 0.526	.0290	----	----	----	----	2 UNCH
7650	6.150	6.150	#6.150/6.150	#6.150/6.150	----	5.412 NEW	.9709	----	----	3	----	3 + 3
7725	----	----	----/*0.200A	0.670B/*0.200A	----	0.088 - 0.725	.0395	----	----	----	----	20 UNCH
7800	0.180	0.180	0.200/*0.180	1.049B/*0.180	----	0.118 - 0.974	.0583	----	----	6	----	6 + 4
7850	----	----	----/*0.251A	1.157B/*0.251A	----	0.150 - 1.166	.0782	----	----	----	----	1 UNCH
7875	----	----	----/*0.264A	1.213B/*0.264A	----	0.173 - 1.267	.0920	----	----	----	----	1 UNCH
7900	----	----	----/*0.281A	1.276B/*0.281A	----	0.200 NEW	.1081	----	----	1	----	1 + 1
7900	----	----	----/1.147A	1.153B/1.147A	----	3.041 + 1.759	.8918	----	----	----	----	2 UNCH
7950	0.275	0.275	0.275/*0.275	1.179B/*0.275	----	0.273 - 1.586	.1500	----	----	1	----	2 + 1
7975	0.610	0.610	#0.610/*0.366A	1.214B/*0.366A	----	0.321 NEW	.1762	----	----	20	----	20 + 20
7975	0.600	0.600	1.131B/*0.600	1.131B/*0.600	----	2.412 + 1.438	.8237	----	----	2	----	1 - 2
8000	----	----	1.354B/0.825A	1.354B/0.825A	----	2.220 + 1.334	.7940	----	----	----	----	10 UNCH
8000	0.440	0.440	#0.440/*0.313A	1.153B/*0.313A	----	0.378 NEW	.2060	----	----	2	----	2 + 2
8040	0.400	0.400	#0.400/*0.400	1.225B/*0.400	----	0.491 NEW	.2607	----	----	2	----	2 + 2
8050	0.525	0.525	#0.680/*0.525	1.286B/*0.525	----	0.524 NEW	.2756	----	----	5	----	5 + 5
8050	0.728	0.728	1.562B/0.724A	1.562B/0.724A	----	1.865 NEW	.7243	----	----	10	----	10 + 10
8100	0.500	0.500	#0.600/*0.500	1.182B/*0.500	----	0.714 NEW	.3547	----	----	3	----	3 + 3
8100	1.250	1.250	1.571B/1.250	1.571B/0.620A	----	1.555 + 0.957	.6452	----	----	1	----	2 UNCH
8150	0.350	0.350	1.600/*0.350	1.600/*0.350	----	1.292 + 0.803	.5621	----	----	10	----	20 + 5
8200	1.000	1.000	#1.000/*0.957A	1.297B/*0.957A	----	1.230 NEW	.5191	----	----	1	----	1 + 1
8210	1.358	1.358	#1.358/*1.000A	1.369B/*1.000A	----	1.291 NEW	.5348	----	----	1	----	1 + 1
8250	0.870	0.870	1.186B/0.675	1.186B/0.410A	----	0.892 NEW	.4057	----	----	7	----	6 + 6
8260	1.350	1.350	#1.350/1.350	#1.350/0.361A	----	0.861 NEW	.3918	----	----	1	----	1 + 1
8270	1.350	1.350	#1.350/1.350	#1.350/0.340A	----	0.830 NEW	.3781	----	----	1	----	1 + 1
8300	0.500	0.500	1.135/0.500	1.135/0.321A	----	0.746 NEW	.3394	----	----	4	----	3 + 3
8350	----	----	0.911B/----	0.911B/0.275A	----	0.627 NEW	.2826	----	----	5	----	5 + 5
8375	0.650	0.650	#0.960/0.635	#0.960/0.244A	----	0.576 NEW	.2576	----	----	6	----	3 + 3
8400	0.800	0.800	0.801B/0.350	0.801B/0.233A	----	0.518 NEW	.2322	----	----	4	----	3 + 3
8430	0.500	0.500	#0.637B/0.500	#0.637B/0.218A	----	0.455 NEW	.2040	----	----	1	----	1 + 1
8450	0.660	0.660	#0.695/0.576	#0.695/0.209A	----	0.417 NEW	.1868	----	----	7	----	4 + 4
8500	0.435	0.435	0.435/0.435	0.435/0.176A	----	0.335 NEW	.1489	----	----	1	----	1 + 1
8600	0.053	0.053	0.226B/*0.053	0.226B/*0.053	----	0.213 NEW	.0916	----	----	1	----	1 + 1
8750	0.200	0.200	0.200/0.200	0.200/*0.127A	----	0.105 NEW	.0415	----	----	1	----	1 + 1
8800	----	----	----/*7.709A	6.059B/*7.709A	----	6.240 - 3.080	.9683	----	----	----	----	1 UNCH
9000	----	----	----	0.003B/*0.107A	----	0.032 + 0.017	.0102	----	----	----	----	1 UNCH
TOTAL										116	0	173 + 89
MAY26												
5500	----	----	----	0.001B/0.192A	----	0.126 - 0.005	.0173	----	----	----	----	17 UNCH
6600	----	----	----/*0.296A	0.194B/*0.296A	----	0.213 - 0.136	.0400	----	----	----	----	1 UNCH
7625	----	----	----/*1.784A	2.624B/*1.784A	----	2.328 - 0.743	.2747	----	----	----	----	1 UNCH
7900	----	----	----	3.751B/4.980A	----	6.795 + 2.203	.6404	----	----	----	----	4 UNCH
7900	----	----	----/*2.602A	3.987B/*2.602A	----	3.370 - 0.950	.3594	----	----	----	----	4 UNCH
7900	6.500	6.500	#6.500/*6.500	#6.500/*6.500	----	6.483 NEW	.6457	----	----	1	----	1 + 1
8000	----	----	----/3.844A	3.958B/3.844A	----	6.202 + 2.079	.6088	----	----	----	----	20 UNCH
8500	----	----	#3.670B/*2.327A	#3.670B/2.327A	----	3.655 + 1.261	.4422	----	----	----	----	20 UNCH
TOTAL										1	0	68 + 1
SO CALL		COMEX SILVER OPTIONS										
MAY26												
3850	----	----	----	----	----	43.342 + 3.132	.9997	----	----	15	----	0 UNCH
3875	----	----	43.042B/----	43.042B/41.731A	----	43.092 + 3.132	.9997	----	----	30	----	50 UNCH
3900	----	----	43.969B/----	43.969B/41.548A	----	42.842 + 3.132	.9997	----	----	15	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL — COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.			DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
MAY26															
3975	----	----	----	----	----	42.092	+	3.132	.9995	----	----	15	----	0	UNCH
4000	----	----	43.041B/----	43.041B/40.481A	----	41.842	+	3.132	.9995	----	----	30	----	53	UNCH
4025	----	----	----	----	----	41.592	+	3.132	.9995	----	----	15	----	0	UNCH
4075	----	----	----	----	----	41.092		NEW	.9994	----	----	25	----	0	UNCH
4100	----	----	42.041B/----	42.041B/39.481A	----	40.842	+	3.132	.9994	----	----	50	----	50	UNCH
4125	----	----	----	----	----	40.592		NEW	.9994	----	----	25	----	0	UNCH
4175	----	----	----	----	----	40.092	+	3.132	.9993	----	----	40	----	0	UNCH
4200	----	----	41.041B/----	41.041B/38.480A	----	39.842	+	3.132	.9993	----	----	80	----	116	UNCH
4225	----	----	----	----	----	39.592		NEW	.9993	----	----	40	----	0	UNCH
4450	----	----	----	----	----	37.342	+	3.128	.9988	----	----	----	----	0	UNCH
4550	----	----	----	----	----	36.343	+	3.127	.9986	----	----	----	----	0	UNCH
4600	----	----	35.702B/----	35.702B/34.542A	----	35.843	+	3.126	.9985	----	----	----	----	20	UNCH
4650	----	----	35.292B/----	35.292B/33.980A	----	35.344	+	3.126	.9983	----	----	----	----	71	UNCH
4675	----	----	34.950B/----	34.950B/33.792A	----	35.094	+	3.125	.9983	----	----	----	----	10	UNCH
4700	----	----	----	----	----	34.844	+	3.124	.9982	----	----	----	----	0	UNCH
4725	----	----	----	----	----	34.594	+	3.124	.9982	----	----	----	----	0	UNCH
4750	----	----	----	----	----	34.345	+	3.124	.9980	----	----	----	----	0	UNCH
4800	----	----	34.969B/----	34.969B/32.547A	----	33.845	+	3.122	.9979	----	----	----	----	4	UNCH
4825	----	----	33.456B/----	33.456B/32.292A	----	33.596	+	3.122	.9979	----	----	----	----	0	- 22
4850	----	----	33.202B/----	33.202B/32.042A	----	33.346	+	3.122	.9977	----	----	----	----	0	- 10
4900	----	----	33.969B/----	33.969B/31.547A	----	32.847	+	3.121	.9976	----	----	----	----	1	UNCH
4925	----	----	----	----	----	32.597	+	3.120	.9976	----	----	----	----	0	UNCH
4950	----	----	----	----	----	32.348	+	3.120	.9974	----	----	----	----	0	UNCH
5000	----	----	33.042B/----	33.042B/30.481A	----	31.848	+	3.118	.9972	----	----	----	----	40	- 51
5025	----	----	32.719B/----	32.719B/30.298A	----	31.599	+	3.119	.9972	----	----	----	----	1	- 1
5050	----	----	----	----	----	31.349	+	3.118	.9971	----	----	----	----	0	UNCH
5100	----	----	31.951B/----	31.951B/29.542A	----	30.850	+	3.117	.9969	----	----	----	----	8	UNCH
5125	----	----	31.719B/----	31.719B/29.298A	----	30.601	+	3.117	.9969	----	----	----	----	0	- 1
5150	----	----	31.451B/----	31.451B/29.043A	----	30.351	+	3.116	.9967	----	----	----	----	15	UNCH
5200	----	----	30.951B/----	30.951B/28.543A	----	29.852	+	3.116	.9966	----	----	----	----	11	UNCH
5225	----	----	30.719B/----	30.719B/28.299A	----	29.602	+	3.115	.9965	----	----	----	----	0	- 1
5250	----	----	30.452B/----	30.452B/28.044A	----	29.353	+	3.115	.9965	----	----	----	----	11	- 6
5275	----	----	30.202B/----	30.202B/27.794A	----	29.103	+	3.114	.9963	----	----	----	----	1	- 5
5300	----	----	30.042B/----	30.042B/27.482A	----	28.853	+	3.114	.9963	----	----	----	----	126	UNCH
5325	----	----	29.764B/----	29.764B/27.259A	----	28.604	+	3.114	.9962	----	----	----	----	0	- 29
5350	----	----	29.514B/----	29.514B/27.009A	----	28.354	+	3.113	.9960	----	----	----	----	25	UNCH
5400	----	----	29.043B/----	29.043B/26.484A	----	27.855	+	3.113	.9960	----	----	----	----	146	UNCH
5425	----	----	28.702B/----	28.702B/26.296A	----	27.605	+	3.112	.9958	----	----	----	----	12	UNCH
5450	----	----	28.543B/----	28.543B/25.985A	----	27.356	+	3.112	.9957	----	----	----	----	50	UNCH
5475	----	----	28.219B/----	28.219B/25.803A	----	27.106	+	3.111	.9957	----	----	----	----	1	- 1
5500	----	----	28.043B/----	28.043B/25.485A	----	26.856	+	3.111	.9955	----	----	----	----	180	- 5
5525	----	----	27.757B/----	27.757B/25.263A	----	26.607	+	3.111	.9955	----	----	----	----	24	- 11
5550	----	----	27.449B/----	27.449B/25.049A	----	26.357	+	3.110	.9954	----	----	----	----	8	UNCH
5600	----	----	25.801B/----	25.801B/24.488A	----	25.858	+	3.110	.9952	----	----	----	----	110	UNCH
5625	----	----	25.462B/----	25.462B/24.302A	----	25.608	+	3.109	.9951	----	----	----	----	8	UNCH
5650	----	----	25.293B/----	25.293B/24.015A	----	25.358	+	3.108	.9951	----	----	----	----	31	UNCH
5675	----	----	24.968B/----	24.968B/23.804A	----	25.109	+	3.108	.9949	----	----	----	----	6	UNCH
5700	----	----	24.715B/----	24.715B/23.555A	----	24.859	+	3.108	.9948	----	----	----	----	9	UNCH
5750	----	----	24.216B/----	24.216B/23.057A	----	24.360	+	3.107	.9946	----	----	----	----	15	UNCH
5775	----	----	25.224B/----	25.224B/22.814A	----	24.110	+	3.106	.9945	----	----	----	----	1	UNCH
5800	----	----	24.974B/----	24.974B/22.565A	----	23.861	+	3.106	.9944	----	----	----	----	1	UNCH
5825	----	----	23.469B/----	23.469B/22.310A	----	23.611	+	3.105	.9942	----	----	----	----	11	UNCH
5850	----	----	24.476B/----	24.476B/22.067A	----	23.362	+	3.105	.9942	----	----	----	----	2	UNCH
5900	----	----	22.812B/----	22.812B/21.498A	----	22.863	+	3.103	.9939	----	----	----	----	124	UNCH
5925	----	----	23.729B/----	23.729B/21.322A	----	22.613	+	3.102	.9936	----	----	----	----	1	UNCH
5950	----	----	23.468B/----	23.468B/21.066A	----	22.364	+	3.101	.9934	----	----	----	----	16	UNCH
6000	----	----	23.064B/----	23.064B/20.503A	----	21.866	+	3.100	.9931	----	----	----	----	245	UNCH
6050	----	----	22.465B/----	22.465B/20.081A	----	21.368	+	3.098	.9926	----	----	----	----	2	UNCH
6075	----	----	22.317B/----	22.317B/19.758A	----	21.119	+	3.097	.9923	----	----	----	----	122	UNCH
6100	----	----	20.737B/----	20.737B/19.577A	----	20.870	+	3.096	.9921	----	----	----	----	9	UNCH
6125	----	----	21.723B/----	21.723B/19.338A	----	20.621	+	3.094	.9918	----	----	----	----	1	UNCH
6150	----	----	21.473B/----	21.473B/19.090A	----	20.373	+	3.094	.9914	----	----	----	----	3	UNCH
6175	----	----	21.225B/----	21.225B/18.842A	----	20.124	+	3.092	.9911	----	----	----	----	1	UNCH
6200	----	----	19.847B/----	19.847B/18.518A	----	19.876	+	3.091	.9906	----	----	----	----	59	UNCH
6225	----	----	19.597B/----	19.597B/18.270A	----	19.627	+	3.089	.9903	----	----	----	----	69	UNCH
6250	----	----	20.478B/----	20.478B/18.101A	----	19.379	+	3.087	.9899	----	----	----	----	3	UNCH
6275	----	----	20.229B/----	20.229B/17.854A	----	19.131	+	3.085	.9894	----	----	----	----	4	UNCH
6300	----	----	19.990B/----	19.990B/17.607A	----	18.883	+	3.084	.9889	----	----	----	----	24	UNCH
6325	----	----	19.732B/----	19.732B/17.361A	----	18.635	+	3.082	.9884	----	----	----	----	3	UNCH
6350	----	----	19.492B/----	19.492B/17.113A	----	18.387	+	3.079	.9879	----	----	----	----	7	UNCH
6375	----	----	19.295B/----	19.295B/16.831A	----	18.139	+	3.077	.9874	----	----	----	----	48	UNCH
6400	----	----	19.086B/----	19.086B/16.540A	----	17.891	+	3.074	.9869	----	----	----	----	62	UNCH
6425	----	----	18.739B/----	18.739B/16.374A	----	17.644	+	3.072	.9863	----	----	----	----	6	UNCH
6450	----	----	18.491B/----	18.491B/16.127A	----	17.396	+	3.069	.9856	----	----	----	----	4	UNCH
6475	----	----	18.241B/----	18.241B/15.881A	----	17.149	+	3.066	.9851	----	----	----	----	6	UNCH
6500	----	----	18.092B/----	18.092B/15.545A	----	16.901	+	3.062	.9845	----	----	----	----	172	UNCH
6525	----	----	17.802B/----	17.802B/15.352A	----	16.654	+	3.059	.9837	----	----	----	----	28	UNCH
6550	----	----	17.497B/----	17.497B/15.143A	----	16.407	+	3.055	.9829	----	----	----	----	8	UNCH
6575	----	----	17.258B/----	17.258B/14.897A	----	16.159	+	3.050	.9823	----	----	----	----	3	UNCH
6600	----	----	17.004B/----	17.004B/14.651A	----	15.912	+	3.045	.9815	----	----	----	----	9	UNCH
6625	----	----	16.756B/----	16.756B/14.393A	----	15.665	+	3.040	.9807	----	----	----	----	7	UNCH
6650	----	----	16.510B/----	16.510B/14.162A	----	15.418	+	3.035	.9799	----	----	----	----	6	UNCH
6675	----	----	#16.264B/----	#16.264B/13.917A	----	15.171	+	3.029	.9792	----	----	----	----	1	UNCH
6700	----	----	16.118B/----	16.118B/13.584A	----	14.924	+	3.022	.9781	----	----	----	----	169	UNCH
6750	----	----	15.525B/----	15.525B/13.185A	----	14.431	+	3.008	.9763	----	----	----	----	10	UNCH
6800	----	----	15.135B/10.835A	15.135B/10.835A	----	13.939	+	2.992	.9740	----	----	----	----	56	UNCH
6825	----	----	14.890B/----	14.890B/11.843A	----	13.694	+	2.984	.9727	----	----	----	----	107	UNCH
6850	----	----	14.550B/----	14.550B/11.751A	----	13.449	+	2.975	.9713	----	----	----	----	1	UNCH
6875	----	----	14.304B/----	14.304B/11.333A	----	13.204	+	2.965	.9698	----	----	----	----	1	UNCH
6900	----	----	14.155B/----	14.155B/11.264A	----	12.960	+	2.955	.9682	----	----	----	----	195	UNCH
6925	----	----	13.808B/----	13.808B/11.311A	----	12.717	+	2.945	.9665	----	----	----	----	12	UNCH
6950	----	----	13.563B/----	13.563B/11.250A	----	12.473	+	2.933	.9646	----	----	----	----	5	UNCH
7000	12.350	12.350	13.186B/12.350	13.186B/10.685A	----	11.989	+	2.909	.9605	----	----	4	----	440	- 3
7025	----	----	12.842B/----	12.842B/10.532A	----	11.747	+	2.895	.9583	----	----	----	----	11	UNCH
7050	----	----	12.628B/----	12.628B/10.251A	----	11.506	+	2.880	.9559	----	----	----	----	26	UNCH
7075	----	----	12.359B/----	12.359B/10.058A	----	11.266	+	2.865	.9532	----	----	----	----	6	UNCH
7100	----	----	12.215B/----	12.215B/9.736A	----	11.027	+	2.849	.9505	----	----	----	----	64	UNCH
7125	----	----	11.868B/----	11.868B/9.588A	----	10.788	+	2.832	.9475	----	----	----	----	4	UNCH
7150	----	----	11.628B/----	11.628B/9.355A	----	10.550	+	2.813	.9443	----	----	----	----	2	UNCH
7175	----	----	11.398B/----	11.398B/9.119A	----	10.313	+	2.793	.9409	----	----	----	----	13	UNCH
7200	----	----	11.254B/----	11.254B/8.806A	----	10.077	+	2.773	.9372	----	----	----	----	52	UNCH
7225	----	----	10.927B/----	10.927B/8.663A	----	9.842	+	2.750	.9334	----	----	----	----	8	UNCH
7250	----	----	10.776B/----	10.776B/8.351A	----	9.607	+	2.726	.9293	----	----	----	----	62	UNCH
7275	----	----	10.452B/----	10.452B/8.212A	----	9.374	+	2.701	.9249	----	----	2	----	2	- 1
7300	9.545	9.545	10.294B/9.545	10.294B/7.901A	----	9.142	+	2.674	.9204	----	----	1	----	143	- 1
7325	----	----	9.960B/----	9.960B/7.768A	----	8.912	+	2.647	.9153	----	----	----	----	2	UNCH
7350	----	----	9.823B/----	9.823B/7.458A	----	8.682	+	2.617	.9101	----	----	----	----	51	UNCH
7375	----	----	9.590B/----	9.590B/7.243A	----	8.454	+	2.586	.9046	----	----	----	----	86	UNCH
7400	----	----	9.309B/----	9.309B/7.076A	----	8.228	+	2.554	.8987	----	----	----	----	43	UNCH
7425	----	----	9.056B/----	9.056B/6.897A	----	8.003	+	2.520	.8925	----	----	----	----	7	UNCH
7450	----	----	8.827B/----	8.827B/6.682A	----	7.780	+	2.485	.8858	----	----	----	----	15	UNCH
7475	----	----	8.597B/----	8.597B/6.469A	----	7.558	+	2.447	.8789	----	----	----	----	6	UNCH
7500	7.000	7.000	8.425B/7.000	8.425B/6.204A	----	7.339	+	2.409	.8715	----	----	9	----	418	- 8
7525	----	----	8.150B/----	8.150B/6.052A	----	7.122	+	2.369	.8638	----	----	----	----	16	UNCH
7530	----	----	8.060B/----	8.060B/6.040A	----	7.078	+	2.361	.8621	----	----	----	----	5	UNCH
7535	----	----	8.015B/----	8.015B/6.001A	----	7.035	+	2.352	.8605	----	----	----	----	2	UNCH
7540	----	----	7.971B/----	7.971B/5.960A	----	6.992	+	2.344	.8588	----	----	----	----	1	UNCH
7545	----	----	7.924B/----	7.924B/5.921A	----	6.949	+	2.336	.8572	----	----	----	----	2	UNCH
7550	----	----	7.925B/----	7.925B/5.848A	----	6.906	+	2.327	.8555	----	----	----	----	14	UNCH
7555	----	----	7.835B/----	7.835B/5.842A	----	6.864	+	2.320	.8539	----	----	----	----	2	UNCH
7570	----	----	7.701B/----	7.701B/5.724A	----	6.736	+	2.294	.8487	----	----	----	----	3	UNCH
7575	----	----	7.702B/----	7.702B/5.647A	----	6.693	+	2.285	.8469	----	----	----	----	10	UNCH
7585	----	----	7.569B/----	7.569B/5.608A	----	6.609	+	2.268	.8434	----	----	----	----	2	UNCH
7590	----	----	7.523B/----	7.523B/5.569A	----	6.567	+	2.259	.8415	----	----	----	----	1	UNCH
7595	----	----	7.438B/----	7.438B/5.530A	----	6.525	+	2.250	.8397	----	----	----	----	2	UNCH
7600	7.200	7.200	7.542B/6.300	7.542B/5.415A	----	6.483	+	2.241	.8379	----	----	6	----	102	- 5
7605	----	----	7.388B/----	7.388B/5.454A	----	6.441	+	2.232	.8360	----	----	----	----	2	UNCH
7615	----	----	7.302B/----	7.302B/5.378A	----	6.358	+	2.215	.8322	----	----	----	----	2	UNCH
7620	----	----	7.257B/----	7.257B/5.340A	----	6.316	+	2.205	.8303	----	----	----	----	2	UNCH
7625	----	----	7.269B/----	7.269B/5.255A	----	6.275	+	2.196	.8284	----	----	----	----	13	UNCH
7630	----	----	7.170B/----	7.170B/5.265A	----	6.234	+	2.188	.8265	----	----	----	----	1	UNCH
7635	----	----	7.086B/----	7.086B/5.228A	----	6.192	+	2.178	.8245	----	----	----	----	3	UNCH
7640	----	----	7.040B/----	7.040B/5.190A	----	6.151	+	2.168	.8225	----	----	----	----	3	UNCH
7645	----	----	7.098B/----	7.098B/5.101A	----	6.110	+	2.159	.8205	----	----	----	----	11	UNCH
7650	----	----	7.054B/----	7.054B/5.062A	----	6.069	+	2.150	.8185	----	----	----	----	31	UNCH
7655	----	----	7.013B/----	7.013B/5.025A	----	6.029	+	2.141	.8164	----	----	----	----	6	UNCH
7660	----	----	6.971B/----	6.971B/4.987A	----	5.988	+	2.131	.8143	----	----	----	----	6	UNCH
7665	----	----	6.927B/----	6.927B/4.950A	----	5.948	+	2.122	.8123	----	----	----	----	13	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
7675	----	----	6.741B/----	6.741B/4.934A	----	5.867 + 2.103	.8081	----	----	----	----	5 UNCH
7680	----	----	6.698B/----	6.698B/3.751A	----	5.827 + 2.094	.8059	----	----	----	----	4 UNCH
7685	----	----	6.656B/----	6.656B/3.720A	----	5.787 + 2.084	.8038	----	----	----	----	5 UNCH
7690	----	----	6.613B/----	6.613B/3.689A	----	5.747 + 2.074	.8016	----	----	----	----	3 UNCH
7695	----	----	6.571B/3.247A	6.571B/3.247A	----	5.707 + 2.065	.7994	----	----	----	----	4 UNCH
7700	----	----	6.661B/3.217A	6.661B/3.217A	----	5.667 + 2.055	.7971	----	----	2	----	181 - 1
7705	----	----	6.487B/3.198A	6.487B/3.198A	----	5.628 + 2.045	.7950	----	----	----	----	4 UNCH
7710	----	----	6.444B/3.206A	6.444B/3.206A	----	5.588 + 2.035	.7928	----	----	----	----	2 UNCH
7715	----	----	6.402B/3.114A	6.402B/3.114A	----	5.549 + 2.026	.7905	----	----	----	----	5 UNCH
7720	----	----	6.360B/3.090A	6.360B/3.090A	----	5.510 + 2.016	.7882	----	----	----	----	1 UNCH
7725	----	----	6.427B/3.068A	6.427B/3.068A	----	5.471 + 2.006	.7859	----	----	----	----	8 UNCH
7735	----	----	6.276B/2.964A	6.276B/2.964A	----	5.393 + 1.986	.7812	----	----	----	----	1 UNCH
7740	----	----	6.194B/2.936A	6.194B/2.936A	----	5.354 + 1.976	.7789	----	----	----	----	2 UNCH
7745	----	----	6.155B/2.885A	6.155B/2.885A	----	5.316 + 1.967	.7765	----	----	----	----	3 UNCH
7750	6.200	6.200	6.228B/2.887A	6.228B/2.887A	----	5.277 + 1.956	.7741	----	----	1	----	7 - 1
7755	----	----	6.110B/2.852A	6.110B/2.852A	----	5.239 + 1.946	.7717	----	----	----	----	1 UNCH
7760	----	----	6.031B/2.814A	6.031B/2.814A	----	5.201 + 1.936	.7693	----	----	----	----	2 UNCH
7765	----	----	5.990B/2.806A	5.990B/2.806A	----	5.163 + 1.926	.7668	----	----	----	----	1 UNCH
7770	----	----	5.949B/2.778A	5.949B/2.778A	----	5.125 + 1.916	.7644	----	----	----	----	1 UNCH
7775	----	----	5.946B/2.745A	5.946B/2.745A	----	5.087 + 1.906	.7619	----	----	----	----	3 UNCH
7780	----	----	5.867B/2.704A	5.867B/2.704A	----	5.050 + 1.896	.7594	----	----	----	----	1 UNCH
7785	----	----	5.864B/2.698A	5.864B/2.698A	----	5.012 + 1.886	.7569	----	----	----	----	1 UNCH
7790	----	----	5.787B/2.677A	5.787B/2.677A	----	4.975 + 1.876	.7543	----	----	2	----	4 UNCH
7800	3.190	3.190	5.852B/2.616A	5.852B/2.616A	----	4.901 + 1.856	.7493	----	----	15	----	77 - 1
7805	----	----	5.794B/2.601A	5.794B/2.601A	----	4.864 + 1.845	.7467	----	----	----	----	7 UNCH
7810	----	----	5.664B/2.595A	5.664B/2.595A	----	4.827 + 1.835	.7440	----	----	----	----	1 UNCH
7815	----	----	5.624B/2.548A	5.624B/2.548A	----	4.791 + 1.825	.7414	----	----	----	----	3 UNCH
7825	----	----	5.545B/2.487A	5.545B/2.487A	----	4.718 + 1.805	.7362	----	----	----	----	4 UNCH
7830	----	----	5.505B/2.488A	5.505B/2.488A	----	4.682 + 1.795	.7335	----	----	----	----	1 UNCH
7845	----	----	5.388B/2.410A	5.388B/2.410A	----	4.574 + 1.764	.7254	----	----	----	----	3 UNCH
7850	----	----	5.451B/2.401A	5.451B/2.401A	----	4.539 + 1.754	.7226	----	----	1	----	33 - 1
7855	----	----	5.411B/2.369A	5.411B/2.369A	----	4.503 + 1.743	.7199	----	----	----	----	8 UNCH
7860	----	----	5.274B/2.337A	5.274B/2.337A	----	4.468 + 1.733	.7171	----	----	----	----	4 UNCH
7865	----	----	5.235B/2.318A	5.235B/2.318A	----	4.433 + 1.723	.7143	----	----	----	----	1 UNCH
7870	----	----	5.194B/2.287A	5.194B/2.287A	----	4.398 + 1.713	.7115	----	----	----	----	1 UNCH
7875	----	----	5.263B/2.268A	5.263B/2.268A	----	4.363 + 1.702	.7088	----	----	----	----	44 UNCH
7880	----	----	5.120B/2.248A	5.120B/2.248A	----	4.329 + 1.692	.7059	----	----	----	----	1 UNCH
7885	----	----	5.083B/2.210A	5.083B/2.210A	----	4.294 + 1.682	.7031	----	----	----	----	1 UNCH
7890	----	----	5.042B/2.202A	5.042B/2.202A	----	4.260 + 1.672	.7002	----	----	----	----	1 UNCH
7895	----	----	5.007B/2.188A	5.007B/2.188A	----	4.226 + 1.662	.6973	----	----	----	----	1 UNCH
7900	2.489	2.489	5.080B/2.184A	5.080B/2.184A	----	4.192 + 1.651	.6944	----	----	10	----	43 - 2
7905	----	----	4.929B/2.135A	4.929B/2.135A	----	4.158 + 1.641	.6915	----	----	----	----	4 UNCH
7910	----	----	4.891B/2.107A	4.891B/2.107A	----	4.125 + 1.631	.6886	----	----	----	----	1 UNCH
7915	2.158	2.158	4.855B/2.106A	4.855B/2.106A	----	4.091 + 1.621	.6857	----	----	2	----	4 + 1
7925	2.540	2.540	4.900B/2.054A	4.900B/2.054A	----	4.025 + 1.601	.6798	----	----	2	----	6 UNCH
7930	2.557	2.557	4.744B/2.048A	4.744B/2.048A	----	3.992 + 1.590	.6768	----	----	1	----	2 UNCH
7935	----	----	4.708B/2.009A	4.708B/2.009A	----	3.959 + 1.580	.6739	----	----	----	----	1 UNCH
7940	----	----	4.672B/1.991A	4.672B/1.991A	----	3.926 + 1.570	.6709	----	----	----	----	3 UNCH
7945	----	----	4.639B/1.964A	4.639B/1.964A	----	3.894 + 1.560	.6679	----	----	----	----	2 UNCH
7950	2.376	2.376	4.727B/1.948A	4.727B/1.948A	----	3.862 + 1.550	.6648	----	----	4	----	36 + 2
7955	----	----	4.530B/1.936A	4.530B/1.936A	----	3.829 + 1.539	.6618	----	----	----	----	1 UNCH
7960	----	----	4.658B/1.929A	4.658B/1.929A	----	3.797 + 1.529	.6588	----	----	----	----	15 UNCH
7965	----	----	4.491B/1.903A	4.491B/1.903A	----	3.766 + 1.520	.6557	----	----	----	----	2 UNCH
7970	----	----	4.587B/1.874A	4.587B/1.874A	----	3.734 + 1.509	.6527	----	----	----	----	14 UNCH
7975	2.159	2.159	4.553B/1.865A	4.553B/1.865A	----	3.703 + 1.500	.6496	----	----	1	----	16 - 1
7980	----	----	4.519B/1.836A	4.519B/1.836A	----	3.671 + 1.489	.6465	----	----	----	----	10 UNCH
7985	----	----	4.351B/1.827A	4.351B/1.827A	----	3.640 + 1.479	.6434	----	----	----	----	2 UNCH
7990	----	----	4.452B/1.799A	4.452B/1.799A	----	3.609 + 1.469	.6403	----	----	5	----	13 + 5
7995	----	----	4.420B/1.781A	4.420B/1.781A	----	3.579 + 1.459	.6372	----	----	----	----	22 UNCH
8000	2.130	2.130	4.500/1.762A	4.500/1.762A	----	3.548 + 1.449	.6340	----	----	110	----	1169 - 55
8005	----	----	4.352B/1.743A	4.352B/1.743A	----	3.518 + 1.440	.6309	----	----	----	----	24 UNCH
8010	----	----	4.313B/1.733A	4.313B/1.733A	----	3.487 + 1.429	.6278	----	----	----	----	35 UNCH
8015	2.119	2.119	4.289B/1.705A	4.289B/1.705A	----	3.457 + 1.419	.6246	----	----	1	----	25 UNCH
8020	----	----	4.254B/1.702A	4.254B/1.702A	----	3.427 + 1.409	.6214	----	----	----	----	14 UNCH
8025	----	----	4.224B/1.671A	4.224B/1.671A	----	3.398 + 1.400	.6183	----	----	----	----	34 UNCH
8030	----	----	4.191B/1.662A	4.191B/1.662A	----	3.368 + 1.389	.6151	----	----	----	----	25 UNCH
8035	----	----	4.010B/1.635A	4.010B/1.635A	----	3.339 + 1.380	.6119	----	----	----	----	2 UNCH
8040	----	----	3.977B/1.624A	3.977B/1.624A	----	3.310 + 1.370	.6087	----	----	----	----	3 UNCH
8045	2.206	2.206	3.944B/1.613A	3.944B/1.613A	----	3.281 + 1.361	.6055	----	----	2	----	3 UNCH
8050	1.960	1.960	4.063B/1.603A	4.063B/1.603A	----	3.252 + 1.351	.6023	----	----	26	----	14 - 2
8055	2.155	2.155	3.882B/1.583A	3.882B/1.583A	----	3.223 + 1.341	.5991	----	----	2	----	3 UNCH
8060	----	----	3.845B/1.558A	3.845B/1.558A	----	3.195 + 1.331	.5959	----	----	----	----	1 UNCH
8065	----	----	3.816B/1.539A	3.816B/1.539A	----	3.167 + 1.322	.5926	----	----	----	----	5 UNCH
8070	----	----	3.784B/1.514A	3.784B/1.514A	----	3.139 + 1.312	.5894	----	----	----	----	2 UNCH
8075	----	----	3.910B/1.511A	3.910B/1.511A	----	3.111 + 1.303	.5862	----	----	----	----	8 UNCH
8080	----	----	3.825B/1.489A	3.825B/1.489A	----	3.083 + 1.293	.5829	----	----	----	----	2 UNCH
8085	----	----	3.793B/1.473A	3.793B/1.473A	----	3.056 + 1.284	.5797	----	----	----	----	1 UNCH
8090	----	----	3.815B/1.460A	3.815B/1.460A	----	3.028 + 1.274	.5764	----	----	----	----	21 UNCH
8095	----	----	3.786B/1.448A	3.786B/1.448A	----	3.001 + 1.264	.5732	----	----	----	----	13 UNCH
8100	2.903	2.903	3.757B/1.423A	3.757B/1.423A	----	2.974 + 1.255	.5699	----	----	9	----	278 - 9
8105	----	----	3.671B/1.415A	3.671B/1.415A	----	2.947 + 1.245	.5666	----	----	----	----	2 UNCH
8110	----	----	3.641B/1.401A	3.641B/1.401A	----	2.921 + 1.237	.5634	----	----	----	----	3 UNCH
8115	----	----	3.633B/1.395A	3.633B/1.395A	----	2.894 + 1.227	.5601	----	----	----	----	4 UNCH
8125	----	----	3.574B/1.357A	3.574B/1.357A	----	2.842 + 1.209	.5536	----	----	----	----	3 UNCH
8150	1.502	1.502	3.469B/1.288A	3.469B/1.288A	----	2.715 + 1.164	.5372	----	----	3	----	13 - 2
8175	----	----	3.323B/1.225A	3.323B/1.225A	----	2.592 + 1.119	.5208	----	----	----	----	12 UNCH
8195	----	----	3.208B/1.171A	3.208B/1.171A	----	2.497 + 1.084	.5077	----	----	----	----	1 UNCH
8200	1.574	1.574	3.265B/1.152A	3.265B/1.152A	----	2.473 + 1.075	.5045	----	----	49	----	139 - 28
8205	----	----	3.213B/1.149A	3.213B/1.149A	----	2.450 + 1.066	.5012	----	----	----	----	1 UNCH
8210	1.480	1.480	3.187B/1.138A	3.187B/1.138A	----	2.427 + 1.058	.4979	----	----	2	----	4 UNCH
8215	----	----	3.159B/1.126A	3.159B/1.126A	----	2.405 + 1.050	.4947	----	----	----	----	1 UNCH
8220	2.451	2.451	3.132B/1.115A	3.132B/1.115A	----	2.382 + 1.041	.4914	----	----	1	----	2 + 1
8225	2.429	2.429	3.105B/1.102A	3.105B/1.102A	----	2.360 + 1.033	.4882	----	----	3	----	3 UNCH
8235	----	----	3.057B/1.081A	3.057B/1.081A	----	2.315 + 1.016	.4817	----	----	----	----	1 UNCH
8240	----	----	3.032B/1.070A	3.032B/1.070A	----	2.294 + 1.008	.4785	----	----	----	----	2 UNCH
8250	1.360	1.360	3.007B/1.041A	3.007B/1.041A	----	2.250 + 0.991	.4721	----	----	40	----	116 - 34
8255	----	----	2.953B/1.037A	2.953B/1.037A	----	2.229 + 0.984	.4689	----	----	----	----	3 UNCH
8260	----	----	2.927B/1.026A	2.927B/1.026A	----	2.208 + 0.976	.4657	----	----	----	----	1 UNCH
8265	----	----	2.905B/1.017A	2.905B/1.017A	----	2.187 + 0.968	.4625	----	----	----	----	2 UNCH
8270	----	----	2.882B/1.005A	2.882B/1.005A	----	2.166 + 0.959	.4593	----	----	----	----	3 UNCH
8275	----	----	2.853B/0.995A	2.853B/0.995A	----	2.146 + 0.952	.4561	----	----	----	----	6 UNCH
8280	----	----	2.829B/0.987A	2.829B/0.987A	----	2.125 + 0.944	.4529	----	----	----	----	2 UNCH
8285	----	----	2.803B/0.974A	2.803B/0.974A	----	2.105 + 0.936	.4497	----	----	----	----	1 UNCH
8290	----	----	2.780B/0.965A	2.780B/0.965A	----	2.085 + 0.928	.4466	----	----	----	----	17 UNCH
8295	1.244	1.244	2.756B/0.960A	2.756B/0.960A	----	2.065 NEW	.4434	----	----	1	----	1 + 1
8300	1.124	1.124	2.759B/0.940A	2.759B/0.940A	----	2.046 + 0.914	.4403	----	----	69	----	125 + 13
8310	----	----	2.683B/0.931A	2.683B/0.931A	----	2.007 + 0.898	.4341	----	----	----	----	4 UNCH
8325	----	----	2.614B/0.902A	2.614B/0.902A	----	1.950 + 0.876	.4248	----	----	----	----	5 UNCH
8335	----	----	2.567B/0.884A	2.567B/0.884A	----	1.912 + 0.861	.4186	----	----	----	----	2 UNCH
8340	----	----	2.556B/0.876A	2.556B/0.876A	----	1.894 + 0.854	.4155	----	----	----	----	32 UNCH
8345	----	----	2.522B/0.866A	2.522B/0.866A	----	1.876 + 0.847	.4125	----	----	----	----	16 UNCH
8350	----	----	2.538B/0.858A	2.538B/0.858A	----	1.858 + 0.840	.4095	----	----	35	----	34 + 12
8360	----	----	2.490B/0.841A	2.490B/0.841A	----	1.823 + 0.826	.4035	----	----	----	----	9 UNCH
8365	----	----	2.474B/0.831A	2.474B/0.831A	----	1.805 + 0.819	.4004	----	----	----	----	1 UNCH
8370	----	----	2.451B/0.825A	2.451B/0.825A	----	1.788 + 0.812	.3975	----	----	----	----	5 UNCH
8375	----	----	2.431B/0.817A	2.431B/0.817A	----	1.771 + 0.805	.3945	----	----	----	----	7 UNCH
8400	0.901	0.901	2.323B/0.772A	2.323B/0.772A	----	1.687 + 0.771	.3798	----	----	42	----	152 - 25
8410	1.054	1.054	2.277B/0.760A	2.277B/0.760A	----	1.655 + 0.758	.3740	----	----	2	----	3 + 2
8415	----	----	2.261B/0.751A	2.261B/0.751A	----	1.639 + 0.752	.3712	----	----	----	----	2 UNCH
8420	----	----	2.240B/0.744A	2.240B/0.744A	----	1.624 + 0.746	.3683	----	----	----	----	5 UNCH
8425	----	----	2.221B/0.739A	2.221B/0.739A	----	1.608 + 0.739	.3655	----	----	----	----	6 UNCH
8430	----	----	2.199B/0.732A	2.199B/0.732A	----	1.593 + 0.733	.3627	----	----	----	----	2 UNCH
8435	----	----	2.179B/0.722A	2.179B/0.722A	----	1.577 + 0.726	.3598	----	----	----	----	2 UNCH
8440	----	----	2.161B/0.717A	2.161B/0.717A	----	1.562 + 0.720	.3570	----	----	----	----	1 UNCH
8450	1.939	1.939	2.118B/0.705A	2.118B/0.705A	----	1.533 + 0.709	.3516	----	----	31	----	165 + 7
8455	1.281	1.281	2.101B/0.695A	2.101B/0.695A	----	1.518 NEW	.3488	----	----	2	----	2 + 2
8460	----	----	2.082B/0.688A	2.082B/0.688A	----	1.504 + 0.697	.3461	----	----	----	----	1 UNCH
8475	1.920	1.920	2.026B/0.670A	2.026B/0.670A	----	1.461 + 0.679	.3380	----	----	4	----	2 + 1
8480	----	----	2.007B/0.663A	2.007B/0.663A	----	1.447 + 0.673	.3353	----	----	----	----	1 UNCH
8485	----	----	1.989B/0.655A	1.989B/0.655A	----	1.434 + 0.668	.3327	----	----	----	----	1 UNCH
8490	----	----	1.971B/0.648A	1.971B/0.648A	----	1.420 + 0.662	.3300	----	----	----	----	2 UNCH
8500	0.716	0.716	1.930B/0.636A	1.930B/0.636A	----	1.393 + 0.650	.3248	----	----	115	225	896 - 167
8505	----	----	1.916B/0.633A	1.916B/0.633A	----	1.380 + 0.645	.3222	----	----	----	----	4 UNCH
8510	----	----	1.899B/0.626A	1.899B/0.626A	----	1.367 + 0.639	.3196	----	----	----	----	2 UNCH
8515	----	----	1.880B/0.617A	1.880B/0.617A	----	1.354 + 0.634	.3171	----	----	----	----	1 UNCH
8525	----	----	1.846B/0.609A	1.846B/0.609A	----	1.329 + 0.624	.3121	----	----	1	----	22 - 1
8530	----	----	1.828B/0.603A	1.828B/0.603A	----	1.316 + 0.618	.3095	----	----	----	----	1 UNCH
8535	1.533	1.533	1.812B/0.594A	1.812B/0.594A	----	1.304 + 0.613	.3071	----	----	1	----	1 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
8540	1.699	1.699	1.797B/0.590A	1.797B/0.590A	----	1.292 + 0.608	.3046	----	----	10	----	14 + 8
8545	----	----	1.780B/0.586A	1.780B/0.586A	----	1.280 + 0.603	.3022	----	----	----	----	4 UNCH
8550	----	----	1.762B/0.580A	1.762B/0.580A	----	1.268 + 0.598	.2997	----	----	----	----	10 UNCH
8565	0.805	0.805	1.713B/0.562A	1.713B/0.562A	----	1.233 + 0.583	.2925	----	----	2	----	10 UNCH
8570	1.441	1.441	1.700B/0.558A	1.700B/0.558A	----	1.221 + 0.577	.2901	----	----	4	----	0 - 4
8575	1.420	1.420	1.681B/0.550A	1.681B/0.550A	----	1.210 + 0.573	.2878	----	----	3	----	34 UNCH
8590	----	----	1.638B/0.538A	1.638B/0.538A	----	1.176 + 0.557	.2808	----	----	----	----	1 UNCH
8595	----	----	1.623B/0.525A	1.623B/0.525A	----	1.165 + 0.553	.2785	----	----	----	----	4 UNCH
8600	1.216	1.216	1.632/0.522A	1.632/0.522A	----	1.154 + 0.548	.2762	----	----	281	----	468 + 203
8605	----	----	1.591B/0.519A	1.591B/0.519A	----	1.143 + 0.543	.2739	----	----	----	----	9 UNCH
8615	----	----	1.561B/0.505A	1.561B/0.505A	----	1.122 + 0.533	.2694	----	----	----	----	1 UNCH
8620	----	----	1.547B/0.506A	1.547B/0.506A	----	1.111 + 0.528	.2672	----	----	----	----	5 UNCH
8625	----	----	1.535B/0.501A	1.535B/0.501A	----	1.101 + 0.524	.2650	----	----	----	----	2 UNCH
8630	----	----	1.519B/0.493A	1.519B/0.493A	----	1.090 + 0.518	.2627	----	----	----	----	2 UNCH
8635	----	----	1.504B/0.493A	1.504B/0.493A	----	1.080 + 0.514	.2606	----	----	----	----	1 UNCH
8640	----	----	1.490B/0.488A	1.490B/0.488A	----	1.070 + 0.509	.2584	----	----	----	----	1 UNCH
8650	1.255	1.255	1.464B/0.480A	1.464B/0.480A	----	1.050 + 0.500	.2541	----	----	2	----	9 UNCH
8660	----	----	1.439B/0.472A	1.439B/0.472A	----	1.030 + 0.490	.2499	----	----	1	----	1 - 1
8670	----	----	1.411B/0.462A	1.411B/0.462A	----	1.011 + 0.481	.2457	----	----	----	----	1 UNCH
8675	----	----	1.398B/0.457A	1.398B/0.457A	----	1.001 + 0.476	.2436	----	----	----	----	1 UNCH
8695	----	----	1.346B/0.439A	1.346B/0.439A	----	0.965 + 0.460	.2356	----	----	----	----	2 UNCH
8700	0.480	0.480	1.335B/0.440A	1.335B/0.440A	----	0.956 + 0.455	.2337	----	----	32	----	93 UNCH
8705	----	----	1.324B/0.443A	1.324B/0.443A	----	0.947 + 0.451	.2317	----	----	1	----	20 UNCH
8725	----	----	1.278B/0.425A	1.278B/0.425A	----	0.913 + 0.435	.2240	----	----	----	----	2 UNCH
8750	0.350	0.350	1.216B/0.350	1.216B/0.350	----	0.872 + 0.415	.2148	----	----	7	----	76 + 4
8775	----	----	1.169B/0.382A	1.169B/0.382A	----	0.834 + 0.396	.2060	----	----	----	----	17 UNCH
8800	0.920	0.920	1.106B/0.363A	1.106B/0.363A	----	0.798 + 0.379	.1976	----	----	30	25	664 + 12
8850	0.964	0.964	1.016B/0.330A	1.016B/0.330A	----	0.732 + 0.346	.1820	----	----	2	----	4 UNCH
8875	0.355	0.355	0.969B/0.314A	0.969B/0.314A	----	0.702 + 0.331	.1747	----	----	8	----	10 + 7
8900	0.356	0.356	0.924B/0.300A	0.924B/0.300A	----	0.673 + 0.317	.1677	----	----	18	----	102 + 7
8925	0.309	0.309	0.884B/*0.286A	0.884B/*0.286A	----	0.645 + 0.302	.1609	----	----	1	----	5 + 1
8950	0.704	0.704	0.847B/*0.274A	0.847B/*0.274A	----	0.619 + 0.289	.1545	----	----	6	----	82 + 5
8975	----	----	0.811B/*0.262A	0.811B/*0.262A	----	0.595 + 0.277	.1485	----	----	----	----	23 UNCH
9000	0.294	0.294	0.776B/0.249A	0.776B/0.249A	----	0.571 + 0.265	.1425	----	----	45	60	1154 - 39
9025	----	----	0.743B/*0.241A	0.743B/*0.241A	----	0.548 + 0.253	.1368	----	----	----	----	23 UNCH
9050	0.477	0.477	0.712B/*0.232A	0.712B/*0.232A	----	0.526 + 0.241	.1314	----	----	15	----	29 + 12
9075	----	----	0.683B/*0.222A	0.683B/*0.222A	----	0.505 + 0.230	.1261	----	----	----	----	6 UNCH
9100	----	----	0.654B/*0.213A	0.654B/*0.213A	----	0.484 + 0.219	.1210	----	----	5	----	81 + 2
9125	----	----	0.621B/*0.206A	0.621B/*0.206A	----	0.465 + 0.209	.1162	----	----	----	----	5 UNCH
9150	0.530	0.530	0.594B/*0.198A	0.594B/*0.198A	----	0.445 + 0.198	.1113	----	----	2	----	29 UNCH
9175	----	----	0.572B/*0.190A	0.572B/*0.190A	----	0.427 + 0.188	.1068	----	----	----	----	8 UNCH
9200	----	----	0.549B/*0.185A	0.549B/*0.185A	----	0.409 + 0.178	.1024	----	----	10	----	162 - 9
9225	----	----	0.521B/*0.179A	0.521B/*0.179A	----	0.392 + 0.169	.0982	----	----	----	----	17 UNCH
9250	----	----	0.501B/*0.181A	0.501B/*0.181A	----	0.375 + 0.160	.0940	----	----	----	----	37 UNCH
9275	----	----	0.479B/*0.165A	0.479B/*0.165A	----	0.360 + 0.152	.0902	----	----	----	----	29 UNCH
9300	0.465	0.465	0.466B/0.171A	0.466B/0.171A	----	0.344 + 0.143	.0863	----	----	1	----	189 UNCH
9325	----	----	0.441B/*0.167A	0.441B/*0.167A	----	0.330 + 0.135	.0828	----	----	----	----	6 UNCH
9350	----	----	0.422B/*0.162A	0.422B/*0.162A	----	0.316 + 0.127	.0793	----	----	22	----	48 + 11
9375	0.323	0.323	0.406B/*0.169A	0.406B/*0.169A	----	0.302 + 0.119	.0758	----	----	1	----	13 - 1
9400	0.385	0.385	0.391B/0.385	0.391B/0.181A	----	0.290 + 0.113	.0728	----	----	1	----	51 + 1
9425	----	----	0.373B/----	0.373B/*0.182A	----	0.278 + 0.107	.0697	----	----	----	----	8 UNCH
9450	----	----	0.358B/----	0.358B/*0.172A	----	0.266 + 0.100	.0667	----	----	----	----	21 UNCH
9475	0.270	0.270	0.344B/0.270	0.344B/0.173A	----	0.255 + 0.094	.0640	----	----	10	----	17 - 1
9500	0.289	0.289	0.331B/0.245	0.331B/0.163A	----	0.245 + 0.089	.0614	----	----	48	50	795 + 2
9525	----	----	0.319B/----	0.319B/*0.157A	----	0.235 + 0.083	.0589	----	----	----	----	21 UNCH
9550	----	----	0.306B/----	0.306B/*0.152A	----	0.226 + 0.079	.0565	----	----	----	----	30 UNCH
9575	----	----	0.295B/----	0.295B/*0.147A	----	0.217 + 0.074	.0542	----	----	----	----	4 UNCH
9600	----	----	0.285B/----	0.285B/*0.148A	----	0.209 + 0.070	.0521	----	----	30	----	118 - 17
9625	----	----	0.275B/----	0.275B/*0.146A	----	0.201 + 0.066	.0501	----	----	----	----	6 UNCH
9650	----	----	0.266B/----	0.266B/*0.141A	----	0.194 + 0.063	.0482	----	----	----	----	15 UNCH
9675	----	----	0.255B/----	0.255B/*0.134A	----	0.187 + 0.059	.0464	----	----	----	----	13 UNCH
9700	----	----	0.248B/----	0.248B/*0.137A	----	0.180 + 0.056	.0446	----	----	53	----	67 + 51
9725	----	----	0.239B/----	0.239B/*0.136A	----	0.175 + 0.054	.0432	----	----	----	----	9 UNCH
9750	----	----	0.230B/----	0.230B/*0.137A	----	0.169 + 0.051	.0416	----	----	10	----	63 - 10
9775	----	----	0.223B/----	0.223B/*0.135A	----	0.164 + 0.049	.0402	----	----	----	----	2 UNCH
9800	0.215	0.215	0.217B/0.215	0.217B/*0.132A	----	0.159 + 0.047	.0389	----	----	15	----	98 - 1
9825	0.170	0.170	0.209/0.170	0.209/0.140A	----	0.155 + 0.045	.0377	----	----	7	----	12 + 7
9850	----	----	0.202B/----	0.202B/0.138A	----	0.150 + 0.043	.0364	----	----	10	----	20 UNCH
9875	----	----	0.195B/----	0.195B/0.135A	----	0.147 + 0.042	.0355	----	----	----	----	11 UNCH
9900	----	----	0.188B/----	0.188B/0.135A	----	0.143 + 0.041	.0344	----	----	30	----	241 - 3
9925	----	----	0.182B/----	0.182B/0.133A	----	0.139 + 0.039	.0333	----	----	----	----	2 UNCH
9950	----	----	0.177B/----	0.177B/0.129A	----	0.136 + 0.038	.0324	----	----	----	----	21 UNCH
9975	----	----	0.169B/----	0.169B/0.127A	----	0.133 + 0.037	.0316	----	----	----	----	2 UNCH
10000	0.133	0.133	0.163/0.115	0.163/0.098A	----	0.130 + 0.036	.0307	----	----	19	----	1051 - 7
10025	----	----	0.130B/----	0.130B/0.123A	----	0.127 + 0.035	.0299	----	----	----	----	2 UNCH
10050	----	----	0.125B/----	0.125B/0.121A	----	0.124 + 0.034	.0291	----	----	----	----	23 UNCH
10075	----	----	0.126B/----	0.126B/0.117A	----	0.122 + 0.034	.0284	----	----	----	----	4 UNCH
10100	----	----	0.119B/----	0.119B/0.117A	----	0.119 + 0.032	.0276	----	----	----	----	64 UNCH
10125	----	----	0.114B/----	0.114B/0.110A	----	0.117 + 0.032	.0270	----	----	----	----	1 UNCH
10175	----	----	0.104B/----	0.104B/0.106A	----	0.112 + 0.030	.0256	----	----	----	----	1 UNCH
10200	----	----	0.104B/----	0.104B/0.102A	----	0.110 + 0.030	.0250	----	----	1	----	28 - 1
10225	----	----	0.100B/----	0.100B/0.105A	----	0.107 + 0.028	.0243	----	----	----	----	1 UNCH
10250	----	----	0.097B/----	0.097B/0.110A	----	0.105 + 0.028	.0237	----	----	----	----	5 UNCH
10275	----	----	0.094B/----	0.094B/*0.095A	----	0.103 + 0.027	.0232	----	----	----	----	4 UNCH
10300	----	----	0.092B/----	0.092B/0.103A	----	0.101 + 0.027	.0226	----	----	----	----	204 UNCH
10305	----	----	0.090B/----	0.090B/0.104A	----	0.101 + 0.027	.0226	----	----	----	----	2 UNCH
10325	----	----	0.089B/----	0.089B/*0.093A	----	0.099 + 0.026	.0221	----	----	----	----	1 UNCH
10350	----	----	0.085B/----	0.085B/*0.089A	----	0.097 + 0.026	.0215	----	----	----	----	2 UNCH
10375	----	----	0.083B/----	0.083B/*0.096A	----	0.096 + 0.026	.0212	----	----	----	----	1 UNCH
10400	----	----	0.081B/----	0.081B/*0.097A	----	0.094 + 0.026	.0207	----	----	----	----	29 UNCH
10425	----	----	0.077B/----	0.077B/0.095A	----	0.092 + 0.025	.0201	----	----	----	----	19 UNCH
10450	----	----	0.075B/----	0.075B/0.093A	----	0.090 + 0.024	.0196	----	----	----	----	4 UNCH
10480	----	----	0.073B/----	0.073B/0.091A	----	0.088 + 0.024	.0191	----	----	----	----	2 UNCH
10485	----	----	0.071B/----	0.071B/*0.080A	----	0.088 + 0.024	.0191	----	----	----	----	2 UNCH
10490	----	----	0.072B/----	0.072B/0.082A	----	0.088 + 0.025	.0190	----	----	----	----	1 UNCH
10500	0.100	0.100	0.100/0.080	0.100/0.078A	----	0.087 + 0.024	.0188	----	----	5	----	282 - 2
10515	----	----	0.069B/----	0.069B/*0.090A	----	0.086 + 0.024	.0185	----	----	----	----	7 UNCH
10520	----	----	0.070B/----	0.070B/*0.079A	----	0.086 + 0.024	.0185	----	----	----	----	2 UNCH
10550	----	----	0.067B/----	0.067B/0.090A	----	0.084 + 0.024	.0180	----	----	----	----	2 UNCH
10555	----	----	0.065B/----	0.065B/*0.076A	----	0.083 + 0.023	.0178	----	----	----	----	1 UNCH
10560	----	----	0.065B/----	0.065B/0.070A	----	0.083 + 0.024	.0178	----	----	----	----	26 UNCH
10570	----	----	0.067B/----	0.067B/0.089A	----	0.083 + 0.024	.0177	----	----	----	----	1 UNCH
10575	----	----	0.065B/----	0.065B/0.086A	----	0.082 + 0.023	.0175	----	----	----	----	1 UNCH
10580	----	----	0.065B/----	0.065B/*0.073A	----	0.082 + 0.024	.0175	----	----	----	----	1 UNCH
10595	----	----	0.064B/----	0.064B/0.087A	----	0.081 + 0.024	.0172	----	----	----	----	2 UNCH
10600	----	----	0.063B/----	0.063B/*0.075A	----	0.081 + 0.024	.0172	----	----	----	----	23 UNCH
10605	----	----	0.063B/----	0.063B/0.086A	----	0.081 + 0.024	.0172	----	----	----	----	5 UNCH
10610	----	----	0.064B/----	0.064B/*0.073A	----	0.080 + 0.023	.0170	----	----	----	----	1 UNCH
10615	----	----	0.062B/----	0.062B/*0.073A	----	0.080 + 0.024	.0170	----	----	----	----	1 UNCH
10625	----	----	0.063B/----	0.063B/0.083A	----	0.079 + 0.023	.0167	----	----	----	----	1 UNCH
10630	----	----	0.061B/----	0.061B/*0.070A	----	0.079 + 0.023	.0167	----	----	----	----	1 UNCH
10650	----	----	0.062B/----	0.062B/0.075A	----	0.078 + 0.023	.0164	----	----	----	----	1 UNCH
10655	----	----	0.060B/----	0.060B/*0.070A	----	0.078 + 0.024	.0164	----	----	----	----	1 UNCH
10670	----	----	0.059B/----	0.059B/0.074A	----	0.077 + 0.024	.0162	----	----	----	----	1 UNCH
10675	----	----	0.058B/----	0.058B/*0.068A	----	0.077 + 0.024	.0162	----	----	----	----	3 UNCH
10680	----	----	0.058B/----	0.058B/0.080A	----	0.076 + 0.023	.0160	----	----	----	----	7 UNCH
10685	----	----	0.059B/----	0.059B/0.073A	----	0.076 + 0.023	.0159	----	----	----	----	1 UNCH
10690	----	----	0.057B/----	0.057B/*0.071A	----	0.076 + 0.024	.0159	----	----	----	----	1 UNCH
10700	----	----	0.061B/----	0.061B/0.074A	----	0.075 + 0.023	.0157	----	----	----	----	93 UNCH
10720	----	----	0.055B/----	0.055B/0.086A	----	0.074 + 0.023	.0154	----	----	----	----	1 UNCH
10725	----	----	0.055B/----	0.055B/0.082A	----	0.074 + 0.023	.0154	----	----	----	----	3 UNCH
10750	----	----	0.054B/----	0.054B/0.072A	----	0.073 + 0.024	.0151	----	----	----	----	1 UNCH
10755	----	----	0.053B/----	0.053B/0.088A	----	0.072 + 0.023	.0149	----	----	----	----	1 UNCH
10760	----	----	0.057B/----	0.057B/0.088A	----	0.072 + 0.023	.0149	----	----	----	----	10 UNCH
10765	----	----	0.053B/----	0.053B/0.088A	----	0.072 + 0.023	.0149	----	----	----	----	10 UNCH
10770	----	----	0.053B/----	0.053B/0.072A	----	0.072 + 0.024	.0149	----	----	----	----	1 UNCH
10800	----	----	0.049B/----	0.049B/0.067A	----	0.070 + 0.023	.0144	----	----	----	----	21 UNCH
10825	----	----	0.050B/----	0.050B/0.067A	----	0.069 + 0.023	.0141	----	----	----	----	1 UNCH
10835	----	----	0.051B/----	0.051B/0.068A	----	0.069 + 0.024	.0141	----	----	----	----	1 UNCH
10850	----	----	0.048B/----	0.048B/0.066A	----	0.068 + 0.023	.0139	----	----	----	----	12 UNCH
10855	----	----	0.046B/----	0.046B/0.066A	----	0.068 + 0.024	.0139	----	----	----	----	3 UNCH
10875	----	----	0.046B/----	0.046B/0.065A	----	0.067 + 0.024	.0136	----	----	----	----	2 UNCH
10900	----	----	0.044B/----	0.044B/0.066A	----	0.066 + 0.024	.0134	----	----	----	----	40 UNCH
10925	----	----	0.043B/----	0.043B/0.062A	----	0.065 + 0.024	.0131	----	----	----	----	5 UNCH
10950	----	----	0.043B/----	0.043B/0.074A	----	0.064 + 0.024	.0129	----	----	----	----	2 UNCH
10975	----	----	0.042B/----	0.042B/0.077A	----	0.063 + 0.024	.0126	----	----	----	----	9 UNCH
11000	----	----	0.056B/----	0.056B/0.060A	----	0.062 + 0.024	.0124	----	----	----	----	696 UNCH
11025	----	----	0.040B/----	0.040B/0.079A	----	0.061 + 0.024	.0121	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
11050	----	----	0.038B/----	0.038B/0.079A	----	0.060 + 0.024	.0119	----	----	----	----	2 UNCH
11075	----	----	0.036B/----	0.036B/0.075A	----	0.059 + 0.024	.0116	----	----	----	----	1 UNCH
11100	----	----	0.035B/----	0.035B/0.076A	----	0.058 + 0.024	.0114	----	----	----	----	59 UNCH
11125	----	----	----	0.010B/0.094A	----	0.057 + 0.024	.0112	----	----	----	----	3 UNCH
11150	----	----	0.035B/----	0.035B/0.091A	----	0.056 + 0.024	.0109	----	----	----	----	2 UNCH
11200	----	----	----	0.010B/0.091A	----	0.054 + 0.024	.0105	----	----	----	----	262 UNCH
11225	----	----	----	0.009B/0.088A	----	0.053 + 0.024	.0102	----	----	----	----	40 UNCH
11240	----	----	----	0.008B/0.089A	----	0.053 + 0.024	.0102	----	----	----	----	2 UNCH
11245	----	----	----	0.009B/0.090A	----	0.053 + 0.024	.0102	----	----	----	----	2 UNCH
11250	----	----	----	0.009B/0.090A	----	0.053 + 0.024	.0102	----	----	----	----	22 UNCH
11255	----	----	----	0.009B/0.090A	----	0.052 + 0.024	.0100	----	----	----	----	1 UNCH
11260	----	----	----	0.009B/0.090A	----	0.052 + 0.024	.0100	----	----	----	----	1 UNCH
11265	----	----	----	0.009B/0.085A	----	0.052 + 0.024	.0100	----	----	----	----	1 UNCH
11275	----	----	----	0.009B/0.088A	----	0.052 + 0.024	.0100	----	----	----	----	1 UNCH
11290	----	----	----	0.008B/0.089A	----	0.051 + 0.024	.0098	----	----	----	----	1 UNCH
11300	----	----	----	0.008B/0.088A	----	0.051 + 0.024	.0097	----	----	----	----	93 UNCH
11305	----	----	----	0.008B/0.082A	----	0.051 + 0.024	.0097	----	----	----	----	1 UNCH
11315	----	----	----	0.007B/0.087A	----	0.051 + 0.024	.0097	----	----	----	----	1 UNCH
11325	----	----	----	0.007B/0.087A	----	0.050 + 0.024	.0095	----	----	----	----	8 UNCH
11335	----	----	----	0.007B/0.086A	----	0.050 + 0.024	.0095	----	----	----	----	2 UNCH
11345	----	----	----	0.010B/0.086A	----	0.050 + 0.024	.0095	----	----	----	----	1 UNCH
11350	----	----	----	0.009B/0.085A	----	0.050 + 0.025	.0095	----	----	----	----	4 UNCH
11365	----	----	----	0.008B/0.085A	----	0.049 + 0.024	.0093	----	----	----	----	1 UNCH
11370	----	----	----	0.007B/0.082A	----	0.049 + 0.024	.0093	----	----	----	----	2 UNCH
11380	----	----	----	0.007B/0.082A	----	0.049 + 0.024	.0092	----	----	----	----	3 UNCH
11385	----	----	----	0.009B/0.084A	----	0.049 + 0.025	.0092	----	----	----	----	1 UNCH
11400	----	----	----	0.007B/0.093A	----	0.048 + 0.024	.0090	----	----	----	----	10 UNCH
11450	----	----	----	0.007B/0.081A	----	0.047 + 0.024	.0088	----	----	----	----	41 UNCH
11455	----	----	----	0.007B/0.091A	----	0.047 + 0.025	.0088	----	----	----	----	1 UNCH
11465	----	----	----	0.006B/0.090A	----	0.046 + 0.024	.0086	----	----	----	----	1 UNCH
11475	----	----	----	0.005B/0.090A	----	0.046 + 0.024	.0086	----	----	----	----	1 UNCH
11480	----	----	----	0.005B/0.090A	----	0.046 + 0.024	.0086	----	----	----	----	1 UNCH
11485	----	----	----	0.005B/0.088A	----	0.046 + 0.024	.0086	----	----	----	----	2 UNCH
11500	----	----	----	0.006B/0.089A	----	0.045 + 0.024	.0084	----	----	----	----	238 UNCH
11505	----	----	----	0.006B/0.089A	----	0.045 + 0.024	.0084	----	----	----	----	2 UNCH
11515	----	----	----	0.008B/0.089A	----	0.045 + 0.024	.0083	----	----	----	----	2 UNCH
11525	----	----	----	0.008B/0.088A	----	0.045 + 0.024	.0083	----	----	----	----	7 UNCH
11530	----	----	----	0.005B/0.088A	----	0.045 + 0.024	.0083	----	----	----	----	10 UNCH
11540	----	----	----	0.006B/0.088A	----	0.044 + 0.024	.0081	----	----	----	----	10 UNCH
11550	----	----	----	0.012B/*0.036A	----	0.044 + 0.024	.0081	----	----	----	----	22 UNCH
11570	----	----	----	0.005B/0.081A	----	0.044 + 0.024	.0081	----	----	----	----	1 UNCH
11575	----	----	----	0.005B/0.086A	----	0.044 + 0.025	.0081	----	----	----	----	1 UNCH
11595	----	----	----	0.004B/0.086A	----	0.043 + 0.024	.0079	----	----	----	----	1 UNCH
11600	----	----	----	0.005B/0.086A	----	0.043 + 0.024	.0079	----	----	----	----	43 UNCH
11615	----	----	----	0.004B/0.085A	----	0.043 + 0.024	.0079	----	----	----	----	1 UNCH
11625	----	----	----	0.005B/0.084A	----	0.042 + 0.024	.0077	----	----	----	----	2 UNCH
11630	----	----	----	0.004B/0.084A	----	0.042 + 0.024	.0077	----	----	----	----	1 UNCH
11640	----	----	----	0.005B/0.084A	----	0.042 + 0.024	.0077	----	----	----	----	1 UNCH
11650	----	----	----	0.005B/*0.068A	----	0.042 + 0.024	.0076	----	----	----	----	2 UNCH
11665	----	----	----	0.006B/0.083A	----	0.041 + 0.024	.0075	----	----	----	----	1 UNCH
11685	----	----	----	0.004B/0.082A	----	0.041 + 0.024	.0074	----	----	----	----	1 UNCH
11690	----	----	----	0.004B/0.082A	----	0.041 + 0.024	.0074	----	----	----	----	1 UNCH
11700	----	----	----	0.004B/*0.037A	----	0.041 + 0.024	.0074	----	----	----	----	85 UNCH
11705	----	----	----	0.004B/0.081A	----	0.041 + 0.024	.0074	----	----	----	----	1 UNCH
11725	----	----	----	0.004B/0.081A	----	0.040 + 0.024	.0072	----	----	----	----	6 UNCH
11730	----	----	----	0.004B/0.080A	----	0.040 + 0.024	.0072	----	----	----	----	1 UNCH
11750	----	----	----	0.004B/0.079A	----	0.040 + 0.024	.0072	----	----	----	----	5 UNCH
11775	----	----	----	0.004B/0.078A	----	0.039 + 0.024	.0070	----	----	----	----	2 UNCH
11800	----	----	----	0.003B/0.067A	----	0.039 + 0.024	.0069	----	----	----	----	61 UNCH
11825	----	----	----	0.002B/0.076A	----	0.038 + 0.024	.0068	----	----	----	----	2 UNCH
11850	----	----	----	0.005B/0.074A	----	0.038 + 0.024	.0067	----	----	----	----	3 UNCH
11900	----	----	----	0.002B/0.072A	----	0.037 + 0.024	.0065	----	----	----	----	86 UNCH
11925	----	----	----	0.001B/0.071A	----	0.036 + 0.023	.0063	----	----	----	----	2 UNCH
11950	----	----	----	0.001B/0.070A	----	0.036 + 0.024	.0063	----	----	----	----	5 UNCH
11975	----	----	----	0.001B/0.069A	----	0.035 + 0.023	.0061	----	----	----	----	4 UNCH
12000	0.029	0.029	0.030/*0.021	0.030/*0.021	----	0.035 + 0.023	.0061	----	----	10	----	836 - 8
12025	----	----	----	0.001B/0.067A	----	0.034 + 0.023	.0059	----	----	----	----	1 UNCH
12050	----	----	----	0.001B/0.066A	----	0.034 + 0.023	.0059	----	----	----	----	1 UNCH
12075	----	----	----	0.001B/0.066A	----	0.034 + 0.023	.0058	----	----	----	----	1 UNCH
12100	----	----	----	0.001B/0.065A	----	0.033 + 0.022	.0057	----	----	----	----	17 UNCH
12125	----	----	----	0.001B/0.064A	----	0.033 + 0.022	.0056	----	----	----	----	1 UNCH
12150	----	----	----	0.001B/0.063A	----	0.032 + 0.021	.0055	----	----	----	----	13 UNCH
12175	----	----	----	0.001B/0.062A	----	0.032 + 0.021	.0054	----	----	----	----	1 UNCH
12200	----	----	----	0.001B/0.061A	----	0.032 + 0.021	.0054	----	----	----	----	3 UNCH
12225	----	----	----	0.001B/0.061A	----	0.031 + 0.021	.0052	----	----	----	----	2 UNCH
12250	----	----	----	0.001B/0.060A	----	0.031 + 0.021	.0052	----	----	----	----	3 UNCH
12300	----	----	----	0.001B/0.058A	----	0.030 + 0.020	.0050	----	----	----	----	118 UNCH
12350	----	----	----	----/0.057A	----	0.030 + 0.020	.0050	----	----	----	----	2 UNCH
12375	----	----	----	----/0.056A	----	0.029 + 0.019	.0048	----	----	----	----	1 UNCH
12400	----	----	----	----/0.056A	----	0.029 + 0.019	.0048	----	----	----	----	12 UNCH
12450	----	----	----	----/0.055A	----	0.028 + 0.019	.0046	----	----	----	----	5 UNCH
12500	----	----	----	----/0.054A	----	0.028 + 0.019	.0046	----	----	----	----	331 UNCH
12525	----	----	----	----/0.053A	----	0.027 + 0.018	.0044	----	----	----	----	2 UNCH
12550	----	----	----	----/0.052A	----	0.027 + 0.018	.0044	----	----	----	----	3 UNCH
12600	----	----	----	----/0.051A	----	0.027 + 0.018	.0044	----	----	----	----	31 UNCH
12650	----	----	----	----/0.050A	----	0.026 + 0.017	.0042	----	----	----	----	3 UNCH
12675	----	----	----	----/0.050A	----	0.026 + 0.018	.0042	----	----	----	----	3 UNCH
12700	----	----	----	----/0.050A	----	0.026 + 0.018	.0041	----	----	----	----	5 UNCH
12725	----	----	----	----/0.049A	----	0.025 + 0.017	.0040	----	----	----	----	1 UNCH
12775	----	----	----	----/0.048A	----	0.025 + 0.017	.0040	----	----	----	----	2 UNCH
12800	----	----	----	----/0.048A	----	0.025 + 0.017	.0039	----	----	----	----	30 UNCH
12900	----	----	----	----/0.047A	----	0.024 + 0.016	.0037	----	----	----	----	72 UNCH
13000	0.010	0.010	0.011B/*0.010	0.011B/*0.010	----	0.023 + 0.016	.0035	----	----	25	----	282 + 1
13100	----	----	----	----/0.044A	----	0.022 + 0.015	.0034	----	----	----	----	3 UNCH
13200	----	----	----	----/0.043A	----	0.021 + 0.014	.0032	----	----	----	----	44 UNCH
13300	----	----	----	----/0.042A	----	0.020 + 0.014	.0030	----	----	----	----	3 UNCH
13400	----	----	----	----/0.041A	----	0.019 + 0.013	.0028	----	----	----	----	3 UNCH
13500	----	----	----	----/0.041A	----	0.018 + 0.012	.0026	----	----	----	----	64 UNCH
13600	----	----	----	----/0.040A	----	0.017 + 0.012	.0025	----	----	----	----	19 UNCH
13700	----	----	----	----/0.040A	----	0.016 + 0.011	.0023	----	----	----	----	76 UNCH
13800	----	----	----	----/0.039A	----	0.015 + 0.010	.0022	----	----	----	----	39 UNCH
13900	----	----	----	----/0.039A	----	0.014 + 0.009	.0020	----	----	----	----	4 UNCH
14000	----	----	----	----/0.039A	----	0.013 + 0.009	.0018	----	----	----	----	400 UNCH
14100	----	----	----	----/0.038A	----	0.013 + 0.009	.0018	----	----	----	----	27 UNCH
14200	----	----	----	----/0.038A	----	0.012 + 0.008	.0017	----	----	----	----	41 UNCH
14300	----	----	----	----/0.038A	----	0.011 + 0.007	.0015	----	----	----	----	6 UNCH
14400	----	----	----	----/*0.037A	----	0.011 + 0.007	.0015	----	----	----	----	13 UNCH
14500	----	----	----	----/0.037A	----	0.010 + 0.006	.0014	----	----	212	----	291 + 174
14600	----	----	----	----/*0.037A	----	0.010 + 0.007	.0013	----	----	----	----	55 UNCH
14700	----	----	----	----/*0.037A	----	0.009 + 0.006	.0012	----	----	----	----	9 UNCH
14800	----	----	----	----/*0.037A	----	0.009 + 0.006	.0012	----	----	----	----	62 UNCH
14900	----	----	----	----/0.047A	----	0.008 + 0.005	.0010	----	----	----	----	3 UNCH
15000	----	----	----	----/0.025A	----	0.008 + 0.005	.0010	----	----	----	----	450 UNCH
15100	----	----	----	----/*0.047A	----	0.008 + 0.005	.0010	----	----	----	----	9 UNCH
15200	----	----	----	----/*0.046A	----	0.007 + 0.004	.0009	----	----	----	----	54 UNCH
15300	----	----	----	----/*0.046A	----	0.007 + 0.005	.0009	----	----	----	----	11 UNCH
15500	----	----	----	----/*0.046A	----	0.006 + 0.004	.0007	----	----	----	----	115 UNCH
15600	----	----	----	----/0.200A	----	0.006 + 0.004	.0007	----	----	----	----	1 UNCH
15700	----	----	----	----/0.200A	----	0.006 + 0.004	.0007	----	----	----	----	19 UNCH
15800	----	----	----	----/0.201A	----	0.006 + 0.004	.0007	----	----	----	----	14 UNCH
15900	----	----	----	----/0.201A	----	0.005 + 0.003	.0006	----	----	----	----	14 UNCH
16000	----	----	----	----/0.020A	----	0.005 + 0.003	.0006	----	----	----	----	721 UNCH
16100	----	----	----	----/0.202A	----	0.005 + 0.003	.0006	----	----	----	----	6 UNCH
16200	----	----	----	----/0.202A	----	0.004 + 0.002	.0005	----	----	----	----	1 UNCH
16300	----	----	----	----/0.203A	----	0.004 + 0.002	.0005	----	----	----	----	1 UNCH
16400	----	----	----	----/0.203A	----	0.004 + 0.003	.0005	----	----	----	----	2 UNCH
16500	----	----	----	----/0.203A	----	0.004 + 0.003	.0004	----	----	----	----	56 UNCH
16600	----	----	----	----/0.204A	----	0.003 + 0.002	.0003	----	----	----	----	3 UNCH
16700	----	----	----	----/0.204A	----	0.003 + 0.002	.0003	----	----	----	----	5 UNCH
16800	----	----	----	----/0.204A	----	0.003 + 0.002	.0003	----	----	----	----	6 UNCH
16900	----	----	----	----/0.205A	----	0.002 + 0.001	.0002	----	----	----	----	67 UNCH
17000	----	----	----	----/0.205A	----	0.002 + 0.001	.0002	----	----	----	----	67 UNCH
17100	----	----	----	----/0.205A	----	0.002 + 0.001	.0002	----	----	----	----	8 UNCH
17200	----	----	----	----/0.205A	----	0.002 + 0.001	.0002	----	----	----	----	6 UNCH
17300	----	----	----	----/0.205A	----	0.002 + 0.001	.0002	----	----	----	----	5 UNCH
17400	----	----	----	----/0.206A	----	0.001 UNCH	.0001	----	----	----	----	6 UNCH
17500	----	----	0.008B/----	0.008B/0.010A	----	0.001 UNCH	.0001	----	----	----	----	96 UNCH
17600	----	----	----	----/0.206A	----	0.001 UNCH	.0001	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
17700	----	----	----	----/0.206A	----	0.001 UNCH	.0000	----	----	----	----	9 UNCH
17800	----	----	----	----/0.206A	----	0.001 UNCH	.0000	----	----	----	----	8 UNCH
17900	----	----	----	----/0.207A	----	0.001 UNCH	.0000	----	----	----	----	3 UNCH
18000	----	----	----	----/0.017A	----	0.001 UNCH	.0000	----	----	----	----	54 UNCH
18100	----	----	----	----/0.207A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
18200	----	----	----	----/0.207A	----	0.001 UNCH	.0000	----	----	----	----	11 UNCH
18300	----	----	----	----/0.207A	----	0.001 UNCH	.0000	----	----	----	----	5 UNCH
18400	----	----	----	----/0.207A	----	0.001 UNCH	.0000	----	----	----	----	2 UNCH
18500	----	----	----	----/*0.015A	----	0.001 UNCH	.0000	----	----	----	----	11 UNCH
18700	----	----	----	----/0.208A	----	0.001 UNCH	.0000	----	----	----	----	8 UNCH
18800	----	----	----	----/0.208A	----	0.001 UNCH	.0000	----	----	----	----	6 UNCH
18900	----	----	----	----/0.208A	----	0.001 UNCH	.0000	----	----	----	----	3 UNCH
19000	----	----	----	----/0.012A	----	0.001 UNCH	.0000	----	----	----	----	51 UNCH
19100	----	----	----	----/0.208A	----	0.001 UNCH	.0000	----	----	----	----	74 UNCH
19200	----	----	----	----/*0.010A	----	0.001 UNCH	.0000	----	----	----	----	130 UNCH
19300	----	----	----	----/0.208A	----	0.001 UNCH	.0000	----	----	----	----	6 UNCH
19400	----	----	----	----/0.208A	----	0.001 UNCH	.0000	----	----	----	----	66 UNCH
19500	----	----	----	----/0.208A	----	0.001 UNCH	.0000	----	----	----	----	86 UNCH
19700	----	----	----	----/0.208A	----	0.001 UNCH	.0000	----	----	----	----	2 UNCH
19800	----	----	----	----/0.208A	----	0.001 UNCH	.0000	----	----	----	----	10 UNCH
19900	----	----	----	----/0.208A	----	0.001 UNCH	.0000	----	----	----	----	11 UNCH
20000	----	----	----	----/0.007A	----	0.001 UNCH	.0000	----	----	----	----	382 UNCH
21000	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	14 UNCH
22000	----	----	----	----/0.209A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
23000	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
24000	----	----	----	----/0.210A	----	0.001 UNCH	----	----	----	----	----	4 UNCH
25000	----	----	----	----/0.003A	----	0.001 UNCH	----	----	----	----	----	94 UNCH
TOTAL										1994	360	23576 - 41
JUN26												
4300	----	----	40.722B/----	40.722B/37.962A	----	39.448 +	3.143	.9922	----	----	----	---- 20 UNCH
4850	----	----	35.197B/----	35.197B/32.527A	----	33.975 +	3.138	.9877	----	----	----	---- 7 UNCH
4900	----	----	34.699B/----	34.699B/32.033A	----	33.479 +	3.138	.9871	----	----	----	---- 9 UNCH
5000	----	----	33.730B/----	33.730B/30.993A	----	32.487 +	3.137	.9859	----	----	----	---- 365 UNCH
5025	----	----	33.452B/----	33.452B/30.798A	----	32.239 +	3.136	.9856	----	----	----	---- 6 UNCH
5050	----	----	33.182B/----	33.182B/30.535A	----	31.991 +	3.136	.9853	----	----	----	---- 1 UNCH
5200	----	----	31.749B/----	31.749B/29.020A	----	30.506 +	3.133	.9831	----	----	----	---- 79 UNCH
5225	----	----	31.440B/----	31.440B/28.814A	----	30.259 +	3.132	.9826	----	----	----	---- 4 UNCH
5275	----	----	30.948B/----	30.948B/28.347A	----	29.765 +	3.131	.9818	----	----	----	---- 7 UNCH
5300	----	----	30.688B/----	30.688B/28.096A	----	29.518 +	3.130	.9813	----	----	----	---- 3 UNCH
5325	----	----	30.440B/----	30.440B/27.855A	----	29.271 +	3.129	.9808	----	----	----	---- 5 UNCH
5350	----	----	30.212B/----	30.212B/27.612A	----	29.025 +	3.128	.9804	----	----	----	---- 7 UNCH
5400	----	----	29.696B/----	29.696B/27.117A	----	28.532 +	3.125	.9792	----	----	----	---- 2 UNCH
5425	----	----	29.468B/----	29.468B/26.879A	----	28.286 +	3.124	.9788	----	----	----	---- 9 UNCH
5500	----	----	28.789B/----	28.789B/26.077A	----	27.549 +	3.119	.9769	----	----	----	---- 341 UNCH
5525	----	----	28.462B/----	28.462B/25.898A	----	27.303 +	3.117	.9762	----	----	----	---- 2 UNCH
5600	----	----	27.747B/----	27.747B/25.173A	----	26.569 +	3.110	.9742	----	----	----	---- 7 UNCH
5625	----	----	27.501B/----	27.501B/24.936A	----	26.324 +	3.107	.9734	----	----	----	---- 11 UNCH
5675	----	----	27.000B/----	27.000B/24.463A	----	25.835 +	3.100	.9718	----	----	----	---- 1 UNCH
5700	----	----	26.829B/----	26.829B/24.133A	----	25.591 +	3.097	.9710	----	----	----	---- 56 UNCH
5725	----	----	26.526B/----	26.526B/23.967A	----	25.348 +	3.093	.9701	----	----	----	---- 10 UNCH
5750	----	----	26.282B/----	26.282B/23.727A	----	25.104 +	3.089	.9693	----	----	----	---- 13 UNCH
5775	----	----	26.021B/----	26.021B/23.479A	----	24.861 +	3.085	.9683	----	----	----	---- 1 UNCH
5800	----	----	25.768B/----	25.768B/23.232A	----	24.618 +	3.080	.9673	----	----	----	---- 2 UNCH
5825	----	----	25.533B/----	25.533B/22.993A	----	24.375 +	3.075	.9663	----	----	----	---- 1 UNCH
5850	----	----	25.309B/----	25.309B/22.761A	----	24.133 +	3.070	.9653	----	----	----	---- 9 UNCH
5900	----	----	24.801B/----	24.801B/22.280A	----	23.649 +	3.058	.9631	----	----	----	---- 4 UNCH
5925	----	----	24.582B/----	24.582B/22.045A	----	23.407 +	3.052	.9620	----	----	----	---- 17 UNCH
6000	----	----	23.921B/----	23.921B/21.284A	----	22.685 +	3.032	.9583	----	----	----	---- 401 UNCH
6025	----	----	23.615B/----	23.615B/21.098A	----	22.445 +	3.025	.9571	----	----	----	---- 7 UNCH
6050	----	----	23.345B/----	23.345B/20.854A	----	22.205 +	3.017	.9557	----	----	----	---- 4 UNCH
6075	----	----	23.154B/----	23.154B/20.604A	----	21.966 +	3.009	.9542	----	----	----	---- 30 UNCH
6100	----	----	22.861B/----	22.861B/20.384A	----	21.727 +	3.001	.9528	----	----	----	---- 16 UNCH
6200	----	----	22.006B/----	22.006B/19.400A	----	20.778 +	2.969	.9463	----	----	----	---- 101 UNCH
6225	----	----	21.672B/----	21.672B/18.278A	----	20.541 +	2.960	.9446	----	----	----	---- 1 UNCH
6250	----	----	21.434B/----	21.434B/18.972A	----	20.306 +	2.951	.9427	----	----	----	---- 4 UNCH
6300	----	----	20.939B/----	20.939B/18.094A	----	19.837 +	2.934	.9389	----	----	----	---- 4 UNCH
6400	----	----	20.114B/----	20.114B/17.564A	----	18.906 +	2.895	.9303	----	----	----	---- 110 UNCH
6425	----	----	19.832B/----	19.832B/17.359A	----	18.675 +	2.885	.9279	----	----	----	---- 25 UNCH
6450	----	----	19.557B/----	19.557B/17.148A	----	18.445 +	2.875	.9255	----	----	----	---- 6 UNCH
6475	----	----	19.289B/----	19.289B/16.922A	----	18.215 +	2.864	.9230	----	----	----	---- 5 UNCH
6500	----	----	19.088B/----	19.088B/16.700A	----	17.986 +	2.853	.9205	----	----	----	---- 11 UNCH
6625	----	----	17.932B/----	17.932B/15.594A	----	16.855 +	2.796	.9066	----	----	----	---- 10 UNCH
6700	----	----	#17.252B/----	#17.252B/14.940A	----	16.186 +	2.757	.8972	----	----	----	---- 1 UNCH
6725	----	----	#16.999B/----	#16.999B/14.724A	----	15.964 +	2.743	.8939	----	----	----	---- 1 UNCH
6750	----	----	#16.797B/----	#16.797B/14.544A	----	15.744 +	2.729	.8905	----	----	----	---- 3 UNCH
6800	----	----	16.345B/----	16.345B/14.094A	----	15.306 +	2.699	.8835	----	----	----	---- 6 UNCH
6850	----	----	15.879B/----	15.879B/13.709A	----	14.873 +	2.668	.8762	----	----	----	---- 5 UNCH
6900	----	----	15.452B/----	15.452B/13.267A	----	14.443 +	2.633	.8684	----	----	----	---- 16 UNCH
6925	----	----	15.242B/----	15.242B/13.067A	----	14.230 +	2.616	.8644	----	----	----	---- 9 UNCH
6975	----	----	14.808B/----	14.808B/12.667A	----	13.808 +	2.580	.8561	----	----	----	---- 7 UNCH
7000	11.500	11.500	14.655B/11.500	14.655B/11.500	----	13.599 +	2.561	.8518	----	----	1	---- 126 + 1
7025	----	----	14.357B/----	14.357B/12.289A	----	13.391 +	2.542	.8473	----	----	----	---- 1 UNCH
7050	----	----	14.151B/----	14.151B/12.089A	----	13.184 +	2.522	.8428	----	----	----	---- 1 UNCH
7075	----	----	13.935B/----	13.935B/11.894A	----	12.979 +	2.502	.8382	----	----	----	---- 4 UNCH
7100	----	----	13.827B/----	13.827B/11.625A	----	12.775 +	2.481	.8335	----	----	----	---- 99 UNCH
7150	----	----	13.316B/----	13.316B/11.318A	----	12.372 +	2.439	.8237	----	----	----	---- 1 UNCH
7225	----	----	12.707B/----	12.707B/10.757A	----	11.780 +	2.374	.8082	----	----	----	---- 1 UNCH
7250	----	----	12.559B/----	12.559B/10.556A	----	11.586 +	2.352	.8029	----	----	----	---- 31 UNCH
7275	----	----	12.307B/----	12.307B/10.396A	----	11.394 +	2.329	.7974	----	----	----	---- 2 UNCH
7300	----	----	12.165B/----	12.165B/10.207A	----	11.204 +	2.307	.7918	----	----	5	---- 11 - 5
7375	----	----	11.488B/----	11.488B/9.690A	----	10.645 +	2.238	.7744	----	----	----	---- 4 UNCH
7400	----	----	11.335B/----	11.335B/9.519A	----	10.463 +	2.215	.7684	----	----	----	---- 4 UNCH
7425	----	----	11.222B/----	11.222B/9.328A	----	10.283 +	2.192	.7623	----	----	----	---- 12 UNCH
7450	----	----	11.037B/----	11.037B/9.159A	----	10.105 +	2.169	.7561	----	----	----	---- 12 UNCH
7475	----	----	10.736B/----	10.736B/9.019A	----	9.929 +	2.145	.7499	----	----	----	---- 2 UNCH
7500	----	----	10.685B/----	10.685B/8.806A	----	9.755 +	2.122	.7435	----	----	----	---- 242 UNCH
7525	----	----	10.495B/----	10.495B/8.659A	----	9.584 +	2.099	.7370	----	----	----	---- 9 UNCH
7550	----	----	10.321B/----	10.321B/8.495A	----	9.415 +	2.076	.7305	----	----	----	---- 25 UNCH
7575	----	----	10.009B/6.921A	10.009B/6.921A	----	9.248 +	2.052	.7238	----	----	----	---- 1 UNCH
7600	----	----	9.976B/6.870A	9.976B/6.870A	----	9.083 +	2.029	.7172	----	----	----	---- 21 UNCH
7675	----	----	9.310B/----	9.310B/7.255A	----	8.602 +	1.959	.6967	----	----	----	---- 3 UNCH
7700	----	----	9.311B/6.154A	9.311B/6.154A	----	8.446 +	1.936	.6897	----	----	16	---- 103 - 16
7725	----	----	9.145B/6.040A	9.145B/6.040A	----	8.293 +	1.913	.6827	----	----	----	---- 7 UNCH
7750	----	----	8.990B/5.926A	8.990B/5.926A	----	8.142 +	1.890	.6757	----	----	----	---- 70 UNCH
7775	----	----	8.648B/5.789A	8.648B/5.789A	----	7.993 +	1.867	.6686	----	----	----	---- 3 UNCH
7800	8.200	8.200	8.676B/5.661A	8.676B/5.661A	----	7.846 +	1.844	.6615	----	----	6	---- 164 - 5
7825	----	----	8.331B/5.544A	8.331B/5.544A	----	7.702 +	1.821	.6543	----	----	----	---- 1 UNCH
7850	----	----	8.176B/5.462A	8.176B/5.462A	----	7.560 +	1.798	.6471	----	----	----	---- 1 UNCH
7900	----	----	8.073B/5.210A	8.073B/5.210A	----	7.283 +	1.753	.6327	----	----	----	---- 92 UNCH
7925	----	----	7.928B/5.089A	7.928B/5.089A	----	7.148 +	1.731	.6255	----	----	----	---- 12 UNCH
7950	----	----	7.578B/5.029A	7.578B/5.029A	----	7.015 +	1.709	.6182	----	----	6	---- 9 + 5
7975	----	----	7.644B/4.868A	7.644B/4.868A	----	6.884 +	1.686	.6109	----	----	----	---- 7 UNCH
8000	5.250	5.250	7.590/4.778A	7.590/4.778A	----	6.756 +	1.665	.6037	----	----	87	---- 548 + 25
8025	----	----	7.152B/4.717A	7.152B/4.717A	----	6.630 +	1.643	.5964	----	----	----	---- 3 UNCH
8050	----	----	7.235B/4.597A	7.235B/4.597A	----	6.506 +	1.622	.5891	----	----	1	---- 6 UNCH
8075	----	----	6.879B/4.490A	6.879B/4.490A	----	6.384 +	1.600	.5819	----	----	----	---- 2 UNCH
8100	----	----	6.972B/4.412A	6.972B/4.412A	----	6.265 +	1.579	.5746	----	----	----	---- 12 UNCH
8125	----	----	6.718B/4.299A	6.718B/4.299A	----	6.147 +	1.557	.5674	----	----	----	---- 2 UNCH
8150	6.050	6.050	6.727B/4.201A	6.727B/4.201A	----	6.032 +	1.536	.5602	----	----	2	---- 12 + 2
8175	----	----	6.507B/4.128A	6.507B/4.128A	----	5.919 +	1.516	.5530	----	----	----	---- 1 UNCH
8200	5.945	5.945	6.492B/4.059A	6.492B/4.059A	----	5.808 +	1.495	.5459	----	----	32	---- 88 - 28
8225	----	----	6.297B/3.960A	6.297B/3.960A	----	5.699 +	1.474	.5388	----	----	----	---- 3 UNCH
8250	----	----	6.247B/3.891A	6.247B/3.891A	----	5.592 +	1.454	.5317	----	----	----	---- 21 UNCH
8275	----	----	6.130B/3.767A	6.130B/3.767A	----	5.487 +	1.434	.5246	----	----	----	---- 19 UNCH
8300	5.408	5.408	6.025B/3.751A	6.025B/3.751A	----	5.384 +	1.413	.5176	----	----	14	---- 105 + 13
8325	3.986	3.986	5.847B/3.624A	5.847B/3.624A	----	5.282	NEW	.5107	----	----	7	---- 7 + 7
8350	5.250	5.250	5.797B/3.564A	5.797B/3.564A	----	5.183 +	1.373	.5037	----	----	2	---- 21 + 1
8375	----	----	5.715B/3.473A	5.715B/3.473A	----	5.086 +	1.353	.4969	----	----	----	---- 5 UNCH
8400	----	----	5.644B/3.425A	5.644B/3.425A	----	4.990 +	1.333	.4901	----	----	30	---- 318 + 10
8425	5.350	5.350	5.539B/3.318A	5.539B/3.318A	----	4.897 +	1.314	.4833	----	----	1	---- 52 + 1
8450	----	----	5.398B/3.287A	5.398B/3.287A	----	4.805 +	1.294	.4766	----	----	----	---- 20 UNCH
8475	----	----	5.297B/3.219A	5.297B/3.219A	----	4.714 +	1.274	.4699	----	----	----	---- 4 UNCH
8500	4.799	4.799	5.291/3.160A	5.291/3.160A	----	4.626 +	1.255	.4633	----	----	107	---- 651 + 46
8525	----	----	5.099B/3.057A	5.099B/3.057A	----	4.539 +	1.236	.4568	----	----	----	---- 17 UNCH
8550	----	----	5.004B/3.009A	5.004B/3.009A	----	4.454 +	1.217	.4503	----	----	----	---- 14 UNCH
8575	----	----	4.910B/2.936A	4.910B/2.936A	----	4.371 +	1.198	.4439	----	----	----	---- 6 UNCH
8600	3.996	3.996	4.853B/2.864A	4.853B/2.864A	----	4.289 +	1.179	.4375	----	----	76	---- 83 - 32

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS												
JUN26														
8625	----	----	4.668B/2.824A	4.668B/2.824A	----	4.209	+ 1.161	.4312	----	----	----	----	4	UNCH
8650	----	----	4.650B/2.767A	4.650B/2.767A	----	4.130	+ 1.142	.4250	----	----	----	----	14	UNCH
8675	----	----	4.550B/2.712A	4.550B/2.712A	----	4.053	+ 1.124	.4188	----	----	----	----	6	UNCH
8700	----	----	4.483B/2.663A	4.483B/2.663A	----	3.978	+ 1.106	.4128	----	----	5	----	30	+ 5
8725	----	----	4.380B/2.609A	4.380B/2.609A	----	3.904	+ 1.088	.4067	----	----	----	----	3	UNCH
8750	4.100	4.100	4.306B/2.568A	4.306B/2.568A	----	3.832	+ 1.071	.4008	----	----	1	----	12	- 1
8775	----	----	4.196B/2.502A	4.196B/2.502A	----	3.761	+ 1.053	.3949	----	----	----	----	0	UNCH
8800	2.845	2.845	4.176B/2.461A	4.176B/2.461A	----	3.691	+ 1.036	.3891	----	----	83	----	116	- 11
8825	----	----	4.066B/2.407A	4.066B/2.407A	----	3.623	+ 1.018	.3833	----	----	----	----	2	UNCH
8850	----	----	3.992B/2.377A	3.992B/2.377A	----	3.557	+ 1.002	.3777	----	----	9	----	20	+ 8
8875	----	----	3.887B/2.317A	3.887B/2.317A	----	3.491	+ 0.985	.3720	----	----	----	----	3	UNCH
8900	3.720	3.720	3.857B/2.281A	3.857B/2.281A	----	3.427	+ 0.968	.3665	----	----	57	----	63	+ 40
8925	3.748	3.748	3.748/2.230A	3.748/2.230A	----	3.365	+ 0.953	.3611	----	----	1	----	4	+ 1
8950	2.326	2.326	3.735B/2.198A	3.735B/2.198A	----	3.304	+ 0.937	.3557	----	----	60	----	67	+ 58
8975	3.615	3.615	3.637B/2.147A	3.637B/2.147A	----	3.244	+ 0.921	.3504	----	----	1	----	4	UNCH
9000	2.320	2.320	3.600/2.116A	3.600/2.116A	----	3.185	+ 0.905	.3451	----	----	85	60	771	- 9
9025	3.488	3.488	3.497B/2.070A	3.497B/2.070A	----	3.127	+ 0.889	.3400	----	----	1	----	6	+ 1
9050	3.350	3.350	3.455B/2.042A	3.455B/2.042A	----	3.071	+ 0.874	.3349	----	----	2	----	12	UNCH
9075	----	----	3.424B/1.998A	3.424B/1.998A	----	3.016	+ 0.860	.3299	----	----	----	----	6	UNCH
9100	2.597	2.597	3.366B/1.969A	3.366B/1.969A	----	2.962	+ 0.845	.3249	----	----	4	----	330	+ 1
9125	----	----	3.305B/1.928A	3.305B/1.928A	----	2.909	+ 0.830	.3200	----	----	----	----	2	UNCH
9150	----	----	3.248B/1.906A	3.248B/1.906A	----	2.858	+ 0.817	.3152	----	----	----	----	103	UNCH
9175	----	----	3.191B/1.862A	3.191B/1.862A	----	2.807	+ 0.802	.3105	----	----	----	----	1	UNCH
9200	----	----	3.135B/1.828A	3.135B/1.828A	----	2.758	+ 0.789	.3059	----	----	1	----	107	+ 1
9225	----	----	3.081B/1.800A	3.081B/1.800A	----	2.709	+ 0.775	.3012	----	----	----	----	6	UNCH
9250	----	----	3.027B/1.768A	3.027B/1.768A	----	2.662	+ 0.762	.2967	----	----	----	----	7	UNCH
9275	----	----	2.975B/1.740A	2.975B/1.740A	----	2.616	+ 0.749	.2923	----	----	----	----	7	UNCH
9300	----	----	2.924B/1.707A	2.924B/1.707A	----	2.570	+ 0.736	.2879	----	----	3	----	32	UNCH
9325	----	----	2.874B/1.685A	2.874B/1.685A	----	2.526	+ 0.723	.2836	----	----	2	----	2	+ 2
9350	2.750	2.750	2.824B/1.651A	2.824B/1.651A	----	2.482	+ 0.711	.2793	----	----	2	----	20	+ 2
9375	----	----	2.775B/1.625A	2.775B/1.625A	----	2.440	+ 0.699	.2752	----	----	----	----	17	UNCH
9400	2.701	2.701	2.728B/1.605A	2.728B/1.605A	----	2.398	+ 0.687	.2711	----	----	7	----	22	+ 1
9425	----	----	2.682B/1.573A	2.682B/1.573A	----	2.357	+ 0.675	.2670	----	----	----	----	22	UNCH
9450	----	----	2.637B/1.555A	2.637B/1.555A	----	2.317	+ 0.663	.2630	----	----	----	----	4	UNCH
9475	----	----	2.594B/1.521A	2.594B/1.521A	----	2.278	+ 0.652	.2591	----	----	----	----	17	UNCH
9500	----	----	2.549B/1.493A	2.549B/1.493A	----	2.240	+ 0.641	.2553	----	----	11	----	349	+ 9
9525	----	----	2.507B/1.476A	2.507B/1.476A	----	2.202	+ 0.629	.2514	----	----	----	----	2	UNCH
9550	----	----	2.466B/1.455A	2.466B/1.455A	----	2.166	+ 0.619	.2478	----	----	----	----	4	UNCH
9575	2.376	2.376	2.425B/1.434A	2.425B/1.434A	----	2.130	+ 0.608	.2441	----	----	1	----	2	+ 1
9600	----	----	2.384B/1.409A	2.384B/1.409A	----	2.095	+ 0.598	.2405	----	----	----	----	23	UNCH
9625	2.300	2.300	2.345B/1.388A	2.345B/1.388A	----	2.060	+ 0.588	.2369	----	----	1	----	5	+ 1
9650	2.262	2.262	2.307B/1.369A	2.307B/1.369A	----	2.026	+ 0.577	.2334	----	----	1	----	2	+ 1
9675	2.226	2.226	2.269B/1.347A	2.269B/1.347A	----	1.993	+ 0.568	.2300	----	----	1	----	6	UNCH
9700	----	----	2.233B/1.320A	2.233B/1.320A	----	1.961	+ 0.558	.2266	----	----	----	----	37	UNCH
9725	----	----	2.197B/1.299A	2.197B/1.299A	----	1.929	+ 0.549	.2233	----	----	----	----	1	UNCH
9750	----	----	2.162B/1.285A	2.162B/1.285A	----	1.898	+ 0.539	.2200	----	----	----	----	28	UNCH
9775	----	----	2.128B/1.264A	2.128B/1.264A	----	1.868	+ 0.531	.2168	----	----	----	----	1	UNCH
9800	1.275	1.275	2.093B/1.245A	2.093B/1.245A	----	1.838	+ 0.522	.2137	----	----	2	----	10	UNCH
9825	----	----	2.060B/1.227A	2.060B/1.227A	----	1.809	+ 0.513	.2106	----	----	----	----	1	UNCH
9850	----	----	2.027B/1.213A	2.027B/1.213A	----	1.781	+ 0.505	.2076	----	----	----	----	2	UNCH
9875	1.770	1.770	1.996B/1.196A	1.996B/1.196A	----	1.753	+ 0.497	.2046	----	----	1	----	11	+ 1
9900	1.755	1.755	1.964B/1.178A	1.964B/1.178A	----	1.725	+ 0.488	.2016	----	----	3	----	27	UNCH
9925	1.715	1.715	1.933B/1.158A	1.933B/1.158A	----	1.699	+ 0.481	.1987	----	----	1	----	2	+ 1
9950	----	----	1.903B/1.143A	1.903B/1.143A	----	1.672	+ 0.472	.1959	----	----	----	----	2	UNCH
9975	----	----	1.875B/1.122A	1.875B/1.122A	----	1.646	+ 0.465	.1930	----	----	----	----	4	UNCH
10000	1.109	1.109	1.846B/1.108A	1.846B/1.108A	----	1.621	+ 0.457	.1903	----	----	352	----	1078	+ 145
10025	----	----	1.818B/1.089A	1.818B/1.089A	----	1.596	+ 0.450	.1876	----	----	----	----	5	UNCH
10050	----	----	1.790B/1.070A	1.790B/1.070A	----	1.572	+ 0.443	.1849	----	----	----	----	3	UNCH
10075	----	----	1.763B/1.057A	1.763B/1.057A	----	1.548	+ 0.436	.1823	----	----	----	----	9	UNCH
10100	1.629	1.629	1.735B/1.042A	1.735B/1.042A	----	1.525	+ 0.429	.1798	----	----	5	----	24	+ 5
10125	----	----	1.709B/1.034A	1.709B/1.034A	----	1.502	+ 0.423	.1772	----	----	----	----	1	UNCH
10175	----	----	1.659B/1.000A	1.659B/1.000A	----	1.458	+ 0.410	.1723	----	----	----	----	1	UNCH
10200	----	----	1.616B/0.984A	1.616B/0.984A	----	1.436	+ 0.403	.1699	----	----	----	----	16	UNCH
10225	----	----	1.609B/0.971A	1.609B/0.971A	----	1.415	+ 0.397	.1676	----	----	----	----	1	UNCH
10275	0.955	0.955	1.562B/0.948A	1.562B/0.948A	----	1.374	NEW	.1630	----	----	1	----	1	+ 1
10300	----	----	1.539B/0.937A	1.539B/0.937A	----	1.354	+ 0.380	.1607	----	----	2	----	13	UNCH
10375	----	----	1.472B/0.899A	1.472B/0.899A	----	1.296	+ 0.363	.1542	----	----	----	----	2	UNCH
10400	----	----	1.435B/0.886A	1.435B/0.886A	----	1.278	+ 0.358	.1521	----	----	----	----	20	UNCH
10425	----	----	1.429B/0.874A	1.429B/0.874A	----	1.260	+ 0.353	.1501	----	----	----	----	1	UNCH
10450	----	----	1.393B/0.864A	1.393B/0.864A	----	1.242	+ 0.348	.1480	----	----	----	----	3	UNCH
10475	----	----	1.388B/0.852A	1.388B/0.852A	----	1.225	+ 0.344	.1461	----	----	----	----	2	UNCH
10500	----	----	1.353B/0.840A	1.353B/0.840A	----	1.208	+ 0.339	.1441	----	----	22	----	359	+ 1
10525	----	----	1.334B/0.828A	1.334B/0.828A	----	1.191	+ 0.334	.1422	----	----	----	----	12	UNCH
10550	----	----	1.315B/0.817A	1.315B/0.817A	----	1.174	+ 0.329	.1402	----	----	----	----	1	UNCH
10575	----	----	1.309B/0.807A	1.309B/0.807A	----	1.158	+ 0.324	.1384	----	----	----	----	4	UNCH
10600	----	----	1.287B/0.795A	1.287B/0.795A	----	1.142	+ 0.320	.1365	----	----	----	----	62	UNCH
10625	----	----	1.260B/0.783A	1.260B/0.783A	----	1.127	+ 0.316	.1348	----	----	----	----	1	UNCH
10650	----	----	1.250B/0.772A	1.250B/0.772A	----	1.112	+ 0.312	.1330	----	----	----	----	3	UNCH
10675	----	----	1.234B/0.761A	1.234B/0.761A	----	1.097	+ 0.308	.1313	----	----	----	----	15	UNCH
10700	----	----	1.207B/0.749A	1.207B/0.749A	----	1.082	+ 0.304	.1296	----	----	1	----	81	- 1
10750	0.726	0.726	1.181B/0.726	1.181B/0.726	----	1.053	+ 0.295	.1262	----	----	1	----	4	+ 1
10800	----	----	1.149B/0.708A	1.149B/0.708A	----	1.026	+ 0.288	.1230	----	----	----	----	2	UNCH
10825	----	----	1.132B/0.705A	1.132B/0.705A	----	1.012	+ 0.284	.1214	----	----	----	----	1	UNCH
10850	----	----	1.117B/0.694A	1.117B/0.694A	----	0.999	+ 0.281	.1199	----	----	----	----	12	UNCH
10875	----	----	1.102B/0.683A	1.102B/0.683A	----	0.986	+ 0.277	.1183	----	----	----	----	6	UNCH
10900	----	----	1.086B/0.672A	1.086B/0.672A	----	0.974	+ 0.274	.1169	----	----	----	----	20	UNCH
10925	----	----	1.071B/0.668A	1.071B/0.668A	----	0.961	+ 0.270	.1154	----	----	----	----	2	UNCH
10950	1.050	1.050	1.065/0.660A	1.065/0.660A	----	0.949	+ 0.267	.1140	----	----	4	----	4	+ 3
11000	0.663	0.663	1.024B/0.640A	1.024B/0.640A	----	0.925	+ 0.260	.1111	----	----	68	----	421	+ 6
11025	----	----	1.016B/0.635A	1.016B/0.635A	----	0.914	+ 0.258	.1098	----	----	----	----	1	UNCH
11050	----	----	1.004B/0.628A	1.004B/0.628A	----	0.903	+ 0.255	.1085	----	----	1	----	5	+ 1
11075	----	----	0.985B/0.620A	0.985B/0.620A	----	0.892	+ 0.252	.1072	----	----	----	----	5	UNCH
11100	0.943	0.943	0.978B/0.610A	0.978B/0.610A	----	0.881	+ 0.249	.1058	----	----	2	----	3	+ 2
11125	----	----	0.960B/----	0.960B/0.634A	----	0.870	+ 0.246	.1045	----	----	----	----	5	UNCH
11175	0.873	0.873	0.933B/0.873	0.933B/0.620A	----	0.849	+ 0.240	.1020	----	----	1	----	3	+ 1
11200	0.550	0.550	0.916B/0.550	0.916B/0.550	----	0.839	+ 0.238	.1008	----	----	2	----	8	+ 1
11225	----	----	0.910B/----	0.910B/0.607A	----	0.829	+ 0.235	.0996	----	----	----	----	3	UNCH
11300	----	----	0.871B/----	0.871B/0.588A	----	0.800	+ 0.227	.0961	----	----	----	----	2	UNCH
11325	----	----	0.866B/----	0.866B/0.578A	----	0.791	+ 0.225	.0950	----	----	----	----	6	UNCH
11350	----	----	0.855B/----	0.855B/0.579A	----	0.782	+ 0.223	.0939	----	----	2	----	3	UNCH
11375	----	----	0.844B/----	0.844B/0.567A	----	0.773	+ 0.221	.0928	----	----	----	----	1	UNCH
11400	----	----	0.828B/----	0.828B/0.567A	----	0.764	+ 0.218	.0918	----	----	----	----	163	UNCH
11425	----	----	0.821B/----	0.821B/0.554A	----	0.755	+ 0.215	.0907	----	----	----	----	12	UNCH
11450	----	----	0.806B/----	0.806B/0.584A	----	0.747	+ 0.214	.0897	----	----	----	----	13	UNCH
11475	----	----	0.801B/----	0.801B/0.543A	----	0.738	+ 0.211	.0886	----	----	----	----	8	UNCH
11500	0.490	0.490	0.773B/0.480	0.773B/0.480	----	0.730	+ 0.209	.0876	----	----	4	----	253	+ 3
11525	----	----	0.774B/----	0.774B/0.548A	----	0.722	+ 0.207	.0866	----	----	----	----	4	UNCH
11550	----	----	0.750B/----	0.750B/0.567A	----	0.714	+ 0.205	.0857	----	----	----	----	1	UNCH
11600	----	----	0.732B/----	0.732B/0.570A	----	0.699	+ 0.201	.0838	----	----	----	----	2	UNCH
11625	----	----	0.730B/----	0.730B/0.564A	----	0.691	+ 0.198	.0829	----	----	----	----	1	UNCH
11675	----	----	0.715B/----	0.715B/0.553A	----	0.677	+ 0.195	.0811	----	----	----	----	2	UNCH
11700	----	----	0.698B/----	0.698B/0.548A	----	0.670	+ 0.193	.0802	----	----	----	----	9	UNCH
11725	----	----	0.700B/----	0.700B/0.543A	----	0.663	+ 0.192	.0794	----	----	----	----	2	UNCH
11750	0.675	0.675	0.701/0.675	0.701/0.538A	----	0.656	+ 0.190	.0785	----	----	10	----	16	- 5
11775	----	----	0.680B/----	0.680B/0.533A	----	0.649	+ 0.188	.0777	----	----	----	----	2	UNCH
11800	----	----	0.665B/----	0.665B/0.528A	----	0.642	+ 0.186	.0768	----	----	----	----	6	UNCH
11850	----	----	0.650B/----	0.650B/0.518A	----	0.629	+ 0.182	.0752	----	----	----	----	5	UNCH
11875	0.614	0.614	0.657B/0.614	0.657B/0.513A	----	0.623	NEW	.0744	----	----	1	----	1	+ 1
11900	----	----	0.638B/----	0.638B/0.509A	----	0.617	+ 0.179	.0737	----	----	----	----	2	UNCH
11925	----	----	0.635B/----	0.635B/0.504A	----	0.611	+ 0.178	.0729	----	----	----	----	8	UNCH
11950	0.587	0.587	0.623B/0.587	0.623B/0.444A	----	0.605	+ 0.176	.0722	----	----	4	----	6	+ 4
11975	0.587	0.587	0.629B/0.587	0.629B/0.495A	----	0.599	NEW	.0715	----	----	1	----	1	+ 1
12000	0.599	0.599	0.613/0.550	0.613/0.492A	----	0.593	+ 0.173	.0707	----	----	230	----	550	+ 101
12025	----	----	0.614B/----	0.614B/0.487A	----	0.587	+ 0.171	.0700	----	----	----	----	11	UNCH
12050	0.565	0.565	0.598B/0.565	0.598B/0.482A	----	0.581	NEW	.0692	----	----	1	----	1	+ 1
12075	0.559	0.559	0.595B/0.559	0.595B/0.478A	----	0.576	NEW	.0686	----	----	1	----	1	+ 1
12125	----	----	0.582B/----	0.582B/0.470A	----	0.565	+ 0.165	.0672	----	----	----	----	1	UNCH
12200	0.509	0.509	0.557B/0.509	0.557B/0.459A	----	0.550	+ 0.161	.0653	----	----	2	----	13	UNCH
12225	----	----	0.555B/----	0.555B/0.454A	----	0.545	+ 0.160	.0647	----	----	----	----	7	UNCH
12275	----	----	0.544B/----	0.544B/0.446A	----	0.535	+ 0.157	.0634	----	----	----	----	1	UNCH
12325	0.350	0.350	0.531B/0.350	0.531B/0.350	----	0.525	+ 0.153	.0622	----	----	1	----	4	+ 1
12350	----	----	0.528B/----	0.528B/0.435A	----	0.521	+ 0.153	.0617	----	----	----	----	5	UNCH
12400	----	----	0.512B/----	0.512B/0.429A	----	0.512	+ 0.150	.0605	----	----	----	----	23	UNCH
12425	----	----	0.512B/----	0.512B/0.425A	----	0.507	+ 0.148	.0599	----	----	----	----	1	UNCH
12450	----	----	0.505B/----	0.505B/0.422A	----	0.503	+ 0.147	.0594	----	----	----	----	9	UNCH
12475	----	----	0.499B/----	0.499B/0.419A	----	0.499	+ 0.147	.0589	----	----	----	----	1	UNCH
12500	0.310	0.310	0.492B/*0.310	0.492B/*0.310	----	0.494	+ 0.145	.0583	----	----	5	----	111	+ 5
12525	----	----	0.491B/----	0.491B/0.414A	----	0.490	+ 0.143	.0578	----	----	----	----	37	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
12550	----	----	0.479B/----	0.479B/0.409A	----	0.486 + 0.142	.0573	----	----	----	----	6 UNCH
12575	----	----	0.478B/----	0.478B/0.406A	----	0.482 + 0.141	.0568	----	----	----	----	2 UNCH
12600	0.433	0.433	0.472B/0.433	0.472B/0.403A	----	0.478 + 0.140	.0563	----	----	8	----	9 + 4
12650	----	----	0.462B/----	0.462B/0.397A	----	0.470 + 0.138	.0553	----	----	----	----	2 UNCH
12675	----	----	0.460B/----	0.460B/0.394A	----	0.467 + 0.137	.0548	----	----	----	----	2 UNCH
12700	----	----	0.455B/----	0.455B/0.391A	----	0.463 + 0.136	.0543	----	----	----	----	11 UNCH
12725	----	----	0.453B/----	0.453B/0.388A	----	0.459 + 0.135	.0538	----	----	----	----	2 UNCH
12750	----	----	0.434B/----	0.434B/0.384A	----	0.455 + 0.133	.0533	----	----	----	----	2 UNCH
12775	----	----	0.446B/----	0.446B/0.384A	----	0.452 + 0.133	.0529	----	----	----	----	7 UNCH
12800	----	----	0.378B/----	0.378B/0.381A	----	0.448 + 0.131	.0525	----	----	----	----	34 UNCH
12900	----	----	0.362B/----	0.362B/0.369A	----	0.435 + 0.128	.0508	----	----	----	----	6 UNCH
13000	0.300	0.300	0.347B/0.300	0.347B/0.300	----	0.422 + 0.124	.0491	----	----	2	----	273 UNCH
13100	----	----	0.331B/----	0.331B/0.350A	----	0.409 + 0.119	.0475	----	----	----	----	4 UNCH
13200	----	----	0.318B/----	0.318B/0.339A	----	0.398 + 0.117	.0461	----	----	----	----	3 UNCH
13300	----	----	0.305B/----	0.305B/0.333A	----	0.386 + 0.112	.0446	----	----	----	----	3 UNCH
13400	----	----	0.293B/----	0.293B/0.324A	----	0.376 + 0.110	.0433	----	----	----	----	5 UNCH
13500	0.306	0.306	0.306/0.306	0.306/0.306	----	0.366 + 0.107	.0420	----	----	2	----	23 + 2
13600	----	----	0.270B/----	0.270B/0.309A	----	0.356 + 0.103	.0407	----	----	----	----	7 UNCH
13700	----	----	0.260B/----	0.260B/0.302A	----	0.347 + 0.101	.0396	----	----	----	----	5 UNCH
13800	----	----	0.247B/----	0.247B/0.294A	----	0.338 + 0.098	.0384	----	----	----	----	1 UNCH
13900	----	----	0.238B/----	0.238B/0.289A	----	0.329 + 0.095	.0373	----	----	----	----	3 UNCH
14000	----	----	----	0.229B/0.282A	----	0.321 + 0.092	.0363	----	----	----	----	292 UNCH
14200	----	----	----	0.216B/0.273A	----	0.305 + 0.087	.0343	----	----	----	----	60 UNCH
14300	----	----	----	0.206B/0.268A	----	0.298 + 0.085	.0334	----	----	----	----	1 UNCH
14400	----	----	----	0.197B/0.263A	----	0.290 + 0.082	.0325	----	----	----	----	65 UNCH
14500	----	----	----	0.190B/0.258A	----	0.283 + 0.080	.0316	----	----	----	----	31 UNCH
14600	----	----	----	0.183B/0.254A	----	0.276 + 0.077	.0307	----	----	----	----	6 UNCH
14700	----	----	----	0.177B/0.250A	----	0.269 + 0.075	.0299	----	----	----	----	11 UNCH
14800	----	----	----	0.174B/0.250A	----	0.263 + 0.073	.0292	----	----	----	----	10 UNCH
14900	----	----	----	0.167B/0.243A	----	0.256 + 0.071	.0283	----	----	----	----	6 UNCH
15000	0.190	0.190	0.192B/0.190	0.192B/0.190	----	0.250 + 0.069	.0276	----	----	1	----	147 + 1
15300	----	----	----	0.148B/0.228A	----	0.231 + 0.063	.0254	----	----	----	----	2 UNCH
15400	----	----	----	0.141B/0.222A	----	0.226 + 0.062	.0248	----	----	----	----	1 UNCH
15500	0.180	0.180	0.183/*0.180	0.183/*0.180	----	0.220 + 0.060	.0241	----	----	4	----	6 - 1
15600	----	----	----	0.131B/0.218A	----	0.214 + 0.057	.0234	----	----	----	----	1 UNCH
15700	----	----	----	0.127B/0.213A	----	0.208 + 0.055	.0227	----	----	----	----	1 UNCH
15800	----	----	----	0.123B/0.212A	----	0.203 + 0.054	.0221	----	----	----	----	6 UNCH
15900	----	----	----	0.119B/0.205A	----	0.198 + 0.053	.0216	----	----	----	----	8 UNCH
16000	0.150	0.150	0.150/*0.150	0.150/*0.150	----	0.192 + 0.050	.0209	----	----	1	----	203 + 1
16200	----	----	----	0.103B/0.199A	----	0.182 + 0.047	.0198	----	----	----	----	36 UNCH
16400	----	----	----	0.100B/0.192A	----	0.173 + 0.045	.0188	----	----	----	----	1 UNCH
16500	----	----	----	0.093B/0.188A	----	0.168 + 0.043	.0182	----	----	----	----	30 UNCH
16600	----	----	----	0.091B/0.188A	----	0.164 + 0.042	.0177	----	----	----	----	2 UNCH
16700	----	----	----	0.088B/0.185A	----	0.159 + 0.040	.0172	----	----	----	----	6 UNCH
16800	----	----	----	0.085B/0.183A	----	0.155 + 0.039	.0168	----	----	----	----	3 UNCH
17000	----	----	----	0.081B/*0.115A	----	0.147 + 0.036	.0159	----	----	----	----	25 UNCH
17100	----	----	----	0.079B/0.173A	----	0.143 + 0.035	.0154	----	----	----	----	5 UNCH
17200	----	----	----	0.075B/0.172A	----	0.139 + 0.034	.0150	----	----	----	----	5 UNCH
17300	----	----	----	0.072B/0.168A	----	0.136 + 0.033	.0146	----	----	----	----	11 UNCH
17400	----	----	----	0.067B/0.167A	----	0.132 + 0.032	.0142	----	----	----	----	2 UNCH
17500	----	----	----	0.065B/0.161A	----	0.129 + 0.031	.0139	----	----	----	----	63 UNCH
17700	----	----	----	0.059B/*0.153A	----	0.122 + 0.028	.0131	----	----	----	----	3 UNCH
17800	----	----	----	0.057B/0.163A	----	0.119 + 0.028	.0128	----	----	----	----	3 UNCH
18000	----	----	----	0.064B/0.153A	----	0.114 + 0.027	.0122	----	----	----	----	44 UNCH
18100	----	----	----	0.054B/0.155A	----	0.111 + 0.026	.0119	----	----	----	----	2 UNCH
18300	----	----	----	0.048B/0.149A	----	0.105 + 0.024	.0112	----	----	----	----	1 UNCH
18900	----	----	----	0.036B/0.142A	----	0.090 + 0.021	.0096	----	----	----	----	1 UNCH
19000	----	----	----	0.036B/0.136A	----	0.087 + 0.019	.0093	----	----	----	----	229 UNCH
19500	----	----	----	0.022B/0.127A	----	0.077 + 0.017	.0082	----	----	----	----	126 UNCH
19600	----	----	----	0.001B/0.124A	----	0.075 + 0.017	.0080	----	----	----	----	2 UNCH
19900	----	----	----	0.001B/*0.125A	----	0.070 + 0.016	.0074	----	----	----	----	28 UNCH
20000	0.060	0.060	0.060/0.060	0.060/0.060	----	0.068 + 0.015	.0072	----	----	1	----	238 + 1
21000	----	----	----	0.001B/*0.116A	----	0.054 + 0.012	.0057	----	----	----	----	20 UNCH
23000	----	----	----	0.001B/0.117A	----	0.036 + 0.008	.0038	----	----	----	----	14 UNCH
25000	----	----	----	0.001B/0.117A	----	0.025 + 0.005	.0026	----	----	----	----	298 UNCH
27000	----	----	----	----/0.181A	----	0.016 + 0.003	.0016	----	----	----	----	3 UNCH
30000	----	----	----	----/0.146A	----	0.008 + 0.001	.0008	----	----	----	----	31 UNCH
32000	----	----	----	----/0.238A	----	0.006 + 0.001	.0006	----	----	----	----	1 UNCH
35000	----	----	----	----/0.021A	----	0.004 + 0.001	.0004	----	----	----	----	21 UNCH
TOTAL										1482	60	13293 + 425
JUL26												
2700	----	----	56.634B/----	56.634B/54.063A	----	55.433 + 3.160	.9975	----	----	----	----	1 UNCH
3900	----	----	44.685B/----	44.685B/41.995A	----	43.438 + 3.161	.9914	----	----	----	----	1 UNCH
4000	----	----	42.589B/----	42.589B/41.029A	----	42.441 + 3.160	.9906	----	----	----	----	1 UNCH
4200	----	----	41.662B/----	41.662B/39.021A	----	40.451 + 3.158	.9888	----	----	----	----	0 - 2
4500	----	----	37.600B/----	37.600B/36.044A	----	37.475 + 3.151	.9853	----	----	----	----	28 UNCH
4600	----	----	37.695B/----	37.695B/35.008A	----	36.485 + 3.147	.9839	----	----	----	----	122 UNCH
4700	----	----	36.649B/----	36.649B/34.102A	----	35.498 + 3.143	.9823	----	----	----	----	1 UNCH
4750	----	----	36.151B/----	36.151B/33.613A	----	35.004 + 3.140	.9815	----	----	----	----	1 UNCH
4825	----	----	35.407B/----	35.407B/32.881A	----	34.266 + 3.136	.9800	----	----	----	----	3 UNCH
4900	----	----	34.664B/----	34.664B/32.152A	----	33.529 + 3.132	.9785	----	----	----	----	1 UNCH
4925	----	----	34.417B/----	34.417B/31.908A	----	33.284 + 3.130	.9780	----	----	----	----	16 UNCH
5000	----	----	33.747B/----	33.747B/31.090A	----	32.549 + 3.125	.9762	----	----	----	----	307 UNCH
5025	----	----	33.439B/----	33.439B/30.937A	----	32.304 + 3.122	.9755	----	----	----	----	4 UNCH
5050	----	----	33.195B/----	33.195B/30.696A	----	32.060 + 3.120	.9749	----	----	----	----	2 UNCH
5100	----	----	31.712B/----	31.712B/30.118A	----	31.572 + 3.116	.9736	----	----	----	----	131 UNCH
5150	----	----	32.208B/----	32.208B/29.732A	----	31.085 + 3.111	.9721	----	----	----	----	6 UNCH
5200	----	----	31.758B/----	31.758B/29.225A	----	30.600 + 3.107	.9705	----	----	----	----	40 UNCH
5225	----	----	31.486B/----	31.486B/29.012A	----	30.357 + 3.103	.9698	----	----	----	----	9 UNCH
5250	----	----	31.243B/----	31.243B/28.774A	----	30.115 + 3.101	.9689	----	----	----	----	2 UNCH
5275	----	----	31.001B/----	31.001B/28.535A	----	29.873 + 3.098	.9680	----	----	----	----	1 UNCH
5300	----	----	30.763B/----	30.763B/28.296A	----	29.632 + 3.095	.9671	----	----	----	----	7 UNCH
5350	----	----	30.336B/----	30.336B/27.752A	----	29.150 + 3.089	.9652	----	----	----	----	155 UNCH
5375	----	----	30.041B/----	30.041B/27.547A	----	28.909 + 3.085	.9643	----	----	----	----	1 UNCH
5400	----	----	29.800B/----	29.800B/27.309A	----	28.669 + 3.082	.9632	----	----	----	----	21 UNCH
5425	----	----	29.580B/----	29.580B/27.064A	----	28.429 + 3.078	.9622	----	----	----	----	42 UNCH
5450	----	----	29.317B/----	29.317B/26.838A	----	28.190 + 3.074	.9611	----	----	----	----	1 UNCH
5500	----	----	28.900B/----	28.900B/26.334A	----	27.713 + 3.067	.9588	----	----	----	----	494 UNCH
5550	----	----	28.358B/----	28.358B/25.902A	----	27.237 + 3.059	.9565	----	----	----	----	3 UNCH
5600	----	----	27.948B/----	27.948B/25.395A	----	26.763 + 3.050	.9539	----	----	----	----	102 UNCH
5650	----	----	27.436B/----	27.436B/24.949A	----	26.290 + 3.040	.9512	----	----	----	----	43 UNCH
5675	----	----	27.200B/----	27.200B/24.715A	----	26.055 + 3.035	.9498	----	----	----	----	25 UNCH
5700	----	----	26.964B/----	26.964B/24.485A	----	25.820 + 3.030	.9483	----	----	----	----	26 UNCH
5750	----	----	26.531B/----	26.531B/24.005A	----	25.352 + 3.019	.9452	----	----	----	----	162 UNCH
5775	----	----	26.225B/----	26.225B/23.813A	----	25.118 + 3.012	.9437	----	----	----	----	1 UNCH
5800	----	----	25.991B/----	25.991B/23.584A	----	24.886 + 3.007	.9420	----	----	----	----	16 UNCH
5900	----	----	25.063B/----	25.063B/22.719A	----	23.961 + 2.981	.9350	----	----	----	----	10 UNCH
5925	----	----	24.832B/----	24.832B/22.495A	----	23.731 + 2.974	.9332	----	----	----	----	10 UNCH
5950	----	----	24.602B/----	24.602B/22.260A	----	23.502 + 2.967	.9313	----	----	----	----	6 UNCH
5975	----	----	24.380B/----	24.380B/22.038A	----	23.273 + 2.959	.9293	----	----	----	----	20 UNCH
6000	----	----	24.215B/----	24.215B/21.738A	----	23.046 + 2.952	.9273	----	----	----	----	550 UNCH
6050	----	----	23.758B/----	23.758B/21.296A	----	22.592 + 2.935	.9231	----	----	----	----	58 UNCH
6075	----	----	23.464B/----	23.464B/21.155A	----	22.366 + 2.927	.9209	----	----	----	----	1 UNCH
6100	----	----	23.209B/----	23.209B/20.936A	----	22.141 + 2.918	.9187	----	----	----	----	10 UNCH
6200	----	----	22.402B/----	22.402B/19.982A	----	21.249 + 2.881	.9094	----	----	----	----	101 UNCH
6250	----	----	21.859B/----	21.859B/19.645A	----	20.808 + 2.861	.9043	----	----	----	----	1 UNCH
6300	----	----	21.451B/----	21.451B/19.216A	----	20.370 + 2.839	.8991	----	----	----	----	3 UNCH
6350	----	----	20.971B/----	20.971B/18.799A	----	19.935 + 2.816	.8936	----	----	----	----	2 UNCH
6450	----	----	20.100B/----	20.100B/17.971A	----	19.077 + 2.767	.8820	----	----	----	----	1 UNCH
6500	----	----	19.790B/----	19.790B/17.468A	----	18.653 + 2.740	.8759	----	----	----	----	195 UNCH
6600	----	----	18.933B/----	18.933B/16.667A	----	17.818 + 2.683	.8629	----	----	----	----	56 UNCH
6650	----	----	18.530B/----	18.530B/16.269A	----	17.406 + 2.653	.8560	----	----	----	----	102 UNCH
6750	----	----	17.578B/----	17.578B/15.591A	----	16.597 + 2.589	.8416	----	----	----	----	24 UNCH
6800	----	----	17.295B/----	17.295B/15.159A	----	16.199 + 2.555	.8341	----	----	----	----	250 UNCH
6825	----	----	16.984B/----	16.984B/15.023A	----	16.002 + 2.537	.8302	----	----	----	----	6 UNCH
6850	----	----	16.777B/----	16.777B/14.838A	----	15.806 + 2.519	.8263	----	----	----	----	1 UNCH
6875	----	----	16.580B/----	16.580B/14.654A	----	15.611 + 2.501	.8223	----	----	----	----	16 UNCH
6900	----	----	16.506B/----	16.506B/14.417A	----	15.418 + 2.483	.8183	----	----	----	----	99 UNCH
6950	----	----	15.995B/----	15.995B/14.111A	----	15.036 + 2.447	.8100	----	----	----	----	1 UNCH
7000	15.310	15.310	15.736B/15.014	15.736B/13.689A	----	14.659 + 2.409	.8015	----	----	3	----	154 UNCH
7025	----	----	15.563B/----	15.563B/13.514A	----	14.473 + 2.390	.7972	----	----	----	----	125 UNCH
7050	----	----	15.242B/----	15.242B/13.409A	----	14.288 + 2.370	.7928	----	----	----	----	1 UNCH
7100	----	----	14.858B/----	14.858B/13.062A	----	13.923 + 2.331	.7838	----	----	----	----	5 UNCH
7200	----	----	14.128B/----	14.128B/12.399A	----	13.213 + 2.254	.7652	----	----	----	----	11 UNCH
7225	----	----	13.968B/----	13.968B/12.238A	----	13.040 + 2.235	.7604	----	----	----	----	1 UNCH
7250	----	----	13.901B/----	13.901B/12.006A	----	12.868 + 2.215	.7556	----	----	----	----	165 UNCH
7300	12.939	12.939	13.421B/12.939	13.421B/11.817A	----	12.530 + 2.176	.7458	----	----	2	----	3 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS												
JUL26														
7325	12.851	12.851	13.379B/12.851	13.379B/11.542A	----	12.364	+ 2.157	.7408	----	----	2	----	102 +	2
7350	----	----	13.074B/----	13.074B/11.511A	----	12.199	+ 2.137	.7358	----	----	----	----	2	UNCH
7400	----	----	12.756B/----	12.756B/11.206A	----	11.876	+ 2.100	.7256	----	----	6	----	17 -	1
7450	----	----	12.403B/----	12.403B/10.906A	----	11.561	+ 2.064	.7153	----	----	----	----	12	UNCH
7500	11.250	11.250	12.398/11.114	12.398/10.522A	----	11.253	+ 2.027	.7048	----	----	14	----	291 -	10
7550	----	----	11.777B/----	11.777B/9.864A	----	10.953	+ 1.992	.6943	----	----	----	----	6	UNCH
7575	----	----	11.605B/----	11.605B/9.788A	----	10.806	+ 1.975	.6889	----	----	----	----	20	UNCH
7600	----	----	11.446B/----	11.446B/9.784A	----	10.661	+ 1.958	.6836	----	----	----	----	12	UNCH
7700	10.039	10.039	10.846B/10.039	10.846B/9.103A	----	10.100	+ 1.892	.6620	----	----	3	----	14	UNCH
7750	----	----	10.703B/----	10.703B/7.995A	----	9.830	+ 1.860	.6511	----	----	----	----	65	UNCH
7800	----	----	10.421B/----	10.421B/8.065A	----	9.569	+ 1.829	.6403	----	----	----	----	51	UNCH
7900	----	----	9.720B/----	9.720B/7.636A	----	9.067	+ 1.769	.6185	----	----	----	----	8	UNCH
7975	----	----	9.320B/----	9.320B/7.415A	----	8.709	+ 1.724	.6023	----	----	----	----	5	UNCH
8000	6.950	6.950	9.348B/6.884A	9.348B/6.884A	----	8.593	+ 1.709	.5969	----	----	17	----	625 +	10
8025	8.000	8.000	9.060B/8.000	9.060B/7.180A	----	8.479	+ 1.695	.5915	----	----	4	----	6 -	2
8050	----	----	8.978B/----	8.978B/7.125A	----	8.367	NEW	.5861	----	----	1	----	1 +	1
8100	----	----	8.752B/----	8.752B/6.856A	----	8.146	+ 1.652	.5755	----	----	----	25	67 +	25
8200	7.785	7.785	8.337B/7.785	8.337B/6.457A	----	7.725	+ 1.596	.5543	----	----	25	----	76 +	24
8250	----	----	8.029B/----	8.029B/6.371A	----	7.522	+ 1.566	.5439	----	----	----	----	45	UNCH
8300	7.792	7.792	7.875B/7.380	7.875B/5.844A	----	7.326	+ 1.538	.5336	----	----	5	----	352 +	1
8325	----	----	7.600B/----	7.600B/6.130A	----	7.230	+ 1.524	.5285	----	----	----	----	1	UNCH
8350	----	----	7.495B/----	7.495B/6.052A	----	7.135	+ 1.510	.5235	----	----	----	----	2	UNCH
8375	----	----	7.473B/----	7.473B/5.976A	----	7.041	+ 1.495	.5184	----	----	----	----	48	UNCH
8400	7.513	7.513	7.513/7.513	7.513/5.819A	----	6.949	+ 1.481	.5134	----	----	4	----	12 +	4
8500	----	----	6.998B/----	6.998B/5.260A	----	6.592	+ 1.422	.4937	----	----	213	----	852 +	149
8550	----	----	6.812B/----	6.812B/5.164A	----	6.420	+ 1.392	.4840	----	----	----	----	329	UNCH
8600	----	----	6.452B/----	6.452B/5.301A	----	6.253	+ 1.361	.4745	----	----	3	----	7 +	1
8650	----	----	6.267B/----	6.267B/5.226A	----	6.091	+ 1.332	.4651	----	----	----	----	1	UNCH
8700	5.750	5.750	6.231B/5.750	6.231B/4.738A	----	5.933	+ 1.301	.4558	----	----	1	----	64 +	1
8750	----	----	5.908B/----	5.908B/4.965A	----	5.779	+ 1.271	.4467	----	----	----	----	7	UNCH
8800	----	----	5.740B/----	5.740B/4.771A	----	5.630	+ 1.241	.4378	----	----	----	----	12	UNCH
8900	5.727	5.727	5.727/5.727	5.727/4.293A	----	5.345	+ 1.182	.4203	----	----	1	----	110 +	1
9000	4.243	4.243	5.499B/4.243	5.499B/4.091A	----	5.076	+ 1.124	.4034	----	----	19	----	442 -	2
9100	----	----	4.879B/----	4.879B/4.162A	----	4.823	+ 1.068	.3872	----	----	----	----	10	UNCH
9200	----	----	4.757B/----	4.757B/3.722A	----	4.585	+ 1.014	.3715	----	----	----	----	81	UNCH
9225	----	----	4.565B/----	4.565B/3.998A	----	4.528	+ 1.001	.3677	----	----	----	----	2	UNCH
9250	----	----	4.516B/----	4.516B/3.942A	----	4.472	+ 0.988	.3640	----	----	----	----	7	UNCH
9300	----	----	4.519B/----	4.519B/3.545A	----	4.362	+ 0.963	.3566	----	----	----	----	266	UNCH
9350	----	----	4.270B/----	4.270B/3.784A	----	4.257	+ 0.940	.3493	----	----	----	----	9	UNCH
9400	4.263	4.263	4.303B/4.263	4.303B/3.637A	----	4.154	+ 0.916	.3422	----	----	3	----	28 +	3
9450	----	----	4.122B/----	4.122B/3.613A	----	4.055	+ 0.894	.3353	----	----	----	----	33	UNCH
9500	4.025	4.025	4.500/3.927	4.500/3.234A	----	3.960	+ 0.873	.3286	----	----	227	75	681 +	170
9525	----	----	3.924B/----	3.924B/3.499A	----	3.913	+ 0.863	.3253	----	----	----	----	1	UNCH
9550	----	----	3.858B/----	3.858B/3.462A	----	3.867	+ 0.852	.3220	----	----	----	----	1	UNCH
9600	3.796	3.796	3.890B/3.744	3.890B/3.337A	----	3.778	+ 0.833	.3156	----	----	6	----	53	UNCH
9700	----	----	3.599B/----	3.599B/3.210A	----	3.610	+ 0.798	.3032	----	----	----	----	5	UNCH
9725	----	----	3.547B/----	3.547B/3.229A	----	3.570	+ 0.791	.3003	----	----	----	----	1	UNCH
9750	----	----	3.622B/----	3.622B/2.956A	----	3.530	+ 0.782	.2973	----	----	----	----	82	UNCH
9775	3.252	3.252	3.575B/3.252	3.575B/3.112A	----	3.491	+ 0.774	.2944	----	----	2	----	52 +	2
9800	----	----	3.569B/----	3.569B/2.852A	----	3.453	+ 0.767	.2915	----	----	----	----	130	UNCH
9825	----	----	3.406B/----	3.406B/3.101A	----	3.416	+ 0.761	.2887	----	----	----	----	3	UNCH
9850	----	----	3.143B/----	3.143B/3.070A	----	3.379	NEW	.2859	----	----	23	----	23 +	23
9900	3.067	3.067	3.399B/3.067	3.399B/2.736A	----	3.307	+ 0.740	.2804	----	----	3	----	70 -	1
10000	2.780	2.780	3.420/2.780	3.420/2.626A	----	3.170	+ 0.715	.2698	----	----	153	----	1546 +	72
10100	----	----	2.983B/----	2.983B/2.730A	----	3.043	+ 0.695	.2599	----	----	----	----	1	UNCH
10125	----	----	2.946B/----	2.946B/2.753A	----	3.012	+ 0.690	.2574	----	----	----	----	7	UNCH
10200	----	----	2.946B/----	2.946B/2.422A	----	2.923	+ 0.676	.2503	----	----	----	----	81	UNCH
10250	----	----	2.762B/----	2.762B/2.621A	----	2.866	+ 0.667	.2458	----	----	----	----	20	UNCH
10275	2.830	2.830	2.980/2.830	2.980/2.596A	----	2.838	NEW	.2435	----	----	10	----	10 +	10
10375	----	----	2.603B/----	2.603B/2.493A	----	2.730	+ 0.648	.2348	----	----	----	----	18	UNCH
10400	----	----	2.570B/----	2.570B/2.427A	----	2.704	+ 0.644	.2327	----	----	----	----	1	UNCH
10475	2.469	2.469	2.521B/2.469	2.521B/2.352A	----	2.628	+ 0.633	.2265	----	----	2	----	25	UNCH
10500	----	----	2.591B/----	2.591B/2.154A	----	2.603	+ 0.629	.2245	----	----	4	----	585	UNCH
10550	----	----	2.390B/----	2.390B/2.330A	----	2.555	+ 0.623	.2205	----	----	----	----	1	UNCH
10600	----	----	2.342B/----	2.342B/2.246A	----	2.508	+ 0.617	.2167	----	----	----	----	2	UNCH
10800	2.371	2.371	2.371/2.165	2.371/2.076A	----	2.329	+ 0.590	.2020	----	----	9	----	35 +	7
11000	2.202	2.202	2.202/2.005	2.202/1.786A	----	2.165	+ 0.563	.1884	----	----	133	----	1162 +	101
11100	----	----	1.892B/----	1.892B/1.881A	----	2.087	+ 0.549	.1820	----	----	23	----	10 -	13
11200	----	----	1.782B/----	1.782B/1.818A	----	2.013	+ 0.535	.1758	----	----	----	----	8	UNCH
11225	----	----	1.796B/----	1.796B/1.846A	----	1.995	+ 0.532	.1744	----	----	----	----	3	UNCH
11300	----	----	1.791B/----	1.791B/1.757A	----	1.941	+ 0.521	.1699	----	----	----	----	50	UNCH
11400	----	----	1.690B/----	1.690B/1.700A	----	1.873	+ 0.508	.1642	----	----	----	----	19	UNCH
11500	1.943	1.943	1.943/1.943	1.943/1.645A	----	1.807	+ 0.494	.1587	----	----	2	----	57 -	2
11600	----	----	1.566B/----	1.566B/1.598A	----	1.744	+ 0.480	.1535	----	----	----	----	1	UNCH
11625	----	----	1.531B/----	1.531B/1.613A	----	1.728	+ 0.476	.1522	----	----	----	----	2	UNCH
11650	----	----	1.501B/----	1.501B/1.599A	----	1.713	+ 0.473	.1509	----	----	----	----	24	UNCH
11675	----	----	1.445B/----	1.445B/1.587A	----	1.698	+ 0.469	.1497	----	----	----	----	22	UNCH
11700	----	----	1.387B/----	1.387B/1.549A	----	1.683	+ 0.466	.1484	----	----	----	----	22	UNCH
11725	----	----	1.409B/----	1.409B/1.561A	----	1.669	+ 0.463	.1472	----	----	----	----	22	UNCH
11750	----	----	1.375B/----	1.375B/1.549A	----	1.654	+ 0.459	.1460	----	----	----	----	22	UNCH
11775	----	----	1.321B/----	1.321B/1.536A	----	1.640	+ 0.457	.1448	----	----	----	----	22	UNCH
11800	----	----	1.329B/----	1.329B/1.509A	----	1.625	+ 0.452	.1435	----	----	----	----	1	UNCH
11900	----	----	1.279B/----	1.279B/1.464A	----	1.570	+ 0.440	.1389	----	----	----	----	1	UNCH
11950	----	----	1.232B/----	1.232B/1.454A	----	1.543	+ 0.433	.1366	----	----	----	----	1	UNCH
12000	1.100	1.100	1.542B/1.100	1.542B/1.100	----	1.517	+ 0.427	.1344	----	----	1	----	410 +	1
12200	----	----	1.130B/----	1.130B/1.191A	----	1.419	+ 0.404	.1261	----	----	----	----	1	UNCH
12225	----	----	1.104B/----	1.104B/1.184A	----	1.407	+ 0.400	.1250	----	----	----	----	16	UNCH
12250	----	----	1.092B/----	1.092B/1.175A	----	1.395	+ 0.397	.1240	----	----	----	----	6	UNCH
12300	----	----	1.113B/----	1.113B/1.157A	----	1.373	+ 0.392	.1221	----	----	----	----	8	UNCH
12375	----	----	1.043B/----	1.043B/1.132A	----	1.340	+ 0.384	.1193	----	----	----	----	1	UNCH
12425	----	----	1.107B/----	1.107B/1.115A	----	1.319	+ 0.379	.1175	----	----	----	----	1	UNCH
12450	----	----	1.100B/----	1.100B/1.107A	----	1.308	+ 0.375	.1165	----	----	----	----	1	UNCH
12475	----	----	1.031B/----	1.031B/1.099A	----	1.298	+ 0.373	.1157	----	----	----	----	3	UNCH
12500	----	----	1.162B/----	1.162B/1.091A	----	1.288	+ 0.371	.1148	----	----	----	----	89	UNCH
12600	----	----	1.087B/----	1.087B/1.060A	----	1.248	+ 0.360	.1113	----	----	----	----	6	UNCH
12725	----	----	1.110B/----	1.110B/1.004A	----	1.202	+ 0.349	.1073	----	----	----	----	1	UNCH
12800	----	----	1.097B/----	1.097B/0.982A	----	1.176	+ 0.342	.1050	----	----	----	----	1	UNCH
13000	1.002	1.002	1.032B/1.002	1.032B/0.933A	----	1.111	+ 0.326	.0992	----	----	1	----	596	UNCH
14000	0.740	0.740	0.751B/0.740	0.751B/0.733A	----	0.862	+ 0.260	.0766	----	----	5	----	793	UNCH
14700	----	----	0.615B/----	0.615B/0.629A	----	0.734	+ 0.220	.0650	----	----	----	----	1	UNCH
15000	0.570	0.570	0.600/0.570	0.600/0.570	----	0.686	+ 0.203	.0606	----	----	9	50	716 +	7
16000	----	----	0.435B/----	0.435B/0.491A	----	0.555	+ 0.158	.0488	----	----	----	----	769	UNCH
17000	----	----	0.345B/----	0.345B/0.417A	----	0.454	+ 0.125	.0398	----	----	----	----	26	UNCH
18000	----	----	0.278B/----	0.278B/0.360A	----	0.376	+ 0.105	.0328	----	----	1	----	256	UNCH
19000	0.277	0.277	0.277/0.277	0.277/0.277	----	0.315	+ 0.094	.0274	----	----	1	----	78	UNCH
20000	0.245	0.245	0.246B/0.245	0.246B/0.245	----	0.266	+ 0.085	.0231	----	----	9	----	1206 -	4
21000	----	----	0.202B/----	0.202B/0.256A	----	0.227	+ 0.078	.0196	----	----	----	----	427	UNCH
24000	0.152	0.152	0.152/0.152	0.152/0.152	----	0.148	+ 0.059	.0127	----	----	5	----	130 +	5
25000	0.115	0.115	0.140/0.115	0.140/0.115	----	0.131	+ 0.055	.0112	----	----	15	----	364 +	7
27000	----	----	----	0.052B/0.198A	----	0.113	+ 0.047	.0094	----	----	----	----	4	UNCH
30000	----	----	----	0.001B/0.209A	----	0.097	+ 0.039	.0078	----	----	----	----	23	UNCH
32000	----	----	----	0.001B/0.201A	----	0.079	+ 0.032	.0064	----	----	----	----	4	UNCH
35000	----	----	----	0.020B/0.069A	----	0.053	+ 0.022	.0043	----	----	----	----	77	UNCH
TOTAL											970	150	18761 +	588
AUG26														
5000	----	----	32.726B/----	32.726B/32.941A	----	33.236	+ 3.078	.9669	----	----	----	----	2	UNCH
5400	----	----	28.927B/----	28.927B/29.140A	----	29.442	+ 3.015	.9494	----	----	----	----	2	UNCH
5500	----	----	27.987B/----	27.987B/28.215A	----	28.512	+ 2.996	.9438	----	----	----	----	1	UNCH
6300	----	----	20.907B/----	20.907B/21.265A	----	21.465	+ 2.771	.8764	----	----	----	----	5	UNCH
6450	----	----	19.671B/----	19.671B/20.055A	----	20.246	+ 2.714	.8587	----	----	----	----	1	UNCH
6500	----	----	19.267B/----	19.267B/19.657A	----	19.848	+ 2.694	.8524	----	----	----	----	2	UNCH
6600	----	----	18.481B/----	18.481B/18.881A	----	19.067	+ 2.652	.8394	----	----	----	----	4	UNCH
6800	----	----	17.353B/----	17.353B/17.196A	----	17.562	+ 2.560	.8113	----	----	----	----	7	UNCH
6875	----	----	16.418B/----	16.418B/16.837A	----	17.019	+ 2.524	.8001	----	----	----	----	5	UNCH
7000	----	----	15.530B/----	15.530B/15.965A	----	16.142	+ 2.463	.7808	----	----	----	----	3	UNCH
7025	----	----	15.356B/----	15.356B/15.801A	----	15.970	+ 2.449	.7768	----	----	----	----	5	UNCH
7050	----	----	15.184B/----	15.184B/15.633A	----	15.800	+ 2.437	.7728	----	----	----	----	2	UNCH
7100	----	----	14.844B/----	14.844B/15.301A	----	15.464	+ 2.410	.7647	----	----	----	----	2	UNCH
7400	----	----	12.915B/----	12.915B/12.958A	----	13.544	+ 2.186	.7143	----	----	----	----	2	UNCH
7425	----	----	13.206B/----	13.206B/12.814A	----	13.391	+ 2.164	.7100	----	----	----	----	14	UNCH
7475	----	----	12.931B/----	12.931B/12.530A	----	13.090	+ 2.120	.7013	----	----	----	----	6	UNCH
7500	----	----	12.560B/----	12.560B/12.390A	----	12.941	+ 2.098	.6969	----	----	----	----	4	UNCH
7550	----	----	12.618B/----	12.618B/11.797A	----	12.648	+ 2.054	.6881	----	----	----	----	4	UNCH
7625	----	----	12.166B/----	12.166B/11.375A	----	12.219	+ 1.989	.6748	----	----	----	----	18	UNCH
7700	----	----	11.751B/----	11.751B/11.032A	----	11.802	+ 1.924	.6615	----	----	----	----	1	UNCH
7800	----	----	11.294B/----	11.294B/10.552A	----	11.267	+ 1.840	.6435	----	----	----	----	1	UNCH
7900	----	----	11.129B/----	11.129B/10.094A	----	10.757	+ 1.761	.6254	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
7950	----	----	10.875B/----	10.875B/9.870A	----	10.511 + 1.722	.6164	----	----	----	----	9 UNCH
7975	----	----	10.340B/----	10.340B/10.009A	----	10.390 + 1.703	.6119	----	----	----	----	1 UNCH
8000	----	----	10.614B/----	10.614B/9.656A	----	10.271 + 1.684	.6074	----	----	----	----	12 UNCH
8300	----	----	9.240B/----	9.240B/8.481A	----	8.973 + 1.497	.5541	----	----	----	----	1 UNCH
8400	----	----	8.810B/----	8.810B/8.130A	----	8.592 NEW	.5370	----	----	1	----	1 + 1
8450	----	----	8.609B/----	8.609B/7.962A	----	8.411 + 1.427	.5286	----	----	1	----	2 + 1
8500	----	----	8.440B/----	8.440B/7.799A	----	8.236 + 1.408	.5203	----	----	----	----	12 UNCH
8775	----	----	7.223B/----	7.223B/7.084A	----	7.371 + 1.324	.4769	----	----	----	----	2 UNCH
8900	----	----	7.041B/----	7.041B/6.643A	----	7.027 + 1.298	.4586	----	----	----	----	7 UNCH
8950	----	----	6.885B/----	6.885B/6.515A	----	6.897 + 1.290	.4514	----	----	----	----	6 UNCH
9000	----	----	6.747B/----	6.747B/6.392A	----	6.771 + 1.281	.4445	----	----	----	----	20 UNCH
9100	----	----	6.474B/----	6.474B/6.155A	----	6.531 + 1.268	.4309	----	----	----	----	84 UNCH
9400	----	----	5.674B/----	5.674B/5.516A	----	5.889 + 1.237	.3935	----	----	----	----	102 UNCH
10000	----	----	4.471B/----	4.471B/4.448A	----	4.854 + 1.174	.3302	----	----	----	----	76 UNCH
10200	----	----	4.157B/----	4.157B/4.153A	----	4.563 + 1.148	.3120	----	----	----	----	3 UNCH
10400	----	----	3.878B/----	3.878B/3.886A	----	4.294 + 1.118	.2951	----	----	----	----	2 UNCH
10500	----	----	3.748B/----	3.748B/3.761A	----	4.168 + 1.104	.2871	----	----	----	----	7 UNCH
11000	----	----	3.018B/----	3.018B/3.217A	----	3.602 + 1.021	.2507	----	----	2	----	2 + 2
11100	----	----	3.089B/----	3.089B/3.122A	----	3.500 + 1.003	.2441	----	----	----	----	1 UNCH
11200	----	----	2.993B/----	2.993B/3.031A	----	3.403 + 0.986	.2378	----	----	----	----	1 UNCH
11300	----	----	2.899B/----	2.899B/2.944A	----	3.308 + 0.968	.2316	----	----	----	----	10 UNCH
11400	----	----	2.641B/----	2.641B/2.861A	----	3.217 NEW	.2257	----	----	2	----	2 + 2
11500	----	----	2.733B/----	2.733B/2.781A	----	3.129 + 0.932	.2199	----	----	----	----	48 UNCH
11850	----	----	2.442B/----	2.442B/2.526A	----	2.843 + 0.867	.2011	----	----	----	----	1 UNCH
12000	----	----	2.341B/----	2.341B/2.427A	----	2.730 + 0.839	.1936	----	----	----	----	2 UNCH
12500	----	----	2.023B/----	2.023B/2.169A	----	2.391 + 0.748	.1710	----	----	----	----	1 UNCH
13000	----	----	1.616B/----	1.616B/1.961A	----	2.101 + 0.660	.1515	----	----	----	----	53 UNCH
14000	----	----	1.269B/----	1.269B/1.325A	----	1.637 + 0.501	.1199	----	----	----	----	6 UNCH
15000	----	----	1.206B/----	1.206B/1.029A	----	1.294 + 0.374	.0960	----	----	----	----	36 UNCH
16000	----	----	0.973B/----	0.973B/0.860A	----	1.042 + 0.281	.0780	----	----	----	----	1 UNCH
17000	0.901	0.901	0.901/0.901	0.901/0.784A	----	0.859 + 0.219	.0647	----	----	2	----	4 + 2
18000	----	----	0.639B/----	0.639B/0.681A	----	0.725 + 0.180	.0546	----	----	----	----	1 UNCH
19000	----	----	0.530B/----	0.530B/0.600A	----	0.625 + 0.155	.0470	----	----	----	----	2 UNCH
20000	----	----	0.455B/----	0.455B/0.533A	----	0.549 + 0.139	.0411	----	----	----	----	217 UNCH
25000	----	----	----	0.228B/0.338A	----	0.332 + 0.097	.0242	----	----	----	----	2 UNCH
30000	----	----	----	0.129B/0.249A	----	0.221 + 0.065	.0158	----	----	----	----	13 UNCH
35000	----	----	----	0.078B/0.223A	----	0.141 + 0.042	.0101	----	----	----	----	2 UNCH
TOTAL										8	0	844 + 8
SEP26												
5100	----	----	----	19.061B/44.079A	----	32.457 + 3.051	.9503	----	----	----	----	1 UNCH
5900	----	----	----	9.704B/39.314A	----	25.304 + 2.840	.8960	----	----	----	----	2 UNCH
6000	----	----	----	9.565B/38.393A	----	24.464 + 2.804	.8867	----	----	----	----	7 UNCH
6700	----	----	----	----/39.700A	----	19.026 + 2.472	.8059	----	----	----	----	1 UNCH
7000	----	----	----	0.297B/35.620A	----	16.969 + 2.300	.7638	----	----	----	----	121 UNCH
7125	----	----	----	4.958B/22.990A	----	16.165 + 2.225	.7453	----	----	----	----	75 UNCH
7400	----	----	14.070B/----	14.070B/13.995A	----	14.509 + 2.059	.7030	----	----	----	----	100 UNCH
7500	----	----	13.796B/----	13.796B/13.172A	----	13.945 + 1.998	.6873	----	----	----	----	1 UNCH
7700	----	----	12.664B/----	12.664B/12.190A	----	12.879 + 1.879	.6556	----	----	----	----	1 UNCH
8000	----	----	11.614B/----	11.614B/10.873A	----	11.431 + 1.706	.6079	----	----	4	----	101 - 4
8200	----	----	10.696B/----	10.696B/10.093A	----	10.563 + 1.597	.5766	----	----	4	----	24 UNCH
8500	----	----	9.508B/----	9.508B/9.058A	----	9.401 + 1.449	.5312	----	----	----	----	100 UNCH
8600	----	----	9.134B/----	9.134B/8.747A	----	9.049 NEW	.5167	----	----	5	----	5 + 5
8675	----	----	8.594B/----	8.594B/8.634A	----	8.796 + 1.371	.5059	----	----	----	----	5 UNCH
8700	----	----	8.793B/----	8.793B/8.450A	----	8.713 + 1.360	.5024	----	----	----	----	100 UNCH
8800	----	----	8.448B/----	8.448B/8.168A	----	8.393 NEW	.4885	----	----	5	----	5 + 5
9000	----	----	7.832B/----	7.832B/7.644A	----	7.800 + 1.242	.4618	----	----	----	----	186 UNCH
9500	----	----	6.479B/----	6.479B/6.536A	----	6.553 + 1.082	.4014	----	----	----	----	53 UNCH
9750	----	----	5.905B/----	5.905B/6.044A	----	6.039 + 1.018	.3748	----	----	----	----	23 UNCH
9800	----	----	5.819B/----	5.819B/5.953A	----	5.944 + 1.006	.3697	----	----	----	----	109 UNCH
9900	----	----	5.617B/----	5.617B/5.774A	----	5.760 + 0.983	.3598	----	----	2	----	47 + 2
10000	----	----	5.424B/----	5.424B/5.602A	----	5.586 + 0.962	.3504	----	----	2	----	285 + 2
10500	----	----	4.577B/----	4.577B/4.849A	----	4.834 + 0.872	.3079	----	----	----	----	115 UNCH
10800	----	----	4.171B/----	4.171B/4.466A	----	4.462 + 0.829	.2860	----	----	----	----	2 UNCH
11000	----	----	3.937B/----	3.937B/4.235A	----	4.240 + 0.803	.2727	----	----	----	----	190 UNCH
11300	----	----	3.593B/----	3.593B/3.919A	----	3.942 + 0.769	.2545	----	----	----	----	60 UNCH
11500	----	----	3.411B/----	3.411B/3.727A	----	3.762 + 0.748	.2433	----	----	----	----	70 UNCH
12000	----	----	2.946B/----	2.946B/3.306A	----	3.365 + 0.700	.2185	----	----	----	----	117 UNCH
12500	----	----	2.583B/----	2.583B/2.953A	----	3.024 + 0.654	.1970	----	----	----	----	35 UNCH
13000	----	----	2.295B/----	2.295B/2.655A	----	2.727 + 0.609	.1782	----	----	----	----	36 UNCH
14000	2.150	2.150	2.229B/2.079A	2.229B/2.079A	----	2.237 + 0.524	.1472	----	----	11	----	103 + 6
15000	----	----	----	1.363B/1.610A	----	1.853 + 0.447	.1228	----	----	----	----	221 UNCH
16000	----	----	1.414B/----	1.414B/1.367A	----	1.550 + 0.380	.1034	----	----	----	----	18 UNCH
17000	----	----	1.180B/----	1.180B/1.164A	----	1.311 + 0.324	.0879	----	----	----	----	27 UNCH
18000	----	----	0.990B/----	0.990B/1.019A	----	1.124 + 0.279	.0756	----	----	----	----	2 UNCH
19000	----	----	0.847B/----	0.847B/0.901A	----	0.976 + 0.242	.0658	----	----	----	----	14 UNCH
20000	----	----	0.735B/----	0.735B/0.805A	----	0.857 + 0.213	.0578	----	----	----	----	304 UNCH
21000	----	----	0.638B/----	0.638B/0.726A	----	0.761 + 0.189	.0513	----	----	----	----	1 UNCH
23000	----	----	0.495B/----	0.495B/0.603A	----	0.616 + 0.152	.0414	----	----	----	----	32 UNCH
25000	----	----	0.395B/----	0.395B/0.514A	----	0.515 + 0.125	.0344	----	----	----	----	14 UNCH
30000	----	----	----	0.242B/0.373A	----	0.371 + 0.087	.0242	----	----	----	----	19 UNCH
35000	----	----	----	0.160B/0.295A	----	0.212 + 0.052	.0143	----	----	----	----	27 UNCH
TOTAL										33	0	2759 + 16
OCT26												
3800	----	----	----	----	----	45.875 + 3.200	.9871	----	----	----	----	1 UNCH
7000	----	----	----	----/43.985A	----	18.272 + 2.231	.7628	----	----	----	----	2 UNCH
7100	----	----	----	4.387B/25.625A	----	17.637 + 2.177	.7492	----	----	----	----	1 UNCH
7500	----	----	15.149B/----	15.149B/14.884A	----	15.296 + 1.968	.6929	----	----	----	----	1 UNCH
7650	----	----	14.285B/----	14.285B/13.886A	----	14.501 + 1.893	.6713	----	----	----	----	1 UNCH
7875	----	----	13.156B/----	13.156B/13.123A	----	13.395 + 1.788	.6388	----	----	----	----	2 UNCH
8000	----	----	12.904B/----	12.904B/12.329A	----	12.823 + 1.733	.6208	----	----	----	----	4 UNCH
8075	----	----	12.231B/----	12.231B/12.210A	----	12.495 + 1.702	.6101	----	----	----	----	1 UNCH
8500	----	----	10.803B/----	10.803B/10.479A	----	10.838 + 1.551	.5515	----	----	----	----	1 UNCH
8700	----	----	10.049B/----	10.049B/9.848A	----	10.168 + 1.493	.5256	----	----	----	----	4 UNCH
9000	----	----	9.082B/----	9.082B/9.004A	----	9.274 + 1.418	.4890	----	----	----	----	1 UNCH
9100	----	----	8.739B/----	8.739B/8.747A	----	9.002 + 1.395	.4774	----	----	----	----	73 UNCH
10000	----	----	6.553B/----	6.553B/6.820A	----	6.999 + 1.200	.3868	----	----	----	----	96 UNCH
11000	----	----	4.860B/----	4.860B/5.299A	----	5.402 + 0.968	.3090	----	----	----	----	3 UNCH
11100	----	----	4.770B/----	4.770B/5.175A	----	5.270 + 0.946	.3024	----	----	----	----	2 UNCH
11700	----	----	4.085B/----	4.085B/4.515A	----	4.562 + 0.825	.2660	----	----	----	----	2 UNCH
12000	----	----	3.768B/----	3.768B/4.230A	----	4.257 + 0.773	.2499	----	----	----	----	65 UNCH
13000	----	----	3.011B/----	3.011B/3.457A	----	3.430 + 0.638	.2052	----	----	----	----	145 UNCH
14000	----	----	2.421B/----	2.421B/2.882A	----	2.824 + 0.548	.1710	----	----	----	----	2 UNCH
15000	----	----	1.976B/----	1.976B/2.523A	----	2.374 + 0.487	.1449	----	----	----	----	178 UNCH
16000	----	----	----	1.574B/2.204A	----	2.037 + 0.444	.1247	----	----	----	----	4 UNCH
18000	----	----	1.403B/----	1.403B/1.391A	----	1.439 + 0.325	.0904	----	----	----	----	340 UNCH
20000	----	----	1.048B/----	1.048B/1.110A	----	1.072 + 0.248	.0683	----	----	----	----	225 UNCH
TOTAL											0	1154 0
NOV26												
6500	----	----	----	----/55.420A	----	22.422 + 2.423	.8113	----	----	----	----	1 UNCH
7000	----	----	----	----/50.353A	----	19.076 + 2.174	.7524	----	----	----	----	14 UNCH
7100	----	----	----	4.770B/27.045A	----	18.457 + 2.124	.7399	----	----	----	----	14 UNCH
7500	----	----	15.799B/----	15.799B/15.520A	----	16.160 + 1.929	.6881	----	----	----	----	1 UNCH
7900	----	----	14.169B/----	14.169B/13.706A	----	14.159 + 1.750	.6351	----	----	----	----	10 UNCH
8000	----	----	13.684B/----	13.684B/13.296A	----	13.706 + 1.710	.6219	----	----	----	----	10 UNCH
10000	----	----	7.369B/----	7.369B/7.797A	----	7.937 + 1.253	.4056	----	----	----	----	26 UNCH
12000	----	----	4.524B/----	4.524B/5.089A	----	5.171 + 0.963	.2771	----	----	----	----	13 UNCH
12500	----	----	4.053B/----	4.053B/4.614A	----	4.687 + 0.892	.2535	----	----	----	----	10 UNCH
13000	----	----	3.660B/----	3.660B/4.225A	----	4.261 + 0.824	.2325	----	----	----	----	2 UNCH
14000	----	----	2.974B/----	2.974B/3.566A	----	3.552 + 0.698	.1969	----	----	----	----	3 UNCH
15000	----	----	2.499B/----	2.499B/3.082A	----	2.995 + 0.590	.1682	----	----	----	----	5 UNCH
16000	----	----	2.063B/----	2.063B/2.717A	----	2.560 + 0.505	.1453	----	----	----	----	2 UNCH
17000	----	----	----	1.718B/2.438A	----	2.223 + 0.444	.1270	----	----	----	----	1 UNCH
20000	----	----	1.393B/----	1.393B/1.440A	----	1.566 + 0.335	.0901	----	----	----	----	32 UNCH
21000	----	----	#1.238B/----	1.238B/1.307A	----	1.416 + 0.311	.0815	----	----	----	----	2 UNCH
TOTAL											0	146 0
DEC26												
3875	----	----	----	----	----	45.184 + 3.162	.9756	----	----	----	----	1 UNCH
5250	----	----	----	----/65.426A	----	32.511 + 2.909	.9155	----	----	----	----	50 UNCH
5500	----	----	----	----/67.884A	----	30.385 + 2.836	.8982	----	----	----	----	1 UNCH
6500	----	----	----	----/61.590A	----	22.726 + 2.457	.8057	----	----	----	----	564 UNCH
6900	----	----	----	----/56.118A	----	20.137 + 2.280	.7596	----	----	----	----	1 UNCH
6950	----	----	----	----/55.913A	----	19.834 + 2.257	.7535	----	----	----	----	200 UNCH
7000	----	----	----	----/57.321A	----	19.535 + 2.234	.7475	----	----	----	----	120 UNCH
7025	----	----	----	----/52.896A	----	19.388 + 2.223	.7444	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 57

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
DEC26												
7075	----	----	----	4.896B/28.320A	----	19.096 + 2.200	.7383	----	----	----	----	5 UNCH
7100	----	----	----	15.758B/18.808A	----	18.952 + 2.189	.7353	----	----	----	----	15 UNCH
7375	----	----	16.687B/----	16.687B/17.286A	----	17.442 + 2.069	.7012	----	----	----	----	2 UNCH
7500	----	----	16.084B/----	16.084B/16.219A	----	16.800 + 2.015	.6855	----	----	----	----	18 UNCH
7575	----	----	15.700B/----	15.700B/16.310A	----	16.428 + 1.984	.6761	----	----	----	----	1 UNCH
7750	----	----	15.155B/----	15.155B/14.537A	----	15.598 + 1.912	.6543	----	----	----	----	2 UNCH
7800	----	----	15.142B/----	15.142B/14.574A	----	15.370 + 1.892	.6480	----	----	----	----	1 UNCH
7925	----	----	14.062B/----	14.062B/14.759A	----	14.818 + 1.843	.6326	----	----	----	----	2 UNCH
8000	----	----	14.351B/----	14.351B/14.047A	----	14.500 + 1.815	.6234	----	----	----	----	127 UNCH
8100	----	----	13.893B/----	13.893B/13.660A	----	14.089 + 1.778	.6112	----	----	----	----	1 UNCH
8200	----	----	13.445B/----	13.445B/13.288A	----	13.693 + 1.741	.5991	----	----	----	----	21 UNCH
8400	----	----	12.653B/----	12.653B/12.588A	----	12.945 + 1.671	.5755	----	----	----	----	50 UNCH
8500	----	----	12.312B/----	12.312B/12.259A	----	12.593 + 1.638	.5640	----	----	----	----	150 UNCH
8550	----	----	12.129B/----	12.129B/12.099A	----	12.422 + 1.622	.5583	----	----	----	25	25 + 24
8600	----	----	11.951B/----	11.951B/11.943A	----	12.254 + 1.606	.5527	----	----	----	----	7 UNCH
8800	----	----	11.273B/----	11.273B/11.347A	----	11.615 + 1.545	.5308	----	----	----	----	5 UNCH
8900	----	----	10.955B/----	10.955B/11.067A	----	11.313 + 1.516	.5202	----	----	----	----	2 UNCH
8950	----	----	10.794B/----	10.794B/10.931A	----	11.167 + 1.502	.5150	----	----	----	----	1 UNCH
9000	----	----	10.644B/----	10.644B/10.798A	----	11.024 + 1.488	.5099	----	----	----	----	228 UNCH
9050	----	----	10.493B/----	10.493B/10.667A	----	10.883 + 1.474	.5048	----	----	----	----	100 UNCH
9300	----	----	9.741B/----	9.741B/10.051A	----	10.218 + 1.409	.4802	----	----	----	----	1 UNCH
9500	----	----	9.222B/----	9.222B/9.599A	----	9.730 + 1.360	.4615	----	----	----	----	3 UNCH
9700	----	----	8.740B/----	8.740B/9.180A	----	9.277 + 1.315	.4438	----	----	----	----	1 UNCH
9800	----	----	8.510B/----	8.510B/8.982A	----	9.061 + 1.292	.4352	----	----	----	----	19 UNCH
9900	----	----	8.294B/----	8.294B/8.791A	----	8.854 + 1.272	.4269	----	----	----	----	3 UNCH
10000	----	----	8.073B/----	8.073B/8.606A	----	8.653 + 1.251	.4188	----	----	----	----	775 UNCH
10025	----	----	7.739B/----	7.739B/8.754A	----	8.604 + 1.246	.4168	----	----	----	----	3 UNCH
10500	----	----	7.113B/----	7.113B/7.774A	----	7.741 + 1.154	.3809	----	----	----	----	2 UNCH
10600	----	----	6.937B/----	6.937B/7.624A	----	7.575 + 1.135	.3739	----	----	----	----	6 UNCH
10800	----	----	6.605B/----	6.605B/7.338A	----	7.259 + 1.100	.3604	----	----	----	----	1 UNCH
11000	----	----	6.299B/----	6.299B/7.069A	----	6.962 + 1.066	.3475	----	----	----	----	91 UNCH
11350	----	----	5.796B/----	5.796B/6.635A	----	6.484 + 1.011	.3265	----	----	----	----	5 UNCH
11800	----	----	5.221B/----	5.221B/6.140A	----	5.937 + 0.945	.3019	----	----	----	----	25 UNCH
12000	----	----	5.200B/----	5.200B/5.939A	----	5.716 + 0.917	.2918	----	----	----	50	478 UNCH
12200	----	----	4.771B/----	4.771B/5.750A	----	5.508 + 0.892	.2822	----	----	----	----	1 UNCH
12500	----	----	4.462B/----	4.462B/5.467A	----	5.215 + 0.854	.2686	----	----	----	----	43 UNCH
13000	5.000	5.000	5.000/5.000	5.000/5.000	----	4.777 + 0.797	.2480	----	----	1	48	386 + 48
14000	----	----	----	3.320B/4.317A	----	4.054 + 0.700	.2131	----	----	----	----	56 UNCH
14200	----	----	----	3.164B/4.188A	----	3.929 + 0.682	.2070	----	----	----	----	1 UNCH
15000	----	----	----	2.778B/3.749A	----	3.485 + 0.620	.1850	----	----	----	----	1821 UNCH
16000	----	----	----	2.344B/3.307A	----	3.029 + 0.552	.1621	----	----	----	----	1608 UNCH
17000	----	----	----	1.965B/3.011A	----	2.658 + 0.495	.1432	----	----	----	----	50 UNCH
18000	----	----	----	1.621B/2.764A	----	2.352 + 0.447	.1274	----	----	----	----	7 UNCH
19000	----	----	----	1.535B/1.990A	----	2.098 + 0.406	.1141	----	----	----	----	1 UNCH
20000	----	----	1.619B/----	1.619B/1.794A	----	1.884 + 0.371	.1028	----	----	----	----	262 UNCH
21000	----	----	1.464B/----	1.464B/1.638A	----	1.704 + 0.341	.0933	----	----	----	----	4 UNCH
23000	----	----	1.169B/----	1.169B/1.389A	----	1.418 + 0.292	.0779	----	----	----	----	4 UNCH
25000	----	----	0.956B/----	0.956B/1.201A	----	1.206 + 0.255	.0663	----	----	4	----	234 + 3
30000	----	----	----	0.606B/0.892A	----	0.872 + 0.195	.0478	----	----	4	----	112 + 4
40000	----	----	----	0.295B/0.590A	----	0.576 + 0.136	.0308	----	----	----	----	23 UNCH
90000	----	----	----	0.010B/0.400A	----	0.214 + 0.013	.0107	----	----	----	----	1 UNCH
TOTAL										9	123	7728 + 79
JAN27												
7550	----	----	#16.323B/----	#16.323B/17.183A	----	17.748 + 1.982	.6861	----	----	----	----	1 UNCH
7650	18.000	18.000	18.000/18.000	18.000/16.724A	----	17.272 + 1.943	.6744	----	----	1	----	6 UNCH
10000	----	----	#9.090B/----	#9.090B/9.650A	----	9.648 + 1.196	.4383	----	----	----	----	5 UNCH
11000	----	----	7.221B/----	7.221B/8.023A	----	7.784 + 0.983	.3669	----	----	----	----	5 UNCH
13000	----	----	----	#4.767B/5.882A	----	5.522 + 0.699	.2692	----	----	----	----	1 UNCH
14000	----	----	----	#3.928B/5.157A	----	4.984 + 0.619	.2407	----	----	----	----	1 UNCH
14500	----	----	----	#3.565B/4.853A	----	4.778 + 0.587	.2293	----	----	----	----	400 UNCH
15000	----	----	----	#3.258B/4.581A	----	4.605 + 0.560	.2194	----	----	----	----	400 UNCH
TOTAL										1	0	819 0
FEB27												
9000	----	----	12.295B/----	12.295B/12.608A	----	12.706 + 1.460	.5319	----	----	----	----	1 UNCH
30000	----	----	----	0.825B/1.435A	----	1.073 + 0.210	.0560	----	----	----	----	1 UNCH
TOTAL											0	2 0
MAR27												
8000	----	----	#15.221B/----	#15.221B/17.635A	----	16.739 + 1.721	.6360	----	----	----	----	200 UNCH
9000	----	----	----	#11.740B/14.283A	----	13.291 + 1.463	.5375	----	----	----	----	35 UNCH
9200	----	----	----	#11.176B/13.736A	----	12.739 + 1.428	.5199	----	----	----	----	25 UNCH
30000	----	----	----	0.997B/1.643A	----	1.801 + 0.303	.0828	----	----	----	----	1 UNCH
TOTAL											0	261 0
JUL27												
2000	----	----	----	----	----	65.740 + 3.255	.9964	----	----	----	----	1 UNCH
10000	----	----	----	----	----	14.412 + 1.550	.5049	----	----	----	----	1 UNCH
10300	----	----	----	----	----	13.818 + 1.495	.4872	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	47.906 + 3.000	.9355	----	----	----	----	1 UNCH
20000	----	----	----	----	----	8.564 + 0.842	.2770	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
MAY26												
2075	----	----	----	----/0.005A	----	0.001	UNCH ----	----	----	----	----	31 UNCH
2100	----	----	----	----/0.046A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
2150	----	----	----	----/0.046A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
2175	----	----	----	----/0.046A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
2650	----	----	----	----/0.037A	----	0.001	UNCH ----	----	----	----	----	2 UNCH
2700	----	----	----	----/0.037A	----	0.001	UNCH ----	----	----	----	----	50 UNCH
2800	----	----	----	----/0.038A	----	0.001	UNCH ----	----	----	----	----	12 UNCH
2850	----	----	----	----/*0.038A	----	0.001	UNCH ----	----	----	----	----	3 UNCH
2875	----	----	----	----/0.038A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
2950	----	----	----	----/0.038A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
3000	----	----	----	----/0.007A	----	0.001	UNCH ----	----	----	----	----	22 UNCH
3075	----	----	----	----/*0.038A	----	0.001	UNCH .0000	----	----	----	----	16 UNCH
3100	----	----	----	----/0.038A	----	0.001	UNCH .0000	----	----	----	----	5 UNCH
3125	----	----	----	----/*0.038A	----	0.001	UNCH .0000	----	----	----	----	14 UNCH
3175	----	----	----	----/*0.038A	----	0.001	UNCH .0000	----	----	----	----	14 UNCH
3200	----	----	----	----/0.009A	----	0.001	UNCH .0000	----	----	----	----	13 UNCH
3225	----	----	----	----/0.038A	----	0.001	UNCH .0000	----	----	----	----	10 UNCH
3275	----	----	----	----/*0.039A	----	0.001	UNCH .0000	----	----	----	----	54 UNCH
3300	----	----	----	----/*0.039A	----	0.001	UNCH .0000	----	----	----	----	79 UNCH
3325	----	----	----	----/*0.039A	----	0.001 - 0.001	.0000	----	----	----	----	2 UNCH
3350	----	----	----	----/*0.039A	----	0.001 - 0.001	.0000	----	----	----	----	14 UNCH
3375	----	----	----	----/0.039A	----	0.001 - 0.001	.0000	----	----	----	----	12 UNCH
3400	----	----	----	----/0.039A	----	0.001 - 0.001	.0000	----	----	----	----	39 UNCH
3450	----	----	----	----/*0.039A	----	0.001 - 0.001	.0000	----	----	----	----	5 UNCH
3475	----	----	----	----/0.039A	----	0.001 - 0.001	.0000	----	----	----	----	13 UNCH
3500	----	----	----	0.001B/*0.007A	----	0.001 - 0.001	.0000	----	----	----	----	59 UNCH
3550	----	----	----	----/0.039A	----	0.001 - 0.002	.0001	----	----	----	----	1 UNCH
3575	----	----	----	----/*0.039A	----	0.002 - 0.001	.0002	----	----	----	----	28 UNCH
3600	----	----	----	----/0.039A	----	0.002 - 0.001	.0002	----	----	----	----	6 UNCH
3625	----	----	----	----/0.040A	----	0.002 - 0.001	.0002	----	----	----	----	12 UNCH
3675	----	----	----	----/0.040A	----	0.002 - 0.002	.0002	----	----	----	----	105 UNCH
3700	----	----	----	----/*0.040A	----	0.002 - 0.002	.0002	----	----	----	----	264 UNCH
3750	----	----	----	----/*0.040A	----	0.002 - 0.003	.0002	----	----	----	----	10 UNCH
3775	----	----	----	----/*0.015A	----	0.003 - 0.002	.0003	----	----	----	----	10 UNCH
3800	----	----	----	0.001B/0.008A	----	0.003 - 0.002	.0003	----	----	----	----	356 UNCH
3850	----	----	----	----/*0.041A	----	0.003 - 0.003	.0003	----	----	----	----	1 UNCH
3900	----	----	----	----/*0.041A	----	0.003 - 0.003	.0003	----	----	----	----	52 UNCH
3925	----	----	----	----/*0.041A	----	0.004 - 0.003	.0004	----	----	----	----	9 UNCH
3950	----	----	----	----/*0.041A	----	0.004 - 0.003	.0004	----	----	----	----	11 UNCH
3975	----	----	----	----/*0.041A	----	0.004 - 0.004	.0004	----	----	----	----	5 UNCH
4000	0.005	0.005	0.010/*0.005	0.010/*0.005	----	0.004 - 0.004	.0004	----	----	22	----	350 + 19
4025	----	----	----	----/*0.041A	----	0.004 - 0.004	.0004	----	----	----	----	3 UNCH
4050	----	----	----	----/*0.042A	----	0.005 - 0.004	.0005	----	----	----	----	21 UNCH
4075	----	----	----	----/*0.042A	----	0.005 - 0.004	.0005	----	----	----	----	15 UNCH
4100	0.010	0.010	0.010/0.010	0.010/0.010	----	0.005 - 0.005	.0005	----	----	25	----	215 + 25
4125	----	----	----	----/*0.042A	----	0.005 - 0.005	.0005	----	----	----	----	10 UNCH
4150	----	----	----	----/*0.042A	----	0.006 - 0.005	.0006	----	----	----	----	9 UNCH
4175	----	----	----	----/*0.042A	----	0.006 - 0.005	.0006	----	----	----	----	1 UNCH
4200	----	----	----	----/*0.043A	----	0.006 - 0.006	.0006	----	----	----	----	101 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
4225	----	----	----	----/*0.043A	----	0.006 - 0.006	.0006	----	----	----	----	20 UNCH
4250	----	----	----	----/*0.043A	----	0.007 - 0.006	.0008	----	----	----	----	10 UNCH
4275	----	----	----	----/*0.043A	----	0.007 - 0.006	.0008	----	----	----	----	7 UNCH
4300	0.015	0.015	0.015/0.015	0.015/0.015	----	0.007 - 0.007	.0008	----	----	40	----	295 + 28
4325	----	----	----	----/*0.044A	----	0.008 - 0.006	.0009	----	----	----	----	1 UNCH
4350	----	----	----	----/*0.044A	----	0.008 - 0.007	.0009	----	----	----	----	27 UNCH
4375	----	----	----	----/*0.044A	----	0.008 - 0.008	.0009	----	----	----	----	12 UNCH
4400	----	----	----	----/*0.045A	----	0.009 - 0.007	.0010	----	----	----	----	314 UNCH
4425	----	----	----	----/*0.045A	----	0.009 - 0.008	.0010	----	----	----	----	14 UNCH
4450	----	----	----	----/*0.045A	----	0.010 - 0.008	.0011	----	----	----	----	7 UNCH
4475	----	----	----	----/*0.046A	----	0.010 - 0.008	.0012	----	----	----	----	81 UNCH
4500	0.020	0.020	0.020/*0.020	0.020/*0.020	----	0.010 - 0.009	.0012	----	----	1	----	783 - 1
4525	----	----	----	----/*0.046A	----	0.011 - 0.009	.0013	----	----	----	----	19 UNCH
4550	----	----	----	----/*0.047A	----	0.011 - 0.009	.0013	----	----	----	----	4 UNCH
4575	----	----	----	----/*0.047A	----	0.012 - 0.009	.0014	----	----	----	----	11 UNCH
4600	----	----	----	----/0.047A	----	0.012 - 0.010	.0014	----	----	----	----	14 UNCH
4625	----	----	----	----/*0.048A	----	0.013 - 0.010	.0016	----	----	----	----	66 UNCH
4650	----	----	----	----/*0.048A	----	0.013 - 0.011	.0016	----	----	----	----	10 UNCH
4675	----	----	----	----/*0.049A	----	0.013 - 0.011	.0016	----	----	----	----	17 UNCH
4700	----	----	----	----/*0.049A	----	0.014 - 0.011	.0017	----	----	----	----	116 UNCH
4725	----	----	----	----/*0.050A	----	0.014 - 0.012	.0017	----	----	----	----	11 UNCH
4750	----	----	----	----/*0.050A	----	0.015 - 0.012	.0019	----	----	----	----	18 UNCH
4775	----	----	----	----/*0.051A	----	0.015 - 0.013	.0019	----	----	----	----	4 UNCH
4800	----	----	----	----/*0.051A	----	0.016 - 0.013	.0020	----	----	----	----	318 UNCH
4825	----	----	----	----/*0.052A	----	0.016 - 0.014	.0020	----	----	----	----	3 UNCH
4850	----	----	----	0.003B/0.052A	----	0.017 - 0.013	.0022	----	----	----	----	75 UNCH
4875	----	----	----	----/*0.053A	----	0.017 - 0.014	.0022	----	----	----	----	1 UNCH
4900	----	----	----	----/0.054A	----	0.018 - 0.014	.0023	----	----	----	----	163 UNCH
4925	----	----	----	----/*0.054A	----	0.018 - 0.015	.0023	----	----	----	----	9 UNCH
4950	----	----	----	----/0.055A	----	0.019 - 0.015	.0025	----	----	----	----	11 UNCH
4975	----	----	----	----/*0.056A	----	0.019 - 0.016	.0025	----	----	----	----	52 UNCH
5000	0.008	0.008	0.024/*0.008	0.024/*0.008	----	0.020 - 0.016	.0027	----	----	5	----	918 + 3
5025	----	----	----	----/*0.057A	----	0.020 - 0.017	.0027	----	----	----	----	1 UNCH
5050	----	----	----	----/*0.057A	----	0.021 - 0.016	.0028	----	----	----	----	24 UNCH
5075	----	----	----	----/*0.058A	----	0.021 - 0.017	.0029	----	----	----	----	7 UNCH
5100	----	----	----	----/0.059A	----	0.022 - 0.017	.0030	----	----	----	----	161 UNCH
5125	0.025	0.025	0.025/*0.025	0.025/*0.025	----	0.022 - 0.018	.0030	----	----	1	----	51 UNCH
5150	----	----	----	----/*0.060A	----	0.023 - 0.018	.0032	----	----	----	----	48 UNCH
5175	----	----	----	----/*0.061A	----	0.023 - 0.018	.0032	----	----	----	----	2 UNCH
5200	----	----	----	----/0.062A	----	0.023 - 0.019	.0033	----	----	----	----	163 UNCH
5225	----	----	----	----/*0.063A	----	0.024 - 0.019	.0034	----	----	----	----	5 UNCH
5250	----	----	----	----/*0.063A	----	0.024 - 0.020	.0034	----	----	1	----	29 UNCH
5275	----	----	----	----/*0.064A	----	0.025 - 0.019	.0036	----	----	----	----	8 UNCH
5300	----	----	----	0.005B/0.064A	----	0.025 - 0.020	.0036	----	----	1	----	171 UNCH
5325	----	----	----	----/*0.066A	----	0.025 - 0.021	.0037	----	----	----	----	23 UNCH
5350	----	----	----	----/*0.067A	----	0.026 - 0.021	.0039	----	----	----	----	28 UNCH
5375	----	----	----	----/*0.068A	----	0.026 - 0.021	.0039	----	----	----	----	14 UNCH
5400	----	----	----	----/0.070A	----	0.026 - 0.022	.0039	----	----	----	----	98 UNCH
5425	----	----	----	----/0.071A	----	0.027 - 0.022	.0041	----	----	----	----	14 UNCH
5450	----	----	----	----/*0.072A	----	0.027 - 0.022	.0042	----	----	----	----	12 UNCH
5475	----	----	----	----/*0.073A	----	0.027 - 0.023	.0042	----	----	----	----	13 UNCH
5500	----	----	----/*0.038A	0.031B/*0.038A	----	0.028 - 0.023	.0044	----	----	----	----	629 UNCH
5525	----	----	----	----/*0.076A	----	0.028 - 0.023	.0044	----	----	----	----	37 UNCH
5550	----	----	----/*0.047A	0.001B/*0.047A	----	0.028 - 0.024	.0045	----	----	----	----	31 UNCH
5575	----	----	----	0.001B/0.079A	----	0.029 - 0.024	.0047	----	----	----	----	5 UNCH
5600	----	----	----	0.001B/0.080A	----	0.029 - 0.024	.0047	----	----	----	----	84 UNCH
5625	----	----	----	0.001B/0.082A	----	0.029 - 0.025	.0048	----	----	----	----	6 UNCH
5650	----	----	----	0.001B/0.083A	----	0.029 - 0.026	.0048	----	----	----	----	41 UNCH
5675	----	----	----	0.001B/0.085A	----	0.030 - 0.025	.0050	----	----	----	----	48 UNCH
5700	----	----	----	0.001B/0.086A	----	0.030 - 0.026	.0051	----	----	----	----	131 UNCH
5725	----	----	----	0.007B/0.087A	----	0.030 - 0.027	.0051	----	----	----	----	28 UNCH
5750	----	----	----	0.001B/0.083A	----	0.031 - 0.027	.0053	----	----	----	----	110 UNCH
5775	----	----	----	0.001B/0.086A	----	0.031 - 0.027	.0054	----	----	----	----	11 UNCH
5800	----	----	----	0.001B/0.092A	----	0.031 - 0.028	.0055	----	----	5	----	357 UNCH
5825	----	----	----	0.013B/0.093A	----	0.032 - 0.028	.0057	----	----	----	----	55 UNCH
5850	----	----	----	0.002B/*0.061A	----	0.032 - 0.029	.0057	----	----	----	----	7 UNCH
5875	----	----	----	0.004B/*0.092A	----	0.033 - 0.029	.0060	----	----	----	----	4 UNCH
5900	----	----	----	0.019B/*0.090A	----	0.033 - 0.031	.0060	----	----	----	----	106 UNCH
5925	----	----	----	0.009B/*0.091A	----	0.034 - 0.031	.0063	----	----	----	----	13 UNCH
5950	----	----	----/*0.065A	0.008B/*0.065A	----	0.035 - 0.031	.0065	----	----	----	----	13 UNCH
5975	----	----	----	0.009B/*0.101A	----	0.035 - 0.033	.0066	----	----	----	----	23 UNCH
6000	0.085	0.085	0.085/*0.040	0.085/*0.040	----	0.036 - 0.033	.0068	----	----	14	----	1124 + 8
6025	----	----	----	0.009B/*0.102A	----	0.037 - 0.034	.0071	----	----	----	----	24 UNCH
6050	----	----	----/0.065A	0.013B/0.065A	----	0.038 - 0.035	.0073	----	----	----	----	323 UNCH
6075	----	----	----/*0.038A	0.034B/*0.038A	----	0.039 - 0.036	.0076	----	----	3	----	153 UNCH
6100	----	----	----	0.013B/0.107A	----	0.040 - 0.037	.0078	----	----	----	----	154 UNCH
6125	----	----	----	0.011B/*0.111A	----	0.041 - 0.039	.0081	----	----	----	----	7 UNCH
6150	----	----	----	0.009B/0.089A	----	0.043 - 0.039	.0085	----	----	----	----	39 UNCH
6175	----	----	----/*0.077A	0.043B/*0.077A	----	0.044 - 0.041	.0088	----	----	----	----	14 UNCH
6200	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.046 - 0.042	.0093	----	----	2	----	58 UNCH
6225	----	----	----/*0.076A	0.060B/*0.076A	----	0.047 - 0.044	.0096	----	----	----	----	33 UNCH
6250	----	----	----/*0.078A	0.060B/*0.078A	----	0.049 - 0.045	.0100	----	----	----	----	91 UNCH
6275	----	----	----/*0.079A	0.060B/*0.079A	----	0.051 - 0.047	.0105	----	----	----	----	12 UNCH
6300	----	----	----/*0.078A	0.060B/*0.078A	----	0.053 - 0.048	.0110	----	----	----	----	199 UNCH
6325	----	----	----/*0.085A	0.053B/*0.085A	----	0.055 - 0.050	.0115	----	----	----	----	125 UNCH
6350	----	----	----/*0.088A	0.054B/*0.088A	----	0.057 - 0.053	.0120	----	----	----	----	74 UNCH
6375	----	----	----/*0.091A	0.061B/*0.091A	----	0.059 - 0.055	.0125	----	----	----	----	29 UNCH
6400	0.080	0.080	0.080/*0.080	0.080/*0.080	----	0.061 - 0.058	.0130	----	----	5	----	106 + 1
6425	----	----	----/*0.095A	0.065B/*0.095A	----	0.063 - 0.061	.0136	----	----	1	----	9 - 1
6450	----	----	----/*0.064A	0.065B/*0.064A	----	0.066 - 0.063	.0143	----	----	----	----	56 UNCH
6475	----	----	----/*0.102A	0.071B/*0.102A	----	0.068 - 0.066	.0148	----	----	----	----	10 UNCH
6500	0.090	0.090	0.090/*0.080	0.090/*0.080	----	0.070 - 0.070	.0154	----	----	14	----	747 + 9
6525	----	----	----/*0.108A	0.079B/*0.108A	----	0.073 - 0.073	.0162	----	----	----	----	18 UNCH
6550	----	----	----/*0.113A	0.080B/*0.113A	----	0.076 - 0.077	.0169	----	----	2	----	173 + 2
6575	----	----	----/*0.115A	0.085B/*0.115A	----	0.078 - 0.082	.0176	----	----	----	----	59 UNCH
6600	0.112	0.112	0.112/0.112	0.114B/0.112	----	0.081 - 0.086	.0184	----	----	4	----	365 UNCH
6625	----	----	----/*0.122A	0.095B/*0.122A	----	0.084 - 0.091	.0192	----	----	1	----	6 UNCH
6650	----	----	----/*0.126A	0.100B/*0.126A	----	0.087 - 0.097	.0200	----	----	1	----	81 - 1
6675	----	----	----/*0.130A	0.105B/*0.130A	----	0.089 - 0.103	.0207	----	----	----	----	65 UNCH
6700	----	----	----/0.131A	0.120B/0.131A	----	0.093 - 0.109	.0218	----	----	11	----	531 + 5
6725	----	----	----/*0.133A	0.118B/*0.133A	----	0.096 - 0.116	.0227	----	----	----	----	10 UNCH
6750	----	----	----/*0.139A	0.132B/*0.139A	----	0.099 - 0.124	.0236	----	----	3	----	86 - 2
6775	----	----	----/*0.145A	0.163B/*0.145A	----	0.103 - 0.131	.0247	----	----	----	----	14 UNCH
6800	0.179	0.179	0.179/*0.115	0.179/*0.115	----	0.107 - 0.139	.0259	----	----	26	----	127 - 1
6825	----	----	----/*0.153A	0.183B/*0.153A	----	0.112 - 0.147	.0272	----	----	----	----	12 UNCH
6850	----	----	----/*0.127A	0.201B/*0.127A	----	0.117 - 0.156	.0286	----	----	----	----	18 UNCH
6875	----	----	----/*0.167A	0.267B/*0.167A	----	0.122 - 0.166	.0300	----	----	----	----	6 UNCH
6900	0.320	0.320	0.320/*0.145A	0.320/*0.145A	----	0.128 - 0.175	.0317	----	----	18	----	482 - 9
6925	----	----	----/*0.180A	0.303B/*0.180A	----	0.134 - 0.186	.0334	----	----	----	----	79 UNCH
6950	----	----	----/*0.180A	0.323B/*0.180A	----	0.141 - 0.197	.0353	----	----	8	----	32 - 3
6975	----	----	----/*0.190A	0.345B/*0.190A	----	0.148 - 0.209	.0372	----	----	----	----	9 UNCH
7000	0.471	0.471	0.471/*0.145	0.471/*0.145	----	0.156 - 0.222	.0394	----	----	118	----	866 + 10
7025	----	----	----/*0.197A	0.393B/*0.197A	----	0.164 - 0.236	.0416	----	----	----	----	14 UNCH
7050	----	----	----/*0.193A	0.419B/*0.193A	----	0.173 - 0.250	.0440	----	----	----	----	62 UNCH
7075	----	----	----/*0.201A	0.447B/*0.201A	----	0.183 - 0.265	.0467	----	----	----	----	11 UNCH
7100	----	----	0.488B/*0.204A	0.488B/*0.204A	----	0.193 - 0.282	.0494	----	----	1	----	74 - 1
7125	----	----	0.515B/*0.215A	0.515B/*0.215A	----	0.204 - 0.299	.0524	----	----	----	----	21 UNCH
7150	----	----	0.548B/*0.217A	0.548B/*0.217A	----	0.216 - 0.318	.0556	----	----	----	----	31 UNCH
7175	----	----	0.583B/*0.227A	0.583B/*0.227A	----	0.229 - 0.337	.0590	----	----	----	----	23 UNCH
7200	0.518	0.518	0.624B/*0.237	0.624B/*0.237	----	0.243 - 0.358	.0627	----	----	68	----	332 - 3
7225	----	----	0.664B/*0.250A	0.664B/*0.250A	----	0.257 - 0.381	.0665	----	----	----	----	16 UNCH
7250	----	----	0.708B/*0.263A	0.708B/*0.263A	----	0.273 - 0.404	.0706	----	----	3	----	68 - 3
7275	----	----	0.756B/*0.276A	0.756B/*0.276A	----	0.290 - 0.429	.0750	----	----	1	----	6 - 1
7300	0.432	0.432	0.807B/*0.284A	0.807B/*0.284A	----	0.307 - 0.456	.0795	----	----	10	----	66 - 3
7325	----	----	0.859B/*0.300A	0.859B/*0.300A	----	0.327 - 0.483	.0846	----	----	----	----	49 UNCH
7350	0.445	0.445	0.910B/*0.321A	0.910B/*0.321A	----	0.347 - 0.513	.0898	----	----	4	----	49 - 4
7375	0.522	0.522	0.957B/*0.339A	0.957B/*0.339A	----	0.369 - 0.544	.0953	----	----	11	----	37 - 1
7400	0.553	0.553	1.032B/*0.356A	1.032B/*0.356A	----	0.392 - 0.577	.1012	----	----	25	----	75 + 11
7425	----	----	1.101B/*0.377A	1.101B/*0.377A	----	0.417 - 0.610	.1074	----	----	----	----	16 UNCH
7450	----	----	1.165B/*0.398A	1.165B/*0.398A	----	0.444 - 0.645	.1141	----	----	10	----	20 UNCH
7475	0.797	0.797	1.244B/*0.422A	1.244B/*0.422A	----	0.472 - 0.683	.1210	----	----	3	----	11 - 1
7500	0.856	0.856	1.316B/*0.435	1.316B/*0.435	----	0.503 - 0.721	.1284	----	----	126	80	503 + 50
7525	----	----	1.399B/*0.470A	1.399B/*0.470A	----	0.535 - 0.761	.1361	----	----	----	----	33 UNCH
7530	----	----	1.415B/*0.475A	1.415B/*0.475A	----	0.542 - 0.769	.1378	----	----	----	----	7 UNCH
7535	----	----	1.433B/*0.480A	1.433B/*0.480A	----	0.549 - 0.777	.1394	----	----	----	----	7 UNCH
7540	----	----	1.450B/*0.484A	1.450B/*0.484A	----	0.556 - 0.785	.1411	----	----	----	----	7 UNCH
7545	----	----	1.466B/*0.490A	1.466B/*0.490A	----	0.563 - 0.793	.1427	----	----	----	----	2 UNCH
7550	----	----	1.469B/*0.497A	1.469B/*0.497A	----	0.570 - 0.802	.1444	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
7555	----	----	1.498B/*0.499A	1.498B/*0.499A	----	0.577 - 0.810	.1460	----	----	----	----	2 UNCH
7560	----	----	1.515B/*0.506A	1.515B/*0.506A	----	0.584 - 0.819	.1477	----	----	----	----	2 UNCH
7565	----	----	1.535B/*0.511A	1.535B/*0.511A	----	0.592 - 0.827	.1495	----	----	----	----	1 UNCH
7570	----	----	1.552B/*0.517A	1.552B/*0.517A	----	0.599 - 0.836	.1512	----	----	----	----	3 UNCH
7575	0.545	0.545	1.555B/*0.522A	1.555B/*0.522A	----	0.607 - 0.844	.1530	----	----	1	----	3 - 1
7580	----	----	1.574B/*0.528A	1.574B/*0.528A	----	0.614 - 0.853	.1547	----	----	----	----	27 UNCH
7585	----	----	1.600B/*0.532A	1.600B/*0.532A	----	0.622 - 0.862	.1565	----	----	----	----	7 UNCH
7590	0.907	0.907	1.613B/*0.538A	1.613B/*0.538A	----	0.630 - 0.870	.1583	----	----	1	----	4 + 1
7595	----	----	1.630B/*0.545A	1.630B/*0.545A	----	0.638 - 0.879	.1602	----	----	----	----	3 UNCH
7600	0.570	0.570	1.648B/*0.533	1.648B/*0.533	----	0.646 - 0.888	.1620	----	----	19	----	68 + 11
7605	0.603	0.603	1.667B/*0.558A	1.667B/*0.558A	----	0.654 - 0.897	.1639	----	----	7	----	13 UNCH
7610	----	----	1.694B/*0.564A	1.694B/*0.564A	----	0.662 - 0.906	.1657	----	----	1	----	1 - 1
7615	----	----	1.704B/*0.571A	1.704B/*0.571A	----	0.671 - 0.915	.1677	----	----	----	----	2 UNCH
7620	----	----	1.734B/*0.575A	1.734B/*0.575A	----	0.679 - 0.924	.1695	----	----	1	----	13 UNCH
7625	1.136	1.136	1.741B/*0.582A	1.741B/*0.582A	----	0.688 - 0.933	.1715	----	----	2	----	11 + 1
7630	----	----	1.773B/*0.589A	1.773B/*0.589A	----	0.696 - 0.943	.1734	----	----	----	----	1 UNCH
7635	----	----	1.782B/*0.594A	1.782B/*0.594A	----	0.705 - 0.952	.1754	----	----	----	----	36 UNCH
7645	----	----	1.819B/*0.607A	1.819B/*0.607A	----	0.723 - 0.970	.1794	----	----	----	----	2 UNCH
7650	1.555	1.555	1.847B/*0.613A	1.847B/*0.613A	----	0.732 - 0.979	.1814	----	----	17	----	43 + 12
7655	----	----	1.862B/*0.620A	1.862B/*0.620A	----	0.741 - 0.989	.1834	----	----	----	----	23 UNCH
7660	----	----	1.889B/*0.629A	1.889B/*0.629A	----	0.751 - 0.998	.1856	----	----	----	----	15 UNCH
7665	----	----	1.909B/*0.632A	1.909B/*0.632A	----	0.760 - 1.008	.1876	----	----	----	----	5 UNCH
7670	----	----	1.925B/*0.639A	1.925B/*0.639A	----	0.770 - 1.017	.1898	----	----	----	----	4 UNCH
7675	1.580	1.580	1.956B/*0.645A	1.956B/*0.645A	----	0.779 - 1.027	.1918	----	----	2	----	8 + 1
7680	----	----	1.966B/*0.653A	1.966B/*0.653A	----	0.789 - 1.036	.1939	----	----	----	----	3 UNCH
7685	0.716	0.716	1.999B/*0.660A	1.999B/*0.660A	----	0.799 - 1.046	.1961	----	----	1	----	14 - 1
7690	----	----	2.015B/*0.667A	2.015B/*0.667A	----	0.809 - 1.055	.1983	----	----	----	----	5 UNCH
7695	----	----	2.038B/*0.676A	2.038B/*0.676A	----	0.819 - 1.065	.2004	----	----	----	----	3 UNCH
7700	1.099	1.099	2.054B/*0.682A	2.054B/*0.682A	----	0.830 - 1.074	.2027	----	----	40	----	498 + 7
7705	----	----	2.087B/*0.690A	2.087B/*0.690A	----	0.840 - 1.084	.2049	----	----	----	----	3 UNCH
7710	----	----	2.098B/*0.699A	2.098B/*0.699A	----	0.850 - 1.094	.2071	----	----	----	----	2 UNCH
7715	----	----	2.130B/*0.704A	2.130B/*0.704A	----	0.861 - 1.104	.2094	----	----	----	----	2 UNCH
7720	0.774	0.774	2.146B/*0.712A	2.146B/*0.712A	----	0.872 - 1.113	.2117	----	----	1	----	4 + 1
7725	----	----	2.168B/*0.721A	2.168B/*0.721A	----	0.883 - 1.123	.2140	----	----	----	----	4 UNCH
7730	----	----	2.200B/*0.732A	2.200B/*0.732A	----	0.894 - 1.133	.2163	----	----	----	----	1 UNCH
7735	----	----	2.210B/*0.742A	2.210B/*0.742A	----	0.905 - 1.143	.2187	----	----	1	----	3 UNCH
7740	----	----	2.244B/*0.743A	2.244B/*0.743A	----	0.916 - 1.153	.2210	----	----	----	----	1 UNCH
7745	----	----	2.268B/*0.755A	2.268B/*0.755A	----	0.928 - 1.163	.2234	----	----	----	----	3 UNCH
7750	1.823	1.823	2.282B/*0.763A	2.282B/*0.763A	----	0.939 - 1.173	.2257	----	----	30	----	81 + 8
7755	----	----	2.318B/*0.770A	2.318B/*0.770A	----	0.951 - 1.183	.2282	----	----	----	----	11 UNCH
7760	----	----	2.328B/*0.789A	2.328B/*0.789A	----	0.963 - 1.193	.2306	----	----	1	----	14 UNCH
7765	----	----	2.358B/*0.792A	2.358B/*0.792A	----	0.975 - 1.203	.2331	----	----	----	----	10 UNCH
7770	----	----	2.388B/*0.800A	2.388B/*0.800A	----	0.987 - 1.213	.2355	----	----	----	----	2 UNCH
7775	----	----	2.398B/*0.809A	2.398B/*0.809A	----	0.999 - 1.223	.2380	----	----	----	----	1 UNCH
7780	----	----	2.434B/*0.819A	2.434B/*0.819A	----	1.011 - 1.234	.2404	----	----	----	----	1 UNCH
7785	0.917	0.917	2.463B/*0.837A	2.463B/*0.837A	----	1.024 - 1.243	.2430	----	----	3	----	4 + 3
7790	----	----	2.472B/*0.838A	2.472B/*0.838A	----	1.037 - 1.253	.2456	----	----	----	----	2 UNCH
7800	2.010	2.010	2.524B/*0.862A	2.524B/*0.862A	----	1.062 - 1.274	.2506	----	----	68	25	45 + 7
7805	1.750	1.750	2.548B/*0.869A	2.548B/*0.869A	----	1.075 - 1.284	.2532	----	----	2	----	2 - 1
7810	----	----	2.585B/*0.887A	2.585B/*0.887A	----	1.089 - 1.294	.2559	----	----	----	----	2 UNCH
7815	----	----	2.615B/*0.890A	2.615B/*0.890A	----	1.102 - 1.304	.2584	----	----	----	----	1 UNCH
7820	----	----	2.624B/*0.900A	2.624B/*0.900A	----	1.116 - 1.314	.2611	----	----	----	----	1 UNCH
7825	1.840	1.840	2.662B/*0.910A	2.662B/*0.910A	----	1.129 - 1.325	.2637	----	----	42	----	14 + 12
7830	----	----	2.692B/*0.929A	2.692B/*0.929A	----	1.143 - 1.335	.2664	----	----	2	----	11 - 1
7835	----	----	2.702B/*0.939A	2.702B/*0.939A	----	1.157 - 1.345	.2691	----	----	----	----	1 UNCH
7840	----	----	2.738B/*0.954A	2.738B/*0.954A	----	1.171 - 1.355	.2718	----	----	----	----	3 UNCH
7845	----	----	2.770B/*0.955A	2.770B/*0.955A	----	1.185 - 1.366	.2745	----	----	----	----	2 UNCH
7850	----	----	2.782B/*0.965A	2.782B/*0.965A	----	1.200 - 1.375	.2773	----	----	9	----	55 + 6
7855	2.358	2.358	2.814B/*0.983A	2.814B/*0.983A	----	1.214 - 1.386	.2800	----	----	1	----	2 - 1
7860	----	----	2.852B/*0.989A	2.852B/*0.989A	----	1.229 - 1.396	.2828	----	----	----	----	3 UNCH
7865	----	----	2.874B/*1.011A	2.874B/*1.011A	----	1.244 - 1.406	.2855	----	----	----	----	13 UNCH
7870	2.644	2.644	2.892B/*1.014A	2.892B/*1.014A	----	1.259 - 1.416	.2883	----	----	1	----	4 + 1
7875	2.180	2.180	2.928B/*1.026A	2.928B/*1.026A	----	1.274 - 1.427	.2911	----	----	2	----	13 + 2
7880	----	----	2.954B/*1.038A	2.954B/*1.038A	----	1.290 - 1.437	.2940	----	----	----	----	6 UNCH
7885	----	----	2.984B/*1.058A	2.984B/*1.058A	----	1.305 - 1.447	.2968	----	----	----	----	3 UNCH
7890	2.503	2.503	3.004B/*1.062A	3.004B/*1.062A	----	1.321 - 1.457	.2997	----	----	1	----	4 UNCH
7895	----	----	3.042B/*1.084A	3.042B/*1.084A	----	1.337 - 1.467	.3026	----	----	1	----	3 - 1
7900	2.057	2.057	3.063B/*1.090A	3.063B/*1.090A	----	1.353 - 1.477	.3055	----	----	12	----	52 - 1
7905	----	----	3.090B/*1.101A	3.090B/*1.101A	----	1.369 - 1.488	.3083	----	----	----	----	4 UNCH
7910	----	----	3.120B/*1.114A	3.120B/*1.114A	----	1.385 - 1.498	.3112	----	----	2	----	4 + 1
7915	----	----	3.156B/*1.128A	3.156B/*1.128A	----	1.402 - 1.508	.3142	----	----	1	----	3 UNCH
7920	1.620	1.620	3.191B/*1.141A	3.191B/*1.141A	----	1.418 NEW	.3171	----	----	7	----	7 + 7
7925	1.661	1.661	3.206B/*1.155A	3.206B/*1.155A	----	1.435 - 1.529	.3201	----	----	1	----	1 UNCH
7930	1.680	1.680	3.233B/*1.167A	3.233B/*1.167A	----	1.452 - 1.539	.3230	----	----	1	----	4 + 1
7935	1.698	1.698	3.269B/*1.188A	3.269B/*1.188A	----	1.469 - 1.549	.3260	----	----	1	----	3 + 1
7940	----	----	3.295B/*1.197A	3.295B/*1.197A	----	1.486 - 1.560	.3290	----	----	----	----	5 UNCH
7950	2.580	2.580	3.348B/*1.227A	3.348B/*1.227A	----	1.522 - 1.579	.3351	----	----	33	----	49 + 27
7955	----	----	3.384B/*1.242A	3.384B/*1.242A	----	1.539 - 1.590	.3380	----	----	----	----	2 UNCH
7960	----	----	3.415B/*1.252A	3.415B/*1.252A	----	1.557 - 1.600	.3411	----	----	----	----	1 UNCH
7965	----	----	3.442B/*1.270A	3.442B/*1.270A	----	1.576 - 1.609	.3442	----	----	----	----	6 UNCH
7970	----	----	3.478B/*1.286A	3.478B/*1.286A	----	1.594 - 1.620	.3472	----	----	----	----	4 UNCH
7975	1.370	1.370	3.517B/*1.301A	3.517B/*1.301A	----	1.612 - 1.630	.3503	----	----	1	----	2 + 1
7980	----	----	3.510B/*1.317A	3.510B/*1.317A	----	1.631 - 1.640	.3534	----	----	----	----	1 UNCH
7985	----	----	3.522B/*1.333A	3.522B/*1.333A	----	1.650 - 1.650	.3565	----	----	----	----	1 UNCH
7990	2.566	2.566	3.533B/*1.349A	3.533B/*1.349A	----	1.669 - 1.660	.3596	----	----	10	----	12 + 10
7995	1.563	1.563	3.597B/*1.365A	3.597B/*1.365A	----	1.688 - 1.670	.3627	----	----	2	----	2 + 1
8000	2.026	2.026	3.636B/*1.358	3.636B/*1.358	----	1.708 - 1.680	.3659	----	----	95	----	445 - 30
8005	----	----	3.643B/*1.396A	3.643B/*1.396A	----	1.727 - 1.690	.3690	----	----	----	----	3 UNCH
8010	----	----	3.519B/*1.413A	3.519B/*1.413A	----	1.747 - 1.700	.3721	----	----	----	----	2 UNCH
8020	----	----	3.632B/*1.446A	3.632B/*1.446A	----	1.787 - 1.720	.3784	----	----	1	----	23 UNCH
8025	----	----	3.601B/*1.457A	3.601B/*1.457A	----	1.807 - 1.730	.3816	----	----	----	----	13 UNCH
8030	----	----	3.596B/*1.480A	3.596B/*1.480A	----	1.828 - 1.739	.3848	----	----	----	----	1 UNCH
8035	----	----	3.623B/*1.497A	3.623B/*1.497A	----	1.848 - 1.749	.3880	----	----	----	----	1 UNCH
8040	----	----	----/*1.514A	3.568B/*1.514A	----	1.869 - 1.759	.3912	----	----	----	----	1 UNCH
8050	1.964	1.964	1.964/*1.549A	3.561B/*1.549A	----	1.911 - 1.779	.3976	----	----	5	----	4 UNCH
8055	1.685	1.685	1.685/*1.567A	3.580B/*1.567A	----	1.933 - 1.788	.4008	----	----	2	----	1 + 1
8060	----	----	----/*1.583A	3.653B/*1.583A	----	1.954 - 1.798	.4040	----	----	----	----	1 UNCH
8065	----	----	----/*1.603A	3.584B/*1.603A	----	1.976 - 1.807	.4073	----	----	----	----	3 UNCH
8070	2.146	2.146	2.146/*1.621A	3.572B/*1.621A	----	1.998 - 1.817	.4105	----	----	1	----	2 UNCH
8075	----	----	----/*1.641A	3.653B/*1.641A	----	2.020 - 1.826	.4137	----	----	----	----	4 UNCH
8080	----	----	----/*1.659A	3.613B/*1.659A	----	2.042 - 1.836	.4170	----	----	----	----	3 UNCH
8085	----	----	----/*1.678A	3.612B/*1.678A	----	2.064 - 1.846	.4202	----	----	----	----	7 UNCH
8090	----	----	----/*1.696A	3.598B/*1.696A	----	2.087 - 1.855	.4235	----	----	----	----	20 UNCH
8095	----	----	----/*1.717A	3.536B/*1.717A	----	2.110 - 1.864	.4267	----	----	----	----	3 UNCH
8100	2.400	2.400	2.500/*1.732A	3.682B/*1.732A	----	2.133 - 1.874	.4300	----	----	15	----	35 + 1
8105	----	----	----/*1.755A	3.603B/*1.755A	----	2.156 - 1.883	.4332	----	----	----	----	1 UNCH
8110	----	----	----/*1.773A	3.637B/*1.773A	----	2.179 - 1.893	.4365	----	----	----	----	2 UNCH
8125	----	----	----/*1.834A	3.662B/*1.834A	----	2.251 - 1.920	.4463	----	----	----	----	1 UNCH
8150	2.706	2.706	2.706/*1.934A	3.514B/*1.934A	----	2.373 - 1.966	.4627	----	----	35	----	36 + 32
8175	----	----	----/*2.042A	3.397B/*2.042A	----	2.500 - 2.010	.4791	----	----	----	----	2 UNCH
8195	----	----	----/*2.129A	3.395B/*2.129A	----	2.605 - 2.045	.4922	----	----	1	----	1 - 1
8200	3.100	3.100	3.100/*2.134	3.420B/*2.134	----	2.631 - 2.054	.4954	----	----	38	----	43 + 6
8205	----	----	----/*2.174A	3.421B/*2.174A	----	2.658 - 2.062	.4987	----	----	----	----	1 UNCH
8210	----	----	----/*2.198A	3.421B/*2.198A	----	2.685 - 2.071	.5019	----	----	----	----	1 UNCH
8215	----	----	----/*2.219A	3.404B/*2.219A	----	2.712 - 2.080	.5052	----	----	----	----	1 UNCH
8220	3.004	3.004	3.004/*2.244A	3.386B/*2.244A	----	2.740 - 2.087	.5084	----	----	21	----	21 + 21
8225	2.600	2.600	2.863/*2.268A	3.374B/*2.268A	----	2.767 - 2.096	.5117	----	----	21	----	13 + 8
8230	3.059	3.059	3.059/*2.292A	3.404B/*2.292A	----	2.795 - 2.104	.5149	----	----	16	----	15 + 14
8240	----	----	----/*2.338A	3.471B/*2.338A	----	2.851 - 2.121	.5214	----	----	----	----	2 UNCH
8245	2.546	2.546	2.546/*2.362A	3.342B/*2.362A	----	2.879 NEW	.5246	----	----	25	----	25 + 25
8250	2.550	2.550	2.569/*2.320	3.611B/*2.320	----	2.908 - 2.137	.5278	----	----	3	----	74 UNCH
8255	2.665	2.665	2.665/*2.413A	3.545B/*2.413A	----	2.937 - 2.145	.5310	----	----	1	----	4 + 1
8260	2.677	2.677	2.677/*2.439A	3.427B/*2.439A	----	2.965 NEW	.5342	----	----	1	----	1 + 1
8265	----	----	----/*2.465A	3.610B/*2.465A	----	2.994 - 2.162	.5374	----	----	----	----	1 UNCH
8270	----	----	----/*2.489A	3.644B/*2.489A	----	3.024 - 2.169	.5406	----	----	----	----	1 UNCH
8275	----	----	----/*2.514A	3.676B/*2.514A	----	3.053 - 2.177	.5438	----	----	----	----	1 UNCH
8280	----	----	----/*2.539A	3.709B/*2.539A	----	3.083 - 2.184	.5470	----	----	----	----	3 UNCH
8285	----	----	----/*2.565A	3.743B/*2.565A	----	3.112 - 2.193	.5501	----	----	----	----	1 UNCH
8290	----	----	----/*2.589A	3.777B/*2.589A	----	3.142 - 2.201	.5533	----	----	----	----	2 UNCH
8295	----	----	----/*2.615A	3.811B/*2.615A	----	3.172 - 2.208	.5564	----	----	----	----	1 UNCH
8300	3.250	3.250	3.250/*2.618A	3.941B/*2.618A	----	3.202 - 2.216	.5596	----	----	11	----	63 + 1
8305	----	----	----/*2.667A	3.878B/*2.667A	----	3.233 - 2.223	.5627	----	----	9	----	10 + 9
8315	----	----	----/*2.720A	3.947B/*2.720A	----	3.294 - 2.239	.5690	----	----	----	----	1 UNCH
8320	----	----	----/*2.747A	3.981B/*2.747A	----	3.325 - 2.246	.5721	----	----	----	----	2 UNCH
8325	----	----	----/*2.774A	4.016B/*2.774A	----	3.356 - 2.253	.5751	----	----	----	----	1 UNCH
8330	----	----	----/*2.800A	4.051B/*2.800A	----	3.388 - 2.260	.5782	----	----	----	----	1 UNCH
8335	----	----	----/*2.829A	4.086B/*2.829A	----	3.419 - 2.268	.5813	----	----	----	----	1 UNCH
8340	----	----	----/*2.858A	4.202B/*2.858A	----	3.451 - 2.275	.5843	----	----	----	----	19 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
8350	----	----	----/*2.925A	4.271B/*2.925A	----	3.515 - 2.289	.5904	----	----	----	----	19 UNCH
8355	----	----	----/*2.964A	4.226B/*2.964A	----	3.547 - 2.296	.5934	----	----	----	----	3 UNCH
8360	----	----	----/*2.986A	4.262B/*2.986A	----	3.579 - 2.303	.5964	----	----	----	----	4 UNCH
8375	----	----	----/*3.080A	4.446B/*3.080A	----	3.677 - 2.324	.6054	----	----	----	----	8 UNCH
8385	----	----	----/*3.135A	4.442B/*3.135A	----	3.743 - 2.338	.6113	----	----	----	----	1 UNCH
8395	----	----	----/*3.193A	4.515B/*3.193A	----	3.810 - 2.351	.6171	----	----	----	----	1 UNCH
8400	----	----	----/*3.209A	4.626B/*3.209A	----	3.843 - 2.358	.6201	----	----	2	----	26 - 1
8405	----	----	----/*3.251A	4.590B/*3.251A	----	3.877 - 2.364	.6230	----	----	----	----	2 UNCH
8410	----	----	----/*3.284A	4.627B/*3.284A	----	3.911 - 2.371	.6259	----	----	----	----	3 UNCH
8415	----	----	----/*3.314A	4.665B/*3.314A	----	3.945 - 2.377	.6287	----	----	----	----	3 UNCH
8420	----	----	----/*3.344A	4.702B/*3.344A	----	3.980 - 2.383	.6315	----	----	----	----	2 UNCH
8425	4.328	4.328	4.328/*3.373A	4.740B/*3.373A	----	4.014 - 2.390	.6344	----	----	1	----	5 UNCH
8430	4.362	4.362	4.362/*3.403A	4.778B/*3.403A	----	4.049 - 2.395	.6372	----	----	1	----	2 + 1
8445	4.465	4.465	4.465/*3.492A	4.465/*3.492A	----	4.153 NEW	.6456	----	----	1	----	1 + 1
8450	----	----	----/*3.507A	4.995B/*3.507A	----	4.188 - 2.421	.6483	----	----	----	----	30 UNCH
8455	4.534	4.534	4.534/*3.554A	4.534/*3.554A	----	4.224 NEW	.6511	----	----	1	----	1 + 1
8460	----	----	----/*3.586A	5.007B/*3.586A	----	4.259 - 2.433	.6538	----	----	----	----	1 UNCH
8475	----	----	----/*3.680A	5.124B/*3.680A	----	4.367 - 2.450	.6619	----	----	----	----	5 UNCH
8480	----	----	----/*3.705A	5.163B/*3.705A	----	4.403 - 2.455	.6646	----	----	----	----	1 UNCH
8490	----	----	----/*3.775A	5.242B/*3.775A	----	4.475 - 2.467	.6699	----	----	----	----	1 UNCH
8495	----	----	----/*3.806A	5.281B/*3.806A	----	4.512 - 2.473	.6725	----	----	----	----	1 UNCH
8500	4.200	4.200	4.200/*3.805A	5.413B/*3.805A	----	4.548 - 2.479	.6751	----	----	4	----	329 UNCH
8515	----	----	----/*4.022A	5.440B/*4.022A	----	4.659 - 2.495	.6828	----	----	----	----	1 UNCH
8535	----	----	----/*4.157A	5.603B/*4.157A	----	4.809 - 2.516	.6928	----	----	----	----	2 UNCH
8545	----	----	----/*4.226A	5.683B/*4.226A	----	4.885 - 2.526	.6977	----	----	----	----	1 UNCH
8550	4.170	4.170	4.170/*4.170	5.725B/*4.170	----	4.923 - 2.531	.7002	----	----	1	----	2 - 1
8555	4.204	4.204	4.204/*4.204	5.766B/*4.204	----	4.961 - 2.536	.7026	----	----	1	----	1 UNCH
8560	----	----	----/*4.352A	5.807B/*4.352A	----	4.999 - 2.541	.7050	----	----	----	----	1 UNCH
8565	4.273	4.273	4.273/*4.273	5.848B/*4.273	----	5.037 - 2.547	.7074	----	----	1	----	1 UNCH
8570	4.307	4.307	4.307/*4.307	5.889B/*4.307	----	5.076 - 2.551	.7098	----	----	1	----	1 UNCH
8575	----	----	----/*4.458A	5.929B/*4.458A	----	5.114 - 2.557	.7121	----	----	----	----	3 UNCH
8580	----	----	----/*4.493A	5.971B/*4.493A	----	5.153 - 2.561	.7145	----	----	----	----	1 UNCH
8585	----	----	----/*4.528A	6.013B/*4.528A	----	5.191 - 2.567	.7168	----	----	----	----	1 UNCH
8590	----	----	----/*4.564A	6.054B/*4.564A	----	5.230 - 2.572	.7191	----	----	----	----	4 UNCH
8600	----	----	----/4.592A	6.241B/4.592A	----	5.308 - 2.582	.7237	----	----	1	----	84 + 1
8605	----	----	----/*4.672A	6.180B/*4.672A	----	5.347 - 2.587	.7260	----	----	----	----	3 UNCH
8620	----	----	----/*4.780A	6.305B/*4.780A	----	5.465 - 2.601	.7327	----	----	----	----	1 UNCH
8630	----	----	----/*4.854A	6.390B/*4.854A	----	5.544 - 2.611	.7372	----	----	----	----	1 UNCH
8640	----	----	----/*4.927A	6.474B/*4.927A	----	5.624 - 2.620	.7415	----	----	----	----	2 UNCH
8645	----	----	----/*4.980A	6.517B/*4.980A	----	5.664 - 2.624	.7436	----	----	----	----	1 UNCH
8650	----	----	----/5.016A	6.560B/5.016A	----	5.704 - 2.629	.7457	----	----	----	----	5 UNCH
8655	----	----	----/*5.053A	6.603B/*5.053A	----	5.744 - 2.634	.7479	----	----	----	----	3 UNCH
8665	----	----	----/*5.126A	6.688B/*5.126A	----	5.824 - 2.643	.7521	----	----	----	----	1 UNCH
8670	----	----	----/*5.277A	6.731B/*5.277A	----	5.865 - 2.647	.7542	----	----	----	----	1 UNCH
8675	----	----	----/5.151A	6.802B/5.151A	----	5.905 - 2.652	.7563	----	----	----	----	9 UNCH
8685	----	----	----/*5.390A	6.862B/*5.390A	----	5.986 - 2.661	.7603	----	----	----	----	1 UNCH
8695	----	----	----/*5.467A	6.948B/*5.467A	----	6.068 - 2.670	.7642	----	----	----	----	1 UNCH
8700	----	----	----/5.342A	7.052B/5.342A	----	6.109 - 2.674	.7662	----	----	1	----	34 + 1
8705	----	----	----/*5.380A	7.061B/*5.380A	----	6.150 - 2.678	.7682	----	----	----	----	10 UNCH
8725	----	----	----/5.679A	7.211B/5.679A	----	6.316 - 2.695	.7758	----	----	----	----	2 UNCH
8750	----	----	----/5.873A	7.431B/5.873A	----	6.525 - 2.714	.7851	----	----	----	----	1 UNCH
8775	----	----	----/5.960A	7.672B/5.960A	----	6.737 - 2.733	.7939	----	----	----	----	9 UNCH
8800	----	----	----/6.131A	7.983B/6.131A	----	6.951 - 2.750	.8023	----	----	----	----	219 UNCH
8825	----	----	----/6.465A	8.105B/6.465A	----	7.167 - 2.767	.8103	----	----	----	----	3 UNCH
8850	----	----	----/6.576A	8.344B/6.576A	----	7.384 - 2.783	.8179	----	----	----	----	13 UNCH
8875	----	----	----/6.787A	8.581B/6.787A	----	7.604 - 2.798	.8252	----	----	----	----	8 UNCH
8900	----	----	----/6.995A	8.811B/6.995A	----	7.825 - 2.812	.8322	----	----	----	----	8 UNCH
8925	----	----	----/7.301A	9.026B/7.301A	----	8.047 - 2.826	.8390	----	----	----	----	5 UNCH
8950	----	----	----/7.512A	9.260B/7.512A	----	8.271 - 2.839	.8454	----	----	----	----	3 UNCH
8975	----	----	----/7.635A	9.505B/7.635A	----	8.496 - 2.852	.8514	----	----	----	----	9 UNCH
9000	9.500	9.500	9.500/7.800A	9.821B/7.800A	----	8.722 - 2.864	.8573	----	----	1	----	166 - 1
9025	----	----	11.844B/8.070A	11.844B/8.070A	----	8.949 - 2.876	.8630	----	----	----	----	11 UNCH
9050	----	----	----/8.378A	11.934B/8.378A	----	9.177 - 2.887	.8685	----	----	----	----	2 UNCH
9075	----	----	----/8.597A	12.026B/8.597A	----	9.405 - 2.899	.8737	----	----	----	----	4 UNCH
9100	9.000	9.000	9.000/8.818A	12.100B/8.818A	----	9.635 - 2.909	.8789	----	----	1	----	4 UNCH
9150	----	----	----/9.187A	12.322B/9.187A	----	10.095 - 2.931	.8886	----	----	----	----	7 UNCH
9175	----	----	----/9.414A	12.419B/9.414A	----	10.327 - 2.941	.8931	----	----	----	----	19 UNCH
9200	----	----	----/9.644A	11.640B/9.644A	----	10.559 - 2.950	.8975	----	----	----	----	7 UNCH
9225	----	----	----/9.873A	12.349B/9.873A	----	10.791 - 2.960	.9017	----	----	----	----	7 UNCH
9250	----	----	----/10.165A	12.477B/10.165A	----	11.025 - 2.969	.9059	----	----	----	----	2 UNCH
9275	----	----	----/10.393A	12.360B/10.393A	----	11.259 - 2.977	.9097	----	----	----	----	1 UNCH
9300	----	----	----/10.563A	12.603B/10.563A	----	11.493 - 2.987	.9136	----	----	----	----	6 UNCH
9375	----	----	----/11.266A	13.332B/11.266A	----	12.201 - 3.009	.9241	----	----	----	----	10 UNCH
9400	----	----	----/11.500A	13.576B/11.500A	----	12.438 - 3.016	.9271	----	----	----	----	6 UNCH
9450	----	----	----/11.984A	14.064B/11.984A	----	12.914 - 3.029	.9331	----	----	----	----	3 UNCH
9475	----	----	----/12.219A	14.310B/12.219A	----	13.153 - 3.035	.9359	----	----	----	----	4 UNCH
9500	----	----	----/12.340A	14.642B/12.340A	----	13.393 - 3.040	.9385	----	----	----	----	110 UNCH
9525	----	----	----/12.688A	14.800B/12.688A	----	13.633 - 3.045	.9410	----	----	----	----	1 UNCH
9550	----	----	----/12.925A	15.046B/12.925A	----	13.873 - 3.051	.9434	----	----	----	----	3 UNCH
9575	----	----	----/13.163A	15.292B/13.163A	----	14.114 - 3.055	.9457	----	----	----	----	1 UNCH
9600	----	----	----/13.356A	15.575B/13.356A	----	14.356 - 3.059	.9477	----	----	----	----	26 UNCH
9650	----	----	----/13.875A	16.031B/13.875A	----	14.840 - 3.067	.9517	----	----	----	----	11 UNCH
9675	----	----	----/14.118A	16.277B/14.118A	----	15.084 - 3.070	.9535	----	----	----	----	2 UNCH
9700	----	----	----/14.238A	16.611B/14.238A	----	15.327 - 3.073	.9553	----	----	----	----	182 UNCH
9725	----	----	----/14.599A	16.771B/14.599A	----	15.571 - 3.076	.9567	----	----	----	----	1 UNCH
9750	----	----	----/14.840A	17.018B/14.840A	----	15.815 - 3.079	.9583	----	----	----	----	3 UNCH
9775	----	----	----/15.081A	17.265B/15.081A	----	16.060 - 3.081	.9597	----	----	----	----	3 UNCH
9800	----	----	----/15.308A	17.512B/15.308A	----	16.305 - 3.083	.9610	----	----	----	----	7 UNCH
9825	----	----	----/15.574A	17.760B/15.574A	----	16.551 - 3.084	.9622	----	----	----	----	2 UNCH
9850	----	----	----/15.687A	18.093B/15.687A	----	16.796 - 3.086	.9635	----	----	----	----	179 UNCH
9900	----	----	----/16.280A	18.502B/16.280A	----	17.288 - 3.089	.9655	----	----	----	----	8 UNCH
10000	----	----	----/17.147A	19.572B/17.147A	----	18.275 - 3.093	.9692	----	----	----	----	133 UNCH
10050	----	----	----/17.766A	19.990B/17.766A	----	18.769 - 3.095	.9708	----	----	----	----	2 UNCH
10100	----	----	----/18.253A	20.486B/18.253A	----	19.264 - 3.097	.9723	----	----	----	----	2 UNCH
10225	----	----	----/19.477A	21.730B/19.477A	----	20.501 - 3.101	.9756	----	----	----	----	2 UNCH
10250	----	----	----/19.739A	21.979B/19.739A	----	20.749 - 3.102	.9762	----	----	----	----	4 UNCH
10300	----	----	----/20.214A	22.477B/20.214A	----	21.245 - 3.103	.9773	----	----	----	----	4 UNCH
10325	----	----	----/20.459A	22.726B/20.459A	----	21.493 - 3.103	.9778	----	----	----	----	1 UNCH
10350	----	----	----/20.705A	22.975B/20.705A	----	21.741 - 3.103	.9784	----	----	----	----	1 UNCH
10400	----	----	----/21.197A	23.473B/21.197A	----	22.237 - 3.104	.9792	----	----	----	----	2 UNCH
10450	----	----	----/21.706A	23.971B/21.706A	----	22.733 - 3.105	.9803	----	----	----	----	2 UNCH
10475	----	----	----/21.937A	24.220B/21.937A	----	22.981 - 3.106	.9806	----	----	----	----	1 UNCH
10500	----	----	----/22.183A	24.470B/22.183A	----	23.230 - 3.105	.9811	----	----	----	----	10 UNCH
10505	----	----	----/22.249A	24.519B/22.249A	----	23.279 - 3.106	.9811	----	----	----	----	1 UNCH
10510	----	----	----/22.298A	24.569B/22.298A	----	23.329 - 3.106	.9813	----	----	----	----	1 UNCH
10545	----	----	----/22.644A	24.918B/22.644A	----	23.677 - 3.106	.9819	----	----	----	----	1 UNCH
10550	----	----	----/22.677A	24.969B/22.677A	----	23.726 - 3.106	.9819	----	----	----	----	22 UNCH
10585	----	----	----/23.039A	25.317B/23.039A	----	24.074 - 3.106	.9824	----	----	----	----	1 UNCH
10590	----	----	----/23.088A	25.367B/23.088A	----	24.124 - 3.106	.9826	----	----	----	----	1 UNCH
10595	----	----	----/23.138A	25.417B/23.138A	----	24.174 - 3.106	.9827	----	----	----	----	3 UNCH
10600	----	----	----/23.143A	25.467B/23.143A	----	24.223 - 3.107	.9827	----	----	----	----	5 UNCH
10670	----	----	----/23.880A	26.165B/23.880A	----	24.919 - 3.107	.9837	----	----	----	----	3 UNCH
10675	----	----	----/23.930A	26.215B/23.930A	----	24.969 - 3.107	.9837	----	----	----	----	1 UNCH
10700	----	----	----/24.150A	26.465B/24.150A	----	25.217 - 3.107	.9842	----	----	----	----	9 UNCH
10800	----	----	----/25.121A	27.463B/25.121A	----	26.212 - 3.107	.9855	----	----	----	----	1 UNCH
10820	----	----	----/25.318A	27.663B/25.318A	----	26.411 - 3.107	.9857	----	----	----	----	1 UNCH
10825	----	----	----/25.368A	27.713B/25.368A	----	26.461 - 3.107	.9858	----	----	----	----	1 UNCH
10835	----	----	----/25.466A	27.813B/25.466A	----	26.560 - 3.108	.9858	----	----	----	----	2 UNCH
10845	----	----	----/25.566A	27.912B/25.566A	----	26.660 - 3.107	.9860	----	----	----	----	1 UNCH
10875	----	----	----/25.861A	28.212B/25.861A	----	26.958 - 3.108	.9863	----	----	----	----	2 UNCH
10900	----	----	----/26.109A	28.462B/26.109A	----	27.207 - 3.108	.9865	----	----	----	----	1 UNCH
10950	----	----	----/26.607A	28.961B/26.607A	----	27.705 - 3.107	.9870	----	----	----	----	1 UNCH
10975	----	----	----/26.854A	29.211B/26.854A	----	27.954 - 3.107	.9873	----	----	----	----	3 UNCH
11000	----	----	----/27.011A	29.531B/27.011A	----	28.203 - 3.107	.9875	----	----	----	----	60 UNCH
11025	----	----	----/27.349A	29.710B/27.349A	----	28.452 - 3.107	.9878	----	----	----	----	1 UNCH
11075	----	----	----/27.845A	30.209B/27.845A	----	28.950 - 3.108	.9883	----	----	----	----	1 UNCH
11100	----	----	----/28.116A	30.459B/28.116A	----	29.199 - 3.108	.9885	----	----	----	----	1 UNCH
11125	----	----	----/28.341A	30.709B/28.341A	----	29.448 - 3.108	.9887	----	----	----	----	1 UNCH
11175	----	----	----/28.837A	31.208B/28.837A	----	29.946 - 3.108	.9892	----	----	----	----	1 UNCH
11200	----	----	----/29.084A	31.458B/29.084A	----	30.195 - 3.108	.9894	----	----	----	----	4 UNCH
11225	----	----	----/29.333A	31.708B/29.333A	----	30.444 - 3.108	.9897	----	----	----	----	3 UNCH
11250	----	----	----/29.588A	31.958B/29.588A	----	30.693 - 3.109	.9897	----	----	----	----	1 UNCH
11500	----	----	----/31.979A	34.524B/31.979A	----	33.186 - 3.110	.9915	----	----	----	----	73 UNCH
11550	----	----	----/32.572A	34.955B/32.572A	----	33.684 - 3.111	.9918	----	----	----	----	1 UNCH
11650	----	----	----/33.555A	35.955B/33.555A	----	34.682 - 3.111	.9923	----	----	----	----	1 UNCH
11800	----	----	----/35.050A	37.454B/35.050A	----	36.178 - 3.113	.9930	----	----	----	----	1 UNCH
11875	----	----	----/35.797A	38.204B/35.797A	----	36.927 - 3.114	.9934	----	----	----	----	1 UNCH
12000	----	----	----	----	----	38.175 - 3.115	.9938	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
12250	----	----	----	----	----	40.671 - 3.119	.9947	----	----	----	----	0 UNCH
12300	----	----	----/40.038A	42.453B/40.038A	----	41.170 - 3.120	.9949	----	----	----	----	1 UNCH
12500	----	----	----/43.310A	44.458B/43.310A	----	43.167 - 3.123	.9953	----	----	----	----	20 UNCH
12700	----	----	----/44.033A	46.452B/44.033A	----	45.165 - 3.125	.9958	----	----	----	----	1 UNCH
TOTAL										1241	105	20415 + 341
JUN26												
2100	----	----	----	----/0.010A	----	0.002 - 0.001	.0001	----	----	----	----	1 UNCH
2350	----	----	----	0.001B/0.015A	----	0.007 - 0.001	.0006	----	----	----	----	2 UNCH
2500	----	----	----	0.003B/0.021A	----	0.011 - 0.002	.0009	----	----	----	----	141 UNCH
2650	----	----	----	----/0.029A	----	0.014 - 0.003	.0011	----	----	----	----	1 UNCH
3000	----	----	----	----/0.065A	----	0.022 - 0.007	.0019	----	----	----	----	244 UNCH
3075	----	----	----	----/0.076A	----	0.024 - 0.008	.0021	----	----	----	----	4 UNCH
3100	----	----	----	----/0.077A	----	0.025 - 0.008	.0022	----	----	----	----	3 UNCH
3150	----	----	----	----/0.078A	----	0.027 - 0.008	.0024	----	----	----	----	9 UNCH
3200	----	----	----	----/*0.040A	----	0.028 - 0.009	.0025	----	----	----	----	4 UNCH
3325	----	----	----	----/0.084A	----	0.032 - 0.011	.0029	----	----	----	----	2 UNCH
3350	----	----	----	----/0.085A	----	0.033 - 0.011	.0030	----	----	----	----	1 UNCH
3400	----	----	----	----/0.086A	----	0.035 - 0.011	.0032	----	----	----	----	12 UNCH
3500	----	----	----	----/0.090A	----	0.039 - 0.013	.0036	----	----	----	----	100 UNCH
3550	----	----	----	----/0.092A	----	0.040 - 0.014	.0037	----	----	----	----	5 UNCH
3575	----	----	----	----/0.093A	----	0.041 - 0.015	.0039	----	----	----	----	22 UNCH
3600	----	----	----	0.005B/0.094A	----	0.042 - 0.015	.0040	----	----	----	----	5 UNCH
3650	----	----	----	----/0.097A	----	0.044 - 0.016	.0042	----	----	----	----	22 UNCH
3675	----	----	----	----/0.098A	----	0.045 - 0.016	.0043	----	----	1	----	1 - 1
3700	----	----	----	----/0.099A	----	0.046 - 0.016	.0044	----	----	----	----	6 UNCH
3800	----	----	----	0.001B/0.105A	----	0.050 - 0.018	.0049	----	----	----	----	14 UNCH
3850	----	----	----	0.001B/0.108A	----	0.052 - 0.018	.0051	----	----	----	----	2 UNCH
3900	----	----	----	0.001B/0.111A	----	0.054 - 0.019	.0053	----	----	----	----	6 UNCH
3925	----	----	----	0.001B/0.112A	----	0.055 - 0.020	.0055	----	----	----	----	3 UNCH
4000	0.039	0.039	0.039/*0.039	0.039/*0.039	----	0.059 - 0.020	.0059	----	----	1	----	54 UNCH
4075	----	----	----	0.001B/*0.122A	----	0.062 - 0.021	.0063	----	----	----	----	1 UNCH
4100	----	----	----	0.001B/*0.124A	----	0.063 - 0.021	.0065	----	----	----	----	2 UNCH
4125	----	----	----	0.001B/*0.126A	----	0.064 - 0.021	.0066	----	----	----	----	5 UNCH
4150	----	----	----	0.001B/*0.127A	----	0.065 - 0.022	.0067	----	----	----	----	4 UNCH
4200	----	----	----	0.001B/0.130A	----	0.068 - 0.021	.0071	----	----	----	----	26 UNCH
4225	----	----	----	0.001B/*0.132A	----	0.069 - 0.021	.0072	----	----	----	----	7 UNCH
4250	----	----	----	0.001B/*0.134A	----	0.070 - 0.022	.0074	----	----	----	----	5 UNCH
4275	----	----	----	0.001B/*0.135A	----	0.071 - 0.022	.0075	----	----	----	----	13 UNCH
4300	----	----	----	0.001B/*0.137A	----	0.072 - 0.022	.0077	----	----	----	----	7 UNCH
4350	----	----	----	0.001B/*0.141A	----	0.075 - 0.022	.0080	----	----	----	----	2 UNCH
4375	----	----	----	0.001B/0.143A	----	0.076 - 0.022	.0082	----	----	----	----	3 UNCH
4400	----	----	----	0.001B/0.145A	----	0.077 - 0.022	.0083	----	----	----	----	8 UNCH
4425	----	----	----	0.001B/0.147A	----	0.078 - 0.023	.0085	----	----	----	----	1 UNCH
4500	0.055	0.055	0.055/*0.055	0.055/*0.055	----	0.082 - 0.023	.0091	----	----	1	----	167 UNCH
4550	----	----	----	0.001B/0.157A	----	0.085 - 0.022	.0095	----	----	----	----	2 UNCH
4600	----	----	----	0.006B/0.161A	----	0.087 - 0.023	.0098	----	----	----	----	7 UNCH
4625	----	----	----	0.001B/0.163A	----	0.089 - 0.022	.0101	----	----	----	----	12 UNCH
4650	----	----	----	0.002B/0.153A	----	0.090 - 0.023	.0102	----	----	----	----	1 UNCH
4700	----	----	----/*0.110A	0.012B/*0.110A	----	0.093 - 0.023	.0107	----	----	2	----	2 - 1
4725	----	----	----	0.010B/*0.145A	----	0.095 - 0.022	.0110	----	----	----	----	10 UNCH
4750	----	----	----	0.010B/*0.142A	----	0.096 - 0.023	.0111	----	----	----	----	3 UNCH
4800	----	----	----	0.018B/*0.147A	----	0.100 - 0.022	.0117	----	----	----	----	24 UNCH
4850	----	----	----	0.021B/*0.155A	----	0.103 - 0.023	.0122	----	----	----	----	3 UNCH
4875	----	----	----	0.023B/*0.157A	----	0.105 - 0.023	.0125	----	----	----	----	15 UNCH
4900	----	----	----/*0.125A	0.026B/*0.125A	----	0.107 - 0.023	.0127	----	----	2	----	174 - 2
4975	----	----	----	0.034B/*0.164A	----	0.112 - 0.024	.0135	----	----	----	----	1 UNCH
5000	0.106	0.106	0.106/*0.088	0.106/*0.088	----	0.115 - 0.023	.0139	----	----	5	----	1003 - 1
5025	----	----	----	0.040B/*0.170A	----	0.117 - 0.023	.0142	----	----	----	----	8 UNCH
5050	----	----	----	0.044B/*0.172A	----	0.119 - 0.024	.0146	----	----	----	----	3 UNCH
5075	0.120	0.120	0.120/*0.120	0.120/*0.120	----	0.121 - 0.024	.0149	----	----	1	----	2 UNCH
5100	----	----	----	0.050B/*0.177A	----	0.123 - 0.025	.0152	----	----	----	----	32 UNCH
5125	----	----	----	0.054B/*0.179A	----	0.126 - 0.025	.0156	----	----	----	----	1 UNCH
5150	----	----	----	0.057B/*0.182A	----	0.128 - 0.026	.0159	----	----	----	----	16 UNCH
5175	----	----	----	0.060B/*0.186A	----	0.131 - 0.026	.0164	----	----	----	----	12 UNCH
5200	0.124	0.124	0.142/*0.124	0.142/*0.124	----	0.134 - 0.026	.0168	----	----	2	----	8 + 1
5225	----	----	----	0.067B/*0.194A	----	0.137 - 0.026	.0172	----	----	----	----	1 UNCH
5250	----	----	----	0.070B/*0.197A	----	0.139 - 0.028	.0176	----	----	----	----	14 UNCH
5275	----	----	----	0.075B/*0.197A	----	0.142 - 0.029	.0180	----	----	----	----	17 UNCH
5300	----	----	----/*0.165A	0.083B/*0.165A	----	0.146 - 0.029	.0186	----	----	----	----	14 UNCH
5325	----	----	----	0.086B/*0.204A	----	0.149 - 0.030	.0190	----	----	----	----	10 UNCH
5350	----	----	----	0.091B/*0.207A	----	0.152 - 0.031	.0195	----	----	----	----	12 UNCH
5375	----	----	----	0.097B/*0.212A	----	0.156 - 0.032	.0200	----	----	----	----	10 UNCH
5400	----	----	----	0.103B/*0.216A	----	0.160 - 0.033	.0206	----	----	----	----	13 UNCH
5425	----	----	----	0.106B/*0.219A	----	0.163 - 0.035	.0211	----	----	----	----	4 UNCH
5450	----	----	----	0.115B/*0.225A	----	0.167 - 0.036	.0217	----	----	----	----	1 UNCH
5475	----	----	----	0.122B/*0.231A	----	0.172 - 0.037	.0223	----	----	----	----	13 UNCH
5500	0.210	0.210	0.210/*0.161	0.210/*0.161	----	0.176 - 0.039	.0229	----	----	3	----	400 UNCH
5525	----	----	----	0.136B/*0.242A	----	0.181 - 0.041	.0236	----	----	----	----	16 UNCH
5550	----	----	----	0.143B/*0.246A	----	0.185 - 0.043	.0242	----	----	----	----	10 UNCH
5575	----	----	----	0.139B/*0.250A	----	0.190 - 0.046	.0249	----	----	----	----	2 UNCH
5600	----	----	----	0.159B/*0.256A	----	0.195 - 0.048	.0257	----	----	----	----	18 UNCH
5625	----	----	----	0.153B/*0.262A	----	0.201 - 0.050	.0265	----	----	----	----	2 UNCH
5650	----	----	----	0.169B/*0.268A	----	0.206 - 0.054	.0272	----	----	----	----	51 UNCH
5675	----	----	----	0.176B/*0.274A	----	0.212 - 0.057	.0280	----	----	----	----	21 UNCH
5700	----	----	----	0.194B/*0.282A	----	0.218 - 0.060	.0289	----	----	----	----	248 UNCH
5725	----	----	----/*0.287A	0.184B/*0.287A	----	0.224 - 0.064	.0297	----	----	----	----	2 UNCH
5750	----	----	----/*0.293A	0.198B/*0.293A	----	0.230 - 0.068	.0306	----	----	----	----	227 UNCH
5775	----	----	----/*0.301A	0.206B/*0.301A	----	0.237 - 0.072	.0315	----	----	----	----	9 UNCH
5800	----	----	----/*0.307A	0.226B/*0.307A	----	0.244 - 0.077	.0325	----	----	----	----	100 UNCH
5825	----	----	----/*0.312A	0.224B/*0.312A	----	0.251 - 0.082	.0335	----	----	----	----	9 UNCH
5850	----	----	----/*0.324A	0.233B/*0.324A	----	0.258 - 0.088	.0345	----	----	----	----	16 UNCH
5875	----	----	----/*0.329A	0.242B/*0.329A	----	0.266 - 0.093	.0356	----	----	----	----	12 UNCH
5900	----	----	----/*0.339A	0.274B/*0.339A	----	0.274 - 0.098	.0367	----	----	1	----	48 - 1
5925	----	----	----/*0.349A	0.278B/*0.349A	----	0.282 - 0.105	.0378	----	----	----	----	21 UNCH
5950	----	----	----/*0.357A	0.290B/*0.357A	----	0.290 - 0.112	.0389	----	----	----	----	16 UNCH
5975	----	----	----/*0.364A	0.307B/*0.364A	----	0.299 - 0.118	.0402	----	----	----	----	1 UNCH
6000	0.420	0.420	0.420/*0.310	0.421B/*0.310	----	0.309 - 0.124	.0415	----	----	25	----	760 - 1
6025	----	----	----/*0.384A	0.342B/*0.384A	----	0.318 - 0.132	.0428	----	----	----	----	31 UNCH
6050	----	----	----/*0.397A	0.353B/*0.397A	----	0.328 - 0.140	.0441	----	----	17	----	142 - 2
6075	----	----	----/*0.408A	0.372B/*0.408A	----	0.339 - 0.147	.0456	----	----	----	----	30 UNCH
6100	----	----	----/*0.397A	0.420B/*0.397A	----	0.350 - 0.154	.0471	----	----	3	----	81 + 2
6125	----	----	----/*0.428A	0.361B/*0.428A	----	0.361 - 0.163	.0486	----	----	----	----	2 UNCH
6150	----	----	----/*0.441A	0.385B/*0.441A	----	0.373 - 0.171	.0501	----	----	----	----	13 UNCH
6175	----	----	----/*0.410A	0.552B/*0.410A	----	0.386 - 0.178	.0518	----	----	15	----	305 + 14
6200	0.530	0.530	0.540/*0.424A	0.572B/*0.424A	----	0.399 - 0.187	.0536	----	----	4	----	160 UNCH
6225	----	----	----/*0.441A	0.594B/*0.441A	----	0.412 - 0.196	.0553	----	----	----	----	2 UNCH
6250	----	----	----/*0.445A	0.618B/*0.445A	----	0.426 - 0.204	.0571	----	----	----	----	90 UNCH
6275	----	----	----/*0.458A	0.642B/*0.458A	----	0.441 - 0.213	.0590	----	----	----	----	3 UNCH
6300	----	----	----/*0.469A	0.668B/*0.469A	----	0.456 - 0.222	.0610	----	----	24	----	130 - 3
6325	----	----	----/*0.476A	0.693B/*0.476A	----	0.472 - 0.231	.0630	----	----	----	----	6 UNCH
6350	----	----	----/*0.491A	0.722B/*0.491A	----	0.489 - 0.240	.0652	----	----	3	----	30 - 1
6375	----	----	----/*0.508A	0.749B/*0.508A	----	0.506 - 0.250	.0673	----	----	----	----	103 UNCH
6400	----	----	----/*0.531A	0.778B/*0.531A	----	0.524 - 0.259	.0696	----	----	4	----	90 UNCH
6425	----	----	----/*0.537A	0.809B/*0.537A	----	0.543 - 0.269	.0719	----	----	----	----	44 UNCH
6450	----	----	----/*0.560A	0.838B/*0.560A	----	0.562 - 0.279	.0743	----	----	1	----	19 - 1
6475	----	----	----/*0.575A	0.851B/*0.575A	----	0.582 - 0.290	.0768	----	----	1	----	120 - 1
6500	0.620	0.620	0.905B/*0.585	0.905B/*0.585	----	0.603 - 0.300	.0793	----	----	18	----	316 + 10
6525	----	----	0.941B/*0.616A	0.941B/*0.616A	----	0.624 - 0.311	.0819	----	----	----	----	36 UNCH
6550	----	----	0.974B/*0.637A	0.974B/*0.637A	----	0.646 - 0.323	.0846	----	----	----	----	28 UNCH
6575	----	----	1.013B/*0.657A	1.013B/*0.657A	----	0.670 - 0.333	.0875	----	----	----	----	3 UNCH
6600	----	----	1.053B/*0.684A	1.053B/*0.684A	----	0.693 - 0.346	.0903	----	----	3	----	140 UNCH
6625	0.845	0.845	1.092B/*0.707A	1.092B/*0.707A	----	0.718 - 0.358	.0932	----	----	10	----	19 + 10
6650	----	----	1.131B/*0.732A	1.131B/*0.732A	----	0.744 - 0.370	.0963	----	----	1	----	15 UNCH
6675	----	----	1.175B/*0.740A	1.175B/*0.740A	----	0.770 - 0.383	.0994	----	----	----	----	20 UNCH
6700	0.787	0.787	1.217B/*0.766A	1.217B/*0.766A	----	0.798 - 0.396	.1026	----	----	5	----	92 + 1
6725	----	----	1.263B/*0.790A	1.263B/*0.790A	----	0.826 - 0.410	.1059	----	----	14	----	38 + 2
6750	----	----	1.309B/*0.811A	1.309B/*0.811A	----	0.855 - 0.424	.1093	----	----	2	----	36 - 2
6775	----	----	1.356B/*0.838A	1.356B/*0.838A	----	0.885 - 0.439	.1127	----	----	----	----	7 UNCH
6800	1.185	1.185	1.406B/*0.865A	1.406B/*0.865A	----	0.916 - 0.454	.1163	----	----	14	----	61 - 3
6825	----	----	1.458B/*0.895A	1.458B/*0.895A	----	0.948 - 0.469	.1199	----	----	----	----	3 UNCH
6850	----	----	1.510B/*0.924A	1.510B/*0.924A	----	0.981 - 0.486	.1236	----	----	----	----	15 UNCH
6875	----	----	1.564B/*0.954A	1.564B/*0.954A	----	1.015 - 0.502	.1275	----	----	----	----	2 UNCH
6900	0.988	0.988	1.621B/*0.986A	1.621B/*0.986A	----	1.051 - 0.518	.1314	----	----	9	----	89 + 5
6925	----	----	1.678B/*1.019A	1.678B/*1.019A	----	1.087 - 0.536	.1354	----	----	----	----	9 UNCH
6950	1.090	1.090	1.738B/*1.053A	1.738B/*1.053A	----	1.125 - 0.554	.1395	----	----	4	----	9 + 4
6975	----	----	1.797B/*1.089A	1.797B/*1.089A	----	1.163 - 0.573	.1437	----	----	1	----	8 - 1
7000	1.281	1.281	1.861B/*1.124A	1.861B/*1.124A	----	1.203 - 0.591	.1480	----	----	57	----	611 - 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
7025	----	----	1.926B/*1.164A	1.926B/*1.164A	----	1.245 - 0.610	.1525	----	----	15	----	20 + 14
7050	----	----	1.992B/*1.204A	1.992B/*1.204A	----	1.288 - 0.629	.1570	----	----	----	----	15 UNCH
7075	----	----	2.060B/*1.241A	2.060B/*1.241A	----	1.332 - 0.649	.1616	----	----	1	----	42 + 1
7100	1.334	1.334	2.131B/*1.281A	2.131B/*1.281A	----	1.377 - 0.670	.1663	----	----	2	----	19 UNCH
7125	----	----	2.202B/*1.323A	2.202B/*1.323A	----	1.424 - 0.691	.1711	----	----	----	----	5 UNCH
7150	----	----	2.277B/*1.372A	2.277B/*1.372A	----	1.473 - 0.712	.1761	----	----	----	----	27 UNCH
7175	----	----	2.353B/*1.415A	2.353B/*1.415A	----	1.523 - 0.734	.1811	----	----	1	----	37 UNCH
7200	1.840	1.840	2.431B/*1.462A	2.431B/*1.462A	----	1.575 - 0.755	.1863	----	----	125	----	273 - 31
7225	1.654	1.654	2.512B/*1.509A	2.512B/*1.509A	----	1.629 - 0.777	.1916	----	----	3	----	8 + 2
7250	1.709	1.709	2.593B/*1.563A	2.593B/*1.563A	----	1.684 - 0.799	.1969	----	----	8	----	16 + 3
7275	----	----	2.678B/*1.615A	2.678B/*1.615A	----	1.742 - 0.821	.2024	----	----	----	----	9 UNCH
7300	1.922	1.922	2.764B/*1.668A	2.764B/*1.668A	----	1.801 - 0.844	.2080	----	----	1	----	78 + 1
7325	----	----	2.854B/*1.725A	2.854B/*1.725A	----	1.862 - 0.866	.2137	----	----	1	----	2 + 1
7350	1.938	1.938	2.943B/*1.782A	2.943B/*1.782A	----	1.925 - 0.889	.2195	----	----	10	----	13 + 10
7375	1.922	1.922	3.036B/*1.841A	3.036B/*1.841A	----	1.990 - 0.912	.2254	----	----	17	----	18 + 16
7400	2.687	2.687	3.132B/*1.898A	3.132B/*1.898A	----	2.057 - 0.935	.2314	----	----	15	----	48 - 4
7425	----	----	3.228B/*1.961A	3.228B/*1.961A	----	2.126 - 0.959	.2375	----	----	----	----	2 UNCH
7450	----	----	3.331B/*2.025A	3.331B/*2.025A	----	2.197 - 0.982	.2437	----	----	----	----	52 UNCH
7475	2.157	2.157	3.405B/*2.093A	3.405B/*2.093A	----	2.270 - 1.006	.2500	----	----	2	----	3 UNCH
7500	3.232	3.232	3.517B/*2.156A	3.517B/*2.156A	----	2.346 - 1.028	.2563	----	----	15	----	407 UNCH
7525	----	----	3.628B/*2.230A	3.628B/*2.230A	----	2.424 - 1.052	.2628	----	----	----	----	5 UNCH
7550	2.579	2.579	3.739B/*2.301A	3.739B/*2.301A	----	2.504 - 1.075	.2694	----	----	2	----	9 + 2
7575	3.240	3.240	3.847B/*2.373A	3.847B/*2.373A	----	2.586 - 1.098	.2760	----	----	1	----	4 - 1
7600	3.652	3.652	3.960B/*2.442A	3.960B/*2.442A	----	2.670 - 1.122	.2827	----	----	16	----	76 - 1
7625	----	----	4.072B/*2.523A	4.072B/*2.523A	----	2.757 - 1.145	.2894	----	----	----	----	3 UNCH
7650	3.702	3.702	4.191B/*2.604A	4.191B/*2.604A	----	2.846 - 1.168	.2963	----	----	3	----	8 + 3
7675	----	----	4.308B/*2.688A	4.308B/*2.688A	----	2.937 - 1.191	.3031	----	----	2	----	2 UNCH
7700	4.096	4.096	4.434B/*2.760A	4.434B/*2.760A	----	3.031 - 1.214	.3101	----	----	21	----	65 + 7
7725	----	----	4.561B/*2.850A	4.561B/*2.850A	----	3.126 - 1.238	.3171	----	----	----	----	21 UNCH
7750	----	----	4.686B/*2.937A	4.686B/*2.937A	----	3.224 - 1.261	.3241	----	----	----	----	4 UNCH
7775	----	----	4.819B/*3.027A	4.819B/*3.027A	----	3.325 - 1.283	.3312	----	----	1	----	28 + 1
7800	4.553	4.553	4.941B/*3.116A	4.941B/*3.116A	----	3.427 - 1.307	.3383	----	----	6	----	11 + 3
7825	----	----	5.084B/*3.215A	5.084B/*3.215A	----	3.532 - 1.329	.3455	----	----	----	----	2 UNCH
7850	4.570	4.570	5.207B/*3.310A	5.207B/*3.310A	----	3.640 - 1.351	.3527	----	----	2	----	10 UNCH
7875	----	----	5.354B/*3.409A	5.354B/*3.409A	----	3.749 - 1.374	.3599	----	----	----	----	19 UNCH
7900	5.180	5.180	5.491B/*3.493A	5.491B/*3.493A	----	3.861 - 1.396	.3671	----	----	17	----	115 - 2
7925	----	----	5.625B/*3.605A	5.625B/*3.605A	----	3.975 - 1.419	.3744	----	----	----	----	18 UNCH
7950	----	----	5.778B/*3.712A	5.778B/*3.712A	----	4.092 - 1.440	.3816	----	----	----	----	21 UNCH
8000	4.407	4.407	6.071B/3.910A	6.071B/3.910A	----	4.331 - 1.485	.3962	----	----	32	----	159 - 7
8025	----	----	6.223B/4.039A	6.223B/4.039A	----	4.454 - 1.506	.4034	----	----	----	----	1 UNCH
8050	5.776	5.776	6.376B/4.149A	6.376B/4.149A	----	4.579 - 1.528	.4107	----	----	1	----	3 + 1
8075	----	----	6.529B/4.262A	6.529B/4.262A	----	4.707 - 1.549	.4179	----	----	----	----	1 UNCH
8100	4.750	4.750	6.685B/4.383A	6.685B/4.383A	----	4.836 - 1.571	.4252	----	----	5	----	8 + 3
8125	----	----	6.841B/4.500A	6.841B/4.500A	----	4.968 - 1.592	.4324	----	----	----	----	2 UNCH
8150	5.100	5.100	6.996B/4.622A	6.996B/4.622A	----	5.102 - 1.613	.4396	----	----	2	----	6 + 2
8175	----	----	7.200B/4.747A	7.200B/4.747A	----	5.238 - 1.634	.4468	----	----	----	----	43 UNCH
8200	5.290	5.290	7.261B/4.871A	7.261B/4.871A	----	5.376 - 1.655	.4539	----	----	7	----	15 + 2
8225	----	----	7.423B/5.004A	7.423B/5.004A	----	5.516 - 1.676	.4611	----	----	----	----	6 UNCH
8250	----	----	7.592B/5.128A	7.592B/5.128A	----	5.658 - 1.696	.4681	----	----	1	----	16 UNCH
8275	5.491	5.491	7.759B/5.265A	7.759B/5.265A	----	5.803 - 1.716	.4752	----	----	35	----	42 + 19
8300	----	----	7.921B/5.397A	7.921B/5.397A	----	5.949 - 1.736	.4822	----	----	1	----	8 UNCH
8350	----	----	----/5.670A	7.885B/5.670A	----	6.247 - 1.776	.4961	----	----	----	----	18 UNCH
8375	----	----	----/5.811A	7.813B/5.811A	----	6.398 - 1.797	.5029	----	----	----	----	1 UNCH
8400	----	----	----/5.952A	7.984B/5.952A	----	6.552 - 1.816	.5098	----	----	----	----	3 UNCH
8425	----	----	----/6.081A	8.156B/6.081A	----	6.708 - 1.836	.5165	----	----	----	----	63 UNCH
8450	----	----	----/6.243A	8.331B/6.243A	----	6.865 - 1.855	.5232	----	----	----	----	18 UNCH
8475	----	----	----/6.393A	8.507B/6.393A	----	7.024 - 1.875	.5299	----	----	----	----	2 UNCH
8500	----	----	----/6.525A	8.685B/6.525A	----	7.185 - 1.894	.5365	----	----	4	----	66 + 3
8525	----	----	----/6.724A	8.864B/6.724A	----	7.347 - 1.913	.5430	----	----	----	----	1 UNCH
8550	----	----	----/6.881A	8.996B/6.881A	----	7.511 - 1.933	.5495	----	----	----	----	1 UNCH
8575	----	----	----/7.034A	9.179B/7.034A	----	7.677 - 1.951	.5559	----	----	----	----	1 UNCH
8600	8.000	8.000	8.000/7.192A	9.363B/7.192A	----	7.844 - 1.970	.5623	----	----	1	----	4 - 1
8625	----	----	----/7.353A	9.548B/7.353A	----	8.014 - 1.988	.5686	----	----	----	----	11 UNCH
8650	7.660	7.660	7.660/7.610A	9.735B/7.610A	----	8.184 NEW	.5748	----	----	2	----	2 + 2
8675	8.070	8.070	8.070/7.687A	9.924B/7.687A	----	8.356 - 2.026	.5810	----	----	1	----	2 UNCH
8700	----	----	----/7.852A	10.114B/7.852A	----	8.530 - 2.043	.5871	----	----	----	----	14 UNCH
8750	----	----	----/8.173A	9.991B/8.173A	----	8.882 - 2.079	.5990	----	----	----	----	26 UNCH
8775	----	----	----/8.360A	10.180B/8.360A	----	9.061 - 2.096	.6049	----	----	----	----	1 UNCH
8800	----	----	----/8.534A	10.372B/8.534A	----	9.240 - 2.114	.6107	----	----	----	----	14 UNCH
8825	----	----	----/8.696A	10.569B/8.696A	----	9.422 - 2.130	.6165	----	----	----	----	15 UNCH
8850	----	----	----/8.882A	10.763B/8.882A	----	9.604 - 2.148	.6221	----	----	----	----	6 UNCH
8925	----	----	----/9.409A	10.768B/9.409A	----	10.160 - 2.197	.6387	----	----	----	----	4 UNCH
8975	----	----	----/9.779A	11.163B/9.779A	----	10.537 - 2.229	.6494	----	----	----	----	2 UNCH
9000	----	----	----/9.935A	11.474B/9.935A	----	10.728 - 2.244	.6547	----	----	----	----	94 UNCH
9050	----	----	----/10.322A	11.763B/10.322A	----	11.112 - 2.275	.6649	----	----	----	----	3 UNCH
9075	----	----	----/10.610A	11.962B/10.610A	----	11.307 - 2.290	.6700	----	----	----	----	2 UNCH
9100	----	----	----/10.717A	12.244B/10.717A	----	11.502 - 2.305	.6749	----	----	----	----	6 UNCH
9125	----	----	----/10.990A	12.373B/10.990A	----	11.698 - 2.319	.6798	----	----	----	----	1 UNCH
9150	----	----	----/11.182A	12.579B/11.182A	----	11.896 - 2.333	.6846	----	----	----	----	1 UNCH
9175	----	----	----/11.375A	12.786B/11.375A	----	12.095 - 2.347	.6893	----	----	----	----	1 UNCH
9200	----	----	----/11.491A	13.080B/11.491A	----	12.294 - 2.362	.6940	----	----	----	----	80 UNCH
9325	----	----	----/12.584A	14.046B/12.584A	----	13.309 - 2.426	.7162	----	----	----	----	1 UNCH
9450	----	----	----/13.531A	15.161B/13.531A	----	14.346 - 2.487	.7368	----	----	----	----	6 UNCH
9500	----	----	----/13.948A	15.663B/13.948A	----	14.767 - 2.510	.7446	----	----	----	----	138 UNCH
9525	----	----	----/14.311A	15.774B/14.311A	----	14.979 - 2.521	.7484	----	----	----	----	1 UNCH
9550	----	----	----/14.548A	15.993B/14.548A	----	15.192 - 2.531	.7521	----	----	----	----	1 UNCH
9575	----	----	----/14.730A	16.213B/14.730A	----	15.405 - 2.542	.7557	----	----	----	----	2 UNCH
9725	----	----	----/15.986A	17.548B/15.986A	----	16.701 - 2.601	.7765	----	----	----	----	1 UNCH
9825	----	----	----/16.846A	18.446B/16.846A	----	17.578 - 2.637	.7892	----	----	----	----	1 UNCH
9850	----	----	----/17.063A	18.672B/17.063A	----	17.799 - 2.645	.7923	----	----	----	----	1 UNCH
9900	----	----	----/17.381A	19.154B/17.381A	----	18.242 - 2.662	.7982	----	----	----	----	17 UNCH
9925	----	----	----/17.716A	19.353B/17.716A	----	18.464 - 2.671	.8011	----	----	----	----	1 UNCH
9950	----	----	----/17.935A	19.581B/17.935A	----	18.687 - 2.678	.8040	----	----	----	----	1 UNCH
10000	18.550	18.550	18.550/18.241A	20.145B/18.241A	----	19.135 - 2.693	.8095	----	----	2	----	97 UNCH
10025	----	----	----/18.625A	20.265B/18.625A	----	19.360 - 2.700	.8122	----	----	----	----	2 UNCH
10075	----	----	----/19.068A	20.726B/19.068A	----	19.810 - 2.715	.8175	----	----	----	----	1 UNCH
10100	----	----	----/19.162A	20.992B/19.162A	----	20.036 - 2.722	.8201	----	----	----	----	6 UNCH
10125	----	----	----/19.489A	21.186B/19.489A	----	20.263 - 2.728	.8226	----	----	----	----	1 UNCH
10150	----	----	----/19.611A	21.426B/19.611A	----	20.490 - 2.735	.8250	----	----	----	----	8 UNCH
10175	----	----	----/19.958A	21.651B/19.958A	----	20.717 - 2.741	.8275	----	----	----	----	2 UNCH
10200	----	----	----/20.030A	21.985B/20.030A	----	20.945 - 2.747	.8299	----	----	----	----	120 UNCH
10225	----	----	----/20.407A	22.117B/20.407A	----	21.173 - 2.754	.8323	----	----	----	----	1 UNCH
10325	----	----	----/21.309A	23.051B/21.309A	----	22.090 - 2.777	.8413	----	----	----	----	1 UNCH
10350	----	----	----/21.536A	23.286B/21.536A	----	22.320 - 2.783	.8435	----	----	----	----	1 UNCH
10375	----	----	----/21.763A	23.521B/21.763A	----	22.550 - 2.789	.8456	----	----	----	----	1 UNCH
10400	----	----	----/21.991A	23.756B/21.991A	----	22.781 - 2.794	.8477	----	----	----	----	1 UNCH
10500	----	----	----/22.804A	24.727B/22.804A	----	23.709 - 2.813	.8557	----	----	----	----	9 UNCH
10600	----	----	----/23.823A	25.649B/23.823A	----	24.641 - 2.832	.8633	----	----	----	----	5 UNCH
10825	----	----	----/25.832A	27.837B/25.832A	----	26.756 - 2.868	.8784	----	----	----	----	6 UNCH
10850	----	----	----/26.135A	28.036B/26.135A	----	26.992 - 2.872	.8800	----	----	----	----	4 UNCH
10875	----	----	----/26.368A	28.276B/26.368A	----	27.229 - 2.875	.8815	----	----	----	----	2 UNCH
10950	----	----	----/27.067A	28.997B/27.067A	----	27.940 - 2.885	.8859	----	----	----	----	3 UNCH
11000	----	----	31.400B/27.535A	31.400B/27.535A	----	28.415 - 2.892	.8887	----	----	----	----	3 UNCH
11325	----	----	----/30.597A	33.051B/30.597A	----	31.524 - 2.928	.9048	----	----	----	----	1 UNCH
11500	----	----	----/32.219A	34.361B/32.219A	----	33.210 - 2.945	.9122	----	----	----	----	10 UNCH
11525	----	----	----/32.499A	34.564B/32.499A	----	33.451 - 2.948	.9132	----	----	----	----	1 UNCH
11675	----	----	----/33.935A	36.025B/33.935A	----	34.903 - 2.960	.9187	----	----	----	----	1 UNCH
11700	----	----	----/34.175A	36.269B/34.175A	----	35.145 - 2.962	.9196	----	----	----	----	1 UNCH
12000	----	----	----/36.960A	39.281B/36.960A	----	38.063 - 2.984	.9291	----	----	----	----	50 UNCH
12025	----	----	----/37.304A	39.452B/37.304A	----	38.307 - 2.986	.9299	----	----	----	----	1 UNCH
13000	----	----	----/46.809A	49.072B/46.809A	----	47.877 - 3.037	.9507	----	----	----	----	5 UNCH
TOTAL										635	0	10113 + 74
JUL26												
2000	----	----	0.014B/----	0.014B/0.036A	----	0.013 + 0.002	.0009	----	----	----	----	6 UNCH
2400	----	----	----	----/0.196A	----	0.023 + 0.003	.0017	----	----	----	----	10 UNCH
2650	----	----	----	----/0.076A	----	0.031 + 0.005	.0024	----	----	----	----	6 UNCH
3000	----	----	----	----/0.088A	----	0.043 + 0.006	.0035	----	----	----	----	5 UNCH
3025	----	----	----	----/0.089A	----	0.044 + 0.006	.0035	----	----	----	----	1 UNCH
3350	----	----	----	0.001B/*0.105A	----	0.058 + 0.008	.0049	----	----	----	----	1 UNCH
3400	----	----	----	0.001B/*0.107A	----	0.061 + 0.009	.0052	----	----	----	----	55 UNCH
3475	----	----	----	0.001B/*0.111A	----	0.065 + 0.009	.0056	----	----	----	----	5 UNCH
3500	0.048	0.048	0.048/*0.048	0.048/*0.048	----	0.066 + 0.009	.0057	----	----	1	----	4 UNCH
3600	----	----	----	0.001B/*0.120A	----	0.072 + 0.009	.0063	----	----	----	----	12 UNCH
3700	----	----	----	0.001B/0.128A	----	0.078 + 0.009	.0069	----	----	----	----	92 UNCH
3800	----	----	----	0.001B/*0.137A	----	0.085 + 0.008	.0077	----	----	----	----	25 UNCH
3825	----	----	----	0.001B/*0.140A	----	0.087 + 0.008	.0079	----	----	----	----	8 UNCH
3850	----	----	----	0.001B/*0.142A	----	0.089 + 0.008	.0081	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 63

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS											
JUL26													
3900	----	----	----	0.001B/*0.146A	----	0.092	+ 0.007	.0084	----	----	----	----	11 UNCH
3950	----	----	----	0.001B/*0.150A	----	0.096	+ 0.006	.0088	----	----	----	----	1 UNCH
4000	----	----	----	0.080B/*0.102A	----	0.100	+ 0.006	.0093	----	----	----	----	70 UNCH
4075	----	----	----	0.005B/0.162A	----	0.106	+ 0.005	.0099	----	----	----	----	16 UNCH
4100	----	----	----	0.021B/*0.143A	----	0.108	+ 0.004	.0101	----	----	----	----	6 UNCH
4175	----	----	----	0.030B/*0.161A	----	0.114	+ 0.002	.0108	----	----	----	----	9 UNCH
4200	----	----	----	0.028B/*0.168A	----	0.116	+ 0.002	.0111	----	----	----	----	27 UNCH
4225	----	----	----	0.030B/*0.170A	----	0.118	+ 0.001	.0113	----	----	----	----	1 UNCH
4250	----	----	----	0.032B/*0.165A	----	0.121	+ 0.001	.0116	----	----	----	----	21 UNCH
4300	----	----	----	0.040B/0.167A	----	0.125	- 0.001	.0121	----	----	----	----	98 UNCH
4325	----	----	----	0.043B/*0.171A	----	0.128	- 0.001	.0124	----	----	----	----	17 UNCH
4375	----	----	----	0.045B/*0.177A	----	0.133	- 0.002	.0130	----	----	----	----	32 UNCH
4400	----	----	----	0.052B/*0.178A	----	0.135	- 0.004	.0132	----	----	----	----	29 UNCH
4450	----	----	----	0.059B/*0.187A	----	0.141	- 0.005	.0139	----	----	2	----	4 UNCH
4475	----	----	----	0.062B/*0.189A	----	0.144	- 0.005	.0142	----	----	----	----	16 UNCH
4500	----	----	----	0.111B/*0.190A	----	0.147	- 0.006	.0146	----	----	2	----	302 - 2
4575	----	----	----	0.075B/*0.207A	----	0.156	- 0.009	.0156	----	----	----	----	75 UNCH
4600	----	----	----	0.078B/*0.216A	----	0.159	- 0.010	.0160	----	----	----	----	101 UNCH
4650	----	----	----	0.086B/*0.223A	----	0.166	- 0.012	.0167	----	----	----	----	40 UNCH
4675	----	----	----	0.090B/*0.228A	----	0.169	- 0.014	.0171	----	----	----	----	12 UNCH
4700	----	----	----	0.094B/*0.232A	----	0.173	- 0.014	.0175	----	----	----	----	153 UNCH
4725	----	----	----	0.098B/*0.238A	----	0.176	- 0.016	.0179	----	----	----	----	3 UNCH
4750	----	----	----	0.102B/*0.243A	----	0.180	- 0.018	.0184	----	----	----	----	54 UNCH
4775	----	----	----	0.107B/*0.252A	----	0.184	- 0.019	.0188	----	----	----	----	8 UNCH
4800	----	----	----	0.111B/*0.254A	----	0.188	- 0.020	.0193	----	----	----	----	15 UNCH
4825	----	----	----	0.115B/*0.265A	----	0.193	- 0.021	.0198	----	----	----	----	26 UNCH
4850	----	----	----	0.122B/*0.272A	----	0.197	- 0.023	.0203	----	----	----	----	2 UNCH
4875	----	----	----	0.127B/*0.278A	----	0.202	- 0.024	.0208	----	----	----	----	23 UNCH
4900	----	----	----	0.139B/*0.285A	----	0.206	- 0.026	.0213	----	----	----	----	172 UNCH
5000	0.250	0.250	0.250/*0.234	0.250/*0.234	----	0.227	- 0.033	.0236	----	----	3	----	889 + 3
5025	----	----	----	0.160B/*0.318A	----	0.233	- 0.034	.0243	----	----	----	----	1 UNCH
5050	----	----	----	0.169B/*0.325A	----	0.239	- 0.036	.0249	----	----	----	----	16 UNCH
5075	----	----	----	0.173B/*0.333A	----	0.245	- 0.038	.0256	----	----	----	----	11 UNCH
5100	----	----	----	0.199B/*0.342A	----	0.251	- 0.041	.0262	----	----	----	----	176 UNCH
5150	----	----	----	0.195B/*0.359A	----	0.264	- 0.046	.0277	----	----	----	----	5 UNCH
5175	----	----	----	0.205B/*0.367A	----	0.271	- 0.048	.0284	----	----	----	----	5 UNCH
5200	----	----	----	0.231B/*0.375A	----	0.279	- 0.050	.0293	----	----	----	----	86 UNCH
5225	----	----	----	0.220B/*0.384A	----	0.286	- 0.053	.0300	----	----	----	----	9 UNCH
5250	----	----	----	0.234B/*0.393A	----	0.294	- 0.055	.0309	----	----	----	----	250 UNCH
5275	----	----	----	0.239B/*0.403A	----	0.303	- 0.057	.0318	----	----	----	----	2 UNCH
5300	----	----	----	0.269B/*0.412A	----	0.311	- 0.061	.0327	----	----	----	----	125 UNCH
5325	----	----	----	0.259B/*0.421A	----	0.320	- 0.063	.0336	----	----	----	----	11 UNCH
5350	----	----	----	0.269B/*0.431A	----	0.329	- 0.067	.0346	----	----	----	----	26 UNCH
5375	----	----	----	0.280B/*0.442A	----	0.338	- 0.070	.0355	----	----	----	----	17 UNCH
5400	----	----	----	0.314B/*0.452A	----	0.348	- 0.073	.0365	----	----	----	----	75 UNCH
5425	----	----	----	0.305B/*0.463A	----	0.358	- 0.077	.0376	----	----	----	----	49 UNCH
5450	----	----	----	0.318B/*0.474A	----	0.369	- 0.080	.0387	----	----	----	----	38 UNCH
5475	----	----	----	0.329B/*0.486A	----	0.380	- 0.083	.0398	----	----	----	----	53 UNCH
5500	----	----	----	0.366B/*0.497A	----	0.391	- 0.087	.0410	----	----	2	----	883 UNCH
5525	----	----	----	0.362B/*0.510A	----	0.402	- 0.092	.0421	----	----	----	----	72 UNCH
5550	----	----	----	0.374B/*0.523A	----	0.414	- 0.096	.0433	----	----	----	----	13 UNCH
5575	----	----	----	0.385B/*0.531A	----	0.427	- 0.100	.0446	----	----	----	----	3 UNCH
5600	----	----	----	0.400B/*0.545A	----	0.440	- 0.104	.0459	----	----	----	----	13 UNCH
5625	----	----	----/*0.558A	0.415B/*0.558A	----	0.453	- 0.109	.0472	----	----	----	----	3 UNCH
5650	----	----	----/*0.573A	0.430B/*0.573A	----	0.467	- 0.113	.0486	----	----	----	----	29 UNCH
5675	----	----	----/*0.586A	0.448B/*0.586A	----	0.481	- 0.119	.0500	----	----	----	----	45 UNCH
5700	----	----	----/*0.602A	0.496B/*0.602A	----	0.496	- 0.123	.0515	----	----	----	----	297 UNCH
5725	----	----	----/*0.617A	0.484B/*0.617A	----	0.511	- 0.129	.0530	----	----	----	----	3 UNCH
5750	----	----	----/*0.634A	0.504B/*0.634A	----	0.527	- 0.134	.0545	----	----	----	----	52 UNCH
5775	----	----	----/*0.649A	0.523B/*0.649A	----	0.543	- 0.140	.0561	----	----	----	----	2 UNCH
5800	----	----	----/*0.666A	0.544B/*0.666A	----	0.560	- 0.146	.0577	----	----	----	----	20 UNCH
5825	----	----	----/*0.683A	0.566B/*0.683A	----	0.577	- 0.152	.0594	----	----	----	----	2 UNCH
5850	----	----	----/*0.700A	0.600B/*0.700A	----	0.595	- 0.158	.0611	----	----	----	----	114 UNCH
5875	----	----	----/*0.719A	0.608B/*0.719A	----	0.614	- 0.164	.0629	----	----	----	----	3 UNCH
5900	----	----	----/*0.737A	0.632B/*0.737A	----	0.633	- 0.171	.0647	----	----	----	----	6 UNCH
5950	----	----	----/*0.777A	0.683B/*0.777A	----	0.673	- 0.185	.0685	----	----	----	----	2 UNCH
5975	----	----	----/*0.797A	0.704B/*0.797A	----	0.694	- 0.192	.0705	----	----	----	----	1 UNCH
6000	0.893	0.893	0.893/*0.818A	0.893/*0.818A	----	0.716	- 0.199	.0725	----	----	26	----	588 - 14
6100	----	----	----/*0.909A	0.892B/*0.909A	----	0.809	- 0.232	.0810	----	----	----	----	288 UNCH
6125	----	----	----/*0.932A	0.877B/*0.932A	----	0.834	- 0.241	.0833	----	----	----	----	1 UNCH
6200	----	----	----/*1.001A	0.957B/*1.001A	----	0.914	- 0.269	.0904	----	----	----	----	8 UNCH
6250	----	----	----/*1.211A	0.913B/*1.211A	----	0.971	- 0.289	.0954	----	----	----	----	13 UNCH
6275	----	----	----/*1.242A	0.953B/*1.242A	----	1.001	- 0.299	.0980	----	----	----	----	1 UNCH
6300	----	----	----/*1.174A	1.173B/*1.174A	----	1.031	- 0.310	.1006	----	----	1	----	219 + 1
6325	----	----	----/*1.306A	1.019B/*1.306A	----	1.063	- 0.321	.1034	----	----	----	----	20 UNCH
6375	----	----	----/*1.375A	1.255B/*1.375A	----	1.128	- 0.344	.1089	----	----	----	----	1 UNCH
6400	----	----	----/*1.411A	1.190B/*1.411A	----	1.162	- 0.356	.1118	----	----	----	----	57 UNCH
6500	----	----	----/*1.483A	1.541B/*1.483A	----	1.308	- 0.407	.1239	----	----	2	----	698 UNCH
6550	----	----	----/*1.644A	1.432B/*1.644A	----	1.386	- 0.435	.1303	----	----	----	----	59 UNCH
6600	----	----	----/*1.728A	1.582B/*1.728A	----	1.468	- 0.464	.1369	----	----	----	----	2 UNCH
6650	----	----	----/*1.751A	1.834B/*1.751A	----	1.555	- 0.494	.1437	----	----	----	----	120 UNCH
6700	1.800	1.800	1.800/*1.800	1.980B/*1.800	----	1.645	- 0.526	.1508	----	----	13	----	94 + 12
6750	----	----	----/*2.010A	1.880B/*2.010A	----	1.741	- 0.558	.1581	----	----	----	----	26 UNCH
6800	----	----	----/*2.033A	2.230B/*2.033A	----	1.841	- 0.591	.1657	----	----	----	----	258 UNCH
6900	----	----	----/*2.230A	2.326B/*2.230A	----	2.055	- 0.663	.1815	----	----	----	----	17 UNCH
7000	2.368	2.368	2.368/2.362A	2.829B/2.362A	----	2.292	- 0.736	.1983	----	----	6	----	593 + 2
7025	2.367	2.367	2.367/*2.367	2.874B/*2.367	----	2.354	- 0.756	.2026	----	----	3	----	128 + 1
7050	----	----	----/*2.647A	2.727B/*2.647A	----	2.418	- 0.775	.2070	----	----	----	----	1 UNCH
7100	----	----	----/*2.683A	2.946B/*2.683A	----	2.551	- 0.813	.2159	----	----	12	----	16 + 12
7125	----	----	----/*2.846A	2.979B/2.846A	----	2.620	- 0.832	.2205	----	----	----	----	9 UNCH
7150	----	----	----/*2.919A	3.066B/2.919A	----	2.690	- 0.852	.2251	----	----	----	----	1 UNCH
7200	3.317	3.317	3.317/*2.943A	3.317/*2.943A	----	2.836	- 0.891	.2345	----	----	34	----	49 + 8
7250	2.880	2.880	2.880/*2.829	3.695B/*2.829	----	2.989	- 0.929	.2442	----	----	18	----	180 + 11
7300	----	----	----/3.313A	3.689B/3.313A	----	3.148	- 0.968	.2540	----	----	----	----	25 UNCH
7375	3.400	3.400	3.400/3.325	4.204B/3.325	----	3.401	- 1.025	.2690	----	----	6	----	157 UNCH
7400	3.441	3.441	3.441/3.441	4.097B/3.441	----	3.489	- 1.043	.2741	----	----	2	----	22 - 2
7450	----	----	----/3.863A	4.256B/3.863A	----	3.671	- 1.080	.2844	----	----	----	----	1 UNCH
7500	4.027	4.027	4.027/3.703	4.531B/3.703	----	3.861	- 1.116	.2949	----	----	25	----	49 + 3
7525	----	----	----/4.127A	4.589B/4.127A	----	3.958	- 1.134	.3002	----	----	23	----	25 + 23
7550	----	----	----/4.235A	4.704B/4.235A	----	4.058	- 1.151	.3055	----	----	----	----	7 UNCH
7600	----	----	----/4.432A	4.996B/4.432A	----	4.263	- 1.185	.3162	----	----	----	----	3 UNCH
7625	4.458	4.458	4.458/4.407A	5.058B/4.407A	----	4.369	- 1.201	.3215	----	----	2	----	2 + 1
7700	4.785	4.785	4.785/4.704A	5.500B/4.704A	----	4.697	- 1.250	.3377	----	----	2	----	5 + 2
7800	5.334	5.334	5.334/5.126A	6.333B/5.126A	----	5.160	- 1.314	.3595	----	----	2	----	73 - 2
7825	----	----	----/5.403A	6.085B/5.403A	----	5.281	- 1.329	.3649	----	----	----	----	6 UNCH
7850	5.062	5.062	5.062/5.061	6.221B/5.061	----	5.403	- 1.344	.3703	----	----	5	----	6 + 5
7900	----	----	----/5.756A	6.583B/5.756A	----	5.653	- 1.374	.3812	----	----	----	----	11 UNCH
7975	----	----	----/6.123A	6.938B/6.123A	----	6.041	- 1.418	.3975	----	----	----	----	5 UNCH
8000	6.300	6.300	6.333/5.900	7.475B/5.900	----	6.174	- 1.433	.4029	----	----	11	----	296 + 2
8100	----	----	----/6.674A	7.781B/6.674A	----	6.721	- 1.491	.4243	----	----	----	25	44 + 19
8125	----	----	----/6.865A	7.857B/6.865A	----	6.862	- 1.505	.4296	----	----	----	----	4 UNCH
8175	----	----	----/7.100A	8.176B/7.100A	----	7.149	- 1.532	.4401	----	----	----	----	3 UNCH
8225	----	----	----/7.390A	8.502B/7.390A	----	7.441	- 1.561	.4506	----	----	----	----	1 UNCH
8250	----	----	----/7.484A	8.667B/7.484A	----	7.589	- 1.576	.4558	----	----	----	----	46 UNCH
8300	----	----	----/7.636A	9.396B/7.636A	----	7.890	- 1.604	.4661	----	----	----	----	124 UNCH
8375	----	----	----/8.235A	9.331B/8.235A	----	8.351	- 1.647	.4813	----	----	----	----	3 UNCH
8400	----	----	----/8.374A	9.555B/8.374A	----	8.507	- 1.662	.4863	----	----	----	----	7 UNCH
8500	----	----	----/8.812A	9.913B/8.812A	----	9.145	- 1.720	.5060	----	----	----	----	57 UNCH
8575	9.197	9.197	9.197/9.197	10.423B/9.197	----	9.635	NEW	.5205	----	----	3	----	3 + 3
8600	----	----	----/9.372A	10.618B/9.372A	----	9.801	- 1.780	.5252	----	----	----	----	56 UNCH
8700	----	----	----/10.169A	11.296B/10.169A	----	10.475	- 1.841	.5439	----	----	----	----	4 UNCH
9000	----	----	----/12.051A	13.292B/12.051A	----	12.601	- 2.019	.5963	----	----	----	----	307 UNCH
9200	----	----	----/13.642A	14.582B/13.642A	----	14.100	- 2.129	.6282	----	----	----	----	11 UNCH
9400	----	----	----/15.207A	16.199B/15.207A	----	15.659	- 2.226	.6575	----	----	----	----	1 UNCH
9450	----	----	----/15.597A	16.607B/15.597A	----	16.057	- 2.249	.6644	----	----	----	----	12 UNCH
9500	----	----	----/15.836A	17.124B/15.836A	----	16.459	- 2.270	.6711	----	----	----	----	218 UNCH
9600	----	----	----/16.633A	17.961B/16.633A	----	17.273	- 2.309	.6842	----	----	----	----	50 UNCH
9900	----	----	----/19.239A	20.422B/19.239A	----	19.786	- 2.404	.7193	----	----	----	----	6 UNCH
9950	----	----	----/19.657A	20.856B/19.657A	----	20.214	- 2.417	.7247	----	----	----	----	5 UNCH
10000	----	----	----/19.883A	21.393B/19.883A	----	20.645	- 2.428	.7299	----	----	----	----	205 UNCH
10275	----	----	----/22.408A	23.723B/22.408A	----	23.049	- 2.482	.7562	----	----	----	----	7 UNCH
10500	----	----	----/24.359A	25.744B/24.359A	----	25.054	- 2.516	.7753	----	----	----	----	3 UNCH
10600	----	----	----/25.236A	26.651B/25.236A	----	25.954	- 2.529	.7831	----	----	----	----	9 UNCH
11000	----	----	----/28.657A	30.426B/28.657A	----	29.594	- 2.584	.8113	----	----	----	----	217 UNCH
11300	----	----	----/31.542A	33.125B/31.542A	----	32.358	- 2.627	.8299	----	----	----	----	10 UNCH
11500	----	----	----/33.387A	35.009B/33.387A	----	34.215	- 2.656	.8410	----	----	----	----	1 UNCH
12000	----	----	----/38.052A	39.766B/38.052A	----	38.907	- 2.725	.8654	----	----	----	----	15 UNCH
13000	----	----	----/47.543A	49.412B/47.543A	----	48.469	- 2.832	.9006	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
TOTAL										206	25	10559 + 88
AUG26												
3300	----	----	----	0.001B/0.385A	----	0.049 -	0.014 .0042	----	----	----	----	2 UNCH
3900	----	----	----	0.049B/*0.206A	----	0.112 -	0.031 .0098	----	----	----	----	2 UNCH
4175	----	----	----	0.083B/*0.256A	----	0.152 -	0.042 .0134	----	----	----	----	1 UNCH
4300	----	----	----	0.109B/*0.282A	----	0.173 -	0.050 .0153	----	----	----	----	1 UNCH
4350	----	----	----	0.119B/*0.294A	----	0.183 -	0.052 .0162	----	----	----	----	1 UNCH
4375	----	----	----	0.121B/*0.295A	----	0.188 -	0.053 .0167	----	----	----	----	160 UNCH
4400	----	----	----	0.129B/*0.308A	----	0.193 -	0.055 .0171	----	----	----	----	1 UNCH
4500	----	----	----	0.152B/*0.334A	----	0.215 -	0.061 .0191	----	----	----	----	2 UNCH
4600	----	----	----	0.178B/*0.362A	----	0.239 -	0.068 .0213	----	----	----	----	4 UNCH
4625	----	----	----	0.180B/*0.370A	----	0.246 -	0.070 .0219	----	----	----	----	1 UNCH
4700	----	----	----	0.207B/*0.393A	----	0.266 -	0.076 .0238	----	----	----	----	1 UNCH
4775	----	----	----	0.232B/*0.419A	----	0.288 -	0.083 .0257	----	----	----	----	1 UNCH
4800	----	----	----	0.240B/0.430A	----	0.296 -	0.085 .0264	----	----	----	----	16 UNCH
4825	----	----	----	0.245B/*0.439A	----	0.304 -	0.087 .0272	----	----	----	----	1 UNCH
5000	----	----	----	0.319B/*0.512A	----	0.368 -	0.105 .0328	----	----	----	----	14 UNCH
5275	----	----	----	0.473B/*0.657A	----	0.500 -	0.141 .0441	----	----	----	----	1 UNCH
5300	----	----	----	0.490B/*0.666A	----	0.514 -	0.145 .0453	----	----	----	----	1 UNCH
5500	----	----	----/*0.803A	0.647B/*0.803A	----	0.644 -	0.179 .0559	----	----	----	----	25 UNCH
5675	----	----	----/*0.948A	0.817B/*0.948A	----	0.784 -	0.215 .0670	----	----	----	----	9 UNCH
5800	----	----	----/*1.068A	0.964B/*1.068A	----	0.903 -	0.244 .0762	----	----	----	----	4 UNCH
5850	----	----	----/*1.120A	1.033B/*1.120A	----	0.955 -	0.257 .0801	----	----	----	----	2 UNCH
5875	----	----	----/*1.146A	1.139B/*1.146A	----	0.982 -	0.263 .0821	----	----	----	----	4 UNCH
5900	----	----	----/*1.174A	1.103B/*1.174A	----	1.010 -	0.270 .0842	----	----	----	----	5 UNCH
5950	----	----	----/*1.223A	1.175B/*1.223A	----	1.068 -	0.284 .0885	----	----	----	----	10 UNCH
6000	1.300	1.300	1.300/*1.268	1.312B/*1.268	----	1.130 -	0.297 .0929	----	----	32	----	156 + 1
6050	----	----	----/*1.481A	1.295B/*1.481A	----	1.194 -	0.312 .0975	----	----	----	----	1 UNCH
6100	----	----	----/1.573A	1.373B/1.573A	----	1.262 -	0.327 .1023	----	----	----	----	10 UNCH
6150	----	----	----/1.622A	1.444B/1.622A	----	1.333 -	0.344 .1073	----	----	----	----	1 UNCH
6200	----	----	----/1.692A	1.537B/1.692A	----	1.408 -	0.360 .1125	----	----	----	----	1 UNCH
6500	----	----	----/2.298A	2.053B/2.298A	----	1.941 -	0.472 .1472	----	----	----	----	156 UNCH
6600	----	----	----/2.578A	2.289B/2.578A	----	2.154 -	0.513 .1603	----	----	----	----	13 UNCH
6725	----	----	----/*2.513A	2.546B/*2.513A	----	2.447 -	0.567 .1775	----	----	----	----	7 UNCH
6825	----	----	----/*2.758A	2.793B/*2.758A	----	2.703 -	0.614 .1920	----	----	----	----	7 UNCH
6900	----	----	----/2.955A	2.949B/2.955A	----	2.909 -	0.650 .2033	----	----	----	----	1 UNCH
6950	----	----	----/3.092A	3.073B/3.092A	----	3.053 -	0.675 .2110	----	----	----	----	1 UNCH
6975	----	----	----/*3.163A	3.154B/*3.163A	----	3.127 -	0.687 .2149	----	----	----	----	1 UNCH
7000	----	----	----/3.237A	3.202B/3.237A	----	3.203 -	0.699 .2189	----	----	----	----	7 UNCH
7050	----	----	----/3.385A	3.366B/3.385A	----	3.358 -	0.725 .2269	----	----	----	----	1 UNCH
7100	----	----	----/3.539A	3.494B/3.539A	----	3.519 -	0.750 .2350	----	----	----	----	2 UNCH
7200	----	----	----/3.863A	3.876B/3.863A	----	3.857 -	0.803 .2515	----	----	----	----	1 UNCH
7225	----	----	----/*3.949A	3.967B/*3.949A	----	3.942 -	0.824 .2557	----	----	----	----	2 UNCH
7300	----	----	----/4.207A	4.250B/4.207A	----	4.207 -	0.887 .2683	----	----	----	----	1 UNCH
7350	----	----	----/4.392A	4.446B/4.392A	----	4.389 -	0.931 .2768	----	----	----	----	6 UNCH
7400	----	----	----/4.578A	4.630B/4.578A	----	4.576 -	0.974 .2853	----	----	----	----	4 UNCH
7500	----	----	----/4.971A	5.071B/4.971A	----	4.966 -	1.062 .3027	----	----	----	----	6 UNCH
7550	----	----	----/5.180A	5.296B/5.180A	----	5.169 -	1.106 .3115	----	----	----	----	5 UNCH
7600	----	----	----/5.388A	5.531B/5.388A	----	5.378 -	1.149 .3204	----	----	----	----	4 UNCH
7700	----	----	----/5.824A	6.020B/5.824A	----	5.812 -	1.235 .3382	----	----	----	----	18 UNCH
7950	----	----	----/7.025A	7.341B/7.025A	----	7.001 -	1.437 .3832	----	----	----	----	4 UNCH
7975	----	----	----/7.152A	7.345B/7.152A	----	7.128 -	1.456 .3877	----	----	----	----	1 UNCH
8000	----	----	----/7.280A	7.623B/7.280A	----	7.257 -	1.474 .3922	----	----	----	----	20 UNCH
8150	----	----	----/8.080A	8.499B/8.080A	----	8.066 -	1.576 .4191	----	----	----	----	10 UNCH
8200	----	----	----/8.363A	8.802B/8.363A	----	8.349 -	1.606 .4280	----	----	----	----	10 UNCH
8250	----	----	----/8.642A	9.110B/8.642A	----	8.639 -	1.635 .4368	----	----	----	----	5 UNCH
8500	----	----	----/10.133A	10.724B/10.133A	----	10.183 -	1.750 .4793	----	----	----	----	20 UNCH
9000	----	----	----/13.453A	14.274B/13.453A	----	13.679 -	1.877 .5552	----	----	----	----	29 UNCH
9300	----	----	----/15.627A	17.328B/15.627A	----	15.976 -	1.912 .5942	----	----	----	----	1 UNCH
9500	----	----	----/17.143A	18.060B/17.143A	----	17.566 -	1.932 .6177	----	----	----	----	30 UNCH
10000	----	----	----/21.137A	21.684B/21.137A	----	21.686 -	1.987 .6694	----	----	----	----	6 UNCH
10025	----	----	----/21.343A	21.695B/21.343A	----	21.897	NEW .6718	----	----	1	----	1 + 1
10175	----	----	----/22.816A	23.084B/22.816A	----	23.168 -	2.010 .6854	----	----	----	----	15 UNCH
TOTAL										33	0	833 + 2
SEP26												
2500	----	----	----	0.001B/3.266A	----	0.016 -	0.001 .0013	----	----	----	----	60 UNCH
3000	----	----	----	0.001B/3.370A	----	0.042 -	0.004 .0034	----	----	----	----	22 UNCH
3500	----	----	----	0.033B/*0.130A	----	0.096 -	0.011 .0077	----	----	----	----	74 UNCH
4000	----	----	----	0.118B/*0.316A	----	0.202 -	0.025 .0157	----	----	----	----	46 UNCH
4500	----	----	----	0.257B/*0.474A	----	0.349 -	0.055 .0271	----	----	----	----	12 UNCH
5000	----	----	----	0.508B/*0.729A	----	0.585 -	0.109 .0447	----	----	----	----	232 UNCH
5100	----	----	----	0.580B/*0.796A	----	0.649 -	0.123 .0493	----	----	----	----	1 UNCH
5500	----	----	----/*1.130A	0.966B/*1.130A	----	0.981 -	0.204 .0723	----	----	----	----	227 UNCH
5600	----	----	----/*1.235A	1.090B/*1.235A	----	1.086 -	0.231 .0793	----	----	----	----	1 UNCH
5700	----	----	----/1.350A	1.228B/1.350A	----	1.203 -	0.259 .0868	----	----	----	----	2 UNCH
5800	1.200	1.200	1.200/*1.200	1.361B/*1.200	----	1.331 -	0.291 .0949	----	----	2	----	8 + 1
5900	----	----	----	1.185B/2.014A	----	1.472 -	0.324 .1036	----	----	----	----	50 UNCH
6000	----	----	----/1.887A	1.368B/1.887A	----	1.626 -	0.360 .1129	----	----	----	----	128 UNCH
6050	----	----	----	1.469B/2.217A	----	1.708 -	0.380 .1178	----	----	----	----	15 UNCH
6200	----	----	----	1.786B/2.476A	----	1.977 -	0.441 .1332	----	----	----	----	40 UNCH
6300	----	----	----/2.396A	1.995B/2.396A	----	2.175 -	0.485 .1442	----	----	----	----	5 UNCH
6400	----	----	----/2.512A	2.221B/2.512A	----	2.390 -	0.532 .1558	----	----	----	----	1 UNCH
6425	----	----	----/*2.923A	2.280B/2.923A	----	2.446 -	0.544 .1588	----	----	----	----	2 UNCH
6500	----	----	----/3.095A	2.465B/3.095A	----	2.622 -	0.581 .1679	----	----	----	----	55 UNCH
6550	----	----	----/3.232A	2.594B/3.232A	----	2.744 -	0.606 .1742	----	----	----	----	15 UNCH
6800	3.700	3.700	3.700/3.700	3.700/3.700	----	3.425 -	0.741 .2073	----	----	1	----	5 + 1
6900	----	----	----/4.227A	3.633B/4.227A	----	3.731 -	0.797 .2214	----	----	----	----	1 UNCH
7000	----	----	----/4.586A	3.943B/4.586A	----	4.057 -	0.855 .2358	----	----	----	----	16 UNCH
7025	----	----	----/*4.672A	4.031B/4.672A	----	4.141 -	0.870 .2395	----	----	----	----	1 UNCH
7100	----	----	----/4.938A	4.338B/4.938A	----	4.402 -	0.914 .2506	----	----	----	----	16 UNCH
7125	----	----	----/5.029A	4.432B/5.029A	----	4.492 -	0.929 .2543	----	----	----	----	25 UNCH
7175	----	----	----/5.214A	4.625B/5.214A	----	4.674 -	0.959 .2619	----	----	----	----	20 UNCH
7200	----	----	----/5.309A	4.723B/5.309A	----	4.768 -	0.974 .2657	----	----	----	----	50 UNCH
7400	----	----	----/6.095A	5.555B/6.095A	----	5.560 -	1.094 .2966	----	----	----	----	20 UNCH
7500	----	----	----/6.515A	6.003B/6.515A	----	5.986 -	1.155 .3123	----	----	----	----	3 UNCH
7550	----	----	----/6.717A	6.236B/6.717A	----	6.207 -	1.185 .3202	----	----	----	----	2 UNCH
7700	----	----	----/7.388A	6.976B/7.388A	----	6.901 -	1.274 .3440	----	----	----	----	1 UNCH
7800	----	----	----/7.857A	7.506B/7.857A	----	7.388 -	1.333 .3599	----	----	----	----	4 UNCH
7900	----	----	----/8.346A	8.057B/8.346A	----	7.896 -	1.390 .3758	----	----	----	----	1 UNCH
8000	----	----	----/8.861A	8.628B/8.861A	----	8.423 -	1.447 .3917	----	----	----	----	40 UNCH
8100	----	----	----/9.389A	9.218B/9.389A	----	8.970 -	1.501 .4074	----	----	----	----	1 UNCH
8200	----	----	----/9.938A	9.827B/9.938A	----	9.536 -	1.554 .4230	----	----	----	----	1 UNCH
8500	----	----	----/11.696A	11.761B/11.696A	----	11.344 -	1.703 .4684	----	----	----	----	225 UNCH
8700	----	----	----/12.964A	13.132B/12.964A	----	12.636 -	1.792 .4972	----	----	----	----	100 UNCH
9000	----	----	----/14.980A	15.295B/14.980A	----	14.693 -	1.911 .5378	----	----	----	----	74 UNCH
9300	----	----	----/17.119A	17.567B/17.119A	----	16.878 -	2.012 .5752	----	----	----	----	1 UNCH
9400	----	----	----/17.817A	18.346B/17.817A	----	17.632 -	2.043 .5869	----	----	----	----	1 UNCH
10150	----	----	----/23.670A	24.145B/23.670A	----	23.626 -	2.223 .6628	----	----	----	----	1 UNCH
10300	----	----	----/24.900A	25.357B/24.900A	----	24.885 -	2.250 .6756	----	----	----	----	1 UNCH
TOTAL										3	0	1606 + 2
OCT26												
2675	----	----	----	0.001B/3.528A	----	0.033 -	0.005 .0025	----	----	----	----	8 UNCH
3250	----	----	----	0.001B/0.500A	----	0.076 -	0.012 .0059	----	----	----	----	1 UNCH
4000	----	----	----	0.171B/0.401A	----	0.221 -	0.035 .0165	----	----	----	----	3 UNCH
4500	----	----	----	0.347B/*0.601A	----	0.448 -	0.072 .0315	----	----	----	----	3 UNCH
5000	----	----	----/*0.915A	0.667B/*0.915A	----	0.769 -	0.152 .0521	----	----	----	----	6 UNCH
5050	----	----	----/*0.954A	0.710B/*0.954A	----	0.809 -	0.162 .0546	----	----	----	----	1 UNCH
5150	----	----	----/*1.039A	0.803B/*1.039A	----	0.895 -	0.183 .0598	----	----	----	----	5 UNCH
6500	----	----	----/3.603A	2.859B/3.603A	----	3.065 -	0.683 .1740	----	----	----	----	6 UNCH
7000	----	----	----/5.176A	4.444B/5.176A	----	4.557 -	0.941 .2368	----	----	----	----	85 UNCH
7225	----	----	----/6.007A	5.315B/6.007A	----	5.381 -	1.060 .2676	----	----	----	----	87 UNCH
7500	----	----	----/7.165A	6.514B/7.165A	----	6.525 -	1.202 .3066	----	----	----	----	10 UNCH
7950	----	----	----/9.295A	8.801B/9.295A	----	8.725 -	1.413 .3715	----	----	----	----	10 UNCH
8200	----	----	----/10.633A	10.272B/10.633A	----	10.120 -	1.515 .4070	----	----	----	----	6 UNCH
8375	----	----	----/11.760A	11.245B/11.760A	----	11.168 -	1.576 .4312	----	----	----	----	1 UNCH
9100	----	----	----/16.275A	16.366B/16.275A	----	16.043 -	1.773 .5221	----	----	----	----	1 UNCH
10000	----	----	----/22.924A	23.381B/22.924A	----	22.937 -	1.971 .6127	----	----	----	----	40 UNCH
TOTAL											0	273 0
NOV26												
4500	----	----	----	0.477B/0.763A	----	0.585 -	0.095 .0376	----	----	----	----	2 UNCH
4550	----	----	----	0.508B/*0.795A	----	0.622 -	0.102 .0397	----	----	----	----	1 UNCH
4800	----	----	----	0.693B/*0.976A	----	0.828 -	0.148 .0513	----	----	----	----	1 UNCH
5000	----	----	----/*1.151A	0.881B/*1.151A	----	1.027 -	0.191 .0620	----	----	----	----	12 UNCH
5200	----	----	----/*1.351A	1.110B/*1.351A	----	1.258 -	0.243 .0742	----	----	----	----	1 UNCH
5950	----	----	----/2.935A	1.995B/2.935A	----	2.473 -	0.501 .1325	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 65

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
NOV26												
6700	----	----	----/4.891A	4.016B/4.891A	----	4.386 -	0.843 .2109	----	----	----	----	50 UNCH
7000	----	----	----/5.670A	5.094B/5.670A	----	5.390 -	0.991 .2471	----	----	----	----	40 UNCH
7025	----	----	----/*6.046A	5.192B/6.046A	----	5.480 -	1.004 .2502	----	----	----	----	6 UNCH
7500	----	----	----/8.073A	7.261B/8.073A	----	7.408 -	1.234 .3113	----	----	----	----	3 UNCH
7700	----	----	----/9.001A	8.256B/9.001A	----	8.343 -	1.325 .3378	----	----	----	----	50 UNCH
8500	----	----	----/13.394A	12.983B/13.394A	----	12.832 -	1.624 .4416	----	----	----	----	60 UNCH
9000	----	----	----/16.627A	16.441B/16.627A	----	16.206 -	1.747 .4994	----	----	----	----	5 UNCH
9050	----	----	----/16.963A	16.803B/16.963A	----	16.563 -	1.757 .5048	----	----	----	----	3 UNCH
10000	----	----	----/23.957A	24.128B/23.957A	----	23.841 -	1.910 .5938	----	----	----	----	1 UNCH
11000	----	----	----/32.044A	32.183B/32.044A	----	32.133 -	2.060 .6661	----	----	----	----	1 UNCH
TOTAL											0	237 0
DEC26												
1500	----	----	----	----/0.085A	----	0.009 -	0.001 .0005	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/4.010A	----	0.031 -	0.003 .0019	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/4.134A	----	0.056 -	0.007 .0036	----	----	----	----	32 UNCH
3000	----	----	----	0.015B/0.308A	----	0.102 -	0.013 .0068	----	----	----	----	93 UNCH
3100	----	----	----	0.030B/0.334A	----	0.115 -	0.014 .0077	----	----	----	----	1 UNCH
3150	----	----	----	0.032B/0.347A	----	0.127 -	0.015 .0085	----	----	----	----	1 UNCH
3500	----	----	----	0.099B/0.451A	----	0.236 -	0.029 .0149	----	----	----	----	45 UNCH
3850	----	----	----	0.203B/0.589A	----	0.386 -	0.050 .0234	----	----	----	----	1 UNCH
3900	----	----	----	0.221B/0.612A	----	0.409 -	0.055 .0247	----	----	----	----	1 UNCH
3925	----	----	----	0.231B/0.623A	----	0.421 -	0.057 .0254	----	----	----	----	1 UNCH
4000	----	----	----	0.262B/0.658A	----	0.458 -	0.064 .0275	----	----	4	----	78 + 4
4500	----	----	----	0.547B/0.966A	----	0.773 -	0.124 .0449	----	----	4	----	32 UNCH
4600	----	----	----	0.624B/1.043A	----	0.852 -	0.139 .0491	----	----	----	----	4 UNCH
4800	----	----	----	0.803B/1.218A	----	1.028 -	0.175 .0584	----	----	----	----	241 UNCH
5000	----	----	----/1.422A	1.019B/1.422A	----	1.232 -	0.215 .0690	----	----	----	----	357 UNCH
5250	----	----	----/*1.724A	1.356B/*1.724A	----	1.533 -	0.274 .0840	----	----	----	----	50 UNCH
5300	----	----	----/*1.791A	1.389B/*1.791A	----	1.600 -	0.287 .0872	----	----	----	----	250 UNCH
5400	----	----	----	1.020B/2.554A	----	1.741 -	0.314 .0940	----	----	----	----	100 UNCH
5500	----	----	----	1.197B/2.724A	----	1.893 -	0.342 .1012	----	----	----	----	109 UNCH
5600	----	----	----	1.387B/2.879A	----	2.055 -	0.372 .1088	----	----	----	----	4 UNCH
5650	----	----	----	1.490B/2.968A	----	2.140 -	0.389 .1127	----	----	----	----	12 UNCH
5800	----	----	----	1.824B/3.238A	----	2.416 -	0.437 .1250	----	----	----	----	1 UNCH
5950	----	----	----	2.201B/3.525A	----	2.720 -	0.490 .1382	----	----	----	----	5 UNCH
6000	----	----	----	2.313B/3.638A	----	2.829 -	0.508 .1428	----	----	----	----	147 UNCH
6200	----	----	----	2.794B/4.094A	----	3.301 -	0.584 .1621	----	----	----	----	13 UNCH
6300	----	----	----	3.066B/4.380A	----	3.561 -	0.624 .1722	----	----	----	----	25 UNCH
6500	----	----	----/4.590A	3.645B/4.590A	----	4.132 -	0.707 .1936	----	----	----	----	626 UNCH
6650	----	----	----	4.134B/5.449A	----	4.607 -	0.772 .2105	----	----	----	----	5 UNCH
6725	----	----	----	4.393B/5.760A	----	4.860 -	0.804 .2192	----	----	----	----	4 UNCH
6750	----	----	----	4.481B/5.791A	----	4.946 -	0.815 .2221	----	----	----	----	6 UNCH
6800	----	----	----	4.657B/5.962A	----	5.123 -	0.837 .2279	----	----	----	----	59 UNCH
6850	----	----	----/5.700A	4.851B/5.700A	----	5.304 -	0.859 .2339	----	----	----	----	78 UNCH
6900	----	----	----/6.316A	5.049B/6.316A	----	5.489 -	0.881 .2398	----	----	----	----	1 UNCH
6950	----	----	----/6.484A	5.252B/6.484A	----	5.679 -	0.903 .2458	----	----	----	----	101 UNCH
7000	----	----	----/6.260A	5.460B/6.260A	----	5.874 -	0.925 .2519	----	----	----	48	179 UNCH
7050	----	----	----/6.862A	5.671B/6.862A	----	6.073 -	0.947 .2580	----	----	----	----	1 UNCH
7075	----	----	----/*7.095A	5.733B/7.095A	----	6.174 -	0.958 .2610	----	----	----	----	20 UNCH
7100	----	----	----/7.074A	5.887B/7.074A	----	6.276 -	0.969 .2641	----	----	----	----	2 UNCH
7200	----	----	----/7.477A	6.335B/7.477A	----	6.697 -	1.013 .2764	----	----	----	----	14 UNCH
7250	----	----	----/7.685A	6.565B/7.685A	----	6.914 -	1.034 .2826	----	----	----	----	48 UNCH
7500	----	----	----/8.771A	7.781B/8.771A	----	8.064 -	1.142 .3139	----	----	----	----	22 UNCH
7550	----	----	----/9.001A	8.037B/9.001A	----	8.308 -	1.162 .3201	----	----	----	----	1 UNCH
7800	----	----	----/10.224A	9.379B/10.224A	----	9.588 -	1.263 .3513	----	----	----	----	20 UNCH
7850	----	----	----/10.485A	9.660B/10.485A	----	9.856 -	1.283 .3575	----	----	----	----	10 UNCH
7875	----	----	----/10.935A	9.611B/10.935A	----	9.992 -	1.293 .3606	----	----	----	----	1 UNCH
7900	----	----	----/10.744A	9.944B/10.744A	----	10.129 -	1.302 .3637	----	----	----	----	19 UNCH
8000	----	----	----/11.277A	10.526B/11.277A	----	10.686 -	1.341 .3760	----	----	----	----	50 UNCH
8100	----	----	----/11.826A	11.122B/11.826A	----	11.259 -	1.378 .3882	----	----	----	----	1 UNCH
8200	----	----	----/12.391A	11.734B/12.391A	----	11.847 -	1.415 .4002	----	----	----	----	35 UNCH
8350	----	----	----/13.269A	12.678B/13.269A	----	12.758 -	1.466 .4181	----	----	----	----	9 UNCH
8400	----	----	----/13.568A	13.000B/13.568A	----	13.068 -	1.484 .4239	----	----	----	----	50 UNCH
8500	----	----	----/14.175A	13.654B/14.175A	----	13.700 -	1.517 .4354	----	----	----	----	166 UNCH
8550	----	----	----/14.488A	13.986B/14.488A	----	14.021	NEW .4410	----	----	----	25	25 + 25
8600	----	----	----/14.794A	14.321B/14.794A	----	14.345 -	1.549 .4466	----	----	----	----	2 UNCH
8800	----	----	----/16.086A	15.692B/16.086A	----	15.675 -	1.610 .4685	----	----	----	----	12 UNCH
8900	----	----	----/16.746A	16.395B/16.746A	----	16.358 -	1.639 .4791	----	----	----	----	30 UNCH
9000	----	----	----/17.418A	17.109B/17.418A	----	17.052 -	1.668 .4895	----	----	----	----	3 UNCH
9050	----	----	----/17.764A	17.470B/17.764A	----	17.403 -	1.682 .4946	----	----	----	----	100 UNCH
9500	----	----	----/20.009A	20.828B/20.009A	----	20.681 -	1.796 .5378	----	----	----	----	2 UNCH
9850	----	----	----/23.575A	23.557B/23.575A	----	23.355 -	1.875 .5683	----	----	----	----	8 UNCH
9950	----	----	----/24.298A	24.354B/24.298A	----	24.135 -	1.898 .5766	----	----	----	----	1 UNCH
10025	----	----	----/*25.467A	24.537B/25.467A	----	24.725 -	1.913 .5826	----	----	----	----	3 UNCH
10125	----	----	----/26.241A	25.339B/26.241A	----	25.518 -	1.933 .5905	----	----	----	----	1 UNCH
10700	----	----	----/30.310A	30.519B/30.310A	----	30.189 -	2.044 .6323	----	----	----	----	5 UNCH
10800	----	----	----/31.080A	30.907B/31.080A	----	31.019 -	2.062 .6390	----	----	----	----	2 UNCH
11000	----	----	----/32.754A	32.531B/32.754A	----	32.694 -	2.097 .6519	----	----	----	----	2 UNCH
11500	----	----	----/37.632A	36.914B/37.632A	----	36.958 -	2.178 .6814	----	----	----	----	1 UNCH
12000	----	----	----/41.966A	40.009B/41.966A	----	41.317 -	2.252 .7076	----	----	----	----	1 UNCH
12100	----	----	----/42.848A	40.704B/42.848A	----	42.199 -	2.265 .7124	----	----	----	----	1 UNCH
12300	----	----	----	12.059B/73.465A	----	43.971 -	2.292 .7219	----	----	----	----	1 UNCH
15000	----	----	----	35.276B/96.250A	----	68.766 -	2.579 .8145	----	----	----	----	1 UNCH
19000	----	----	----	77.818B/131.036A	----	107.134 -	2.848 .8855	----	----	----	----	1 UNCH
TOTAL										8	73	3523 + 29
JAN27												
3800	----	----	----	0.133B/0.768A	----	0.315 -	0.085 .0197	----	----	----	----	1 UNCH
7125	----	----	----	5.786B/*8.301A	----	6.785 -	1.015 .2636	----	----	----	----	1 UNCH
8600	----	----	----/*15.226A	14.606B/*15.226A	----	14.791 -	1.565 .4315	----	----	----	----	1 UNCH
TOTAL											0	3 0
FEB27												
8150	----	----	----/*13.224A	12.302B/*13.224A	----	12.484 -	1.467 .3808	----	----	----	----	10 UNCH
8225	----	----	----	11.903B/*14.688A	----	12.926 -	1.492 .3889	----	----	----	----	10 UNCH
8250	----	----	----/*13.798A	12.918B/*13.798A	----	13.076 -	1.500 .3916	----	----	----	----	10 UNCH
TOTAL											0	30 0
MAR27												
6500	----	----	----	4.203B/*6.922A	----	5.336 -	0.804 .2045	----	----	----	----	20 UNCH
8300	----	----	----	12.838B/15.826A	----	13.932 -	1.525 .3944	----	----	----	----	50 UNCH
TOTAL											0	70 0
APR27												
4000	----	----	----	----	----	0.850 -	0.145 .0398	----	----	----	----	1 UNCH
TOTAL											0	1 0
DEC27												
7175	----	----	----	----	----	12.053 -	0.882 .2669	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
MAY26												
8000	----	----	----/2.968A	3.053B/2.968A	----	4.382 +	1.260 .6473	----	----	----	----	5 UNCH
8100	----	----	#3.275B/2.583A	3.275B/2.583A	----	3.821	NEW .5944	----	----	1	----	1 + 1
8200	----	----	#3.323B/2.279A	#3.323B/2.279A	----	3.326 +	0.975 .5411	----	----	1	----	2 + 1
9000	----	----	#1.301B/----	#1.301B/0.833A	----	1.146 +	0.355 .2201	----	----	----	----	9 UNCH
TOTAL										2	0	17 + 2
SO1 PUT		SILVER OPTIONS										
MAY26												
6700	----	----	----/*0.297A	0.208B/*0.297A	----	0.233 -	0.132 .0441	----	----	----	----	1 UNCH
7000	0.300	0.300	0.300/*0.300	0.440B/*0.300	----	0.345 -	0.296 .0687	----	----	1	----	2 + 1
7050	----	----	----/*0.470A	0.474B/*0.470A	----	0.367 -	0.343 .0738	----	----	----	----	1 UNCH
TOTAL										1	0	4 + 1
SO2 CALL		SILVER OPTIONS										
MAY26												
7500	----	----	----	0.041B/15.355A	----	8.810	NEW .7904	----	----	3	----	3 + 3
8000	----	----	----/*3.713A	3.834B/*3.713A	----	5.574 +	1.606 .6169	----	----	----	----	2 UNCH
8200	----	----	#4.076B/*2.979A	#4.076B/*2.979A	----	4.605	NEW .5420	----	----	2	----	2 + 2
8300	3.700	3.700	3.751B/*2.673A	3.751B/*2.673A	----	4.185 +	1.314 .5056	----	----	1	----	5 - 1
9000	----	----	#2.005B/*1.346A	#2.005B/*1.346A	----	2.140	NEW .2946	----	----	1	----	1 + 1
9200	----	----	#1.604B/----	#1.604B/*1.128A	----	1.752 +	0.643 .2487	----	----	2	----	4 + 2
10000	----	----	#0.679B/----	#0.679B/*0.593A	----	0.757	NEW .1192	----	----	1	----	1 + 1
TOTAL										10	0	18 + 8

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 66

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO2 PUT		SILVER OPTIONS										
MAY26												
8000	2.947	2.947	2.947/*2.850A	4.446B/*2.850A	----	3.146 NEW	.3829	----	----	10	----	10 + 10
TOTAL										10	0	10 + 10
SO3 CALL		SILVER OPTIONS										
APR26												
7000	----	----	----	----	----	11.842 + 3.092	----	----	----	----	----	0 - 7
7100	----	----	----	----	----	10.842 + 3.079	----	----	----	----	----	0 - 1
7300	----	----	----	----	----	8.842 + 3.043	----	----	----	----	----	0 - 3
7400	----	----	----	----	----	7.842 + 3.020	----	----	----	----	----	0 - 1
7420	----	----	----	----	----	7.642 + 3.014	----	----	----	----	----	0 - 5
7430	----	----	----	----	----	7.542 + 3.010	----	----	----	----	----	0 - 2
7450	----	----	----	----	----	7.342 + 3.003	----	----	----	----	----	0 - 6
7475	----	----	----	----	----	7.092 + 2.992	----	----	----	----	----	0 - 6
7500	4.740	4.740	4.740/4.740	4.740/4.740	----	6.842 + 2.980	----	----	----	1	----	0 - 20
7575	----	----	----	----	----	6.092 + 2.929	----	----	----	----	----	0 - 2
7600	3.830	3.830	3.830/3.830	3.830/3.830	----	5.842 + 2.906	----	----	----	4	----	0 - 16
7625	----	----	----	----	----	5.592 + 2.879	----	----	----	----	----	0 - 4
7630	6.100	6.100	#6.100/6.100	#6.100/6.100	----	5.542 + 2.873	----	----	----	3	----	0 - 3
7650	----	----	----	----	----	5.342 + 2.847	----	----	----	----	----	0 - 5
7680	----	----	----	----	----	5.042 + 2.801	----	----	----	----	----	0 - 2
7750	----	----	----	0.038B/10.754A	----	4.342 + 2.652	----	----	----	----	----	0 - 3
7800	4.157	4.157	#4.157/0.964A	4.157/0.964A	----	3.842 + 2.501	----	----	----	2	----	0 - 7
7825	----	----	----/0.972A	0.828B/0.972A	----	3.592 + 2.409	----	----	----	----	----	0 - 3
7850	0.770	0.770	1.087/0.770	1.087/0.770	----	3.342 + 2.304	----	----	----	4	----	0 - 20
7870	0.545	0.545	0.545/*0.545	0.679B/0.545	----	3.142 + 2.211	----	----	----	3	----	0 - 20
7875	----	----	----/0.760A	0.667B/0.760A	----	3.092 + 2.187	----	----	----	----	----	0 - 5
7900	0.400	0.400	#3.184/*0.400	3.184/*0.400	----	2.842 + 2.057	----	----	----	11	----	0 - 9
7920	----	----	----/0.666A	0.514B/0.666A	----	2.642 + 1.944	----	----	----	----	----	0 - 1
7940	0.451	0.451	0.536B/*0.451	0.536B/0.451	----	2.442 NEW	----	----	----	1	----	0 UNCH
7950	0.490	0.490	0.744/0.490	0.744/0.490	----	2.342 + 1.761	----	----	----	8	----	0 - 8
7975	0.520	0.520	1.600/*0.331	1.600/*0.331	----	2.092 + 1.594	----	----	----	3	----	0 - 2
7980	----	----	0.499B/----	0.499B/0.509A	----	2.042 + 1.560	----	----	----	----	----	0 UNCH
8000	0.245	0.245	#2.793/*0.245	2.793/*0.245	----	1.842 + 1.418	----	----	----	34	----	0 - 68
8025	0.451	0.451	0.480B/0.451	0.480B/0.398A	----	1.592 NEW	----	----	----	3	----	0 UNCH
8050	0.030	0.030	0.504B/*0.030	0.504B/*0.030	----	1.342 + 1.035	----	----	----	7	----	0 - 2
8060	0.400	0.400	0.448B/0.400	0.448B/0.336A	----	1.242 NEW	----	----	----	1	----	0 UNCH
8075	----	----	0.571B/----	0.571B/0.325A	----	1.092 + 0.830	----	----	----	----	----	0 - 1
8100	0.167	0.167	1.787/*0.100	1.787/*0.100	----	0.842 + 0.619	----	----	----	7	----	0 - 3
8120	0.839	0.839	0.839/0.839	0.839/*0.229A	----	0.642 NEW	----	----	----	1	----	0 UNCH
8150	0.090	0.090	0.610/*0.090	0.610/*0.090	----	0.342 + 0.180	----	----	----	8	----	0 - 7
8170	1.000	1.000	1.000/0.358	1.000/*0.161A	----	0.142 NEW	----	----	----	10	----	0 UNCH
8180	0.610	0.610	0.620B/0.610	0.620B/*0.153A	----	0.042 - 0.093	----	----	----	1	----	0 - 1
8200	0.055	0.055	1.000/*0.054	1.000/*0.054	----	0.000 - 0.120	----	----	----	46	----	0 - 31
8210	0.122	0.122	0.443B/*0.090	0.443B/*0.090	----	0.000 NEW	----	----	----	2	----	0 UNCH
8250	0.250	0.250	0.500B/0.250	0.500B/*0.108A	----	0.000 - 0.090	----	----	----	4	----	0 - 1
8300	0.310	0.310	0.310/*0.005	0.310/*0.005	----	0.000 - 0.069	----	----	----	5	----	0 - 7
8350	----	----	----	0.044B/*0.103A	----	0.000 - 0.054	----	----	----	----	----	0 - 1
8390	0.306	0.306	0.306/0.306	0.306/*0.104A	----	0.000 - 0.045	----	----	----	1	----	0 - 1
8400	----	----	----	0.019B/*0.103A	----	0.000 - 0.043	----	----	----	1	----	0 - 12
8425	0.110	0.110	0.110/*0.110	0.110/*0.109A	----	0.000 NEW	----	----	----	1	----	0 UNCH
8500	0.035	0.035	0.035/*0.035	0.035/*0.035	----	0.000 - 0.028	----	----	----	5	----	0 - 32
8575	----	----	----	0.001B/*0.109A	----	0.000 - 0.020	----	----	----	----	----	0 - 50
8600	----	----	----	0.001B/*0.107A	----	0.000 - 0.018	----	----	----	----	----	0 - 1
8800	----	----	----	0.001B/0.146A	----	0.000 - 0.008	----	----	----	----	----	0 - 4
8825	----	----	0.020B/----	0.020B/0.147A	----	0.000 - 0.007	----	----	----	----	----	0 - 1
8875	----	----	----	----/0.140A	----	0.000 - 0.005	----	----	----	----	----	0 - 1
8900	----	----	----	----/0.133A	----	0.000 - 0.004	----	----	----	----	----	0 - 2
9000	----	----	----	----/0.108A	----	0.000 - 0.002	----	----	----	----	----	0 - 3
TOTAL										177	0	0 - 390
SO3 PUT		SILVER OPTIONS										
APR26												
4000	----	----	----	----/*0.076A	----	0.000 - 0.001	----	----	----	----	----	0 - 20
5500	----	----	----	----/*0.074A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6000	----	----	----	----/*0.076A	----	0.000 - 0.001	----	----	----	----	----	0 - 110
6200	----	----	----	----/*0.076A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
6300	----	----	----	----/0.076A	----	0.000 - 0.002	----	----	----	----	----	0 - 2
6400	----	----	----	----/0.076A	----	0.000 - 0.004	----	----	----	----	----	0 - 7
6500	----	----	----	----/0.076A	----	0.000 - 0.007	----	----	----	----	----	0 - 7
6600	----	----	----	----/0.076A	----	0.000 - 0.011	----	----	----	----	----	0 - 16
6625	----	----	----	----/*0.076A	----	0.000 - 0.012	----	----	----	----	----	0 - 1
6700	----	----	----/*0.010A	----/*0.010A	----	0.000 - 0.017	----	----	----	----	----	0 - 2
6800	----	----	----	----/*0.076A	----	0.000 - 0.025	----	----	----	----	----	0 - 27
6825	----	----	----	----/*0.075A	----	0.000 - 0.027	----	----	----	----	----	0 - 20
6900	----	----	----	----/*0.075A	----	0.000 - 0.032	----	----	----	----	----	0 - 3
7000	----	----	----	----/0.075A	----	0.000 - 0.041	----	----	----	----	----	0 - 29
7050	----	----	----	----/*0.075A	----	0.000 - 0.046	----	----	----	----	----	0 - 1
7055	----	----	----	----/0.076A	----	0.000 - 0.047	----	----	----	----	----	0 - 1
7100	----	----	----	----/*0.075A	----	0.000 - 0.054	----	----	----	----	----	0 - 11
7200	----	----	----	----/0.077A	----	0.000 - 0.074	----	----	----	----	----	0 - 54
7205	----	----	----	----/0.075A	----	0.000 - 0.075	----	----	----	----	----	0 - 1
7210	----	----	----	----/0.076A	----	0.000 - 0.076	----	----	----	----	----	0 - 1
7250	----	----	----/*0.078A	----/*0.078A	----	0.000 - 0.081	----	----	----	----	----	0 - 5
7300	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.089	----	----	----	2	----	0 - 12
7330	----	----	----/*0.084A	----/*0.084A	----	0.000 - 0.095	----	----	----	----	----	0 - 1
7345	----	----	----/*0.086A	0.001B/*0.086A	----	0.000 - 0.098	----	----	----	----	----	0 - 1
7350	----	----	----/*0.087A	0.001B/*0.087A	----	0.000 - 0.099	----	----	----	----	----	0 - 7
7380	----	----	----/*0.096A	0.001B/*0.096A	----	0.000 - 0.107	----	----	----	----	----	0 - 2
7400	----	----	----/*0.095A	0.001B/*0.095A	----	0.000 - 0.112	----	----	----	----	----	0 - 11
7450	----	----	----/0.109A	0.001B/0.109A	----	0.000 - 0.129	----	----	----	----	----	0 UNCH
7460	----	----	----/*0.107A	0.002B/*0.107A	----	0.000 - 0.133	----	----	----	----	----	0 - 1
7470	----	----	----/*0.113A	0.003B/*0.113A	----	0.000 - 0.138	----	----	----	----	----	0 - 4
7500	0.060	0.060	0.060/*0.060	0.061B/*0.060	----	0.000 - 0.152	----	----	----	1	----	0 - 15
7550	0.003	0.003	0.003/*0.003	0.005B/*0.003	----	0.000 - 0.183	----	----	----	1	----	0 - 5
7575	----	----	----/*0.108A	0.005B/*0.108A	----	0.000 - 0.203	----	----	----	----	----	0 - 7
7580	----	----	----/*0.100A	0.005B/*0.100A	----	0.000 - 0.207	----	----	----	----	----	0 - 20
7600	----	----	----/*0.097A	0.027B/*0.097A	----	0.000 - 0.226	----	----	----	----	----	0 - 22
7650	0.300	0.300	0.300/*0.100A	0.300/*0.100A	----	0.000 - 0.285	----	----	----	1	----	0 - 1
7675	----	----	----/*0.103A	0.082B/*0.103A	----	0.000 - 0.323	----	----	----	----	----	0 - 1
7700	0.300	0.300	0.300/*0.004	0.300/*0.004	----	0.000 - 0.367	----	----	----	9	----	0 - 11
7740	----	----	----/*0.112A	0.267B/*0.112A	----	0.000 - 0.454	----	----	----	----	----	0 - 5
7750	0.400	0.400	0.450/*0.005	0.450/*0.005	----	0.000 - 0.480	----	----	----	8	----	0 - 2
7760	----	----	----/*0.115A	0.341B/*0.115A	----	0.000 - 0.507	----	----	----	----	----	0 - 38
7780	----	----	----/*0.118A	0.421B/*0.118A	----	0.000 - 0.565	----	----	----	----	----	0 - 1
7800	0.410	0.410	0.410/*0.005	0.517B/*0.005	----	0.000 - 0.631	----	----	----	5	----	0 - 6
7850	0.030	0.030	0.030/*0.030	0.760B/*0.030	----	0.000 - 0.828	----	----	----	1	----	0 - 3
7860	0.845	0.845	0.845/*0.030	0.845/*0.030	----	0.000 NEW	----	----	----	2	----	0 UNCH
7870	----	----	----/*0.136A	0.863B/*0.136A	----	0.000 - 0.921	----	----	----	----	----	0 - 1
7900	0.331	0.331	0.331/*0.080	0.828B/*0.080	----	0.000 - 1.075	----	----	----	4	----	0 - 3
7940	0.600	0.600	0.600/*0.133A	0.856B/*0.133A	----	0.000 - 1.308	----	----	----	1	----	0 UNCH
7950	0.597	0.597	0.597/*0.122A	0.813B/*0.122A	----	0.000 - 1.371	----	----	----	1	----	0 - 11
7980	----	----	----/*0.129A	0.770B/*0.129A	----	0.000 - 1.572	----	----	----	----	----	0 - 1
7990	----	----	----/*0.121A	0.530B/*0.121A	----	0.000 - 1.642	----	----	----	----	----	0 - 5
8000	0.435	0.435	0.435/*0.076A	0.551B/*0.076A	----	0.000 - 1.714	----	----	----	26	----	0 - 4
8025	0.213	0.213	0.213/*0.006	0.468B/*0.006	----	0.000 NEW	----	----	----	2	----	0 UNCH
8050	0.281	0.281	0.281/*0.130A	0.463B/*0.130A	----	0.000 - 2.097	----	----	----	1	----	0 - 4
8100	0.290	0.290	0.290/*0.133A	0.360B/*0.133A	----	0.000 NEW	----	----	----	2	----	0 UNCH
8190	0.540	0.540	#0.540/*0.060	0.581B/*0.060	----	0.058 NEW	----	----	----	3	----	0 UNCH
8200	0.325	0.325	0.325/*0.120A	0.643B/*0.120A	----	0.158 NEW	----	----	----	13	----	0 UNCH
8250	0.200	0.200	0.200/*0.200	0.573B/*0.200	----	0.658 NEW	----	----	----	2	----	0 UNCH
TOTAL										85	0	0 - 527
SO4 CALL		SILVER OPTIONS										
APR26												
7800	----	----	2.810B/----	2.810B/3.355A	----	4.649 + 1.861	.7793	----	----	----	----	20 UNCH
7900	2.220	2.220	3.291B/2.220	3.291B/2.220	----	3.909 + 1.613	.7196	----	----	1	----	6 + 1
8000	----	----	#3.242B/1.829A	#3.242B/1.829A	----	3.248 + 1.372	.6509	----	----	----	----	1 UNCH
8150	2.700	2.700	#2.700/2.700	#2.700/1.391A	----	2.419 + 1.048	.5387	----	----	4	----	2 - 2
8200	2.611	2.611	#2.621B/1.230A	#2.621B/1.230A	----	2.186 + 0.954	.5010	----	----	12	----	14 + 11
8225	----	----	2.180B/----	2.180B/1.206A	----	2.078 + 0.910	.4824	----	----	----	----	2 UNCH
8250	2.500	2.500	#2.500/1.694	#2.500/1.152A	----	1.975 + 0.868	.4641	----	----	8	----	8 + 6
8300	1.759	1.759	#2.494B/1.759	#2.494B/1.020A	----	1.784 + 0.790	.4285	----	----	9	----	11 + 6
8350	----	----	#1.989B/----	#1.989B/0.961A	----	1.612 + 0.720	.3944	----	----	----	----	0 UNCH
8400	1.773	1.773	#2.066B/1.773	#2.066B/0.846A	----	1.457 + 0.656	.3621	----	----	1	----	8 + 1
8500	1.200	1.200	#1.682B/1.200	#1.682B/0.707A	----	1.195 + 0.549	.3038	----	----	8	----	10 + 7
8600	----	----	#1.166B/----	#1.166B/0.592A	----	0.985 + 0.463	.2539	----	----	----	----	3 UNCH
8650	----	----	#1.010B/----	#1.010B/*0.566A	----	0.897 + 0.428	.2320	----	----	----	----	1 UNCH
9000	----	----	#0.431B/----	0.431B/0.287A	----	0.472 + 0.231	.1222	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO4 CALL		SILVER OPTIONS										
APR26												
9100	----	----	0.332B/----	0.332B/0.253A	----	0.394 NEW	.1015	----	----	3	----	2 + 2
9200	----	----	#0.259B/----	#0.259B/*0.226A	----	0.331 NEW	.0846	----	----	1	----	1 + 1
9500	0.200	0.200	#0.200/0.200	#0.200/0.185A	----	0.202 + 0.091	.0498	----	----	3	----	3 + 2
10000	0.130	0.130	#0.130/0.130	#0.130/0.074A	----	0.098 + 0.039	.0223	----	----	3	----	2 UNCH
TOTAL										53	0	96 + 35
SO4 PUT		SILVER OPTIONS										
APR26												
6000	----	----	----	0.005B/0.120A	----	0.041 - 0.044	.0067	----	----	----	----	1 UNCH
6125	----	----	----	0.004B/*0.129A	----	0.044 - 0.048	.0076	----	----	----	----	2 UNCH
6400	----	----	----	0.004B/*0.155A	----	0.053 - 0.061	.0104	----	----	----	----	1 UNCH
6500	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.058 - 0.068	.0119	----	----	1	----	11 UNCH
6900	0.204	0.204	0.207/*0.115	0.207/*0.115	----	0.103 NEW	.0247	----	----	7	----	6 + 6
7000	----	----	----/*0.202A	0.161B/*0.202A	----	0.124 - 0.156	.0308	----	----	----	----	27 UNCH
7100	----	----	----/*0.251A	0.230B/*0.251A	----	0.150 - 0.203	.0384	----	----	----	----	2 UNCH
7200	----	----	----/*0.283A	0.319B/*0.283A	----	0.184 - 0.269	.0485	----	----	----	----	16 UNCH
7300	0.580	0.580	0.580/*0.343A	0.580/*0.343A	----	0.227 - 0.360	.0615	----	----	1	----	2 UNCH
7500	0.370	0.370	0.370/*0.342	0.893B/*0.342	----	0.363 - 0.632	.1018	----	----	52	----	7 UNCH
7700	----	----	----/*0.696A	1.595B/*0.696A	----	0.614 - 1.032	.1713	----	----	----	----	2 UNCH
7750	0.750	0.750	0.750/*0.750	1.779B/*0.750	----	0.705 - 1.148	.1947	----	----	4	----	4 + 2
7800	0.893	0.893	0.893/*0.750A	2.047B/*0.750A	----	0.809 NEW	.2206	----	----	1	----	1 + 1
7825	----	----	----/*0.938A	2.159B/*0.938A	----	0.868 - 1.331	.2346	----	----	1	----	1 UNCH
7850	----	----	----/*0.993A	2.290B/*0.993A	----	0.930 - 1.393	.2492	----	----	----	----	0 UNCH
7900	2.350	2.350	2.350/*1.030	2.480B/*1.030	----	1.069 - 1.517	.2803	----	----	3	----	4 + 2
7950	----	----	----/*1.251A	2.570B/*1.251A	----	1.227 - 1.639	.3137	----	----	----	----	1 UNCH
8000	1.635	1.635	1.635/*1.378A	2.576B/*1.378A	----	1.407 NEW	.3490	----	----	1	----	1 + 1
8100	1.865	1.865	#1.865/*1.700A	2.966B/*1.700A	----	1.831 NEW	.4233	----	----	4	----	4 + 4
8125	1.790	1.790	#1.790/*1.790	2.846B/*1.790	----	1.951 NEW	.4423	----	----	2	----	2 + 2
8200	2.169	2.169	#2.169/*2.142A	3.008B/*2.142A	----	2.344 NEW	.4989	----	----	2	----	2 + 2
TOTAL										79	0	97 + 20
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
6000	----	----	----	----	----	21.849 + 3.084	.9980	----	----	----	----	1 UNCH
6800	----	----	----	0.020B/*0.138A	----	0.021 - 0.106	.0050	----	----	----	----	2 UNCH
7375	0.223	0.223	0.223/*0.223	0.295B/*0.223	----	0.105 - 0.392	.0341	----	----	1	----	0 - 1
7400	----	----	----/*0.582A	0.881B/*0.582A	----	0.479 - 0.765	.1104	----	----	----	----	1 UNCH
7400	----	----	----/*0.249A	0.347B/*0.249A	----	0.115 - 0.419	.0377	----	----	----	----	1 UNCH
7450	----	----	----/*0.655A	0.977B/*0.655A	----	0.529 - 0.849	.1218	----	----	----	----	2 UNCH
7500	----	----	----/*0.307A	0.554B/*0.307A	----	0.169 - 0.545	.0566	----	----	----	----	2 UNCH
7500	----	----	----/*0.695A	1.159B/*0.695A	----	0.587 - 0.936	.1347	----	----	----	----	1 UNCH
7850	----	----	----/2.047A	2.039B/2.047A	----	3.929 + 1.829	.8008	----	----	----	----	2 UNCH
7975	0.900	0.900	#1.000/*0.900	1.984B/*0.900	----	0.914 NEW	.2937	----	----	2	----	2 + 2
8000	1.698	1.698	1.698/*1.698	3.132B/*1.698	----	1.866 NEW	.3486	----	----	1	----	1 + 1
8000	0.890	0.890	#0.890/*0.890	2.040B/*0.890	----	0.997 NEW	.3154	----	----	1	----	1 + 1
8075	----	----	#2.021B/----	2.021B/1.206A	----	2.378 + 1.216	.6152	----	----	----	----	15 UNCH
8125	----	----	1.698B/----	1.698B/1.061A	----	2.110 + 1.100	.5671	----	----	----	----	4 UNCH
8200	----	----	1.924B/----	1.924B/0.863A	----	1.766 NEW	.4953	----	----	2	----	2 + 2
8200	----	----	#2.944B/1.887A	#2.944B/1.887A	----	3.205 + 1.111	.5413	----	----	----	----	2 UNCH
8200	1.806	1.806	#1.813/*1.702A	2.185B/*1.702A	----	1.924 NEW	.5046	----	----	10	----	10 + 10
8300	----	----	1.590B/----	1.590B/0.695A	----	1.405 + 0.801	.4068	----	----	----	----	1 UNCH
8300	1.915	1.915	#1.915/*1.915	2.427B/*1.915	----	2.563 NEW	.5931	----	----	10	----	10 + 10
8350	----	----	#1.562B/----	#1.562B/0.648A	----	1.257 + 0.724	.3672	----	----	----	----	1 UNCH
8400	0.850	0.850	#1.405B/0.850	#1.405B/0.555A	----	1.126 NEW	.3307	----	----	9	----	8 + 8
8500	----	----	#1.049B/----	#1.049B/0.435A	----	0.887 + 0.519	.2647	----	----	----	----	5 UNCH
8700	----	----	#1.637B/*0.902A	#1.637B/0.902A	----	1.314 + 0.371	.2832	----	----	----	----	1 UNCH
8800	----	----	#1.371B/*0.787A	#1.371B/0.787A	----	1.103 + 0.296	.2438	----	----	----	----	1 UNCH
9300	----	----	----	0.043B/*0.152A	----	0.138 + 0.074	.0378	----	----	----	----	1 UNCH
TOTAL										36	0	77 + 33
MAY26												
10000	----	----	0.508B/----	0.508B/*0.467A	----	0.610 + 0.244	.1032	----	----	----	----	2 UNCH
TOTAL											0	2 0
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week3										
APR26												
7000	----	----	----/*0.055A	0.039B/*0.055A	----	0.041 - 0.094	.0096	----	----	----	----	9 UNCH
7150	0.127	0.127	0.127/*0.100	0.127/*0.100	----	0.055 - 0.128	.0143	----	----	13	----	0 - 13
7300	----	----	----/*0.444A	0.558B/*0.444A	----	0.357 - 0.507	.0845	----	----	----	----	3 UNCH
7325	0.220	0.220	0.220/*0.174A	0.220/*0.174A	----	0.084 - 0.210	.0247	----	----	12	----	6 - 6
7500	----	----	----/*0.204A	0.345B/*0.204A	----	0.105 - 0.415	.0365	----	----	----	----	1 UNCH
7600	----	----	----/*0.288A	0.599B/*0.288A	----	0.130 - 0.601	.0494	----	----	----	----	5 UNCH
7700	0.293	0.293	0.293/*0.291A	0.934B/*0.291A	----	0.178 - 0.845	.0727	----	----	1	----	7 + 1
7700	6.250	6.250	#6.250/6.250	#6.250/6.100A	----	5.018 + 2.286	.9272	----	----	1	----	3 - 1
7750	----	----	----	0.218B/3.624A	----	4.556 + 2.144	.9098	----	----	----	----	1 UNCH
7750	----	----	----	0.039B/13.182A	----	5.898 + 1.861	.7837	----	----	----	----	3 UNCH
7750	----	----	----/*0.398A	1.104B/*0.398A	----	0.215 - 0.988	.0901	----	----	----	----	1 UNCH
7850	----	----	----/*0.509A	1.555B/*0.509A	----	0.337 - 1.299	.1435	----	----	----	----	5 UNCH
7875	0.350	0.350	0.350/*0.350	1.560B/*0.350	----	0.380 NEW	.1612	----	----	1	----	1 + 1
7960	----	----	----/*0.687A	1.619B/*0.687A	----	0.581 - 1.647	.2362	----	----	----	----	2 UNCH
7975	----	----	1.936B/----	1.936B/1.299A	----	2.718 + 1.439	.7482	----	----	----	----	2 UNCH
8000	0.560	0.560	#0.560/*0.560	1.555B/*0.560	----	0.710 - 1.762	.2785	----	----	7	----	2 - 4
8000	----	----	2.040B/1.169A	2.040B/1.169A	----	2.552 + 1.369	.7214	----	----	6	----	1 - 5
8090	----	----	#1.561B/----	1.561B/*0.959A	----	2.029 + 1.144	.6173	----	----	----	----	10 UNCH
8100	----	----	1.976B/----	1.976B/0.897A	----	1.979 + 1.123	.6055	----	----	----	----	1 UNCH
8100	----	----	----/*1.042A	1.746B/*1.042A	----	1.137 - 2.008	.3944	----	----	----	----	10 UNCH
8300	1.400	1.400	1.400/1.300	1.400/0.543A	----	1.207 NEW	.3912	----	----	2	----	1 + 1
8600	0.695	0.695	0.695/0.695	0.695/0.242A	----	0.513 + 0.338	.1729	----	----	1	----	2 + 1
9000	0.160	0.160	0.160/*0.160	0.160/*0.146A	----	0.162 NEW	.0502	----	----	4	----	4 + 4
9100	0.138	0.138	#0.138/*0.138	#0.138/*0.138	----	0.123 NEW	.0368	----	----	2	----	2 + 2
TOTAL										50	0	82 - 19

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
APR26												
548	----	----	#0.6355B/0.5530	#0.6355B/0.5530	----	0.6350 + 0.0380	.0000	----	----	----	----	0 - 1
560	----	----	----	----/0.0060A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
576	----	----	----	----/*0.0060A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
590	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0005 NEW	.0029	----	----	10	----	10 + 10
600	0.0070	0.0070	0.0280B/*0.0070	0.0280B/*0.0070	----	0.0055 NEW	.0835	----	----	2	----	2 + 2
600	----	----	0.1220B/0.0720A	0.1220B/0.0720A	----	0.1200 + 0.0185	.9164	----	----	----	----	5 UNCH
601	0.0105	0.0105	#0.0325B/*0.010	0.0325B/*0.0105	----	0.0065 NEW	.1006	----	----	4	----	4 + 4
602	----	----	0.0375B/*0.0150	0.0375B/*0.0150	----	0.0085 - 0.0235	.1289	----	----	----	----	1 UNCH
604	0.0225	0.0225	#0.0485B/*0.017	0.0485B/*0.0175	----	0.0125 NEW	.1870	----	----	2	----	2 + 2
607	----	----	0.0650B/0.0390A	0.0650B/0.0390A	----	0.0660 + 0.0060	.6988	----	----	----	----	7 UNCH
608	----	----	#0.0735B/*0.032	0.0735B/*0.0320	----	0.0255 - 0.0335	.3444	----	----	----	----	1 UNCH
609	0.0395	0.0395	#0.0805B/*0.036	0.0805B/*0.0365	----	0.0295 NEW	.3876	----	----	1	----	1 + 1
609	0.0395	0.0395	0.0530B/*0.0325	0.0530B/*0.0325	----	0.0540 NEW	.6122	----	----	2	----	2 + 2
610	0.0500	0.0500	0.0880B/*0.0380	0.0880B/*0.0380	----	0.0345 - 0.0355	.4329	----	----	3	----	6 + 3
610	0.0550	0.0550	0.0550/0.0295A	0.0550/0.0295A	----	0.0490 + 0.0025	.5670	----	----	2	----	4 + 2
612	0.0205	0.0205	0.0370B/*0.0205	0.0370B/*0.0205	----	0.0390 UNCH	.4786	----	----	1	----	1 + 1
615	0.0200	0.0200	0.0245B/*0.0150	0.0245B/0.0150	----	0.0275 NEW	.3544	----	----	10	----	10 + 10
620	0.0180	0.0180	0.0180/*0.0135A	0.0180/0.0135A	----	0.0140 NEW	.1885	----	----	1	----	1 + 1
625	0.0080	0.0080	0.0080/*0.0080	0.0080/*0.0080	----	0.0065 NEW	.0857	----	----	2	----	2 + 2
640	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0035	----	0.0005 NEW	.0027	----	----	1	----	1 + 1
645	----	----	----	----/*0.0035A	----	0.0005 - 0.0005	.0005	----	----	----	----	2 UNCH
TOTAL										41		64 + 40
MAY26												
465	----	----	----	----/0.0070A	----	0.0005 UNCH	.0010	----	----	----	----	14 UNCH
490	----	----	----	----/0.0090A	----	0.0020 UNCH	.0082	----	----	----	----	14 UNCH
565	----	----	----/*0.0265A	0.0245B/*0.0265	----	0.0225 - 0.0045	.0985	----	----	----	----	2 UNCH
570	----	----	----/*0.0320A	0.0310B/*0.0320	----	0.0275 - 0.0055	.1184	----	----	----	----	1 UNCH
585	----	----	0.0385B/*0.0340	0.0385B/*0.0340	----	0.0275 - 0.0105	.1472	----	----	----	----	1 UNCH
586	----	----	0.0650B/*0.0570	0.0650B/*0.0570	----	0.0495 - 0.0130	.2025	----	----	----	----	1 UNCH
590	----	----	0.0780B/*0.0660	0.0780B/*0.0660	----	0.0585 - 0.0155	.2321	----	----	----	----	1 UNCH
606	----	----	#0.1450B/*0.119	0.1450B/*0.1190	----	0.1150 - 0.0195	.3771	----	----	----	----	4 UNCH
606	----	----	----/0.1845A	0.2080B/0.1845A	----	0.2280 + 0.0190	.6222	----	----	----	----	4 UNCH
615	----	----	----	0.2065B/*0.2330	----	0.2170 - 0.0160	.4648	----	----	----	----	4 UNCH
615	----	----	----	0.1965B/*0.2180	----	0.2400 + 0.0225	.5344	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 68

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
MAY26												
630	----	----	----	0.1335B/*0.1605	----	0.1780 + 0.0180	.4319	----	----	----	----	29 UNCH
TOTAL												79
HWR THU		COPPER WEEKLY THURSDAY OPT Week5										
APR26												
465	----	----	----	----/0.0070A	----	0.0005 UNCH	.0001	----	----	----	----	21 UNCH
556	----	----	----	----	----	0.5165 UNCH	----	----	----	----	----	0 UNCH
560	----	----	0.0060B/----	0.0060B/0.0100A	----	0.0035 - 0.0010	.0217	----	----	----	----	20 UNCH
571	----	----	----	----	----	0.3665 UNCH	----	----	----	----	----	0 UNCH
590	----	----	----	----	----	0.1765 UNCH	----	----	----	----	----	0 UNCH
594	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
598	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
599	----	----	0.0690B/*0.0520	0.0690B/*0.0520	----	0.0460 - 0.0160	.2475	----	----	----	----	1 UNCH
604	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
605	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
607	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
608	----	----	----	----	----	0.0035 UNCH	----	----	----	----	----	0 UNCH
609	----	----	----	----	----	0.0135 UNCH	----	----	----	----	----	0 UNCH
609	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
610	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
611	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
612	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
615	----	----	----/0.0455A	0.0600B/0.0455A	----	0.0640 + 0.0035	.4305	----	----	----	----	4 UNCH
640	0.0100	0.0100	0.0100/*0.0080	0.0100/*0.0080	----	0.0135 - 0.0010	.1012	----	----	12	----	34 + 12
640	----	----	----/0.0370A	0.0445B/0.0370A	----	0.0485 + 0.0040	.2465	----	----	----	----	25 UNCH
650	----	----	----	0.0030B/0.0095A	----	0.0065 - 0.0010	.0488	----	----	----	----	42 UNCH
660	----	----	0.0040B/----	0.0040B/0.0080A	----	0.0025 - 0.0010	.0189	----	----	----	----	22 UNCH
TOTAL										12		169 + 12
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week4										
APR26												
465	----	----	----	----/0.0070A	----	0.0005 UNCH	.0000	----	----	----	----	21 UNCH
565	----	----	----	0.0035B/0.0120A	----	0.0060 - 0.0020	.0376	----	----	----	----	1 UNCH
565	----	----	----	----/0.0085A	----	0.0005 - 0.0010	.0000	----	----	----	----	1 UNCH
589	----	----	0.0275B/*0.0245	0.0275B/*0.0245	----	0.0175 - 0.0090	.1203	----	----	----	----	2 UNCH
595	----	----	----/*0.0150A	0.0205B/*0.0150	----	0.0065 - 0.0155	.0783	----	----	----	----	2 UNCH
605	0.0495	0.0495	0.0810B/*0.0495	0.0810B/*0.0495	----	0.0515 NEW	.2990	----	----	1	----	1 + 1
611	0.0795	0.0795	0.1120B/*0.0785	0.1120B/*0.0785	----	0.0735 NEW	.3900	----	----	3	----	3 + 3
611	0.0630	0.0630	0.0630/*0.0390A	0.0630/*0.0390A	----	0.0585 NEW	.5183	----	----	1	----	1 + 1
612	0.0660	0.0660	0.0660/*0.0655A	0.0905B/*0.0655	----	0.0595 NEW	.5130	----	----	1	----	1 + 1
612	0.0665	0.0665	0.0665/*0.0365A	0.0665/*0.0365A	----	0.0540 NEW	.4868	----	----	2	----	2 + 2
613	0.0490	0.0490	0.0490/*0.0340A	0.0490/*0.0340A	----	0.0495 NEW	.4557	----	----	1	----	1 + 1
635	0.0065	0.0065	0.0065/*0.0065	0.0080B/*0.0065	----	0.0055 - 0.0025	.0550	----	----	1	----	1 UNCH
665	----	----	----	0.0070B/0.0110A	----	0.0095 UNCH	.0623	----	----	----	----	36 UNCH
TOTAL										10		73 + 9
MAY26												
490	----	----	----	----/0.0080A	----	0.0015 UNCH	.0062	----	----	----	----	14 UNCH
TOTAL												14
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
465	----	----	----	----/0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	21 UNCH
549	----	----	----	----/*0.0065A	----	0.0005 - 0.0005	.0001	----	----	----	----	1 UNCH
557	----	----	----	----/*0.0070A	----	0.0005 - 0.0015	.0008	----	----	----	----	10 UNCH
580	----	----	----	0.0025B/*0.0085	----	0.0025 - 0.0060	.0236	----	----	----	----	1 UNCH
580	----	----	0.3195B/0.2440A	0.3195B/0.2440A	----	0.3165 + 0.0315	.9763	----	----	----	----	1 UNCH
590	----	----	----/*0.0130A	0.0165B/*0.0130	----	0.0075 - 0.0125	.0753	----	----	----	----	1 UNCH
600	----	----	0.1370B/0.0960A	0.1370B/0.0960A	----	0.1385 + 0.0155	.7792	----	----	----	----	4 UNCH
625	----	----	----/0.0220A	0.0210B/0.0220A	----	0.0255 - 0.0015	.2171	----	----	----	----	3 UNCH
630	----	----	----/0.0180A	0.0135B/0.0180A	----	0.0175 - 0.0020	.1504	----	----	----	----	1 UNCH
635	----	----	----	0.0085B/0.0145A	----	0.0120 - 0.0020	.1025	----	----	----	----	1 UNCH
TOTAL												44
MAY26												
455	----	----	----	----/0.0070A	----	0.0005 UNCH	.0007	----	----	----	----	21 UNCH
465	----	----	----	----/*0.0070A	----	0.0005 UNCH	.0015	----	----	----	----	2 UNCH
475	----	----	----	----/*0.0070A	----	0.0010 UNCH	.0039	----	----	----	----	2 UNCH
485	----	----	----	----/*0.0075A	----	0.0015 - 0.0005	.0060	----	----	----	----	1 UNCH
500	----	----	----	----/*0.0085A	----	0.0025 - 0.0005	.0102	----	----	----	----	2 UNCH
510	----	----	----	----/*0.0090A	----	0.0030 - 0.0010	.0129	----	----	----	----	8 UNCH
520	----	----	----	0.0005B/*0.0100	----	0.0045 - 0.0005	.0194	----	----	----	----	1 UNCH
530	----	----	----	0.0030B/*0.0110	----	0.0055 - 0.0010	.0248	----	----	----	----	4 UNCH
540	----	----	----	0.0050B/0.0125A	----	0.0070 - 0.0015	.0329	----	----	----	----	10 UNCH
550	----	----	----	0.0080B/*0.0135	----	0.0090 - 0.0020	.0441	----	----	----	----	27 UNCH
550	----	----	----	----	----	0.6815 + 0.0370	.9556	----	----	----	----	3 UNCH
555	----	----	----	0.0100B/*0.0150	----	0.0105 - 0.0020	.0521	----	----	----	----	16 UNCH
556	----	----	----	0.0105B/*0.0155	----	0.0110 - 0.0020	.0545	----	----	----	----	1 UNCH
560	----	----	----	0.0130B/*0.0170	----	0.0125 - 0.0025	.0626	----	----	----	----	1 UNCH
562	----	----	----	0.0140B/*0.0180	----	0.0135 - 0.0030	.0676	----	----	----	----	20 UNCH
565	----	----	----	0.0165B/*0.0195	----	0.0150 - 0.0035	.0754	----	----	----	----	1 UNCH
568	----	----	----/0.4645A	0.4610B/0.4645A	----	0.5100 + 0.0355	.9144	----	----	----	----	1 UNCH
575	----	----	----	0.0275B/*0.0280	----	0.0230 - 0.0050	.1135	----	----	----	----	1 UNCH
579	----	----	0.3905B/0.3725A	0.3905B/0.3725A	----	0.4105 + 0.0330	.8658	----	----	----	----	1 UNCH
584	----	----	0.0440B/*0.0395	0.0440B/*0.0395	----	0.0345 - 0.0080	.1637	----	----	----	----	24 UNCH
585	----	----	0.0475B/*0.0415	0.0475B/*0.0415	----	0.0365 - 0.0080	.1713	----	----	----	----	1 UNCH
590	----	----	0.0605B/*0.0505	0.0605B/*0.0505	----	0.0455 - 0.0115	.2074	----	----	----	----	17 UNCH
590	----	----	0.2975B/0.2590A	0.2975B/0.2590A	----	0.3190 + 0.0280	.7921	----	----	----	----	4 UNCH
600	----	----	0.0975B/*0.0775	0.0975B/*0.0775	----	0.0725 - 0.0175	.2993	----	----	----	----	1 UNCH
600	----	----	0.2410B/0.1960A	0.2410B/0.1960A	----	0.2455 + 0.0210	.7002	----	----	----	----	1 UNCH
607	----	----	----/0.1600A	0.1830B/0.1600A	----	0.2020 + 0.0170	.6260	----	----	----	----	1 UNCH
610	----	----	0.1810B/0.1460A	0.1810B/0.1460A	----	0.1850 + 0.0155	.5929	----	----	----	----	5 UNCH
617	----	----	0.1490B/0.1170A	0.1490B/0.1170A	----	0.1500 + 0.0125	.5153	----	----	----	----	1 UNCH
624	----	----	0.1185B/0.0930A	0.1185B/0.0930A	----	0.1200 + 0.0095	.4399	----	----	----	----	16 UNCH
645	----	----	----/*0.3380A	0.3630B/*0.3380	----	0.3360 - 0.0335	.7480	----	----	----	----	6 UNCH
660	----	----	----/0.0290A	0.0335B/0.0290A	----	0.0375 + 0.0025	.1650	----	----	----	----	1 UNCH
675	----	----	----/*0.0185A	0.0200B/0.0185A	----	0.0210 + 0.0010	.0992	----	----	----	----	2 UNCH
695	----	----	0.0095B/----	0.0095B/0.0120A	----	0.0090 UNCH	.0460	----	----	----	----	20 UNCH
700	----	----	0.0080B/----	0.0080B/0.0110A	----	0.0075 + 0.0005	.0386	----	----	----	----	21 UNCH
710	----	----	----	0.0025B/*0.0125	----	0.0050 UNCH	.0262	----	----	----	----	2 UNCH
TOTAL												246
JUN26												
500	----	----	----	0.0075B/*0.0200	----	0.0115 - 0.0005	.0352	----	----	----	----	1 UNCH
530	----	----	----	0.0205B/*0.0310	----	0.0255 - 0.0010	.0760	----	----	----	----	1 UNCH
540	----	----	----	0.0290B/*0.0380	----	0.0330 - 0.0015	.0970	----	----	----	----	1 UNCH
555	----	----	----	0.0490B/*0.0545	----	0.0495 - 0.0030	.1401	----	----	----	----	1 UNCH
579	----	----	----/*0.1035A	0.1065B/*0.1035	----	0.0975 - 0.0090	.2455	----	----	----	----	1 UNCH
580	----	----	----/*0.1060A	0.1095B/*0.1060	----	0.1005 - 0.0090	.2511	----	----	----	----	5 UNCH
580	----	----	0.4705B/0.4120A	0.4705B/0.4120A	----	0.4725 + 0.0300	.7477	----	----	----	----	5 UNCH
595	----	----	0.1675B/*0.1565	0.1675B/*0.1565	----	0.1505 - 0.0135	.3382	----	----	----	----	5 UNCH
595	----	----	0.3700B/0.3215A	0.3700B/0.3215A	----	0.3730 + 0.0255	.6606	----	----	----	----	5 UNCH
606	----	----	0.2215B/*0.2040	0.2215B/*0.2040	----	0.1975 - 0.0170	.4071	----	----	----	----	2 UNCH
610	----	----	0.2860B/0.2485A	0.2860B/0.2485A	----	0.2900 + 0.0210	.5662	----	----	----	----	8 UNCH
650	----	----	0.1355B/0.1205A	0.1355B/0.1205A	----	0.1410 + 0.0095	.3343	----	----	----	----	6 UNCH
660	----	----	0.1115B/0.1005A	0.1115B/0.1005A	----	0.1170 + 0.0090	.2877	----	----	----	----	8 UNCH
TOTAL												49
JUL26												
600	----	----	0.4395B/0.3960A	0.4395B/0.3960A	----	0.4445 + 0.0240	.6389	----	----	----	----	12 UNCH
611	----	----	0.2875B/*0.2705	0.2875B/*0.2705	----	0.2640 - 0.0170	.4132	----	----	----	----	22 UNCH
612	----	----	0.2925B/*0.2755	0.2925B/*0.2755	----	0.2685 - 0.0175	.4181	----	----	----	----	5 UNCH
612	----	----	0.3745B/0.3370A	0.3745B/0.3370A	----	0.3800 + 0.0210	.5800	----	----	----	----	5 UNCH
621	----	----	0.3310B/0.2985A	0.3310B/0.2985A	----	0.3370 + 0.0190	.5358	----	----	----	----	1 UNCH
TOTAL												45
HX CALL		COMEX COPPER OPTIONS										
MAY26												
490	----	----	----	----	----	1.2150 + 0.0375	.9943	----	----	----	----	1 UNCH
500	----	----	#1.1150B/1.0325	#1.1150B/1.0325	----	1.1155 + 0.0380	.9938	----	----	----	----	2 - 1
505	----	----	#1.0655B/0.9825	#1.0655B/0.9825	----	1.0655 + 0.0380	.9935	----	----	1	----	3 UNCH
525	----	----	0.8710B/0.7835A	0.8710B/0.7835A	----	0.8670 + 0.0390	.9841	----	----	----	----	14 UNCH
530	----	----	0.8220B/0.7345A	0.8220B/0.7345A	----	0.8175 + 0.0390	.9832	----	----	----	----	276 UNCH
531	----	----	----	----	----	0.8075 + 0.0390	.9831	----	----	----	----	1 UNCH
532	----	----	----	----	----	0.7975 + 0.0390	.9829	----	----	----	----	1 UNCH
533	----	----	----	----	----	0.7875 + 0.0390	.9827	----	----	----	----	3 UNCH
534	----	----	----	----	----	0.7775 + 0.0385	.9825	----	----	----	----	4 UNCH
535	----	----	0.7670B/0.6850A	0.7670B/0.6850A	----	0.7675 + 0.0385	.9823	----	----	----	----	1 UNCH
536	----	----	----	----	----	0.7575 + 0.0385	.9821	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

HX CALL COMEX COPPER OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
537	----	----	----	----	----	0.7475 + 0.0385	.9819	----	----	----	----	1 UNCH
539	----	----	----	----	----	0.7275 + 0.0385	.9814	----	----	----	----	2 UNCH
540	----	----	0.7220B/0.6350A	0.7220B/0.6350A	----	0.7175 + 0.0380	.9812	----	----	2	----	44 UNCH
541	----	----	#0.6940B/0.6600	#0.6940B/0.6600	----	0.7075 + 0.0380	.9810	----	----	----	----	9 UNCH
542	----	----	#0.6840B/0.6500	#0.6840B/0.6500	----	0.6975 + 0.0380	.9807	----	----	----	----	15 UNCH
543	----	----	----	----	----	0.6875 + 0.0380	.9805	----	----	----	----	1 UNCH
544	----	----	----	----	----	0.6775 + 0.0375	.9802	----	----	----	----	2 UNCH
545	----	----	0.6725B/0.5865A	0.6725B/0.5865A	----	0.6675 + 0.0375	.9800	----	----	----	----	14 UNCH
546	----	----	#0.6445B/0.6100	#0.6445B/0.6100	----	0.6575 + 0.0375	.9797	----	----	----	----	7 UNCH
547	----	----	----	----	----	0.6475 + 0.0375	.9794	----	----	----	----	1 UNCH
548	----	----	#0.6245B/0.5905	#0.6245B/0.5905	----	0.6380 + 0.0375	.9791	----	----	----	----	28 UNCH
549	----	----	#0.6145B/0.5805	#0.6145B/0.5805	----	0.6280 + 0.0375	.9765	----	----	----	----	5 UNCH
550	----	----	0.6240B/0.5375A	0.6240B/0.5375A	----	0.6180 + 0.0375	.9762	----	----	2	----	450 - 2
551	----	----	0.5950B/0.5605A	0.5950B/0.5605A	----	0.6080 + 0.0370	.9759	----	----	----	----	11 UNCH
552	----	----	0.5850B/0.5505A	0.5850B/0.5505A	----	0.5980 + 0.0370	.9755	----	----	----	----	18 UNCH
553	----	----	0.5750B/0.5410A	0.5750B/0.5410A	----	0.5880 + 0.0370	.9752	----	----	----	----	19 UNCH
554	----	----	0.5650B/0.5310A	0.5650B/0.5310A	----	0.5780 + 0.0365	.9748	----	----	----	----	7 UNCH
555	0.5405	0.5405	0.5735B/0.4880A	0.5735B/0.4880A	----	0.5685 + 0.0370	.9720	----	----	1	----	108 - 1
556	----	----	0.5455B/0.5110A	0.5455B/0.5110A	----	0.5585 + 0.0365	.9716	----	----	----	----	26 UNCH
557	----	----	0.5355B/0.5015A	0.5355B/0.5015A	----	0.5485 + 0.0365	.9711	----	----	----	----	17 UNCH
558	----	----	0.5260B/0.4915A	0.5260B/0.4915A	----	0.5385 + 0.0360	.9707	----	----	----	----	16 UNCH
559	0.5130	0.5130	0.5285/0.4815A	0.5285/0.4815A	----	0.5290 + 0.0365	.9677	----	----	6	----	16 - 2
560	0.5115	0.5115	0.5250B/0.4400A	0.5250B/0.4400A	----	0.5190 + 0.0360	.9672	----	----	6	----	866 - 3
561	----	----	0.4965B/0.4620A	0.4965B/0.4620A	----	0.5090 + 0.0355	.9667	----	----	----	----	20 UNCH
562	----	----	0.4865B/0.4525A	0.4865B/0.4525A	----	0.4995 + 0.0360	.9636	----	----	----	----	7 UNCH
563	----	----	0.4765B/0.4425A	0.4765B/0.4425A	----	0.4895 + 0.0355	.9630	----	----	----	----	22 UNCH
564	----	----	0.4670B/0.4330A	0.4670B/0.4330A	----	0.4800 + 0.0355	.9624	----	----	----	----	23 UNCH
565	----	----	0.4760B/0.3920A	0.4760B/0.3920A	----	0.4700 + 0.0355	.9592	----	----	----	----	210 UNCH
566	----	----	0.4475B/0.4135A	0.4475B/0.4135A	----	0.4605 + 0.0355	.9585	----	----	----	----	12 UNCH
567	----	----	0.4375B/0.4035A	0.4375B/0.4035A	----	0.4505 + 0.0350	.9552	----	----	----	----	11 UNCH
568	----	----	0.4280B/0.3940A	0.4280B/0.3940A	----	0.4410 + 0.0350	.9544	----	----	----	----	59 UNCH
569	----	----	0.4310B/0.3845A	0.4310B/0.3845A	----	0.4310 + 0.0345	.9510	----	----	----	----	108 UNCH
570	----	----	0.4270B/0.3450A	0.4270B/0.3450A	----	0.4215 + 0.0345	.9501	----	----	----	----	554 UNCH
571	----	----	0.3990B/0.3650A	0.3990B/0.3650A	----	0.4115 + 0.0340	.9466	----	----	----	----	31 UNCH
572	----	----	0.3895B/0.3555A	0.3895B/0.3555A	----	0.4020 + 0.0335	.9430	----	----	----	----	29 UNCH
573	----	----	0.3795B/0.3460A	0.3795B/0.3460A	----	0.3925 + 0.0335	.9419	----	----	----	----	35 UNCH
574	----	----	0.3700B/0.3365A	0.3700B/0.3365A	----	0.3830 + 0.0335	.9382	----	----	----	----	17 UNCH
575	0.3725	0.3725	0.3790B/0.2995A	0.3790B/0.2995A	----	0.3735 + 0.0330	.9344	----	----	10	----	572 - 10
576	----	----	0.3510B/0.3180A	0.3510B/0.3180A	----	0.3635 + 0.0320	.9306	----	----	----	----	116 UNCH
577	----	----	0.3415B/0.3090A	0.3415B/0.3090A	----	0.3540 + 0.0320	.9266	----	----	----	----	55 UNCH
578	----	----	0.3320B/0.2995A	0.3320B/0.2995A	----	0.3445 + 0.0315	.9226	----	----	----	----	13 UNCH
579	----	----	0.3230B/0.2905A	0.3230B/0.2905A	----	0.3355 + 0.0315	.9184	----	----	----	----	9 UNCH
580	----	----	0.3315B/0.2565A	0.3315B/0.2565A	----	0.3260 + 0.0305	.9142	----	----	----	----	509 UNCH
581	----	----	0.2920B/----	0.2920B/0.3205A	----	0.3165 + 0.0295	.9074	----	----	----	----	4 UNCH
582	0.3070	0.3070	0.3075B/0.2640A	0.3075B/0.2640A	----	0.3075 + 0.0290	.9029	----	----	1	----	7 UNCH
583	----	----	0.2860B/0.2555A	0.2860B/0.2555A	----	0.2980 + 0.0280	.8959	----	----	----	----	63 UNCH
584	----	----	0.2770B/0.2470A	0.2770B/0.2470A	----	0.2890 + 0.0275	.8889	----	----	----	----	45 UNCH
585	----	----	0.2855B/0.2160A	0.2855B/0.2160A	----	0.2800 + 0.0270	.8817	----	----	----	308	147 - 308
586	----	----	0.2590B/0.2305A	0.2590B/0.2305A	----	0.2710 + 0.0260	.8744	----	----	----	----	13 UNCH
587	----	----	0.2500B/0.2220A	0.2500B/0.2220A	----	0.2625 + 0.0260	.8669	----	----	----	----	8 UNCH
588	----	----	----	0.2285B/0.2640A	----	0.2535 + 0.0250	.8593	----	----	----	----	3 UNCH
589	----	----	0.2330B/0.2065A	0.2330B/0.2065A	----	0.2450 + 0.0240	.8494	----	----	----	----	18 UNCH
590	0.2470	0.2470	0.2470/0.1845A	0.2470/0.1845A	----	0.2365 + 0.0235	.8394	----	----	9	1117	967 - 548
591	----	----	0.2160B/0.1915A	0.2160B/0.1915A	----	0.2280 + 0.0225	.8274	----	----	----	----	66 UNCH
592	----	----	----	0.1940B/0.2340A	----	0.2200 + 0.0215	.8172	----	----	----	----	2 UNCH
593	----	----	0.2000B/0.1770A	0.2000B/0.1770A	----	0.2120 + 0.0210	.8050	----	----	----	----	16 UNCH
594	----	----	0.1920B/0.1530A	0.1920B/0.1530A	----	0.2040 + 0.0200	.7912	----	----	----	----	20 UNCH
595	0.1805	0.1805	0.2010B/0.1460A	0.2010B/0.1460A	----	0.1965 + 0.0195	.7788	----	----	2	----	839 - 2
596	----	----	0.1770B/0.1400A	0.1770B/0.1400A	----	0.1890 + 0.0185	.7649	----	----	4	----	1 - 4
597	----	----	0.1695B/0.1305A	0.1695B/0.1305A	----	0.1815 + 0.0175	.7495	----	----	----	----	17 UNCH
598	----	----	0.1625B/0.1250A	0.1625B/0.1250A	----	0.1745 + 0.0170	.7355	----	----	----	----	31 UNCH
599	----	----	0.1555B/0.1195A	0.1555B/0.1195A	----	0.1675 + 0.0160	.7201	----	----	----	----	6 UNCH
600	0.1650	0.1650	0.1650/0.1125A	0.1650/0.1125A	----	0.1610 + 0.0155	.7036	----	----	1	----	1347 + 1
601	----	----	0.1425B/0.1070A	0.1425B/0.1070A	----	0.1540 + 0.0145	.6872	----	----	4	----	4 - 4
602	----	----	0.1405B/0.1020A	0.1405B/0.1020A	----	0.1480 + 0.0140	.6709	----	----	----	----	4 UNCH
603	----	----	0.1400B/0.0960A	0.1400B/0.0960A	----	0.1415 + 0.0130	.6545	----	----	----	----	18 UNCH
604	----	----	0.1375B/0.0920A	0.1375B/0.0920A	----	0.1355 + 0.0125	.6373	----	----	----	----	44 UNCH
605	0.0890	0.0890	0.1315B/0.0840A	0.1315B/0.0840A	----	0.1295 + 0.0115	.6197	----	----	7	----	181 + 6
606	0.0900	0.0900	0.1260B/0.0830A	0.1260B/0.0830A	----	0.1240 + 0.0110	.6027	----	----	5	----	11 + 3
607	0.0855	0.0855	0.1205B/0.0780A	0.1205B/0.0780A	----	0.1185 + 0.0105	.5852	----	----	3	----	21 + 2
608	0.0780	0.0780	0.1160B/0.0740A	0.1160B/0.0740A	----	0.1130 + 0.0100	.5675	----	----	2	----	58 + 2
609	----	----	0.1110B/0.0700A	0.1110B/0.0700A	----	0.1080 + 0.0095	.5502	----	----	----	----	25 UNCH
610	0.0705	0.0705	0.1060B/0.0665A	0.1060B/0.0665A	----	0.1030 + 0.0085	.5327	----	----	31	----	1086 - 9
611	----	----	0.1025B/0.0625A	0.1025B/0.0625A	----	0.0985 + 0.0085	.5152	----	----	----	----	17 UNCH
612	----	----	0.0975B/0.0590A	0.0975B/0.0590A	----	0.0935 + 0.0075	.4979	----	----	----	----	29 UNCH
613	0.0565	0.0565	0.0930B/0.0560A	0.0930B/0.0560A	----	0.0890 + 0.0070	.4807	----	----	2	----	39 UNCH
614	----	----	0.0895B/0.0525A	0.0895B/0.0525A	----	0.0845 + 0.0060	.4635	----	----	----	----	35 UNCH
615	0.0760	0.0760	0.0870B/0.0495A	0.0870B/0.0495A	----	0.0805 + 0.0060	.4467	----	----	2	----	902 - 1
616	----	----	0.0810B/0.0470A	0.0810B/0.0470A	----	0.0765 + 0.0055	.4300	----	----	----	----	45 UNCH
617	----	----	0.0780B/0.0445A	0.0780B/0.0445A	----	0.0725 + 0.0045	.4135	----	----	----	----	56 UNCH
618	----	----	0.0735B/0.0420A	0.0735B/0.0420A	----	0.0690 + 0.0045	.3975	----	----	1	----	49 UNCH
619	----	----	0.0700B/0.0395A	0.0700B/0.0395A	----	0.0655 + 0.0040	.3817	----	----	1	----	78 UNCH
620	0.0575	0.0575	0.0685B/0.0370A	0.0685B/0.0370A	----	0.0620 + 0.0035	.3660	----	----	6	----	1133 UNCH
621	----	----	0.0635B/0.0350A	0.0635B/0.0350A	----	0.0590 + 0.0035	.3512	----	----	----	----	60 UNCH
622	0.0550	0.0550	0.0605B/0.0330A	0.0605B/0.0330A	----	0.0560 + 0.0030	.3365	----	----	4	----	46 + 1
623	----	----	0.0575B/0.0310A	0.0575B/0.0310A	----	0.0530 + 0.0025	.3220	----	----	----	----	85 UNCH
624	0.0430	0.0430	0.0545B/0.0290A	0.0545B/0.0290A	----	0.0505 + 0.0025	.3086	----	----	6	----	65 - 1
625	0.0280	0.0280	0.0525B/0.0265	0.0525B/0.0265	----	0.0480 + 0.0025	.2953	----	----	43	----	838 + 5
626	----	----	0.0490B/0.0260A	0.0490B/0.0260A	----	0.0455 + 0.0025	.2823	----	----	----	----	51 UNCH
627	----	----	0.0470B/0.0250A	0.0470B/0.0250A	----	0.0430 + 0.0020	.2693	----	----	----	----	31 UNCH
628	0.0400	0.0400	0.0450B/0.0235A	0.0450B/0.0235A	----	0.0410 + 0.0020	.2578	----	----	3	----	213 + 3
629	----	----	0.0425B/0.0225A	0.0425B/0.0225A	----	0.0390 + 0.0020	.2464	----	----	----	----	149 UNCH
630	0.0205	0.0205	0.0415B/0.0195	0.0415B/0.0195	----	0.0370 + 0.0020	.2352	----	----	46	----	723 + 27
631	0.0190	0.0190	0.0385B/0.0190	0.0385B/0.0190	----	0.0350 + 0.0015	.2241	----	----	4	----	34 - 4
632	----	----	0.0365B/0.0190A	0.0365B/0.0190A	----	0.0335 + 0.0020	.2146	----	----	----	----	2 UNCH
633	0.0205	0.0205	0.0350B/0.0180A	0.0350B/0.0180A	----	0.0315 + 0.0015	.2037	----	----	3	----	59 + 3
634	----	----	0.0335B/0.0165A	0.0335B/0.0165A	----	0.0300 + 0.0015	.1946	----	----	----	----	36 UNCH
635	0.0165	0.0165	0.0320B/0.0155A	0.0320B/0.0155A	----	0.0285 + 0.0015	.1855	----	----	218	----	355 - 68
636	0.0175	0.0175	0.0305B/0.0150A	0.0305B/0.0150A	----	0.0270 + 0.0015	.1766	----	----	3	----	52 + 3
637	----	----	0.0285B/0.0140A	0.0285B/0.0140A	----	0.0260 + 0.0015	.1695	----	----	----	----	4 UNCH
638	----	----	0.0275B/0.0135A	0.0275B/0.0135A	----	0.0245 + 0.0015	.1608	----	----	----	----	3 UNCH
639	----	----	0.0260B/0.0130A	0.0260B/0.0130A	----	0.0235 + 0.0015	.1540	----	----	----	----	27 UNCH
640	0.0235	0.0235	0.0250B/0.0125A	0.0250B/0.0125A	----	0.0225 + 0.0015	.1474	----	----	58	308	1016 - 266
641	----	----	0.0240B/0.0120A	0.0240B/0.0120A	----	0.0215 + 0.0015	.1409	----	----	----	----	9 UNCH
642	----	----	0.0230B/0.0110A	0.0230B/0.0110A	----	0.0205 + 0.0015	.1344	----	----	----	----	17 UNCH
643	0.0140	0.0140	0.0220B/0.0110A	0.0220B/0.0110A	----	0.0195 + 0.0015	.1281	----	----	1	----	10 UNCH
644	----	----	0.0210B/0.0105A	0.0210B/0.0105A	----	0.0185 + 0.0015	.1218	----	----	----	----	1 UNCH
645	0.0160	0.0160	0.0200B/0.0100A	0.0200B/0.0100A	----	0.0175 + 0.0015	.1157	----	----	1	----	89 - 1
646	0.0120	0.0120	0.0190B/0.0095A	0.0190B/0.0095A	----	0.0170 + 0.0015	.1116	----	----	2	----	7 + 2
650	----	----	0.0160B/0.0075A	0.0160B/0.0075A	----	0.0140 + 0.0015	.0921	----	----	2	1117	2695 - 120
655	----	----	0.0130B/0.0065A	0.0130B/0.0065A	----	0.0115 + 0.0015	.0746	----	----	----	----	123 UNCH
660	0.0070	0.0070	0.0105/0.0055A	0.0105/0.0055A	----	0.0090 + 0.0010	.0584	----	----	4	----	152 UNCH
665	----	----	0.0090B/0.0045A	0.0090B/0.0045A	----	0.0075 + 0.0010	.0478	----	----	----	----	23 UNCH
670	----	----	0.0070B/0.0035A	0.0070B/0.0035A	----	0.0060 + 0.0010	.0380	----	----	----	----	1083 UNCH
675	0.0050	0.0050	0.0060B/*0.0025	0.0060B/*0.0025	----	0.0050 + 0.0010	.0311	----	----	12	----	153 + 5
680	0.0025	0.0025	0.0050/*0.0020A	0.0050/*0.0020A	----	0.0045 + 0.0010	.0271	----	----	19	----	1139 + 1
685	0.0020	0.0020	0.0045B/*0.0020	0.0045B/*0.0020	----	0.0040 + 0.0010	.0234	----	----	3	----	13 UNCH
690	0.0025	0.0025	0.0050/*0.0020A	0.0050/*0.0020A	----	0.0035 + 0.0010	.0200	----	----	113	----	224 + 46
695	0.0025	0.0025	0.0045/*0.0015A	0.0045/*0.0015A	----	0.0025 + 0.0005	.0145	----	----	89	----	96 + 70
700	0.0010	0.0010	0.0025/*0.0010	0.0025/*0.0010	----	0.0020 + 0.0005	.0115	----	----	9	----	531 UNCH
705	0.0015	0.0015	0.0020/*0.0015	0.0020/*0.0015	----	0.0020 + 0.0005	.0110	----	----	12	----	14 + 12
710	----	----	----/*0.0010A	----/*0.0010A	----	0.0020 + 0.0005	.0106	----	----	----	----	59 UNCH
715	----	----	----	----/*0.0010A	----	0.0015 + 0.0005	.0080	----	----	----	----	44 UNCH
720	----	----	----	----/*0.0010A	----	0.0010 UNCH	.0054	----	----	----	----	18 UNCH
725	----	----	----	----/0.0010A	----	0.0010 UNCH	.0052	----	----	----	----	93 UNCH
730	----	----	----	----/0.0010A	----	0.0010 UNCH	.0050	----	----	----	----	14 UNCH
735	----	----	----	----/0.0010A	----	0.0010 UNCH	.0048	----	----	----	----	5 UNCH
740	----	----	----	----/*0.0010A	----	0.0010 UNCH	.0047	----	----	----	----	92 UNCH
745	----	----	----	----/0.0010A	----	0.0010 UNCH	.0046	----	----	----	----	34 UNCH
750	----	----	----	----/0.0010A	----	0.0010 UNCH	.0044	----	----	----	----	455 UNCH
755	----	----	----	----/*0.0010A	----	0.0005 UNCH	.0023	----	----	----	----	2 UNCH
760	----	----	----	----/0.0010A	----	0.0005 UNCH	.0017	----	----	----	----	72 UNCH
765	----	----	----	----/0.0010A	----	0.0005 UNCH	.0013	----	----	----	----	4 UNCH
770	----	----	----	----/0.0010A	----	0.0005 UNCH	.0009	----	----	----	----	4 UNCH
775	----	----	----	----/0.0015A	----	0.0005 UNCH	.0007	----	----	----	----	47 UNCH
780	----	----	----	----/0.0010A	----	0.0005 UNCH	.0005	----	----	----	----	10 UNCH
785	----	----	----	----/0.0015A	----	0.0005 UNCH	.0003	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 70

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
790	----	----	----	----/0.0015A	----	0.0005 UNCH	.0002	----	----	----	----	3 UNCH
795	----	----	----	----/0.0015A	----	0.0005 UNCH	.0002	----	----	----	----	5 UNCH
800	----	----	----	----/0.0015A	----	0.0005 UNCH	.0001	----	----	----	----	4120 UNCH
810	----	----	----	----/*0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	4040 UNCH
820	----	----	----	----/*0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	28 UNCH
825	----	----	----	----/*0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	91 UNCH
835	----	----	----	----/*0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
840	----	----	----	----/*0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	4 UNCH
850	----	----	----	----/0.0005A	----	0.0005 UNCH	----	----	----	----	----	62 UNCH
855	----	----	----	----/*0.0015A	----	0.0005 UNCH	----	----	----	----	----	30 UNCH
860	----	----	----	----/*0.0015A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
865	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
870	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
875	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
880	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	12 UNCH
890	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
900	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	73 UNCH
915	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
920	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
925	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
930	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
935	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
940	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
945	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
950	----	----	----	----/0.0005A	----	0.0005 UNCH	----	----	----	----	----	40 UNCH
TOTAL									2850	764		31595 - 1163
JUN26												
500	----	----	----	----	----	1.1815 + 0.0385	.9660	----	----	----	----	4 UNCH
510	----	----	----	----	----	1.0840 NEW	.9588	----	----	1	----	1 + 1
525	----	----	----	----	----	0.9385 + 0.0380	.9430	----	----	----	----	1 UNCH
535	----	----	----	----	----	0.8425 + 0.0375	.9289	----	----	----	----	2 UNCH
540	----	----	0.7775B/0.7520A	0.7775B/0.7520A	----	0.7960 + 0.0380	.9192	----	----	2	----	24 + 2
545	----	----	----	0.6860B/0.7250A	----	0.7495 + 0.0375	.9081	----	----	----	----	2 UNCH
549	----	----	#0.6995B/----	#0.6995B/0.6890	----	0.7125 + 0.0370	.8984	----	----	----	----	1 UNCH
550	----	----	0.6905B/----	0.6905B/0.6805A	----	0.7035 + 0.0370	.8955	----	----	2	----	5 + 2
555	----	----	0.6455B/----	0.6455B/0.6370A	----	0.6585 + 0.0360	.8805	----	----	----	----	1 UNCH
556	----	----	#0.6365B/----	#0.6365B/0.6280	----	0.6495 + 0.0360	.8775	----	----	----	----	1 UNCH
557	----	----	#0.6280B/0.5995	#0.6280B/0.5995	----	0.6405 + 0.0355	.8744	----	----	----	----	63 UNCH
559	----	----	#0.6100B/----	#0.6100B/0.6030	----	0.6230 + 0.0350	.8673	----	----	----	----	4 UNCH
560	----	----	0.6020B/0.5740A	0.6020B/0.5740A	----	0.6140 + 0.0345	.8641	----	----	----	----	106 UNCH
562	----	----	#0.5840B/----	#0.5840B/0.5775	----	0.5970 + 0.0345	.8569	----	----	----	----	1 UNCH
565	----	----	0.5585B/----	0.5585B/0.5535A	----	0.5715 + 0.0340	.8446	----	----	----	----	2 UNCH
568	----	----	#0.5335B/----	0.5335B/0.5295A	----	0.5465 + 0.0330	.8314	----	----	----	----	3 UNCH
569	----	----	#0.5255B/----	0.5255B/0.5220A	----	0.5380 + 0.0325	.8272	----	----	----	----	2 UNCH
570	----	----	0.5175B/0.4925A	0.5175B/0.4925A	----	0.5300 + 0.0325	.8223	----	----	----	----	19 UNCH
574	----	----	#0.4850B/----	0.4850B/0.4840A	----	0.4980 + 0.0315	.8024	----	----	----	----	3 UNCH
575	----	----	0.4860B/0.4250A	0.4860B/0.4250A	----	0.4900 + 0.0310	.7974	----	----	----	----	149 UNCH
579	----	----	0.4460B/----	0.4460B/0.4475A	----	0.4595 + 0.0300	.7753	----	----	----	----	3 UNCH
580	0.4500	0.4500	0.4555B/0.3895A	0.4555B/0.3895A	----	0.4520 + 0.0295	.7697	----	----	2	----	45 UNCH
581	----	----	0.4310B/----	0.4310B/0.4335A	----	0.4445 + 0.0290	.7640	----	----	----	----	1 UNCH
582	----	----	0.4235B/----	0.4235B/0.4270A	----	0.4375 + 0.0290	.7583	----	----	----	----	1 UNCH
583	----	----	0.4155B/----	0.4155B/0.4205A	----	0.4300 + 0.0285	.7525	----	----	----	----	2 UNCH
584	----	----	0.4090B/----	0.4090B/0.4130A	----	0.4230 + 0.0285	.7463	----	----	----	----	3 UNCH
585	----	----	0.4180B/0.3560A	0.4180B/0.3560A	----	0.4160 + 0.0285	.7401	----	----	1	----	11 UNCH
586	----	----	0.3945B/----	0.3945B/0.4005A	----	0.4090 + 0.0280	.7338	----	----	----	----	1 UNCH
587	----	----	0.3875B/----	0.3875B/0.3935A	----	0.4020 + 0.0275	.7276	----	----	----	----	3 UNCH
588	----	----	0.3805B/----	0.3805B/0.3870A	----	0.3950 + 0.0275	.7213	----	----	----	----	4 UNCH
589	----	----	0.3735B/----	0.3735B/0.3810A	----	0.3880 + 0.0270	.7151	----	----	----	----	1 UNCH
590	----	----	0.3840B/0.3250A	0.3840B/0.3250A	----	0.3815 + 0.0265	.7084	----	----	----	----	82 UNCH
591	----	----	0.3605B/0.3450A	0.3605B/0.3450A	----	0.3745 + 0.0260	.7021	----	----	----	----	10 UNCH
594	----	----	0.3400B/0.3145A	0.3400B/0.3145A	----	0.3550 + 0.0250	.6821	----	----	----	----	3 UNCH
595	----	----	0.3515B/0.2960A	0.3515B/0.2960A	----	0.3485 + 0.0245	.6755	----	----	----	----	6 UNCH
596	----	----	0.3275B/0.3030A	0.3275B/0.3030A	----	0.3425 + 0.0245	.6685	----	----	----	----	3 UNCH
598	----	----	0.3150B/0.2740A	0.3150B/0.2740A	----	0.3300 + 0.0235	.6549	----	----	----	----	3 UNCH
599	----	----	0.3115B/0.2695A	0.3115B/0.2695A	----	0.3240 + 0.0235	.6479	----	----	----	----	1 UNCH
600	----	----	0.3255B/0.2635A	0.3255B/0.2635A	----	0.3185 + 0.0235	.6410	----	----	11	----	392 + 11
603	----	----	0.2990B/0.2490A	0.2990B/0.2490A	----	0.3010 + 0.0225	.6200	----	----	----	----	2 UNCH
604	----	----	0.2980B/0.2420A	0.2980B/0.2420A	----	0.2950 + 0.0215	.6130	----	----	----	----	14 UNCH
605	----	----	0.2920B/0.2380A	0.2920B/0.2380A	----	0.2895 + 0.0210	.6059	----	----	----	----	12 UNCH
606	----	----	0.2855B/0.2325A	0.2855B/0.2325A	----	0.2840 + 0.0210	.5988	----	----	----	----	4 UNCH
607	----	----	0.2810B/0.2285A	0.2810B/0.2285A	----	0.2785 + 0.0205	.5917	----	----	48	----	78 + 48
608	----	----	0.2755B/0.2240A	0.2755B/0.2240A	----	0.2730 + 0.0195	.5846	----	----	----	----	4 UNCH
609	----	----	0.2715B/0.2195A	0.2715B/0.2195A	----	0.2680 + 0.0195	.5775	----	----	----	----	8 UNCH
610	0.2425	0.2425	0.2665B/0.2150A	0.2665B/0.2150A	----	0.2625 + 0.0190	.5704	----	----	4	----	554 + 2
611	----	----	0.2600B/0.2105A	0.2600B/0.2105A	----	0.2575 + 0.0185	.5632	----	----	----	----	1 UNCH
612	----	----	0.2555B/0.2060A	0.2555B/0.2060A	----	0.2525 + 0.0180	.5561	----	----	----	----	20 UNCH
613	----	----	0.2500B/0.2020A	0.2500B/0.2020A	----	0.2475 + 0.0175	.5490	----	----	----	----	2 UNCH
614	----	----	0.2455B/0.1980A	0.2455B/0.1980A	----	0.2425 + 0.0170	.5418	----	----	----	----	3 UNCH
615	0.2225	0.2225	0.2440B/0.1945A	0.2440B/0.1945A	----	0.2380 + 0.0165	.5347	----	----	7	100	860 + 100
616	0.1955	0.1955	0.2380B/0.1900A	0.2380B/0.1900A	----	0.2330 + 0.0160	.5276	----	----	1	----	11 + 1
617	0.1930	0.1930	0.2340B/0.1865A	0.2340B/0.1865A	----	0.2285 + 0.0155	.5206	----	----	23	----	22 + 15
618	0.1875	0.1875	0.2290B/0.1825A	0.2290B/0.1825A	----	0.2245 + 0.0155	.5135	----	----	1	----	12 + 1
619	0.1840	0.1840	0.2220B/0.1790A	0.2220B/0.1790A	----	0.2200 + 0.0150	.5065	----	----	1	----	3 + 1
620	0.1805	0.1805	0.2215B/0.1750A	0.2215B/0.1750A	----	0.2150 + 0.0140	.4994	----	----	11	----	225 + 5
622	----	----	0.2125B/0.1680A	0.2125B/0.1680A	----	0.2065 + 0.0135	.4854	----	----	----	----	5 UNCH
624	----	----	0.2040B/0.1610A	0.2040B/0.1610A	----	0.1985 + 0.0125	.4717	----	----	----	----	1 UNCH
625	0.1980	0.1980	0.2020B/0.1575A	0.2020B/0.1575A	----	0.1945 + 0.0125	.4649	----	----	3	----	380 UNCH
626	----	----	0.1960B/0.1550A	0.1960B/0.1550A	----	0.1905 + 0.0120	.4581	----	----	----	----	2 UNCH
627	----	----	0.1925B/0.1515A	0.1925B/0.1515A	----	0.1870 + 0.0120	.4515	----	----	----	----	14 UNCH
628	----	----	0.1885B/0.1480A	0.1885B/0.1480A	----	0.1830 + 0.0110	.4447	----	----	----	----	13 UNCH
629	----	----	0.1845B/0.1450A	0.1845B/0.1450A	----	0.1795 + 0.0110	.4381	----	----	----	----	33 UNCH
630	0.1455	0.1455	0.1820B/0.1420A	0.1820B/0.1420A	----	0.1760 + 0.0110	.4316	----	----	36	----	572 + 5
632	----	----	0.1735B/0.1360A	0.1735B/0.1360A	----	0.1690 + 0.0100	.4186	----	----	----	----	4 UNCH
635	----	----	0.1645B/0.1270A	0.1645B/0.1270A	----	0.1590 + 0.0095	.3996	----	----	----	----	446 UNCH
640	0.1450	0.1450	0.1480B/0.1135A	0.1480B/0.1135A	----	0.1430 + 0.0080	.3687	----	----	24	----	877 + 20
645	----	----	0.1320B/0.1015A	0.1320B/0.1015A	----	0.1290 + 0.0070	.3398	----	----	----	----	61 UNCH
650	0.1050	0.1050	0.1200B/0.0910A	0.1200B/0.0910A	----	0.1165 + 0.0065	.3128	----	----	45	200	726 + 157
655	0.0945	0.0945	0.1085B/0.0815A	0.1085B/0.0815A	----	0.1045 + 0.0050	.2867	----	----	5	----	368 UNCH
660	0.0815	0.0815	0.0975B/0.0730A	0.0975B/0.0730A	----	0.0940 + 0.0045	.2626	----	----	55	----	341 + 47
665	----	----	0.0870B/0.0660A	0.0870B/0.0660A	----	0.0850 + 0.0045	.2409	----	----	2	----	33 UNCH
670	0.0650	0.0650	0.0785B/0.0590A	0.0785B/0.0590A	----	0.0765 + 0.0040	.2202	----	----	6	----	225 + 2
675	0.0630	0.0630	0.0705B/0.0530A	0.0705B/0.0530A	----	0.0690 + 0.0040	.2013	----	----	2	----	38 - 1
680	0.0485	0.0485	0.0640B/0.0475A	0.0640B/0.0475A	----	0.0620 + 0.0035	.1835	----	----	41	----	313 - 4
685	0.0500	0.0500	0.0565B/0.0425A	0.0565B/0.0425A	----	0.0560 + 0.0030	.1676	----	----	3	----	13 + 3
690	0.0410	0.0410	0.0515B/0.0390A	0.0515B/0.0390A	----	0.0505 + 0.0030	.1529	----	----	6	----	136 UNCH
695	----	----	0.0460B/0.0350A	0.0460B/0.0350A	----	0.0455 + 0.0025	.1393	----	----	----	----	5 UNCH
700	0.0360	0.0360	0.0415B/0.0315A	0.0415B/0.0315A	----	0.0415 + 0.0025	.1277	----	----	20	----	724 + 6
705	----	----	0.0385B/0.0285A	0.0385B/0.0285A	----	0.0375 + 0.0025	.1165	----	----	----	----	5 UNCH
710	----	----	0.0345B/0.0255A	0.0345B/0.0255A	----	0.0340 + 0.0020	.1064	----	----	----	----	453 UNCH
715	----	----	0.0320B/0.0230A	0.0320B/0.0230A	----	0.0310 + 0.0020	.0975	----	----	----	----	10 UNCH
720	0.0300	0.0300	0.0300/0.0210A	0.0300/0.0210A	----	0.0280 + 0.0015	.0887	----	----	2	----	30 UNCH
725	----	----	0.0265B/0.0190A	0.0265B/0.0190A	----	0.0260 + 0.0020	.0823	----	----	----	----	76 UNCH
730	0.0215	0.0215	0.0240B/0.0175A	0.0240B/0.0175A	----	0.0235 + 0.0015	.0749	----	----	10	----	13 + 10
735	0.0185	0.0185	0.0220/0.0160A	0.0220/0.0160A	----	0.0215 + 0.0015	.0688	----	----	21	----	40 + 20
740	0.0145	0.0145	0.0200B/0.0145	0.0200B/0.0145	----	0.0200 + 0.0015	.0639	----	----	1	----	2 + 1
745	----	----	0.0185B/0.0140A	0.0185B/0.0140A	----	0.0185 + 0.0015	.0591	----	----	----	----	1522 UNCH
750	----	----	0.0170B/0.0130A	0.0170B/0.0130A	----	0.0170 + 0.0015	.0544	----	----	----	----	166 UNCH
755	----	----	0.0155B/0.0120A	0.0155B/0.0120A	----	0.0155 + 0.0010	.0498	----	----	----	----	1 UNCH
765	----	----	0.0135B/0.0105A	0.0135B/0.0105A	----	0.0135 + 0.0010	.0432	----	----	----	----	1505 UNCH
770	----	----	0.0125B/0.0095A	0.0125B/0.0095A	----	0.0125 + 0.0010	.0400	----	----	----	----	7 UNCH
775	----	----	0.0115B/0.0090A	0.0115B/0.0090A	----	0.0115 + 0.0010	.0369	----	----	----	----	2 UNCH
780	----	----	0.0105B/0.0085A	0.0105B/0.0085A	----	0.0110 + 0.0010	.0350	----	----	----	----	5 UNCH
795	----	----	----	0.0075B/0.0080A	----	0.0090 + 0.0010	.0285	----	----	----	----	33 UNCH
800	----	----	----	0.0070B/0.0075A	----	0.0080 + 0.0005	.0256	----	----	----	----	7 UNCH
810	----	----	----	0.0060B/0.0065A	----	0.0070 + 0.0010	.0223	----	----	----	----	3 UNCH
825	----	----	----	0.0045B/0.0075A	----	0.0055 + 0.0005	.0176	----	----	----	----	1 UNCH
840	----	----	----	0.0035B/0.0075A	----	0.0040 UNCH	.0130	----	----	----	----	6 UNCH
850	----	----	----	0.0020B/0.0070A	----	0.0035 + 0.0005	.0114	----	----	----	----	4 UNCH
880	----	----	----	----/0.0055A	----	0.0025 + 0.0005	.0080	----	----	----	----	2 UNCH
900	----	----	----	----/0.0050A	----	0.0015 UNCH	.0049	----	----	----	----	9 UNCH
910	----	----	----	----/0.0045A	----	0.0015 UNCH	.0048	----	----	----	----	11 UNCH
950	----	----	----	----/0.0030A	----	0.0005 UNCH	.0015	----	----	----	----	1 UNCH
975	----	----	----	----/0.0025A	----	0.0005 UNCH	.0008	----	----	----	----	1 UNCH
TOTAL									300	397		12049 + 455
JUL26												
500	1.1200	1.1200	#1.1710B/1.1200	#1.1710B/1.1200	----	1.1905 + 0.0355	.9442	----	----	2	----	7 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 71

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUL26												
520	----	----	----	----	----	1.0045 + 0.0355	.9130	----	----	----	----	1 UNCH
525	----	----	----	----	----	0.9595 + 0.0355	.9023	----	----	----	----	1 UNCH
530	----	----	0.8940B/0.8745A	0.8940B/0.8745A	----	0.9150 + 0.0355	.8915	----	----	----	----	6 UNCH
540	----	----	0.8060B/0.7890A	0.8060B/0.7890A	----	0.8275 + 0.0340	.8657	----	----	----	----	16 UNCH
545	----	----	----	----	----	0.7850 + 0.0335	.8510	----	----	----	----	1 UNCH
550	----	----	----	----	----	0.7440 + 0.0330	.8349	----	----	----	----	2 UNCH
555	----	----	0.6825B/0.6675A	0.6825B/0.6675A	----	0.7040 + 0.0330	.8171	----	----	----	----	116 UNCH
560	----	----	----	----	----	0.6655 + 0.0330	.7982	----	----	----	----	1 UNCH
570	----	----	0.5855B/0.5280A	0.5855B/0.5280A	----	0.5905 + 0.0305	.7578	----	----	----	----	157 UNCH
574	----	----	0.5410B/0.5295A	0.5410B/0.5295A	----	0.5620 + 0.0295	.7406	----	----	----	----	5 UNCH
575	----	----	0.5570B/0.4950A	0.5570B/0.4950A	----	0.5550 + 0.0290	.7361	----	----	----	----	19 UNCH
580	----	----	0.5230B/0.4635A	0.5230B/0.4635A	----	0.5205 + 0.0270	.7132	----	----	----	----	122 UNCH
585	----	----	0.4910B/0.4335A	0.4910B/0.4335A	----	0.4880 + 0.0260	.6892	----	----	----	----	304 UNCH
590	----	----	0.4590B/0.4050A	0.4590B/0.4050A	----	0.4570 + 0.0250	.6647	----	----	----	----	105 UNCH
591	----	----	----/0.4105A	0.4100B/0.4105A	----	0.4510 + 0.0245	.6597	----	----	----	----	3 UNCH
593	----	----	0.4205B/0.3995A	0.4205B/0.3995A	----	0.4395 + 0.0245	.6496	----	----	----	----	1 UNCH
594	----	----	0.4220B/0.3830A	0.4220B/0.3830A	----	0.4335 + 0.0240	.6445	----	----	----	----	2 UNCH
595	----	----	0.4290B/0.3780A	0.4290B/0.3780A	----	0.4275 + 0.0235	.6395	----	----	----	----	29 UNCH
597	----	----	0.4090B/0.3670A	0.4090B/0.3670A	----	0.4165 + 0.0235	.6293	----	----	----	----	1 UNCH
598	----	----	0.4035B/0.3620A	0.4035B/0.3620A	----	0.4110 + 0.0235	.6242	----	----	----	----	1 UNCH
599	----	----	0.4010B/0.3575A	0.4010B/0.3575A	----	0.4050 + 0.0230	.6192	----	----	----	----	2 UNCH
600	----	----	0.4005B/0.3520A	0.4005B/0.3520A	----	0.4000 + 0.0230	.6141	----	----	6	----	392 + 6
605	----	----	0.3745B/0.3280A	0.3745B/0.3280A	----	0.3735 + 0.0220	.5883	----	----	----	----	33 UNCH
610	0.3075	0.3075	0.3495B/0.3055A	0.3495B/0.3055A	----	0.3485 + 0.0210	.5627	----	----	16	----	109 - 7
615	----	----	0.3260B/0.2835A	0.3260B/0.2835A	----	0.3245 + 0.0195	.5371	----	----	----	1450	1614 + 1411
620	----	----	0.3030B/0.2630A	0.3030B/0.2630A	----	0.3025 + 0.0180	.5117	----	----	50	----	151 + 39
625	0.2625	0.2625	0.2875B/0.2425A	0.2875B/0.2425A	----	0.2815 + 0.0170	.4868	----	----	6	100	235 + 19
630	----	----	0.2650B/0.2280A	0.2650B/0.2280A	----	0.2620 + 0.0155	.4624	----	----	22	----	60 + 18
635	0.2220	0.2220	0.2460B/0.2115A	0.2460B/0.2115A	----	0.2435 + 0.0140	.4386	----	----	1	----	14 + 1
640	0.2285	0.2285	0.2325B/0.1930A	0.2325B/0.1930A	----	0.2265 + 0.0130	.4156	----	----	53	----	912 + 53
645	0.2120	0.2120	0.2160B/0.1785A	0.2160B/0.1785A	----	0.2105 + 0.0115	.3932	----	----	32	----	380 + 30
650	0.1800	0.1800	0.2010B/0.1655A	0.2010B/0.1655A	----	0.1955 + 0.0100	.3716	----	----	11	----	477 + 4
655	----	----	0.1815B/0.1580A	0.1815B/0.1580A	----	0.1815 + 0.0085	.3508	----	----	1	----	2 + 1
660	0.1415	0.1415	0.1725B/0.1415	0.1725B/0.1415	----	0.1685 + 0.0075	.3309	----	----	11	----	217 - 9
665	----	----	0.1565B/0.1365A	0.1565B/0.1365A	----	0.1565 + 0.0065	.3118	----	----	----	----	1 UNCH
670	----	----	0.1470B/0.1255A	0.1470B/0.1255A	----	0.1455 + 0.0055	.2938	----	----	----	----	22 UNCH
675	0.1225	0.1225	0.1400B/0.1135A	0.1400B/0.1135A	----	0.1355 + 0.0050	.2769	----	----	7	1650	2059 + 1610
680	----	----	0.1250B/0.1095A	0.1250B/0.1095A	----	0.1260 + 0.0045	.2606	----	----	----	----	3 UNCH
685	----	----	0.1180B/0.1015A	0.1180B/0.1015A	----	0.1170 + 0.0040	.2450	----	----	----	----	23 UNCH
690	----	----	0.1115B/0.0920A	0.1115B/0.0920A	----	0.1090 + 0.0035	.2306	----	----	----	----	197 UNCH
695	----	----	0.1020B/0.0885A	0.1020B/0.0885A	----	0.1015 + 0.0030	.2169	----	----	----	----	40 UNCH
700	0.0855	0.0855	0.0965B/0.0800A	0.0965B/0.0800A	----	0.0945 + 0.0030	.2039	----	----	11	----	217 UNCH
710	----	----	0.0835B/0.0715A	0.0835B/0.0715A	----	0.0820 NEW	.1802	----	----	6	----	6 + 6
715	----	----	0.0780B/0.0665A	0.0780B/0.0665A	----	0.0765 + 0.0025	.1694	----	----	----	----	25 UNCH
725	----	----	0.0675B/0.0585A	0.0675B/0.0585A	----	0.0670 + 0.0025	.1502	----	----	----	----	1528 UNCH
730	----	----	0.0630B/0.0545A	0.0630B/0.0545A	----	0.0625 + 0.0025	.1412	----	----	----	----	4 UNCH
750	----	----	0.0480B/0.0420A	0.0480B/0.0420A	----	0.0470 + 0.0015	.1094	----	----	----	----	244 UNCH
775	----	----	0.0340B/0.0305A	0.0340B/0.0305A	----	0.0340 + 0.0010	.0809	----	----	----	----	34 UNCH
780	----	----	0.0320B/0.0290A	0.0320B/0.0290A	----	0.0320 + 0.0010	.0764	----	----	----	----	3 UNCH
800	----	----	----	0.0230B/0.0250A	----	0.0250 + 0.0005	.0605	----	----	1	----	77 + 1
850	----	----	----	0.0125B/0.0165A	----	0.0150 + 0.0005	.0364	----	----	----	----	4 UNCH
875	----	----	----	0.0095B/0.0140A	----	0.0115 UNCH	.0281	----	----	----	----	2 UNCH
900	----	----	----	0.0070B/0.0120A	----	0.0090 UNCH	.0220	----	----	----	----	271 UNCH
950	0.0100	0.0100	0.0100/*0.0070	0.0100/0.0070	----	0.0050 UNCH	.0126	----	----	2	----	58 UNCH
975	----	----	----	0.0020B/0.0075A	----	0.0040 UNCH	.0100	----	----	----	----	2 UNCH
1000	----	----	----	----/0.0065A	----	0.0030 UNCH	.0076	----	----	----	----	4 UNCH
TOTAL									3200	238		10322 + 3185
AUG26												
500	----	----	----	----	----	1.2630 + 0.0370	.9229	----	----	----	----	2 UNCH
550	----	----	----	----	----	0.8360 + 0.0335	.8109	----	----	----	----	3 UNCH
580	----	----	0.6165B/0.5650A	0.6165B/0.5650A	----	0.6225 + 0.0300	.7065	----	----	----	----	252 UNCH
585	----	----	0.5850B/0.5355A	0.5850B/0.5355A	----	0.5910 + 0.0290	.6870	----	----	----	----	11 UNCH
590	----	----	0.5540B/0.5070A	0.5540B/0.5070A	----	0.5605 + 0.0285	.6672	----	----	----	----	16 UNCH
595	----	----	0.5245B/0.4795A	0.5245B/0.4795A	----	0.5310 + 0.0270	.6469	----	----	----	----	1 UNCH
600	----	----	0.4965B/0.4535A	0.4965B/0.4535A	----	0.5030 + 0.0265	.6265	----	----	----	----	4 UNCH
620	----	----	0.4000B/0.3615A	0.4000B/0.3615A	----	0.4030 + 0.0230	.5439	----	----	----	----	7 UNCH
625	----	----	0.3775B/0.3415A	0.3775B/0.3415A	----	0.3810 + 0.0220	.5236	----	----	----	----	90 UNCH
635	----	----	0.3360B/0.3045A	0.3360B/0.3045A	----	0.3395 + 0.0200	.4835	----	----	----	----	2 UNCH
640	----	----	0.3165B/0.2875A	0.3165B/0.2875A	----	0.3210 + 0.0190	.4642	----	----	----	----	153 UNCH
650	----	----	0.2820B/0.2565A	0.2820B/0.2565A	----	0.2860 + 0.0170	.4266	----	----	----	----	31 UNCH
675	----	----	0.2100B/0.1930A	0.2100B/0.1930A	----	0.2140 + 0.0120	.3414	----	----	----	----	168 UNCH
680	----	----	0.1980B/0.1825A	0.1980B/0.1825A	----	0.2015 + 0.0110	.3258	----	----	----	----	4 UNCH
690	----	----	----/0.1645A	0.1705B/0.1645A	----	0.1795 + 0.0090	.2967	----	----	----	----	3 UNCH
700	----	----	----/0.1470A	0.1505B/0.1470A	----	0.1595 + 0.0070	.2696	----	----	----	----	4 UNCH
725	----	----	----/0.1135A	0.1120B/0.1135A	----	0.1200 + 0.0045	.2120	----	----	----	----	86 UNCH
730	----	----	0.1105B/0.1055A	0.1105B/0.1055A	----	0.1130 + 0.0040	.2016	----	----	----	----	1 UNCH
750	----	----	----/0.0855A	0.0880B/0.0855A	----	0.0905 + 0.0025	.1660	----	----	----	----	66 UNCH
800	0.0520	0.0520	0.0520/0.0520	0.0520/0.0520	----	0.0530 + 0.0010	.1026	----	----	1	----	7 + 1
850	----	----	----	0.0285B/0.0350A	----	0.0330 + 0.0005	.0657	----	----	----	----	1 UNCH
900	----	----	----	0.0170B/0.0245A	----	0.0220 UNCH	.0442	----	----	----	----	57 UNCH
950	----	----	----	0.0105B/0.0180A	----	0.0140 UNCH	.0288	----	----	----	----	2 UNCH
975	----	----	----	0.0080B/0.0170A	----	0.0115 UNCH	.0238	----	----	----	----	3 UNCH
TOTAL										1		974 + 1
SEP26												
495	----	----	----	----	----	1.3230 + 0.0370	.9108	----	----	----	----	2 UNCH
500	----	----	----	----	----	1.2785 + 0.0365	.9025	----	----	----	----	5 UNCH
535	----	----	----	----	----	0.9860 + 0.0340	.8280	----	----	----	----	1 UNCH
565	----	----	0.7600B/0.7065A	0.7600B/0.7065A	----	0.7665 + 0.0315	.7402	----	----	----	----	1 UNCH
575	----	----	0.6940B/0.6440A	0.6940B/0.6440A	----	0.7010 + 0.0305	.7068	----	----	----	----	100 UNCH
595	----	----	0.5745B/0.5320A	0.5745B/0.5320A	----	0.5820 + 0.0270	.6369	----	----	----	----	3 UNCH
600	0.5400	0.5400	0.5475B/0.5065A	0.5475B/0.5065A	----	0.5550 + 0.0265	.6189	----	----	1	----	288 UNCH
610	----	----	0.4960B/0.4595A	0.4960B/0.4595A	----	0.5035 + 0.0245	.5827	----	----	----	----	31 UNCH
615	----	----	0.4765B/0.4370A	0.4765B/0.4370A	----	0.4795 + 0.0235	.5646	----	----	----	----	9 UNCH
620	----	----	0.4535B/0.4160A	0.4535B/0.4160A	----	0.4565 + 0.0225	.5466	----	----	----	----	37 UNCH
625	----	----	0.4315B/0.3960A	0.4315B/0.3960A	----	0.4345 + 0.0215	.5287	----	----	----	----	142 UNCH
630	----	----	0.4105B/0.3765A	0.4105B/0.3765A	----	0.4130 + 0.0205	.5110	----	----	----	----	2 UNCH
640	----	----	0.3710B/0.3410A	0.3710B/0.3410A	----	0.3735 + 0.0185	.4763	----	----	----	----	12 UNCH
650	0.3360	0.3360	0.3380B/0.3085A	0.3380B/0.3085A	----	0.3380 + 0.0170	.4430	----	----	5	----	163 - 1
655	----	----	0.3180B/0.2935A	0.3180B/0.2935A	----	0.3210 + 0.0155	.4267	----	----	----	----	4 UNCH
670	----	----	0.2730B/0.2530A	0.2730B/0.2530A	----	0.2760 + 0.0135	.3806	----	----	----	----	1 UNCH
675	----	----	0.2595B/0.2410A	0.2595B/0.2410A	----	0.2625 + 0.0125	.3661	----	----	----	----	325 UNCH
680	----	----	0.2465B/0.2295A	0.2465B/0.2295A	----	0.2495 + 0.0120	.3519	----	----	----	----	351 UNCH
690	----	----	0.2225B/0.2080A	0.2225B/0.2080A	----	0.2255 + 0.0105	.3249	----	----	----	----	12 UNCH
700	----	----	0.2010B/0.1890A	0.2010B/0.1890A	----	0.2040 + 0.0090	.2997	----	----	----	----	86 UNCH
720	----	----	0.1640B/0.1565A	0.1640B/0.1565A	----	0.1670 + 0.0070	.2543	----	----	----	----	5 UNCH
750	----	----	0.1220B/0.1190A	0.1220B/0.1190A	----	0.1250 + 0.0050	.1986	----	----	10	----	71 UNCH
775	----	----	----	0.0955B/0.0955A	----	0.0990 + 0.0035	.1618	----	----	----	----	3 UNCH
800	----	----	----	0.0755B/0.0775A	----	0.0790 + 0.0035	.1322	----	----	10	----	22 + 10
875	----	----	----	0.0375B/0.0445A	----	0.0415 + 0.0020	.0732	----	----	----	----	1 UNCH
900	----	----	----	0.0300B/0.0380A	----	0.0335 + 0.0015	.0601	----	----	----	----	25 UNCH
975	----	----	----	0.0160B/0.0255A	----	0.0190 + 0.0010	.0350	----	----	----	----	3 UNCH
TOTAL										26		1705 + 9
OCT26												
650	----	----	0.4150B/0.3935A	0.4150B/0.3935A	----	0.4230 + 0.0185	.4818	----	----	----	----	100 UNCH
700	----	----	----	0.2585B/0.2635A	----	0.2720 + 0.0120	.3457	----	----	----	----	145 UNCH
775	----	----	----	0.1300B/0.1460A	----	0.1420 + 0.0055	.2022	----	----	----	----	71 UNCH
800	----	----	----	0.1090B/0.1135A	----	0.1150 + 0.0045	.1686	----	----	----	----	1 UNCH
850	----	----	----	0.0715B/0.0800A	----	0.0800 + 0.0030	.1209	----	----	----	----	30 UNCH
875	----	----	----	0.0580B/0.0680A	----	0.0685 + 0.0025	.1041	----	----	----	----	2 UNCH
900	----	----	----	0.0475B/0.0585A	----	0.0595 + 0.0020	.0906	----	----	----	----	3 UNCH
975	----	----	----	0.0255B/0.0395A	----	0.0325 + 0.0010	.0527	----	----	----	----	6 UNCH
TOTAL												358
NOV26												
535	----	----	----	----	----	1.1130 + 0.0335	.8091	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.0400 + 0.0325	.7853	----	----	----	----	1 UNCH
580	----	----	0.7945B/0.7640A	0.7945B/0.7640A	----	0.8100 + 0.0290	.6925	----	----	----	----	2 UNCH
585	----	----	0.7650B/0.7360A	0.7650B/0.7360A	----	0.7805 + 0.0285	.6782	----	----	----	----	1 UNCH
595	----	----	0.7085B/0.6825A	0.7085B/0.6825A	----	0.7240 + 0.0270	.6495	----	----	----	----	2 UNCH
600	0.6800	0.6800	0.6815B/0.6570A	0.6815B/0.6570A	----	0.6970 + 0.0265	.6349	----	----	2	----	2 UNCH
610	----	----	0.6300B/0.6085A	0.6300B/0.6085A	----	0.6455 + 0.0250	.6057	----	----	----	----	14 UNCH
640	----	----	0.4945B/0.4825A	0.4945B/0.4825A	----	0.5110 + 0.0215	.5187	----	----	----	----	1 UNCH
655	----	----	0.4370B/0.4290A	0.4370B/0.4290A	----	0.4540 + 0.0200	.4772	----	----	----	----	1 UNCH
670	----	----	0.3860B/0.3810A	0.3860B/0.3810A	----	0.4030 + 0.0185	.4377	----	----	----	----	14 UNCH
675	----	----	0.3705B/0.3665A	0.3705B/0.3665A	----	0.3870 + 0.0175	.4249	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 72

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
NOV26												
700	----	----	----/0.3015A	0.3010B/0.3015A	----	0.3160 + 0.0140	.3647	----	----	----	----	1 UNCH
750	----	----	----	0.1980B/0.2060A	----	0.2115 + 0.0090	.2649	----	----	----	----	1 UNCH
850	----	----	----	0.0870B/0.1050A	----	0.0995 + 0.0045	.1386	----	----	----	----	1 UNCH
900	----	----	----	0.0580B/0.0790A	----	0.0690 + 0.0025	.1001	----	----	----	----	1 UNCH
975	----	----	----	0.0310B/0.0550A	----	0.0400 + 0.0020	.0613	----	----	----	----	1 UNCH
TOTAL										2		45
DEC26												
520	----	----	----	----	----	1.2505 + 0.0350	.8288	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.2125 + 0.0345	.8185	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.1390 + 0.0340	.7966	----	----	----	----	1 UNCH
550	----	----	----/0.9845A	0.9985B/0.9845A	----	1.0340 + 0.0325	.7618	----	----	----	----	2 UNCH
555	----	----	0.9825B/0.9520A	0.9825B/0.9520A	----	1.0010 + 0.0320	.7495	----	----	----	----	1 UNCH
565	----	----	0.9175B/0.8900A	0.9175B/0.8900A	----	0.9365 + 0.0310	.7245	----	----	----	----	45 UNCH
575	----	----	0.8560B/0.8315A	0.8560B/0.8315A	----	0.8750 + 0.0300	.6985	----	----	----	----	123 UNCH
585	----	----	0.7975B/0.7760A	0.7975B/0.7760A	----	0.8170 + 0.0290	.6721	----	----	----	----	1 UNCH
590	----	----	0.7700B/0.7495A	0.7700B/0.7495A	----	0.7890 + 0.0280	.6586	----	----	----	----	200 UNCH
595	----	----	0.7425B/0.7240A	0.7425B/0.7240A	----	0.7620 + 0.0275	.6451	----	----	----	----	163 UNCH
600	----	----	0.7165B/0.6990A	0.7165B/0.6990A	----	0.7355 + 0.0270	.6316	----	----	----	----	602 UNCH
610	----	----	0.6660B/0.6515A	0.6660B/0.6515A	----	0.6855 + 0.0260	.6044	----	----	----	----	356 UNCH
620	----	----	0.6185B/0.6070A	0.6185B/0.6070A	----	0.6380 + 0.0245	.5772	----	----	----	----	408 UNCH
625	----	----	0.5960B/0.5855A	0.5960B/0.5855A	----	0.6155 + 0.0240	.5637	----	----	----	----	3 UNCH
630	----	----	0.5740B/0.5650A	0.5740B/0.5650A	----	0.5940 + 0.0235	.5502	----	----	----	----	456 UNCH
640	----	----	0.5325B/0.5260A	0.5325B/0.5260A	----	0.5525 + 0.0225	.5237	----	----	----	----	29 UNCH
650	0.4845	0.4845	0.4935B/0.4840	0.4935B/0.4840	----	0.5135 + 0.0215	.4978	----	----	19	----	541 + 19
660	----	----	----/0.4555A	0.4570B/0.4555A	----	0.4770 + 0.0200	.4725	----	----	----	----	300 UNCH
670	----	----	----	0.4230B/0.4240A	----	0.4430 + 0.0190	.4479	----	----	----	----	4 UNCH
675	----	----	----	0.4070B/0.4090A	----	0.4270 + 0.0185	.4360	----	----	----	----	17 UNCH
680	----	----	----	0.3915B/0.3945A	----	0.4115 + 0.0175	.4242	----	----	----	----	3 UNCH
700	----	----	----	0.3345B/0.3420A	----	0.3545 + 0.0150	.3793	----	----	----	----	844 UNCH
705	----	----	----	0.3215B/0.3300A	----	0.3415 + 0.0145	.3686	----	----	----	----	2 UNCH
725	----	----	----	0.2750B/0.2865A	----	0.2945 + 0.0125	.3284	----	----	----	----	5 UNCH
730	----	----	----	0.2645B/0.2770A	----	0.2840 + 0.0120	.3191	----	----	----	----	4 UNCH
750	----	----	----	0.2260B/0.2415A	----	0.2455 + 0.0100	.2837	----	----	----	----	24 UNCH
800	----	----	----	0.1550B/0.1755A	----	0.1730 + 0.0070	.2116	----	----	----	----	104 UNCH
850	----	----	----	0.1075B/0.1305A	----	0.1250 + 0.0055	.1591	----	----	----	----	4 UNCH
900	----	----	----	0.0745B/0.1005A	----	0.0925 + 0.0040	.1211	----	----	----	----	213 UNCH
925	----	----	----	0.0620B/0.0895A	----	0.0820 + 0.0030	.1078	----	----	----	----	6 UNCH
950	----	----	----	0.0515B/0.0800A	----	0.0740 + 0.0030	.0971	----	----	----	----	78 UNCH
975	----	----	----	0.0430B/0.0720A	----	0.0670 + 0.0025	.0878	----	----	----	----	13 UNCH
TOTAL										19		4676 + 19
JAN27												
500	----	----	----	----	----	1.5000 + 0.0335	.8615	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.1600 + 0.0060	.1713	----	----	----	----	1 UNCH
TOTAL												2
MAR27												
680	----	----	----	----	----	0.5560 + 0.0175	.4687	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.1245 + 0.0050	.1373	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
MAY26												
125	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
300	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	22 UNCH
330	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
340	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
350	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	6 UNCH
360	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	35 UNCH
370	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
375	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
390	----	----	----	----/0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
395	----	----	----	----/0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	6 UNCH
400	----	----	----	----/0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	124 UNCH
405	----	----	----	----/0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	125 UNCH
410	----	----	----	----/0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	23 UNCH
415	----	----	----	----/0.0035A	----	0.0005 UNCH	.0001	----	----	----	----	6 UNCH
420	----	----	----	----/0.0005A	----	0.0005 UNCH	.0001	----	----	----	----	59 UNCH
425	----	----	----	----/0.0040A	----	0.0005 UNCH	.0002	----	----	----	----	56 UNCH
430	----	----	----	----/0.0015A	----	0.0005 UNCH	.0003	----	----	----	----	13 UNCH
435	----	----	----	----/0.0010A	----	0.0005 UNCH	.0005	----	----	----	----	8 UNCH
440	----	----	----	----/0.0010A	----	0.0005 UNCH	.0007	----	----	----	----	130 UNCH
445	----	----	----	----/0.0010A	----	0.0005 UNCH	.0011	----	----	----	----	52 UNCH
450	----	----	----	----/0.0020A	----	0.0005 UNCH	.0015	----	----	----	----	855 UNCH
455	----	----	----	----/0.0010A	----	0.0010 UNCH	.0030	----	----	----	----	23 UNCH
460	----	----	----	0.0005B/0.0015A	----	0.0010 UNCH	.0031	----	----	----	----	498 UNCH
465	----	----	----	----/*0.0015A	----	0.0010 UNCH	.0032	----	----	----	----	34 UNCH
470	----	----	----	----/0.0010A	----	0.0010 UNCH	.0033	----	----	----	----	57 UNCH
475	----	----	----	----/0.0010A	----	0.0010 UNCH	.0035	----	----	1	----	416 UNCH
480	----	----	----	0.0005B/0.0015A	----	0.0015 UNCH	.0052	----	----	----	----	1301 UNCH
485	----	----	----/*0.0010A	----/*0.0010A	----	0.0015 UNCH	.0054	----	----	----	----	85 UNCH
490	----	----	----	----/0.0025A	----	0.0015 UNCH	.0056	----	----	----	----	268 UNCH
495	----	----	----	----/0.0035A	----	0.0015 UNCH	.0058	----	----	----	----	90 UNCH
500	----	----	----	----/0.0025A	----	0.0015 UNCH	.0061	----	----	----	----	1752 UNCH
505	----	----	----	----/0.0015A	----	0.0015 UNCH	.0064	----	----	----	----	175 UNCH
510	----	----	----	----/0.0030A	----	0.0020 + 0.0005	.0085	----	----	----	----	389 UNCH
514	----	----	----	----/0.0035A	----	0.0025 + 0.0010	.0107	----	----	----	----	43 UNCH
515	----	----	----	----/0.0045A	----	0.0025 + 0.0005	.0108	----	----	1	----	153 - 1
516	----	----	----	----/0.0045A	----	0.0025 + 0.0005	.0109	----	----	----	----	74 UNCH
517	----	----	----	----/0.0045A	----	0.0025 + 0.0005	.0110	----	----	----	----	108 UNCH
518	----	----	----	----/0.0045A	----	0.0030 + 0.0010	.0129	----	----	----	----	117 UNCH
519	----	----	----	----/0.0045A	----	0.0030 + 0.0010	.0131	----	----	----	----	88 UNCH
520	----	----	----	----/*0.0030A	----	0.0030 + 0.0010	.0132	----	----	----	----	1171 UNCH
521	----	----	----	----/0.0045A	----	0.0030 + 0.0010	.0133	----	----	----	----	67 UNCH
522	----	----	----	----/0.0045A	----	0.0030 + 0.0010	.0135	----	----	----	----	52 UNCH
523	----	----	----	----/0.0045A	----	0.0030 + 0.0010	.0136	----	----	----	----	23 UNCH
524	----	----	----	----/0.0045A	----	0.0030 + 0.0010	.0138	----	----	----	----	20 UNCH
525	----	----	----	----/0.0035A	----	0.0035 + 0.0015	.0158	----	----	----	----	329 UNCH
526	----	----	----	----/0.0050A	----	0.0035 + 0.0015	.0159	----	----	----	----	19 UNCH
527	----	----	----	----/0.0050A	----	0.0035 + 0.0010	.0161	----	----	----	----	17 UNCH
528	----	----	----	----/0.0050A	----	0.0035 + 0.0010	.0163	----	----	----	----	12 UNCH
529	----	----	----	----/0.0050A	----	0.0035 + 0.0010	.0165	----	----	----	----	6 UNCH
530	----	----	----	----/0.0035A	----	0.0035 + 0.0010	.0167	----	----	----	----	590 UNCH
531	----	----	----	----/0.0050A	----	0.0035 + 0.0010	.0168	----	----	----	----	24 UNCH
532	----	----	----	----/0.0050A	----	0.0035 + 0.0010	.0170	----	----	----	----	11 UNCH
533	----	----	----	----/0.0050A	----	0.0035 + 0.0010	.0172	----	----	----	----	7 UNCH
534	----	----	----	----/0.0055A	----	0.0035 + 0.0005	.0174	----	----	----	----	9 UNCH
535	----	----	----	----/0.0040A	----	0.0035 + 0.0005	.0176	----	----	----	----	200 UNCH
536	----	----	----	----/0.0055A	----	0.0035 + 0.0005	.0178	----	----	----	----	12 UNCH
537	----	----	----	----/0.0050A	----	0.0035 + 0.0005	.0180	----	----	----	----	9 UNCH
538	----	----	----	----/0.0045A	----	0.0035 + 0.0005	.0183	----	----	----	----	10 UNCH
539	----	----	----	----/0.0045A	----	0.0035 + 0.0005	.0185	----	----	----	----	11 UNCH
540	----	----	----	----/*0.0040A	----	0.0035 UNCH	.0187	----	----	----	----	316 UNCH
541	----	----	----	----/*0.0040A	----	0.0035 UNCH	.0189	----	----	----	----	10 UNCH
542	----	----	----	----/*0.0040A	----	0.0035 UNCH	.0192	----	----	----	----	8 UNCH
543	----	----	----	----/*0.0035A	----	0.0035 UNCH	.0194	----	----	----	----	1 UNCH
544	----	----	----/*0.0030A	----/*0.0030A	----	0.0035 - 0.0005	.0197	----	----	----	----	1 UNCH
545	----	----	0.0045B/*0.0030	0.0045B/*0.0030	----	0.0035 - 0.0005	.0199	----	----	----	----	156 UNCH
546	----	----	0.0045B/*0.0035	0.0045B/*0.0035	----	0.0035 - 0.0005	.0202	----	----	----	----	10 UNCH
547	----	----	0.0045B/*0.0035	0.0045B/*0.0035	----	0.0035 - 0.0005	.0205	----	----	----	----	7 UNCH
548	----	----	0.0050B/*0.0035	0.0050B/*0.0035	----	0.0035 - 0.0010	.0208	----	----	----	----	55 UNCH
549	----	----	0.0050B/*0.0035	0.0050B/*0.0035	----	0.0040 - 0.0005	.0234	----	----	----	----	12 UNCH
550	0.0035	0.0035	0.0055B/*0.0030	0.0055B/*0.0030	----	0.0040 - 0.0005	.0237	----	----	13	----	1713 + 11
551	----	----	0.0055B/*0.0035	0.0055B/*0.0035	----	0.0040 - 0.0010	.0240	----	----	----	----	36 UNCH
552	----	----	0.0060B/*0.0040	0.0060B/*0.0040	----	0.0040 - 0.0010	.0244	----	----	----	----	16 UNCH
553	----	----	0.0060B/*0.0040	0.0060B/*0.0040	----	0.0040 - 0.0010	.0247	----	----	----	----	18 UNCH
554	----	----	0.0060B/*0.0040	0.0060B/*0.0040	----	0.0040 - 0.0015	.0251	----	----	----	----	19 UNCH
555	0.0060	0.0060	0.0065B/*0.0040	0.0065B/*0.0040	----	0.0045 - 0.0010	.0279	----	----	1	----	135 UNCH
556	----	----	0.0065B/*0.0040	0.0065B/*0.0040	----	0.0045 - 0.0015	.0283	----	----	----	----	12 UNCH
557	----	----	0.0070B/*0.0045	0.0070B/*0.0045	----	0.0045 - 0.0015	.0288	----	----	----	----	21 UNCH
558	0.0065	0.0065	0.0075B/*0.0045	0.0075B/*0.0045	----	0.0045 - 0.0020	.0292	----	----	3	----	80 - 3
559	0.0050	0.0050	0.0075B/*0.0045	0.0075B/*0.0045	----	0.0050 - 0.0015	.0322	----	----	3	----	19 - 3
560	0.0060	0.0060	0.0080B/*0.0045	0.0080B/*0.0045	----	0.0050 - 0.0020	.0327	----	----	9	----	470 - 6
561	0.0070	0.0070	0.0080B/*0.0050	0.0080B/*0.0050	----	0.0050 - 0.0025	.0332	----	----	2	----	23 UNCH
562	----	----	0.0085B/*0.0050	0.0085B/*0.0050	----	0.0055 - 0.0020	.0363	----	----	----	----	17 UNCH
563	----	----	0.0090B/*0.0055	0.0090B/*0.0055	----	0.0055 - 0.0025	.0369	----	----	----	----	40 UNCH
564	----	----	0.0090B/*0.0055	0.0090B/*0.0055	----	0.0055 - 0.0030	.0375	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
MAY26												
565	----	----	0.0095B/*0.0055	0.0095B/*0.0055	----	0.0060 - 0.0025	.0407	----	----	1	----	228 UNCH
566	----	----	0.0100B/*0.0060	0.0100B/*0.0060	----	0.0060 - 0.0030	.0414	----	----	----	----	6 UNCH
567	----	----	0.0105B/*0.0060	0.0105B/*0.0060	----	0.0065 - 0.0030	.0447	----	----	----	----	10 UNCH
568	----	----	0.0110B/*0.0065	0.0110B/*0.0065	----	0.0065 - 0.0035	.0455	----	----	----	----	54 UNCH
569	----	----	0.0115B/*0.0070	0.0115B/*0.0070	----	0.0070 - 0.0035	.0489	----	----	91	----	98 + 69
570	0.0075	0.0075	0.0125B/*0.0075	0.0125B/*0.0075	----	0.0070 - 0.0040	.0498	----	----	4	----	723 UNCH
571	0.0105	0.0105	0.0125B/*0.0080	0.0125B/*0.0080	----	0.0075 - 0.0040	.0533	----	----	2	----	9 + 2
572	----	----	0.0135B/*0.0080	0.0135B/*0.0080	----	0.0080 - 0.0045	.0569	----	----	----	----	14 UNCH
573	----	----	0.0145B/*0.0085	0.0145B/*0.0085	----	0.0080 - 0.0050	.0580	----	----	----	----	10 UNCH
574	0.0115	0.0115	0.0155B/*0.0090	0.0155B/*0.0090	----	0.0085 - 0.0050	.0617	----	----	7	----	11 + 6
575	0.0110	0.0110	0.0165B/*0.0095	0.0165B/*0.0095	----	0.0090 - 0.0055	.0655	----	----	16	----	392 - 14
576	0.0105	0.0105	0.0165B/*0.0100	0.0165B/*0.0100	----	0.0095 - 0.0060	.0693	----	----	3	----	28 UNCH
577	----	----	0.0165B/*0.0105	0.0165B/*0.0105	----	0.0100 - 0.0060	.0733	----	----	----	----	74 UNCH
578	0.0145	0.0145	0.0180B/*0.0110	0.0180B/*0.0110	----	0.0105 - 0.0065	.0773	----	----	6	----	25 UNCH
579	0.0155	0.0155	0.0190B/*0.0115	0.0190B/*0.0115	----	0.0110 - 0.0070	.0815	----	----	13	----	15 + 7
580	0.0130	0.0130	0.0205B/*0.0120	0.0205B/*0.0120	----	0.0115 - 0.0080	.0857	----	----	2	----	323 + 1
581	0.0165	0.0165	0.0215B/*0.0130	0.0215B/*0.0130	----	0.0125 - 0.0080	.0925	----	----	3	----	28 + 3
582	0.0155	0.0155	0.0240B/*0.0135	0.0240B/*0.0135	----	0.0130 - 0.0090	.0970	----	----	3	----	13 + 3
583	0.0140	0.0140	0.0250B/*0.0140	0.0250B/*0.0140	----	0.0140 - 0.0095	.1040	----	----	2	----	4 - 1
584	0.0200	0.0200	0.0275B/*0.0150	0.0275B/*0.0150	----	0.0150 - 0.0100	.1110	----	----	1	----	8 UNCH
585	0.0230	0.0230	0.0295B/*0.0160	0.0295B/*0.0160	----	0.0160 - 0.0105	.1182	----	----	17	----	380 + 13
586	----	----	0.0320B/*0.0170	0.0320B/*0.0170	----	0.0170 - 0.0115	.1255	----	----	----	----	8 UNCH
587	----	----	0.0340B/*0.0180	0.0340B/*0.0180	----	0.0180 - 0.0120	.1330	----	----	----	----	3 UNCH
588	0.0280	0.0280	0.0365B/*0.0190	0.0365B/*0.0190	----	0.0190 - 0.0130	.1406	----	----	7	----	12 + 7
589	0.0275	0.0275	0.0385B/*0.0205	0.0385B/*0.0205	----	0.0205 - 0.0140	.1505	----	----	3	----	112 + 3
590	0.0315	0.0315	0.0425B/*0.0220	0.0425B/*0.0220	----	0.0220 - 0.0145	.1605	----	----	13	----	344 + 6
591	----	----	0.0445B/*0.0235	0.0445B/*0.0235	----	0.0240 - 0.0150	.1725	----	----	----	----	5 UNCH
592	----	----	0.0480B/*0.0255	0.0480B/*0.0255	----	0.0255 - 0.0165	.1827	----	----	6	----	68 UNCH
593	----	----	0.0520B/*0.0270	0.0520B/*0.0270	----	0.0275 - 0.0170	.1948	----	----	----	----	4 UNCH
594	----	----	0.0550B/*0.0290	0.0550B/*0.0290	----	0.0300 - 0.0175	.2087	----	----	----	----	25 UNCH
595	----	----	0.0595B/*0.0315	0.0595B/*0.0315	----	0.0320 - 0.0185	.2210	----	----	4	----	89 - 1
596	----	----	0.0635B/*0.0335	0.0635B/*0.0335	----	0.0345 - 0.0195	.2350	----	----	----	----	16 UNCH
597	----	----	0.0675B/*0.0365	0.0675B/*0.0365	----	0.0375 - 0.0200	.2504	----	----	----	----	17 UNCH
598	----	----	0.0715B/*0.0395	0.0715B/*0.0395	----	0.0400 - 0.0210	.2644	----	----	----	----	1 UNCH
599	----	----	0.0765B/*0.0425	0.0765B/*0.0425	----	0.0430 - 0.0220	.2798	----	----	----	----	1 UNCH
600	0.0840	0.0840	0.0840/*0.0450A	0.0840/*0.0450A	----	0.0465 - 0.0225	.2963	----	----	27	----	588 - 5
601	----	----	0.0870B/*0.0485	0.0870B/*0.0485	----	0.0500 - 0.0230	.3127	----	----	5	----	3 + 2
602	----	----	0.0915B/*0.0525	0.0915B/*0.0525	----	0.0535 - 0.0240	.3290	----	----	2	----	1 UNCH
603	0.0885	0.0885	0.0965B/*0.0560	0.0965B/*0.0560	----	0.0570 - 0.0250	.3454	----	----	4	----	1 UNCH
604	0.0865	0.0865	0.1025B/*0.0605	0.1025B/*0.0605	----	0.0610 - 0.0255	.3625	----	----	3	----	5 + 3
605	0.0980	0.0980	0.1080B/*0.0640	0.1080B/*0.0640	----	0.0655 - 0.0260	.3802	----	----	2	----	59 UNCH
606	0.0965	0.0965	0.1125B/*0.0690	0.1125B/*0.0690	----	0.0695 - 0.0270	.3972	----	----	2	----	3 + 2
607	----	----	0.1185B/*0.0725	0.1185B/*0.0725	----	0.0740 - 0.0275	.4147	----	----	----	----	2 UNCH
608	----	----	0.1235B/*0.0785	0.1235B/*0.0785	----	0.0790 - 0.0275	.4324	----	----	----	----	2 UNCH
609	----	----	0.1310B/*0.0835	0.1310B/*0.0835	----	0.0835 - 0.0285	.4497	----	----	----	----	1 UNCH
610	0.0840	0.0840	0.1310B/*0.0840	0.1310B/*0.0840	----	0.0885 - 0.0295	.4672	----	----	6	----	53 + 4
611	----	----	0.1375B/*0.0925	0.1375B/*0.0925	----	0.0940 - 0.0295	.4846	----	----	----	----	5 UNCH
612	----	----	0.1445B/*0.0980	0.1445B/*0.0980	----	0.0990 - 0.0305	.5020	----	----	----	----	3 UNCH
613	----	----	0.1465B/*0.1045	0.1465B/*0.1045	----	0.1045 - 0.0310	.5192	----	----	----	----	4 UNCH
615	----	----	0.1535B/*0.1165	0.1535B/*0.1165	----	0.1160 - 0.0320	.5532	----	----	----	----	1 UNCH
619	----	----	----/*0.1445A	0.1590B/*0.1445	----	0.1410 - 0.0340	.6182	----	----	----	----	1 UNCH
620	----	----	0.2035B/*0.1515	0.2035B/*0.1515	----	0.1475 - 0.0345	.6339	----	----	----	----	3 UNCH
629	----	----	----	0.2340B/0.2885A	----	0.2140 NEW	.7535	----	----	90	----	90 + 90
645	----	----	0.4270B/*0.3535	0.4270B/*0.3535	----	0.3530 - 0.0360	.8842	----	----	----	----	1 UNCH
TOTAL										378		17002 + 198
JUN26												
330	----	----	----	----/0.0020A	----	0.0010 UNCH	.0020	----	----	----	----	8 UNCH
355	----	----	----	----/0.0040A	----	0.0020 + 0.0005	.0040	----	----	----	----	10 UNCH
370	----	----	----	----/0.0045A	----	0.0025 + 0.0005	.0051	----	----	----	----	1 UNCH
380	----	----	----	----/0.0045A	----	0.0030 + 0.0005	.0062	----	----	----	----	1 UNCH
400	----	----	----	----/0.0045A	----	0.0045 + 0.0010	.0095	----	----	----	----	3 UNCH
405	----	----	----	----/*0.0045A	----	0.0045 + 0.0010	.0098	----	----	----	----	1 UNCH
410	----	----	----	----/*0.0050A	----	0.0045 + 0.0010	.0100	----	----	----	----	2 UNCH
420	----	----	----	----/0.0055A	----	0.0045 + 0.0010	.0106	----	----	----	----	3 UNCH
430	----	----	----	----/*0.0040A	----	0.0045 + 0.0010	.0112	----	----	----	----	3 UNCH
435	----	----	----	----/*0.0070A	----	0.0050 + 0.0015	.0124	----	----	----	----	2 UNCH
440	0.0045	0.0045	0.0045/*0.0045	0.0045/*0.0045	----	0.0050 + 0.0010	.0128	----	----	1	----	8 UNCH
445	----	----	----	0.0035B/*0.0075	----	0.0055 + 0.0015	.0142	----	----	----	----	8 UNCH
450	----	----	----	0.0035B/0.0080A	----	0.0060 + 0.0015	.0156	----	----	2	----	451 - 2
455	----	----	----	0.0015B/0.0085A	----	0.0060 + 0.0010	.0161	----	----	----	----	65 UNCH
460	----	----	----	0.0045B/0.0090A	----	0.0070 + 0.0015	.0186	----	----	1	----	54 UNCH
465	----	----	----	0.0045B/0.0095A	----	0.0070 + 0.0010	.0192	----	----	----	----	920 UNCH
470	----	----	----	0.0030B/0.0100A	----	0.0070 + 0.0005	.0198	----	----	2	----	666 - 1
475	----	----	----	0.0040B/0.0105A	----	0.0080 + 0.0005	.0226	----	----	----	----	155 UNCH
480	----	----	----/*0.0070A	0.0045B/*0.0070	----	0.0085 + 0.0005	.0244	----	----	1	----	957 UNCH
485	----	----	----	0.0050B/0.0120A	----	0.0085 - 0.0005	.0253	----	----	----	----	60 UNCH
490	----	----	----	0.0065B/0.0115A	----	0.0095 UNCH	.0284	----	----	----	----	50 UNCH
495	----	----	----	0.0085B/0.0110	----	0.0100 - 0.0005	.0305	----	----	----	----	35 UNCH
500	----	----	----/*0.0100A	0.0095B/*0.0100	----	0.0110 - 0.0005	.0339	----	----	----	----	563 UNCH
505	----	----	----/*0.0110A	0.0110B/*0.0110	----	0.0120 - 0.0005	.0374	----	----	----	----	522 UNCH
510	----	----	----/*0.0130A	0.0135B/*0.0130	----	0.0130 - 0.0005	.0411	----	----	----	----	163 UNCH
515	0.0125	0.0125	0.0125/*0.0125	0.0150B/*0.0125	----	0.0140 - 0.0010	.0450	----	----	3	----	33 + 3
520	0.0150	0.0150	0.0170B/*0.0150	0.0170B/*0.0150	----	0.0155 - 0.0010	.0502	----	----	4	----	155 - 4
523	----	----	0.0180B/*0.0160	0.0180B/*0.0160	----	0.0165 - 0.0010	.0537	----	----	----	----	4 UNCH
525	0.0155	0.0155	0.0190B/*0.0155	0.0190B/*0.0155	----	0.0175 - 0.0005	.0568	----	----	7	----	2153 - 1
526	----	----	0.0195B/*0.0170	0.0195B/*0.0170	----	0.0175 - 0.0010	.0573	----	----	----	----	2 UNCH
527	----	----	0.0200B/*0.0170	0.0200B/*0.0170	----	0.0180 - 0.0010	.0589	----	----	----	----	2 UNCH
528	----	----	0.0205B/*0.0175	0.0205B/*0.0175	----	0.0185 - 0.0010	.0604	----	----	----	----	3 UNCH
529	----	----	0.0210B/*0.0180	0.0210B/*0.0180	----	0.0190 - 0.0010	.0620	----	----	----	----	5 UNCH
530	----	----	0.0215B/*0.0185	0.0215B/*0.0185	----	0.0195 - 0.0010	.0637	----	----	1	----	131 UNCH
531	----	----	0.0220B/*0.0190	0.0220B/*0.0190	----	0.0195 - 0.0015	.0642	----	----	----	----	4 UNCH
532	----	----	0.0225B/*0.0195	0.0225B/*0.0195	----	0.0200 - 0.0015	.0659	----	----	----	----	2 UNCH
533	----	----	0.0230B/*0.0200	0.0230B/*0.0200	----	0.0205 - 0.0015	.0675	----	----	----	----	1 UNCH
534	----	----	0.0235B/*0.0205	0.0235B/*0.0205	----	0.0210 - 0.0015	.0692	----	----	----	----	3 UNCH
535	----	----	0.0245B/*0.0210	0.0245B/*0.0210	----	0.0215 - 0.0015	.0709	----	----	----	----	73 UNCH
536	----	----	0.0250B/*0.0215	0.0250B/*0.0215	----	0.0220 - 0.0015	.0726	----	----	----	----	1 UNCH
537	----	----	0.0260B/*0.0220	0.0260B/*0.0220	----	0.0230 - 0.0010	.0754	----	----	----	----	4 UNCH
538	----	----	0.0260B/*0.0225	0.0260B/*0.0225	----	0.0235 - 0.0010	.0771	----	----	----	----	5 UNCH
539	----	----	0.0270B/*0.0230	0.0270B/*0.0230	----	0.0240 - 0.0010	.0788	----	----	----	----	1 UNCH
540	----	----	0.0280B/*0.0235	0.0280B/*0.0235	----	0.0245 - 0.0015	.0806	----	----	143	----	125 - 30
542	----	----	0.0300B/*0.0250	0.0300B/*0.0250	----	0.0260 - 0.0010	.0852	----	----	2	----	4 UNCH
543	----	----	0.0300B/*0.0255	0.0300B/*0.0255	----	0.0265 - 0.0015	.0870	----	----	2	----	10 - 2
544	----	----	0.0315B/*0.0265	0.0315B/*0.0265	----	0.0270 - 0.0015	.0889	----	----	----	----	2 UNCH
545	----	----	0.0325B/*0.0270	0.0325B/*0.0270	----	0.0280 - 0.0015	.0918	----	----	2	----	58 + 1
546	----	----	0.0335B/*0.0280	0.0335B/*0.0280	----	0.0285 - 0.0020	.0936	----	----	----	----	1 UNCH
547	----	----	0.0345B/*0.0285	0.0345B/*0.0285	----	0.0295 - 0.0015	.0965	----	----	----	----	4 UNCH
548	----	----	0.0350B/*0.0295	0.0350B/*0.0295	----	0.0305 - 0.0015	.0994	----	----	----	----	4 UNCH
550	----	----	0.0370B/*0.0310	0.0370B/*0.0310	----	0.0320 - 0.0020	.1043	----	----	2	----	294 UNCH
551	----	----	0.0380B/*0.0320	0.0380B/*0.0320	----	0.0330 - 0.0020	.1073	----	----	----	----	93 UNCH
552	----	----	0.0395B/*0.0330	0.0395B/*0.0330	----	0.0340 - 0.0020	.1103	----	----	----	----	1 UNCH
553	----	----	0.0405B/*0.0340	0.0405B/*0.0340	----	0.0345 - 0.0030	.1123	----	----	----	----	2 UNCH
554	----	----	0.0415B/*0.0350	0.0415B/*0.0350	----	0.0355 - 0.0030	.1154	----	----	----	----	2 UNCH
555	----	----	0.0430B/*0.0360	0.0430B/*0.0360	----	0.0370 - 0.0025	.1193	----	----	----	----	16 UNCH
556	----	----	0.0450B/*0.0370	0.0450B/*0.0370	----	0.0380 - 0.0030	.1224	----	----	----	----	8 UNCH
557	----	----	0.0465B/*0.0385	0.0465B/*0.0385	----	0.0390 - 0.0030	.1254	----	----	1	----	62 UNCH
559	0.0425	0.0425	0.0495B/*0.0405	0.0495B/*0.0405	----	0.0415 - 0.0035	.1326	----	----	1	----	5 UNCH
560	----	----	0.0510B/*0.0420	0.0510B/*0.0420	----	0.0425 - 0.0040	.1357	----	----	----	----	403 UNCH
561	----	----	0.0520B/*0.0435	0.0520B/*0.0435	----	0.0440 - 0.0040	.1397	----	----	----	----	3 UNCH
562	----	----	0.0540B/*0.0450	0.0540B/*0.0450	----	0.0450 - 0.0045	.1429	----	----	1	----	5 UNCH
565	----	----	0.0595B/*0.0495	0.0595B/*0.0495	----	0.0495 - 0.0050	.1552	----	----	140	----	223 - 27
566	----	----	0.0615B/*0.0510	0.0615B/*0.0510	----	0.0510 - 0.0055	.1593	----	----	----	----	3 UNCH
567	----	----	0.0635B/*0.0525	0.0635B/*0.0525	----	0.0530 - 0.0055	.1642	----	----	----	----	4 UNCH
568	----	----	0.0650B/*0.0545	0.0650B/*0.0545	----	0.0545 - 0.0060	.1684	----	----	1	----	1 UNCH
569	----	----	0.0670B/*0.0560	0.0670B/*0.0560	----	0.0560 - 0.0065	.1726	----	----	2	----	2 UNCH
570	----	----	0.0695B/*0.0580	0.0695B/*0.0580	----	0.0580 - 0.0065	.1775	----	----	2	----	40 + 1
571	----	----	0.0715B/*0.0595	0.0715B/*0.0595	----	0.0600 - 0.0065	.1825	----	----	----	----	6 UNCH
573	0.0660	0.0660	0.0770B/*0.0640	0.0770B/*0.0640	----	0.0640 - 0.0070	.1924	----	----	1	----	2 UNCH
574	----	----	0.0795B/*0.0660	0.0795B/*0.0660	----	0.0660 - 0.0075	.1974	----	----	----	----	2 UNCH
575	----	----	0.0825B/*0.0680	0.0825B/*0.0680	----	0.0680 - 0.0080	.2024	----	----	----	----	78 UNCH
576	0.0725	0.0725	0.0845B/*0.0705	0.0845B/*0.0705	----	0.0700 - 0.0085	.2074	----	----	2	----	3 + 2
577	----	----	0.0880B/*0.0725	0.0880B/*0.0725	----	0.0725 - 0.0085	.2131	----	----	----	----	2 UNCH
578	----	----	0.0900B/*0.0755	0.0900B/*0.0755	----	0.0750 - 0.0085	.2188	----	----	----	----	2 UNCH
579	----	----	0.0935B/*0.0770	0.0935B/*0.0770	----	0.0775 - 0.0090	.2245	----	----	----	----	2 UNCH
580	0.0940	0.0940	0.0965B/*0.0795	0.0965B/*0.0795	----	0.0800 - 0.0090	.2302	----	----	21	----	154 + 20
581	----	----	0.0995B/*0.0820	0.0995B/*0.0820	----	0.0825 - 0.0095	.2358	----	----	----	----	3 UNCH
582	----	----	0.1025B/*0.0850	0.1025B/*0.0850	----	0.0850 - 0.0100	.2415	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 74

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
583	----	----	0.1055B/*0.0885	0.1055B/*0.0885	----	0.0875 - 0.0105	.2473	----	----	----	----	4 UNCH
584	0.0900	0.0900	0.1090B/*0.0900	0.1090B/*0.0900	----	0.0905 - 0.0105	.2535	----	----	1	----	10 + 1
585	----	----	0.1130B/*0.0930	0.1130B/*0.0930	----	0.0935 - 0.0105	.2598	----	----	----	----	17 UNCH
588	----	----	0.1235B/*0.1015	0.1235B/*0.1015	----	0.1025 - 0.0115	.2785	----	----	1	----	2 + 1
590	0.1110	0.1110	0.1315B/*0.1085	0.1315B/*0.1085	----	0.1090 - 0.0120	.2914	----	----	7	----	25 + 7
591	----	----	0.1355B/*0.1115	0.1355B/*0.1115	----	0.1120 - 0.0125	.2977	----	----	----	----	1 UNCH
594	----	----	0.1475B/*0.1220	0.1475B/*0.1220	----	0.1225 - 0.0135	.3177	----	----	----	----	3 UNCH
595	----	----	0.1510B/*0.1260	0.1510B/*0.1260	----	0.1260 - 0.0140	.3243	----	----	----	----	1 UNCH
596	----	----	0.1565B/*0.1300	0.1565B/*0.1300	----	0.1300 - 0.0140	.3313	----	----	----	----	11 UNCH
597	0.1345	0.1345	0.1605B/*0.1330	0.1605B/*0.1330	----	0.1335 - 0.0145	.3380	----	----	1	----	4 + 1
598	0.1385	0.1385	0.1650B/*0.1375	0.1650B/*0.1375	----	0.1375 - 0.0150	.3449	----	----	1	----	7 + 1
599	0.1650	0.1650	0.1695B/*0.1415	0.1695B/*0.1415	----	0.1415 - 0.0150	.3519	----	----	7	----	11 + 7
600	0.1465	0.1465	0.1735B/*0.1450	0.1735B/*0.1450	----	0.1455 - 0.0155	.3588	----	----	3	----	29 + 2
601	0.1500	0.1500	0.1785B/*0.1490	0.1785B/*0.1490	----	0.1495 NEW	.3658	----	----	4	----	4 + 4
602	0.1540	0.1540	0.1840B/*0.1540	0.1840B/*0.1540	----	0.1535 - 0.0165	.3727	----	----	4	----	5 + 4
603	0.1585	0.1585	0.1890B/*0.1585	0.1890B/*0.1585	----	0.1580 - 0.0165	.3798	----	----	3	----	4 + 3
604	0.1625	0.1625	0.1920B/*0.1625	0.1920B/*0.1625	----	0.1620 - 0.0175	.3868	----	----	2	----	5 + 2
605	0.1680	0.1680	0.1985B/*0.1665	0.1985B/*0.1665	----	0.1665 - 0.0175	.3939	----	----	1	----	56 + 1
606	----	----	0.2045B/*0.1715	0.2045B/*0.1715	----	0.1710 - 0.0180	.4010	----	----	----	----	7 UNCH
607	----	----	0.2090B/*0.1765	0.2090B/*0.1765	----	0.1755 - 0.0185	.4081	----	----	----	----	75 UNCH
608	----	----	0.2150B/*0.1810	0.2150B/*0.1810	----	0.1800 - 0.0190	.4152	----	----	----	----	38 UNCH
609	----	----	0.2190B/*0.1860	0.2190B/*0.1860	----	0.1850 - 0.0190	.4224	----	----	----	----	2 UNCH
610	0.2145	0.2145	0.2245B/*0.1905	0.2245B/*0.1905	----	0.1895 - 0.0200	.4294	----	----	3	----	29 + 1
611	0.2205	0.2205	0.2300B/*0.1955	0.2300B/*0.1955	----	0.1945 - 0.0200	.4366	----	----	1	----	3 + 1
612	0.2245	0.2245	0.2365B/*0.2005	0.2365B/*0.2005	----	0.1995 NEW	.4437	----	----	1	----	1 + 1
613	----	----	0.2420B/*0.2055	0.2420B/*0.2055	----	0.2045 - 0.0210	.4509	----	----	----	----	2 UNCH
615	----	----	0.2535B/*0.2160	0.2535B/*0.2160	----	0.2150 - 0.0215	.4651	----	----	----	----	32 UNCH
616	----	----	0.2595B/*0.2215	0.2595B/*0.2215	----	0.2200 - 0.0225	.4722	----	----	----	----	5 UNCH
617	0.2295	0.2295	0.2655B/*0.2260	0.2655B/*0.2260	----	0.2255 - 0.0225	.4792	----	----	23	----	24 + 23
618	----	----	0.2720B/*0.2315	0.2720B/*0.2315	----	0.2305 - 0.0235	.4863	----	----	----	----	8 UNCH
619	----	----	0.2780B/*0.2370	0.2780B/*0.2370	----	0.2360 - 0.0240	.4933	----	----	----	----	9 UNCH
620	----	----	0.2845B/*0.2430	0.2845B/*0.2430	----	0.2415 - 0.0245	.5004	----	----	----	----	10 UNCH
621	----	----	0.2905B/*0.2485	0.2905B/*0.2485	----	0.2475 - 0.0245	.5074	----	----	----	----	1 UNCH
623	----	----	0.3030B/*0.2600	0.3030B/*0.2600	----	0.2590 - 0.0255	.5212	----	----	----	----	2 UNCH
630	----	----	0.3455B/*0.3025	0.3455B/*0.3025	----	0.3025 - 0.0275	.5682	----	----	----	----	9 UNCH
640	----	----	0.4180B/*0.3725	0.4180B/*0.3725	----	0.3690 NEW	.6311	----	----	2	----	2 + 2
645	----	----	0.4565B/*0.4080	0.4565B/*0.4080	----	0.4050 - 0.0315	.6600	----	----	----	----	1 UNCH
650	----	----	0.4960B/*0.4450	0.4960B/*0.4450	----	0.4420 - 0.0325	.6870	----	----	----	----	3 UNCH
655	----	----	0.5280B/*0.4790	0.5280B/*0.4790	----	0.4800 - 0.0335	.7131	----	----	----	----	10 UNCH
700	----	----	0.9095B/----	0.9095B/0.9185A	----	0.8655 - 0.0365	.8721	----	----	----	----	1 UNCH
TOTAL										410		9398 + 22
JUL26												
330	----	----	----	----/0.0070A	----	0.0015 + 0.0005	.0029	----	----	----	----	80 UNCH
350	----	----	----	----/0.0075A	----	0.0020 + 0.0005	.0040	----	----	----	----	5 UNCH
380	----	----	----	----/*0.0090A	----	0.0040 + 0.0010	.0081	----	----	----	----	2 UNCH
390	----	----	----	0.0005B/0.0100A	----	0.0045 + 0.0010	.0094	----	----	----	----	6 UNCH
395	----	----	----	0.0010B/0.0105A	----	0.0050 + 0.0010	.0104	----	----	----	----	1 UNCH
400	----	----	----	0.0015B/0.0090A	----	0.0055 + 0.0010	.0115	----	----	----	----	586 UNCH
405	----	----	----	0.0020B/0.0095A	----	0.0065 + 0.0015	.0134	----	----	----	----	1 UNCH
415	----	----	----	0.0030B/0.0075	----	0.0075 + 0.0015	.0157	----	----	----	----	53 UNCH
420	----	----	----	0.0035B/0.0080A	----	0.0080 + 0.0015	.0169	----	----	----	----	4 UNCH
425	----	----	----	0.0060B/0.0115A	----	0.0090 + 0.0020	.0190	----	----	----	----	46 UNCH
430	----	----	----	0.0045B/0.0080	----	0.0090 + 0.0015	.0195	----	----	----	----	8 UNCH
435	----	----	----	0.0065B/0.0125A	----	0.0095 + 0.0010	.0208	----	----	----	----	5 UNCH
440	----	----	----	0.0070B/0.0130A	----	0.0095 + 0.0005	.0214	----	----	----	----	4 UNCH
445	----	----	----	0.0060B/*0.0140	----	0.0095 - 0.0005	.0220	----	----	----	----	3 UNCH
450	----	----	----	0.0070B/0.0135A	----	0.0100 - 0.0005	.0235	----	----	----	----	1920 UNCH
455	----	----	----	0.0075B/*0.0120	----	0.0105 - 0.0010	.0250	----	----	----	----	9 UNCH
460	----	----	----	0.0085B/0.0125A	----	0.0105 - 0.0020	.0258	----	----	----	----	6 UNCH
470	----	----	----	0.0115B/0.0175A	----	0.0120 - 0.0030	.0301	----	----	----	----	2 UNCH
475	----	----	----	0.0125B/*0.0170	----	0.0130 - 0.0030	.0329	----	----	----	----	512 UNCH
480	----	----	----	0.0140B/*0.0180	----	0.0145 - 0.0030	.0367	----	----	----	----	70 UNCH
485	----	----	----	0.0155B/*0.0195	----	0.0160 - 0.0035	.0405	----	----	----	----	1 UNCH
490	----	----	----	0.0190B/0.0210A	----	0.0175 - 0.0035	.0445	----	----	----	----	545 UNCH
495	----	----	----/*0.0220A	0.0195B/*0.0220	----	0.0195 - 0.0040	.0495	----	----	----	----	96 UNCH
500	0.0220	0.0220	0.0220/*0.0220	0.0240B/*0.0220	----	0.0220 - 0.0035	.0555	----	----	116	----	2671 - 14
505	----	----	----/*0.0270A	0.0250B/*0.0270	----	0.0245 - 0.0040	.0617	----	----	----	----	2 UNCH
510	----	----	----/*0.0290A	0.0280B/*0.0290	----	0.0280 - 0.0035	.0696	----	----	----	----	203 UNCH
520	----	----	----/*0.0360A	0.0380B/*0.0360	----	0.0355 - 0.0035	.0868	----	----	1	----	487 UNCH
525	----	----	----/*0.0405A	0.0420B/*0.0405	----	0.0405 - 0.0035	.0974	----	----	----	----	523 UNCH
530	----	----	----/*0.0450A	0.0475B/*0.0450	----	0.0455 - 0.0035	.1083	----	----	----	----	3225 UNCH
533	----	----	----/*0.0490A	0.0520B/*0.0490	----	0.0490 - 0.0040	.1156	----	----	----	----	1 UNCH
534	----	----	----/*0.0500A	0.0535B/*0.0500	----	0.0500 - 0.0040	.1178	----	----	----	----	2 UNCH
535	----	----	----/*0.0510A	0.0545B/*0.0510	----	0.0515 - 0.0040	.1207	----	----	----	----	1 UNCH
539	----	----	----/*0.0565A	0.0610B/*0.0565	----	0.0565 - 0.0045	.1311	----	----	1	----	2 + 1
540	----	----	----/*0.0580A	0.0625B/*0.0580	----	0.0580 - 0.0045	.1340	----	----	6	----	874 + 6
541	----	----	----/*0.0595A	0.0640B/*0.0595	----	0.0595 - 0.0045	.1370	----	----	----	----	1 UNCH
542	----	----	0.0660B/*0.0610	0.0660B/*0.0610	----	0.0605 - 0.0050	.1393	----	----	----	----	2 UNCH
543	----	----	----/*0.0625A	0.0675B/*0.0625	----	0.0620 - 0.0055	.1422	----	----	----	----	3 UNCH
545	----	----	0.0710B/*0.0655	0.0710B/*0.0655	----	0.0655 - 0.0050	.1487	----	----	----	----	3 UNCH
548	----	----	0.0765B/*0.0705	0.0765B/*0.0705	----	0.0705 - 0.0055	.1583	----	----	----	----	1 UNCH
550	----	----	0.0810B/*0.0735	0.0810B/*0.0735	----	0.0740 - 0.0055	.1648	----	----	1	----	697 UNCH
552	----	----	0.0855B/*0.0780	0.0855B/*0.0780	----	0.0780 - 0.0055	.1719	----	----	----	----	2 UNCH
554	----	----	0.0895B/*0.0815	0.0895B/*0.0815	----	0.0820 - 0.0055	.1791	----	----	----	----	10 UNCH
555	----	----	0.0920B/*0.0830	0.0920B/*0.0830	----	0.0840 - 0.0055	.1826	----	----	10	----	54 UNCH
556	----	----	0.0940B/*0.0860	0.0940B/*0.0860	----	0.0860 - 0.0060	.1862	----	----	----	----	1 UNCH
559	0.0910	0.0910	0.1010B/*0.0910	0.1010B/*0.0910	----	0.0925 NEW	.1975	----	----	1	----	1 + 1
560	----	----	0.1035B/*0.0940	0.1035B/*0.0940	----	0.0950 - 0.0060	.2015	----	----	----	----	153 UNCH
561	0.0980	0.0980	0.1060B/*0.0970	0.1060B/*0.0970	----	0.0975 NEW	.2056	----	----	2	----	2 + 2
563	0.1020	0.1020	0.1120B/*0.1020	0.1120B/*0.1020	----	0.1020 NEW	.2133	----	----	11	----	11 + 11
565	----	----	0.1175B/*0.1070	0.1175B/*0.1070	----	0.1070 - 0.0065	.2214	----	----	----	----	9 UNCH
567	0.1110	0.1110	0.1235B/*0.1110	0.1235B/*0.1110	----	0.1120 NEW	.2296	----	----	1	----	1 + 1
570	----	----	0.1320B/*0.1205	0.1320B/*0.1205	----	0.1195 - 0.0085	.2419	----	----	----	----	94 UNCH
571	----	----	0.1360B/*0.1235	0.1360B/*0.1235	----	0.1225 - 0.0085	.2464	----	----	1	----	23 + 1
574	----	----	0.1455B/*0.1315	0.1455B/*0.1315	----	0.1305 - 0.0100	.2592	----	----	----	----	5 UNCH
575	----	----	0.1490B/*0.1325	0.1490B/*0.1325	----	0.1335 - 0.0100	.2637	----	----	1	----	202 + 1
580	0.1515	0.1515	0.1675B/*0.1480	0.1675B/*0.1480	----	0.1490 - 0.0115	.2866	----	----	10	----	1778 - 2
585	----	----	0.1865B/*0.1680	0.1865B/*0.1680	----	0.1665 - 0.0125	.3106	----	----	----	----	24 UNCH
586	----	----	0.1905B/*0.1710	0.1905B/*0.1710	----	0.1700 - 0.0130	.3154	----	----	----	----	7 UNCH
587	----	----	0.1945B/*0.1750	0.1945B/*0.1750	----	0.1735 - 0.0135	.3202	----	----	----	----	7 UNCH
588	----	----	0.1985B/*0.1790	0.1985B/*0.1790	----	0.1775 - 0.0135	.3252	----	----	----	----	1 UNCH
589	----	----	0.2025B/*0.1820	0.2025B/*0.1820	----	0.1815 - 0.0135	.3302	----	----	----	----	7 UNCH
590	0.1880	0.1880	0.2075B/*0.1840	0.2075B/*0.1840	----	0.1850 - 0.0140	.3351	----	----	5	150	532 + 150
595	----	----	0.2300B/*0.2065	0.2300B/*0.2065	----	0.2055 - 0.0150	.3603	----	----	----	----	3 UNCH
600	----	----	0.2540B/*0.2280	0.2540B/*0.2280	----	0.2270 - 0.0160	.3857	----	----	----	----	90 UNCH
605	----	----	0.2795B/*0.2515	0.2795B/*0.2515	----	0.2505 - 0.0170	.4114	----	----	30	----	33 + 30
610	----	----	0.3070B/*0.2755	0.3070B/*0.2755	----	0.2750 - 0.0185	.4371	----	----	----	----	47 UNCH
615	----	----	0.3375B/*0.3015	0.3375B/*0.3015	----	0.3015 - 0.0190	.4627	----	----	----	----	10 UNCH
700	----	----	----	----	----	0.9170 - 0.0355	.7958	----	----	----	----	1 UNCH
705	----	----	----	----	----	0.9600 - 0.0360	.8081	----	----	----	----	1 UNCH
TOTAL									150	197		15772 + 188
AUG26												
405	----	----	----	0.0035B/*0.0170	----	0.0100 UNCH	.0182	----	----	----	----	3 UNCH
420	----	----	----	0.0050B/*0.0190	----	0.0120 UNCH	.0224	----	----	----	----	1 UNCH
440	----	----	----	0.0080B/0.0215A	----	0.0150 UNCH	.0292	----	----	----	----	11 UNCH
450	----	----	----	0.0130B/*0.0200	----	0.0170 UNCH	.0336	----	----	----	----	4 UNCH
475	----	----	----	0.0215B/*0.0275	----	0.0245 - 0.0005	.0495	----	----	----	----	4 UNCH
480	----	----	----	0.0240B/*0.0295	----	0.0265 - 0.0010	.0537	----	----	----	----	4 UNCH
500	0.0380	0.0380	0.0380/*0.0380	0.0380/*0.0380	----	0.0385 - 0.0020	.0768	----	----	1	----	2 - 1
510	----	----	----	0.0475B/*0.0510	----	0.0475 - 0.0025	.0929	----	----	----	----	1 UNCH
520	----	----	----	0.0600B/*0.0625	----	0.0585 - 0.0030	.1117	----	----	----	----	300 UNCH
530	----	----	----	0.0755B/*0.0770	----	0.0725 - 0.0035	.1342	----	----	----	----	1 UNCH
550	----	----	0.1160B/----	0.1160B/*0.1155	----	0.1095 - 0.0050	.1887	----	----	----	----	1 UNCH
565	----	----	0.1570B/*0.1530	0.1570B/*0.1530	----	0.1465 - 0.0070	.2377	----	----	----	----	1 UNCH
580	----	----	0.2090B/*0.2000	0.2090B/*0.2000	----	0.1940 - 0.0090	.2932	----	----	----	----	250 UNCH
585	----	----	0.2290B/*0.2180	0.2290B/*0.2180	----	0.2120 - 0.0095	.3127	----	----	----	----	7 UNCH
590	----	----	0.2500B/*0.2370	0.2500B/*0.2370	----	0.2310 - 0.0105	.3325	----	----	----	----	14 UNCH
625	----	----	0.4310B/*0.4030	0.4310B/*0.4030	----	0.3985 - 0.0170	.4761	----	----	----	----	5 UNCH
TOTAL										1		609 - 1
SEP26												
400	----	----	----	0.0055B/*0.0205	----	0.0130 UNCH	.0217	----	----	----	----	1 UNCH
450	----	----	----	0.0185B/*0.0305	----	0.0235 UNCH	.0421	----	----	----	----	578 UNCH
470	----	----	----	0.0280B/*0.0385	----	0.0325 - 0.0005	.0580	----	----	----	----	3 UNCH
475	----	----	----	0.0315B/*0.0415	----	0.0355 - 0.0005	.0631	----	----	----	----	72 UNCH
480	----	----	----	0.0355B/*0.0455	----	0.0390 - 0.0005	.0689	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 75

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
SEP26												
485	----	----	----	0.0395B/*0.0490	----	0.0425 - 0.0010	.0747	----	----	----	----	1 UNCH
490	----	----	----	0.0410B/*0.0555	----	0.0470 - 0.0010	.0817	----	----	----	----	9 UNCH
500	----	----	----	0.0520B/*0.0655	----	0.0570 - 0.0020	.0971	----	----	----	----	377 UNCH
520	----	----	----	0.0820B/*0.0940	----	0.0840 - 0.0040	.1356	----	----	----	----	3 UNCH
525	----	----	----	0.0910B/*0.1025	----	0.0925 - 0.0040	.1469	----	----	----	----	325 UNCH
535	----	----	----	0.1115B/*0.1225	----	0.1120 - 0.0045	.1716	----	----	----	----	350 UNCH
540	----	----	----	0.1250B/*0.1290	----	0.1225 - 0.0055	.1847	----	----	----	----	1 UNCH
550	----	----	----	0.1520B/*0.1540	----	0.1470 - 0.0060	.2131	----	----	----	----	21 UNCH
560	----	----	----	0.1815B/*0.1820	----	0.1750 - 0.0065	.2436	----	----	----	----	6 UNCH
570	----	----	0.2165B/*0.2135	0.2165B/*0.2135	----	0.2065 - 0.0080	.2759	----	----	----	----	3 UNCH
575	----	----	0.2360B/*0.2305	0.2360B/*0.2305	----	0.2240 - 0.0080	.2927	----	----	----	----	102 UNCH
580	----	----	0.2555B/*0.2485	0.2555B/*0.2485	----	0.2420 - 0.0090	.3098	----	----	----	----	2 UNCH
590	----	----	0.2985B/*0.2880	0.2985B/*0.2880	----	0.2815 - 0.0105	.3448	----	----	----	----	2 UNCH
600	----	----	0.3460B/*0.3315	0.3460B/*0.3315	----	0.3250 - 0.0125	.3806	----	----	----	----	9 UNCH
610	----	----	0.3975B/*0.3795	0.3975B/*0.3795	----	0.3730 - 0.0140	.4168	----	----	----	----	6 UNCH
615	----	----	0.4245B/*0.4050	0.4245B/*0.4050	----	0.3985 - 0.0150	.4349	----	----	----	----	1 UNCH
620	----	----	0.4530B/*0.4315	0.4530B/*0.4315	----	0.4245 - 0.0165	.4530	----	----	----	----	1 UNCH
625	----	----	0.4815B/*0.4585	0.4815B/*0.4585	----	0.4520 - 0.0175	.4709	----	----	----	----	147 UNCH
695	----	----	0.9760B/*0.9315	0.9760B/*0.9315	----	0.9255 - 0.0290	.6875	----	----	----	----	2 UNCH
TOTAL												2029
OCT26												
375	----	----	----	0.0030B/0.0225A	----	0.0130 UNCH	.0188	----	----	----	----	2 UNCH
400	----	----	----	0.0070B/*0.0265	----	0.0165 UNCH	.0249	----	----	----	----	1 UNCH
450	----	----	----	0.0210B/*0.0395	----	0.0305 - 0.0005	.0482	----	----	----	----	1 UNCH
470	----	----	----	0.0335B/*0.0510	----	0.0420 - 0.0010	.0655	----	----	----	----	1 UNCH
475	----	----	----	0.0340B/*0.0575	----	0.0455 - 0.0010	.0707	----	----	----	----	2 UNCH
500	0.0675	0.0675	0.0675/*0.0675	0.0675/*0.0675	----	0.0700 - 0.0030	.1042	----	----	55	----	61 - 55
570	----	----	----	0.2220B/*0.2425	----	0.2295 - 0.0035	.2686	----	----	----	----	4 UNCH
TOTAL										55		72 - 55
NOV26												
400	----	----	----	0.0075B/*0.0345	----	0.0215 + 0.0005	.0301	----	----	----	----	10 UNCH
475	----	----	----	0.0495B/*0.0745	----	0.0600 - 0.0015	.0835	----	----	----	----	2 UNCH
590	----	----	----	0.3475B/*0.3590	----	0.3420 - 0.0110	.3355	----	----	----	----	1 UNCH
735	----	----	1.3010B/*1.2740	1.3010B/*1.2740	----	1.2590 - 0.0280	.7074	----	----	----	----	2 UNCH
TOTAL												15
DEC26												
380	----	----	----	0.0045B/0.0375A	----	0.0215 + 0.0005	.0276	----	----	----	----	2 UNCH
385	----	----	----	0.0055B/*0.0385	----	0.0225 + 0.0005	.0291	----	----	----	----	1 UNCH
400	----	----	----	0.0095B/0.0420A	----	0.0260 UNCH	.0343	----	----	----	----	18 UNCH
420	----	----	----	0.0165B/*0.0490	----	0.0325 - 0.0005	.0436	----	----	----	----	2 UNCH
475	----	----	----	0.0620B/*0.0920	----	0.0750 - 0.0010	.0948	----	----	----	----	76 UNCH
480	0.0800	0.0800	0.0800/0.0800	0.0800/0.0800	----	0.0810 - 0.0015	.1015	----	----	5	----	15 + 5
490	----	----	----	0.0835B/*0.1130	----	0.0955 - 0.0015	.1167	----	----	----	----	5 UNCH
500	----	----	----	0.1010B/*0.1290	----	0.1115 - 0.0020	.1331	----	----	----	----	53 UNCH
550	----	----	----	0.2260B/*0.2505	----	0.2310 - 0.0060	.2376	----	----	----	150	152 + 150
560	----	----	----	0.2600B/*0.2830	----	0.2635 - 0.0070	.2622	----	----	----	----	300 UNCH
570	----	----	----	0.2970B/*0.3190	----	0.2995 - 0.0080	.2878	----	----	----	----	1 UNCH
580	----	----	----	0.3380B/*0.3580	----	0.3380 - 0.0090	.3140	----	----	----	----	22 UNCH
600	----	----	----	0.4290B/*0.4455	----	0.4250 - 0.0115	.3678	----	----	----	----	26 UNCH
630	----	----	----	0.5895B/*0.5995	----	0.5785 - 0.0150	.4492	----	----	----	----	18 UNCH
TOTAL									150	5		691 + 155
JAN27												
400	----	----	----	----	----	0.0230 - 0.0015	.0307	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0285 - 0.0020	.0355	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0160 - 0.0005	.0142	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
APR26												
558	----	----	----	----	----	0.5370 + 0.0360	.9805	----	----	----	----	11 UNCH
574	----	----	0.3760B/0.2930A	0.3760B/0.2930A	----	0.3745 + 0.0375	----	----	----	----	----	0 - 1
575	----	----	0.3720B/0.2965A	0.3720B/0.2965A	----	0.3715 + 0.0345	.9482	----	----	----	----	0 UNCH
578	----	----	0.3360B/0.2530A	0.3360B/0.2530A	----	0.3345 + 0.0375	----	----	----	----	----	0 - 1
580	0.3180	0.3180	0.3180/0.2325A	0.3180/0.2325A	----	0.3145 + 0.0375	----	----	----	2	----	0 - 7
580	----	----	0.3240B/0.2525A	0.3240B/0.2525A	----	0.3235 + 0.0325	.9307	----	----	----	----	2 UNCH
581	----	----	0.3060B/0.2225A	0.3060B/0.2225A	----	0.3045 + 0.0375	----	----	----	----	----	0 - 1
589	----	----	0.2265B/0.1435A	0.2265B/0.1435A	----	0.2245 + 0.0370	----	----	----	----	----	0 - 4
590	----	----	0.2165B/0.1345A	0.2165B/0.1345A	----	0.2145 + 0.0370	----	----	----	----	----	0 - 10
590	----	----	0.2320B/0.1745A	0.2320B/0.1745A	----	0.2310 + 0.0245	.8650	----	----	----	----	1 UNCH
595	----	----	0.1665B/0.0880A	0.1665B/0.0880A	----	0.1645 + 0.0350	----	----	----	----	----	0 - 5
595	----	----	0.1895B/0.1405A	0.1895B/0.1405A	----	0.1895 + 0.0195	.8069	----	----	----	----	2 UNCH
596	----	----	0.1565B/0.0800A	0.1565B/0.0800A	----	0.1545 + 0.0340	----	----	----	1	----	0 - 1
600	0.1100	0.1100	0.1100/0.1100	0.1230B/0.1100	----	0.1525 + 0.0145	.7271	----	----	2	----	12 + 1
605	----	----	0.0670B/0.0215A	0.0670B/0.0215A	----	0.0645 + 0.0135	----	----	----	----	----	0 UNCH
606	----	----	0.0575B/0.0180A	0.0575B/0.0180A	----	0.0545 + 0.0095	----	----	----	----	----	0 - 3
607	0.0365	0.0365	0.0475B/*0.0150	0.0475B/*0.0150	----	0.0445 + 0.0045	----	----	----	10	----	0 - 11
609	----	----	----/*0.0110A	0.0295B/*0.0110	----	0.0245 - 0.0060	----	----	----	----	----	0 - 3
610	0.0040	0.0040	0.0235B/*0.0040	0.0235B/*0.0040	----	0.0145 - 0.0120	----	----	----	23	----	0 - 52
611	0.0055	0.0055	0.0145B/*0.0055	0.0145B/*0.0055	----	0.0045 NEW	----	----	----	2	----	0 UNCH
615	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0035	----	0.0000 NEW	----	----	----	1	----	0 UNCH
620	0.0005	0.0005	0.0005/*0.0005	0.0005/*0.0005	----	0.0000 - 0.0045	----	----	----	1	----	0 - 16
620	----	----	----/0.0400A	0.0505B/0.0400A	----	0.0555 + 0.0030	.3523	----	----	----	----	7 UNCH
625	----	----	----	----/*0.0060A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 10
625	----	----	----/0.0300A	0.0370B/0.0300A	----	0.0425 NEW	.2781	----	----	50	----	50 + 50
635	0.0200	0.0200	0.0220/*0.0175	0.0220/0.0175	----	0.0240 + 0.0005	.1644	----	----	53	----	57 + 51
640	----	----	----	----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
640	----	----	----/*0.0150A	0.0145B/0.0150A	----	0.0185 + 0.0010	.1266	----	----	----	----	0 UNCH
650	----	----	----	----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
670	----	----	----	----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
TOTAL										145		142 - 39
MAY26												
580	----	----	#0.3740B/----	#0.3740B/0.3855	----	0.3920 + 0.0325	.8935	----	----	----	----	1 UNCH
593	----	----	0.2615B/----	0.2615B/0.2835A	----	0.2810 + 0.0270	.8004	----	----	----	----	1 UNCH
595	----	----	0.2455B/0.2080A	0.2455B/0.2080A	----	0.2650 + 0.0255	.7821	----	----	----	----	1 UNCH
596	----	----	0.2375B/----	0.2375B/0.2620A	----	0.2570 NEW	.7718	----	----	1	----	1 + 1
605	----	----	0.1895B/0.1500A	0.1895B/0.1500A	----	0.1930 + 0.0175	.6706	----	----	----	----	1 UNCH
TOTAL										1		5 + 1
HXE PUT		COPPER OPTIONS										
APR26												
490	----	----	----	----/0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
510	----	----	----	----/0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 24
524	----	----	----	----/*0.0060A	----	0.0005 - 0.0005	.0012	----	----	----	----	1 UNCH
565	----	----	----	----/*0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
568	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
570	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
575	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
580	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 38
580	----	----	----	0.0110B/*0.0155	----	0.0090 NEW	.0691	----	----	50	----	50 + 50
585	0.0200	0.0200	0.0200/*0.0185A	0.0200/*0.0185A	----	0.0120 NEW	.0949	----	----	1	----	1 + 1
589	----	----	----	----/*0.0060A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 4
590	----	----	----	----/*0.0010A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 1
590	----	----	----/*0.0240A	0.0300B/*0.0240	----	0.0170 NEW	.1348	----	----	50	----	50 + 50
595	----	----	----	0.0005B/0.0055A	----	0.0000 - 0.0030	----	----	----	----	----	0 - 69
596	----	----	----	0.0015B/*0.0060	----	0.0000 - 0.0040	----	----	----	----	----	0 - 1
599	0.0010	0.0010	0.0010/*0.0010	0.0050B/*0.0010	----	0.0000 NEW	----	----	----	1	----	0 UNCH
600	----	----	----/*0.0060A	0.0085B/*0.0060	----	0.0000 - 0.0090	----	----	----	----	----	0 - 27
600	----	----	0.0680B/*0.0450	0.0680B/*0.0450	----	0.0380 - 0.0235	.2727	----	----	----	----	1 UNCH
605	0.0045	0.0045	0.0350B/*0.0020	0.0350B/*0.0020	----	0.0000 - 0.0245	----	----	----	3	----	0 - 53
606	----	----	0.0420B/*0.0060	0.0420B/*0.0060	----	0.0000 - 0.0285	----	----	----	----	----	0 - 4
608	----	----	0.0575B/*0.0065	0.0575B/*0.0065	----	0.0000 - 0.0385	----	----	----	----	----	0 - 1
609	0.0030	0.0030	0.0655B/*0.0030	0.0655B/*0.0030	----	0.0000 - 0.0440	----	----	----	2	----	0 - 1
610	0.0005	0.0005	0.0745B/*0.0005	0.0745B/*0.0005	----	0.0000 NEW	----	----	----	2	----	0 UNCH
619	----	----	#0.1595B/*0.076	0.1595B/*0.0760	----	0.0755 - 0.0435	----	----	----	----	----	0 - 6
TOTAL										109		103 - 135
MAY26												
465	----	----	----	----/0.0070A	----	0.0005 UNCH	.0006	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HXE PUT		COPPER OPTIONS										
MAY26												
510	----	----	----	----/*0.0080A	----	0.0020 - 0.0005	.0088	----	----	----	----	1 UNCH
599	----	----	0.0750B/*0.0565	0.0750B/*0.0565	----	0.0510 - 0.0165	.2581	----	----	----	----	1 UNCH
615	----	----	0.1565B/*0.1190	0.1565B/*0.1190	----	0.1150 NEW	.4593	----	----	1	----	1 + 1
TOTAL										1		17 + 1

ALUMINIUM OPTIONS ON FUTURES

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUN26												
1400	----	----	223.30B/182.70A	223.30B/182.70A	----	218.80 + 15.30	.8521	----	----	----	----	75 UNCH
1440	----	----	----	----	----	186.10 + 14.60	.8043	----	----	----	----	1 UNCH
1460	----	----	----	----	----	170.60 + 13.90	.7763	----	----	----	----	25 UNCH
1500	----	----	144.70B/115.90A	144.70B/115.90A	----	142.20 + 12.30	.7122	----	----	----	----	110 UNCH
1525	----	----	128.00B/102.70A	128.00B/102.70A	----	126.20 + 11.20	.6681	----	----	----	----	5 UNCH
1550	----	----	112.70B/90.70A	112.70B/90.70A	----	111.60 + 10.10	.6220	----	----	----	----	14 UNCH
1575	----	----	98.90B/79.90A	98.90B/79.90A	----	98.30 + 9.00	.5749	----	----	----	----	15 UNCH
1600	----	----	86.30B/70.10A	86.30B/70.10A	----	86.30 + 8.10	.5278	----	----	----	----	64 UNCH
1650	62.50	62.50	64.90B/53.60A	64.90B/53.60A	----	65.50 + 6.10	.4365	----	----	44	----	44 + 40
1655	----	----	63.00B/52.20A	63.00B/52.20A	----	63.70 + 6.00	.4278	----	----	----	----	1 UNCH
1700	----	----	47.70B/41.10A	47.70B/41.10A	----	49.00 + 4.40	.3525	----	----	----	----	55 UNCH
1750	38.00	38.00	38.00/32.00A	38.00/32.00A	----	36.40 + 3.00	.2794	----	----	94	----	92 + 82
1800	----	----	----	24.90B/25.50A	----	27.30 + 1.90	.2197	----	----	----	----	112 UNCH
1850	----	----	----	18.10B/*21.00A	----	20.90 + 1.10	.1735	----	----	42	----	42 + 40
1900	----	----	----	13.30B/*17.80A	----	16.40 + 0.60	.1384	----	----	----	----	64 UNCH
1925	----	----	----	11.40B/*16.60A	----	14.70 + 0.50	.1245	----	----	----	----	40 UNCH
1950	----	----	----	9.70B/*15.60A	----	13.30 + 0.40	.1127	----	----	----	----	10 UNCH
2000	----	----	----	7.10B/*13.90A	----	10.90 + 0.20	.0924	----	----	----	----	108 UNCH
2100	8.00	8.00	8.00/*8.00	8.00/*8.00	----	6.60 UNCH	.0579	----	----	2	----	52 UNCH
2200	6.00	6.00	6.00/*6.00	6.00/*6.00	----	4.00 - 0.10	.0361	----	----	1	----	8 UNCH
2300	----	----	----	0.40B/*9.10A	----	2.60 - 0.10	.0237	----	----	----	----	30 UNCH
2400	----	----	----	----/*8.30A	----	1.80 - 0.10	.0163	----	----	----	----	7 UNCH
2500	----	----	----	----/*7.70A	----	1.10 - 0.10	.0102	----	----	----	----	25 UNCH
2700	----	----	----	----/*6.80A	----	0.50 - 0.10	.0046	----	----	----	----	50 UNCH
3000	----	----	----	----/*6.00A	----	0.20 UNCH	.0018	----	----	----	----	30 UNCH
3500	----	----	----	----/*5.30A	----	0.10 UNCH	.0001	----	----	----	----	25 UNCH
TOTAL										183		1104 + 162
JUL26												
1800	----	----	59.10B/55.60A	59.10B/55.60A	----	62.10 + 3.50	.3304	----	----	----	----	29 UNCH
TOTAL												29 0
SEP26												
1400	----	----	288.00B/260.60A	288.00B/260.60A	----	294.70 + 13.10	.7565	----	----	----	----	75 UNCH
1575	----	----	----/173.00A	187.80B/173.00A	----	195.60 + 6.10	.5988	----	----	----	----	25 UNCH
1665	----	----	----/140.00A	149.70B/140.00A	----	157.40 + 3.10	.5175	----	----	----	----	9 UNCH
1700	----	----	----/129.00A	136.90B/129.00A	----	144.70 + 2.40	.4874	----	----	----	----	5 UNCH
1800	----	----	----/102.30A	105.60B/102.30A	----	114.40 + 1.30	.4086	----	----	----	----	1 UNCH
1900	----	----	----/82.20A	81.70B/82.20A	----	91.50 + 0.90	.3416	----	----	----	----	5 UNCH
2100	----	----	----/*56.90A	50.90B/56.90A	----	60.80 UNCH	.2407	----	----	----	----	25 UNCH
2200	----	----	----/*48.90A	41.30B/48.90A	----	51.60 - 0.30	.2063	----	----	----	----	5 UNCH
2400	----	----	----/37.80A	28.40B/37.80A	----	39.90 - 0.60	.1589	----	----	----	----	15 UNCH
2550	----	----	----/*32.20A	21.80B/*32.20A	----	33.40 - 0.70	.1328	----	----	----	----	50 UNCH
TOTAL												215 0
DEC26												
2000	----	----	----	----	----	133.00 - 53.90	.3728	----	----	----	----	1 UNCH
3000	----	----	----	----	----	54.50 - 57.70	.1582	----	----	----	----	1 UNCH
TOTAL												2 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
JUN26												
1200	----	----	----	0.10B/*8.50A	----	3.20 - 1.10	.0285	----	----	----	----	15 UNCH
1250	----	----	----	2.60B/*10.30A	----	5.20 - 1.60	.0453	----	----	----	----	1 UNCH
1300	----	----	----	6.30B/*12.90A	----	8.10 - 2.40	.0689	----	----	----	----	75 UNCH
1325	----	----	----	8.80B/*14.70A	----	10.00 - 2.90	.0840	----	----	----	----	18 UNCH
1335	----	----	----	10.00B/*15.50A	----	10.90 - 3.00	.0909	----	----	----	----	1 UNCH
1350	----	----	----	12.00B/*16.80A	----	12.30 - 3.30	.1018	----	----	----	----	5 UNCH
1400	----	----	----	20.50B/*22.60A	----	18.60 - 4.00	.1478	----	----	----	----	217 UNCH
1440	----	----	----/29.50A	30.40B/29.50A	----	25.70 - 4.90	.1955	----	----	----	----	4 UNCH
1450	28.00	28.00	33.40B/*28.00	33.40B/*28.00	----	27.90 - 5.20	.2093	----	----	1	----	100 + 1
1460	----	----	36.60B/33.90A	36.60B/33.90A	----	30.20 - 5.60	.2235	----	----	----	----	25 UNCH
1475	----	----	41.90B/37.70A	41.90B/37.70A	----	34.10 - 6.10	.2463	----	----	----	----	10 UNCH
1500	42.40	42.40	52.10B/42.40	52.10B/42.40	----	41.70 - 7.10	.2876	----	----	1	----	54 + 1
1550	61.80	61.80	76.50B/61.80	76.50B/61.80	----	60.90 NEW	.3779	----	----	1	----	1 + 1
1750	----	----	218.70B/183.70A	218.70B/183.70A	----	185.20 - 16.50	.7205	----	----	----	----	1 UNCH
1900	----	----	355.20B/311.00A	355.20B/311.00A	----	314.90 - 18.80	.8614	----	----	----	----	50 UNCH
TOTAL										3		577 + 3
JUL26												
1285	----	----	----	13.90B/*21.00A	----	15.80 - 3.10	.0955	----	----	----	----	9 UNCH
1300	----	----	----	16.00B/22.60A	----	17.40 - 3.40	.1043	----	----	----	----	95 UNCH
1400	----	----	----/*38.10A	36.10B/*38.10A	----	33.40 - 5.30	.1835	----	----	----	----	20 UNCH
1450	----	----	----/*50.40A	51.60B/*50.40A	----	45.90 - 6.50	.2366	----	----	----	----	30 UNCH
TOTAL												154 0
SEP26												
1300	----	----	----/*45.30A	37.40B/*45.30A	----	43.10 - 5.20	.1646	----	----	----	----	10 UNCH
1465	----	----	----/*95.10A	95.00B/*95.10A	----	95.40 - 7.90	.2998	----	----	----	----	150 UNCH
1550	----	----	----/*133.50A	138.30B/*133.50	----	133.30 - 11.70	.3777	----	----	----	----	100 UNCH
1575	----	----	----/*146.40A	152.50B/*146.40	----	145.90 - 12.90	.4008	----	----	----	----	25 UNCH
1650	----	----	----/*188.70A	198.80B/*188.70	----	187.70 - 15.60	.4689	----	----	----	----	50 UNCH
1925	----	----	405.70B/*381.50	405.70B/*381.50	----	383.80 - 18.20	.6729	----	----	----	----	75 UNCH
TOTAL												410 0
DEC26												
1500	----	----	----	----	----	152.60 - 48.80	.3307	----	----	----	----	40 UNCH
TOTAL												40 0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
APR26												
1600	----	----	11.40B/*5.80A	11.40B/*5.80A	----	0.80 - 9.20	----	----	----	----	----	0 - 1
1650	----	----	22.70B/*18.80A	22.70B/*18.80A	----	24.50 + 2.80	.3317	----	----	----	----	1 UNCH
TOTAL												1 - 1
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4										
APR26												
1755	----	----	----	----/*3.80A	----	0.70 - 0.70	.0069	----	----	----	----	27 UNCH
1765	----	----	----	----/*2.80A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
1790	----	----	----	----/*2.80A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
1840	----	----	----	----/*2.80A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
1935	----	----	----	----/*2.80A	----	0.00 - 0.40	----	----	----	----	----	0 - 25
2040	----	----	----	----	----	101.70 + 24.40	----	----	----	----	----	0 - 10
2085	----	----	57.70B/*31.40A	57.70B/*31.40A	----	34.80 - 14.20	.3287	----	----	----	----	26 UNCH
2090	----	----	----/54.00A	65.60B/54.00A	----	88.20 + 14.80	.6580	----	----	----	----	26 UNCH
2090	----	----	60.80B/*32.90A	60.80B/*32.90A	----	36.60 - 14.70	.3419	----	----	----	----	26 UNCH
2095	----	----	63.20B/*34.40A	63.20B/*34.40A	----	38.50 - 15.00	.3554	----	----	----	----	53 UNCH
2095	----	----	----/51.80A	63.00B/51.80A	----	85.10 + 14.40	.6445	----	----	----	----	26 UNCH
2095	----	----	----/*11.00A	22.20B/*11.00A	----	46.70 + 12.80	----	----	----	----	----	0 - 18
2100	----	----	97.70B/49.70A	97.70B/49.70A	----	82.10 + 14.00	.6309	----	----	----	----	20 UNCH
2120	----	----	65.10B/41.90A	65.10B/41.90A	----	70.80 + 12.50	.5748	----	----	----	----	27 UNCH
2135	----	----	----/*4.60A	13.40B/*4.60A	----	6.70 - 7.50	----	----	----	----	----	0 - 5
2150	----	----	71.50B/*10.70A	71.50B/*10.70A	----	8.30 - 39.30	----	----	----	----	----	0 - 12

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 77

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week3										
APR26												
2150	----	----	22.30B/*3.00A	22.30B/*3.00A	----	0.00 - 9.80	----	----	----	----	----	0 - 25
2155	----	----	----/*12.70A	13.90B/*12.70A	----	13.30 - 38.10	----	----	----	----	----	0 - 12
2160	----	----	15.30B/*2.80A	15.30B/*2.80A	----	0.00 - 7.50	----	----	----	----	----	0 - 12
2160	----	----	----/*15.10A	15.60B/*15.10A	----	18.30 - 37.00	----	----	----	----	----	0 - 12
2200	35.00	35.00	44.30B/*20.60A	44.30B/*20.60A	----	35.50 NEW	.3518	----	----	1	----	1 + 1
2210	----	----	40.50B/*18.90A	40.50B/*18.90A	----	32.30 + 5.30	.3265	----	----	----	----	5 UNCH
2225	25.00	25.00	35.30B/*16.60A	35.30B/*16.60A	----	28.10 NEW	.2909	----	----	6	----	6 + 6
2230	----	----	----	----/*2.80A	----	0.00 - 0.90	----	----	----	----	----	0 - 25
2265	----	----	----	----/*2.80A	----	0.00 - 0.20	----	----	----	----	----	0 - 26
TOTAL										7		243 - 256
MAY26												
1700	----	----	----	----/*5.00A	----	1.40 - 0.90	.0133	----	----	----	----	3 UNCH
1915	----	----	----	----	----	240.20 + 23.80	.8840	----	----	----	----	20 UNCH
2000	----	----	41.20B/*28.00A	41.20B/*28.00A	----	27.70 - 9.60	.2162	----	----	----	----	10 UNCH
2050	----	----	151.00B/94.80A	151.00B/94.80A	----	132.80 + 16.60	.7007	----	----	----	----	10 UNCH
2200	----	----	66.60B/38.20A	66.60B/38.20A	----	56.90 + 8.10	.4034	----	----	----	----	20 UNCH
TOTAL												63 0
PO CALL		PLATINUM OPTIONS										
JUN26												
1900	----	----	294.40B/224.50A	294.40B/224.50A	----	271.00 + 19.30	.8275	----	----	----	----	1 UNCH
2000	159.80	159.80	218.60B/158.00	218.60B/158.00	----	197.50 + 15.00	.7169	----	----	7	----	20 UNCH
2090	----	----	----/115.30A	127.30B/115.30A	----	144.60 + 11.60	.5974	----	----	----	----	2 UNCH
2100	----	----	156.50B/111.00A	156.50B/111.00A	----	139.60 + 11.40	.5838	----	----	----	----	2 UNCH
2130	114.90	114.90	129.10B/99.00A	129.10B/99.00A	----	125.20 NEW	.5432	----	----	100	----	100 + 100
2150	----	----	130.90B/91.60A	130.90B/91.60A	----	116.30 + 9.90	.5164	----	----	----	----	5 UNCH
2165	----	----	124.00B/86.40A	124.00B/86.40A	----	109.90 + 9.40	.4966	----	----	----	----	1 UNCH
2200	----	----	108.90B/75.20A	108.90B/75.20A	----	96.10 + 8.30	.4515	----	----	----	----	357 UNCH
2220	95.00	95.00	101.00/69.40A	101.00/69.40A	----	88.80 NEW	.4265	----	----	8	----	8 + 8
2225	----	----	99.00B/68.10A	99.00B/68.10A	----	87.00 + 7.40	.4203	----	----	----	----	30 UNCH
2240	----	----	93.40B/64.10A	93.40B/64.10A	----	82.00 + 7.00	.4022	----	----	----	----	15 UNCH
2250	87.00	87.00	89.80B/61.50A	89.80B/61.50A	----	78.70 + 6.60	.3902	----	----	10	----	12 + 10
2255	----	----	88.10B/60.30A	88.10B/60.30A	----	77.10 + 6.40	.3843	----	----	----	----	15 UNCH
2300	----	----	73.60B/50.20A	73.60B/50.20A	----	64.10 + 5.20	.3338	----	----	----	----	423 UNCH
2320	----	----	67.80B/46.20A	67.80B/46.20A	----	59.00 + 4.70	.3128	----	----	----	----	78 UNCH
2340	53.80	53.80	62.50B/42.60A	62.50B/42.60A	----	54.20 NEW	.2927	----	----	30	----	30 + 30
2345	52.70	52.70	61.20B/41.70A	61.20B/41.70A	----	53.00 NEW	.2876	----	----	15	----	15 + 15
2350	51.70	51.70	59.90B/40.90A	59.90B/40.90A	----	51.90 + 4.00	.2828	----	----	15	----	55 + 15
2355	50.70	50.70	58.70B/40.10A	58.70B/40.10A	----	50.80 + 3.80	.2780	----	----	15	----	17 + 15
2400	----	----	48.60B/33.50A	48.60B/33.50A	----	42.00 NEW	.2381	----	----	1	----	1 + 1
2420	40.00	40.00	44.50B/31.00A	44.50B/31.00A	----	38.50 NEW	.2216	----	----	4	----	4 + 4
2450	----	----	39.10B/27.70A	39.10B/27.70A	----	34.00 + 2.10	.1994	----	----	----	----	1 UNCH
2500	----	----	31.50B/23.20A	31.50B/23.20A	----	27.50 + 1.40	.1663	----	----	----	----	104 UNCH
2650	----	----	16.70B/----	16.70B/*15.10A	----	14.40 + 0.40	.0941	----	----	----	----	17 UNCH
TOTAL										205		1313 + 198
JUL26												
1500	----	----	668.10B/585.80A	668.10B/585.80A	----	645.40 + 27.80	.9691	----	----	----	----	50 UNCH
1680	----	----	----	----	----	477.20 + 24.70	.9157	----	----	----	----	50 UNCH
1700	----	----	481.80B/405.80A	481.80B/405.80A	----	459.40 + 24.10	.9065	----	----	----	----	1 UNCH
1800	----	----	397.20B/327.20A	397.20B/327.20A	----	375.40 + 21.10	.8473	----	----	----	----	113 UNCH
1850	----	----	357.60B/291.60A	357.60B/291.60A	----	336.70 + 19.50	.8103	----	----	----	----	1 UNCH
2000	----	----	253.70B/200.30A	253.70B/200.30A	----	236.10 + 15.60	.6767	----	----	----	----	110 UNCH
2050	----	----	224.00B/175.30A	224.00B/175.30A	----	208.00 + 14.50	.6279	----	----	----	----	1 UNCH
2100	----	----	197.10B/152.90A	197.10B/152.90A	----	182.50 + 13.40	.5786	----	----	----	----	522 UNCH
2150	----	----	172.50B/133.10A	172.50B/133.10A	----	159.70 + 12.20	.5296	----	----	----	----	12 UNCH
2160	----	----	167.90B/129.50A	167.90B/129.50A	----	155.40 + 11.90	.5200	----	----	----	----	0 UNCH
2170	----	----	163.50B/125.90A	163.50B/125.90A	----	151.20 + 11.70	.5104	----	----	----	----	4 UNCH
2200	----	----	150.60B/115.80A	150.60B/115.80A	----	139.20 + 10.90	.4820	----	----	----	----	506 UNCH
2250	103.50	103.50	131.10B/100.60A	131.10B/100.60A	----	121.00 NEW	.4363	----	----	5	----	5 + 5
2300	94.00	94.00	118.50/87.30A	118.50/87.30A	----	105.00 + 8.10	.3930	----	----	72	----	180 + 15
2350	100.00	100.00	100.00/75.80A	100.00/75.80A	----	91.00 + 6.90	.3526	----	----	1	100	200 + 100
2375	----	----	91.90B/70.60A	91.90B/70.60A	----	84.70 + 6.40	.3336	----	----	----	----	50 UNCH
2400	----	----	85.50B/65.80A	85.50B/65.80A	----	78.80 + 5.80	.3152	----	----	----	----	866 UNCH
2450	----	----	73.90B/57.20A	73.90B/57.20A	----	68.20 + 4.90	.2810	----	----	----	----	50 UNCH
2480	50.00	50.00	67.70B/50.00	67.70B/50.00	----	62.50 NEW	.2619	----	----	50	----	50 + 50
2500	----	----	63.90B/49.80A	63.90B/49.80A	----	59.00 + 4.00	.2498	----	----	----	150	422 UNCH
2600	----	----	47.50B/38.30A	47.50B/38.30A	----	44.40 + 2.60	.1968	----	----	----	----	362 UNCH
2700	----	----	35.60B/30.30A	35.60B/30.30A	----	34.00 + 1.60	.1558	----	----	----	----	14 UNCH
2800	----	----	27.00B/24.80A	27.00B/24.80A	----	26.30 + 0.90	.1238	----	----	----	----	348 UNCH
2850	----	----	23.70B/----	23.70B/22.70A	----	23.30 + 0.80	.1107	----	----	----	----	91 UNCH
2900	----	----	20.90B/----	20.90B/20.90A	----	20.60 + 0.60	.0989	----	----	----	100	242 + 100
3000	----	----	16.50B/----	16.50B/18.00A	----	16.40 + 0.40	.0799	----	----	----	150	582 UNCH
3100	----	----	13.30B/----	13.30B/15.90A	----	13.20 + 0.20	.0650	----	----	----	----	159 UNCH
3200	8.00	8.00	8.50B/*8.00	8.50B/*8.00	----	10.40 + 0.10	.0521	----	----	6	----	20 + 6
3300	----	----	----	6.60B/15.50A	----	8.30 UNCH	.0421	----	----	----	----	31 UNCH
3400	----	----	----	5.10B/14.40A	----	6.80 UNCH	.0347	----	----	----	----	32 UNCH
3500	----	----	----	3.90B/13.40A	----	5.60 UNCH	.0287	----	----	----	----	274 UNCH
3600	----	----	----	2.90B/12.60A	----	4.70 - 0.10	.0242	----	----	----	----	300 UNCH
3800	----	----	3.80B/----	3.80B/9.00A	----	3.50 UNCH	.0179	----	----	----	----	12 UNCH
3900	----	----	----	3.10B/8.50A	----	3.00 - 0.10	.0153	----	----	----	----	8 UNCH
4000	----	----	----	2.60B/8.10A	----	2.70 - 0.10	.0137	----	----	----	----	221 UNCH
TOTAL									500	134		5889 + 276
OCT26												
1720	----	----	----	----	----	507.70 + 22.40	.8238	----	----	----	----	1 UNCH
1800	----	----	468.00B/408.20A	468.00B/408.20A	----	451.30 + 20.80	.7808	----	----	----	----	1 UNCH
2125	----	----	282.60B/242.70A	282.60B/242.70A	----	271.80 + 15.20	.5820	----	----	----	----	12 UNCH
2135	----	----	----/238.80A	243.20B/238.80A	----	267.50 + 15.10	.5758	----	----	----	----	12 UNCH
2200	----	----	250.30B/214.90A	250.30B/214.90A	----	241.00 + 13.90	.5363	----	----	----	----	135 UNCH
2400	----	----	181.30B/156.80A	181.30B/156.80A	----	175.20 + 10.30	.4255	----	----	----	----	110 UNCH
2500	----	----	154.80B/134.60A	154.80B/134.60A	----	150.00 + 8.90	.3773	----	----	----	----	180 UNCH
2600	----	----	132.50B/116.00A	132.50B/116.00A	----	128.60 + 7.40	.3339	----	----	----	----	10 UNCH
2700	----	----	113.60B/100.20A	113.60B/100.20A	----	110.70 + 6.30	.2955	----	----	----	----	310 UNCH
2800	----	----	97.50B/86.80A	97.50B/86.80A	----	95.60 + 5.60	.2615	----	----	----	----	31 UNCH
2850	----	----	90.40B/81.00A	90.40B/81.00A	----	89.00 + 5.30	.2462	----	----	----	----	100 UNCH
2900	----	----	83.90B/75.60A	83.90B/75.60A	----	82.90 + 4.90	.2317	----	----	----	----	210 UNCH
3000	----	----	72.30B/66.20A	72.30B/66.20A	----	72.30 + 4.30	.2059	----	----	----	----	121 UNCH
3200	----	----	54.40B/51.90A	54.40B/51.90A	----	55.90 + 3.30	.1638	----	----	----	----	10 UNCH
3500	----	----	----	36.80B/38.50A	----	39.70 + 2.10	.1196	----	----	----	----	10 UNCH
4000	----	----	----	21.50B/25.00A	----	25.00 + 0.70	.0767	----	----	----	----	5 UNCH
TOTAL												1258 0
JAN27												
2360	----	----	----	----	----	268.30 + 14.10	.4945	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
JUN26												
1800	20.00	20.00	21.90B/*17.40A	21.90B/*17.40A	----	15.10 NEW	.0955	----	----	2	----	2 + 2
1825	----	----	26.20B/*20.30A	26.20B/*20.30A	----	18.00 - 7.30	.1116	----	----	----	----	89 UNCH
1850	22.00	22.00	31.20B/*22.00	31.20B/*22.00	----	21.40 - 8.30	.1296	----	----	4	----	6 + 4
1885	----	----	39.30B/*29.10A	39.30B/*29.10A	----	27.10 - 9.60	.1585	----	----	----	----	30 UNCH
1900	----	----	43.20B/*31.80A	43.20B/*31.80A	----	30.00 - 10.10	.1724	----	----	1	----	315 UNCH
1905	----	----	44.60B/*32.70A	44.60B/*32.70A	----	31.00 - 10.20	.1771	----	----	----	----	15 UNCH
1910	----	----	46.00B/*33.70A	46.00B/*33.70A	----	32.00 - 10.50	.1819	----	----	----	----	15 UNCH
1915	----	----	47.40B/*34.70A	47.40B/*34.70A	----	33.00 - 10.70	.1866	----	----	----	----	15 UNCH
1920	----	----	48.90B/*35.80A	48.90B/*35.80A	----	34.10 - 10.90	.1917	----	----	----	----	17 UNCH
1930	----	----	52.00B/*37.90A	52.00B/*37.90A	----	36.40 - 11.30	.2020	----	----	----	----	15 UNCH
1935	----	----	53.60B/*39.00A	53.60B/*39.00A	----	37.60 - 11.50	.2073	----	----	----	----	15 UNCH
1940	41.80	41.80	55.20B/*40.20A	55.20B/*40.20A	----	38.80 - 11.70	.2126	----	----	15	----	30 + 15
1950	44.30	44.30	58.60B/*38.20	58.60B/*38.20	----	41.30 - 12.20	.2235	----	----	35	----	37 + 35
1955	45.80	45.80	60.30B/*43.70A	60.30B/*43.70A	----	42.60 NEW	.2291	----	----	30	----	30 + 30
1960	47.10	47.10	62.20B/*45.00A	62.20B/*45.00A	----	44.00 NEW	.2348	----	----	15	----	15 + 15
1965	48.40	48.40	64.00B/*46.30A	64.00B/*46.30A	----	45.40 NEW	.2406	----	----	15	----	15 + 15
1970	49.70	49.70	65.90B/*47.70A	65.90B/*47.70A	----	46.80 NEW	.2464	----	----	15	----	15 + 15
1975	51.10	51.10	67.80B/*49.00A	67.80B/*49.00A	----	48.30 NEW	.2524	----	----	15	----	15 + 15
1980	52.50	52.50	69.80B/*50.40A	69.80B/*50.40A	----	49.80 NEW	.2583	----	----	15	----	15 + 15
1985	53.10	53.10	71.80B/*51.90A	71.80B/*51.90A	----	51.30 NEW	.2643	----	----	15	----	15 + 15
1990	54.60	54.60	73.80B/*53.30A	73.80B/*53.30A	----	52.90 NEW	.2705	----	----	15	----	15 + 15
1995	56.00	56.00	75.90B/*54.90A	75.90B/*54.90A	----	54.50 NEW	.2766	----	----	15	----	15 + 15
2000	76.50	76.50	78.00B/*56.50A	78.00B/*56.50A	----	56.20 - 14.40	.2829	----	----	8	----	24 + 8
2020	70.40	70.40	87.20B/*63.10A	87.20B/*63.10A	----	63.20 NEW	.3084	----	----	30	----	30 + 30
2050	----	----	101.30B/*74.20A	101.30B/*74.20A	----	75.00 - 16.50	.3481	----	----	----	----	3 UNCH
2100	----	----	128.80B/*95.30A	128.80B/*95.30A	----	98.00 - 18.00	.4160	----	----	1	----	101 + 1
2140	----	----	152.80B/*114.60	152.80B/*114.60	----	119.00 - 19.20	.4701	----	----	----	----	1 UNCH
2200	----	----	192.50B/*147.60	192.50B/*147.60	----	154.20 - 21.20	.5483	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 78

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PO PUT		PLATINUM OPTIONS											
TOTAL										246		920 +	245
JUL26													
1400	----	----	----	1.30B/*6.70A	----	3.00 - 1.00	.0164	----	----	----	----	150	UNCH
1500	----	----	----	5.00B/*9.20A	----	5.80 - 1.80	.0307	----	----	----	----	153	UNCH
1550	----	----	----	8.10B/*11.10A	----	8.00 - 2.40	.0415	----	----	----	----	200	UNCH
1600	13.00	13.00	13.70/13.00	13.70/13.00	----	10.80 - 3.10	.0548	----	----	6	----	403	UNCH
1650	----	----	----/*17.30A	18.20B/*17.30A	----	14.60 - 4.00	.0719	----	----	----	----	1	UNCH
1680	----	----	22.50B/*20.10A	22.50B/*20.10A	----	17.40 - 4.80	.0841	----	----	----	----	50	UNCH
1700	----	----	25.70B/*22.30A	25.70B/*22.30A	----	19.60 - 5.40	.0933	----	----	----	----	286	UNCH
1710	----	----	27.50B/*23.40A	27.50B/*23.40A	----	20.80 - 5.70	.0982	----	----	----	----	1	UNCH
1750	----	----	35.20B/*28.80A	35.20B/*28.80A	----	26.40 - 6.80	.1202	----	----	----	----	50	UNCH
1800	----	----	46.70B/*37.30A	46.70B/*37.30A	----	35.30 - 8.30	.1525	----	----	----	----	261	UNCH
1825	----	----	53.40B/*42.30A	53.40B/*42.30A	----	40.50 - 9.10	.1703	----	----	----	----	30	UNCH
1850	----	----	60.70B/*47.90A	60.70B/*47.90A	----	46.40 - 9.80	.1895	----	----	----	----	40	UNCH
1900	----	----	77.40B/61.00A	77.40B/61.00A	----	60.00 - 11.20	.2309	----	----	----	----	81	UNCH
2100	----	----	171.30B/137.30A	171.30B/137.30A	----	141.00 - 16.00	.4212	----	----	----	----	225	UNCH
2135	----	----	191.60B/154.80A	191.60B/154.80A	----	159.60 - 16.80	.4555	----	----	----	----	190	UNCH
2165	----	----	210.80B/170.80A	210.80B/170.80A	----	176.40 - 17.60	.4846	----	----	----	----	20	UNCH
2350	----	----	342.20B/287.90A	342.20B/287.90A	----	298.30 - 22.40	.6471	----	----	----	----	5	UNCH
2400	----	----	381.80B/324.40A	381.80B/324.40A	----	335.90 - 23.50	.6845	----	----	----	----	300	UNCH
4000	----	----	1,921.60B/1,839	1,921.60B/1,839	----	1858.30 - 29.50	.9863	----	----	----	----	10	UNCH
TOTAL										6		2456	0
OCT26													
1300	----	----	----	10.20B/*17.90A	----	13.30 - 1.50	.0409	----	----	----	----	4	UNCH
1500	----	----	----	30.30B/33.80A	----	29.40 - 3.60	.0856	----	----	----	----	20	UNCH
1600	----	----	----/47.90A	47.90B/47.90A	----	43.90 - 5.40	.1209	----	----	----	----	17	UNCH
1720	----	----	77.70B/72.90A	77.70B/72.90A	----	69.50 - 7.60	.1757	----	----	----	----	2	UNCH
1820	----	----	110.90B/101.40A	110.90B/101.40A	----	98.80 - 9.60	.2301	----	----	----	----	3	UNCH
2000	----	----	189.90B/170.80A	189.90B/170.80A	----	170.60 - 12.80	.3394	----	----	----	----	1	UNCH
2100	----	----	243.90B/219.20A	243.90B/219.20A	----	220.70 - 14.40	.4020	----	----	----	----	100	UNCH
2130	----	----	261.50B/235.00A	261.50B/235.00A	----	237.10 - 14.80	.4206	----	----	----	----	41	UNCH
2135	----	----	264.50B/237.70A	264.50B/237.70A	----	239.90 - 14.90	.4237	----	----	----	----	12	UNCH
2140	----	----	267.50B/240.40A	267.50B/240.40A	----	242.70 - 15.00	.4268	----	----	----	----	12	UNCH
2400	----	----	444.20B/403.00A	444.20B/403.00A	----	409.60 - 19.70	.5741	----	----	----	----	200	UNCH
2500	----	----	520.90B/475.40A	520.90B/475.40A	----	483.30 - 21.10	.6222	----	----	----	----	1	UNCH
TOTAL												413	0
JAN27													
1500	----	----	----	----	----	47.50 - 3.80	.1092	----	----	----	----	40	UNCH
1800	----	----	----	----	----	135.20 - 8.00	.2407	----	----	----	----	1	UNCH
TOTAL												41	0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
MAY26 CALL			
OG	4900	0	50
OG	5000	0	85
OG	5100	0	185
TOTALS		0	320
JUN26 CALL			
OG	4900	0	150
OG	5100	0	100
TOTALS		0	250
JUL26 CALL			
OG	5295	0	50
TOTALS		0	50
DEC27 CALL			
OG	5880	0	175
TOTALS		0	175
OG PUT	COMEX GOLD OPTIONS		
MAY26 PUT			
OG	4700	0	120
OG	4800	0	250
TOTALS		0	370
JUN26 PUT			
OG	3900	0	500
OG	4500	0	200
OG	4855	0	140
TOTALS		0	840
JUL26 PUT			
OG	4250	0	280
TOTALS		0	280
SEP26 PUT			
OG	4000	0	180
TOTALS		0	180
DEC26 PUT			
OG	4600	0	90
TOTALS		0	90
SO CALL	COMEX SILVER OPTIONS		
MAY26 CALL			
SO	8500	0	225
SO	8800	0	25
SO	9000	0	60
SO	9500	0	50
TOTALS		0	360
JUN26 CALL			
SO	9000	0	60
TOTALS		0	60
JUL26 CALL			
SO	8100	0	25
SO	9500	0	75
SO	15000	0	50
TOTALS		0	150
DEC26 CALL			
SO	8550	0	25
SO	12000	0	50
SO	13000	0	48
TOTALS		0	123
SO PUT	COMEX SILVER OPTIONS		
MAY26 PUT			
SO	7500	0	80
SO	7800	0	25
TOTALS		0	105
JUL26 PUT			
SO	8100	0	25
TOTALS		0	25
DEC26 PUT			
SO	7000	0	48
SO	8550	0	25
TOTALS		0	73
HX CALL	COMEX COPPER OPTIONS		
MAY26 CALL			
HX	585	0	308
HX	590	0	1117
HX	640	0	308
HX	650	0	1117
TOTALS		0	2850
JUN26 CALL			
HX	615	0	100
HX	650	0	200
TOTALS		0	300
JUL26 CALL			
HX	615	0	1450
HX	625	0	100
HX	675	0	1650
TOTALS		0	3200
HX PUT	COMEX COPPER OPTIONS		
JUL26 PUT			
HX	590	0	150
TOTALS		0	150
DEC26 PUT			
HX	550	0	150
TOTALS		0	150
PO CALL	PLATINUM OPTIONS		
JUL26 CALL			
PO	2350	0	100
PO	2500	0	150
PO	2900	0	100
PO	3000	0	150
TOTALS		0	500
OG4 CALL	GOLD OPTIONS		
APR26 CALL			
OG4	4990	0	15
TOTALS		0	15
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK3		
APR26 CALL			
G3M	4935	0	100
G3M	4975	0	125

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

G3M		5000	0	300
TOTALS			0	525
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK3			
APR26	PUT			
G3M		4860	0	100
TOTALS			0	100
COO OPT	COBALT METAL (FASTMARKETS) APO			
JUN26	CALL			
COO		2900	0	466
TOTALS			0	466
GWT TUE	GOLD WEEKLY TUESDAY OPTION Week3			
APR26	PUT			
G3T		4870	0	65
TOTALS			0	65

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.