

PG64

BULLETIN # 98@

METALS OPTION PRODUCTS

Fri, May 22, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	MAY26	MAY26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27
COO OPT	05/29													
ECG10 OP		05/21	05/22											
ECG11 OP		05/21	05/22											
ECG13 OP		05/21	05/22											
ECG15 OP		05/21	05/22											
ECG16 OP		05/21	05/22											
ECGC OOF		05/21	05/22											
ECHG OOF		05/21	05/22											
ECSI OOF		05/21	05/22											
EHO OPT	05/29			06/30	07/31	08/28	09/30							
FMG OPT	05/22													
FSO OPT	05/29			06/30										
GMW MON				06/22										
GWR THU	05/28			06/18										
GWT TUE				06/23										
GWW WED	05/27			06/17										
HMW MON				06/15										
HRO OPT	05/26			06/23	07/28	08/25	09/29	10/27	11/24	12/29				
HWR THU	05/28			06/11										
HWT TUE				06/16										
HWW WED	05/27			06/17	07/01	08/05								
HX CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HX PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HXE CALL	05/29			06/12										
HXE PUT	05/29			06/12										
LHO OPT	05/29			06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
MMG MON				06/01										
OG CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG1 CALL				06/05										
OG1 PUT				06/05										
OG2 CALL				06/12										
OG2 PUT				06/12										
OG4 CALL	05/22													
OG4 PUT	05/22													
OG5 CALL	05/29													
OG5 PUT	05/29													
OMG OPT				05/26	06/25	07/28				11/24				
PAO CALL				06/17	07/15	08/19				11/18				
PAO PUT				06/17	07/15	08/19				11/18				
PLW OOF	05/29			06/05										
PO CALL				06/17	07/15			09/16			12/16			
PO PUT				06/17	07/15			09/16			12/16			
RWS THU	05/28			06/11										
SMW MON				06/22										
SO CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
SO PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO1 CALL				06/05										
SO1 PUT				06/05										
SO2 CALL				06/12										
SO4 CALL	05/22													
SO4 PUT	05/22													
SO5 CALL	05/29													
SO5 PUT	05/29													
SWW WED	05/27			06/10										
TWS TUE				06/16										
WMG WED	05/27													

GOLD OPTIONS ON FUTURES															
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED MAY26		MICRO GOLD WEEKLY WED OPTION WEEK4													
4300	----	----	----	----	----	----	----	----	2.50 - 0.60	.0278	----	----	----	----	1 UNCH
4525	50.00	50.00		#50.00/*50.00	50.00/*50.00	----	----	----	55.40 NEW	.6457	----	----	1	----	1 + 1
TOTAL													1		2 + 1
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT JUN26		MICRO GOLD OPTIONS													
2500	----	----	----	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3950	----	----	----	----	----	----	----	----	0.30 UNCH	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	----	----	----	1.20 - 0.10	----	----	----	----	----	1 UNCH
4260	----	----	----	----	----	----	----	----	1.70 - 0.30	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	----	----	----	2.20 - 0.60	----	----	----	----	----	4 UNCH
4400	----	----	----	----	----	----	----	----	5.00 - 1.90	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	----	----	----	20.20 - 3.20	----	----	----	----	----	4 UNCH
4600	----	----	----	----	----/45.00A	----	----	----	7.10 - 10.70	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	----	----	----	83.80 + 8.50	----	----	----	----	----	1 UNCH
4625	----	----	----	#99.00B/----	#99.00B/----	----	----	----	106.50 + 12.00	----	----	----	----	----	1 UNCH
4645	----	----	----	----	----	----	----	----	125.30 + 14.00	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	----	----	----	1.90 - 2.10	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	----	----	----	1.00 - 0.50	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	----	----	----	0.60 - 0.20	----	----	----	----	----	1 UNCH
5875	----	----	----	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL															21 0
JUL26															
3400	----	----	----	----	----	----	----	----	1156.90 - 20.20	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	----	----	----	1097.10 - 20.30	----	----	----	----	----	1 UNCH
4150	----	----	----	----	----	----	----	----	16.60 - 1.10	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----/35.00A	----	----	----	20.70 - 1.40	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	----	----	----	33.40 - 1.50	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	----	----	----	89.20 + 1.00	----	----	----	----	----	3 UNCH
4600	----	----	----	----	----	----	----	----	137.90 + 3.60	----	----	----	----	----	2 UNCH
4600	----	----	----	----	----	----	----	----	94.50 - 16.50	----	----	----	----	----	1 UNCH
4700	----	----	----	----	----	----	----	----	57.80 - 13.40	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	----	----	----	34.40 - 9.80	----	----	----	----	----	2 UNCH
5000	----	----	----	----	----	----	----	----	12.60 - 4.20	----	----	----	----	----	3 UNCH
5300	----	----	----	----	----	----	----	----	4.10 - 1.00	----	----	----	----	----	3 UNCH
5500	----	----	----	----	----	----	----	----	2.60 - 0.40	----	----	----	----	----	2 UNCH
TOTAL															22 0
AUG26															
4400	----	----	----	----	----	----	----	----	97.30 + 0.40	----	----	----	----	----	5 UNCH
TOTAL															5 0
DEC26															
4700	362.00	362.00		#362.00/*238.50	362.00/*238.50A	----	----	----	253.10 NEW	----	----	----	9	----	9 + 9
TOTAL													9		9 + 9

PG64	BULLETIN # 98@										METALS OPTION PRODUCTS										Fri, May 22, 2026										PG64					
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																						
OG5 PUT	GOLD OPTIONS																																			
MAY26																																				
3700	----	----	----	----	0.30B/*0.60A	----	----	0.40 - 0.20	.0020	----	----	17	----	24 +	8																					
3800	----	----	----	----	0.70B/*0.70A	----	----	0.60 - 0.10	.0033	----	----	1	----	16	UNCH																					
3900	----	----	----	----	0.80B/*0.90A	----	----	0.80 - 0.20	.0050	----	----	5	----	12 +	3																					
4000	1.00	1.00	----	1.40/*1.00	1.40/*1.00	----	----	1.20 - 0.10	.0084	----	----	44	----	126 +	24																					
4100	1.60	1.60	----	1.70B/*1.60	1.70B/*1.60	----	----	1.70 - 0.20	.0136	----	----	4	----	12	UNCH																					
4150	----	----	----	----/*1.90A	2.10B/*1.90A	----	----	2.00 - 0.30	.0174	----	----	2	----	28 +	2																					
4175	----	----	----	----/*2.10A	2.40B/*2.10A	----	----	2.30 - 0.30	.0206	----	----	----	----	3	UNCH																					
4200	2.60	2.60	----	3.20/*2.40A	3.20/*2.40A	----	----	2.50 - 0.50	.0234	----	----	11	----	39 +	10																					
4225	----	----	----	----/*2.60A	3.30B/*2.60A	----	----	2.80 - 0.60	.0273	----	----	----	----	4	UNCH																					
4250	4.10	4.10	----	4.10/*3.00	4.10/*3.00	----	----	3.20 - 0.70	.0323	----	----	20	----	28 +	18																					
4275	3.90	3.90	----	4.70B/*3.40A	4.70B/*3.40A	----	----	3.70 - 0.80	.0388	----	----	20	----	38 +	20																					
4300	3.80	3.80	----	5.60B/*3.80	5.60B/*3.80	----	----	4.30 - 1.00	.0468	----	----	125	----	137 +	104																					
4325	----	----	----	6.90B/*4.70A	6.90B/*4.70A	----	----	5.00 - 1.30	.0566	----	----	4	----	15	UNCH																					
4350	7.90	7.90	----	8.50B/*5.60A	8.50B/*5.60A	----	----	6.00 - 1.50	.0702	----	----	75	----	218 +	60																					
4375	10.30	10.30	----	10.80B/*6.80A	10.80B/*6.80A	----	----	7.30 - 1.80	.0879	----	----	9	----	37 +	1																					
4400	12.30	12.30	----	13.80/8.60	13.80/8.60	----	----	9.20 - 2.00	.1126	----	----	188	----	337 +	168																					
4425	----	----	----	17.70B/11.10A	17.70B/11.10A	----	----	11.70 - 2.20	.1448	----	----	32	----	44 +	21																					
4450	19.00	19.00	----	23.00B/13.90	23.00B/13.90	----	----	15.10 - 2.40	.1869	----	----	38	----	99 +	5																					
4475	23.10	23.10	----	30.00B/18.70A	30.00B/18.70A	----	----	19.70 - 2.40	.2407	----	----	20	----	205 +	1																					
4500	32.10	32.10	----	38.90B/24.70A	38.90B/24.70A	----	----	26.00 - 2.10	.3076	----	----	149	----	466 +	110																					
4525	40.70	40.70	----	49.80B/32.00	49.80B/32.00	----	----	34.10 - 1.40	.3856	----	----	120	----	116 +	74																					
4550	48.40	48.40	----	63.10B/42.10A	63.10B/42.10A	----	----	44.40 - 0.30	.4721	----	----	60	----	207 +	42																					
4575	----	----	----	78.60B/54.10A	78.60B/54.10A	----	----	57.10 + 1.30	.5618	----	----	----	----	38	UNCH																					
4600	82.70	82.70	----	96.00B/67.90A	96.00B/67.90A	----	----	72.20 + 3.30	.6485	----	----	5	----	68 +	5																					
4625	----	----	----	115.20B/83.60A	115.20B/83.60A	----	----	89.50 + 5.60	.7267	----	----	----	----	17	UNCH																					
4650	----	----	----	135.90B/----	135.90B/100.70A	----	----	108.80 + 8.10	.7924	----	----	2	----	10 -	2																					
4675	----	----	----	157.70B/----	157.70B/119.60A	----	----	129.60 + 10.30	.8445	----	----	----	----	35	UNCH																					
4700	152.50	152.50	----	180.40B/137.90A	180.40B/137.90A	----	----	151.70 + 12.50	.8839	----	----	5	----	7 +	3																					
4725	----	----	----	203.70B/----	203.70B/160.70A	----	----	174.70 + 14.30	.9127	----	----	----	----	1	UNCH																					
4750	----	----	----	227.30B/----	227.30B/182.50A	----	----	198.30 + 15.80	.9334	----	----	----	----	3	UNCH																					
4775	----	----	----	251.60B/205.30A	251.60B/205.30A	----	----	222.30 + 16.90	.9485	----	----	----	----	15	UNCH																					
4800	----	----	----	276.00B/228.70A	276.00B/228.70A	----	----	246.50 + 17.70	.9602	----	----	----	----	1	UNCH																					
4850	----	----	----	324.90B/----	324.90B/277.00A	----	----	295.50 + 18.70	.9739	----	----	----	----	1	UNCH																					
4900	----	----	----	365.10B/----	365.10B/347.10A	----	----	344.90 + 19.20	.9825	----	----	----	----	3	UNCH																					
4950	----	----	----	----	317.60B/483.60A	----	----	394.60 + 19.60	.9871	----	----	----	----	1	UNCH																					
TOTAL																																				
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																						
OG5 CALL	GOLD OPTIONS																																			
MAY26																																				
4375	200.00	200.00	----	200.00/162.70A	210.30B/162.70A	----	----	188.60 - NEW	.9119	----	----	2	----	2 +	2																					
4450	----	----	----	----/100.20A	143.80B/100.20A	----	----	121.40 - 22.60	.8128	----	----	----	----	1	UNCH																					

PG64

BULLETIN # 98@

METALS OPTION PRODUCTS

Fri, May 22, 2026

PG64

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG4 PUT		GOLD OPTIONS															
MAY26																	
4410	0.40	0.40		0.40/*0.10	1.00B/*0.10	----			0.00 - 1.70	----	----	----	3	----		0 - 1	
4415	0.40	0.40		0.40/*0.20A	1.10B/*0.20A	----			0.00 - 1.80	----	----	----	2	----		0 - 26	
4420	0.30	0.30		0.30/*0.20A	1.30B/*0.20A	----			0.00 - 1.90	----	----	----	5	----		0 - 47	
4425	1.80	1.80		1.80/*0.10	1.80/*0.10	----			0.00 - 2.10	----	----	----	26	----		0 - 53	
4430	1.50	1.50		1.50/*0.10A	1.70B/*0.10A	----			0.00 - 2.30	----	----	----	6	----		0 - 47	
4435	0.40	0.40		0.40/*0.10A	1.90B/*0.10A	----			0.00 - 2.50	----	----	----	9	----		0 - 7	
4440	0.40	0.40		0.40/*0.10A	2.20B/*0.10A	----			0.00 - 2.80	----	----	----	11	----		0 - 10	
4445	1.60	1.60		1.60/*0.10A	2.50B/*0.10A	----			0.00 - 3.00	----	----	----	12	----		0 - 5	
4450	3.40	3.40		3.50/*0.10A	3.50/*0.10A	----			0.00 - 3.30	----	----	112	----			0 - 231	
4455	4.60	4.60		4.60/*0.10	4.60/*0.10	----			0.00 - 3.70	----	----	----	26	----		0 - 20	
4460	4.10	4.10		4.10/*0.20A	4.10/*0.20A	----			0.00 - 4.10	----	----	----	49	----		0 - 82	
4465	4.00	4.00		4.80/*0.10A	4.80/*0.10A	----			0.00 - 4.50	----	----	----	22	----		0 - 7	
4470	3.00	3.00		5.50B/*0.20A	5.50B/*0.20A	----			0.00 - 5.00	----	----	----	23	----		0 - 14	
4475	5.00	5.00		6.40B/*0.10	6.40B/*0.10	----			0.00 - 5.50	----	----	----	44	----		0 - 31	
4480	5.20	5.20		8.10/*0.10	8.10/*0.10	----			0.00 - 6.10	----	----	----	57	----		0 - 75	
4485	6.00	6.00		8.70B/*0.20	8.70B/*0.20	----			0.00 - 6.80	----	----	----	43	----		0 - 25	
4490	6.90	6.90		10.10B/*0.20A	10.10B/*0.20A	----			0.00 - 7.60	----	----	209	----			0 - 28	
4495	8.20	8.20		11.70B/*0.20	11.70B/*0.20	----			0.00 - 8.50	----	----	----	65	----		0 - 7	
4500	11.00	11.00		13.50B/*0.20	13.50B/*0.20	----			0.00 - 9.40	----	----	----	201	----		0 - 246	
4505	9.70	9.70		16.30B/*0.30	16.30B/*0.30	----			0.00 - 10.60	----	----	----	47	----		0 - 9	
4510	11.80	11.80		20.20B/*0.10A	20.20B/*0.10A	----			0.00 - 11.80	----	----	----	269	----		0 - 124	
4515	13.40	13.40		24.20B/*0.60A	24.20B/*0.60A	----			0.00 - 13.20	----	----	----	48	----		0 - 16	
4520	19.00	19.00		28.50B/*0.20A	28.50B/*0.20A	----			0.00 - 14.70	----	----	----	164	----		0 - 12	
4525	20.00	20.00		33.00B/*2.00	33.00B/*2.00	----			1.80 - 14.60	----	185	----	253	----		0 - 140	
4530	21.00	21.00		37.70B/*6.00	37.70B/*6.00	----			6.80 - 11.50	----	21	----	27	----		0 - 23	
4535	24.70	24.70		42.20B/*10.40A	42.20B/*10.40A	----			11.80 - 8.60	----	6	----	9	----		0 - 1	
4540	22.00	22.00		47.20B/*14.70A	47.20B/*14.70A	----			16.80 - 5.80	----	18	----	12	----		0 - 15	
4545	22.90	22.90		52.10B/18.80A	52.10B/18.80A	----			21.80 - 3.20	----	22	----	8	----		0 - 21	
4550	21.00	21.00		57.00B/21.00	57.00B/21.00	----			26.80 - 0.90	----	203	----	27	----		0 - 221	
4555	----	----		61.70B/26.00A	61.70B/26.00A	----			31.80 + 1.30	----	31	----	1	----		0 - 31	
4560	----	----		66.90B/29.80A	66.90B/29.80A	----			36.80 + 3.30	----	3	----	2	----		0 - 4	
4565	----	----		71.60B/33.90A	71.60B/33.90A	----			41.80 + 5.20	----	2	----	5	----		0 - 5	
4570	----	----		76.60B/38.10A	76.60B/38.10A	----			46.80 + 6.80	----	13	----	----	----		0 - 13	
4575	----	----		81.80B/42.50A	81.80B/42.50A	----			51.80 + 8.30	----	16	----	2	----		0 - 16	
4580	----	----		86.60B/47.10A	86.60B/47.10A	----			56.80 + 9.60	----	80	----	----	----		0 - 80	
4595	77.80	77.80		101.70B/77.80	101.70B/59.60A	----			71.80 + 12.80	----	1	----	1	----		0 - 1	
4600	83.10	83.10		106.70B/83.10	106.70B/63.50A	----			76.80 + 13.60	----	124	----	19	----		0 - 142	
4615	95.00	95.00		121.70B/95.00	121.70B/76.70A	----			91.80 + 15.50	----	1	----	5	----		0 - 6	
4620	----	----		126.70B/----	126.70B/81.00A	----			96.80 + 16.00	----	1	----	----	----		0 - 1	
4625	----	----		131.70B/----	131.70B/85.40A	----			101.80 + 16.40	----	26	----	3	----		0 - 26	
4630	----	----		136.70B/----	136.70B/90.30A	----			106.80 + 16.70	----	2	----	2	----		0 - 2	
4635	----	----		141.70B/----	141.70B/94.80A	----			111.80 + 17.00	----	1	----	1	----		0 - 1	
4640	----	----		146.70B/----	146.70B/99.50A	----			116.80 + 17.30	----	2	----	----	----		0 - 2	
4650	----	----		156.70B/109.00A	156.70B/109.00A	----			126.80 + 17.70	----	7	----	1	----		0 - 7	
4675	151.80	151.80		181.70B/133.10A	181.70B/133.10A	----			151.80 + 18.40	----	56	----	1	----		0 - 57	
4700	----	----		206.60B/157.70A	206.60B/157.70A	----			176.80 + 18.70	----	87	----	----	----		0 - 87	
4725	----	----		231.40B/182.60A	231.40B/182.60A	----			201.80 + 19.00	----	12	----	----	----		0 - 12	
4775	----	----		281.40B/232.40A	281.40B/232.40A	----			251.80 + 19.20	----	2	----	----	----		0 - 2	
4800	----	----		306.40B/257.30A	306.40B/257.30A	----			276.80 + 19.20	----	1	----	----	----		0 - 1	
4850	----	----		356.40B/305.90A	356.40B/305.90A	----			326.80 + 19.20	----	----	----	----	----		0	
4875	----	----		#381.40B/332.20	#381.40B/332.20A	----			351.80 + 19.20	----	1	----	----	----		0	
4900	----	----		406.40B/357.30A	406.40B/357.30A	----			376.80 + 19.20	----	----	----	----	----		0	
5400	----	----		#906.40B/857.10	#906.40B/857.10A	----			876.80	NEW	40	----	200	----		0	
5500	----	----		#1,006.40B/957.	#1006.40B/957.10A	----			976.80	NEW	20	----	300	----		0	
5600	----	----		#1,106.30B/1,05	#1106.30B/1057.10A	----			1076.80	NEW	60	----	300	----		0	
5750	----	----		#1,256.10B/1,20	#1256.10B/1207.10A	----			1226.80	NEW	60	----	300	----		0	
6000	----	----		#1,505.80B/1,45	#1505.80B/1457.10A	----			1476.80	NEW	190	----	375	----		0	
TOTAL																	3155

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG4 CALL		GOLD OPTIONS																
MAY26																		
3250	----	----		1,292.90B/*1,24	1292.90B/*1243.90A	----			1273.20	NEW	----	190	----	375	----	0	UNCH	
3500	----	----		1,042.90B/*993.	1042.90B/*993.60A	----			1023.20	NEW	----	60	----	300	----	0	UNCH	
3600	----	----		942.90B/*893.60	942.90B/*893.60A	----			923.20	NEW	----	60	----	300	----	0	UNCH	
3700	----	----		842.90B/*793.60	842.90B/*793.60A	----			823.20	NEW	----	20	----	300	----	0	UNCH	
3750	----	----		792.90B/*743.60	792.90B/*743.60A	----			773.20	NEW	----	40	----	200	----	0	UNCH	
4180	----	----		362.90B/313.60A	362.90B/313.60A	----			343.20	-19.40	----		----		----	0	UNCH	
4400	----	----		----/93.70A	143.60B/93.70A	----			123.20	-20.80	----	1	----	----	----	0	----	
4420	----	----		----/73.80A	124.00B/73.80A	----			103.20	-21.20	----	----	----	----	----	0	UNCH	
4425	110.00	110.00		110.00/68.60A	119.40B/68.60A	----			98.20	-21.40	----	3	----	1	----	0	----	
4435	----	----		----/58.80A	109.40B/58.80A	----			88.20	-21.80	----	1	----	----	----	0	----	
4440	----	----		105.40B/54.20A	105.40B/54.20A	----			83.20	-22.00	----	1	----	----	----	0	----	
4450	59.00	59.00		59.00/*44.60A	95.30B/*44.60A	----			73.20	-22.60	----	4	----	1	----	0	----	
4455	----	----		----/*39.80A	90.40B/*39.80A	----			68.20	-23.00	----	9	----	----	----	0	----	
4460	----	----		----/*35.40A	85.70B/*35.40A	----			63.20	-23.40	----	2	----	----	----	0	----	
4465	----	----		----/*30.80A	81.00B/*30.80A	----			58.20	-23.80	----	1	----	----	----	0	----	
4470	----	----		----/*26.50A	76.80B/*26.50A	----			53.20	-24.30	----	1	----	----	----	0	----	
4475	43.90	43.90		45.90/*22.60A	72.40B/*22.60A	----			48.20	-24.80	----	3	----	2	----	0	----	
4480	----	----		----/*18.70A	67.60B/*18.70A	----			43.20	-25.40	----	7	----	5	----	0	----	
4485	----	----		----/*15.50A	63.50B/*15.50A	----			38.20	-26.10	----	6	----	----	----	0	----	
4490	13.70	13.70		18.30/*12.10A	58.90B/*12.10A	----			33.20	-26.90	----	47	----	2	----	0	46	
4495	8.70	8.70		14.00/*8.70	54.90B/*8.70	----			28.20	-27.80	----	13	----	24	----	0	----	
4500	29.00	29.00		29.00/*7.30A	51.70B/*7.30A	----			23.20	-28.70	----	42	----	73	----	0	34	
4505	11.40	11.40		16.50/*5.60A	47.70B/*5.60A	----			18.20	-29.90	----	25	----	31	----	0	14	
4510	39.90	39.90		39.90/*3.60A	43.20B/*3.60A	----			13.20	-31.10	----	47	----	40	----	0	30	
4515	25.00	25.00		30.00/*2.60A	39.20B/*2.60A	----			8.20	-32.50	----	58	----	121	----	0	67	
4520	23.00	23.00		23.00/*0.40	35.90B/*0.40	----			3.20	-34.00	----	50	----	58	----	0	25	
4525	21.90	21.90		21.90/*0.20A	33.10B/*0.20A	----			0.00	-33.90	----	----	----	178	----	0	55	
4530	13.20	13.20		17.50/*0.10	29.90B/*0.10	----			0.00	-30.80	----	----	----	588	----	0	153	
4535	7.30	7.30		28.60B/*0.20A	28.60B/*0.20A	----			0.00	-27.90	----	----	----	28	----	0	34	
4540	11.00	11.00		11.00/*0.10	23.80B/*0.10	----			0.00	-22.50	----	----	122	----	0	16		
4545	22.00	22.00		22.00/*0.10	22.00/*0.10	----			0.00	-22.50	----	----	48	----	0	58		
4550	21.00	21.00		21.00/*0.10	21.00/*0.10	----			0.00	-20.20	----	----	377	----	0	357		
4555	9.70	9.70		9.70/*0.20	16.80B/*0.20	----			0.00	-18.00	----	----	71	----	0	52		
4560	10.00	10.00		10.00/*0.10	14.80B/*0.10	----			0.00	-16.00	----	----	126	----	0	99		
4565	7.00	7.00		7.00/*0.10A	13.00B/*0.10A	----			0.00	-14.10	----	----	16	----	0	17		
4570	12.50	12.50		12.50/*0.10A	12.50/*0.10A	----			0.00	-12.50	----	----	87	----	0	166		
4575	5.00	5.00		5.00/*0.10	9.90B/*0.10	----			0.00	-11.00	----	----	165	----	0	154		
4580	4.30	4.30		4.30/*0.10	8.60B/*0.10	----			0.00	-9.70	----	----	137	----	0	145		
4585	0.70	0.70		0.80/*0.10A	7.40B/*0.10A	----			0.00	-8.50	----	----	10	----	0	8		
4590	6.60	6.60		6.60/*0.10A	6.70B/*0.10A	----			0.00	-7.40	----	----	17	----	0	26		
4595	6.50	6.50		6.50/*0.10A	6.50/*0.10A	----			0.00	-6.50	----	----	9	----	0	14		
4600	4.50	4.50		4.50/*0.10	4.80B/*0.10	----			0.00	-5.70	----	----	139	----	0	353		
4605	5.00	5.00		5.90/*0.10	5.90/*0.10	----			0.00	-5.00	----	----	16	----	0	11		
4610	3.70	3.70		3.70/*0.10	3.70/*0.10	----			0.00	-4.40	----	----	16	----	0	25		
4615	1.20	1.20		1.20/*0.10A	2.90B/*0.10A	----			0.00	-3.80	----	----	2	----	0	6		
4620	----	----		----/*0.10A	2.50B/*0.10A	----			0.00	-3.30	----	----	----	----	0	34		
4625	0.60	0.60		0.60/*0.10	2.10B/*0.10	----			0.00	-2.90	----	----	11	----	0	112		
4630	2.30	2.30		2.30/*0.10	2.30/*0.10	----			0.00	-2.60	----	----	14	----	0	30		
4635	0.20	0.20		0.20/*0.20	1.50B/*0.20	----			0.00	-2.30	----	----	3	----	0	6		
4640	1.50	1.50		1.50/*0.10A	1.50/*0.10A	----			0.00	-2.00	----	----	1	----	0	3		
4645	----	----		----/*0.20A	1.00B/*0.20A	----			0.00	-1.80	----	----	----	----	0	1		
4650	1.20	1.20		1.30/*0.10	1.30/*0.10	----			0.00	-1.60	----	----	28	----	0	103		
4655	----	----		----/*0.20A	0.70B/*0.20A	----			0.00	-1.40	----	----	----	----	0	2		
4660	0.10	0.10		0.10/*0.10	0.60B/*0.10	----			0.00	-1.30	----	----	6	----	0	22		
4665	----	----		----/*0.10A	0.50B/*0.10A	----			0.00	-1.10	----	----	2	----	0	5		
4670	----	----		----/*0.10A	0.50B/*0.10A	----			0.00	-1.00	----	----	----	----	0	14		
4675	0.60	0.60		0.60/*0.10A	0.60/*0.10A	----			0.00	-0.90	----	----	1	----	0	200		
4680	0.50	0.50		0.50/*0.10A	0.50/*0.10A	----			0.00	-0.80	----	----	2	----	0	5		
4685	----	----		----/*0.10A	0.20B/*0.10A	----			0.00	-0.80	----	----	----	----	0	8		
4690	0.10	0.10		0.10/*0.10	0.10/*0.10	----			0.00	-0.70	----	----	4	----	0	4		
4695	----	----		----/*0.10A	----/*0.10A	----			0.00	-0.60	----	----	----	----	0	2		
4700	0.30	0.30		0.30/*0.10	0.30/*0.10	----			0.00	-0.60	----	----	42	----	0	362		
4705	0.10	0.10		0.10/*0.10	0.10/*0.10	----			0.00	-0.50	----	----	1	----	0	3		
4710	----	----		----/*0.10A	----/*0.10A	----			0.00	-0.50	----	----	----	----	0	5		
4715	----	----		----/*0.10A	----/*0.10A	----			0.00	-0.40	----	----	1	----	0	2		
4720	----	----		----/*0.10A	----/*0.10A	----			0.00	-0.40	----	----	----	----	0	1		
4725	----	----		----/*0.10A	----/*0.10A	----			0.00	-0.30	----	----	----	----	0	77		
4740	----	----		----/*0.10A	----/*0.10A	----			0.00	-0.30	----	----	----	----	0	4		
4745	----	----		----/*0.10A	----/*0.10A	----			0.00	-0.20	----	----	----	----	0	2		
4750	0.10	0.10		0.10/0.10	0.10/0.10	----			0.00	-0.20	----	----	5	----	0	52		
4755	----	----		----/*0.10A	----/*0.10A	----			0.00	-0.20	----	----	1	----	0	----		



PG64	BULLETIN # 98@			METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
OG4 CALL	GOLD OPTIONS															
MAY26																
4760	----	----	----	---/*0.10A	---/*0.10A	----	----	0.00 - 0.20	----	----	----	----	----	0 -	5	
4765	----	----	----	---/*0.10A	---/*0.10A	----	----	0.00 - 0.20	----	----	----	----	----	0 -	10	
4770	----	----	----	---/*0.10A	---/*0.10A	----	----	0.00 - 0.20	----	----	----	----	----	0 -	2	
4775	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	2	----	0 -	58	
4780	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	23	
4785	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	10	
4790	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	3	
4795	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	7	
4800	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	176	
4805	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1	
4815	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1	
4825	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	502	
4830	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	6	
4840	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1	
4850	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	52	
4875	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	36	
4900	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	133	
4910	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	3	
4920	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1	
4925	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	16	
4950	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	230	
4975	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	78	
5000	----	----	----	---	---/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	58	
5025	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	516	
5050	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	23	
5075	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	4	
5100	----	----	----	---	---/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	17	
5125	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	3	
5150	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	9	
5175	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2	
5200	----	----	----	---	---/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	26	
5225	----	----	----	---	---/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2	
5300	----	----	----	---	---/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2	
5400	----	----	----	---	---/*0.20A	----	----	0.00 - 0.10	----	----	----	200	----	0 -	2	
5500	----	----	----	---	---/0.80A	----	----	0.00 - 0.10	----	----	----	300	----	0 -	18	
5600	----	----	----	---	---/0.80A	----	----	0.00 - 0.10	----	----	----	300	----	0 -	15	
5750	----	----	----	---	---/9.00A	----	----	0.00 NEW	----	----	----	300	----	0	UNCH	
6000	----	----	----	---	---/9.00A	----	----	0.00 - 0.10	----	----	----	375	----	0 -	1	
TOTAL												5584		0 -	5115	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
OG2 PUT	GOLD OPTIONS															
JUN26																
3500	----	----	----	----	1.10B/1.50A	----	----	1.50 UNCH	.0072	----	----	----	----	6	UNCH	
3600	1.80	1.80		#1.80/*1.80	1.80/*1.80	----	----	1.80 UNCH	.0093	----	----	1	----	1 +	1	
3700	----	----	----	----	1.90B/*2.30A	----	----	2.30 UNCH	.0125	----	----	----	----	1	UNCH	
3900	----	----	----	----	---/*3.70A	3.50B/*3.70A	----	3.60 - 0.30	.0225	----	----	----	----	1	UNCH	
4000	4.90	4.90		5.00/*4.90	5.00/*4.90	----	----	4.80 - 0.60	.0321	----	----	5	----	307 +	2	
4100	----	----	----	---	---/*7.00A	7.80B/*7.00A	----	6.90 - 0.90	.0488	----	----	----	----	1	UNCH	
4125	----	----	----	8.90B/*7.80A	8.90B/*7.80A	----	----	7.60 NEW	.0544	----	----	2	----	2 +	2	
4150	----	----	----	10.10B/*8.60A	10.10B/*8.60A	----	----	8.60 - 1.10	.0619	----	----	2	----	3 +	2	
4200	11.80	11.80		13.10B/*10.80A	13.10B/*10.80A	----	----	10.90 - 1.40	.0795	----	----	1	----	7 +	1	
4225	13.60	13.60		15.10B/*12.30A	15.10B/*12.30A	----	----	12.40 NEW	.0907	----	----	14	----	14 +	14	
4250	----	----	----	17.20B/*13.90A	17.20B/*13.90A	----	----	14.20 - 1.50	.1038	----	----	----	----	20	UNCH	
4275	20.00	20.00		20.00/*16.00A	20.00/*16.00A	----	----	16.30 - 1.70	.1190	----	----	3	----	25 +	3	
4300	----	----	----	23.30B/*18.70A	23.30B/*18.70A	----	----	18.90 - 1.70	.1369	----	----	----	----	19	UNCH	
4325	----	----	----	27.00B/*21.80A	27.00B/*21.80A	----	----	21.90 - 1.70	.1573	----	----	----	----	34	UNCH	
4350	----	----	----	31.60B/25.40A	31.60B/25.40A	----	----	25.50 - 1.70	.1808	----	----	----	----	6	UNCH	
4375	----	----	----	36.90B/29.50A	36.90B/29.50A	----	----	29.80 - 1.60	.2076	----	----	4	----	4 +	1	
4400	40.50	40.50		43.10B/33.70	43.10B/33.70	----	----	34.90 - 1.40	.2378	----	----	158	----	218 +	143	
4425	----	----	----	50.20B/40.30A	50.20B/40.30A	----	----	41.00 NEW	.2717	----	----	1	----	1 +	1	
4450	----	----	----	58.40B/47.10A	58.40B/47.10A	----	----	48.10 - 0.40	.3087	----	----	----	----	1	UNCH	
4500	64.70	64.70		78.20B/63.50A	78.20B/63.50A	----	----	64.90 + 0.40	.3897	----	----	18	----	31 +	6	
4525	----	----	----	90.00B/73.30A	90.00B/73.30A	----	----	74.40 + 0.20	.4331	----	----	----	----	11	UNCH	
4550	90.80	90.80		102.90B/84.00A	102.90B/84.00A	----	----	85.10 + 0.30	.4784	----	----	10	----	6 +	4	
4575	106.00	106.00		116.80B/96.20A	116.80B/96.20A	----	----	97.50 + 1.20	.5247	----	----	6	----	7 +	6	
4600	----	----	----	131.40B/----	131.40B/110.30A	----	----	111.70 + 3.10	.5704	----	----	----	----	1	UNCH	
4700	----	----	----	199.20B/----	199.20B/174.60A	----	----	178.90 + 7.90	.7352	----	----	----	----	1	UNCH	
TOTAL												225		728 +	186	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
OG2 CALL	GOLD OPTIONS															
JUN26																
4500	----	----	----	-----/107.20A	130.60B/107.20A	----	----	121.20 - 19.80	.6097	----	----	----	----	1	UNCH	
4525	----	----	----	-----/93.60A	115.30B/93.60A	----	----	105.80 - 19.90	.5663	----	----	----	----	10	UNCH	
4550	91.90	91.90		91.90B/*81.50A	101.50B/*81.50A	----	----	91.50 NEW	.5210	----	----	2	----	2 +	2	
4575	----	----	----	-----/70.60A	92.20B/*70.60A	----	----	78.90 - 19.00	.4747	----	----	230	----	61 -	169	
4600	66.90	66.90		66.90B/*60.80A	80.50B/*60.80A	----	----	68.10 - 17.20	.4290	----	----	14	----	24 +	14	
4625	75.00	75.00		75.00B/*52.10A	75.00B/*52.10A	----	----	58.30 - 16.00	.3844	----	----	231	----	62 -	168	
4675	----	----	----	----/*38.20A	50.50B/*38.20A	----	----	42.10 - 13.50	.3014	----	----	----	----	1	UNCH	
4700	----	----	----	----/*32.20A	42.90B/*32.20A	----	----	35.60 - 12.20	.2642	----	----	----	----	1	UNCH	
4725	----	----	----	----/*27.60A	37.00B/*27.60A	----	----	30.10 - 10.80								

BULLETIN # 98@				METALS OPTION PRODUCTS							Fri, May 22, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 CALL	GOLD OPTIONS														
JUN26															
4500	----	----	----	----/88.50A	122.70B/88.50A	----	----		104.20 - 20.20	.6328	----	----	----	----	1 UNCH
4525	----	----	----	----/75.30A	106.30B/75.30A	----	----		88.90 - 19.40	.5786	----	----	----	----	10 UNCH
4550	75.50	75.50		75.50/*63.30A	91.70B/*63.30A	----	----		75.00 - 18.40	.5221	----	----	11	----	60 + 10
4575	55.20	55.20		55.20/*52.60A	79.10B/*52.60A	----	----		62.60 - 17.30	.4646	----	----	10	----	21 + 1
4600	50.00	50.00		53.30/*43.70A	66.70B/*43.70A	----	----		51.80 - 16.00	.4077	----	----	34	----	24 - 9
4625	----	----	----	----/*35.90A	55.30B/*35.90A	----	----		42.50 - 14.60	.3531	----	----	----	----	34 UNCH
4650	----	----	----	----/*29.50A	46.30B/*29.50A	----	----		34.50 - 13.30	.3016	----	3	----	----	5 + 1
4675	33.00	33.00		33.00/*24.10A	38.10B/*24.10A	----	----		27.90 - 11.80	.2548	----	2	----	----	5 + 2
4700	22.50	22.50		22.50/*19.40A	31.30B/*19.40A	----	----		22.50 - 10.30	.2133	----	----	16	----	40 + 14
4725	18.00	18.00		18.00/*16.10A	25.50B/*16.10A	----	----		18.10 - 9.00	.1771	----	----	1	----	40 + 1
4750	18.00	18.00		18.00/*12.90	20.90B/*12.90	----	----		14.50 - 7.80	.1459	----	32	----	----	67 + 26
4775	----	----	----	----/*10.80A	17.00B/*10.80A	----	----		11.70 - 6.60	.1201	----	----	----	----	21 UNCH
4800	10.80	10.80		10.80/*9.00A	14.00B/*9.00A	----	----		9.50 - 5.60	.0989	----	3	----	----	5 UNCH
4825	----	----	----	----/*7.50A	11.30B/*7.50A	----	----		7.80 - 4.70	.0819	----	----	----	----	5 UNCH
4850	8.20	8.20		8.20/*6.00	9.10B/*6.00	----	----		6.40 - 4.00	.0676	----	5	----	----	282 - 1
4875	6.10	6.10		6.10/*5.40A	7.50B/*5.40A	----	----		5.40 - 3.30	.0568	----	2	----	----	3 + 1
4900	4.30	4.30		4.60/*4.30	6.20B/*4.30	----	----		4.50 - 2.80	.0474	----	3	----	----	19 + 2
4950	----	----	----	----/*3.60A	4.10B/*3.60A	----	----		3.40 - 1.90	.0350	----	----	----	----	3 UNCH
5000	----	----	----	----/*2.80A	2.90B/*2.80A	----	----		2.60 - 1.30	.0261	----	----	----	----	12 UNCH
5050	----	----	----	----/*2.30A	2.10B/*2.30A	----	----		2.10 - 0.90	.0204	----	----	----	----	1 UNCH
5100	----	----	----	----/*1.90A	1.70B/*1.90A	----	----		1.70 - 0.70	.0160	----	----	----	----	1 UNCH
5200	----	----	----	----/*1.40A	1.00B/*1.40A	----	----		1.20 - 0.40	.0106	----	----	----	----	1 UNCH
5225	----	----	----	----/*1.30A	0.90B/*1.30A	----	----		1.20 - 0.30	.0103	----	----	----	----	1 UNCH
5250	----	----	----	----/*1.30A	0.90B/*1.30A	----	----		1.10 - 0.30	.0093	----	----	----	----	1 UNCH
5300	----	----	----	----/*1.10A	0.70B/*1.10A	----	----		1.00 - 0.20	.0081	----	----	----	----	3 UNCH
5400	----	----	----	----	0.50B/1.10A	----	----		0.90 - 0.10	.0067	----	----	----	----	1 UNCH
5600	----	----	----	----	----/0.90A	----	----		0.50 - 0.10	.0034	----	----	----	----	1 UNCH
TOTAL													122		667 + 48
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT	COMEX GOLD OPTIONS														
JUN26															
1325	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	15 UNCH
1375	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1400	----	----	----	----	----/1.00A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1425	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1475	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	11 UNCH
1500	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	3 UNCH
1525	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	8 UNCH
1575	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1580	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1590	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	175 UNCH
1600	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	18 UNCH
1610	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1615	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1620	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	31 UNCH
1625	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1650	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	2 UNCH
1670	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	10 UNCH
1675	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	10 UNCH
1685	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	5 UNCH
1690	----	----	----	----	----/7.00A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1695	----	----	----	----	----/7.00A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1700	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	2 UNCH
1725	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1735	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1740	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1745	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1750	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	3 UNCH
1755	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1775	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1780	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	2 UNCH
1785	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	2 UNCH
1795	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	11 UNCH
1800	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	6 UNCH
1815	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1820	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	2 UNCH
1855	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1875	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	3 UNCH
1900	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	3 UNCH
1905	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	7 UNCH
1915	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	10 UNCH
1920	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	2 UNCH
1950	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	1 UNCH
1955	----	----	----	----	----/7.20A	----	----		0.10 UNCH	----	----	----	----	----	2 UNCH
1965	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	10 UNCH
1975	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	85 UNCH
2000	----	----	----	----	----/0.10A	----	----		0.10 UNCH	----	----	----	----	----	607 UNCH
2005	----	----	----	----	----/7.20A	----	----								

PG64		BULLETIN # 98@										METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST								
OG PUT	COMEX GOLD OPTIONS																							
JUN26	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----								
2685	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	26								
2695	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	2								
2700	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	427								
2730	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	35								
2750	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	6								
2800	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	768								
2805	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	223								
2810	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	18								
2825	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	56								
2830	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	25								
2850	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	32								
2865	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	2								
2875	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	7								
2900	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	157	UNCH								
2905	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	5	UNCH								
2915	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	1	UNCH								
2930	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	1	UNCH								
2935	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	5	UNCH								
2950	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	24	UNCH								
2955	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	8	UNCH								
2970	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	2	UNCH								
2975	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	10	UNCH								
2990	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	5	UNCH								
2995	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	6	UNCH								
3000	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	1894	UNCH								
3005	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	30	UNCH								
3010	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	8	UNCH								
3015	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	216	UNCH								
3020	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	35	UNCH								
3035	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	1	UNCH								
3045	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	56	UNCH								
3050	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	407	UNCH								
3065	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	7	UNCH								
3070	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	7	UNCH								
3075	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	30	UNCH								
3080	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	8	UNCH								
3085	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	1	UNCH								
3095	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	42	UNCH								
3100	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	512	UNCH								
3105	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	13	UNCH								
3110	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	11	UNCH								
3120	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	13	UNCH								
3125	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	13	UNCH								
3130	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	26	UNCH								
3140	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	5	UNCH								
3150	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	147	UNCH								
3155	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	16	UNCH								
3160	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	16	UNCH								
3170	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	6	UNCH								
3175	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	13	UNCH								
3180	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	5	UNCH								
3185	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	6	UNCH								
3190	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	18	UNCH								
3195	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	12	UNCH								
3200	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	1206	UNCH								
3205	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	42	UNCH								
3210	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	25	UNCH								
3215	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	22	UNCH								
3220	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	37	UNCH								
3225	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	80	UNCH								
3230	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	8	UNCH								
3235	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	26	UNCH								
3240	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	2	UNCH								
3245	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	4	UNCH								
3250	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	156	UNCH								
3255	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	128	UNCH								
3260	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	45	UNCH								
3265	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	30	UNCH								
3270	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	7	UNCH								
3275	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	10	UNCH								
3280	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	12	UNCH								
3290	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	37	UNCH								
3295	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	2	UNCH								
3300	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	422	UNCH								
3305	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	1	UNCH								
3310	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	7	UNCH								
3315	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	7	UNCH								
3320	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	4	UNCH								
3325	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	4	UNCH								
3335	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	47	UNCH								
3335	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	46	UNCH								
3340	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	22	UNCH								
3345	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	12	UNCH								
3350	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	447	UNCH								
3355	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	17	UNCH								
3360	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	7	UNCH								
3365	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	31	UNCH								
3370	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	26	UNCH								
3375	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	98	UNCH								
3380	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	51	UNCH								
3385	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	6	UNCH								
3390	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	59	UNCH								
3395	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	2	UNCH								
3400	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	719	UNCH								
3405	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	71	UNCH								
3410	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	7	UNCH								
3415	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	3	UNCH								
3420	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	18	UNCH								
3425	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	30	UNCH								
3430	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	45	UNCH								
3435	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	20	UNCH								
3450	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	385	UNCH								
3455	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	51	UNCH								
3460	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	227	UNCH								
3465	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	94	UNCH								
3470	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	36	UNCH								
3475	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	116	UNCH								
3480	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	181	UNCH								
3485	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	3	UNCH								
3490	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	21	UNCH								
3500	0.10	0.10		0.10/0.10	0.10/0.10	0.10/0.10	----	----	0.10	UNCH	----	----	25	----	1786 +	25								
3505	0.10	0.10		0.10/*0.10	0.10/0.10	0.10/0.10	----	----	0.10	UNCH	----	----	5	----	70 +	5								
3510	0.10	0.10		0.10/*0.10	0.10/0.10	0.10/0.10	----	----	0.															

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS															
JUN26																	
3645	----	----	----	----	----	----/0.60A	----	----	0.10	UNCH	----	----	----	----	13	UNCH	
3650	0.10	0.10		0.20/*0.10	0.20/*0.10	0.20/*0.10	----	----	0.10	UNCH	----	----	35	----	725	+	
3655	----	----		----	----/0.50A	----	----	----	0.10	UNCH	.0000	----	----	----	9	UNCH	
3660	----	----		----	----/0.50A	----	----	----	0.10	UNCH	.0000	----	----	----	1	UNCH	
3665	----	----		----	----/0.60A	----	----	----	0.10	UNCH	.0000	----	----	----	39	UNCH	
3670	----	----		----	----/0.50A	----	----	----	0.10	UNCH	.0000	----	----	----	31	UNCH	
3675	0.10	0.10		0.10/*0.10	0.10/*0.10	0.10/*0.10	----	----	0.10	UNCH	.0000	----	20	----	111	+	
3680	----	----		----	----/0.10A	----	----	----	0.10	UNCH	.0000	----	----	----	20	UNCH	
3685	----	----		----	----/*0.10A	----	----	----	0.10	UNCH	.0000	----	----	----	49	UNCH	
3690	----	----		----	----/0.10A	----	----	----	0.10	UNCH	.0000	----	----	----	19	UNCH	
3695	0.10	0.10		0.10/*0.10	0.10/*0.10	0.10/*0.10	----	----	0.10	UNCH	.0000	----	4	----	888	+	
3700	0.10	0.10		0.10/0.10	0.10/0.10	0.10/0.10	----	----	0.10	UNCH	.0000	----	193	----	164	+	
3705	0.10	0.10		0.10/0.10	0.10/0.10	0.10/0.10	----	----	0.10	UNCH	.0000	----	1	----	81	+	
3710	0.10	0.10		0.10/*0.10	0.10/*0.10	0.10/*0.10	----	----	0.10	UNCH	.0000	----	1	----	51	+	
3715	0.10	0.10		0.10/*0.10	0.10/*0.10	0.10/*0.10	----	----	0.10	UNCH	.0000	----	1	----	4	UNCH	
3720	----	----		----	0.10B/*0.20A	----	----	----	0.10	UNCH	.0000	----	----	25	146	+	
3725	0.10	0.10		0.10/*0.10	0.10/*0.10	0.10/*0.10	----	----	0.10	UNCH	.0000	----	----	----	20	UNCH	
3730	----	----		----	0.10B/*0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	1	UNCH	
3735	----	----		----	0.10B/*0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	70	UNCH	
3740	----	----		----	0.10B/*0.10A	----	----	----	0.10	UNCH	.0000	----	----	----	20	UNCH	
3745	----	----		----	0.10B/0.20A	----	----	----	0.10	UNCH	.0000	----	----	----	15	UNCH	
3750	0.10	0.10		0.20/*0.10	0.20/*0.10	0.20/*0.10	----	----	0.10	UNCH	.0000	----	50	----	1329	UNCH	
3755	----	----		----	0.10B/0.30A	----	----	----	0.10	UNCH	.0000	----	----	----	14	UNCH	
3760	----	----		----	0.10B/0.30A	----	----	----	0.10	UNCH	.0000	----	----	----	34	UNCH	
3765	----	----		----	0.10B/0.30A	----	----	----	0.10	UNCH	.0000	----	----	----	48	UNCH	
3770	----	----		----	0.10B/0.30A	----	----	----	0.10	UNCH	.0000	----	----	----	17	UNCH	
3775	----	----		----	0.10B/0.30A	----	----	----	0.10	UNCH	.0000	----	----	----	145	UNCH	
3780	----	----		----	0.10B/0.30A	----	----	----	0.10	UNCH	.0001	----	----	----	15	UNCH	
3785	----	----		----	0.10B/0.30A	----	----	----	0.10	UNCH	.0001	----	----	----	7	UNCH	
3790	----	----		0.20B/----	0.20B/0.30A	0.20B/0.30A	----	----	0.10	UNCH	.0001	----	----	----	259	UNCH	
3795	0.20	0.20		0.20/*0.20	0.20/*0.20	0.20/*0.20	----	----	0.10	UNCH	.0001	----	5	----	83	UNCH	
3800	0.20	0.20		0.20/0.20	0.20/0.20	0.20/0.20	----	----	0.10	UNCH	.0001	----	78	----	2815	-	
3805	----	----		0.20B/----	0.20B/0.30A	0.20B/0.30A	----	----	0.10	UNCH	.0001	----	----	----	71	UNCH	
3810	----	----		0.20B/----	0.20B/0.30A	0.20B/0.30A	----	----	0.10	UNCH	.0001	----	----	----	45	UNCH	
3815	----	----		0.20B/----	0.20B/0.20A	0.20B/0.20A	----	----	0.10	UNCH	.0002	----	----	----	40	UNCH	
3820	0.20	0.20		0.20/0.20	0.20/0.20	0.20/0.20	----	----	0.10	UNCH	.0002	----	16	----	29	+	
3825	----	----		0.20B/----	0.20B/*0.20A	0.20B/*0.20A	----	----	0.10	UNCH	.0002	----	----	----	40	UNCH	
3830	0.20	0.20		0.20/0.20	0.20/0.20	0.20/0.20	----	----	0.10	UNCH	.0002	----	3	----	192	+	
3835	0.20	0.20		0.20/0.20	0.20/0.20	0.20/0.20	----	----	0.10	UNCH	.0003	----	1	----	56	+	
3840	----	----		0.20B/----	0.20B/0.20A	0.20B/0.20A	----	----	0.10	UNCH	.0003	----	----	----	4	UNCH	
3845	----	----		0.20B/----	0.20B/0.20A	0.20B/0.20A	----	----	0.10	UNCH	.0003	----	----	----	1	UNCH	
3850	0.20	0.20		0.20/0.20	0.20/0.20	0.20/0.20	----	----	0.10	UNCH	.0004	----	3	----	711	UNCH	
3855	----	----		----	0.20B/0.20A	0.20B/0.20A	----	----	0.20	UNCH	.0008	----	----	----	73	UNCH	
3860	----	----		----	0.20B/0.20A	0.20B/0.20A	----	----	0.20	UNCH	.0008	----	----	----	29	UNCH	
3865	----	----		----	0.20B/0.20A	0.20B/0.20A	----	----	0.20	UNCH	.0009	----	----	----	20	UNCH	
3870	----	----		0.30B/----	0.30B/0.20A	0.30B/0.20A	----	----	0.20	UNCH	.0009	----	----	----	16	UNCH	
3875	----	----		----	0.20B/0.20A	0.20B/0.20A	----	----	0.20	UNCH	.0009	----	----	----	161	UNCH	
3880	----	----		----	0.20B/0.20A	0.20B/0.20A	----	----	0.20	UNCH	.0009	----	----	----	25	UNCH	
3885	----	----		0.30B/----	0.30B/0.20A	0.30B/0.20A	----	----	0.20	UNCH	.0009	----	----	----	14	UNCH	
3890	0.30	0.30		0.30/0.30	0.30/0.20A	0.30/0.20A	----	----	0.20	UNCH	.0009	----	7	----	55	+	
3895	----	----		----/0.20A	0.30B/0.20A	0.30B/0.20A	----	----	0.30	UNCH	.0014	----	----	----	19	UNCH	
3900	0.30	0.30		0.40/0.20	0.40/0.20	0.40/0.20	----	----	0.30	UNCH	.0014	----	84	----	1289	+	
3905	----	----		----	0.30B/0.30A	0.30B/0.30A	----	----	0.30	UNCH	.0014	----	----	----	45	UNCH	
3910	----	----		----	0.30B/0.30A	0.30B/0.30A	----	----	0.30	UNCH	.0014	----	----	----	10	UNCH	
3915	----	----		----	0.30B/0.30A	0.30B/0.30A	----	----	0.30	UNCH	.0014	----	----	----	52	UNCH	
3920	0.30	0.30		0.30/0.30	0.30/0.30	0.30/0.30	----	----	0.30	UNCH	.0014	----	3	----	36	+	
3925	----	----		----	0.30B/0.30A	0.30B/0.30A	----	----	0.30	UNCH	.0015	----	----	----	54	UNCH	
3930	0.20	0.20		0.30B/0.20	0.30B/0.20	0.30B/0.20	----	----	0.30	UNCH	.0015	----	5	----	23	UNCH	
3935	0.20	0.20		0.40B/0.20	0.40B/0.20	0.40B/0.20	----	----	0.30	UNCH	.0015	----	2	----	28	UNCH	
3940	0.30	0.30		0.40B/0.30	0.40B/0.30	0.40B/0.30	----	----	0.30	UNCH	.0015	----	17	----	119	+	
3945	----	----		0.40B/----	0.40B/0.30A	0.40B/0.30A	----	----	0.30	UNCH	.0015	----	----	----	22	UNCH	
3950	0.30	0.30		0.40/0.30	0.40/0.30	0.40/0.30	----	----	0.30	UNCH	.0015	----	10	----	330	+	
3955	----	----		0.40B/----	0.40B/0.30A	0.40B/0.30A	----	----	0.30	UNCH	.0015	----	----	----	9	UNCH	
3960	----	----		0.40B/----	0.40B/0.30A	0.40B/0.30A	----	----	0.30	UNCH	.0016	----	----	----	41	UNCH	
3965	0.20	0.20		0.40B/*0.20	0.40B/*0.20	0.40B/*0.20	----	----	0.30	UNCH	.0016	----	42	----	54	+	
3970	0.50	0.50		0.50/0.30A	0.50/0.30A	0.50/0.30A	----	----	0.40	+	0.10	.0021	5	----	71	UNCH	
3975	----	----		0.50B/----	0.50B/0.30A	0.50B/0.30A	----	----	0.40	+	0.10	.0022	----	----	358	UNCH	
3980	0.40	0.40		0.50B/0.30A	0.50B/0.30A	0.50B/0.30A	----	----	0.40	+	0.10	.0022	5	----	110	UNCH	
3985	----	----		0.50B/----	0.50B/0.40A	0.50B/0.40A	----	----	0.40	+	0.10	.0022	----	----	60	UNCH	
3990	----	----		0.50B/----	0.50B/0.40A	0.50B/0.40A	----	----	0.40	+	0.10	.0022	----	----	58	UNCH	
3995	0.50	0.50		0.50/0.40	0.50/0.40	0.50/0.40	----	----	0.40	+	0.10	.0022	3	----	194	+	
4000	0.40	0.40		0.50/0.20	0.50/0.20	0.50/0.20	----	----	0.40	UNCH	.0023	173	5	----	4506	-	
4005	0.30	0.30		0.50B/0.30	0.50B/0.30	0.50B/0.30	----	----	0.40	UNCH	.0023	----	5	----	64	UNCH	
4010	----	----		0.50B/----	0.50B/0.40A	0.50B/0.40A	----	----	0.40	UNCH	.0023	----	----	----	75	UNCH	
4015	0.50	0.50		0.50/0.30	0.50/0.30	0.50/0.30	----	----	0.40	UNCH	.0023	----	9	----	63	+	
4020	----	----		0.60B/----	0.60B/0.40A	0.60B/0.40A	----	----	0.40	UNCH	.0024	----	----	----	122	UNCH	
4025	----	----		0.60B/0.30A	0.60B/0.30A	0.60B/0.30A	----	----	0.50	+	0.10	.0030	----	----	249	UNCH	
4030	----	----		0.60B/----	0.60B/0.40A	0.60B/0.40A	----	----	0.50	+	0.10	.0030	----	----	51	UNCH	
4035	0.50	0.50		0.60B/0.30A	0.60B/0.30A	0.60B/0.30A	----	----	0.50	+	0.10	.0031	2	----	70	+	
4040	0.60	0.60		0.60/0.30A	0.60/0.30A	0.60/0.30A	----	----	0.50	+	0.10	.0031	1	----	95	+	
4045	0.50	0.50		0.60/0.30A	0.60/0.30A	0.60/0.30A	----	----	0.50	+	0.10	.0031	7	----	48	+	
4050	0.40	0.40		0.70B/0.40	0.70B/0.40	0.70B/0.40	----	----	0.50	+	0.10	.0032	4	----	1205	-	
4055	----	----		0.70B/----	0.70B/0.40A	0.70B/0.40A	----	----	0.50	+	0.10	.0032	----	----	43	UNCH	
4060	----	----		0.70B/0.40A	0.70B/0.40A	0.70B/0.40A	----	----	0.50	UNCH	.0032	----	----	----	92	UNCH	
4065	----	----		0.70B/----	0.70B/0.50A	0.70B/0.50A	----	----	0.50	UNCH	.0033	----	----	----	150	UNCH	
4070	----	----		0.70B/----	0.70B/0.50A	0.70B/0.50A	----	----	0.50	UNCH	.0033	----	----	----	67	UNCH	
4075	----	----		0.80B/----	0.80B/0.50A	0.80B/0.50A	----	----	0.60	+	0.10	.0040	1	----	264	UNCH	
4080	----	----		0.80B/----	0.80B/0.50A	0.80B/0.50A	----	----	0.60	+	0.10	.0040	----	----	158	UNCH	
4085	0.50	0.50		0.80B/0.50	0.80B/0.50	0.80B/0.50	----	----	0.60	+	0.10	.0041	13	----	299	+	
4090	0.60	0.60		0.80B/0.60	0.80B/0.50A	0.80B/0.50A	----	----	0.60	+	0.10	.0041	11	----	109	+	
4095	----	----		0.90B/0.50A	0.90B/0.50A	0.90B/0.50A	----	----	0.60	UNCH	.0042	28	----	----	2072	UNCH	
4100	0.50	0.50		0.90/0.50	0.90/0.50	0.90/0.50	----	----	0.70	+	0.10	.0049	783	----	2599	-	

PG64		BULLETIN # 98@										METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64														
		GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																								
OG PUT		COMEX GOLD OPTIONS																																				
JUN26																																						
4330	2.90	2.90		4.00B/*2.20A	4.00B/*2.20A	----	2.80	- 0.80	.0357	----	----	13	----	377	-	4																						
4335	3.10	3.10		4.20B/*2.30A	4.20B/*2.30A	----	2.90	- 0.80	.0376	----	----	32	----	117	+	19																						
4340	3.70	3.70		4.30B/*2.40A	4.30B/*2.40A	----	3.00	- 0.90	.0395	----	----	39	----	157	-	5																						
4345	3.20	3.20		4.50B/*2.50A	4.50B/*2.50A	----	3.10	- 1.00	.0415	----	----	38	----	136	+	29																						
4350	4.00	4.00		5.00B/*2.50A	5.00B/*2.50A	----	3.20	- 1.10	.0436	----	----	965	----	1661	+	490																						
4355	4.30	4.30		4.80B/*2.70A	4.80B/*2.70A	----	3.40	- 1.10	.0469	----	----	29	----	213	+	4																						
4360	3.90	3.90		5.10B/*2.70	5.10B/*2.70	----	3.50	- 1.20	.0491	----	----	31	----	179	-	2																						
4365	4.70	4.70		5.30B/*2.90A	5.30B/*2.90A	----	3.60	- 1.30	.0515	----	----	20	----	125	-	9																						
4370	4.30	4.30		5.70B/*3.00	5.70B/*3.00	----	3.80	- 1.30	.0551	----	----	36	----	83	+	4																						
4375	5.60	5.60		6.00B/*3.20	6.00B/*3.20	----	4.00	- 1.40	.0588	----	----	97	----	361	-	17																						
4380	5.00	5.00		6.40B/*3.30	6.40B/*3.30	----	4.10	- 1.50	.0615	----	----	20	----	738	UNCH																							
4385	5.60	5.60		6.80B/*3.40A	6.80B/*3.40A	----	4.30	- 1.60	.0655	----	----	17	----	107	+	10																						
4390	6.80	6.80		7.30B/*3.70A	7.30B/*3.70A	----	4.50	- 1.70	.0697	----	----	30	----	98	-	14																						
4395	6.90	6.90		7.90/*3.90A	7.90/*3.90A	----	4.80	- 1.70	.0752	----	----	29	----	135	+	17																						
4400	7.00	7.00		8.60B/*4.10A	8.60B/*4.10A	----	5.00	- 1.90	.0798	----	----	1296	----	2210	-	159																						
4405	5.30	5.30		8.80B/*4.30A	8.80B/*4.30A	----	5.30	- 2.00	.0857	----	----	2	----	152	UNCH																							
4410	6.90	6.90		9.40B/*4.50A	9.40B/*4.50A	----	5.60	- 2.10	.0918	----	----	48	----	117	-	2																						
4415	8.60	8.60		10.00B/*4.80A	10.00B/*4.80A	----	5.90	- 2.20	.0982	----	----	22	----	377	+	9																						
4420	6.30	6.30		10.70B/*5.10A	10.70B/*5.10A	----	6.30	- 2.30	.1060	----	----	42	----	137	+	10																						
4425	7.80	7.80		11.50B/*5.40A	11.50B/*5.40A	----	6.70	- 2.40	.1142	----	----	85	----	389	+	23																						
4430	9.20	9.20		12.30B/*5.80A	12.30B/*5.80A	----	7.10	- 2.50	.1226	----	----	23	----	108	-	1																						
4435	11.20	11.20		13.20B/*6.20A	13.20B/*6.20A	----	7.50	- 2.70	.1315	----	----	44	----	143	+	2																						
4440	11.80	11.80		14.10B/*6.60A	14.10B/*6.60A	----	8.10	- 2.70	.1429	----	----	26	----	96	+	6																						
4445	11.60	11.60		15.40B/*7.10A	15.40B/*7.10A	----	8.60	- 2.90	.1537	----	----	32	----	82	+	6																						
4450	14.30	14.30		16.40B/*7.60A	16.40B/*7.60A	----	9.30	- 3.00	.1670	----	----	689	----	2044	-	102																						
4455	13.30	13.30		18.00B/*8.30	18.00B/*8.30	----	9.90	- 3.10	.1799	----	----	87	----	161	-	30																						
4460	13.30	13.30		19.30B/*8.90A	19.30B/*8.90A	----	10.70	- 3.20	.1952	----	----	57	----	132	+	13																						
4465	15.20	15.20		21.00B/*9.60A	21.00B/*9.60A	----	11.50	- 3.30	.2111	----	----	106	----	1267	-	62																						
4470	21.50	21.50		22.60B/*10.60A	22.60B/*10.60A	----	12.50	- 3.30	.2293	----	----	43	----	286	+	11																						
4475	20.80	20.80		24.40B/*11.50A	24.40B/*11.50A	----	13.50	- 3.40	.2482	----	----	488	----	522	+	292																						
4480	21.80	21.80		26.30B/*12.60	26.30B/*12.60	----	14.60	- 3.40	.2684	----	----	64	----	213	+	44																						
4485	20.40	20.40		28.50B/*13.70A	28.50B/*13.70A	----	15.80	- 3.40	.2901	----	----	66	----	119	+	20																						
4490	21.90	21.90		30.60B/*15.00A	30.60B/*15.00A	----	17.10	- 3.40	.3131	----	----	17	----	289	+	8																						
4495	23.50	23.50		33.00B/*16.40	33.00B/*16.40	----	18.60	- 3.30	.3379	----	----	20	----	175	-	5																						
4500	22.80	22.80		35.60B/*17.90A	35.60B/*17.90A	----	20.20	- 3.20	.3639	----	1108	150	----	6104	+	69																						
4505	23.80	23.80		38.40B/*19.60A	38.40B/*19.60A	----	22.00	- 3.00	.3912	----	----	24	----	334	-	5																						
4510	28.80	28.80		41.40B/*21.30A	41.40B/*21.30A	----	23.90	- 2.70	.4193	----	----	79	----	396	+	29																						
4515	32.70	32.70		44.20B/*23.50A	44.20B/*23.50A	----	25.90	- 2.50	.4482	----	----	22	----	505	+	2																						
4520	36.00	36.00		47.50B/*25.50A	47.50B/*25.50A	----	28.10	- 2.20	.4778	----	----	17	----	210	+	4																						
4525	38.20	38.20		50.60B/*27.90A	50.60B/*27.90A	----	30.50	- 1.80	.5078	----	228	----	628	+	85																							
4530	40.60	40.60		54.10B/*30.40A	54.10B/*30.40A	----	33.00	- 1.40	.5380	----	----	27	----	299	-	4																						
4535	36.70	36.70		57.70B/*32.30A	57.70B/*32.30A	----	35.70	- 0.90	.5680	----	----	85	----	230	-	16																						
4540	39.20	39.20		61.10B/*35.50A	61.10B/*35.50A	----	38.60	- 0.40	.5975	----	----	4	----	192	UNCH																							
4545	----	----		65.00B/*38.30A	65.00B/*38.30A	----	41.60	+ 0.20	.6266	----	----	1	----	150	-	1																						
4550	45.50	45.50		68.90B/*41.20A	68.90B/*41.20A	----	44.80	+ 0.90	.6546	----	193	----	1150	-	59																							
4555	43.20	43.20		72.90B/*43.20	72.90B/*43.20	----	48.20	+ 1.60	.6812	----	----	1	----	113	UNCH																							
4560	----	----		76.90B/*47.10A	76.90B/*47.10A	----	51.60	+ 2.20	.7068	----	----	5	----	132	UNCH																							
4565	----	----		81.00B/*50.30A	81.00B/*50.30A	----	55.30	+ 3.10	.7313	----	----	----	----	247	UNCH																							
4570	66.10	66.10		85.30B/*53.70A	85.30B/*53.70A	----	59.00	+ 3.80	.7537	----	----	4	----	193	-	1																						
4575	----	----		89.50B/*57.10A	89.50B/*57.10A	----	62.90	+ 4.60	.7756	----	----	9	----	318	+	3																						
4580	----	----		93.70B/*60.70A	93.70B/*60.70A	----	66.90	+ 5.40	.7952	----	----	13	----	257	+	9																						
4585	----	----		98.30B/*64.40A	98.30B/*64.40A	----	71.00	+ 6.20	.8132	----	----	2	----	217	UNCH																							
4590	----	----		1																																		

PG64		BULLETIN # 98@										METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT		COMEX GOLD OPTIONS																						
JUN26																								
5020	----	----			517.40B/----	517.40B/491.40A	----	497.00	+ 19.20	.9980		12	----	----	----		21 -	12						
5025	----	----			522.40B/----	522.40B/496.40A	----	502.00	+ 19.20	.9980		1	----	----	----		52 -	1						
5030	----	----			527.40B/----	527.40B/501.40A	----	507.00	+ 19.20	.9980		4	----	----	----		62 -	4						
5035	----	----			532.40B/----	532.40B/506.30A	----	512.00	+ 19.20	.9980		2	----	----	----		11 -	2						
5040	----	----			537.40B/----	537.40B/511.30A	----	517.00	+ 19.20	.9981		5	----	----	----		13 -	5						
5045	----	----			542.30B/----	542.30B/516.30A	----	521.90	+ 19.10	.9981	----	----	----	----	----		3	UNCH						
5050	----	----			552.50B/----	552.50B/518.00A	----	526.90	+ 19.10	.9988	----	----	----	----	----		785	UNCH						
5055	----	----			552.30B/----	552.30B/526.30A	----	531.90	+ 19.10	.9988	----	----	----	----	----		61	UNCH						
5060	----	----			557.30B/----	557.30B/531.30A	----	536.90	+ 19.10	.9988	27	----	----	----	----		36 -	27						
5065	----	----			562.30B/----	562.30B/536.30A	----	541.90	+ 19.10	.9988	----	----	----	----	----		17	UNCH						
5070	----	----			567.30B/----	567.30B/541.30A	----	546.90	+ 19.10	.9988	----	----	----	----	----		47	UNCH						
5075	----	----			572.30B/----	572.30B/546.30A	----	551.90	+ 19.20	.9989	----	----	----	----	----		27	UNCH						
5080	----	----			577.30B/----	577.30B/551.30A	----	556.90	+ 19.20	.9989	9	----	----	----	----		17 -	9						
5085	----	----			586.40B/----	586.40B/555.20A	----	561.90	+ 19.20	.9989	9	----	----	----	----		114 -	9						
5090	----	----			591.40B/----	591.40B/560.20A	----	566.90	+ 19.20	.9989	----	----	----	----	----		108	UNCH						
5095	----	----			592.30B/----	592.30B/566.30A	----	571.90	+ 19.20	.9989	----	----	----	----	----		65	UNCH						
5100	583.60	583.60			602.40B/583.60	602.40B/567.90A	----	576.90	+ 19.20	.9989	122	----	----	10	----		317 -	122						
5105	----	----			602.20B/----	602.20B/576.30A	----	581.90	+ 19.20	.9989	17	----	----	----	----		17 -	17						
5110	----	----			607.20B/----	607.20B/581.30A	----	586.90	+ 19.20	.9989	----	----	----	----	----		54	UNCH						
5115	----	----			612.20B/----	612.20B/586.30A	----	591.90	+ 19.20	.9989	1	----	----	----	----		2	-						
5120	----	----			617.20B/----	617.20B/591.30A	----	596.90	+ 19.20	.9990	11	----	----	----	----		2	-						
5125	----	----			626.30B/----	626.30B/595.40A	----	601.90	+ 19.20	.9990	32	----	----	----	----		159 -	32						
5130	----	----			627.20B/----	627.20B/601.30A	----	606.90	+ 19.20	.9990	17	----	----	----	----		7	-						
5135	----	----			632.20B/----	632.20B/606.30A	----	611.90	+ 19.20	.9990	32	----	----	----	----		1	-						
5140	----	----			637.20B/----	637.20B/611.60A	----	616.90	+ 19.20	.9990	----	----	----	----	----		11	UNCH						
5145	----	----			----	553.80B/694.10A	----	621.90	+ 19.20	.9990	----	----	----	----	----		0	UNCH						
5150	----	----			652.40B/----	652.40B/619.30A	----	626.80	+ 19.10	.9997	132	----	----	----	----		223 -	132						
5155	----	----			652.20B/----	652.20B/626.30A	----	631.80	+ 19.20	.9997	7	----	----	----	----		0	-						
5160	----	----			657.20B/----	657.20B/631.30A	----	636.80	+ 19.20	.9998	41	----	----	----	----		6	-						
5165	----	----			662.20B/----	662.20B/636.30A	----	641.80	+ 19.20	.9998	----	----	----	----	----		15	UNCH						
5170	----	----			672.40B/----	672.40B/637.80A	----	646.80	+ 19.20	.9999	----	----	----	----	----		503	UNCH						
5175	----	----			672.20B/----	672.20B/646.30A	----	651.80	+ 19.20	.9999	5	----	----	----	----		10	-						
5180	----	----			677.20B/----	677.20B/651.60A	----	656.80	+ 19.20	1.0000	1	----	----	----	----		10	-						
5185	----	----			----	594.00B/733.90A	----	661.80	+ 19.20	1.0000	----	----	----	----	----		2	UNCH						
5190	----	----			----	599.00B/738.90A	----	666.80	+ 19.20	1.0000	----	----	----	----	----		0	UNCH						
5195	----	----			692.20B/----	692.20B/666.60A	----	671.80	+ 19.20	1.0000	----	----	----	----	----		5	UNCH						
5200	681.00	681.00			702.30B/681.00	702.30B/669.00A	----	676.80	+ 19.20	1.0000	40	----	----	4	----		288 -	39						
5205	----	----			702.20B/----	702.20B/676.60A	----	681.80	+ 19.20	1.0000	----	----	----	----	----		11	UNCH						
5210	----	----			707.20B/----	707.20B/681.60A	----	686.80	+ 19.20	1.0000	12	----	----	----	----		55	-						
5215	----	----			712.20B/----	712.20B/686.60A	----	691.80	+ 19.20	1.0000	12	----	----	----	----		0	-						
5220	----	----			717.20B/----	717.20B/691.60A	----	696.80	+ 19.20	1.0000	----	----	----	----	----		18	UNCH						
5225	----	----			722.20B/----	722.20B/696.60A	----	701.80	+ 19.20	1.0000	1	----	----	----	----		31	-						
5230	----	----			727.20B/----	727.20B/701.60A	----	706.80	+ 19.20	1.0000	4	----	----	----	----		0	-						
5235	----	----			736.30B/----	736.30B/705.40A	----	711.80	+ 19.20	1.0000	----	----	----	----	----		131	UNCH						
5245	----	----			742.20B/----	742.20B/716.60A	----	721.80	+ 19.20	1.0000	----	----	----	----	----		3	UNCH						
5250	----	----			747.20B/----	747.20B/721.60A	----	726.80	+ 19.20	1.0000	1	----	----	1	----		73	UNCH						
5255	----	----			752.20B/----	752.20B/726.60A	----	731.80	+ 19.20	1.0000	4	----	----	----	----		0	-						
5260	----	----			757.20B/----	757.20B/731.60A	----	736.80	+ 19.20	1.0000	1	----	----	----	----		8	-						
5265	----	----			----	673.90B/813.60A	----	741.80	+ 19.20	1.0000	----	----	----	----	----		0	UNCH						
5270	----	----			767.20B/----	767.20B/741.40A	----	746.80	+ 19.20	1.0000	6	----	----	----	----		2	-						
5275	----	----			776.40B/----	776.40B/745.20A	----	751.80	+ 19.20	1.0000	75	----	----	75	----		121	UNCH						
5280	----	----			777.20B/----	777.20B/751.40A	----	756.80	+ 19.20	1.0000	----	----	----	----	----		3	UNCH						
5285	----	----			782.20B/----	782.20B/756.60A	----	761.80	+ 19.20	1.0000	6	----	----	----	----		1	-						
5300	----	----			802.40B/----	802.40B/769.10A	----	776.80	+ 19.30	1.0000	491	----	----	251	----		66	-						
5305	----	----			802.20B/----	802.20B/776.40A	----	781.80	+ 19.30	1.0000	----	----	----	----	----		3	UNCH						
5320	----	----			817.20B/----	817.20B/791.40A	----	796.80	+ 19.30	1.0000	30	----	----	30	----		64	UNCH						
5335	----	----			832.20B/----	832.20B/806.40A	----	811.80	+ 19.30	1.0000	----	----	----	----	----		5	UNCH						
5340	----	----			837.20B/----	837.20B/811.40A	----	816.80	+ 19.30	1.0000	10	----	----	----	----		2	-						
5350	----	----			847.20B/----	847.20B/821.40A	----	826.80	+ 19.30	1.0000	5	----	----	----	----		9	-						
5370	----	----			867.20B/----	867.20B/841.40A	----	846.80	+ 19.30	1.0000	----	----	----	----	----		3	UNCH						
5385	----	----			881.80B/----	881.80B/856.60A	----	861.80	+ 19.30	1.0000	10	----	----	----	----		0	-						
5395	----	----			874.90B/----	874.90B/866.60A	----	871.80	+ 19.30	1.0000	----	----	----	----	----		5	UNCH						
5400	----	----			879.80B/----	879.80B/871.60A	----	876.80	+ 19.30	1.0000	----	----	----	----	----		57	UNCH						
5430	----	----			----	838.30B/979.00A	----	906.80	+ 19.30	1.0000	----	----	----	----	----		1	UNCH						
5490	----	----			----	898.20B/1039.10A	----	966.80	+ 19.30	1.0000	----	----	----	----	----		21	UNCH						
5500	----	----			----	908.10B/1049.10A	----	976.80	+ 19.30	1.0000	----	----	----	----	----		1	UNCH						
5525	----	----			----	933.10B/1074.20A	----	1001.80	+ 19.30	1.0000	----	----	----	----	----		2	UNCH						
5590	----	----			----	997.90B/1139.30A	----	1066.80	+ 19.30	1.0000	----	----	----	----	----		0	UNCH						
TOTAL														10561	150	116397	-	334						
JUL26																								
2000	----	----			----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	----		12	UNCH						
2275	----	----			----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	----		23	UNCH						
2300	----	----			----	----/0.30A	----	0.10	UNCH	.0000	----	----	----	----	----		101	UNCH						
2400	----	----			----	0.10B/0.30A	----	0.10	UNCH	.0001	----	----	----	----	----		2	UNCH						
2500	----	----			----	0.10B/0.30A	----	0.10	- 0.10	.0003	----	----	----	----	----		194	UNCH						
2550	----	----			----	----/0.40A	----	0.20	UNCH	.0007	----	----	----	----	----		30	UNCH						
2575	----	----			----	0.10B/0.50A	----	0.20	UNCH	.0007	----	----	----	----	----		1	UNCH						
2600	----	----			----	0.10B/0.40A	----	0.20	UNCH	.0007	----	----	----	----	----		13	UNCH						
2620	----	----			----	0.10B/0.50A	----	0.20	UNCH	.0007	----	----	----	----	----		1	UNCH						
2650	----	----			----	0.10B/0.50A	----	0.20	- 0.10	.0007	----	----	----	----	----		138	UNCH						
2670	----																							

PG64		BULLETIN # 98@										METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64									
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																	
OG PUT		COMEX GOLD OPTIONS																															
JUL26																																	
3360	----	----	----	----	----	1.80B/2.00A	----	1.90	UNCH	.0082	----	----	----	----	----	5	UNCH																
3370	----	----	----	----	----	1.80B/2.00A	----	1.90	- 0.10	.0083	----	----	----	----	----	9	UNCH																
3375	----	----	----	----	----	1.80B/2.00A	----	1.90	- 0.10	.0083	----	----	----	----	----	4	UNCH																
3380	----	----	----	----	----	1.90B/2.10A	----	1.90	- 0.10	.0083	----	----	----	----	----	4	UNCH																
3385	----	----	----	----	----	1.90B/2.00A	----	2.00	UNCH	.0087	----	----	----	----	----	6	UNCH																
3390	----	----	----	----	----	1.90B/2.10A	----	2.00	- 0.10	.0088	----	----	----	----	----	2	UNCH																
3395	----	----	----	----	/2.00A	1.90B/2.00A	----	2.00	- 0.10	.0088	----	----	----	----	----	32	UNCH																
3400	----	----	----	----	----	1.90B/2.10A	----	2.00	- 0.10	.0088	----	----	----	3	----	59	UNCH																
3405	----	----	----	----	----	2.00B/2.20A	----	2.10	UNCH	.0092	----	----	----	----	----	1	UNCH																
3410	----	----	----	----	----	2.00B/2.20A	----	2.10	- 0.10	.0093	----	----	----	----	----	5	UNCH																
3415	----	----	----	----	----	2.00B/2.20A	----	2.10	- 0.10	.0093	----	----	----	----	----	1	UNCH																
3425	----	----	----	----	----	2.10B/2.30A	----	2.10	- 0.10	.0094	----	----	----	----	----	57	UNCH																
3435	----	----	----	----	----	2.10B/2.30A	----	2.20	- 0.10	.0098	----	----	----	----	----	5	UNCH																
3440	----	----	----	----	----	2.10B/2.30A	----	2.20	- 0.10	.0099	----	----	----	----	----	1	UNCH																
3445	----	----	----	----	----	2.20B/2.30A	----	2.20	- 0.10	.0099	----	----	----	----	----	2	UNCH																
3450	----	----	----	----	----	2.20B/2.40A	----	2.20	- 0.20	.0100	----	----	----	----	----	132	UNCH																
3455	----	----	----	----	----	2.20B/2.40A	----	2.30	- 0.10	.0104	----	----	----	----	----	10	UNCH																
3460	----	----	----	----	----	2.20B/2.40A	----	2.30	- 0.10	.0104	----	----	----	----	----	10	UNCH																
3465	----	----	----	----	----	2.30B/2.40A	----	2.30	- 0.10	.0105	----	----	----	----	----	142	UNCH																
3475	----	----	----	----	----	2.30B/2.50A	----	2.40	- 0.10	.0109	----	----	----	----	----	128	UNCH																
3480	----	----	----	/2.40A	----	2.40B/2.40A	----	2.40	- 0.10	.0110	----	----	----	----	----	36	UNCH																
3495	----	----	----	----	----	2.40B/2.60A	----	2.50	- 0.10	.0115	----	----	----	----	----	5	UNCH																
3500	----	----	----	----	----	2.50B/2.60A	----	2.50	- 0.10	.0115	----	----	----	----	----	588	UNCH																
3505	----	----	----	/2.60A	----	2.50B/2.60A	----	2.50	- 0.20	.0116	----	----	----	----	----	9	UNCH																
3510	----	----	----	/2.60A	----	2.50B/2.60A	----	2.50	- 0.20	.0116	----	----	----	----	----	5	UNCH																
3515	----	----	----	----	----	2.60B/2.70A	----	2.60	- 0.10	.0120	----	----	----	----	----	8	UNCH																
3520	----	----	----	----	----	2.60B/2.70A	----	2.60	- 0.10	.0121	----	----	----	----	----	5	UNCH																
3525	----	----	----	/2.70A	----	2.60B/2.70A	----	2.60	- 0.20	.0122	----	----	----	----	----	3	UNCH																
3530	----	----	----	----	----	2.60B/2.80A	----	2.60	- 0.20	.0122	----	----	----	----	----	168	UNCH																
3535	----	----	----	----	----	2.70B/2.80A	----	2.70	- 0.10	.0126	----	----	----	----	----	31	UNCH																
3545	----	----	----	/2.80A	----	2.70B/2.80A	----	2.70	- 0.20	.0128	----	----	----	----	----	256	UNCH																
3550	----	----	----	/2.80A	----	2.80B/2.80A	----	2.80	- 0.10	.0132	----	----	----	----	----	165	UNCH																
3555	----	----	----	/2.90A	----	2.80B/2.90A	----	2.80	- 0.20	.0133	----	----	----	----	----	1	UNCH																
3565	----	----	----	/2.90A	----	2.90B/2.90A	----	2.80	- 0.20	.0134	----	----	----	----	----	2	UNCH																
3575	----	----	----	/3.00A	----	3.00B/3.00A	----	2.90	- 0.20	.0139	----	----	----	----	----	1	UNCH																
3580	----	----	----	/3.00A	----	3.00B/3.00A	----	2.90	- 0.20	.0139	----	----	----	----	----	6	UNCH																
3585	----	----	----	/3.10A	----	3.00B/3.10A	----	3.00	- 0.20	.0144	----	----	----	----	----	1	UNCH																
3590	----	----	----	/3.00A	----	3.10B/3.00A	----	3.00	- 0.20	.0145	----	----	----	----	----	16	UNCH																
3600	3.30	3.30	3.30	3.30/3.20	3.30/3.20	3.30/3.20	3.30/3.20	3.10	- 0.20	.0150	----	----	----	155	----	829	- 5																
3605	----	----	----	/3.20A	----	3.20B/3.20A	----	3.10	- 0.20	.0150	----	----	----	----	----	7	UNCH																
3610	----	----	----	/3.20A	----	3.20B/3.20A	----	3.10	- 0.30	.0151	----	----	----	----	----	2	UNCH																
3615	----	----	----	/3.30A	----	3.30B/3.30A	----	3.20	- 0.20	.0156	----	----	----	----	----	2	UNCH																
3620	----	----	----	/3.30A	----	3.30B/3.30A	----	3.20	- 0.20	.0156	----	----	----	----	----	12	UNCH																
3625	----	----	----	/3.30A	----	3.30B/3.30A	----	3.30	- 0.20	.0161	----	----	----	----	----	41	UNCH																
3630	----	----	----	/3.40A	----	3.40B/3.40A	----	3.30	- 0.20	.0162	----	----	----	----	----	11	UNCH																
3635	----	----	----	/3.30A	----	3.40B/3.30A	----	3.30	- 0.20	.0163	----	----	----	----	----	3	UNCH																
3640	----	----	----	/3.40A	----	3.50B/3.40A	----	3.40	- 0.20	.0167	----	----	----	----	----	6	UNCH																
3645	3.60	3.60	3.60	3.60/3.50A	3.60/3.50A	3.60/3.50A	3.60/3.50A	3.40	- 0.20	.0168	----	----	1	----	----	2	+	1															
3650	----	----	----	/3.50A	----	3.60B/3.50A	----	3.40	- 0.30	.0169	----	----	----	----	----	88	UNCH																
3655	----	----	----	/3.50A	----	3.60B/3.50A	----	3.50	- 0.20	.0174	----	----	----	----	----	6	UNCH																
3660	----	----	----	/3.60A	----	3.60B/3.60A	----	3.50	- 0.20	.0175	----	----	----	----	----	22	UNCH																
3665	----	----	----	/3.60A	----	3.70B/3.60A	----	3.60	- 0.20	.0179	----	----	----	----	----	2	UNCH																
3670	----	----	----	/3.70A	----	3.70B/3.70A	----	3.60	- 0.20	.0180	----	----	----	----	----	111	UNCH																
3675	----	----	----	/3.70A	----	3.80B/3.70A	----	3.70	- 0.20	.0185	----	----	----	----	----	19	UNCH																
3680	----	----	----	/3.70A	----	3.80B/3.70A	----	3.70	- 0.20	.0186	----	----	----	----	----	5	UNCH																
3685	----	----	----	/3.80A	----	3.90B/3.80A	----	3.70	- 0.30	.0187	----	----	----	----	----	12	UNCH																
3690	----	----	----	/3.80A	----	4.00B/3.80A	----	3.80	- 0.20	.0192	----	----	----	----	----	5																	

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
JUL26																
4115	----	----		17.108/14.00A	17.108/14.00A	----		14.30 - 1.00	.0831	----	----	----	----		7	UNCH
4120	----	----		17.508/14.30A	17.508/14.30A	----		14.60 - 1.00	.0849	----	----	----	----		82	UNCH
4125	----	----		17.908/14.60A	17.908/14.60A	----		14.90 - 1.10	.0866	----	----	----	----		90	UNCH
4130	16.80	16.80		18.308/14.90A	18.308/14.90A	----		15.20 - 1.10	.0884	----		16	----		94 +	2
4135	17.10	17.10		18.708/15.20A	18.708/15.20A	----		15.50 - 1.10	.0902	----		4	----		32 +	3
4140	16.50	16.50		19.108/15.60A	19.108/15.60A	----		15.90 - 1.10	.0924	----		2	----		40 +	2
4145	16.00	16.00		19.608/15.90A	19.608/15.90A	----		16.20 - 1.20	.0942	----		8	----		241 +	2
4150	18.20	18.20		20.00/16.20A	20.00/16.20A	----		16.60 - 1.10	.0964	----		160	----		310 +	142
4155	16.90	16.90		20.508/16.60A	20.508/16.60A	----		16.90 - 1.20	.0983	----		4	----		47 +	4
4160	20.60	20.60		21.008/17.00A	21.008/17.00A	----		17.30 - 1.20	.1005	----		6	----		16 +	6
4165	----	----		21.408/17.40A	21.408/17.40A	----		17.70 - 1.20	.1027	----		----	----		95	UNCH
4170	----	----		21.908/17.70A	21.908/17.70A	----		18.10 - 1.20	.1050	----		----	----		68	UNCH
4175	21.00	21.00		22.408/18.20A	22.408/18.20A	----		18.50 - 1.30	.1072	----		36	----		79 +	31
4180	----	----		22.908/18.60A	22.908/18.60A	----		18.90 - 1.30	.1095	----		----	----		33	UNCH
4185	23.10	23.10		23.408/19.00A	23.408/19.00A	----		19.40 - 1.20	.1122	----		5	----		22 +	5
4190	----	----		23.908/19.40A	23.908/19.40A	----		19.80 - 1.30	.1145	----		----	----		143	UNCH
4195	----	----		24.608/19.90A	24.608/19.90A	----		20.30 - 1.30	.1172	----		2	----		70	UNCH
4200	21.60	21.60		25.108/20.30A	25.108/20.30A	----		20.70 - 1.40	.1195	----		77	----		1135 +	3
4205	----	----		25.708/20.80A	25.708/20.80A	----		21.20 - 1.40	.1222	----		----	----		64	UNCH
4210	----	----		26.408/21.30A	26.408/21.30A	----		21.70 - 1.40	.1250	----		----	----		94	UNCH
4215	----	----		27.008/21.80A	27.008/21.80A	----		22.20 - 1.40	.1277	----		----	----		57	UNCH
4220	----	----		27.608/22.30A	27.608/22.30A	----		22.70 - 1.40	.1305	----		2	----		210	UNCH
4225	----	----		28.308/22.80A	28.308/22.80A	----		23.30 - 1.40	.1336	----		----	----		114	UNCH
4230	26.80	26.80		28.908/23.30A	28.908/23.30A	----		23.80 - 1.50	.1364	----		1	----		56 -	1
4235	----	----		29.708/23.90A	29.708/23.90A	----		24.40 - 1.40	.1395	----		----	----		54	UNCH
4240	26.30	26.30		30.408/24.40A	30.408/24.40A	----		25.00 - 1.40	.1426	----		8	----		110 +	7
4245	----	----		31.008/25.00A	31.008/25.00A	----		25.60 - 1.50	.1458	----		----	----		12	UNCH
4250	28.10	28.10		31.908/25.60A	31.908/25.60A	----		26.20 - 1.50	.1490	----		45	----		1520 +	32
4255	----	----		32.608/26.30A	32.608/26.30A	----		26.90 - 1.40	.1525	----		----	----		38	UNCH
4260	----	----		33.408/26.90A	33.408/26.90A	----		27.50 - 1.50	.1558	----		----	----		43	UNCH
4265	31.70	31.70		34.308/27.60A	34.308/27.60A	----		28.20 - 1.50	.1593	----		1	----		209	UNCH
4270	----	----		35.108/28.30A	35.108/28.30A	----		28.90 - 1.50	.1629	----		----	----		95	UNCH
4275	----	----		35.908/29.00A	35.908/29.00A	----		29.60 - 1.50	.1665	----		----	----		117	UNCH
4280	----	----		36.808/29.70A	36.808/29.70A	----		30.30 - 1.50	.1701	----		4	----		189 +	1
4285	----	----		37.608/30.40A	37.608/30.40A	----		31.10 - 1.50	.1740	----		----	----		116	UNCH
4290	----	----		38.608/31.20A	38.608/31.20A	----		31.80 - 1.50	.1776	----		1	----		180	UNCH
4295	----	----		39.508/32.00A	39.508/32.00A	----		32.60 - 1.50	.1816	----		----	----		25	UNCH
4300	35.00	35.00		41.00/32.80A	41.00/32.80A	----		33.40 - 1.50	.1856	----		244	170		2667 +	127
4305	----	----		41.508/33.60A	41.508/33.60A	----		34.30 - 1.40	.1898	----		2	----		62	UNCH
4310	36.50	36.50		42.508/34.40A	42.508/34.40A	----		35.10 - 1.50	.1938	----		1	----		85 +	1
4315	----	----		43.508/35.20A	43.508/35.20A	----		36.00 - 1.50	.1981	----		4	----		89 +	4
4320	37.70	37.70		44.608/36.10A	44.608/36.10A	----		36.90 - 1.50	.2025	----		2	----		76 +	1
4325	43.30	43.30		45.708/36.90	45.708/36.90	----		37.80 - 1.50	.2068	----		4	----		116	UNCH
4330	----	----		46.808/38.00A	46.808/38.00A	----		38.80 - 1.40	.2114	----		4	----		41	UNCH
4335	----	----		48.008/38.90A	48.008/38.90A	----		39.70 - 1.50	.2158	----		----	----		156	UNCH
4340	----	----		49.108/40.00A	49.108/40.00A	----		40.70 - 1.40	.2205	----		----	----		161	UNCH
4345	----	----		50.308/40.90A	50.308/40.90A	----		41.80 - 1.30	.2254	----		----	----		33	UNCH
4350	45.90	45.90		51.708/42.00A	51.708/42.00A	----		42.80 - 1.40	.2301	----		25	----		918 +	9
4355	----	----		52.908/43.00A	52.908/43.00A	----		43.90 - 1.30	.2350	----		3	----		131 +	2
4360	47.40	47.40		54.208/44.10A	54.208/44.10A	----		45.00 - 1.30	.2400	----		29	----		167 +	12
4365	----	----		55.508/45.30A	55.508/45.30A	----		46.20 - 1.20	.2452	----		----	----		36	UNCH
4370	53.80	53.80		56.808/46.40A	56.808/46.40A	----		47.30 - 1.20	.2502	----		9	----		148 +	6
4375	----	----		58.208/47.60A	58.208/47.60A	----		48.50 - 1.20	.2554	----		1	----		246 +	1
4380	----	----		59.608/48.80A	59.608/48.80A	----		49.70 - 1.20	.2607	----		2	----		20 +	1
4385	----	----		61.108/50.00A	61.108/50.00A	----		51.00 - 1.10	.2661	----		----	----		68	UNCH
4390	----	----		62.608/51.30A	62.608/51.30A	----		52.30 - 1.00	.2716	----		2	----		68	UNCH
4395	----	----		64.108/52.60A	64.108/52.60A	----		53.60 - 1.00	.2772	----		5	----		52 +	4
4400	58.00	58.00		65.708/53.90A	65.708/53.90A	----		54.90 - 1.00	.2827	----		39	----		2142 +	11
4405	68.10	68.10		68.10/55.30A	68.10/55.30A	----		56.30 - 0.90	.2884	----		3	----		30 +	1
4410	----	----		68.908/56.60A	68.908/56.60A	----		57.70 - 0.80	.2942	----		2	----		54 +	2
4415	64.60	64.60		70.508/58.10A	70.508/58.10A	----		59.20 - 0.70	.3001	----		1	----		191 +	1
4420	----	----		72.208/59.50A	72.208/59.50A	----		60.70 - 0.60	.3060	----		3	----		108	UNCH
4425	----	----		73.908/61.00A	73.908/61.00A	----		62.20 - 0.60	.3120	----		1	----		122 -	1
4430	69.50	69.50		76.60/62.50A	76.60/62.50A	----		63.70 - 0.50	.3180	----		26	----		287	UNCH
4435	70.40	70.40		77.608/64.10A	77.608/64.10A	----		65.30 - 0.40	.3241	----		50	----		58 +	47
4440	67.60	67.60		79.308/65.60A	79.308/65.60A	----		66.90 - 0.40	.3303	----		3	----		271	UNCH
4445	----	----		81.208/67.30A	81.208/67.30A	----		68.60 - 0.20	.3366	----						

BULLETIN # 98@				METALS OPTION PRODUCTS										Fri, May 22, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG PUT	COMEX GOLD OPTIONS																	
JUL26																		
4800	----	----	----	303.60B/266.50A	303.60B/266.50A	----	277.40	+ 10.40	.7879	----	----	----	31	----	1238	UNCH		
4805	----	----	----	307.60B/270.50A	307.60B/270.50A	----	281.40	+ 10.50	.7924	----	----	----	----	----	22	UNCH		
4810	----	----	----	312.00B/274.50A	312.00B/274.50A	----	285.60	+ 10.80	.7967	----	----	----	----	----	11	UNCH		
4815	----	----	----	316.30B/278.60A	316.30B/278.60A	----	289.70	+ 10.90	.8012	----	----	----	----	----	28	UNCH		
4820	----	----	----	320.40B/282.50A	320.40B/282.50A	----	293.90	+ 11.10	.8055	----	----	----	----	----	207	UNCH		
4825	----	----	----	324.70B/286.70A	324.70B/286.70A	----	298.10	+ 11.30	.8097	----	----	----	----	----	33	UNCH		
4830	----	----	----	329.10B/290.70A	329.10B/290.70A	----	302.30	+ 11.40	.8139	----	----	----	----	----	5	UNCH		
4835	----	----	----	333.40B/294.60A	333.40B/294.60A	----	306.50	+ 11.60	.8177	----	----	----	----	----	24	UNCH		
4840	----	----	----	337.60B/298.80A	337.60B/298.80A	----	310.80	+ 11.80	.8216	----	----	----	----	----	10	UNCH		
4845	----	----	----	342.10B/302.80A	342.10B/302.80A	----	315.10	+ 12.00	.8257	----	----	----	----	----	63	UNCH		
4850	----	----	----	346.30B/307.20A	346.30B/307.20A	----	319.40	+ 12.10	.8292	----	----	----	----	----	298	UNCH		
4855	----	----	----	350.80B/311.30A	350.80B/311.30A	----	323.70	+ 12.30	.8330	----	----	----	----	----	11	UNCH		
4860	----	----	----	355.20B/315.40A	355.20B/315.40A	----	328.00	+ 12.40	.8368	----	----	----	----	----	8	UNCH		
4865	----	----	----	359.40B/319.70A	359.40B/319.70A	----	332.40	+ 12.60	.8403	----	----	----	----	----	30	UNCH		
4870	----	----	----	364.10B/323.50A	364.10B/323.50A	----	336.80	+ 12.80	.8437	----	----	----	----	----	319	UNCH		
4875	----	----	----	368.50B/328.00A	368.50B/328.00A	----	341.10	+ 12.90	.8471	----	----	----	----	----	71	UNCH		
4880	----	----	----	373.00B/332.00A	373.00B/332.00A	----	345.50	+ 13.00	.8505	----	----	----	1	----	52	+		
4885	----	----	----	377.20B/----	377.20B/336.80A	----	350.00	+ 13.30	.8539	----	----	----	----	----	12	UNCH		
4890	----	----	----	381.90B/340.80A	381.90B/340.80A	----	354.40	+ 13.40	.8569	----	----	----	----	----	9	UNCH		
4895	----	----	----	386.40B/344.10A	386.40B/344.10A	----	358.80	+ 13.50	.8602	----	----	----	----	----	48	UNCH		
4900	----	----	----	390.70B/----	390.70B/349.70A	----	363.30	+ 13.70	.8632	----	----	----	----	----	254	UNCH		
4905	----	----	----	395.50B/353.80A	395.50B/353.80A	----	367.80	+ 13.80	.8662	----	----	----	----	----	53	UNCH		
4910	----	----	----	400.00B/358.10A	400.00B/358.10A	----	372.30	+ 14.00	.8691	----	----	----	2	----	4	+		
4915	----	----	----	404.60B/362.50A	404.60B/362.50A	----	376.80	+ 14.10	.8721	----	----	----	----	----	118	UNCH		
4920	----	----	----	409.10B/367.00A	409.10B/367.00A	----	381.30	+ 14.20	.8750	----	----	----	----	----	22	UNCH		
4925	----	----	----	413.70B/----	413.70B/371.40A	----	385.80	+ 14.40	.8775	----	----	----	----	----	11	UNCH		
4930	----	----	----	418.30B/375.70A	418.30B/375.70A	----	390.40	+ 14.50	.8804	----	----	----	----	----	52	UNCH		
4935	----	----	----	422.90B/380.20A	422.90B/380.20A	----	394.90	+ 14.60	.8829	----	----	----	----	----	4	UNCH		
4940	----	----	----	427.50B/----	427.50B/385.00A	----	399.50	+ 14.80	.8854	----	----	----	----	----	11	UNCH		
4950	----	----	----	436.60B/----	436.60B/393.80A	----	408.70	+ 15.00	.8908	----	----	----	----	----	106	UNCH		
4975	----	----	----	459.90B/----	459.90B/416.40A	----	431.80	+ 15.60	.9021	----	----	----	----	----	2	UNCH		
4980	----	----	----	464.60B/----	464.60B/421.20A	----	436.40	+ 15.60	.9041	----	----	----	----	----	6	UNCH		
4985	----	----	----	469.30B/----	469.30B/425.50A	----	441.10	+ 15.80	.9061	----	----	----	----	----	104	UNCH		
4990	----	----	----	474.20B/----	474.20B/430.10A	----	445.80	+ 15.90	.9080	----	----	----	----	----	2	UNCH		
4995	----	----	----	478.90B/----	478.90B/434.70A	----	450.50	+ 16.00	.9104	----	----	----	----	----	12	UNCH		
5000	461.40	----	461.40	483.60B/456.20	483.60B/439.30A	----	455.20	+ 16.10	.9123	----	----	----	10	----	544	UNCH		
5005	----	----	----	488.40B/----	488.40B/443.90A	----	459.90	+ 16.20	.9138	----	----	----	----	----	12	UNCH		
5010	----	----	----	493.10B/----	493.10B/448.50A	----	464.60	+ 16.30	.9157	----	----	----	----	----	8	UNCH		
5015	----	----	----	497.60B/452.00A	497.60B/452.00A	----	469.30	+ 16.30	.9176	----	----	----	----	----	19	UNCH		
5020	----	----	----	502.60B/----	502.60B/457.80A	----	474.00	+ 16.40	.9195	----	----	----	----	----	5	UNCH		
5025	----	----	----	507.10B/----	507.10B/462.70A	----	478.80	+ 16.60	.9210	----	----	----	----	----	150	UNCH		
5030	----	----	----	512.10B/466.00A	512.10B/466.00A	----	483.50	+ 16.60	.9229	----	----	----	----	----	8	UNCH		
5035	----	----	----	516.90B/----	516.90B/471.80A	----	488.30	+ 16.70	.9243	----	----	----	----	----	37	UNCH		
5040	----	----	----	521.40B/475.60A	521.40B/475.60A	----	493.00	+ 16.80	.9257	----	----	----	----	----	10	UNCH		
5045	----	----	----	526.20B/----	526.20B/481.10A	----	497.80	+ 16.90	.9276	----	----	----	----	----	5	UNCH		
5050	----	----	----	531.20B/----	531.20B/485.90A	----	502.60	+ 17.00	.9290	----	----	----	----	----	79	UNCH		
5055	----	----	----	536.00B/----	536.00B/490.60A	----	507.30	+ 17.00	.9303	----	----	----	----	----	3	UNCH		
5065	----	----	----	545.60B/----	545.60B/500.10A	----	516.90	+ 17.20	.9331	----	----	----	----	----	11	UNCH		
5075	----	----	----	555.10B/----	555.10B/509.50A	----	526.50	+ 17.30	.9358	----	----	----	----	----	6	UNCH		
5080	----	----	----	559.90B/----	559.90B/514.30A	----	531.30	+ 17.40	.9371	----	----	----	----	----	2	UNCH		
5085	----	----	----	564.90B/----	564.90B/519.00A	----	536.10	+ 17.40	.9385	----	----	----	----	----	21	UNCH		
5090	----	----	----	569.70B/----	569.70B/523.80A	----	540.90	+ 17.50	.9398	----	----	----	----	----	6	UNCH		
5095	----	----	----	574.40B/----	574.40B/528.60A	----	545.70	+ 17.50	.9407	----	----	----	----	----	42	UNCH		
5100	----	----	----	579.40B/----	579.40B/533.30A	----	550.60	+ 17.70	.9420	----	----	----	----	----	106	UNCH		
5105	----	----	----	584.20B/----	584.20B/538.40A	----	555.40	+ 17.70	.9433	----	----	----	----	----	22	UNCH		
5110	----	----	----	588.90B/541.60A	588.90B/541.60A	----	560.20	+ 17.70	.9441	----	----	----	----	----	16	UNCH		
5115	----	----	----	593.90B/----	593.90B/547.70A	----	565.10	+ 17.90	.9454	----	----	----	----	----	37	UNCH		
5120	----	----	----	598.60B/----	598.60B/552.50A	----	569.90	+ 17.90	.9462	----	----	----	----	----	13	UNCH		
5125	----	----	----	603.60B/----	603.60B/557.30A	----	574.80	+ 18.00	.9475	----	----	----	----	----	37	UNCH		
5130	----	----	----	608.50B/----	608.50B/562.40A	----	579.60	+ 18.00	.9483	----	----	----	----	----	23	UNCH		
5135	587.50	----	587.50	613.20B/587.50	613.20B/566.90A	----	584.50	+ 18.10	.9496	----	----	----	10	----	19	+		
5140	----	----	----	618.20B/----	618.20B/571.80A	----	589.30	+ 18.10	.9504	----	----	----	----	----	19	UNCH		
5145	----	----	----	623.10B/----	623.10B/576.60A	----	594.20	+ 18.20	.9512	----	----	----	----	----	3	UNCH		
5150	----	----	----	627.80B/----	627.80B/581.30A	----	599.10	+ 18.30	.9524	----	----	----	2	----	235	+		
5155	----	----	----	632.60B/----	632.60B/586.50A	----	603.90	+ 18.30	.9532	----	----	----	----	----	43	UNCH		
5160	----	----	----	637.70B/----	637.70B/590.50A	----	608.80	+ 18.30	.9540	----	----	----	2	----	44	UNCH		
5170	----	----	----	647.50B/----	647.50B/600.80A	----	618.60	+ 18.50	.9555	----	----	----	----</					

PG64		BULLETIN # 98@										METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64									
		GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST																	
OG PUT		COMEX GOLD OPTIONS																															
AUG26																																	
3110	----	----	----	----	----	2.80B/3.00A	----	2.80	- 0.20	.0096	----	----	----	----	----	15	UNCH																
3115	----	----	----	----	----	2.80B/3.00A	----	2.80	- 0.20	.0096	----	----	----	----	----	1	UNCH																
3120	----	----	----	----	----	2.80B/3.00A	----	2.80	- 0.20	.0096	----	----	----	----	----	29	UNCH																
3130	----	----	----	----	----	2.90B/3.10A	----	2.90	- 0.20	.0100	----	----	----	----	----	5	UNCH																
3145	----	----	----	----	----	2.90B/3.10A	----	3.00	- 0.10	.0104	----	----	----	----	----	1	UNCH																
3150	----	----	----	----	----	3.00B/3.20A	----	3.00	- 0.20	.0104	----	----	----	----	----	10	UNCH																
3155	----	----	----	----	----	3.00B/3.20A	----	3.00	- 0.20	.0104	----	----	----	----	----	3	UNCH																
3160	----	----	----	----	----	3.00B/3.20A	----	3.10	- 0.10	.0108	----	----	----	----	----	1	UNCH																
3165	----	----	----	----	----/*3.20A	3.10B/3.20A	----	3.10	- 0.20	.0108	----	----	----	----	----	141	UNCH																
3170	----	----	----	----	----	3.10B/3.30A	----	3.10	- 0.20	.0108	----	----	----	----	----	2	UNCH																
3175	----	----	----	----	----	3.10B/3.30A	----	3.10	- 0.20	.0109	----	----	----	----	----	1	UNCH																
3180	----	----	----	----	----	3.10B/3.30A	----	3.20	- 0.10	.0112	----	----	----	----	----	26	UNCH																
3185	----	----	----	----	----	3.20B/3.40A	----	3.20	- 0.20	.0112	----	----	----	----	----	1	UNCH																
3190	----	----	----	----	----	3.20B/3.40A	----	3.20	- 0.20	.0113	----	----	----	----	----	883	UNCH																
3195	----	----	----	----	----	3.30B/3.40A	----	3.30	- 0.10	.0116	----	----	----	----	----	1	UNCH																
3200	----	----	----	----	----/3.40A	3.30B/3.40A	----	3.30	- 0.20	.0116	----	----	----	----	----	532	UNCH																
3235	----	----	----	----	----	3.50B/3.70A	----	3.50	- 0.20	.0125	----	----	----	----	----	20	UNCH																
3250	----	----	----	----	----/3.70A	3.60B/3.70A	----	3.60	- 0.20	.0129	----	----	----	----	----	530	UNCH																
3260	----	----	----	----	----	3.70B/3.80A	----	3.70	- 0.10	.0133	----	----	----	----	----	30	UNCH																
3295	----	----	----	----	----/3.80A	3.90B/3.80A	----	3.90	- 0.20	.0142	----	----	----	----	----	3	UNCH																
3300	----	----	----	----	----/4.00A	4.00B/4.00A	----	4.00	- 0.10	.0146	----	----	----	----	----	263	UNCH																
3310	----	----	----	----	----	4.00B/4.20A	----	4.00	- 0.20	.0147	----	----	----	----	----	20	UNCH																
3330	----	----	----	----	----/4.30A	4.20B/4.30A	----	4.20	- 0.20	.0155	----	----	----	----	----	2	UNCH																
3350	----	----	----	----	----	4.40B/4.50A	----	4.40	- 0.10	.0163	----	----	----	----	----	388	UNCH																
3370	----	----	----	----	----/4.60A	4.60B/4.60A	----	4.50	- 0.20	.0168	----	----	----	----	----	1	UNCH																
3375	----	----	----	----	----/4.70A	4.60B/4.70A	----	4.60	- 0.20	.0172	----	----	----	----	----	15	UNCH																
3380	----	----	----	----	----/4.70A	4.70B/4.70A	----	4.60	- 0.20	.0173	----	----	----	----	----	1	UNCH																
3390	----	----	----	----	----/4.80A	4.80B/4.80A	----	4.70	- 0.20	.0177	----	----	----	----	----	1	UNCH																
3395	----	----	----	----	----/4.90A	4.80B/4.90A	----	4.80	- 0.20	.0180	----	----	----	----	----	7	UNCH																
3400	4.60	4.60	----	4.90B/4.60	4.90B/4.60	4.90B/4.60	----	4.80	- 0.20	.0181	----	----	----	2	----	66	+	2															
3405	----	----	----	----/5.00A	4.90B/5.00A	4.90B/5.00A	----	4.90	- 0.20	.0185	----	----	----	----	----	4	UNCH																
3410	----	----	----	----/5.00A	5.00B/5.00A	5.00B/5.00A	----	4.90	- 0.20	.0186	----	----	----	----	----	1	UNCH																
3450	----	----	----	----/5.40A	5.40B/5.40A	5.40B/5.40A	----	5.40	- 0.20	.0206	----	----	----	----	----	1	UNCH																
3460	----	----	----	----/5.60A	5.60B/5.60A	5.60B/5.60A	----	5.50	- 0.20	.0211	----	----	----	----	----	1	UNCH																
3465	----	----	----	----/5.60A	5.60B/5.60A	5.60B/5.60A	----	5.50	- 0.20	.0212	----	----	----	----	----	6	UNCH																
3470	----	----	----	----/5.70A	5.70B/5.70A	5.70B/5.70A	----	5.60	- 0.20	.0216	----	----	----	----	----	1	UNCH																
3485	----	----	----	----/5.90A	5.90B/5.90A	5.90B/5.90A	----	5.80	- 0.20	.0224	----	----	----	----	----	1	UNCH																
3495	----	----	----	----/6.00A	6.10B/6.00A	6.10B/6.00A	----	5.90	- 0.20	.0229	----	----	----	----	----	1	UNCH																
3500	5.90	5.90	6.10B/5.90	6.10B/5.90	6.10B/5.90	6.10B/5.90	----	6.00	- 0.20	.0233	----	----	1	----	823	+	1																
3505	----	----	----	----/6.10A	6.20B/6.10A	6.20B/6.10A	----	6.00	- 0.20	.0234	----	----	----	----	----	1	UNCH																
3510	----	----	----	----/6.20A	6.30B/6.20A	6.30B/6.20A	----	6.10	- 0.20	.0238	----	----	----	----	----	50	UNCH																
3520	----	----	----	----/6.30A	6.40B/6.30A	6.40B/6.30A	----	6.20	- 0.30	.0243	----	----	----	----	----	210	UNCH																
3525	----	----	6.60B/6.40A	6.60B/6.40A	6.60B/6.40A	6.60B/6.40A	----	6.30	- 0.20	.0246	----	----	----	----	----	60	UNCH																
3535	----	----	----	----/6.50A	6.70B/6.50A	6.70B/6.50A	----	6.50	- 0.20	.0254	----	----	----	----	----	1	UNCH																
3545	----	----	6.90B/6.60A	6.90B/6.60A	6.90B/6.60A	6.90B/6.60A	----	6.60	- 0.20	.0260	----	----	----	----	----	9	UNCH																
3550	----	----	----	----/6.70A	6.90B/6.70A	6.90B/6.70A	----	6.70	- 0.20	.0264	----	----	----	----	----	150	UNCH																
3560	----	----	----	----/6.80A	7.10B/6.80A	7.10B/6.80A	----	6.80	- 0.30	.0269	----	----	----	----	----	1	UNCH																
3570	----	----	7.30B/7.00A	7.30B/7.00A	7.30B/7.00A	7.30B/7.00A	----	7.00	- 0.20	.0277	----	----	----	----	----	32	UNCH																
3575	----	----	----	----/7.10A	7.30B/7.10A	7.30B/7.10A	----	7.10	- 0.20	.0281	----	----	----	----	----	20	UNCH																
3585	----	----	7.60B/7.20A	7.60B/7.20A	7.60B/7.20A	7.60B/7.20A	----	7.20	- 0.30	.0287	----	----	----	----	----	50	UNCH																
3600	7.80	7.80	7.90B/7.50A	7.90B/7.50A	7.90B/7.50A	7.90B/7.50A	----	7.50	- 0.30	.0299	----	----	----	30	----	618	UNCH																
3605	----	----	----	----/7.60A	7.90B/7.60A	7.90B/7.60A	----	7.60	- 0.30	.0303	----	----	----	----	----	1	UNCH																
3610	----	----	8.10B/7.70A	8.10B/7.70A	8.10B/7.70A	8.10B/7.70A	----	7.70	- 0.30	.0308	----	----	----	----	----	1	UNCH																
3630	----	----	----	----/8.00A	8.40B/8.00A	8.40B/8.00A	----	8.10	- 0.30	.0325	----	----	----	----	----	8	UNCH																
3640	----	----	8.70B/8.20A	8.70B/8.20A	8.70B/8.20A	8.70B/8.2																											

PG64		BULLETIN # 98@										METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64								
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																	
OG PUT		COMEX GOLD OPTIONS																														
AUG26																																
4110	33.50	33.50			38.80B/33.50	38.80B/33.50	----		34.10 - 1.20	.1383	----	----	3	----	11 +	3																
4115	----	----			39.50B/34.30A	39.50B/34.30A	----		34.70 - 1.20	.1405	----	----	----	----	17	UNCH																
4120	----	----			40.20B/34.90A	40.20B/34.90A	----		35.30 - 1.20	.1428	----	----	----	----	123	UNCH																
4125	----	----			41.00B/35.60A	41.00B/35.60A	----		36.00 - 1.20	.1452	----	1	----	7 +	1																	
4130	----	----			41.70B/36.20A	41.70B/36.20A	----		36.60 - 1.20	.1475	----	----	----	----	16	UNCH																
4135	----	----			42.50B/36.80A	42.50B/36.80A	----		37.30 - 1.20	.1500	----	----	----	----	62	UNCH																
4140	----	----			43.20B/37.50A	43.20B/37.50A	----		37.90 - 1.30	.1523	----	----	----	----	2	UNCH																
4145	----	----			44.00B/38.20A	44.00B/38.20A	----		38.60 - 1.30	.1548	----	----	----	----	42	UNCH																
4150	----	----			44.80B/38.90A	44.80B/38.90A	----		39.30 - 1.30	.1573	----	37	----	1096 +	6																	
4155	----	----			45.60B/39.60A	45.60B/39.60A	----		40.10 - 1.20	.1600	----	----	----	----	23	UNCH																
4160	----	----			46.50B/40.20A	46.50B/40.20A	----		40.80 - 1.20	.1626	----	3	----	53 +	3																	
4165	----	----			47.30B/41.00A	47.30B/41.00A	----		41.50 - 1.30	.1651	----	----	----	----	105	UNCH																
4170	----	----			48.20B/41.80A	48.20B/41.80A	----		42.30 - 1.20	.1678	----	----	----	----	80	UNCH																
4175	----	----			49.00B/42.60A	49.00B/42.60A	----		43.10 - 1.20	.1706	----	----	----	----	36	UNCH																
4180	----	----			50.00B/43.30A	50.00B/43.30A	----		43.90 - 1.20	.1734	----	----	----	----	115	UNCH																
4185	----	----			50.90B/44.10A	50.90B/44.10A	----		44.70 - 1.20	.1762	----	----	----	----	50	UNCH																
4190	----	----			51.80B/44.90A	51.80B/44.90A	----		45.50 - 1.20	.1790	----	----	----	----	142	UNCH																
4195	----	----			52.70B/45.80A	52.70B/45.80A	----		46.30 - 1.20	.1818	----	----	----	----	218	UNCH																
4200	----	----			53.70B/46.60A	53.70B/46.60A	----		47.20 - 1.20	.1847	----	82	----	416 +	22																	
4205	50.00	50.00			54.70B/47.50A	54.70B/47.50A	----		48.10 - 1.10	.1878	----	30	----	321 -	29																	
4210	----	----			55.70B/48.30A	55.70B/48.30A	----		48.90 - 1.20	.1906	----	----	----	4	UNCH																	
4215	----	----			56.60B/49.10A	56.60B/49.10A	----		49.80 - 1.20	.1936	----	----	----	18	UNCH																	
4220	----	----			57.70B/50.10A	57.70B/50.10A	----		50.80 - 1.10	.1968	----	----	----	16 +	1																	
4225	----	----			58.80B/51.00A	58.80B/51.00A	----		51.70 - 1.20	.1999	----	48	----	45 +	25																	
4230	----	----			59.80B/51.90A	59.80B/51.90A	----		52.70 - 1.10	.2031	----	----	----	14	UNCH																	
4235	----	----			60.90B/52.90A	60.90B/52.90A	----		53.60 - 1.20	.2062	----	----	----	8	UNCH																	
4240	----	----			62.00B/53.80A	62.00B/53.80A	----		54.60 - 1.10	.2094	----	----	----	38	UNCH																	
4245	----	----			63.20B/54.80A	63.20B/54.80A	----		55.60 - 1.10	.2127	----	----	----	53	UNCH																	
4250	60.50	60.50			64.40B/55.80A	64.40B/55.80A	----		56.70 - 1.00	.2161	----	52	----	1133 -	48																	
4255	57.10	57.10			65.60B/56.90A	65.60B/56.90A	----		57.70 - 1.10	.2194	----	1	----	891 +	1																	
4260	----	----			66.70B/58.00A	66.70B/58.00A	----		58.80 - 1.00	.2228	----	----	----	31	UNCH																	
4265	----	----			67.90B/59.10A	67.90B/59.10A	----		59.90 - 1.00	.2263	----	----	----	1	UNCH																	
4270	----	----			69.20B/60.10A	69.20B/60.10A	----		61.00 - 0.90	.2298	----	----	----	111	UNCH																	
4275	----	----			70.40B/61.20A	70.40B/61.20A	----		62.10 - 0.90	.2332	----	----	----	23	UNCH																	
4280	----	----			71.70B/62.30A	71.70B/62.30A	----		63.20 - 0.90	.2367	----	----	----	70	UNCH																	
4285	----	----			73.00B/63.40A	73.00B/63.40A	----		64.40 - 0.90	.2404	----	----	----	173	UNCH																	
4290	----	----			74.30B/64.70A	74.30B/64.70A	----		65.60 - 0.80	.2440	----	----	----	64	UNCH																	
4295	----	----			75.70B/65.80A	75.70B/65.80A	----		66.80 - 0.80	.2477	----	----	----	2	UNCH																	
4300	67.80	67.80			77.10B/67.00A	77.10B/67.00A	----		68.00 - 0.80	.2514	----	80	----	1179 +	3																	
4305	----	----			78.50B/68.30A	78.50B/68.30A	----		69.30 - 0.70	.2552	----	----	----	512	UNCH																	
4310	----	----			79.80B/69.50A	79.80B/69.50A	----		70.50 - 0.70	.2589	----	----	----	3	UNCH																	
4315	----	----			81.20B/70.80A	81.20B/70.80A	----		71.80 - 0.70	.2627	----	----	----	12	UNCH																	
4320	----	----			82.70B/72.00A	82.70B/72.00A	----		73.10 - 0.60	.2666	----	----	----	51	UNCH																	
4325	81.00	81.00			84.20B/73.40A	84.20B/73.40A	----		74.50 - 0.50	.2706	----	56	----	324 +	14																	
4330	----	----			85.70B/74.70A	85.70B/74.70A	----		75.80 - 0.50	.2744	----	----	----	105	UNCH																	
4335	----	----			87.20B/76.00A	87.20B/76.00A	----		77.20 - 0.50	.2785	----	----	----	10	UNCH																	
4340	84.70	84.70			88.70B/77.40A	88.70B/77.40A	----		78.60 - 0.40	.2825	----	54	----	62 +	54																	
4345	----	----			90.30B/78.80A	90.30B/78.80A	----		80.00 - 0.40	.2865	----	----	----	5	UNCH																	
4350	----	----			92.00B/80.30A	92.00B/80.30A	----		81.50 - 0.30	.2906	----	63	----	1229 +	51																	
4355	83.80	83.80			93.60B/81.70A	93.60B/81.70A	----		82.90 - 0.30	.2947	----	2	----	104	UNCH																	
4360	----	----			95.20B/83.20A	95.20B/83.20A	----		84.40 - 0.20	.2988	----	2	----	72	UNCH																	
4365	----	----			96.90B/84.70A	96.90B/84.70A	----		86.00 - 0.10	.3031	----	----	----	116	UNCH																	
4370	----	----			98.50B/86.20A	98.50B/86.20A	----		87.50 - 0.10	.3073	----	----	----	1	UNCH																	

BULLETIN # 98@				METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
COMEX GOLD OPTIONS																
AUG26																
OG PUT																
4795	319.00	319.00	335.70B/-----	335.70B/304.00A	-----			312.30 + 8.30	.6996	----	----	----	----	128		
4800			339.70B/319.00	339.70B/307.90A	-----			316.00 + 8.40	.7034	----	----	1	----	969 +		
4805			343.20B/311.10A	343.20B/311.10A	-----			319.70 + 8.50	.7073	----	----	----	9	1		
4810			347.10B/-----	347.10B/314.80A	-----			323.50 + 8.70	.7111	----	----	----	5	UNCH		
4815			350.90B/318.40A	350.90B/318.40A	-----			327.20 + 8.70	.7149	----	----	----	3	UNCH		
4820			354.80B/-----	354.80B/322.10A	-----			331.00 + 8.90	.7187	----	----	----	4	UNCH		
4825			358.60B/-----	358.60B/326.00A	-----			334.80 + 9.00	.7225	----	----	----	30	UNCH		
4830			362.60B/-----	362.60B/329.70A	-----			338.60 + 9.10	.7262	----	----	----	4	UNCH		
4835			366.50B/333.00A	366.50B/333.00A	-----			342.50 + 9.30	.7299	----	----	----	36	UNCH		
4840			370.40B/-----	370.40B/337.20A	-----			346.30 + 9.30	.7336	----	----	----	5	UNCH		
4850			378.40B/344.30A	378.40B/344.30A	-----			354.10 + 9.60	.7408	----	----	----	155	UNCH		
4855			382.40B/348.20A	382.40B/348.20A	-----			358.00 + 9.70	.7442	----	----	----	11	UNCH		
4860			386.40B/351.90A	386.40B/351.90A	-----			362.00 + 9.90	.7478	----	----	----	9	UNCH		
4865			390.50B/-----	390.50B/356.40A	-----			365.90 + 9.90	.7512	----	----	----	12	UNCH		
4870			394.50B/359.50A	394.50B/359.50A	-----			369.90 + 10.10	.7546	----	----	----	29	UNCH		
4875			398.60B/-----	398.60B/363.90A	-----			373.80 + 10.10	.7580	----	----	----	82	UNCH		
4880			402.70B/-----	402.70B/367.80A	-----			377.80 + 10.30	.7614	----	----	----	126	UNCH		
4885			406.70B/-----	406.70B/371.70A	-----			381.90 + 10.50	.7647	----	----	----	8	UNCH		
4890			410.90B/-----	410.90B/375.90A	-----			385.90 + 10.50	.7679	----	----	----	6	UNCH		
4895			415.00B/379.00A	415.00B/379.00A	-----			389.90 + 10.60	.7713	----	----	----	6	UNCH		
4900			419.20B/-----	419.20B/383.50A	-----			394.00 + 10.70	.7745	----	----	1	----	431 +		
4905			423.30B/-----	423.30B/387.50A	-----			398.10 + 10.90	.7777	----	----	----	29	UNCH		
4910			427.40B/391.00A	427.40B/391.00A	-----			402.20 + 11.00	.7806	----	----	----	23	UNCH		
4920			435.80B/-----	435.80B/399.50A	-----			410.40 + 11.10	.7869	----	----	----	3	UNCH		
4925			440.00B/-----	440.00B/403.90A	-----			414.60 + 11.30	.7899	----	----	4	----	57 +		
4930			444.10B/-----	444.10B/407.50A	-----			418.70 + 11.30	.7928	----	----	----	1	UNCH		
4950			461.20B/-----	461.20B/423.70A	-----			435.50 + 11.80	.8043	----	----	----	31	UNCH		
4955			465.40B/-----	465.40B/428.40A	-----			439.70 + 11.80	.8072	----	----	----	1	UNCH		
4980			487.00B/-----	487.00B/449.00A	-----			461.10 + 12.30	.8205	----	----	----	1	UNCH		
5000			504.80B/-----	504.80B/466.30A	-----			478.50 + 12.80	.8305	----	----	4	----	331 +		
5010			513.40B/-----	513.40B/475.00A	-----			487.20 + 13.00	.8353	----	----	----	1	UNCH		
5025			526.90B/-----	526.90B/487.70A	-----			500.40 + 13.20	.8421	----	----	----	25	UNCH		
5030			531.30B/-----	531.30B/491.60A	-----			504.90 + 13.40	.8442	----	----	----	1	UNCH		
5040			540.10B/-----	540.10B/500.40A	-----			513.70 + 13.50	.8487	----	----	----	4	UNCH		
5045			544.70B/-----	544.70B/505.30A	-----			518.20 + 13.70	.8507	----	----	----	31	UNCH		
5050			549.20B/-----	549.20B/509.10A	-----			522.70 + 13.80	.8531	----	----	----	351	UNCH		
5070			567.30B/-----	567.30B/526.50A	-----			540.60 + 14.10	.8610	----	----	----	17	UNCH		
5080			576.40B/-----	576.40B/536.10A	-----			549.70 + 14.40	.8651	----	----	----	3	UNCH		
5100			594.60B/-----	594.60B/554.00A	-----			567.80 + 14.60	.8724	----	----	----	84	UNCH		
5120			613.00B/-----	613.00B/571.30A	-----			586.10 + 14.90	.8796	----	----	----	2	UNCH		
5180			668.90B/-----	668.90B/627.40A	-----			641.70 + 15.80	.8981	----	----	----	1	UNCH		
5200			687.70B/-----	687.70B/645.70A	-----			660.40 + 16.00	.9036	----	----	----	113	UNCH		
5265			749.40B/-----	749.40B/706.30A	-----			721.90 + 16.70	.9189	----	----	----	1	UNCH		
5300			782.90B/-----	782.90B/740.30A	-----			755.40 + 17.10	.9260	----	----	----	3	UNCH		
5355			836.10B/-----	836.10B/792.80A	-----			808.40 + 17.60	.9353	----	----	----	1	UNCH		
5400			879.70B/-----	879.70B/836.00A	-----			852.00 + 18.00	.9418	----	----	----	76	UNCH		
5460			937.90B/-----	937.90B/894.00A	-----			910.40 + 18.30	.9494	----	----	----	1	UNCH		
5500			977.00B/-----	977.00B/933.00A	-----			949.50 + 18.50	.9535	----	----	----	3	UNCH		
5530			1,006.50B/-----	1006.50B/961.90A	-----			979.00 + 18.70	.9562	----	----	----	1	UNCH		
5575			1,050.70B/-----	1050.70B/1005.50A	-----			1023.20 + 18.80	.9599	----	----	----	2	UNCH		
TOTAL												1119	40419 +	413		
SEP26																
2000			----	0.40B/0.80A	----			0.60 - 0.10	.0013	----	----	----	----	1	UNCH	
2350			----	1.10B/1.40A	----			1.20 UNCH	.0030	----	----	----	----	37	UNCH	
2375			----	1.00B/*1.40A	----			1.30 UNCH	.0032	----	----	----	----	5	UNCH	
2400			----	1.10B/*1.50A	----			1.30 UNCH	.0032	----	----	----	----	1	UNCH	
2500			----	1.40B/1.80A	----			1.50 UNCH	.0039	----	----	----	----	4	UNCH	
2600			----	1.60B/*2.00A	----			1.80 UNCH	.0048	----	----	----	----	2	UNCH	
2850			----	2.60B/*2.90A	----			2.70 - 0.10	.0077	----	----	----	----	1	UNCH	
2860			----	2.60B/3.00A	----			2.80 UNCH	.0080	----	----	----	----	1	UNCH	
2865			----	2.60B/3.00A	----			2.80 - 0.10	.0080	----	----	----	----	10	UNCH	
2900			----	2.80B/3.20A	----			2.90 - 0.10	.0085	----	----	----	----	5	UNCH	
2915			----	2.90B/3.20A	----			3.00 - 0.10	.0088	----	----	----	----	2	UNCH	
3000			----	3.30B/3.70A	----			3.40 - 0.20	.0102	----	----	----	----	3	UNCH	
3145			----	4.40B/4.80A	----			4.40 - 0.30	.0138	----	----	----	----	15	UNCH	
3150			----	4.40B/4.80A	----			4.50 - 0.20	.0141	----	----	----	----	2	UNCH	
3200			----	4.90B/5.30A	----			4.90 - 0.20	.0156	----	----	----	----	1	UNCH	
3270			----	5.60B/6.00A	----			5.60 - 0.20	.0181	----	----	----	----	15	UNCH	
3300			----	6.00B/6.30A	----			6.00 - 0.20	.0195	----	----	----	----	2	UNCH	
3400			----	7.50B/7.70A	----			7.40 - 0.20	.0246	----	----	----	----	1	UNCH	
3475			----/9.00A	8.90B/9.00A	----			8.70 - 0.40	.0293	----	----	----	----	2	UNCH	
3480			----/9.10A	9.20B/9.10A	----			8.80 - 0.40	.0297	----	----	----	----	780	UNCH	
3500	9.30	9.30	9.30/9.30	9.30/9.30	----			9.30 - 0.30	.0314	----	----	1	----	226	UNCH	
3525			----/10.10A	9.90B/10.10A	----			9.80 - 0.40	.0332	----	----	----	----	2	UNCH	
3550			----/10.70A	10.60B/10.70A	----			10.40 - 0.40	.0354	----	----	----	----	5	UNCH	
3565			----/11.10A	11.20B/11.10A	----			10.80 - 0.40	.0368	----	----	----	----	1	UNCH	
3590			----/11.80A	12.00B/11.80A	----			11.50 - 0.50	.0393	----	----	----	----	2	UNCH	
3600			----/12.10A	12.30B/12.10A	----			11								

PG64		BULLETIN # 98@										METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64									
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																	
OG PUT		COMEX GOLD OPTIONS																															
SEP26																																	
4230		----	----	----	80.00B/71.80A	80.00B/71.80A	----	----	----	72.60 - 0.70	.2220	----	----	----	----	----	29	UNCH															
4240		----	----	----	82.40B/74.00A	82.40B/74.00A	----	----	----	74.90 - 0.60	.2277	----	----	----	----	----	106	UNCH															
4245		----	----	----	83.60B/75.20A	83.60B/75.20A	----	----	----	76.00 - 0.60	.2306	----	----	----	----	----	1	UNCH															
4250		----	----	----	85.20B/76.20A	85.20B/76.20A	----	----	----	77.20 - 0.50	.2335	----	----	----	----	----	393	UNCH															
4275		----	----	----	91.70B/82.30A	91.70B/82.30A	----	----	----	83.20 - 0.40	.2484	----	----	----	----	----	30	UNCH															
4285		90.60	90.60	----	94.50B/84.70A	94.50B/84.70A	----	----	----	85.80 NEW	.2546	----	----	13	----	13 +	13																
4290		----	----	----	95.70B/86.10A	95.70B/86.10A	----	----	----	87.00 - 0.30	.2576	----	----	----	----	----	1	UNCH															
4295		----	----	----	97.40B/87.40A	97.40B/87.40A	----	----	----	88.40 - 0.20	.2608	----	----	----	----	----	3	UNCH															
4300		----	----	----	98.80B/88.60A	98.80B/88.60A	----	----	----	89.70 - 0.20	.2639	----	----	----	----	----	301	UNCH															
4310		----	----	----	101.50B/91.50A	101.50B/91.50A	----	----	----	92.40 - 0.20	.2703	----	----	----	----	----	1	UNCH															
4315		99.30	99.30	----	103.00B/92.70A	103.00B/92.70A	----	----	----	93.80 NEW	.2735	----	----	70	----	70 +	70																
4320		----	----	----	104.60B/94.10A	104.60B/94.10A	----	----	----	95.20 - 0.10	.2768	----	----	----	----	----	168	UNCH															
4325		----	----	----	106.20B/95.50A	106.20B/95.50A	----	----	----	96.60 - 0.10	.2800	----	----	----	----	----	9	UNCH															
4340		103.50	103.50	----	110.80B/99.90A	110.80B/99.90A	----	----	----	101.00 NEW	.2900	----	----	50	----	50 +	50																
4345		----	----	----	112.60B/101.40A	112.60B/101.40A	----	----	----	102.50 + 0.10	.2934	----	----	----	----	----	17	UNCH															
4350		106.10	106.10	----	114.30B/102.90A	114.30B/102.90A	----	----	----	104.00 + 0.20	.2968	----	----	50	----	140 +	35																
4360		----	----	----	117.40B/106.10A	117.40B/106.10A	----	----	----	107.10 + 0.30	.3036	----	----	----	----	----	1	UNCH															
4365		----	----	----	119.30B/107.60A	119.30B/107.60A	----	----	----	108.70 + 0.30	.3071	----	----	----	----	----	6	UNCH															
4375		----	----	----	122.80B/110.80A	122.80B/110.80A	----	----	----	111.90 + 0.40	.3141	----	----	----	----	----	55	UNCH															
4380		----	----	----	124.60B/112.30A	124.60B/112.30A	----	----	----	113.50 + 0.40	.3175	----	----	----	----	----	95	UNCH															
4385		----	----	----	126.20B/114.10A	126.20B/114.10A	----	----	----	115.20 + 0.50	.3211	----	----	----	----	----	2	UNCH															
4390		----	----	----	128.30B/115.70A	128.30B/115.70A	----	----	----	116.90 + 0.60	.3247	----	----	----	----	----	41	UNCH															
4395		----	----	----	130.00B/117.40A	130.00B/117.40A	----	----	----	118.60 + 0.70	.3283	----	----	----	----	----	42	UNCH															
4400		124.20	124.20	----	132.10B/118.90A	132.10B/118.90A	----	----	----	120.30 + 0.70	.3319	----	----	33	----	853 +	31																
4405		----	----	----	133.70B/120.80A	133.70B/120.80A	----	----	----	122.00 + 0.70	.3354	----	----	----	----	----	40	UNCH															
4410		----	----	----	135.80B/122.60A	135.80B/122.60A	----	----	----	123.80 + 0.80	.3391	----	----	----	----	----	6	UNCH															
4420		----	----	----	139.30B/126.20A	139.30B/126.20A	----	----	----	127.40 + 1.00	.3464	----	----	----	----	----	1	UNCH															
4425		----	----	----	141.50B/128.00A	141.50B/128.00A	----	----	----	129.20 + 1.00	.3501	----	----	----	----	----	200	UNCH															
4430		----	----	----	143.20B/129.80A	143.20B/129.80A	----	----	----	131.00 + 1.00	.3538	----	----	----	----	----	2	UNCH															
4440		----	----	----	147.60B/133.40A	147.60B/133.40A	----	----	----	134.80 + 1.20	.3613	----	----	----	----	----	8	UNCH															
4445		----	----	----	149.40B/----	149.40B/135.40A	----	----	----	136.70 + 1.30	.3650	----	----	----	----	----	3	UNCH															
4450		----	----	----	151.70B/137.20A	151.70B/137.20A	----	----	----	138.60 + 1.30	.3688	----	----	----	----	----	448	UNCH															
4455		----	----	----	153.80B/139.10A	153.80B/139.10A	----	----	----	140.60 + 1.40	.3726	----	----	----	----	----	4	UNCH															
4470		148.10	148.10	----	160.20B/148.10	160.20B/145.00A	----	----	----	146.50 + 1.50	.3839	----	----	2	----	4 +	2																
4475		----	----	----	162.30B/----	162.30B/147.00A	----	----	----	148.60 + 1.70	.3878	----	----	----	----	----	3	UNCH															
4485		----	----	----	166.80B/----	166.80B/151.10A	----	----	----	152.70 + 1.80	.3955	----	----	----	----	----	4	UNCH															
4490		----	----	----	169.00B/----	169.00B/153.10A	----	----	----	154.80 + 1.90	.3993	----	----	----	----	----	50	UNCH															
4495		----	----	----	171.30B/----	171.30B/155.20A	----	----	----	156.90 + 1.90	.4032	----	----	----	----	----	2	UNCH															
4500		171.60	171.60	----	173.70B/171.60	173.70B/157.20A	----	----	----	159.10 + 2.00	.4071	----	----	1	----	609	UNCH																
4510		----	----	----	178.10B/----	178.10B/161.50A	----	----	----	163.40 + 2.10	.4149	----	----	----	----	----	11	UNCH															
4515		----	----	----	180.50B/----	180.50B/163.70A	----	----	----	165.60 + 2.20	.4188	----	----	----	----	----	3	UNCH															
4520		----	----	----	182.90B/----	182.90B/165.70A	----	----	----	167.90 + 2.30	.4227	----	----	----	----	----	91	UNCH															
4525		----	----	----	185.30B/----	185.30B/167.90A	----	----	----	170.10 + 2.40	.4267	----	----	----	----	----	4	UNCH															
4530		----	----	----	187.70B/----	187.70B/170.20A	----	----	----	172.40 + 2.50	.4306	----	----	----	----	----	5	UNCH															
4540		----	----	----	192.50B/----	192.50B/174.60A	----	----	----	177.00 + 2.60	.4385	----	----	----	----	----	3	UNCH															
4550		----	----	----	197.50B/----	197.50B/179.20A	----	----	----	181.70 + 2.80	.4464	----	----	----	----	----	516	UNCH															
4555		----	----	----	200.00B/----	200.00B/181.60A	----	----	----	184.10 + 2.90	.4504	----	----	----	----	----	50	UNCH															
4560		----	----	----	202.50B/----	202.50B/183.90A	----	----	----	186.50 + 2.90	.4543	----	----	----	----	----	42	UNCH															
4565		----	----	----	205.00B/----	205.00B/186.40A	----	----	----	188.90 + 3.00	.4583	----	----	----	----	----	78	UNCH															
4570		----	----	----	207.60B/----	207.60B/188.70A	----	----	----	191.30 + 3.00	.4623	----	----	----	----	----	12	UNCH															
4575		----	----	----	210.20B/----	210.20B/191.10A	----	----	----	193.80 + 3.10	.4662	----	----	5	----	27 +	5																
4580		----	----	----	212.90B/----	212.90B/																											

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
OCT26																
3500	----	----	----	----	13.10B/15.10A	----	----	13.50 - 0.90	.0408	----	----	----	2	----	20	+
3520	----	----	----	----	13.80B/15.80A	----	----	14.20 - 0.90	.0429	----	----	----	----	----	12	UNCH
3550	----	----	----	----	15.00B/16.90A	----	----	15.30 - 1.00	.0463	----	----	----	----	----	25	UNCH
3600	17.00	17.00	17.00	17.00/17.00	17.20B/17.00	----	----	17.30 - 1.20	.0524	----	----	----	8	----	175	-
3615	----	----	----	----	17.90B/19.50A	----	----	17.90 - 1.30	.0542	----	----	----	----	----	1	UNCH
3700	----	----	----	-----/23.50A	23.60B/23.50A	----	----	22.30 - 1.60	.0672	----	----	----	----	----	213	UNCH
3715	----	----	----	-----/24.10A	24.80B/24.10A	----	----	23.20 - 1.60	.0699	----	----	----	----	----	196	UNCH
3750	----	----	----	27.50B/26.30A	27.50B/26.30A	----	----	25.50 - 1.60	.0765	----	----	----	----	----	19	UNCH
3770	----	----	----	28.90B/27.70A	28.90B/27.70A	----	----	26.90 - 1.70	.0804	----	----	----	----	----	1	UNCH
3785	----	----	----	30.20B/28.80A	30.20B/28.80A	----	----	28.00 - 1.70	.0836	----	----	----	----	----	1	UNCH
3800	----	----	----	31.60B/29.90A	31.60B/29.90A	----	----	29.10 - 1.70	.0867	----	----	----	----	----	18	UNCH
3805	----	----	----	31.70B/30.40A	31.70B/30.40A	----	----	29.50 - 1.70	.0878	----	----	----	----	----	1	UNCH
3820	----	----	----	32.80B/31.60A	32.80B/31.60A	----	----	30.70 - 1.70	.0912	----	----	----	----	----	1	UNCH
3865	----	----	----	37.20B/36.00A	37.20B/36.00A	----	----	34.80 - 1.60	.1024	----	----	----	----	----	2	UNCH
3870	----	----	----	37.70B/36.50A	37.70B/36.50A	----	----	35.30 - 1.60	.1038	----	----	----	----	----	1	UNCH
3875	----	----	----	38.20B/37.00A	38.20B/37.00A	----	----	35.80 - 1.60	.1051	----	----	----	----	----	12	UNCH
3885	----	----	----	39.30B/38.00A	39.30B/38.00A	----	----	36.80 - 1.50	.1078	----	----	----	----	----	5	UNCH
3890	----	----	----	40.10B/38.40A	40.10B/38.40A	----	----	37.30 - 1.50	.1092	----	----	----	----	----	2	UNCH
3895	----	----	----	40.40B/38.80A	40.40B/38.80A	----	----	37.80 - 1.60	.1105	----	----	----	----	----	2	UNCH
3900	----	----	----	41.10B/39.40A	41.10B/39.40A	----	----	38.30 - 1.60	.1119	----	----	----	----	----	23	UNCH
3920	----	----	----	43.50B/41.60A	43.50B/41.60A	----	----	40.50 - 1.60	.1177	----	----	----	----	----	28	UNCH
3930	----	----	----	45.30B/42.70A	45.30B/42.70A	----	----	41.60 - 1.60	.1207	----	----	----	----	----	2	UNCH
3940	----	----	----	46.50B/43.70A	46.50B/43.70A	----	----	42.80 - 1.60	.1238	----	----	----	----	----	65	UNCH
3950	----	----	----	47.80B/44.70A	47.80B/44.70A	----	----	44.00 - 1.60	.1269	----	----	----	----	----	2	UNCH
3965	----	----	----	49.90B/46.80A	49.90B/46.80A	----	----	45.90 - 1.60	.1318	----	----	----	----	----	1	UNCH
3975	----	----	----	51.30B/47.90A	51.30B/47.90A	----	----	47.20 - 1.60	.1351	----	----	----	----	----	5	UNCH
4000	----	----	----	55.10B/51.20A	55.10B/51.20A	----	----	50.60 - 1.60	.1437	----	----	----	----	----	447	UNCH
4025	----	----	----	59.10B/54.60A	59.10B/54.60A	----	----	54.30 - 1.50	.1529	----	----	----	----	----	10	UNCH
4030	----	----	----	60.00B/55.30A	60.00B/55.30A	----	----	55.10 - 1.50	.1548	----	----	----	----	----	2	UNCH
4050	----	----	----	63.40B/58.30A	63.40B/58.30A	----	----	58.20 - 1.50	.1625	----	----	----	----	----	5	UNCH
4065	----	----	----	66.00B/60.80A	66.00B/60.80A	----	----	60.70 - 1.40	.1685	----	----	----	----	----	1	UNCH
4070	----	----	----	67.00B/61.60A	67.00B/61.60A	----	----	61.60 - 1.30	.1706	----	----	----	----	----	31	UNCH
4075	----	----	----	67.90B/62.50A	67.90B/62.50A	----	----	62.50 - 1.30	.1727	----	----	----	----	----	1	UNCH
4090	----	----	----	70.80B/64.90A	70.80B/64.90A	----	----	65.10 - 1.30	.1789	----	----	----	----	----	10	UNCH
4095	----	----	----	71.80B/65.90A	71.80B/65.90A	----	----	66.10 - 1.20	.1811	----	----	----	----	----	20	UNCH
4100	----	----	----	72.90B/66.80A	72.90B/66.80A	----	----	67.00 - 1.20	.1832	----	----	----	----	50	515	+
4130	----	----	----	78.90B/72.50A	78.90B/72.50A	----	----	72.80 - 1.00	.1966	----	----	----	----	----	2	UNCH
4150	----	----	----	83.40B/76.50A	83.40B/76.50A	----	----	76.90 - 0.90	.2059	----	----	----	----	----	5	UNCH
4180	----	----	----	90.40B/83.10A	90.40B/83.10A	----	----	83.40 - 0.80	.2203	----	----	----	----	----	1	UNCH
4200	----	----	----	95.60B/87.50A	95.60B/87.50A	----	----	88.00 - 0.70	.2303	----	----	----	----	----	294	UNCH
4220	----	----	----	100.60B/92.40A	100.60B/92.40A	----	----	92.80 - 0.70	.2406	----	----	----	----	----	5	UNCH
4235	----	----	----	104.70B/96.20A	104.70B/96.20A	----	----	96.60 - 0.60	.2486	----	----	----	100	----	1	UNCH
4250	101.80	101.80	101.80	109.00B/99.90A	109.00B/99.90A	----	----	100.40 - 0.70	.2566	----	----	----	----	----	122	+
4265	----	----	----	113.40B/104.00A	113.40B/104.00A	----	----	104.50 - 0.60	.2649	----	----	----	----	----	200	UNCH
4270	----	----	----	114.80B/105.60A	114.80B/105.60A	----	----	105.80 - 0.60	.2677	----	----	----	----	----	229	UNCH
4280	----	----	----	118.00B/108.30A	118.00B/108.30A	----	----	108.60 - 0.60	.2733	----	----	----	----	----	196	UNCH
4300	----	----	----	124.30B/114.00A	124.30B/114.00A	----	----	114.40 - 0.60	.2848	----	----	----	----	----	617	UNCH
4330	----	----	----	134.00B/123.40A	134.00B/123.40A	----	----	123.80 - 0.30	.3027	----	----	----	----	----	1	UNCH
4350	----	----	----	141.10B/129.70A	141.10B/129.70A	----	----	130.40 - 0.10	.3149	----	----	----	----	----	236	UNCH
4355	----	----	----	142.90B/131.60A	142.90B/131.60A	----	----	132.10 UNCH	.3180	----	----	----	----	----	11	UNCH
4370	----	----	----	148.30B/136.80A	148.30B/136.80A	----	----	137.40 + 0.30	.3274	----	----	----	----	----	2	UNCH
4375	----	----	----	150.20B/138.40A	150.20B/138.40A	----	----	139.10 + 0.30	.3306	----	----	----	----	----	11	UNCH
4385	----	----	----	153.90B/142.00A	153.90B/142.00A	----	----	142.80 + 0.50	.3369	----	----	----	----	----	2	UNCH
4390	----	----	----	155.90B/143.80A	155.90B/143.80A	----	----	144.60 + 0.60	.3401	----	----	----	----	----	1	UNCH
4400	----	----	----	159.80B/147.20A	159.80B/147.20A	----	----	148.30 + 0.70	.3465	----	----	----	----	----	606	UNCH
4405	----	----	----	161.80B/149.20A	161.80B/149.20A	----	----	150.20 + 0.80	.3498	----	----	----	----	----	1	UNCH
4410	----	----	----	163.80B/150.90A	163.80B/150.90A	----	----	152.10 + 0.90	.3530	----	----	----	----	----	49	UNCH
4425	----	----	----	170.00B/156.70A	170.00B/156.70A	----	----	157.90 + 1.10	.3628	----	----	----	----	----	15	UNCH
4430	----	----	----	172.00B/----	172.00B/158.70A	----	----	159.90 + 1.20	.3661	----	----	----	----	----	4	UNCH
4440	----	----	----	176.00B/----	176.00B/162.70A	----	----	163.90 + 1.40	.3726	----	----	----	----	----	2	UNCH
4445	----	----	----	178.20B/----	178.20B/164.70A	----	----	165.90 + 1.50	.3759	----	----	----	----	----	1	UNCH
4450	----	----	----	180.60B/----	180.60B/166.70A	----	----	167.90 + 1.50	.3792	----	----	----	----	----	64	UNCH
4475	----	----	----	191.40B/----	191.40B/177.10A	----	----	178.30 + 1.90	.3959	----	----	----	1	----	2	UNCH
4500	----	----	----	203.00B/----	203.00B/187.90A	----	----	189.20 + 2.30	.4128	----	----	1	----	----	91	UNCH
4520	----	----	----	212.50B/----	212.50B/196.80A	----	----	198.20 + 2.60	.4263	----	----	----	----	----	2	UNCH
4535	----	----	----	219.80B/----	219.80B/203.90A	----	----	205.20 + 2.90	.4366	----	----	----	----	----	1	UNCH
4550	----	----	----	227.40B/----	227.40B/210.80A	----	----	212.30 + 3.10	.4469	----	----	----	----	----	2	UNCH
4560	----	----	----	232.40B/----	232.40B/215.60A	----	----	217.10 + 3.20	.4537	----	----	----	----	----	78	UNCH
4570	----	----	----	237.70B/----	237.70B/220.40A	----	----	222.00 + 3.30	.4606	----	----	----	----	----	5	UNCH
4580	----	----	----	242.80B/----	242.80B/225.30A	----	----	227.00 + 3.50	.4675	----	----	----	----	----	3	UNCH
4595	----	----	----	251.10B/----	251.10B/232.80A	----	----	234.60 + 3.70	.4778	----	----	----	----	----	3	UNCH
4600	----	----	----	253.80B/----	253.80B/235.40A	----	----	237.10 + 3.60	.4813	----	----	----	----	----	329	UNCH
4605	----	----	----	256.30B/----	256.30B/238.00A	----	----	239.70 + 3.70	.4847	----	----	----	----	----	2	UNCH
4610	256.50	256.50	256.50	259.20B/256.50	259.20B/240.70A	----	----	242.30 + 3.80	.4881	----	----	3	----	----	11	+
4615	----	----	----	262.10B/----	262.10B/243.30A	----	----	245.00 + 3.90	.4916	----	----	----	----	----	3	UNCH
4625	----	----	----	267.70B/----	267.70B/248.50A	----	----	250.30 + 4.00	.4984	----	----	----	----	----	44	UNCH
4630	257.00	257.00	257.00	270.30B/254.00	270.30B/251.20A	----	----	252.90 + 4.00	.5018	----	----	6	----	----	13	+
4635	----	----	----	273.10B/----	273.10B/253.80A	----	----	255.60 + 4.00	.5053	----	----	----	----	----	7	UNCH
4640	256.60	256.60	256.60	276.10B/256.60	276.10B/256.50A	----	----	258.40 + 4.20	.5087	----	----	3	----	----	16	+
4645	----	----	----	279.10B/----	279.10B/259.20A	----	----	261.10 + 4.20	.5121	----	----	----	----	----	8	UNCH
4650	----	----	----	281.80B/----	281.80B/262.00A	----	----	263.90 + 4.30	.5155	----	----	----	----	----	133	UNCH
4655	----	----	----	284.90B/----	284.90B/264.70A	----	----	266.60 + 4.20	.5189	----	----	----	----	----	3	UNCH
4660	----	----	----	287.60B/----	287.60B/267.50A	----	----	269.40 + 4.30	.5223	----	----	----	----	----	3	UNCH
4670	----	----	----	293.70B/----	293.70B/273.10A	----	----	275.10 + 4.50	.5291	----	----	----	----	----	3	UNCH
4675	----	----	----	296.60B/----	296.60B/275.90A	----	----	277.90 + 4.50	.5325	----	----	----	----	----	4	UNCH
4680	----	----	----	299.70B/----	299.70B/278.70A	----	----	280.80 + 4.60	.5358	----	----	----	----	----	1	UNCH
4690	----	----	----	305.70B/----	305.70B/284.50A	----	----	286.60 + 4.70	.5426	----	----	----	----	----	3	UNCH
4700	----	----	----	311.80B/----	311.80B/290.20A	----	----	292.40 + 4.70	.5493	----	----	----	----	----	84	UNCH
4715	----	----	----	321.10B/----	321.10B/299.10A	----	----	30								



GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS														
NOV26																
3250	----	----	----	----	9.40B/12.10A	----	----	----	10.40 - 0.50	.0276	----	----	----	----	18	UNCH
3255	----	----	----	----	9.50B/12.20A	----	----	----	10.50 - 0.50	.0279	----	----	----	----	18	UNCH
3300	----	----	----	----	10.70B/13.30A	----	----	----	11.60 - 0.60	.0309	----	----	22	----	43	+
3310	----	----	----	----	10.90B/13.60A	----	----	----	11.90 - 0.60	.0317	----	----	----	----	1	UNCH
3320	----	----	----	----	11.20B/13.90A	----	----	----	12.20 - 0.60	.0325	----	----	----	----	16	UNCH
3350	----	----	----	----	12.10B/14.80A	----	----	----	13.00 - 0.70	.0347	----	----	----	----	180	UNCH
3455	----	----	----	----	15.80B/18.40A	----	----	----	16.70 - 0.70	.0445	----	----	----	----	2	UNCH
3475	----	----	----	----	16.60B/19.20A	----	----	----	17.50 - 0.80	.0466	----	----	11	----	681	+
3500	----	----	----	----	17.80B/20.30A	----	----	----	18.50 - 0.90	.0493	----	----	----	----	1	UNCH
3535	----	----	----	----	19.50B/21.80A	----	----	----	20.20 - 0.90	.0536	----	----	----	----	1	UNCH
3605	----	----	----	----	23.50B/25.50A	----	----	----	24.00 - 1.00	.0633	----	----	----	----	1	UNCH
3690	----	----	----	----	-----/30.20A	30.60B/30.20A	----	----	29.60 - 1.10	.0773	----	----	----	----	1	UNCH
3700	----	----	----	----	31.60B/31.00A	31.60B/31.00A	----	----	30.30 - 1.20	.0791	----	----	----	----	1	UNCH
3725	----	----	----	----	33.50B/32.90A	33.50B/32.90A	----	----	32.30 - 1.10	.0839	----	----	----	----	1	UNCH
3740	----	----	----	----	-----/34.10A	34.70B/34.10A	----	----	33.50 - 1.20	.0868	----	----	----	----	21	UNCH
3750	----	----	----	----	-----/34.80A	35.60B/34.80A	----	----	34.30 - 1.30	.0888	----	----	----	----	347	UNCH
3780	----	----	----	----	-----/37.50A	38.10B/37.50A	----	----	37.00 - 1.30	.0952	----	----	----	----	1	UNCH
3800	39.10	39.10	----	----	40.20B/38.80	40.20B/38.80	----	----	38.90 - 1.30	.0997	----	----	2	----	32	+
3820	----	----	----	----	42.40B/41.70A	42.40B/41.70A	----	----	40.90 - 1.30	.1044	----	----	----	----	22	UNCH
3875	----	----	----	----	48.80B/47.20A	48.80B/47.20A	----	----	46.80 - 1.40	.1182	----	----	----	----	24	UNCH
3900	----	----	----	----	52.70B/50.10A	52.70B/50.10A	----	----	49.80 - 1.50	.1250	----	----	----	----	7	UNCH
3920	----	----	----	----	55.50B/52.70A	55.50B/52.70A	----	----	52.30 - 1.50	.1307	----	----	----	----	2	UNCH
3925	----	----	----	----	56.30B/53.10A	56.30B/53.10A	----	----	53.00 - 1.50	.1322	----	----	----	----	2	UNCH
3945	----	----	----	----	59.20B/55.80A	59.20B/55.80A	----	----	55.70 - 1.50	.1382	----	----	----	----	1	UNCH
3980	----	----	----	----	64.60B/60.80A	64.60B/60.80A	----	----	60.70 - 1.50	.1492	----	----	----	----	1	UNCH
4000	----	----	----	----	68.00B/63.90A	68.00B/63.90A	----	----	63.80 - 1.50	.1558	----	----	----	----	7	UNCH
4025	----	----	----	----	72.40B/67.80A	72.40B/67.80A	----	----	67.80 - 1.50	.1644	----	----	----	----	2	UNCH
4070	----	----	----	----	80.80B/75.70A	80.80B/75.70A	----	----	75.80 - 1.40	.1809	----	----	----	----	25	UNCH
4100	----	----	----	----	87.10B/81.50A	87.10B/81.50A	----	----	81.60 - 1.30	.1926	----	----	----	----	5	UNCH
4135	----	----	----	----	94.90B/88.80A	94.90B/88.80A	----	----	88.90 - 1.10	.2069	----	----	----	----	22	UNCH
4160	----	----	----	----	101.00B/94.30A	101.00B/94.30A	----	----	94.40 - 1.10	.2176	----	----	----	----	1	UNCH
4170	----	----	----	----	103.50B/96.50A	103.50B/96.50A	----	----	96.80 - 0.90	.2221	----	----	----	----	1	UNCH
4180	----	----	----	----	105.90B/98.90A	105.90B/98.90A	----	----	99.10 - 0.90	.2265	----	----	----	----	1	UNCH
4200	----	----	----	----	111.00B/103.80A	111.00B/103.80A	----	----	104.10 - 0.70	.2356	----	----	----	----	6	UNCH
4205	----	----	----	----	112.50B/105.00A	112.50B/105.00A	----	----	105.30 - 0.70	.2379	----	----	----	----	1	UNCH
4215	----	----	----	----	115.20B/107.60A	115.20B/107.60A	----	----	107.90 - 0.60	.2426	----	----	----	----	5	UNCH
4250	----	----	----	----	125.20B/117.00A	125.20B/117.00A	----	----	117.30 - 0.40	.2594	----	----	----	----	567	UNCH
4275	----	----	----	----	132.90B/123.90A	132.90B/123.90A	----	----	124.50 - 0.10	.2719	----	----	----	----	23	UNCH
4290	----	----	----	----	137.50B/128.30A	137.50B/128.30A	----	----	129.00 + 0.10	.2795	----	----	----	----	1	UNCH
4300	----	----	----	----	140.60B/131.40A	140.60B/131.40A	----	----	132.00 + 0.10	.2846	----	----	----	----	100	UNCH
4305	----	----	----	----	142.40B/132.90A	142.40B/132.90A	----	----	133.60 + 0.20	.2872	----	----	----	----	1	UNCH
4320	----	----	----	----	147.40B/137.50A	147.40B/137.50A	----	----	138.30 + 0.30	.2950	----	----	----	----	43	UNCH
4330	----	----	----	----	150.80B/140.70A	150.80B/140.70A	----	----	141.60 + 0.50	.3003	----	----	----	----	2	UNCH
4340	----	----	----	----	154.20B/144.00A	154.20B/144.00A	----	----	144.90 + 0.60	.3057	----	----	----	----	6	UNCH
4350	----	----	----	----	157.80B/147.30A	157.80B/147.30A	----	----	148.30 + 0.70	.3111	----	----	----	----	3	UNCH
4390	----	----	----	----	172.60B/----	172.60B/161.20A	----	----	162.30 + 1.10	.3330	----	----	----	----	1	UNCH
4395	----	----	----	----	174.50B/----	174.50B/163.10A	----	----	164.20 + 1.20	.3358	----	----	----	----	5	UNCH
4400	----	----	----	----	176.30B/----	176.30B/164.90A	----	----	166.00 + 1.20	.3386	----	----	----	----	5	UNCH
4425	----	----	----	----	186.20B/----	186.20B/174.10A	----	----	175.50 + 1.60	.3527	----	----	----	----	72	UNCH
4430	----	----	----	----	188.30B/----	188.30B/176.20A	----	----	177.40 + 1.60	.3555	----	----	----	----	10	UNCH
4450	----	----	----	----	196.60B/----	196.60B/184.00A	----	----	185.30 + 1.80	.3670	----	----	----	----	39	UNCH
4485	----	----	----	----	211.60B/----	211.60B/198.30A	----	----	199.60 + 2.10	.3873	----	----	----	----	1	UNCH
4490	----	----	----	----	213.90B/----	213.90B/200.40A	----	----	201.70 + 2.20	.3902	----	----	----	----	1	UNCH
4500	----	----	----	----	218.40B/----	218.40B/204.70A	----	----	206.00 + 2.30	.3961	----	----	----	----	45	UNCH
4510	----	----	----	----	223.00B/----	223.00B/209.10A	----	----	210.30 + 2.40	.4020	----	----	----	----	11	UNCH
4535	----	----	----	----	234.70B/----	234.70B/219.40A	----	----	221.40 + 2.70	.4168	----	----	----	----	10	UNCH
4540	----	----	----	----	237.10B/----	237.10B/222.40A	----	----	223.60 + 2.70	.4197	----	----	----	----	6	UNCH
4580	255.00	255.00	----	----	256.80B/----	256.80B/241.00A	----	----	242.10 + 2.90	.4437	----	----	----	----	10	UNCH
4600	----	----	----	----	267.10B/255.00	267.10B/250.80A	----	----	251.80 + 3.10	.4557	----	----	2	----	73	+
4610	----	----	----	----	272.30B/----	272.30B/254.50A	----	----	256.70 + 3.20	.4618	----	----	----	----	4	UNCH
4640	----	----	----	----	288.40B/----	288.40B/269.60A	----	----	271.90 + 3.40	.4799	----	----	----	----	90	UNCH
4645	----	----	----	----	291.00B/----	291.00B/273.50A	----	----	274.50 + 3.40	.4829	----	----	----	----	1	UNCH
4650	----	----	----	----	293.90B/----	293.90B/274.70A	----	----	277.10 + 3.40	.4859	----	----	----	----	76	UNCH
4700	----	----	----	----	322.40B/----	322.40B/303.10A	----	----	304.30 + 3.70	.5158	----	----	5	----	58	+
4710	----	----	----	----	328.20B/----	328.20B/308.70A	----	----	310.00 + 3.80	.5218	----	----	----	----	1	UNCH
4725	339.40	339.40	----	----	337.20B/----	337.20B/317.30A	----	----	318.70 + 4.00	.5306	----	----	10	----	2	UNCH
4750	----	----	----	----	350.70B/339.40	350.70B/331.80A	----	----	333.50 + 4.20	.5452	----	----	----	----	20	+
4755	----	----	----	----	353.80B/----	353.80B/334.70A	----	----	336.50 + 4.30	.5481	----	----	----	----	1	UNCH
4800	----	----	----	----	382.30B/----	382.30B/362.00A	----	----	364.40 + 5.10	.5738	----	----	----	----	12	UNCH
4820	----	----	----	----	395.20B/----	395.20B/374.50A	----	----	377.10 + 5.50	.5850	----	----	----	----	1	UNCH
4840	----	----	----	----	408.60B/----	408.60B/387.20A	----	----	390.00 + 5.90	.5961	----	----	----	----	2	UNCH
4845	----	----	----	----	411.80B/----	411.80B/390.40A	----	----	393.30 + 6.10	.5988	----	----	----	----	10	UNCH
4850	----	----	----	----	415.20B/----	415.20B/393.70A	----	----	396.60 + 6.20	.6015	----	----	----	----	8	UNCH
4900	----	----	----	----	449.60B/----	449.60B/426.90A	----	----	430.30 + 7.30	.6283	----	----	----	----	12	UNCH
4915	----	----	----	----	460.10B/----	460.10B/437.00A	----	----	440.60 + 7.50	.6362	----	----	----	----	3	UNCH
4935	----	----	----	----	474.40B/----	474.40B/450.90A	----	----	454.70 + 7.90	.6464	----	----	----	----	25	UNCH
4950	----	----	----	----	485.20B/----	485.20B/461.40A	----	----	465.30 + 8.00	.6539	----	----	----	----	11	UNCH
4960	----	----	----	----	492.50B/----	492.50B/468.40A	----	----	472.50 + 8.20	.6589	----	----	----	----	2	UNCH
5000	----	----	----	----	522.20B/----	522.20B/497.30A	----	----	501.80 + 8.90	.6782	----	----	----	----	255	UNCH
5020	----	----	----	----	537.30B/----	537.30B/511.90A	----	----	516.70 + 9.30	.6876	----	----	----	----	30	UNCH
5055	----	----	----	----	549.30B/----	549.30B/538.00A	----	----	543.20 + 9.90	.7034	----	----	----	----	8	UNCH
5200	----	----	----	----	560.10B/760.90A	560.10B/760.90A	----	----	658.70 + 12.30	.7623	----	----	----	----	81	UNCH
5395	----	----	----	----	728.90B/925.40A	728.90B/925.40A	----	----	825.50 + 14.40	.8242	----	----	----	----	6	UNCH
5400	----	----	----	----	733.30B/929.80A	733.30B/929.80A	----	----	829.90 + 14.50	.8254	----	----	----	----	6	UNCH
5760	----	----	----	----	1064.70B/1260.40A	1064.70B/1260.40A	----	----	1161.70 + 17.50	.8951	----	----	----	----	1	UNCH
5975	----	----	----	----	----	----	----	----	1367.70 + 18.60	.9193	----	----	----	----	1	UNCH
6000	----	----	----	----	----	----	----	----	1391.80 + 18.60	.9217	----	----	----	----	1	UNCH
TOTAL													52		3483	+
DEC26																
1350	----	----	----	----	-----/0.50A	----	----	----	0.10 UNCH	.0000	----	----	----	----	16	UNCH
1375	----	----	----	----	-----/5.10A	----	----	----	0.10 UNCH	.0000	----	----	----	----	1	UNCH
1500	----	----	----	----	-----/0.90A	----	----	----	0.10 UNCH	.0001	----	----	----			

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX GOLD OPTIONS															
OG PUT															
DEC26															
3850	----	----	----	58.10B/56.20A	58.10B/56.20A	----	----	54.80 - 1.90	.1257	----	----	----	----	24	UNCH
3880	----	----	----	62.40B/59.40A	62.40B/59.40A	----	----	58.80 - 1.80	.1339	----	----	----	----	1	UNCH
3900	----	----	----	65.40B/62.20A	65.40B/62.20A	----	----	61.70 - 1.60	.1396	----	----	----	----	1206	UNCH
3920	----	----	----	68.50B/65.10A	68.50B/65.10A	----	----	64.70 - 1.50	.1456	----	----	----	----	50	UNCH
3925	----	----	----	69.40B/66.00A	69.40B/66.00A	----	----	65.50 - 1.40	.1471	----	----	----	----	255	UNCH
3930	----	----	----	70.20B/66.70A	70.20B/66.70A	----	----	66.20 - 1.50	.1485	----	----	----	----	2	UNCH
3950	----	----	----	73.70B/69.80A	73.70B/69.80A	----	----	69.40 - 1.40	.1548	----	----	----	----	27	UNCH
3965	----	----	----	76.30B/72.30A	76.30B/72.30A	----	----	71.90 - 1.30	.1596	----	----	----	----	50	UNCH
3975	----	----	----	78.10B/74.00A	78.10B/74.00A	----	----	73.60 - 1.30	.1628	----	----	----	----	192	UNCH
3980	79.00	79.00	----	79.00/74.80A	79.00/74.80A	----	----	74.40 - 1.30	.1644	----	----	2	----	261 +	2
4000	77.90	77.90	----	82.70B/77.40	82.70B/77.40	----	----	78.00 - 1.20	.1711	----	----	310	----	2409 -	50
4025	----	----	----	87.60B/82.90A	87.60B/82.90A	----	----	82.60 - 1.20	.1798	----	----	----	----	220	UNCH
4050	88.80	88.80	----	92.90B/87.70A	92.90B/87.70A	----	----	87.50 - 1.20	.1888	----	----	3	----	207 +	3
4070	----	----	----	97.20B/91.80A	97.20B/91.80A	----	----	91.50 - 1.20	.1961	----	----	----	----	8	UNCH
4090	----	----	----	101.70B/96.00A	101.70B/96.00A	----	----	95.80 - 1.20	.2037	----	----	----	----	1	UNCH
4100	----	----	----	104.00B/98.30A	104.00B/98.30A	----	----	98.00 - 1.20	.2076	----	----	----	50	398 +	13
4130	----	----	----	111.50B/105.10A	111.50B/105.10A	----	----	104.90 - 1.10	.2196	----	----	----	----	2	UNCH
4150	----	----	----	116.50B/109.90A	116.50B/109.90A	----	----	109.70 - 1.10	.2278	----	----	----	----	93	UNCH
4160	----	----	----	119.30B/112.30A	119.30B/112.30A	----	----	112.20 - 1.00	.2321	----	----	----	----	252	UNCH
4170	----	----	----	121.80B/114.80A	121.80B/114.80A	----	----	114.70 - 1.10	.2363	----	----	----	----	2	UNCH
4175	----	----	----	123.30B/116.10A	123.30B/116.10A	----	----	116.00 - 1.00	.2384	----	----	----	----	60	UNCH
4200	124.00	124.00	----	130.30B/122.70A	130.30B/122.70A	----	----	122.60 - 1.00	.2493	----	----	40	----	1321 +	15
4215	----	----	----	134.70B/126.80A	134.70B/126.80A	----	----	126.80 - 0.80	.2560	----	----	----	----	14	UNCH
4230	----	----	----	139.10B/131.10A	139.10B/131.10A	----	----	131.00 - 0.80	.2628	----	----	----	----	150	UNCH
4250	----	----	----	145.30B/136.90A	145.30B/136.90A	----	----	136.90 - 0.60	.2720	----	----	----	----	344	UNCH
4265	----	----	----	150.00B/141.30A	150.00B/141.30A	----	----	141.50 - 0.50	.2791	----	----	----	----	10	UNCH
4300	155.00	155.00	----	161.80B/152.30A	161.80B/152.30A	----	----	152.60 - 0.10	.2958	----	----	430	----	2570 +	206
4320	----	----	----	168.60B/158.90A	168.60B/158.90A	----	----	159.30 + 0.10	.3057	----	----	----	----	100	UNCH
4325	----	----	----	170.30B/160.60A	170.30B/160.60A	----	----	161.00 + 0.20	.3081	----	----	----	----	559	UNCH
4340	----	----	----	175.90B/165.70A	175.90B/165.70A	----	----	166.20 + 0.40	.3156	----	----	----	----	82	UNCH
4350	----	----	----	179.50B/----	179.50B/169.30A	----	----	169.70 + 0.50	.3206	----	----	----	----	151	UNCH
4365	----	----	----	185.20B/----	185.20B/174.50A	----	----	175.00 + 0.60	.3282	----	----	----	----	390	UNCH
4375	----	----	----	189.00B/----	189.00B/178.20A	----	----	178.70 + 0.70	.3333	----	----	----	----	6	UNCH
4385	----	----	----	192.90B/----	192.90B/181.90A	----	----	182.30 + 0.70	.3384	----	----	----	----	75	UNCH
4390	----	----	----	194.80B/----	194.80B/183.80A	----	----	184.20 + 0.80	.3410	----	----	----	----	200	UNCH
4400	----	----	----	198.60B/----	198.60B/187.50A	----	----	188.00 + 0.90	.3462	----	----	----	----	290	UNCH
4425	----	----	----	209.00B/----	209.00B/197.30A	----	----	197.60 + 1.00	.3592	----	----	----	----	9	UNCH
4430	----	----	----	211.00B/----	211.00B/199.20A	----	----	199.50 + 1.00	.3618	----	----	----	----	10	UNCH
4435	----	----	----	213.10B/----	213.10B/201.30A	----	----	201.50 + 1.10	.3644	----	----	----	----	14	UNCH
4450	----	----	----	219.50B/----	219.50B/207.30A	----	----	207.50 + 1.10	.3724	----	----	----	----	260	UNCH
4470	----	----	----	228.40B/----	228.40B/215.70A	----	----	215.70 + 1.20	.3830	----	----	----	----	1	UNCH
4475	----	----	----	230.60B/----	230.60B/217.80A	----	----	217.80 + 1.20	.3857	----	----	----	----	9	UNCH
4480	----	----	----	232.40B/----	232.40B/219.90A	----	----	219.90 NEW	.3884	----	----	1	----	1	+
4500	----	----	----	241.90B/----	241.90B/228.60A	----	----	228.50 + 1.40	.3992	----	----	1	----	1210 +	1
4510	----	----	----	246.60B/----	246.60B/233.00A	----	----	232.90 + 1.40	.4046	----	----	----	----	2	UNCH
4515	----	----	----	248.90B/----	248.90B/235.20A	----	----	235.10 + 1.40	.4074	----	----	----	----	247	UNCH
4520	----	----	----	251.30B/----	251.30B/237.50A	----	----	237.30 + 1.40	.4101	----	----	----	----	25	UNCH
4525	----	----	----	253.30B/----	253.30B/239.40A	----	----	239.50 + 1.40	.4128	----	----	----	----	220	UNCH
4530	----	----	----	255.40B/----	255.40B/241.50A	----	----	241.80 + 1.50	.4155	----	----	----	----	20	UNCH
4535	----	----	----	258.40B/----	258.40B/243.80A	----	----	244.10 + 1.50	.4183	----	----	----	----	102	UNCH
4540	----	----	----	260.90B/----	260.90B/246.10A	----	----	246.40 + 1.60	.4210	----	----	----	----	9	UNCH
4550	----	----	----	265.80B/----	265.80B/250.50A	----	----	251.00 + 1.60	.4265	----	----	----	----	50	UNCH
4555	----	----	----	267.80B/----	267.80B/252.90A	----	----	253.30 + 1.60	.4292	----	----	----	----	50	UNCH
4580	----	----	----	280.60B/----	280.60B/264.60A	----	----	265.30 + 1.80	.4430	----	----	----	----	50	UNCH
4585	----	----	----	283.40B/----	283.40B/266.90A	----	----	267.70 + 1.80	.4458	----	----	----	----	325	UNCH
4600	----	----	----	291.10B/----	291.10B/274.20A	----	----	275.10 + 1.90	.4541	----	----	----	----	855	UNCH
4610	----	----	----	296.10B/----	296.10B/279.40A	----	----	280.20 + 2.10	.4596	----	----	----	----	3	UNCH
4620	----	----	----	301.50B/----	301.50B/284.20A	----	----	285.30 + 2.20	.4652	----	----	----	----	50	UNCH
4625	----	----	----	304.40B/----	304.40B/286.90A	----	----	287.90 + 2.30	.4679	----	----	----	----	3	UNCH
4630	----	----	----	307.10B/----	307.10B/289.30A	----	----	290.50 + 2.40	.4707	----	----	----	----	3	UNCH
4640	----	----	----	312.60B/----	312.60B/294.40A	----	----	295.70 + 2.50	.4762	----	----	3	----	104 +	3
4650	----	----	----	318.00B/----	318.00B/299.60A	----	----	301.00 + 2.60	.4817	----	----	----	----	116	UNCH
4655	----	----	----	320.70B/----	320.70B/302.20A	----	----	303.70 + 2.70	.4844	----	----	----	----	1	UNCH
4660	----	----	----	323.60B/----	323.60B/304.80A	----	----	306.40 + 2.80	.4872	----	----	----	----	46	UNCH
4665	----	----	----	325.90B/----	325.90B/307.40A	----	----	309.10 + 2.90	.4899	----	----	----	----	10	UNCH
4675	----	----	----	331.60B/----	331.60B/312.70A	----	----	314.60 + 3.10	.4954	----	----	----	----	60	UNCH
4680	----	----	----	334.40B/----	334.40B/315.40A	----	----	317.40 + 3.20	.4981	----	----	----	----	511	UNCH
4700	----	----	----	346.30B/----	346.30B/326.60A	----	----	328.70 + 3.70	.5090	----	----	----	----	1	UNCH
4710	----	----	----	350.50B/----	350.50B/333.40A	----	----	334.40 + 3.90	.5144	----	----	----	----	1	UNCH
4715	----	----	----	353.50B/----	353.50B/336.40A	----	----	337.30 + 4.00	.5171	----	----	----	----	15	UNCH
4725	----	----	----	359.40B/----	359.40B/342.00A	----	----	343.10 + 4.20	.5224	----	----	----	----	127	UNCH
4750	----	----	----	374.50B/----	374.50B/356.30A	----	----	357.90 + 4.60	.5357	----	----	----	----	63	UNCH
4790	----	----	----	399.30B/----	399.30B/380.30A	----	----	382.20 + 5.10	.5568	----	----	----	----	60	UNCH
4795	----	----	----	402.50B/----	402.50B/383.30A	----	----	385.30 + 5.20	.5593	----	----	----	----	1	UNCH
4800	----	----	----	405.80B/----	405.80B/386.40A	----	----	388.40 + 5.30	.5619	----	----	----	----	348	UNCH
4810	----	----	----	412.00B/----	412.00B/392.50A	----	----	394.70 + 5.50	.5671	----	----	----	----	56	UNCH
4815	----	----	----	415.20B/----	415.20B/395.70A	----	----	397.90 + 5.60	.5697	----	----	----	----	10	UNCH
4820	----	----	----	418.60B/----	418.60B/398.80A	----	----	401.00 + 5.70	.5723	----	----	----	----	20	UNCH
4825	----	----	----	421.80B/----	421.80B/401.80A	----	----	404.20 + 5.80	.5748	----	----	----	----	112	UNCH
4830	----	----	----	425.00B/----	425.00B/404.90A	----	----	407.40 + 5.90	.5774	----	----	----	----	6	UNCH
4835	----	----	----	428.20B/----	428.20B/408.20A	----	----	410.60 + 6.00	.5799	----	----	----	----	125	UNCH
4850	----	----	----	438.20B/----	438.20B/417.70A	----	----	420.20 + 6.30	.5875	----	----	----	----	13	UNCH
4875	----	----	----	455.00B/----	455.00B/433.90A	----	----	436.60 + 6.90	.6000	----	----	----	----	16	UNCH
4880	----	----	----	458.20B/----	458.20B/437.20A	----	----	439.90 + 6.90	.6025	----	----	----	----	12	UNCH
4900	----	----	----	472.00B/----	472.00B/450.20A	----	----	453.20 + 7.30	.6124	----	----	----	----	110	UNCH
4925	----	----	----	489.40B/----	489.40B/467.00A	----	----	470.10 + 7.50	.6245	----	----	----	----	237	UNCH
4930	----	----	----	492.90B/----	492.90B/470.50A	----	----	473.50 + 7.60	.6269	----	----	----	----	1	UNCH
4935	----	----	----	496.40B/----	496.40B/473.90A	----	----	477.00 + 7.70	.6293	----	----	----	----	2	UNCH
4940	----	----	----	500.00B/----	500.00B/477.40A	----	----	480.40 + 7.70	.6317	----	----	----	----	29	UNCH
4950	----	----	----	507.10B/----	507.10B/484.20A	----	----	487.30 + 7.70	.6364	----	----	----	----	24	UNCH
4975	----	----	----	525.10B/----	525.10B/501.50A	----	----	504.90 + 7.90	.6481	----	----	----	----	43	UNCH
4980	----	----	----	528.60B/----	528.60B/505.30A	----	----	508.40 + 7.90	.6504	----					

PG64		BULLETIN # 98@										METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT		COMEX GOLD OPTIONS																						
JAN27																								
4070	----	----	----	----	108.10B/103.20A	108.10B/103.20A	----	----	----	103.40 - 0.90	.1994	----	----	----	----	----	1	UNCH						
4100	----	----	----	----	115.20B/109.80A	115.20B/109.80A	----	----	----	110.10 - 0.80	.2101	----	----	----	----	----	8	UNCH						
4200	----	----	----	----	141.70B/134.70A	141.70B/134.70A	----	----	----	135.40 - 0.30	.2485	----	----	----	----	----	3	UNCH						
4350	----	----	----	----	190.70B/181.20A	190.70B/181.20A	----	----	----	181.90 + 0.50	.3131	----	----	----	----	----	1	UNCH						
4400	----	----	----	----	210.00B/----	210.00B/199.40A	----	----	----	199.80 + 0.80	.3362	----	----	----	----	----	1	UNCH						
4425	----	----	----	----	219.80B/----	219.80B/208.90A	----	----	----	209.30 + 1.00	.3480	----	----	----	----	1500	UNCH							
4500	----	----	----	----	251.60B/----	251.60B/239.60A	----	----	----	239.70 + 1.50	.3842	----	----	----	----	3	UNCH							
4585	----	----	----	----	291.10B/----	291.10B/278.00A	----	----	----	278.00 + 2.20	.4264	----	----	----	----	1	UNCH							
4600	----	----	----	----	299.00B/----	299.00B/285.20A	----	----	----	285.10 + 2.30	.4339	----	----	----	----	3	UNCH							
4610	----	----	----	----	304.10B/----	304.10B/289.30A	----	----	----	290.00 + 2.40	.4389	----	----	----	----	1	UNCH							
4620	----	----	----	----	309.10B/----	309.10B/294.10A	----	----	----	294.90 + 2.50	.4440	----	----	----	----	1	UNCH							
4630	----	----	----	----	314.30B/----	314.30B/299.00A	----	----	----	299.80 + 2.60	.4490	----	----	----	----	1	UNCH							
4660	----	----	----	----	330.00B/----	330.00B/314.00A	----	----	----	315.10 + 2.90	.4641	----	----	----	----	4	UNCH							
4665	----	----	----	----	332.80B/----	332.80B/316.50A	----	----	----	317.70 + 3.00	.4666	----	----	----	----	4	UNCH							
4710	----	----	----	----	355.50B/----	355.50B/340.00A	----	----	----	341.60 + 3.40	.4891	----	----	----	----	4	UNCH							
4760	----	----	----	----	384.20B/----	384.20B/369.40A	----	----	----	369.60 + 4.10	.5139	----	----	----	----	100	UNCH							
4800	----	----	----	----	408.10B/----	408.10B/392.70A	----	----	----	392.90 + 4.60	.5334	----	----	----	----	6	UNCH							
4820	----	----	----	----	420.30B/----	420.30B/404.60A	----	----	----	405.00 + 4.90	.5430	----	----	----	----	6	UNCH							
4860	----	----	----	----	445.60B/----	445.60B/428.90A	----	----	----	429.60 + 5.40	.5620	----	----	----	----	1	UNCH							
4960	----	----	----	----	511.40B/----	511.40B/493.30A	----	----	----	494.90 + 6.90	.6076	----	----	----	----	42	UNCH							
4980	----	----	----	----	525.40B/----	525.40B/506.70A	----	----	----	508.60 + 7.30	.6163	----	----	----	----	10	UNCH							
4990	----	----	----	----	532.40B/----	532.40B/513.50A	----	----	----	515.50 + 7.40	.6207	----	----	----	----	1	UNCH							
4995	----	----	----	----	535.90B/----	535.90B/516.90A	----	----	----	519.00 + 7.50	.6229	----	----	----	----	1	UNCH							
5000	----	----	----	----	539.40B/----	539.40B/520.30A	----	----	----	522.40 + 7.50	.6250	----	----	----	----	2	UNCH							
5050	----	----	----	----	575.30B/----	575.30B/555.20A	----	----	----	557.80 + 8.30	.6459	----	----	----	----	100	UNCH							
5085	----	----	----	----	601.00B/----	601.00B/580.20A	----	----	----	583.20 + 8.80	.6601	----	----	----	----	2	UNCH							
5150	----	----	----	----	650.00B/----	650.00B/627.80A	----	----	----	631.70 + 9.60	.6852	----	----	----	----	2	UNCH							
5235	----	----	----	----	----	566.90B/830.30A	----	----	----	697.50 + 10.60	.7157	----	----	----	----	2	UNCH							
5245	----	----	----	----	----	574.80B/838.20A	----	----	----	705.40 + 10.70	.7191	----	----	----	----	2	UNCH							
5300	----	----	----	----	----	618.90B/881.90A	----	----	----	749.50 + 11.30	.7371	----	----	----	----	44	UNCH							
TOTAL																1930	0							
FEB27																								
2800	----	----	----	----	----	5.10B/11.10A	----	----	----	5.40 - 0.30	.0125	----	----	----	----	4	UNCH							
3400	28.40	28.40	----	----	28.40/*28.40	28.40/28.40	----	----	----	27.50 NEW	.0578	----	----	10	+	10	UNCH							
4000	----	----	----	----	105.90B/102.40A	105.90B/102.40A	----	----	----	100.80 - 2.50	.1854	----	----	----	----	4	UNCH							
4070	----	----	----	----	122.10B/117.40A	122.10B/117.40A	----	----	----	116.50 - 2.00	.2089	----	----	----	----	2	UNCH							
4200	----	----	----	----	157.80B/150.90A	157.80B/150.90A	----	----	----	150.70 - 1.30	.2570	----	----	----	50	UNCH								
4300	----	----	----	----	190.40B/181.90A	190.40B/181.90A	----	----	----	181.40 - 1.30	.2974	----	----	----	1	UNCH								
4500	----	----	----	----	270.60B/----	270.60B/258.60A	----	----	----	256.60 - 1.60	.3862	----	----	----	2	UNCH								
4600	----	----	----	----	318.50B/----	318.50B/304.00A	----	----	----	302.10 - 1.30	.4334	----	----	----	17	UNCH								
4650	----	----	----	----	344.50B/----	344.50B/328.70A	----	----	----	327.00 - 0.90	.4572	----	----	----	1	UNCH								
4655	----	----	----	----	347.20B/----	347.20B/331.20A	----	----	----	329.50 - 0.90	.4596	----	----	----	1	UNCH								
4660	----	----	----	----	348.10B/----	348.10B/333.90A	----	----	----	332.10 - 0.80	.4620	----	----	----	435	UNCH								
4665	----	----	----	----	348.90B/----	348.90B/336.30A	----	----	----	334.70 - 0.70	.4644	----	----	----	3	UNCH								
4680	----	----	----	----	357.00B/----	357.00B/343.90A	----	----	----	342.60 - 0.50	.4715	----	----	----	3	UNCH								
4750	----	----	----	----	396.40B/----	396.40B/384.70A	----	----	----	381.20 + 0.70	.5044	----	----	----	1	UNCH								
4755	----	----	----	----	399.30B/----	399.30B/387.50A	----	----	----	384.00 + 0.70	.5067	----	----	----	1	UNCH								
4775	----	----	----	----	411.10B/----	411.10B/398.90A	----	----	----	395.60 + 1.10	.5160	----	----	----	1	UNCH								
4785	----	----	----	----	417.10B/----	417.10B/404.70A	----	----	----	401.50 + 1.40	.5206	----	----	----	100	UNCH								
4800	----	----	----	----	425.90B/----	425.90B/413.40A	----	----	----	410.40 + 1.70	.5275	----	----	----	60	UNCH								
4805	----	----	----	----	429.20B/----	429.20B/416.40A	----	----	----	413.30 + 1.70	.5298	----	----	----	2	UNCH								
4835	----	----	----	----	447.70B/----	447.70B/434.20A	----	----	----	431.50 + 2.30	.5434	----	----	----	1	UNCH								
4840	----	----	----	----	450.80B/----	450.80B/437.20A	----	----	----	434.60 + 2.40	.5456	----	----	----	1	UNCH								
4845	----	----	----	----	454.00B/----	454.00B/440.30A	----	----	----	437.70 + 2.60	.5478	----	----	----	3	UNCH								
4855	----	----	----	----	460.30B/----	460.30B/446.40A	----	----	----	443.80 + 2.60	.5523	----	----	----	3	UNCH								
4900	----	----	----	----	489.30B/----	489.30B/474.40A	----	----	----	472.30 + 3.50	.5722	----	----	----	4	UNCH								
4905	----	----	----	----	492.60B/----	492.60B/477.40A	----	----	----	475.50 + 3.50	.5744	----	----	----	4	UNCH								
4950	----	----	----	----	522.60B/----	522.60B/506.70A	----	----	----	504.90 + 4.20	.5937	----	----	----	1	UNCH								
4955	----	----	----	----	525.90B/----	525.90B/509.90A	----	----	----	508.20 + 4.20	.5958	----	----	----	1	UNCH								
5000	----	----	----	----	556.80B/----	556.80B/540.00A	----	----	----	538.70 + 4.90	.6146	----	----	----	10	UNCH								
5005	----	----	----	----	560.30B/----	560.30B/543.40A	----	----	----	542.20 + 5.00	.6166	----	----	----	2	UNCH								
5050	----	----	----	----	592.20B/----	592.20B/574.40A	----	----	----	573.60 + 5.50	.6346	----	----	----	4	UNCH								
5055	----	----	----	----	595.80B/----	595.80B/578.00A	----	----	----	577.20 + 5.60	.6366	----	----	----	4	UNCH								
5100	----	----	----	----	628.60B/----	628.60B/609.90A	----	----	----	609.60 + 6.20	.6540	----	----	----	2	UNCH								
5150	----	----	----	----	665.90B/----	665.90B/646.40A	----	----	----	646.60 + 6.80	.6724	----	----	----	1	UNCH								
5175	----	----	----	----	684.90B/----	684.90B/664.80A	----	----	----	665.50 + 7.10	.6813	----	----	----	125	UNCH								
5200	----	----	----	----	704.10B/----	704.10B/683.40A	----	----	----	684.60 + 7.40	.6900	----	----	----	1	UNCH								
5250	----	----	----	----	731.70B/----	731.70B/721.70A	----	----	----	723.40 + 8.00	.7068	----	----	----	10	UNCH								
5355	----	----	----	----	----	658.30B/962.40A	----	----	----	807.40 + 9.00	.7394	----	----	----	1	UNCH								
5520	----	----	----	----	----	795.90B/1099.90A	----	----	----	945.40 + 10.40	.7837	----	----	----	300	UNCH								
5530	----	----	----	----	----	804.50B/1108.50A	----	----	----	954.00 + 10.50	.7861	----	----	----	100	UNCH								
5550	----	----	----	----	----	821.70B/1125.70A	----	----	----	971.20 + 10.60	.7910	----	----	----	65	UNCH								
5565	----	----	----	----	----	834.70B/1138.60A	----	----	----	984.10 + 10.70	.7944	----	----	----	50	UNCH								
TOTAL																10	1391+	10						
MAR27																								
3600	----	----	----	----	----	45.80B/50.90A	----	----	----	47.40 - 2.70	.0904	----	----	----	----	525	UNCH							
3750	----	----	----	----	68.00B/----	68.00B/68.40A	----	----	----	64.60 - 3.30	.1195	----	----	----	----	10	UNCH							
3850	----	----	----	----	83.40B/82.60A	83.40B/82.60A	----	----	----	79.20 - 3.60	.1429	----	----	----	----	21	UNCH							
3900	----	----	----	----	92.30B/90.80A	92.30B/90.80A	----	----	----	87.60 - 3.80	.1559	----	----	----	----	11	UNCH							
4000	----	----	----	----	112.60B/109.90A	112.60B/109.90A	----	----	----	106.80 - 3.90	.1845	----	----	----	----	6	UNCH							
4070	----	----	----	----	128.90B/125.30A	128.90B/125.30A	----	----	----	122.40 - 3.90	.2066	----	----	----	----	2	UNCH							
4200	----	----	----	----	164.30B/159.30A	164.30B/159.30A	----	----	----	156.20 - 3.80	.2517	----	----	----	525	UNCH								
4325	----	----	----	----	205.10B/198.40A	205.10B/198.40A	----	----	----	195.50 - 3.40	.2998	----	----	----	10	UNCH								
4370	----	----	----	----	221.40B/214.30A	221.40B/214.30A	----	----	----	211.40 - 3.10	.3181	----	----	----	250	UNCH								
4500	----	----	----	----	274.40B/----	274.40B/265.40A	----	----	----	262.70 - 2.10	.3732	----	----	----	6	UNCH								
4525	----	----	----	----	284.20B/----	284.20B/276.20A	----	----	----	273.50 - 1.80	.3841	----	----	----	11	UNCH								
4650	----	----	----	----	344.60B/332.30A	344.60B/332.30A	----	----	----	331.90 - 0.60	.4394	----	----	----	2	UNCH								
4660	----	----	----	----	347.50B/337.20A	347.50B/337.20A	----	----	----	336.80 - 0.60	.4438	----	----	----	24	UNCH								
4680	----	----	----	----	356.60B/347.20A	356.60B/347.20A	----	----	----	346.90 - 0.50	.4528	----	----	----	1	UNCH								
4710	----	----	----	----	372.60B/----	372.60B/365.80A	----	----	----	362.40 - 0.20	.4661	----	----	----	4	UNCH								
4720	----	----	----	----	378.00B/----	378.00B/371.10A	----	----	----	367.70 - 0.10	.4706	----	----	----										

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
JUN26															
1995	----	----	----	----	2451.90B/2600.80A	----	----	2528.20	- 19.30	1.0000	200	----	----	0	UNCH
2000	----	----	----	----	2447.00B/2595.80A	----	----	2523.20	- 19.30	1.0000	5642	5733	----	422	UNCH
2005	----	----	----	----	2442.00B/2590.80A	----	----	2518.20	- 19.30	1.0000	200	200	----	0	UNCH
2795	----	----	----	----	1653.90B/1798.80A	----	----	1728.20	- 19.30	1.0000	300	300	----	0	UNCH
2800	----	----	----	----	1649.00B/1793.80A	----	----	1723.20	- 19.30	1.0000	1501	1801	----	510	UNCH
2805	----	----	----	----	1644.00B/1788.80A	----	----	1718.20	- 19.30	1.0000	300	300	----	0	UNCH
3000	----	----	----	----	1449.50B/1593.30A	----	----	1523.20	- 19.30	1.0000	641	641	----	0	UNCH
3395	----	----	----	----	1055.50B/1197.30A	----	----	1128.20	- 19.30	1.0000	400	400	----	0	UNCH
3400	----	----	----	----	1050.50B/1192.30A	----	----	1123.20	- 19.30	1.0000	1836	2646	----	615	UNCH
3405	----	----	----	----	1045.50B/1187.30A	----	----	1118.20	- 19.30	1.0000	400	400	----	0	UNCH
3500	----	----	----	----	950.70B/1092.00A	----	----	1023.20	- 19.30	1.0000	----	----	----	30	UNCH
3525	----	----	----	----	925.80B/1067.00A	----	----	998.20	- 19.30	1.0000	----	----	----	1	UNCH
3550	----	----	----	----	900.90B/1041.90A	----	----	973.20	- 19.30	1.0000	----	----	----	1	UNCH
3585	----	----	----	----	866.00B/1006.80A	----	----	938.20	- 19.30	1.0000	6	6	----	100	UNCH
3600	----	----	----	-----/902.90A	888.00B/902.90A	----	----	923.20	- 19.30	1.0000	2	2	----	26	UNCH
3635	----	----	----	----	816.10B/956.70A	----	----	888.20	- 19.30	1.0000	1	1	----	0	UNCH
3650	----	----	----	-----/852.40A	877.70B/852.40A	----	----	873.20	- 19.30	1.0000	1	1	----	53	UNCH
3700	----	----	----	-----/798.30A	829.20B/798.30A	----	----	823.20	- 19.30	1.0000	----	----	----	240	UNCH
3715	----	----	----	----	736.40B/876.50A	----	----	808.20	- 19.30	1.0000	----	----	----	0	UNCH
3725	----	----	----	----	726.40B/866.50A	----	----	798.20	- 19.30	1.0000	----	----	----	0	UNCH
3750	----	----	----	----	780.60B/747.70A	----	----	773.20	- 19.30	1.0000	992	----	----	1	-
3755	----	----	----	----	772.70B/747.40A	----	----	768.20	- 19.30	1.0000	----	----	----	15	UNCH
3785	----	----	----	----	742.70B/717.40A	----	----	738.20	- 19.30	1.0000	9	----	----	0	-
3790	----	----	----	----	661.60B/801.40A	----	----	733.20	- 19.30	1.0000	----	----	----	0	UNCH
3800	709.40	709.40	709.40	697.70A	709.40/697.70A	730.50B/697.70A	----	723.20	- 19.30	1.0000	6	1	----	475	-
3835	----	----	----	----	616.80B/756.50A	----	----	688.20	- 19.30	9999	----	----	----	0	UNCH
3840	----	----	----	----	611.80B/751.50A	----	----	683.20	- 19.30	9999	----	----	----	0	UNCH
3850	----	----	----	----	679.20B/648.40A	----	----	673.20	- 19.30	9998	----	----	----	96	UNCH
3875	----	----	----	----	652.80B/627.80A	----	----	648.30	- 19.30	9992	----	----	----	60	UNCH
3895	----	----	----	----	556.90B/696.90A	----	----	628.30	- 19.30	9986	----	----	----	1	UNCH
3900	----	----	----	----	629.50B/598.40A	----	----	623.40	- 19.20	9986	----	----	----	227	UNCH
3925	----	----	----	----	603.50B/577.50A	----	----	598.40	- 19.20	9985	4	----	----	0	-
3950	----	----	----	----	578.50B/552.50A	----	----	573.40	- 19.30	9985	----	----	----	12	UNCH
3975	----	----	----	----	554.70B/523.50A	----	----	548.40	- 19.30	9978	----	----	----	99	UNCH
3990	----	----	----	----	461.50B/602.70A	----	----	533.50	- 19.20	9977	----	----	----	1	UNCH
3995	----	----	----	----	533.60B/507.60A	----	----	528.50	- 19.20	9977	----	----	----	5	UNCH
4000	517.00	517.00	517.00	498.10A	517.00/498.10A	530.80B/498.10A	----	523.50	- 19.20	9977	151	1	----	560	-
4005	----	----	----	----	523.60B/497.60A	----	----	518.50	- 19.20	9977	----	----	----	10	UNCH
4010	----	----	----	----	441.40B/582.90A	----	----	513.50	- 19.20	9977	----	----	----	1	UNCH
4020	----	----	----	----	431.40B/573.00A	----	----	503.50	- 19.20	9976	----	----	----	2	UNCH
4025	----	----	----	----	503.70B/477.60A	----	----	498.50	- 19.20	9970	----	----	----	51	UNCH
4030	----	----	----	----	421.30B/563.20A	----	----	493.50	- 19.30	9969	----	----	----	1	UNCH
4040	----	----	----	----	411.20B/553.30A	----	----	483.60	- 19.20	9969	----	----	----	1	UNCH
4050	462.20	462.20	462.20	448.60A	462.20/448.60A	479.80B/448.60A	----	473.60	- 19.20	9968	----	25	----	183	-
4060	----	----	----	----	468.80B/439.70A	----	----	463.60	- 19.20	9967	----	----	----	25	UNCH
4070	----	----	----	----	458.80B/432.70A	----	----	453.60	- 19.20	9966	----	----	----	10	UNCH
4075	----	----	----	----	453.80B/427.70A	----	----	448.60	- 19.30	9959	----	----	----	64	UNCH
4090	----	----	----	----	438.90B/412.70A	----	----	433.70	- 19.20	9958	----	----	----	34	UNCH
4100	----	----	----	----	431.10B/398.50A	----	----	423.80	- 19.10	9950	----	----	----	682	UNCH
4105	----	----	----	----	423.90B/394.80A	----	----	418.80	- 19.20	9949	----	----	----	50	UNCH
4110	----	----	----	----	340.60B/484.70A	----	----	413.80	- 19.20	9949	----	----	----	2	UNCH
4115	----	----	----	----	413.90B/387.80A	----	----	408.80	- 19.20	9948	----	----	----	5	UNCH
4125	----	----	----	----	405.00B/373.80A	----	----	398.90	- 19.20	9940	----	----	----	95	UNCH
4135	374.80	374.80	374.80	367.90A	374.80/367.90A	394.00B/367.90A	----	388.90	- 19.20	9938	----	10	----	16	UNCH
4145	----	----	----	----	305.00B/450.80A	----	----	379.00	- 19.20	9929	----	----	----	1	UNCH
4150	354.60	354.60	354.60	345.00A	354.60/345.00A	381.20B/345.00A	----	374.00	- 19.20	9928	----	1	----	263	UNCH
4155	----	----	----	----	374.10B/347.90A	----	----	369.00	- 19.30	9927	----	----	----	5	UNCH
4170	----	----	----	----	359.10B/325.40A	----	----	354.10	- 19.30	9916	----	----	----	51	UNCH
4175	----	----	----	----	354.20B/320.30A	----	----	349.10	- 19.30	9915	----	----	----	62	UNCH
4195	----	----	----	----	254.00B/402.80A	----	----	329.20	- 19.40	9902	----	----	----	1	UNCH
4200	317.50	317.50	317.50	295.10A	317.50/295.10A	334.50B/295.10A	----	324.30	- 19.30	9892	----	91	----	2032	-
4210	309.40	309.40	309.40	285.20A	309.40/285.20A	324.60B/285.20A	----	314.40	- 19.30	9880	----	98	----	1529	-
4220	----	----	----	----	324.20B/274.60A	----	----	304.50	- 19.40	9876	----	----	----	84	UNCH
4225	----	----	----	----	319.30B/269.90A	----	----	299.50	- 19.40	9866	----	----	----	15	UNCH
4235	----	----	----	----	309.40B/260.00A	----	----	289.60	- 19.40	9861	----	----	----	6	UNCH
4240	----	----	----	----	304.70B/255.10A	----	----	284.60	- 19.50	9850	----	----	----	53	UNCH
4245	260.60	260.60	260.60	249.90A	260.60/249.90A	299.60B/249.90A	----	279.60	- 19.60	9848	----	1	----	263	UNCH
4250	----	----	----	----	294.80B/245.20A	----	----	274.70	- 19.60	9836	----	----	----	933	-
4255	----	----	----	----	289.80B/240.30A	----	----	269.70	- 19.60	9833	----	----	----	6	UNCH
4260	----	----	----	----	284.80B/235.40A	----	----	264.80	- 19.60	9821	----	----	----	1	UNCH
4265	----	----	----	----	280.00B/230.20A	----	----	259.80	- 19.70	9818	----	----	----	87	UNCH
4270	----	----	----	----	274.90B/225.30A	----	----	254.90	- 19.70	9805	----	----	----	10	UNCH
4280	----	----	----	----	265.10B/215.70A	----	----	245.00	- 19.80	9788	----	----	----	1	UNCH
4285	----	----	----	----	260.20B/210.80A	----	----	240.10	- 19.80	9774	----	----	----	1	UNCH
4300	205.30	205.30	205.30	195.90A	205.30/195.90A	245.60B/195.90A	----	225.40	- 19.80	9741	----	25	----	2179	-
4305	----	----	----	----	240.70B/191.20A	----	----	220.50	- 19.80	9725	----	----	----	1	UNCH
4310	----	----	----	----	235.90B/186.40A	----	----	215.60	- 19.80	9710	----	----	----	23	UNCH
4315	----	----	----	----	232.00B/181.30A	----	----	210.70	- 19.80	9693	----	----	----	1	UNCH
4320	----	----	----	----	226.20B/176.70A	----	----	205.80	- 19.90	9676	----	----	----	63	UNCH
4325	----	----	----	----	221.30B/171.80A	----	----	200.90	- 19.90	9659	----	----	----	73	UNCH
4335	----	----	----	----	211.50B/162.00A	----	----	191.10	- 20.00	9622	----	----	----	13	UNCH
4340	----	----	----	----	206.80B/157.40A	----	----	186.20	- 20.10	9603	----	----	----	17	UNCH
4345	----	----	----	----	201.80B/152.40A	----	----	181.30	- 20.20	9583	----	----	----	2	UNCH
4350	----	----	----	----	197.00B/147.70A	----	----	176.40	- 20.30	9562	----	----	----	1457	UNCH
4355	----	----	----	----	192.20B/143.10A	----	----	171.50	- 20.40	9530	----	----	----	129	UNCH
4360	----	----	----	----	187.40B/138.40A	----	----	166.60	- 20.50	9507	----	----	----	42	UNCH
4365	----	----	----	----	182.70B/133.50A	----	----	161.80	- 20.50	9483	----	----	----	4	UNCH
4370	----	----	----	----	177.90B/128.80A	----	----	156.90	- 20.70	9447	----	----	----	3	UNCH
4375	----	----	----	----	173.30B/124.10A	----	----	152.10	- 20.70	9410	----	----	----	106	UNCH
4380	----	----	----	----	168.40B/119.50A	----	----	147.30	- 20.80	9383	----	----	----	341	UNCH
4385	----	----	----	----	163.70B/114.90A	----	----	142.50	- 20.90	9343	----	----	----	4	UNCH
4390	----	----	----	----	159.20B/110.50A	----	----	137.70	- 21.00	9301	----	----	----	16	UNCH
4395	----	----	----	----	154.40B/105.80A	----	----	132.90	- 21.10	9246	----	----	----	10	UNCH
4400	----	----	----	----	149.70B/101.30A	----	----	128.20	- 21.10	9201	----	4	----	1484	-
4405	----	----	----	----	145.10B/96.80A	----	----	123.50	- 21.20	9142	----	----	----	1	UNCH
4410	----	----	----	----											



BULLETIN # 98@		METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL	COMEX GOLD OPTIONS															
JUN26																
4620	6.30	6.30		6.30/*3.80A	13.00B/*3.80A	----	5.10	- 7.90	.0990	----	----	18	----	173	+	6
4625	7.70	7.70		7.70/*3.60	12.00B/*3.60	----	4.70	- 7.40	.0904	----	----	52	----	745	-	245
4630	----	----		-----/*3.30A	11.00B/*3.30A	----	4.40	- 6.80	.0834	----	----	370	----	417	+	349
4635	9.90	9.90		9.90/*3.10A	10.10B/*3.10A	----	4.10	- 6.20	.0767	----	----	26	----	179	+	UNCH
4640	6.60	6.60		6.60/*3.00A	9.30B/*3.00A	----	3.80	- 5.80	.0703	----	----	17	----	70	+	6
4645	5.70	5.70		5.70/*2.80A	8.70B/*2.80A	----	3.50	- 5.30	.0641	----	----	14	----	30	-	1
4650	7.60	7.60		7.60/*2.60	8.10B/*2.60	----	3.30	- 4.90	.0595	----	----	359	----	2964	+	121
4655	4.40	4.40		4.40/*2.50A	7.40B/*2.50A	----	3.10	- 4.50	.0550	----	----	13	----	100	+	2
4660	4.80	4.80		4.80/*2.30	6.80B/*2.30	----	2.90	- 4.20	.0508	----	----	60	----	165	+	1
4665	2.70	2.70		2.90/*2.20A	6.40B/*2.20A	----	2.70	- 3.90	.0467	----	----	16	----	70	+	4
4670	2.10	2.10		2.10/*2.10	5.80B/*2.10	----	2.60	- 3.50	.0441	----	----	16	----	172	+	1
4675	2.90	2.90		3.80/*2.00	5.40B/*2.00	----	2.40	- 3.30	.0402	----	----	26	----	732	-	2
4680	2.20	2.20		2.20/*1.90A	5.00B/*1.90A	----	2.30	- 3.00	.0378	----	----	3	----	256	+	2
4685	----	----		-----/*1.90A	4.70B/*1.90A	----	2.20	- 2.70	.0356	----	----	----	----	84	+	UNCH
4690	1.70	1.70		2.20/*1.70	4.40B/*1.70	----	2.10	- 2.50	.0334	----	----	559	----	935	+	500
4695	1.70	1.70		4.80B/*1.70	4.80B/*1.70	----	2.00	- 2.30	.0313	----	----	19	----	93	-	8
4700	3.70	3.70		3.70/*1.60A	3.80B/*1.60A	----	1.90	- 2.10	.0293	----	----	1349	----	4180	+	731
4705	2.60	2.60		2.60/*1.50A	3.60B/*1.50A	----	1.80	- 2.00	.0273	----	----	4	----	92	+	2
4710	1.60	1.60		1.80/*1.50A	3.30B/*1.50A	----	1.70	- 1.90	.0254	----	----	12	----	78	-	6
4715	2.00	2.00		2.00/*1.40A	3.10B/*1.40A	----	1.70	- 1.70	.0249	----	----	14	----	70	+	3
4720	1.80	1.80		1.80/*1.30A	2.90B/*1.30A	----	1.60	- 1.60	.0231	----	----	22	----	692	+	UNCH
4725	1.60	1.60		1.70/*1.30A	2.60B/*1.30A	----	1.50	- 1.50	.0214	----	----	28	----	368	-	11
4730	----	----		-----/*1.30A	2.50B/*1.30A	----	1.50	- 1.30	.0209	----	----	5	----	82	+	UNCH
4735	----	----		-----/*1.30A	2.30B/*1.30A	----	1.40	- 1.30	.0193	----	----	----	----	513	+	UNCH
4740	----	----		-----/*1.30A	2.20B/*1.30A	----	1.40	- 1.20	.0189	----	----	----	----	82	+	UNCH
4745	----	----		-----/*1.20A	2.00B/*1.20A	----	1.40	- 1.00	.0186	----	----	----	----	96	+	UNCH
4750	2.70	2.70		2.70/*1.20A	2.70/*1.20A	----	1.30	- 1.00	.0170	----	----	45	----	3092	-	13
4755	----	----		-----/*1.20A	1.80B/*1.20A	----	1.30	- 0.90	.0167	----	----	----	----	140	+	UNCH
4760	----	----		-----/*1.10A	1.70B/*1.10A	----	1.20	- 0.90	.0153	----	----	----	----	449	+	UNCH
4765	----	----		-----/*1.10A	2.00B/*1.10A	----	1.20	- 0.80	.0150	----	----	----	----	103	+	UNCH
4770	1.20	1.20		1.20/*1.00A	1.50B/*1.00A	----	1.20	- 0.70	.0147	----	----	6	----	152	+	6
4775	1.10	1.10		1.10/*1.10	1.40B/*1.10	----	1.20	- 0.60	.0145	----	----	3	----	249	+	UNCH
4780	1.20	1.20		1.20/*1.00A	1.30B/*1.00A	----	1.10	- 0.70	.0131	----	----	4	----	186	+	1
4785	----	----		-----/*1.00A	1.40B/*1.00A	----	1.10	- 0.60	.0129	----	----	----	----	93	+	UNCH
4790	----	----		-----/*0.90A	1.30B/*0.90A	----	1.10	- 0.50	.0127	----	----	----	----	133	+	UNCH
4795	----	----		-----/1.00A	1.20B/1.00A	----	1.10	- 0.50	.0125	----	----	----	----	74	+	UNCH
4800	1.80	1.80		2.00/*0.90	2.00/*0.90	----	1.00	- 0.50	.0113	----	----	423	----	5254	+	1
4805	1.00	1.00		1.00/*0.80A	1.10B/*0.80A	----	1.00	- 0.40	.0111	----	----	6	----	92	+	6
4810	----	----		-----/0.90A	1.10B/0.90A	----	1.00	- 0.40	.0109	----	----	----	----	92	+	UNCH
4815	----	----		-----/0.90A	1.00B/0.90A	----	1.00	- 0.30	.0108	----	----	2	----	63	+	UNCH
4820	----	----		-----/*0.80A	1.00B/*0.80A	----	0.90	- 0.40	.0096	----	----	----	----	293	+	UNCH
4825	----	----		-----/*0.80A	0.90B/*0.80A	----	0.90	- 0.30	.0095	----	----	----	----	730	+	UNCH
4830	----	----		-----/0.80A	0.90B/0.80A	----	0.90	- 0.30	.0093	----	----	----	----	299	+	UNCH
4835	1.10	1.10		1.10/*0.70A	1.10/*0.70A	----	0.90	- 0.20	.0092	----	----	1	----	44	+	UNCH
4840	----	----		-----/0.80A	0.80B/0.80A	----	0.80	- 0.30	.0081	----	----	----	----	221	+	UNCH
4845	----	----		-----/*0.70A	0.80B/*0.70A	----	0.80	- 0.30	.0080	----	----	----	----	62	+	UNCH
4850	0.90	0.90		0.90/0.70	0.90/0.70	----	0.80	- 0.20	.0079	----	----	117	----	2138	+	28
4855	1.00	1.00		1.00/0.70	1.00/0.70	----	0.70	- 0.30	.0068	----	----	7	----	434	+	UNCH
4860	----	----		-----/*0.60A	0.70B/*0.60A	----	0.70	- 0.30	.0068	----	----	----	----	194	+	UNCH
4865	0.70	0.70		0.70/*0.60A	0.70/*0.60A	----	0.70	- 0.20	.0067	----	----	2	----	89	+	UNCH
4870	0.70	0.70		0.70/*0.60A	0.70/*0.60A	----	0.70	- 0.20	.0066	----	----	5	----	62	+	4
4875	0.60	0.60		0.60/0.60	0.70B/0.60	----	0.70	- 0.20	.0065	----	----	21	----	363	+	19
4880	----	----		-----/0.60A	0.60B/0.60A	----	0.60	- 0.30	.0055	----	----	----	----	127	+	UNCH
4885	0.50	0.50		0.50/*0.50	0.60B/*0.50	----	0.60	- 0.20	.0055	----	----	2	----	211	+	UNCH
4890	----	----		-----/0.60A	0.60B/0.60A	----	0.60	- 0.20	.0054	----	----	----	----	337	+	UNCH
4895	----	----		-----/0.60A	0.60B/0.60A	----	0.60	- 0.20	.0053	----	----	----	----	440	+	UNCH
4900	0.40	0.40		0.60/*0.40	0.60/*0.40	----	0.60	- 0.20	.0053	----	----	34	----	3777	-	9
4905	----	----		-----/*0.50A	0.60B/*0.50A	----	0.50	- 0.30	.0043	----	----	----	----	51	+	UNCH
4910	0.40	0.40		0.40/*0.40	0.50B/*0.40	----	0.50	- 0.30	.0043	----	----	4	----	83	+	4
4915	----	----		-----/*0.50A	0.50B/*0.50A	----	0.50	- 0.20	.0042	----	----	----	----	334	+	UNCH
4920	----	----		-----/0.50A	0.50B/0.50A	----	0.50	- 0.20	.0042	----	----	----	----	259	+	UNCH
4925	0.50	0.50		0.50/0.50	0.50/0.50	----	0.50	- 0.20	.0041	----	----	1	----	230	+	UNCH
4930	----	----		-----/0.50A	0.50B/0.50A	----	0.50	- 0.20	.0041	----	----	----	----	259	+	UNCH
4935	----	----		-----/0.50A	0.50B/0.50A	----	0.50	- 0.20	.0040	----	----	----	----	125	+	UNCH
4940	0.50	0.50		0.50/0.50	0.50/0.50	----	0.50	- 0.20	.0040	----	----	2	----	804	+	UNCH
4945	0.50	0.50		0.50/0.50	0.50/0.50	----	0.40	- 0.20	.0032	----	----	1	----	390	+	UNCH
4950	0.50	0.50		0.50/0.50	0.50/0.50	----	0.40	- 0.20	.0031	----	----	2	----	1848	+	UNCH
4955	----	----		-----/0.50A	0.40B/0.50A	----	0.40	- 0.20	.0031	----	----	----	----	151	+	UNCH
4960	----	----		-----/*0.40A	0.40B/*0.40A	----	0.40	- 0.20	.0031	----	----	----	----	409	+	UNCH
4965	----	----		-----/*0.40A	0.40B/*0.40A	----	0.40	- 0.20	.0030	----	----	----	----	142	+	UNCH
4970	0.40	0.40		0.40/0.40	0.40/0.40	----	0.40	- 0.20	.0030	----	----	20	----	219	+	19
4975	0.40	0.40		0.40/0.40	0.40/0.40	----	0.40	- 0.20	.0030	----	----	7	----	513	+	7
4980	----	----		-----/0.40A	0.40B/0.40A	----	0.40	- 0.10	.0029	----	----	----	----	231	+	UNCH
4985	0.40	0.40		0.40/0.40	0.40/0.40	----	0.40	- 0.10	.0029	----	----	5	----	229	+	UNCH
4990	----	----		-----/0.40A	0.40B/0.40A	----	0.30	- 0.20	.0022	----	----	----	----	905	+	UNCH
4995	----	----		-----/*0.30A	0.40B/*0.30A	----	0.30	- 0.20	.0021	----	----	----	----	158	+	UNCH
5000	0.20	0.20		0.40/0.20	0.40/0.20	----	0.30	- 0.20	.0021	----	----	41	----	6095	-	12
5005	----	----		-----/*0.30A	0.30B/*0.30A	----	0.30	- 0.20	.0021	----	----	----	----	340	+	UNCH
5010	----	----		-----/*0.30A	0.30B/*0.30A	----	0.30	- 0.20	.0021	----	----	----	----	206	+	UNCH
5015	----	----		-----/*0.30A	0.30B/*0.30A	----	0.30	- 0.20	.0020	----	----	----	----	128	+	UNCH
5020	0.20	0.20		0.20/*0.20	0.30B/*0.20	----	0.30	- 0.20	.0020	----	----	12	----	584	+	12
5025	----	----		-----/*0.20A	0.30B/*0.20A	----	0.30	- 0.20	.0020	----	----	----	----	171	+	UNCH
5030	----	----		-----/0.20A	0.30B/0.20A	----	0.30	- 0.20	.0020	----	----	1	----	177	+	UNCH
5035	----	----		-----/*0.20A	0.30B/*0.20A	----	0.30	- 0.10	.0020	----	----	----	----	74	+	UNCH
5040	0.20	0.20		0.20/*0.20	0.30B/*0.20	----	0.30	- 0.10	.0020	----	----	1	----	273	+	1
5045	0.20	0.20		0.20/*0.20	0.30B/*0.20	----	0.30	- 0.10	.0019	----	----	1	----	178	+	UNCH
5050	0.20	0.20		0.20/*0.20	0.20/*0.20	----	0.20	- 0.20	.0013	----	----	1	----	1398	+	UNCH
5055	0.20	0.20		0.20/*0.20	0.20/*0.20	----	0.20	- 0.20	.0012	----	----	1	----	61	+	1
5060	0.30	0.30		0.30/*0.20	0.30/*0.20	----	0.20	- 0.20	.0012	----	----	2	----	143	+	1
5065	0.20	0.20		0.20/*0.20	0.20/*0.20	----	0.20	- 0.20	.0012	----	----	1	----	36	+	1
5070	----	----		-----/*0.20A	0.20B/*0.20A	----	0.20	- 0.20	.0012	----	----	----	----</			

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
JUL26															
4200	----	----	----	----/351.40A	397.00B/351.40A	----	----	376.20 - 21.50	.8797	----	----	----	----	9	UNCH
4215	----	----	----	----/338.20A	383.80B/338.20A	----	----	362.70 - 21.60	.8715	----	----	----	----	25	UNCH
4220	----	----	----	----/333.90A	379.10B/333.90A	----	----	358.30 - 21.50	.8688	----	----	----	----	1	UNCH
4225	----	----	----	----/329.80A	374.60B/329.80A	----	----	353.80 - 21.60	.8657	----	----	----	----	2	UNCH
4235	----	----	----	----/320.90A	365.50B/320.90A	----	----	345.00 - 21.50	.8597	----	----	----	----	1	UNCH
4240	----	----	----	----/316.80A	361.50B/316.80A	----	----	340.60 - 21.50	.8566	----	----	----	----	39	UNCH
4245	----	----	----	----/312.60A	357.00B/312.60A	----	----	336.20 - 21.60	.8534	----	----	----	----	1	UNCH
4250	----	----	----	----/308.30A	352.60B/308.30A	----	----	331.80 - 21.60	.8502	----	----	----	----	318	UNCH
4255	----	----	----	----/303.90A	348.20B/303.90A	----	----	327.50 - 21.60	.8467	----	----	----	----	1	UNCH
4265	----	----	----	----/295.60A	339.30B/295.60A	----	----	318.80 - 21.60	.8399	----	----	----	----	2	UNCH
4270	----	----	----	----/291.40A	335.60B/291.40A	----	----	314.50 - 21.60	.8363	----	----	----	----	38	UNCH
4275	----	----	----	----/287.30A	330.80B/287.30A	----	----	310.20 - 21.70	.8327	----	----	----	----	76	UNCH
4280	----	----	----	----/283.20A	326.70B/283.20A	----	----	306.00 - 21.60	.8291	----	----	----	----	3	UNCH
4300	----	----	----	----/266.90A	310.00B/266.90A	----	----	289.10 - 21.70	.8136	----	----	----	----	81	UNCH
4315	----	----	----	----/255.00A	297.30B/255.00A	----	----	276.70 - 21.60	.8010	----	----	----	----	21	UNCH
4325	----	----	----	----/247.20A	289.20B/247.20A	----	----	268.60 - 21.60	.7923	----	----	----	----	22	UNCH
4335	----	----	----	----/239.50A	281.20B/239.50A	----	----	260.50 - 21.60	.7833	----	----	----	----	17	UNCH
4350	----	----	----	----/228.20A	269.00B/228.20A	----	----	248.70 - 21.40	.7691	----	----	----	----	17	UNCH
4360	----	----	----	----/220.80A	261.40B/220.80A	----	----	240.90 - 21.40	.7592	----	----	----	----	53	UNCH
4365	----	----	----	----/217.10A	257.20B/217.10A	----	----	237.00 - 21.40	.7540	----	----	----	----	45	UNCH
4370	----	----	----	----/213.50A	253.40B/213.50A	----	----	233.20 - 21.30	.7489	----	----	----	----	20	UNCH
4375	----	----	----	----/209.90A	249.40B/209.90A	----	----	229.40 - 21.30	.7437	----	----	----	----	5	UNCH
4400	195.00	195.00		195.00/192.60A	230.50B/192.60A	----	----	210.90 - 21.10	.7164	----	----	31	----	2308	+
4410	----	----	----	----/185.60A	223.40B/185.60A	----	----	203.70 - 21.00	.7049	----	----	----	----	4	UNCH
4415	----	----	----	----/182.30A	219.70B/182.30A	----	----	200.20 - 20.90	.6990	----	----	----	----	39	UNCH
4420	----	----	----	----/179.00A	216.20B/179.00A	----	----	196.70 - 20.80	.6931	----	----	----	----	5	UNCH
4425	----	----	----	----/175.70A	212.40B/175.70A	----	----	193.20 - 20.70	.6871	----	----	----	----	16	UNCH
4430	----	----	----	----/172.50A	209.10B/172.50A	----	----	189.80 - 20.60	.6811	----	----	----	----	12	UNCH
4445	----	----	----	----/163.20A	199.30B/163.20A	----	----	179.70 - 20.40	.6625	----	----	----	----	30	UNCH
4450	----	----	----	----/160.10A	195.20B/160.10A	----	----	176.40 - 20.30	.6562	----	----	----	----	256	UNCH
4455	----	----	----	----/157.10A	192.50B/157.10A	----	----	173.10 - 20.20	.6498	----	----	----	----	2	UNCH
4460	----	----	----	----/153.90A	188.30B/153.90A	----	----	169.90 - 20.10	.6434	----	----	----	----	2	UNCH
4465	----	----	----	----/151.10A	185.00B/151.10A	----	----	166.70 - 20.00	.6369	----	----	----	----	2	UNCH
4475	----	----	----	----/145.30A	178.70B/145.30A	----	----	160.40 - 19.80	.6238	----	----	----	----	11	UNCH
4480	----	----	----	----/142.40A	175.30B/142.40A	----	----	157.40 - 19.60	.6172	----	----	----	----	36	UNCH
4485	----	----	----	----/139.60A	172.90B/139.60A	----	----	154.30 - 19.60	.6105	----	----	----	----	2	UNCH
4490	----	----	----	----/136.70A	169.50B/136.70A	----	----	151.30 - 19.50	.6038	----	----	----	----	20	UNCH
4500	----	----	----	----/131.40A	163.50B/131.40A	----	----	145.40 - 19.20	.5903	----	----	----	----	974	UNCH
4505	----	----	----	----/128.70A	160.50B/128.70A	----	----	142.50 - 19.10	.5834	----	----	----	----	2	UNCH
4510	----	----	----	----/126.00A	157.30B/126.00A	----	----	139.70 - 18.90	.5766	----	----	----	----	75	UNCH
4515	----	----	----	----/123.40A	154.50B/123.40A	----	----	136.90 - 18.80	.5697	----	----	----	----	285	UNCH
4520	----	----	----	----/120.90A	151.30B/120.90A	----	----	134.10 - 18.70	.5628	----	----	----	----	190	UNCH
4525	----	----	----	----/118.30A	148.40B/118.30A	----	----	131.40 - 18.50	.5558	----	----	----	----	130	UNCH
4530	----	----	----	----/115.90A	145.50B/115.90A	----	----	128.70 - 18.30	.5489	----	----	----	----	131	UNCH
4535	----	----	----	----/113.30A	143.10B/113.30A	----	----	126.00 - 18.20	.5419	----	----	----	----	126	UNCH
4540	----	----	----	----/110.90A	140.10B/110.90A	----	----	123.40 - 18.10	.5350	----	----	1	----	61	+
4545	----	----	----	----/108.50A	137.10B/108.50A	----	----	120.80 - 17.90	.5280	----	----	1	----	18	+
4550	112.40	112.40		117.00/106.30A	134.40B/106.30A	----	----	118.20 - 17.80	.5209	----	136	----	170	+	
4555	----	----	----	----/104.00A	131.80B/104.00A	----	----	115.70 - 17.70	.5139	----	----	----	----	14	UNCH
4560	----	----	----	----/101.60A	129.10B/101.60A	----	----	113.20 - 17.50	.5069	----	----	13	----	56	+
4565	110.30	110.30		110.30/99.40A	126.90B/99.40A	----	----	110.70 - 17.40	.4999	----	2	----	34	UNCH	
4570	----	----	----	----/97.30A	124.30B/97.30A	----	----	108.30 - 17.30	.4929	----	----	----	41	UNCH	
4575	----	----	----	----/95.10A	121.40B/95.10A	----	----	105.90 - 17.20	.4858	----	----	1	----	134	-
4580	109.10	109.10		109.10/93.00A	118.90B/93.00A	----	----	103.60 - 17.00	.4788	----	----	1	----	25	UNCH
4585	----	----	----	----/90.90A	116.40B/90.90A	----	----	101.20 - 16.90	.4718	----	----	----	----	10	UNCH
4590	93.90	93.90		96.00/88.80A	114.50B/88.80A	----	----	98.90 - 16.80	.4648	----	13	----	31	+	
4595	----	----	----	----/86.80A	111.70B/86.80A	----	----	96.70 - 16.60	.4578	----	----	----	19	UNCH	
4600	99.40	99.40		102.00/84.80A	109.30B/84.80A	----	----	94.50 - 16.50	.4509	----	122	----	1208	-	
4605	92.40	92.40		92.40/82.90A	107.00B/82.90A	----	----	92.30 - 16.30	.4439	----	2	----	85	+	
4610	83.50	83.50		83.50/*80.90A	104.70B/*80.90A	----	----	90.10 - 16.20	.4369	----	----	----	15	UNCH	
4615	83.50	83.50		83.50/*79.10A	102.50B/*79.10A	----	----	88.00 - 16.10	.4300	----	14	----	23	+	
4620	84.30	84.30		84.30/*77.30A	100.30B/*77.30A	----	----	86.00 - 15.90	.4231	----	----	----	35	UNCH	
4625	84.30	84.30		84.30/*75.50A	98.10B/*75.50A	----	----	83.90 - 15.80	.4162	----	4	----	112	+	
4630	80.70	80.70		80.70/*73.70A	96.00B/*73.70A	----	----	81.90 - 15.60	.4094	----	----	----	5	UNCH	
4635	80.70	80.70		80.70/*72.00A	93.90B/*72.00A	----	----	80.00 - 15.40	.4026	----	1	----	124	+	
4640	77.00	77.00		77.00/*70.30A	91.90B/*70.30A	----	----	78.00 - 15.40	.3958	----	----	----	238	UNCH	
4645	77.00	77.00		77.00/*68.60A	89.60B/*68.60A	----	----	76.10 - 15.20	.3890	----	1	----	20	+	
4650	75.30	75.30		75.30/*67.00A	87.90B/*67.00A	----	----	74.30 - 15.00	.3824	----	34	----	1131	-	
4655	72.30	72.30		72.30/*65.30A	85.80B/*65.30A	----	----	72.50 - 14.80	.3758	----	1	----	18	UNCH	
4660	73.50	73.50		73.50/*63.80A	83.80B/*63.80A	----	----	70.70 - 14.70	.3691	----	4	----	66	UNCH	
4665	66.50	66.50		66.50/*62.20A	81.90B/*62.20A	----	----	69.00 - 14.50	.3626	----	17	----	281	+	
4670	66.50	66.50		66.50/*60.70A	80.10B/*60.70A	----	----	67.20 - 14.40	.3560	----	----	----	107	UNCH	
4675	66.50	66.50		66.50/*59.30A	78.20B/*59.30A	----	----	65.60 - 14.20	.3497	----	7	----	156	-	
4680	65.00	65.00		65.00/*57.90A	76.50B/*57.90A	----	----	64.00 - 14.00	.3433	----	----	----	142	UNCH	
4685	65.00	65.00		65.00/*56.40A	74.70B/*56.40A	----	----	62.40 - 13.80	.3370	----	----	----	15	UNCH	
4690	65.00	65.00		65.00/*55.10A	73.00B/*55.10A	----	----	60.80 - 13.70	.3307	----	----	----	10	UNCH	
4695	65.00	65.00		65.00/*53.70A	71.30B/*53.70A	----	----	59.30 - 13.50	.3245	----	----	----	33	UNCH	
4700	65.00	65.00		65.00/*52.30A	69.60B/*52.30A	----	----	57.80 - 13.40	.3184	----	308	----	1782	+	
4705	65.00	65.00		65.00/*51.00A	67.90B/*51.00A	----	----	56.40 - 13.10	.3124	----	----	----	4	UNCH	
4710	65.00	65.00		65.00/*49.80A	66.40B/*49.80A	----	----	54.90 - 13.00	.3063	----	----	----	124	UNCH	
4715	65.00	65.00		65.00/*48.60A	64.70B/*48.60A	----	----	53.60 - 12.80	.3005	----	----	----	2	UNCH	
4720	65.00	65.00		65.00/*47.40A	63.30B/*47.40A	----	----	52.20 - 12.70	.2946	----	----	----	27	UNCH	
4725	65.00	65.00		65.00/*46.20A	61.70B/*46.20A	----	----	50.90 - 12.50	.2889	----	----	----	130	UNCH	
4730	65.00	65.00		65.00/*45.00A	60.30B/*45.00A	----	----	49.60 - 12.30	.2831	----	----	----	18	UNCH	
4735	65.00	65.00		65.00/*43.90A	58.80B/*43.90A	----	----	48.40 - 12.10	.2777	----	----	----	46	UNCH	
4740	65.00	65.00		65.00/*42.80A	57.30B/*42.80A	----	----	47.10 - 12.00	.2719	----	1	----	11	+	
4745	65.00	65.00		65.00/*41.70A	56.00B/*41.70A	----	----	45.90 - 11.80	.2665	----	----	----	178	UNCH	
4750	44.80	44.80		44.80/*40.70A	54.70B/*40.70A	----	----	44.80 - 11.50	.2613	----	----	----	1248	+	
4755	43.40	43.40		43.40/*39.70A	53.30B/*39.70A	----	----	43.60 - 11.40	.2558	----	37	----	32	+	
4760	43.														

BULLETIN # 98@				METALS OPTION PRODUCTS										Fri, May 22, 2026				PG64		
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE		OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS																		
JUL26																				
5000	15.20	15.20		15.20/11.50	15.70B/11.50	----					12.60 - 4.20	.0870	----	----	----	1461	----	4250 -	370	
5005	13.60	13.60		13.60/*11.60A	15.30B/*11.60A	----					12.40 - 4.00	.0856	----	----	----	10	----	40 +	10	
5010	13.30	13.30		13.30/*11.30A	15.00B/*11.30A	----					12.10 - 3.90	.0836	----	----	----	7	----	34 +	3	
5015	13.00	13.00		13.00/*11.10A	14.70B/*11.10A	----					11.80 - 3.90	.0817	----	----	----	7	----	92 +	7	
5020	12.80	12.80		12.80/*10.90A	14.30B/*10.90A	----					11.50 - 3.80	.0798	----	----	----	10	----	30 +	10	
5025	12.50	12.50		12.50/*10.60A	14.00B/*10.60A	----					11.30 - 3.70	.0784	----	----	----	25	----	333 +	23	
5030	12.20	12.20		12.20/*10.40A	13.70B/*10.40A	----					11.00 - 3.60	.0765	----	----	----	32	----	211 +	32	
5035	11.90	11.90		11.90/*10.20A	13.40B/*10.20A	----					10.80 - 3.50	.0751	----	----	----	5	----	62 +	5	
5040	11.70	11.70		11.70/*10.00A	13.10B/*10.00A	----					10.60 - 3.40	.0737	----	----	----	5	----	21	UNCH	
5045	----	----		----/*9.70A	12.80B/*9.70A	----					10.30 - 3.40	.0719	----	----	----	----	----	13	UNCH	
5050	----	----		----/*9.50A	12.50B/*9.50A	----					10.10 - 3.30	.0705	----	----	----	14	----	243 +	11	
5055	----	----		----/*9.30A	12.20B/*9.30A	----					9.90 - 3.20	.0691	----	----	----	----	----	21	UNCH	
5060	----	----		----/*9.20A	11.90B/*9.20A	----					9.70 - 3.10	.0677	----	----	----	----	----	34	UNCH	
5065	----	----		----/*9.00A	11.60B/*9.00A	----					9.50 - 3.00	.0664	----	----	----	----	----	215	UNCH	
5070	----	----		----/*8.80A	11.40B/*8.80A	----					9.30 - 3.00	.0650	----	----	----	----	----	31	UNCH	
5075	8.50	8.50		8.50/*8.50	11.00B/*8.50	----					9.10 - 2.90	.0637	----	----	2	----	----	158 +	2	
5080	8.70	8.70		8.70/*8.50A	10.80B/*8.50A	----					8.90 - 2.80	.0623	----	----	2	----	----	120	UNCH	
5085	----	----		----/*8.30A	10.70B/*8.30A	----					8.70 - 2.80	.0610	----	----	----	----	----	43	UNCH	
5090	----	----		----/*8.10A	10.30B/*8.10A	----					8.50 - 2.70	.0597	----	----	----	----	----	393	UNCH	
5095	----	----		----/*8.00A	10.10B/*8.00A	----					8.40 - 2.60	.0588	----	----	----	----	----	69	UNCH	
5100	9.10	9.10		9.50/*7.90A	9.90B/*7.90A	----					8.20 - 2.60	.0575	----	----	1024	----	----	2420 -	768	
5105	----	----		----/*7.70A	9.70B/*7.70A	----					8.00 - 2.50	.0562	----	----	----	----	----	96	UNCH	
5110	----	----		----/*7.60A	9.40B/*7.60A	----					7.90 - 2.40	.0554	----	----	----	----	----	408	UNCH	
5115	----	----		----/*7.40A	9.20B/*7.40A	----					7.70 - 2.40	.0541	----	----	1	----	----	29 -	1	
5120	7.40	7.40		7.40/*7.30A	9.10B/*7.30A	----					7.60 - 2.30	.0533	----	----	1	----	----	42 +	1	
5125	7.20	7.20		7.20/*7.20	8.90B/*7.20	----					7.40 - 2.30	.0520	----	----	1	----	----	260	UNCH	
5130	----	----		----/*7.00A	8.70B/*7.00A	----					7.30 - 2.20	.0512	----	----	1	----	----	43	UNCH	
5135	----	----		----/*6.90A	8.50B/*6.90A	----					7.10 - 2.20	.0499	----	----	----	----	----	171	UNCH	
5140	----	----		----/*6.80A	8.30B/*6.80A	----					7.00 - 2.10	.0492	----	----	----	----	----	70	UNCH	
5145	----	----		----/*6.70A	8.20B/*6.70A	----					6.90 - 2.00	.0484	----	----	----	----	----	75	UNCH	
5150	6.80	6.80		6.80/*6.40	8.00B/*6.40	----					6.70 - 2.10	.0471	----	----	15	----	2966 -	2		
5155	----	----		----/*6.40A	7.80B/*6.40A	----					6.60 - 2.00	.0464	----	----	----	----	----	17	UNCH	
5160	----	----		----/*6.30A	7.60B/*6.30A	----					6.50 - 1.90	.0456	----	----	----	----	----	23	UNCH	
5165	----	----		----/*6.20A	7.50B/*6.20A	----					6.40 - 1.80	.0449	----	----	----	----	----	18	UNCH	
5170	----	----		----/*6.10A	7.40B/*6.10A	----					6.30 - 1.80	.0441	----	----	----	----	----	12	UNCH	
5175	----	----		----/*6.00A	7.20B/*6.00A	----					6.10 - 1.80	.0429	----	----	----	----	----	76	UNCH	
5180	----	----		----/*5.90A	7.10B/*5.90A	----					6.00 - 1.80	.0422	----	----	1	----	----	31	UNCH	
5185	----	----		----/*5.80A	6.90B/*5.80A	----					5.90 - 1.70	.0414	----	----	----	----	----	119	UNCH	
5190	----	----		----/*5.70A	6.80B/*5.70A	----					5.80 - 1.70	.0407	----	----	----	----	----	15	UNCH	
5195	----	----		----/*5.60A	6.60B/*5.60A	----					5.70 - 1.60	.0400	----	----	----	----	----	38	UNCH	
5200	7.20	7.20		7.20/*5.40	7.20/*5.40	----					5.60 - 1.60	.0393	----	----	17	----	2685 +	5		
5205	----	----		----/*5.40A	6.40B/*5.40A	----					5.50 - 1.60	.0386	----	----	----	----	----	48	UNCH	
5210	----	----		----/*5.40A	6.20B/*5.40A	----					5.40 - 1.50	.0378	----	----	----	----	----	56	UNCH	
5215	5.10	5.10		5.10/*5.10	6.10B/*5.10	----					5.30 - 1.50	.0371	----	----	1	----	----	47 +	1	
5220	----	----		----/*5.20A	6.00B/*5.20A	----					5.20 - 1.50	.0364	----	----	----	----	----	44	UNCH	
5225	----	----		----/*5.10A	5.90B/*5.10A	----					5.20 - 1.40	.0363	----	----	----	----	----	89	UNCH	
5230	----	----		----/*5.00A	5.80B/*5.00A	----					5.10 - 1.30	.0356	----	----	----	----	----	86	UNCH	
5235	----	----		----/*5.00A	5.70B/*5.00A	----					5.00 - 1.30	.0349	----	----	----	----	----	30	UNCH	
5240	5.20	5.20		5.20/*4.90A	5.60B/*4.90A	----					4.90 - 1.30	.0342	----	----	3	----	115 +	1		
5245	----	----		----/*4.80A	5.40B/*4.80A	----					4.80 - 1.30	.0335	----	----	----	----	----	67	UNCH	
5250	5.20	5.20		5.20/*4.70A	5.40B/*4.70A	----					4.80 - 1.20	.0333	----	----	4	----	828 -	2		
5255	----	----		----/*4.70A	5.30B/*4.70A	----					4.70 - 1.20	.0327	----	----	----	----	----	21	UNCH	
5260	----	----		----/*4.60A	5.20B/*4.60A	----					4.60 - 1.20	.0320	----	----	----	----	----	150	UNCH	
5265	----	----		----/*4.50A	5.10B/*4.50A	----					4.50 - 1.20	.0313	----	----	----	----	----	13	UNCH	
5270	----	----		----/*4.50A	5.00B/*4.50A	----					4.50 - 1.10	.0312	----	----	----	----	----	27	UNCH	
5275	----	----		----/*4.50A	4.90B/*4.50A	----					4.40 - 1.10	.0305	----	----	----	----	----	27	UNCH	
5280	----	----		----/*4.40A	4.80B/*4.40A	----					4.30 - 1.10	.0298	----	----	----	----	----	45	UNCH	
5285	----	----		----/*4.30A	4.70B/*4.30A	----					4.30 - 1.00	.0297	----	----	----	----	----	15	UNCH	
5290	----	----		----/*4.20A	4.60B/*4.20A	----					4.20 - 1.10	.0291	----	----	----	----	----	55	UNCH	
5295	----	----		----/*4.20A	4.50B/*4.20A	----					4.10 - 1.10	.0284	----	----	----	----	----	86	UNCH	
5300	----	----		----/*4.20A	4.50B/*4.20A	----					4.10 - 1.00	.0283	----	----	----	----	----	1196	UNCH	
5305	4.00	4.00		4.00/*4.00	4.40B/*4.00	----					4.00 - 1.00	.0276	----	----	10	----	65	UNCH		
5310	4.10	4.10		4.10/*4.00A	4.30B/*4.00A	----					4.00 - 0.90	.0275	----	----	6	----	21	UNCH		
5315	----	----		----/*4.00A	4.30B/*4.00A	----					3.90 - 1.00	.0269	----	----	----	----	----	28	UNCH	
5320	----	----		----/*4.00A	4.20B/*4.00A	----					3.90 - 0.9									

BULLETIN # 98@				METALS OPTION PRODUCTS										Fri, May 22, 2026				PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL		COMEX GOLD OPTIONS																	
JUL26																			
5720	----	----	----	---/*1.90A	1.60B/*1.90A	----	----	----	1.70 - 0.30	.0104	----	----	----	----	----	17 UNCH			
5725	----	----	----	---/*1.80A	1.60B/*1.80A	----	----	----	1.70 - 0.30	.0104	----	----	----	----	----	56 UNCH			
5730	----	----	----	---/*1.80A	1.60B/*1.80A	----	----	----	1.70 - 0.20	.0103	----	----	----	----	----	10 UNCH			
5740	----	----	----	---/*1.80A	1.60B/*1.80A	----	----	----	1.70 - 0.20	.0103	----	----	----	----	----	9 UNCH			
5750	----	----	----	---/*1.80A	1.50B/*1.80A	----	----	----	1.70 - 0.20	.0102	----	----	----	----	----	982 UNCH			
5760	----	----	----	---/*1.70A	1.50B/*1.70A	----	----	----	1.60 - 0.20	.0097	----	----	----	----	----	168 UNCH			
5770	----	----	----	---/*1.70A	1.50B/*1.70A	----	----	----	1.60 - 0.20	.0096	----	----	----	----	----	4 UNCH			
5775	----	----	----	---/*1.70A	1.50B/*1.70A	----	----	----	1.60 - 0.20	.0096	----	----	----	----	----	215 UNCH			
5780	----	----	----	---/1.70A	1.50B/1.70A	----	----	----	1.60 - 0.20	.0095	----	----	----	----	----	6 UNCH			
5790	----	----	----	---/*1.70A	1.40B/*1.70A	----	----	----	1.60 - 0.20	.0095	----	----	----	----	----	9 UNCH			
5800	----	----	----	----	1.40B/*1.70A	----	----	----	1.50 - 0.20	.0089	----	----	----	----	----	804 UNCH			
5810	----	----	----	---/*1.60A	1.40B/*1.60A	----	----	----	1.50 - 0.20	.0089	----	----	----	----	----	11 UNCH			
5820	----	----	----	---/*1.60A	1.40B/*1.60A	----	----	----	1.50 - 0.20	.0088	----	----	----	----	----	208 UNCH			
5825	----	----	----	---/*1.60A	1.30B/*1.60A	----	----	----	1.50 - 0.20	.0088	----	----	----	----	----	19 UNCH			
5830	----	----	----	----	1.30B/*1.60A	----	----	----	1.50 - 0.10	.0088	----	----	----	----	----	1 UNCH			
5840	----	----	----	----	1.30B/*1.60A	----	----	----	1.40 - 0.20	.0083	----	----	----	----	----	103 UNCH			
5850	----	----	----	---/*1.50A	1.30B/*1.50A	----	----	----	1.40 - 0.20	.0082	----	----	----	----	----	112 UNCH			
5860	----	----	----	----	1.30B/*1.50A	----	----	----	1.40 - 0.10	.0082	----	----	----	----	----	135 UNCH			
5870	----	----	----	----	1.30B/*1.50A	----	----	----	1.40 - 0.10	.0081	----	----	----	----	----	16 UNCH			
5875	----	----	----	----	1.20B/*1.50A	----	----	----	1.40 - 0.10	.0081	----	----	----	----	----	22 UNCH			
5880	----	----	----	----	1.20B/*1.50A	----	----	----	1.40 - 0.10	.0081	----	----	----	----	----	11 UNCH			
5890	----	----	----	----	1.20B/*1.50A	----	----	----	1.30 - 0.20	.0076	----	----	----	----	----	9 UNCH			
5900	----	----	----	----	1.20B/*1.40A	----	----	----	1.30 - 0.10	.0075	----	----	1	----	430 UNCH				
5910	----	----	----	----	1.20B/*1.50A	----	----	----	1.30 - 0.10	.0075	----	----	----	----	----	6 UNCH			
5920	----	----	----	----	1.20B/*1.40A	----	----	----	1.30 - 0.10	.0075	----	----	----	----	----	19 UNCH			
5925	----	----	----	----	1.20B/*1.40A	----	----	----	1.30 - 0.10	.0074	----	----	----	----	----	5 UNCH			
5930	----	----	----	----	1.10B/*1.40A	----	----	----	1.20 - 0.20	.0069	----	----	----	----	----	4 UNCH			
5940	----	----	----	----	1.10B/*1.40A	----	----	----	1.20 - 0.20	.0069	----	----	----	----	----	2 UNCH			
5950	----	----	----	----	1.10B/*1.40A	----	----	----	1.20 - 0.10	.0069	----	----	----	----	----	43 UNCH			
5960	----	----	----	----	1.10B/*1.40A	----	----	----	1.20 - 0.10	.0068	----	----	----	----	----	16 UNCH			
5970	----	----	----	----	1.10B/*1.40A	----	----	----	1.20 - 0.10	.0068	----	----	1	----	55 UNCH				
5980	----	----	----	----	1.00B/*1.40A	----	----	----	1.20 - 0.10	.0068	----	----	----	----	----	3 UNCH			
5990	0.80	0.80	----	1.30/*0.80	1.30/*0.80	1.30/*0.80	----	----	1.10 - 0.20	.0063	----	----	8	----	76 UNCH				
6000	----	----	----	----	1.30/*0.80	1.30/*0.80	----	----	1.10 - 0.10	.0062	----	----	----	----	2164 -	3 UNCH			
6025	----	----	----	----	1.00B/*1.30A	----	----	----	1.10 - 0.10	.0062	----	----	----	----	34 UNCH				
6050	----	----	----	----	1.00B/*1.30A	----	----	----	1.00 - 0.20	.0056	----	----	----	----	45 UNCH				
6075	----	----	----	----	0.90B/*1.30A	----	----	----	1.00 - 0.10	.0056	----	----	----	----	713 UNCH				
6100	----	----	----	----	0.90B/*1.10A	----	----	----	1.00 - 0.10	.0055	----	----	----	----	290 UNCH				
6125	----	----	----	----	0.80B/*1.20A	----	----	----	0.90 - 0.20	.0050	----	----	----	----	59 UNCH				
6150	----	----	----	---/*1.00A	0.80B/*1.00A	----	----	----	0.90 - 0.20	.0049	----	----	----	----	881 UNCH				
6175	----	----	----	----	0.80B/*1.00A	----	----	----	0.90 - 0.10	.0049	----	----	----	----	37 UNCH				
6200	----	----	----	---/*0.90A	0.80B/*0.90A	----	----	----	0.90 - 0.10	.0048	----	----	----	----	562 UNCH				
6225	----	----	----	---/*0.90A	0.80B/*0.90A	----	----	----	0.80 - 0.20	.0043	----	----	----	----	20 UNCH				
6250	----	----	----	---/*0.90A	0.70B/*0.90A	----	----	----	0.80 - 0.20	.0043	----	----	----	----	392 UNCH				
6275	----	----	----	---/*0.90A	0.70B/*0.90A	----	----	----	0.80 - 0.20	.0042	----	----	----	----	3 UNCH				
6300	----	----	----	----	0.70B/*0.90A	----	----	----	0.80 - 0.10	.0042	----	----	6	----	336 -	3 UNCH			
6325	----	----	----	----	0.70B/*0.90A	----	----	----	0.80 - 0.10	.0041	----	----	----	----	29 UNCH				
6350	----	----	----	----	0.70B/*0.90A	----	----	----	0.70 - 0.20	.0036	----	----	3	----	23 -	3 UNCH			
6375	----	----	----	----	0.60B/1.00A	----	----	----	0.70 - 0.20	.0036	----	----	----	----	37 UNCH				
6400	----	----	----	----	0.60B/*1.00A	----	----	----	0.70 - 0.20	.0036	----	----	----	----	171 UNCH				
6425	----	----	----	----	0.60B/*0.90A	----	----	----	0.70 - 0.20	.0035	----	----	----	----	17 UNCH				
6450	----	----	----	----	0.60B/*0.90A	----	----	----	0.70 - 0.10	.0035	----	----	----	----	48 UNCH				
6475	----	----	----	----	0.60B/*0.90A	----	----	----	0.70 - 0.10	.0035	----	----	----	----	13 UNCH				
6500	----	----	----	----	0.50B/*0.90A	----	----	----	0.70 - 0.10	.0035	----	----	----	----	634 UNCH				
6525	----	----	----	----	0.50B/*0.90A	----	----	----	0.70 - 0.10	.0034	----	----	----	----	132 UNCH				
6550	----	----	----	----	0.50B/*0.80A	----	----	----	0.60 - 0.20	.0030	----	----	----	----	11 UNCH				
6575	----	----	----	----	0.50B/*0.80A	----	----	----	0.60 - 0.10	.0029	----	----	----	----	4 UNCH				
6600	----	----	----	----	0.50B/*0.80A	----	----	----	0.60 - 0.10	.0029	----	----	----	----	27 UNCH				
6650	----	----	----	----	0.50B/0.80A	----	----	----	0.60 - 0.10	.0029	----	----	----	----	16 UNCH				
6675	----	----	----	----	0.40B/0.80A	----	----	----	0.60 - 0.10	.0028	----	----	----	----	1 UNCH				
6700	----	----	----	----	0.40B/*0.70A	----	----	----	0.60 - 0.10	.0028	----	----	----	----	127 UNCH				
6775	----	----	----	----	0.40B/0.70A	----	----	----	0.60 UNCH	.0028	----	----	----	----	1 UNCH				
6800	----	----	----	----	0.30B/0.70A	----	----	----	0.60 UNCH	.0027	----	----	----	----	201 UNCH				
6825	----	----	----	----	0.30B/0.70A	----	----	----	0.50 - 0.10	.0023	----	----	----	----	19 UNCH				
6850	----	----	----	----	0.30B/0.70A	----	----	----	0.50 UNCH	.0023	----	----	----	----	201 UNCH				
6875	----	----	----	----	0.30B/0.60A	----	----	----	0.50 UNCH	.0023	----	----	----	----	22 UNCH				
6900	----	----	----	----	0.30B/0.60A	----	----	----	0.50 UNCH	.0023	----	----	----	----	19 UNCH				
6925	----	----	----	----	0.30B/0.60A	----	----	----	0.50 UNCH	.0022	----	----	----	----	1 UNCH				
6950	----	----	----	----	0.30B/0.60A	----	----	----	0.50 UNCH	.0022	----	----	----	----	22 UNCH				
6975	----	----	----	----	0.20B/0.60A	----	----	----	0.50 UNCH	.0022	----	----	----	----	10 UNCH				
7000	----	----	----	----	0.40B/0.60A	----	----	----	0.50 + 0.10	.0022	----	----	----	----	1471 UNCH				
7025	----	----	----	----	0.20B/0.60A	----	----	----	0.50 + 0.10	.0022	----	----	----	----	1 UNCH				
7050	----	----	----	----	0.20B/0.60A	----	----	----	0.50 + 0.10	.0022	----	----	----	----	18 UNCH				
7075	----	----	----	----	0.20B/0.50A	----	----	----	0.40 UNCH	.0018	----	----	----	----	13 UNCH				
7100	----	----	----	----	0.20B/0.50A	----	----	----	0.40 UNCH	.0018	----	----	----	----	28 UNCH				
7125	----	----	----	----	0.20B/0.50A	----	----	----	0.40 UNCH	.0017	----	----	----	----	1 UNCH				
7150	----	----	----	----	0.20B/0.50A	----	----	----	0.40 UNCH	.0017	----	----	----	----	20 UNCH				
7175	----	----	----	----	0.20B/0.50A	----	----	----	0.40 UNCH	.0017	----	----	----	----	1 UNCH				
7200	----	----	----	----	0.10B/0.50A	----	----	----	0.40 + 0.10	.0017	----	----	----	----	3 UNCH				
7225	----	----	----	----	---/0.50A	----	----	----	0.40 + 0.10	.0017	----	----	----	----	22 UNCH				
7250	----	----	----	----	---/0.50A	----	----	----	0.30 UNCH	.0013	----	----	----	----	23 UNCH				
7275	----	----	----	----	---/0.50A	----	----	----	0.30 UNCH	.0013	----	----	----	----	14 UNCH				
7300	----	----	----	----	---/0.50A	----	----	----	0.30 UNCH	.0013	----	----	----	----	50 UNCH				
7350	----	----	----	----	---/0.50A	----	----	----	0.30 UNCH	.0013	----	----	----	----	8 UNCH				
7400	----	----	----	----	---/0.40A	----	----	----	0.30 UNCH	.0013	----	----	----	----	2 UNCH				
7425	----	----	----	----	---/0.40A	----	----	----	0.30 + 0.10	.0012	----	----	----	----	19 UNCH				
7450	----	----	----	----	---/0.40A	----	----	----	0.30 + 0.10	.0012	----	----	----	----	28 UNCH				
7475	----	----	----	----	---/0.40A	----	----	----	0.30 + 0.10	.0012	----	----	----	----	9 UNCH				
7500	0.30	0.30	----	0.30/*0.30	0.30/*0.30	0.30/*0.30	----	----	0.30 + 0.10	.0012	----	----	2	----	297 +	1 UNCH			
7525	----	----	----	----	---/0.50A	----	----	----	0.20 UNCH	.0008	----	----	----	----	34 UNCH				
7550	----	----	----	----	---/0.50A	----	----	----	0.20 UNCH	.0008	----	----	----	----	50 UNCH				
7575	----	----	----	----	---/0.50A	----	----	----	0.20 UNCH	.0008	----	----	----	----	1 UNCH				
7600	----	----	----	----	---/0.50A	----	----	----	0.20 UNCH	.0008	----	----	----	----	10 UNCH				
7625	----	----	----	----	---/0.50A	----	----	----	0.20 UNCH	.0008	----	----	----	----	12 UNCH				
7700	----	----	----	----	---/0.50A	----	----	----	0.20 UNCH	.0008	----	----	----	----	11 UNCH				
7725	----	----	----	----	---/0.50A	----	----	----	0.20 UNCH	.0008	----	----	----	----	17 UNCH				
7750	----	----	----	----	---/0.50A	----	----	----	0.20 UNCH	.0008	----	----	----	----	6 UNCH				
7775	----	----	----	----	---/0.50A	----	----	----	0.20 UNCH	.0008	----	----	----	----	6 UNCH				
7800	----	----	----	----	---/0.50A	----	----	----	0.20 UNCH	.0008	----	----	----	----	5 UNCH				
7825	----	----	----	----	---/0.50A	----	----	----	0.20 UNCH	.0008	----	----	----	----	13 UNCH				
7875	----	----	----	----	---/0.40A	----	----	----	0.20 UNCH	.0008	----	----	----	----	151 UNCH				
7900	----	----	----	----	---/0.40A	----	----	----	0.20 UNCH	.0008	----	----							

PG64		BULLETIN # 98@										METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
OG CALL		COMEX GOLD OPTIONS																						
AUG26																								
3610	----	----		----/930.60A	953.30B/930.60A	----	950.80 - 20.40	.9688	----	----	----	----	6	UNCH										
3650	----	----		----/891.50A	914.20B/891.50A	----	911.60 - 20.40	.9652	----	----	----	----	4	UNCH										
3660	----	----		----	----	----	901.80 - 20.40	.9643	----	----	----	----	1	UNCH										
3685	----	----		----	----	----	877.40 - 20.50	.9619	----	----	----	----	1	UNCH										
3700	----	----		----/836.00A	881.50B/836.00A	----	862.80 - 20.50	.9602	----	----	----	----	40	UNCH										
3715	----	----		----/821.70A	867.90B/821.70A	----	848.20 - 20.50	.9584	----	----	----	----	30	UNCH										
3720	----	----		----/816.60A	862.90B/816.60A	----	843.30 - 20.50	.9579	----	----	----	----	1	UNCH										
3735	----	----		----/802.30A	847.90B/802.30A	----	828.80 - 20.50	.9561	----	----	----	----	1	UNCH										
3750	----	----		----/787.70A	833.70B/787.70A	----	814.20 - 20.50	.9540	----	----	----	----	8	UNCH										
3775	----	----		----/763.60A	809.50B/763.60A	----	790.00 - 20.60	.9508	----	----	----	----	4	UNCH										
3780	----	----		----/758.80A	803.70B/758.80A	----	785.20 - 20.60	.9500	----	----	----	----	10	UNCH										
3790	----	----		----/749.20A	794.00B/749.20A	----	775.60 - 20.50	.9486	----	----	----	----	67	UNCH										
3800	----	----		----/739.30A	785.50B/739.30A	----	765.90 - 20.60	.9469	----	----	----	----	303	UNCH										
3820	----	----		----/720.40A	765.60B/720.40A	----	746.70 - 20.60	.9438	----	----	----	----	3	UNCH										
3840	----	----		----/701.40A	746.80B/701.40A	----	727.50 - 20.70	.9404	----	----	----	----	1	UNCH										
3850	----	----		----/691.80A	737.00B/691.80A	----	718.00 - 20.70	.9383	----	----	----	----	12	UNCH										
3885	----	----		----/658.80A	704.30B/658.80A	----	684.70 - 20.70	.9315	----	----	----	----	2	UNCH										
3890	----	----		----/653.70A	698.70B/653.70A	----	679.90 - 20.80	.9305	----	----	----	----	2	UNCH										
3900	----	----		----/644.20A	689.80B/644.20A	----	670.50 - 20.80	.9284	----	----	----	----	146	UNCH										
3920	----	----		----/625.90A	671.30B/625.90A	----	651.60 - 20.80	.9238	----	----	----	----	1	UNCH										
3925	----	----		----/620.80A	666.60B/620.80A	----	646.90 - 20.90	.9226	----	----	----	----	10	UNCH										
3950	----	----		----/597.90A	642.60B/597.90A	----	623.50 - 20.90	.9163	----	----	----	----	106	UNCH										
3955	----	----		----/593.30A	638.30B/593.30A	----	618.80 - 20.90	.9150	----	----	----	----	7	UNCH										
3975	----	----		----/574.90A	619.30B/574.90A	----	600.20 - 21.00	.9094	----	----	----	----	200	UNCH										
3995	----	----		----/556.60A	600.70B/556.60A	----	581.80 - 21.00	.9036	----	----	----	----	30	UNCH										
4000	----	----		----/551.70A	596.30B/551.70A	----	577.20 - 21.00	.9020	----	----	----	----	723	UNCH										
4005	----	----		----/547.60A	592.40B/547.60A	----	572.60 - 21.00	.9004	----	----	----	----	1	UNCH										
4015	----	----		----/538.50A	583.60B/538.50A	----	563.40 - 21.10	.8972	----	----	----	----	12	UNCH										
4025	----	----		----/529.40A	574.10B/529.40A	----	554.30 - 21.10	.8937	----	----	----	----	174	UNCH										
4045	----	----		----/511.60A	556.20B/511.60A	----	536.10 - 21.20	.8867	----	----	----	----	30	UNCH										
4050	----	----		----/507.20A	551.80B/507.20A	----	531.60 - 21.20	.8850	----	----	----	----	100	UNCH										
4055	----	----		----/502.70A	547.20B/502.70A	----	527.10 - 21.20	.8831	----	----	----	----	100	UNCH										
4075	----	----		----/484.90A	528.80B/484.90A	----	509.20 - 21.20	.8753	----	----	----	----	3	UNCH										
4080	----	----		----/480.70A	524.50B/480.70A	----	504.80 - 21.20	.8732	----	----	----	----	1	UNCH										
4100	----	----		----/463.30A	507.30B/463.30A	----	487.10 - 21.20	.8648	----	----	----	----	73	UNCH										
4110	----	----		----/454.70A	498.00B/454.70A	----	478.30 - 21.30	.8603	----	----	----	----	19	UNCH										
4135	----	----		----/433.40A	476.20B/433.40A	----	456.60 - 21.30	.8486	----	----	----	----	20	UNCH										
4140	----	----		----/428.90A	471.90B/428.90A	----	452.30 - 21.30	.8463	----	----	----	----	1	UNCH										
4150	----	----		----/420.70A	463.90B/420.70A	----	443.70 - 21.30	.8413	----	----	----	----	40	UNCH										
4165	----	----		----/408.40A	450.60B/408.40A	----	431.00 - 21.30	.8335	----	----	----	----	1	UNCH										
4195	----	----		----/383.90A	425.00B/383.90A	----	405.90 - 21.30	.8168	----	----	----	----	3	UNCH										
4200	----	----		----/379.80A	421.30B/379.80A	----	401.80 - 21.30	.8138	----	----	----	----	73	UNCH										
4215	----	----		----/367.90A	408.70B/367.90A	----	389.50 - 21.30	.8049	----	----	----	----	1	UNCH										
4220	----	----		----/363.90A	404.90B/363.90A	----	385.50 - 21.20	.8017	----	----	----	----	16	UNCH										
4225	----	----		----/360.00A	400.80B/360.00A	----	381.40 - 21.30	.7986	----	----	----	----	102	UNCH										
4235	----	----		----/352.20A	392.70B/352.20A	----	373.40 - 21.20	.7923	----	----	----	----	1	UNCH										
4250	----	----		----/340.70A	380.20B/340.70A	----	361.50 - 21.10	.7823	----	----	----	----	71	UNCH										
4265	----	----		----/329.10A	369.60B/329.10A	----	349.80 - 21.00	.7721	----	----	----	----	77	UNCH										
4285	----	----		----/314.50A	354.10B/314.50A	----	334.40 - 21.00	.7580	----	----	----	----	8	UNCH										
4300	----	----		----/303.30A	341.40B/303.30A	----	323.10 - 20.80	.7470	----	----	----	----	43	UNCH										
4310	----	----		----/296.40A	334.50B/296.40A	----	315.60 - 20.80	.7395	----	----	----	----	1	UNCH										
4320	----	----		----/289.20A	327.30B/289.20A	----	308.30 - 20.70	.7318	----	----	----	----	2	UNCH										
4325	----	----		----/285.80A	323.60B/285.80A	----	304.70 - 20.60	.7278	----	----	----	----	6	UNCH										
4330	----	----		----/282.20A	319.90B/282.20A	----	301.00 - 20.60	.7239	----	----	----	----	201	UNCH										
4350	----	----		----/268.40A	305.40B/268.40A	----	286.80 - 20.40	.7078	----	----	----	----	774	UNCH										
4360	----	----		----/261.90A	297.90B/261.90A	----	279.80 - 20.30	.6995	----	----	----	----	1	UNCH										
4375	----	----		----/252.00A	286.80B/252.00A	----	269.50 - 20.10	.6868	----	----	----	----	3	UNCH										
4385	----	----		----/245.60A	280.10B/245.60A	----	262.80 - 19.90	.6782	----	----	----	----	100	UNCH										
4390	----	----		----/242.40A	277.10B/242.40A	----	259.40 - 19.90	.6739	----	----	----	----	1	UNCH										
4400	----	----		----/236.10A	270.60B/236.10A	----	252.80 - 19.80	.6651	----	----	----	----	327	UNCH										
4420	----	----		----/223.70A	256.70B/223.70A	----	239.90 - 19.50	.6472	----	----	----	----	50	UNCH										
4425	----	----		----/220.80A	254.30B/220.80A	----	236.80 - 19.30	.6426	----	----	----	----	5	UNCH										
4440	----	----		----/212.00A	243.80B/212.00A	----	227.40 - 19.20	.6289	----	----	----	----	1	UNCH										
4450	----	----		----/206.20A	237.50B/206.20A	----	221.30 - 19.00	.6196	----	----	----	----	7	UNCH										
4455	----	----		----/203.20A	234.60B/203.20A	----	218.30 - 18.90	.6149	----	----	----	----	2	UNCH										
4460	----	----		----/200.30A	231.20B/200.30A	----	215.30 - 18.90	.6102	----	----	----	----	5	UNCH										
4465	----	----		----/197.80A	228.60B/197.80A	----	212.40 - 18.70	.6055	----	----	----	----	9	UNCH										
4470	----	----		----/195.00A	225.90B/195.00A	----	209.50 - 18.60	.6008	----	----	----	----	7	UNCH										
4475	----	----		----/192.30A	222.80B/192.30A	----	206.50 - 18.60	.5960	----	----	----	----	31	UNCH										
4485	----	----		----/186.90A	217.00B/186.90A	----	200.80 - 18.50	.5864	----	----	----	----	5	UNCH										
4490	----	----		----/184.00A	214.10B/184.00A	----	198.00 - 18.40	.5816	----	----	----	----	2	UNCH										
4500	208.00	208.00		211.00/178.90A	211.00/178.90A	----	192.40 - 18.20	.5720																



PG64 BULLETIN # 98@				METALS OPTION PRODUCTS							Fri, May 22, 2026		PG64			
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST
OG CALL	COMEX GOLD OPTIONS															
AUG26																
4835	----	----	----	----/*61.00A	73.70B/*61.00A	----	65.30	-10.90	.2685	----	----	----	----	----	38	UNCH
4840	----	----	----	----/*60.00A	72.70B/*60.00A	----	64.20	-10.80	.2649	----	----	----	----	----	25	UNCH
4845	----	----	----	----/*59.00A	71.80B/*59.00A	----	63.10	-10.70	.2613	----	----	----	----	----	1	UNCH
4850	----	----	----	----/*57.90A	70.50B/*57.90A	----	62.00	-10.50	.2577	----	----	----	----	----	253	UNCH
4860	----	----	----	----/*56.10A	68.30B/*56.10A	----	59.90	-10.30	.2507	----	----	----	----	----	29	UNCH
4865	----	----	----	----/*55.10A	66.90B/*55.10A	----	58.90	-10.20	.2473	----	----	----	----	----	14	UNCH
4870	----	----	----	----/*54.20A	65.80B/*54.20A	----	57.90	-10.00	.2439	----	----	----	----	----	49	UNCH
4875	53.50	53.50	53.50	53.50/*53.30A	64.60B/*53.30A	----	56.90	-9.90	.2405	----	----	----	1	----	174	+
4880	----	----	----	----/*52.50A	63.60B/*52.50A	----	55.90	-9.80	.2371	----	----	----	----	----	142	UNCH
4885	----	----	----	----/*51.60A	62.50B/*51.60A	----	54.90	-9.70	.2337	----	----	----	----	----	49	UNCH
4890	----	----	----	----/*50.70A	61.30B/*50.70A	----	54.00	-9.60	.2306	----	----	----	----	----	9	UNCH
4895	----	----	----	----/*49.90A	60.40B/*49.90A	----	53.00	-9.50	.2272	----	----	----	----	----	63	UNCH
4900	----	----	----	----/*49.00A	59.50B/*49.00A	----	52.10	-9.40	.2240	----	----	----	4	----	764	+
4905	----	----	----	----/*48.30A	58.50B/*48.30A	----	51.20	-9.30	.2208	----	----	----	----	----	14	UNCH
4910	49.30	49.30	49.30	49.30/*47.40A	57.50B/*47.40A	----	50.40	-9.10	.2179	----	----	----	4	----	14	+
4915	----	----	----	----/*46.60A	56.60B/*46.60A	----	49.50	-9.10	.2147	----	----	----	----	----	25	UNCH
4920	48.30	48.30	48.30	48.30/*45.80A	55.60B/*45.80A	----	48.60	-9.00	.2116	----	----	----	9	----	12	+
4925	----	----	----	----/*45.10A	54.80B/*45.10A	----	47.80	-8.90	.2087	----	----	----	----	----	308	UNCH
4930	----	----	----	----/*44.40A	53.50B/*44.40A	----	47.00	-8.80	.2057	----	----	----	4	----	40	+
4935	----	----	----	----/*43.60A	53.00B/*43.60A	----	46.20	-8.70	.2028	----	----	----	----	----	5	UNCH
4940	43.30	43.30	43.30	43.30/*42.90A	52.00B/*42.90A	----	45.40	-8.60	.1999	----	----	----	1	----	46	UNCH
4945	----	----	----	----/*42.20A	51.20B/*42.20A	----	44.60	-8.50	.1970	----	----	----	----	----	82	UNCH
4950	46.00	46.00	46.10	46.10/*41.30	50.20B/*41.30	----	43.90	-8.30	.1943	----	----	153	60	----	541	+
4955	----	----	----	----/*40.90A	49.40B/*40.90A	----	43.10	-8.30	.1914	----	----	----	----	----	22	UNCH
4960	----	----	----	----/*40.20A	48.70B/*40.20A	----	42.40	-8.20	.1887	----	----	1	----	----	40	UNCH
4965	----	----	----	----/*39.50A	47.80B/*39.50A	----	41.70	-8.00	.1861	----	----	----	----	----	23	UNCH
4970	----	----	----	----/*38.90A	47.00B/*38.90A	----	41.00	-7.90	.1834	----	----	----	----	----	17	UNCH
4975	----	----	----	----/*38.20A	46.30B/*38.20A	----	40.30	-7.90	.1808	----	----	----	----	----	4	UNCH
4980	----	----	----	----/*37.60A	45.30B/*37.60A	----	39.60	-7.80	.1781	----	----	----	----	----	14	UNCH
4985	----	----	----	----/*37.00A	44.80B/*37.00A	----	38.90	-7.70	.1755	----	----	----	----	----	14	UNCH
4990	----	----	----	----/*36.40A	44.20B/*36.40A	----	38.30	-7.60	.1731	----	----	1	----	----	10	UNCH
4995	----	----	----	----/*35.80A	43.40B/*35.80A	----	37.70	-7.40	.1707	----	----	----	----	----	3	UNCH
5000	40.70	40.70	40.70	40.70/35.10A	42.70B/35.10A	----	37.00	-7.40	.1681	----	----	571	----	2568	-	
5005	----	----	----	----/*34.70A	41.70B/*34.70A	----	36.40	-7.30	.1657	----	----	----	----	----	15	UNCH
5010	35.20	35.20	35.20	35.20/*34.10A	41.20B/*34.10A	----	35.80	-7.20	.1633	----	----	1	----	----	4	+
5015	34.90	34.90	34.90	34.90/*33.60A	40.50B/*33.60A	----	35.20	-7.10	.1610	----	----	8	----	----	20	+
5020	----	----	----	----/*32.90A	39.90B/*32.90A	----	34.70	-6.90	.1589	----	----	----	----	----	32	UNCH
5025	----	----	----	----/*32.50A	39.30B/*32.50A	----	34.10	-6.90	.1565	----	----	1	----	----	232	UNCH
5030	----	----	----	----/*31.90A	38.60B/*31.90A	----	33.60	-6.70	.1544	----	----	----	----	----	228	UNCH
5035	32.30	32.30	32.30	32.30/*31.40A	38.20B/*31.40A	----	33.00	-6.70	.1521	----	----	1	----	----	131	+
5040	31.60	31.60	31.60	31.60/*30.90A	37.30B/*30.90A	----	32.50	-6.50	.1500	----	----	2	----	----	33	UNCH
5045	----	----	----	----/*30.40A	36.70B/*30.40A	----	32.00	-6.40	.1479	----	----	----	----	----	34	UNCH
5050	----	----	----	----/*29.90A	36.20B/*29.90A	----	31.40	-6.40	.1456	----	----	1	----	----	381	UNCH
5055	----	----	----	----/*29.40A	35.50B/*29.40A	----	30.90	-6.30	.1435	----	----	----	----	----	6	UNCH
5060	----	----	----	----/*28.90A	34.90B/*28.90A	----	30.40	-6.20	.1415	----	----	----	----	----	32	UNCH
5065	----	----	----	----/*28.50A	34.40B/*28.50A	----	30.00	-6.10	.1397	----	----	----	----	----	43	UNCH
5070	----	----	----	----/*28.00A	33.80B/*28.00A	----	29.50	-6.00	.1377	----	----	----	----	----	58	UNCH
5075	----	----	----	----/*27.60A	33.30B/*27.60A	----	29.00	-5.90	.1356	----	----	----	----	----	222	UNCH
5080	----	----	----	----/*27.10A	32.70B/*27.10A	----	28.50	-5.90	.1336	----	----	----	----	----	24	UNCH
5085	28.30	28.30	28.30	28.30/*26.70A	32.30B/*26.70A	----	28.10	-5.80	.1319	----	----	1	----	----	161	+
5090	----	----	----	----/*26.30A	31.70B/*26.30A	----	27.60	-5.70	.1298	----	----	----	----	----	2	UNCH
5095	----	----	----	----/*25.90A	31.10B/*25.90A	----	27.20	-5.60	.1281	----	----	----	----	----	5	UNCH
5100	28.00	28.00	28.00	28.00/*25.50A	30.60B/*25.50A	----	26.80	-5.50	.1264	----	----	424	----	3246	+	
5105	----	----	----	----/*25.10A	30.10B/*25.10A	----	26.40	-5.40	.1246	----	----	----	----	----	7	UNCH
5110	----	----	----	----/*24.70A	29.70B/*24.70A	----	25.90	-5.40	.1226	----	----	----	----	----	11	UNCH
5115	----	----	----	----/*24.30A	29.20B/*24.30A	----	25.50	-5.30	.1209	----	----	----	----	----	14	UNCH
5120	----	----	----	----/*23.90A	28.70B/*23.90A	----	25.10	-5.30	.1192	----	----	----	----	----	359	UNCH
5125	----	----	----	----/*23.60A	28.60B/*23.60A	----	24.70	-5.20	.1175	----	----	----	----	----	349	UNCH
5130	----	----	----	----/*23.20A	28.00B/*23.20A	----	24.40	-5.00	.1161	----	----	----	----	----	1	UNCH
5135	----	----	----	----/*22.80A	27.40B/*22.80A	----	24.00	-5.00	.1144	----	----	----	----	----	21	UNCH
5140	----	----	----	----/*22.50A	26.90B/*22.50A	----	23.60	-5.00	.1127	----	----	----	----	----	25	UNCH
5145	----	----	----	----/*22.20A	26.50B/*22.20A	----	23.20	-4.90	.1110	----	----	----	----	----	12	UNCH
5150	----	----	----	----/*21.80A	26.30B/*21.80A	----	22.90	-4.80	.1096	----	----	1	----	----	110	UNCH
5155	22.30	22.30	22.30	22.30/*21.50A	25.90B/*21.50A	----	22.50	-4.80	.1079	----	----	4	----	----	23	+
5160	----	----	----	----/*21.20A	25.30B/*21.20A	----	22.20	-4.70	.1065	----	----	----	----	----	16	UNCH
5165	----	----	----	----/*20.90A	25.10B/*20.90A	----	21.80	-4.70	.1049	----	----	----	----	----	24	UNCH
5170	----	----	----	----/*20.60A	24.70B/*20.60A	----	21.50	-4.60	.1035	----	----	----	----	----	14	UNCH
5175	----	----	----	----/*20.30A	24.30B/*20.30A	----	21.20	-4.50	.1021	----	----	----	----	----	362	UNCH
5185	----	----	----	----/*19.70A	23.60B/*19.70A	----	20.60	-4.40	.0994	----	----	----	----	----	2	UNCH
5190	----	----	----	----/*19.40A	23.20B/*19.40A	----	20.30	-4.30	.0981	----	----	----	----	----	13	UNCH
5195	----	----	----	----/*19.10A	22.80B/*19.10A	----	20.00	-4.20	.0967	----	----	----	----	----	42	UNCH
5200	19.10	19.10	19.10	19.10/*18.90A	22.50B/*18.90A	----	19.70	-4.20	.0954	----	----	6	----	3296	+	
5205	----	----	----	----/*18.60A	22.20B/*18.60A	----	19.40	-4.10	.0940	----	----	----	----	----	6	UNCH
5210	----	----	----	----/*18.30A	21.80B/*18.30A	----	19.10	-4.10	.0927	----	----	----	----	----	8	UNCH
5215	----	----	----	----/*18.10A	21.50B/*18.10A	----	18.80	-4.10	.0914	----	----	----	----	----	15	UNCH
5220	----	----	----	----/*17.80A	21.20B/*17.80A	----	18.60	-4.00	.0904	----	----	----	----	----	291	UNCH
5225	----	----	----	----/*17.60A	20.80B/*17.60A	----	18.30	-3.90	.0890	----	----	----	----	----	55	UNCH
5230	----	----	----	----/*17.30A	20.50B/*17.30A	----	18.00	-3.90	.0877	----	----	----	----	----	11	UNCH
5235	----	----	----	----/*17.10A	20.20B/*17.10A	----	17.80	-3.80	.0867	----	----	----	----	----	20	UNCH
5240	17.40	17.40	17.40	17.40/*16.90A	19.90B/*16.90A	----	17.50	-3.80	.0854	----	----	17	----	34	+	
5245	----	----	----	----/*16.60A	19.70B/*16.60A	----	17.30	-3.70	.0844	----	----	----	----	----	17	UNCH
5250	----	----	----	----/*16.40A	19.40B/*16.40A	----	17.10	-3.60	.0834	----	----	----	----	----	743	UNCH
5255	----	----	----	----/*16.20A	19.10B/*16.20A	----	16.80	-3.60	.0821	----	----	----	----	----	905	UNCH
5260	----	----	----	----/*16.00A	18.80B/*16.00A	----	16.60	-3.60	.0812	----	----	----	----	----	34	UNCH
5265	----	----	----	----/*15.80A	18.60B/*15.80A	----	16.40	-3.50	.0802	----	----	----	----	----	13	UNCH
5270	----	----	----	----/*15.60A	18.30B/*15.60A	----	16.10	-3.50	.0789	----	----	----	----	----	151	UNCH
5275	----	----	----	----/*15.40A	18.00B/*15.40A	----	15.90	-3.40	.0779	----	----	----	----	----	16	UNCH
5280	----	----	----	----/*15.20A	17.80B/*15.20A	----	15.70	-3.40	.0770	----	----	----	----	----	207	UNCH
5285	----	----	----	----/*15.00A	17.50B/*15.00A	----	15.50	-3.30	.0760	----	----	----	----	----	32	UNCH
5290	----	----	----	----/*14.80A	17.20B/*14.80A	----	15.30	-3.30	.0750	----	----	----	----	----	22	UNCH
5295	----	----	----	----/*14.60A	17.00B/*14.60A	----	15.10	-3.20	.0741	----	----					

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG CALL		COMEX GOLD OPTIONS																		
AUG26																				
5555	----	----	----	---/*8.40A	8.80B/*8.40A	----	----	----	8.50 - 1.50	.0414	----	----	----	----	1	UNCH				
5560	----	----	----	---/*8.40A	8.70B/*8.40A	----	----	----	8.40 - 1.50	.0409	----	----	----	----	3	UNCH				
5565	----	----	----	---/*8.30A	8.60B/*8.30A	----	----	----	8.30 - 1.50	.0404	----	----	----	----	39	UNCH				
5570	----	----	----	---/*8.20A	8.60B/*8.20A	----	----	----	8.20 - 1.50	.0399	----	----	----	----	21	UNCH				
5575	----	----	----	---/*8.10A	8.50B/*8.10A	----	----	----	8.20 - 1.40	.0398	----	----	----	----	4	UNCH				
5580	----	----	----	---/*8.10A	8.60B/*8.10A	----	----	----	8.10 - 1.40	.0393	----	----	----	----	34	UNCH				
5590	----	----	----	---/*7.90A	8.50B/*7.90A	----	----	----	7.90 - 1.40	.0384	----	----	----	----	2	UNCH				
5595	----	----	----	---/*7.90A	8.10B/*7.90A	----	----	----	7.90 - 1.40	.0383	----	----	----	----	28	UNCH				
5600	----	----	----	---/*7.80A	8.10B/*7.80A	----	----	----	7.80 - 1.40	.0378	----	----	----	1089	UNCH					
5605	----	----	----	---/*7.70A	8.10B/*7.70A	----	----	----	7.70 - 1.40	.0373	----	----	----	7	UNCH					
5610	----	----	----	---/*7.70A	8.00B/*7.70A	----	----	----	7.70 - 1.30	.0372	----	----	----	11	UNCH					
5615	----	----	----	---/*7.60A	8.00B/*7.60A	----	----	----	7.60 - 1.30	.0368	----	----	----	3	UNCH					
5620	----	----	----	---/*7.60A	7.80B/*7.60A	----	----	----	7.50 - 1.30	.0363	----	----	----	37	UNCH					
5625	----	----	----	---/*7.50A	7.70B/*7.50A	----	----	----	7.50 - 1.30	.0362	----	----	----	5	UNCH					
5630	----	----	----	---/*7.40A	7.70B/*7.40A	----	----	----	7.40 - 1.30	.0357	----	----	----	17	UNCH					
5635	----	----	----	---/*7.40A	7.70B/*7.40A	----	----	----	7.40 - 1.20	.0356	----	----	----	2	UNCH					
5640	----	----	----	---/*7.30A	7.50B/*7.30A	----	----	----	7.30 - 1.20	.0352	----	----	1	9	-	1				
5650	----	----	----	---/*7.20A	7.40B/*7.20A	----	----	----	7.20 - 1.20	.0346	----	----	----	601	UNCH					
5660	----	----	----	---/*7.10A	7.20B/*7.10A	----	----	----	7.10 - 1.10	.0341	----	----	----	34	UNCH					
5670	----	----	----	---/*7.00A	7.20B/*7.00A	----	----	----	6.90 - 1.20	.0332	----	----	----	10	UNCH					
5675	----	----	----	---/*6.90A	7.00B/*6.90A	----	----	----	6.90 - 1.10	.0331	----	----	----	4	UNCH					
5680	----	----	----	---/*6.90A	7.00B/*6.90A	----	----	----	6.80 - 1.10	.0326	----	----	----	4	UNCH					
5690	----	----	----	---/*6.80A	7.00B/*6.80A	----	----	----	6.70 - 1.10	.0321	----	----	----	16	UNCH					
5700	6.50	6.50	6.50	6.50	---/*6.50	6.80B/*6.50	----	----	6.60 - 1.10	.0315	----	----	1	1688	-	1				
5710	----	----	----	----	---/*6.60A	6.60B/*6.60A	----	----	6.50 - 1.00	.0310	----	----	----	7	UNCH					
5720	----	----	----	----	---/*6.50A	6.60B/*6.50A	----	----	6.40 - 1.00	.0305	----	----	----	19	UNCH					
5725	----	----	----	----	---/*6.50A	6.50B/*6.50A	----	----	6.40 - 1.00	.0304	----	----	----	1	UNCH					
5730	----	----	----	----	---/*6.40A	6.40B/*6.40A	----	----	6.30 - 1.00	.0300	----	----	----	15	UNCH					
5750	----	----	----	----	---/*6.20A	6.20B/*6.20A	----	----	6.20 - 0.90	.0293	----	----	----	397	UNCH					
5775	----	----	----	----	---/*6.00A	6.10B/*6.00A	----	----	5.90 - 0.90	.0279	----	----	----	2	UNCH					
5800	----	----	----	----	---/*5.90A	5.80B/*5.90A	----	----	5.70 - 0.80	.0268	----	----	----	1037	UNCH					
5825	----	----	----	----	---/*5.70A	5.60B/*5.70A	----	----	5.60 - 0.70	.0261	----	----	----	121	UNCH					
5850	----	----	----	----	---/*5.60A	5.40B/*5.60A	----	----	5.40 - 0.70	.0251	----	----	----	166	UNCH					
5875	----	----	----	----	---/*5.40A	5.20B/*5.40A	----	----	5.20 - 0.70	.0241	----	----	----	26	UNCH					
5900	----	----	----	----	---/*5.30A	5.10B/*5.30A	----	----	5.10 - 0.60	.0234	----	----	----	1490	UNCH					
5925	----	----	----	----	---/*5.10A	4.90B/*5.10A	----	----	4.90 - 0.60	.0225	----	----	----	2	UNCH					
5950	----	----	----	----	---/*5.00A	4.80B/*5.00A	----	----	4.80 - 0.60	.0219	----	----	----	12	UNCH					
6000	4.90	4.90	4.90	4.90	---/*4.80	4.90/*4.80	----	----	4.50 - 0.60	.0203	----	----	41	1804	+	23				
6100	----	----	----	----	---/*4.40A	4.10B/*4.40A	----	----	4.10 - 0.50	.0181	----	----	----	378	UNCH					
6200	----	----	----	----	---/*4.00A	3.70B/*4.00A	----	----	3.80 - 0.40	.0164	----	----	----	1426	UNCH					
6250	----	----	----	----	---/*3.90A	3.60B/*3.90A	----	----	3.60 - 0.50	.0154	----	----	----	3	UNCH					
6300	----	----	----	----	---/*3.80A	3.40B/*3.80A	----	----	3.50 - 0.40	.0148	----	----	----	83	UNCH					
6400	----	----	----	----	---/*3.50A	3.20B/*3.50A	----	----	3.30 - 0.30	.0137	----	----	----	54	UNCH					
6500	3.40	3.40	3.40	3.40	---/*3.30A	3.40/*3.30A	----	----	3.10 - 0.30	.0126	----	----	1	897	UNCH					
6600	----	----	----	----	---/*3.10A	2.80B/*3.10A	----	----	2.80 - 0.40	.0112	----	----	----	207	UNCH					
6700	----	----	----	----	---/*2.90A	2.60B/*2.90A	----	----	2.60 - 0.40	.0103	----	----	----	332	UNCH					
6800	----	----	----	----	---	2.40B/*2.80A	----	----	2.40 - 0.40	.0093	----	----	1	38	UNCH					
6900	----	----	----	----	---/*2.60A	2.30B/*2.60A	----	----	2.20 - 0.50	.0085	----	----	----	31	UNCH					
7000	----	----	----	----	---	2.10B/2.50A	----	----	2.10 - 0.40	.0079	----	----	----	509	UNCH					
7500	----	----	----	----	---/1.70A	1.60B/1.70A	----	----	1.40 - 0.50	.0050	----	----	----	801	UNCH					
8000	----	----	----	----	---	1.10B/1.50A	----	----	1.10 - 0.40	.0037	----	----	----	235	UNCH					
8500	----	----	----	----	---	0.80B/1.40A	----	----	1.00 - 0.20	.0032	----	----	----	85	UNCH					
9000	----	----	----	----	---	0.60B/1.30A	----	----	0.90 UNCH	.0027	----	----	----	17	UNCH					
9500	----	----	----	----	---	0.40B/1.10A	----	----	0.80 + 0.10	.0023	----	----	----	312	UNCH					
10000	----	----	----	----	---	0.30B/0.90A	----	----	0.60 UNCH	.0017	----	----	----	100	UNCH					
TOTAL																2048	90	74324	+	624
SEP26																				
3875	----	----	----	----	---	----	----	----	734.00 - 21.30	.9141	----	----	----	----	1	UNCH				
3995	----	----	----	----	---/602.80A	631.00B/602.80A	----	----	625.10 - 21.50	.8802	----	----	----	----	10	UNCH				
4085	----	----	----	----	---/525.80A	553.10B/525.80A	----	----	546.80 - 21.30	.8468	----	----	----	----	37	UNCH				
4130	----	----	----	----	---/488.60A	515.20B/488.60A	----	----	509.00 - 21.20	.8271	----	----	----	----	10	UNCH				
4185	----	----	----	----	---/444.70A	470.40B/444.70A	----	----	464.10 - 21.10	.8002	----	----	----	----	40	UNCH				
4200	----	----	----	----	---	365.70B/536.30A	----	----	452.20 - 21.00	.7923	----	----	----	----	1	UNCH				
4220	----	----	----	----	---/417.80A	442.70B/417.80A	----	----	436.50 - 20.90	.7815	----	----	----	162	UNCH					
4290	----	----	----	----	---/364.40A	389.60B/364.40A	----	----	383.60 - 20.40	.7402	----	----	----	6	UNCH					
4295	----	----	----	----	---/362.90A	385.90B/362.90A	----	----	379.90 - 20.40	.7370	----	----	----	50	UNCH					
4300	----	----	----	----	---/359.30A	382.30B/359.30A	----	----	376.30 - 20.40	.7339	----	----	----	18	UNCH					
4320	----	----	----	----	---/342.30A	367.80B/342.30A	----	----	361.90 - 20.30	.7210	----	----	----	162	UNCH					
4375	----	----	----	----	---/307.60A	332.80B/307.60A	----	----	324.00 - 19.80	.6837	----	----	----	1	UNCH					
4390	----	----	----	----	---/296.40A	322.90B/296.40A	----	----	314.10 - 19.60	.6730	----	----	----	202	UNCH					
4400	----	----	----	----	---/291.70A	316.20B/291.70A	----	----	307.60 - 19.40	.6659	----	----	----	6	UNCH					
4425	----	----	----	----	---/275.90A	300.20B/275.90A	----	----	291.70 - 19.10	.6476	----	----	----	1	UNCH					
4495	----	----	----	----	---/235.00A	259.20B/235.00A	----	----	249.90 - 18.20	.5945	----	----	----	18	UNCH					
4500	----	----	----	----	---/232.30A	255.00B/232.30A	----	----	247.10 - 18.10	.5906	----	----	----	12	UNCH					
4505	----	----	----	----	---/229.60A	252.80B/229.60A	----	----	244.30 - 18.10	.5867	----	----	----	2	UNCH					
4510	----	----	----	----	---/227.00A	251.30B/227.00A	----	----	241.50 - 18.00	.5828	----	----	----	2	UNCH					
4515	----	----	----	----	---/224.50A	248.50B/224.50A	----	----	238.80 - 17.90	.5789	----	----	----	2	UNCH					
4520	----	----	----	----	---/221.80A	245.70B/221.80A	----	----	236.00 - 17.90	.5749	----	----	----	1	UNCH					
4540	223.50	223.50	223.50	2																

BULLETIN # 98@				METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL	COMEX GOLD OPTIONS															
SEP26	83.40	83.40		83.50/79.50A	89.30B/79.50A	----			83.90 - 10.50	.2788	----	----	50	----	102 +	
4925	----	----	----	---/*78.40A	88.10B/*78.40A	----			82.80 - 10.40	.2759	----	----	----	----	2 UNCH	
4930	----	----	----	---/*77.50A	87.00B/*77.50A	----			81.70 - 10.30	.2730	----	----	----	----	1 UNCH	
4935	----	----	----	---/*75.40A	84.70B/*75.40A	----			79.50 - 10.20	.2672	----	----	----	----	1 UNCH	
4945	----	----	----	---/74.30A	83.60B/74.30A	----			78.40 - 10.10	.2643	----	----	----	----	281 UNCH	
4950	----	----	----	---/*73.50A	82.40B/*73.50A	----			77.40 - 10.00	.2615	----	----	----	----	1 UNCH	
4955	----	----	----	---/*72.40A	81.30B/*72.40A	----			76.30 - 9.90	.2586	----	----	37	----	47 +	
4960	----	----	----	---/*71.70A	80.30B/*71.70A	----			75.30 - 9.80	.2559	----	----	----	----	2 UNCH	
4965	----	----	----	---/*70.90A	79.20B/*70.90A	----			74.30 - 9.70	.2531	----	----	----	----	1 UNCH	
4970	----	----	----	---/*69.60A	78.20B/*69.60A	----			73.30 - 9.70	.2504	----	----	----	----	317 UNCH	
4975	66.20	66.20		66.50/*65.10A	73.20B/*65.10A	----			68.60 - 9.20	.2372	----	----	9	----	871 -	
5000	67.90	67.90		67.90/*64.50A	72.10B/*64.50A	----			67.70 - 9.10	.2347	----	----	2	----	3 +	
5005	60.30	60.30		60.30/*57.30A	64.00B/*57.30A	----			66.80 - 9.00	.2321	----	----	----	----	10 UNCH	
5010	----	----	----	---/*54.50A	60.80B/*54.50A	----			60.00 - 8.40	.2125	----	----	5	----	338 +	
5050	----	----	----	---/*53.80A	59.90B/*53.80A	----			57.00 - 8.00	.2035	----	----	----	----	5 UNCH	
5070	----	----	----	---/*53.10A	59.20B/*53.10A	----			56.20 - 8.00	.2011	----	----	----	----	1 UNCH	
5075	----	----	----	---/*50.40A	56.10B/*50.40A	----			55.50 - 7.90	.1990	----	----	----	----	9 UNCH	
5080	----	----	----	---/*49.40A	54.60B/*49.40A	----			52.70 - 7.60	.1904	----	----	----	----	377 UNCH	
5100	----	----	----	---/*46.80A	51.90B/*46.80A	----			51.30 - 7.50	.1861	----	----	----	----	1 UNCH	
5110	----	----	----	---/*44.60A	49.30B/*44.60A	----			48.80 - 7.20	.1782	----	----	----	----	4 UNCH	
5130	----	----	----	---/*44.10A	48.60B/*44.10A	----			46.40 - 6.90	.1706	----	----	----	----	390 UNCH	
5150	44.70	44.70		44.70/*43.00A	47.40B/*43.00A	----			45.80 - 6.80	.1687	----	----	4	----	1 UNCH	
5155	----	----	----	---/*42.50A	46.80B/*42.50A	----			44.60 - 6.70	.1649	----	----	----	----	13 +	
5165	----	----	----	---/*42.00A	46.20B/*42.00A	----			44.10 - 6.60	.1632	----	----	----	----	7 UNCH	
5170	40.50	40.50		40.50/*40.50	44.40B/*40.50	----			43.50 - 6.60	.1613	----	----	1	----	15 UNCH	
5175	----	----	----	---/*39.70A	43.30B/*39.70A	----			41.90 - 6.30	.1561	----	----	----	----	5004 UNCH	
5190	----	----	----	---/*36.80A	40.20B/*36.80A	----			40.90 - 6.10	.1528	----	----	----	----	5018 UNCH	
5200	----	----	----	---/*36.30A	39.70B/*36.30A	----			37.90 - 5.70	.1429	----	----	----	----	402 UNCH	
5230	----	----	----	---/*36.30A	39.70B/*36.30A	----			37.50 - 5.60	.1415	----	----	----	----	1 UNCH	
5235	----	----	----	---/*35.90A	38.90B/*35.90A	----			37.00 - 5.50	.1399	----	----	----	----	2 UNCH	
5240	----	----	----	---/*35.60A	38.70B/*35.60A	----			36.50 - 5.50	.1382	----	----	----	----	20 UNCH	
5245	----	----	----	---/*35.10A	38.20B/*35.10A	----			36.10 - 5.40	.1368	----	----	----	----	627 UNCH	
5250	----	----	----	---/*33.60A	36.40B/*33.60A	----			34.30 - 5.30	.1308	----	----	----	----	5 UNCH	
5270	----	----	----	---/*33.20A	36.00B/*33.20A	----			33.80 - 5.30	.1292	----	----	----	----	200 UNCH	
5275	----	----	----	---/*32.00A	34.40B/*32.00A	----			32.60 - 5.20	.1250	----	----	----	----	9 UNCH	
5290	----	----	----	---/*31.60A	34.10B/*31.60A	----			32.20 - 5.20	.1236	----	----	----	----	8 UNCH	
5295	----	----	----	---/*31.30A	33.60B/*31.30A	----			31.80 - 5.10	.1223	----	----	----	----	1009 UNCH	
5300	----	----	----	---/*30.20A	32.80B/*30.20A	----			30.70 - 5.00	.1184	----	----	----	----	5 UNCH	
5315	----	----	----	---/*29.20A	31.10B/*29.20A	----			29.60 - 4.90	.1146	----	----	----	----	20 UNCH	
5330	----	----	----	---/*28.80A	30.80B/*28.80A	----			29.30 - 4.80	.1135	----	----	----	----	4 UNCH	
5335	----	----	----	---/*28.50A	30.30B/*28.50A	----			28.90 - 4.80	.1121	----	----	----	----	7 UNCH	
5340	----	----	----	---/*27.90A	29.60B/*27.90A	----			28.30 - 4.70	.1099	----	----	----	----	125 UNCH	
5350	----	----	----	---/*27.60A	29.40B/*27.60A	----			28.00 - 4.60	.1088	----	----	----	----	6 UNCH	
5355	----	----	----	---/*27.00A	28.60B/*27.00A	----			27.30 - 4.60	.1063	----	----	----	----	22 UNCH	
5370	----	----	----	---/*26.70A	28.30B/*26.70A	----			27.00 - 4.50	.1053	----	----	----	----	15 UNCH	
5375	----	----	----	---/*26.40A	28.00B/*26.40A	----			26.80 - 4.40	.1044	----	----	----	----	5 UNCH	
5380	----	----	----	---/*26.10A	27.70B/*26.10A	----			26.50 - 4.40	.1033	----	----	----	----	2 UNCH	
5395	25.00	25.00		25.00/*25.00	26.40B/*25.00	----			25.60 - 4.30	.1001	----	----	1038	----	4 UNCH	
5400	----	----	----	---/*24.10A	25.50B/*24.10A	----			25.40 - 4.10	.0993	----	----	----	----	1335 +	
5420	----	----	----	---/*23.60A	25.10B/*23.60A	----			24.30 - 4.00	.0952	----	----	----	----	83 UNCH	
5425	----	----	----	---/*23.10A	24.40B/*23.10A	----			24.10 - 3.90	.0944	----	----	----	----	50 UNCH	
5440	----	----	----	---/*22.60A	23.80B/*22.60A	----			23.30 - 3.80	.0915	----	----	----	----	1 UNCH	
5450	----	----	----	---/*22.40A	23.50B/*22.40A	----			22.80 - 3.70	.0896	----	----	----	----	29 UNCH	
5460	----	----	----	---/*22.20A	23.30B/*22.20A	----			22.60 - 3.70	.0889	----	----	----	----	22 UNCH	
5470	----	----	----	---/*22.20A	23.30B/*22.20A	----			22.40 - 3.60	.0881	----	----	----	----	1 UNCH	
5475	----	----	----	---/*21.70A	22.80B/*21.70A	----			21.90 - 3.60	.0862	----	----	----	----	3 UNCH	
5480	----	----	----	---/*21.50A	22.50B/*21.50A	----			21.70 - 3.50	.0854	----	----	1000	----	26 UNCH	
5500	----	----	----	---/*20.40A	21.40B/*20.40A	----			20.60 - 3.40	.0813	----	----	----	----	2245 +	
5505	----	----	----	---/*20.20A	21.10B/*20.20A	----			20.40 - 3.30	.0805	----	----	----	----	3 UNCH	
5515	----	----	----	---/*20.00A	20.70B/*20.00A	----			20.00 - 3.30	.0790	----	----	----	----	4 UNCH	
5520	----	----	----	---/*19.80A	20.50B/*19.80A	----			19.80 - 3.20	.0782	----	----	----	----	1 UNCH	
5525	----	----	----	---/*19.60A	20.30B/*19.60A	----			19.60 - 3.20	.0775	----	----	----	----	6 UNCH	
5540	----	----	----	---/*19.00A	19.40B/*19.00A	----			19.00 - 3.20	.0752	----	----	----	----	19 UNCH	
5550	----	----	----	---/*18.70A	19.00B/*18.70A	----			18.60 - 3.10	.0737	----	----	----	----	35 UNCH	
5555	----	----	----	---/*18.50A	18.90B/*18.50A	----			18.50 - 3.00	.0732	----	----	----	----	5 UNCH	
5590	----	----	----	---/*17.40A	17.70B/*17.40A	----			17.30 - 2.80	.0686	----	----	----	----	29 UNCH	
5595	----	----	----	---/*17.30A	17.50B/*17.30A	----			17.10 - 2.80	.0679	----	----	----	----	4 UNCH	
5600	----	----	----	---/*17.10A	17.50B/*17.10A	----			17.00 - 2.70	.0674	----	----	----	----	930 UNCH	
5605	----	----	----	---/*17.00A	17.30B/*17.00A	----			16.80 - 2.70	.0667	----	----	----	----	3 UNCH	
5620	----	----	----	---/*16.60A	16.70B/*16.60A	----			16.40 - 2.50	.0650	----	----	----	----	20 UNCH	
5625	----	----	----	---/*16.50A	16.70B/*16.50A	----			16.20 - 2.50	.0643	----	----	----	----	2 UNCH	
5645	----	----	----	---/*15.90A	16.20B/*15.90A	----			15.70 - 2.30	.0622	----	----	----	----	5 UNCH	
5650	----	----	----	---/*15.80A												

PG64 BULLETIN # 98@												METALS OPTION PRODUCTS												Fri, May 22, 2026 PG64											
GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	SETT.PRICE		DELTA	EXER	OPEN	OUTCRY	GLOBEX®	PNT	OPEN															
		OPEN	RANGE	HIGH/LOW		HIGH/LOW	HIGH/LOW	CLOSE		RANGE		& PT.CHGE.			CISES	VOLUME	VOLUME	VOLUME	VOLUME	INTEREST															
OG CALL		COMEX GOLD OPTIONS																																	
OCT26																																			
4700	181.80	181.80		181.80/173.30A		189.00B/173.30A	----				182.20	- 15.30	.4478	----	----	----	----	1	----	168	+	1													
4710	----	----	----	169.60A		185.90B/169.60A	----				178.20	- 15.30	.4411	----	----	----	----	----	----	2	UNCH														
4715	----	----	----	167.80A		184.10B/167.80A	----				176.30	- 15.20	.4378	----	----	----	----	----	----	2	UNCH														
4725	----	----	----	164.20A		180.60B/164.20A	----				172.40	- 15.10	.4312	----	----	----	----	----	----	1	UNCH														
4730	----	----	----	162.50A		178.20B/162.50A	----				170.50	- 15.00	.4279	----	----	----	----	----	----	2	UNCH														
4735	----	----	----	*160.70A		175.70B/*160.70A	----				168.60	- 15.00	.4246	----	----	----	----	----	----	1	UNCH														
4750	----	----	----	155.50A		170.70B/155.50A	----				163.10	- 14.80	.4148	----	----	----	----	----	----	36	UNCH														
4755	----	----	----	*153.80A		168.50B/*153.80A	----				161.30	- 14.70	.4116	----	----	----	----	----	----	71	UNCH														
4760	----	----	----	152.10A		167.00B/152.10A	----				159.50	- 14.60	.4084	----	----	----	----	----	----	1	UNCH														
4765	----	----	----	*150.50A		165.20B/*150.50A	----				157.70	- 14.60	.4051	----	----	----	----	----	----	21	UNCH														
4775	----	----	----	147.20A		161.70B/147.20A	----				154.20	- 14.50	.3987	----	----	----	----	----	----	25	UNCH														
4785	----	----	----	*144.00A		157.90B/*144.00A	----				150.80	- 14.30	.3924	----	----	----	----	----	----	3	UNCH														
4790	----	----	----	142.50A		156.00B/142.50A	----				149.10	- 14.30	.3893	----	----	----	----	----	----	9	UNCH														
4795	----	----	----	*140.90A		154.70B/*140.90A	----				147.50	- 14.10	.3862	----	----	----	----	----	----	3	UNCH														
4800	----	----	----	139.30A		152.40B/139.30A	----				145.80	- 14.10	.3830	----	----	----	----	----	----	494	UNCH														
4805	----	----	----	*137.80A		150.70B/*137.80A	----				144.20	- 14.00	.3799	----	----	----	----	----	----	1	UNCH														
4810	----	----	----	136.40A		149.40B/136.40A	----				142.60	- 13.90	.3768	----	----	----	----	----	----	3	UNCH														
4815	----	----	----	*134.80A		148.20B/*134.80A	----				141.00	- 13.80	.3737	----	----	----	----	----	----	36	UNCH														
4820	----	----	----	133.40A		145.50B/*133.40A	----				139.40	- 13.70	.3707	----	----	----	----	----	----	3	UNCH														
4835	----	----	----	*129.10A		141.80B/*129.10A	----				134.70	- 13.50	.3615	----	----	----	----	----	----	1	UNCH														
4845	----	----	----	126.20A		138.40B/*126.20A	----				131.70	- 13.40	.3555	----	----	----	----	----	----	3	UNCH														
4850	----	----	----	124.80A		137.10B/124.80A	----				130.30	- 13.20	.3526	----	----	----	----	----	----	54	UNCH														
4860	----	----	----	*122.00A		133.90B/*122.00A	----				127.40	- 13.00	.3467	----	----	----	----	----	----	100	UNCH														
4865	----	----	----	120.70A		132.50B/*120.70A	----				125.90	- 13.00	.3437	----	----	----	----	----	----	2	UNCH														
4870	----	----	----	*119.30A		130.40B/*119.30A	----				124.50	- 12.90	.3408	----	----	----	----	----	----	1	UNCH														
4880	----	----	----	116.80A		127.80B/*116.80A	----				121.80	- 12.60	.3352	----	----	----	----	----	----	1	UNCH														
4895	----	----	----	*112.90A		123.70B/*112.90A	----				117.80	- 12.30	.3267	----	----	----	----	----	----	1	UNCH														
4900	----	----	----	111.60A		122.60B/111.60A	----				116.50	- 12.20	.3239	----	----	----	----	----	----	1428	UNCH														
4905	----	----	----	*110.50A		121.70B/*110.50A	----				115.20	- 12.10	.3211	----	----	----	----	----	----	20	UNCH														
4910	----	----	----	109.20A		119.90B/*109.20A	----				113.90	- 12.00	.3184	----	----	----	----	----	----	1	UNCH														
4925	----	----	----	105.50A		116.00B/105.50A	----				110.30	- 11.60	.3103	----	----	----	----	----	----	18	UNCH														
4935	----	----	----	*103.30A		113.60B/*103.30A	----				107.90	- 11.30	.3050	----	----	----	----	----	----	5	UNCH														
4945	----	----	----	*101.10A		111.10B/*101.10A	----				105.50	- 11.20	.2997	----	----	----	----	----	----	3	UNCH														
4950	100.00	100.00		102.40/99.90A		109.80B/99.90A	----				104.40	- 11.00	.2972	----	----	----	----	4	----	871	+	2													
5000	----	----	----	89.30A		97.60B/89.30A	----				93.50	- 10.00	.2722	----	----	----	----	----	----	1466	UNCH														
5025	----	----	----	*84.70A		93.10B/*84.70A	----				88.50	- 9.50	.2603	----	----	----	----	----	----	2	UNCH														
5050	----	----	----	80.10A		87.60B/*80.10A	----				83.60	- 9.20	.2487	----	----	----	----	----	----	59	UNCH														
5075	----	----	----	*75.90A		83.00B/*75.90A	----				79.10	- 8.80	.2376	----	----	----	----	----	----	4	UNCH														
5080	----	----	----	75.10A		82.10B/*75.10A	----				78.20	- 8.70	.2354	----	----	----	----	----	----	4	UNCH														
5085	----	----	----	*74.20A		81.10B/*74.20A	----				77.30	- 8.70	.2333	----	----	----	----	----	----	3	UNCH														
5100	----	----	----	71.80A		78.80B/71.80A	----				74.80	- 8.40	.2270	----	----	----	----	----	----	732	UNCH														
5125	----	----	----	*68.10A		74.40B/*68.10A	----				70.80	- 8.00	.2168	----	----	----	----	----	----	1	UNCH														
5150	----	----	----	64.60A		70.50B/*64.60A	----				67.10	- 7.50	.2072	----	----	----	----	----	----	36	UNCH														
5155	----	----	----	*63.90A		69.80B/*63.90A	----				66.40	- 7.40	.2053	----	----	----	----	----	----	3	UNCH														
5160	----	----	----	63.20A		68.90B/*63.20A	----				65.70	- 7.30	.2035	----	----	----	----	----	----	1	UNCH														
5170	----	----	----	*61.90A		67.40B/*61.90A	----				64.30	- 7.10	.1998	----	----	----	----	----	----	5	UNCH														
5195	----	----	----	58.70A		63.90B/*58.70A	----				61.00	- 6.70	.1909	----	----	----	----	----	----	1	UNCH														
5200	----	----	----	*58.00A		63.00B/*58.00A	----				60.40	- 6.60	.1893	----	----	----	----	----	----	1582	UNCH														
5205	----	----	----	57.50A		62.50B/*57.50A	----				59.80	- 6.50	.1876	----	----	----	----	----	----	1	UNCH														
5250	----	----	----	*52.40A		56.70B/*52.40A	----				54.40	- 6.00	.1728	----	----	----	----	----	----	524	UNCH														
5255	----	----	----	52.00A		56.10B/*52.00A	----				53.80	- 6.00	.1712	----	----	----	----	----	----	1	UNCH														
5300	----	----	----	*47.50A		51.00B/*47.50A	----				49.00	- 5.50	.1577	----	----	----	----	----	----	1001	UNCH														
5305	48.20	48.20		48.20/*47.10A		50.50B/*47.10A	----				48.50	NEW	.1563	----	----	----	----	1	----	1	+	1													
5310	----	----	----	*46.60A		49.90B/*46.60A	----				48.00	- 5.40	.1549	----	----	----	----	----	----	2	UNCH														
5315	47.20	47.20		47.20/*46.20A		49.40B/*46.20A	----				47.50	NEW	.1535	----	----	----	----	4	+	4															
5325	----	----	----	*45.40A		48.50B/*45.40A	----				46.50	- 5.30	.1506	----	----	----	----	----	----	9	UNCH														
5350	----	----	----	43.20A		45.80B/*43.20A	----				44.10	- 5.20	.1438	----	----	----	----	----	----	4	UNCH														
5355	43.90	43.90		43.90/*42.80A		44.50B/*42.80A	----				43.60	NEW	.1424	----	----	----	----	5	+	5															
5365	----	----	----	*42.00A		43.50B/*42.00A	----				42.70	- 5.10	.1398	----	----	----	----	----	----	1	UNCH														
5395	----	----	----	40.00A		40.90B/*40.00A	----				40.00</																								

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH	OUTCRY LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS																
DEC26																		
5070	----	----		---/*129.60A	138.20B	*/129.60A	----		133.70	- 11.30	----	----	----	----	----		13	UNCH
5075	----	----		---/*128.50A	137.10B	*/128.50A	----		132.50	- 11.30	----	----	----	----	----		31	UNCH
5090	----	----		---/*125.20A	133.60B	*/125.20A	----		129.10	- 11.10	----	----	----	----	----		17	UNCH
5100	----	----		---/123.20A	131.50B	/123.20A	----		126.90	- 11.00	----	----	----	----	----		362	UNCH
5125	----	----		---/*118.10A	125.80B	*/118.10A	----		121.50	- 10.70	----	----	----	----	----		70	UNCH
5150	----	----		---/*113.20A	120.50B	*/113.20A	----		116.40	- 10.40	----	----	----	----	----		12	UNCH
5155	----	----		---/*112.20A	119.50B	*/112.20A	----		115.40	- 10.40	----	----	----	----	----		4	UNCH
5160	----	----		---/*111.30A	118.30B	*/111.30A	----		114.50	- 10.20	----	----	----	----	----		2	UNCH
5170	----	----		---/*109.40A	116.40B	*/109.40A	----		112.50	- 10.10	----	----	----	----	----		4	UNCH
5175	----	----		---/*108.50A	115.60B	*/108.50A	----		111.60	- 10.00	----	----	----	----	----		101	UNCH
5195	----	----		---/*105.00A	111.50B	*/105.00A	----		107.80	- 9.80	----	----	----	----	----		5	UNCH
5200	107.70	107.70		107.70/104.10A	110.50B	/104.10A	----		106.90	- 9.80	----	----	----	11	----		1330	+
5220	----	----		---/*100.80A	106.80B	*/100.80A	----		103.40	- 9.40	----	----	----	----	----		6	UNCH
5245	----	----		---/*96.70A	102.50B	*/96.70A	----		99.20	- 9.00	----	----	----	----	----		10	UNCH
5250	----	----		---/*95.90A	101.90B	*/95.90A	----		98.40	- 8.90	----	----	----	----	----		417	UNCH
5255	----	----		---/*95.10A	100.80B	*/95.10A	----		97.50	- 9.00	----	----	----	----	----		1	UNCH
5265	----	----		---/*93.50A	99.10B	*/93.50A	----		95.90	- 8.80	----	----	----	----	----		5	UNCH
5275	----	----		---/*91.90A	97.50B	*/91.90A	----		94.40	- 8.60	----	----	----	----	----		23	UNCH
5300	----	----		---/88.40A	93.30B	/88.40A	----		90.60	- 8.20	----	----	----	----	----		50	747
5305	----	----		---/*87.80A	92.70B	*/87.80A	----		89.80	- 8.20	----	----	----	----	----		3	UNCH
5325	----	----		---/*84.80A	89.70B	*/84.80A	----		87.00	- 7.80	----	----	----	----	----		1	UNCH
5330	----	----		---/*84.10A	88.90B	*/84.10A	----		86.30	- 7.80	----	----	----	----	----		1	UNCH
5335	----	----		---/*83.60A	88.20B	*/83.60A	----		85.60	- 7.70	----	----	----	----	----		22	UNCH
5340	----	----		---/*82.80A	87.50B	*/82.80A	----		84.90	- 7.60	----	----	----	----	----		3	UNCH
5345	----	----		---/*82.20A	86.70B	*/82.20A	----		84.20	- 7.60	----	----	----	----	----		2	UNCH
5350	----	----		---/*81.60A	85.90B	*/81.60A	----		83.50	- 7.50	----	----	----	----	----		463	UNCH
5355	----	----		---/*80.90A	85.30B	*/80.90A	----		82.90	- 7.40	----	----	----	----	----		4	UNCH
5360	----	----		---/*80.30A	84.60B	*/80.30A	----		82.20	- 7.40	----	----	----	----	----		107	UNCH
5365	----	----		---/*79.60A	83.90B	*/79.60A	----		81.50	- 7.30	----	----	----	----	----		22	UNCH
5370	----	----		---/*79.00A	83.30B	*/79.00A	----		80.90	- 7.20	----	----	----	----	----		38	UNCH
5375	----	----		---/*78.40A	82.60B	*/78.40A	----		80.30	- 7.10	----	----	----	----	----		2	UNCH
5380	----	----		---/*77.80A	81.70B	*/77.80A	----		79.60	- 7.10	----	----	----	----	----		3	UNCH
5385	----	----		---/*77.30A	81.10B	*/77.30A	----		79.00	- 7.00	----	----	----	----	----		2	UNCH
5390	----	----		---/*76.60A	80.30B	*/76.60A	----		78.40	- 6.90	----	----	----	----	----		203	UNCH
5395	----	----		---/*75.90A	79.80B	*/75.90A	----		77.70	- 6.90	----	----	----	----	----		3	UNCH
5400	----	----		---/75.60A	79.00B	/75.60A	----		77.10	- 6.90	----	----	----	----	----		548	UNCH
5450	----	----		---/*69.70A	72.80B	*/69.70A	----		71.30	- 6.20	----	----	----	----	----		278	UNCH
5460	----	----		---/*68.70A	71.80B	*/68.70A	----		70.20	- 6.10	----	----	----	----	----		203	UNCH
5465	----	----		---/*68.30A	71.20B	*/68.30A	----		69.70	- 6.00	----	----	----	----	----		53	UNCH
5475	----	----		---/*67.20A	70.00B	*/67.20A	----		68.60	- 6.00	----	----	----	----	----		572	UNCH
5480	----	----		---/*66.70A	69.50B	*/66.70A	----		68.00	- 6.00	----	----	----	----	----		50	UNCH
5500	----	----		---/64.70A	67.40B	/64.70A	----		66.00	- 5.70	----	----	----	193	----		3199	+
5505	----	----		---/*64.20A	66.90B	*/64.20A	----		65.50	- 5.70	----	----	----	----	----		3	UNCH
5525	----	----		---/*62.30A	64.70B	*/62.30A	----		63.50	- 5.60	----	----	----	----	----		80	UNCH
5550	----	----		---/*60.20A	62.30B	*/60.20A	----		61.10	- 5.40	----	----	----	193	----		206	+
5570	----	----		---/*58.50A	60.50B	*/58.50A	----		59.20	- 5.40	----	----	----	----	----		198	UNCH
5575	----	----		---/*58.10A	59.90B	*/58.10A	----		58.80	- 5.30	----	----	----	----	----		10	UNCH
5600	----	----		---/55.90A	57.80B	/55.90A	----		56.60	- 5.30	----	----	----	----	----		2700	UNCH
5650	----	----		---/*52.80A	53.60B	*/52.80A	----		52.50	- 5.10	----	----	----	----	----		306	UNCH
5660	----	----		---/*52.20A	52.90B	*/52.20A	----		51.70	- 5.10	----	----	----	----	----		1	UNCH
5665	----	----		---/*51.80A	52.50B	*/51.80A	----		51.40	- 5.00	----	----	----	----	----		1	UNCH
5670	----	----		---/*51.40A	52.10B	*/51.40A	----		51.00	- 5.10	----	----	----	----	----		2	UNCH
5675	----	----		---/*51.20A	51.80B	*/51.20A	----		50.60	- 5.10	----	----	----	----	----		18	UNCH
5680	----	----		---/*50.80A	51.30B	*/50.80A	----		50.30	- 5.00	----	----	----	----	----		21	UNCH
5685	----	----		---/*50.40A	51.00B	*/50.40A	----		49.90	- 5.00	----	----	----	----	----		18	UNCH
5690	----	----		---/*50.10A	50.70B	*/50.10A	----		49.50	- 5.00	----	----	----	----	----		27	UNCH
5700	----	----		---/49.40A	49.80B	/49.40A	----		48.80	- 5.00	----	----	----	----	----		375	UNCH
5705	----	----		---/*49.10A	49.50B	*/49.10A	----		48.50	- 4.90	----	----	----	----	----		5	UNCH
5710	----	----		---/*48.80A	48.80B	*/48.80A	----		48.10	- 5.00	----	----	----	----	----		5	UNCH
5750	----	----		---/*46.30A	46.10B	*/46.30A	----		45.50	- 4.80	----	----	----	----	----		316	UNCH
5770	----	----		---/*45.20A	44.80B	*/45.20A	----		44.30	- 4.70	----	----	----	----	----		8	UNCH
5775	----	----		---/*44.90A	44.50B	*/44.90A	----		44.00	- 4.60	----	----	----	----	----		2	UNCH
5800	----	----		---/*43.60A	43.00B	*/43.60A	----		42.60	- 4.50	----	----	----	10	----		2113	+
5810	----	----		---/*43.10A	42.40B	*/43.10A	----		42.00	- 4.50	----	----	----	----	----		56	UNCH
5825	----	----		---/*41.70A	41.50B	*/41.70A	----		41.20	- 4.40	----	----	----	----	----		4	UNCH
5850	----	----		---/*40.50A	40.20B	*/40.50A	----		39.90	- 4.20	----	----	----	----	----		51	UNCH
5875	----	----		---/*39.30A	39.40B	*/39.30A	----		38.70	- 4.10	----	----	----	----	----		9	UNCH
5900	37.20	37.20		37.20/*37.20	38.20B	*/37.20	----		37.50	- 4.00	----	----	----	2				

BULLETIN # 98@				METALS OPTION PRODUCTS										Fri, May 22, 2026				PG64
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
GWW WED														GOLD WEEKLY WEDNESDAY OPTION WEEK4				
MAY26																		
44400	7.00	7.00	8.10B/*4.60A	8.10B/*4.60A	----	5.30 - 1.60	.0737	----	----	7	----	26	+	7				
44415	----	----	9.60B/*5.30A	9.60B/*5.30A	----	6.20 - 1.80	.0884	----	----	1	----	2	+	1				
44420	6.20	6.20	#10.10B/*5.60A	10.10B/*5.60A	----	6.50 NEW	.0936	----	----	10	----	10	+	10				
44425	9.10	9.10	10.80B/*6.00A	10.80B/*6.00A	----	6.80 - 2.00	.0989	----	----	17	----	150	+	7				
44430	6.80	6.80	#11.50B/*6.30A	11.50B/*6.30A	----	7.20 NEW	.1054	----	----	1	----	1	+	1				
44435	7.20	7.20	#12.10B/*6.60A	12.10B/*6.60A	----	7.60 - 2.10	.1122	----	----	1	----	3	+	1				
44440	11.00	11.00	13.00B/*7.00A	13.00B/*7.00A	----	8.00 - 2.30	.1191	----	----	26	----	28	+	24				
44445	8.80	8.80	13.80B/*7.40A	13.80B/*7.40A	----	8.50 - 2.30	.1272	----	----	42	----	40	+	40				
44450	12.40	12.40	14.80B/*7.90A	14.80B/*7.90A	----	9.00 - 2.40	.1355	----	141	----	----	136	+	5				
44455	9.00	9.00	#15.70B/*8.40A	15.70B/*8.40A	----	9.60 NEW	.1449	----	----	2	----	1	+	1				
44465	10.20	10.20	#17.90B/*9.50A	17.90B/*9.50A	----	10.80 NEW	.1647	----	----	1	----	2	+	2				
44470	-----	-----	#19.10B/*10.10A	19.10B/*10.10A	----	11.50 NEW	.1758	----	----	5	----	5	+	5				
44475	11.60	11.60	20.30B/10.80A	20.30B/10.80A	----	12.20 - 2.80	.1873	----	----	1	----	21	+	1				
44475	-----	-----	----/72.50A	116.60B/72.50A	----	93.60 - 23.00	.8125	----	----	----	----	1	UNCH					
44480	12.40	12.40	#21.70B/*11.60A	21.70B/*11.60A	----	13.10 NEW	.2007	----	----	1	----	1	+	1				
44485	13.10	13.10	#23.20B/*12.50A	23.20B/*12.50A	----	13.90 NEW	.2137	----	----	1	----	1	+	1				
4500	-----	-----	----/*55.40A	96.40B/*55.40A	----	73.40 - 23.10	.7401	----	----	11	----	62	+	11				
4500	19.80	19.80	28.30B/15.30A	28.30B/15.30A	----	17.00 - 2.90	.2597	----	167	----	----	123	+	30				
4510	23.70	23.70	#32.10B/*17.60A	32.10B/*17.60A	----	19.50 NEW	.2949	----	----	1	----	1	+	1				
4515	20.40	20.40	#34.20B/*19.00A	34.20B/*19.00A	----	20.90 NEW	.3138	----	19	----	----	15	+	15				
4520	26.50	26.50	#36.40B/*20.40A	36.40B/*20.40A	----	22.40 NEW	.3336	----	7	----	----	4	+	4				
4525	-----	-----	38.80B/21.90A	38.80B/21.90A	----	24.00 - 2.40	.3541	----	3	----	----	12	+	2				
4525	53.70	53.70	53.70/*41.00A	77.80B/*41.00A	----	55.40 - 22.60	.6457	----	25	----	----	11	+	4				
4530	64.00	64.00	#64.00/*38.40A	74.20B/*38.40A	----	52.10 NEW	.6245	----	11	----	----	11	+	11				
4535	30.10	30.10	#43.70B/*25.30A	43.70B/25.30A	----	27.50 NEW	.3971	----	11	----	----	11	+	11				
4540	-----	-----	#46.40B/*27.10A	46.40B/27.10A	----	29.40 NEW	.4195	----	1	----	----	1	+	1				
4550	30.00	30.00	39.50/*29.20A	61.10B/*29.20A	----	40.10 - 21.40	.5338	----	44	----	----	92	+	37				
4550	40.00	40.00	52.40B/31.30A	52.40B/31.30A	----	33.70 - 1.20	.4659	----	59	----	----	78	+	49				
4555	36.10	36.10	58.70B/*27.20A	58.70B/*27.20A	----	37.40 - 21.10	.5102	----	10	----	----	14	+	6				
4560	43.00	43.00	#55.70B/*25.40A	55.70B/*25.40A	----	34.80 - 20.70	.4864	----	6	----	----	40	UNCH					
4565	44.70	44.70	#61.60B/*38.40A	61.60B/38.40A	----	41.00 NEW	.5372	----	11	----	----	11	+	11				
4565	29.00	29.00	29.80/*23.60A	52.60B/*23.60A	----	32.40 - 20.30	.4626	----	9	----	----	9	+	8				
4570	32.90	32.90	#41.00/*22.00A	49.80B/*22.00A	----	30.10 - 19.80	.4388	----	35	----	----	17	+	10				
4575	54.00	54.00	68.40B/43.30A	68.40B/43.30A	----	46.50 + 0.80	.5846	----	12	----	----	9	-	1				
4575	37.50	37.50	47.40B/*20.00	47.40B/*20.00	----	27.90 - 19.40	.4152	----	221	----	----	92	+	42				
4580	33.70	33.70	#35.50/*19.00A	44.70B/*19.00A	----	25.90 NEW	.3921	----	110	----	----	35	+	35				
4585	32.90	32.90	#42.30B/*17.60A	42.30B/*17.60A	----	24.00 - 18.20	.3695	----	18	----	----	11	UNCH					
4585	-----	-----	#75.80B/*49.00A	75.80B/49.00A	----	52.60 + 2.00	.6303	----	16	----	----	11	UNCH					
4590	62.50	62.50	#79.50B/51.90A	79.50B/51.90A	----	55.80 + 2.60	.6525	----	3	----	----	10	-	2				
4590	-----	-----	----/*16.40A	39.60B/*16.40A	----	22.20 - 17.60	.3473	----	----	----	----	10	UNCH					
4595	-----	-----	#83.20B/*54.60A	83.20B/54.60A	----	59.10 NEW	.6741	----	12	----	----	12	+	12				
4595	18.90	18.90	#18.90/*15.20A	37.50B/*15.20A	----	20.50 NEW	.3257	----	16	----	----	16	+	16				
4600	60.10	60.10	87.30B/57.90A	87.30B/57.90A	----	62.50 + 3.70	.6945	----	3	----	----	5	UNCH					
4600	15.30	15.30	18.80/*14.20A	35.30B/*14.20A	----	19.00 - 16.40	.3052	----	146	----	----	170	+	126				
4610	13.60	13.60	#15.90/*12.20A	31.00B/*12.20A	----	16.20 NEW	.2662	----	3	----	----	3	+	3				
4615	-----	-----	----/*11.30A	29.20B/*11.30A	----	14.90 - 14.50	.2476	----	----	----	----	1	UNCH					
4620	17.80	17.80	#17.80/*10.50A	27.40B/*10.50A	----	13.80 NEW	.2307	----	4	----	----	2	+	2				
4625	10.90	10.90	10.90/*9.80A	25.70B/*9.80A	----	12.70 - 13.20	.2141	----	1	----	----	5	+	1				
4625	-----	-----	107.90B/73.70A	107.90B/73.70A	----	81.30 + 7.00	.7857	----	----	----	----	4	UNCH					
4630	18.00	18.00	#18.00/*9.10A	24.10B/*9.10A	----	11.70 NEW	.1986	----	17	----	----	15	+	15				
4635	8.20	8.20	8.20/*8.20	22.60B/*8.20A	----	10.80 - 12.00	.1841	----	4	----	----	6	+	4				
4640	-----	-----	----/*7.80A	21.00B/*7.80A	----	10.00 - 11.30	.1708	----	2	----	----	2	UNCH					
4650	-----	-----	----/*6.80A	18.20B/*6.80A	----	8.50 - 10.20	.1460	----	13	----	----	25	+	12				
4650	-----	-----	129.80B/----	129.80B/92.50A	----	102.10 + 10.10	.8538	----	----	----	----	10	UNCH					
4660	9.60	9.60	#9.60/*5.70	15.90B/*5.70	----	7.30 NEW	.1252	----	13	----	----	13	+	13				
4670	5.20	5.20	#5.20/*5.20	13.70B/*5.20	----	6.30 NEW	.1075	----	1	----	----	1	+	1				
4675	5.20	5.20	5.30/*4.90A	12.70B/*4.90A	----	5.80 - 7.50	.0989	----	11	----	----	20	+	7				
4675	-----	-----	153.10B/----	153.10B/112.30A	----	124.40 + 12.80	.9009	----	----	----	----	1	UNCH					
4690	6.60	6.60	6.60/*4.10A	10.50B/*4.10A	----	4.70 - 6.10	.0789	----	12	----	----	19	-	4				
4695	7.40	7.40	7.50/*3.80A	9.60B/*3.80A	----	4.40 - 5.70	.0733	----	14	----	----	14	+	13				
4700	7.10	7.10	7.10/*3.60	9.00B/*3.60	----	4.10 - 5.40	.0680	----	39	----	----	41	+	11				
4700	-----	-----	176.60B/----	176.60B/133.60A	----	147.70 + 14.90	.9319	----	----	----	----	15	UNCH					
4715	4.10	4.10	#4.10/*3.00	7.30B/*3.00	----	3.40 NEW	.0550	----	25	----	----	25	+	25				
4720	3.70	3.70	#3.70/*2.90A	6.80B/*2.90A	----	3.20 NEW	.0513	----	2	----	----	2	+	2				
4725	-----	-----	201.00B/----	201.00B/155.90A	----	171.60 + 16.50	.9521	----	----	----	----	1	UNCH					
4725	4.90	4.90	5.10/*2.80A	6.40B/*2.80A	----	3.00 - 3.80	.0477	----	69	----	----	97	+	57				
4735	-----	-----	----/*2.60A	5.50B/*2.60A	----	2.70 - 3.30	.0420	----	----	----	----	0	UNCH					
4750	2.20	2.20	2.20/*2.20	4.50B/*2.20	----	2.30 - 2.70	.0347	----	8	----	----	35	UNCH					
4775	2.50	2.50	2.50/*1.90A	3.40B/*1.90A	----	1.80 - 2.00	.0258	----	3	----	----	38	+	1				
4800	1.40	1.40	1.60/*1.40	2.40B/*1.40	----	1.50 - 1.50	.0202	----	21	----	----	64	-	16				
4825	1.20	1.20	1.20/*1.20	1.80B/*1.20	----	1.30 - 1.10	.0165	----	10	----	----	35	-	5				
4845	1.10	1.10	#1.10/*1.10	1.40B/*1.10	----	1.10 NEW	.0134	----	1	----	----	1	+	1				
4850	-----	-----	----/*1.10A	1.30B/*1.10A	----	1.10 - 0.80	.0132	----	----	----	----	3	UNCH					
4875	-----	-----	----/*1.00A	1.10B/*1.00A	----	0.90 - 0.70	.0103	----	----	----	----	3	UNCH					
4900	-----	-----	-----	266.70B/426.80A	----	344.30 + 19.70	.9913	----	----	----	----	1	UNCH					
4900	-----	-----	----/*0.90A	0.90B/*0.90A	----	0.80 - 0.50	.0086	----	----	----	----	7	UNCH					
4925	-----	-----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.40	.0072	----	----	----	----	4	UNCH					
4950	0.60	0.60	0.80/0.60	0.80/0.60	----	0.60 - 0.40	.0059	----	11	----	----	8	-	6				
4950	-----	-----	-----	317.90B/474.80A	----	394.10 + 19.90	.9941	----	----	----	----	11	UNCH					
4975	-----	-----	----/*0.60A	0.60B/*0.60A	----	0.60 - 0.30	.0056	----	----	----	----	7	UNCH					
5000	-----	-----	----/0.60A	0.50B/0.60A	----	0.50 - 0.30	.0044	----	----	----	----	1	UNCH					
5010	0.50	0.50	#0.50/*0.50	0.50/*0.50	----	0.50 NEW	.0044	----	2	----	----	1	+	1				
5030	0.40	0.40	#0.60/*0.40	#0.60/*0.40	----	0.50 NEW	.0042	----	1	----	----	0	UNCH					
5100	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.30 - 0.10	.0023	----	16	----	----	14	+	4				
5125	-----	-----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.20	.0014	----	11	----	----	11	UNCH					
5200	-----	-----	-----	----/*0.30A	----	0.10 - 0.10	.0006	----	5	----	----	9	UNCH					
5250	-----	-----	-----	----/0.40A	----	0.10 UNCH	.0002	----	----	----	----	2	UNCH					
5300	-----	-----	-----	----/*0.40A	----	0.10 UNCH	.0001	----	5	----	----	6	UNCH					
5400	-----	-----	-----	----/*0.30A	----	0.10 UNCH	.0000	----	----	----	----	1	UNCH					
5500	-----	-----	-----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	3	UNCH					
5600	-----	-----	-----	----/1.40A	----	0.10 UNCH	----	----	----	----	----	1	UNCH					
TOTAL														1616	2364+	700		
JUN26																		
3900	-----	-----	----/*1.70A	1.40B/*1.70A	----	1.60 - 0.20	.0108	----	----	----	----	19	UNCH					
4000	-----	-----	----/*2.20A	2.00B/*2.20A	----	2.10 - 0.30	.0157	----	----	----	----	3	UNCH					
4100	-----	-----	----/*5.80A	6.20B/*5.80A	----	5.60 - 0.70	.0417	----	----	----	----	1	UNCH					
4175	-----	-----	----															

PG64		BULLETIN # 98@										METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK1																						
JUN26																								
4625	----	----			126.10B/----	126.10B/97.90A	----	----		103.00 + 5.70	.6684	----	----	----	----			3	UNCH	3	UNCH			
4650	----	----			----/*23.00A	38.30B/*23.00A	----	----		27.20 - 12.70	.2750	----	----	----	----			1	UNCH	1	UNCH			
4675	----	----			----/*18.10A	30.60B/*18.10A	----	----		21.40 - 10.90	.2255	----	----	----	----			1	UNCH	1	UNCH			
4675	----	----			165.50B/----	165.50B/131.50A	----	----		139.80 + 9.20	.7741	----	----	----	----									
4700	----	----			----/*14.40A	24.70B/*14.40A	----	----		16.70 - 9.40	.1826	----	----	2	100			101	+	95	+			
4700	----	----			186.80B/149.00A	186.80B/149.00A	----	----		160.20 + 10.90	.8171	----	----	----	----			1	UNCH	1	UNCH			
4725	11.50	11.50			11.50/*11.50	19.60B/*11.50	----	----		13.10 - 7.90	.1471	----	3	----	----			6	+	3	+			
4775	----	----			----/*7.60A	12.20B/*7.60A	----	----		8.20 NEW	.0949	----	1	----	----			1	+	1	+			
4775	----	----			----/*16.60A	22.60B/*16.60A	----	----		17.60 - 7.90	.1548	----	----	----	----			1	+	1	+			
4775	----	----			258.30B/----	258.30B/230.10A	----	----		235.90 + 12.30	.8447	----	----	----	----			2	+	2	+			
4800	----	----			----/*6.40A	9.70B/*6.40A	----	----		6.60 - 4.30	.0767	----	----	----	----			5	+	5	+			
4800	----	----			----/*22.10A	26.60B/*22.10A	----	----		22.60 NEW	.1697	----	1	----	----			1	+	1	+			
4825	11.80	11.80			11.80/*11.60	15.00B/*11.60	----	----		12.30 NEW	.1120	----	2	----	----			2	+	2	+			
4825	----	----			----/*5.20A	7.70B/*5.20A	----	----		5.30 - 3.60	.0618	----	1	----	----			1	+	1	+			
4850	----	----			----/*4.40A	6.10B/*4.40A	----	----		4.40 - 2.90	.0509	----	----	----	----			1	+	1	+			
4875	----	----			----/*3.80A	5.00B/*3.80A	----	----		3.70 - 2.30	.0423	----	----	----	----			2	+	2	+			
4875	----	----			----/*14.70A	16.90B/*14.70A	----	----		14.30 NEW	.1131	----	1	----	----			1	+	1	+			
4900	----	----			----/*3.30A	3.90B/*3.30A	----	----		3.10 - 1.90	.0351	----	----	----	----			4	+	4	+			
4900	----	----			----/*7.50A	8.80B/*7.50A	----	----		7.50 - 3.40	.0699	----	----	----	----			7	+	7	+			
4950	----	----			----/*2.50A	2.50B/*2.50A	----	----		2.30 - 1.30	.0252	----	----	1	----	----			2	+	2	+		
4950	6.90	6.90			7.00/*5.70A	7.00/*5.70A	----	----		5.60 - 2.40	.0522	----	2	----	----			3	+	3	+			
4975	----	----			----/*2.20A	2.10B/*2.20A	----	----		2.00 - 1.10	.0216	----	----	----	----			1	+	1	+			
5000	----	----			----/*4.50A	4.50B/*4.50A	----	----		4.30 - 1.60	.0397	----	----	----	----			1	+	1	+			
5000	----	----			----/*2.00A	1.90B/*2.00A	----	----		1.80 NEW	.0190	----	----	1	----	----			1	+	1	+		
5025	----	----			----/*4.10A	3.90B/*4.10A	----	----		3.80 - 1.40	.0349	----	----	----	----			2	+	2	+			
5050	----	----			----/*1.70A	1.40B/*1.70A	----	----		1.50 - 0.60	.0151	----	----	----	----			2	+	2	+			
5075	----	----			----/*3.40A	3.10B/*3.40A	----	----		3.00 - 1.00	.0272	----	----	----	----			2	+	2	+			
5150	----	----			----/*1.30A	0.80B/*1.30A	----	----		1.00 - 0.40	.0093	----	----	----	----			2	+	2	+			
TOTAL														73	250			984	+	306	+			
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GWT TUE		GOLD WEEKLY TUESDAY OPTION week1																						
JUN26																								
3250	----	----			----	----/0.80A	----	----		0.10 UNCH	.0004	----	----	----	----			2	UNCH	2	UNCH			
3600	----	----			----	1.30B/*3.70A	----	----		3.60 NEW	.0167	----	----	3	----			3	+	3	+			
3700	----	----			----	1.20B/*1.80A	----	----		1.50 - 0.10	.0087	----	----	----	----			3	+	3	+			
3800	----	----			----/*3.80A	1.90B/*3.80A	----	----		3.40 - 0.60	.0194	----	----	----	----			1	+	1	+			
4000	----	----			----/*1.90A	1.70B/*1.90A	----	----		1.90 - 0.10	.0142	----	----	----	----			1	+	1	+			
4000	3.70	3.70			3.70/*3.70	3.70/*3.70	----	----		3.20 - 0.40	.0233	----	----	1	----			1	+	1	+			
4100	----	----			13.30B/*12.10A	13.30B/*12.10A	----	----		12.00 NEW	.0724	----	3	----	----			2	+	2	+			
4100	----	----			----/*2.50A	2.60B/*2.50A	----	----		2.60 - 0.30	.0218	----	----	----	----			2	+	2	+			
4150	----	----			----/*3.00A	3.30B/*3.00A	----	----		3.10 - 0.50	.0275	----	----	----	----			1	+	1	+			
4175	----	----			13.60B/*11.70A	13.60B/*11.70A	----	----		10.90 - 2.10	.0765	----	----	----	----			1	+	1	+			
4175	----	----			18.60B/*16.80A	18.60B/*16.80A	----	----		16.20 NEW	.0989	----	2	----	----			2	+	2	+			
4175	----	----			8.20B/*7.00A	8.20B/*7.00A	----	----		6.80 - 1.00	.0547	----	----	----	----			1	+	1	+			
4175	----	----			----/*3.30A	3.80B/*3.30A	----	----		3.40 - 0.60	.0311	----	----	----	----			3	+	3	+			
4200	----	----			15.70B/*13.20A	15.70B/*13.20A	----	----		12.40 - 2.30	.0871	----	----	----	----			3	+	3	+			
4200	----	----			----/*3.70A	4.40B/*3.70A	----	----		3.80 - 0.70	.0358	----	----	----	----			2	+	2	+			
4200	----	----			9.60B/*7.90A	9.60B/*7.90A	----	----		7.80 - 1.10	.0631	----	----	----	----			1	+	1	+			
4225	----	----			----/*4.20A	5.10B/*4.20A	----	----		4.30 - 0.80	.0415	----	----	----	----			3	+	3	+			
4225	----	----			11.00B/*9.00A	11.00B/*9.00A	----	----		8.90 - 1.30	.0726	----	----	----	----			2	+	2	+			
4250	----	----			27.70B/*23.70A	27.70B/*23.70A	----	----		22.70 NEW	.1378	----	1	----	----			1	+	1	+			
4250	----	----			----/298.90A	332.50B/298.90A	----	----		322.20 - 22.80	.8855	----	----	----	----			1	+	1	+			
4250	----	----			20.10B/17.00A	20.10B/17.00A	----	----		16.40 - 2.70	.1139	----	----	----	----			1	+	1	+			
4250	----	----			12.70B/*10.30A	12.70B/*10.30A	----	----		10.30 - 1.40	.0844	----	----	----	----			3	+	3	+			
4275	----	----			31.80B/27.10A	31.80B/27.10A	----	----		25.80 NEW	.1550	----	1	----	----			2	+	2	+			
4275	----	----			22.90B/19.50A	22.90B/19.50A	----	----		18.90 - 3.00	.1302	----	----	----	----			2	+	2	+			
4275	----	----			7.20B/*5.60A	7.20B/*5.60A	----	----		5.60 - 1.20	.0569	----	----	----	----			10	+	10	+			
4275	----	----			14.70B/11.80A	14.70B/11.80A	----	----		11.90 - 1.60	.0978	----	----	----	----			7	+	7	+			
4300	----	----			26.50B/22.20A	26.50B/22.20A	----	----		21.90 - 3.20	.1491	----	----	----	----			51	+	51	+			
4300	----	----			----/255.80A	287.60B/255.80A	----	----		277.80 - 23.40	.8502	----	----	----	----			1	+	1	+			
4300	----	----			8.60B/*6.40A	8.60B/*6.40A	----	----		6.50 - 1.50	.0676	----	----	----	----			27	+	27	+			
4300	----	----			17.50B/13.80A	17.50B/13.80A	----	----		13.90 - 1.70	.1141	----	----	----	----			4	+	4	+			
4325	----	----			10.60B/7.60A	10.60B/7.60A	----	----		7.80 - 1.70	.0821	----	----	2	----			1	+	1	+			
4350	----	----			35.50B/29.70A	35.50B/29.70A	----	----	</															



BULLETIN # 98@				METALS OPTION PRODUCTS								Fri, May 22, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWT TUE	GOLD WEEKLY TUESDAY OPTION week1															
JUN26																
4875	----	----	----	---/*3.10A	3.80B/*3.10A	----	----	----	3.00 - 2.00	.0357	----	----	1	----	1	UNCH
4900	----	----	----	---/*11.60A	14.80B/*11.60A	----	----	----	11.80 - 5.10	.0958	----	----	----	----	4	UNCH
4900	----	----	----	---/*2.70A	3.00B/*2.70A	----	----	----	2.50 - 1.70	.0293	----	----	----	----	4	UNCH
4900	----	----	----	---/*6.50A	7.60B/*6.50A	----	----	----	6.30 - 3.30	.0617	----	----	3	----	7 -	1
4950	----	----	----	---/*13.70A	16.40B/*13.70A	----	----	----	13.30 NEW	.0964	----	----	2	----	2 +	2
4950	----	----	----	---/*9.50A	10.20B/*9.50A	----	----	----	9.00 - 3.90	.0739	----	----	----	----	2	UNCH
4950	----	----	----	---/*4.90A	5.10B/*4.90A	----	----	----	4.70 - 2.20	.0458	----	----	----	----	1	UNCH
4975	----	----	----	---/*8.10A	9.00B/*8.10A	----	----	----	7.90 - 3.30	.0651	----	----	----	----	4	UNCH
5000	----	----	----	---/*11.10A	12.00B/*11.10A	----	----	----	10.50 NEW	.0770	----	----	3	----	3 +	3
5000	----	----	----	---/*1.70A	1.50B/*1.70A	----	----	----	1.50 - 0.80	.0161	----	----	----	----	4	UNCH
5000	----	----	----	---/*7.20A	7.20B/*7.20A	----	----	----	7.00 - 2.80	.0576	----	----	----	----	3	UNCH
5000	----	----	----	---/*4.00A	3.80B/*4.00A	----	----	----	3.60 - 1.50	.0346	----	----	2	----	1 -	2
5050	----	----	----	---/*5.90A	5.30B/*5.90A	----	----	----	5.30 - 2.30	.0441	----	----	----	----	4	UNCH
5075	1.60	1.60		1.60/*1.30A	1.60/*1.30A	----	----	----	1.10 - 0.50	.0110	----	----	1	----	1	UNCH
5100	----	----	----	---/*2.70A	2.30B/*2.70A	----	----	----	2.30 - 0.80	.0212	----	----	----	----	1	UNCH
5200	----	----	----		0.50B/*1.00A	----	----	----	0.80 - 0.20	.0071	----	----	----	----	2	UNCH
5250	----	----	----		1.60B/*4.00A	----	----	----	2.00 - 1.00	.0166	----	----	----	----	1	UNCH
5250	----	----	----		1.10B/*1.80A	----	----	----	1.60 - 0.20	.0133	----	----	----	----	2	UNCH
5500	----	----	----		1.00B/*3.40A	----	----	----	2.80 NEW	.0178	----	----	3	----	3 +	3
5500	----	----	----		---/*0.80A	----	----	----	0.20 - 0.20	.0015	----	----	----	----	3	UNCH
5500	----	----	----		0.50B/*1.20A	----	----	----	0.90 UNCH	.0065	----	----	----	----	1	UNCH
5600	----	----	----		---/*0.70A	----	----	----	0.20 - 0.10	.0014	----	----	----	----	3	UNCH
TOTAL													265		1557+	126
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWR THU	GOLD WEEKLY THURSDAY OPTION week4															
MAY26																
3250	----	----	----	----	---/3.60A	----	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH
3700	----	----	----	----	---/*0.40A	----	----	----	0.20 - 0.10	.0009	----	----	----	----	13	UNCH
3750	----	----	----	----	---/*0.50A	----	----	----	0.20 - 0.10	.0010	----	----	----	----	1	UNCH
3800	----	----	----	----	0.30B/*0.50A	----	----	----	0.30 - 0.10	.0016	----	----	----	----	2	UNCH
3900	----	----	----	----	0.50B/*0.70A	----	----	----	0.50 NEW	.0030	----	----	1	----	1 +	1
3900	----	----	----	----		----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4000	----	----	----	----	---/*0.80A	0.80B/*0.80A	----	----	0.80 - 0.20	.0055	----	----	----	----	6	UNCH
4100	1.10	1.10		1.30B/*1.10	1.30B/*1.10	----	----	----	1.20 NEW	.0095	----	----	1	----	1 +	1
4125	----	----	----	---/*1.30A	1.40B/*1.30A	----	----	----	1.30 - 0.30	.0108	----	----	----	----	2	UNCH
4175	----	----	----	---/*1.60A	1.80B/*1.60A	----	----	----	1.70 - 0.30	.0152	----	----	----	----	1	UNCH
4200	----	----	----	---/*1.80A	2.10B/*1.80A	----	----	----	1.90 - 0.40	.0177	----	----	----	----	5	UNCH
4225	----	----	----	---/*2.00A	2.40B/*2.00A	----	----	----	2.20 - 0.40	.0214	----	----	----	----	2	UNCH
4250	----	----	----	---/*2.30A	2.90B/*2.30A	----	----	----	2.50 - 0.50	.0254	----	----	----	----	5	UNCH
4270	2.70	2.70		#3.30B/*2.60	#3.30B/*2.60	----	----	----	2.80 NEW	.0295	----	----	2	----	2 +	2
4275	----	----	----	---/*2.60A	3.50B/*2.60A	----	----	----	2.90 - 0.60	.0308	----	----	----	----	3	UNCH
4275	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4300	3.60	3.60		4.30B/*3.10A	4.30B/*3.10A	----	----	----	3.30 - 0.90	.0368	----	----	2	----	4 -	1
4300	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4325	----	----	----	5.20B/*3.60A	5.20B/*3.60A	----	----	----	3.90 - 1.10	.0455	----	----	1	----	22	UNCH
4325	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4330	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4335	5.00	5.00		#5.70B/*3.90A	#5.70B/*3.90A	----	----	----	4.20 NEW	.0498	----	----	1	----	1 +	1
4340	4.40	4.40		#4.40/*4.40	#6.00B/*4.00A	----	----	----	4.40 NEW	.0525	----	----	3	----	3 +	3
4345	4.70	4.70		#4.70/*4.70	#6.30B/*4.20A	----	----	----	4.50 NEW	.0543	----	----	2	----	2 +	2
4350	----	----	----	6.60B/*4.30A	6.60B/*4.30A	----	----	----	4.70 - 1.30	.0572	----	----	1	----	2 +	1
4350	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4360	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4365	5.00	5.00		#5.00/*5.00	#7.60B/*4.90A	----	----	----	5.30 NEW	.0660	----	----	1	----	1 +	1
4370	6.70	6.70		#8.00B/*5.10A	#8.00B/*5.10A	----	----	----	5.50 NEW	.0691	----	----	1	----	1 +	1
4370	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4375	7.00	7.00		8.40B/*5.30A	8.40B/*5.30A	----	----	----	5.70 - 1.60	.0723	----	----	32	----	42 +	26
4375	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4380	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4385	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4390	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4395	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4395	6.70	6.70		#6.70/*6.70	#10.30B/*6.30A	----	----	----	6.80 NEW	.0887	----	----	1	----	1 +	1
4400	----	----	----			----	----	----	142.50 UNCH	----	----	----	----	0	UNCH	
4400	9.10	9.10		10.90B/*6.50A	10.90B/*6.50A	----	----	----	7.20 - 1.80	.0941	----	----	66	----	114 +	57
4400	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4405	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4410	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4415	8.10	8.10		#8.10/*8.10	#12.80B/*7.60A	----	----	----	8.30 NEW	.1104	----	----	1	----	1 +	1
4420	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4425	10.20	10.20		14.30B/8.40A	14.30B/8.40A	----	----	----	9.20 - 2.10	.1234	----	----	10	----	13 +	10
4425	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4430	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4430	----	----	----			----	----	----	112.50 UNCH	----	----	----	----	0	UNCH	
4435	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4435	----	----	----			----	----	----	107.50 UNCH	----	----	----	----	0	UNCH	
4440	----	----	----		#17.00B/*10.00A	----	----	----	10.70 NEW	.1454	----	----	1	----	1 +	1
4440	----	----	----			----	----	----	102.50 UNCH	----	----	----	----	0	UNCH	
4440	----	----	----			----	----	----	0.00 UNCH	----	----	----	----	0	UNCH	
4445	----	----	----			----	----	----	0.00 UNCH							

BULLETIN # 98@				METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWR THU	GOLD WEEKLY THURSDAY OPTION week4															
MAY26	48.40	48.40		48.40/*34.90A	66.00B/*34.90A	----			45.50 - 21.10	.5302	----	----	2	----	8	
4550	----	----		----	----	----			7.50 UNCH	----	----	----	----	----	0	
4550	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0	
4550	42.40	42.40		58.00B/37.30A	58.00B/37.30A	----			39.10 - 0.90	.4696	----	----	5	----	9 +	
4555	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0	
4555	44.50	44.50		#44.50/*33.10A	#63.10B/*33.10A	----			42.80 NEW	.5099	----	----	25	----	25 +	
4560	----	----		----	----	----			17.50 UNCH	----	----	----	----	----	0	
4560	----	----		----	#60.10B/*31.20A	----			0.00 UNCH	----	----	----	----	----	0	
4565	----	----		----	----	----			40.30 NEW	.4894	----	2	----	2	+	
4565	55.50	55.50		#67.40B/*55.50	#67.40B/*44.00A	----			22.50 UNCH	----	----	----	1	----	0	
4570	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0	
4570	58.40	58.40		#70.40B/*58.40	#70.40B/*46.50A	----			27.50 UNCH	----	----	----	----	----	0	
4570	31.00	31.00		#31.00/*31.00	#54.50B/*27.50A	----			49.10 NEW	.5512	----	1	----	1	+	
4575	----	----		----	----	----			35.50 NEW	.4486	----	1	----	1	+	
4575	33.40	33.40		33.40/*25.60A	52.20B/*25.60A	----			0.00 UNCH	----	----	----	----	----	0	
4575	54.50	54.50		73.80B/49.20A	73.80B/49.20A	----			33.30 - 19.20	.4283	----	2	----	46 +	2	
4575	----	----		----	----	----			51.90 + 1.00	.5715	----	1	----	54	+	
4580	----	----		----	----	----			32.50 UNCH	----	----	----	----	----	0	
4585	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0	
4585	----	----		----	----	----			42.50 UNCH	----	----	----	----	----	0	
4590	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0	
4595	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0	
4600	25.10	25.10		25.10/*18.60A	39.90B/*18.60A	----			0.00 UNCH	----	----	----	32	----	38 +	
4600	----	----		----	----	----			23.80 - 16.90	.3313	----	----	----	----	0	
4605	18.00	18.00		#18.00/*18.00	#37.60B/*17.70A	----			57.50 UNCH	----	----	----	----	----	0	
4610	----	----		----	----	----			0.00 UNCH	----	----	----	3	----	0	
4610	----	----		----	----	----			22.20 NEW	.3132	----	----	----	3	+	
4615	----	----		----	----	----			67.50 UNCH	----	----	----	----	----	0	
4615	----	----		----	#33.60B/*15.60A	----			0.00 UNCH	----	----	----	----	----	0	
4620	14.70	14.70		#14.70/*14.70	#31.70B/*14.60A	----			0.00 UNCH	----	----	----	3	----	3	
4620	----	----		----	----	----			18.00 NEW	.2626	----	4	----	4	+	
4625	19.60	19.60		19.60/*13.40A	30.10B/*13.40A	----			77.50 UNCH	----	----	----	2	----	8	
4625	----	----		----	----	----			16.80 - 14.20	.2472	----	----	----	----	0	
4630	----	----		----	----	----			82.50 UNCH	----	----	----	----	----	0	
4635	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0	
4640	98.00	98.00		#98.00/*98.00	#124.30B/*90.30A	----			0.00 UNCH	----	----	----	3	----	3	
4640	----	----		----	----	----			97.10 NEW	.7951	----	----	----	----	0	
4645	----	----		----	----	----			97.50 UNCH	----	----	----	----	----	0	
4650	----	----		133.00B/96.10A	133.00B/96.10A	----			0.00 UNCH	----	----	----	4	----	5	
4650	----	----		----/*9.80A	22.40B/*9.80A	----			105.40 + 8.80	.8201	----	----	----	----	0	
4650	----	----		----	----	----			11.80 NEW	.1796	----	----	----	----	0	
4660	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0	
4665	----	----		----	----	----			107.50 UNCH	----	----	----	----	----	0	
4670	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0	
4675	----	----		----/*7.10A	16.40B/*7.10A	----			0.00 UNCH	----	----	----	7	----	9	
4675	155.40B/----	155.40B/116.00A		----	----	----			8.40 - 8.90	.1293	----	----	----	----	1	
4675	6.20	6.20		#6.20/*5.70A	#12.60B/*5.70A	----			127.00 + 11.40	.8705	----	----	----	----	0	
4700	6.10	6.10		6.10/*5.30A	12.00B/*5.30A	----			132.50 UNCH	----	----	1	----	1	+	
4700	----	----		178.30B/----	178.30B/136.40A	----			6.50 NEW	.0996	----	42	----	72 +	38	
4700	----	----		----	----	----			6.10 - 6.70	.0933	----	1	----	1	+	
4710	----	----		----	----	----			149.60 + 13.40	.9065	----	----	----	----	0	
4725	----	----		----/*4.10A	8.70B/*4.10A	----			157.50 UNCH	----	----	----	----	----	0	
4725	----	----		----	8.70B/*4.10A	----			0.00 UNCH	----	----	----	----	----	0	
4750	----	----		226.40B/----	226.40B/180.50A	----			4.50 - 5.00	.0677	----	----	----	11	+	
4750	----	----		----/*3.20A	6.30B/*3.20A	----			182.50 UNCH	----	----	1	----	1	+	
4775	----	----		----/*2.60A	4.70B/*2.60A	----			197.00 + 16.50	.9489	----	----	----	156 +	1	
4775	244.70B/----	244.70B/204.00A		----	----	----			3.50 - 3.70	.0509	----	1	----	4	+	
4780	----	----		269.30B/----	269.30B/227.70A	----			2.70 - 2.70	.0380	----	1	----	1	+	
4800	2.60	2.60		2.60/*2.20A	3.60B/*2.20A	----			221.20 + 17.50	.9618	----	----	----	50	+	
4825	1.70	1.70		#1.70/*1.70	#2.40B/*1.70	----			0.00 UNCH	----	----	----	----	0	+	
4850	----	----		----/*1.60A	2.00B/*1.60A	----			0.00 UNCH	----	----	----	----	1	+	
4875	----	----		----/*1.40A	1.50B/*1.40A	----			1.70 NEW	.0219	----	2	----	2	+	
4900	----	----		----/*1.20A	1.50B/*1.40A	----			1.50 - 1.20	.0186	----	----	----	36	+	
4925	----	----		----/*1.10A	1.10B/*1.10A	----			1.30 - 0.90	.0154	----	----	----	1	+	
4950	----	----		----/*0.90A	0.90B/*0.90A	----			319.70 + 19.30	.9845	----	----	----	1	+	
4975	----	----		----/*0.80A	0.80B/*0.80A	----			1.10 - 0.70	.0125	----	----	----	9	+	
5000	----	----		----/*0.80A	0.70B/*0.80A	----			357.50 UNCH	----	----	----	----	0	+	
5100	----	----		----/*0.50A	0.40B/*0.50A	----			1.00 - 0.60	.0109	----	----	----	1	+	
5150	----	----		----	0.30B/*0.40A	----			0.80 - 0.50	.0084	----	1	----	17	+	
5200	----	----		----	0.40B/*0.50A	----			0.80 - 0.40	.0080	----	----	----	4	+	
5300	----	----		----	0.30B/*0.40A	----			0.70 - 0.30	.0067	----	1	----	2	+	
5750	----	----		----	0.40B/*0.50A	----			0.40 - 0.20	.0034	----	----	----	5	+	
TOTAL					0.30B/*0.40A	----			0.30 - 0.10	.0024	----	----	1	----	1	
JUN26					----/*0.40A	----			0.20 NEW	.0015	----	1	----	1	+	
3500	2.30	2.30		2.30/*1.50A	0.90B/1.50A	----			0.10 UNCH	----	----	316	----	11	+	
3800	----	----		----	2.30/*1.50A	----			0.10 UNCH	----	----	----	----	1093 +	262	
4000	----	----		7.20B/*5.90A	2.40B/*2.60A	----			1.20 - 0.10	.0060	----	----	----	2	+	
4225	----	----		13.70B/*11.20A	2.60B/*1.80A	----			1.40 NEW	.0086	----	1	----	1	+	
4225	----	----		10.00B/7.70A	2.00B/*1.60A	----			2.20 - 0.30	.0166	----	----	----	2	+	
4275	----	----		----	2.00B/*1.60A	----			5.90 - 0.80	.0533	----	2	----	16	+	

BULLETIN # 98@				METALS OPTION PRODUCTS										Fri, May 22, 2026				PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME				OPEN INTEREST	
GWR THU GOLD WEEKLY THURSDAY OPTION week2																				
JUN26	----	----	----	----/*8.50A	10.00B/*8.50A	----	----	----	----	8.60 - 4.10	.0770	----	----	----	----	----	3	UNCH	14	14
4900	13.40	13.40	----	#13.40/*13.40	#13.40/*13.40	----	----	----	----	11.70 NEW	.0917	----	----	14	----	----	14 +	14	0	UNCH
4925	9.40	9.40	----	9.40/*6.50A	9.40/*6.50A	----	----	----	----	6.40 NEW	.0576	----	----	2	----	----	1	UNCH	1	UNCH
4950	----	----	----	----/*2.20A	2.30B/*2.20A	----	----	----	----	2.20 - 1.00	.0226	----	----	----	----	----	1	UNCH	1	UNCH
5000	----	----	----	----/*2.20A	2.00B/*2.20A	----	----	----	----	2.00 - 0.80	.0201	----	----	----	----	----	1	UNCH	1	UNCH
5025	----	----	----	----/*1.60A	1.20B/*1.60A	----	----	----	----	1.30 - 0.50	.0122	----	----	----	----	----	1	UNCH	1	UNCH
5125	----	----	----	----	0.30B/*1.00A	----	----	----	----	0.30 - 0.10	.0025	----	----	----	----	----	1	UNCH	1	UNCH
5400	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	UNCH	1	UNCH
TOTAL														359		78		969 +	422	
GMW MON GOLD WEEKLY MONDAY OPTION WEEK1																				
JUN26	----	----	----	----	----/1.10A	----	----	----	----	0.10 UNCH	.0004	----	----	----	----	----	1	UNCH	40	UNCH
3250	----	----	----	----	----/*0.60A	----	----	----	----	0.20 - 0.10	.0010	----	----	----	----	----	2	UNCH	2	UNCH
3500	----	----	----	----	0.40B/*0.90A	----	----	----	----	0.50 UNCH	.0029	----	----	----	----	----	4	UNCH	4	UNCH
3700	----	----	----	----	0.50B/*0.90A	----	----	----	----	0.60 UNCH	.0036	----	----	----	----	----	6	UNCH	6	UNCH
3750	----	----	----	----/*2.70A	2.20B/*2.70A	----	----	----	----	2.60 - 0.20	.0148	----	----	----	----	----	32	UNCH	32	UNCH
3800	----	----	----	----/*3.10A	2.60B/*3.10A	----	----	----	----	2.90 - 0.30	.0171	----	----	----	----	----	2	UNCH	2	UNCH
3800	----	----	----	----	0.60B/*1.10A	----	----	----	----	0.70 - 0.10	.0044	----	----	----	----	----	9	UNCH	9	UNCH
3800	----	----	----	----	1.60B/*2.00A	----	----	----	----	1.50 - 0.30	.0096	----	----	----	----	----	1	UNCH	1	UNCH
3900	----	----	----	----	2.10B/*2.60A	----	----	----	----	2.10 - 0.30	.0144	----	----	----	----	----	2	UNCH	2	UNCH
3900	----	----	----	----	0.90B/*1.30A	----	----	----	----	1.20 - 0.10	.0081	----	----	----	----	----	3	UNCH	3	UNCH
3900	----	----	----	----	4.40B/6.80A	----	----	----	----	6.00 + 0.20	.0339	----	----	----	----	----	4	UNCH	4	UNCH
3900	----	----	----	----/*4.00A	3.70B/*4.00A	----	----	----	----	3.80 - 0.40	.0238	----	----	----	----	----	21	UNCH	21	UNCH
4000	----	----	----	----/*1.50A	1.40B/*1.50A	----	----	----	----	1.60 - 0.10	.0121	----	----	----	----	----	25	UNCH	25	UNCH
4000	----	----	----	----/*3.30A	3.00B/*3.30A	----	----	----	----	3.00 - 0.40	.0220	----	----	----	----	----	103	UNCH	103	UNCH
4000	----	----	----	----/*5.40A	5.50B/*5.40A	----	----	----	----	5.20 - 0.70	.0344	----	----	----	----	----	1 +	1	1	UNCH
4000	8.50	8.50	----	#8.50/*8.50	8.50/*8.50	----	----	----	----	7.70 NEW	.0463	----	----	1	----	----	15	UNCH	15	UNCH
4100	----	----	----	----/*2.10A	2.10B/*2.10A	----	----	----	----	2.20 - 0.30	.0187	----	----	----	----	----	20	UNCH	20	UNCH
4100	----	----	----	----/*4.60A	4.80B/*4.60A	----	----	----	----	4.50 - 0.50	.0352	----	----	----	----	----	1	UNCH	1	UNCH
4100	----	----	----	8.70B/*7.70A	8.70B/*7.70A	----	----	----	----	7.60 - 1.00	.0526	----	----	----	----	----	1	UNCH	1	UNCH
4100	----	----	----	----/*11.30A	12.40B/*11.30A	----	----	----	----	10.70 - 2.30	.0671	----	----	----	----	----	1	UNCH	1	UNCH
4150	----	----	----	----/*2.50A	2.60B/*2.50A	----	----	----	----	2.60 - 0.40	.0236	----	----	----	----	----	3	UNCH	3	UNCH
4150	----	----	----	11.30B/*9.50A	11.30B/*9.50A	----	----	----	----	9.40 - 1.30	.0662	----	----	----	----	----	1	UNCH	1	UNCH
4150	----	----	----	----/*14.00A	15.70B/*14.00A	----	----	----	----	13.20 - 2.70	.0834	----	----	----	----	----	2	UNCH	2	UNCH
4175	----	----	----	----/*2.80A	3.00B/*2.80A	----	----	----	----	2.90 - 0.50	.0271	----	----	----	----	----	7	UNCH	7	UNCH
4175	----	----	----	----/*15.50A	17.50B/*15.50A	----	----	----	----	14.80 - 2.80	.0935	----	----	----	----	----	1	UNCH	1	UNCH
4175	----	----	----	12.80B/*10.70A	12.80B/*10.70A	----	----	----	----	10.60 - 1.30	.0750	----	----	----	----	----	23	UNCH	23	UNCH
4200	----	----	----	----/*3.10A	3.60B/*3.10A	----	----	----	----	3.30 - 0.60	.0316	----	----	----	----	----	3	UNCH	3	UNCH
4200	----	----	----	14.30B/*12.00A	14.30B/*12.00A	----	----	----	----	12.00 - 1.40	.0851	----	----	1	----	----	3	UNCH	3	UNCH
4200	----	----	----	20.30B/*17.50A	20.30B/*17.50A	----	----	----	----	16.80 - 2.80	.1056	----	----	----	----	----	21	UNCH	21	UNCH
4225	----	----	----	----/*3.50A	4.20B/*3.50A	----	----	----	----	3.70 - 0.70	.0366	----	----	----	----	----	8	UNCH	8	UNCH
4225	----	----	----	16.60B/*13.60A	16.60B/*13.60A	----	----	----	----	13.60 - 1.60	.0966	----	----	1	----	----	4	UNCH	4	UNCH
4250	----	----	----	----/*4.00A	4.90B/*4.00A	----	----	----	----	4.20 - 0.90	.0428	----	----	----	----	----	3	UNCH	3	UNCH
4250	----	----	----	18.90B/15.40A	18.90B/15.40A	----	----	----	----	15.60 - 1.60	.1105	----	----	1	----	----	13	UNCH	13	UNCH
4275	----	----	----	----/*4.70A	5.80B/*4.70A	----	----	----	----	4.90 - 1.00	.0511	----	----	----	----	----	3	UNCH	3	UNCH
4275	----	----	----	21.70B/18.00A	21.70B/18.00A	----	----	----	----	17.90 - 1.70	.1262	----	----	1	----	----	1	UNCH	1	UNCH
4275	----	----	----	13.40B/*10.50A	13.40B/*10.50A	----	----	----	----	10.80 - 1.50	.0918	----	----	----	----	----	5	UNCH	5	UNCH
4300	----	----	----	15.90B/12.40A	15.90B/12.40A	----	----	----	----	12.60 - 1.60	.1073	----	----	----	----	----	1	UNCH	1	UNCH
4300	----	----	----	----/234.40A	282.80B/234.40A	----	----	----	----	261.90 - 21.30	.9387	----	----	----	----	----	54	UNCH	54	UNCH
4300	6.40	6.40	----	7.20B/*5.40A	7.20B/*5.40A	----	----	----	----	5.70 - 1.20	.0610	----	----	54	----	----	77 +	77	1 +	1
4300	29.00	29.00	----	34.50B/*29.00	34.50B/*29.00	----	----	----	----	28.10 NEW	.1704	----	----	2	----	----	1 +	1	1	UNCH
4300	----	----	----	25.10B/20.60A	25.10B/20.60A	----	----	----	----	20.60 - 1.80	.1441	----	----	1	----	----	12 +	12	1	UNCH
4325	----	----	----	18.50B/14.70A	18.50B/14.70A	----	----	----	----	14.80 - 1.70	.1258	----	----	----	----	----	1	UNCH	1	UNCH
4325	----	----	----	8.80B/*6.30A	8.80B/*6.30A	----	----	----	----	6.60 - 1.50	.0727	----	----	----	----	----	16	UNCH	16	UNCH
4325	----	----	----	29.20B/23.70A	29.20B/23.70A	----	----	----	----	23.80 - 1.90	.1648	----	----	----	----	----	36	UNCH	36	UNCH
4350	8.70	8.70	----	10.80B/7.50A	10.80B/7.50A	----	----	----	----	7.90 - 1.70	.0887	----	----	6	----	----	32 +	32	6	UNCH
4350	----	----	----	22.00B/17.20A	22.00B/17.20A	----	----	----	----	17.50 - 1.90	.1478	----	----	----	----	----	4	UNCH	4	UNCH
4350	----	----	----	33.90B/27.70A	33.90B/27.70A	----	----	----	----	27.70 - 1.80	.1887	----	----	----	----	----	7	UNCH	7	UNCH
4375	----	----	----	13.50B/9.20A	13.50B/9.20A	----	----	----	----	9.60 - 2.00	.1092	----	----	----	----	----	4	UNCH	4	UNCH
4375	----	----	----	26.40B/20.80A	26.40B/20.80A	----	----	----	----	20.80 - 2.00	.1738	----	----	----	----	----	36	UNCH	36	UNCH
4375	----	----	----	39.40B/31.90A	39.40B/31.90A	----	----	----	----	32.20 - 1.80	.2154	----	----	----	----	----	1	UNCH	1	UNCH
4400	----	----	----	31.70B/24.70A	31.70B/24.70A	----	----	----	----	25.00 - 1.80	.2049	----	----	----	----	----	29	UNCH	29	UNCH
4400	12.30	12.30	----	17.10B/11.40A	17.10B/11.40A	----	----	----	----	12.00 - 2.00	.1367	----	----	1	----	----	476 +	476	1	UNCH
4400	----	----	----	45.80B/37.00A	45.80B/37.00A	----	----	----	----	37.60 - 1.50	.2456	----	----	----	----	----	11	UNCH	11	UNCH
4425	31.90	31.90	----	37.80B/29.60A	37.80B/29.60A	----	----	----	----	30.00 - 1.70	.2403	----	----	10	----	----	40 +	40	8	UNCH
4425	----	----	----	21.70B/14.30A	21.70B/14.30A	----	----	----	----	15.20 - 2.00	.1718	----	----	2	----	----	12	UNCH	12	UNCH
4425	----	----	----	53.00B/43.00A	53.00B/43.00A	----	----	----	----	43.80 - 1.20	.2785	----	----	----	----	----	2	UNCH	2	UNCH
4450	----	----	----	27.60B/18.30A	27.60B/18.30A	----	----	----	----	19.40 - 1.90	.2154	----	----	2	----	----	33	UNCH	33	UNCH
4450	----	----	----	----/125.60A	155.90B/125.60A	----	----	----	----	142.30 - 21.50	.7190	----	----	----	----	----	3	UNCH	3	UNCH
4450	----	----	----	61.50B/50.00A	61.50B/50.00A	----	----	----	----	51.00 - 0.80	.3145	----	----	----	----	----	16	UNCH	16	UNCH
4450	----	----	----	----/140.70A	167.20B/140.70A	----	----	----	----	157.20 NEW	.6849	----	----	11	----	----	11 +	11	1	UNCH
4475	29.20	29.20	----	35.00B/23.40A	35.00B/23.40A	----	----	----	----	24.90 - 1.60	.2683	----	----	58	----	----	99 +	99	37	UNCH
4475	----	----	----	54.30B/42.40A	54.30B/42.40A	----	----	----	----	43.30 - 0.90	.3250	----	----	----	----	----	1	UNCH	1	UNCH
4500	----	----	----	44.20B/29.90A	44.20B/29.90A	----	----	----	----	31.90 - 1.10	.3302	----	----	----	----	----	18	UNCH	18	UNCH
4500	----	----	----	----/71.80A	108.5															

	LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON GOLD WEEKLY MONDAY OPTION WEEK3														
JUN26														
4800	----	----	----	---/*18.80A	23.90B/*18.80A	----		20.10 - 7.70	.1589	----	----	----	----	1 UNCH
4825	----	----	----	---/*3.50A	4.90B/*3.50A	----		3.50 - 2.50	.0446	----	----	----	----	1 UNCH
4850	----	----	----	---/*3.00A	3.80B/*3.00A	----		2.90 - 1.90	.0363	----	----	----	----	13 UNCH
4850	----	----	----	---/*7.60A	9.70B/*7.60A	----		7.80 - 3.90	.0786	----	----	----	----	2 UNCH
4850	----	----	----	---/*21.00A	25.40B/*21.00A	----		21.20 - 9.20	.1498	----	----	----	----	2 UNCH
4850	----	----	----	---/*13.90A	17.60B/*13.90A	----		14.60 - 5.80	.1195	----	----	----	----	2 UNCH
4875	----	----	----	---/*2.60A	3.00B/*2.60A	----		2.40 - 1.50	.0295	----	----	----	----	104 UNCH
4875	----	----	----	---/*12.10A	15.20B/*12.10A	----		12.40 - 5.10	.1032	----	----	----	----	1 UNCH
4875	----	----	----	---/*18.40A	22.40B/*18.40A	----		18.60 - 8.20	.1331	----	----	----	----	1 UNCH
4900	----	----	----	---/*2.30A	2.30B/*2.30A	----		2.10 - 1.10	.0251	----	----	----	----	49 UNCH
4900	----	----	----	368.80B/----	368.80B/326.80A	----		345.40 + 19.00	.9747	----	----	----	----	2 UNCH
4900	----	----	----	---/*5.60A	6.90B/*5.60A	----		5.60 - 2.50	.0565	----	----	----	----	3 UNCH
4900	----	----	----	---/*10.50A	12.50B/*10.50A	----		10.60 - 4.50	.0893	----	----	----	----	4 UNCH
4925	----	----	----	---/*2.00A	1.80B/*2.00A	----		1.80 - 0.90	.0210	----	----	----	----	4 UNCH
4950	----	----	----	---/*1.80A	1.60B/*1.80A	----		1.60 - 0.70	.0182	----	----	----	----	32 UNCH
4950	----	----	----	---/*4.30A	4.50B/*4.30A	----		4.10 - 1.70	.0412	----	----	----	----	5 UNCH
4950	----	----	----	---/*8.20A	9.30B/*8.20A	----		7.90 - 3.40	.0675	----	----	----	----	11 UNCH
4975	----	----	----	---/*1.60A	1.40B/*1.60A	----		1.40 - 0.60	.0155	----	----	----	----	3 UNCH
5000	----	----	----	---/*3.40A	3.20B/*3.40A	----		3.10 - 1.10	.0307	----	----	----	----	32 UNCH
5000	----	----	----	---/*1.50A	1.20B/*1.50A	----		1.30 - 0.40	.0139	----	----	----	----	31 UNCH
5000	----	----	----	---/*6.40A	6.60B/*6.40A	----		6.00 - 2.60	.0516	----	----	----	----	1 UNCH
5025	----	----	----	---/*1.40A	1.10B/*1.40A	----		1.10 - 0.40	.0116	----	----	----	----	1 UNCH
5025	----	----	----	---/*5.70A	5.80B/*5.70A	----		5.30 - 2.20	.0455	----	----	----	----	4 UNCH
5050	----	----	----	---/*1.20A	0.90B/*1.20A	----		1.00 - 0.40	.0103	----	----	----	----	28 UNCH
5050	----	----	----	---/*2.90A	2.50B/*2.90A	----		2.50 - 0.70	.0241	----	----	----	----	5 UNCH
5050	----	----	----	---/*5.20A	5.20B/*5.20A	----		4.70 - 1.90	.0403	----	----	----	----	11 UNCH
5050	----	----	----	---/*9.20A	8.20B/*9.20A	----		7.80 - 3.50	.0588	----	----	----	----	1 UNCH
5075	----	----	----	----	0.80B/*1.20A	----		1.00 - 0.20	.0099	----	----	----	----	1 UNCH
5100	----	----	----	----	0.70B/*1.10A	----		0.90 - 0.20	.0087	----	----	----	----	1 UNCH
5100	----	----	----	---/*4.30A	4.10B/*4.30A	----		3.70 - 1.60	.0316	----	----	----	----	3 UNCH
5125	----	----	----	----	0.60B/*1.00A	----		0.80 - 0.20	.0076	----	----	----	----	2 UNCH
5150	----	----	----	----	0.50B/*1.00A	----		0.80 - 0.20	.0073	----	----	1	----	5 UNCH
5150	----	----	----	---/*2.10A	1.60B/*2.10A	----		1.70 - 0.50	.0155	----	----	----	----	2 UNCH
5175	----	----	----	----	0.40B/*1.00A	----		0.70 - 0.20	.0063	----	----	----	----	3 UNCH
5200	----	----	----	----	0.40B/*0.90A	----		0.70 - 0.10	.0061	----	----	1	----	2 UNCH
5225	----	----	----	----	0.40B/*0.90A	----		0.60 - 0.20	.0052	----	----	----	----	4 UNCH
5250	----	----	----	----	0.20B/*0.80A	----		0.50 - 0.20	.0043	----	----	----	----	4 UNCH
5250	----	----	----	---/*1.60A	1.10B/*1.60A	----		1.30 - 0.40	.0111	----	----	----	----	4 UNCH
5250	----	----	----	----	2.60B/*5.40A	----		2.80 - 1.60	.0220	----	----	----	----	1 UNCH
5275	----	----	----	----	---/*0.90A	----		0.50 - 0.10	.0041	----	----	----	----	6 UNCH
5300	----	----	----	----	---/0.90A	----		0.40 - 0.10	.0033	----	----	----	----	6 UNCH
5300	----	----	----	----	0.90B/*1.50A	----		1.10 - 0.40	.0092	----	----	----	----	5 UNCH
5325	----	----	----	----	---/*0.80A	----		0.40 - 0.10	.0032	----	----	----	----	2 UNCH
5350	----	----	----	----	---/*0.70A	----		0.30 - 0.10	.0024	----	----	----	----	6 UNCH
5400	----	----	----	----	---/*0.60A	----		0.30 UNCH	.0023	----	----	----	----	9 UNCH
5500	----	----	----	----	---/*0.50A	----		0.20 UNCH	.0014	----	----	----	----	2 UNCH
5600	----	----	----	----	---/*0.40A	----		0.10 - 0.10	.0007	----	----	----	----	1 UNCH
5700	----	----	----	----	---/*0.40A	----		0.10 - 0.10	.0002	----	----	----	----	10 UNCH
5750	----	----	----	----	---/*0.40A	----		0.10 UNCH	.0001	----	----	----	----	12 UNCH
5750	----	----	----	----	0.60B/*1.30A	----		0.70 - 0.30	.0047	----	----	----	----	3 UNCH
6000	----	----	----	----	---/*0.50A	----		0.10 UNCH	.0000	----	----	----	----	11 UNCH
TOTAL												381	124	3044 + 330
	LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT MICRO GOLD WEEKLY FRI OPTION WEEK4														
MAY26														
4400	----				----			0.00 - 1.50						0 - 1
4550	30.10	30.10		#30.10/*30.10	#30.10/30.10	----		26.80 NEW	----	1	----	1	----	0 UNCH
TOTAL												1		0 - 1

SILVER OPTIONS ON FUTURES

	LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT. PRICE & PT. CHGE.	DELTA	EXER CISES	OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU SILVER WEEKLY THURSDAY OPTION week3														
MAY26														
6700	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
6800	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7000	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7050	0.350	0.350		0.350/*0.302A	0.350/0.302A	----		0.234 NEW .0848	----	----	----	2	----	2 + 2
7200	0.550	0.550		0.559/0.477	0.559/0.477	----		0.397 - 0.187 .1444	----	----	----	40	----	60 + 40
7300	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7440	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7460	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7470	----	----	----	----	----	----		2.032 UNCH	----	----	----	----	----	0 UNCH
7480	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	----		1.732 UNCH	----	----	----	----	----	0 UNCH
7510	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7530	----	----	----	----	----	----		1.432 UNCH	----	----	----	----	----	0 UNCH
7550	----	----	----	---/1.990A	2.434B/1.990A	----		2.034 - 0.788 .5818	----	----	----	----	----	5 UNCH
7550	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7580	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	----		0.732 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	1.883B/1.628A	1.883B/1.628A	----		1.564 - 0.238 .4693	----	----	----	2	----	18 + 2
7600	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	----		0.232 UNCH	----	----	----	----	----	0 UNCH
7660	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7710	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7820	----	----	----	----	----	----		1.468 UNCH	----	----	----	----	----	0 UNCH
7900	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
7960	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	----		3.268 UNCH	----	----	----	----	----	0 UNCH
8080	----	----	----	----	----	----		0.000 UNCH	----	----	----	----	----	0 UNCH
8150	----	----	----	---/*0.413A	0.450B/*0.413A	----		0.323 - 0.274 .1212	----	----	----	----	----	5 UNCH
8200	----	----	----	----	----	----		5.268 UNCH	----	----	----	----	----	0 UNCH
8200	----	----	----	---/*0.352A	0.394B/*0.352A	----		0.282 - 0.234 .1051	----	----	----	----	----	1 UNCH
8250	----	----	----	----	----	----		5.768 UNCH	----	----	----	----	----	0 UNCH
8250	----	----	----	---/*0.301A	0.308B/*0.301A	----		0.248 - 0.199 .0915	----	----	----	----	----	5 UNCH
8300	----	----	----	---/16.963A	----	----		7.016 + 0.364 .9203	----	----	----	----	----	1 UNCH
8400	----	----	----	#7.563B/----	#7.563B/8.260A	----		7.969 + 0.411 .9387	----	----	----	----	----	2 UNCH
8500	----	----	----	8.676B/----	8.676B/9.661A	----		8.924 + 0.434 .9553	----	----	----	----	----	1 UNCH
8800	----	----	----	----	3.786B/21.255A	----		11.857 + 0.475 .9802	----	----	----	----	----	1 UNCH
9000	----	----	----	----	0.008B/*0.127A	----		0.043 - 0.045 .0129	----	----	----	----	----	10 UNCH
10000	----	----	----	----	---/*0.071A	----		0.005 - 0.009 .0011	----	----	----	----	----	1 UNCH
TOTAL												44	0	112 + 44
JUN26														
6600	0.262	0.262		0.262/*0.262	0.262/0.262	----		0.248 NEW .0633	----	----	----	1	----	1 + 1
7000	0.650	0.650		0.650/0.650	0.650/0.650	----		0.631 NEW .1562	----	----	----	1	----	1 + 1
7600	3.338	3.338		3.439B/*3.241A	3.439B/*3.241A	----		3.206 NEW .4689	----	----	----	25	----	25 + 25
7750	----	----	----	---/3.318A	3.297B/3.318A	----		3.311 - 0.123 .5655	----	----	----	----	----	1 UNCH
7850	----	----	----	----	3.913B/4.209A	----		3.955 - 0.079 .6247	----	----	----	----	----	2 UNCH
7900	----	----	----	----	4.149B/4.457A	----		4.300 - 0.054 .6524	----	----	----	----	----	1 UNCH
8000	----	----	----	---/*1.340A	1.667B/*1.340A	----		1.235 - 0.532 .2961	----	----	----	----	----	3 UNCH
8000	----	----	----	---/*2.028A	2.379B/*2.028A	----		1.927 - 0.534 .3489	----	----	----	----	----	3 UNCH
8300	----	----	----	---/*1.375A	#1.551B/*1.375A	----		1.251 - 0.432 .2437	----	----	----	----	----	4 UNCH
8850	0.433	0.433		0.433/*0.327	0.433/*0.327	----		0.274 NEW .0721	----	----	----	2	----	1 + 1
9500	----	----	----	---/*0.376A	0.296B/*0.376A	----		0.284 - 0.119 .0597	----	----	----	----	----	1 UNCH
TOTAL												29	0	43 + 28



BULLETIN # 98@				METALS OPTION PRODUCTS							Fri, May 22, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK2															
JUN26																
5250	----	----	----	0.002B/0.103A	----	0.011 - 0.007	.0025	----	----	----	----	15	UNCH			
5750	----	----	----	0.004B/0.094A	----	0.008 - 0.017	.0021	----	----	----	----	1	UNCH			
6000	----	----	----/*0.246A	0.114B/0.246A	----	0.179 - 0.071	.0364	----	----	----	----	2	UNCH			
6000	----	----	----	----	----	16.208 - 0.559	.9951	----	----	----	----	1	UNCH			
6500	----	----	----	0.064B/0.168A	----	0.075 - 0.077	.0235	----	----	----	----	8	UNCH			
7000	0.410	0.410	0.410/0.377A	0.473B/0.377A	----	0.378 - 0.182	.1154	----	----	1	----	4 +	1			
7050	----	----	----/0.432A	0.551B/0.432A	----	0.445 - 0.194	.1338	----	----	----	----	1	UNCH			
7200	----	----	----/0.654A	0.865B/0.654A	----	0.691 - 0.265	.1997	----	----	----	----	1	UNCH			
7300	----	----	----/1.663A	1.678B/1.663A	----	1.536 - 0.211	.3062	----	----	----	----	1	UNCH			
7500	1.550	1.550	1.948B/1.506A	1.948B/1.506A	----	1.563 - 0.363	.3931	----	20	----	----	22 +	20			
7500	2.842	2.842	2.842/2.538A	2.971B/2.538A	----	2.761 - 0.895	.6068	----	4	----	----	4 +	3			
7600	2.300	2.300	2.540/2.046A	2.960B/2.046A	----	2.206 - NEW	.5289	----	5	----	----	5 +	5			
7600	----	----	3.731B/2.983A	3.731B/2.983A	----	2.970 - 0.727	.5296	----	----	----	----	0	UNCH			
7700	2.024	2.024	2.024/*1.622A	2.419B/*1.622A	----	1.740 - 0.853	.4501	----	6	----	----	9 +	6			
7750	----	----	----/2.752A	3.053B/2.752A	----	2.840 - 0.293	.5881	----	----	----	----	1	UNCH			
7800	1.580	1.580	1.580/*1.272A	1.945B/*1.272A	----	1.360 - NEW	.3749	----	2	----	----	2 +	2			
7850	----	----	----/*1.116A	1.713B/*1.116A	----	1.199 - 0.757	.3398	----	----	----	----	3	UNCH			
7900	0.947	0.947	0.947/*0.947	1.542B/*0.947	----	1.057 - 0.716	.3068	----	1	----	----	2 +	1			
7950	----	----	----	4.061B/4.810A	----	4.229 - 0.140	.7238	----	----	----	----	1	UNCH			
8000	----	----	----/2.247A	2.623B/2.247A	----	2.153 - 0.552	.3619	----	----	----	----	7	UNCH			
8000	2.750	2.750	2.750/*2.733A	3.118B/*2.733A	----	2.629 - NEW	.3844	----	1	----	----	1 +	1			
8000	----	----	----	4.441B/5.202A	----	4.617 - 0.096	.7521	----	----	----	----	3	UNCH			
8000	0.880	0.880	0.880/*0.771A	1.212B/*0.771A	----	0.820 - 0.629	.2477	----	1	----	----	2 +	1			
8100	0.573	0.573	0.573/*0.573	0.940B/*0.573	----	0.636 - 0.541	.1981	----	3	----	----	4 +	3			
8100	----	----	----/*1.396A	1.683B/*1.396A	----	1.251 - 0.558	.2764	----	----	----	----	1	UNCH			
8200	----	----	----	5.046B/6.962A	----	6.292 + 0.077	.8424	----	----	----	----	1	UNCH			
8400	----	----	----	7.604B/9.244A	----	8.543 + 0.117	.8229	----	----	----	----	20	UNCH			
8500	----	----	----	1.690B/18.587A	----	9.026 + 0.262	.9236	----	----	----	----	1	UNCH			
8500	----	----	----/*1.253A	1.372B/*1.253A	----	1.118 - 0.399	.2087	----	----	----	----	16	UNCH			
8600	----	----	----/*0.239A	0.253B/*0.239A	----	0.178 - 0.232	.0592	----	----	----	----	1	UNCH			
8700	----	----	----/*0.203A	0.194B/*0.203A	----	0.138 - 0.199	.0460	----	----	----	----	1	UNCH			
8800	----	----	----/*0.524A	0.513B/*0.524A	----	0.409 - 0.243	.0990	----	----	----	----	13	UNCH			
9050	----	----	----/*0.162A	0.064B/*0.162A	----	0.063 - 0.119	.0205	----	----	----	----	1	UNCH			
9200	----	----	----/*0.573A	0.568B/*0.573A	----	0.503 - 0.225	.0985	----	----	----	----	7	UNCH			
9500	----	----	----	0.007B/*0.129A	----	0.030 - 0.069	.0090	----	----	----	----	1	UNCH			
10250	----	----	----	----/*0.089A	----	0.012 - 0.032	.0031	----	----	----	----	1	UNCH			
TOTAL										44	0	164 +	43			
SO CALL	COMEX SILVER OPTIONS															
JUN26																
4300	----	----	----/32.623A	33.485B/32.623A	----	33.199 - 0.533	.9998	----	----	----	----	20	UNCH			
4900	----	----	----	----	----	27.203 - 0.530	.9991	----	----	----	----	0	UNCH			
5000	----	----	----/25.622A	26.487B/25.622A	----	26.204 - 0.530	.9990	----	----	----	----	22	UNCH			
5025	----	----	----/25.372A	26.236B/25.372A	----	25.954 - 0.530	.9990	----	----	----	----	6	UNCH			
5050	----	----	----	----	----	25.704 - 0.530	.9989	----	----	----	----	0	UNCH			
5200	----	----	----/23.632A	24.429B/23.632A	----	24.204 - 0.531	.9989	----	----	----	----	2	UNCH			
5225	----	----	----	----	----	23.954 - 0.531	.9988	----	----	----	----	0	UNCH			
5275	----	----	----	----	----	23.454 - 0.532	.9988	----	----	----	----	0	UNCH			
5300	----	----	----/22.632A	23.431B/22.632A	----	23.204 - 0.532	.9988	1	----	----	----	0 -	1			
5350	----	----	----	----	----	22.704 - 0.532	.9988	----	----	----	----	0	UNCH			
5400	----	----	----	----	----	22.204 - 0.533	.9987	----	----	----	----	0	UNCH			
5500	----	----	----/20.520A	21.582B/20.520A	----	21.204 - 0.533	.9987	----	----	----	----	329	UNCH			
5600	----	----	----	----	----	20.205 - 0.533	.9986	----	----	----	----	0	UNCH			
5675	----	----	----	----	----	19.455 - 0.534	.9985	----	----	----	----	0	UNCH			
5700	----	----	----/18.634A	19.438B/18.634A	----	19.205 - 0.535	.9985	----	----	----	----	1	UNCH			
5725	----	----	----/18.374A	19.242B/18.374A	----	18.955 - 0.535	.9985	----	----	----	----	10	UNCH			
5750	----	----	----	----	----	18.705 - 0.535	.9985	----	----	----	----	0	UNCH			
5775	----	----	----/17.885A	18.685B/17.885A	----	18.455 - 0.536	.9984	----	----	----	----	1	UNCH			
5800	----	----	----/17.635A	18.440B/17.635A	----	18.205 - 0.536	.9984	----	----	----	----	2	UNCH			
5825	----	----	----/17.385A	18.191B/17.385A	----	17.955 - 0.536	.9984	----	----	----	----	1	UNCH			
5850	----	----	----/17.125A	17.994B/17.125A	----	17.706 - 0.536	.9984	----	----	----	----	9	UNCH			
5900	----	----	----/16.635A	17.442B/16.635A	----	17.206 - 0.537	.9981	----	----	----	----	4	UNCH			
5925	----	----	----/16.376A	17.248B/16.376A	----	16.956 - 0.537	.9981	----	----	----	----	17	UNCH			
6000	----	----	----/15.524A	16.594B/15.524A	----	16.207 - 0.537	.9978	1	----	----	----	398 -	1			
6025	----	----	----/15.377A	16.247B/15.377A	----	15.957 - 0.538	.9978	----	----	----	----	7	UNCH			
6050	----	----	----/15.137A	15.945B/15.137A	----	15.708 - 0.538	.9978	----	----	----	----	4	UNCH			
6075	----	----	----/14.856A	15.785B/14.856A	----	15.458 - 0.538	.9975	15	----	----	----	15 -	15			
6100	----	----	----/14.627A	15.499B/14.627A	----	15.209 - 0.538	.9975	----	----	----	----	16	UNCH			
6200	----	----	----/13.528A	14.602B/13.528A	----	14.212 - 0.538	.9967	53	----	----	----	12 -	53			
6225	----	----	----/13.390A	14.200B/13.390A	----	13.962 - 0.539	.9965	1	----	----	----	0 -	1			
6250	----	----	----/13.141A	13.951B/13.141A	----	13.713 - 0.539	.9962	----	----	----	----	4	UNCH			
6300	----	----	----/12.642A	13.452B/12.642A	----	13.215 - 0.539	.9956	----	----	----	----	4	UNCH			
6400	----	----	----/11.533A	12.608B/11.533A	----	12.220 - 0.539	.9943	----	----	----	----	110	UNCH			
6425	----	----	----/11.350A	12.298B/11.350A	----	11.971 - 0.540	.9938	----	----	----	----	25	UNCH			
6450	----	----	----/11.147A	11.957B/11.147A	----	11.723 - 0.539	.9934	----	----	----	----	5	UNCH			
6475	----	----	----/10.877A	11.762B/10.877A	----	11.474 - 0.540	.9930	----	----	----	----	7	UNCH			
6500	----	----	----/10.628A	11.513B/10.628A	----	11.225 - 0.541	.9926	----	----	----	----	13	UNCH			
6625	----	----	----/9.388A	10.271B/9.388A	----	9.981 - 0.548	.9901	----	----	----	----	10	UNCH			
6700	----	----	----/8.667A	9.469B/8.667A	----	9.234 - 0.556	.9885	----	----	----	----	1	UNCH			
6725	----	----	----/8.420A	9.221B/8.420A	----	8.985 - 0.560	.9879	----	----	----	----	1	UNCH			
6750	----	----	----/8.173A	8.973B/8.173A	----	8.736 - 0.564										

	BULLETIN # 98@			METALS OPTION PRODUCTS								Fri, May 22, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY OPEN	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
JUN26	----	----	----	0.829B/*0.275A	0.829B/*0.275A	----	----	----	0.284 - 0.491	.1558	----	----	----	----	1
7890	----	----	----	0.800B/*0.263A	0.800B/*0.263A	----	----	----	0.271 - 0.477	.1483	----	----	11	----	182 +
7900	0.470	0.470	----	0.769B/*0.251A	0.769B/*0.251A	----	----	----	0.258 - 0.464	.1410	----	----	----	----	1
7910	----	----	----	0.730B/*0.236A	0.730B/*0.236A	----	----	----	0.240 - 0.444	.1307	----	----	6	----	21 +
7925	0.337	0.337	----	0.667B/*0.211A	0.667B/*0.211A	----	----	----	0.214 - 0.412	.1155	----	----	----	----	41
7950	----	----	----	0.609B/*0.193A	0.609B/*0.193A	----	----	----	0.190 - 0.382	.1017	----	----	2	----	22
7975	0.348	0.348	----	0.597B/*0.189A	0.597B/*0.189A	----	----	----	0.186 NEW	.0993	----	----	1	----	1 +
7980	0.209	0.209	----	0.615B/*0.145	0.615B/*0.145	----	----	----	0.170 - 0.353	.0899	----	----	330	----	915 +
8000	0.610	0.610	----	0.511B/*0.164A	0.511B/*0.164A	----	----	----	0.152 - 0.327	.0794	----	----	----	----	25
8025	----	----	----	0.502B/*0.163A	0.502B/*0.163A	----	----	----	0.148 - 0.322	.0772	----	----	----	----	1
8030	----	----	----	0.465B/*0.152A	0.465B/*0.152A	----	----	----	0.136 - 0.302	.0701	----	----	9	----	28 +
8050	0.199	0.199	----	0.428B/*0.130	0.428B/*0.130	----	----	----	0.122 - 0.279	.0620	----	----	4	----	6
8075	0.211	0.211	----	0.397B/*0.127A	0.397B/*0.127A	----	----	----	0.109 - 0.258	.0547	----	----	9	----	162 +
8100	0.343	0.343	----	0.379B/*0.123A	0.379B/*0.123A	----	----	----	0.105 - 0.249	.0523	----	----	----	----	2
8110	----	----	----	0.363B/*0.116A	0.363B/*0.116A	----	----	----	0.099 - 0.237	.0488	----	----	----	----	14
8125	----	----	----	0.350B/*0.113	0.350B/*0.113	----	----	----	0.097 NEW	.0476	----	----	1	----	1 +
8130	0.113	0.113	----	0.331B/*0.095	0.331B/*0.095	----	----	----	0.089 - 0.219	.0431	----	----	14	----	72 +
8150	0.307	0.307	----	0.297B/*0.100	0.297B/*0.100	----	----	----	0.081 - 0.201	.0385	----	----	3	----	8 +
8175	0.277	0.277	----	0.300/*0.070	0.300/*0.070	----	----	----	0.074 - 0.184	.0345	----	----	76	----	254 -
8200	0.255	0.255	----	0.310/*0.090A	0.310/*0.090A	----	----	----	0.071 - 0.179	.0329	----	----	1	----	2 +
8210	0.310	0.310	----	0.253B/*0.085	0.253B/*0.085	----	----	----	0.068 - 0.169	.0311	----	----	3	----	41 +
8225	0.222	0.222	----	0.239B/*0.070	0.239B/*0.070	----	----	----	0.065 - 0.160	.0294	----	----	2	----	3 +
8240	0.070	0.070	----	0.230B/*0.070	0.230B/*0.070	----	----	----	0.063 - 0.154	.0282	----	----	6	----	59
8250	0.197	0.197	----	0.208B/*0.074A	0.208B/*0.074A	----	----	----	0.058 - 0.141	.0255	----	----	----	----	59
8275	----	----	----	0.189B/*0.059A	0.189B/*0.059A	----	----	----	0.054 - 0.129	.0232	----	----	55	----	145 -
8300	0.130	0.130	----	0.172B/*0.055	0.172B/*0.055	----	----	----	0.051 - 0.117	.0214	----	----	4	----	12
8325	0.059	0.059	----	0.157B/*0.061A	0.157B/*0.061A	----	----	----	0.049 - 0.105	.0201	----	----	1	----	22 -
8350	----	----	----	----/*0.060A	0.141B/*0.060A	----	----	----	0.046 - 0.095	.0185	----	----	----	----	11
8375	----	----	----	0.140/*0.039	0.140/*0.039	----	----	----	0.044 - 0.086	.0173	----	----	334	----	487 +
8400	0.140	0.140	----	0.085/*0.050A	0.111B/*0.050A	----	----	----	0.042 - 0.077	.0161	----	----	30	----	62 -
8425	0.081	0.081	----	----/*0.045A	0.103B/*0.045A	----	----	----	0.039 - 0.070	.0147	----	----	----	----	29
8450	----	----	----	----/*0.042A	0.053B/*0.042A	----	----	----	0.037 - 0.064	.0137	----	----	----	----	27
8475	----	----	----	0.093B/*0.034	0.093B/*0.034	----	----	----	0.035 - 0.057	.0127	----	----	450	----	12
8500	0.092	0.092	----	----/*0.035A	0.046B/*0.035A	----	----	----	0.033 - 0.052	.0117	----	----	----	----	1383 -
8525	----	----	----	----/*0.032A	0.042B/*0.032A	----	----	----	0.031 - 0.047	.0108	----	----	----	----	20
8550	----	----	----	----/*0.030A	0.039B/*0.030A	----	----	----	0.029 - 0.043	.0099	----	----	----	----	18
8575	----	----	----	0.040/*0.027A	0.042B/*0.027A	----	----	----	0.027 - 0.039	.0091	----	----	3	----	30
8600	0.040	0.040	----	----/*0.025A	0.033B/*0.025A	----	----	----	0.025 - 0.036	.0083	----	----	----	----	275 +
8625	----	----	----	----/*0.024A	0.032B/*0.024A	----	----	----	0.024 - 0.032	.0078	----	----	----	----	56
8650	----	----	----	----/*0.022A	0.029B/*0.022A	----	----	----	0.022 - 0.030	.0070	----	----	----	----	7
8675	----	----	----	0.050/*0.010	0.050/*0.010	----	----	----	0.021 - 0.027	.0066	----	----	100	----	23
8700	0.050	0.050	----	0.032/*0.020A	0.032/*0.020A	----	----	----	0.020 - 0.024	.0061	----	----	1	----	990 -
8725	0.032	0.032	----	----/*0.020A	0.023B/*0.020A	----	----	----	0.019 - 0.022	.0057	----	----	----	----	28
8750	----	----	----	----/*0.019A	0.021B/*0.019A	----	----	----	0.018 - 0.020	.0053	----	----	----	----	47
8775	----	----	----	----/*0.017A	0.020B/*0.017A	----	----	----	0.018 - 0.017	.0052	----	----	7	----	16
8800	----	----	----	0.002/*0.002	0.018B/*0.002	----	----	----	0.017 - 0.015	.0049	----	----	2	----	86 -
8825	0.002	0.002	----	----/*0.019A	0.017B/*0.019A	----	----	----	0.016 - 0.014	.0045	----	----	----	----	19
8850	----	----	----	----/*0.020A	0.016B/*0.020A	----	----	----	0.015 - 0.013	.0041	----	----	----	----	36
8875	----	----	----	----/*0.021A	0.015B/*0.021A	----	----	----	0.015 - 0.011	.0041	----	----	----	----	28
8900	----	----	----	----/*0.020A	0.014B/*0.020A	----	----	----	0.015 - 0.011	.0041	----	----	----	----	200
8925	----	----	----	----/*0.019A	0.013B/*0.019A	----	----	----	0.014 - 0.010	.0037	----	----	----	----	4
8950	----	----	----	----/*0.020A	0.013B/*0.020A	----	----	----	0.014 - 0.009	.0037	----	----	----	----	33
8975	----	----	----	0.013/*0.002	0.013/*0.002	----	----	----	0.013 - 0.008	.0034	----	----	----	----	42
9000	0.002	0.002	----	----/*0.018A	0.011B/*0.018A	----	----	----	0.013 - 0.007	.0033	----	----	20	----	615 -
9025	----	----	----	0.010B/*0.020A	0.010B/*0.020A	----	----	----	0.012 - 0.006	.0030	----	----	----	----	22
9050	----	----	----	0.009B/*0.018A	0.009B/*0.018A	----	----	----	0.012 - 0.005	.0029	----	----	----	----	27
9075	----	----	----	0.009B/*0.017A	0.009B/*0.017A	----	----	----	0.012 - 0.004	.0029	----	----	----	----	15
9100	----	----	----	0.008B/*0.017A	0.008B/*0.017A	----	----	----	0.011 - 0.004	.0026	----	----	----	----	406
9125	----	----	----	0.008B/*0.016A	0.008B/*0.016A	----	----	----	0.011 - 0.003	.0026	----	----	----	----	6
9150	----	----	----	0.007B/*0.016A	0.007B/*0.016A	----	----	----	0.010 - 0.003	.0023	----	----	----	----	289
9175	----	----	----	0.006B/*0.016A	0.006B/*0.016A	----	----	----	0.010 - 0.002	.0022	----	----	----	----	28
9200	----	----	----	0.006B/*0.016A	0.006B/*0.016A	----	----	----	0.009 - 0.002	.0020	----	----	----	----	192
9225	----	----	----	0.005B/*0.015A	0.005B/*0.015A	----	----	----	0.009 - 0.002	.0019	----	----	1	----	22
9250	----	----	----	0.005B/*0.014A	0.005B/*0.014A	----	----	----	0.009 - 0.001	.0019	----	----	----	----	122
9275	----	----	----	0.005B/*0.013A	0.005B/*0.013A	----	----	----	0.009 - 0.001	.0019	----	----	----	----	12
9300	----	----	----	0.004B/*0.014A	0.004B/*0.014A	----	----	----	0.009 - 0.001	.0019	----	----	----	----	105
9325	----	----	----	0.002B/*0.015A											



BULLETIN # 98@				METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	OPEN CLOSE	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS															
JUN26	----	----	----	----	----	/0.292A	----	0.001	-	0.001	.0000	----	----	----	----	3	UNCH
11300	----	----	----	----	----	/0.290A	----	0.001	-	0.001	.0000	----	----	----	----	3	UNCH
11325	----	----	----	----	----	/0.289A	----	0.001	-	0.001	.0000	----	----	----	----	6	UNCH
11350	----	----	----	----	----	/0.287A	----	0.001	-	0.001	.0000	----	----	----	----	2	UNCH
11375	----	----	----	----	----	/0.285A	----	0.001	-	0.001	.0000	----	----	----	----	163	UNCH
11400	----	----	----	----	----	/0.298A	----	0.001	UNCH	.0000	----	----	----	----	----	12	UNCH
11425	----	----	----	----	----	/0.299A	----	0.001	UNCH	----	.0000	----	----	----	----	13	UNCH
11450	----	----	----	----	----	/0.299A	----	0.001	UNCH	----	----	----	----	----	----	8	UNCH
11475	----	----	----	----	----	/0.299A	----	0.001	UNCH	----	----	----	----	----	----	198	UNCH
11500	----	----	----	----	----	/0.299A	----	0.001	UNCH	----	----	----	----	----	----	8	UNCH
11525	----	----	----	----	----	/0.299A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
11550	----	----	----	----	----	/0.299A	----	0.001	UNCH	----	----	----	----	----	----	4	UNCH
11575	----	----	----	----	----	/0.300A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
11600	----	----	----	----	----	/0.300A	----	0.001	UNCH	----	----	----	----	----	----	21	UNCH
11625	----	----	----	----	----	/0.300A	----	0.001	UNCH	----	----	----	----	----	----	2	UNCH
11675	----	----	----	----	----	/0.300A	----	0.001	UNCH	----	----	----	----	----	----	38	UNCH
11700	----	----	----	----	----	/0.300A	----	0.001	UNCH	----	----	----	----	----	----	2	UNCH
11725	----	----	----	----	----	/0.300A	----	0.001	UNCH	----	----	----	----	----	----	15	UNCH
11750	----	----	----	----	----	/0.300A	----	0.001	UNCH	----	----	----	----	----	----	2	UNCH
11775	----	----	----	----	----	/0.300A	----	0.001	UNCH	----	----	----	----	----	----	38	UNCH
11800	----	----	----	----	----	/0.300A	----	0.001	UNCH	----	----	----	----	----	----	9	UNCH
11825	----	----	----	----	----	/0.300A	----	0.001	UNCH	----	----	----	----	----	----	5	UNCH
11850	----	----	----	----	----	/0.300A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
11875	----	----	----	----	----	/0.300A	----	0.001	UNCH	----	----	----	----	----	----	14	UNCH
11900	----	----	----	----	----	/0.300A	----	0.001	UNCH	----	----	----	----	----	----	8	UNCH
11925	----	----	----	----	----	/0.300A	----	0.001	UNCH	----	----	----	----	----	----	6	UNCH
11950	----	----	----	----	----	/0.148A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
11975	----	----	----	----	----	/0.146A	----	0.001	UNCH	----	----	----	----	----	400	631 +	232
12000	----	----	----	----	----	/0.005A	----	0.001	UNCH	----	----	----	----	----	----	11	UNCH
12025	----	----	----	----	----	/0.142A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
12050	----	----	----	----	----	/0.139A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
12075	----	----	----	----	----	/0.139A	----	0.001	UNCH	----	----	----	----	----	----	31	UNCH
12100	----	----	----	----	----	/0.133A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
12125	----	----	----	----	----	/0.129A	----	0.001	UNCH	----	----	----	----	----	----	22	UNCH
12200	----	----	----	----	----	/0.120A	----	0.001	UNCH	----	----	----	----	----	----	7	UNCH
12225	----	----	----	----	----	/0.125A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
12275	----	----	----	----	----	/0.118A	----	0.001	UNCH	----	----	----	----	----	----	4	UNCH
12325	----	----	----	----	----	/0.112A	----	0.001	UNCH	----	----	----	----	----	----	5	UNCH
12350	----	----	----	----	----	/0.110A	----	0.001	UNCH	----	----	----	----	----	----	23	UNCH
12400	----	----	----	----	----	/0.107A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
12425	----	----	----	----	----	/0.106A	----	0.001	UNCH	----	----	----	----	----	----	9	UNCH
12450	----	----	----	----	----	/0.105A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
12475	----	----	----	----	----	/0.104A	----	0.001	UNCH	----	----	----	----	----	----	92	UNCH
12500	----	----	----	----	----	/0.010A	----	0.001	UNCH	----	----	----	----	----	----	37	UNCH
12525	----	----	----	----	----	/0.104A	----	0.001	UNCH	----	----	----	----	----	----	6	UNCH
12550	----	----	----	----	----	/0.104A	----	0.001	UNCH	----	----	----	----	----	----	2	UNCH
12575	----	----	----	----	----	/0.104A	----	0.001	UNCH	----	----	----	----	----	----	9	UNCH
12600	----	----	----	----	----	/0.104A	----	0.001	UNCH	----	----	----	----	----	----	2	UNCH
12650	----	----	----	----	----	/0.103A	----	0.001	UNCH	----	----	----	----	----	----	2	UNCH
12675	----	----	----	----	----	/0.103A	----	0.001	UNCH	----	----	----	----	----	----	11	UNCH
12700	----	----	----	----	----	/0.103A	----	0.001	UNCH	----	----	----	----	----	----	2	UNCH
12725	----	----	----	----	----	/0.103A	----	0.001	UNCH	----	----	----	----	----	----	2	UNCH
12750	----	----	----	----	----	/0.103A	----	0.001	UNCH	----	----	----	----	----	----	9	UNCH
12775	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	34	UNCH
12800	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	6	UNCH
12900	----	----	----	----	----	/0.103A	----	0.001	UNCH	----	----	----	----	----	----	519	UNCH
13000	----	----	----	----	----	/0.001A	----	0.001	UNCH	----	----	----	----	----	----	4	UNCH
13100	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	3	UNCH
13200	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	4	UNCH
13300	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	6	UNCH
13400	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	31	UNCH
13500	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	7	UNCH
13600	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	5	UNCH
13700	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
13800	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	3	UNCH
13900	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	337	UNCH
14000	----	----	----	----	----	/0.005A	----	0.001	UNCH	----	----	----	----	----	----	60	UNCH
14200	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
14300	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	65	UNCH
14400	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	31	UNCH
14500	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	7	UNCH
14600	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	11	UNCH
14700	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	10	UNCH
14800	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	6	UNCH
14900	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	144	UNCH
15000	----	----	----	----	----	/0.005A	----	0.001	UNCH	----	----	----	----	----	----	2	UNCH
15300	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
15400	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	6	UNCH
15500	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
15600	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
15700	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	6	UNCH
15800	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
15900	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	8	UNCH
16000	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	198	UNCH
16200	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	36	UNCH
16400	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
16500	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	30	UNCH
16600	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	2	UNCH
16700	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	7	UNCH
16800	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	3	UNCH
17000	----	----	----	----	----	/0.010A	----	0.001	UNCH	----	----	----	----	----	----	27	UNCH
17100	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	5	UNCH
17200	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	5	UNCH
17300	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	11	UNCH
17400	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	2	UNCH
17500	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	63	UNCH
17700	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	3	UNCH
17800	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	3	UNCH
18000	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	46	UNCH
18100	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	2	UNCH
18300	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
18900	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	1	UNCH
19000	----	----	----	----	----	/0.001A	----	0.001	UNCH	----	----	----	----	----	----	229	UNCH
19500	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	126	UNCH
19600	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	2	UNCH
19900	----	----	----	----	----	/0.102A	----	0.001	UNCH	----	----	----	----	----	----	28	UNCH
20000	----	----	----	----	----</												



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN # 98@				METALS OPTION PRODUCTS										Fri, May 22, 2026				PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO CALL		COMEX SILVER OPTIONS																
JUL26																		
5425	----	----	----	----/21.413A	22.355B/21.413A	----	22.027	- 0.568	.9790	----	----	----	----	----	42	UNCH		
5450	----	----	----	----/21.264A	22.008B/21.264A	----	21.781	- 0.570	.9782	----	----	----	----	----	1	UNCH		
5500	----	----	----	----/20.657A	21.672B/20.657A	----	21.289	- 0.573	.9765	----	----	----	----	----	496	UNCH		
5550	----	----	----	----/20.287A	21.021B/20.287A	----	20.799	- 0.576	.9748	----	----	----	----	----	3	UNCH		
5600	----	----	----	----/19.681A	20.692B/19.681A	----	20.311	- 0.577	.9727	----	----	----	----	----	106	UNCH		
5650	----	----	----	----/19.234A	20.146B/19.234A	----	19.824	- 0.579	.9704	----	----	----	----	----	43	UNCH		
5675	----	----	----	----/18.993A	19.902B/18.993A	----	19.581	- 0.580	.9692	----	----	----	----	----	25	UNCH		
5700	----	----	----	----/18.751A	19.658B/18.751A	----	19.338	- 0.581	.9679	----	----	----	----	----	26	UNCH		
5750	----	----	----	----/18.231A	19.232B/18.231A	----	18.854	- 0.582	.9651	----	----	----	----	----	164	UNCH		
5775	----	----	----	----/18.109A	18.881B/18.109A	----	18.613	- 0.583	.9635	----	----	----	----	----	1	UNCH		
5800	----	----	----	----/17.842A	18.648B/17.842A	----	18.372	- 0.584	.9621	----	----	----	----	----	16	UNCH		
5900	----	----	----	----/16.872A	17.706B/16.872A	----	17.413	- 0.586	.9550	----	----	----	----	----	10	UNCH		
5925	----	----	----	----/16.622A	17.455B/16.622A	----	17.174	- 0.588	.9531	----	----	----	----	----	10	UNCH		
5950	----	----	----	----/16.398A	17.215B/16.398A	----	16.936	- 0.589	.9510	----	----	----	----	----	6	UNCH		
5975	----	----	----	----/16.162A	16.988B/16.162A	----	16.699	- 0.589	.9490	----	----	----	----	----	20	UNCH		
6000	----	----	----	----/15.848A	16.829B/15.848A	----	16.462	- 0.590	.9468	----	----	----	----	----	547	UNCH		
6050	----	----	----	----/15.381A	16.356B/15.381A	----	15.990	- 0.592	.9422	----	----	----	----	----	58	UNCH		
6075	----	----	----	----/15.267A	15.957B/15.267A	----	15.756	- 0.592	.9397	----	----	----	----	----	1	UNCH		
6100	----	----	----	----/14.993A	15.796B/14.993A	----	15.521	- 0.594	.9370	----	----	----	----	----	10	UNCH		
6200	----	----	----	----/13.995A	14.953B/13.995A	----	14.593	- 0.597	.9257	----	----	----	----	----	101	UNCH		
6250	----	----	----	----/13.663A	14.333B/13.663A	----	14.133	- 0.600	.9193	----	----	----	----	----	1	UNCH		
6300	----	----	----	----/13.214A	13.929B/13.214A	----	13.678	- 0.602	.9124	----	----	----	----	----	3	UNCH		
6350	----	----	----	----/12.770A	13.419B/12.770A	----	13.227	- 0.605	.9049	----	----	----	----	----	2	UNCH		
6450	----	----	----	----/11.899A	12.528B/11.899A	----	12.339	- 0.611	.8882	----	----	----	----	----	1	UNCH		
6500	11.857	11.857		11.857/11.342A	12.251B/11.342A	----	11.903	- 0.614	.8790	----	----	----	2	----	182	UNCH		
6600	----	----	----	----/10.508A	11.391B/10.508A	----	11.049	- 0.620	.8586	----	----	----	----	----	56	UNCH		
6650	----	----	----	----/10.103A	10.971B/10.103A	----	10.631	- 0.624	.8474	----	----	----	----	----	102	UNCH		
6750	----	----	----	----/9.224A	10.109B/9.224A	----	9.818	- 0.630	.8230	----	----	----	----	----	24	UNCH		
6800	----	----	----	----/8.840A	9.752B/8.840A	----	9.422	- 0.633	.8099	----	----	----	----	----	251	UNCH		
6825	----	----	----	----/8.692A	9.522B/8.692A	----	9.228	- 0.634	.8031	----	----	----	----	----	6	UNCH		
6850	----	----	----	----/8.453A	9.339B/8.453A	----	9.035	- 0.636	.7961	----	----	----	----	----	1	UNCH		
6875	----	----	----	----/8.299A	9.250B/8.299A	----	8.845	- 0.637	.7889	----	----	----	----	----	16	UNCH		
6900	----	----	----	----/8.131A	9.074B/8.131A	----	8.657	- 0.638	.7816	----	----	----	----	----	99	UNCH		
6950	----	----	----	----/7.727A	8.689B/7.727A	----	8.287	- 0.641	.7665	----	----	----	----	----	26	UNCH		
7000	----	----	----	----/7.404A	8.354B/7.404A	----	7.928	- 0.641	.7508	----	----	----	----	----	153	UNCH		
7025	----	----	----	----/7.236A	8.174B/7.236A	----	7.751	- 0.643	.7428	----	----	----	----	----	125	UNCH		
7050	----	----	----	----/7.093A	7.983B/7.093A	----	7.578	- 0.642	.7347	----	----	----	----	----	1	UNCH		
7100	----	----	----	----/6.740A	7.612B/6.740A	----	7.238	- 0.643	.7179	----	----	----	----	----	10	UNCH		
7150	----	----	----	----/6.451A	7.278B/6.451A	----	6.908	- 0.643	.7008	----	----	----	----	----	100	UNCH		
7200	----	----	----	----/6.162A	6.975B/6.162A	----	6.589	- 0.642	.6832	----	----	----	----	----	12	UNCH		
7225	----	----	----	----/6.004A	6.821B/6.004A	----	6.434	- 0.640	.6742	----	----	----	----	----	1	UNCH		
7250	----	----	----	----/5.837A	6.663B/5.837A	----	6.281	- 0.639	.6653	----	----	----	----	----	169	UNCH		
7300	----	----	----	----/5.559A	6.366B/5.559A	----	5.983	- 0.637	.6471	----	----	----	----	----	104	UNCH		
7325	----	----	----	----/5.435A	6.222B/5.435A	----	5.839	- 0.635	.6379	----	----	----	----	----	113	UNCH		
7350	----	----	----	----/5.323A	6.064B/5.323A	----	5.697	- 0.633	.6286	----	----	----	----	----	2	UNCH		
7400	5.026	5.026		5.026/4.994A	5.782B/4.994A	----	5.421	- 0.630	.6100	----	----	----	1	----	20	+		
7425	----	----	----	----/4.870A	5.643B/4.870A	----	5.287	- 0.628	.6007	----	----	----	----	----	6	UNCH		
7450	----	----	----	----/4.750A	5.506B/4.750A	----	5.156	- 0.625	.5913	----	----	----	----	----	16	UNCH		
7475	----	----	----	----/4.632A	5.455B/4.632A	----	5.028	- 0.622	.5820	----	----	----	1	----	5	+		
7500	5.091	5.091		5.091/4.515A	5.427B/4.515A	----	4.903	- 0.619	.5726	----	----	----	6	----	315	+		
7525	----	----	----	5.432B/4.403A	5.432B/4.403A	----	4.780	- 0.616	.5633	----	----	----	----	----	2	UNCH		
7550	----	----	----	5.367B/4.293A	5.367B/4.293A	----	4.660	- 0.612	.5539	----	----	----	----	----	7	UNCH		
7575	----	----	----	5.299B/4.185A	5.299B/4.185A	----	4.542	- 0.609	.5446	----	----	----	----	----	33	UNCH		
7600	5.208	5.208		5.208/4.080A	5.208/4.080A	----	4.427	- 0.605	.5353	----	----	----	2	----	155	UNCH		
7625	----	----	----	5.050B/3.977A	5.050B/3.977A	----	4.315	- 0.601	.5261	----	----	----	----	----	14	UNCH		
7650	3.904	3.904		4.935B/3.877A	4.935B/3.877A	----	4.205	- 0.598	.5169	----	----	----	1	----	38	+		
7675	----	----	----	4.822B/3.779A	4.822B/3.779A	----	4.098	- 0.593	.5077	----	----	----	----	----	18	UNCH		
7700	4.734	4.734		4.743/3.683A	4.743/3.683A	----	3.994	- 0.588	.4986	----	----	----	6	----	161	+		
7725	----	----	----	4.635B/3.590A	4.635B/3.590A	----	3.892	- 0.584	.4896	----	----	----	----	----	13	UNCH		
7750	4.087	4.087		4.506B/3.499A	4.506B/3.499A	----	3.792	- 0.580	.4807	----	----	----	30	----	169	+		
7775	----	----	----	4.387B/3.411A	4.387B/3.411A	----	3.695	- 0.575	.4718	----	----	----	----	----	7	UNCH		
7800	4.100	4.100		4.315/3.324A	4.315/3.324A	----	3.600	- 0.570	.4630	----	----	----	7	----	83	UNCH		
7825	----	----	----	4.219B/3.240A	4.219B/3.240A	----	3.508	- 0.565	.4543	----	----	----	----	----	1	UNCH		
7850	----	----	----	4.120B/3.158A	4.120B/3.158A	----	3.418	- 0.560	.4457	----	----	----	6	----	23	+		
7900	3.630	3.630		3.918B/3.005A	3.918B/3.005A	----	3.245	- 0.549	.4287	----	----	----	7	----	107	+		
7925	3.070	3.070		3.832B/2.925A	3.832B/2.925A	----	3.162	- 0.543	.4204	----	----	----	1	----	5	+		
7950	----	----	----	3.742B/2.852A	3.742B/2.852A	----	3.081	- 0.537	.4122	----	----	----	----	----	1	UNCH		
7975	----	----	----	3.658B/2.780A	3.658B/2.780A	----	3.002	- 0.532	.4040	----	----	----	----	----	2	UNCH		
8000	3.100	3.100		3.570B/2.710A	3.570B/2.710A	----	2.925	- 0.526	.3960	----	----	----	77	----	783	+		
8025	----	----	----	3.482B/2.645A	3.482B/2.645A	----	2.850	- 0.521	.3881	----	----	----	----	----	17	UNCH		
8050	----	----	----	3.380B/2.576A	3.380B/2.576A	----	2.777	- 0.515	.3804	----	----	----	8	----	35	+		
8075	----	----	----	3.289B/2.515A	3.289B/2.515A	----	2.706	- 0.509	.3727	----	----	----	----	----	10	UNCH		
8100	2.694	2.694		3.222B/2.451A	3.222B/2.451A	----	2.638	- 0.502	.3652	----	----	----	1	----	92	+		
8150	----	----	----	3.061B/2.329A	3.061B/2.329A	----	2.506	- 0.490	.3505	----	----	----	5	----	28	+		
8175	----	----	----	3.001B/2.274A	3.001B/2.274A	----	2.442	- 0.484	.3433	----	----	----	----	----	3	UNCH		
8200	----	----	----	2.932B/2.216A	2.932B/2.216A	----	2.381	- 0.478	.3363	----	----	----	1	----	211	+		
8225	----	----	----	2.862B/2.163A	2.862B/2.163A	----	2.321	- 0.471	.3293	----	----	----	----	----	5	UNCH		
8250	----	----	----	2.816B/2.109A	2.816B/2.109A	----	2.262	- 0.466	.3225	----	----	----	----	----	107	UNCH		
8275	----	----	----	2.746B/2.057A	2.746B/2.057A	----	2.206	- 0.459	.3158	----	----	----	----	----	6	UNCH		
8300	2.620	2.620		2.684B/2.007A	2.684B/2.007A	----	2.151	- 0.453	.3093	----	----	----	25	----	513	+		
8325	----	----	----	2.621B/1.959A	2.621B/1.959A	----	2.097	- 0.447	.3028	----	----	----	----	----	11	UNCH		
8350	----	----	----	2.563B/1.914A	2.563B/1.914A	----	2.045	- 0.441	.2965	----	----	----	----	----	20	UNCH		
8375	----	----	----	2.500B/1.866A	2.500B/1.866A	----	1.995	- 0.434	.2904	----	----	----	----	----	57	UNCH		
8400	2.003	2.003		2.447B/1.824A	2.447B/1.824A	----	1.946	- 0.427	.2843	----	----	----	44	----	84	-		
8425	----	----	----	2.391B/1.780A	2.391B/1.780A	----	1.898	- 0.422	.2784	----	----	----	----	----	14	UNCH		
8450	----	----	----	2.341B/1.737A	2.341B/1.737A	----	1.852	- 0.415	.2726	----	----	----	----	----	22	UNCH		
8475	----	----	----	2.285B/1.696A	2.285B/1.696A	----	1.806	- 0.410	.2668	----	----	----	----	----	2	UNCH		
8500	2.025	2.025		2.233B/1.656A	2.233B/1.656A	----	1.763	- 0.403	.2613	----</								

	BULLETIN # 98@			METALS OPTION PRODUCTS							Fri, May 22, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
JUL26														
9800	----	----	0.769B/*0.559A	0.769B/*0.559A	----	0.565	- 0.188 .0911	----	----	1	----	230 +	1	
9825	----	----	0.752B/*0.548A	0.752B/*0.548A	----	0.554	- 0.186 .0894	----	----	----	----	6	UNCH	
9850	----	----	0.738B/*0.538A	0.738B/*0.538A	----	0.544	- 0.183 .0878	----	----	----	----	38	UNCH	
9875	----	----	0.724B/*0.528A	0.724B/*0.528A	----	0.534	- 0.181 .0862	----	----	----	----	1	UNCH	
9900	----	----	0.709B/*0.518A	0.709B/*0.518A	----	0.524	- 0.179 .0846	----	----	----	----	32	UNCH	
9925	----	----	0.699B/*0.509A	0.699B/*0.509A	----	0.514	- 0.177 .0830	----	----	----	----	15	UNCH	
9950	0.648	0.648	0.685B/*0.500A	0.685B/*0.500A	----	0.505	- 0.174 .0816	----	----	7	----	13 +	4	
9975	----	----	0.673B/0.491A	0.673B/0.491A	----	0.495	- 0.173 .0800	----	----	----	----	4	UNCH	
10000	0.644	0.644	0.661B/0.470	0.661B/0.470	----	0.486	- 0.171 .0786	----	----	110	----	1808 +	13	
10025	----	----	0.648B/*0.474A	0.648B/*0.474A	----	0.478	- 0.168 .0773	----	----	----	----	2	UNCH	
10050	----	----	----/*0.465A	0.634B/*0.465A	----	0.469	- 0.166 .0759	----	----	----	----	2	UNCH	
10075	----	----	----/*0.457A	0.624B/*0.457A	----	0.461	- 0.164 .0746	----	----	----	----	21	UNCH	
10100	----	----	----/*0.449A	0.614B/*0.449A	----	0.452	- 0.163 .0732	----	----	----	----	113	UNCH	
10125	----	----	----/*0.442A	0.603B/*0.442A	----	0.444	- 0.161 .0719	----	----	----	----	3	UNCH	
10150	----	----	----/*0.434A	0.592B/*0.434A	----	0.437	- 0.158 .0707	----	----	4	----	30 -	2	
10200	----	----	----/*0.419A	0.571B/*0.419A	----	0.422	- 0.154 .0683	----	1	----	----	120 +	1	
10250	----	----	----/*0.408A	0.551B/*0.408A	----	0.407	- 0.151 .0659	----	----	----	----	22	UNCH	
10275	----	----	----/*0.401A	0.540B/*0.401A	----	0.400	- 0.149 .0648	----	----	----	----	7	UNCH	
10300	----	----	----/*0.396A	0.531B/*0.396A	----	0.393	- 0.148 .0636	----	----	----	----	6	UNCH	
10325	----	----	----/*0.388A	0.520B/*0.388A	----	0.387	- 0.146 .0626	----	----	----	----	1	UNCH	
10375	----	----	----/*0.377A	0.503B/*0.377A	----	0.374	- 0.142 .0605	----	----	----	----	18	UNCH	
10400	----	----	----/*0.370A	0.490B/*0.370A	----	0.368	- 0.140 .0595	----	----	----	----	15	UNCH	
10425	----	----	----/*0.365A	0.485B/*0.365A	----	0.362	- 0.139 .0586	----	----	----	----	2	UNCH	
10450	----	----	----/*0.359A	0.477B/*0.359A	----	0.356	- 0.137 .0576	----	----	----	----	25	UNCH	
10475	----	----	----/*0.354A	0.468B/*0.354A	----	0.350	- 0.136 .0566	----	----	----	----	26	UNCH	
10500	0.355	0.355	0.358/0.347A	0.463B/0.347A	----	0.344	- 0.135 .0556	----	----	33	----	622 +	32	
10525	----	----	----/*0.342A	0.400B/*0.342A	----	0.339	- 0.132 .0548	----	----	----	----	2	UNCH	
10550	----	----	----/*0.337A	0.394B/*0.337A	----	0.333	- 0.132 .0538	----	----	----	----	10	UNCH	
10575	----	----	----/*0.334A	0.388B/*0.334A	----	0.328	- 0.130 .0530	----	----	----	----	1	UNCH	
10600	----	----	----/*0.328A	0.382B/*0.328A	----	0.323	- 0.128 .0522	----	2	----	----	54 +	2	
10625	----	----	----/*0.323A	0.376B/*0.323A	----	0.318	- 0.126 .0514	----	----	----	----	2	UNCH	
10650	----	----	----/*0.317A	0.370B/*0.317A	----	0.313	- 0.125 .0505	----	----	----	----	2	UNCH	
10675	----	----	----/*0.312A	0.363B/*0.312A	----	0.308	- 0.124 .0497	----	----	----	----	10	UNCH	
10700	----	----	----/*0.307A	0.358B/*0.307A	----	0.303	- 0.122 .0489	----	----	----	----	69	UNCH	
10725	----	----	----/*0.303A	0.352B/*0.303A	----	0.298	- 0.121 .0481	----	----	----	----	4	UNCH	
10750	----	----	----/*0.298A	0.347B/*0.298A	----	0.294	- 0.119 .0474	----	----	----	----	60	UNCH	
10775	----	----	----/*0.296A	0.341B/*0.296A	----	0.289	- 0.118 .0466	----	----	----	----	9	UNCH	
10800	----	----	----/*0.291A	0.336B/*0.291A	----	0.285	- 0.117 .0459	----	----	----	----	35	UNCH	
10875	----	----	----/*0.277A	0.321B/*0.277A	----	0.272	- 0.113 .0438	----	----	----	----	15	UNCH	
10900	----	----	----/*0.273A	0.316B/*0.273A	----	0.268	- 0.112 .0432	----	----	----	----	6	UNCH	
10925	----	----	----/*0.270A	0.311B/*0.270A	----	0.264	- 0.110 .0425	----	----	----	----	1	UNCH	
10950	----	----	----/*0.266A	0.307B/*0.266A	----	0.260	- 0.109 .0418	----	----	----	----	1	UNCH	
10975	----	----	----/*0.262A	0.302B/*0.262A	----	0.256	- 0.108 .0412	----	----	----	----	1	UNCH	
11000	0.300	0.300	0.300/0.250	0.300/0.250	----	0.253	- 0.106 .0407	----	----	56	----	1366 +	20	
11025	----	----	----/*0.257A	0.293B/*0.257A	----	0.249	- 0.105 .0400	----	----	----	----	15	UNCH	
11050	----	----	----/*0.253A	0.289B/*0.253A	----	0.245	- 0.104 .0394	----	----	----	----	8	UNCH	
11075	----	----	----/*0.249A	0.284B/*0.249A	----	0.242	- 0.103 .0388	----	----	----	----	2	UNCH	
11100	----	----	----/*0.245A	0.280B/*0.245A	----	0.238	- 0.102 .0382	----	----	----	----	15	UNCH	
11125	----	----	----/*0.241A	0.276B/*0.241A	----	0.235	- 0.100 .0377	----	----	----	----	6	UNCH	
11150	----	----	----/*0.238A	0.272B/*0.238A	----	0.232	- 0.099 .0372	----	----	----	----	2	UNCH	
11175	----	----	----/*0.235A	0.268B/*0.235A	----	0.228	- 0.098 .0366	----	----	----	----	2	UNCH	
11200	----	----	----/*0.232A	0.265B/*0.232A	----	0.225	- 0.097 .0360	----	----	----	----	17	UNCH	
11225	----	----	----/*0.230A	0.261B/*0.230A	----	0.222	- 0.095 .0355	----	----	----	----	6	UNCH	
11250	----	----	----/*0.228A	0.257B/*0.228A	----	0.219	- 0.094 .0350	----	----	----	----	12	UNCH	
11275	----	----	----/*0.225A	0.254B/*0.225A	----	0.216	- 0.093 .0345	----	----	----	----	2	UNCH	
11300	----	----	----/*0.222A	0.250B/*0.222A	----	0.213	- 0.092 .0341	----	----	----	----	52	UNCH	
11325	----	----	----/*0.219A	0.247B/*0.219A	----	0.210	- 0.091 .0336	----	----	----	----	2	UNCH	
11350	----	----	----/*0.214A	0.243B/*0.214A	----	0.207	- 0.090 .0331	----	----	----	----	2	UNCH	
11400	----	----	----/*0.209A	0.236B/*0.209A	----	0.201	- 0.088 .0321	----	----	----	----	21	UNCH	
11425	----	----	----/*0.206A	0.233B/*0.206A	----	0.199	- 0.086 .0317	----	----	----	----	10	UNCH	
11450	----	----	----/*0.204A	0.230B/*0.204A	----	0.196	- 0.085 .0312	----	----	----	----	4	UNCH	
11500	0.226	0.226	0.226/*0.190	0.226/*0.190	----	0.191	- 0.083 .0304	----	3	----	----	1250 -	2	
11550	0.190	0.190	0.190/*0.180	0.218B/*0.180	----	0.186	- 0.081 .0296	----	3	----	----	6 +	3	
11575	----	----	----/*0.191A	0.215B/*0.191A	----	0.183	- 0.080 .0291	----	----	----	----	11	UNCH	
11600	----	----	----/*0.191A	0.212B/*0.191A	----	0.181	- 0.078 .0288	----	----	----	----	10	UNCH	
11625	----	----	----/*0.189A	0.210B/*0.189A	----	0.178	- 0.078 .0283	----	----	----	----	3	UNCH	
11650	----	----	----/*0.185A	0.207B/*0.185A	----	0.176	- 0.077 .0280	----	----	----	----	24	UNCH	
11675	----	----	----/*0.184A	0.204B/*0.184A	----	0.174	- 0.075 .0276	----	----	----	----	23	UNCH	
11700	----	----	----/*0.181A	0.201B/*0.181A	----	0.172	- 0.074 .0273	----	----	----	----	23	UNCH	
11725	----	----	----/*0.178A	0.198B/*0.178A	----	0.169	- 0.074 .0268	----	----	----	----	22	UNCH	
11750	----	----	----/*0.176A	0.196B/*0.176A	----	0.167	- 0.072 .0265	----	----	----	----	23	UNCH	
11775	----	----	----/*0.174A	0.194B/*0.174A	----	0.165	- 0.071 .0261	----	----	----	----	23	UNCH	
11800	----	----	----/*0.172A	0.191B/*0.172A	----	0.163	- 0.070 .0258	----	----	----	----	3	UNCH	
11875	----	----	----/*0.166A	0.183B/*0.166A	----	0.157	- 0.067 .0248							

BULLETIN # 98@				METALS OPTION PRODUCTS							Fri, May 22, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL															
AUG26															
7650	----	----	----	----/5 .958A	6 .708B/5 .958A	----	----	6 .251 - 0 .568	.5465	----	----	----	----	1	UNCH
7700	----	----	----	----/5 .762A	6 .515B/5 .762A	----	----	6 .037 - 0 .564	.5336	----	----	3	----	71 +	3
7725	----	----	----	----/5 .687A	6 .373B/5 .687A	----	----	5 .933 - 0 .564	.5272	----	----	----	----	7	UNCH
7750	----	----	----	----/5 .578A	6 .272B/5 .578A	----	----	5 .832 - 0 .560	.5209	----	----	----	----	5	UNCH
7800	5 .735	5 .735		5 .735/5 .384A	6 .094B/5 .384A	----	----	5 .635 - 0 .555	.5083	----	----	4	----	129 +	3
7825	----	----	----	----/5 .329A	5 .955B/5 .329A	----	----	5 .540 - 0 .552	.5021	----	----	----	----	1	UNCH
7850	5 .858	5 .858		5 .858/5 .226A	5 .858/5 .226A	----	----	5 .446 - 0 .550	.4959	----	----	1	----	15 +	1
7900	5 .833	5 .833		5 .833/5 .068A	5 .833/5 .068A	----	----	5 .265 - 0 .543	.4837	----	----	1	----	43 +	1
7925	5 .793	5 .793		5 .793/4 .970A	5 .793/4 .970A	----	----	5 .178 - 0 .539	.4777	----	----	1	----	2 +	1
7950	5 .493	5 .493		5 .493/4 .888A	5 .493/4 .888A	----	----	5 .091 - 0 .535	.4717	----	----	1	----	16 +	1
8000	5 .558	5 .558		5 .650/4 .672	5 .650/4 .672	----	----	4 .924 - 0 .528	.4600	----	----	37	----	567 +	17
8025	----	----	----	----/4 .655A	5 .197B/4 .655A	----	----	4 .843 - 0 .524	.4542	----	----	----	----	1	UNCH
8050	----	----	----	----/4 .578A	5 .110B/4 .578A	----	----	4 .763 - 0 .521	.4484	----	----	----	----	4	UNCH
8100	----	----	----	----/4 .431A	4 .978B/4 .431A	----	----	4 .608 - 0 .513	.4371	----	----	3	----	24 +	3
8125	----	----	----	----/4 .354A	4 .856B/4 .354A	----	----	4 .532 - 0 .511	.4315	----	----	----	----	1	UNCH
8150	----	----	----	----/4 .291A	4 .775B/4 .291A	----	----	4 .458 - 0 .508	.4260	----	----	----	----	35	UNCH
8175	----	----	----	----/4 .220A	4 .695B/4 .220A	----	----	4 .385 - 0 .505	.4205	----	----	----	----	1	UNCH
8200	----	----	----	----/4 .159A	4 .655B/4 .159A	----	----	4 .313 - 0 .502	.4151	----	----	----	----	6	UNCH
8225	----	----	----	----/4 .085A	4 .541B/4 .085A	----	----	4 .243 - 0 .500	.4097	----	----	----	----	2	UNCH
8250	----	----	----	----/4 .010A	4 .470B/4 .010A	----	----	4 .174 - 0 .497	.4044	----	----	----	----	247	UNCH
8300	----	----	----	----/3 .891A	4 .357B/3 .891A	----	----	4 .040 - 0 .491	.3940	----	----	----	----	53	UNCH
8350	----	----	----	----/3 .769A	4 .202B/3 .769A	----	----	3 .911 - 0 .487	.3839	----	----	----	----	3	UNCH
8375	----	----	----	----/3 .718A	4 .138B/3 .718A	----	----	3 .848 - 0 .484	.3789	----	----	----	----	1	UNCH
8400	----	----	----	----/3 .654A	4 .080B/3 .654A	----	----	3 .787 - 0 .481	.3740	----	----	----	----	22	UNCH
8425	----	----	----	----/3 .596A	4 .014B/3 .596A	----	----	3 .727 - 0 .478	.3691	----	----	----	----	1	UNCH
8450	----	----	----	----/3 .542A	3 .953B/3 .542A	----	----	3 .668 - 0 .476	.3643	----	----	----	----	17	UNCH
8475	----	----	----	----/3 .470A	3 .893B/3 .470A	----	----	3 .610 - 0 .473	.3596	----	----	----	----	2	UNCH
8500	----	----	----	----/3 .413A	3 .835B/3 .413A	----	----	3 .554 - 0 .469	.3549	----	----	----	----	99	UNCH
8550	----	----	----	----/3 .310A	3 .721B/3 .310A	----	----	3 .444 - 0 .464	.3457	----	----	----	----	16	UNCH
8600	----	----	----	----/3 .230A	3 .611B/3 .230A	----	----	3 .339 - 0 .457	.3368	----	----	----	----	191	UNCH
8650	----	----	----	----/3 .134A	3 .506B/3 .134A	----	----	3 .237 - 0 .452	.3281	----	----	----	----	1	UNCH
8675	----	----	----	----/3 .088A	3 .454B/3 .088A	----	----	3 .188 - 0 .448	.3239	----	----	----	----	1	UNCH
8700	----	----	----	----/3 .033A	3 .402B/3 .033A	----	----	3 .140 - 0 .444	.3197	----	----	----	----	31	UNCH
8750	----	----	----	----/2 .947A	3 .303B/2 .947A	----	----	3 .047 - 0 .437	.3115	----	----	----	----	40	UNCH
8775	----	----	----	----/2 .895A	3 .254B/2 .895A	----	----	3 .002 - 0 .433	.3076	----	----	----	----	2	UNCH
8800	----	----	----	----/2 .859A	3 .207B/2 .859A	----	----	2 .957 - 0 .430	.3036	----	----	3	----	4 +	3
8825	----	----	----	----/2 .807A	3 .160B/2 .807A	----	----	2 .914 - 0 .426	.2997	----	----	----	----	10	UNCH
8850	----	----	----	----/2 .773A	3 .115B/2 .773A	----	----	2 .871 - 0 .422	.2959	----	----	----	----	5	UNCH
8875	----	----	----	----/2 .742A	3 .070B/2 .742A	----	----	2 .829 - 0 .419	.2921	----	----	----	----	2	UNCH
8900	----	----	----	----/2 .688A	3 .027B/2 .688A	----	----	2 .788 - 0 .414	.2884	----	----	----	----	19	UNCH
8925	----	----	----	----/2 .649A	2 .984B/2 .649A	----	----	2 .748 - 0 .410	.2847	----	----	----	----	3	UNCH
8950	----	----	----	----/2 .609A	2 .941B/2 .609A	----	----	2 .709 - 0 .406	.2811	----	----	----	----	6	UNCH
8975	----	----	----	----/2 .592A	2 .900B/2 .592A	----	----	2 .670 - 0 .402	.2776	----	----	----	----	1	UNCH
9000	----	----	----	----/2 .535A	2 .859B/2 .535A	----	----	2 .632 - 0 .398	.2740	----	----	15	----	578 +	15
9025	----	----	----	----/2 .498A	2 .820B/2 .498A	----	----	2 .595 - 0 .393	.2706	----	----	----	----	2	UNCH
9050	----	----	----	----/2 .464A	2 .781B/2 .464A	----	----	2 .559 - 0 .388	.2672	----	----	----	----	12	UNCH
9075	----	----	----	----/2 .435A	2 .743B/2 .435A	----	----	2 .523 - 0 .384	.2639	----	----	----	----	2	UNCH
9100	----	----	----	----/2 .398A	2 .705B/2 .398A	----	----	2 .488 - 0 .380	.2606	----	----	----	----	91	UNCH
9150	----	----	----	----/2 .330A	2 .632B/2 .330A	----	----	2 .419 - 0 .370	.2541	----	----	----	----	11	UNCH
9175	----	----	----	----/2 .312A	2 .595B/2 .312A	----	----	2 .386 - 0 .366	.2509	----	----	----	----	1	UNCH
9200	----	----	----	----/2 .280A	2 .560B/2 .280A	----	----	2 .353 - 0 .362	.2478	----	----	----	----	9	UNCH
9225	----	----	----	----/2 .244A	2 .525B/2 .244A	----	----	2 .321 - 0 .357	.2448	----	----	----	----	1	UNCH
9250	----	----	----	----/2 .210A	2 .490B/2 .210A	----	----	2 .289 - 0 .353	.2417	----	----	----	----	139	UNCH
9275	----	----	----	----/2 .184A	2 .456B/2 .184A	----	----	2 .258 - 0 .349	.2387	----	----	----	----	2	UNCH
9300	----	----	----	----/2 .146A	2 .423B/2 .146A	----	----	2 .228 - 0 .343	.2358	----	----	----	----	6	UNCH
9350	----	----	----	----/2 .094A	2 .359B/2 .094A	----	----	2 .168 - 0 .334	.2301	----	----	----	----	1	UNCH
9375	----	----	----	----/2 .067A	2 .327B/2 .067A	----	----	2 .139 - 0 .330	.2272	----	----	----	----	1	UNCH
9400	----	----	----	----/2 .032A	2 .296B/2 .032A	----	----	2 .111 - 0 .325	.2245	----	----	----	----	132	UNCH
9450	----	----	----	----/1 .983A	2 .237B/1 .983A	----	----	2 .055 - 0 .316	.2190	----	----	----	----	8	UNCH
9500	2 .225	2 .225		2 .225/1 .931A	2 .225/1 .931A	----	----	2 .001 - 0 .308	.2138	----	----	2	----	56 +	1
9575	----	----	----	----/1 .860A	2 .097B/1 .860A	----	----	1 .924 - 0 .296	.2061	----	----	----	----	1	UNCH
9600	----	----	----	----/1 .833A	2 .071B/1 .833A	----	----	1 .899 - 0 .291	.2037	----	----	----	----	2	UNCH
9625	----	----	----	----/1 .816A	2 .045B/1 .816A	----	----	1 .874 - 0 .287	.2012	----	----	----	----	1	UNCH
9700	----	----	----	----/1 .739A	1 .970B/1 .739A	----	----	1 .803 - 0 .276	.1941	----	----	----	----	99	UNCH
9725	----	----	----	----/1 .729A	1 .946B/1 .729A	----	----	1 .779 - 0 .273	.1917	----	----	----	----	1	UNCH
9750	----	----	----	----/1 .696A	1 .922B/1 .696A	----	----	1 .756 - NEW	.1894	----	----	6	----	6 +	6
9775	----	----	----	----/1 .682A	1 .898B/1 .682A	----	----	1 .734 - 0 .267	.1872	----	----	----	----	1	UNCH
9850	----	----	----	----/1 .613A	1 .830B/1 .613										



BULLETIN # 98@			METALS OPTION PRODUCTS							Fri, May 22, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS											
SEP26													
5900	----	----	----/18.916A	18.285B/18.916A	----	18.783	- 0.543	.8879	----	----	----	2	UNCH
6000	----	----	----/18.105A	17.399B/18.105A	----	17.929	- 0.540	.8756	----	----	----	7	UNCH
6700	----	----	----/12.336A	12.652B/12.336A	----	12.559	- 0.483	.7594	----	----	----	1	UNCH
7000	----	----	----/10.377A	10.884B/10.377A	----	10.659	- 0.441	.6963	----	----	----	268	UNCH
7125	----	----	----/9.708A	10.151B/9.708A	----	9.947	- 0.422	.6688	----	----	----	75	UNCH
7300	----	----	----/8.964A	9.056B/8.964A	----	9.031	- 0.395	.6299	----	----	----	145	UNCH
7400	----	----	----/8.394A	8.562B/8.394A	----	8.549	- 0.380	.6077	----	----	----	104	UNCH
7500	----	----	----/8.129A	7.951B/8.129A	----	8.097	- 0.365	.5857	----	----	----	3	UNCH
7550	----	----	----/7.930A	7.825B/7.930A	----	7.882	- 0.357	.5748	----	----	----	2	UNCH
7700	----	----	----/7.367A	7.489B/7.367A	----	7.278	- 0.338	.5427	----	----	----	1	UNCH
7900	----	----	----/6.689A	6.690B/6.689A	----	6.565	- 0.315	.5020	----	----	----	1	UNCH
8000	----	----	----/6.207A	6.434B/6.207A	----	6.241	- 0.307	.4826	----	----	----	202	UNCH
8100	----	----	----/6.080A	5.981B/6.080A	----	5.936	- 0.299	.4639	----	----	----	12	UNCH
8200	----	----	----/5.720A	5.660B/5.720A	----	5.648	- 0.292	.4458	----	----	----	25	UNCH
8300	----	----	----/5.543A	5.359B/5.543A	----	5.377	- 0.287	.4284	----	----	----	2	UNCH
8400	----	----	----/5.302A	5.077B/5.302A	----	5.121	- 0.282	.4117	----	----	----	10	UNCH
8500	----	----	----/4.902A	4.921B/4.902A	----	4.880	- 0.279	.3956	----	19	----	247	UNCH
8600	----	----	----/4.684A	4.672B/4.684A	----	4.653	- 0.275	.3801	----	----	----	76	UNCH
8675	----	----	----/4.701A	4.318B/4.701A	----	4.491	- 0.273	.3690	----	----	----	5	UNCH
8700	----	----	----/4.483A	4.439B/4.483A	----	4.438	- 0.273	.3653	----	----	----	104	UNCH
8800	----	----	----/4.282A	4.113B/4.282A	----	4.236	- 0.271	.3511	----	3	----	13	+
8900	----	----	----/4.248A	3.907B/4.248A	----	4.045	- 0.269	.3375	----	----	----	4	UNCH
8925	----	----	----/4.204A	3.789B/4.204A	----	3.999	- 0.269	.3342	----	----	----	2	UNCH
8950	----	----	----/4.158A	3.740B/4.158A	----	3.954	- 0.268	.3309	----	----	----	2	UNCH
9000	----	----	----/3.945A	3.819B/3.945A	----	3.865	- 0.267	.3245	----	41	----	230	+
9025	----	----	----/4.024A	3.599B/4.024A	----	3.822	- 0.267	.3214	----	----	----	4	UNCH
9100	----	----	----/3.896A	3.532B/3.896A	----	3.695	- 0.266	.3121	----	----	----	12	UNCH
9200	----	----	----/3.730A	3.360B/3.730A	----	3.534	NEW	.3001	----	4	----	4	+
9400	----	----	----/3.429A	3.047B/3.429A	----	3.239	- 0.261	.2779	----	----	----	20	UNCH
9500	----	----	----/3.226A	3.005B/3.226A	----	3.103	- 0.259	.2675	----	23	----	278	+
9600	----	----	----/3.162A	2.767B/3.162A	----	2.974	- 0.257	.2575	----	----	----	37	UNCH
9750	----	----	----/2.976A	2.570B/2.976A	----	2.794	- 0.253	.2434	----	----	----	23	UNCH
9800	----	----	----/2.880A	2.617B/2.880A	----	2.738	- 0.250	.2389	----	----	----	132	UNCH
9900	----	----	----/2.774A	2.499B/2.774A	----	2.628	- 0.247	.2302	----	50	----	87	+
10000	2.770	2.770	2.770/2.439A	2.770/2.439A	----	2.525	- 0.242	.2220	----	103	----	411	+
10100	----	----	----/2.581A	2.282B/2.581A	----	2.427	- 0.237	.2140	----	27	----	54	-
10200	----	----	----/2.505A	2.113B/2.505A	----	2.333	- 0.233	.2064	----	54	----	54	+
10300	----	----	----/2.414A	2.038B/2.414A	----	2.245	- 0.227	.1992	----	27	----	52	+
10500	----	----	----/2.244A	1.909B/2.244A	----	2.080	- 0.216	.1856	----	----	----	231	UNCH
10800	----	----	----/2.020A	1.657B/2.020A	----	1.863	- 0.197	.1674	----	----	----	2	UNCH
11000	----	----	----/1.888A	1.536B/1.888A	----	1.734	- 0.185	.1565	----	13	----	242	-
11100	----	----	----/1.836A	1.488B/1.836A	----	1.675	- 0.178	.1514	----	----	----	3	UNCH
11300	----	----	----	1.369B/1.731A	----	1.563	- 0.166	.1418	----	----	----	60	UNCH
11500	----	----	----	1.247B/1.645A	----	1.462	- 0.153	.1330	----	----	----	100	UNCH
12000	----	----	----	1.022B/1.446A	----	1.243	- 0.127	.1139	----	----	----	128	UNCH
12500	----	----	----/1.075A	0.843B/1.075A	----	1.067	- 0.104	.0982	----	----	----	96	UNCH
13000	----	----	----/0.940A	0.789B/0.940A	----	0.922	- 0.087	.0852	----	----	----	203	UNCH
14000	----	----	----/0.735A	0.620B/0.735A	----	0.703	- 0.061	.0653	----	----	----	238	UNCH
15000	----	----	----	0.458B/0.592A	----	0.547	- 0.045	.0510	----	----	----	426	UNCH
16000	----	----	----	0.343B/0.482A	----	0.433	- 0.034	.0405	----	----	----	17	UNCH
17000	----	----	----	0.262B/0.404A	----	0.348	- 0.027	.0326	----	----	----	27	UNCH
18000	----	----	----	0.202B/0.343A	----	0.283	- 0.022	.0266	----	----	----	5	UNCH
19000	----	----	----	0.158B/0.295A	----	0.232	- 0.020	.0218	----	----	----	14	UNCH
20000	----	----	----	0.123B/0.257A	----	0.193	- 0.017	.0182	----	----	----	310	UNCH
21000	----	----	----	0.094B/*0.229A	----	0.162	- 0.016	.0153	----	----	----	1	UNCH
23000	----	----	----	0.057B/*0.182A	----	0.119	- 0.014	.0112	----	----	----	44	UNCH
25000	----	----	----	0.041B/0.154A	----	0.107	- 0.012	.0097	----	----	----	39	UNCH
26000	----	----	----	0.020B/*0.144A	----	0.103	- 0.011	.0092	----	----	----	1	UNCH
30000	----	----	----	0.001B/2.892A	----	0.097	- 0.011	.0081	----	----	----	18	UNCH
35000	----	----	----	0.001B/*0.147A	----	0.055	- 0.007	.0047	----	----	----	27	UNCH
TOTAL										364	0	4944	+
OCT26													
7000	----	----	----	11.597B/12.444A	----	11.984	- 0.445	.7000	----	----	----	2	UNCH
7100	----	----	----	11.002B/11.888A	----	11.425	- 0.438	.6806	----	----	----	1	UNCH
7500	----	----	----/9.860A	9.179B/9.860A	----	9.448	- 0.416	.6025	----	----	----	2	UNCH
7650	----	----	----/9.197A	8.527B/9.197A	----	8.811	- 0.408	.5739	----	----	----	1	UNCH
7875	----	----	----	7.626B/8.412A	----	7.952	- 0.397	.5325	----	----	----	2	UNCH
8000	----	----	----	7.200B/7.975A	----	7.521	- 0.392	.5105	----	----	----	4	UNCH
8075	----	----	----	6.962B/7.734A	----	7.279	- 0.388	.4977	----	----	----	1	UNCH
8275	----	----	----	6.366B/7.123A	----	6.683	- 0.377	.4651	----	----	----	2	UNCH
8500	----	----	----	5.774B/6.511A	----	6.094	- 0.364	.4311	----	----	----	1	UNCH
8700	----	----	----	5.307B/6.027A	----	5.635	- 0.349	.4034	----	----	----	4	UNCH
9000	----	----	----	4.693B/5.382A	----	5.038	- 0.326	.3659	----	----	----	1	UNCH
9100	----	----	----	4.480B/5.193A	----	4.859	- 0.318	.3543	----	----	----	73	UNCH
9500	----	----	----/4.506A	3.859B/4.506A	----	4.219	- 0.293	.3123	----	----	----	122	UNCH
10000	----	----	----/3.813A	3.181B/3.813A	----	3.534	- 0.289	.2669	----	----	----	97	UNCH
10500	----	----	----/3.250A	2.681B/3.250A	----	2.963	- 0.295	.2283	----	----	----	1	UNCH
11000	----	----	----	2.246B/2.797A	----	2.514	- 0.276	.1966	----	----	----	13	UNCH
11100	----	----	----	2.18									

	BULLETIN # 98@			METALS OPTION PRODUCTS							Fri, May 22, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
DEC26															
8400	----	----	----	----	7.516B/8.745A	----	----	----	8.247 - 0.292	.4778	----	----	----	----	50
8500	----	----	----	----	7.302B/8.479A	----	----	----	7.973 - 0.285	.4653	----	----	----	----	150
8550	----	----	----	----	7.131B/8.350A	----	----	----	7.840 - 0.282	.4591	----	----	----	----	25
8600	----	----	----	----	7.054B/8.224A	----	----	----	7.710 - 0.278	.4530	----	----	----	----	7
8800	----	----	----	----	6.548B/7.742A	----	----	----	7.216 - 0.266	.4296	----	----	----	----	5
8900	----	----	----	----	6.334B/7.519A	----	----	----	6.985 - 0.259	.4184	----	----	----	----	27
8950	----	----	----	----	6.230B/7.410A	----	----	----	6.873 - 0.256	.4129	----	----	----	----	1
9000	----	----	----	----	6.128B/7.304A	----	----	----	6.763 - 0.253	.4075	----	----	----	----	250
9050	----	----	----	----	6.029B/7.200A	----	----	----	6.655 - 0.251	.4022	----	----	----	----	100
9100	----	----	----	----	5.932B/7.099A	----	----	----	6.550 - 0.248	.3969	----	----	----	----	16
9300	----	----	----	----	5.603B/6.708A	----	----	----	6.151 - 0.237	.3767	----	----	----	----	15
9500	----	----	----	----	5.265B/6.352A	----	----	----	5.785 - 0.226	.3578	----	----	----	----	10
9700	----	----	----	----	4.954B/6.023A	----	----	----	5.449 - 0.216	.3399	----	----	----	----	1
9800	----	----	----	----	4.770B/5.867A	----	----	----	5.292 - 0.211	.3315	----	----	----	----	70
9900	----	----	----	----	4.666B/5.721A	----	----	----	5.141 - 0.206	.3233	----	----	----	----	4
10000	5.000	5.000		5.000/5.000	5.003B/5.000	----	----	----	4.995 - 0.203	.3153	----	----	22	----	851
10025	----	----	----	----	4.462B/5.537A	----	----	----	4.960 - 0.201	.3133	----	----	----	----	3
10500	----	----	----	----	3.898B/4.928A	----	----	----	4.351 - 0.182	.2791	----	----	----	----	100
10600	----	----	----	----	3.816B/4.811A	----	----	----	4.236 - 0.178	.2726	----	----	----	----	6
10800	----	----	----	----	3.582B/4.590A	----	----	----	4.019 - 0.171	.2600	----	----	----	----	5
11000	----	----	----	----	3.419B/4.382A	----	----	----	3.817 - 0.164	.2482	----	----	1	36	152 +
11350	----	----	----	----	3.114B/4.049A	----	----	----	3.496 - 0.153	.2292	----	----	----	----	5
11400	----	----	----	----	3.073B/4.005A	----	----	----	3.453 - 0.152	.2267	----	----	----	----	1
11600	----	----	----	----	2.897B/3.834A	----	----	----	3.289 - 0.146	.2168	----	----	----	----	1
11800	----	----	----	----	2.770B/3.670A	----	----	----	3.135 - 0.140	.2075	----	----	----	----	25
12000	----	----	----	----	2.611B/3.518A	----	----	----	2.991 - 0.135	.1987	----	----	----	----	569
12200	----	----	----	----	2.487B/3.375A	----	----	----	2.855 - 0.130	.1904	----	----	----	----	1
12500	----	----	----	----	2.301B/3.178A	----	----	----	2.667 - 0.123	.1788	----	----	----	----	51
13000	----	----	----	----	2.056B/2.883A	----	----	----	2.388 - 0.112	.1614	----	----	----	----	383
13500	----	----	----	----	1.815B/2.644A	----	----	----	2.145 - 0.102	.1460	----	----	----	----	6
14000	----	----	----	----	1.559B/2.469A	----	----	----	1.932 - 0.094	.1325	----	----	----	----	96
14200	----	----	----	----	1.448B/2.409A	----	----	----	1.854 - 0.091	.1275	----	----	----	----	1
15000	----	----	----	----	1.125B/2.184A	----	----	----	1.579 - 0.079	.1097	----	----	1	----	1854
16000	----	----	----	----	0.818B/1.945A	----	----	----	1.302 - 0.067	.0916	----	----	2	----	1609
17000	----	----	----	----	0.591B/1.392A	----	----	----	1.081 - 0.058	.0770	----	----	----	----	50
18000	----	----	----	----	0.847B/1.145A	----	----	----	0.906 - 0.049	.0652	----	----	----	----	82
19000	----	----	----	----	0.697B/1.013A	----	----	----	0.765 - 0.043	.0556	----	----	----	----	1
20000	----	----	----	----	0.591B/0.907A	----	----	----	0.653 - 0.038	.0478	----	----	----	----	435
21000	----	----	----	----	0.499B/0.817A	----	----	----	0.577 - 0.034	.0423	----	----	----	----	4
22000	----	----	----	----	0.413B/0.737A	----	----	----	0.517 - 0.030	.0378	----	----	----	----	1
23000	----	----	----	----	0.359B/0.671A	----	----	----	0.469 - 0.028	.0342	----	----	----	----	35
25000	----	----	----	----	0.300B/0.567A	----	----	----	0.400 - 0.024	.0289	----	----	----	----	235
26000	----	----	----	----	0.224B/0.525A	----	----	----	0.375 - 0.023	.0269	----	----	----	----	3
30000	----	----	----	----	0.118B/0.409A	----	----	----	0.270 - 0.017	.0193	----	----	----	----	110
32000	----	----	----	----	0.085B/0.367A	----	----	----	0.238 - 0.015	.0169	----	----	----	----	1
40000	----	----	----	----	0.004B/0.261A	----	----	----	0.178 - 0.011	.0122	----	----	----	----	25
90000	----	----	----	----	0.002B/0.400A	----	----	----	0.073 - 0.005	.0044	----	----	----	----	2
100000	----	----	----	----	0.002B/0.400A	----	----	----	0.070 - 0.005	.0041	----	----	----	----	5
TOTAL													26	36	8664 +
JAN27															
7550	----	----	----	----	11.573B/12.783A	----	----	----	12.373 - 0.360	.6111	----	----	----	----	1
7650	----	----	----	----	11.162B/12.394A	----	----	----	11.999 - 0.353	.5972	----	----	----	----	5
8300	----	----	----	----	8.908B/10.249A	----	----	----	9.932 - 0.311	.5144	----	----	----	----	22
9000	----	----	----	----	7.033B/8.532A	----	----	----	8.112 - 0.270	.4378	----	----	----	----	1
9525	6.836	6.836		6.836/*6.836	6.836/6.836	----	----	----	6.996 NEW	.3881	----	----	1	----	1 +
10000	----	----	----	----	5.267B/6.690A	----	----	----	6.175 - 0.222	.3492	----	----	----	----	5
11000	----	----	----	----	4.087B/5.375A	----	----	----	4.888 - 0.184	.2839	----	----	----	----	21
12500	----	----	----	----	2.837B/4.020A	----	----	----	3.594 - 0.144	.2142	----	----	----	----	1
13000	----	----	----	----	2.527B/3.677A	----	----	----	3.274 - 0.133	.1964	----	----	----	----	7
14000	----	----	----	----	2.050B/3.111A	----	----	----	2.736 - 0.114	.1661	----	----	----	----	1
14500	----	----	----	----	1.845B/2.912A	----	----	----	2.503 - 0.106	.1530	----	----	----	----	400
15000	----	----	----	----	1.559B/2.763A	----	----	----	2.298 - 0.099	.1413	----	----	----	----	401
TOTAL													1	0	866 +
FEB27															
7500	----	----	----	----	12.369B/13.667A	----	----	----	13.086 - 0.398	.6193	----	----	----	----	1
8500	----	----	----	----	8.958B/10.417A	----	----	----	9.867 - 0.404	.4978	----	----	----	----	4
9000	----	----	----	----	7.658B/9.238A	----	----	----	8.663 - 0.407	.4473	----	----	----	----	1
9500	----	----	----	----	6.656B/8.228A	----	----	----	7.625 - 0.383	.4025	----	----	----	----	4
10000	----	----	----	----	5.888B/7.369A	----	----	----	6.735 - 0.347	.3626	----	----	----	----	1
30000	----	----	----	----	0.265B/0.701A	----	----	----	0.479 - 0.024	.0306	----	----	----	----	1
TOTAL														0	12
MAR27															
8000	----	----	----	----	10.951B/12.544A	----	----	----	11.817 - 0.494	.5590	----	----	----	----	200
9000	9.000	9.000		9.000/*9.000	9.000/9.000	----	----	----	9.107 - 0.629	.4547	----	----	1	----	37 +
9200	----	----	----	----	7.855B/9.495A	----	----	----	8.694 - 0.596	.4370	----	----	----	----	25
10000	----	----	----	----	6.400B/8.022A	----	----	----	7.325 - 0.379	.3759	----	----	----	----	1
13000	----	----	----	----	3.410B/4.741A	----	----	----	4.129 - 0.204	.2254	----	----			

	BULLETIN # 98@			METALS OPTION PRODUCTS						Fri, May 22, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS												
JUN26													
4350	----	----	----	----/0.031A	----	0.002	UNCH	.0001	----	----	----	2	UNCH
4375	----	----	----	----/0.031A	----	0.002	UNCH	.0001	----	----	----	3	UNCH
4400	----	----	----	----/*0.031A	----	0.002	UNCH	.0001	----	----	----	8	UNCH
4425	----	----	----	----/*0.031A	----	0.002	UNCH	.0001	----	----	----	1	UNCH
4500	----	----	----	----/0.020A	----	0.003 +	0.001	.0002	----	----	400	377 +	213
4550	----	----	----	----/*0.032A	----	0.004 +	0.001	.0003	----	----	----	2	UNCH
4600	----	----	----	----/*0.032A	----	0.004 +	0.001	.0003	----	----	----	7	UNCH
4625	----	----	----	----/*0.032A	----	0.004 +	0.001	.0003	----	----	----	12	UNCH
4650	----	----	----	----/*0.031A	----	0.005 +	0.002	.0004	----	----	----	1	UNCH
4700	----	----	----	----/*0.031A	----	0.005 +	0.002	.0004	----	----	----	2	UNCH
4725	----	----	----	----/*0.031A	----	0.005 +	0.002	.0004	----	----	----	10	UNCH
4750	----	----	----	----/*0.030A	----	0.006 +	0.002	.0005	----	----	----	3	UNCH
4800	----	----	----	----/*0.030A	----	0.007 +	0.002	.0006	----	----	----	27	UNCH
4850	----	----	----	----/*0.030A	----	0.008 +	0.002	.0007	----	----	----	3	UNCH
4875	----	----	----	----/*0.031A	----	0.008 +	0.002	.0007	----	----	----	15	UNCH
4900	----	----	----	----/*0.031A	----	0.009 +	0.003	.0008	----	----	----	170	UNCH
4975	----	----	----	----/*0.031A	----	0.010 +	0.003	.0009	----	----	----	1	UNCH
5000	----	----	----/0.006A	0.001B/0.006A	----	0.010 +	0.003	.0009	----	----	----	1074	UNCH
5025	----	----	----	----/*0.031A	----	0.010 +	0.003	.0010	----	----	----	8	UNCH
5050	----	----	----	----/*0.031A	----	0.010 +	0.003	.0010	----	----	----	3	UNCH
5075	----	----	----	----/*0.031A	----	0.010 +	0.003	.0010	----	----	----	2	UNCH
5100	----	----	----	----/*0.031A	----	0.010 +	0.002	.0010	----	----	----	34	UNCH
5125	----	----	----	----/*0.032A	----	0.010 +	0.002	.0010	----	----	----	1	UNCH
5150	----	----	----	----/*0.032A	----	0.010 +	0.002	.0010	----	----	----	16	UNCH
5175	----	----	----	----/*0.032A	----	0.010 +	0.002	.0010	----	----	----	12	UNCH
5200	----	----	----	----/0.032A	----	0.010 +	0.002	.0010	----	----	----	7	UNCH
5225	----	----	----	----/*0.032A	----	0.010 +	0.002	.0011	----	----	----	1	UNCH
5250	----	----	----	----/*0.033A	----	0.010 +	0.001	.0011	----	----	----	14	UNCH
5275	----	----	----	----/*0.033A	----	0.010 +	0.001	.0011	----	----	----	17	UNCH
5300	----	----	----	----/*0.033A	----	0.010 +	0.001	.0011	----	----	----	14	UNCH
5325	----	----	----	----/*0.034A	----	0.010 +	0.001	.0011	----	----	----	10	UNCH
5350	----	----	----	----/*0.034A	----	0.010 +	0.001	.0011	----	----	----	12	UNCH
5375	----	----	----	----/0.034A	----	0.010	UNCH	.0012	----	----	----	10	UNCH
5400	----	----	----	----/0.035A	----	0.010	UNCH	.0012	----	----	----	24	UNCH
5425	----	----	----	----/0.035A	----	0.010	UNCH	.0012	----	----	----	4	UNCH
5450	----	----	----	----/0.036A	----	0.010	UNCH	.0012	----	----	----	2	UNCH
5475	----	----	----	----/0.036A	----	0.010	UNCH	.0012	----	----	----	13	UNCH
5500	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.010 -	0.001	.0012	----	2	----	641 +	1
5525	----	----	----	----/0.037A	----	0.010 -	0.001	.0013	----	----	----	16	UNCH
5550	----	----	----	----/0.038A	----	0.010 -	0.001	.0013	----	----	----	10	UNCH
5575	----	----	----	----/0.038A	----	0.010 -	0.001	.0013	----	----	----	2	UNCH
5600	----	----	----	----/0.039A	----	0.010 -	0.002	.0013	----	----	----	19	UNCH
5625	----	----	----	----/0.040A	----	0.010 -	0.002	.0013	----	----	----	2	UNCH
5650	----	----	----	----/0.040A	----	0.010 -	0.002	.0014	----	----	----	51	UNCH
5675	----	----	----	----/0.041A	----	0.010 -	0.002	.0014	----	----	----	21	UNCH
5700	----	----	----	----/0.042A	----	0.010 -	0.003	.0014	----	----	----	243	UNCH
5725	----	----	----	----/0.043A	----	0.010 -	0.003	.0014	----	----	----	4	UNCH
5750	----	----	----	----/0.044A	----	0.010 -	0.003	.0014	----	----	----	225	UNCH
5775	----	----	----	----/0.045A	----	0.010 -	0.004	.0015	----	----	----	9	UNCH
5800	0.014	0.014	0.014/*0.014	0.014/*0.014	----	0.010 -	0.004	.0015	----	1	----	81 +	1
5825	----	----	----	----/0.046A	----	0.010 -	0.004	.0015	----	----	----	9	UNCH
5850	----	----	----	----/0.047A	----	0.010 -	0.005	.0015	----	----	----	6	UNCH
5875	----	----	----	----/0.048A	----	0.010 -	0.005	.0016	----	----	----	12	UNCH
5900	----	----	----	----/0.050A	----	0.011 -	0.004	.0018	----	----	----	44	UNCH
5925	----	----	----	----/0.050A	----	0.011 -	0.005	.0018	----	----	----	22	UNCH
5950	----	----	----	----/0.052A	----	0.011 -	0.005	.0018	----	----	----	6	UNCH
5975	----	----	----	0.010B/*0.026A	----	0.011 -	0.006	.0019	----	----	----	9	UNCH
6000	----	----	----/0.010A	0.011B/*0.010A	----	0.012 -	0.005	.0021	----	10	----	929 -	10
6025	----	----	----	0.012B/*0.027A	----	0.012 -	0.006	.0021	----	----	----	31	UNCH
6050	0.030	0.030	0.030/*0.030	0.030/*0.026A	----	0.012 -	0.006	.0021	----	20	----	141	UNCH
6075	----	----	----	0.013B/*0.027A	----	0.013 -	0.006	.0024	----	----	----	31	UNCH
6100	----	----	----	0.014B/0.028A	----	0.013 -	0.007	.0024	----	----	----	88	UNCH
6125	----	----	----	0.014B/*0.028A	----	0.014 -	0.006	.0026	----	----	----	3	UNCH
6150	----	----	----	0.015B/*0.027A	----	0.015 -	0.006	.0029	----	----	----	15	UNCH
6175	----	----	----	0.016B/*0.028A	----	0.015 -	0.007	.0029	----	----	----	305	UNCH
6200	----	----	----	0.016B/*0.028A	----	0.016 -	0.006	.0032	----	----	----	204	UNCH
6225	----	----	----	0.017B/*0.028A	----	0.017 -	0.006	.0035	----	----	----	8	UNCH
6250	----	----	----	0.018B/*0.028A	----	0.018 -	0.006	.0037	----	----	----	69	UNCH
6275	----	----	----	0.019B/*0.027A	----	0.019 -	0.006	.0040	----	----	----	3	UNCH
6300	----	----	----/0.025A	0.020B/*0.025A	----	0.020 -	0.006	.0043	----	----	----	141	UNCH
6325	----	----	----/0.025A	0.021B/*0.025A	----	0.021 -	0.006	.0046	----	----	----	18	UNCH
6350	----	----	----/0.025A	0.022B/*0.025A	----	0.022 -	0.007	.0049	----	----	----	29	UNCH
6375	----	----	----/0.026A	0.023B/*0.026A	----	0.023 -	0.007	.0052	----	----	----	14	UNCH
6400	0.030	0.030	0.030/*0.027A	0.030/*0.027A	----	0.024 -	0.007	.0056	----	2	----	215	UNCH
6425	----	----	----/0.027A	0.025B/*0.027A	----	0.026 -	0.007	.0062	----	----	----	46	UNCH
6450	----	----	----/0.028A	0.026B/*0.028A	----	0.027 -	0.007	.0065	----	----	----	62	UNCH
6475	----	----	----/0.029A	0.028B/*0.029A	----	0.028 -	0.008	.0069	----	----	----	71	UNCH
6500	0.039	0.039	0.039/*0.022A	0.039/*0.022A	----	0.029 -	0.009	.0073	----	18	----	504 +	2
6525	----	----	----/0.032A	0.030B/*0.032A	----	0.031 -	0.009	.0080	----	----	----	37	UNCH
6550	0.020	0.020	0.020/*0.020	0.032B/*0.020	----	0.032 -	0.011	.0084	----	1	----	129 -	1
6575	0.033	0.033	0.033/*0.021	0.033/*0.021	----	0.033 -	0.012	.0088	----	10	----	20 -	6
6600	0.042	0.042	0.042/*0.030	0.042/*0.030	----	0.034 -	0.014	.0093	----	13	----	122	



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN # 98@				METALS OPTION PRODUCTS							Fri, May 22, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS														
JUN26															
7570	----	----		1.437B/*0.789A	1.437B/*0.789A	----		0.885 -	0.280	.4145	----	----	----	1	
7575	----	----		1.464B/0.809A	1.464B/0.809A	----		0.906 -	0.278	.4223	----	----	1	UNCH	
7580	0.891	0.891		1.493B/*0.826A	1.493B/*0.826A	----		0.927	NEW	.4301	----	2	----	15	
7590	----	----		1.550B/*0.867A	1.550B/*0.867A	----		0.970	NEW	.4458	----	4	----	4 +	
7600	1.300	1.300		1.609B/0.901A	1.609B/0.901A	----		1.014 -	0.270	.4616	----	10	----	2	
7610	1.448	1.448		1.669B/*0.946A	1.669B/*0.946A	----		1.060	NEW	.4776	----	1	----	115 +	
7620	1.307	1.307		1.660B/*0.988A	1.660B/*0.988A	----		1.108	NEW	.4936	----	1	----	1 +	
7625	1.407	1.407		1.674B/1.012A	1.674B/1.012A	----		1.133 -	0.258	.5016	----	4	----	1 +	
7630	1.422	1.422		1.751B/*1.032A	1.751B/*1.032A	----		1.158 -	0.255	.5097	----	1	----	3	
7650	1.360	1.360		1.897B/1.119	1.897B/1.119	----		1.262 -	0.242	.5419	----	22	----	10 +	
7660	1.695	1.695		1.934B/*1.172A	1.934B/*1.172A	----		1.316 -	0.235	.5579	----	2	----	43 +	
7670	1.499	1.499		2.003B/*1.216A	2.003B/*1.216A	----		1.372	NEW	.5739	----	1	----	3 +	
7675	1.648	1.648		2.035B/1.247A	2.035B/1.247A	----		1.401 -	0.223	.5817	----	2	----	1 +	
7680	1.693	1.693		2.083B/*1.268A	2.083B/*1.268A	----		1.430 -	0.219	.5896	----	4	----	45	
7690	1.354	1.354		2.135B/*1.320A	2.135B/*1.320A	----		1.489	NEW	.6052	----	1	----	UNCH	
7700	1.420	1.420		2.226B/1.375A	2.226B/1.375A	----		1.551 -	0.200	.6206	----	3	----	17 +	
7710	1.450	1.450		2.280B/*1.431A	2.280B/*1.431A	----		1.613	NEW	.6358	----	1	----	1 +	
7725	1.600	1.600		2.418B/1.512A	2.418B/1.512A	----		1.711 -	0.174	.6580	----	1	----	UNCH	
7740	1.605	1.605		#2.500B/*1.602	2.500B/*1.602	----		1.811	NEW	.6795	----	2	----	34	
7750	1.636	1.636		2.556B/1.634A	2.556B/1.634A	----		1.880 -	0.146	.6935	----	3	----	2 +	
7775	----	----		2.791B/1.855A	2.791B/1.855A	----		2.060 -	0.114	.7266	----	----	----	20 +	
7800	----	----		2.992B/2.016A	2.992B/2.016A	----		2.247 -	0.082	.7571	----	----	----	39	
7825	----	----		3.169B/2.218A	3.169B/2.218A	----		2.443 -	0.048	.7848	----	----	----	UNCH	
7850	----	----		3.272B/2.425A	3.272B/2.425A	----		2.647 -	0.012	.8098	----	1	----	97	
7875	----	----		3.452B/2.617A	3.452B/2.617A	----		2.856 +	0.022	.8319	----	----	----	UNCH	
7900	2.850	2.850		3.751B/2.810A	3.751B/2.810A	----		3.071 +	0.056	.8516	----	5	----	36 -	
7925	3.000	3.000		3.896B/3.000	3.896B/3.000	----		3.290 +	0.089	.8692	----	1	----	19	
7950	----	----		4.177B/3.227A	4.177B/3.227A	----		3.514 +	0.122	.8844	----	----	----	UNCH	
7975	----	----		4.347B/3.478A	4.347B/3.478A	----		3.740 +	0.151	.8982	----	----	----	71	
8000	4.780	4.780		4.780B/3.725A	4.780B/3.725A	----		3.970 +	0.180	.9100	----	21	----	6	
8025	----	----		4.872B/3.945A	4.872B/3.945A	----		4.201 +	0.206	.9205	----	----	----	UNCH	
8050	----	----		5.046B/----	5.046B/4.250A	----		4.435 +	0.231	.9298	----	----	----	125	
8075	----	----		5.262B/----	5.262B/4.528A	----		4.671 +	0.254	.9379	----	----	----	UNCH	
8100	----	----		5.612B/4.623A	5.612B/4.623A	----		4.909 +	0.276	.9452	----	3	----	18	
8125	----	----		5.763B/----	5.763B/4.947A	----		5.148 +	0.296	.9511	----	----	----	UNCH	
8150	----	----		6.000B/----	6.000B/5.183A	----		5.388 +	0.314	.9568	----	----	----	11	
8175	----	----		6.284B/----	6.284B/5.382A	----		5.630 +	0.332	.9614	----	----	----	UNCH	
8200	----	----		6.574B/----	6.574B/5.560A	----		5.873 +	0.349	.9654	----	----	----	48	
8225	----	----		6.716B/----	6.716B/5.902A	----		6.117 +	0.364	.9688	----	----	----	UNCH	
8250	----	----		7.009B/----	7.009B/6.097A	----		6.362 +	0.379	.9717	----	----	----	152	
8275	----	----		7.256B/----	7.256B/6.338A	----		6.607 +	0.392	.9744	----	----	----	UNCH	
8300	----	----		7.497B/----	7.497B/6.581A	----		6.853 +	0.405	.9767	----	----	----	42	
8325	----	----		7.682B/----	7.682B/6.910A	----		7.100 +	0.417	.9785	----	----	----	UNCH	
8350	----	----		7.986B/----	7.986B/7.067A	----		7.347 +	0.428	.9798	----	----	----	2	
8375	----	----		8.182B/----	8.182B/7.359A	----		7.595 +	0.438	.9814	----	----	----	UNCH	
8400	----	----		8.529B/----	8.529B/7.495A	----		7.843 +	0.448	.9826	----	----	----	30	
8425	----	----		8.775B/----	8.775B/7.740A	----		8.090 +	0.456	.9838	----	----	----	19	
8450	----	----		8.928B/----	8.928B/8.095A	----		8.338 +	0.464	.9852	----	----	----	UNCH	
8475	8.590	8.590		9.156B/8.590	9.156B/8.378A	----		8.586 +	0.471	.9862	----	1	----	64	
8500	----	----		9.515B/----	9.515B/8.473A	----		8.833 +	0.476	.9872	----	----	----	UNCH	
8525	----	----		9.650B/----	9.650B/8.870A	----		9.081 +	0.481	.9882	----	----	----	22	
8550	----	----		9.898B/----	9.898B/9.121A	----		9.329 +	0.486	.9891	----	----	----	UNCH	
8575	----	----		10.168B/----	10.168B/9.326A	----		9.577 +	0.491	.9900	----	----	----	3	
8600	----	----		10.416B/----	10.416B/9.572A	----		9.825 +	0.494	.9908	----	----	----	UNCH	
8625	----	----		10.664B/----	10.664B/9.819A	----		10.073 +	0.498	.9916	----	----	----	23	
8650	----	----		10.912B/----	10.912B/10.066A	----		10.322 +	0.501	.9921	----	----	----	UNCH	
8675	----	----		11.158B/----	11.158B/10.314A	----		10.571 +	0.505	.9929	----	----	----	9	
8700	----	----		11.499B/----	11.499B/10.450A	----		10.819 +	0.507	.9933	----	----	----	UNCH	
8725	----	----		11.635B/----	11.635B/10.850A	----		11.068 +	0.510	.9938	----	----	----	22	
8750	----	----		11.958B/----	11.958B/11.009A	----		11.317 +	0.512	.9942	----	----	----	UNCH	
8775	----	----		12.133B/----	12.133B/11.346A	----		11.566 +	0.514	.9946	----	----	----	37	
8800	----	----		12.404B/----	12.404B/11.553A	----		11.815 +	0.516	.9947	----	----	----	UNCH	
8825	----	----		12.642B/----	12.642B/11.802A	----		12.065 +	0.519	.9951	----	----	----	5	
8850	----	----		12.902B/----	12.902B/12.050A	----		12.314 +	0.520	.9954	----	----	----	UNCH	
8875	----	----		13.129B/----	13.129B/12.339A	----		12.563 +	0.521	.9958	----	----	----	23	
8900	----	----		13.379B/----	13.379B/12.588A	----		12.813 +	0.523	.9958	----	----	----	15	
8925	----	----		13.628B/----	13.628B/12.837A	----		13.062 +	0.524	.9962	----	----	----	UNCH	
8950	----	----		13.877B/----	13.877B/13.086A	----		13.312 +	0.526	.9962	----	----	----	8	
8975	----	----		14.127B/----	14.127B/13.335A	----		13.561 +	0.526	.9966	----	----	----	1	
9000	----	----		14.489B/----	14.489B/13.433A	----		13.811 +	0.527	.9966	----	----	----	UNCH	
9050	----	----		14.875B/----	14.875B/14.082A	----		14.310 +	0.529	.9970	----	----	----	2	
9075	----	----		15.125B/----	15.125B/14.332A	----		14.559 +	0.529	.9970	----	----	----	UNCH	
9100	----	----		15.397B/----	15.397B/14.538A	----		14.809 +	0.530	.9973	----	----	----		



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN # 98@				METALS OPTION PRODUCTS							Fri, May 22, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO PUT	COMEX SILVER OPTIONS														
JUL26															
4325	----	----	----	0.0018/0.122A	----	0.047 - 0.008	.0065	----	----	----	----	17	UNCH		
4375	----	----	----	0.0018/0.124A	----	0.048 - 0.008	.0067	----	----	----	----	32	UNCH		
4400	----	----	----	0.0018/0.124A	----	0.048 - 0.009	.0068	----	----	----	----	34	UNCH		
4450	----	----	----	0.0018/0.125A	----	0.049 - 0.009	.0071	----	----	----	----	4	UNCH		
4475	----	----	----	0.0418/0.072A	----	0.049 - 0.010	.0071	----	----	----	----	16	UNCH		
4500	----	----	----	0.0428/0.072A	----	0.050 - 0.010	.0073	----	----	----	----	300	UNCH		
4575	----	----	----	0.0458/*0.072A	----	0.052 - 0.010	.0078	----	----	----	----	75	UNCH		
4600	----	----	----	0.0468/0.073A	----	0.052 - 0.011	.0078	----	----	----	----	101	UNCH		
4650	----	----	----	0.0498/*0.074A	----	0.054 - 0.012	.0082	----	----	----	----	40	UNCH		
4675	----	----	----	0.0588/*0.075A	----	0.055 - 0.012	.0084	----	----	----	----	12	UNCH		
4700	----	----	----/*0.060A	0.0628/*0.060A	----	0.056 - 0.012	.0086	----	----	----	----	152	UNCH		
4725	----	----	----	0.0628/*0.077A	----	0.058 - 0.012	.0090	----	----	----	----	3	UNCH		
4750	----	----	----	0.0648/*0.077A	----	0.059 - 0.013	.0092	----	----	----	----	55	UNCH		
4775	----	----	----	0.0668/*0.078A	----	0.061 - 0.012	.0095	----	----	----	----	8	UNCH		
4800	----	----	----	0.0678/0.079A	----	0.062 - 0.013	.0097	----	----	----	----	15	UNCH		
4825	----	----	----	0.0688/*0.081A	----	0.064 - 0.013	.0101	----	----	----	----	26	UNCH		
4850	----	----	----	0.0708/*0.081A	----	0.066 - 0.013	.0104	----	----	----	----	2	UNCH		
4875	----	----	----	0.0718/*0.082A	----	0.068 - 0.014	.0108	----	----	----	----	23	UNCH		
4900	----	----	----/*0.083A	0.0738/*0.083A	----	0.070 - 0.014	.0111	----	----	----	----	167	UNCH		
4975	----	----	----/*0.087A	0.0778/*0.087A	----	0.076 - 0.015	.0122	----	----	----	----	2	UNCH		
5000	----	----	----/0.085A	0.0798/0.085A	----	0.078 - 0.016	.0126	----	----	2	----	934	UNCH		
5025	----	----	----/*0.090A	0.0818/*0.090A	----	0.080 - 0.017	.0130	----	----	----	----	1	UNCH		
5050	----	----	----/*0.092A	0.0838/*0.092A	----	0.082 - 0.018	.0134	----	----	----	----	16	UNCH		
5075	----	----	----/*0.093A	0.0858/*0.093A	----	0.084 - 0.019	.0138	----	----	----	----	11	UNCH		
5100	----	----	----/0.095A	0.0888/0.095A	----	0.086 - 0.020	.0142	----	----	----	----	178	UNCH		
5150	----	----	----/*0.099A	0.0928/*0.099A	----	0.090 - 0.023	.0150	----	----	----	----	5	UNCH		
5175	----	----	----/*0.101A	0.0958/*0.101A	----	0.092 - 0.024	.0154	----	----	----	----	5	UNCH		
5200	----	----	----/*0.103A	0.0978/*0.103A	----	0.095 - 0.025	.0160	----	----	----	----	108	UNCH		
5225	----	----	----/*0.105A	0.1008/*0.105A	----	0.097 - 0.026	.0164	----	----	----	----	9	UNCH		
5250	----	----	----/*0.107A	0.1038/*0.107A	----	0.099 - 0.028	.0168	----	----	----	----	225	UNCH		
5275	----	----	----/*0.110A	0.1068/*0.110A	----	0.101 - 0.030	.0173	----	----	----	----	2	UNCH		
5300	----	----	----/0.112A	0.1098/0.112A	----	0.104 - 0.032	.0178	----	----	----	----	126	UNCH		
5325	----	----	----/*0.115A	0.1138/*0.115A	----	0.107 - 0.033	.0184	----	----	----	----	11	UNCH		
5350	----	----	----/*0.118A	0.1168/*0.118A	----	0.109 - 0.035	.0189	----	----	----	----	26	UNCH		
5375	----	----	----/*0.121A	0.1208/*0.121A	----	0.112 - 0.037	.0195	----	----	----	----	17	UNCH		
5400	----	----	----/*0.124A	0.1238/*0.124A	----	0.116 - 0.038	.0202	----	----	----	----	75	UNCH		
5425	----	----	----/*0.127A	0.1278/*0.127A	----	0.119 - 0.040	.0209	----	----	----	----	49	UNCH		
5450	----	----	----/*0.131A	0.1328/*0.131A	----	0.123 - 0.041	.0216	----	----	----	----	38	UNCH		
5475	----	----	----/*0.135A	0.1368/*0.135A	----	0.127 - 0.043	.0224	----	----	----	----	53	UNCH		
5500	0.155	0.155	0.155/0.130	0.155/0.130	----	0.132 - 0.043	.0233	----	----	37	----	1054 + 13			
5525	----	----	----/*0.143A	0.1468/*0.143A	----	0.136 - 0.045	.0241	----	----	----	----	87	UNCH		
5550	----	----	----/*0.148A	0.1518/*0.148A	----	0.141 - 0.046	.0250	----	----	----	----	18	UNCH		
5575	0.166	0.166	0.166/*0.152A	0.166/*0.152A	----	0.147 - 0.047	.0261	----	1	----	----	4 + 1			
5600	----	----	----/*0.159A	0.1628/*0.159A	----	0.153 - 0.048	.0272	----	----	----	----	31	UNCH		
5625	0.179	0.179	0.179/*0.163A	0.179/*0.163A	----	0.159 - 0.049	.0283	----	1	----	----	24 + 1			
5650	----	----	----/*0.169A	0.1748/*0.169A	----	0.165 - 0.050	.0294	----	----	----	----	29	UNCH		
5675	----	----	----/*0.175A	0.1818/*0.175A	----	0.172 - 0.051	.0307	----	----	----	----	45	UNCH		
5700	0.190	0.190	0.190/0.184A	0.190/0.184A	----	0.179 - 0.052	.0319	----	2	----	----	309	UNCH		
5725	0.210	0.210	0.210/*0.191A	0.210/*0.191A	----	0.187 - 0.052	.0333	----	1	----	----	3	UNCH		
5750	----	----	----/*0.196A	0.2038/*0.196A	----	0.195 - 0.053	.0348	----	----	----	----	52	UNCH		
5775	0.227	0.227	0.227/*0.204A	0.227/*0.204A	----	0.204 - 0.053	.0363	----	1	----	----	3 + 1			
5800	----	----	----/*0.212A	0.2248/*0.212A	----	0.212 - 0.054	.0378	----	----	----	----	30	UNCH		
5825	----	----	----/*0.221A	0.2338/*0.221A	----	0.222 - 0.054	.0395	----	----	----	----	4	UNCH		
5850	----	----	----/0.231A	0.2448/0.231A	----	0.232 - 0.055	.0412	----	----	----	----	116	UNCH		
5875	----	----	----/*0.242A	0.2548/*0.242A	----	0.242 - 0.055	.0430	----	----	----	----	3	UNCH		
5900	----	----	----/*0.253A	0.2648/*0.253A	----	0.253 - 0.056	.0449	----	----	----	----	10	UNCH		
5925	----	----	----/*0.262A	0.2778/*0.262A	----	0.264 - 0.057	.0468	----	----	----	----	2	UNCH		
5950	----	----	----/*0.274A	0.2908/*0.274A	----	0.276 - 0.057	.0488	----	----	----	----	3	UNCH		
5975	0.299	0.299	0.299/*0.287A	0.3058/*0.287A	----	0.288 - 0.058	.0509	----	2	----	----	11 + 2			
6000	0.341	0.341	0.341/0.300A	0.341/0.300A	----	0.301 - 0.059	.0531	----	36	----	----	773 + 20			
6025	----	----	----/*0.311A	0.3348/0.311A	----	0.314 - 0.060	.0553	----	----	----	----	1	UNCH		
6050	----	----	----/*0.325A	0.3508/0.325A	----	0.328 - 0.061	.0577	----	----	----	----	18	UNCH		
6075	----	----	----/*0.340A	0.3678/0.340A	----	0.343 - 0.062	.0602	----	----	----	----	1	UNCH		
6100	0.362	0.362	0.362/*0.356A	0.3838/0.356A	----	0.359 - 0.062	.0628	----	1	----	----	301	UNCH		
6125	----	----	----/*0.371A	0.4008/0.371A	----	0.375 - 0.063	.0655	----	----	----	----	1	UNCH		
6150	0.389	0.389	0.396/0.379	0.4348/0.379	----	0.392 - 0.064	.0682	----	3	----	----	19 + 3			
6175	----	----	----/0.405A	0.4548/0.405A	----	0.410 - 0.065	.0712	----	----	----	----	14	UNCH		
6200	0.468	0.468	0.4758/*0.423A	0.4758/0.423A	----	0.428 - 0.067	.0741	----	16	----	----	139 + 6			
6225	----	----	----/*0.440A	0.4978/0.440A	----	0.448 - 0.068	.0773	----	----	----	----	2	UNCH		
6250	----	----	----/*0.460A	0.5218/0.460A	----	0.468 - 0.069	.0805	----	----	----	----	29	UNCH		
6275	----	----	----/*0.483A	0.5458/0.483A	----	0.490 - 0.070	.0840	----	----	----	----	4	UNCH		
6300	----	----	----/0.504A	0.5708/0.504A	----	0.512 - 0.072	.0875	----	5	----	----	304 + 5			
6325	----	----	----/0.526A	0.5978/0.526A	----	0.536 - 0.072	.0912	----	----	----	----	20	UNCH		
6350	0.561	0.561	0.6258/0.549A	0.6258/0.549A	----	0.560 - 0.074	.0949	----	10	----	----	123 + 10			
6375	----	----	----/0.574A	0.6548/0.574A	----	0.586 - 0.075	.0989	----	----	----	----	17	UNCH		
6400	----	----	----/0.601A	0.6858/0.601A	----	0.613 - 0.077	.1030	----	3	----	----	192	UNCH		
6425	----	----	----/0.628A	0.7178/0.628A	----	0.641 - 0.078	.1072	----	----	----	----	15	UNCH</		

BULLETIN # 98@			METALS OPTION PRODUCTS							Fri, May 22, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
JUL26														
7975	----	----	6.9998/6.294A	6.9998/6.294A	----	6.543	UNCH	.5958	----	----	----	5	UNCH	
8000	----	----	7.2758/6.464A	7.2758/6.464A	----	6.715	+	0.005	.6038	----	----	273	UNCH	
8050	----	----	7.5778/6.784A	7.5778/6.784A	----	7.066	+	0.017	.6195	----	----	1	UNCH	
8075	----	----	7.8008/6.959A	7.8008/6.959A	----	7.245	+	0.023	.6271	----	----	10	UNCH	
8100	----	----	7.9768/7.247A	7.9768/7.247A	----	7.425	+	0.029	.6346	----	----	48	UNCH	
8125	----	----	8.1268/7.433A	8.1268/7.433A	----	7.608	+	0.036	.6420	----	----	7	UNCH	
8150	----	----	8.3198/7.612A	8.3198/7.612A	----	7.792	+	0.042	.6493	----	----	2	UNCH	
8175	----	----	8.5208/7.796A	8.5208/7.796A	----	7.978	+	0.048	.6565	----	----	2	UNCH	
8200	----	----	8.7508/7.987A	8.7508/7.987A	----	8.165	+	0.053	.6636	----	----	23	UNCH	
8225	----	----	8.9438/8.174A	8.9438/8.174A	----	8.355	+	0.060	.6705	----	----	17	UNCH	
8250	----	----	9.1778/8.330A	9.1778/8.330A	----	8.546	+	0.066	.6773	----	----	89	UNCH	
8275	----	----	9.3098/8.552A	9.3098/8.552A	----	8.739	+	0.073	.6840	----	----	15	UNCH	
8300	----	----	9.4788/8.737A	9.4788/8.737A	----	8.933	+	0.079	.6905	----	----	130	UNCH	
8325	----	----	9.7018/8.938A	9.7018/8.938A	----	9.129	+	0.085	.6970	----	----	1	UNCH	
8350	----	----	9.8898/9.133A	9.8898/9.133A	----	9.326	+	0.091	.7033	----	----	20	UNCH	
8375	----	----	10.1048/9.319A	10.1048/9.319A	----	9.525	+	0.098	.7095	----	----	4	UNCH	
8400	----	----	10.2728/9.544A	10.2728/9.544A	----	9.725	+	0.104	.7155	----	----	13	UNCH	
8425	----	----	10.5178/9.728A	10.5178/9.728A	----	9.927	+	0.111	.7215	----	----	4	UNCH	
8450	----	----	10.7348/9.925A	10.7348/9.925A	----	10.130	+	0.117	.7273	----	----	33	UNCH	
8475	----	----	10.9308/10.112A	10.9308/10.112A	----	10.334	+	0.123	.7330	----	----	1	UNCH	
8500	----	----	11.1528/10.320A	11.1528/10.320A	----	10.540	+	0.130	.7386	----	----	166	UNCH	
8525	----	----	11.3558/10.521A	11.3558/10.521A	----	10.746	+	0.135	.7441	----	----	4	UNCH	
8550	----	----	11.5388/10.738A	11.5388/10.738A	----	10.954	+	0.141	.7494	----	----	37	UNCH	
8575	----	----	11.7818/10.968A	11.7818/10.968A	----	11.163	+	0.147	.7547	----	----	1	UNCH	
8600	----	----	12.0418/11.135A	12.0418/11.135A	----	11.374	+	0.154	.7598	----	----	77	UNCH	
8625	----	----	12.1548/11.372A	12.1548/11.372A	----	11.585	+	0.159	.7648	----	----	7	UNCH	
8650	----	----	12.4278/11.553A	12.4278/11.553A	----	11.797	+	0.165	.7697	----	----	1	UNCH	
8675	----	----	12.6438/11.764A	12.6438/11.764A	----	12.011	+	0.171	.7746	----	----	1	UNCH	
8700	----	----	12.7908/12.006A	12.7908/12.006A	----	12.225	+	0.176	.7793	----	----	12	UNCH	
8725	----	----	13.0798/12.195A	13.0798/12.195A	----	12.441	+	0.182	.7839	----	----	1	UNCH	
8800	----	----	13.6698/12.814A	13.6698/12.814A	----	13.092	+	0.198	.7970	----	----	59	UNCH	
8850	----	----	13.9618/13.297A	13.9618/13.297A	----	13.531	+	0.209	.8054	----	----	1	UNCH	
8900	----	----	14.4078/13.736A	14.4078/13.736A	----	13.973	+	0.219	.8133	----	----	2	UNCH	
8975	----	----	15.0338/----	15.0338/14.558A	----	14.642	+	0.233	.8247	----	----	2	UNCH	
9000	14.976	14.976	15.4638/14.976	15.4638/14.687A	----	14.866	+	0.238	.8282	1	----	321	UNCH	
9025	----	----	15.5368/----	15.5368/15.005A	----	15.091	+	0.242	.8318	----	----	1	UNCH	
9175	----	----	16.9168/----	16.9168/16.384A	----	16.453	+	0.267	.8512	----	----	1	UNCH	
9200	----	----	17.2478/----	17.2478/16.566A	----	16.683	+	0.272	.8543	----	----	11	UNCH	
9250	----	----	17.6048/----	17.6048/17.086A	----	17.142	+	0.278	.8601	----	----	1	UNCH	
9275	----	----	17.8378/----	17.8378/17.319A	----	17.373	+	0.282	.8629	----	----	1	UNCH	
9300	----	----	18.0718/----	18.0718/17.532A	----	17.604	+	0.286	.8656	----	----	5	UNCH	
9400	----	----	19.0098/----	19.0098/18.470A	----	18.534	+	0.300	.8758	----	----	1	UNCH	
9450	----	----	19.5748/----	19.5748/18.866A	----	19.001	+	0.306	.8807	----	----	12	UNCH	
9500	----	----	20.1198/----	20.1198/19.248A	----	19.470	+	0.312	.8853	----	----	217	UNCH	
9600	----	----	21.0258/----	21.0258/20.182A	----	20.413	+	0.325	.8939	----	----	50	UNCH	
9775	----	----	22.5708/----	22.5708/21.983A	----	22.075	+	0.344	.9070	----	----	5	UNCH	
9900	----	----	23.8458/----	23.8458/23.115A	----	23.271	+	0.356	.9152	----	----	6	UNCH	
9950	----	----	24.2518/----	24.2518/23.647A	----	23.751	+	0.360	.9183	----	----	5	UNCH	
10000	----	----	24.8568/----	24.8568/23.995A	----	24.232	+	0.365	.9213	----	----	225	UNCH	
10275	----	----	27.4688/----	27.4688/26.716A	----	26.891	+	0.386	.9351	----	----	7	UNCH	
10500	----	----	29.5918/----	29.5918/28.951A	----	29.083	+	0.402	.9442	----	----	3	UNCH	
10600	----	----	30.6398/----	30.6398/29.873A	----	30.060	+	0.408	.9477	----	----	9	UNCH	
10800	----	----	32.5318/----	32.5318/31.873A	----	32.020	+	0.420	.9539	----	----	1	UNCH	
11000	----	----	34.6258/----	34.6258/33.673A	----	33.986	+	0.432	.9592	----	----	244	UNCH	
11300	----	----	37.5198/----	37.5198/36.728A	----	36.944	+	0.447	.9658	----	----	10	UNCH	
11500	----	----	39.4398/----	39.4398/38.696A	----	38.920	+	0.456	.9695	----	----	1	UNCH	
12000	----	----	44.4528/----	44.4528/43.645A	----	43.875	+	0.478	.9767	----	----	19	UNCH	
13000	----	----	54.3518/----	54.3518/53.569A	----	53.823	+	0.509	.9856	----	----	5	UNCH	
TOTAL										452	0	14819	+	157
AUG26														
3300	----	----	----	0.0018/0.161A	----	0.060	-	0.003	.0057	----	----	2	UNCH	
3900	----	----	----	0.0018/0.188A	----	0.070	-	0.003	.0079	----	----	2	UNCH	
4000	----	----	----	0.0208/*0.121A	----	0.072	-	0.003	.0083	----	----	1	UNCH	
4175	----	----	----	0.0388/*0.119A	----	0.085	+	0.002	.0101	----	----	1	UNCH	
4300	----	----	----	0.0498/*0.130A	----	0.095	+	0.005	.0115	----	----	1	UNCH	
4350	----	----	----	0.0548/*0.136A	----	0.100	+	0.006	.0121	----	----	1	UNCH	
4375	----	----	----	0.0558/*0.138A	----	0.102	+	0.006	.0124	----	----	160	UNCH	
4400	----	----	----	0.0618/*0.141A	----	0.105	+	0.007	.0128	----	----	1	UNCH	
4450	----	----	----	0.0638/*0.148A	----	0.110	+	0.007	.0135	----	----	1	UNCH	
4500	----	----	----	0.0698/*0.159A	----	0.115	+	0.008	.0143	----	----	2	UNCH	
4600	----	----	----	0.0818/*0.170A	----	0.127	+	0.009	.0159	----	----	4	UNCH	
4625	----	----	----	0.0868/*0.174A	----	0.130	+	0.009	.0163	----	----	1	UNCH	
4700	----	----	----	0.0988/*0.184A	----	0.141	+	0.009	.0179	----	----	1	UNCH	
4775	----	----	----	0.1118/*0.198A	----	0.153	+	0.009	.0195	----	----	2	UNCH	
4800	----	----	----	0.1118/0.207A	----	0.157	+	0.009	.0201	----	----	11	UNCH	
4825	----	----	----	0.1208/*0.208A	----	0.161	+	0.009	.0206	----	----</			



	BULLETIN # 98@			METALS OPTION PRODUCTS							Fri, May 22, 2026			PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST
SO PUT	COMEX SILVER OPTIONS															
AUG26																
7450	----	----	----	5.226B/4.816A	5.226B/4.816A	----	----	----	4.911 -	0.058 .4008	----	----	----	----	1	UNCH
7475	----	----	----	5.341B/4.951A	5.341B/4.951A	----	----	----	5.040 -	0.053 .4075	----	----	----	----	1	UNCH
7500	----	----	----	5.490B/5.069A	5.490B/5.069A	----	----	----	5.171 -	0.049 .4140	----	----	5	----	134	UNCH
7525	----	----	----	5.618B/5.202A	5.618B/5.202A	----	----	----	5.303 -	0.045 .4206	----	----	----	----	1	UNCH
7550	----	----	----	5.774B/5.336A	5.774B/5.336A	----	----	----	5.436 -	0.042 .4272	----	----	3	----	18	UNCH
7575	----	----	----	5.899B/5.469A	5.899B/5.469A	----	----	----	5.570 -	0.040 .4337	----	----	----	----	1	UNCH
7600	----	----	----	6.061B/5.608A	6.061B/5.608A	----	----	----	5.706 -	0.037 .4403	----	----	3	----	6	UNCH
7625	----	----	----	6.208B/5.740A	6.208B/5.740A	----	----	----	5.843 -	0.036 .4468	----	----	----	----	1	UNCH
7650	----	----	----	6.361B/5.874A	6.361B/5.874A	----	----	----	5.982 -	0.035 .4532	----	----	----	----	15	UNCH
7675	----	----	----	6.509B/6.024A	6.509B/6.024A	----	----	----	6.123 -	0.033 .4597	----	----	----	----	44	UNCH
7700	----	----	----	6.662B/6.159A	6.662B/6.159A	----	----	----	6.266 -	0.031 .4661	----	----	----	----	112	UNCH
7725	----	----	----	6.812B/6.309A	6.812B/6.309A	----	----	----	6.411 -	0.030 .4725	----	----	----	----	56	UNCH
7750	----	----	----	6.969B/6.459A	6.969B/6.459A	----	----	----	6.558 -	0.027 .4789	----	----	----	----	1	UNCH
7775	6.727	6.727	----	7.111B/6.607A	7.111B/6.607A	----	----	----	6.707 -	0.026 .4852	----	----	1	----	2 +	1
7800	----	----	----	7.284B/6.757A	7.284B/6.757A	----	----	----	6.858 -	0.022 .4914	----	----	----	----	25	UNCH
7825	7.028	7.028	----	7.434B/6.909A	7.434B/6.909A	----	----	----	7.012 -	0.019 .4977	----	----	1	----	1	UNCH
7850	----	----	----	7.614B/7.059A	7.614B/7.059A	----	----	----	7.167 -	0.017 .5038	----	----	----	----	18	UNCH
7900	7.493	7.493	----	7.944B/7.369A	7.944B/7.369A	----	----	----	7.483 -	0.010 .5160	----	----	4	----	9 +	4
7925	----	----	----	8.088B/7.534A	8.088B/7.534A	----	----	----	7.644 -	0.007 .5220	----	----	----	----	1	UNCH
7950	----	----	----	8.264B/7.690A	8.264B/7.690A	----	----	----	7.807 -	0.001 .5280	----	----	----	----	61	UNCH
7975	7.973	7.973	----	8.424B/7.855A	8.424B/7.855A	----	----	----	7.971 +	0.002 .5339	----	----	1	----	2 +	1
8000	----	----	----	8.606B/8.013A	8.606B/8.013A	----	----	----	8.137 +	0.005 .5398	----	----	----	----	296	UNCH
8025	8.344	8.344	----	8.773B/8.180A	8.773B/8.180A	----	----	----	8.305 +	0.010 .5456	----	----	1	----	1	UNCH
8100	----	----	----	9.258B/8.698A	9.258B/8.698A	----	----	----	8.815 +	0.020 .5627	----	----	3	----	10 +	3
8150	----	----	----	9.635B/9.047A	9.635B/9.047A	----	----	----	9.163 +	0.025 .5738	----	----	----	----	15	UNCH
8175	----	----	----	9.774B/9.242A	9.774B/9.242A	----	----	----	9.339 +	0.029 .5792	----	----	----	----	1	UNCH
8200	----	----	----	10.005B/9.394A	10.005B/9.394A	----	----	----	9.516 +	0.032 .5847	----	----	----	----	10	UNCH
8225	----	----	----	10.052B/9.574A	10.052B/9.574A	----	----	----	9.694 +	0.033 .5900	----	----	----	----	4	UNCH
8250	----	----	----	10.284B/9.750A	10.284B/9.750A	----	----	----	9.874 +	0.037 .5953	----	----	----	----	10	UNCH
8275	----	----	----	10.431B/9.973A	10.431B/9.973A	----	----	----	10.055 +	0.040 .6005	----	----	----	----	5	UNCH
8300	----	----	----	10.588B/10.117A	10.588B/10.117A	----	----	----	10.237 +	0.042 .6057	----	----	----	----	1	UNCH
8325	----	----	----	10.779B/10.324A	10.779B/10.324A	----	----	----	10.420 +	0.044 .6108	----	----	----	----	5	UNCH
8400	----	----	----	11.349B/10.922A	11.349B/10.922A	----	----	----	10.979 +	0.053 .6258	----	----	----	----	1	UNCH
8425	----	----	----	11.543B/----	11.543B/11.172A	----	----	----	11.167 +	0.055 .6306	----	----	----	----	1	UNCH
8475	----	----	----	11.930B/----	11.930B/11.565A	----	----	----	11.548 +	0.061 .6402	----	----	----	----	1	UNCH
8500	----	----	----	12.191B/----	12.191B/11.699A	----	----	----	11.740 +	0.064 .6448	----	----	----	----	22	UNCH
8600	----	----	----	12.920B/----	12.920B/12.509A	----	----	----	12.520 +	0.076 .6629	----	----	----	----	3	UNCH
8650	----	----	----	13.327B/----	13.327B/12.900A	----	----	----	12.917 +	0.083 .6716	----	----	----	----	1	UNCH
8700	----	----	----	13.734B/----	13.734B/13.295A	----	----	----	13.317 +	0.090 .6800	----	----	----	----	2	UNCH
8825	----	----	----	14.690B/14.132A	14.690B/14.132A	----	----	----	14.334 +	0.107 .7000	----	----	----	----	4	UNCH
8850	----	----	----	14.901B/----	14.901B/14.506A	----	----	----	14.541 +	0.113 .7039	----	----	----	----	1	UNCH
8900	----	----	----	15.428B/----	15.428B/14.921A	----	----	----	14.955 +	0.120 .7114	----	----	----	----	24	UNCH
9000	----	----	----	16.302B/----	16.302B/15.704A	----	----	----	15.794 +	0.136 .7257	----	----	----	----	62	UNCH
9025	----	----	----	16.383B/----	16.383B/16.000A	----	----	----	16.006 +	0.141 .7291	----	----	----	----	4	UNCH
9150	----	----	----	17.451B/----	17.451B/17.059A	----	----	----	17.074 +	0.164 .7457	----	----	----	----	4	UNCH
9175	----	----	----	17.645B/----	17.645B/17.265A	----	----	----	17.290 +	0.168 .7488	----	----	----	----	1	UNCH
9200	----	----	----	17.883B/----	17.883B/17.480A	----	----	----	17.506 +	0.173 .7519	----	----	----	----	1	UNCH
9225	----	----	----	18.102B/----	18.102B/17.695A	----	----	----	17.723 +	0.178 .7550	----	----	----	----	1	UNCH
9275	----	----	----	18.539B/----	18.539B/18.126A	----	----	----	18.158 +	0.186 .7610	----	----	----	----	5	UNCH
9300	----	----	----	18.762B/----	18.762B/18.341A	----	----	----	18.376 +	0.191 .7639	----	----	----	----	1	UNCH
9325	----	----	----	19.036B/----	19.036B/18.554A	----	----	----	18.595 +	0.196 .7668	----	----	----	----	11	UNCH
9350	----	----	----	19.203B/----	19.203B/18.779A	----	----	----	18.814 +	0.201 .7697	----	----	----	----	4	UNCH
9500	----	----	----	20.655B/----	20.655B/20.039A	----	----	----	20.141 +	0.227 .7860	----	----	----	----	31	UNCH
9975	----	----	----	24.529B/----	24.529B/24.808A	----	----	----	24.435 +	0.288 .8296	----	----	----	----	1	UNCH
10000	----	----	----	25.142B/----	25.142B/24.621A	----	----	----	24.664 +	0.291 .8316	----	----	----	----	7	UNCH
10025	----	----	----	24.984B/----	24.984B/25.264A	----	----	----	24.894 +	0.293 .8335	----	----	----	----	1	UNCH
10175	----	----	----	26.766B/----	26.766B/26.238A	----	----	----	26.277 +	0.304 .8448	----	----	----	----	15	UNCH
TOTAL													62	0	3494 +	46
SEP26																
2500	----	----	----	----	-----/2.825A	----	----	----	0.007 -	UNCH .0007	----	----	----	----	60	UNCH
3000	----	----	----	----	0.001B/2.866A	----	----	----	0.024 -	0.002 .0025	----	----	----	----	22	UNCH
3500	----	----	----	----	0.001B/2.967A	----	----	----	0.064 -	0.003 .0065	----	----	----	----	74	UNCH
4000	----	----	----	----	0.059B/0.186A	----	----	----	0.133 -	0.007 .0135	----	----	----	----	45	UNCH
4500	----	----	----	----	0.140B/0.282A	----	----	----	0.241 -	0.012 .0247	----	----	----	----	10	UNCH
4525	----	----	----	----	0.146B/*0.289A	----	----	----	0.248 -	0.012 .0254	----	----	----	----	3	UNCH
5000	----	----	----	----	0.303B/*0.452A	----	----	----	0.412 -	0.016 .0427	----	----	----	----	237	UNCH
5100	----	----	----	----	0.351B/*0.499A	----	----	----	0.458 -	0.017 .0475	----	----	----	----	1	UNCH



PG64	BULLETIN # 98@										METALS OPTION PRODUCTS					Fri, May 22, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
SO PUT	COMEX SILVER OPTIONS																			
TOTAL														0	25					
SO1 CALL	SILVER OPTIONS																			
JUN26																				
7500	----	----	----	----/3.313A	3.752B/3.313A	----	----	3.411 - 0.710	.5881	----	----	----	----	15	UNCH					
7550	----	----	----	----/3.093A	3.727B/3.093A	----	----	3.137 - 0.705	.5589	----	----	----	----	15	UNCH					
8000	1.300	1.300	1.300	1.300/*1.300	1.852B/*1.300	----	----	1.386 - 0.563	.3098	----	----	1	----	10	UNCH					
8100	----	----	----	----/*1.269A	1.546B/*1.269A	----	----	1.149 - 0.517	.2654	----	----	----	----	110	UNCH					
8300	----	----	----	----/*0.926A	1.080B/*0.926A	----	----	0.796 - 0.422	.1927	----	----	5	----	160	UNCH					
8600	----	----	----	----/*0.598A	0.624B/*0.598A	----	----	0.476 - 0.296	.1192	----	----	----	----	3	UNCH					
9000	----	----	----	----/*0.342A	0.303B/*0.342A	----	----	0.262 - 0.176	.0656	----	----	----	----	110	UNCH					
9500	----	----	----	----/*0.212A	0.130B/*0.212A	----	----	0.145 - 0.091	.0349	----	----	----	----	160	UNCH					
11500	----	----	----	----	0.001B/*0.093A	----	----	0.024 - 0.007	.0048	----	----	----	----	1	UNCH					
TOTAL												6	0	584	0					
SO1 PUT	SILVER OPTIONS																			
JUN26																				
6500	----	----	----	----	0.177B/0.287A	----	----	0.198 - 0.060	.0508	----	----	----	----	3	UNCH					
6700	----	----	----	----/0.405A	0.319B/0.405A	----	----	0.349 - NEW	.0860	----	----	5	----	5	+					
7000	0.770	0.770	0.770	0.770/0.770	0.770/0.770	----	----	0.741 - 0.134	.1700	----	----	1	----	26	+					
7150	----	----	----	----/*1.149A	1.080B/*1.149A	----	----	1.052 - 0.159	.2297	----	----	----	----	1	UNCH					
7200	----	----	----	----/1.240A	1.243B/1.240A	----	----	1.178 - NEW	.2523	----	----	5	----	5	+					
7250	----	----	----	----/1.414A	1.375B/1.414A	----	----	1.315 - 0.172	.2761	----	----	----	----	1	UNCH					
7300	----	----	----	----/1.545A	1.565B/1.545A	----	----	1.466 - 0.177	.3013	----	----	----	----	1	UNCH					
7400	----	----	----	----/1.906A	1.971B/1.906A	----	----	1.810 - 0.181	.3548	----	----	----	----	1	UNCH					
7500	----	----	----	2.433B/2.273A	2.433B/2.273A	----	----	2.214 - 0.177	.4117	----	----	----	----	1	UNCH					
7550	2.357	2.357	2.357	2.659B/2.297A	2.659B/2.297A	----	----	2.439 - 0.172	.4410	----	----	2	----	17	+					
TOTAL												13	0	61	+					
SO2 CALL	SILVER OPTIONS																			
JUN26																				
7650	3.320	3.320	3.320	3.320/3.320	3.943B/3.320	----	----	3.297	NEW	.5078	----	1	----	1	+					
TOTAL												1	0	1	+					
SO4 CALL	SILVER OPTIONS																			
MAY26																				
7490	----	----	----	----/*0.948A	1.623B/*0.948A	----	----	1.299 - 0.845	----	10	----	----	----	0	-					
7500	----	----	----	----/*0.969A	1.231B/*0.969A	----	----	1.199 - 0.864	----	1	----	----	----	0	-					
7520	----	----	----	----/*0.561A	1.347B/*0.561A	----	----	0.999 - 0.907	----	11	----	----	----	0	-					
7600	0.560	0.560	0.560	0.560/*0.225A	0.926B/*0.225A	----	----	0.199 - 1.138	----	15	----	3	----	0	-					
7700	0.790	0.790	0.790	0.790/*0.025A	0.790/*0.025A	----	----	0.000 - 0.787	----	----	----	13	----	0	-					
7750	0.181	0.181	0.181	0.181/*0.003	0.510B/*0.003	----	----	0.000 - 0.585	----	----	----	5	----	0	-					
7800	0.375	0.375	0.375	0.451/*0.036A	0.451/*0.036A	----	----	0.000 - 0.428	----	----	----	11	----	0	-					
7830	----	----	----	----/*0.035A	0.203B/*0.035A	----	----	0.000 - 0.353	----	----	----	----	----	0	-					
7900	0.190	0.190	0.190	0.200/*0.036A	0.200/*0.036A	----	----	0.000 - 0.224	----	----	----	4	----	0	-					
7950	0.020	0.020	0.020	0.020/*0.020	0.122B/*0.020	----	----	0.000 - 0.162	----	----	----	2	----	0	-					
7980	0.006	0.006	0.006	0.006/*0.006	0.006/*0.006	----	----	0.000 - 0.134	----	----	----	1	----	0	-					
7990	0.003	0.003	0.003	0.003/*0.003	0.005B/*0.003	----	----	0.000 - 0.126	----	----	----	1	----	0	-					
8000	0.120	0.120	0.120	0.120/*0.028A	0.120/*0.028A	----	----	0.000 - 0.118	----	----	----	1	----	0	-					
8060	----	----	----	----/*0.025A	0.031B/*0.025A	----	----	0.000 - 0.083	----	----	----	----	----	0	-					
8070	----	----	----	----/*0.025A	0.004B/*0.025A	----	----	0.000 - 0.078	----	----	----	----	----	0	-					
8100	----	----	----	----/*0.024A	0.020B/*0.024A	----	----	0.000 - 0.066	----	----	----	----	----	0	-					
8200	----	----	----	----/*0.024A	0.001B/*0.024A	----	----	0.000 - 0.040	----	----	----	----	----	0	-					
8300	----	----	----	----/0.041A	----	----	----	0.000 - 0.025	----	----	----	----	----	0	-					
8500	----	----	----	----/0.085A	----	----	----	0.000 - 0.013	----	----	----	----	----	0	-					
8550	----	----	----	----/0.077A	----	----	----	0.000 - 0.011	----	----	----	----	----	0	-					
8600	----	----	----	----/0.072A	----	----	----	0.000 - 0.010	----	----	----	----	----	0	-					
8700	----	----	----	----/0.063A	----	----	----	0.000 - 0.009	----	----	----	----	----	0	-					
8750	----	----	----	----/0.057A	----	----	----	0.000 - 0.007	----	----	----	----	----	0	-					
8800	----	----	----	----/0.053A	----	----	----	0.000 - 0.006	----	----	----	----	----	0	-					
9000	----	----	----	----/*0.049A	----	----	----	0.000 - 0.003	----	----	----	----	----	0	-					
9100	----	----	----	----/*0.049A	----	----	----	0.000 - 0.002	----	----	----	----	----	0	-					
9200	----	----	----	----/*0.049A	----	----	----	0.000 - 0.002	----	----	----	----	----	0	-					
9250	----	----	----	----/*0.049A	----	----	----	0.000 - 0.001	----	----	----	----	----	0	-					
9300	----	----	----	----/*0.049A	----	----	----	0.000 - 0.001	----	----	----	----	----	0	-					
9400	----	----	----	----/*0.049A	----	----	----	0.000 - 0.001	----	----	----	----	----	0	-					
9500	----	----	----	----/0.049A	----	----	----	0.000 - 0.001	----	----	----	----	----	0	-					
9800	----	----	----	----/*0.049A	----	----	----	0.000 - 0.001	----	----	----	----	----	0	-					
10000	----	----	----	----/0.049A	----	----	----	0.000 - 0.001	----	----	----	----	----	0	-					
10500	----	----	----	----	----/*0.050A	----	----	0.000 - 0.001	----	----	----	----	----	0	-					
TOTAL												41	0	0	-					
SO4 PUT	SILVER OPTIONS																			
MAY26																				
5500	----	----	----	----/0.051A	----	----	----	0.000 - 0.001	----	----	----	----	----	0	-					
6000	----	----	----	----/*0.049A	----	----	----	0.000 - 0.001	----	----	----	----	----	0	-					
6600	----	----	----	----/0.066A	----	----	----	0.000 - 0.015	----	----	----	----	----	0	-					
6750	----	----	----	----/0.082A	----	----	----	0.000 - 0.019	----	----	----	----	----	0	-					
6800	----	----	----	----/0.089A	----	----	----	0.000 - 0.021	----	----	----	----	----	0	-					
6900	----	----	----	----/0.103A	----	----	----	0.000 - 0.025	----	----	----	----	----	0	-					
7000	0.005	0.005	0.020	0.020/*0.001	0.020/*0.001	----	----	0.000 - 0.033	----	----	8	----	----	0	-					
7100	----	----	----	----/*0.024A	----	----	----	0.000 - 0.046	----	----	----	----	----	0	-					
7130	----	----	----	----/*0.025A	----	----	----	0.000 - 0.051	----	----	----	----	----	0	-					
7200	0.030	0.030	0.032	0.032/*0.001	0.032/*0.001	----	----	0.000 - 0.067	----	----	6	----	----	0	-					
7250	0.005	0.005	0.005	0.005/*0.005	0.005/*0.005	----	----	0.000 - 0.084	----	----	2	----	----	0	-					
7300	0.002	0.002	0.002	0.002/*0.002	0.002/*0.002	----	----	0.000 - 0.107	----	----	1	----	----	0	-					
7350	----	----	----	----/*0.033A	0.016B/*0.033A	----	----	0.000 - 0.139	----	----	----	----	----	0	-					
7400	----	----	----	----/*0.031A	0.038B/*0.031A	----	----	0.000 - 0.183	----	----	2	----	----	0	-					
7420	----	----	----	----/*0.034A	0.058B/*0.034A	----	----	0.000 -												

BULLETIN # 98@			METALS OPTION PRODUCTS							Fri, May 22, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
S05 CALL	SILVER OPTIONS													
MAY26														
8900	----	----	----/0.147A	0.058B/0.147A	----	0.085 - 0.063	.0258	----	----	----	----	0	UNCH	
9500	----	----	----/0.040A	0.002B/0.040A	----	0.036 - 0.033	.0093	----	----	----	----	4	UNCH	
TOTAL										31	0	266 +	15	
S05 PUT	SILVER OPTIONS													
MAY26														
6200	----	----	----	0.008B/0.105A	----	0.020 - 0.022	.0055	----	----	----	----	3	UNCH	
6500	----	----	----	0.042B/*0.140A	----	0.067 - 0.047	.0196	----	----	----	----	2	UNCH	
6700	----	----	----/*0.179A	0.078B/*0.179A	----	0.136 - 0.074	.0408	----	----	----	----	30	UNCH	
6800	----	----	----/*0.223A	0.122B/0.223A	----	0.178 - 0.097	.0546	----	----	----	----	2	UNCH	
6900	0.146	0.146	0.230/*0.120	0.230/*0.120	----	0.235 - 0.123	.0734	----	----	17	----	20 +	16	
7000	0.350	0.350	0.400/0.335A	0.400/0.335A	----	0.311 - 0.155	.0984	----	----	7	----	7 +	5	
7200	0.480	0.480	0.480/0.480	0.596B/0.480	----	0.560 - 0.219	.1763	----	----	2	----	7 +	2	
7250	0.550	0.550	0.550/0.550	0.699B/0.550	----	0.650 - 0.234	.2029	----	----	2	----	3 +	2	
7300	0.809	0.809	0.929/0.800	0.929/0.800	----	0.755 - 0.247	.2327	----	----	18	----	12 +	6	
7350	1.000	1.000	1.000/0.975A	1.000/0.975A	----	0.877 - NEW	.2658	----	----	2	----	2 +	2	
7400	----	----	----/1.084A	1.164B/1.084A	----	1.016 - 0.263	.3019	----	----	----	----	2	UNCH	
7500	----	----	----/1.431A	1.567B/1.431A	----	1.359 - 0.262	.3825	----	----	----	----	10	UNCH	
7550	----	----	----/1.645A	1.776B/1.645A	----	1.565 - 0.253	.4259	----	----	----	----	7	UNCH	
7600	----	----	2.055B/1.830A	2.055B/1.830A	----	1.795 - 0.239	.4705	----	----	----	----	15	UNCH	
7650	2.250	2.250	2.326B/2.074A	2.326B/2.074A	----	2.049 - 0.220	.5153	----	----	2	----	3	UNCH	
7700	----	----	2.526B/2.285A	2.526B/2.285A	----	2.329 - 0.193	.5598	----	----	----	----	21	UNCH	
7750	2.842	2.842	2.842/2.561A	2.842/2.561A	----	2.632 - NEW	.6029	----	----	2	----	2 +	2	
8000	----	----	----	4.260B/5.062A	----	4.454 + 0.036	.7813	----	----	----	----	2	UNCH	
8300	----	----	----	----/16.939A	----	7.091 + 0.265	.8995	----	----	----	----	2	UNCH	
8400	----	----	----	0.394B/18.032A	----	8.029 + 0.324	.9216	----	----	----	----	5	UNCH	
8500	----	----	#9.167B/----	#9.167B/9.272A	----	8.982 + 0.372	.9382	----	----	----	----	4	UNCH	
8600	----	----	----	9.093B/10.753A	----	9.947 + 0.411	.9505	----	----	----	----	1	UNCH	
TOTAL										52	0	162 +	35	
SWW WED	SILVER WEEKLY WEDNESDAY OPTION WEEK													
MAY26														
6750	----	----	----	0.016B/*0.135A	----	0.074 - 0.053	.0239	----	----	----	----	1	UNCH	
6800	----	----	----/*0.145A	0.031B/*0.145A	----	0.083 - NEW	.0278	----	----	1	----	1 +	1	
6850	----	----	----/*0.154A	0.039B/*0.154A	----	0.094 - 0.074	.0325	----	----	----	----	1	UNCH	
6900	----	----	----/*0.157A	0.059B/*0.157A	----	0.107 - NEW	.0381	----	----	1	----	1 +	1	
7100	0.300	0.300	0.300/*0.258A	0.300/0.258A	----	0.192 - NEW	.0765	----	----	2	----	2 +	2	
7150	0.325	0.325	0.325/0.285A	0.325/0.285A	----	0.226 - NEW	.0920	----	----	3	----	3 +	3	
7200	----	----	----/0.365A	0.306B/0.365A	----	0.270 - 0.197	.1117	----	----	----	----	1	UNCH	
7350	----	----	----/3.531A	2.692B/3.531A	----	3.177 - 0.791	.7990	----	----	----	----	1	UNCH	
7500	0.885	0.885	0.885/0.885	1.160B/0.885	----	0.877 - NEW	.3458	----	----	2	----	2 +	2	
7550	----	----	----/1.770A	1.837B/1.770A	----	1.765 - 0.811	.5951	----	----	----	----	4	UNCH	
7600	----	----	----/*1.476A	1.873B/*1.476A	----	1.488 - 0.794	.5333	----	----	----	----	2	UNCH	
7700	1.100	1.100	1.100/*1.096A	1.606B/*1.096A	----	1.032 - NEW	.4090	----	----	1	----	1 +	1	
7750	----	----	----/*0.950A	1.482B/*0.950A	----	0.852 - NEW	.3509	----	----	2	----	2 +	2	
7900	----	----	----/*0.570A	0.896B/*0.570A	----	0.472 - 0.532	.2080	----	----	----	----	1	UNCH	
7950	----	----	----/*0.505A	0.725B/*0.505A	----	0.389 - 0.476	.1726	----	----	----	----	4	UNCH	
8000	----	----	----/*0.418A	0.615B/*0.418A	----	0.321 - NEW	.1427	----	----	3	----	3 +	3	
8100	----	----	----/15.193A	----/15.193A	----	5.022 + 0.208	.9021	----	----	----	----	1	UNCH	
8180	----	----	----/15.676A	----/15.676A	----	5.769 + 0.275	.9267	----	----	----	----	1	UNCH	
8400	----	----	----/*0.149A	0.107B/*0.149A	----	0.090 - 0.130	.0351	----	----	----	----	1	UNCH	
8500	0.100	0.100	0.100/*0.100	0.100/*0.100	----	0.066 - 0.098	.0247	----	----	1	----	2 +	1	
8500	----	----	----	7.910B/10.347A	----	8.864 - NEW	.9752	----	----	1	----	1 +	1	
8650	----	----	----	0.016B/*0.126A	----	0.039 - 0.069	.0138	----	----	----	----	1	UNCH	
8800	----	----	----	2.618B/22.476A	----	11.821 + 0.486	.9920	----	----	----	----	1	UNCH	
11000	----	----	----	----/0.299A	----	0.001 - UNCH	----	----	----	----	----	3	UNCH	
TOTAL										17	0	41 +	17	
JUN26														
7000	0.560	0.560	0.560/0.560	0.568B/0.560	----	0.597 - NEW	.1511	----	----	1	----	1 +	1	
7300	1.250	1.250	1.250/1.250	1.301B/1.250	----	1.261 - NEW	.2869	----	----	4	----	4 +	4	
7600	2.650	2.650	2.650/2.503A	3.008B/2.503A	----	2.625 - NEW	.5289	----	----	2	----	2 +	2	
7600	2.500	2.500	2.500/2.383A	2.553B/2.383A	----	2.426 - NEW	.4710	----	----	2	----	2 +	2	
7650	----	----	----/3.132A	3.389B/3.132A	----	3.049 - 0.687	.5050	----	----	----	----	1	UNCH	
8000	1.180	1.180	1.180/*1.180	1.529B/*1.180	----	1.118 - NEW	.2842	----	----	4	----	4 +	4	
8100	----	----	----	5.490B/6.302A	----	5.689 + 0.067	.7640	----	----	----	----	4	UNCH	
8500	----	----	----/*0.495A	0.525B/*0.495A	----	0.383 - 0.251	.1090	----	----	----	----	4	UNCH	
9750	----	----	----	0.019B/*0.144A	----	0.065 - 0.046	.0165	----	----	----	----	5	UNCH	
TOTAL										13	0	27 +	13	
TWS TUE	SILVER WEEKLY TUESDAY OPTION week1													
JUN26														
6500	----	----	----/*0.196A	0.082B/*0.196A	----	0.141 - 0.064	.0386	----	----	----	----	3	UNCH	
6950	----	----	----/0.539A	0.386B/0.539A	----	0.464 - 0.145	.1246	----	----	----	----	1	UNCH	
7000	0.490	0.490	0.490/0.490	0.490/0.490	----	0.528 - 0.155	.1407	----	----	1	----	2 +	1	
7100	----	----	----/0.709A	0.647B/0.709A	----	0.681 - 0.176	.1779	----	----	----	----	2	UNCH	
7700	----	----	----/2.749A	3.324B/2.749A	----	2.716 - 0.651	.4774	----	----	----	----	10	UNCH	
7750	----	----	----/3.164A	3.649B/3.164A	----	3.083 - 0.584	.4665	----	----	----	----	1	UNCH	
7800	----	----	4.241B/4.035A	4.241B/4.035A	----	4.119 - 0.099	.5735	----	----	----	----	1	UNCH	
7800	1.732	1.732	1.792/*1.565A	2.110B/*1.565A	----	1.552 - NEW	.3883	----	----	26	----	26 +	26	
8000	----	----	----	4.586B/5.361A	----	4.753 + 0.015	.7342	----	----	----	----	9	UNCH	
8000	----	----	----/*1.063A	1.361B/*1.063A	----	0.955 - 0.519	.2657	----	----	----	----	4	UNCH	
8100	----	----	----/*1.524A	1.801B/*1.524A	----	1.415 - 0.542	.2909	----	----	----	----	11	UNCH	
8200	----	----	----/*0.717A	0.858B/*0.717A	----	0.585 - 0.394	.1740	----	----	----	----	4	UNCH	
8500	----	----	----/0.879A	0.945B/0.879A	----	0.731 - 0.373	.1648	----	----	----	----	3	UNCH	
9700	----	----	----	0.151B/*0.244A	----	0.188 - 0.042	.0411	----	----	----	----	11	UNCH	
10000	----	----	----/*0.356A	0.257B/*0.356A	----	0.264 - 0.133	.0502	----	----	----	----	0	UNCH	
TOTAL										27	0	88 +	27	

COPPER OPTIONS ON FUTURES													
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME				



BULLETIN # 98@				METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
COPPER WEEKLY THURSDAY OPT week3																
HWR THU MAY26								0.0000	UNCH						0	UNCH
639	----	----	----	----	0.0435B/----	0.0435B/0.0335A	----	0.0410	+	0.0175	.2836	----	----	----	1	UNCH
650	----	----	----	----	#0.0190/*0.0165	#0.0190/*0.0165	----	0.0185		NEW	.1369	----	20	----	20	+
662	0.0190	0.0190			0.0100B/----	0.0100B/0.0130A	----	0.0110	+	0.0025	.0815	----	----	----	5	UNCH
670	----	----	----	----	0.0055/*0.0045	0.0055/*0.0045	----	0.0060		NEW	.0430	----	2	----	2	+
680	0.0045	0.0045			0.0040/*0.0040	0.0040/*0.0040	----	0.0040		NEW	.0286	----	1	----	1	+
685	0.0040	0.0040			----	0.0005B/*0.0075	----	0.0015		UNCH	.0099	----	----	----	20	UNCH
700	----	----	----	----								47			75	+
TOTAL																
COPPER WEEKLY TUESDAY OPTION week1																
JUN26					----/0.0060A	----	----	0.0005		UNCH	----	----	----	----	14	UNCH
450	----	----	----	----	---/0.0075A	----	----	0.0005	-	0.0005	.0022	----	----	----	14	UNCH
500	----	----	----	----	0.0070B/*0.0125	----	----	0.0075	-	0.0025	.0320	----	----	----	1	UNCH
550	----	----	----	----	----/*0.0360A	0.0370B/*0.0360	----	0.0350	-	0.0115	.1350	----	----	----	1	UNCH
590	----	----	----	----	----/0.0275A	0.0280B/0.0275A	----	0.0270	-	0.0105	.1234	----	1	----	1	UNCH
595	----	----	----	----	----/0.0495A	0.0565B/0.0495A	----	0.0505	-	0.0200	.2151	----	1	----	1	UNCH
610	----	----	----	----	----/0.0605A	0.0695B/0.0605A	----	0.0625	-	0.0235	.2561	----	----	----	1	UNCH
615	----	----	----	----	----/0.0740A	0.0865B/0.0740A	----	0.0770	-	0.0275	.3018	----	----	----	1	UNCH
620	----	----	----	----	0.2335B/----	0.2335B/0.1945A	----	0.2230	+	0.0530	.6484	----	----	----	1	UNCH
625	----	----	----	----	0.2020B/----	0.2020B/0.1660A	----	0.1930	+	0.0485	.5962	----	----	----	1	UNCH
630	----	----	----	----	----/0.1620A	0.1840B/0.1620A	----	0.1695	-	0.0385	.4600	----	----	31	UNCH	
635	----	----	----	----	----/0.1535A	0.1830B/0.1535A	----	0.1630	-	0.0460	.5107	----	----	5	UNCH	
640	----	----	----	----	0.0265B/----	0.0265B/0.0240A	----	0.0265	+	0.0090	.1528	----	----	5	UNCH	
670	----	----	----	----	0.0550B/----	0.0550B/0.0455A	----	0.0510	+	0.0145	.2198	----	----	47	UNCH	
670	----	----	----	----	0.0125B/----	0.0125B/0.0150A	----	0.0140	+	0.0040	.0820	----	----	3	UNCH	
685	----	----	----	----	----	----/0.0080A	----	0.0005		UNCH	.0029	----	----	10	UNCH	
750	----	----	----	----								1			138	
TOTAL																
COPPER WEEKLY WEDNESDAY OPTION WEEK																
HWW WED MAY26					----/*0.0065A	----	----	0.0005	-	0.0010	.0019	----	----	----	2	UNCH
575	----	----	----	----	----/*0.0095A	0.0045B/*0.0095	----	0.0050	-	0.0055	.0355	----	----	----	5	UNCH
600	----	----	----	----	----/*0.0100A	0.0045B/*0.0100	----	0.0060	-	0.0070	.0438	----	1	----	1	UNCH
603	----	----	----	----	----/*0.0155A	0.0105B/*0.0155	----	0.0125		NEW	.0990	----	1	----	1	+
614	----	----	----	----	0.0155/*0.0150	0.0235B/*0.0150	----	0.0180		NEW	.1494	----	20	----	20	+
620	0.0155	0.0155			0.1135B/----	0.1135B/0.0920A	----	0.1160	+	0.0430	.6947	----	----	6	UNCH	
630	----	----	----	----	0.0950B/----	0.0950B/0.0680A	----	0.0845	+	0.0330	.5776	----	----	1	UNCH	
635	----	----	----	----	#0.0820B/*0.072	#0.0820B/0.0600	----	0.0745		NEW	.5273	----	1	----	1	+
637	0.0725	0.0725			0.0195B/----	0.0195B/0.0200A	----	0.0205	+	0.0095	.1721	----	----	7	UNCH	
655	----	----	----	----	0.0145/*0.0140	0.0145/*0.0140	----	0.0140		NEW	.1180	----	20	----	20	+
660	0.0145	0.0145			0.0040B/----	0.0040B/0.0105A	----	0.0040	+	0.0020	.0324	----	----	0	UNCH	
675	----	----	----	----								43			64	+
TOTAL																
COPPER WEEKLY THURSDAY OPT week3																
JUN26					----/0.0060A	----	----	0.0005		UNCH	.0000	----	----	----	10	UNCH
465	----	----	----	----	----/0.0060A	----	----	0.0005		UNCH	.0000	----	----	----	4	UNCH
470	----	----	----	----	----/0.0065A	----	----	0.0005		UNCH	.0001	----	----	----	7	UNCH
490	----	----	----	----	----/*0.0065A	----	----	0.0005		UNCH	.0004	----	----	----	1	UNCH
500	----	----	----	----	0.0010B/0.0095A	0.4480B/0.4300A	----	0.0035	-	0.0015	.0171	----	----	----	1	UNCH
555	----	----	----	----	0.4480B/----	0.4480B/0.4300A	----	0.4440	+	0.0780	.9140	----	----	----	5	UNCH
595	----	----	----	----	----/0.0170A	0.0150B/0.0170A	----	0.0155	-	0.0070	.0856	----	----	----	5	UNCH
595	----	----	----	----	0.4015B/----	0.4015B/0.3850A	----	0.3980	+	0.0755	.8922	----	----	----	1	UNCH
600	----	----	----	----	----/0.0260A	0.0290B/0.0260A	----	0.0260	-	0.0130	.1415	----	----	----	1	UNCH
606	----	----	----	----	0.3125B/----	0.3125B/0.3000A	----	0.3105	+	0.0685	.8303	----	----	----	8	UNCH
610	----	----	----	----	0.2450B/----	0.2450B/0.1990A	----	0.2310	+	0.0585	.7378	----	----	----	1	UNCH
620	0.0680	0.0680			0.0680/0.0580	0.0785B/0.0580	----	0.0670		NEW	.3202	60	----	60	+	
625	----	----	----	----	----/0.1045A	0.1300B/0.1045A	----	0.1120	-	0.0450	.4648	----	----	----	1	UNCH
636	----	----	----	----	0.1200B/----	0.1200B/0.0935A	----	0.1120	+	0.0355	.4805	----	----	2	UNCH	
640	----	----	----	----	0.0790B/----	0.0790B/0.0625A	----	0.0745	+	0.0260	.3534	----	----	15	UNCH	
650	----	----	----	----	0.0510B/----	0.0510B/0.0415A	----	0.0490	+	0.0185	.2491	----	----	8	UNCH	
660	----	----	----	----	#0.0850B/----	0.0850B/0.0690A	----	0.0795	+	0.0225	.3051	----	----	5	UNCH	
660	----	----	----	----	0.0255B/----	0.0255B/0.0235A	----	0.0260	+	0.0110	.1406	----	----	2	UNCH	
675	----	----	----	----	0.0065B/----	0.0065B/0.0110A	----	0.0070	+	0.0035	.0399	----	----	7	UNCH	
705	----	----	----	----	0.0050B/----	0.0050B/0.0100A	----	0.0055	+	0.0025	.0315	----	1	----	2	UNCH
710	----	----	----	----	0.0025B/----	0.0025B/0.0085A	----	0.0030	+	0.0015	.0170	----	----	7	UNCH	
725	0.0150	0.0150			#0.0220B/*0.015	#0.0220B/*0.015	----	0.0235		NEW	.0852	14	----	14	+	
750	----	----	----	----	----/0.0080A	----	----	0.0010	+	0.0005	.0055	2	----	4	UNCH	
800	----	----	----	----	----/0.0070A	----	----	0.0005		UNCH	.0005	1	----	2	UNCH	
TOTAL												78			173	+
COPPER WEEKLY WEDNESDAY OPTION WEEK																
JUL26					----/0.0080A	----	----	0.0010		UNCH	.0034	----	----	----	23	UNCH
460	----	----	----	----	----/*0.0310A	0.0220B/0.0310A	----	0.0260	-	0.0065	.0828	----	----	----	6	UNCH
565	----	----	----	----	----/*0.0335A	0.0250B/0.0335A	----	0.0285	-	0.0070	.0900	----	----	----	1	UNCH
568	----	----	----	----	----/0.0470A	0.0410B/0.0470A	----	0.0425	-	0.0105	.1285	----	----	----	6	UNCH
581	----	----	----	----	----	----	----	0.6355	+	0.0730	.8562	----	----	----	6	UNCH
585	----	----	----	----	----/0.0520A	0.0470B/0.0520A	----	0.0480	-	0.0120	.1428	----	----	----	6	UNCH
585	----	----	----	----	----/0.0630A	0.0595B/0.0630A	----	0.0595	-	0.0140	.1713	----	----	1	UNCH	
592	----	----	----	----	----	----	----	0.5135	+	0.0675	.7899	----	----	12	UNCH	
600	----	----	----	----	----/0.0790A	0.0770B/0.0790A	----	0.0760	-	0.0170	.2091	----	----	1	UNCH	
600	----	----	----	----	----/0.1060A	0.1075B/0.1060A	----	0.1045	-	0.0225	.2686	----	----	22	UNCH	
611	----	----	----	----	----	----	----	0.4250	+	0.0615	.7246	----	----	5	UNCH	
612	----	----	----	----	----/0.1090A	0.1105B/0.1090A	----	0.1075	-	0.0230	.2744	----	----	6	UNCH	
612	----	----	----	----	----/0.1120A	0.1140B/0.1120A	----	0.1105	-	0.0235	.2803	----	----	3	UNCH	
613	----	----	----	----	----	----	----	0.3655	+	0.0560	.6695	----	----	1	UNCH	
621	----	----	----	----	0.3525B/----	0.3525B/0.3150A	----	0.3410	+	0.0535	.6439	----	----	22	UNCH	
625	----	----	----	----	0.3225B/----	0.3225B/0.2875A	----	0.3125	+	0.0510	.6109	----	----	5	UNCH	
630	----	----	----	----	0.2215B/----	0.2215B/0.1980A	----	0.2160	+	0.0395	.4782	----	----	5	UNCH	
650	----	----	----	----	0.2010B/----	0.2010B/0.1795A	----	0.1965	+	0.0365	.4465	----	1	0 -	1	+
655	----	----	----	----	0.1340B/----	0.1340B/0.1220A	----	0.1335	+	0.0265	.3317	----	1	----	0 -	1
675	----	----	----	----	0.0810B/----	0.0810B/0.0780A	----	0.0825	+	0.0175	.2217	----	----	5	UNCH	
700	----	----	----	----	0.0670B/----	0.0670B/0.0665A	----	0.0685	+	0.0150	.1881	----	----	5	UNCH	
710	----	----	----	----				0.0565		NEW	.1587	----	----	1	+	
720	0.0530	0.0530			#0.0555B/0.0530	0.0555B/0.0530	----					3			142	-
TOTAL																
COMEX COPPER OPTIONS																
HX CALL JUN26					#1.4010B/----	#1.4010B/1.3835	----	1.3790	+	0.0845	.9999	----	----	----	2	UNCH
500	----	----	----	----	#1.3010B/----	#1.3010B/1.2835	----	1.2795	+	0.0850	.9997	----	----	----	1	UNCH
510	----	----	----	----	#1.1510B/----	#1.1510B/1.1335	----	1.1295	+	0.0845	.9974	----	----	----	1	UNCH

BULLETIN # 98@				METALS OPTION PRODUCTS							Fri, May 22, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
HX CALL JUN26	COMEX COPPER OPTIONS													
582	----	----	0.5830B/----	0.5830B/0.5465A	----	0.5620 + 0.0840	.9851	----	----	----	----	11	UNCH	
583	----	----	#0.5730B/----	#0.5730B/0.5560	----	0.5520 + 0.0840	.9848	----	----	----	----	1	UNCH	
584	----	----	#0.5630B/----	#0.5630B/0.5460	----	0.5420 + 0.0840	.9846	----	----	----	----	3	UNCH	
585	----	----	0.5535B/----	0.5535B/0.4875A	----	0.5320 + 0.0835	.9820	----	----	----	----	11	UNCH	
586	----	----	#0.5430B/----	#0.5430B/0.5260	----	0.5225 + 0.0840	.9817	----	----	----	----	1	UNCH	
587	----	----	#0.5330B/----	#0.5330B/0.5160	----	0.5125 + 0.0840	.9814	----	----	----	----	3	UNCH	
588	----	----	0.5230B/----	0.5230B/0.5065A	----	0.5025 + 0.0840	.9810	----	----	----	----	4	UNCH	
589	----	----	0.5130B/----	0.5130B/0.4965A	----	0.4925 + 0.0835	.9807	----	----	----	----	1	UNCH	
590	----	----	0.5045B/----	0.5045B/0.4380A	----	0.4825 + 0.0835	.9779	----	----	----	----	84	UNCH	
591	----	----	0.4940B/----	0.4940B/0.4575A	----	0.4730 + 0.0835	.9775	----	----	----	----	10	UNCH	
592	----	----	0.4835B/----	0.4835B/0.4665A	----	0.4630 + 0.0835	.9770	----	----	----	----	1	UNCH	
593	----	----	0.4735B/----	0.4735B/0.4565A	----	0.4530 + 0.0835	.9766	----	----	----	----	2	UNCH	
594	----	----	0.4635B/----	0.4635B/0.4470A	----	0.4430 + 0.0830	.9736	----	----	----	----	4	UNCH	
595	----	----	0.4565B/----	0.4565B/0.3875A	----	0.4335 + 0.0835	.9730	----	----	----	----	128	UNCH	
596	----	----	0.4450B/----	0.4450B/0.4085A	----	0.4235 + 0.0830	.9725	----	----	----	----	7	UNCH	
597	----	----	0.4340B/----	0.4340B/0.4170A	----	0.4135 + 0.0825	.9693	----	----	----	----	1	UNCH	
598	----	----	0.4245B/----	0.4245B/0.3890A	----	0.4040 + 0.0830	.9686	----	----	----	----	6	UNCH	
599	----	----	0.4140B/----	0.4140B/0.3975A	----	0.3940 + 0.0825	.9679	----	----	----	----	4	UNCH	
600	----	----	0.4070B/----	0.4070B/0.3395A	----	0.3840 + 0.0820	.9645	----	----	25	----	394	- 19	
601	----	----	0.3940B/----	0.3940B/0.3775A	----	0.3745 + 0.0820	.9637	----	----	----	----	1	UNCH	
602	----	----	0.3845B/----	0.3845B/0.3675A	----	0.3645 + 0.0815	.9628	----	----	----	----	4	UNCH	
603	----	----	0.3760B/----	0.3760B/0.3405A	----	0.3550 + 0.0815	.9592	----	----	----	----	10	UNCH	
604	----	----	0.3660B/----	0.3660B/0.3305A	----	0.3450 + 0.0810	.9582	----	----	----	----	15	UNCH	
605	----	----	0.3575B/----	0.3575B/0.2900A	----	0.3350 + 0.0805	.9543	----	----	----	----	211	UNCH	
606	----	----	0.3460B/----	0.3460B/0.3115A	----	0.3255 + 0.0805	.9531	----	----	----	----	23	UNCH	
607	----	----	0.3365B/----	0.3365B/0.3015A	----	0.3155 + 0.0795	.9490	----	----	----	----	61	UNCH	
608	----	----	0.3270B/----	0.3270B/0.2920A	----	0.3060 + 0.0795	.9477	----	----	----	----	7	UNCH	
609	----	----	0.3170B/----	0.3170B/0.2830A	----	0.2960 + 0.0785	.9433	----	----	----	----	11	UNCH	
610	----	----	0.3090B/----	0.3090B/0.2430A	----	0.2865 + 0.0780	.9417	----	----	----	----	758	UNCH	
611	----	----	0.2975B/----	0.2975B/0.2625A	----	0.2765 + 0.0770	.9370	----	----	----	----	9	UNCH	
612	----	----	0.2880B/----	0.2880B/0.2515A	----	0.2670 + 0.0765	.9351	----	----	----	----	26	UNCH	
613	----	----	0.2780B/----	0.2780B/0.2420A	----	0.2575 + 0.0755	.9301	----	----	----	----	53	UNCH	
614	----	----	0.2685B/----	0.2685B/0.2340A	----	0.2475 + 0.0740	.9248	----	----	----	----	13	UNCH	
615	----	----	0.2595B/----	0.2595B/0.1955A	----	0.2380 + 0.0730	.9224	----	----	----	----	227	UNCH	
616	----	----	0.2485B/----	0.2485B/0.2140A	----	0.2285 + 0.0720	.9167	----	----	----	----	40	UNCH	
617	----	----	0.2395B/----	0.2395B/0.2045A	----	0.2190 + 0.0710	.9107	----	----	----	----	19	UNCH	
618	----	----	0.2300B/----	0.2300B/0.1945A	----	0.2095 + 0.0695	.9043	----	----	----	----	18	UNCH	
619	----	----	0.2205B/----	0.2205B/0.1850A	----	0.2000 + 0.0680	.8977	----	----	----	----	36	UNCH	
620	0.2020	0.2020	0.2130B/0.1505A	0.2130B/0.1505A	----	0.1905 + 0.0660	.8906	----	----	3	----	554	- 3	
621	----	----	0.2010B/----	0.2010B/0.1675A	----	0.1810 + 0.0640	.8831	----	----	----	----	31	UNCH	
622	----	----	0.1920B/----	0.1920B/0.1580A	----	0.1720 + 0.0625	.8721	----	----	----	----	86	UNCH	
623	----	----	0.1825B/----	0.1825B/0.1495A	----	0.1630 + 0.0605	.8605	----	----	----	----	31	UNCH	
624	----	----	0.1730B/----	0.1730B/0.1425A	----	0.1540 + 0.0580	.8484	----	----	----	----	13	UNCH	
625	----	----	0.1660B/----	0.1660B/0.1190A	----	0.1450 + 0.0555	.8356	----	----	3	----	205	- 3	
626	----	----	0.1555B/----	0.1555B/0.1245A	----	0.1365 + 0.0535	.8193	----	----	----	----	10	UNCH	
627	----	----	0.1465B/----	0.1465B/0.1165A	----	0.1280 + 0.0510	.7997	----	----	----	----	42	UNCH	
628	----	----	0.1375B/----	0.1375B/0.0895A	----	0.1200 + 0.0490	.7820	----	----	----	----	23	UNCH	
629	----	----	0.1290B/----	0.1290B/0.0825A	----	0.1120 + 0.0465	.7587	----	----	----	----	95	UNCH	
630	0.0815	0.0815	0.1235B/0.0685	0.1235B/0.0685	----	0.1045 + 0.0440	.7371	----	----	71	----	961	- 24	
631	----	----	0.1140B/----	0.1140B/0.0690A	----	0.0975 + 0.0420	.7107	----	----	----	----	140	UNCH	
632	0.0645	0.0645	0.1055B/0.0640A	0.1055B/0.0640A	----	0.0905 + 0.0395	.6839	----	----	1	----	124	UNCH	
634	----	----	#0.0895B/----	#0.0895B/0.0545	----	0.0775 + 0.0345	.6260	----	----	----	----	1	UNCH	
635	0.0725	0.0725	0.0850B/0.0495A	0.0850B/0.0495A	----	0.0715 + 0.0325	.5954	----	----	31	----	349	+ 3	
636	0.0455	0.0455	#0.0765B/0.0455	#0.0765B/0.0455	----	0.0655 + 0.0300	.5645	----	----	1	----	2	+	
639	----	----	0.0640B/----	0.0640B/0.0360A	----	0.0505 + 0.0235	.4688	----	----	----	----	62	UNCH	
640	0.0480	0.0480	0.0605/0.0320A	0.0605/0.0320A	----	0.0465 + 0.0215	.4379	----	----	90	----	333	- 32	
641	----	----	0.0545B/----	0.0545B/0.0305A	----	0.0425 + 0.0200	.4074	----	----	----	----	50	UNCH	
642	0.0280	0.0280	#0.0505/0.0280	#0.0505/0.0280	----	0.0385	NEW	.3771	----	3	----	3	+	
643	----	----	#0.0455B/----	#0.0455B/0.0255	----	0.0355 + 0.0165	.3497	----	----	4	----	2	+	
644	----	----	0.0420B/----	0.0420B/0.0230A	----	0.0325 + 0.0150	.3230	----	----	2	----	37	+	
645	0.0285	0.0285	0.0385B/0.0230	0.0385B/0.0215A	----	0.0295 + 0.0135	.2968	----	----	121	----	195	+ 50	
646	----	----	0.0355B/----	0.0355B/0.0190A	----	0.0270 + 0.0125	.2730	----	----	----	----	58	UNCH	
649	----	----	0.0275B/----	0.0275B/0.0145A	----	0.0205 + 0.0085	.2095	----	----	----	----	11	UNCH	
650	0.0220	0.0220	0.0240B/0.0130	0.0240B/0.0130	----	0.0190 + 0.0080	.1928	----	----	21	----	1128	+ 3	
651	----	----	0.0225B/----	0.0225B/0.0125A	----	0.0175 + 0.0070	.1768	----	----	----	----	23	UNCH	
652	0.0200	0.0200	0.0205B/0.0115A	0.0205B/0.0115A	----	0.0160 + 0.0060	.1613	----	----	1	----	3	+	
654	0.0125	0.0125	0.0180B/0.0125	0.0180B/0.0100A	----	0.0135 + 0.0045	.1347	----	----	2	----	73	+	
655	----	----	0.0170B/----	0.0170B/0.0095A	----	0.0125 + 0.0040	.1236	----	----	100	----	1286	UNCH	
656	0.0090	0.0090	0.0150B/0.0090	0.0150B/0.0085A	----	0.0115 + 0.0030	.1129	----	----	4	----	18	+	
657	----	----	0.0140B/----	0.0140B/0.0080A	----	0.0105 + 0.0025	.1025	----	----	----	----	3	UNCH	
659	----	----	0.0120B/----	0.0120B/0.0075A	----	0.0090 + 0.0015	.0860	----	----	----	----	16	UNCH	
660	0.0070	0.0070	0.0110B/0.0065A	0.0110B/0.0065A	----	0.0085 + 0.0010	.0799	----	----	72	----	452	+ 39	
661	0.0080	0.0080	0.0105B/0.0060A	0.0105B/0.0060A	----	0.0080 + 0.0005	.0741	----	----	1	----	27	UNCH	
662	0.0065	0.0065	0.0100B/0.0055A	0.01										

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX COPPER OPTIONS													
JUL26													
545	----	----	----	----	----	0.9410 + 0.0820	.9502	----	----	----	----	1	
550	----	----	----	----	----	0.8935 + 0.0815	.9432	----	----	----	----	2	
555	----	----	0.8420B/	0.8420B/0.8320A	----	0.8460 + 0.0810	.9348	----	----	----	----	116	
560	----	----	0.7965B/	0.7965B/0.7750A	----	0.7990 + 0.0800	.9250	----	----	----	----	1	
570	----	----	0.7195B/	0.7195B/0.6750A	----	0.7075 + 0.0785	.9000	----	----	----	----	157	
574	----	----	0.6835B/	0.6835B/0.6450A	----	0.6715 + 0.0770	.8880	----	----	----	----	5	
575	----	----	0.6745B/	0.6745B/0.6360A	----	0.6625 + 0.0770	.8840	----	----	----	----	19	
580	----	----	0.6305B/	0.6305B/0.5925A	----	0.6190 + 0.0760	.8667	----	----	----	----	123	
585	----	----	0.5905B/	0.5905B/0.5395A	----	0.5760 + 0.0740	.8472	----	----	----	----	318	
590	----	----	0.5450B/	0.5450B/0.5080A	----	0.5345 + 0.0725	.8256	----	----	----	----	106	
591	----	----	0.5365B/	0.5365B/0.5025A	----	0.5260 + 0.0720	.8206	----	----	----	----	3	
593	----	----	0.5200B/	0.5200B/0.4860A	----	0.5100 + 0.0715	.8114	----	----	----	----	1	
594	----	----	0.5120B/	0.5120B/0.4785A	----	0.5015 + 0.0705	.8064	----	----	----	----	2	
595	----	----	0.5045B/	0.5045B/0.4685A	----	0.4935 + 0.0700	.8013	----	----	----	----	29	
597	----	----	0.4810B/	0.4810B/0.4555A	----	0.4780 + 0.0695	.7912	----	----	----	----	1	
598	----	----	0.4800B/	0.4800B/0.4475A	----	0.4700 + 0.0685	.7861	----	----	----	----	1	
599	----	----	0.4720B/	0.4720B/0.4400A	----	0.4625 + 0.0685	.7804	----	----	----	----	2	
600	0.4125	0.4125	0.4710B/0.4125	0.4710B/0.4125	----	0.4545 + 0.0675	.7746	----	----	1	----	543	
602	----	----	0.4495B/	0.4495B/0.4160A	----	0.4395 + 0.0665	.7637	----	----	----	----	83	
603	----	----	0.4415B/	0.4415B/0.4105A	----	0.4320 + 0.0660	.7579	----	----	----	----	3	
605	----	----	0.4330B/	0.4330B/0.3810A	----	0.4175 + 0.0650	.7458	----	----	----	----	40	
610	----	----	0.3980B/	0.3980B/0.3450A	----	0.3825 + 0.0625	.7141	----	----	----	----	320	
615	----	----	0.3645B/	0.3645B/0.3145A	----	0.3495 + 0.0600	.6810	----	1	----	----	1630	
620	----	----	0.3310B/	0.3310B/0.2845A	----	0.3180 + 0.0570	.6464	----	1	----	----	208	
625	0.2850	0.2850	0.3010B/0.2850	0.3010B/0.2555A	----	0.2890 + 0.0545	.6108	----	2	----	----	360	
630	----	----	0.2735B/	0.2735B/0.2300A	----	0.2615 + 0.0510	.5746	----	----	----	----	385	
635	0.2215	0.2215	0.2470B/0.2070A	0.2470B/0.2070A	----	0.2360 + 0.0475	.5381	----	5	----	----	106	
640	0.2035	0.2035	0.2235B/0.1850	0.2235B/0.1850	----	0.2125 + 0.0445	.5019	----	33	----	----	1582	
645	0.1900	0.1900	0.2010B/0.1660A	0.2010B/0.1660A	----	0.1910 + 0.0415	.4662	----	11	----	----	419	
650	0.1570	0.1570	0.1810B/0.1480	0.1810B/0.1480	----	0.1715 + 0.0385	.4315	----	569	----	----	2173	
655	0.1480	0.1480	0.1625B/0.1325A	0.1625B/0.1325A	----	0.1540 + 0.0355	.3982	----	43	----	----	328	
660	----	----	0.1460B/	0.1460B/0.1185A	----	0.1385 + 0.0330	.3667	----	43	100	----	1268	
665	0.1075	0.1075	0.1305B/0.1075	0.1305B/0.1070A	----	0.1245 + 0.0305	.3369	----	40	----	----	117	
670	0.1130	0.1130	0.1180/0.1130	0.1180/0.0960A	----	0.1120 + 0.0280	.3091	----	17	----	----	400	
675	0.0970	0.0970	0.1060B/0.0865A	0.1060B/0.0865A	----	0.1005 + 0.0250	.2828	----	15	100	----	2379	
680	0.0915	0.0915	0.0955B/0.0785A	0.0955B/0.0785A	----	0.0910 + 0.0235	.2593	----	44	----	----	181	
685	0.0825	0.0825	0.0855B/0.0710A	0.0855B/0.0710A	----	0.0820 + 0.0210	.2371	----	10	----	----	50	
690	0.0710	0.0710	0.0785B/0.0710	0.0785B/0.0645A	----	0.0745 + 0.0195	.2174	----	5	----	----	445	
695	----	----	0.0705B/	0.0705B/0.0580A	----	0.0675 + 0.0175	.1990	----	----	----	----	96	
700	0.0560	0.0560	0.0645B/0.0560	0.0645B/0.0530A	----	0.0615 + 0.0160	.1826	----	509	----	----	1151	
705	0.0585	0.0585	0.0585/0.0485A	0.0585/0.0485A	----	0.0560 + 0.0145	.1674	----	1	----	----	29	
710	0.0480	0.0480	0.0535B/0.0480	0.0535B/0.0440A	----	0.0510 + 0.0130	.1535	----	8	----	----	635	
715	----	----	0.0480B/	0.0480B/0.0405A	----	0.0465 + 0.0120	.1407	----	----	----	----	190	
720	0.0425	0.0425	0.0440B/0.0425	0.0440B/0.0370A	----	0.0425 + 0.0105	.1292	----	9	----	----	277	
725	----	----	0.0400B/	0.0400B/0.0340A	----	0.0390 + 0.0095	.1189	----	----	----	----	1362	
730	0.0360	0.0360	0.0365B/0.0360	0.0365B/0.0315A	----	0.0360 + 0.0090	.1098	----	9	----	----	249	
735	----	----	0.0335B/	0.0335B/0.0290A	----	0.0330 + 0.0075	.1010	----	----	----	----	82	
740	0.0305	0.0305	0.0305/0.0305	0.0305/0.0270A	----	0.0305 + 0.0070	.0934	----	1	----	----	120	
750	----	----	0.0260B/	0.0260B/0.0230A	----	0.0260 + 0.0055	.0797	----	25	----	----	1258	
760	0.0225	0.0225	0.0225/0.0225	0.0225/0.0200A	----	0.0225 + 0.0045	.0688	----	3	----	----	66	
770	----	----	0.0200B/	0.0200B/0.0175A	----	0.0195 + 0.0035	.0595	----	----	----	----	28	
775	0.0180	0.0180	0.0185B/0.0180	0.0185B/0.0165A	----	0.0185 + 0.0035	.0561	----	1	----	----	110	
780	----	----	0.0175B/	0.0175B/0.0155A	----	0.0175 + 0.0035	.0527	----	----	----	----	41	
800	0.0135	0.0135	0.0135/0.0125	0.0135/0.0125	----	0.0135 + 0.0020	.0403	----	4	----	----	2386	
825	----	----	0.0105B/	0.0105B/0.0105A	----	0.0105 + 0.0015	.0306	----	----	----	----	12	
850	----	----	0.0085B/	0.0085B/0.0090A	----	0.0085 + 0.0010	.0240	----	----	----	----	328	
875	0.0070	0.0070	0.0070/0.0070	0.0070/0.0070	----	0.0075 + 0.0005	.0203	----	1	----	----	6	
900	0.0050	0.0050	0.0050/0.0050	0.0050/0.0050	----	0.0065 UNCH	.0171	----	26	----	----	2151	
925	----	----	0.0015B/0.0075A	0.0015B/0.0075A	----	0.0055 UNCH	.0131	----	----	----	----	16	
950	----	----	0.0005B/0.0070A	0.0005B/0.0070A	----	0.0035 UNCH	.0092	----	----	----	----	52	
975	----	----	----/0.0065A	----/0.0065A	----	0.0025 UNCH	.0067	----	----	----	----	18	
1000	----	----	----/0.0050A	----/0.0050A	----	0.0015 UNCH	.0041	----	----	----	----	6	
TOTAL										200	1437	24612	762
AUG26													
500	----	----	#1.4095B/	#1.4095B/1.4740	----	1.4485 + 0.0830	.9635	----	----	----	----	8	
550	----	----	----	----	----	0.9790 + 0.0755	.8976	----	----	----	----	3	
580	----	----	0.7275B/	0.7275B/0.7070A	----	0.7265 + 0.0670	.8122	----	----	----	----	253	
585	----	----	0.6465B/	0.6465B/0.7175A	----	0.6880 + 0.0660	.7942	----	----	----	----	11	
590	----	----	0.6085B/	0.6085B/0.6800A	----	0.6505 + 0.0640	.7751	----	----	----	----	17	
595	----	----	0.6160B/	0.6160B/0.5830A	----	0.6140 + 0.0620	.7548	----	----	----	----	1	
600	----	----	0.5930B/	0.5930B/0.5490A	----	0.5790 + 0.0600	.7334	----	----	----	----	4	
610	----	----	0.5260B/	0.5260B/0.4855A	----	0.5130 + 0.0555	.6886	----	----	----	----	1	
620	----	----	0.4645B/	0.4645B/0.4275A	----	0.4530 + 0.0515	.6414	----	----	----	----	28	
625	----	----	0.4360B/	0.4360B/0.3995A	----	0.4250 + 0.0490	.6172	----	----	----	----	87	
630	----	----	0.4085B/	0.4085B/0.3715A	----	0.3985 + 0.0470	.5928	----	20	----	----	63	
635	----	----	0.3850B/	0.3850B/0.3475A	----	0.3735 + 0.0450	.5685	----	----	----	----	3	
640	----	----	0.3610B/	0.3610B/0.3255A	----	0.3500 + 0.0430	.5442	----	5	----	----	160	
645	----	----	0.3375B/	0.3375B/0.3040A	----	0.3275 + 0.0410	.5202	----	1	----	----	1	
650	----	----	0.3165B/	0.3165B/0.2830A	----	0.3065 + 0.0395	.4966	----	----	----	----	787	
655	----	----	0.2965B/	0.2965B/0.2645A	----	0.2865 + 0.0375	.4734	----	----	----	----		

PG64	BULLETIN # 98@										METALS OPTION PRODUCTS										Fri, May 22, 2026				PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE				SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME				OPEN INTEREST					
HX CALL	COMEX COPPER OPTIONS																								
SEP26																									
740				0.1490B/----	0.1490B/0.1365A	----				0.1470	+	0.0210	.2388	----	----					950	UNCH				
750	0.1320	0.1320		0.1355B/0.1320	0.1355B/0.1245A	----				0.1325	+	0.0190	.2184	----	20	----			142	+	20				
775				0.1025B/----	0.1025B/0.0960A	----				0.1025	+	0.0150	.1747	----	----				5799	UNCH					
800				0.0795B/----	0.0795B/0.0755A	----				0.0800	+	0.0120	.1400	----	2	----			998	UNCH					
825				0.0625B/----	0.0625B/0.0605A	----				0.0620	+	0.0095	.1115	----	2	----			131	UNCH					
850				0.0495B/----	0.0495B/0.0490A	----				0.0490	+	0.0075	.0898	----	----				1	UNCH					
875				0.0395B/----	0.0395B/0.0405A	----				0.0390	+	0.0060	.0726	----	----				1	UNCH					
900				0.0315B/----	0.0315B/0.0335A	----				0.0305	+	0.0045	.0579	----	----				79	UNCH					
975				0.0170B/----	0.0170B/0.0205A	----				0.0155	+	0.0025	.0306	----	----				13	UNCH					
TOTAL															54				21727	+	36				
OCT26																									
500				----	----	----				1.5570	+	0.0800	.9344	----	----				2	UNCH					
575				----	----	----				0.9260	+	0.0670	.7886	----	----				2	UNCH					
600					0.7675B/----	0.7675B/0.7295A				0.7560	+	0.0605	.7130	----	----				40	UNCH					
605					0.7360B/----	0.7360B/0.6995A				0.7250	+	0.0595	.6968	----	----				2	UNCH					
615					0.6760B/----	0.6760B/0.6425A				0.6655	+	0.0565	.6639	----	----				5	UNCH					
620					0.6475B/----	0.6475B/0.6150A				0.6375	+	0.0550	.6471	----	----				1	UNCH					
625					0.6200B/----	0.6200B/0.5890A				0.6105	+	0.0535	.6302	----	----				11	UNCH					
650					0.5005B/----	0.5005B/0.4675A				0.4890	+	0.0455	.5459	----	----				106	UNCH					
665					0.4370B/----	0.4370B/0.4085A				0.4275	+	0.0415	.4969	----	----				1	UNCH					
670					0.4175B/----	0.4175B/0.3900A				0.4090	+	0.0410	.4811	----	----				1	UNCH					
675					0.3990B/----	0.3990B/0.3725A				0.3910	+	0.0395	.4656	----	----				77	UNCH					
690					0.3475B/----	0.3475B/0.3245A				0.3415	+	0.0365	.4209	----	----				1	UNCH					
700					0.3100B/----	0.3100B/0.3020A				0.3115	+	0.0340	.3926	----	----				151	UNCH					
740					0.2175B/----	0.2175B/0.2045A				0.2155	+	0.0260	.2935	----	----				10	UNCH					
750					0.1925B/----	0.1925B/0.1920A				0.1965	+	0.0240	.2722	----	----				62	UNCH					
775					0.1515B/----	0.1515B/0.1540A				0.1565	+	0.0195	.2251	----	----				84	UNCH					
800					0.1245B/----	0.1245B/0.1205A				0.1255	+	0.0165	.1862	----	----				2	UNCH					
825					0.0995B/----	0.0995B/0.0980A				0.1015	+	0.0155	.1544	----	----				1	UNCH					
850					0.0805B/----	0.0805B/0.0810A				0.0825	+	0.0140	.1282	----	----				30	UNCH					
875					0.0655B/----	0.0655B/0.0675A				0.0680	+	0.0130	.1073	----	----				3	UNCH					
900					0.0535B/----	0.0535B/0.0570A				0.0565	+	0.0120	.0903	----	----				3	UNCH					
975					0.0310B/----	0.0310B/0.0375A				0.0345	+	0.0090	.0562	----	----				7	UNCH					
TOTAL																			602						
NOV26																									
535				----	----	----				1.2705	+	0.0720	.8607	----	----				1	UNCH					
545										1.1905	+	0.0705	.8402	----	----				1	UNCH					
580										0.9345	+	0.0625	.7544	----	----				2	UNCH					
585					0.9395B/----	0.9395B/0.9095A				0.9015	+	0.0615	.7406	----	----				1	UNCH					
595					0.8475B/----	0.8475B/0.8155A				0.8380	+	0.0590	.7125	----	----				2	UNCH					
600					0.8165B/----	0.8165B/0.7855A				0.8075	+	0.0580	.6981	----	----				2	UNCH					
610					0.7575B/----	0.7575B/0.7290A				0.7490	+	0.0555	.6687	----	----				14	UNCH					
640					0.6000B/----	0.6000B/0.5750A				0.5935	+	0.0475	.5791	----	----				1	UNCH					
650					0.5360B/----	0.5360B/0.5315A				0.5480	+	0.0445	.5493	----	----				1	UNCH					
655					0.5340B/----	0.5340B/0.5105A				0.5265	+	0.0430	.5346	----	----				1	UNCH					
660					0.5130B/----	0.5130B/0.4905A				0.5060	+	0.0420	.5201	----	----				1	UNCH					
665					0.4925B/----	0.4925B/0.4710A				0.4860	+	0.0405	.5057	----	----				1	UNCH					
670					0.4735B/----	0.4735B/0.4525A				0.4665	+	0.0390	.4915	----	----				14	UNCH					
675					0.4545B/----	0.4545B/0.4350A				0.4480	+	0.0380	.4775	----	----				61	UNCH					
680					0.4360B/----	0.4360B/0.4180A				0.4305	+	0.0375	.4638	----	----				1	UNCH					
695					0.3850B/----	0.3850B/0.3705A				0.3810	+	0.0345	.4240	----	----				1	UNCH					
700					0.3685B/----	0.3685B/0.3555A				0.3655	+	0.0335	.4111	----	----				27	UNCH					
705					0.3540B/----	0.3540B/0.3415A				0.3510	+	0.0330	.3987	----	----				1	UNCH					
725					0.2985B/----	0.2985B/0.2910A				0.2975	+	0.0295	.3512	----	----				48	UNCH					
740					0.2625B/----	0.2625B/0.2580A				0.2630	+	0.0275	.3187	----	----				1	UNCH					
750					0.2415B/----	0.2415B/0.2380A				0.2420	+	0.0255	.2983	----	----				26	UNCH					
800					0.1570B/----	0.1570B/0.1615A				0.1615	+	0.0185	.2134	----	----				1	UNCH					
850					0.1045B/----	0.1045B/0.1125A				0.1090	+	0.0130	.1520	----	----				1	UNCH					
900					0.0705B/----	0.0705B/0.0820A				0.0735	+	0.0090	.1076	----	----				1	UNCH					
975					0.0415B/----	0.0415B/0.0555A				0.0405	+	0.0055	.0632	----	----				2	UNCH					
TOTAL																			214						
DEC26																									
520				----	----	----				1.4170	+	0.0735	.8718	----	----				1	UNCH					
525										1.3760	+	0.0725	.8627	----	----				123	UNCH					
535										1.2960	+	0.0705	.8440	----	----				1	UNCH					
550										1.1820	+	0.0680	.8125	----	----				2	UNCH					
555					1.0010B/----					1.1450	+	0.0665	.8012	----	----				1	UNCH					
565										1.0745	+	0.0645	.7779	----	----				45	UNCH					
575										1.0065	+	0.0625	.7536	----	----				123	UNCH					
585					0.9470B/----	0.9470B/0.9220A				0.9415	+	0.0595	.7282	----	----				1	UNCH					
590					0.9155B/----	0.9155B/0.8915A				0.9105	+	0.0585	.7151	----	----				200	UNCH					
595					0.8850B/----	0.8850B/0.8625A				0.8800	+	0.0575	.7019	----	----				163	UNCH					

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
HX PUT	COMEX COPPER OPTIONS														
JUN26															
480	----	----	----	----	----	----	/0.0035A	0.0005 UNCH	.0000	----	----	----	----	951 UNCH	
485	----	----	----	----	----	----	/0.0035A	0.0005 UNCH	.0000	----	----	----	----	63 UNCH	
490	----	----	----	----	----	----	/0.0020A	0.0005 UNCH	.0000	----	----	----	----	52 UNCH	
495	----	----	----	----	----	----	/0.0020A	0.0005 - 0.0005	.0000	----	----	----	----	35 UNCH	
500	----	----	----	----	----	----	/0.0020A	0.0005 - 0.0005	.0001	----	----	----	----	536 UNCH	
505	----	----	----	----	----	----	/0.0020A	0.0005 - 0.0005	.0001	----	----	----	----	523 UNCH	
510	----	----	----	----	----	----	/0.0020A	0.0005 - 0.0005	.0003	----	----	----	----	132 UNCH	
515	----	----	----	----	----	----	/0.0010A	0.0005 - 0.0005	.0005	----	----	----	----	37 UNCH	
520	----	----	----	----	----	----	/0.0010A	0.0005 - 0.0005	.0008	----	----	----	----	166 UNCH	
523	----	----	----	----	----	----	/0.0010A	0.0005 - 0.0010	.0011	----	----	----	----	71 UNCH	
524	----	----	----	----	----	----	/0.0020A	0.0005 - 0.0010	.0012	----	----	----	----	11 UNCH	
525	0.0010	0.0010		0.0010/0.0010	0.0010/0.0010			0.0010 - 0.0005	.0025			4		2157 UNCH	
526	----	----	----	----	----	----	/0.0010A	0.0010 - 0.0005	.0026	----	----	----	----	5 UNCH	
527	----	----	----	----	----	----	/0.0010A	0.0010 - 0.0005	.0026	----	----	----	----	3 UNCH	
528	----	----	----	----	----	----	/0.0010A	0.0010 - 0.0005	.0026	----	----	----	----	5 UNCH	
529	----	----	----	----	----	----	/0.0010A	0.0010 - 0.0005	.0026	----	----	----	----	9 UNCH	
530	----	----	----	----	----	----	/0.0020A	0.0010 - 0.0010	.0027	----	----	----	----	140 UNCH	
531	----	----	----	----	----	----	/0.0010A	0.0010 - 0.0010	.0027	----	----	----	----	5 UNCH	
532	----	----	----	----	----	----	/0.0010A	0.0010 - 0.0010	.0027	----	----	----	----	15 UNCH	
533	----	----	----	----	----	----	/0.0020A	0.0010 - 0.0010	.0027	----	----	----	----	4 UNCH	
534	----	----	----	----	----	----	/0.0020A	0.0010 - 0.0010	.0028	----	----	----	----	11 UNCH	
535	----	----	----	----	----	----	/0.0010A	0.0010 - 0.0010	.0028	----	----	----	----	90 UNCH	
536	----	----	----	----	----	----	/0.0010A	0.0010 - 0.0010	.0028	----	----	----	----	1 UNCH	
537	----	----	----	----	----	----	/0.0010A	0.0010 - 0.0015	.0029	----	----	----	----	64 UNCH	
538	----	----	----	----	----	----	/0.0010A	0.0010 - 0.0015	.0029	----	----	----	----	10 UNCH	
539	----	----	----	----	----	----	/0.0010A	0.0010 - 0.0015	.0029	----	----	----	----	34 UNCH	
540	----	----	----	----	----	----	/0.0010A	0.0010 - 0.0015	.0030	----	----	----	----	158 UNCH	
541	----	----	----	----	----	----	/0.0010A	0.0010 - 0.0015	.0030	----	----	----	----	18 UNCH	
542	----	----	----	----	----	----	/0.0010A	0.0010 - 0.0015	.0030	----	----	----	----	25 UNCH	
543	----	----	----	----	----	----	/0.0010A	0.0010 - 0.0015	.0031	----	----	----	----	27 UNCH	
544	----	----	----	----	----	----	/0.0010A	0.0015 - 0.0015	.0046	----	----	----	----	30 UNCH	
545	----	----	----	----	----	----	/0.0010A	0.0015 - 0.0015	.0047	----	----	----	----	85 UNCH	
546	----	----	----	----	----	----	/0.0010A	0.0015 - 0.0015	.0047	----	----	----	----	29 UNCH	
547	----	----	----	----	----	----	/0.0010A	0.0015 - 0.0015	.0048	----	----	----	----	45 UNCH	
548	----	----	----	----	----	----	/0.0010A	0.0015 - 0.0015	.0048	----	----	----	----	56 UNCH	
549	----	----	----	----	----	----	/0.0010A	0.0015 - 0.0015	.0049	----	----	----	----	40 UNCH	
550	----	----	----	----	----	----	/0.0010A	0.0015 - 0.0015	.0049	----	----	2		1230 UNCH	
551	----	----	----	----	----	----	/0.0015A	0.0015 - 0.0015	.0050	----	----	----	----	117 UNCH	
552	----	----	----	----	----	----	/0.0015A	0.0015 - 0.0015	.0051	----	----	----	----	97 UNCH	
553	----	----	----	----	----	----	/0.0015A	0.0015 - 0.0020	.0051	----	----	----	----	26 UNCH	
554	----	----	----	----	----	----	/0.0020A	0.0015 - 0.0020	.0052	----	----	----	----	29 UNCH	
555	----	----	----	----	----	----	/0.0020A	0.0015 - 0.0020	.0053	----	----	----	----	64 UNCH	
556	----	----	----	----	----	----	/0.0030A	0.0015 - 0.0020	.0053	----	----	----	----	9 UNCH	
557	----	----	----	----	----	----	/0.0030A	0.0015 - 0.0020	.0054	----	----	----	----	68 UNCH	
558	----	----	----	----	----	----	/0.0035A	0.0015 - 0.0020	.0055	----	----	----	----	10 UNCH	
559	----	----	----	----	----	----	/0.0035A	0.0015 - 0.0020	.0055	----	----	----	----	7 UNCH	
560	----	----	----	----	----	----	/0.0040A	0.0020 - 0.0015	.0074	----	----	2		413 UNCH	
561	----	----	----	----	----	----	/0.0040A	0.0020 - 0.0015	.0075	----	----	----	----	3 UNCH	
562	----	----	----	----	----	----	/0.0040A	0.0020 - 0.0015	.0076	----	----	----	----	22 UNCH	
563	----	----	----	----	----	----	/0.0040A	0.0020 - 0.0015	.0077	----	----	----	----	1 UNCH	
564	----	----	----	----	----	----	/0.0030A	0.0020 - 0.0015	.0078	----	----	----	----	4 UNCH	
565	----	----	----	----	----	----	/0.0040A	0.0020 - 0.0015	.0079	----	----	----	----	221 UNCH	
566	----	----	----	----	----	----	/0.0040A	0.0020 - 0.0015	.0080	----	----	----	----	4 UNCH	
567	----	----	----	----	----	----	/0.0040A	0.0020 - 0.0015	.0081	----	----	----	----	14 UNCH	
568	----	----	----	----	----	----	/0.0040A	0.0020 - 0.0015	.0082	----	----	----	----	1 UNCH	
569	----	----	----	----	----	----	/0.0040A	0.0020 - 0.0015	.0083	----	----	----	----	27 UNCH	
570	----	----	----	----	----	----	/0.0035A	0.0020 - 0.0015	.0085	----	----	----	----	421 UNCH	
571	----	----	----	----	----	----	/0.0030A	0.0025 - 0.0015	.0105	----	----	----	----	30 UNCH	
572	----	----	----	----	----	----	/0.0030A	0.0025 - 0.0015	.0107	----	----	----	----	1 UNCH	
573	----	----	----	----	----	----	/0.0030A	0.0025 - 0.0015	.0109	----	----	----	----	125 UNCH	
574	----	----	----	----	----	----	/0.0025A	0.0025 - 0.0015	.0110	----	----	----	----	14 UNCH	
575	----	----	----	----	----	----	/0.0025A	0.0025 - 0.0015	.0112	----	----	----	----	136 UNCH	
576	----	----	----	----	----	----	/0.0025A	0.0025 - 0.0015	.0114	----	----	----	----	5 UNCH	
577	----	----	----	----	----	----	/0.0025A	0.0025 - 0.0015	.0116	----	----	----	----	10 UNCH	
578	----	----	----	----	----	----	/0.0025A	0.0025 - 0.0015	.0117	----	----	----	----	2 UNCH	
579	----	----	----	----	----	----	/0.0025A	0.0030 - 0.0010	.0141	----	----	----	----	19 UNCH	
580	0.0020	0.0020		0.0020/0.0020	0.0020/0.0020			0.0030 - 0.0010	.0143			29		876 + 1	
581	----	----	----	----	----	----	/0.0030A	0.0030 - 0.0010	.0146	----	----	1		34 UNCH	
582	----	----	----	----	----	----	/0.0040A	0.0030 - 0.0010	.0148	----	----	----	----	13 UNCH	
583	----	----	----	----	----	----	/0.0035A	0.0030 - 0.0015	.0151	----	----	----	----	16 UNCH	
584	----	----	----	----	----	----	/0.0035A	0.0030 - 0.0015	.0153	----	----	----	----	22 UNCH	
585	----	----	----	----	----	----	/0.0030A	0.0035 - 0.0010	.0179	----	----	----	----	451 UNCH	
586	----	----	----	----	----	----	/0.0030A	0.0035 - 0.0010	.0182	----	----	----	----	15 UNCH	
587	----	----	----	----	----	----	/0.0030A	0.0035 - 0.0015	.0185	----	----	----	----	24 UNCH	
588	----	----	----	----	----	----	/0.0035A	0.0035 - 0.0015	.0189	----	----	----	----	16 UNCH	
589	0.0025	0.0025		0.0025/0.0025	0.0030B/0.0025			0.0035 - 0.0015	.0192		1			4 + 1	
590	0.0025	0.0025		0.0025/0.0025	0.0030B/0.0025			0.0040 - 0.0010	.0220		2			173 + 2	
591	----	----	----	----	----	----	/0.0035A	0.0035B/0.0035	.0224	----	----	----	----	19 UNCH	
592	0.0040	0.0040		0.0040/0.0035A	0.0040/0.0035A			0.0040 - 0.0015	.0229	----	1			17 UNCH	

PG64		BULLETIN # 98@										METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64
		GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST								
HX PUT		COMEX COPPER OPTIONS																						
JUN26																								
660	----	----	----	----/0.2075A	0.2715B/0.2075A	----	0.2295	- 0.0840	.9200	----	----	----	----	----	----	24	UNCH							
661	----	----	----	----/0.2170A	0.2530B/0.2170A	----	0.2390	- 0.0840	.9258	----	----	----	----	----	----	10	UNCH							
665	----	----	----	----/0.2550A	0.3200B/0.2550A	----	0.2770	- 0.0855	.9436	----	----	----	----	----	----	46	UNCH							
666	----	----	----	----/0.2645A	0.3010B/0.2645A	----	0.2870	- 0.0855	.9484	----	----	----	----	----	----	6	UNCH							
670	----	----	----	----/0.3025A	0.3690B/0.3025A	----	0.3255	- 0.0860	.9598	----	----	----	----	----	----	20	UNCH							
675	----	----	----	----/0.3525A	0.4175B/0.3525A	----	0.3750	- 0.0855	.9702	----	----	----	----	----	----	1	UNCH							
700	----	----	----	----/0.6005A	0.6660B/0.6005A	----	0.6230	- 0.0855	.9872	----	----	----	----	----	----	1	UNCH							
TOTAL																548	16317+	189						
JUL26																								
330	----	----	----	----/0.0040A	----	----	0.0005	UNCH	.0001	----	----	----	----	----	----	84	UNCH							
350	----	----	----	----/0.0040A	----	----	0.0005	UNCH	.0003	----	----	----	----	----	----	5	UNCH							
360	----	----	----	----/0.0025A	----	----	0.0005	UNCH	.0005	----	----	----	----	----	----	1	UNCH							
380	----	----	----	----/0.0040A	----	----	0.0010	UNCH	.0023	----	----	----	----	----	----	2	UNCH							
390	----	----	----	----/0.0040A	----	----	0.0010	- 0.0005	.0024	----	----	----	----	----	----	6	UNCH							
395	----	----	----	----/0.0040A	----	----	0.0015	UNCH	.0034	----	----	----	----	----	----	1	UNCH							
400	----	----	----	----/0.0035A	----	----	0.0015	- 0.0005	.0035	----	----	----	----	----	566	UNCH								
405	----	----	----	----/0.0040A	----	----	0.0015	- 0.0005	.0036	----	----	----	----	----	1	UNCH								
415	----	----	----	----/0.0020A	----	----	0.0020	- 0.0005	.0048	----	----	----	----	----	52	UNCH								
420	----	----	----	----/*0.0020A	----	----	0.0025	UNCH	.0059	----	----	----	----	----	4	UNCH								
425	----	----	----	----/*0.0020A	0.0010B/0.0045A	----	0.0025	- 0.0005	.0061	----	----	----	----	----	51	UNCH								
430	----	----	----	----/0.0045A	----	----	0.0025	- 0.0005	.0062	----	----	----	----	----	10	UNCH								
435	----	----	----	----/0.0045A	----	----	0.0025	- 0.0005	.0064	----	----	----	----	----	5	UNCH								
440	----	----	----	----/0.0050A	----	----	0.0025	- 0.0005	.0066	----	----	----	----	----	4	UNCH								
445	----	----	----	----/0.0050A	----	----	0.0025	- 0.0005	.0067	----	----	----	----	----	3	UNCH								
450	----	----	----	----/0.0050A	----	----	0.0025	- 0.0005	.0069	----	----	----	----	----	1909	UNCH								
455	----	----	----	----/0.0025A	----	----	0.0025	- 0.0005	.0071	----	----	----	----	----	14	UNCH								
460	----	----	----	----/0.0025A	----	----	0.0025	- 0.0005	.0073	----	----	----	----	----	6	UNCH								
465	----	----	----	----/0.0055A	----	----	0.0025	- 0.0005	.0076	----	----	----	----	----	1	UNCH								
470	----	----	----	----/0.0060A	----	----	0.0030	UNCH	.0090	----	----	----	----	----	3	UNCH								
475	----	----	----	----/0.0060A	----	----	0.0030	- 0.0005	.0093	----	----	----	----	----	512	UNCH								
480	----	----	----	0.0010B/0.0065A	----	----	0.0030	- 0.0005	.0096	----	----	----	----	----	78	UNCH								
485	----	----	----	0.0005B/*0.0065	----	----	0.0035	UNCH	.0112	----	----	----	----	----	2	UNCH								
490	----	----	----	0.0005B/0.0070A	----	----	0.0040	UNCH	.0128	----	----	----	----	----	542	UNCH								
495	----	----	----	0.0010B/0.0075A	----	----	0.0040	UNCH	.0132	----	----	----	----	----	104	UNCH								
500	----	----	----	0.0035B/0.0075A	----	----	0.0045	UNCH	.0150	----	----	----	----	----	3336	UNCH								
505	----	----	----	0.0020B/0.0085A	----	----	0.0050	UNCH	.0168	----	----	----	----	----	3	UNCH								
510	----	----	----	0.0040B/0.0075A	----	----	0.0060	+ 0.0005	.0200	----	----	----	----	----	213	UNCH								
515	----	----	----	0.0050B/0.0075A	----	----	0.0065	UNCH	.0220	----	----	----	----	----	6	UNCH								
520	----	----	----	0.0065B/0.0075A	----	----	0.0075	UNCH	.0254	----	----	----	----	----	378	UNCH								
525	0.0080	0.0080	0.0080	0.0080/*0.0080	0.0080/*0.0080	----	0.0085	- 0.0005	.0290	----	----	----	2	----	650 +	1								
530	0.0090	0.0090	0.0090	0.0090/0.0090	0.0090/0.0090	----	0.0095	- 0.0010	.0326	----	----	----	1	----	3198	UNCH								
533	----	----	----	0.0095B/0.0115A	----	----	0.0105	- 0.0010	.0359	----	----	----	----	----	1	UNCH								
534	----	----	----	----/0.0115A	0.0100B/0.0115A	----	0.0105	- 0.0015	.0362	----	----	----	----	----	2	UNCH								
535	----	----	----	----/*0.0110A	0.0105B/*0.0110	----	0.0110	- 0.0015	.0377	----	----	----	----	----	4	UNCH								
536	----	----	----	----/*0.0115A	0.0105B/*0.0115	----	0.0115	- 0.0010	.0392	----	----	----	----	----	5	UNCH								
538	----	----	----	----/0.0120A	0.0120B/0.0120A	----	0.0120	- 0.0015	.0411	----	----	----	----	----	3	UNCH								
539	----	----	----	----/0.0125A	0.0120B/0.0125A	----	0.0120	- 0.0020	.0414	----	----	----	----	----	2	UNCH								
540	----	----	----	----/0.0125A	0.0125B/0.0125A	----	0.0125	- 0.0020	.0430	----	----	----	----	----	935	UNCH								
541	----	----	----	----/*0.0130A	0.0130B/*0.0130	----	0.0130	- 0.0020	.0446	----	----	----	----	----	2	UNCH								
542	----	----	----	----/*0.0135A	0.0135B/*0.0135	----	0.0130	- 0.0025	.0449	----	----	----	----	----	2	UNCH								
543	----	----	----	----/*0.0135A	0.0140B/*0.0135	----	0.0135	- 0.0025	.0465	----	----	----	----	----	3	UNCH								
545	----	----	----	----/0.0145A	0.0150B/0.0145A	----	0.0145	- 0.0025	.0497	----	----	----	1	----	5 +	1								
546	----	----	----	----/0.0145A	0.0155B/0.0145A	----	0.0150	- 0.0025	.0513	----	----	----	----	----	3	UNCH								
547	----	----	----	----/0.0150A	0.0155B/0.0150A	----	0.0150	- 0.0030	.0517	----	----	----	----	----	9	UNCH								
548	----	----	----	----/0.0155A	0.0165B/0.0155A	----	0.0155	- 0.0030	.0533	----	----	----	----	----	17	UNCH								
549	----	----	----	----/0.0160A	0.0170B/0.0160A	----	0.0160	- 0.0030	.0550	----	----	----	----	----	1	UNCH								
550	0.0160	0.0160	0.0160	0.0160/0.0160	0.0175B/0.0160	----	0.0165	- 0.0030	.0566	----	----	----	1	----	1048 +	1								
551	----	----	----	----/0.0165A	0.0180B/0.0165A	----	0.0170	- 0.0035	.0583	----	----	----	----	----	2	UNCH								
552	----	----	----	----/0.0170A	0.0185B/0.0170A	----	0.0175	- 0.0035	.0599	----	----	----	----	----	2	UNCH								
553	----	----	----	----/0.0175A	0.0190B/0.0175A	----	0.0180	- 0.0035	.0616	----	----	----	----	----	2	UNCH								
554	----	----	----	----/0.0180A	0.0200B/0.0180A	----	0.0185	- 0.0035	.0633	----	----	----	----	----	82	UNCH								
555	----	----	----	----/0.0185A	0.0205B/0.0185A	----	0.0190	- 0.0040	.0650	----	----	----	1	----	95	UNCH								
556	----	----	----	----/0.0190A	0.0210B/0.0190A	----	0.0195	- 0.0040	.0667	----	----	----	----	----	65	UNCH								
557	----	----	----	----/0.0195A	0.0215B/0.0195A	----	0.0200	- 0.0040	.0684	----	----	----	----	----	2	UNCH								
558	----	----	----	----/0.0205A	0.0225B/0.0205A	----	0.0210	- 0.0040	.0713	----	----	----	----	----	114	UNCH								
559	----	----	----	----/0.0210A	0.0230B/0.0210A	----	0.0215	- 0.0045	.0731	----	----	----	----	----	10	UNCH								
560	----	----	----	----/0.0215A	0.0235B/0.0215A	----	0.0220	- 0.0045	.0748	----	----	----	1	----	314	UNCH								
561	0.0225	0.0225	0.0225	0.0225/0.0220A	0.0245B/0.0220A	----	0.0230	- 0.0045	.0777	----	----	----	1	----	9 -	1								
562	----	----	----	----/0.0230A	0.0250B/0.0230A	----	0.0235	- 0.0050	.0795	----	----	----	----	----	2	UNCH								
563	----	----	----	----/0.0235A	0.0260B/0.0235A	----	0.0240	- 0.0055	.0813	----	----	----	----	----	17	UNCH								
565	----	----	----	----/0.0250A	0.0275B/0.0250A																			

BULLETIN # 98@				METALS OPTION PRODUCTS										Fri, May 22, 2026				PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH	OUTCRY LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
HX PUT		COMEX COPPER OPTIONS																	
AUG26																			
475	----	----	----	----	0.0090B	/0.0150A	----	----	0.0100	-	0.0010	.0235	----	----	----	5	UNCH		
480	----	----	----	----	0.0070B	/0.0145A	----	----	0.0105	-	0.0010	.0250	----	----	----	8	UNCH		
485	----	----	----	----	0.0090B	/*0.0140	----	----	0.0115	-	0.0015	.0275	----	----	----	1	UNCH		
500	----	----	----	----	0.0125B	/*0.0170	----	----	0.0150	-	0.0020	.0363	----	2	----	11	+		
505	----	----	----	----	0.0140B	/*0.0185	----	----	0.0165	-	0.0020	.0400	----	----	----	1	UNCH		
510	----	----	----	----/*0.0200A	0.0160B	/*0.0200	----	----	0.0180	-	0.0025	.0438	----	----	----	1	UNCH		
520	----	----	----	---/0.0245A	0.0205B	/0.0245A	----	----	0.0220	-	0.0040	.0534	----	----	----	308	UNCH		
525	----	----	----	---/*0.0265A	0.0235B	/*0.0265	----	----	0.0245	-	0.0045	.0593	----	----	----	1	UNCH		
530	----	----	----	---/0.0295A	0.0265B	/0.0295A	----	----	0.0275	-	0.0050	.0661	----	----	----	43	UNCH		
535	----	----	----	---/*0.0320A	0.0310B	/*0.0320	----	----	0.0310	-	0.0060	.0738	----	----	----	9	UNCH		
540	----	----	----	---/0.0355A	0.0350B	/0.0355A	----	----	0.0350	-	0.0070	.0824	----	----	----	8	UNCH		
545	----	----	----	---/0.0400A	0.0400B	/0.0400A	----	----	0.0395	-	0.0080	.0919	----	1	----	3	+		
550	----	----	----	---/0.0450A	0.0455B	/0.0450A	----	----	0.0445	-	0.0095	.1022	----	----	----	30	UNCH		
555	----	----	----	---/0.0510A	0.0520B	/0.0510A	----	----	0.0500	-	0.0110	.1134	----	----	----	9	UNCH		
560	----	----	----	---/0.0560A	0.0585B	/0.0560A	----	----	0.0565	-	0.0120	.1260	----	----	----	6	UNCH		
565	----	----	----	---/0.0635A	0.0660B	/0.0635A	----	----	0.0640	-	0.0130	.1399	----	----	----	1	UNCH		
570	----	----	----	---/0.0715A	0.0755B	/0.0715A	----	----	0.0720	-	0.0145	.1546	----	----	----	54	UNCH		
575	----	----	----	---/0.0800A	0.0845B	/0.0800A	----	----	0.0810	-	0.0155	.1705	----	----	----	3	UNCH		
580	----	----	----	---/0.0895A	0.0955B	/0.0895A	----	----	0.0910	-	0.0170	.1875	----	24	----	391	+		
585	----	----	----	---/0.1005A	0.1070B	/0.1005A	----	----	0.1020	-	0.0190	.2056	----	----	----	8	UNCH		
590	----	----	----	---/0.1125A	0.1200B	/0.1125A	----	----	0.1140	-	0.0205	.2246	----	----	----	14	UNCH		
600	0.1380		0.1380	0.1380/0.1380	0.1505B	/0.1380	----	----	0.1425	-	0.0240	.2663	----	1	----	636	UNCH		
605	----	----	----	---/0.1560A	0.1675B	/0.1560A	----	----	0.1585	-	0.0265	.2883	----	----	----	12	UNCH		
620	----	----	----	---/0.2115A	0.2280B	/0.2115A	----	----	0.2150	-	0.0335	.3583	----	----	----	29	UNCH		
625	----	----	----	---/0.2325A	0.2505B	/0.2325A	----	----	0.2370	-	0.0355	.3825	----	----	----	5	UNCH		
630	----	----	----	---/0.2555A	0.2745B	/0.2555A	----	----	0.2605	-	0.0375	.4069	----	----	----	3	UNCH		
640	0.3065		0.3065	0.3065/0.3040A	0.3280B	/0.3040A	----	----	0.3110	-	0.0415	.4555	----	6	----	7	+		
660	----	----	----	---/0.4185A	0.4490B	/0.4185A	----	----	0.4285	-	0.0480	.5490	----	----	----	2	UNCH		
670	----	----	----	---/0.4825A	0.5155B	/0.4825A	----	----	0.4940	-	0.0510	.5922	----	----	----	310	UNCH		
TOTAL														34		1945	+		
SEP26																			
400	----	----	----	----	0.0020B	/*0.0120	----	----	0.0060	-	0.0005	.0111	----	----	----	1	UNCH		
440	----	----	----	----	0.0050B	/*0.0165	----	----	0.0105	-	0.0010	.0204	----	----	----	4	UNCH		
445	----	----	----	----	0.0060B	/0.0165A	----	----	0.0115	-	0.0005	.0224	----	----	----	5	UNCH		
450	----	----	----	----	0.0065B	/0.0180A	----	----	0.0120	-	0.0010	.0237	----	----	----	805	UNCH		
460	----	----	----	----	0.0110B	/0.0165A	----	----	0.0140	-	0.0010	.0279	----	----	----	12	UNCH		
470	----	----	----	----	0.0135B	/*0.0190	----	----	0.0160	-	0.0015	.0323	----	----	----	3	UNCH		
475	----	----	----	----	0.0150B	/*0.0200	----	----	0.0175	-	0.0015	.0353	----	----	----	74	UNCH		
480	----	----	----	----	0.0165B	/*0.0215	----	----	0.0190	-	0.0020	.0384	----	----	----	7	UNCH		
485	----	----	----	----	0.0185B	/*0.0230	----	----	0.0205	-	0.0025	.0416	----	----	----	1	UNCH		
490	----	----	----	----	0.0205B	/*0.0250	----	----	0.0220	-	0.0030	.0448	----	----	----	11	UNCH		
500	----	----	----	----/*0.0295A	0.0250B	/*0.0295	----	----	0.0265	-	0.0035	.0537	----	----	----	627	UNCH		
510	----	----	----	---/*0.0350A	0.0310B	/0.0350	----	----	0.0320	-	0.0050	.0644	----	----	----	2	UNCH		
515	----	----	----	---/0.0385A	0.0345B	/0.0385A	----	----	0.0355	-	0.0055	.0709	----	----	----	1	UNCH		
520	----	----	----	---/*0.0425A	0.0405B	/*0.0425	----	----	0.0395	-	0.0060	.0781	----	----	----	6	UNCH		
525	----	----	----	---/*0.0470A	0.0440B	/*0.0470	----	----	0.0440	-	0.0070	.0860	----	----	----	327	UNCH		
530	----	----	----	---/*0.0515A	0.0490B	/*0.0515	----	----	0.0485	-	0.0080	.0940	----	----	----	2	UNCH		
535	----	----	----	---/*0.0570A	0.0555B	/*0.0570	----	----	0.0545	-	0.0085	.1038	----	----	----	350	UNCH		
540	----	----	----	---/0.0630A	0.0615B	/0.0630A	----	----	0.0605	-	0.0095	.1137	----	----	----	403	UNCH		
545	----	----	----	---/0.0700A	0.0690B	/0.0700A	----	----	0.0675	-	0.0100	.1248	----	----	----	1	UNCH		
550	0.0775		0.0775	0.0775/0.0775	0.0775B	/0.0775	----	----	0.0750	-	0.0115	.1364	----	96	----	101	+		
560	----	----	----	---/0.0945A	0.0955B	/0.0945A	----	----	0.0925	-	0.0135	.1623	----	----	----	3	UNCH		
565	----	----	----	---/0.1040A	0.1060B	/0.1040A	----	----	0.1025	-	0.0150	.1764	----	----	----	1	UNCH		
570	----	----	----	---/0.1150A	0.1175B	/0.1150A	----	----	0.1135	-	0.0165	.1913	----	----	----	124	UNCH		
575	----	----	----	---/0.1265A	0.1300B	/0.1265A	----	----	0.1255	-	0.0175	.2071	----	----	----	162	UNCH		
580	0.1425		0.1425	0.1455B/0.1385A	0.1455B	/0.1385A	----	----	0.1390	-	0.0185	.2238	----	10	----	686	UNCH		
585	----	----	----	---/0.1530A	0.1585B	/0.1530A	----	----	0.1530	-	0.0205	.2408	----	----	----	8	UNCH		
590	----	----	----	---/0.1670A	0.1750B	/0.1670A	----	----	0.1685	-	0.0220	.2587	----	----	----	360	UNCH		
595	----	----	----	---/0.1840A	0.1910B	/0.1840A	----	----	0.1845	-	0.0240	.2768	----	----	----	8	UNCH		
600	0.1995		0.1995	0.1995/0.1995	0.2105B	/0.1995	----	----	0.2025	-	0.0250	.2957	----	66	----	1107	+		
610	----	----	----	---/0.2380A	0.2510B	/0.2380A	----	----	0.2410	-	0.0290	.3342	----	----	----	1100	UNCH		
615	----	----	----	---/0.2595A	0.2730B	/0.2595A	----	----	0.2625	-	0.0305	.3540	----	----	----	1	UNCH		
620	----	----	----	---/0.2800A	0.2960B	/0.2800A	----	----	0.2845	-	0.0325	.3738	----	----	----	1002	UNCH		
625	----	----	----	---/0.3030A	0.3200B	/0.3030A	----	----	0.3080	-	0.0340	.3937	----	----	----	1147	UNCH		
630	----	----	----	---/0.3285A	0.3455B	/0.3285A	----	----	0.3330	-	0.0355	.4136	----	----	----	3	UNCH		
635	----	----	----	---/0.3525A	0.3725B	/0.3525A	----	----	0.3585	-	0.0375	.4335	----	----	----	496	UNCH		
640	----	----	----	---/0.3800A	0.4000B	/0.3800A	----	----	0.3855	-	0.0390	.4532	----	----	----	1	UNCH		
645	----	----	----	---/0.4070A	0.4290B	/0.4070A													

BULLETIN # 98@				METALS OPTION PRODUCTS										Fri, May 22, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST		
HX PUT			COMEX	COPPER OPTIONS														
FEB27	----	----	----	----	----	----	----	0.0390 - 0.0040	.0403	----	----	----	----			2		
400	----	----	----	----	----	----	----									2		
TOTAL																		
MAR27	----	----	----	----	----	----	----	0.0160 - 0.0015	.0133	----	----	----	----			1		
275	----	----	----	----	----	----	----									1		
TOTAL																		
HXE CALL				COPPER OPTIONS														
MAY26	----	----	----	0.5905B/----	0.5905B/0.5350A	----	----	0.5790 + 0.0845	-----	1	----	----	----	----		0 -		
580	----	----	----	0.3615B/----	0.3615B/0.3015A	----	----	0.3425 + 0.0745	.9115	----	----	----	----		2	UNCH		
605	----	----	----	0.2910B/----	0.2910B/0.2360A	----	----	0.2790 + 0.0840	----	5	----	----	----		0 -			
610	----	----	----	0.3150B/----	0.3150B/0.2575A	----	----	0.2960 + 0.0705	.8854	----	----	----	----		5	UNCH		
610	----	----	----	0.2700B/----	0.2700B/0.2160A	----	----	0.2515 + 0.0653	.8475	----	----	----	----		1	UNCH		
615	----	----	----	0.1915B/----	0.1915B/0.1365A	----	----	0.1790 + 0.0760	----	6	----	----	----		0 -			
620	----	----	----	0.1420B/----	0.1420B/0.0870A	----	----	0.1290 + 0.0650	----	----	----	----	----		0	UNCH		
625	----	----	----	0.1840B/----	0.1840B/0.1430A	----	----	0.1720 + 0.0535	.7271	----	----	----	----		1	UNCH		
625	0.1065	0.1065		#0.1230B/0.1065	#0.1230B/0.0675	----	----	0.1090 + 0.0585	----	1	----	1	----		0 -			
627	0.1025	0.1025		#0.1135B/0.1025	#0.1135B/0.0580	----	----	0.0990 + 0.0545	----	1	----	2	----		0 -			
628	0.0900	0.0900		0.0950B/0.0405A	0.0950B/0.0405A	----	----	0.0790 + 0.0455	----	----	----	1	----		0 -			
630	0.1400	0.1400		0.1425B/0.1130A	0.1425B/0.1130A	----	----	0.1380 + 0.0460	.6474	----	----	10	----		13 -			
631	----	----	----	0.0860B/----	0.0860B/0.0325A	----	----	0.0690 + 0.0400	----	1	----	----	----		0 -			
633	----	----	----	0.0680B/----	0.0680B/0.0210A	----	----	0.0490 + 0.0280	----	1	----	----	----		0 -			
635	----	----	----	0.0515B/*0.0135	0.0515B/*0.0135	----	----	0.0290 + 0.0140	----	33	----	30	----		0 -			
635	----	----	----	0.1180B/----	0.1180B/0.0885A	----	----	0.1090 + 0.0390	.5591	----	----	20	----		11 +			
636	0.0100	0.0100		0.0440B/*0.0095	0.0440B/*0.0095	----	----	0.0190 + 0.0065	----	17	----	15	----		0 -			
637	0.0100	0.0100		0.0375B/*0.0090	0.0375B/*0.0090	----	----	0.0090 + 0.0010	----	10	----	10	----		0	UNCH		
638	0.0075	0.0075		0.0315B/*0.0065	0.0315B/*0.0065	----	----	0.0000 + 0.0085	----	----	----	10	----		0 -			
639	----	----	----	0.0255B/*0.0060	0.0255B/*0.0060	----	----	0.0000 + 0.0070	----	----	----	----	----		0 -			
640	0.0010	0.0010		0.0210B/*0.0010	0.0210B/*0.0010	----	----	0.0000 + 0.0055	----	----	----	2	----		0 -			
640	----	----	----	0.0915B/----	0.0915B/0.0680A	----	----	0.0845 + 0.0315	.4691	----	----	2	----		252	UNCH		
645	----	----	----	0.0045B/----	0.0045B/*0.0055	----	----	0.0000 + 0.0020	----	----	----	----	----		0 -			
645	0.0720	0.0720		0.0720/0.0535A	0.0720/0.0535A	----	----	0.0645 + 0.0250	.3826	----	----	42	----		42 +			
650	0.0050	0.0050		0.0050/*0.0045A	0.0050/*0.0045A	----	----	0.0000 + 0.0005	----	----	----	31	----		0 -			
650	0.0385	0.0385		0.0525B/0.0385	0.0525B/0.0385	----	----	0.0485 NEW	.3039	----	----	95	----		75 +			
655	----	----	----	----/*0.0045A	----	----	----	0.0000 + 0.0005	----	----	----	----	----		0 -			
655	----	----	----	0.0390B/----	0.0390B/0.0315A	----	----	0.0360 + 0.0130	.2357	----	----	----	----		1	UNCH		
657	----	----	----	----/*0.0045A	----/*0.0045A	----	----	0.0000 + 0.0005	----	----	----	----	----		0 -			
660	----	----	----	----/*0.0045A	----/*0.0045A	----	----	0.0000 + 0.0005	----	----	----	----	----		0 -			
660	----	----	----	0.0290B/----	0.0290B/0.0245A	----	----	0.0270 + 0.0095	.1811	----	----	----	----		250	UNCH		
665	----	----	----	----/*0.0045A	----/*0.0045A	----	----	0.0000 + 0.0005	----	----	----	----	----		0 -			
665	0.0200	0.0200		0.0210B/0.0200	0.0210B/0.0195A	----	----	0.0200 NEW	.1367	----	----	50	----		50 +			
675	----	----	----	----/0.0045A	----/0.0045A	----	----	0.0000 + 0.0005	----	----	----	----	----		0 -			
680	----	----	----	----/0.0045A	----/0.0045A	----	----	0.0000 + 0.0005	----	----	----	----	----		0 -			
680	----	----	----	0.0075B/----	0.0075B/0.0120A	----	----	0.0095 + 0.0030	.0629	----	----	1	----		3	UNCH		
690	----	----	----	----/0.0045A	----/0.0045A	----	----	0.0000 + 0.0005	----	----	----	----	----		0 -			
725	----	----	----	----/0.0045A	----/0.0045A	----	----	0.0000 + 0.0005	----	----	----	----	----		0 -			
TOTAL												322			706 -	250		
JUN26																		
620	----	----	----	0.2565B/----	0.2565B/0.2115A	----	----	0.2440 + 0.0595	.7143	----	----	----	----		1	UNCH		
630	----	----	----	0.1885B/----	0.1885B/0.1515A	----	----	0.1795 + 0.0495	.6043	----	----	----	----		2	UNCH		
630	0.2130	0.2130		#0.2215/0.1845A	#0.2215/0.1845A	----	----	0.2105 NEW	.5884	----	----	2	----		2 +			
640	0.1410	0.1410		0.1410/0.1410	0.1410/0.1070A	----	----	0.1275 NEW	.4851	----	----	2	----		2 +			
650	----	----	----	0.1295B/----	0.1295B/0.1050A	----	----	0.1215 + 0.0315	.4017	----	----	----	----		1	UNCH		
660	----	----	----	0.0645B/----	0.0645B/0.0515A	----	----	0.0605 NEW	.2733	----	----	1	----		1 +			
670	----	----	----	0.0435B/----	0.0435B/0.0365A	----	----	0.0415 NEW	.1970	----	----	2	----		2 +			
675	----	----	----	0.0350B/----	0.0350B/0.0310A	----	----	0.0345 + 0.0115	.1665	----	----	----	----		5	UNCH		
680	----	----	----	0.0290B/----	0.0290B/0.0265A	----	----	0.0290 NEW	.1413	----	----	1	----		1 +			
680	----	----	----	0.0535B/----	0.0535B/0.0455A	----	----	0.0525 NEW	.1985	----	----	1	----		1 +			
690	----	----	----	0.0195B/----	0.0195B/0.0200A	----	----	0.0205 + 0.0065	.1013	----	----	----	----		1	UNCH		
690	----	----	----	0.0390B/----	0.0390B/0.0355A	----	----	0.0395 + 0.0110	.1539	----	----	2	----		4 +			
700	----	----	----	0.0135B/----	0.0135B/0.0155A	----	----	0.0150 + 0.0045	.0740	----	----	----	----		1	UNCH		
700	----	----	----	0.0295B/----	0.0295B/0.0280A	----	----	0.0305 NEW	.1205	----	----	1	----		1 +			
725	----	----	----	#0.0150B/----	0.0150B/0.0165A	----	----	0.0170 + 0.0065	.0676	----	----	----	----		1	UNCH		
750	----	----	----	----	0.0020B/0.0080A	----	----	0.0030 + 0.0010	.0145	----	----	----	----		1	UNCH		
TOTAL												12			27 +	12		
HXE PUT				COPPER OPTIONS														
MAY26	----	----	----	----	----/0.0055A	----	----	0.0000 + 0.0005	----	----	----	----	----		0 -			
450	----	----	----	----	----/*0.0045A	----	----	0.0000 + 0.0005	----	----	----	----	----		0 -			
575	----	----	----	----	0.0025B/*0.0085	----	----	0.0050 + 0.0025	.0274	----	----	----	----		1	UNCH		
580	----	----	----	----	----/*0.0045A	----	----	0.0000 + 0.0005	----	----	----	----	----		0 -			
590	----	----	----	----	----/*0.0045A	----	----	0.0000 + 0.0005	----	----	----	----	----		0 -			
595	----	----	----	----	----/*0.0045A	----	----	0.0000 + 0.0005	----	----	----	----	----		0 -			
600	----	----	----	----	----/*0.0045A	----	----	0.0000 + 0.0005	----	----	----	----	----		0 -			
600	0.0130	0.0130		0.0130/*0.0125A	0.0130/*0.0125A	----	----	0.0110 + 0.0075	.0694	----	----	15	----		21 +			
605	0.0150	0.0150		0.0150/*0.0125	0.0150/*0.0125	----	----	0.0135 + 0.0105	.0883	----	----	20	----		31 +			
610	----	----	----	----/*0.0050A	----/*0.0050A	----	----	0.0000 + 0.0010	----	----	----	----	----		0 -			
610	----	----	----	----/0.0180A	0.0190B/0.0180A	----	----	0.0170 + 0.0150										

BULLETIN # 98@				METALS OPTION PRODUCTS										Fri, May 22, 2026		PG64	
GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST				
PAO CALL																	
NYMEX PALLADIUM OPTIONS																	
TOTAL														4	231 +	4	
AUG26																	
1600	----	----	39.50B/*35.20A	39.50B/*35.20A	----		33.10 - 6.30	.2380	----	----	----	----	100	UNCH			
1700	----	----	----/*25.80A	27.10B/*25.80A	----		23.40 - 4.60	.1702	----	----	----	----	20	UNCH			
1800	----	----	----/*19.80A	19.10B/*19.80A	----		17.10 - 3.50	.1249	----	----	----	----	100	UNCH			
1900	----	----	----	13.60B/*15.70A	----		12.70 - 2.60	.0930	----	----	----	----	400	UNCH			
TOTAL														620			
SEP26																	
1275	----	----	187.00B/*154.10	187.00B/*154.10	----		157.70 - 21.60	.7026	----	----	----	----	1	UNCH			
1300	----	----	170.30B/*140.30	170.30B/*140.30	----		143.10 - 20.50	.6638	----	----	----	----	1	UNCH			
1400	----	----	116.30B/*97.20A	116.30B/*97.20A	----		96.40 - 15.60	.5090	----	----	----	----	75	UNCH			
1450	----	----	96.30B/*81.40A	96.30B/*81.40A	----		79.60 - 13.20	.4395	----	----	----	----	50	UNCH			
1575	----	----	60.80B/*54.00A	60.80B/*54.00A	----		51.50 - 8.60	.3036	----	----	----	----	25	UNCH			
1600	----	----	55.70B/*50.10A	55.70B/*50.10A	----		47.50 - 8.00	.2825	----	----	----	----	151	UNCH			
1625	----	----	----/*46.50A	51.10B/*46.50A	----		43.90 - 7.40	.2630	----	----	----	----	20	UNCH			
1665	----	----	----/*41.60A	44.60B/*41.60A	----		38.80 - 6.60	.2349	----	----	----	----	9	UNCH			
1700	----	----	----/37.90A	39.80B/37.90A	----		35.00 - 5.90	.2134	----	----	----	----	60	UNCH			
1800	----	----	----/*29.70A	29.20B/*29.70A	----		26.50 - 4.50	.1639	----	----	----	----	11	UNCH			
1875	----	----	----/*25.30A	23.50B/*25.30A	----		21.80 - 3.80	.1359	----	----	----	----	25	UNCH			
1885	----	----	----/*24.80A	22.80B/*24.80A	----		21.30 - 3.70	.1328	----	----	----	----	100	UNCH			
1900	----	----	----	21.90B/24.10A	----		20.50 - 3.60	.1280	----	----	----	----	21	UNCH			
2000	----	----	----	16.60B/20.00A	----		16.40 - 2.80	.1024	----	----	----	----	35	UNCH			
2100	----	----	----	12.60B/17.10A	----		13.40 - 2.40	.0835	----	----	----	----	30	UNCH			
2200	----	----	----	9.70B/*14.80A	----		11.20 - 1.90	.0693	----	----	----	----	5	UNCH			
2400	----	----	----	5.60B/*11.80A	----		8.10 - 1.30	.0495	----	----	----	----	15	UNCH			
2550	----	----	----	3.60B/*10.20A	----		6.40 - 1.10	.0389	----	----	----	----	50	UNCH			
TOTAL														684			
DEC26																	
1800	----	----	----	----	----		42.00 - 10.60	.2167	----	----	----	----	50	UNCH			
2000	----	----	----	----	----		27.30 - 7.60	.1444	----	----	----	----	1	UNCH			
3000	----	----	----	----	----		6.80 - 2.30	.0357	----	----	----	----	1	UNCH			
TOTAL														52			
PAO PUT																	
NYMEX PALLADIUM OPTIONS																	
JUL26																	
1200	8.10	8.10	8.10/*8.10	8.10/8.10	----		6.70 NEW	.0871	----	----	4	----	4 +	4			
1285	----	----	19.90B/----	19.90B/17.40A	----		21.50 + 4.80	.2308	----	----	----	----	9	UNCH			
1300	----	----	24.20B/----	24.20B/20.10A	----		25.60 + 5.70	.2649	----	----	----	----	165	UNCH			
1400	67.80	67.80	78.10B/52.00A	78.10B/52.00A	----		70.30 + 14.10	.5293	----	----	5	----	31	UNCH			
1450	----	----	108.70B/79.30A	108.70B/79.30A	----		104.70 + 18.50	.6469	----	----	----	----	30	UNCH			
TOTAL														9	239 +	4	
AUG26																	
1200	----	----	----	14.30B/16.60A	----		17.60 + 2.90	.1518	----	----	----	----	20	UNCH			
1400	----	----	#95.80B/76.90A	#95.80B/76.90A	----		94.60 + 14.00	.5053	----	----	----	----	1	UNCH			
TOTAL															21		
SEP26																	
1200	----	----	24.40B/----	24.40B/26.20A	----		28.20 + 4.30	.1893	----	----	----	----	5	UNCH			
1250	----	----	39.20B/----	39.20B/37.30A	----		43.20 + 6.20	.2594	----	----	----	----	6	UNCH			
1300	62.00	62.00	62.00/52.90A	62.00/52.90A	----		62.50 + 8.40	.3359	----	----	3	----	43 +	3			
1375	----	----	99.60B/85.70A	99.60B/85.70A	----		100.30 + 12.10	.4532	----	----	----	----	100	UNCH			
1460	----	----	156.40B/135.10A	156.40B/135.10A	----		155.10 + 16.20	.5730	----	----	----	----	75	UNCH			
1465	----	----	160.00B/138.30A	160.00B/138.30A	----		158.60 + 16.40	.5794	----	----	----	----	150	UNCH			
1550	----	----	225.80B/198.10A	225.80B/198.10A	----		223.70 + 19.60	.6731	----	----	----	----	100	UNCH			
1575	----	----	246.40B/217.10A	246.40B/217.10A	----		244.10 + 20.30	.6960	----	----	----	----	25	UNCH			
1650	----	----	310.60B/277.40A	310.60B/277.40A	----		307.80 + 22.10	.7548	----	----	----	----	50	UNCH			
1925	----	----	564.50B/523.30A	564.50B/523.30A	----		560.10 + 25.70	.8791	----	----	----	----	75	UNCH			
TOTAL														3	629 +	3	
DEC26																	
1300	----	----	----	----	----		90.90 + 9.30	.3352	----	----	----	----	100	UNCH			
1400	----	----	----	----	----		138.80 + 12.60	.4481	----	----	----	----	150	UNCH			
1500	----	----	----	----	----		202.10 + 11.50	.5531	----	----	----	----	40	UNCH			
TOTAL															290		
PLW OOF																	
PLATINUM WEEKLY FRIDAY OPTION Week5																	
MAY26																	
1850	----	----	10.50B/----	10.50B/8.60A	----		8.60 + 1.00	.1490	----	----	----	----	7	UNCH			
2000	----	----	31.00B/*14.90A	31.00B/*14.90A	----		17.40 - 11.50	.2713	----	----	----	----	11	UNCH			
2000	----	----	----/*1.70A	7.60B/*1.70A	----		0.00 - 7.60	----	----	----	----	----	0 -	25			
2050	----	----	----	----/*1.70A	----		0.00 - 1.70	----	----	----	----	----	0 -	20			
2150	----	----	----	----/*1.70A	----		0.00 - 0.10	----	----	----	----	----	0 -	10			
TOTAL															18 -	55	
JUN26																	
1925	----	----	56.80B/37.00A	56.80B/37.00A	----		48.00 + 8.10	.4424	----	----	----	----	26	UNCH			
1950	----	----	71.60B/47.10A	71.60B/47.10A	----		61.10 + 10.00	.5165	----	----	----	----	53	UNCH			
1950	----	----	70.60B/*44.00A	70.60B/*44.00A	----		50.80 - 15.10	.4834	----	----	----	----	2	UNCH			
2000	28.00	28.00	46.60B/*28.00	46.60B/*28.00	----		32.50 NEW	.3460	----	----	20	----	20 +	20			
2100	----	----	----/*11.90A	18.10B/*11.90A	----		12.50 - 6.10	.1536	----	----	----	----	100	UNCH			
2300	----	----	----/*4.10A	2.10B/*4.10A	----		2.50 - 1.90	.0312	----	----	----	----	100	UNCH			
TOTAL														20	301 +	20	
PO CALL																	
PLATINUM OPTIONS																	
JUL26																	
1500	----	----	477.90B/420.60A	477.90B/420.60A	----		439.80 - 25.00	.9937	----	----	----	----	50	UNCH			
1680	----	----	----	----	----		265.60 - 24.00	.9327	----	----	----	----	50	UNCH			
1700	----	----	282.60B/229.60A	282.60B/229.60A	----		247.40 - 23.60	.9170	----	----	----	----	1	UNCH			
1800	----	----	194.00B/*148.30	194.00B/*148.30	----		162.90 - 21.00	.7952	----	----	----	----	113	UNCH			
1850	----	----	154.30B/*114.60	154.30B/*114.60	----		126.90 - 18.80	.7061	----	----	----	----	1	UNCH			
1900	----	----	119.20B/*86.60A	119.20B/*86.60A	----		96.30 - 16.40	.6038	----	----	----	----	3	UNCH			
1935	----	----	----/*70.30A	81.60B/*70.30A	----		78.30 - 14.60	.5292	----	----	----	----	23	UNCH			
1945	----	----	----/*66.20A	81.80B/*66.20A	----		73.60 - 14.20	.5079	----	----	----	----	1	UNCH			
1960	68.90	68.90	82.60B/*60.30A	82.60B/*60.30A	----		67.00 - 13.40	.4764	----	----	26	----	3 -	20			
1965	66.30	66.30	82.00B/*58.40A	82.00B/*58.40A	----		64.90 NEW	.4660	----	----	56	----	56 +	56			
1970	----	----	79.60B/*56.60A	79.60B/*56.60A	----		62.90 - 12.90	.4557	----	----	----	----	2	UNCH			
1975	----																

	BULLETIN # 98@				METALS OPTION PRODUCTS				Fri, May 22, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PO CALL	PLATINUM OPTIONS												
TOTAL									200	103		6576	- 30
AUG26													
1950	129.00	129.00	139.90B/*113.10	139.90B/*113.10	----	121.80 - 13.40	.5414	----	----	2	----	3	UNCH
2050	77.10	77.10	96.00B/*77.10	96.00B/*77.10	----	83.20 - 10.30	.4125	----	----	30	----	30	+
2100	----	----	78.80B/*63.60A	78.80B/*63.60A	----	68.20 - 9.00	.3549	----	----	----	----	50	UNCH
2150	----	----	64.40B/*52.40A	64.40B/*52.40A	----	55.90 - 7.70	.3033	----	----	----	----	1	UNCH
2175	----	----	58.10B/*47.60A	58.10B/*47.60A	----	50.60 - 7.10	.2798	----	----	----	----	30	UNCH
2200	----	----	52.50B/*43.30A	52.50B/*43.30A	----	45.90 - 6.50	.2581	----	----	----	----	15	UNCH
2250	----	----	----/*35.90A	42.90B/*35.90A	----	37.70 - 5.60	.2188	----	----	----	----	30	UNCH
2275	----	----	----/*32.70A	38.80B/*32.70A	----	34.30 - 5.20	.2016	----	----	----	----	30	UNCH
2300	----	----	----/*29.90A	35.20B/*29.90A	----	31.10 - 4.90	.1853	----	----	----	----	337	UNCH
2350	----	----	----/*25.10A	28.90B/*25.10A	----	25.80 - 4.20	.1571	----	----	----	----	15	UNCH
2400	----	----	----/*21.30A	23.90B/*21.30A	----	21.50 - 3.70	.1334	----	----	----	----	84	UNCH
2500	----	----	----/*15.70A	16.50B/*15.70A	----	15.30 - 3.00	.0973	----	----	----	----	194	UNCH
2600	----	----	----/*12.00A	11.70B/*12.00A	----	11.20 - 2.50	.0723	----	----	----	----	547	UNCH
2750	----	----	----/*8.80A	7.20B/*8.80A	----	7.30 - 2.00	.0476	----	----	----	----	105	UNCH
3000	----	----	----	3.40B/*6.30A	----	3.90 - 1.10	.0255	----	----	----	----	54	UNCH
TOTAL										32		1525	+
OCT26													
1720	----	----	----	----	----	305.20 - 18.20	.7588	----	----	----	----	1	UNCH
1800	----	----	277.30B/243.80A	277.30B/243.80A	----	255.30 - 16.00	.6889	----	----	----	----	1	UNCH
1900	----	----	220.60B/193.90A	220.60B/193.90A	----	203.00 - 13.30	.5976	----	----	----	----	2	UNCH
2000	165.00	165.00	174.50B/*152.00	174.50B/*152.00	----	160.80 - 11.00	.5088	----	----	4	----	10	+
2050	----	----	154.90B/*137.10	154.90B/*137.10	----	143.10 - 9.80	.4673	----	----	----	----	6	UNCH
2100	----	----	137.40B/*122.00	137.40B/*122.00	----	127.30 - 8.80	.4280	----	----	----	----	3	UNCH
2125	----	----	129.40B/*115.20	129.40B/*115.20	----	120.00 - 8.30	.4092	----	----	----	----	12	UNCH
2135	----	----	126.30B/*112.60	126.30B/*112.60	----	117.20 - 8.10	.4019	----	----	----	----	12	UNCH
2200	----	----	108.00B/*96.90A	108.00B/*96.90A	----	100.70 - 6.90	.3568	----	----	----	----	136	UNCH
2250	----	----	----/*86.40A	95.70B/*86.40A	----	89.50 - 6.30	.3249	----	----	----	----	1	UNCH
2300	----	----	----/*77.00A	84.80B/*77.00A	----	79.60 - 5.60	.2955	----	----	----	----	7	UNCH
2375	----	----	----/*64.70A	70.70B/*64.70A	----	66.80 - 4.80	.2538	----	----	----	----	50	UNCH
2400	----	----	----/*61.10A	66.50B/*61.10A	----	63.10 - 4.50	.2438	----	----	----	200	466	+
2500	----	----	----/*48.90A	52.30B/*48.90A	----	50.10 - 3.80	.2006	----	----	----	----	372	UNCH
2600	----	----	----/*39.50A	41.30B/*39.50A	----	40.20 - 3.10	.1656	----	----	----	----	23	UNCH
2635	----	----	----/*36.70A	38.10B/*36.70A	----	37.30 - 2.90	.1550	----	----	----	----	200	UNCH
2650	----	----	----/*35.70A	36.80B/*35.70A	----	36.10 - 2.80	.1506	----	----	----	----	25	UNCH
2700	----	----	----/*32.30A	32.90B/*32.30A	----	32.50 - 2.60	.1371	----	----	----	----	371	UNCH
2800	----	----	----/*27.00A	26.40B/*27.00A	----	26.40 - 2.10	.1138	----	----	----	----	39	UNCH
2850	----	----	----/*24.80A	23.70B/*24.80A	----	23.90 - 1.90	.1039	----	----	----	----	155	UNCH
2900	----	----	----/*22.80A	21.40B/*22.80A	----	21.60 - 1.80	.0948	----	----	----	----	210	UNCH
2950	----	----	----/*21.10A	19.30B/*21.10A	----	19.60 - 1.60	.0867	----	----	----	----	55	UNCH
3000	----	----	----	17.50B/*19.70A	----	17.80 - 1.50	.0793	----	----	----	----	230	UNCH
3200	----	----	----	12.00B/*15.30A	----	12.40 - 1.10	.0566	----	----	----	----	10	UNCH
3500	----	----	----	7.30B/*11.50A	----	7.90 - 0.60	.0365	----	----	----	----	10	UNCH
4000	----	----	----	3.60B/8.60A	----	5.00 - 0.40	.0224	----	----	----	----	5	UNCH
TOTAL									200	4		2412	+
JAN27												100	UNCH
2360	----	----	----	----	----	125.50 - 9.20	.3455	----	----	----	----	100	0
TOTAL													
PO PUT	PLATINUM OPTIONS												
JUL26													
1400	----	----	----	----/2.00A	----	0.10 UNCH	.0008	----	----	----	----	150	UNCH
1500	----	----	----	----/2.50A	----	0.50 + 0.10	.0062	----	----	----	----	153	UNCH
1550	----	----	----	0.10B/3.00A	----	1.10 + 0.20	.0132	----	----	----	----	200	UNCH
1600	----	----	----	1.40B/3.90A	----	2.30 + 0.40	.0263	----	----	----	----	324	UNCH
1650	----	----	3.90B/----	3.90B/5.60A	----	4.40 + 0.80	.0479	----	----	----	----	1	UNCH
1680	----	----	6.40B/----	6.40B/7.00A	----	6.40 + 1.10	.0672	----	----	----	----	50	UNCH
1700	----	----	8.50B/----	8.50B/8.20A	----	8.10 + 1.40	.0828	----	----	----	----	278	UNCH
1710	----	----	9.70B/----	9.70B/8.90A	----	9.10 + 1.60	.0917	----	----	----	----	1	UNCH
1725	----	----	11.80B/----	11.80B/10.10A	----	10.80 + 1.90	.1064	----	----	----	----	100	UNCH
1750	----	----	15.80B/----	15.80B/12.50A	----	14.10 + 2.40	.1340	----	----	----	----	50	UNCH
1800	27.00	27.00	27.00/27.00	27.00/19.60A	----	23.50 + 4.10	.2046	----	----	2	----	391	+
1805	----	----	28.20B/----	28.20B/20.50A	----	24.60 + 4.20	.2125	----	----	----	----	45	UNCH
1810	----	----	29.60B/----	29.60B/21.40A	----	25.80 + 4.40	.2208	----	----	----	----	15	UNCH
1815	26.40	26.40	31.00B/22.40A	31.00B/22.40A	----	27.10 + 4.60	.2294	----	----	15	----	30	+
1820	27.60	27.60	32.50B/23.30A	32.50B/23.30A	----	28.40 + 4.80	.2380	----	----	15	----	30	+
1825	----	----	34.10B/24.40A	34.10B/24.40A	----	29.80 + 5.10	.2470	----	----	----	----	55	UNCH
1830	----	----	35.70B/25.50A	35.70B/25.50A	----	31.20 + 5.30	.2560	----	----	----	----	15	UNCH
1835	----	----	37.40B/26.60A	37.40B/26.60A	----	32.70 + 5.50	.2653	----	----	----	----	15	UNCH
1840	----	----	39.20B/27.70A	39.20B/27.70A	----	34.20 + 5.80	.2746	----	----	----	----	15	UNCH
1850	----	----	42.80B/30.20A	42.80B/30.20A	----	37.40 + 6.20	.2938	----	----	----	----	40	UNCH
1900	60.60	60.60	64.60B/45.30A	64.60B/45.30A	----	56.70 + 8.60	.3960	----	----	1	----	242	+
1950	----	----	92.00B/65.90A	92.00B/65.90A	----	81.60 + 11.10	.5025	----	----	----	----	8	UNCH
1980	----	----	93.10B/81.00A	93.10B/81.00A	----	99.20 + 12.60	.5645	----	----	----	----	48	UNCH
1990	----	----	94.20B/86.40A	94.20B/86.40A	----	105.50 + 13.20	.5845	----	----	----	----	23	UNCH
2000	----	----	124.60B/92.10A	124.60B/92.10A	----	111.90 + 13.60	.6041	----	----	----	----	53	UNCH
2015	----	----	----/100.90A	95.90B/100.90A	----	122.00 + 14.40	.6325	----	----	----	----	25	UNCH
2030	----	----	----	----	----	132.50 + 15.10	.6598	----	----	----	----	23	UNCH
2035	----	----	----	----	----	136.00 + 15.30	.6688	----	----	----	----	46	UNCH
2075	----	----	181.40B/140.70A	181.40B/140.70A	----	166.10 + 17.00	.7338	----	----	----	----	1	UNCH
2085	----	----	----	----	----	174.00 + 17.40	.7485	----	----	----	----	1	UNCH
2100	----	----	202.10B/159.10A	202.10B/159.10A	----	186.00 + 17.90	.7695	----	----	----	----	225	UNCH
2130	----	----	----	----	----	211.00 + 18.80	.8072	----	----	----	----	23	UNCH
2135	----	----	----	----	----	215.30 + 19.00	.8128	----	----	----	----		

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
JUN26	CALL			
OG		4600	0	348
TOTALS			0	348
AUG26 COMEX GOLD OPTIONS				
JUN26	CALL			
OG		4560	0	30
OG		4950	0	60
TOTALS			0	90
DEC26 COMEX GOLD OPTIONS				
JUN26	CALL			
OG		4800	0	50
OG		5300	0	50
OG		6500	0	140
TOTALS			0	240
OG PUT COMEX GOLD OPTIONS				
JUN26	PUT			
OG		4500	0	150
TOTALS			0	150
JUL26 COMEX GOLD OPTIONS				
JUN26	PUT			
OG		4300	0	170
TOTALS			0	170
OCT26 COMEX GOLD OPTIONS				
JUN26	PUT			
OG		4100	0	50
TOTALS			0	50
DEC26 COMEX GOLD OPTIONS				
JUN26	PUT			
OG		4100	0	50
TOTALS			0	50
SO CALL COMEX SILVER OPTIONS				
JUN26	CALL			
SO		12000	0	400
TOTALS			0	400
DEC26 COMEX SILVER OPTIONS				
JUN26	CALL			
SO		11000	0	36
TOTALS			0	36
SO PUT COMEX SILVER OPTIONS				
JUN26	PUT			
SO		4500	0	400
TOTALS			0	400
DEC26 COMEX SILVER OPTIONS				
JUN26	PUT			
SO		7000	0	36
TOTALS			0	36
HX CALL COMEX COPPER OPTIONS				
JUL26	CALL			
HX		660	0	100
HX		675	0	100
TOTALS			0	200
HX PUT COMEX COPPER OPTIONS				
JUL26	PUT			
HX		610	0	50
TOTALS			0	50
PO CALL PLATINUM OPTIONS				
JUL26	CALL			
PO		2400	0	200
TOTALS			0	200
OCT26 PLATINUM OPTIONS				
JUL26	CALL			
PO		2400	0	200
TOTALS			0	200
HRO OPT U.S. MIDWEST DOMESTIC HOT-ROLLED CO				
JUL26	CALL			
HRO		120000	0	50
TOTALS			0	50
AUG26 U.S. MIDWEST DOMESTIC HOT-ROLLED CO				
JUL26	CALL			
HRO		120000	0	50
TOTALS			0	50
SEP26 U.S. MIDWEST DOMESTIC HOT-ROLLED CO				
JUL26	CALL			
HRO		120000	0	50
TOTALS			0	50
GMW MON GOLD WEEKLY MONDAY OPTION WEEK1				
JUN26	PUT			
G1M		4550	0	124
TOTALS			0	124
GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK1				
JUN26	PUT			
G1W		4500	0	150
TOTALS			0	150
GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK1				
JUN26	CALL			
G1W		4700	0	100
TOTALS			0	100
COO OPT COBALT METAL (FASTMARKETS) APO				
AUG26	CALL			
COO		2750	0	50
TOTALS			0	50
GWR THU GOLD WEEKLY THURSDAY OPTION week2				
JUN26	PUT			
G2R		4550	0	78
TOTALS			0	78