

PG64

BULLETIN # 91@

METALS OPTION PRODUCTS

Wed, May 13, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN
AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS,
CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN
THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU
DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	MAY26	MAY26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27
COO OPT	05/29													
ECG10 OP		05/12	05/13											
ECG11 OP		05/12	05/13											
ECG13 OP		05/12	05/13											
ECG15 OP		05/12	05/13											
ECG16 OP		05/12	05/13											
ECGC OOF		05/12	05/13											
ECHG OOF		05/12	05/13											
ECSI OOF		05/12	05/13											
EHO OPT	05/29			06/30	07/31	08/28	09/30							
FMG OPT	05/15													
FSO OPT	05/29			06/30										
GMW MON	05/18			06/15										
GWR THU	05/28			06/04										
GWT TUE	05/19			06/16										
GWV WED	05/27			06/03										
HMW MON	05/18			06/15										
HRO OPT	05/26			06/23	07/28	08/25	09/29	10/27	11/24	12/29				
HWR THU	05/28			06/04										
HWT TUE	05/19			06/09										
HWW WED	05/27			06/03	07/01	08/05								
HX CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HX PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HXE CALL	05/29			06/05										
HXE PUT	05/29													
LHO OPT	05/29			06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
MMG MON				06/01										
OG CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG1 CALL				06/05										
OG1 PUT				06/05										
OG3 CALL	05/15													
OG3 PUT	05/15													
OG4 CALL	05/22													
OG4 PUT	05/22													
OG5 CALL	05/29													
OG5 PUT	05/29													
OMG OPT				05/26	06/25	07/28								
PAO CALL				05/20	06/17	07/15	08/19			11/18				
PAO PUT				05/20	06/17	07/15	08/19			11/18				
PLW OOF	05/15			06/05										
PO CALL				05/20	06/17	07/15		09/16		12/16				
PO PUT				05/20	06/17			09/16		12/16				
RWS THU	05/28			06/04										
SMW MON	05/18			06/15										
SO CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
SO PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO1 CALL				06/05										
SO3 CALL	05/15													
SO3 PUT	05/15													
SO4 CALL	05/22													
SO4 PUT	05/22													
SO5 CALL	05/29													
SO5 PUT	05/29													
SWW WED	05/27			06/03										
TWS TUE	05/19			06/09										
WMG WED	05/20													

GOLD OPTIONS ON FUTURES													
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
WMG WED MAY26	MICRO GOLD WEEKLY WED OPTION WEEK2												
4700	----	----	----	----	----	0.00 - 31.20	----	----	----	----	----	0 -	1
4850	16.20	16.20	#16.20/*16.20	#16.20/*16.20	----	14.60 - NEW	.1634	----	----	3	----	3 +	3
4850	----	----	----	----	----	0.00 - 0.30	----	----	----	3	----	0 -	3
TOTAL										3		3 -	1
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OMG OPT JUN26	MICRO GOLD OPTIONS												
2500	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH
3950	----	----	----	----	----	1.20 - 0.30	----	----	----	----	----	1	UNCH
4200	----	----	----	----	----	2.50 - 1.00	----	----	----	----	----	1	UNCH
4260	----	----	----	----	----	3.20 - 1.60	----	----	----	----	----	1	UNCH
4300	----	----	----	----	----	3.90 - 2.10	----	----	----	----	----	4	UNCH
4500	----	----	----	----	----	15.80 - 7.30	----	----	----	----	----	6	UNCH
4600	----	----	----	----	----	35.80 - 11.80	----	----	----	----	----	1	UNCH
4625	----	----	----	----	----	43.60 - 12.90	----	----	----	----	----	1	UNCH
4645	----	----	----	----	----	50.70 - 13.80	----	----	----	----	----	6	UNCH
4700	----	----	----	----	----	81.40 + 3.70	----	----	----	----	----	1	UNCH
4720	----	----	----	----	----	85.20 - 16.90	----	----	----	----	----	2	UNCH
4800	----	----	----	----	----	42.30 + 0.80	----	----	----	----	----	1	UNCH
4900	----	----	----	----	----	21.00 - 0.50	----	----	----	----	----	1	UNCH
5100	----	----	----	----	----	5.90 - 0.30	----	----	----	----	----	1	UNCH
5400	----	----	----	----	----	1.70 - 0.20	----	----	----	----	----	0	UNCH
5875	----	----	----	----	----	0.50 - 0.10	----	----	----	----	----	1	UNCH
TOTAL												30	0
JUL26													
3400	----	----	----	----	----	1341.90 + 19.60	----	----	----	----	----	1	UNCH
3460	----	----	----	----	----	1282.10 + 19.60	----	----	----	----	----	1	UNCH
4200	----	----	----	----	----	16.60 - 3.30	----	----	----	----	----	1	UNCH
4300	----	----	----	----	----	24.90 - 4.80	----	----	----	----	----	1	UNCH
4500	----	----	----	----	----	59.10 - 8.70	----	----	----	----	----	4	UNCH
4600	----	----	----	----	----	89.30 - 10.80	----	----	----	----	----	2	UNCH
4700	----	----	----	----	----	172.20 + 7.10	----	----	----	----	----	1	UNCH
5000	----	----	----	----	----	63.30 + 2.10	----	----	----	----	----	2	UNCH
5050	----	----	----	----	----	53.20 + 1.70	----	----	----	----	----	1	UNCH
5200	----	----	----	----	----	31.50 + 0.60	----	----	----	----	----	1	UNCH
5300	----	----	----	----	----	22.70 + 0.40	----	----	----	----	----	3	UNCH
5500	----	----	----	----	----	12.60 + 0.20	----	----	----	----	----	2	UNCH
TOTAL												20	0
AUG26													
4400	----	----	----	----	----	72.10 - 7.60	----	----	----	----	----	5	UNCH
TOTAL												5	0
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG5 PUT MAY26	GOLD OPTIONS												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT
IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.



PG64 BULLETIN # 91@			METALS OPTION PRODUCTS										Wed, May 13, 2026			PG64	
GLOBEX OPEN		OPEN RANGE	OUTCRY	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG5 PUT MAY26		GOLD OPTIONS															
3700	----	----		----/1.00A	0.80B/1.00A		----		0.80 - 0.30	.0041	----	----	----	----	4	UNCH	
3800	----	----		----	1.10B/*1.40A		----		1.10 - 0.30	.0060	----	----	3	----	5 +	3	
3900	----	----		----/*1.70A	1.50B/*1.70A		----		1.50 - 0.40	.0087	----	----	1	----	9 -	1	
4000	2.00	2.00		2.00/*2.00	2.00/*2.00		----		1.90 - 0.50	.0118	----	----	7	----	13 +	7	
4100	----	----		----/*2.80A	2.60B/*2.80A		----		2.50 - 0.80	.0168	----	----	1	----	1	UNCH	
4150	3.70	3.70		4.00/*3.20A	4.00/*3.20A		----		3.00 NEW	.0208	----	----	42	----	42 +	42	
4200	4.40	4.40		4.60B/*3.80A	4.60B/*3.80A		----		3.50 NEW	.0252	----	----	9	----	9 +	9	
4250	----	----		----/*4.60A	5.10B/*4.60A		----		4.40 - 1.60	.0325	----	----	----	----	5	UNCH	
4275	----	----		----/*5.10A	5.70B/*5.10A		----		4.90 - 1.90	.0367	----	----	----	----	5	UNCH	
4300	6.70	6.70		7.00/*5.70A	7.00/*5.70A		----		5.60 - 2.20	.0422	----	----	18	----	20 +	17	
4325	7.70	7.70		8.00B/*6.50A	8.00B/*6.50A		----		6.30 - 2.60	.0481	----	----	4	----	4 +	4	
4350	----	----		----/*7.40A	8.70B/*7.40A		----		7.20 - 3.00	.0553	----	----	----	----	2	UNCH	
4375	----	----		----/*8.50A	10.10B/*8.50A		----		8.30 NEW	.0640	----	----	1	----	1 +	1	
4400	----	----		----/*9.90A	11.80B/*9.90A		----		9.70 - 3.90	.0747	----	----	----	----	104	UNCH	
4450	15.50	15.50		16.50/*13.50A	16.50/*13.50A		----		13.30 - 5.20	.1017	----	----	19	----	28 -	2	
4475	----	----		----/*15.90A	19.40B/*15.90A		----		15.70 - 6.00	.1190	----	----	----	----	57	UNCH	
4500	19.10	19.10		19.10/*18.90A	23.00B/*18.90A		----		18.70 - 6.70	.1396	----	----	10	----	176 +	10	
4525	----	----		----/*22.60A	27.50B/*22.60A		----		22.20 - 7.70	.1629	----	----	----	----	2	UNCH	
4550	27.10	27.10		27.10/*27.00A	32.60B/27.00A		----		26.50 - 8.50	.1900	----	----	10	----	11 +	10	
4575	32.60	32.60		32.60/32.10A	38.70B/32.10A		----		31.60 - 9.40	.2205	----	----	10	----	10 +	10	
4600	39.30	39.30		39.30/37.90A	45.70B/37.90A		----		37.70 - 10.20	.2546	----	----	10	----	16 +	10	
4625	52.00	52.00		53.80B/44.60A	53.80B/44.60A		----		44.70 - 11.00	.2915	----	----	17	----	17 +	8	
4650	----	----		----/52.10A	63.00B/52.10A		----		52.70 - 12.00	.3310	----	----	----	----	2	UNCH	
4675	----	----		----/60.40A	73.40B/60.40A		----		61.80 - 13.00	.3728	----	----	----	----	17	UNCH	
4700	----	----		----/69.60A	85.00B/69.60A		----		72.10 - 14.00	.4162	----	----	----	----	4	UNCH	
4750	----	----		----/91.40A	111.80B/91.40A		----		96.00 - 16.20	.5052	----	----	3	----	4 +	3	
4775	----	----		----/103.90A	126.30B/103.90A		----		109.90 - 17.00	.5494	----	----	10	----	14 +	10	
TOTAL													175	----	582 +	141	
GLOBEX OPEN		OPEN RANGE	OUTCRY	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG5 CALL MAY26		GOLD OPTIONS															
4600	----	----		188.50B/160.40A	188.50B/160.40A		----		179.20 + 9.60	.7449	----	----	----	----	2	UNCH	
4625	----	----		170.80B/143.60A	170.80B/143.60A		----		161.20 + 8.70	.7080	----	----	----	----	1	UNCH	
4725	----	----		118.30B/87.30A	118.30B/87.30A		----		100.10 + 4.60	.5390	----	----	----	----	1	UNCH	
4750	----	----		104.70B/75.80A	104.70B/75.80A		----		87.70 + 3.60	.4943	----	----	3	----	5 +	3	
4775	----	----		92.50B/66.10A	92.50B/66.10A		----		76.60 + 2.70	.4501	----	----	10	----	14 +	10	
4875	----	----		53.80B/37.30A	53.80B/37.30A		----		43.30 NEW	.2911	----	----	1	----	1 +	1	
4900	----	----		46.70B/32.20A	46.70B/32.20A		----		37.40 + 0.50	.2579	----	230	----	331 +	230		
4925	----	----		40.70B/27.70A	40.70B/27.70A		----		32.20 + 0.20	.2274	----	1	----	153 +	1		
4950	----	----		35.10B/23.90A	35.10B/23.90A		----		27.70 UNCH	.1998	----	----	----	2	UNCH		
4975	----	----		30.50B/20.60A	30.50B/20.60A		----		23.90 - 0.20	.1754	----	----	----	1	UNCH		
5000	27.00	27.00		27.00/17.90A	27.00/17.90A		----		20.60 - 0.30	.1536	----	420	----	687 +	265		
5025	15.80	15.80		22.80B/15.50A	22.80B/15.50A		----		17.80 NEW	.1344	----	10	----	10 +	10		
5050	13.50	13.50		19.60B/13.40A	19.60B/13.40A		----		15.40 - 0.50	.1175	----	10	----	13 +	10		
5075	----	----		17.20B/11.80A	17.20B/11.80A		----		13.40 - 0.50	.1030	----	1	----	2 +	1		
5100	----	----		14.80B/10.40A	14.80B/10.40A		----		11.70 - 0.50	.0904	----	230	----	333 +	230		
5125	----	----		12.80B/9.20A	12.80B/9.20A		----		10.20 - 0.50	.0792	----	----	----	2	UNCH		
5200	----	----		8.40B/*6.50A	8.40B/6.50A		----		7.10 - 0.30	.0549	----	4	----	7 +	2		
5225	6.60	6.60		7.30B/*5.90A	7.30B/*5.90A		----		6.30 - 0.30	.0486	----	1	----	1	UNCH		
5250	----	----		6.40B/*5.30A	6.40B/5.30A		----		5.70 NEW	.0437	----	3	----	3 +	3		
5300	5.60	5.60		5.60/*4.40A	5.60/4.40A		----		4.70 - 0.10	.0355	----	4	----	6 +	1		
5400	4.20	4.20		4.20/*3.10	4.20/*3.10		----		3.30 - 0.10	.0241	----	40	----	36 +	27		
5500	----	----		----	2.40B/*2.50A		----		2.50 UNCH	.0175	----	1	----	1 +	1		
5600	----	----		----	1.80B/*2.00A		----		1.90 - 0.10	.0128	----	----	----	1	UNCH		
5750	----	----		----	1.20B/*1.50A		----		1.40 UNCH	.0088	----	----	----	3	UNCH		
TOTAL													969	----	1616 +	795	
GLOBEX OPEN		OPEN RANGE	OUTCRY	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG4 PUT MAY26		GOLD OPTIONS															
3500	----	----		----	----/1.10A		----		0.20 - 0.10	.0008	----	----	----	----	17	UNCH	
3800	----	----		----	0.40B/0.90A		----		0.50 - 0.30	.0026	----	----	----	----	8	UNCH	
3900	----	----		----/0.90A	0.60B/0.90A		----		0.60 - 0.40	.0035	----	----	----	----	16	UNCH	
4000	1.20	1.20		1.20/*1.00A	1.20/*1.00A		----		0.70 - 0.50	.0046	----	2	----	15	UNCH		
4075	----	----		----/*1.30A	1.20B/*1.30A		----		0.90 - 0.60	.0064	----	----	----	19	UNCH		
4100	1.30	1.30		1.30/*1.30	1.30/*1.30		----		1.00 - 0.70	.0073	----	2	----	3 +	2		
4125	----	----		----/*1.50A	1.40B/*1.50A		----		1.10 - 0.70	.0082	----	----	----	2	UNCH		
4150	----	----		----/*1.60A	1.60B/*1.60A		----		1.20 - 0.80	.0092	----	2	----	27 -	2		
4175	----	----		----/*1.70A	1.80B/*1.70A		----		1.40 - 0.80	.0109	----	----	----	1	UNCH		
4200	----	----		----/*1.80A	2.00B/*1.80A		----		1.50 - 1.00	.0121	----	----	----	11	UNCH		
4225	----	----		----/*1.90A	2.20B/*1.90A		----		1.80 - 1.00	.0148	----	----	----	4	UNCH		
4250	----	----		----/*2.10A	2.50B/*2.10A		----		2.00 - 1.20	.0169	----	2	----	13	UNCH		
4275	----	----		----/*2.30A	2.90B/*2.30A		----		2.30 - 1.30	.0198	----	----	----	25	UNCH		
4300	3.30	3.30		3.80/*2.70A	3.80/*2.70A		----		2.70 - 1.50	.0237	----	51	----	52 +	48		
4325	----	----		----/*3.10A	4.00B/*3.10A		----		3.10 - 1.80	.0279	----	----	----	16	UNCH		
4350	4.50	4.50		4.50/*3.70A	4.70B/*3.70A		----		3.50 - 2.30	.0324	----	1	----	3	UNCH		
4375	----	----		----/*4.40A	5.70B/*4.40A		----		4.20 - 2.70	.0395	----	----	----	33	UNCH		
4400	8.40	8.40		8.40/*5.10A	8.40/*5.10A		----		4.90 - 3.30	.0471	----	3	----	24 +	2		
4425	6.40	6.40		6.40/*6.20A	8.20B/*6.20A		----		6.00 - 3.90	.0581	----	1	----	12 +	1		
4450	11.90	11.90		11.90/*7.50A	11.90/*7.50A		----		7.30 - 4.80	.0714	----	4	----	30 +	2		
4475	12.30	12.30		12.40B/*9.20A	12.40B/*9.20A		----		9.10 - 5.70	.0889	----	6	----	6 +	4		
4500	15.50	15.50		15.50/*11.40A	15.50/*11.40A		----		11.40 - 6.70	.1106	----	38	----	61 +	33		
4525	17.50	17.50		19.30B/14.30A	19.30B/14.30A		----		14.30 - 7.90	.1371	----	5	----	41 +	5		
4550	----	----		----/18.00A	24.20B/18.00A		----		18.00 - 9.30	.1694	----	----	----	13	UNCH		
4575	----	----		----/22.60A	30.20B/22.60A		----		22.60 - 10.70	.2075	----	1	----	13 +	1		
4600	27.70	27.70		27.70/27.70	37.40B/27.70		----		28.40 - 12.10	.2521	----	3	----	137 +	1		
4625	42.90	42.90		42.90/35.00A	46.20B/35.00A		----		35.50 - 13.50	.3024	----	1	----	17 +	1		
4650	----	----		----/43.10A	56.40B/43.10A		----		44.00 - 14.80	.3575	----	1	----	3	UNCH		
4675	63.70	63.70		64.10/52.10A	68.00B/52.10A		----		54.00 NEW	.4161	----	52	----	51 +	51		
4700	72.00	72.00		81.30B/62.10A	81.30B/62.10A		----		65.50 - 17.10	.4766	----	21	----	23 +	10		
4725	----	----		----/73.70A	96.50B/73.70A		----		78.70 - 18.00	.5372	----	----	----	12	UNCH		
4775	----	----		130.60B/100.90A	130.60B/100.90A		----		109.60 - 19.30	.6518	----	----	----	2	UNCH		
4850	----	----		190.40B/152.20A	190.40B/152.20A		----		165.90 - 20.30	.7898	----	1	----	2 +	1		
4900	----	----		234.20B/191.50A	234.20B/191.50A		----		208.30 - 20.60	.8549	----	----	----	3	UNCH		
TOTAL													197	----	715 +	160	
GLOBEX OPEN		OPEN RANGE	OUTCRY	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG4 CALL MAY26		GOLD OPTIONS															
4500	----	----		244.00B/193.60A	244.00B/193.60A		----		217.90 + 13.20	.8891	----	----	----	----	1	UNCH	
4525	----	----		221.60B/172.50A	221.60B/172.50A		----		195.80 + 12.00	.8626	----	----	----	----	15	UNCH	
4550	----	----		200.00B/152.40A	200.00B/152.40A		----		174.60 + 10.80	.8303	----	----	----	----	1		



G6G4	BULLETIN # 91@										METALS OPTION PRODUCTS										Wed, May 13, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
OG4 CALL	GOLD OPTIONS																									
MAY26																										
5150	----	----		3.10B/*2.40A	3.10B/*2.40A	----		2.80 - 0.20		.0254	----	----	----	----	6	UNCH										
5175				2.70B/*2.10A	2.70B/*2.10A	----		2.50 - 0.10		.0223	----	----	----	----	3	UNCH										
5200	1.80	1.80		1.80/*1.80	2.30B/*1.80	----		2.20 - 0.10		.0193	----	----	25	----	25 +	21										
5225	----	----		----/*1.80A	2.10B/*1.80A	----		1.90 - 0.20		.0164	----	----	----	----	2	UNCH										
5300	----	----		----/*1.40A	1.40B/*1.40A	----		1.40 - 0.10		.0114	----	----	----	----	3	UNCH										
5400	----	----		----/*1.00A	1.00B/*1.00A	----		1.00 - 0.10		.0076	----	----	----	----	2	UNCH										
5500	----	----		----/*0.80A	0.70B/*0.80A	----		0.70 - 0.20		.0050	----	----	----	----	14	UNCH										
5600	----	----		----/*0.60A	0.50B/*0.60A	----		0.60 - 0.20		.0039	----	----	----	----	15	UNCH										
6000	----	----		----	----/0.50A	----		0.10 - 0.10		.0005	----	----	----	----	1	UNCH										
TOTAL													355	30	1982+	276										
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
OG3 PUT	GOLD OPTIONS																									
MAY26																										
3500	----	----		----	----/0.50A	----		0.10 UNCH		----	----	----	----	----	10	UNCH										
3700	----	----		----	----/9.00A	----		0.10 UNCH		----	----	----	----	----	2	UNCH										
3750	----	----		----	----/0.40A	----		0.10 UNCH		----	----	----	----	----	6	UNCH										
3800	----	----		----	----/0.50A	----		0.10 UNCH		.0087	----	----	----	----	56	UNCH										
3900	----	----		----	----/0.40A	----		0.10 UNCH		----	----	----	----	----	69	UNCH										
4000	----	----		----	----/*0.20A	----		0.10 UNCH		----	----	----	----	----	66	UNCH										
4100	----	----		----	----/0.30A	----		0.10 - 0.10		----	----	----	----	----	22	UNCH										
4125	----	----		----	----/*0.40A	----		0.10 - 0.10		----	----	----	----	----	1	UNCH										
4150	----	----		----	0.10B/*0.20A	----		0.10 - 0.10		.0000	----	----	----	----	7	UNCH										
4175	----	----		----	----/*0.40A	----		0.10 - 0.20		.0000	----	----	----	----	3	UNCH										
4200	0.40	0.40		0.40/*0.10	0.40/*0.10	----		0.10 - 0.20		.0000	----	----	3	----	131 -	1										
4225	----	----		----/*0.30A	0.20B/*0.30A	----		0.10 - 0.30		.0000	----	----	----	----	4	UNCH										
4250	----	----		----/*0.30A	0.30B/*0.30A	----		0.10 - 0.40		.0001	----	----	----	----	48	UNCH										
4260	----	----		----/*0.30A	0.30B/*0.30A	----		0.20 - 0.30		.0005	----	----	----	----	1	UNCH										
4270	----	----		----/*0.50A	0.30B/*0.50A	----		0.20 - 0.40		.0005	----	----	----	----	2	UNCH										
4275	----	----		----/*0.50A	0.30B/*0.50A	----		0.20 - 0.40		.0005	----	----	----	----	49	UNCH										
4295	----	----		----/*0.50A	0.40B/*0.50A	----		0.20 - 0.50		.0005	----	----	----	----	1	UNCH										
4300	----	----		----/*0.30A	0.40B/*0.30A	----		0.20 - 0.50		.0005	----	----	----	----	387	UNCH										
4325	0.30	0.30		0.30/*0.30	0.50B/*0.30	----		0.30 - 0.60		.0010	----	----	3	----	42 +	3										
4330	0.30	0.30		0.30/*0.30	0.50B/*0.30	----		0.30 NEW		.0010	----	----	2	----	2 +	2										
4335	----	----		----/*0.60A	0.60B/*0.60A	----		0.30 - 0.60		.0010	----	----	----	----	2	UNCH										
4350	0.50	0.50		0.50/*0.50	0.60B/*0.50	----		0.40 - 0.70		.0015	----	----	1	----	55	UNCH										
4365	----	----		----/*0.60A	0.70B/*0.60A	----		0.50 - 0.70		.0021	----	----	----	----	3	UNCH										
4370	----	----		----/*0.70A	0.80B/*0.70A	----		0.50 - 0.80		.0021	----	----	----	----	2	UNCH										
4375	1.00	1.00		1.00/*0.70A	1.00/*0.70A	----		0.50 - 0.80		.0021	----	----	3	----	57 -	3										
4400	0.80	0.80		0.80/*0.50	1.00B/*0.50	----		0.60 - 1.00		.0029	----	----	3	----	89	UNCH										
4415	----	----		----/*0.80A	1.20B/*0.80A	----		0.70 - 1.10		.0037	----	----	----	----	119	UNCH										
4425	----	----		----/*0.90A	1.40B/*0.90A	----		0.70 - 1.30		.0038	----	----	1	----	210 -	1										
4435	----	----		----/*0.90A	1.40B/*0.90A	----		0.80 - 1.40		.0046	----	----	----	----	1	UNCH										
4445	----	----		----/*1.00A	1.60B/*1.00A	----		0.90 - 1.50		.0055	----	----	----	----	3	UNCH										
4450	1.40	1.40		1.40/*1.00	1.70B/*1.00	----		0.90 - 1.60		.0056	----	----	4	----	196 -	2										
4460	----	----		----/*1.10A	1.90B/*1.10A	----		1.00 - 1.80		.0066	----	----	----	----	2	UNCH										
4465	----	----		----/*1.10A	2.00B/*1.10A	----		1.00 - 1.90		.0067	----	----	----	----	3	UNCH										
4475	----	----		----/*1.20A	2.10B/*1.20A	----		1.10 - 2.10		.0078	----	2	----	----	64	UNCH										
4480	----	----		----/*1.20A	2.40B/*1.20A	----		1.20 - 2.20		.0087	----	----	----	----	2	UNCH										
4485	----	----		----/*1.30A	2.50B/*1.30A	----		1.20 - 2.40		.0090	----	----	----	----	1	UNCH										
4490	----	----		----/*1.30A	2.70B/*1.30A	----		1.30 - 2.50		.0100	----	----	1	----	3 +	1										
4500	2.40	2.40		3.30/*1.40	3.30/*1.40	----		1.40 - 2.80		.0113	----	45	----	----	251 +	12										
4505	----	----		----/*1.50A	3.50B/*1.50A	----		1.50 - 3.00		.0125	----	----	----	----	2	UNCH										
4510	----	----		----/*1.60A	3.60B/*1.60A	----		1.60 - 3.10		.0137	----	2	----	----	3 +	1										
4515	----	----		----/*1.70A	3.70B/*1.70A	----		1.70 - 3.30		.0150	----	----	----	----	3	UNCH										
4520	----	----		----/*1.80A	4.10B/*1.80A	----		1.80 - 3.50		.0163	----	1	----	----	2 +	1										
4525	3.00	3.00		3.00/*1.90A	4.50B/*1.90A	----		1.90 - 3.70		.0177	----	9	----	----	53 +	2										
4530	----	----		----/*2.10A	4.60B/*2.10A	----		2.00 - 4.00		.0191	----	----	----	----	1	UNCH										
4535	----	----		----/*2.20A	4.90B/*2.20A	----		2.10 - 4.30		.0207	----	----	----	----	4	UNCH										
4540	----	----		----/*2.40A	5.30B/*2.40A	----		2.30 - 4.50		.0233	----	----	----	----	4	UNCH										
4545	4.30	4.30		4.30/*2.50A	5.70B/*2.50A	----		2.40 - 4.80		.0250	----	1	----	----	7 +	1										
4550	4.40	4.40		4.40/*2.70A	6.20B/*2.70A	----		2.60 - 5.10		.0278	----	23	----	----	372 +	1										
4555	5.30	5.30		5.30/*2.90A	6.50B/*2.90A	----		2.80 - 5.40		.0307	----	1	----	----	3 +	1										
4560	5.40	5.40		5.40/*3.10A	7.00B/*3.10A	----		3.00 - 5.70		.0338	----	2	----	----	18 +	2										
4565	----	----		----/*3.30A	7.50B/*3.30A	----		3.20 - 6.10		.0371	----	----	----	----	7	UNCH										
4570	5.40	5.40		5.50/*3.60A	8.00B/*3.60A	----		3.40 - 6.50		.0405	----	4	----	----	6 +	3										
4575	5.80	5.80		6.60/*3.90A	8.50B/*3.90A	----		3.70 - 6.80		.0451	----	9	----	----	69 +	3										
4580	5.70	5.70		5.70/*4.10A	9.10B/*4.10A	----		4.00 - 7.30		.0500	----	4	----	----	22 +	4										
4585	6.10	6.10		6.10/*4.40A	9.80B/*4.40A	----		4.40 - 7.60		.0562	----	5	----	----	10 +	4										
4590	----	----		----/*4.80A	10.50B/*4.80A	----		4.70 - 8.10		.0616	----	15	----	----	14 +	13										
4595	9.90	9.90		9.90/*5.20A	11.10B/*5.20A	----		5.10 - 8.60		.0683	----	3	----	----	8	UNCH										
4600	9.80	9.80		10.60/*5.60A	12.00B/*5.60A	----		5.60 - 9.00		.0765	----	274	----	----	200 -	94										
4605	10.00	10.00		10.50/*6.00A	12.90B/*6.00A	----		6.10 NEW		.0850	----	7	----	----	5 +											

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS														
JUN26																
3840	----	----	----	/*1.00A	0.90B	/*1.00A	----	1.00	- 0.20	.0057	----	----	----	----	4	UNCH
3845	----	----	----	/1.10A	1.00B	/1.10A	----	1.00	- 0.20	.0058	----	----	----	----	1	UNCH
3850	----	----	----	/*1.00A	1.00B	/*1.00A	----	1.00	- 0.20	.0058	----	----	----	----	693	UNCH
3855	----	----	----	/*1.10A	1.00B	/*1.10A	----	1.00	- 0.20	.0058	----	----	----	----	73	UNCH
3860	----	----	----	/*1.10A	1.00B	/*1.10A	----	1.00	- 0.20	.0059	----	----	----	----	29	UNCH
3865	----	----	----	/*1.10A	1.00B	/*1.10A	----	1.00	- 0.20	.0059	----	----	----	----	19	UNCH
3870	----	----	----	/*1.00A	1.00B	/*1.00A	----	1.00	- 0.20	.0059	----	----	----	----	16	UNCH
3875	1.00	1.00	1.00	/*1.00	1.00	/*1.00	----	1.00	- 0.20	.0060	----	1	----	----	163 +	1
3880	----	----	----	/*1.10A	1.10B	/*1.10A	----	1.00	- 0.30	.0060	----	----	----	----	25	UNCH
3885	----	----	----	/*1.10A	1.10B	/*1.10A	----	1.00	- 0.30	.0060	----	----	----	----	13	UNCH
3890	----	----	----	/*1.10A	1.10B	/*1.10A	----	1.00	- 0.30	.0061	----	----	----	----	49	UNCH
3895	----	----	----	/*1.10A	1.10B	/*1.10A	----	1.00	- 0.30	.0061	----	----	----	----	16	UNCH
3900	1.00	1.00	1.50	/*1.00	1.50	/*1.00	----	1.00	- 0.30	.0061	----	19	----	----	1184 +	13
3905	----	----	----	/*1.20A	1.10B	/*1.20A	----	1.00	- 0.30	.0062	----	----	----	----	45	UNCH
3910	----	----	----	/*1.20A	1.20B	/*1.20A	----	1.00	- 0.30	.0062	----	----	----	----	10	UNCH
3915	----	----	----	/*1.20A	1.20B	/*1.20A	----	1.00	- 0.40	.0063	----	----	----	----	24	UNCH
3920	----	----	----	/*1.20A	1.20B	/*1.20A	----	1.10	- 0.30	.0068	----	2	----	----	34 -	2
3925	1.30	1.30	1.30	/*1.20A	1.30	/*1.20A	----	1.10	- 0.30	.0069	----	7	----	----	54 -	5
3930	----	----	----	/*1.20A	1.30B	/*1.20A	----	1.10	- 0.30	.0069	----	----	----	----	19	UNCH
3935	----	----	----	/*1.20A	1.30B	/*1.20A	----	1.10	- 0.30	.0070	----	----	----	----	27	UNCH
3940	----	----	----	/*1.20A	1.30B	/*1.20A	----	1.20	- 0.20	.0075	----	----	----	----	102	UNCH
3945	----	----	----	/*1.20A	1.30B	/*1.20A	----	1.20	- 0.30	.0076	----	----	----	----	18	UNCH
3950	1.70	1.70	1.70	/*1.20	1.70	/*1.20	----	1.20	- 0.30	.0076	----	34	----	----	327 +	16
3955	1.20	1.20	1.30	/*1.20	1.30	/*1.20	----	1.20	- 0.30	.0077	----	11	----	----	13	UNCH
3960	----	----	----	/*1.30A	1.40B	/*1.30A	----	1.20	- 0.30	.0077	----	----	----	----	39	UNCH
3965	----	----	----	/*1.30A	1.40B	/*1.30A	----	1.20	- 0.30	.0078	----	----	----	----	23	UNCH
3970	----	----	----	/*1.30A	1.40B	/*1.30A	----	1.30	- 0.30	.0084	----	----	----	----	69	UNCH
3975	----	----	----	/*1.30A	1.40B	/*1.30A	----	1.30	- 0.30	.0084	----	----	----	----	358	UNCH
3980	----	----	----	/*1.30A	1.40B	/*1.30A	----	1.30	- 0.30	.0085	----	----	----	----	152	UNCH
3985	----	----	----	/*1.30A	1.40B	/*1.30A	----	1.30	- 0.30	.0085	----	2	----	----	57	UNCH
3990	----	----	----	/*1.30A	1.40B	/*1.30A	----	1.30	- 0.40	.0086	----	----	----	----	64	UNCH
3995	----	----	----	/*1.30A	1.50B	/*1.30A	----	1.30	- 0.40	.0086	----	----	----	----	175	UNCH
4000	1.80	1.80	1.90	/*1.40A	1.90	/*1.40A	----	1.30	- 0.40	.0087	----	55	----	----	4259 -	27
4005	----	----	----	/*1.40A	1.50B	/*1.40A	----	1.30	- 0.40	.0088	----	----	----	----	61	UNCH
4010	----	----	----	/*1.40A	1.60B	/*1.40A	----	1.30	- 0.50	.0088	----	----	----	----	65	UNCH
4015	----	----	----	/*1.40A	1.60B	/*1.40A	----	1.30	- 0.50	.0089	----	----	----	----	58	UNCH
4020	----	----	----	/*1.40A	1.60B	/*1.40A	----	1.30	- 0.50	.0089	----	----	----	----	124	UNCH
4025	----	----	----	/*1.50A	1.60B	/*1.50A	----	1.30	- 0.50	.0090	----	----	----	----	314	UNCH
4030	----	----	----	/*1.50A	1.70B	/*1.50A	----	1.40	- 0.50	.0096	----	----	----	----	48	UNCH
4035	----	----	----	/*1.60A	1.70B	/*1.60A	----	1.40	- 0.50	.0097	----	----	----	----	56	UNCH
4040	----	----	----	/*1.60A	1.80B	/*1.60A	----	1.40	- 0.50	.0098	----	----	----	----	94	UNCH
4045	----	----	----	/*1.60A	1.70B	/*1.60A	----	1.40	- 0.50	.0098	----	----	----	----	39	UNCH
4050	2.10	2.10	2.10	/*1.60A	2.10	/*1.60A	----	1.40	- 0.60	.0099	----	1	----	----	1203 -	1
4055	----	----	----	/*1.60A	1.80B	/*1.60A	----	1.50	- 0.50	.0106	----	----	----	----	41	UNCH
4060	----	----	----	/*1.70A	1.80B	/*1.70A	----	1.50	- 0.50	.0106	----	----	----	----	97	UNCH
4065	1.80	1.80	1.80	/*1.60A	1.80	/*1.60A	----	1.50	- 0.60	.0107	----	136	----	----	153 +	10
4070	----	----	----	/*1.70A	1.90B	/*1.70A	----	1.50	- 0.60	.0108	----	2	----	----	64 -	2
4075	1.70	1.70	1.70	/*1.70	1.90B	/*1.70	----	1.60	- 0.60	.0115	----	2	----	----	266 -	2
4080	----	----	----	/*1.70A	1.90B	/*1.70A	----	1.60	- 0.60	.0115	----	----	----	----	157	UNCH
4085	----	----	----	/*1.80A	2.00B	/*1.80A	----	1.60	- 0.60	.0116	----	----	----	----	270	UNCH
4090	----	----	----	/*1.80A	2.00B	/*1.80A	----	1.70	- 0.60	.0123	----	68	----	----	107 -	3
4095	----	----	----	/*1.80A	2.00B	/*1.80A	----	1.70	- 0.60	.0124	----	----	----	----	2079	UNCH
4100	2.40	2.40	2.50	/*1.80	2.50	/*1.80	----	1.70	- 0.60	.0125	----	28	----	----	2488 +	5
4105	2.20	2.20	2.20	/*1.90A	2.20	/*1.90A	----	1.80	- 0.60	.0132	----	1	----	----	2069 -	1
4110	----	----	----	/*1.90A	2.10B	/*1.90A	----	1.80	- 0.60	.0133	----	1	----	----	156	UNCH
4115	----	----	----	/*1.90A	2.20B	/*1.90A	----	1.80	- 0.70	.0134	----	----	----	----	472	UNCH
4120	----	----	----	/*2.00A	2.20B	/*2.00A	----	1.90	- 0.60	.0141	----	1	----	----	84 -	1
4125	----	----	----	/*2.00A	2.30B	/*2.00A	----	1.90	- 0.70	.0142	----	30	----	----	387 -	5
4130	----	----	----	/*2.00A	2.30B	/*2.00A	----	1.90	- 0.70	.0143	----	----	----	----	52	UNCH
4135	----	----	----	/*2.10A	2.30B	/*2.10A	----	2.00	- 0.70	.0150	----	----	----	----	47	UNCH
4140	----	----	----	/*2.10A	2.40B	/*2.10A	----	2.00	- 0.70	.0151	----	8	----	----	41 -	5
4145	2.40	2.40	2.40	/*2.10A	2.40	/*2.10A	----	2.00	- 0.80	.0153	----	106	----	----	166 -	101
4150	2.00	2.00	2.00	/*2.00	2.50B	/*2.00	----	2.10	- 0.70	.0160	----	164	----	----	542 -	32
4155	----	----	----	/*2.20A	2.50B	/*2.20A	----	2.10	- 0.80	.0161	----	----	----	----	43	UNCH
4160	----	----	----	/*2.20A	2.60B	/*2.20A	----	2.10	- 0.90	.0162	----	----	----	----	223	UNCH
4165	2.60	2.60	2.70B	/*2.30A	2.70B	/*2.30A	----	2.20	- 0.80	.0170	----	1	----	----	34	UNCH
4170	2.70	2.70	2.70	/*2.30A	2.70	/*2.30A	----	2.20	- 0.90	.0171	----	5	----	----	56 +	1
4175	2.70	2.70	2.70	/*2.40A	2.80B	/*2.40A	----	2.30	- 0.90	.0179	----	3	----	----	931 -	1
4180	2.70	2.70	2.70	/*2.40A	2.80B	/*2.40A	----	2.30	- 0.90	.0180	----	1	----	----	124	UNCH
4185	3.30	3.30	3.30	/*2.50A	3.30	/*2.50A	----	2.30	- 1.00	.0182	----	2	----	----	22	UNCH
4190	2.90	2.90	2.90	/*2.50A	3.30B	/*2.50A	----	2.40	- 1.00	.0190	----	2	----	----	40 +	1
4195	3.10</															



GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT	COMEX GOLD OPTIONS											
JUN26												
4525	21.90	21.90	25.60B/19.40A	25.60B/19.40A	----	19.40 - 8.40	.1659	----	----	40	----	550 +
4530	24.50	24.50	26.60B/20.30A	26.60B/20.30A	----	20.20 - 8.70	.1720	----	----	7	----	352 -
4535	25.00	25.00	27.60B/21.10A	27.60B/21.10A	----	21.10 - 8.80	.1785	----	----	8	----	183 -
4540	23.60	23.60	25.50/22.00A	28.70B/22.00A	----	21.90 - 9.10	.1847	----	----	4	----	275 UNCH
4545	23.80	23.80	24.60/23.00A	29.80B/23.00A	----	22.90 - 9.30	.1917	----	----	23	----	125 +
4550	26.10	26.10	31.10B/23.90A	31.10B/23.90A	----	23.80 - 9.60	.1984	----	----	39	50	1265 +
4555	29.10	29.10	29.10/24.90A	32.30B/24.90A	----	24.80 - 9.80	.2055	----	----	3	----	111 UNCH
4560	30.90	30.90	33.60B/25.90A	33.60B/25.90A	----	25.90 - 10.00	.2131	----	----	3	----	145 UNCH
4565	33.20	33.20	35.00B/27.00A	35.00B/27.00A	----	27.00 - 10.20	.2206	----	----	4	----	239 -
4570	33.50	33.50	36.30B/28.00A	36.30B/28.00A	----	28.10 - 10.50	.2282	----	----	15	----	184 +
4575	34.50	34.50	37.80B/29.20A	37.80B/29.20A	----	29.30 - 10.70	.2362	----	----	6	----	326 UNCH
4580	35.00	35.00	39.30B/30.30A	39.30B/30.30A	----	30.50 - 10.90	.2442	----	----	17	----	254 -
4585	36.10	36.10	40.70B/31.50A	40.70B/31.50A	----	31.80 - 11.10	.2525	----	----	14	----	217 +
4590	35.00	35.00	35.00/32.70A	42.30B/32.70A	----	33.10 - 11.30	.2609	----	----	7	----	242 -
4595	38.80	38.80	44.00B/34.10A	44.00B/34.10A	----	34.40 - 11.60	.2694	----	----	4	----	99 -
4600	40.50	40.50	45.70B/35.40A	45.70B/35.40A	----	35.80 - 11.80	.2781	----	----	123	----	3400 +
4605	44.60	44.60	47.40B/36.90A	47.40B/36.90A	----	37.30 - 12.00	.2872	----	----	21	----	125 +
4610	46.30	46.30	49.20B/38.20A	49.20B/38.20A	----	38.80 - 12.20	.2962	----	----	16	----	212 -
4615	----	----	----/39.70A	51.00B/39.70A	----	40.30 - 12.50	.3053	----	----	----	----	58 UNCH
4620	45.50	45.50	53.00B/41.20A	53.00B/41.20A	----	41.90 - 12.70	.3147	----	----	6	----	323 -
4625	50.90	50.90	54.90B/42.70A	54.90B/42.70A	----	43.60 - 12.90	.3243	----	----	37	----	893 +
4630	52.40	52.40	52.40/44.30A	56.90B/44.30A	----	45.30 - 13.10	.3339	----	----	3	----	202 +
4635	49.30	49.30	53.70/45.90A	59.00B/45.90A	----	47.10 - 13.30	.3437	----	----	2	----	107 UNCH
4640	49.60	49.60	55.70/47.50A	61.10B/47.50A	----	48.90 - 13.50	.3536	----	----	3	----	84 +
4645	53.00	53.00	53.00/49.10A	63.30B/49.10A	----	50.70 - 13.80	.3634	----	----	1	----	99 -
4650	51.90	51.90	65.50B/50.80A	65.50B/50.80A	----	52.60 - 14.10	.3735	----	----	23	----	1546 +
4655	----	----	----/52.50A	67.70B/52.50A	----	54.60 - 14.30	.3837	----	----	----	----	125 UNCH
4660	----	----	----/54.30A	70.10B/54.30A	----	56.60 - 14.50	.3939	----	----	----	----	132 UNCH
4665	----	----	----/56.10A	72.40B/56.10A	----	58.70 - 14.70	.4042	----	----	----	----	29 UNCH
4670	----	----	----/58.00A	75.00B/58.00A	----	60.80 - 14.90	.4146	----	----	----	----	261 UNCH
4675	----	----	----/59.90A	77.50B/59.90A	----	63.00 - 15.10	.4250	----	----	21	----	507 -
4680	67.00	67.00	80.00B/61.90A	80.00B/61.90A	----	65.20 - 15.40	.4354	----	----	1	----	149 UNCH
4685	74.10	74.10	82.50B/63.90A	82.50B/63.90A	----	67.50 - 15.60	.4460	----	----	1	----	70 +
4690	----	----	----/66.00A	85.10B/66.00A	----	69.90 - 15.80	.4565	----	----	1	----	216 UNCH
4695	77.40	77.40	87.90B/68.10A	87.90B/68.10A	----	72.30 - 16.00	.4671	----	----	2	----	80 +
4700	73.20	73.20	90.80B/70.20A	90.80B/70.20A	----	74.70 - 16.20	.4776	----	----	211	50	2718 +
4705	78.60	78.60	93.50B/72.50A	93.50B/72.50A	----	77.30 - 16.40	.4882	----	----	2	----	98 UNCH
4710	84.60	84.60	96.40B/74.80A	96.40B/74.80A	----	79.80 - 16.60	.4988	----	----	9	----	73 +
4715	87.20	87.20	99.40B/77.20A	99.40B/77.20A	----	82.50 - 16.80	.5093	----	----	3	----	63 +
4720	85.60	85.60	102.40B/79.60A	102.40B/79.60A	----	85.20 - 16.90	.5198	----	----	2	----	168 UNCH
4725	88.30	88.30	105.50B/82.00A	105.50B/82.00A	----	87.90 - 17.20	.5303	----	----	2	----	202 UNCH
4730	89.50	89.50	108.60B/84.50A	108.60B/84.50A	----	90.70 - 17.30	.5407	----	----	1	----	90 UNCH
4735	----	----	111.90B/86.90A	111.90B/86.90A	----	93.60 - 17.50	.5510	----	----	----	----	357 UNCH
4740	----	----	115.10B/89.60A	115.10B/89.60A	----	96.50 - 17.60	.5613	----	----	----	----	141 UNCH
4745	----	----	118.30B/92.30A	118.30B/92.30A	----	99.50 - 17.80	.5715	----	----	----	----	85 UNCH
4750	----	----	121.70B/94.90A	121.70B/94.90A	----	102.50 - 17.90	.5817	----	----	1	----	1042 UNCH
4755	----	----	125.00B/97.70A	125.00B/97.70A	----	105.60 - 18.00	.5917	----	----	----	----	27 UNCH
4760	----	----	128.40B/100.50A	128.40B/100.50A	----	108.70 - 18.20	.6015	----	----	----	----	94 UNCH
4765	121.10	121.10	131.90B/103.30A	131.90B/103.30A	----	111.90 - 18.30	.6113	----	----	1	----	70 UNCH
4770	----	----	135.40B/106.30A	135.40B/106.30A	----	115.10 - 18.50	.6211	----	----	----	----	118 UNCH
4775	----	----	138.90B/109.30A	138.90B/109.30A	----	118.40 - 18.60	.6307	----	----	6	----	192 -
4780	----	----	142.50B/112.30A	142.50B/112.30A	----	121.70 - 18.80	.6402	----	----	6	----	84 -
4785	----	----	146.10B/115.30A	146.10B/115.30A	----	125.10 - 18.90	.6495	----	----	----	----	91 UNCH
4790	----	----	149.80B/118.90A	149.80B/118.90A	----	128.50 - 19.00	.6588	----	----	----	----	92 UNCH
4795	----	----	153.50B/122.00A	153.50B/122.00A	----	132.00 - 19.10	.6678	----	----	----	----	50 UNCH
4800	145.40	145.40	157.30B/125.20A	157.30B/125.20A	----	135.50 - 19.20	.6768	----	----	8	----	2814 -
4805	----	----	161.00B/128.40A	161.00B/128.40A	----	139.10 - 19.30	.6855	----	----	----	----	82 UNCH
4810	----	----	164.90B/131.70A	164.90B/131.70A	----	142.70 - 19.40	.6941	----	----	----	----	48 UNCH
4815	----	----	168.80B/135.10A	168.80B/135.10A	----	146.30 - 19.50	.7024	----	----	----	----	119 UNCH
4820	----	----	172.70B/138.40A	172.70B/138.40A	----	150.00 - 19.60	.7107	----	----	----	----	44 UNCH
4825	----	----	176.70B/141.80A	176.70B/141.80A	----	153.80 - 19.60	.7190	----	----	----	----	202 UNCH
4830	----	----	180.70B/145.30A	180.70B/145.30A	----	157.50 - 19.80	.7269	----	----	----	----	123 UNCH
4835	----	----	184.60B/148.80A	184.60B/148.80A	----	161.40 - 19.80	.7348	----	----	----	----	30 UNCH
4840	----	----	188.80B/152.40A	188.80B/152.40A	----	165.20 - 19.90	.7423	----	----	----	----	46 UNCH
4845	----	----	192.80B/155.90A	192.80B/155.90A	----	169.10 - 20.00	.7498	----	----	----	----	23 UNCH
4850	171.20	171.20	197.00B/159.50A	197.00B/159.50A	----	173.10 - 20.00	.7572	----	----	2	----	574 +
4855	----	----	201.20B/163.20A	201.20B/163.20A	----	177.00 - 20.10	.7642	----	----	----	----	315 UNCH
4860	----	----	205.30B/166.90A	205.30B/166.90A	----	181.00 - 20.10	.7712	----	----	----	----	90 UNCH
4865	----	----	209.50B/170.70A	209.50B/170.70A	----	185.10 - 20.10	.7782	----	----	----	----	50 UNCH
4870	----	----	213.60B/174.50A	213.60B/174.50A	----	189.10 - 20.20	.7847	----	----	----	----	44 UNCH
4875	----	----	218.00B/178.30A	218.00B/178.30A	----	193.20 - 20.30	.7912	----	----	----	----	71 UNCH
4880	----	----	222.30B/182.10A	222.30B/182.10A	----	197.30 - 20.30	.7977	----	----	----	----	8 UNCH
4885	----	----	226.60B/186.00A	226.60B/186.00A	----	201.50 - 20.30	.8037	----	----	----	----	7 UNCH
4890	----	----	230.80B/189.90A	230.80B/189.90A	----	205.60 - 20.50	.8101	----	----	1	----	47 -
4895	----	----	235.30B/193.80A	235.30B/193.80A	----	209.80 - 20.50	.8156	----	----	----	----	228 UNCH
4900	----	----	239.70B/197.90A	239.70B/197.90A	----	214.10 - 20.50	.8215	----	----	1	----	1684 UNCH
4905	----	----	244.10B/201.90A	244.10B/201.90A	----	218.30 - 20.60	.8269	----	----	----	----	11 UNCH
4910	----	----	248.50B/206.00A	248.50B/206.00A	----	222.60 - 20.60	.8327	----	----	----	----	59 UNCH
4915	----	----	252.80B/210.00A	252.80B/210.00A	----	226.90 - 20.70	.8376	----	----	1	----	36 -
4920	----	----	257.40B/214.10A	257.40B/214.10A	----	231.30 - 20.60	.8429	----	----	----	----	93 UNCH
4925	----	----	261.90B/218.30A	261.90B/218.30A	----	235.60 - 20.70	.8477	----	----	----	----	74 UNCH
4930	----	----	266.40B/222.40A	266.40B/222.40A	----	240.00 - 20.70	.8525	----	----	1	----	198 -
4940	----	----	275.50B/230.80A	275.50B/230.80A	----	248.90 - 20.70	.8619	----	----	----	----	64 UNCH
4945	----	----	280.00B/235.10A	280.00B/235.10A	----	253.30 - 20.80	.8661	----	----	----	----	13 UNCH
4950	----	----	284.60B/239.30A	284.60B/239.30A	----	257.80 - 20.70	.8702	----	----	----	----	291 UNCH
4955	----	----	289.20B/243.60A	289.20B/243.60A	----	262.30 - 20.70	.8743	----	----	----	----	32 UNCH
4960	----	----	293.60B/247.90A	293.60B/247.90A	----	266.80 - 20.80	.8783	----	----	----	----	23 UNCH
4965	----	----	298.40B/252.20A	298.40B/252.20A	----	271.40 - 20.70	.8824	----	----	----	----	29 UNCH
4970	----	----	302.90B/256.60A	302.90B/256.60A	----	275.90 - 20.80	.8859	----	----	----	----	44 UNCH
4975	----	----	307.50B/261.00A	307.50B/261.00A	----	280.50 - 20.70	.8893	----	----	----	----	156 UNCH
4980	----	----	312.20B/265.40A	312.20B/265.40A	----	285.10 - 20.70	.8927	----	----	----	----	29 UNCH
4985	----	----	317.00B/269.80A	317.00B/269.80A	----	289.70 - 20.70	.8961	----	----	----	----	10 UNCH
4990	----	----	321.70B/274.30A	321.70B/274.30A	----	294.30 - 20.70	.8994	----	----	----	----	293 UNCH
4995	----	----	326.40B/278.70A	326.40B/278.70A	----	298.90 - 20.70	.9028	----	----	----	----	12 UNCH
5000	----	----	331.10B/283.20A	331.10B/283.20A	----	303.60 - 20.70	.9055	----	----	----	----	1845 UNCH
5005	----	----	335.80B/287.70A	335.80B/287.70A	----	308.30 - 20.60	.9082	----	----	----	----	300 UNCH
5010	----	----	340.50B/292.20A	340.50B/292.20A	----</							

BULLETIN # 91@				METALS OPTION PRODUCTS										wed, May 13, 2026		PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS															
JUN26																	
5215	----	----		539.70B/486.80A	539.70B/486.80A	----	511.30	- 20.00	.9710	----	----	----	----	----	42	UNCH	
5220	----	----		544.70B/491.40A	544.70B/491.40A	----	516.20	- 20.00	.9712	----	----	----	----	----	188	UNCH	
5225	----	----		549.40B/496.30A	549.40B/496.30A	----	521.10	- 20.10	.9721	----	----	----	----	----	200	UNCH	
5230	----	----		554.50B/501.50A	554.50B/501.50A	----	526.10	- 20.00	.9729	----	----	----	----	----	7	UNCH	
5235	----	----		559.30B/506.40A	559.30B/506.40A	----	531.00	- 20.00	.9731	----	----	----	----	----	160	UNCH	
5245	----	----		569.40B/516.20A	569.40B/516.20A	----	540.90	- 20.00	.9741	----	----	----	----	----	9	UNCH	
5250	----	----		574.30B/520.80A	574.30B/520.80A	----	545.90	- 19.90	.9749	----	----	----	----	----	375	UNCH	
5255	----	----		579.30B/526.10A	579.30B/526.10A	----	550.80	- 19.90	.9751	----	----	----	----	----	9	UNCH	
5260	----	----		584.00B/531.00A	584.00B/531.00A	----	555.80	- 19.90	.9759	----	----	----	----	----	11	UNCH	
5265	----	----		583.90B/555.30A	583.90B/555.30A	----	560.70	- 19.90	.9761	----	----	----	----	----	5	UNCH	
5270	----	----		588.80B/560.20A	588.80B/560.20A	----	565.70	- 19.90	.9769	----	----	----	----	----	24	UNCH	
5275	----	----		594.80B/564.10A	594.80B/564.10A	----	570.60	- 19.90	.9770	----	----	----	----	----	170	UNCH	
5280	----	----		598.70B/570.10A	598.70B/570.10A	----	575.60	- 19.80	.9778	----	----	----	----	----	67	UNCH	
5285	----	----		603.70B/575.00A	603.70B/575.00A	----	580.50	- 19.90	.9780	----	----	----	----	----	27	UNCH	
5290	----	----				----	585.50	- 19.80	.9788	----	----	----	----	----	2	UNCH	
5300	----	----		620.60B/587.80A	620.60B/587.80A	----	595.40	- 19.80	.9790	----	----	----	----	----	560	UNCH	
5305	----	----		624.50B/593.80A	624.50B/593.80A	----	600.30	- 19.90	.9798	----	----	----	----	----	103	UNCH	
5320	----	----		639.40B/608.90A	639.40B/608.90A	----	615.20	- 19.90	.9808	----	----	----	----	----	108	UNCH	
5325	----	----				----	620.10	- 19.90	.9816	----	----	----	----	----	1	UNCH	
5335	----	----		653.30B/624.50A	653.30B/624.50A	----	630.00	- 20.00	.9818	----	----	----	----	----	5	UNCH	
5340	----	----		658.20B/629.50A	658.20B/629.50A	----	635.00	- 19.90	.9825	----	----	----	----	----	52	UNCH	
5345	----	----				----	640.00	- 19.90	.9826	----	----	----	----	----	2	UNCH	
5350	----	----		669.20B/638.40A	669.20B/638.40A	----	644.90	- 20.00	.9834	----	----	----	----	----	109	UNCH	
5365	----	----		683.10B/654.30A	683.10B/654.30A	----	659.80	- 20.00	.9843	----	----	----	----	----	4	UNCH	
5370	----	----		688.00B/659.20A	688.00B/659.20A	----	664.70	- 20.00	.9850	----	----	----	----	----	37	UNCH	
5375	----	----				----	669.70	- 20.00	.9851	----	----	----	----	----	1	UNCH	
5380	----	----				----	674.60	- 20.10	.9852	----	----	----	----	----	2	UNCH	
5385	----	----		702.90B/674.10A	702.90B/674.10A	----	679.60	- 20.10	.9859	----	----	----	----	----	10	UNCH	
5390	----	----				----	684.60	- 20.00	.9860	----	----	----	----	----	2	UNCH	
5395	----	----		713.90B/683.30A	713.90B/683.30A	----	689.50	- 20.10	.9861	----	----	----	----	----	156	UNCH	
5400	----	----		719.90B/686.80A	719.90B/686.80A	----	694.50	- 20.10	.9868	----	----	----	----	----	446	UNCH	
5420	----	----		737.70B/708.90A	737.70B/708.90A	----	714.40	- 20.10	.9877	----	----	----	----	----	10	UNCH	
5425	----	----				----	719.30	- 20.20	.9878	----	----	----	----	----	1	UNCH	
5430	----	----		747.70B/718.80A	747.70B/718.80A	----	724.30	- 20.10	.9879	----	----	----	----	----	30	UNCH	
5435	----	----		752.70B/723.80A	752.70B/723.80A	----	729.30	- 20.10	.9886	----	----	----	----	----	10	UNCH	
5440	----	----		757.60B/728.80A	757.60B/728.80A	----	734.30	- 20.10	.9886	----	----	----	----	----	20	UNCH	
5470	----	----				----	764.20	- 20.10	.9896	----	----	----	----	----	1	UNCH	
5490	----	----		808.50B/777.50A	808.50B/777.50A	----	784.10	- 20.10	.9904	----	----	----	----	----	166	UNCH	
5500	----	----		817.50B/788.50A	817.50B/788.50A	----	794.10	- 20.00	.9905	----	----	----	----	----	52	UNCH	
5525	----	----				----	819.00	- 20.00	.9908	----	----	----	----	----	2	UNCH	
5575	----	----				----	868.90	- 20.00	.9918	----	----	----	----	----	2	UNCH	
5590	----	----		908.20B/877.10A	908.20B/877.10A	----	883.90	- 19.90	.9925	----	----	----	----	----	77	UNCH	
5595	----	----				----	888.80	- 20.00	.9925	----	----	----	----	----	1	UNCH	
5600	----	----		917.20B/888.10A	917.20B/888.10A	----	893.80	- 20.00	.9926	----	----	----	----	----	9	UNCH	
5640	----	----		957.10B/928.00A	957.10B/928.00A	----	933.70	- 20.00	.9934	----	----	----	----	----	9	UNCH	
5800	----	----		1,116.70B/1,087	1116.70B/1087.70A	----	1093.50	- 19.90	.9959	----	----	----	----	----	6	UNCH	
TOTAL													3477	300	118059+	642	
JUL26																	
2000	----	----		----	----/0.10A	----	0.10	UNCH	.0002	----	----	----	----	----	5	UNCH	
2275	----	----		----	----/0.60A	----	0.20	UNCH	.0005	----	----	----	----	----	23	UNCH	
2300	----	----		----	----/0.60A	----	0.20	UNCH	.0005	----	----	----	----	----	101	UNCH	
2400	----	----		----	0.10B/0.70A	----	0.20	- 0.10	.0006	----	----	----	----	----	2	UNCH	
2500	----	----		----	0.20B/0.70A	----	0.30	UNCH	.0009	----	----	----	----	----	194	UNCH	
2575	----	----		----	0.20B/0.80A	----	0.30	- 0.10	.0009	----	----	----	----	----	1	UNCH	
2600	----	----		----	0.20B/0.80A	----	0.40	UNCH	.0012	----	----	----	----	----	12	UNCH	
2620	----	----		----	0.20B/0.80A	----	0.40	UNCH	.0012	----	----	----	----	----	1	UNCH	
2650	----	----		----	0.20B/0.90A	----	0.40	- 0.10	.0012	----	----	----	----	----	51	UNCH	
2670	----	----		----	0.30B/0.80A	----	0.50	UNCH	.0015	----	----	----	----	----	10	UNCH	
2675	----	----		----	0.30B/0.80A	----	0.50	UNCH	.0015	----	----	----	----	----	10	UNCH	
2680	----	----		----	0.30B/0.90A	----	0.50	UNCH	.0015	----	----	----	----	----	10	UNCH	
2700	----	----		----	0.30B/1.00A	----	0.50	UNCH	.0015	----	----	----	----	----	7	UNCH	
2705	----	----		----	0.30B/1.00A	----	0.50	UNCH	.0015	----	----	----	----	----	1	UNCH	
2710	----	----		----	0.30B/0.90A	----	0.50	- 0.10	.0015	----	----	----	----	----	7	UNCH	
2730	----	----		----	0.30B/1.00A	----	0.50	- 0.10	.0015	----	----	----	----	----	1	UNCH	
2750	----	----		----	0.40B/0.90A	----	0.60	UNCH	.0018	----	----	----	----	----	21	UNCH	
2775	----	----		----	0.40B/0.90A	----	0.60	- 0.10	.0019	----	----	----	----	----	1	UNCH	
2785	----	----		----	0.40B/0.90A	----	0.60	- 0.10	.0019	----	----	----	----	----	2	UNCH	
2800	----	----		----	0.40B/1.10A	----	0.70	UNCH	.0022	----	----	----	----	----	9	UNCH	
2850	----	----		----	0.50B/1.10A	----	0.70	- 0.10	.0022	----	----	----	----	----	3	UNCH	
2860	----	----		----	0.50B/1.10A	----	0.80	UNCH	.0025	----	----	----	----	----	6	UNCH	
2885	----	----		----	0.60B/1.10A	----	0.80	- 0.10	.0026	----	----	----	----	----	14	UNCH	
2890	----	----		----	0.60B/1.10A	----	0.80	- 0.10	.0026	----	----	----	----	----	60	UNCH	
2895	----	----		----	0.60B/1.10A	----	0.80	- 0.10	.0026	----	----	----	----	----	18	UNCH	
2900	----	----		----	0.60B/1.10A	----	0.90	UNCH	.0029	----	----	----	----	----	18	UNCH	
2905	----	----		----	0.60B/1.10A	----	0.90	UNCH									

BULLETIN # 91@										METALS OPTION PRODUCTS										wed, May 13, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG PUT	COMEX GOLD OPTIONS																					
JUL26																						
3530	----	----	----	/*2.80A	2.60B/*2.80A	----	----	----	2.70 - 0.30	.0110	----	----	----	----	----	168	UNCH					
3535	----	----	----	/*2.80A	2.60B/*2.80A	----	----	----	2.70 - 0.30	.0110	----	----	----	----	----	31	UNCH					
3545	----	----	----	/*2.90A	2.70B/*2.90A	----	----	----	2.70 - 0.40	.0111	----	----	----	----	----	256	UNCH					
3550	----	----	----	/*2.90A	2.70B/*2.90A	----	----	----	2.80 - 0.30	.0115	----	----	----	----	----	165	UNCH					
3555	----	----	----	/*3.00A	2.80B/*3.00A	----	----	----	2.80 - 0.40	.0115	----	----	----	----	----	1	UNCH					
3565	----	----	----	/*3.00A	2.80B/*3.00A	----	----	----	2.80 - 0.40	.0116	----	----	----	----	----	2	UNCH					
3575	----	----	----	/*3.10A	2.90B/*3.10A	----	----	----	2.90 - 0.40	.0120	----	----	----	----	----	1	UNCH					
3580	----	----	----	/*3.10A	2.90B/*3.10A	----	----	----	2.90 - 0.40	.0121	----	----	----	----	----	5	UNCH					
3585	----	----	----	/*3.20A	3.00B/3.20A	----	----	----	3.00 - 0.40	.0125	----	----	----	----	----	1	UNCH					
3590	----	----	----	/*3.10A	3.00B/*3.10A	----	----	----	3.00 - 0.40	.0125	----	----	----	----	----	16	UNCH					
3600	3.00	3.00		3.20	/*3.00	3.20/*3.00	----	----	3.00 - 0.50	.0126	----	----	----	83	----	362	+					
3605	----	----	----	/*3.30A	3.10B/*3.30A	----	----	----	3.10 - 0.40	.0130	----	----	----	----	----	77	UNCH					
3610	----	----	----	/*3.30A	3.10B/*3.30A	----	----	----	3.10 - 0.40	.0131	----	----	----	----	----	2	UNCH					
3615	----	----	----	/*3.30A	3.20B/*3.30A	----	----	----	3.10 - 0.50	.0131	----	----	----	----	----	7	UNCH					
3620	----	----	----	/*3.40A	3.20B/*3.40A	----	----	----	3.20 - 0.40	.0135	----	----	----	----	----	12	UNCH					
3625	3.40	3.40		3.40	/*3.40	3.40/*3.40	----	----	3.20 - 0.40	.0136	----	----	----	50	----	41	+					
3630	----	----	----	/*3.40A	3.20B/*3.40A	----	----	----	3.20 - 0.50	.0136	----	----	----	----	----	30	UNCH					
3635	----	----	----	/*3.40A	3.30B/*3.40A	----	----	----	3.30 - 0.40	.0140	----	----	----	----	----	11	UNCH					
3640	----	----	----	/*3.50A	3.30B/*3.50A	----	----	----	3.30 - 0.50	.0141	----	----	----	----	----	6	UNCH					
3645	----	----	----	/*3.50A	3.30B/*3.50A	----	----	----	3.30 - 0.50	.0141	----	----	----	----	----	1	UNCH					
3650	----	----	----	/*3.60A	3.40B/*3.60A	----	----	----	3.40 - 0.40	.0145	----	----	----	----	----	87	UNCH					
3655	----	----	----	/*3.60A	3.40B/*3.60A	----	----	----	3.40 - 0.50	.0146	----	----	----	----	----	6	UNCH					
3660	----	----	----	/*3.60A	3.50B/*3.60A	----	----	----	3.40 - 0.50	.0147	----	----	----	----	----	22	UNCH					
3665	----	----	----	/*3.70A	3.50B/*3.70A	----	----	----	3.50 - 0.50	.0150	----	----	----	----	----	2	UNCH					
3670	----	----	----	/*3.70A	3.60B/*3.70A	----	----	----	3.50 - 0.50	.0151	----	----	----	----	----	111	UNCH					
3675	----	----	----	/*3.70A	3.60B/*3.70A	----	----	----	3.50 - 0.60	.0152	----	----	----	----	----	4	UNCH					
3680	----	----	----	/*3.80A	3.60B/*3.80A	----	----	----	3.60 - 0.50	.0156	----	----	----	----	----	5	UNCH					
3685	----	----	----	/*3.80A	3.70B/*3.80A	----	----	----	3.60 - 0.50	.0157	----	----	----	----	----	12	UNCH					
3690	----	----	----	/*3.80A	3.60B/*3.80A	----	----	----	3.60 - 0.60	.0157	----	----	----	----	----	50	UNCH					
3695	----	----	----	/*3.90A	3.70B/*3.90A	----	----	----	3.70 - 0.50	.0161	----	----	----	----	----	142	UNCH					
3700	----	----	----	/*3.90A	3.80B/*3.90A	----	----	----	3.70 - 0.60	.0162	----	----	----	1	----	452	+					
3705	----	----	----	/*4.00A	3.80B/*4.00A	----	----	----	3.80 - 0.50	.0166	----	----	----	----	----	21	UNCH					
3715	----	----	----	/*4.00A	3.90B/*4.00A	----	----	----	3.80 - 0.60	.0168	----	----	----	----	----	30	UNCH					
3720	----	----	----	/*4.10A	3.90B/*4.10A	----	----	----	3.90 - 0.60	.0172	----	----	----	----	----	18	UNCH					
3725	----	----	----	/*4.10A	4.00B/*4.10A	----	----	----	3.90 - 0.60	.0172	----	----	----	----	----	7	UNCH					
3730	----	----	----	/*4.10A	4.00B/*4.10A	----	----	----	4.00 - 0.60	.0177	----	----	----	----	----	3	UNCH					
3735	----	----	----	/*4.20A	4.10B/*4.20A	----	----	----	4.00 - 0.60	.0177	----	----	----	----	----	30	UNCH					
3740	----	----	----	/*4.20A	4.10B/*4.20A	----	----	----	4.10 - 0.60	.0182	----	----	----	----	----	20	UNCH					
3750	----	----	----	/*4.30A	4.30B/*4.30A	----	----	----	4.10 - 0.70	.0183	----	----	----	----	----	538	UNCH					
3760	----	----	----	/*4.40A	4.40B/*4.40A	----	----	----	4.20 - 0.70	.0188	----	----	----	----	----	3	UNCH					
3765	----	----	----	/*4.40A	4.40B/*4.40A	----	----	----	4.30 - 0.70	.0193	----	----	----	----	----	32	UNCH					
3770	----	----	----	/*4.50A	4.50B/*4.50A	----	----	----	4.30 - 0.80	.0194	----	----	----	----	----	120	UNCH					
3775	----	----	----	/*4.50A	4.50B/*4.50A	----	----	----	4.40 - 0.70	.0198	----	----	----	----	----	61	UNCH					
3780	----	----	----	/*4.60A	4.70B/*4.60A	----	----	----	4.50 - 0.70	.0202	----	----	----	----	----	11	UNCH					
3785	----	----	----	/*4.60A	4.60B/*4.60A	----	----	----	4.50 - 0.70	.0203	----	----	----	----	----	6	UNCH					
3790	----	----	----	/*4.70A	4.70B/*4.70A	----	----	----	4.60 - 0.70	.0208	----	----	----	----	----	40	UNCH					
3795	----	----	----	/*4.70A	4.90B/*4.70A	----	----	----	4.60 - 0.80	.0208	----	----	----	----	----	36	UNCH					
3800	5.20	5.20		5.20	/*4.80A	5.20/*4.80A	----	----	4.70 - 0.70	.0213	----	----	----	8	----	629	+					
3810	----	----	----	/*4.90A	5.10B/*4.90A	----	----	----	4.80 - 0.80	.0218	----	----	----	----	----	16	UNCH					
3815	----	----	----	/*5.00A	5.10B/*5.00A	----	----	----	4.80 - 0.90	.0219	----	----	----	----	----	14	UNCH					
3820	----	----	----	/*5.00A	5.20B/*5.00A	----	----	----	4.90 - 0.80	.0224	----	----	----	----	----	10	UNCH					
3825	----	----	----	/*5.10A	5.20B/*5.10A	----	----	----	5.00 - 0.80	.0228	----	----	----	----	----	11	UNCH					
3830	----	----	----	/*5.10A	5.40B/*5.10A	----	----	----	5.00 - 0.90	.0229	----	----	----	----	----	24	UNCH					
3835	----	----	----	/*5.20A	5.40B/*5.20A	----	----	----	5.10 - 0.90	.0234	----	----	----	----	----	1	UNCH					
3840	----	----	----	/*5.30A	5.40B/*5.30A	----	----	----	5.20 - 0.90	.0239	----	----	----	----	----	33	UNCH					
3845	----	----	----	/*5.30A	5.60B/*5.30A	----	----	----	5.20 - 0.90	.0240	----	----	----	----	----	12	UNCH					
3850	----	----	----	/*5.40A	5.70B/*5.40A	----	----	----	5.30 - 0.90	.0244	----	----	----	----	----	218	UNCH					
3860	----	----	----	/*5.50A	5.80B/*5.50A	----	----	----	5.40 - 1.00	.0250	----	----	----	----	----	42	UNCH					
3865	----	----	----	/*5.60A	5.90B/*5.60A	----	----	----	5.50 - 1.00	.0255	----	----	----	----	----	78	UNCH					
3870	----	----	----	/*5.70A	5.90B/*5.70A	----	----	----	5.60 - 1.00	.0260	----	----	----	----	----	3	UNCH					
3875	----	----	----	/*5.70A	6.00B/*5.70A	----	----	----	5.70 - 1.00	.0264	----	----	----	----	----	113	UNCH					
3880	----	----	----	/*5.80A	6.10B/*5.80A	----	----	----	5.80 - 1.00	.0269	----	----	----	----	----	14	UNCH					
3885	----	----	----	/*5.90A	6.20B/*5.90A	----	----	----	5.80 - 1.00	.0270	----	----	----	----	----	37	UNCH					
3890	----	----	----	/*6.00A	6.30B/*6.00A	----	----	----	5.90 - 1.00	.0275	----	----	----	----	----	4	UNCH					
3895	----	----	----	/*6.00A	6.40B/*6.00A	----	----	----	6.00 - 1.00	.0280	----	----	----	----	----	3	UNCH					
3900	6.60	6.60		6.60	/*6.10A	6.60/*6.10A	----	----	6.10 - 1.00	.0285	----	----	----	2	----	307	+					
3905	----	----	----	/*6.20A	6.60B/*6.20A	----	----	----	6.20 - 1.10	.0290	----	----	----	----	----	12	UNCH					
3910	----	----	----	/*6.30A	6.70B/*6.30A	----	----	----	6.30 - 1.10	.0295	----	----	----	----	----	54	UNCH					
3920	----	----	----	/*6.50A	6.90B/*6.50A	----	----	----	6.40 - 1.20	.0301	----	----	----	----	----	12	UNCH					
3925	----	----	----	/*6.60A	7.00B/*6.60A	----	----	----	6.50 - 1.20	.0306	----	----	----	----	----	57	UNCH					
3930	----	----	----	/*6.60A	7.10B/*6.60A	----	----	----	6.60 - 1.20	.0311	----	----	----	----	----	25	UNCH					
3935	----	----	----	/*6.70A	7.20B/*6.70A	----	----	----	6.70 - 1.20	.0316	----	----	----	----	----	18	UNCH					
3940	----	----	----	/*6.80A	7.30B/*6.80A	----	----	----	6.80 - 1.20	.0321	----	----	----	----	----	27	UNCH					
3945	----	----	----	/*6.90A	7.40B/*6.90A	----	----	----	6.90 - 1.30	.0326	----	----	----	----	----	22	-					
3950	----	----	----	/*7.00A	7.50B/*7.00A	----	----	----	7.00 - 1.30	.0332	----	----	----	1	----	612	+					
3955	----	----	----	/*7.20A	7.70B/*7.20A	----	----	----	7.10 - 1.30	.0337	----	----	----	----	----							

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
JUL26																
4265	23.30	23.30		23.40/21.50A	24.30B/21.50A	----		21.60 - 4.20	.1023	----	----	185	----	208 +	169	
4270	23.40	23.40		23.40/21.90A	24.80B/21.90A	----		22.00 - 4.30	.1041	----	----	1	----	94	UNCH	
4275	----	----		----/22.40A	25.30B/22.40A	----		22.50 - 4.40	.1063	----	----	----	----	138	UNCH	
4280	----	----		----/22.90A	25.80B/22.90A	----		22.90 - 4.50	.1081	----	----	2	----	189	UNCH	
4285	----	----		----/23.30A	26.30B/23.30A	----		23.40 - 4.60	.1103	----	----	----	----	113	UNCH	
4290	----	----		----/23.80A	26.90B/23.80A	----		23.90 - 4.60	.1124	----	----	2	----	37	UNCH	
4295	----	----		----/24.40A	27.50B/24.40A	----		24.40 - 4.70	.1146	----	----	1	----	23	UNCH	
4300	26.80	26.80		26.80/24.90A	28.10B/24.90A	----		24.90 - 4.80	.1168	----	----	17	----	1067 +	10	
4305	----	----		----/25.40A	28.70B/25.40A	----		25.50 - 4.80	.1192	----	----	----	----	15	UNCH	
4310	----	----		----/25.90A	29.30B/25.90A	----		26.00 - 4.90	.1214	----	----	----	----	31	UNCH	
4315	----	----		----/26.50A	29.90B/26.50A	----		26.60 - 5.00	.1239	----	----	----	----	60	UNCH	
4320	----	----		----/27.10A	30.50B/27.10A	----		27.10 - 5.10	.1261	----	----	----	----	76	UNCH	
4325	27.40	27.40		27.40/27.40	31.20B/27.40	----		27.70 - 5.20	.1286	----	----	2	----	157	UNCH	
4330	----	----		----/28.20A	31.90B/28.20A	----		28.30 - 5.30	.1311	----	----	1	----	36 +	1	
4335	----	----		----/28.90A	32.60B/28.90A	----		28.90 - 5.40	.1336	----	----	2	----	115 +	2	
4340	----	----		----/29.40A	33.30B/29.40A	----		29.60 - 5.40	.1363	----	----	----	----	120	UNCH	
4345	31.00	31.00		31.00/30.10A	34.00B/30.10A	----		30.20 - 5.50	.1389	----	----	3	----	18 +	1	
4350	----	----		----/30.80A	34.80B/30.80A	----		30.90 - 5.50	.1416	----	----	91	----	523 -	15	
4355	----	----		----/31.40A	35.50B/31.40A	----		31.50 - 5.70	.1442	----	----	----	----	124	UNCH	
4360	33.10	33.10		33.10/32.20A	36.30B/32.20A	----		32.20 - 5.80	.1470	----	----	5	----	112 +	5	
4365	----	----		----/32.80A	37.10B/32.80A	----		32.90 - 5.90	.1498	----	----	----	----	36	UNCH	
4370	----	----		----/33.60A	37.90B/33.60A	----		33.60 - 6.00	.1526	----	----	----	----	141	UNCH	
4375	----	----		----/34.30A	38.70B/34.30A	----		34.40 - 6.00	.1557	----	----	----	----	28	UNCH	
4380	----	----		----/35.10A	39.60B/35.10A	----		35.10 - 6.10	.1585	----	----	----	----	7	UNCH	
4385	----	----		----/35.90A	40.50B/35.90A	----		35.90 - 6.20	.1616	----	----	----	----	68	UNCH	
4390	----	----		----/36.70A	41.40B/36.70A	----		36.70 - 6.30	.1647	----	----	----	----	41	UNCH	
4395	----	----		----/37.40A	42.30B/37.40A	----		37.50 - 6.40	.1678	----	----	----	----	27	UNCH	
4400	40.80	40.80		43.30B/38.20A	43.30B/38.20A	----		38.30 - 6.50	.1709	----	----	32	----	1063	UNCH	
4405	----	----		----/39.10A	44.20B/39.10A	----		39.20 - 6.60	.1742	----	----	----	----	29	UNCH	
4410	----	----		----/40.00A	45.10B/40.00A	----		40.00 - 6.70	.1774	----	----	----	----	43	UNCH	
4415	----	----		----/40.90A	46.10B/40.90A	----		40.90 - 6.80	.1807	----	----	----	----	174	UNCH	
4420	----	----		----/41.80A	47.10B/41.80A	----		41.80 - 6.90	.1841	----	----	----	----	107	UNCH	
4425	----	----		----/42.70A	48.10B/42.70A	----		42.70 - 7.00	.1874	----	----	----	----	57	UNCH	
4430	----	----		----/43.60A	49.30B/43.60A	----		43.70 - 7.10	.1910	----	----	----	----	285	UNCH	
4435	----	----		----/44.50A	50.20B/44.50A	----		44.60 - 7.30	.1944	----	----	1	----	11	UNCH	
4440	----	----		----/45.50A	51.30B/45.50A	----		45.60 - 7.30	.1980	----	----	----	----	63	UNCH	
4445	----	----		----/46.50A	52.50B/46.50A	----		46.60 - 7.50	.2016	----	----	1	----	153	UNCH	
4450	48.30	48.30		48.30/47.50A	53.70B/47.50A	----		47.60 - 7.60	.2053	----	----	212	----	903 -	121	
4455	----	----		----/48.50A	54.70B/48.50A	----		48.70 - 7.70	.2091	----	----	----	----	19	UNCH	
4460	----	----		----/49.50A	56.00B/49.50A	----		49.70 - 7.80	.2127	----	----	1	----	279 +	1	
4465	----	----		----/50.60A	57.20B/50.60A	----		50.80 - 7.90	.2166	----	----	----	----	30	UNCH	
4470	----	----		----/51.70A	58.40B/51.70A	----		51.90 - 8.10	.2204	----	----	----	150	219 +	150	
4475	----	----		----/52.90A	59.60B/52.90A	----		53.10 - 8.10	.2244	----	----	1	----	40	UNCH	
4480	----	----		----/54.00A	60.90B/54.00A	----		54.20 - 8.30	.2283	----	----	----	----	234	UNCH	
4485	60.30	60.30		62.20B/55.10A	62.20B/55.10A	----		55.40 - 8.40	.2323	----	----	55	----	106 +	50	
4490	----	----		----/56.20A	63.50B/56.20A	----		56.60 - 8.50	.2364	----	----	1	----	46	UNCH	
4495	----	----		----/57.50A	64.90B/57.50A	----		57.80 - 8.60	.2404	----	----	----	----	90	UNCH	
4500	58.70	58.70		66.50/57.70	66.50/57.70	----		59.10 - 8.70	.2447	----	----	186	----	1327 -	16	
4505	----	----		----/59.80A	67.60B/59.80A	----		60.40 - 8.70	.2489	----	----	----	----	12	UNCH	
4510	----	----		----/60.90A	69.10B/60.90A	----		61.60 - 8.90	.2530	----	----	----	----	9	UNCH	
4515	----	----		----/62.10A	70.50B/62.10A	----		63.00 - 9.00	.2574	----	----	----	----	4	UNCH	
4520	----	----		----/63.50A	72.00B/63.50A	----		64.30 - 9.10	.2616	----	----	----	----	13	UNCH	
4525	----	----		----/64.70A	73.70B/64.70A	----		65.70 - 9.20	.2660	----	----	----	----	513	UNCH	
4530	----	----		----/66.00A	75.00B/66.00A	----		67.10 - 9.30	.2705	----	----	----	----	30	UNCH	
4535	----	----		----/67.20A	76.50B/67.20A	----		68.50 - 9.40	.2749	----	----	----	----	10	UNCH	
4540	----	----		----/68.70A	78.20B/68.70A	----		69.90 - 9.60	.2793	----	----	----	----	91	UNCH	
4545	----	----		----/70.10A	79.80B/70.10A	----		71.40 - 9.60	.2839	----	----	----	----	20	UNCH	
4550	----	----		----/71.40A	81.50B/71.40A	----		72.90 - 9.70	.2885	----	----	7	----	444	UNCH	
4555	80.00	80.00		83.10B/72.80A	83.10B/72.80A	----		74.40 - 9.90	.2931	----	----	1	----	24 +	1	
4560	----	----		----/74.20A	84.80B/74.20A	----		76.00 - 9.90	.2978	----	----	----	----	70	UNCH	
4565	80.20	80.20		86.50B/75.60A	86.50B/75.60A	----		77.50 - 10.10	.3024	----	----	1	----	113 +	1	
4570	----	----		----/77.10A	88.30B/77.10A	----		79.20 - 10.10	.3072	----	----	----	----	25	UNCH	
4575	----	----		----/78.70A	90.00B/78.70A	----		80.80 - 10.20	.3119	----	----	1	----	27 +	1	
4580	----	----		----/80.30A	91.90B/80.30A	----		82.40 - 10.40	.3167	----	----	1	----	18 +	1	
4585	----	----		----/81.80A	93.70B/81.80A	----		84.10 - 10.50	.3215	----	----	----	----	17	UNCH	
4590	----	----		----/83.40A	95.50B/83.40A	----		85.80 - 10.60	.3264	----	----	----	----	21	UNCH	
4595	----	----		----/84.90A	97.40B/84.90A	----		87.60 - 10.60	.3313	----	----	----	----	50	UNCH	
4600	89.60	89.60		89.60/86.70A	99.50B/86.70A	----		89.30 - 10.80	.3362	----	----	36	----	1340 -	34	
4605	----	----		----/88.40A	101.30B/88.40A	----		91.10 - 10.90	.3411	----	----	----	----	8	UNCH	
4610	----	----		----/90.00A	103.30B/90.00A	----		92.90 - 11.00	.3461	----	----	----	----	136	UNCH	
4615	----	----		----/91.70A	105.30B/91.70A	----		94.80 - 11.00	.3511	----	----	----	----	24	UNCH	
4620	----	----		----/93.50A	107.30B/93.50A	----		96.70 - 11.10	.3562	----	----	----	----	49	UNCH	
4625	----	----		----/95.20A	109.30B/95.20A	----		98.60 - 11.20	.3612	----	----	----	----	179	UNCH	
4630	----	----		----/97.10A	111.40B/97.10A	----		100.50 - 11.30	.3663	----	----	----	----	16	UNCH	
4635	----	----		----/98.90A	113.50B/98.90A	----		102.50 - 11.40	.3714	----	----	----	----	128	UNCH	
4640	104.70	104.70		104.70/100.80A	115.70B/100.80A	----		104.50 - 11.40	.3766	----	----	2	----	157	UNCH	
4645	----	----		----/102.70A	117.90B/102.70A	----		106.50 - 11.60	.3817	----	----	----	----	24	UNCH	
4650	112.80	112.80		120.30B/104.60A	120.30B/104.60A	----		108.50 - 11.70	.3868	----	----	47	----	414 +	32	
4655	----	----		----/106.50A	122.30B/106.50A	----		110.60 - 11.80	.3920	----	----	----	----	12	UNCH	
4660	----	----		----/108.50A	124.60B/108.50A	----		112.70 - 11.90	.3973	----	----	----	----	70	UNCH	
4665	----	----		126.90B/110.50A	126.90B/110.50A	----		114.90 - 11.90	.4025	----	----	----	----	24	UNCH	
4670	----	----		129.20B/112.50A	129.20B/112.50A	----		117.00 - 12.10	.4077	----	----	----	----	101	UNCH	
4675	119.40	119.40		131.60B/114.50A	131.60B/114.50A	----		119.20 - 12.20	.4130	----	----	2	----	157	UNCH	
4680	----	----		134.00B/116.60A	134.00B/116.60A	----		121.40 - 12.30	.4182	----	----	----	----	132	UNCH	
4685	130.40	130.40		136.40B/118.70A	136.40B/118.70A	----		123.70 - 12.30	.4235	----	----	1	----	8	UNCH	
4690	----	----		138.90B/120.90A	138.90B/120.90A	----		126.00 - 12.40	.4288	----	----	1	----	46 +	1	
4695	----	----		141.30B/123.10A	141.30B/123.10A	----		128.30 - 12.50	.4341	----	----	----	----	189	UNCH	
4700	----	----		144.10B/125.20A	144.10B/125.20A	----		130.60 - 12.70	.4394	----	----	150	----	755 -	74	
4705	----	----		146.40B/127.50A	146.40B/127.50A	----		133.00 - 12.80	.4447	----	----	----	----	32	UNCH	
4710	----	----		148.90B/129.70A	148.90B/129.70A	----		135.40 - 12.90	.4500	----	----	----	----	128	UNCH	
4715	----	----		151.40B/132.00A	151.40B/132.00A	----		137.80 - 13.00	.4553	----	----	----	----	123	UNCH	
4720	----	----		154.20B/134.20A	154.20B/134.20A	----		140.20 - 13.20	.4606	----	----	----	----	63	UNCH	
4725	----	----		156.90B/136.60A	156.90B/136.60A	----		142.70 - 13.30	.4659	----	----	20				

BULLETIN # 91@				METALS OPTION PRODUCTS										wed, May 13, 2026				PG64	
OG PUT	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST				
AUG26	COMEX GOLD OPTIONS																		
3460	----	----	----	*/5.30A	5.10B/	*/5.30A	----	----	5.30	-	0.30	.0179	----	----	----	1	UNCH		
3465	----	----	----	*/5.30A	5.10B/	*/5.30A	----	----	5.40	-	0.30	.0182	----	----	----	6	UNCH		
3470	----	----	----	*/5.40A	5.20B/	*/5.40A	----	----	5.40	-	0.30	.0183	----	----	----	1	UNCH		
3495	----	----	----	*/5.60A	5.50B/	*/5.60A	----	----	5.70	-	0.30	.0194	----	----	----	1	UNCH		
3500	----	----	----	*/5.70A	5.50B/	*/5.70A	----	----	5.70	-	0.40	.0195	----	1	----	820	-		
3505	----	----	----	*/5.70A	5.60B/	*/5.70A	----	----	5.80	-	0.40	.0198	----	----	----	1	UNCH		
3510	----	----	----	*/5.80A	5.60B/	*/5.80A	----	----	5.80	-	0.40	.0199	----	----	----	50	UNCH		
3520	----	----	----	*/5.90A	5.80B/	*/5.90A	----	----	5.90	-	0.50	.0203	----	----	----	210	UNCH		
3525	----	----	----	*/5.90A	5.80B/	*/5.90A	----	----	6.00	-	0.40	.0206	----	----	----	60	UNCH		
3535	----	----	----	*/6.10A	6.00B/	*/6.10A	----	----	6.10	-	0.50	.0211	----	----	----	1	UNCH		
3545	----	----	----	*/6.20A	6.10B/	*/6.20A	----	----	6.20	-	0.50	.0215	----	----	----	9	UNCH		
3550	----	----	----	*/6.20A	6.20B/	*/6.20A	----	----	6.30	-	0.50	.0218	----	----	----	119	UNCH		
3560	----	----	----	*/6.40A	6.30B/	*/6.40A	----	----	6.40	-	0.60	.0222	----	----	----	1	UNCH		
3570	----	----	----	*/6.50A	6.50B/	*/6.50A	----	----	6.50	-	0.60	.0227	----	----	----	32	UNCH		
3575	----	----	----	*/6.60A	6.60B/	*/6.60A	----	----	6.60	-	0.60	.0230	----	----	----	20	UNCH		
3585	----	----	----	*/6.70A	6.70B/	*/6.70A	----	----	6.70	-	0.70	.0235	----	----	----	50	UNCH		
3600	----	----	----	*/6.90A	7.00B/	*/6.90A	----	----	6.90	-	0.80	.0243	----	----	----	679	UNCH		
3605	----	----	----	*/7.00A	7.10B/	*/7.00A	----	----	6.90	-	0.90	.0244	----	----	----	1	UNCH		
3610	----	----	----	*/7.10A	7.10B/	*/7.10A	----	----	7.00	-	0.90	.0247	----	----	----	1	UNCH		
3630	----	----	----	*/7.40A	7.50B/	*/7.40A	----	----	7.30	-	0.90	.0259	----	----	----	8	UNCH		
3640	----	----	----	*/7.60A	7.70B/	*/7.60A	----	----	7.40	-	1.10	.0264	----	1	----	1	UNCH		
3645	----	----	----	*/7.70A	7.80B/	*/7.70A	----	----	7.50	-	1.10	.0268	----	----	----	22	UNCH		
3650	----	----	----	*/7.70A	7.90B/	*/7.70A	----	----	7.60	-	1.10	.0271	----	----	----	42	UNCH		
3655	----	----	----	*/7.80A	8.00B/	*/7.80A	----	----	7.70	-	1.10	.0275	----	----	----	55	UNCH		
3660	----	----	----	*/7.90A	8.10B/	*/7.90A	----	----	7.80	-	1.10	.0279	----	----	----	9	UNCH		
3665	----	----	----	*/8.00A	8.20B/	*/8.00A	----	----	7.90	-	1.10	.0282	----	----	----	1	UNCH		
3675	----	----	----	*/8.20A	8.40B/	*/8.20A	----	----	8.00	-	1.20	.0287	----	----	----	24	UNCH		
3690	8.90	8.90	8.90	*/8.50A	8.70B/	*/8.50A	----	----	8.30	-	1.30	.0299	----	----	----	12	UNCH		
3700	8.90	8.90	8.90	*/8.70A	9.00B/	*/8.70A	----	----	8.50	-	1.30	.0306	----	2	----	248	+		
3705	----	----	----	*/8.80A	9.10B/	*/8.80A	----	----	8.60	-	1.30	.0310	----	----	----	21	UNCH		
3715	----	----	----	*/9.00A	9.30B/	*/9.00A	----	----	8.80	-	1.40	.0318	----	----	----	30	UNCH		
3725	----	----	----	*/9.30A	9.60B/	*/9.30A	----	----	9.10	-	1.40	.0329	----	----	----	4	UNCH		
3730	----	----	----	*/9.40A	9.70B/	*/9.40A	----	----	9.20	-	1.40	.0333	----	----	----	10	UNCH		
3740	----	----	----	*/9.60A	10.00B/	*/9.60A	----	----	9.40	-	1.50	.0341	----	----	----	8	UNCH		
3750	----	----	----	*/9.90A	10.20B/	*/9.90A	----	----	9.60	-	1.60	.0349	----	----	----	79	UNCH		
3760	----	----	----	*/10.10A	10.50B/	*/10.10A	----	----	9.90	NEW		.0360	1	----	1	+			
3765	----	----	----	*/10.30A	10.70B/	*/10.30A	----	----	10.00	-	1.60	.0364	----	----	100	UNCH			
3770	----	----	----	*/10.40A	10.80B/	*/10.40A	----	----	10.20	-	1.60	.0370	----	----	4	UNCH			
3775	----	----	----	*/10.50A	11.00B/	*/10.50A	----	----	10.30	-	1.60	.0375	----	----	12	UNCH			
3790	----	----	----	*/11.00A	11.40B/	*/11.00A	----	----	10.70	-	1.70	.0390	----	----	6	UNCH			
3795	----	----	----	*/11.10A	11.60B/	*/11.10A	----	----	10.90	-	1.70	.0397	----	----	83	UNCH			
3800	----	----	----	*/11.30A	11.70B/	*/11.30A	----	----	11.00	-	1.80	.0401	----	----	370	UNCH			
3805	----	----	----	*/11.40A	11.90B/	*/11.40A	----	----	11.20	-	1.70	.0408	----	----	4	UNCH			
3810	----	----	----	*/11.60A	12.10B/	*/11.60A	----	----	11.30	-	1.80	.0412	----	----	50	UNCH			
3815	----	----	----	*/11.70A	12.20B/	*/11.70A	----	----	11.50	-	1.80	.0419	----	----	150	UNCH			
3820	----	----	----	*/11.90A	12.40B/	*/11.90A	----	----	11.70	-	1.80	.0426	----	----	52	UNCH			
3825	----	----	----	*/12.00A	12.60B/	*/12.00A	----	----	11.80	-	1.90	.0430	----	----	51	UNCH			
3830	----	----	----	*/12.20A	12.80B/	*/12.20A	----	----	12.00	-	1.90	.0437	----	----	1	UNCH			
3835	----	----	----	*/12.40A	12.90B/	*/12.40A	----	----	12.20	-	1.80	.0444	----	----	10	UNCH			
3845	----	----	----	*/12.70A	13.30B/	*/12.70A	----	----	12.50	-	1.90	.0456	----	----	1	UNCH			
3850	----	----	----	*/12.90A	13.50B/	*/12.90A	----	----	12.70	-	1.90	.0463	1	----	122	UNCH			
3855	----	----	----	*/13.10A	13.70B/	*/13.10A	----	----	12.90	-	1.90	.0470	----	----	6	UNCH			
3875	----	----	----	*/13.80A	14.50B/	*/13.80A	----	----	13.70	-	2.00	.0499	----	----	10	UNCH			
3880	----	----	----	*/14.00A	14.70B/	*/14.00A	----	----	13.90	-	2.00	.0506	----	----	340	UNCH			
3885	----	----	----	*/14.20A	14.90B/	*/14.20A	----	----	14.10	-	2.10	.0513	----	----	89	UNCH			
3890	----	----	----	*/14.40A	15.20B/	*/14.40A	----	----	14.30	-	2.10	.0521	----	----	73	UNCH			
3895	----	----	----	*/14.60A	15.40B/	*/14.60A	----	----	14.50	-	2.10	.0528	----	----	1	UNCH			
3900	----	----	----	*/14.80A	15.60B/	*/14.80A	----	----	14.70	-	2.20	.0535	----	----	661	UNCH			
3910	----	----	----	*/15.30A	16.10B/	*/15.30A	----	----	15.20	-	2.20	.0553	----	----	37	UNCH			
3915	----	----	----	*/15.50A	16.30B/	*/15.50A	----	----	15.40	-	2.20	.0560	----	----	35	UNCH			
3920	----	----	----	*/15.70A	16.60B/	*/15.70A	----	----	15.60	-	2.30	.0568	----	----	49	UNCH			
3925	----	----	----	*/15.90A	16.80B/	*/15.90A	----	----	15.90	-	2.20	.0578	----	----	11	UNCH			
3930	----	----	----	*/16.20A	17.10B/	*/16.20A	----	----	16.10	-	2.30	.0585	----	----	49	UNCH			
3935	----	----	----	*/16.40A	17.30B/	*/16.40A	----	----	16.40	-	2.30	.0595	----	----	11	UNCH			
3940	17.20	17.20	17.20	*/16.60A	17.60B/	*/16.60A	----	----	16.60	-	2.30	.0603	----	----	17	UNCH			
3950	17.20	17.20	17.20	*/17.10A	18.10B/	*/17.10A	----	----	17.10	-	2.40	.0621	6	----	253	UNCH			
3955	----	----	----	*/17.40A	18.40B/	*/17.40A	----	----	17.40	-	2.40	.0631	----	----	11	UNCH			
3960	----	----	----	*/17.60A	18.70B/	*/17.60A	----	----	17.60	-	2.50	.0638	----	----	1	UNCH			
3965	----	----	----	*/17.90A	19.00B/	*/17.90A	----	----	17.90	-	2.50	.0649	----	----	28	UNCH			
3970	----	----	----	*/18.20A	19.30B/	*/18.20A	----	----	18.20	-	2.5								

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS														
AUG26																
4320	----	----	----	/55.30A	60.10B/55.30A	----	----	55.40 - 6.50	.1824	----	----	----	----	12	UNCH	
4325	----	----	----	/56.20A	61.20B/56.20A	----	----	56.30 - 6.60	.1849	----	----	----	----	310	UNCH	
4330	----	----	----	/57.10A	62.20B/57.10A	----	----	57.20 - 6.70	.1875	----	----	----	----	105	UNCH	
4335	----	----	----	/58.10A	63.20B/58.10A	----	----	58.20 - 6.70	.1902	----	----	----	----	9	UNCH	
4340	----	----	----	/59.00A	64.30B/59.00A	----	----	59.20 - 6.70	.1929	----	----	----	----	8	UNCH	
4345	----	----	----	/60.00A	65.30B/60.00A	----	----	60.10 - 6.90	.1954	----	----	----	----	5	UNCH	
4350	----	----	----	/61.00A	66.60B/61.00A	----	----	61.10 - 7.00	.1981	----	200	----	----	1042 +	168	
4355	----	----	----	/62.00A	67.50B/62.00A	----	----	62.20 - 7.00	.2010	----	----	----	----	104	UNCH	
4360	----	----	----	/63.00A	68.60B/63.00A	----	----	63.20 - 7.10	.2037	----	----	----	----	72	UNCH	
4365	----	----	----	/64.00A	69.80B/64.00A	----	----	64.20 - 7.20	.2065	----	----	----	----	116	UNCH	
4375	----	----	----	/66.10A	72.10B/66.10A	----	----	66.40 - 7.30	.2122	----	----	----	----	14	UNCH	
4380	----	----	----	/67.20A	73.30B/67.20A	----	----	67.50 - 7.40	.2151	----	----	----	----	4	UNCH	
4385	----	----	----	/68.30A	74.50B/68.30A	----	----	68.60 - 7.40	.2180	----	----	----	----	10	UNCH	
4390	----	----	----	/69.40A	75.70B/69.40A	----	----	69.70 - 7.60	.2209	----	----	----	----	16	UNCH	
4395	----	----	----	/70.50A	76.90B/70.50A	----	----	70.90 - 7.60	.2239	----	----	----	----	5	UNCH	
4400	----	----	----	/71.60A	78.40B/71.60A	----	----	72.10 - 7.60	.2269	----	1	100	----	1946 +	100	
4405	----	----	----	/72.70A	79.50B/72.70A	----	----	73.20 - 7.80	.2298	----	----	----	----	54	UNCH	
4410	----	----	----	/73.90A	80.80B/73.90A	----	----	74.40 - 7.90	.2329	----	----	----	----	303	UNCH	
4415	----	----	----	/75.10A	82.10B/75.10A	----	----	75.70 - 7.90	.2360	----	----	----	----	149	UNCH	
4420	----	----	----	/76.10A	83.40B/76.10A	----	----	76.90 - 8.00	.2391	----	----	----	----	5	UNCH	
4425	----	----	----	/77.10A	84.70B/77.10A	----	----	78.20 - 8.00	.2423	----	1	----	----	20	UNCH	
4430	----	----	----	/78.70A	86.10B/78.70A	----	----	79.40 - 8.20	.2453	----	----	----	----	34	UNCH	
4435	----	----	----	/79.80A	87.50B/79.80A	----	----	80.70 - 8.20	.2485	----	----	----	----	8	UNCH	
4440	----	----	----	/81.10A	88.90B/81.10A	----	----	82.00 - 8.30	.2517	----	----	----	----	76	UNCH	
4445	----	----	----	/82.40A	90.20B/82.40A	----	----	83.40 - 8.30	.2550	----	----	----	----	2	UNCH	
4450	----	----	----	/83.50A	91.80B/83.50A	----	----	84.70 - 8.40	.2582	----	----	----	----	381	UNCH	
4455	----	----	----	/84.80A	93.30B/84.80A	----	----	86.10 - 8.50	.2615	----	----	----	----	259	UNCH	
4460	----	----	----	/86.20A	94.70B/86.20A	----	----	87.50 - 8.60	.2648	----	----	----	----	8	UNCH	
4465	----	----	----	/87.50A	96.20B/87.50A	----	----	88.90 - 8.60	.2682	----	----	----	----	19	UNCH	
4470	----	----	----	/88.80A	97.70B/88.80A	----	----	90.30 - 8.70	.2715	----	----	----	----	112	UNCH	
4475	91.80	91.80		91.80/90.20A	99.30B/90.20A	----	----	91.70 - 8.90	.2748	----	60	----	----	84 +	49	
4480	----	----	----	/91.50A	100.90B/91.50A	----	----	93.20 - 8.90	.2782	----	----	----	----	145	UNCH	
4485	----	----	----	/92.90A	102.40B/92.90A	----	----	94.70 - 9.00	.2817	----	----	----	----	13	UNCH	
4490	----	----	----	/94.30A	104.00B/94.30A	----	----	96.20 - 9.10	.2851	----	----	----	----	7	UNCH	
4495	----	----	----	/95.70A	105.60B/95.70A	----	----	97.70 - 9.20	.2886	----	----	----	----	33	UNCH	
4500	103.00	103.00		103.00/97.20A	107.40B/97.20A	----	----	99.20 - 9.30	.2920	----	5	----	----	1890	UNCH	
4505	----	----	----	/98.70A	109.00B/98.70A	----	----	100.80 - 9.30	.2956	----	----	----	----	39	UNCH	
4510	----	----	----	/100.20A	110.60B/100.20A	----	----	102.40 - 9.40	.2991	----	----	----	----	48	UNCH	
4515	----	----	----	/101.70A	112.40B/101.70A	----	----	104.00 - 9.50	.3027	----	----	----	----	3	UNCH	
4520	----	----	----	/103.20A	114.10B/103.20A	----	----	105.60 - 9.60	.3062	----	----	----	----	21	UNCH	
4525	----	----	----	/104.80A	115.90B/104.80A	----	----	107.20 - 9.70	.3098	----	----	----	----	7	UNCH	
4530	----	----	----	/106.30A	117.60B/106.30A	----	----	108.90 - 9.80	.3134	----	----	----	----	8	UNCH	
4535	----	----	----	/107.90A	119.40B/107.90A	----	----	110.60 - 9.80	.3171	----	----	----	----	11	UNCH	
4540	----	----	----	/109.70A	121.20B/109.70A	----	----	112.30 - 9.90	.3207	----	----	----	----	38	UNCH	
4545	----	----	----	/111.20A	123.00B/111.20A	----	----	114.00 - 10.00	.3244	----	----	----	----	21	UNCH	
4550	----	----	----	/112.80A	124.90B/112.80A	----	----	115.70 - 10.10	.3280	----	1	----	----	35	UNCH	
4555	----	----	----	/114.60A	126.80B/114.60A	----	----	117.50 - 10.20	.3317	----	----	----	----	114	UNCH	
4560	118.60	118.60		120.00/116.20A	128.70B/116.20A	----	----	119.30 - 10.30	.3355	----	5	----	----	91 +	2	
4565	----	----	----	/117.80A	130.40B/117.80A	----	----	121.10 - 10.40	.3392	----	----	----	----	2	UNCH	
4570	----	----	----	/119.80A	132.60B/119.80A	----	----	122.90 - 10.50	.3429	----	----	----	----	74	UNCH	
4575	125.50	125.50		125.50/121.30A	134.60B/121.30A	----	----	124.80 - 10.50	.3467	----	1	----	----	59 +	1	
4580	----	----	----	/123.20A	136.60B/123.20A	----	----	126.60 - 10.60	.3505	----	----	----	----	186	UNCH	
4585	----	----	----	/125.00A	138.50B/125.00A	----	----	128.50 - 10.70	.3543	----	----	----	----	4	UNCH	
4590	----	----	----	/126.80A	140.60B/126.80A	----	----	130.40 - 10.80	.3581	----	----	----	----	32	UNCH	
4595	----	----	----	/128.60A	142.60B/128.60A	----	----	132.40 - 11.00	.3620	----	----	----	----	155	UNCH	
4600	139.20	139.20		139.20/130.50A	145.00B/130.50A	----	----	134.30 - 11.00	.3658	----	13	----	----	572 +	8	
4605	----	----	----	/132.40A	146.80B/132.40A	----	----	136.30 - 11.00	.3697	----	----	----	----	106	UNCH	
4610	----	----	----	/134.40A	149.00B/134.40A	----	----	138.30 - 11.10	.3735	----	8	----	----	9 -	1	
4615	----	----	----	/136.30A	151.00B/136.30A	----	----	140.40 - 11.10	.3774	----	----	----	----	2	UNCH	
4620	----	----	----	/138.10A	153.20B/138.10A	----	----	142.40 - 11.20	.3813	----	----	----	----	41	UNCH	
4625	----	----	----	/140.10A	155.50B/140.10A	----	----	144.50 - 11.30	.3852	----	----	----	----	209	UNCH	
4630	147.90	147.90		147.90/142.10A	157.70B/142.10A	----	----	146.60 - 11.30	.3892	----	7	----	----	11	UNCH	
4635	----	----	----	/144.20A	159.90B/144.20A	----	----	148.70 - 11.40	.3931	----	----	----	----	128	UNCH	
4640	149.80	149.80		150.60/146.10A	162.30B/146.10A	----	----	150.80 - 11.50	.3970	----	3	----	----	325	UNCH	
4645	----	----	----	/148.30A	164.40B/148.30A	----	----	153.00 - 11.60	.4010	----	26	----	----	135 +	4	
4650	----	----	----	167.00B/150.20A	167.00B/150.20A	----	----	155.20 - 11.60	.4049	----	4	----	----	452 +	1	
4655	----	----	----	169.20B/152.40A	169.20B/152.40A	----	----	157.40 - 11.70	.4089	----	----	----	----	25	UNCH	
4660	----	----	----	/154.50A	171.40B/154.50A	----	----	159.60 - 11.80	.4128	----	----	----	----	28	UNCH	
4665	----	----	----	173.90B/156.60A	173.90B/156.60A	----	----	161.90 - 11.80	.4168	----	----	----	----	4	UNCH	
4670	----	----	----	176.30B/158.80A	176.30B/158.80A	----	----	164.10 - 12.0								

PG64	BULLETIN # 91@										METALS OPTION PRODUCTS										wed, May 13, 2026										PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																
OG PUT	COMEX GOLD OPTIONS																														
AUG26																															
5300	----	----	----	623.80B/601.80A	623.80B/601.80A	----	----	----	604.70 - 18.20	.8223	----	----	----	----	3	UNCH															
5355	----	----	----	----	575.30B/740.20A	----	----	----	653.20 - 18.60	.8419	----	----	----	----	1	UNCH															
5400	----	----	----	713.40B/690.40A	713.40B/690.40A	----	----	----	693.60 - 18.90	.8563	----	----	----	----	76	UNCH															
5460	----	----	----	----	670.60B/834.70A	----	----	----	748.40 - 19.00	.8731	----	----	----	----	1	UNCH															
5500	----	----	----	805.60B/781.60A	805.60B/781.60A	----	----	----	785.30 - 19.20	.8831	----	----	----	----	3	UNCH															
5530	----	----	----	----	735.60B/899.70A	----	----	----	813.20 - 19.20	.8901	----	----	----	----	1	UNCH															
5575	----	----	----	----	777.90B/942.00A	----	----	----	855.40 - 19.20	.8994	----	----	----	----	2	UNCH															
10000	----	----	----	----	----	----	----	----	5258.30 - 19.80	1.0000	----	----	----	----	0	UNCH															
TOTAL													516	150	36252+	460															
SEP26																															
2000	----	----	----	----	0.20B/2.40A	----	----	----	1.10 + 0.50	.0021	----	----	----	----	1	UNCH															
2350	----	----	----	----	0.30B/2.20A	----	----	----	1.50 + 0.10	.0033	----	----	----	----	37	UNCH															
2375	----	----	----	----	0.50B/2.20A	----	----	----	1.50 + 0.10	.0033	----	----	----	----	5	UNCH															
2400	----	----	----	----	0.60B/2.30A	----	----	----	1.50 UNCH	.0034	----	----	----	----	1	UNCH															
2500	----	----	----	----	1.10B/2.50A	----	----	----	1.70 - 0.10	.0039	----	----	----	----	4	UNCH															
2600	----	----	----	----	1.60B/2.30A	----	----	----	1.90 - 0.20	.0046	----	----	----	----	2	UNCH															
2900	----	----	----	----	2.60B/3.40A	----	----	----	2.80 - 0.40	.0074	----	----	----	----	1	UNCH															
2915	----	----	----	----	2.70B/*3.40A	----	----	----	2.90 - 0.40	.0077	----	----	----	----	2	UNCH															
3000	----	----	----	----	3.20B/3.90A	----	----	----	3.40 - 0.40	.0092	----	----	----	----	3	UNCH															
3145	----	----	----	----	4.20B/*4.90A	----	----	----	4.40 - 0.50	.0123	----	----	----	----	15	UNCH															
3150	----	----	----	----	4.20B/*4.90A	----	----	----	4.40 - 0.50	.0124	----	----	----	----	2	UNCH															
3200	----	----	----	----	4.70B/*5.40A	----	----	----	4.90 - 0.50	.0139	----	----	----	----	1	UNCH															
3270	----	----	----	----	5.30B/*6.10A	----	----	----	5.60 - 0.60	.0161	----	----	----	----	15	UNCH															
3300	----	----	----	----	5.70B/*6.40A	----	----	----	6.00 - 0.50	.0173	----	----	----	----	1	UNCH															
3400	----	----	----	----	7.00B/*7.70A	----	----	----	7.30 - 0.70	.0214	----	----	----	----	1	UNCH															
3475	----	----	----	----	8.20B/*8.70A	----	----	----	8.50 - 0.90	.0252	----	----	----	----	2	UNCH															
3480	----	----	----	----	8.30B/*8.80A	----	----	----	8.60 - 0.90	.0255	----	----	----	----	780	UNCH															
3500	----	----	----	----	8.70B/*9.20A	----	----	----	8.90 - 1.00	.0266	----	----	----	----	26	UNCH															
3525	----	----	----	----	9.20B/*9.70A	----	----	----	9.40 - 1.00	.0281	----	----	----	----	2	UNCH															
3550	----	----	----	----	9.70B/*10.20A	----	----	----	10.00 - 1.00	.0300	----	----	----	----	5	UNCH															
3565	----	----	----	----	10.10B/*10.60A	----	----	----	10.30 - 1.10	.0310	----	----	----	----	1	UNCH															
3590	----	----	----	----	10.70B/11.20A	----	----	----	10.90 - 1.10	.0328	----	----	----	----	2	UNCH															
3600	----	----	----	----	11.00B/*11.40A	----	----	----	11.10 - 1.20	.0335	----	----	----	----	37	UNCH															
3610	----	----	----	----	11.20B/11.70A	----	----	----	11.40 - 1.20	.0344	----	----	----	----	7	UNCH															
3625	----	----	----	----	11.70B/12.10A	----	----	----	11.80 - 1.30	.0356	----	----	----	----	1	UNCH															
3650	----	----	----	----	12.40B/12.80A	----	----	----	12.50 - 1.30	.0378	----	----	----	----	66	UNCH															
3690	----	----	----	----	13.70B/14.10A	----	----	----	13.70 - 1.50	.0416	----	----	----	----	60	UNCH															
3700	----	----	----	----	14.10B/14.40A	----	----	----	14.00 - 1.60	.0425	----	----	----	----	149	UNCH															
3720	----	----	----	----	14.10B/14.40A	----	----	----	14.70 - 1.70	.0447	----	----	----	----	50	UNCH															
3750	----	----	----	----	15.10B/15.10A	----	----	----	15.80 - 1.80	.0481	----	----	----	----	96	UNCH															
3755	----	----	----	----	16.00B/16.30A	----	----	----	16.00 - 1.90	.0487	----	----	----	----	310	UNCH															
3775	----	----	----	----	16.20B/16.50A	----	----	----	16.90 - 1.90	.0513	----	----	----	----	1	UNCH															
3800	----	----	----	----	17.10B/17.30A	----	----	----	16.90 - 1.90	.0513	----	----	----	----	41	UNCH															
3825	----	----	----	----	17.10B/17.30A	----	----	----	18.00 - 2.00	.0546	----	----	----	----	12	UNCH															
3850	----	----	----	----	18.00B/18.40A	----	----	----	19.20 - 2.10	.0582	----	----	----	----	22	UNCH															
3860	----	----	----	----	19.80B/19.80A	----	----	----	20.40 - 2.40	.0618	----	----	----	17	22	+															
3880	----	----	----	----	20.60B/21.00A	----	----	----	21.00 - NEW	.0635	----	----	----	1	1	+															
3900	----	----	----	----	21.40B/21.60A	----	----	----	22.10 - 2.50	.0668	----	----	----	----	26	UNCH															
3910	----	----	----	----	22.10B/22.70A	----	----	----	23.10 - 2.60	.0703	----	----	----	----	213	UNCH															
3915	----	----	----	----	23.10B/24.00A	----	----	----	23.30 - 2.70	.0720	----	----	----	----	2	UNCH															
3920	----	----	----	----	24.00B/24.80A	----	----	----	24.30 - 2.70	.0731	----	----	----	----	4	UNCH															
3930	----	----	----	----	24.80B/25.40A	----	----	----	24.60 - 2.80	.0740	----	----	----	----	14	UNCH															
3945	----	----	----	----	25.40B/25.80A	----	----	----	25.30 - 2.80	.0760	----	----	----	----	2	UNCH															
3950	----	----	----	----	25.80B/26.00A	----	----	----	26.30 - 2.90	.0789	----	----	----	----	380	UNCH															
3975	----	----	----	----	26.00B/26.90A	----	----	----	26.70 - 2.90	.0800	----	----	----	----	324	UNCH															
3980	----	----	----	----	27.30B/28.00B	----	----	----	28.50 - 3.20	.0851	----	----	----	----	4	UNCH															
4000	31.10	31.10	----	32.20B/31.10	32.20B/31.10	----	----	----	28.90 - 3.20	.0862	----	----	----	4	2	UNCH															
4005	----	----	----	32.20B/31.10	32.20B/31.10	----	----	----	30.60 - 3.30	.0909	----	----	----	----	1211	UNCH															
4020	----	----	----	32.70B/31.60A	32.70B/31.60A	----	----	----	31.00 - 3.30	.0920	----	----	----	----	1	UNCH															
4030	----	----	----	33.80B/33.80A	33.80B/33.80A	----	----	----	32.30 - 3.50	.0956	----	----	----	----	14	UNCH															
4050	----	----	----	33.80B/33.80A	33.80B/33.80A	----	----	----	33.20 - 3.50	.0981	----	----	----	----	3	UNCH															
4065	----	----	----	37.10B/35.80A	37.10B/35.80A	----	----	----	35.10 - 3.70	.1032	----	----	----	----	44	UNCH															
4070	----	----	----	37.30B/37.30A	37.30B/37.30A	----	----	----	36.60 - 3.80	.1073	----	----	----	----	5	UNCH															
4080	----	----	----	37.80B/37.80A	37.80B/37.80A	----	----	----	37.10 - 3.90	.1086	----	----	----	----	10	UNCH															
4085	----	----	----	38.70B/38.70A	38.70B/38.70A	----	----	----	38.20 - 3.90	.1115	----	----	----	----	6	UNCH															
4090	----	----	----	39.30B/39.30A	39.30B/39.30A	----	----	----	38.70 - 4.00	.1129	----	----	----	----	76	UNCH															
4100	----	----	----	39.80B/39.80A	39.80B/39.80A	----	----	----	39.30 - 4.00	.1144	----	----	----	----	2	UNCH															
4110	----	----	----	40.90B/40.90A	40.90B/40.90A	----	----	----	40.40 - 4.10	.1173	----	----	----	----	24	UNCH															
4115	----	----	----	42.10B/42.10A	42.10B/42.10A	----	----	----	41.50 - 4.20	.1202	----	----	----	----	1	UNCH															
4130	----	----	----	42.70B/42.70A	42.70B/42.70A	----	----	----	42.10 - 4.30	.1218	----	----	----	----	28	UNCH															
4135	----	----	----	44.50B/44.50A	44.50B/44.50A	----	----	----	43.90 - 4.40	.1264	----	----	----	----	3	UNCH															
4150	----	----	----	45.20B/45.20A	45.20B/45.20A	----	----	----	44.60 - 4.40	.1282	----	----	----	----	3	UNCH															
4185	----	----	----	47.10B/47.10A	47.10B/47.10A	----	----	----	46.50 - 4.50	.1330	----	----	----	17	21	+															
4200	54.30	54.30	----	54.30B/54.00	54.30B/54.00	----	----	----	51.30 - 4.90	.1451	----	----	----	3	79	+															
4210	----	----	----	57.20B/54.00	57.20B/54.00	----	----	----	53.60 - 5.00	.1507	----	----	----	4	225	UNCH															
4220	----	----	----	58.80B/55.50A	58.80B/55.50A	----	----	----	55.10 - NEW	.1544	----	----	----	2	2	+															
4225	----	----	----	60.50B/57.00A	60.50B/57.00A	----	----	----	56.70 - 5.20	.1582	----	----	----	----	113	UNCH															
4230	----	----	----	61.30B/57.80A	61.30B/57.80A	----	----	----	57.50 - 5.20	.1602	----	----	----	----	2	UNCH															
4240	----	----	----	62.30B/58.60A	62.30B/58.60A	----	----	----	58.30 - 5.30	.1621	----	----	----	----	29	UNCH															
4250	----	----	----	64.10B/60.30A	64.10B/60.30A	----	----	----	60.00 - 5.40	.1661	----	----	----	----	106	UNCH															
4275	----	----	----	65.90B/62.00A	65.90B/62.00A	----	----	----	61.70 - 5.50	.1701	----	----	----	----	126	UNCH															
4290	----	----	----	70.70B/66.40A	70.70B/66.40A	----	----	----	66.20 - 5.80	.1806	----	----	----	----	30	UNCH															
4300	71.50	71.50	----	71.50B/71.00A	71.50B/71.00A	----	----	----	69.00 - 5.00	.1871	----	----	----	61	1	UNCH															
4320	----	----	----	75.90B/71.00A	75.90B/71.00A	----	----	----	71.00 - 6.10	.1916	----	----	----	----	319	+															
4325	----	----	----	80.20B/75.00A	80.20B/75.00A	----	----	----	75.10 - 6.30	.2008	----	----	----	----	158	UNCH															
4345	----	----	----	81.30B/76.00A	81.30B/76.00A	----	----	----	76.10 - 6.40	.2030	----	----	----	----	6	UNCH															
4350	----	----	----	85.90B/80.10A	85.90B/80.10A	----	----	----	80.50 - 6.50	.2126	----	----	----	----	16	UNCH															
4360	----	----	----	87.10B/81.20A	87.10B/81.20A	----	----	----	81.60 - 6.60	.2150	----	----	----	----	44	UNCH															
4365	----	----	----	89.30B/83.50A	89.30B/83.50A	----	----	----	83.90 - 6.70	.2200	----	----	----	----	1	UNCH															
4375	----	----	----																												

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS															
SEP26																	
4725	----	----		224.50B/206.60A	224.50B/206.60A	----	----	----	212.00	- 11.90	----	----	----	----	----	7	UNCH
4730	----	----		227.10B/208.90A	227.10B/208.90A	----	----	----	214.50	- 11.90	----	----	----	----	----	7	UNCH
4735	----	----		229.70B/211.30A	229.70B/211.30A	----	----	----	216.90	- 12.10	----	----	----	----	100	UNCH	
4740	----	----		232.10B/213.70A	232.10B/213.70A	----	----	----	219.40	- 12.10	----	----	----	----	2	UNCH	
4750	----	----		237.50B/218.50A	237.50B/218.50A	----	----	----	224.40	- 12.20	----	----	----	----	174	UNCH	
4755	----	----		240.20B/220.90A	240.20B/220.90A	----	----	----	226.90	NEW	----	----	10	----	10	+	
4760	----	----		242.80B/223.50A	242.80B/223.50A	----	----	----	229.50	- 12.30	----	----	----	----	100	UNCH	
4770	----	----		248.10B/228.50A	248.10B/228.50A	----	----	----	234.70	- 12.40	----	----	----	----	1	UNCH	
4775	----	----		251.00B/230.90A	251.00B/230.90A	----	----	----	237.30	- 12.50	----	----	120	----	130	+	
4780	----	----		253.70B/233.50A	253.70B/233.50A	----	----	----	239.90	- 12.60	----	----	----	----	3	UNCH	
4800	----	----		264.90B/243.80A	264.90B/243.80A	----	----	----	250.70	- 12.70	----	----	----	----	471	UNCH	
4805	----	----		267.70B/246.20A	267.70B/246.20A	----	----	----	253.40	- 12.80	----	----	----	----	4	UNCH	
4825	----	----		279.30B/256.50A	279.30B/256.50A	----	----	----	264.60	- 12.90	----	----	----	----	2	UNCH	
4830	----	----		282.20B/259.40A	282.20B/259.40A	----	----	----	267.40	- 13.00	----	----	----	----	10	UNCH	
4835	----	----		285.00B/262.20A	285.00B/262.20A	----	----	----	270.20	- 13.10	----	----	----	----	30	UNCH	
4855	----	----		297.00B/273.30A	297.00B/273.30A	----	----	----	281.80	- 13.20	----	----	----	----	14	UNCH	
4860	----	----		300.10B/276.40A	300.10B/276.40A	----	----	----	284.70	- 13.30	----	----	----	----	11	UNCH	
4875	----	----		309.20B/284.90A	309.20B/284.90A	----	----	----	293.70	- 13.40	----	----	----	----	8	UNCH	
4885	----	----		315.40B/290.80A	315.40B/290.80A	----	----	----	299.70	- 13.50	----	----	----	----	4	UNCH	
4895	----	----		321.70B/296.60A	321.70B/296.60A	----	----	----	305.80	- 13.60	----	----	----	----	1	UNCH	
4900	317.00	----	317.00	324.90B/299.50A	324.90B/299.50A	----	----	----	308.80	- 13.70	----	----	15	----	16	+	
4915	----	----		334.50B/308.50A	334.50B/308.50A	----	----	----	318.10	- 13.80	----	----	----	----	1	UNCH	
4930	----	----		344.20B/317.70A	344.20B/317.70A	----	----	----	327.60	- 13.90	----	----	----	----	20	UNCH	
4950	----	----		356.20B/330.20A	356.20B/330.20A	----	----	----	340.40	- 14.10	----	----	----	----	1	UNCH	
4955	----	----		359.80B/333.40A	359.80B/333.40A	----	----	----	343.70	- 14.10	----	----	----	----	1	UNCH	
4975	----	----		373.20B/346.30A	373.20B/346.30A	----	----	----	356.80	- 14.40	----	----	----	----	220	UNCH	
5000	----	----		390.20B/363.80A	390.20B/363.80A	----	----	----	373.60	- 14.70	----	----	----	----	10	UNCH	
5005	----	----		393.70B/367.20A	393.70B/367.20A	----	----	----	377.00	- 14.70	----	----	----	----	3	UNCH	
5020	----	----		404.30B/377.20A	404.30B/377.20A	----	----	----	387.40	- 14.80	----	----	----	----	3	UNCH	
5060	----	----		433.10B/404.70A	433.10B/404.70A	----	----	----	415.60	- 15.20	----	----	----	----	4	UNCH	
5100	----	----		462.90B/433.10A	462.90B/433.10A	----	----	----	444.80	- 15.50	----	----	----	----	28	UNCH	
5105	----	----		466.40B/436.70A	466.40B/436.70A	----	----	----	448.50	- 15.50	----	----	----	----	2	UNCH	
5150	----	----		----/469.80A	488.90B/469.80A	----	----	----	482.30	- 15.90	----	----	----	----	2	UNCH	
5200	----	----		538.70B/518.70A	538.70B/518.70A	----	----	----	521.00	- 16.20	----	----	----	----	45	UNCH	
5230	----	----		563.70B/541.50A	563.70B/541.50A	----	----	----	544.70	- 16.50	----	----	----	----	400	UNCH	
5300	----	----		621.60B/598.10A	621.60B/598.10A	----	----	----	601.70	- 16.90	----	----	----	----	300	UNCH	
5400	----	----		706.10B/682.90A	706.10B/682.90A	----	----	----	686.30	- 17.50	----	----	----	----	100	UNCH	
5420	----	----		723.50B/700.20A	723.50B/700.20A	----	----	----	703.60	- 17.60	----	----	----	----	80	UNCH	
5450	----	----		----	647.50B/820.40A	----	----	----	729.80	- 17.80	----	----	----	----	1	UNCH	
5500	----	----		794.40B/770.20A	794.40B/770.20A	----	----	----	774.10	- 18.00	----	----	----	----	3	UNCH	
6000	----	----		----	----	----	----	----	1241.40	- 19.10	----	----	----	----	2	UNCH	
TOTAL													292	50	11414	+	
OCT26																	
2700	----	----		----	2.70B/3.50A	----	----	----	3.00	UNCH	----	----	----	----	1	UNCH	
2800	----	----		----	3.10B/4.00A	----	----	----	3.50	UNCH	----	----	----	----	3	UNCH	
2900	----	----		----	3.70B/4.60A	----	----	----	4.10	- 0.10	----	----	----	----	1	UNCH	
3100	----	----		----	5.30B/6.40A	----	----	----	5.70	- 0.30	----	----	----	----	1	UNCH	
3155	----	----		----	5.90B/7.00A	----	----	----	6.40	- 0.30	----	----	----	----	1	UNCH	
3200	----	----		----	6.60B/7.60A	----	----	----	6.90	- 0.40	----	----	----	----	414	UNCH	
3240	----	----		----	7.10B/8.20A	----	----	----	7.50	- 0.50	----	----	----	----	5	UNCH	
3300	----	----		----	8.30B/9.10A	----	----	----	8.50	- 0.50	----	----	----	----	415	UNCH	
3340	----	----		----/9.70A	9.00B/9.70A	----	----	----	9.20	- 0.60	----	----	----	----	9	UNCH	
3360	----	----		----/10.10A	9.40B/10.10A	----	----	----	9.60	- 0.70	----	----	----	----	1	UNCH	
3380	----	----		----/10.60A	9.70B/10.60A	----	----	----	10.00	- 0.70	----	----	----	----	1	UNCH	
3390	----	----		----/10.80A	9.90B/10.80A	----	----	----	10.20	- 0.80	----	----	----	----	4	UNCH	
3400	----	----		----/11.10A	10.20B/11.10A	----	----	----	10.20	- 0.80	----	----	----	----	150	UNCH	
3480	----	----		----/13.10A	12.20B/13.10A	----	----	----	12.40	- 1.00	----	----	----	----	12	UNCH	
3500	----	----		----/13.70A	12.80B/13.70A	----	----	----	13.00	- 1.10	----	----	----	----	18	UNCH	
3520	----	----		----/14.30A	13.30B/14.30A	----	----	----	13.60	- 1.10	----	----	----	----	12	UNCH	
3550	----	----		----/15.30A	14.30B/15.30A	----	----	----	14.60	- 1.20	----	----	----	----	25	UNCH	
3600	----	----		----/17.00A	16.10B/17.00A	----	----	----	16.30	- 1.50	----	----	----	----	182	UNCH	
3615	----	----		----/17.60A	16.70B/17.60A	----	----	----	16.90	- 1.50	----	----	----	----	1	UNCH	
3700	----	----		----/21.40A	20.40B/21.40A	----	----	----	20.70	- 1.90	----	----	----	----	136	UNCH	
3715	----	----		----/22.10A	21.20B/22.10A	----	----	----	21.40	- 2.00	----	----	----	----	196	UNCH	
3750	----	----		----/24.00A	23.00B/24.00A	----	----	----	23.30	- 2.20	----	----	----	----	19	UNCH	
3770	----	----		----/25.20A	24.20B/25.20A	----	----	----	24.50	- 2.20	----	----	----	----	1	UNCH	
3785	----	----		----/26.10A	26.00B/26.10A	----	----	----	25.40	- 2.30	----	----	----	----	1	UNCH	
3800	----	----		----/27.10A	26.90B/27.10A	----	----	----	26.30	- 2.50	----	----	----	----	18	UNCH	
3805	----	----		----/27.40A	27.30B/27.40A	----	----	----	26.70	- 2.40	----	----	----	----	1	UNCH	
3820	----	----		----/28.30A	28.40B/28.30A	----	----	----	27.70	- 2.50	----	----	----	----	1	UNCH	
3865	----	----		----/31.60A	31.80B/31.60A	----	----	----	30.90	- 2.90	----	----	----	----	2	UNCH	
3870	----	----		----/32.00A	32.20B/32.00A	----	----	----	31.30	- 2.90	----	----	----	----	1	UNCH	
3875	----	----		----/32.40A	32.70B/32.40A	----	----	----	31.70	- 2.90	----	----	----	----	12	UNCH	
3885	----	----		----/33.20A	33.50B/33.20A	----	----	----	32.50	- 3.00	----	----	----	----	5	UNCH	
3890	----	----		----/33.60A	34.00B/33.60A	----	----	----	32.90	- 3.00	----	----	----	----	2	UNCH	
3895	----	----		----/34.10A	34.40B/34.10A	----	----	----	33.30	- 3.10	----	----	----	----	2	UNCH	
3900	----	----		----/34.50A	34.90B/34.50A	----	----	----	33.80	- 3.00	----	----	----	----	23	UNCH	
3920	----	----		----/36.20A	36.70B/36.20A	----	----	----	35.50	- 3.20	----	----	----	----	2	UNCH	
3930	----	----		----/37.10A	37.70B/37.10A	----	----	----	36.40	- 3.30	----	----	----	----	2	UNCH	
3940	----	----		----/38.10A	38.70B/38.10A	----	----	----	37.40	- 3.30	----	----	----	----	65	UNCH	
3950	----	----		----/39.10A	39.60B/39.10A	----	----	----	38.40	- 3.30	----	----	----	----	2	UNCH	
3975	----	----		----/41.60A	42.50B/41.60A	----	----	----	40.90	- 3.50	----	----	----	----	5	UNCH	
4000	----	----		----/44.30A	45.10B/44.30A	----	----	----	43.60	- 3.70	----	----	----	----	374	UNCH	
4030	----	----		----/47.70A	48.80B/47.70A	----	----	----	47.00	- 3.90	----	----	----	----	2	UNCH	
4050	----	----		----/50.10A	51.30B/50.10A	----	----	----	49.40	- 4.10	----	----	----	----	5	UNCH	
4070	----	----		----/52.80A	54.40B/52.80A	----	----	----	51.90	- 4.30	----	----	----	----	24	UNCH	
4100	----	----		----/56.70A	58.90B/56.70A	----	----	----	56.00	- 4.60	----	----	----	----	466	UNCH	
4130	----	----		----/61.30A	63.70B/61.30A	----	----	----	60.40	- 4.90	----	----	----	----	2	UNCH	
4150	----	----		----/64.50A	67.00B/64.50A	----	----	----	63.60	- 5.10	----	----	----	----	5	UNCH	
4180	----	----		----/69.40A	72.40B/69.40A	----	----	----	68.70	- 5.30	----	----	----	----	1	UNCH	
4200	----	----		----/72.80A	76.70B/72.80A	----	----	----	72.20	- 5.60	----	----	----	----	391	UNCH	
4220	----	----		----/76.50A	80.60B/76.50A	----	----	----	76.00	- 5.80	----	----	----	----	5	UNCH	
4235	----	----		----/79.60A	83.20B/79.60A	----	----	----	78.90	- 5.90	----	----	----	----	1	UNCH	
4250	----	----		----/82.50A	86.80B/82.50A	----	----	----	81.90	- 6.10	----	----	----	----	72	UNCH	
4265	----	----		----/85.60A	90.10B/85.60A	----	----	----	85.00	- 6.30	----	----	----	----	200	UNCH	
4270	----	----		----/86.60A													

BULLETIN # 91@														METALS OPTION PRODUCTS										wed, May 13, 2026				PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
OG PUT		COMEX GOLD OPTIONS																										
OCT26																												
4920	----	----		366.50B/344.20A	366.50B/344.20A	----			351.90	- 13.20	.5541	----	----	----	----		1	UNCH										
4925	----	----		369.80B/347.20A	369.80B/347.20A	----			355.00	- 13.20	.5569						25	UNCH										
4935	----	----		376.10B/353.40A	376.10B/353.40A	----			361.20	- 13.40	.5624						5	UNCH										
4965	----	----		395.70B/371.90A	395.70B/371.90A	----			380.20	- 13.70	.5789						13	UNCH										
4980	----	----		405.80B/381.40A	405.80B/381.40A	----			389.90	- 13.90	.5870						1	UNCH										
5000	----	----		418.00B/394.30A	418.00B/394.30A	----			403.00	- 14.10	.5977						47	UNCH										
5010	----	----		424.20B/400.90A	424.20B/400.90A	----			409.70	- 14.20	.6030						1	UNCH										
5050	----	----		452.20B/427.40A	452.20B/427.40A	----			436.90	- 14.50	.6237						25	UNCH										
5150	----	----		525.20B/497.60A	525.20B/497.60A	----			509.00	- 15.00	.6718						1	UNCH										
5200	----	----		562.70B/534.50A	562.70B/534.50A	----			546.70	- 15.40	.6941						100	UNCH										
5230	----	----		----/557.20A	567.70B/557.20A	----			569.90	- 15.50	.7069						1	UNCH										
5250	----	----		601.90B/572.60A	601.90B/572.60A	----			585.50	- 15.60	.7152						75	UNCH										
5300	----	----		642.10B/622.90A	642.10B/622.90A	----			625.10	- 15.90	.7351						6	UNCH										
5425	----	----		----	641.90B/822.00A	----			728.30	- 16.70	.7793						1	UNCH										
5455	----	----		771.90B/751.10A	771.90B/751.10A	----			753.80	- 16.90	.7887						40	UNCH										
5495	----	----		----	702.50B/881.30A	----			788.30	- 17.00	.8006						1	UNCH										
5500	----	----		----	706.90B/885.60A	----			792.60	- 17.10	.8022						1	UNCH										
5600	----	----		----	796.00B/972.50A	----			880.50	- 17.50	.8288						1	UNCH										
5700	----	----		----	886.80B/1061.60A	----			970.70	- 17.90	.8514	----	----	----	----		1	UNCH										
TOTAL														94	75	7108 +	59											
NOV26																												
2750	----	----		----	3.50B/4.80A	----			4.10	- 0.20	.0091	----	----	----	----		1	UNCH										
2800	----	----		----	3.90B/5.10A	----			4.50	- 0.10	.0100						8	UNCH										
2900	----	----		----	4.70B/6.00A	----			5.30	UNCH	.0121						1	UNCH										
3000	----	----		----	5.70B/7.00A	----			6.30	- 0.10	.0146						95	UNCH										
3120	----	----		----	7.20B/8.60A	----			7.80	- 0.30	.0184						10	UNCH										
3180	----	----		----	8.20B/9.60A	----			8.80	- 0.40	.0209						10	UNCH										
3200	----	----		----	8.60B/10.00A	----			9.10	- 0.50	.0217						93	UNCH										
3215	----	----		----	8.90B/10.30A	----			9.40	- 0.50	.0224						1	UNCH										
3220	----	----		----	9.00B/10.40A	----			9.50	- 0.50	.0226						1	UNCH										
3225	----	----		----	9.00B/10.40A	----			9.60	- 0.50	.0229						1	UNCH										
3235	----	----		----	9.20B/10.60A	----			9.80	- 0.50	.0234						2	UNCH										
3250	----	----		----	9.50B/10.90A	----			10.10	- 0.60	.0241						18	UNCH										
3255	----	----		----	9.70B/11.00A	----			10.20	- 0.60	.0244						18	UNCH										
3300	----	----		----	10.70B/12.00A	----			11.20	- 0.70	.0268						20	UNCH										
3310	----	----		----	10.90B/12.30A	----			11.40	- 0.80	.0273						1	UNCH										
3320	----	----		----	11.10B/12.50A	----			11.70	- 0.80	.0280						16	UNCH										
3350	----	----		----	11.90B/13.30A	----			12.40	- 0.90	.0298						180	UNCH										
3455	----	----		----/16.50A	15.10B/16.50A	----			15.60	- 1.20	.0375						1	UNCH										
3475	----	----		----/17.20A	15.70B/17.20A	----			16.30	- 1.30	.0392						2	UNCH										
3500	----	----		----/18.20A	16.60B/18.20A	----			17.20	- 1.40	.0413						675	UNCH										
3535	----	----		----/19.50A	18.00B/19.50A	----			18.70	- 1.50	.0448						1	UNCH										
3605	----	----		----/22.80A	21.30B/22.80A	----			21.90	- 1.70	.0522						1	UNCH										
3690	----	----		----/27.50A	26.20B/27.50A	----			26.60	- 2.10	.0629						1	UNCH										
3700	----	----		----/28.10A	26.90B/28.10A	----			27.30	- 2.10	.0645						1	UNCH										
3725	----	----		----/29.80A	29.30B/29.80A	----			28.90	- 2.20	.0681						1	UNCH										
3740	----	----		----/30.80A	30.40B/30.80A	----			29.90	- 2.30	.0703						21	UNCH										
3750	----	----		----/31.30A	31.10B/31.30A	----			30.60	- 2.30	.0718			197			347 +	197										
3780	----	----		----/33.60A	33.50B/33.60A	----			32.80	- 2.50	.0767						1	UNCH										
3800	----	----		----/35.10A	35.20B/35.10A	----			34.40	- 2.60	.0801						29	UNCH										
3820	----	----		----/36.80A	37.00B/36.80A	----			36.10	- 2.60	.0838						22	UNCH										
3875	----	----		----/41.80A	42.00B/41.80A	----			41.00	- 3.00	.0942						24	UNCH										
3900	----	----		----/44.30A	44.50B/44.30A	----			43.50	- 3.20	.0994						2	UNCH										
3920	----	----		----/46.40A	46.80B/46.40A	----			45.60	- 3.30	.1038						2	UNCH										
3925	----	----		----/46.90A	47.40B/46.90A	----			46.10	- 3.30	.1048						2	UNCH										
3980	----	----		----/53.40A	54.10B/53.40A	----			52.40	- 3.80	.1177						1	UNCH										
4000	55.10	55.10		55.10/55.10	56.40B/55.10	----			54.90	- 3.90	.1227			1			5 -	1										
4025	----	----		----/59.20A	60.10B/59.20A	----			58.20	- 4.10	.1292						2	UNCH										
4070	----	----		----/65.60A	67.00B/65.60A	----			64.50	- 4.60	.1415						25	UNCH										
4100	----	----		----/70.20A	71.60B/70.20A	----			69.10	- 4.90	.1502						2	UNCH										
4135	----	----		----/76.10A	77.40B/76.10A	----			74.90	- 5.30	.1610						22	UNCH										
4160	----	----		----/80.50A	82.10B/80.50A	----			79.30	- 5.50	.1691						1	UNCH										
4170	----	----		----/82.40A	84.20B/82.40A	----			81.10	- 5.60	.1724						1	UNCH										
4180	----	----		----/84.20A	86.20B/84.20A	----			83.00	- 5.70	.1758						1	UNCH										
4200	----	----		----/88.10A	90.20B/88.10A	----			86.80	- 6.00	.1826						6	UNCH										
4205	----	----		----/89.10A	91.10B/89.10A	----			87.80	- 6.00	.1844						1	UNCH										
4215	----	----		----/91.10A	93.40B/91.10A	----			89.80	- 6.10	.1879						5	UNCH										
4250	----	----		----/98.40A	101.30B/98.40A	----			97.10	- 6.50	.2006			197			567 +	197										
4275	----	----		----</																								

PG64		BULLETIN # 91@										METALS OPTION PRODUCTS										wed, May 13, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT		COMEX GOLD OPTIONS																						
DEC26																								
3425	----	----	----	----	----	18.30B/20.00A	----	19.00	- 1.00	.0420	----	----	----	----	----	350	UNCH							
3450	----	----	----	----	----	19.20B/21.00A	----	20.00	- 1.10	.0442	----	----	----	----	----	201	UNCH							
3460	----	----	----	----	----	19.60B/21.40A	----	20.40	- 1.10	.0451	----	----	----	----	----	20	UNCH							
3475	----	----	----	----	----	20.30B/22.10A	----	21.00	- 1.20	.0464	----	----	----	----	----	152	UNCH							
3500	----	----	----	----	----	21.60B/23.20A	----	22.10	- 1.40	.0488	----	----	----	----	----	1467	UNCH							
3550	----	----	----	----	----	24.40B/25.80A	----	24.70	- 1.60	.0543	----	----	----	----	----	18	UNCH							
3565	----	----	----	----	----	25.20B/26.70A	----	25.50	- 1.80	.0561	----	----	----	----	----	2	UNCH							
3590	----	----	----	----	----	26.70B/28.20A	----	27.00	- 2.00	.0592	----	----	----	----	----	1	UNCH							
3600	----	----	----	----	----	27.30B/28.80A	----	27.60	- 2.10	.0604	----	----	----	----	----	464	UNCH							
3610	----	----	----	----	----	27.90B/29.40A	----	28.20	- 2.20	.0617	----	----	----	----	----	3	UNCH							
3650	----	----	----	----	----	31.40B/32.10A	----	30.90	- 2.50	.0672	----	----	----	----	----	201	UNCH							
3660	----	----	----	----	----	32.30B/32.80A	----	31.60	- 2.60	.0686	----	----	----	----	----	5	UNCH							
3670	----	----	----	----	----	33.30B/33.50A	----	32.40	- 2.60	.0702	----	----	----	----	----	1	UNCH							
3690	----	----	----	----	----	34.80B/35.00A	----	33.90	- 2.70	.0732	----	----	----	----	----	1	UNCH							
3700	----	----	----	----	----	35.60B/35.80A	----	34.70	- 2.80	.0748	----	----	----	----	----	279	UNCH							
3710	----	----	----	----	----	36.50B/36.60A	----	35.50	- 2.80	.0764	----	----	----	----	----	37	UNCH							
3720	----	----	----	----	----	37.30B/37.30A	----	36.30	- 2.90	.0780	----	----	----	----	----	1	UNCH							
3725	----	----	----	----	----	37.80B/37.80A	----	36.70	- 2.90	.0788	----	----	----	----	----	6	UNCH							
3750	----	----	----	----	----	39.90B/39.90A	----	38.80	- 3.00	.0829	----	----	----	----	----	166	UNCH							
3760	----	----	----	----	----	40.80B/40.80A	----	39.70	- 3.10	.0847	----	----	----	----	----	184	UNCH							
3780	----	----	----	----	----	42.60B/42.60A	----	41.60	- 3.00	.0883	----	----	----	----	----	1	UNCH							
3800	----	----	----	----	----	44.50B/44.50A	----	43.50	- 3.10	.0920	----	----	----	----	----	149	UNCH							
3810	----	----	----	----	----	45.50B/45.50A	----	44.50	- 3.10	.0939	----	----	----	----	----	56	UNCH							
3850	----	----	----	----	----	49.70B/49.70A	----	48.60	- 3.20	.1018	----	----	----	----	----	24	UNCH							
3880	----	----	----	----	----	53.10B/53.10A	----	52.00	- 3.20	.1081	----	----	----	----	----	1	UNCH							
3900	----	----	----	----	----	55.40B/55.40A	----	54.30	- 3.30	.1125	----	----	----	----	----	1206	UNCH							
3920	----	----	----	----	----	57.80B/57.80A	----	56.80	- 3.30	.1170	----	----	----	----	----	50	UNCH							
3925	----	----	----	----	----	58.50B/58.50A	----	57.40	- 3.40	.1182	----	----	----	----	----	252	UNCH							
3930	----	----	----	----	----	59.10B/59.10A	----	58.10	- 3.30	.1194	----	----	----	----	----	2	UNCH							
3950	----	----	----	----	----	61.70B/61.70A	----	60.70	- 3.40	.1241	----	----	----	----	----	27	UNCH							
3965	----	----	----	----	----	63.70B/63.70A	----	62.70	- 3.50	.1278	----	----	----	----	----	50	UNCH							
3975	----	----	----	----	----	65.10B/65.10A	----	64.10	- 3.50	.1303	----	----	----	----	----	192	UNCH							
3980	66.60	66.60	66.60	66.60	65.80A	66.60/65.80A	66.60/65.80A	64.80	- 3.60	.1315	----	----	----	7	----	232	+							
4000	----	----	----	----	----	68.70B/68.70A	----	67.60	- 3.80	.1366	----	----	----	----	10	2156	-							
4025	----	----	----	----	----	72.40B/72.40A	----	71.40	- 4.00	.1432	----	----	----	----	----	220	UNCH							
4050	----	----	----	----	----	76.40B/76.40A	----	75.40	- 4.10	.1501	----	----	----	----	----	202	UNCH							
4070	----	----	----	----	----	79.80B/79.80A	----	78.70	- 4.40	.1558	----	----	----	----	----	8	UNCH							
4090	----	----	----	----	----	83.40B/83.40A	----	82.10	- 4.60	.1616	----	----	----	----	----	1	UNCH							
4100	----	----	----	----	----	84.30B/84.30A	----	83.90	- 4.70	.1646	----	----	----	----	----	386	UNCH							
4130	----	----	----	----	----	90.60B/90.60A	----	89.40	- 5.00	.1738	----	----	----	----	----	2	UNCH							
4150	----	----	----	----	----	93.80B/93.80A	----	93.20	- 5.30	.1801	----	----	----	----	----	21	UNCH							
4160	----	----	----	----	----	95.70B/95.70A	----	95.20	- 5.40	.1833	----	----	----	----	----	252	UNCH							
4170	----	----	----	----	----	98.50B/98.50A	----	97.20	- 5.60	.1866	----	----	----	----	----	2	UNCH							
4175	----	----	----	----	----	98.80B/98.80A	----	98.30	- 5.60	.1883	----	----	----	----	----	60	UNCH							
4200	108.00	108.00	108.70B/103.90A	108.70B/103.90A	108.70B/103.90A	108.70B/103.90A	108.70B/103.90A	103.50	- 5.90	.1967	----	----	75	----	1307	+								
4215	----	----	----	----	----	107.40B/107.40A	----	106.80	- 6.10	.2019	----	----	----	----	----	14	UNCH							
4230	----	----	----	----	----	111.30B/111.30A	----	110.20	- NEW	.2071	----	----	----	----	150	150	+							
4250	----	----	----	----	----	115.30B/115.30A	----	114.80	- 6.50	.2143	----	----	----	----	----	344	UNCH							
4300	----	----	----	----	----	127.60B/127.60A	----	127.20	- 6.90	.2329	----	----	----	----	----	2342	UNCH							
4320	----	----	----	----	----	133.00B/133.00A	----	132.50	- 7.10	.2406	----	----	----	----	----	100	UNCH							
4325	----	----	----	----	----	134.20B/134.20A	----	133.80	- 7.20	.2426	----	----	----	----	----	544	UNCH							
4340	----	----	----	----	----	138.50B/138.50A	----	137.90	- 7.30	.2485	----	----	----	----	----	82	UNCH							
4350	----	----	----	----	----	141.10B/141.10A	----	140.70	- 7.40	.2525	----	----	----	----	----	151	UNCH							
4365	----	----	----	----	----	145.30B/145.30A	----	145.00	- 7.50	.2586	----	----	----	----	----	390	UNCH							
4375	----	----	----	----	----	148.40B/148.40A	----	147.90	- 7.60	.2626	----	----	----	----	----	2	UNCH							
4385	----	----	----	----	----	151.30B/151.30A	----	150.90	- 7.60	.2668	----	----	----	----	----	75	UNCH							
4390	----	----	----	----	----	152.70B/152.70A	----	152.40	- 7.60	.2689	----	----	----	----	----	200	UNCH							
4400	----	----	----	----	----	155.60B/155.60A	----	155.40	- 7.80	.2730	----	----	----	----	----	290	UNCH							
4425	----	----	----	----	----	163.20B/163.20A	----	163.20	- 8.00	.2836	----	----	----	----	----	9	UNCH							
4430	----	----	----	----	----	164.80B/164.80A	----	164.80	- 8.00	.2857	----	----	----	----	----	10	UNCH							
4435	----	----	----	----	----	166.40B/166.40A	----	166.40	- 8.00	.2879	----	----	----	----	----	14	UNCH							
4450	----	----	----	----	----	171.20B/171.20A	----	171.30	- 8.20	.2943	----	----	----	----	----	260	UNCH							
4475	----	----	----	----	----	179.30B/179.30A	----	179.70	- 8.40	.3053	----	----	----	----	----	8	UNCH							
4500	----	----	----	----	----	188.00B/188.00A	----	188.50	- 8.60	.3165	----	----	----	----	----	1196	UNCH							
4510	----	----	----	----	----	191.30B/191.30A	----	192.10	- 8.70	.3210	----	----	----	----	----	2	UNCH							
4515	----	----	----	----	----	193.10B/193.10A	----	193.90	- 8.70	.3232	----	----	----	----	----	242	UNCH							
4520	----	----	----	----	----	194.90B/194.90A	----	195.70	- 8.80	.3255	----	----	----	----	----	25	UNCH							
4525	----	----	----	----	----	196.90B/196.90A	----	197.60	- 8.80	.3278	----	----	----	----	----	200	UNCH							
4530	----	----	208.40B/198.70A	208.40B/198.70A	208.40B/198.70A	208.40B/198.70A	208.40B/198.70A	199.40	- 8.90	.3301	----	----	----	----	----	20	UNCH							
4535	----	----	210.30B/200.50A	210.30B/200.50A	210.30B/200.50A	210.30B/200.50A	210.30B/200.50A	201.30	- 8.90	.3323	----	----	----	----	----	102	UNCH							
4540	----	----	202.20B/202.20A	210.70B/202.20A	210.70B/202.20A	210.70B/202.20A	210.70B/202.20A	203.20	- 9.00	.3346	----	----	----	----	----	1	UNCH							
4550	----	----	216.20B/205.90A	216.20B/205.90A	216.20B/205.90A	216.20B/205.90A	216.20B/205.90A	207.00	- 9.10	.3392	----	----	----	----	----	4	UNCH							
4555	----	----	218.20B/207.80A	218.20B/207.80A	218.20B/207.80A	218.20B/207.80A	218.20B/207.80A	208.90	- 9.20	.3416	----	----	----	----	----	50	UNCH							
4580	----	----	228.30B/217.50A	228.30B/217.50A	228.30B/217.50A	228.30B/217.50A	228.30B/217.50A	218.70	- 9.50	.3532	----	----	----	----	----	50	UNCH							
4585	----	----	230.50B/219.40A	230.50B/219.40A	230.50B/219.40A	230.50B/219.40A	230.50B/219.40A	220.70	- 9.50	.3555	----	----	----	----	----	325	UNCH							
4600	----	----	236.80B/225.30A	236.80B/225.30A	236.80B/225.30A	236.80B/225.30A	236.80B/225.30A	226.80	- 9.70	.3626	----	----	----	----	----	622	UNCH							
4620	----	----	245.20B/233.20A	245.20B/233.20A	245.20B/233.20A	245.20B/233.20A	245.20B/233.20A	235.20	- 9.80	.3721	----	----	----	----	----	50	UNCH							
4625	----	----	247.40B/235.40A	247.40B/235.40A	247.40B/235.40A	247.40B/235.40A	247.40B/235.40A	237.30	- 9.90	.3744	----	----	----	----	----	34	UNCH							
4640	----	----	253.90B/241.50A	253.90B/241.50A	253.90B/241.50A	253.90B/241.50A	253.90B/241.50A	243.70	- 10.00	.3816	----	----	----	----	----	100	UNCH							
4650	----	----	258.50B/245.90A	258.50B/245.90A	258.50B/245.90A	258.50B/245.90A	258.50B/245.90A	248.10	- 10.00	.3864	----	----	----	----	----	116	UNCH							
4680	----	----	272.20B/258.80A	272.20B/258.80A	272.20B/258.80A	272.20B/258.80A	272.20B/258.80A	261.60	- 10.10	.4008	----	----	----	----	----	60	UNCH							
4700	----	----	281.70B/267.90A	281.70B/267.90A	281.70B/267.90A	281.70B/267.90A	281.70B/267.90A	270.90	- 10.20	.4105	----	----	----	----	----	511	UNCH							
4725	----	----	293.80B/279.30A	293.80B/279.30A	293.80B/279.30A	293.80B/279.30A	293.80B/279.30A	282.80	- 10.30	.4226	----	----	----	----	----	110	UNCH							
4750	----	----	306.20B/291.20A	306.20B/291.20A	306.20B/291.20A	306.20B/291.20A	306.20B/291.20A	295.10	- 10.40	.4348	----	----	----	----	----	63	UNCH							
4790	----	----	326.90B/310.80A	326.90B/310.80A	326.90B/310.80A	326.90B/310.80A	326.90B																	

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
JUN26																
3000	----	----	----	1,713.90B/1,681	1713.90B/1681.10A	----	----	----	1706.70 + 20.00	1.0000	1801	----	1813	----	400	-
3400	----	----	----	1,314.60B/1,281	1314.60B/1281.10A	----	----	----	1306.70 + 20.00	.9997	776	----	776	----	615	UNCH
3500	----	----	----	1,212.10B/1,183	1212.10B/1183.00A	----	----	----	1206.70 + 20.00	.9990	----	----	----	----	30	UNCH
3525	----	----	----	----	----	----	----	----	1181.70 + 20.00	.9990	----	----	----	----	1	UNCH
3550	----	----	----	----	----	----	----	----	1156.70 + 19.90	.9984	----	----	----	----	0	UNCH
3580	----	----	----	1,132.00B/1,103	1132.00B/1103.00A	----	----	----	1126.70 + 19.90	.9983	18	----	----	----	0	-
3585	----	----	----	1,127.80B/1,097	1127.80B/1097.00A	----	----	----	1121.70 + 19.90	.9983	----	----	----	----	100	UNCH
3600	----	----	----	1,112.80B/1,082	1112.80B/1082.00A	----	----	----	1106.70 + 19.90	.9983	44	----	----	----	94	-
3635	----	----	----	1,077.10B/1,048	1077.10B/1048.10A	----	----	----	1071.70 + 19.80	.9977	----	----	----	----	60	UNCH
3650	----	----	----	1,062.90B/1,032	1062.90B/1032.10A	----	----	----	1056.80 + 19.90	.9977	1	----	----	----	89	-
3665	----	----	----	1,047.20B/1,018	1047.20B/1018.10A	----	----	----	1041.80 + 19.90	.9976	----	----	----	----	3	UNCH
3700	----	----	----	1,014.00B/981.0	1014.00B/981.00A	----	----	----	1006.80 + 19.80	.9970	----	----	----	----	305	UNCH
3715	----	----	----	997.30B/968.10A	997.30B/968.10A	----	----	----	991.80 + 19.80	.9969	----	----	----	----	25	UNCH
3725	----	----	----	988.10B/957.20A	988.10B/957.20A	----	----	----	981.90 + 19.90	.9964	150	----	----	----	60	-
3750	----	----	----	964.10B/931.20A	964.10B/931.20A	----	----	----	956.90 + 19.80	.9963	16	----	----	1061	-	
3755	----	----	----	957.40B/928.20A	957.40B/928.20A	----	----	----	951.90 + 19.80	.9963	----	----	----	----	15	UNCH
3785	----	----	----	928.20B/897.30A	928.20B/897.30A	----	----	----	922.00 + 19.90	.9956	----	----	----	----	170	UNCH
3790	----	----	----	----	----	----	----	----	917.00 + 19.80	.9956	----	----	----	----	1	UNCH
3800	----	----	----	914.00B/881.30A	914.00B/881.30A	----	----	----	907.00 + 19.80	.9950	----	----	----	----	542	UNCH
3835	----	----	----	----	----	----	----	----	872.10 + 19.80	.9943	----	----	----	----	1	UNCH
3840	----	----	----	872.60B/843.40A	872.60B/843.40A	----	----	----	867.10 + 19.80	.9943	----	----	----	----	21	UNCH
3850	----	----	----	864.40B/831.30A	864.40B/831.30A	----	----	----	857.10 + 19.80	.9942	----	----	----	----	322	UNCH
3875	----	----	----	837.70B/808.50A	837.70B/808.50A	----	----	----	832.20 + 19.80	.9940	----	----	----	----	60	UNCH
3895	----	----	----	----	----	----	----	----	812.20 + 19.80	.9939	----	----	----	----	1	UNCH
3900	----	----	----	814.30B/781.50A	814.30B/781.50A	----	----	----	807.20 + 19.80	.9939	----	----	----	----	363	UNCH
3925	----	----	----	787.90B/758.60A	787.90B/758.60A	----	----	----	782.30 + 19.80	.9931	----	----	----	----	4	UNCH
3950	----	----	----	763.00B/733.80A	763.00B/733.80A	----	----	----	757.40 + 19.80	.9923	----	----	----	----	14	UNCH
3975	----	----	----	739.10B/707.80A	739.10B/707.80A	----	----	----	732.50 + 19.80	.9915	----	----	----	----	106	UNCH
3990	----	----	----	----	----	----	----	----	717.50 + 19.70	.9914	----	----	----	----	5	UNCH
3995	----	----	----	718.20B/688.80A	718.20B/688.80A	----	----	----	712.50 + 19.70	.9913	----	----	----	----	1	UNCH
4000	707.00	707.00	707.00	714.90B/681.90A	714.90B/681.90A	----	----	----	707.50 + 19.60	.9912	----	----	10	----	859	-
4005	----	----	----	708.20B/678.90A	708.20B/678.90A	----	----	----	702.50 + 19.60	.9912	----	----	----	----	10	UNCH
4010	----	----	----	----	----	----	----	----	697.50 + 19.60	.9911	----	----	----	----	2	UNCH
4020	----	----	----	----	----	----	----	----	687.50 + 19.50	.9910	----	----	----	----	1	UNCH
4025	----	----	----	688.30B/659.10A	688.30B/659.10A	----	----	----	682.60 + 19.60	.9909	----	----	----	----	51	UNCH
4030	----	----	----	----	----	----	----	----	677.60 + 19.60	.9903	----	----	----	----	1	UNCH
4040	----	----	----	----	----	----	----	----	667.60 + 19.50	.9902	----	----	----	----	1	UNCH
4050	----	----	----	664.20B/632.70A	664.20B/632.70A	----	----	----	657.70 + 19.60	.9900	----	----	----	----	184	UNCH
4060	----	----	----	653.50B/624.20A	653.50B/624.20A	----	----	----	647.70 + 19.50	.9893	----	----	----	----	25	UNCH
4070	----	----	----	643.50B/614.30A	643.50B/614.30A	----	----	----	637.80 + 19.50	.9891	----	----	----	----	10	UNCH
4075	----	----	----	638.60B/609.30A	638.60B/609.30A	----	----	----	632.80 + 19.50	.9884	----	----	----	----	64	UNCH
4090	----	----	----	623.60B/594.40A	623.60B/594.40A	----	----	----	617.90 + 19.50	.9876	----	----	----	----	34	UNCH
4100	----	----	----	615.20B/582.50A	615.20B/582.50A	----	----	----	607.90 + 19.40	.9874	----	----	----	----	682	UNCH
4105	----	----	----	608.70B/579.50A	608.70B/579.50A	----	----	----	603.00 + 19.40	.9867	----	----	----	----	50	UNCH
4110	----	----	----	----	----	----	----	----	598.00 + 19.40	.9866	----	----	----	----	2	UNCH
4115	----	----	----	598.80B/569.60A	598.80B/569.60A	----	----	----	593.10 + 19.40	.9865	----	----	----	----	5	UNCH
4125	----	----	----	589.60B/558.20A	589.60B/558.20A	----	----	----	583.10 + 19.30	.9857	----	----	----	----	95	UNCH
4135	----	----	----	579.00B/549.80A	579.00B/549.80A	----	----	----	573.20 + 19.30	.9848	----	----	----	----	16	UNCH
4150	----	----	----	565.50B/532.90A	565.50B/532.90A	----	----	----	558.30 + 19.20	.9838	----	----	----	----	263	UNCH
4155	----	----	----	559.10B/529.80A	559.10B/529.80A	----	----	----	553.30 + 19.20	.9837	----	----	----	----	5	UNCH
4170	----	----	----	544.30B/515.10A	544.30B/515.10A	----	----	----	538.50 + 19.20	.9827	----	----	----	----	51	UNCH
4175	----	----	----	539.30B/510.20A	539.30B/510.20A	----	----	----	533.50 + 19.10	.9819	----	----	----	----	61	UNCH
4195	----	----	----	----	----	----	----	----	513.70 + 19.00	.9807	----	----	----	----	1	UNCH
4200	----	----	----	516.30B/483.20A	516.30B/483.20A	----	----	----	508.70 + 18.90	.9799	----	----	----	----	2052	UNCH
4210	----	----	----	506.40B/473.60A	506.40B/473.60A	----	----	----	498.80 + 18.80	.9789	----	----	----	----	1534	UNCH
4220	----	----	----	495.60B/464.80A	495.60B/464.80A	----	----	----	489.00 + 18.90	.9779	----	----	----	----	84	UNCH
4225	----	----	----	489.90B/460.80A	489.90B/460.80A	----	----	----	484.00 + 18.80	.9777	----	----	----	----	15	UNCH
4235	----	----	----	480.00B/451.00A	480.00B/451.00A	----	----	----	474.10 + 18.70	.9766	----	----	----	----	6	UNCH
4240	----	----	----	475.10B/446.10A	475.10B/446.10A	----	----	----	469.20 + 18.60	.9758	----	----	----	----	53	UNCH
4245	----	----	----	471.60B/439.20A	471.60B/439.20A	----	----	----	464.30 + 18.60	.9749	----	----	----	----	263	UNCH
4250	----	----	----	466.70B/434.20A	466.70B/434.20A	----	----	----	459.30 + 18.50	.9747	----	----	----	----	921	UNCH
4255	----	----	----	464.20B/431.40A	464.20B/431.40A	----	----	----	454.40 + 18.50	.9738	----	----	----	----	6	UNCH
4260	----	----	----	459.40B/-----	459.40B/-----	----	----	----	449.50 + 18.50	.9729	----	----	----	----	1	UNCH
4265	----	----	----	454.50B/420.60A	454.50B/420.60A	----	----	----	444.50 + 18.30	.9727	----	----	----	----	87	UNCH
4270	----	----	----	449.50B/416.60A	449.50B/416.60A	----	----	----	439.60 + 18.30	.9717	----	----	----	----	11	UNCH
4280	----	----	----	456.10B/402.10A	456.10B/402.10A	----	----	----	429.80 + 18.20	.9699	----	----	----	----	1	UNCH
4285	----	----	----	451.20B/397.10A	451.20B/397.10A	----	----	----	424.90 + 18.10	.9689	----	----	----	----	1	UNCH
4300	----	----	----	436.50B/382.50A	436.50B/382.50A	----	----	----	410.20 + 17.90	.9660	----	----	----	----	2169	UNCH
4305	----	----	----	431.70B/377.80A	431.70B/377.80A	----	----	----	405.30 + 17.90	.9651	----	----	----	----	1	UNCH
4310	----	----	----	426.80B/373.00A	426.80B/373.00A	----	----	----	400.40 + 17.80	.9641	----	----	----	----	23	UNCH
4315	----	----	----	421.90B/368.00A	421.90B/368.00A	----	----	----	395.60 + 17.80	.9630	----	----	----	----	1	UNCH
4320	----	----	----	417.40B/363.30A	417.40B/363.30A	----	----	----	390.70 + 17.70	.9614	----	----	----	----	62	UNCH
4325	----	----	----	412.20B/358.50A	412.20B/358.50A	----	----	----	385.80 + 17.60	.9603	----	----	----	----	73	UNCH
4335	----	----	----	402.50B/348.70A	402.50B/348.70A	----	----	----	376.10 + 17.40	.9575	----	----	----	----	13	UNCH
4340	----	----	----	397.70B/344.10A	397.70B/344.10A	----	----	----	371.30 + 17.40	.9558	----	----	----	----	17	UNCH
4345	----	----	----	392.80B/339.30A	392.80B/339.30A	----	----	----	366.50 + 17.30	.9547	----	----	----	----	2	UNCH
4350	----	----	----	388.00B/334.30A	388.00B/334.30A	----	----	----	361.60 + 17.20	.9529	----	----	----	----	1457	UNCH
4355	----	----	----	383.20B/329.60A	383.20B/329.60A	----	----	----	356.80 + 17.10	.9511	----	----	----	----	129	UNCH
4360	----	----	----	378.40B/325.00A	378.40B/325.00A	----	----	----	352.00 + 17.00	.9500	----	----	----	----	42	UNCH
4365	----	----	----	373.60B/320.10A	373.60B/320.10A	----	----	----	347.20 + 16.90	.9481	----	----	----	----	4	UNCH
4370	----	----	----	368.80B/315.50A	368.80B/315.50A	----	----	----	342.40 + 16.80	.9463	----	----	----	----	3	UNCH
4375	----	----	----	364.00B/310.60A	364.00B/310.60A	----	----	----	337.60 + 16.70	.9444	----	----	----	----	106	UNCH
4380	----	----	----	359.20B/305.90A	359.20B/305.90A	----	----	----	332.80 + 16.60	.9425	----	----	----	----	341	UNCH
4385	----	----	----	354.50B/301.40A	354.50B/301.40A	----	----	----	328.00 + 16.40	.9406	----	----	----	----	3	UNCH
4390	----	----	----	349.70B/296.70A	349.70B/296.70A	----	----	----	323.20 + 16.30	.9387	----	----	----	----	16	UNCH
4395	----	----	----	345.00B/292.00A	345.00B/292.00A	----	----	----	318.40 + 16.10	.9367	----	----	----	----	10	UNCH
4400	----	----	----	340.30B/287.20A	340.30B/287.20A	----	----	----	313.60 + 15.90	.9348	----	----	----	----	1468	UNCH
4410	----	----	----													

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
JUN26																	
4660	----	----	----	124.60B/87.90A	124.60B/87.90A	----	----	103.30	+ 5.50	.6057	----	----	----	----	94	UNCH	
4665	----	----	----	121.30B/85.30A	121.30B/85.30A	----	----	100.30	+ 5.20	.5954	----	----	----	----	81	UNCH	
4670	----	----	----	118.30B/82.80A	118.30B/82.80A	----	----	97.50	+ 5.10	.5850	----	----	----	----	166	UNCH	
4675	----	----	----	115.10B/80.30A	115.10B/80.30A	----	----	94.60	+ 4.80	.5746	----	----	----	----	517	UNCH	
4680	93.00	93.00	93.00	112.10B/77.90A	112.10B/77.90A	----	----	91.90	+ 4.60	.5641	----	12	----	----	62	UNCH	
4685	----	----	----	109.10B/75.50A	109.10B/75.50A	----	----	89.20	+ 4.40	.5536	----	----	----	----	20	UNCH	
4690	87.50	87.50	87.50	106.70B/73.20A	106.70B/73.20A	----	----	86.50	+ 4.10	.5431	----	22	5	212	- 20		
4695	78.70	78.70	78.70	104.30B/70.90A	104.30B/70.90A	----	----	84.00	+ 4.00	.5325	----	5	5	72	- 1		
4700	102.00	102.00	102.00	102.00/68.70A	102.00/68.70A	----	----	81.40	+ 3.70	.5220	----	837	3441	- 375			
4705	85.90	85.90	85.90	98.50B/66.60A	98.50B/66.60A	----	----	79.00	+ 3.60	.5114	----	6	----	49	+ 2		
4710	83.40	83.40	83.40	95.50B/64.30A	95.50B/64.30A	----	----	76.50	+ 3.30	.5008	----	13	----	83	- 1		
4715	83.30	83.30	83.30	92.90B/62.30A	92.90B/62.30A	----	----	74.20	+ 3.20	.4903	----	2	----	54	+ 1		
4720	78.80	78.80	78.80	90.80B/60.30A	90.80B/60.30A	----	----	71.90	+ 3.00	.4798	----	50	----	334	- 4		
4725	77.50	77.50	77.50	88.20B/58.40A	88.20B/58.40A	----	----	69.60	+ 2.80	.4693	----	22	----	412	UNCH		
4730	76.80	76.80	76.80	87.00B/56.50A	87.00B/56.50A	----	----	67.40	+ 2.60	.4589	----	23	----	80	+ 4		
4735	85.00	85.00	85.00	85.00/54.70A	85.00/54.70A	----	----	65.30	+ 2.50	.4485	----	4	----	290	UNCH		
4740	70.70	70.70	70.70	80.90B/52.90A	80.90B/52.90A	----	----	63.20	+ 2.30	.4382	----	6	3	70	- 1		
4745	69.50	69.50	69.50	78.50B/51.20A	78.50B/51.20A	----	----	61.20	+ 2.20	.4281	----	8	8	84	+ 3		
4750	66.80	66.80	66.80	75.80B/49.10	75.80B/49.10	----	----	59.20	+ 2.00	.4179	----	526	2629	+ 78			
4755	----	----	----	73.90B/47.90A	73.90B/47.90A	----	----	57.30	+ 1.90	.4079	----	----	----	116	UNCH		
4760	59.00	59.00	59.00	71.80B/46.30A	71.80B/46.30A	----	----	55.50	+ 1.80	.3980	----	3	----	113	+ 1		
4765	66.80	66.80	66.80	69.70B/44.80A	69.70B/44.80A	----	----	53.70	+ 1.70	.3883	----	8	----	84	- 2		
4770	44.40	44.40	44.40	67.60B/43.30A	67.60B/43.30A	----	----	51.90	+ 1.50	.3785	----	2	----	143	UNCH		
4775	47.10	47.10	47.10	65.00B/41.90A	65.00B/41.90A	----	----	50.20	+ 1.40	.3689	----	37	----	271	- 25		
4780	41.50	41.50	41.50	63.60B/40.50A	63.60B/40.50A	----	----	48.50	+ 1.20	.3594	----	4	----	153	- 2		
4785	54.10	54.10	54.10	61.60B/39.10A	61.60B/39.10A	----	----	46.90	+ 1.10	.3501	----	4	----	51	+ 2		
4790	38.70	38.70	38.70	59.70B/37.80A	59.70B/37.80A	----	----	45.30	+ 1.00	.3408	----	5	----	108	+ 1		
4795	----	----	----	57.90B/36.50A	57.90B/36.50A	----	----	43.80	+ 0.90	.3318	----	----	----	73	UNCH		
4800	50.00	50.00	50.00	55.70B/35.40A	55.70B/35.40A	----	----	42.30	+ 0.80	.3228	----	1491	400	7741	+ 695		
4805	47.00	47.00	47.00	54.10B/34.10A	54.10B/34.10A	----	----	40.90	+ 0.70	.3141	----	4	----	42	UNCH		
4810	45.50	45.50	45.50	52.30B/32.90A	52.30B/32.90A	----	----	39.50	+ 0.60	.3055	----	6	----	63	+ 2		
4815	32.50	32.50	32.50	51.10B/31.80A	51.10B/31.80A	----	----	38.20	+ 0.50	.2972	----	1	----	95	UNCH		
4820	34.10	34.10	34.10	49.60B/30.70A	49.60B/30.70A	----	----	36.90	+ 0.40	.2889	----	7	----	335	UNCH		
4825	30.90	30.90	30.90	47.60B/29.70A	47.60B/29.70A	----	----	35.60	+ 0.30	.2806	----	7	----	723	+ 2		
4830	39.50	39.50	39.50	46.50B/28.70A	46.50B/28.70A	----	----	34.40	+ 0.20	.2727	----	60	----	294	- 32		
4835	38.00	38.00	38.00	44.90B/27.70A	44.90B/27.70A	----	----	33.20	+ 0.10	.2648	----	12	----	19	- 1		
4840	27.90	27.90	27.90	43.60B/26.70A	43.60B/26.70A	----	----	32.10	+ 0.10	.2573	----	15	----	166	- 4		
4845	28.30	28.30	28.30	41.90B/25.80A	41.90B/25.80A	----	----	31.00	UNCH	.2498	----	2	----	56	- 1		
4850	37.30	37.30	37.30	40.20B/24.90A	40.20B/24.90A	----	----	29.90	- 0.10	.2424	----	349	2162	+ 128			
4855	26.40	26.40	26.40	39.40B/24.10A	39.40B/24.10A	----	----	28.90	- 0.10	.2354	----	11	----	441	+ 2		
4860	26.00	26.00	26.00	38.30B/23.20A	38.30B/23.20A	----	----	27.90	- 0.10	.2284	----	12	----	207	- 3		
4865	31.20	31.20	31.20	36.90B/22.40A	36.90B/22.40A	----	----	26.90	- 0.20	.2214	----	6	----	80	UNCH		
4870	22.40	22.40	22.40	35.70B/21.60A	35.70B/21.60A	----	----	26.00	- 0.30	.2149	----	6	----	61	+ 5		
4875	24.90	24.90	24.90	34.80B/20.90A	34.80B/20.90A	----	----	25.10	- 0.30	.2084	----	3	----	356	UNCH		
4880	22.10	22.10	22.10	33.30B/20.20A	33.30B/20.20A	----	----	24.20	- 0.40	.2019	----	4	----	93	+ 1		
4885	21.70	21.70	21.70	32.30B/19.50A	32.30B/19.50A	----	----	23.40	- 0.40	.1959	----	2	----	215	UNCH		
4890	20.60	20.60	20.60	31.10B/18.80A	31.10B/18.80A	----	----	22.50	- 0.50	.1895	----	48	----	420	+ 30		
4895	19.90	19.90	19.90	30.00B/18.20A	30.00B/18.20A	----	----	21.80	- 0.50	.1840	----	16	----	259	+ 1		
4900	23.60	23.60	23.60	29.50B/17.50A	29.50B/17.50A	----	----	21.00	- 0.50	.1782	----	289	200	6818	- 52		
4905	17.10	17.10	17.10	28.10B/16.90A	28.10B/16.90A	----	----	20.30	- 0.50	.1727	----	7	----	49	+ 4		
4910	19.10	19.10	19.10	27.50B/16.40	27.50B/16.40	----	----	19.50	- 0.70	.1669	----	38	----	79	+ 13		
4915	17.10	17.10	17.10	26.40B/15.80A	26.40B/15.80A	----	----	18.90	- 0.60	.1620	----	76	----	330	+ 29		
4920	16.00	16.00	16.00	25.60B/15.30A	25.60B/15.30A	----	----	18.20	- 0.70	.1567	----	22	200	250	+ 113		
4925	16.40	16.40	16.40	24.80B/14.80A	24.80B/14.80A	----	----	17.60	- 0.70	.1519	----	47	----	231	- 9		
4930	22.70	22.70	22.70	23.80B/14.30A	23.80B/14.30A	----	----	17.00	- 0.70	.1472	----	64	----	243	+ 4		
4935	15.50	15.50	15.50	23.10B/13.80A	23.10B/13.80A	----	----	16.40	- 0.70	.1424	----	54	----	112	+ 14		
4940	15.30	15.30	15.30	22.20B/13.40A	22.20B/13.40A	----	----	15.80	- 0.80	.1377	----	22	----	806	+ 3		
4945	16.80	16.80	16.80	21.50B/12.90A	21.50B/12.90A	----	----	15.30	- 0.80	.1336	----	8	----	377	+ 6		
4950	18.20	18.20	18.20	21.10B/12.50A	21.10B/12.50A	----	----	14.80	- 0.70	.1295	----	975	2144	+ 109			
4955	15.70	15.70	15.70	20.10B/12.10A	20.10B/12.10A	----	----	14.30	- 0.70	.1254	----	33	----	140	+ 20		
4960	15.20	15.20	15.20	19.50B/11.70A	19.50B/11.70A	----	----	13.80	- 0.80	.1213	----	7	----	393	+ 6		
4965	14.90	14.90	14.90	18.70B/11.30A	18.70B/11.30A	----	----	13.30	- 0.80	.1173	----	11	----	149	+ 2		
4970	14.90	14.90	14.90	18.20B/10.90A	18.20B/												

BULLETIN # 91@										METALS OPTION PRODUCTS										wed, May 13, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG CALL		COMEX GOLD OPTIONS																				
JUN26																						
5345	----	----	----	2.50B/*1.90A	2.50B/*1.90A	----	----	2.20	+ 0.10	.0172	----	----	----	----	----	26	UNCH					
5350	----	----	----	2.40B/*1.90A	2.40B/*1.90A	----	----	2.10	UNCH	.0165	----	----	----	----	----	1945	UNCH					
5355	----	----	----	2.40B/*1.80A	2.40B/*1.80A	----	----	2.10	UNCH	.0164	----	----	----	----	----	20	UNCH					
5360	----	----	----	2.30B/*1.80A	2.30B/*1.80A	----	----	2.00	- 0.10	.0157	----	----	----	----	----	63	UNCH					
5365	----	----	----	2.30B/*1.80A	2.30B/*1.80A	----	----	2.00	UNCH	.0156	----	----	----	----	----	15	UNCH					
5370	1.80	1.80	----	2.30B/*1.80	2.30B/*1.80	----	----	1.90	- 0.10	.0149	----	----	----	4	----	79	+					
5375	2.20	2.20	----	2.20/*1.70A	2.20/*1.70A	----	----	1.90	- 0.10	.0148	----	----	1	----	----	285	UNCH					
5380	----	----	----	2.20B/*1.70A	2.20B/*1.70A	----	----	1.90	- 0.10	.0147	----	----	----	----	----	99	UNCH					
5385	----	----	----	2.20B/*1.70A	2.20B/*1.70A	----	----	1.80	- 0.10	.0140	----	----	----	----	----	11	UNCH					
5390	----	----	----	2.10B/*1.60A	2.10B/*1.60A	----	----	1.80	- 0.10	.0139	----	----	----	----	----	121	UNCH					
5395	----	----	----	2.10B/*1.60A	2.10B/*1.60A	----	----	1.80	- 0.10	.0138	----	----	----	----	----	48	UNCH					
5400	1.50	1.50	----	2.10B/*1.50	2.10B/*1.50	----	----	1.70	- 0.20	.0131	----	----	10	----	----	5071	-					
5405	----	----	----	2.00B/*1.60A	2.00B/*1.60A	----	----	1.70	- 0.10	.0131	----	----	----	----	----	87	UNCH					
5410	1.50	1.50	----	2.00B/*1.50	2.00B/*1.50	----	----	1.70	- 0.10	.0130	----	----	4	----	----	29	UNCH					
5415	----	----	----	2.00B/*1.60A	2.00B/*1.60A	----	----	1.60	- 0.20	.0123	----	----	----	----	----	14	UNCH					
5420	----	----	----	1.90B/*1.50A	1.90B/*1.50A	----	----	1.60	- 0.20	.0122	----	----	----	----	----	50	UNCH					
5425	----	----	----	1.90B/*1.50A	1.90B/*1.50A	----	----	1.60	- 0.10	.0122	----	----	----	----	----	125	UNCH					
5430	1.50	1.50	----	1.90B/*1.30	1.90B/*1.30	----	----	1.60	- 0.10	.0121	----	----	10	----	----	112	UNCH					
5435	1.50	1.50	----	1.90B/*1.50	1.90B/*1.50	----	----	1.50	- 0.20	.0114	----	----	4	----	----	29	+					
5440	----	----	----	1.80B/*1.40A	1.80B/*1.40A	----	----	1.50	- 0.20	.0113	----	----	----	----	----	98	UNCH					
5445	----	----	----	1.80B/*1.40A	1.80B/*1.40A	----	----	1.50	- 0.20	.0113	----	----	----	----	----	40	UNCH					
5450	1.30	1.30	----	1.70B/*1.30	1.70B/*1.30	----	----	1.50	- 0.10	.0112	----	----	1	----	----	1490	UNCH					
5455	1.70	1.70	----	1.70/*1.20	1.70/*1.20	----	----	1.50	- 0.10	.0112	----	----	6	----	----	185	-					
5460	----	----	----	1.70B/*1.40A	1.70B/*1.40A	----	----	1.40	- 0.20	.0105	----	----	----	----	----	130	UNCH					
5465	----	----	----	1.70B/*1.30A	1.70B/*1.30A	----	----	1.40	- 0.20	.0104	----	----	----	----	----	39	UNCH					
5470	----	----	----	----/*1.30A	1.60B/*1.30A	----	----	1.40	- 0.20	.0104	----	----	----	----	----	40	UNCH					
5475	1.60	1.60	----	1.60/*1.30A	1.60/*1.30A	----	----	1.40	- 0.10	.0103	----	----	3	----	----	79	UNCH					
5480	----	----	----	1.60B/*1.30A	1.60B/*1.30A	----	----	1.40	- 0.10	.0103	----	----	----	----	----	48	UNCH					
5485	----	----	----	1.60B/*1.30A	1.60B/*1.30A	----	----	1.40	- 0.10	.0102	----	----	----	----	----	13	UNCH					
5490	----	----	----	----/*1.30A	1.50B/*1.30A	----	----	1.30	- 0.20	.0096	----	----	----	----	----	189	UNCH					
5495	----	----	----	----/*1.20A	1.50B/*1.20A	----	----	1.30	- 0.20	.0095	----	----	----	----	----	80	UNCH					
5500	----	----	----	1.50B/1.30A	1.50B/1.30A	----	----	1.30	- 0.10	.0095	----	----	----	30	----	5469	+					
5505	1.20	1.20	----	1.50B/*1.20	1.50B/*1.20	----	----	1.30	- 0.10	.0094	----	----	1	----	----	16	+					
5510	----	----	----	1.50B/*1.20A	1.50B/*1.20A	----	----	1.30	- 0.10	.0094	----	----	----	----	----	185	UNCH					
5515	----	----	----	----/*1.20A	1.40B/*1.20A	----	----	1.30	- 0.10	.0093	----	----	----	----	----	38	UNCH					
5520	----	----	----	----/*1.20A	1.40B/*1.20A	----	----	1.30	- 0.10	.0093	----	----	----	----	----	31	UNCH					
5525	----	----	----	1.40B/*1.20A	1.40B/*1.20A	----	----	1.30	UNCH	.0093	----	----	----	----	----	173	UNCH					
5530	----	----	----	1.40B/*1.20A	1.40B/*1.20A	----	----	1.30	UNCH	.0092	----	----	----	----	----	39	UNCH					
5535	----	----	----	1.40B/*1.10A	1.40B/*1.10A	----	----	1.20	- 0.10	.0086	----	----	----	----	----	13	UNCH					
5540	----	----	----	----/*1.10A	1.30B/*1.10A	----	----	1.20	- 0.10	.0085	----	----	----	----	----	292	UNCH					
5545	----	----	----	----/*1.10A	1.30B/*1.10A	----	----	1.20	- 0.10	.0085	----	----	----	----	----	19	UNCH					
5550	----	----	----	----/*1.10A	1.30B/*1.10A	----	----	1.20	- 0.10	.0085	----	----	----	----	----	771	UNCH					
5555	----	----	----	1.30B/*1.10A	1.30B/*1.10A	----	----	1.20	UNCH	.0084	----	----	----	----	----	4	UNCH					
5560	----	----	----	1.30B/*1.10A	1.30B/*1.10A	----	----	1.20	UNCH	.0084	----	----	----	----	----	52	UNCH					
5565	----	----	----	1.30B/*1.10A	1.30B/*1.10A	----	----	1.20	UNCH	.0083	----	----	----	----	----	14	UNCH					
5570	----	----	----	----/*1.10A	1.20B/*1.10A	----	----	1.20	UNCH	.0083	----	----	----	----	----	36	UNCH					
5575	----	----	----	----/*1.10A	1.20B/*1.10A	----	----	1.20	UNCH	.0083	----	----	----	----	----	60	UNCH					
5580	----	----	----	----/1.10A	1.20B/1.10A	----	----	1.10	- 0.10	.0076	----	----	----	----	----	14	UNCH					
5585	----	----	----	1.20B/*1.00A	1.20B/*1.00A	----	----	1.10	UNCH	.0076	----	----	----	----	----	11	UNCH					
5590	----	----	----	1.20B/*1.00A	1.20B/*1.00A	----	----	1.10	UNCH	.0076	----	----	----	----	----	99	UNCH					
5595	----	----	----	----/*1.00A	1.10B/*1.00A	----	----	1.10	UNCH	.0075	----	----	----	----	----	42	UNCH					
5600	1.20	1.20	----	1.20/*1.00A	1.20/*1.00A	----	----	1.10	UNCH	.0075	----	----	----	3	----	2365	-					
5610	----	----	----	----/*1.00A	1.10B/*1.00A	----	----	1.10	UNCH	.0074	----	----	----	----	----	78	UNCH					
5620	----	----	----	1.10B/----	1.10B/*1.00A	----	----	1.10	+	.0074	----	----	----	----	----	66	UNCH					
5625	----	----	----	1.10B/----	1.10B/*1.00A	----	----	1.00	UNCH	.0068	----	----	----	----	----	405	UNCH					
5630	----	----	----	----/*0.90A	1.00B/*0.90A	----	----	1.00	UNCH	.0067	----	----	----	----	----	231	UNCH					
5640	----	----	----	----/*0.90A	1.00B/*0.90A	----	----	1.00	UNCH	.0067	----	----	----	----	----	74	UNCH					
5650	1.10	1.10	----	1.10/*0.90A	1.10/*0.90A	----	----	1.00	UNCH	.0066	----	----	----	6	----	729	-					
5660	----	----	----	----/*0.90A	0.90B/*0.90A	----	----	1.00	UNCH	.0066	----	----	----	----	----	42	UNCH					
5665	----	----	----	----/*0.90A	0.90B/*0.90A	----	----	1.00	UNCH	.0066	----	----	----	----	----	6	UNCH					
5670	----	----	----	----/*0.90A	0.90B/*0.90A	----	----	1.00	UNCH	.0065	----	----	----	----	----	119	UNCH					
5675	----	----	----	----/*0.90A	0.90B/*0.90A	----	----	0.90	- 0.10	.0059	----	----	----	----	----	22	UNCH					
5680	----	----	----	----/*0.80A	0.90B/*0.80A	----	----	0.90	UNCH	.0059	----	----	----	----	----	47	UNCH					
5690	----	----	----	----/*0.80A	0.90B/*0.80A	----	----	0.90	UNCH	.0059	----	----	----	157	----	180	+					
5700	0.80	0.80	----	0.80/*0.80	0.90B/*0.80	----	----	0.90	UNCH	.0058	----	----	1	----	----	1895	-					
5710	----	----	----	----/*0.80A	0.80B/*0.80A	----	----	0.90	UNCH	.0058	----	----	----	----	----	41	UNCH					
5720	----	----	----	----/*0.80A	0.80B/*0.80A	----	----	0.90	UNCH	.0057	----	----	----	----	----	18	UNCH					
5725	----	----	----	----	0.80B/*0.80A	----	----	0.90	+	.0057	----	----	----	----	----	36	UNCH					
5730	----	----	----	----	0.80B/*0.80A	----	----	0.90	+	.0057	----	----	----	----	----	59	UNCH					
5740	----	----	----	----	0.70B/0.80A	----	----	0.90	+	.0057	----	----	----	----	----	62	UNCH					
5750	----	----	----	----/*0.70A	0.70B/*0.70A	----	----	0.80	UNCH	.0051	----	----	----	----	----	1691	UNCH					
5760	----	----	----	----	0.70B/*0.70A	----	----	0.80	+	.0050	----	----	----	----	----	18	UNCH					
5770	----	----	----	----	0.70B/*0.70A	----	----	0.80	+	.0050	----	----	----	----	----	32	UNCH					
5775	----	----	----	----	0.70B/*0.70A	----	----	0.80	+	.0050	----	----	----	----	----	167	UNCH					
5780	----	----	----	----	0.70B/*0.70A	----	----	0.80	+	.0050	----	----	----	----	----	219	UNCH					
5790	----	----	----	----	0.60B/*0.70A	----	----	0.70	UNCH	.0044	----	----	----	----	----	11	UNCH					
5800	----	----	----	----	0.60B/0.70A	----	----	0.70	UNCH	.0043	----	----	----	----	----	3139	UNCH					
5810	----	----	----	----	0.60B/*0.60A	----	----	0.70	+	.0043	----	----	----	----	----	264	UNCH					
5820	----	----	----	----	0.60B/*0.60A	----	----	0.60	UNCH	.0037	----	----	----	----	----	35	UNCH					
5825	----	----	----	----	0.60B/*0.60A	----	----	0.60	UNCH	.0037	----	----	----	----	----	37	UNCH					
5830	----	----	----	----	0.60B/*0.60A	----	----	0.60	UNCH	.0037	----	----	----	----	----	17	UNCH					
5840	0.50	0.50	----	0.50/*0.50	0.50/*0.50	----	----	0.60	UNCH	.0037	----	----	1	----	----	23	+					
5850	----	----	----	----/*0.50A	0.50B/*0.50A	----	----	0.50	- 0.10	.0031	----	----	----	----	----	457	UNCH					
5860	----	----	----	----	0.60B/*0.60A	----	----	0.50	- 0.10	.0031	----	----	----	----	----	24	UNCH					
5870	----	----	----	----	0.50B/*0.60A	----	----	0.50	- 0.10	.0031	----	----	----	----	----	32	UNCH					
5875	----	----	----	----	0.50B/*0.60A	----	----	0.50	- 0.10	.0031	----	----	----	----	----	196	UNCH					
5880	----	----	----	----	0.50B/0.60A	----	----	0.40	- 0.20	.0025	----	----	----	----	----	17	UNCH					
5890	----	----	----	----	0.50B/*0.60A	----	----	0.40	- 0.20	.0025	----	----	----	----	----	139	UNCH					
5900	----	----	----	----	0.50B/0.60A	----	----	0.40	- 0.20	.0025	----	----	----	----	----	1371	UNCH					
5910	----	----	----	----	0.40B/0.50A	----	----	0.40	- 0.10	.0024	----	----	----	----	----	16	UNCH					
5920	----	----	----	----	0.40B/0.60A	----	----	0.40	- 0.10	.0024	----	----	----	----	----	40	UNCH					
5930	----	----	----	----	0.40B/0.60A	----	----	0.40	- 0.10	.0024	----											

BULLETIN # 91@				METALS OPTION PRODUCTS						wed, May 13, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
OG CALL															
JUN26															
6380	----	----	----	----/0.30A	----	0.20	UNCH	.0010	----	----	----	----		8	UNCH
6390	----	----	----	----/0.30A	----	0.20	UNCH	.0010	----	----	----	----		1	UNCH
6400	----	----	----	----/0.30A	----	0.20	UNCH	.0010	----	----	----	----		481	UNCH
6410	----	----	----	----/0.30A	----	0.20	UNCH	.0010	----	----	----	----		8	UNCH
6420	----	----	----	----/0.30A	----	0.20	UNCH	.0010	----	----	----	----		3	UNCH
6430	----	----	----	----/0.30A	----	0.20	UNCH	.0010	----	----	----	----		35	UNCH
6440	----	----	----	----/0.30A	----	0.20	UNCH	.0010	----	----	----	----		2	UNCH
6450	----	----	----	----/*0.20A	----	0.20	UNCH	.0010	----	----	----	----		64	UNCH
6460	----	----	----	----/0.30A	----	0.20	UNCH	.0010	----	----	----	----		38	UNCH
6470	----	----	----	----/0.30A	----	0.20	UNCH	.0009	----	----	----	----		9	UNCH
6480	----	----	----	----/0.30A	----	0.20	UNCH	.0009	----	----	----	----		28	UNCH
6490	----	----	----	----/0.30A	----	0.10	- 0.10	.0005	----	----	----	----		17	UNCH
6500	0.20	0.20	0.20/0.20	0.20/0.20	----	0.10	- 0.10	.0004	----	----	1	----	1049	+	1
6525	----	----	----	----/0.30A	----	0.10	UNCH	.0004	----	----	----	----		24	UNCH
6550	----	----	----	----/0.20A	----	0.10	UNCH	.0003	----	----	----	----		245	UNCH
6575	----	----	----	----/0.60A	----	0.10	UNCH	.0003	----	----	----	----		7	UNCH
6600	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10	UNCH	.0002	----	----	2	----	879	+	2
6625	----	----	----	----/*0.10A	----	0.10	UNCH	.0002	----	----	----	----		105	UNCH
6650	----	----	----	----/*0.10A	----	0.10	UNCH	.0002	----	----	----	----		40	UNCH
6675	----	----	----	----/*0.10A	----	0.10	UNCH	.0001	----	----	----	----		48	UNCH
6700	----	----	----	----/*0.10A	----	0.10	UNCH	.0001	----	----	----	----		1346	UNCH
6725	----	----	----	----/*0.10A	----	0.10	UNCH	.0001	----	----	----	----		107	UNCH
6750	----	----	----	----/*0.10A	----	0.10	UNCH	.0001	----	----	----	----		134	UNCH
6775	----	----	----	----/*0.10A	----	0.10	UNCH	.0001	----	----	----	----		13	UNCH
6800	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	64	----	235	-	4
6825	----	----	----	----/*0.10A	----	0.10	UNCH	.0000	----	----	----	----		10	UNCH
6850	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----		31	UNCH
6875	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----		3	UNCH
6900	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----		157	UNCH
6925	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----		51	UNCH
6950	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----		27	UNCH
6975	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----		21	UNCH
7000	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	1840	UNCH	
7025	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----		53	UNCH
7050	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----		120	UNCH
7075	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----		30	UNCH
7100	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----		145	UNCH
7125	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----		52	UNCH
7150	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----		59	UNCH
7175	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----		3	UNCH
7200	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----		134	UNCH
7225	----	----	----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----		2	UNCH
7250	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		91	UNCH
7275	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		1	UNCH
7300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	150	UNCH	
7325	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		14	UNCH
7350	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		3	UNCH
7375	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		20	UNCH
7400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		47	UNCH
7425	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		20	UNCH
7450	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		5	UNCH
7475	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		8	UNCH
7500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1355	UNCH	
7525	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		22	UNCH
7575	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		8	UNCH
7600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		78	UNCH
7700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		65	UNCH
7750	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		17	UNCH
7800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		39	UNCH
7825	----	----	----	----/7.40A	----	0.10	UNCH	----	----	----	----	----		1	UNCH
7875	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		31	UNCH
7900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		2	UNCH
7950	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		2	UNCH
8000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1064	UNCH	
8100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		4	UNCH
8200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		88	UNCH
8300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		64	UNCH
8500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		146	UNCH
8600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		52	UNCH
8800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		32	UNCH
8900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		15	UNCH
9000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		387	UNCH
9100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		11	UNCH
9200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		51	UNCH
9300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		11	UNCH
9400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		25	UNCH
9500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		23	UNCH
9600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		27	UNCH
9700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		20	UNCH
9800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		17	UNCH
9900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		27	UNCH
10000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----		363	UNCH
10100	----	----	----	----/3.60A	----	0.10	UNCH	----	----	----	----	----		2>	

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL COMEX GOLD OPTIONS															
JUL26															
4255	----	----	----	517.90B/485.40A	517.90B/485.40A	----	----	505.90 + 15.70	.9008	----	----	----	----	1	UNCH
4265	----	----	----	509.20B/476.50A	509.20B/476.50A	----	----	496.80 + 15.60	.8968	----	----	----	----	2	UNCH
4270	----	----	----	505.00B/469.90A	505.00B/469.90A	----	----	492.20 + 15.50	.8950	----	----	----	----	38	UNCH
4275	----	----	----	500.40B/465.20A	500.40B/465.20A	----	----	487.70 + 15.40	.8928	----	----	----	----	76	UNCH
4280	----	----	----	495.60B/461.00A	495.60B/461.00A	----	----	483.20 + 15.40	.8910	----	----	----	----	3	UNCH
4300	----	----	----	478.20B/443.40A	478.20B/443.40A	----	----	465.20 + 15.00	.8823	----	----	2	----	63 +	1
4315	----	----	----	465.00B/430.30A	465.00B/430.30A	----	----	451.90 + 14.80	.8752	----	----	----	----	21	UNCH
4325	----	----	----	455.70B/421.70A	455.70B/421.70A	----	----	443.10 + 14.60	.8705	----	----	----	----	22	UNCH
4335	----	----	----	446.80B/415.10A	446.80B/415.10A	----	----	434.30 + 14.40	.8655	----	----	----	----	17	UNCH
4350	----	----	----	434.20B/400.10A	434.20B/400.10A	----	----	421.30 + 14.20	.8574	----	----	----	----	17	UNCH
4360	----	----	----	424.90B/391.70A	424.90B/391.70A	----	----	412.70 + 14.10	.8520	----	----	----	----	53	UNCH
4365	----	----	----	420.80B/387.40A	420.80B/387.40A	----	----	408.40 + 14.00	.8492	----	----	----	----	45	UNCH
4370	----	----	----	417.10B/383.50A	417.10B/383.50A	----	----	404.10 + 13.80	.8464	----	----	----	----	20	UNCH
4375	----	----	----	412.40B/379.40A	412.40B/379.40A	----	----	399.90 + 13.80	.8433	----	----	----	----	5	UNCH
4400	----	----	----	391.50B/357.60A	391.50B/357.60A	----	----	378.90 + 13.30	.8281	----	----	----	----	2305	UNCH
4410	----	----	----	383.20B/351.60A	383.20B/351.60A	----	----	370.60 + 13.10	.8216	----	----	----	----	4	UNCH
4415	----	----	----	379.20B/343.80A	379.20B/343.80A	----	----	366.50 + 13.00	.8183	----	----	----	----	39	UNCH
4420	----	----	----	375.20B/343.70A	375.20B/343.70A	----	----	362.40 + 12.80	.8149	----	----	----	----	5	UNCH
4425	----	----	----	370.30B/335.90A	370.30B/335.90A	----	----	358.40 + 12.80	.8115	----	----	----	----	16	UNCH
4430	----	----	----	366.50B/336.70A	366.50B/336.70A	----	----	354.30 + 12.60	.8079	----	----	----	----	2	UNCH
4445	----	----	----	354.60B/320.20A	354.60B/320.20A	----	----	342.30 + 12.30	.7973	----	----	----	----	30	UNCH
4450	----	----	----	350.50B/316.10A	350.50B/316.10A	----	----	338.40 + 12.30	.7937	----	----	----	----	256	UNCH
4455	----	----	----	347.00B/317.20A	347.00B/317.20A	----	----	334.40 + 12.10	.7899	----	----	----	----	2	UNCH
4460	----	----	----	342.90B/313.40A	342.90B/313.40A	----	----	330.50 + 12.00	.7862	----	----	----	----	2	UNCH
4475	----	----	----	331.20B/302.10A	331.20B/302.10A	----	----	318.90 + 11.70	.7745	----	----	----	----	2	UNCH
4480	----	----	----	330.00B/293.80A	330.00B/293.80A	----	----	315.00 + 11.50	.7707	----	----	----	----	36	UNCH
4485	----	----	----	323.50B/294.70A	323.50B/294.70A	----	----	311.20 + 11.40	.7666	----	----	----	----	1	UNCH
4490	----	----	----	322.30B/286.60A	322.30B/286.60A	----	----	307.40 + 11.30	.7626	----	----	----	----	20	UNCH
4500	----	----	----	313.70B/278.80A	313.70B/278.80A	----	----	300.00 + 11.10	.7543	----	----	----	----	969	UNCH
4505	----	----	----	307.80B/280.10A	307.80B/280.10A	----	----	296.20 + 10.90	.7500	----	----	----	----	2	UNCH
4510	----	----	----	306.20B/272.10A	306.20B/272.10A	----	----	292.60 + 10.90	.7459	----	----	----	----	75	UNCH
4515	----	----	----	302.50B/268.70A	302.50B/268.70A	----	----	288.90 + 10.80	.7415	----	----	----	----	210	UNCH
4520	----	----	----	298.90B/265.20A	298.90B/265.20A	----	----	285.20 + 10.60	.7373	----	----	----	----	188	UNCH
4525	----	----	----	298.10B/261.60A	298.10B/261.60A	----	----	281.60 + 10.50	.7329	----	----	----	----	129	UNCH
4530	----	----	----	289.40B/259.30A	289.40B/259.30A	----	----	278.00 + 10.40	.7285	----	----	----	----	5	UNCH
4535	----	----	----	287.50B/254.80A	287.50B/254.80A	----	----	274.50 + 10.30	.7240	----	----	----	----	19	UNCH
4540	----	----	----	284.20B/251.40A	284.20B/251.40A	----	----	270.90 + 10.20	.7196	----	----	----	----	56	UNCH
4550	----	----	----	275.00B/245.60A	275.00B/245.60A	----	----	263.90 + 10.00	.7104	----	----	----	----	10	UNCH
4555	----	----	----	271.60B/242.60A	271.60B/242.60A	----	----	260.50 + 9.90	.7059	----	----	----	----	2	UNCH
4560	----	----	----	270.20B/237.90A	270.20B/237.90A	----	----	257.00 + 9.80	.7011	----	----	----	----	51	UNCH
4565	----	----	----	266.70B/234.80A	266.70B/234.80A	----	----	253.60 + 9.70	.6965	----	----	----	----	24	UNCH
4570	----	----	----	264.50B/232.80A	264.50B/232.80A	----	----	250.30 + 9.60	.6917	----	----	----	----	2	UNCH
4575	----	----	----	265.00B/228.40A	265.00B/228.40A	----	----	246.90 + 9.50	.6870	----	----	----	----	125	UNCH
4580	----	----	----	261.90B/226.10A	261.90B/226.10A	----	----	243.60 + 9.40	.6822	----	----	----	----	11	UNCH
4585	----	----	----	258.60B/222.90A	258.60B/222.90A	----	----	240.30 + 9.30	.6774	----	----	----	----	9	UNCH
4590	----	----	----	255.10B/220.10A	255.10B/220.10A	----	----	237.00 + 9.20	.6725	----	----	----	----	1	UNCH
4595	----	----	----	251.80B/216.90A	251.80B/216.90A	----	----	233.80 + 9.20	.6676	----	----	----	----	2	UNCH
4600	----	----	----	248.70B/212.50A	248.70B/212.50A	----	----	230.50 + 9.00	.6627	----	----	5	----	389	-
4605	----	----	----	245.20B/210.00A	245.20B/210.00A	----	----	227.30 + 8.90	.6578	----	----	----	----	4	UNCH
4610	----	----	----	241.90B/207.00A	241.90B/207.00A	----	----	224.20 + 8.80	.6528	----	----	----	----	13	UNCH
4615	----	----	----	238.70B/203.30A	238.70B/203.30A	----	----	221.10 + 8.80	.6477	----	----	----	----	11	UNCH
4620	----	----	----	235.60B/200.30A	235.60B/200.30A	----	----	217.90 + 8.60	.6427	----	----	----	----	35	UNCH
4625	----	----	----	232.40B/197.40A	232.40B/197.40A	----	----	214.90 + 8.60	.6376	----	----	----	----	104	UNCH
4630	----	----	----	229.10B/194.60A	229.10B/194.60A	----	----	211.80 + 8.40	.6326	----	----	----	----	4	UNCH
4635	----	----	----	226.10B/191.60A	226.10B/191.60A	----	----	208.80 + 8.30	.6274	----	----	----	----	91	UNCH
4640	----	----	----	223.00B/188.80A	223.00B/188.80A	----	----	205.80 + 8.20	.6223	----	----	----	----	231	UNCH
4645	----	----	----	219.90B/186.10A	219.90B/186.10A	----	----	202.90 + 8.20	.6172	----	----	----	----	19	UNCH
4650	----	----	----	216.90B/183.30A	216.90B/183.30A	----	----	199.90 + 8.10	.6120	----	----	----	----	840	UNCH
4655	----	----	----	213.90B/180.60A	213.90B/180.60A	----	----	197.00 + 8.00	.6068	----	----	----	----	18	UNCH
4660	----	----	----	210.90B/177.90A	210.90B/177.90A	----	----	194.10 + 7.80	.6016	----	----	----	----	53	UNCH
4665	----	----	----	207.90B/175.10A	207.90B/175.10A	----	----	191.30 + 7.80	.5964	----	----	----	----	270	UNCH
4670	----	----	----	204.90B/172.50A	204.90B/172.50A	----	----	188.50 + 7.70	.5912	----	----	----	----	106	UNCH
4675	----	----	----	202.00B/169.90A	202.00B/169.90A	----	----	185.70 + 7.60	.5859	----	----	----	----	135	UNCH
4680	----	----	----	199.00B/167.30A	199.00B/167.30A	----	----	182.90 + 7.50	.5807	----	----	----	----	140	UNCH
4685	----	----	----	197.70B/164.70A	197.70B/164.70A	----	----	180.20 + 7.40	.5754	----	----	----	----	11	UNCH
4690	----	----	----	194.90B/162.30A	194.90B/162.30A	----	----	177.50 + 7.30	.5701	----	----	----	----	3	UNCH
4695	----	----	----	192.10B/159.70A	192.10B/159.70A	----	----	174.80 + 7.20	.5648	----	----	----	----		

BULLETIN # 91@		METALS OPTION PRODUCTS										wed, May 13, 2026		PG64			
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
JUL26																	
5050	57.20	57.20		60.90B/47.70A	60.90B/47.70A	----	----	----	53.20 + 1.70	.2350	----	----	14	----	344	-	3
5055	----	----		60.10B/46.90A	60.10B/46.90A	----	----	----	52.30 + 1.70	.2316	----	----	----	----	19		UNCH
5060	----	----		59.00B/46.10A	59.00B/46.10A	----	----	----	51.40 + 1.60	.2283	----	----	----	----	34		UNCH
5065	----	----		57.70B/45.20A	57.70B/45.20A	----	----	----	50.50 + 1.60	.2250	----	----	1	----	213	-	1
5070	----	----		56.90B/44.50A	56.90B/44.50A	----	----	----	49.60 + 1.50	.2216	----	----	1	----	34	+	1
5075	46.90	46.90		56.00B/43.70A	56.00B/43.70A	----	----	----	48.70 + 1.40	.2183	----	----	25	----	155	+	18
5080	----	----		55.00B/42.90A	55.00B/42.90A	----	----	----	47.90 + 1.40	.2152	----	----	----	----	90		UNCH
5085	----	----		54.00B/42.20A	54.00B/42.20A	----	----	----	47.00 + 1.30	.2119	----	----	----	----	43		UNCH
5090	----	----		53.20B/41.50A	53.20B/41.50A	----	----	----	46.20 + 1.30	.2089	----	----	1	----	15	+	1
5095	----	----		52.30B/40.70A	52.30B/40.70A	----	----	----	45.40 + 1.20	.2058	----	----	----	----	56		UNCH
5100	41.50	41.50		51.30B/40.00A	51.30B/40.00A	----	----	----	44.60 + 1.20	.2027	----	537	----	1557	+	220	
5105	----	----		50.40B/39.30A	50.40B/39.30A	----	----	----	43.80 + 1.10	.1997	----	----	----	----	95		UNCH
5110	----	----		49.60B/38.70A	49.60B/38.70A	----	----	----	43.00 + 1.00	.1966	----	----	----	----	409		UNCH
5115	----	----		48.70B/38.00A	48.70B/38.00A	----	----	----	42.30 + 1.00	.1938	----	1	----	29	-	1	
5120	----	----		47.90B/37.30A	47.90B/37.30A	----	----	----	41.50 + 0.90	.1908	----	----	----	----	40		UNCH
5125	----	----		47.20B/36.70A	47.20B/36.70A	----	----	----	40.80 + 0.90	.1880	----	1	----	247		UNCH	
5130	----	----		46.30B/36.10A	46.30B/36.10A	----	----	----	40.10 + 0.90	.1852	----	----	----	----	41		UNCH
5135	----	----		45.50B/35.50A	45.50B/35.50A	----	----	----	39.40 + 0.90	.1824	----	----	----	----	171		UNCH
5140	43.80	43.80		44.70B/34.80A	44.70B/34.80A	----	----	----	38.70 + 0.80	.1797	----	1	----	68	-	1	
5145	----	----		43.90B/34.20A	43.90B/34.20A	----	----	----	38.00 + 0.70	.1769	----	1	----	68	+	1	
5150	----	----		43.40B/33.70A	43.40B/33.70A	----	----	----	37.40 + 0.80	.1744	----	4	----	1014	+	1	
5155	----	----		42.50B/33.10A	42.50B/33.10A	----	----	----	36.70 + 0.70	.1716	----	----	----	----	20		UNCH
5160	----	----		41.70B/32.50A	41.70B/32.50A	----	----	----	36.10 + 0.70	.1691	----	----	----	----	22		UNCH
5165	----	----		41.00B/32.00A	41.00B/32.00A	----	----	----	35.50 + 0.70	.1667	----	----	----	----	21		UNCH
5170	----	----		40.40B/31.40A	40.40B/31.40A	----	----	----	34.90 + 0.70	.1642	----	----	----	----	12		UNCH
5175	----	----		39.80B/30.90A	39.80B/30.90A	----	----	----	34.30 + 0.60	.1617	----	----	----	----	73		UNCH
5180	----	----		39.10B/30.40A	39.10B/30.40A	----	----	----	33.70 + 0.60	.1592	----	1	----	31	+	1	
5185	----	----		38.40B/29.90A	38.40B/29.90A	----	----	----	33.10 + 0.60	.1568	----	----	----	----	119		UNCH
5190	----	----		37.70B/29.40A	37.70B/29.40A	----	----	----	32.50 + 0.50	.1543	----	----	----	----	16		UNCH
5195	----	----		37.20B/28.90A	37.20B/28.90A	----	----	----	32.00 + 0.50	.1522	----	----	----	----	38		UNCH
5200	----	----		36.40B/28.40A	36.40B/28.40A	----	----	----	31.50 + 0.60	.1500	----	38	----	1980	-	17	
5205	----	----		35.80B/27.90A	35.80B/27.90A	----	----	----	30.90 + 0.50	.1475	----	----	----	----	48		UNCH
5210	----	----		35.20B/27.50A	35.20B/27.50A	----	----	----	30.40 + 0.50	.1454	----	----	----	----	55		UNCH
5215	31.30	31.30		34.70B/27.00A	34.70B/27.00A	----	----	----	29.90 + 0.50	.1432	----	1	----	47	+	1	
5220	----	----		33.90B/26.50A	33.90B/26.50A	----	----	----	29.40 + 0.50	.1411	----	----	----	----	42		UNCH
5225	----	----		33.50B/26.10A	33.50B/26.10A	----	----	----	28.90 + 0.40	.1390	----	3	----	111	+	2	
5230	----	----		32.90B/25.70A	32.90B/25.70A	----	----	----	28.50 + 0.50	.1371	----	----	----	----	86		UNCH
5235	----	----		32.30B/25.30A	32.30B/25.30A	----	----	----	28.00 + 0.50	.1350	----	----	----	----	30		UNCH
5240	----	----		31.80B/24.80A	31.80B/24.80A	----	----	----	27.50 + 0.40	.1329	----	----	----	----	114		UNCH
5245	----	----		31.30B/24.40A	31.30B/24.40A	----	----	----	27.10 + 0.50	.1310	----	----	----	----	67		UNCH
5250	28.00	28.00		30.60B/24.10A	30.60B/24.10A	----	----	----	26.70 + 0.50	.1292	----	18	----	828	-	1	
5255	----	----		30.30B/23.70A	30.30B/23.70A	----	----	----	26.20 + 0.40	.1271	----	----	----	----	24		UNCH
5260	----	----		29.50B/23.30A	29.50B/23.30A	----	----	----	25.80 + 0.40	.1253	----	----	----	----	150		UNCH
5265	23.90	23.90		29.20B/22.90A	29.20B/22.90A	----	----	----	25.40 + 0.50	.1235	----	5	----	13	+	5	
5270	----	----		28.80B/22.60A	28.80B/22.60A	----	----	----	25.00 + 0.50	.1217	----	----	----	----	25		UNCH
5275	----	----		28.20B/22.20A	28.20B/22.20A	----	----	----	24.60 + 0.50	.1199	----	----	----	----	29		UNCH
5280	----	----		27.70B/21.80A	27.70B/21.80A	----	----	----	24.20 + 0.40	.1182	----	2	----	43	+	2	
5285	----	----		27.20B/21.50A	27.20B/21.50A	----	----	----	23.80 + 0.40	.1164	----	----	----	----	20		UNCH
5290	----	----		26.90B/21.20A	26.90B/21.20A	----	----	----	23.40 + 0.40	.1146	----	----	----	----	48		UNCH
5295	23.30	23.30		26.30B/20.80A	26.30B/20.80A	----	----	----	23.10 + 0.50	.1131	----	1	----	85		UNCH	
5300	24.60	24.60		26.00B/20.50A	26.00B/20.50A	----	----	----	22.70 + 0.40	.1114	----	19	----	1242	-	9	
5305	----	----		25.60B/20.20A	25.60B/20.20A	----	----	----	22.40 + 0.50	.1099	----	----	----	----	65		UNCH
5310	----	----		25.20B/19.90A	25.20B/19.90A	----	----	----	22.00 + 0.40	.1082	----	----	----	----	21		UNCH
5315	----	----		24.70B/19.60A	24.70B/19.60A	----	----	----	21.70 + 0.50	.1068	----	----	----	----	28		UNCH
5320	----	----		24.30B/19.30A	24.30B/19.30A	----	----	----	21.30 + 0.40	.1050	----	----	----	----	57		UNCH
5325	21.70	21.70		23.80B/19.00A	23.80B/19.00A	----	----	----	21.00 + 0.40	.1036	----	2	----	228		UNCH	
5330	----	----		23.50B/18.70A	23.50B/18.70A	----	----	----	20.70 + 0.40	.1022	----	2	----	15	+	2	
5335	----	----		23.30B/18.40A	23.30B/18.40A	----	----	----	20.40 + 0.40	.1008	----	----	----	----	10		UNCH
5340	----	----		22.80B/18.10A	22.80B/18.10A	----	----	----	20.00 + 0.30	.0990	----	----	----	----	30		UNCH
5345	----	----		22.30B/17.80A	22.30B/17.80A	----	----	----	19.70 + 0.30	.0976	----	----	----	----	42		UNCH
5350	----	----		21.90B/17.60A	21.90B/17.60A	----	----	----	19.40 + 0.30	.0962	----	7	80	798	+	80	
5355	----	----		21.60B/17.30A	21.60B/17.30A	----	----	----	19.10 + 0.30	.0948	----	----	----	----	108		UNCH
5360	----	----		21.20B/17.00A	21.20B/17.00A	----	----	----	18.90 + 0.40	.0938	----	----	----	----	328		UNCH
5365	----	----		20.90B/16.80A	20.90B/16.80A	----	----	----	18.60 + 0.40	.0924	----	----	----	----	148		UNCH
5370	----	----		20.70B/16.50A	20.70B/16.50A	----	----	----	18.30 + 0.40	.0910	----	----	----	----	27		UNCH
5375	----	----		20.30B/16.30A	20.30B/16.30A	----	----	----	18.00 + 0.30	.0896	----	----	----	----	24		UNCH
5380	----	----		19.90B/16.10A													

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL		COMEX GOLD OPTIONS														
JUL26																
5800	6.30	6.30	6.40B/5.90A	6.40B/5.90A	----	6.30 + 0.10	.0313	----	----	1	----	802 -				
5810	----	----	6.30B/5.80A	6.30B/5.80A	----	6.10 UNCH	.0304	----	----	----	----	11 UNCH				
5820	----	----	6.20B/5.70A	6.20B/5.70A	----	6.00 UNCH	.0298	----	----	----	----	207 UNCH				
5825	----	----	6.10B/5.70A	6.10B/5.70A	----	6.00 + 0.10	.0297	----	----	----	----	19 UNCH				
5830	----	----	6.00B/5.60A	6.00B/5.60A	----	5.90 UNCH	.0293	----	----	----	----	1 UNCH				
5840	----	----	5.90B/5.50A	5.90B/5.50A	----	5.80 + 0.10	.0287	----	----	----	----	103 UNCH				
5850	----	----	5.80B/5.40A	5.80B/5.40A	----	5.70 + 0.10	.0282	----	----	----	----	109 UNCH				
5860	5.50	5.50	5.70B/5.30A	5.70B/5.30A	----	5.60 UNCH	.0276	----	1	----	----	114 +				
5870	----	----	5.60B/5.20A	5.60B/5.20A	----	5.50 UNCH	.0271	----	----	----	----	16 UNCH				
5875	----	----	5.50B/5.20A	5.50B/5.20A	----	5.40 UNCH	.0267	----	----	----	----	22 UNCH				
5880	----	----	5.50B/5.10A	5.50B/5.10A	----	5.40 UNCH	.0266	----	----	----	----	11 UNCH				
5890	----	----	5.40B/5.10A	5.40B/5.10A	----	5.30 UNCH	.0261	----	----	----	----	9 UNCH				
5900	----	----	5.30B/5.00A	5.30B/5.00A	----	5.20 UNCH	.0255	----	1	----	----	430 +				
5910	----	----	5.20B/4.90A	5.20B/4.90A	----	5.10 UNCH	.0250	----	----	----	----	6 UNCH				
5920	----	----	5.10B/4.80A	5.10B/4.80A	----	5.00 UNCH	.0245	----	----	----	----	19 UNCH				
5925	----	----	----/4.80A	5.00B/4.80A	----	5.00 UNCH	.0244	----	----	----	----	6 UNCH				
5930	----	----	5.00B/4.80A	5.00B/4.80A	----	4.90 UNCH	.0240	----	----	----	----	4 UNCH				
5940	----	----	----/4.70A	4.90B/4.70A	----	4.90 UNCH	.0239	----	----	----	----	2 UNCH				
5950	----	----	----/4.60A	4.80B/4.60A	----	4.80 UNCH	.0234	----	----	----	----	43 UNCH				
5960	----	----	----/4.50A	4.60B/4.50A	----	4.70 UNCH	.0229	----	----	----	----	16 UNCH				
5970	----	----	4.70B/4.50A	4.70B/4.50A	----	4.60 UNCH	.0224	----	----	----	----	55 UNCH				
5980	----	----	----/4.40A	4.60B/4.40A	----	4.50 - 0.10	.0219	----	----	----	----	3 UNCH				
5990	----	----	----/4.30A	4.40B/4.30A	----	4.50 UNCH	.0218	----	----	----	----	76 UNCH				
6000	----	----	----/4.30A	4.30B/4.30A	----	4.40 UNCH	.0213	----	14	----	2181 -					
6025	----	----	4.30B/4.10A	4.30B/4.10A	----	4.20 UNCH	.0203	----	----	----	----	34 UNCH				
6050	----	----	----/4.00A	4.10B/4.00A	----	4.10 UNCH	.0196	----	----	----	----	46 UNCH				
6075	----	----	----/*3.80A	3.80B/3.80A	----	3.90 UNCH	.0186	----	----	----	----	713 UNCH				
6100	----	----	----/*3.70A	3.70B/3.70A	----	3.80 UNCH	.0180	----	1	----	291 +					
6125	----	----	----	3.60B/3.70A	----	3.70 UNCH	.0175	----	----	----	----	59 UNCH				
6150	----	----	----	3.50B/3.50A	----	3.50 UNCH	.0165	----	----	----	----	881 UNCH				
6175	----	----	----	3.30B/*3.40A	----	3.40 UNCH	.0160	----	----	----	----	37 UNCH				
6200	----	----	----	3.20B/3.30A	----	3.30 UNCH	.0154	----	----	----	----	550 UNCH				
6225	----	----	----	3.20B/3.30A	----	3.20 UNCH	.0149	----	----	----	----	20 UNCH				
6250	----	----	----	3.10B/*3.10A	----	3.10 UNCH	.0143	----	----	----	----	392 UNCH				
6275	----	----	----	3.00B/*3.10A	----	3.00 UNCH	.0138	----	----	----	----	3 UNCH				
6300	----	----	----	2.90B/3.00A	----	2.90 UNCH	.0133	----	----	----	----	339 UNCH				
6325	----	----	----	2.80B/*2.90A	----	2.80 UNCH	.0128	----	----	----	----	29 UNCH				
6350	----	----	----	2.70B/*2.80A	----	2.80 UNCH	.0127	----	----	----	----	26 UNCH				
6375	----	----	----	2.60B/*2.80A	----	2.70 UNCH	.0122	----	----	----	----	37 UNCH				
6400	----	----	----	2.60B/*2.70A	----	2.60 UNCH	.0117	----	28	----	171 UNCH					
6425	----	----	----	2.50B/*2.60A	----	2.60 UNCH	.0116	----	----	----	----	17 UNCH				
6450	----	----	----	2.40B/*2.60A	----	2.50 UNCH	.0111	----	----	----	----	48 UNCH				
6475	----	----	----	2.40B/2.50A	----	2.40 UNCH	.0106	----	----	----	----	13 UNCH				
6500	----	----	----	2.30B/2.50A	----	2.40 UNCH	.0105	----	----	----	----	652 UNCH				
6525	----	----	----	2.20B/*2.40A	----	2.30 UNCH	.0101	----	----	----	----	132 UNCH				
6550	----	----	----	2.10B/*2.30A	----	2.30 UNCH	.0100	----	----	----	----	7 UNCH				
6575	----	----	----	2.10B/2.30A	----	2.20 UNCH	.0096	----	----	----	----	4 UNCH				
6600	----	----	----	2.00B/*2.20A	----	2.20 UNCH	.0095	----	----	----	----	27 UNCH				
6650	----	----	----	1.90B/*2.10A	----	2.10 UNCH	.0090	----	----	----	----	16 UNCH				
6675	----	----	----	1.80B/2.10A	----	2.00 UNCH	.0085	----	----	----	----	1 UNCH				
6700	----	----	----	1.80B/*2.00A	----	2.00 UNCH	.0085	----	----	----	----	127 UNCH				
6775	----	----	----	1.70B/*1.90A	----	1.90 + 0.10	.0079	----	----	----	----	1 UNCH				
6800	----	----	----	1.60B/1.90A	----	1.80 UNCH	.0075	----	----	----	----	201 UNCH				
6825	----	----	----	1.60B/1.90A	----	1.80 + 0.10	.0075	----	----	----	----	19 UNCH				
6850	----	----	----	1.60B/1.80A	----	1.80 + 0.10	.0074	----	----	----	----	201 UNCH				
6875	----	----	----	1.50B/1.80A	----	1.70 UNCH	.0070	----	----	----	----	22 UNCH				
6900	----	----	----	1.50B/*1.70A	----	1.70 + 0.10	.0069	----	----	----	----	19 UNCH				
6925	----	----	----	1.40B/1.70A	----	1.70 + 0.10	.0069	----	----	----	----	1 UNCH				
6950	----	----	----	1.40B/1.70A	----	1.60 UNCH	.0065	----	----	----	----	22 UNCH				
6975	----	----	----	1.50B/*1.60A	----	1.60 + 0.10	.0065	----	----	1	----	10 UNCH				
7000	1.30	1.30	1.30/*1.30	1.30/*1.30	----	1.60 + 0.10	.0064	----	1	----	1195 UNCH					
7050	----	----	----	1.30B/*1.50A	----	1.50 UNCH	.0060	----	----	----	----	18 UNCH				
7075	----	----	----	1.30B/*1.50A	----	1.50 + 0.10	.0059	----	----	----	----	13 UNCH				
7100	----	----	----	1.20B/1.50A	----	1.40 UNCH	.0056	----	----	----	----	28 UNCH				
7125	----	----	----	1.20B/1.50A	----	1.40 UNCH	.0055	----	----	----	----	1 UNCH				
7150	----	----	----	1.20B/*1.40A	----	1.40 UNCH	.0055	----	----	----	----	19 UNCH				
7175	----	----	----	1.10B/*1.40A	----	1.40 + 0.10	.0055	----	----	----	----	1 UNCH				
7200	----	----	----	1.10B/1.40A	----	1.30 UNCH	.0051	----	----	----	----	3 UNCH				
7225	----	----	----	1.20B/1.40A	----	1.30 UNCH	.0051	----	----	----	----	22 UNCH				
7250	----	----	----	1.10B/*1.30A	----	1.30 UNCH	.0050	----	----	----	----	23 UNCH				
7275	----	----	----	1.00B/*1.30A	----	1.30 UNCH	.0050	----	----	----	----	14 UNCH				
7300	----	----	----	1.00B/1.40A	----	1.30 UNCH	.0050	----	----	----	----	50 UNCH				
7350	----	----	----	1.00B/1.30A	----	1.20 UNCH	.0046	----	----	----	----	8 UNCH				
7400	----	----	----	0.90B/1.30A	----	1.20 UNCH	.0045	----	----	----	----	2 UNCH				
7425	----	----	----	0.90B/1.30A	----	1.20 UNCH	.0045	----	----	----	----	19 UNCH				
7450	----	----	----	0.90B/1.30A	----	1.20 UNCH	.0045	----	----	----	----	28 UNCH				
7475	----	----	----	0.90B/1.30A	----	1.20 + 0.10	.0044	----	----	----	----	9 UNCH				
7500	0.90	0.90	0.90/*0.90	0.90/*0.90	----	1.10 UNCH	.0041	----	3	----	296 -					
7525	----	----	----	0.80B/1.30A	----	1.10 UNCH	.0041	----	----	----	----	33 UNCH				
7550	----	----	----	0.80B/1.30A	----	1.10 UNCH	.0041	----	----	----	----	50 UNCH				
7575	----	----	----	0.80B/1.30A	----	1.10 UNCH	.0040	----	----	----	----	1 UNCH				
7600	----	----	----	0.80B/1.10A	----	1.10 + 0.10	.0040	----	----	----	----	10 UNCH				
7625	----	----	----	0.80B/1.30A	----	1.10 + 0.10	.0040	----	----	----	----	12 UNCH				
7700	----	----	----	0.70B/1.20A	----	1.10 + 0.10	.0039	----	----	----	----	17 UNCH				
7725	----	----	----	0.70B/1.20A	----	1.10 + 0.10	.0039	----	----	----	----	17 UNCH				
7750	----	----	----	0.70B/1.20A	----	1.10 + 0.10	.0039	----	----	----	----	6 UNCH				
7775	----	----	----	0.70B/1.20A	----	1.00 + 0.10	.0036	----	----	----	----	6 UNCH				
7800	1.30	1.30	1.30/*1.10A	1.30/1.10A	----	1.00 + 0.10	.0035	----	1	----	5 UNCH					
7825	----	----	----	0.70B/1.10A	----	1.00 + 0.10	.0035	----	----	----	----	13 UNCH				
7875	----	----	----	0.60B/1.10A	----	1.00 + 0.10	.0035	----	----	----	----	151 UNCH				
7900	----	----	----	0.60B/1.10A	----	1.00 + 0.10	.0035	----	----	----	----	1 UNCH				
8000	----	----	----	0.60B/1.00A	----	1.00 + 0.20	.0034	----	----	----	----	823 UNCH				
8100	----	----	----	0.50B/1.00A	----	1.00 + 0.30	.0033	----	----	----	----	7 UNCH				
8200	----	----	----	0.50B/0.90A	----	0.90 + 0.20	.0030	----	----	----	----	1 UNCH				
8300	----	----	----	0.40B/0.90A	----	0.90 + 0.20	.0029	----	----	----	----	4 UNCH				
8500	----	----	----	0.40B/0.80A	----	0.80 + 0.20	.0026	----	----	----	----	30 UNCH				
8600	----	----	----	0.30B/0.90A	----	0.80 + 0.30	.0025	----	----	----	----	1 UNCH				
8700	----	----	----	0.30B/0.80A	----	0.70 + 0.20	.0022	----	----	----	----	24 UNCH				
8800	----	----	----	0.20B/0.80A	----	0.70 + 0.20	.0022	----	----	----	----	7 UNCH				
9000	----	----	----	0.30B/0.70A	----	0.60 + 0.20	.0018	----	----	----	----	241 UNCH				
9200	----	----	----	0.20B/0.60A	----	0.50 + 0.10	.0015	----	----	----	----	11 UNCH				
9300	----	----	----	0.20B/0.60A	----	0.50 + 0.10	.0015	----	----	----	----	4 UNCH				
9400	----	----	----	0.10B/0.60A	----	0.50 + 0.20	.0015	----	----	----	----	141 UNCH				
9500	----	----	----	0.10B/0.50A	----	0.40 + 0.10	.0012	----	----	----	----	66 UNCH				
9900	----	----	----	0.10B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	5 UNCH				
10000	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0009	----	----	----	----	178 UNCH				
10100	----	----	----	0.10B/0.50A	----	0.30 + 0.10	.0009	----	----	----	----	12 UNCH				
10500	----	----	----	----/0.40A	----	0.20 UNCH	.0006	----	----	----	----	5 UNCH				
10700	----	----	----	----/6.60A	----	0.20 UNCH	.0005	----	----	----	----	5 UNCH				
11000	----	----	----	----/1.00A	----	0.10 UNCH	.0003	----	----	----	----	103 UNCH				
11200	----	----	----	----/6.40A	----	0.10 UNCH	.0002	----	----	----	----	13 UNCH				
11500	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	47 UNCH				
11600	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	50 UNCH				
12000	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	217 UNCH				
TOTAL													2505	230	64685 -	304
AUG26																
2000	----	----	----	----	----	2741.70 + 19.80	1.0000	----	----	----	----	0 UNCH				
3200	----	----	1,544.70B/1,519	1544.70B/1519.90A	----	1541.70 + 19.60	.9910	----	----	----	----	3 UNCH				
3300	----	----	----	----	----	1442.10 + 19.70	.9879	----	----	----	----	1 UNCH				
3350	----	----	1,395.80B/1,369	1395.80B/1369.90A	----	1392.40 + 19.70	.9860	----	----	----	----	125 UNCH				
3400	----	----	1,34													

2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GLOBEX OPEN		OPEN	OUTCRY OPEN	RANGE	GLOBEX HIGH/LOW	OPEN	OUTCRY HIGH/LOW	OPEN	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS																	
AUG26																			
3780	----	----	----	----	972.70B/945.80A	972.70B/945.80A	----	----	----	----	968.20 + 18.30	.9615	----	----	----	----	10	UNCH	
3790	----	----	----	----	962.80B/936.10A	962.80B/936.10A	----	----	----	----	958.50 + 18.20	.9603	----	----	----	----	67	UNCH	
3800	----	----	----	----	954.10B/925.30A	954.10B/925.30A	----	----	----	----	948.80 + 18.20	.9592	----	----	----	----	303	UNCH	
3820	----	----	----	----	933.80B/907.20A	933.80B/907.20A	----	----	----	----	929.40 + 18.00	.9566	----	----	----	----	3	UNCH	
3840	----	----	----	----	----	----	----	----	----	----	910.10 + 18.00	.9540	----	----	----	----	1	UNCH	
3850	----	----	----	----	904.90B/878.30A	904.90B/878.30A	----	----	----	----	900.50 + 17.90	.9529	----	----	----	----	12	UNCH	
3885	----	----	----	----	----	----	----	----	----	----	866.90 + 17.80	.9478	----	----	----	----	2	UNCH	
3890	----	----	----	----	----	----	----	----	----	----	862.20 + 17.80	.9470	----	----	----	----	2	UNCH	
3900	----	----	----	----	857.00B/830.40A	857.00B/830.40A	----	----	----	----	852.60 + 17.70	.9455	----	----	----	----	146	UNCH	
3920	----	----	----	----	----	----	----	----	----	----	833.60 + 17.70	.9423	----	----	----	----	1	UNCH	
3925	----	----	----	----	833.20B/806.70A	833.20B/806.70A	----	----	----	----	828.80 + 17.60	.9412	----	----	----	----	10	UNCH	
3950	----	----	----	----	809.50B/783.00A	809.50B/783.00A	----	----	----	----	805.10 + 17.50	.9369	----	----	----	----	106	UNCH	
3955	----	----	----	----	804.70B/778.30A	804.70B/778.30A	----	----	----	----	800.40 + 17.50	.9359	----	----	----	----	7	UNCH	
3975	----	----	----	----	785.90B/759.50A	785.90B/759.50A	----	----	----	----	781.50 + 17.30	.9320	----	----	----	----	200	UNCH	
3995	----	----	----	----	767.10B/740.80A	767.10B/740.80A	----	----	----	----	762.70 + 17.20	.9280	----	----	----	----	30	UNCH	
4000	----	----	----	----	764.40B/733.70A	764.40B/733.70A	----	----	----	----	758.00 + 17.10	.9270	----	----	----	----	723	UNCH	
4005	----	----	----	----	----	----	----	----	----	----	753.40 + 17.20	.9259	----	----	----	----	1	UNCH	
4015	----	----	----	----	748.40B/722.10A	748.40B/722.10A	----	----	----	----	744.00 + 17.00	.9236	----	----	----	----	12	UNCH	
4025	----	----	----	----	739.10B/712.90A	739.10B/712.90A	----	----	----	----	734.70 + 17.00	.9214	----	----	----	----	174	UNCH	
4045	----	----	----	----	720.50B/694.40A	720.50B/694.40A	----	----	----	----	716.10 + 16.80	.9166	----	----	----	----	30	UNCH	
4050	----	----	----	----	715.90B/689.80A	715.90B/689.80A	----	----	----	----	711.50 + 16.70	.9153	----	----	----	----	100	UNCH	
4055	----	----	----	----	711.20B/685.20A	711.20B/685.20A	----	----	----	----	706.90 + 16.70	.9142	----	----	----	----	100	UNCH	
4075	----	----	----	----	692.80B/666.90A	692.80B/666.90A	----	----	----	----	688.50 + 16.60	.9091	----	----	----	----	3	UNCH	
4080	----	----	----	----	----	598.30B/759.40A	----	----	----	----	683.90 + 16.50	.9077	----	----	----	----	1	UNCH	
4100	----	----	----	----	670.00B/644.20A	670.00B/644.20A	----	----	----	----	665.60 + 16.30	.9021	----	----	----	----	73	UNCH	
4110	----	----	----	----	660.90B/635.20A	660.90B/635.20A	----	----	----	----	656.50 + 16.20	.8991	----	----	----	----	19	UNCH	
4135	----	----	----	----	638.30B/612.80A	638.30B/612.80A	----	----	----	----	633.90 + 15.90	.8915	----	----	----	----	20	UNCH	
4140	----	----	----	----	----	543.90B/705.00A	----	----	----	----	629.40 + 15.80	.8901	----	----	----	----	1	UNCH	
4150	----	----	----	----	624.90B/599.50A	624.90B/599.50A	----	----	----	----	620.40 + 15.60	.8868	----	----	----	----	40	UNCH	
4165	----	----	----	----	----	521.70B/682.70A	----	----	----	----	607.00 + 15.40	.8817	----	----	----	----	1	UNCH	
4195	----	----	----	----	585.00B/560.10A	585.00B/560.10A	----	----	----	----	580.50 + 15.00	.8710	----	----	----	----	3	UNCH	
4200	----	----	----	----	580.70B/555.80A	580.70B/555.80A	----	----	----	----	576.20 + 15.10	.8691	----	----	4	----	73	- 2	
4215	----	----	----	----	----	478.00B/638.70A	----	----	----	----	563.10 + 14.80	.8634	----	----	----	----	1	UNCH	
4220	----	----	----	----	563.20B/538.70A	563.20B/538.70A	----	----	----	----	558.80 + 14.80	.8613	----	----	----	----	16	UNCH	
4225	----	----	----	----	558.90B/534.50A	558.90B/534.50A	----	----	----	----	554.40 + 14.60	.8594	----	----	----	----	102	UNCH	
4235	----	----	----	----	460.90B/621.50A	460.90B/621.50A	----	----	----	----	545.80 + 14.50	.8552	----	----	----	----	1	UNCH	
4250	----	----	----	----	537.70B/513.30A	537.70B/513.30A	----	----	----	----	533.00 + 14.30	.8489	----	----	----	----	71	UNCH	
4265	----	----	----	----	525.00B/500.80A	525.00B/500.80A	----	----	----	----	520.30 + 14.10	.8423	----	----	----	----	77	UNCH	
4285	----	----	----	----	508.20B/484.30A	508.20B/484.30A	----	----	----	----	503.50 + 13.80	.8332	----	----	----	----	8	UNCH	
4300	----	----	----	----	495.80B/472.10A	495.80B/472.10A	----	----	----	----	491.10 + 13.60	.8260	----	----	----	----	42	UNCH	
4320	----	----	----	----	----	388.60B/552.40A	----	----	----	----	474.70 + 13.30	.8159	----	----	----	----	2	UNCH	
4325	----	----	----	----	475.30B/452.00A	475.30B/452.00A	----	----	----	----	470.60 + 13.10	.8134	----	----	----	----	6	UNCH	
4330	----	----	----	----	471.30B/448.10A	471.30B/448.10A	----	----	----	----	466.60 + 13.10	.8108	----	----	----	----	201	UNCH	
4350	----	----	----	----	457.00B/430.00A	457.00B/430.00A	----	----	----	----	450.60 + 12.80	.8002	----	----	----	----	774	UNCH	
4360	----	----	----	----	356.00B/521.30A	356.00B/521.30A	----	----	----	----	442.70 + 12.70	.7946	----	----	----	----	1	UNCH	
4375	----	----	----	----	435.60B/413.10A	435.60B/413.10A	----	----	----	----	431.00 + 12.50	.7861	----	----	----	----	3	UNCH	
4385	----	----	----	----	427.90B/405.60A	427.90B/405.60A	----	----	----	----	423.30 + 12.30	.7803	----	----	----	----	100	UNCH	
4390	----	----	----	----	332.20B/498.50A	332.20B/498.50A	----	----	----	----	419.40 + 12.20	.7774	----	----	----	----	1	UNCH	
4400	----	----	----	----	417.20B/393.40A	417.20B/393.40A	----	----	----	----	411.80 + 12.10	.7713	----	----	2	----	327	+ 1	
4420	----	----	----	----	401.30B/379.60A	401.30B/379.60A	----	----	----	----	396.70 + 11.70	.7592	----	----	----	----	50	UNCH	
4425	----	----	----	----	397.50B/376.00A	397.50B/376.00A	----	----	----	----	393.00 + 11.70	.7560	----	----	----	----	5	UNCH	
4440	----	----	----	----	294.30B/461.80A	294.30B/461.80A	----	----	----	----	382.00 + 11.50	.7465	----	----	----	----	1	UNCH	
4450	----	----	----	----	379.20B/358.10A	379.20B/358.10A	----	----	----	----	374.70 + 11.30	.7400	----	----	----	----	6	UNCH	
4455	----	----	----	----	283.40B/451.10A	283.40B/451.10A	----	----	----	----	371.10 + 11.20	.7367	----	----	----	----	2	UNCH	
4460	----	----	----	----	371.90B/351.10A	371.90B/351.10A	----	----	----	----	367.50 + 11.10	.7334	----	----	----	----	5	UNCH	
4465	----	----	----	----	368.30B/347.60A	368.30B/347.60A	----	----	----	----	363.90 + 11.00	.7301	----	----	----	----	9	UNCH	
4470	----	----	----	----	364.80B/344.20A	364.80B/344.20A	----	----	----	----	360.40 + 11.00	.7267	----	----	----	----	7	UNCH	
4475	----	----	----	----	361.20B/337.00A	361.20B/337.00A	----	----	----	----	356.90 + 10.90	.7234	----	----	----	----	30	UNCH	
4485	----	----	----	----	354.20B/331.30A	354.20B/331.30A	----	----	----	----	349.80 + 10.60	.7165	----	----	----	----	5	UNCH	
4490	----	----	----	----	----/328.10A	335.70B/328.10A	----	----	----	----	346.40 + 10.60	.7131	----	----	----	----	1	UNCH	
4500	----	----	----	----	346.90B/319.80A	346.90B/319.80A	----	----	----	----	339.50 + 10.40	.7062	----	----	----	----	814	UNCH	
4525	----	----	----	----	340.30B/305.00A	340.30B/305.00A	----	----	----	----	322.60 + 10.00	.6884	----	----	----	----	14	UNCH	
4535	----	----	----	----	333.50B/298.60A	333.50B/298.60A	----	----	----										

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
AUG26																
4930	----	----	----	137.50B/115.70A	137.50B/115.70A	----	----	----	125.90 + 4.50	.3765	----	----	----	----	25	UNCH
4935	----	----	----	135.80B/114.20A	135.80B/114.20A	----	----	----	124.30 + 4.40	.3730	----	----	----	----	1	UNCH
4940	----	----	----	134.10B/112.80A	134.10B/112.80A	----	----	----	122.70 + 4.30	.3694	----	----	----	----	28	UNCH
4945	----	----	----	132.40B/111.50A	132.40B/111.50A	----	----	----	121.20 + 4.30	.3660	----	----	----	----	23	UNCH
4950	116.40	----	116.40	130.80B/110.10A	130.80B/110.10A	----	----	----	119.70 + 4.30	.3626	----	----	20	----	238	+
4955	----	----	----	129.20B/108.70A	129.20B/108.70A	----	----	----	118.20 + 4.20	.3591	----	----	----	----	22	UNCH
4960	----	----	----	127.60B/107.20A	127.60B/107.20A	----	----	----	116.70 + 4.20	.3557	----	----	----	----	40	UNCH
4965	----	----	----	126.00B/105.80A	126.00B/105.80A	----	----	----	115.30 + 4.20	.3524	----	----	----	----	22	UNCH
4970	----	----	----	124.50B/104.50A	124.50B/104.50A	----	----	----	113.80 + 4.10	.3489	----	----	----	----	1	UNCH
4975	----	----	----	123.00B/103.10A	123.00B/103.10A	----	----	----	112.40 + 4.00	.3456	----	----	----	----	2	UNCH
4980	----	----	----	121.40B/101.80A	121.40B/101.80A	----	----	----	111.00 + 4.00	.3423	----	----	----	----	11	UNCH
4985	----	----	----	119.90B/100.50A	119.90B/100.50A	----	----	----	109.60 + 3.90	.3390	----	----	----	----	14	UNCH
4990	----	----	----	118.40B/99.20A	118.40B/99.20A	----	----	----	108.20 + 3.90	.3357	----	----	----	----	9	UNCH
4995	----	----	----	116.90B/98.00A	116.90B/98.00A	----	----	----	106.80 + 3.80	.3324	----	----	----	----	3	UNCH
5000	106.50	----	106.50	115.50B/96.70A	115.50B/96.70A	----	----	----	105.50 + 3.80	.3292	----	----	342	----	1810	+
5005	----	----	----	114.00B/95.50A	114.00B/95.50A	----	----	----	104.20 + 3.70	.3260	----	----	----	----	10	UNCH
5010	----	----	----	112.70B/94.30A	112.70B/94.30A	----	----	----	102.80 + 3.60	.3227	----	----	----	----	7	UNCH
5015	----	----	----	111.30B/93.10A	111.30B/93.10A	----	----	----	101.60 + 3.60	.3196	----	----	----	----	7	UNCH
5020	103.40	----	103.40	109.80B/92.00A	109.80B/92.00A	----	----	----	100.30 + 3.60	.3165	----	----	2	----	32	+
5025	----	----	----	108.60B/90.80A	108.60B/90.80A	----	----	----	99.00 + 3.50	.3133	----	----	----	----	230	UNCH
5030	----	----	----	107.10B/89.70A	107.10B/89.70A	----	----	----	97.80 + 3.50	.3102	----	----	----	----	193	UNCH
5035	----	----	----	105.90B/88.40A	105.90B/88.40A	----	----	----	96.50 + 3.30	.3071	----	----	----	----	11	UNCH
5040	----	----	----	104.60B/87.30A	104.60B/87.30A	----	----	----	95.30 + 3.30	.3040	----	----	----	----	15	UNCH
5045	----	----	----	103.30B/86.20A	103.30B/86.20A	----	----	----	94.10 + 3.30	.3010	----	----	----	----	23	UNCH
5050	----	----	----	102.00B/85.20A	102.00B/85.20A	----	----	----	92.90 + 3.20	.2980	----	----	2	----	276	+
5055	----	----	----	100.70B/84.10A	100.70B/84.10A	----	----	----	91.80 + 3.20	.2951	----	----	----	----	5	UNCH
5060	----	----	----	99.40B/83.00A	99.40B/83.00A	----	----	----	90.60 + 3.10	.2921	----	----	----	----	32	UNCH
5065	----	----	----	98.10B/82.00A	98.10B/82.00A	----	----	----	89.50 + 3.10	.2892	----	----	----	50	43	UNCH
5070	----	----	----	97.00B/80.90A	97.00B/80.90A	----	----	----	88.30 + 3.00	.2862	----	----	----	----	58	+
5075	----	----	----	95.60B/79.80A	95.60B/79.80A	----	----	----	87.20 + 3.00	.2833	----	----	----	----	204	UNCH
5080	----	----	----	94.50B/78.90A	94.50B/78.90A	----	----	----	86.10 + 2.90	.2804	----	----	----	----	21	UNCH
5085	----	----	----	93.30B/77.80A	93.30B/77.80A	----	----	----	85.00 + 2.90	.2775	----	----	----	----	160	UNCH
5090	----	----	----	92.10B/76.90A	92.10B/76.90A	----	----	----	84.00 + 2.90	.2748	----	----	----	----	2	UNCH
5095	----	----	----	91.00B/75.90A	91.00B/75.90A	----	----	----	82.90 + 2.80	.2719	----	----	----	----	5	UNCH
5100	----	----	----	89.90B/75.00A	89.90B/75.00A	----	----	----	81.90 + 2.80	.2692	----	----	340	----	1891	+
5105	----	----	----	88.70B/73.90A	88.70B/73.90A	----	----	----	80.80 + 2.70	.2664	----	----	----	----	3	UNCH
5110	----	----	----	87.60B/73.00A	87.60B/73.00A	----	----	----	79.80 + 2.70	.2637	----	----	----	----	11	UNCH
5115	----	----	----	86.40B/72.10A	86.40B/72.10A	----	----	----	78.80 + 2.60	.2610	----	----	----	----	13	UNCH
5120	74.50	----	74.50	85.30B/71.10A	85.30B/71.10A	----	----	----	77.80 + 2.60	.2583	----	----	4	----	358	+
5125	----	----	----	84.30B/70.30A	84.30B/70.30A	----	----	----	76.80 + 2.50	.2556	----	----	----	----	163	UNCH
5130	----	----	----	83.20B/69.40A	83.20B/69.40A	----	----	----	75.80 + 2.50	.2529	----	----	----	----	2	UNCH
5135	----	----	----	82.20B/68.60A	82.20B/68.60A	----	----	----	74.90 + 2.50	.2503	----	----	----	----	4	UNCH
5140	----	----	----	81.10B/67.70A	81.10B/67.70A	----	----	----	73.90 + 2.40	.2476	----	----	----	----	12	UNCH
5145	----	----	----	80.10B/66.80A	80.10B/66.80A	----	----	----	73.00 + 2.40	.2451	----	----	----	----	12	UNCH
5150	----	----	----	79.10B/66.00A	79.10B/66.00A	----	----	----	72.10 + 2.40	.2426	----	----	20	----	109	UNCH
5155	66.30	----	66.30	78.10B/65.10A	78.10B/65.10A	----	----	----	71.20 + 2.40	.2401	----	----	----	----	17	-
5160	----	----	----	77.10B/64.40A	77.10B/64.40A	----	----	----	70.30 + 2.30	.2376	----	----	----	----	14	UNCH
5165	----	----	----	76.10B/63.50A	76.10B/63.50A	----	----	----	69.40 + 2.30	.2351	----	----	----	----	2	UNCH
5170	----	----	----	75.20B/62.80A	75.20B/62.80A	----	----	----	68.50 + 2.20	.2326	----	----	----	----	6	UNCH
5175	----	----	----	74.30B/62.00A	74.30B/62.00A	----	----	----	67.60 + 2.10	.2301	----	----	----	----	361	UNCH
5185	----	----	----	72.40B/60.40A	72.40B/60.40A	----	----	----	65.90 + 2.10	.2252	----	----	----	----	2	UNCH
5190	----	----	----	71.50B/59.70A	71.50B/59.70A	----	----	----	65.10 + 2.10	.2229	----	----	----	----	12	UNCH
5195	----	----	----	70.60B/58.90A	70.60B/58.90A	----	----	----	64.30 + 2.10	.2206	----	----	----	----	35	UNCH
5200	65.00	----	65.00	69.80B/57.90	69.80B/57.90	----	----	----	63.50 + 2.00	.2183	----	----	353	----	3375	+
5205	----	----	----	68.80B/57.50A	68.80B/57.50A	----	----	----	62.70 + 2.00	.2159	----	----	----	----	6	UNCH
5210	----	----	----	68.00B/56.80A	68.00B/56.80A	----	----	----	61.90 + 2.00	.2136	----	----	----	----	8	UNCH
5215	----	----	----	67.10B/56.10A	67.10B/56.10A	----	----	----	61.10 + 1.90	.2113	----	----	----	----	14	UNCH
5220	----	----	----	66.30B/55.30A	66.30B/55.30A	----	----	----	60.40 + 1.90	.2092	----	----	----	----	31	UNCH
5225	----	----	----	65.40B/54.60A	65.40B/54.60A	----	----	----	59.60 + 1.90	.2069	----	----	----	----	51	UNCH
5230	----	----	----	64.60B/53.90A	64.60B/53.90A	----	----	----	58.90 + 1.90	.2048	----	----	----	----	11	UNCH
5235	----	----	----	63.80B/53.30A	63.80B/53.30A	----	----	----	58.10 + 1.80	.2025	----	----	----	----	20	UNCH
5240	----	----	----	63.00B/52.60A	63.00B/52.60A	----	----	----	57.40 + 1.80	.2004	----	----	----	----	17	UNCH
5245	----	----	----	62.20B/52.00A	62.20B/52.00A	----	----	----	56.70 + 1.80	.1983	----	----	----	----	17	UNCH
5250	----	----	----	61.40B/51.30A	61.40B/51.30A	----	----	----	56.00 + 1.70	.1962	----	----	1	----	819	+
5255	----	----	----	60.70B/50.70A	60.70B/50.70A	----	----	----	55.30 + 1.70	.1941	----	----	----	----	888	UNCH
5260	----	----	----	59.90B/50.10A	59.90B/50.10A	----	----	----	54.60 + 1.70	.1920	----	----	----	----	25	UNCH
5265	----	----	----	59.20B/49.50A	59.20B/49.50A	----	----	----	53.90 + 1.60	.1899	----	----	----	----	13	UNCH
5270	----	----	----	58.50B/48.90A	58.50B/48.90A	----	----	----	53.20 + 1.50	.1878	----	----	1	----	119	+
5275	----	----	----	57.70B/48.30A	57.70B/48.30A	----	----	----	52.60 + 1.60	.1859	----	----	----	----	21	UNCH
5280	----	----	----	57.00B/47.70A	57.00B/47.70A	----	----	----	51.90 + 1.50	.1839	----	----	----	----	207	UNCH
5285	----	----	----	56.30B/47.10A	56.30B/47.10A	----	----	----	51.30 + 1.50	.1820	----	----	----	----	32	UNCH
5290	----	----	----	55.60B/46.50A	55.60B/46.50A	----	----	----	50.70 + 1.50	.1801	----	----	----	----	17	UNCH
5295	----	----	----	55.00B/46.00A	55.00B/46.00A	----	----	----	50.00 + 1.40	.1780	----	----	----	----	6	UNCH
5300	----	----	----	54.40B/45.40A	54.40B/45.40A	----	----	----	49.40 + 1.40	.1762	----	----	41	----	1148	+
5305	----	----	----	53.60B/44.90A	53.60B/44.90A	----	----	----	48.80 + 1.40	.1743	----	----	----	----	14	UNCH
5310	46.20	----	46.20	52.90B/44.30A	52.90B/44.30A	----	----	----	48.20 + 1.30	.1724	----	----	4	----	107	+
5320	----	----	----	51.70B/43.30A	51.70B/43.30A	----	----	----	47.10 + 1.30	.1689	----	----	----	----	17	UNCH
5325	----	----	----	51.00B/42.80A	51.00B/42.80A	----	----	----	46.50 + 1.30	.1670	----	----	----	----	27	UNCH
5330	----	----	----	50.40B/42.20A	50.40B/42.20A	----	----	----	45.90 + 1.20	.1652	----	----	----	----	3	UNCH
5335	----	----	----	49.80B/41.70A	49.80B/41.70A	----	----	----	45.40 + 1.20	.1635	----	----	----	----	2	UNCH
5345	----	----	----	48.60B/40.80A	48.60B/40.80A	----	----	----	44.30 + 1.10	.1601	----	----	----	----	2	UNCH
5350	----	----	----	48.00B/40.30A	48.00B/40.30A	----	----	----	43.80 + 1.20	.1584	----	----	----	----	8001	UNCH
5355	----	----	----	47.40B/39.80A	47.40B/39.80A	----	----	----	43.20 + 1.00	.1566	----	----	----	----	1	UNCH
5360	----	----	----	46.80B/39.30A	46.80B/39.30A	----	----	----	42.70 + 1.00	.1550	----	----	----	----	114	UNCH
5365	----	----	----	46.30B/38.90A	46.30B/38.90A	----	----	----	42.20 + 1.00	.1533	----	----	1	----	4	+
5370	39.40	----	39.40	45.70B/38.40A	45.70B/38.40A	----	----	----	41.70 + 1.00	.1517	----	----	----	----	8006	UNCH
5375	----	----	----	45.10B/38.00A	45.10B/38.00A	----	----	----	41.20 + 1.00							

BULLETIN # 91@				METALS OPTION PRODUCTS							wed, May 13, 2026		PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS													
AUG26														
5675	----	----	22.70B/20.10A	22.70B/20.10A	----	21.50 + 0.50	.0820	----	----	----	----	4	UNCH	
5680	----	----	22.50B/19.90A	22.50B/19.90A	----	21.30 + 0.50	.0812	----	----	----	----	4	UNCH	
5690	----	----	22.10B/19.50A	22.10B/19.50A	----	20.90 + 0.50	.0797	----	----	----	----	16	UNCH	
5700	----	----	21.60B/19.20A	21.60B/19.20A	----	20.50 + 0.50	.0783	----	----	1	----	1689 +	1	
5710	----	----	21.20B/18.80A	21.20B/18.80A	----	20.10 + 0.50	.0768	----	----	----	----	7	UNCH	
5720	----	----	20.70B/18.50A	20.70B/18.50A	----	19.80 + 0.50	.0756	----	----	----	----	19	UNCH	
5725	----	----	20.50B/18.30A	20.50B/18.30A	----	19.60 + 0.50	.0749	----	----	----	----	1	UNCH	
5730	----	----	20.40B/18.20A	20.40B/18.20A	----	19.40 + 0.40	.0741	----	----	----	----	15	UNCH	
5750	----	----	19.80B/17.50A	19.80B/17.50A	----	18.70 + 0.40	.0715	----	----	----	----	396	UNCH	
5775	----	----	18.60B/16.80A	18.60B/16.80A	----	17.90 + 0.30	.0684	----	----	----	----	2	UNCH	
5800	----	----	17.50B/16.10A	17.50B/16.10A	----	17.20 + 0.40	.0657	----	1	----	----	1006	UNCH	
5825	----	----	16.80B/15.40A	16.80B/15.40A	----	16.50 + 0.30	.0630	----	----	----	----	131	UNCH	
5850	----	----	16.10B/14.80A	16.10B/14.80A	----	15.80 + 0.30	.0603	----	----	----	----	166	UNCH	
5875	----	----	15.40B/14.30A	15.40B/14.30A	----	15.20 + 0.20	.0580	----	----	----	----	26	UNCH	
5900	----	----	15.00B/13.70A	15.00B/13.70A	----	14.60 + 0.20	.0557	----	1	----	----	1497 +	1	
5925	----	----	14.20B/13.20A	14.20B/13.20A	----	14.00 + 0.10	.0534	----	----	----	----	2	UNCH	
5950	----	----	13.70B/12.70A	13.70B/12.70A	----	13.50 + 0.10	.0514	----	----	----	----	9	UNCH	
6000	----	----	12.70B/11.90A	12.70B/11.90A	----	12.50 + 0.10	.0475	----	----	----	----	1835	UNCH	
6100	----	----	11.00B/10.40A	11.00B/10.40A	----	10.90 UNCH	.0411	----	----	----	----	377	UNCH	
6200	9.00	9.00	9.80B/9.00	9.80B/9.00	----	9.60 UNCH	.0359	----	1	----	----	1430 +	1	
6250	----	----	----/8.80A	9.10B/8.80A	----	9.10 UNCH	.0338	----	----	----	----	1	UNCH	
6300	----	----	8.70B/8.40A	8.70B/8.40A	----	8.70 + 0.10	.0320	----	----	----	----	82	UNCH	
6400	----	----	7.90B/7.60A	7.90B/7.60A	----	7.90 + 0.10	.0287	----	----	----	----	53	UNCH	
6500	----	----	7.20B/7.00A	7.20B/7.00A	----	7.20 + 0.10	.0258	----	10	----	----	886	UNCH	
6600	6.60	6.60	6.60/6.60	6.60/6.50A	----	6.70 + 0.20	.0236	----	1	----	----	152	UNCH	
6700	6.10	6.10	6.10/6.10	6.10/6.10	----	6.20 + 0.20	.0216	----	1	----	----	254	UNCH	
6800	6.00	6.00	6.00/6.00	6.00/5.70A	----	5.70 + 0.10	.0196	----	17	----	----	38 -	12	
6900	----	----	----	5.30B/5.40A	----	5.30 UNCH	.0180	----	10	----	----	31 +	10	
7000	----	----	----	4.90B/5.10A	----	5.00 + 0.10	.0167	----	----	----	----	587	UNCH	
7500	3.70	3.70	3.70/3.70	3.70/3.70	----	3.80 UNCH	.0119	----	3	----	----	800	UNCH	
8000	2.80	2.80	2.90/2.80	2.90/2.80	----	3.00 - 0.10	.0089	----	5	----	----	279 -	4	
8500	----	----	----	2.10B/2.60A	----	2.50 UNCH	.0071	----	----	----	----	84	UNCH	
9000	----	----	----	1.70B/2.20A	----	2.00 UNCH	.0055	----	----	----	----	17	UNCH	
9500	----	----	----	1.10B/2.20A	----	1.50 + 0.10	.0040	----	----	----	----	82	UNCH	
10000	----	----	----	0.80B/1.60A	----	1.10 + 0.20	.0029	----	----	----	----	111	UNCH	
TOTAL										1757	50	66846+	899	
SEP26														
3875	----	----	----	----	----	916.20 + 17.20	.9327	----	----	----	----	1	UNCH	
3995	----	----	810.00B/781.80A	810.00B/781.80A	----	804.90 + 16.30	.9085	----	----	----	----	10	UNCH	
4085	----	----	728.90B/701.40A	728.90B/701.40A	----	723.90 + 15.60	.8853	----	----	----	----	37	UNCH	
4130	----	----	689.40B/662.30A	689.40B/662.30A	----	684.30 + 15.20	.8716	----	----	----	----	10	UNCH	
4185	----	----	642.20B/615.60A	642.20B/615.60A	----	637.00 + 14.70	.8529	----	3	----	----	40 +	3	
4200	----	----	----	536.50B/703.20A	----	624.30 + 14.50	.8472	----	----	----	----	1	UNCH	
4220	----	----	612.80B/586.40A	612.80B/586.40A	----	607.60 + 14.40	.8397	----	----	----	----	162	UNCH	
4290	----	----	555.50B/530.10A	555.50B/530.10A	----	550.40 + 13.60	.8107	----	----	----	----	6	UNCH	
4295	----	----	551.50B/526.10A	551.50B/526.10A	----	546.40 + 13.50	.8084	----	----	----	----	50	UNCH	
4300	----	----	547.50B/522.20A	547.50B/522.20A	----	542.40 + 13.50	.8062	----	----	----	----	13	UNCH	
4320	----	----	531.70B/506.70A	531.70B/506.70A	----	526.60 + 13.20	.7970	----	----	----	----	162	UNCH	
4375	----	----	----	393.90B/566.20A	----	484.30 + 12.60	.7702	----	----	----	----	1	UNCH	
4390	----	----	478.00B/454.30A	478.00B/454.30A	----	473.10 + 12.40	.7625	----	----	----	----	202	UNCH	
4425	446.90	446.90	446.90/446.90	446.90/446.90	----	447.40 + 11.90	.7440	----	1	----	----	1	UNCH	
4495	----	----	403.00B/379.90A	403.00B/379.90A	----	398.40 + 11.00	.7043	----	----	----	----	18	UNCH	
4500	----	----	400.50B/376.60A	400.50B/376.60A	----	395.00 + 10.90	.7013	----	----	----	----	12	UNCH	
4505	----	----	397.70B/373.60A	397.70B/373.60A	----	391.60 + 10.80	.6983	----	----	----	----	2	UNCH	
4510	----	----	403.70B/370.30A	403.70B/370.30A	----	388.30 + 10.80	.6954	----	----	----	----	2	UNCH	
4515	----	----	402.10B/367.10A	402.10B/367.10A	----	385.00 + 10.70	.6924	----	1	----	----	2	UNCH	
4520	----	----	398.70B/363.90A	398.70B/363.90A	----	381.70 + 10.60	.6894	----	----	----	----	1	UNCH	
4545	----	----	382.10B/346.30A	382.10B/346.30A	----	365.40 + 10.30	.6741	----	----	----	----	16	UNCH	
4550	----	----	378.90B/343.70A	378.90B/343.70A	----	362.20 + 10.20	.6710	----	----	----	----	225	UNCH	
4560	----	----	372.40B/338.90A	372.40B/338.90A	----	355.80 + 10.00	.6648	----	----	----	----	2	UNCH	
4565	----	----	369.20B/335.90A	369.20B/335.90A	----	352.70 + 10.00	.6617	----	----	----	----	2	UNCH	
4570	----	----	366.00B/332.80A	366.00B/332.80A	----	349.50 + 9.80	.6585	----	----	----	----	2	UNCH	
4575	----	----	362.80B/329.80A	362.80B/329.80A	----	346.40 + 9.80	.6554	----	----	----	----	2	UNCH	
4580	----	----	359.60B/326.80A	359.60B/326.80A	----	343.30 + 9.70	.6522	----	----	----	----	2	UNCH	
4585	----	----	356.40B/323.80A	356.40B/323.80A	----	340.20 + 9.60	.6491	----	----	----	----	2	UNCH	
4590	----	----	353.40B/320.80A	353.40B/320.80A	----	337.20 + 9.60	.6459	----	----	----	----	2	UNCH	
4600	----	----	347.40B/313.70A	347.40B/313.70A	----	331.10 + 9.40	.6395	----	----	----	----	54	UNCH	
4605	----	----	344.10B/312.00A	344.10B/312.00A	----	328.10 + 9.30	.6363	----	----	----	----	10	UNCH	
4620	----	----	335.00B/303.50A	335.00B/303.50A	----	319.20 + 9.10	.6266	----	----	----	----	1	UNCH	
4640	----	----	323.10B/290.80A	323.10B/290.80A	----	307.50 + 8.70	.6135	----	----	----	----	1	UNCH	
4650	----	----	317.30B/285.10A	317.30B/285.10A	----	301.80 + 8.60	.6069	----	----	----	----	1	UNCH	
4675	----	----	303.10B/271.70A	303.10B/271.70A	----	287.90 + 8.20	.5904	----	----	----	----	4	UNCH	
4680	----	----	300.30B/269.00A	300.30B/269.00A	----	285.20 + 8.10	.5871	----	----	----	----	1	UNCH	
4700	----	----	290.50B/258.90A	290.50B/258.90A	----	274.50 + 7.80	.57							



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY



PG64 BULLETIN # 91@				METALS OPTION PRODUCTS								Wed, May 13, 2026		PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST
OG CALL SEP26			COMEX GOLD OPTIONS													
5380	----	----	----	73.20B/64.30A	73.20B/64.30A	----	----	----	68.60 + 2.00	.2022	----	----	----	----	2	UNCH
5395	----	----	----	71.10B/62.40A	71.10B/62.40A	----	----	----	66.60 + 2.00	.1971	----	----	----	----	4	UNCH
5400	----	----	----	70.30B/61.70A	70.30B/61.70A	----	----	----	65.90 + 1.90	.1954	----	----	500	----	706 -	255
5420	----	----	----	67.60B/59.40A	67.60B/59.40A	----	----	----	63.30 + 1.80	.1887	----	----	----	----	83	UNCH
5425	----	----	----	66.90B/58.80A	66.90B/58.80A	----	----	----	62.70 + 1.70	.1871	----	----	----	----	50	UNCH
5440	----	----	----	64.80B/57.10A	64.80B/57.10A	----	----	----	60.90 + 1.70	.1824	----	----	----	----	1	UNCH
5450	----	----	----	63.70B/56.00A	63.70B/56.00A	----	----	----	59.80 + 1.70	.1795	----	----	----	----	29	UNCH
5460	----	----	----	62.50B/55.00A	62.50B/55.00A	----	----	----	58.60 + 1.60	.1763	----	----	----	----	1	UNCH
5470	55.80	55.80	55.80	61.10B/53.90A	61.10B/53.90A	----	----	----	57.50 NEW	.1734	----	----	3	----	3 +	3
5475	----	----	----	60.50B/53.50A	60.50B/53.50A	----	----	----	57.00 + 1.60	.1720	----	----	----	----	26	UNCH
5500	56.00	56.00	56.00	57.60B/50.90A	57.60B/50.90A	----	----	----	54.30 + 1.40	.1648	----	----	66	----	1430 -	1
5505	----	----	----	57.00B/50.50A	57.00B/50.50A	----	----	----	53.80 + 1.40	.1635	----	----	----	----	3	UNCH
5515	----	----	----	55.90B/49.60A	55.90B/49.60A	----	----	----	52.80 + 1.40	.1607	----	----	----	----	2	UNCH
5520	----	----	----	55.60B/49.00A	55.60B/49.00A	----	----	----	52.30 + 1.40	.1594	----	----	----	----	1	UNCH
5525	----	----	----	54.80B/48.60A	54.80B/48.60A	----	----	----	51.90 + 1.40	.1582	----	----	----	----	6	UNCH
5540	----	----	----	53.20B/47.70A	53.20B/47.70A	----	----	----	50.40 + 1.30	.1547	----	----	----	----	19	UNCH
5550	----	----	----	52.40B/46.90A	52.40B/46.90A	----	----	----	49.50 + 1.30	.1517	----	----	----	----	33	UNCH
5555	----	----	----	51.90B/46.40A	51.90B/46.40A	----	----	----	49.10 + 1.30	.1505	----	----	----	----	5	UNCH
5595	----	----	----	48.10B/43.30A	48.10B/43.30A	----	----	----	45.70 + 1.30	.1410	----	----	----	----	4	UNCH
5600	----	----	----	47.70B/42.80A	47.70B/42.80A	----	----	----	45.30 + 1.30	.1398	----	----	1000	----	890 -	584
5605	----	----	----	47.20B/42.50A	47.20B/42.50A	----	----	----	44.90 + 1.30	.1387	----	----	----	----	3	UNCH
5620	----	----	----	45.90B/41.20A	45.90B/41.20A	----	----	----	43.70 + 1.30	.1353	----	----	----	----	20	UNCH
5625	----	----	----	45.40B/40.70A	45.40B/40.70A	----	----	----	43.30 + 1.30	.1342	----	----	----	----	2	UNCH
5645	40.30	40.30	40.30	43.80B/39.70A	43.80B/39.70A	----	----	----	41.80 NEW	.1299	----	----	5	----	5 +	5
5650	----	----	----	43.50B/39.20A	43.50B/39.20A	----	----	----	41.40 + 1.20	.1288	----	----	----	----	413	UNCH
5655	----	----	----	43.00B/38.80A	43.00B/38.80A	----	----	----	41.10 + 1.30	.1278	----	----	----	----	2	UNCH
5665	----	----	----	42.10B/38.20A	42.10B/38.20A	----	----	----	40.30 + 1.10	.1256	----	----	----	----	3	UNCH
5675	----	----	----	41.50B/37.50A	41.50B/37.50A	----	----	----	39.60 + 1.10	.1236	----	----	----	----	8	UNCH
5690	----	----	----	40.20B/36.50A	40.20B/36.50A	----	----	----	38.60 + 1.10	.1207	----	----	----	----	3	UNCH
5700	----	----	----	39.80B/36.00A	39.80B/36.00A	----	----	----	37.90 + 1.00	.1187	----	----	----	1054	3	UNCH
5710	----	----	----	38.70B/35.50A	38.70B/35.50A	----	----	----	37.30 + 1.00	.1169	----	----	----	----	2	UNCH
5730	----	----	----	37.60B/34.30A	37.60B/34.30A	----	----	----	36.00 + 0.90	.1131	----	----	----	----	2	UNCH
5750	----	----	----	36.10B/33.20A	36.10B/33.20A	----	----	----	34.80 + 0.80	.1096	----	----	----	192	1	UNCH
5760	----	----	----	35.70B/32.70A	35.70B/32.70A	----	----	----	34.20 + 0.80	.1078	----	----	----	----	1	UNCH
5770	----	----	----	35.10B/32.20A	35.10B/32.20A	----	----	----	33.60 + 0.70	.1061	----	----	----	----	2	UNCH
5775	----	----	----	34.60B/31.90A	34.60B/31.90A	----	----	----	33.40 + 0.80	.1054	----	----	530	----	162	UNCH
5800	----	----	----	33.30B/30.50A	33.30B/30.50A	----	----	----	32.00 + 0.60	.1013	----	----	----	651 -	385	UNCH
5850	----	----	----	30.70B/28.20A	30.70B/28.20A	----	----	----	29.60 + 0.60	.0940	----	----	----	439	UNCH	UNCH
5900	----	----	----	28.20B/26.20A	28.20B/26.20A	----	----	----	27.40 + 0.50	.0872	----	----	----	648	UNCH	UNCH
5950	----	----	----	26.10B/24.50A	26.10B/24.50A	----	----	----	25.50 + 0.50	.0813	----	----	----	51	UNCH	UNCH
6000	23.50	23.50	23.50	24.20/23.00A	24.20/23.00A	----	----	----	23.80 + 0.50	.0759	----	----	15	1142	1	UNCH
6075	----	----	----	21.70B/20.80A	21.70B/20.80A	----	----	----	21.50 NEW	.0685	----	----	1	----	1 +	1
6100	----	----	----	21.00B/20.30A	21.00B/20.30A	----	----	----	20.90 + 0.40	.0665	----	----	----	185	UNCH	UNCH
6200	----	----	----	18.30B/18.00A	18.30B/18.00A	----	----	----	18.50 + 0.30	.0587	----	----	----	234	UNCH	UNCH
6300	----	----	----	----/16.20A	16.40B/16.20A	----	----	----	16.60 + 0.20	.0524	----	----	----	159	UNCH	UNCH
6400	----	----	----	----/14.70A	14.70B/14.70A	----	----	----	15.00 + 0.10	.0470	----	----	----	228	UNCH	UNCH
6500	----	----	----	----/13.50A	13.40B/13.50A	----	----	----	13.70 + 0.10	.0425	----	----	----	541	UNCH	UNCH
6600	----	----	----	----	12.30B/12.60A	----	----	----	12.60 + 0.10	.0387	----	----	----	25	UNCH	UNCH
6650	----	----	----	----	11.90B/12.00A	----	----	----	12.10 + 0.10	.0370	----	----	----	9	UNCH	UNCH
6750	----	----	----	----	11.00B/11.30A	----	----	----	11.30 + 0.10	.0342	----	----	----	11	UNCH	UNCH
6775	----	----	----	----	10.80B/11.20A	----	----	----	11.10 + 0.10	.0335	----	----	----	1	UNCH	UNCH
6800	----	----	----	----	10.60B/11.00A	----	----	----	10.90 + 0.10	.0328	----	----	----	128	UNCH	UNCH
7000	----	----	----	----	9.40B/9.80A	----	----	----	9.60 + 0.10	.0282	----	----	----	125	UNCH	UNCH
8000	----	----	----	----	5.90B/7.00A	----	----	----	6.60 + 0.10	.0171	----	----	----	125	UNCH	UNCH
TOTAL													2702	160	18050 -	1141
OCT26																
3600	----	----	----	1,185.50B/1,161	1185.50B/1161.20A	----	----	----	1183.50 + 18.30	.9552	----	----	----	----	12	UNCH
4300	----	----	----	567.50B/544.50A	567.50B/544.50A	----	----	----	563.20 + 12.80	.7830	----	----	----	----	102	UNCH
4400	----	----	----	493.90B/472.30A	493.90B/472.30A	----	----	----	489.70 + 11.80	.7365	----	----	----	----	8	UNCH
4405	----	----	----	----	393.10B/570.90A	----	----	----	486.20 + 11.80	.7340	----	----	----	----	2	UNCH
4480	----	----	----	450.80B/417.90A	450.80B/417.90A	----	----	----	435.00 + 11.00	.6955	----	----	----	----	1	UNCH
4500	----	----	----	437.50B/405.00A	437.50B/405.00A	----	----	----	421.90 + 10.80	.6849	----	----	----	----	3	UNCH
4515	----	----	----	427.60B/395.80A	427.60B/395.80A	----	----	----	412.20 + 10.60	.6767	----	----	----	----	1	UNCH
4550	----	----	----	405.20B/374.40A	405.20B/374.40A	----	----	----	390.30 + 10.20	.6574	----	----	----	----	2	UNCH
4580	----	----	----	386.70B/356.40A	386.70B/356.40A	----	----	----	372.10 + 9.80	.6405	----	----	----	70	UNCH	UNCH
4600	----	----	----	374.50B/344.70A	374.50B/344.70A	----	----	----	360.30 + 9.60	.6291	----	----	----	133	UNCH	UNCH
4610	----	----	----	368.60B/339.60A	368.60B/339.60A	----	----	----	354.40 + 9.30	.6234	----	----	----	5	UNCH	UNCH
4620	----	----	----	362.80B/331.90A	362.80B/331.90A	----	----	----	348.70 + 9.20	.6176	----	----	----	1	UNCH	UNCH
4630	----	----	----	357.00B/326.80A	357.00B/326.80A	----	----	----	343.00 + 9.10	.6118	----	----	----	3	UNCH	UNCH
4650	----	----	----	345.50B/315.40A	345.50B/315.40A	----	----	----	331.90 + 8.90	.6002	----	----	----	84	UNCH	UNCH
4670	----	----	----	334.40B/304.80A	334.40B/304.80A	----	----	----	321.10 + 8.70	.5884	----	----	----	1	UNCH	UNCH
4675	----	----	----	331.80B/302.40A	331.80B/302.40A	----	----	----	318.40 + 8.60	.5855	----	----	----	1	UNCH	UNCH
4690	----	----	----	323.80B/294.70A	323.80B/294.70A	----	----	----	310.50 + 8.40	.5767	----	----	----	4	UNCH	UNCH
4695	----	----	----	321.30B/292.20A	321.30B/292.20A	----	----	----	307.90 + 8.30	.5737	----	----	----	2	UNCH	UNCH
4700	----	----	----	318.50B/289.60A	318.50B/289.60A	----	----	----	305.30 + 8.30	.5708	----	----	----	147	UNCH	UNCH
4710	----	----	----	313.20B/284.70A	313.20B/284.70A	----	----	----	300.20 + 8.20	.5648	----	----	----	1	UNCH	UNCH
4715	----	----	----	310.60B/282.30A	310.60B/282.30A	----	----	----	297.70 + 8.10	.5619	----	----	----	2	UNCH	UNCH
4730	295.60	295.60	295.60	302.90B/275.00A	302.90B/275.00A	----	----	----	290.20 NEW	.5530	----	----	2	2 +	2	UNCH
4750	----	----	----	292.80B/265.60A	292.80B/265.60A	----	----	----	280.40 + 7.70	.5412	----	----	----	36	UNCH	UNCH
4755	----	----	----	290.30B/263.40A	290.30B/263.40A	----	----	----	278.00 + 7.60	.5382	----	3	65	69 +	68	UNCH
4775	----	----	----	280.60B/254.40A	280.60B/254.40A	----	----	----	268.60 NEW	.5264	----	25	----	25 +	25	UNCH
4790	----	----	----	273.50B/247.90A	273.50B/247.90A	----	----	----	261.80 NEW	.5175	----	3	----	3 +	3	UNCH
4795	249.70	249.70	249.70	270.70B/245.70A	270.70B/245.70A	----	----	----	259.50 NEW	.5146	----	3	----	3 +	3	UNCH
4800	----	----	----	268.80B/243.40A	268.80B/243.40A	----	----	----	257.30 + 7.30	.5116	----	----	----	478	UNCH	UNCH
4805	----	----	----	266.10B/241.30A	266.10B/241.30A	----	----	----	255.10 + 7.20	.5087	----	----	----	1	UNCH	UNCH
4810	----	----	----	264.20B/239.20A	264.20B/239.20A	----	----	----	252.90 NEW	.5058	----	3	----	3 +	3	UNCH
4815	----	----	----	261.50B/237.30A	261.50B/237.30A	----	----	----	250.70 + 7.20	.5029	----	----	----	36	UNCH	UNCH
4820	----	----	----	259.70B/235.00A	259.70B/235.00A	----	----	----	248.50 NEW	.4999	----	3	----	3		

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.

BULLETIN # 91@				METALS OPTION PRODUCTS							Wed, May 13, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL	COMEX GOLD OPTIONS															
OCT26																
5640	----	----	61.40B/56.00A	61.40B/56.00A	----	59.00 + 1.80	.1595	----	----	----	----	2	UNCH			
5650	----	----	60.10B/55.20A	60.10B/55.20A	----	58.10 + 1.80	.1573	----	----	----	----	401	UNCH			
5655	----	----	60.10B/54.80A	60.10B/54.80A	----	57.60 + 1.70	.1561	----	----	----	----	2	UNCH			
5660	----	----	59.30B/54.90A	59.30B/54.90A	----	57.20 + 1.80	.1551	----	----	----	----	1	UNCH			
5675	----	----	58.20B/53.70A	58.20B/53.70A	----	55.80 + 1.60	.1517	----	----	----	----	3	UNCH			
5700	----	----	55.80B/51.60A	55.80B/51.60A	----	53.70 + 1.50	.1465	----	----	----	----	181	UNCH			
5710	----	----	54.90B/50.80A	54.90B/50.80A	----	52.90 + 1.50	.1445	----	----	----	----	5	UNCH			
5720	----	----	53.90B/50.00A	53.90B/50.00A	----	52.10 + 1.40	.1425	----	----	----	----	75	UNCH			
5750	----	----	51.70B/47.90A	51.70B/47.90A	----	49.80 + 1.30	.1367	----	----	----	----	854	UNCH			
5775	46.40	46.40	49.40B/46.20A	49.40B/46.20A	----	48.00 + 1.20	.1321	----	----	2	----	52 +	2			
5800	----	----	47.40B/44.60A	47.40B/44.60A	----	46.30 + 1.20	.1277	----	----	208	----	562 +	149			
5825	----	----	45.60B/43.20A	45.60B/43.20A	----	44.60 + 1.10	.1234	----	----	----	----	1	UNCH			
5850	----	----	43.90B/41.70A	43.90B/41.70A	----	43.00 + 1.10	.1193	----	----	----	----	2	UNCH			
5875	----	----	42.70B/40.30A	42.70B/40.30A	----	41.50 + 1.10	.1153	----	----	----	----	1	UNCH			
5900	----	----	41.00B/38.90A	41.00B/38.90A	----	40.10 + 1.10	.1116	----	----	----	----	274	UNCH			
5925	----	----	39.50B/37.60A	39.50B/37.60A	----	38.70 + 1.00	.1080	----	----	----	----	2	UNCH			
5950	----	----	38.20B/----	38.20B/36.40A	----	37.50 + 1.10	.1047	----	----	----	----	1	UNCH			
6000	34.50	34.50	35.60B/33.30	35.60B/33.30	----	35.10 + 1.10	.0983	----	----	28	10	2052	UNCH			
6100	----	----	31.30B/----	31.30B/30.10A	----	31.00 + 1.10	.0870	----	----	----	----	66	UNCH			
6200	----	----	27.70B/----	27.70B/27.20A	----	27.60 + 1.00	.0775	----	----	----	----	38	UNCH			
6300	----	----	----	24.00B/24.60A	----	24.90 + 0.90	.0697	----	----	208	----	905 +	149			
6400	----	----	----	21.80B/22.50A	----	22.60 + 0.80	.0630	----	----	----	----	1910	UNCH			
6500	----	----	----	19.90B/20.90A	----	20.80 + 0.80	.0576	----	----	----	----	4028	UNCH			
6800	----	----	----	15.90B/16.90A	----	16.70 + 0.40	.0451	----	----	----	----	1383	UNCH			
6900	----	----	----	14.90B/15.90A	----	15.80 + 0.40	.0422	----	----	----	----	1	UNCH			
7000	----	----	----	14.00B/15.10A	----	14.90 + 0.30	.0394	----	----	----	----	1584	UNCH			
8000	----	----	----	9.00B/11.00A	----	10.20 + 0.10	.0242	----	----	----	----	210	UNCH			
8500	----	----	----	8.40B/9.90A	----	9.10 + 0.20	.0206	----	----	----	----	208	UNCH			
9000	----	----	----	7.60B/8.90A	----	8.20 + 0.10	.0178	----	----	----	----	86	UNCH			
9500	----	----	----	6.60B/8.00A	----	7.40 + 0.10	.0155	----	----	----	----	10	UNCH			
13000	----	----	----	2.20B/3.90A	----	3.00 - 0.10	.0056	----	----	----	----	25	UNCH			
TOTAL										1150	85	27795 +	356			
NOV26																
4000	----	----	----	753.20B/948.80A	----	856.60 + 15.40	.8745	----	----	----	----	1	UNCH			
4100	----	----	----	668.80B/864.20A	----	771.60 + 14.40	.8467	----	----	----	----	1	UNCH			
4275	----	----	----	526.80B/727.70A	----	631.70 + 12.40	.7865	----	----	----	----	38	UNCH			
4300	----	----	----	507.70B/709.20A	----	612.80 + 12.10	.7767	----	----	----	----	1	UNCH			
4375	----	----	----	452.40B/655.40A	----	557.90 + 11.30	.7457	----	----	----	----	38	UNCH			
4400	----	----	----	434.60B/638.00A	----	540.20 + 11.00	.7347	----	----	----	----	4	UNCH			
4440	----	----	----	495.30B/495.30A	----	512.60 + 10.60	.7167	----	----	----	----	1	UNCH			
4500	----	----	488.10B/456.60A	488.10B/456.60A	----	472.90 + 10.20	.6885	----	----	----	----	28	UNCH			
4575	----	----	440.50B/411.10A	440.50B/411.10A	----	426.30 + 9.80	.6515	----	----	----	----	1	UNCH			
4595	----	----	428.30B/399.30A	428.30B/399.30A	----	414.40 + 9.70	.6414	----	----	----	----	1	UNCH			
4600	----	----	425.30B/396.50A	425.30B/396.50A	----	411.50 + 9.70	.6389	----	----	----	----	5	UNCH			
4700	----	----	368.20B/341.30A	368.20B/341.30A	----	355.70 + 8.80	.5872	----	----	----	----	4	UNCH			
4750	----	----	342.60B/316.30A	342.60B/316.30A	----	329.90 + 7.90	.5610	----	----	----	----	1	UNCH			
4775	----	----	329.80B/304.50A	329.80B/304.50A	----	317.70 + 7.60	.5478	----	----	----	----	31	UNCH			
4800	----	----	317.60B/293.00A	317.60B/293.00A	----	306.00 + 7.50	.5346	----	----	----	----	4	UNCH			
4850	----	----	294.30B/271.30A	294.30B/271.30A	----	284.10 + 7.90	.5085	----	----	----	----	25	UNCH			
4900	----	----	274.50B/251.20A	274.50B/251.20A	----	263.20 + 7.70	.4828	----	----	----	----	451	UNCH			
4915	----	----	268.10B/245.30A	268.10B/245.30A	----	257.10 + 7.50	.4752	----	----	----	----	1	UNCH			
4925	----	----	264.00B/241.50A	264.00B/241.50A	----	253.00 + 7.30	.4700	----	----	----	----	1	UNCH			
4935	----	----	259.90B/237.00A	259.90B/237.00A	----	249.00 + 7.10	.4650	----	----	----	----	25	UNCH			
4950	----	----	253.80B/232.10A	253.80B/232.10A	----	243.10 + 6.90	.4574	----	----	----	----	150	UNCH			
4970	----	----	246.00B/224.70A	246.00B/224.70A	----	235.50 + 6.60	.4474	----	----	----	----	10	UNCH			
5000	----	----	234.70B/213.80A	234.70B/213.80A	----	224.60 + 6.30	.4326	----	----	----	----	89	UNCH			
5020	----	----	227.40B/208.00A	227.40B/208.00A	----	217.70 + 6.30	.4230	----	----	----	----	30	UNCH			
5050	----	----	216.90B/198.30A	216.90B/198.30A	----	207.70 + 6.20	.4087	----	----	----	----	100	UNCH			
5060	----	----	213.50B/195.10A	213.50B/195.10A	----	204.50 + 6.20	.4041	----	----	----	----	2	UNCH			
5080	----	----	206.70B/189.10A	206.70B/189.10A	----	198.20 + 6.20	.3948	----	----	----	----	4	UNCH			
5085	----	----	203.00B/187.50A	203.00B/187.50A	----	196.60 + 6.20	.3925	----	----	----	----	4	UNCH			
5150	----	----	182.90B/169.10A	182.90B/169.10A	----	177.60 + 6.10	.3635	----	----	----	----	100	UNCH			
5175	----	----	175.80B/162.50A	175.80B/162.50A	----	170.70 + 5.90	.3526	----	----	----	----	12	UNCH			
5180	----	----	174.30B/161.10A	174.30B/161.10A	----	169.40 + 5.90	.3505	----	----	----	----	1	UNCH			
5185	----	----	173.00B/159.80A	173.00B/159.80A	----	168.00 + 5.90	.3484	----	----	----	----	1	UNCH			
5200	----	----	168.80B/156.10A	168.80B/156.10A	----	164.10 + 5.80	.3421	----	----	----	----	31	UNCH			
5230	----	----	160.90B/148.80A	160.90B/148.80A	----	156.50 + 5.60	.3297	----	----	----	----	5	UNCH			
5250	----	----	155.80B/144.40A	155.80B/144.40A	----	151.60 + 5.50	.3217	----	----	----	----	10	UNCH			
5275	----	----	149.80B/138.80A	149.80B/138.80A	----	145.80 + 5.30	.3119	----	----	----	----	1	UNCH			
5300	----	----	143.90B/133.50A	143.90B/133.50A	----	140.10 + 5.10	.3022	----	----	----	----	395	UNCH			
5325	----	----	138.30B/128.40A	138.30B/128.40A	----	134.70 + 4.90	.2929	----	----	----	----	1	UNCH			
5330	----	----	137.30B/127.40A	137.30B/127.40A	----	133.60 + 4.80	.2910	----	----	----	----	1	UNCH			
5370	----	----	129.10B/119.60A	129.10B/119.60A	----	125.50 + 4.50	.2767	----	----	----	----	5	UNCH			
5400	----	----	123.20B/114.40A	123.20B/114.40A	----	119.70 + 4.30	.2663	----	----							

PG64		BULLETIN # 91@										METALS OPTION PRODUCTS										wed, May 13, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	OPEN OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST				
OG CALL		COMEX GOLD OPTIONS																						
DEC26																								
4465	----	----	----	----	531.50B/500.20A	531.50B/500.20A	----	----	516.80	+ 10.90	.6948	----	----	----	----	----	93	UNCH						
4490	----	----	----	----	515.20B/484.50A	515.20B/484.50A	----	----	500.80	+ 10.70	.6837	----	----	----	----	----	7	UNCH						
4500	----	----	----	----	508.80B/477.80A	508.80B/477.80A	----	----	494.40	+ 10.50	.6792	----	----	----	----	----	757	UNCH						
4525	----	----	----	----	493.00B/463.10A	493.00B/463.10A	----	----	478.90	+ 10.30	.6679	----	----	----	----	----	5	UNCH						
4540	----	----	----	----	483.60B/454.00A	483.60B/454.00A	----	----	469.70	+ 10.20	.6610	----	----	----	----	----	9	UNCH						
4550	----	----	----	----	477.40B/448.10A	477.40B/448.10A	----	----	463.60	+ 10.00	.6564	----	----	----	----	----	11	UNCH						
4565	----	----	----	----	468.30B/439.50A	468.30B/439.50A	----	----	454.60	+ 9.80	.6494	----	----	----	----	----	93	UNCH						
4580	----	----	----	----	459.30B/431.00A	459.30B/431.00A	----	----	445.80	+ 9.70	.6424	----	----	----	----	----	150	UNCH						
4585	----	----	----	----	456.30B/427.80A	456.30B/427.80A	----	----	442.90	+ 9.70	.6401	----	----	----	----	----	325	UNCH						
4590	----	----	----	----	453.30B/425.00A	453.30B/425.00A	----	----	439.90	+ 9.60	.6377	----	----	----	----	----	16	UNCH						
4600	----	----	----	----	447.40B/419.30A	447.40B/419.30A	----	----	434.20	+ 9.50	.6330	----	----	----	----	----	159	UNCH						
4615	----	----	----	----	438.70B/411.30A	438.70B/411.30A	----	----	425.60	+ 9.40	.6259	----	----	----	----	----	41	UNCH						
4625	----	----	----	----	432.90B/405.50A	432.90B/405.50A	----	----	420.00	+ 9.30	.6212	----	----	----	----	----	71	UNCH						
4640	----	----	----	----	424.30B/396.60A	424.30B/396.60A	----	----	411.60	+ 9.10	.6140	----	----	----	----	----	100	UNCH						
4650	----	----	----	----	418.70B/391.70A	418.70B/391.70A	----	----	406.10	+ 9.10	.6092	----	----	----	----	----	302	UNCH						
4675	----	----	----	----	404.90B/378.10A	404.90B/378.10A	----	----	392.70	+ 9.00	.5972	----	----	----	----	----	48	UNCH						
4680	----	----	----	----	402.20B/375.70A	402.20B/375.70A	----	----	390.00	+ 9.00	.5947	----	----	----	----	----	2	UNCH						
4700	379.00	----	379.00	----	391.40B/365.10A	391.40B/365.10A	----	----	379.60	+ 8.90	.5851	----	----	3	----	----	96	UNCH						
4725	----	----	----	----	378.30B/351.70A	378.30B/351.70A	----	----	366.90	+ 8.90	.5729	----	----	----	----	----	110	UNCH						
4730	----	----	----	----	375.70B/350.20A	375.70B/350.20A	----	----	364.40	+ 8.90	.5705	----	----	----	----	----	2	UNCH						
4750	----	----	----	----	365.50B/340.30A	365.50B/340.30A	----	----	354.60	+ 8.80	.5608	----	----	----	----	----	239	UNCH						
4775	----	----	----	----	353.00B/328.60A	353.00B/328.60A	----	----	342.60	+ 8.60	.5486	----	----	----	----	----	2	UNCH						
4780	----	----	----	----	350.60B/325.50A	350.60B/325.50A	----	----	340.20	+ 8.50	.5462	----	----	----	----	----	2	UNCH						
4790	----	----	----	----	345.70B/321.00A	345.70B/321.00A	----	----	335.50	+ 8.40	.5413	----	----	----	----	----	1	UNCH						
4795	----	----	----	----	343.80B/319.20A	343.80B/319.20A	----	----	333.20	+ 8.40	.5389	----	----	----	----	----	9	UNCH						
4800	----	----	----	----	341.40B/317.00A	341.40B/317.00A	----	----	330.90	+ 8.40	.5364	----	----	----	----	----	381	UNCH						
4810	----	----	----	----	336.70B/312.50A	336.70B/312.50A	----	----	326.30	+ 8.30	.5316	----	----	----	----	----	56	UNCH						
4820	----	----	----	----	332.00B/307.90A	332.00B/307.90A	----	----	321.70	+ 8.20	.5267	----	----	----	----	----	49	UNCH						
4825	----	----	----	----	329.70B/305.70A	329.70B/305.70A	----	----	319.40	+ 8.10	.5243	----	----	----	----	----	104	UNCH						
4835	----	----	----	----	325.00B/301.50A	325.00B/301.50A	----	----	314.90	+ 8.00	.5195	----	----	----	----	----	125	UNCH						
4850	----	----	----	----	318.20B/295.00A	318.20B/295.00A	----	----	308.30	+ 7.90	.5123	----	----	----	----	----	296	UNCH						
4875	----	----	----	----	307.10B/284.10A	307.10B/284.10A	----	----	297.40	+ 7.60	.5003	----	----	----	----	----	1	UNCH						
4880	----	----	----	----	304.50B/282.10A	304.50B/282.10A	----	----	295.30	+ 7.60	.4979	----	----	----	----	----	4	UNCH						
4900	----	----	----	----	296.40B/274.00A	296.40B/274.00A	----	----	286.90	+ 7.30	.4884	----	----	----	----	----	356	UNCH						
4925	----	----	----	----	287.90B/264.30A	287.90B/264.30A	----	----	276.80	+ 7.20	.4766	----	----	----	----	----	238	UNCH						
4950	----	----	----	----	277.70B/254.90A	277.70B/254.90A	----	----	267.00	+ 6.90	.4649	----	----	----	----	----	103	UNCH						
4975	----	----	----	----	267.90B/245.90A	267.90B/245.90A	----	----	257.60	+ 6.80	.4534	----	----	----	----	----	50	UNCH						
5000	252.00	----	252.00	----	258.50B/236.80A	258.50B/236.80A	----	----	248.60	+ 6.70	.4420	----	----	30	----	----	2483	-	2					
5005	----	----	----	----	256.60B/235.40A	256.60B/235.40A	----	----	246.80	+ 6.70	.4397	----	----	----	----	----	4	UNCH						
5025	----	----	----	----	249.30B/228.60A	249.30B/228.60A	----	----	239.80	+ 6.60	.4307	----	----	----	----	----	218	UNCH						
5050	----	----	----	----	240.40B/220.30A	240.40B/220.30A	----	----	231.30	+ 6.40	.4197	----	----	----	----	----	101	UNCH						
5070	----	----	----	----	233.50B/214.00A	233.50B/214.00A	----	----	224.80	+ 6.30	.4110	----	----	----	----	----	13	UNCH						
5075	----	----	----	----	231.80B/212.40A	231.80B/212.40A	----	----	223.10	+ 6.20	.4088	----	----	----	----	----	30	UNCH						
5090	----	----	----	----	226.80B/207.90A	226.80B/207.90A	----	----	218.40	+ 6.20	.4023	----	----	----	----	----	17	UNCH						
5100	----	----	----	----	223.40B/204.70A	223.40B/204.70A	----	----	215.20	+ 6.10	.3980	----	----	----	----	----	349	UNCH						
5125	----	----	----	----	213.70B/197.30A	213.70B/197.30A	----	----	207.60	+ 6.00	.3875	----	----	----	----	----	70	UNCH						
5150	----	----	----	----	206.00B/190.20A	206.00B/190.20A	----	----	200.20	+ 5.80	.3771	----	----	----	----	----	11	UNCH						
5155	----	----	----	----	204.30B/188.80A	204.30B/188.80A	----	----	198.80	+ 5.80	.3751	----	----	----	----	----	4	UNCH						
5160	----	----	----	----	202.90B/189.00A	202.90B/189.00A	----	----	197.40	+ 5.80	.3731	----	----	----	----	----	1	UNCH						
5170	----	----	----	----	200.00B/184.80A	200.00B/184.80A	----	----	194.50	+ 5.70	.3690	----	----	----	----	----	4	UNCH						
5175	----	----	----	----	198.40B/183.40A	198.40B/183.40A	----	----	193.10	+ 5.70	.3670	----	----	----	----	----	101	UNCH						
5195	----	----	----	----	192.80B/178.10A	192.80B/178.10A	----	----	187.60	+ 5.60	.3590	----	----	----	----	----	5	UNCH						
5200	179.90	----	179.90	----	191.40B/176.70A	191.40B/176.70A	----																	

BULLETIN # 91@				METALS OPTION PRODUCTS										Wed, May 13, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL	COMEX GOLD OPTIONS																	
JAN27	----	----	----	----	625.60B/883.20A	----	----	759.80 + 14.10	.8002	----	----	----	----	1	UNCH			
4190	----	----	----	----	549.80B/810.30A	----	----	685.10 + 13.30	.7665	----	----	----	----	1	UNCH			
4290	----	----	----	----	542.50B/803.20A	----	----	677.80 + 13.20	.7630	----	----	----	----	1	UNCH			
4300	----	----	----	----	471.90B/734.50A	----	----	607.60 + 12.30	.7259	----	----	----	----	1	UNCH			
4400	----	----	----	553.40B/527.10A	553.40B/527.10A	----	----	541.90 + 11.20	.6859	----	----	----	----	1	UNCH			
4500	----	----	----	491.70B/467.70A	491.70B/467.70A	----	----	481.10 + 10.20	.6436	----	----	----	----	4	UNCH			
4600	----	----	----	462.60B/439.90A	462.60B/439.90A	----	----	452.70 + 9.90	.6218	----	----	----	----	1	UNCH			
4650	----	----	----	434.50B/413.40A	434.50B/413.40A	----	----	425.50 + 9.40	.5997	----	----	1	----	3	+			
4700	----	----	----	429.40B/408.20A	429.40B/408.20A	----	----	420.20 + 9.30	.5952	----	----	----	----	3	UNCH			
4710	----	----	----	408.10B/388.20A	408.10B/388.20A	----	----	399.60 + 9.00	.5774	----	----	----	----	8	UNCH			
4750	----	----	----	402.90B/383.10A	402.90B/383.10A	----	----	394.60 + 9.00	.5729	----	----	----	----	101	UNCH			
4760	----	----	----	383.10B/364.30A	383.10B/364.30A	----	----	375.10 + 8.70	.5549	----	----	----	----	1	UNCH			
4800	----	----	----	358.90B/339.10A	358.90B/339.10A	----	----	351.90 + 8.50	.5325	----	----	----	----	1	UNCH			
4850	----	----	----	347.40B/328.40A	347.40B/328.40A	----	----	340.80 + 8.40	.5214	----	----	----	----	4	UNCH			
4900	----	----	----	338.60B/317.30A	338.60B/317.30A	----	----	330.00 + 8.30	.5103	----	----	----	----	10	UNCH			
5000	----	----	----	299.50B/278.40A	299.50B/278.40A	----	----	289.70 + 7.80	.4669	----	----	----	----	28	UNCH			
5050	----	----	----	280.30B/260.80A	280.30B/260.80A	----	----	271.20 + 7.40	.4458	----	----	----	----	100	UNCH			
5100	----	----	----	262.40B/244.10A	262.40B/244.10A	----	----	253.80 + 7.00	.4252	----	----	----	----	1	UNCH			
5130	----	----	----	252.00B/235.20A	252.00B/235.20A	----	----	243.90 + 6.70	.4131	----	----	----	----	1	UNCH			
5195	----	----	----	228.20B/215.60A	228.20B/215.60A	----	----	223.60 + 6.10	.3875	----	----	----	----	5	UNCH			
5250	----	----	----	212.40B/200.20A	212.40B/200.20A	----	----	207.70 + 5.50	.3667	----	----	----	----	7	UNCH			
5300	----	----	----	198.40B/188.00A	198.40B/188.00A	----	----	194.30 + 5.00	.3486	----	----	----	----	1	UNCH			
5400	----	----	----	173.90B/164.90A	173.90B/164.90A	----	----	170.20 + 4.30	.3144	----	----	----	----	2	UNCH			
5450	----	----	----	162.90B/154.80A	162.90B/154.80A	----	----	159.40 + 4.00	.2984	----	----	----	----	6	UNCH			
5500	----	----	----	152.80B/145.40A	152.80B/145.40A	----	----	149.40 + 3.70	.2832	----	----	2	----	60	+			
5550	----	----	----	143.00B/135.60A	143.00B/135.60A	----	----	140.20 + 3.60	.2688	----	----	----	----	4	UNCH			
5820	----	----	----	102.40B/----	102.40B/98.60A	----	----	100.90 + 3.00	.2031	----	----	----	----	6	UNCH			
5850	----	----	----	98.90B/----	98.90B/94.90A	----	----	97.40 + 2.90	.1970	----	----	----	----	3	UNCH			
5900	----	----	----	92.80B/----	92.80B/89.60A	----	----	92.10 + 2.90	.1874	----	----	----	----	5	UNCH			
6000	----	----	----	82.90B/----	82.90B/80.20A	----	----	82.50 + 2.70	.1697	----	----	1	----	257	UNCH			
6025	----	----	----	81.20B/----	81.20B/78.10A	----	----	80.30 + 2.60	.1656	----	----	----	----	1	UNCH			
6300	----	----	----	60.60B/----	60.60B/60.10A	----	----	61.00 + 2.00	.1282	----	----	----	----	2	UNCH			
6500	----	----	----	50.70B/----	50.70B/50.60A	----	----	51.00 + 1.70	.1079	----	----	----	----	6	UNCH			
20000	----	----	----	----/5.00A	3.80B/5.00A	----	----	4.40 - 1.00	.0061	----	----	----	----	128	UNCH			
TOTAL												4		764	+			
FEB27																		
4650	----	----	----	477.00B/460.30A	477.00B/460.30A	----	----	471.30 + 8.20	.6188	----	----	----	----	1	UNCH			
4700	----	----	----	449.60B/433.80A	449.60B/433.80A	----	----	444.50 + 7.60	.5979	----	----	----	----	1	UNCH			
4750	----	----	----	423.60B/408.80A	423.60B/408.80A	----	----	418.90 + 7.00	.5767	----	----	----	----	36	UNCH			
4785	----	----	----	406.10B/392.10A	406.10B/392.10A	----	----	401.70 + 6.70	.5618	----	----	----	----	100	UNCH			
4850	----	----	----	375.20B/362.60A	375.20B/362.60A	----	----	371.50 + 6.50	.5342	----	----	----	----	36	UNCH			
5000	----	----	----	316.90B/298.70A	316.90B/298.70A	----	----	309.60 + 7.50	.4722	----	----	----	----	162	+			
5100	----	----	----	281.30B/263.70A	281.30B/263.70A	----	----	273.60 + 6.90	.4327	----	----	----	----	148	UNCH			
5175	----	----	----	256.00B/242.10A	256.00B/242.10A	----	----	249.20 + 5.70	.4043	----	----	----	----	125	UNCH			
5200	----	----	----	245.10B/234.30A	245.10B/234.30A	----	----	241.60 + 5.30	.3951	----	----	----	----	3	UNCH			
5250	----	----	----	229.50B/220.00A	229.50B/220.00A	----	----	226.90 + 4.30	.3771	----	----	----	----	22	UNCH			
5300	----	----	----	215.60B/206.80A	215.60B/206.80A	----	----	213.20 + 3.60	.3597	----	----	----	----	50	UNCH			
5375	----	----	----	196.40B/187.80A	196.40B/187.80A	----	----	194.30 + 2.80	.3348	----	----	----	----	2	UNCH			
5400	----	----	----	190.40B/182.40A	190.40B/182.40A	----	----	188.40 + 2.60	.3268	----	----	----	----	1	UNCH			
5500	----	----	----	168.10B/162.10A	168.10B/162.10A	----	----	166.80 + 2.20	.2966	----	----	----	----	13	UNCH			
5520	----	----	----	164.30B/158.10A	164.30B/158.10A	----	----	162.80 + 2.10	.2909	----	----	----	----	300	UNCH			
5530	----	----	----	162.20B/156.30A	162.20B/156.30A	----	----	160.90 + 2.10	.2881	----	----	----	----	100	UNCH			
5550	----	----	----	158.40B/152.80A	158.40B/152.80A	----	----	157.10 + 2.10	.2825	----	----	----	----	82	UNCH			
5600	----	----	----	148.80B/144.30A	148.80B/144.30A	----	----	148.10 + 2.20	.2691	----	----	----	----	8	UNCH			
6000	----	----	----	94.20B/93.00A	94.20B/93.00A	----	----	95.40 + 1.90	.1840	----	----	----	----	1290	UNCH			
6025	----	----	----	91.90B/90.80A	91.90B/90.80A	----	----	93.00 + 1.90	.1799	----	----	----	----	4	UNCH			
6100	----	----	----	85.20B/84.30A	85.20B/84.30A	----	----	86.40 + 1.70	.1682	----	----	----	----	4	UNCH			
6300	----	----	----	----/70.10A	70.20B/70.10A	----	----	71.70 + 1.20	.1414	----	----	----	----	1	UNCH			
6500	----	----	----	----	59.50B/59.60A	----	----	60.50 + 1.00	.1202	----	----	----	----	1220	UNCH			
6900	----	----	----	----	43.10B/45.20A	----	----	44.80 + 0.90	.0894	----	----	----	----	533	UNCH			
7000	----	----	----	----	39.80B/43.20A	----	----	42.00 + 0.90	.0837	----	----	----	----	550	UNCH			
7100	----	----	----	----	35.70B/42.50A	----	----	39.50 + 0.80	.0786	----	----	----	----	9	UNCH			
7900	----	----	----	----	23.20B/31.30A	----	----	27.80 - 0.40	.0530	----	----	----	----	500	UNCH			
8000	----	----	----	----	22.30B/31.00A	----	----	27.00 - 0.50	.0511	----	----	----	----	695	UNCH			
TOTAL														5996	+			
MAR27																		
4995	----	----	----	346.60B/335.50A	346.60B/335.50A	----	----	345.80 + 4.60	.4927	----	----	----	----	1	UNCH			
5000	----	----	----	345.40B/333.50A	345.40B/333.50A	----	----	343.80 + 4.60	.4907	----	----	----	----	95	UNCH			
5010	----	----	----	343.80B/329.70A	343.80B/329.70A	----	----	339.70 + 4 +										

BULLETIN # 91@			METALS OPTION PRODUCTS										wed, May 13, 2026		PG64	
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GWW WED MAY26 GOLD WEEKLY WEDNESDAY OPTION WEEK2																
4000	----	----	----	----	----/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2	
4100	----	----	----	----	----/0.30A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1	
4100	----	----	----/*0.90A	0.70B/*0.90A	----	0.80 - 0.30	.0054	----	----	----	----	----	----	1	UNCH	
4150	3.00	3.00	3.20/*2.50A	3.20/*2.50A	----	2.20 NEW	.0160	----	----	----	----	30	----	30 +	30	
4175	----	----	----/*1.10A	1.00B/*1.10A	----	1.00 - 0.40	.0075	----	----	----	----	----	----	3	UNCH	
4200	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	----	----	0 -	14	
4200	1.10	1.10	1.10/*1.10	1.10/*1.10	----	1.00 - 0.60	.0079	----	----	----	3	----	----	54 +	3	
4225	----	----	---/*3.20A	3.20B/*3.20A	----	2.90 NEW	.0223	----	----	----	2	----	----	2 +	2	
4225	----	----	---/*1.30A	1.30B/*1.30A	----	1.10 - 0.70	.0090	----	----	----	----	----	----	5	UNCH	
4250	1.70	1.70	1.70/*1.50A	1.70/*1.50A	----	1.20 - 0.80	.0101	----	----	----	1	----	----	7 +	1	
4250	----	----	----	---/0.20A	----	0.00 - 0.10	----	----	----	----	----	----	----	0 -	3	
4265	----	----	----	---/0.30A	----	0.00 - 0.10	----	----	----	----	----	----	----	0 -	1	
4275	----	----	----	---/0.30A	----	0.00 - 0.10	----	----	----	----	----	----	----	0 -	1	
4275	----	----	----/*3.90A	4.10B/*3.90A	----	3.60 - 1.60	.0287	----	----	----	----	----	----	13	UNCH	
4285	----	----	----	---/0.30A	----	0.00 - 0.10	----	----	----	----	----	----	----	0 -	1	
4300	1.50	1.50	1.50/*1.50	1.90B/*1.50	----	1.50 - 1.10	.0137	----	----	----	5	----	----	21 +	5	
4300	----	----	----/*4.40A	4.80B/*4.40A	----	4.10 NEW	.0331	----	----	----	1	----	----	1 +	1	
4300	----	----	----	---/0.20A	----	0.00 - 0.10	----	----	----	----	----	----	----	0 -	4	
4325	----	----	----	---/*0.20A	----	0.00 - 0.10	----	----	----	----	----	----	----	0 -	5	
4325	5.70	5.70	5.80/*5.00A	5.80/*5.00A	----	4.60 - 2.20	.0377	----	----	----	22	----	----	30 +	22	
4325	----	----	---/*1.90A	2.30B/*1.90A	----	1.70 - 1.40	.0161	----	----	----	----	----	----	14	UNCH	
4350	----	----	---/*2.10A	2.70B/*2.10A	----	2.00 - 1.60	.0195	----	----	----	----	----	----	8	UNCH	
4350	----	----	----	---/0.20A	----	0.00 - 0.10	----	----	----	----	----	----	----	0 -	43	
4350	7.00	7.00	7.00/*5.60A	7.00/*5.60A	----	5.30 - 2.50	.0439	----	----	----	1	----	----	0 -	1	
4370	----	----	----	---/0.20A	----	0.00 - 0.10	----	----	----	----	----	----	----	0 -	10	
4375	----	----	----	---/0.30A	----	0.00 - 0.10	----	----	----	----	----	----	----	0 -	26	
4375	----	----	---/*2.50A	3.30B/*2.50A	----	2.40 - 2.00	.0241	----	----	----	----	----	----	14	UNCH	
4375	7.50	7.50	7.60B/*6.40A	7.60B/*6.40A	----	6.10 - 2.90	.0511	----	----	----	1	----	----	10	UNCH	
4385	----	----	----	---/0.30A	----	0.00 - 0.10	----	----	----	----	----	----	----	0 -	1	
4390	----	----	----	---/0.30A	----	0.00 - 0.10	----	----	----	----	----	----	----	0 -	5	
4400	----	----	----	---/*0.20A	----	0.00 - 0.20	----	----	----	----	----	----	----	0 -	9	
4400	----	----	----/*3.00A	4.00B/*3.00A	----	2.90 - 2.40	.0299	----	----	----	----	----	----	23	UNCH	
4405	----	----	----/*0.10A	----	----	0.00 - 0.20	----	----	----	----	----	----	----	0 -	2	
4410	----	----	----	---/0.40A	----	0.00 - 0.20	----	----	----	----	1	----	----	0 -	10	
4425	----	----	----/*3.60A	5.00B/*3.60A	----	3.50 - 3.00	.0372	----	----	----	----	----	----	12 -	1	
4425	----	----	----	---/0.50A	----	0.00 - 0.20	----	----	----	----	1	----	----	0 -	2	
4425	----	----	----/*8.80A	10.50B/*8.80A	----	8.40 - 4.00	.0709	----	----	----	----	----	----	1	UNCH	
4450	----	----	----	---/0.40A	----	0.00 - 0.30	----	----	----	----	----	----	----	0 -	7	
4450	----	----	---/*4.40A	6.20B/*4.40A	----	4.30 - 3.70	.0468	----	----	----	----	----	----	5	UNCH	
4450	----	----	---/*10.30A	12.50B/*10.30A	----	10.00 - 4.60	.0842	----	----	----	----	----	----	2	UNCH	
4455	----	----	----	---/0.40A	----	0.00 - 0.30	----	----	----	----	----	----	----	0 -	3	
4460	----	----	----	---/0.40A	----	0.00 - 0.40	----	----	----	----	----	----	----	0 -	5	
4465	----	----	----/*0.10A	----	----	0.00 - 0.40	----	----	----	----	----	----	----	0 -	7	
4475	----	----	----/*0.30A	----	----	0.00 - 0.50	----	----	----	----	----	----	----	0 -	3	
4475	7.50	7.50	7.50/*5.50	7.80B/*5.50	----	5.40 NEW	.0598	----	----	----	3	----	----	3 +	3	
4475	----	----	---/*12.30A	14.90B/*12.30A	----	12.00 - 5.40	.1004	----	----	----	----	----	----	1	UNCH	
4480	----	----	---/*0.20A	----	----	0.00 - 0.50	----	----	----	----	----	----	----	0 -	6	
4485	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.60	----	----	----	----	1	----	----	0 -	2	
4490	----	----	---/*0.30A	----	----	0.00 - 0.60	----	----	----	----	----	----	----	0 -	3	
4495	----	----	---/*0.30A	----	----	0.00 - 0.70	----	----	----	----	----	----	----	0 -	23	
4500	----	----	265.80B/238.00A	265.80B/238.00A	255.80 + 13.50	.8802	----	----	----	----	----	----	----	50	UNCH	
4500	17.00	17.00	18.10B/*14.70A	18.10B/*14.70A	----	14.40 NEW	.1194	----	----	----	2	----	----	2 +	2	
4500	10.20	10.20	10.20/*6.90A	10.20/*6.90A	----	6.80 - 5.70	.0765	----	----	----	6	----	----	32 +	5	
4500	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.70	----	----	----	----	5	----	----	0 -	31	
4505	0.70	0.70	0.70/*0.20A	0.70/*0.20A	----	0.00 - 0.80	----	----	----	----	1	----	----	0 -	35	
4510	----	----	---/*0.20A	0.30B/*0.20A	----	0.00 - 0.80	----	----	----	----	----	----	----	0 -	27	
4515	----	----	---/*0.20A	0.30B/*0.20A	----	0.00 - 0.90	----	----	----	----	----	----	----	0 -	2	
4520	----	----	---/*0.20A	0.30B/*0.20A	----	0.00 - 0.90	----	----	----	----	----	----	----	0 -	5	
4525	----	----	---/*17.70A	21.80B/*17.70A	----	17.40 - 7.20	.1421	----	----	----	----	----	----	2	UNCH	
4525	----	----	---/*0.20A	0.40B/*0.20A	----	0.00 - 1.00	----	----	----	----	----	----	----	0 -	21	
4525	11.20	11.20	13.00B/*8.90A	13.00B/*8.90A	----	8.70 - 7.00	.0986	----	----	----	8	----	----	13 +	5	
4530	0.60	0.60	0.60/*0.20A	0.60/*0.20A	----	0.00 - 1.10	----	----	----	----	1	----	----	0 -	28	
4535	----	----	---/*0.10A	0.40B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	----	----	0 -	3	
4540	0.30	0.30	0.40/*0.20A	0.50B/*0.20A	----	0.00 - 1.20	----	----	----	----	2	----	----	0 -	2	
4545	----	----	---/*0.10A	0.70B/*0.10A	----	0.00 - 1.30	----	----	----	----	----	----	----	0 -	3	
4550	12.10	12.10	12.10/*11.40A	16.80B/*11.40A	11.30 - 8.40	.1276	----	----	----	----	42	----	----	73 +	42	
4550	0.90	0.90	0.90/*0.10A	0.90/*0.10A	----	0.00 - 1.40	----	----	----	----	35	----	----	0 -	3	
4550	24.20	24.20	26.50B/*21.40A	26.50B/*21.40A	21.10 - 8.20	.1688	----	----	----	----	31	----	----	43 +	29	
4555	0.10	0.10	0.10/*0.10	0.70B/*0.10	----	0.00 - 1.50	----	----	----	----	1	----	----	0 -	3	
4560	----	----	---/*0.10A	0.80B/*0.10A	----	0.00 - 1.70	----	----	----	----	----	----	----	0 -	15	
4565	----	----	---/*0.10A	0.80B/*0.10A	----	0.00 - 1.80	----	----	----	----	2	----	----	0 -	8	
4570	----	----	---/*0.10A	0.90B/*0.10A	----	0.00 - 2.00	----	----	----	----	1	----	----	0 -	12	
4575	----	----	---/25.90A	32.00B/25.90A	----	25.60 - 9.30	.1997	----	----	----	----	----	----	1	UNCH	
4575	----	----	172.10B/125.50A	172.10B/125.50A	146.50 + 10.10	.8343	----	----	----	----	----	----	----	1</		

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY WEDNESDAY OPTION WEEK2															
MAY26															
4720	22.00	22.00		43.60B/*7.60A	43.60B/*7.60A	----	13.30	- 31.00	----	----	19	----	12	----	0 -
4725	24.20	24.20		48.30B/*11.20A	48.30B/*11.20A	----	18.30	- 29.60	----	----	4	----	3	----	0 -
4725	----	----		67.10B/39.20A	67.10B/39.20A	----	49.00	+ 1.70	.4517	----	----	----	----	54	UNCH
4725	----	----		----/72.20A	89.20B/72.20A	----	74.80	- 16.00	.4582	----	----	----	----	2	UNCH
4725	23.60	23.60		29.00B/*0.10	29.00B/*0.10	----	0.00	- 9.60	----	----	----	184	----	0 -	118
4725	----	----		----/62.90A	85.30B/62.90A	----	67.30	- 18.30	.5480	----	----	1	----	3 +	1
4730	22.50	22.50		26.30B/*0.10	26.30B/*0.10	----	0.00	- 8.40	----	----	----	110	----	0 -	42
4730	34.50	34.50		52.90B/*15.40A	52.90B/*15.40A	----	23.30	- 28.40	----	7	----	12	----	0 -	1
4735	5.80	5.80		23.60B/*0.10A	23.60B/*0.10A	----	0.00	- 7.40	----	----	----	35	----	0 -	40
4740	----	----		62.60B/24.40A	62.60B/24.40A	----	33.30	- 26.50	----	2	----	1	----	0 -	2
4740	17.50	17.50		21.10B/*0.20A	21.10B/*0.20A	----	0.00	- 6.50	----	----	----	32	----	0 -	37
4745	11.70	11.70		18.80B/*0.20A	18.80B/*0.20A	----	0.00	- 5.70	----	----	----	17	----	0 -	12
4745	----	----		67.50B/29.00A	67.50B/29.00A	----	38.30	- 25.70	----	1	----	----	----	0 -	1
4750	17.00	17.00		17.00/*0.10	17.00/*0.10	----	0.00	- 4.90	----	----	----	83	----	0 -	53
4750	----	----		55.10B/31.00A	55.10B/31.00A	----	39.10	+ 0.90	.3809	----	----	1	----	64	UNCH
4750	----	----		102.20B/75.70A	102.20B/75.70A	----	82.30	NEW	.6188	----	----	1	----	1 +	1
4750	----	----		96.20B/67.70A	96.20B/67.70A	----	79.20	+ 2.90	.4918	----	----	3	----	10 +	3
4750	----	----		72.40B/34.00A	72.40B/34.00A	----	43.30	- 24.90	----	3	----	4	----	0 -	6
4755	12.50	12.50		14.90B/*0.20A	14.90B/*0.20A	----	0.00	- 4.30	----	----	----	43	----	0 -	6
4760	----	----		82.30B/43.10A	82.30B/43.10A	----	53.30	- 23.80	----	2	----	----	----	0 -	2
4760	2.30	2.30		13.10B/*0.20A	13.10B/*0.20A	----	0.00	- 3.80	----	----	----	22	----	0 -	24
4765	----	----		87.50B/46.40A	87.50B/46.40A	----	58.30	- 23.30	----	2	----	----	----	0 -	2
4765	8.00	8.00		11.40B/*0.20	11.40B/*0.20	----	0.00	- 3.30	----	----	----	12	----	0 -	19
4770	3.70	3.70		10.00B/*0.10	10.00B/*0.10	----	0.00	- 2.90	----	----	----	20	----	0 -	17
4770	----	----		92.40B/49.80A	92.40B/49.80A	----	63.30	- 22.90	----	2	----	2	----	0 -	2
4775	7.30	7.30		8.50B/*0.20A	8.50B/*0.20A	----	0.00	- 2.50	----	----	----	54	----	0 -	68
4775	35.00	35.00		44.70B/24.30A	44.70B/24.30A	----	30.80	+ 0.10	.3150	----	----	1	----	53	UNCH
4775	----	----		97.20B/53.40A	97.20B/53.40A	----	68.30	- 22.50	----	4	----	----	----	0 -	5
4780	2.50	2.50		7.50B/*0.20A	7.50B/*0.20A	----	0.00	- 2.20	----	----	----	62	----	0 -	67
4780	----	----		102.20B/57.10A	102.20B/57.10A	----	73.30	- 22.20	----	5	----	----	----	0 -	5
4785	2.40	2.40		6.50B/*0.20A	6.50B/*0.20A	----	0.00	- 1.90	----	----	----	6	----	0 -	4
4790	0.80	0.80		5.40B/*0.10	5.40B/*0.10	----	0.00	- 1.60	----	----	----	14	----	0 -	5
4795	----	----		117.40B/68.90A	117.40B/68.90A	----	88.30	- 21.40	----	2	----	2	----	0 -	2
4795	3.50	3.50		4.70B/*0.20A	4.70B/*0.20A	----	0.00	- 1.40	----	----	----	2	----	0 -	1
4800	----	----		140.40B/106.70A	140.40B/106.70A	----	117.40	NEW	.7430	----	----	1	----	1 +	1
4800	21.70	21.70		36.10B/19.10A	36.10B/19.10A	----	24.20	- 0.30	.2568	----	----	15	----	26 +	14
4800	3.60	3.60		4.50B/*0.10	4.50B/*0.10	----	0.00	- 1.20	----	----	----	26	----	0 -	201
4800	----	----		73.10B/49.90A	73.10B/49.90A	----	58.50	+ 1.50	.3959	----	----	----	----	6	UNCH
4805	3.20	3.20		3.30B/*0.20A	3.30B/*0.20A	----	0.00	- 1.10	----	----	----	5	----	0 -	16
4810	2.00	2.00		2.90B/*0.20A	2.90B/*0.20A	----	0.00	- 0.90	----	----	----	2	----	0 -	11
4815	0.40	0.40		2.40B/*0.20A	2.40B/*0.20A	----	0.00	- 0.80	----	----	----	1	----	0 -	9
4820	----	----		2.00B/*0.20A	2.00B/*0.20A	----	0.00	- 0.70	----	----	----	----	----	0 -	15
4825	----	----		1.80B/*0.10A	1.80B/*0.10A	----	0.00	- 0.60	----	----	----	2	----	0 -	129
4825	----	----		28.50B/15.00A	28.50B/15.00A	----	18.80	- 0.80	.2059	----	----	----	----	21	UNCH
4825	----	----		161.70B/124.30A	161.70B/124.30A	----	137.00	- 20.80	.7939	----	----	----	----	1	UNCH
4825	----	----		147.30B/95.20A	147.30B/95.20A	----	118.30	- 20.60	----	1	----	----	----	0 -	1
4830	0.50	0.50		1.60B/*0.10A	1.60B/*0.10A	----	0.00	- 0.50	----	----	----	1	----	0 -	6
4830	----	----		152.30B/99.90A	152.30B/99.90A	----	123.30	- 20.50	----	1	----	1	----	0 -	1
4835	123.50	123.50		157.30B/104.60A	157.30B/104.60A	----	128.30	NEW	----	1	----	4	----	0	UNCH
4835	----	----		1.40B/*0.10A	1.40B/*0.10A	----	0.00	- 0.40	----	----	----	----	----	0 -	26
4840	----	----		162.30B/109.30A	162.30B/109.30A	----	133.30	- 20.30	----	1	----	1	----	0 -	1
4840	0.60	0.60		1.10B/*0.10A	1.10B/*0.10A	----	0.00	- 0.40	----	----	----	15	----	0 -	13
4845	1.10	1.10		1.10/*0.10A	1.10/*0.10A	----	0.00	- 0.30	----	----	----	1	----	0 -	8
4850	----	----		22.70B/11.70A	22.70B/11.70A	----	14.60	- 1.00	.1634	----	----	41	----	42 +	40
4850	----	----		54.10B/36.30A	54.10B/36.30A	----	42.60	+ 0.50	.3093	----	----	----	----	1	UNCH
4850	----	----		172.10B/118.90A	172.10B/118.90A	----	143.30	- 20.20	----	1	----	1	----	0 -	31
4850	----	----		0.90B/*0.10A	0.90B/*0.10A	----	0.00	- 0.30	----	----	----	----	----	0 -	1
4855	0.90	0.90		0.90/*0.10A	0.90/*0.10A	----	0.00	- 0.20	----	----	----	6	----	0 -	14
4860	----	----		----/0.30A	----/0.30A	----	0.00	- 0.20	----	----	----	----	----	0 -	3
4865	----	----		----/0.30A	----/0.30A	----	0.00	- 0.20	----	----	----	----	----	0 -	2
4870	0.30	0.30		0.30/*0.10A	0.30/*0.10A	----	0.00	- 0.10	----	----	----	1	----	0 -	2
4875	----	----		17.90B/*9.10A	17.90B/*9.10A	----	11.30	- 1.10	.1285	----	----	1	----	3 +	1
4875	----	----		----/0.10A	----/0.10A	----	0.00	- 0.10	----	----	----	8	----	0 -	12
4875	----	----		46.40B/30.90A	46.40B/30.90A	----	36.30	+ 0.20	.2711	----	----	----	----	1	UNCH
4880	----	----		----/0.30A	----/0.30A	----	0.00	- 0.10	----	----	----	----	----	0 -	4
4885	----	----		----/0.20A	----/0.20A	----	0.00	- 0.10	----	----	----	----	----	0 -	4
4890	----	----		----/0.20A	----/0.20A	----	0.00	- 0.10	----	----	----	----	----	0 -	10
4895	----	----		----/0.30A	----/0.30A	----	0.00	- 0.10	----	----	----	----	----	0 -	20
4900	----	----		----/0.30A	----/0.30A	----	0.00	- 0.10	----	----	----	----	----	0 -	85
4900	12.50	12.50		14.00B/*7.10A	14.00B/*7.10A	----	8.80	- 1.10	.1007	----	----	6	----	25 +	6
4900	----	----		39.80B/26.20A	39.80B/26.20A	----	30.80	- 0.10	.2362	----	----	----	----	7	UNCH
4905	----	----		----/0.30A	----/0.30A	----	0.00	- 0.10	----	----	----	----	----	0 -	11
4905	----	----		227.10B/172.80A	227.10B/172.80A	----	198.30	- 20.10	----	2	----	2	----	0 -	2
4910	----	----		232.10B/177.80A	232.10B/177.80A	----	203.30	- 20.10	----	1	----	1	----	0 -	1
4925	----	----		10.90B/*5.50A	10.90B/*5.50A	----	6.90	- 1.00	.0790	----	----	----	----	2	UNCH
4925	----	----		----/0.30A	----/0.30A	----	0.00	- 0.10	----	----	----	----	----	0 -	6
4925	----	----		33.90B/22.20A	33.90B/22.20A	----	26.20	- 0.20	.2052	----	----	----	----	4	UNCH
4930	----	----		----/0.30A	----/0.30A	----	0.00	- 0.10	----	----	----	1	----	0 -	1
4940	----	----		----/0.30A	----/0.30A	----	0.00	- 0.10	----	----	----	----	----	0 -	4
4945	----	----		----/0.20A	----/0.20A	----	0.00	- 0.10	----	----	----	----	----	0 -	2
4950	----	----		----/0.30A	----/0.30A	----	0.00	- 0.10	----	----	----	----	----	0 -	15
4950	5.70	5.70		8.50B/*4.40A	8.50B/*4.40A	----	5.40	- 0.90	.0616	----	----	5	----	6 +	5
4950	----	----		29.00B/18.90A	29.00B/18.90A	----	22.30	- 0.30	.1778	----	----	----	----	1	UNCH
4975	16.20	16.20		24.60B/16.20	24.60B/16.20	----	19.00	- 0.40	.1537	----	----	6	----	7 +	3
4975	----	----		----/0.20A	----/0.20A	----	0.00	- 0.10	----	----	----	7	----	0 -	10
4975	----	----		6.90B/*3.60A	6.90B/*3.60A	----	4.30	- 0.80	.0486	----	----	----	----	8	UNCH
5000	----	----		----/0.20A	----/0.20A	----	0.00	- 0.10	----	----	----	----	----	0 -	7
5000	3.20	3.20		5.10B/*2.90A	5.10B/*2.90A	----	3.40	- 0.80	.0380	----	----	1	----	14	UNCH
5000	----	----		20.90B/13.80A	20.90B/13.80A	----	16.10	- 0.50	.1322	----	----	1	----	6	UNCH
5010	----	----		----/0.30A	----/0.30A	----	0.00	- 0.10	----	----	----	----	----	0 -	2
5025	----	----		----/0.30A	----/0.30A	----	0.00	- 0.10	----	----	----	----	----	0 -	14
5025	----	----		347.10B/292.50A	347.10B/292.50A	----	318.30	- 20.10	----	1	----	1	----	0 -	1
5025	----	----		349.20B/298.20A	349.20B/298.20A	----	320.90	NEW	.9692	----	----	1	----	1 +	1
5025	----	----		4.00B/*2.50A	4.00B/*2.50A	----	2.80	- 0.60	.0306	----	----	----	----	7	UNCH
5050	----	----		3.20B/*2.10A	3.20B/*2.10A	----	2.30	- 0.60	.0247	----	----	----	----	2	UNCH
5050	----														

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY TUESDAY OPTION Week3																
WGT TUE																
MAY26																
3800	----	----	----	----	----	----/1.00A	----		0.10 - 0.20	.0004	----	----	2	----	12	UNCH
4000	----	----	----	----	0.10B/1.00A		----		0.40 - 0.30	.0022	----	----	----	----	5	UNCH
4100	----	----	----	----	0.60B/*0.80A		----		0.50 - 0.40	.0032	----	----	----	----	1	UNCH
4150	----	----	----	----	0.70B/*0.80A		----		0.60 - 0.50	.0042	----	----	----	----	3	UNCH
4200	----	----	----	----	0.80B/*0.90A		----		0.70 - 0.60	.0053	----	----	----	----	7	UNCH
4250	----	----	----	----	1.10B/*1.10A		----		0.90 - 0.60	.0074	----	----	20	----	10	-
4300	1.70	1.70		1.70/*1.30A	1.70/*1.30A		----		1.10 - 0.90	.0098	----	----	21	----	15	-
4310	----	----	----	----	#1.50B/*1.50A		----		1.20 NEW	.0109	----	----	3	----	3	+
4325	----	----	----	----	1.60B/*1.40A		----		1.30 - 1.00	.0121	----	----	----	----	10	UNCH
4350	1.90	1.90		2.20/*1.50A	2.20/*1.50A		----		1.40 - 1.30	.0137	----	----	200	----	201	+
4375	----	----	----	----	2.30B/*1.70A		----		1.60 - 1.70	.0164	----	----	----	----	10	UNCH
4400	----	----	----	----	2.80B/*2.00A		----		1.90 - 2.10	.0203	----	----	1	----	7	+
4405	----	----	----	----	#3.10B/*2.40A		----		2.00 NEW	.0215	----	----	1	----	1	+
4425	----	----	----	----	3.50B/*2.50A		----		2.30 - 2.70	.0255	----	----	----	----	312	UNCH
4450	4.30	4.30		4.30/*3.10A	4.50B/*3.10A		----		2.80 - 3.40	.0324	----	----	7	----	15	+
4475	5.40	5.40		5.40/*3.90A	5.70B/*3.90A		----		3.60 - 4.20	.0428	----	----	2	----	9	+
4500	6.80	6.80		6.80/*5.00A	7.70B/*5.00A		----		4.60 - 5.30	.0563	----	----	17	----	17	+
4500	----	----	----	----	----	----	----		186.70 UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4515	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4520	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4525	6.70	6.70		6.70/*6.50A	9.80B/*6.50A		----		6.10 - 6.50	.0758	----	----	1	----	3	+
4525	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4525	----	----	----	----	----	----	----		161.70 UNCH	----	----	----	----	----	0	UNCH
4545	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	191.30B/141.20A	191.30B/141.20A		----		164.90 + 12.20	.8965	----	----	----	----	1	UNCH
4550	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----/*8.40A	13.00B/*8.40A		----		8.30 - 7.80	.1033	----	----	2	----	48	+
4570	----	----	----	----	#16.20B/*10.90A		----		10.50 NEW	.1305	----	----	1	----	1	+
4570	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----/*11.20A	17.20B/*11.20A		----		11.20 - 9.40	.1387	----	----	----	----	1	UNCH
4575	----	----	----	----	----	----	----		111.70 UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	----	----		106.70 UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4600	16.80	16.80		22.80B/*15.00A	22.80B/*15.00A		----		15.20 - 11.10	.1850	----	----	8	----	8	+
4600	----	----	----	----	----	----	----		86.70 UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	147.60B/101.20A	147.60B/101.20A		----		121.90 + 8.90	.8148	----	----	----	----	36	UNCH
4610	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	----	----		66.70 UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----/20.10A	30.10B/20.10A		----		20.60 - 12.90	.2428	----	----	----	----	72	UNCH
4625	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	----	----		61.70 UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4645	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4645	----	----	----	----	----	----	----		41.70 UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	108.10B/67.80A	108.10B/67.80A		----		84.30 + 5.30	.6883	----	----	----	----	11	UNCH
4650	29.70	29.70		29.90/26.60A	39.30B/26.60A		----		27.60 - 14.70	.3114	----	----	50	----	56	+
4650	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	----	----		36.70 UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	----	----		31.70 UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	----	----		26.70 UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4665	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4665	----	----	----	----	----	----	----		21.70 UNCH	----	----	----	----	----	0	UNCH
4670	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4670	----	----	----	----	----	----	----		16.70 UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4675	55.40	55.40		90.50B/54.20A	90.50B/54.20A		----		11.70 UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	----	----		68.20 + 3.70	.6105	----	----	1	----	2	+
4675	----	----	----	----/34.90A	50.70B/34.90A		----		36.60 - 16.30	.3892	----	----	----	----	1	UNCH
4680	----	----	----	----	----	----	----		6.70 UNCH	----	----	----	----	----	0	UNCH
4680	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4685	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4685	----	----	----	----	----	----	----		1.70 UNCH	----	----	----	----	----	0	UNCH
4690	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4690	----	----	----	----	----	----	----		3.30 UNCH	----	----	----	----	----	0	UNCH
4695	----	----	----	----	----	----	----		8.30 UNCH	----	----	----	----	----	0	UNCH
4695	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----/45.20A	64.10B/45.20A		----		47.60 - 17.70	.4723	----	----	5	----	7	+
4700	----	----	----	74.80B/42.70A	74.80B/42.70A		----		54.30 + 2.30	.5275	----	----	----	----	87	UNCH
4700	----	----	----	----	----	----	----		13.30 UNCH	----	----	----	----	----	0	UNCH
4705	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4705	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	----	----		18.30 UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	----	----		23.30 UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4715	54.90	54.90		#54.90/*54.90	#73.20B/*52.10A		----		28.30 UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	----	----		55.20 NEW	.5229	----	----	1	----	1	+
4715	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	----	----	----	----		33.30 UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	61.30B/33.00A	61.30B/33.00A		----		42.40 + 1.00	.4434	----	----	----	----	6	UNCH
4725	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----/56.70A	79.60B/56.70A		----		38.30 UNCH	----	----	----	----	----	0	UNCH
4730	----	----	----	----	----	----	----		60.70 - 19.00	.5563	----	----	----	----	2	UNCH
4730	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4735	----	----	----	----	----	----	----		43.30 UNCH	----	----	----	----	----	0	UNCH
4735	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4735	----	----	----	----	----	----	----		48.30 UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	----	----		53.30 UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4745	----	----	----	----	----	----	----		58.30 UNCH	----	----	----	----	----	0	UNCH
4745	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	97.00B/69.50A	97.00B/69.50A		----		76.00 - 19.90	.6366	----	----	----	----	1	UNCH
4750	----	----	----	49.20B/25.30A	49.20B/25.30A		----		32.70 + 0.10	.3631	----	----	----	----	33	UNCH
4750	----	----	----	----	----	----	----		63.30 UNCH	----	----	----	----	----	0	UNCH
4755	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4755	----	----	----	----	----	----	----		68.30 UNCH	----	----	----	----	----	0	UNCH
4755	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	----	----	----	----		73.30 UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	----	----	----	----		0.00 UNCH	----	----	----	----	----	0	UNCH
4765	----	----	----	----	----	----	----		78.30 UNCH	----	----</					

BULLETIN # 91@				METALS OPTION PRODUCTS										Wed, May 13, 2026		PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GWT TUE	GOLD WEEKLY TUESDAY OPTION week2																
MAY26																	
4840	----	----	----	----	----	----	----	----	153.30	UNCH	----	----	----	----	0	UNCH	
4840	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH	
4845	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH	
4850	9.10	9.10		18.00B/*8.30A	18.00B/*8.30A				10.60	- 1.20	.1332		1		8 +	1	
4850	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH	
4850	----	----	----	----	----	----	----	----	163.30	UNCH	----	----	----	----	0	UNCH	
4860	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH	
4875	12.40	12.40		13.80B/*6.00	13.80B/*6.00				8.00	- 1.20	.1009		2		5	UNCH	
4875	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH	
4885	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH	
4890	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH	
4900	----	----	----	10.50B/*4.70A	10.50B/*4.70A				6.00	- 1.10	.0756				21	UNCH	
4905	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH	
4925	----	----	----	7.90B/*3.60A	7.90B/*3.60A				4.50	- 1.00	.0563				25	UNCH	
4930	----	----	----	----	----	----	----	----	243.30	UNCH	----	----	----	----	0	UNCH	
4950	3.40	3.40		6.00B/*2.80A	6.00B/*2.80A				3.50	- 0.80	.0429		3		16 +	3	
4950	----	----	----	----	----	----	----	----	263.30	UNCH	----	----	----	----	0	UNCH	
4975	5.00	5.00		5.00/*2.30A	5.00/*2.30A				2.70	- 0.70	.0325		1		7 +	1	
4990	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH	
5000	----	----	----	3.50B/*1.90A	3.50B/*1.90A				2.10	- 0.60	.0247				9	UNCH	
5025	----	----	----	2.40B/*1.60A	2.40B/*1.60A				1.70	- 0.50	.0194				1	UNCH	
5025	----	----	----	----	----	----	----	----	338.30	UNCH	----	----	----	----	0	UNCH	
5025	----	----	----	347.50B/296.30A	347.50B/296.30A				319.90	- 20.40	.9805				2	UNCH	
5075	----	----	----	---/*1.20A	1.40B/*1.20A				1.20	- 0.30	.0127		3		6 +	3	
5100	----	----	----	---/*1.10A	1.10B/*1.10A				1.00	- 0.30	.0103				6	UNCH	
5100	----	----	----	----	320.40B/480.20A				394.20	- 20.20	.9896				2	UNCH	
5100	----	----	----	----	----	----	----	----	413.30	UNCH	----	----	----	----	0	UNCH	
5150	----	----	----	----	0.70B/*0.90A				0.70	- 0.20	.0067				6	UNCH	
5200	----	----	----	---/*0.70A	0.50B/*0.70A				0.60	- 0.20	.0053				20	UNCH	
5200	----	----	----	----	421.50B/576.60A				493.70	- 20.10	.9946				1	UNCH	
5225	----	----	----	----	0.40B/*0.70A				0.50	- 0.20	.0043				1	UNCH	
5250	----	----	----	----	0.40B/*0.60A				0.40	- 0.20	.0034				1	UNCH	
5300	----	----	----	----	0.30B/*0.60A				0.40	- 0.20	.0031				1	UNCH	
5400	----	----	----	----	---/0.80A				0.20	- 0.20	.0014				2	UNCH	
TOTAL													362		1268 +	271	
JUN26																	
3250	----	----	----	----	0.10B/1.70A				0.50	+ 0.10	.0020		----	----	2	UNCH	
4000	----	----	----	----	2.50B/*5.90A				5.80	+ 1.30	.0298		----	----	1	UNCH	
4000	----	----	----	---/*2.70A	2.30B/*2.70A				2.50	NEW	.0152		1		1 +	1	
4100	----	----	----	---/*3.50A	3.20B/*3.50A				3.20	- 0.90	.0210		----	----	2	UNCH	
4150	----	----	----	---/*4.10A	4.00B/*4.10A				3.80	NEW	.0256		2		2 +	2	
4175	----	----	----	---/*4.40A	4.40B/*4.40A				4.20	NEW	.0286		1		1 +	1	
4200	----	----	----	---/*4.90A	4.90B/*4.90A				4.60	- 1.50	.0318		----	----	1	UNCH	
4250	----	----	----	---/*11.10A	10.70B/*11.10A				11.80	- 0.40	.0676		----	----	2	UNCH	
4275	----	----	----	---/*11.70A	11.90B/*11.70A				12.60	- 1.20	.0732		----	----	6	UNCH	
4300	----	----	----	---/*7.50A	8.20B/*7.50A				7.30	- 2.50	.0520		----	----	1	UNCH	
4300	----	----	----	---/*12.90A	13.60B/*12.90A				13.50	- 2.20	.0796		----	----	2	UNCH	
4350	----	----	----	---/*16.70A	17.00B/*16.70A				16.20	- 4.40	.0968		----	----	2	UNCH	
4350	----	----	----	---/*9.60A	11.00B/*9.60A				9.50	- 3.30	.0679		----	----	2	UNCH	
4375	----	----	----	---/*18.70A	19.80B/*18.70A				18.40	- 5.30	.1091		----	----	2	UNCH	
4400	----	----	----	---/*12.70A	14.70B/*12.70A				12.60	- 4.40	.0897		1		1	UNCH	
4425	34.10	34.10		#34.10/*34.10	#34.10/*34.10				31.10	NEW	.1601		20		20 +	20	
4425	----	----	----	---/*14.90A	17.20B/*14.90A				14.60	- 5.10	.1033		1		1	UNCH	
4425	----	----	----	---/24.20A	26.30B/24.20A				24.30	- 6.40	.1399		----	----	1	UNCH	
4450	----	----	----	---/27.90A	30.10B/27.90A				27.60	- 7.00	.1570		----	----	4	UNCH	
4450	----	----	----	---/*17.40A	20.30B/*17.40A				17.00	- 5.80	.1191		----	----	2	UNCH	
4475	----	----	----	---/31.80A	34.10B/31.80A				31.40	- 7.50	.1760		----	----	3	UNCH	
4500	----	----	----	---/*23.80A	27.90B/*23.80A				23.30	- 7.30	.1585		----	----	1	UNCH	
4500	----	----	----	---/36.10A	39.40B/36.10A				35.70	- 8.10	.1969		----	----	3	UNCH	
4525	54.40	54.40		#54.40/*53.90A	#54.40/*53.90A				50.30	NEW	.2406		3		3 +	3	
4575	----	----	----	219.90B/190.70A	219.90B/190.70A				204.30	+ 10.20	.7605		----	----	1	UNCH	
4600	----	----	----	201.10B/167.70A	201.10B/167.70A				185.80	+ 9.30	.7281		----	----	3	UNCH	
4600	----	----	----	---/44.90A	52.50B/44.90A				44.30	- 10.50	.2714		----	----	24	UNCH	
4650	----	----	----	---/59.40A	70.30B/59.40A				60.20	- 12.20	.3433		----	----	1	UNCH	
4675	----	----	----	154.60B/121.50A	154.60B/121.50A				136.30	+ 6.80	.6175		----	----	1	UNCH	
4725	----	----	----	125.00B/95.50A	125.00B/95.50A				108.60	+ 5.10	.5372		----	----	1	UNCH	
4725	----	----	----	---/88.10A	105.40B/88.10A				91.90	NEW	.4622		1		1 +	1	
4725	----	----	----	138.50B/115.10A	138.50B/115.10A				127.00	+ 5.30	.5347		----	----	1	UNCH	
4750	----	----	----	---/99.80A	119.30B/99.80A				104.70	- 15.40	.5028		1		1	UNCH	
4750	----	----	----	125.20B/103.70A	125.20B/103.70A				114.80	+ 4.70	.5006		----	----	1	UNCH	
4775	----	----	----	---/112.90A	134.40B/112.90A				118.50	- 16.10	.5430		----	----	2	UNCH	
4775	----	----	----	116.10B/92.50A	116.10B/92.50A				103.50	+ 4.10	.4668		----	----	1	UNCH	
4800	----	----	----	88.50B/65.50A	88.50B/65.50A				75.20	+ 3.00	.4173		----	----	3	UNCH	
4800	----	----	----	104.70B/84.90A	104.70B/84.90A				93.10	+ 3.50	.4336		----	----	3	UNCH	
4850	----	----	----	69.20B/50.40A	69.20B/50.40A				58.10	+ 2.00	.3436		----	----	1	UNCH	



GLOBEX OPEN			OPEN RANGE	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWR THU GOLD WEEKLY THURSDAY OPTION week3																	
MAY26																	
4475	1.10	1.10	264.70B/213.70A	264.70B/213.70A	264.70B/213.70A	264.70B/213.70A	264.70B/213.70A	264.70B/213.70A	264.70B/213.70A	238.80 + 14.90	.9249	----	----	13	----	1	UNCH
4475	0.50	0.50	1.10/*0.40A	1.10/*0.40A	1.10/*0.40A	1.10/*0.40A	1.10/*0.40A	1.10/*0.40A	1.10/*0.40A	0.40 - 1.10	.0006	----	----	26	----	30 +	24
4480	0.40	0.40	0.60/*0.40	0.60/*0.40	0.60/*0.40	0.60/*0.40	0.60/*0.40	0.60/*0.40	0.60/*0.40	0.40 - 1.20	.0006	----	----	18	----	25 +	14
4485	0.50	0.50	0.60/*0.40	0.60/*0.40	0.60/*0.40	0.60/*0.40	0.60/*0.40	0.60/*0.40	0.60/*0.40	0.40 - 1.30	.0006	----	----	2	----	16 +	14
4490	12.50	12.50	0.50/*0.40A	0.50/*0.40A	0.50/*0.40A	0.50/*0.40A	0.50/*0.40A	0.50/*0.40A	0.50/*0.40A	0.40 NEW	.0006	----	----	18	----	2 +	2
4495	1.20	1.20	----/*0.40A	----/*0.40A	----/*0.40A	----/*0.40A	----/*0.40A	----/*0.40A	----/*0.40A	0.40 - 1.50	.0007	----	----	4	----	1	UNCH
4500	1.60	1.60	12.80B/*9.20A	12.80B/*9.20A	12.80B/*9.20A	12.80B/*9.20A	12.80B/*9.20A	12.80B/*9.20A	12.80B/*9.20A	9.10 - 6.20	.0947	----	----	4	----	5 +	4
4510	0.70	0.70	1.20/*0.40	1.20/*0.40	1.20/*0.40	1.20/*0.40	1.20/*0.40	1.20/*0.40	1.20/*0.40	0.40 - 1.70	.0007	----	----	14	----	32 +	10
4515	0.50	0.50	1.60/*0.50	1.60/*0.50	1.60/*0.50	1.60/*0.50	1.60/*0.50	1.60/*0.50	1.60/*0.50	0.50 - 1.80	.0011	----	----	29	----	31 +	29
4520	0.90	0.90	0.70/*0.60A	0.70/*0.60A	0.70/*0.60A	0.70/*0.60A	0.70/*0.60A	0.70/*0.60A	0.70/*0.60A	0.50 - 2.00	.0011	----	----	1	----	2 +	1
4525	1.80	1.80	0.50/*0.50	0.50/*0.50	0.50/*0.50	0.50/*0.50	0.50/*0.50	0.50/*0.50	0.50/*0.50	0.50 - 2.20	.0011	----	----	1	----	10 +	1
4530	27.50	27.50	----/*11.60A	----/*11.60A	----/*11.60A	----/*11.60A	----/*11.60A	----/*11.60A	----/*11.60A	11.50 NEW	.1193	----	----	1	----	1 +	1
4535	2.50	2.50	0.90/*0.50	0.90/*0.50	0.90/*0.50	0.90/*0.50	0.90/*0.50	0.90/*0.50	0.90/*0.50	0.50 - 2.40	.0012	----	----	9	----	25 +	6
4540	1.00	1.00	----/*0.80A	----/*0.80A	----/*0.80A	----/*0.80A	----/*0.80A	----/*0.80A	----/*0.80A	0.60 - 2.70	.0017	----	----	1	----	15 +	1
4545	2.80	2.80	1.80/*0.80A	1.80/*0.80A	1.80/*0.80A	1.80/*0.80A	1.80/*0.80A	1.80/*0.80A	1.80/*0.80A	0.70 - 2.80	.0022	----	----	1	----	3 +	1
4550	2.90	2.90	----/*0.90A	----/*0.90A	----/*0.90A	----/*0.90A	----/*0.90A	----/*0.90A	----/*0.90A	0.70 - 3.10	.0023	----	----	1	----	2	UNCH
4555	27.50	27.50	----/14.70A	----/14.70A	----/14.70A	----/14.70A	----/14.70A	----/14.70A	----/14.70A	14.70 - 8.80	.1505	----	----	4	----	7	UNCH
4560	2.50	2.50	29.70B/24.10A	29.70B/24.10A	29.70B/24.10A	29.70B/24.10A	29.70B/24.10A	29.70B/24.10A	29.70B/24.10A	23.80 - 8.50	.1799	----	----	24	----	3 +	3
4565	1.00	1.00	3.00B/*0.90	3.00B/*0.90	3.00B/*0.90	3.00B/*0.90	3.00B/*0.90	3.00B/*0.90	3.00B/*0.90	0.70 - 3.40	.0024	----	----	2	----	29 +	9
4570	2.80	2.80	1.00/*1.00	3.40B/*1.00	3.40B/*1.00	3.40B/*1.00	3.40B/*1.00	3.40B/*1.00	3.40B/*1.00	0.80 - 3.60	.0031	----	----	2	----	4 +	2
4575	2.90	2.90	2.90/*1.00	3.70B/*1.00	3.70B/*1.00	3.70B/*1.00	3.70B/*1.00	3.70B/*1.00	3.70B/*1.00	0.90 - 3.80	.0038	----	----	63	----	120 +	60
4580	2.90	2.90	2.90/*1.20A	3.90B/*1.20A	3.90B/*1.20A	3.90B/*1.20A	3.90B/*1.20A	3.90B/*1.20A	3.90B/*1.20A	0.90 - 4.20	.0039	----	----	1	----	11 +	1
4585	2.90	2.90	----/*1.30A	4.30B/*1.30A	4.30B/*1.30A	4.30B/*1.30A	4.30B/*1.30A	4.30B/*1.30A	4.30B/*1.30A	1.00 - 4.50	.0048	----	----	1	----	5	UNCH
4590	2.90	2.90	----/18.80A	26.10B/18.80A	26.10B/18.80A	26.10B/18.80A	26.10B/18.80A	26.10B/18.80A	26.10B/18.80A	1.00 - 10.20	.1890	----	----	1	----	34	UNCH
4595	2.90	2.90	160.30B/106.30A	160.30B/106.30A	160.30B/106.30A	160.30B/106.30A	160.30B/106.30A	160.30B/106.30A	160.30B/106.30A	132.80 + 15.20	.9942	----	----	19	----	9	UNCH
4600	3.30	3.30	3.80/*1.40A	4.70B/*1.40A	4.70B/*1.40A	4.70B/*1.40A	4.70B/*1.40A	4.70B/*1.40A	4.70B/*1.40A	1.10 - 4.90	.0057	----	----	7	----	111 +	7
4605	4.20	4.20	----/*1.50A	5.00B/*1.50A	5.00B/*1.50A	5.00B/*1.50A	5.00B/*1.50A	5.00B/*1.50A	5.00B/*1.50A	1.20 - 5.20	.0067	----	----	17	----	10	UNCH
4610	5.40	5.40	4.20/*1.60A	5.50B/*1.60A	5.50B/*1.60A	5.50B/*1.60A	5.50B/*1.60A	5.50B/*1.60A	5.50B/*1.60A	1.40 - 5.60	.0087	----	----	17	----	9 +	8
4615	2.90	2.90	5.90B/*1.80	5.90B/*1.80	5.90B/*1.80	5.90B/*1.80	5.90B/*1.80	5.90B/*1.80	5.90B/*1.80	1.50 - 6.10	.0100	----	----	6	----	8 +	4
4620	2.90	2.90	2.90/*1.90A	6.40B/*1.90A	6.40B/*1.90A	6.40B/*1.90A	6.40B/*1.90A	6.40B/*1.90A	6.40B/*1.90A	1.70 NEW	.0123	----	----	4	----	3 +	3
4625	2.90	2.90	----/24.00A	32.90B/24.00A	32.90B/24.00A	32.90B/24.00A	32.90B/24.00A	32.90B/24.00A	32.90B/24.00A	24.20 - 11.60	.2347	----	----	4	----	1	UNCH
4630	6.60	6.60	155.30B/111.50A	155.30B/111.50A	155.30B/111.50A	155.30B/111.50A	155.30B/111.50A	155.30B/111.50A	155.30B/111.50A	130.90 + 8.40	.7650	----	----	7	----	150	UNCH
4635	5.40	5.40	136.60B/83.60A	136.60B/83.60A	136.60B/83.60A	136.60B/83.60A	136.60B/83.60A	136.60B/83.60A	136.60B/83.60A	108.60 + 13.00	.9850	----	----	7	----	13	UNCH
4640	4.90	4.90	7.00B/*2.00	7.00B/*2.00	7.00B/*2.00	7.00B/*2.00	7.00B/*2.00	7.00B/*2.00	7.00B/*2.00	1.90 - 7.00	.0149	----	----	202	----	238 +	37
4645	5.80	5.80	5.40/*2.30A	7.60B/*2.30A	7.60B/*2.30A	7.60B/*2.30A	7.60B/*2.30A	7.60B/*2.30A	7.60B/*2.30A	2.10 - 7.50	.0178	----	----	7	----	27 +	1
4650	6.70	6.70	4.90/*2.60A	8.30B/*2.60A	8.30B/*2.60A	8.30B/*2.60A	8.30B/*2.60A	8.30B/*2.60A	8.30B/*2.60A	2.30 - 8.20	.0210	----	----	12	----	8 +	7
4655	38.00	38.00	9.00B/*2.80A	9.00B/*2.80A	9.00B/*2.80A	9.00B/*2.80A	9.00B/*2.80A	9.00B/*2.80A	9.00B/*2.80A	2.60 - 8.70	.0258	----	----	12	----	13 +	11
4660	6.80	6.80	8.00/*3.10	9.80B/*3.10	9.80B/*3.10	9.80B/*3.10	9.80B/*3.10	9.80B/*3.10	9.80B/*3.10	2.90 - 9.40	.0310	----	----	74	----	50 +	44
4665	9.10	9.10	136.00B/94.90A	136.00B/94.90A	136.00B/94.90A	136.00B/94.90A	136.00B/94.90A	136.00B/94.90A	136.00B/94.90A	112.60 + 7.00	.7120	----	----	1	----	1	UNCH
4670	5.00	5.00	41.20B/30.50A	41.20B/30.50A	41.20B/30.50A	41.20B/30.50A	41.20B/30.50A	41.20B/30.50A	41.20B/30.50A	30.90 - 13.00	.2877	----	----	1	----	2 +	1
4675	5.00	5.00	113.60B/62.30A	113.60B/62.30A	113.60B/62.30A	113.60B/62.30A	113.60B/62.30A	113.60B/62.30A	113.60B/62.30A	85.00 + 10.00	.9619	----	----	1	----	11	UNCH
4680	11.00	11.00	10.70B/*3.40	10.70B/*3.40	10.70B/*3.40	10.70B/*3.40	10.70B/*3.40	10.70B/*3.40	10.70B/*3.40	3.30 - 10.00	.0380	----	----	43	----	64 +	8
4685	11.00	11.00	9.10/*3.70A	11.50B/*3.70A	11.50B/*3.70A	11.50B/*3.70A	11.50B/*3.70A	11.50B/*3.70A	11.50B/*3.70A	3.70 NEW	.0458	----	----	28	----	20 +	20
4690	11.00	11.00	6.90/*4.10A	12.60B/*4.10A	12.60B/*4.10A	12.60B/*4.10A	12.60B/*4.10A	12.60B/*4.10A	12.60B/*4.10A	4.20 - 11.50	.0557	----	----	9	----	18 +	4
4695	11.00	11.00	100.20B/51.00A	100.20B/51.00A	100.20B/51.00A	100.20B/51.00A	100.20B/51.00A	100.20B/51.00A	100.20B/51.00A	71.40 + 7.70	.9319	----	----	1	----	1	UNCH
4700	10.60	10.60	13.70B/*4.60A	13.70B/*4.60A	13.70B/*4.60A	13.70B/*4.60A	13.70B/*4.60A	13.70B/*4.60A	13.70B/*4.60A	4.80 -							

PG64

BULLETIN # 91@

METALS OPTION PRODUCTS

wed, May 13, 2026

PG64

	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU GOLD WEEKLY THURSDAY OPTION week2															
MAY26															
4865	2.00	2.00		2.80B/*0.40A	2.80B/*0.40A	----			0.50 NEW	.0015	----	----	3	----	1 + 1
4870	----	----	----	2.70B/*0.40A	2.70B/*0.40A	----	----	----	0.40 - 1.00	.0010	----	----	----	----	6 UNCH
4875	----	----	----	22.40B/12.20A	22.40B/12.20A	----	----	----	15.00 - 0.80	.1540	----	----	----	----	3 UNCH
4875	1.00	1.00	----	2.40B/*0.30A	2.40B/*0.30A	----	----	----	0.40 - 0.90	.0010	----	----	4	----	21 + 4
4875	----	----	----	----/163.00A	189.00B/163.00A	----	----	----	172.80 - 19.40	.7183	----	----	----	----	1 UNCH
4880	----	----	----	2.20B/*0.30A	2.20B/*0.30A	----	----	----	0.30 NEW	.0006	----	1	----	----	1 + 1
4895	----	----	----	1.60B/*0.20A	1.60B/*0.20A	----	----	----	0.20 NEW	.0003	----	1	----	----	1 + 1
4900	12.70	12.70	----	18.00B/*9.80A	18.00B/*9.80A	----	----	----	12.00 - 0.90	.1248	----	18	----	----	47 + 17
4900	----	----	----	231.80B/188.10A	231.80B/188.10A	----	----	----	205.20 - 20.80	.8750	----	----	----	----	1 UNCH
4900	----	----	----	43.30B/29.30A	43.30B/29.30A	----	----	----	34.00 + 0.10	.2472	----	----	----	----	3 UNCH
4900	0.20	0.20	----	1.40B/*0.20	1.40B/*0.20	----	----	----	0.20 - 0.70	.0003	----	4	----	----	11 + 4
4910	0.20	0.20	----	1.20B/*0.20	1.20B/*0.20	----	----	----	0.20 NEW	.0002	----	1	----	----	1 + 1
4915	----	----	----	1.00B/*0.20A	1.00B/*0.20A	----	----	----	0.10 - 0.70	.0000	----	----	----	----	15 UNCH
4920	0.20	0.20	----	0.90B/*0.20	0.90B/*0.20	----	----	----	0.10 - 0.60	.0000	----	2	----	----	3 + 2
4925	245.20	245.20	----	254.80B/209.40A	254.80B/209.40A	----	----	----	227.80 NEW	.8991	----	1	----	----	1 + 1
4925	----	----	----	14.40B/*7.90A	14.40B/*7.90A	----	----	----	9.60 - 0.90	.1006	----	----	----	----	19 UNCH
4925	1.00	1.00	----	1.00/*0.20A	1.00/*0.20A	----	----	----	0.10 - 0.60	.0000	----	1	----	----	15 + 1
4925	----	----	----	37.20B/25.10A	37.20B/25.10A	----	----	----	29.00 - 0.20	.2161	----	1	----	----	1 UNCH
4930	0.20	0.20	----	0.80B/*0.20	0.80B/*0.20	----	----	----	0.10 NEW	.0000	----	1	----	----	1 + 1
4935	0.10	0.10	----	0.80B/*0.10	0.80B/*0.10	----	----	----	0.10 NEW	.0000	----	1	----	----	1 + 1
4940	0.30	0.30	----	0.70B/*0.20A	0.70B/*0.20A	----	----	----	0.10 - 0.50	.0000	----	2	----	----	2 UNCH
4950	0.90	0.90	----	0.90/*0.20A	0.90/*0.20A	----	----	----	0.10 - 0.40	.0000	----	1	----	----	3 UNCH
4950	----	----	----	32.00B/21.50A	32.00B/21.50A	----	----	----	24.80 - 0.40	.1885	----	----	----	----	1 UNCH
4975	----	----	----	27.50B/18.40A	27.50B/18.40A	----	----	----	21.20 - 0.50	.1640	----	----	----	----	1 UNCH
4975	----	----	----	----/*0.20A	0.20B/*0.20A	----	----	----	0.10 - 0.20	----	----	----	----	----	6 UNCH
4980	----	----	----	----/*0.20A	0.10B/*0.20A	----	----	----	0.10 NEW	----	2	----	----	----	2 + 2
5000	6.30	6.30	----	7.40B/*4.40A	7.40B/*4.40A	----	----	----	5.20 - 0.70	.0539	----	2	----	----	21 UNCH
5000	----	----	----	----/*0.20A	----	----	----	----	0.10 - 0.10	----	----	----	----	----	219 UNCH
5000	----	----	----	23.50B/15.90A	23.50B/15.90A	----	----	----	18.20 - 0.60	.1426	----	1	----	----	2 + 1
5025	----	----	----	5.80B/*3.70A	5.80B/*3.70A	----	----	----	4.30 - 0.60	.0442	----	----	----	----	3 UNCH
5025	----	----	----	----/*0.20A	----	----	----	----	0.10 - 0.10	----	----	----	----	----	16 UNCH
5025	----	----	----	----/320.60A	338.40B/320.60A	----	----	----	318.40 - 20.00	1.0000	----	----	----	----	1 UNCH
5040	----	----	----	353.60B/335.60A	353.60B/335.60A	----	----	----	333.40 - 20.00	1.0000	----	----	----	----	1 UNCH
5050	4.40	4.40	----	4.70B/*3.10A	4.70B/*3.10A	----	----	----	3.60 - 0.50	.0365	----	1	----	----	7 UNCH
5050	----	----	----	----/*0.20A	----	----	----	----	0.10 UNCH	----	----	----	----	----	14 UNCH
5075	----	----	----	4.00B/*2.70A	4.00B/*2.70A	----	----	----	3.00 - 0.50	.0300	----	----	----	----	2 UNCH
5075	----	----	----	----/*0.20A	----	----	----	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5100	----	----	----	----/*2.30A	3.00B/*2.30A	----	----	----	2.60 - 0.40	.0255	----	----	----	----	3 UNCH
5100	----	----	----	----/*0.20A	----	----	----	----	0.10 UNCH	----	----	----	----	----	13 UNCH
5100	----	----	----	413.60B/395.70A	413.60B/395.70A	----	----	----	393.40 - 20.00	1.0000	----	----	----	----	1 UNCH
5115	----	----	----	----/*0.20A	----	----	----	----	0.10 UNCH	----	----	2	----	----	1 - 1
5125	----	----	----	----/*2.00A	2.50B/*2.00A	----	----	----	2.20 - 0.40	.0212	----	----	----	----	1 UNCH
5150	----	----	----	9.50B/*7.10A	9.50B/*7.10A	----	----	----	7.80 - 0.50	.0629	----	----	----	----	1 UNCH
5150	----	----	----	----/*1.80A	2.20B/*1.80A	----	----	----	1.90 - 0.40	.0180	----	----	----	----	4 UNCH
5150	----	----	----	----/*0.20A	----	----	----	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5175	----	----	----	----/470.90A	488.40B/470.90A	----	----	----	468.40 - 20.00	1.0000	----	----	----	----	1 UNCH
5200	1.30	1.30	----	1.30/*1.30	1.60B/*1.30	----	----	----	1.50 NEW	.0135	----	1	----	----	1 + 1
5200	----	----	----	----/*0.20A	----	----	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5250	----	----	----	----/*1.30A	1.20B/*1.30A	----	----	----	1.20 - 0.20	.0104	----	----	----	----	1 UNCH
5300	----	----	----	----/*1.00A	0.90B/*1.00A	----	----	----	1.00 - 0.20	.0082	----	----	----	----	3 UNCH
5300	----	----	----	----/*3.90A	4.20B/*3.90A	----	----	----	4.00 - 0.30	.0311	----	----	----	----	1 UNCH
5400	----	----	----	----/*0.80A	0.60B/*0.80A	----	----	----	0.80 - 0.10	.0059	----	----	----	----	40 UNCH
5500	----	----	----	----/*0.20A	----	----	----	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5750	----	----	----	----	1.00B/1.40A	----	----	----	1.10 - 0.10	.0071	----	----	----	----	1 UNCH
TOTAL													2561	40	5418 + 1299
JUN26 GOLD WEEKLY MONDAY OPTION WEEK3															
MAY26															
4375	----	----	----	----/*13.80A	15.30B/*13.80A	----	----	----	13.40 NEW	.0893	----	----	1	----	1 + 1
4400	15.60	15.60	----	15.60/*15.60	17.90B/*15.60	----	----	----	15.40 NEW	.1020	----	----	1	----	1 + 1
4475	----	----	----	----/*24.30A	28.10B/*24.30A	----	----	----	23.90 NEW	.1524	----	----	2	----	2 + 2
4550	----	----	----	----/38.30A	44.10B/38.30A	----	----	----	37.40 NEW	.2238	----	----	1	----	1 + 1
4625	----	----	----	193.60B/157.70A	193.60B/157.70A	----	----	----	174.50 + 8.00	.6822	----	----	----	----	9 UNCH
4900	----	----	----	59.90B/44.20A	59.90B/44.20A	----	----	----	50.50 + 1.70	.2923	----	----	----	----	3 UNCH
5025	----	----	----	32.50B/23.90A	32.50B/23.90A	----	----	----	26.90 NEW	.1718	----	1	----	----	1 + 1
5125	----	----	----	19.90B/*14.80A	19.90B/*14.80A	----	----	----	16.50 NEW	.1102	----	1	----	----	1 + 1
5400	5.50	5.50	----	5.60B/*5.50	5.60B/*5.30A	----	----	----	5.20 NEW	.0354	----	1	----	----	1 + 1
TOTAL													8		20 + 8

	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK3														
MAY26															
4000	----	----	----	----	----	----	----	----	0.20 - 0.30	.0010	----	----	----	----	10 UNCH
4100	----	----	----	----/*0.60A	0.20B/*0.60A	----	----	----	0.30 - 0.40	.0018	----	----	3	----	4 UNCH
4175	----	----	----	----/*0.70A	0.40B/*0.70A	----	----	----	0.40 - 0.40	.0027	----	----	----	----	2 UNCH
4200	----	----	----	----/*0.70A	0.50B/*0.70A	----	----	----	0.50 - 0.40	.0035	----	----	----	----	8 UNCH
4250	----	----	----	----/*0.80A	0.60B/*0.80A	----	----	----	0.60 - 0.50	.0046	----	----	----	----	5 UNCH
4290	----	----	----	----/*0.90A	0.80B/*0.90A	----	----	----	0.70 - 0.60	.0058	----	----	----	----	2 UNCH
4300	----	----	----	----/*0.90A	0.90B/*0.90A	----	----	----	0.80 - 0.60	.0067	----	----	----	----	76 UNCH
4325	----	----	----	----/*1.00A	1.00B/*1.00A	----	----	----	0.90 - 0.70	.0080	----	----	----	----	5 UNCH
4350	----	----	----	----/*1.10A	1.30B/*1.10A	----	----	----	1.00 - 0.90	.0094	----	----	----	----	22 UNCH
4375	----	----	----	----/*1.30A	1.60B/*1.30A	----	----	----	1.10 - 1.20	.0109	----	----	----	----	4 UNCH
4395	1.70	1.70		#1.70/*1.40A	1.80B/*1.40A				1.30 NEW	.0134			1		1 + 1
4400	1.50	1.50		1.50/*1.40A	1.90B/*1.40A				1.30 - 1.50	.0136			1		28 UNCH
4425	----	----	----	----/*1.60A	2.40B/*1.60A	----	----	----	1.50 - 1.90	.0167	----	----	----	----	7 UNCH
4450	2.40	2.40		2.40/*2.00A	3.20B/*2.00A				1.90 - 2.40	.0221			1		17 + 1
4475	----	----	----	----/*2.50A	4.20B/*2.50A	----	----	----	2.30 - 3.20	.0284	----	----	----	----	6 UNCH
4500	4.40	4.40		4.60/*3.20A	5.50B/*3.20A				3.00 - 4.10	.0387			6		62 + 3
4500	----	----	----	236.30B/183.10A	236.30B/183.10A				209.60 + 15.90	.9612			----	----	1 UNCH
4510	----	----	----	----/*3.60A	6.20B/*3.60A	----	----	----	3.40 - 4.50	.0444	----	----	----	----	6 UNCH
4520	4.20	4.20		#4.20/*4.00A	6.90B/*4.00A				3.80 NEW	.0504			1		1 + 1
4525	6.00	6.00		6.00/*4.20A	7.30B/*4.20A				4.00 - 5.20	.0535			5		7 + 3
4535	----	----	----	----/*4.70A	8.20B/*4.70A	----	----	----	4.50 NEW	.0611	----	----	1		1 + 1
4540	----	----	----	----/*5.00A	8.70B/*5.00A	----	----	----	4.80 - 6.10	.0655	----	----	----	----	3 UNCH
4550	8.00	8.00		8.00/*5.70A	9.80B/*5.70A				5.50 - 6.60	.0756			5		42 + 1
4555	----	----	----	----/*6.00A	10.40B/*6.00A	----	----	----	5.90 - 6.90	.0813	----	----	1		4 + 1
4560	----	----	----	----/*6.40A	11.10B/*6.40A	----	----	----	6.30 NEW	.0871	----	----	4		1 UNCH
4570	11.30	11.30		#11.30/*7.20A	12.50B/*7.20A				7.20 NEW	.1001			1		4 + 1
4575	11.00	11.00		11.00/*7.70A	13.20B/*7.70A				7.70 - 8.30	.1072	----	----	3		13 - 3
4580	----	----	----	----/*8.20A	13.90B/*8.20A	----	----	----	8.20 - 8.70	.1145	----	----	----	----	1 UNCH
4585	----	----	----	----/*8.70A	14.80B/*8.70A	----	----	----	8.80 - 9.10	.1229	----	----	1		1 UNCH
4590	10.30	10.30		#10.30/*9.30A	15.70B/*9.30A				9.50 NEW	.1322	----	----	5		5 + 5
4600	----	----	----	144.30B/96.00A	144.30B/96.00A	----	----	----	117.50 + 9.70	.8484	----	----	----	----	50 UNCH
4600	15.40	15.40		15.40/*10.60A	17.80B/*10.60A				10.90 - 10.20	.1514	----	----	3		47 + 3
4610	18.50	18.50		#18.50/*12.20A	20.30B/*12.20A				12.50 NEW	.1729	----	----	1		1 + 1
4625	----	----	----	123.30B/77.90A	123.30B/77.90A	----	----	----	97.10 + 7.70	.7897	----	----	----	----	1 UNCH
4625	18.30	18.30		24.50B/*14.90A	24.50B/*14.90A				15.40 - 12.30	.2101	----	----	11		24 + 4
4630	----	----	----	----/*16.00A	26.00B/16.00A	----	----	----	16.50 - 12.80	.2237	----	----	----	----	2 UNCH
4635	19.50	19.50		#19.50/*17.00A	27.60B/17.00A				17.70 NEW	.2382	----	----	20		20 + 20
4640	23.70	23.70		#29.30B/*18.20A	29.30B/18.20A				18.90 NEW	.2528	----	----	1		1 + 1
4645	23.90	23.90		#31.20B/*19.40A	31.20B/19.40A				20.30 NEW	.2687	----	----	4		4 + 4
4650	----	----	----	103.40B/61.40A	103.40B/61.40A	----	----	----	78.30 + 5.50	.7151	----	----	----	----	2 UNCH
4650	25.70	25.70		33.10B/20.70A	33.10B/20.70A				21.70 - 14.40	.2847	----	----	2		91 + 2
4670	----	----	----	----/*26.60A	41.70B/26.60A	----	----	----	28.20 - 16.10	.3541	----	----	----	----	1 UNCH
4675	----	----	----	85.30B/47.50A	85.30B/47.50A	----	----	----	61.70 + 3.50	.6274	----	----	----	----	1 UNCH
4675	33.10	33.10		44.10B/28.30A	44.10B/28.30A				30.00 - 16.50	.3724	----	----	1		6 + 1
4690	----	----	----	----/*34.00A	51.90B/34.00A	----	----	----	36.20 NEW	.4299	----	----	1		1 + 1
4700	----	----	----	----/*38.10A	57.50B/38.10A	----	----	----	40.70 - 18.30	.4691	----	----	2		13 UNCH
4700	38.30	38.30		68.90B/36.10A	68.90B/36.10A				47.40 + 1.70	.5307	----	----	22		85 + 20
4720	48.30	48.30		#58.00B/*28.30A	58.00B/28.30A				37.80 NEW	.4517	----	----	12		12 + 12
4725	36.30	36.30		55.30B/26.70A	55.30B/26.70A				35.60 + 0.30	.4322	----	----	3		9 - 3
4725	54.80	54.80		54.80/50.40A	73.40B/50.40A				53.90 - 19.70	.5675	----	----	4		5 - 1
4735	48.00	48.00		#50.00B/*23.50A	50.00B/*23.50A				31.50 - 0.20	.3939	----	----	2		2 UNCH
4740	30.20	30.20		#47.70B/*22.10A	47.70B/*22.10A				29.60 NEW	.3752	----	----	1		1 + 1
4750	79.10	79.10		91.30B/63.10A	91.30B/63.10A				69.40 - 20.70	.6608	----	----	1		4 UNCH
4750	21.70	21.70		43.10B/19.50A	43.10B/19.50A				26.10 - 0.70	.3389	----	----	1		50 UNCH
4770	----	----	----	#34.70B/*15.00A	34.70B/*15.00A				20.20 - 1.20	.2726	----	----	----	----	4 UNCH
4775	15.50	15.50		32.80B/*14.10A	32.80B/*14.10A				18.90 - 1.30	.2572	----	----	10		23 + 10
4775	----	----	----	110.80B/78.40A	110.80B/78.40A	----	----	----	87.10 - 21.30	.7425	----	----	----	----	1 UNCH
4780	105.90	105.90		#115.10B/*81.50A	115.10B/81.50A				90.90 NEW	.7572	----	----	5		4 + 4
4780	----	----	----	#31.00B/*13.10A	31.00B/*13.10A				17.70 - 1.30	.2426	----	----	----	----	3 UNCH
4785	----	----	----	#29.30B/*12.30A	29.30B/*12.30A				16.50 - 1.50	.2281	----	----	1		3 UNCH
4795	11.20	11.20		#26.10B/*10.70A	26.10B/*10.70A				14.40 - 1.60	.2016	----	----	11		11 + 10
4800	----	----	----	132.10B/95.00A	132.10B/95.00A	----	----	----	106.70 - 21.60	.8102	----	----	----	----	2 UNCH
4800	----	----	----	24.60B/*10.00A	24.60B/*10.00A	----	----	----	13.50 - 1.50	.1896	----	----	8		31 -

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON GOLD WEEKLY MONDAY OPTION WEEK3															
MAY26															
4805	18.50	18.50		#23.30B/*9.40A	23.30B/*9.40A	----			12.60 NEW	.1778	----	----	1	----	1 +
4810	----	----		#22.00B/*8.70A	22.00B/*8.70A	----			11.70 - 1.60	.1661	----	----	----	----	3 UNCH
4820	15.80	15.80		#19.40B/*7.70A	19.40B/*7.70A	----			10.20 NEW	.1456	----	----	1	----	1 +
4820	----	----		#149.80B/*109.6	149.80B/109.60A	----			123.50 NEW	.8542	----	----	1	----	1 +
4825	10.30	10.30		18.30B/*7.20A	18.30B/*7.20A	----			9.60 - 1.60	.1369	----	----	9	----	21 +
4825	----	----		154.30B/113.30A	154.30B/113.30A	----			127.80 - 21.60	.8629	----	----	----	----	1 UNCH
4830	----	----		#158.70B/*117.2	158.70B/117.20A	----			132.20 - 21.50	.8724	----	----	1	----	3 +
4840	----	----		#168.10B/*125.1	168.10B/125.10A	----			141.00 - 21.50	.8882	----	----	----	----	1 UNCH
4850	6.20	6.20		13.50B/*5.10A	13.50B/*5.10A	----			6.80 - 1.50	.0972	----	----	1	----	28 +
4850	----	----		177.30B/133.20A	177.30B/133.20A	----			150.00 - 21.50	.9026	----	----	----	----	1 UNCH
4855	----	----		182.00B/137.30A	182.00B/137.30A	----			154.60 - 21.40	.9096	----	----	----	----	1 UNCH
4855	----	----		12.50B/*4.80A	12.50B/*4.80A	----			6.30 - 1.50	.0902	----	----	----	----	10 UNCH
4875	----	----		200.90B/154.20A	200.90B/154.20A	----			173.10 - 21.30	.9317	----	----	1	----	1 UNCH
4875	10.00	10.00		10.00/*3.70A	10.00/*3.70A	----			4.80 - 1.30	.0681	----	----	----	----	13 +
4900	2.90	2.90		7.10B/*2.80A	7.10B/*2.80A	----			3.50 - 1.10	.0485	----	----	2	----	25 +
4900	----	----		224.90B/176.20A	224.90B/176.20A	----			196.70 - 21.10	.9513	----	----	1	----	1 UNCH
4925	----	----		5.20B/*2.20A	5.20B/*2.20A	----			2.60 - 0.90	.0349	----	----	1	----	16 UNCH
4950	3.20	3.20		3.80B/*1.70A	3.80B/*1.70A	----			2.00 - 0.60	.0258	----	----	3	----	15 UNCH
4975	----	----		2.80B/*1.40A	2.80B/*1.40A	----			1.50 - 0.50	.0186	----	----	----	----	1 UNCH
5000	2.40	2.40		2.40/*1.20A	2.40/*1.20A	----			1.20 - 0.40	.0142	----	----	2	----	29 +
5010	0.80	0.80		#1.80B/*0.80	1.80B/*0.80	----			1.10 NEW	.0128	----	----	1	----	1 +
5025	----	----		-----/294.70A	331.60B/294.70A	----			319.20 - 20.30	.9886	----	----	----	----	1 UNCH
5025	----	----		1.40B/*1.00A	1.40B/*1.00A	----			1.00 - 0.30	.0113	----	----	----	----	3 UNCH
5050	----	----		-----/*0.90A	1.00B/*0.90A	----			0.90 - 0.20	.0096	----	----	----	----	9 UNCH
5070	----	----		-----/*0.80A	0.90B/*0.80A	----			0.80 - 0.10	.0082	----	----	----	----	2 UNCH
5075	----	----		-----/*0.70A	0.80B/*0.70A	----			0.80 - 0.10	.0081	----	----	----	----	5 UNCH
5100	----	----		-----/*0.70A	0.60B/*0.70A	----			0.70 - 0.10	.0068	----	----	----	----	16 UNCH
5100	----	----		----	323.00B/476.10A	----			393.80 - 20.10	.9932	----	----	----	----	3 UNCH
5125	----	----		-----/*0.60A	0.50B/*0.60A	----			0.60 - 0.10	.0056	----	----	----	----	3 UNCH
5150	----	----		----	0.40B/*0.60A	----			0.60 UNCH	.0053	----	----	----	----	5 UNCH
5175	----	----		----	0.30B/*0.50A	----			0.50 UNCH	.0042	----	----	----	----	26 UNCH
5200	----	----		----	425.00B/573.40A	----			493.70 - 19.90	.9959	----	----	----	----	1 UNCH
5200	----	----		----	0.20B/*0.50A	----			0.50 UNCH	.0040	----	----	----	----	4 UNCH
5225	----	----		----	0.20B/*0.50A	----			0.40 UNCH	.0031	----	----	----	----	6 UNCH
5300	----	----		----	-----/0.60A	----			0.20 UNCH	.0014	----	----	----	----	1 UNCH
5500	----	----		----	-----/*0.60A	----			0.10 UNCH	.0001	----	----	----	----	1 UNCH
TOTAL													192		1121 +
JUN26															
3500	----	----		----	0.30B/1.60A	----			0.70 - 0.30	.0032	----	----	----	----	40 UNCH
3750	----	----		----	1.10B/*1.50A	----			1.10 - 0.40	.0059	----	----	----	----	4 UNCH
3800	----	----		----	1.20B/*1.70A	----			1.20 - 0.40	.0067	----	----	----	----	1 UNCH
3900	----	----		----	1.60B/*2.10A	----			1.50 - 0.50	.0089	----	----	----	----	2 UNCH
4000	----	----		-----/*2.50A	2.20B/*2.50A	----			1.90 - 0.80	.0122	----	----	----	----	7 UNCH
4100	----	----		-----/*3.20A	3.00B/*3.20A	----			2.70 - 1.00	.0183	----	----	1	----	15 UNCH
4150	----	----		-----/*3.80A	3.70B/*3.80A	----			3.30 - 1.20	.0229	----	----	----	----	2 UNCH
4175	----	----		-----/*4.10A	4.10B/*4.10A	----			3.70 - 1.30	.0259	----	----	----	----	1 UNCH
4200	----	----		-----/*4.40A	4.70B/*4.40A	----			4.20 - 1.30	.0295	----	----	----	----	18 UNCH
4225	----	----		-----/*4.90A	5.30B/*4.90A	----			4.60 - 1.60	.0329	----	----	----	----	1 UNCH
4250	6.20	6.20		6.20/*5.30	6.20/*5.30	----			5.10 - 1.90	.0369	----	----	2	----	2 UNCH
4250	13.60	13.60		#13.60/*13.60	14.10B/*13.60	----			13.10 NEW	.0729	----	----	1	----	1 +
4275	----	----		-----/*6.00A	6.80B/*6.00A	----			5.70 - 2.20	.0416	----	----	----	----	12 UNCH
4300	----	----		-----/*11.90A	12.40B/*11.90A	----			447.50 + 17.30	.9524	----	----	----	----	1 UNCH
4300	7.00	7.00		7.00/*6.70A	7.80B/*6.70A	----			12.00 - 2.60	.0737	----	----	3	----	4 -
4325	----	----		-----/*7.50A	8.90B/*7.50A	----			6.40 - 2.50	.0472	----	----	1	----	26 +
4350	8.70	8.70		8.70/*8.60A	10.20B/*8.60A	----			7.40 - 2.70	.0546	----	----	----	----	16 UNCH
4350	----	----		-----/*15.50A	15.90B/*15.50A	----			8.40 - 3.20	.0623	----	----	1	----	18 UNCH
4350	----	----		-----/*21.80A	22.50B/*21.80A	----			15.20 - 3.20	.0930	----	----	----	----	3 UNCH
4375	----	----		-----/*9.80A	11.70B/*9.80A	----			20.40 NEW	.1118	----	----	1	----	1 +
4400	----	----		-----/*11.40A	13.60B/*11.40A	----			9.70 - 3.70	.0720	----	----	----	----	3 UNCH
4400	----	----		-----/*20.40A	21.20B/*20.40A	----			11.20 - 4.30	.0830	----	----	5	----	5 +
4400	28.00	28.00		#29.30B/*27.70A	29.30B/*27.70A	----			19.80 NEW	.1190	----	----	6	----	6 +
4425	----	----		-----/*13.30A	15.90B/*13.30A	----			26.20 NEW	.1400	----	----	----	----	1 UNCH
4425	----	----		-----/22.80A	24.50B/22.80A	----			13.00 - 5.00	.0960	----	----	----	----	8 UNCH
4450	15.30	15.30		15.30/*15.30	18.70B/*15.30	----			22.60 - 4.60	.1343	----	----	2	----	7 UNCH
4475	----	----		-----/*18.30A	22.10B/*18.30A	----			15.30 - 5.60	.1117	----	----	----	----	3 -
4500	----	----		-----/*21.60A	26.10B/*21.60A	----			17.90 - 6.50	.1294	----	----	2	----	2 UNCH
4500	----	----		278.50B/247.50A	278.50B/247.50A	----			21.20 - 7.20	.1505	----	----	----	----	5 UNCH
4500	----	----		-----/34.20A	37.00B/34.20A	----			262.50 + 12.50	.8490	----	----	6	----	1 UNCH
4525	----	----		256.80B/226.20A	256.80B/226.20A	----			33.70 - 7.20	.1915	----	----	----	----	6 +
4525	----	----		-----/39.50A	42.50B/39.50A	----			241.40 + 11.70	.8250	----	----	----	----	1 UNCH
4525	----	----		-----/25.60A	30.80B/25.60A	----			38.60 - 8.20	.2149	----	----	----	----	1 UNCH
4550	----	----		-----/30.30A	36.30B/30.30A	----			25.10 - 8.10	.1745	----	----	----	----	2 UNCH
4550	----	----		-----/45.00A	48.70B/45.00A	----			29.70 - 8.90	.2015	----	----	----	----	9 UNCH
4575	----	----		-----/35.60A	42.70B/35.60A	----			44.20 - 9.10	.2404	----	----	2	----	1 UNCH
4600	42.70	42.70		42.80/41.90A	50.00B/41.90A	----			35.20 - 9.60	.2318	----	----	----	----	7 UNCH
4600	----	----		197.70B/164.50A	197.70B/164.50A	----			41.50 - 10.40	.2648	----	----	2	----	7 +
4600	81.30	81.30		#81.30											



PG64 BULLETIN # 91@			METALS OPTION PRODUCTS										Wed, May 13, 2026		PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GMW MON JUN26		GOLD WEEKLY MONDAY OPTION WEEK1														
5325	----	----	5.40B/*4.70A	5.40B/*4.70A	----	----	5.00 - 0.10	.0368	----	----	----	----	----	2	UNCH	
5350	----	----	4.90B/*4.40A	4.90B/*4.40A	----	----	4.50 - 0.10	.0330	----	----	----	----	----	6	UNCH	
5400	----	----	4.00B/*3.70A	4.00B/*3.70A	----	----	3.80 - 0.10	.0275	----	----	----	----	----	9	UNCH	
5500	----	----	----	2.80B/*2.80A	----	----	2.80	UNCH	.0196	----	----	----	----	2	UNCH	
5600	----	----	----	2.00B/*2.30A	----	----	2.10	UNCH	.0142	----	----	----	----	1	UNCH	
5700	----	----	----	1.50B/*1.90A	----	----	1.70	UNCH	.0111	----	----	----	----	10	UNCH	
5750	----	----	----	1.30B/*1.80A	----	----	1.50	UNCH	.0096	----	----	----	----	12	UNCH	
6000	----	----	----	0.70B/1.40A	----	----	1.00 - 0.10	.0058	----	----	----	----	----	11	UNCH	
TOTAL												113		828 +	70	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
FMG OPT MAY26		MICRO GOLD WEEKLY FRI OPTION WEEK3														
4600	----	----	----	----	----	----	5.60 - 9.00	.0765	----	----	----	----	----	1	UNCH	
4715	30.00	30.00	#30.00/*30.00	#30.00/*30.00	----	----	29.80 NEW	.4551	----	----	----	2	----	2 +	2	
4730	----	----	----	----	----	----	23.50 - 1.70	.3711	----	----	----	----	----	1	UNCH	
4750	----	----	----	----	----	----	16.90 - 2.20	.2710	----	----	----	----	----	1	UNCH	
TOTAL												2		5 +	2	
SILVER OPTIONS ON FUTURES																
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
RWS THU MAY26		SILVER WEEKLY THURSDAY OPTION week2														
6900	----	----	----	----	-----/0.265A	----	0.001	UNCH	----	----	----	----	----	2	UNCH	
7100	----	----	----	0.001B/*0.163A	----	----	0.033 - 0.070	.0071	----	----	----	----	----	1	UNCH	
7200	----	----	----	----	-----/0.008A	----	0.002 - 0.003	.0000	----	----	----	----	----	2	UNCH	
7200	----	----	----	0.002B/*0.171A	----	----	0.045 - 0.089	.0099	----	----	----	----	----	1	UNCH	
7300	0.350	0.350	0.350/*0.336A	0.350/*0.336A	----	----	0.222 - 0.198	.0413	----	----	----	1	----	0 -	1	
7450	----	----	----	----	-----/0.185A	----	0.008 - 0.011	.0001	----	----	----	----	----	2	UNCH	
7550	----	----	----	----	-----/0.166A	----	0.014 - 0.019	.0002	----	----	----	----	----	4	UNCH	
7650	----	----	----	----	----	----	12.892 + 3.743	.9993	----	----	----	----	----	1	UNCH	
7800	0.070	0.070	0.070/*0.030	0.070/*0.030	----	----	0.044 NEW	.0019	----	----	----	10	----	10 +	10	
7850	----	----	----	----	----	----	10.914 + 3.700	.9978	----	----	----	----	----	2	UNCH	
7950	----	----	----	0.001B/*0.132A	0.001B/*0.132A	----	0.049 - 0.124	.0027	----	----	----	----	----	2	UNCH	
8000	----	----	----	-----/0.132A	0.001B/*0.132A	----	9.419 + 3.622	.9969	----	----	----	----	----	5	UNCH	
8000	0.020	0.020	0.020/*0.020	0.020/*0.020	----	----	0.051 NEW	.0031	----	----	----	1	----	1 +	1	
8000	0.470	0.470	0.470/*0.470	0.528B/*0.470	----	----	0.434 NEW	.0935	----	----	----	1	----	1 +	1	
8100	----	----	#7.634B/----	#7.634B/9.071A	----	----	9.413 + 2.871	.8268	----	----	----	----	----	1	UNCH	
8100	0.100	0.100	0.100/*0.100	0.100/*0.100	----	----	0.056 - 0.241	.0041	----	----	----	1	----	14	UNCH	
8120	----	----	-----/0.118A	0.001B/*0.118A	----	----	0.057 - 0.263	.0043	----	----	----	----	----	4	UNCH	
8150	----	----	-----/0.118A	0.003B/*0.118A	----	----	0.060 - 0.298	.0049	----	----	----	----	----	1	UNCH	
8150	----	----	----	#5.351B/7.835A	----	----	8.490 + 2.927	.8684	----	----	----	----	----	1	UNCH	
8200	----	----	-----/0.121A	0.048B/*0.121A	----	----	0.065 - 0.367	.0059	----	----	----	----	----	6	UNCH	
8200	----	----	----	----	----	----	7.433 + 3.410	.9940	----	----	----	----	----	12	UNCH	
8200	----	----	#7.717B/----	#7.717B/8.383A	----	----	8.626 + 2.734	.7981	----	----	----	----	----	1	UNCH	
8250	----	----	#5.646B/----	#5.646B/7.046A	----	----	7.657 + 2.764	.8375	----	----	----	----	----	1	UNCH	
8300	----	----	-----/1.702A	2.141B/*1.702A	----	----	1.516 - 1.184	.2335	----	----	----	----	----	1	UNCH	
8300	----	----	----	----	----	----	6.448 + 3.224	.9905	----	----	----	----	----	9	UNCH	
8300	----	----	-----/0.100A	0.153B/*0.100A	0.153B/*0.100A	----	0.080 - 0.553	.0094	----	----	----	----	----	1	UNCH	
8350	----	----	-----/0.161A	0.213B/*0.161A	0.213B/*0.161A	----	0.091 NEW	.0123	----	----	----	2	----	2 +	2	
8400	----	----	----	1.538B/4.762A	1.538B/4.762A	----	5.474 + 2.965	.9834	----	----	----	----	----	10	UNCH	
8400	0.100	0.100	0.100/*0.100	0.350B/*0.100	0.350B/*0.100	----	0.106 - 0.812	.0165	----	----	----	1	----	4 -	1	
8400	----	----	-----/1.995A	2.571B/*1.995A	2.571B/*1.995A	----	1.806 NEW	.2679	----	----	----	2	----	2 +	2	
8450	----	----	-----/0.210A	0.469B/*0.210A	0.469B/*0.210A	----	0.126 NEW	.0227	----	----	----	2	----	2 +	2	
8470	----	----	-----/0.220A	0.533B/*0.220A	0.533B/*0.220A	----	0.136 - 1.042	.0260	----	----	----	----	----	1	UNCH	
8500	----	----	-----/2.334A	3.043B/*2.334A	3.043B/*2.334A	----	2.141 - 1.487	.3047	----	----	----	----	----	1	UNCH	
8500	0.166	0.166	0.166/*0.166	0.630B/*0.166	0.630B/*0.166	----	0.153 NEW	.0320	----	----	----	3	----	1 +	1	
8550	----	----	-----/0.280A	0.834B/*0.280A	0.834B/*0.280A	----	0.190 NEW	.0459	----	----	----	3	----	2 +	2	
8600	0.300	0.300	0.300/*0.260A	1.087B/*0.260A	1.087B/*0.260A	----	0.240 NEW	.0663	----	----	----	6	----	4 +	4	
8650	----	----	1.710B/----	1.710B/1.777A	1.710B/1.777A	----	3.181 + 2.000	.9025	----	----	----	----	----	2	UNCH	
8650	----	----	-----/0.383A	1.297B/*0.383A	1.297B/*0.383A	----	0.313 - 1.777	.0974	----	----	----	2	----	2 +	1	
8700	0.480	0.480	0.640/*0.480	1.605B/*0.480	1.605B/*0.480	----	0.412 NEW	.1410	----	----	----	10	----	10 +	10	
8750	1.100	1.100	1.826B/1.100	1.826B/1.100	1.826B/1.100	----	2.409 + 1.576	.8018	----	----	----	8	----	9 +	8	
8750	0.550	0.550	0.550/*0.550	1.887B/*0.550	1.887B/*0.550	----	0.541 NEW	.1981	----	----	----	5	----	5 +	5	
8800	----	----	-----/3.593A	4.704B/*3.593A	4.704B/*3.593A	----	3.427 NEW	.4230	----	----	----	1	----	1 +	1	
8800	1.250	1.250	#2.160/1.250	#2.160/1.101A	#2.160/1.101A	----	2.073 + 1.379	.7319	----	----	----	2	----	2	UNCH	
8800	1.334	1.334	#1.341/*0.550	2.120B/*0.550	2.120B/*0.550	----	0.705 NEW	.2680	----	----	----	15	----	15 +	15	
8830	----	----	1.566B/----	1.566B/1.029A	1.566B/1.029A	----	1.889 + 1.269	.6849	----	----	----	----	----	0	UNCH	
8840	----	----	1.514B/----	1.514B/1.001A	1.514B/1.001A	----	1.830 + 1.233	.6688	----	----	----	----	----	10	UNCH	
8900	1.922	1.922	1.922/*0.950A	2.344B/*0.950A	2.344B/*0.950A	----	1.139 NEW	.4321	----	----	----	10	----	10 +	10	
8900	----	----	#4.295B/----	#4.295B/3.493A	#4.295B/3.493A	----	4.315 + 1.693	.5369	----	----	----	----	----	1	UNCH	
8900	1.000	1.000	#1.850/0.860	#1.850/0.799A	#1.850/0.799A	----	1.507 + 1.034	.5678	----	----	----	11	----	22	UNCH	
8950	0.900	0.900	#1.326B/0.900	#1.326B/0.707A	#1.326B/0.707A	----	1.276 NEW	.4831	----	----	----	10	----	10 +	10	
9000	----	----	#4.088B/----	#4.088B/3.154A	#4.088B/3.154A	----	3.881 + 1.559	.4978	----	----	----	----	----	4	UNCH	
9000	1.800	1.800	1.800/*1.567A	2.449B/*1.567A	2.449B/*1.567A	----	1.709 NEW	.5974	----	----	----	1	----	1 +	1	
9000	0.525	0.525	#1.144B/0.525	#1.144B/0.525	#1.144B/0.525	----	1.077 + 0.761	.4025	----	----	----	39	----	10 +	6	
9250	----	----	0.277B/----	0.277B/0.301A	0.277B/0.301A	----	0.438 NEW	.1250	----	----	----	2	----	2 +	2	
9310	0.317	0.317	#0.317/*0.254A	#0.317/0.254A	#0.317/0.254A	----	0.348 NEW	.0894	----	----	----	1	----	1 +	1	
9350	----	----	#0.143B/----	0.143B/0.226A	0.143B/0.226A	----	0.297 NEW	.0706	----	----	----	2	----	2 +	2	
9500	0.125	0.125	0.130B/0.125	0.130B/0.125	0.130B/0.125	----	0.160 + 0.106	.0271	----	----	----	1	----	1	UNCH	
9600	0.048	0.048	0.048/*0.048	0.048/*0.048	0.048/*0.048	----	0.106 NEW	.0138	----	----	----	1	----	1 +	1	
9700	----	----	0.030B/----	0.030B/*0.062A	0.030B/*0.062A	----	0.069 + 0.041	.0067	----	----	----	----	----	1	UNCH	
9800	----	----	----	0.001B/0.119A	0.001B/0.119A	----	0.046 + 0.025	.0033	----	----	----	----	----	1	UNCH	
10000	----	----	#1.295B/----	#1.295B/1.147A	#1.295B/1.147A	----	1.320 + 0.611	.2036	----	----	----	----	----	1	UNCH	
TOTAL												154	0	239 +	96	
JUN26																
7700	----	----	----	----	-----/31.817A	----	13.238 + 3.212	.8732	----	----	----	----	----	2	UNCH	
TOTAL													0	2	0	
SMW MON MAY26		SILVER WEEKLY MONDAY OPTION WEEK3														
7100	----	----	----	----	-----/0.125A	----	0.002 - 0.013	.0003	----	----	----	----	----	2	UNCH	
7400	----	----	----	0.001B/*0.120A	0.001B/*0.120A	----	0.008 - 0.046	.0018	----	----	----	----	----	1	UNCH	
7750	----	----	----	-----/33.835A	-----/33.835A	----	11.909 + 3.608	.9881	----	----	----	----	----	1	UNCH	
7850	----	----	-----/0.180A	0.058B/*0.180A	0.058B/*0.180A	----	0.070 - 0.239	.0189	----	----	----	----	----	1	UNCH	
7900	----	----	#8.351B/----	#8.351B/10.467A	#8.351B/10.467A	----	10.452 + 3.496	.9760	----	----	----	----	----	1	UNCH	
8000	----	----	-----/0.226A	0.177B/*0.226A	0.177B/*0.226A	----	0.135 - 0.383	.0369	----	----	----	----	----	1	UNCH	
8130	----	----	----	----	-----/29.695A	----	8.276 NEW	.9411	----	----	----	1	----	1 +	1	
8300	----	----	----	#3.690B/6.052A	#3.690B/6.052A	----	6.736 + 2.889	.8964	----	----	----	----	----	1	UNCH	
8350	----	----	3.704B/----	3.704B/5.707A	3.704B/5.707A	----	6.300 + 2.778	.8788	----	----	----	----	----	5	UNCH	
8500	1.060	1.060	1.060/*0.755A	1.390B/*0.755A	1.390B/*0.755A	----	0.690 NEW	.1874	----	----	----	1	----	1 +	1	
8500	----	----	#3.801B/----	#3.801B/3.861A	#3.801B/3.861A	----	5.057 + 2.404	.8125	----	----	----	----	----	3	UNCH	
8550	----	----	-----/0.888A	1.586B/*0.888A	1.586B/*0.888A	----	0.801 - 1.508	.2145	----	----						

BULLETIN # 91@				METALS OPTION PRODUCTS					Wed, May 13, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK1													
TOTAL											6	0	31 +	3
SO CALL JUN26	COMEX SILVER OPTIONS													
4300	----	----	46.874B/----	46.874B/44.070A	----	46.368 +	3.777	.9989	----	----	----	20	UNCH	
4850	----	----	41.374B/----	41.374B/38.570A	----	40.870 +	3.778	.9979	----	----	----	7	UNCH	
4900	----	----	40.871B/----	40.871B/38.071A	----	40.370 +	3.778	.9979	----	----	----	9	UNCH	
5000	----	----	39.925B/----	39.925B/37.047A	----	39.371 +	3.778	.9976	185	----	----	177 -	185	
5025	----	----	39.583B/----	39.583B/36.823A	----	39.121 +	3.778	.9976	----	----	----	6	UNCH	
5050	----	----	39.350B/----	39.350B/36.811A	----	38.871 +	3.778	.9976	----	----	----	1	UNCH	
5200	----	----	37.949B/----	37.949B/35.050A	----	37.373 +	3.779	.9971	----	----	----	79	UNCH	
5225	----	----	37.599B/----	37.599B/35.064A	----	37.123 +	3.778	.9971	----	----	----	4	UNCH	
5275	----	----	37.084B/----	37.084B/34.327A	----	36.623 +	3.777	.9971	----	----	----	7	UNCH	
5300	----	----	36.816B/----	36.816B/34.187A	----	36.374 +	3.778	.9969	----	----	----	3	UNCH	
5325	----	----	36.599B/----	36.599B/33.937A	----	36.124 +	3.778	.9969	----	----	----	5	UNCH	
5350	----	----	36.372B/----	36.372B/33.578A	----	35.874 +	3.777	.9969	----	----	----	7	UNCH	
5400	----	----	35.850B/----	35.850B/33.189A	----	35.375 +	3.777	.9967	----	----	----	2	UNCH	
5425	----	----	35.623B/----	35.623B/32.829A	----	35.126 +	3.778	.9966	----	----	----	9	UNCH	
5500	----	----	34.951B/----	34.951B/32.058A	----	34.376 +	3.777	.9964	----	----	----	340	UNCH	
5525	----	----	34.600B/----	34.600B/31.943A	----	34.127 +	3.778	.9962	----	----	----	1	UNCH	
5600	----	----	33.833B/----	33.833B/31.081A	----	33.379 +	3.778	.9959	----	----	----	7	UNCH	
5675	----	----	33.100B/----	33.100B/30.426A	----	32.630 +	3.778	.9957	----	----	----	3	UNCH	
5700	----	----	32.959B/----	32.959B/30.063A	----	32.381 +	3.778	.9955	----	----	----	56	UNCH	
5725	----	----	32.583B/----	32.583B/29.832A	----	32.131 +	3.777	.9955	----	----	----	10	UNCH	
5750	----	----	32.333B/----	32.333B/29.582A	----	31.882 +	3.778	.9953	----	----	----	13	UNCH	
5775	----	----	32.101B/----	32.101B/29.429A	----	31.633 +	3.778	.9951	----	----	----	1	UNCH	
5800	----	----	31.851B/----	31.851B/29.180A	----	31.383 +	3.777	.9951	----	----	----	2	UNCH	
5825	----	----	31.601B/----	31.601B/28.930A	----	31.134 +	3.778	.9949	----	----	----	1	UNCH	
5850	----	----	31.334B/----	31.334B/28.583A	----	30.885 +	3.778	.9948	----	----	----	9	UNCH	
5900	----	----	30.885B/----	30.885B/28.183A	----	30.386 +	3.777	.9946	----	----	----	4	UNCH	
5925	----	----	30.585B/----	30.585B/27.834A	----	30.137 +	3.777	.9944	----	----	----	17	UNCH	
6000	----	----	29.936B/----	29.936B/27.073A	----	29.389 +	3.777	.9940	2	----	----	399 -	2	
6025	----	----	29.586B/----	29.586B/26.836A	----	29.140 +	3.777	.9938	----	----	----	7	UNCH	
6050	----	----	29.388B/----	29.388B/26.689A	----	28.891 +	3.777	.9936	----	----	----	4	UNCH	
6075	----	----	29.172B/----	29.172B/26.337A	----	28.642 +	3.777	.9934	----	----	----	30	UNCH	
6100	----	----	28.884B/----	28.884B/26.088A	----	28.392 +	3.775	.9933	----	----	----	16	UNCH	
6200	----	----	27.947B/----	27.947B/25.080A	----	27.396 +	3.774	.9926	----	----	----	101	UNCH	
6225	----	----	27.642B/----	27.642B/24.945A	----	27.147 +	3.774	.9924	----	----	----	1	UNCH	
6250	----	----	27.393B/----	27.393B/24.696A	----	26.898 +	3.773	.9921	----	----	----	4	UNCH	
6300	----	----	26.895B/----	26.895B/24.197A	----	26.400 +	3.772	.9917	----	----	----	4	UNCH	
6400	----	----	25.955B/----	25.955B/23.089A	----	25.404 +	3.769	.9908	----	----	----	110	UNCH	
6425	----	----	25.684B/----	25.684B/22.866A	----	25.156 +	3.768	.9906	----	----	----	25	UNCH	
6450	----	----	25.400B/----	25.400B/22.705A	----	24.908 +	3.768	.9902	----	----	----	5	UNCH	
6475	----	----	25.147B/----	25.147B/22.373A	----	24.659 +	3.767	.9900	----	----	----	7	UNCH	
6500	----	----	24.898B/----	24.898B/22.127A	----	24.410 +	3.765	.9897	----	----	----	13	UNCH	
6625	----	----	23.655B/----	23.655B/20.891A	----	23.168 +	3.759	.9880	----	----	----	10	UNCH	
6700	----	----	#22.914B/----	#22.914B/20.227A	----	22.424 +	3.755	.9868	----	----	----	1	UNCH	
6725	----	----	#22.666B/----	#22.666B/19.980A	----	22.176 +	3.752	.9863	----	----	----	1	UNCH	
6750	----	----	#22.401B/----	#22.401B/19.760A	----	21.928 +	3.750	.9859	----	----	----	3	UNCH	
6800	----	----	21.917B/----	21.917B/19.174A	----	21.433 +	3.746	.9850	----	----	----	9	UNCH	
6850	----	----	21.425B/----	21.425B/18.746A	----	20.937 +	3.740	.9841	----	----	----	5	UNCH	
6900	----	----	20.898B/----	20.898B/18.234A	----	20.442 +	3.733	.9829	----	----	----	16	UNCH	
6925	----	----	20.651B/----	20.651B/17.991A	----	20.195 +	3.730	.9823	----	----	----	9	UNCH	
6975	----	----	20.156B/----	20.156B/17.501A	----	19.700 +	3.722	.9811	----	----	----	7	UNCH	
7000	----	----	20.000B/----	20.000B/17.153A	----	19.453 +	3.718	.9804	----	----	----	126	UNCH	
7025	----	----	19.692B/----	19.692B/17.031A	----	19.207 +	3.715	.9796	----	----	----	1	UNCH	
7050	----	----	19.446B/----	19.446B/16.787A	----	18.961 +	3.709	.9789	----	----	----	2	UNCH	
7075	----	----	#19.200B/----	#19.200B/16.544A	----	18.714 +	3.704	.9782	----	----	----	4	UNCH	
7100	----	----	19.014B/----	19.014B/16.186A	----	18.467 +	3.698	.9775	----	----	----	93	UNCH	
7150	----	----	#18.462B/----	#18.462B/15.818A	----	17.975 +	3.686	.9757	----	----	----	1	UNCH	
7200	----	----	#17.971B/----	#17.971B/15.339A	----	17.484 +	3.672	.9737	----	----	----	5	UNCH	
7225	----	----	#17.672B/----	#17.672B/15.099A	----	17.239 +	3.665	.9726	----	----	----	4	UNCH	
7250	----	----	17.518B/----	17.518B/14.786A	----	16.995 +	3.658	.9714	----	----	----	31	UNCH	
7275	----	----	#17.236B/----	#17.236B/14.621A	----	16.749 +	3.648	.9704	----	----	----	2	UNCH	
7300	----	----	17.001B/----	17.001B/14.358A	----	16.505 +	3.639	.9691	----	----	----	18	UNCH	
7325	----	----	#16.684B/----	#16.684B/14.231A	----	16.261 +	3.629	.9678	----	----	----	1	UNCH	
7350	----	----	#16.513B/----	#16.513B/13.880A	----	16.018 +	3.620	.9663	----	----	----	23	UNCH	
7375	----	----	16.270B/----	16.270B/13.640A	----	15.774 +	3.607	.9649	----	----	----	6	UNCH	
7400	14.030	14.030	16.049B/13.365A	16.049B/13.365A	----	15.531 +	3.596	.9634	----	1	----	47	UNCH	
7425	----	----	15.814B/----	15.814B/13.131A	----	15.289 +	3.585	.9618	----	----	----	31	UNCH	
7450	----	----	15.533B/----	15.533B/12.929A	----	15.048 +	3.573	.9599	----	----	----	15	UNCH	
7475	----	----	15.277B/----	15.277B/12.823A	----	14.806 +	3.558	.9581	----	----	----	3	UNCH	
7500	----	----	15.118B/----	15.118B/12.389A	----	14.565 +	3.544	.9562	----	2	----	248 -	1	
7525	----	----	14.812B/----	14.812B/12.227A	----	14.325 +	3.529	.9540	----	----	----	12	UNCH	
7550	----	----	14.612B/----	14.612B/11.971A	----	14.085 +	3.512	.9519	----	----	----	31	UNCH	
7575	----	----	#14.320B/----	#14.320B/11.904A	----	13.846 +	3.496	.9497	----	----	----	4	UNCH	
7600	----	----	14.164B/----	14.164B/11.478A	----	13.608 +	3.478	.9472	----	----	----	82	UNCH	
7625	----	----	13.846B/----	13.846B/11.450A	----	13.371 +	3.460	.9445	----	----	----	4		

	BULLETIN # 91@			METALS OPTION PRODUCTS							Wed, May 13, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
JUN26															
13400	----	----	----	0.040B/0.082A	----	0.072 +	0.029 .0108	----	----	----	----	----	----	----	6
13500	0.070	0.070		0.070/0.055	0.070/0.055	0.069 +	0.027 .0103	----	----	----	----	----	13	----	31
13600	----	----	----	0.037B/0.081A	----	0.066 +	0.025 .0098	----	----	----	----	----	----	----	7
13700	----	----	----	0.032B/0.081A	----	0.064 +	0.024 .0094	----	----	----	----	----	----	----	5
13800	----	----	----	0.026B/0.082A	----	0.060 +	0.021 .0088	----	----	----	----	----	----	----	1
13900	----	----	----	0.021B/0.082A	----	0.058 +	0.020 .0084	----	----	----	----	----	----	----	3
14000	----	----	----	0.045B/----	0.045B/0.087A	0.055 +	0.017 .0079	----	----	----	----	----	----	----	337
14200	----	----	----	0.016B/0.089A	----	0.051 +	0.015 .0072	----	----	----	----	----	----	----	60
14300	----	----	----	0.020B/0.082A	----	0.049 +	0.013 .0069	----	----	----	----	----	----	----	1
14400	----	----	----	0.017B/0.081A	----	0.047 +	0.012 .0066	----	----	----	----	----	----	----	65
14500	----	----	----	0.009B/0.079A	----	0.046 +	0.012 .0064	----	----	----	----	----	----	----	31
14600	----	----	----	0.008B/0.076A	----	0.044 +	0.010 .0061	----	----	----	----	----	----	----	7
14700	----	----	----	0.009B/0.093A	----	0.043 +	0.010 .0059	----	----	----	----	----	----	----	11
14800	----	----	----	0.001B/0.118A	----	0.041 +	0.008 .0056	----	----	----	----	----	----	----	10
14900	----	----	----	0.001B/0.116A	----	0.040 +	0.008 .0054	----	----	----	----	----	----	----	6
15000	----	----	----	0.002B/0.070A	----	0.039 +	0.007 .0052	----	----	----	----	----	----	----	146
15300	----	----	----	----/0.105A	----	0.036 +	0.005 .0047	----	----	----	----	----	----	----	2
15400	----	----	----	----/0.102A	----	0.035 +	0.005 .0046	----	----	----	----	----	----	----	1
15500	0.033	0.033		0.033/*0.033	0.033/0.033	0.034 +	0.004 .0044	----	----	----	----	----	1	----	6
15600	----	----	----	----/0.098A	----	0.033 +	0.004 .0042	----	----	----	----	----	----	----	1
15700	----	----	----	----/0.096A	----	0.032 +	0.003 .0041	----	----	----	----	----	----	----	1
15800	----	----	----	----/0.094A	----	0.031 +	0.003 .0039	----	----	----	----	----	----	----	6
15900	----	----	----	----/0.092A	----	0.030 +	0.002 .0038	----	----	----	----	----	----	----	8
16000	----	----	----	----/0.090A	----	0.030 +	0.002 .0038	----	----	----	----	----	----	----	198
16200	----	----	----	----/0.086A	----	0.028 +	0.001 .0035	----	----	----	----	----	----	----	36
16400	----	----	----	----/0.083A	----	0.027 +	0.001 .0033	----	----	----	----	----	----	----	1
16500	----	----	----	----/0.081A	----	0.026 +	0.001 .0032	----	----	----	----	----	----	----	30
16600	----	----	----	----/0.079A	----	0.026 +	0.001 .0031	----	----	----	----	----	----	----	2
16700	----	----	----	----/0.080A	----	0.025 +	0.001 .0030	----	----	----	----	----	----	----	7
16800	----	----	----	----/0.079A	----	0.025 +	0.001 .0030	----	----	----	----	----	----	----	3
17000	----	----	----	----/0.077A	----	0.024 +	0.001 .0028	----	----	----	----	----	----	----	27
17100	----	----	----	----/0.076A	----	0.024 +	0.002 .0028	----	----	----	----	----	----	----	5
17200	----	----	----	----/0.076A	----	0.022	UNCH .0026	----	----	----	----	----	----	----	5
17300	----	----	----	----/0.075A	----	0.022 +	0.001 .0026	----	----	----	----	----	----	----	11
17400	----	----	----	----/0.074A	----	0.021	UNCH .0024	----	----	----	----	----	----	----	2
17500	----	----	----	----/0.073A	----	0.021 +	0.001 .0024	----	----	----	----	----	----	----	63
17700	----	----	----	----/0.072A	----	0.020 +	0.001 .0023	----	----	----	----	----	----	----	3
17800	----	----	----	----/0.071A	----	0.020 +	0.001 .0023	----	----	----	----	----	----	----	3
18000	----	----	----	----/0.070A	----	0.019 +	0.001 .0021	----	----	----	----	----	----	----	46
18100	----	----	----	----/0.070A	----	0.019 +	0.002 .0021	----	----	----	----	----	----	----	2
18300	----	----	----	----/0.069A	----	0.019 +	0.003 .0021	----	----	----	----	----	----	----	1
18900	----	----	----	----/0.230A	----	0.017 +	0.004 .0018	----	----	----	----	----	----	----	1
19000	----	----	----	----/0.160A	----	0.017 +	0.004 .0018	----	----	----	----	----	----	----	229
19500	----	----	----	----/0.238A	----	0.016 +	0.005 .0017	----	----	----	----	----	----	----	126
19600	----	----	----	----/0.239A	----	0.016 +	0.005 .0016	----	----	----	----	----	----	----	2
19900	----	----	----	----/0.242A	----	0.016 +	0.006 .0016	----	----	----	----	----	----	----	28
20000	0.030	0.030		0.030/0.013A	0.030/0.013A	0.016 +	0.007 .0016	----	----	----	----	----	2	----	236 -
21000	----	----	----	----/0.253A	----	0.015 +	0.009 .0014	----	----	----	----	----	----	----	20
23000	----	----	----	----/0.266A	----	0.014 +	0.011 .0012	----	----	----	----	----	----	----	14
25000	----	----	----	----/0.022A	----	0.006 +	0.005 .0005	----	----	----	----	----	----	----	302
27000	----	----	----	----/0.283A	----	0.002 +	0.001 .0001	----	----	----	----	----	----	----	3
30000	----	----	----	----/0.010A	----	0.001	UNCH .0000	----	----	----	----	----	----	----	31
32000	----	----	----	----/0.292A	----	0.001	UNCH .0000	----	----	----	----	----	----	----	1
35000	----	----	----	----/0.005A	----	0.001	UNCH .0000	----	----	----	----	----	----	----	45
TOTAL													2786	200	17706 -
JUL26															
2700	----	----	----	62.840B/----	62.840B/60.258A	62.368 +	3.777 .9997	----	----	----	----	----	----	----	1
4000	----	----	----	49.843B/----	49.843B/47.280A	49.368 +	3.777 .9969	----	----	----	----	----	----	----	1
4500	----	----	----	44.896B/----	44.896B/42.094A	44.368 +	3.774 .9952	----	----	----	----	----	----	----	28
4600	----	----	----	43.919B/----	43.919B/41.051A	43.369 +	3.773 .9948	----	----	----	----	----	----	----	124
4700	----	----	----	42.847B/----	42.847B/40.301A	42.369 +	3.770 .9943	----	----	----	----	----	----	----	1
4750	----	----	----	42.345B/----	42.345B/39.762A	41.870 +	3.769 .9941	----	----	----	----	----	----	----	1
4825	----	----	----	41.595B/----	41.595B/39.015A	41.121 +	3.767 .9937	----	----	----	----	----	----	----	3
4900	----	----	----	40.837B/----	40.837B/38.270A	40.373 +	3.765 .9931	----	----	----	----	----	----	----	1
4925	----	----	----	40.586B/----	40.586B/37.914A	40.124 +	3.766 .9930	----	----	----	----	----	----	----	16
5000	----	----	----	39.914B/----	39.914B/37.060A	39.376 +	3.763 .9925	----	----	----	----	----	----	----	307
5025	----	----	----	39.560B/----	39.560B/37.082A	39.128 +	3.764 .9922	----	----	----	----	----	----	----	4
5050	----	----	----	39.311B/----	39.311B/36.833A	38.879 +	3.763 .9920	----	----	----	----	----	----	----	2
5100	----	----	----	38.919B/----	38.919B/36.067A	38.381 +	3.762 .9916	----	----	----	----	----	----	----	4
5150	----	----	----	38.351B/----	38.351B/35.682A	37.884 +	3.761 .9911	----	----	----	----	----	----	----	133
5200	----	----	----	37.867B/----	37.867B/35.155A	37.387 +	3.760 .9905	----	----	----	----	----	----	----	6
5225	----	----	----	37.597B/----	37.597B/34.939A	37.139 +	3.760 .9902	----	----	----	----	----	----	----	40
5250	----	----	----	37.309B/----	37.309B/34.854A	37.139 +	3.760 .9902	----	----	----	----	----	----	----	9
5275	----	----	----	37.061B/----	37.061B/34.593A	36.890 +	3.759 .9900	----	----	----	----	----	----	----	2
5300	----	----	----	37.061B/----	37.061B/34.593A</										



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN # 91@		METALS OPTION PRODUCTS										Wed, May 13, 2026		PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS															
JUL26																
7800	----	----	----	14.2118/----	14.2118/11.924A	----	----	----	13.746 + 3.121	.7856	----	----	----	----	66	UNCH
7850	----	----	----	13.8228/----	13.8228/11.602A	----	----	----	13.391 + 3.081	.7760	----	----	----	----	17	UNCH
7900	----	----	----	13.4998/----	13.4998/11.275A	----	----	----	13.042 + 3.038	.7661	----	----	----	----	66	UNCH
7925	----	----	----	13.1668/----	13.1668/11.536A	----	----	----	12.870 + 3.016	.7611	----	----	----	----	1	UNCH
7950	----	----	----	12.9968/----	12.9968/11.284A	----	----	----	12.700 + 2.995	.7561	----	----	----	----	1	UNCH
7975	----	----	----	12.8288/----	12.8288/11.134A	----	----	----	12.532 + 2.973	.7510	----	----	----	----	4	UNCH
8000	10.529	10.529	10.529	12.8478/10.529	12.8478/10.529	----	----	----	12.365 + 2.951	.7458	----	----	4	----	648 -	4
8025	----	----	----	12.6498/----	12.6498/10.512A	----	----	----	12.199 + 2.927	.7407	----	----	----	----	10	UNCH
8050	----	----	----	12.4898/----	12.4898/10.360A	----	----	----	12.036 + 2.905	.7354	----	----	----	----	22	UNCH
8075	----	----	----	12.3308/----	12.3308/10.216A	----	----	----	11.875 + 2.882	.7302	----	----	----	----	13	UNCH
8100	----	----	----	12.1998/----	12.1998/10.072A	----	----	----	11.715 + 2.859	.7249	----	----	----	----	68	UNCH
8150	----	----	----	11.8638/----	11.8638/9.794A	----	----	----	11.402 + 2.814	.7142	----	----	----	----	17	UNCH
8175	----	----	----	11.5408/----	11.5408/10.095A	----	----	----	11.247 + 2.790	.7088	----	----	----	----	2	UNCH
8200	----	----	----	11.5758/----	11.5758/9.514A	----	----	----	11.094 + 2.766	.7034	----	----	2	----	174 -	2
8225	----	----	----	11.2398/----	11.2398/9.826A	----	----	----	10.945 + 2.744	.6979	----	----	----	----	2	UNCH
8250	----	----	----	11.2758/----	11.2758/9.248A	----	----	----	10.796 + 2.720	.6925	----	----	----	----	147	UNCH
8275	----	----	----	10.9418/----	10.9418/9.562A	----	----	----	10.649 + 2.697	.6870	----	----	----	----	1	UNCH
8300	----	----	----	10.9818/----	10.9818/8.987A	----	----	----	10.504 + 2.673	.6815	----	----	----	----	463	UNCH
8325	----	----	----	10.6508/----	10.6508/9.309A	----	----	----	10.361 + 2.650	.6759	----	----	----	----	4	UNCH
8350	----	----	----	10.6958/----	10.6958/8.741A	----	----	----	10.219 + 2.626	.6704	----	----	8	----	21 +	5
8375	----	----	----	10.5548/----	10.5548/8.516A	----	----	----	10.079 + 2.602	.6648	----	----	----	----	49	UNCH
8400	9.500	9.500	9.500	10.4188/8.396A	10.4188/8.396A	----	----	----	9.942 + 2.580	.6592	----	----	3	----	36 +	1
8425	----	----	----	10.2828/----	10.2828/8.277A	----	----	----	9.806 + 2.556	.6537	----	----	----	----	12	UNCH
8450	----	----	----	10.1488/----	10.1488/8.160A	----	----	----	9.671 + 2.532	.6481	----	----	8	----	18 +	7
8475	----	----	----	9.8248/----	9.8248/8.045A	----	----	----	9.539 + 2.509	.6425	----	----	----	----	1	UNCH
8500	8.148	8.148	8.148	9.8878/7.932A	9.8878/7.932A	----	----	----	9.409 + 2.486	.6369	----	----	18	----	933	UNCH
8525	----	----	----	9.5598/----	9.5598/7.820A	----	----	----	9.280 + 2.463	.6313	----	----	----	----	5	UNCH
8550	----	----	----	9.6348/----	9.6348/7.709A	----	----	----	9.152 + 2.439	.6257	----	----	----	----	266	UNCH
8575	7.780	7.780	7.780	9.5068/7.550A	9.5068/7.550A	----	----	----	9.026 + 2.414	.6202	----	----	1	----	7 -	1
8600	7.672	7.672	7.672	9.3848/7.442A	9.3848/7.442A	----	----	----	8.904 + 2.393	.6146	----	----	9	----	101 +	8
8625	7.565	7.565	7.565	9.0608/7.336A	9.0608/7.336A	----	----	----	8.782 + 2.370	.6090	----	----	1	----	1	UNCH
8650	7.459	7.459	7.459	9.1428/7.232A	9.1428/7.232A	----	----	----	8.661 + 2.346	.6034	----	----	9	----	27 +	6
8675	----	----	----	9.0238/----	9.0238/7.129A	----	----	----	8.544 + 2.325	.5979	----	----	----	----	9	UNCH
8700	7.880	7.880	7.880	8.9048/7.027A	8.9048/7.027A	----	----	----	8.427 + 2.302	.5924	----	----	8	----	155 -	3
8725	----	----	----	8.5118/----	8.5118/6.928A	----	----	----	8.311 + 2.278	.5868	----	----	----	----	4	UNCH
8750	----	----	----	8.6758/----	8.6758/6.829A	----	----	----	8.197 + 2.255	.5813	----	----	7	----	86 +	7
8775	7.254	7.254	7.254	8.3438/6.733A	8.3438/6.733A	----	----	----	8.086 + 2.234	.5758	----	----	3	----	5 +	3
8800	7.378	7.378	7.378	8.480/6.637A	8.480/6.637A	----	----	----	7.976 + 2.212	.5704	----	----	41	----	443 +	23
8825	----	----	----	8.1358/----	8.1358/6.543A	----	----	----	7.867 + 2.190	.5649	----	----	1	----	3 +	1
8850	----	----	----	8.0698/----	8.0698/6.450A	----	----	----	7.760 + 2.168	.5595	----	----	----	----	4	UNCH
8900	----	----	----	8.0268/----	8.0268/6.269A	----	----	----	7.551 + 2.125	.5487	----	----	----	----	129	UNCH
8925	----	----	----	7.9278/----	7.9278/6.180A	----	----	----	7.449 + 2.104	.5433	----	----	----	----	7	UNCH
8950	----	----	----	7.8228/----	7.8228/6.093A	----	----	----	7.348 + 2.083	.5380	----	----	15	----	29 +	15
8975	----	----	----	7.5328/----	7.5328/6.007A	----	----	----	7.250 + 2.062	.5327	----	----	----	----	1	UNCH
9000	6.373	6.373	6.373	7.645/5.923A	7.645/5.923A	----	----	----	7.151 + 2.041	.5275	----	----	75	----	1550 +	1
9050	----	----	----	7.4268/----	7.4268/5.756A	----	----	----	6.960 + 2.000	.5170	----	----	----	----	11	UNCH
9075	----	----	----	7.3528/----	7.3528/5.674A	----	----	----	6.867 + 1.980	.5119	----	----	----	----	1	UNCH
9100	----	----	----	7.2798/----	7.2798/5.594A	----	----	----	6.775 + 1.960	.5068	----	----	4	----	32 -	1
9150	----	----	----	7.0678/----	7.0678/5.437A	----	----	----	6.596 + 1.922	.4966	----	----	----	----	3	UNCH
9175	----	----	----	6.9738/----	6.9738/5.360A	----	----	----	6.507 + 1.901	.4916	----	----	----	----	3	UNCH
9200	5.840	5.840	5.840	6.9278/5.285A	6.9278/5.285A	----	----	----	6.422 + 1.884	.4866	----	----	5	----	88 +	2
9225	----	----	----	6.7978/----	6.7978/5.211A	----	----	----	6.336 + 1.864	.4816	----	----	1	----	4 +	1
9250	----	----	----	6.7288/----	6.7288/5.138A	----	----	----	6.252 + 1.844	.4767	----	----	17	----	23 +	13
9275	----	----	----	6.6378/----	6.6378/5.066A	----	----	----	6.170 + 1.826	.4719	----	----	----	----	1	UNCH
9300	----	----	----	6.5768/----	6.5768/5.072A	----	----	----	6.088 + 1.807	.4670	----	----	12	----	709 +	6
9350	----	----	----	6.3878/----	6.3878/4.951A	----	----	----	5.930 + 1.772	.4575	----	----	----	----	12	UNCH
9375	----	----	----	6.2968/----	6.2968/4.913A	----	----	----	5.852 + 1.754	.4528	----	----	----	----	2	UNCH
9400	5.140	5.140	5.140	6.2258/4.800A	6.2258/4.800A	----	----	----	5.775 + 1.736	.4481	----	----	19	----	44 +	10
9425	----	----	----	6.1318/----	6.1318/4.756A	----	----	----	5.700 + 1.718	.4435	----	----	----	----	5	UNCH
9450	----	----	----	6.0658/----	6.0658/4.676A	----	----	----	5.625 + 1.700	.4389	----	----	----	----	39	UNCH
9475	----	----	----	5.9868/----	5.9868/4.624A	----	----	----	5.553 + 1.684	.4343	----	----	----	----	5	UNCH
9500	5.010	5.010	5.010	5.950/4.469A	5.950/4.469A	----	----	----	5.480 + 1.666	.4298	----	----	102	----	1079 -	29
9525	----	----	----	5.8348/----	5.8348/4.502A	----	----	----	5.409 + 1.649	.4253	----	----	----	----	26	UNCH
9550	----	----	----	5.7638/----	5.7638/4.443A	----	----	----	5.340 + 1.633	.4209	----	----	1	----	6	UNCH
9600	4.440	4.440	4.440	5.6378/4.440	5.6378/4.302A	----	----	----	5.203 + 1.599	.4122	----	----	5	----	152 -	5
9625	----	----	----	5.5518/----	5.5518/4.271A	----	----	----	5.136 + 1.583	.						

	BULLETIN # 91@			METALS OPTION PRODUCTS						Wed, May 13, 2026			PG64			
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS															
JUL26																
11750	----	----	----	2.0758/----	2.0758/1.540A	----	----	----	1.869 +	0.663 .1680	----	----	----	----	22	UNCH
11775	2.043	2.043		2.0548/2.043	2.0548/1.515A	----	----	----	1.848 +	0.656 .1663	----	----	1	----	23	UNCH
11800	----	----	----	2.0318/----	2.0318/1.497A	----	----	----	1.829 +	0.651 .1647	----	----	----	----	3	UNCH
11875	----	----	----	1.9668/----	1.9668/1.436A	----	----	----	1.772 +	0.633 .1599	----	----	----	----	2	UNCH
11900	----	----	----	1.9418/----	1.9418/1.420A	----	----	----	1.752 +	0.626 .1582	----	----	----	----	2	UNCH
11925	----	----	----	1.9238/----	1.9238/1.421A	----	----	----	1.734 +	0.620 .1567	----	----	----	----	1	UNCH
11950	----	----	----	1.8838/----	1.8838/1.403A	----	----	----	1.716 +	0.615 .1552	----	----	----	----	1	UNCH
12000	1.400	1.400		1.904/1.371A	1.904/1.371A	----	----	----	1.684 +	0.607 .1524	----	----	30	----	547 +	5
12025	----	----	----	1.8458/----	1.8458/1.359A	----	----	----	1.662 +	0.597 .1506	----	----	----	----	0	UNCH
12150	----	----	----	1.7508/----	1.7508/1.285A	----	----	----	1.577 +	0.569 .1434	----	----	----	----	1	UNCH
12200	1.262	1.262		1.7168/1.251A	1.7168/1.251A	----	----	----	1.545 +	0.559 .1407	----	----	2	----	14 +	2
12225	----	----	----	1.6898/----	1.6898/1.246A	----	----	----	1.529 +	0.553 .1393	----	----	----	----	16	UNCH
12250	1.371	1.371		1.6878/1.235A	1.6878/1.235A	----	----	----	1.513 +	0.548 .1380	----	1	----	----	6	UNCH
12275	1.357	1.357		1.6678/1.218A	1.6678/1.218A	----	----	----	1.498	NEW .1367	----	1	----	----	1 +	1
12300	1.343	1.343		1.6518/1.199A	1.6518/1.199A	----	----	----	1.482 +	0.538 .1353	----	1	----	----	13 -	1
12325	1.329	1.329		1.6288/1.193A	1.6288/1.193A	----	----	----	1.467	NEW .1340	----	1	----	----	1 +	1
12375	----	----	----	1.5988/----	1.5988/1.162A	----	----	----	1.437 +	0.523 .1314	----	----	----	----	2	UNCH
12425	----	----	----	1.5678/----	1.5678/1.138A	----	----	----	1.407 +	0.512 .1289	----	----	----	----	3	UNCH
12450	----	----	----	1.5538/----	1.5538/1.127A	----	----	----	1.393 +	0.507 .1277	----	----	----	----	1	UNCH
12475	----	----	----	1.5358/----	1.5358/1.115A	----	----	----	1.379 +	0.503 .1265	----	----	----	----	3	UNCH
12500	1.400	1.400		1.5208/1.104A	1.5208/1.104A	----	----	----	1.366 +	0.499 .1253	----	2	----	----	125 +	1
12575	1.229	1.229		1.4708/1.070A	1.4708/1.070A	----	----	----	1.325 +	0.485 .1218	----	1	----	----	2 +	1
12600	----	----	----	1.4588/----	1.4588/1.059A	----	----	----	1.311 +	0.480 .1206	----	----	----	----	6	UNCH
12700	----	----	----	1.3998/----	1.3998/1.019A	----	----	----	1.260 +	0.463 .1161	----	----	----	----	1	UNCH
12725	----	----	----	1.3868/----	1.3868/1.009A	----	----	----	1.248 +	0.459 .1151	----	----	----	----	2	UNCH
12800	----	----	----	1.3448/----	1.3448/0.979A	----	----	----	1.211 +	0.446 .1118	----	----	----	----	1	UNCH
13000	1.250	1.250		1.260/1.000	1.260/0.905A	----	----	----	1.119 +	0.413 .1038	----	----	28	----	409 +	5
14000	0.800	0.800		0.8478/0.800	0.8478/0.627A	----	----	----	0.768 +	0.286 .0724	----	1	----	----	865	UNCH
14700	----	----	----	0.6588/----	0.6588/0.497A	----	----	----	0.602 +	0.225 .0571	----	----	10	----	11 +	10
15000	----	----	----	0.5558/----	0.5558/0.508A	----	----	----	0.546 +	0.205 .0519	----	----	102	----	757 +	47
16000	0.470	0.470		0.470/0.470	0.470/0.411A	----	----	----	0.407 +	0.157 .0387	----	1	----	----	746 +	1
17000	----	----	----	0.2618/----	0.2618/0.362A	----	----	----	0.318 +	0.128 .0300	----	----	----	----	22	UNCH
18000	----	----	----	0.1918/----	0.1918/0.304A	----	----	----	0.258 +	0.110 .0241	----	----	----	----	260	UNCH
19000	----	----	----	0.1358/----	0.1358/0.261A	----	----	----	0.217 +	0.097 .0199	----	----	----	----	78	UNCH
20000	----	----	----	0.1208/----	0.1208/0.231A	----	----	----	0.187 +	0.086 .0169	----	----	----	----	1178	UNCH
21000	----	----	----	----	0.0558/0.211A	----	----	----	0.165 +	0.076 .0147	----	----	----	----	427	UNCH
24000	----	----	----	----	0.0128/0.172A	----	----	----	0.118 +	0.050 .0100	----	----	----	----	131	UNCH
25000	0.078	0.078		0.088/0.074	0.088/0.074	----	----	----	0.106 +	0.042 .0089	----	----	4	----	393 +	2
27000	----	----	----	----	0.0018/0.181A	----	----	----	0.084 +	0.027 .0070	----	----	----	----	5	UNCH
30000	----	----	----	----	0.0018/0.136A	----	----	----	0.059 +	0.006 .0048	----	----	----	----	23	UNCH
32000	----	----	----	----	0.0018/0.149A	----	----	----	0.046 +	0.002 .0037	----	----	----	----	4	UNCH
35000	----	----	----	-----/0.025A	0.0148/0.025A	----	----	----	0.031 -	0.003 .0025	----	----	----	----	91	UNCH
TOTAL													1132	84	24307 +	197
AUG26																
5000	----	----	----	40.0738/----	40.0738/38.179A	----	----	----	40.109 +	3.800 .9807	----	----	----	----	2	UNCH
5400	----	----	----	35.8758/----	35.8758/34.524A	----	----	----	36.217 +	3.789 .9708	----	----	----	----	2	UNCH
5500	----	----	----	34.8868/----	34.8868/33.533A	----	----	----	35.254 +	3.785 .9676	----	----	----	----	1	UNCH
6300	----	----	----	28.0938/----	28.0938/25.641A	----	----	----	27.763 +	3.717 .9283	----	----	----	----	7	UNCH
6450	----	----	----	25.8638/----	25.8638/24.993A	----	----	----	26.420 +	3.693 .9173	----	----	----	----	1	UNCH
6500	----	----	----	25.6308/----	25.6308/24.570A	----	----	----	25.977 +	3.683 .9133	----	----	----	----	2	UNCH
6600	----	----	----	24.5018/----	24.5018/23.716A	----	----	----	25.102 +	3.659 .9048	----	----	----	----	4	UNCH
6800	----	----	----	23.6958/----	23.6958/21.423A	----	----	----	23.391 +	3.587 .8860	----	----	----	----	7	UNCH
6875	----	----	----	22.0928/----	22.0928/21.405A	----	----	----	22.764 +	3.558 .8782	----	----	----	----	5	UNCH
7000	----	----	----	21.0208/----	21.0208/20.399A	----	----	----	21.739 +	3.508 .8644	----	----	----	----	1	UNCH
7025	----	----	----	20.8118/----	20.8118/20.203A	----	----	----	21.537 +	3.498 .8615	----	----	----	----	5	UNCH
7050	----	----	----	20.5938/----	20.5938/20.012A	----	----	----	21.337 +	3.488 .8586	----	----	----	----	4	UNCH
7100	----	----	----	20.1808/----	20.1808/19.635A	----	----	----	20.938 +	3.467 .8526	----	----	----	----	2	UNCH
7200	----	----	----	19.3878/----	19.3878/19.082A	----	----	----	20.155 +	3.423 .8402	----	----	----	----	1	UNCH
7250	----	----	----	18.9918/----	18.9918/18.707A	----	----	----	19.771 +	3.403 .8337	----	----	----	----	3	UNCH
7300	----	----	----	18.6098/----	18.6098/18.246A	----	----	----	19.391 +	3.380 .8271	----	----	----	----	1	UNCH
7400	----	----	----	17.8428/----	17.8428/17.532A	----	----	----	18.646 +	3.333 .8134	----	----	----	----	2	UNCH
7425	----	----	----	18.7128/----	18.7128/16.725A	----	----	----	18.464 +	3.323 .8099	----	----	----	----	14	UNCH
7475	----	----	----	18.3358/----	18.3358/16.390A	----	----	----	18.102 +	3.299 .8028	----	----	----	----	6	UNCH
7500	18.000	18.000		18.2168/17.200	18.2168/16.142A	----	----	----	17.922 +	3.285 .7991	----	2	----	----	36 -	2
7550	----	----	----	17.2228/----	17.2228/16.499A	----	----	----	17.569 +	3.261 .7918	----	----	----			

BULLETIN # 91@				METALS OPTION PRODUCTS								Wed, May 13, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS																
AUG26																	
10775	----	----	----	5.509B/----	5.509B/4.650A	----	5.232	+	1.558	.3322	----	----	----	----	3	UNCH	
10800	----	----	----	5.465B/----	5.465B/4.686A	----	5.192	+	1.550	.3299	----	----	----	----	4	UNCH	
10825	5.295	5.295	5.295	5.421B/5.295	5.421B/4.557A	----	5.152	+	1.542	.3276	----	----	1	----	3	+	1
10875	5.351	5.351	5.351	5.351/5.351	5.351/4.481A	----	5.073	+	1.526	.3231	----	----	4	----	5	+	4
10975	5.053	5.053	5.053	5.168B/5.053	5.168B/4.326A	----	4.919	NEW	.3143	----	----	----	1	----	1	+	1
11000	----	----	----	5.128B/----	5.128B/4.390A	----	4.882	+	1.484	.3122	----	23	----	253	-	21	
11075	----	----	----	5.007B/----	5.007B/4.182A	----	4.772	+	1.459	.3059	----	----	----	----	2	UNCH	
11100	----	----	----	4.968B/----	4.968B/4.254A	----	4.736	+	1.451	.3038	----	----	3	----	20	UNCH	
11200	----	----	----	4.814B/----	4.814B/4.123A	----	4.595	+	1.418	.2957	----	----	----	----	2	UNCH	
11225	----	----	----	4.776B/----	4.776B/3.970A	----	4.561	+	1.410	.2937	----	----	----	----	1	UNCH	
11275	----	----	----	4.701B/----	4.701B/3.868A	----	4.493	+	1.394	.2897	----	----	----	----	6	UNCH	
11400	----	----	----	4.522B/----	4.522B/3.874A	----	4.328	+	1.353	.2801	----	----	----	----	2	UNCH	
11475	----	----	----	4.418B/----	4.418B/3.682A	----	4.234	+	1.330	.2746	----	----	----	----	1	UNCH	
11500	----	----	----	4.385B/----	4.385B/3.767A	----	4.203	+	1.322	.2728	----	----	----	----	106	UNCH	
11575	----	----	----	4.286B/----	4.286B/3.566A	----	4.110	+	1.298	.2673	----	----	----	----	1	UNCH	
11700	----	----	----	4.128B/----	4.128B/3.560A	----	3.961	+	1.257	.2586	----	----	----	----	2	UNCH	
11850	----	----	----	3.946B/----	3.946B/3.417A	----	3.789	+	1.207	.2484	----	----	----	----	1	UNCH	
12000	----	----	----	3.775B/----	3.775B/3.206A	----	3.626	+	1.159	.2387	----	39	----	36	-	4	
12025	----	----	----	3.747B/----	3.747B/3.132A	----	3.600	+	1.152	.2372	----	----	----	----	52	UNCH	
12050	----	----	----	3.719B/----	3.719B/3.229A	----	3.574	+	1.144	.2356	----	----	----	204	208	+	59
12100	----	----	----	3.665B/----	3.665B/3.195A	----	3.522	+	1.129	.2325	----	----	----	----	1	UNCH	
12500	----	----	----	3.263B/----	3.263B/2.851A	----	3.135	+	1.006	.2093	----	----	----	----	156	UNCH	
12700	----	----	----	2.831B/----	2.831B/2.707A	----	2.959	NEW	.1986	----	----	1	----	1	+	1	
12725	----	----	----	3.048B/----	3.048B/2.538A	----	2.938	+	0.941	.1973	----	----	----	----	1	UNCH	
12800	----	----	----	2.753B/----	2.753B/2.642A	----	2.875	+	0.920	.1935	----	1	----	2	+	1	
13000	----	----	----	2.579B/----	2.579B/2.505A	----	2.734	+	0.872	.1845	----	43	----	2361	+	43	
14000	----	----	----	1.870B/----	1.870B/2.017A	----	2.160	+	0.749	.1470	----	----	----	17	UNCH		
15000	1.580	1.580	1.580	1.580/1.539A	1.580/1.539A	----	1.688	+	0.601	.1168	----	17	----	97	+	12	
16000	----	----	----	1.102B/----	1.102B/1.260A	----	1.311	+	0.467	.0925	----	9	----	10	+	9	
17000	----	----	----	0.898B/----	0.898B/0.923A	----	1.021	+	0.360	.0734	----	45	----	2304	+	4	
18000	----	----	----	0.740B/----	0.740B/0.755A	----	0.815	+	0.294	.0594	----	2	----	7	UNCH		
19000	----	----	----	0.589B/----	0.589B/0.664A	----	0.657	+	0.242	.0484	----	----	----	2	UNCH		
20000	----	----	----	0.443B/----	0.443B/0.577A	----	0.536	+	0.201	.0399	----	----	----	221	UNCH		
25000	----	----	----	----	0.150B/0.332A	----	0.247	+	0.096	.0185	----	1	----	4	+	1	
27000	----	----	----	----	0.100B/0.283A	----	0.200	+	0.078	.0149	----	----	----	6	UNCH		
30000	----	----	----	----	0.054B/0.232A	----	0.156	+	0.060	.0114	----	----	----	14	UNCH		
32000	----	----	----	----	0.065B/0.205A	----	0.122	+	0.048	.0090	----	----	----	3	UNCH		
35000	----	----	----	----	0.001B/0.898A	----	0.088	+	0.035	.0065	----	----	----	4	UNCH		
TOTAL													312	408	8014	+	165
SEP26																	
5100	----	----	----	#38.724B/----	#38.724B/37.621A	----	39.256	+	3.801	.9678	----	----	----	----	1	UNCH	
5900	----	----	----	#31.110B/----	#31.110B/30.323A	----	31.827	+	3.788	.9311	----	----	----	----	2	UNCH	
6000	----	----	----	#30.187B/----	#30.187B/29.436A	----	30.926	+	3.772	.9250	----	----	----	----	7	UNCH	
6700	----	----	----	#24.032B/----	#24.032B/23.577A	----	24.891	+	3.554	.8706	----	----	----	----	1	UNCH	
7000	22.930	22.930	22.930	22.930/22.930	22.930/21.160A	----	22.549	+	3.459	.8385	----	4	----	269	+	4	
7125	----	----	----	#21.159B/----	#21.159B/20.166A	----	21.642	+	3.438	.8233	----	----	----	75	UNCH		
7300	----	----	----	#19.985B/----	#19.985B/19.033A	----	20.417	+	3.393	.8011	----	----	----	145	UNCH		
7400	----	----	----	#19.322B/----	#19.322B/18.390A	----	19.729	+	3.345	.7882	----	----	----	104	UNCH		
7500	----	----	----	#18.639B/----	#18.639B/17.990A	----	19.061	+	3.296	.7749	----	----	----	4	UNCH		
7550	----	----	----	#18.320B/----	#18.320B/17.667A	----	18.735	+	3.271	.7682	----	----	----	2	UNCH		
7700	----	----	----	17.343B/----	17.343B/16.753A	----	17.787	+	3.196	.7476	----	----	----	1	UNCH		
8000	----	----	----	15.661B/----	15.661B/14.820A	----	16.030	+	3.042	.7050	----	2	----	268	UNCH		
8100	----	----	----	15.122B/----	15.122B/14.509A	----	15.485	+	2.992	.6906	----	----	----	1	UNCH		
8200	----	----	----	14.605B/----	14.605B/13.721A	----	14.960	+	2.942	.6761	----	----	----	25	UNCH		
8400	----	----	----	13.931B/----	13.931B/12.815A	----	13.968	+	2.844	.6472	----	----	----	10	UNCH		
8500	----	----	----	13.448B/----	13.448B/12.392A	----	13.500	+	2.796	.6329	----	----	----	234	UNCH		
8600	11.690	11.690	11.690	12.964B/11.690	12.964B/11.690	----	13.051	+	2.749	.6186	----	6	----	63	-	5	
8675	----	----	----	12.394B/----	12.394B/11.932A	----	12.725	+	2.714	.6080	----	----	----	5	UNCH		
8700	----	----	----	12.549B/----	12.549B/11.539A	----	12.619	+	2.703	.6045	----	----	----	102	UNCH		
8800	----	----	----	12.122B/----	12.122B/11.199A	----	12.204	+	2.657	.5905	----	5	----	7	-	1	
8925	----	----	----	11.401B/----	11.401B/10.951A	----	11.710	+	2.601	.5734	----	----	----	2	UNCH		
8950	----	----	----	11.496B/----	11.496B/10.658A	----	11.614	+	2.590	.5700	----	----	----	2	UNCH		
9000	----	----	----	11.318B/----	11.318B/10.478A	----	11.425	+	2.568	.5632	----	----	----	210	UNCH		
9100	----	----	----	10.925B/----	10.925B/10.159A	----	11.059	+	2.524	.5499	----	----	----	12	UNCH		
9400	9.750	9.750	9.750	9.885B/9.750	9.885B/9.244A	----	10.050	NEW	.5116	----	----	20	----	20	+	20	
9500	9.500	9.															

	BULLETIN # 91@			METALS OPTION PRODUCTS							Wed, May 13, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
NOV26															
9000	----	----		13.933B/----	13.933B/13.347A	----			14.322 + 2.735	.5866	----	----	----	----	1
9550	----	----		12.036B/----	12.036B/11.738A	----			12.461 + 2.504	.5290	----	----	----	----	3
9800	----	----		11.329B/----	11.329B/11.073A	----			11.721 + 2.403	.5047	----	----	----	----	3
10000	----	----		10.752B/----	10.752B/10.582A	----			11.171 + 2.325	.4861	----	----	----	----	24
11000	----	----		8.448B/----	8.448B/8.578A	----			8.896 + 1.980	.4040	----	----	----	----	4
12000	----	----		6.797B/----	6.797B/7.116A	----			7.233 + 1.702	.3386	----	----	----	----	13
12500	----	----		6.120B/----	6.120B/6.528A	----			6.570 + 1.584	.3113	----	----	----	----	10
13000	----	----		5.549B/----	5.549B/6.014A	----			5.995 + 1.479	.2869	----	----	----	----	1
14000	----	----		4.591B/----	4.591B/5.161A	----			5.050 + 1.297	.2456	----	----	----	----	2
15000	----	----		3.837B/----	3.837B/4.000A	----			4.307 + 1.143	.2123	----	----	----	----	6
16000	----	----		3.227B/----	3.227B/3.842A	----			3.703 + 1.005	.1846	----	----	----	----	14
17000	----	----		2.728B/----	2.728B/3.388A	----			3.199 + 0.880	.1614	----	----	----	----	2
20000	----	----		----	1.483B/2.636A	----			2.122 + 0.584	.1104	----	----	----	----	32
21000	----	----		----	1.160B/2.432A	----			1.878 + 0.516	.0985	----	----	----	----	1
30000	----	----		0.637B/----	0.637B/0.933A	----			0.875 + 0.263	.0465	----	----	----	----	4
TOTAL													1	0	182
DEC26															
3875	----	----		----	----	----			52.206 + 3.844	.9818	----	----	----	----	1
5000	----	----		----	----	----			41.461 + 3.831	.9502	----	----	----	----	30
5250	----	----		----	----	----			39.189 + 3.826	.9390	----	----	----	----	50
5500	----	----		----	11.600B/63.713A	----			36.975 + 3.816	.9260	----	----	----	----	1
6500	----	----		----	-----/64.909A	----			28.858 + 3.669	.8534	----	----	----	----	600
6900	----	----		#23.455B/----	#23.455B/25.248A	----			26.012 + 3.550	.8158	----	----	----	----	1
6950	----	----		#24.203B/----	#24.203B/24.922A	----			25.674 + 3.533	.8108	----	----	----	----	220
7000	----	----		#24.459B/----	#24.459B/24.601A	----			25.341 + 3.517	.8058	----	----	----	----	120
7025	----	----		#24.294B/----	#24.294B/24.498A	----			25.175 + 3.507	.8032	----	----	----	----	1
7075	----	----		#23.968B/----	#23.968B/24.126A	----			24.848 + 3.491	.7981	----	----	----	----	5
7100	----	----		#23.805B/----	#23.805B/23.969A	----			24.686 + 3.482	.7956	----	----	----	----	15
7375	----	----		#22.093B/----	#22.093B/22.318A	----			22.970 + 3.385	.7667	----	----	----	----	2
7500	----	----		21.355B/----	21.355B/21.608A	----			22.232 + 3.340	.7532	----	----	----	----	18
7575	----	----		#20.925B/----	#20.925B/21.194A	----			21.802 + 3.314	.7451	----	----	----	----	1
7750	----	----		19.957B/----	19.957B/20.263A	----			20.833 + 3.251	.7259	----	----	----	----	2
7800	----	----		19.689B/----	19.689B/20.052A	----			20.566 + 3.234	.7204	----	----	----	----	1
7925	----	----		19.034B/----	19.034B/19.379A	----			19.914 + 3.188	.7066	----	----	----	----	2
8000	19.600	19.600		19.600/19.600	19.600/19.015A	----			19.535 + 3.161	.6983	----	----	1	----	133 +
8100	----	----		18.161B/----	18.161B/18.542A	----			19.044 + 3.127	.6873	----	----	----	----	1
8200	----	----		17.686B/----	17.686B/17.476A	----			18.568 + 3.092	.6763	----	----	----	----	21
8400	----	----		17.121B/----	17.121B/16.615A	----			17.660 + 3.022	.6545	----	----	----	----	50
8500	----	----		16.741B/----	16.741B/16.203A	----			17.228 + 2.987	.6436	----	----	----	----	150
8550	----	----		16.530B/----	16.530B/16.007A	----			17.017 + 2.970	.6383	----	----	----	----	25
8600	----	----		16.315B/----	16.315B/15.803A	----			16.809 + 2.953	.6329	----	----	----	----	7
8800	----	----		15.496B/----	15.496B/15.059A	----			16.013 + 2.885	.6118	----	----	----	----	5
8900	13.750	13.750		15.270/13.750	15.270/13.750	----			15.634 + 2.852	.6014	----	28	----	----	27 +
8950	----	----		14.926B/----	14.926B/14.524A	----			15.449 + 2.835	.5962	----	----	----	----	1
9000	----	----		14.764B/----	14.764B/14.355A	----			15.268 + 2.819	.5911	----	----	----	----	249
9050	----	----		14.581B/----	14.581B/14.193A	----			15.089 + 2.803	.5860	----	----	----	----	100
9100	----	----		14.405B/----	14.405B/14.029A	----			14.913 + 2.785	.5809	----	----	11	----	16 +
9300	----	----		13.702B/----	13.702B/13.399A	----			14.237 + 2.719	.5613	----	11	----	----	15 +
9500	----	----		13.027B/----	13.027B/12.813A	----			13.603 + 2.652	.5423	----	----	----	----	10
9700	----	----		12.417B/----	12.417B/12.267A	----			13.007 + 2.584	.5239	----	----	----	----	1
9800	----	----		12.127B/----	12.127B/12.007A	----			12.723 + 2.550	.5150	----	----	----	----	56
9900	----	----		11.882B/----	11.882B/11.756A	----			12.446 + 2.515	.5062	----	----	----	----	4
10000	12.000	12.000		12.003B/12.000	12.003B/11.506A	----			12.178 + 2.481	.4977	----	----	34	50	835
10025	----	----		11.222B/----	11.222B/11.923A	----			12.112 + 2.472	.4955	----	----	----	----	3
10500	----	----		10.347B/----	10.347B/10.414A	----			10.943 + 2.301	.4570	----	----	----	----	98
10600	----	----		10.126B/----	10.126B/10.215A	----			10.717 + 2.265	.4494	----	----	----	----	6
10800	----	----		9.702B/----	9.702B/9.834A	----			10.283 + 2.194	.4345	----	----	----	----	5
11000	10.111	10.111		10.295B/10.111	10.295B/9.476A	----			9.875 + 2.125	.4203	----	1	----	----	94 +
11350	----	----		8.647B/----	8.647B/8.898A	----			9.217 + 2.013	.3968	----	----	----	----	5
11800	----	----		7.846B/----	7.846B/8.236A	----			8.472 + 1.887	.3693	----	----	----	----	25
12000	----	----		7.543B/----	7.543B/7.966A	----			8.174 + 1.840	.3580	----	6	50	----	617 -
12200	----	----		7.263B/----	7.263B/7.711A	----			7.895 + 1.797	.3472	----	----	----	----	1
12500	----	----		6.866B/----	6.866B/7.352A	----			7.505 + 1.740	.3319	----	----	----	----	51
13000	----	----		6.210B/----	6.210B/6.811A	----			6.917 + 1.652	.3086	----	----	----	----	371
13500	----	----		#5.676B/----	#5.676B/6.332A	----			6.391 + 1.573	.2874	----	----	----	----	6
14000	5.000	5.000		5.158B/5.000	5.158B/5.000	----			5.918 + 1.500	.2681	----	5	----	----	96
14200	----	----		4.984B/----	4.984B/5.749A	----			5.742 + 1.473	.2609	----	----	----	----	1
15000	----	----		4.355B/----	4.355B/5.187A	----			5.102 + 1.370	.2344	----	1	----	----	1858 -
16000	----	----		3.695B/----	3.695B/4.625A	----			4.424 + 1.253	.2060	----	----	----	----	1616
17000	----	----		3.160B/----	3.160B/4.096A	----			3.855 + 1.147	.1818	----	6	----	----	50
18000	----	----		2.718B/----	2.718B/3.700A	----			3.373 + 1.044	.1610	----	----	----	----	83
19000	----	----</													

BULLETIN # 91@			METALS OPTION PRODUCTS								Wed, May 13, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
JUN26														
3100	----	----	----	----/0.047A	----	0.002	UNCH	.0001	----	----	----	3		
3150	----	----	----	----/0.047A	----	0.003	UNCH	.0002	----	----	----	9		
3200	----	----	----	----/0.047A	----	0.003	UNCH	.0002	----	----	----	4		
3325	----	----	----	----/0.048A	----	0.003	UNCH	.0002	----	----	----	2		
3350	----	----	----	----/0.048A	----	0.004	UNCH	.0003	----	----	----	1		
3375	----	----	----	----/0.048A	----	0.004	UNCH	.0003	----	----	----	1		
3400	----	----	----	----/0.048A	----	0.004	UNCH	.0003	----	----	----	17		
3500	----	----	----	----/0.015A	----	0.004	UNCH	.0003	----	----	----	100		
3550	----	----	----	----/0.049A	----	0.005	UNCH	.0004	----	----	----	5		
3575	----	----	----	----/0.050A	----	0.005	UNCH	.0004	----	----	----	22		
3600	----	----	----	----/0.050A	----	0.005	UNCH	.0004	----	----	----	6		
3650	----	----	----	----/0.050A	----	0.005	UNCH	.0004	----	----	----	22		
3675	----	----	----	----/0.051A	----	0.005	UNCH	.0004	----	----	----	1		
3700	----	----	----	----/0.051A	----	0.006	UNCH	.0005	----	----	----	6		
3725	----	----	----	----/0.051A	----	0.006	UNCH	.0005	----	----	----	15		
3800	----	----	----	----/0.052A	----	0.006	UNCH	.0005	----	----	----	14		
3850	----	----	----	----/0.053A	----	0.007	UNCH	.0006	----	----	----	2		
3900	----	----	----	----/0.054A	----	0.007	UNCH	.0006	----	----	----	6		
3925	----	----	----	----/0.054A	----	0.007	UNCH	.0006	----	----	----	3		
4000	----	----	----	----/0.019A	----	0.008	UNCH	.0007	----	----	----	153		
4075	----	----	----	----/0.057A	----	0.008	UNCH	.0007	----	----	----	1		
4100	----	----	----	----/0.057A	----	0.008	UNCH	.0007	----	----	----	31		
4125	----	----	----	----/0.058A	----	0.009	UNCH	.0008	----	----	----	5		
4150	----	----	----	----/0.058A	----	0.009	UNCH	.0008	----	----	----	4		
4200	----	----	----	----/0.060A	----	0.010 +	0.001	.0009	----	----	----	26		
4225	----	----	----	----/0.060A	----	0.010 +	0.001	.0009	----	----	----	7		
4250	----	----	----	----/0.061A	----	0.010	UNCH	.0010	----	----	----	5		
4275	----	----	----	----/0.062A	----	0.011 +	0.001	.0011	----	----	----	13		
4300	----	----	----	----/0.062A	----	0.011 +	0.001	.0011	----	----	----	7		
4350	----	----	----	----/0.064A	----	0.011	UNCH	.0011	----	----	----	2		
4375	----	----	----	----/0.064A	----	0.012 +	0.001	.0012	----	----	----	3		
4400	----	----	----	----/0.065A	----	0.012 +	0.001	.0012	----	----	----	8		
4425	----	----	----	----/0.066A	----	0.012 +	0.001	.0012	----	----	----	1		
4500	----	----	----	----/*0.022A	----	0.013 +	0.001	.0013	----	----	----	164		
4550	----	----	----	----/0.070A	----	0.014 +	0.002	.0014	----	----	----	2		
4600	----	----	----	----/0.072A	----	0.014 +	0.001	.0015	----	----	----	7		
4625	----	----	----	----/0.073A	----	0.015 +	0.002	.0016	----	----	----	12		
4650	----	----	----	----/0.074A	----	0.015 +	0.001	.0016	----	----	----	1		
4700	----	----	----	----/0.076A	----	0.016 +	0.002	.0017	----	----	----	2		
4725	----	----	----	----/0.077A	----	0.016 +	0.002	.0017	----	----	----	10		
4750	----	----	----	----/0.078A	----	0.016 +	0.001	.0017	----	----	----	3		
4800	----	----	----	----/0.080A	----	0.017 +	0.002	.0019	----	----	----	27		
4850	----	----	----	----/0.082A	----	0.018 +	0.002	.0020	----	----	----	3		
4875	----	----	----	----/0.083A	----	0.018 +	0.002	.0020	----	----	----	15		
4900	----	----	----	----/0.084A	----	0.018 +	0.002	.0020	----	----	----	171		
4975	----	----	----	----/0.087A	----	0.019 +	0.002	.0022	----	----	----	1		
5000	0.025	0.025	0.035/0.018	0.035/0.018	0.035/0.018	0.020 +	0.002	.0023	----	51	----	1081 +		
5025	----	----	----	----/0.089A	----	0.020 +	0.002	.0023	----	----	----	8		
5050	----	----	----	----/0.090A	----	0.020 +	0.002	.0023	----	----	----	3		
5075	----	----	----	----/0.091A	----	0.021 +	0.002	.0025	----	----	----	2		
5100	----	----	----	----/0.092A	----	0.021 +	0.002	.0025	----	----	----	34		
5125	----	----	----	----/0.092A	----	0.022 +	0.003	.0026	----	----	----	1		
5150	----	----	----	----/0.093A	----	0.022 +	0.002	.0026	----	----	----	16		
5175	----	----	----	----/0.094A	----	0.022 +	0.002	.0026	----	----	----	12		
5200	----	----	----	0.018B/*0.042A	----	0.023 +	0.003	.0028	----	----	----	7		
5225	----	----	----	----/0.095A	----	0.023 +	0.002	.0028	----	----	----	1		
5250	----	----	----	----/0.096A	----	0.023 +	0.002	.0028	----	----	----	14		
5275	----	----	----	----/0.097A	----	0.023 +	0.001	.0028	----	----	----	17		
5300	----	----	----	----/0.066A	----	0.024 +	0.002	.0030	----	----	----	14		
5325	----	----	----	----/0.098A	----	0.024 +	0.002	.0030	----	----	----	10		
5350	----	----	----	----/0.099A	----	0.024 +	0.001	.0030	----	----	----	12		
5375	----	----	----	----/0.100A	----	0.025 +	0.002	.0032	----	----	----	10		
5400	----	----	----	----/0.101A	----	0.025 +	0.001	.0032	----	----	----	24		
5425	----	----	----	----/0.102A	----	0.026 +	0.002	.0033	----	----	----	4		
5450	----	----	----	----/0.103A	----	0.026 +	0.001	.0034	----	----	----	2		
5475	----	----	----	----/0.104A	----	0.027 +	0.002	.0035	----	----	----	13		
5500	----	----	0.028B/----	0.028B/0.104A	0.028B/0.104A	0.027 +	0.001	.0035	----	2	----	643 -		
5525	----	----	----	----/0.105A	----	0.028 +	0.002	.0037	----	----	----	16		
5550	----	----	----	----/0.106A	----	0.028 +	0.001	.0037	----	----	----	10		
5575	----	----	----	----/0.107A	----	0.029 +	0.002	.0039	----	----	----	2		
5600	----	----	----	----/0.108A	----	0.030 +	0.002	.0040	----	----	----	19		
5625	----	----	----	----/0.109A	----	0.030 +	0.002	.0040	----	----	----	2		
5650	----	----	----	----/0.110A	----	0.031 +	0.002	.0042	----	----	----	51		
5675	----	----	----	----/0.111A	----	0.031 +	0.002	.0042	----	----	----	21		
5700	----	----	----	----/0.111A	----	0.032 +	0.002	.0044	----	----	----	243		
5725	----	----	----	----/0.112A	----	0.032 +	0.001	.0044	----	----	----	4		
5750	----	----	----	----/0.113A	----	0.033 +	0.002	.0046	----	----	----	226		
5775	----	----	----	----/0.114A	----	0.034 +	0.002	.0047	----	----	----	9		
5800	----	----	----	----/0.114A	----	0.034 +	0.001	.0048	----	----	----	80		
5825	----	----	----	----/0.115A	----	0.035 +	0.002	.0050	----	----	----	9		
5850	----	----	----	----/0.116A	----	0.036 +	0.002	.0051	----	----	----	6		
5875	----	----	----	0.027B/0.117A	----	0.036 +	0.001	.0052	----	----	----	14		
5900	0.030	0.030	0.030/*0.030	0.030/*0.030	0.030/*0.030	0.037 +	0.001	.0053	----	1	----	44 -		
5925	----	----	----	----/0.119A	----	0.038 +	0.001	.0055	----	----	----	21		
5950	----	----	----	----/0.120A	----	0.039 +	0.001	.0057	----	----	----	6		
5975	----	----	----	----/0.121A	----	0.039 +	0.001	.0057	----	----	----	3		
6000	----	----	----	0.034B/0.040A	----	0.040 +	0.001	.0059	----	----	----	1179		
6025	----	----	----	0.001B/0.123A	----	0.041 +	0.001	.0061	----	----	----	31		
6050	----	----	----	0.001B/0.123A	----	0.042 +	0.001	.0063	----	----	----	141		
6075	----	----	----	0.001B/0.124A	----	0.043 +	0.001	.0065	----	----	----	31		
6100	----	----	----	0.001B/0										



BULLETIN # 91@				METALS OPTION PRODUCTS						Wed, May 13, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
JUN26														
7300	0.274	0.274	0.274/*0.185A	0.274/*0.185A	----	0.152 -	0.136 .0308	----	----	12	----	112 -	2	
7325	----	----	----/*0.197A	0.181B/*0.197A	----	0.158 -	0.146 .0321	----	----	1	----	18	UNCH	
7350	0.244	0.244	0.244/*0.200A	0.244/*0.200A	----	0.165 -	0.155 .0336	----	----	1	----	41 -	1	
7375	----	----	----/*0.216A	0.209B/*0.216A	----	0.171 -	0.167 .0350	----	----	----	----	32	UNCH	
7400	----	----	----/*0.227A	0.219B/*0.227A	----	0.178 -	0.179 .0365	----	----	34	----	80 +	18	
7425	----	----	----/*0.237A	0.240B/*0.237A	----	0.185 -	0.191 .0381	----	----	----	----	41	UNCH	
7450	0.310	0.310	0.310/*0.210	0.310/*0.210	----	0.194 -	0.203 .0400	----	----	2	----	71 +	2	
7475	----	----	----/*0.245A	0.271B/*0.245A	----	0.202 -	0.217 .0418	----	----	2	----	20	UNCH	
7500	0.320	0.320	0.320/*0.184	0.320/*0.184	----	0.211 -	0.231 .0437	----	----	346	----	548 -	7	
7525	----	----	----/*0.270A	0.310B/*0.270A	----	0.221 -	0.246 .0458	----	----	----	----	9	UNCH	
7550	----	----	----/*0.280A	0.328B/*0.280A	----	0.231 -	0.262 .0480	----	----	3	----	22 +	3	
7575	----	----	----/*0.296A	0.347B/*0.296A	----	0.241 -	0.279 .0502	----	----	----	----	7	UNCH	
7600	0.300	0.300	0.300/*0.300	0.386B/*0.300	----	0.253 -	0.297 .0527	----	----	8	----	79 -	3	
7625	----	----	----/*0.319A	0.425B/*0.319A	----	0.266 -	0.314 .0554	----	----	----	----	4	UNCH	
7650	----	----	----/*0.333A	0.464B/*0.333A	----	0.279 -	0.334 .0581	----	----	----	----	12	UNCH	
7675	----	----	----/*0.350A	0.494B/*0.350A	----	0.294 -	0.354 .0612	----	----	----	----	2	UNCH	
7700	0.650	0.650	0.650/*0.325	0.650/*0.325	----	0.308 -	0.376 .0641	----	----	20	----	105 +	7	
7725	----	----	----/*0.392A	0.556B/*0.392A	----	0.325 -	0.398 .0675	----	----	----	----	23	UNCH	
7750	0.573	0.573	0.610/*0.397A	0.610/*0.397A	----	0.342 -	0.421 .0709	----	----	5	----	12 -	3	
7775	0.600	0.600	0.630/*0.417A	0.630/*0.417A	----	0.361 -	0.444 .0747	----	----	5	----	37 +	4	
7800	0.653	0.653	0.653/*0.426A	0.661B/*0.426A	----	0.380 -	0.470 .0785	----	----	36	----	92 +	18	
7825	0.586	0.586	0.586/*0.463A	0.699B/*0.463A	----	0.402 -	0.495 .0827	----	----	2	----	13	UNCH	
7850	----	----	----/*0.487A	0.740B/*0.487A	----	0.425 -	0.522 .0871	----	----	1	----	21 +	1	
7875	----	----	----/*0.480A	0.785B/*0.480A	----	0.449 -	0.549 .0917	----	----	1	----	20	UNCH	
7900	----	----	----/*0.499A	0.832B/*0.499A	----	0.482 -	0.570 .0974	----	----	18	----	134 +	8	
7925	0.677	0.677	0.677/*0.542A	0.882B/*0.542A	----	0.502 -	0.607 .1016	----	----	9	----	16 +	1	
7950	----	----	----/*0.552A	0.933B/*0.552A	----	0.533 -	0.635 .1071	----	----	----	----	72	UNCH	
7975	----	----	----/*0.588A	0.987B/*0.588A	----	0.564 -	0.666 .1127	----	----	----	----	6	UNCH	
8000	1.030	1.030	1.100/*0.633A	1.100/*0.633A	----	0.597 -	0.699 .1185	----	----	489	----	917 +	330	
8025	0.745	0.745	0.745/*0.666A	1.104B/*0.666A	----	0.632 -	0.731 .1246	----	----	8	----	126 +	4	
8050	0.740	0.740	0.740/*0.701A	1.157B/*0.701A	----	0.670 -	0.763 .1311	----	----	2	----	11	UNCH	
8075	----	----	----/*0.737A	1.229B/*0.737A	----	0.709 -	0.798 .1377	----	----	----	----	3	UNCH	
8100	1.210	1.210	1.310/*0.773A	1.310/*0.773A	----	0.752 -	0.831 .1448	----	----	28	----	120 +	15	
8125	1.220	1.220	1.220/*0.815A	1.372B/*0.815A	----	0.796 -	0.866 .1519	----	----	4	----	9	UNCH	
8150	1.079	1.079	1.079/*0.859A	1.433B/*0.859A	----	0.843 -	0.902 .1594	----	----	4	----	7 -	2	
8175	1.090	1.090	1.090/*0.904A	1.511B/*0.904A	----	0.893 -	0.937 .1673	----	----	1	----	44	UNCH	
8200	1.400	1.400	1.590B/*0.949A	1.590B/*0.949A	----	0.945 -	0.974 .1753	----	----	38	----	145 -	3	
8225	----	----	----/*1.000A	1.673B/*1.000A	----	1.000 -	1.010 .1836	----	----	1	----	8	UNCH	
8250	----	----	----/*1.040A	1.761B/*1.040A	----	1.058 -	1.047 .1921	----	----	8	----	27 +	8	
8275	----	----	----/*1.101A	1.846B/*1.101A	----	1.118 -	1.086 .2008	----	----	----	----	42	UNCH	
8300	1.800	1.800	1.940B/*1.165A	1.940B/*1.165A	----	1.182 -	1.123 .2099	----	----	29	----	22 +	14	
8325	1.528	1.528	1.528/*1.223A	2.033B/*1.223A	----	1.248 -	1.161 .2191	----	----	1	----	2 +	1	
8350	1.611	1.611	1.611/*1.286A	2.131B/*1.286A	----	1.316 -	1.202 .2284	----	----	7	----	21 +	3	
8375	1.682	1.682	1.682/*1.354A	2.227B/*1.354A	----	1.389 -	1.239 .2381	----	----	2	----	20 +	1	
8400	1.942	1.942	1.948/*1.417A	2.360B/*1.417A	----	1.461 -	1.281 .2477	----	----	66	----	117 +	34	
8425	----	----	----/*1.491A	2.435B/*1.491A	----	1.542 -	1.317 .2579	----	----	----	----	64	UNCH	
8450	----	----	----/*1.564A	2.549B/*1.564A	----	1.623 -	1.356 .2680	----	----	----	----	22	UNCH	
8475	----	----	----/*1.647A	2.668B/*1.647A	----	1.707 -	1.395 .2783	----	----	----	----	4	UNCH	
8500	2.650	2.650	2.814B/*1.718A	2.814B/*1.718A	----	1.795 -	1.435 .2887	----	----	19	----	175 -	2	
8525	----	----	----/*1.807A	2.893B/*1.807A	----	1.885 -	1.475 .2992	----	----	2	----	13	+	
8550	----	----	----/*1.887A	3.030B/*1.887A	----	1.973 -	1.520 .3097	----	----	2	----	3 +	2	
8575	2.750	2.750	3.150B/*1.980A	3.150B/*1.980A	----	2.075 -	1.554 .3206	----	----	3	----	31 +	2	
8600	3.150	3.150	3.350/*2.065A	3.350/*2.065A	----	2.175 -	1.593 .3315	----	----	28	----	27 +	13	
8625	3.270	3.270	3.270/*2.167A	3.415B/*2.167A	----	2.278 -	1.632 .3424	----	----	10	----	21 +	6	
8650	3.580	3.580	3.580/*2.256A	3.580/*2.256A	----	2.383 -	1.672 .3533	----	----	4	----	8 +	1	
8675	3.625	3.625	3.667B/*2.361A	3.667B/*2.361A	----	2.493 -	1.710 .3644	----	----	3	----	21 +	1	
8700	3.611	3.611	3.864B/*2.457	3.864B/*2.457	----	2.604 -	1.750 .3754	----	----	16	----	27 +	11	
8725	----	----	----/*2.574A	3.969B/*2.574A	----	2.719 -	1.788 .3864	----	----	----	----	1	UNCH	
8750	3.796	3.796	4.121B/*2.676A	4.121B/*2.676A	----	2.837 -	1.827 .3975	----	----	11	----	35 +	9	
8775	4.190	4.190	4.270B/*2.795A	4.270B/*2.795A	----	2.957 -	1.866 .4086	----	----	2	----	3 +	2	
8800	4.045	4.045	4.431B/*2.906A	4.431B/*2.906A	----	3.080 -	1.905 .4196	----	----	19	----	21 +	11	
8825	4.188	4.188	4.555B/*3.025A	4.555B/*3.025A	----	3.206 -	1.944 .4306	----	----	1	----	15	UNCH	
8850	4.333	4.333	4.711B/*3.139A	4.711B/*3.139A	----	3.335 -	1.982 .4416	----	----	2	----	8 +	2	
8900	4.621	4.621	5.043B/*3.388A	5.043B/*3.388A	----	3.600 -	NEW .4635	----	----	5	----	3 +	3	
8925	----	----	----/*3.527A	5.222B/*3.527A	----	3.738 -	2.095 .4743	----	----	----	----	4	UNCH	
8950	----	----	----/*3.651A	5.347B/*3.651A	----	3.876 -	NEW .4851	----	----	1	----	1 +	1	
8975	----	----	----/*3.797A	5.456B/*3.797A	----	4.019 -	2.170 .4958	----	----	----	----	2	UNCH	
9000	4.320	4.320	4.320/*3.920A	5.722B/*3.920A	----	4.161 -	2.209 .5065	----	----	47	----	118 -	18	
9050	----	----	----/*4.231A	6.050B/*4.231A	----	4.431 -	2.309 .5280	----	----	3	----	3	UNCH	
9075	----	----	----/*4.378A	6.164B/*4.378A	----	4.604 -	2.323 .5380	----	----	----	----	2	UNCH	
9100	5.970	5.970	5.970/*4.526A	6.343B/*4.526A	----	4.762 -	2.355 .5482	----	----	5	----	6	UNCH	
9125	----	----	----/*4.678A	6.410B/*4.678A	----	4.919 -	2.390 .5584							

BULLETIN # 91@				METALS OPTION PRODUCTS								Wed, May 13, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
SO PUT	COMEX SILVER OPTIONS															
JUL26																
4200	----	----	----	0.001B/0.101A	----	0.036 - 0.008	.0036	----	----	----	----	27	UNCH			
4225	----	----	----	0.001B/0.102A	----	0.037 - 0.008	.0037	----	----	----	----	1	UNCH			
4250	----	----	----	0.001B/0.104A	----	0.038 - 0.008	.0038	----	----	----	----	21	UNCH			
4300	----	----	----	0.010B/0.106A	----	0.039 - 0.009	.0040	----	----	----	----	98	UNCH			
4325	----	----	----	0.001B/0.108A	----	0.040 - 0.009	.0041	----	----	----	----	17	UNCH			
4375	----	----	----	0.001B/0.111A	----	0.041 - 0.010	.0042	----	----	----	----	32	UNCH			
4400	----	----	----	0.001B/0.113A	----	0.042 - 0.010	.0043	----	----	----	----	29	UNCH			
4450	----	----	----	0.001B/0.117A	----	0.043 - 0.011	.0045	----	----	----	----	4	UNCH			
4475	----	----	----	0.001B/0.118A	----	0.044 - 0.011	.0046	----	----	----	----	16	UNCH			
4500	0.072	0.072	0.072/0.072	0.072/0.072	----	0.045 - 0.011	.0047	----	----	1	----	300	UNCH			
4575	----	----	----	0.001B/0.126A	----	0.047 - 0.012	.0050	----	----	----	----	75	UNCH			
4600	----	----	----	0.001B/0.129A	----	0.048 - 0.012	.0051	----	----	----	----	102	UNCH			
4650	----	----	----	0.001B/0.133A	----	0.049 - 0.014	.0053	----	----	----	----	40	UNCH			
4675	----	----	----	0.001B/0.135A	----	0.050 - 0.014	.0054	----	----	----	----	12	UNCH			
4700	----	----	----	0.001B/0.137A	----	0.051 - 0.014	.0056	----	----	----	----	152	UNCH			
4725	----	----	----	0.001B/0.138A	----	0.052 - 0.015	.0057	----	----	----	----	3	UNCH			
4750	----	----	----	0.001B/0.140A	----	0.053 - 0.015	.0058	----	----	----	----	54	UNCH			
4775	----	----	----	0.001B/0.142A	----	0.054 - 0.015	.0060	----	----	----	----	8	UNCH			
4800	----	----	----	0.001B/0.110A	----	0.055 - 0.016	.0061	----	----	----	----	15	UNCH			
4825	----	----	----	0.001B/0.146A	----	0.056 - 0.016	.0062	----	----	----	----	26	UNCH			
4850	----	----	----	0.001B/0.148A	----	0.057 - 0.017	.0064	----	----	----	----	2	UNCH			
4875	----	----	----	0.001B/0.150A	----	0.058 - 0.017	.0065	----	----	----	----	23	UNCH			
4900	----	----	----	0.001B/0.152A	----	0.060 - 0.017	.0067	----	----	----	----	168	UNCH			
5000	0.085	0.085	0.085/0.070	0.085/0.070	----	0.065 - 0.019	.0074	----	----	10	----	896 + 7				
5025	----	----	----	0.009B/0.160A	----	0.067 - 0.018	.0076	----	----	----	----	1	UNCH			
5050	----	----	----	0.010B/0.163A	----	0.069 - 0.018	.0079	----	----	----	----	16	UNCH			
5075	----	----	----	0.010B/0.165A	----	0.071 - 0.018	.0081	----	----	----	----	11	UNCH			
5100	----	----	----	0.009B/0.168A	----	0.072 - 0.019	.0083	----	1	----	----	179	UNCH			
5150	----	----	----	0.009B/0.174A	----	0.076 - 0.020	.0088	----	----	----	----	5	UNCH			
5175	----	----	----	0.010B/0.177A	----	0.078 - 0.020	.0090	----	----	----	----	5	UNCH			
5200	----	----	----	0.080B/0.181A	----	0.081 - 0.019	.0094	----	5	----	----	108	UNCH			
5225	----	----	----	0.014B/0.183A	----	0.083 - 0.020	.0096	----	----	----	----	9	UNCH			
5250	----	----	----	0.016B/0.187A	----	0.085 - 0.020	.0099	----	----	----	----	225	UNCH			
5275	----	----	----	0.017B/0.190A	----	0.088 - 0.020	.0102	----	----	----	----	2	UNCH			
5300	----	----	----	0.020B/0.193A	----	0.090 - 0.021	.0105	----	----	----	----	126	UNCH			
5325	----	----	----	0.024B/0.197A	----	0.092 - 0.022	.0108	----	----	----	----	11	UNCH			
5350	----	----	----	0.026B/0.202A	----	0.095 - 0.022	.0111	----	----	----	----	26	UNCH			
5375	----	----	----	0.028B/0.206A	----	0.098 - 0.022	.0115	----	----	----	----	17	UNCH			
5400	----	----	----	0.027B/0.211A	----	0.101 - 0.022	.0119	----	----	----	----	75	UNCH			
5425	----	----	----	0.029B/0.215A	----	0.104 - 0.022	.0122	----	----	----	----	49	UNCH			
5450	----	----	----	0.035B/0.222A	----	0.108 - 0.022	.0127	----	----	----	----	38	UNCH			
5475	----	----	----	0.034B/0.225A	----	0.111 - 0.022	.0131	----	----	----	----	53	UNCH			
5500	0.140	0.140	0.180/0.125	0.180/0.125	----	0.125 - 0.012	.0144	----	12	----	----	1024 - 3				
5525	----	----	----	0.046B/0.231A	----	0.125 - 0.016	.0145	----	----	----	----	86	UNCH			
5550	----	----	----	0.049B/0.238A	----	0.125 - 0.020	.0146	----	----	----	----	18	UNCH			
5575	----	----	----	0.049B/0.241A	----	0.127 - 0.023	.0149	----	----	----	----	3	UNCH			
5600	----	----	----	0.052B/0.247A	----	0.131 - 0.023	.0154	----	----	----	----	30	UNCH			
5625	----	----	----	0.056B/0.252A	----	0.136 - 0.023	.0160	----	----	----	----	3	UNCH			
5650	----	----	----	0.069B/0.256A	----	0.140 - 0.023	.0165	----	----	----	----	29	UNCH			
5675	----	----	----	0.073B/0.262A	----	0.145 - 0.024	.0171	----	----	----	----	45	UNCH			
5700	----	----	----	0.077B/0.258A	----	0.150 - 0.024	.0177	----	5	----	----	302	UNCH			
5725	----	----	----	0.078B/0.273A	----	0.154 - 0.025	.0182	----	----	----	----	3	UNCH			
5750	----	----	----	0.091B/0.265A	----	0.160 - 0.025	.0188	----	----	----	----	52	UNCH			
5775	----	----	----	0.087B/*0.285A	----	0.166 - 0.025	.0195	----	----	----	----	2	UNCH			
5800	----	----	----	0.103B/*0.233A	----	0.172 - 0.025	.0202	----	1	----	----	26 - 1				
5825	----	----	----	0.099B/*0.296A	----	0.178 - 0.026	.0209	----	----	----	----	4	UNCH			
5850	----	----	----	0.119B/*0.256A	----	0.184 - 0.033	.0216	----	----	----	----	117	UNCH			
5875	----	----	----	0.108B/*0.317A	----	0.191 - 0.027	.0224	----	----	----	----	3	UNCH			
5900	----	----	----	0.114B/0.324A	----	0.197 - 0.028	.0231	----	----	----	----	6	UNCH			
5925	----	----	----	0.121B/*0.326A	----	0.205 - 0.027	.0240	----	----	----	----	2	UNCH			
5950	----	----	----	0.128B/*0.339A	----	0.212 - 0.028	.0248	----	----	----	----	2	UNCH			
5975	----	----	----	0.186B/*0.342A	----	0.219 - 0.029	.0256	----	----	----	----	9	UNCH			
6000	----	----	----	0.160B/0.275A	----	0.227 - 0.039	.0265	----	2	----	----	616	UNCH			
6050	----	----	----	0.174B/*0.324A	----	0.243 - 0.032	.0283	----	----	----	----	12	UNCH			
6100	----	----	----	0.198B/0.362A	----	0.261 - 0.033	.0303	----	----	----	----	293	UNCH			
6125	----	----	----	0.181B/*0.396A	----	0.271 - 0.033	.0314	----	----	----	----	1	UNCH			
6150	----	----	----	0.192B/*0.300A	----	0.279 - 0.036	.0323	----	----	----	----	10	UNCH			
6175	----	----	----	0.201B/*0.336A	----	0.290 - 0.036	.0335	----	----	----	----	2	UNCH			
6200	----	----	----	0.234B/*0.399A	----	0.300 - 0.038	.0346	----	----	----	----	44	UNCH			
6225	----	----	----	0.221B/*0.437A	----	0.311 - 0.039	.0358	----	----	----	----	1	UNCH			
6250	----	----	----	0.244B/*0.431A	----	0.322 - 0.041	.0370	----	----	----	----	27	UNCH			
6275	----	----	----	0.243B/*0.460A	----	0.334 - 0.042	.0382	----	----	----	----	1	UNCH			
6300	----	----	----	0.277B/0.442A	----	0.346 - 0.043	.0395	----	1	----	----	253 - 1				
6325	----	----	----	0.278B/*0.468A	----	0.357 - 0.046	.0407	----	----	----	----	20	UNCH			
6350	----	----	----	0.290B/0.483A	----	0.370 - 0.048	.0421	----	----	----	----	251	UNCH			
6375	----	----	----	0.292B/*0.511A	----	0.383 - 0.050	.0435	----	----	----	----	6	UNCH			
6400	----	----	----	0.326B/*0.448A	----	0.397 - 0.052	.0450	----	1	----	----	85 - 1				
6425	----	----	----	0.320B/*0.538A	----	0.411 - 0.054	.0464	----	----	----	----	2	UNCH			
6450	----	----	----	0.335B/*0.552A	----	0.424 - 0.059	.0479	----	----	----	----	7	UNCH			
6475	----	----	----	0.353B/*0.483A	----	0.440 - 0.059	.0495	----	----	----	----	1	UNCH			
6500	0.514	0.514	0.514/*0.419	0.												

	BULLETIN # 91@			METALS OPTION PRODUCTS						Wed, May 13, 2026			PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT	COMEX SILVER OPTIONS														
JUL26															
7975	----	----	----	---/*2.929A	3.570B/*2.929A	----	----	----	2.947 - 0.792	.2488	----	----	----	----	6
8000	3.400	3.400	3.400	3.685B/*3.000	3.685B/*3.000	----	----	----	3.029 - 0.814	.2540	----	----	33	----	256 - 10
8075	----	----	----	---/*3.270A	3.983B/*3.270A	----	----	----	3.287 - 0.883	.2696	----	----	----	----	10
8100	----	----	----	---/*3.363A	4.100B/*3.363A	----	----	----	3.376 - 0.906	.2749	----	----	----	----	45
8125	----	----	----	---/*3.448A	4.176B/*3.448A	----	----	----	3.467 - 0.929	.2802	----	----	----	----	7
8150	----	----	----	---/*3.541A	4.281B/*3.541A	----	----	----	3.561 - 0.951	.2856	----	----	----	----	2
8175	----	----	----	---/*3.639A	4.407B/*3.639A	----	----	----	3.656 - 0.974	.2910	----	----	----	----	2
8200	----	----	----	---/*3.744A	4.537B/*3.744A	----	----	----	3.752 - 0.998	.2964	----	----	----	----	3
8225	----	----	----	---/*3.830A	4.646B/*3.830A	----	----	----	3.852 - 1.020	.3019	----	----	----	----	1
8250	4.075	4.075	4.075	4.193/*3.927A	4.782B/*3.927A	----	----	----	3.952 - 1.044	.3073	----	2	----	----	72
8275	----	----	----	---/*4.031A	4.897B/*4.031A	----	----	----	4.054 - 1.067	.3128	----	2	----	----	16 + 2
8300	4.526	4.526	4.526	4.526/*4.142A	5.013B/*4.142A	----	----	----	4.158 - 1.092	.3183	----	1	----	----	127 + 1
8350	----	----	----	---/*4.346A	5.260B/*4.346A	----	----	----	4.372 - 1.138	.3294	----	----	----	----	20
8375	----	----	----	---/*4.455A	5.382B/*4.455A	----	----	----	4.481 - 1.162	.3350	----	2	----	----	5 + 2
8400	5.167	5.167	5.167	5.167/*4.565A	5.514B/*4.565A	----	----	----	4.593 - 1.184	.3406	----	3	----	----	10
8425	----	----	----	---/*4.677A	5.642B/*4.677A	----	----	----	4.706 - 1.208	.3461	----	----	----	----	2
8450	----	----	----	---/*4.791A	5.785B/*4.791A	----	----	----	4.820 - 1.232	.3517	----	----	----	----	33
8475	----	----	----	---/*4.923A	5.903B/*4.923A	----	----	----	4.937 - 1.255	.3573	----	----	----	----	1
8500	5.784	5.784	5.784	5.784/*5.011	6.054B/*5.011	----	----	----	5.056 - 1.278	.3629	----	33	----	----	82 + 23
8525	----	----	----	---/*5.147A	6.181B/*5.147A	----	----	----	5.176 - 1.302	.3685	----	----	----	----	4
8550	----	----	----	---/*5.263A	6.331B/*5.263A	----	----	----	5.298 - 1.325	.3741	----	----	----	----	37
8600	6.150	6.150	6.150	6.150/*5.509A	6.624B/*5.509A	----	----	----	5.548 - 1.370	.3852	----	8	----	----	71
8625	----	----	----	---/*5.659A	6.756B/*5.659A	----	----	----	5.675 - 1.394	.3908	----	----	----	----	7
8650	----	----	----	---/*5.761A	6.909B/*5.761A	----	----	----	5.803 - 1.418	.3964	----	----	----	----	1
8675	----	----	----	---/*5.903A	7.032B/*5.903A	----	----	----	5.935 - 1.439	.4019	----	----	----	----	1
8700	6.803	6.803	6.803	7.200B/*6.020A	7.200B/*6.020A	----	----	----	6.067 - 1.462	.4074	----	9	----	----	12 + 6
8725	----	----	----	---/*6.157A	7.353B/*6.157A	----	----	----	6.200 - 1.486	.4130	----	----	----	----	1
8800	7.354	7.354	7.354	7.354/*6.537A	7.806B/*6.537A	----	----	----	6.613 - 1.551	.4294	----	67	----	----	60 + 59
8850	----	----	----	---/*6.864A	8.079B/*6.864A	----	----	----	6.895 - 1.596	.4403	----	----	----	----	1
8900	----	----	----	---/*7.140A	8.432B/*7.140A	----	----	----	7.184 - 1.639	.4511	----	1	----	----	2 + 1
8975	----	----	----	---/*7.566A	8.906B/*7.566A	----	----	----	7.631 - 1.701	.4671	----	----	----	----	1
9000	----	----	----	---/7.706A	9.070B/7.706A	----	----	----	7.781 - 1.722	.4723	----	24	----	----	322 + 12
9175	----	----	----	---/8.802A	10.171B/8.802A	----	----	----	8.881 - 1.862	.5082	----	----	----	----	1
9200	----	----	----	---/8.966A	10.344B/8.966A	----	----	----	9.045 - 1.879	.5132	----	2	----	----	11
9250	----	----	----	---/9.321A	10.694B/9.321A	----	----	----	9.373 - 1.919	.5231	----	----	----	----	1
9275	----	----	----	---/9.486A	10.871B/9.486A	----	----	----	9.540 - 1.937	.5279	----	----	----	----	1
9300	----	----	----	---/9.652A	11.048B/9.652A	----	----	----	9.707 - 1.956	.5328	----	----	----	----	1
9400	----	----	----	---/10.320A	11.769B/10.320A	----	----	----	10.391 - 2.027	.5517	----	----	----	----	1
9450	----	----	----	---/10.664A	12.138B/10.664A	----	----	----	10.739 - 2.063	.5609	----	----	----	----	12
9500	11.299	11.299	11.299	11.304/10.966A	12.551B/10.966A	----	----	----	11.092 - 2.098	.5700	----	4	----	----	218 - 20
9600	----	----	----	---/11.678A	13.283B/11.678A	----	----	----	11.812 - 2.164	.5876	----	----	----	----	50
9775	----	----	----	---/12.995A	14.613B/12.995A	----	----	----	13.107 - 2.276	.6170	----	----	----	----	5
9900	----	----	----	---/13.935A	15.621B/13.935A	----	----	----	14.058 - 2.353	.6367	----	----	----	----	6
9950	----	----	----	---/14.323A	16.003B/14.323A	----	----	----	14.446 - 2.381	.6443	----	----	----	----	5
10000	----	----	----	---/14.675A	16.482B/14.675A	----	----	----	14.835 - 2.410	.6518	----	----	----	----	225
10275	----	----	----	---/16.932A	18.719B/16.932A	----	----	----	17.033 - 2.558	.6902	----	----	----	----	7
10500	----	----	----	---/18.853A	20.131B/18.853A	----	----	----	18.891 - 2.667	.7184	----	----	----	----	3
10600	----	----	----	---/19.614A	21.483B/19.614A	----	----	----	19.731 - 2.712	.7300	----	----	----	----	9
10800	----	----	----	---/21.491A	22.708B/21.491A	----	----	----	21.439 - 2.795	.7518	----	----	----	----	1
11000	----	----	----	---/23.037A	25.049B/23.037A	----	----	----	23.177 - 2.871	.7717	----	----	----	----	240
11300	----	----	----	---/25.676A	27.757B/25.676A	----	----	----	25.833 - 2.974	.7983	----	----	----	----	10
11500	----	----	----	---/27.617A	29.010B/27.617A	----	----	----	27.633 - 3.034	.8140	----	----	----	----	1
12000	----	----	----	---/32.034A	34.215B/32.034A	----	----	----	32.219 - 3.161	.8475	----	----	----	----	15
13000	----	----	----	---/41.470A	43.365B/41.470A	----	----	----	41.630 - 3.358	.8961	----	----	----	----	5
TOTAL													351	0	13110 + 130
AUG26															
3300	----	----	----	----	0.001B/3.628A	----	----	----	0.035 + 0.002	.0027	----	----	----	----	2
3900	----	----	----	----	0.001B/3.755A	----	----	----	0.071 + 0.001	.0058	----	----	----	----	2
4000	----	----	----	----	0.001B/3.774A	----	----	----	0.079 + 0.001	.0065	----	----	----	----	1
4175	----	----	----	----	0.001B/3.836A	----	----	----	0.096 + 0.001	.0080	----	----	----	----	1
4300	----	----	----	----	0.022B/0.214A	----	----	----	0.109 UNCH	.0091	----	----	----	----	1
4350	----	----	----	----	0.026B/0.221A	----	----	----	0.115 UNCH	.0096	----	----	----	----	1
4375	----	----	----	----	0.029B/0.224A	----	----	----	0.118 UNCH	.0099	----	----	----	----	160
4400	----	----	----	----	0.031B/0.228A	----	----	----	0.121 - 0.001	.0102	----	----	----	----	1
4500	----	----	----	----	0.041B/0.243A	----	----	----	0.134 - 0.001	.0113	----	----	----	----	2
4600	----	----	----	----	0.052B/0.260A	----	----	----	0.148 - 0.003	.0125	----	----	----	----	4
4625	----	----	----	----	0.055B/0.265A	----	----	----	0.152 - 0.003	.0129	----	----	----	----	1
4700	----	----	----	----	0.065B/0.279A	----	----	----	0.165 - 0.002	.0140	----	----	----	----	1
4775	----	----	----	----	0.076B/0.291A	----	----	----	0.178 - 0.003	.0151	----	----	----	----	1
4800	----	----	----	----											

	BULLETIN # 91@				METALS OPTION PRODUCTS					Wed, May 13, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT	COMEX SILVER OPTIONS														
AUG26															
8175	5.929	5.929		5.929/*5.463A	5.979B/*5.463A	----	----	----	5.402	NEW .3082	----	----	1	----	1 +
8200	----	----	----	----/*5.715A	6.100B/*5.715A	----	----	----	5.511	- 0.899 .3124	----	----	----	----	10
8225	----	----	----	----/*5.668A	6.222B/*5.668A	----	----	----	5.623	- 0.914 .3167	----	----	----	----	4
8250	----	----	----	----/*5.959A	6.346B/*5.959A	----	----	----	5.735	- 0.930 .3209	----	----	5	----	10 +
8275	----	----	----	----/*5.923A	6.471B/*5.923A	----	----	----	5.849	- 0.945 .3251	----	----	----	----	5
8300	----	----	----	----/*6.193A	6.597B/*6.193A	----	----	----	5.964	- 0.963 .3293	----	----	----	----	1
8325	----	----	----	----/*6.195A	6.724B/*6.195A	----	----	----	6.081	- 0.978 .3336	----	----	----	----	5
8400	6.748	6.748		7.116B/*6.690A	7.116B/*6.690A	----	----	----	6.440	NEW .3463	----	1	----	----	1 +
8425	----	----	----	----/*6.602A	7.249B/*6.602A	----	----	----	6.562	- 1.042 .3505	----	----	----	----	1
8475	----	----	----	----/*6.932A	7.519B/*6.932A	----	----	----	6.811	- 1.074 .3590	----	----	----	----	1
8500	----	----	----	----/*7.199A	7.656B/*7.199A	----	----	----	6.938	- 1.090 .3632	----	----	----	----	20
8600	----	----	----	----/*7.730A	8.215B/*7.730A	----	----	----	7.458	- 1.155 .3801	----	----	----	----	3
8650	----	----	----	----/8.003A	8.505B/8.003A	----	----	----	7.726	- 1.187 .3885	----	----	----	----	1
8700	----	----	----	----/8.286A	8.799B/8.286A	----	----	----	7.999	- 1.220 .3968	----	----	----	----	2
8825	----	----	----	----/*8.804A	9.555B/*8.804A	----	----	----	8.705	- 1.300 .4174	----	----	----	----	4
8850	----	----	----	----/9.044A	9.709B/9.044A	----	----	----	8.849	- 1.317 .4215	----	----	----	----	1
8900	----	----	----	----/9.339A	10.022B/9.339A	----	----	----	9.143	- 1.348 .4297	----	----	----	----	24
9000	----	----	----	----/9.944A	10.659B/9.944A	----	----	----	9.745	- 1.410 .4457	----	24	----	----	77 +
9025	10.732	10.732		10.894/*9.986A	10.894/*9.986A	----	----	----	9.899	NEW .4497	----	5	----	----	4 +
9150	11.226	11.226		11.226/10.881A	11.650B/10.881A	----	----	----	10.683	NEW .4691	----	4	----	----	4 +
9275	12.565	12.565		12.565/*11.511A	12.565/*11.511A	----	----	----	11.494	NEW .4881	----	5	----	----	5 +
9300	----	----	----	----/11.855A	12.675B/11.855A	----	----	----	11.659	- 1.590 .4918	----	----	----	----	1
9325	12.713	12.713		12.849B/11.974A	12.849B/11.974A	----	----	----	11.826	- 1.604 .4955	----	11	----	----	11 +
9350	12.014	12.014		12.014/12.014	13.024B/12.014	----	----	----	11.993	NEW .4992	----	4	----	----	4 +
9500	----	----	----	----/13.210A	14.095B/13.210A	----	----	----	13.022	- 1.697 .5206	----	----	----	----	30
9975	----	----	----	----/16.644A	17.675B/16.644A	----	----	----	16.476	- 1.928 .5828	----	1	----	----	1
10000	18.125	18.125		18.125/16.833A	18.125/16.833A	----	----	----	16.666	- 1.938 .5858	----	6	----	----	12 +
10025	----	----	----	----/17.022A	18.068B/17.022A	----	----	----	16.857	- 1.949 .5888	----	----	----	----	1
10175	----	----	----	----/18.174A	19.258B/18.174A	----	----	----	18.015	- 2.011 .6062	----	----	----	----	15
TOTAL													205	0	2179 +
SEP26															
2500	----	----	----	----	0.001B/3.615A	----	----	----	0.011	+ 0.002 .0008	----	----	----	----	60
3000	----	----	----	----	0.001B/3.688A	----	----	----	0.031	+ 0.003 .0023	----	----	----	----	22
3500	----	----	----	----	0.001B/3.806A	----	----	----	0.072	+ 0.005 .0053	----	----	----	----	74
4000	----	----	----	----	0.053B/0.271A	----	----	----	0.154	+ 0.006 .0110	----	1	----	----	45 +
4500	----	----	----	----	0.150B/0.377A	----	----	----	0.248	+ 0.004 .0179	----	2	----	----	12 +
4525	----	----	----	----	0.136B/0.384A	----	----	----	0.254	+ 0.004 .0184	----	----	----	----	3
5000	----	----	----	----	0.267B/0.543A	----	----	----	0.395	- 0.001 .0288	----	1	----	----	234 +
5100	----	----	----	----	0.306B/0.587A	----	----	----	0.441	+ 0.003 .0319	----	----	----	----	1
5400	----	----	----	----	0.448B/0.742A	----	----	----	0.614	+ 0.016 .0434	----	----	----	----	1
5475	----	----	----	----	0.492B/0.782A	----	----	----	0.664	+ 0.017 .0467	----	----	----	----	3
5500	----	----	----	----	0.507B/0.798A	----	----	----	0.682	+ 0.018 .0478	----	----	----	----	232
5600	----	----	----	----	0.573B/0.866A	----	----	----	0.755	+ 0.017 .0526	----	----	----	----	1
5700	----	----	----	----	0.647B/0.940A	----	----	----	0.834	+ 0.014 .0576	----	----	----	----	7
5800	----	----	----	----	0.727B/1.021A	----	----	----	0.918	+ 0.006 .0629	----	----	----	----	8
5850	----	----	----	----	0.771B/1.070A	----	----	----	0.962	+ 0.001 .0657	----	----	----	----	1
5900	----	----	----	----	0.818B/*1.108A	----	----	----	1.008	- 0.005 .0686	----	----	----	----	50
6000	----	----	----	----	0.926B/1.207A	----	----	----	1.105	- 0.020 .0747	----	----	----	----	548
6050	----	----	----	----	0.972B/*1.260A	----	----	----	1.156	- 0.030 .0778	----	----	----	----	15
6200	----	----	----	----	1.152B/*1.431A	----	----	----	1.319	- 0.065 .0878	----	----	----	----	40
6300	----	----	----	----	1.299B/*1.561A	----	----	----	1.439	- 0.094 .0950	----	----	----	----	5
6400	----	----	----	----/*1.693A	1.460B/*1.693A	----	----	----	1.569	- 0.126 .1027	----	----	----	----	3
6425	----	----	----	----/*1.730A	1.501B/*1.730A	----	----	----	1.603	- 0.135 .1047	----	----	----	----	3
6500	----	----	----	----/*1.846A	1.613B/*1.846A	----	----	----	1.711	- 0.161 .1109	----	----	----	----	80
6550	----	----	----	----/*1.926A	1.692B/*1.926A	----	----	----	1.787	- 0.180 .1152	----	----	----	----	15
6800	2.410	2.410		2.410/*2.410	2.410/*2.410	----	----	----	2.230	- 0.271 .1391	----	1	----	----	8
6900	----	----	----	----	2.172B/2.898A	----	----	----	2.443	- 0.302 .1498	----	----	----	----	3
7000	----	----	----	----	2.501B/3.147A	----	----	----	2.680	- 0.327 .1612	----	----	----	----	54
7025	----	----	----	----	2.509B/*3.194A	----	----	----	2.744	- 0.332 .1642	----	----	----	----	1
7100	----	----	----	----	2.851B/*3.396A	----	----	----	2.945	- 0.344 .1733	----	----	----	----	17
7125	----	----	----	----	2.881B/*3.459A	----	----	----	3.015	- 0.348 .1764	----	----	----	----	25
7175	----	----	----	----	3.030B/*3.610A	----	----	----	3.160	- 0.354 .1827	----	----	----	----	20
7200	----	----	----	----	3.171B/*3.640A	----	----	----	3.233	- 0.359 .1859	----	----	----	----	52
7300	----	----	----	----	3.480B/*3.948A	----	----	----	3.528	- 0.393 .1986	----	----	----	----	171
7400	----	----	----	----	3.701B/*4.302A	----	----	----	3.833	- 0.440 .2115	----	----	----	----	25
7500	----	----	----	----	4.045B/*4.653A	----	----	----	4.158	- 0.489 .2247	----	----	----	----	3
7550	----	----	----	----/*4.839A	4.240B/*4.839A	----	----	----	4.328	- 0.514 .2314	----	----	----	----	2
7700	----	----	----	----/5.384A	4.787B/5.384A	----	----	----	4.870	- 0.588 .2521	----	----	----	----	1
7800	----	----	----	----/5.804A	5.134B/5.804A	----	----	----	5.256	- 0.639 .2661	----	----	----	----	9
7900	----	----	----	----/6.227A	5.552B/6.227A	----	----	----	5.663	- 0.689 .2803	----	----	----	----	1
8000	6.430	6.430		6.430/6.430	6.430/6.430	----	----	----	6.090	- 0.740 .2946	----	50	----	----	93 +
8100															



PG64	BULLETIN # 91@				METALS OPTION PRODUCTS					Wed, May 13, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT	COMEX SILVER OPTIONS													
DEC26														
4500	----	----	----	----	0.315B/0.865A	----	----	0.591 - 0.003	.0323	----	----	----	----	35 UNCH
4600	----	----	----	----	0.366B/0.924A	----	----	0.648 - 0.002	.0352	----	----	----	----	4 UNCH
4800	----	----	----	----	0.483B/1.056A	----	----	0.776 + 0.001	.0418	----	----	----	----	241 UNCH
5000	----	----	----	----	0.627B/1.211A	----	----	0.928 + 0.001	.0494	----	----	----	----	378 UNCH
5250	----	----	----	----	0.850B/1.438A	----	----	1.158 + 0.001	.0605	----	----	----	----	50 UNCH
5300	----	----	----	----	0.902B/1.490A	----	----	1.209 - 0.001	.0629	----	----	----	----	250 UNCH
5400	----	----	----	----	1.012B/1.598A	----	----	1.320 - 0.002	.0680	----	----	----	----	100 UNCH
5500	----	----	----	----	1.132B/1.714A	----	----	1.439 - 0.006	.0735	----	----	----	----	229 UNCH
5600	----	----	----	----	1.263B/1.835A	----	----	1.568 - 0.012	.0792	----	----	----	----	8 UNCH
5650	----	----	----	----	1.334B/1.901A	----	----	1.636 - 0.016	.0822	----	----	----	----	12 UNCH
5800	----	----	----	----	1.560B/2.102A	----	----	1.857 - 0.027	.0918	----	----	----	----	1 UNCH
5950	----	----	----	----	1.817B/2.339A	----	----	2.104 - 0.044	.1021	----	----	----	----	5 UNCH
6000	----	----	----	----	1.910B/*2.412A	----	----	2.192 - 0.050	.1057	----	----	----	----	135 UNCH
6200	----	----	----	----	2.298B/2.960A	----	----	2.577 - 0.080	.1209	----	----	----	----	13 UNCH
6300	----	----	----	----	1.935B/3.596A	----	----	2.789 - 0.098	.1290	----	----	----	----	25 UNCH
6500	----	----	----	----	2.505B/3.959A	----	----	3.256 - 0.144	.1461	----	----	----	----	737 UNCH
6650	----	----	----	----	2.922B/4.332A	----	----	3.645 - 0.183	.1597	----	----	----	----	5 UNCH
6725	----	----	----	----	3.378B/*4.544A	----	----	3.852 - 0.205	.1668	----	----	----	----	4 UNCH
6750	----	----	----	----	3.413B/4.621A	----	----	3.923 - 0.212	.1691	----	----	----	----	6 UNCH
6800	----	----	----	----	3.725B/4.778A	----	----	4.067 - 0.228	.1739	----	----	----	----	79 UNCH
6850	----	----	----	----	3.498B/4.938A	----	----	4.216 - 0.243	.1788	----	----	----	----	78 UNCH
6900	----	----	----	----	3.904B/5.100A	----	----	4.369 - 0.259	.1837	----	----	----	----	1 UNCH
6950	----	----	----	----	3.765B/5.269A	----	----	4.525 - 0.277	.1887	----	----	----	----	121 UNCH
7000	----	----	----	----	3.936B/5.441A	----	----	4.686 - 0.293	.1937	----	----	----	----	230 UNCH
7075	----	----	----	----	4.137B/5.705A	----	----	4.935 - 0.317	.2013	----	----	----	----	20 UNCH
7100	----	----	----	----	4.279B/5.795A	----	----	5.020 - 0.326	.2039	----	----	----	----	2 UNCH
7200	----	----	----	----	4.650B/6.174A	----	----	5.369 - 0.360	.2142	----	----	----	----	14 UNCH
7250	----	----	----	----	4.850B/6.364A	----	----	5.550 - 0.378	.2195	----	----	----	----	48 UNCH
7500	----	----	----	----	5.865B/7.389A	----	----	6.517 - 0.465	.2462	----	----	----	----	22 UNCH
7550	----	----	----	----	6.080B/7.607A	----	----	6.722 - 0.483	.2517	----	----	----	----	1 UNCH
7800	----	----	----	----	7.235B/8.690A	----	----	7.811 - 0.571	.2791	----	----	----	----	20 UNCH
7850	----	----	----	----	7.465B/8.903A	----	----	8.040 - 0.590	.2846	----	----	----	----	10 UNCH
7875	----	----	----	----	7.314B/9.058A	----	----	8.157 - 0.598	.2873	----	----	----	----	1 UNCH
7900	----	----	----	----	7.710B/9.136A	----	----	8.274 - 0.607	.2901	----	----	----	----	19 UNCH
8000	----	----	----	----	8.238B/9.621A	----	----	8.753 - 0.642	.3011	----	----	----	----	57 UNCH
8100	----	----	----	----	8.750B/10.110A	----	----	9.248 - 0.677	.3121	----	----	----	----	1 UNCH
8200	----	----	----	----	9.282B/10.611A	----	----	9.758 - 0.711	.3231	----	----	----	----	35 UNCH
8350	----	----	----	----	10.096B/11.386A	----	----	10.551 - 0.763	.3395	----	----	----	----	9 UNCH
8400	----	----	----	----	10.380B/11.661A	----	----	10.823 - 0.780	.3450	----	----	----	----	50 UNCH
8500	----	----	----	----	10.951B/12.204A	----	----	11.377 - 0.814	.3558	----	----	----	----	166 UNCH
8550	----	----	----	/11.814A	11.242B/11.814A	----	----	11.659 - 0.831	.3612	----	----	----	----	25 UNCH
8600	----	----	----	/12.766A	11.539B/12.766A	----	----	11.944 - 0.849	.3665	----	----	----	----	2 UNCH
8800	----	----	----	/13.924A	12.793B/13.924A	----	----	13.120 - 0.915	.3877	----	----	----	----	12 UNCH
8900	----	----	----	/14.522A	13.423B/14.522A	----	----	13.727 - 0.949	.3981	----	----	----	----	30 UNCH
9000	----	----	----	/15.131A	14.056B/15.131A	----	----	14.346 - 0.983	.4084	----	----	----	----	3 UNCH
9050	----	----	----	/15.443A	14.375B/15.443A	----	----	14.660 - 0.999	.4134	----	----	----	----	100 UNCH
9500	----	----	----	/18.346A	17.450B/18.346A	----	----	17.610 - 1.150	.4572	----	----	----	----	2 UNCH
9850	----	----	----	/20.777A	19.950B/20.777A	----	----	20.042 - 1.269	.4888	----	----	----	----	8 UNCH
9950	----	----	----	/21.455A	20.688B/21.455A	----	----	20.755 - 1.304	.4975	----	----	----	----	1 UNCH
10025	----	----	----	/22.302A	20.669B/22.302A	----	----	21.296 - 1.330	.5039	----	----	----	----	3 UNCH
10125	----	----	----	/23.038A	21.415B/23.038A	----	----	22.023 - 1.366	.5123	----	----	----	----	1 UNCH
10700	----	----	----	/27.024A	26.487B/27.024A	----	----	26.338 - 1.574	.5576	----	----	----	----	5 UNCH
10800	----	----	----	/27.796A	27.285B/27.796A	----	----	27.111 - 1.611	.5649	----	----	----	----	2 UNCH
11000	----	----	----	/29.369A	28.899B/29.369A	----	----	28.676 - 1.680	.5792	----	----	----	----	2 UNCH
11500	----	----	----	/33.378A	32.995B/33.378A	----	----	32.692 - 1.840	.6122	----	----	----	----	1 UNCH
12000	----	----	----	/37.503A	36.681B/37.503A	----	----	36.846 - 1.971	.6415	----	----	----	----	1 UNCH
12100	----	----	----	/38.339A	37.330B/38.339A	----	----	37.692 - 1.994	.6469	----	----	----	----	1 UNCH
12300	----	----	----	/40.040A	39.133B/40.040A	----	----	39.397 - 2.035	.6575	----	----	----	----	1 UNCH
15000	----	----	----	/64.370A	63.355B/64.370A	----	----	63.440 - 2.470	.7651	----	----	----	----	1 UNCH
19000	----	----	----		75.364B/130.231A	----	----	100.998 - 2.969	.8566	----	----	----	----	1 UNCH
TOTAL													0	3863 0
JAN27														
3800	----	----	----	----	0.118B/0.642A	----	----	0.266 + 0.016	.0151	----	----	----	----	1 UNCH
6500	----	----	----	----	2.850B/*4.362A	----	----	3.589 - 0.212	.1487	----	----	----	----	1 UNCH
7000	5.000	5.000		5.050/*5.000	5.050/*5.000	----	----	5.073 NEW	.1941	----	----	30	----	30 + 30
7100	5.500	5.500		5.500/*5.495A	5.500/*5.495A	----	----	5.415 NEW	.2037	----	----	20	----	20 + 20
7125	----	----	----	----	4.695B/*6.383A	----	----	5.502 - 0.396	.2061	----	----	----	----	1 UNCH
8600	----	----	----	----	11.939B/*13.333A	----	----	12.303 - 0.909	.3566	----	----	----	----	1 UNCH
8850	----	----	----	----	13.454B/14.767A	----	----	13.755 - 0.995	.3816	----	----	50	----	10 UNCH
TOTAL													0	64 + 50
FEB27														
8150	----	----	----	----	10.031B/*11.595A	----	----	10.643 - 0.689	.3116	----	----	----	----	10 UNCH
8225	----	----	----	----	10.059B/*12.097A	----	----	11.038 - 0.706	.3190	----	----	----	----	10 UNCH
8250	----	----	----	----	10.575B/*12.122A	----	----	11.172 - 0.711	.3214	----	----	----	----	10 UNCH
TOTAL													0	30 0
MAR27														
6500	----	----	----	----	3.612B/*5.314A	----	----	4.429 - 0.216	.1610	----	----	----	----	20 UNCH
6825	----	----	----	----	4.591B/*6.427A	----	----	5.463 - 0.291	.1888	----	----	----	----	2 UNCH
8100	----	----	----	----	9.948B/*12.146A	----	----	11.043 - 0.647	.3075	----	----	----	----	6 UNCH
8300	----	----	----	----	11.007B/*13.184A	----	----	12.115 - 0.705	.3262	----	----	----	----	50 UNCH
8500	----	----	----	----	12.128B/*14.328A	----	----	13.235 NEW	.3446	----	----	3	----	3 + 3
10500	----	----	----	----	25.677B/*27.793A	----	----	26.572 - 1.309	.5057	----	----	3	----	10 UNCH
TOTAL													0	91 + 3
APR27														
4000	----	----	----	----		----	----	0.501 - 0.109	.0245	----	----	----	----	1 UNCH
TOTAL													0	1 0
DEC27														
7175	----	----	----	----		----	----	9.938 - 0.901	.2236	----	----	----	----	25 UNCH
TOTAL													0	25 0
SO1 CALL	SILVER OPTIONS													
JUN26														
11500	----	----		#0.729B/----	#0.729B/0.763A	----	----	0.730 NEW	.0953	----	----	1	----	1 + 1
TOTAL												1	----	1 + 1
SO3 CALL	SILVER OPTIONS													
MAY26														
7150	----	----	----	----	----	----	----	17.870 + 3.748	.9999	----	----	----	----	3 UNCH
7200	----	----	----	----	----	----	----	17.370 + 3.744	.9999	----	----	----	----	2 UNCH
7250	----	----	----	----	----	----	----	16.870 + 3.740	.9999	----	----	----	----	2 UNCH
7400	----	----	----	----	----	----	----	15.371 + 3.725	.9998	----	----	----	----	5 UNCH
7450	----	----	----	----	----	----	----	14.872 + 3.718	.9997	----	----	----	----	1 UNCH
7500	----	----	----	----	----	----	----	14.373 + 3.711	.9996	----	----	----	----	3 UNCH
7600	11.600	11.600		#13.100/11.600	#13.100/11.600	----	----	13.375 + 3.689	.9993	----	----	2	----	



	BULLETIN # 91@										METALS OPTION PRODUCTS					Wed, May 13, 2026		PG64		
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
S03 CALL		SILVER OPTIONS																		
MAY26																				
9500	0.400	0.400	0.401B/0.275	0.401B/0.275	----	0.369 +	0.202	.0962	----	153	----	151 +	141							
9600	----	----	0.221B/----	0.221B/0.234A	----	0.284 +	0.152	.0690	----	----	----	1	UNCH							
9700	0.238	0.238	0.238/0.130	0.238/0.130	----	0.220 +	0.115	.0495	----	2	----	2 +	1							
9800	0.070	0.070	0.089B/*0.070	0.089B/*0.070	----	0.172	NEW	.0356	----	21	----	21 +	21							
10000	----	----	----	0.021B/0.100A	----	0.087 +	0.041	.0151	----	----	----	14	UNCH							
TOTAL										426	0	781 +	343							
S03 PUT		SILVER OPTIONS																		
MAY26																				
6400	0.015	0.015	0.015/*0.015	0.015/*0.015	----	0.001	NEW	----	----	10	----	10 +	10							
6500	----	----	-----/0.261A	0.001B/*0.117A	----	0.001 -	0.006	----	----	----	----	18	UNCH							
6600	----	----	----	-----/0.253A	----	0.001 -	0.008	----	----	----	----	16	UNCH							
6700	----	----	----	-----/0.242A	----	0.001 -	0.012	----	----	----	----	1	UNCH							
6750	----	----	----	-----/0.236A	----	0.001 -	0.015	----	----	----	----	1	UNCH							
6800	----	----	----	-----/0.229A	----	0.001 -	0.018	----	----	----	----	5	UNCH							
6900	----	----	----	-----/0.216A	----	0.001 -	0.021	.0000	----	----	----	2	UNCH							
7000	----	----	----	-----/0.199A	----	0.001 -	0.025	.0000	----	----	----	13	UNCH							
7150	----	----	----	-----/0.168A	----	0.002 -	0.032	.0000	----	----	----	1	UNCH							
7200	----	----	----	-----/0.163A	----	0.002 -	0.036	.0000	----	----	----	4	UNCH							
7250	----	----	----	-----/0.148A	----	0.002 -	0.040	.0001	----	----	----	1	UNCH							
7300	----	----	----	-----/0.139A	----	0.003 -	0.043	.0001	----	----	----	4	UNCH							
7350	----	----	----	-----/0.139A	----	0.003 -	0.049	.0001	----	----	----	1	UNCH							
7400	----	----	----	-----/0.140A	----	0.003 -	0.055	.0001	----	----	----	7	UNCH							
7450	----	----	----	0.001B/0.139A	----	0.004 -	0.061	.0002	----	----	----	11	UNCH							
7500	0.040	0.040	0.045/*0.040	0.055B/*0.040	----	0.005 -	0.069	.0003	----	4	----	16 +	3							
7550	----	----	----	0.001B/*0.125A	----	0.006 -	0.078	.0004	----	----	----	1	UNCH							
7600	----	----	----	0.001B/*0.127A	----	0.007 -	0.090	.0006	----	----	----	6	UNCH							
7700	0.050	0.050	0.050/*0.050	0.075B/*0.050	----	0.011 -	0.119	.0011	----	1	----	47	UNCH							
7750	----	----	-----/*0.117A	0.001B/*0.117A	----	0.013 -	0.139	.0014	----	----	----	1	UNCH							
7800	----	----	-----/*0.120A	0.001B/*0.120A	----	0.016 -	0.162	.0019	----	----	----	16	UNCH							
7850	----	----	-----/*0.124A	0.050B/*0.124A	----	0.020 -	0.190	.0026	----	----	----	4	UNCH							
7900	----	----	-----/*0.138A	0.038B/*0.138A	----	0.025 -	0.223	.0036	----	----	----	27	UNCH							
7960	----	----	-----/*0.147A	0.024B/*0.147A	----	0.032 -	0.272	.0050	----	----	----	6	UNCH							
7970	----	----	-----/*0.149A	0.028B/*0.149A	----	0.034 -	0.280	.0054	----	----	----	6	UNCH							
8000	0.078	0.078	0.094/*0.078	0.094/*0.078	----	0.039 -	0.309	.0065	----	6	----	62 -	3							
8100	0.105	0.105	0.105/*0.105	0.123B/*0.105	----	0.060 -	0.429	.0117	----	6	----	9 +	1							
8130	0.200	0.200	0.200/*0.187A	0.200/*0.187A	----	0.068	NEW	.0138	----	1	----	1 +	1							
8200	0.167	0.167	0.210/*0.131A	0.230B/*0.131A	----	0.094 -	0.588	.0209	----	32	----	41 +	19							
8250	0.371	0.371	0.371/*0.247A	0.371/*0.247A	----	0.117 -	0.686	.0277	----	2	----	3 +	1							
8300	0.600	0.600	0.600/*0.200	0.600/*0.200	----	0.146 -	0.796	.0366	----	26	----	15 +	11							
8320	----	----	-----/*0.284A	0.423B/*0.284A	----	0.159 -	0.843	.0407	----	----	----	1	UNCH							
8350	0.554	0.554	0.554/*0.294A	0.554/*0.294A	----	0.182 -	0.917	.0480	----	20	----	21 +	19							
8390	0.390	0.390	0.390/*0.296A	0.609B/*0.296A	----	0.217	NEW	.0594	----	31	----	31 +	31							
8400	0.240	0.240	0.250/*0.240	0.850B/*0.240	----	0.227 -	1.050	.0626	----	11	----	18 +	3							
8440	----	----	-----/*0.332A	0.758B/*0.332A	----	0.270 -	1.165	.0769	----	----	----	1	UNCH							
8460	----	----	-----/*0.348A	0.827B/*0.348A	----	0.294 -	1.225	.0849	----	----	----	1	UNCH							
8480	0.525	0.525	0.525/*0.366A	0.912B/*0.366A	----	0.320	NEW	.0937	----	5	----	5 +	5							
8490	----	----	-----/*0.379A	0.965B/*0.379A	----	0.334 -	1.318	.0984	----	----	----	1	UNCH							
8500	0.895	0.895	1.040B/*0.349	1.040B/*0.349	----	0.349 -	1.349	.1033	83	----	----	85 +	22							
8510	0.501	0.501	0.513/*0.397A	1.025B/*0.397A	----	0.364	NEW	.1084	31	----	----	31 +	31							
8550	1.050	1.050	1.445/*0.542A	1.445/*0.542A	----	0.430	NEW	.1305	5	----	----	1 +	1							
8570	0.993	0.993	0.993/*0.463A	1.330B/*0.463A	----	0.467	NEW	.1428	1	----	----	1 +	1							
8600	1.662	1.662	1.662/*0.606A	1.662/*0.606A	----	0.528 -	1.678	.1629	6	----	----	5 +	4							
8620	0.705	0.705	0.705/*0.556A	1.538B/*0.556A	----	0.572	NEW	.1773	16	----	----	2 +	2							
8630	1.243	1.243	1.243/*0.591A	1.589B/*0.591A	----	0.596 -	1.780	.1849	3	----	----	3 +	2							
8680	----	----	-----/*0.713A	1.848B/*0.713A	----	0.724 -	1.952	.2255	----	----	----	1	UNCH							
8700	----	----	-----/*0.863A	2.015B/*0.863A	----	0.782 -	2.019	.2433	----	----	----	2	UNCH							
8710	2.280	2.280	2.280/*0.793A	2.280/*0.793A	----	0.812 -	2.053	.2524	1	----	----	0 -	1							
8750	2.100	2.100	2.273B/*0.925	2.273B/*0.925	----	0.942	NEW	.2906	2	----	----	2 +	2							
8760	1.920	1.920	2.329B/*0.946A	2.329B/*0.946A	----	0.977	NEW	.3006	1	----	----	1 +	1							
8780	2.080	2.080	#2.456B/*1.014A	2.456B/*1.014A	----	1.050	NEW	.3210	1	----	----	1 +	1							
8800	1.934	1.934	1.937/*1.177A	2.613B/*1.177A	----	1.126	NEW	.3418	11	----	----	11 +	11							
8950	1.650	1.650	#1.650/*1.650	3.060B/*1.650	----	1.831	NEW	.5065	2	----	----	2 +	2							
TOTAL										318	0	583 +	180							
S04 CALL		SILVER OPTIONS																		
MAY26																				
7500	----	----	----	9.520B/12.518A	----	14.494 +	3.534	.9701	----	----	----	1	UNCH							
7700	----	----	----	-----/33.287A	----	12.593 +	3.431	.9493	----	----	----	1	UNCH							
7800	----	----	#10.559B/----	#10.559B/11.632A	----	11.667 +	3.363	.9345	----	----	----	3	UNCH							
8000	----	----	-----/29.926A	-----/29.926A	----	9.875 +	3.181	.8946	----	----	----	1	UNCH							
8100	----	----	----	#5.770B/8.380A	----	9.017 +	3.063	.8690	----	----	----	1	UNCH							
8200	----	----	#6.121B/----	#6.121B/7.592A	----	8.189 +	2.927	.8393	----	----	----	2	UNCH							
8300	----	----	#6.163B/----	#6.163B/6.873A	----	7.397 +	2.775	.8054	----	----	----	2	UNCH							
8500	----	----	#5.071B/----	#5.071B/4.839A	----	5.935 +	2.429	.7259	----	----	----	50	UNCH							
8550	5.401	5.401	#5.401/5.401	#5.401/4.578A	----	5.598 +	2.337	.7039	1	----	----	27	UNCH							
8600	----	----	#4.424B/----	#4.424B/3.923A	----	5.274 +	2.244	.6811	----	----	----	56	UNCH							
8700	----	----	#4.378B/----	#4.378B/3.443A	----	4.663 +	2.056	.6340	----	----	----	1	UNCH							
8750	4.401	4.401	#4.701/4.401	#4.701/3.290A	----	4.376 +	1.962	.6097	2	----	----	16	UNCH							
8800	----	----	#3.886B/----	#3.886B/3.074A	----	4.103 +	1.869	.5853	----	----	----	7	UNCH							
9050	2.350	2.350	#3.009B/*2.227A	#3.009B/2.227A	----	2.927	NEW	.4635	1	----	----	1 +	1							
9200	----	----	#2.445B/----	#2.445B/1.795A	----	2.362	NEW	.3943	25	----	----	25 +	25							
9250	----	----	#2.226B/----	#2.226B/1.705A	----	2.195 +	1.123	.3724	----	----	----	20	UNCH							
9300	----	----	#2.138B/----	#2.138B/1.568A	----	2.047	NEW	.3517	25	----	----	25 +	25							
9500	1.150	1.150	#1.535B/1.150	#1.535B/1.150	----	1.544 +	0.823	.2767	31	----	----	36 +	31							
10000	----	----	0.657B/----	0.657B/0.637A	----	0.751 +	0.423	.1438	----	----	----	1	UNCH							
TOTAL										85	0	276 +	82							
S04 PUT		SILVER OPTIONS																		
MAY26																				
6900	----	----	----	0.001B/*0.157A	----	0.042 -	0.085	.0082	----	----	----	1	UNCH							
7000	----	----	----	0.001B/*0.163A	----	0.050 -	0.099	.0100	----	----	----	5	UNCH							
7350	----	----	-----/*0.215A	0.058B/*0.215A	----	0.098 -	0.182	.0211	----	----	----	1	UNCH							
7450	----	----	-----/*0.247A	0.080B/*0.247A	----	0.121 -	0.220	.0264	----	----	----	1	UNCH							
7500	0.200	0.200	0.200/*0.200	0.220B/*0.200	----	0.136 -	0.242	.0298	2	----	----	2	UNCH							
7700	0.320	0.320	0.320/*0.320	0.400B/*0.320	----	0.234 -	0.344	.0506												

BULLETIN # 91@				METALS OPTION PRODUCTS							Wed, May 13, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SWW WED	SILVER WEEKLY WEDNESDAY OPTION WEEK													
MAY26														
7730	----	----	----	----/0.107A	----	0.000 - 0.004	----	----	----	----	----	0 -	1	
7800	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.007	----	----	----	2	----	0 -	12	
7800	----	----	----	----	----	11.368 + 3.770	----	----	----	----	----	0	UNCH	
7880	----	----	----	----/0.132A	----	0.000 - 0.014	----	----	----	----	----	0 -	2	
7900	----	----	----	----/0.135A	----	0.000 - 0.017	----	----	----	----	----	0 -	1	
7950	----	----	----	----/0.143A	----	0.000 - 0.026	----	----	----	----	----	0 -	4	
7960	----	----	----	----/0.145A	----	0.000 - 0.028	----	----	----	----	----	0 -	4	
7980	----	----	----	----/0.147A	----	0.000 - 0.032	----	----	----	----	----	0 -	3	
8000	----	----	----	----/0.150A	----	0.000 - 0.037	----	----	----	----	----	0 -	7	
8000	----	----	----	----	----	9.368 + 3.740	----	2	----	----	----	0 -	2	
8100	----	----	----	----/0.133A	----	0.000 - 0.078	----	----	----	4	----	0 -	12	
8100	----	----	----/*1.076A	1.291B/*1.076A	----	0.998 - 0.890	.1680	----	----	----	----	1	UNCH	
8100	----	----	----	----	----	8.368 + 3.699	----	5	----	1	----	0 -	6	
8110	----	----	----	----/0.133A	----	0.000 - 0.084	----	----	4	----	----	0 -	15	
8150	----	----	----	----	----	7.868 + 3.666	----	1	----	----	----	0 -	1	
8150	----	----	----	----/*0.133A	----	0.000 - 0.111	----	----	----	----	----	0	UNCH	
8200	----	----	----	----	----	7.368 + 3.624	----	1	----	----	----	0 -	1	
8200	----	----	----/*0.136A	0.001B/*0.136A	----	0.000 - 0.153	----	----	----	----	----	0 -	5	
8250	----	----	----/0.138A	0.001B/*0.138A	----	0.000 - 0.209	----	----	----	----	----	0 -	4	
8350	----	----	----/*0.099A	0.002B/*0.099A	----	0.000 - 0.385	----	----	1	----	----	0 -	1	
8370	0.006	0.006	0.006/*0.006	0.006/*0.006	----	0.000 - 0.433	----	----	1	1	----	0 -	1	
8400	----	----	----	----	----	5.368 + 3.264	----	4	----	----	----	0 -	4	
8400	----	----	----/*0.122A	0.040B/*0.122A	----	0.000 - 0.513	----	----	6	----	----	0 -	5	
8450	----	----	----/*0.136A	0.086B/*0.136A	----	0.000 - 0.671	----	----	5	----	----	0 -	1	
8490	----	----	----/*0.131A	0.182B/*0.131A	----	0.000 - 0.821	----	----	----	----	----	0 -	5	
8500	0.200	0.200	0.280/*0.050	0.280/*0.050	----	0.000 - 0.862	----	----	10	----	----	0 -	29	
8500	4.100	4.100	#4.100/4.100	#4.100/4.100	----	4.368 + 2.915	----	----	1	----	----	0 -	1	
8500	----	----	#4.691B/----	#4.691B/4.367A	----	5.464 + 2.279	.7625	----	----	----	----	1	UNCH	
8550	----	----	----	0.397B/3.893A	----	3.868 + 2.689	----	1	----	----	----	0 -	1	
8550	0.280	0.280	0.280/*0.138A	0.295B/*0.138A	----	0.000	NEW	----	1	----	----	0	UNCH	
8580	----	----	----	0.057B/3.663A	----	3.568 + 2.537	----	1	----	----	----	0 -	1	
8600	----	----	1.014B/----	1.014B/1.547A	----	3.368 + 2.428	----	14	----	----	----	0 -	14	
8600	0.551	0.551	0.581B/*0.045	0.581B/*0.045	----	0.000 - 1.349	----	----	9	----	----	0 -	1	
8650	----	----	1.088B/----	1.088B/1.092A	----	2.868 + 2.131	----	1	----	----	----	0 -	1	
8650	0.020	0.020	0.020/*0.020	0.795B/*0.020	----	0.000 - 1.646	----	----	1	----	----	0 -	10	
8700	1.300	1.300	#2.700/0.826A	#2.700/0.826A	----	2.368 + 1.802	----	6	----	6	----	0 -	7	
8700	0.950	0.950	#1.088B/*0.133A	1.088B/*0.133A	----	0.000	NEW	----	3	----	----	0	UNCH	
8750	0.550	0.550	1.228B/0.550	1.228B/0.550	----	1.868 + 1.441	----	4	----	2	----	0 -	4	
8750	0.920	0.920	#0.920/*0.120A	1.258B/*0.120A	----	0.000	NEW	----	2	----	----	0	UNCH	
8800	3.800	3.800	3.800/*3.359A	4.526B/*3.359A	----	3.231	NEW	.4212	----	1	----	1 +	1	
8800	2.750	2.750	#3.377B/2.750	#3.377B/2.576A	----	3.528	NEW	.5970	----	10	----	10 +	10	
8800	0.730	0.730	1.300/0.484A	1.300/0.484A	----	1.368 + 1.052	----	13	----	16	----	0 -	3	
8800	1.213	1.213	#1.213/*0.065	1.389B/*0.065	----	0.000 - 2.725	----	----	12	----	----	0	UNCH	
8840	0.136	0.136	#0.136/*0.136	1.532B/*0.136	----	0.000	NEW	----	1	----	----	0	UNCH	
8850	0.750	0.750	0.947B/0.220	0.947B/0.220	----	0.868 + 0.639	----	11	----	8	----	0 -	4	
8850	2.600	2.600	#3.101B/2.600	#3.101B/2.409A	----	3.258	.5670	----	40	----	----	40 +	40	
8880	----	----	0.818B/----	0.818B/0.329A	----	0.568 + 0.381	----	2	----	1	----	0 -	3	
8900	----	----	----/*0.130A	1.585B/*0.130A	----	0.000 - 3.572	----	----	1	----	----	0 -	2	
8900	0.720	0.720	0.781B/0.228	0.781B/0.228	----	0.368 + 0.205	----	14	----	24	----	0 -	1	
8910	0.627	0.627	#0.695B/0.627	#0.695B/0.292A	----	0.268 + 0.115	----	----	1	----	----	0 -	1	
8940	0.400	0.400	#0.589B/*0.400	#0.589B/*0.177A	----	0.000	NEW	----	10	----	----	0	UNCH	
8950	0.319	0.319	0.554B/0.194A	0.554B/0.194A	----	0.000 - 0.118	----	----	3	----	----	0 -	1	
8950	0.031	0.031	0.031/*0.030	1.546B/*0.030	----	0.132	NEW	----	12	----	----	0	UNCH	
8980	----	----	#0.456B/----	0.456B/*0.162A	----	0.000 - 0.096	----	----	1	----	----	0 -	3	
9000	----	----	#2.740B/----	#2.740B/1.873A	----	2.539 + 1.256	.4770	----	----	1	----	1	UNCH	
9000	----	----	----/*0.816A	0.463B/*0.816A	----	0.632 - 3.861	----	1	----	1	----	0 -	2	
9000	0.425	0.425	0.551/0.101	0.551/0.101	----	0.000 - 0.084	----	----	16	----	----	0 -	8	
9050	----	----	0.271B/----	0.271B/0.136A	----	0.000	NEW	----	2	----	----	0	UNCH	
9050	1.813	1.813	#2.489B/*1.813	#2.489B/1.753A	----	2.330	NEW	.4477	----	3	----	3 +	3	
9100	1.833	1.833	#2.279B/1.833	#2.279B/1.592A	----	2.136	NEW	.4190	----	8	----	8 +	8	
9100	----	----	0.195B/----	0.195B/0.125A	----	0.000	NEW	----	1	----	----	0	UNCH	
9150	0.029	0.029	#0.089B/*0.028	0.089B/*0.028	----	0.000	NEW	----	8	----	----	0	UNCH	
9200	1.750	1.750	#2.060/1.356A	#2.060/1.356A	----	1.790	NEW	.3644	----	5	----	4 +	4	
9200	----	----	0.053B/----	0.053B/0.126A	----	0.000 - 0.020	----	----	----	----	----	0 -	1	
9300	----	----	----	0.001B/0.136A	----	0.000 - 0.009	----	----	----	----	----	0 -	1	
9390	0.061	0.061	#0.061/*0.018	#0.061/*0.018	----	0.000	NEW	----	2	----	----	0	UNCH	
9500	----	----	----	0.001B/0.134A	----	0.000 - 0.002	----	----	1	----	----	0 -	3	
9500	----	----	1.053B/----	1.053B/0.843A	----	1.080 + 0.589	.2327	----	----	----	----	1	UNCH	
9700	----	----	----	----/0.138A	----	0.000 - 0.001	----	----	----	----	----	0 -	3	
10000	----	----	0.339B/----	0.339B/0.418A	----	0.422 + 0.208	.0965	----	----	----	----	1	UNCH	
11000	----	----	#0.309B/----	0.309B/0.397A	----	0.360 + 0.174	.0635	----	----	----	----	3	UNCH	
11000	0.140	0.140	#0.150/*0.098	#0.150/*0.098	----	0.083	NEW	.0175	----	11	----	11 +	11	
TOTAL										258	0	99 -	177	
JUN26														
8100	2.200	2.200	#2.200/*1.750A	2.200/*1.750A	----	1.547	NEW	.2077	----	4	----	4 +	4	
8500	----	----	#6.437B/----	#6.437B/6.370A	----	7.250 + 2.371	.6705	----	----	----	----	4	UNCH	
9750	----	----	#2.494B/----	#2.494B/2.125A	----	2.455 + 0.939	.3022	----	----	----	----	5	UNCH	
TOTAL										4	0	13 +	4	
TWS TUE	SILVER WEEKLY TUESDAY OPTION Week2													
MAY26														

BULLETIN # 91@				METALS OPTION PRODUCTS							Wed, May 13, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST		
SILVER WEEKLY TUESDAY OPTION week3																
TWS TUE MAY26																
9000	2.070	2.070	#2.430B/1.891	#2.430B/1.614A	----		2.274	NEW	.4711	----	----	2	----	1 +	1	
9100	----	----	#1.967B/----	#1.967B/1.347A	----		1.858 +	1.008	.4060	----	----	----	----	3	UNCH	
9100	----	----	----	----	----		0.000	UNCH	----	----	----	----	----	0	UNCH	
9300	----	----	#1.273B/----	#1.273B/0.942A	----		1.241 +	0.696	.2907	----	----	----	----	2	UNCH	
10000	----	----	0.200B/----	0.200B/0.312A	----		0.276 +	0.159	.0697	----	----	----	----	2	UNCH	
TOTAL											10	0		23 +	6	
JUN26																
6250	0.095	0.095	0.095/*0.095	0.095/*0.095	----		0.076 -	0.060	.0119	----	----	1	----	0 -	1	
6500	----	----	----	0.010B/0.209A	----		0.108 -	0.086	.0173	----	----	----	----	1	UNCH	
7100	----	----	----/*0.362A	0.176B/*0.362A	----		0.263 -	0.203	.0433	----	----	----	----	2	UNCH	
7800	----	----	----/*1.550A	1.552B/*1.550A	----		1.367 -	0.678	.1669	----	----	----	----	1	UNCH	
8000	1.500	1.500	1.500/*1.300	1.533B/*1.300	----		1.221 -	0.735	.1757	----	12	----	----	9 +	4	
8000	----	----	#8.725B/----	#8.725B/10.319A	----		10.573 +	3.036	.8242	----	----	----	----	4	UNCH	
8200	----	----	#8.163B/----	#8.163B/8.962A	----		9.065 +	2.824	.7699	----	----	----	----	4	UNCH	
8500	----	----	----	1.024B/14.368A	----		7.895 +	2.260	.6563	----	----	1	----	4 +	1	
8800	----	----	#5.309B/----	#5.309B/4.387A	----		5.396 +	1.987	.5729	----	----	----	----	1	UNCH	
9700	----	----	#3.398B/----	#3.398B/2.844A	----		3.286 +	1.252	.3445	----	----	1	----	4 +	1	
TOTAL											15	0		30 +	5	
COPPER OPTIONS ON FUTURES																
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST		
COPPER WEEKLY MONDAY OPTION WEEK3																
HMW MON MAY26																
450	----	----	----	----/0.0070A	----		0.0005	UNCH	----	----	----	----	----	4	UNCH	
600	----	----	#0.7025B/----	#0.7025B/0.5965	----		0.6795 +	0.1465	.0000	----	----	----	----	17	UNCH	
600	----	----	----/*0.0065A	0.0025B/*0.0065A	----		0.0005 -	0.0015	.0003	----	----	----	----	1	UNCH	
610	----	----	#0.6030B/----	#0.6030B/0.4970	----		0.5795 +	0.1440	.9980	----	----	----	----	1	UNCH	
615	----	----	#0.5560B/----	#0.5560B/0.4480	----		0.5295 +	0.1415	.9934	----	----	----	----	5	UNCH	
615	----	----	----/*0.0075A	0.0155B/*0.0075A	----		0.0010 -	0.0065	.0065	----	----	----	----	4	UNCH	
620	----	----	#0.5045B/----	#0.5045B/0.3990	----		0.4800 +	0.1385	.9895	----	----	----	----	1	UNCH	
625	----	----	----/*0.0085A	0.0025B/*0.0085	----		0.0025 -	0.0130	.0180	----	----	----	----	5	UNCH	
630	----	----	#0.4070B/----	#0.4070B/0.3035	----		0.3830 +	0.1290	.9701	----	----	----	----	15	UNCH	
640	----	----	----/*0.0180A	0.0155B/*0.0180	----		0.0125 -	0.0365	.0890	----	----	----	----	5	UNCH	
645	0.0200	0.0200	0.0200/*0.0200	0.0255B/*0.0200	----		0.0210 -	0.0475	.1410	----	10	----	----	15 +	10	
660	----	----	#0.1455B/----	#0.1455B/0.0945	----		0.1470 +	0.0685	.6381	----	----	----	----	5	UNCH	
675	----	----	#0.0790B/----	#0.0790B/0.0465	----		0.0800 +	0.0460	.3981	----	----	----	----	5	UNCH	
678	----	----	#0.0645B/----	#0.0645B/0.0550	----		0.0700	NEW	.3557	----	1	----	1	+	1	
700	0.0305	0.0305	#0.0305/0.0150A	#0.0305/0.0150A	----		0.0240	NEW	.1322	----	15	----	15 +	15		
TOTAL											26	----	99 +	26		
JUN26																
450	----	----	----	----/0.0075A	----		0.0005	UNCH	.0003	----	----	----	----	14	UNCH	
500	----	----	----	----/*0.0080A	----		0.0010	UNCH	.0034	----	----	----	----	5	UNCH	
580	----	----	----/*0.0200A	0.0150B/*0.0200	----		0.0180 -	0.0045	.0595	----	----	----	----	1	UNCH	
595	0.0170	0.0170	0.0170/*0.0170	0.0170/*0.0170	----		0.0165 -	0.0070	.0634	----	1	----	----	1	UNCH	
600	0.6590	0.6590	#0.6925B/0.6510	#0.6925B/0.6510	----		0.6975 +	0.1385	.9250	----	1	----	----	1	UNCH	
600	----	----	----/*0.0350A	0.0330B/*0.0350	----		0.0335 -	0.0105	.1059	----	----	----	----	0	UNCH	
630	----	----	#0.4490B/----	#0.4490B/0.3730	----		0.4410 +	0.1195	.7945	----	----	----	----	1	UNCH	
635	----	----	----/*0.1020A	0.1210B/*0.1020	----		0.1090 -	0.0300	.2720	----	----	----	----	1	UNCH	
640	----	----	#0.3805B/----	#0.3805B/0.3090	----		0.3705 +	0.1105	.7268	----	----	----	----	6	UNCH	
640	----	----	#0.4295B/----	#0.4295B/0.4020	----		0.4355	NEW	.6780	----	1	----	1 +	1		
650	0.1940	0.1940	#0.2130B/*0.194	0.2130B/*0.1940	----		0.2015	NEW	.3780	----	2	----	2 +	2		
665	0.2150	0.2150	#0.2385B/0.1870	#0.2385B/0.1870	----		0.2340 +	0.0875	.5373	----	29	----	29 +	24		
675	----	----	#0.1960B/----	#0.1960B/0.1510	----		0.1935 +	0.0790	.4653	----	----	----	----	1	UNCH	
700	0.1700	0.1700	#0.1795B/*0.170	#0.1795B/0.1600	----		0.1890	NEW	.3660	----	29	----	29 +	29		
725	0.0445	0.0445	#0.0720B/0.0445	#0.0720B/0.0445	----		0.0710 +	0.0400	.2006	----	4	----	14	UNCH		
TOTAL											67	----	106 +	56		
COPPER WEEKLY THURSDAY OPT week3																
HWR THU MAY26																
450	----	----	----	----/0.0075A	----		0.0005	UNCH	----	----	----	----	----	4	UNCH	
570	----	----	----	----/*0.0090A	----		0.0005 -	0.0010	.0024	----	----	----	----	1	UNCH	
595	----	----	#0.7550B/----	#0.7550B/0.6495	----		0.7315 +	0.1440	.9845	----	----	----	----	1	UNCH	
608	----	----	----	----/0.0075A	----		0.0005	UNCH	----	----	----	----	----	2	UNCH	
612	----	----	----	----/*0.0075A	----		0.0005	UNCH	----	----	----	----	----	1	UNCH	
620	----	----	----	----/*0.0075A	----		0.0005 -	0.0005	----	----	----	----	----	10	UNCH	
630	----	----	----	----/*0.0075A	----		0.0005 -	0.0050	----	----	----	----	----	20	UNCH	
635	----	----	----/*0.0325A	0.0345B/*0.0325	----		0.0285 -	0.0315	.1421	----	----	----	----	1	UNCH	
640	----	----	#0.3045B/----	#0.3045B/0.1965	----		0.2795 +	0.1280	.9995	----	----	----	----	1	UNCH	
644	0.0105	0.0105	#0.0105/*0.0080	0.0105/*0.0080A	----		0.0015	NEW	.0039	----	2	----	2 +	2		
645	----	----	#0.2535B/----	#0.2535B/0.1485	----		0.2310 +	0.1155	.9939	----	----	----	----	1	UNCH	
650	0.0130	0.0130	0.0130/*0.0080A	0.0130/*0.0080A	----		0.0050	NEW	.0252	----	10	----	10 +	10		
654	----	----	#0.1690B/----	#0.1690B/0.0730	----		0.1475 +	0.0830	.9420	----	----	----	----	1	UNCH	
655	0.0170	0.0170	0.0170/*0.0115A	0.0275B/*0.0115	----		0.0095	NEW	.0693	----	1	----	1 +	1		
656	0.0115	0.0115	#0.0115/*0.0100	0.0315B/*0.0100	----		0.0105	NEW	.0818	----	2	----	2 +	2		
657	0.0100	0.0100	#0.0100/*0.0075	0.0355B/*0.0075	----		0.0115	NEW	.0957	----	20	----	20 +	20		
660	0.0170	0.0170	0.0235/*0.0125	0.0505B/*0.0125	----		0.0165 -	0.0940	.1621	----	15	----	20 +	15		
662	0.0230	0.0230	#0.0490/*0.0200	0.0615B/*0.0200	----		0.0220	NEW	.2306	----	28	----	28 +	28		
663	0.0255	0.0255	#0.0255/*0.0220	0.0675B/*0.0220	----		0.0255	NEW	.2714	----	20	----	20 +	20		
664	0.0350	0.0350														

BULLETIN # 91@				METALS OPTION PRODUCTS										Wed, May 13, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST			
COPPER WEEKLY TUESDAY OPTION week3																			
HWT TUE																			
MAY26																			
665	----	----		#0.1410B/----	#0.1410B/0.0930	----		0.1375 + 0.0680	.5490	----	----	----	----			4	UNCH		
680	----	----		#0.0805B/----	#0.0805B/0.0515	----		0.0800 NEW	.3545	----	----	----	4	----		4 +	4		
725	----	----		#0.0070B/----	#0.0070B/0.0120	----		0.0085 + 0.0065	.0450	----	----	----	4	----		4	UNCH		
TOTAL																22 +	4		
JUN26																			
450	----	----		----	----/0.0075A	----		0.0005 UNCH	.0003	----	----	----	----			14	UNCH		
595	----	----		----/*0.0335A	0.0305B/*0.0335	----		0.0315 - 0.0090	.0974	----	----	----	----			1	UNCH		
615	0.0595	0.0595		0.0645B/*0.0595	0.0645B/*0.0595	----		0.0625 NEW	.1728	----	----	1	----			1 +	1		
620	----	----		----/*0.0695A	0.0780B/*0.0695	----		0.0735 NEW	.1965	----	----	1	----			1 +	1		
640	0.1200	0.1200		0.1485B/*0.1200	0.1485B/*0.1200	----		0.1335 - 0.0355	.3073	----	----	2	----			5 +	2		
660	0.2450	0.2450		#0.2670B/0.2150	#0.2670B/0.2150	----		0.2645 + 0.0925	.5734	----	----	1	----			0 -	1		
670	----	----		#0.2635B/----	#0.2635B/0.2140	----		0.2615 + 0.0910	.5071	----	----	----	----			107	UNCH		
750	0.0345	0.0345		#0.0435B/0.0345	#0.0435B/0.0310	----		0.0465 + 0.0275	.1332	----	----	14	----			10 -	4		
TOTAL													19			139 -	1		
COPPER WEEKLY WEDNESDAY OPTION WEEK																			
HWW WED																			
MAY26																			
450	----	----		----	----/0.0070A	----		0.0005 UNCH	----	----	----	----	----			4	UNCH		
570	----	----		----	----/*0.0065A	----		0.0005 - 0.0005	.0008	----	----	----	----			1	UNCH		
575	----	----		----	0.0025B/*0.0120	----		0.0060 - 0.0030	.0244	----	----	----	----			2	UNCH		
585	----	----		----	----/*0.0070A	----		0.0010 - 0.0020	.0050	----	----	----	----			13	UNCH		
595	----	----		----	----/*0.0060A	----		0.0000 - 0.0005	----	----	----	----	----			0 -	1		
600	----	----		----	----/*0.0060A	----		0.0000 - 0.0005	----	----	----	----	----			0 -	2		
610	----	----		----/*0.0100A	0.0035B/*0.0100	----		0.0050 - 0.0080	.0275	----	----	----	----			1	UNCH		
620	----	----		----/*0.0150A	0.0080B/*0.0150	----		0.0085 - 0.0135	.0483	----	----	----	----			1	UNCH		
625	----	----		----	----/*0.0060A	----		0.0000 - 0.0005	----	----	----	----	----			0 -	10		
626	----	----		----	----/0.0060A	----		0.0000 - 0.0005	----	----	----	----	----			0 -	2		
635	----	----		#0.3795B/----	#0.3795B/0.3170	----		0.3845 + 0.1145	.7937	----	----	----	----			1	UNCH		
635	----	----		#0.3510B/----	#0.3510B/0.2675	----		0.3290 + 0.1460	----	1	----	----	----			0 -	1		
635	----	----		----	----/*0.0060A	----		0.0000 - 0.0020	----	----	----	----	----			0 -	20		
636	----	----		----	----/*0.0060A	----		0.0000 - 0.0025	----	----	----	----	----			0 -	2		
642	----	----		----/*0.0060A	----/*0.0060A	----		0.0000 - 0.0090	----	----	----	----	----			0 -	2		
643	----	----		----/0.0060A	----/0.0060A	----		0.0000 - 0.0105	----	----	----	----	----			0 -	2		
645	----	----		----/*0.0060A	----/*0.0060A	----		0.0000 - 0.0150	----	----	----	----	----			0 -	13		
649	----	----		#0.2135B/----	#0.2135B/0.1285	----		0.1890 + 0.1200	----	1	----	----	----			0 -	1		
650	----	----		#0.2035B/----	#0.2035B/0.1185	----		0.1790 + 0.1160	----	5	----	----	----			0 -	5		
650	0.0085	0.0085		0.0085/*0.0040A	0.0085/*0.0040A	----		0.0000 - 0.0320	----	----	----	1	----			0 -	2		
650	0.0525	0.0525		0.0720B/*0.0525	0.0720B/*0.0525	----		0.0545 NEW	.2617	----	----	2	----			1 +	1		
652	----	----		#0.1835B/----	#0.1835B/0.0995	----		0.1590 + 0.1070	----	----	----	----	----			0	UNCH		
652	0.0065	0.0065		0.0065/*0.0065	0.0065/*0.0065	----		0.0000 - 0.0410	----	----	1	----	----			0 -	1		
653	----	----		#0.1735B/----	#0.1735B/0.0900	----		0.1490 + 0.1020	----	1	----	----	----			0 -	1		
653	----	----		----/*0.0070A	0.0020B/*0.0070	----		0.0000 - 0.0460	----	----	----	----	----			0 -	10		
654	0.0040	0.0040		0.0040/*0.0005	0.0045B/*0.0005	----		0.0000 - 0.0515	----	----	2	----	----			0 -	2		
655	----	----		#0.2610B/----	#0.2610B/0.2040	----		0.2550 + 0.0925	.6268	----	----	----	----			7	UNCH		
655	0.0080	0.0080		0.0080/*0.0070A	0.0080/*0.0070A	----		0.0000 NEW	----	----	4	----	----			0	UNCH		
656	----	----		#0.1435B/----	#0.1435B/0.0630	----		0.1190 + 0.0850	----	1	----	----	----			0 -	1		
657	0.0150	0.0150		#0.0150/*0.0070	0.0150/*0.0070A	----		0.0000 NEW	----	----	6	----	----			0	UNCH		
658	0.0065	0.0065		#0.0065/*0.0065	0.0180B/*0.0065	----		0.0000 NEW	----	----	1	----	----			0	UNCH		
660	0.0640	0.0640		#0.1040B/0.0375	#0.1040B/0.0375	----		0.0790 NEW	----	----	4	----	----			0	UNCH		
660	0.1560	0.1560		#0.1820B/0.1265	#0.1820B/0.1265	----		0.1735 NEW	.6104	----	12	----	----			6 +	6		
660	0.0230	0.0230		0.0230/*0.0070A	0.0270B/*0.0070	----		0.0000 NEW	----	----	10	----	----			0	UNCH		
661	0.0040	0.0040		0.0040/*0.0030	0.0305B/*0.0030	----		0.0000 - 0.0980	----	----	2	----	----			0 -	2		
662	0.0300	0.0300		#0.0300/*0.0040	0.0365B/*0.0040	----		0.0000 NEW	----	----	21	----	----			0	UNCH		
663	----	----		#0.0730B/----	#0.0730B/0.0245	----		0.0490 + 0.0345	----	1	----	----	----			0 -	1		
663	0.0325	0.0325		0.0325/*0.0070A	0.0425B/*0.0070	----		0.0000 - 0.1135	----	----	20	----	----			0 -	2		
664	0.0355	0.0355		#0.0355/*0.0070	0.0490B/*0.0070	----		0.0000 NEW	----	----	40	----	----			0	UNCH		
665	0.0455	0.0455		#0.0550B/0.0180	#0.0550B/0.0180	----		0.0290 + 0.0180	----	62	----	2	----			0 -	60		
668	0.0455	0.0455		#0.0540/0.0120A	#0.0540/0.0120A	----		0.0000 NEW	----	----	2	----	----			0	UNCH		
670	0.1600	0.1600		#0.1870B/0.1430	#0.1870B/0.1430	----		0.1840 NEW	.4960	----	1	----	----			1 +	1		
670	0.0080	0.0080		#0.0310B/*0.006	0.0310B/*0.0060	----		0.0000 NEW	----	----	2	----	----			0	UNCH		
674	0.0040	0.0040		#0.0165B/*0.000	#0.0165B/*0.000	----		0.0000 NEW	----	----	2	----	----			0	UNCH		
676	0.0050	0.0050		#0.0105B/*0.000	#0.0105B/*0.000	----		0.0000 - 0.0020	----	----	3	----	----			0 -	1		
683	0.0050	0.0050		#0.0050/*0.0050	#0.0050/*0.0050	----		0.0000 NEW	----	----	2	----	----			0	UNCH		
685	----	----		----	0.0005B/0.0060A	----		0.0000 - 0.0005	----	----	----	140	----			0 -	1		
TOTAL																38 -	137		
JUN26																			
465	----	----		----	----/0.0080A	----		0.0005 UNCH	.0006	----	----	----	----			10	UNCH		
470	----	----		----	----/0.0080A	----		0.0005 UNCH	.0009	----	----	----	----			4	UNCH		
490	----	----		----	----/0.0080A	----		0.0010 UNCH	.0032	----	----	----	----			7	UNCH		
500	----	----		----	----/*0.0085A	----		0.0020 + 0.0005	.0062	----	----	----	----			1	UNCH		
555	----	----		----	0.0030B/*0.0115	----		0.0080 - 0.0010	.0269	----	----	----	----			1	UNCH		
579</																			

BULLETIN # 91@		METALS OPTION PRODUCTS										wed, May 13, 2026		PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
HX CALL COMEX COPPER OPTIONS														
JUN26														
570	----	----	0.9750B/----	0.9750B/0.9185A	----	0.9820 + 0.1450	.9832	----	----	----	----	19	UNCH	
574	----	----				0.9425 + 0.1450	.9825	----	----	----	----	3	UNCH	
575	----	----	0.9440B/----	0.9440B/0.8545A	----	0.9325 + 0.1445	.9806	----	----	2	----	147	- 2	
579	----	----				0.8930 + 0.1440	.9782	----	----	----	----	3	UNCH	
580	----	----	0.8760B/----	0.8760B/0.8190A	----	0.8830 + 0.1440	.9780	----	----	----	----	45	UNCH	
581	----	----				0.8735 + 0.1440	.9777	----	----	----	----	1	UNCH	
582	----	----	#0.8560B/----	#0.8560B/0.7995	----	0.8635 + 0.1440	.9775	----	----	----	----	11	UNCH	
583	----	----				0.8535 + 0.1435	.9755	----	----	----	----	1	UNCH	
584	----	----				0.8435 + 0.1430	.9753	----	----	----	----	3	UNCH	
585	----	----	0.8265B/----	0.8265B/0.7700A	----	0.8340 + 0.1435	.9750	----	----	----	----	12	UNCH	
586	----	----				0.8240 + 0.1430	.9731	----	----	----	----	1	UNCH	
587	----	----				0.8145 + 0.1430	.9728	----	----	----	----	3	UNCH	
588	----	----				0.8045 + 0.1430	.9725	----	----	----	----	4	UNCH	
589	----	----				0.7945 + 0.1425	.9705	----	----	----	----	1	UNCH	
590	----	----	0.7770B/----	0.7770B/0.7210A	----	0.7850 + 0.1425	.9701	----	----	----	----	84	UNCH	
591	----	----	#0.7670B/----	#0.7670B/0.7110	----	0.7750 + 0.1420	.9681	----	----	----	----	10	UNCH	
592	----	----				0.7655 + 0.1420	.9677	----	----	----	----	1	UNCH	
593	----	----				0.7555 + 0.1415	.9674	----	----	----	----	2	UNCH	
594	----	----				0.7460 + 0.1415	.9653	----	----	----	----	4	UNCH	
595	----	----	0.7470B/----	0.7470B/0.6585A	----	0.7360 + 0.1410	.9649	----	----	----	----	129	UNCH	
596	----	----	#0.7180B/----	#0.7180B/0.6630	----	0.7265 + 0.1410	.9628	----	----	----	----	7	UNCH	
597	----	----				0.7165 + 0.1405	.9606	----	----	----	----	1	UNCH	
598	----	----	#0.6985B/----	#0.6985B/0.6440	----	0.7070 + 0.1405	.9602	----	----	----	----	6	UNCH	
599	----	----				0.6970 + 0.1400	.9580	----	----	----	----	4	UNCH	
600	0.6540	0.6540	0.7050B/0.6060A	0.7050B/0.6060A	----	0.6875 + 0.1395	.9575	----	----	4	----	414	- 4	
601	----	----				0.6780 + 0.1395	.9553	----	----	----	----	1	UNCH	
602	----	----				0.6685 + 0.1390	.9531	----	----	----	----	4	UNCH	
603	----	----	#0.6500B/----	#0.6500B/0.5970	----	0.6585 + 0.1385	.9509	----	----	----	----	10	UNCH	
604	----	----	#0.6400B/----	#0.6400B/0.5875	----	0.6490 + 0.1380	.9486	----	----	----	----	15	UNCH	
605	----	----	0.6500B/----	0.6500B/0.5640A	----	0.6395 + 0.1375	.9480	----	----	----	----	212	UNCH	
606	----	----	#0.6210B/----	#0.6210B/0.5690	----	0.6300 + 0.1375	.9457	----	----	----	----	23	UNCH	
607	----	----	#0.6115B/----	#0.6115B/0.5595	----	0.6205 + 0.1370	.9433	----	----	----	----	92	UNCH	
608	----	----	#0.6020B/----	#0.6020B/0.5505	----	0.6110 + 0.1365	.9410	----	----	----	----	7	UNCH	
609	----	----	#0.5925B/----	#0.5925B/0.5415	----	0.6015 + 0.1355	.9370	----	8	----	----	11	- 2	
610	0.5750	0.5750	0.6090B/0.5130A	0.6090B/0.5130A	----	0.5925 + 0.1355	.9346	----	11	----	----	768	- 8	
611	----	----	#0.5735B/----	#0.5735B/0.5230	----	0.5830 + 0.1350	.9322	----	----	----	----	9	UNCH	
612	----	----	#0.5685B/----	#0.5685B/0.5140	----	0.5735 + 0.1340	.9297	----	----	----	----	29	UNCH	
613	----	----	#0.5575B/----	#0.5575B/0.5055	----	0.5645 + 0.1335	.9257	----	----	----	----	56	UNCH	
614	----	----	#0.5610B/----	#0.5610B/0.4970	----	0.5550 + 0.1330	.9232	----	----	----	----	13	UNCH	
615	----	----	#0.5635B/----	#0.5635B/0.4685A	----	0.5460 + 0.1325	.9191	----	----	443	6	514	- 344	
616	----	----	#0.5480B/----	#0.5480B/0.4795	----	0.5370 + 0.1315	.9150	----	----	----	----	40	UNCH	
617	----	----	#0.5315B/----	#0.5315B/0.4710	----	0.5280 + 0.1310	.9109	----	----	----	----	34	UNCH	
618	----	----	#0.5225B/----	#0.5225B/0.4625	----	0.5190 + 0.1300	.9068	----	----	----	----	37	UNCH	
619	----	----	#0.5135B/----	#0.5135B/0.4540	----	0.5100 + 0.1295	.9026	----	----	----	----	19	UNCH	
620	0.4900	0.4900	0.5175B/0.4260A	0.5175B/0.4260A	----	0.5010 + 0.1285	.8985	----	1	----	----	643	- 1	
621	----	----	#0.4955B/----	#0.4955B/0.4375	----	0.4920 + 0.1275	.8943	----	----	----	----	30	UNCH	
622	----	----	#0.4865B/----	#0.4865B/0.4290	----	0.4835 + 0.1265	.8887	----	----	----	----	86	UNCH	
623	----	----	#0.4775B/----	#0.4775B/0.4210	----	0.4745 + 0.1255	.8844	----	----	----	----	37	UNCH	
624	----	----	#0.4760B/----	#0.4760B/0.4130	----	0.4660 + 0.1245	.8789	----	----	----	----	12	UNCH	
625	----	----	#0.4670B/----	#0.4670B/0.3905A	----	0.4575 + 0.1240	.8733	----	3	----	----	213	- 1	
626	----	----	#0.4515B/----	#0.4515B/0.3970	----	0.4490 + 0.1230	.8677	----	----	----	----	10	UNCH	
627	----	----	#0.4430B/----	#0.4430B/0.3895	----	0.4410 + 0.1220	.8620	----	----	----	----	30	UNCH	
628	----	----	#0.4340B/----	#0.4340B/0.3820	----	0.4325 + 0.1210	.8552	----	----	----	----	23	UNCH	
629	----	----	#0.4255B/----	#0.4255B/0.3745	----	0.4245 + 0.1205	.8485	----	----	----	----	101	UNCH	
630	----	----	#0.4315B/----	#0.4315B/0.3475A	----	0.4165 + 0.1195	.8428	----	22	220	----	1090	- 242	
631	----	----	#0.4175B/----	#0.4175B/0.3450	----	0.4085 + 0.1185	.8360	----	----	----	----	140	UNCH	
632	----	----	#0.4090B/----	#0.4090B/0.3525	----	0.4005 + 0.1175	.8282	----	----	----	----	124	UNCH	
635	0.3735	0.3735	0.3890B/0.3080A	0.3890B/0.3080A	----	0.3770 + 0.1140	.8069	----	1	----	----	349	UNCH	
639	----	----	#0.3450B/----	#0.3450B/0.3050	----	0.3475 + 0.1100	.7753	----	1	----	----	60	- 1	
640	----	----	0.3560B/----	0.3560B/0.2750A	----	0.3405 + 0.1090	.7669	----	450	----	----	652	- 337	
641	----	----	#0.3295B/----	#0.3295B/0.2925	----	0.3335 + 0.1080	.7585	----	----	----	----	53	UNCH	
644	----	----	#0.3080B/----	#0.3080B/0.2745	----	0.3130 + 0.1050	.7327	----	----	----	----	22	UNCH	
645	0.3075	0.3075	0.3210B/0.2450A	0.3210B/0.2450A	----	0.3065 + 0.1040	.7244	----	134	----	----	180	- 58	
646	----	----	#0.3015B/----	#0.3015B/0.2630	----	0.3000 + 0.1030	.7154	----	----	----	----	20	UNCH	
649	0.2265	0.2265	#0.2735B/0.2265	#0.2735B/0.2260	----	0.2810 + 0.0995	.6883	----	1	----	----	9	- 1	
650	0.2400	0.2400	0.2950/0.2175A	0.2950/0.2175A	----	0.2745 + 0.0980	.6790	----	200	512	----	1132	- 111	
651	----	----	#0.2690B/----	#0.2690B/0.2105	----	0.2685 + 0.0970	.6698	----	----	----	----	17	UNCH	
654	0.1915	0.1915	#0.2420B/0.1915	#0.2420B/0.1915	----	0.2510 + 0.0935	.6419	----	1	----	----	50	UNCH	
655	0.2275	0.2275	0.2635/0.1920A	0.2635/0.1920A	----	0.2455 + 0.0925	.6325	----	238	----	----	1304	- 17	
656	----	----	#0.2360B/----	#0.2360B/0.1885	----	0.2400 + 0.0915	.6232	----	----	----	----	8	UNCH	
660	0.1900	0.1900	0.2310/0.1670	0.2310/0.1670	----	0.2195 + 0.0875	.5857	----	86	220	----	633	- 250	
661	0.1725	0.1725	#0.2195B/0.1655	#0.2195B/0.1655	----	0.2145 + 0.0865	.5764	----	2	----	----	3	+ 2	
665	0.1595	0.1595	0.2030/0.1440	0.2030/0.1440	----	0.1955 + 0.0820	.5394	----	183	----	----	76	- 9	
666	0.1550	0.1550	#0.1970B/0.1445	#0.1970B/0.1445	----	0.1915 + 0.0815	.5303	----	8	----	----	7	+ 6	
669	0.1440	0.1440	#0.1845B/0.1340	#0.1845B/0.1340	----	0.1790 + 0.0785	.5034	----	5					

BULLETIN # 91@				METALS OPTION PRODUCTS										Wed, May 13, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
HX CALL	COMEX COPPER OPTIONS															
JUL26																
598	----	----	#0.7610B/----	#0.7610B/0.7130	----	0.7635 + 0.1365	.8465	----	----	----	----	1	UNCH			
599	----	----	#0.7610B/----	#0.7610B/0.7205	----	0.7555 + 0.1360	.8429	----	----	2	----	2	UNCH			
600	----	----	0.7575B/----	0.7575B/0.6785A	----	0.7475 + 0.1360	.8393	----	----	----	----	543	UNCH			
602	0.7495	0.7495	#0.7495/0.6805A	#0.7495/0.6805A	----	0.7315 + 0.1350	.8320	----	----	1	----	83	UNCH			
603	----	----	#0.7280B/----	#0.7280B/0.6900	----	0.7235 + 0.1345	.8279	----	----	----	----	3	UNCH			
605	----	----	0.7135B/----	0.7135B/0.6615A	----	0.7080 + 0.1340	.8201	----	----	----	----	40	UNCH			
610	----	----	0.6765B/----	0.6765B/0.6045A	----	0.6700 + 0.1325	.8006	----	----	----	----	318	UNCH			
615	0.6290	0.6290	0.6405B/0.5655A	0.6405B/0.5655A	----	0.6335 + 0.1305	.7792	----	----	2	----	1636 -	2			
620	----	----	0.5955B/----	0.5955B/0.5315A	----	0.5985 + 0.1285	.7573	----	8	----	----	210	UNCH			
625	----	----	0.5755B/----	0.5755B/0.4990A	----	0.5645 + 0.1260	.7343	----	----	3	12	356 -	14			
630	----	----	0.5415B/----	0.5415B/0.4685A	----	0.5320 + 0.1230	.7107	----	1	----	20	357	UNCH			
635	----	----	0.5060B/----	0.5060B/0.4410A	----	0.5010 + 0.1200	.6865	----	1	----	----	84 -	1			
640	----	----	0.4790B/----	0.4790B/0.4135A	----	0.4715 + 0.1170	.6621	----	151	----	----	1550 -	104			
645	0.3970	0.3970	0.4490B/0.3875A	0.4490B/0.3875A	----	0.4440 + 0.1145	.6372	----	45	----	----	405 -	14			
650	----	----	0.4225B/----	0.4225B/0.3620A	----	0.4170 + 0.1110	.6123	----	170	----	----	1680 -	26			
655	0.4000	0.4000	0.4005/0.3390A	0.4005/0.3390A	----	0.3920 + 0.1080	.5875	----	6	----	----	729	UNCH			
660	0.3725	0.3725	0.3770B/0.3200	0.3770B/0.3155A	----	0.3685 + 0.1055	.5628	----	52	----	----	1417 +	1			
665	----	----	0.3530B/----	0.3530B/0.2945A	----	0.3460 + 0.1025	.5385	----	1	----	----	22 +	1			
670	0.2980	0.2980	0.3325B/0.2745A	0.3325B/0.2745A	----	0.3250 + 0.0995	.5146	----	23	20	----	172 -	6			
675	0.2630	0.2630	0.3135B/0.2565A	0.3135B/0.2565A	----	0.3050 + 0.0970	.4912	----	24	24	----	2296 -	24			
680	0.2610	0.2610	0.2950B/0.2385A	0.2950B/0.2385A	----	0.2860 + 0.0940	.4684	----	4	----	----	135 -	1			
685	----	----	0.2765B/----	0.2765B/0.2220A	----	0.2685 + 0.0915	.4463	----	----	----	----	21	UNCH			
690	0.2200	0.2200	0.2605B/0.2070A	0.2605B/0.2070A	----	0.2520 + 0.0885	.4248	----	75	----	----	396 +	21			
695	----	----	0.2430B/----	0.2430B/0.1930A	----	0.2360 + 0.0855	.4039	----	38	----	----	78 +	1			
700	0.1870	0.1870	0.2295B/0.1800	0.2295B/0.1800	----	0.2215 + 0.0830	.3839	----	524	----	----	937 +	58			
705	0.1840	0.1840	0.2155B/0.1840	0.2155B/0.1675A	----	0.2080 + 0.0805	.3648	----	1	----	----	12	UNCH			
710	0.1600	0.1600	0.2025B/0.1600	0.2025B/0.1555A	----	0.1950 + 0.0775	.3462	----	6	20	----	891 -	21			
715	0.1520	0.1520	0.1890B/0.1520	0.1890B/0.1445A	----	0.1830 + 0.0745	.3285	----	5	----	----	38 -	3			
720	----	----	0.1775B/----	0.1775B/0.1340A	----	0.1715 + 0.0715	.3114	----	51	200	----	266 +	198			
725	----	----	0.1665B/----	0.1665B/0.1245A	----	0.1610 + 0.0690	.2953	----	257	176	----	1320 -	152			
730	0.1385	0.1385	0.1575B/0.1385	0.1575B/0.1150A	----	0.1505 + 0.0655	.2794	----	24	----	----	280 +	20			
740	----	----	----	#0.1275B/*0.120	----	0.1325 NEW	----	----	100	----	----	100 +	100			
750	0.0975	0.0975	0.1215/0.0860	0.1215/0.0860	----	0.1165 + 0.0545	.2242	----	577	----	----	1514 -	13			
760	----	----	----	#0.0970B/*0.088	----	0.1025 NEW	----	----	50	----	----	50 +	50			
775	0.0685	0.0685	0.0875B/0.0595A	0.0875B/0.0595A	----	0.0845 + 0.0425	.1691	----	17	----	----	104 +	1			
780	0.0700	0.0700	0.0820B/0.0700	0.0820B/0.0555A	----	0.0795 + 0.0405	.1600	----	3	----	----	38 +	2			
800	0.0390	0.0390	0.0640B/0.0390	0.0640B/0.0390	----	0.0615 + 0.0330	.1271	----	217	----	----	2273 +	5			
825	0.0470	0.0470	0.0470/0.0470	0.0470/0.0300A	----	0.0455 + 0.0255	.0962	----	1	----	----	4	UNCH			
850	0.0255	0.0255	0.0350B/0.0220	0.0350B/0.0220	----	0.0335 + 0.0195	.0724	----	308	----	----	327 +	301			
875	0.0215	0.0215	0.0265B/0.0215	0.0265B/0.0175A	----	0.0255 + 0.0150	.0557	----	1	----	----	3 +	1			
900	0.0165	0.0165	0.0200B/0.0130	0.0200B/0.0130	----	0.0190 + 0.0105	.0421	----	380	----	----	2244 +	208			
925	0.0105	0.0105	0.0155B/0.0105	0.0155B/0.0100A	----	0.0150 + 0.0080	.0333	----	1	----	----	16 +	1			
950	0.0080	0.0080	0.0120B/0.0080	0.0120B/0.0080	----	0.0115 + 0.0055	.0257	----	10	----	----	52	UNCH			
975	0.0065	0.0065	0.0090B/*0.0065	0.0090B/0.0065	----	0.0085 + 0.0040	.0193	----	1	----	----	3 +	1			
1000	----	----	0.0070B/----	0.0070B/0.0075A	----	0.0060 + 0.0030	.0140	----	----	----	----	6	UNCH			
TOTAL									472	3174		23931+	610			
AUG26																
500	----	----	----	----	----	1.7525 + 0.1490	.9626	----	----	----	----	3	UNCH			
550	----	----	----	----	----	1.2805 + 0.1460	.9128	----	----	----	----	3	UNCH			
580	----	----	1.0220B/----	1.0220B/0.9610A	----	1.0210 + 0.1430	.8530	----	----	----	----	253	UNCH			
585	----	----	0.9390B/----	0.9390B/0.9650A	----	0.9805 + 0.1420	.8405	----	----	----	----	11	UNCH			
590	----	----	0.8980B/----	0.8980B/0.9280A	----	0.9405 + 0.1410	.8266	----	----	----	----	17	UNCH			
595	----	----	----	----	----	0.9020 + 0.1400	.8124	----	----	----	----	1	UNCH			
600	----	----	----	----	----	0.8640 + 0.1385	.7975	----	----	----	----	4	UNCH			
610	----	----	0.7365B/----	0.7365B/0.7290A	----	0.7920 + 0.1355	.7657	----	----	----	----	1	UNCH			
620	----	----	0.7290B/----	0.7290B/0.6650A	----	0.7245 + 0.1320	.7314	----	----	----	----	28	UNCH			
625	----	----	0.6965B/----	0.6965B/0.6345A	----	0.6925 + 0.1305	.7134	----	----	----	----	92	UNCH			
630	----	----	0.6655B/----	0.6655B/0.6050A	----	0.6615 + 0.1280	.6953	----	1	----	----	5 +	1			
635	----	----	0.6355B/----	0.6355B/0.5770A	----	0.6320 + 0.1265	.6769	----	----	----	----	2	UNCH			
640	----	----	0.6115B/----	0.6115B/0.5490A	----	0.6035 + 0.1240	.6583	----	----	----	----	151	UNCH			
650	----	----	0.5560B/----	0.5560B/0.4975A	----	0.5505 + 0.1205	.6208	----	2	----	----	589 +	1			
655	----	----	0.5320B/----	0.5320B/0.4725A	----	0.5255 + 0.1180	.6021	----	----	----	----	457	UNCH			
660	----	----	0.5040B/----	0.5040B/0.4490A	----	0.5015 + 0.1160	.5834	----	----	----	----	28	UNCH			
665	----	----	0.4820B/----	0.4820B/0.4255A	----	0.4790 + 0.1140	.5650	----	----	----	----	1	UNCH			
670	----	----	0.4600B/----	0.4600B/0.4050A	----	0.4575 + 0.1120	.5467	----	54	----	----	19 -	41			
675	0.3900	0.3900	0.4435B/0.3900	0.4435B/0.3850A	----	0.4365 + 0.1095	.5288	----	1	----	----	313 +	1			
680	0.3975	0.3975	0.4195B/0.3975	0.4195B/0.3655A	----	0.4170 + 0.1075	.5111	----	3	----	----	4 +	3			
685	----	----	0.3955B/----	0.3955B/0.3550A	----	0.3980 + 0.1055	.4938	----	----	----	----	2	UNCH			
690	----	----	0.3775B/----	0.3775B/0.3375A	----	0.3800 + 0.1035	.4769	----	50	----	----	53 +	45			
695	----	----	0.3605B/----	0.3605B/0.3205A	----	0.3625 + 0.1015	.4603	----	----	----	----	2	UNCH			
700	0.3000	0.3000	0.3505/0.3000	0.3505/0.3000												

PG64	BULLETIN # 91@										METALS OPTION PRODUCTS										Wed, May 13, 2026				PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST													
HX CALL	COMEX COPPER OPTIONS																								
OCT26																									
740	----	----	#0.3880B/----	#0.3880B/0.3505	----	0.3905 + 0.0960	.4025	----	----	----	----	10	UNCH												
750	----	----	0.3585B/----	0.3585B/0.3325A	----	0.3635 + 0.0925	.3808	----	----	----	----	64	UNCH												
775	----	----	0.3000B/----	0.3000B/0.2770A	----	0.3045 + 0.0835	.3308	----	----	1	----	84	- 1												
800	----	----	0.2550B/----	0.2550B/0.2255A	----	0.2550 + 0.0720	.2864	----	----	1	----	2	+ 1												
825	----	----	0.2140B/----	0.2140B/0.1885A	----	0.2145 NEW	.2478	----	----	1	----	1	+ 1												
850	----	----	0.1800B/----	0.1800B/0.1580A	----	0.1820 + 0.0565	.2150	----	----	----	----	30	UNCH												
875	0.1440	0.1440	0.1525B/0.1440	0.1525B/0.1340A	----	0.1555 + 0.0505	.1871	----	----	3	----	3	UNCH												
900	----	----	0.1285B/----	0.1285B/0.1140A	----	0.1335 + 0.0445	.1631	----	----	----	----	3	UNCH												
975	----	----	0.0785B/----	0.0785B/0.0735A	----	0.0885 + 0.0315	.1113	----	----	1	----	7	UNCH												
TOTAL										12		601	- 4												
NOV26																									
535	----	----	----	----	----	1.5645 + 0.1440	.8824	----	----	----	----	1	UNCH												
545	----	----	----	----	----	1.4815 + 0.1425	.8667	----	----	----	----	1	UNCH												
580	----	----	----	----	----	1.2120 + 0.1360	.7994	----	----	----	----	2	UNCH												
585	----	----	----	----	----	1.1765 + 0.1350	.7885	----	----	----	----	1	UNCH												
595	----	----	1.0435B/----	1.0435B/1.0500A	----	1.1080 + 0.1330	.7657	----	----	----	----	2	UNCH												
600	----	----	1.0525B/----	1.0525B/1.0175A	----	1.0750 + 0.1320	.7541	----	----	----	----	2	UNCH												
610	----	----	1.0085B/----	1.0085B/0.9565A	----	1.0110 + 0.1295	.7299	----	----	----	----	14	UNCH												
640	----	----	0.8355B/----	0.8355B/0.7910A	----	0.8390 + 0.1215	.6548	----	----	----	----	1	UNCH												
650	----	----	0.7845B/----	0.7845B/0.7425A	----	0.7880 + 0.1185	.6293	----	----	----	----	1	UNCH												
655	----	----	0.7600B/----	0.7600B/0.7190A	----	0.7635 + 0.1170	.6166	----	----	----	----	1	UNCH												
665	0.7025	0.7025	0.7130B/0.6745A	0.7130B/0.6745A	----	0.7165 NEW	.5913	----	----	1	----	1	+ 1												
670	----	----	0.6905B/----	0.6905B/0.6530A	----	0.6945 + 0.1125	.5788	----	----	----	----	14	UNCH												
675	0.6600	0.6600	0.6690B/0.6325A	0.6690B/0.6325A	----	0.6725 + 0.1105	.5663	----	----	1	----	61	+ 1												
680	----	----	0.6475B/----	0.6475B/0.6125A	----	0.6515 + 0.1090	.5540	----	----	----	----	1	UNCH												
695	----	----	0.5885B/----	0.5885B/0.5555A	----	0.5920 + 0.1045	.5177	----	----	----	----	1	UNCH												
700	0.5470	0.5470	0.5695B/0.5380A	0.5695B/0.5380A	----	0.5735 + 0.1035	.5059	----	----	1	----	24	+ 1												
705	----	----	0.5515B/----	0.5515B/0.5210A	----	0.5550 + 0.1015	.4942	----	----	----	----	1	UNCH												
725	----	----	0.4845B/----	0.4845B/0.4565A	----	0.4880 + 0.0960	.4494	----	----	----	----	48	UNCH												
750	0.3950	0.3950	0.4180/0.3865A	0.4180/0.3865A	----	0.4150 + 0.0885	.3974	----	----	4	----	26	+ 4												
800	----	----	0.2990B/----	0.2990B/0.2785A	----	0.3010 + 0.0740	.3080	----	----	----	----	1	UNCH												
850	----	----	0.2170B/----	0.2170B/0.2030A	----	0.2195 + 0.0595	.2371	----	----	----	----	2	UNCH												
900	----	----	0.1590B/----	0.1590B/0.1500A	----	0.1605 + 0.0475	.1817	----	----	----	----	2	UNCH												
975	----	----	0.1010B/----	0.1010B/0.0995A	----	0.0995 + 0.0330	.1202	----	----	7	----	209	+ 7												
TOTAL																									
DEC26																									
520	----	----	----	----	----	1.7095 + 0.1455	.8913	----	----	----	----	1	UNCH												
525	----	----	----	----	----	1.6675 + 0.1455	.8843	----	----	----	----	123	UNCH												
535	----	----	----	----	----	1.5850 + 0.1445	.8692	----	----	----	----	1	UNCH												
550	----	----	----	----	----	1.4665 + 0.1430	.8440	----	----	----	----	2	UNCH												
555	----	----	----	----	----	1.4280 + 0.1420	.8351	----	----	----	----	1	UNCH												
565	----	----	----	----	----	1.3535 + 0.1400	.8162	----	----	----	----	45	UNCH												
575	----	----	----	----	----	1.2810 + 0.1375	.7965	----	----	----	----	123	UNCH												
585	----	----	----	----	----	1.2100 + 0.1330	.7762	----	----	----	----	1	UNCH												
590	----	----	1.1095B/----	1.1095B/1.1235A	----	1.1755 + 0.1310	.7657	----	----	----	----	200	UNCH												
595	----	----	1.1210B/----	1.1210B/1.0915A	----	1.1420 + 0.1290	.7551	----	----	----	----	163	UNCH												
600	----	----	1.1070B/----	1.1070B/1.0610A	----	1.1090 + 0.1265	.7441	----	----	----	----	598	UNCH												
610	----	----	1.0455B/----	1.0455B/1.0020A	----	1.0480 + 0.1250	.7212	----	----	----	----	291	UNCH												
620	----	----	0.9865B/----	0.9865B/0.9455A	----	0.9915 + 0.1245	.6975	----	----	----	----	414	UNCH												
625	----	----	0.9585B/----	0.9585B/0.9185A	----	0.9645 + 0.1245	.6856	----	----	----	----	3	UNCH												
630	0.9100	0.9100	0.9310B/0.8925A	0.9310B/0.8925A	----	0.9385 + 0.1245	.6737	----	----	1	----	391	UNCH												
640	----	----	0.8780B/----	0.8780B/0.8415A	----	0.8870 + 0.1230	.6501	----	----	----	----	29	UNCH												
650	----	----	0.8280B/----	0.8280B/0.7940A	----	0.8375 + 0.1205	.6266	----	----	----	----	679	UNCH												
660	----	----	0.7805B/----	0.7805B/0.7485A	----	0.7900 + 0.1175	.6032	----	----	----	----	300	UNCH												
670	----	----	0.7355B/----	0.7355B/0.7060A	----	0.7445 + 0.1140	.5800	----	----	----	----	4	UNCH												
675	----	----	0.7140B/----	0.7140B/0.6850A	----	0.7230 + 0.1125	.5685	----	----	----	----	17	UNCH												
680	----	----	0.6930B/----	0.6930B/0.6655A	----	0.7015 + 0.1105	.5570	----	----	----	----	3	UNCH												
700	----	----	0.6150B/----	0.6150B/0.5910A	----	0.6230 + 0.1045	.5125	----	----	25	----	904	+ 25												
705	----	----	0.5965B/----	0.5965B/0.5740A	----	0.6045 + 0.1025	.5016	----	----	----	----	2	UNCH												
725	----	----	0.5285B/----	0.5285B/0.5090A	----	0.5375 + 0.0975	.4599	----	----	----	----	7	UNCH												
730	----	----	0.5130B/----	0.5130B/0.4940A	----	0.5215 + 0.0960	.4498	----	----	----	----	4	UNCH												
750	----	----	0.4540B/----	0.4540B/0.4380A	----	0.4635 + 0.0905	.4112	----	----	----	----	426	UNCH												
775	----	----	0.3900B/----	0.3900B/0.3765A	----	0.3990 + 0.0830	.3664	----	----	----	----	1	UNCH												
800	0.3475	0.3475	0.3475/0.3250A	0.3475/0.3250A	----	0.3440 + 0.0755	.3258	----	----	28	----	158	+ 28												
850	----	----	0.2495B/----	0.2495B/0.2440A	----	0.2565 + 0.0615	.2564	----	----	----	----	4	UNCH												
900	----	----	0.1870B/----	0.1870B/0.1860A	----	0.1940 + 0.0500	.2022	----	----	25	300	638	+ 325												
925	----	----	0.1625B/----	0.1625B/0.1635A	----	0.1700 + 0.0455	.1801	----	----	----	----	6	UNCH												
950	----	----	0.1425B/----	0.1425B/0.1445A	----	0.1490 + 0.0410	.1604	----	----	----	----	78	UNCH												
975	----	----	0.1245B/----	0.1245B/0.1285A	----	0.1315 + 0.0370	.1434	----	----	----	----	13	UNCH												
1000	----	----	#0.1090B/----	#0.1090B/0.1145	----	0.1195 + 0.0340	.1306	----	----	----	----	2	UNCH												
TOTAL									300	79		5632	+ 378												
JAN27																									
500	----	----	----	----	----	1.9850 + 0.1460	.9084	----	----	----	----	1	UNCH												
900	----	----	----	----	----	0.2675 + 0.0675	.2430	----	----	----	----	1	UNCH												
TOTAL												2													
FEB27																									
620	----	----	----	----	----	1.1330 + 0.1290	.7024	----	----	----	----	1	UNCH												
625	1.0000	1.0000	#1.0000/1.0000	#1.0000/1.0000	----	1.1070 + 0.1295	.6921	----	----	1	----	0	- 1												
TOTAL										1		1	- 1												
MAR27											</														

PG64		BULLETIN # 91@										METALS OPTION PRODUCTS										wed, May 13, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST						
HX PUT		COMEX COPPER OPTIONS																						
JUN26																								
543	----	----	----	----	----	----	---/*0.0050A	----	----	0.0025	-	0.0020	.0091	----	----	----	----	27	UNCH					
544	----	----	----	----	----	----	---/*0.0050A	----	----	0.0025	-	0.0020	.0092	----	----	----	----	30	UNCH					
545	----	----	----	----	----	0.0010B/*0.0050	----	----	----	0.0025	-	0.0020	.0092	----	1	----	----	86	UNCH					
546	----	----	----	----	----	----	---/*0.0050A	----	----	0.0025	-	0.0020	.0093	----	----	----	----	29	UNCH					
547	----	----	----	----	----	----	---/*0.0050A	----	----	0.0025	-	0.0020	.0094	----	----	----	----	45	UNCH					
548	----	----	----	----	----	----	---/*0.0050A	----	----	0.0025	-	0.0020	.0095	----	----	----	----	56	UNCH					
549	----	----	----	----	----	----	---/*0.0050A	----	----	0.0025	-	0.0020	.0095	----	----	----	----	40	UNCH					
550	0.0035	0.0035	0.0035	0.0035	0.0035	0.0040B/0.0035	----	----	----	0.0025	-	0.0020	.0096	----	51	----	1234	-	50					
551	----	----	----	----	----	----	---/*0.0050A	----	----	0.0025	-	0.0025	.0097	----	----	----	----	117	UNCH					
552	----	----	----	----	----	----	---/*0.0055A	----	----	0.0030	-	0.0020	.0114	----	----	----	----	97	UNCH					
553	----	----	----	----	----	----	---/*0.0055A	----	----	0.0030	-	0.0020	.0115	----	----	----	----	26	UNCH					
554	----	----	----	----	----	----	---/*0.0055A	----	----	0.0030	-	0.0020	.0115	----	----	----	----	29	UNCH					
555	----	----	----	----	----	----	---/*0.0055A	----	----	0.0030	-	0.0020	.0116	----	----	----	----	67	UNCH					
556	----	----	----	----	----	----	---/*0.0055A	----	----	0.0030	-	0.0020	.0117	----	----	----	----	9	UNCH					
557	----	----	----	----	----	----	---/*0.0060A	----	----	0.0030	-	0.0020	.0118	----	----	----	----	68	UNCH					
558	----	----	----	----	----	----	---/*0.0065A	----	----	0.0030	-	0.0025	.0119	----	----	----	----	10	UNCH					
559	----	----	----	----	----	----	---/*0.0055A	----	----	0.0030	-	0.0025	.0120	----	----	----	----	7	UNCH					
560	----	----	----	----	----	----	---/*0.0055A	----	----	0.0030	-	0.0025	.0121	----	----	----	----	415	UNCH					
561	----	----	----	----	---/*0.0045A	----	---/*0.0045A	----	----	0.0030	-	0.0025	.0122	----	----	----	----	3	UNCH					
562	----	----	----	----	---/*0.0045A	----	---/*0.0045A	----	----	0.0030	-	0.0025	.0124	----	----	----	----	22	UNCH					
563	----	----	----	----	---/*0.0045A	----	---/*0.0045A	----	----	0.0035	-	0.0025	.0141	----	----	----	----	1	UNCH					
564	----	----	----	----	---/*0.0045A	0.0005B/*0.0045	----	----	----	0.0035	-	0.0025	.0142	----	----	----	----	4	UNCH					
565	----	----	----	----	---/*0.0045A	0.0005B/*0.0045	----	----	----	0.0035	-	0.0025	.0144	----	2	----	222	-	2					
566	----	----	----	----	---/*0.0045A	0.0005B/*0.0045	----	----	----	0.0035	-	0.0025	.0145	----	----	----	4	UNCH						
567	----	----	----	----	---/*0.0045A	0.0005B/*0.0045	----	----	----	0.0035	-	0.0030	.0146	----	----	----	12	UNCH						
568	----	----	----	----	---/*0.0045A	0.0035B/*0.0045	----	----	----	0.0035	-	0.0030	.0148	----	----	----	1	UNCH						
569	----	----	----	----	---/*0.0050A	0.0030B/*0.0050	----	----	----	0.0035	-	0.0030	.0149	----	----	----	27	UNCH						
570	----	----	----	----	---/*0.0045A	0.0030B/*0.0045	----	----	----	0.0040	-	0.0030	.0167	----	2	----	400	-	1					
571	----	----	----	----	---/*0.0045A	0.0030B/*0.0045	----	----	----	0.0040	-	0.0030	.0169	----	----	----	41	UNCH						
572	----	----	----	----	---/*0.0050A	0.0035B/*0.0050	----	----	----	0.0040	-	0.0030	.0170	----	----	----	1	UNCH						
573	----	----	----	----	---/*0.0045A	0.0040B/*0.0045	----	----	----	0.0040	-	0.0035	.0172	----	----	----	26	UNCH						
574	----	----	----	----	---/*0.0045A	0.0040B/*0.0045	----	----	----	0.0040	-	0.0035	.0174	----	----	----	17	UNCH						
575	----	----	----	----	---/*0.0045A	0.0035B/*0.0045	----	----	----	0.0045	-	0.0030	.0192	----	1	----	132	UNCH						
576	----	----	----	----	---/*0.0045A	0.0035B/*0.0045	----	----	----	0.0045	-	0.0035	.0194	----	----	----	5	UNCH						
577	----	----	----	----	---/*0.0045A	0.0035B/*0.0045	----	----	----	0.0045	-	0.0035	.0196	----	----	----	10	UNCH						
578	----	----	----	----	---/*0.0045A	0.0040B/*0.0045	----	----	----	0.0045	-	0.0040	.0198	----	----	----	2	UNCH						
579	----	----	----	----	---/*0.0045A	0.0035B/*0.0045	----	----	----	0.0050	-	0.0035	.0217	----	----	----	17	UNCH						
580	0.0070	0.0070	0.0070	0.0070	0.0070	0.0075B/*0.0050	----	----	----	0.0050	-	0.0040	.0219	----	54	----	914	-	2					
581	----	----	----	----	---/*0.0050A	0.0045B/*0.0050	----	----	----	0.0050	-	0.0040	.0222	----	----	----	41	UNCH						
582	----	----	----	----	---/*0.0050A	0.0045B/*0.0050	----	----	----	0.0050	-	0.0045	.0224	----	----	----	14	UNCH						
583	----	----	----	----	---/*0.0050A	0.0050B/*0.0050	----	----	----	0.0055	-	0.0040	.0243	----	----	----	13	UNCH						
584	----	----	----	----	---/*0.0055A	0.0050B/*0.0055	----	----	----	0.0055	-	0.0045	.0246	----	----	----	22	UNCH						
585	----	----	----	----	---/*0.0055A	0.0070B/*0.0055	----	----	----	0.0055	-	0.0050	.0248	----	36	----	479	-	7					
586	----	----	----	----	---/*0.0055A	0.0085B/*0.0055	----	----	----	0.0060	-	0.0045	.0268	----	----	----	7	UNCH						
587	----	----	----	----	---/*0.0065A	0.0090B/*0.0065	----	----	----	0.0060	-	0.0050	.0271	----	----	----	13	UNCH						
588	----	----	----	----	---/*0.0065A	0.0090B/*0.0065	----	----	----	0.0060	-	0.0055	.0274	----	----	----	2	UNCH						
590	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0065A	0.0100	0.0065A	0.0065	-	0.0055	.0297	----	4	----	223	-	3					
591	----	----	----	----	---/*0.0065A	0.0100B/*0.0065	----	----	----	0.0070	-	0.0055	.0318	----	----	----	4	UNCH						
592	----	----	----	----	---/*0.0070A	0.0105B/*0.0070	----	----	----	0.0070	-	0.0060	.0321	----	----	----	14	UNCH						
593	----	----	----	----	---/*0.0070A	0.0105B/*0.0070	----	----	----	0.0070	-	0.0065	.0325	----	----	----	38	UNCH						
594	----	----	----	----	---/*0.0075A	0.0110B/*0.0075	----	----	----	0.0075	-	0.0065	.0346	----	1	----	6	-	1					
595	----	----	----	----	---/*0.0075A	0.0115B/*0.0075	----	----	----	0.0075	-	0.0070	.0350	----	15	----	121	+	5					
596	----	----	----	----	---/*0.0080A	0.0115B/*0.0080	----	----	----	0.0080	-	0.0070	.0371	----	----	----	26	UNCH						
597	----	----	----	----	---/*0.0080A	0.0120B/*0.0080	----	----	----	0.0085	-	0.0070	.0392	----	----	----	56	UNCH						
598	----	----	----	----	---/*0.0085A	0.0125B/*0.0085	----	----	----	0.0085	-	0.0075	.0397	----	1	----	27	-	1					
599	----	----	----	----	---/*0.0090A	0.0130B/*0.0090	----	----	----	0.0090	-	0.0080	.0419	----	----	----	24	UNCH						
600	0.0145	0.0145	0.0145	0.0145	0.0145	0.0145	0.0090A	0.0145	0.0090A	0.0090	-	0.0085	.0423	----	18	----	136	+	2					
601	0.0130	0.0130	0.0130	0.0130	0.0140B/*0.0095	0.0140B/*0.0095	----	----	----	0.0095	-	0.0085	.0446	----	3	----	26	UNCH						
602	----	----	----	----	---/*0.0100A	0.0145B/*0.0100	----	----	----	0.0100	-	0.0090	.0468	----	----	----	9	UNCH						
603	0.0145	0.0145	0.0145	0.0145	0.0150B/*0.0095	0.0150B/*0.0095	----	----	----	0.0105	-	0.0090	.0490	----	2	----	18	UNCH						
604	----	----	----	----	---/*0.0110A	0.0155B/*0.0110	----	----	----	0.0110	-	0.0095	.0513	----	----	----	9	UNCH						
605	0.0110	0.0110	0.0110	0.0110	0.0110	0.0160B/*0.0110	----	----	----	0.0110	-	0.0105	.0519	----	2	----	189	-	1					
606	----	----	----	----	---/*0.0115A	0.0165B/*0.0115	----	----	----	0.0115	-	0.0105	.0542	----	----	----	23	UNCH						
607	----	----	----	----	---/*0.0120A	0.0175B/*0.0120	----	----	----	0.0120	-	0.0110	.0565	----	----	----	29	UNCH						
608	0.0120	0.0120	0.0120	0.0120	0.0120	0.0180B/*0.0120	----	----	----	0.0125	-	0.0115	.0589	----	3	----	27	+	3					
609	0.0140	0.0140	0.0140	0.0140	0.0190B/*0.0125	0.0190B/*0.0125	----	----	----	0.0135	-	0.0120	.0629	----	16	----	43	+	3					
610	0.0210	0.0210	0.0210	0.0210	0.0210																			

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

PG64		BULLETIN # 91@										METALS OPTION PRODUCTS										wed, May 13, 2026				PG64					
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST														
HX PUT		COMEX COPPER OPTIONS																													
JUL26																															
500	----	----	----	----	----	0.0060B/0.0085A	----	0.0075	UNCH	.0188		----	----	----	78	----	3334	+	78												
505	----	----	----	----	----	0.0035B/*0.0120	----	0.0080	UNCH	.0203		----	----	----	----	----	3	UNCH													
510	----	----	----	----	----	0.0045B/0.0125A	----	0.0085	UNCH	.0219		----	----	----	1	----	211	-	1												
515	----	----	----	----	----	0.0080B/0.0100A	----	0.0090	-	0.0005 .0236		----	----	----	----	----	3	UNCH													
520	0.0120	0.0120	0.0120	0.0120	0.0120/0.0110A	0.0120/0.0110A	0.0100	UNCH	.0262		53	----	----	53	----	----	549	-	48												
525	0.0125	0.0125	0.0125	0.0125	0.0125/*0.0100	0.0125/*0.0100	0.0110	-	0.0005 .0290		115	----	----	115	----	----	643	+	113												
530	0.0110	0.0110	0.0110	0.0110	0.0110/*0.0110	0.0115B/*0.0110	0.0120	-	0.0005 .0319		8	----	----	8	----	----	3237	-	1												
533	----	----	----	----	----	0.0125B/*0.0135	0.0130	-	0.0005 .0344		----	----	----	----	----	----	1	UNCH													
534	----	----	----	----	----	0.0135B/0.0140A	0.0130	-	0.0005 .0346		----	----	----	----	----	----	2	UNCH													
535	----	----	----	----	*/0.0130A	0.0130B/*0.0130	0.0130	-	0.0010 .0348		----	----	----	----	----	----	4	UNCH													
536	----	----	----	----	----	0.0140B/*0.0145	0.0135	-	0.0010 .0360		----	----	----	----	----	----	5	UNCH													
538	----	----	----	----	----	0.0140B/0.0150A	0.0140	-	0.0010 .0374		----	----	----	----	----	----	3	UNCH													
539	----	----	----	----	----	0.0145B/0.0155A	0.0140	-	0.0015 .0377		----	----	----	----	----	----	2	UNCH													
540	0.0170	0.0170	0.0170	0.0170	0.0170/*0.0150A	0.0170/*0.0150A	0.0145	-	0.0015 .0389		21	----	----	21	----	----	931	-	19												
541	----	----	----	----	*/0.0155A	0.0160B/*0.0155	0.0145	-	0.0015 .0391		----	----	----	----	----	----	2	UNCH													
542	----	----	----	----	*/0.0160A	0.0150B/*0.0160	0.0150	-	0.0015 .0403		----	----	----	----	----	----	2	UNCH													
543	----	----	----	----	*/0.0165A	0.0165B/*0.0165	0.0155	-	0.0015 .0415		----	----	----	----	----	----	3	UNCH													
545	----	----	----	----	*/0.0170A	0.0165B/*0.0170	0.0160	-	0.0020 .0430		----	----	----	----	----	----	4	UNCH													
546	----	----	----	----	*/0.0175A	0.0170B/*0.0175	0.0165	-	0.0020 .0443		----	----	----	----	----	----	3	UNCH													
547	----	----	----	----	*/0.0180A	0.0185B/*0.0180	0.0165	-	0.0025 .0446		----	----	----	----	----	----	6	UNCH													
548	----	----	----	----	*/0.0185A	0.0180B/*0.0185	0.0170	-	0.0025 .0458		----	----	----	----	----	----	17	UNCH													
549	----	----	----	----	/0.0190A	0.0180B/0.0190A	0.0175	-	0.0025 .0470		----	----	----	----	----	----	1	UNCH													
550	0.0175	0.0175	0.0175	0.0175	0.0200/*0.0175	0.0200/*0.0175	0.0180	-	0.0025 .0483		305	60	----	305	60	----	944	-	117												
552	0.0185	0.0185	0.0185	0.0185	0.0185/*0.0185	0.0205B/*0.0185	0.0190	-	0.0030 .0508		1	----	----	1	----	----	2	UNCH													
553	----	----	----	----	*/0.0195A	0.0210B/*0.0195	0.0195	-	0.0030 .0520		1	----	----	1	----	----	2	+	1												
554	----	----	----	----	*/0.0195A	0.0215B/*0.0195	0.0200	-	0.0030 .0533		----	----	----	----	----	----	10	UNCH													
555	----	----	----	----	*/0.0200A	0.0220B/*0.0200	0.0205	-	0.0030 .0546		1	----	----	1	----	----	55	UNCH													
556	0.0235	0.0235	0.0235	0.0235	0.0235/*0.0210A	0.0235/*0.0210A	0.0210	-	0.0035 .0559		21	----	----	21	----	----	95	-	20												
558	----	----	----	----	*/0.0220A	0.0240B/*0.0220	0.0220	-	0.0040 .0584		----	----	----	----	----	133	UNCH														
559	----	----	----	----	*/0.0225A	0.0250B/*0.0225	0.0225	-	0.0040 .0597		1	----	----	1	----	----	9	-	1												
560	----	----	----	----	*/0.0230A	0.0255B/*0.0230	0.0235	-	0.0035 .0619		1	----	----	1	----	----	323	-	1												
561	----	----	----	----	*/0.0235A	0.0265B/*0.0235	0.0240	-	0.0040 .0632		----	----	----	----	----	----	7	UNCH													
562	----	----	----	----	*/0.0240A	0.0270B/*0.0240	0.0245	-	0.0045 .0645		----	----	----	----	----	----	14	+	1												
563	----	----	----	----	*/0.0245A	0.0280B/*0.0245	0.0255	-	0.0040 .0667		1	----	----	1	----	----	19	UNCH													
565	----	----	----	----	*/0.0260A	0.0295B/*0.0260	0.0265	-	0.0045 .0694		----	----	----	----	----	----	13	+	4												
567	0.0285	0.0285	0.0285	0.0285	0.0315B/*0.0275	0.0315B/*0.0275	0.0280	-	0.0050 .0729		6	----	----	6	----	----	4	UNCH													
568	----	----	----	----	*/0.0280A	0.0320B/*0.0280	0.0290	-	0.0050 .0751		----	----	----	----	----	----	7	UNCH													
569	----	----	----	----	*/0.0290A	0.0330B/*0.0290	0.0295	-	0.0050 .0765		----	----	----	----	----	----	417	+	165												
570	0.0300	0.0300	0.0300	0.0300	0.0340B/*0.0295	0.0340B/*0.0295	0.0305	-	0.0050 .0787		254	----	----	254	----	----	16	UNCH													
571	----	----	----	----	*/0.0305A	0.0350B/*0.0305	0.0315	-	0.0050 .0809		----	----	----	----	----	----	4	UNCH													
572	----	----	----	----	*/0.0315A	0.0360B/*0.0315	0.0320	-	0.0055 .0823		----	----	----	----	----	----	4	UNCH													
573	----	----	----	----	*/0.0320A	0.0375B/*0.0320	0.0330	-	0.0055 .0845		----	----	----	----	----	----	6	UNCH													
574	----	----	----	----	*/0.0330A	0.0385B/*0.0330	0.0340	-	0.0060 .0867		----	----	----	----	----	----	223	+	1												
575	----	----	----	----	*/0.0340A	0.0395B/*0.0340	0.0350	-	0.0060 .0890		2	----	----	2	----	----	1	UNCH													
576	----	----	----	----	*/0.0350A	0.0410B/*0.0350	0.0360	-	0.0060 .0912		----	----	----	----	----	----	2	UNCH													
577	----	----	----	----	*/0.0355A	0.0420B/*0.0355	0.0370	-																							



BULLETIN # 91@										METALS OPTION PRODUCTS										Wed, May 13, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
HX PUT	COMEX COPPER OPTIONS																					
SEP26																						
490	----	----	----	0.0205B/0.0350A	----	0.0285 + 0.0015	.0460	----	----	----	----	9	UNCH									
500	----	----	----	0.0255B/0.0395A	----	0.0330 + 0.0015	.0533	----	----	----	----	627	UNCH									
510	----	----	----	0.0315B/*0.0445	----	0.0385 + 0.0015	.0619	----	----	----	----	2	UNCH									
515	----	----	----	0.0360B/0.0475A	----	0.0415 + 0.0010	.0666	----	----	----	----	1	UNCH									
520	0.0435	0.0435	0.0435/*0.0435	0.0435/*0.0435	----	0.0450 + 0.0005	.0718	----	----	3	----	6 +	2									
525	----	----	----	0.0435B/*0.0535	----	0.0490 + 0.0005	.0777	----	----	----	----	327	UNCH									
530	----	----	----	0.0495B/0.0590A	----	0.0530 UNCH	.0837	----	----	----	----	2	UNCH									
535	----	----	----	0.0540B/*0.0635	----	0.0580 - 0.0005	.0906	----	----	----	----	350	UNCH									
540	----	----	----/*0.0635A	0.0640B/*0.0635	----	0.0635 - 0.0005	.0982	----	----	----	----	401	UNCH									
550	----	----	0.0785B/*0.0740	0.0785B/*0.0740	----	0.0755 - 0.0020	.1143	----	----	----	----	220	UNCH									
560	----	----	0.0955B/*0.0885	0.0955B/*0.0885	----	0.0905 - 0.0035	.1332	----	----	----	----	3	UNCH									
570	----	----	0.1150B/*0.1040	0.1150B/*0.1040	----	0.1085 - 0.0045	.1546	----	----	----	----	123	UNCH									
575	----	----	0.1260B/*0.1140	0.1260B/*0.1140	----	0.1185 - 0.0055	.1661	----	----	----	----	107	UNCH									
580	----	----	0.1380B/*0.1225	0.1380B/*0.1225	----	0.1295 - 0.0060	.1782	----	----	----	----	687	UNCH									
585	----	----	0.1500B/*0.1345	0.1500B/*0.1345	----	0.1410 - 0.0070	.1906	----	----	----	----	7	UNCH									
590	----	----	0.1645B/*0.1425	0.1645B/*0.1425	----	0.1540 - 0.0075	.2039	----	----	----	----	334	UNCH									
595	----	----	0.1775B/*0.1580	0.1775B/*0.1580	----	0.1670 - 0.0090	.2172	----	----	----	----	8	UNCH									
600	----	----	0.1935B/*0.1685	0.1935B/*0.1685	----	0.1815 - 0.0100	.2312	----	----	----	----	1011	UNCH									
610	----	----	0.2270B/*0.2010	0.2270B/*0.2010	----	0.2135 - 0.0115	.2605	----	----	----	----	11	UNCH									
615	----	----	0.2455B/*0.2170	0.2455B/*0.2170	----	0.2305 - 0.0130	.2755	----	----	----	----	1	UNCH									
620	----	----	0.2665B/*0.2325	0.2665B/*0.2325	----	0.2490 - 0.0140	.2909	----	----	----	----	1001	UNCH									
625	----	----	0.2870B/*0.2520	0.2870B/*0.2520	----	0.2685 - 0.0150	.3066	----	----	----	1000	1147 +	1000									
630	----	----	0.3075B/*0.2720	0.3075B/*0.2720	----	0.2890 - 0.0165	.3224	----	2	----	----	3	UNCH									
635	----	----	0.3315B/*0.2915	0.3315B/*0.2915	----	0.3105 - 0.0185	.3383	----	----	----	----	145	UNCH									
650	----	----	----/*0.3595A	0.4050B/*0.3595	----	0.3815 - 0.0240	.3865	----	2	----	----	7 +	2									
655	----	----	0.4315B/*0.3840	0.4315B/*0.3840	----	0.4075 - 0.0235	.4025	----	----	----	----	53	UNCH									
660	0.4225	0.4225	0.4590B/*0.4100	0.4590B/*0.4100	----	0.4340 NEW	.4184	----	1	----	----	1 +	1									
670	----	----	----/*0.4630A	0.5180B/*0.4630	----	0.4900 NEW	.4496	----	----	210	----	210 +	210									
685	----	----	/*0.5505A	0.6095B/*0.5505	----	0.5795 - 0.0365	.4950	----	----	----	----	11	UNCH									
695	----	----	/*0.6120A	0.6750B/*0.6120	----	0.6425 - 0.0415	.5240	----	----	----	----	2	UNCH									
700	----	----	/*0.6445A	0.7085B/*0.6445	----	0.6750 - 0.0435	.5381	----	5	----	----	7	UNCH									
725	----	----	----/*0.8195A	0.8840B/*0.8195	----	0.8460 - 0.0545	.6046	----	----	----	----	2	UNCH									
TOTAL									1210	13		7722 +	1215									
OCT26																						
300	----	----	----	----/*0.0115A	----	0.0025 UNCH	.0032	----	----	1	----	1 +	1									
375	----	----	----	0.0045B/0.0180A	----	0.0105 UNCH	.0134	----	----	----	----	2	UNCH									
400	----	----	----	0.0050B/*0.0215	----	0.0135 + 0.0010	.0178	----	----	----	----	1	UNCH									
450	----	----	----	0.0145B/0.0305A	----	0.0225 + 0.0010	.0315	----	----	----	----	1	UNCH									
470	----	----	----	0.0205B/0.0360A	----	0.0275 - 0.0005	.0395	----	----	----	----	1	UNCH									
475	----	----	----	0.0210B/*0.0410	----	0.0290 - 0.0005	.0419	----	----	----	----	3	UNCH									
500	----	----	----	0.0340B/*0.0510	----	0.0400 - 0.0030	.0580	----	----	----	----	60	UNCH									
530	----	----	----	0.0620B/*0.0755	----	0.0655 NEW	.0907	----	1	----	----	1 +	1									
570	----	----	----/*0.1330A	0.1305B/*0.1330	----	0.1305 - 0.0060	.1605	----	----	----	----	4	UNCH									
600	----	----	/*0.2010A	0.2160B/*0.2010	----	0.2085 - 0.0095	.2301	----	1	----	----	13 -	1									
745	----	----	/*0.9625A	1.0225B/*0.9625	----	0.9895 - 0.0540	.6080	----	----	----	----	1	UNCH									
750	----	----	/*1.0120A	1.0475B/*1.0120	----	1.0260 NEW	.6188	----	5	----	----	5 +	5									
TOTAL									8			93 +	6									
NOV26																						
400	----	----	----	0.0065B/*0.0295	----	0.0180 + 0.0005	.0220	----	----	----	----	10	UNCH									
475	----	----	----	0.0310B/0.0515A	----	0.0415 + 0.0025	.0530	----	----	----	----	2	UNCH									
480	----	----	----	0.0340B/0.0540A	----	0.0440 + 0.0020	.0563	----	----	----	----	2	UNCH									
500	0.0435	0.0435	0.0565/*0.0435	0.0565/*0.0435	----	0.0585 + 0.0010	.0735	----	----	6	----	16 +	6									
520	----	----	----	0.0715B/0.0870A	----	0.0790 - 0.0015	.0961	----	----	----	----	2	UNCH									
550	----	----	----/*0.1295A	0.1205B/*0.1295	----	0.1245 - 0.0065	.1413	----	----	----	----	1	UNCH									
560	----	----	/*0.1480A	0.1420B/*0.1480	----	0.1445 - 0.0085	.1595	----	----	----	----	1	UNCH									
590	----	----	/*0.2215A	0.2235B/*0.2215	----	0.2220 - 0.0135	.2224	----	----	----	----	1	UNCH									
645	----	----	/*0.4275A	0.4495B/*0.4275	----	0.4370 - 0.0275	.3575	----	----	----	----	1	UNCH									
735	----	----	/*0.9505A	0.9985B/*0.9505	----	0.9700 - 0.0550	.5714	----	----	6	----	2	UNCH									
TOTAL												38 +	6									
DEC26																						
380	----	----	----	0.0040B/0.0335A	----	0.0190 + 0.0005	.0211	----	----	----	----	2	UNCH									
385	----	----	----	0.0050B/*0.0340	----	0.0200 + 0.0005	.0224	----	----	----	----	1	UNCH									
395	----	----	----	0.0070B/0.0360A	----	0.0220 + 0.0005	.0249	----	----	----	----	3	UNCH									
400	----	----	----	0.0080B/0.0370A	----	0.0230 + 0.0005	.0262	----	----	----	----	18	UNCH									
420	----	----	----	0.0135B/*0.0420	----	0.0280 + 0.0010	.0325	----	----	----	----	2	UNCH									
475	----	----	----	0.0390B/*0.0655	----	0.0525 UNCH	.0616	----	----	----	----	76	UNCH									
480	----	----	----	0.0430B/*0.0690	----	0.0560 UNCH	.0655	----	----	----	----	16	UNCH									
490	----	----	----	0.0515B/*0.0770	----	0.0640 - 0.0005	.0742	----	----	----	----	5	UNCH									
500	----	----	----	0.0620B/*0.0860	----	0.0735 - 0.0010	.0841	----	----	----	----	103	UNCH									
525	----	----	----	0.0960B/*0.1160	----	0.1055 - 0.0030	.1152	----	----	----	----	1	UNCH									
540	----	----	----	0.1235B/*0.1400	----	0.1315 - 0.0045	.1382	----	----	----	----	3	UNCH									
550	----	----	----	0.1445B/*0.1585	----	0.1525 - 0.0050	.1555	----	----	----	----	152	UNCH									
560	----	----	----/*0.1805A	0.1685B/*0.1805	----	0.1755 - 0.0070	.1737	----	----	----	----	300	UNCH									
570	----	----	/*0.2050A	0.1955B/*0.2050	----	0.2010 - 0.0090	.1930	----	----	----	----	1	UNCH									
580	----	----	/*0.2320A	0.2250B/*0.2320	----	0.2285 - 0.0120	.2131	----	----	----	----	22	UNCH									
600	0.2895	0.2895	0.2945/*0.2870	0.2945/*0.2870	----	0.2895 - 0.0210	.2553	----	3	100	----	115 +	84									
630	----	----	/*0.4120A	0.4190B/*0.4120	----	0.4150 - 0.0230	.3257	----	----	----	----	18	UNCH									
750	----	----	/*1.1070A	1.1470B/*1.1070	----	1.1230 - 0.0570	.5882	----	----	----	----	1	UNCH									
TOTAL									100	3		839 +	84									
JAN27																						
400	----	----	----	----																		



PG64 BULLETIN # 91@				METALS OPTION PRODUCTS							wed, May 13, 2026			PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
HXE CALL		COPPER OPTIONS													
JUN26															
650	----	----		#0.3385B/----	#0.3385B/0.3145	----		0.3455 + 0.1095	.6334	----	----	----	----	2	UNCH
690	----	----		#0.1715B/----	#0.1715B/0.1515	----		0.1830 + 0.0810	.3928	----	----	----	----	1	UNCH
700	----	----		#0.1440B/----	#0.1440B/0.1250	----		0.1550 NEW	.3431	----	----	1	----	1 +	1
750	----	----		#0.0580B/----	#0.0580B/0.0520	----		0.0665 NEW	.1647	----	----	1	----	1 +	1
TOTAL												2		5 +	2
HXE PUT		COPPER OPTIONS													
MAY26															
450	----	----		----	----/0.0070A	----		0.0005 UNCH	----	----	----	----	----	4	UNCH
570	----	----		----	----/*0.0050A	----		0.0005 - 0.0010	.0005	----	----	----	----	1	UNCH
580	----	----		----	----/*0.0050A	----		0.0015 - 0.0010	.0024	----	----	----	----	1	UNCH
580	0.0100	0.0100		0.0100/*0.0100	0.0100/*0.0100	----		0.0095 - 0.0035	.0366	----	----	1	----	1	UNCH
589	----	----		----	----/0.0055A	----		0.0025 - 0.0020	.0048	----	----	----	----	3	UNCH
590	----	----		----	0.0025B/*0.0120	----		0.0035 - 0.0045	.0170	----	----	----	----	1	UNCH
595	0.0030	0.0030		0.0030/*0.0030	0.0030/*0.0030	----		0.0025 - 0.0020	.0053	----	----	2	----	2	UNCH
595	----	----		----	0.0035B/*0.0125	----		0.0050 - 0.0055	.0240	----	----	----	----	1	UNCH
600	0.0040	0.0040		0.0040/*0.0040	0.0040/*0.0040	----		0.0030 - 0.0015	.0070	----	----	1	----	35	UNCH
600	----	----		----/*0.0125A	0.0060B/*0.0125	----		0.0065 - 0.0070	.0313	----	----	----	----	20	UNCH
605	----	----		----	----/*0.0055A	----		0.0030 - 0.0015	.0076	----	----	----	----	1	UNCH
610	----	----		----	----/*0.0060A	----		0.0035 - 0.0015	.0098	----	----	2	----	3 +	2
615	----	----		----	----/*0.0065A	----		0.0040 - 0.0020	.0124	----	----	----	----	1	UNCH
620	----	----		----/*0.0035A	0.0045B/*0.0035	----		0.0050 - 0.0020	.0173	----	----	----	----	73	UNCH
620	----	----		----/*0.0205A	0.0165B/*0.0205	----		0.0170 - 0.0170	.0818	----	----	----	----	31	UNCH
625	----	----		----/*0.0065A	----/*0.0065A	----		0.0050 - 0.0050	.0194	----	----	----	----	21	UNCH
625	----	----		----/*0.0245A	0.0230B/*0.0245	----		0.0220 - 0.0210	.1041	----	----	1	----	201 +	1
630	----	----		----/*0.0070A	0.0010B/*0.0070	----		0.0055 - 0.0090	.0241	----	----	4	----	4 +	4
635	----	----		----/*0.0070A	0.0025B/*0.0070	----		0.0060 - 0.0160	.0301	----	----	----	----	1	UNCH
640	0.0100	0.0100		0.0100/*0.0085A	0.0100/*0.0085A	----		0.0075 - 0.0265	.0430	----	----	1	----	1	UNCH
640	0.0405	0.0405		0.0585B/*0.0405	0.0585B/*0.0405	----		0.0470 - 0.0395	.2032	----	----	54	----	54 +	53
642	----	----		----/*0.0115A	0.0105B/*0.0115	----		0.0085 - 0.0315	.0513	----	----	----	----	1	UNCH
650	----	----		----/*0.0190A	0.0285B/*0.0190	----		0.0160 - 0.0560	.1138	----	----	2	----	2 +	1
653	0.0200	0.0200		#0.0200/*0.0200	0.0385B/*0.0200	----		0.0215 NEW	.1568	----	----	1	----	1 +	1
655	0.0570	0.0570		0.0570/*0.0280A	0.0570/*0.0280A	----		0.0260 NEW	.1911	----	----	2	----	2 +	2
658	0.0360	0.0360		#0.0360/*0.0360	0.0600B/*0.0360	----		0.0350 - 0.0805	.2536	----	----	2	----	2 +	1
662	0.0465	0.0465		#0.0465/*0.0455	0.0810B/*0.0455	----		0.0510 NEW	.3495	----	----	40	----	40 +	40
663	0.0600	0.0600		#0.0600/*0.0565	0.0870B/*0.0565	----		0.0555 NEW	.3742	----	----	20	----	20 +	120
TOTAL												133		528 +	125
ALUMINIUM OPTIONS ON FUTURES															
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PLATINUM OPTIONS ON FUTURES															
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PAO CALL		NYMEX PALLADIUM OPTIONS													
JUN26															
1400	----	----		143.90B/----	143.90B/110.50A	----		138.20 + 39.90	.9493	----	----	----	----	75	UNCH
1440	----	----		----	----	----		102.30 + 34.80	.8760	----	----	----	----	1	UNCH
1460	----	----		----	----	----		86.00 + 31.60	.8198	----	----	----	----	25	UNCH
1500	----	----		59.70B/----	59.70B/42.30A	----		57.50 + 23.50	.6695	----	----	----	----	110	UNCH
1525	----	----		44.40B/----	44.40B/32.30A	----		43.10 + 18.00	.5592	----	----	----	----	5	UNCH
1530	----	----		41.70B/----	41.70B/30.60A	----		40.60 + 17.00	.5367	----	----	----	----	1	UNCH
1550	----	----		32.40B/----	32.40B/24.80A	----		31.90 + 13.30	.4485	----	----	----	----	94	UNCH
1575	----	----		23.40B/----	23.40B/19.10A	----		23.50 + 9.50	.3489	----	----	----	----	15	UNCH
1600	----	----		16.70B/----	16.70B/14.90A	----		17.40 + 6.70	.2666	----	----	----	----	49	UNCH
1650	----	----		8.10B/----	8.10B/9.80A	----		10.00 + 4.00	.1545	----	----	----	----	67	UNCH
1700	----	----		3.70B/----	3.70B/7.40A	----		5.40 + 2.20	.0842	----	----	----	----	32	UNCH
1750	----	----		----	1.40B/6.10A	----		2.90 + 1.10	.0447	----	----	----	----	142	UNCH
1800	----	----		----	0.10B/5.20A	----		1.60 + 0.60	.0239	----	----	----	----	112	UNCH
1850	----	----		----	----/4.70A	----		0.90 + 0.30	.0129	----	----	----	----	67	UNCH
1900	----	----		----	----/4.30A	----		0.50 + 0.10	.0069	----	----	----	----	64	UNCH
1925	----	----		----	----/4.10A	----		0.40 + 0.10	.0053	----	----	----	----	40	UNCH
1950	----	----		----	----/4.00A	----		0.30 + 0.10	.0039	----	----	----	----	10	UNCH
2000	----	----		----	----/3.70A	----		0.20 + 0.10	.0024	----	----	----	----	108	UNCH
2100	----	----		----	----/3.40A	----		0.10 UNCH	.0002	----	----	----	----	52	UNCH
2200	----	----		----	----/3.20A	----		0.10 UNCH	.0000	----	----	----	----	8	UNCH
2300	----	----		----	----/3.10A	----		0.10 UNCH	----	----	----	----	----	30	UNCH
2400	----	----		----	----/3.00A	----		0.10 UNCH	----	----	----	----	----	7	UNCH
2500	----	----		----	----/2.90A	----		0.10 UNCH	----	----	----	----	----	25	UNCH
2700	----	----		----	----/2.90A	----		0.10 UNCH	----	----	----	----	----	50	UNCH
3000	----	----		----	----/2.80A	----		0.10 UNCH	----	----	----	----	----	30	UNCH
3500	----	----		----	----/2.80A	----		0.10 UNCH	----	----	----	----	----	25	UNCH
TOTAL														1244	0
JUL26															
1440	----	----		----	----	----		154.70 + 33.10	.7548	----	----	----	----	1	UNCH
1550	----	----		92.00B/----	92.00B/78.40A	----		91.20 + 21.50	.5502	----	----	----	----	50	UNCH
1600	----	----		----	71.50B/62.20A	----		71.50 + 16.90	.4597	----	----	----	----	50	UNCH
1800	----	----		27.90B/----	27.90B/27.70A	----		28.80 + 6.80	.2109	----	----	----	----	49	UNCH
TOTAL														150	0
AUG26															
1600	----	----		103.70B/----	103.70B/94.30A	----		104.40 + 19.00	.4891	----	----	----	----	100	UNCH
1700	----	----		#75.20B/----	#75.20B/70.30A	----		76.40 + 13.80	.3784	----	----	----	----	20	UNCH
1800	----	----		#57.00B/----	#57.00B/54.10A	----		57.50 + 10.20	.2941	----	----	----	----	100	UNCH
1900	40.00	40.00		#49.50/40.00	#49.50/40.00	----		44.40 + 7.70	.2314	----	----	60	----	100 +	60
TOTAL												60		320 +	60
SEP26															
1400	----	----		223.40B/----	223.40B/203.00A	----		222.50 + 32.50	.7326	----	----	----	----	75	UNCH
1575	----	----		135.90B/----	135.90B/126.50A	----		137.30 + 21.70	.5314	----	----	----	----	25	UNCH
1625	----	----		118.40B/----	118.40B/111.30A	----		120.10 + 19.20	.4797	----	----	----	----	20	UNCH
1665	----	----		106.10B/----	106.10B/100.60A	----		108.10 + 17.40	.4413	----	----	----	----	9	UNCH
1700	----	----		96.50B/----	96.50B/92.30A	----		98.80 + 16.00	.4102	----	----	----	----	55	UNCH
1800	----	----		74.60B/----	74.60B/73.20A	----		77.10 + 12.30	.3329	----	----	----	----	6	UNCH
1875	----	----		62.50B/----	62.50B/62.40A	----		64.80 + 10.10	.2857	----	----	----	----	25	UNCH
1885	----	----		61.10B/----	61.10B/61.20A	----		63.40 + 9.90	.2801	----	----	----	----	100	UNCH
1900	----	----		59.10B/----	59.10B/59.40A	----		61.40 + 9.50	.2720	----	----	----	----	10	UNCH
2000	42.00	42.00		47.90B/42.00	47.90B/42.00	----		49.80 + 7.40	.2244	----	----	5	----	30 +	5
2100	----	----		39.50B/----	39.50B/41.80A	----		41.10 + 5.90	.1872	----	----	----	----	25	UNCH
2200	----	----		33.00B/----	33.00B/36.00A	----		34.40 + 4.80	.1578	----	----	----	----	5	UNCH
2400	----	----		23.50B/----	23.50B/27.70A	----		24.90 + 3.30	.1151	----	----	----	----	15	UNCH
2550	----	----		18.30B/----	18.30B/23.40A	----		20.10 + 2.60	.0930	----	----	----	----	50	UNCH
TOTAL												5		450 +	5
DEC26															
1800	----	----		----	----	----		119.80 + 18.10	.4006	----	----	----	----	50	UNCH
2000	----	----		----	----	----		85.90 + 13.40	.2992	----	----	----	----	1	UNCH
3000	----	----		----	----	----		27.00 + 4.30	.0988	----	----	----	----	1	UNCH
TOTAL														52	0
PAO PUT		NYMEX PALLADIUM OPTIONS													
JUN26															
1195	----	----		----	----/2.80A	----		0.10 UNCH	.0000	----	----	----	----	113	UNCH
1200	----	----		----	----/*2.80A	----		0.10 UNCH	.0000	----	----	----	----	15	UNCH
1250	----	----		----	----/*3.00A	----		0.10 - 0.10	.0003	----	----	----	----	1	UNCH
1300	----	----		----	----/*3.40A	----		0.20 - 0.70	.0036	----	----	----	----	135	UNCH
1325	----	----		----	----/*3.70A	----		0.40 - 1.20	.0074	----	----	----	----	18	UNCH
1335	----	----		----	----/*3.90A	----		0.50 - 1.50	.0095	----	----	----	----	1	UNCH
1350	----	----		----	----/*4.20A	----		0.70 - 2.10	.0136	----	----	----	----	12	UNCH
1400	4.														

BULLETIN # 91@				METALS OPTION PRODUCTS							wed, May 13, 2026				PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
PAO PUT NYMEX PALLADIUM OPTIONS																
JUN26																
1550	----	----	----	----/45.80A	67.20B/45.80A	----	----	46.30 - 32.00	.5514	----	----	----	----	1	UNCH	
1750	----	----	----	----/213.20A	249.30B/213.20A	----	----	217.20 - 44.10	.9552	----	----	----	----	1	UNCH	
1900	----	----	----	----/360.40A	397.50B/360.40A	----	----	364.80 - 45.10	.9931	----	----	----	----	50	UNCH	
TOTAL												2		853	0	
JUL26																
1285	----	----	----	----/*10.70A	6.70B/*10.70A	----	----	7.70 - 3.10	.0710	----	----	----	----	9	UNCH	
1300	----	----	----	----/*11.80A	8.30B/*11.80A	----	----	8.90 - 3.60	.0810	----	----	----	40	165 +	40	
1400	----	----	----	----/*25.20A	25.80B/*25.20A	----	----	22.90 - 9.00	.1845	----	----	----	----	21	UNCH	
1450	----	----	----	----/*37.50A	42.00B/37.50A	----	----	35.60 - 13.80	.2620	----	----	----	----	30	UNCH	
TOTAL											40			225 +	40	
AUG26																
1400	45.00	45.00		45.00/*45.00	47.60B/45.00	----	----	43.60 NEW	.2397	----	----	1	----	1 +	1	
TOTAL												1		1 +	1	
SEP26																
1300	----	----	----	----/36.50A	32.80B/36.50A	----	----	32.90 - 7.00	.1660	----	----	----	----	15	UNCH	
1375	----	----	----	----/*56.30A	55.90B/56.30A	----	----	52.70 - 11.40	.2394	----	----	----	----	100	UNCH	
1460	----	----	----	----/89.40A	93.80B/89.40A	----	----	86.30 - 17.40	.3368	----	----	----	----	75	UNCH	
1465	----	----	----	----/91.70A	96.40B/91.70A	----	----	88.70 - 17.70	.3427	----	----	----	----	150	UNCH	
1550	----	----	----	----/136.70A	146.10B/136.70A	----	----	134.50 - 22.70	.4409	----	----	----	----	100	UNCH	
1575	----	----	----	----/151.80A	162.40B/151.80A	----	----	149.80 - 24.00	.4683	----	----	----	----	25	UNCH	
1650	----	----	----	----/200.80A	214.80B/200.80A	----	----	199.40 - 27.50	.5442	----	----	----	----	50	UNCH	
1925	----	----	----	----/417.20A	441.00B/417.20A	----	----	418.20 - 36.70	.7406	----	----	----	----	75	UNCH	
TOTAL														590	0	
DEC26																
1500	----	----	----	----	----	----	----	143.20 - 19.20	.3684	----	----	----	----	40	UNCH	
TOTAL														40	0	
PLW OOF PLATINUM WEEKLY FRIDAY OPTION week3																
MAY26																
1800	----	----	----	----	----/*1.80A	----	----	0.10 UNCH	----	----	----	----	----	7	UNCH	
1900	----	----	----	#314.30B/----	#314.30B/221.30	----	----	297.40 + 77.90	1.0000	----	----	----	----	30	UNCH	
2000	----	----	----	#214.70B/----	#214.70B/124.90	----	----	197.50 + 73.70	.9986	----	----	----	----	20	UNCH	
2075	----	----	----	#141.30B/----	#141.30B/63.00A	----	----	124.10 + 62.10	.9755	----	----	----	----	40	UNCH	
2100	----	----	----	#117.70B/----	#117.70B/47.70A	----	----	101.20 + 54.50	.9393	----	----	----	----	20	UNCH	
2150	----	----	----	73.60B/----	73.60B/25.60A	----	----	60.80 + 36.60	.7715	----	----	----	----	30	UNCH	
2170	----	----	----	#38.20B/----	#38.20B/19.50A	----	----	47.40 + 29.40	.6674	----	----	----	----	20	UNCH	
TOTAL														167	0	
JUN26																
2200	----	----	----	#105.50B/----	#105.50B/67.90A	----	----	97.60 NEW	.5175	----	----	----	100	100 +	100	
2400	----	----	----	#40.60B/----	#40.60B/24.80A	----	----	38.00 NEW	.2472	----	----	----	100	100 +	100	
TOTAL											200			200 +	200	
PO CALL PLATINUM OPTIONS																
JUN26																
1900	----	----	----	315.10B/----	315.10B/223.40A	----	----	297.90 + 75.90	.9909	----	----	----	----	1	UNCH	
1950	230.00	230.00		265.80B/230.00	265.80B/176.50A	----	----	248.80 + 73.50	.9785	----	----	3	----	5	UNCH	
2000	177.00	177.00		217.40B/174.00	217.40B/132.50A	----	----	200.60 + 69.50	.9532	----	----	5	----	20	UNCH	
2025	----	----	----	193.70B/----	193.70B/112.10A	----	----	177.40 + 66.60	.9295	----	----	----	----	27	UNCH	
2050	----	----	----	170.50B/----	170.50B/93.60A	----	----	154.50 + 62.00	.9012	----	----	----	----	71	UNCH	
2055	----	----	----	----	----	----	----	150.10 + 61.00	.8945	----	----	----	----	100	UNCH	
2060	----	----	----	----	----	----	----	145.60 + 59.80	.8868	----	----	----	----	1	UNCH	
2075	----	----	----	147.90B/----	147.90B/77.40A	----	----	132.50 + 56.00	.8625	----	----	----	----	15	UNCH	
2085	----	----	----	----	----	----	----	124.00 + 53.30	.8438	----	----	----	----	15	UNCH	
2090	----	----	----	----	----	----	----	119.90 + 52.00	.8339	----	----	----	----	15	UNCH	
2095	----	----	----	----	----	----	----	115.80 + 50.60	.8232	----	----	----	----	15	UNCH	
2100	----	----	----	126.40B/----	126.40B/63.60A	----	----	111.70 + 49.10	.8117	----	----	----	----	155	UNCH	
2120	----	----	----	56.70B/----	56.70B/54.10A	----	----	96.40 + 43.50	.7606	----	----	----	----	15	UNCH	
2130	----	----	----	57.70B/----	57.70B/49.70A	----	----	89.30 + 40.90	.7321	----	----	----	----	55	UNCH	
2135	----	----	----	57.70B/----	57.70B/47.60A	----	----	85.90 + 39.60	.7169	----	----	----	----	4	UNCH	
2140	----	----	----	56.60B/----	56.60B/45.50A	----	----	82.50 + 38.20	.7013	----	----	----	----	15	UNCH	
2145	----	----	----	56.70B/----	56.70B/43.60A	----	----	79.30 + 37.00	.6857	----	----	----	----	15	UNCH	
2150	55.00	55.00		87.50B/40.00	87.50B/40.00	----	----	76.10 + 35.70	.6694	----	----	29	----	59 -	18	
2165	----	----	----	58.60B/----	58.60B/36.30A	----	----	67.30 + 32.30	.6197	----	----	----	----	1	UNCH	
2175	----	----	----	71.40B/----	71.40B/33.10A	----	----	61.80 + 30.10	.5860	----	----	----	----	12	UNCH	
2180	----	----	----	55.60B/----	55.60B/31.60A	----	----	59.20 + 29.00	.5691	----	----	1	----	17 +	1	
2185	----	----	----	56.70B/----	56.70B/30.10A	----	----	56.70 + 28.00	.5521	----	----	----	----	12	UNCH	
2190	----	----	----	56.10B/----	56.10B/28.70A	----	----	54.30 + 27.00	.5352	----	----	----	----	16	UNCH	
2195	----	----	----	56.20B/----	56.20B/27.40A	----	----	51.90 + 25.90	.5185	----	----	----	----	12	UNCH	
2200	35.00	35.00		57.80B/32.10	57.80B/26.10A	----	----	49.70 + 25.00	.5018	----	----	48	----	385 +	21	
2205	----	----	----	55.30B/----	55.30B/24.90A	----	----	47.50 + 24.00	.4853	----	----	----	----	12	UNCH	
2210	----	----	----	53.00B/----	53.00B/23.80A	----	----	45.40 + 23.10	.4690	----	----	----	----	24	UNCH	
2215	27.80	27.80		50.70B/27.80	50.70B/22.70A	----	----	43.30 NEW	.4527	----	----	14	----	14 +	14	
2220	26.60	26.60		48.40B/26.60	48.40B/21.60A	----	----	41.40 + 21.30	.4369	----	----	14	----	14 +	10	
2225	26.60	26.60		46.30B/25.90	46.30B/20.60A	----	----	39.50 + 20.40	.4212	----	----	29	----	73 +	29	
2230	24.20	24.20		44.20B/24.20	44.20B/19.70A	----	----	37.70 + 19.60	.4058	----	----	30	----	54 +	30	
2235	24.30	24.30		42.20B/24.30	42.20B/18.80A	----	----	35.90 + 18.70	.3906	----	----	14	----	26 +	14	
2240	23.20	23.20		40.30B/23.20	40.30B/18.00A	----	----	34.30 + 18.00	.3759	----	----	14	----	41 +	14	
2245	222															

PG64	BULLETIN # 91@										METALS OPTION PRODUCTS										Wed, May 13, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
PO CALL	PLATINUM OPTIONS																								
JUL26																									
4000	----	----		----	0.90B/3.70A	----		2.90 + 0.60	.0141	----	----	200	209	----		219	UNCH								
TOTAL																6167 +				151					
AUG26																									
2200	----	----		#183.70B/----	#183.70B/140.70	----		175.80 + 37.90	.5539	----	----	----	----	15	UNCH										
2225	----	----		#172.80B/----	#172.80B/131.70	----		165.30 NEW	.5304	----	----	1	----	1 +	1										
2300	----	----		#143.20B/----	#143.20B/107.20	----		137.30 + 32.60	.4631	----	----	10	----	338	UNCH										
2350	----	----		#126.20B/----	#126.20B/93.00A	----		121.20 + 30.50	.4213	----	----	1	----	15	UNCH										
2400	86.00	86.00		#110.90B/86.00	#110.90B/80.30A	----		107.00 + 29.20	.3824	----	----	4	----	35 -	3										
2500				#85.40B/----	#85.40B/59.50A	----		83.20 + 26.30	.3127	----	----	60	----	279 +	44										
2600	62.00	62.00		#66.00B/62.00	#66.00B/44.20A	----		64.40 + 22.60	.2534	----	----	200	----	545 +	200										
2750	----	----		#45.30B/----	#45.30B/29.60A	----		43.80 + 16.30	.1829	----	----	----	----	105	UNCH										
3000	----	----		#25.50B/----	#25.50B/18.70A	----		24.00 + 7.80	.1071	----	----	50	----	100	UNCH										
TOTAL												326		1433 +						242					
OCT26																									
1720	----	----		----	----	----		532.80 + 67.50	.8728	----	----	----	----	1	UNCH										
1800	----	----		482.30B/----	482.30B/409.30A	----		469.60 + 63.90	.8320	----	----	----	----	1	UNCH										
1900	----	----		409.20B/----	409.20B/343.20A	----		398.00 + 58.70	.7716	----	----	----	----	2	UNCH										
2000	----	----		345.00B/----	345.00B/287.00A	----		335.30 + 52.50	.7039	----	----	----	----	2	UNCH										
2050	----	----		316.30B/----	316.30B/262.50A	----		307.50 + 49.20	.6687	----	----	----	----	3	UNCH										
2100	----	----		289.90B/----	289.90B/240.20A	----		281.80 + 46.00	.6332	----	----	----	----	5	UNCH										
2125	----	----		277.50B/----	277.50B/229.70A	----		269.80 + 44.50	.6154	----	----	----	----	12	UNCH										
2135	----	----		----	----	----		265.10 + 43.80	.6084	----	----	----	----	12	UNCH										
2200	----	----		243.50B/----	243.50B/201.10A	----		236.70 + 40.40	.5632	----	----	----	----	136	UNCH										
2250	----	----		223.00B/----	223.00B/183.90A	----		217.00 + 38.10	.5295	----	----	----	----	1	UNCH										
2300	----	----		204.30B/----	204.30B/168.10A	----		198.90 + 35.80	.4971	----	----	----	----	7	UNCH										
2375	----	----		179.10B/----	179.10B/146.80A	----		174.50 + 32.20	.4509	----	----	----	----	50	UNCH										
2400	----	----		171.50B/----	171.50B/140.30A	----		167.10 + 31.10	.4363	----	----	----	----	256	UNCH										
2500	----	----		144.00B/----	144.00B/116.70A	----		140.60 + 27.30	.3815	----	----	15	----	325	UNCH										
2600	----	----		121.20B/----	121.20B/96.80A	----		118.50 + 25.10	.3327	----	----	10	----	23 +	10										
2635	----	----		114.10B/----	114.10B/90.60A	----		111.70 + 24.60	.3171	----	----	----	----	200	UNCH										
2650	----	----		111.00B/----	111.00B/88.10A	----		108.90 + 24.40	.3106	----	----	----	----	25	UNCH										
2700	----	----		102.10B/----	102.10B/80.20A	----		100.20 + 23.70	.2899	----	----	----	----	371	UNCH										
2800	----	----		86.30B/----	86.30B/66.50A	----		85.10 + 22.10	.2526	----	----	----	----	40	UNCH										
2850	----	----		79.30B/----	79.30B/60.70A	----		78.50 + 21.10	.2359	----	----	55	----	155 +	55										
2900	----	----		73.10B/----	73.10B/55.50A	----		72.60 + 20.30	.2204	----	----	----	----	210	UNCH										
2950	----	----		67.50B/----	67.50B/50.90A	----		67.10 NEW	.2059	----	----	55	----	55 +	55										
3000	----	----		62.40B/----	62.40B/46.80A	----		62.20 + 18.30	.1926	----	----	15	----	177 +	15										
3200	----	----		46.00B/----	46.00B/35.10A	----		46.50 + 14.50	.1485	----	----	----	----	10	UNCH										
3500	----	----		30.40B/----	30.40B/25.40A	----		31.80 + 10.00	.1042	----	----	----	----	10	UNCH										
4000	----	----		17.00B/----	17.00B/17.90A	----		20.90 + 6.60	.0677	----	----	----	----	5	UNCH										
TOTAL												150		2094 +						135					
JAN27																									
2360	----	----		----	----	----		239.20 + 36.20	.4958	----	----	----	----	100	UNCH										
TOTAL														100						0					
PO PUT	PLATINUM OPTIONS																								
JUN26																									
1780	----	----		----	----	----	/*1.90A	0.10 - 0.30	.0004	----	----	----	----	2	UNCH										
1800	----	----		----	----	----	/*2.00A	0.10 - 0.50	.0007	----	----	----	----	3	UNCH										
1825	----	----		----	----	----	/*2.10A	0.20 - 0.70	.0023	----	----	----	----	103	UNCH										
1850	----	----		----	----	----	/*2.20A	0.30 - 1.10	.0036	----	----	----	----	44	UNCH										
1865	----	----		----	----	----	/*2.30A	0.40 - 1.40	.0049	----	----	----	----	15	UNCH										
1870	----	----		----	----	----	/*2.40A	0.40 - 1.60	.0050	----	----	----	----	15	UNCH										
1875	----	----		----	----	----	/*2.40A	0.50 - 1.60	.0062	----	----	----	----	39	UNCH										
1880	----	----		----	----	----	/*2.50A	0.50 - 1.80	.0063	----	----	----	----	73	UNCH										
1885	----	----		----	----	----	/*2.50A	0.50 - 2.00	.0064	----	----	----	----	42	UNCH										
1890	----	----		----	0.20B/2.60A	----		0.60 - 2.00	.0076	----	----	----	----	32	UNCH										
1895	----	----	/*2.60A	----	0.40B/*2.60A	----		0.60 - 2.30	.0077	----	----	----	----	12	UNCH										
1900	----	----	/*2.70A	----	0.50B/*2.70A	----		0.70 - 2.40	.0090	----	----	----	----	403	UNCH										
1905	----	----	/*2.70A	----	0.80B/*2.70A	----		0.80 - 2.50	.0103	----	----	----	----	39	UNCH										
1910	----	----	/*2.80A	----	1.00B/*2.80A	----		0.80 - 2.80	.0104	----	----	----	----	39	UNCH										
1915	----	----	/*2.90A	----	1.20B/*2.90A	----		0.90 - 2.90	.0117	----	----	----	----	54	UNCH										
1920	----	----	/*2.90A	----	1.50B/*2.90A	----		1.00 - 3.10	.0131	----	----	----	----	44	UNCH										
1925	----	----	/*3.00A	----	1.80B/*3.00A	----		1.10 - 3.30	.0144	----	----	----	----	27	UNCH										
1930	----	----	/*3.10A	----	2.10B/*3.10A	----		1.20 - 3.60	.0158	----	----	----	----	42	UNCH										
1935	----	----	/*3.20A	----	2.40B/*3.20A	----		1.30 - 3.80	.0171	----	----	----	----	42	UNCH										

PG64	BULLETIN # 91@				METALS OPTION PRODUCTS						wed, May 13, 2026			PG64
	LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PLATINUM OPTIONS														
PO PUT														
OCT26														
3000	----	----		----/826.80A	893.70B/826.80A	----		838.30 - 59.80	.8070	----	----	----	----	1
TOTAL												10		678 + UNCH 10
JAN27														
1500	40.00	40.00		40.00/*40.00	40.00/*40.00	----		32.80 - 7.60	.0846	----	----	40	----	40 UNCH
1800	----	----		----	----	----		92.10 - 17.40	.2007	----	----	----	----	1 UNCH
TOTAL												40		41 UNCH 0

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
JUN26	CALL			
OG		4800	0	400
OG		4900	0	200
OG		4920	0	200
OG		5000	0	200
OG		5200	0	80
TOTALS			0	1080
JUL26	CALL			
OG		5000	0	150
OG		5350	0	80
TOTALS			0	230
AUG26	CALL			
OG		5070	0	50
TOTALS			0	50
SEP26	CALL			
OG		4800	0	50
OG		5300	0	110
TOTALS			0	160
OCT26	CALL			
OG		4755	0	65
OG		5400	0	10
OG		6000	0	10
TOTALS			0	85
DEC26	CALL			
OG		5475	0	150
OG		5575	0	10
OG		6500	0	120
TOTALS			0	280
OG PUT COMEX GOLD OPTIONS				
JUN26	PUT			
OG		4500	0	200
OG		4550	0	50
OG		4700	0	50
TOTALS			0	300
JUL26	PUT			
OG		4470	0	150
TOTALS			0	150
AUG26	PUT			
OG		4400	0	100
OG		4800	0	50
TOTALS			0	150
SEP26	PUT			
OG		4300	0	50
TOTALS			0	50
OCT26	PUT			
OG		4500	0	10
OG		4755	0	65
TOTALS			0	75
DEC26	PUT			
OG		4000	0	10
OG		4230	0	150
TOTALS			0	160
SO CALL COMEX SILVER OPTIONS				
JUN26	CALL			
SO		9000	0	110
SO		9500	0	75
SO		12500	0	15
TOTALS			0	200
JUL26	CALL			
SO		9800	0	34
SO		10000	0	50
TOTALS			0	84
AUG26	CALL			
SO		9000	0	204
SO		12050	0	204
TOTALS			0	408
DEC26	CALL			
SO		10000	0	50
SO		12000	0	50
TOTALS			0	100
SO PUT COMEX SILVER OPTIONS				
JUN26	PUT			
SO		6200	0	50
SO		6600	0	50
SO		9900	0	15
TOTALS			0	115
HX CALL COMEX COPPER OPTIONS				
JUN26	CALL			
HX		615	0	6
HX		630	0	220
HX		650	0	512
HX		660	0	220
HX		670	0	500
TOTALS			0	1458
JUL26	CALL			
HX		625	0	12
HX		630	0	20
HX		670	0	20
HX		675	0	24
HX		710	0	20
HX		720	0	200
HX		725	0	176
TOTALS			0	472
SEP26	CALL			
HX		700	0	5677
HX		775	0	5502
TOTALS			0	11179
DEC26	CALL			
HX		900	0	300
TOTALS			0	300
HX PUT COMEX COPPER OPTIONS				
JUL26	PUT			
HX		550	0	60
HX		590	0	150
HX		600	0	210
HX		610	0	150
HX		620	0	200
HX		625	0	26

PRELIMINARY

PG64	BULLETIN # 91@			METALS OPTION PRODUCTS		wed, May 13, 2026	PG64
	TOTALS			0	796		
AUG26	PUT						
HX		600	0	620			
HX		670	0	310			
TOTALS			0	930			
SEP26	PUT						
HX		625	0	1000			
HX		670	0	210			
TOTALS			0	1210			
DEC26	PUT						
HX		600	0	100			
TOTALS			0	100			
PO CALL		PLATINUM OPTIONS					
JUL26	CALL						
PO		2300	0	100			
PO		2500	0	100			
TOTALS			0	200			
PO PUT		PLATINUM OPTIONS					
JUL26	PUT						
PO		1800	0	160			
PO		1900	0	160			
TOTALS			0	320			
PAO PUT		NYMEX PALLADIUM OPTIONS					
JUL26	PUT						
PAO		1300	0	40			
TOTALS			0	40			
OG4 CALL		GOLD OPTIONS					
MAY26	CALL						
OG4		4900	0	30			
TOTALS			0	30			
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2					
MAY26	PUT						
G2W		4650	0	30			
TOTALS			0	30			
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2					
MAY26	CALL						
G2W		4710	0	30			
TOTALS			0	30			
GWR THU		GOLD WEEKLY THURSDAY OPTION week2					
MAY26	CALL						
G2R		4700	0	40			
TOTALS			0	40			
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION week1					
JUN26	CALL						
P1L		2200	0	100			
P1L		2400	0	100			
TOTALS			0	200			