

RAPP Platform Tests - Geolocator
v0.5.5

Generated by Doxygen 1.8.6

Fri Jul 1 2016 18:19:26

Contents

1	Namespace Index	1
1.1	Namespace List	1
2	Hierarchical Index	3
2.1	Class Hierarchy	3
3	Class Index	5
3.1	Class List	5
4	File Index	7
4.1	File List	7
5	Namespace Documentation	9
5.1	ip_api_geolocator_test Namespace Reference	9
6	Class Documentation	11
6.1	ip_api_geolocator_test.TestIpApiGeolocator Class Reference	11
6.1.1	Detailed Description	12
6.1.2	Member Function Documentation	12
6.1.2.1	setUp	12
6.1.2.2	test_bad_ip	12
6.1.2.3	test_check_default_values	12
6.1.2.4	test_right_ip	12
6.1.2.5	test_wrong_geolocator	12
6.1.3	Member Data Documentation	12
6.1.3.1	_test_service	12
7	File Documentation	13
7.1	/home/travis/rapp_temp/rapp-platform/rapp_geolocator/tests/ip_api_geolocator_test.py File Reference	13
	Index	14

Chapter 1

Namespace Index

1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

ip_api_geolocator_test	9
--	---

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

TestCase	
ip_api_geolocator_test.TestIpApiGeolocator	11

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

ip_api_geolocator_test.TestIpApiGeolocator	11
--	----

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

/home/travis/rapp_temp/rapp-platform/rapp_geolocator/tests/[ip_api_geolocator_test.py](#) 13

Chapter 5

Namespace Documentation

5.1 ip_api_geolocator_test Namespace Reference

Classes


- class [TestIpApiGeolocator](#)

Chapter 6


Class Documentation

6.1 ip_api_geolocator_test.TestIpApiGeolocator Class Reference

Inheritance diagram for ip_api_geolocator_test.TestIpApiGeolocator:



Collaboration diagram for ip_api_geolocator_test.TestIpApiGeolocator:



Public Member Functions

- def [setUp](#)
- def [test_bad_ip](#)
- def [test_check_default_values](#)
- def [test_right_ip](#)
- def [test_wrong_geolocator](#)

Private Attributes

- [_test_service](#)

6.1.1 Detailed Description

Definition at line 37 of file `ip_api_geolocator_test.py`.

6.1.2 Member Function Documentation

6.1.2.1 `def ip_api_geolocator_test.TestIpApiGeolocator.setUp (self)`

Definition at line 39 of file `ip_api_geolocator_test.py`.

6.1.2.2 `def ip_api_geolocator_test.TestIpApiGeolocator.test_bad_ip (self)`

Definition at line 70 of file `ip_api_geolocator_test.py`.

6.1.2.3 `def ip_api_geolocator_test.TestIpApiGeolocator.test_check_default_values (self)`

Definition at line 49 of file `ip_api_geolocator_test.py`.

6.1.2.4 `def ip_api_geolocator_test.TestIpApiGeolocator.test_right_ip (self)`

Definition at line 63 of file `ip_api_geolocator_test.py`.

6.1.2.5 `def ip_api_geolocator_test.TestIpApiGeolocator.test_wrong_geolocator (self)`

Definition at line 55 of file `ip_api_geolocator_test.py`.

6.1.3 Member Data Documentation

6.1.3.1 `ip_api_geolocator_test.TestIpApiGeolocator._test_service` `[private]`

Definition at line 44 of file `ip_api_geolocator_test.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_geolocator/tests/ip_api_geolocator_test.py`

Chapter 7

File Documentation

7.1 `/home/travis/rapp_temp/rapp-platform/rapp_geolocator/tests/ip_api_geolocator_test.py` File Reference

Classes

- class [ip_api_geolocator_test.TestIpApiGeolocator](#)

Namespaces

- [ip_api_geolocator_test](#)

Index

/home/travis/rapp_temp/rapp-platform/rapp_geolocator/tests/ip-
_api_geolocator_test.py, [13](#)
_test_service
 ip_api_geolocator_test::TestIpApiGeolocator, [12](#)

ip_api_geolocator_test, [9](#)
ip_api_geolocator_test.TestIpApiGeolocator, [11](#)
ip_api_geolocator_test::TestIpApiGeolocator
 _test_service, [12](#)
 setUp, [12](#)
 test_bad_ip, [12](#)
 test_check_default_values, [12](#)
 test_right_ip, [12](#)
 test_wrong_geolocator, [12](#)

setUp
 ip_api_geolocator_test::TestIpApiGeolocator, [12](#)

test_bad_ip
 ip_api_geolocator_test::TestIpApiGeolocator, [12](#)
test_check_default_values
 ip_api_geolocator_test::TestIpApiGeolocator, [12](#)
test_right_ip
 ip_api_geolocator_test::TestIpApiGeolocator, [12](#)
test_wrong_geolocator
 ip_api_geolocator_test::TestIpApiGeolocator, [12](#)