RAPP Platform Tests - Audio Processing

Generated by Doxygen 1.8.6

Mon Dec 7 2015 09:45:51

Contents

| 1 | Nam | nespace | Index | | | | | 1 |
|---|------|-----------|-------------|--|------|---|------|----|
| | 1.1 | Names | space List | | | | | 1 |
| 2 | Hier | archica | l Index | | | | | 3 |
| | 2.1 | Class I | Hierarchy | | | | | 3 |
| 3 | Clas | ss Index | | | | | | 5 |
| | 3.1 | Class I | List | | | • | | 5 |
| 4 | File | Index | | | | | | 7 |
| | 4.1 | File Lis | st | | | | | 7 |
| 5 | Nam | nespace | Docume | ntation | | | | 9 |
| | 5.1 | denois | e_unit_tes | sts Namespace Reference | | | | 9 |
| | 5.2 | detect_ | _silence_u | nit_tests Namespace Reference | | | | 9 |
| | 5.3 | energy | _denoise_ | _unit_tests Namespace Reference | | | | 9 |
| | 5.4 | set_no | ise_profile | _functional Namespace Reference | | | | 9 |
| | | 5.4.1 | Variable | Documentation | | | | 9 |
| | | | 5.4.1.1 | PKG | | | | 9 |
| | 5.5 | set_no | ise_profile | _unit_tests Namespace Reference | | | | 10 |
| | 5.6 | transfo | rm_audio_ | _unit_tests Namespace Reference | | | | 10 |
| | 5.7 | utilities | _unit_test | s Namespace Reference | | | | 10 |
| 6 | Clas | ss Docu | mentatior | 1 | | | | 11 |
| | 6.1 | set_no | ise_profile | _functional.AudioProcessingSetNoiseProfileFunc Class Reference | | | | 11 |
| | | 6.1.1 | Detailed | Description | | | | 12 |
| | | 6.1.2 | Member | Function Documentation | | | | 12 |
| | | | 6.1.2.1 | test_setNoiseProfileService_no_silence_file | | | | 12 |
| | | | 6.1.2.2 | test_setNoiseProfileService_not_valid_user | | | | 12 |
| | | | 6.1.2.3 | test_setNoiseProfileService_ogg | | | | 12 |
| | | | 6.1.2.4 | test_setNoiseProfileService_ogg_stress | | | | 12 |
| | | | 6.1.2.5 | test_setNoiseProfileService_wav_1_ch | | | | 12 |
| | | | 6126 | test_setNoiseProfileService_way_4_ch | | | | 12 |

iv CONTENTS

| | | 6.1.2.7 | test_setNoiseProfileService_wav_6_ch | 12 |
|-----|-----------|------------|---|----|
| 6.2 | denois | e_unit_tes | sts.TestAudioProcessing Class Reference | 13 |
| | 6.2.1 | Detailed | Description | 14 |
| | 6.2.2 | Member | Function Documentation | 14 |
| | | 6.2.2.1 | setUp | 14 |
| | | 6.2.2.2 | tearDown | 14 |
| | | 6.2.2.3 | test_negativeScale | 14 |
| | | 6.2.2.4 | test_notExistentAudioFile | 14 |
| | | 6.2.2.5 | test_notExistentAudioType | 14 |
| | | 6.2.2.6 | test_notExistentUser | 14 |
| | | 6.2.2.7 | test_ogg_type_wav_1_ch_file | 14 |
| | | 6.2.2.8 | test_ogg_type_wav_4_ch_file | 14 |
| | | 6.2.2.9 | test_realFile | 14 |
| | | 6.2.2.10 | test_wav_1_ch_type_ogg_file | 15 |
| | | 6.2.2.11 | test_wav_1_ch_type_wav_4_ch_file | 15 |
| | | 6.2.2.12 | test_wav_4_ch_type_ogg_file | 15 |
| | | 6.2.2.13 | test_wav_4_ch_type_wav_1_ch_file | 15 |
| | 6.2.3 | Member | Data Documentation | 15 |
| | | 6.2.3.1 | auxiliary_files_url | 15 |
| | | 6.2.3.2 | rospack | 15 |
| | | 6.2.3.3 | sox_denoise_module | 15 |
| 6.3 | utilities | _unit_test | s.TestAudioProcessing Class Reference | 15 |
| | 6.3.1 | Detailed | Description | 16 |
| | 6.3.2 | Member | Function Documentation | 16 |
| | | 6.3.2.1 | setUp | 16 |
| | | 6.3.2.2 | tearDown | 16 |
| | | 6.3.2.3 | test_existentFiles | 16 |
| | | 6.3.2.4 | test_mixedCases | 16 |
| | | 6.3.2.5 | test_notExistentFiles | 17 |
| | 6.3.3 | Member | Data Documentation | 17 |
| | | 6.3.3.1 | utilities_module | 17 |
| 6.4 | transfo | rm_audio_ | _unit_tests.TestAudioProcessing Class Reference | 17 |
| | 6.4.1 | Detailed | Description | 18 |
| | 6.4.2 | Member | Function Documentation | 18 |
| | | 6.4.2.1 | id_generator | 18 |
| | | 6.4.2.2 | setUp | 18 |
| | | 6.4.2.3 | tearDown | 18 |
| | | 6.4.2.4 | test_missingSource | 18 |
| | | 6.4.2.5 | test_missingTarget | 18 |
| | | 6.4.2.6 | test_nonexistentFile | 18 |

CONTENTS

| | | 6.4.2.7 | test_normalTrans2Flac | 18 |
|-----|---------|-------------|---|----|
| | | 6.4.2.8 | test_normalTransOgg2Wav | 19 |
| | | 6.4.2.9 | test_wrongTypes | 19 |
| | | 6.4.2.10 | test_wrongValues | 19 |
| | 6.4.3 | Member | Data Documentation | 19 |
| | | 6.4.3.1 | auxiliary_files_url | 19 |
| | | 6.4.3.2 | rospack | 19 |
| | | 6.4.3.3 | transform_audio_module | 19 |
| 6.5 | set_no | ise_profile | _unit_tests.TestAudioProcessing Class Reference | 19 |
| | 6.5.1 | Detailed | Description | 20 |
| | 6.5.2 | Member | Function Documentation | 20 |
| | | 6.5.2.1 | setUp | 20 |
| | | 6.5.2.2 | tearDown | 20 |
| | | 6.5.2.3 | test_no_silence_file | 21 |
| | | 6.5.2.4 | test_ogg | 21 |
| | | 6.5.2.5 | test_ogg_with_wav_1_ch_type | 21 |
| | | 6.5.2.6 | test_ogg_with_wav_4_ch_type | 21 |
| | | 6.5.2.7 | test_wav_1_ch | 21 |
| | | 6.5.2.8 | test_wav_1_ch_with_ogg_type | 21 |
| | | 6.5.2.9 | test_wav_1_ch_with_wav_4_ch_type | 21 |
| | | 6.5.2.10 | test_wav_4_ch | 21 |
| | | 6.5.2.11 | test_wav_4_ch_with_ogg_type | 21 |
| | | 6.5.2.12 | test_wav_4_ch_with_wav_1_ch_type | 21 |
| | | 6.5.2.13 | test_wav_6_ch | 21 |
| | 6.5.3 | Member | Data Documentation | 21 |
| | | 6.5.3.1 | auxiliary_files_url | 21 |
| | | 6.5.3.2 | module | 22 |
| | | 6.5.3.3 | rospack | 22 |
| 6.6 | energy | _denoise_ | unit_tests.TestAudioProcessing Class Reference | 22 |
| | 6.6.1 | Detailed | Description | 23 |
| | 6.6.2 | Member | Function Documentation | 23 |
| | | 6.6.2.1 | setUp | 23 |
| | | 6.6.2.2 | tearDown | 23 |
| | | 6.6.2.3 | test_energy_denois | 23 |
| | | 6.6.2.4 | test_notExistentFile | 23 |
| | 6.6.3 | Member | Data Documentation | 23 |
| | | 6.6.3.1 | auxiliary_files_url | 23 |
| | | 6.6.3.2 | energy_denoise_module | 23 |
| | | 6.6.3.3 | rospack | 23 |
| 6.7 | detect_ | _silence_u | nit_tests.TestAudioProcessing Class Reference | 24 |

vi CONTENTS

| | | 6.7.1 | Detailed Description | 24 |
|---|------------|--|---|----|
| | | 6.7.2 | Member Function Documentation | 25 |
| | | | 6.7.2.1 setUp | 25 |
| | | | 6.7.2.2 tearDown | 25 |
| | | | 6.7.2.3 test_noSilence | 25 |
| | | | 6.7.2.4 test_notExistentFile | 25 |
| | | | 6.7.2.5 test_silence | 25 |
| | | 6.7.3 | Member Data Documentation | 25 |
| | | | 6.7.3.1 auxiliary_files_url | 25 |
| | | | 6.7.3.2 detect_silence_module | 25 |
| | | | 6.7.3.3 rospack | 25 |
| 7 | File | Docum | entation | 27 |
| | 7.1 | | /travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/functional/set_noise_profile nal.py File Reference | 27 |
| | 7.2 | | /travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/denoise_unit_tests.py File | 27 |
| | 7.3 | | /travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/detect_silence_unit y File Reference | 27 |
| | 7.4 | | /travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/energy_denoise_unit | |
| | | iesis.p | y File Reference | 28 |
| | 7.5 | /home/ | /travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/set_noise_profile_unit | 28 |
| | 7.5 7.6 | /home/ | /travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/set_noise_profile_unit y File Reference | |
| | | /home/ tests.p /home/ tests.p | /travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/set_noise_profile_unit y File Reference | 28 |

Index

29

Namespace Index

1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

| enoise_unit_tests | 9 |
|-----------------------------|----|
| etect_silence_unit_tests | 9 |
| nergy_denoise_unit_tests | 9 |
| et_noise_profile_functional | 9 |
| et_noise_profile_unit_tests | 10 |
| ansform_audio_unit_tests | 10 |
| illities unit tests | 10 |

2 Namespace Index

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

| TestCase | |
|---|---|
| denoise_unit_tests.TestAudioProcessing | |
| detect_silence_unit_tests.TestAudioProcessing |) |
| energy_denoise_unit_tests.TestAudioProcessing |) |
| set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc | |
| set_noise_profile_unit_tests.TestAudioProcessing | |
| transform_audio_unit_tests.TestAudioProcessing | |
| utilities, unit, tests TestAudioProcessing | |

Hierarchical Index

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

| set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc | 11 |
|---|----|
| denoise_unit_tests.TestAudioProcessing | 13 |
| utilities_unit_tests.TestAudioProcessing | 15 |
| transform_audio_unit_tests.TestAudioProcessing | 17 |
| set_noise_profile_unit_tests.TestAudioProcessing | 19 |
| energy_denoise_unit_tests.TestAudioProcessing | 22 |
| detect_silence_unit_tests.TestAudioProcessing | 24 |

6 Class Index

File Index

4.1 File List

Here is a list of all files with brief descriptions:

| /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/functional/set_noise_profile_functional | |
|--|----|
| py | 27 |
| /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/denoise_unit_tests.py | 27 |
| /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/detect_silence_unit_tests.py | 27 |
| /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/energy_denoise_unit_tests.py . | 28 |
| /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/set_noise_profile_unit_tests.py | 28 |
| /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/transform_audio_unit_tests.py . | 28 |
| /home/travis/rann_temp/rann-platform/rann_audio_processing/tests/unit/utilities_unit_tests.pv | 28 |

8 File Index

Namespace Documentation

| 5.1 denoise unit tests Namespace Refe | rerence |
|---------------------------------------|---------|
|---------------------------------------|---------|

Classes

- class TestAudioProcessing
- 5.2 detect_silence_unit_tests Namespace Reference

Classes

- class TestAudioProcessing
- 5.3 energy_denoise_unit_tests Namespace Reference

Classes

- · class TestAudioProcessing
- 5.4 set_noise_profile_functional Namespace Reference

Classes

• class AudioProcessingSetNoiseProfileFunc

Variables

- string PKG = 'rapp_audio_processing'
- 5.4.1 Variable Documentation
- 5.4.1.1 string set_noise_profile_functional.PKG = 'rapp_audio_processing'

Definition at line 21 of file set_noise_profile_functional.py.

5.5 set_noise_profile_unit_tests Namespace Reference

Classes

- class TestAudioProcessing
- 5.6 transform_audio_unit_tests Namespace Reference

Classes

- class TestAudioProcessing
- 5.7 utilities_unit_tests Namespace Reference


Classes

• class TestAudioProcessing


Class Documentation

6.1 set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc Class Reference

 $Inheritance\ diagram\ for\ set_noise_profile_functional. Audio Processing Set Noise Profile Func:$



 $Collaboration\ diagram\ for\ set_noise_profile_functional. Audio Processing Set Noise Profile Func:$



Public Member Functions

- def test_setNoiseProfileService_no_silence_file
- def test_setNoiseProfileService_not_valid_user
- def test setNoiseProfileService ogg
- · def test_setNoiseProfileService_ogg_stress
- def test_setNoiseProfileService_wav_1_ch
- def test_setNoiseProfileService_wav_4_ch
- · def test_setNoiseProfileService_wav_6_ch

6.1.1 Detailed Description

Definition at line 35 of file set_noise_profile_functional.py.

6.1.2 Member Function Documentation

Definition at line 122 of file set_noise_profile_functional.py.

Definition at line 138 of file set_noise_profile_functional.py.

6.1.2.3 def set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc.test_setNoiseProfileService_ogg (self)

Definition at line 37 of file set_noise_profile_functional.py.

6.1.2.4 def set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc.test_setNoiseProfileService_ogg_stress(self)

Definition at line 55 of file set_noise_profile_functional.py.

6.1.2.5 def set noise profile functional.AudioProcessingSetNoiseProfileFunc.test setNoiseProfileService way 1 ch (self)

Definition at line 74 of file set_noise_profile_functional.py.

6.1.2.6 def set noise profile functional.AudioProcessingSetNoiseProfileFunc.test setNoiseProfileService way 4 ch (self)

Definition at line 90 of file set_noise_profile_functional.py.

6.1.2.7 def set noise profile functional.AudioProcessingSetNoiseProfileFunc.test setNoiseProfileService way 6 ch (self)


Definition at line 106 of file set_noise_profile_functional.py.

The documentation for this class was generated from the following file:


 /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/functional/set_noise_profile_functional.py

6.2 denoise_unit_tests.TestAudioProcessing Class Reference

Inheritance diagram for denoise_unit_tests.TestAudioProcessing:



Collaboration diagram for denoise_unit_tests.TestAudioProcessing:



Public Member Functions

- def setUp
- def tearDown
- · def test negativeScale
- def test_notExistentAudioFile
- def test_notExistentAudioType
- def test_notExistentUser
- def test_ogg_type_wav_1_ch_file
- def test_ogg_type_wav_4_ch_file
- def test_realFile
- def test_wav_1_ch_type_ogg_file
- def test_wav_1_ch_type_wav_4_ch_file
- def test_wav_4_ch_type_ogg_file
- def test_wav_4_ch_type_wav_1_ch_file

Public Attributes

- auxiliary_files_url
- rospack
- sox_denoise_module

6.2.1 Detailed Description

Definition at line 33 of file denoise unit tests.py.

6.2.2 Member Function Documentation

6.2.2.1 def denoise_unit_tests.TestAudioProcessing.setUp (self)

Definition at line 34 of file denoise unit tests.py.

6.2.2.2 def denoise_unit_tests.TestAudioProcessing.tearDown (self)

Definition at line 40 of file denoise_unit_tests.py.

6.2.2.3 def denoise_unit_tests.TestAudioProcessing.test_negativeScale (self)

Definition at line 123 of file denoise_unit_tests.py.

 $6.2.2.4 \quad def \ denoise_unit_tests. Test Audio Processing. test_not Existent Audio File \left(\begin{array}{c} \textit{self} \end{array} \right)$

Definition at line 76 of file denoise_unit_tests.py.

6.2.2.5 def denoise_unit_tests.TestAudioProcessing.test_notExistentAudioType (self)

Definition at line 108 of file denoise_unit_tests.py.

6.2.2.6 def denoise_unit_tests.TestAudioProcessing.test_notExistentUser (self)

Definition at line 92 of file denoise_unit_tests.py.

 $6.2.2.7 \quad def \ denoise_unit_tests. Test Audio Processing. test_ogg_type_wav_1_ch_file \left(\begin{array}{c} \textit{self} \end{array} \right)$

Definition at line 138 of file denoise_unit_tests.py.

6.2.2.8 def denoise_unit_tests.TestAudioProcessing.test_ogg_type_wav_4_ch_file (self)

Definition at line 153 of file denoise unit tests.py.

6.2.2.9 def denoise_unit_tests.TestAudioProcessing.test_realFile (self)

Definition at line 44 of file denoise_unit_tests.py.

6.2.2.10 def denoise_unit_tests.TestAudioProcessing.test_wav_1_ch_type_ogg_file (self)

Definition at line 168 of file denoise_unit_tests.py.

6.2.2.11 def denoise_unit_tests.TestAudioProcessing.test_wav_1_ch_type_wav_4_ch_file (self)

Definition at line 183 of file denoise unit tests.py.

6.2.2.12 def denoise_unit_tests.TestAudioProcessing.test_wav_4_ch_type_ogg_file (self)

Definition at line 198 of file denoise unit tests.py.

6.2.2.13 def denoise_unit_tests.TestAudioProcessing.test_wav_4_ch_type_wav_1_ch_file (self)

Definition at line 213 of file denoise_unit_tests.py.

6.2.3 Member Data Documentation

6.2.3.1 denoise_unit_tests.TestAudioProcessing.auxiliary_files_url

Definition at line 36 of file denoise_unit_tests.py.

6.2.3.2 denoise_unit_tests.TestAudioProcessing.rospack

Definition at line 42 of file denoise_unit_tests.py.

6.2.3.3 denoise_unit_tests.TestAudioProcessing.sox_denoise_module


Definition at line 38 of file denoise_unit_tests.py.

The documentation for this class was generated from the following file:


/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/denoise_unit_tests.py

6.3 utilities_unit_tests.TestAudioProcessing Class Reference

Inheritance diagram for utilities_unit_tests.TestAudioProcessing:



Collaboration diagram for utilities_unit_tests.TestAudioProcessing:



Public Member Functions

- def setUp
- def tearDown
- def test_existentFiles
- · def test mixedCases
- def test notExistentFiles

Public Attributes

• utilities_module

6.3.1 Detailed Description

Definition at line 30 of file utilities_unit_tests.py.

6.3.2 Member Function Documentation

6.3.2.1 def utilities_unit_tests.TestAudioProcessing.setUp (self)

Definition at line 31 of file utilities_unit_tests.py.

6.3.2.2 def utilities_unit_tests.TestAudioProcessing.tearDown (self)

Definition at line 34 of file utilities_unit_tests.py.

6.3.2.3 def utilities_unit_tests.TestAudioProcessing.test_existentFiles (self)

Definition at line 37 of file utilities_unit_tests.py.

 $6.3.2.4 \quad \text{def utilities_unit_tests.TestAudioProcessing.test_mixedCases} \left(\begin{array}{c} \textit{self} \end{array} \right)$

Definition at line 63 of file utilities_unit_tests.py.

6.3.2.5 def utilities_unit_tests.TestAudioProcessing.test_notExistentFiles (self)

Definition at line 53 of file utilities_unit_tests.py.

6.3.3 Member Data Documentation

6.3.3.1 utilities_unit_tests.TestAudioProcessing.utilities_module


Definition at line 32 of file utilities_unit_tests.py.

The documentation for this class was generated from the following file:


/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/utilities_unit_tests.py

6.4 transform_audio_unit_tests.TestAudioProcessing Class Reference

Inheritance diagram for transform_audio_unit_tests.TestAudioProcessing:



 $Collaboration\ diagram\ for\ transform_audio_unit_tests. Test Audio Processing:$



Public Member Functions

def id_generator

- def setUp
- def tearDown
- · def test missingSource
- def test_missingTarget
- · def test nonexistentFile
- def test normalTrans2Flac
- def test_normalTransOgg2Wav
- def test_wrongTypes
- · def test wrongValues

Public Attributes

- · auxiliary_files_url
- rospack
- transform_audio_module

6.4.1 Detailed Description

Definition at line 36 of file transform audio unit tests.py.

6.4.2 Member Function Documentation

```
6.4.2.1 def transform_audio_unit_tests.TestAudioProcessing.id_generator( self, size = 15, chars = string.ascii_lowercase + '_')
```

Definition at line 280 of file transform_audio_unit_tests.py.

6.4.2.2 def transform_audio_unit_tests.TestAudioProcessing.setUp (self)

Definition at line 37 of file transform_audio_unit_tests.py.

6.4.2.3 def transform_audio_unit_tests.TestAudioProcessing.tearDown (self)

Definition at line 43 of file transform_audio_unit_tests.py.

 $6.4.2.4 \quad def\ transform_audio_unit_tests. Test Audio Processing. test_missing Source\ (\quad \textit{self}\)$

Definition at line 190 of file transform_audio_unit_tests.py.

6.4.2.5 def transform_audio_unit_tests.TestAudioProcessing.test_missingTarget (self)

Definition at line 213 of file transform audio unit tests.py.

6.4.2.6 def transform_audio_unit_tests.TestAudioProcessing.test_nonexistentFile (self)

Definition at line 121 of file transform_audio_unit_tests.py.

6.4.2.7 def transform_audio_unit_tests.TestAudioProcessing.test_normalTrans2Flac (self)

Definition at line 47 of file transform_audio_unit_tests.py.

6.4.2.8 def transform_audio_unit_tests.TestAudioProcessing.test_normalTransOgg2Wav (self)

Definition at line 88 of file transform_audio_unit_tests.py.

6.4.2.9 def transform_audio_unit_tests.TestAudioProcessing.test_wrongTypes (self)

Definition at line 146 of file transform_audio_unit_tests.py.

6.4.2.10 def transform_audio_unit_tests.TestAudioProcessing.test_wrongValues (self)

Definition at line 234 of file transform_audio_unit_tests.py.

6.4.3 Member Data Documentation

6.4.3.1 transform_audio_unit_tests.TestAudioProcessing.auxiliary_files_url

Definition at line 39 of file transform audio unit tests.py.

6.4.3.2 transform_audio_unit_tests.TestAudioProcessing.rospack

Definition at line 45 of file transform_audio_unit_tests.py.

 $6.4.3.3 \quad transform_audio_unit_tests. Test Audio Processing. transform_audio_module$


Definition at line 41 of file transform_audio_unit_tests.py.

The documentation for this class was generated from the following file:


• /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/transform_audio_unit_tests.py

6.5 set_noise_profile_unit_tests.TestAudioProcessing Class Reference

Inheritance diagram for set_noise_profile_unit_tests.TestAudioProcessing:



Collaboration diagram for set_noise_profile_unit_tests.TestAudioProcessing:



Public Member Functions

- def setUp
- def tearDown
- def test_no_silence_file
- def test_ogg
- def test_ogg_with_wav_1_ch_type
- def test_ogg_with_wav_4_ch_type
- def test_wav_1_ch
- def test_wav_1_ch_with_ogg_type
- def test_wav_1_ch_with_wav_4_ch_type
- def test_wav_4_ch
- def test_wav_4_ch_with_ogg_type
- def test_wav_4_ch_with_wav_1_ch_type
- def test_wav_6_ch

Public Attributes

- · auxiliary_files_url
- module
- rospack

6.5.1 Detailed Description

Definition at line 31 of file set_noise_profile_unit_tests.py.

6.5.2 Member Function Documentation

6.5.2.1 def set_noise_profile_unit_tests.TestAudioProcessing.setUp (self)

Definition at line 32 of file set_noise_profile_unit_tests.py.

6.5.2.2 def set_noise_profile_unit_tests.TestAudioProcessing.tearDown (self)

Definition at line 38 of file set_noise_profile_unit_tests.py.

```
6.5.2.3 def set_noise_profile_unit_tests.TestAudioProcessing.test_no_silence_file ( self )
Definition at line 92 of file set_noise_profile_unit_tests.py.
6.5.2.4 def set_noise_profile_unit_tests.TestAudioProcessing.test_ogg ( self )
Definition at line 42 of file set_noise_profile_unit_tests.py.
6.5.2.5 def set_noise_profile_unit_tests.TestAudioProcessing.test_ogg_with_wav_1_ch_type ( self )
Definition at line 127 of file set noise profile unit tests.py.
6.5.2.6 def set_noise_profile_unit_tests.TestAudioProcessing.test_ogg_with_wav_4_ch_type ( self )
Definition at line 134 of file set_noise_profile_unit_tests.py.
6.5.2.7 def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_1_ch ( self )
Definition at line 57 of file set_noise_profile_unit_tests.py.
6.5.2.8 def set noise profile unit tests.TestAudioProcessing.test way 1 ch with ogg type ( self )
Definition at line 99 of file set_noise_profile_unit_tests.py.
6.5.2.9 def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_1_ch_with_wav_4_ch_type( self )
Definition at line 106 of file set_noise_profile_unit_tests.py.
6.5.2.10 def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_4_ch ( self )
Definition at line 71 of file set_noise_profile_unit_tests.py.
6.5.2.11 def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_4_ch_with_ogg_type ( self )
Definition at line 113 of file set noise profile unit tests.py.
6.5.2.12 def set noise profile unit tests.TestAudioProcessing.test way 4 ch with way 1 ch type ( self )
Definition at line 120 of file set_noise_profile_unit_tests.py.
6.5.2.13 def set_noise_profile_unit_tests.TestAudioProcessing.test_wav_6_ch ( self )
Definition at line 85 of file set_noise_profile_unit_tests.py.
6.5.3 Member Data Documentation
6.5.3.1 set_noise_profile_unit_tests.TestAudioProcessing.auxiliary_files_url
Definition at line 34 of file set_noise_profile_unit_tests.py.
```

6.5.3.2 set_noise_profile_unit_tests.TestAudioProcessing.module

Definition at line 36 of file set_noise_profile_unit_tests.py.

6.5.3.3 set_noise_profile_unit_tests.TestAudioProcessing.rospack


Definition at line 40 of file set noise profile unit tests.py.

The documentation for this class was generated from the following file:


/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/set_noise_profile_unit_tests.py

6.6 energy_denoise_unit_tests.TestAudioProcessing Class Reference

Inheritance diagram for energy_denoise_unit_tests.TestAudioProcessing:



Collaboration diagram for energy_denoise_unit_tests.TestAudioProcessing:



Public Member Functions

- def setUp
- def tearDown
- def test_energy_denois
- def test_notExistentFile

Public Attributes

- · auxiliary_files_url
- energy_denoise_module
- rospack

6.6.1 Detailed Description

Definition at line 33 of file energy denoise unit tests.py.

6.6.2 Member Function Documentation

6.6.2.1 def energy_denoise_unit_tests.TestAudioProcessing.setUp (self)

Definition at line 34 of file energy_denoise_unit_tests.py.

6.6.2.2 def energy_denoise_unit_tests.TestAudioProcessing.tearDown (self)

Definition at line 40 of file energy_denoise_unit_tests.py.

6.6.2.3 def energy_denoise_unit_tests.TestAudioProcessing.test_energy_denois(self)

Definition at line 44 of file energy_denoise_unit_tests.py.

 $6.6.2.4 \quad def \ energy_denoise_unit_tests. Test Audio Processing. test_not Existent File \left(\right. \ \textit{self} \)$

Definition at line 72 of file energy_denoise_unit_tests.py.

6.6.3 Member Data Documentation

6.6.3.1 energy_denoise_unit_tests.TestAudioProcessing.auxiliary_files_url

Definition at line 36 of file energy_denoise_unit_tests.py.

6.6.3.2 energy_denoise_unit_tests.TestAudioProcessing.energy_denoise_module

Definition at line 38 of file energy_denoise_unit_tests.py.

6.6.3.3 energy_denoise_unit_tests.TestAudioProcessing.rospack


Definition at line 42 of file energy_denoise_unit_tests.py.

The documentation for this class was generated from the following file:


/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/energy_denoise_unit_tests.py

6.7 detect_silence_unit_tests.TestAudioProcessing Class Reference

Inheritance diagram for detect_silence_unit_tests.TestAudioProcessing:



 $Collaboration\ diagram\ for\ detect_silence_unit_tests. Test Audio Processing:$



Public Member Functions

- def setUp
- def tearDown
- def test_noSilence
- def test_notExistentFile
- def test_silence

Public Attributes

- auxiliary_files_url
- detect_silence_module
- rospack

6.7.1 Detailed Description

Definition at line 31 of file detect_silence_unit_tests.py.

6.7.2 Member Function Documentation

6.7.2.1 def detect_silence_unit_tests.TestAudioProcessing.setUp (self)

Definition at line 32 of file detect_silence_unit_tests.py.

6.7.2.2 def detect_silence_unit_tests.TestAudioProcessing.tearDown (self)

Definition at line 38 of file detect silence unit tests.py.

6.7.2.3 def detect_silence_unit_tests.TestAudioProcessing.test_noSilence (self)

Definition at line 47 of file detect_silence_unit_tests.py.

6.7.2.4 def detect_silence_unit_tests.TestAudioProcessing.test_notExistentFile (self)

Definition at line 52 of file detect_silence_unit_tests.py.

6.7.2.5 def detect_silence_unit_tests.TestAudioProcessing.test_silence (self)

Definition at line 42 of file detect_silence_unit_tests.py.

6.7.3 Member Data Documentation

6.7.3.1 detect_silence_unit_tests.TestAudioProcessing.auxiliary_files_url

Definition at line 34 of file detect_silence_unit_tests.py.

6.7.3.2 detect_silence_unit_tests.TestAudioProcessing.detect_silence_module

Definition at line 36 of file detect_silence_unit_tests.py.

6.7.3.3 detect_silence_unit_tests.TestAudioProcessing.rospack

Definition at line 40 of file detect_silence_unit_tests.py.

The documentation for this class was generated from the following file:

/home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/detect_silence_unit_tests.py

File Documentation

7.1 /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/functional/set_noise_profile_functional.py File Reference

Classes

• class set_noise_profile_functional.AudioProcessingSetNoiseProfileFunc

Namespaces

· set noise profile functional

Variables

- string set_noise_profile_functional.PKG = 'rapp_audio_processing'
- 7.2 /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/denoise_unit_tests.py File Reference

Classes

· class denoise unit tests. TestAudio Processing

Namespaces

- · denoise_unit_tests
- 7.3 /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/detect_silence_unit_tests.py File Reference

Classes

class detect_silence_unit_tests.TestAudioProcessing

28 File Documentation

Namespaces

- detect_silence_unit_tests
- 7.4 /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/energy_denoise_unit_tests.py File Reference

Classes

· class energy_denoise_unit_tests.TestAudioProcessing

Namespaces

- · energy_denoise_unit_tests
- 7.5 /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/set_noise_-profile_unit_tests.py File Reference

Classes

class set_noise_profile_unit_tests.TestAudioProcessing

Namespaces

- · set_noise_profile_unit_tests
- 7.6 /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/transform_audio_unit_tests.py File Reference

Classes

· class transform_audio_unit_tests.TestAudioProcessing

Namespaces

- transform_audio_unit_tests
- 7.7 /home/travis/rapp_temp/rapp-platform/rapp_audio_processing/tests/unit/utilities_unit_tests.py File Reference

Classes

· class utilities unit tests.TestAudioProcessing

Namespaces

· utilities_unit_tests

Index

| /home/travis/rapp_temp/rapp-platform/rapp_audio processing/tests/functional/set_noise_profilefunctional.py, 27 /home/travis/rapp_temp/rapp-platform/rapp_audio | detect_silence_unit_tests. IestAudioProcessing, 24 detect_silence_unit_tests::TestAudioProcessing auxiliary_files_url, 25 detect_silence_module, 25 |
|--|---|
| <pre>processing/tests/unit/denoise_unit_tests.py, 27</pre> | rospack, 25 setUp, 25 |
| /home/travis/rapp_temp/rapp-platform/rapp_audio processing/tests/unit/detect_silence_unit tests.py, 27 | tearDown, 25 test_noSilence, 25 test_notExistentFile, 25 |
| /home/travis/rapp_temp/rapp-platform/rapp_audio processing/tests/unit/energy_denoise_unit- | test_silence, 25 |
| _tests.py, 28 /home/travis/rapp_temp/rapp-platform/rapp_audio | <pre>energy_denoise_module energy_denoise_unit_tests::TestAudioProcessing,</pre> |
| <pre>processing/tests/unit/set_noise_profile_unittests.py, 28</pre> | 23 energy_denoise_unit_tests, 9 |
| /home/travis/rapp_temp/rapp-platform/rapp_audio processing/tests/unit/transform_audio_unit- _tests.py, 28 | energy_denoise_unit_tests.TestAudioProcessing, 22 energy_denoise_unit_tests::TestAudioProcessing auxiliary_files_url, 23 |
| /home/travis/rapp_temp/rapp-platform/rapp_audio processing/tests/unit/utilities_unit_tests.py, 28 | energy_denoise_module, 23 rospack, 23 setUp, 23 tearDown, 23 |
| auxiliary_files_url denoise_unit_tests::TestAudioProcessing, 15 | test_energy_denois, 23 test_notExistentFile, 23 |
| detect_silence_unit_tests::TestAudioProcessing, 25 | id_generator |
| energy_denoise_unit_tests::TestAudioProcessing, 23 | transform_audio_unit_tests::TestAudioProcessing, 18 |
| set_noise_profile_unit_tests::TestAudioProcessing, 21 | module set_noise_profile_unit_tests::TestAudioProcessing |
| transform_audio_unit_tests::TestAudioProcessing, 19 | 21 |
| denoise unit tests, 9 | PKG |
| denoise_unit_tests.TestAudioProcessing, 13 denoise_unit_tests::TestAudioProcessing | set_noise_profile_functional, 9 |
| auxiliary_files_url, 15 rospack, 15 setUp, 14 | rospack denoise_unit_tests::TestAudioProcessing, 15 detect_silence_unit_tests::TestAudioProcessing, 25 |
| sox_denoise_module, 15 tearDown, 14 | energy_denoise_unit_tests::TestAudioProcessing, 23 |
| test_negativeScale, 14 test_notExistentAudioFile, 14 | set_noise_profile_unit_tests::TestAudioProcessing 22 |
| test_notExistentAudioType, 14 test_notExistentUser, 14 test_realFile, 14 | transform_audio_unit_tests::TestAudioProcessing, |
| detect_silence_module | set_noise_profile_functional, 9 |
| detect_silence_unit_tests::TestAudioProcessing, | PKG, 9 |
| 25 detect_silence_unit_tests, 9 | set_noise_profile_functional.AudioProcessingSetNoise- ProfileFunc, 11 |

30 INDEX

| set_noise_profile_unit_tests, 10 | test_nonexistentFile |
|---|---|
| set_noise_profile_unit_tests.TestAudioProcessing, 19 | transform_audio_unit_tests::TestAudioProcessing, |
| set_noise_profile_unit_tests::TestAudioProcessing | 18 |
| auxiliary_files_url, 21 | test_normalTrans2Flac |
| module, 21 | transform_audio_unit_tests::TestAudioProcessing, |
| rospack, 22 | 18 |
| setUp, 20 | test_normalTransOgg2Wav |
| tearDown, 20 | transform_audio_unit_tests::TestAudioProcessing, |
| test_no_silence_file, 20 | 18 |
| test_ogg, 21 | test_notExistentAudioFile |
| test_wav_1_ch, 21 | denoise_unit_tests::TestAudioProcessing, 14 |
| test_wav_4_ch, 21 | test notExistentAudioType |
| test_wav_6_ch, 21 | denoise_unit_tests::TestAudioProcessing, 14 |
| setUp | test notExistentFile |
| denoise_unit_tests::TestAudioProcessing, 14 | _ |
| detect_silence_unit_tests::TestAudioProcessing, | <pre>detect_silence_unit_tests::TestAudioProcessing, 25</pre> |
| 25 | |
| energy_denoise_unit_tests::TestAudioProcessing, | energy_denoise_unit_tests::TestAudioProcessing, |
| 23 | 23 |
| | test_notExistentFiles |
| set_noise_profile_unit_tests::TestAudioProcessing, 20 | utilities_unit_tests::TestAudioProcessing, 16 |
| | test_notExistentUser |
| transform_audio_unit_tests::TestAudioProcessing, 18 | denoise_unit_tests::TestAudioProcessing, 14 |
| | test_ogg |
| utilities_unit_tests::TestAudioProcessing, 16 | set_noise_profile_unit_tests::TestAudioProcessing, |
| sox_denoise_module | 21 |
| denoise_unit_tests::TestAudioProcessing, 15 | test_ogg_type_wav_1_ch_file |
| tearDown | denoise_unit_tests::TestAudioProcessing, 14 |
| denoise_unit_tests::TestAudioProcessing, 14 | test_ogg_type_wav_4_ch_file |
| detect_silence_unit_tests::TestAudioProcessing, | denoise_unit_tests::TestAudioProcessing, 14 |
| 25 | test_ogg_with_wav_1_ch_type |
| energy_denoise_unit_tests::TestAudioProcessing, | set_noise_profile_unit_tests::TestAudioProcessing, |
| 23 | 21 |
| set_noise_profile_unit_tests::TestAudioProcessing, | test_ogg_with_wav_4_ch_type |
| 20 | set_noise_profile_unit_tests::TestAudioProcessing, |
| transform audio unit tests::TestAudioProcessing, | 21 |
| 18 | test_realFile |
| utilities_unit_tests::TestAudioProcessing, 16 | denoise_unit_tests::TestAudioProcessing, 14 |
| test_energy_denois | test_setNoiseProfileService_no_silence_file |
| energy_denoise_unit_tests::TestAudioProcessing, | set_noise_profile_functional::AudioProcessingSet- |
| 23 | NoiseProfileFunc, 12 |
| test_existentFiles | test_setNoiseProfileService_not_valid_user |
| utilities_unit_tests::TestAudioProcessing, 16 | set_noise_profile_functional::AudioProcessingSet- |
| test_missingSource | NoiseProfileFunc, 12 |
| transform_audio_unit_tests::TestAudioProcessing, | test_setNoiseProfileService_ogg |
| 18 | set_noise_profile_functional::AudioProcessingSet- |
| test_missingTarget | NoiseProfileFunc, 12 |
| transform_audio_unit_tests::TestAudioProcessing, | test_setNoiseProfileService_ogg_stress |
| 18 | set_noise_profile_functional::AudioProcessingSet- |
| test_mixedCases | NoiseProfileFunc, 12 |
| utilities_unit_tests::TestAudioProcessing, 16 | test_setNoiseProfileService_wav_1_ch |
| test_negativeScale | set_noise_profile_functional::AudioProcessingSet- |
| denoise_unit_tests::TestAudioProcessing, 14 | NoiseProfileFunc, 12 |
| test_no_silence_file | test_setNoiseProfileService_wav_4_ch |
| | set_noise_profile_functional::AudioProcessingSet- |
| set_noise_profile_unit_tests::TestAudioProcessing, 20 | NoiseProfileFunc, 12 |
| test noSilence | test_setNoiseProfileService_wav_6_ch |
| detect_silence_unit_tests::TestAudioProcessing, | set_noise_profile_functional::AudioProcessingSet- |
| 25 | NoiseProfileFunc, 12 |
| | |

```
test_silence
    detect_silence_unit_tests::TestAudioProcessing,
test_wav_1_ch
     set_noise_profile_unit_tests::TestAudioProcessing,
test_wav_1_ch_type_ogg_file
     denoise_unit_tests::TestAudioProcessing, 14
test wav 1 ch with ogg type
     set noise profile unit tests::TestAudioProcessing,
test_wav_4_ch
     set_noise_profile_unit_tests::TestAudioProcessing,
test_wav_4_ch_type_ogg_file
     denoise_unit_tests::TestAudioProcessing, 15
test wav 4 ch with ogg type
    set_noise_profile_unit_tests::TestAudioProcessing,
         21
test_wav_6_ch
     set noise profile unit tests::TestAudioProcessing,
test_wrongTypes
     transform_audio_unit_tests::TestAudioProcessing,
test wrongValues
     transform_audio_unit_tests::TestAudioProcessing,
transform audio module
    transform_audio_unit_tests::TestAudioProcessing,
transform_audio_unit_tests, 10
transform_audio_unit_tests.TestAudioProcessing, 17
transform_audio_unit_tests::TestAudioProcessing
     auxiliary_files_url, 19
     id_generator, 18
     rospack, 19
     setUp, 18
    tearDown, 18
     test missingSource, 18
    test missingTarget, 18
    test_nonexistentFile, 18
    test_normalTrans2Flac, 18
     test normalTransOgg2Wav, 18
     test_wrongTypes, 19
     test_wrongValues, 19
     transform_audio_module, 19
utilities_module
     utilities_unit_tests::TestAudioProcessing, 17
utilities_unit_tests, 10
utilities_unit_tests.TestAudioProcessing, 15
utilities_unit_tests::TestAudioProcessing
     setUp, 16
     tearDown, 16
    test_existentFiles, 16
    test_mixedCases, 16
     test notExistentFiles, 16
     utilities_module, 17
```