

RAPP Platform Tests - Testing Tools

0.5.5

Generated by Doxygen 1.8.6

Mon Dec 7 2015 19:10:40

Contents

1	RAPP Testing Tools	1
2	Namespace Index	3
2.1	Namespace List	3
3	Class Index	5
3.1	Class List	5
4	File Index	7
4.1	File List	7
5	Namespace Documentation	11
5.1	available_services_test Namespace Reference	11
5.1.1	Variable Documentation	11
5.1.1.1	__path__	11
5.2	cognitive_test_chooser_arithmetic Namespace Reference	11
5.2.1	Variable Documentation	11
5.2.1.1	__path__	11
5.3	cognitive_test_chooser_awareness Namespace Reference	11
5.3.1	Variable Documentation	12
5.3.1.1	__path__	12
5.4	cognitive_test_chooser_reasoning Namespace Reference	12
5.4.1	Variable Documentation	12
5.4.1.1	__path__	12
5.5	denoise_profile_test_1 Namespace Reference	12
5.5.1	Variable Documentation	12
5.5.1.1	__path__	12
5.6	face_detection_test_close_angle Namespace Reference	13
5.6.1	Variable Documentation	13
5.6.1.1	__path__	13
5.7	face_detection_test_close_straight Namespace Reference	13
5.7.1	Variable Documentation	13
5.7.1.1	__path__	13

5.8	face_detection_test_far_angle Namespace Reference	13
5.8.1	Variable Documentation	13
5.8.1.1	__path__	13
5.9	face_detection_test_far_straight Namespace Reference	14
5.9.1	Variable Documentation	14
5.9.1.1	__path__	14
5.10	face_detection_test_lenna_png Namespace Reference	14
5.10.1	Variable Documentation	14
5.10.1.1	__path__	14
5.11	face_detection_test_medium_angle Namespace Reference	14
5.11.1	Variable Documentation	14
5.11.1.1	__path__	14
5.12	face_detection_test_medium_straight Namespace Reference	15
5.12.1	Variable Documentation	15
5.12.1.1	__path__	15
5.13	face_detection_test_multi_faces_jpg Namespace Reference	15
5.13.1	Variable Documentation	15
5.13.1.1	__path__	15
5.14	face_detection_test_two_faces_jpg Namespace Reference	15
5.14.1	Variable Documentation	15
5.14.1.1	__path__	15
5.15	ontology_is_subsuperclass_of_microwave_oven Namespace Reference	16
5.15.1	Variable Documentation	16
5.15.1.1	__path__	16
5.16	ontology_is_subsuperclass_of_SpatialThing Namespace Reference	16
5.16.1	Variable Documentation	16
5.16.1.1	__path__	16
5.17	ontology_subclasses_of_test_Oven Namespace Reference	16
5.17.1	Variable Documentation	16
5.17.1.1	__path__	16
5.18	ontology_superclasses_of_test_1 Namespace Reference	17
5.18.1	Variable Documentation	17
5.18.1.1	__path__	17
5.19	qr_detection_test_1 Namespace Reference	17
5.19.1	Variable Documentation	17
5.19.1.1	__path__	17
5.20	qr_detection_test_easy_far Namespace Reference	17
5.20.1	Variable Documentation	17
5.20.1.1	__path__	17
5.21	qr_detection_test_easy_medium Namespace Reference	18

5.21.1	Variable Documentation	18
5.21.1.1	__path__	18
5.22	qr_detection_test_easy_near Namespace Reference	18
5.22.1	Variable Documentation	18
5.22.1.1	__path__	18
5.23	qr_detection_test_hard_far Namespace Reference	18
5.23.1	Variable Documentation	18
5.23.1.1	__path__	18
5.24	qr_detection_test_hard_medium Namespace Reference	19
5.24.1	Variable Documentation	19
5.24.1.1	__path__	19
5.25	qr_detection_test_hard_near Namespace Reference	19
5.25.1	Variable Documentation	19
5.25.1.1	__path__	19
5.26	qr_detection_test_medium_far Namespace Reference	19
5.26.1	Variable Documentation	19
5.26.1.1	__path__	19
5.27	qr_detection_test_medium_medium Namespace Reference	20
5.27.1	Variable Documentation	20
5.27.1.1	__path__	20
5.28	qr_detection_test_medium_near Namespace Reference	20
5.28.1	Variable Documentation	20
5.28.1.1	__path__	20
5.29	rapp_run_test Namespace Reference	20
5.30	rapp_testing_tools Namespace Reference	20
5.31	rapp_testing_tools.rapp_testing_core Namespace Reference	20
5.31.1	Function Documentation	21
5.31.1.1	append_to_system_path	21
5.31.1.2	execute	21
5.31.1.3	execute_tests_all	21
5.31.1.4	get_test_files	22
5.31.1.5	load_tests_paths	22
5.31.1.6	main	22
5.31.1.7	parse_args	22
5.31.1.8	print_results	22
5.31.2	Variable Documentation	22
5.31.2.1	__path__	22
5.31.2.2	mutex	22
5.31.2.3	results	23
5.31.2.4	testClasses	23

5.31.2.5 testClassMatch	23
5.32 record_cognitive_test_performance_arithmetic Namespace Reference	23
5.32.1 Variable Documentation	24
5.32.1.1 __path__	24
5.33 record_cognitive_test_performance_awareness Namespace Reference	24
5.33.1 Variable Documentation	24
5.33.1.1 __path__	24
5.34 record_cognitive_test_performance_reasoning Namespace Reference	24
5.34.1 Variable Documentation	24
5.34.1.1 __path__	24
5.35 speech_detection_google_test_ogg_sentence1 Namespace Reference	24
5.35.1 Variable Documentation	25
5.35.1.1 __path__	25
5.36 speech_detection_google_test_ogg_sentence2 Namespace Reference	25
5.36.1 Variable Documentation	25
5.36.1.1 __path__	25
5.37 speech_detection_sphinx_test_headset_deutera Namespace Reference	25
5.37.1 Variable Documentation	25
5.37.1.1 __path__	25
5.38 speech_detection_sphinx_test_headset_nai_oxi Namespace Reference	25
5.38.1 Variable Documentation	26
5.38.1.1 __path__	26
5.39 speech_detection_sphinx_test_headset_steile_mail Namespace Reference	26
5.39.1 Variable Documentation	26
5.39.1.1 __path__	26
5.40 speech_detection_sphinx_test_nao_wav_1_ch_email_robot Namespace Reference	26
5.40.1 Variable Documentation	26
5.40.1.1 __path__	26
5.41 speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi Namespace Reference	26
5.41.1 Variable Documentation	27
5.41.1.1 __path__	27
5.42 speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia Namespace Reference	27
5.42.1 Variable Documentation	27
5.42.1.1 __path__	27
5.43 speech_detection_sphinx_test_nao_wav_1_ch_yes_no Namespace Reference	27
5.43.1 Variable Documentation	27
5.43.1.1 __path__	27
5.44 speech_detection_sphinx_test_ogg_deutera Namespace Reference	27
5.44.1 Variable Documentation	28
5.44.1.1 __path__	28

5.45	speech_detection_sphinx_test_ogg_monday Namespace Reference	28
5.45.1	Variable Documentation	28
5.45.1.1	__path__	28
5.46	speech_detection_sphinx_test_ogg_no Namespace Reference	28
5.46.1	Variable Documentation	28
5.46.1.1	__path__	28
5.47	speech_detection_sphinx_test_ogg_oxi Namespace Reference	28
5.47.1	Variable Documentation	29
5.47.1.1	__path__	29
5.48	speech_detection_sphinx_test_ogg_triti Namespace Reference	29
5.48.1	Variable Documentation	29
5.48.1.1	__path__	29
5.49	speech_detection_sphinx_test_ogg_tuesday Namespace Reference	29
5.49.1	Variable Documentation	29
5.49.1.1	__path__	29
5.50	speech_detection_sphinx_test_ogg_yes Namespace Reference	29
5.50.1	Variable Documentation	30
5.50.1.1	__path__	30
5.51	template Namespace Reference	30
5.51.1	Variable Documentation	30
5.51.1.1	__path__	30
5.52	text_to_speech_test_gr_auto_store_file Namespace Reference	30
5.52.1	Variable Documentation	30
5.52.1.1	__path__	30
5.53	text_to_speech_test_gr_default Namespace Reference	30
5.53.1	Variable Documentation	31
5.53.1.1	__path__	31
6	Class Documentation	33
6.1	rapp_testing_tools.rapp_testing_core.bcolors Class Reference	33
6.1.1	Detailed Description	33
6.1.2	Member Data Documentation	33
6.1.2.1	BOLD	33
6.1.2.2	ENDC	33
6.1.2.3	FAIL	33
6.1.2.4	HEADER	34
6.1.2.5	OKBLUE	34
6.1.2.6	OKGREEN	34
6.1.2.7	UNDERLINE	34
6.1.2.8	WARNING	34

6.2	qr_detection_test_hard_near.RapplInterfaceTest Class Reference	34
6.2.1	Detailed Description	34
6.2.2	Constructor & Destructor Documentation	34
6.2.2.1	__init__	34
6.2.3	Member Function Documentation	35
6.2.3.1	execute	35
6.2.3.2	validate	35
6.2.4	Member Data Documentation	35
6.2.4.1	elapsed_time	35
6.2.4.2	file_uri	35
6.2.4.3	rappCloud	35
6.2.4.4	valid_results	35
6.3	text_to_speech_test_gr_default.RapplInterfaceTest Class Reference	35
6.3.1	Detailed Description	36
6.3.2	Constructor & Destructor Documentation	36
6.3.2.1	__init__	36
6.3.3	Member Function Documentation	36
6.3.3.1	execute	36
6.3.3.2	validate	36
6.3.4	Member Data Documentation	36
6.3.4.1	destDir	36
6.3.4.2	elapsed_time	36
6.3.4.3	language	36
6.3.4.4	rappCloud	36
6.3.4.5	text	36
6.4	text_to_speech_test_gr_auto_store_file.RapplInterfaceTest Class Reference	37
6.4.1	Detailed Description	37
6.4.2	Constructor & Destructor Documentation	37
6.4.2.1	__init__	37
6.4.3	Member Function Documentation	37
6.4.3.1	execute	37
6.4.3.2	validate	37
6.4.4	Member Data Documentation	37
6.4.4.1	destFilePath	37
6.4.4.2	elapsed_time	37
6.4.4.3	language	37
6.4.4.4	rappCloud	38
6.4.4.5	text	38
6.5	template.RapplInterfaceTest Class Reference	38
6.5.1	Detailed Description	38

6.5.2	Constructor & Destructor Documentation	38
6.5.2.1	__init__	38
6.5.3	Member Function Documentation	38
6.5.3.1	execute	38
6.5.3.2	validate	38
6.5.4	Member Data Documentation	39
6.5.4.1	elapsed_time	39
6.5.4.2	file_uri	39
6.5.4.3	rappCloud	39
6.5.4.4	valid_results	39
6.6	speech_detection_sphinx_test_ogg_yes.RappInterfaceTest Class Reference	39
6.6.1	Detailed Description	39
6.6.2	Constructor & Destructor Documentation	39
6.6.2.1	__init__	39
6.6.3	Member Function Documentation	40
6.6.3.1	execute	40
6.6.3.2	validate	40
6.6.4	Member Data Documentation	40
6.6.4.1	audio_source	40
6.6.4.2	elapsed_time	40
6.6.4.3	file_uri	40
6.6.4.4	grammar	40
6.6.4.5	language	40
6.6.4.6	rappCloud	40
6.6.4.7	sentences	40
6.6.4.8	user	40
6.6.4.9	valid_words_found	40
6.6.4.10	words	41
6.7	speech_detection_sphinx_test_ogg_tuesday.RappInterfaceTest Class Reference	41
6.7.1	Detailed Description	41
6.7.2	Constructor & Destructor Documentation	41
6.7.2.1	__init__	41
6.7.3	Member Function Documentation	41
6.7.3.1	execute	41
6.7.3.2	validate	41
6.7.4	Member Data Documentation	42
6.7.4.1	audio_source	42
6.7.4.2	elapsed_time	42
6.7.4.3	file_uri	42
6.7.4.4	grammar	42

6.7.4.5	language	42
6.7.4.6	rappCloud	42
6.7.4.7	sentences	42
6.7.4.8	user	42
6.7.4.9	valid_words_found	42
6.7.4.10	words	42
6.8	speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest Class Reference	43
6.8.1	Detailed Description	43
6.8.2	Constructor & Destructor Documentation	43
6.8.2.1	__init__	43
6.8.3	Member Function Documentation	43
6.8.3.1	execute	43
6.8.3.2	validate	43
6.8.4	Member Data Documentation	43
6.8.4.1	audio_source	43
6.8.4.2	elapsed_time	43
6.8.4.3	file_uri	44
6.8.4.4	grammar	44
6.8.4.5	language	44
6.8.4.6	rappCloud	44
6.8.4.7	sentences	44
6.8.4.8	user	44
6.8.4.9	valid_words_found	44
6.8.4.10	words	44
6.9	speech_detection_sphinx_test_ogg_oxi.RapplInterfaceTest Class Reference	44
6.9.1	Detailed Description	45
6.9.2	Constructor & Destructor Documentation	45
6.9.2.1	__init__	45
6.9.3	Member Function Documentation	45
6.9.3.1	execute	45
6.9.3.2	validate	45
6.9.4	Member Data Documentation	45
6.9.4.1	audio_source	45
6.9.4.2	elapsed_time	45
6.9.4.3	file_uri	45
6.9.4.4	grammar	45
6.9.4.5	language	45
6.9.4.6	rappCloud	46
6.9.4.7	sentences	46
6.9.4.8	user	46

6.9.4.9	valid_words_found	46
6.9.4.10	words	46
6.10	speech_detection_sphinx_test_ogg_no.RappInterfaceTest Class Reference	46
6.10.1	Detailed Description	46
6.10.2	Constructor & Destructor Documentation	47
6.10.2.1	__init__	47
6.10.3	Member Function Documentation	47
6.10.3.1	execute	47
6.10.3.2	validate	47
6.10.4	Member Data Documentation	47
6.10.4.1	audio_source	47
6.10.4.2	elapsed_time	47
6.10.4.3	file_uri	47
6.10.4.4	grammar	47
6.10.4.5	language	47
6.10.4.6	rappCloud	47
6.10.4.7	sentences	47
6.10.4.8	user	47
6.10.4.9	valid_words_found	48
6.10.4.10	words	48
6.11	speech_detection_sphinx_test_ogg_monday.RappInterfaceTest Class Reference	48
6.11.1	Detailed Description	48
6.11.2	Constructor & Destructor Documentation	48
6.11.2.1	__init__	48
6.11.3	Member Function Documentation	48
6.11.3.1	execute	48
6.11.3.2	validate	49
6.11.4	Member Data Documentation	49
6.11.4.1	audio_source	49
6.11.4.2	elapsed_time	49
6.11.4.3	file_uri	49
6.11.4.4	grammar	49
6.11.4.5	language	49
6.11.4.6	rappCloud	49
6.11.4.7	sentences	49
6.11.4.8	user	49
6.11.4.9	valid_words_found	49
6.11.4.10	words	49
6.12	speech_detection_sphinx_test_ogg_deutera.RappInterfaceTest Class Reference	50
6.12.1	Detailed Description	50

6.12.2	Constructor & Destructor Documentation	50
6.12.2.1	__init__	50
6.12.3	Member Function Documentation	50
6.12.3.1	execute	50
6.12.3.2	validate	50
6.12.4	Member Data Documentation	50
6.12.4.1	audio_source	50
6.12.4.2	elapsed_time	50
6.12.4.3	file_uri	51
6.12.4.4	grammar	51
6.12.4.5	language	51
6.12.4.6	rappCloud	51
6.12.4.7	sentences	51
6.12.4.8	user	51
6.12.4.9	valid_words_found	51
6.12.4.10	words	51
6.13	speech_detection_sphinx_test_nao_wav_1_ch_yes_no.RappInterfaceTest Class Reference	51
6.13.1	Detailed Description	52
6.13.2	Constructor & Destructor Documentation	52
6.13.2.1	__init__	52
6.13.3	Member Function Documentation	52
6.13.3.1	execute	52
6.13.3.2	validate	52
6.13.4	Member Data Documentation	52
6.13.4.1	audio_source	52
6.13.4.2	elapsed_time	52
6.13.4.3	file_uri	52
6.13.4.4	grammar	52
6.13.4.5	language	53
6.13.4.6	rappCloud	53
6.13.4.7	sentences	53
6.13.4.8	user	53
6.13.4.9	valid_words_found	53
6.13.4.10	words	53
6.14	speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RappInterfaceTest Class Reference	53
6.14.1	Detailed Description	54
6.14.2	Constructor & Destructor Documentation	54
6.14.2.1	__init__	54
6.14.3	Member Function Documentation	54
6.14.3.1	execute	54

6.14.3.2	validate	54
6.14.4	Member Data Documentation	54
6.14.4.1	audio_source	54
6.14.4.2	elapsed_time	54
6.14.4.3	file_uri	54
6.14.4.4	grammar	54
6.14.4.5	language	54
6.14.4.6	rappCloud	54
6.14.4.7	sentences	54
6.14.4.8	user	55
6.14.4.9	valid_words_found	55
6.14.4.10	words	55
6.15	speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.RappInterfaceTest Class Reference	55
6.15.1	Detailed Description	55
6.15.2	Constructor & Destructor Documentation	55
6.15.2.1	__init__	55
6.15.3	Member Function Documentation	56
6.15.3.1	execute	56
6.15.3.2	validate	56
6.15.4	Member Data Documentation	56
6.15.4.1	audio_source	56
6.15.4.2	elapsed_time	56
6.15.4.3	file_uri	56
6.15.4.4	grammar	56
6.15.4.5	language	56
6.15.4.6	rappCloud	56
6.15.4.7	sentences	56
6.15.4.8	user	56
6.15.4.9	valid_words_found	56
6.15.4.10	words	57
6.16	speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RappInterfaceTest Class Reference	57
6.16.1	Detailed Description	57
6.16.2	Constructor & Destructor Documentation	57
6.16.2.1	__init__	57
6.16.3	Member Function Documentation	57
6.16.3.1	execute	57
6.16.3.2	validate	57
6.16.4	Member Data Documentation	58
6.16.4.1	audio_source	58
6.16.4.2	elapsed_time	58

6.16.4.3	file_uri	58
6.16.4.4	grammar	58
6.16.4.5	language	58
6.16.4.6	rappCloud	58
6.16.4.7	sentences	58
6.16.4.8	user	58
6.16.4.9	valid_words_found	58
6.16.4.10	words	58
6.17	speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest Class Reference	59
6.17.1	Detailed Description	59
6.17.2	Constructor & Destructor Documentation	59
6.17.2.1	__init__	59
6.17.3	Member Function Documentation	59
6.17.3.1	execute	59
6.17.3.2	validate	59
6.17.4	Member Data Documentation	59
6.17.4.1	audio_source	59
6.17.4.2	elapsed_time	59
6.17.4.3	file_uri	60
6.17.4.4	grammar	60
6.17.4.5	language	60
6.17.4.6	rappCloud	60
6.17.4.7	sentences	60
6.17.4.8	user	60
6.17.4.9	valid_words_found	60
6.17.4.10	words	60
6.18	speech_detection_sphinx_test_headset_nai_oxi.RapplInterfaceTest Class Reference	60
6.18.1	Detailed Description	61
6.18.2	Constructor & Destructor Documentation	61
6.18.2.1	__init__	61
6.18.3	Member Function Documentation	61
6.18.3.1	execute	61
6.18.3.2	validate	61
6.18.4	Member Data Documentation	61
6.18.4.1	audio_source	61
6.18.4.2	elapsed_time	61
6.18.4.3	file_uri	61
6.18.4.4	grammar	61
6.18.4.5	language	62
6.18.4.6	rappCloud	62

6.18.4.7	sentences	62
6.18.4.8	user	62
6.18.4.9	valid_words_found	62
6.18.4.10	words	62
6.19	speech_detection_sphinx_test_headset_deutera.RappInterfaceTest Class Reference	62
6.19.1	Detailed Description	63
6.19.2	Constructor & Destructor Documentation	63
6.19.2.1	__init__	63
6.19.3	Member Function Documentation	63
6.19.3.1	execute	63
6.19.3.2	validate	63
6.19.4	Member Data Documentation	63
6.19.4.1	audio_source	63
6.19.4.2	elapsed_time	63
6.19.4.3	file_uri	63
6.19.4.4	grammar	63
6.19.4.5	language	63
6.19.4.6	rappCloud	63
6.19.4.7	sentences	63
6.19.4.8	user	64
6.19.4.9	valid_words_found	64
6.19.4.10	words	64
6.20	speech_detection_google_test_ogg_sentence2.RappInterfaceTest Class Reference	64
6.20.1	Detailed Description	64
6.20.2	Constructor & Destructor Documentation	64
6.20.2.1	__init__	64
6.20.3	Member Function Documentation	64
6.20.3.1	execute	64
6.20.3.2	validate	65
6.20.4	Member Data Documentation	65
6.20.4.1	audio_source	65
6.20.4.2	elapsed_time	65
6.20.4.3	file_uri	65
6.20.4.4	language	65
6.20.4.5	rappCloud	65
6.20.4.6	user	65
6.20.4.7	valid_words_found	65
6.21	speech_detection_google_test_ogg_sentence1.RappInterfaceTest Class Reference	65
6.21.1	Detailed Description	66
6.21.2	Constructor & Destructor Documentation	66

6.21.2.1	__init__	66
6.21.3	Member Function Documentation	66
6.21.3.1	execute	66
6.21.3.2	validate	66
6.21.4	Member Data Documentation	66
6.21.4.1	audio_source	66
6.21.4.2	elapsed_time	66
6.21.4.3	file_uri	66
6.21.4.4	language	66
6.21.4.5	rappCloud	66
6.21.4.6	user	67
6.21.4.7	valid_words_found	67
6.22	record_cognitive_test_performance_reasoning.RappInterfaceTest Class Reference	67
6.22.1	Detailed Description	67
6.22.2	Constructor & Destructor Documentation	67
6.22.2.1	__init__	67
6.22.3	Member Function Documentation	67
6.22.3.1	execute	67
6.22.3.2	validate	67
6.22.4	Member Data Documentation	68
6.22.4.1	elapsed_time	68
6.22.4.2	rappCloud	68
6.22.4.3	score	68
6.22.4.4	test	68
6.22.4.5	username	68
6.22.4.6	valid_result_partial	68
6.23	record_cognitive_test_performance_awareness.RappInterfaceTest Class Reference	68
6.23.1	Detailed Description	68
6.23.2	Constructor & Destructor Documentation	69
6.23.2.1	__init__	69
6.23.3	Member Function Documentation	69
6.23.3.1	execute	69
6.23.3.2	validate	69
6.23.4	Member Data Documentation	69
6.23.4.1	elapsed_time	69
6.23.4.2	rappCloud	69
6.23.4.3	score	69
6.23.4.4	test	69
6.23.4.5	username	69
6.23.4.6	valid_result_partial	69

6.24	record_cognitive_test_performance_arithmetic.RappInterfaceTest Class Reference	70
6.24.1	Detailed Description	70
6.24.2	Constructor & Destructor Documentation	70
6.24.2.1	__init__	70
6.24.3	Member Function Documentation	70
6.24.3.1	execute	70
6.24.3.2	validate	70
6.24.4	Member Data Documentation	70
6.24.4.1	elapsed_time	70
6.24.4.2	rappCloud	70
6.24.4.3	score	70
6.24.4.4	test	71
6.24.4.5	username	71
6.24.4.6	valid_result_partial	71
6.25	qr_detection_test_medium_near.RappInterfaceTest Class Reference	71
6.25.1	Detailed Description	71
6.25.2	Constructor & Destructor Documentation	71
6.25.2.1	__init__	71
6.25.3	Member Function Documentation	71
6.25.3.1	execute	71
6.25.3.2	validate	71
6.25.4	Member Data Documentation	72
6.25.4.1	elapsed_time	72
6.25.4.2	file_uri	72
6.25.4.3	rappCloud	72
6.25.4.4	valid_results	72
6.26	qr_detection_test_medium_medium.RappInterfaceTest Class Reference	72
6.26.1	Detailed Description	72
6.26.2	Constructor & Destructor Documentation	72
6.26.2.1	__init__	72
6.26.3	Member Function Documentation	73
6.26.3.1	execute	73
6.26.3.2	validate	73
6.26.4	Member Data Documentation	73
6.26.4.1	elapsed_time	73
6.26.4.2	file_uri	73
6.26.4.3	rappCloud	73
6.26.4.4	valid_results	73
6.27	qr_detection_test_medium_far.RappInterfaceTest Class Reference	73
6.27.1	Detailed Description	73

6.27.2	Constructor & Destructor Documentation	74
6.27.2.1	__init__	74
6.27.3	Member Function Documentation	74
6.27.3.1	execute	74
6.27.3.2	validate	74
6.27.4	Member Data Documentation	74
6.27.4.1	elapsed_time	74
6.27.4.2	file_uri	74
6.27.4.3	rappCloud	74
6.27.4.4	valid_results	74
6.28	face_detection_test_multi_faces.jpg.RappInterfaceTest Class Reference	74
6.28.1	Detailed Description	75
6.28.2	Constructor & Destructor Documentation	75
6.28.2.1	__init__	75
6.28.3	Member Function Documentation	75
6.28.3.1	execute	75
6.28.3.2	validate	75
6.28.4	Member Data Documentation	75
6.28.4.1	elapsed_time	75
6.28.4.2	file_uri	75
6.28.4.3	rappCloud	75
6.28.4.4	valid_minNumFaces	75
6.29	qr_detection_test_hard_medium.RappInterfaceTest Class Reference	76
6.29.1	Detailed Description	76
6.29.2	Constructor & Destructor Documentation	76
6.29.2.1	__init__	76
6.29.3	Member Function Documentation	76
6.29.3.1	execute	76
6.29.3.2	validate	76
6.29.4	Member Data Documentation	76
6.29.4.1	elapsed_time	76
6.29.4.2	file_uri	76
6.29.4.3	rappCloud	76
6.29.4.4	valid_results	77
6.30	qr_detection_test_hard_far.RappInterfaceTest Class Reference	77
6.30.1	Detailed Description	77
6.30.2	Constructor & Destructor Documentation	77
6.30.2.1	__init__	77
6.30.3	Member Function Documentation	77
6.30.3.1	execute	77

6.30.3.2	validate	77
6.30.4	Member Data Documentation	77
6.30.4.1	elapsed_time	77
6.30.4.2	file_uri	78
6.30.4.3	rappCloud	78
6.30.4.4	valid_results	78
6.31	qr_detection_test_easy_near.RaplInterfaceTest Class Reference	78
6.31.1	Detailed Description	78
6.31.2	Constructor & Destructor Documentation	78
6.31.2.1	__init__	78
6.31.3	Member Function Documentation	78
6.31.3.1	execute	78
6.31.3.2	validate	78
6.31.4	Member Data Documentation	79
6.31.4.1	elapsed_time	79
6.31.4.2	file_uri	79
6.31.4.3	rappCloud	79
6.31.4.4	valid_results	79
6.32	qr_detection_test_easy_medium.RaplInterfaceTest Class Reference	79
6.32.1	Detailed Description	79
6.32.2	Constructor & Destructor Documentation	79
6.32.2.1	__init__	79
6.32.3	Member Function Documentation	80
6.32.3.1	execute	80
6.32.3.2	validate	80
6.32.4	Member Data Documentation	80
6.32.4.1	elapsed_time	80
6.32.4.2	file_uri	80
6.32.4.3	rappCloud	80
6.32.4.4	valid_results	80
6.33	qr_detection_test_easy_far.RaplInterfaceTest Class Reference	80
6.33.1	Detailed Description	80
6.33.2	Constructor & Destructor Documentation	81
6.33.2.1	__init__	81
6.33.3	Member Function Documentation	81
6.33.3.1	execute	81
6.33.3.2	validate	81
6.33.4	Member Data Documentation	81
6.33.4.1	elapsed_time	81
6.33.4.2	file_uri	81

6.33.4.3	rappCloud	81
6.33.4.4	valid_results	81
6.34	qr_detection_test_1.RappInterfaceTest Class Reference	81
6.34.1	Detailed Description	82
6.34.2	Constructor & Destructor Documentation	82
6.34.2.1	__init__	82
6.34.3	Member Function Documentation	82
6.34.3.1	execute	82
6.34.3.2	validate	82
6.34.4	Member Data Documentation	82
6.34.4.1	elapsed_time	82
6.34.4.2	file_uri	82
6.34.4.3	rappCloud	82
6.34.4.4	valid_results	82
6.35	ontology_superclasses_of_test_1.RappInterfaceTest Class Reference	82
6.35.1	Detailed Description	83
6.35.2	Constructor & Destructor Documentation	83
6.35.2.1	__init__	83
6.35.3	Member Function Documentation	83
6.35.3.1	execute	83
6.35.3.2	validate	83
6.35.4	Member Data Documentation	83
6.35.4.1	elapsed_time	83
6.35.4.2	ontology_class	83
6.35.4.3	rappCloud	83
6.35.4.4	valid_results	83
6.36	ontology_subclasses_of_test_Oven.RappInterfaceTest Class Reference	84
6.36.1	Detailed Description	84
6.36.2	Constructor & Destructor Documentation	84
6.36.2.1	__init__	84
6.36.3	Member Function Documentation	84
6.36.3.1	execute	84
6.36.3.2	validate	84
6.36.4	Member Data Documentation	84
6.36.4.1	elapsed_time	84
6.36.4.2	ontology_class	84
6.36.4.3	rappCloud	84
6.36.4.4	valid_results	85
6.37	ontology_is_subsuperclass_of_SpatialThing.RappInterfaceTest Class Reference	85
6.37.1	Detailed Description	85

6.37.2	Constructor & Destructor Documentation	85
6.37.2.1	__init__	85
6.37.3	Member Function Documentation	85
6.37.3.1	execute	85
6.37.3.2	validate	85
6.37.4	Member Data Documentation	85
6.37.4.1	child_class_	85
6.37.4.2	elapsed_time	86
6.37.4.3	parent_class_	86
6.37.4.4	rappCloud	86
6.37.4.5	recursive_	86
6.37.4.6	valid_results	86
6.38	ontology_is_subsuperclass_of_microwave_oven.RapplInterfaceTest Class Reference	86
6.38.1	Detailed Description	86
6.38.2	Constructor & Destructor Documentation	87
6.38.2.1	__init__	87
6.38.3	Member Function Documentation	87
6.38.3.1	execute	87
6.38.3.2	validate	87
6.38.4	Member Data Documentation	87
6.38.4.1	child_class_	87
6.38.4.2	elapsed_time	87
6.38.4.3	parent_class_	87
6.38.4.4	rappCloud	87
6.38.4.5	recursive_	87
6.38.4.6	valid_results	87
6.39	available_services_test.RapplInterfaceTest Class Reference	88
6.39.1	Detailed Description	88
6.39.2	Constructor & Destructor Documentation	88
6.39.2.1	__init__	88
6.39.3	Member Function Documentation	88
6.39.3.1	execute	88
6.39.3.2	validate	88
6.39.4	Member Data Documentation	88
6.39.4.1	elapsed_time	88
6.39.4.2	rappCloud	88
6.39.4.3	valid_results	88
6.40	face_detection_test_two_faces_jpg.RapplInterfaceTest Class Reference	89
6.40.1	Detailed Description	89
6.40.2	Constructor & Destructor Documentation	89

6.40.2.1	__init__	89
6.40.3	Member Function Documentation	89
6.40.3.1	execute	89
6.40.3.2	validate	89
6.40.4	Member Data Documentation	89
6.40.4.1	elapsed_time	89
6.40.4.2	file_uri	89
6.40.4.3	rappCloud	89
6.40.4.4	valid_numFaces	90
6.41	face_detection_test_close_straight.RappInterfaceTest Class Reference	90
6.41.1	Detailed Description	90
6.41.2	Constructor & Destructor Documentation	90
6.41.2.1	__init__	90
6.41.3	Member Function Documentation	90
6.41.3.1	execute	90
6.41.3.2	validate	90
6.41.4	Member Data Documentation	90
6.41.4.1	elapsed_time	90
6.41.4.2	file_uri	91
6.41.4.3	rappCloud	91
6.41.4.4	valid_faces	91
6.42	face_detection_test_medium_straight.RappInterfaceTest Class Reference	91
6.42.1	Detailed Description	91
6.42.2	Constructor & Destructor Documentation	91
6.42.2.1	__init__	91
6.42.3	Member Function Documentation	91
6.42.3.1	execute	91
6.42.3.2	validate	91
6.42.4	Member Data Documentation	92
6.42.4.1	elapsed_time	92
6.42.4.2	file_uri	92
6.42.4.3	rappCloud	92
6.42.4.4	valid_faces	92
6.43	face_detection_test_medium_angle.RappInterfaceTest Class Reference	92
6.43.1	Detailed Description	92
6.43.2	Constructor & Destructor Documentation	92
6.43.2.1	__init__	92
6.43.3	Member Function Documentation	93
6.43.3.1	execute	93
6.43.3.2	validate	93

6.43.4	Member Data Documentation	93
6.43.4.1	elapsed_time	93
6.43.4.2	file_uri	93
6.43.4.3	rappCloud	93
6.43.4.4	valid_faces	93
6.44	face_detection_test_lenna_png.RapplInterfaceTest Class Reference	93
6.44.1	Detailed Description	93
6.44.2	Constructor & Destructor Documentation	94
6.44.2.1	__init__	94
6.44.3	Member Function Documentation	94
6.44.3.1	execute	94
6.44.3.2	validate	94
6.44.4	Member Data Documentation	94
6.44.4.1	elapsed_time	94
6.44.4.2	file_uri	94
6.44.4.3	rappCloud	94
6.44.4.4	valid_faces	94
6.45	face_detection_test_far_straight.RapplInterfaceTest Class Reference	94
6.45.1	Detailed Description	95
6.45.2	Constructor & Destructor Documentation	95
6.45.2.1	__init__	95
6.45.3	Member Function Documentation	95
6.45.3.1	execute	95
6.45.3.2	validate	95
6.45.4	Member Data Documentation	95
6.45.4.1	elapsed_time	95
6.45.4.2	file_uri	95
6.45.4.3	rappCloud	95
6.45.4.4	valid_faces	95
6.46	face_detection_test_far_angle.RapplInterfaceTest Class Reference	96
6.46.1	Detailed Description	96
6.46.2	Constructor & Destructor Documentation	96
6.46.2.1	__init__	96
6.46.3	Member Function Documentation	96
6.46.3.1	execute	96
6.46.3.2	validate	96
6.46.4	Member Data Documentation	96
6.46.4.1	elapsed_time	96
6.46.4.2	file_uri	96
6.46.4.3	rappCloud	96

6.46.4.4	valid_faces	97
6.47	cognitive_test_chooser_reasoning.RappInterfaceTest Class Reference	97
6.47.1	Detailed Description	97
6.47.2	Constructor & Destructor Documentation	97
6.47.2.1	__init__	97
6.47.3	Member Function Documentation	97
6.47.3.1	execute	97
6.47.3.2	validate	97
6.47.4	Member Data Documentation	97
6.47.4.1	elapsed_time	97
6.47.4.2	rappCloud	98
6.47.4.3	testType	98
6.47.4.4	username	98
6.48	face_detection_test_close_angle.RappInterfaceTest Class Reference	98
6.48.1	Detailed Description	98
6.48.2	Constructor & Destructor Documentation	98
6.48.2.1	__init__	98
6.48.3	Member Function Documentation	98
6.48.3.1	execute	98
6.48.3.2	validate	98
6.48.4	Member Data Documentation	99
6.48.4.1	elapsed_time	99
6.48.4.2	file_uri	99
6.48.4.3	rappCloud	99
6.48.4.4	valid_faces	99
6.49	denoise_profile_test_1.RappInterfaceTest Class Reference	99
6.49.1	Detailed Description	99
6.49.2	Constructor & Destructor Documentation	99
6.49.2.1	__init__	99
6.49.3	Member Function Documentation	100
6.49.3.1	execute	100
6.49.3.2	validate	100
6.49.4	Member Data Documentation	100
6.49.4.1	audio_source	100
6.49.4.2	elapsed_time	100
6.49.4.3	file_uri	100
6.49.4.4	rappCloud	100
6.49.4.5	user	100
6.50	cognitive_test_chooser_arithmetic.RappInterfaceTest Class Reference	100
6.50.1	Detailed Description	101

6.50.2	Constructor & Destructor Documentation	101
6.50.2.1	__init__	101
6.50.3	Member Function Documentation	101
6.50.3.1	execute	101
6.50.3.2	validate	101
6.50.4	Member Data Documentation	101
6.50.4.1	elapsed_time	101
6.50.4.2	rappCloud	101
6.50.4.3	testType	101
6.50.4.4	username	101
6.51	cognitive_test_chooser_awareness.RappInterfaceTest Class Reference	101
6.51.1	Detailed Description	102
6.51.2	Constructor & Destructor Documentation	102
6.51.2.1	__init__	102
6.51.3	Member Function Documentation	102
6.51.3.1	execute	102
6.51.3.2	validate	102
6.51.4	Member Data Documentation	102
6.51.4.1	elapsed_time	102
6.51.4.2	rappCloud	102
6.51.4.3	testType	102
6.51.4.4	username	102
7	File Documentation	103
7.1	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/README.md File Reference	103
7.2	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_chooser_arithmetic.py File Reference	103
7.3	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_chooser_awareness.py File Reference	103
7.4	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_chooser_reasoning.py File Reference	104
7.5	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/denoise_profile_test_1.py File Reference	104
7.6	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_close_angle.py File Reference	104
7.7	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_close_straight.py File Reference	105
7.8	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_far_angle.py File Reference	105
7.9	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_far_straight.py File Reference	105
7.10	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_lenna_png.py File Reference	106

7.11	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test-medium_angle.py File Reference	106
7.12	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test-medium_straight.py File Reference	106
7.13	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test-multi_faces.jpg.py File Reference	107
7.14	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test-two_faces.jpg.py File Reference	107
7.15	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/available_services_test.py File Reference	107
7.16	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ontology_is_subsuperclass_of_microwave_oven.py File Reference	108
7.17	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ontology_is_subsuperclass_of_SpatialThing.py File Reference	108
7.18	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ontology_subclasses_of_test_Oven.py File Reference	108
7.19	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ontology_superclasses_of_test_1.py File Reference	109
7.20	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_1.py File Reference	109
7.21	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_easy_far.py File Reference	109
7.22	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_easy_medium.py File Reference	110
7.23	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_easy_near.py File Reference	110
7.24	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_hard_far.py File Reference	110
7.25	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_hard_medium.py File Reference	111
7.26	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_hard_near.py File Reference	111
7.27	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_medium_far.py File Reference	111
7.28	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_medium_medium.py File Reference	112
7.29	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_medium_near.py File Reference	112
7.30	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/record_cognitive_test_performance_arithmetic.py File Reference	112
7.31	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/record_cognitive_test_performance_awareness.py File Reference	113
7.32	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/record_cognitive_test_performance_reasoning.py File Reference	113
7.33	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_google_test_ogg_sentence1.py File Reference	113

7.34	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_-google_test_ogg_sentence2.py File Reference	114
7.35	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_-sphinx_test_headset_deutera.py File Reference	114
7.36	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_-sphinx_test_headset_nai_oxi.py File Reference	114
7.37	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_-sphinx_test_headset_steile_mail.py File Reference	115
7.38	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_-sphinx_test_nao_wav_1_ch_email_robot.py File Reference	115
7.39	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_-sphinx_test_nao_wav_1_ch_nai_oxi.py File Reference	115
7.40	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_-sphinx_test_nao_wav_1_ch_thelw_voithia.py File Reference	116
7.41	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_-sphinx_test_nao_wav_1_ch_yes_no.py File Reference	116
7.42	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_-sphinx_test_ogg_deutera.py File Reference	116
7.43	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_-sphinx_test_ogg_monday.py File Reference	117
7.44	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_-sphinx_test_ogg_no.py File Reference	117
7.45	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_-sphinx_test_ogg_oxi.py File Reference	117
7.46	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_-sphinx_test_ogg_triti.py File Reference	118
7.47	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_-sphinx_test_ogg_tuesday.py File Reference	118
7.48	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_-sphinx_test_ogg_yes.py File Reference	118
7.49	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/template.py File Reference	119
7.50	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/text_to_speech_test_-gr_auto_store_file.py File Reference	119
7.51	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/text_to_speech_test_-gr_default.py File Reference	119
7.52	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/rapp_run_test.py File Reference	120
7.53	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/__init__.py File Reference	120
7.54	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/rapp_testing_-core.py File Reference	120
Index		122

Chapter 1

RAPP Testing Tools

Synopsis

Testing tools used for RAPP Platform integration tests.

All tests use the RappCloud python module, `python-rapp-api`, to communicate with RAPP Platform AI modules.

Tests Directory

By default, this package contains basic, out-of-the-box, integration tests. These tests are located under:

```
“shell $ <rapp_testing_tools_package_path>/scripts/default_tests “
```

Executing Tests

The `rapp_run_test.py` script is used in order to execute developed tests.

Execution time arguments:

- [`**-i**`] : Give as input, the test name, to execute.

```
“shell $ ./rapp_run_test.py -i face_detection_test_1.py “
```

- [`**-n**`] : Give number of execution of test(s).

```
“shell $ ./rapp_run_test.py -i face_detection_test_1.py -n 10 “
```

- [`**-t**`] : Run the test in threaded mode which means that multiple invocations can be done, simultaneous. Each test execution is handled by a standalone thread.

```
“shell $ ./rapp_run_test.py -i face_detection_test_1.py -n 10 -t “
```

- [`**-c**`] : Test classes can be used to execute a specific family of tests. Using test classes all tests, under this class, will be executed. In most cases a test class is named after the relevant RAPP Platform ROS-Package; [**face-detection**, **qr-detection**, **speech-detection**, **speech-detection-sphinx4**, **speech-detection-google**, **ontology**, **cognitive**, **tts**]

```
“shell $ ./rapp_run_test.py -c face-detection “
```

Note: If no test_name is provided as argument, all tests located under tests paths are executed!!

There are two ways of executing developed tests:

- Execute directly.
- Execute under the ROS framework.

Using the python executable, directly.

The below example executes the [qr_detection_test_1](#), five times in sequential mode.

```
“shell $ ./rapp_run_test.py -i qr\_detection\_test\_1.py -n 5 “
```

Using ROS framework

The below example executes all tests, once.

```
“shell $ rosrn rapp\_testing\_tools rapp\_run\_test.py “
```

Developing Tests

A [template.py](#) is located under the [default_tests](#) directory of the [rapp_testing_tools](#) package.

```
“shell $ <path_to_rapp_testing_tools_package>/scripts/default_tests “
```

Also several tests have already been developed, located under the [default_tests](#) directory. Those can be used as a reference for developing new tests.

Where to store developed tests

By default, developed tests are stored under the [scripts/default_tests](#) directory.

To define external tests directories, developers have to append that path into the [params.yaml](#) configuration file. This file is located under the [config/](#) directory in this package.

Lets say for example that you want to store tests under:

```
“shell $ ${HOME}/rapp_integration_tests_external “
```

You can extend the path directories used by the test-engine to search under for python test source files. Just write down custom directory paths into the [params.yaml](#) file.

```
“yaml tests_path:
```

- `'~/rapp_integration_tests_external'` “

Contributors

- Konstantinos Panayiotou, [klpanagi@gmail.com]
- Manos Tsardoulis. [etsardou@gmail.com]

Contact

- Konstantinos Panayiotou, [klpanagi@gmail.com]

Chapter 2

Namespace Index

2.1 Namespace List

Here is a list of all namespaces with brief descriptions:

available_services_test	11
cognitive_test_chooser_arithmetic	11
cognitive_test_chooser_awareness	11
cognitive_test_chooser_reasoning	12
denoise_profile_test_1	12
face_detection_test_close_angle	13
face_detection_test_close_straight	13
face_detection_test_far_angle	13
face_detection_test_far_straight	14
face_detection_test_lenna_png	14
face_detection_test_medium_angle	14
face_detection_test_medium_straight	15
face_detection_test_multi_faces_jpg	15
face_detection_test_two_faces_jpg	15
ontology_is_subsuperclass_of_microwave_oven	16
ontology_is_subsuperclass_of_SpatialThing	16
ontology_subclasses_of_test_Oven	16
ontology_superclasses_of_test_1	17
qr_detection_test_1	17
qr_detection_test_easy_far	17
qr_detection_test_easy_medium	18
qr_detection_test_easy_near	18
qr_detection_test_hard_far	18
qr_detection_test_hard_medium	19
qr_detection_test_hard_near	19
qr_detection_test_medium_far	19
qr_detection_test_medium_medium	20
qr_detection_test_medium_near	20
rapp_run_test	20
rapp_testing_tools	20
rapp_testing_tools.rapp_testing_core	20
record_cognitive_test_performance_arithmetic	23
record_cognitive_test_performance_awareness	24
record_cognitive_test_performance_reasoning	24
speech_detection_google_test_ogg_sentence1	24
speech_detection_google_test_ogg_sentence2	25
speech_detection_sphinx_test_headset_deutera	25
speech_detection_sphinx_test_headset_nai_oxi	25

speech_detection_sphinx_test_headset_steile_mail	26
speech_detection_sphinx_test_nao_wav_1_ch_email_robot	26
speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi	26
speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia	27
speech_detection_sphinx_test_nao_wav_1_ch_yes_no	27
speech_detection_sphinx_test_ogg_deutera	27
speech_detection_sphinx_test_ogg_monday	28
speech_detection_sphinx_test_ogg_no	28
speech_detection_sphinx_test_ogg_oxi	28
speech_detection_sphinx_test_ogg_triti	29
speech_detection_sphinx_test_ogg_tuesday	29
speech_detection_sphinx_test_ogg_yes	29
template	30
text_to_speech_test_gr_auto_store_file	30
text_to_speech_test_gr_default	30

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

rapp_testing_tools.rapp_testing_core.bcolors	
----- Console colors ----- ##	33
qr_detection_test_hard_near.RapplInterfaceTest	34
text_to_speech_test_gr_default.RapplInterfaceTest	35
text_to_speech_test_gr_auto_store_file.RapplInterfaceTest	37
template.RapplInterfaceTest	38
speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest	39
speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest	41
speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest	43
speech_detection_sphinx_test_ogg_oxi.RapplInterfaceTest	44
speech_detection_sphinx_test_ogg_no.RapplInterfaceTest	46
speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest	48
speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest	50
speech_detection_sphinx_test_nao_wav_1_ch_yes_no.RapplInterfaceTest	51
speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapplInterfaceTest	53
speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.RapplInterfaceTest	55
speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapplInterfaceTest	57
speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest	59
speech_detection_sphinx_test_headset_nai_oxi.RapplInterfaceTest	60
speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest	62
speech_detection_google_test_ogg_sentence2.RapplInterfaceTest	64
speech_detection_google_test_ogg_sentence1.RapplInterfaceTest	65
record_cognitive_test_performance_reasoning.RapplInterfaceTest	67
record_cognitive_test_performance_awareness.RapplInterfaceTest	68
record_cognitive_test_performance_arithmetic.RapplInterfaceTest	70
qr_detection_test_medium_near.RapplInterfaceTest	71
qr_detection_test_medium_medium.RapplInterfaceTest	72
qr_detection_test_medium_far.RapplInterfaceTest	73
face_detection_test_multi_faces_jpg.RapplInterfaceTest	74
qr_detection_test_hard_medium.RapplInterfaceTest	76
qr_detection_test_hard_far.RapplInterfaceTest	77
qr_detection_test_easy_near.RapplInterfaceTest	78
qr_detection_test_easy_medium.RapplInterfaceTest	79
qr_detection_test_easy_far.RapplInterfaceTest	80
qr_detection_test_1.RapplInterfaceTest	81
ontology_superclasses_of_test_1.RapplInterfaceTest	82
ontology_subclasses_of_test_Oven.RapplInterfaceTest	84
ontology_is_subsuperclass_of_SpatialThing.RapplInterfaceTest	85

ontology_is_subsuperclass_of_microwave_oven.RapplInterfaceTest	86
available_services_test.RapplInterfaceTest	88
face_detection_test_two_faces_jpg.RapplInterfaceTest	89
face_detection_test_close_straight.RapplInterfaceTest	90
face_detection_test_medium_straight.RapplInterfaceTest	91
face_detection_test_medium_angle.RapplInterfaceTest	92
face_detection_test_lenna_png.RapplInterfaceTest	93
face_detection_test_far_straight.RapplInterfaceTest	94
face_detection_test_far_angle.RapplInterfaceTest	96
cognitive_test_chooser_reasoning.RapplInterfaceTest	97
face_detection_test_close_angle.RapplInterfaceTest	98
denoise_profile_test_1.RapplInterfaceTest	99
cognitive_test_chooser_arithmetic.RapplInterfaceTest	100
cognitive_test_chooser_awareness.RapplInterfaceTest	101

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/ rapp_run_test.py	120
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ cognitive_test_chooser_arithmetic.py	103
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ cognitive_test_chooser_awareness.py	103
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ cognitive_test_chooser_reasoning.py	104
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ denoise_profile_test_1.py	104
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ face_detection_test_close_angle.py	104
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ face_detection_test_close_straight.py	105
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ face_detection_test_far_angle.py	105
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ face_detection_test_far_straight.py	105
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ face_detection_test_lenna_png.py	106
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ face_detection_test_medium_angle.py	106
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ face_detection_test_medium_straight.py	106
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ face_detection_test_multi_faces_jpg.py	107
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ face_detection_test_two_faces_jpg.py	107
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ ontology_is_subsuperclass_of_microwave_oven.py	108
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ ontology_is_subsuperclass_of_SpatialThing.py	108
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ ontology_subclasses_of_test_Oven.py	108
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ ontology_superclasses_of_test_1.py	109
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ qr_detection_test_1.py . .	109
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ qr_detection_test_easy_far.py	109

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_easy_medium.py	110
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_easy_near.py	110
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_hard_far.py	110
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_hard_medium.py	111
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_hard_near.py	111
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_medium_far.py	111
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_medium_medium.py	112
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_medium_near.py	112
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/record_cognitive_test_performance_arithmetic.py	112
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/record_cognitive_test_performance_awareness.py	113
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/record_cognitive_test_performance_reasoning.py	113
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_google_test_ogg_sentence1.py	113
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_google_test_ogg_sentence2.py	114
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_headset_deutera.py	114
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_headset_nai_oxi.py	114
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_headset_steile_mail.py	115
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py	115
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py	115
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py	116
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_nao_wav_1_ch_yes_no.py	116
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_deutera.py	116
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_monday.py	117
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_no.py	117
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_oxi.py	117
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_triti.py	118
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_tuesday.py	118
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_yes.py	118
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/template.py	119
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/text_to_speech_test_gr_auto_store_file.py	119

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/text_to_speech_test_gr - default.py	119
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/available_services- _test.py	107
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/__init__.py	120
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/rapp_testing_core.py . .	120

Chapter 5

Namespace Documentation

5.1 available_services_test Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple [__path__](#) = os.path.dirname(os.path.realpath(__file__))

5.1.1 Variable Documentation

5.1.1.1 tuple available_services_test.__path__ = os.path.dirname(os.path.realpath(__file__))

Definition at line 26 of file available_services_test.py.

5.2 cognitive_test_chooser_arithmetic Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple [__path__](#) = os.path.dirname(os.path.realpath(__file__))

5.2.1 Variable Documentation

5.2.1.1 tuple cognitive_test_chooser_arithmetic.__path__ = os.path.dirname(os.path.realpath(__file__))

Definition at line 25 of file cognitive_test_chooser_arithmetic.py.

5.3 cognitive_test_chooser_awareness Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.3.1 Variable Documentation

5.3.1.1 tuple `cognitive_test_chooser_awareness.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 25 of file `cognitive_test_chooser_awareness.py`.

5.4 `cognitive_test_chooser_reasoning` Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.4.1 Variable Documentation

5.4.1.1 tuple `cognitive_test_chooser_reasoning.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 25 of file `cognitive_test_chooser_reasoning.py`.

5.5 `denoise_profile_test_1` Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.5.1 Variable Documentation

5.5.1.1 tuple `denoise_profile_test_1.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `denoise_profile_test_1.py`.

5.6 face_detection_test_close_angle Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.6.1 Variable Documentation

5.6.1.1 tuple `face_detection_test_close_angle.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_close_angle.py`.

5.7 face_detection_test_close_straight Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.7.1 Variable Documentation

5.7.1.1 tuple `face_detection_test_close_straight.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_close_straight.py`.

5.8 face_detection_test_far_angle Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.8.1 Variable Documentation

5.8.1.1 tuple `face_detection_test_far_angle.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_far_angle.py`.

5.9 face_detection_test_far_straight Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple [__path__](#) = os.path.dirname(os.path.realpath(__file__))

5.9.1 Variable Documentation

5.9.1.1 tuple face_detection_test_far_straight.__path__ = os.path.dirname(os.path.realpath(__file__))

Definition at line 26 of file face_detection_test_far_straight.py.

5.10 face_detection_test_lenna_png Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple [__path__](#) = os.path.dirname(os.path.realpath(__file__))

5.10.1 Variable Documentation

5.10.1.1 tuple face_detection_test_lenna_png.__path__ = os.path.dirname(os.path.realpath(__file__))

Definition at line 26 of file face_detection_test_lenna_png.py.

5.11 face_detection_test_medium_angle Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple [__path__](#) = os.path.dirname(os.path.realpath(__file__))

5.11.1 Variable Documentation

5.11.1.1 tuple face_detection_test_medium_angle.__path__ = os.path.dirname(os.path.realpath(__file__))

Definition at line 26 of file face_detection_test_medium_angle.py.

5.12 face_detection_test_medium_straight Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.12.1 Variable Documentation

5.12.1.1 tuple `face_detection_test_medium_straight.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_medium_straight.py`.

5.13 face_detection_test_multi_faces_jpg Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.13.1 Variable Documentation

5.13.1.1 tuple `face_detection_test_multi_faces_jpg.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_multi_faces_jpg.py`.

5.14 face_detection_test_two_faces_jpg Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.14.1 Variable Documentation

5.14.1.1 tuple `face_detection_test_two_faces_jpg.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_two_faces_jpg.py`.

5.15 ontology_is_subsuperclass_of_microwave_oven Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.15.1 Variable Documentation

5.15.1.1 tuple `ontology_is_subsuperclass_of_microwave_oven.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `ontology_is_subsuperclass_of_microwave_oven.py`.

5.16 ontology_is_subsuperclass_of_SpatialThing Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.16.1 Variable Documentation

5.16.1.1 tuple `ontology_is_subsuperclass_of_SpatialThing.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

5.17 ontology_subclasses_of_test_Oven Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.17.1 Variable Documentation

5.17.1.1 tuple `ontology_subclasses_of_test_Oven.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `ontology_subclasses_of_test_Oven.py`.

5.18 ontology_superclasses_of_test_1 Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.18.1 Variable Documentation

5.18.1.1 tuple `ontology_superclasses_of_test_1.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `ontology_superclasses_of_test_1.py`.

5.19 qr_detection_test_1 Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.19.1 Variable Documentation

5.19.1.1 tuple `qr_detection_test_1.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_1.py`.

5.20 qr_detection_test_easy_far Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.20.1 Variable Documentation

5.20.1.1 tuple `qr_detection_test_easy_far.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_easy_far.py`.

5.21 qr_detection_test_easy_medium Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.21.1 Variable Documentation

5.21.1.1 tuple `qr_detection_test_easy_medium.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_easy_medium.py`.

5.22 qr_detection_test_easy_near Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.22.1 Variable Documentation

5.22.1.1 tuple `qr_detection_test_easy_near.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_easy_near.py`.

5.23 qr_detection_test_hard_far Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.23.1 Variable Documentation

5.23.1.1 tuple `qr_detection_test_hard_far.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_hard_far.py`.

5.24 qr_detection_test_hard_medium Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.24.1 Variable Documentation

5.24.1.1 tuple `qr_detection_test_hard_medium.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_hard_medium.py`.

5.25 qr_detection_test_hard_near Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.25.1 Variable Documentation

5.25.1.1 tuple `qr_detection_test_hard_near.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_hard_near.py`.

5.26 qr_detection_test_medium_far Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.26.1 Variable Documentation

5.26.1.1 tuple `qr_detection_test_medium_far.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_medium_far.py`.

5.27 qr_detection_test_medium_medium Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple [__path__](#) = os.path.dirname(os.path.realpath(__file__))

5.27.1 Variable Documentation

5.27.1.1 tuple `qr_detection_test_medium_medium.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_medium_medium.py`.

5.28 qr_detection_test_medium_near Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple [__path__](#) = os.path.dirname(os.path.realpath(__file__))

5.28.1 Variable Documentation

5.28.1.1 tuple `qr_detection_test_medium_near.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_medium_near.py`.

5.29 rapp_run_test Namespace Reference

5.30 rapp_testing_tools Namespace Reference

Namespaces

- [rapp_testing_core](#)

5.31 rapp_testing_tools.rapp_testing_core Namespace Reference

Classes

- class [bcolors](#)
----- Console colors ----- ##

Functions

- def [append_to_system_path](#)
Append directory paths, given as input into the global system path.
- def [execute](#)
----- ##
- def [execute_tests_all](#)
Load and execute input given tests.
- def [get_test_files](#)
Parse input paths and export found test files.
- def [load_tests_paths](#)
Parse and get all given tests path directories, plus the default ones.
- def [main](#)
Main.
- def [parse_args](#)
Parse input arguments.
- def [print_results](#)
Print final results.

Variables

- tuple [__path__](#) = os.path.dirname(os.path.realpath(__file__))
- tuple [mutex](#) = Lock()
- dictionary [results](#)
- list [testClasses](#)
----- *Test Classess* ----- ##
- dictionary [testClassMatch](#)
----- ##

5.31.1 Function Documentation

5.31.1.1 def rapp_testing_tools.rapp_testing_core.append_to_system_path (paths)

Append directory paths, given as input into the global system path.

This is usefull in order to load test files under those directories.

Definition at line 167 of file rapp_testing_core.py.

5.31.1.2 def rapp_testing_tools.rapp_testing_core.execute (module, id)

----- ##

Execute input test module

Parameters

<i>module</i>	Imported test module to execute.
<i>id</i>	This test execution id

Definition at line 92 of file rapp_testing_core.py.

5.31.1.3 def rapp_testing_tools.rapp_testing_core.execute_tests_all (tests, numCalls, threaded)

Load and execute input given tests.

Parameters

<i>tests</i>	List of tests to execute.
<i>numCalls</i>	Number of executions.
<i>threaded</i>	If true the execution is handled by threads.

Definition at line 233 of file rapp_testing_core.py.

5.31.1.4 `def rapp_testing_tools.rapp_testing_core.get_test_files (args, paths)`

Parse input paths and export found test files.

Parameters

<i>args</i>	Arguments.
<i>paths</i>	Path directories to look for test files.

Definition at line 197 of file rapp_testing_core.py.

5.31.1.5 `def rapp_testing_tools.rapp_testing_core.load_tests_paths ()`

Parse and get all given tests path directories, plus the default ones.

Returns

Array of tests paths.

Definition at line 140 of file rapp_testing_core.py.

5.31.1.6 `def rapp_testing_tools.rapp_testing_core.main ()`

Main.

Definition at line 283 of file rapp_testing_core.py.

5.31.1.7 `def rapp_testing_tools.rapp_testing_core.parse_args ()`

Parse input arguments.

Definition at line 113 of file rapp_testing_core.py.

5.31.1.8 `def rapp_testing_tools.rapp_testing_core.print_results ()`

Print final results.

Definition at line 175 of file rapp_testing_core.py.

5.31.2 Variable Documentation

5.31.2.1 `tuple rapp_testing_tools.rapp_testing_core.__path__ = os.path.dirname(os.path.realpath(__file__))`

Definition at line 35 of file rapp_testing_core.py.

5.31.2.2 `tuple rapp_testing_tools.rapp_testing_core.mutex = Lock()`

Definition at line 38 of file rapp_testing_core.py.

5.31.2.3 dictionary rapp_testing_tools.rapp_testing_core.results

Initial value:

```

1 = {
2     'success' : [],
3     'failed' : [],
4     'num_tests': 0
5 }
```

Definition at line 64 of file rapp_testing_core.py.

5.31.2.4 list rapp_testing_tools.rapp_testing_core.testClasses

Initial value:

```

1 = [
2     'face-detection',
3     'qr-detection',
4     'speech-detection',
5     'speech-detection-sphinx4',
6     'speech-detection-google',
7     'ontology',
8     'cognitive',
9     'tts'
10 ]
```

----- Test Classess ----- ##

Definition at line 41 of file rapp_testing_core.py.

5.31.2.5 dictionary rapp_testing_tools.rapp_testing_core.testClassMatch

Initial value:

```

1 = {
2     'face-detection' : 'face',
3     'qr-detection' : 'qr',
4     'speech-detection' : 'speech',
5     'speech-detection-sphinx4' : 'sphinx4',
6     'speech-detection-google' : 'google',
7     'ontology' : 'ontology',
8     'cognitive' : 'cognitive',
9     'tts' : 'text_to_speech'
10 }
```

----- ##

Definition at line 53 of file rapp_testing_core.py.

5.32 record_cognitive_test_performance_arithmetic Namespace Reference

Classes

- class [RappInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.32.1 Variable Documentation

5.32.1.1 tuple `record_cognitive_test_performance_arithmetic.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 25 of file `record_cognitive_test_performance_arithmetic.py`.

5.33 `record_cognitive_test_performance_awareness` Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.33.1 Variable Documentation

5.33.1.1 tuple `record_cognitive_test_performance_awareness.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 25 of file `record_cognitive_test_performance_awareness.py`.

5.34 `record_cognitive_test_performance_reasoning` Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.34.1 Variable Documentation

5.34.1.1 tuple `record_cognitive_test_performance_reasoning.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 25 of file `record_cognitive_test_performance_reasoning.py`.

5.35 `speech_detection_google_test_ogg_sentence1` Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.35.1 Variable Documentation

5.35.1.1 tuple `speech_detection_google_test_ogg_sentence1.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_google_test_ogg_sentence1.py`.

5.36 speech_detection_google_test_ogg_sentence2 Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.36.1 Variable Documentation

5.36.1.1 tuple `speech_detection_google_test_ogg_sentence2.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_google_test_ogg_sentence2.py`.

5.37 speech_detection_sphinx_test_headset_deutera Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.37.1 Variable Documentation

5.37.1.1 tuple `speech_detection_sphinx_test_headset_deutera.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_headset_deutera.py`.

5.38 speech_detection_sphinx_test_headset_nai_oxi Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.38.1 Variable Documentation

5.38.1.1 tuple `speech_detection_sphinx_test_headset_nai_oxi.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_headset_nai_oxi.py`.

5.39 `speech_detection_sphinx_test_headset_steile_mail` Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.39.1 Variable Documentation

5.39.1.1 tuple `speech_detection_sphinx_test_headset_steile_mail.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_headset_steile_mail.py`.

5.40 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot` Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.40.1 Variable Documentation

5.40.1.1 tuple `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.__path__` = `os.path.dirname(os.path.realpath(__file__ - _))`

Definition at line 27 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

5.41 `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi` Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.41.1 Variable Documentation

5.41.1.1 tuple `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py`.

5.42 speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.42.1 Variable Documentation

5.42.1.1 tuple `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

5.43 speech_detection_sphinx_test_nao_wav_1_ch_yes_no Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.43.1 Variable Documentation

5.43.1.1 tuple `speech_detection_sphinx_test_nao_wav_1_ch_yes_no.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_nao_wav_1_ch_yes_no.py`.

5.44 speech_detection_sphinx_test_ogg_deutera Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.44.1 Variable Documentation

5.44.1.1 tuple `speech_detection_sphinx_test_ogg_deutera.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_ogg_deutera.py`.

5.45 `speech_detection_sphinx_test_ogg_monday` Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.45.1 Variable Documentation

5.45.1.1 tuple `speech_detection_sphinx_test_ogg_monday.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_ogg_monday.py`.

5.46 `speech_detection_sphinx_test_ogg_no` Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.46.1 Variable Documentation

5.46.1.1 tuple `speech_detection_sphinx_test_ogg_no.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_ogg_no.py`.

5.47 `speech_detection_sphinx_test_ogg_oxi` Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.47.1 Variable Documentation

5.47.1.1 tuple `speech_detection_sphinx_test_ogg_oxi.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_ogg_oxi.py`.

5.48 speech_detection_sphinx_test_ogg_triti Namespace Reference

Classes

- class `RappInterfaceTest`

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.48.1 Variable Documentation

5.48.1.1 tuple `speech_detection_sphinx_test_ogg_triti.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_ogg_triti.py`.

5.49 speech_detection_sphinx_test_ogg_tuesday Namespace Reference

Classes

- class `RappInterfaceTest`

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.49.1 Variable Documentation

5.49.1.1 tuple `speech_detection_sphinx_test_ogg_tuesday.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

5.50 speech_detection_sphinx_test_ogg_yes Namespace Reference

Classes

- class `RappInterfaceTest`

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.50.1 Variable Documentation

5.50.1.1 tuple `speech_detection_sphinx_test_ogg_yes.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_ogg_yes.py`.

5.51 template Namespace Reference

Classes

- class `RappInterfaceTest`

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.51.1 Variable Documentation

5.51.1.1 tuple `template.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `template.py`.

5.52 text_to_speech_test_gr_auto_store_file Namespace Reference

Classes

- class `RappInterfaceTest`

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.52.1 Variable Documentation

5.52.1.1 tuple `text_to_speech_test_gr_auto_store_file.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 24 of file `text_to_speech_test_gr_auto_store_file.py`.

5.53 text_to_speech_test_gr_default Namespace Reference

Classes

- class `RappInterfaceTest`

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

5.53.1 Variable Documentation

5.53.1.1 tuple `text_to_speech_test_gr_default.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 24 of file `text_to_speech_test_gr_default.py`.

Chapter 6

Class Documentation

6.1 rapp_testing_tools.rapp_testing_core.bcolors Class Reference

----- Console colors ----- ##

Static Public Attributes

- string **BOLD** = '\033[1m'
- string **ENDC** = '\033[0m'
- string **FAIL** = '\033[91m'
- string **HEADER** = '\033[95m'
- string **OKBLUE** = '\033[94m'
- string **OKGREEN** = '\033[92m'
- string **UNDERLINE** = '\033[4m'
- string **WARNING** = '\033[93m'

6.1.1 Detailed Description

----- Console colors ----- ##

Definition at line 72 of file rapp_testing_core.py.

6.1.2 Member Data Documentation

6.1.2.1 string rapp_testing_tools.rapp_testing_core.bcolors.BOLD = '\033[1m' [static]

Definition at line 79 of file rapp_testing_core.py.

6.1.2.2 string rapp_testing_tools.rapp_testing_core.bcolors.ENDC = '\033[0m' [static]

Definition at line 78 of file rapp_testing_core.py.

6.1.2.3 string rapp_testing_tools.rapp_testing_core.bcolors.FAIL = '\033[91m' [static]

Definition at line 77 of file rapp_testing_core.py.

6.1.2.4 `string rapp_testing_tools.rapp_testing_core.bcolors.HEADER = '\033[95m'` `[static]`

Definition at line 73 of file `rapp_testing_core.py`.

6.1.2.5 `string rapp_testing_tools.rapp_testing_core.bcolors.OKBLUE = '\033[94m'` `[static]`

Definition at line 74 of file `rapp_testing_core.py`.

6.1.2.6 `string rapp_testing_tools.rapp_testing_core.bcolors.OKGREEN = '\033[92m'` `[static]`

Definition at line 75 of file `rapp_testing_core.py`.

6.1.2.7 `string rapp_testing_tools.rapp_testing_core.bcolors.UNDERLINE = '\033[4m'` `[static]`

Definition at line 80 of file `rapp_testing_core.py`.

6.1.2.8 `string rapp_testing_tools.rapp_testing_core.bcolors.WARNING = '\033[93m'` `[static]`

Definition at line 76 of file `rapp_testing_core.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/rapp_testing_core.py`

6.2 `qr_detection_test_hard_near.RapplInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `file_uri`
- `rappCloud`
- `valid_results`

6.2.1 Detailed Description

Definition at line 32 of file `qr_detection_test_hard_near.py`.

6.2.2 Constructor & Destructor Documentation

6.2.2.1 `def qr_detection_test_hard_near.RapplInterfaceTest.__init__(self)`

Definition at line 34 of file `qr_detection_test_hard_near.py`.

6.2.3 Member Function Documentation

6.2.3.1 `def qr_detection_test_hard_near.RappInterfaceTest.execute (self)`

Definition at line 48 of file `qr_detection_test_hard_near.py`.

6.2.3.2 `def qr_detection_test_hard_near.RappInterfaceTest.validate (self, response)`

Definition at line 55 of file `qr_detection_test_hard_near.py`.

6.2.4 Member Data Documentation

6.2.4.1 `qr_detection_test_hard_near.RappInterfaceTest.elapsed_time`

Definition at line 52 of file `qr_detection_test_hard_near.py`.

6.2.4.2 `qr_detection_test_hard_near.RappInterfaceTest.file_uri`

Definition at line 38 of file `qr_detection_test_hard_near.py`.

6.2.4.3 `qr_detection_test_hard_near.RappInterfaceTest.rappCloud`

Definition at line 35 of file `qr_detection_test_hard_near.py`.

6.2.4.4 `qr_detection_test_hard_near.RappInterfaceTest.valid_results`

Definition at line 41 of file `qr_detection_test_hard_near.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_hard_near.py`

6.3 text_to_speech_test_gr_default.RappInterfaceTest Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `destDir`
- `elapsed_time`
- `language`
- `rappCloud`
- `text`

6.3.1 Detailed Description

Definition at line 29 of file text_to_speech_test_gr_default.py.

6.3.2 Constructor & Destructor Documentation

6.3.2.1 `def text_to_speech_test_gr_default.RappInterfaceTest.__init__(self)`

Definition at line 31 of file text_to_speech_test_gr_default.py.

6.3.3 Member Function Documentation

6.3.3.1 `def text_to_speech_test_gr_default.RappInterfaceTest.execute(self)`

Definition at line 38 of file text_to_speech_test_gr_default.py.

6.3.3.2 `def text_to_speech_test_gr_default.RappInterfaceTest.validate(self, response)`

Definition at line 46 of file text_to_speech_test_gr_default.py.

6.3.4 Member Data Documentation

6.3.4.1 `text_to_speech_test_gr_default.RappInterfaceTest.destDir`

Definition at line 35 of file text_to_speech_test_gr_default.py.

6.3.4.2 `text_to_speech_test_gr_default.RappInterfaceTest.elapsed_time`

Definition at line 43 of file text_to_speech_test_gr_default.py.

6.3.4.3 `text_to_speech_test_gr_default.RappInterfaceTest.language`

Definition at line 33 of file text_to_speech_test_gr_default.py.

6.3.4.4 `text_to_speech_test_gr_default.RappInterfaceTest.rappCloud`

Definition at line 32 of file text_to_speech_test_gr_default.py.

6.3.4.5 `text_to_speech_test_gr_default.RappInterfaceTest.text`

Definition at line 34 of file text_to_speech_test_gr_default.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/text_to_speech_test_gr_default.py](#)

6.4 text_to_speech_test_gr_auto_store_file.RappInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [destFilePath](#)
- [elapsed_time](#)
- [language](#)
- [rappCloud](#)
- [text](#)

6.4.1 Detailed Description

Definition at line 29 of file text_to_speech_test_gr_auto_store_file.py.

6.4.2 Constructor & Destructor Documentation

6.4.2.1 `def text_to_speech_test_gr_auto_store_file.RappInterfaceTest.__init__(self)`

Definition at line 31 of file text_to_speech_test_gr_auto_store_file.py.

6.4.3 Member Function Documentation

6.4.3.1 `def text_to_speech_test_gr_auto_store_file.RappInterfaceTest.execute(self)`

Definition at line 38 of file text_to_speech_test_gr_auto_store_file.py.

6.4.3.2 `def text_to_speech_test_gr_auto_store_file.RappInterfaceTest.validate(self, response)`

Definition at line 47 of file text_to_speech_test_gr_auto_store_file.py.

6.4.4 Member Data Documentation

6.4.4.1 `text_to_speech_test_gr_auto_store_file.RappInterfaceTest.destFilePath`

Definition at line 35 of file text_to_speech_test_gr_auto_store_file.py.

6.4.4.2 `text_to_speech_test_gr_auto_store_file.RappInterfaceTest.elapsed_time`

Definition at line 44 of file text_to_speech_test_gr_auto_store_file.py.

6.4.4.3 `text_to_speech_test_gr_auto_store_file.RappInterfaceTest.language`

Definition at line 33 of file text_to_speech_test_gr_auto_store_file.py.

6.4.4.4 `text_to_speech_test_gr_auto_store_file.RappInterfaceTest.rappCloud`

Definition at line 32 of file `text_to_speech_test_gr_auto_store_file.py`.

6.4.4.5 `text_to_speech_test_gr_auto_store_file.RappInterfaceTest.text`

Definition at line 34 of file `text_to_speech_test_gr_auto_store_file.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/text_to_speech_test_gr_auto_store_file.py`

6.5 `template.RappInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `file_uri`
- `rappCloud`
- `valid_results`

6.5.1 Detailed Description

Definition at line 32 of file `template.py`.

6.5.2 Constructor & Destructor Documentation

6.5.2.1 `def template.RappInterfaceTest.__init__(self)`

Definition at line 34 of file `template.py`.

6.5.3 Member Function Documentation

6.5.3.1 `def template.RappInterfaceTest.execute (self)`

Definition at line 42 of file `template.py`.

6.5.3.2 `def template.RappInterfaceTest.validate (self, response)`

Definition at line 51 of file `template.py`.

6.5.4 Member Data Documentation

6.5.4.1 template.RappInterfaceTest.elapsed_time

Definition at line 48 of file template.py.

6.5.4.2 template.RappInterfaceTest.file_uri

Definition at line 38 of file template.py.

6.5.4.3 template.RappInterfaceTest.rappCloud

Definition at line 35 of file template.py.

6.5.4.4 template.RappInterfaceTest.valid_results

Definition at line 40 of file template.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/[template.py](#)

6.6 speech_detection_sphinx_test_ogg_yes.RappInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [audio_source](#)
- [elapsed_time](#)
- [file_uri](#)
- [grammar](#)
- [language](#)
- [rappCloud](#)
- [sentences](#)
- [user](#)
- [valid_words_found](#)
- [words](#)

6.6.1 Detailed Description

Definition at line 32 of file speech_detection_sphinx_test_ogg_yes.py.

6.6.2 Constructor & Destructor Documentation

6.6.2.1 def speech_detection_sphinx_test_ogg_yes.RappInterfaceTest.__init__(self)

Definition at line 34 of file speech_detection_sphinx_test_ogg_yes.py.

6.6.3 Member Function Documentation

6.6.3.1 `def speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.execute (self)`

Definition at line 49 of file `speech_detection_sphinx_test_ogg_yes.py`.

6.6.3.2 `def speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.validate (self, response)`

Definition at line 64 of file `speech_detection_sphinx_test_ogg_yes.py`.

6.6.4 Member Data Documentation

6.6.4.1 `speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.audio_source`

Definition at line 42 of file `speech_detection_sphinx_test_ogg_yes.py`.

6.6.4.2 `speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.elapsed_time`

Definition at line 61 of file `speech_detection_sphinx_test_ogg_yes.py`.

6.6.4.3 `speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.file_uri`

Definition at line 38 of file `speech_detection_sphinx_test_ogg_yes.py`.

6.6.4.4 `speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.grammar`

Definition at line 45 of file `speech_detection_sphinx_test_ogg_yes.py`.

6.6.4.5 `speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.language`

Definition at line 41 of file `speech_detection_sphinx_test_ogg_yes.py`.

6.6.4.6 `speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.rappCloud`

Definition at line 35 of file `speech_detection_sphinx_test_ogg_yes.py`.

6.6.4.7 `speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.sentences`

Definition at line 44 of file `speech_detection_sphinx_test_ogg_yes.py`.

6.6.4.8 `speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.user`

Definition at line 46 of file `speech_detection_sphinx_test_ogg_yes.py`.

6.6.4.9 `speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.valid_words_found`

Definition at line 47 of file `speech_detection_sphinx_test_ogg_yes.py`.

6.6.4.10 speech_detection_sphinx_test_ogg_yes.RappInterfaceTest.words

Definition at line 43 of file speech_detection_sphinx_test_ogg_yes.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_yes.py

6.7 speech_detection_sphinx_test_ogg_tuesday.RappInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [audio_source](#)
- [elapsed_time](#)
- [file_uri](#)
- [grammar](#)
- [language](#)
- [rappCloud](#)
- [sentences](#)
- [user](#)
- [valid_words_found](#)
- [words](#)

6.7.1 Detailed Description

Definition at line 32 of file speech_detection_sphinx_test_ogg_tuesday.py.

6.7.2 Constructor & Destructor Documentation

6.7.2.1 def speech_detection_sphinx_test_ogg_tuesday.RappInterfaceTest.__init__(self)

Definition at line 34 of file speech_detection_sphinx_test_ogg_tuesday.py.

6.7.3 Member Function Documentation

6.7.3.1 def speech_detection_sphinx_test_ogg_tuesday.RappInterfaceTest.execute(self)

Definition at line 50 of file speech_detection_sphinx_test_ogg_tuesday.py.

6.7.3.2 def speech_detection_sphinx_test_ogg_tuesday.RappInterfaceTest.validate(self, response)

Definition at line 64 of file speech_detection_sphinx_test_ogg_tuesday.py.

6.7.4 Member Data Documentation

6.7.4.1 `speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.audio_source`

Definition at line 42 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

6.7.4.2 `speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.elapsed_time`

Definition at line 61 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

6.7.4.3 `speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.file_uri`

Definition at line 38 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

6.7.4.4 `speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.grammar`

Definition at line 45 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

6.7.4.5 `speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.language`

Definition at line 41 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

6.7.4.6 `speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.rappCloud`

Definition at line 35 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

6.7.4.7 `speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.sentences`

Definition at line 44 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

6.7.4.8 `speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.user`

Definition at line 46 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

6.7.4.9 `speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.valid_words_found`

Definition at line 47 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

6.7.4.10 `speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.words`

Definition at line 43 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_tuesday.py`

6.8 speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [audio_source](#)
- [elapsed_time](#)
- [file_uri](#)
- [grammar](#)
- [language](#)
- [rappCloud](#)
- [sentences](#)
- [user](#)
- [valid_words_found](#)
- [words](#)

6.8.1 Detailed Description

Definition at line 32 of file speech_detection_sphinx_test_ogg_triti.py.

6.8.2 Constructor & Destructor Documentation

6.8.2.1 def speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest.__init__(self)

Definition at line 34 of file speech_detection_sphinx_test_ogg_triti.py.

6.8.3 Member Function Documentation

6.8.3.1 def speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest.execute(self)

Definition at line 50 of file speech_detection_sphinx_test_ogg_triti.py.

6.8.3.2 def speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest.validate(self, response)

Definition at line 64 of file speech_detection_sphinx_test_ogg_triti.py.

6.8.4 Member Data Documentation

6.8.4.1 speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest.audio_source

Definition at line 42 of file speech_detection_sphinx_test_ogg_triti.py.

6.8.4.2 speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest.elapsed_time

Definition at line 61 of file speech_detection_sphinx_test_ogg_triti.py.

6.8.4.3 `speech_detection_sphinx_test_ogg_triti.RappInterfaceTest.file_uri`

Definition at line 38 of file `speech_detection_sphinx_test_ogg_triti.py`.

6.8.4.4 `speech_detection_sphinx_test_ogg_triti.RappInterfaceTest.grammar`

Definition at line 45 of file `speech_detection_sphinx_test_ogg_triti.py`.

6.8.4.5 `speech_detection_sphinx_test_ogg_triti.RappInterfaceTest.language`

Definition at line 41 of file `speech_detection_sphinx_test_ogg_triti.py`.

6.8.4.6 `speech_detection_sphinx_test_ogg_triti.RappInterfaceTest.rappCloud`

Definition at line 35 of file `speech_detection_sphinx_test_ogg_triti.py`.

6.8.4.7 `speech_detection_sphinx_test_ogg_triti.RappInterfaceTest.sentences`

Definition at line 44 of file `speech_detection_sphinx_test_ogg_triti.py`.

6.8.4.8 `speech_detection_sphinx_test_ogg_triti.RappInterfaceTest.user`

Definition at line 46 of file `speech_detection_sphinx_test_ogg_triti.py`.

6.8.4.9 `speech_detection_sphinx_test_ogg_triti.RappInterfaceTest.valid_words_found`

Definition at line 47 of file `speech_detection_sphinx_test_ogg_triti.py`.

6.8.4.10 `speech_detection_sphinx_test_ogg_triti.RappInterfaceTest.words`

Definition at line 43 of file `speech_detection_sphinx_test_ogg_triti.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_triti.py](#)

6.9 `speech_detection_sphinx_test_ogg_oxi.RappInterfaceTest` Class Reference

Public Member Functions

- [def `__init__`](#)
- [def `execute`](#)
- [def `validate`](#)

Public Attributes

- [audio_source](#)
- [elapsed_time](#)
- [file_uri](#)

- [grammar](#)
- [language](#)
- [rappCloud](#)
- [sentences](#)
- [user](#)
- [valid_words_found](#)
- [words](#)

6.9.1 Detailed Description

Definition at line 32 of file `speech_detection_sphinx_test_ogg_oxi.py`.

6.9.2 Constructor & Destructor Documentation

6.9.2.1 `def speech_detection_sphinx_test_ogg_oxi.RapplInterfaceTest.__init__(self)`

Definition at line 34 of file `speech_detection_sphinx_test_ogg_oxi.py`.

6.9.3 Member Function Documentation

6.9.3.1 `def speech_detection_sphinx_test_ogg_oxi.RapplInterfaceTest.execute(self)`

Definition at line 50 of file `speech_detection_sphinx_test_ogg_oxi.py`.

6.9.3.2 `def speech_detection_sphinx_test_ogg_oxi.RapplInterfaceTest.validate(self, response)`

Definition at line 64 of file `speech_detection_sphinx_test_ogg_oxi.py`.

6.9.4 Member Data Documentation

6.9.4.1 `speech_detection_sphinx_test_ogg_oxi.RapplInterfaceTest.audio_source`

Definition at line 42 of file `speech_detection_sphinx_test_ogg_oxi.py`.

6.9.4.2 `speech_detection_sphinx_test_ogg_oxi.RapplInterfaceTest.elapsed_time`

Definition at line 61 of file `speech_detection_sphinx_test_ogg_oxi.py`.

6.9.4.3 `speech_detection_sphinx_test_ogg_oxi.RapplInterfaceTest.file_uri`

Definition at line 38 of file `speech_detection_sphinx_test_ogg_oxi.py`.

6.9.4.4 `speech_detection_sphinx_test_ogg_oxi.RapplInterfaceTest.grammar`

Definition at line 45 of file `speech_detection_sphinx_test_ogg_oxi.py`.

6.9.4.5 `speech_detection_sphinx_test_ogg_oxi.RapplInterfaceTest.language`

Definition at line 41 of file `speech_detection_sphinx_test_ogg_oxi.py`.

6.9.4.6 `speech_detection_sphinx_test_ogg_oxi.RapplInterfaceTest.rappCloud`

Definition at line 35 of file `speech_detection_sphinx_test_ogg_oxi.py`.

6.9.4.7 `speech_detection_sphinx_test_ogg_oxi.RapplInterfaceTest.sentences`

Definition at line 44 of file `speech_detection_sphinx_test_ogg_oxi.py`.

6.9.4.8 `speech_detection_sphinx_test_ogg_oxi.RapplInterfaceTest.user`

Definition at line 46 of file `speech_detection_sphinx_test_ogg_oxi.py`.

6.9.4.9 `speech_detection_sphinx_test_ogg_oxi.RapplInterfaceTest.valid_words_found`

Definition at line 47 of file `speech_detection_sphinx_test_ogg_oxi.py`.

6.9.4.10 `speech_detection_sphinx_test_ogg_oxi.RapplInterfaceTest.words`

Definition at line 43 of file `speech_detection_sphinx_test_ogg_oxi.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_oxi.py](#)

6.10 `speech_detection_sphinx_test_ogg_no.RapplInterfaceTest` Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [audio_source](#)
- [elapsed_time](#)
- [file_uri](#)
- [grammar](#)
- [language](#)
- [rappCloud](#)
- [sentences](#)
- [user](#)
- [valid_words_found](#)
- [words](#)

6.10.1 Detailed Description

Definition at line 32 of file `speech_detection_sphinx_test_ogg_no.py`.

6.10.2 Constructor & Destructor Documentation

6.10.2.1 `def speech_detection_sphinx_test_ogg_no.RapplInterfaceTest.__init__(self)`

Definition at line 34 of file `speech_detection_sphinx_test_ogg_no.py`.

6.10.3 Member Function Documentation

6.10.3.1 `def speech_detection_sphinx_test_ogg_no.RapplInterfaceTest.execute(self)`

Definition at line 50 of file `speech_detection_sphinx_test_ogg_no.py`.

6.10.3.2 `def speech_detection_sphinx_test_ogg_no.RapplInterfaceTest.validate(self, response)`

Definition at line 64 of file `speech_detection_sphinx_test_ogg_no.py`.

6.10.4 Member Data Documentation

6.10.4.1 `speech_detection_sphinx_test_ogg_no.RapplInterfaceTest.audio_source`

Definition at line 42 of file `speech_detection_sphinx_test_ogg_no.py`.

6.10.4.2 `speech_detection_sphinx_test_ogg_no.RapplInterfaceTest.elapsed_time`

Definition at line 61 of file `speech_detection_sphinx_test_ogg_no.py`.

6.10.4.3 `speech_detection_sphinx_test_ogg_no.RapplInterfaceTest.file_uri`

Definition at line 38 of file `speech_detection_sphinx_test_ogg_no.py`.

6.10.4.4 `speech_detection_sphinx_test_ogg_no.RapplInterfaceTest.grammar`

Definition at line 45 of file `speech_detection_sphinx_test_ogg_no.py`.

6.10.4.5 `speech_detection_sphinx_test_ogg_no.RapplInterfaceTest.language`

Definition at line 41 of file `speech_detection_sphinx_test_ogg_no.py`.

6.10.4.6 `speech_detection_sphinx_test_ogg_no.RapplInterfaceTest.rappCloud`

Definition at line 35 of file `speech_detection_sphinx_test_ogg_no.py`.

6.10.4.7 `speech_detection_sphinx_test_ogg_no.RapplInterfaceTest.sentences`

Definition at line 44 of file `speech_detection_sphinx_test_ogg_no.py`.

6.10.4.8 `speech_detection_sphinx_test_ogg_no.RapplInterfaceTest.user`

Definition at line 46 of file `speech_detection_sphinx_test_ogg_no.py`.

6.10.4.9 `speech_detection_sphinx_test_ogg_no.RapplInterfaceTest.valid_words_found`

Definition at line 47 of file `speech_detection_sphinx_test_ogg_no.py`.

6.10.4.10 `speech_detection_sphinx_test_ogg_no.RapplInterfaceTest.words`

Definition at line 43 of file `speech_detection_sphinx_test_ogg_no.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_no.py`

6.11 `speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `audio_source`
- `elapsed_time`
- `file_uri`
- `grammar`
- `language`
- `rappCloud`
- `sentences`
- `user`
- `valid_words_found`
- `words`

6.11.1 Detailed Description

Definition at line 32 of file `speech_detection_sphinx_test_ogg_monday.py`.

6.11.2 Constructor & Destructor Documentation

6.11.2.1 `def speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest.__init__(self)`

Definition at line 34 of file `speech_detection_sphinx_test_ogg_monday.py`.

6.11.3 Member Function Documentation

6.11.3.1 `def speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest.execute(self)`

Definition at line 50 of file `speech_detection_sphinx_test_ogg_monday.py`.

6.11.3.2 `def speech_detection_sphinx_test_ogg_monday.RapInterfaceTest.validate (self, response)`

Definition at line 64 of file `speech_detection_sphinx_test_ogg_monday.py`.

6.11.4 Member Data Documentation

6.11.4.1 `speech_detection_sphinx_test_ogg_monday.RapInterfaceTest.audio_source`

Definition at line 42 of file `speech_detection_sphinx_test_ogg_monday.py`.

6.11.4.2 `speech_detection_sphinx_test_ogg_monday.RapInterfaceTest.elapsed_time`

Definition at line 61 of file `speech_detection_sphinx_test_ogg_monday.py`.

6.11.4.3 `speech_detection_sphinx_test_ogg_monday.RapInterfaceTest.file_uri`

Definition at line 38 of file `speech_detection_sphinx_test_ogg_monday.py`.

6.11.4.4 `speech_detection_sphinx_test_ogg_monday.RapInterfaceTest.grammar`

Definition at line 45 of file `speech_detection_sphinx_test_ogg_monday.py`.

6.11.4.5 `speech_detection_sphinx_test_ogg_monday.RapInterfaceTest.language`

Definition at line 41 of file `speech_detection_sphinx_test_ogg_monday.py`.

6.11.4.6 `speech_detection_sphinx_test_ogg_monday.RapInterfaceTest.rappCloud`

Definition at line 35 of file `speech_detection_sphinx_test_ogg_monday.py`.

6.11.4.7 `speech_detection_sphinx_test_ogg_monday.RapInterfaceTest.sentences`

Definition at line 44 of file `speech_detection_sphinx_test_ogg_monday.py`.

6.11.4.8 `speech_detection_sphinx_test_ogg_monday.RapInterfaceTest.user`

Definition at line 46 of file `speech_detection_sphinx_test_ogg_monday.py`.

6.11.4.9 `speech_detection_sphinx_test_ogg_monday.RapInterfaceTest.valid_words_found`

Definition at line 47 of file `speech_detection_sphinx_test_ogg_monday.py`.

6.11.4.10 `speech_detection_sphinx_test_ogg_monday.RapInterfaceTest.words`

Definition at line 43 of file `speech_detection_sphinx_test_ogg_monday.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_monday.py`

6.12 speech_detection_sphinx_test_ogg_deutera.RappInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [audio_source](#)
- [elapsed_time](#)
- [file_uri](#)
- [grammar](#)
- [language](#)
- [rappCloud](#)
- [sentences](#)
- [user](#)
- [valid_words_found](#)
- [words](#)

6.12.1 Detailed Description

Definition at line 32 of file `speech_detection_sphinx_test_ogg_deutera.py`.

6.12.2 Constructor & Destructor Documentation

6.12.2.1 `def speech_detection_sphinx_test_ogg_deutera.RappInterfaceTest.__init__(self)`

Definition at line 34 of file `speech_detection_sphinx_test_ogg_deutera.py`.

6.12.3 Member Function Documentation

6.12.3.1 `def speech_detection_sphinx_test_ogg_deutera.RappInterfaceTest.execute(self)`

Definition at line 50 of file `speech_detection_sphinx_test_ogg_deutera.py`.

6.12.3.2 `def speech_detection_sphinx_test_ogg_deutera.RappInterfaceTest.validate(self, response)`

Definition at line 64 of file `speech_detection_sphinx_test_ogg_deutera.py`.

6.12.4 Member Data Documentation

6.12.4.1 `speech_detection_sphinx_test_ogg_deutera.RappInterfaceTest.audio_source`

Definition at line 42 of file `speech_detection_sphinx_test_ogg_deutera.py`.

6.12.4.2 `speech_detection_sphinx_test_ogg_deutera.RappInterfaceTest.elapsed_time`

Definition at line 61 of file `speech_detection_sphinx_test_ogg_deutera.py`.

6.12.4.3 speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.file_uri

Definition at line 38 of file speech_detection_sphinx_test_ogg_deutera.py.

6.12.4.4 speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.grammar

Definition at line 45 of file speech_detection_sphinx_test_ogg_deutera.py.

6.12.4.5 speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.language

Definition at line 41 of file speech_detection_sphinx_test_ogg_deutera.py.

6.12.4.6 speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.rappCloud

Definition at line 35 of file speech_detection_sphinx_test_ogg_deutera.py.

6.12.4.7 speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.sentences

Definition at line 44 of file speech_detection_sphinx_test_ogg_deutera.py.

6.12.4.8 speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.user

Definition at line 46 of file speech_detection_sphinx_test_ogg_deutera.py.

6.12.4.9 speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.valid_words_found

Definition at line 47 of file speech_detection_sphinx_test_ogg_deutera.py.

6.12.4.10 speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.words

Definition at line 43 of file speech_detection_sphinx_test_ogg_deutera.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_deutera.py](#)

6.13 speech_detection_sphinx_test_nao_wav_1_ch_yes_no.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [audio_source](#)
- [elapsed_time](#)
- [file_uri](#)
- [grammar](#)
- [language](#)
- [rappCloud](#)
- [sentences](#)
- [user](#)
- [valid_words_found](#)
- [words](#)

6.13.1 Detailed Description

Definition at line 32 of file `speech_detection_sphinx_test_nao_wav_1_ch_yes_no.py`.

6.13.2 Constructor & Destructor Documentation

6.13.2.1 `def speech_detection_sphinx_test_nao_wav_1_ch_yes_no.RapplInterfaceTest.__init__(self)`

Definition at line 34 of file `speech_detection_sphinx_test_nao_wav_1_ch_yes_no.py`.

6.13.3 Member Function Documentation

6.13.3.1 `def speech_detection_sphinx_test_nao_wav_1_ch_yes_no.RapplInterfaceTest.execute(self)`

Definition at line 49 of file `speech_detection_sphinx_test_nao_wav_1_ch_yes_no.py`.

6.13.3.2 `def speech_detection_sphinx_test_nao_wav_1_ch_yes_no.RapplInterfaceTest.validate(self, response)`

Definition at line 63 of file `speech_detection_sphinx_test_nao_wav_1_ch_yes_no.py`.

6.13.4 Member Data Documentation

6.13.4.1 `speech_detection_sphinx_test_nao_wav_1_ch_yes_no.RapplInterfaceTest.audio_source`

Definition at line 41 of file `speech_detection_sphinx_test_nao_wav_1_ch_yes_no.py`.

6.13.4.2 `speech_detection_sphinx_test_nao_wav_1_ch_yes_no.RapplInterfaceTest.elapsed_time`

Definition at line 60 of file `speech_detection_sphinx_test_nao_wav_1_ch_yes_no.py`.

6.13.4.3 `speech_detection_sphinx_test_nao_wav_1_ch_yes_no.RapplInterfaceTest.file_uri`

Definition at line 38 of file `speech_detection_sphinx_test_nao_wav_1_ch_yes_no.py`.

6.13.4.4 `speech_detection_sphinx_test_nao_wav_1_ch_yes_no.RapplInterfaceTest.grammar`

Definition at line 44 of file `speech_detection_sphinx_test_nao_wav_1_ch_yes_no.py`.

6.13.4.5 speech_detection_sphinx_test_nao_wav_1_ch_yes_no.RapplInterfaceTest.language

Definition at line 40 of file speech_detection_sphinx_test_nao_wav_1_ch_yes_no.py.

6.13.4.6 speech_detection_sphinx_test_nao_wav_1_ch_yes_no.RapplInterfaceTest.rappCloud

Definition at line 35 of file speech_detection_sphinx_test_nao_wav_1_ch_yes_no.py.

6.13.4.7 speech_detection_sphinx_test_nao_wav_1_ch_yes_no.RapplInterfaceTest.sentences

Definition at line 43 of file speech_detection_sphinx_test_nao_wav_1_ch_yes_no.py.

6.13.4.8 speech_detection_sphinx_test_nao_wav_1_ch_yes_no.RapplInterfaceTest.user

Definition at line 45 of file speech_detection_sphinx_test_nao_wav_1_ch_yes_no.py.

6.13.4.9 speech_detection_sphinx_test_nao_wav_1_ch_yes_no.RapplInterfaceTest.valid_words_found

Definition at line 46 of file speech_detection_sphinx_test_nao_wav_1_ch_yes_no.py.

6.13.4.10 speech_detection_sphinx_test_nao_wav_1_ch_yes_no.RapplInterfaceTest.words

Definition at line 42 of file speech_detection_sphinx_test_nao_wav_1_ch_yes_no.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_nao_wav_1_ch_yes_no.py](#)

6.14 speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [audio_source](#)
- [elapsed_time](#)
- [file_uri](#)
- [grammar](#)
- [language](#)
- [rappCloud](#)
- [sentences](#)
- [user](#)
- [valid_words_found](#)
- [words](#)

6.14.1 Detailed Description

Definition at line 32 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

6.14.2 Constructor & Destructor Documentation

6.14.2.1 `def speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RappInterfaceTest.__init__(self)`

Definition at line 34 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

6.14.3 Member Function Documentation

6.14.3.1 `def speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RappInterfaceTest.execute(self)`

Definition at line 49 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

6.14.3.2 `def speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RappInterfaceTest.validate(self, response)`

Definition at line 63 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

6.14.4 Member Data Documentation

6.14.4.1 `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RappInterfaceTest.audio_source`

Definition at line 41 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

6.14.4.2 `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RappInterfaceTest.elapsed_time`

Definition at line 60 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

6.14.4.3 `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RappInterfaceTest.file_uri`

Definition at line 38 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

6.14.4.4 `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RappInterfaceTest.grammar`

Definition at line 44 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

6.14.4.5 `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RappInterfaceTest.language`

Definition at line 40 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

6.14.4.6 `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RappInterfaceTest.rappCloud`

Definition at line 35 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

6.14.4.7 `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RappInterfaceTest.sentences`

Definition at line 43 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

6.14.4.8 speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapplInterfaceTest.user

Definition at line 45 of file speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py.

6.14.4.9 speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapplInterfaceTest.valid_words_found

Definition at line 46 of file speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py.

6.14.4.10 speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapplInterfaceTest.words

Definition at line 42 of file speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py](#)

6.15 speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [audio_source](#)
- [elapsed_time](#)
- [file_uri](#)
- [grammar](#)
- [language](#)
- [rappCloud](#)
- [sentences](#)
- [user](#)
- [valid_words_found](#)
- [words](#)

6.15.1 Detailed Description

Definition at line 32 of file speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py.

6.15.2 Constructor & Destructor Documentation

6.15.2.1 def speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.RapplInterfaceTest.__init__(self)

Definition at line 34 of file speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py.

6.15.3 Member Function Documentation

6.15.3.1 `def speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.RapplInterfaceTest.execute (self)`

Definition at line 48 of file `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py`.

6.15.3.2 `def speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.RapplInterfaceTest.validate (self, response)`

Definition at line 63 of file `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py`.

6.15.4 Member Data Documentation

6.15.4.1 `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.RapplInterfaceTest.audio_source`

Definition at line 41 of file `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py`.

6.15.4.2 `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.RapplInterfaceTest.elapsed_time`

Definition at line 60 of file `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py`.

6.15.4.3 `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.RapplInterfaceTest.file_uri`

Definition at line 38 of file `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py`.

6.15.4.4 `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.RapplInterfaceTest.grammar`

Definition at line 44 of file `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py`.

6.15.4.5 `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.RapplInterfaceTest.language`

Definition at line 40 of file `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py`.

6.15.4.6 `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.RapplInterfaceTest.rappCloud`

Definition at line 35 of file `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py`.

6.15.4.7 `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.RapplInterfaceTest.sentences`

Definition at line 43 of file `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py`.

6.15.4.8 `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.RapplInterfaceTest.user`

Definition at line 45 of file `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py`.

6.15.4.9 `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.RapplInterfaceTest.valid_words_found`

Definition at line 46 of file `speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py`.

6.15.4.10 speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.RapplInterfaceTest.words

Definition at line 42 of file speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py

6.16 speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [audio_source](#)
- [elapsed_time](#)
- [file_uri](#)
- [grammar](#)
- [language](#)
- [rappCloud](#)
- [sentences](#)
- [user](#)
- [valid_words_found](#)
- [words](#)

6.16.1 Detailed Description

Definition at line 32 of file speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py.

6.16.2 Constructor & Destructor Documentation

6.16.2.1 def speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapplInterfaceTest.__init__(self)

Definition at line 34 of file speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py.

6.16.3 Member Function Documentation

6.16.3.1 def speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapplInterfaceTest.execute(self)

Definition at line 48 of file speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py.

6.16.3.2 def speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapplInterfaceTest.validate(self, response)

Definition at line 63 of file speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py.

6.16.4 Member Data Documentation

6.16.4.1 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.audio_source`

Definition at line 41 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

6.16.4.2 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.elapsed_time`

Definition at line 60 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

6.16.4.3 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.file_uri`

Definition at line 38 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

6.16.4.4 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.grammar`

Definition at line 44 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

6.16.4.5 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.language`

Definition at line 40 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

6.16.4.6 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.rappCloud`

Definition at line 35 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

6.16.4.7 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.sentences`

Definition at line 43 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

6.16.4.8 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.user`

Definition at line 45 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

6.16.4.9 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.valid_words_found`

Definition at line 46 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

6.16.4.10 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.words`

Definition at line 42 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py](#)

6.17 speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [audio_source](#)
- [elapsed_time](#)
- [file_uri](#)
- [grammar](#)
- [language](#)
- [rappCloud](#)
- [sentences](#)
- [user](#)
- [valid_words_found](#)
- [words](#)

6.17.1 Detailed Description

Definition at line 32 of file `speech_detection_sphinx_test_headset_steile_mail.py`.

6.17.2 Constructor & Destructor Documentation

6.17.2.1 `def speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.__init__(self)`

Definition at line 34 of file `speech_detection_sphinx_test_headset_steile_mail.py`.

6.17.3 Member Function Documentation

6.17.3.1 `def speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.execute(self)`

Definition at line 49 of file `speech_detection_sphinx_test_headset_steile_mail.py`.

6.17.3.2 `def speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.validate(self, response)`

Definition at line 63 of file `speech_detection_sphinx_test_headset_steile_mail.py`.

6.17.4 Member Data Documentation

6.17.4.1 `speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.audio_source`

Definition at line 41 of file `speech_detection_sphinx_test_headset_steile_mail.py`.

6.17.4.2 `speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.elapsed_time`

Definition at line 60 of file `speech_detection_sphinx_test_headset_steile_mail.py`.

6.17.4.3 `speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.file_uri`

Definition at line 38 of file `speech_detection_sphinx_test_headset_steile_mail.py`.

6.17.4.4 `speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.grammar`

Definition at line 44 of file `speech_detection_sphinx_test_headset_steile_mail.py`.

6.17.4.5 `speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.language`

Definition at line 40 of file `speech_detection_sphinx_test_headset_steile_mail.py`.

6.17.4.6 `speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.rappCloud`

Definition at line 35 of file `speech_detection_sphinx_test_headset_steile_mail.py`.

6.17.4.7 `speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.sentences`

Definition at line 43 of file `speech_detection_sphinx_test_headset_steile_mail.py`.

6.17.4.8 `speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.user`

Definition at line 45 of file `speech_detection_sphinx_test_headset_steile_mail.py`.

6.17.4.9 `speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.valid_words_found`

Definition at line 46 of file `speech_detection_sphinx_test_headset_steile_mail.py`.

6.17.4.10 `speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.words`

Definition at line 42 of file `speech_detection_sphinx_test_headset_steile_mail.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_headset_steile_mail.py](#)

6.18 `speech_detection_sphinx_test_headset_nai_oxi.RapplInterfaceTest` Class Reference

Public Member Functions

- def `__init__`
- def `execute`
- def `validate`

Public Attributes

- [audio_source](#)
- [elapsed_time](#)
- [file_uri](#)
- [grammar](#)
- [language](#)
- [rappCloud](#)
- [sentences](#)
- [user](#)
- [valid_words_found](#)
- [words](#)

6.18.1 Detailed Description

Definition at line 32 of file speech_detection_sphinx_test_headset_nai_oxi.py.

6.18.2 Constructor & Destructor Documentation

6.18.2.1 `def speech_detection_sphinx_test_headset_nai_oxi.RapplInterfaceTest.__init__(self)`

Definition at line 34 of file speech_detection_sphinx_test_headset_nai_oxi.py.

6.18.3 Member Function Documentation

6.18.3.1 `def speech_detection_sphinx_test_headset_nai_oxi.RapplInterfaceTest.execute(self)`

Definition at line 49 of file speech_detection_sphinx_test_headset_nai_oxi.py.

6.18.3.2 `def speech_detection_sphinx_test_headset_nai_oxi.RapplInterfaceTest.validate(self, response)`

Definition at line 63 of file speech_detection_sphinx_test_headset_nai_oxi.py.

6.18.4 Member Data Documentation

6.18.4.1 `speech_detection_sphinx_test_headset_nai_oxi.RapplInterfaceTest.audio_source`

Definition at line 41 of file speech_detection_sphinx_test_headset_nai_oxi.py.

6.18.4.2 `speech_detection_sphinx_test_headset_nai_oxi.RapplInterfaceTest.elapsed_time`

Definition at line 60 of file speech_detection_sphinx_test_headset_nai_oxi.py.

6.18.4.3 `speech_detection_sphinx_test_headset_nai_oxi.RapplInterfaceTest.file_uri`

Definition at line 38 of file speech_detection_sphinx_test_headset_nai_oxi.py.

6.18.4.4 `speech_detection_sphinx_test_headset_nai_oxi.RapplInterfaceTest.grammar`

Definition at line 44 of file speech_detection_sphinx_test_headset_nai_oxi.py.

6.18.4.5 `speech_detection_sphinx_test_headset_nai_oxi.RapplInterfaceTest.language`

Definition at line 40 of file `speech_detection_sphinx_test_headset_nai_oxi.py`.

6.18.4.6 `speech_detection_sphinx_test_headset_nai_oxi.RapplInterfaceTest.rappCloud`

Definition at line 35 of file `speech_detection_sphinx_test_headset_nai_oxi.py`.

6.18.4.7 `speech_detection_sphinx_test_headset_nai_oxi.RapplInterfaceTest.sentences`

Definition at line 43 of file `speech_detection_sphinx_test_headset_nai_oxi.py`.

6.18.4.8 `speech_detection_sphinx_test_headset_nai_oxi.RapplInterfaceTest.user`

Definition at line 45 of file `speech_detection_sphinx_test_headset_nai_oxi.py`.

6.18.4.9 `speech_detection_sphinx_test_headset_nai_oxi.RapplInterfaceTest.valid_words_found`

Definition at line 46 of file `speech_detection_sphinx_test_headset_nai_oxi.py`.

6.18.4.10 `speech_detection_sphinx_test_headset_nai_oxi.RapplInterfaceTest.words`

Definition at line 42 of file `speech_detection_sphinx_test_headset_nai_oxi.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_headset_nai_oxi.py`

6.19 `speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `audio_source`
- `elapsed_time`
- `file_uri`
- `grammar`
- `language`
- `rappCloud`
- `sentences`
- `user`
- `valid_words_found`
- `words`

6.19.1 Detailed Description

Definition at line 32 of file speech_detection_sphinx_test_headset_deutera.py.

6.19.2 Constructor & Destructor Documentation

6.19.2.1 `def speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest.__init__(self)`

Definition at line 34 of file speech_detection_sphinx_test_headset_deutera.py.

6.19.3 Member Function Documentation

6.19.3.1 `def speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest.execute(self)`

Definition at line 49 of file speech_detection_sphinx_test_headset_deutera.py.

6.19.3.2 `def speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest.validate(self, response)`

Definition at line 63 of file speech_detection_sphinx_test_headset_deutera.py.

6.19.4 Member Data Documentation

6.19.4.1 `speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest.audio_source`

Definition at line 41 of file speech_detection_sphinx_test_headset_deutera.py.

6.19.4.2 `speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest.elapsed_time`

Definition at line 60 of file speech_detection_sphinx_test_headset_deutera.py.

6.19.4.3 `speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest.file_uri`

Definition at line 38 of file speech_detection_sphinx_test_headset_deutera.py.

6.19.4.4 `speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest.grammar`

Definition at line 44 of file speech_detection_sphinx_test_headset_deutera.py.

6.19.4.5 `speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest.language`

Definition at line 40 of file speech_detection_sphinx_test_headset_deutera.py.

6.19.4.6 `speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest.rappCloud`

Definition at line 35 of file speech_detection_sphinx_test_headset_deutera.py.

6.19.4.7 `speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest.sentences`

Definition at line 43 of file speech_detection_sphinx_test_headset_deutera.py.

6.19.4.8 `speech_detection_sphinx_test_headset_deutera.RappInterfaceTest.user`

Definition at line 45 of file `speech_detection_sphinx_test_headset_deutera.py`.

6.19.4.9 `speech_detection_sphinx_test_headset_deutera.RappInterfaceTest.valid_words_found`

Definition at line 46 of file `speech_detection_sphinx_test_headset_deutera.py`.

6.19.4.10 `speech_detection_sphinx_test_headset_deutera.RappInterfaceTest.words`

Definition at line 42 of file `speech_detection_sphinx_test_headset_deutera.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_headset_deutera.py](#)

6.20 `speech_detection_google_test_ogg_sentence2.RappInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `audio_source`
- `elapsed_time`
- `file_uri`
- `language`
- `rappCloud`
- `user`
- `valid_words_found`

6.20.1 Detailed Description

Definition at line 32 of file `speech_detection_google_test_ogg_sentence2.py`.

6.20.2 Constructor & Destructor Documentation

6.20.2.1 `def speech_detection_google_test_ogg_sentence2.RappInterfaceTest.__init__(self)`

Definition at line 34 of file `speech_detection_google_test_ogg_sentence2.py`.

6.20.3 Member Function Documentation

6.20.3.1 `def speech_detection_google_test_ogg_sentence2.RappInterfaceTest.execute(self)`

Definition at line 55 of file `speech_detection_google_test_ogg_sentence2.py`.

6.20.3.2 `def speech_detection_google_test_ogg_sentence2.RapInterfaceTest.validate (self, response)`

Definition at line 66 of file `speech_detection_google_test_ogg_sentence2.py`.

6.20.4 Member Data Documentation

6.20.4.1 `speech_detection_google_test_ogg_sentence2.RapInterfaceTest.audio_source`

Definition at line 42 of file `speech_detection_google_test_ogg_sentence2.py`.

6.20.4.2 `speech_detection_google_test_ogg_sentence2.RapInterfaceTest.elapsed_time`

Definition at line 63 of file `speech_detection_google_test_ogg_sentence2.py`.

6.20.4.3 `speech_detection_google_test_ogg_sentence2.RapInterfaceTest.file_uri`

Definition at line 38 of file `speech_detection_google_test_ogg_sentence2.py`.

6.20.4.4 `speech_detection_google_test_ogg_sentence2.RapInterfaceTest.language`

Definition at line 41 of file `speech_detection_google_test_ogg_sentence2.py`.

6.20.4.5 `speech_detection_google_test_ogg_sentence2.RapInterfaceTest.rappCloud`

Definition at line 35 of file `speech_detection_google_test_ogg_sentence2.py`.

6.20.4.6 `speech_detection_google_test_ogg_sentence2.RapInterfaceTest.user`

Definition at line 43 of file `speech_detection_google_test_ogg_sentence2.py`.

6.20.4.7 `speech_detection_google_test_ogg_sentence2.RapInterfaceTest.valid_words_found`

Definition at line 44 of file `speech_detection_google_test_ogg_sentence2.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_google_test_ogg_sentence2.py`

6.21 speech_detection_google_test_ogg_sentence1.RapInterfaceTest Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- [audio_source](#)
- [elapsed_time](#)
- [file_uri](#)
- [language](#)
- [rappCloud](#)
- [user](#)
- [valid_words_found](#)

6.21.1 Detailed Description

Definition at line 32 of file `speech_detection_google_test_ogg_sentence1.py`.

6.21.2 Constructor & Destructor Documentation

6.21.2.1 `def speech_detection_google_test_ogg_sentence1.RappInterfaceTest.__init__(self)`

Definition at line 34 of file `speech_detection_google_test_ogg_sentence1.py`.

6.21.3 Member Function Documentation

6.21.3.1 `def speech_detection_google_test_ogg_sentence1.RappInterfaceTest.execute(self)`

Definition at line 54 of file `speech_detection_google_test_ogg_sentence1.py`.

6.21.3.2 `def speech_detection_google_test_ogg_sentence1.RappInterfaceTest.validate(self, response)`

Definition at line 65 of file `speech_detection_google_test_ogg_sentence1.py`.

6.21.4 Member Data Documentation

6.21.4.1 `speech_detection_google_test_ogg_sentence1.RappInterfaceTest.audio_source`

Definition at line 42 of file `speech_detection_google_test_ogg_sentence1.py`.

6.21.4.2 `speech_detection_google_test_ogg_sentence1.RappInterfaceTest.elapsed_time`

Definition at line 62 of file `speech_detection_google_test_ogg_sentence1.py`.

6.21.4.3 `speech_detection_google_test_ogg_sentence1.RappInterfaceTest.file_uri`

Definition at line 38 of file `speech_detection_google_test_ogg_sentence1.py`.

6.21.4.4 `speech_detection_google_test_ogg_sentence1.RappInterfaceTest.language`

Definition at line 41 of file `speech_detection_google_test_ogg_sentence1.py`.

6.21.4.5 `speech_detection_google_test_ogg_sentence1.RappInterfaceTest.rappCloud`

Definition at line 35 of file `speech_detection_google_test_ogg_sentence1.py`.

6.21.4.6 speech_detection_google_test_ogg_sentence1.RappInterfaceTest.user

Definition at line 43 of file speech_detection_google_test_ogg_sentence1.py.

6.21.4.7 speech_detection_google_test_ogg_sentence1.RappInterfaceTest.valid_words_found

Definition at line 44 of file speech_detection_google_test_ogg_sentence1.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_google_test_ogg_sentence1.py

6.22 record_cognitive_test_performance_reasoning.RappInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [rappCloud](#)
- [score](#)
- [test](#)
- [username](#)
- [valid_result_partial](#)

6.22.1 Detailed Description

Definition at line 30 of file record_cognitive_test_performance_reasoning.py.

6.22.2 Constructor & Destructor Documentation

6.22.2.1 def record_cognitive_test_performance_reasoning.RappInterfaceTest.__init__(self)

Definition at line 32 of file record_cognitive_test_performance_reasoning.py.

6.22.3 Member Function Documentation

6.22.3.1 def record_cognitive_test_performance_reasoning.RappInterfaceTest.execute(self)

Definition at line 40 of file record_cognitive_test_performance_reasoning.py.

6.22.3.2 def record_cognitive_test_performance_reasoning.RappInterfaceTest.validate(self, response)

Definition at line 49 of file record_cognitive_test_performance_reasoning.py.

6.22.4 Member Data Documentation

6.22.4.1 `record_cognitive_test_performance_reasoning.RapplInterfaceTest.elapsed_time`

Definition at line 46 of file `record_cognitive_test_performance_reasoning.py`.

6.22.4.2 `record_cognitive_test_performance_reasoning.RapplInterfaceTest.rappCloud`

Definition at line 33 of file `record_cognitive_test_performance_reasoning.py`.

6.22.4.3 `record_cognitive_test_performance_reasoning.RapplInterfaceTest.score`

Definition at line 36 of file `record_cognitive_test_performance_reasoning.py`.

6.22.4.4 `record_cognitive_test_performance_reasoning.RapplInterfaceTest.test`

Definition at line 35 of file `record_cognitive_test_performance_reasoning.py`.

6.22.4.5 `record_cognitive_test_performance_reasoning.RapplInterfaceTest.username`

Definition at line 34 of file `record_cognitive_test_performance_reasoning.py`.

6.22.4.6 `record_cognitive_test_performance_reasoning.RapplInterfaceTest.valid_result_partial`

Definition at line 38 of file `record_cognitive_test_performance_reasoning.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/record_cognitive_test_performance_reasoning.py](#)

6.23 `record_cognitive_test_performance_awareness.RapplInterfaceTest` Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [rappCloud](#)
- [score](#)
- [test](#)
- [username](#)
- [valid_result_partial](#)

6.23.1 Detailed Description

Definition at line 30 of file `record_cognitive_test_performance_awareness.py`.

6.23.2 Constructor & Destructor Documentation

6.23.2.1 def record_cognitive_test_performance_awareness.RapInterfaceTest.__init__(self)

Definition at line 32 of file record_cognitive_test_performance_awareness.py.

6.23.3 Member Function Documentation

6.23.3.1 def record_cognitive_test_performance_awareness.RapInterfaceTest.execute(self)

Definition at line 40 of file record_cognitive_test_performance_awareness.py.

6.23.3.2 def record_cognitive_test_performance_awareness.RapInterfaceTest.validate(self, response)

Definition at line 49 of file record_cognitive_test_performance_awareness.py.

6.23.4 Member Data Documentation

6.23.4.1 record_cognitive_test_performance_awareness.RapInterfaceTest.elapsed_time

Definition at line 46 of file record_cognitive_test_performance_awareness.py.

6.23.4.2 record_cognitive_test_performance_awareness.RapInterfaceTest.rappCloud

Definition at line 33 of file record_cognitive_test_performance_awareness.py.

6.23.4.3 record_cognitive_test_performance_awareness.RapInterfaceTest.score

Definition at line 36 of file record_cognitive_test_performance_awareness.py.

6.23.4.4 record_cognitive_test_performance_awareness.RapInterfaceTest.test

Definition at line 35 of file record_cognitive_test_performance_awareness.py.

6.23.4.5 record_cognitive_test_performance_awareness.RapInterfaceTest.username

Definition at line 34 of file record_cognitive_test_performance_awareness.py.

6.23.4.6 record_cognitive_test_performance_awareness.RapInterfaceTest.valid_result_partial

Definition at line 38 of file record_cognitive_test_performance_awareness.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/[record_cognitive_test_performance_awareness.py](#)

6.24 record_cognitive_test_performance_arithmetic.RappInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [rappCloud](#)
- [score](#)
- [test](#)
- [username](#)
- [valid_result_partial](#)

6.24.1 Detailed Description

Definition at line 30 of file record_cognitive_test_performance_arithmetic.py.

6.24.2 Constructor & Destructor Documentation

6.24.2.1 def record_cognitive_test_performance_arithmetic.RappInterfaceTest.__init__(self)

Definition at line 32 of file record_cognitive_test_performance_arithmetic.py.

6.24.3 Member Function Documentation

6.24.3.1 def record_cognitive_test_performance_arithmetic.RappInterfaceTest.execute(self)

Definition at line 40 of file record_cognitive_test_performance_arithmetic.py.

6.24.3.2 def record_cognitive_test_performance_arithmetic.RappInterfaceTest.validate(self, response)

Definition at line 49 of file record_cognitive_test_performance_arithmetic.py.

6.24.4 Member Data Documentation

6.24.4.1 record_cognitive_test_performance_arithmetic.RappInterfaceTest.elapsed_time

Definition at line 46 of file record_cognitive_test_performance_arithmetic.py.

6.24.4.2 record_cognitive_test_performance_arithmetic.RappInterfaceTest.rappCloud

Definition at line 33 of file record_cognitive_test_performance_arithmetic.py.

6.24.4.3 record_cognitive_test_performance_arithmetic.RappInterfaceTest.score

Definition at line 36 of file record_cognitive_test_performance_arithmetic.py.

6.24.4.4 record_cognitive_test_performance_arithmetic.RapplInterfaceTest.test

Definition at line 35 of file record_cognitive_test_performance_arithmetic.py.

6.24.4.5 record_cognitive_test_performance_arithmetic.RapplInterfaceTest.username

Definition at line 34 of file record_cognitive_test_performance_arithmetic.py.

6.24.4.6 record_cognitive_test_performance_arithmetic.RapplInterfaceTest.valid_result_partial

Definition at line 38 of file record_cognitive_test_performance_arithmetic.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/record_cognitive_test_performance_arithmetic.py](#)

6.25 qr_detection_test_medium_near.RapplInterfaceTest Class Reference

Public Member Functions

- [def __init__](#)
- [def execute](#)
- [def validate](#)

Public Attributes

- [elapsed_time](#)
- [file_uri](#)
- [rappCloud](#)
- [valid_results](#)

6.25.1 Detailed Description

Definition at line 32 of file qr_detection_test_medium_near.py.

6.25.2 Constructor & Destructor Documentation

6.25.2.1 def qr_detection_test_medium_near.RapplInterfaceTest.__init__(self)

Definition at line 34 of file qr_detection_test_medium_near.py.

6.25.3 Member Function Documentation

6.25.3.1 def qr_detection_test_medium_near.RapplInterfaceTest.execute(self)

Definition at line 48 of file qr_detection_test_medium_near.py.

6.25.3.2 def qr_detection_test_medium_near.RapplInterfaceTest.validate(self, response)

Definition at line 55 of file qr_detection_test_medium_near.py.

6.25.4 Member Data Documentation

6.25.4.1 `qr_detection_test_medium_near.RappInterfaceTest.elapsed_time`

Definition at line 52 of file `qr_detection_test_medium_near.py`.

6.25.4.2 `qr_detection_test_medium_near.RappInterfaceTest.file_uri`

Definition at line 38 of file `qr_detection_test_medium_near.py`.

6.25.4.3 `qr_detection_test_medium_near.RappInterfaceTest.rappCloud`

Definition at line 35 of file `qr_detection_test_medium_near.py`.

6.25.4.4 `qr_detection_test_medium_near.RappInterfaceTest.valid_results`

Definition at line 41 of file `qr_detection_test_medium_near.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_medium_near.py`

6.26 `qr_detection_test_medium_medium.RappInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `file_uri`
- `rappCloud`
- `valid_results`

6.26.1 Detailed Description

Definition at line 32 of file `qr_detection_test_medium_medium.py`.

6.26.2 Constructor & Destructor Documentation

6.26.2.1 `def qr_detection_test_medium_medium.RappInterfaceTest.__init__(self)`

Definition at line 34 of file `qr_detection_test_medium_medium.py`.

6.26.3 Member Function Documentation

6.26.3.1 `qr_detection_test_medium_medium.RappInterfaceTest.execute (self)`

Definition at line 48 of file `qr_detection_test_medium_medium.py`.

6.26.3.2 `qr_detection_test_medium_medium.RappInterfaceTest.validate (self, response)`

Definition at line 55 of file `qr_detection_test_medium_medium.py`.

6.26.4 Member Data Documentation

6.26.4.1 `qr_detection_test_medium_medium.RappInterfaceTest.elapsed_time`

Definition at line 52 of file `qr_detection_test_medium_medium.py`.

6.26.4.2 `qr_detection_test_medium_medium.RappInterfaceTest.file_uri`

Definition at line 38 of file `qr_detection_test_medium_medium.py`.

6.26.4.3 `qr_detection_test_medium_medium.RappInterfaceTest.rappCloud`

Definition at line 35 of file `qr_detection_test_medium_medium.py`.

6.26.4.4 `qr_detection_test_medium_medium.RappInterfaceTest.valid_results`

Definition at line 41 of file `qr_detection_test_medium_medium.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_medium_medium.py`

6.27 qr_detection_test_medium_far.RappInterfaceTest Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `file_uri`
- `rappCloud`
- `valid_results`

6.27.1 Detailed Description

Definition at line 32 of file `qr_detection_test_medium_far.py`.

6.27.2 Constructor & Destructor Documentation

6.27.2.1 `def qr_detection_test_medium_far.RappInterfaceTest.__init__(self)`

Definition at line 34 of file `qr_detection_test_medium_far.py`.

6.27.3 Member Function Documentation

6.27.3.1 `def qr_detection_test_medium_far.RappInterfaceTest.execute(self)`

Definition at line 48 of file `qr_detection_test_medium_far.py`.

6.27.3.2 `def qr_detection_test_medium_far.RappInterfaceTest.validate(self, response)`

Definition at line 55 of file `qr_detection_test_medium_far.py`.

6.27.4 Member Data Documentation

6.27.4.1 `qr_detection_test_medium_far.RappInterfaceTest.elapsed_time`

Definition at line 52 of file `qr_detection_test_medium_far.py`.

6.27.4.2 `qr_detection_test_medium_far.RappInterfaceTest.file_uri`

Definition at line 38 of file `qr_detection_test_medium_far.py`.

6.27.4.3 `qr_detection_test_medium_far.RappInterfaceTest.rappCloud`

Definition at line 35 of file `qr_detection_test_medium_far.py`.

6.27.4.4 `qr_detection_test_medium_far.RappInterfaceTest.valid_results`

Definition at line 41 of file `qr_detection_test_medium_far.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_medium_far.py`

6.28 `face_detection_test_multi_faces_jpg.RappInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- [elapsed_time](#)
- [file_uri](#)
- [rappCloud](#)
- [valid_minNumFaces](#)

6.28.1 Detailed Description

Definition at line 31 of file face_detection_test_multi_faces_jpg.py.

6.28.2 Constructor & Destructor Documentation

6.28.2.1 `def face_detection_test_multi_faces_jpg.RapplInterfaceTest.__init__(self)`

Definition at line 33 of file face_detection_test_multi_faces_jpg.py.

6.28.3 Member Function Documentation

6.28.3.1 `def face_detection_test_multi_faces_jpg.RapplInterfaceTest.execute(self)`

Definition at line 42 of file face_detection_test_multi_faces_jpg.py.

6.28.3.2 `def face_detection_test_multi_faces_jpg.RapplInterfaceTest.validate(self, response)`

Definition at line 49 of file face_detection_test_multi_faces_jpg.py.

6.28.4 Member Data Documentation

6.28.4.1 `face_detection_test_multi_faces_jpg.RapplInterfaceTest.elapsed_time`

Definition at line 46 of file face_detection_test_multi_faces_jpg.py.

6.28.4.2 `face_detection_test_multi_faces_jpg.RapplInterfaceTest.file_uri`

Definition at line 37 of file face_detection_test_multi_faces_jpg.py.

6.28.4.3 `face_detection_test_multi_faces_jpg.RapplInterfaceTest.rappCloud`

Definition at line 34 of file face_detection_test_multi_faces_jpg.py.

6.28.4.4 `face_detection_test_multi_faces_jpg.RapplInterfaceTest.valid_minNumFaces`

Definition at line 40 of file face_detection_test_multi_faces_jpg.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_multi_faces_jpg.py](#)

6.29 qr_detection_test_hard_medium.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [file_uri](#)
- [rappCloud](#)
- [valid_results](#)

6.29.1 Detailed Description

Definition at line 32 of file qr_detection_test_hard_medium.py.

6.29.2 Constructor & Destructor Documentation

6.29.2.1 `def qr_detection_test_hard_medium.RapplInterfaceTest.__init__(self)`

Definition at line 34 of file qr_detection_test_hard_medium.py.

6.29.3 Member Function Documentation

6.29.3.1 `def qr_detection_test_hard_medium.RapplInterfaceTest.execute(self)`

Definition at line 48 of file qr_detection_test_hard_medium.py.

6.29.3.2 `def qr_detection_test_hard_medium.RapplInterfaceTest.validate(self, response)`

Definition at line 55 of file qr_detection_test_hard_medium.py.

6.29.4 Member Data Documentation

6.29.4.1 `qr_detection_test_hard_medium.RapplInterfaceTest.elapsed_time`

Definition at line 52 of file qr_detection_test_hard_medium.py.

6.29.4.2 `qr_detection_test_hard_medium.RapplInterfaceTest.file_uri`

Definition at line 38 of file qr_detection_test_hard_medium.py.

6.29.4.3 `qr_detection_test_hard_medium.RapplInterfaceTest.rappCloud`

Definition at line 35 of file qr_detection_test_hard_medium.py.

6.29.4.4 qr_detection_test_hard_medium.RappInterfaceTest.valid_results

Definition at line 41 of file qr_detection_test_hard_medium.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_hard_medium.py

6.30 qr_detection_test_hard_far.RappInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [file_uri](#)
- [rappCloud](#)
- [valid_results](#)

6.30.1 Detailed Description

Definition at line 32 of file qr_detection_test_hard_far.py.

6.30.2 Constructor & Destructor Documentation

6.30.2.1 def qr_detection_test_hard_far.RappInterfaceTest.__init__(self)

Definition at line 34 of file qr_detection_test_hard_far.py.

6.30.3 Member Function Documentation

6.30.3.1 def qr_detection_test_hard_far.RappInterfaceTest.execute(self)

Definition at line 48 of file qr_detection_test_hard_far.py.

6.30.3.2 def qr_detection_test_hard_far.RappInterfaceTest.validate(self, response)

Definition at line 55 of file qr_detection_test_hard_far.py.

6.30.4 Member Data Documentation

6.30.4.1 qr_detection_test_hard_far.RappInterfaceTest.elapsed_time

Definition at line 52 of file qr_detection_test_hard_far.py.

6.30.4.2 `qr_detection_test_hard_far.RappInterfaceTest.file_uri`

Definition at line 38 of file `qr_detection_test_hard_far.py`.

6.30.4.3 `qr_detection_test_hard_far.RappInterfaceTest.rappCloud`

Definition at line 35 of file `qr_detection_test_hard_far.py`.

6.30.4.4 `qr_detection_test_hard_far.RappInterfaceTest.valid_results`

Definition at line 41 of file `qr_detection_test_hard_far.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_hard_far.py](#)

6.31 `qr_detection_test_easy_near.RappInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `file_uri`
- `rappCloud`
- `valid_results`

6.31.1 Detailed Description

Definition at line 32 of file `qr_detection_test_easy_near.py`.

6.31.2 Constructor & Destructor Documentation

6.31.2.1 `def qr_detection_test_easy_near.RappInterfaceTest.__init__(self)`

Definition at line 34 of file `qr_detection_test_easy_near.py`.

6.31.3 Member Function Documentation

6.31.3.1 `def qr_detection_test_easy_near.RappInterfaceTest.execute(self)`

Definition at line 48 of file `qr_detection_test_easy_near.py`.

6.31.3.2 `def qr_detection_test_easy_near.RappInterfaceTest.validate(self, response)`

Definition at line 55 of file `qr_detection_test_easy_near.py`.

6.31.4 Member Data Documentation

6.31.4.1 qr_detection_test_easy_near.RapplInterfaceTest.elapsed_time

Definition at line 52 of file qr_detection_test_easy_near.py.

6.31.4.2 qr_detection_test_easy_near.RapplInterfaceTest.file_uri

Definition at line 38 of file qr_detection_test_easy_near.py.

6.31.4.3 qr_detection_test_easy_near.RapplInterfaceTest.rappCloud

Definition at line 35 of file qr_detection_test_easy_near.py.

6.31.4.4 qr_detection_test_easy_near.RapplInterfaceTest.valid_results

Definition at line 41 of file qr_detection_test_easy_near.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_easy_near.py](#)

6.32 qr_detection_test_easy_medium.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [file_uri](#)
- [rappCloud](#)
- [valid_results](#)

6.32.1 Detailed Description

Definition at line 32 of file qr_detection_test_easy_medium.py.

6.32.2 Constructor & Destructor Documentation

6.32.2.1 def qr_detection_test_easy_medium.RapplInterfaceTest.__init__(self)

Definition at line 34 of file qr_detection_test_easy_medium.py.

6.32.3 Member Function Documentation

6.32.3.1 `qr_detection_test_easy_medium.RappInterfaceTest.execute (self)`

Definition at line 48 of file `qr_detection_test_easy_medium.py`.

6.32.3.2 `qr_detection_test_easy_medium.RappInterfaceTest.validate (self, response)`

Definition at line 55 of file `qr_detection_test_easy_medium.py`.

6.32.4 Member Data Documentation

6.32.4.1 `qr_detection_test_easy_medium.RappInterfaceTest.elapsed_time`

Definition at line 52 of file `qr_detection_test_easy_medium.py`.

6.32.4.2 `qr_detection_test_easy_medium.RappInterfaceTest.file_uri`

Definition at line 38 of file `qr_detection_test_easy_medium.py`.

6.32.4.3 `qr_detection_test_easy_medium.RappInterfaceTest.rappCloud`

Definition at line 35 of file `qr_detection_test_easy_medium.py`.

6.32.4.4 `qr_detection_test_easy_medium.RappInterfaceTest.valid_results`

Definition at line 41 of file `qr_detection_test_easy_medium.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_easy_medium.py`

6.33 `qr_detection_test_easy_far.RappInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `file_uri`
- `rappCloud`
- `valid_results`

6.33.1 Detailed Description

Definition at line 32 of file `qr_detection_test_easy_far.py`.

6.33.2 Constructor & Destructor Documentation

6.33.2.1 def qr_detection_test_easy_far.RapplInterfaceTest.__init__(self)

Definition at line 34 of file qr_detection_test_easy_far.py.

6.33.3 Member Function Documentation

6.33.3.1 def qr_detection_test_easy_far.RapplInterfaceTest.execute(self)

Definition at line 48 of file qr_detection_test_easy_far.py.

6.33.3.2 def qr_detection_test_easy_far.RapplInterfaceTest.validate(self, response)

Definition at line 55 of file qr_detection_test_easy_far.py.

6.33.4 Member Data Documentation

6.33.4.1 qr_detection_test_easy_far.RapplInterfaceTest.elapsed_time

Definition at line 52 of file qr_detection_test_easy_far.py.

6.33.4.2 qr_detection_test_easy_far.RapplInterfaceTest.file_uri

Definition at line 38 of file qr_detection_test_easy_far.py.

6.33.4.3 qr_detection_test_easy_far.RapplInterfaceTest.rappCloud

Definition at line 35 of file qr_detection_test_easy_far.py.

6.33.4.4 qr_detection_test_easy_far.RapplInterfaceTest.valid_results

Definition at line 41 of file qr_detection_test_easy_far.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/[qr_detection_test_easy_far.py](#)

6.34 qr_detection_test_1.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [file_uri](#)
- [rappCloud](#)
- [valid_results](#)

6.34.1 Detailed Description

Definition at line 32 of file qr_detection_test_1.py.

6.34.2 Constructor & Destructor Documentation

6.34.2.1 `def qr_detection_test_1.RappInterfaceTest.__init__(self)`

Definition at line 34 of file qr_detection_test_1.py.

6.34.3 Member Function Documentation

6.34.3.1 `def qr_detection_test_1.RappInterfaceTest.execute(self)`

Definition at line 47 of file qr_detection_test_1.py.

6.34.3.2 `def qr_detection_test_1.RappInterfaceTest.validate(self, response)`

Definition at line 54 of file qr_detection_test_1.py.

6.34.4 Member Data Documentation

6.34.4.1 `qr_detection_test_1.RappInterfaceTest.elapsed_time`

Definition at line 51 of file qr_detection_test_1.py.

6.34.4.2 `qr_detection_test_1.RappInterfaceTest.file_uri`

Definition at line 38 of file qr_detection_test_1.py.

6.34.4.3 `qr_detection_test_1.RappInterfaceTest.rappCloud`

Definition at line 35 of file qr_detection_test_1.py.

6.34.4.4 `qr_detection_test_1.RappInterfaceTest.valid_results`

Definition at line 40 of file qr_detection_test_1.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_1.py](#)

6.35 ontology_superclasses_of_test_1.RappInterfaceTest Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- [elapsed_time](#)
- [ontology_class](#)
- [rappCloud](#)
- [valid_results](#)

6.35.1 Detailed Description

Definition at line 32 of file ontology_superclasses_of_test_1.py.

6.35.2 Constructor & Destructor Documentation

6.35.2.1 `def ontology_superclasses_of_test_1.RappInterfaceTest.__init__(self)`

Definition at line 34 of file ontology_superclasses_of_test_1.py.

6.35.3 Member Function Documentation

6.35.3.1 `def ontology_superclasses_of_test_1.RappInterfaceTest.execute(self)`

Definition at line 43 of file ontology_superclasses_of_test_1.py.

6.35.3.2 `def ontology_superclasses_of_test_1.RappInterfaceTest.validate(self, response)`

Definition at line 52 of file ontology_superclasses_of_test_1.py.

6.35.4 Member Data Documentation

6.35.4.1 `ontology_superclasses_of_test_1.RappInterfaceTest.elapsed_time`

Definition at line 49 of file ontology_superclasses_of_test_1.py.

6.35.4.2 `ontology_superclasses_of_test_1.RappInterfaceTest.ontology_class`

Definition at line 36 of file ontology_superclasses_of_test_1.py.

6.35.4.3 `ontology_superclasses_of_test_1.RappInterfaceTest.rappCloud`

Definition at line 35 of file ontology_superclasses_of_test_1.py.

6.35.4.4 `ontology_superclasses_of_test_1.RappInterfaceTest.valid_results`

Definition at line 38 of file ontology_superclasses_of_test_1.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ontology_superclasses_of_test_1.py](#)

6.36 ontology_subclasses_of_test_Oven.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [ontology_class](#)
- [rappCloud](#)
- [valid_results](#)

6.36.1 Detailed Description

Definition at line 32 of file ontology_subclasses_of_test_Oven.py.

6.36.2 Constructor & Destructor Documentation

6.36.2.1 def ontology_subclasses_of_test_Oven.RapplInterfaceTest.__init__ (*self*)

Definition at line 34 of file ontology_subclasses_of_test_Oven.py.

6.36.3 Member Function Documentation

6.36.3.1 def ontology_subclasses_of_test_Oven.RapplInterfaceTest.execute (*self*)

Definition at line 44 of file ontology_subclasses_of_test_Oven.py.

6.36.3.2 def ontology_subclasses_of_test_Oven.RapplInterfaceTest.validate (*self*, *response*)

Definition at line 53 of file ontology_subclasses_of_test_Oven.py.

6.36.4 Member Data Documentation

6.36.4.1 ontology_subclasses_of_test_Oven.RapplInterfaceTest.elapsed_time

Definition at line 50 of file ontology_subclasses_of_test_Oven.py.

6.36.4.2 ontology_subclasses_of_test_Oven.RapplInterfaceTest.ontology_class

Definition at line 36 of file ontology_subclasses_of_test_Oven.py.

6.36.4.3 ontology_subclasses_of_test_Oven.RapplInterfaceTest.rappCloud

Definition at line 35 of file ontology_subclasses_of_test_Oven.py.

6.36.4.4 ontology_subclasses_of_test_Oven.RapplInterfaceTest.valid_results

Definition at line 38 of file ontology_subclasses_of_test_Oven.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ontology_subclasses_of_test_Oven.py

6.37 ontology_is_subsuperclass_of_SpatialThing.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [child_class_](#)
- [elapsed_time](#)
- [parent_class_](#)
- [rappCloud](#)
- [recursive_](#)
- [valid_results](#)

6.37.1 Detailed Description

Definition at line 32 of file ontology_is_subsuperclass_of_SpatialThing.py.

6.37.2 Constructor & Destructor Documentation

6.37.2.1 def ontology_is_subsuperclass_of_SpatialThing.RapplInterfaceTest.__init__(self)

Definition at line 34 of file ontology_is_subsuperclass_of_SpatialThing.py.

6.37.3 Member Function Documentation

6.37.3.1 def ontology_is_subsuperclass_of_SpatialThing.RapplInterfaceTest.execute(self)

Definition at line 42 of file ontology_is_subsuperclass_of_SpatialThing.py.

6.37.3.2 def ontology_is_subsuperclass_of_SpatialThing.RapplInterfaceTest.validate(self, response)

Definition at line 54 of file ontology_is_subsuperclass_of_SpatialThing.py.

6.37.4 Member Data Documentation

6.37.4.1 ontology_is_subsuperclass_of_SpatialThing.RapplInterfaceTest.child_class_

Definition at line 37 of file ontology_is_subsuperclass_of_SpatialThing.py.

6.37.4.2 `ontology_is_subsuperclass_of_SpatialThing.RapplInterfaceTest.elapsed_time`

Definition at line 50 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

6.37.4.3 `ontology_is_subsuperclass_of_SpatialThing.RapplInterfaceTest.parent_class_`

Definition at line 36 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

6.37.4.4 `ontology_is_subsuperclass_of_SpatialThing.RapplInterfaceTest.rappCloud`

Definition at line 35 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

6.37.4.5 `ontology_is_subsuperclass_of_SpatialThing.RapplInterfaceTest.recursive_`

Definition at line 38 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

6.37.4.6 `ontology_is_subsuperclass_of_SpatialThing.RapplInterfaceTest.valid_results`

Definition at line 40 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ontology_is_subsuperclass_of_SpatialThing.py](#)

6.38 `ontology_is_subsuperclass_of_microwave_oven.RapplInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `child_class_`
- `elapsed_time`
- `parent_class_`
- `rappCloud`
- `recursive_`
- `valid_results`

6.38.1 Detailed Description

Definition at line 32 of file `ontology_is_subsuperclass_of_microwave_oven.py`.

6.38.2 Constructor & Destructor Documentation

6.38.2.1 `def ontology_is_subsuperclass_of_microwave_oven.RappInterfaceTest.__init__(self)`

Definition at line 34 of file `ontology_is_subsuperclass_of_microwave_oven.py`.

6.38.3 Member Function Documentation

6.38.3.1 `def ontology_is_subsuperclass_of_microwave_oven.RappInterfaceTest.execute(self)`

Definition at line 42 of file `ontology_is_subsuperclass_of_microwave_oven.py`.

6.38.3.2 `def ontology_is_subsuperclass_of_microwave_oven.RappInterfaceTest.validate(self, response)`

Definition at line 52 of file `ontology_is_subsuperclass_of_microwave_oven.py`.

6.38.4 Member Data Documentation

6.38.4.1 `ontology_is_subsuperclass_of_microwave_oven.RappInterfaceTest.child_class_`

Definition at line 37 of file `ontology_is_subsuperclass_of_microwave_oven.py`.

6.38.4.2 `ontology_is_subsuperclass_of_microwave_oven.RappInterfaceTest.elapsed_time`

Definition at line 49 of file `ontology_is_subsuperclass_of_microwave_oven.py`.

6.38.4.3 `ontology_is_subsuperclass_of_microwave_oven.RappInterfaceTest.parent_class_`

Definition at line 36 of file `ontology_is_subsuperclass_of_microwave_oven.py`.

6.38.4.4 `ontology_is_subsuperclass_of_microwave_oven.RappInterfaceTest.rappCloud`

Definition at line 35 of file `ontology_is_subsuperclass_of_microwave_oven.py`.

6.38.4.5 `ontology_is_subsuperclass_of_microwave_oven.RappInterfaceTest.recursive_`

Definition at line 38 of file `ontology_is_subsuperclass_of_microwave_oven.py`.

6.38.4.6 `ontology_is_subsuperclass_of_microwave_oven.RappInterfaceTest.valid_results`

Definition at line 40 of file `ontology_is_subsuperclass_of_microwave_oven.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ontology_is_subsuperclass_of_microwave_oven.py](#)

6.39 available_services_test.RappInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [rappCloud](#)
- [valid_results](#)

6.39.1 Detailed Description

Definition at line 31 of file available_services_test.py.

6.39.2 Constructor & Destructor Documentation

6.39.2.1 def available_services_test.RappInterfaceTest.__init__(self)

Definition at line 33 of file available_services_test.py.

6.39.3 Member Function Documentation

6.39.3.1 def available_services_test.RappInterfaceTest.execute(self)

Definition at line 52 of file available_services_test.py.

6.39.3.2 def available_services_test.RappInterfaceTest.validate(self, response)

Definition at line 61 of file available_services_test.py.

6.39.4 Member Data Documentation

6.39.4.1 available_services_test.RappInterfaceTest.elapsed_time

Definition at line 57 of file available_services_test.py.

6.39.4.2 available_services_test.RappInterfaceTest.rappCloud

Definition at line 34 of file available_services_test.py.

6.39.4.3 available_services_test.RappInterfaceTest.valid_results

Definition at line 36 of file available_services_test.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/[available_services_test.py](#)

6.40 face_detection_test_two_faces_jpg.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [file_uri](#)
- [rappCloud](#)
- [valid_numFaces](#)

6.40.1 Detailed Description

Definition at line 31 of file face_detection_test_two_faces_jpg.py.

6.40.2 Constructor & Destructor Documentation

6.40.2.1 def face_detection_test_two_faces_jpg.RapplInterfaceTest.__init__(self)

Definition at line 33 of file face_detection_test_two_faces_jpg.py.

6.40.3 Member Function Documentation

6.40.3.1 def face_detection_test_two_faces_jpg.RapplInterfaceTest.execute(self)

Definition at line 43 of file face_detection_test_two_faces_jpg.py.

6.40.3.2 def face_detection_test_two_faces_jpg.RapplInterfaceTest.validate(self, response)

Definition at line 50 of file face_detection_test_two_faces_jpg.py.

6.40.4 Member Data Documentation

6.40.4.1 face_detection_test_two_faces_jpg.RapplInterfaceTest.elapsed_time

Definition at line 47 of file face_detection_test_two_faces_jpg.py.

6.40.4.2 face_detection_test_two_faces_jpg.RapplInterfaceTest.file_uri

Definition at line 37 of file face_detection_test_two_faces_jpg.py.

6.40.4.3 face_detection_test_two_faces_jpg.RapplInterfaceTest.rappCloud

Definition at line 34 of file face_detection_test_two_faces_jpg.py.

6.40.4.4 face_detection_test_two_faces.jpg.RapplInterfaceTest.valid_numFaces

Definition at line 40 of file face_detection_test_two_faces.jpg.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_two_faces.jpg.py

6.41 face_detection_test_close_straight.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [file_uri](#)
- [rappCloud](#)
- [valid_faces](#)

6.41.1 Detailed Description

Definition at line 31 of file face_detection_test_close_straight.py.

6.41.2 Constructor & Destructor Documentation

6.41.2.1 def face_detection_test_close_straight.RapplInterfaceTest.__init__(self)

Definition at line 33 of file face_detection_test_close_straight.py.

6.41.3 Member Function Documentation

6.41.3.1 def face_detection_test_close_straight.RapplInterfaceTest.execute(self)

Definition at line 46 of file face_detection_test_close_straight.py.

6.41.3.2 def face_detection_test_close_straight.RapplInterfaceTest.validate(self, response)

Definition at line 53 of file face_detection_test_close_straight.py.

6.41.4 Member Data Documentation

6.41.4.1 face_detection_test_close_straight.RapplInterfaceTest.elapsed_time

Definition at line 50 of file face_detection_test_close_straight.py.

6.41.4.2 face_detection_test_close_straight.RappInterfaceTest.file_uri

Definition at line 37 of file face_detection_test_close_straight.py.

6.41.4.3 face_detection_test_close_straight.RappInterfaceTest.rappCloud

Definition at line 34 of file face_detection_test_close_straight.py.

6.41.4.4 face_detection_test_close_straight.RappInterfaceTest.valid_faces

Definition at line 40 of file face_detection_test_close_straight.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_close_straight.py](#)

6.42 face_detection_test_medium_straight.RappInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [file_uri](#)
- [rappCloud](#)
- [valid_faces](#)

6.42.1 Detailed Description

Definition at line 31 of file face_detection_test_medium_straight.py.

6.42.2 Constructor & Destructor Documentation

6.42.2.1 def face_detection_test_medium_straight.RappInterfaceTest.__init__(self)

Definition at line 33 of file face_detection_test_medium_straight.py.

6.42.3 Member Function Documentation

6.42.3.1 def face_detection_test_medium_straight.RappInterfaceTest.execute(self)

Definition at line 46 of file face_detection_test_medium_straight.py.

6.42.3.2 def face_detection_test_medium_straight.RappInterfaceTest.validate(self, response)

Definition at line 53 of file face_detection_test_medium_straight.py.

6.42.4 Member Data Documentation

6.42.4.1 `face_detection_test_medium_straight.RappInterfaceTest.elapsed_time`

Definition at line 50 of file `face_detection_test_medium_straight.py`.

6.42.4.2 `face_detection_test_medium_straight.RappInterfaceTest.file_uri`

Definition at line 37 of file `face_detection_test_medium_straight.py`.

6.42.4.3 `face_detection_test_medium_straight.RappInterfaceTest.rappCloud`

Definition at line 34 of file `face_detection_test_medium_straight.py`.

6.42.4.4 `face_detection_test_medium_straight.RappInterfaceTest.valid_faces`

Definition at line 40 of file `face_detection_test_medium_straight.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_medium-straight.py](#)

6.43 `face_detection_test_medium_angle.RappInterfaceTest` Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [file_uri](#)
- [rappCloud](#)
- [valid_faces](#)

6.43.1 Detailed Description

Definition at line 31 of file `face_detection_test_medium_angle.py`.

6.43.2 Constructor & Destructor Documentation

6.43.2.1 `def face_detection_test_medium_angle.RappInterfaceTest.__init__(self)`

Definition at line 33 of file `face_detection_test_medium_angle.py`.

6.43.3 Member Function Documentation

6.43.3.1 def face_detection_test_medium_angle.RappInterfaceTest.execute (self)

Definition at line 45 of file face_detection_test_medium_angle.py.

6.43.3.2 def face_detection_test_medium_angle.RappInterfaceTest.validate (self, response)

Definition at line 52 of file face_detection_test_medium_angle.py.

6.43.4 Member Data Documentation

6.43.4.1 face_detection_test_medium_angle.RappInterfaceTest.elapsed_time

Definition at line 49 of file face_detection_test_medium_angle.py.

6.43.4.2 face_detection_test_medium_angle.RappInterfaceTest.file_uri

Definition at line 37 of file face_detection_test_medium_angle.py.

6.43.4.3 face_detection_test_medium_angle.RappInterfaceTest.rappCloud

Definition at line 34 of file face_detection_test_medium_angle.py.

6.43.4.4 face_detection_test_medium_angle.RappInterfaceTest.valid_faces

Definition at line 39 of file face_detection_test_medium_angle.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_medium_angle.py

6.44 face_detection_test_lenna_png.RappInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [file_uri](#)
- [rappCloud](#)
- [valid_faces](#)

6.44.1 Detailed Description

Definition at line 31 of file face_detection_test_lenna_png.py.

6.44.2 Constructor & Destructor Documentation

6.44.2.1 `def face_detection_test_lenna_png.RapInterfaceTest.__init__(self)`

Definition at line 33 of file `face_detection_test_lenna_png.py`.

6.44.3 Member Function Documentation

6.44.3.1 `def face_detection_test_lenna_png.RapInterfaceTest.execute(self)`

Definition at line 45 of file `face_detection_test_lenna_png.py`.

6.44.3.2 `def face_detection_test_lenna_png.RapInterfaceTest.validate(self, response)`

Definition at line 52 of file `face_detection_test_lenna_png.py`.

6.44.4 Member Data Documentation

6.44.4.1 `face_detection_test_lenna_png.RapInterfaceTest.elapsed_time`

Definition at line 49 of file `face_detection_test_lenna_png.py`.

6.44.4.2 `face_detection_test_lenna_png.RapInterfaceTest.file_uri`

Definition at line 37 of file `face_detection_test_lenna_png.py`.

6.44.4.3 `face_detection_test_lenna_png.RapInterfaceTest.rappCloud`

Definition at line 34 of file `face_detection_test_lenna_png.py`.

6.44.4.4 `face_detection_test_lenna_png.RapInterfaceTest.valid_faces`

Definition at line 39 of file `face_detection_test_lenna_png.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_lenna_png.py`

6.45 `face_detection_test_far_straight.RapInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- [elapsed_time](#)
- [file_uri](#)
- [rappCloud](#)
- [valid_faces](#)

6.45.1 Detailed Description

Definition at line 31 of file face_detection_test_far_straight.py.

6.45.2 Constructor & Destructor Documentation

6.45.2.1 `def face_detection_test_far_straight.RapplInterfaceTest.__init__(self)`

Definition at line 33 of file face_detection_test_far_straight.py.

6.45.3 Member Function Documentation

6.45.3.1 `def face_detection_test_far_straight.RapplInterfaceTest.execute(self)`

Definition at line 46 of file face_detection_test_far_straight.py.

6.45.3.2 `def face_detection_test_far_straight.RapplInterfaceTest.validate(self, response)`

Definition at line 53 of file face_detection_test_far_straight.py.

6.45.4 Member Data Documentation

6.45.4.1 `face_detection_test_far_straight.RapplInterfaceTest.elapsed_time`

Definition at line 50 of file face_detection_test_far_straight.py.

6.45.4.2 `face_detection_test_far_straight.RapplInterfaceTest.file_uri`

Definition at line 37 of file face_detection_test_far_straight.py.

6.45.4.3 `face_detection_test_far_straight.RapplInterfaceTest.rappCloud`

Definition at line 34 of file face_detection_test_far_straight.py.

6.45.4.4 `face_detection_test_far_straight.RapplInterfaceTest.valid_faces`

Definition at line 40 of file face_detection_test_far_straight.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_far_straight.py](#)

6.46 face_detection_test_far_angle.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [file_uri](#)
- [rappCloud](#)
- [valid_faces](#)

6.46.1 Detailed Description

Definition at line 31 of file face_detection_test_far_angle.py.

6.46.2 Constructor & Destructor Documentation

6.46.2.1 def face_detection_test_far_angle.RapplInterfaceTest.__init__(self)

Definition at line 33 of file face_detection_test_far_angle.py.

6.46.3 Member Function Documentation

6.46.3.1 def face_detection_test_far_angle.RapplInterfaceTest.execute(self)

Definition at line 45 of file face_detection_test_far_angle.py.

6.46.3.2 def face_detection_test_far_angle.RapplInterfaceTest.validate(self, response)

Definition at line 52 of file face_detection_test_far_angle.py.

6.46.4 Member Data Documentation

6.46.4.1 face_detection_test_far_angle.RapplInterfaceTest.elapsed_time

Definition at line 49 of file face_detection_test_far_angle.py.

6.46.4.2 face_detection_test_far_angle.RapplInterfaceTest.file_uri

Definition at line 37 of file face_detection_test_far_angle.py.

6.46.4.3 face_detection_test_far_angle.RapplInterfaceTest.rappCloud

Definition at line 34 of file face_detection_test_far_angle.py.

6.46.4.4 face_detection_test_far_angle.RapplInterfaceTest.valid_faces

Definition at line 39 of file face_detection_test_far_angle.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_far_angle.py

6.47 cognitive_test_chooser_reasoning.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [rappCloud](#)
- [testType](#)
- [username](#)

6.47.1 Detailed Description

Definition at line 30 of file cognitive_test_chooser_reasoning.py.

6.47.2 Constructor & Destructor Documentation

6.47.2.1 def cognitive_test_chooser_reasoning.RapplInterfaceTest.__init__(self)

Definition at line 32 of file cognitive_test_chooser_reasoning.py.

6.47.3 Member Function Documentation

6.47.3.1 def cognitive_test_chooser_reasoning.RapplInterfaceTest.execute(self)

Definition at line 38 of file cognitive_test_chooser_reasoning.py.

6.47.3.2 def cognitive_test_chooser_reasoning.RapplInterfaceTest.validate(self, response)

Definition at line 47 of file cognitive_test_chooser_reasoning.py.

6.47.4 Member Data Documentation

6.47.4.1 cognitive_test_chooser_reasoning.RapplInterfaceTest.elapsed_time

Definition at line 43 of file cognitive_test_chooser_reasoning.py.

6.47.4.2 `cognitive_test_chooser_reasoning.RappInterfaceTest.rappCloud`

Definition at line 33 of file `cognitive_test_chooser_reasoning.py`.

6.47.4.3 `cognitive_test_chooser_reasoning.RappInterfaceTest.testType`

Definition at line 35 of file `cognitive_test_chooser_reasoning.py`.

6.47.4.4 `cognitive_test_chooser_reasoning.RappInterfaceTest.username`

Definition at line 34 of file `cognitive_test_chooser_reasoning.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_chooser_reasoning.py`

6.48 `face_detection_test_close_angle.RappInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `file_uri`
- `rappCloud`
- `valid_faces`

6.48.1 Detailed Description

Definition at line 31 of file `face_detection_test_close_angle.py`.

6.48.2 Constructor & Destructor Documentation

6.48.2.1 `def face_detection_test_close_angle.RappInterfaceTest.__init__(self)`

Definition at line 33 of file `face_detection_test_close_angle.py`.

6.48.3 Member Function Documentation

6.48.3.1 `def face_detection_test_close_angle.RappInterfaceTest.execute(self)`

Definition at line 45 of file `face_detection_test_close_angle.py`.

6.48.3.2 `def face_detection_test_close_angle.RappInterfaceTest.validate(self, response)`

Definition at line 52 of file `face_detection_test_close_angle.py`.

6.48.4 Member Data Documentation

6.48.4.1 face_detection_test_close_angle.RapplInterfaceTest.elapsed_time

Definition at line 49 of file face_detection_test_close_angle.py.

6.48.4.2 face_detection_test_close_angle.RapplInterfaceTest.file_uri

Definition at line 37 of file face_detection_test_close_angle.py.

6.48.4.3 face_detection_test_close_angle.RapplInterfaceTest.rappCloud

Definition at line 34 of file face_detection_test_close_angle.py.

6.48.4.4 face_detection_test_close_angle.RapplInterfaceTest.valid_faces

Definition at line 39 of file face_detection_test_close_angle.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_close_angle.py](#)

6.49 denoise_profile_test_1.RapplInterfaceTest Class Reference

Public Member Functions

- [def __init__](#)
- [def execute](#)
- [def validate](#)

Public Attributes

- [audio_source](#)
- [elapsed_time](#)
- [file_uri](#)
- [rappCloud](#)
- [user](#)

6.49.1 Detailed Description

Definition at line 31 of file denoise_profile_test_1.py.

6.49.2 Constructor & Destructor Documentation

6.49.2.1 `def denoise_profile_test_1.RapplInterfaceTest.__init__(self)`

Definition at line 33 of file denoise_profile_test_1.py.

6.49.3 Member Function Documentation

6.49.3.1 `def denoise_profile_test_1.RappInterfaceTest.execute (self)`

Definition at line 43 of file `denoise_profile_test_1.py`.

6.49.3.2 `def denoise_profile_test_1.RappInterfaceTest.validate (self, response)`

Definition at line 52 of file `denoise_profile_test_1.py`.

6.49.4 Member Data Documentation

6.49.4.1 `denoise_profile_test_1.RappInterfaceTest.audio_source`

Definition at line 40 of file `denoise_profile_test_1.py`.

6.49.4.2 `denoise_profile_test_1.RappInterfaceTest.elapsed_time`

Definition at line 49 of file `denoise_profile_test_1.py`.

6.49.4.3 `denoise_profile_test_1.RappInterfaceTest.file_uri`

Definition at line 37 of file `denoise_profile_test_1.py`.

6.49.4.4 `denoise_profile_test_1.RappInterfaceTest.rappCloud`

Definition at line 34 of file `denoise_profile_test_1.py`.

6.49.4.5 `denoise_profile_test_1.RappInterfaceTest.user`

Definition at line 41 of file `denoise_profile_test_1.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/denoise_profile_test_1.py`

6.50 `cognitive_test_chooser_arithmetic.RappInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `rappCloud`
- `testType`
- `username`

6.50.1 Detailed Description

Definition at line 30 of file cognitive_test_chooser_arithmetic.py.

6.50.2 Constructor & Destructor Documentation

6.50.2.1 def cognitive_test_chooser_arithmetic.RapplInterfaceTest.__init__(self)

Definition at line 32 of file cognitive_test_chooser_arithmetic.py.

6.50.3 Member Function Documentation

6.50.3.1 def cognitive_test_chooser_arithmetic.RapplInterfaceTest.execute(self)

Definition at line 38 of file cognitive_test_chooser_arithmetic.py.

6.50.3.2 def cognitive_test_chooser_arithmetic.RapplInterfaceTest.validate(self, response)

Definition at line 47 of file cognitive_test_chooser_arithmetic.py.

6.50.4 Member Data Documentation

6.50.4.1 cognitive_test_chooser_arithmetic.RapplInterfaceTest.elapsed_time

Definition at line 43 of file cognitive_test_chooser_arithmetic.py.

6.50.4.2 cognitive_test_chooser_arithmetic.RapplInterfaceTest.rappCloud

Definition at line 33 of file cognitive_test_chooser_arithmetic.py.

6.50.4.3 cognitive_test_chooser_arithmetic.RapplInterfaceTest.testType

Definition at line 35 of file cognitive_test_chooser_arithmetic.py.

6.50.4.4 cognitive_test_chooser_arithmetic.RapplInterfaceTest.username

Definition at line 34 of file cognitive_test_chooser_arithmetic.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_chooser_arithmetic.py](#)

6.51 cognitive_test_chooser_awareness.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [rappCloud](#)
- [testType](#)
- [username](#)

6.51.1 Detailed Description

Definition at line 30 of file `cognitive_test_chooser_awareness.py`.

6.51.2 Constructor & Destructor Documentation

6.51.2.1 `def cognitive_test_chooser_awareness.RappInterfaceTest.__init__(self)`

Definition at line 32 of file `cognitive_test_chooser_awareness.py`.

6.51.3 Member Function Documentation

6.51.3.1 `def cognitive_test_chooser_awareness.RappInterfaceTest.execute(self)`

Definition at line 38 of file `cognitive_test_chooser_awareness.py`.

6.51.3.2 `def cognitive_test_chooser_awareness.RappInterfaceTest.validate(self, response)`

Definition at line 47 of file `cognitive_test_chooser_awareness.py`.

6.51.4 Member Data Documentation

6.51.4.1 `cognitive_test_chooser_awareness.RappInterfaceTest.elapsed_time`

Definition at line 43 of file `cognitive_test_chooser_awareness.py`.

6.51.4.2 `cognitive_test_chooser_awareness.RappInterfaceTest.rappCloud`

Definition at line 33 of file `cognitive_test_chooser_awareness.py`.

6.51.4.3 `cognitive_test_chooser_awareness.RappInterfaceTest.testType`

Definition at line 35 of file `cognitive_test_chooser_awareness.py`.

6.51.4.4 `cognitive_test_chooser_awareness.RappInterfaceTest.username`

Definition at line 34 of file `cognitive_test_chooser_awareness.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_chooser_awareness.py`

Chapter 7

File Documentation

7.1 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/README.md File Reference

7.2 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_chooser_arithmetic.py File Reference

Classes

- class [cognitive_test_chooser_arithmetic.RappInterfaceTest](#)

Namespaces

- [cognitive_test_chooser_arithmetic](#)

Variables

- tuple [cognitive_test_chooser_arithmetic.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

7.3 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_chooser_awareness.py File Reference

Classes

- class [cognitive_test_chooser_awareness.RappInterfaceTest](#)

Namespaces

- [cognitive_test_chooser_awareness](#)

Variables

- tuple [cognitive_test_chooser_awareness.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

7.4 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_chooser_reasoning.py File Reference

Classes

- class [cognitive_test_chooser_reasoning.RappInterfaceTest](#)

Namespaces

- [cognitive_test_chooser_reasoning](#)

Variables

- tuple [cognitive_test_chooser_reasoning.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

7.5 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/denoise_profile_test_1.py File Reference

Classes

- class [denoise_profile_test_1.RappInterfaceTest](#)

Namespaces

- [denoise_profile_test_1](#)

Variables

- tuple [denoise_profile_test_1.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

7.6 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_close_angle.py File Reference

Classes

- class [face_detection_test_close_angle.RappInterfaceTest](#)

Namespaces

- [face_detection_test_close_angle](#)

Variables

- tuple [face_detection_test_close_angle.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

7.7 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_close_straight.py File Reference

Classes

- class [face_detection_test_close_straight.RappInterfaceTest](#)

Namespaces

- [face_detection_test_close_straight](#)

Variables

- tuple [face_detection_test_close_straight.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.8 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_far_angle.py File Reference

Classes

- class [face_detection_test_far_angle.RappInterfaceTest](#)

Namespaces

- [face_detection_test_far_angle](#)

Variables

- tuple [face_detection_test_far_angle.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.9 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_far_straight.py File Reference

Classes

- class [face_detection_test_far_straight.RappInterfaceTest](#)

Namespaces

- [face_detection_test_far_straight](#)

Variables

- tuple [face_detection_test_far_straight.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.10 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face-detection_test_lenna_png.py File Reference

Classes

- class [face_detection_test_lenna_png.RapplInterfaceTest](#)

Namespaces

- [face_detection_test_lenna_png](#)

Variables

- tuple [face_detection_test_lenna_png.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.11 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face-detection_test_medium_angle.py File Reference

Classes

- class [face_detection_test_medium_angle.RapplInterfaceTest](#)

Namespaces

- [face_detection_test_medium_angle](#)

Variables

- tuple [face_detection_test_medium_angle.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.12 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face-detection_test_medium_straight.py File Reference

Classes

- class [face_detection_test_medium_straight.RapplInterfaceTest](#)

Namespaces

- [face_detection_test_medium_straight](#)

Variables

- tuple [face_detection_test_medium_straight.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.13 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_multi_faces_jpg.py File

Reference

107

7.13 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_multi_faces_jpg.py File Reference

Classes

- class [face_detection_test_multi_faces_jpg.RaplInterfaceTest](#)

Namespaces

- [face_detection_test_multi_faces_jpg](#)

Variables

- tuple [face_detection_test_multi_faces_jpg.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

7.14 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_test_two_faces_jpg.py File Reference

Classes

- class [face_detection_test_two_faces_jpg.RaplInterfaceTest](#)

Namespaces

- [face_detection_test_two_faces_jpg](#)

Variables

- tuple [face_detection_test_two_faces_jpg.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

7.15 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/available_services_test.py File Reference

Classes

- class [available_services_test.RaplInterfaceTest](#)

Namespaces

- [available_services_test](#)

Variables

- tuple [available_services_test.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

7.16 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ontology_is_subsuperclass_of_microwave_oven.py File Reference

Classes

- class [ontology_is_subsuperclass_of_microwave_oven.RappInterfaceTest](#)

Namespaces

- [ontology_is_subsuperclass_of_microwave_oven](#)

Variables

- tuple [ontology_is_subsuperclass_of_microwave_oven.__path__](#) = os.path.dirname(os.path.realpath(__file__ -
_))

7.17 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ontology_is_subsuperclass_of_SpatialThing.py File Reference

Classes

- class [ontology_is_subsuperclass_of_SpatialThing.RappInterfaceTest](#)

Namespaces

- [ontology_is_subsuperclass_of_SpatialThing](#)

Variables

- tuple [ontology_is_subsuperclass_of_SpatialThing.__path__](#) = os.path.dirname(os.path.realpath(__file__ -
_))

7.18 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ontology_subclasses_of_test_Oven.py File Reference

Classes

- class [ontology_subclasses_of_test_Oven.RappInterfaceTest](#)

Namespaces

- [ontology_subclasses_of_test_Oven](#)

Variables

- tuple [ontology_subclasses_of_test_Oven.__path__](#) = os.path.dirname(os.path.realpath(__file__ -
_))

7.19 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ontology - _superclasses_of_test_1.py File Reference

Classes

- class [ontology_superclasses_of_test_1.RappInterfaceTest](#)

Namespaces

- [ontology_superclasses_of_test_1](#)

Variables

- tuple [ontology_superclasses_of_test_1.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.20 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr - detection_test_1.py File Reference

Classes

- class [qr_detection_test_1.RappInterfaceTest](#)

Namespaces

- [qr_detection_test_1](#)

Variables

- tuple [qr_detection_test_1.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.21 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr - detection_test_easy_far.py File Reference

Classes

- class [qr_detection_test_easy_far.RappInterfaceTest](#)

Namespaces

- [qr_detection_test_easy_far](#)

Variables

- tuple [qr_detection_test_easy_far.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.22 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_easy_medium.py File Reference

Classes

- class [qr_detection_test_easy_medium.RappInterfaceTest](#)

Namespaces

- [qr_detection_test_easy_medium](#)

Variables

- tuple [qr_detection_test_easy_medium.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

7.23 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_easy_near.py File Reference

Classes

- class [qr_detection_test_easy_near.RappInterfaceTest](#)

Namespaces

- [qr_detection_test_easy_near](#)

Variables

- tuple [qr_detection_test_easy_near.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

7.24 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_hard_far.py File Reference

Classes

- class [qr_detection_test_hard_far.RappInterfaceTest](#)

Namespaces

- [qr_detection_test_hard_far](#)

Variables

- tuple [qr_detection_test_hard_far.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

7.25 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_hard_medium.py File

Reference

111

7.25 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_hard_medium.py File Reference

Classes

- class [qr_detection_test_hard_medium.RappInterfaceTest](#)

Namespaces

- [qr_detection_test_hard_medium](#)

Variables

- tuple [qr_detection_test_hard_medium.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.26 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_hard_near.py File Reference

Classes

- class [qr_detection_test_hard_near.RappInterfaceTest](#)

Namespaces

- [qr_detection_test_hard_near](#)

Variables

- tuple [qr_detection_test_hard_near.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.27 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_medium_far.py File Reference

Classes

- class [qr_detection_test_medium_far.RappInterfaceTest](#)

Namespaces

- [qr_detection_test_medium_far](#)

Variables

- tuple [qr_detection_test_medium_far.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.28 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_medium_medium.py File Reference

Classes

- class [qr_detection_test_medium_medium.RappInterfaceTest](#)

Namespaces

- [qr_detection_test_medium_medium](#)

Variables

- tuple [qr_detection_test_medium_medium.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.29 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_test_medium_near.py File Reference

Classes

- class [qr_detection_test_medium_near.RappInterfaceTest](#)

Namespaces

- [qr_detection_test_medium_near](#)

Variables

- tuple [qr_detection_test_medium_near.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.30 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/record_cognitive_test_performance_arithmetic.py File Reference

Classes

- class [record_cognitive_test_performance_arithmetic.RappInterfaceTest](#)

Namespaces

- [record_cognitive_test_performance_arithmetic](#)

Variables

- tuple [record_cognitive_test_performance_arithmetic.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.31 `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/record_cognitive_test_performance_awareness.py` File

Reference

113

7.31 `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/record_cognitive_test_performance_awareness.py` File Reference

Classes

- class [record_cognitive_test_performance_awareness.RaplInterfaceTest](#)

Namespaces

- [record_cognitive_test_performance_awareness](#)

Variables

- tuple [record_cognitive_test_performance_awareness.__path__](#) = `os.path.dirname(os.path.realpath(__file__ -))`

7.32 `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/record_cognitive_test_performance_reasoning.py` File Reference

Classes

- class [record_cognitive_test_performance_reasoning.RaplInterfaceTest](#)

Namespaces

- [record_cognitive_test_performance_reasoning](#)

Variables

- tuple [record_cognitive_test_performance_reasoning.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

7.33 `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_google_test_ogg_sentence1.py` File Reference

Classes

- class [speech_detection_google_test_ogg_sentence1.RaplInterfaceTest](#)

Namespaces

- [speech_detection_google_test_ogg_sentence1](#)

Variables

- tuple [speech_detection_google_test_ogg_sentence1.__path__](#) = `os.path.dirname(os.path.realpath(__file__ -))`

7.34 `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech-detection_google_test_ogg_sentence2.py` File Reference

Classes

- class [speech_detection_google_test_ogg_sentence2.RappInterfaceTest](#)

Namespaces

- [speech_detection_google_test_ogg_sentence2](#)

Variables

- tuple [speech_detection_google_test_ogg_sentence2.__path__](#) = `os.path.dirname(os.path.realpath(__file__ -))`

7.35 `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech-detection_sphinx_test_headset_deutera.py` File Reference

Classes

- class [speech_detection_sphinx_test_headset_deutera.RappInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_headset_deutera](#)

Variables

- tuple [speech_detection_sphinx_test_headset_deutera.__path__](#) = `os.path.dirname(os.path.realpath(__file__ - _))`

7.36 `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech-detection_sphinx_test_headset_nai_oxi.py` File Reference

Classes

- class [speech_detection_sphinx_test_headset_nai_oxi.RappInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_headset_nai_oxi](#)

Variables

- tuple [speech_detection_sphinx_test_headset_nai_oxi.__path__](#) = `os.path.dirname(os.path.realpath(__file__ - _))`

7.37 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_headset_steile_mail.py File Reference

Classes

- class [speech_detection_sphinx_test_headset_steile_mail.RappInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_headset_steile_mail](#)

Variables

- tuple [speech_detection_sphinx_test_headset_steile_mail.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.38 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py File Reference

Classes

- class [speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RappInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_nao_wav_1_ch_email_robot](#)

Variables

- tuple [speech_detection_sphinx_test_nao_wav_1_ch_email_robot.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.39 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.py File Reference

Classes

- class [speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.RappInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi](#)

Variables

- tuple [speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.40 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech-detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py File Reference

Classes

- class [speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RappInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia](#)

Variables

- tuple [speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.41 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech-detection_sphinx_test_nao_wav_1_ch_yes_no.py File Reference

Classes

- class [speech_detection_sphinx_test_nao_wav_1_ch_yes_no.RappInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_nao_wav_1_ch_yes_no](#)

Variables

- tuple [speech_detection_sphinx_test_nao_wav_1_ch_yes_no.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.42 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech-detection_sphinx_test_ogg_deutera.py File Reference

Classes

- class [speech_detection_sphinx_test_ogg_deutera.RappInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_ogg_deutera](#)

Variables

- tuple [speech_detection_sphinx_test_ogg_deutera.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.43 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_monday.py File

Reference

117

7.43 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_monday.py File Reference

Classes

- class [speech_detection_sphinx_test_ogg_monday.RapInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_ogg_monday](#)

Variables

- tuple [speech_detection_sphinx_test_ogg_monday.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.44 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_no.py File Reference

Classes

- class [speech_detection_sphinx_test_ogg_no.RapInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_ogg_no](#)

Variables

- tuple [speech_detection_sphinx_test_ogg_no.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.45 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_test_ogg_oxi.py File Reference

Classes

- class [speech_detection_sphinx_test_ogg_oxi.RapInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_ogg_oxi](#)

Variables

- tuple [speech_detection_sphinx_test_ogg_oxi.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.46 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech-detection_sphinx_test_ogg_triti.py File Reference

Classes

- class [speech_detection_sphinx_test_ogg_triti.RappInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_ogg_triti](#)

Variables

- tuple [speech_detection_sphinx_test_ogg_triti.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.47 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech-detection_sphinx_test_ogg_tuesday.py File Reference

Classes

- class [speech_detection_sphinx_test_ogg_tuesday.RappInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_ogg_tuesday](#)

Variables

- tuple [speech_detection_sphinx_test_ogg_tuesday.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.48 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech-detection_sphinx_test_ogg_yes.py File Reference

Classes

- class [speech_detection_sphinx_test_ogg_yes.RappInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_ogg_yes](#)

Variables

- tuple [speech_detection_sphinx_test_ogg_yes.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.49 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/template.py File Reference

Classes

- class [template.RappInterfaceTest](#)

Namespaces

- [template](#)

Variables

- tuple [template.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.50 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/text_to_speech_test_gr_auto_store_file.py File Reference

Classes

- class [text_to_speech_test_gr_auto_store_file.RappInterfaceTest](#)

Namespaces

- [text_to_speech_test_gr_auto_store_file](#)

Variables

- tuple [text_to_speech_test_gr_auto_store_file.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.51 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/text_to_speech_test_gr_default.py File Reference

Classes

- class [text_to_speech_test_gr_default.RappInterfaceTest](#)

Namespaces

- [text_to_speech_test_gr_default](#)

Variables

- tuple [text_to_speech_test_gr_default.__path__](#) = os.path.dirname(os.path.realpath(__file__))

7.52 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/rapp_run_test.py File Reference

Namespaces

- [rapp_run_test](#)

7.53 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/_init__.py File Reference

Namespaces

- [rapp_testing_tools](#)

7.54 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/rapp_testing_core.py File Reference

Classes

- class [rapp_testing_tools.rapp_testing_core.bcolors](#)
----- Console colors ----- ##

Namespaces

- [rapp_testing_tools.rapp_testing_core](#)

Functions

- def [rapp_testing_tools.rapp_testing_core.append_to_system_path](#)
Append directory paths, given as input into the global system path.
- def [rapp_testing_tools.rapp_testing_core.execute](#)
----- ##
- def [rapp_testing_tools.rapp_testing_core.execute_tests_all](#)
Load and execute input given tests.
- def [rapp_testing_tools.rapp_testing_core.get_test_files](#)
Parse input paths and export found test files.
- def [rapp_testing_tools.rapp_testing_core.load_tests_paths](#)
Parse and get all given tests path directories, plus the default ones.
- def [rapp_testing_tools.rapp_testing_core.main](#)
Main.
- def [rapp_testing_tools.rapp_testing_core.parse_args](#)
Parse input arguments.
- def [rapp_testing_tools.rapp_testing_core.print_results](#)
Print final results.

Variables

- tuple `rapp_testing_tools.rapp_testing_core.__path__` = `os.path.dirname(os.path.realpath(__file__))`
- tuple `rapp_testing_tools.rapp_testing_core.mutex` = `Lock()`
- dictionary `rapp_testing_tools.rapp_testing_core.results`
- list `rapp_testing_tools.rapp_testing_core.testClasses`
 - *Test Classess* ----- ##
- dictionary `rapp_testing_tools.rapp_testing_core.testClassMatch`
 - ##

Index

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/README.md, [103](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/cognitive_test_-
chooser_arithmetic.py, [103](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/cognitive_test_-
chooser_awareness.py, [103](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/cognitive_test_-
chooser_reasoning.py, [104](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/denoise_profile_-
test_1.py, [104](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/face_detection_-
test_close_angle.py, [104](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/face_detection_-
test_close_straight.py, [105](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/face_detection_-
test_far_angle.py, [105](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/face_detection_-
test_far_straight.py, [105](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/face_detection_-
test_lenna_png.py, [106](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/face_detection_-
test_medium_angle.py, [106](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/face_detection_-
test_medium_straight.py, [106](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/issues/available_-
services_test.py, [107](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/ontology_superclasses_-
of_test_1.py, [109](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/qr_detection_test_-
1.py, [109](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/qr_detection_test_-
easy_far.py, [109](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/qr_detection_test_-
easy_medium.py, [110](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/qr_detection_test_-
easy_near.py, [110](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/qr_detection_test_-
hard_far.py, [110](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/qr_detection_test_-
hard_medium.py, [111](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/qr_detection_test_-
hard_near.py, [111](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/qr_detection_test_-
medium_far.py, [111](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/qr_detection_test_-
medium_medium.py, [112](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/qr_detection_test_-
medium_near.py, [112](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/default_tests/template.py, [119](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/scripts/rapp_run_test.py, [120](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_-
tools/src/rapp_testing_tools/rapp_testing_-
core.py, [120](#)

__init__

available_services_test::RapInterfaceTest, [88](#)

cognitive_test_chooser_arithmetic::RapInterface-
Test, [101](#)

cognitive_test_chooser_awareness::RapInterface-
Test, [102](#)

cognitive_test_chooser_reasoning::RapInterface-
Test, [97](#)

denoise_profile_test_1::RapInterfaceTest, [99](#)

face_detection_test_close_angle::RapInterface-
Test, [98](#)

face_detection_test_close_straight::RapInterface-
Test, [90](#)

face_detection_test_far_angle::RapInterfaceTest,
[96](#)

face_detection_test_far_straight::RapInterface-
Test, [95](#)

face_detection_test_lenna_png::RapInterface-
Test, [94](#)

face_detection_test_medium_angle::RapInterface-

- Test, [92](#)
- face_detection_test_medium_straight::Rapp-InterfaceTest, [91](#)
- face_detection_test_multi_faces_jpg::Rapp-InterfaceTest, [75](#)
- face_detection_test_two_faces_jpg::RappInterface-Test, [89](#)
- ontology_is_subsuperclass_of_microwave_oven::RappInterfaceTest, [87](#)
- ontology_is_subsuperclass_of_SpatialThing::RappInterfaceTest, [85](#)
- ontology_subclasses_of_test_Oven::RappInterface-Test, [84](#)
- ontology_superclasses_of_test_1::RappInterface-Test, [83](#)
- qr_detection_test_1::RappInterfaceTest, [82](#)
- qr_detection_test_easy_far::RappInterfaceTest, [81](#)
- qr_detection_test_easy_medium::RappInterface-Test, [79](#)
- qr_detection_test_easy_near::RappInterfaceTest, [78](#)
- qr_detection_test_hard_far::RappInterfaceTest, [77](#)
- qr_detection_test_hard_medium::RappInterface-Test, [76](#)
- qr_detection_test_hard_near::RappInterfaceTest, [34](#)
- qr_detection_test_medium_far::RappInterfaceTest, [74](#)
- qr_detection_test_medium_medium::RappInterface-Test, [72](#)
- qr_detection_test_medium_near::RappInterface-Test, [71](#)
- record_cognitive_test_performance_arithmetic::RappInterfaceTest, [70](#)
- record_cognitive_test_performance_awareness::RappInterfaceTest, [69](#)
- record_cognitive_test_performance_reasoning::RappInterfaceTest, [67](#)
- speech_detection_google_test_ogg_sentence1::RappInterfaceTest, [66](#)
- speech_detection_google_test_ogg_sentence2::RappInterfaceTest, [64](#)
- speech_detection_sphinx_test_headset_deutera::RappInterfaceTest, [63](#)
- speech_detection_sphinx_test_headset_nai_oxi::RappInterfaceTest, [61](#)
- speech_detection_sphinx_test_headset_steile_mail::RappInterfaceTest, [59](#)
- speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi::RappInterfaceTest, [55](#)
- speech_detection_sphinx_test_nao_wav_1_ch_yes_no::RappInterfaceTest, [52](#)
- speech_detection_sphinx_test_ogg_deutera::RappInterfaceTest, [50](#)
- speech_detection_sphinx_test_ogg_monday::RappInterfaceTest, [48](#)
- speech_detection_sphinx_test_ogg_no::Rapp-InterfaceTest, [47](#)
- speech_detection_sphinx_test_ogg_oxi::Rapp-InterfaceTest, [45](#)
- speech_detection_sphinx_test_ogg_triti::Rapp-InterfaceTest, [43](#)
- speech_detection_sphinx_test_ogg_tuesday::RappInterfaceTest, [41](#)
- speech_detection_sphinx_test_ogg_yes::Rapp-InterfaceTest, [39](#)
- template::RappInterfaceTest, [38](#)
- text_to_speech_test_gr_auto_store_file::Rapp-InterfaceTest, [37](#)
- text_to_speech_test_gr_default::RappInterface-Test, [36](#)
- __path__
 - available_services_test, [11](#)
 - cognitive_test_chooser_arithmetic, [11](#)
 - cognitive_test_chooser_awareness, [12](#)
 - cognitive_test_chooser_reasoning, [12](#)
 - denoise_profile_test_1, [12](#)
 - face_detection_test_close_angle, [13](#)
 - face_detection_test_close_straight, [13](#)
 - face_detection_test_far_angle, [13](#)
 - face_detection_test_far_straight, [14](#)
 - face_detection_test_lenna_png, [14](#)
 - face_detection_test_medium_angle, [14](#)
 - face_detection_test_medium_straight, [15](#)
 - face_detection_test_multi_faces_jpg, [15](#)
 - face_detection_test_two_faces_jpg, [15](#)
 - ontology_is_subsuperclass_of_microwave_oven, [16](#)
 - ontology_is_subsuperclass_of_SpatialThing, [16](#)
 - ontology_subclasses_of_test_Oven, [16](#)
 - ontology_superclasses_of_test_1, [17](#)
 - qr_detection_test_1, [17](#)
 - qr_detection_test_easy_far, [17](#)
 - qr_detection_test_easy_medium, [18](#)
 - qr_detection_test_easy_near, [18](#)
 - qr_detection_test_hard_far, [18](#)
 - qr_detection_test_hard_medium, [19](#)
 - qr_detection_test_hard_near, [19](#)
 - qr_detection_test_medium_far, [19](#)
 - qr_detection_test_medium_medium, [20](#)
 - qr_detection_test_medium_near, [20](#)
 - rapp_testing_tools::rapp_testing_core, [22](#)
 - record_cognitive_test_performance_arithmetic, [24](#)
 - record_cognitive_test_performance_awareness, [24](#)
 - record_cognitive_test_performance_reasoning, [24](#)
 - speech_detection_google_test_ogg_sentence1, [25](#)
 - speech_detection_google_test_ogg_sentence2, [25](#)
 - speech_detection_sphinx_test_headset_deutera, [25](#)
 - speech_detection_sphinx_test_headset_nai_oxi, [26](#)
 - speech_detection_sphinx_test_headset_steile_mail, [26](#)

- speech_detection_sphinx_test_nao_wav_1_ch_email_robot, 26
- speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi, 27
- speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia, 27
- speech_detection_sphinx_test_nao_wav_1_ch_yes_no, 27
- speech_detection_sphinx_test_ogg_deutera, 28
- speech_detection_sphinx_test_ogg_monday, 28
- speech_detection_sphinx_test_ogg_no, 28
- speech_detection_sphinx_test_ogg_oxi, 29
- speech_detection_sphinx_test_ogg_triti, 29
- speech_detection_sphinx_test_ogg_tuesday, 29
- speech_detection_sphinx_test_ogg_yes, 30
- template, 30
- text_to_speech_test_gr_auto_store_file, 30
- text_to_speech_test_gr_default, 31
- append_to_system_path
 - rapp_testing_tools::rapp_testing_core, 21
- audio_source
 - denoise_profile_test_1::RappInterfaceTest, 100
 - speech_detection_google_test_ogg_sentence1::RappInterfaceTest, 66
 - speech_detection_google_test_ogg_sentence2::RappInterfaceTest, 65
 - speech_detection_sphinx_test_headset_deutera::RappInterfaceTest, 63
 - speech_detection_sphinx_test_headset_nai_oxi::RappInterfaceTest, 61
 - speech_detection_sphinx_test_headset_steile_mail::RappInterfaceTest, 59
 - speech_detection_sphinx_test_nao_wav_1_ch_email_robot::RappInterfaceTest, 58
 - speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi::RappInterfaceTest, 56
 - speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia::RappInterfaceTest, 54
 - speech_detection_sphinx_test_nao_wav_1_ch_yes_no::RappInterfaceTest, 52
 - speech_detection_sphinx_test_ogg_deutera::RappInterfaceTest, 50
 - speech_detection_sphinx_test_ogg_monday::RappInterfaceTest, 49
 - speech_detection_sphinx_test_ogg_no::RappInterfaceTest, 47
 - speech_detection_sphinx_test_ogg_oxi::RappInterfaceTest, 45
 - speech_detection_sphinx_test_ogg_triti::RappInterfaceTest, 43
 - speech_detection_sphinx_test_ogg_tuesday::RappInterfaceTest, 42
 - speech_detection_sphinx_test_ogg_yes::RappInterfaceTest, 40
- available_services_test, 11
 - __path__, 11
- available_services_test.RappInterfaceTest, 88
- available_services_test::RappInterfaceTest
 - __init__, 88
 - elapsed_time, 88
 - execute, 88
 - rappCloud, 88
 - valid_results, 88
 - validate, 88
- BOLD
 - rapp_testing_tools::rapp_testing_core::bcolors, 33
- child_class
 - ontology_is_subsuperclass_of_microwave_oven::RappInterfaceTest, 87
 - ontology_is_subsuperclass_of_SpatialThing::RappInterfaceTest, 85
- cognitive_test_chooser_arithmetic, 11
 - __path__, 11
- cognitive_test_chooser_arithmetic.RappInterfaceTest, 100
- cognitive_test_chooser_arithmetic::RappInterfaceTest
 - __init__, 101
 - elapsed_time, 101
 - execute, 101
 - rappCloud, 101
 - testType, 101
 - username, 101
 - validate, 101
- cognitive_test_chooser_awareness, 11
 - __path__, 12
- cognitive_test_chooser_awareness.RappInterfaceTest, 101
- cognitive_test_chooser_awareness::RappInterfaceTest
 - __init__, 102
 - elapsed_time, 102
 - execute, 102
 - rappCloud, 102
 - testType, 102
 - username, 102
 - validate, 102
- cognitive_test_chooser_reasoning, 12
 - __path__, 12
- cognitive_test_chooser_reasoning.RappInterfaceTest, 97
- cognitive_test_chooser_reasoning::RappInterfaceTest
 - __init__, 97
 - elapsed_time, 97
 - execute, 97
 - rappCloud, 97
 - testType, 98
 - username, 98
 - validate, 97
- denoise_profile_test_1, 12
 - __path__, 12
- denoise_profile_test_1.RappInterfaceTest, 99
- denoise_profile_test_1::RappInterfaceTest
 - __init__, 99
 - audio_source, 100
 - elapsed_time, 100

- execute, 100
- file_uri, 100
- rappCloud, 100
- user, 100
- validate, 100
- destDir
 - text_to_speech_test_gr_default::RapInterface-Test, 36
- destFilePath
 - text_to_speech_test_gr_auto_store_file::RapInterfaceTest, 37
- ENDC
 - rapp_testing_tools::rapp_testing_core::bcolors, 33
- elapsed_time
 - available_services_test::RapInterfaceTest, 88
 - cognitive_test_chooser_arithmetic::RapInterface-Test, 101
 - cognitive_test_chooser_awareness::RapInterface-Test, 102
 - cognitive_test_chooser_reasoning::RapInterface-Test, 97
 - denoise_profile_test_1::RapInterfaceTest, 100
 - face_detection_test_close_angle::RapInterface-Test, 99
 - face_detection_test_close_straight::RapInterface-Test, 90
 - face_detection_test_far_angle::RapInterfaceTest, 96
 - face_detection_test_far_straight::RapInterface-Test, 95
 - face_detection_test_lenna_png::RapInterface-Test, 94
 - face_detection_test_medium_angle::RapInterface-Test, 93
 - face_detection_test_medium_straight::RapInterfaceTest, 92
 - face_detection_test_multi_faces_jpg::RapInterfaceTest, 75
 - face_detection_test_two_faces_jpg::RapInterface-Test, 89
 - ontology_is_subsuperclass_of_microwave_oven::RapInterfaceTest, 87
 - ontology_is_subsuperclass_of_SpatialThing::RapInterfaceTest, 85
 - ontology_subclasses_of_test_Oven::RapInterface-Test, 84
 - ontology_superclasses_of_test_1::RapInterface-Test, 83
 - qr_detection_test_1::RapInterfaceTest, 82
 - qr_detection_test_easy_far::RapInterfaceTest, 81
 - qr_detection_test_easy_medium::RapInterface-Test, 80
 - qr_detection_test_easy_near::RapInterfaceTest, 79
 - qr_detection_test_hard_far::RapInterfaceTest, 77
 - qr_detection_test_hard_medium::RapInterface-Test, 76
 - qr_detection_test_hard_near::RapInterfaceTest, 35
 - qr_detection_test_medium_far::RapInterfaceTest, 74
 - qr_detection_test_medium_medium::RapInterface-Test, 73
 - qr_detection_test_medium_near::RapInterface-Test, 72
 - record_cognitive_test_performance_arithmetic::RapInterfaceTest, 70
 - record_cognitive_test_performance_awareness::RapInterfaceTest, 69
 - record_cognitive_test_performance_reasoning::RapInterfaceTest, 68
 - speech_detection_google_test_ogg_sentence1::RapInterfaceTest, 66
 - speech_detection_google_test_ogg_sentence2::RapInterfaceTest, 65
 - speech_detection_sphinx_test_headset_deutera::RapInterfaceTest, 63
 - speech_detection_sphinx_test_headset_nai_oxi::RapInterfaceTest, 61
 - speech_detection_sphinx_test_headset_steile_mail::RapInterfaceTest, 59
 - speech_detection_sphinx_test_nao_wav_1_ch_email_robot::RapInterfaceTest, 58
 - speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi::RapInterfaceTest, 56
 - speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia::RapInterfaceTest, 54
 - speech_detection_sphinx_test_nao_wav_1_ch_yes_no::RapInterfaceTest, 52
 - speech_detection_sphinx_test_ogg_deutera::RapInterfaceTest, 50
 - speech_detection_sphinx_test_ogg_monday::RapInterfaceTest, 49
 - speech_detection_sphinx_test_ogg_no::RapInterfaceTest, 47
 - speech_detection_sphinx_test_ogg_oxi::RapInterfaceTest, 45
 - speech_detection_sphinx_test_ogg_triti::RapInterfaceTest, 43
 - speech_detection_sphinx_test_ogg_tuesday::RapInterfaceTest, 42
 - speech_detection_sphinx_test_ogg_yes::RapInterfaceTest, 40
 - template::RapInterfaceTest, 39
 - text_to_speech_test_gr_auto_store_file::RapInterfaceTest, 37
 - text_to_speech_test_gr_default::RapInterface-Test, 36
- execute
 - available_services_test::RapInterfaceTest, 88
 - cognitive_test_chooser_arithmetic::RapInterface-Test, 101
 - cognitive_test_chooser_awareness::RapInterface-Test, 102
 - cognitive_test_chooser_reasoning::RapInterface-

- Test, [97](#)
- denoise_profile_test_1::RapplInterfaceTest, [100](#)
- face_detection_test_close_angle::RapplInterfaceTest, [98](#)
- face_detection_test_close_straight::RapplInterfaceTest, [90](#)
- face_detection_test_far_angle::RapplInterfaceTest, [96](#)
- face_detection_test_far_straight::RapplInterfaceTest, [95](#)
- face_detection_test_lenna_png::RapplInterfaceTest, [94](#)
- face_detection_test_medium_angle::RapplInterfaceTest, [93](#)
- face_detection_test_medium_straight::RapplInterfaceTest, [91](#)
- face_detection_test_multi_faces_jpg::RapplInterfaceTest, [75](#)
- face_detection_test_two_faces_jpg::RapplInterfaceTest, [89](#)
- ontology_is_subsuperclass_of_microwave_oven::RapplInterfaceTest, [87](#)
- ontology_is_subsuperclass_of_SpatialThing::RapplInterfaceTest, [85](#)
- ontology_subclasses_of_test_Oven::RapplInterfaceTest, [84](#)
- ontology_superclasses_of_test_1::RapplInterfaceTest, [83](#)
- qr_detection_test_1::RapplInterfaceTest, [82](#)
- qr_detection_test_easy_far::RapplInterfaceTest, [81](#)
- qr_detection_test_easy_medium::RapplInterfaceTest, [80](#)
- qr_detection_test_easy_near::RapplInterfaceTest, [78](#)
- qr_detection_test_hard_far::RapplInterfaceTest, [77](#)
- qr_detection_test_hard_medium::RapplInterfaceTest, [76](#)
- qr_detection_test_hard_near::RapplInterfaceTest, [35](#)
- qr_detection_test_medium_far::RapplInterfaceTest, [74](#)
- qr_detection_test_medium_medium::RapplInterfaceTest, [73](#)
- qr_detection_test_medium_near::RapplInterfaceTest, [71](#)
- rapp_testing_tools::rapp_testing_core, [21](#)
- record_cognitive_test_performance_arithmetic::RapplInterfaceTest, [70](#)
- record_cognitive_test_performance_awareness::RapplInterfaceTest, [69](#)
- record_cognitive_test_performance_reasoning::RapplInterfaceTest, [67](#)
- speech_detection_google_test_ogg_sentence1::RapplInterfaceTest, [66](#)
- speech_detection_google_test_ogg_sentence2::RapplInterfaceTest, [64](#)
- speech_detection_sphinx_test_headset_deutera::RapplInterfaceTest, [63](#)
- speech_detection_sphinx_test_headset_nai_oxi::RapplInterfaceTest, [61](#)
- speech_detection_sphinx_test_headset_steile_mail::RapplInterfaceTest, [59](#)
- speech_detection_sphinx_test_nao_wav_1_ch_email_robot::RapplInterfaceTest, [57](#)
- speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi::RapplInterfaceTest, [56](#)
- speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia::RapplInterfaceTest, [54](#)
- speech_detection_sphinx_test_nao_wav_1_ch_yes_no::RapplInterfaceTest, [52](#)
- speech_detection_sphinx_test_ogg_deutera::RapplInterfaceTest, [50](#)
- speech_detection_sphinx_test_ogg_monday::RapplInterfaceTest, [48](#)
- speech_detection_sphinx_test_ogg_no::RapplInterfaceTest, [47](#)
- speech_detection_sphinx_test_ogg_oxi::RapplInterfaceTest, [45](#)
- speech_detection_sphinx_test_ogg_triti::RapplInterfaceTest, [43](#)
- speech_detection_sphinx_test_ogg_tuesday::RapplInterfaceTest, [41](#)
- speech_detection_sphinx_test_ogg_yes::RapplInterfaceTest, [40](#)
- template::RapplInterfaceTest, [38](#)
- text_to_speech_test_gr_auto_store_file::RapplInterfaceTest, [37](#)
- text_to_speech_test_gr_default::RapplInterfaceTest, [36](#)
- execute_tests_all
- rapp_testing_tools::rapp_testing_core, [21](#)
- FAIL
- rapp_testing_tools::rapp_testing_core::bcolors, [33](#)
- face_detection_test_close_angle, [13](#)
- __path__, [13](#)
- face_detection_test_close_angle.RapplInterfaceTest, [98](#)
- face_detection_test_close_angle::RapplInterfaceTest
- elapsed_time, [99](#)
- execute, [98](#)
- file_uri, [99](#)
- rappCloud, [99](#)
- valid_faces, [99](#)
- validate, [98](#)
- face_detection_test_close_straight, [13](#)
- __path__, [13](#)
- face_detection_test_close_straight.RapplInterfaceTest, [90](#)
- face_detection_test_close_straight::RapplInterfaceTest
- elapsed_time, [90](#)
- execute, [90](#)
- file_uri, [90](#)
- rappCloud, [91](#)
- valid_faces, [91](#)
- validate, [90](#)
- face_detection_test_far_angle, [13](#)
- __path__, [13](#)

face_detection_test_far_angle.RapInterfaceTest, 96
 face_detection_test_far_angle::RapInterfaceTest
 elapsed_time, 96
 execute, 96
 file_uri, 96
 rappCloud, 96
 valid_faces, 96
 validate, 96
 face_detection_test_far_straight, 14
 __path__, 14
 face_detection_test_far_straight.RapInterfaceTest, 94
 face_detection_test_far_straight::RapInterfaceTest
 elapsed_time, 95
 execute, 95
 file_uri, 95
 rappCloud, 95
 valid_faces, 95
 validate, 95
 face_detection_test_lenna_png, 14
 __path__, 14
 face_detection_test_lenna_png.RapInterfaceTest, 93
 face_detection_test_lenna_png::RapInterfaceTest
 elapsed_time, 94
 execute, 94
 file_uri, 94
 rappCloud, 94
 valid_faces, 94
 validate, 94
 face_detection_test_medium_angle, 14
 __path__, 14
 face_detection_test_medium_angle.RapInterfaceTest, 92
 face_detection_test_medium_angle::RapInterfaceTest
 elapsed_time, 93
 execute, 93
 file_uri, 93
 rappCloud, 93
 valid_faces, 93
 validate, 93
 face_detection_test_medium_straight, 15
 __path__, 15
 face_detection_test_medium_straight.RapInterfaceTest, 91
 face_detection_test_medium_straight::RapInterfaceTest
 elapsed_time, 92
 execute, 91
 file_uri, 92
 rappCloud, 92
 valid_faces, 92
 validate, 91
 face_detection_test_multi_faces_jpg, 15
 __path__, 15
 face_detection_test_multi_faces_jpg.RapInterfaceTest, 74
 face_detection_test_multi_faces_jpg::RapInterfaceTest
 elapsed_time, 75
 execute, 75
 file_uri, 75
 rappCloud, 75
 valid_minNumFaces, 75
 validate, 75
 face_detection_test_two_faces_jpg, 15
 __path__, 15
 face_detection_test_two_faces_jpg.RapInterfaceTest, 89
 face_detection_test_two_faces_jpg::RapInterfaceTest
 elapsed_time, 89
 execute, 89
 file_uri, 89
 rappCloud, 89
 valid_numFaces, 89
 validate, 89
 file_uri
 denoise_profile_test_1::RapInterfaceTest, 100
 face_detection_test_close_angle::RapInterfaceTest, 99
 face_detection_test_close_straight::RapInterfaceTest, 90
 face_detection_test_far_angle::RapInterfaceTest, 96
 face_detection_test_far_straight::RapInterfaceTest, 95
 face_detection_test_lenna_png::RapInterfaceTest, 94
 face_detection_test_medium_angle::RapInterfaceTest, 93
 face_detection_test_medium_straight::RapInterfaceTest, 92
 face_detection_test_multi_faces_jpg::RapInterfaceTest, 75
 face_detection_test_two_faces_jpg::RapInterfaceTest, 89
 qr_detection_test_1::RapInterfaceTest, 82
 qr_detection_test_easy_far::RapInterfaceTest, 81
 qr_detection_test_easy_medium::RapInterfaceTest, 80
 qr_detection_test_easy_near::RapInterfaceTest, 79
 qr_detection_test_hard_far::RapInterfaceTest, 77
 qr_detection_test_hard_medium::RapInterfaceTest, 76
 qr_detection_test_hard_near::RapInterfaceTest, 35
 qr_detection_test_medium_far::RapInterfaceTest, 74
 qr_detection_test_medium_medium::RapInterfaceTest, 73
 qr_detection_test_medium_near::RapInterfaceTest, 72
 speech_detection_google_test_ogg_sentence1::RapInterfaceTest, 66
 speech_detection_google_test_ogg_sentence2::RapInterfaceTest, 65
 speech_detection_sphinx_test_headset_deutera::

- ontology_superclasses_of_test_1::RappInterfaceTest, [83](#)
- ontology_is_subsuperclass_of_SpatialThing, [16](#)
 - __path__, [16](#)
- ontology_is_subsuperclass_of_SpatialThing.RappInterfaceTest, [85](#)
- ontology_is_subsuperclass_of_SpatialThing::RappInterfaceTest
 - child_class_, [85](#)
 - elapsed_time, [85](#)
 - execute, [85](#)
 - parent_class_, [86](#)
 - rappCloud, [86](#)
 - recursive_, [86](#)
 - valid_results, [86](#)
 - validate, [85](#)
- ontology_is_subsuperclass_of_microwave_oven, [16](#)
 - __path__, [16](#)
- ontology_is_subsuperclass_of_microwave_oven.RappInterfaceTest, [86](#)
- ontology_is_subsuperclass_of_microwave_oven::RappInterfaceTest
 - child_class_, [87](#)
 - elapsed_time, [87](#)
 - execute, [87](#)
 - parent_class_, [87](#)
 - rappCloud, [87](#)
 - recursive_, [87](#)
 - valid_results, [87](#)
 - validate, [87](#)
- ontology_subclasses_of_test_Oven, [16](#)
 - __path__, [16](#)
- ontology_subclasses_of_test_Oven.RappInterfaceTest, [84](#)
- ontology_subclasses_of_test_Oven::RappInterfaceTest
 - elapsed_time, [84](#)
 - execute, [84](#)
 - ontology_class, [84](#)
 - rappCloud, [84](#)
 - valid_results, [84](#)
 - validate, [84](#)
- ontology_superclasses_of_test_1, [17](#)
 - __path__, [17](#)
- ontology_superclasses_of_test_1.RappInterfaceTest, [82](#)
- ontology_superclasses_of_test_1::RappInterfaceTest
 - elapsed_time, [83](#)
 - execute, [83](#)
 - ontology_class, [83](#)
 - rappCloud, [83](#)
 - valid_results, [83](#)
 - validate, [83](#)
- parent_class_
 - ontology_is_subsuperclass_of_microwave_oven::RappInterfaceTest, [87](#)
 - ontology_is_subsuperclass_of_SpatialThing::RappInterfaceTest, [86](#)
- parse_args
- rapp_testing_tools::rapp_testing_core, [22](#)
- print_results
 - rapp_testing_tools::rapp_testing_core, [22](#)
- qr_detection_test_1, [17](#)
 - __path__, [17](#)
- qr_detection_test_1.RappInterfaceTest, [81](#)
- qr_detection_test_1::RappInterfaceTest
 - __init__, [82](#)
 - elapsed_time, [82](#)
 - execute, [82](#)
 - file_uri, [82](#)
 - rappCloud, [82](#)
 - valid_results, [82](#)
 - validate, [82](#)
- qr_detection_test_easy_far, [17](#)
 - __path__, [17](#)
- qr_detection_test_easy_far.RappInterfaceTest, [80](#)
- qr_detection_test_easy_far::RappInterfaceTest
 - __init__, [81](#)
 - elapsed_time, [81](#)
 - execute, [81](#)
 - file_uri, [81](#)
 - rappCloud, [81](#)
 - valid_results, [81](#)
 - validate, [81](#)
- qr_detection_test_easy_medium, [18](#)
 - __path__, [18](#)
- qr_detection_test_easy_medium.RappInterfaceTest, [79](#)
- qr_detection_test_easy_medium::RappInterfaceTest
 - elapsed_time, [80](#)
 - execute, [80](#)
 - file_uri, [80](#)
 - rappCloud, [80](#)
 - valid_results, [80](#)
 - validate, [80](#)
- qr_detection_test_easy_near, [18](#)
 - __path__, [18](#)
- qr_detection_test_easy_near.RappInterfaceTest, [78](#)
- qr_detection_test_easy_near::RappInterfaceTest
 - __init__, [78](#)
 - elapsed_time, [79](#)
 - execute, [78](#)
 - file_uri, [79](#)
 - rappCloud, [79](#)
 - valid_results, [79](#)
 - validate, [78](#)
- qr_detection_test_hard_far, [18](#)
 - __path__, [18](#)
- qr_detection_test_hard_far.RappInterfaceTest, [77](#)
- qr_detection_test_hard_far::RappInterfaceTest
 - __init__, [77](#)
 - elapsed_time, [77](#)
 - execute, [77](#)
 - file_uri, [77](#)
 - rappCloud, [78](#)
 - valid_results, [78](#)
 - validate, [77](#)
- qr_detection_test_hard_medium, [19](#)

- __path__, 19
- qr_detection_test_hard_medium.RappInterfaceTest, 76
- qr_detection_test_hard_medium::RappInterfaceTest
 - elapsed_time, 76
 - execute, 76
 - file_uri, 76
 - rappCloud, 76
 - valid_results, 76
 - validate, 76
- qr_detection_test_hard_near, 19
- __path__, 19
- qr_detection_test_hard_near.RappInterfaceTest, 34
- qr_detection_test_hard_near::RappInterfaceTest
 - __init__, 34
 - elapsed_time, 35
 - execute, 35
 - file_uri, 35
 - rappCloud, 35
 - valid_results, 35
 - validate, 35
- qr_detection_test_medium_far, 19
- __path__, 19
- qr_detection_test_medium_far.RappInterfaceTest, 73
- qr_detection_test_medium_far::RappInterfaceTest
 - __init__, 74
 - elapsed_time, 74
 - execute, 74
 - file_uri, 74
 - rappCloud, 74
 - valid_results, 74
 - validate, 74
- qr_detection_test_medium_medium, 20
- __path__, 20
- qr_detection_test_medium_medium.RappInterfaceTest, 72
- qr_detection_test_medium_medium::RappInterfaceTest
 - elapsed_time, 73
 - execute, 73
 - file_uri, 73
 - rappCloud, 73
 - valid_results, 73
 - validate, 73
- qr_detection_test_medium_near, 20
- __path__, 20
- qr_detection_test_medium_near.RappInterfaceTest, 71
- qr_detection_test_medium_near::RappInterfaceTest
 - elapsed_time, 72
 - execute, 71
 - file_uri, 72
 - rappCloud, 72
 - valid_results, 72
 - validate, 71
- rapp_run_test, 20
- rapp_testing_tools, 20
- rapp_testing_tools.rapp_testing_core, 20
- rapp_testing_tools.rapp_testing_core.bcolors, 33
- rapp_testing_tools::rapp_testing_core
 - __path__, 22
 - append_to_system_path, 21
 - execute, 21
 - execute_tests_all, 21
 - get_test_files, 22
 - load_tests_paths, 22
 - main, 22
 - mutex, 22
 - parse_args, 22
 - print_results, 22
 - results, 22
 - testClassMatch, 23
 - testClasses, 23
- rapp_testing_tools::rapp_testing_core::bcolors
 - BOLD, 33
 - ENDC, 33
 - FAIL, 33
 - HEADER, 33
 - OKBLUE, 34
 - OKGREEN, 34
 - UNDERLINE, 34
 - WARNING, 34
- rappCloud
 - available_services_test::RappInterfaceTest, 88
 - cognitive_test_chooser_arithmetic::RappInterfaceTest, 101
 - cognitive_test_chooser_awareness::RappInterfaceTest, 102
 - cognitive_test_chooser_reasoning::RappInterfaceTest, 97
 - denoise_profile_test_1::RappInterfaceTest, 100
 - face_detection_test_close_angle::RappInterfaceTest, 99
 - face_detection_test_close_straight::RappInterfaceTest, 91
 - face_detection_test_far_angle::RappInterfaceTest, 96
 - face_detection_test_far_straight::RappInterfaceTest, 95
 - face_detection_test_lenna_png::RappInterfaceTest, 94
 - face_detection_test_medium_angle::RappInterfaceTest, 93
 - face_detection_test_medium_straight::RappInterfaceTest, 92
 - face_detection_test_multi_faces_jpg::RappInterfaceTest, 75
 - face_detection_test_two_faces_jpg::RappInterfaceTest, 89
 - ontology_is_subsuperclass_of_microwave_oven::RappInterfaceTest, 87
 - ontology_is_subsuperclass_of_SpatialThing::RappInterfaceTest, 86
 - ontology_subclasses_of_test_Oven::RappInterfaceTest, 84
 - ontology_superclasses_of_test_1::RappInterfaceTest, 83
 - qr_detection_test_1::RappInterfaceTest, 82
 - qr_detection_test_easy_far::RappInterfaceTest, 81

- qr_detection_test_easy_medium::RapInterface-Test, [80](#)
- qr_detection_test_easy_near::RapInterfaceTest, [79](#)
- qr_detection_test_hard_far::RapInterfaceTest, [78](#)
- qr_detection_test_hard_medium::RapInterface-Test, [76](#)
- qr_detection_test_hard_near::RapInterfaceTest, [35](#)
- qr_detection_test_medium_far::RapInterfaceTest, [74](#)
- qr_detection_test_medium_medium::RapInterface-Test, [73](#)
- qr_detection_test_medium_near::RapInterface-Test, [72](#)
- record_cognitive_test_performance_arithmetic::RapInterfaceTest, [70](#)
- record_cognitive_test_performance_awareness::RapInterfaceTest, [69](#)
- record_cognitive_test_performance_reasoning::RapInterfaceTest, [68](#)
- speech_detection_google_test_ogg_sentence1::RapInterfaceTest, [66](#)
- speech_detection_google_test_ogg_sentence2::RapInterfaceTest, [65](#)
- speech_detection_sphinx_test_headset_deutera::RapInterfaceTest, [63](#)
- speech_detection_sphinx_test_headset_nai_oxi::RapInterfaceTest, [62](#)
- speech_detection_sphinx_test_headset_steile_email::RapInterfaceTest, [60](#)
- speech_detection_sphinx_test_nao_wav_1_ch_email_robot::RapInterfaceTest, [58](#)
- speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi::RapInterfaceTest, [56](#)
- speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia::RapInterfaceTest, [54](#)
- speech_detection_sphinx_test_nao_wav_1_ch_yes_no::RapInterfaceTest, [53](#)
- speech_detection_sphinx_test_ogg_deutera::RapInterfaceTest, [51](#)
- speech_detection_sphinx_test_ogg_monday::RapInterfaceTest, [49](#)
- speech_detection_sphinx_test_ogg_no::RapInterfaceTest, [47](#)
- speech_detection_sphinx_test_ogg_oxi::RapInterfaceTest, [45](#)
- speech_detection_sphinx_test_ogg_triti::RapInterfaceTest, [44](#)
- speech_detection_sphinx_test_ogg_tuesday::RapInterfaceTest, [42](#)
- speech_detection_sphinx_test_ogg_yes::RapInterfaceTest, [40](#)
- template::RapInterfaceTest, [39](#)
- text_to_speech_test_gr_auto_store_file::RapInterfaceTest, [37](#)
- text_to_speech_test_gr_default::RapInterface-Test, [36](#)
- record_cognitive_test_performance_arithmetic, [23](#)
 __path__, [24](#)
- record_cognitive_test_performance_arithmetic.RapInterfaceTest, [70](#)
- record_cognitive_test_performance_arithmetic::RapInterfaceTest
 elapsed_time, [70](#)
 execute, [70](#)
 rappCloud, [70](#)
 score, [70](#)
 test, [70](#)
 username, [71](#)
 valid_result_partial, [71](#)
 validate, [70](#)
- record_cognitive_test_performance_awareness, [24](#)
 __path__, [24](#)
- record_cognitive_test_performance_awareness.RapInterfaceTest, [68](#)
- record_cognitive_test_performance_awareness::RapInterfaceTest
 elapsed_time, [69](#)
 execute, [69](#)
 rappCloud, [69](#)
 score, [69](#)
 test, [69](#)
 username, [69](#)
 valid_result_partial, [69](#)
 validate, [69](#)
- record_cognitive_test_performance_reasoning, [24](#)
 __path__, [24](#)
- record_cognitive_test_performance_reasoning.RapInterfaceTest, [67](#)
- record_cognitive_test_performance_reasoning::RapInterfaceTest
 elapsed_time, [68](#)
 execute, [67](#)
 rappCloud, [68](#)
 score, [68](#)
 test, [68](#)
 username, [68](#)
 valid_result_partial, [68](#)
 validate, [67](#)
- recursive_
 ontology_is_subsuperclass_of_microwave_oven::RapInterfaceTest, [87](#)
 ontology_is_subsuperclass_of_SpatialThing::RapInterfaceTest, [86](#)
- results
 rapp_testing_tools::rapp_testing_core, [22](#)
- score
 record_cognitive_test_performance_arithmetic::RapInterfaceTest, [70](#)
 record_cognitive_test_performance_awareness::RapInterfaceTest, [69](#)
 record_cognitive_test_performance_reasoning::RapInterfaceTest, [68](#)
- sentences

- speech_detection_sphinx_test_headset_deutera::RappInterfaceTest, [63](#)
- speech_detection_sphinx_test_headset_nai_oxi::RappInterfaceTest, [62](#)
- speech_detection_sphinx_test_headset_steile_mail::RappInterfaceTest, [60](#)
- speech_detection_sphinx_test_nao_wav_1_ch_email_robot::RappInterfaceTest, [58](#)
- speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi::RappInterfaceTest, [56](#)
- speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia::RappInterfaceTest, [54](#)
- speech_detection_sphinx_test_nao_wav_1_ch_yes_no::RappInterfaceTest, [53](#)
- speech_detection_sphinx_test_ogg_deutera::RappInterfaceTest, [51](#)
- speech_detection_sphinx_test_ogg_monday::RappInterfaceTest, [49](#)
- speech_detection_sphinx_test_ogg_no::RappInterfaceTest, [47](#)
- speech_detection_sphinx_test_ogg_oxi::RappInterfaceTest, [46](#)
- speech_detection_sphinx_test_ogg_triti::RappInterfaceTest, [44](#)
- speech_detection_sphinx_test_ogg_tuesday::RappInterfaceTest, [42](#)
- speech_detection_sphinx_test_ogg_yes::RappInterfaceTest, [40](#)
- speech_detection_google_test_ogg_sentence1, [24](#)
 - __path__, [25](#)
- speech_detection_google_test_ogg_sentence1.RappInterfaceTest, [65](#)
- speech_detection_google_test_ogg_sentence1::RappInterfaceTest
 - audio_source, [66](#)
 - elapsed_time, [66](#)
 - execute, [66](#)
 - file_uri, [66](#)
 - language, [66](#)
 - rappCloud, [66](#)
 - user, [66](#)
 - valid_words_found, [67](#)
 - validate, [66](#)
- speech_detection_google_test_ogg_sentence2, [25](#)
 - __path__, [25](#)
- speech_detection_google_test_ogg_sentence2.RappInterfaceTest, [64](#)
- speech_detection_google_test_ogg_sentence2::RappInterfaceTest
 - audio_source, [65](#)
 - elapsed_time, [65](#)
 - execute, [64](#)
 - file_uri, [65](#)
 - language, [65](#)
 - rappCloud, [65](#)
 - user, [65](#)
 - valid_words_found, [65](#)
 - validate, [64](#)
- speech_detection_sphinx_test_headset_deutera, [25](#)
 - __path__, [25](#)
- speech_detection_sphinx_test_headset_deutera.RappInterfaceTest, [62](#)
- speech_detection_sphinx_test_headset_deutera::RappInterfaceTest
 - audio_source, [63](#)
 - elapsed_time, [63](#)
 - execute, [63](#)
 - file_uri, [63](#)
 - grammar, [63](#)
 - language, [63](#)
 - rappCloud, [63](#)
 - sentences, [63](#)
 - user, [63](#)
 - valid_words_found, [64](#)
 - validate, [63](#)
 - words, [64](#)
- speech_detection_sphinx_test_headset_nai_oxi, [25](#)
 - __path__, [26](#)
- speech_detection_sphinx_test_headset_nai_oxi.RappInterfaceTest, [60](#)
- speech_detection_sphinx_test_headset_nai_oxi::RappInterfaceTest
 - audio_source, [61](#)
 - elapsed_time, [61](#)
 - execute, [61](#)
 - file_uri, [61](#)
 - grammar, [61](#)
 - language, [61](#)
 - rappCloud, [62](#)
 - sentences, [62](#)
 - user, [62](#)
 - validate, [61](#)
 - words, [62](#)
- speech_detection_sphinx_test_headset_steile_mail, [26](#)
- speech_detection_sphinx_test_headset_steile_mail.RappInterfaceTest, [59](#)
- speech_detection_sphinx_test_headset_steile_mail::RappInterfaceTest
 - audio_source, [59](#)
 - elapsed_time, [59](#)
 - execute, [59](#)
 - file_uri, [59](#)
 - grammar, [60](#)
 - language, [60](#)
 - rappCloud, [60](#)
 - sentences, [60](#)
 - user, [60](#)
 - validate, [59](#)
 - words, [60](#)
- speech_detection_sphinx_test_nao_wav_1_ch_email_robot, [26](#)
- speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi, [26](#)
- speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia, [27](#)

- speech_detection_sphinx_test_nao_wav_1_ch_yes_no, [27](#)
- speech_detection_sphinx_test_ogg_deutera, [27](#)
 - __path__, [28](#)
- speech_detection_sphinx_test_ogg_deutera.RappInterfaceTest, [50](#)
- speech_detection_sphinx_test_ogg_deutera::RappInterfaceTest
 - audio_source, [50](#)
 - elapsed_time, [50](#)
 - execute, [50](#)
 - file_uri, [50](#)
 - grammar, [51](#)
 - language, [51](#)
 - rappCloud, [51](#)
 - sentences, [51](#)
 - user, [51](#)
 - valid_words_found, [51](#)
 - validate, [50](#)
 - words, [51](#)
- speech_detection_sphinx_test_ogg_monday, [28](#)
 - __path__, [28](#)
- speech_detection_sphinx_test_ogg_monday.RappInterfaceTest, [48](#)
- speech_detection_sphinx_test_ogg_monday::RappInterfaceTest
 - audio_source, [49](#)
 - elapsed_time, [49](#)
 - execute, [48](#)
 - file_uri, [49](#)
 - grammar, [49](#)
 - language, [49](#)
 - rappCloud, [49](#)
 - sentences, [49](#)
 - user, [49](#)
 - valid_words_found, [49](#)
 - validate, [48](#)
 - words, [49](#)
- speech_detection_sphinx_test_ogg_no, [28](#)
 - __path__, [28](#)
- speech_detection_sphinx_test_ogg_no.RappInterfaceTest, [46](#)
- speech_detection_sphinx_test_ogg_no::RappInterfaceTest
 - audio_source, [47](#)
 - elapsed_time, [47](#)
 - execute, [47](#)
 - file_uri, [47](#)
 - grammar, [47](#)
 - language, [47](#)
 - rappCloud, [47](#)
 - sentences, [47](#)
 - user, [47](#)
 - valid_words_found, [47](#)
 - validate, [47](#)
 - words, [48](#)
- speech_detection_sphinx_test_ogg_oxi, [28](#)
 - __path__, [29](#)
- speech_detection_sphinx_test_ogg_oxi.RappInterfaceTest, [44](#)
- speech_detection_sphinx_test_ogg_oxi::RappInterfaceTest
 - audio_source, [45](#)
 - elapsed_time, [45](#)
 - execute, [45](#)
 - file_uri, [45](#)
 - grammar, [45](#)
 - language, [45](#)
 - rappCloud, [45](#)
 - sentences, [46](#)
 - user, [46](#)
 - valid_words_found, [46](#)
 - validate, [45](#)
 - words, [46](#)
- speech_detection_sphinx_test_ogg_triti, [29](#)
 - __path__, [29](#)
- speech_detection_sphinx_test_ogg_triti.RappInterfaceTest, [43](#)
- speech_detection_sphinx_test_ogg_triti::RappInterfaceTest
 - audio_source, [43](#)
 - elapsed_time, [43](#)
 - execute, [43](#)
 - file_uri, [43](#)
 - grammar, [44](#)
 - language, [44](#)
 - rappCloud, [44](#)
 - sentences, [44](#)
 - user, [44](#)
 - valid_words_found, [44](#)
 - validate, [43](#)
 - words, [44](#)
- speech_detection_sphinx_test_ogg_tuesday, [29](#)
 - __path__, [29](#)
- speech_detection_sphinx_test_ogg_tuesday.RappInterfaceTest, [41](#)
- speech_detection_sphinx_test_ogg_tuesday::RappInterfaceTest
 - audio_source, [42](#)
 - elapsed_time, [42](#)
 - execute, [41](#)
 - file_uri, [42](#)
 - grammar, [42](#)
 - language, [42](#)
 - rappCloud, [42](#)
 - sentences, [42](#)
 - user, [42](#)
 - valid_words_found, [42](#)
 - validate, [41](#)
 - words, [42](#)
- speech_detection_sphinx_test_ogg_yes, [29](#)
 - __path__, [30](#)
- speech_detection_sphinx_test_ogg_yes.RappInterfaceTest, [39](#)
- speech_detection_sphinx_test_ogg_yes::RappInterfaceTest

- audio_source, 40
- elapsed_time, 40
- execute, 40
- file_uri, 40
- grammar, 40
- language, 40
- rappCloud, 40
- sentences, 40
- user, 40
- valid_words_found, 40
- validate, 40
- words, 40
- template, 30
 - __path__, 30
- template.RapInterfaceTest, 38
- template::RapInterfaceTest
 - __init__, 38
 - elapsed_time, 39
 - execute, 38
 - file_uri, 39
 - rappCloud, 39
 - valid_results, 39
 - validate, 38
- test
 - record_cognitive_test_performance_arithmetic::RapInterfaceTest, 70
 - record_cognitive_test_performance_awareness::RapInterfaceTest, 69
 - record_cognitive_test_performance_reasoning::RapInterfaceTest, 68
- testClassMatch
 - rapp_testing_tools::rapp_testing_core, 23
- testClasses
 - rapp_testing_tools::rapp_testing_core, 23
- testType
 - cognitive_test_chooser_arithmetic::RapInterfaceTest, 101
 - cognitive_test_chooser_awareness::RapInterfaceTest, 102
 - cognitive_test_chooser_reasoning::RapInterfaceTest, 98
- text
 - text_to_speech_test_gr_auto_store_file::RapInterfaceTest, 38
 - text_to_speech_test_gr_default::RapInterfaceTest, 36
- text_to_speech_test_gr_auto_store_file, 30
- text_to_speech_test_gr_auto_store_file.RapInterfaceTest, 37
- text_to_speech_test_gr_auto_store_file::RapInterfaceTest
 - execute, 37
 - language, 37
 - rappCloud, 37
 - text, 38
 - validate, 37
- text_to_speech_test_gr_default, 30
 - __path__, 31
- text_to_speech_test_gr_default.RapInterfaceTest, 35
- text_to_speech_test_gr_default::RapInterfaceTest
 - destDir, 36
 - elapsed_time, 36
 - execute, 36
 - language, 36
 - rappCloud, 36
 - text, 36
 - validate, 36
- UNDERLINE
 - rapp_testing_tools::rapp_testing_core::bcolors, 34
- user
 - denoise_profile_test_1::RapInterfaceTest, 100
 - speech_detection_google_test_ogg_sentence1::RapInterfaceTest, 66
 - speech_detection_google_test_ogg_sentence2::RapInterfaceTest, 65
 - speech_detection_sphinx_test_headset_deutera::RapInterfaceTest, 63
 - speech_detection_sphinx_test_headset_nai_oxi::RapInterfaceTest, 62
 - speech_detection_sphinx_test_headset_steile_mail::RapInterfaceTest, 60
 - speech_detection_sphinx_test_nao_wav_1_ch_email_robot::RapInterfaceTest, 58
 - speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi::RapInterfaceTest, 56
 - speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia::RapInterfaceTest, 54
 - speech_detection_sphinx_test_nao_wav_1_ch_yes_no::RapInterfaceTest, 53
 - speech_detection_sphinx_test_ogg_deutera::RapInterfaceTest, 51
 - speech_detection_sphinx_test_ogg_monday::RapInterfaceTest, 49
 - speech_detection_sphinx_test_ogg_no::RapInterfaceTest, 47
 - speech_detection_sphinx_test_ogg_oxi::RapInterfaceTest, 46
 - speech_detection_sphinx_test_ogg_triti::RapInterfaceTest, 44
 - speech_detection_sphinx_test_ogg_tuesday::RapInterfaceTest, 42
 - speech_detection_sphinx_test_ogg_yes::RapInterfaceTest, 40
- username
 - cognitive_test_chooser_arithmetic::RapInterfaceTest, 101
 - cognitive_test_chooser_awareness::RapInterfaceTest, 102
 - cognitive_test_chooser_reasoning::RapInterfaceTest, 98
 - record_cognitive_test_performance_arithmetic::RapInterfaceTest, 71
 - record_cognitive_test_performance_awareness::RapInterfaceTest, 69
 - record_cognitive_test_performance_reasoning::RapInterfaceTest, 68

- valid_faces
 - face_detection_test_close_angle::RapInterfaceTest, [99](#)
 - face_detection_test_close_straight::RapInterfaceTest, [91](#)
 - face_detection_test_far_angle::RapInterfaceTest, [96](#)
 - face_detection_test_far_straight::RapInterfaceTest, [95](#)
 - face_detection_test_lenna_png::RapInterfaceTest, [94](#)
 - face_detection_test_medium_angle::RapInterfaceTest, [93](#)
 - face_detection_test_medium_straight::RapInterfaceTest, [92](#)
- valid_minNumFaces
 - face_detection_test_multi_faces_jpg::RapInterfaceTest, [75](#)
- valid_numFaces
 - face_detection_test_two_faces_jpg::RapInterfaceTest, [89](#)
- valid_result_partial
 - record_cognitive_test_performance_arithmetic::RapInterfaceTest, [71](#)
 - record_cognitive_test_performance_awareness::RapInterfaceTest, [69](#)
 - record_cognitive_test_performance_reasoning::RapInterfaceTest, [68](#)
- valid_results
 - available_services_test::RapInterfaceTest, [88](#)
 - ontology_is_subsuperclass_of_microwave_oven::RapInterfaceTest, [87](#)
 - ontology_is_subsuperclass_of_SpatialThing::RapInterfaceTest, [86](#)
 - ontology_subclasses_of_test_Oven::RapInterfaceTest, [84](#)
 - ontology_superclasses_of_test_1::RapInterfaceTest, [83](#)
 - qr_detection_test_1::RapInterfaceTest, [82](#)
 - qr_detection_test_easy_far::RapInterfaceTest, [81](#)
 - qr_detection_test_easy_medium::RapInterfaceTest, [80](#)
 - qr_detection_test_easy_near::RapInterfaceTest, [79](#)
 - qr_detection_test_hard_far::RapInterfaceTest, [78](#)
 - qr_detection_test_hard_medium::RapInterfaceTest, [76](#)
 - qr_detection_test_hard_near::RapInterfaceTest, [35](#)
 - qr_detection_test_medium_far::RapInterfaceTest, [74](#)
 - qr_detection_test_medium_medium::RapInterfaceTest, [73](#)
 - qr_detection_test_medium_near::RapInterfaceTest, [72](#)
 - template::RapInterfaceTest, [39](#)
- valid_words_found
 - speech_detection_google_test_ogg_sentence1::RapInterfaceTest, [67](#)
 - speech_detection_google_test_ogg_sentence2::RapInterfaceTest, [65](#)
 - speech_detection_sphinx_test_headset_deutera::RapInterfaceTest, [64](#)
 - speech_detection_sphinx_test_headset_nai_oxi::RapInterfaceTest, [62](#)
 - speech_detection_sphinx_test_headset_steile_mail::RapInterfaceTest, [60](#)
 - speech_detection_sphinx_test_nao_wav_1_ch_email_robot::RapInterfaceTest, [58](#)
 - speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi::RapInterfaceTest, [56](#)
 - speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia::RapInterfaceTest, [55](#)
 - speech_detection_sphinx_test_nao_wav_1_ch_yes_no::RapInterfaceTest, [53](#)
 - speech_detection_sphinx_test_ogg_deutera::RapInterfaceTest, [51](#)
 - speech_detection_sphinx_test_ogg_monday::RapInterfaceTest, [49](#)
 - speech_detection_sphinx_test_ogg_no::RapInterfaceTest, [47](#)
 - speech_detection_sphinx_test_ogg_oxi::RapInterfaceTest, [46](#)
 - speech_detection_sphinx_test_ogg_triti::RapInterfaceTest, [44](#)
 - speech_detection_sphinx_test_ogg_tuesday::RapInterfaceTest, [42](#)
 - speech_detection_sphinx_test_ogg_yes::RapInterfaceTest, [40](#)
- validate
 - available_services_test::RapInterfaceTest, [88](#)
 - cognitive_test_chooser_arithmetic::RapInterfaceTest, [101](#)
 - cognitive_test_chooser_awareness::RapInterfaceTest, [102](#)
 - cognitive_test_chooser_reasoning::RapInterfaceTest, [97](#)
 - denoise_profile_test_1::RapInterfaceTest, [100](#)
 - face_detection_test_close_angle::RapInterfaceTest, [98](#)
 - face_detection_test_close_straight::RapInterfaceTest, [90](#)
 - face_detection_test_far_angle::RapInterfaceTest, [96](#)
 - face_detection_test_far_straight::RapInterfaceTest, [95](#)
 - face_detection_test_lenna_png::RapInterfaceTest, [94](#)
 - face_detection_test_medium_angle::RapInterfaceTest, [93](#)
 - face_detection_test_medium_straight::RapInterfaceTest, [91](#)
 - face_detection_test_multi_faces_jpg::RapInterfaceTest, [75](#)
 - face_detection_test_two_faces_jpg::RapInterfaceTest, [89](#)

- ontology_is_subsuperclass_of_microwave_oven::RappInterfaceTest, [87](#)
 - ontology_is_subsuperclass_of_SpatialThing::RappInterfaceTest, [85](#)
 - ontology_subclasses_of_test_Oven::RappInterfaceTest, [84](#)
 - ontology_superclasses_of_test_1::RappInterfaceTest, [83](#)
 - qr_detection_test_1::RappInterfaceTest, [82](#)
 - qr_detection_test_easy_far::RappInterfaceTest, [81](#)
 - qr_detection_test_easy_medium::RappInterfaceTest, [80](#)
 - qr_detection_test_easy_near::RappInterfaceTest, [78](#)
 - qr_detection_test_hard_far::RappInterfaceTest, [77](#)
 - qr_detection_test_hard_medium::RappInterfaceTest, [76](#)
 - qr_detection_test_hard_near::RappInterfaceTest, [35](#)
 - qr_detection_test_medium_far::RappInterfaceTest, [74](#)
 - qr_detection_test_medium_medium::RappInterfaceTest, [73](#)
 - qr_detection_test_medium_near::RappInterfaceTest, [71](#)
 - record_cognitive_test_performance_arithmetic::RappInterfaceTest, [70](#)
 - record_cognitive_test_performance_awareness::RappInterfaceTest, [69](#)
 - record_cognitive_test_performance_reasoning::RappInterfaceTest, [67](#)
 - speech_detection_google_test_ogg_sentence1::RappInterfaceTest, [66](#)
 - speech_detection_google_test_ogg_sentence2::RappInterfaceTest, [64](#)
 - speech_detection_sphinx_test_headset_deutera::RappInterfaceTest, [63](#)
 - speech_detection_sphinx_test_headset_nai_oxi::RappInterfaceTest, [61](#)
 - speech_detection_sphinx_test_headset_steile_mail::RappInterfaceTest, [59](#)
 - speech_detection_sphinx_test_nao_wav_1_ch_email_robot::RappInterfaceTest, [57](#)
 - speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi::RappInterfaceTest, [56](#)
 - speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia::RappInterfaceTest, [54](#)
 - speech_detection_sphinx_test_nao_wav_1_ch_yes_no::RappInterfaceTest, [52](#)
 - speech_detection_sphinx_test_ogg_deutera::RappInterfaceTest, [50](#)
 - speech_detection_sphinx_test_ogg_monday::RappInterfaceTest, [48](#)
 - speech_detection_sphinx_test_ogg_no::RappInterfaceTest, [47](#)
 - speech_detection_sphinx_test_ogg_oxi::RappInterfaceTest, [45](#)
 - speech_detection_sphinx_test_ogg_triti::RappInterfaceTest, [43](#)
 - speech_detection_sphinx_test_ogg_tuesday::RappInterfaceTest, [41](#)
 - speech_detection_sphinx_test_ogg_yes::RappInterfaceTest, [40](#)
 - template::RappInterfaceTest, [38](#)
 - text_to_speech_test_gr_auto_store_file::RappInterfaceTest, [37](#)
 - text_to_speech_test_gr_default::RappInterfaceTest, [36](#)
- WARNING
- rapp_testing_tools::rapp_testing_core::bcolors, [34](#)
 - words
 - speech_detection_sphinx_test_headset_deutera::RappInterfaceTest, [64](#)
 - speech_detection_sphinx_test_headset_nai_oxi::RappInterfaceTest, [62](#)
 - speech_detection_sphinx_test_headset_steile_mail::RappInterfaceTest, [60](#)
 - speech_detection_sphinx_test_nao_wav_1_ch_email_robot::RappInterfaceTest, [58](#)
 - speech_detection_sphinx_test_nao_wav_1_ch_nai_oxi::RappInterfaceTest, [56](#)
 - speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia::RappInterfaceTest, [55](#)
 - speech_detection_sphinx_test_nao_wav_1_ch_yes_no::RappInterfaceTest, [53](#)
 - speech_detection_sphinx_test_ogg_deutera::RappInterfaceTest, [51](#)
 - speech_detection_sphinx_test_ogg_monday::RappInterfaceTest, [49](#)
 - speech_detection_sphinx_test_ogg_no::RappInterfaceTest, [48](#)
 - speech_detection_sphinx_test_ogg_oxi::RappInterfaceTest, [46](#)
 - speech_detection_sphinx_test_ogg_triti::RappInterfaceTest, [44](#)
 - speech_detection_sphinx_test_ogg_tuesday::RappInterfaceTest, [42](#)
 - speech_detection_sphinx_test_ogg_yes::RappInterfaceTest, [40](#)